

# MAINE STATE LEGISLATURE

The following document is provided by the  
**LAW AND LEGISLATIVE DIGITAL LIBRARY**  
at the Maine State Law and Legislative Reference Library  
<http://legislature.maine.gov/lawlib>



Reproduced from electronic originals  
(may include minor formatting differences from printed original)



# 132nd MAINE LEGISLATURE

## FIRST REGULAR SESSION-2025

---

Legislative Document

No. 984

---

S.P. 414

In Senate, March 11, 2025

---

**An Act to Require Every State and Municipal Building to Have at  
Least One Automated External Defibrillator**

---

Reference to the Committee on State and Local Government suggested and ordered printed.

A handwritten signature in black ink, appearing to read 'D M Grant'.

DAREK M. GRANT  
Secretary of the Senate

Presented by Senator MOORE of Washington. (BY REQUEST)  
Cosponsored by Representative ZAGER of Portland and  
Representatives: DAIGLE of Fort Kent, GRIFFIN of Levant.

1 **Be it enacted by the People of the State of Maine as follows:**

2 **Sec. 1. 5 MRSA §1755** is enacted to read:

3 **§1755. Automated external defibrillators**

4 The Department of Administrative and Financial Services, Bureau of General Services  
5 shall ensure that each state building is equipped with at least one automated external  
6 defibrillator. As used in this section, "automated external defibrillator" has the same  
7 meaning as in Title 22, section 2150-C, subsection 1, paragraph A.

8 **Sec. 2. 30-A MRSA §2007** is enacted to read:

9 **§2007. Automated external defibrillators**

10 A municipality shall ensure that each municipal building is equipped with at least one  
11 automated external defibrillator. As used in this section, "automated external defibrillator"  
12 has the same meaning as in Title 22, section 2150-C, subsection 1, paragraph A.

13 **SUMMARY**

14 This bill directs the Department of Administrative and Financial Services, Bureau of  
15 General Services to ensure that each state building is equipped with at least one automated  
16 external defibrillator. It also directs each municipality to ensure that each municipal  
17 building is equipped with at least one automated external defibrillator.