

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

PUBLIC DOCUMENTS OF MAINE:

BEING THE

ANNUAL REPORTS

OF THE VARIOUS

Public Officers ^{and} Institutions

FOR THE YEAR

1894.

VOLUME II.

AUGUSTA:

BURLEIGH & FLYNT, PRINTERS TO THE STATE.

1894.

FIRST ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES
AND DEATHS

IN THE

STATE OF MAINE

FOR THE

YEAR ENDING DECEMBER 31, 1892.

AUGUSTA:
BURLEIGH & FLYNT, PRINTERS TO THE STATE.
1894.

DEPARTMENT OF VITAL STATISTICS.

OFFICE OF THE REGISTRAR, }
AUGUSTA, ME., May 28, 1894. }

To His Excellency, Henry B. Cleaves, Governor, and the Honorable Executive Council:

GENTLEMEN—In accordance with the provisions of the law, I have the honor of submitting to you the First Annual Report relating to the births, marriages, and deaths which were registered in Maine in the year 1892.

Very respectfully,

A. G. YOUNG, M. D.

Registrar of Vital Statistics.

REGISTRATION REPORT, 1892.

As under the old law, repealed in 1887, but one or two dozen town clerks annually complied with the statutory provisions, requiring reports of births, marriages, and deaths to be made to the Secretary of State, there were perhaps grounds for the apprehension that there would be some difficulty in getting returns from all the towns. but it is gratifying to be able to report that a large majority of the clerks made their returns very promptly, and that eventually returns were received from every city, town, and plantation in the State save one town ; and from that a bare statement of the number of births, marriages, and deaths was received.

The returns, nevertheless, came in late from a sufficiently large number of towns to retard very much the beginning of the tabulations. Another cause for the delayed appearance of this report was the desire of the registrar to have the returns, which are to serve both as permanent records in this central office, and as the basis of all the statistical tabulations, as free from errors and imperfections as it is possible to have them. The copies, therefore, of considerably more than 2000 records of deaths, and of a smaller number of births and marriages were returned to town clerks, physicians, clergymen, and other persons, for the purpose of securing essential facts which were omitted in the records or for the correction of possible errors. This and the subsequent red-ink annotation of the records was a tedious work, but it is believed that their nearer approach to completeness, and their greater value for future use, will be an ample justification.

How near the figures representing the results of this first year's registration of vital statistics approach the truth may be known with more certainty in the future by comparing them with those to be obtained in subsequent years. It is certain that the registration results in some towns are defective. There are, however, grounds

for hoping that this first year's work may at least be as nearly accurate as the first work of the local registrars in any other state.

Population.—According to the report of the eleventh census, the population of the State of Maine was 661,086 in 1890. The population of the State was 648,936 in 1880. There was, therefore, a gain of 12,150 in the decade between the two last census enumerations. This represents the balance of gain over loss, for seven counties suffered a diminution of population aggregating 12,906 while 25,056 persons were added to the population of nine other counties. The following table shows the gain or loss in each county:

TABLE No. 1.
Population in 1890 and 1880.

Counties.	1890.	1880.	Difference.
Androscoggin	48,968	45,042	3,926 gain.
Aroostook	49,589	41,706	7,889 gain.
Cumberland.....	90,949	86,359	4,590 gain.
Franklin.....	17,053	18,180	1,127 loss.
Hancock	37,312	38,129	817 loss.
Kennebec	57,012	53,058	3,954 gain.
Knox	31,473	32,863	1,390 loss.
Lincoln.....	21,996	24,821	2,825 loss.
Oxford	30,586	32,627	2,041 loss.
Penobscot.....	72,865	70,476	2,389 gain.
Piscataquis	16,134	14,872	1,262 gain.
Sagadahoc.....	19,452	19,272	180 gain.
Somerset.....	32,627	32,333	294 gain.
Waldo	27,759	32,463	4,704 loss.
Washington.....	44,482	44,484	2 loss.
York.....	62,829	62,257	572 gain.
State.....	661,086	648,936	12,150 gain.

TABLE No. 2.

Population of 1890; Births, Marriages, and Deaths, with Rate of Each to 1,000 of Population for the Year ending December 31, 1892.

Counties.	Population in 1890.	Births.	Birth rate per 1,000.	Marriages.	Marriage rate per 1,000.	Deaths.	Death rate per 1,000.
Androscoggin.....	48,968	991	20.23	479	9.78	803	16.39
Aroostook.....	49,589	1,610	32.46	458	9.23	619	12.48
Cumberland.....	90,949	2,048	22.51	779	8.56	1,845	20.28
Franklin.....	17,053	345	20.23	145	8.50	337	19.76
Hancock.....	37,312	757	20.28	307	8.22	581	15.57
Kennebec.....	57,012	1,064	18.66	553	9.69	1,273	22.32
Knox.....	31,473	572	18.14	276	8.76	629	19.99
Lincoln.....	21,996	402	18.27	172	7.81	439	19.95
Oxford.....	30,586	524	17.13	224	7.32	561	18.30
Penobscot.....	72,865	1,452	19.92	697	9.56	1,208	16.57
Piscataquis.....	16,134	343	21.25	133	8.24	246	15.24
Sagadahoc.....	19,452	375	19.27	157	8.07	352	18.09
Somerset.....	32,627	629	19.27	297	9.10	548	16.79
Waldo.....	27,759	404	14.55	240	8.64	538	19.38
Washington.....	44,482	1,681	24.30	354	7.95	775	17.42
York.....	62,829	1,431	22.77	455	7.24	1,393	22.20
Total.....	661,086	14,028	21.21	5,726	8.66	12,147	18.37

The following is a general summary of the births, marriages and deaths in 1892.

BIRTHS.

Sex.		Parentage.	
Males	7,184	American	8,689
Females	6,730	Foreign.....	2,590
Not stated	114	One parent foreign.....	1,828
	<u>14,028</u>	Not stated.....	921
			<u>14,028</u>

Whole number of births..... 14,028
 Birth-rate per 1000..... 21.21*

* Birth-rates, marriage-rates, and death-rates, based on the population for 1890.

MARRIAGES.

Groom and bride both American.....	3,565
Groom and bride both foreign.....	438
Groom American, bride foreign.....	272
Groom foreign, bride American.....	330
Not stated.....	<u>1,121</u>
Whole number of marriages.....	5,726
Marriage-rate per 1000.....	8.56

DEATHS.

Sex.		Nativity.	
Males	5,939	American	10,194
Females	6,175	Foreign.....	1,267
Not stated	33	Not stated	686
	<u>12,147</u>		<u>12,147</u>

Whole number of deaths..... 12,147
 Death-rate per 1000 of population..... 18.37

Relation of Births to Deaths.—As the total number of births registered in Maine in the year 1892 was 14,028 and the number of deaths was 12,147, the natural increase of births over deaths was 1,881.

In the following table it appears that, in some of the counties, there has been a natural loss of population due to the fact that the number of registered deaths exceeds the number of births.

TABLE No. 3.

Counties.	Population in 1890.	Births.	Deaths.	Difference.
Androscoggin	48,968	991	803	188 gain
Aroostook	49,589	1,610	619	991 gain
Cumberland	90,945	2,048	1,845	203 gain
Franklin	17,053	345	337	8 gain
Hancock	37,312	757	581	176 gain
Kennebec	57,012	1,064	1,273	209 loss
Knox	31,473	572	629	57 loss
Lincoln	21,996	402	439	37 loss
Oxford	30,586	524	561	37 loss
Penobscot	72,865	1,452	1,208	244 gain
Piscataquis	16,134	343	246	97 gain
Sagadahoc	19,452	375	352	23 gain
Somerset	32,627	629	548	81 gain
Waldo	27,759	404	538	134 loss
Washington	44,482	1,081	775	306 gain
York	62,829	1,431	1,393	38 gain
State	661,086	14,028	12,147	1,881 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following :

TABLE No. 4.

Cities.	Population in 1890.	Births.	Deaths.	Difference.
Auburn	11,250	151	182	31 loss.
Augusta.....	10,527	206	*306	100 loss.
Bangor.....	19,103	365	364	1 gain.
Bath.....	8,723	173	158	15 gain.
Belfast	5,294	28	104	76 loss.
Biddeford.....	14,443	509	408	101 gain.
Brewer.....	4,193	109	58	51 gain.
Calais	7,290	191	176	15 gain.
Deering	5,353	99	99	
Eastport	4,908	125	79	46 gain.
Ellsworth.....	4,804	90	79	11 gain.
Gardiner.....	5,491	73	107	34 loss.
Hallowell.....	3,181	57	66	9 loss.
Lewiston	21,701	535	340	195 gain.
Old Town	5,312	145	113	32 gain.
Portland	36,425	808	782	26 gain.
Rockland	8,174	154	179	25 loss.
Saco	6,075	137	131	6 gain.
Waterville.....	7,107	300	163	137 gain.
Westbrook.....	6,632	241	118	123 gain.
Total	195,985	4,496	4,012	484 gain.

* Including 84 deaths in the Insane Hospital.

Of the 517 cities, towns, and plantations represented in this report, the births exceed the deaths in 322, while in 168 the number of deaths is greater than the number of births.

TABLE No. 5.

Counties.	Towns in which the births exceed the deaths.	Towns in which the deaths exceed the births.	Towns in which they are equal.	Total.
Androscoggin	5	2	-	13
Aroostook	68	-	1	69
Cumberland	14	10	2	26
Franklin	16	2	2	26
Hancock	26	2	-	34
Kennebec	13	16	1	30
Knox	8	9	-	17
Lincoln	6	11	1	18
Oxford	18	18	3	39
Penobscot	39	17	6	62
Piscataquis	20	3	2	25
Sagadahoc	6	5	-	11
Somerset	24	13	3	40
Waldo	7	16	3	26
Washington	42	11	1	54
York	10	15	2	27
	322	168	27	517

A comparison of the tables already given offers interesting suggestions as to the conditions which are influencing gain or loss of population in the different parts of the State. Generally it may be said that in the older counties in which agriculture is the leading industry and in which large manufacturing centers are absent, the census enumeration shows either a loss or only a very slight gain in population. In the same places, the town clerks' returns exhibit generally either a preponderance of deaths over births, or only a slight excess in the number of births, as compared with the number of deaths.

TABLE
Births, Marriages and Deaths
 ANDROSCOGGIN

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Males.	Females.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn	11,250	82	69	-	151	13.42	84	44	13	8	2
Durham	1,111	15	5	-	20	18.00	17	2	-	-	1
East Livermore	1,506	14	21	-	35	23.24	26	8	-	-	1
Greene	885	9	5	1	15	16.94	7	3	-	2	3
Leeds	999	11	9	-	20	20.02	16	-	1	1	2
Lewiston	21,701	269	265	1	535	24.65	108	364	24	31	8
Lisbon	3,120	51	49	-	100	32.05	41	50	4	5	-
Livermore	1,151	7	4	-	11	9.55	10	1	-	-	-
Minot	1,355	9	4	-	13	9.59	10	-	2	-	1
Poland	2,472	18	15	-	33	13.34	21	2	1	-	9
Turner	2,016	15	19	-	34	16.86	32	1	-	-	1
Wales	451	3	-	-	3	6.65	3	-	-	-	-
Webster	951	15	6	-	21	22.08	13	3	-	3	2
Total	48,968	518	471	2	991	20.23	388	478	45	50	30

No. 6.
for the Year 1892.
COUNTY.

MARRIAGES.							DEATHS.						
							Sex.				Nativity.		
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Males.	Females.	Not stated.	Total.	American.	Foreign.	Not stated.	
71	3	3	3	23	103	89	93	-	182	160	12	10	16.17
4	-	-	-	1	5	9	17	-	26	25	1	-	23.40
15	1	-	2	-	18	11	16	-	27	25	-	2	17.92
10	-	1	-	1	12	7	9	-	16	15	-	1	18.07
5	-	-	-	-	5	11	10	-	21	21	-	-	21.02
20	12	4	2	212	250	171	169	-	340	220	103	17	15.66
20	6	3	-	2	31	27	26	-	53	45	7	1	16.98
3	-	-	-	1	4	7	10	-	17	13	1	3	14.76
13	-	-	-	-	13	7	26	-	33	23	-	10	24.35
20	-	1	-	3	24	27	15	-	42	39	1	2	16.99
5	-	-	-	-	5	16	21	-	37	34	1	2	18.35
1	-	1	-	-	2	2	2	-	4	4	-	-	8.86
4	-	-	2	1	7	2	3	-	5	5	-	-	5.25
191	22	13	9	244	479	386	417	-	803	629	126	48	16.39

TABLE
Births, Marriages and Deaths
AROOSTOOK

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Males.	Females	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity	420	4	1	-	5	11.90	3	-	1	1	-
Ashland	568	16	10	-	26	45.77	19	-	1	-	6
Bancroft	264	1	1	-	2	7.57	1	-	1	-	-
Benedicta	317	3	6	-	9	28.39	6	-	2	1	-
Blaine	784	11	13	-	24	30.61	9	8	4	2	1
Bridgewater	946	15	19	-	34	35.94	8	9	8	8	1
Caribou	4,087	75	82	1	158	38.65	40	30	26	12	50
Dyer Brook	221	4	5	-	9	40.72	6	-	1	-	2
Easton	978	4	8	-	12	12.27	1	-	-	-	11
Fort Fairfield	3,526	59	48	-	107	30.34	46	22	13	25	1
Fort Kent	1,826	44	42	-	86	47.08	48	4	23	10	1
Frenchville	2,560	56	82	-	138	53.90	104	3	13	17	1
Grand Isle	964	24	32	-	56	58.09	32	6	12	4	2
Haynesville	280	6	3	-	9	32.14	5	-	3	-	1
Hersey	151	2	2	-	4	26.42	3	-	1	-	-
Hodgdon	1,113	20	16	-	36	32.34	16	4	6	9	1
Houlton	4,015	33	30	1	64	15.94	25	20	8	11	-
Island Falls	223	2	2	-	4	17.93	3	-	-	1	-
Limestone	933	13	19	-	32	34.29	11	12	2	2	5
Linneus	965	11	14	-	25	25.90	9	10	5	1	-
Littleton	924	12	19	-	31	33.54	17	8	-	4	2
Ludlow	375	5	2	-	7	18.66	-	2	2	-	3
Madawaska	1,451	39	24	-	63	43.41	49	-	3	10	1
Mapleton	832	11	6	-	17	20.43	10	1	4	1	1
Mars Hill	837	10	14	-	24	28.67	8	5	3	5	3

No. 6—Continued
for the Year 1892.
COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Males.	Females.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	2	2	-	4	3	1	-	9.52
9	-	-	-	1	10	1	3	-	4	4	-	-	7.04
1	1	1	1	-	4	1	-	-	1	1	-	-	3.78
3	-	-	1	-	4	1	1	-	2	2	-	-	6.30
2	2	2	-	-	6	4	8	-	12	9	3	-	15.31
4	2	1	2	1	10	5	7	-	12	7	5	-	12.68
16	9	6	4	1	36	21	26	-	47	38	7	2	11.49
-	-	-	1	-	1	1	1	-	2	-	1	1	9.04
5	2	2	2	1	12	-	3	-	3	3	-	-	3.06
16	12	5	6	4	43	12	17	-	29	26	2	1	8.22
10	-	1	5	-	16	11	19	-	30	24	3	3	16.42
24	1	3	3	-	31	24	27	-	51	51	-	-	19.92
7	-	-	5	-	12	13	10	-	23	17	4	2	23.85
1	-	1	1	-	3	3	-	-	3	2	1	-	10.71
-	-	-	1	-	1	-	2	-	2	-	1	1	13.24
6	2	2	2	-	12	12	5	-	17	11	6	-	15.27
12	20	10	11	4	57	10	9	-	19	13	4	2	4.73
2	-	-	1	-	3	1	1	-	2	2	-	-	8.96
3	2	1	-	-	6	5	5	-	10	10	-	-	10.71
6	2	1	5	-	14	6	6	-	12	8	4	-	12.43
2	2	-	1	-	5	-	8	-	8	4	4	-	8.65
1	3	-	2	1	7	2	3	-	5	4	1	-	13.33
9	-	-	1	-	10	16	16	-	32	26	6	-	22.05
5	-	-	-	-	5	5	3	-	8	7	1	-	9.61
3	2	-	-	1	6	9	2	-	11	8	1	2	13.14

TABLE
Births, Marriages and Deaths
AROOSTOOK

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Males.	Females.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Masardis	250	5	2	-	7	28.00	4	1	1	-	1
Monticello.....	1,132	13	12	-	25	22.08	5	8	3	4	5
New Limerick	567	3	2	-	5	8.81	1	1	1	2	-
Orient	244	3	1	-	4	16.39	3	-	1	-	-
Presque Isle.....	3,046	72	55	-	127	41.69	69	27	14	13	4
Sherman.	909	9	11	-	20	22.00	11	2	4	1	2
Smyrna.....	303	2	4	-	6	19.80	4	1	-	1	-
Van Buren.....	1,168	17	13	-	30	25.68	15	5	4	6	-
Washburn	1,097	21	17	-	38	34.63	15	11	6	5	1
Weston ...	404	6	3	-	9	22.27	5	2	-	2	-
Woodland	885	18	18	-	36	40.67	3	4	2	5	22
Allegash Pl.....	200	3	1	-	4	20.00	-	2	2	-	-
Cary Pl	390	11	4	-	15	38.46	9	1	2	1	2
Castle Hill Pl	537	8	6	-	14	26.07	8	1	2	2	1
Caswell Pl.....	212	3	6	-	9	42.45	1	3	-	-	5
Chapman Pl.	231	1	6	-	7	30.30	5	2	-	-	-
Connor Pl	526	5	2	-	7	13.30	1	2	-	4	-
Crystal Pl.....	297	5	6	-	11	37.03	5	1	4	1	-
Cyr Pl... ..	429	8	9	-	17	39.62	9	1	1	6	-
Eagle Lake Pl.....	313	7	1	-	8	25.55	7	-	1	-	-
Garfield Pl	86	2	3	-	5	58.13	4	-	1	-	-
Glenwood Pl.....	183	1	3	-	4	21.85	3	-	1	-	-
Hamlin Pl.....	484	7	9	-	16	33.05	10	1	3	2	-
Hammond Pl.....	109	-	-	-	-	-	-	-	-	-	-
Macwahoc Pl	216	2	3	-	5	23.14	1	-	4	-	-

No. 6—Continued.
for the Year 1892.
COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	1	-	1	3	2	-	5	4	-	1	20.00
1	1	1	1	4	8	6	4	-	10	7	2	1	8.83
1	-	2	-	-	3	3	1	-	4	3	1	-	7.05
2	-	-	1	-	3	1	1	-	2	1	1	-	8.19
9	7	2	5	2	25	32	29	-	61	48	11	2	20.02
7	-	-	-	-	7	3	2	-	5	4	1	-	5.50
6	1	-	2	-	9	-	1	-	1	-	1	-	3.30
8	1	4	6	-	19	11	12	-	23	17	5	1	19.69
12	-	1	1	-	14	13	10	-	23	21	2	-	20.96
1	-	-	1	-	2	1	2	-	3	3	-	-	7.42
-	-	-	1	-	1	4	9	-	13	8	4	1	14.68
3	-	-	-	-	3	-	2	-	2	1	1	-	10.00
1	-	-	-	-	1	4	2	-	6	5	1	-	15.38
1	-	-	-	1	2	2	1	-	3	2	1	-	5.58
1	-	-	1	-	2	1	1	-	2	2	-	-	9.43
-	-	-	-	-	-	-	2	-	2	2	-	-	8.65
-	-	-	1	-	1	-	2	-	2	1	1	-	3.80
1	-	-	-	-	1	3	-	-	3	1	-	2	10.10
-	-	-	-	-	-	5	8	-	13	13	-	-	30.30
-	-	-	-	-	-	-	1	-	1	1	-	-	3.19
-	-	-	1	-	1	-	-	-	-	-	-	-	-
-	-	1	-	-	1	2	2	-	4	3	-	1	21.85
-	-	-	-	-	-	7	3	-	10	9	1	-	20.66
-	-	-	-	-	-	1	2	-	3	1	2	-	27.52
2	-	-	-	-	2	2	1	-	3	2	1	-	13.88

TABLE
Births, Marriages and Deaths
ARROSTOOK

Towns.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Merrill Pl.....	244	5	3	-	8	32.78	7	-	-	1	-
Molunkus Pl	77	-	1	-	1	12.98	-	-	-	-	1
Moro Pl.....	199	3	3	-	6	30.15	3	-	2	-	1
Nashville Pl.....	34	-	1	-	1	29.41	1	-	-	-	-
New Canada Pl.....	301	7	5	-	12	39.86	9	2	-	1	-
New Sweden Pl.....	707	2	9	-	11	15.55	-	11	-	-	-
No. 14 Range 6 Pl.....	19	1	-	-	1	52.63	-	-	1	-	-
Oakfield Pl.....	720	16	8	-	24	33.33	18	3	2	1	-
Oxbow Pl	94	2	2	-	4	42.55	4	-	-	-	-
Perham Pl.....	438	10	9	-	19	43.37	9	4	5	1	-
Portage Lake Pl ...	140	6	2	-	8	57.14	7	1	-	-	-
Reed Pl.....	203	5	7	-	12	59.11	7	2	1	2	-
St. Francis Pl	461	14	7	-	21	45.55	12	-	2	7	-
St. John Pl	226	8	13	-	21	92.92	6	1	10	4	-
Sheridan Pl	221	1	1	-	2	9.04	-	-	1	1	-
Silver Ridge Pl.....	195	2	1	-	3	15.38	2	-	1	-	-
Wade Pl	158	7	1	-	8	50.63	3	1	2	2	-
Wallagrass Pl.....	595	8	14	-	22	36.95	18	-	1	3	-
Westfield Pl.....	166	3	6	-	9	54.21	5	2	-	1	1
Winterville Pl	72	-	3	-	3	41.66	1	1	-	1	-
Letter A Pl.....	-	-	3	-	3	-	-	1	2	-	-
Total	*49,048	812	796	2	1610	32.46	789	249	229	204	139

*Population in unorganized plantations in 1890, 541.

No. 6—Continued.
for the Year 1892.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	1	-	-	1	1	-	-	4.09
1	-	-	-	-	1	1	-	-	1	-	-	1	12.98
1	-	-	1	-	2	4	-	-	4	1	-	3	20.10
-	-	-	-	-	-	-	1	-	1	1	-	-	29.41
-	-	-	-	-	-	-	1	2	3	3	-	-	9.96
4	-	-	1	-	5	-	3	-	3	2	1	-	4.24
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	2	2	-	4	4	-	-	5.55
3	-	-	-	-	3	-	1	-	1	1	-	-	10.63
3	-	-	-	-	3	3	3	-	6	5	1	-	13.69
1	-	1	-	-	2	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	3	-	3	2	1	-	14.77
-	-	1	1	-	2	5	4	-	9	8	1	-	19.52
-	-	-	-	-	-	3	2	-	5	4	1	-	22.12
2	-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	2	1	1	-	10.25
1	2	2	1	-	6	2	2	-	4	3	1	-	25.31
7	-	-	1	-	8	5	7	-	12	11	-	1	2.01
-	-	-	-	-	-	3	4	-	7	4	2	1	42.16
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
229	74	51	83	21	458	300	319	-	619	490	100	29	12.48

TABLE
Births, Marriages and Deaths

CUMBERLAND

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin	932	11	13	-	24	25.75	23	-	1	-	-
Bridgton.	2,605	27	17	-	44	16.88	40	-	2	1	1
Brunswick	6,012	114	97	1	212	35.26	63	127	9	10	3
Cape Elizabeth	5,459	79	76	-	149	27.29	101	20	6	17	5
Casco	844	3	7	-	10	11.84	10	-	-	-	-
Cumberland.....	1,487	17	10	-	27	18.15	18	6	2	-	1
Deering.....	5,353	47	52	-	99	18.49	67	20	2	6	4
Falmouth.....	1,580	16	12	-	28	17.72	22	5	-	-	1
Freeport.....	2,482	26	26	-	52	20.95	46	1	-	3	2
Gorham.....	2,888	26	14	-	40	13.85	29	6	2	2	1
Gray	1,517	15	5	-	20	13.18	18	-	-	1	1
Harpswell.....	1,766	21	23	-	44	24.91	38	-	1	3	2
Harrison	1,071	5	6	-	11	10.27	10	-	1	-	-
Naples	846	11	10	-	21	24.82	20	1	-	-	-
New Gloucester.....	1,234	11	8	-	19	15.39	15	2	1	1	-
North Yarmouth.....	709	2	6	-	8	11.28	5	2	-	1	-
Otisfield	838	6	4	-	10	11.93	9	-	1	-	-
Portland.....	36,425	435	370	3	808	22.18	393	248	73	84	10
Pownal	712	8	2	-	10	14.04	8	1	-	1	-
Raymond.....	927	11	3	-	14	15.10	13	-	-	-	1
Scarboro.....	1,794	22	19	-	41	22.85	33	2	-	5	1
Sebago.....	681	6	5	-	11	16.15	10	-	-	1	-
Standish.....	1,841	11	16	-	27	14.66	21	3	1	2	-
Westbrook	6,632	117	123	1	241	36.33	72	131	10	18	10
Windham.....	2,216	29	15	1	45	20.30	39	1	2	1	2
Yarmouth.....	2,098	18	15	-	33	15.72	22	7	2	2	-
Total.....	90,949	1094	948	6	2048	22.51	1145	583	116	159	45

No. 6—Continued.
for the Year 1892.
COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
5	-	-	-	-	5	11	7	-	18	17	-	1	19.31
23	-	-	-	-	23	23	23	-	46	43	-	3	17.65
38	23	5	5	2	73	72	95	-	167	134	29	4	27.77
35	2	2	3	1	43	58	43	-	101	86	11	4	18.50
7	-	-	-	1	8	2	5	-	7	7	-	-	8.29
7	-	-	-	-	7	10	16	-	26	23	2	1	17.48
25	1	-	1	1	28	41	58	-	99	64	14	21	18.49
5	-	-	-	-	5	16	23	-	39	36	2	1	24.68
15	-	-	1	1	17	18	32	-	50	48	2	-	20.14
20	-	-	1	-	21	26	22	-	48	46	-	2	16.62
16	-	-	1	1	18	12	19	-	31	30	1	-	20.43
5	-	-	2	-	7	16	17	-	33	33	-	-	18.68
6	-	-	-	1	7	7	8	-	15	15	-	-	14.00
1	-	-	-	-	1	8	9	-	17	17	-	-	20.09
5	-	-	-	-	5	17	16	-	33	32	-	1	26.74
4	-	-	-	-	4	10	7	-	17	17	-	-	23.79
7	-	-	-	-	7	8	5	-	13	12	1	-	15.51
207	80	30	28	14	359	380	402	-	782	561	185	36	21.46
4	-	-	-	-	4	6	4	-	10	9	-	1	14.04
3	-	-	-	-	3	6	4	-	10	10	-	-	10.78
4	2	-	1	-	7	20	15	-	35	30	5	-	19.50
2	-	-	-	-	2	2	6	-	8	8	-	-	11.74
13	-	-	-	-	13	19	12	-	31	30	-	1	16.83
12	-	-	-	71	83	55	63	-	118	94	19	5	17.79
15	-	-	-	-	15	19	24	-	43	41	-	2	19.40
10	1	-	-	3	14	28	20	-	48	40	4	4	22.87
494	109	37	43	96	779	890	955	-	1,845	1,483	275	87	20.23

TABLE
Births, Marriages and Deaths
FRANKLIN

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Avon	439	3	3	-	6	13.66	5	-	-	-	1
Carthage	390	5	2	-	7	17.94	7	-	-	-	-
Chesterville	770	6	8	-	14	18.05	12	-	1	-	1
Eustis	321	8	6	-	14	43.61	12	-	1	1	-
Farmington	3,207	23	32	3	58	11.16	45	7	2	2	2
Freedom	464	5	2	-	7	15.08	6	-	-	1	-
Industry	545	8	6	1	15	37.52	15	-	-	-	-
Jay	1,541	16	18	-	34	22.06	24	9	-	-	1
Kingfield	601	10	11	-	21	34.94	19	1	1	-	-
Madrid	441	8	3	-	11	24.94	8	1	1	-	1
New Sharon	1,064	9	7	-	16	15.03	13	1	-	-	2
New Vineyard	660	4	7	-	11	16.66	10	-	-	-	1
Phillips	1,394	16	13	-	29	20.80	23	2	-	1	3
Rangeley	616	7	11	-	18	29.22	16	-	1	-	1
Salem	218	1	1	-	2	9.17	2	-	-	-	-
Strong	627	5	8	-	13	20.73	12	-	1	-	-
Temple	470	6	1	-	7	14.89	7	-	-	-	-
Weld	885	7	8	-	15	16.94	13	-	-	-	2
Wilton	1,622	10	18	-	28	17.26	25	1	2	-	-
Coplin Pl	71	-	1	-	1	14.08	1	-	-	-	-
Dallas Pl	184	3	4	-	7	38.04	7	-	-	-	-
Greenville Pl	52	1	2	-	3	57.69	3	-	-	-	-
Letter E Pl	29	-	-	-	-	-	-	-	-	-	-
Perkins Pl	94	1	3	-	4	31.91	4	-	-	-	-
Rangeley Pl	58	-	2	-	2	34.48	2	-	-	-	-

TABLE
Births, Marriages and Deaths
FRANKLIN

Towns.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
No. 4, Range 3 Pl	25	1	-	-	1	40.00	-	-	-	1	-
Jerusalem Pl.....	18	1	-	-	1	55.55	1	-	-	-	-
Lowellton Pl.....	49	-	-	-	-	-	-	-	-	-	-
Redington Pl.....	28	-	-	-	-	-	-	-	-	-	-
Bigelow Pl	-	-	-	-	-	-	-	-	-	-	-
Total	*16,883	164	177	4	345	20.23	292	22	10	6	15

*Population in unorganized plantations in 1890, 170.

No. 6—Continued.
for the Year 1892.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	1	-	-	-	-	-	-	-	-
-	-	1	-	-	1	2	1	-	3	2	-	1	-
-	-	-	-	-	-	1	-	-	1	1	-	-	-
115	4	7	9	10	145	154	183	-	337	314	6	17	19.76

TABLE
Births, Marriages and Deaths
HANCOCK

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst.....	375	8	3	-	11	29.33	9	-	2	-	-
Aurora.....	175	2	3	-	5	28.57	5	-	-	-	-
Bluehill.....	1,980	23	22	-	45	22.72	39	4	-	-	2
Brooklin.....	1,046	8	16	-	24	22.94	22	1	1	-	-
Brooksville	1,310	12	11	-	23	17.55	22	-	-	-	1
Bucksport	2,921	26	17	-	43	14.72	37	2	1	1	2
Castine	987	10	10	-	20	20.26	20	-	-	-	-
Cranberry Isles	330	8	3	-	11	33.33	11	-	-	-	-
Dedham	366	4	3	-	7	19.12	6	1	-	-	-
Deer Isle	3,422	47	45	-	92	26.88	84	1	2	-	5
Eastbrook	246	5	6	-	11	44.71	11	-	-	-	-
Eden....	1,946	22	23	-	45	23.12	38	2	2	3	-
Ellsworth	4,804	46	44	-	90	18.73	68	9	2	5	6
Franklin.....	1,264	14	15	-	29	22.94	26	-	3	-	-
Gouldsboro.....	1,709	20	13	-	33	19.30	29	-	-	4	-
Hancock.....	1,190	7	17	-	24	20.16	21	1	1	-	1
Isle au Haut.....	206	5	1	-	6	29.12	6	-	-	-	-
Lamoine.....	726	10	4	-	14	19.28	14	-	-	-	-
Mariaville.....	271	1	2	-	3	11.07	3	-	-	-	-
Mount Desert	1,355	10	16	-	26	19.18	21	1	3	-	1
Orland	1,390	13	9	-	22	15.82	19	-	1	1	1
Otis	239	1	2	-	3	12.55	3	-	-	-	-
Penobscot.....	1,313	8	8	-	16	12.18	15	-	-	-	1
Sedgwick.....	1,012	6	5	-	11	10.86	8	1	-	2	-

BIRTHS, MARRIAGES AND DEATHS.

No. 6—Continued.
for the Year 1892.
COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
-	-	-	-	-	-	1	6	-	7	7	-	-	18.66
2	-	-	-	-	2	2	2	-	4	4	-	-	22.85
4	-	2	1	-	7	15	21	-	36	35	-	1	18.18
4	-	-	1	-	5	6	10	-	16	16	-	-	15.29
12	-	-	-	-	12	4	12	-	16	16	-	-	12.21
21	-	3	-	3	27	20	32	-	52	45	5	2	17.80
10	-	-	-	1	11	13	11	-	24	20	1	3	24.31
2	-	1	-	-	3	2	1	-	3	2	-	1	9.09
4	-	-	-	-	4	1	-	-	1	1	-	-	27.32
27	-	-	-	-	27	33	22	-	55	53	1	1	16.07
2	-	-	-	-	2	5	-	-	5	-	-	-	20.32
12	1	-	1	1	15	15	8	-	23	22	1	-	16.95
44	1	2	3	-	50	35	44	-	79	66	6	7	16.44
10	-	-	1	-	11	1	12	-	13	10	2	1	10.28
17	-	-	-	-	17	27	19	-	46	45	1	-	26.91
4	-	-	-	-	4	16	11	-	27	26	1	-	22.60
-	-	-	-	-	-	2	2	-	4	4	-	-	19.41
2	-	-	-	-	2	5	3	-	8	5	2	1	11.01
3	-	-	1	-	4	6	1	-	7	7	-	-	25.83
6	2	1	-	-	9	10	4	-	14	12	2	-	10.33
12	-	1	1	-	14	17	12	-	29	29	-	-	20.86
2	-	-	-	-	2	-	2	-	2	2	-	-	8.36
10	-	-	-	-	10	11	4	-	15	15	-	-	11.42
6	-	-	-	1	7	10	8	-	18	17	-	1	17.78

TABLE
Births, Marriages and Deaths
HANCOCK

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Sullivan	1,379	21	14	-	35	25.38	28	5	1	1	-
Surry	986	12	16	-	28	39.41	25	1	-	1	1
Tremont	2,036	14	16	2	32	15.71	30	-	-	1	1
Trenton	528	7	3	-	10	18.93	10	-	-	-	-
Verona.	323	2	5	-	7	22.29	7	-	-	-	-
Waltham	242	4	4	-	8	33.05	8	-	-	-	-
Long Island Pl.	132	3	2	-	5	37.87	5	-	-	-	-
No. 21, M. D.	63	2	3	1	6	95.23	5	-	-	-	1
No. 33.	112	1	5	-	6	53.57	5	-	1	-	-
Swan's Island	632	1	5	-	6	9.49	6	-	-	-	-
Total... ..	*37,016	383	371	3	757	20.28	666	29	20	19	23

* Population in unorganized plantations in 1890, 296.

No. 6—Continued
for the Year 1892.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
10	-	-	2	-	12	13	10	-	23	22	1	-	16.67
14	-	-	-	1	15	8	4	-	12	8	-	4	12.17
18	-	1	-	-	19	9	7	-	16	14	2	-	7.86
1	-	-	-	-	1	1	3	-	4	4	-	-	7.57
-	-	-	-	-	-	3	2	-	5	5	-	-	15.47
3	-	-	-	-	3	6	3	-	9	8	-	1	37.19
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	2	1	1	-	31.74
1	-	-	-	-	1	-	2	-	2	1	-	1	17.85
10	-	-	-	-	10	3	1	-	4	4	-	-	6.32
274	4	11	11	7	307	302	279	-	581	531	26	24	15.57

TABLE
Births, Marriages and Deaths
KENNEBEC

Towns.	Population in 1880.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion	1,042	10	11	-	21	20.15	20	-	-	-	1
Augusta	10,527	112	89	5	206	19.56	114	60	4	22	6
Belgrade ..	1,090	15	7	-	22	20.18	21	-	-	-	1
Benton	1,136	6	7	-	13	11.44	10	1	-	1	1
Chelsea	2,256	8	9	1	18	7.63	8	1	1	1	7
China	1,423	10	9	-	19	13.35	18	-	-	-	1
Clinton.....	1,518	10	14	-	24	15.81	21	-	-	1	2
Farmingdale.....	821	4	3	-	7	8.52	2	-	-	1	4
Fayette.....	649	4	4	-	8	12.32	8	-	-	-	-
Gardiner.....	5,491	42	31	-	73	13.27	51	13	3	4	2
Hallowell.....	3,181	34	23	-	57	17.91	27	14	2	2	12
Litchfield.....	1,126	4	12	1	17	15.09	15	-	1	1	-
Manchester	612	2	3	-	5	8.16	4	-	1	-	-
Monmouth	1,362	11	12	-	23	16.88	18	1	1	-	3
Mount Vernon	940	7	9	-	16	17.02	12	2	-	-	2
Oakland	2,044	18	8	-	26	12.72	23	2	-	-	1
Pittston	1,281	7	7	-	14	10.92	14	-	-	-	-
Randolph	1,281	10	5	-	15	11.70	6	1	3	2	3
Readfield	1,176	5	7	-	12	10.20	12	-	-	-	-
Rome.....	500	3	1	-	4	8.00	4	-	-	-	-
Sidney	1,334	7	7	-	14	10.41	14	-	-	-	-
Vassalboro	2,052	18	18	2	38	18.51	20	2	-	1	15
Vienna.....	495	1	5	-	6	12.12	6	-	-	-	-
Waterville... ..	7,107	151	143	6	300	42.21	41	81	23	24	131

No. 6—Continued.
for the Year 1892.
COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
8	-	-	-	-	8	8	12	-	20	19	-	1	19.19
50	10	5	3	83	151	158	148	-	306	218	40	48	29.06
5	-	-	-	1	6	21	13	-	34	33	-	1	31.19
8	-	-	-	1	9	14	8	-	22	21	1	-	19.36
3	-	-	-	-	3	6	5	-	11	7	1	3	4.66
9	-	-	-	1	10	18	19	-	37	35	-	2	26.00
15	-	-	-	-	15	11	23	-	34	30	2	2	22.39
7	-	1	1	-	9	11	6	-	17	15	-	2	20.70
1	-	-	-	-	1	10	6	-	16	15	-	1	24.65
11	-	2	2	38	53	61	46	-	107	97	8	2	19.48
18	2	4	1	1	26	27	39	-	66	51	11	4	20.74
7	-	-	1	-	8	11	15	-	26	25	-	1	23.09
1	-	-	-	-	1	6	5	-	11	8	-	3	17.97
8	-	1	-	1	10	19	28	-	47	40	3	4	34.50
7	-	1	1	2	11	11	15	-	26	26	-	-	27.65
21	-	1	-	2	24	24	23	-	47	43	2	2	22.99
4	-	-	-	1	5	14	6	-	20	19	-	1	15.61
8	-	-	-	2	10	16	15	-	31	24	4	3	24.19
8	-	-	1	3	12	6	7	-	13	11	-	2	11.06
4	-	-	-	-	4	2	4	-	6	6	-	-	12.00
4	-	-	-	1	5	8	9	-	17	16	1	-	12.74
11	-	1	-	4	16	33	20	-	53	43	4	6	25.82
5	-	-	1	-	6	3	5	-	8	8	-	-	16.16
47	24	20	12	6	109	77	86	-	163	121	29	13	22.93

TABLE
Births, Marriages and Deaths
KENNEBEC

Towns.	Population in 1880.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Wayne	775	5	4	-	9	11.61	8	-	1	-	-
West Gardiner	853	6	2	-	8	9.37	6	1	-	-	1
Windsor	853	5	7	-	12	14.06	12	-	-	-	-
Winslow	1,814	23	10	-	33	18.19	11	6	3	2	11
Winthrop	2,111	18	22	2	42	19.89	27	12	-	3	-
Unity Pl	62	-	2	-	2	32.24	1	-	1	-	-
Total	57,012	556	491	17	1064	18.66	554	197	44	65	204

No. 6—Continued.
for the Year 1892.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	1	-	5	6	10	-	16	15	1	-	20.64
-	-	-	-	1	1	8	12	-	20	15	1	4	23.44
8	-	-	-	1	9	7	5	-	12	11	-	1	14.06
5	2	2	-	1	10	27	14	-	41	25	14	2	22.60
10	4	1	-	1	16	19	27	-	46	46	-	-	21.79
-	-	-	-	-	-	-	-	-	-	-	-	-	-
297	42	39	24	151	533	642	631	-	1,273	1,043	122	108	22.32

TABLE
Births, Marriages and Deaths
KNOX

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton	1,080	13	8	-	21	19.44	19	-	-	-	2
Camden.....	2,471	28	13	-	41	16.52	36	1	2	1	1
Cushing.....	688	6	8	-	14	20.34	13	-	-	1	-
Friendship	877	12	4	-	16	18.24	14	1	-	1	-
Hope	641	5	3	-	8	12.48	8	-	-	-	-
Hurricane Isle.....	266	3	5	-	8	30.07	2	5	1	-	-
North Haven.....	552	4	7	-	11	19.92	11	-	-	-	-
Rockland	8,174	73	80	1	154	18.71	125	12	5	8	3
Rockport.....	2,150	18	17	-	35	16.27	30	2	2	1	-
South Thomaston.....	1,534	28	19	-	47	30.64	33	2	1	2	9
St. George.....	2,491	39	29	-	68	27.25	50	13	4	1	-
Thomaston	3,009	21	21	-	42	13.92	34	-	3	2	3
Union	1,436										
Vinalhaven	2,617	25	31	-	56	21.39	43	7	5	1	-
Warren	2,037	18	16	-	34	16.69	32	-	2	-	-
Washington ...	1,230	7	9	-	16	13.00	15	1	-	-	-
Matinicus Isle Pl ..	196	1	-	-	1	51.02	1	-	-	-	-
Total	*31,449	301	270	1	572	18.14	466	44	25	18	18

* Population in unorganized plantations in 1890, 24.

No. 6—Continued.
for the Year 1892.
COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	-	-	3	14	10	-	24	24	-	-	22.22
29	-	1	-	1	31	19	25	-	44	38	1	5	17.80
5	-	-	1	1	7	5	5	-	10	9	-	1	14.53
9	1	-	-	-	10	6	9	-	15	15	-	-	17.10
4	-	-	-	-	4	4	5	-	9	9	-	-	14.04
-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	-	-	7	3	7	-	10	9	1	-	18.11
27	2	-	2	71	102	95	84	-	179	159	14	6	21.59
20	-	1	1	2	24	22	26	-	48	42	3	3	22.32
4	-	1	1	1	7	15	16	-	31	29	1	1	20.20
11	1	-	-	-	12	24	28	-	52	45	7	-	20.87
26	-	2	1	1	30	18	26	-	44	40	4	-	14.62
-	-	-	-	-	-	12	23	-	35	34	-	1	24.37
17	1	-	1	2	21	20	29	-	49	43	5	1	18.72
10	-	-	-	-	10	21	21	-	42	39	2	1	20.61
7	-	-	-	-	7	18	16	-	34	34	-	-	27.64
1	-	-	-	-	1	1	2	-	3	3	-	-	15.30
180	5	5	7	79	276	297	332	-	629	572	38	19	19.99

TABLE
Births, Marriages and Deaths
LINCOLN

Towns.	Population in 1880.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna	512	3	2	-	5	9.76	3	-	-	-	2
Boothbay.....	1,718	24	18	-	42	24.44	40	1	-	1	-
Boothbay Harbor.....	1,699	19	21	-	40	23.54	34	2	2	2	-
Bremen.....	842	7	9	-	16	19.00	14	-	-	1	1
Bristol	2,821	33	24	-	57	20.20	51	1	3	1	1
Damariscotta	1,012	6	6	-	12	11.75	11	-	-	-	1
Dresden	1,043	14	15	-	29	27.80	26	-	-	2	1
Edgecomb.....	749	17	7	-	24	32.04	20	2	1	-	1
Jefferson	1,391	7	11	-	18	12.94	13	-	-	-	5
Newcastle	1,282	16	9	-	25	19.50	19	-	-	3	3
Nobleboro	947	10	3	-	13	13.72	12	-	-	1	-
Somerville	453	6	4	-	10	22.07	9	-	-	1	-
Southport	533	4	4	-	8	15.00	8	-	-	-	-
Waldoboro	3,505	16	29	-	45	12.83	44	-	-	-	1
Westport	451	8	1	-	9	19.95	9	-	-	-	-
Whitefield.....	1,215	8	5	-	13	10.69	12	-	1	2	-
Wiscasset	1,733	20	15	-	35	20.19	33	-	-	-	-
Monhegan Pl.....	90	1	-	-	1	11.11	1	-	-	-	-
Total.....	21,996	219	183	-	402	18.27	359	6	7	14	16

No. 6—Continued.
for the Year 1892.
COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
9	-	-	-	-	9	6	11	-	17	8	-	9	33.20
16	-	-	-	-	16	22	17	-	39	37	1	1	22.70
16	-	-	1	-	17	7	8	-	15	14	1	-	8.82
4	-	-	-	-	4	9	8	-	17	17	-	-	20.19
18	-	-	1	-	19	25	34	-	59	51	3	5	20.91
9	-	-	-	2	11	5	13	-	18	17	-	1	17.78
9	-	1	-	-	10	7	9	-	16	16	-	-	15.34
4	-	-	-	-	4	7	7	-	14	14	-	-	18.69
11	-	-	-	-	11	18	17	-	35	32	-	3	25.16
8	-	-	-	1	9	15	9	-	24	16	2	6	18.72
4	-	-	-	-	4	9	15	-	24	21	-	3	25.34
6	-	-	-	-	6	7	4	-	11	10	-	1	24.28
5	-	1	-	-	6	5	6	-	11	11	-	-	20.63
28	-	1	-	-	29	33	40	-	73	62	1	10	20.82
-	-	-	-	1	1	3	5	-	8	6	1	1	17.73
5	-	-	1	-	6	9	18	-	27	24	2	1	22.22
8	-	-	-	1	9	12	18	-	30	27	1	2	17.31
1	-	-	-	-	1	1	-	-	1	1	-	-	11.11
161	-	3	3	5	172	200	239	-	439	384	12	43	19.95

TABLE
Births, Marriages and Deaths
OXFORD

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany	645	5	2	-	7	10.85	7	-	-	-	-
Andover	740	7	12	-	19	25.67	15	-	-	2	2
Bethel.....	2,209	11	8	1	20	9.05	18	-	-	2	-
Brownfield.....	1,134	12	13	-	25	22.04	23	-	-	-	2
Buckfield.....	1,200	11	11	-	22	18.33	22	-	-	-	-
Byron.....	180	2	-	-	2	11.11	2	-	-	-	-
Canton.....	1,303	12	13	-	25	19.18	8	1	-	-	16
Denmark.....	755	8	3	-	11	14.56	9	-	1	1	-
Dixfield.....	988	11	8	-	19	19.23	18	-	-	1	-
Fryeburg.....	1,418	13	11	-	24	16.92	19	1	3	-	1
Gilead.....	336	-	1	-	1	2.97	1	-	-	-	-
Grafton.....	98	3	-	-	3	30.61	3	-	-	-	-
Greenwood.....	727	7	7	-	14	19.25	14	-	-	-	-
Hanover.....	212	3	1	-	4	18.86	2	-	1	-	1
Hartford.....	689	3	-	-	3	4.35	3	-	-	-	-
Hebron.....	600	5	-	-	5	8.33	5	-	-	-	-
Hiram.....	1,063	14	7	-	21	19.75	14	-	1	1	5
Lowell.....	853	8	7	-	15	17.58	15	-	-	-	-
Mason.....	80	-	-	-	-	-	-	-	-	-	-
Mexico.....	355	1	2	-	3	8.45	3	-	-	-	-
Newry.....	343	4	5	-	9	26.23	2	-	-	-	7
Norway.....	2,665	22	25	-	50	18.76	42	3	3	1	1
Oxford.....	1,455	17	13	-	30	20.61	23	2	2	-	3
Paris.....	3,156	29	27	-	56	17.74	44	-	3	3	6

No. 6—Continued.
for the Year 1892.
COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
2	-	-	-	-	2	7	5	-	12	11	1	-	18.60
5	-	-	-	-	5	11	4	-	15	13	1	1	20.27
8	1	-	1	1	11	24	29	-	53	48	1	4	23.99
9	-	-	-	-	9	10	12	-	22	21	1	-	19.40
11	-	-	-	-	11	22	14	-	36	35	-	1	30.00
-	-	-	-	-	-	1	-	-	1	-	-	1	5.55
5	2	-	3	-	10	5	5	-	10	9	-	1	7.67
3	-	-	-	-	3	7	5	-	12	12	-	-	15.89
6	-	-	-	2	8	12	7	-	19	19	-	-	19.23
12	-	-	-	-	12	18	15	-	33	33	-	-	23.27
3	-	-	-	1	4	3	2	-	5	4	-	1	14.88
-	-	-	-	-	-	-	2	-	2	2	-	-	20.40
3	-	-	-	1	4	9	6	-	15	10	3	2	20.63
2	-	-	-	-	2	1	-	-	1	1	-	-	4.71
1	-	-	-	-	1	4	7	-	11	11	-	-	15.96
1	-	-	-	-	1	3	5	-	8	8	-	-	13.33
3	-	-	-	-	3	12	12	-	24	23	-	1	22.57
10	-	-	-	-	10	14	7	-	21	21	-	-	24.61
1	-	-	-	-	1	-	2	-	2	2	-	-	25.00
2	-	-	-	-	2	2	4	-	6	5	-	1	16.90
2	-	-	-	1	3	4	2	-	6	1	5	-	17.49
18	-	2	2	7	29	27	23	-	50	45	1	4	18.76
10	-	-	2	-	12	7	12	-	19	15	-	-	13.05
28	-	-	-	-	28	25	22	-	47	44	2	1	14.89

TABLE
Births, Marriages and Deaths
OXFORD

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Peru	692	9	6	-	15	21.67	14	-	-	-	1
Porter.....	1,015	11	12	-	23	22.66	21	-	-	1	1
Roxbury	222	5	1	-	6	27.02	6	-	-	-	-
Rumford.....	898	9	7	-	16	17.81	12	3	1	-	-
Stow	291	1	2	-	3	10.30	3	-	-	-	-
Stoneham.....	322	2	2	-	4	12.42	4	-	-	-	-
Sumner	901	10	4	-	14	15.53	14	-	-	-	-
Sweden	338	1	1	-	2	5.91	2	-	-	-	-
Upton ..	232	2	5	-	7	30.17	6	-	1	-	-
Waterford	1,001	14	8	-	22	21.97	21	-	-	1	-
Woodstock	859	6	7	-	13	15.13	12	-	1	-	-
Franklin Pl.....	112	2	2	-	4	35.71	4	-	-	-	-
Lincoln Pl	59	2	-	-	2	33.89	1	-	1	-	-
Magalloway Pl.....	79	1	-	-	1	12.65	1	-	-	-	-
Milton Pl.....	211	3	1	-	4	18.95	3	-	-	-	1
Total.....	*30,436	286	237	1	524	17.13	436	10	18	13	47

* Population in unorganized plantations in 1890, 150.

No. 6—Continued
for the Year 1892.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			Death rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	2	-	-	6	11	8	-	19	15	3	1	27.45
2	-	-	-	1	3	17	14	-	31	31	-	-	30.54
-	-	-	1	-	1	2	1	-	3	3	-	-	13.51
1	-	1	1	3	6	12	5	-	17	14	3	-	18.93
1	-	-	-	-	1	1	1	-	2	2	-	-	6.87
5	-	-	-	1	6	-	4	-	4	4	-	-	12.42
7	-	-	-	1	8	8	3	-	11	11	-	-	12.20
2	-	-	-	-	2	1	6	-	7	7	-	-	20.71
1	-	-	-	-	1	2	4	-	6	6	-	-	25.86
7	-	-	-	1	8	6	6	-	12	11	-	1	11.98
6	-	-	-	-	6	8	8	-	16	12	2	2	18.62
5	-	-	-	-	5	2	-	-	2	2	-	-	17.85
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	4.73
186	3	5	10	20	224	299	262	-	561	516	23	22	18.30

TABLE
Births, Marriages and Deaths
PENOBSCOT

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alton	348	6	2	-	8	22.98	4	-	-	-	4
Argyle	263	1	3	-	4	15.20	4	-	-	-	-
Bangor	19,103	183	177	5	365	19.10	189	86	29	36	25
Bradford	1,215	8	11	-	19	15.63	15	-	1	1	2
Bradley	823	8	7	-	15	18.22	11	1	1	-	2
Brewer	4,193	54	52	3	109	25.99	46	35	5	5	18
Burlington	460	5	7	-	12	26.08	9	-	-	-	3
Carmel	1,066	8	6	-	14	13.13	14	-	-	-	-
Carroll	546	7	11	-	18	32.96	14	1	1	-	2
Charleston	971	8	3	-	11	11.32	10	-	-	1	-
Chester	368	5	7	-	12	32.60	11	-	1	-	-
Clifton	284	5	3	-	8	28.16	8	-	-	-	-
Corinna.....	1,207	12	9	-	21	17.39	21	-	-	-	-
Corinth	1,154	10	9	-	19	16.46	18	-	-	1	-
Dexter	2,732	18	19	-	37	13.54	16	3	-	1	17
Dixmont	919	7	5	-	12	13.05	12	-	-	-	-
Eddington.....	729	2	6	-	8	10.97	8	-	-	-	-
Edinburg	54	-	-	-	-	-	-	-	-	-	-
Enfield.....	769	11	11	-	22	28.60	16	1	3	2	-
Etna	646	6	4	-	10	15.47	10	-	-	-	-
Exeter	939	1	6	1	8	8.51	8	-	-	-	-
Garland.....	973	10	10	-	20	20.55	19	-	-	1	-
Glenburn	583	1	1	-	2	3.43	2	-	-	-	-

No. 6—Continued.
for the Year 1892.
COUNTY.

MARRIAGES.							DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
2	-	-	-	1	3	3	5	-	8	4	3	1	22.98	
1	-	-	-	-	1	1	1	-	2	2	-	-	7.60	
28	4	1	4	174	211	186	178	-	364	268	55	41	19.05	
8	-	-	1	-	9	12	10	-	22	21	-	1	18.10	
3	-	-	1	-	4	8	3	-	11	7	1	3	13.36	
21	2	1	2	3	29	26	32	-	58	44	9	5	13.83	
2	-	-	-	1	3	1	2	-	3	3	-	-	6.52	
9	-	1	1	1	12	8	9	-	17	13	-	4	15.94	
6	-	-	-	1	7	2	1	-	3	3	-	-	5.49	
2	-	-	-	-	2	5	14	-	19	14	1	4	19.56	
9	-	-	1	2	12	2	4	-	6	6	-	-	16.30	
-	-	-	-	-	-	4	5	-	9	7	2	-	31.69	
10	-	1	-	-	11	13	8	-	21	18	-	3	17.39	
14	-	-	-	2	16	8	9	-	17	17	-	-	14.73	
23	-	2	1	9	35	32	32	-	64	49	8	7	23.42	
10	-	-	-	-	10	4	9	-	13	13	-	-	14.14	
2	-	-	-	-	2	8	9	-	17	16	1	-	23.31	
1	-	-	-	-	1	1	-	-	1	1	-	-	18.51	
13	2	-	1	2	18	4	1	-	5	4	-	1	6.50	
4	-	-	1	-	5	3	5	-	8	6	2	-	12.38	
2	-	-	-	-	2	6	-	-	6	6	-	-	6.38	
9	-	-	-	-	9	13	10	-	23	22	-	1	23.63	
2	-	-	-	1	3	5	8	-	13	12	1	-	22.29	

TABLE
Births, Marriages and Deaths
PENOBSCOT

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Greenbush	659	2	2	-	4	6.06	4	-	-	-	-
Greenfield	231	-	2	-	2	8.65	1	-	1	-	-
Hampden.....	2,484	17	19	-	36	14.49	21	2	1	2	10
Hermon	1,282	16	14	-	24	18.71	22	1	-	1	-
Holden.....	609	5	2	-	7	11.49	5	-	-	1	1
Howland	171	2	8	-	10	58.47	3	2	4	1	-
Hudson	510	3	2	-	5	9.80	5	-	-	-	-
Kenduskeag.....	536	2	6	-	8	14.92	8	-	-	-	-
Kingman	671	14	9	-	23	34.27	4	2	11	3	3
Lagrange.....	721	6	9	-	15	20.80	14	-	-	-	1
Lee.....	929	9	7	1	17	18.29	16	-	1	-	-
Levant.....	880	3	7	-	10	11.36	10	-	-	-	-
Lincoln	1,756	12	21	-	33	18.79	9	4	1	1	18
Lowell.....	439	4	4	-	8	18.22	2	1	1	1	3
Mattamiscontis	47	-	1	-	1	21.27	1	-	-	-	-
Mattawamkeag	633	9	13	-	22	34.75	10	8	2	1	1
Maxfield	134	2	2	-	4	29.85	4	-	-	-	-
Medway	653	2	6	-	8	12.25	7	-	-	-	1
Milford	835	7	5	-	12	14.37	5	2	1	-	4
Mount Chase.....	284	6	7	-	13	45.77	7	1	2	-	3
Newburg	867	9	4	-	13	14.99	11	-	-	2	-
Old Town.....	5,312	79	65	1	145	27.29	42	38	17	11	37
Orono	2,790	40	51	-	91	32.61	43	19	18	4	7

No. 6—Continued.
for the Year 1892.
COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			Death rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	1	5	-	-	-	-	-	-	-	-
1	-	-	-	-	1	3	1	-	4	4	-	-	17.31
6	-	-	-	14	20	16	14	-	30	28	-	2	12.07
4	-	-	-	4	8	11	11	-	22	16	1	5	17.26
3	-	-	-	-	3	4	1	-	5	3	2	-	8.21
1	-	-	-	-	1	4	1	-	5	4	-	1	29.23
2	-	-	-	-	2	1	8	-	9	8	-	1	17.64
7	-	2	-	-	9	5	5	-	10	6	-	4	18.65
-	-	-	1	-	1	9	4	-	13	8	3	2	19.37
4	-	-	1	-	5	7	1	-	8	8	-	-	11.09
10	-	-	-	2	12	4	2	-	6	5	-	1	6.45
10	-	-	-	10	20	7	9	-	16	10	3	3	18.18
7	1	1	2	1	12	7	6	-	13	13	-	-	7.40
4	1	-	-	1	6	2	1	-	3	1	-	2	6.83
-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	1	-	-	-	6	4	3	-	7	4	2	1	11.05
3	-	-	-	-	3	-	2	-	2	1	1	-	14.92
1	-	-	1	2	4	3	2	-	5	4	-	1	7.65
-	-	-	-	1	1	3	7	-	10	6	3	1	11.97
-	-	-	-	-	-	4	1	-	5	5	-	-	17.60
6	-	-	1	-	7	6	5	-	11	11	-	-	12.68
6	-	1	1	52	60	56	57	-	113	87	15	11	21.27
12	3	4	2	12	33	35	38	-	73	57	13	3	26.16

TABLE
Births, Marriages and Deaths
PENOBSCOT

Towns.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Orrington	1,406	7	6	-	13	9.24	11	-	1	-	1
Passadumkeag.....	343	5	6	-	11	32.06	7	-	2	1	1
Patten	936	11	13	1	25	26.70	17	1	3	4	-
Plymouth	689	9	5	-	14	20.31	12	-	-	2	-
Prentiss	401	6	3	-	9	22.44	8	-	-	1	-
Springfield	677	9	7	2	18	26.58	13	-	5	-	-
Stetson	618	3	-	-	3	4.85	3	-	-	-	-
Veazie	650	6	2	-	8	12.30	8	-	-	-	-
Winn.....	936	22	25	-	47	50.21	17	14	6	6	4
Drew Pl.	110	1	1	-	2	18.18	2	-	-	-	-
Lakeville Pl.....	144	-	2	-	2	13.88	1	-	-	1	-
Newport Pl.....	1,188	12	7	-	19	15.99	16	-	1	1	1
Grand Falls Pl.....	68	-	-	-	-	-	-	-	-	-	-
Seboeis Pl	98	-	1	-	1	10.20	1	-	-	-	-
Stacyville Pl	250	6	2	-	8	32.00	5	-	3	-	-
Summit Pl.....	104	-	-	-	-	-	-	-	-	-	-
Township 39 Pl.....	-	1	-	-	1	-	-	-	-	-	1
Webster Pl	135	-	1	-	1	7.40	-	-	-	-	1
Woodville Pl	242	3	2	-	5	20.66	2	-	2	1	-
Total	*72,773	720	718	14	1452	19.92	842	222	124	93	171

* Population in unorganized plantations in 1890, 92.

No. 6—Continued.
for the Year 1892.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
10	-	-	-	-	10	10	16	-	26	26	-	-	18.49
2	-	-	-	3	5	-	1	-	1	-	1	-	2.91
11	-	1	1	1	14	3	7	-	10	10	-	-	10.68
7	-	-	-	1	8	7	5	-	12	8	-	4	17.41
5	-	-	-	-	5	4	1	-	5	5	-	-	12.46
6	-	-	1	-	7	6	4	-	10	6	1	3	14.77
2	-	-	-	-	2	3	2	-	5	3	-	2	8.09
1	-	-	-	1	2	10	5	-	15	14	1	-	23.07
3	3	-	3	3	12	4	6	-	10	6	3	1	10.38
1	-	-	-	-	1	1	1	-	2	1	1	-	18.18
-	-	-	-	-	-	-	2	-	2	2	-	-	13.88
5	-	-	1	1	7	13	10	-	23	22	-	1	19.36
-	-	-	-	-	-	-	2	-	2	1	1	-	29.41
-	-	-	-	-	-	1	-	-	1	1	-	-	10.20
-	-	-	-	-	-	1	1	-	2	2	-	-	8.00
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	7.40
-	-	-	-	-	-	1	-	-	1	1	-	-	4.13
330	17	15	28	307	697	611	597	-	1,208	954	134	120	16.57

TABLE
Births, Marriages and Deaths
PISCATAQUIS

Towns.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbott.....	622	10	10	-	20	32.15	15	1	-	-	4
Atkinson.....	605	6	5	-	11	18.18	10	-	-	-	1
Blanchard.....	213	3	7	-	10	46.94	6	2	2	-	-
Brownville.....	1,074	13	13	-	26	24.20	8	2	4	2	10
Dover.....	1,942	22	20	-	42	21.62	37	1	2	-	2
Foxcroft.....	1,726	11	14	1	26	15.06	15	2	5	2	2
Greenville.....	781	15	8	-	23	29.44	16	2	2	3	-
Guilford.....	1,023	9	12	-	21	20.52	19	1	-	-	1
Medford.....	306	3	2	-	5	16.34	3	1	-	1	-
Milo.....	1,029	14	12	-	26	25.26	23	1	-	2	-
Monson.....	1,237	14	18	-	32	25.86	10	16	5	1	-
Orneville.....	492	4	6	-	10	20.32	10	-	-	-	-
Parkman.....	813	7	7	-	14	17.22	12	-	-	-	2
Sangerville.....	1,236	12	5	1	18	14.56	14	-	1	1	2
Sebec.....	725	2	4	1	7	9.65	6	-	-	-	1
Shirley.....	291	4	6	-	10	34.36	5	-	1	2	2
Wellington.....	584	9	5	-	14	23.97	13	-	-	1	-
Williamsburg.....	162	3	3	-	6	37.03	5	1	-	-	-
Willimantic.....	446	4	6	1	11	24.66	9	-	-	1	1
Barnard.....	100	1	-	-	1	10.10	1	-	-	-	-
Bowerbank Pl.....	87	-	1	-	1	11.49	1	-	-	-	-

No. 6—Continued.
for the Year 1892.
COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	6	2	-	8	6	1	1	12.86
4	-	-	-	-	4	5	5	-	10	10	-	-	16.52
-	-	-	-	-	-	-	2	-	2	2	-	-	9.38
7	1	1	4	-	13	11	10	-	21	12	7	2	19.55
18	-	1	-	5	24	14	19	-	33	32	1	-	16.99
7	1	1	-	4	13	11	12	-	23	20	3	-	13.32
1	1	1	-	7	10	4	3	-	7	6	1	-	8.96
7	-	1	-	5	13	8	10	-	18	17	-	1	17.59
3	-	1	-	-	4	2	2	-	4	4	-	-	13.07
10	1	1	2	-	14	11	10	-	21	19	1	1	20.40
4	8	-	2	-	14	15	7	-	22	18	4	-	17.78
2	-	-	-	-	2	-	2	-	2	2	-	-	4.06
3	-	-	-	3	6	9	4	-	13	13	-	-	15.99
1	-	-	-	1	2	10	10	-	20	17	2	1	16.18
2	-	-	-	-	2	4	7	-	11	11	-	-	15.17
-	-	-	2	-	2	1	1	-	2	2	-	-	6.87
2	-	-	-	-	2	5	7	-	12	11	-	1	20.54
-	-	-	-	-	-	-	2	-	2	2	-	-	12.34
3	-	-	1	1	5	5	-	-	5	5	-	-	11.21
-	-	-	-	-	-	1	-	-	1	-	1	-	10.00
-	-	-	-	-	-	-	2	-	2	2	-	-	22.98

TABLE
Births, Marriages and Deaths
PISCATAQUIS

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Elliottsville	53	1	2	-	3	56.60	1	1	-	1	-
Kingsbury	205	1	1	-	2	9.75	2	-	-	-	-
Lake View	-	1	2	-	3	-	2	-	1	-	-
Squaw Mountain	77	-	1	-	1	12.98	-	-	-	-	1
Katahdin Iron Works	-	-	-	-	-	-	-	-	-	-	-
Kineo	-	-	-	-	-	-	-	-	-	-	-
Moosehead	-	-	-	-	-	-	-	-	-	-	-
Total.....	*15,829	169	170	4	343	21.25	243	31	23	17	29

* Population in unorganized plantations in 1890, 305.

No. 6—Continued.
for the Year 1892.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
						Sex.				Nativity.			Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	1	-	-	1	1	-	-	18.86
1	-	-	-	-	1	1	1	-	2	1	-	1	9.75
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	-	1	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-	-
-	-	-	-	-	-	-	2	-	2	2	-	-	-
77	12	7	11	26	133	125	121	-	246	216	22	8	15.24

TABLE
Births, Marriages and Deaths
SAGADAHO

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Arrowsic ..	177	-	3	-	3	17.00	1	-	-	-	2
Bath	8,723	85	87	1	173	19.83	109	34	15	13	2
Bowdoin.....	940	5	11	-	16	17.02	15	-	-	1	-
Bowdoinham ..	1,508	24	13	-	37	24.53	32	1	3	-	1
Georgetown.....	849	9	6	-	15	17.66	14	-	1	-	-
Perkins.....	69	-	-	-	-	-	-	-	-	-	-
Phippsburg.....	1,396	12	11	-	23	16.47	17	-	3	3	-
Richmond.....	3,082	31	22	-	53	17.19	44	2	4	3	-
Topsham.....	1,394	23	15	-	38	27.25	29	6	-	1	2
West Bath.....	307	4	1	-	5	16.28	4	-	-	1	-
Woolwich.....	1,007	6	6	-	12	11.91	9	-	-	1	2
Total.....	19,452	199	175	1	375	19.27	274	43	26	23	9

No. 6—Continued.
for the Year 1892.
COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	4	2	-	6	6	-	-	33.89
54	6	10	5	2	77	79	79	-	158	137	19	2	18.11
2	-	-	-	-	2	14	12	-	26	26	-	-	27.65
13	-	1	2	-	16	10	17	-	27	27	-	-	17.90
10	-	1	-	-	11	6	7	-	13	13	-	-	15.31
1	-	-	-	-	1	-	1	-	1	1	-	-	14.49
7	-	-	-	2	9	8	8	-	16	14	1	1	11.46
15	1	-	1	1	18	30	22	-	52	49	3	-	16.86
10	-	-	1	3	14	13	14	-	27	26	1	-	19.36
1	-	-	-	-	1	3	5	-	8	8	-	-	26.05
8	-	-	-	-	8	9	9	-	18	18	-	-	17.87
121	7	12	9	8	157	176	176	-	352	325	24	3	18.09

TABLE
Births, Marriages and Deaths
SOMERSET

Towns.	Population in 1890.	BIRTHS.									
		Sex.				Rate per 1,000.	Parentage.				
		Male.	Female.	Not stated.	Total.		Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson	1,444	16	22	-	38	26.31	29	3	1	1	4
Athens.....	1,072	14	12	-	26	24.25	26	-	-	-	-
Bingham	737	9	7	-	16	21.13	14	-	1	1	-
Brighton	434	5	4	-	9	20.73	9	-	-	-	-
Cambridge	425	5	3	-	8	18.82	7	-	1	-	-
Canaan	1,130	5	10	-	15	13.27	12	-	-	1	2
Concord	345	2	6	-	8	23.18	8	-	-	-	-
Cornville	785	2	6	1	9	11.46	9	-	-	-	-
Detroit	590	2	5	-	7	11.86	6	-	1	-	-
Embsden	579	3	4	-	7	12.08	5	1	-	1	-
Fairfield	3,510	39	38	-	77	21.93	26	19	10	6	6
Harmony	704	4	4	-	8	11.36	8	-	-	-	-
Hartland	974	10	14	-	24	24.64	22	1	-	1	-
Madison	1,815	29	21	-	50	27.54	41	2	2	3	2
Mereer.....	584	8	3	-	11	18.83	11	-	-	-	-
Moscow.....	422	11	1	-	12	28.43	8	1	1	2	-
New Portland	1,034	11	8	-	19	-	18	-	-	-	1
Norridgewock	1,656	14	11	-	25	15.09	23	1	1	-	-
Palmyra.....	1,004	9	9	-	18	17.92	17	1	-	-	-
Pittsfield	2,503	22	13	-	35	13.98	30	3	-	2	-
Ripley	478	7	4	-	11	23.01	9	-	1	-	1
St. Albans	1,206	5	9	-	14	11.60	14	-	-	-	-

No. 6—Continued.
for the Year 1892.
COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			Death rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
9	-	1	1	1	12	14	22	-	36	33	-	3	24.93
7	-	-	-	-	7	7	12	-	19	18	-	1	17.72
11	-	-	-	-	11	5	12	-	17	14	1	2	22.54
4	-	-	-	-	4	3	1	-	4	3	-	1	9.21
2	-	-	-	-	2	4	3	-	7	7	-	-	16.47
4	-	-	-	-	4	13	11	-	24	23	-	1	21.23
5	-	-	-	1	6	3	1	-	4	2	1	1	11.59
2	-	-	-	-	2	4	1	-	5	4	-	1	6.36
-	-	-	-	-	-	4	4	-	8	6	-	2	13.55
3	1	-	-	-	4	3	6	-	9	8	-	1	15.54
5	1	-	-	15	21	23	21	-	44	37	3	4	12.53
1	-	-	-	-	1	8	7	-	15	14	1	-	21.30
11	1	2	1	-	15	7	8	-	15	13	-	2	15.40
23	1	-	3	2	29	11	21	-	32	26	2	4	17.63
2	-	-	-	-	2	6	8	-	14	13	-	1	23.97
4	1	1	-	-	6	5	3	-	8	8	-	-	18.95
8	-	-	1	-	9	15	11	-	26	22	-	4	25.14
14	-	-	-	-	14	16	17	-	33	32	1	-	19.92
12	-	1	-	2	15	7	13	-	20	18	1	1	19.92
21	1	-	2	8	32	14	18	-	32	29	1	2	12.78
2	-	-	-	-	2	4	4	-	8	8	-	-	16.73
8	-	1	1	-	10	7	11	-	18	16	-	2	14.92

TABLE
Births, Marriages and Deaths
SOMERSET

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Skowhegan.....	5,068	48	44	-	92	18.15	42	25	13	7	5
Smithfield	479	4	6	-	10	20.87	9	-	-	-	1
Solon.....	977	15	12	-	27	27.63	20	1	1	-	5
Starks	766	5	5	-	10	13.05	8	-	1	-	1
Carratunk	192	2	3	-	5	26.04	3	-	1	1	-
Carrying Place Pl.....	31	-	-	-	-	-	-	-	-	-	-
Dead River.....	104	2	-	-	2	19.23	2	-	-	-	-
Dennistown	66	2	-	-	2	30.30	-	-	-	2	-
Flagstaff.....	87	1	1	-	2	11.49	2	-	-	-	-
Highland	76	-	2	-	2	26.31	1	-	-	-	1
Jackmantown	217	5	3	-	8	36.86	6	-	-	2	-
Lexington.....	199	2	2	-	4	25.12	3	-	-	1	-
Mayfield.....	74	-	1	-	1	13.51	1	-	-	-	-
Moose River	170	3	1	-	4	23.52	1	2	-	1	-
Moxie Gore	11	1	-	-	1	90.90	-	1	-	-	-
No. 1, R. 2, W. K. R.....		2	1	-	3	-	3	-	-	-	-
The Forks	195	1	3	-	4	20.51	3	-	1	-	-
West Forks.....	146	1	3	-	4	27.39	1	1	-	2	-
Mackamp.....	-	1	-	-	1	-	-	1	-	-	-
No. 4, R. 3	-	-	-	-	-	-	-	-	-	-	-
Total.....	*32,309	327	301	1	629	19.27	467	63	36	34	29

* Population in unorganized plantations in 1890, 318.

No. 6—Continued.
for the Year 1892.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
40	11	5	4	1	61	27	51	-	78	66	8	4	15.39
5	-	-	-	-	5	5	2	-	7	6	1	-	14.61
7	-	-	-	-	7	14	12	-	26	21	1	4	26.61
1	-	-	-	-	1	6	7	-	13	13	-	-	16.97
-	-	-	-	-	-	1	-	-	1	1	-	-	5.20
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	1	1	-	2	1	1	-	19.23
-	-	-	-	-	-	2	1	-	3	2	1	-	45.45
1	-	-	1	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	2	1	-	1	26.31
3	-	-	-	-	3	3	1	-	4	4	-	-	18.43
-	-	-	-	-	-	2	-	-	2	2	-	-	10.05
1	-	-	-	-	1	-	2	-	2	2	-	-	27.02
-	1	-	-	-	1	3	1	-	4	4	-	-	23.52
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	2	-	2	2	-	-	-
1	-	-	-	-	1	-	1	-	1	1	-	-	5.12
2	-	-	1	-	3	1	1	-	2	-	2	-	13.69
-	1	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-	-
222	19	11	15	30	297	250	298	-	548	481	25	42	16.79

TABLE
Births, Marriages and Deaths

WALDO

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast	5,294	13	15	-	28	5.28	24	-	-	2	2
Belmont	475	1	5	-	6	12.63	6	-	-	-	-
Brooks	730	5	7	-	12	16.43	9	-	-	-	3
Burnham	846	9	10	-	19	22.45	19	-	-	-	-
Frankfort	1,099	14	10	1	25	22.74	22	1	-	2	-
Freedom	510	4	5	-	9	17.64	8	-	-	1	-
Islesborough	1,006	10	22	-	32	31.80	30	-	2	-	-
Jackson	522	3	7	-	10	19.15	8	-	-	-	2
Knox	657	5	-	-	5	7.61	5	-	-	-	-
Liberty	835	9	12	-	21	25.14	20	-	-	1	-
Lincolnton	1,361	9	15	-	24	17.63	24	-	-	-	-
Monroe	1,079	11	12	-	23	21.31	19	-	-	1	3
Montville	1,049	11	5	-	16	15.25	14	-	-	-	2
Morrill	460	3	2	-	5	10.86	4	-	-	1	-
Northport	691	2	-	-	2	2.89	2	-	-	-	-
Palermo	887	5	4	-	9	10.14	7	-	-	-	2
Prospect	697	6	4	-	10	14.34	7	2	1	-	-
Searsmont	1,144	10	7	1	18	15.73	15	-	-	1	2
Searsport	1,603	15	16	-	31	18.31	28	2	-	1	-
Stockton Springs	1,149	9	9	-	18	15.66	17	-	-	1	-
Swanville	689	6	8	-	14	20.31	13	-	-	1	-
Thorndike	589	3	11	-	14	23.76	12	-	1	-	1
Troy	868	6	4	-	10	11.52	7	-	1	2	-
Unity	922	6	5	-	11	11.93	10	-	-	-	1
Waldo	581	2	2	-	4	6.88	4	-	-	-	-
Winterport	1,926	12	16	-	28	14.53	26	-	-	-	2
Total	27,759	189	213	2	404	14.55	360	5	5	14	20

No. 6—Continued.
for the Year 1892.
COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
50	-	3	2	4	59	49	55	-	104	100	4	-	19.64
2	-	-	-	-	2	6	6	-	12	11	-	1	25.26
11	-	-	-	-	11	7	11	-	18	16	1	1	24.65
7	-	-	-	-	7	7	10	-	17	17	-	-	20.09
4	-	-	-	1	5	8	14	-	22	21	1	-	20.01
8	-	-	-	-	8	6	6	-	12	12	-	-	23.52
3	-	-	1	1	5	6	9	-	15	13	-	2	14.91
6	-	-	1	1	8	3	2	-	5	4	-	1	9.57
5	-	-	-	-	5	5	4	-	9	7	-	2	13.69
13	-	-	-	-	13	7	9	-	16	16	-	-	19.16
6	-	-	-	-	6	14	23	-	37	34	1	2	27.18
-	-	-	-	1	1	16	13	-	29	28	1	-	26.87
11	-	1	-	-	12	14	11	-	25	23	-	2	23.83
2	-	-	-	-	2	3	6	-	9	9	-	-	19.56
4	-	-	-	1	5	6	6	-	12	11	1	-	17.36
1	-	-	-	-	1	6	9	-	15	14	-	1	16.91
2	-	-	1	-	3	5	7	-	12	12	-	-	17.29
12	-	-	1	-	13	14	4	-	18	18	-	-	15.73
17	-	-	-	-	17	18	21	-	39	37	2	-	23.03
3	-	-	-	-	3	15	11	-	26	25	1	-	22.62
4	-	-	-	-	4	5	7	-	12	12	-	-	17.41
6	-	-	-	1	7	3	3	-	6	5	-	1	10.18
11	-	-	1	-	12	6	4	-	10	7	-	3	11.52
8	-	-	-	-	8	7	9	-	16	14	-	2	17.35
-	-	-	-	-	-	1	3	-	4	4	-	-	6.88
23	-	-	-	-	23	15	23	-	38	29	4	5	19.73
219	-	4	7	10	240	252	286	-	538	499	16	23	19.38

TABLE
Births, Marriages and Deaths
WASHINGTON

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison.....	1,022	4	11	-	15	14.67	14	-	1	-	-
Alexander.....	337	1	3	-	4	11.86	4	-	-	-	-
Baileyville.....	226	6	5	-	11	48.67	6	-	2	3	-
Baring.....	273	2	3	-	5	18.31	3	1	-	1	-
Beddington.....	184	9	2	-	11	59.78	11	-	-	-	-
Brookton.....	429	1	2	-	3	6.99	1	-	-	2	-
Calais.....	7,290	91	99	1	191	26.20	66	45	30	47	3
Centerville.....	114	1	-	-	1	8.77	1	-	-	-	-
Charlotte.....	381	5	6	-	11	28.87	7	1	3	-	-
Cherryfield.....	1,787	26	24	-	50	27.97	48	-	1	1	-
Columbia.....	587	10	9	-	19	32.36	19	-	-	-	-
Columbia Falls.....	698	10	12	-	22	31.51	22	-	-	-	-
Cooper.....	264	3	3	-	6	22.72	6	-	-	-	-
Crawford.....	140	2	1	-	3	21.42	3	-	-	-	-
Cutler.....	662	5	15	-	20	30.21	17	-	-	3	-
Danforth.....	1,063	14	14	-	28	26.34	16	4	3	1	4
Deblois.....	76	2	-	-	2	26.31	2	-	-	-	-
Dennysville.....	452	8	3	-	11	24.33	11	-	-	-	-
East Machias.....	1,637	23	19	-	42	25.65	32	2	3	3	2
Eastport.....	4,908	60	65	-	125	25.46	48	25	21	29	2
Edmunds.....	395	5	5	-	10	25.31	10	-	-	-	-
Forest City.....	287	1	2	-	3	10.45	-	1	1	-	1
Harrington.....	1,150	8	12	-	20	17.39	19	1	-	-	-

No. 6—Continued.
for the Year 1892.
COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			Death rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
10	-	-	-	-	10	9	9	-	18	18	-	-	17.61
4	-	-	1	-	5	2	3	-	5	5	-	-	14.83
-	-	-	-	-	-	3	4	-	7	3	4	-	30.97
-	-	1	-	-	1	2	3	-	5	3	2	-	18.31
1	-	-	-	-	1	-	1	-	1	1	-	-	5.43
4	-	-	1	-	5	1	6	-	7	6	1	-	16.31
22	13	10	10	7	62	80	96	-	176	122	52	2	24.14
-	-	-	-	-	-	3	2	-	5	5	-	-	43.85
-	-	-	-	-	-	2	4	-	6	4	2	-	15.74
14	-	-	-	-	14	13	11	-	24	22	2	-	13.43
7	-	-	-	-	7	4	3	-	7	7	-	-	11.92
9	-	-	-	-	9	5	6	2	13	13	-	-	18.62
1	-	-	-	-	1	2	1	-	3	2	1	-	11.36
1	-	-	-	-	1	1	1	-	2	2	-	-	14.28
1	-	-	-	-	1	5	4	-	9	5	1	3	13.59
9	3	3	2	-	17	13	6	-	19	17	1	1	17.87
-	-	-	-	-	-	-	1	-	1	1	-	-	13.15
3	-	-	-	-	3	1	4	-	5	4	1	-	11.06
7	-	1	-	1	9	10	13	-	23	19	3	1	14.05
21	9	6	14	-	50	41	38	-	79	59	19	1	16.09
3	-	-	1	-	4	-	7	-	7	7	-	-	17.72
-	1	1	-	-	2	1	-	-	1	1	-	-	3.48
9	-	-	1	1	11	14	9	-	23	22	1	-	20.00

TABLE
Births, Marriages and Deaths
WASHINGTON

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Jonesborough.....	470	6	7	-	13	29.14	12	-	-	-	1
Jonesport.....	1,917	-	-	48	48	25.03	-	-	-	-	48
Kossuth.....	68	1	2	-	3	44.11	3	-	-	-	-
Lubec.....	2,069	31	22	-	53	25.61	32	6	7	7	1
Machias.....	2,035	18	18	-	36	17.69	33	-	2	-	1
Machiasport.....	1,437	13	15	-	28	19.48	27	-	-	1	-
Marion.....	90	2	1	-	3	33.33	3	-	-	-	-
Marshfield.....	299	1	3	-	4	13.37	4	-	-	-	-
Meddybemps.....	156	3	-	-	3	19.23	3	-	-	-	-
Milbridge.....	1,963	30	15	-	45	22.92	40	-	-	2	3
Northfield.....	143	-	-	-	-	-	-	-	-	-	-
Pembroke.....	1,514	16	15	-	31	20.47	28	-	-	3	-
Perry.....	945	10	10	-	20	21.16	15	-	3	2	-
Princeton.....	1,027	15	12	-	27	26.29	16	2	4	1	4
Robbinston.....	787	5	11	-	16	20.33	12	-	1	2	1
Roque Bluffs.....	154	5	2	-	7	45.45	7	-	-	-	-
Steuben.....	982	9	12	-	21	21.38	21	-	-	-	-
Talmadge.....	112	2	1	-	3	26.78	1	-	2	-	-
Topsfield.....	375	2	-	-	2	5.33	2	-	-	-	-
Trescott.....	485	4	7	-	11	22.68	7	-	2	1	1
Vanceboro.....	870	11	15	-	26	29.88	1	19	1	5	-
Waite.....	159	3	4	-	7	44.02	2	1	3	1	-
Wesley.....	227	4	4	-	8	35.24	7	-	1	-	-

No. 6—Continued
for the Year 1892.
COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			Death rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	6	2	-	8	6	1	1	17.02
-	-	-	-	22	22	-	-	31	31	-	-	31	16.17
-	-	-	-	-	-	1	1	-	2	2	-	-	29.41
15	1	2	2	2	22	18	27	-	45	31	10	4	21.74
21	-	-	2	-	23	25	14	-	39	34	3	2	19.16
4	-	-	-	-	4	12	6	-	18	15	3	-	12.52
-	-	-	-	-	-	1	-	-	1	1	-	-	11.11
2	-	-	-	-	2	1	-	-	1	1	-	-	3.34
1	-	-	-	-	1	2	-	-	2	1	1	-	12.82
6	-	-	-	-	6	21	19	-	40	38	1	1	20.37
2	-	-	-	-	2	3	-	-	3	3	-	-	20.97
6	-	-	1	-	7	14	10	-	24	16	8	-	15.85
4	-	-	-	1	5	7	2	-	9	6	3	-	9.52
5	-	-	2	-	7	5	12	-	17	13	3	1	16.55
6	-	-	-	1	7	6	8	-	14	9	5	-	17.78
2	-	-	-	-	2	2	1	-	3	3	-	-	12.98
4	-	-	-	-	4	10	6	-	16	16	-	-	16.29
-	-	-	-	-	-	-	1	-	1	1	-	-	8.92
3	-	-	1	1	5	1	2	-	3	3	-	-	8.00
2	-	-	-	-	2	5	11	-	16	12	2	2	32.98
1	5	-	2	-	8	4	6	-	10	5	5	-	11.49
-	-	-	-	-	-	1	2	-	3	3	-	-	18.86
-	-	-	-	-	-	1	-	-	1	-	-	1	4.40

TABLE
Births, Marriages and Deaths
WASHINGTON

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Whiting	393	5	4	-	9	22.90	8	-	1	-	-
Whitneyville.....	413	2	6	-	8	19.36	6	-	-	-	2
Codyville Pl.....	72	1	4	-	5	69.44	5	-	-	-	-
Grand Lake Stream Pl.....	404	9	5	-	14	34.65	8	2	-	4	-
Indian Township Pl.....	-	-	-	-	-	-	-	-	-	-	-
Lambert Lake	152	4	5	1	10	65.78	8	-	1	-	1
No. 14	112	2	2	-	4	35.71	4	-	-	-	-
No. 18	30	-	-	-	-	-	-	-	-	-	-
No. 21.....	81	-	3	-	3	37.03	2	-	1	-	-
Township No. 10	-	-	-	-	-	-	-	-	-	-	-
Total	*44,303	511	520	50	1081	24.30	683	110	94	119	75

*Population in unorganized plantations in 1890, 179.

No. 6—Continued.
for the Year 1892.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.								
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			Death rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
1	-	-	-	-	-	2	1	-	-	3	3	-	-	7.63
2	-	-	-	-	-	5	2	-	-	7	5	2	-	16.90
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	3	1	-	-	4	3	1	-	9.90
-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
2	-	-	-	-	-	3	-	-	-	3	2	-	1	19.73
-	-	-	-	-	-	1	1	-	-	2	1	1	-	17.85
-	-	-	-	-	-	-	1	-	-	1	1	-	-	33.33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
220	33	24	41	36	354	373	369	33	775	584	139	52	17.42	

TABLE
Births, Marriages and Deaths
YORK

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton	878	7	8	-	15	17.08	15	-	-	-	-
Alfred	1,030	6	10	-	16	15.53	15	-	-	1	-
Berwick	2,294	15	29	-	44	19.18	33	9	1	-	1
Biddeford.....	14,443	273	234	2	509	35.24	93	335	34	45	2
Buxton.....	2,036	13	25	1	39	19.64	35	-	-	-	4
Cornish.....	1,118	6	14	-	20	17.88	18	-	-	-	2
Dayton	500	2	4	-	6	12.00	6	-	-	-	-
Eliot	1,463	20	10	-	30	20.50	26	1	1	2	-
Hollis.....	1,278	10	7	-	17	13.30	14	-	1	-	2
Kennebunk.....	3,172	27	30	-	57	17.96	40	10	1	4	2
Kennebunkport.....	2,196	14	11	-	25	11.38	22	1	-	2	-
Kittery	2,864	27	21	1	49	17.10	31	1	2	3	12
Lebanon	1,263	12	10	1	23	18.21	16	2	-	2	3
Limerick	966	7	7	-	14	14.49	13	-	-	-	1
Limington	1,092	12	5	-	17	15.56	14	-	-	1	2
Lyman.....	854	8	4	-	12	14.06	11	-	1	-	-
Newfield	796	1	3	-	4	5.02	4	-	-	-	-
North Berwick	1,803	20	14	-	34	18.85	30	-	-	2	2
Old Orchard	877	8	5	-	13	14.82	7	2	2	-	2
Parsonsfield.....	1,398	10	7	-	17	12.16	15	-	-	-	2

No. 6—Continued.
for the Year 1892.
COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
1	-	-	-	-	1	6	7	-	13	13	-	-	14.80
9	-	-	-	-	9	9	7	-	16	13	3	-	15.53
8	-	1	2	-	11	19	19	-	38	37	1	-	16.56
38	62	15	10	20	151	204	204	-	408	275	120	13	28.24
4	-	-	-	6	10	15	16	-	31	30	1	-	15.22
11	-	-	-	1	12	17	18	-	35	34	-	1	31.30
1	-	-	-	-	1	9	1	-	10	10	-	-	20.00
10	-	2	-	1	13	8	8	-	16	15	-	1	10.93
8	-	-	-	1	9	17	15	-	32	32	-	-	25.03
13	2	-	1	-	16	29	37	-	66	61	5	-	20.80
8	-	2	1	-	11	28	19	-	47	39	5	3	21.40
11	-	-	-	-	11	28	26	-	54	51	-	3	18.85
4	-	2	-	-	6	22	13	-	35	32	1	2	27.71
12	-	2	-	1	15	15	21	-	36	33	3	-	37.26
10	-	-	-	-	10	14	16	-	30	27	-	3	27.47
8	-	-	-	-	8	8	11	-	19	19	-	-	22.24
7	-	-	-	-	7	9	9	-	18	18	-	-	22.61
13	-	-	-	-	13	19	20	-	39	36	1	2	21.63
2	-	1	-	4	7	11	7	-	18	16	1	1	20.52
8	-	-	1	1	10	11	17	-	28	26	2	-	20.02

TABLE
Births, Marriages and Deaths
YORK

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Saco.....	6,075	66	70	1	137	22.55	74	43	5	14	1
Sanford.....	4,201	72	74	-	146	34.75	62	60	8	8	8
Shapleigh ..	968	9	12	-	21	21.69	19	1	-	1	-
South Berwick.....	3,434	44	36	-	80	23.29	38	31	4	6	1
Waterborough ..	1,357	12	10	-	22	16.21	19	-	-	1	2
Wells.....	2,029	11	12	-	23	11.33	19	1	-	2	1
York.....	2,444	24	17	-	41	16.77	36	1	1	3	-
Total.....	62,829	736	689	6	1431	22.77	725	498	61	97	50

**No. 6—Continued
for the Year 1892.**

COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			Death rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
11	1	2	-	36	50	61	70	-	131	114	12	5	21.56
15	10	1	3	2	31	40	35	-	75	65	7	3	17.85
4	-	-	-	-	4	6	11	-	17	17	-	-	17.56
17	4	-	1	-	22	31	35	-	66	50	15	1	19.19
3	-	-	-	-	3	9	24	-	33	32	1	-	24.31
7	-	-	1	-	8	12	19	-	31	29	1	1	15.27
6	-	-	-	-	6	25	26	-	51	49	-	2	20.86
249	85	22	20	73	455	682	711	-	1,393	1,173	179	41	22.20

TABLE
RECAPITULATION

Counties.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin.....	48,968	518	471	2	991	20.23	388	478	45	50	30
Aroostook.....	49,589	812	796	2	1610	32.46	789	249	229	204	139
Cumberland.....	90,949	1094	948	6	2048	22.51	1145	583	116	159	45
Franklin.....	17,053	164	177	4	345	20.23	292	22	10	6	15
Hancock.....	37,312	383	371	3	757	20.28	666	29	20	19	23
Kennebec.....	57,012	556	491	17	1064	18.66	554	197	44	65	204
Knox.....	31,473	301	270	1	572	18.14	466	44	25	18	19
Lincoln.....	21,996	219	183	-	402	18.27	359	6	7	14	16
Oxford.....	30,586	286	237	1	524	17.13	436	10	18	13	47
Penobscot.....	72,865	720	718	14	1452	19.92	842	222	124	93	171
Piscataquis.....	16,134	169	170	4	343	21.25	243	31	23	17	29
Sagadahoe.....	19,452	199	175	1	375	19.27	274	43	26	23	9
Somerset.....	32,627	327	301	1	629	19.27	467	63	36	34	29
Waldo.....	27,759	189	213	2	404	14.55	360	5	5	14	20
Washington.....	44,482	511	520	50	1081	24.30	683	110	94	119	75
York.....	62,829	736	689	6	1431	22.77	725	498	61	97	50
Total.....	661,086	7184	6730	114	14028	21.21	8689	2590	883	945	921

No. 7.

BY COUNTIES.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
191	22	13	9	244	479	386	417	-	803	629	126	48	16.39
229	74	51	83	21	458	300	319	-	619	490	100	29	12.48
494	109	37	43	96	779	890	955	-	1,845	1,483	275	87	20.28
115	4	7	9	10	145	154	183	-	337	314	6	17	19.76
274	4	11	11	7	307	302	279	-	581	531	26	24	15.57
297	44	39	24	149	553	642	631	-	1,273	1,043	122	108	22.32
180	5	5	7	79	276	297	332	-	629	572	38	19	19.99
161	-	3	3	5	172	200	239	-	439	384	12	43	19.95
186	3	5	10	20	224	299	262	-	561	516	23	22	18.30
330	17	15	28	307	697	611	597	-	1,208	954	134	120	16.57
77	12	7	11	26	133	125	121	-	246	216	22	8	15.24
121	7	12	9	8	157	176	176	-	352	325	24	3	18.09
222	19	11	15	30	297	250	298	-	548	481	25	42	16.79
219	-	4	7	10	240	252	286	-	538	499	16	23	19.38
220	33	24	41	36	354	373	369	33	775	584	139	52	17.42
249	85	28	20	73	455	682	711	-	1,393	1,173	179	41	22.20
3,565	438	272	330	1,121	5,726	5,939	6,175	33	12,147	10,194	1,267	686	18.37

TABLE No. 8.
Births by Counties, Showing Proportion of Males to Females, 1892.

Counties.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin	518	471	2	991	47	-	109.9
Aroostook.....	812	796	2	1,610	16	-	102.0
Cumberland	1,094	948	6	2,048	146	-	115.4
Franklin.....	164	177	4	345	-	13	92.6
Hancock	383	371	3	757	12	-	103.2
Kennebec	556	491	17	1,064	65	-	113.2
Knox.....	301	270	1	572	31	-	111.6
Lincoln.....	219	183	-	402	36	-	119.6
Oxford	286	237	1	524	49	-	120.6
Penobscot.....	720	718	14	1,452	2	-	100.2
Piscataquis	169	170	4	343	-	1	99.4
Sagadahoc.....	199	175	1	375	24	-	113.7
Somerset.....	327	301	1	629	26	-	108.6
Waldo.....	189	213	2	404	-	24	88.7
Washington.. ..	511	520	50	1,081	-	9	98.2
York	736	689	6	1,431	47	-	106.8
Total	7,184	6,730	114	14,028	454	-	106.7

TABLE No. 9.
Births by Sex and Month, by Counties, 1892.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males	28	43	61	42	51	49	46	40	42	38	39	39	-	518	-
females ..	19	43	61	32	45	43	43	32	40	33	35	44	1	471	-
not stated	-	-	-	-	-	-	-	-	-	-	-	1	-	2	991
Aroostook, males ...	46	61	85	92	100	66	62	55	61	60	68	54	2	812	-
females ..	48	70	79	72	90	73	83	52	62	53	50	57	1	796	-
not stated	-	-	-	1	-	-	-	1	-	-	-	-	-	2	1610
Cumberland, males...	74	96	108	99	90	82	105	102	96	70	81	90	1	1,094	-
females ..	82	66	94	88	73	83	79	88	77	73	75	70	-	948	-
not stated	1	1	2	-	-	-	1	-	-	-	-	-	1	6	2048
Franklin, males	16	10	21	15	17	15	10	19	11	13	7	10	-	164	-
females ..	18	16	15	14	21	17	21	10	7	13	13	12	-	177	-
not stated	-	-	1	1	-	1	-	-	-	-	-	1	-	4	345
Hancock, males	28	28	32	26	38	35	32	37	25	33	29	40	-	383	-
females ..	29	38	33	33	29	26	37	30	35	27	24	30	-	371	-
not stated	1	-	1	-	-	-	-	-	-	1	-	-	-	3	757
Kennebec, males	32	51	48	62	37	50	56	42	50	42	44	41	1	556	-
females ..	36	31	52	40	50	44	54	32	36	39	38	39	-	491	-
not stated	2	1	-	1	2	2	4	2	2	-	-	1	-	17	1064
Knox, males	28	19	31	27	29	25	23	22	29	24	17	26	1	301	-
females ..	23	30	17	40	20	19	16	28	15	18	23	20	1	270	-
not stated	-	-	-	-	-	-	1	-	-	-	-	-	-	1	572
Lincoln, males	13	15	28	16	17	21	21	18	18	19	17	16	-	219	-
females ..	13	16	18	17	8	20	7	15	14	22	14	19	-	183	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	402
Oxford, males	20	21	27	30	34	21	31	23	19	24	16	20	-	286	-
not stated	21	16	20	17	32	22	13	21	22	16	15	22	-	237	-
not stated	-	-	-	-	-	-	1	-	-	-	-	-	-	1	524
Penobscot, males	55	51	61	48	84	46	61	62	70	56	48	77	-	720	-
females ..	58	63	53	82	62	60	69	56	58	48	50	59	-	718	-
not stated	1	2	-	-	1	3	2	-	1	3	1	-	-	14	1452
Piscataquis, males ...	8	12	17	13	16	23	11	13	12	12	19	12	1	169	-
females ..	13	15	18	14	11	18	16	14	17	9	11	14	-	170	-
not stated	-	-	-	-	-	-	-	-	-	1	2	1	-	4	343
Sagadahoc, males ...	12	14	21	14	21	19	16	22	15	13	13	19	-	199	-
females ..	14	10	23	13	12	14	10	15	19	20	10	15	-	175	-
not stated	-	-	-	-	-	-	-	-	-	1	-	-	-	1	375
Somerset, males	35	28	22	40	21	24	28	26	31	28	19	25	-	327	-
females ..	27	24	27	22	38	23	24	23	22	30	17	24	-	301	-
not stated	-	-	-	-	-	1	-	-	-	-	-	-	-	1	629
Waldo, males	17	16	13	18	18	12	11	21	24	10	20	9	-	189	-
females ..	18	15	22	26	12	13	23	18	27	11	14	14	-	213	-
not stated	-	-	1	-	-	-	-	-	-	-	1	-	-	2	404
Washington, males...	36	30	53	47	43	49	46	59	38	46	27	37	-	511	-
females ..	31	44	56	53	62	48	30	53	36	36	36	35	-	520	-
not stated	-	-	-	-	-	1	-	1	-	-	-	-	48	50	1081
York, males	55	59	66	61	76	53	67	69	58	56	53	60	3	736	-
females ..	57	58	59	57	63	52	67	58	55	48	55	58	2	689	-
not stated	1	-	-	-	-	3	1	1	-	-	-	-	-	6	1431
Total, males	503	554	694	651	692	590	626	630	599	544	517	575	9	7184	-
females ..	507	555	647	620	628	575	592	551	542	496	480	532	5	6730	-
not stated,	6	4	4	4	3	11	4	10	3	7	5	4	49	114	-
Grand total	1016	1113	1345	1275	1323	1176	1222	1191	1144	1047	1002	1111	63	14028	14028

TABLE No. 10.
Births in Cities for 1892, with Rate per 1,000 of Population.

Cities.	Population in 1890.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn	11,250	82	69	-	151	13.42	118.8
Augusta.....	10,527	112	89	5	206	19.56	125.8
Bangor.....	19,103	183	177	5	365	19.10	103.3
Bath.....	8,723	85	87	1	173	19.83	97.7
Belfast.....	5,234	13	15	-	28	5.28	86.6
Biddeford.....	14,443	273	234	2	509	35.24	116.6
Brewer.....	4,193	54	52	3	109	25.99	103.8
Calais.....	7,290	91	99	1	191	26.52	91.9
Deering.....	5,353	47	52	-	99	18.49	90.3
Eastport.....	4,908	60	65	-	125	25.46	92.3
Ellsworth.....	4,804	46	44	-	90	18.73	104.5
Gardiner.....	5,491	42	31	-	73	13.29	135.4
Hallowell.....	3,181	34	23	-	57	17.91	147.8
Lewiston.....	21,701	269	265	1	535	24.65	101.5
Old Town.....	5,312	79	65	1	145	27.29	121.5
Portland.....	36,425	435	370	3	808	22.18	117.5
Rockland.....	8,173	73	80	1	154	18.59	91.2
Saco.....	6,075	66	70	1	137	22.55	94.2
Waterville.....	7,107	151	143	6	300	42.21	105.5
Westbrook.....	6,632	117	123	1	241	36.33	95.1
Total.....	195,985	2,312	2,153	31	4,496	22.94	107.3

TABLE No. 11.
Percentage of American and Foreign Births, by Counties, 1892.

Counties.	PARENTS.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin	39.15	48.23	9.58	3.02
Aroostook	49.00	15.46	26.89	8.63
Cumberland	55.90	28.46	13.42	2.19
Franklin.....	84.63	6.37	4.63	4.34
Hancock	87.97	3.83	5.15	3.03
Kennebec	52.06	18.51	10.24	19.17
Knox.....	81.46	7.69	7.51	3.32
Lincoln.....	89.30	1.49	5.22	3.98
Oxford	83.20	1.90	5.91	8.96
Penobscot....	57.98	15.28	14.94	11.77
Piscataquis.....	70.84	9.03	11.66	8.45
Sagadahoc.....	73.06	11.46	13.06	2.40
Somerset.....	74.24	10.01	11.12	4.61
Waldo	89.10	1.27	4.70	4.95
Washington.....	66.11	10.64	20.61	2.61
York	50.66	34.80	11.04	3.49
State.....	61.94	18.46	13.03	6.57

TABLE No. 12.
 Percentage of American and Foreign Births, by Cities, 1892.

Cities.	PARENTS.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Auburn	55.62	29.13	13.90	1.32
Augusta	55.33	29.12	12.62	2.91
Bangor.....	51.78	33.56	17.80	6.84
Bath.....	63.00	19.65	16.18	1.15
Belfast	85.71	-	7.14	7.14
Biddeford.....	18.27	65.81	15.52	0.39
Brewer.....	42.20	32.11	9.17	16.51
Calais	34.55	23.56	40.31	1.57
Deering	67.67	26.20	8.08	4.04
Eastport	38.40	20.00	40.00	1.60
Ellsworth.....	75.55	10.00	7.77	6.66
Gardiner.....	69.86	17.80	9.58	2.73
Hallowell	47.36	24.56	7.01	21.05
Lewiston.....	20.18	68.03	10.28	1.49
Old Town	28.96	26.20	19.31	25.51
Portland	48.63	30.69	19.43	1.23
Rockland	81.69	7.84	8.49	1.96
Saco	54.01	31.38	13.86	0.72
Waterville	13.66	27.00	15.66	43.66
Westbrook.....	29.87	54.35	11.61	4.14
Collectively	40.94	36.41	16.25	6.40

TABLE No. 13.
Twin Births by Months and Counties, 1892.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin.....	-	1	1	-	4	1	-	-	-	-	-	3	10
Aroostook.....	-	1	1	4	3	2	-	1	2	-	2	1	17
Cumberland.....	1	1	6	3	3	4	4	1	2	2	-	-	27
Franklin.....	-	1	1	-	-	-	-	-	1	-	-	-	3
Hancock.....	-	-	-	-	-	1	-	-	-	2	1	1	5
Kennebec.....	-	1	1	2	2	-	2	1	1	-	-	2	12
Knox.....	1	-	-	1	-	1	-	-	-	1	1	-	5
Lincoln.....	1	-	2	1	-	-	-	-	-	-	-	1	5
Oxford.....	-	1	-	-	-	-	-	1	-	-	-	-	2
Penobscot.....	-	-	-	1	1	3	1	3	2	-	1	1	13
Piscataquis.....	-	-	1	-	-	-	-	1	-	-	-	1	3
Sagadahoc.....	-	2	-	-	-	-	-	1	-	-	-	-	3
Somerset.....	1	1	-	-	-	-	-	2	-	-	-	-	4
Waldo.....	1	-	-	-	-	1	2	-	1	-	-	-	5
Washington.....	1	1	-	3	1	-	-	1	-	3	-	-	10
York.....	-	1	1	-	1	2	3	3	1	2	-	-	14
Total.....	6	11	14	15	15	15	12	15	10	10	5	10	138

TABLE No. 14.
Twin Births, by Sex and Parentage, by Counties.

Counties.	SEX.				PARENTAGE.								
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	Total.	Living children.	Still-born children.	Total.
Androscoggin	2	5	3	-	2	6	2	-	-	10	20	-	20
Aroostook.....	7	5	5	-	9	4	3	1	-	17	32	2	34
Cumberland	11	7	8	1	14	8	3	2	-	27	45	9	54
Franklin	-	1	2	-	3	-	-	-	-	3	6	-	6
Hancock	2	-	3	-	5	-	-	-	-	5	9	1	10
Kennebec	2	3	6	1	3	5	-	1	3	12	21	3	24
Knox.....	1	4	-	-	3	1	1	-	-	5	10	-	10
Lincoln.....	1	2	2	-	5	-	-	-	-	5	10	-	10
Oxford	2	-	-	-	2	-	-	-	-	2	2	2	4
Penobscot.....	3	6	3	1	6	2	1	2	2	13	21	5	26
Piscataquis	1	1	1	-	3	-	-	-	-	3	6	-	6
Sagadahoc	1	1	1	-	1	2	-	-	-	3	5	1	6
Somerset	1	2	1	-	4	-	-	-	-	4	8	-	8
Waldo	2	1	2	-	5	-	-	-	-	5	7	3	10
Washington	3	2	5	-	8	1	-	1	-	10	17	3	20
York	4	7	3	-	5	7	1	1	-	14	25	3	28
Total	43	47	45	3	78	36	11	8	5	138	244	32	276

TABLE No. 15.
Still-Births by Sex and Parentage, by Counties.

Counties.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin.....	7	7	-	14	6	8	-
Aroostook	6	2	2	10	5	4	1
Cumberland.....	30	17	7	54	34	16	4
Franklin.....	5	3	1	9	8	1	-
Hancock.....	5	2	1	8	6	2	-
Kennebec	11	5	3	19	14	4	1
Knox	6	3	1	10	10	-	-
Lincoln	4	1	1	6	4	2	-
Oxford	3	3	1	7	4	-	3
Penobscot	17	9	1	27	16	10	1
Piscataquis	2	3	1	6	2	4	-
Sagadahoc.....	4	7	-	11	7	4	-
Somerset	5	4	3	12	8	2	2
Waldo	2	5	1	8	7	1	-
Washington	14	8	3	25	10	15	-
York	25	17	2	44	18	24	2
Total	146	96	28	270	159	97	14

TABLE No. 16.
Still Births by Seasons.

Months			
January	32		
February.....	15		
March	28	Total for first quarter.....	75
April	25		
May	26		
June	20	Total for second quarter.....	71
July	25		
August.....	23		
September	12	Total for third quarter.....	60
October	16		
November.....	21		
December	25	Total for fourth quarter	62
Month not stated.....	2		2
Total	270		270

NOTES ON BIRTHS.

There were registered during the year 1892, in the State of Maine, the births of 14,028 children, of which 13,758 were born alive, and 270 were still-born.

Of the whole number of births of which the sex was certified, 7,184 were males and 6,730 were females. In 114 births the sex was not stated. For each 100 girls born there were 106.7 boys.

This preponderance of the births of boys over girls conforms with the results of the registration of births almost everywhere. Thus, the number of boys to each 100 girls is, in Massachusetts (1892), 105.6; in Vermont (1892), 105.5; in Rhode Island (1890), 103.6; England and Wales, 104.3; France, 106.4; Germany, 106.2; Italy, 107.1; Sweden, 105; Greece, 112.

Birth-Rate.—The birth-rate for the State was 21.21 for each 1,000 of population.

The birth-rate of the different counties varied widely. It was the highest in Aroostook, 32.46, and the lowest in Waldo, 14.55. In five counties, Aroostook, Cumberland, Piscataquis, Washington and York, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 2 and No. 7.

For the purpose of comparison it may be stated that the birth-rate of Massachusetts was 27.7 in 1892; Rhode Island, 24.7 in 1890; Connecticut, 23.3 in 1890; England and Wales, 31.2 (1887-91); Ireland and France, each 22.8 (1887-91); Germany, 36.5 (1887-91); Norway, 30.5 (1887-91); Holland, 33.4 (1887-91); Italy, 37.6 (1887-91); Hungary, 43 (1887-90).

Parentage.—Of the total births in the State, 61.94 per cent. were of native parents; 18.46 per cent. were of foreign parentage; 13.03 per cent. were of parents one of which was foreign; while of 6.57 per cent., the nationality was not stated.

Lincoln county had the largest percentage of native-born parents, to wit, 89.30 per cent.

Waldo was a very close second with 89.10 per cent. of native parentage, and only 1.27 per cent. in which both parents were foreign-born.

In Hancock county, in 87.97 per cent. of the births, the parents were native-born.

In Franklin the percentage was 84.63, and in Oxford 83.20.

Low percentages of native born parents are shown in Androscoggin county, where, in 39.15 per cent. of the births, the parents were native-born. and 48.23 per cent. were foreign-born, and in Aroostook county with 49 per cent., and in York county with 50.66 per cent. of the parents native-born.

The percentages of parentage, whether American-born or foreign-born, may be found for the other counties in Table No. 11.

Comparing the parentage of the births in our twenty cities with that of the rest of the State, we find that in the cities, 40.94 per cent. of the births were of American parentage, while, in the rural parts of the State, the percentage of American-born children was 71-84.

The largest percentage of foreign-born parents was in Lewiston, 68.03, and in Biddeford, 65.81 per cent.

The lowest percentage of foreign-born parents was in Belfast where no birth was reported in which both parents were foreign, in Rockland with 7.84 per cent., and in Ellsworth, with 10 per cent. of the births with parents both foreign. For further comparisons see Table No. 12.

Comparing the statistics of the other New England states with our 61.94 per cent. of American-born parents we find that in New Hampshire (1890) 50.07 per cent. of the births were of American parentage; in Massachusetts (1892) 33.11 per cent.; in Rhode Island (1890) 47.02 per cent.; in Connecticut (1892) 42.2 per cent.; in Vermont (1892) 77.61 per cent. of the parents were American-born.

Season and Births.—The largest number of births in any one month in 1892 was 1,345 in March; the smallest was 1,016 in January; the largest quarterly total was 3,774 in the *second* quarter; the smallest 3,160 in the *last* quarter

In the first quarter there were 3,474 births.

In the second quarter there were 3,774 births.

In the third quarter there were 3,557 births.

In the fourth quarter there were 3,160 births.

The three consecutive months in which the largest number of births occurred were March, April and May, 3,943.

Twin Births.—In 1892, 138 twin births occurred. In 43 instances the twins were both boys; in 47, both girls; in 45, a

boy and a girl. In 78 cases the parentage was American; in 36, foreign; and in 19 instances the parentage was mixed. Of the 276 children, 244 were born alive, and 32 were still-born. Other facts may be learned by consulting Tables No. 13 and No. 14.

Still-Births.—Of the 270 still-born children, 146 were males, and 96 females. In 28 the sex was not stated. With the exception of 14 still-births, as to which the nativity of the mother was not stated, 159 were of American mothers, and 97 were of foreign mothers.

The largest number of still-births, 54, occurred in Cumberland county, while the minimum number, 6, was reported in two counties, Lincoln and Piscataquis.

The largest number of still-births, 32, was returned in January, that month in which the smallest number of living children were born. The smallest number in any one month was 12 in September. See Tables No. 15 and No. 16 for other details.

TABLE No. 17.
Marriages by Counties and Nativity, 1892.

Counties.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin	191	22	13	9	244	479
Aroostook.....	229	74	51	83	21	458
Cumberland	494	109	37	43	96	779
Franklin	115	4	7	9	10	145
Hancock	274	4	11	11	7	307
Kennebec	297	44	39	24	149	553
Knox	180	5	5	7	79	276
Lincoln	161	-	3	3	5	172
Oxford	186	3	5	10	20	224
Penobscot.....	330	17	15	28	307	697
Piscataquis	77	12	7	11	26	133
Sagadahoc	121	7	12	9	8	157
Somerset.....	222	19	11	15	30	297
Waldo	219	-	4	7	10	240
Washington.....	220	33	24	41	36	354
York	249	85	28	20	73	455
Total	3,565	438	272	330	1,121	5,726

TABLE No. 18.
Marriages by Months and Counties, 1892.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	27	36	20	38	37	36	35	44	59	51	52	43	1	479
Aroostook	26	32	32	45	33	41	53	36	33	43	45	38	1	458
Cumberland	56	44	40	51	45	87	64	59	64	90	107	72	-	779
Franklin	14	5	5	14	7	8	11	10	17	14	20	20	-	145
Hancock	11	14	15	16	20	28	27	24	21	40	46	45	-	307
Kennebec	41	30	39	36	34	60	39	41	65	53	63	52	-	553
Knox	10	16	16	21	14	32	18	20	19	31	36	43	-	276
Lincoln	3	10	9	16	10	13	11	18	18	14	23	27	-	172
Oxford	7	8	15	28	12	15	18	14	27	20	30	29	1	224
Penobscot	39	35	40	64	58	72	41	51	81	61	89	54	12	697
Piscataquis	4	3	8	11	7	13	12	14	16	11	16	17	1	133
Sagadahoc	5	5	9	13	11	10	15	6	15	16	25	27	-	157
Somerset	16	21	21	21	30	25	23	30	32	29	21	28	-	297
Waldo	8	14	10	20	22	28	25	12	17	28	22	34	-	240
Washington	29	20	20	29	15	22	22	26	34	31	41	43	22	354
York	25	41	23	33	35	52	30	32	49	37	62	36	-	455
Total	321	334	322	456	390	542	444	437	567	569	698	608	38	5,726

TABLE No. 19.
Marriages by Ages and Counties, 1892.

Counties.	Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscoggin, males..	-	15	200	125	60	33	12	13	3	3	5	2	1	7	479
females..	2	94	227	84	32	17	6	6	2	-	3	-	-	6	479
Aroostook, males	-	12	178	138	53	29	19	8	9	5	3	1	-	3	458
females..	5	184	157	54	21	13	14	3	2	-	-	-	-	5	458
Cumberland, males ...	-	22	265	241	113	51	35	19	15	6	9	-	-	3	779
females..	2	139	321	172	70	36	19	11	3	2	1	-	-	3	779
Franklin, males	-	4	46	43	19	8	7	4	2	3	5	1	-	3	145
females..	1	42	51	26	4	6	1	3	4	2	2	-	-	3	145
Hancock, males	-	11	121	93	34	16	13	3	1	3	7	3	1	1	307
females..	2	117	109	40	15	8	4	1	3	5	2	-	-	1	307
Kennebec, males	-	13	221	137	64	32	27	21	14	5	6	7	-	6	553
females..	2	150	197	85	46	27	18	7	6	7	1	-	-	7	553
Knox, males	-	13	111	61	40	17	15	6	6	1	5	-	-	1	276
females..	1	88	98	42	22	10	7	4	2	1	-	-	-	1	276
Lincoln, males	-	6	72	39	20	12	6	10	1	3	2	1	-	-	172
females..	-	53	62	31	8	7	1	4	1	5	-	-	-	-	172
Oxford, males	-	6	89	57	18	16	9	2	5	8	6	6	-	2	224
females..	3	65	81	30	16	7	8	2	5	4	-	1	-	2	224
Penobscot, males	-	19	263	175	96	53	24	18	16	13	14	3	-	3	697
females..	4	219	251	98	43	24	19	10	11	4	5	1	-	8	697
Piscataquis, males	-	2	43	47	19	5	6	4	2	-	4	1	-	-	133
females..	-	34	52	26	7	6	1	3	1	1	2	-	-	-	133
Sagadahoc, males	-	4	60	46	18	12	7	3	2	1	-	2	-	2	157
females..	1	46	68	19	5	8	3	1	1	-	2	-	-	3	157
Somerset, males	-	15	115	72	34	23	12	7	3	5	8	2	1	-	297
females..	1	93	109	46	12	11	6	8	2	2	6	-	-	1	297
Waldo, males	-	6	67	59	40	19	18	8	13	1	6	3	-	-	240
females..	-	50	98	39	16	18	5	7	2	2	1	1	1	-	240
Washington, males	-	14	145	90	33	13	9	8	8	2	8	1	-	23	354
females..	-	115	134	39	16	8	6	5	4	3	1	-	-	23	354
York, males	-	32	187	118	42	24	17	8	13	8	5	-	-	1	455
females..	-	108	182	90	26	15	12	11	6	3	1	-	-	1	455
Total, males	-	194	2183	1541	703	363	236	142	113	67	93	33	3	55	5,726
females..	24	1597	2197	921	359	221	130	86	55	41	27	3	1	64	5,726
Grand total		24	1791	4380	2462	1062	584	366	228	168	108	120	36	4	11,452

TABLE
Interesting Facts in

Counties.	Instances in which the age of the bride exceeded that of the groom.	Widowers.		Divorced.		First marriage.		Second marriage.		Third marriage.	
		Widowers.	Widows.	M.	F.	M.	F.	M.	F.	M.	F.
Androscoggin	2	63	39	6	6	399	419	64	47	6	2
Aroostook	50	65	39	4	5	376	406	68	46	10	2
Cumberland	132	112	71	6	10	655	696	115	80	7	1
Franklin	20	25	17	6	5	110	116	32	21	1	4
Hancock	36	39	29	8	11	260	264	39	39	6	3
Kennebec	84	72	47	22	27	424	446	99	86	16	8
Knox	35	32	22	5	12	232	233	38	40	4	2
Lincoln	27	23	15	6	4	138	148	30	24	4	-
Oxford	40	33	22	10	11	175	183	38	30	8	9
Penobscot	96	103	82	18	30	569	577	105	103	14	11
Piscataquis	21	18	14	6	5	108	109	19	21	6	2
Sagadahoc	20	14	14	5	4	135	136	19	17	1	1
Somerset	50	47	27	9	6	235	253	53	35	8	6
Waldo	28	45	37	9	15	184	183	46	49	8	4
Washington	36	49	28	2	5	280	296	43	33	6	2
York	89	65	39	3	12	384	400	65	48	5	6
Total	346	805	542	125	168	4,664	4,865	873	719	110	63

NOTES ON MARRIAGES.

There were 5,726 marriages registered in the State during the year 1892. This gives a marriage-rate of 8.56 to every 1,000 of population, or one marriage among every 115 persons.

The marriage-rate was higher in Androscoggin county than elsewhere in the State, for that county being 9.78 per 1,000, and 7.24 for York county was the lowest marriage-rate. See Table No. 2.

As to the nativity of the persons married there is a lamentable defect in Table No. 17, due to the failure of some of the town clerks to return the birthplace of groom and bride, called for in the blanks sent from this office. Of the 4,605 records of marriages which give these facts, in 77 per cent. the groom and bride were both American; in 10 per cent. both were of foreign birth; in 6 per cent. the groom was American and the bride of foreign birth; while in 7 per cent. a foreign groom and American bride were united.

The largest number of marriages were solemnized in November, 698; while the smallest number in any one month, 321, occurred in January. See Table No. 18.

As to the ages of the persons contracting marriages, the largest number both of grooms and brides were between 20 and 25 years of age. While still under 15 years of age 24 brides were married; in the age period, 15-20 years, there were 194 grooms and 1,597 brides; in the period 20-25 years, 2,183 men and 2,197 women were married; from 25-30, 1,541 men and 921 women; from 30-35, 703 men and 359 women; from 35-40, 363 men and 221 women; from 40-45, 236 men and 130 women; from 45-50, 142 men and 86 women; from 50-55, 113 men and 55 women; from 55-60, 67 men and 41 women; from 60-70, 93 men and 27 women; and from 70-80, 33 men and 3 women; over 80, 3 men and 1 woman. See Table No. 19.

In 846 marriages the bride was older than the groom; 805 widowers and 542 widows were remarried; 125 men and 168 women were remarried after having been divorced from a former marriage.

Table No. 20 exhibits the fact that 4,664 men and 4,865 women were married the first time; that 873 men and 719 women were married a second time; that 110 men and 63 women were united in

a third marriage ; while 17 men and 10 women contracted marriage a fourth time.

The three oldest grooms were all 81 years of age. The bride in one of these marriages was 60, in another 46, and in the third only 39 years old.

The oldest bride was 86 years old and the man who became her husband was 36 years old.

In 5 marriages the groom was only 17 years of age, and the returns show that in each of two counties, one girl became a wife at the age of 12 years. One of the grooms in these two marriages was 23 and the other 31 years old.

TABLE

Divorces Deceed by the Supreme Court of Maine, in the Year

Counties.	Libellant wife.	Libellant husband.	Adultery.	Adultery and desertion.	Extreme cruelty.	Extreme cruelty and intoxication.	Desertion.	Desertion and intoxication.	Desertion and extreme cruelty.	Desertion and failure to support.	Desertion and cruel and abusive treatment.	Desertion, cruel and abusive treatment, and intoxication.
Androscoggin	54	14	11	-	5	1	20	-	1	1	-	1
Aroostook	16	7	2	-	1	-	12	-	-	-	-	-
Cumberland	36	12	6	1	-	-	22	1	-	-	-	-
Franklin	9	11	6	-	1	-	6	-	-	-	1	-
Hancock	27	6	6	-	-	-	14	-	-	1	-	-
Kennebec	67	23	10	-	-	2	17	1	-	-	-	-
Knox	31	13	6	-	-	-	9	-	-	-	-	-
Lincoln.....	10	7	2	-	-	-	7	1	-	-	-	-
Oxford	13	4	-	1	-	-	4	-	-	-	-	-
Penobscot.....	34	12	4	-	3	-	15	-	-	-	-	-
Piscataquis	10	4	-	-	-	-	6	-	-	-	-	-
Sagadahoc	15	3	1	-	1	-	6	1	-	-	-	-
Somerset	23	7	6	-	1	-	11	-	-	-	1	-
Waldo	24	5	-	-	-	-	11	1	-	-	-	-
Washington.....	10	6	2	-	1	-	9	-	-	-	-	-
York	31	8	8	-	1	-	12	-	-	-	-	-
Total	410	142	70	2	14	3	181	5	1	2	2	1

No. 21.

1892, as Returned by the Clerks of the Several Counties.

Intoxication.	Intoxication, and failure to support.	Cruel and abusive treatment.	Cruel and abusive treatment and adultery.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Failure to support.	Failure to support, cruel and abusive treatment and desertion.	Nullity of marriage.	No cause reported.	Total.
12	-	2	2	-	2	4	-	-	-	-	68
4	-	3	-	-	-	-	1	-	-	-	23
6	-	6	-	-	-	6	-	-	-	-	48
1	-	5	-	-	-	-	-	-	-	-	20
2	-	7	-	-	-	2	1	-	-	-	33
10	3	17	1	2	3	7	10	1	-	6	90
2	-	15	-	-	2	-	1	-	3	-	44
2	-	4	-	-	-	1	-	-	-	-	17
4	-	2	-	-	-	-	-	-	-	-	17
6	-	15	-	-	-	2	-	-	-	1	46
2	-	5	-	-	1	-	-	-	-	-	14
7	-	2	-	-	-	-	-	-	-	-	18
3	1	5	-	-	-	1	1	-	-	-	30
3	-	7	-	2	1	2	2	-	-	-	29
1	-	3	-	-	-	-	-	-	-	-	16
11	-	5	-	-	-	-	1	-	1	-	39
22	4	115	3	4	9	25	17	1	4	7	552

TABLE No. 22.
Divorces by Causes, the Sex of Libellants, and the Number of Years Married, 1892.

Causes.	LIBELLANTS.		NUMBER OF YEARS MARRIED.							
	Number.	Sex.	Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown.
Adultery	70	Males, 47 Females, 23	2	13	17	13	2	-	-	-
Adultery and desertion	2	Males, 1 Females, 1	-	-	-	1	-	-	-	1
Extreme cruelty	14	Females, 14	-	4	6	1	2	1	-	-
Extreme cruelty and intoxication	3	Females, 3	-	-	2	1	-	-	-	-
Desertion	181	Males, 62 Females, 119	-	19	46	22	12	5	-	-
Desertion and intoxication	5	Males, 1 Females, 4	-	1	1	2	-	-	-	-
Desertion and extreme cruelty	1	Females, 1	-	-	1	-	-	-	-	-
Desertion and failure to support	2	Females, 2	-	-	1	1	-	-	-	-
Desertion and cruel and abusive treatment	2	Females, 2	-	-	1	1	-	-	-	-
Desertion, cruel and abusive treatment and intoxication	1	Females, 1	-	-	-	1	-	-	-	-
Intoxication	82	Males, 4 Females, 78	-	2	21	20	15	1	-	-
Intoxication and failure to support	4	Females, 4	-	-	-	4	-	-	-	-
Cruel and abusive treatment	115	Males, 23 Females, 92	1	9	25	8	10	3	-	-
Cruel and abusive treatment and adultery	3	Females, 3	-	1	1	1	-	-	-	-
Cruel and abusive treatment and extreme cruelty	4	Females, 4	-	-	2	1	1	-	-	-
Cruel and abusive treatment and failure to support	9	Females, 9	-	2	4	1	2	-	-	-
Cruel and abusive treatment and intoxication	25	Males, 1 Females, 24	-	1	6	7	1	-	-	-
Failure to support	17	Females, 17	-	6	4	6	1	-	-	-
Failure to support, cruel and abusive treatment and desertion	1	Females, 1	1	-	1	-	-	-	-	-
Nullity of marriage	4	Males, 3 Females, 1	-	2	1	-	-	-	-	-
No cause reported	7	Males, 2 Females, 5	-	2	2	-	1	-	-	-
Total	552	Males, 142 Females, 410	1	8	29	46	43	12	7	1
			1	103	129	118	46	13	-	-

NOTES ON DIVORCES.

Five hundred and fifty-two divorces were decreed in the year 1892, and this is at the rate of not quite one divorce to every ten marriages solemnized within the same year.

Some of the causes for which divorce were granted are : adultery, 70, or 12.6 per cent. of the whole number ; extreme cruelty, 14, or 2.5 per cent. ; desertion, 181, or 32.7 per cent. ; intoxication, 82, or 14.8 per cent. ; cruel and abusive treatment, 115, or 20.8 per cent. ; failure to support, 17, or 3 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 410 divorces, and the husband in 142.

In the divorces granted for adultery, the husband was the libellant 47 times and the wife 23 times.

On account of extreme cruelty, the wife was the libellant in all of the 14 cases.

For desertion, the husband was the libellant 62 times and the wife 119.

For intoxication, the husband was the libellant in 4 cases, and the wife in 78.

For cruel and abusive treatment, the husband was libellant in 23 instances, and the wife in 92.

For failure to support, the wife was libellant in the 17 divorces decreed for that cause.

Two divorces were granted before the married life had lasted 6 months ; 3 before one year ; 132 after from 1 to 5 years marriage ; 175 after from 5 to 10 years ; 161 after 10 to 20 years ; 58 after 20 to 30 years ; and 23 after more than 30 years married life. Tables No. 21 and 22 may be consulted for more detailed statements.

TABLE

Shows the Number of Deaths in the State and in

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.
All causes	12,509	827	637	1,916
Specified causes	11,849	787	596	1,828
CLASSES.				
I.—Zymotic diseases	3,752	267	285	521
II.—Parasitic diseases	4	—	—	1
III.—Dietetic diseases	17	1	—	2
IV.—Constitutional diseases	563	40	15	102
V.—Developmental diseases	1,623	116	103	252
VI.—Local diseases	5,452	335	174	879
VII.—Deaths from violence	438	28	19	71
VIII.—Deaths from ill-defined causes	660	40	41	88
GROUPS.				
I.—1. Infectious diseases	1,439	110	118	189
2. Specific neoplastic diseases	1,517	80	70	214
3. Diarrhoeal diseases	662	72	88	91
4. Zoögenous diseases	—	—	—	—
5. Septic diseases	134	5	9	27
II.—1. Parasitic diseases	4	—	—	1
III.—1. Dietetic diseases	17	1	—	2
IV.—1. Constitutional diseases	563	40	15	102
V.—1. Developmental diseases	1,623	116	103	252
VI.—1. Diseases of nervous system	1,570	95	35	277
2. Diseases of organs of special sense	9	—	—	4
3. Diseases of circulatory system	895	54	23	146
4. Diseases of respiratory system	1,796	122	57	275
5. Diseases of digestive system	659	38	26	80
6. Diseases of lymphatics, etc.	8	—	—	1
7. Diseases of urinary system	403	19	20	88
8. Diseases of organs of generation	30	—	1	2
9. Accidents and diseases of reproduction	69	6	9	6
10. Diseases of osseous system	6	—	2	—
11. Diseases of the integument	17	1	1	—
VII.—1. Accident, negligence, or doubtful	376	24	17	57
2. Homicide	3	—	1	1
3. Suicide	59	4	1	13
VIII.—1. Deaths from ill-defined causes	660	40	41	88

No. 23.

Each County, Arranged by Classes and Groups.

Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
346	593	1,309	641	445	570	1,250	252	362	562	552	805	1,442
311	559	1,245	618	423	545	1,163	235	347	528	521	746	1,397
90	163	369	181	110	155	373	93	103	147	148	265	482
1	-	1	2	1	-	1	-	-	1	-	-	-
17	32	53	35	25	16	53	5	22	22	25	41	60
38	85	136	73	53	73	170	36	39	83	91	104	171
152	260	648	305	217	277	513	90	167	252	237	309	637
13	19	37	22	17	23	48	11	15	23	20	25	47
35	34	64	23	22	25	87	17	15	34	31	59	45
32	70	117	59	44	76	129	36	30	52	56	100	221
43	70	144	90	51	60	184	44	54	65	78	112	158
12	17	98	28	10	14	44	9	13	25	10	44	87
3	6	10	4	5	5	16	4	6	5	4	9	16
-	-	1	-	1	-	1	-	-	-	-	-	-
1	-	1	2	-	1	5	-	1	1	-	2	-
17	32	53	35	25	16	53	5	22	22	25	41	60
38	85	136	73	53	73	170	36	39	83	91	104	171
44	65	218	82	49	86	140	27	48	59	62	80	203
1	-	1	-	-	-	1	-	1	-	-	1	-
20	41	114	43	41	37	94	17	28	45	53	42	87
43	93	207	108	82	93	167	23	58	79	66	112	211
21	32	72	48	27	35	57	12	17	45	40	38	71
1	-	-	1	-	-	1	-	-	-	2	1	-
18	22	27	20	12	18	40	6	11	15	11	24	52
2	-	4	-	2	2	5	2	1	2	1	4	2
1	4	1	2	3	5	8	2	2	5	1	7	7
1	1	-	-	3	5	-	-	-	-	-	-	2
-	2	4	1	1	1	-	-	1	2	1	-	2
12	18	32	21	14	19	47	10	15	17	13	23	37
-	-	-	-	-	-	-	-	-	-	1	-	-
1	1	5	1	3	4	1	1	-	6	6	2	10
35	34	64	23	22	25	87	17	15	34	31	59	45

TABLE No. 23—Continued.
Deaths by Classes and Groups.

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
I.—Zymotic.																	
1. Infectious diseases.																	
Totals	1,439	110	118	189	32	70	117	59	44	76	129	36	30	52	56	100	221
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	29	5	2	3	2	-	6	-	-	-	1	2	-	3	3	-	2
Rötheln	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	36	3	1	4	1	3	1	1	1	3	-	-	3	2	1	7	2
Typhus fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	755	30	62	96	19	47	64	30	35	53	61	17	12	34	35	58	102
Whooping cough	54	1	1	16	-	-	4	-	4	5	5	1	5	3	1	6	16
Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	106	9	7	19	-	4	10	11	2	-	1	2	4	2	1	15	19
Croup	106	9	15	11	-	2	7	5	-	5	10	5	1	1	2	8	25
Tonsillitis, etc.	9	-	-	4	-	-	1	-	-	-	-	-	-	1	-	-	1
Cerebro-spinal meningitis	38	4	1	5	-	-	4	1	2	1	5	-	1	-	1	1	12
Tetanus	7	-	-	1	-	1	2	-	-	-	1	-	-	-	-	1	1
Typhoid fever	255	38	28	28	7	14	20	4	1	13	39	6	4	6	8	3	36
Simple continued fever ..	31	11	-	2	2	-	1	2	2	1	2	1	-	1	4	-	2
Malarial diseases	13	-	1	-	-	-	-	-	1	1	2	2	1	1	1	1	2
Other specific febrile diseases ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.—2. Specific neoplastic.																	
Totals	1,517	80	70	214	43	70	144	90	51	60	184	44	54	65	78	112	158
Tuberculosis cerebral	53	1	3	29	-	1	6	-	-	-	3	2	1	-	2	2	3
Tuberculosis, pulmonary	1,352	77	61	171	40	67	132	86	47	54	167	40	52	59	68	94	137
Tuberculosis, mesenteric	39	1	3	3	2	1	5	3	1	3	5	-	-	1	3	3	5
Tuberculosis, other forms	69	1	2	11	1	1	1	1	3	3	7	2	1	5	5	12	13
Syphilis	4	-	1	-	-	-	-	-	-	-	2	-	-	-	-	1	-
I.—3. Diarrhœal diseases.																	
Totals	662	72	88	91	12	17	98	28	10	14	44	9	13	25	10	44	87
Infantile diarrhœa	546	63	79	74	12	9	84	22	3	8	39	7	7	19	6	38	76
Cholera morbus	29	2	3	2	-	2	1	2	2	2	-	-	-	5	1	2	3
Dysentery	48	5	4	9	-	2	9	2	4	1	1	1	3	1	1	1	4
Diarrhœa	39	2	2	6	-	4	4	2	1	3	2	1	3	-	2	3	4
I.—4. Zoögenous diseases.																	
Totals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant pustule	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.—5. Septic diseases.																	
Totals	134	5	9	27	3	6	10	4	5	5	16	4	6	5	4	9	16
Phagadæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	31	-	1	8	-	2	1	-	1	3	2	1	1	1	-	3	4
Pyæmia, septicæmia	61	1	1	15	1	2	5	3	2	2	9	1	5	4	6	2	5
Puerperal fever	42	4	7	4	2	2	4	1	2	-	5	2	-	-	1	1	7

TABLE No. 23—Continued.
Deaths by Classes and Groups.

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
II.—Parasitic.																	
Totals.....	4	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatids	4	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-
Intestinal parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other parasitic diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.—Dietetic.																	
Totals.....	17	1	-	2	1	-	1	2	-	1	5	-	1	1	-	2	-
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malnutrition of infants	7	-	-	-	-	-	-	1	-	-	3	-	1	-	-	2	-
Scurvy	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism	9	1	-	1	1	-	1	1	-	1	2	-	-	1	-	-	-
IV.—Constitutional.																	
Totals.....	563	40	15	102	17	32	53	35	25	16	53	5	22	22	25	41	60
Rheumatism	68	4	3	11	1	1	9	5	7	6	3	1	2	1	1	10	3
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, gastric	100	6	4	14	4	6	10	6	1	2	13	1	3	5	6	5	14
Cancer, mammary	55	7	1	11	1	4	6	3	2	-	6	-	1	1	3	3	6
Cancer, uterine	40	4	2	6	2	3	2	5	-	-	5	-	-	2	1	4	4
Cancer, others	209	15	1	43	2	10	21	9	10	5	20	3	14	8	6	14	22
Purpura, hemorrhagic diathesis	4	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-
Anaemia, etc.	32	3	2	3	-	7	1	1	-	1	4	-	2	-	2	2	4
Diabetes mellitus	55	1	1	12	1	1	4	5	5	2	2	-	-	5	6	3	7
Other constitutional diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V.—Developmental.																	
Totals.....	1,623	116	103	252	32	85	136	73	53	73	170	36	39	83	91	104	171
Still-born	270	16	11	53	-	7	19	10	6	6	27	6	11	13	8	24	45
Premature birth.....	92	9	6	20	-	3	16	2	-	3	12	2	-	1	6	7	5
Ill-defined diseases of infancy	447	47	66	69	7	23	23	9	14	14	51	7	6	18	19	25	49
Atelectasis	7	-	-	2	-	1	1	-	-	-	1	1	-	-	-	-	1
Cyanosis	10	-	1	1	-	1	2	1	-	-	2	-	-	-	-	1	1
Spina bifida	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Imperforate anus	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other congenital defects	8	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	3
Umbilical hemorrhage	7	1	-	1	-	-	-	-	-	-	-	2	-	-	1	2	-
Old age (over 65)	780	43	19	106	23	49	75	49	33	48	76	18	22	51	57	44	67

TABLE No. 23—Continued.
Deaths by Classes and Groups.

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VI.—Local.																	
I. Diseases of the nervous system.																	
Totals	1,570	95	35	277	44	65	218	82	49	86	140	27	48	59	62	80	203
Inflammation of brain or membranes.....	236	16	13	47	6	9	29	13	5	8	25	3	4	6	5	14	33
Apoplexy.....	488	26	6	95	14	26	54	24	18	25	41	4	17	17	20	30	71
Softening of brain.....	62	10	-	10	4	-	6	-	2	9	6	2	-	2	4	1	6
Hemiplegia.....	16	-	-	2	-	-	1	1	3	6	1	-	1	-	-	-	-
Paralysis agitans.....	3	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Paralysis.....	305	10	9	42	14	16	32	17	9	18	33	8	10	9	19	20	39
Hydrocephalus (not acute).....	22	1	1	2	1	1	2	6	1	1	1	-	1	2	1	-	1
Insanity.....	85	6	-	5	1	5	49	2	1	-	3	2	2	3	2	-	4
Brain, other diseases of.....	104	5	-	30	-	2	14	6	2	6	10	2	5	7	5	2	8
Chorea.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy.....	40	1	1	4	-	-	14	1	1	5	1	1	1	-	3	1	6
Convulsions.....	113	10	4	21	3	3	7	4	3	-	12	3	7	4	3	8	21
Laryngismus stridulus.....	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Spinal meningitis.....	9	1	-	-	1	-	1	-	-	1	1	-	-	-	-	-	1
Myelitis.....	7	2	-	3	-	-	-	1	-	-	-	-	-	3	-	-	1
Paraplegia.....	6	2	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-
Locomotor ataxia.....	9	2	-	3	-	-	-	-	-	1	1	-	-	-	-	-	2
Other diseases of spinal cord.....	29	1	-	3	-	1	5	3	3	5	4	-	-	-	-	-	4
Other diseases of nervous system.....	33	2	1	9	-	2	1	3	1	1	-	2	-	4	-	2	5
VI.—2. Diseases of organs of special sense.																	
Totals.....	9	-	-	4	1	-	1	-	-	-	1	-	1	-	-	-	1
Diseases of the ear.....	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Epistaxis and diseases of nose.....	5	-	-	2	-	-	-	-	-	-	1	-	1	-	-	1	-
Diseases of the eye.....	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.—3. Circulatory system.																	
Totals.....	895	54	23	146	20	41	114	43	41	37	94	17	28	45	53	42	87
Endocarditis.....	12	2	-	4	-	1	-	2	-	1	1	-	-	-	1	-	-
Valvular diseases of heart.....	102	9	1	11	-	6	13	2	8	5	7	3	3	3	10	7	14
Hypertrophy of heart.....	26	-	-	6	1	-	1	2	3	1	2	-	-	3	-	4	3
Pericarditis.....	16	1	2	-	1	1	5	2	-	2	-	-	-	-	1	-	1
Diseases of heart, unspecified.....	625	34	19	99	18	26	84	33	24	20	71	9	24	31	36	25	62
Angina pectoris.....	35	2	-	4	-	5	3	2	5	3	3	3	1	-	2	2	3
Syncope.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurism.....	6	-	1	2	-	1	1	-	-	-	1	-	-	-	-	-	-
Senile gangrene.....	44	4	-	10	-	3	3	-	4	2	6	-	-	3	2	4	3
Embolism, thrombosis.....	18	1	-	8	-	2	2	-	1	-	1	-	-	1	1	-	1
Phlebitis.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Others, circulatory system.....	10	-	-	2	-	1	1	-	-	1	1	-	-	4	-	-	-

TABLE No. 23—Continued.
Deaths by Classes and Groups.

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VI.—7. Urinary system.																	
Totals	403	15	20	88	18	22	27	20	12	18	40	6	11	15	11	24	52
Nephritis	61	5	3	12	2	5	1	1	3	5	2	2	-	1	1	4	15
Bright's disease, albuminuria	204	10	7	49	12	8	19	10	4	5	19	3	9	11	6	11	21
Uræmia	37	1	1	13	-	1	1	5	2	1	4	-	1	1	1	1	4
Suppression of urine	6	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	1
Calculus	3	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Stricture	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Diseases of bladder and prostate	51	-	4	8	2	3	6	1	2	3	10	-	1	1	1	2	7
Other diseases of urinary system	39	3	3	5	1	5	-	-	1	4	3	1	-	1	2	5	5
VI.—8. Organs of generation.																	
Totals	30	-	1	2	2	-	4	-	2	2	5	2	1	2	1	4	2
Ovarian disease	9	-	-	1	-	-	2	-	1	-	2	-	1	-	-	1	1
Diseases of uterus and appendages	10	-	1	-	-	-	-	-	1	-	3	1	-	2	-	2	-
Parametria	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Pelvic abscess	-	-	-	2	1	-	-	-	-	-	-	1	-	-	1	1	1
Perineal abscess	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Diseases of male organs of generation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.—9. Accidents and diseases of reproduction.																	
Totals	69	6	9	6	1	4	1	2	3	5	8	2	2	5	1	7	7
Abortion, miscarriage	9	-	-	-	-	-	-	1	1	-	1	-	-	-	-	3	3
Puerperal mania	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Puerperal convulsions	12	1	-	1	-	-	-	-	-	2	3	1	2	1	-	-	1
Placenta prævia	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Puerperal hemorrhage	8	2	-	-	1	-	-	1	-	1	-	-	1	-	-	1	1
Phlegmasia dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other accidents of reproduction	38	3	9	5	-	4	1	-	2	2	3	1	-	2	1	3	2
VI.—10. Osseous system.																	
Totals	6	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	2
Diseases of the joints	5	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Diseases of the bones	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.—11. Integument.																	
Totals	17	1	1	-	-	2	4	1	1	1	-	-	1	2	1	-	2
Carbuncle	6	-	-	-	-	-	1	1	1	1	-	-	-	1	-	1	-
Phlegmon, cellulitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, bed-sore	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other diseases of integument	9	1	1	-	-	1	3	-	-	-	-	-	1	-	-	-	2

TABLE No. 23—Concluded.
Deaths by Classes and Groups.

Causes of Death.	State.	Androscoegin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VII.—Death from Violence.																	
1. Accident, negligence or doubtful.....																	
Totals	376	24	17	57	12	18	32	21	14	19	47	10	15	17	13	23	37
Fracture, contusion.....	20	-	-	5	-	2	3	3	-	-	2	-	-	-	1	1	3
Falling.....	27	2	-	1	1	1	2	1	2	-	3	1	2	1	2	-	2
Gunshot wounds.....	6	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-
Railway injuries.....	18	3	1	8	1	-	1	1	-	-	-	-	-	1	-	-	2
Cuts.....	3	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-
Burns and scalds.....	26	3	3	4	-	1	1	1	-	-	2	-	2	2	3	1	3
Poison.....	22	1	2	2	2	1	4	-	1	4	1	-	-	1	1	1	2
Drowning.....	130	6	8	11	4	10	12	10	3	6	20	2	5	5	1	10	17
Suffocation.....	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Various.....	120	9	3	18	4	3	8	5	6	8	19	5	5	6	6	7	8
Lost at sea.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
VII.—2. Homicide.																	
Totals.....	3	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Murder, manslaughter..	3	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
VII.—3. Suicide.																	
Totals.....	59	4	1	13	1	1	5	1	3	4	1	1	-	6	6	2	10
Gunshot wounds.....	9	-	1	2	-	-	2	-	1	-	-	-	-	1	1	-	1
Cut, stab.....	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Poison.....	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning.....	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Hanging.....	20	1	-	3	-	-	-	-	2	2	1	-	-	4	3	1	3
Otherwise.....	25	3	-	6	1	1	3	1	-	2	-	1	-	1	2	1	5
VIII.—Deaths from ill-defined causes.																	
Totals.....	660	40	41	88	35	34	64	23	22	25	87	17	15	34	31	59	45
Heart failure.....	171	14	6	28	10	8	12	10	7	12	28	5	4	14	2	4	7
Dropsy.....	103	2	9	3	5	6	8	2	3	7	17	3	5	6	12	3	12
Debility, exhaustion....	95	8	2	28	8	10	8	1	2	4	4	3	1	3	4	-	9
Atrophy and inanition...	22	-	2	12	1	-	-	-	-	-	2	-	-	1	-	1	3
Mortification.....	8	-	-	1	-	-	-	-	-	1	-	1	1	1	-	-	2
Tumor.....	19	-	1	2	-	1	4	1	-	3	-	2	2	2	2	-	1
Abscess.....	12	-	-	1	1	-	3	1	-	1	1	1	-	-	-	3	1
Hemorrhage.....	7	-	-	1	1	-	1	1	-	1	-	-	-	1	-	1	-
Sudden (cause unascertained).....	15	1	-	3	-	-	1	2	1	1	2	-	-	-	-	1	3
Not specified or ill-defined.....	208	15	21	10	8	9	26	5	9	-	29	4	2	6	11	46	7

TABLE
Deaths in Each Town from Special

The State and Counties.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
MAINE	661,086	-	29	36	212	9	38	54
Androscoggin.....	48,968	-	5	3	18	-	4	1
Aroostook.....	49,589	-	2	1	22	-	1	1
Cumberland.....	90,949	-	3	4	30	4	5	16
Franklin.....	17,053	-	2	2	-	-	-	-
Hancock.....	37,312	-	-	1	6	1	-	-
Kennebec.....	57,012	-	6	3	17	-	4	-
Knox.....	31,473	-	-	1	16	1	1	4
Lincoln.....	21,996	-	-	1	2	-	2	-
Oxford.....	30,586	-	-	1	5	-	1	1
Penobscot.....	72,865	-	1	3	11	-	5	5
Piscataquis	16,134	-	2	-	7	-	-	-
Sagadahoc	19,452	-	-	3	5	1	1	3
Somerset.....	32,627	-	3	2	3	1	-	1
Waldo.....	27,759	-	3	1	3	-	1	-
Washington.....	44,482	-	-	7	23	-	1	6
York.....	62,829	-	2	3	44	1	12	16
ANDROSCOGGIN COUNTY.....	-	-	5	3	18	-	4	1
Auburn.....	11,250	-	5	3	5	-	1	-
Durham.....	1,111	-	-	-	1	-	-	-
East Livermore.....	1,506	-	-	-	1	-	-	-
Greene.....	885	-	-	-	-	-	-	-
Leeds.....	999	-	-	-	-	-	-	-
Lewiston.....	21,701	-	-	-	9	-	1	-
Lisbon.....	3,120	-	-	-	2	-	-	-
Livermore.....	1,151	-	-	-	-	-	-	-
Minot.....	1,355	-	-	-	-	-	2	-
Poland.....	2,472	-	-	-	-	-	-	-
Turner.....	2,016	-	-	-	-	-	-	1
Wales.....	451	-	-	-	-	-	-	-
Webster.....	951	-	-	-	-	-	-	-

No. 24.

Causes, Mostly Infectious Diseases.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhoea.	Cholera morbus.	Infantile diarrhoea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
*286	31	42	61	755	48	39	29	546	1,352	161	13	7
49	-	4	1	30	5	2	2	63	77	3	-	-
28	1	7	1	62	4	2	3	79	61	8	1	-
30	8	4	15	96	9	6	2	74	171	43	-	1
9	-	2	1	19	-	-	-	12	40	3	-	-
14	2	2	2	47	2	4	2	9	67	3	-	1
21	1	4	5	64	9	4	1	84	132	12	-	2
6	-	1	3	30	2	2	2	22	86	4	-	-
3	1	2	2	35	4	1	2	3	47	4	1	-
14	3	-	2	53	1	3	2	8	54	6	1	-
41	2	5	9	61	1	2	2	39	167	15	2	-
7	1	2	1	17	1	1	-	7	40	4	2	1
4	1	-	5	12	3	3	-	7	52	2	1	-
7	1	-	4	34	1	-	5	19	59	6	1	-
12	-	1	3	35	1	2	1	6	68	10	1	-
3	6	1	2	58	1	3	2	38	94	17	1	1
38	4	7	5	102	4	4	3	76	137	21	2	1
49	-	4	1	30	5	2	2	63	77	3	-	-
3	-	2	-	9	2	1	-	10	16	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	3	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	1	2	-	-	-
36	-	1	1	4	1	1	1	47	30	1	-	-
3	-	-	-	3	2	-	-	3	2	1	-	-
1	-	-	-	2	-	-	-	-	2	-	-	-
2	-	1	-	1	-	-	-	-	7	-	-	-
-	-	-	-	1	-	-	-	2	6	1	-	-
1	-	-	-	3	-	-	1	-	8	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	2	-	-	-	-	-	-	-	-

* Including 31 deaths from "fever," "gastric fever," "bilious fever," etc.

No. 24—Continued.

Causes, Mostly Infectious Diseases.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhœa.	Cholera morbus.	Infantile diarrhœa.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
28	1	7	1	62	4	2	3	79	61	8	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
2	-	1	-	3	-	-	-	-	3	-	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
1	-	-	-	4	1	2	1	9	4	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	2	-	-	-	-
2	-	-	-	3	-	-	-	2	1	3	-	-
-	-	1	-	2	-	-	2	4	2	-	-	-
-	-	-	-	5	-	-	-	-	2	-	-	-
-	-	-	-	10	-	-	-	9	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	-	-	-	-	-	3	1	-	-	-
-	-	-	1	1	-	-	-	2	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	3	-	-	-	-
1	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	11	-	-	-	-	2	-	-	-
1	-	-	-	-	-	-	-	1	1	1	-	-
4	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special
AROOSTOOK

County and Towns.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Orient	244	-	-	-	-	-	-	-
Presque Isle.....	3,046	-	-	-	1	-	1	-
Sherman	909	-	-	-	-	-	-	-
Smyrna.....	303	-	-	-	-	-	-	-
Van Buren.....	1,168	-	-	-	1	-	-	-
Washburn	1,097	-	-	-	-	-	-	-
Weston.....	404	-	-	-	-	-	-	-
Woodland.....	885	-	-	-	1	-	-	-
Plantations.								
Allagash	200	-	-	-	-	-	-	-
Cary	390	-	-	-	2	-	-	-
Castle Hill.....	537	-	-	-	-	-	-	-
Caswell.....	212	-	-	-	-	-	-	-
Chapman.....	231	-	-	-	1	-	-	-
Connor	526	-	-	-	-	-	-	-
Crystal	297	-	-	-	-	-	-	-
Cyr.....	429	-	-	-	-	-	-	-
Eagle Lake.....	313	-	-	-	-	-	-	-
Garfield	86	-	-	-	-	-	-	-
Glenwood	183	-	-	-	-	-	-	-
Hamlin.....	484	-	1	-	1	-	-	-
Hammond.....	109	-	-	-	-	-	-	-
Macwahoc.....	216	-	-	-	-	-	-	-
Merrill	244	-	-	-	-	-	-	-
Moro.....	199	-	-	-	-	-	-	-
Nashville.....	34	-	-	1	-	-	-	-
New Canada	301	-	-	-	1	-	-	-
New Sweden.....	707	-	-	-	1	-	-	-
Oakfield.....	720	-	1	-	-	-	-	-

No. 24—Continued.

Causes, Mostly from Infectious Diseases.

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhœa.	Cholera morbus.	Infantile diarrhœa.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	1	-	-	-
6	1	-	-	-	3	-	-	16	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	1	-	-	-	10	3	-	-	-
2	-	1	-	1	-	-	-	3	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	1	-
1	-	-	-	4	-	-	-	4	3	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	2	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	2	-	1	-	-

TABLE.
Deaths In Each Town from Special
AROOSTOOK

County and Towns.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Oxbow.....	94	-	-	-	-	-	-	-
Perham.....	438	-	-	-	-	-	-	-
Portage Lake.....	140	-	-	-	-	-	-	-
Reed.....	203	-	-	-	-	-	-	-
St. Francis.....	461	-	-	-	1	-	-	-
St. John.....	226	-	-	-	-	-	-	-
Silver Ridge.....	195	-	-	-	-	-	-	-
Wade.....	158	-	-	-	-	-	-	-
Wallagrass.....	595	-	-	-	2	-	-	-
Westfield.....	160	-	-	-	-	-	-	-
Westmanland.....	-	-	-	-	-	-	-	-
Winterville.....	72	-	-	-	-	-	-	-
CUMBERLAND COUNTY.....	-	-	3	4	30	4	5	16
Baldwin.....	932	-	-	-	-	-	-	-
Bridgton.....	2,605	-	-	-	-	-	-	-
Brunswick.....	6,012	-	-	-	3	-	-	5
Cape Elizabeth.....	5,459	-	-	-	-	-	-	-
Casco.....	844	-	-	-	-	-	-	-
Cumberland.....	1,487	-	-	-	3	-	-	1
Deering.....	5,353	-	-	-	1	-	-	-
Falmouth.....	1,580	-	-	-	1	-	-	-
Freeport.....	2,482	-	-	-	-	-	-	-
Gorham.....	2,888	-	-	-	-	-	-	-
Gray.....	1,517	-	-	-	-	-	-	-
Harpwell.....	1,766	-	-	-	-	-	-	1
Harrison.....	1,071	-	-	-	-	-	-	-
Naples.....	846	-	-	-	-	-	-	-
New Gloucester.....	1,234	-	-	-	-	-	-	-

No. 24—Continued.

Causes, Mostly from Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia. non-puerperal.	Influenza,	Dysentery.	Diarrhœa.	Cholera morbus.	Infantile diarrhœa.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	4	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
30	8	4	15	96	9	6	2	74	171	43	-	1
1	-	-	-	3	-	-	-	-	-	2	-	-
1	-	1	-	7	-	-	-	-	1	2	-	-
15	-	-	-	5	4	-	-	16	14	1	-	-
1	-	-	-	3	-	-	-	1	9	4	-	-
-	-	-	1	3	-	-	-	-	2	-	-	-
-	-	-	-	1	1	-	-	-	2	-	-	-
1	-	1	1	3	1	-	-	5	10	3	-	-
-	1	-	1	1	-	-	-	-	1	-	-	-
1	-	1	-	4	-	-	-	1	8	-	-	-
-	-	-	-	5	-	-	-	-	2	-	-	-
-	-	-	-	4	-	2	-	-	1	-	-	-
1	1	-	-	-	1	-	-	2	-	-	-	1
-	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	2	-	-	-	1	4	1	-	-

TABLE
Deaths in Each Town from Special
CUMBERLAND

County and Towns.	Population in 1890.	Small pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
North Yarmouth	709	-	-	-	-	-	-	-
Otisfield	838	-	-	-	-	-	-	-
Portland	36,425	-	2	3	12	-	1	7
Pownal	712	-	-	1	-	-	-	-
Raymond	927	-	-	-	-	-	-	-
Scarboro	1,794	-	-	-	-	-	1	-
Sebago	681	-	-	-	-	-	-	-
Standish	1,841	-	-	-	-	-	-	-
Westbrook	6,632	-	1	-	9	4	1	2
Windham	2,216	-	-	-	-	-	2	-
Yarmouth	2,098	-	-	-	1	-	-	-
FRANKLIN COUNTY	-	-	2	2	-	-	-	-
Avon	439	-	-	-	-	-	-	-
Carthage	390	-	-	-	-	-	-	-
Chesterville	770	-	-	-	-	-	-	-
Eustis	321	-	-	-	-	-	-	-
Farmington	3,207	-	1	-	-	-	-	-
Freeman	464	-	-	-	-	-	-	-
Industry	545	-	-	-	-	-	-	-
Jay	1,541	-	-	-	-	-	-	-
Kingfield	601	-	1	-	-	-	-	-
Madrid	441	-	-	-	-	-	-	-
New Sharon	1,064	-	-	-	-	-	-	-
New Vineyard	660	-	-	-	-	-	-	-
Phillips	1,394	-	-	-	-	-	-	-
Rangeley	616	-	-	2	-	-	-	-
Salem	218	-	-	-	-	-	-	-
Strong	627	-	-	-	-	-	-	-

No. 24—Continued.

Causes, Mostly from Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhœa.	Cholera morbus.	Infantile diarrhœa.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	1	2	-	-	-	-	2	1	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
6	5	1	11	15	2	3	2	29	80	29	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	2	-	-	-	-	1	-	-	-
1	-	-	-	2	-	-	-	-	6	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	4	-	-	-	2	6	-	-	-
1	1	-	-	17	-	-	-	16	12	-	-	-
-	-	-	-	6	-	1	-	-	4	-	-	-
-	-	-	-	4	-	-	-	1	2	-	-	-
9	-	2	1	19	-	-	-	12	40	3	-	-
1	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	7	-	-	-	7	12	1	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	1	-	-	-	-	2	-	-	-
1	-	1	-	-	-	-	-	-	1	2	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	3	-	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	1	-	-	-	-

TABLE
Deaths in Each Town from Special
FRANKLIN

County and Towns.	Population in 1896.	Small pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Temple.....	470	-	-	-	-	-	-	-
Weld.....	885	-	-	-	-	-	-	-
Wilton.....	1,622	-	-	-	-	-	-	-
Coplin Pl.....	71	-	-	-	-	-	-	-
Dallas Pl.....	184	-	-	-	-	-	-	-
Greenvale Pl.....	52	-	-	-	-	-	-	-
Letter E Pl.....	29	-	-	-	-	-	-	-
Perkins Pl.....	94	-	-	-	-	-	-	-
Rangeley Pl.....	58	-	-	-	-	-	-	-
Bigelow Pl.....	-	-	-	-	-	-	-	-
Redington Pl.....	28	-	-	-	-	-	-	-
HANCOCK COUNTY.....	-	-	-	1	6	1	-	-
Amherst.....	375	-	-	-	-	-	-	-
Aurora.....	175	-	-	-	-	-	-	-
Bluehill.....	1,980	-	-	-	-	1	-	-
Brooklin.....	1,046	-	-	-	-	-	-	-
Brooksville.....	1,310	-	-	-	-	-	-	-
Bucksport.....	2,921	-	-	-	1	-	-	-
Castine.....	987	-	-	-	-	-	-	-
Cranberry Isles.....	330	-	-	-	-	-	-	-
Dedham.....	366	-	-	-	-	-	-	-
Deer Isle.....	3,422	-	-	-	-	-	-	-
Eastbrook.....	246	-	-	-	-	-	-	-
Eden.....	1,946	-	-	1	-	-	-	-
Ellsworth.....	4,804	-	-	-	-	-	-	-
Franklin.....	1,264	-	-	-	1	-	-	-
Gouldsboro.....	1,709	-	-	-	-	-	-	-
Hancock.....	1,190	-	-	-	2	-	-	-

No. 24—Continued.
Causes, Mostly Infectious Diseases.
COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhoea.	Cholera morbus.	Infantile diarrhoea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	3	-	-	-
2	-	-	1	1	-	-	-	2	2	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
14	2	2	2	47	2	4	2	9	67	3	-	1
-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	3	-	1	-	-	4	-	-	-
-	-	-	-	3	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	-	5	-	-	-
1	1	-	-	4	-	-	-	1	7	1	-	-
-	-	-	-	4	-	-	-	-	2	-	-	-
1	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	1	-	5	-	-	1	2	10	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	1	1	-	-	-	1	3	-	-	-
1	-	1	1	5	-	-	-	1	6	1	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
1	1	-	-	4	-	1	-	-	6	-	-	-
1	-	-	-	2	-	1	-	-	2	-	-	-

TABLE
Deaths in Each Town from Special
HANCOCK

County and Towns.	Population in 1890.	Small pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Isle au Haut.....	206	-	-	-	-	-	-	-
Lamoine.....	726	-	-	-	-	-	-	-
Mariaville.....	271	-	-	-	-	-	-	-
Mount Desert.....	1,355	-	-	-	-	-	-	-
Orland.....	1,390	-	-	-	1	-	-	-
Otis.....	239	-	-	-	-	-	-	-
Penobscot.....	1,313	-	-	-	-	-	-	-
Sedgwick.....	1,012	-	-	-	-	-	-	-
Sullivan.....	1,379	-	-	-	-	-	-	-
Surry.....	986	-	-	-	-	-	-	-
Tremont.....	2,036	-	-	-	1	-	-	-
Trenton.....	528	-	-	-	-	-	-	-
Verona.....	323	-	-	-	-	-	-	-
Waltham.....	242	-	-	-	-	-	-	-
Long Island Pl.....	132	-	-	-	-	-	-	-
No. 21, M. D., Pl.....	63	-	-	-	-	-	-	-
No. 33 Pl.....	112	-	-	-	-	-	-	-
Swan's Island Pl.....	632	-	-	-	-	-	-	-
KENNEBEC COUNTY.....	-	-	6	3	17	-	4	-
Albion.....	1,042	-	1	-	-	-	-	-
Augusta.....	10,527	-	-	-	7	-	1	-
Belgrade.....	1,090	-	-	-	-	-	-	-
Benton.....	1,136	-	-	-	-	-	-	-
Chelsea.....	2,356	-	-	-	-	-	-	-
China.....	1,423	-	-	-	1	-	-	-
Clinton.....	1,518	-	-	-	-	-	1	-
Farmingdale.....	821	-	-	-	-	-	-	-
Fayette.....	649	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Special
KENNEBEC

County and Towns.	Population in 1890.	Small pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Gardiner.....	5,491	-	1	-	-	-	-	-
Hallowell	3,181	-	-	1	1	-	-	-
Litchfield.....	1,126	-	-	-	-	-	-	-
Manchester.....	612	-	-	-	-	-	-	-
Monmouth	1,362	-	-	1	-	-	-	-
Mount Vernon.....	940	-	-	-	-	-	-	-
Oakland.....	2,044	-	-	-	-	-	-	-
Pittston.....	1,281	-	-	-	-	-	-	-
Randolph.....	1,281	-	-	1	1	-	-	-
Readfield	1,176	-	-	-	-	-	-	-
Rome	500	-	1	-	-	-	-	-
Sidney	1,334	-	-	-	-	-	-	-
Vassalborough.....	2,052	-	-	-	4	-	-	-
Vienna	495	-	-	-	-	-	-	-
Waterville.....	7,107	-	1	-	3	-	1	-
Wayne.....	775	-	-	-	-	-	-	-
West Gardiner.....	853	-	2	-	-	-	-	-
Windsor.....	853	-	-	-	-	-	-	-
Winslow.....	1,814	-	-	-	-	-	-	-
Winthrop.....	2,111	-	-	-	-	-	1	-
Unity Pl.....	62	-	-	-	-	-	-	-
KNOX COUNTY	-	-	-	1	16	1	1	4
Appleton.....	1,080	-	-	-	-	-	-	2
Camden	2,471	-	-	-	1	-	-	-
Cushing	688	-	-	-	-	-	-	1
Friendship.....	877	-	-	-	1	-	-	-
Hope	641	-	-	-	-	-	-	-
Hurricane Isle.....	266	-	-	-	-	-	-	-

TABLE
Deaths In Each Town from Special
KNOX

County and Towns.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
North Haven.....	552	-	-	-	-	-	-	-
Rockland.....	8,174	-	-	-	2	-	-	1
Rockport.....	2,150	-	-	-	1	-	-	-
South Thomaston ..	1,534	-	-	-	8	-	-	-
St. George.....	2,451	-	-	-	1	-	-	-
Thomaston	3,009	-	-	-	2	1	-	-
Union	1,436	-	-	-	-	-	1	-
Vinalhaven	2,617	-	-	-	-	-	-	-
Warren.....	2,037	-	-	-	-	-	-	-
Washington..	1,230	-	-	1	-	-	-	-
Matinecus Isle Pl.....	196	-	-	-	-	-	-	-
LINCOLN COUNTY.....	-	-	-	1	2	-	2	-
Alna	512	-	-	-	-	-	-	-
Boothbay	1,718	-	-	-	-	-	-	-
Boothbay Harbor	1,699	-	-	-	-	-	-	-
Bremen	842	-	-	-	1	-	-	-
Bristol.....	2,821	-	-	-	-	-	-	-
Damariscotta.....	1,012	-	-	-	-	-	-	-
Dresden	1,043	-	-	-	-	-	-	-
Edgecomb	749	-	-	-	-	-	1	-
Jefferson	1,391	-	-	-	-	-	-	-
Newcastle.....	1,282	-	-	-	1	-	-	-
Nobleborough	947	-	-	-	-	-	-	-
Somerville ..	453	-	-	1	-	-	-	-
Southport	533	-	-	-	-	-	-	-
Waldoborough	3,505	-	-	-	-	-	1	-
Westport.....	451	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Special
LINCOLN

County and Towns.	Population in 1890.	Small pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Whitefield	1,215	-	-	-	-	-	-	-
Wiscasset	1,733	-	-	-	-	-	-	-
Monhegan Pl.....	90	-	-	-	-	-	-	-
OXFORD COUNTY.....	-	-	-	1	5	-	1	1
Albany.....	645	-	-	-	-	-	-	-
Andover.....	740	-	-	-	-	-	-	-
Bethel.....	2,209	-	-	-	-	-	-	-
Brownfield.....	1,134	-	-	-	-	-	-	1
Buckfield.....	1,200	-	-	-	-	-	-	-
Byron.....	180	-	-	-	-	-	-	-
Canton.....	1,303	-	-	-	-	-	-	-
Denmark.....	755	-	-	-	-	-	-	-
Dixfield.....	988	-	-	-	-	-	-	-
Fryeburg.....	1,418	-	-	-	-	-	-	-
Gilead.....	336	-	-	-	-	-	-	-
Grafton.....	98	-	-	-	-	-	-	-
Greenwood.....	727	-	-	-	-	-	-	-
Hanover.....	212	-	-	-	-	-	-	-
Hartford.....	689	-	-	-	-	-	-	-
Hebron.....	600	-	-	-	-	-	1	-
Hiram.....	1,603	-	-	-	-	-	-	-
Lovell.....	853	-	-	-	-	-	-	-
Mason.....	80	-	-	-	-	-	-	-
Mexico.....	355	-	-	-	-	-	-	-
Newry.....	343	-	-	-	-	-	-	-
Norway.....	2,665	-	-	-	-	-	-	-
Oxford.....	1,455	-	-	-	2	-	-	-
Paris.....	3,156	-	-	1	-	-	-	-

No. 24—Continued.

Causes, Mostly from Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhœa.	Cholera morbus.	Infantile diarrhœa.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	3	1	-	-	-	3	-	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
14	3	-	2	53	1	3	2	6	54	6	1	-
1	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	1	-	-	-	-
-	2	-	-	2	1	1	-	1	2	-	-	-
-	-	-	-	4	-	-	-	-	2	1	-	-
-	-	-	-	9	-	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	2	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	1	2	1	1	-
1	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	3	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	1	1	-	-	-	-	4	-	-	-
1	-	-	-	2	-	-	1	-	2	-	-	-
-	-	-	4	-	-	-	-	-	1	-	-	-
1	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	-	6	-	-	-	-	3	2	-	-
-	-	-	-	3	-	-	-	-	3	-	-	-
3	-	-	-	1	-	1	-	1	5	1	-	-

TABLE
Deaths in Each Town from Special
OXFORD

County and Towns.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Peru.....	692	-	-	-	-	-	-	-
Porter.....	1,015	-	-	-	3	-	-	-
Roxbury	222	-	-	-	-	-	-	-
Rumford.....	808	-	-	-	-	-	-	-
Stoneham.....	322	-	-	-	-	-	-	-
Stow	291	-	-	-	-	-	-	-
Sunner.....	901	-	-	-	-	-	-	-
Sweden.....	338	-	-	-	-	-	-	-
Upton.....	232	-	-	-	-	-	-	-
Waterford.....	1,001	-	-	-	-	-	-	-
Woodstock.....	859	-	-	-	-	-	-	-
Franklin Pl.	112	-	-	-	-	-	-	-
Lincoln Pl.	59	-	-	-	-	-	-	-
Magalloway Pl.	79	-	-	-	-	-	-	-
Milton Pl.	211	-	-	-	-	-	-	-
PENOBSCOT COUNTY	-	-	1	3	11	-	5	5
Alton.....	348	-	-	-	-	-	-	-
Argyle.....	263	-	-	-	-	-	-	-
Bangor.....	19,103	-	-	-	-	-	4	3
Bradford.....	1,215	-	-	-	-	-	-	-
Bradley.....	823	-	-	1	-	-	-	-
Brewer.....	4,193	-	-	1	-	-	-	1
Burlington.....	460	-	-	-	-	-	-	-
Carmel.....	1,066	-	-	-	-	-	-	-
Carroll.....	546	-	-	-	1	-	-	-
Charleston.....	971	-	-	-	-	-	-	-
Chester.. . . .	368	-	-	-	-	-	-	-
Clifton.....	284	-	-	-	1	-	-	-

No. 24—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhœa.	Cholera morbus.	Infantile diarrhœa.	Pnthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	-	-	-	2	-	-	1	-	4	-	-	-
2	-	-	-	3	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
2	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	2	-	-	-	-	3	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	1	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
41	2	5	9	61	1	2	2	39	167	15	2	-
-	-	1	-	2	-	-	-	-	2	-	-	-
21	-	1	2	8	1	1	1	14	56	7	-	-
1	-	1	-	-	-	-	-	-	4	-	-	-
-	-	-	1	-	-	-	-	-	-	1	-	-
-	-	-	-	4	-	-	-	2	6	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	3	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	1	-	-	-	-	4	-	-	-
-	-	-	-	2	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-

TABLE
Deaths in Each Town from Special
PENOBSCOT

County and Towns.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Corinna.....	1,207	-	-	-	-	-	-	-
Corinth.....	1,154	-	-	-	-	-	-	-
Dexter.....	2,732	-	-	-	-	-	-	1
Dixmont.....	919	-	-	-	-	-	-	-
Eddington.....	729	-	-	-	-	-	1	-
Edinburg.....	54	-	-	-	-	-	-	-
Enfield.....	769	-	-	-	-	-	-	-
Etna.....	646	-	-	-	-	-	-	-
Exeter.....	939	-	-	-	-	-	-	-
Garland.....	973	-	-	-	1	-	-	-
Glenburn.....	583	-	-	-	-	-	-	-
Greenbush.....	659	-	-	-	-	-	-	-
Greenfield.....	231	-	-	-	-	-	-	-
Hampden.....	2,484	-	-	-	-	-	-	-
Hermon.....	1,282	-	-	-	-	-	-	-
Holden.....	609	-	-	-	-	-	-	-
Howland.....	171	-	-	-	-	-	-	-
Hudson.....	510	-	-	-	-	-	-	-
Kenduskeag.....	536	-	-	-	-	-	-	-
Kingman.....	671	-	-	-	-	-	-	-
Lagrange.....	721	-	-	-	-	-	-	-
Lee.....	929	-	-	-	-	-	-	-
Levant.....	880	-	-	-	-	-	-	-
Lincoln.....	1,756	-	-	-	-	-	-	-
Lowell.....	439	-	-	-	-	-	-	-
Mattamiscontis.....	47	-	-	-	-	-	-	-
Mattawamkeag.....	633	-	-	-	-	-	-	-
Maxfield.....	134	-	-	-	-	-	-	-

No. 24—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhœa.	Cholera morbus.	Infantile diarrhœa.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	-	-	-	2	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	4	1	-	-
2	-	-	1	1	-	-	-	1	9	2	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	7	-	-	-	-	4	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	1	-	-	-	1	8	-	-	-
-	-	-	-	-	-	-	-	-	5	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	1	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	2	1	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
1	-	-	-	1	-	-	-	1	1	-	-	-
-	-	-	-	2	-	-	1	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	3	-	-	-

TABLE
Deaths in Each Town from Special
PENOBSCOT

County and Towns.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and group.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Medway.....	653	-	-	-	-	-	-	-
Milford.....	835	-	-	-	-	-	-	-
Mt. Chase.....	284	-	-	-	-	-	-	-
Newburgh.....	867	-	-	-	-	-	-	-
Newport.....	1,188	-	-	-	-	-	-	-
Old Town.....	5,312	-	1	1	2	-	-	-
Orono.....	2,790	-	-	-	6	-	-	-
Orrington.....	1,406	-	-	-	-	-	-	-
Passadumkeag.....	343	-	-	-	-	-	-	-
Patten.....	936	-	-	-	-	-	-	-
Plymouth.....	689	-	-	-	-	-	-	-
Prentiss.....	401	-	-	-	-	-	-	-
Springfield.....	677	-	-	-	-	-	-	-
Stetson.....	618	-	-	-	-	-	-	-
Veazie.....	650	-	-	-	-	-	-	-
Winn.....	936	-	-	-	-	-	-	-
Drew Pl.....	110	-	-	-	-	-	-	-
Lakeville Pl.....	144	-	-	-	-	-	-	-
Grand Falls Pl.....	68	-	-	-	-	-	-	-
Seboeis Pl.....	98	-	-	-	-	-	-	-
Stacyville Pl.....	250	-	-	-	-	-	-	-
Summit Pl.....	104	-	-	-	-	-	-	-
Webster Pl.....	135	-	-	-	-	-	-	-
Woodville Pl.....	242	-	-	-	-	-	-	-
PISCATAQUIS COUNTY.....	-	-	2	-	7	-	-	-
Abbot.....	622	-	-	-	-	-	-	-
Atkinson.....	605	-	-	-	-	-	-	-
Blanchard.....	213	-	-	-	-	-	-	-

No. 24—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhoea.	Cholera morbus.	Infantile diarrhoea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
4	-	-	2	10	-	-	-	9	17	-	-	-
2	-	1	1	2	-	-	-	4	7	-	-	-
-	1	-	-	5	-	-	-	-	7	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	1	-	1	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
7	1	2	1	17	1	1	-	7	40	4	2	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	2	-	2	-
-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special
PISCATAQUIS

County and Towns.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Brownville	1,074	-	-	-	-	-	-	-
Dover	1,942	-	-	-	2	-	-	-
Foxcroft	1,726	-	-	-	1	-	-	-
Greenville	781	-	-	-	-	-	-	-
Guilford	1,023	-	-	-	2	-	-	-
Medford	306	-	-	-	-	-	-	-
Milo	1,029	-	-	-	-	-	-	-
Monson	1,237	-	-	-	-	-	-	-
Orneville.....	492	-	1	-	-	-	-	-
Parkman	813	-	-	-	2	-	-	-
Sangerville	1,236	-	1	-	-	-	-	-
Sebec	725	-	-	-	-	-	-	-
Shirley	291	-	-	-	-	-	-	-
Wellington	584	-	-	-	-	-	-	-
Williamsburg.....	162	-	-	-	-	-	-	-
Willimantic.	446	-	-	-	-	-	-	-
Bowerbank Pl.....	87	-	-	-	-	-	-	-
Elliottsville Pl	53	-	-	-	-	-	-	-
Kingsbury Pl.	205	-	-	-	-	-	-	-
Lake View ...	-	-	-	-	-	-	-	-
Kineo	-	-	-	-	-	-	-	-
SAGADAHOC COUNTY ...	-	-	-	3	5	1	1	3
Arrowsic.....	177	-	-	-	-	-	-	-
Bath	8,723	-	-	3	4	-	1	-
Bowdoin	940	-	-	-	1	-	-	2
Bowdoinham	1,508	-	-	-	-	-	-	1
Georgetown	849	-	-	-	-	-	-	-

No. 24—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhœa.	Cholera morbus.	Infantile diarrhœa.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
2	-	-	-	1	-	-	-	2	7	-	-	-
2	-	1	-	1	1	-	-	1	7	1	-	-
1	-	-	-	1	-	-	-	-	2	1	-	1
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	4	-	-	-	-	3	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	2	-	-	-	-	5	2	-	-
-	-	-	1	1	-	1	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	1	1	-	-	-
-	-	-	-	1	-	-	-	1	2	-	-	-
1	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	1	-	-	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
4	1	-	5	12	3	3	-	7	52	2	1	-
-	-	-	-	1	-	-	-	-	1	-	-	-
2	-	-	2	-	-	2	-	5	19	1	1	-
-	-	-	-	1	2	-	-	-	3	-	-	-
-	1	-	-	3	-	1	-	1	4	-	-	-
-	-	-	-	-	1	-	-	1	5	-	-	-

TABLE
Deaths in Each Town from Special
SAGADAHOC

County and Towns.	Population in 1890.	Small pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Perkins.....	69	-	-	-	-	-	-	-
Phippsburg.....	1,396	-	-	-	-	-	-	-
Richmond.....	3,082	-	-	-	-	1	-	-
Topsham.....	1,394	-	-	-	-	-	-	-
West Bath.....	307	-	-	-	-	-	-	-
Woolwich.....	1,007	-	-	-	-	-	-	-
SOMERSET COUNTY.....	-	-	3	2	3	1	-	1
Anson.....	1,444	-	1	-	2	-	-	-
Athens.....	1,072	-	-	-	-	-	-	-
Bingham.....	757	-	-	1	-	-	-	-
Brighton.....	434	-	-	-	-	-	-	-
Cambridge.....	425	-	-	-	-	-	-	-
Canaan.....	1,130	-	-	-	-	-	-	-
Concord.....	345	-	-	-	-	-	-	-
Cornville.....	785	-	-	-	-	-	-	-
Detroit.....	590	-	-	-	-	-	-	-
Embden.....	579	-	-	-	-	-	-	-
Fairfield.....	3,510	-	1	-	-	-	-	-
Harmony.....	704	-	-	-	-	-	-	-
Hartland.....	974	-	-	-	-	-	-	-
Madison.....	1,815	-	-	-	-	-	-	-
Mercer.....	584	-	-	-	-	-	-	-
Moscow.....	422	-	-	-	-	-	-	-
New Portland.....	1,034	-	-	-	-	-	-	-
Norridgewock.....	1,656	-	-	-	-	-	-	-
Palmyra.....	1,004	-	-	-	-	-	-	-
Pittsfield.....	2,503	-	-	-	1	-	-	-

No. 24—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhoea.	Cholera morbus.	Infantile diarrhoea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	3	3	-	-	-	-	11	-	-	-
1	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	2	-	-	-	-	1	1	-	-
-	-	-	-	1	-	-	-	-	4	-	-	-
7	1	-	4	34	1	-	5	19	59	6	1	-
-	-	-	-	2	-	-	-	-	4	-	-	-
-	-	-	-	1	-	-	-	1	4	-	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	1	-	1	-	-	-
1	1	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	1	2	-	-	-
-	-	-	-	1	-	-	-	1	1	-	-	-
-	-	-	1	2	-	-	1	6	4	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	1	-	-	-	1	1	-	-	-
1	-	-	-	-	-	-	-	3	2	2	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	3	-	-	-	-	4	1	-	-
1	-	-	1	4	-	-	-	-	3	-	-	-
-	-	-	-	4	-	-	1	-	1	-	-	-
-	-	-	-	-	-	-	-	3	4	3	-	-

TABLE
Deaths in Each Town from Special
SOMERSET

County and Towns.	Population in 1880.	Small pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Ripley	478	-	-	-	-	-	-	-
St. Albans	1,206	-	-	-	-	-	-	-
Skowhegan	5,068	-	-	-	-	1	-	1
Smithfield	479	-	-	-	-	-	-	-
Solon	977	-	-	1	-	-	-	-
Stark	766	-	1	-	-	-	-	-
Carratunk Pl	192	-	-	-	-	-	-	-
Carrying Place Pl	31	-	-	-	-	-	-	-
Dead River Pl	104	-	-	-	-	-	-	-
Dennistown Pl	66	-	-	-	-	-	-	-
Flagstaff Pl	87	-	-	-	-	-	-	-
Highland Pl	76	-	-	-	-	-	-	-
Jackmantown Pl	217	-	-	-	-	-	-	-
Lexington Pl	199	-	-	-	-	-	-	-
Mayfield Pl	74	-	-	-	-	-	-	-
Moose River Pl	170	-	-	-	-	-	-	-
No. 1, R. 2, W. K. R. Pl	-	-	-	-	-	-	-	-
The Forks Pl	195	-	-	-	-	-	-	-
West Forks Pl	146	-	-	-	-	-	-	-
WALDO COUNTY	-	-	3	1	3	-	1	-
Belfast	5,294	-	-	-	1	-	-	-
Belmont	475	-	-	-	-	-	-	-
Brooks	730	-	-	-	-	-	-	-
Burnham	846	-	-	-	-	-	-	-
Frankfort	1,099	-	-	-	-	-	-	-
Freedom	510	-	-	-	-	-	-	-
Islesboro	1,006	-	-	1	-	-	-	-

No. 24—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhœa.	Cholera morbus.	Infantile diarrhœa.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	3	-	-	-
2	-	-	2	3	-	-	2	3	6	-	1	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	7	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
12	-	1	3	35	1	2	1	6	68	10	1	-
1	-	1	-	5	1	2	1	3	12	1	1	-
-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
1	-	-	-	2	-	-	-	1	3	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	4	-	-	-

TABLE
Deaths in Each Town from Special
WALDO

County and Towns.	Population in 1890.	Small pox.	Measles.	Scarlet fever.	Diphtheria and group.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Jackson.....	522	-	-	-	-	-	-	-
Knox.....	657	-	-	-	1	-	-	-
Liberty.....	835	-	-	-	-	-	-	-
Lincolnton.....	1,361	-	-	-	-	-	-	-
Monroe.....	1,079	-	-	-	-	-	-	-
Montville.....	1,049	-	3	-	-	-	-	-
Morrill.....	460	-	-	-	-	-	-	-
Northport.....	691	-	-	-	-	-	-	-
Palermo.....	887	-	-	-	-	-	-	-
Prospect.....	697	-	-	-	-	-	-	-
Searsmont.....	1,144	-	-	-	1	-	-	-
Searsport.....	1,693	-	-	-	-	-	1	-
Stockton Springs.....	1,149	-	-	-	-	-	-	-
Swanville.....	689	-	-	-	-	-	-	-
Thorndike.....	589	-	-	-	-	-	-	-
Troy.....	868	-	-	-	-	-	-	-
Unity.....	922	-	-	-	-	-	-	-
Waldo.....	581	-	-	-	-	-	-	-
Winterport.....	1,926	-	-	-	-	-	-	-
WASHINGTON COUNTY.....	-	-	-	7	23	-	1	6
Addison.....	1,022	-	-	-	-	-	-	-
Alexander.....	337	-	-	-	-	-	-	-
Baileyville.....	226	-	-	-	-	-	-	-
Baring.....	273	-	-	1	-	-	-	-
Beddington.....	184	-	-	-	-	-	-	-
Brookton.....	429	-	-	-	-	-	-	3
Calais.....	7,290	-	-	1	11	-	-	-

No. 24—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED

Typoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhœa.	Cholera morbus.	Infantile diarrhœa.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	1	-	-	-	-	-	2	1	-	-
-	-	-	-	2	-	-	-	-	1	-	-	-
2	-	-	-	-	-	-	-	1	7	-	-	-
-	-	-	-	5	-	-	-	-	6	-	-	-
1	-	-	-	3	-	-	-	-	2	2	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	1	2	-	-	-	1	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	-	-	-	-	2	-	-	-
1	-	-	-	3	-	-	-	-	6	2	-	-
1	-	-	-	4	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	3	1	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	3	-	-	-	-	2	2	-	-
3	6	1	2	58	1	3	2	38	94	17	1	1
1	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	4	1	1	14	-	2	1	15	28	5	1	-

TABLE
Deaths In Each Town from Special
WASHINGTON

County and Towns.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Centerville.....	114	-	-	-	-	-	-	-
Charlotte.....	381	-	-	-	-	-	-	-
Cherryfield.....	1,787	-	-	-	1	-	-	-
Columbia.....	587	-	-	-	-	-	-	-
Columbia Falls.....	698	-	-	-	1	-	-	-
Cooper.....	264	-	-	-	-	-	-	-
Crawford.....	140	-	-	-	-	-	-	-
Cutler.....	662	-	-	-	-	-	-	-
Danforth.....	1,063	-	-	-	-	-	-	-
Deblois.....	76	-	-	-	-	-	-	-
Dennysville.....	452	-	-	-	-	-	-	-
East Machias.....	1,637	-	-	-	-	-	-	-
Eastport.....	4,908	-	-	-	4	-	-	-
Edmunds.....	395	-	-	-	-	-	-	-
Forest City.....	287	-	-	-	-	-	-	1
Harrington.....	1,150	-	-	-	1	-	-	-
Jonesboro.....	470	-	-	-	-	-	-	-
Jonesport.....	1,917	-	-	-	-	-	-	-
Kossuth.....	68	-	-	-	-	-	-	-
Lubec.....	2,069	-	-	-	1	-	-	-
Machias.....	2,035	-	-	3	-	-	1	-
Machiasport.....	1,437	-	-	1	-	-	-	-
Marion.....	90	-	-	-	-	-	-	-
Marshfield.....	299	-	-	-	-	-	-	-
Meddybemps.....	156	-	-	-	-	-	-	-
Milbridge.....	1,963	-	-	1	-	-	-	-
Northfield.....	143	-	-	-	-	-	-	-
Pembroke.....	1,514	-	-	-	3	-	-	-

No. 24—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia. non-puerperal.	Influenza.	Dysentery.	Diarrhœa.	Cholera morbus.	Infantile diarrhœa.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	3	-	-	-	1	5	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	1	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	3	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	5	-	-	-	-	4	1	-	-
-	-	-	1	2	-	-	-	10	14	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	5	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	4	-	-	-	-	5	2	-	-
-	-	-	-	2	-	-	-	2	4	2	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	1	-	-	8	1	-	1	1	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special
WASHINGTON

County and Towns.	Population in 1880.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and group.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Perry	945	-	-	-	-	-	-	-
Princeton.....	1,027	-	-	-	-	-	-	-
Robbinston	787	-	-	-	-	-	-	-
Roque Bluffs.....	154	-	-	-	-	-	-	-
Steuben	982	-	-	-	-	-	-	-
Talmadge.....	112	-	-	-	-	-	-	-
Topsfield	375	-	-	-	-	-	-	-
Trescott	485	-	-	-	-	-	-	-
Vanceboro.....	870	-	-	-	-	-	-	2
Waite.....	159	-	-	-	-	-	-	-
Wesley.....	227	-	-	-	-	-	-	-
Whiting.....	393	-	-	-	-	-	-	-
Whitneyville.....	413	-	-	-	1	-	-	-
Codyville Pl.....	72	-	-	-	-	-	-	-
No. 14 Pl.....	112	-	-	-	-	-	-	-
No. 18 Pl.....	30	-	-	-	-	-	-	-
No. 21 Pl.....	81	-	-	-	-	-	-	-
Grand Lake Stream Pl.....	404	-	-	-	-	-	-	-
YORK COUNTY	-	-	2	3	44	1	12	16
Acton.....	878	-	-	1	-	-	-	-
Alfred	1,030	-	-	-	1	-	-	-
Berwick	2,294	-	-	-	4	-	-	-
Biddeford	14,443	-	-	-	20	1	-	15
Buxton	2,036	-	-	-	3	-	-	-
Cornish.....	1,118	-	-	-	-	-	2	-
Dayton	500	-	-	-	-	-	-	-
Eliot	1,463	-	-	-	-	-	-	-

No. 24—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia non-puerperal.	Influenza.	Dysentery.	Diarrhœa.	Cholera morbus.	Infantile diarrhœa.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	1	-	1	-	2	1	-	-	1
-	-	-	-	-	-	-	-	2	2	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	3	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	3	-	-	-	1	4	-	-	-
1	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
38	4	7	5	102	4	4	3	76	137	21	2	1
-	-	-	-	-	-	-	-	-	3	-	-	-
1	-	-	-	-	-	1	-	-	3	2	-	-
1	-	-	-	-	-	-	-	2	5	-	-	-
18	-	1	1	29	1	-	1	53	40	5	-	1
-	-	-	-	7	-	-	-	-	3	-	-	-
-	-	1	-	5	-	-	1	-	7	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	1	1	-	1	-

TABLE
Deaths in Each Town from Special
YORK

County and Towns.	Population in 1890.	Small pox.	Measles.	Scarlet fever.	Diphtheria and group.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Hollis.....	1,278	-	1	-	-	-	-	-
Kennebunk.....	3,172	-	-	-	-	-	-	-
Kennebunkport.....	2,196	-	-	-	-	-	1	-
Kittery.....	2,864	-	-	-	-	-	1	-
Lebanon.....	1,263	-	-	-	2	-	1	-
Limerick.....	966	-	-	-	1	-	-	-
Limington.....	1,092	-	-	-	-	-	2	-
Lyman.....	854	-	-	-	-	-	2	-
Newfield.....	796	-	-	-	-	-	-	-
North Berwick.....	1,803	-	-	-	3	-	-	-
Old Orchard.....	877	-	-	-	-	-	-	-
Parsonsfield.....	1,398	-	-	-	2	-	-	-
Saco.....	6,075	-	-	1	-	-	-	1
Sanford.....	4,201	-	-	-	3	-	-	-
Shapleigh.....	968	-	-	-	1	-	1	-
South Berwick.....	3,434	-	1	1	1	-	1	-
Waterboro.....	1,357	-	-	-	2	-	-	-
Wells.....	2,029	-	-	-	-	-	1	-
York.....	2,444	-	-	-	1	-	-	-

No. 24—Concluded.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhœa.	Cholera morbus.	Infantile diarrhœa.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	4	-	-	-	1	4	-	-	-
-	-	-	-	14	-	1	-	5	4	2	-	-
1	-	-	2	4	-	1	-	-	7	-	1	-
4	-	-	-	3	-	-	-	-	6	1	-	-
2	1	2	-	1	-	-	-	-	3	1	-	-
-	-	-	-	9	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	3	-	-	-	-	-	1	-	-
-	-	-	-	2	1	-	-	-	3	1	-	-
1	-	1	-	1	-	-	-	-	6	-	-	-
1	-	-	-	-	1	-	-	-	2	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
4	1	-	-	4	1	-	-	3	17	-	-	-
1	1	-	1	2	-	-	1	4	3	5	-	-
-	-	1	-	-	-	-	-	-	1	-	-	-
2	-	1	-	4	-	-	-	4	5	1	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
2	-	-	-	3	-	-	-	1	2	-	-	-
-	-	-	1	2	-	1	-	2	5	-	-	-

TABLE
Deaths in Each Town from Certain

The State and Counties.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
MAINE	661,086	9	8	68	404	91	780	843	236
Androscoggin.....	48,968	1	-	4	32	4	43	73	16
Aroostook.....	49,589	-	-	3	8	4	19	84	13
Cumberland	90,949	1	1	11	74	17	106	146	47
Franklin	17,053	1	-	1	15	1	23	15	6
Hancock.....	37,312	-	-	1	23	8	49	36	9
Kennebec.....	57,012	1	-	9	39	5	75	61	29
Knox.....	31,473	1	1	5	23	7	49	24	13
Lincoln	21,996	-	-	7	13	5	33	20	5
Oxford.....	30,586	1	-	6	7	3	48	25	8
Penobscot	72,865	2	3	3	44	6	76	94	25
Piscataquis.....	16,134	-	-	1	4	-	18	18	3
Sagadahoc	19,452	-	1	2	18	2	22	17	4
Somerset.....	32,627	1	-	1	16	5	51	32	6
Waldo.....	27,759	-	-	1	16	8	57	34	5
Washington	44,482	-	2	10	26	5	44	60	14
York.....	62,829	-	-	3	46	11	67	104	33
ANDROSCOGGIN COUNTY....	-	1	-	4	32	4	43	73	16
Auburn	11,250	1	-	1	6	3	12	13	7
Durham	1,111	-	-	-	2	-	3	2	2
East Livermore.....	1,506	-	-	-	1	-	1	1	-
Greene	885	-	-	-	1	-	2	-	-
Leeds	999	-	-	1	1	-	4	-	-
Lewiston	21,701	-	-	1	10	-	7	38	7
Lisbon.....	3,120	-	-	-	1	-	-	11	-
Livermore... ..	1,151	-	-	-	1	-	1	2	-
Minot	1,355	-	-	-	3	-	1	1	-
Poland.....	2,472	-	-	-	3	1	4	1	-
Turner.....	2,016	-	-	1	2	-	7	2	-
Wales	451	-	-	-	-	-	-	-	-
Webster.....	951	-	-	-	1	-	1	2	-

No. 25.

Diseases and Groups of Diseases.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
488	846	806	1,431	287	78	659	265	138	30	69	376	59
26	53	48	88	24	10	38	15	4	-	6	24	4
6	16	22	42	11	4	26	10	10	1	9	17	1
95	135	124	213	47	15	80	61	27	2	6	57	13
14	24	20	31	12	-	21	14	4	2	1	12	1
26	30	34	79	11	3	32	13	9	-	4	18	1
54	135	107	165	40	2	72	20	7	4	1	32	5
24	45	43	85	16	7	48	11	9	-	2	21	1
18	26	36	72	7	3	27	7	5	2	3	14	3
25	53	34	74	14	5	35	10	8	2	5	19	4
41	74	85	140	21	6	57	21	19	5	8	47	1
4	20	17	18	4	1	12	5	1	2	2	10	1
17	27	28	47	10	1	17	9	2	1	2	15	-
17	36	37	69	7	3	45	12	3	2	5	17	6
20	37	50	52	11	3	40	6	5	1	1	13	6
30	36	38	87	19	6	38	15	9	4	7	23	2
71	99	83	169	33	9	71	36	16	2	7	37	10
26	53	48	88	24	10	38	15	4	-	6	24	4
8	13	9	22	2	1	8	5	2	-	1	5	1
-	4	-	3	2	-	3	1	-	-	-	-	-
-	2	2	8	2	-	-	-	-	-	2	2	-
-	1	1	9	-	-	-	-	-	-	-	-	-
1	-	3	3	1	-	1	-	-	-	-	-	-
6	19	17	32	11	6	12	5	2	-	3	10	-
4	4	3	5	1	1	5	-	-	-	-	3	1
1	2	1	-	2	-	1	-	-	-	-	2	-
1	2	2	2	-	1	1	2	-	-	-	1	1
3	4	6	1	2	1	4	2	-	-	-	-	1
2	2	3	1	1	-	3	-	-	-	-	1	-
-	-	1	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-

No. 25—Continued.

Diseases and Groups of Diseases.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
6	16	22	42	11	4	26	10	10	1	9	17	1
-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	3	-	-	-	-	2	-
-	-	2	4	1	-	6	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
1	1	2	3	-	-	2	-	1	-	-	1	-
-	1	1	3	-	-	2	-	-	-	1	1	-
-	1	1	2	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	2	-
-	-	1	-	-	-	-	-	-	-	-	1	-
-	-	1	-	-	-	3	-	-	-	2	-	-
-	-	1	3	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	1	-	-	-	-	-	-
-	1	-	1	4	-	-	-	-	-	-	-	-
-	1	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	1	1	-	-	1	-	1	-	-	1	-
-	-	-	2	-	-	-	-	-	-	-	1	-
-	-	1	-	-	1	-	-	1	-	-	-	-
-	1	2	-	-	-	1	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	1	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
AROOSTOOK

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Oxbow	94	-	-	-	-	-	-	-	-
Perham	438	-	-	-	1	-	-	-	-
Portage Lake.....	140	-	-	-	-	-	-	-	-
Reed	203	-	-	-	-	-	1	-	-
St. Francis.....	461	-	-	-	-	-	1	5	-
St. John.....	226	-	-	-	-	-	-	2	-
Silver Ridge.....	195	-	-	-	-	-	-	-	-
Wade	158	-	-	-	-	-	-	-	-
Wallagrass	595	-	-	-	-	-	-	4	-
Westfield	161	-	-	-	-	-	1	-	-
Westmanland.....	-	-	-	-	-	-	-	-	-
Winterville.....	72	-	-	-	-	-	-	-	-
Molunkus.....	-	-	-	-	-	-	1	-	-
CUMBERLAND COUNTY.....	-	1	1	11	74	17	106	146	47
Baldwin	932	-	-	-	-	-	2	2	-
Bridgton.....	2,605	-	-	-	1	1	6	1	-
Brunswick.....	6,012	-	-	1	5	-	14	10	7
Cape Elizabeth.....	5,459	-	-	2	2	-	12	11	5
Casco.....	844	-	-	-	-	-	-	-	-
Cumberland.....	1,487	-	-	-	-	1	3	3	1
Deering	5,353	-	-	1	3	-	3	6	1
Falmouth.....	1,580	-	-	1	3	-	2	1	1
Freeport.....	2,482	-	-	1	1	2	3	4	-
Gorham.....	2,888	-	-	1	3	-	2	3	-
Gray.....	1,517	-	-	-	5	-	3	-	-
Harpwell.....	1,766	-	1	1	2	-	3	2	1
Harrison.....	1,071	-	-	-	1	-	1	1	-
Naples.....	846	1	-	-	1	-	2	1	1
New Gloucester.....	1,234	-	-	-	2	-	3	1	-

TABLE
Deaths in Each Town from Certain
CUMBERLAND

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
North Yarmouth.....	709	-	-	-	1	-	2	-	-
Otisfield.....	898	-	-	-	-	-	4	-	-
Portland.....	36,425	-	-	3	30	11	27	76	25
Pownal.....	712	-	-	-	-	-	-	-	-
Raymond.....	927	-	-	-	1	-	-	-	1
Scarboro.....	1,794	-	-	-	-	-	4	4	1
Sebago.....	681	-	-	-	1	1	2	-	-
Standish.....	1,841	-	-	-	3	-	1	1	-
Westbrook.....	6,632	-	-	-	3	-	1	11	2
Windham.....	2,216	-	-	-	3	-	4	4	-
Yarmouth.....	2,098	-	-	-	3	1	2	4	1
FRANKLIN COUNTY.....	-	1	-	1	15	1	23	15	6
Avon.....	439	-	-	-	1	-	-	-	-
Carthage.....	390	-	-	-	1	-	-	-	-
Chesterville.....	770	-	-	-	1	-	-	1	-
Eustis.....	321	-	-	-	-	-	-	-	-
Farmington.....	3,207	-	-	-	3	-	4	2	3
Freeman.....	464	-	-	-	-	-	1	-	-
Industry.....	545	-	-	-	-	-	-	2	-
Jay.....	1,541	-	-	-	1	-	2	-	-
Kingfield.....	601	-	-	-	-	-	-	4	1
Madrid.....	441	-	-	-	-	-	-	-	-
New Sharon.....	1,064	-	-	-	-	-	2	-	1
New Vineyard.....	660	1	-	-	-	-	1	-	-
Phillips.....	1,394	-	-	1	3	-	4	2	-
Rangeley.....	616	-	-	-	-	-	-	-	-
Salem.....	218	-	-	-	1	-	-	-	-
Strong.....	627	-	-	-	-	-	2	1	1

No. 25—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
1	2	2	-	-	-	-	-	1	-	-	-	-
1	3	-	-	-	-	1	-	-	-	-	1	-
44	64	48	107	20	10	31	28	14	1	1	26	3
2	1	-	2	-	-	-	1	-	-	-	1	1
1	1	-	1	-	-	1	-	-	-	-	-	-
-	1	2	8	-	-	2	1	-	-	-	1	-
-	-	1	-	2	-	-	1	-	-	-	-	-
4	1	1	1	-	-	-	-	-	-	-	2	-
4	4	6	6	4	2	1	-	1	-	3	5	2
-	-	2	9	1	-	2	2	-	-	1	-	-
2	7	2	3	-	-	3	3	2	-	-	3	-
14	24	20	31	12	-	21	14	4	2	1	12	1
-	1	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	1	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	1	-	-	-	-	-
5	7	4	6	4	-	5	5	1	1	-	5	-
-	1	-	2	1	-	-	-	1	-	-	1	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	3	1	4	-	-	4	-	-	1	-	2	-
1	1	-	-	1	-	3	1	-	-	-	-	-
1	-	-	-	-	-	-	2	-	-	-	-	-
2	-	3	1	1	-	1	-	-	-	-	-	-
1	1	-	1	2	-	-	1	-	-	-	1	-
2	1	1	6	1	-	-	-	2	-	1	1	-
-	3	2	2	-	-	-	1	-	-	-	-	-
-	1	-	-	-	-	1	-	-	-	-	-	-
-	3	1	2	1	-	1	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
FRANKLIN

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Temple	470	-	-	-	-	-	1	-	-
Weld.	885	-	-	-	1	-	-	1	-
Wilton.....	1,622	-	-	-	3	-	6	1	-
Coplin Pl.	71	-	-	-	-	-	-	-	-
Dallas Pl.....	184	-	-	-	-	1	-	1	-
Greenvale Pl.....	52	-	-	-	-	-	-	-	-
Letter E Pl....	29	-	-	-	-	-	-	-	-
Perkins Pl.....	94	-	-	-	-	-	-	-	-
Rangeley Pl.....	58	-	-	-	-	-	-	-	-
Redington Pl.	28	-	-	-	-	-	-	-	-
HANCOCK COUNTY	-	-	-	1	23	8	49	36	9
Amherst	375	-	-	-	1	-	2	1	-
Aurora.....	175	-	-	-	1	1	-	1	-
Bluehill.....	1,980	-	-	-	-	1	3	2	-
Brooklin.....	1,646	-	-	-	-	-	6	-	-
Brooksville	1,310	-	-	-	2	-	2	-	-
Bucksport.....	2,921	-	-	-	-	-	5	3	1
Castine.....	987	-	-	-	2	1	-	3	-
Cranberry Isle	330	-	-	-	-	-	-	-	-
Dedham.....	366	-	-	-	-	-	1	-	-
Deer Isle.....	3,422	-	-	-	2	1	3	6	4
Eastbrook.. ..	246	-	-	-	-	-	1	1	-
Eden	1,946	-	-	-	-	-	4	2	-
Ellsworth	4,804	-	-	-	3	-	4	8	1
Franklin.....	1,264	-	-	-	-	-	-	2	-
Gouldsboro.....	1,709	-	-	-	2	-	1	2	1
Hancock	1,190	-	-	-	-	-	1	-	1

No. 25—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
1	-	-	1	-	-	-	-	-	-	-	-	1
-	-	1	3	1	-	3	-	-	-	-	-	-
-	2	4	-	-	-	1	2	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
26	30	34	79	11	3	32	13	9	-	4	18	1
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
3	-	2	8	1	1	-	1	-	-	-	1	-
-	2	-	1	-	-	1	-	1	-	-	1	-
-	1	-	-	1	-	1	-	-	-	-	-	-
3	4	6	5	-	-	-	1	1	-	-	-	-
-	4	3	3	-	-	1	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
3	3	2	1	-	-	2	-	1	-	1	5	-
1	-	1	-	-	-	1	-	-	-	-	-	-
1	-	2	2	1	-	2	-	1	-	-	1	-
7	3	4	12	5	-	8	4	2	-	-	1	1
1	-	-	4	-	1	-	1	-	-	-	1	-
-	5	2	8	1	-	4	-	-	-	1	1	-
-	-	3	4	-	-	4	-	1	-	1	2	-

TABLE
Deaths In Each Town from Certain
HANCOCK

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Isle au Haut.....	206	-	-	-	-	-	-	-	-
Lamoine.....	726	-	-	-	-	1	1	-	-
Mariaville.....	271	-	-	-	1	-	1	-	-
Mount Desert.....	1,355	-	-	-	-	-	1	2	-
Orland.....	1,350	-	-	-	5	-	1	-	-
Otis.....	239	-	-	-	-	-	-	-	-
Penobscot.....	1,313	-	-	-	1	-	1	-	-
Sedgwick.....	1,012	-	-	-	1	-	1	1	1
Sullivan.....	1,379	-	-	-	-	3	1	1	-
Surry.....	986	-	-	-	1	-	3	1	-
Tremont.....	2,036	-	-	-	-	-	4	-	-
Trenton.....	528	-	-	-	-	-	1	-	-
Verona.....	323	-	-	1	-	-	-	-	-
Waltham.....	242	-	-	-	1	-	1	-	-
Long Island Pl.....	132	-	-	-	-	-	-	-	-
No. 21, M. D. Pl.....	63	-	-	-	-	-	-	-	-
No. 33 Pl.....	112	-	-	-	-	-	-	-	-
Swan's Island Pl.....	632	-	-	-	-	-	-	-	-
KENNEBEC COUNTY.....	-	1	-	9	39	5	75	61	29
Albion.....	1,042	-	-	2	1	-	2	-	1
Augusta.....	10,527	-	-	3	6	1	13	17	6
Belgrade.....	1,090	-	-	-	-	1	3	2	-
Benton.....	1,136	-	-	-	-	-	1	1	-
Chelsea.....	2,356	-	-	-	1	-	-	-	-
China.....	1,423	-	-	-	1	-	1	2	-
Clinton.....	1,518	-	-	2	2	1	2	-	-
Farmingdale.....	821	-	-	-	1	-	1	-	-
Fayette.....	649	-	-	-	3	-	-	-	-

No. 25—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease, and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	2	-	-	1	-	-	-	-	-	-
-	-	-	1	3	-	-	-	2	-	-	1	-
1	-	1	3	-	-	-	2	-	-	-	-	-
-	2	1	2	-	-	1	2	1	-	-	1	-
-	-	2	-	-	-	-	-	-	-	-	-	-
-	2	-	5	1	1	-	-	-	-	-	-	-
1	1	2	5	-	-	1	-	-	-	-	-	-
1	2	1	1	-	-	1	2	-	-	-	1	-
-	-	1	1	-	-	-	-	-	-	-	1	-
1	-	-	4	-	-	1	-	-	-	1	-	-
-	-	-	2	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	1	-	-	-	-
-	-	1	2	1	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
1	-	-	1	-	-	1	-	-	-	-	-	-
54	135	107	165	40	2	72	20	7	4	1	32	5
2	1	-	-	-	-	-	-	-	-	-	-	-
5	66	19	32	11	1	9	3	2	2	-	10	-
4	2	4	3	3	-	2	2	-	-	-	2	-
1	-	3	3	2	-	-	-	-	-	-	-	-
1	-	4	1	1	-	2	-	-	-	-	-	-
3	2	4	7	-	-	5	1	1	-	-	-	-
3	2	3	4	-	-	1	1	-	-	-	-	-
2	2	1	1	-	-	-	-	-	-	-	1	1
1	1	2	2	-	-	3	1	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
KNOX

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
North Haven	552	-	-	-	-	-	1	-	-
Rockland.....	8,174	1	-	2	2	3	10	7	3
Rockport	2,150	-	-	1	1	-	3	4	4
South Thomaston.....	1,534	-	-	-	1	-	-	1	-
St. George	2,491	-	-	-	1	-	7	3	1
Thomaston	3,009	-	1	2	1	-	2	-	2
Union.....	1,436	-	-	-	1	-	-	2	-
Vinalhaven	2,617	-	-	-	3	1	4	-	2
Warren	2,037	-	-	-	3	-	5	1	-
Washington.....	1,230	-	-	-	-	1	6	-	-
Matinicus Isle Pl.....	196	-	-	-	-	-	2	-	-
LINCOLN COUNTY.....	-	-	-	7	13	5	33	20	5
Alna.....	512	-	-	-	1	-	1	-	-
Boothbay.....	1,718	-	-	1	-	-	2	6	-
Boothbay Harbor	1,699	-	-	-	1	1	-	1	1
Bremen	842	-	-	-	1	-	-	-	-
Bristol	2,821	-	-	1	1	1	3	2	-
Damariscotta	1,012	-	-	-	3	-	-	-	-
Dresden.....	1,043	-	-	-	-	-	1	-	-
Edgecomb.....	749	-	-	-	-	-	-	2	-
Jefferson.....	1,391	-	-	-	1	1	5	2	-
Newcastle	1,282	-	-	-	-	-	4	1	1
Nobleborough.....	947	-	-	-	-	-	2	-	-
Somerville.....	453	-	-	-	-	-	1	3	2
Southport	533	-	-	-	-	-	1	-	-
Waldoborough	3,505	-	-	4	2	1	8	1	1
Westport	451	-	-	-	-	1	1	-	-

No. 25—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
1	1	-	1	-	-	-	-	-	-	-	-	1
8	16	11	21	3	3	16	4	2	-	-	7	-
1	8	2	9	1	-	2	1	1	-	-	2	-
1	-	2	9	1	1	2	1	1	-	-	3	-
2	4	1	3	3	2	5	1	-	-	-	5	-
-	2	3	6	1	1	7	-	2	-	-	-	-
1	2	3	10	3	-	3	1	-	-	-	1	-
4	-	4	4	1	-	2	2	-	-	-	1	-
-	1	4	2	-	-	3	-	1	-	2	1	-
-	2	3	11	1	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
18	26	36	72	7	3	27	7	5	2	3	14	3
2	1	1	2	-	-	2	-	-	1	1	-	-
-	2	5	3	1	1	2	1	-	-	-	-	-
1	1	1	1	-	-	1	-	-	-	-	1	-
-	-	2	6	-	-	-	1	-	-	-	-	-
6	1	2	11	2	-	6	-	-	1	1	1	-
-	2	-	2	-	-	-	-	-	-	-	1	1
4	1	1	2	-	-	1	-	1	-	-	1	1
-	2	-	1	2	-	1	-	-	-	-	-	-
-	-	4	4	-	1	3	-	-	-	-	-	-
-	1	-	5	-	-	1	-	-	-	1	2	-
1	2	3	4	-	-	-	2	-	-	-	1	1
-	-	2	1	-	-	-	-	1	-	-	-	-
-	1	-	4	1	-	-	-	1	-	-	1	-
2	4	9	16	-	1	6	1	1	-	-	3	-
-	1	-	1	-	-	-	-	-	-	-	1	-

TABLE
Deaths in Each Town from Certain
LINCOLN

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Whitefield ..	1,215	-	-	-	3	-	2	1	-
Wiscasset.....	1,733	-	-	1	-	-	2	1	-
Monhegan Pl.....	90	-	-	-	-	-	-	-	-
OXFORD COUNTY..	-	1	-	6	7	3	48	25	8
Albany ...	645	-	-	-	-	-	2	1	-
Andover	740	-	-	-	-	-	1	-	-
Bethel.....	2,209	-	-	-	1	1	8	3	-
Brownfield	1,134	-	-	-	1	-	1	-	-
Buckfield	1,200	-	-	-	1	-	3	-	-
Byron	180	-	-	-	-	-	-	-	-
Canton.....	1,303	-	-	-	-	-	2	2	-
Denmark.....	755	-	-	-	-	-	2	-	1
Dixfield.	988	-	-	-	-	-	1	3	-
Fryeburg	1,418	-	-	1	-	-	2	2	-
Gilead.....	336	-	-	-	-	-	-	-	1
Grafton	98	-	-	-	-	-	-	-	-
Greenwood.....	727	-	-	-	-	-	-	-	-
Hanover	212	-	-	-	-	-	-	-	-
Hartford	689	-	-	-	-	-	1	1	-
Hebron.....	600	-	-	1	-	-	1	-	-
Hiram.....	1,063	-	-	-	-	-	1	1	1
Lovell.....	853	-	-	-	1	-	1	-	-
Mason.....	80	-	-	-	-	-	1	-	-
Mexico.....	355	-	-	-	-	-	-	1	-
Newry	343	-	-	-	-	-	2	2	-
Norway.....	2,665	-	-	-	-	-	5	3	-
Oxford	1,455	-	-	-	-	-	-	1	-
Paris ..	3,156	-	-	2	-	1	2	1	2

No. 25—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction	Accidents.	Suicide.
1	2	3	3	1	-	1	-	-	-	-	1	-
1	5	2	6	-	-	3	2	1	-	-	1	-
-	-	1	-	-	-	-	-	-	-	-	-	-
25	53	34	74	14	5	35	10	8	2	5	19	4
-	1	-	1	-	-	2	-	1	-	-	1	-
1	4	1	2	-	-	4	-	-	-	-	-	-
3	1	4	6	-	-	3	1	-	-	2	2	-
1	2	-	6	-	-	1	-	1	-	-	1	-
2	3	-	6	1	1	2	1	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	1	-	-	-	-	-	-
1	1	1	-	1	-	-	-	2	-	-	-	1
-	2	1	1	2	-	1	2	-	-	1	-	-
1	3	5	7	2	1	1	-	-	1	-	-	2
1	-	1	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
1	3	-	3	-	-	1	1	-	-	1	2	-
-	-	-	1	-	-	-	-	-	-	-	-	-
1	2	1	1	-	-	2	-	-	-	-	-	-
1	1	-	1	-	-	1	-	-	-	-	-	-
-	3	3	5	-	-	1	2	-	-	-	-	-
-	1	-	6	-	1	2	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	2	-	-	-	-	-	-	-	-	-
4	3	8	7	1	-	3	-	-	1	-	2	-
1	2	2	2	2	-	1	-	-	-	-	-	1
2	6	2	6	2	1	1	1	2	-	-	2	-

TABLE
Deaths in Each Town from Certain
OXFORD

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Peru.....	692	1	-	-	-	-	2	-	1
Porter.....	1,015	-	-	1	-	1	2	-	1
Roxbury.....	222	-	-	-	-	-	-	-	-
Rumford.....	898	-	-	-	-	-	2	-	-
Stow.....	291	-	-	-	-	-	-	-	-
Stoneham.....	322	-	-	-	-	-	-	-	-
Sumner.....	901	-	-	-	-	-	2	-	-
Sweden.....	338	-	-	-	-	-	-	-	-
Upton.....	232	-	-	1	-	-	1	-	-
Waterford.....	1,001	-	-	-	2	-	-	-	1
Woodstock.....	859	-	-	-	1	-	3	1	-
Franklin Pl.....	112	-	-	-	-	-	-	2	-
Lincoln Pl.....	59	-	-	-	-	-	-	-	-
Magalloway Pl.....	79	-	-	-	-	-	-	-	-
Milton Pl.....	211	-	-	-	-	-	-	1	-
PENOBSCOT COUNTY.....	-	2	3	3	44	6	76	94	25
Alton.....	348	-	-	-	-	-	1	-	-
Argyle.....	263	-	-	-	-	-	-	-	-
Bangor.....	19,103	1	-	1	12	2	18	25	9
Bradford.....	1,215	-	-	-	1	-	2	-	-
Bradley.....	823	-	-	-	1	-	-	3	1
Brewer.....	4,193	1	-	1	5	-	1	4	2
Burlington.....	460	-	-	-	-	-	-	-	1
Carmel.....	1,066	-	-	-	-	-	2	1	-
Carroll.....	546	-	-	-	-	-	-	-	-
Charleston.....	971	-	-	-	1	-	3	-	-
Chester.....	368	-	-	-	1	-	-	-	-
Clifton.....	284	-	-	-	1	-	2	-	-

No. 25—Continued.

Diseases and Groups of Diseases.

COUNTY—CONTINUED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	3	2	-	-	-	1	-	1	-	-	-	-
-	-	-	2	-	-	1	-	-	-	-	1	-
3	5	6	3	1	1	1	1	2	-	-	3	-
1	1	1	1	1	1	-	-	1	-	-	-	-
-	1	4	5	-	-	1	-	1	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	1	-
-	1	-	3	-	1	-	-	-	-	-	-	1
-	1	-	-	1	1	-	1	-	-	-	-	-
-	3	1	3	-	-	-	-	-	-	-	1	-
-	-	3	-	-	-	2	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	-	-	-	-	-	1	-	-	-	-
-	2	2	3	4	-	2	-	1	-	-	1	-
-	-	-	5	-	-	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	-	-	-	-	-	-	-	-
1	1	-	1	-	-	-	-	-	-	-	-	-
1	3	-	1	-	-	1	-	-	-	-	-	-
-	-	-	2	-	-	-	1	-	-	-	1	-
-	1	-	1	-	-	3	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	3	2	-	-	1	1	-	-	-	2	-
1	-	-	1	-	-	-	-	-	-	-	3	-
-	-	-	1	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	1	-	-	-	-	-	-

TABLE
Deaths In Each Town from Certain
PISCATAQUIS

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Brownville	1,074	-	-	-	-	-	1	-	-
Dover	1,942	-	-	-	-	-	2	-	-
Foxcroft.....	1,726	-	-	-	1	-	1	2	2
Greenville.....	781	-	-	1	-	-	-	-	-
Guilford.....	1,023	-	-	-	-	-	2	-	1
Medford.....	306	-	-	-	-	-	-	-	-
Milo	1,029	-	-	-	-	-	-	1	-
Monson.....	1,237	-	-	-	-	-	1	2	-
Orneville ...	492	-	-	-	-	-	-	-	-
Parkman.....	813	-	-	-	-	-	1	1	-
Sangerville	1,236	-	-	-	2	-	4	-	-
Sebec	725	-	-	-	-	-	1	2	-
Shirley	291	-	-	-	-	-	1	-	-
Wellington	584	-	-	-	-	-	-	2	-
Williamsburg	162	-	-	-	-	-	-	1	-
Willimantic	446	-	-	-	-	-	-	2	-
Bowerbank Pl.....	87	-	-	-	-	-	1	-	-
Elliottsville Pl.....	53	-	-	-	-	-	-	1	-
Kingsbury Pl.....	205	-	-	-	-	-	1	-	-
Lake View Pl.....	-	-	-	-	-	-	-	-	-
Katahdin Iron Works Pl....	-	-	-	-	-	-	-	-	-
Mooshead Pl.....	-	-	-	-	-	-	-	2	-
SAGADAHOC COUNTY.....	-	-	1	2	18	2	22	17	4
Arrowsic.....	177	-	-	-	-	-	-	1	-
Bath	8,723	-	-	-	8	1	9	11	2
Bowdoin... ..	940	-	1	-	1	-	1	-	-
Bowdoinham.....	1,508	-	-	-	1	1	2	2	2
Georgetown.....	849	-	-	-	-	-	1	-	-

TABLE
Deaths in Each Town from Certain
SAGADAHOC

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Perkins	69	-	-	-	1	-	-	-	-
Phippsburg.....	1,396	-	-	-	-	-	-	1	-
Richmond	3,082	-	-	-	3	-	5	-	-
Topsham.....	1,394	-	-	1	4	-	1	2	-
West Bath.....	307	-	-	-	-	-	-	-	-
Woolwich	1,007	-	-	1	-	-	3	-	-
SOMERSET COUNTY.....	-	1	-	1	16	5	51	32	6
Anson.....	1,444	1	-	-	1	-	-	-	-
Athens	1,072	-	-	-	-	-	-	-	-
Bingham	757	-	-	-	-	-	1	-	-
Brighton.....	434	-	-	-	-	-	-	1	-
Cambridge	425	-	-	-	1	-	-	-	-
Canaan	1,130	-	-	-	-	-	4	2	-
Concord	345	-	-	-	-	-	-	-	-
Cornville.	785	-	-	-	-	-	-	-	-
Detroit.....	590	-	-	-	-	-	-	-	-
Embden.....	579	-	-	-	-	-	-	-	-
Fairfield	3,510	-	-	-	-	-	-	4	1
Harmony	704	-	-	-	-	1	2	3	1
Hartland	974	-	-	-	1	-	2	-	-
Madison.....	1,815	-	-	-	1	-	3	3	1
Mercer.....	584	-	-	-	-	-	2	1	-
Moscow.....	422	-	-	-	-	-	-	-	-
New Portland.....	1,034	-	-	-	-	-	5	-	-
Norridgewock.....	1,656	-	-	-	2	2	1	-	-
Palmyra	1,004	-	-	-	1	-	1	1	-
Pittsfield.....	2,503	-	-	-	2	-	4	2	-

No. 25—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	3	5	1	-	-	1	-	-	-	1	-
1	6	3	6	1	-	3	1	1	-	-	1	-
1	3	-	3	1	-	3	1	-	-	-	2	-
1	-	-	1	-	-	1	-	-	-	-	-	-
1	1	1	3	-	-	1	-	-	-	-	-	-
17	36	37	69	7	3	45	12	3	2	5	17	6
1	5	4	5	-	-	5	-	-	-	-	3	-
-	-	-	8	-	-	2	1	-	-	-	-	-
1	-	-	-	-	-	4	1	-	-	2	-	-
1	-	-	-	-	-	-	-	-	-	-	-	1
-	-	2	-	-	-	-	-	-	-	-	-	-
-	2	1	6	-	-	-	1	-	-	1	1	1
-	-	-	-	-	-	-	-	-	-	-	1	-
1	-	-	1	-	-	-	-	-	-	-	1	-
-	1	-	2	-	-	-	1	-	-	-	-	-
-	2	2	1	-	-	-	-	-	-	-	-	-
1	7	3	11	-	-	1	1	-	-	1	1	-
-	-	1	4	-	-	1	-	-	-	-	-	-
3	2	1	2	1	-	-	-	-	-	-	-	-
-	-	4	6	1	-	2	1	1	-	-	-	-
-	-	1	3	1	2	-	-	-	-	1	-	-
-	1	1	-	-	-	3	-	-	-	-	1	-
-	2	1	1	2	-	1	-	-	-	-	4	-
1	4	1	1	-	-	3	-	-	2	-	1	2
1	-	1	1	-	1	4	-	-	-	-	-	-
-	1	4	1	-	-	6	2	-	-	-	1	-

TABLE
Deaths in Each Town from Certain
WALDO

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old Age.	Other developmental diseases.	Inflammation of brain or membranes.
Jackson.....	522	-	-	-	-	-	1	-	-
Knox.....	657	-	-	-	1	-	1	1	-
Liberty.....	835	-	-	-	2	-	-	2	-
Lincolnville.....	1,361	-	-	-	-	2	4	1	-
Monroe.....	1,079	-	-	-	-	1	-	4	-
Montville.....	1,049	-	-	-	-	-	5	1	-
Morrill.....	460	-	-	-	3	-	1	-	-
Northport.....	691	-	-	-	-	-	3	-	-
Palermo.....	887	-	-	-	-	-	2	-	-
Prospect.....	697	-	-	-	-	-	4	4	-
Searsmont.....	1,144	-	-	-	-	-	-	3	-
Searsport.....	1,693	-	-	-	-	-	7	2	-
Stockton Springs.....	1,149	-	-	-	-	1	5	-	-
Swanville.....	689	-	-	-	1	-	4	-	-
Thorndike.....	589	-	-	-	1	1	2	3	-
Troy.....	868	-	-	-	1	-	3	-	-
Unity.....	922	-	-	-	1	1	-	-	-
Waldo.....	581	-	-	-	-	-	-	-	-
Winterport.....	1,926	-	-	1	-	-	2	2	-
WASHINGTON COUNTY.....	-	-	2	10	26	5	44	60	14
Addison.....	1,022	-	-	1	1	-	-	-	-
Alexander.....	337	-	-	-	-	-	-	-	-
Baileyville.....	226	-	-	-	-	-	3	1	-
Baring.....	273	-	-	-	-	-	-	1	-
Beddington.....	184	-	-	-	-	-	-	-	-
Brookton.....	429	-	-	-	-	-	-	-	1
Calais.....	7,290	-	2	4	3	2	4	20	5

No. 25—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	1	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	1	-	-	-	-	-	-
-	1	4	4	-	-	-	-	1	-	-	-	-
1	2	5	5	-	-	2	-	-	-	-	1	-
1	1	3	3	1	-	3	2	-	-	-	1	1
1	1	1	-	-	-	1	-	1	-	-	-	-
-	-	-	-	-	1	1	1	-	-	-	-	-
-	1	3	1	-	-	-	-	1	-	-	1	-
1	-	3	-	-	-	-	-	-	-	-	1	-
-	-	-	2	1	-	1	-	-	-	-	-	-
1	2	1	2	1	-	1	-	-	-	-	-	-
2	1	4	2	1	-	3	2	-	-	-	1	-
2	-	1	4	-	2	1	-	-	-	-	1	1
-	-	1	-	-	-	-	-	-	-	-	1	-
-	1	-	-	-	-	1	-	-	-	-	-	-
1	1	-	1	1	-	1	-	-	-	-	-	-
-	2	1	1	-	-	3	-	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	1	-	-
-	6	4	2	2	-	2	-	2	1	-	-	1
30	36	38	87	19	6	38	15	9	4	7	23	2
2	2	1	2	-	-	1	2	1	1	-	-	-
-	-	-	1	-	-	-	-	1	-	-	-	-
-	-	-	2	-	-	-	1	-	-	-	-	-
-	1	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
6	7	9	-	11	4	4	2	1	-	1	1	1

TABLE
Deaths in Each Town from Certain
WASHINGTON

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Centerville	114	-	-	-	-	-	2	-	-
Charlotte.....	381	-	-	-	-	-	1	-	-
Cherryfield.....	1,787	-	-	1	1	-	2	-	-
Columbia	587	-	-	-	1	-	-	-	-
Columbia Falls.....	698	-	-	-	-	2	1	2	-
Cooper.....	264	-	-	-	-	-	-	-	-
Crawford	140	-	-	-	-	-	-	-	-
Cutler ..	662	-	-	-	1	-	3	2	-
Danforth	1,063	-	-	-	-	-	-	-	3
Deblois ..	76	-	-	-	-	-	-	-	-
Dennysville.....	452	-	-	-	-	-	-	-	-
East Machias.....	1,637	-	-	-	2	-	-	5	-
Eastport.....	4,968	-	-	1	2	-	5	12	2
Edmunds	375	-	-	-	-	-	2	-	-
Forest City.....	287	-	-	-	-	-	-	-	-
Harrington.....	1,150	-	-	-	2	-	-	-	-
Jonesboro	470	-	-	-	-	-	-	-	-
Jonesport.....	1,917	-	-	-	-	-	-	-	-
Kossuth.....	68	-	-	-	1	-	-	1	-
Lubec	2,069	-	-	-	3	-	7	1	-
Machias ..	2,035	-	-	-	-	-	-	2	-
Machiasport.....	1,437	-	-	-	1	-	2	2	-
Marion	90	-	-	-	-	1	-	-	-
Marshfield.....	299	-	-	-	-	-	-	-	-
Meddybemps	156	-	-	-	-	-	1	-	-
Milbridge.....	1,963	-	-	-	1	-	-	1	-
Northfield.....	143	-	-	-	-	-	-	-	-
Pembroke	1,514	-	-	-	-	-	4	2	-

No. 25—Continued.

Diseases and Groups of Diseases.

COUNTY—CONTINUED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	2	-	-	-	-	-	-
1	-	2	5	-	-	-	2	-	-	-	-	-
-	1	1	3	-	-	-	-	-	-	-	-	-
-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
1	-	-	2	-	-	-	-	-	-	-	-	-
1	1	1	4	-	-	1	-	-	-	-	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	1	-	-
2	-	1	12	1	-	3	-	-	-	1	-	-
-	5	2	10	1	-	6	2	-	2	-	2	1
-	-	-	1	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
4	3	-	5	-	-	-	-	1	1	-	-	-
-	1	-	1	-	-	1	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
5	1	2	8	2	-	1	-	-	-	-	2	-
4	1	4	1	1	-	5	-	-	-	1	4	1
1	1	2	1	-	1	-	-	1	-	-	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	3	1	6	1	-	4	3	1	1	-	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	2	7	-	-	-	-	-	1	-	1	-

TABLE
Deaths in Each Town from Certain
WASHINGTON

County and Towns.	Population in 1880.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Perry.....	945	-	-	-	1	-	-	-	-
Princeton.....	1,027	-	-	-	-	-	1	2	1
Robbinston.....	787	-	-	-	-	-	2	-	-
Roque Bluffs....	154	-	-	-	-	-	1	-	-
Steuben	982	-	-	1	2	-	-	-	1
Talmadge	112	-	-	1	-	-	-	-	-
Topsfield.....	375	-	-	-	-	-	-	-	-
Trescott.....	485	-	-	1	1	-	2	-	-
Vanceboro	870	-	-	-	1	-	-	4	-
Waite	159	-	-	-	-	-	-	-	1
Wesley.....	227	-	-	-	-	-	-	-	-
Whiting..	393	-	-	-	-	-	-	-	-
Whitneyville... ..	413	-	-	-	-	-	-	-	-
Codyville Pl.....	72	-	-	-	-	-	-	-	-
Lambert Lake Pl	152	-	-	-	1	-	-	2	-
No. 14 Pl.....	112	-	-	-	-	-	1	-	-
No. 18 Pl.....	30	-	-	-	-	-	-	-	-
No. 21 Pl.....	81	-	-	-	-	-	-	-	-
Grand Lake Stream Pl	404	-	-	-	1	-	1	-	-
Township No. 10 Pl.....	-	-	-	-	-	-	-	-	-
Indian Township Pl.....	-	-	-	-	-	-	-	-	-
YORK COUNTY.....	-	-	-	3	46	11	67	104	33
Acton	878	-	-	-	-	-	-	-	-
Alfred.....	1,030	-	-	-	-	-	-	-	-
Berwick.....	2,294	-	-	-	3	-	3	5	1
Biddeford	14,443	-	-	-	9	2	8	52	14
Buxton	2,036	-	-	-	-	-	2	1	-

No. 25—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	3	-	2	-	-	-	1	-	-	-	-	-
-	-	1	1	-	-	3	1	-	-	-	-	-
-	3	-	2	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	1	-	-	-	-	-	-
-	-	3	-	1	-	2	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	2	-
-	-	-	1	-	-	-	-	-	-	1	-	-
-	-	-	1	-	1	-	-	-	-	-	1	1
-	-	1	1	-	-	-	-	-	-	-	1	-
-	-	-	1	-	-	-	-	-	-	-	1	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	1	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
71	90	83	169	33	9	71	36	16	2	7	37	10
1	1	-	6	-	-	-	-	1	-	-	-	-
2	2	-	3	-	-	-	-	-	-	-	-	-
3	3	-	3	2	1	1	-	-	-	-	1	-
17	17	24	53	9	3	8	5	2	1	2	10	2
4	1	1	2	2	-	3	-	1	-	1	1	-

TABLE
Deaths in Each Town from Certain
YORK

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old Age.	Other developmental diseases.	Inflammation of brain or membranes.
Cornish.....	1,118	-	-	-	-	-	2	-	1
Dayton.....	500	-	-	-	-	-	-	1	-
Eliot.....	1,463	-	-	-	3	-	-	-	-
Hollis.....	1,278	-	-	-	-	-	3	1	-
Kennebunk.....	3,172	-	-	-	4	-	6	3	-
Kennebunkport.....	2,196	-	-	-	1	-	2	2	1
Kittery.....	2,864	-	-	-	2	-	4	4	1
Lebanon.....	1,263	-	-	1	2	-	2	-	1
Limerick.....	966	-	-	1	1	1	-	1	-
Limington.....	1,092	-	-	-	1	2	7	-	-
Lyman.....	854	-	-	-	2	-	-	-	-
Newfield.....	796	-	-	-	1	-	-	-	-
North Berwick.....	1,803	-	-	-	1	1	1	3	2
Old Orchard.....	877	-	-	-	-	-	2	-	-
Parsonsfield.....	1,398	-	-	-	4	-	-	2	-
Saco.....	6,075	-	-	-	4	3	9	11	7
Sanford.....	4,201	-	-	-	3	1	1	12	3
Shapleigh.....	968	-	-	1	-	-	1	-	-
South Berwick.....	3,434	-	-	-	2	-	1	2	-
Waterboro.....	1,357	-	-	-	1	-	6	-	-
Wells.....	2,029	-	-	-	-	-	4	2	-
York.....	2,444	-	-	-	2	1	3	2	2

No. 25—Concluded.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
1	2	2	3	3	-	-	2	-	-	1	-	-
1	2	1	3	-	-	-	-	-	-	-	1	-
2	1	2	1	1	-	1	-	-	-	-	1	-
1	3	2	5	-	-	2	4	-	-	-	2	-
4	8	3	3	-	-	4	2	1	-	-	2	1
3	3	2	4	1	-	2	3	-	-	-	3	1
2	5	4	6	1	-	3	1	2	-	1	1	-
3	3	4	1	1	1	2	-	-	-	-	-	-
2	3	2	5	1	-	2	1	-	1	-	-	-
2	1	-	4	-	-	2	2	1	-	-	1	-
1	1	1	3	-	1	2	1	-	-	-	-	1
1	2	2	-	-	-	2	2	-	-	-	-	-
2	4	1	8	-	1	1	-	1	-	-	-	-
1	-	2	1	-	-	4	-	-	-	-	1	-
-	3	3	5	1	1	2	-	-	-	-	1	2
5	11	11	11	6	-	8	9	1	-	-	6	-
3	2	4	11	1	-	8	1	1	-	1	-	1
2	4	1	-	-	-	1	2	-	-	-	-	-
3	4	5	9	2	-	6	3	-	-	-	4	1
1	5	3	6	-	-	2	1	2	-	-	-	-
1	4	3	7	-	-	-	-	-	-	-	-	1
3	7	-	6	2	10	5	1	3	-	6	2	-

TABLE
Deaths by Ages, Sex

Counties.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	Over 100.	Unknown.
Androscoggin.....	99	32	13	19	28	16	23	20	54	42	32	5	1	2
Males	54	32	8	19	45	36	38	35	39	53	46	9	1	2
Females	93	43	15	17	42	26	15	11	22	15	18	1	-	5
Aroostook.....	102	21	13	23	25	17	9	20	21	30	11	3	-	1
Males	93	43	15	17	42	26	15	11	22	15	18	1	-	5
Females	157	67	17	34	62	53	56	75	106	154	94	8	-	7
Cumberland.....	111	54	19	42	74	61	79	95	135	150	105	22	1	7
Males	13	6	1	5	14	6	11	12	27	32	24	1	-	2
Females	15	11	2	9	18	12	7	24	12	31	36	5	1	-
Franklin.....	36	11	6	24	18	26	19	22	35	58	41	5	-	1
Males	29	9	4	13	23	18	18	26	42	47	40	9	-	1
Females	89	49	9	30	40	40	33	67	85	99	83	9	-	9
Kennebec.....	60	28	10	29	56	43	55	57	60	119	95	19	-	-
Males	46	10	8	21	12	11	21	31	43	53	36	5	-	-
Females	29	11	4	18	30	25	27	26	33	60	57	11	-	1
Knox.....	20	7	1	9	10	14	12	13	35	38	34	7	-	-
Males	13	5	2	12	13	10	14	24	46	47	40	8	1	4
Females	25	12	3	10	21	21	14	22	43	71	44	12	-	1
Lincoln.....	12	12	-	10	30	13	19	22	36	54	43	9	-	2
Males	92	23	16	22	55	36	34	40	80	120	70	14	-	9
Females	85	26	9	37	66	38	35	46	68	93	69	16	-	6
Oxford.....	18	8	4	4	16	7	3	11	15	14	22	3	-	-
Males	11	2	2	8	23	8	8	10	19	10	15	2	-	3
Females	19	9	3	8	11	8	13	18	29	37	14	6	-	1
Sagadahoc.....	21	6	4	6	13	14	16	18	22	26	28	1	1	-
Males	35	8	3	15	10	13	15	15	36	62	33	5	-	-
Females	27	11	2	13	25	17	27	21	40	53	47	15	-	-
Somerset.....	21	6	3	8	11	14	16	17	40	64	45	7	-	-
Males	18	8	4	14	19	21	26	26	40	51	50	7	-	2
Females	56	28	11	28	24	26	18	27	41	63	43	5	-	3
Washington.....	57	23	12	24	44	26	18	25	42	52	37	6	-	3
Males	-	-	-	-	-	-	-	-	-	-	-	-	-	33
Females	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	138	57	18	29	38	33	32	62	80	124	63	3	-	5
York.....	105	37	36	32	57	42	43	66	72	111	91	17	1	1
Males	966	354	129	289	395	341	329	472	729	1061	689	98	1	45
Females	740	318	133	303	578	410	448	532	769	972	817	157	6	33
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	33
Grand Total.....	1706	672	262	592	973	751	777	1004	1498	2033	1506	255	7	111

DEATHS BY AGES, SEX AND MONTHS.

No. 26.

and Months, by Counties.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
37	15	18	20	39	32	41	39	42	28	40	34	1	386	-
33	31	23	30	50	27	45	32	40	37	36	33	-	417	803
17	27	27	25	20	22	23	37	51	19	14	15	3	300	-
18	22	26	39	25	27	16	36	39	29	16	26	-	319	619
121	91	84	57	74	62	68	79	72	66	53	63	-	890	-
154	109	84	76	80	64	70	64	68	62	64	60	-	955	1,845
12	17	24	9	10	17	6	14	18	9	9	9	-	154	-
12	26	17	17	13	16	13	13	18	16	12	10	-	183	337
38	36	34	27	35	19	17	22	19	16	19	19	1	302	-
35	37	21	30	21	24	19	18	17	17	17	23	-	279	581
75	58	51	62	53	42	54	58	56	40	48	45	-	642	-
85	79	73	45	54	41	50	58	42	35	34	32	3	631	1,273
49	28	24	25	21	23	17	23	27	11	20	29	-	297	-
48	41	31	33	23	22	22	33	21	23	16	19	-	332	629
27	22	25	23	12	14	10	8	18	18	11	12	-	200	-
44	29	25	31	16	14	23	14	10	10	8	15	-	239	439
50	29	23	30	26	19	18	18	20	22	16	27	1	299	-
43	38	20	18	24	20	17	11	21	19	13	18	-	262	561
69	72	57	57	49	34	53	50	41	45	45	39	-	611	-
77	75	53	45	51	29	39	50	46	43	44	45	-	597	1,208
11	12	11	15	4	10	11	4	10	19	9	9	-	125	-
11	16	9	12	5	13	8	11	10	10	7	7	2	121	246
22	25	17	10	18	10	13	15	20	10	10	6	-	176	-
27	23	14	13	14	12	13	11	16	11	10	12	-	176	352
29	28	24	18	20	15	21	14	15	24	20	21	1	250	-
50	37	27	25	27	19	18	19	25	17	18	16	-	298	548
42	32	26	20	22	16	14	14	19	14	18	15	-	252	-
42	34	23	26	26	26	15	18	19	18	20	19	-	286	538
46	28	38	40	33	28	21	28	35	27	30	18	3	375	-
41	38	31	38	48	25	19	33	25	29	20	20	-	367	-
-	-	-	-	-	-	-	-	-	-	-	-	33	33	775
102	62	67	62	70	50	47	50	46	47	47	31	1	682	-
110	75	68	70	62	41	45	44	56	53	46	46	1	711	1,393
747	582	550	500	506	413	432	473	509	415	409	392	11	5,939	-
830	710	545	548	539	420	434	465	467	429	381	401	6	6,175	-
-	-	-	-	-	-	-	-	-	-	-	-	33	33	-
1,577	1,292	1,095	1,048	1,045	833	866	938	976	844	790	793	50	12,147	12,147

Notes on Deaths and the Causes of Death.

Death-Rates.—In the year 1892, 12,147 deaths were registered in the State, which is equivalent to a death-rate of 18.37 for every 1,000 of population as returned by the census of 1890. Based on the estimated population for 1892, the death rate would be 18.30.

By referring to Table No. 2, it will be seen that the death-rate of Aroostook county was lower than that of any other county, being only 12.48, while the older counties, Cumberland, Kennebec, and York show death-rates of 20.28, 22.32, and 22.20 respectively.

The death-rate in the cities was 20.46 as compared with that of the rest of the State with the cities subtracted, which death-rate was 17.46.

Death-Rates Compared.—For the year 1892 the death-rate of Maine was 18.37; of New Hampshire, 20.88; of Massachusetts, 20.57; of Connecticut, 19. The average death-rate in some European countries for the five years, 1887-91, was as follows: England and Wales, 19.0; Ireland, 18.0; France, 21.9; German Empire, 23.9; Holland, 20.3; Denmark, 19.1; Norway, 17.1; and for the years 1887-90, Sweden, 16.3; Hungary, 32.

In comparing the death-rate of one place with that of another one should be cautious in drawing conclusions. Besides salubrity or insalubrity of climate, other circumstances influence death-rates, particularly age, sex, social condition, and occupation.

Season and Mortality.—The largest number of deaths occurred in January, 1,577, and February and March followed with a diminishing mortality, 1,292 and 1,095 deaths respectively.

The smallest number of deaths in any one month was 790 in November, and December followed with an increase of only 3 over the preceding month.

In the first two months of the year, there were 2,867 deaths to compare with 1,583 in the last two months.

In the first quarter of the year, 3,964 deaths occurred, and in the last quarter, 2,427.

In the first quarter there were 3,964 deaths.

“	second	“	“	2,926	“
“	third	“	“	2,780	“
“	last	“	“	2,427	“

It is thus shown that, in the second quarter, there was a diminution in the number of deaths by more than one thousand and in the two succeeding quarters a smaller diminution in the mortality.

This excessive fatality in the early part of the year represents apparently, not a normal or customary late-winter and early-spring death-rate in the State, but was due mostly, and perhaps wholly, to the wide-spread prevalence of epidemic influenza, and its accompaniments and sequels.

In our State the lack of the registration of deaths for all preceding time, deprives us of the means of comparing the mortality of this year, 1892, with that of other years; but turning to the registration reports of our sister New England States we are told in that of Massachusetts for the year 1892:

The greatest number of deaths occurred in January and in the first quarter, and the least number in June and the last quarter. It also appears that, of the whole number of deaths reported as from the acute diseases of the respiratory organs, bronchitis, pneumonia and pleuritis, more than 27 per cent. occurred in January; and of the deaths as having been absolutely caused by influenza, more than 59 per cent were reported as occurring in January.

During the twenty-two years, 1871-1892, the quarterly mortality has been largest in the first quarter of the year only thrice,—1879, 1890, and 1892.

The report for Connecticut for the same year says that, "the greatest mortality was registered in January and reached 1,986. This was caused by the return of the epidemic la grippe, and a very large mortality from acute diseases of the lungs"

It appears not far from the truth to affirm that the epidemic of influenza (la grippe) cost this State 1,000 lives in 1892, and raised the recorded death-rate correspondingly.

Sex and Mortality.—Of the 12,147 decedents, 5,939 were males and 6,175 were females. The sex of 33 was unstated.

Among children dying before they were five years old, 1,320 were males and 1,058 females; on the contrary, at all the age periods from 10 to 100 years and over, there was a preponderance of female deaths, with the exception of the period 70-80 years. See Table No. 26.

Age and Mortality.—The following shows the number of deaths which occurred within each age period, and the percentage which the deaths in each period bears to the whole number of deaths:

Under 1	year of age	1,706	=	14.04	per cent.
From 1-5	years of age	672	=	5.53	"
" 5-10	" " "	262	=	2.15	"

From 10-20 years of age	592=	4.87	per cent.
“ 20-30 “ “	973=	8.01	“
“ 30-40 “ “	751=	6.18	“
“ 40-50 “ “	777=	6.39	“
“ 50-60 “ “	1,004=	8.26	“
“ 60-70 “ “	1,498=	12.33	“
“ 70-80 “ “	2,033=	16.73	“
“ 80-90 “ “	1,506=	12.39	“
“ 90-100 “ “	255=	2.09	“
Over 100 “ “	7=	0.05	“
Ages not stated	111=	0.91	“

The reader of these numbers and percentages will note the great mortality at the two extremes of life, but this mere fact is not surprising. He will, however, see that the proportionate number of deaths of aged people is large. To illustrate this the following arrangement will serve to compare Maine with Massachusetts as regards the percentage of deaths at several age periods:

Age—Groups.	Maine, 1892.	Massachusetts, 1892.
Under 1 year of age	14.0 per cent.....	21.8 per cent.
From 1-5 years of age.....	5.5 “ “	9.3 “ “
“ 20-50 “ “ “	20.5 “ “	24.6 “ “
“ 60-90 “ “ “	41.4 “ “	27.0 “ “

This comparison brings out sharply the relatively large number of deaths of aged persons in Maine.

Does this indicate a superior degree of healthfulness in the State? An explanation of only a part of the difference is to be sought in that direction. Is it attributable to the influence of the epidemic of influenza and its accompanying diseases of the respiratory organs which proved so fatal to the aged part of the population? The death-rate from influenza was considerably greater in Maine than in Massachusetts, but the combined death-rate from influenza, pneumonia, and bronchitis in Maine exceeded that in Massachusetts only as 37 to 36.

It is likely that the proportionately large number of deaths among the aged in our State is due in some measure to the fact that, for years, the emigration of young men and young women from Maine to the Western States and to the larger cities of New England has been large. A proportionately larger number

of elderly persons are therefore left to swell the relative death-rate of the aged and consequently the general death-rate.

Infantile Death-Rates.—In the comparison with Massachusetts it will be noted that the percentage of the deaths of children, when compared with the total mortality, is relatively small. Now, since infants are easily affected by noxious influences, particularly, insalubrity of climate and insanitary conditions of domiciles, the infantile death-rate of a country, a State, or a city is often taken as an index of the healthfulness of the place. With due precautions against error it may be so used.

The number of infants under one year of age dying in each 1,000 of total population was 2.5 in Maine and 4.7 in Massachusetts. The death-rate of children under five years of age was 3.5 in Maine and 6.8 in Massachusetts.

But a much less crude, and a more trustworthy method of getting the death-rate for any given age period is, not to base it upon the general population, but upon the number of persons living at the particular age-period. As the population by ages at the last census is not available, it is here assumed that the age distribution of the population of our State differed but little in 1890 from that in 1880. In the following table the death-rates of Maine and of Massachusetts in 1892 are based upon the estimated number in each state of persons living at the four different age-periods:

States.	Death-rate under 1 year.	Death-rate under 5 years.	Death-rate 20-50 years.	Death-rate 60-90 years.
Maine	130.22	36.63	9.17	70.26
Massachusetts .. .	216.80	64.93	11.26	67.95

Thus the table indicates that, among each 1,000 infants living in the State of Maine in 1892, a little over 130 died, and in Massachusetts, out of 1,000 infants under one year of age, 216 died. In like manner the death-rates of children from the time of birth until the fifth year, of persons from twenty to fifty years of age, and of those sixty years and upward, are compared.

The Causes of Death.—Of the 12,509 deaths, including still-births, and premature births, the cause of 11,849 was certified, leaving 660 of which the cause of death was unspecified or so ill-defined as to preclude satisfactory classification.

By referring to Table No. 23, it will be seen that the causes of death are arranged under eight "Classes," and that the causes of death in some of the classes are distributed under several "Groups." The following notes on some of the classes and groups of diseases and individual causes of death will be arranged in accordance with the classification shown in this Table 23 and the classification of the causes of death shown in the latter part of this report.

Zymotic Diseases.—The number of diseases under this class in Table 23 is largely increased by including tuberculosis in its various forms, and syphilis under the group: Specific Neoplastic Diseases.

The death-rate from the zymotic diseases, as well as the infantile death-rate, is much used as an index of the healthfulness of states and municipalities, and of the efficiency of their sanitary organizations. Applying it as a sanitary yardstick to our State, its various counties, and its cities, is an interesting diversion, and extended over a series of years will give results of value. The following shows the death-rate from the principal zymotic diseases, to wit: Small-pox, measles, scarlet fever, typhoid fever, whooping cough, diphtheria and croup, and the diarrhœal diseases:

ZYMOTIC DEATH-RATES.

Diseases.	Maine, 1892.	New Hampshire, 1884-91.	Massachusetts, 1892.	Connecticut, 1889-92.	England, 1887-91.	Italy, 1887-91.	Prussia, 1887-91.	Austria, 1887-91.
Small pox	-	-	2	3	324	11,540	93	10,505
Measles	29	26	88	69	13,314	18,495	9,472	12,718
Scarlet fever	36	29	669	174	6,574	8,953	7,268	13,230
Typhoid fever.....	286	153	827	273	5,415	22,454	6,696	12,872
Whooping cough	54	26	248	85	12,626	10,624	14,636	23,196
Diphtheria and croup	212	217	1,455	562	8,289	21,122	41,917	31,326
Diarrhœal diseases	662	459	3,728	1,023	21,624	100,189	32,102	32,933
Totals	1,279	910	7,017	2,189	68,166	193,377	112,184	136,780
Zymotic death rate per 10,000	19.34	24.56	31.34	30.33	23.96	64.52	37.92	57.63

SEVEN ZYMOTIC DISEASES BY COUNTIES.

Counties.	Population in 1890.	Aggregate deaths from zymotic diseases.	Zymotic death rate per 10,000.
Androscoggin.....	48,968	148	30.22
Aroostook.....	49,589	142	28.63
Cumberland.....	90,949	174	19.13
Franklin.....	17,053	25	14.66
Hancock.....	37,312	38	10.18
Kennebec.....	57,012	145	25.43
Knox.....	31,473	55	17.47
Lincoln.....	21,996	16	7.27
Oxford.....	30,586	35	11.44
Penobscot.....	72,865	105	14.41
Piscataquis.....	16,134	25	15.48
Sagadahoc.....	19,452	28	14.38
Somerset.....	32,627	41	12.56
Waldo.....	27,759	29	10.44
Washington.....	44,482	83	18.65
York.....	62,829	190	30.24
The State.....	661,086	1,279	19.34

The foregoing shows that the zymotic death-rates of the several counties differ much more widely than their general death-rates, as exhibited in Table No. 2; and the following table, giving the zymotic death-rates of our cities, shows still more widely diverging death-rates from the same class of diseases. If the zymotic death-rate of the State as a whole is flattering, that of some of our manufacturing cities is far from being so.

ZYMOTIC DISEASES BY CITIES.

Cities.	Population in 1890.	Aggregate deaths from seven zymotic diseases.	Zymotic death rate per 10,000.
Auburn.....	11,250	29	25.77
Augusta ...	10,527	44	41.79
Bangor.....	19,108	41	21.46
Bath.....	8,723	16	18.34
Belfast.....	5,294	9	17.00
Biddeford.....	14,443	108	74.77
Brewer.....	4,193	4	9.53
Calais.....	7,290	30	41.15
Deering.....	5,353	8	14.94
Eastport.....	4,908	14	28.52
Ellsworth.....	4,804	2	4.16
Gardiner.....	5,491	10	18.21
Hallowell.....	3,181	11	34.57
Lewiston.....	21,701	95	43.77
Old Town.....	5,312	17	32.00
Portland.....	36,425	66	18.11
Rockland.....	8,174	22	26.91
Saco.....	6,075	10	16.46
Waterville.....	7,107	31	43.61
Westbrook.....	6,632	29	43.62
	195,985	596	30.41

Infectious Diseases.—Of the diseases placed in this group, none had an unusual prevalence with the exception of influenza.

Small-Pox.—No death occurred as the result of this disease.

Measles.—This disease caused the death of 29 persons of whom 14 were males and 15 females. All but three of the decedents were children under ten years of age.

Ages: Under 1, 10; 1-5, 8; 5-10, 7; 40-50, 1; 60-70, 1; not stated, 1.

In the first quarter of the year, there were 14 deaths; in the second, 10; in the third, 4; in the last, 1. Ten of the deaths were in cities. The largest number of deaths in any county was 5 each in Androscoggin and Kennebec. The largest number in any one place was 5, in Auburn.

Per 10,000 of population, the death-rate for the State was 0.43. In some countries the mortality from measles is large; For the five years, 1887-91, Italy, 6.17; France (cities) 5.18; England, 4.68; Prussia, 3.20. In Massachusetts (1886-90) it was 1.10.

Scarlet-Fever.—The total mortality from this disease was 36,—11 males and 25 females. All but five of the decedents were under ten years of age; twenty-two were between the first and the fifth years of age.

Ages: Under 1, 1; 1-5, 22; 5-10, 8; 10-20, 3; 20-30, 2.

The largest number was in January, 8. There were 16 deaths in the first quarter, 11 in the second, 2 in the third, and 7 in the last three months. Washington county had 7 deaths, the largest county number. Of the 36 deaths from this disease, 14 were in the cities.

The scarlatinal death-rate per 10,000 for the State was 0.54; for the cities, 0.71; in Massachusetts and Connecticut for the same year it was, respectively, 2.98 and 3.75; for New Hampshire (1884-91), 0.79. For the years 1887-91, it was, in England, 2.31; France (cities), 3.10; Prussia, 3.20; Belgium, 1.62; the Netherlands, 0.38; Italy, 2.99.

Influenza.—The new law relating to the registration of deaths, went into effect in the midst of the recurring epidemic of the winter of 1891-92. During the calendar year for which this report is made, 755 deaths from influenza (la grippe) were registered. Of the total number, 34.7 per cent. were in January, 28.4 per cent. in February, 13.5 per cent. in March, 9 per cent. in April, 5.9 per

cent. in May, and the remaining 85 per cent. were distributed through the other seven months.

No age appears to have been wholly exempt, but the period from 5-10 years had the nearest approach to immunity. The following gives the age incidence:

Under 1 year, 71	50-60 years, 44
1-5 years, 26	60-70 " 115
5-10 " 9	70-80 " 215
10-20 " 18	Over 80 " 184
20-30 " 24	Unknown, 2
30-40 " 20	
40-50 " 27	Total, 755

The severe incidence of this disease on the aged is made apparent in the foregoing: 68 per cent. of the deaths were of persons sixty years of age or older.

The influenza death-rate for the whole State was 11.43 for each 10,000 of living population. For the cities it was 7.8 and for the remaining towns 12.9 per 10,000. In Massachusetts the influenza death-rate for the same year was 4.27; in Connecticut, 7.31; in New Hampshire, 8.65; in Vermont, 11.49. Thus compared, the influenza death-rate of Maine was more serious than that of any of these other New England States, with the exception of Vermont.

The distribution of influenza by counties and months is shown in the following:

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	8	10	2	4	1	-	1	-	1	-	-	1	28	5.71
Aroostook	5	8	4	11	5	8	4	6	3	2	1	5	62	12.50
Cumberland	47	20	13	6	6	-	1	2	-	1	1	-	97	10.66
Franklin	1	8	5	2	3	-	-	-	1	-	-	-	20	11.72
Hancock	20	11	8	2	3	-	1	-	-	-	-	1	46	12.32
Kennebec	17	26	8	6	3	1	2	1	-	-	-	1	65	11.40
Knox	15	8	5	1	1	-	-	-	-	-	-	-	30	9.53
Lincoln	17	10	5	-	2	-	-	-	1	-	-	-	35	15.91
Oxford	19	23	6	2	2	-	-	-	-	-	-	1	53	17.32
Penobscot	18	23	8	5	2	1	1	1	1	-	-	-	60	8.23
Piscataquis	5	5	5	1	-	-	-	-	-	-	-	-	16	9.91
Sagadahoc	2	7	-	2	1	-	-	-	-	-	-	-	12	6.16
Somerset	14	12	2	3	3	1	1	-	-	-	-	-	36	9.82
Waldo	17	9	4	4	-	-	1	-	-	-	-	-	35	12.60
Washington	12	9	11	10	9	5	1	-	1	-	-	-	38	13.03
York	46	25	15	10	4	2	1	-	-	-	-	-	103	16.39
State	263	214	101	69	45	18	14	10	8	3	2	9	756	11.43

Whooping-Cough.—The number of deaths attributed to whooping-cough was 54, of which 24 were males and 30 females. In the adjacent counties, Cumberland and York, 32 of these deaths occurred, 16 in each. The number of deaths in the cities was 30; there were 15 in Biddeford and 7 in Portland.

Whooping-cough caused more deaths than scarlet fever did in the year 1892. It is a disease of more serious import than the general public feels. The younger children should be guarded sedulously against the contagion of whooping-cough, for the following figures will confirm the general observation that this disease is particularly dangerous in the early months and the first year of infancy.

Ages: Under 1 year, 36; 1-2 years, 8; 2-5 years, 7; over 5 years, 3.

None of the children were six years of age; 44 of them were less than two years old.

The death-rate of the State from whooping-cough was 0.81 per 10,000; that of the cities, 1.53; of New Hampshire for the eight

years, 1884-91, 0.70 ; of Massachusetts for the ten years, 1881-90, 1.28 ; of Connecticut, for the ten years, 1883-92, 1.18 ; and for the five years 1887-91, in England, 4.44 ; in Belgium, 6.06 ; in Austria, 9.77.

Diphtheria.—It would be a satisfaction to be able to compare the present death-rate from diphtheria in this State, with that of ten or a dozen years ago. It is believed that the mortality from this disease has diminished. For this statistical year there were 106 deaths. Of the decedents, 50 were males and 56 females. All but five of them were under twenty years of age ; 76 of them were less than ten years old.

Ages: Under 1, 7; 1-5, 38; 5-10, 31; 10-20, 25; 20-30, 2; 30-40, 2; 50-60, 1.

Of the 106 deaths, 44 were in the cities, and 62 in other places. The diphtheria death-rate for the State was 1.60, and for the cities, 2.24. The average diphtheria death-rate per 10,000 for New Hampshire (1884-91) was 3.90 ; for Massachusetts (1881-90), 6.10 ; for Connecticut (1883-92), 5.56. See Croup for combined death-rate.

The following table exhibits the deaths from diphtheria arranged by counties and months and gives the death-rate in each county :

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin.....	-	-	-	-	1	-	1	2	2	1	-	2	9	1.83
Aroostook.....	-	1	-	-	1	3	-	-	-	-	-	2	7	1.40
Cumberland.....	-	1	2	-	-	2	2	1	6	4	1	-	19	2.08
Franklin.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock.....	-	1	-	-	1	1	-	-	-	-	1	-	4	1.07
Kennebec.....	-	-	-	-	1	1	1	-	-	1	-	6	10	1.75
Knox.....	-	-	-	-	-	-	1	3	1	2	1	3	11	3.49
Lincoln.....	-	-	-	-	-	-	-	-	1	1	-	-	2	0.80
Oxford.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot.....	1	-	-	-	-	-	-	-	-	-	-	-	1	0.13
Piscataquis.....	1	-	-	-	-	-	-	-	-	-	1	-	2	1.23
Sagadahoc.....	-	1	-	1	-	1	-	-	-	1	-	-	4	2.05
Somerset.....	-	-	-	-	-	-	-	-	-	1	1	-	2	0.60
Waldo.....	-	-	-	-	-	-	-	-	-	1	-	-	1	0.36
Washington.....	6	-	1	2	2	1	-	-	2	-	-	1	15	3.37
York.....	4	1	1	1	1	1	2	-	1	3	2	2	19	3.02
State.....	12	5	4	4	7	10	7	7	13	14	7	16	106	1.60

Croup.—As a curious coincidence, the number of deaths from croup was the same as that for diphtheria. Ordinarily, the number of deaths from croup is much smaller than that from diphtheria. Of the mortality from the two diseases, in Massachusetts (1876-90), the deaths from croup formed 26 per cent., and that from diphtheria, 74; in New Hampshire (1884-91) from croup 33 per cent, and from diphtheria, 67 per cent. But in New Hampshire, in 1885, croup caused 49 and diphtheria 51 per cent. of the combined mortality.

Of the 106 decedents, 51 were males and 55 females. As with the deaths from diphtheria, so with croup, all but five were of persons under twenty years of age: 98 were less than ten years old.

Ages: Under 1, 24; 1-5, 60; 5-10, 14; 10-20, 3; 20-30, 2; 30-40, 2; 60-70, 1.

The death-rate from croup was, for the State, 1.60; for the cities, 2.55; for New Hampshire (1884-91), 1.94; for Massachusetts (1881-90), 2.53; Connecticut (1883-92), 2.23.

The distribution of croup by counties and months is shown in the following :

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death rate per 10,000.
Androscoggin.....	-	-	-	1	-	-	-	-	2	-	5	1	9	1.83
Aroostook.....	-	1	4	1	1	-	2	1	1	2	2	-	15	3.02
Cumberland.....	1	1	2	1	-	2	-	1	-	1	-	2	11	1.20
Franklin.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock.....	1	-	-	1	-	-	-	-	-	-	-	-	2	0.53
Kennebec.....	1	1	-	3	-	1	-	-	-	-	-	1	7	1.22
Knox.....	1	-	-	1	-	-	-	-	1	-	-	2	5	1.58
Lincoln.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford.....	-	2	1	-	-	-	1	-	-	-	-	1	5	1.63
Penobscot.....	-	-	-	-	1	1	1	-	2	3	1	1	10	1.37
Piscataquis.....	1	-	-	-	-	-	-	-	-	2	1	-	4	2.47
Sagadahoc.....	-	-	-	-	-	-	-	-	-	1	-	-	1	0.51
Somerset.....	-	-	-	-	-	-	-	-	-	1	-	-	1	0.30
Waldo.....	-	1	-	-	-	1	-	-	-	-	-	1	3	1.08
Washington.....	-	1	-	-	4	1	-	1	-	-	1	-	8	1.79
York.....	3	1	2	2	8	4	2	-	-	1	1	1	25	3.97
State.....	8	8	9	10	14	10	6	3	6	11	11	10	106	1.60

In statistical reports the figures for croup and diphtheria are often combined, for it is now generally conceded that the two diseases are etiologically the same. The combined death-rate for the two diseases is, for Maine, 3.20 per 10,000 of living population; of our cities, 4.79; for New Hampshire (1884-90), 5.84; Massachusetts (1881-90), 8.63; Connecticut (1883-92), 7.79; Prussia, 14.17; Austria, 13.20; France (cities), 6.66; Belgium, 5.77; Switzerland, 3.53; England, 2.91; Holland, 1.45.

Cerebro-Spinal Meningitis.—The number of decedents was 38, 20 males and 18 females. Twelve of the deaths were in York county; 11 were in the cities. Cases occurred in every month; distributed by quarters, they were 14, 11, 9, 4. The disease caused a death-rate of 0.57.

Ages: Under 1, 11; 1-5, 5; 5-10, 4; 10-20, 5; 20-30, 5; 30-40, 5; 40-50, 2; 50-60, 1.

Tetanus.—It caused 7 deaths, 5 males and 2 females. All these deaths occurred from April to October,—the months of bare ground. No county had more than one case, save Kennebec, with two.

Ages: 5-10, 2; 10-20, 2; 20-30, 30-40, and 40-50, each, 1.

Typhoid Fever.—Including 31 deaths from “fever,” “gastric fever,” “bilious fever,” and “infantile fever,” there were 286 deaths from typhoid fever. Of these deaths 166 were of males and 120 of females. The age distribution of the decedents shows that the loss from disease is principally from those active and productive age periods when human lives are of the greatest value to the State; 77 per cent. died between 10 and 50 years of age.

Ages: Under 1, 11; 1-5, 7; 5-10, 15; 10-20, 86; 20-30, 91; 30-40, 27; 40-50, 17; 50-60, 12; 60-70, 8; 70-80, 8; over 80, 2; not stated, 2.

The largest number of deaths, 50, occurred in October, and the smallest number, 10, in April. By quarters, 42 were in the first, 47 in the second, 85 in the third, and 112 in the last quarter of the year.

The typhoid death-rate of 5.71 in the cities is considerably greater than that of the villages and rural towns which is 3.74. The rate for the State is 4.32. The typhoid death-rate in some other places is: New Hampshire, 4.13; Massachusetts, 4.40; Connecticut, 3.79; England, 1.90; Ireland, 2.33; Prussia, 2.26; Sweden, 2.22; France (cities), 5.32; Italy, 5.32.

The following table exhibits the number of deaths from typhoid fever in each county by months, with death-rate in each county:

TYPHOID FEVER.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin.....	1	-	-	1	3	8	5	5	9	5	6	6	49	10.00
Aroostook.....	3	1	4	3	1	-	-	4	3	4	2	2	27	5.44
Cumberland.....	3	1	1	1	1	1	1	-	6	6	7	2	30	3.29
Franklin.....	1	-	-	-	1	-	-	1	4	1	1	-	9	5.27
Hancock.....	-	1	1	-	-	-	1	2	2	2	3	2	14	3.74
Kennebec.....	2	-	-	1	2	-	-	-	3	3	5	5	21	3.85
Knox.....	-	-	-	1	1	-	-	1	2	1	-	-	6	1.90
Lincoln.....	-	-	1	-	1	1	-	-	-	-	-	-	3	1.36
Oxford.....	-	-	-	-	-	1	1	2	3	4	2	-	13	4.25
Penobscot.....	3	4	1	1	-	-	5	3	8	7	7	2	41	5.62
Piscataquis.....	-	1	-	1	-	1	-	-	1	1	2	-	7	4.33
Sagadahoc.....	-	-	1	-	2	-	-	-	-	-	-	1	4	2.05
Somerset.....	-	-	-	-	1	1	-	1	1	3	-	-	7	2.14
Waldo.....	-	-	-	-	3	2	1	1	2	2	1	-	12	4.32
Washington.....	1	-	-	-	-	-	-	-	1	-	-	-	2	0.44
York.....	3	3	5	1	1	5	1	2	3	11	5	1	41	6.52
State.....	17	11	14	10	17	20	15	22	48	50	41	21	286	4.32

Malarial Diseases.—Maine has hitherto flattered herself that her soil and atmosphere are entirely exempt from “malaria,” yet to this cause thirteen deaths are ascribed. The returns of three of these deaths distinctly state that the disease was contracted outside the State. In whatever country malaria is indigenous, it finds a large number of victims among children. For instance, in Italy in 1891, out of a total of 18,229 deaths from malarial diseases, 11,369 were of persons under twenty years of age. Yet, of the thirteen deaths in question, only one was a child. In malarial districts, also, the number of males destroyed by these diseases is not much larger than the number of females. In Italy for the year cited, the proportion was 9,824 males to 8,405 females. In our returns, only one was a female, this child of eight years. Save this one, none of the decedents were under thirty-eight years of age. The ages of the majority suggest military service in the South.

Ages: 5-10, 1; 30-40, 1; 40-50, 2; 50-60, 5; 60-70, 3; 70-80, 1.

It may safely be said that malarial diseases very rarely originate in Maine, if they ever do.

Tuberculosis.—The terrible mortality from this cause which, year after year, goes on in civilized countries, and the fact, well established, that it is an infectious disease, and therefore clearly a preventable disease, should deeply impress every person with the necessity of adopting every practicable measure which promises to check the spread of the disease. The statement is often made that tuberculosis, in one form or another, causes the death of one-sixth of the human race. In Massachusetts (1881-90) one death out of every 5.3 was caused by tuberculosis. Our returns indicate one death in eight as from that cause. The total number of deaths from tuberculosis was 1,513, which is equivalent to a death-rate of 22.88 per 10,000, as compared with that of 35.38 for Massachusetts (1881-90), and that of 23.28 for Connecticut (1883-92).

Cerebral Tuberculosis (Tubercular Meningitis).—The number of deaths was 53; 27 were of males and 26 of females. The number in cities was 33. The death rate for the State was 0.80; for the cities, 1.68.

Ages: Under 1, 16; 1-5, 24; 5-10, 7; 10-20, 5; 30-40, 1.

Pulmonary Tuberculosis (Consumption).—The full significance of the fearful tribute exacted by this disease is intensified when we learn that, of the 1,352 deaths from this cause in 1892, 149 between 10 and 20 years of age, were approaching or just entering the period of early manhood and womanhood when life is of the greatest value to the State; 383, between the ages of 20 and 30 had just begun their life's work, many having established homes and business relations; 231 at the ages between 30 and 40 years, were relentlessly but slowly dragged down from careers of usefulness, and many of them from those whose only shield from want and suffering was the bond of mutual helpfulness; 165 between 40 and 50 years of age and 126 between 50 and 60 were torn away, many of them from children who had not yet reached the self-supporting age, and many more from those who sorely needed a guiding and a helping hand a few years longer.—these 1,054 of our people were lost to their homes, to their communities, and to the State at the most useful time of life. The following shows the age periods of the decedents:

Ages: Under 1, 27; 1-5, 24; 5-10, 11; 10-20, 149; 20-30, 383; 30-40, 231; 40-50, 165; 50-60, 126; 60-70, 114; 70-80, 86; over 80, 26; not stated, 10.

Thus it is shown that the fewest deaths occurred at the age period 5 to 10 years, and that of the decedents whose ages are given, 80 per cent die at those periods when their deaths entail the greatest loss to the Commonwealth.

As to sex, 559 of the decedents, or 41.3 per cent were males, and 793, or 58.7 per cent. were females.

The State's death-rate from consumption was 20.45 in each 10,000 of population; that of the cities, 22.29. Outside of our State, the death-rate from consumption is 20.95 in New Hampshire (1884-91); 28.34 in Massachusetts (1881-90); 20.07 in Connecticut (1883-92); and, from 1887-92, 16.09 in England; 21.15 in Ireland; 37.20 in Austria; 13.61 in Italy; 33 in the cities of France, and 31.29 in the cities of the German Empire

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county :

CONSUMPTION.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin.....	2	5	6	4	9	5	10	6	7	9	5	9	77	15.72
Aroostook.....	4	5	7	9	5	4	1	5	4	8	4	5	61	12.30
Cumberland.....	20	18	9	16	15	16	13	13	11	18	7	15	171	18.80
Franklin.....	4	3	3	4	4	5	3	4	2	3	-	5	40	23.45
Hancock.....	7	3	6	4	7	10	3	6	7	6	5	3	67	17.95
Kennebec.....	14	8	19	6	14	11	15	14	11	11	5	4	132	23.15
Knox.....	10	4	9	11	6	5	10	8	4	8	6	5	86	27.32
Lincoln.....	6	5	5	4	1	6	5	1	3	7	1	3	47	21.36
Oxford.....	11	2	3	4	4	4	4	4	6	4	3	5	54	17.60
Penobscot.....	20	19	17	15	22	3	12	13	11	15	7	13	167	22.91
Piscataquis.....	3	2	3	4	3	7	2	3	2	3	4	4	40	24.79
Sagadahoc.....	6	3	4	2	9	6	6	4	3	3	5	1	52	26.73
Somerset.....	4	5	7	7	8	3	6	3	3	5	4	4	59	18.08
Waldo.....	9	6	6	9	7	8	-	4	5	4	7	3	68	24.48
Washington.....	9	9	7	12	11	9	4	9	9	4	7	4	94	21.13
York.....	15	10	18	17	10	12	8	8	11	11	10	7	137	21.80
State.....	144	107	129	128	135	114	102	105	99	119	80	90	1352	20.45

Tuberculosis Mesenteric.—There were 39 deaths from this cause,—19 males and 20 females.

Ages: Under 1, 2; 1-5, 4; 5-10, 1; 10-20, 7; 20-40, 9; 40-60, 8; over 60, 7; not stated, 1.

Tuberculosis, Other Forms.—Of these deaths, 69 in all, the cause assigned in 42 was, tuberculosis, general tuberculosis, or acute tuberculosis; in 13, scrofula; in 4 scrofulous or tubercular abscess; in 5, diseases of joints or bones; in 3, psoas abscess; in 1, lupus; and in 1, tuberculosis of kidney.

Diarrhoeal Diseases.—The total number of deaths caused by the diseases under this group was 662 which gives a diarrhoeal death-rate for the State of 10 per 10,000. That of both Massachusetts and Connecticut for the same year was 16.65. Our returns indicate a lower rate of mortality from these diseases than in Italy with 33.43; or in the German cities with 26.86; or in the cities of France with 21.47, or in Prussia with 10.85. On the other hand much lower rates prevail in Sweden (3.77), in Ireland (4.40), and in England (7.61).

Infantile Diarrhoea.—This as synonymous with cholera infantum, or including it, was the cause of 546 deaths. By referring to the following table, it will be seen that in no month until June were there more than one or two or three deaths, and that in June there were only eight; but that in July there was a jump to 107 deaths, followed by 197 in August and 154 in September. In this third quarter of the year, more than 83 per cent. of the deaths from this disease occurred.

Of the children dying from this cause, 55 per cent. were less than six months old, and another 30 per cent. were less than one year old, making 85 per cent. of deaths within the first year of age

Ages: Under 6 months, 302; 6-12 months, 166; 1-2 years, 52; over 2 years, 25; unknown, 1

Of the 546 deaths from infantile diarrhoea, 298 were returned from the cities. This represents an urban death-rate from this disease of 15.20 which is strongly in contrast with 5.33, the rate for the villages and rural districts.

Thus the returns present very clearly three truths, not new, but the statistical presentation of which in this State is of interest: That it is essentially a hot-weather disease; that it finds by far its greatest number of victims among infants in their earliest months; that it is much more prevalent in crowded places, as in cities.

The death-rate of Maine from this affection is 8.25, that of Massachusetts and Connecticut in the same year, 12.90 and 13.41 respectively.

INFANTILE DIARRHOEA BY COUNTIES AND MONTHS.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin.....	1	1	-	-	1	3	24	13	11	6	4	-	64	13.06
Aroostook.....	-	1	-	1	-	-	6	27	39	3	-	2	79	15.93
Cumberland.....	1	-	1	-	-	1	16	34	18	4	-	1	76	8.35
Franklin.....	-	-	-	-	-	1	-	2	6	1	1	-	11	6.45
Hancock.....	-	-	-	-	-	1	1	-	3	2	1	-	8	2.14
Kennebec.....	-	-	-	1	-	5	28	28	18	2	1	-	83	14.55
Knox.....	-	-	-	-	-	1	-	8	6	5	3	-	23	7.30
Lincoln.....	-	-	-	-	-	-	1	-	2	-	-	-	3	1.36
Oxford.....	-	-	-	-	-	-	-	3	2	3	-	-	8	2.61
Penobscot.....	-	-	-	-	-	2	7	18	8	2	-	1	38	5.21
Piscataquis.....	-	-	-	-	-	1	-	3	2	1	-	-	7	4.33
Sagadahoc.....	-	-	-	-	-	-	1	2	3	-	-	-	6	3.08
Somerset.....	-	-	-	-	-	1	-	9	7	2	-	-	19	5.82
Waldo.....	-	1	-	-	-	1	-	1	1	1	1	-	6	2.16
Washington.....	1	-	-	-	-	-	2	19	12	3	-	-	37	8.31
York.....	-	-	1	-	-	1	21	30	16	4	4	1	78	12.41
State.....	3	3	2	2	1	18	107	197	154	39	15	5	546	8.25

Septic Diseases.—Of deaths from the diseases in this group, there were 31 from erysipelas, 61 from pyæmia and septicæmia, and 42 from puereral fever, giving a special death-rate of 2.02. The largest number of deaths from erysipelas at any age period, was 10 between 70 and 80 years of age, the next largest, 6, for the two extremes, under 1 year and over 80. The following shows the distribution of puerperal fever by months and counties:

January.....	2	Androscoggin.....	4
February.....	5	Aroostook.....	7
March.....	7	Cumberland.....	4
April.....	2	Franklin.....	2

May	3	Hancock	2
June	3	Kennebec	4
July	1	Knox	1
August	3	Lincoln	2
September	1	Oxford	0
October	5	Penobscot	5
November	3	Piscataquis	2
December	7	Sagadahoc	0
	—	Somerset	0
Total	42	Waldo	1
		Washington	1
		York	7
		Total	42

Dietetic Diseases.—Only 17 deaths are returned under this class of causes; 7 of malnutrition of infants, 1 of rickets, and 9 from alcoholism. The special death-rate from alcoholism is 0.13. For the same year it was 0.82 in Massachusetts, and 0.93 in Connecticut. Abroad for the years 1887-92, it was 0.15 in Italy; 0.25 in Prussia; 0.54 in Belgium; 0.60 in England. Statistics under this head are, however, not very trustworthy on account of the difficulty of obtaining correct reports of the cause of death when it is due to alcoholism.

Constitutional Diseases.—With tuberculösis transferred to the class of zymotic diseases, there were 563 deaths from constitutional diseases, or a death-rate of 8.51 per 10,000 for the State.

Rheumatism.—The returns give 68 deaths from this cause; 28 males, 39 females, and the sex of one not stated. Nineteen of these deaths were in the cities. The special death-rate for this disease was, therefore, 1.02 while that of the cities was somewhat lower, 0.96. In Massachusetts for the same year it was 1.12, and in Connecticut, 1.60.

The largest number in any three consecutive months was 23 in March, April, and May.

Cancer.—From cancer in its various forms and locations there were 404 deaths. Of the decedents, 150 were males and 254 females. The cancer death-rate of the State was, therefore, 6.11—a higher rate than in Connecticut, where it was 4.60 in 1883-92 or Massachusetts, 5.53 in 1881-90; or New Hampshire, 5.96 in 1884-92; and higher than in Prussia, Italy or Ireland where in 1887-92, it

was respectively 4.20, 4.28, and 4.42; but lower than in England, where it was 6.53; and the Netherlands with a cancer death-rate of 7.28.

Distributed as to some of its more frequent locations, there died of cancer of the stomach, 100; of the breast, 55; liver, 44; uterus, 40; abdominal and intestinal, 22; throat, 10; rectum, 9; lip, 7; neck, 5; face 8; tongue, 4; various, 32; part unspecified, 68.

The distribution of cancer by counties, and by age-groups and the special death-rate for each county is shown in the following:

Counties.	Number of deaths.	Death-rate.	Age-groups.	Number of deaths.
Androscoggin	32	6.53	Under 1 year.	0
Aroostook	8	1.60	From 1 to 5 years	1
Cumberland	74	8.13	“ 5 “ 10 “	0
Franklin	15	8.79	“ 10 “ 20 “	1
Hancock	23	6.16	“ 20 “ 30 “	6
Kennebec	39	6.84	“ 30 “ 40 “	17
Knox	23	7.30	“ 40 “ 50 “	49
Lincoln	13	5.91	“ 50 “ 60 “	97
Oxford	7	2.28	“ 60 “ 70 “	103
Penobscot	44	6.03	“ 70 “ 80 “	98
Piscataquis	4	2.47	Over 80 years	31
Sagadahoc	18	9.25	Not stated	1
Somerset	16	4.90		
Waldo	16	5.76		
Washington	26	5.84		
York	46	7.32		
State	404	6.11		

Diabetes.—The deaths from this cause numbered 55, or a death-rate of 0.83 per 10,000. Thirty-one of the decedents were males, and 24 females.

Ages: 5-10, 1; 10-20, 10; 20-30, 4; 30-40, 4; 40-50, 3; 50-60, 4; 60-70, 8; 70-80, 14; over 80, 6; not stated, 1.

Old Age.—There were registered 780 deaths as due to old age,—332 men and 448 women. Only 9 were less than 70 years old; 142 were between 70 and 80; 459 were 80-90; 159 were 90-100; while 4 were over 100 years old.

From Table No. 26, however, it may be seen that the whole number of persons who died at ages between 70 and 100 years or more was 3,801, or one death in every three (3.1) was of a person who was between 70 and 100 years of age or older. In other words assuming incorrectly that all these 3,801 persons died of old age, the death-rate from old age was 55.5 in every 10,000 persons living at all ages.

Comparing with Massachusetts in which state the proportion of elderly persons is not so great, 374 persons to every 10,000 of population died at the age of 70 years or over.

Of these 3,801 aged decedents, 1,849 were men, and 1,952 were women. The preponderance of females is especially marked in the last two periods,—from 90-100, there were 157 females to 98 males, and over 100, 6 females to 1 male.

The following shows the number of deaths in each county, of persons seventy years of age and over, and the number of their deaths in each 10,000 of the population at all ages :

Counties.	Deaths.	Rate per 10,000.	Counties.	Deaths.	Rate per 10,000.
Androscoggin	189	38.59	Oxford.....	233	76.17
Aroostook.....	78	15.72	Penobscot....	382	52.42
Cumberland	534	58.71	Piscataquis	66	40.90
Franklin	130	34.84	Sagadahoc	113	58.09
Hancock	200	53.60	Somerset	215	65.89
Kennebec	424	74.37	Waldo	224	80.69
Knox	222	70.53	Washington.....	206	46.31
Lincoln	175	79.55	York	410	65.25

Diseases of the Nervous System.—The number of deaths registered under the causes included in this group was 1,570, or 23.74 to every 10,000 of population.

Inflammation of the Brain or Membranes.—The number of deaths was 236,—135 males and 101 females. Of these, 11 were in the cities. The death-rate from the several diseases grouped under this head was 3.57.

Ages: Under 1, 74; 1-5, 68; 5-10, 24; 10-20, 17; 20-40, 19; 40-60, 19; over 60, 6.

Apoplexy.—From this cause 488 deaths occurred,—of 255 males and 233 females. Of these, 162 were in the cities. The State's

death-rate from apoplexy was, therefore, 7.38; that of the cities, 8.26; that of New Hampshire in the same year, 8.05; of Massachusetts, 6.88; of Connecticut, 7.87.

The largest number, 62, occurred in January; the next largest in December; the most fatal of the four seasons was the winter, 159 deaths; the first quarter had more deaths than any other from this disease, 152.

Conversely, the smallest number of deaths, 29, was in August, the smallest number in any one season was 96 in the summer. Nearly 75 per cent. of the deaths were of persons sixty years of age or upward.

APOPLEXY BY MONTHS AND AGE-PERIODS.

By months.	By quarters.	By age-periods.
January..... 62		Under 1..... 5
February..... 47		1-5..... 1
March..... 43	First quarter..... 152	5-10..... 0
April..... 40		10-20..... 3
May..... 40		20-30..... 10
June..... 36	Second quarter... 116	30-40..... 13
July..... 31		40-50..... 26
August..... 29		50-60..... 59
September..... 30	Third quarter..... 90	60-70..... 107
October..... 36		70-80..... 161
November..... 44		Over 80..... 96
December..... 50	Fourth quarter... 130	Not stated... 7

Softening of the Brain.—There were 62 deaths from cerebral softening,—of 37 men and 25 women.

Ages: 20-30, 2; 30-40, 4; 40-50, 7; 60-70, 15; 70-80, 26; over 80, 8.

Paralysis.—Of the 305 decedents from “paralysis,” 149 were males and 156 females.

Ages: Under 1, 2; 1-10, 3; 10-20, 2; 20-40, 9; 40-50, 6; 50-60, 31; 60-70, 62; 70-80, 111; over 80, 76; not stated, 3.

Hemiplegia.—From this form of paralysis, there were 16 deaths reported,—10 men and 6 women. Not one of these deaths was of a person under 50 years of age.

Ages: 50-60, 1; 60-70, 4; 70-80, 6; over 80, 5.

Epilepsy.—Nineteen males and 21 females died of epilepsy—40 in all.

Ages: 5-10, 2; 10-20, 5; 20-40, 15; 40-60, 11; over 60, 7.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, valvular diseases of the heart, hypertrophy and dilatation, pericarditis, angina pectoris, and unspecified, there were 816 deaths. The following exhibits the age and sex distribution of each form of disease :

Disease.	Under 1.	1-10.	10-20.	20-40.	40-60.	Over 60.	Unknown.	Male.	Female.	Totals.
Endocarditis	-	4	-	1	2	5	-	7	5	12
Valvular diseases of heart	1	2	5	8	21	65	-	58	44	102
Hypertrophy of heart	-	-	1	-	6	19	-	16	10	26
Pericarditis	1	-	-	2	4	9	-	10	6	16
Unspecified diseases of heart.....	7	4	12	44	128	420	10	353	272	625
Angina pectoris.....	-	1	-	1	11	21	1	21	14	35
Totals.....	9	11	18	56	172	539	11	465	351	816

The number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rate for State and counties :

Counties.	Number of deaths.	Rate.	Counties.	Number of deaths.	Rate.
Androscoggin	48	9.80	Oxford	34	11.11
Aroostook	22	4.43	Penobscot	85	11.66
Cumberland.....	124	13.63	Piscataquis.....	17	10.53
Franklin.....	20	11.72	Sagadahoc.....	28	14.39
Hancock.....	34	9.11	Somerset.....	37	11.34
Kennebec	107	18.76	Waldo	50	18.01
Knox	43	13.66	Washington.....	38	8.54
Lincoln.....	36	16.36	York.....	83	13.21
			State.....	816	12.34

As may be noted, Kennebec county has the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State is 12.34 ; that of Massachusetts for the same year was 17.65 ; that of New Hampshire was 12.32 ; and that of Connecticut, 11.64.

Diseases of the Respiratory System.—Not including tubercular diseases, 1,796 persons died from the various respiratory diseases as tabulated on page 101. This is equivalent to a death-rate of 27.16 in each 10,000 of population. In the same year the death-rate from the same group of diseases was 32.20 in Massachusetts, and 28.76 in Connecticut.

Pneumonia.—Accompanying the epidemic of influenza in the early part of the year, there was an unusual prevalence of the acute respiratory diseases, particularly pneumonia, from which cause 1,431 deaths were registered; a larger number even than was caused by pulmonary consumption, ordinarily the leading cause of death in mortality reports, a number exceeded only by that from tuberculosis in its various forms. Of the decedents from pneumonia, 699 were males and 732 were females. The death-rate from this disease was, therefore, 21.56 per 10,000, and as 458 of the deaths occurred in the cities, the urban death-rate was 23.36. In Massachusetts for the same year, the pneumonia death-rate was 21.54; that of New Hampshire was 23.29; that of Connecticut, 20.69.

The age-distribution for pneumonia is shown in the following:

Under 1 year,	143	40-50 years,	96
1-5 years,	75	50-60 "	169
5-10 "	15	60-70 "	239
10-20 "	42	70-80 "	285
20-30 "	73	Over 80 "	209
30-40 "	83	Not stated,	2

PNEUMONIA BY COUNTIES AND MONTHS WITH DEATH-RATES PER 10,000.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin.....	17	8	5	10	12	2	-	3	7	8	7	9	88	17.97
Aroostook.....	3	7	5	5	5	5	1	1	1	2	4	3	42	8.46
Cumberland.....	70	39	30	16	16	7	4	1	5	8	7	10	213	23.41
Franklin.....	3	6	9	3	5	1	1	1	-	-	-	2	31	18.17
Hancock.....	10	24	8	7	5	5	-	1	2	5	5	7	79	21.16
Kennebec.....	41	35	23	14	19	9	2	2	1	2	7	10	165	28.94
Knox.....	34	14	7	8	5	4	2	2	1	3	2	3	85	27.00
Lincoln.....	21	17	14	8	6	2	-	-	-	-	2	2	72	32.73
Oxford.....	25	12	10	4	8	2	1	2	2	-	4	4	74	24.19
Penobscot.....	26	29	17	10	13	7	4	2	5	7	9	11	140	19.21
Piscataquis.....	4	3	1	6	-	-	1	-	-	2	1	-	18	11.15
Sagadahoc.....	19	10	5	4	4	-	1	-	2	1	1	-	47	24.16
Somerset.....	16	21	10	5	4	3	2	-	1	2	3	2	69	21.14
Waldo.....	11	20	3	8	2	2	-	-	2	1	2	1	52	18.73
Washington.....	15	7	12	15	17	7	2	2	-	3	6	1	87	19.55
York.....	52	31	20	18	14	6	2	1	3	10	5	7	169	26.89
State.....	367	283	179	141	135	62	23	18	32	54	65	72	1431	21.64

Bronchitis.—From this cause, including both acute and chronic bronchitis, 287 deaths were registered,—those of 121 males and 166 females. Of these 287 deaths, 116 were in the cities. As with pneumonia, a much larger number of cases occurred in January than in any other month. The number of deaths in each quarter was 139, 75, 31, and 42, respectively.

The bronchitis death-rate for the State was 4.34; that of the cities, 5.91. In New Hampshire it was 5.67 in the same year; in Massachusetts, 8.09; in Connecticut, 7.08.

In the following age-distribution of the decedents from this disease a great fatality at either extreme of life is apparent:

Under 1 year,	67	40-50 years,	12
1-5 years,	34	50-60 "	15
5-10 "	2	60-70 "	28
10-20 "	3	70-80 "	63
20-30 "	1	over 80 "	58
30-40 "	4		

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rates of counties and State:

BRONCHITIS.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	2	2	4	1	4	1	2	-	1	1	-	6	24	4.90
Aroostook	-	1	3	2	1	-	1	1	1	1	-	-	11	2.21
Cumberland	5	7	5	7	5	3	2	1	4	2	1	2	47	5.16
Franklin	2	4	2	-	-	-	1	-	-	2	-	1	12	7.03
Hancock	1	2	-	2	2	-	1	1	-	-	2	-	11	2.94
Kennebec	11	4	4	3	6	2	-	-	2	1	5	2	40	7.01
Knox	6	4	4	-	1	-	1	-	-	-	-	-	16	5.08
Lincoln	1	1	1	3	-	-	-	-	1	-	-	-	7	3.18
Oxford	1	3	3	-	1	-	1	-	1	2	1	1	14	4.57
Penobscot	3	6	1	2	5	-	1	-	2	-	-	1	21	2.88
Piscataquis	-	-	-	1	1	-	1	-	-	1	-	-	4	2.47
Sagadahoc	4	-	3	-	1	-	1	-	-	-	1	-	10	5.14
Somerset	2	2	-	-	1	-	-	-	-	-	-	2	7	2.14
Waldo	4	1	2	-	1	-	1	-	-	1	1	-	11	3.96
Washington	4	2	5	3	-	-	1	1	-	2	1	-	19	4.27
York	11	1	2	8	6	2	-	1	-	1	1	-	33	5.25
State	60	40	39	32	35	8	14	5	12	14	13	15	287	4.34

Pleurisy.—Eighteen deaths are charged to this disease,—7 males and 11 females. In October, 4 of these deaths occurred, in April, 3, in no other month more than two.

Ages: 1-5, 1; 10-20, 2; 20-30, 3; 40-50, 1; 50-60, 2; 60-70, 4; 70-80, 3; Over 80, 2.

The Acute Respiratory Diseases in Maine and Elsewhere.—Some persons have assumed that pneumonia and the other acute respiratory diseases must be unusually prevalent in Maine; apparently with no better reason than that Maine is geographically pretty well to the north.

But places well to the north are sometimes more exempt from these diseases than other places in lower latitudes. For instance, in Sweden the respiratory diseases are much more fatal as we advance from the north to the south, and in Denmark bronchitis is much less fatal than in some of the countries in the south of Europe. In the county of Rutlandshire, England, the death-rate from pneumonia is only 4.5 per 10,000, while in Leghorn and Turin, Italy, it is 17 and 24 respectively; and in the principal cities of Spain the death-rate from pneumonia and bronchitis is 53 per 10,000.

Further, it may be noted that in 10 cities in France north of the 48th parallel, the pneumonia death-rate (1887) was 19.19; in 10 cities between the 48th and the 45th parallel it was 20.33; while in the 10 cities south of the 45th parallel it was 26.55. Again, the death-rate from bronchitis was 18.64 in five large cities in the south of France, while it was only 15.35 in five large cities in the north of France.

Pneumonia and bronchitis are evidently least prevalent during our summers, but on the other hand their greatest fatality ordinarily will probably not be found to be in winter. These diseases are not unusually fatal among those persons who are constantly exposed to cold weather. In the causation of pneumonia and the other respiratory diseases, other factors than latitude and temperature are operative. Overcrowding, the breathing of an artificially overheated and ill ventilated atmosphere with its dust contents, and the sudden transitions back and forth between such indoor atmospheres and the cold outer air play an important part.

In Ireland the death-rate from pneumonia (1878-81) was 4.38 but in England it was 10.12. Why the difference? It was undoubtedly due less to climate, than to social and industrial conditions. In Scotland (1885-86) according to Davidson, the mortality from

bronchitis was 25.7 in the principal towns ; 20.9 in the large towns ; 18.0 in the small ones ; 14.5 in the mainland rural districts, and only 11.6 in the insular rural districts.

These facts are given simply to show the futility of basing a guess as to the death-rate of a state from diseases of the respiratory organs solely upon geographical position. The figures given in this report are not unfavorable to our State, but the exact truth can be developed only through the records of a series of years.

In Maine the combined death-rate in 1892 from pneumonia and bronchitis was 25.98 ; in Massachusetts for the same year, 29.63 ; in New Hampshire, 28.94 ; in Connecticut, 26.44.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 659 deaths, or a death-rate of 9.97. The distribution of these under the several causes will be found on page 101.

Peritonitis.—There were 129 deaths from this cause,—55 males and 74 females. Forty-five of them were in the cities. The following shows the month and age distribution of the disease :

January,	14	Under 1 year,	7
February,	8	1-5 years,	7
March,	16	5-10 “	6
April,	11	10-20 “	9
May,	10	20-30 “	25
June,	9	30-40 “	20
July,	16	40-50 “	14
August,	10	50-60 “	10
September,	7	60-70 “	12
October,	10	70-80 “	12
November,	9	Over 80 years,	6
December,	9	Unknown,	1

Appendicitis.—Of the deaths referred to this cause, 10 were returned as due to appendicitis, three to typhlitis, and one to perityphlitis. Of the total number, fourteen, 13 were of males and 1 of a female. Three of these deaths were in April, and 3 in October.

Ages: 1-5, 1; 10-20, 4; 20-30, 2; 30-40, 3; 40-50, 2; 50-60, 1; 60-70, 1.

Cirrhosis of the Liver.—Thirteen deaths were ascribed to cirrhosis of the liver,—of 8 men and 5 women. Of these 13 deaths, 9 were in the cities and 4 in the rural parts of the State. The death-rate for the State from this one cause was 0.19 per

10,000; that of Connecticut in the same year was 0.69. The data for comparison with other states is wanting.

Diseases of the Urinary System—There were 403 deaths referred to the diseases in this group, equivalent to a death-rate of 3.08.

Nephritis, acute and chronic, caused the death of 61 persons, 33 males and 28 females. The death-rate from nephritis was, therefore, 0.92.

Ages: Under 1, 2; 10-20, 2; 20-30, 3; 30-40, 5; 40-50, 7; 50-60, 7; 60-70, 12; 70-80, 20; over 80, 3.

Bright's Disease.—This was the cause of 204 deaths,—124 males and 80 females. Of these deaths, 67 were in the cities.

Ages: 1-5, 2; 5-10, 6; 10-20, 3; 20-30, 15; 30-40, 12; 40-50, 18; 50-60, 28; 60-70, 60; 70-80, 52; over 80, 8.

Counties.	Number of deaths.	Rate.	Counties.	Number of deaths.	Rate.
Androscoggin	10	2.04	Oxford.....	5	1.63
Aroostook.....	7	1.41	Penobscot.....	19	2.60
Cumberland ..	47	5.16	Piscataquis	3	1.85
Franklin	12	7.03	Sagadahoc	9	4.62
Hancock.....	8	2.14	Somerset	11	3.37
Kennebec	19	3.33	Waldo	6	2.16
Knox	10	3.17	Washington. .	11	2.47
Lincoln.....	4	1.81	York	23	3.66
			State.....	204	3.08

Childbirth.—Under the group of accidents and diseases of reproduction, 69 deaths were registered, not including puerperal fever. This is equivalent to a special death-rate of 1.04. For Connecticut for the same accidents and diseases it was 1.16 in the same year.

Accidents.—From accidents of various kinds, 376 persons met their death. If the returns generally had stated more precisely the way in which the accidents occurred, it would have made it practicable to classify them in a manner that would be useful.

Of deaths from falls, there were 27. Two were from a carriage and one each from load of hay, hay mow, bridge breaking his neck, a tree, church steeple, into a well, into a quarry pit, down stairs, while 17 were unspecified.

Fractures caused 20 deaths,—fracture of skull, 7; spine, 3; hip, 2; thigh bone, 6; leg and arm, 1; both legs, 1.

Six deaths were from gun or pistol shot, unspecified with the exception that one was while hunting.

From railway injuries there were 18 deaths, and from cuts, 3.

From burns and scalds there were 26 deaths. The returns should have stated briefly how the accident happened in each case.

From poisoning, 22 deaths occurred; from opiates, 5; wood alcohol, 2; and one each from Paris green, rough on rats, strychnine, potash, copperas, over-dose of Johnson's liniment, arsenic, lobster, carbolic acid, phenacetin. In 5 instances the character of the poison was not specified.

From drowning, 130 lives were lost. One child fell into a well, and one person was drowned in a bath tub. Otherwise nothing in the returns enables me to state whether any persons were drowned while bathing in open water, while boating, or while skating, and, if so, how many in each category.

The returns indicate that 10 deaths occurred from machinery accidents,—4 in pulp mills, and 6 in other mills, and that 5 persons were killed in quarries. Two persons were lost at sea.

Homicide.—Under this group two deaths were registered under homicide and one under infanticide. These three deaths were equivalent to a death-rate of 0.05. For homicide the rate for Massachusetts in the same year was 0.09, and that of Connecticut, 0.06. In some foreign countries, the death-rate per 10,000 from homicide is as follows: Western Australia, 1.21; Italy, 0.54; Bavaria, 0.39; Finland, 0.35; Russia, 0.21; Sweden, 0.20; Ireland, 0.17; England and Wales, 0.17; South Australia and New Zealand, 0.14; Norway, 0.13; Scotland, 0.01.

Suicide—Within the year, 59 persons took their own lives, 41 males, and 18 females. Of the males, the occupation of 20 was farmer, of 1 each, machinist, merchant, carpenter, painter, fisherman, blacksmith, sea captain, agent, lawyer, spar maker, cooper, farm hand, millman, teamster, culler of leather. Two had no occupation, and the occupation of 4 is not stated.

Of the females, the occupation of 8 was returned as housewife; of 5 as housekeeper; 1 was a tailoress; 1 a clerk; 1 a forewoman in a factory; and the occupation of 2 is not given.

As to the means employed, 20 committed suicide by hanging, 9 by shooting, 2 by drowning, 2 by cuts, 1 with poison (Paris green), and in 25 the method was not stated.

SUICIDES BY AGES, MONTHS, AND COUNTIES.

Age-periods.		Months.		Counties.	Rate per 10,000 of population.
10-20.....	2	January	2	Androscoggin	4 0.82
20-30.....	8	February	2	Aroostook.....	1 0.20
30-40.....	4	March	7	Cumberland	14 1.54
40-50.....	14	April	4	Franklin	1 0.59
50-60.....	11	May.	6	Hancock	1 0.27
60-70.	10	June	7	Kennebec	5 0.88
70-80....	3	July.....	7	Knox	1 0.32
Over 80	6	August	3	Lincoln.....	3 1.36
Not stated.....	1	September	10	Oxford.....	4 1.31
		October	3	Penobscot.....	1 0.14
Total.....	59	November.....	4	Piscataquis	1 0.62
		December.....	4	Sagadahoc	0
		Total	59	Somerset	5 1.53
				Waldo	6 2.16
				Washington.....	2 0.45
				York	10 1.59
				State.....	59 0.89

The youngest suicide was a boy of 14 years and 10 months ; the oldest a man of 84. The largest number of suicides occurred in September ; the smallest number in January and February. By quarters the suicides were, 11, 17, 20, 11. The largest number in any county was 14 in Cumberland ; and the highest death-rate from suicide was in Waldo county. The rate for the State per 10,000 of population was 0.89 ; that of Massachusetts in the same year was 1.03 ; of Connecticut, 1.21.

The suicide death-rate in some European countries was as follows for the years 1887-91 : Ireland, 0.24 ; Italy, 0.52 ; Scotland, 0.56 ; the Netherlands, 0.58 ; England, 0.80 ; Sweden, 1.19 ; Belgium, 1.22 ; Prussia, 1.97 ; France, 2.18 ; German Empire, 2.46.

CLASSIFICATION OF THE CAUSES OF DEATH.

CLASS I. ZYMOTIC DISEASES.

- Group 1. Infectious Diseases.
- Group 2. Specific Neoplastic Diseases.
- Group 3. Diarrhœal Diseases.
- Group 4. Zoögenous Diseases.
- Group 5. Septic Diseases.

CLASS II. PARASITIC DISEASES

CLASS III. DIETETIC DISEASES.

CLASS IV. CONSTITUTIONAL DISEASES.

CLASS V. DEVELOPMENTAL DISEASES.

CLASS VI. LOCAL DISEASES.

- Group 1. Diseases of Nervous System.
- Group 2. Diseases of Organs of Special Sense.
- Group 3. Diseases of Circulatory System.
- Group 4. Diseases of Respiratory System.
- Group 5. Diseases of Digestive System.
- Group 6. Diseases of Lymphatics and Ductless Glands.
- Group 7. Diseases of Urinary System.
- Group 8. Diseases of Organs of Generation.
- Group 9. Accidents and Diseases of Reproduction.
- Group 10. Diseases of Osseous System.
- Group 11. Diseases of the Integument.

CLASS VII. DEATHS FROM VIOLENCE.

- Group 1. Accident, Negligence, or Doubtful.
- Group 2. Homicide.
- Group 3. Suicide.

CLASS VIII. DEATHS FROM ILL-DEFINED CAUSES.

CLASS I.—ZYMOTIC DISEASES.

Group 1.—INFECTIOUS DISEASES.

- 1. Small-Pox.
- 2. Chicken-Pox.
- 3. Measles.
- 4. Rôtheln.

Group 1.—*Concluded.*

5. Scarlet Fever.
6. Typhus Fever.
7. Influenza.
8. Whooping-Cough.
9. Mumps.
10. Diphtheria.
11. Croup.
12. Tonsillitis, etc.
13. Cerebro-Spinal Meningitis.
14. Tetanus.
15. Typhoid Fever.
16. Simple Continued Fever, Gastric Fever.
17. Malarial Diseases.
18. Other Specific Febrile Diseases.

Group 2.—SPECIFIC NEOPLASTIC DISEASES.

19. Tuberculosis, Cerebral.
20. Tuberculosis, Pulmonary.
21. Tuberculosis, Mesenteric.
22. Tuberculosis, Other Forms.
23. Syphilis.

Group 3.—DIARRHŒAL DISEASES.

24. Infantile Diarrhœa.
25. Cholera Morbus.
26. Dysentery.
27. Diarrhœa.

Group 4.—ZOÖGENOUS DISEASES.

28. Hydrophobia.
29. Glanders.
30. Malignant Pustule.
31. Cow-Pox and Vaccination.

Group 5.—SEPTIC DISEASES.

32. Phagadena.
33. Erysipelas.
34. Pyæmia, Septicæmia.
35. Puerperal Fever.

CLASS II.—PARASITIC DISEASES.

36. Thrush.
37. Hydatids.
38. Intestinal Parasites.
39. Other Parasitic Diseases.

CLASS III.—DIETETIC DISEASES.

40. Starvation.
41. Malnutrition of Infants, Improper Feeding.
42. Scurvy.
43. Rickets.
44. Alcoholism.

CLASS IV.—CONSTITUTIONAL DISEASES.

45. Rheumatism.
46. Gout.
47. Cancer, Gastric.
48. Cancer, Mammary.
49. Cancer, Hepatic.
50. Cancer, Uterine.
51. Cancer, Others.
52. Purpura, Haemorrhagic Diathesis.
53. Anaemia, etc.
54. Diabetes Mellitus.
55. Other Constitutional Diseases.

CLASS V.—DEVELOPMENTAL DISEASES.

56. Stillborn.
57. Premature Birth.
58. Ill-Defined Diseases of Infancy.
59. Atelectasis.
60. Cyanosis.
61. Spina Bifida.
62. Imperforate Anus.
63. Other Congenital Defects.
64. Umbilical Haemorrhage.
65. Old Age.

CLASS VI.—LOCAL DISEASES.

Group 1.—DISEASES OF NERVOUS SYSTEM.

66. Inflammation of Brain or Membranes.
67. Apoplexy.
68. Softening of Brain.
69. Hemiplegia.
70. Paralysis Agitans.
71. Paralysis.
72. Hydrocephalus (not acute.)
73. Insanity (general paralysis of the insane.)
74. Brain, Other Diseases of.
75. Chorea.
76. Epilepsy.
77. Convulsions.
78. Laryngismus Stridulus.
79. Spinal Meningitis.
80. Myelitis.
81. Paraplegia.
82. Locomotor Ataxia.
83. Other Diseases of the Spinal Cord.
84. Other Diseases of the Nervous System.

Group 2.—DISEASES OF ORGANS OF SPECIAL SENSE.

85. Diseases of the Ear.
86. Epistaxis, and Diseases of Nose.
87. Diseases of the Eye.

Group 3.—DISEASES OF CIRCULATORY SYSTEM.

88. Endocarditis.
89. Valvular Disease of the Heart.
90. Hypertrophy of Heart.
91. Pericarditis.
92. Disease of Heart, Unspecified.
93. Angina Pectoris.
94. Syncope.
95. Aneurism.
96. Senile Gangrene.
97. Embolism, Thrombosis.
98. Phlebitis.
99. Others, Circulatory System.

Group 4.—DISEASES OF RESPIRATORY SYSTEM.

100. Laryngitis.
101. Other Diseases of Pharynx and Trachea.
102. Emphysema, Asthma.
103. Bronchitis.
104. Pneumonia.
105. Pleurisy.
106. Other Diseases of Respiratory System.

Group 5.—DISEASES OF DIGESTIVE SYSTEM.

107. Diseases of the Mouth.
108. Dyspepsia.
109. Gastric Ulcer.
110. Hæmatemesis.
111. Gastritis.
112. Other Diseases of Stomach.
113. Enteritis.
114. Ulceration of Intestines.
115. Stricture and Strangulation of Intestines.
116. Intussusception of Intestines.
117. Hernia.
118. Other Obstructive Diseases of Intestines.
119. Fistula.
120. Peritonitis.
121. Appendicitis.
122. Ascites.
123. Gallstones.
124. Cirrhosis of Liver.
125. Hepatitis.
126. Jaundice.
127. Other Diseases of Liver.
128. Other Diseases of Digestive System.

Group 6.—DISEASES OF LYMPHATICS AND DUCTLESS GLANDS.

129. Diseases of Lymphatics.
130. Diseases of the Spleen.
131. Bronchocele.
132. Addison's Disease.

Group 7.—DISEASES OF URINARY SYSTEM.

133. Nephritis
134. Bright's Diseases, Albuminuria.

Group 7.—*Concluded.*

- 135. Uraemia.
- 136. Suppression of Urine.
- 137. Calculus.
- 138. Stricture
- 139. Haematuria
- 140. Diseases of Bladder and Prostate.
- 141. Other Diseases of Urinary System.

Group 8.—DISEASES OF ORGANS OF GENERATION.

- 142. Ovarian Disease.
- 143. Diseases of Uterus and Appendages.
- 144. Paramenia.
- 145. Pelvic Abscess.
- 146. Perineal Abscess.
- 147. Diseases of Male Organs of Generation.

Group 9.—ACCIDENTS AND DISEASES OF REPRODUCTION.

- 148. Abortion, Miscarriage.
- 149. Puerperal Mania.
- 150. Puerperal Convulsions.
- 151. Placenta Previa.
- 152. Puerperal Hemorrhage.
- 153. Phlegmasia Dolens.
- 154. Other Accidents of Reproduction.

Group 10.—DISEASES OF OSSEOUS SYSTEM.

- 155. Diseases of the Joints.
- 156. Diseases of the Bones.
- 157. Other Diseases.

Group 11. DISEASES OF THE INTEGUMENT.

- 158. Carbuncle.
- 159. Phlegmon, Cellulitis.
- 160. Ulcer, Bed-Sore.
- 161. Other Diseases of the Integument.

CLASS VII.—DEATHS FROM VIOLENCE..

Group 1 —ACCIDENT, NEGLIGENCE, OR DOUBTFUL.

- 162. Fracture, Contusion.
- 163. Falling.
- 164. Gunshot Wounds.

Group 1.—*Concluded.*

- 165. Railway Injuries.
- 166. Cuts.
- 167. Burns and Scalds.
- 168. Poison.
- 169. Drowning.
- 170. Suffocation.
- 171. Various.
- 172. Lost at Sea.

Group 2.—HOMICIDE.

- 173. Murder, Manslaughter.

Group 3 —SUICIDE.

- 174. Gunshot Wounds.
- 175. Cut, Stab.
- 176. Poison.
- 177. Drowning.
- 178. Hanging.
- 179. Otherwise.

CLASS VIII —DEATHS FROM ILL-DEFINED CAUSES.

- 180. Heart Failure.
- 181. Dropsy.
- 182. Debility, Exhaustion.
- 183. Atrophy and Inanition.
- 184. Sunstroke.
- 185. Mortification.
- 186. Tumor.
- 187. Abscess.
- 188. Hemorrhage.
- 189. Sudden (Cause Unascertained.)
- 190. Not Specified, or Ill-Defined.

A registrar about to adopt a system of classification of the causes of death for his State must be very uncritical and easily satisfied to be pleased with any of the arrangements which he finds in use. In the various states of our Union, the classifications differ among themselves enough so that he who would compare the statistical results of one state with those of another must constantly be on the alert that the classes or groups of diseases compared, con-

tain the same individual causes of death. Recent investigations into the causes of diseases have so changed our conceptions of the nature of many of them that the existing nosologies appear antiquated. As Mr. Wynter Blyth has said, "the present classification was based upon an old—a dying—pathology."

Nevertheless, the compiler of this report deems it altogether out of place to attempt to satisfy himself with a rearrangement. He has, however, ventured a few changes which will, undoubtedly, place a few of the individual causes of death and groups of diseases more in line with the places to which they will be assigned in the future.

The most important innovation has been the placing of tuberculosis in its various forms, and syphilis, in the group of "Specific Neoplastic Diseases," a term which was, I believe, suggested by the Society of Medical Officers of Health of England. Zymotic Diseases has been retained as a convenient designation of the first class of causes of death; but as a name for the first group, or order, under this class, *infectious diseases* has been substituted for the objectionable term *miasmatic diseases*.

Minor changes are the removal of *croup* from the respiratory diseases and placing it after diphtheria, a position which it already occupies in the classification in use in some of the states. *Tonsillitis* has also been placed near diphtheria as a designation of certain affections, sometimes fatal, and not always differentiated with certainty from diphtheria. *Tetanus* is included with the infectious diseases and the *malarial diseases* have also been grouped with the infectious diseases. In some American lists of the causes of death they already occupy that position, but in the table in use by the registrar general of England these diseases form a group by themselves.

Under the diarrhœal diseases *infantile diarrhœa* is used instead of cholera infantum, and *scurvy* and *ricketts* are both placed under the dietetic diseases. In the group of diseases of the nervous system, *inflammation of the brain or its membrane*, as used in the English tables, is much better than some of the terms under which diseases of this kind are classed in this country.

CHAPTER 118—LAWS OF 1891.

AN ACT to provide for the Registration of Vital Statistics.

Be it enacted by the Senate and House of Representatives in Legislature assembled, as follows :

SECTION 1. The secretary of the State Board of Health shall be the registrar of vital statistics for the State, and shall furnish to clergymen, and others authorized to marry, to sextons, to physicians, town clerks, clerks of the society of Friends, and to clerks of courts, a copy of this act, and suitable blanks for recording births, marriages, deaths and divorces, so printed, with appropriate headings, as readily to show the following facts and such others as may be deemed necessary to secure an accurate registration.

I. The record of a birth shall state its date and place of occurrence, full Christian and surname, if named, color and sex of child, whether living or still-born, and the full Christian and surnames, color, occupation, residence and birthplace of parents.

II. The record of a marriage shall state its date and place of occurrence, the name, residence, and official character of the person by whom solemnized. the full Christian and surnames of the parties, the age, color, occupation, and residence of each, the condition, whether single or widowed, whether first, second or other marriage; and the full Christian and surnames, residence, color, occupation, and birthplace of their parents.

III. The record of a death shall state its date, the full Christian and surname of the deceased, the sex, color, condition, whether single or married, age, occupation, place of birth, place of death, the full Christian and surnames and birthplaces of parents, and the disease or other cause of death, so far as known.

SECTION 2. The attending physician, accoucheur, midwife, or other person in charge, who shall attend at the birth of any child, living or still-born, within the limits of any town or city in this State, shall report to the clerk of such town or city within six days

thereafter, all the facts regarding such birth, as required in section one of this act.

SECTION 3. Every person authorized to unite persons in marriage shall make a record of every marriage solemnized before him, in conformity with the requisitions prescribed for blank records of marriages in section one of this act, and shall within six days thereafter, deliver or forward to the clerk of each town in which the marriage intention was recorded, a copy of such record of marriage.

SECTION 4. Whenever any person shall die, or any still-born child shall be brought forth in this State, the undertaker, town clerk, or other person superintending the burial of said deceased person, shall obtain from the physician attending at such bringing forth or last sickness, a certificate, duly signed, setting forth as far as may be, the facts required in the record of a death, according to section one of this act; and it shall be the duty of the undertaker, or other person having charge of the burial of said deceased person, to add to said certificate the date and place of the proposed burial; and having duly signed the same, to forward it to the clerk of the town or city and obtain a permit for burial; and in case of any contagious or infectious disease, said certificate shall be made and forwarded immediately.

SECTION 5. In case of any deceased person not having had the attendance of a physician in his or her last sickness, the town clerk may issue and sign the certificate of death, upon presentation of such facts as may be obtained of relatives, persons in attendance upon said deceased person during said last sickness, or present at the time of death, and the permit for burial shall be issued upon such information. Said certificate and permit shall not be required before burial in cases where it is impracticable to obtain the same within a reasonable time after death, but in all such cases, said certificate shall be obtained as soon as practicable after death.

SECTION 6. Parents shall give notice to the clerk of their city or town of the births or deaths of their children; every householder shall give notice of every birth and death happening in his house; the eldest person next of kin shall give such notice of the death of his kindred; the keeper of a workhouse, house of correction, prison, hospital, almshouse, or other institution, and the master or other commanding officer of a ship, shall give like notice

of every birth or death happening among the persons under his charge.

SECTION 7. Except as provided in section five, no interment or disinterment of the dead body of any human being, or disposition thereof in any tomb, vault or cemetery, shall be made without a permit as aforesaid, from the clerk of the town or city, nor otherwise than in accordance with such permit. No undertaker or other person shall assist in, assent to, or allow any such interment or disinterment to be made, except as provided in section five, until such permit has been given as aforesaid; and it shall be the duty of every undertaker or other person having charge of any burial place as aforesaid, who shall receive such permit, to preserve and return the same to the clerk of the town within six days after the day of burial.

SECTION 8. The town or city clerk shall appoint two suitable and proper persons, in each town or city, as sub-registrars, who shall be authorized to issue burial permits based upon a death certificate, as hereinbefore provided, in the same manner as is required of the town or city clerk; and the said record of death upon which the permit is issued shall be forwarded to the town clerk within six days after receiving the same, and all permits by whomsoever issued shall be returned to the town clerk as required by section seven of this act. The appointment of sub-registrars shall be made with reference to locality, so as to best suit the convenience of the inhabitants of the town, and such appointment shall be in writing and recorded in the office of the town or city clerk.

SECTION 9. Town clerks and sub-registrars may issue burial permits to persons in contiguous towns, when by so doing it would be more convenient for those seeking a permit, but in all cases the permit shall be made returnable to the town clerk of the town in which the death occurred.

SECTION 10. The assessors shall, when taking the annual inventory, collect and return to the town clerk, before the first day of June, the births which have occurred within their respective jurisdictions, during the year ending December thirty-first next preceding, together with the names of such children.

SECTION 11. The clerk of every town shall keep a chronological record of all births, marriages, and deaths reported to him, and shall annually, in the month of June, transmit a copy of the record of all births, marriages, and deaths occurring during the year end-

ing December thirty-first next preceding such said report, to the State registrar, together with the names, residences, and official stations of all such persons as have neglected to make returns to him in relation to the subject matters of such records, which the law required them to make, all to be made upon blanks to be prepared and furnished by the State registrar.

SECTION 12. The clerk of courts for the several counties shall, annually, during the month of February, make returns to the registrar of vital statistics in relating to libels for divorce in their respective counties for the calendar year next preceding. Such returns shall specify the following details; the number of divorces granted, and the names of the parties including the maiden name, and any other former name of female, if any, when ascertainable.

SECTION 13. The State registrar shall cause the returns made to him in pursuance of the preceding sections eleven and twelve to be arranged, alphabetical indexes of all the names contained therein to be made, and the whole bound in convenient volumes and carefully preserved in his office. He shall annually make and publish a general abstract and report of the returns of the preceding year in such a form as will render them of practical utility, not more than one thousand five hundred copies of which shall be printed and bound in cloth, one copy of which shall be forwarded to every town, one copy to each senator and representative, one copy to each state and territory in the Union, and the remainder to such departments, libraries, and persons as the State registrar shall direct.

SECTION 14. The sum of one thousand dollars per annum, or as much thereof as may be necessary, is hereby appropriated for printing and binding the circulars and blanks, for postage, and to defray the expenses of clerical work in carrying out the provisions of this act.

SECTION 15. The town clerk's record of any birth, marriage or death, or a duly certified copy thereof, shall be *prima facie* evidence of such birth, marriage or death, in any judicial proceeding.

SECTION 16. If any person shall willfully neglect or refuse to perform any duty imposed upon him by the provisions of this act, he shall be fined not more than one hundred dollars for each offense, for the use of the town in which the offense occurred, and it shall be the duty of the State registrar to enforce this section as far as comes within his power, and when the State registrar knows, or

has good reason to believe, that any penalty or forfeiture under this act has been incurred, he shall at his discretion, forthwith give notice thereof, in writing, to the county attorney of the county in which said penalty or forfeiture has occurred, which notice shall state as near as may be, the time of such neglect, the name of the person or persons incurring the penalty or forfeiture, and such other facts relating to the default of duty as said State registrar may have been able to learn, and upon receipt of such notice the county attorney shall prosecute the defaulting person or persons.

SECTION 17. The clerk of each city or town shall be paid by such city or town for receiving, recording and returning the facts required to be recorded by this act, the sum of fifteen cents for each birth, marriage and death, and for each birth or death duly reported to the town clerk, physicians shall receive twenty-five cents from the town in which the birth or death has occurred.

SECTION 18. This act shall take effect and be in force on and after the first day of January, eighteen hundred and ninety-two, and all acts and parts of acts inconsistent with this act, are hereby repealed.

[Approved March 30, 1891.]

LIST OF TABLES.

	PAGE.
Table No. 1.—Population of the State by Counties in 1890 and in 1880	6
Table No. 2.—Population of 1890; Births, Marriages and Deaths with the Rate of Each to 1,000 of population for the year ending December 31, 1892.....	7
Table.—Summary of Births, Marriages, and Deaths	8
Table No. 3.—Births and Deaths in each County	9
Table No. 4.—Births and Deaths in the Cities	10
Table No. 5.—The Number of Towns in each County in which the Births exceeded the Deaths and vice versa....	11
Table No. 6.—Births, Marriages, and Deaths by Counties and Towns.....	12-69
Table No. 7.—Births, Marriages, and Deaths by Counties	70-71
Table No. 8.—Births by Counties, showing the proportion of males to females	72
Table No. 9.—Births by Sex and Months, by Counties	73
Table No. 10.—Births in Cities, with the rate per 1,000 population	74
Table No. 11.—Percentage of American and Foreign Births by Counties	75
Table No. 12.—Percentage of American and Foreign Births by Cities.....	76
Table No. 13.—Twin Births by Months and Counties	77
Table No. 14.—Twin Births by Sex and Parentage, by Counties .	78
Table No. 15.—Stillbirths by Sex and Parentage, by Counties...	79
Table No. 16.—Stillbirths by Seasons	80
Table No. 17.—Marriages by Counties and Nativity.....	85
Table No. 18.—Marriages by Months and Counties.....	86
Table No. 19.—Marriages by Ages and Counties	87
Table No. 20.—Interesting Facts in Relation to Marriage	88, 89
Table No. 21.—Divorces decreed by the Supreme Court of Maine in the year 1892.....	92, 93
Table No. 22.—Divorces by Causes, Sex of Libellants, and the number of years married	94

	PAGE.
Table No. 23.—The Number of Deaths in the State and in each County, arranged by Classes and Groups	96-103
Table No. 24.—Deaths in each Town from Special Causes, mostly Infectious Diseases	104-143
Table No. 25.—Deaths in each Town from Certain Diseases and Groups of Diseases	144-183
Table No. 26.—Deaths by Ages, Sex, and Months by Counties .	184, 185
Table.—Deaths at Various Age-Groups: Maine and Massachusetts	188, 189
Table.—Zymotic Death-Rates in Maine and elsewhere	190
Table.—Seven Zymotic Diseases by Counties	191
Table.—Zymotic Diseases by Cities	192
Table.—Influenza by Counties and Months	195
Table.—Diphtheria by Counties and Months	197
Table.—Croup by Counties and Months	198
Table.—Typhoid Fever by Counties and Months	200
Table.—Consumption by Counties and Months	202
Table.—Infantile Diarrhœa by Counties and Months	204
Table.—Cancer by Counties and Age-Groups	206
Table.—Old Age by Counties	207
Table.—Apoplexy by Months, Quarters, and Age-Periods	208
Table.—Diseases of the Heart by Ages and by Sex	209
Table.—Diseases of the Heart by Counties	209
Table.—Pneumonia by Counties and Months	211
Table.—Bronchitis by Counties and Months	212
Table.—Peritonitis by Months and Age-Periods	214
Table.—Bright's Disease by Counties	215
Table.—Suicides by Ages, Months, and Counties	217

I N D E X

	PAGE.
Accidents.....	215
Act to provide for the registration of vital statistics, an	227
Age and mortality	187
Apoplexy.....	207
Apoplexy, by months and age-periods.....	208
Appendicitis	214
Birth-rates	81
Births and deaths compared by counties	9
relation of	8
Births and season.....	82
by sex and months, by counties.....	73
by state and counties	7
in cities, with rate per 1,000.....	74
marriages and deaths, by counties.....	70, 71
by counties and towns.....	12, 69
notes on	81
parentage of	81
percentage of American and foreign, by cities	76
percentage of American and foreign, by counties.....	75
proportion of males to femals.....	72
Brain or membranes, inflammation of.....	207
softening of	208
Bright's disease.....	215
Bronchitis	212
by counties and months	212
Cancer.....	205
by counties and age-groups	206
Causes of death, classification of.....	218
the.....	189
Cerebral tuberculosis.....	201
Cerebro-spinal meningitis	198
Childbirth	215
Cirrhosis of the liver	215

	PAGE.
Cities, births and deaths in.....	10
Classification of the causes of death.....	218
Constitutional diseases.....	205
Consumption.....	201
by counties and months.....	201
Counties, marriages and deaths in.....	7
Croup.....	197
by counties and months.....	198
Death-rates compared.....	186
Deaths and the causes of death.....	186
by ages, sex and months, by counties.....	184, 185
by State and counties.....	7
classification by causes.....	96-103
in each town from certain diseases and groups of diseases.....	144-183
in each town from infectious diseases.....	104-143
the causes of.....	189
Diabetes.....	206
Diarrhœal diseases.....	203
Dietetic diseases.....	205
Digestive system, diseases of the.....	214
Diphtheria.....	196
by counties and months.....	197
Diseases of the heart.....	209
Divorces by causes and sex of libellant.....	94
decreed in 1892.....	92, 93
notes on.....	95
Epilepsy.....	208
Hemiplegia.....	208
Homicide.....	216
Infantile death-rates.....	189
diarrhœa.....	203
by counties and months.....	204
Infectious diseases.....	193
deaths from, in each town.....	104-143
Influenza.....	193
by counties and months.....	195
Law relating to the registration of vital statistics.....	227
Malarial diseases.....	200
Marriages, ages at.....	90
by ages and counties.....	87
by counties and nativity.....	85
by months and counties.....	86
by state and counties.....	70.

	PAGE.
Marriages, interesting facts about	88, 89
notes on.....	90
Married, nativity of persons.....	90
Measles.....	193
Nephritis	215
Nervous system, diseases of	207
Notes on births	81
deaths and the causes of deaths.....	186
divorces	95
marriages.....	90
Old age.....	206
by counties	207
Paralysis	208
Peritonitis	214
Pleurisy	213
Pneumonia.....	210
by counties and months.....	211
Population, gain or loss in each county	6
in each county	6
Pulmonary tuberculosis	201
Respiratory diseases, the acute in Maine and elsewhere.....	213
system, diseases of the	210
Rheumatism	205
Scarlet fever.....	193
Seasons and mortality.....	186
Septic diseases	204
Sex and mortality.....	187
Small-pox	193
Stillbirths	83
by seasons.....	80
by sex and parentage.....	77
Suicide	216
by ages, months and counties	217
Tetanus	199
Tuberculosis.....	201
cerebral	201
pulmonary.....	201
mesenteric.....	203
other forms.....	203
Twin births.....	82
by months and counties.....	77
by sex and parentage	78
Typhoid fever.....	199
by counties and months.....	200

	PAGE.
Urinary system, diseases of the.....	215.
Whooping-Cough	195.
Zymotic death-rates.....	190.
diseases.....	190.
by cities	192.
seven, by counties	194.