

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

Public Documents of Maine:

BEING THE

ANNUAL REPORTS

OF THE VARIOUS

Public Officers and Institutions

FOR THE YEAR

1896.

VOLUME IV.

AUGUSTA
KENNEBEC JOURNAL PRINT
1897

THIRD ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES,
AND DEATHS

IN THE

STATE OF MAINE

FOR THE

YEAR ENDING DECEMBER 31, 1894.

AUGUSTA :

BURLEIGH & FLYNT, PRINTERS TO THE STATE.
1896.

DEPARTMENT OF VITAL STATISTICS.

OFFICE OF THE REGISTRAR, }
AUGUSTA, ME., August 26, 1896. }


*To His Excellency, Henry B. Cleaves, Governor, and the Honorable
Executive Council:*

GENTLEMEN—In accordance with the provisions of the law, I have the honor of submitting to you the Third Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1894.

Very respectfully,

A. G. YOUNG, M. D.,

Registrar of Vital Statistics.



THE SHADED PARTS INDICATE THE UNSETTLED,
OR TIMBERED PORTIONS OF
THE STATE.

REGISTRATION REPORT, 1894.

This report is for the year 1894. According to the provisions of the law, the returns from town clerks of the births, marriages, and deaths which occurred in that year are not made until the month of June, 1895. While most of the town clerks make their returns very promptly, a smaller number have not done so, and from some of them the returns have come only after repeated notifications. The extreme delay of a very few clerks has compelled me to put their cases into the hands of the county attorneys.

After their receipt in this office, the returns from every town are counted and then they undergo successively, several critical examinations for the purpose of determining whether each return is properly signed by the town clerk; whether each birth, marriage, or death occurred within the calendar year for which the returns are received; whether each occurred within the city or town whose clerk has sent them; whether each blank is fully and correctly filled, and whether there are indications of carelessness and the absence of facts which might have been obtained.

If the count in this office does not agree with that returned by the town clerk, the discrepancy must be investigated; if unsigned returns are found, copies are made and sent to the clerks for signature; if dates are other than that of the year for which the returns are made, doubt necessitates inquiries of the local registrars; the careful examination of "place" is for the purpose of excluding duplicates from the tabulations, particularly duplicates of marriages; if any of the more important facts of a record are wanting, or there is doubt as to the real cause of death, or uncertainty in other directions, the town clerk or other person to whom the matter is properly referable, receives an "abstract" of the record which he is requested to fill out and return. The additional facts thus

collected are added in red ink that the additions made in this office may be distinguished from the original facts of the record.

It is thus that, after several months of this necessary work, the returns are made ready for the tabulation for the report. This work and the delay which it causes is indispensable. The first demand in reports on vital statistics is the elimination, so far as possible, of errors and deficiencies, and the same assertion is emphatically true of the central records which are to remain permanently in the State House, and which will become more and more valuable with each year's accessions to them.

The foregoing is written in no apologetic spirit, but as a statement due to those who think that "timeliness" should be above all other considerations in reports of all kinds. In a report of this kind, which is prepared as a work which many classes of persons will consult for various purposes in the years to come, as well as in the year of its publication, the nearest possible approach to truth in every tabular or other statement is the first desideratum; the earliest practicable appearance of the work is a secondary one.

Population.—The population of the State of Maine in 1890 was, as given by the eleventh census, 661,086. In 1880, the population of the State was 648,936. There was, therefore, a gain of 12,150 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1880 and in 1890, and the gain or loss in each.

TABLE No. 1.
Population in 1890 and 1880.

Counties.	1890.	1880.	Difference.
Androscoggin	48,968	45,042	3,926 gain
Aroostook	49,589	41,700	7,889 gain
Cumberland	90,949	86,359	4,590 gain
Franklin	17,053	18,180	1,127 loss
Hancock	37,312	38,129	817 loss
Kennebec.....	57,012	53,058	3,954 gain
Knox	31,473	32,863	1,390 loss
Lincoln	21,996	24,821	2,825 loss
Oxford	30,536	32,627	2,041 loss
Penobscot	72,865	70,476	2,389 gain
Piscataquis	16,134	14,872	1,262 gain
Sagadahoc	19,452	19,272	180 gain
Somerset.....	32,627	32,333	294 gain
Waldo	27,759	32,463	4,704 loss
Washington	44,482	44,484	2 loss
York	62,829	62,257	572 gain
	661,086	648,936	12,150 gain

Sex.—Table No. 2 shows the distribution of the population of Maine by age-groups and by sex, as determined by the census of 1890, and Table No. 3 gives the ratio of the sexes at the two last census enumerations, not only for the State of Maine, but for the other New England States as well. It will be noted that, at the last census enumeration, the number of females in the State of Maine was smaller than that of the males, that this was true in Vermont at both census periods, and that in the other states there has been an excess of females in both census years.

TABLE No. 2.
Population of Maine in 1890—Distribution by Age and Sex.

Age-Groups.	Total.	Males.	Females.
Under 1.	11,158	5,807	5,351
1 to 5	46,613	23,842	22,771
5 to 10	61,653	31,154	30,499
10 to 15	62,375	31,967	30,408
15 to 20	64,864	32,340	32,524
20 to 30	112,172	55,613	56,559
30 to 40	89,717	45,432	44,285
40 to 50	73,310	36,304	37,006
50 to 60	61,112	30,651	30,461
60 to 70	42,576	21,809	20,767
70 to 80	24,824	12,538	12,286
80 to 90	7,982	3,572	4,410
90 to 100	832	298	534
100 and over.....	16	5	11
Age unknown.....	1,882	1,258	624
Totals	661,086	332,590	328,496

TABLE No. 3.

Distribution of the Population by Sexes.—Census of 1880 and 1890,
with Ratio of Females to 1,000 Males in each State.*

	1880.				1890.			
	Males.	Females.	Females to 1,000 males.	Total.	Males.	Females.	Females to 1,000 males.	Total.
Maine	324,058	324,878	1,003	648,936	332,590	328,496	987	661,086
New Hampshire ..	170,526	176,465	1,035	346,991	186,566	189,964	1,018	376,530
Vermont	166,887	165,399	991	332,286	169,327	163,095	963	332,422
Massachusetts ...	858,440	924,645	1,077	1,783,085	1,087,709	1,151,234	1,058	2,238,943
Rhode Island	133,030	143,501	1,079	276,531	168,025	177,481	1,056	345,506
Connecticut	305,782	316,918	1,036	622,700	369,538	376,720	1,020	746,258
New England	1,958,723	2,051,806	1,048	4,010,529	2,313,755	2,386,990	1,032	4,700,745

* From summary of vital statistics of the New England states.

Density of Population.—Table No. 4 shows the comparative density of the population in the several New England States at the last two census enumerations. The extremes of density were in Maine and Rhode Island, there being in 1890, 22.1 persons per square mile in Maine, and 318.4 per square mile in Rhode Island.

TABLE No. 4.

Density of the Population.—Census of 1880 and 1890.

	Area in square miles.	Population in 1880.	Persons to square mile —1880.	Population in 1890.	Persons to square mile —1890.
Maine	29,895	648,936	21.7	661,086	22.1
New Hampshire.....	9,005	346,991	38.5	376,530	41.8
Vermont	9,135	332,286	36.4	332,422	36.4
Massachusetts	8,040	1,783,085	221.8	2,238,943	278.5
Rhode Island	1,085	276,531	254.9	345,506	318.4
Connecticut	4,845	622,700	128.5	746,258	154.0
New England.....	62,005	4,010,529	64.7	4,700,745	75.8

Total area 66,465 miles, of which 4,460 or 6.7 per cent is water.

In our own State, as is shown in the map which accompanies this report, a large part of some of the counties is unsettled and covered with forest. This timbered region is represented by the shaded portion of the map. It results, therefore, that the degree of density differs quite widely in the different counties. The following is a tabular statement of the comparative density of the population in the several counties.

TABLE No. 5.
Density of the Population.—Census of 1890.

Counties.	Area in square miles.	Population in 1890.	Persons to square mile in 1890.
Androscoggin	485	48,968	100.9
Aroostook	6,700	49,589	7.4
Cumberland	1,005	90,949	90.4
Franklin	1,660	17,053	10.2
Hancock	1,312	37,312	28.4
Kennebec	888	57,012	64.2
Knox	328	31,474	95.9
Lincoln	520	21,996	42.3
Oxford	1,892	30,586	16.2
Penobscot.....	3,332	72,865	21.9
Piscataquis	3,772	16,134	4.3
Sagadahoc	260	19,452	74.8
Somerset.....	3,664	32,627	8.9
Waldo	705	27,759	39.4
Washington.....	2,452	44,482	18.1
York.....	920	62,829	68.3
State.....	29,895	661,086	22.1

Birth, Marriage, and Death Rates.—In this report the birth-rates, marriage-rates, and death-rates from all causes, are stated as so many among each 1,000 of the population as shown by the census of 1890.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 6.

Population of 1890; Births, Marriages and Deaths, with Rate of each to 1,000 of Population for the Year ending December 31, 1894.

Counties.	Population in 1890.	Births.	Birth rate per 1,000.	Marriages.	Marriage-rate per 1,000 persons married.	Deaths.	Death-rate per 1,000.
Androscoggin	48,968	1,079	22.03	456	18.62	941	19.22
Aroostook	49,589	1,750	35.84	492	19.84	657	13.46
Cumberland	90,949	2,032	22.34	757	16.64	1,690	18.57
Franklin	17,053	328	19.43	166	19.46	276	16.35
Hancock	37,312	750	22.07	327	17.52	553	16.27
Kennebec	57,012	997	17.49	478	16.76	1,132	19.86
Knox	31,473	600	19.05	270	17.16	509	16.18
Lincoln	21,996	362	16.50	143	13.00	341	15.50
Oxford	30,586	564	18.54	217	4.20	470	15.45
Penobscot	72,865	1,444	19.89	631	17.32	1, 92	16.40
Piscataquis	16,134	288	18.19	144	17.84	214	13.52
Sagadahoc	19,452	367	18.87	131	13.46	290	14.91
Somerset	32,627	553	17.14	285	17.48	520	16.12
Waldo	27,759	390	14.04	226	16.28	444	16.00
Washington	44,482	1,106	25.62	414	18.62	636	14.39
York	62,829	1,330	21.17	454	14.46	1,147	18.26
State	661,086	13,940	21.09	5,591	16.92	11,012	16.66

The following is a general summary of the births, marriages, and deaths in 1894 :

BIRTHS.

Sex.		Parentage.	
Males	7,107	American	8,887
Females	6,787	Foreign	2,716
Not stated	46	One parent foreign	2,085
	13,940	Not stated	252
			13,940
Whole number of births.....			13,940
Birth-rate per 1,000.....			*21.09

* Birth-rates, marriage-rates, and death-rates, based on the population for 1890.

MARRIAGES.

Groom and bride both American.....	3,866
Groom and bride both foreign.....	577
Groom American, bride foreign.....	405
Groom foreign, bride American.....	431
Not stated.....	312
Whole number of marriages	5,591
Marriage rate per 1,000.....	8.46

DEATHS.

Sex.		Parentage.	
Males	5,570	American.....	9,311
Females.....	5,422	Foreign	1,252
Not stated	20	Not stated	449
	11,012		11,012
Whole number of deaths.....			11,012
Death-rate per 1,000 of population.....			16.66

Relation of Births to Deaths.—As the total number of births registered in Maine in the year 1894 was 13,940 and the number of deaths was 11,012, the natural increase of births over deaths was 2,928.

In the following table it appears that, in some of the counties, there has been a natural loss of population due to the fact that the number of registered deaths exceeds the number of births.

TABLE No. 7.

Counties.	Population in 1890.	Births.	Deaths.	Difference.
Androscoggin	48,968	1,079	941	138 gain
Aroostook	49,589	1,750	657	1,093 gain
Cumberland	90,949	2,032	1,690	342 gain
Franklin	17,053	328	276	52 gain
Hancock	37,312	750	553	197 gain
Kennebec	57,012	997	1,132	135 loss
Knox	31,473	600	509	91 gain
Lincoln	21,996	362	341	21 gain
Oxford	30,586	564	470	94 gain
Penobscot	72,865	1,444	1,192	252 gain
Piscataquis	16,134	288	214	74 gain
Sagadahoc	19,452	367	290	77 gain
Somerset	32,627	553	520	33 gain
Waldo	27,759	390	444	54 loss
Washington	44,482	1,106	636	470 gain
York	62,829	1,330	1,147	183 gain
State	661,086	13,940	11,012	2,928 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following :

TABLE No. 8.

Cities.	Population in 1890.	Births.	Deaths.	Difference.
Auburn	11,250	176	176	
Augusta	10,527	222	*316	94 loss
Bangor	19,103	329	384	55 loss
Bath	8,723	203	139	64 gain
Belfast.....	5,294	32	84	52 loss
Biddeford	14,443	518	303	215 gain
Brewer	4,193	104	80	24 gain
Calais	7,290	235	114	121 gain
Deering.....	5,353	110	94	16 gain
Eastport.....	4,908	112	109	3 gain
Ellsworth	4,804	72	77	5 loss
Gardiner.....	5,491	101	88	13 gain
Hallowell.....	3,181	68	37	31 gain
Lewiston	21,701	589	483	106 gain
Old Town.....	5,312	137	95	42 gain
Portland.....	36,425	867	757	110 gain
Rockland	8,174	155	128	27 gain
Saco.....	6,075	123	112	11 gain
Waterville.....	7,107	202	167	35 gain
Westbrook	6,632	254	109	145 gain
Total.. ..	195,986	4,609	3,552	757 gain

* Including 104 deaths in the Insane Hospital.

Of the 523 cities, towns, and plantations represented in this report, the births exceed the deaths in 326, while in 157 the number of deaths is greater than the number of births.

TABLE No. 9.

Counties.	Towns in which the births exceed the deaths.	Towns in which the deaths exceed the births.	Towns in which they are equal.	Total.
Androscoggin	5	8	1	14
Aroostook	61	5	3	69
Cumberland	13	12	1	26
Franklin	18	7	3	28
Hancock	24	11	-	35
Kennebec	7	22	1	30
Knox	8	5	4	17
Lincoln	9	7	2	18
Oxford	27	12	1	40
Penobscot	45	16	2	63
Piscataquis	15	5	6	26
Sagadahoc	6	4	1	11
Somerset	23	10	6	39
Waldo	11	12	3	26
Washington	44	4	6	54
York	10	17	-	27
State	326	157	40	523

A comparison of the tables already given offers interesting suggestions as to the conditions which are influencing gain or loss of population in the different parts of the State. Generally it may be said that in the older counties in which agriculture is the leading industry and in which large manufacturing centers are absent, the census enumeration shows either a loss or only a very slight gain in population. In the same places, the town clerks' returns exhibit generally either a preponderance of deaths over births, or only a slight excess in the number of births, as compared with the number of deaths.

TABLE
Births, Marriages and Deaths
ANDROSCOGGIN

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn	11,250	90	85	1	176	15.64	90	57	13	13	3
Durham	1,111	10	4	-	14	12.60	10	1	1	2	-
East Livermore	1,506	13	10	1	24	15.94	14	6	2	2	-
Greene	885	3	11	-	14	15.82	11	2	1	-	-
Leeds	999	14	9	-	23	23.02	19	-	3	1	-
Lewiston	21,701	295	294	-	589	27.14	119	404	32	30	5
Lisbon	3,120	53	57	-	110	35.26	47	46	8	7	1
Livermore	1,151	2	8	-	10	8.69	9	1	-	-	-
*Mechanic Falls	-	16	11	-	27	-	22	3	-	1	1
Minot	1,355	6	1	-	7	5.17	6	-	-	1	-
Poland	2,472	8	15	1	24	9.71	20	1	-	3	-
Turner	2,016	17	14	-	31	15.38	27	1	3	-	-
Wales	451	3	3	-	6	13.30	5	-	-	1	-
Webster	951	16	8	-	24	25.24	13	5	2	3	1
Total	48,968	546	530	3	1079	22.03	412	527	65	64	11

* Incorporated in 1893.

No. 10.
for the Year 1894.
COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
80	4	6	3	6	99	82	93	1	176	149	20	7	15.64
2	-	-	1	-	3	16	10	-	20	20	-	-	18.00
18	4	-	4	-	26	10	20	-	30	26	4	-	19.92
6	-	1	-	1	8	13	10	-	23	21	2	-	25.99
6	-	-	-	-	6	8	11	-	19	19	-	-	19.02
81	86	25	21	4	217	230	252	1	483	347	125	11	22.26
12	6	4	6	-	28	24	29	-	53	44	5	4	16.99
7	-	-	-	-	7	6	6	-	12	11	1	-	10.43
14	-	3	-	1	18	16	13	-	29	29	-	-	-
3	-	-	-	-	3	11	4	-	15	14	1	-	11.07
13	1	-	-	-	14	13	17	-	30	29	1	-	12.14
12	-	1	-	1	14	19	16	-	35	31	2	2	15.38
2	-	-	-	-	2	2	-	-	2	2	-	-	4.43
11	-	-	-	-	11	7	6	1	14	10	2	2	14.72
267	101	40	35	13	456	451	487	3	941	752	163	26	19.22

TABLE
Births, Marriages and Deaths
AROOSTOOK

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both Foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity	420	2	4	-	6	14.28	3	-	1	1	1
Ashland	568	12	6	-	18	31.69	14	-	3	-	1
Bancroft ..	264	1	2	-	3	11.36	1	-	-	2	-
Benedicta	317	1	3	-	4	12.62	4	-	-	-	-
Blaine	784	7	12	-	19	24.23	4	4	6	5	-
Bridgewater ..	946	7	12	-	19	20.08	9	3	3	4	-
Caribou	4,087	109	80	-	189	46.24	75	37	43	33	1
Dyer Brook	221	6	-	-	6	27.15	4	1	-	-	1
Easton	978	11	8	-	19	19.43	9	5	1	4	-
Fort Fairfield.....	3,526	72	65	-	137	38.85	55	35	20	23	4
Fort Kent	1,826	43	46	-	89	48.74	47	16	10	14	2
Frenchville	2,560	94	98	-	192	75.00	188	-	-	-	4
Grand Isle	964	18	24	-	42	43.57	25	3	11	3	-
Haynesville.....	280	7	3	-	10	35.71	5	-	4	1	-
Hersey	151	-	1	-	1	6.62	-	1	-	-	-
Hodgdon	1,113	19	22	-	41	36.84	28	-	5	8	-
Houiton	4,015	35	37	-	72	17.93	19	23	12	10	8
Island Falls	223	7	10	-	17	76.23	8	4	1	4	-
Limestone	933	13	14	-	27	28.94	6	10	2	8	1
Linneus	965	17	8	-	25	25.91	12	3	6	4	-
Littleton	924	4	-	-	4	4.33	1	-	1	1	1
Ludlow	375	1	-	-	1	2.67	-	1	-	-	-
Madawaska	1,451	27	19	-	46	31.70	35	-	2	9	-
Mapleton	832	9	8	-	17	20.43	13	1	2	-	1
Mars Hill.....	837	8	9	-	17	20.31	6	4	4	3	-

No. 10—Continued.
for the Year 1894.
COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	1	1	-	2	2	-	-	4.76
4	1	-	3	-	8	3	3	-	6	6	-	-	10.56
1	1	-	1	-	3	1	2	-	3	2	-	1	11.36
1	-	-	1	-	2	1	3	-	4	-	4	-	12.62
4	4	3	2	3	16	10	8	-	18	10	7	1	22.96
2	2	2	2	1	9	3	2	-	5	3	2	-	5.29
28	14	17	22	-	81	33	49	-	82	59	23	-	20.06
-	-	-	-	-	-	4	-	-	4	3	1	-	18.10
6	3	-	-	-	9	4	1	-	5	5	-	-	5.11
19	5	5	8	1	38	25	24	-	49	37	11	1	13.90
18	-	3	2	-	23	16	15	-	31	25	6	-	16.98
17	2	2	3	-	24	29	25	-	54	53	1	-	21.09
5	-	-	4	-	9	7	10	-	17	14	3	-	17.63
2	-	2	-	1	5	1	-	-	1	-	1	-	3.57
1	-	-	-	-	1	1	1	-	2	-	2	-	13.24
3	-	-	-	-	3	3	5	-	8	5	3	-	7.18
17	24	16	13	2	72	14	18	-	32	20	6	6	7.97
6	2	1	1	-	10	3	8	-	11	11	-	-	49.33
3	3	4	1	-	11	4	2	-	6	4	2	-	6.43
2	1	-	1	-	4	3	8	-	11	9	2	-	11.40
2	1	1	-	-	4	1	3	-	4	2	2	-	4.33
-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	4	12	5	-	17	14	3	-	11.72
5	1	-	1	-	7	9	4	-	13	10	2	1	15.62
-	1	-	-	-	1	5	3	-	8	2	6	-	9.56

TABLE
Births, Marriages and Deaths
AROSTOOK

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Masardis	250	4	3	-	7	28.00	6	-	-	1	-
Monticello	1,132	15	19	-	34	30.04	10	8	12	4	-
New Limerick.....	567	3	6	-	9	15.87	3	4	-	2	-
Orient	244	6	2	-	8	32.79	4	-	1	3	-
Presque Isle	3,046	55	33	1	139	45.63	72	28	5	32	2
Sherman	909	22	13	-	35	38.50	31	-	2	2	-
Smyrna.....	303	3	6	-	9	29.70	3	-	2	3	1
Van Buren	1,168	21	28	-	49	41.95	25	7	9	8	-
Washburn.	1,097	21	14	-	35	31.91	18	1	6	8	2
Weston	404	4	5	-	9	21.27	5	1	-	3	-
Woodland	885	13	15	-	28	31.64	13	10	3	2	-
Allagash Pl.....	206	4	3	-	7	35.00	5	-	1	-	1
Cary Pl.	390	2	4	-	6	15.38	3	-	2	1	-
Castle Hill Pl....	537	6	7	-	13	24.21	10	-	1	1	1
Caswell Pl	212	3	-	-	3	14.15	-	2	1	-	-
Chapman Pl	231	5	9	-	14	60.61	11	1	1	1	-
Connor Pl.....	526	9	8	-	17	32.32	4	5	3	5	-
Crystal Pl.	297	6	4	-	10	33.67	8	-	2	-	-
Cyr Pl ...	429	10	15	-	25	58.28	8	3	6	7	1
Eagle Lake Pl.....	313	4	8	-	12	39.34	12	-	-	-	-
Garfield Pl.....	86	3	3	-	6	69.77	4	1	-	-	1
Glenwood Pl.....	183	-	1	-	1	5.46	-	1	-	-	-
Hamlin Pl.....	484	11	11	-	22	45.45	11	1	2	8	-
Hammond Pl.....	109	-	1	-	1	9.17	1	-	-	-	-
Letter A Pl.....	-	-	1	-	1	-	-	1	-	-	-

TABLE
Births, Marriages and Deaths
AROOSTOOK

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Macwahoc Pl.	216	2	2	-	4	18.52	2	-	1	-	1
Merrill Pl.	244	4	5	-	9	36.89	7	-	1	1	-
Molunkus Pl.	77	2	-	-	2	25.97	1	-	-	-	1
Moro Pl.	199	3	4	-	7	35.18	7	-	-	-	-
New Canada Pl.	301	10	10	-	20	66.45	7	3	4	6	-
New Sweden Pl.	707	9	7	-	16	22.63	-	16	-	-	-
Oakfield Pl.	720	23	11	1	35	48.61	18	5	5	6	1
Oxbow Pl.	94	5	2	-	7	74.47	5	-	-	2	-
Perham Pl.	438	5	6	-	11	25.11	5	3	2	-	1
Portage Lake Pl.	140	2	4	-	6	42.86	5	1	-	-	-
Reed Pl.	203	3	8	2	13	64.04	4	4	1	3	1
St. Francis Pl.	461	16	24	-	40	86.77	28	-	1	11	-
St. John Pl.	226	4	4	-	8	35.40	2	-	3	3	-
Silver Ridge Pl.	195	1	1	-	2	10.26	1	-	-	-	1
Wade Pl.	158	2	2	-	4	25.32	2	-	2	-	-
Wallagrass Pl.	595	17	14	1	32	53.78	23	3	2	4	-
Westfield Pl.	166	7	2	-	9	54.22	5	2	-	1	1
Westmanland Pl.	52	-	1	-	1	19.23	-	1	-	-	-
Winterville Pl.	72	3	1	-	4	55.56	2	1	1	-	-
Total ..	*48,826	878	867	5	1750	35.84	962	263	219	265	41

* Population in unorganized plantations, 763.

**No. 10—Continued.
for the Year 1894.
COUNTY—CONCLUDED.**

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	1	1	-	2	2	-	-	9.26
-	-	-	-	-	-	1	1	-	2	2	-	-	8.20
1	-	-	-	-	1	1	-	-	1	-	1	-	12.99
2	-	1	-	-	3	-	-	-	-	-	-	-	-
-	-	-	-	-	-	3	2	-	5	3	2	-	16.61
-	3	2	1	-	6	1	2	-	3	1	2	-	4.24
2	-	-	1	-	3	6	4	-	10	9	-	1	13.89
1	-	-	-	-	1	2	1	-	3	3	-	-	31.91
1	-	1	1	-	3	6	2	-	8	7	-	1	18.26
-	-	-	-	-	-	2	-	-	2	1	1	-	14.29
2	-	-	-	-	2	2	-	-	2	2	-	-	9.85
1	-	-	1	-	2	2	10	-	12	12	-	-	26.03
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	5.13
-	-	-	1	-	1	1	4	-	5	2	2	1	31.65
5	-	-	-	-	5	8	2	-	10	10	-	-	16.81
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	3	-	-	3	-	3	-	57.69
-	-	-	-	-	-	-	-	-	-	-	-	-	-
235	85	76	84	12	492	326	331	-	657	494	147	16	13.46

TABLE
Births, Marriages and Deaths
CUMBERLAND

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin	932	7	10	-	17	18.24	16	-	-	1	-
Bridgton	2,605	28	23	-	51	19.58	41	1	1	4	4
Brunswick	6,012	89	87	-	176	29.27	56	103	6	9	2
Cape Elizabeth	5,459	59	73	-	132	24.18	91	15	6	15	5
Casco	844	4	3	-	7	8.29	7	-	-	-	-
Cumberland	1,487	8	10	1	19	12.78	17	1	1	-	-
Deering	5,353	56	54	-	110	20.55	79	19	3	8	1
Falmouth	1,580	10	8	-	18	11.39	13	2	-	2	1
Freeport	2,482	30	25	-	55	22.16	51	-	-	4	-
Gorham	2,888	23	19	-	42	14.54	35	4	1	1	1
Gray	1,517	12	10	-	22	14.50	21	-	-	-	1
Harpswell	1,766	21	15	-	36	20.38	29	-	3	4	-
Harrison	1,071	10	4	-	14	13.07	14	-	-	-	-
Naples	846	6	5	-	11	13.00	10	-	-	1	-
New Gloucester	1,234	10	6	-	16	12.97	12	1	2	1	-
North Yarmouth	709	6	8	-	14	19.75	12	1	-	1	-
Otisfield	838	6	3	-	9	10.74	8	-	-	1	-
Portland	36,425	432	433	2	867	23.80	430	252	82	91	12
Pownal	712	6	3	-	9	12.64	5	1	-	1	2
Raymond	927	5	13	-	18	19.42	18	-	-	-	-
Scarboro	1,794	1	17	-	36	20.07	31	1	2	1	1
Sebago	681	4	6	-	10	14.68	8	-	-	1	1
Standish	1,841	10	14	-	24	13.04	20	2	1	1	-
Westbrook	6,632	129	125	-	254	38.30	82	137	13	20	2
Windham	2,216	18	16	1	35	15.39	26	5	1	1	2
Yarmouth	2,098	17	13	-	30	14.30	23	5	2	-	-
Total	90,949	1025	1003	4	2032	22.34	1155	550	124	168	35

No. 10—Continued.
for the Year 1894.
COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			Death rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
9	-	-	-	-	9	4	4	-	8	8	-	-	8.58
16	1	1	-	-	18	20	20	-	40	39	-	1	15.35
27	17	3	3	-	50	65	76	-	141	121	18	2	23.45
30	-	1	6	-	37	35	42	-	77	60	10	7	14.11
2	-	-	1	-	3	7	4	-	11	11	-	-	13.03
6	-	1	-	-	7	18	8	-	26	24	-	2	17.48
33	2	3	1	-	39	48	46	-	94	72	17	5	17.56
11	1	-	1	-	13	8	10	-	18	18	-	-	11.39
18	-	1	-	-	19	22	16	-	38	35	3	-	15.31
24	-	-	2	-	26	19	25	-	44	44	-	-	15.23
15	-	-	1	1	17	12	13	-	25	25	-	-	16.48
13	-	1	-	-	14	15	10	-	25	23	1	1	14.16
14	-	-	-	1	15	13	17	-	30	29	-	1	28.01
3	-	1	-	-	4	7	7	-	14	12	-	2	16.55
5	1	-	2	-	8	20	4	-	24	24	-	-	19.45
1	-	-	1	-	2	5	6	-	11	11	-	-	15.51
5	-	-	-	-	5	4	4	-	8	8	-	-	9.55
182	93	40	37	4	356	378	379	-	757	578	169	9	20.78
3	-	-	-	-	3	10	5	-	15	15	-	-	21.07
8	-	-	3	-	11	16	18	-	34	31	-	3	36.68
5	-	-	-	-	5	13	19	-	32	30	2	-	17.84
4	-	-	-	-	4	-	5	-	5	4	-	1	7.34
3	-	-	-	-	3	15	17	-	32	30	-	2	17.38
23	26	6	4	-	59	52	57	-	109	86	21	2	16.43
13	-	1	-	-	14	18	19	-	37	33	-	4	16.70
8	5	2	1	-	16	20	15	-	35	29	6	-	16.68
481	146	61	63	6	757	844	846	-	1,690	1,401	247	42	18.57

TABLE
Births, Marriages and Deaths
FRANKLIN

Towns.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Avon	439	3	4	-	7	15.95	7	-	-	-	-
Carthage	390	4	3	-	7	17.95	7	-	-	-	-
Chesterville.....	770	11	7	-	18	23.38	18	-	-	-	-
Eustis	321	5	6	-	11	34.27	10	1	-	-	-
Farmington	3,207	28	29	-	57	17.77	46	6	4	1	-
Freeman	464	6	6	-	12	25.86	9	-	1	2	-
Industry	545	4	3	-	7	12.84	6	-	-	-	1
Jay ..	1,541	16	15	1	32	20.77	13	16	1	1	1
Kingfield	601	9	4	-	13	21.63	13	-	-	-	-
Madrid	441	6	2	-	8	18.14	8	-	-	-	-
New Sharon.....	1,064	15	10	-	25	23.50	25	-	-	-	-
New Vineyard.....	660	6	4	-	10	15.15	10	-	-	-	-
Phillips	1,394	10	15	-	25	17.93	24	-	1	-	-
Rangeley	616	8	6	-	14	22.73	10	-	-	-	4
Salem	218	1	1	-	2	9.17	2	-	-	-	-
Strong.....	627	11	1	-	12	19.14	11	-	1	-	-
Temple	470	6	3	-	9	19.15	9	-	-	-	-
Weld	885	6	3	-	9	10.17	9	-	-	-	-
Wilton.....	1,622	12	17	-	29	17.88	25	1	3	-	-
Coplin Pl.....	71	1	2	-	3	42.25	3	-	-	-	-
Dallas Pl	184	6	7	-	13	7.07	13	-	-	-	-
Greenvale Pl.....	52	1	1	-	2	38.46	2	-	-	-	-
Letter E Pl.....	29	1	-	-	1	34.48	1	-	-	-	-
Lowell Pl	49	-	-	-	-	-	-	-	-	-	-
Perkins Pl	94	1	-	-	1	10.64	1	-	-	-	-
Rangeley Pl.....	58	-	-	-	-	-	-	-	-	-	-
Redington Pl	28	1	-	-	1	35.71	1	-	-	-	-
Sandy River Pl	45	-	-	-	-	-	-	-	-	-	-
Total	*16,885	178	140	1	328	19.43	283	24	11	4	6

* Population in unorganized plantations in 1890, 168.

No. 10—Continued.
for the Year 1894.
COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
-	-	-	-	-	-	1	1	-	2	2	-	-	4.56
5	-	-	-	-	5	2	2	-	4	4	-	-	10.26
5	-	-	-	-	5	4	7	-	11	11	-	-	14.28
2	-	-	-	-	2	7	3	-	10	8	2	-	31.15
37	1	1	3	-	42	42	30	-	72	71	-	1	22.45
3	-	-	-	-	3	4	3	-	7	7	-	-	15.00
9	-	-	-	-	9	3	9	-	12	9	-	3	22.01
5	-	-	1	-	6	11	11	-	22	21	1	-	14.27
7	-	-	-	-	7	2	5	-	7	7	-	-	11.64
3	-	-	1	-	4	1	4	-	5	4	-	1	11.34
12	-	-	1	-	13	15	14	-	29	28	-	1	25.76
7	-	-	-	-	7	10	7	-	17	16	1	-	27.27
26	-	-	2	-	28	11	13	-	24	24	-	-	17.22
6	-	-	1	-	7	6	2	-	8	7	-	1	12.99
-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	1	-	-	4	9	3	-	12	11	1	-	19.14
3	-	-	-	-	3	3	2	-	5	5	-	-	10.64
5	-	-	1	-	6	-	1	-	1	1	-	-	1.13
7	1	-	3	-	11	8	10	-	18	18	-	-	11.10
-	-	-	-	-	-	2	1	-	3	3	-	-	42.25
1	-	-	-	-	1	3	-	-	3	3	-	-	16.30
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	1	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-	17.24
-	-	-	-	-	-	2	-	-	2	2	-	-	71.43
-	-	-	-	-	-	1	-	-	1	1	-	-	22.22
148	2	2	14	-	166	147	129	-	276	264	5	7	16.35

TABLE
Births, Marriages and Deaths

HANCOCK

Towns.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Females.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst	375	8	2	-	10	26.67	7	-	2	-	1
Aurora	175	4	-	-	4	2.29	3	-	-	1	-
Bluehill	1,980	25	18	-	43	21.72	36	3	4	-	-
Brooklin	1,046	8	10	-	18	17.21	14	1	1	2	-
Brooksville	1,310	18	17	-	35	26.72	32	-	1	2	-
Bucksport.....	2,921	20	18	-	38	13.01	37	-	-	1	-
Castine	987	8	3	-	11	11.15	11	-	-	-	-
Cranberry Isles.....	330	3	2	-	5	15.15	5	-	-	-	-
Dedham	366	2	8	-	10	27.32	9	-	-	1	-
Deer Isle	3,422	48	37	-	85	24.84	79	1	3	1	1
Eastbrook	246	1	3	-	4	16.26	4	-	-	-	-
Eden.....	1,946	33	38	-	71	36.49	53	8	4	5	1
Ellsworth	4,804	33	39	-	72	14.99	65	3	3	-	1
Franklin	1,264	10	20	-	30	23.73	27	-	2	-	1
Gouldsboro	1,709	21	14	-	35	20.48	28	2	4	1	-
Hancock	1,190	12	6	-	18	15.13	17	1	-	-	-
Isle au Haut.....	206	4	1	-	5	24.27	5	-	-	-	-
Lamoine	726	5	4	-	9	12.40	9	-	-	-	-
Mariaville	271	4	2	-	6	22.14	6	-	-	-	-
Mount Desert.....	1,355	10	12	-	22	14.76	17	3	-	-	2
Orland... ..	1,390	6	11	-	17	12.23	16	-	-	-	1
Otis	239	2	2	-	4	16.74	4	-	-	-	-
Penobscot.....	1,313	14	11	-	25	19.04	23	-	1	1	-
Sedgwick	1,012	12	14	-	26	25.69	24	1	1	-	-

No. 10—Continued.
for the Year 1894.
COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			Death rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
6	-	-	-	-	6	3	2	-	5	5	-	-	13.33
2	-	-	-	-	2	-	1	-	1	1	-	-	5.71
12	-	-	-	-	12	10	13	-	23	22	-	1	11.62
3	-	-	1	-	4	8	7	-	15	15	-	-	14.34
12	-	-	-	-	12	19	14	-	33	33	-	-	25.19
23	-	1	-	-	24	21	23	-	44	39	5	-	15.06
10	-	1	-	-	11	2	3	-	5	5	-	-	5.07
3	-	-	-	-	3	5	2	-	7	7	-	-	21.21
1	-	1	-	-	2	3	4	-	7	7	-	-	19.13
30	-	1	1	-	32	37	23	-	60	58	1	1	17.50
-	-	-	-	-	-	3	2	-	5	4	1	-	20.33
13	1	2	8	6	30	12	24	-	36	33	-	3	18.50
36	1	3	7	1	48	42	35	-	77	70	7	-	16.03
3	-	1	1	-	5	13	6	-	19	16	2	1	15.03
14	-	-	1	-	15	18	13	-	31	31	-	-	18.14
5	-	1	-	-	6	8	11	-	19	17	-	2	15.95
1	-	-	-	-	1	-	1	-	1	1	-	-	4.86
2	-	-	-	-	2	6	6	-	12	12	-	-	16.53
3	-	-	-	-	3	1	2	-	3	3	-	-	11.07
18	-	1	-	-	19	8	11	-	19	18	-	1	14.02
6	-	-	1	-	7	11	8	-	19	18	1	-	13.67
-	-	-	-	-	-	2	-	-	2	-	2	-	8.37
10	-	-	-	-	10	9	6	-	15	15	-	-	11.42
7	-	-	1	-	8	8	6	-	14	13	1	-	13.83

TABLE
Births, Marriages and Deaths
HANCOCK

Towns.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Sullivan	1,379	14	22	-	36	26.11	28	5	2	1	-
Surry	986	7	8	-	15	15.21	14	-	-	1	-
Tremont	2,036	31	22	-	53	26.03	42	1	5	5	-
Trenton	528	1	2	-	3	5.68	1	-	-	-	2
Verona	323	4	5	-	9	27.86	8	-	-	-	1
Waltham	242	2	2	-	4	16.53	4	-	-	-	-
Long Island Pl	132	3	3	1	7	53.03	4	1	-	-	2
Plantation No. 8	31	-	1	-	1	32.26	1	-	-	-	-
Plantation No. 33	112	-	-	-	-	-	-	-	-	-	-
Swan Island Pl	632	13	5	-	18	28.48	17	1	-	-	-
Eagle Island	-	-	1	-	1	-	1	-	-	-	-
Total	*36,984	386	363	1	750	22.07	651	31	33	22	13

* Population in unorganized plantations in 1890, 328.

No. 10—Continued.
for the Year 1894.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
15	-	-	2	-	17	8	4	-	12	9	3	-	8.70
11	-	-	1	-	12	9	11	-	20	16	-	4	20.28
19	-	-	2	-	21	16	8	-	24	22	1	1	11.79
1	-	-	-	-	1	3	4	-	7	6	-	1	13.26
1	-	-	-	-	1	-	-	1	1	1	-	-	3.09
1	-	-	-	-	1	3	2	-	5	5	-	-	20.66
1	-	-	-	-	1	2	2	-	4	4	-	-	30.30
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	1	-	-	3	2	-	-	2	2	-	-	17.86
8	-	-	-	-	8	4	2	-	6	5	1	-	9.46
-	-	-	-	-	-	-	-	-	-	-	-	-	-
279	2	13	26	7	327	206	256	1	553	513	25	15	16.27

TABLE
Births, Marriages and Deaths
KENNEBEC

Towns.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion.....	1,042	11	5	-	16	15.36	15	-	-	-	1
Augusta.....	10,527	106	116	-	222	21.09	106	76	14	19	7
Belgrade.....	1,090	3	9	-	12	11.01	12	-	-	-	-
Benton.....	1,136	4	6	-	10	8.80	7	1	1	1	-
Chelsea.....	2,356	4	6	-	10	4.24	10	-	-	-	-
China.....	1,423	11	7	-	18	12.65	15	-	1	2	-
Clinton.....	1,518	16	13	-	29	19.10	25	-	-	3	1
Farmingdale.....	821	10	5	-	15	18.27	8	2	2	2	1
Fayette.....	649	4	6	-	10	15.41	10	-	-	-	-
Gardiner.....	5,491	48	53	-	101	18.39	73	16	4	7	1
Hallowell.....	3,181	29	38	1	68	21.38	37	19	3	8	1
Litchfield.....	1,126	11	4	-	15	13.32	15	-	-	-	-
Manchester.....	612	2	2	-	4	6.54	2	1	1	-	-
Monmouth.....	1,362	12	7	-	19	13.95	15	3	-	1	-
Mount Vernon.....	940	11	10	-	21	22.34	18	1	2	-	-
Oakland.....	2,044	15	14	-	29	14.19	27	1	-	1	-
Pittston.....	1,281	5	6	-	11	8.59	9	2	-	-	-
Randolph.....	1,281	6	13	-	19	14.83	11	3	-	3	2
Readfield.....	1,176	7	3	-	10	8.50	10	-	-	-	-
Rome.....	500	4	1	-	5	10.00	5	-	-	-	-
Sidney.....	1,334	7	4	-	11	8.25	10	-	-	1	-
Vassalboro.....	2,052	10	21	-	31	15.11	23	1	2	3	2
Vienna.....	495	3	1	-	4	8.08	4	-	-	-	-
Waterville.....	7,107	100	98	4	202	28.42	65	77	23	34	3

No. 10—Continued.
for the Year 1894.
COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	-	-	-	-	7	13	10	-	23	21	2	-	22.07
72	18	12	13	4	119	177	139	-	316	236	40	40	30.01
6	-	-	1	-	7	6	10	-	16	16	-	-	14.68
2	-	-	-	-	2	9	8	-	17	16	-	1	14.08
1	-	-	-	-	1	7	6	-	13	10	3	-	5.52
12	-	-	-	-	12	13	10	-	23	20	2	1	16.16
20	-	1	1	-	22	12	9	-	21	21	-	-	13.83
5	1	-	-	-	6	5	12	-	17	15	1	1	20.71
1	-	-	-	-	1	4	6	-	10	10	-	-	15.41
45	2	3	2	-	52	38	50	-	88	80	8	-	16.03
15	4	4	1	-	24	14	23	-	37	29	6	2	11.63
6	-	-	1	-	7	11	13	-	24	24	-	-	21.31
1	-	-	-	-	1	6	1	-	7	7	-	-	11.44
9	-	-	1	-	10	12	6	1	19	18	-	1	13.95
8	-	-	-	-	8	8	6	-	14	13	-	1	14.89
22	-	2	3	-	27	23	21	-	44	41	3	-	21.53
10	-	-	1	-	11	14	12	-	26	25	1	-	20.30
7	-	2	-	-	9	10	12	-	22	17	2	3	17.17
6	-	-	1	-	7	14	12	-	26	23	1	2	22.11
-	-	-	-	-	-	4	4	-	8	8	-	-	16.00
5	1	-	-	-	6	7	7	-	14	12	-	2	10.49
8	1	2	-	-	11	20	26	-	46	45	-	1	22.41
-	-	-	-	-	-	9	7	-	16	14	1	1	32.32
44	9	9	9	3	74	85	81	1	167	123	30	14	23.50

TABLE
Births, Marriages and Deaths
KENNEBEC

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both Foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Wayne	775	4	5	-	9	11.61	7	1	1	-	-
West Gardiner.....	853	-	4	-	4	4.69	4	-	-	-	-
Windsor	853	6	6	-	12	14.07	10	-	-	2	-
Winslow	1,814	23	25	-	48	26.46	22	16	1	3	6
Winthrop	2,111	20	11	-	31	14.68	21	7	-	3	-
Unity Pl.....	62	1	-	-	1	16.13	1	-	-	-	-
Total	57,012	493	499	5	997	17.49	597	227	55	93	25

No. 10—Continued.
for the Year 1894.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			Death rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	-	-	-	-	7	12	5	-	17	16	-	1	21.94
2	-	-	-	-	2	7	3	-	10	10	-	-	11.72
7	-	-	-	-	7	7	11	-	18	18	-	-	21.10
15	-	-	-	-	15	21	20	-	41	33	8	-	22.60
17	4	1	-	-	22	15	16	1	32	29	-	3	15.16
1	-	-	-	-	1	-	-	-	-	-	-	-	-
361	40	36	34	7	478	583	546	3	1,132	950	108	74	19.86

TABLE
Births, Marriages and Deaths
KNOX

Towns.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton...	1,080	9	7	-	15	13.89	15	-	-	-	-
Camden	2,471	22	22	-	44	17.81	36	4	2	2	-
Cushing	688	7	5	-	12	17.44	11	-	-	-	1
Friendship	877	5	6	-	11	11.40	10	-	1	-	-
Hope	641	6	2	-	8	12.48	7	-	1	-	-
Hurricane Isle.....	266	4	6	-	10	37.59	3	6	1	-	-
North Haven.....	552	5	6	-	11	19.93	11	-	-	-	-
Rockland.....	8,174	74	81	-	155	18.96	119	12	10	8	6
Rockport	2,150	23	14	-	37	17.21	35	1	-	-	1
South Thomaston	1,534	15	15	-	30	19.56	25	-	3	-	2
St. George.....	2,491	43	33	1	77	30.91	52	18	6	1	-
Thomaston.	3,009	17	18	-	35	11.63	32	-	1	-	2
Union.....	1,436	10	8	-	18	12.53	17	-	-	-	1
Vinalhaven	2,617	44	39	-	83	31.72	51	17	7	6	2
Warren	2,037	19	18	-	37	18.16	31	1	2	1	2
Washington.....	1,230	9	7	-	16	13.01	14	-	-	2	-
Matinicus Isle Pl.....	196	-	1	-	1	5.10	1	-	-	-	-
Total	*31,449	311	288	1	600	19.05	470	59	34	20	17

* Population in unorganized plantations in 1890, 24.

No. 10—Continued.
for the Year 1894.
COUNTY.

MARRIAGES.						DEATHS.							
						Sex.				Nativity.			Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
5	-	-	-	-	5	2	9	-	11	10	1	-	10.19
24	-	4	-	1	29	22	15	-	37	35	2	-	14.97
2	-	-	-	-	2	5	6	-	11	11	-	-	15.99
9	-	-	-	-	9	3	8	-	11	10	-	1	11.40
1	-	-	1	-	2	4	4	-	8	8	-	-	12.48
-	-	-	-	-	-	3	2	-	5	3	2	-	18.80
1	-	-	-	-	1	6	5	-	11	11	-	-	19.93
61	6	4	10	-	81	66	62	-	128	114	10	4	15.66
11	-	-	1	1	13	17	22	-	39	38	-	1	18.14
3	-	2	1	2	8	12	13	-	25	20	2	3	16.30
13	2	2	6	-	29	25	13	-	38	33	4	1	15.22
17	-	-	1	-	18	22	28	-	50	46	4	-	16.95
11	1	-	-	-	12	7	10	1	18	18	-	-	12.53
18	7	4	1	1	31	24	25	1	50	45	-	5	19.11
17	-	1	-	-	18	18	22	-	40	39	-	1	19.64
8	-	-	-	-	8	11	12	-	23	22	1	-	18.69
4	-	-	-	-	4	2	2	-	4	4	-	-	26.41
205	22	17	21	5	270	249	258	2	509	467	26	16	16.18

TABLE
Births, Marriages and Deaths
LINCOLN

Towns.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna	512	3	8	-	11	21.48	11	-	-	-	-
Boothbay	1,718	17	14	-	31	18.04	29	-	-	1	1
Boothbay Harbor	1,699	14	11	-	25	14.71	23	1	1	-	-
Bremen	842	8	4	-	12	14.25	11	-	-	1	-
Bristol.....	2,821	32	23	-	55	19.49	53	1	1	-	-
Damariscotta	1,012	5	4	-	9	8.89	9	-	-	-	-
Dresden	1,043	10	16	-	26	24.93	21	-	3	2	-
Edgecomb	749	6	7	-	13	17.36	13	-	-	-	-
Jefferson	1,391	8	5	-	13	9.35	11	-	1	1	-
Newcastle.....	1,282	12	9	-	21	16.90	18	-	-	2	1
Nobleboro.....	947	7	9	-	16	19.01	14	-	-	1	1
Somerville.....	453	5	3	-	8	17.68	7	-	-	1	-
Southport	533	-	-	-	-	-	-	-	-	-	-
Waldoboro	3,505	35	31	-	66	15.98	66	-	-	-	-
Westport	451	2	3	-	5	11.09	5	-	-	-	-
Whitefield	1,215	8	14	-	22	18.11	18	-	2	1	1
Wiscasset	1,733	14	14	-	28	16.16	26	-	2	-	-
Monhegan Pl	90	1	-	-	1	11.11	1	-	-	-	-
Total	21,996	187	175	-	362	16.50	336	2	10	10	4

No. 10—Continued.
for the Year 1894.
COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
2	-	-	-	-	2	6	2	-	2	7	-	1	15.62
7	-	-	-	-	7	15	9	-	24	23	1	-	13.97
10	1	1	-	-	12	13	14	-	27	25	1	1	15.89
5	-	-	-	-	5	5	3	-	8	8	-	-	9.50
17	-	1	-	-	18	18	20	-	38	33	-	5	13.47
3	-	-	-	-	4	6	10	-	16	14	1	1	15.81
7	-	-	-	-	7	11	8	-	19	19	-	-	18.22
6	-	-	-	-	6	3	4	-	7	7	-	-	9.35
8	-	-	1	-	9	17	13	-	30	25	-	5	21.57
2	-	-	-	-	2	9	10	-	19	19	-	-	14.82
6	-	-	-	-	6	11	7	-	18	17	-	1	19.01
2	-	-	-	-	2	8	7	-	15	13	-	2	33.11
3	-	-	-	-	3	-	-	-	-	-	-	-	-
27	-	-	-	-	27	29	17	1	47	39	-	8	13.41
2	-	-	-	-	2	5	4	-	9	8	-	1	19.96
12	-	-	-	-	12	13	7	-	20	17	2	1	16.46
17	-	-	-	-	17	19	16	-	35	32	1	2	20.20
2	-	-	-	-	2	-	1	-	1	1	-	-	11.11
138	1	2	1	1	143	188	152	1	341	307	6	28	15.50

TABLE
Births, Marriages and Deaths

OXFORD

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Females.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany	645	8	8	-	16	24.81	15	-	1	-	-
Andover	740	8	11	-	19	25.68	14	1	3	1	-
Bethel	2,209	23	12	1	36	16.30	32	1	2	-	-
Brownfield	1,134	9	8	-	17	14.99	17	-	-	-	-
Buckfield.....	1,200	9	8	-	17	14.17	17	-	-	-	-
Byron	180	3	-	-	3	16.67	3	-	-	-	-
Canton	1,303	9	6	-	15	11.51	8	6	-	1	-
Denmark.....	755	11	8	-	19	25.17	18	-	1	-	-
Dixfield ...	988	13	7	-	20	26.24	20	-	-	-	-
Fryeburg	1,418	9	12	-	21	14.81	19	-	1	1	-
Gilead	336	1	1	-	2	5.95	2	-	-	-	-
Grafton.....	98	-	-	-	-	-	-	-	-	-	-
Greenwood	727	6	5	-	11	15.13	11	-	-	-	-
Hanover	212	2	3	-	5	23.58	4	-	1	-	-
Hartford	689	6	3	-	9	13.06	9	-	-	-	-
Hebron	600	6	9	-	15	25.00	15	-	-	-	-
Hiram	1,063	11	7	-	18	16.93	15	1	-	1	1
Lovell	853	8	5	-	13	15.24	13	-	-	-	-
Mason	80	1	-	-	1	12.50	1	-	-	-	-
Mexico.....	355	12	7	-	19	53.52	10	1	3	5	-
Newry	343	2	4	-	6	17.49	4	-	1	-	1
Norway	2,665	26	23	-	49	18.39	40	1	4	3	1
Oxford	1,455	10	13	-	23	15.81	19	1	1	-	2
Paris	3,156	30	21	-	51	16.16	43	-	4	3	1

No. 10—Continued.
for the Year 1894.
COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	6	5	-	11	10	-	1	17.05
4	-	-	-	-	4	4	8	-	12	12	-	-	16.22
17	-	1	-	1	19	16	18	-	34	34	-	-	15.39
4	-	-	-	-	4	9	3	-	12	11	-	1	10.58
10	-	-	-	-	10	12	17	-	29	29	-	-	24.17
-	-	-	-	-	-	1	-	-	1	1	-	-	5.56
5	-	-	-	-	5	6	5	-	11	10	-	1	8.44
3	-	-	-	-	3	9	6	-	15	15	-	-	19.87
4	-	-	-	-	4	8	7	-	15	15	-	-	15.18
11	-	-	-	-	11	16	16	-	32	31	-	1	22.57
1	-	-	-	-	1	3	4	-	7	4	1	2	20.83
-	-	-	-	-	-	-	1	-	1	-	-	1	10.20
1	-	-	-	-	1	4	2	-	6	6	-	-	8.25
-	-	-	-	-	-	1	-	-	1	1	-	-	4.71
2	-	-	-	-	2	8	5	-	13	13	-	-	18.87
2	-	-	-	-	2	4	3	-	7	7	-	-	11.67
6	-	-	-	-	6	5	11	-	16	16	-	-	15.05
5	-	-	-	-	5	8	3	-	11	11	-	-	12.90
-	-	-	-	-	-	2	2	-	4	4	-	-	5.00
5	2	-	1	-	8	7	4	-	11	9	2	-	30.99
1	-	-	-	1	2	1	2	-	3	3	-	-	8.75
33	-	2	1	-	36	18	23	-	41	38	-	3	15.38
5	-	-	-	-	5	14	12	-	26	22	2	2	17.87
20	-	2	1	-	23	10	24	-	34	32	1	1	10.77

TABLE
Births, Marriages and Deaths

OXFORD

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Peru	692	13	7	-	20	28.90	14	2	1	2	1
Porter	1,015	4	11	-	*15	14.78	12	-	-	2	1
Roxbury	222	2	4	-	6	27.03	5	-	-	-	1
Rumford	898	17	23	1	41	45.66	21	13	3	4	-
Stoneham	322	5	3	-	8	24.84	7	-	-	1	-
Stow	291	2	4	-	6	20.62	6	-	-	-	-
Sumner	901	2	8	-	10	11.10	10	-	-	-	-
Sweden	338	3	2	-	5	14.79	5	-	-	-	-
Upton	232	3	2	-	5	21.55	5	-	-	-	-
Waterford	1,001	7	8	-	15	14.98	15	-	-	-	-
Woodstock	859	8	13	-	21	24.45	19	1	-	-	1
Franklin Pl	112	1	-	-	1	8.93	1	-	-	-	-
Magalloway Pl	79	-	-	-	-	-	-	-	-	-	-
Milton Pl	211	4	2	-	6	28.44	6	-	-	-	-
Riley Pl	43	-	-	-	-	-	-	-	-	-	-
Richardsontown Pl	-	-	-	-	-	-	-	-	-	-	-
Total	*30,420	294	268	2	564	18.54	475	28	26	25	10

* Population in unorganized plantations in 1890, 166.

No. 10—Continued.
for the Year 1894.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			Death rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	1	-	5	6	9	-	15	15	-	-	21.68
6	-	-	-	-	6	4	9	-	13	13	-	-	12.81
3	-	-	-	-	3	2	1	-	3	3	-	-	13.51
12	4	2	6	-	24	7	7	1	15	13	1	1	16.70
1	-	-	-	-	1	2	1	-	3	3	-	-	9.32
-	-	-	-	-	-	2	6	-	8	8	-	-	27.49
6	-	-	-	-	6	7	2	-	9	9	-	-	9.99
-	-	-	-	-	-	1	1	-	2	2	-	-	5.92
-	-	-	-	-	-	1	1	-	2	2	-	-	8.62
3	-	2	-	-	5	15	12	-	27	26	-	1	26.97
2	-	-	1	-	9	5	8	-	13	12	1	-	15.13
5	-	-	1	-	6	1	1	-	2	1	1	-	17.86
-	-	-	-	-	-	-	1	-	1	1	-	-	12.65
-	-	-	-	-	-	2	1	-	3	3	-	-	14.22
-	-	-	-	-	-	-	1	-	1	1	-	-	23.26
1	-	-	-	-	1	-	-	-	-	-	-	-	-
188	6	9	12	2	217	227	242	1	470	446	9	15	15.45

TABLE
Births, Marriages and Deaths
PENOBSCOT

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alton	348	2	4	-	6	17.24	6	-	-	-	-
Argyle.....	263	2	3	-	5	19.01	4	-	-	1	-
Bangor	19,103	140	183	6	329	17.22	181	80	31	31	6
Bradford.....	1,215	13	9	-	22	18.11	17	-	1	2	2
Bradley	823	6	6	-	12	14.58	5	4	1	1	1
Brewer	4,193	51	53	-	104	24.80	50	27	12	12	3
Burlington	460	5	7	-	12	26.09	11	-	1	-	-
Carmel	1,066	13	7	-	20	18.76	19	-	1	-	-
Carroll	546	8	8	-	16	29.30	12	-	2	2	-
Charleston.....	971	7	9	-	16	16.48	14	-	-	2	-
Chester	368	7	2	-	9	24.46	8	-	-	1	-
Clifton.....	284	1	1	-	2	7.04	1	-	1	-	-
Corinna	1,207	12	15	-	27	22.37	26	-	-	1	-
Corinth	1,154	5	4	-	9	7.79	8	-	-	1	-
Dexter	2,732	37	30	-	67	24.52	50	12	4	1	-
Dixmont	919	14	8	-	22	23.94	19	-	-	2	1
Eddington	729	3	6	-	9	12.35	9	-	-	-	-
Enfield	769	10	18	-	28	36.41	17	7	3	1	-
Etna	646	9	4	-	13	20.12	12	-	-	1	-
Exeter.....	939	8	3	-	11	11.71	10	-	1	-	-
Garland	973	9	4	-	13	13.36	12	-	-	1	-
Glenburn	583	3	1	-	4	6.86	4	-	-	-	-
Greenbush.....	659	4	6	-	10	15.18	9	-	1	-	-
Greenfield	231	4	5	-	9	38.96	8	1	-	-	-

No. 10—Continued.

for the Year 1894.

COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Total.	Nativity.			Death rate per 1,000.
						Male.	Female.	Not stated.		American.	Foreign.	Not stated.	
2	-	-	2	-	4	1	2	-	3	2	1	-	8.62
-	-	-	-	-	-	1	1	-	2	1	-	1	7.60
41	6	6	9	179	241	192	191	1	384	235	97	52	20.10
6	1	1	-	-	8	16	16	-	32	32	-	-	26.34
2	-	-	-	-	2	2	2	-	10	9	-	1	12.15
11	4	-	1	7	23	43	37	-	80	69	9	2	19.08
2	-	-	-	-	2	6	3	-	9	5	4	-	19.57
2	-	-	-	-	2	5	7	-	12	8	1	3	11.26
5	-	-	-	-	5	3	2	-	5	4	-	1	9.16
1	-	-	-	1	2	11	11	-	22	19	-	3	22.66
2	-	-	-	-	2	2	1	-	3	2	1	-	8.15
-	-	-	-	-	-	2	-	-	2	1	-	1	7.04
11	-	-	-	-	11	14	7	-	21	21	-	-	17.40
5	-	-	-	-	5	9	9	-	18	16	2	-	15.58
23	2	1	3	-	29	17	19	-	36	32	4	-	17.40
6	-	-	-	-	6	13	10	-	23	23	-	-	25.03
2	-	-	-	-	2	6	5	-	14	13	1	-	19.20
3	1	2	2	-	8	4	6	-	16	5	2	-	13.00
1	-	-	-	1	2	5	1	-	6	4	-	2	20.12
5	-	-	-	-	5	5	6	-	11	11	-	-	11.71
3	-	-	1	1	5	6	6	-	12	12	-	-	12.33
2	-	-	-	2	4	4	2	-	6	6	-	-	10.29
1	-	-	1	-	2	3	1	-	4	4	-	-	15.17
1	-	-	-	-	1	2	3	-	5	5	-	-	21.64

TABLE
Births, Marriages and Deaths
PENOBSCOT

Towns.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Hampden	2,484	23	22	1	46	18.51	35	1	3	6	1
Heron	1,282	15	14	-	29	22.62	25	2	-	2	-
Holden	609	7	5	-	12	19.70	7	2	1	1	1
Howland	171	6	8	-	14	81.87	7	2	4	1	-
Hudson	510	4	3	-	7	13.72	7	-	-	-	-
Kenduskeag	536	9	3	-	12	22.39	11	-	-	1	-
Kingman	671	17	7	-	24	35.77	4	6	6	6	2
Lagrange	721	11	12	-	23	31.90	18	-	3	1	1
Lee	929	10	12	-	22	23.68	17	-	3	2	-
Levant	880	7	6	1	14	15.91	12	-	1	1	-
Lincoln	1,756	11	13	-	24	13.67	13	5	4	2	-
Lowell	439	4	3	-	7	15.94	5	1	1	-	-
Mattamiscotis.....	47	1	-	-	1	21.27	1	-	-	-	-
Mattawankeag	633	9	7	-	16	25.27	8	6	-	1	1
Maxfield	134	-	1	-	1	7.46	1	-	-	-	-
Medway	653	1	2	-	3	4.59	2	-	-	1	-
Milford	835	5	4	-	9	10.78	4	1	2	2	-
Mt. Chase	284	6	2	-	8	28.17	4	2	1	1	-
Newburg	867	5	6	-	11	12.66	9	-	-	2	-
Newport.....	1,188	11	6	-	17	14.31	15	1	1	-	-
Old Town	5,312	74	63	-	137	25.79	48	54	23	10	2
Orono.....	2,790	49	39	-	88	31.54	32	31	16	9	-
Orrington	1,406	14	9	-	23	16.36	18	-	2	2	1
Passadumkeag	343	5	3	1	9	26.24	5	-	2	1	1

No. 10—Continued.
for the Year 1894.
COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
16	-	1	1	-	18	18	20	-	38	34	-	4	15.30
7	-	-	1	-	8	7	11	-	18	12	2	4	14.04
7	-	-	-	-	7	4	5	-	9	8	1	-	14.78
3	-	-	-	-	3	5	-	-	5	4	1	-	29.23
2	-	-	-	-	2	2	1	-	3	3	-	-	5.88
4	-	-	-	-	4	8	1	-	9	7	2	-	16.79
3	-	1	2	-	6	7	5	-	12	9	2	1	17.89
4	-	-	-	-	4	6	9	-	15	15	-	-	20.80
7	-	-	-	-	7	3	7	-	10	8	1	1	10.76
8	-	-	-	-	8	6	5	-	11	11	-	-	12.50
6	-	-	1	-	7	9	11	-	20	16	3	1	11.39
-	-	-	-	-	-	5	7	-	12	12	-	-	27.33
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	2	-	4	5	3	-	8	5	2	1	12.64
2	-	-	-	1	3	-	-	-	-	-	-	-	-
1	-	-	-	-	1	2	2	-	4	4	-	-	6.13
-	-	-	-	-	-	6	6	-	12	9	3	-	14.37
-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	11	9	8	-	17	15	-	2	19.61
15	-	-	-	1	16	11	14	-	25	22	1	2	21.04
17	2	3	4	33	59	44	51	-	95	83	11	1	17.88
19	4	4	4	3	34	29	15	1	45	31	12	2	16.13
4	-	1	1	-	6	5	8	-	13	12	-	1	9.25
7	-	1	-	-	8	3	2	-	5	5	-	-	14.58

TABLE
Births, Marriages and Deaths
PENOBSCOT

Towns.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Patten	936	18	8	-	26	27.78	14	6	2	-	4
Plymouth	689	4	10	1	15	21.77	13	-	-	2	-
Prentiss	401	10	4	-	14	34.91	12	-	-	2	-
Springfield	677	3	1	-	4	5.91	4	-	-	-	-
Stetson	618	3	6	-	9	14.56	9	-	-	-	-
Veazie	650	4	1	-	5	7.69	5	-	-	-	-
Winn	936	14	8	-	22	23.51	14	3	2	3	-
Drew Pl.....	110	-	2	-	2	18.18	2	-	-	-	-
Lakeville Pl.....	144	4	-	-	4	27.77	4	-	-	-	-
No. 2 Grand Falls Pl.....	68	1	-	-	1	14.70	1	-	-	-	-
Seboeis Pl.....	98	-	1	-	1	10.20	1	-	-	-	-
Stacyville Pl.....	250	1	3	-	4	16.00	3	1	-	-	-
Webster Pl.....	135	3	1	-	4	29.63	3	-	1	-	-
Woodville Pl.....	242	-	1	-	1	4.13	1	-	-	-	-
Norcross	-	-	-	-	-	-	-	-	-	-	-
Total	*72,615	742	692	10	1444	19.89	906	255	137	119	27

* Population in unorganized plantations in 1890, 250.

No. 10—Continued.
for the Year 1894.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
9	-	1	1	-	11	7	3	3	13	11	-	2	13.89
3	-	1	-	-	4	7	3	1	11	11	-	-	15.96
2	-	-	-	-	2	2	3	-	5	4	-	1	12.47
7	-	1	1	1	10	7	4	-	11	6	1	4	16.25
2	-	-	-	-	2	5	1	-	6	6	-	-	9.71
3	-	-	-	-	3	5	9	-	14	12	1	1	21.54
%	2	-	1	-	11	5	1	-	6	5	-	1	6.41
-	-	-	-	-	-	-	1	-	1	1	-	-	9.09
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	1	-	1	1	-	-	4.00
-	-	-	-	-	-	-	3	-	3	3	-	-	22.22
-	-	-	-	-	-	2	1	-	3	2	1	-	12.39
-	-	-	-	-	-	2	-	-	2	1	1	-	-
317	22	24	38	230	631	614	572	6	1,192	930	167	95	16.40

TABLE
Births, Marriages and Deaths
PISCATAQUIS

Towns.	Population in 1890.	BIRTHS.										
		Sex.					Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	
Abbot	622	7	4	-	11	17.68	11	-	-	-	-	-
Atkinson	605	6	1	-	7	11.57	6	-	-	-	-	1
Blanchard	213	10	5	-	15	70.42	12	2	1	-	-	-
Brownville	1,074	13	13	-	26	24.21	9	6	8	3	-	-
Dover	1,942	10	11	-	21	10.81	19	-	1	1	-	-
Foxcroft	1,726	10	11	-	21	12.17	17	1	3	-	-	-
Greenville	781	12	10	-	22	28.17	10	8	2	2	-	-
Guilford	1,023	11	11	-	22	21.51	21	-	1	-	-	-
Medford	306	1	3	-	4	13.07	4	-	-	-	-	-
Milo	1,029	18	14	-	32	31.10	24	2	2	4	-	-
Monson	1,237	19	10	-	29	23.44	10	16	1	2	-	-
Orneville	492	1	-	-	1	2.03	1	-	-	-	-	-
Parkman	813	7	7	-	14	17.22	13	-	-	1	-	-
Sangerville	1,236	7	6	-	13	10.52	10	1	-	2	-	-
Sebec	725	5	6	1	12	16.55	11	-	-	-	-	1
Shirley	291	-	4	-	4	13.74	2	-	-	1	1	-
Wellington	584	7	4	-	11	18.84	11	-	-	-	-	-
Williamsburg	162	1	3	-	4	24.69	2	2	-	-	-	-
Willimantic	446	7	6	-	13	29.15	10	1	1	1	-	-
Barnard	100	-	1	-	1	10.00	1	-	-	-	-	-
Bowerbank Pl	87	-	-	-	-	-	-	-	-	-	-	-
Elliottsville Pl	53	1	-	-	1	18.87	1	-	-	-	-	-
Katahdin Iron Works	76	-	-	-	-	-	-	-	-	-	-	-
Kineo Pl	-	-	-	-	-	-	-	-	-	-	-	-
Kingsbury Pl	205	-	1	-	1	4.88	1	-	-	-	-	-
Lake View Pl	-	-	3	-	3	-	2	1	-	-	-	-
Total	*15,828	153	134	1	288	18.19	208	40	21	17	2	-

* Population in unorganized plantations in 1890, 306.

No. 10—Continued.
for the Year 1894.
 COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			Death rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	-	-	3	7	1	2	10	8	1	1	16.08
9	-	-	1	-	10	2	9	-	11	11	-	-	18.18
1	-	-	-	-	1	6	1	-	7	6	1	-	32.86
8	6	-	-	1	15	7	9	-	17	10	7	-	15.83
16	2	3	-	1	22	13	19	-	32	32	-	-	16.48
7	2	-	1	-	10	8	13	-	21	20	1	-	12.17
8	-	-	2	3	13	5	5	-	10	6	2	2	12.80
9	-	-	1	6	16	16	5	-	21	19	-	2	20.53
3	-	-	-	-	3	3	1	-	4	4	-	-	13.07
9	-	2	-	-	11	11	8	-	19	17	2	-	18.46
8	-	-	1	-	9	7	7	-	14	11	3	-	11.32
1	-	-	-	1	2	-	-	-	-	-	-	-	-
9	-	-	-	-	9	2	6	-	8	8	-	-	9.84
3	-	-	-	-	3	3	5	-	8	6	2	-	6.47
4	-	-	-	-	4	6	2	-	8	7	-	1	11.03
-	-	-	-	-	-	2	2	-	4	4	-	-	13.75
7	-	-	-	-	7	5	3	-	8	8	-	-	13.70
-	-	-	-	-	-	-	1	-	1	-	1	-	6.17
3	-	-	-	-	3	1	3	-	4	3	-	1	8.97
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	1	-	-	1	1	-	-	11.49
-	-	-	-	-	-	1	-	-	1	1	-	-	18.87
-	-	-	-	-	-	1	-	-	1	1	-	-	13.16
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	1	-	-	1	1	-	-	4.88
-	-	-	-	-	-	-	3	-	3	2	1	-	-
111	10	5	6	12	144	109	103	2	214	186	21	7	13.52

TABLE
Births, Marriages and Deaths
SAGADAHOC

Towns.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Arrowsic	177	-	4	-	4	22.60	4	-	-	-	-
Bath	8,723	97	106	-	203	23.28	144	28	8	23	-
Bowdoin	940	10	16	-	26	27.66	21	2	1	2	-
Bowdoinham	1,508	9	5	-	14	9.28	14	-	-	-	-
Georgetown	849	6	7	-	13	15.31	13	-	-	-	-
Perkins... ..	69	-	1	-	1	14.49	1	-	-	-	-
Phippsburg	1,396	8	8	-	16	11.46	15	-	1	-	-
Richmond	3,082	15	19	-	34	11.03	26	1	4	2	1
Topsham	1,394	19	16	-	35	25.11	18	10	4	3	-
West Bath	307	-	3	-	3	9.77	2	-	-	1	-
Woolwich	1,007	9	9	-	18	17.87	16	2	-	-	-
Total	19,452	173	194	-	367	18.87	274	43	18	31	1

No. 10—Continued.
for the Year 1894.
COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	2	2	-	4	-	4	-	22.60
47	3	13	4	-	67	70	69	-	139	119	16	4	15.93
6	-	-	-	-	6	8	4	-	12	12	-	-	12.77
7	-	-	1	-	8	10	11	-	21	19	2	-	13.93
3	-	-	-	-	3	9	8	-	17	17	-	-	20.62
-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	-	1	1	-	10	7	6	-	13	13	-	-	9.31
19	-	2	1	-	22	20	24	-	44	42	2	-	14.28
10	-	-	1	-	11	11	9	-	20	16	4	-	14.34
1	-	-	-	-	1	4	1	-	5	5	-	-	16.28
3	-	-	-	-	3	5	10	-	15	15	-	-	14.90
104	3	16	8	-	131	146	144	-	290	262	24	4	14.91

TABLE
Births, Marriages and Deaths
SOMERSET

Towns.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson	1,444	8	8	2	18	12.47	15	-	-	1	2
Athens	1,072	11	12	-	23	21.46	23	-	-	-	-
Bingham	757	12	5	-	17	22.46	14	1	1	1	-
Brighton	434	1	-	-	1	2.30	1	-	-	-	-
Cambridge	425	3	2	-	5	11.76	3	-	1	1	-
Canaan	1,130	6	8	-	14	12.39	14	-	-	-	-
Concord	345	2	3	-	5	14.49	4	-	1	-	-
Cornville	785	6	5	-	11	14.01	11	-	-	-	-
Detroit	590	5	6	-	11	18.64	11	-	-	-	-
Emblen	579	4	3	-	7	12.09	7	-	-	-	-
Fairfield	3,510	38	36	-	74	21.08	36	20	6	11	1
Harmony	704	4	5	-	9	12.79	8	-	-	-	1
Hartland	974	10	3	-	13	13.35	9	-	1	2	1
Madison	1,815	16	18	-	34	18.73	26	3	4	1	-
Mercer	584	3	10	-	13	22.26	11	-	1	1	-
Moscow	422	9	5	-	14	33.17	11	-	2	1	-
New Portland	1,034	16	6	-	22	21.28	17	-	3	1	1
Norridgewock	1,656	12	9	-	21	12.69	17	2	1	1	-
Palmyra	1,004	8	8	-	16	15.94	15	-	-	-	1
Pittsfield	2,503	21	22	-	43	17.18	36	1	-	3	3
Ripley	478	2	5	-	7	14.64	7	-	-	-	-
St. Albans	1,206	9	9	-	18	14.92	18	-	-	-	-
Skowhegan	5,068	43	36	-	79	15.59	46	19	9	4	1
Smithfield	479	5	2	-	7	14.61	6	-	-	1	-

No. 10—Continued.
for the Year 1894.
COUNTY.

MARRIAGES.						DEATHS.							
						Sex.			Nativity.				Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
11	-	-	1	-	12	14	13	-	27	24	1	2	18.70
14	-	-	-	-	14	6	12	-	18	16	-	2	16.79
7	-	1	-	-	8	10	2	-	12	10	2	-	15.85
1	-	-	-	-	1	-	1	-	1	1	-	-	2.30
2	-	-	-	-	2	-	1	-	1	1	-	-	2.35
5	-	-	-	-	5	12	10	-	22	18	1	3	19.47
3	-	-	1	-	4	1	3	-	4	4	-	-	11.59
2	-	-	-	-	2	12	8	-	20	19	1	-	25.47
4	-	-	-	-	4	8	2	-	10	8	-	2	16.95
1	-	-	-	-	1	2	4	-	6	6	-	-	10.36
26	1	2	4	-	33	29	17	-	46	40	6	-	13.11
5	-	-	-	-	5	5	7	-	12	10	-	2	17.05
6	-	2	1	-	9	8	5	1	14	11	1	2	14.37
19	-	-	-	-	19	19	12	-	31	30	1	-	17.08
4	-	-	-	-	4	3	5	-	8	8	-	-	13.70
2	-	1	-	-	3	2	3	-	5	5	-	-	11.84
11	-	-	-	-	11	9	11	-	20	17	-	3	19.34
16	-	-	1	-	17	15	21	-	36	35	1	-	21.73
8	-	2	-	-	11	10	8	-	18	12	-	6	17.93
26	-	2	1	1	30	22	15	-	37	34	3	-	14.78
2	-	-	-	-	2	4	3	-	7	7	-	-	14.64
6	-	-	-	-	6	11	13	-	24	24	-	-	19.90
35	2	2	7	-	46	30	46	-	76	61	15	-	15.00
2	-	-	1	-	3	4	4	-	8	8	-	-	16.91

TABLE
Births, Marriages and Deaths
SOMERSET

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Solon	977	4	9	-	13	13.31	13	-	-	-	
Starks	766	5	4	-	9	11.75	8	-	-	1	
Carratunk Pl.....	192	2	3	-	5	26.04	4	-	-	1	
Dead River Pl	104	2	1	-	3	28.85	3	-	-	-	
Dennistown Pl	66	3	3	-	6	90.91	-	4	1	1	
Flagstaff Pl	87	1	-	-	1	11.49	1	-	-	-	
Highland Pl.....	76	-	-	-	-	-	-	-	-	-	
Jackman Pl.	217	5	2	-	7	32.25	1	5	-	1	
Lexington Pl	199	2	3	1	6	30.15	6	-	-	-	
Long Pond Sta.....	-	-	-	-	-	-	-	-	-	-	
Mayfield Pl	74	-	3	-	3	40.54	3	-	-	-	
Moose River Pl.....	170	4	3	-	7	41.18	1	4	-	2	
No. 1, R. 2, W. K. R. Pl.....	-	1	1	-	2	-	2	-	-	-	
The Forks Pl.....	195	1	2	-	3	15.38	2	1	-	-	
West Forks Pl	146	3	3	-	6	41.10	4	-	2	-	
Tomhegan Township	-	-	-	-	-	-	-	-	-	-	
Total	*92,267	287	263	3	553	17.14	414	60	33	35	

* Population in unorganized plantations in 1890, 360.

No. 10—Continued.

for the Year 1894.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
4	-	-	-	-	4	8	13	-	21	18	1	2	21.49
10	-	-	-	-	10	7	7	-	14	14	-	-	18.28
2	-	-	-	-	2	-	1	-	1	1	-	-	5.21
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	2	1	1	-	2	2	-	-	22.99
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	2	-	1	-	4	6	1	-	7	3	2	2	32.25
1	-	-	-	-	1	4	1	-	5	4	1	-	25.12
-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-	13.51
1	-	-	-	-	1	1	1	-	2	1	1	-	11.76
2	-	-	-	-	2	-	1	-	1	1	-	-	-
1	-	-	-	-	1	2	1	-	3	2	1	-	15.38
2	-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	1	-	-	1	-	-	-	-	-	-	-	-
246	5	13	18	3	285	265	254	1	520	456	38	26	16.12

TABLE
Births, Marriages and Deaths
WALDO

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast	5,294	20	12	-	32	6.04	25	-	5	1	1
Belmont.....	475	5	7	-	12	25.26	11	-	-	-	1
Brooks	730	4	5	-	9	12.33	9	-	-	-	-
Burnham.....	846	8	7	-	15	17.73	15	-	-	-	-
Frankfort.....	1,099	6	10	-	16	14.55	13	1	2	-	-
Freedom	510	3	1	-	4	7.84	4	-	-	-	-
Islesborough.....	1,006	9	8	-	17	16.90	15	1	1	-	-
Jackson	522	1	2	-	3	5.75	2	-	-	1	-
Knox	657	3	6	-	9	13.69	8	-	-	1	-
Liberty	835	8	8	-	16	19.16	15	-	1	-	-
Lincolnton.....	1,361	13	15	-	28	20.57	26	-	-	2	-
Monroe	1,079	14	8	-	22	20.39	19	-	-	3	-
Montville	1,049	5	10	-	15	14.30	15	-	-	-	-
Morrill	460	4	3	-	7	15.22	7	-	-	-	-
Northport.....	691	3	4	-	7	10.13	7	-	-	-	-
Palermo.....	887	10	6	-	16	18.04	16	-	-	-	-
Prospect.....	697	5	4	-	9	12.91	7	2	-	-	-
Searsmont.....	1,144	10	8	-	18	15.73	18	-	-	-	-
Searsport.....	1,693	11	10	-	21	12.40	21	-	-	-	-
Stockton Springs.....	1,149	8	8	-	16	13.93	15	-	-	1	-
Swanville.....	689	5	2	-	7	10.16	7	-	-	-	-
Thorndike.....	589	6	4	-	10	16.98	9	-	-	1	-
Troy.....	868	4	9	-	13	14.98	12	-	-	1	-
Unity.....	922	11	6	-	17	18.44	15	-	2	-	-
Waldo.....	581	7	5	-	12	20.65	12	-	-	-	-
Winterport.....	1,926	18	21	-	39	20.24	35	-	1	2	1
Total	27,759	201	189	-	390	14.04	358	4	12	13	3

No. 10—Continued.
for the Year 1894.
COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
53	1	3	-	1	58	36	48	-	84	79	5	-	15.87
-	-	-	-	-	-	2	4	-	6	6	-	-	12.63
7	-	1	-	-	8	5	3	-	8	7	-	1	16.96
6	-	-	-	1	7	5	9	-	14	13	-	1	16.55
5	-	-	-	-	5	8	7	-	15	13	1	1	13.65
5	-	-	-	1	6	3	1	-	4	4	-	-	7.84
5	-	-	-	-	5	5	7	-	12	11	1	-	11.93
3	-	-	-	-	3	5	-	-	5	5	-	-	9.58
6	-	-	-	-	6	3	8	-	11	10	1	-	16.74
8	-	-	1	-	9	8	10	-	18	17	-	1	21.56
4	-	-	-	-	4	10	16	-	26	25	-	1	19.11
2	-	2	1	-	5	12	9	-	21	20	-	1	19.46
18	-	1	-	-	19	7	11	-	18	18	-	-	17.16
-	-	-	-	-	-	2	5	-	7	7	-	-	15.22
2	-	-	-	-	2	8	5	-	13	11	1	1	18.81
9	-	-	-	-	9	7	7	-	14	13	-	1	15.78
1	-	-	-	-	1	6	8	-	14	12	1	1	20.09
18	-	-	-	-	18	14	14	-	28	25	1	2	24.48
13	-	-	-	-	13	11	11	-	22	22	-	-	12.99
10	-	-	-	-	10	10	14	-	24	24	-	-	20.89
6	-	-	1	1	8	4	3	-	7	7	-	-	10.16
4	-	-	-	-	4	6	7	-	13	13	-	-	22.07
2	-	-	-	-	2	7	8	-	15	15	-	-	17.28
4	-	-	-	-	4	8	6	-	14	12	2	-	15.18
4	-	-	-	-	4	4	2	-	6	6	-	-	10.33
14	-	-	2	-	16	12	13	-	25	24	-	1	12.98
209	1	7	5	4	226	208	236	-	444	419	13	12	16.06

TABLE
Births, Marriages and Deaths
WASHINGTON

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both Foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison	1,022	15	2	-	17	16.63	17	-	-	-	-
Alexander	337	5	7	-	12	35.61	12	-	-	-	-
Baileyville ..	226	2	4	-	6	26.55	3	1	1	1	-
Baring.....	273	1	3	-	4	14.65	1	1	1	1	-
Beddington	184	3	2	-	5	27.17	5	-	-	-	-
Brookton.....	429	6	6	-	12	27.97	6	2	1	3	-
Calais.....	7,290	106	128	1	235	32.24	85	56	36	53	5
Centerville.....	114	1	1	-	2	17.54	2	-	-	-	-
Charlotte.....	381	3	5	-	8	21.00	6	-	1	-	1
Cherryfield.....	1,787	20	24	1	45	25.18	43	-	1	-	1
Columbia	587	8	4	-	12	20.44	12	-	-	-	-
Columbia Falls	698	8	11	-	19	27.22	19	-	-	-	-
Cooper	264	5	4	-	9	34.09	8	-	1	-	-
Crawford ..	140	-	-	-	-	-	-	-	-	-	-
Cutler	662	7	4	-	11	16.62	8	-	1	1	1
Danforth	1,063	11	19	-	30	28.22	11	7	2	9	1
Deblois	76	-	2	-	2	26.32	2	-	-	-	-
Dennysville.....	452	8	5	-	13	28.76	10	-	2	-	1
East Machias	1,637	20	17	-	37	22.60	29	2	2	1	3
Eastport	4,908	68	44	-	112	22.82	35	22	19	35	1
Edmunds	395	7	14	-	21	53.16	16	-	-	2	3
Forest City.	287	2	4	-	6	20.90	2	1	2	1	-
Harrington.....	1,150	6	8	-	14	12.17	14	-	-	-	-

**No. 10—Continued.
for the Year 1894.
COUNTY.**

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
10	-	1	-	-	11	7	7	-	14	11	1	2	13.69
-	-	-	-	-	-	1	2	-	3	2	1	-	8.90
1	-	-	-	-	1	2	4	-	6	4	2	-	26.55
1	-	1	-	-	2	-	-	-	-	-	-	-	-
3	-	-	1	-	4	1	-	-	1	1	-	-	5.43
3	-	1	-	-	4	2	2	-	4	4	-	-	9.32
24	24	17	9	-	74	53	61	-	114	75	36	3	15.64
1	-	-	-	-	1	-	-	-	-	-	-	-	-
2	1	-	-	-	3	1	3	-	4	3	-	1	10.50
18	-	-	2	-	20	12	7	-	19	17	2	-	10.63
5	-	-	-	-	5	2	2	-	4	4	-	-	6.81
4	-	-	-	-	4	4	5	-	9	8	-	1	12.89
1	-	-	-	-	1	1	1	-	2	2	-	-	7.58
2	-	-	-	-	2	-	1	-	1	1	-	-	7.14
5	-	1	-	-	6	3	5	-	8	8	-	-	12.08
4	4	3	3	-	14	6	8	-	14	13	1	-	13.17
-	-	-	-	-	-	1	-	-	1	-	1	-	13.16
1	-	-	-	-	1	2	3	-	5	5	-	-	11.06
17	-	-	-	1	18	7	14	-	21	18	3	-	12.83
15	16	15	11	-	57	48	61	-	109	67	37	5	22.21
5	-	1	-	-	6	5	2	-	7	6	1	-	17.72
1	-	-	-	-	1	-	2	-	2	1	1	-	6.97
13	-	-	-	-	13	12	7	-	19	18	1	-	16.52

TABLE
Births, Marriages and Deaths
WASHINGTON

Towns.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Females.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Jonesboro.....	470	9	7	-	16	34.04	15	-	1	-	-
Jonesport.....	1,917	20	24	-	44	22.95	34	-	5	3	2
Kossuth.....	68	-	-	-	-	-	-	-	-	-	-
Lubec.....	2,069	26	38	4	68	32.87	49	10	5	5	-
Machias.....	2,035	18	27	1	46	22.60	36	-	4	3	3
Machiasport.....	1,437	13	18	-	31	21.57	30	-	1	-	-
Marion.....	90	1	1	-	2	22.22	1	-	-	1	-
Marshfield.....	299	4	2	-	6	20.07	4	-	-	-	2
Meddybemps.....	156	3	1	-	4	25.64	4	-	-	-	-
Milbridge.....	1,963	27	19	-	46	23.43	43	-	1	2	-
Northfield.....	143	3	3	-	6	41.96	5	-	1	-	-
Pembroke.....	1,514	13	13	-	26	17.17	23	-	1	2	-
Perry.....	945	11	10	-	21	22.22	15	1	2	3	-
Princeton.....	1,027	18	16	-	34	33.11	17	2	5	8	2
Robbinston.....	787	9	14	-	23	29.22	14	1	3	5	-
Roque Bluffs.....	154	3	1	-	4	25.97	4	-	-	-	-
Steuben.....	982	10	10	-	20	20.37	19	-	1	-	-
Talmage.....	112	-	1	-	1	8.93	1	-	-	-	-
Topsfield.....	375	-	1	-	1	2.67	1	-	-	-	-
Trescott.....	485	-	2	-	2	4.12	1	-	-	-	1
Vanceboro.....	870	11	10	-	21	24.13	4	10	3	2	2
Waite.....	159	-	3	-	3	18.87	1	-	1	1	-
Wesley.....	227	4	1	-	5	22.03	4	-	1	-	-

No. 10—Continued.
for the Year 1894.
COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							
						Sex.			Nativity.			Death rate per 1,000.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
1	-	-	-	-	1	8	2	-	10	8	1	1	21.28
19	-	-	-	-	19	13	14	-	27	24	3	-	14.08
1	-	-	-	-	1	-	1	-	1	1	-	-	14.71
17	-	3	4	1	25	21	24	-	45	36	8	1	21.75
24	-	1	-	-	25	21	25	-	46	40	6	-	22.60
5	-	1	-	-	6	7	11	-	18	15	3	-	12.53
-	-	-	-	-	-	2	-	-	2	2	-	-	22.22
-	-	-	-	-	-	1	2	-	3	3	-	-	10.03
-	-	-	-	-	-	2	-	-	2	1	1	-	12.82
8	-	-	-	-	8	5	9	-	14	14	-	-	7.13
2	-	-	-	-	2	1	-	-	1	1	-	-	6.99
17	1	1	-	-	19	14	9	-	23	22	1	-	15.19
8	-	1	1	-	10	5	2	-	7	5	2	-	7.41
10	1	-	1	-	12	12	3	-	15	14	-	1	14.61
7	-	-	-	-	7	2	5	-	7	4	2	1	8.89
3	-	-	-	-	3	-	-	-	-	-	-	-	-
6	-	-	1	-	7	3	3	-	6	5	1	-	6.11
-	-	-	-	-	-	-	1	-	1	1	-	-	8.93
4	-	-	1	-	5	-	-	-	-	-	-	-	-
1	-	1	1	-	3	1	1	-	2	1	1	-	4.12
3	2	1	1	-	7	10	3	-	13	4	8	1	14.94
-	-	-	-	-	-	-	1	-	1	1	-	-	6.29
1	-	1	-	-	2	5	-	-	5	4	1	-	22.03

TABLE
Births, Marriages and Deaths
WASHINGTON

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Whiting	393	3	6	1	10	25.45	9	-	-	-	-
Whitneyville	413	4	3	-	7	16.95	6	-	-	1	-
Codyville Pl	72	1	2	-	3	41.67	3	-	-	-	-
Grand Lake Stream Pl.	404	5	7	-	12	29.70	9	1	1	1	-
Lambert Lake Pl.	152	3	5	-	8	52.63	2	4	2	-	-
No. 10, R. 3.	37	1	1	-	2	54.05	-	-	-	-	2
No. 21 Pl.	81	1	1	-	2	24.69	2	-	-	-	-
Township 31	-	-	-	-	-	-	-	-	-	-	-
Total	*44,198	533	565	8	1106	25.02	702	121	108	144	31

* Population in unorganized plantations in 1890, 284.

No. 10—Continued.
for the Year 1894.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	3	3	-	6	4	1	1	15.27
-	-	-	-	-	-	2	1	-	3	2	-	1	7.26
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	4	2	-	6	5	1	-	14.85
-	-	-	1	-	1	3	1	-	4	3	1	-	26.32
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	-
275	49	50	38	2	414	316	320	-	636	489	128	19	14.39

TABLE
Births, Marriages and Deaths
YORK

Towns.	Population in 1880.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton.....	878	6	5	-	11	12.53	8	1	1	1	-
Alfred.....	1,030	6	6	-	12	11.65	11	-	-	-	1
Berwick.....	2,294	11	22	-	33	14.39	24	4	-	3	2
Biddeford.....	14,443	296	221	1	518	35.87	82	352	37	40	7
Buxton.....	2,036	16	12	-	28	13.75	28	-	-	-	-
Cornish.....	1,118	14	10	-	24	21.47	23	1	-	-	-
Dayton.....	500	1	5	-	6	12.00	5	1	-	-	-
Eliot.....	1,463	16	16	-	32	21.87	25	1	3	2	-
Hollis.....	1,278	10	10	-	20	15.65	20	-	-	-	-
Kennebunk.....	3,172	19	20	-	39	12.30	27	7	1	4	-
Kennebunkport.....	2,196	12	8	-	20	9.11	17	1	1	1	-
Kittery.....	2,864	25	14	-	39	13.61	32	-	6	1	-
Lebanon.....	1,263	4	6	-	10	7.92	10	-	-	-	-
Limerick.....	966	9	12	-	21	21.73	21	-	-	-	-
Limington.....	1,092	3	5	-	8	7.33	8	-	-	-	-
Lyman.....	854	10	5	-	15	17.56	13	-	-	1	1
Newfield.....	796	2	4	-	6	7.54	5	-	-	1	-
North Berwick.....	1,803	21	27	-	48	26.62	46	-	-	1	1
Old Orchard.....	877	7	7	-	14	15.96	11	-	1	2	-
Parsonfield.....	1,398	9	15	1	25	17.88	22	2	-	-	1
Saco.....	6,075	69	54	-	123	20.25	69	42	5	7	-

No. 10—Continued.
for the Year 1894.
COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	1	-	2	14	1	-	15	14	-	1	17.08
8	-	-	-	-	8	12	5	-	17	16	-	1	16.50
12	-	-	-	-	12	12	15	-	27	25	2	-	11.77
48	68	20	12	1	149	145	158	-	303	227	69	7	20.98
16	-	1	-	-	17	9	17	-	26	25	-	1	12.77
20	-	-	-	-	20	4	11	-	15	15	-	-	13.42
3	-	-	-	-	3	3	-	-	3	3	-	-	6.00
5	-	2	-	-	7	16	7	-	23	23	-	-	15.72
3	-	-	-	-	3	13	16	-	29	24	-	5	22.69
10	-	-	1	-	11	29	29	-	58	56	2	-	18.28
7	-	-	3	-	10	24	16	-	40	39	1	-	18.22
8	-	-	-	-	8	20	13	-	33	30	-	3	11.52
9	-	-	-	-	9	12	5	-	17	15	-	2	13.46
13	-	-	-	-	13	16	8	-	24	24	-	-	24.84
2	-	-	-	-	2	11	8	-	19	19	-	-	17.40
5	-	-	-	-	5	2	8	-	10	9	-	1	11.71
1	-	-	-	-	1	10	9	-	19	15	-	4	23.87
8	-	-	-	-	8	17	12	-	29	24	4	1	16.08
2	-	-	-	5	7	12	12	-	24	15	5	4	27.37
8	-	-	-	2	10	12	20	-	32	30	-	2	22.17
44	2	3	5	-	54	61	51	-	112	106	9	3	18.44

TABLE
Births, Marriages and Deaths
YORK

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Females.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Sanford.....	4,201	69	51	-	120	28.56	58	45	10	7	-
Shapleigh.....	968	8	4	-	12	12.40	12	-	-	-	-
South Berwick.....	3,434	28	25	-	53	15.43	25	22	3	3	-
Waterboro.....	1,357	4	12	-	16	11.79	14	-	-	2	-
Wells.....	2,029	23	15	-	38	18.73	32	3	1	2	-
York.....	2,444	22	17	-	39	15.96	35	-	-	2	2
Total.....	62,829	720	608	-	2,1330	21.17	684	482	69	80	15

No. 10—Concluded.
for the Year 1894.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
19	10	3	4	-	36	42	40	-	82	63	16	3	19.52
5	-	-	-	-	5	11	10	-	21	20	1	-	21.70
19	2	2	2	-	25	31	25	-	56	44	12	-	16.25
7	-	-	-	-	7	9	12	-	21	21	-	-	15.48
9	-	1	-	-	10	29	19	-	48	43	2	3	23.66
10	-	2	-	-	12	25	19	-	44	36	2	6	18.00
302	82	34	28	8	454	601	546	-	1,147	975	125	47	18.26

TABLE
RECAPITULATION

Counties.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin	48,968	546	530	3	1,079	22.03	412	527	65	64	11
Aroostook.....	49,589	878	867	5	1,750	35.84	962	263	219	265	41
Cumberland	90,949	1025	1003	4	2,032	22.34	1155	550	124	168	35
Franklin	17,053	178	149	1	328	19.43	283	24	11	4	6
Hancock	37,312	386	363	1	750	22.07	651	31	33	22	13
Kennebec	57,012	493	499	5	997	17.49	597	227	55	93	25
Knox	31,473	311	288	1	600	19.05	470	59	34	20	17
Lincoln.....	21,996	187	175	-	362	16.50	336	2	10	10	4
Oxford	30,586	294	268	2	564	18.54	475	28	26	25	10
Penobscot.....	72,865	742	692	10	1,444	19.89	906	255	137	119	27
Piscataquis	16,134	153	134	1	288	18.19	208	40	21	17	2
Sagadahoc	19,452	173	194	-	367	18.87	274	43	18	31	1
Somerset	32,627	287	263	3	553	17.14	414	60	33	35	11
Waldo	27,759	201	189	-	390	14.04	358	4	12	13	3
Washington.....	44,482	533	565	8	1,106	25.02	702	121	108	144	31
York.....	62,829	720	608	2	1,330	21.17	684	482	69	80	15
Total	661,086	7107	6787	46	13,940	21.09	8887	2716	975	1110	252

No. 11.

BY COUNTIES.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
267	101	40	35	13	456	451	487	3	941	752	163	26	19.22
235	85	76	84	12	492	326	331	-	657	494	147	16	13.46
481	146	61	63	6	757	844	846	-	1,690	1,401	247	42	18.57
148	2	2	14	-	166	147	129	-	276	264	5	7	16.35
279	2	13	26	7	327	296	256	1	553	513	25	15	16.27
361	40	36	34	7	478	583	546	3	1,132	950	108	74	19.86
205	22	17	21	5	270	249	258	2	509	467	26	16	16.18
138	1	2	1	1	143	188	152	1	341	367	6	28	15.50
188	6	9	12	2	217	227	242	1	470	446	9	15	15.45
317	22	24	38	230	631	614	572	6	1,192	930	167	95	16.40
111	10	5	6	12	144	109	103	2	214	186	21	7	13.52
104	3	16	8	-	131	146	144	-	290	262	24	4	14.91
246	5	13	18	3	285	265	254	1	520	456	38	26	16.12
209	1	7	5	4	226	208	236	-	444	419	13	12	16.00
275	49	50	38	2	414	316	320	-	636	489	128	19	14.39
302	82	34	28	8	454	601	546	-	1,147	975	125	47	18.26
3,866	577	405	431	312	5,591	5,570	5,422	20	11,012	9,311	1,252	449	16.66

TABLE No. 12.
Births and Birth-Rates by Counties for the Years 1892-'94.

	1892.		1893.		1894.	
	Births.	Rate.	Births.	Rate.	Births.	Rate.
State	14,028	21.21	13,908	21.04	13,940	21.09
Androscoggin.....	991	20.23	1,053	21.50	1,079	22.03
Aroostook	1,610	32.46	1,553	32.44	1,750	35.84
Cumberland	2,048	22.51	2,017	22.17	2,032	22.34
Franklin	345	20.23	314	18.66	328	19.43
Hancock	757	20.28	739	19.97	750	22.07
Kennebec	1,064	18.66	1,149	20.15	997	17.49
Knox.....	572	18.14	652	20.73	600	19.05
Lincoln.....	402	18.27	348	15.89	362	16.50
Oxford	524	17.13	498	16.36	564	18.47
Penobscot.....	1,452	19.92	1,375	18.91	1,444	19.89
Piscataquis	343	21.25	339	21.66	288	18.19
Sagadahoc	375	19.27	391	20.10	367	18.87
Somerset	629	19.27	642	19.90	553	17.14
Waldo	404	14.55	435	15.67	390	14.04
Washington.....	1,081	24.30	1,001	22.64	1,106	25.02
York	1,431	22.77	1,402	22.31	1,330	21.17

TABLE No. 13.

Births by Counties, Showing Proportion of Males to Females, 1894.

Counties.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin.....	546	530	3	1,079	16	-	103.0
Aroostook ...	878	867	5	1,750	11	-	101.3
Cumberland.....	1,025	1,003	4	2,032	22	-	102.2
Franklin.....	178	149	1	328	29	-	119.5
Hancock..	386	363	1	750	23	-	105.8
Kennebec	493	499	5	997	-	6	98.8
Knox	311	288	1	600	23	-	107.10
Lincoln	187	175	-	362	12	-	106.8
Oxford.....	294	268	2	564	26	-	109.7
Penobscot ..	742	692	10	1,444	50	-	107.2
Piscataquis	153	134	1	288	19	-	114.2
Sagadahoc.....	173	194	-	367	-	21	89.2
Somerset	287	263	3	553	24	-	109.9
Waldo	201	189	-	390	12	-	106.3
Washington	533	565	8	1,106	-	32	94.3
York.....	720	608	2	1,330	112	-	118.8
Total.....	7,107	6,787	46	13,940	420	-	104.7

TABLE No. 14.
Births by Sex and Month, by Counties, 1894.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males	36	44	56	50	42	56	47	52	31	41	43	48	-	546	-
females...	40	32	54	49	52	54	30	50	46	49	31	42	1	530	-
not stated	-	-	1	-	1	-	-	-	1	-	-	-	-	3	1079
Aroostook, males...	53	61	94	92	98	65	92	65	61	73	65	59	-	878	-
females...	51	59	83	97	91	92	78	73	70	53	50	70	-	867	-
not stated	-	-	1	-	-	2	-	-	1	-	1	-	-	5	1750
Cumberland, males...	79	54	103	110	93	75	105	82	96	76	71	81	-	1025	-
females...	74	73	90	86	89	83	86	98	76	78	76	94	-	1003	-
not stated	1	-	-	-	1	1	-	1	-	-	-	-	-	4	2032
Franklin, males.....	15	9	18	9	16	10	19	24	16	11	16	15	-	178	-
females...	11	10	22	14	11	7	8	12	10	18	10	16	-	149	-
not stated	-	-	-	-	-	1	-	-	-	-	-	-	-	1	328
Hancock, males.....	22	25	37	41	27	29	40	40	34	34	27	30	-	386	-
females...	22	26	40	45	22	20	23	41	29	27	32	30	-	363	-
not stated	-	1	-	-	-	-	-	-	-	-	-	-	-	1	750
Kennebec, males....	31	40	41	41	51	48	35	40	44	30	34	57	1	493	-
females...	35	36	43	41	38	28	52	45	57	37	36	51	-	499	-
not stated	1	-	1	-	1	-	-	-	1	-	-	1	-	5	997
Knox, males.....	19	25	24	31	25	23	29	33	22	20	25	35	-	311	-
females...	27	16	28	16	21	23	23	26	23	25	29	31	-	288	-
not stated	-	-	-	-	-	-	1	-	-	-	-	-	-	1	600
Lincoln, males.....	13	9	20	13	16	12	21	18	23	16	15	10	1	187	-
females...	9	19	18	15	14	22	13	10	14	12	14	14	-	175	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	362
Oxford, males.....	19	20	29	20	27	24	37	35	27	25	16	15	-	294	-
females...	16	14	32	24	23	26	31	24	28	18	24	8	-	268	-
not stated	1	-	-	-	-	-	1	-	-	-	-	-	-	2	564
Penobscot, males...	67	57	62	65	63	78	76	60	58	56	45	55	-	742	-
females...	49	41	64	61	55	65	70	60	65	53	49	60	-	692	-
not stated	-	-	2	-	2	1	-	2	-	1	1	2	-	10	1444
Piscataquis, males...	9	13	12	19	15	14	15	10	10	7	17	12	-	153	-
females...	13	14	15	17	10	11	12	10	7	10	11	4	-	134	-
not stated	-	1	-	-	-	-	-	-	-	-	-	-	-	1	288
Sagadahoc, males...	13	4	19	12	10	26	20	9	17	15	8	20	-	173	-
females...	10	13	14	22	21	18	18	15	14	15	18	16	-	194	367
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset, males....	10	23	23	42	33	24	24	24	19	26	17	21	1	287	-
females...	20	25	26	22	32	24	20	27	16	22	15	14	-	263	-
not stated	-	-	-	1	2	-	-	-	-	-	-	-	-	3	553
Waldo, males.....	14	9	26	13	17	18	15	21	25	15	2	16	-	201	-
females...	12	13	14	9	19	22	19	20	16	18	10	17	-	189	390
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington, males...	36	41	45	62	57	34	56	36	35	38	31	60	2	533	-
females...	34	46	53	55	52	46	60	42	52	48	32	44	1	565	-
not stated	-	2	-	-	1	-	-	1	3	1	-	-	-	8	1106
York, males.....	53	52	69	77	58	62	64	59	60	55	51	60	-	720	-
females...	41	53	57	51	50	56	46	49	61	41	47	56	-	608	-
not stated	-	-	-	-	-	1	-	-	-	-	1	-	-	2	1330
Total, males.....	489	486	678	697	648	598	695	608	578	538	493	594	5	7107	-
females...	470	490	654	624	600	597	589	602	584	524	484	567	2	6787	-
not stated	3	4	3	3	7	5	2	3	6	2	3	3	2	46	-
	962	980	1335	1324	1255	1200	1286	1213	1168	1064	980	1164	9	13940	13940

TABLE No. 15.
Births in Cities for 1894, with Rate per 1,000 of Population.

Cities.	Population in 1890.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn.. .. .	11,250	90	85	1	176	15.64	105.9
Augusta	10,527	106	116	-	222	21.09	91.4
Bangor.....	19,103	140	183	6	329	17.22	76.5
Bath	8,723	97	106	-	203	23.28	91.5
Belfast	5,294	20	12	-	32	6.04	166.7
Biddeford.....	14,443	296	221	1	518	35.87	133.9
Brewer	4,193	51	53	-	104	24.80	96.2
Calais	7,290	106	128	1	235	32.24	82.8
Deering	5,353	56	54	-	110	20.55	103.1
Eastport	4,908	68	44	-	112	22.82	154.5
Ellsworth	4,804	33	39	-	72	14.99	84.6
Gardiner.....	5,491	48	53	-	101	18.39	90.6
Hallowell	3,181	29	38	1	68	21.38	76.3
Lewiston	21,701	295	294	-	589	27.14	100.3
Old Town	5,312	74	63	-	137	25.79	117.5
Portland	36,425	432	433	2	867	23.80	99.8
Rockland	8,174	74	81	-	155	18.96	91.4
Saco	6,075	69	54	-	123	20.25	127.8
Waterville.....	7,107	100	98	4	202	28.42	102.0
Westbrook.....	6,632	129	125	-	254	38.30	103.2
Total	195,986	2,313	2,280	16	4,609	23.51	101.5

TABLE No. 16.
Percentage of American and Foreign Births by Counties, 1894.

Counties.	PARENTS.			Births with percentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin.....	38.18	48.84	11.96	1.02
Aroostook.....	54.97	15.03	27.66	2.34
Cumberland.....	56.84	27.07	14.37	1.72
Franklin.....	86.28	7.32	4.57	1.83
Hancock.....	86.80	4.13	7.33	1.74
Kennebec.....	59.88	22.77	14.85	2.50
Knox.....	78.33	9.83	9.00	2.84
Lincoln.....	92.82	0.55	5.52	1.11
Oxford.....	84.22	4.96	9.04	1.78
Penobscot.....	62.74	17.66	17.73	1.87
Piscataquis.....	72.22	13.89	13.19	0.70
Sagadahoc.....	74.66	11.72	13.35	0.27
Somerset.....	74.86	10.85	12.30	1.99
Waldo.....	91.79	1.03	6.41	0.77
Washington.....	63.47	10.94	22.78	2.81
York.....	51.43	36.24	11.20	1.13
State.....	63.75	19.48	14.96	1.81

TABLE No. 17.
Percentage of American and Foreign Births, by Cities, 1894.

Cities.	PARENTS.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Auburn	51.14	32.39	14.77	1.70
Augusta.....	47.75	34.23	14.86	3.16
Bangor.....	55.02	24.31	18.84	1.83
Bath.....	70.94	13.79	15.27	-
Belfast	78.13	-	18.75	3.12
Biddeford.....	15.83	67.95	14.86	1.36
Brewer.....	48.08	25.96	23.08	2.88
Calais	36.17	23.82	37.87	2.14
Deering.....	71.82	17.27	10.00	0.91
Eastport	31.25	19.64	48.21	0.90
Ellsworth.....	90.28	4.16	4.17	1.39
Gardiner.....	72.28	15.84	10.89	0.99
Hallowell	54.41	27.94	16.18	1.47
Lewiston	20.17	68.47	10.51	0.85
Old Town	35.05	39.42	24.08	1.45
Portland	49.60	29.07	19.95	1.38
Rockland	76.77	7.74	11.61	3.88
Saco	56.10	34.14	9.76	-
Waterville.....	32.18	38.12	28.22	1.48
Westbrook.....	32.28	53.94	12.99	0.79
Collectively	43.02	37.61	17.92	1.45

TABLE No. 18.
Twin Births by Months and Counties, 1894.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin	-	1	-	-	-	4	-	-	-	-	-	2	7
Aroostook	-	1	4	4	5	1	4	-	3	-	1	2	25
Cumberland	1	-	2	1	-	4	2	1	3	1	1	2	18
Franklin	-	-	-	-	-	-	-	-	1	1	-	-	2
Hancock	1	-	2	-	1	-	-	2	-	2	1	-	9
Kennebec.....	-	-	-	2	-	-	-	2	1	1	-	-	6
Knox.....	-	1	-	1	-	1	-	2	-	1	-	-	6
Lincoln	1	-	1	-	-	-	1	-	-	-	-	-	3
Oxford.....	-	-	-	1	-	1	1	1	1	-	1	-	6
Penobscot.....	2	1	1	2	-	2	-	-	2	1	3	1	15
Piscataquis.....	1	1	-	-	-	-	-	-	-	-	-	1	3
Sagadahoc	2	-	2	-	1	-	-	-	1	-	1	-	7
Somerset	-	-	1	-	1	-	2	-	-	1	-	-	5
Waldo	-	-	-	-	-	-	1	1	1	-	-	-	3
Washington	1	1	-	-	-	-	1	-	1	2	-	2	8
York	-	1	2	-	-	1	2	-	1	1	-	2	10
Total	9	7	15	11	8	14	14	9	15	11	8	12	133

TABLE No. 19.
Twin Births, by Sex and Parentage, by Counties, 1894.

Counties.	Sex.				Parentage.								
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	Total.	Living children.	Still-born children.	Total.
Androscoggin	4	6	4	-	8	2	4	-	-	14	14	-	14
Aroostook	26	12	12	-	28	4	8	10	-	50	41	9	50
Cumberland	10	12	14	-	16	14	4	2	-	36	33	3	36
Franklin	4	-	-	-	4	-	-	-	-	4	4	-	4
Hancock	10	4	4	-	14	-	2	2	-	18	18	-	18
Kennebec	4	6	2	-	8	2	2	-	-	12	12	-	12
Knox	6	6	-	-	10	2	-	-	-	12	11	1	12
Lincoln	4	2	-	-	6	-	-	-	-	6	6	-	6
Oxford	6	6	-	-	6	2	-	2	2	12	10	2	12
Penobscot	18	2	10	-	28	2	-	-	-	30	28	2	30
Piscataquis	2	-	4	-	4	2	-	-	-	6	5	1	6
Sagadahoc	4	6	4	-	12	-	2	-	-	14	6	8	14
Somerset	2	4	4	-	10	-	-	-	-	10	8	2	10
Waldo	4	-	2	-	6	-	-	-	-	6	5	1	6
Washington	8	2	6	-	8	-	-	6	2	16	13	3	16
York	6	4	10	-	12	8	-	-	-	20	20	-	20
Total ..	118	72	76	-	180	38	22	22	4	266	234	32	266

TABLE No. 20.
Still-Births by Sex and Parentage, by Counties, 1894.

Counties.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin.....	18	22	-	40	23	17	-
Aroostook	60	23	5	88	61	27	-
Cumberland	56	33	5	94	51	42	1
Franklin.....	8	8	-	16	14	2	-
Hancock.	20	17	1	38	35	3	-
Kennebec	28	14	4	46	31	13	2
Knox	12	20	1	33	29	3	1
Lincoln	7	10	-	17	15	1	1
Oxford.....	18	16	-	34	28	5	1
Penobscot.....	33	25	3	61	50	11	-
Piscataquis.....	7	5	1	13	11	2	-
Sagadahoc.....	13	17	1	31	25	5	1
Somerset	9	12	-	21	16	5	-
Waldo	14	11	-	25	22	3	-
Washington	18	21	1	40	34	6	-
York.....	43	26	1	70	32	35	3
Total	364	280	23	667	477	180	10

TABLE No. 21.
Still Births by Seasons, 1894.

Months.			
January	60		
February.	48		
March	61	Total for first quarter	169
April	59		
May	60		
June	48	Total for second quarter... ..	167
July	46		
August	61		
September	59	Total for third quarter.....	166
October	56		
November.....	42		
December.. ..	65	Total for fourth quarter	163
Month not stated	2	Total not stated	2
Total	667		667

NOTES ON BIRTHS.

In the State of Maine, in the year 1894, 14,607 births were registered, including still-births (14,028 in 1892, and 14,604 in 1893).

The number of living children born was 13,940, and the number of still-births was 667.

Of the whole number of living children of which the sex was certified, 7,107 were males and 6,787 were females. In 46 births, the sex was not stated. For each 100 girls born there were 104.7 boys, (106.7 in 1892 and 107.4 in 1893).

This preponderance of the births of boys over girls conforms with the results of the registration of births almost everywhere. Thus, the number of boys to each 100 girls is, in Vermont (1894), 106.8; and in Massachusetts (1894), 105.4.

Birth-Rate.—The birth-rate of living children for the State was 21.09 for each 1,000 of population, using the figures as given in the census returns for 1890 as the basis of calculation.

The birth-rate of the different counties varied widely. It was the highest in Aroostook, 35.84, and the lowest in Waldo, 14.04. In six counties, Aroostook, Cumberland, Hancock, Androscoggin, Washington and York, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 6 and No. 11.

For the purpose of comparison it may be stated that in 1894 the birth-rate in New Hampshire was 20.87; in Vermont, 20.55; in Massachusetts, 29.90; in Rhode Island, 26.57; and in Connecticut, 24.96.

Parentage.—Of the total births in the State, 63.75 per cent. were of native parents; 19.48 per cent. were of foreign parentage; 14.96 per cent. were of parents, one of whom was foreign; while of 1.81 per cent. the nationality was not stated.

Lincoln county, as in 1892 and 1893, had the largest percentage of native-born parents, to wit, 92.82 per cent. (89.30 in 1892 and 93.10 in 1893). Waldo followed with 91.79 per cent. of native parentage (89.10 in 1892 and 90.80 in 1893,) and only 0.77 per cent. in which both parents were foreign-born.

In Hancock county, in 86.80 per cent. of the births, the parents were native-born.

In Franklin the percentage was 86.28, and in Oxford, 84.22.

Low percentages of native-born parents were shown in Androscoggin county, where, in 38.18 per cent. of the births, the parents were native-born, and 48.84 per cent. were foreign-born; and in York county with 51.43 per cent., and in Aroostook with 54.97 per cent. of the parents native-born.

The percentages of parentage, whether American-born or foreign-born may be found for the other counties in Table No. 16.

Comparing the percentage of the births in our twenty cities with that of the rest of the State, we find that in the cities, 43.02 per cent. of the births were of American parentage, while in the rural parts of the State, the percentage of American-born children was 74.07.

The largest percentage of foreign-born parents was in Lewiston, 68.47, and in Biddeford, 67.95 per cent.

The lowest percentage of foreign-born parents was again in Belfast where no birth was reported in which both parents were foreign, while in Ellsworth only 4.16 per cent., and in Rockland 7.74 per cent. of the births had both parents foreign-born. For further comparisons see Table No. 17.

Comparing the statistics of the other New England states with our 63.75 per cent. of American-born parents, we find that in 1894, in Vermont 79.07 per cent. of the births were of American parentage; in Massachusetts, 32.45 per cent.; in Rhode Island, 32.97 per cent.; and in Connecticut, 43.2 per cent.

Seasons and Births.—The largest number of births in any one month in 1894 was 1,335 in March; the smallest was 962 in January; the largest quarterly total was 3,779 in the second quarter the smallest, 3,208 in the last quarter.

In the first quarter there were 3,277 births, (3,474 in 1892 and 3,395 in 1893).

In the second quarter there were 3,779 births, (3,774 in 1892 and 3,694 in 1893).

In the third quarter there were 3,667 births, (3,557 in 1892 and 3,504 in 1893).

In the fourth quarter there were 3,208 births, (3,160 in 1892 and 3,267 in 1893).

The three consecutive months in which the largest number of births occurred were March, April and May, 3,914.

Twin Births.—In 1894, 133 twin births occurred; in 59 instances the twins were both boys; in 36, both girls; in 38 a boy and a girl. In 90 cases the parentage was American; in 19 foreign; and in 22 instances the parentage was mixed. Of the 266 children, 234 were born alive, and 32 were still-born.

Triplets in Mexico and North Berwick. Other facts may be learned by consulting Tables No. 18 and No. 19.

Still-Births.—Of the 667 still-born children, 364 were males, and 280 females. In 23 the sex was not stated. With the exception of 10 still-births, as to which the nativity of the mother was not stated, 477 were of American mothers, and 180 were of foreign mothers.

The largest number of still-births, 94, occurred in Cumberland county, while the minimum number, 13, was reported in Piscataquis county.

The largest number of still-births, 65, was returned in December; the smallest number in any one month was 42 in November. See Tables No. 20 and No. 21 for other details.

TABLE No. 22.

Marriages and Marriage-Rates by Counties for the Years 1892-94.

	1892.		1893.		1894.	
	Marriages	Rate.	Marriages	Rate.	Marriages	Rate.
State.....	5,726	8.56	5,795	8.76	5,591	8.46
Androscoggin.....	479	9.78	463	9.46	456	9.31
Aroostook.....	458	9.24	494	9.96	492	9.92
Cumberland.....	779	8.57	820	9.02	757	8.32
Franklin.....	145	8.50	150	8.80	166	9.73
Hancock.....	307	8.23	311	8.33	327	8.76
Kennebec.....	553	9.70	529	9.28	478	8.38
Knox.....	276	8.77	318	10.10	270	8.58
Lincoln.....	172	7.82	155	7.05	143	6.50
Oxford.....	224	7.32	223	7.29	217	7.10
Penobscot.....	697	9.58	694	9.52	631	8.66
Piscataquis.....	133	8.24	143	8.86	144	8.92
Sagadahoc.....	157	8.07	131	6.73	131	6.73
Somerset.....	297	9.10	298	9.13	285	8.74
Waldo.....	240	8.65	225	8.11	226	8.14
Washington.....	354	7.96	406	9.13	414	9.31
York.....	455	7.24	435	6.92	454	7.23

TABLE No. 23.
Marriages by Counties and Nativity, 1894.

Counties.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin.....	267	101	40	35	13	456
Aroostook.....	235	85	76	84	12	492
Cumberland.....	481	146	61	63	6	757
Franklin	148	2	2	14	-	166
Hancock.....	279	2	13	26	7	327
Kennebec	361	40	36	34	7	478
Knox	205	22	17	21	5	270
Lincoln.	138	1	2	1	1	143
Oxford	188	6	9	12	2	217
Penobscot	317	22	24	38	230	631
Piscataquis	111	10	5	6	12	144
Sagadahoc	104	3	16	8	-	131
Somerset.....	246	5	13	18	3	285
Waldo	209	1	7	5	4	226
Washington... ..	275	49	50	38	2	414
York.....	302	82	34	28	8	454
Total	3,866	577	405	431	312	5,591

TABLE No. 24.
Marriages by Months and Counties, 1894.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	29	27	23	42	32	47	44	31	42	51	53	35	-	456
Aroostook	25	21	31	42	37	47	28	36	52	63	69	41	-	492
Cumberland	72	41	36	48	48	106	45	41	62	83	91	83	1	757
Franklin	4	6	12	12	12	11	12	9	21	16	23	28	-	166
Hancock	26	12	26	20	22	27	26	31	28	35	40	34	-	327
Kennebec	28	22	37	33	37	58	29	42	52	47	59	34	-	478
Knox	21	15	10	16	24	35	13	24	25	37	25	23	2	270
Lincoln	12	3	15	10	5	16	7	10	13	26	10	16	-	143
Oxford	19	17	18	14	18	9	11	12	16	22	29	31	1	217
Penobscot	39	30	39	54	44	73	40	38	62	77	60	62	13	631
Piscataquis	17	8	10	10	16	11	9	6	18	15	12	12	-	144
Sagadahoc	6	12	8	8	7	20	8	8	13	15	16	10	-	131
Somerset	17	15	20	25	16	28	20	28	30	33	32	20	1	285
Waldo	18	15	11	21	17	26	10	14	21	29	24	20	-	226
Washington	27	30	24	29	24	42	41	29	42	42	34	50	-	414
York	40	24	22	30	27	47	35	34	44	45	51	55	-	454
Total	400	298	342	414	386	603	378	393	541	636	628	554	18	5,591

TABLE No. 25.
Marriages by Ages and Counties, 1894.

Counties.	Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscoggin, males..	-	15	197	121	40	27	24	16	13	11	5	7	3	-	456
females..	-	110	186	76	27	24	14	14	10	3	2	2	-	-	456
Aroostook, males.....	-	13	192	147	54	32	16	15	8	7	3	1	-	4	492
females..	4	184	182	71	9	13	9	9	4	2	1	-	-	4	492
Cumberland, males ...	-	22	243	243	113	62	23	20	9	8	7	7	-	-	757
females..	1	163	290	167	65	27	17	11	10	1	3	1	-	1	757
Franklin, males	-	7	43	47	22	16	6	7	6	3	5	3	-	1	166
females..	1	55	51	24	11	7	4	3	1	4	3	1	-	1	166
Hancock, males	-	10	130	77	42	21	22	8	6	3	5	3	-	-	327
females..	3	117	123	38	17	9	5	5	5	2	2	1	-	-	327
Kennebec, males	-	17	188	124	58	33	21	10	6	7	10	3	-	1	478
females..	2	133	185	79	25	19	13	9	6	3	2	1	-	1	478
Knox, males	-	11	116	57	28	15	16	7	4	5	8	2	-	1	270
females..	-	79	96	38	19	14	8	6	3	2	5	-	-	-	270
Lincoln, males....	-	7	46	38	15	11	4	8	4	3	4	3	-	-	143
females..	1	37	49	27	9	7	4	2	1	4	2	-	-	-	143
Oxford, males.....	-	6	81	74	18	11	10	6	4	1	5	1	-	-	217
females..	-	93	66	20	10	11	5	5	3	2	1	1	-	-	217
Penobscot, males.....	-	24	230	189	72	47	24	13	8	13	7	4	-	-	631
females..	-	171	241	112	39	23	17	10	5	5	6	2	-	-	631
Piscataquis, males	-	3	44	41	22	12	11	3	3	2	2	2	-	-	144
females..	-	48	50	21	9	4	6	2	2	1	1	-	-	-	144
Sagadahoc, males	-	5	37	42	24	9	5	1	-	4	3	1	-	-	131
females..	-	36	45	22	14	6	3	3	1	1	-	-	-	-	131
Somerset, males.....	-	14	86	69	40	29	10	12	9	2	8	5	1	-	285
females..	1	95	92	37	20	16	6	7	6	2	2	-	-	1	285
Waldo, males.....	-	2	78	58	24	22	9	6	10	6	10	1	-	-	226
females..	1	57	74	41	19	12	6	5	5	4	2	-	-	-	226
Washington, males....	-	12	159	117	56	26	9	14	8	6	5	2	-	-	414
females..	-	142	154	60	25	10	6	5	3	4	4	1	-	-	414
York, males.....	-	19	180	108	50	41	13	12	10	7	11	3	-	-	454
females..	-	106	197	66	28	20	17	12	7	7	5	-	-	-	454
Total, males	-	187	2050	1552	678	415	215	155	106	82	100	43	1	7	5,591
females..	14	1626	2081	899	346	222	140	97	65	42	41	8	-	10	5,591
Grand total	14	1813	4131	2451	1024	637	355	252	171	124	141	51	1	17	11,182

TABLE
Interesting Facts in

Counties.	Instances in which the age of the bride exceeds that of the groom.	Widowers.	Widows.	Divorced.		First marriage.		Second marriage.		Third marriage.	
				M.	F.	M.	F.	M.	F.	M.	F.
				Androscoggin	74	78	43	4	9	374	404
Aroostook	44	76	39	14	11	396	436	83	41	7	9
Cumberland	113	111	75	1	16	641	662	94	84	16	7
Franklin	19	30	23	5	8	131	134	25	30	9	1
Hancock	30	48	42	15	12	263	273	54	50	8	4
Kennebec	72	83	56	19	16	371	399	83	64	14	8
Knox	44	51	33	10	14	209	223	51	41	10	6
Lincoln	20	31	15	4	8	108	120	28	21	6	2
Oxford	25	37	25	6	7	174	185	39	30	4	1
Penobscot	97	79	60	22	44	527	522	88	96	11	9
Piscataquis	17	29	21	5	7	108	114	33	25	1	3
Sagadahoc	21	25	15	-	1	106	115	22	15	3	-
Somerset	26	61	34	9	20	214	230	58	48	11	6
Waldo	33	49	31	8	8	169	187	51	33	6	6
Washington	44	62	49	8	4	338	367	60	48	7	5
York	85	66	44	9	11	376	395	63	48	10	6
Total	764	916	605	139	196	4,505	4,766	908	723	129	76

NOTES ON MARRIAGES.

There were 5,591 marriages registered in the State during the year 1894, (5,726 in 1892 and 5,795 in 1893). This gives a marriage-rate of 16.92 (persons married) to every 1,000 of population, or the rate of 8.46 marriages per 1,000 persons.

Marriage-Rates.—The marriage-rate was higher in Aroostook county than elsewhere in the State, it being for that county 19.84 per 1,000. The lowest marriage-rate, that of 13.00 per 1,000, was in Lincoln county. See Table No. 6.

Comparing the marriage-rate of Maine (16.92 per 1,000) with that of the other New England states, we find that for the same year, 1894, it was in New Hampshire, 20.60; Vermont, 17.02; Massachusetts, 16.44; Rhode Island, 17.4; and Connecticut, 14.2.

Nativity.—Of the 5,279 records of marriage in which there is a statement of birthplace, in 73 per cent. the groom and bride were both American; in 11 per cent. both were of foreign birth; in 8 per cent. the groom was American and the bride of foreign birth; while in 8 per cent. a foreign groom and American bride were united.

Seasons.—The largest number of marriages, 636, were solemnized in October, while the smallest number in any one month, 298, occurred in February. See Table No. 24.

Ages of the Married.—The largest number, both of grooms and brides, were between 20 and 25 years of age. While still under 15 years of age, 14 brides were married; in the age-period 15-20 years, there were 187 grooms and 1,626 brides; in the period 20-25 years, 2,050 men and 2,081 women were married; from 25-30, 1,552 men and 899 women; from 30-35, 678 men and 346 women; from 35-40, 415 men and 222 women; from 40-45, 215 men and 140 women; from 45-50, 155 men and 97 women; from 50-55, 106 men and 65 women; from 55-60, 82 men and 42 women; from 60-70, 100 men and 41 women; from 70-80, 43 men and 8 women; over 80, 1 man. See Table No. 25.

In 764 marriages the bride was older than the groom; 916 widowers and 605 widows were remarried; 139 men and 196 women were remarried after having been divorced from a former marriage.

Table No. 26 exhibits the fact that 4,505 men and 4,766 women were married the first time; that 908 men and 723 women were married the second time; that 129 men and 76 women were united in a third marriage; while 11 men and 3 women contracted marriage a fourth time.

The oldest groom was 84 years of age and the oldest bride was 76; in two marriages the bride was only 13 years old.

TABLE

Divorces Deceerd by the Supreme Court of Maine for the

Counties.	Libellant wife.		Libellant husband.		Adultery.	Adultery and desertion.	Impotence.	Extreme cruelty.	Extreme cruelty and intoxication.	Desertion.	Desertion and intoxication.	Desertion and extreme cruelty.	Desertion and failure to support.	Desertion and cruel and abusive treatment.	Desertion, cruel and abusive treatment and intoxication.
	Number	Percentage	Number	Percentage											
Androscoggin	29	8	10	-	-	-	-	-	9	-	-	-	-	-	-
Aroostook	17	14	4	1	-	-	-	2	10	-	-	-	1	1	-
Cumberland	49	16	7	-	-	-	-	-	30	-	-	-	2	-	-
Franklin	23	6	2	-	-	-	-	-	7	-	-	-	-	-	-
Hancock	24	9	5	-	-	-	2	-	16	-	-	-	-	-	-
Kennebec	74	23	11	-	-	-	-	-	17	-	-	-	1	-	-
Knox	28	8	5	-	-	-	-	-	7	-	-	-	1	2	-
Lincoln	13	8	1	-	-	-	-	-	8	1	-	-	-	1	-
Oxford	17	8	2	-	-	-	1	-	8	-	-	-	-	-	-
Penobscot	76	24	18	-	-	-	-	-	25	-	-	-	-	-	-
Piscataquis	6	7	4	-	1	-	-	-	3	-	-	-	-	-	-
Sagadahoc	11	3	1	1	-	-	-	-	2	-	-	-	1	-	-
Somerset	41	9	3	3	-	-	1	-	9	-	-	-	3	-	-
Waldo	32	10	3	-	1	-	-	-	12	-	-	-	-	-	-
Washington	20	9	7	-	-	-	1	-	11	-	-	-	-	1	-
York	36	16	9	-	-	-	4	-	21	-	-	-	-	-	-
Total	496	178	92	5	2	9	2	195	1	-	-	9	5	-	-

No. 27.

Year 1894, as Returned by Clerks of the Several Counties.

Intoxication.	Intoxication and failure to support.	Cruel and abusive treatment.	Cruel and abusive treatment and adultery.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Failure to support.	Failure to support, cruel and abusive treatment and desertion.	Nullity of marriage.	No cause reported.	Total.
5	-	8	-	-	1	1	3	-	-	-	37
-	2	9	-	-	1	-	-	-	-	-	31
6	-	10	-	-	2	4	4	-	-	-	65
1	1	11	-	2	1	3	1	-	-	-	29
3	-	5	-	-	-	-	2	-	-	-	33
13	3	13	1	-	5	12	14	-	-	7	97
2	-	15	-	1	-	1	2	-	-	-	36
-	1	6	-	-	1	2	-	-	-	-	21
4	-	8	-	-	1	-	-	-	1	-	25
5	-	33	2	4	2	6	5	-	-	-	100
-	-	4	1	-	-	-	-	-	-	-	13
2	1	2	-	-	2	2	-	-	-	-	14
2	4	9	5	-	2	3	5	-	1	-	50
1	1	16	-	2	2	2	2	-	-	-	42
3	-	5	-	-	-	-	1	-	-	-	29
6	1	4	-	-	1	1	5	-	-	-	52
53	14	158	9	9	21	37	44	-	2	7	674

TABLE No. 28.
Divorces by Causes, the Sex of Libellants, and the Number of
Years Married, 1894.

Causes.	LIBELLANTS.		NUMBER OF YEARS MARRIED.							
	Number.	Sex.	Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown.
Adultery	92	Males,	47	1	18	10	13	5	-	-
		Females,	45	3	9	15	7	9	-	1
Adultery and desertion.	5	Males,	4	-	1	2	1	-	-	-
		Females,	1	-	-	1	-	-	-	-
Impotence	2	Males,	2	1	1	-	-	-	-	-
		Females,	1	1	-	-	-	-	-	-
Extreme cruelty.	9	Males,	1	-	-	-	-	-	-	-
		Females,	8	-	3	-	5	-	-	-
Extreme cruelty and intoxication.	2	Males,	2	-	1	-	1	-	-	-
		Females,	3	-	-	-	-	-	-	-
Desertion	195	Males,	84	-	18	31	23	7	5	-
		Females,	111	1	16	35	38	15	5	1
Desertion and intoxication.	1	Female,	1	-	-	1	-	-	-	-
Desertion and failure to support	9	Females,	9	-	4	2	2	1	-	-
Desertion and cruel and abusive treatment.	5	Males,	2	-	2	-	-	-	-	-
		Females,	3	1	1	-	-	-	1	-
Intoxication	53	Males,	7	-	4	2	1	-	-	-
		Females,	46	3	10	14	15	3	1	-
Intoxication and failure to support	14	Males,	14	-	9	1	4	-	-	-
		Females,	30	1	6	9	7	4	2	1
Cruel and abusive treatment.	158	Males,	128	1	44	30	39	12	1	1
		Females,	1	-	-	-	-	-	-	-
Cruel and abusive treatment and adultery.	9	Males,	1	-	-	-	1	-	-	-
		Females,	8	-	3	3	1	1	-	-
Cruel and abusive treatment and extreme cruelty.	9	Males,	9	-	4	1	1	3	-	-
		Females,	9	-	-	-	-	-	-	-
Cruel and abusive treatment and failure to support.	21	Males,	21	-	11	3	7	-	-	-
		Females,	21	-	-	-	-	-	-	-
Cruel and abusive treatment and intoxication	37	Males,	37	-	21	8	2	6	-	-
		Females,	37	-	-	-	-	-	-	-
Failure to support.	44	Males,	44	-	19	10	10	4	1	-
		Females,	44	-	-	-	-	-	-	-
Nullity of marriage	2	Males,	2	1	-	1	-	-	-	-
		Females,	2	-	-	-	-	-	-	-
No cause reported.	7	Males,	7	-	1	4	2	-	-	-
		Females,	7	-	-	-	-	-	-	-
Total	674	Males,	178	4	49	55	45	17	7	1
		Females,	496	2	10	157	129	134	54	9

NOTES ON DIVORCES.

Six-hundred and seventy-four divorces were decreed in the year 1894, (552 in 1892 and 627 in 1893) and this is at the rate of over one divorce to every nine marriages solemnized within the same year.

Some of the causes for which divorces were granted are : Adultery, 92, or 13.6 per cent. of the whole number ; extreme cruelty, 9, or 1.3 per cent. ; desertion, 195, or 28.9 per cent. ; intoxication, 53, or 7.8 per cent. ; cruel and abusive treatment, 158, or 23.4 per cent. ; failure to support, 44, or 6.5 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 496 divorces, and the husband in 178.

In the divorces granted for adultery, the husband was the libellant 47 times, and the wife 45 times.

On account of extreme cruelty, the wife was the libellant in 8 cases and the husband in 1.

For desertion, the husband was the libellant 84 times, and the wife in 111.

For intoxication, the husband was the libellant in 7 cases, and the wife in 46.

For cruel and abusive treatment, the husband was the libellant in 30 instances, and the wife in 128.

For failure to support, the wife was the libellant in the 44 divorces decreed for that cause.

Two divorces were granted before the marriage life had lasted 6 months ; 14, before one year ; 206, after from 1 to 5 years marriage ; 184, after 5 to 10 years ; 179, after 10 to 20 years ; 71, after 20 to 30 years ; and 16, after more than 30 years married life. Tables No. 27 and 28 may be consulted for more detailed statements.

TABLE No. 29.
Deaths and Death-Rates by Counties, for the Years 1892-'94.

	1892.		1893.		1894.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State	12,147	18.37	11,134	16.84	11,012	16.66
Androscoggin	503	16.39	819	16.73	941	19.22
Aroostook	619	12.48	609	12.72	657	13.46
Cumberland	1,845	20.28	1,719	18.90	1,690	18.57
Franklin	337	19.76	319	18.98	276	16.35
Hancock	581	15.57	494	13.35	553	16.27
Kennebec	1,273	22.32	1,153	20.22	1,132	19.86
Knox	629	19.99	569	18.09	509	16.18
Lincoln	439	19.95	330	15.06	341	15.50
Oxford	561	18.30	506	16.62	470	15.42
Penobscot	1,208	16.57	1,122	15.43	1,192	16.40
Piscataquis	246	15.24	249	15.91	214	13.52
Sagadahoc	352	18.09	326	16.76	290	14.91
Somerset	548	16.79	511	15.84	520	16.12
Waldo	538	19.38	408	14.70	444	16.00
Washington	775	17.42	761	17.22	636	14.39
York	1,393	22.20	1,239	19.72	1,147	18.26

TABLE No. 30.

Number of Deaths in Each Month of 1892, 1893 and 1894, with Monthly Ratio Compared with a Standard of 100.

Months.	1892.		1893.		1894.	
	Deaths.	* Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January	1,577	154.5	849	90.0	1,266	136.6
February	1,292	136.7	845	100.0	980	116.6
March	1,095	106.0	959	103.3	920	103.4
April	1,048	106.0	1,037	100.0	994	110.0
May	1,045	106.0	969	100.0	851	93.3
June	833	84.6	819	90.0	816	90.0
July	866	84.6	823	90.0	865	93.3
August	938	88.2	1,080	106.6	953	100.0
September	976	93.9	975	106.6	956	106.6
October	844	81.8	917	100.0	821	86.6
November	790	78.8	796	86.6	761	83.3
December	793	76.5	1,037	100.0	819	86.6
Unknown	50	-	28	-	10	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE

Shows the Number of Deaths in the State and in

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.
All causes	11,803	992	748	1,810
Specified causes.....	11,028	923	688	1,683
CLASSES.				
I.—Zymotic diseases	3,010	263	233	423
II.—Parasitic diseases	5	—	2	2
III.—Dietetic diseases	29	4	1	4
IV.—Constitutional diseases.....	663	54	24	109
V.—Developmental diseases	1,878	193	200	254
VI.—Local diseases	5,112	370	212	830
VII.—Deaths from violence	331	39	16	61
VIII.—Deaths from ill-defined causes.....	775	69	60	127
GROUPS.				
I-1. Infectious diseases	831	65	95	115
2. Specific neoplastic diseases.....	1,449	122	66	204
3. Diarrheal diseases	602	66	62	81
4. Zoögenous diseases	2	—	—	—
5. Septic diseases.....	126	10	10	23
II.-1. Parasitic diseases	5	—	2	2
III.-1. Dietetic diseases.....	29	4	1	4
IV.-1. Constitutional diseases.....	663	54	24	109
V.-1. Developmental diseases	1,878	193	200	254
VI.-1. Diseases of nervous system	1,543	111	38	248
2. Diseases of organs of special sense.....	9	—	1	1
3. Diseases of circulatory system...	1,020	84	32	152
4. Diseases of respiratory system	1,312	80	83	224
5. Diseases of digestive system	685	62	30	107
6. Diseases of lymphatics, etc.....	5	—	1	—
7. Diseases of urinary system	442	27	19	87
8. Diseases of organs of generation.. . . .	32	3	—	3
9. Accidents and dis.of reproduction	41	1	7	4
10. Diseases of osseous system	12	1	1	2
11. Diseases of the integument	11	—	—	2
VII.-1. Accident, negligence or doubtful	286	37	14	54
2. Homicide	6	—	1	1
3. Suicide	39	2	1	6
VIII.-1. Deaths from ill-defined causes.....	775	69	60	127

No. 31.

Each County, Arranged by Classes and Groups.

Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
293	598	1,191	552	364	510	1,267	228	325	546	470	689	1,220
282	553	1,118	515	330	483	1,202	214	311	512	432	644	1,138
-	72	320	136	83	97	351	68	73	147	106	205	297
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	3	1	2	-	6	-	-	1	-	4	3
24	49	55	40	19	31	67	11	21	33	25	28	68
44	100	137	102	62	101	173	43	60	78	69	101	161
130	251	568	222	155	243	570	85	144	233	224	293	582
12	17	35	14	8	11	35	7	13	15	8	13	27
11	45	73	37	34	27	65	14	14	34	38	45	82
-	-	-	-	-	-	-	-	-	-	-	-	-
22	35	102	21	19	35	100	14	20	43	23	51	71
39	79	136	86	50	45	160	44	33	86	68	100	131
8	18	77	24	9	12	71	8	14	15	6	47	84
-	1	-	-	-	-	1	-	-	-	-	-	-
3	3	5	5	5	5	19	2	6	3	9	7	11
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	3	1	2	-	6	-	-	1	-	4	3
24	49	55	40	19	31	67	11	21	38	25	28	68
44	100	137	102	62	101	173	43	60	78	69	101	161
60	73	207	71	38	78	158	28	40	73	45	91	184
-	1	1	-	-	-	1	-	1	1	-	2	-
18	51	119	42	30	43	123	13	30	40	68	58	117
25	65	120	52	33	62	171	24	35	73	50	83	132
12	33	73	28	35	30	78	9	26	23	34	31	73
1	-	-	-	-	-	1	-	-	-	-	-	-
12	21	40	26	16	21	31	1	11	17	22	18	67
1	1	1	-	1	1	4	3	-	2	1	7	3
1	5	3	2	1	7	2	-	-	3	1	1	3
-	-	1	-	-	-	1	-	-	1	-	1	-
-	-	3	1	1	-	-	-	-	-	-	1	3
8	14	31	9	5	9	30	6	11	13	7	12	26
1	-	1	-	-	1	-	-	-	-	-	1	-
3	3	3	5	3	1	5	1	2	2	1	-	1
11	45	73	37	34	27	65	14	14	34	38	45	82

TABLE No. 31—Continued.
Deaths by Classes and Groups.

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
I.—Zymotic.																	
1. Infectious diseases.																	
Totals	831	65	95	115	22	35	102	21	19	35	100	14	20	43	23	51	71
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	21	1	8	2	-	1	-	1	-	3	3	-	-	-	-	-	2
Rötheln	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	29	2	3	6	-	4	2	1	-	-	1	-	-	-	-	6	4
Typhus fever	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Influenza	295	12	35	25	9	9	39	6	7	15	29	8	11	26	11	24	23
Whooping cough	20	3	2	3	-	-	1	-	2	3	1	-	-	2	-	1	4
Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	77	7	5	25	3	2	19	3	-	-	1	-	-	3	1	-	8
Croup	62	7	11	5	3	1	13	3	1	-	9	-	2	1	5	-	1
Tonsilitis, etc.	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal meningitis	34	5	6	5	1	1	3	2	2	3	2	-	-	-	-	2	2
Tetanus	6	-	-	1	-	-	1	-	1	1	-	-	-	1	-	-	1
Typhoid fever	258	27	23	41	3	16	22	4	6	10	48	4	6	10	4	16	18
Simple continued fever	19	1	2	1	2	-	1	1	-	-	3	2	1	-	1	1	3
Other specific febrile diseases	8	-	-	-	1	-	1	1	-	-	3	-	-	-	1	-	1
I.—2. Specific neoplastic.																	
Totals	1,449	122	66	204	39	79	136	86	50	45	160	44	33	86	68	100	131
Tuberculosis, cerebral ..	56	5	2	22	-	4	3	1	-	-	8	1	1	-	-	3	1
Tuberculosis, pulmonary ..	1,262	107	60	160	36	71	118	82	43	38	140	34	29	80	64	86	114
Tuberculosis, mesenteric	31	1	-	4	1	1	4	-	-	1	6	3	-	2	2	3	3
Tuberculosis, other forms	94	9	3	17	2	3	10	3	5	4	6	6	1	3	2	8	12
Syphilis	6	-	1	1	-	-	1	-	-	-	-	-	2	-	-	-	1
I.—3. Diarrheal diseases.																	
Totals	602	66	62	81	8	18	77	24	9	12	71	8	14	15	6	47	84
Infantile diarrhea	468	59	51	67	4	12	58	14	3	5	58	6	13	8	3	35	69
Cholera morbus	30	-	2	3	-	2	3	4	3	2	2	-	1	-	2	3	3
Dysentery	60	5	5	7	3	1	5	6	3	1	6	1	-	4	1	6	6
Diarrhea	44	2	4	4	1	3	11	-	-	1	5	1	-	3	-	3	6
I.—4. Zoögenous diseases.																	
Totals	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant pustule	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Cow-pox and vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.—5. Septic diseases.																	
Totals	126	10	10	23	3	3	5	5	5	5	19	2	6	3	9	7	11
Phagadema	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	22	1	3	4	-	1	1	-	-	1	6	1	1	-	1	1	1
Pyæmia, septicæmia	77	7	12	17	3	2	-	4	4	4	8	1	4	1	6	5	9
Puerperal fever	27	2	5	2	-	-	4	1	1	-	5	-	1	2	2	1	1

TABLE NO. 31—Continued.
Deaths by Classes and Groups.

Causes of death.	State.	Androsoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
II.—Parasitic.																	
Totals	5	-	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Thrush	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatids	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal parasites...	4	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Other parasitic diseases.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.—Dietetic.																	
Totals	29	4	1	4	-	-	3	1	2	-	6	-	-	1	-	4	3
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malnutrition of infants..	18	3	-	2	-	-	1	1	2	-	4	-	-	1	-	4	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets.....	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism	10	1	1	1	-	-	2	-	-	-	2	-	-	-	-	-	3
IV.—Constitutional.																	
Totals	663	54	24	109	24	49	55	40	19	31	67	11	21	38	25	28	68
Rheumatism.....	66	3	3	11	-	8	6	1	3	1	11	-	1	6	3	4	5
Gout.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, gastric	117	9	4	19	4	7	9	5	1	7	10	2	6	9	4	8	13
Cancer, mammary	38	2	1	5	2	5	4	4	1	-	6	-	2	-	2	-	4
Cancer, hepatic	31	2	-	12	2	2	2	-	2	-	1	1	-	-	-	-	7
Cancer, uterine	74	9	1	16	2	5	6	-	1	11	1	1	2	2	2	2	8
Cancer, others.....	214	18	7	29	8	14	18	18	8	12	19	5	6	16	9	10	17
Purpura, hemorrhagic diathesis	11	-	1	2	-	1	1	1	1	-	1	-	1	2	-	1	-
Anemia, etc	40	5	1	3	3	1	3	2	3	4	1	-	1	2	3	1	5
Diabetes mellitus....	71	6	6	7	3	4	7	3	3	6	8	1	3	1	2	2	9
Other constitutional dis- eases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V.—Developmental.																	
Totals	1,878	193	200	254	44	100	137	102	62	101	173	43	60	78	69	101	161
Still-born	667	40	88	94	16	38	46	33	17	34	61	13	31	21	25	40	70
Premature birth	124	11	3	26	1	7	13	10	6	6	14	1	4	5	1	13	3
Ill-defined diseases of infancy	329	102	73	21	6	13	23	7	2	7	21	10	5	6	6	16	21
Atelectasis	10	1	1	4	-	-	-	1	-	-	-	2	-	-	-	-	1
Cyanosis	28	5	-	7	1	2	-	-	-	-	-	2	2	1	1	1	4
Spina bifida	4	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-
Imperforate anus	4	-	-	1	-	2	-	-	-	-	-	-	-	1	-	-	-
Other congenital defects.	1	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	3
Umbilical hemorrhage ..	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Old age (over 65)	697	34	35	100	20	38	54	51	36	51	74	17	18	44	35	32	58

TABLE No. 31—Continued.
Deaths by Classes and Groups.

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VI.—Local.																	
1. Diseases of the nervous system.																	
Totals	1,543	111	38	248	60	73	207	71	38	78	158	28	40	73	45	91	184
Inflammation of brain or membranes	286	34	11	61	8	11	21	10	5	8	35	3	5	15	2	22	35
Apoplexy	408	27	11	65	19	23	37	17	17	23	38	2	12	19	13	27	58
Softening of brain	48	4	1	10	1	—	3	3	3	7	5	—	—	—	2	1	3
Hemiplegia	12	1	—	2	1	1	—	2	1	—	1	—	—	—	—	—	3
Paralysis agitans	4	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1
Paralysis	336	14	4	42	14	19	42	19	7	20	39	13	10	23	15	17	38
Hydrocephalus (not acute)	21	—	—	5	2	—	3	1	1	2	1	—	—	1	—	3	2
Insanity	111	2	—	12	3	—	71	3	1	2	6	2	—	—	1	2	6
Brain, other diseases of	102	10	2	20	6	6	8	7	1	3	14	—	3	5	5	3	9
Chorea	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	31	3	—	4	—	2	7	—	1	1	2	—	—	—	2	2	5
Convulsions	100	11	5	17	4	5	5	4	1	7	13	3	7	3	2	4	9
Laryngismus stridulus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spinal meningitis	19	—	2	2	1	1	4	—	—	—	1	1	1	—	—	—	6
Myelitis	12	—	—	1	—	—	2	2	—	—	1	1	—	1	—	2	2
Paraplegia	4	—	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—
Locomotor ataxia	10	—	—	—	1	2	—	1	—	—	—	—	1	1	1	1	2
Other diseases of spinal cord	27	2	—	5	—	2	4	—	—	4	1	—	1	—	2	3	3
Other diseases of nervous system	11	2	1	2	—	1	—	1	—	1	—	—	—	—	1	—	2
VI.—2. Diseases of organs of special sense.																	
Totals	9	—	1	1	—	1	1	—	—	—	1	—	1	1	—	—	2
Diseases of the ear	5	—	1	1	—	1	1	—	—	—	—	—	1	—	—	—	—
Epistaxis and diseases of nose	4	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Diseases of the eye	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VI.—3. Circulatory system.																	
Totals	1,020	84	32	152	18	51	119	42	30	43	123	13	30	40	68	58	117
Endocarditis	4	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1
Valvular disease of heart	166	19	6	24	2	4	17	10	1	8	26	1	1	5	8	12	22
Hypertrophy of heart	46	3	1	15	2	1	1	3	1	1	4	—	2	—	—	1	6
Pericarditis	21	—	—	6	—	2	5	1	—	—	2	—	—	1	2	1	1
Diseases of heart, unspecified	652	59	20	93	14	36	85	17	23	28	70	11	26	30	43	30	67
Angina pectoris	51	—	2	3	—	1	3	5	3	1	10	—	—	3	8	2	10
Syncope	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	4	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1
Senile gangrene	45	3	2	4	—	4	4	4	—	2	5	—	1	1	3	5	7
Embolism, thrombosis	23	—	1	6	—	2	2	1	2	1	4	—	—	—	2	1	1
Phlebitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Others, circulatory system	7	—	—	—	—	1	2	—	—	—	1	—	—	—	1	—	2

TABLE No. 31—Continued.
Deaths by Classes and Groups.

Causes of Death.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VI.—4. Respiratory system.																	
Totals	1,312	80	83	224	25	65	120	52	33	62	171	24	35	73	50	83	132
Laryngitis	5	1	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-
Other diseases of larynx and trachea.....	3	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-
Emphysema, asthma.....	28	2	3	10	-	-	1	1	-	1	1	-	-	3	1	4	1
Bronchitis	209	16	9	36	4	10	26	9	3	10	26	2	5	9	5	13	26
Pneumonia	1,023	59	68	171	21	55	90	40	29	47	136	21	28	57	42	59	100
Pleurisy.....	15	2	1	3	-	-	1	-	1	1	2	-	-	1	-	2	1
Other diseases of respiratory system.....	29	-	2	3	-	-	1	2	-	3	4	1	2	1	1	5	4
VI.—5. Digestive system.																	
Totals	685	63	30	107	12	33	73	28	35	30	78	9	26	23	34	31	73
Diseases of the mouth....	6	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1
Dyspepsia	24	1	-	4	-	-	3	2	2	1	2	-	1	4	2	1	1
Gastric ulcer	14	2	1	1	-	2	-	1	1	3	-	-	-	-	-	2	1
Hematemesis.....	6	-	2	-	-	1	-	-	-	-	1	-	-	2	-	-	2
Gastritis	98	11	4	10	-	3	14	2	4	7	11	1	4	4	5	5	13
Other diseases of stomach	29	7	1	4	-	2	2	-	-	2	4	-	-	2	3	-	2
Enteritis	64	4	5	12	1	5	10	1	4	-	7	-	1	-	1	-	6
Ulceration of intestines .	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Stricture and strangulation of intestines.....	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Intussusception of intestines.....	9	-	-	1	1	2	-	1	-	-	1	-	-	-	-	1	2
Hernia	20	2	3	4	-	-	-	-	1	1	3	-	1	-	2	1	2
Other obstructive diseases of intestines	48	6	1	8	-	2	4	4	3	1	3	1	3	2	5	2	3
Fistula	2	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
Peritonitis.....	137	12	6	23	2	4	20	4	5	8	17	2	7	4	5	4	14
Appendicitis, etc.....	21	3	-	6	-	-	1	2	-	2	4	1	-	-	-	-	2
Ascites	9	1	-	1	-	1	1	1	1	-	-	1	1	1	-	1	-
Gallstones	6	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Cirrhosis of liver.....	19	-	-	2	1	1	-	-	5	4	1	-	-	-	2	1	2
Hepatitis	25	2	1	3	-	-	5	-	4	2	4	-	-	1	-	1	4
Jaundice.....	22	1	1	8	-	2	-	1	1	3	-	-	-	-	2	2	4
Other diseases of liver....	79	3	3	12	2	9	5	3	3	2	11	1	4	2	5	4	10
Other diseases of digestive system.....	38	3	3	8	1	1	5	5	-	2	-	1	3	1	2	-	3
VI.—6. Lymphatics, etc.																	
Totals	5	-	1	-	1	-	-	-	-	1	1	1	-	-	-	-	-
Diseases of lymphatics...	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the spleen...	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Bronchocele	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Addison's disease.....	3	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-

TABLE No. 31—Concluded.
Deaths by Classes and Groups.

Causes of Death,	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VII.—Deaths from Violence.																	
1. Accident, negligence or doubtful.																	
Totals	286	37	14	54	8	14	31	9	5	9	30	6	11	13	7	12	26
Fracture, contusion.....	23	2	-	-	-	-	3	1	-	1	3	-	-	-	-	1	2
Falling.....	22	4	3	5	-	1	2	-	-	-	-	2	-	-	-	1	4
Gunshot wounds.....	11	-	-	1	2	1	-	-	-	1	2	-	1	1	-	2	1
Railway injuries.....	24	2	-	5	-	-	2	-	-	3	4	1	2	-	1	-	4
Cuts.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Burns and scalds.....	22	4	3	2	-	2	3	-	-	-	2	2	-	3	1	-	-
Poison.....	7	1	1	-	-	2	1	-	-	-	1	1	1	1	-	-	-
Drowning.....	73	7	5	8	1	2	9	6	3	2	10	2	2	3	3	4	6
Suffocation.....	6	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	2
Various.....	95	17	2	24	5	6	7	1	2	2	8	1	5	3	2	4	6
Lost at sea.....	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
VII.—2. Homicide.																	
Totals.....	6	-	1	1	1	-	1	-	-	1	-	-	-	-	-	1	-
Murder, manslaughter ..	6	-	1	1	1	-	1	-	-	1	-	-	-	-	-	1	-
VII.—3. Suicide.																	
Totals.....	39	2	1	6	3	3	3	5	3	1	5	1	2	2	1	-	1
Gunshot wounds.....	5	1	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-
Cut, stab.....	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Poison.....	7	-	1	2	-	-	2	-	-	1	-	-	-	1	-	-	-
Drowning.....	6	1	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-
Hanging.....	11	-	-	1	2	1	-	2	1	-	1	1	-	1	-	-	1
Otherwise.....	8	-	-	2	1	1	1	-	-	-	2	-	-	1	-	-	-
VIII.—Deaths from ill-defined causes.																	
Totals.....	775	69	60	127	11	45	73	37	34	27	65	14	14	34	38	45	82
Heart failure.....	189	9	6	23	2	12	17	13	2	10	23	3	11	9	16	17	16
Dropsy.....	83	6	5	4	6	7	7	9	4	2	5	1	2	4	9	5	7
Debility, exhaustion.....	134	5	4	49	1	8	12	7	7	3	6	2	-	2	3	1	24
Atrophy and inanition ..	90	2	2	35	-	4	8	3	-	3	4	1	-	2	1	8	17
Sunstroke.....	6	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	2
Mortification.....	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1
Tumor.....	25	3	1	1	-	1	1	1	1	3	3	2	-	6	1	1	1
Abscess.....	15	3	1	2	-	1	3	-	1	-	2	-	-	-	-	1	1
Hemorrhage.....	9	1	-	1	-	2	1	-	-	-	1	-	1	-	-	-	2
Sudden (cause unascertained).....	11	1	-	4	-	2	-	-	-	-	1	-	-	1	1	1	-
Not specified or ill-defined.....	209	38	41	8	1	9	23	4	17	6	21	4	1	8	7	10	11

TABLE
Deaths in Each Town from Special

The State and Counties.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
MAINE	661,086	-	21	29	139	1	34	20
Androscoggin	48,968	-	1	2	14	-	5	3
Aroostook	49,589	-	8	3	16	-	6	2
Cumberland	90,949	-	2	6	30	1	5	3
Franklin	17,053	-	-	-	6	-	1	-
Hancock	37,312	-	1	4	3	-	1	-
Kennebec	57,012	-	-	2	32	-	3	1
Knox	31,473	-	1	1	6	-	2	-
Lincoln.....	21,996	-	-	-	1	-	2	-
Oxford	30,586	-	3	-	-	-	3	3
Penobscot	72,865	-	3	1	10	-	2	1
Piscataquis	16,134	-	-	-	-	-	-	-
Sagadahoc	19,452	-	-	-	2	-	-	-
Somerset.....	32,627	-	-	-	4	-	-	2
Waldo.....	27,759	-	-	-	6	-	-	-
Washington.....	44,482	-	-	6	-	-	2	1
York.....	62,829	-	2	4	9	-	2	4
ANDROSCOGGIN COUNTY	-	-	1	2	14	-	5	3
Auburn	11,250	-	-	-	3	-	1	2
Durham	1,111	-	-	-	-	-	-	-
East Livermore.	1,506	-	-	-	1	-	-	-
Greene	885	-	-	-	-	-	-	-
Leeds	909	-	-	-	-	-	-	1
Lewiston.....	21,701	-	-	-	9	-	2	-
Lisbon.....	3,120	-	-	-	1	-	-	-
Livermore	1,151	-	-	-	-	-	-	-
Mechanic Falls.....	-	-	-	2	-	-	-	-
Minot.	1,355	-	-	-	-	-	-	-
Poland.....	2,472	-	1	-	-	-	1	-
Turner.....	2,016	-	-	-	-	-	1	-
Wales.....	451	-	-	-	-	-	-	-
Webster.....	951	-	-	-	-	-	-	-

No. 32.

Causes, Mostly Infectious Diseases.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
258	22	27	77	295	60	44	30	468	1,262	181	8	6
27	1	2	7	12	5	2	-	59	107	15	-	-
23	3	5	2	35	5	4	2	51	60	5	-	-
41	4	2	17	25	7	4	3	67	160	43	-	1
3	-	-	3	9	3	1	-	4	36	3	1	-
16	1	-	2	9	1	3	2	12	71	8	-	-
22	1	4	-	39	5	11	3	58	118	17	1	1
4	-	1	4	6	6	-	4	14	82	4	1	-
6	-	1	4	8	3	-	3	3	43	7	-	1
10	1	-	4	15	1	1	2	8	38	7	-	1
48	6	5	8	29	6	5	2	58	140	20	3	-
4	1	-	1	8	1	1	-	6	34	10	-	-
6	1	1	4	11	-	-	1	13	29	2	-	-
10	-	2	1	26	4	3	-	8	80	6	-	1
4	1	2	6	11	1	-	2	3	64	4	1	-
16	1	1	5	24	6	3	3	35	86	14	-	1
18	1	1	9	28	6	6	3	69	114	16	1	-
27	1	2	7	12	5	2	-	59	107	15	-	-
3	-	1	2	1	3	-	-	10	29	7	-	-
1	-	-	-	-	1	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	1	6	-	-	-
-	-	-	-	1	-	-	-	1	3	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
21	1	1	3	3	-	2	-	45	43	5	-	-
1	-	-	-	5	-	-	-	2	8	1	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-
1	-	-	1	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	1	1	-	-	-	-	3	1	-	-
-	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special
AROOSTOOK

County and Towns.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
AROOSTOOK COUNTY	-	-	8	3	16	-	6	2
Amity	420	-	-	-	-	-	-	-
Ashland	568	-	-	-	-	-	-	-
Baneroft	264	-	-	-	-	-	-	-
Benedicta	317	-	-	-	-	-	-	-
Blaine	784	-	-	-	-	-	-	-
Bridgewater	946	-	-	-	-	-	-	-
Caribou	4,087	-	1	-	2	-	1	-
Dyer Brook	221	-	-	-	-	-	-	-
Easton	978	-	-	-	-	-	-	-
Fort Fairfield	3,526	-	3	1	1	-	1	-
Fort Kent	1,826	-	-	-	-	-	-	-
Frenchville	2,560	-	-	-	-	-	-	-
Grand Isle	964	-	1	-	-	-	-	1
Haynesville	280	-	-	-	-	-	-	-
Hersey	151	-	-	-	-	-	-	-
Hodgdon	1,113	-	-	-	-	-	-	-
Houlton	4,015	-	1	-	-	-	-	-
Island Falls	223	-	-	-	4	-	-	-
Limestone	933	-	-	-	-	-	-	-
Linneus	965	-	-	-	-	-	-	-
Littleton	924	-	-	-	-	-	-	-
Ludlow	375	-	-	-	-	-	-	-
Madawaska	1,451	-	-	-	-	-	-	-
Mapleton	832	-	-	-	-	-	1	-
Mars Hill	837	-	-	-	-	-	-	-
Masardis	250	-	-	-	-	-	-	-
Monticello	1,132	-	-	-	-	-	-	-
New Limerick	567	-	-	-	-	-	-	-

No. 32—Continued.

Causes, Mostly Infectious Diseases

COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
23	3	5	2	35	5	4	2	51	60	5	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	2	2	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
6	1	-	1	11	-	1	-	10	8	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
2	-	1	-	1	-	-	2	6	1	1	-	-
-	-	1	1	2	1	1	-	5	5	-	-	-
4	-	-	-	3	-	1	-	-	10	-	-	-
-	-	-	-	-	-	-	-	2	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	1	-	-	-	-
1	-	-	-	-	-	-	-	3	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	5	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	2	3	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special

AROOSTOOK

County and Towns.	Population in 1880.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Orient	244	-	-	-	-	-	-	-
Presque Isle	3,046	-	-	-	-	-	2	-
Sherman	909	-	1	-	-	-	-	-
Smyrna.....	303	-	-	-	-	-	-	-
Van Buren	1,168	-	-	-	1	-	-	-
Washburn	1,097	-	-	-	1	-	-	-
Weston	404	-	-	-	1	-	-	-
Woodland.....	885	-	-	2	-	-	-	-
Plantations.								
Allagash	200	-	-	-	-	-	-	-
Cary	390	-	-	-	-	-	-	-
Castle Hill.....	537	-	-	-	-	-	-	-
Caswell.....	212	-	-	-	-	-	-	-
Chapman.	231	-	-	-	-	-	-	-
Connor	526	-	-	-	-	-	-	-
Crystal	297	-	-	-	-	-	-	-
Cyr	429	-	-	-	1	-	-	-
Eagle Lake.....	313	-	-	-	2	-	-	1
Garfield	86	-	-	-	-	-	-	-
Glenwood.....	183	-	-	-	-	-	-	-
Hamlin	484	-	-	-	-	-	-	-
Hammond	109	-	-	-	-	-	-	-
Macwahoc	216	-	-	-	-	-	-	-
Merrill	244	-	-	-	-	-	-	-
Molunkus	77	-	-	-	-	-	-	-
Moro.....	199	-	-	-	-	-	-	-
Nashville	34	-	-	-	-	-	-	-
New Canada	301	-	-	-	-	-	-	-
New Sweden.....	707	-	-	-	1	-	-	-
Oakfield.....	720	-	1	-	-	-	1	-

No. 32—Continued.

Causes, Mostly from Infectious Diseases.

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	1	-	3	2	-	-	4	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	-	-	-	5	1	-	-	-
1	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	1	-	-	1	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	3	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	1	-	-	-	1	1	-	-	-

TABLE
Deaths in Each Town from Special
AROOSTOOK

County and Towns.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Oxbow	94	-	-	-	-	-	-	-
Perham	438	-	-	-	-	-	-	-
Portage Lake	140	-	-	-	-	-	-	-
Reed	203	-	-	-	-	-	-	-
St. Francis	461	-	-	-	2	-	-	-
St. John	226	-	-	-	-	-	-	-
Silver Ridge	195	-	-	-	-	-	-	-
Wade	158	-	-	-	-	-	-	-
Wallagrass	595	-	-	-	-	-	-	-
Westfield	166	-	-	-	-	-	-	-
Westmanland	52	-	-	-	-	-	-	-
Winterville	72	-	-	-	-	-	-	-
CUMBERLAND COUNTY.....	-	-	2	6	30	1	5	3
Baldwin.....	932	-	-	-	-	-	1	-
Bridgton	2,605	-	-	-	-	-	-	-
Brunswick	6,012	-	-	-	-	-	-	-
Cape Elizabeth	5,459	-	-	-	3	-	-	-
Casco	844	-	-	-	-	-	-	-
Cumberland	1,487	-	-	-	-	-	-	-
Deering	5,353	-	-	-	-	-	1	-
Falmouth	1,580	-	-	-	1	-	-	1
Freeport.....	2,482	-	-	1	2	-	-	-
Gorham	2,888	-	-	-	1	-	-	-
Gray	1,517	-	-	-	-	-	1	-
Harpwell.....	1,766	-	-	-	-	-	-	-
Harrison	1,071	-	-	-	-	-	1	-
Naples	846	-	-	-	1	-	-	-
New Gloucester.....	1,234	-	-	-	-	-	-	-

No. 32—Continued.

Causes, Mostly from Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	3	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
41	4	2	17	25	7	4	3	67	160	43	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	1	4	2	-	-
7	-	-	-	-	2	-	-	20	7	6	-	-
1	-	-	-	-	-	-	-	2	9	2	-	-
-	-	-	1	-	-	-	-	1	3	-	-	-
-	-	-	-	4	-	-	-	-	1	-	-	-
1	-	1	2	1	1	-	-	2	6	2	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	1	-	4	-	-	-
-	-	-	-	1	-	-	-	2	6	1	-	1
-	-	-	-	2	-	-	-	-	1	2	-	-
1	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	1	2	2	-	-

No. 32—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	-	-	-	2	1	-	-	-	1	-	-	-
-	-	-	-	-	-	1	-	-	1	-	-	-
20	2	-	11	3	2	2	2	19	20	16	-	-
1	1	-	-	-	-	-	-	1	2	-	-	-
2	1	1	-	-	-	-	-	-	2	2	-	-
2	-	-	-	2	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-
1	-	-	2	1	-	-	-	1	2	1	-	-
2	-	-	1	4	1	1	-	14	14	4	-	-
-	-	-	-	1	-	-	-	1	2	-	-	-
1	-	-	-	-	-	-	-	-	4	2	-	-
3	-	-	3	9	3	1	-	4	36	3	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	2	-	-	-	-	2	1	-	-
-	-	-	-	1	-	-	-	1	1	-	-	-
2	-	-	1	1	2	-	-	-	10	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	2	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	3	-	-	-	-	6	-	-	-
-	-	-	1	-	1	-	-	2	2	-	-	-
1	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-

No. 32—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	5	1	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	*	-	-	-	-	-	-	-	-	-
16	1	-	2	9	1	3	2	12	71	8	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	1	-	-	4	2	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
1	-	-	1	-	-	1	-	1	1	1	-	-
2	1	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
3	-	-	-	1	1	-	-	1	12	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	4	2	-	-
4	-	-	-	-	-	-	-	-	7	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	3	3	-	-	-
1	-	-	-	1	-	-	-	-	3	1	-	-

TABLE
Deaths in Each Town from Special
HANCOCK

County and Town.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Isle au Haut	206	-	-	-	-	-	-	-
Lamoine	726	-	-	-	-	-	-	-
Mariaville	271	-	-	-	-	-	-	-
Mount Desert.....	1,355	-	-	-	-	-	-	-
Orland..	1,390	-	-	-	-	-	-	-
Otis	239	-	-	-	-	-	-	-
Penobscot.....	1,313	-	-	-	-	-	-	-
Sedgwick.....	1,012	-	-	-	-	-	-	-
Sullivan	1,379	-	-	-	-	-	-	-
Surry	986	-	-	-	-	-	-	-
Tremont.....	2,036	-	1	-	-	-	1	-
Trenton	528	-	-	-	-	-	-	-
Verona	323	-	-	-	-	-	-	-
Waltham	242	-	-	-	-	-	-	-
Long Island Pl	132	-	-	-	-	-	-	-
No. 7 Pl	50	-	-	-	-	-	-	-
No. 33 Pl.....	112	-	-	-	-	-	-	-
Swan's Island Pl.	632	-	-	-	-	-	-	-
KENNEBEC COUNTY.....	-	-	-	2	32	-	3	1
Albion..	1,042	-	-	-	1	-	-	-
Augusta	10,527	-	-	1	9	-	1	-
Belgrade	1,090	-	-	-	-	-	-	-
Benton.	1,136	-	-	-	1	-	-	-
Chelsea.	2,356	-	-	-	-	-	-	-
China	1,423	-	-	-	-	-	-	-
Clinton	1,518	-	-	-	-	-	-	-
Farmingdale.....	821	-	-	-	-	-	-	-
Fayette.....	649	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special
KENNEBEC

County and Towns.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Gardiner	5,491	-	-	-	-	-	1	-
Hallowell ..	3,181	-	-	-	-	-	-	-
Litchfield	1,126	-	-	-	-	-	-	-
Manchester	612	-	-	-	-	-	-	-
Monmouth	1,362	-	-	-	-	-	-	-
Mount Vernon.....	940	-	-	-	-	-	-	-
Oakland	2,044	-	-	-	1	-	-	-
Pittston	1,281	-	-	-	-	-	-	1
Randolph	1,281	-	-	-	-	-	-	-
Readfield	1,176	-	-	-	-	-	-	-
Rome	500	-	-	-	-	-	-	-
Sidney.....	1,334	-	-	-	-	-	-	-
Vassalborough	2,052	-	-	-	1	-	-	-
Vienna	495	-	-	-	-	-	-	-
Waterville	7,107	-	-	1	15	-	1	-
Wayne	775	-	-	-	-	-	-	-
West Gardiner.....	853	-	-	-	-	-	-	-
Windsor.....	853	-	-	-	-	-	-	-
Winslow	1,814	-	-	-	1	-	-	-
Winthrop	2,111	-	-	-	2	-	-	-
Unity Pl.....	62	-	-	-	-	-	-	-
KNOX COUNTY	-	-	1	1	6	-	2	-
Appleton.....	1,080	-	-	-	-	-	-	-
Camden	2,471	-	-	-	3	-	-	-
Cushing	688	-	-	-	1	-	-	-
Friendship	877	-	-	-	-	-	-	-
Hope	641	-	-	-	-	-	-	-
Hurricane Isle.....	266	-	-	-	-	-	-	-

No. 32—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	1	-	1	-	-	-	4	19	-	-	-
2	-	-	-	-	-	-	-	2	5	1	-	-
1	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	1	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
1	-	-	-	1	-	1	-	-	9	-	-	-
1	-	-	-	-	-	-	-	-	3	-	-	-
1	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	3	-	-	-	1	1	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
1	-	-	-	1	1	-	-	-	-	1	-	-
-	-	1	-	3	-	-	1	-	-	1	-	-
-	-	-	-	2	-	-	-	-	1	-	-	-
3	1	-	-	4	1	2	2	21	16	5	-	1
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
1	-	1	-	2	-	-	-	-	2	-	-	-
-	-	-	-	4	-	-	-	7	4	1	-	-
-	-	-	-	2	-	-	-	1	2	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	1	4	6	6	-	4	14	82	4	1	-
-	-	-	-	1	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	5	-	-	-
2	-	-	-	-	-	-	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE
Deaths in Each Town from Special
KNOX

County and Towns.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
North Haven.....	552	-	-	-	-	-	-	-
Rockland.	8,174	-	-	-	-	-	2	-
Rockport.....	2,150	-	-	-	1	-	-	-
South Thomaston	1,534	-	-	-	-	-	-	-
St. George.....	2,491	-	-	-	-	-	-	-
Thomaston.....	3,009	-	1	-	1	-	-	-
Union.....	1,436	-	-	-	-	-	-	-
Vinalhaven	2,617	-	-	1	-	-	-	-
Warren	2,637	-	-	-	-	-	-	-
Washington.....	1,230	-	-	-	-	-	-	-
Matinicus Isle Pl.....	196	-	-	-	-	-	-	-
LINCOLN COUNTY	-	-	-	-	1	-	2	-
Alna	512	-	-	-	-	-	-	-
Boothbay	1,718	-	-	-	-	-	-	-
Boothbay Harbor	1,699	-	-	-	-	-	-	-
Bremen	842	-	-	-	-	-	-	-
Bristol.....	2,821	-	-	-	-	-	-	-
Damariscotta	1,012	-	-	-	-	-	-	-
Dresden	1,043	-	-	-	-	-	-	-
Edgecomb	749	-	-	-	-	-	-	-
Jefferson.	1,391	-	-	-	-	-	-	-
Newcastle.....	1,282	-	-	-	-	-	1	-
Nobleborough	947	-	-	-	-	-	-	-
Somerville	453	-	-	-	-	-	-	-
Southport	533	-	-	-	-	-	-	-
Waldoborough.....	3,505	-	-	-	-	-	1	-
Westport	451	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special
LINCOLN

County and Towns.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Whitefield	1,215	-	-	-	-	-	-	-
Wiscasset	1,733	-	-	-	-	-	-	-
Monhegan Pl	90	-	-	-	-	-	-	-
OXFORD COUNTY	-	-	3	-	-	-	3	3
Albany	645	-	-	-	-	-	-	-
Andover	740	-	-	-	-	-	-	-
Bethel	2,209	-	-	-	-	-	-	-
Brownfield	1,134	-	-	-	-	-	-	-
Buckfield.....	1,200	-	-	-	-	-	-	-
Byron	180	-	-	-	-	-	-	-
Canton	1,303	-	-	-	-	-	1	-
Denmark	755	-	-	-	-	-	-	-
Dixfield	988	-	-	-	-	-	-	-
Fryeburg.....	1,418	-	-	-	-	-	1	-
Gilead	336	-	-	-	-	-	-	-
Grafton	98	-	-	-	-	-	-	-
Greenwood	727	-	-	-	-	-	-	-
Hanover.....	212	-	-	-	-	-	-	-
Hartford	689	-	-	-	-	-	-	-
Hebron	600	-	-	-	-	-	-	-
Hiram	1,063	-	-	-	-	-	-	-
Lovell	853	-	-	-	-	-	-	-
Mason	80	-	-	-	-	-	-	-
Mexico.....	355	-	-	-	-	-	-	3
Newry	343	-	-	-	-	-	-	-
Norway	2,665	-	2	-	-	-	-	-
Oxford	1,455	-	-	-	-	-	-	-
Paris	3,156	-	-	-	-	-	-	-

No. 32—Continued.

Causes, Mostly Infectious Diseases

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	1	-	-	-	6	1	-	-
-	-	-	-	1	-	-	1	-	3	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
10	1	-	4	15	1	1	2	8	38	7	-	1
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
1	1	-	1	2	-	-	-	-	2	1	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	-	6	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	1	3	-	-	-	-	1	-	-	-
-	-	-	1	1	-	-	-	-	4	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	3	1	-	-	-
1	-	-	-	-	-	-	2	2	3	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-

TABLE
Deaths in Each Town from Special
OXFORD

County and Towns.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Peru	692	-	-	-	-	-	1	-
Porter	1,015	-	-	-	-	-	-	-
Roxbury	222	-	-	-	-	-	-	-
Rumford	898	-	-	-	-	-	-	-
Stow	291	-	-	-	-	-	-	-
Stoneham	322	-	-	-	-	-	-	-
Sumner.....	901	-	-	-	-	-	-	-
Sweden.....	338	-	-	-	-	-	-	-
Upton	232	-	-	-	-	-	-	-
Waterford.....	1,001	-	1	-	-	-	-	-
Woodstock	859	-	-	-	-	-	-	-
Franklin Pl.....	112	-	-	-	-	-	-	-
Lincoln Pl	59	-	-	-	-	-	-	-
Magalloway Pl	79	-	-	-	-	-	-	-
Milton Pl.....	211	-	-	-	-	-	-	-
Riley Pl	43	-	-	-	-	-	-	-
PENOBSCOT COUNTY.....	-	-	3	1	10	-	2	1
Alton	348	-	-	-	-	-	-	-
Argyle.....	263	-	-	-	-	-	-	-
Bangor	19,103	-	1	-	2	-	1	-
Bradford.	1,215	-	-	-	-	-	-	-
Bradley	823	-	-	-	-	-	-	-
Brewer	4,193	-	-	-	1	-	-	-
Burlington	460	-	-	-	-	-	-	-
Carmel	1,066	-	-	-	-	-	-	-
Carroll	546	-	-	-	-	-	-	-
Charleston.....	971	-	-	-	-	-	-	-
Chester....	368	-	-	-	-	-	-	-
Clifton	284	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Special

PENOBSCOT

County and Towns.	Population in 1880.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Corinna	1,207	-	-	-	-	-	-	-
Corinth.....	1,154	-	-	-	-	-	-	-
Dexter	2,732	-	-	-	-	-	-	-
Dixmont	919	-	-	-	-	-	-	-
Eddington	729	-	-	-	1	-	-	-
Edinburg.....	54	-	-	-	-	-	-	-
Enfield	769	-	-	-	-	-	-	-
Etna	646	-	-	-	-	-	-	-
Exeter.....	939	-	-	-	-	-	-	-
Garland	973	-	-	-	-	-	-	-
Glenburn	583	-	-	-	-	-	-	-
Greenbush	659	-	-	-	1	-	-	-
Greenfield	231	-	-	-	-	-	-	-
Hampden	2,484	-	-	-	-	-	-	-
Hermon	1,282	-	-	-	-	-	-	-
Holden	609	-	-	-	-	-	-	-
Howland	171	-	-	-	-	-	-	-
Hudson	510	-	1	-	-	-	-	-
Kenduskeag	536	-	-	-	-	-	-	-
Kingman	671	-	1	-	-	-	-	-
Lagrange	721	-	-	-	-	-	-	-
Lee	929	-	-	-	-	-	-	-
Levant	880	-	-	-	-	-	-	-
Lincoln	1,756	-	-	-	-	-	-	-
Lowell	439	-	-	-	-	-	-	-
Mattamiscontis.....	47	-	-	-	-	-	-	-
Mattawamkeag.....	633	-	-	-	-	-	-	-
Maxfield	134	-	-	-	-	-	-	-

No. 32—Continued.

Causes, Mostly from Infectious Diseases.

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	1	-	1	-	-	1	-	-	3	-	-	-
-	-	1	-	-	-	-	-	-	3	-	-	-
2	1	-	-	-	-	-	1	3	4	1	-	-
1	-	-	-	1	-	-	-	-	3	4	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	1	-	1	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	4	1	-	-
-	-	-	-	1	-	1	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	1	-	-	-	-	2	-	-	-
-	1	-	-	-	-	-	-	2	-	1	-	-
-	-	-	-	1	-	-	1	-	2	-	-	-
-	-	1	1	1	-	-	-	-	1	-	-	-
-	-	-	-	2	-	-	-	-	2	-	-	-
1	-	-	-	-	1	-	-	1	1	1	-	-
-	-	-	-	-	-	1	-	-	3	1	-	-
-	-	-	-	2	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special
PENOBSCOT

County and Towns.	Population in 1880.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Medway.....	653	-	-	-	-	-	-	-
Milford.....	835	-	-	-	-	-	-	-
Mt. Chase	284	-	-	-	-	-	-	-
Newburg.....	867	-	-	-	-	-	-	-
Newport	1,188	-	-	-	-	-	-	-
Old Town	5,312	-	-	1	4	-	-	1
Orono	2,790	-	-	-	-	-	1	-
Orrington	1,406	-	-	-	-	-	-	-
Passadumkeag	343	-	-	-	-	-	-	-
Patten	936	-	-	-	-	-	-	-
Plymouth	689	-	-	-	-	-	-	-
Prentiss	401	-	-	-	-	-	-	-
Springfield.....	677	-	-	-	-	-	-	-
Stetson.....	618	-	-	-	-	-	-	-
Veazie.....	650	-	-	-	-	-	-	-
Winn	936	-	-	-	-	-	-	-
Drew Pl.	110	-	-	-	-	-	-	-
Grand Falls Pl.....	68	-	-	-	-	-	-	-
Lakeville Pl	144	-	-	-	-	-	-	-
Seboeis Pl.....	98	-	-	-	-	-	-	-
Stacyville Pl.	250	-	-	-	-	-	-	-
Summit Pl.	104	-	-	-	-	-	-	-
Webster Pl.....	135	-	-	-	-	-	-	-
Woodville Pl	242	-	-	-	1	-	-	-
PISCATAQUIS COUNTY	-	-	-	-	-	-	-	-
Abbot	622	-	-	-	-	-	-	-
Atkinson	605	-	-	-	-	-	-	-
Blanchard	213	-	-	-	-	-	-	-

No. 32—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	1	2	-	1	-
-	-	-	-	-	-	-	-	-	-	2	-	-
2	-	-	-	-	1	-	-	-	4	1	-	-
3	1	-	4	2	-	-	-	9	11	1	-	-
1	-	-	-	1	1	-	-	5	5	-	-	-
-	-	-	-	-	1	-	-	1	3	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	1	-	-	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	1	4	-	-	-
-	1	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
4	1	-	1	8	1	1	-	6	34	10	-	-
-	-	-	-	-	-	1	-	-	3	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special
PISCATAQUIS

County and Towns.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsilitis.	Cerebro-spinal meningitis.	Whooping cough.
Brownville	1,074	-	-	-	-	-	-	-
Dover	1,942	-	-	-	-	-	-	-
Foxcroft	1,726	-	-	-	-	-	-	-
Greenville	781	-	-	-	-	-	-	-
Guilford.....	1,023	-	-	-	-	-	-	-
Medford.....	306	-	-	-	-	-	-	-
Milo	1,029	-	-	-	-	-	-	-
Monson	1,237	-	-	-	-	-	-	-
Orneville	492	-	-	-	-	-	-	-
Parkman	813	-	-	-	-	-	-	-
Sangerville	1,236	-	-	-	-	-	-	-
Sebec	725	-	-	-	-	-	-	-
Shirley	291	-	-	-	-	-	-	-
Wellington.....	584	-	-	-	-	-	-	-
Williamsburg	162	-	-	-	-	-	-	-
Willimantic.....	446	-	-	-	-	-	-	-
Bowerbank Pl	87	-	-	-	-	-	-	-
Elliottsville Pl	53	-	-	-	-	-	-	-
Katahdin Iron Works.....	76	-	-	-	-	-	-	-
Kineo.....	-	-	-	-	-	-	-	-
Kingsbury Pl	205	-	-	-	-	-	-	-
Lake View Pl.....	-	-	-	-	-	-	-	-
SAGADAHOC COUNTY	-	-	-	-	2	-	-	-
Arrowsic	177	-	-	-	-	-	-	-
Bath	8,723	-	-	-	2	-	-	-
Bowdoin	940	-	-	-	-	-	-	-
Bowdoinham	1,508	-	-	-	-	-	-	-
Georgetown	849	-	-	-	-	-	-	-

No. 32—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhœa.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	1	-	-	3	-	-	-	-	3	-	-	-
2	-	-	1	2	-	-	-	-	5	1	-	-
-	-	-	-	-	1	-	-	2	5	3	-	-
-	-	-	-	-	-	-	-	1	1	1	-	-
1	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	3	-	-
1	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
6	1	1	4	11	-	-	1	13	29	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	1	1	7	-	-	1	9	13	2	-	-
-	1	-	-	-	-	-	-	-	1	-	-	-
1	-	-	1	2	-	-	-	1	3	-	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-

TABLE
Deaths in Each Town from Special

SAGADAHOC

County and Town.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Perkins	69	-	-	-	-	-	-	-
Phippsburg	1,396	-	-	-	-	-	-	-
Richmond	3,082	-	-	-	-	-	-	-
Topsham	1,394	-	-	-	-	-	-	-
West Bath	307	-	-	-	-	-	-	-
Woolwich	1,007	-	-	-	-	-	-	-
SOMERSET COUNTY	-	-	-	-	4	-	-	2
Anson	1,444	-	-	-	-	-	-	-
Athens	1,072	-	-	-	-	-	-	-
Bingham	757	-	-	-	-	-	-	-
Brighton	434	-	-	-	-	-	-	-
Cambridge	425	-	-	-	-	-	-	-
Canaan	1,130	-	-	-	-	-	-	-
Concord	345	-	-	-	-	-	-	-
Cornville	785	-	-	-	-	-	-	-
Detroit	590	-	-	-	-	-	-	1
Embden	579	-	-	-	-	-	-	-
Fairfield	3,510	-	-	-	3	-	-	-
Harmony	704	-	-	-	-	-	-	-
Hartland	974	-	-	-	-	-	-	-
Madison	1,815	-	-	-	-	-	-	-
Mercer	584	-	-	-	-	-	-	-
Moscow	422	-	-	-	-	-	-	-
New Portland	1,034	-	-	-	-	-	-	-
Norridgewock	1,656	-	-	-	-	-	-	1
Palmyra	1,004	-	-	-	-	-	-	-
Pittsfield	2,503	-	-	-	1	-	-	-

No. 32—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	1	3	-	-	-
2	-	-	2	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	1	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	-	1	-	-	-
10	-	2	1	26	4	3	-	8	80	6	-	1
-	-	1	-	2	-	-	-	-	4	-	-	-
-	-	-	-	2	-	-	-	-	3	-	-	-
-	-	-	-	1	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	5	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	1	2	-	-	-
2	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
1	-	-	1	1	1	1	-	1	8	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1
-	-	-	-	3	-	-	-	-	3	-	-	-
1	-	-	-	2	-	-	-	-	6	-	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	1	-	-	-	1	1	-	-	-
1	-	-	-	-	1	-	-	-	2	1	-	-
-	-	1	-	4	-	-	-	-	11	-	-	-
1	-	-	-	1	-	-	-	-	4	-	-	-
1	-	-	-	2	2	-	-	-	3	2	-	-

TABLE
Deaths in Each Town from Special
SOMERSET

County and Towns.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Ripley	478	-	-	-	-	-	-	-
St. Albans.....	1,206	-	-	-	-	-	-	-
Skowhegan	5,068	-	-	-	-	-	-	-
Smithfield.....	479	-	-	-	-	-	-	-
Solon	977	-	-	-	-	-	-	-
Starks	766	-	-	-	-	-	-	-
Carratunk Pl	192	-	-	-	-	-	-	-
Dead River Pl	104	-	-	-	-	-	-	-
Dennistown Pl	66	-	-	-	-	-	-	-
Flagstaff Pl.....	87	-	-	-	-	-	-	-
Highland Pl.....	76	-	-	-	-	-	-	-
Jackman Pl.....	217	-	-	-	-	-	-	-
Lexington Pl	199	-	-	-	-	-	-	-
Mayfield Pl	74	-	-	-	-	-	-	-
Moose River Pl.....	170	-	-	-	-	-	-	-
No. 1, R. 2, W. K. R. Pl.....	128	-	-	-	-	-	-	-
The Forks Pl	195	-	-	-	-	-	-	-
West Forks Pl.....	146	-	-	-	-	-	-	-
WALDO COUNTY	-	-	-	-	6	-	-	-
Belfast	5,294	-	-	-	1	-	-	-
Belmont.....	475	-	-	-	-	-	-	-
Brooks	730	-	-	-	-	-	-	-
Burnham.....	846	-	-	-	-	-	-	-
Frankfort	1,099	-	-	-	-	-	-	-
Freedom	510	-	-	-	-	-	-	-
Islesboro	1,006	-	-	-	-	-	-	-

No. 32—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	3	-	-	2	-	12	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
4	1	2	6	11	1	-	2	3	64	4	1	-
-	-	-	1	-	-	-	-	-	15	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	1	-	-	-	-	-	4	-	-	-
-	-	-	1	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	1	2	-	-	-

TABLE
Deaths in Each Town from Special
WALDO

County and Towns.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Jackson	522	-	-	-	-	-	-	-
Knox	657	-	-	-	-	-	-	-
Liberty.....	835	-	-	-	1	-	-	-
Lincolnville	1,361	-	-	-	3	-	-	-
Monroe	1,079	-	-	-	-	-	-	-
Montville	1,049	-	-	-	-	-	-	-
Morrill	460	-	-	-	-	-	-	-
Northport	691	-	-	-	-	-	-	-
Palermo.....	887	-	-	-	-	-	-	-
Prospect	697	-	-	-	-	-	-	-
Searsmont	1,144	-	-	-	1	-	-	-
Searsport	1,693	-	-	-	-	-	-	-
Stockton Springs.....	1,149	-	-	-	-	-	-	-
Swanville	689	-	-	-	-	-	-	-
Thorndike	589	-	-	-	-	-	-	-
Troy	868	-	-	-	-	-	-	-
Unity	922	-	-	-	-	-	-	-
Waldo	581	-	-	-	-	-	-	-
Winterport	1,926	-	-	-	-	-	-	-
WASHINGTON COUNTY	-	-	-	6	-	-	2	1
Addison	1,022	-	-	-	-	-	-	-
Alexander .	337	-	-	-	-	-	-	-
Baileyville.	226	-	-	-	-	-	-	-
Baring.....	273	-	-	-	-	-	-	-
Beldington	184	-	-	-	-	-	-	-
Brookton.....	429	-	-	-	-	-	-	-
Calais.....	7,290	-	-	1	-	-	-	-

No. 32—Continued

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	1	-	-	-	2	-	-	-
-	-	-	-	7	-	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
2	1	-	-	-	-	-	-	-	4	1	-	-
-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	2	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	5	-	-	-
-	-	-	1	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
1	-	1	-	-	-	-	-	-	3	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	4	-	-	-
-	-	-	-	2	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	1	-	2	-	1	-
16	1	1	5	24	6	3	3	35	86	14	-	1
1	-	-	-	4	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
5	-	-	-	1	4	1	-	1	16	3	-	1

TABLE
Deaths in Each Town from Special
WASHINGTON

County and Towns.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Centerville.....	114	-	-	-	-	-	-	-
Charlotte	381	-	-	-	-	-	-	-
Cherryfield	1,787	-	-	-	-	-	-	-
Columbia	587	-	-	-	-	-	-	-
Columbia Falls	698	-	-	-	-	-	-	-
Cooper	264	-	-	-	-	-	-	-
Crawford.....	140	-	-	-	-	-	-	-
Cutler	662	-	-	-	-	-	-	-
Danforth	1,063	-	-	-	-	-	-	-
Deblois	76	-	-	-	-	-	-	-
Dennysville.....	452	-	-	-	-	-	-	-
East Machias	1,637	-	-	1	-	-	-	-
Eastport	4,908	-	-	-	-	-	-	1
Edmunds.....	395	-	-	-	-	-	-	-
Forest City.....	287	-	-	-	-	-	-	-
Harrington	1,150	-	-	-	-	-	-	-
Jonesboro	470	-	-	-	-	-	-	-
Jonesport	1,917	-	-	-	-	-	-	-
Lubec	2,069	-	-	-	-	-	-	-
Machias	2,035	-	-	3	-	-	-	-
Machiasport	1,437	-	-	-	-	-	-	-
Marion	90	-	-	-	-	-	-	-
Marshfield	299	-	-	-	-	-	1	-
Meddybemps	156	-	-	-	-	-	-	-
Milbridge	1,963	-	-	-	-	-	-	-
Northfield	143	-	-	-	-	-	-	-
Pembroke	1,514	-	-	-	-	-	-	-

No. 32—Continued.

Causes, Mostly Infectious Diseases

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	2	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	5	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	2	-	-	-	1	-	2	-	-
-	-	-	-	2	-	-	-	-	2	1	-	-
2	-	-	-	2	-	1	1	9	18	2	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	1	-	4	-	-	-
-	-	-	-	1	-	-	-	1	1	-	-	-
1	-	-	1	-	-	1	-	2	3	-	-	-
3	-	-	1	1	1	-	-	1	8	1	-	-
-	-	1	1	3	1	-	-	3	1	1	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	2	3	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	5	-	-	-

TABLE
Deaths in Each Town from Special

WASHINGTON

County and Towns.	Population in 1880.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Perry	945	-	-	-	-	-	-	-
Princeton	1,027	-	-	-	-	-	1	-
Robbinston	787	-	-	-	-	-	-	-
Roque Bluffs.....	154	-	-	-	-	-	-	-
Steuben	982	-	-	-	-	-	-	-
Talmage	112	-	-	-	-	-	-	-
Topsfield	375	-	-	-	-	-	-	-
Trescott ..	485	-	-	-	-	-	-	-
Vanceboro	870	-	-	-	-	-	-	-
Waite.....	159	-	-	-	-	-	-	-
Wesley	227	-	-	-	-	-	-	-
Whiting.....	393	-	-	-	-	-	-	-
Whitneyville	413	-	-	1	-	-	-	-
Codyville Pl	72	-	-	-	-	-	-	-
Grand Lake Stream Pl.....	404	-	-	-	-	-	-	-
Lambert Lake Pl	152	-	-	-	-	-	-	-
No. 14 Pl	112	-	-	-	-	-	-	-
No. 18 Pl.....	30	-	-	-	-	-	-	-
No. 21 Pl	81	-	-	-	-	-	-	-
YORK COUNTY	-	-	2	4	9	-	2	4
Acton.....	878	-	-	-	-	-	-	-
Alfred	1,030	-	-	-	-	-	-	-
Berwick.....	2,294	-	-	1	-	-	-	-
Biddeford	14,443	-	1	1	-	-	2	2
Buxton	2,036	-	-	-	-	-	-	-
Cornish.....	1,118	-	-	-	-	-	-	-
Dayton	500	-	-	-	-	-	-	-
Eliot	1,463	-	-	-	-	-	-	-

No. 32--Continued.

Causes, Mostly from Infectious Diseases.

COUNTY--CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	1	-	-	-	-	3	1	-	-	-
-	1	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
1	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
18	1	1	9	28	6	6	3	69	114	16	1	-
-	-	-	-	1	-	-	-	1	2	-	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	1	1	6	-	-	-
4	-	-	2	1	2	2	-	52	29	4	-	-
-	-	-	1	-	-	-	-	-	2	-	-	-
-	-	-	1	-	-	-	-	-	4	2	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special
YORK

County and Towns.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Hollis	1,278	-	-	-	-	-	-	-
Kennebunk	3,172	-	-	-	-	-	-	-
Kennebunkport	2,196	-	-	-	-	-	-	-
Kittery	2,884	-	-	-	-	-	-	-
Lebanon	1,263	-	-	-	-	-	-	-
Limerick.....	966	-	-	-	-	-	-	-
Limington	1,092	-	-	-	-	-	-	-
Lyman	854	-	-	-	-	-	-	-
Newfield	796	-	-	-	-	-	-	-
North Berwick	1,803	-	-	-	-	-	-	-
Old Orchard.	877	-	-	-	-	-	-	-
Parsonfield	1,398	-	-	1	-	-	-	-
Saco	6,075	-	1	1	-	-	-	1
Sanford	4,201	-	-	-	9	-	-	-
Shapleigh	968	-	-	-	-	-	-	1
South Berwick	3,434	-	-	-	-	-	-	-
Waterboro	1,357	-	-	-	-	-	-	-
Wells	2,029	-	-	-	-	-	-	-
York	2,444	-	-	-	-	-	-	-

No. 32—Concluded.

Causes, Mostly from Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	6	-	-	-	-	4	-	-	-
3	-	-	-	4	-	-	-	1	5	-	-	-
1	-	-	-	5	-	-	-	2	4	-	-	-
3	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	4	-	-	-
1	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	2	-	-	-	-	2	-	-	-
1	-	-	-	-	-	-	1	-	1	-	-	-
1	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	1	-	1	-	1	1	5	-	-	-
1	1	-	2	-	-	3	-	5	14	-	-	-
1	-	1	1	-	-	-	-	3	4	3	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
1	-	-	-	1	1	-	-	-	7	1	-	-
1	-	-	-	-	-	-	-	-	3	-	1	-
-	-	-	-	3	-	-	-	1	6	2	-	-
-	-	-	1	2	-	-	-	-	3	3	-	-

TABLE
Deaths in Each Town from Certain

The State and Counties.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
MAINE	661,086	10	19	66	474	123	697	390	286
Androscoggin	48,968	1	3	3	40	11	34	108	34
Aroostook.....	49,589	1	-	3	13	8	35	74	11
Cumberland	90,949	1	3	11	81	17	100	34	61
Franklin	17,053	-	-	-	18	6	20	7	8
Hancock	37,312	-	-	8	35	6	38	17	11
Kennebec	57,012	2	1	6	38	11	54	24	21
Knox	31,473	-	1	1	33	6	51	8	10
Lincoln.....	21,966	-	2	3	12	4	36	3	5
Oxford.....	30,586	-	-	1	20	10	51	10	8
Penobscot.....	72,865	2	4	11	47	9	74	24	35
Piscataquis	16,134	-	-	-	9	2	17	12	3
Sagadahoc	19,452	-	-	1	15	5	18	7	5
Somerset	32,627	-	1	6	27	5	44	8	15
Waldo	27,759	-	-	3	17	5	35	8	2
Washington	44,482	-	4	4	20	4	32	17	22
York	62,829	3	-	5	49	14	58	29	35
ANDROSCOGGIN COUNTY.....	-	1	3	3	40	11	34	108	34
Auburn	11,250	-	-	1	12	3	7	12	12
Durham	1,111	-	-	-	2	-	3	1	-
East Livermore	1,506	-	1	-	-	-	1	-	1
Greene	885	-	-	-	2	-	1	-	-
Leeds.....	999	-	-	-	1	-	3	-	1
Lewiston.....	21,701	1	1	2	10	3	8	87	16
Lisbon	3,120	-	1	-	2	2	1	4	2
Livermore	1,151	-	-	-	2	-	1	-	2
Mechanic Falls.....	-	-	-	-	1	1	1	-	-
Minot.....	1,355	-	-	-	-	1	1	1	-
Poland	2,472	-	-	-	2	1	2	-	-
Turner.....	2,016	-	-	-	5	-	3	1	-
Wales.....	451	-	-	-	-	-	-	1	1
Webster	951	-	-	-	1	-	2	1	-

No. 33.

Diseases and Groups of Diseases.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
408	849	940	1,023	209	80	685	299	143	32	41	286	39
27	50	81	59	16	5	63	19	8	3	1	37	2
11	16	29	68	9	6	30	14	5	-	7	14	1
65	122	141	171	36	17	107	62	25	3	4	54	6
19	33	18	21	4	-	12	7	5	1	1	8	3
23	39	44	55	10	-	33	11	10	1	5	14	3
37	149	111	90	26	4	73	28	12	1	3	31	3
17	44	36	40	9	3	28	18	8	-	2	9	5
17	16	28	29	3	1	35	11	5	1	1	5	3
23	47	40	47	10	5	30	14	7	1	7	9	1
38	85	112	136	26	9	78	19	12	4	2	30	5
2	23	12	21	2	1	9	5	2	3	-	6	1
12	23	29	28	5	2	26	5	6	-	-	11	2
19	39	39	57	9	7	23	12	5	2	3	13	2
13	30	62	42	5	3	34	11	11	2	1	7	1
27	42	52	59	13	11	31	13	5	7	1	12	
58	91	106	100	26	6	75	50	17	3	3	26	1
27	50	81	59	16	5	63	19	8	3	1	37	2
3	8	16	6	2	2	9	3	2	-	-	6	-
-	1	1	1	-	-	3	-	-	-	-	1	-
-	5	1	8	-	-	2	-	-	-	-	2	-
-	1	3	6	-	-	2	-	1	-	1	1	-
1	-	2	-	1	-	2	-	-	-	-	2	-
11	22	33	27	11	2	32	9	3	3	-	19	-
2	6	6	1	-	-	2	-	-	-	-	3	-
-	1	2	-	-	-	1	1	-	-	-	-	-
2	1	4	4	-	-	2	3	-	-	-	2	-
2	-	1	1	-	-	1	-	1	-	-	1	1
4	3	3	1	1	-	2	2	-	-	-	-	-
1	2	5	2	1	1	5	1	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	4	2	-	-	-	-	1	-	-	-	-

TABLE
Deaths in Each Town from Certain
AROOSTOOK

County and Towns.	Population in 1880.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
AROOSTOOK COUNTY	-	1	-	3	13	8	35	74	11
Amity	420	-	-	-	-	-	-	-	-
Ashland	568	-	-	-	1	-	-	-	-
Bancroft	264	-	-	-	-	-	-	-	-
Benedicta	317	-	-	-	-	-	-	-	-
Blaine	784	-	-	-	-	1	1	2	-
Bridgewater	946	-	-	-	-	-	2	-	-
Caribou	4,087	-	-	-	2	3	3	1	3
Dyer Brook	221	-	-	-	-	-	1	-	-
Easton	978	-	-	-	-	-	-	-	-
Fort Fairfield	3,526	-	-	-	-	-	1	2	-
Fort Kent	1,826	-	-	-	1	-	-	2	1
Frenchville	2,560	-	-	-	-	-	-	17	-
Grand Isle	964	-	-	-	-	-	3	3	-
Haynesville.	280	-	-	-	-	-	1	-	-
Hersey	151	-	-	-	2	-	-	-	-
Hodgdon	1,113	-	-	-	-	-	-	-	-
Houlton	4,015	1	-	-	-	-	-	2	3
Island Falls	223	-	-	-	-	-	2	1	-
Limestone	933	-	-	-	-	1	-	-	1
Linneus	965	-	-	-	-	-	1	-	-
Littleton	924	-	-	-	-	-	-	1	-
Ludlow	375	-	-	-	-	-	-	-	-
Madawaska	1,451	-	-	-	-	-	-	7	-
Mapleton	832	-	-	-	-	-	3	1	2
Mars Hill	837	-	-	-	-	-	2	-	-
Masardis	250	-	-	1	-	-	1	-	-
Monticello	1,132	-	-	-	3	-	2	2	-
New Limerick	517	-	-	-	1	1	1	-	-

TABLE
Deaths in Each Town from Certain
AROOSTOOK

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or meninges.
Orient	214	-	-	-	-	-	-	-	-
Presque Isle	3,046	-	-	-	-	2	-	2	-
Sherman	909	-	-	-	-	-	-	-	-
Smyrna	303	-	-	-	-	-	1	-	-
Van Buren	1,168	-	-	-	-	-	1	4	-
Washburn	1,097	-	-	1	-	-	2	-	1
Weston	404	-	-	-	-	-	-	1	-
Woodland	885	-	-	-	2	-	1	1	-
Plantations.									
Allagash	200	-	-	-	-	-	-	-	-
Cary	390	-	-	-	-	-	1	-	-
Castle Hill	537	-	-	-	-	-	1	1	-
Caswell	212	-	-	-	-	-	1	-	-
Chapman	231	-	-	-	-	-	-	-	-
Conor	526	-	-	-	-	-	1	-	-
Crystal	297	-	-	-	1	-	1	1	-
Cyr	429	-	-	-	-	-	-	1	-
Eagle Lake	313	-	-	-	-	-	-	-	-
Garfield	86	-	-	-	-	-	-	-	-
Glenwood	183	-	-	-	-	-	-	-	-
Hamlin	484	-	-	-	-	-	-	3	-
Hammond	109	-	-	-	-	-	-	-	-
Macwahoc	216	-	-	-	-	-	-	-	-
Merrill	244	-	-	-	-	-	-	-	-
Molunkus	77	-	-	-	-	-	-	-	-
Moro	199	-	-	-	-	-	-	-	-
Nashville	34	-	-	-	-	-	-	-	-
New Canada	301	-	-	-	-	-	-	2	-
New Sweden	707	-	-	-	-	-	-	-	-
Oakfield	720	-	-	-	-	-	1	2	-

TABLE
Deaths in Each Town from Certain
AROOSTOOK

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Oxbow	94	-	-	-	-	-	-	1	-
Perham	438	-	-	-	-	-	-	2	-
Portage Lake.....	140	-	-	-	-	-	-	-	-
Reed	203	-	-	-	-	-	-	1	-
St. Francis	461	-	-	-	-	-	-	4	-
St. John	226	-	-	-	-	-	-	-	-
Sheridan	221	-	-	-	-	-	-	-	-
Silver Ridge	195	-	-	-	-	-	-	-	-
Wade	158	-	-	-	-	-	-	1	-
Wallagrass	595	-	-	1	-	-	-	6	-
Westfield.....	161	-	-	-	-	-	-	-	-
Westmanland	52	-	-	-	-	-	-	-	-
Winterville.....	72	-	-	-	-	-	-	-	-
CUMBERLAND COUNTY	-	1	3	11	81	17	100	34	61
Baldwin	932	-	-	-	-	-	1	-	-
Bridgton	2,605	-	-	-	2	1	5	-	-
Brunswick	6,012	-	-	1	7	-	8	5	5
Cape Elizabeth.....	5,459	-	-	-	9	-	3	2	5
Casco	844	-	-	-	1	-	-	1	-
Cumberland.....	1,487	-	-	-	1	-	-	1	1
Deering	5,353	-	-	2	5	1	6	4	2
Falmouth	1,580	-	-	-	3	1	1	-	-
Freeport	2,482	-	-	1	2	3	4	1	-
Gorham	2,888	-	-	-	1	1	2	2	-
Gray	1,517	-	-	-	1	-	2	-	1
Harpwell.....	1,766	-	-	-	1	1	2	-	-
Harrison	1,071	-	-	-	-	-	4	1	-
Naples.....	846	-	-	-	-	2	4	-	1
New Gloucester	1,234	-	-	1	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
CUMBERLAND

County and Towns.	Population in 1880.	Alcoholism.	Other dietic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
North Yarmouth	709	-	-	-	-	1	-	-	-
Otisfield	838	-	-	-	-	-	3	-	-
Portland	36,425	1	2	5	37	6	39	6	41
Pownal.....	712	-	-	-	-	-	2	-	1
Raymond	927	-	-	-	1	-	1	-	2
Scarboro	1,794	-	-	1	2	-	3	-	-
Sebago	681	-	-	-	-	-	-	-	-
Standish.	1,841	-	-	-	1	-	1	-	-
Westbrook	6,632	-	1	-	2	-	4	10	1
Windham	2,216	-	-	-	3	-	4	-	1
Yarmouth	2,008	-	-	-	2	-	1	1	-
FRANKLIN COUNTY.....	-	-	-	-	18	6	20	7	8
Avon	439	-	-	-	-	-	-	-	1
Carthage	390	-	-	-	-	-	-	-	-
Chesterville.....	770	-	-	-	-	-	-	1	-
Eustis	321	-	-	-	-	-	-	1	-
Farmington.....	3,207	-	-	-	2	2	5	-	1
Freeman	464	-	-	-	-	-	-	-	-
Industry.....	545	-	-	-	1	-	3	-	-
Jay	1,541	-	-	-	5	1	-	1	-
Kingfield	601	-	-	-	-	1	1	-	-
Madrid	441	-	-	-	-	-	1	-	1
New Sharon.....	1,064	-	-	-	2	1	4	1	-
New Vineyard.....	660	-	-	-	1	-	-	-	-
Phillips	1,394	-	-	-	4	-	2	1	3
Rangeley	616	-	-	-	1	-	-	-	-
Salem.....	218	-	-	-	-	-	-	-	-
Strong	627	-	-	-	1	-	1	-	-

No. 33—Continued.

Diseases and Groups of Diseases.

COUNTY.—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	2	1	2	-	-	-	-	-	-	-	-	-
-	-	-	2	-	-	-	-	-	-	-	-	-
28	55	53	78	17	11	55	29	13	-	2	34	2
-	1	2	-	-	-	2	1	-	-	-	-	-
2	-	1	7	2	-	2	2	-	-	-	-	-
-	3	2	2	-	-	2	2	-	-	-	1	1
-	-	1	-	-	-	1	-	-	-	-	-	-
2	2	1	2	4	-	-	2	-	-	1	2	-
3	8	8	7	2	-	5	4	1	2	-	-	1
4	2	4	3	-	1	2	2	1	-	-	1	-
-	3	2	3	2	-	1	3	2	-	-	1	-
19	33	18	21	4	-	12	7	5	1	1	8	3
-	-	-	-	-	-	-	1	-	-	-	-	-
-	1	-	-	-	-	1	-	-	-	-	-	-
-	2	-	1	-	-	1	-	1	-	-	-	-
-	1	-	3	-	-	1	-	-	-	-	1	-
6	9	3	6	1	-	3	-	1	-	1	2	1
-	3	-	-	1	-	-	-	2	-	-	-	1
2	1	3	-	-	-	-	-	-	-	-	1	-
1	1	3	2	-	-	-	1	-	-	-	-	1
-	1	-	1	1	-	-	-	-	-	-	-	-
-	-	1	2	-	-	-	-	-	-	-	-	-
3	3	2	-	-	-	1	-	-	-	-	1	-
2	5	1	1	-	-	-	-	-	-	-	-	-
2	2	-	1	1	-	1	1	-	1	-	-	-
1	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	2	1	-	-	2	-	1	-	-	-	-

TABLE
Deaths in Each Town from Certain
FRANKLIN

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Temple	470	-	-	-	1	1	1	-	-
Weld	885	-	-	-	-	-	-	-	-
Wilton	1,622	-	-	-	-	-	2	1	1
Coplin Pl.....	71	-	-	-	-	-	-	-	-
Dallas Pl.....	184	-	-	-	-	-	-	-	-
Greenvale Pl.....	52	-	-	-	-	-	-	-	-
Jerusalem Pl.....	18	-	-	-	-	-	-	-	-
Letter E Pl.....	29	-	-	-	-	-	-	-	-
Perkins Pl.....	94	-	-	-	-	-	-	-	-
Rangeley Pl.....	58	-	-	-	-	-	-	-	-
Redington Pl.....	28	-	-	-	-	-	-	1	1
Sandy River Pl.....	45	-	-	-	-	-	-	-	-
HANCOCK COUNTY.	-	-	-	8	35	6	38	17	11
Amherst	375	-	-	1	-	-	1	-	-
Aurora	175	-	-	-	1	-	-	-	-
Bluehill ..	1,980	-	-	-	1	1	-	-	1
Brooklin	1,046	-	-	-	1	-	3	-	-
Brooksville	1,310	-	-	-	-	1	3	1	2
Bucksport.....	2,921	-	-	-	6	1	1	2	1
Castine	987	-	-	-	1	-	-	-	-
Cranberry Isles.....	330	-	-	-	-	-	1	-	-
Dedham	366	-	-	-	1	-	-	-	-
Deer Isle	3,422	-	-	1	6	1	3	2	1
Eastbrook.....	246	-	-	-	-	-	-	-	-
Eden.....	1,946	-	-	1	3	-	2	4	1
Ellsworth	4,804	-	-	2	4	-	4	3	1
Franklin	1,264	-	-	-	2	1	2	-	1
Gouldsboro	1,709	-	-	-	1	-	6	2	-
Hancock	1,190	-	-	1	1	-	-	1	-

No. 33—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	-	-	-	-	1	-	-	-	1	-
1	-	-	-	-	-	-	-	-	-	-	-	-
1	1	3	1	1	-	1	1	-	-	-	-	-
-	-	-	1	1	-	-	1	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
23	39	44	55	10	-	33	11	10	1	5	14	3
-	-	-	-	1	-	-	-	-	-	-	-	-
-	1	4	2	-	-	2	-	1	-	1	-	-
2	2	-	-	-	-	1	1	2	-	-	-	-
-	1	2	4	-	-	3	-	1	-	-	1	1
2	7	9	4	1	-	2	-	-	-	-	-	-
-	1	-	-	-	-	-	-	1	-	-	-	-
-	1	-	1	-	-	-	1	-	-	-	-	-
-	2	-	-	-	-	1	-	-	-	-	-	-
5	6	5	2	-	-	3	-	-	-	1	1	-
-	-	-	1	-	-	1	-	-	-	-	-	-
1	2	2	3	-	-	2	-	2	-	-	1	-
3	3	9	12	1	-	5	-	-	1	-	3	1
-	1	-	3	1	-	3	1	-	-	-	-	-
1	3	3	2	2	-	2	-	-	-	1	-	-
1	-	1	2	1	-	-	2	-	-	1	2	-

TABLE
Deaths in Each Town from Certain
HANCOCK

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Isle au Haut	206	-	-	-	-	-	1	-	-
Lamoine	726	-	-	-	1	1	1	-	-
Mariaville	271	-	-	1	-	-	-	-	-
Mount Desert	1,355	-	-	-	-	-	-	-	1
Orland.....	1,390	-	-	-	1	-	-	-	-
Otis	239	-	-	-	-	-	-	-	-
Penobscot	1,313	-	-	1	1	-	1	-	-
Sedgwick	1,012	-	-	-	1	-	4	1	-
Sullivan	1,379	-	-	-	-	-	-	-	1
Surry	986	-	-	-	1	-	3	-	-
Tremont..	2,036	-	-	-	1	-	1	1	1
Trenton	528	-	-	-	-	-	-	-	-
Verona	323	-	-	-	-	-	-	-	-
Waltham	242	-	-	-	1	-	-	-	-
Long Island Pl.	132	-	-	-	-	-	1	-	-
No. 7 Pl.	50	-	-	-	-	-	-	-	-
No. 33 Pl....	112	-	-	-	-	-	-	-	-
Swan's Island Pl	632	-	-	-	-	-	-	-	-
KENNEBEC COUNTY.....	-	2	1	6	38	11	54	24	21
Albion	1,042	-	1	-	1	-	2	-	-
Augusta	10,527	1	-	2	5	3	11	9	8
Belgrade	1,090	-	-	-	1	-	-	-	-
Benton	1,136	-	-	-	1	-	2	-	1
Chelsea..	2,356	1	-	-	2	-	2	-	-
China	1,423	-	-	-	2	-	-	-	-
Clinton	1,518	-	-	1	1	-	3	-	-
Farmingdale.....	821	-	-	-	-	-	-	-	2
Fayette.....	649	-	-	-	-	-	2	-	-

No. 33—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
3	3	16	8	2	1	2	2	2	-	1	1	-
1	2	4	-	2	-	2	2	-	-	-	-	-
2	2	3	2	-	-	4	1	1	-	-	-	-
-	2	2	-	-	-	1	-	-	-	-	-	-
-	-	3	3	-	1	1	2	1	-	-	1	-
1	1	3	2	-	-	1	-	1	1	-	-	-
2	6	4	2	5	-	4	2	1	-	-	1	-
2	1	5	1	-	-	4	-	1	-	-	1	-
1	1	1	2	-	-	-	-	1	-	-	3	-
-	1	5	-	1	-	3	-	-	-	-	1	-
-	-	-	3	-	-	-	-	-	-	-	-	-
2	-	-	2	1	-	-	-	1	-	-	-	-
2	1	3	7	2	-	5	1	-	-	-	2	-
2	-	1	3	-	-	3	1	-	-	-	1	-
2	10	12	13	5	-	9	6	1	-	-	5	1
2	1	-	2	-	-	4	1	1	-	-	-	-
-	2	-	1	-	1	-	1	-	-	-	-	-
-	-	2	2	-	-	2	1	-	-	-	-	-
-	2	10	4	1	-	2	1	-	-	1	-	-
1	7	1	-	-	-	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
17	44	36	40	9	3	28	18	2	-	2	9	5
-	-	3	1	-	-	-	1	-	-	-	-	-
3	1	3	2	-	1	3	3	2	-	-	2	1
-	1	-	1	1	-	-	-	-	-	-	-	-
2	1	2	1	-	-	-	-	-	-	-	-	-
-	-	1	2	-	-	2	1	-	-	-	-	-
-	-	-	1	-	-	2	-	-	-	-	1	-

TABLE
Deaths in Each Town from Certain
KNOX

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
North Haven.....	552	-	-	-	1	-	3	-	-
Rockland	8,174	-	-	-	11	2	9	2	1
Rockport	2,150	-	-	-	2	1	5	-	-
South Thomaston	1,534	-	-	-	5	-	3	-	-
St. George.....	2,491	-	1	1	-	-	5	2	3
Thomaston.....	3,009	-	-	-	2	3	4	2	1
Union.....	1,436	-	-	-	1	-	1	1	-
Vinalhaven	2,617	-	-	-	4	-	4	1	2
Warren	2,037	-	-	-	1	-	11	-	-
Washington	1,230	-	-	-	1	-	1	-	-
Matineicus Isle Pl.....	196	-	-	-	-	-	1	-	-
LINCOLN COUNTY..	-	-	2	3	12	4	36	3	5
Alma	512	-	-	-	-	-	5	-	-
Boothbay	1,718	-	-	-	-	2	3	-	-
Boothbay Harbor	1,699	-	-	1	1	-	1	-	1
Bremen	842	-	-	-	1	-	1	-	-
Bristol	2,821	-	2	-	1	-	6	1	-
Damariscotta	1,012	-	-	-	1	-	1	-	-
Dresden	1,043	-	-	1	-	-	1	-	-
Edgecomb	749	-	-	-	-	-	-	1	-
Jefferson	1,391	-	-	-	2	-	1	-	1
Newcastle	1,282	-	-	-	-	-	4	-	1
Nobleboro	947	-	-	-	-	-	3	-	-
Somerville	453	-	-	-	1	1	2	-	-
Southport	533	-	-	-	-	-	-	-	-
Waldoboro	3,505	-	-	-	3	-	2	-	2
Westport	451	-	-	-	-	1	1	-	-

No. 33—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	1	-	-	-	-	-	-	-	-	1
4	14	9	12	2	-	5	4	4	-	-	3	1
-	4	5	4	-	-	2	-	-	-	2	-	1
1	1	1	2	-	-	-	1	-	-	-	1	-
-	2	1	2	-	2	3	-	-	-	-	-	-
-	7	4	2	1	-	3	4	-	-	-	-	-
1	3	2	-	1	-	-	2	1	-	-	-	-
4	1	1	1	4	-	4	1	-	-	-	1	-
-	5	1	3	-	-	2	-	1	-	-	1	1
2	4	2	5	-	-	2	1	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
17	16	28	29	3	1	35	11	5	1	1	5	3
1	-	-	1	-	-	-	1	-	-	-	-	-
-	3	3	1	-	-	1	-	-	-	-	-	-
1	2	-	-	-	-	4	2	1	-	-	-	-
-	1	2	-	-	-	-	-	-	-	-	-	-
2	1	1	4	-	-	8	1	1	-	-	1	2
2	-	4	1	-	-	-	2	1	-	-	-	1
2	-	2	2	-	-	4	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
1	1	4	2	-	-	4	1	-	-	-	1	-
1	-	2	1	-	-	1	-	-	-	-	-	-
1	2	-	5	-	-	1	-	1	-	-	-	-
1	1	2	-	-	-	1	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	3	2	3	1	1	5	2	-	-	-	-	-
2	-	-	1	-	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Certain
LINCOLN

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or meninges.
Whitefield	1,215	-	-	-	1	-	-	-	-
Wiscasset	1,733	-	-	1	1	-	5	1	-
Monhegan Pl.	90	-	-	-	-	-	-	-	-
OXFORD COUNTY.	-	-	-	1	20	10	51	10	8
Albany	645	-	-	-	-	-	2	-	-
Andover	740	-	-	-	-	-	3	-	-
Bethel	2,209	-	-	-	-	-	2	-	-
Brownfield	1,134	-	-	-	-	-	2	-	-
Buckfield	1,200	-	-	-	1	2	4	-	2
Byron	180	-	-	-	-	-	-	-	-
Canton	1,303	-	-	-	-	1	-	1	-
Denmark	755	-	-	-	2	-	5	-	-
Dixfield	988	-	-	-	-	-	1	-	1
Fryeburg	1,418	-	-	1	2	-	2	1	-
Gilead	336	-	-	-	1	-	1	-	-
Grafton	98	-	-	-	-	-	-	-	-
Greenwood	727	-	-	-	-	-	-	-	-
Hanover	212	-	-	-	-	-	-	-	-
Hartford	689	-	-	-	1	-	2	-	-
Hebron	600	-	-	-	-	-	-	-	-
Hiram	1,063	-	-	-	1	-	3	-	-
Lovell	853	-	-	-	1	1	2	-	-
Mason	80	-	-	-	-	-	-	-	-
Mexico	355	-	-	-	-	1	1	-	-
Newry	343	-	-	-	-	-	-	-	-
Norway	2,665	-	-	-	2	1	6	4	-
Oxford	1,455	-	-	-	1	1	1	-	-
Paris	3,156	-	-	-	1	2	1	-	1

No. 33—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's (disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	3	3	-	-	2	1	1	-	-	-	-
1	1	3	5	2	-	4	1	-	-	1	2	-
-	1	-	-	-	-	-	-	-	-	-	-	-
23	47	40	47	10	5	30	14	7	1	7	9	1
-	1	2	1	-	-	-	1	-	-	1	-	-
-	1	2	2	-	-	1	-	1	-	-	1	-
-	7	5	4	2	1	3	-	-	-	-	1	-
2	2	2	1	-	-	2	-	-	-	-	-	-
1	3	5	1	-	-	1	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
1	1	1	1	-	-	-	3	-	-	1	-	-
1	1	3	1	-	-	-	-	-	-	-	-	-
3	2	4	6	1	-	-	-	-	-	1	-	1
-	-	-	1	-	-	1	-	-	-	-	2	-
1	-	-	-	-	-	1	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	1	-	1	-	2	-	-	-	-	-	-
2	2	1	-	-	1	-	-	1	-	-	-	-
-	2	-	2	-	-	-	2	1	-	-	-	-
1	1	1	-	-	-	-	-	-	-	1	-	-
-	-	1	-	1	-	-	-	-	-	-	-	-
-	2	-	2	-	-	1	-	-	-	-	-	-
-	-	-	1	-	-	-	-	1	-	-	-	-
5	3	2	3	-	1	2	1	-	-	1	-	-
1	2	1	-	2	1	4	2	1	-	-	-	-
3	4	1	2	1	-	5	6	1	-	-	1	-

TABLE
Deaths in Each Town from Certain
OXFORD

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Peru	692	-	-	-	-	-	2	-	-
Porter	1,015	-	-	-	1	-	2	-	2
Roxbury	222	-	-	-	-	-	-	1	-
Rumford	898	-	-	-	2	-	2	-	1
Stow	291	-	-	-	1	-	1	-	-
Stoneham	322	-	-	-	1	-	-	-	-
Sumner	901	-	-	-	1	-	1	1	-
Sweden	338	-	-	-	-	-	-	-	-
Upton	232	-	-	-	-	-	1	-	-
Waterford	1,001	-	-	-	1	-	2	2	-
Woodstock	859	-	-	-	-	-	2	-	1
Franklin Pl	112	-	-	-	-	1	-	-	-
Lincoln Pl	59	-	-	-	-	-	-	-	-
Magalloway Pl	79	-	-	-	-	-	-	-	-
Milton Pl	211	-	-	-	-	-	-	-	-
Riley Pl	43	-	-	-	-	-	-	-	-
PENOBSCOT COUNTY.....	-	2	4	11	47	9	74	24	35
Alton	348	-	-	-	-	-	1	-	-
Argyle	263	-	-	-	-	-	-	-	-
Bangor	19,103	1	3	6	20	3	17	3	21
Bradford	1,215	-	-	-	-	-	-	1	-
Bradley	823	-	-	-	-	-	1	-	-
Brewer	4,193	-	-	-	5	-	2	1	7
Burlington	460	-	-	-	1	-	2	-	-
Carmel	1,066	-	-	-	-	-	2	-	1
Carroll	546	-	-	-	-	-	1	1	-
Charleston	971	-	-	-	2	-	2	1	-
Chester	368	-	-	-	-	-	2	-	-
Clifton	284	-	-	-	-	-	1	-	-

TABLE
Deaths in Each Town from Certain
PENOBSCOT

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Medway.....	653	-	-	1	-	-	-	-	-
Milford	835	-	-	-	1	-	3	-	-
Mt. Chase	284	-	-	-	-	-	-	-	-
Newburg	867	-	-	1	1	1	-	-	-
Newport.....	1,188	-	-	-	1	-	1	-	-
Old Town	5,312	-	-	-	-	2	4	1	3
Orono	2,790	1	1	-	-	-	1	3	-
Orrington	1,406	-	-	-	1	-	-	-	-
Passadumkeag	343	-	-	-	1	-	-	1	-
Patten	936	-	-	-	-	-	-	3	-
Plymouth	689	-	-	1	-	-	2	1	-
Prentiss	401	-	-	-	1	-	-	-	-
Springfield	677	-	-	-	1	-	1	-	-
Stetson	618	-	-	-	-	-	2	-	-
Veazie.....	650	-	-	-	-	-	1	-	-
Winn	936	-	-	-	-	-	1	2	-
Drew Pl.....	110	-	-	-	-	-	-	-	-
Grand Falls Pl.....	68	-	-	-	-	-	-	-	-
Lakeville Pl.....	144	-	-	-	-	-	-	-	-
Seboeis Pl.....	98	-	-	-	-	-	-	-	-
Stacyville Pl.....	250	-	-	-	-	-	-	-	-
Summit Pl.....	104	-	-	-	-	-	-	-	-
Webster Pl.....	135	-	-	-	-	-	-	-	-
Woodville Pl.....	242	-	-	-	-	-	-	-	-
Norcross	-	-	-	-	-	-	-	-	-
PISCATAQUIS COUNTY.....	-	-	-	-	9	2	17	12	3
Abbot	622	-	-	-	-	-	2	-	-
Atkinson	605	-	-	-	1	-	1	1	-
Blanchard.....	213	-	-	-	-	1	-	1	1

No. 33—Continued.

Diseases and Groups of Diseases.

COUNTY.—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	2	-	-	-	-	-	-
-	3	3	1	1	1	1	-	-	-	-	-	-
5	2	5	1	-	-	1	-	-	-	-	-	-
2	9	5	8	3	-	7	2	-	-	1	4	-
1	1	3	7	2	-	5	3	1	1	-	1	-
1	-	2	1	2	-	1	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	3	1	-	1	-	-	-	1	-	-
-	1	2	-	-	-	-	-	-	-	-	-	-
-	2	-	-	-	-	-	-	-	-	-	-	-
-	2	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	1	-	-	-	-	-	-
1	1	4	1	-	-	2	-	-	-	1	-	-
-	-	-	-	-	-	1	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	23	12	21	2	1	9	5	2	3	-	6	1
-	2	-	-	-	-	-	-	-	-	-	1	-
-	1	-	3	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	1	-

TABLE
Deaths in Each Town from Certain
PISCATAQUIS

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Brownville ..	1,074	-	-	-	1	-	-	-	-
Dover	1,942	-	-	-	1	-	1	1	-
Foxcroft	1,726	-	-	-	1	-	3	2	-
Greenville .	781	-	-	-	-	-	1	1	-
Guilford	1,023	-	-	-	-	-	2	-	1
Medford	306	-	-	-	-	-	1	-	-
Milo	1,029	-	-	-	2	-	2	-	-
Monson.....	1,237	-	-	-	2	1	-	1	-
Orneville	492	-	-	-	-	-	-	-	-
Parkman.....	813	-	-	-	-	-	-	2	-
Sangerville.....	1,236	-	-	-	-	-	1	1	-
Sebec	725	-	-	-	-	-	2	1	-
Shirley	291	-	-	-	-	-	-	-	-
Wellington.....	584	-	-	-	-	-	-	-	-
Williamsburg.....	162	-	-	-	1	-	-	-	-
Willimantic	446	-	-	-	-	-	1	-	-
Bowerbank Pl.....	87	-	-	-	-	-	-	-	-
Elliottsville Pl.....	53	-	-	-	-	-	-	1	-
Katahdin Iron Works.....	-	-	-	-	-	-	-	-	1
Kineo.....	-	-	-	-	-	-	-	-	-
Kingsbury Pl	205	-	-	-	-	-	-	-	-
Lake View Pl	-	-	-	-	-	-	-	-	-
SAGADAHOC COUNTY .	-	-	-	1	15	5	18	7	5
Arrowsic	177	-	-	-	1	-	-	1	-
Bath	8,723	-	-	1	5	1	4	3	4
Bowdoin .	940	-	-	-	-	1	2	-	-
Bowdoinham	1,508	-	-	-	-	-	2	1	-
Georgetown .	849	-	-	-	1	-	1	2	-

No. 33—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	2	2	1	-	-	1	-	1	-	-	-	-
1	5	3	1	-	-	1	1	-	-	-	1	-
-	2	1	1	-	-	-	-	-	-	-	-	-
-	1	1	1	-	-	1	-	-	-	1	-	-
-	3	1	3	-	-	1	1	-	-	1	1	1
-	-	1	-	-	-	-	1	-	-	1	-	-
-	1	-	5	-	-	1	1	-	1	-	-	-
-	1	-	-	2	-	3	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	1	1	-	-	-	-
-	2	1	-	-	1	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	1	-	-
-	-	-	-	4	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
12	23	20	28	5	2	26	5	6	-	-	11	2
-	-	-	-	-	-	1	-	1	-	-	-	-
8	11	16	16	3	-	9	2	4	-	-	6	2
1	-	2	2	1	-	1	-	-	-	-	-	-
1	1	4	1	-	-	1	-	-	-	-	1	-
-	3	-	3	-	-	2	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
SAGADAHOC

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Perkins	69	-	-	-	-	-	-	-	-
Phippsburg	1,396	-	-	-	3	-	-	-	-
Richmond	3,082	-	-	-	3	1	6	-	-
Topsham	1,394	-	-	-	1	-	1	-	-
West Bath	307	-	-	-	-	1	1	-	-
Woolwich	1,007	-	-	-	1	1	1	-	1
SOMERSET COUNTY	-	-	1	6	27	5	44	8	15
Anson	1,444	-	-	1	3	1	-	-	-
Athens	1,072	-	-	-	1	-	-	1	-
Bingham	757	-	-	1	-	-	1	-	1
Brighton	434	-	-	-	-	-	-	-	-
Cambridge	425	-	-	-	-	-	-	-	-
Canaan	1,130	-	-	-	2	-	3	-	-
Concord	345	-	-	-	-	-	-	-	-
Cornville	785	-	-	1	2	1	-	-	-
Detroit	590	-	-	-	1	-	2	-	-
Embden	579	-	-	-	1	-	1	1	-
Fairfield	3,510	-	-	1	4	-	3	1	4
Harmony	704	-	-	-	-	-	2	-	2
Hartland	974	-	-	-	-	-	-	-	-
Madison	1,815	-	1	-	3	1	-	1	1
Mercer	584	-	-	-	1	-	1	-	-
Moscow	422	-	-	-	-	-	-	-	-
New Portland	1,034	-	-	-	-	-	3	1	1
Norridgewock	1,656	-	-	-	2	-	1	-	1
Palmyra	1,004	-	-	-	1	-	1	-	-
Pittsfield	2,503	-	-	1	3	-	4	1	2

No. 33—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	-	-	1	1	-	-	-	-	-	-
1	3	1	3	-	1	5	3	1	-	-	3	-
-	3	5	1	1	-	3	-	-	-	-	1	-
-	-	-	-	-	-	3	-	-	-	-	-	-
1	1	-	2	-	-	-	-	-	-	-	-	-
19	39	39	57	9	7	23	12	5	2	3	13	2
3	3	1	1	-	-	1	2	-	-	-	1	-
-	1	-	4	-	-	2	-	-	2	-	-	-
-	-	-	2	1	-	-	1	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	2	1	4	-	1	1	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
3	2	-	5	-	-	1	-	-	-	-	1	-
-	-	1	1	-	-	-	1	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
1	2	1	5	-	3	1	-	1	-	-	-	-
-	1	-	3	-	-	1	-	-	-	-	-	1
2	2	-	-	-	1	-	1	-	-	1	1	-
1	1	3	3	-	-	1	1	-	-	1	1	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	1	1	-	-	-	-	-	-	-	-	-	-
1	1	1	1	1	1	1	1	1	-	-	-	-
2	1	4	1	2	-	1	1	-	-	-	1	-
-	1	3	1	-	1	-	1	1	-	-	-	-
1	-	2	6	2	-	2	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
SOMERSET

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Ripley	478	-	-	-	-	-	1	-	-
St. Albans...	1,206	-	-	-	-	-	6	-	-
Skowhegan	5,068	-	-	1	2	-	8	-	-
Smithfield	479	-	-	-	-	-	-	-	1
Solon	977	-	-	-	-	-	4	1	-
Starks	766	-	-	-	-	2	-	-	2
Carratunk Pl.	192	-	-	-	-	-	-	-	-
Dead River Pl	104	-	-	-	-	-	-	-	-
Dennistown Pl	66	-	-	-	-	-	-	-	-
Flagstaff Pl	87	-	-	-	-	-	-	-	-
Highland Pl.	76	-	-	-	-	-	-	-	-
Jackman Pl.	217	-	-	-	-	-	-	1	-
Lexington Pl.	199	-	-	-	1	-	2	-	-
Mayfield Pl	74	-	-	-	-	-	-	-	-
Moose River Pl.	170	-	-	-	-	-	-	-	-
No. 1, R. 2, W. K. R. Pl	-	-	-	-	-	-	1	-	-
Pleasant Ridge Pl.	-	-	-	-	-	-	-	-	-
The Forks Pl.	195	-	-	-	-	-	-	-	-
West Forks Pl.	146	-	-	-	-	-	-	-	-
Coopertown	-	-	-	-	-	-	-	-	-
WALDO COUNTY	-	-	-	3	17	5	35	8	2
Belfast	5,294	-	-	2	4	2	5	1	-
Belmont.	475	-	-	-	-	-	-	-	-
Brooks	730	-	-	-	-	-	3	-	-
Burnham.	846	-	-	-	1	-	2	-	-
Frankfort	1,099	-	-	-	2	-	-	-	-
Freedom	510	-	-	-	-	-	-	-	-
Islesboro	1,006	-	-	-	1	-	-	-	-

No. 33—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	1	1	-	-	-	-	-	-	-	-	-
-	-	8	-	1	-	2	-	-	-	-	1	-
2	13	9	7	2	-	4	3	1	-	1	2	-
-	1	3	2	-	-	-	-	-	-	-	-	-
-	5	-	3	-	-	2	-	-	-	-	-	1
1	-	-	3	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
13	30	62	42	5	3	34	11	11	2	1	7	1
1	8	15	5	2	-	4	4	-	2	1	2	-
-	-	-	4	-	1	-	-	-	-	-	-	-
-	1	1	1	-	-	-	-	-	-	-	1	-
1	1	-	-	-	-	2	-	-	-	-	-	-
-	2	1	3	-	-	1	-	3	-	-	-	-
-	1	-	1	-	-	-	-	-	-	-	-	-
1	-	3	-	-	-	1	1	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
WALDO

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Jackson	522	-	-	-	-	-	-	-	1
Knox ..	657	-	-	-	-	-	1	-	-
Liberty ..	833	-	-	-	1	-	1	-	-
Lincolnton ..	1,361	-	-	-	1	-	3	1	-
Monroe	1,079	-	-	-	1	-	3	-	-
Montville	1,049	-	-	-	2	-	-	1	-
Morrill	460	-	-	-	-	-	-	-	-
Northport	691	-	-	-	1	-	2	1	-
Palermo	887	-	-	-	1	-	1	-	-
Prospect	697	-	-	-	-	-	-	-	-
Searsmont	1,444	-	-	-	-	-	3	-	1
Searsport	1,693	-	-	-	-	-	2	1	-
Stockton Springs.....	1,149	-	-	-	1	-	3	1	-
Swanville ..	689	-	-	-	-	1	-	-	-
Thorndike	589	-	-	-	-	1	3	-	-
Troy	868	-	-	-	-	1	1	1	-
Unity	922	-	-	-	1	-	2	-	-
Waldo	581	-	-	-	-	-	-	-	-
Winterport.....	1,926	-	-	1	-	-	-	1	-
WASHINGTON COUNTY.....	-	-	4	4	20	4	32	17	22
Addison	1,022	-	-	-	-	-	3	-	-
Alexander	337	-	-	-	-	-	-	-	-
Baileyville ..	226	-	-	-	-	-	-	-	-
Baring.....	273	-	-	-	-	-	-	-	-
Beddington ..	184	-	-	-	-	-	-	-	-
Brookton ..	429	-	-	-	-	-	-	-	-
Calais.....	7,290	-	3	1	3	-	2	2	10

No. 33—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	2	-	-	-	-	-	-	-	-	-	-
-	1	1	1	-	1	2	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	1
-	-	3	5	-	-	3	1	-	-	-	-	-
2	-	1	2	-	-	-	1	-	-	-	-	-
-	4	4	-	-	-	-	1	-	-	-	2	-
-	1	2	-	-	-	1	1	-	-	-	-	-
-	-	4	-	-	-	1	-	1	-	-	-	-
1	-	2	5	-	-	1	-	1	-	-	-	-
-	2	2	1	-	-	1	1	1	-	-	1	-
1	2	5	4	-	-	3	-	1	-	-	-	-
-	1	8	2	1	-	1	-	-	-	-	-	-
1	2	2	1	-	-	2	-	-	-	-	-	-
-	1	1	1	-	-	1	-	-	-	-	-	-
1	2	-	-	-	-	5	-	1	-	-	-	-
1	-	2	2	-	-	-	1	-	-	-	-	-
1	-	1	1	1	-	2	-	1	-	-	-	-
-	-	-	-	-	1	2	-	-	-	-	-	-
2	1	1	3	1	-	1	-	2	-	-	1	-
27	42	52	59	13	11	31	13	5	7	1	12	-
1	1	1	1	1	1	-	-	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-
-	-	-	2	-	1	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
1	7	7	7	5	2	10	3	-	2	1	3	-

TABLE
Deaths in Each Town from Certain

WASHINGTON

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Centerville.....	114	-	-	-	-	-	-	-	-
Charlotte.	381	-	-	-	-	-	-	-	-
Cherryfield.....	1,787	-	1	-	1	1	1	-	1
Columbia	587	-	-	-	-	-	-	-	1
Columbia Falls	698	-	-	-	-	-	1	-	-
Cooper	264	-	-	-	1	-	-	-	-
Crawford.....	140	-	-	-	-	-	-	-	-
Cutler	662	-	-	-	-	-	-	1	-
Danforth.....	1,063	-	-	-	-	-	-	-	-
Deblois	76	-	-	-	-	-	-	-	-
Dennysville.....	452	-	-	-	-	-	1	-	-
East Machias	1,637	-	-	-	1	-	2	-	1
Eastport.....	4,908	-	-	-	3	1	4	5	1
Edmunds	395	-	-	-	-	-	-	1	-
Forest City.....	287	-	-	-	-	-	-	-	-
Harrington	1,150	-	-	-	-	-	1	2	-
Jonesboro	470	-	-	-	-	-	-	-	-
Jonesport.....	1,917	-	-	-	1	-	2	-	2
Kossuth	68	-	-	-	-	-	-	-	-
Lubec	2,039	-	-	1	3	-	2	-	-
Machias	2,035	-	-	-	2	-	3	1	1
Machiasport	1,437	-	-	-	-	1	1	-	-
Marion	90	-	-	1	-	1	-	-	-
Marshfield	299	-	-	-	-	-	-	-	-
Meddybemps	156	-	-	-	-	-	-	-	-
Milbridge	1,963	-	-	-	1	-	-	-	1
Northfield	143	-	-	-	-	-	-	-	-
Pembroke.....	1,514	-	-	1	1	-	2	1	2

No. 33—Continued

Diseases and Groups of Diseases.

COUNTY—CONTINUED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	2	-	-	-	-	-	-	-	-	-
-	-	4	1	-	1	2	-	1	-	-	-	-
-	-	-	1	-	1	-	1	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	1	-
1	1	3	2	-	-	-	-	-	1	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
2	1	2	2	-	-	1	1	-	-	-	-	-
2	12	6	8	3	3	3	2	-	2	-	1	-
-	1	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
1	1	4	1	-	-	2	-	-	-	-	-	-
-	-	-	1	2	-	-	-	-	-	-	-	-
2	1	-	3	-	1	1	1	-	1	-	2	-
-	1	-	-	-	-	-	-	-	-	-	-	-
6	-	-	12	-	1	-	-	1	-	-	-	-
3	1	10	1	-	-	3	-	-	1	-	1	-
4	1	3	2	-	-	2	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	-	-	-	-	-	-	-	-	-	-
-	2	-	-	-	-	1	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	1	3	-	-	-	-	1	-	-	1	-

TABLE
Deaths in Each Town from Certain

WASHINGTON

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Perry	945	-	-	-	1	-	2	-	-
Princeton	1,027	-	-	-	1	-	-	-	-
Robbinston	787	-	-	-	-	-	1	-	-
Roque Bluffs.	154	-	-	-	-	-	-	-	-
Steuben	982	-	-	-	1	-	-	-	-
Talmage.....	112	-	-	-	-	-	-	-	-
Topsfield.....	375	-	-	-	-	-	-	-	-
Trescott.....	485	-	-	-	-	-	-	-	-
Vanceboro	870	-	-	-	-	-	2	2	-
Waite	159	-	-	-	-	-	-	1	-
Wesley	227	-	-	-	-	-	-	-	-
Whiting	393	-	-	-	-	-	1	-	1
Whitneyville	413	-	-	-	-	-	-	-	-
Codyville Pl	72	-	-	-	-	-	-	-	-
Grand Lake Stream Pl	404	-	-	-	-	-	-	-	1
Lambert Lake Pl.	152	-	-	-	-	-	1	1	-
No. 14 Pl.	112	-	-	-	-	-	-	-	-
No. 18 Pl.	30	-	-	-	-	-	-	-	-
No. 21 Pl.....	81	-	-	-	-	-	-	-	-
Township 31.....	-	-	-	-	-	-	-	-	-
YORK COUNTY	-	3	-	5	49	14	58	29	35
Acton.....	878	-	-	-	-	-	-	-	2
Alfred	1,030	-	-	1	-	-	2	-	1
Berwick	2,294	-	-	-	1	-	3	-	-
Biddeford	14,143	2	-	1	9	5	5	14	18
Buxton ..	2,036	-	-	-	3	-	3	-	-

No. 33—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	2	1	-	-	-	-	-	-	-	-	-	-
-	2	1	1	-	-	-	-	-	-	-	2	-
-	1	-	-	1	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	2	-	-	-	-	1	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	-	-	1	-	-	1	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	1	-	-	-	-	-	-	-	-	-
-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
58	91	106	100	26	6	73	50	17	3	3	26	1
-	3	4	-	-	-	-	1	1	-	-	-	-
-	-	3	3	-	-	-	2	-	-	-	-	-
2	2	2	3	-	-	3	1	-	-	-	1	-
5	26	22	22	8	1	16	12	2	2	2	4	-
-	2	6	-	2	-	1	-	-	-	-	1	-

TABLE
Deaths in Each Town from Certain

YORK

County and Towns.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Cornish	1,118	-	-	-	1	-	-	-	-
Dayton	500	-	-	-	-	-	1	-	-
Eliot	1,463	-	-	-	2	-	-	2	-
Hollis	1,278	-	-	-	1	1	2	-	-
Kennebunk	3,172	-	-	-	1	-	9	-	2
Kennebunkport	2,196	-	-	-	1	2	-	-	-
Kittery	2,864	-	-	-	4	1	4	-	1
Lebanon	1,263	-	-	-	-	-	1	-	-
Limerick	966	-	-	-	1	-	3	-	-
Limington	1,092	-	-	-	1	-	2	-	-
Lyman	834	-	-	1	-	-	-	-	-
Newfield	796	-	-	-	1	-	1	-	-
North Berwick	1,803	-	-	-	2	-	2	2	1
Old Orchard	877	-	-	-	4	-	1	1	-
Parsonsfield	1,398	-	-	-	-	-	-	1	1
Saco	6,075	-	-	-	5	2	6	2	4
Sanford	4,201	-	-	1	3	-	3	4	4
Shapleigh	968	-	-	-	1	-	-	-	-
South Berwick	3,434	-	-	-	3	-	3	1	-
Waterboro	1,357	-	-	-	1	1	2	-	-
Wells	2,029	-	-	1	1	-	4	2	-
York	2,444	1	-	-	3	2	1	-	1

No. 33—Concluded.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	2	1	1	1	-	1	1	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
6	1	2	2	1	-	-	-	1	-	2	-	-
3	-	1	3	1	-	3	-	1	-	1	-	-
2	6	5	6	1	-	3	2	-	1	1	-	-
2	4	3	-	-	1	5	1	-	-	-	-	-
4	2	2	3	1	-	1	-	-	-	1	-	-
-	3	7	1	-	-	3	1	-	-	-	-	-
3	-	-	3	1	-	2	2	1	-	-	-	-
-	2	2	-	1	-	3	3	-	-	1	-	-
1	-	3	1	-	-	2	-	-	-	-	-	-
1	2	5	3	-	-	1	1	-	-	-	-	-
2	5	3	5	-	-	-	2	-	-	-	-	-
2	2	4	1	-	-	2	2	-	-	1	-	-
1	1	1	2	-	-	3	3	2	-	2	-	-
5	5	11	9	3	1	6	6	4	-	3	-	-
4	4	6	9	4	-	5	6	1	-	-	-	-
2	1	2	6	-	-	2	1	-	-	1	-	1
4	2	4	5	1	1	7	2	2	-	1	3	-
-	3	1	3	1	-	-	-	1	-	-	1	-
2	4	3	6	1	2	1	-	-	-	-	-	-
2	10	3	3	-	-	2	1	1	-	3	-	-

TABLE
Deaths by Ages, Sex

Counties.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Androscoggin	Males 119	43	13	18	25	31	30	27	51	53	31	5	-	5
	Females 100	49	11	30	46	35	34	34	53	51	33	3	-	8
	Not stated 3	-	-	-	-	-	-	-	-	-	-	-	-	-
Aroostook.....	Males 85	33	10	13	18	12	15	28	38	41	24	6	-	3
	Females 88	37	5	20	43	26	20	14	24	30	17	2	-	5
	Not stated -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cumberland	Males 168	50	19	32	54	49	57	88	131	121	64	9	1	1
	Females 110	35	12	49	75	71	84	77	93	121	103	14	-	2
	Not stated -	-	-	-	-	-	-	-	-	-	-	-	-	-
Franklin	Males 21	10	2	3	7	6	7	11	25	36	16	3	-	-
	Females 9	6	4	8	11	10	13	11	15	17	19	6	-	-
	Not stated 1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock	Males 37	8	4	15	22	17	14	22	50	61	40	1	-	5
	Females 23	14	8	14	29	23	19	14	34	49	24	4	-	1
	Not stated 1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec	Males 72	32	14	17	39	40	41	51	85	100	70	12	-	10
	Females 64	28	11	25	51	48	33	41	76	88	63	15	-	3
	Not stated 2	-	-	-	-	-	-	-	-	-	-	-	-	-
Knox.....	Males 20	12	3	7	17	14	9	21	45	46	47	6	-	2
	Females 21	16	6	11	19	27	21	31	33	33	33	6	-	1
	Not stated 1	-	-	-	-	-	-	-	-	-	-	-	-	1
Lincoln.....	Males 13	9	4	7	9	6	13	12	34	45	29	2	-	5
	Females 7	7	-	10	7	12	8	7	28	28	29	4	-	5
	Not stated 1	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford.....	Males 30	5	1	6	17	5	14	30	33	40	38	5	-	3
	Females 20	8	2	9	26	14	18	19	33	43	41	8	-	1
	Not stated 1	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot	Males 92	24	9	24	46	47	46	44	85	106	71	10	-	10
	Females 66	37	5	33	59	39	45	56	62	90	56	15	-	9
	Not stated 4	-	-	-	-	-	-	-	-	-	-	-	-	-
Piscataquis.....	Males 14	3	3	4	10	6	9	10	19	15	12	3	-	1
	Females 15	4	-	5	7	13	7	16	18	8	8	2	-	-
	Not stated -	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc	Males 25	6	-	5	10	14	5	10	20	29	21	1	-	-
	Females 17	10	1	4	14	9	12	14	23	22	14	4	-	-
	Not stated -	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset.....	Males 23	14	3	9	18	12	17	22	31	66	44	4	-	2
	Females 13	14	5	13	26	24	24	23	28	43	37	4	-	-
	Not stated -	-	-	-	-	-	-	-	-	-	-	-	-	-
Waldo.....	Males 17	4	2	11	9	12	12	17	23	65	33	2	-	1
	Females 16	6	-	8	21	24	18	24	32	41	39	6	-	1
	Not stated -	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington....	Males 52	21	9	13	29	11	12	24	47	49	39	3	-	7
	Females 55	22	9	19	34	26	18	23	35	47	30	1	-	1
	Not stated -	-	-	-	-	-	-	-	-	-	-	-	-	-
York	Males 109	30	10	15	34	28	31	46	94	116	72	9	1	6
	Females 70	25	8	21	56	38	50	38	72	86	61	18	1	2
	Not stated -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	Males 897	304	106	199	364	310	332	463	811	989	651	81	2	61
	Females 694	318	87	279	524	439	424	442	659	797	607	112	2	38
	Not stated 11	3	-	-	-	-	-	-	1	1	1	-	-	3
Grand total	1602	625	193	478	888	749	756	906	1471	1786	1259	193	4	102

No. 34.

and Months by Counties.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.	
39	43	40	35	33	37	68	36	41	32	36	20	1	451	-	
57	40	46	31	39	47	50	42	37	37	28	31	2	487	-	
-	-	-	2	-	-	1	-	-	-	-	-	-	3	941	
38	26	30	23	34	21	23	30	32	26	26	17	-	326	-	
27	35	21	32	28	27	18	37	31	26	23	26	-	331	657	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92	75	61	82	66	49	76	79	77	50	63	74	-	844	-	
105	72	73	92	60	58	61	75	65	70	53	62	-	846	1,690	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	11	14	15	9	13	6	8	13	13	13	14	-	147	-	
16	9	12	10	7	7	11	7	15	19	8	8	-	129	276	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	24	32	28	25	25	15	13	29	24	18	26	-	296	-	
39	18	23	24	16	17	16	21	26	17	14	25	-	256	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	553	
74	59	46	38	45	39	39	59	52	44	44	44	-	583	-	
66	65	52	46	28	41	38	59	34	41	40	35	1	546	-	
-	1	-	-	1	-	1	-	-	1	-	-	-	3	1,132	
23	23	20	18	24	13	19	21	21	26	18	23	-	249	-	
34	20	26	21	16	24	23	20	19	28	9	18	-	258	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	2	509	
19	21	16	16	14	11	9	18	21	16	9	18	-	182	-	
18	18	13	16	10	12	10	11	13	10	8	13	-	152	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	341	
22	19	13	22	17	22	16	14	21	17	20	22	2	227	-	
34	13	28	24	23	21	21	16	26	9	12	15	-	242	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	1	470	
60	61	55	54	58	42	54	48	57	32	50	41	2	614	-	
71	42	51	65	46	36	45	42	54	41	39	40	-	572	-	
-	-	-	2	-	-	-	-	2	2	-	-	-	6	1,192	
24	11	4	12	6	16	5	4	8	4	6	8	1	109	-	
16	4	7	10	8	5	10	12	13	5	7	6	-	103	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	2	214	
14	5	11	12	8	9	17	19	13	11	14	13	-	146	-	
21	14	15	15	10	17	6	8	21	4	8	5	-	144	290	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	22	27	26	18	20	20	19	13	20	15	23	-	265	-	
32	26	22	23	24	12	13	18	18	21	24	21	-	254	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	1	520	
29	23	17	16	18	19	14	14	10	15	17	16	-	208	-	
27	25	24	15	18	20	24	23	16	22	7	15	-	236	444	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	31	16	29	20	27	29	37	29	25	23	24	-	316	-	
32	29	22	28	28	20	22	34	31	28	26	20	-	320	636	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56	48	34	50	53	43	50	68	47	60	43	48	1	601	-	
58	47	49	58	39	46	36	40	50	36	40	47	-	546	1,147	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
613	502	436	476	448	406	460	487	484	405	415	431	7	5,570	-	
653	477	484	510	400	410	404	465	469	414	346	387	3	5,422	-	
-	1	-	7	3	-	1	1	3	2	-	2	-	20	11,012	
1,266	980	920	993	851	816	865	953	956	821	761	820	10	11,012	11,012	

TABLE No. 35.

Number of Deaths from Several Specified Causes, of each Sex, in each Month, which were Registered During Three Years, (1892-94).

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Cerebro-spinal meningitis.	Typhoid fever.	Consumption.	Infantile diarrhœa.	Pneumonia.	Bronchitis.	Apoplexy.
Totals	105	145	125	503	102	849	3,913	1,521	3,597	693	1,318
Males	50	63	53	266	52	465	1,651	-	1,786	301	649
Females	55	82	72	237	50	384	2,262	-	1,811	392	669
January	12	16	14	57	11	52	363	11	761	113	138
February	5	12	13	48	9	48	320	13	575	89	114
March	20	14	6	34	13	65	368	13	424	80	103
April	16	19	13	38	10	32	365	20	413	88	110
May	17	12	7	34	8	48	386	20	359	75	112
June	9	15	15	35	7	49	324	63	178	34	87
July	11	8	11	25	6	46	306	279	68	34	98
August	5	6	15	22	9	77	307	534	64	21	108
September	2	15	11	34	9	118	294	403	88	28	114
October	3	8	3	50	10	138	319	110	143	40	93
November	2	9	9	56	5	105	262	39	193	36	109
December	3	11	8	68	5	69	297	15	328	55	132
Not stated	-	-	-	2	-	2	2	1	3	-	-

NOTES ON DEATHS AND THE CAUSES OF DEATH.

Death-Rates.—In the year 1894, 11,012 deaths were registered in the State (12,147 in 1892 and 11,134 in 1893,) which is equivalent to a death-rate of 16.66 for every 1,000 of population as returned by the census of 1890 (18.37 in 1892 and 16.84 in 1893). Based on the estimated population for 1894, the death-rate would be slightly lower, 16.54.

By referring to Table No. 6, it will be seen that the death-rate of Aroostook county was lower than that of any other county, being only 13.46, while the older counties, Kennebec, Androscoggin, Cumberland, York and Penobscot show death-rates of 19.86, 19.22, 18.57, 18.26, and 16.40, respectively.

The death-rate in the cities was 19.65 (20.46 in 1892 and 19.89 in 1893) as compared with that of the rest of the State with the cities omitted, which death-rate was 15.39 (17.46 in 1892 and 15.54 in 1893).

Death-Rates Compared.—For the year 1894 the death-rate of Maine was 16.54; of New Hampshire, 18.32; of Vermont, 16.27; of Massachusetts, 18.65; of Rhode Island, 19.00; and of Connecticut, 16.8.

Season and Mortality.—The largest number of deaths occurred in January, 1,266; the smallest number of deaths in any one month was 761 in November. During the spring months 2,764 deaths occurred; during the summer, 2,634; during the autumn, 2,538; in the winter, 3,066.

In the first quarter of the year there were 3,166 deaths (3,964 in 1892 and 2,653 in 1893).

In the second quarter there were 2,660 deaths (2,926 in 1892 and 2,825 in 1893).

In the third quarter there were 2,774 deaths (2,780 in 1892 and 2,878 in 1893).

In the last quarter there were 2,402 deaths (2,427 in 1892 and 2,750 in 1893).

Table No. 30 exhibits the total number of deaths which occurred in each month of the three years for which a report has now been made. In 1892 the highest mortality occurred in January, as it did in the year for which this report is made. In the former year

a serious epidemic of influenza gave an excessive and abnormal mortality during the first five months of the year. In 1893 the largest number of deaths occurred in August, with a number nearly as large in April and in December. The smallest number of deaths in each of the three years has been in November. The number of deaths for 1894 in each month by counties is shown in Tables No. 6 and No. 34.

Sex and Mortality.—Of the 11,012 decedents, 5,570 were males and 5,422 were females. The sex of 20 was unstated.

Among children dying before they were 5 years old, 1,201 were males and 1,012 were females; there were 189 more deaths among boys under 5 years of age than among girls within the same age-period. On the contrary, at the age-periods from 10 to 50 years there was a preponderance of deaths among females, while there were more deaths among males at the ages from 50 to 90. At the age of 100 years and over, four persons died, two men and two women. See Table No. 34.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under 1 year of age	1,602=14.55	per cent.
From 1- 5 years of age	625= 5.68	“
“ 5-10 “ “	193= 1.75	“
“ 10-20 “ “	478= 4.34	“
“ 20-30 “ “	888= 8.06	“
“ 30-40 “ “	749= 6.80	“
“ 40-50 “ “	756= 6.87	“
“ 50-60 “ “	906= 8.23	“
“ 60-70 “ “	1,471=13.36	“
“ 70-80 “ “	1,786=16.22	“
“ 80-90 “ “	1,259=11.43	“
“ 90-100 “ “	193= 1.75	“
Over 100 “ “	4= 0.04	“
Ages not stated	102= 0.92	“

The Causes of Death.—Of the 11,803 deaths, including still-births and premature births, the cause of 11,028 was certified, leaving 775 of which the cause of death was unspecified or so ill-defined as to preclude satisfactory classification.

The following table shows the mortality from ten prominent causes in the three years 1892-94. In 1894, as well as in 1893, diseases of the brain have headed the list, while the next most prominent cause of mortality in the State has been consumption. In 1892, however, pneumonia, many cases of which were sequels to the existing epidemic of influenza, was first as a cause of death.

MORTALITY FROM TEN PROMINENT CAUSES.—1892-94.

Causes of Death.	1894.	1894.	1893.	1892.
Brain disease*	1,328	1	1	3
Consumption	1,262	2	2	2
Pneumonia	1,023	3	3	1
Heart diseases	940	4	4	4
Old age	697	5	5	5
Cancer	474	6	7	7
Infantile diarrhea	468	7	6	6
Kidney disease†	342	8	8	8
Bronchitis	209	9	9	9
Diphtheria and croup	139	10	10	10

* Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain and its membranes, and other brain diseases.

† Including deaths certified as from nephritis, Bright's disease, albuminuria, and uremia.

By referring to Table No. 31 it will be noticed that the causes of death are arranged under eight "Classes," and that the causes of death in some of the classes are distributed into several "Groups." The following notes on some of the classes and groups of diseases and individual causes of death will be arranged in accordance with the classification shown in this Table 31 and the classification of the causes of death to be found in the latter part of this report.

Zymotic Diseases.—The death-rate from the zymotic diseases is often used as an index of the healthfulness of states and towns and cities, and of the efficiency of their sanitary organizations. The lists of the zymotic diseases usually include small-pox, measles, scarlet fever, typhoid fever, whooping cough, diphtheria and croup, and the diarrheal diseases. The following table shows the number

of deaths that resulted from each of these causes in 1894 in each of the New England states, the total deaths from these causes, and the zymotic death-rates per 10,000 of living population. It will be noted that the zymotic death-rate of Maine is lower than that for any other of these states, and that the highest death-rate for these diseases is in Rhode Island.

ZYMOTIC DEATH RATES—1894.

Diseases.	Maine.	New Hampshire.	Vermont.	Massachusetts.	Rhode Island.	Connecticut.
Small-pox	-	-	-	33	2	13
Measles	21	14	11	95	9	30
Scarlet fever	29	61	60	649	123	64
Typhoid fever	258	123	111	748	160	250
Whooping cough	20	-	17	435	129	130
Diphtheria and croup	139	117	116	1,801	165	368
Diarrheal diseases	602	503	247	3,572	644	1,269
Total	1,069	818	562	7,336	1,232	2,124
Zymotic death-rate per 10,000	16.17	21.72	16.91	32.31	32.78	26.05

SEVEN ZYMOTIC DISEASES BY COUNTIES.

Counties.	Population in 1890.	Aggregate deaths from zymotic diseases—1894.	Zymotic death-rate per 10,000—1894.	Mean zymotic death-rate—1892-94.
Androscoggin	48,968	113	23.07	29.47
Aroostook	49,589	114	22.99	24.80
Cumberland	90,949	163	17.92	19.02
Franklin	17,053	17	9.97	14.66
Hancock	37,312	42	11.26	9.92
Kennebec	57,012	134	23.50	22.92
Knox	31,473	36	11.44	14.61
Lincoln	21,996	16	7.27	6.97
Oxford	30,586	28	9.15	11.77
Penobscot	72,865	134	18.39	15.96
Piscataquis	16,134	12	7.44	9.91
Sagadahoc	19,452	22	11.31	12.85
Somerset.....	32,627	31	9.50	12.16
Waldo	27,759	16	5.76	8.04
Washington	44,482	70	15.74	18.96
York ...	62,829	121	19.26	25.63
State	661,086	1,069	16.17	18.07

In the foregoing table the third column shows, for each county, the whole number of deaths in 1894 from the zymotic diseases, the fourth column shows the zymotic death-rate for the same year, and the last column gives the mean, or average zymotic death-rate in each county for the three years 1892-94. The following table makes a similar comparative exhibit for the cities.

ZYMOTIC DISEASES BY CITIES.

Cities.	Population in 1890.	Aggregate deaths from seven zymotic diseases—1894.	Zymotic death-rate per 10,000—1894.	Mean zymotic death rate—1892-94.
Auburn	11,250	21	18.67	24.89
Augusta	10,527	41	38.95	36.73
Bangor	19,103	49	25.65	22.16
Bath	8,723	14	16.05	16.05
Belfast.....	5,294	2	3.78	10.70
Biddeford	14,443	64	44.31	56.77
Brewer	4,193	16	38.16	20.67
Calais	7,290	17	23.32	39.32
Deering.....	5,353	4	7.47	11.83
Eastport	4,908	14	28.52	27.84
Ellsworth	4,804	4	8.33	15.06
Gardiner.....	5,491	4	7.28	13.96
Hallowell... ..	3,181	4	12.56	16.76
Lewiston.....	21,701	77	35.48	43.01
Old Town.....	5,312	18	33.89	29.49
Portland	36,425	70	19.22	17.75
Rockland	8,174	11	12.23	21.61
Saco.....	6,075	12	19.75	20.30
Waterville....	7,107	30	42.21	47.83
Westbrook	6,632	33	49.76	42.69
Collectively	195,986	505	25.77	28.10

Infectious Diseases.—Disregarding influenza, the number of deaths caused by this group of diseases was 684 in 1892, 678 in 1893, and 536 in 1894. In the last year there were, therefore, 142 fewer deaths from these causes than in 1893, and 148 fewer than in 1892. The number of deaths in 1894 from measles was smaller by 34; from scarlet fever, by 51; from whooping cough, by 31; from croup, by 21; from tetanus, by 4; from simple continued fever, by 10, than in 1893. On the other hand there were, in 1894, 4 more deaths from diphtheria, 4 more from cerebro-

spinal meningitis, 1 more from typhoid fever, 3 more referred to malarial diseases, than in 1893. Including influenza, the total number of deaths caused by the infectious diseases was 1,439 in 1892 and 831 in both 1893, and 1894.

Small-Pox.—No death has resulted from this cause in any of the years covered by the Vital Statistics reports, 1892-94.

Measles.—This disease caused the death of 21 persons of whom 11 were males and 10 females.

The largest number of deaths in any month was 5 in April. Aroostook had a larger number of deaths from this disease than any other county. In one-half of the counties no death occurred from measles. The following shows the number of deaths from measles arranged by counties, months, and age-periods.

MEASLES BY COUNTIES, MONTHS AND AGE-PERIODS.

By counties.	By months.	By age-periods.
Androscoggin 1	January 2	Under 1..... 7
Aroostook 8	February. -	1-5..... 6
Cumberland 2	March 4	5-10. 2
Franklin -	April 5	10-20. 1
Hancock 1	May..... -	20-30..... 1
Kennebec -	June 3	40-50. 2
Knox 1	July 2	Over 60 2
Lincoln -	August 1	
Oxford 3	September. -	
Penobscot 3	October 2	
Piscataquis -	November..... 1	
Sagadahoc -	December 1	
Somerset -		
Waldo -		
Washington -		
York 2		

Scarlet Fever.—The total mortality from this disease was 29 (36 in 1892 and 80 in 1894),—13 males and 16 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was 4 in February,

April, and June. There were 8 deaths in the first quarter, 11 in the second, 5 in the third, and 5 in the last three months of the year. Cumberland and Washington counties each had 6 deaths from scarlet fever; Hancock and York had 4. In seven counties no death occurred from scarlet fever. Of the 29 deaths from this disease, 11 were in the cities. The following is an exhibit of the scarlet fever deaths arranged by counties, months and age-periods.

SCARLET FEVER BY COUNTIES, MONTHS AND AGE-PERIODS.

By counties.	By months.	By age-periods.
Androscoggin..... 2	January..... 2	Under 1..... 1
Aroostook..... 3	February..... 4	1-5..... 13
Cumberland..... 6	March..... 2	5-10..... 7
Franklin..... -	April..... 4	10-20..... 4
Hancock..... 4	May..... 3	20-30..... 4
Kennebec..... 2	June..... 4	
Knox..... 1	July..... 3	
Lincoln..... -	August..... -	
Oxford..... -	September..... 2	
Penobscot..... 1	October..... 1	
Piscataquis..... -	November..... 2	
Sagadahoc..... -	December..... 2	
Somerset..... -		
Waldo..... -		
Washington..... 6		
York..... 4		

The scarlatinal death-rate per 10,000 for the State was 0.44; for the cities, 0.56. For the same year it was, in New Hampshire, 1.62; in Vermont, 1.81; in Massachusetts, 2.90; in Rhode Island, 3.27; and in Connecticut, 0.79.

Influenza.—During the year for which this report is made, 295 deaths were attributed to influenza. The percentage distribution of deaths from this cause was as follows: January, 42.8; February, 24.4; March, 9.8; April, 6.8; May, 3.7; June, 2.7; July, 0.3; August, 1.7; September, 1.3; October, 2.1; November, 1.0; December, 3.4. The following gives the age incidence of deaths reported as having occurred from influenza:

Under 1	year,	21	50—60	years,	16
1—5	years,	12	60—70	“	38
5—10	“	4	70—80	“	83
10—20	“	4	Over 80	“	84
20—30	“	5	Unknown,	“	1
30—40	“	13			
40—50	“	14	Total		295

In 1892 a large percentage of the deaths from influenza was among elderly persons, 68 per cent. of the deaths from this cause being of persons 60 years of age or older; in 1893, 60 per cent. of the deaths were of persons who had reached or passed the age of 60, while in this year, 1894, 69 per cent. of the deaths were of persons 60 years of age and older.

The influenza death-rate for the whole State was 4.46 for each 10,000 of living population (11.43 in 1892 and 2.31 in 1893).

DEATHS FROM INFLUENZA BY COUNTIES AND MONTHS.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.
Androscoggin	8	3	1	-	-	-	-	-	-	-	-	-	12
Aroostook	10	9	6	-	5	-	-	-	-	1	1	3	35
Cumberland	15	3	3	3	-	-	-	-	1	-	-	-	25
Franklin	5	-	2	-	-	-	-	-	-	1	-	1	9
Hancock	3	3	1	-	1	-	-	-	1	-	-	-	9
Kennebec	13	12	8	2	-	3	-	-	-	-	-	1	39
Knox	4	-	1	-	-	-	-	-	-	-	-	1	6
Lincoln	4	2	-	2	-	-	-	-	-	-	-	-	8
Oxford	7	3	-	2	-	-	-	1	1	-	-	1	15
Penobscot	14	7	1	1	-	3	1	1	-	-	1	-	29
Piscataquis	5	1	1	-	-	-	-	-	1	-	-	-	8
Sagadahoc	7	1	2	-	1	-	-	-	-	-	-	-	11
Somerset	10	8	1	5	1	-	-	1	-	-	-	-	26
Waldo	3	5	-	1	1	-	-	-	-	-	-	1	11
Washington	6	7	-	2	1	1	-	2	-	3	-	2	24
York	12	8	2	2	1	1	-	-	-	1	1	-	28
State	126	72	29	20	11	8	1	5	4	6	3	10	295

Whooping Cough.—The number of deaths from whooping cough was 20 (54 in 1892 and 51 in 1893), of which 10 were males and 10 were females. The number of deaths in the cities was 9. All but 3 of the 20 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping cough was 0.30 per 10,000; that of the cities, 0.46; of Vermont, 0.51; of Massachusetts, 1.94; of Rhode Island, 3.43; of Connecticut, 1.59.

The following shows the deaths from whooping cough arranged by counties, months, and age-periods :

WHOOPIING COUGH BY COUNTIES, MONTHS AND AGE-PERIODS.

By counties.	By months.	By age-periods.
Androscoggin 3	January 1	Under 1. 17
Aroostook 2	February. 1	1-5. 3
Cumberland 3	March -	
Franklin -	April 2	
Hancock -	May 1	
Kennebec 1	June 1	
Knox -	July 2	
Lincoln -	August 4	
Oxford 3	September 3	
Penobscot 1	October. 1	
Piscataquis. -	November. 3	
Sagadahoc -	December 1	
Somerset 2		
Waldo -		
Washington 1		
York 4		

Diphtheria.—For this statistical year there were 77 deaths from diphtheria (106 in 1892 and 69 in 1893). Of the decedents, 49 were males and 28 were females.

Ages: Under 1, 3; 1-5, 30; 5-10, 25; 10-20, 13; 20-30, 3; 30-40, 2; 40-50, 1.

Of the 77 deaths, 39 were in the cities and 38 in other places. The diphtheria death-rate for the State was 1.16, and for the cities, 1.53.

The following table exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county.

DIPHTHERIA BY COUNTIES AND MONTHS.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin.....	-	1	-	1	-	-	2	-	1	-	1	1	7	1.43
Aroostook.....	-	-	-	-	-	-	1	-	-	-	-	4	5	1.01
Cumberland.....	1	-	-	5	2	3	1	1	-	-	5	7	25	2.75
Franklin	-	-	-	-	-	-	-	-	-	2	1	-	3	1.76
Hancock	-	-	-	-	-	-	-	-	-	-	-	2	2	0.54
Kennebec.....	1	3	1	-	-	1	-	1	1	1	4	6	19	3.33
Knox.....	-	-	-	-	-	-	1	1	-	-	-	1	3	0.95
Lincoln.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot	-	-	-	-	-	-	-	-	-	-	1	-	1	0.14
Piscataquis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset.. ..	1	-	-	-	1	-	-	-	-	-	-	1	3	0.92
Waldo.	-	-	-	-	-	-	-	-	-	-	1	-	1	0.36
Washington	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York.....	-	1	-	2	-	-	-	1	-	1	3	-	8	1.27
State	3	5	1	8	3	4	5	4	2	4	16	22	77	1.16

Croup.—The number of deaths referable to this cause was 62 (106 in 1892 and 83 in 1893). Of the 62 decedents, 36 were males and 26 females. All but one were less than 10 years old.

Ages: Under 1, 25; 1-5, 31; 5-10, 5; 10-20, 1.

The death-rate for croup was, for the State, 0.94; for the cities, 1.28.

The distribution of croup by counties and months is shown in the following table :

CROUP BY COUNTIES AND MONTHS.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	2	1	-	1	-	-	-	-	-	-	3	-	7	1.43
Aroostook	3	1	-	1	1	-	1	-	1	-	1	2	11	2.22
Cumberland	2	1	-	-	-	1	-	-	-	-	1	-	5	0.55
Franklin	-	-	-	-	-	-	-	-	-	1	1	1	3	1.76
Hancock	1	-	-	-	-	-	-	-	-	-	-	-	1	0.27
Kennebec	1	3	1	-	-	-	-	1	2	2	2	1	13	2.28
Knox	-	-	2	-	-	-	-	-	1	-	-	-	3	0.95
Lincoln.....	-	-	-	-	-	-	-	-	-	-	-	1	1	0.45
Oxford	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot	3	2	-	-	-	1	-	-	-	2	1	-	9	1.24
Piscataquis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc	-	-	-	1	1	-	-	-	-	-	-	-	2	1.03
Somerset.....	-	-	-	-	-	-	-	-	-	1	-	-	1	0.31
Waldo	1	1	-	-	-	-	-	1	1	1	-	-	5	1.80
Washington	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York	-	-	-	-	-	1	-	-	-	-	-	-	1	0.16
State ..	13	9	3	3	2	3	1	2	5	7	9	5	62	0.94

It is now conceded that the two diseases, croup and diphtheria, are etiologically one and the same. The combined death-rate for the two diseases is, for Maine, 2.10 per 10,000 of living population; of our cities, 2.81; and in the same year for New Hampshire, 3.11; Vermont, 3.37; Massachusetts, 8.04; Rhode Island, 4.39; Connecticut, 4.51.

Cerebro-Spinal Meningitis.—The number of decedents was 34 (38 in 1892 and 30 in 1893), 16 males and 18 females. Thirteen of these deaths were in the cities. Deaths from this cause occurred in every month excepting December; distributed by quarters, they were 10, 9, 10, 5. The death-rate from this disease was 0.51.

The following shows the distribution of deaths from cerebro-spinal meningitis by counties, months and age periods.

CEREBRO SPINAL MENINGITIS BY COUNTIES, MONTHS, AND AGE-PERIODS.

By counties.	By months.	By age-periods.			
Androscoggin	5	January	3	Under 1.....	9
Aroostook	6	February	3	1-5.	3
Cumberland	5	March	4	5-10.....	1
Franklin	1	April	3	10-20.....	5
Hancock	1	May.....	3	20-30.....	5
Kennebec.....	3	June	3	30-40.....	3
Knox	2	July.	2	40-50.....	2
Lincoln	2	August	3	50-60.....	1
Oxford	3	September	5		
Penobscot	2	October.	4		
Piscataquis	-	November....	1		
Sagadahoc.....	-	December.....	-		
Somerset.....	-				
Waldo	-				
Washington	2				
York.	2				

Tetanus.—This disease was the cause of 6 deaths (7 in 1892 and 10 in 1893). The decedents were, males 1 and females 5. All of these deaths occurred from June to November,—June, 3; July, 1; October, 1; November, 1. No county had more than one case.

Ages: Under 1, 5; 60-70, 1.

Typhoid Fever.—Including 11 deaths from “gastric fever,” 6 “fever,” 1 “catarrhal fever” and one from “slow fever,” there were 277 deaths from typhoid fever. Of these, 150 were of males and 127 of females. The age distribution of the decedents shows that the loss from this disease is principally from among those active and productive age-periods when human lives are of the most value to the State; 75 per cent. died between 10 and 50 years of age.

Ages: Under 1, 1; 1-5, 14; 5-10, 9; 10-20, 61; 20-30, 91; 30-40, 36; 40-50, 20; 50-60, 14;

60-70, 16; 70-80, 10; over 80, 4; not stated, 1.

The largest number of deaths, 40, occurred in September, and the smallest number, 11, in April. By quarters, 72 were in the first, 43 in the second, 75 in the third, and 86 in the last quarter of the year, and 1 not stated.

The typhoid death-rate of 5.77 in the cities is considerably greater than that in the villages and rural towns which is 3.53. The rate for the State is 4.19. The typhoid death-rate for the same year was, in New Hampshire, 3.27; Vermont, 3.34; Massachusetts, 3.35; Rhode Island, 4.26; Connecticut, 3.07.

The following exhibits the number of deaths from typhoid fever in each county by months, with death-rate in each county:

TYPHOID FEVER.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Totals.	Death-rate per 10,000.
Androscoggin	-	8	3	1	4	-	-	1	4	2	1	4	-	28	5.73
Aroostook	1	2	-	1	3	1	-	6	4	3	2	2	-	25	5.04
Cumberland	6	3	3	1	5	2	1	2	8	6	3	-	-	40	4.40
Franklin	1	-	1	1	1	-	-	-	-	1	-	2	-	7	4.10
Hancock	5	2	3	1	-	1	1	-	1	-	1	1	-	16	4.29
Kennebec	4	1	4	1	-	3	1	-	2	1	2	4	-	23	4.03
Knox	-	-	-	-	-	-	-	-	1	3	-	-	-	4	1.27
Lincoln	-	-	-	1	1	-	-	-	4	1	-	-	-	7	3.18
Oxford	-	-	-	-	1	1	2	-	2	1	2	1	-	10	3.27
Penobscot	6	3	5	-	-	4	8	4	5	5	6	5	-	51	7.00
Piscataquis	-	-	-	1	-	2	-	1	-	-	-	1	1	6	3.72
Sagadahoc	-	-	1	1	-	1	-	3	-	1	-	-	-	7	3.60
Somerset	-	-	-	-	-	-	1	1	2	3	2	1	-	10	3.06
Waldo	2	1	-	-	-	-	-	1	1	-	-	-	-	5	1.80
Washington	-	-	1	-	-	-	-	-	3	6	6	1	-	17	3.82
York	-	2	4	2	1	1	-	2	3	1	2	3	-	21	3.34
State	25	22	25	11	16	16	14	21	40	34	27	25	1	277	4.19

Malarial Diseases.—Eight deaths were returned as from malarial diseases. The diagnosis in 5 of the cases was “malarial poisoning”; in one, “malaria”; in one, malarial anemia; and in one,

pernicious intermittent fever. All but one of the decedents were males. The ages were 19, 1; 30-40, 2; 50-60, 2; 60-70, 2; 70-80, 1. Three of the deaths were in Penobscot county, and one each in Franklin, Kennebec, Knox, Waldo, and York. In the other New England states, in the same year, the number of deaths attributed to this cause was in Vermont, 4; Massachusetts, 73; Connecticut, 103; and in New Hampshire and Rhode Island, none.

Tuberculosis.—This most destructive disease of civilized life was the cause of 1,449 deaths in the year for which this report is made (1,513 in 1892 and 1,446 in 1893) and this is equivalent to a death-rate of 21.92 per 10,000. The death-rate from the same cause in the same year, was 18.96 in New Hampshire; 18.29 in Vermont; 32.12 in Massachusetts; 22.54 in Rhode Island, and 19.92 in Connecticut.

Cerebral Tuberculosis.—(Tubercular Meningitis.)—The number of deaths was 56; 32 were of males and 24 of females. The number in the cities was 27. The death-rate for the State was 0.62; for the cities, 1.38.

Ages: Under 1, 14; 1-5, 24; 5-10, 11; 10-20, 4; 20-30, 1; 30-40, 1; over 70, 1.

Pulmonary Tuberculosis.—(Consumption.)—From this cause 1,262 deaths were registered in 1894 (1,352 in 1892 and 1,299 in 1893).

Ages: Under 1, 13; 1-5, 15; 5-10, 12; 10-20, 154; 20-30, 364; 30-40, 219; 40-50, 157; 50-60, 110; 60-70, 114; 70-80, 74; 80-90, 22; not stated, 8.

It is thus shown in this report, as in the two previous reports, that the smallest number of deaths occurred at the age-period 5 to 10 years, and that, of the decedents whose ages are given, 80 per cent. died at those periods when their deaths entailed the greatest loss to the State.

As to the sex, 548 of the decedents, or 43.4 per cent. were males, and 714, or 56.6 per cent. were females.

The State's death-rate from consumption was 19.09 in each 10,000 of population; that of the cities, 21.89. Outside of our State, in the same year, the death-rate from consumption was for Vermont, 16.91; Massachusetts, 24.40; Rhode Island, 19-21; Connecticut, 16.08.

The following table shows the number of deaths in each county by months, with the death-rates from consumption in each county.

CONSUMPTION.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	8	5	18	7	11	13	3	8	11	7	7	9	107	21.85
Aroostook	6	7	4	9	3	5	4	4	4	3	6	5	60	12.10
Cumberland	15	9	10	19	16	12	12	12	15	16	8	16	160	17.59
Franklin	1	2	3	7	4	2	1	2	3	5	4	2	36	21.11
Hancock	6	6	9	9	6	8	4	4	6	6	2	5	71	19.03
Kennebec	12	7	14	10	7	8	9	16	6	10	8	11	118	20.70
Knox	8	7	7	9	5	5	10	6	4	12	2	7	82	26.05
Lincoln	5	4	1	4	5	2	4	4	7	3	4	-	43	19.55
Oxford	4	1	8	5	4	2	4	3	3	1	3	-	38	12.42
Penobscot	18	12	14	12	8	10	13	10	6	11	12	14	140	19.21
Piscataquis	3	4	3	3	3	2	3	4	3	2	2	2	34	21.07
Sagadahoc	3	1	4	4	3	4	1	1	4	1	3	-	29	14.91
Somerset	8	9	6	8	7	3	8	5	5	7	5	9	80	24.52
Waldo	9	5	8	1	7	10	10	6	1	2	1	4	64	23.06
Washington	10	12	5	8	9	5	7	9	3	6	6	6	86	19.33
York	11	9	10	12	13	8	10	9	10	9	8	5	114	18.14
State	127	100	124	127	111	99	103	103	91	101	81	95	1262	19.09

Tuberculosis Mesenteric.—There were 31 deaths from this cause, 16 males and 15 females.

Ages: Under 1, 5; 10-20, 4; 20-40, 7; 40-60, 9; over 60, 6.

Tuberculosis, Other Forms.—Of these deaths, 94 in all, the cause assigned was in 70, tuberculosis, general tuberculosis, or acute tuberculosis; in 18, scrofula; in 3, diseases of joints or bones; in 1, psoas abscess; in 1, tuberculosis of spine; and in 1, tuberculosis of kidney.

Diarrheal Diseases.—The total number of deaths caused by the diseases under this group was 602 (662 in 1892 and 642 in 1893). The death rate for this group of diseases was 9.11 per 10,000. That of New Hampshire in the same year was 13.36; Vermont, 7.43; Massachusetts, 15.95; Rhode Island, 17.14; Connecticut, 15.57.

Infantile Diarrhea.—This, as synonymous with cholera infantum, or including it, was the cause of 468 deaths (546 in 1892 and 507 in 1893). A reference to the following table will show the number of deaths which occurred in each month. The same table shows also the death-rate for each county. There were in the first quarter of the year but 19 deaths from this cause; in the second quarter, 37; in the third quarter, 365; and in the fourth quarter, 47. The largest number of deaths occurred in August, 140.

Of the children dying from this cause, 55 per cent. were less than 6 months old, and another 30 per cent. were less than 1 year, making 85 per cent. of deaths within the first year of age.

Ages: Under 6 months, 260; 6-12 months, 147; 1-2 years, 60; age unknown, 1.

Of the 468 deaths from infantile diarrhea, 260 were returned from the cities. This represents an urban death-rate from this cause of 13.27 (15.20 in 1892 and 14.33 in 1893), which is strongly in contrast with 4.47, the rate for the villages and the rural districts (5.33 in 1892 and 4.95 in 1893).

The death-rate of Maine from this affection was 7.08. For the same year it was in New Hampshire, 10.62; in Vermont, 5.75; for Massachusetts, 11.95; for Rhode Island, 13.20; for Connecticut, 8.60.

INFANTILE DIARRHEA BY COUNTIES AND MONTHS.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin....	1	2	3	3	1	10	24	8	5	-	2	-	59	12.05
Aroostook.....	-	3	1	1	2	3	7	22	10	2	-	-	51	10.28
Cumberland	2	2	-	-	-	2	24	20	13	3	1	-	67	7.37
Franklin	-	-	-	-	-	-	-	-	3	1	-	-	4	2.35
Hancock	-	-	-	-	-	-	-	-	10	1	1	-	12	3.22
Kennebec	2	1	-	-	3	1	12	23	12	2	2	-	58	10.17
Knox.....	-	-	-	-	-	1	1	3	7	2	-	-	14	4.45
Lincoln.....	-	-	-	-	-	-	-	1	-	1	-	1	3	1.36
Oxford.	-	-	-	-	1	1	-	1	5	-	-	-	8	2.62
Penobscot	-	1	-	-	1	1	12	14	23	4	2	-	58	7.96
Piscataquis	-	-	-	-	1	-	-	2	1	2	-	-	6	3.72
Sagadahoc	1	-	-	-	-	-	2	7	3	-	-	-	13	6.68
Somerset.....	-	-	-	-	-	-	1	2	3	2	-	-	8	2.45
Waldo	-	-	-	-	-	-	-	1	2	-	-	-	3	1.08
Washington	-	-	-	1	-	1	4	11	11	6	1	-	35	7.87
York	-	-	-	-	-	3	14	25	16	6	3	2	69	10.98
State	6	9	4	5	9	23	101	140	124	32	12	3	468	7.08

Septic Diseases.—Of deaths from the diseases in this group, there were 22 from erysipelas, 77 from pyemia, and septicemia, and 27 from puerperal fever,—giving a special death-rate of 1.91. The following shows the distribution of puerperal fever by months and counties :

January	3	Androscoggin	2
February	5	Aroostook	5
March	3	Cumberland	2
April	4	Franklin	0
May	2	Hancock	0
June	2	Kennebec	4
July	2	Knox	1
August	2	Lincoln	1
September	2	Oxford.....	0
October	1	Penobscot	5

November.....	1	Piscataquis.....	0
December.....	0	Sagadahoc.....	1
	—	Somerset.....	2
Total.....	27	Waldo.....	2
		Washington.....	1
		York.....	1
		—	—
		Total.....	27

Dietetic Diseases.—Twenty-nine deaths were returned under this class of causes; 18 of malnutrition of infants, 1 of rickets, and 10 of alcoholism. The special death-rate from alcoholism was 0.15. For the same year it was 0.24 in New Hampshire; 0.03 in Vermont; 0.89 in Massachusetts; 1.22 in Rhode Island; and 0.58 in Connecticut.

Constitutional Diseases.—With tuberculosis transferred to the class of zymotic diseases, there were 663 deaths from constitutional diseases, or a death-rate of 10.03 per 10,000 for the State.

Rheumatism.—The returns give 66 deaths from this cause (68 in 1892 and 46 in 1893),—32 males and 34 females. Twenty-six of these deaths were in the cities. The special death-rate for this disease was, therefore, 1.00, while that of the cities, slightly higher, was 1.33. For the same year it was in Vermont, 0.90; Massachusetts, 0.97; Rhode Island, 1.98; Connecticut, 1.15. The following shows the deaths from this cause arranged by counties, months and age-groups.

RHEUMATISM BY COUNTIES, MONTHS AND AGE-GROUPS.

By counties.	By months.	By Age-groups.
Androscoggin 3	January 11	Under 1 -
Aroostook..... 3	February..... 4	1-5..... -
Cumberland..... 11	March 7	5-10..... 1
Franklin..... -	April 7	10-20..... 8
Hancock..... 8	May..... 5	20-30..... 4
Kennebec.... 6	June.... 7	30-40..... 6
Knox ... 1	July..... 5	40-50..... 7
Lincoln..... 3	August..... 1	50-60..... 12
Oxford ... 1	September... 3	60-70.. 13
Penobscot..... 11	October..... 5	70-80..... 12
Piscataquis.... -	November..... 5	Over 80..... 3
Sagadahoc..... 1	December..... 6	66
Somerset..... 6	66	
Waldo 3		
Washington. 4		
York..... 5		
State.... 66		

From the preceding tabular arrangement it will be seen that the largest number of deaths, 11, occurred in Cumberland and Penobscot counties, and that the largest number in any one month was 11 in January.

Cancer—From cancer in its various forms and locations there were 474 deaths (404 in 1892 and 433 in 1893). Of the decedents, 177 were males and 297 females. The cancer death-rate for the State was, therefore, 7.17. In the same year the death-rate was in Vermont, 4.78; in Massachusetts, 7.00; in Rhode Island, 5.45; in Connecticut, 5.10.

Distributed as to its more frequent locations, there died of cancer of the stomach, 117; of the breast, 38; liver, 31; uterus, 74; abdominal and intestinal, 22; throat, 3; rectum, 14; lip, 3; neck, 4; face, 20; tongue, 3; mouth, 4; jaw, 4; various, 29; parts unspecified, 108.

The distribution of cancer by counties and by age-groups and the special death-rate for each county is shown in the following:

CANCER.

Counties.	Number of deaths.	Death-rate.	Age-groups.	Number of deaths.
Androscoggin	40	8.17	Under 1 year	1
Aroostook	13	2.62	From 1 to 5 years.....	2
Cumberland	81	8.91	“ 5 “ 10 “	-
Franklin	18	10.56	“ 10 “ 20 “	-
Hancock	35	9.38	“ 20 “ 30 “	6
Kennebec	38	6.67	“ 30 “ 40 “	30
Knox	33	10.49	“ 40 “ 50 “	75
Lincoln	12	5.46	“ 50 “ 60 “	89
Oxford	20	6.54	“ 60 “ 70 “	137
Penobscot	47	6.45	“ 70 “ 80 “	95
Piscataquis	9	5.58	Over 80 years	32
Sagadahoc	15	7.71	Not stated	7
Somerset	27	8.2		474
Waldo	17	6.12		
Washington	20	4.50		
York	49	7.80		
State	474	7.17		

Diabetes.—The deaths from this cause numbered 71 (55 in 1892 and 65 in 1893). The special death-rate from diabetes was, therefore, 1.07 in 1894. Thirty-nine of the decedents were males and 32 females.

Ages: 1-5, 2; 10-20, 4; 20-30, 6; 30-40, 4; 40-50, 8; 50-60, 9; 60-70, 20; 70-80, 14; over 80, 2; unknown, 2.

Old Age.—There were registered 697 deaths as due to old age,—354 men and 343 women. Eleven were less than 70 years old, 121 were between 70 and 80, 437 were 80 to 90, 121 were 90 to 100, while 2 were over 100 years old, and the age of 5 was unknown.

From Table No. 34, however, it may be seen that the whole number of persons who died at the ages between 70 and 100 years or more was 3,242 (3,801 in 1892 and 3,147 in 1893), or one death in every three and one-half was of a person who was between 70 and 100 years of age or older. Assuming that all these 3,242 died

of old age, the death-rate from old age was 49.04 in every 10,000 living at all ages.

Comparing with other states we find that, in the same year, the death-rate of old persons (70 years of age and over) was, in New Hampshire, 51.10; Vermont, 48.84; Massachusetts, 34.42; Rhode Island, 29.52; and Connecticut, 34.16.

The following shows the number of deaths in each county, of persons 70 years of age and over, and the number of their deaths in each 10,000 of the population at all ages.

OLD AGE.

Counties.	Deaths.	Rate per 10,000.	Counties.	Deaths.	Rate per 10,000.
Androscoggin.....	176	35.94	Oxford ...	175	57.22
Aroostook.....	120	24.20	Penobscot.....	348	47.76
Cumberland ...	433	47.61	Piscataquis ...	48	29.75
Franklin	97	56.88	Sagadahoc	91	46.78
Hancock	179	47.97	Somerset	198	60.69
Kennebec	349	61.22	Waldo	187	67.37
Knox	171	54.33	Washington.....	169	37.99
Lincoln.....	137	62.28	York	364	57.94

Centenarians.—Among the persons whose decease occurred in 1894, four had reached or exceeded the age of 100 years. Two of these persons were women and two were men. Their names, together with a few facts relating to the life history of each were as follows :

November 3, Polly Dickey died at Stockton Springs at the age of 103 years, 10 months and 19 days. She was born in Frankfort. Her father was Daniel Lancaster who, it is recorded, was of French nativity. The maiden name of her mother was Mehetable Clifford, American by birth.

March 2, Ann Cawley died at South Berwick at the age of 100 years and 7 months. Her father, John Cawley, as well as her mother, was born in Ireland.

March 6, Benjamin Thompson died in Kennebunkport at the age of 100 years, 2 months and 7 days. He was born in Kennebunk-

port, and this was the birthplace of his father whose christian name he bore.

February 25, Henry Hancock died in Portland at the age of 100 years, it was thought. England was his birthplace.

Diseases of the Nervous System.—The number of deaths registered under the causes included in this group was 1,543 (1,459 in 1892 and 1,457 in 1893), or 23.34 to every 10,000 of population.

In the same year the death-rate from this group of causes was in Vermont, 17.99; Massachusetts, 27.17; Rhode Island, 23.81; Connecticut, 22.91.

Inflammation of the Brain or Membranes.—The number of deaths was 286 (236 in 1892 and 263 in 1893),—149 males, 135 females, and 2 not stated. Of these, 155 were in the cities. The death-rate from the several diseases grouped under this head was 4.32.

Ages: Under 1, 91; 1-5, 71; 5-10, 18; 10-20, 15; 20-40, 28; 40-60, 29; over 60, 32; unknown, 2.

Apoplexy.—From this cause 408 deaths occurred (488 in 1892 and 422 in 1893),—of 194 males and 214 females. Of these, 105 were in the cities. The State's death-rate from apoplexy was, therefore, 6.17; that of the cities, 5.36; that of New Hampshire in the same year, 7.81; Vermont, 4.24; Massachusetts, 7.67; Rhode Island, 7.69; Connecticut, 7.15.

The largest number, 44, occurred in August; the most fatal of the four seasons was the spring. In the two preceding years, the largest number of deaths from this cause occurred during the winter.

Conversely, the smallest number of deaths, 25, was in June; the smallest number in any one season was 98 in the autumn months. Nearly 76 per cent. of the deaths were of persons 60 years of age and upward.

APOPLEXY BY COUNTIES, MONTHS, AND AGE-PERIODS.

By counties.	By months.	By age-periods.
Androscoggin 27	January 37	Under 1..... 1
Aroostook 11	February 39	1-5..... 3
Cumberland 65	March 30	5-10..... 0
Franklin 19	April..... 38	10-20..... 0
Hancock 23	May 39	20-30..... 3
Kennebec..... 37	June 25	30-40..... 21
Knox 17	July 31	40-50..... 28
Lincoln..... 17	August 44	50-60..... 41
Oxford 23	September 35	60-70..... 106
Penobscot 38	October 27	70-80..... 128
Piscataquis..... 2	November..... 36	Over 80 75
Sagadahoc 12	December 27	Not stated..... 2
Somerset..... 19	408	408
Waldo..... 13		
Washington 27		
York 58		
408		

Softening of the Brain.—From cerebral softening there were 48 deaths,—those of 28 males and 20 females.

Ages: 40-50, 6; 50-60, 4; 60-70, 15; 70-80, 12; over 80, 11.

Paralysis.—Of the 336 deaths from “paralysis,” 154 of the persons were males and 182 were females.

Ages: Under 1, 2; 1-5, 1; 5-10, 1; 10-20, 1; 20-40, 15; 40-50, 13; 50-60, 31; 60-70, 76; 70-80, 122; over 80, 73; not stated, 1.

Hemiplegia.—From this form of paralysis there were 12 deaths reported,—4 men and 8 women.

Ages: 30-40, 2; 50-60, 2; 60-70, 2; 70-80, 5; over 80, 1.

Epilepsy.—Nineteen males and 12 females died of epilepsy, 31 in all.

Ages: Under 1, 2; 10-20, 5; 20-40, 9; 40-60, 7; over 60, 8.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, valvular disease of the heart, hypertrophy and dilatation, pericarditis, angina pectoris, and unspecified, there were 940 deaths (816 in 1892 and 875 in 1893.) The following exhibits the age and sex distribution of each form of disease:

Disease.	Under 1.	1-10.	10-20.	20-40.	40-60.	Over 60.	Unknown.	Male.	Female.	Totals.
Endocarditis	-	1	-	-	-	3	-	2	2	4
Valvular disease of heart... ..	3	1	3	9	34	114	2	108	58	166
Hypertrophy of heart	-	1	4	2	13	25	1	24	22	46
Pericarditis	-	-	4	2	5	9	1	14	7	21
Unspecified diseases of heart....	9	5	10	48	129	446	5	436	216	652
Angina pectoris	-	-	-	2	10	38	1	33	18	51
Totals.....	12	8	21	63	191	635	10	617	323	940

The number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and counties.

Counties.	Number of deaths.	Rate.	Counties.	Number of deaths.	Rate.
Androscoggin	81	16.54	Oxford	40	13.08
Aroostook.....	29	5.85	Penobscot.....	112	15.37
Cumberland	141	15.50	Piscataquis	12	10.54
Franklin	18	10.56	Sagadahoc	29	14.91
Hancock	44	11.79	Somerset	39	11.95
Kennebec	111	19.47	Waldo	62	22.34
Knox	36	11.44	Washington.....	52	11.69
Lincoln.....	28	12.73	York	106	17.02
			State.....	940	14.22

As may be noted, Waldo county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 14.22; that of New Hampshire for the same year was 17.2; Vermont, 17.07; Massachusetts, 17.28; Rhode Island, 12.67; Connecticut, 13.60.

Diseases of the Respiratory System.—Without the inclusion of tuberculosis, 1,312 persons died from the various respiratory diseases as tabulated on page 103 (1,796 in 1892 and 1,407 in 1893). From these diseases there were, therefore, 95 fewer deaths than in 1893 and 484 fewer than in 1892. The death-rate from the

respiratory diseases in 1894 was 19.85 in each 10,000 of population, as compared with 21.28 in 1893 and 27.16 in 1892. For the New England states the death-rate from this group of diseases was: Maine, 19.85; New Hampshire, 23.60; Vermont, 18.84; Massachusetts, 27.82; Rhode Island, 26.50; Connecticut, 21.39.

Pneumonia.—The number of deaths registered under this cause was 1,023 (1,431 in 1892 and 1,143 in 1893), of which 493 were males and 530 females. The death-rate from this disease was, therefore, 15.47 per 10,000 (21.56 in 1892 and 17.27 in 1893), and as 330 of the deaths occurred in the cities, the urban death-rate was 16.84. For the same year the pneumonia death-rate was in New Hampshire, 16.81; Vermont, 14.92; Massachusetts, 18.32; Rhode Island, 17.61; Connecticut, 13.71.

The age distribution for pneumonia is shown in the following:

Under 1	year,	145	40-50	years,	74
1-5	years,	80	50-60	“	79
5-10	“	15	60-70	“	161
10-20	“	24	70-80	“	204
20-30	“	48	Over 80	“	136
30-40	“	55	Not stated		2

**PNEUMONIA BY COUNTIES AND MONTHS WITH DEATH-RATES
PER 10,000.**

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin.....	16	9	5	5	5	2	2	2	2	3	3	5	59	12.05
Aroostook	11	9	6	9	12	4	3	1	2	3	5	3	68	13.71
Cumberland	36	28	22	23	9	4	1	3	6	13	12	14	171	18.80
Franklin ..	7	1	2	2	1	1	1	-	1	3	2	-	21	12.31
Hancock	18	6	7	6	3	-	-	2	1	-	4	8	55	14.75
Kennebec	27	21	11	6	5	7	1	2	2	2	2	4	90	15.79
Knox	2	8	2	2	5	3	-	1	-	3	3	5	40	12.71
Lincoln	7	6	5	3	4	2	-	-	-	-	-	2	29	13.18
Oxford ...	15	4	6	7	1	2	-	-	-	-	3	9	47	15.37
Penobscot	19	18	11	32	24	4	3	-	5	1	7	12	136	18.66
Piscataquis	11	-	1	5	1	2	-	-	-	-	-	1	21	13.02
Sagadahoc	5	3	4	3	1	3	1	1	1	-	1	5	28	14.39
Somerset	23	11	8	4	2	1	1	-	2	4	-	1	57	17.47
Waldo	18	6	3	6	1	2	-	2	1	1	2	-	42	15.13
Washington	12	9	4	4	4	9	5	3	3	1	2	3	59	13.26
York	26	15	10	10	10	6	2	1	4	3	2	11	100	15.92
State	259	154	107	127	88	52	20	18	30	37	48	83	1023	15.47

Bronchitis.—From this cause, including both acute and chronic bronchitis, 209 deaths were registered (287 in 1892 and 197 in 1893). Among these decedents, 91 were males and 118 females. Of these 209 deaths, 88 were in the cities. The largest number of deaths in any one month was 36 in January. The smallest number of deaths occurred in September. The largest number of deaths in three consecutive months was 76 in January, February and March; the smallest number in any three consecutive months was 25 in August, September and October. The number of deaths by quarters was 76, 63, 27, and 43.

The bronchitis death-rate of the State was 3.16; of the cities, 4.49. In the same year the bronchitis death-rate was in New Hampshire, 5.18; Vermont, 1.78; Massachusetts, 7.02; Rhode Island, 6.75; Connecticut, 5.47.

The following shows the age-distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life :

Under 1	year,	54	40-50 years,	6
1-5	years,	33	50-60	“ 11
5-10	“	2	60-70	“ 18
10-20	“	2	70-80	“ 33
20-30	“	5	Over 80	“ 44
30-40	“	1		

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rates of counties and State :

BRONCHITIS.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	3	4	1	3	3	1	1	-	-	-	-	-	16	3.26
Aroostook.....	2	-	1	1	2	1	-	1	-	1	-	-	9	1.81
Cumberland	4	4	1	5	4	4	1	1	2	1	3	6	36	3.96
Franklin	-	1	-	-	1	-	-	-	-	-	2	-	4	2.35
Hancock	3	1	1	-	-	-	1	-	-	3	-	1	10	2.68
Kennebec	6	3	2	5	1	-	2	1	-	2	1	3	26	4.56
Knox.....	3	-	1	2	-	-	2	-	-	-	1	-	9	2.86
Lincoln.....	-	-	-	-	-	2	-	-	1	-	-	-	3	1.96
Oxford	2	2	1	-	2	1	-	-	-	-	1	1	10	3.27
Penobscot	5	4	4	3	2	1	2	2	-	1	1	1	26	3.57
Piscataquis	-	-	-	-	-	-	1	-	-	-	-	1	2	1.24
Sagadahoc	-	-	-	-	-	2	-	1	1	-	1	-	5	2.57
Somerset.....	-	-	2	2	2	-	1	-	-	1	-	1	9	2.76
Waldo	1	1	-	-	-	-	1	-	-	1	-	1	5	1.80
Washington	3	-	-	5	1	-	2	-	-	1	-	1	13	2.92
York	4	3	3	3	-	4	1	1	1	2	2	2	26	4.14
State ..	36	23	17	29	18	16	15	7	5	13	12	18	209	3.16

Pleurisy.—Fifteen deaths are charged to this disease (18 in 1892 and 19 in 1893)—8 males and 7 females. In each of the months January, April, May, June, August, and September 2

deaths occurred from pleurisy; and in March, July, and December 1, each; in the other three months, none.

Ages: 1-5, 1; 10-20, 2; 20-30, 2; 30-40, 2; 40-50, 1; 50-60, 2; 60-70, 3; 70-80, 2.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 685 (659 in 1892 and 653 in 1893), or a death-rate of 10.36. The distribution of these under their several causes will be found on page 103.

Peritonitis.—There were 137 deaths from this cause (129 in 1892 and 151 in 1893),—52 males and 85 females. Fifty-three of them were in the cities, the same number as in 1893. The following shows the county, month, and age-distribution of the disease:

Androscoggin	12	January	13	Under 1	15
Aroostook	6	February	11	1-5	9
Cumberland	23	March	13	5-10	3
Franklin	2	April	12	10-20	16
Hancock.....	4	May.....	12	20-30..	20
Kennebec	20	June	9	30-40	17
Knox	4	July	9	40-50	15
Lincoln	5	August	11	50-60	10
Oxford	8	September	14	60-70	15
Penobscot	17	October	8	70-80	12
Piscataquis	2	November.....	10	Over 80.....	3
Sagadahoc	7	December.....	15	Unknown.....	2
Somerset	4				
Waldo ..	5				
Washington.....	4				
York.....	14				

Appendicitis.—Of the deaths classified under this cause, 21 in number, all were returned as due to “appendicitis.” All but 2 of the decedents were males. The number of deaths in each month was, January, February, March, and October, none; April, 2; May, 3; June, 3; July, 6; August, 3; September, 2; November, 1; December, 1.

Ages: 1-5, 1; 5-10, 3; 10-20, 3; 20-30, 3; 30-40, 3; 40-50, 5; 50-60, 1; 60-70, 1; over 70, 1.

Cirrhosis of the Liver.—Nineteen deaths were ascribed to cirrhosis of the liver—those of 15 men and 4 women. Of these 19 deaths, 7 were in the cities and 12 in the rural parts of the State. The

death-rate for the State from this one cause was 0.29 per 10,000 (0.19 in 1892 and 0.18 in 1893); that of Connecticut for the same year was 1.01. The data for comparison with other places is wanting.

Diseases of the Urinary System.—There were 442 deaths referred to the diseases under this group, equivalent to a death-rate of 6.69.

Nephritis.—Acute and chronic, caused the death of 80 persons, 42 males and 38 females. The death-rate from nephritis was, therefore, 1.21.

Ag^s: Under 1, 1; 1-5, 3; 5-10, 1; 10-20, 1; 20-30, 4; 30-40, 6; 40-50, 6; 50-60, 14; 60-70, 15; 70-80, 20; over 80, 9.

Bright's Disease.—This was the cause of 219 deaths (204 in 1892 and 217 in 1893)—125 males, 93 females, and 1 not stated. Of these deaths, 64 were in the cities.

Ag^s: 1-5, 1; 5-10, 1; 10-20, 6; 20-30, 20; 30-40, 18; 40-50, 21; 50-60, 35; 60-70, 49; 70-80, 50; over 80, 16; not stated, 2.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause.

Counties.	Number of deaths.	Rate.	Counties.	Number of deaths.	Rate.
Androscoggin	13	2.65	Oxford	11	3.59
Aroostook.....	12	2.42	Penobscot.....	15	2.06
Cumberland	42	4.62	Piscataquis	4	2.48
Franklin	5	2.93	Sagadahoc	3	1.54
Hancock	9	2.41	Somerset	10	3.06
Kennebec	21	3.68	Waldo	9	3.24
Knox	17	5.40	Washington	4	0.90
Lincoln.....	10	4.55	York.....	34	5.41
			State.....	219	3.31

Childbirth.—Under the group of accidents and diseases of reproduction, 41 deaths were registered, not including puerperal fever (69 in 1892 and 59 in 1893). This is equivalent to a special death-rate of 0.62.

Accidents.—From accidents of various kinds, 286 persons met their death (376 in 1892 and 330 in 1893). Of deaths from falls there were 22; 3 by falling down stairs; and one each from a scaffold, a windmill, a load of hay, a high chair, on the ice, upon a circular saw; while 13 were unspecified.

Fractures caused 23 deaths,—fracture of skull, 6; of spine, 1; of hip, 10; of thigh, 4; vertebral column, 2.

Eleven deaths were from gun or pistol shot; one death was from a cut.

From railway injuries there were 24 deaths.

From burns and scalds, 22 deaths occurred. Two deaths from falling into boiling water; one from lighting a fire with kerosene; the rest, unspecified.

From poisoning, 7 deaths occurred,—from opiates, 4; eating clams, 1; in two instances, the character of the poison was not specified.

From drowning, 73 lives were lost,—falling from a wharf, 2; falling through the ice, 1; the upsetting of a canoe, 1; falling into a well, 1, a child. The rest were unspecified.

The returns indicate that 4 deaths occurred from machinery accidents. Two persons were lost at sea.

The death-rate from accident in this State was 4.33; in Vermont, 5.33; in Massachusetts, 8.31; in Rhode Island, 6.23; in Connecticut, 6.94.

Homicide.—Under this group 6 deaths were registered. This is equivalent to a death-rate of 0.10. For homicide the rate for New Hampshire was, in the same year, 0.03; for Vermont, 0.15; for Massachusetts, 0.11; Rhode Island, 0.24; and Connecticut, 0.11. The total number of homicides in New England was 54 (29 in 1893).

Suicide.—Within the year, 39 persons took their own lives (59 in 1892 and the same number in 1893), 28 males and 11 females. Of the males, the occupation of 8 was farmer; 4, laborer; 4, sailor; 2, machinist; 1, treasurer of a savings bank; 1, school supervisor; 1, contractor; 1, lumberman; 1, mason; 1, carpenter; 1, harness maker; 3, not stated.

Of the females, the occupation of 4 was returned as housewife, and 2 as housekeeper; 1, housework; 1, servant; 1, dressmaker; and the occupation of 2 is not given.

As to the means employed, 11 committed suicide by hanging, 5 by shooting, 6 by drowning, 2 by cuts, 7 with poison, and in 8 the method was not stated.

SUICIDES BY AGES, MONTHS AND COUNTIES.

Age-periods.	Months.	Counties.	Rate per 10,000 of population.	
10-20.....	5	January 1	Androscoggin ... 2	0.41
20-30.	6	February..... -	Aroostook.... 1	0.20
30-40.	5	March 4	Cumberland 6	0.66
40-50.....	1	April 2	Franklin 3	1.76
50-60.....	8	May 3	Hancock 3	0.80
60-70.....	6	June 6	Kennebec 3	0.53
70-80....	2	July 3	Knox 5	1.59
Over 80.....	5	August 2	Lincoln..... 3	1.36
Not stated.....	1	September..... 4	Oxford..... 1	0.33
Total.....	39	October..... 4	Penobscot 5	0.69
		November... 5	Piscataquis 1	0.62
		December..... 5	Sagadahoc 2	1.02
		Total..... 39	Somerset 2	0.61
			Waldo 1	0.36
			Washington -	-
			York..... 1	0.16
			State..... 39	0.59

The youngest suicide was a boy of 15 years and 3 months; the oldest, a man of 88. The largest number of suicides in any one month was 6 in June. There were 5 in November and the same number in December. By quarters, the suicides were, 5, 11, 9, 14. The largest number in any county was 6 in Cumberland; the highest death-rate from suicide was in Franklin county. The rate for the State per 10,000 of population was 0.59; that of Vermont in the same year was 0.90; Massachusetts, 1.01; Rhode Island, 1.20; Connecticut, 1.39.

The death-rate from suicide in some European countries was as follows for the years 1887-91; Ireland, 0.24; Italy, 0.52; Scotland, 0.56; The Netherlands, 0.58; England, 0.80; Sweden, 1.19; Belgium, 1.22; Prussia, 1.97; France, 2.18; German Empire, 2.46.

CLASSIFICATION OF THE CAUSES OF DEATH.

CLASS 1. ZYMOTIC DISEASES.

- Group 1. Infectious Diseases.
- Group 2. Specific Neoplastic Diseases.
- Group 3. Diarrheal Diseases.
- Group 4. Zoögenous Diseases.
- Group 5. Septic Diseases.

CLASS II. PARASITIC DISEASES.

CLASS III. DIETETIC DISEASES.

CLASS IV. CONSTITUTIONAL DISEASES.

CLASS V. DEVELOPMENTAL DISEASES.

CLASS VI. LOCAL DISEASES.

- Group 1. Diseases of Nervous System.
- Group 2. Diseases of Organs of Special Sense.
- Group 3. Diseases of Circulatory System.
- Group 4. Diseases of Respiratory System.
- Group 5. Diseases of Digestive System.
- Group 6. Diseases of Lymphatics and Ductless Glands.
- Group 7. Diseases of Urinary System.
- Group 8. Diseases of Organs of Generation.
- Group 9. Accidents and Diseases of Reproduction.
- Group 10. Diseases of Osseous System.
- Group 11. Diseases of the Integument.

CLASS VII. DEATHS FROM VIOLENCE.

- Group 1. Accident, Negligence, or Doubtful.
- Group 2. Homicide.
- Group 3. Suicide.

CLASS VIII. DEATHS FROM ILL-DEFINED CAUSES.

CLASS I.—ZYMOTIC DISEASES.

Group 1.—INFECTIOUS DISEASES.

- 1. Small-Pox.
- 2. Chicken-Pox.
- 3. Measles.
- 4. Rötheln.

Group 1.—*Concluded.*

5. Scarlet Fever.
6. Typhus Fever.
7. Influenza.
8. Whooping-Cough.
9. Mumps.
10. Diphtheria.
11. Croup.
12. Tonsillitis, etc.
13. Cerebro-Spinal Meningitis.
14. Tetanus.
15. Typhoid Fever.
16. Simple Continued Fever, Gastric Fever.
17. Malarial Diseases.
18. Other Specific Febrile Diseases.

Group 2.—SPECIFIC NEOPLASTIC DISEASES.

19. Tuberculosis, Cerebral.
20. Tuberculosis, Pulmonary.
21. Tuberculosis, Mesenteric.
22. Tuberculosis, Other Forms.
23. Syphilis.

Group 3.—DIARRHEAL DISEASES.

24. Infantile Diarrhea.
25. Cholera Morbus.
26. Dysentery.
27. Diarrhea.

Group 4.—ZOÖGENOUS DISEASES.

28. Hydrophobia.
29. Glanders.
30. Malignant Pustule.
31. Cow-Pox and Vaccination.

Group 5.—SEPTIC DISEASES.

32. Phagadana.
33. Erysipelas.
34. Pyemia, Septicemia.
35. Puerperal Fever.

CLASS II.—PARASITIC DISEASES.

36. Thrush.
37. Hydatids.
38. Intestinal Parasites.
39. Other Parasitic Diseases.

CLASS III.—DIETETIC DISEASES.

40. Starvation.
41. Malnutrition of Infants, Improper Feeding.
42. Scurvy.
43. Rickets.
44. Alcoholism.

CLASS IV.—CONSTITUTIONAL DISEASES.

45. Rheumatism.
46. Gout.
47. Cancer, Gastric.
48. Cancer, Mammary.
49. Cancer, Hepatic.
50. Cancer, Uterine.
51. Cancer, Others.
52. Purpura, Hemorrhagic Diathesis.
53. Anemia, etc.
54. Diabetes Mellitus.
55. Other Constitutional Diseases.

CLASS V.—DEVELOPMENTAL DISEASES.

56. Stillborn.
57. Premature Birth.
58. Ill-Defined Diseases of Infancy.
59. Atelectasis.
60. Cyanosis.
61. Spina Bifida.
62. Imperforate Anus.
63. Other Congenital Defects.
64. Umbilical Hemorrhage.
65. Old Age.

CLASS VI.—LOCAL DISEASES.

Group 1.—DISEASES OF NERVOUS SYSTEM.

66. Inflammation of Brain or Membranes.
67. Apoplexy.
68. Softening of Brain.
69. Hemiplegia.
70. Paralysis Agitans.
71. Paralysis.
72. Hydrocephalus (not acute).
73. Insanity (including general paralysis of the insane).
74. Brain, Other Diseases of.
75. Chorea.
76. Epilepsy.
77. Convulsions.
78. Laryngismus Stridulus.
79. Spinal Meningitis.
80. Myelitis.
81. Paraplegia.
82. Locomotor Ataxia.
83. Other Diseases of the Spinal Cord.
84. Other Diseases of the Nervous System.

Group 2.—DISEASES OF ORGANS OF SPECIAL SENSE.

85. Diseases of the Ear.
86. Epistaxis, and Diseases of Nose.
87. Diseases of the Eye.

Group 3.—DISEASES OF CIRCULATORY SYSTEM.

88. Endocarditis.
89. Valvular Disease of the Heart.
90. Hypertrophy of Heart.
91. Pericarditis.
92. Disease of Heart, Unspecified.
93. Angina Pectoris.
94. Syncope.
95. Aneurism.
96. Senile Gangrene.
97. Embolism, Thrombosis.
98. Phlebitis.
99. Others Circulatory System.

Group 4.—DISEASES OF RESPIRATORY SYSTEM.

100. Laryngitis.
101. Other Diseases of Pharynx and Trachea.
102. Emphysema, Asthma.
103. Bronchitis.
104. Pneumonia.
105. Pleurisy.
106. Other Diseases of Respiratory System.

Group 5.—DISEASES OF DIGESTIVE SYSTEM.

107. Diseases of the Mouth.
108. Dyspepsia.
109. Gastric Ulcer.
110. Hematemesis.
111. Gastritis.
112. Other Diseases of the Stomach.
113. Enteritis.
114. Ulceration of Intestines.
115. Stricture and Strangulation of Intestines.
116. Intussusception of Intestines.
117. Hernia.
118. Other Obstructive Diseases of Intestines.
119. Fistula.
120. Peritonitis.
121. Appendicitis.
122. Ascites.
123. Gallstones.
124. Cirrhosis of Liver.
125. Hepatitis.
126. Jaundice.
127. Other Diseases of Liver.
128. Other Diseases of Digestive System.

Group 6.—DISEASES OF LYMPHATICS AND DUCTLESS GLANDS.

129. Diseases of Lymphatics.
130. Diseases of the Spleen.
131. Bronchocele.
132. Addison's Disease.

Group 7.—DISEASES OF URINARY SYSTEM.

133. Nephritis.
134. Bright's Disease, Albuminuria.

Group 7.—*Concluded.*

- 135. Uremia.
- 136. Suppression of Urine.
- 137. Calculus.
- 138. Stricture.
- 139. Hematuria.
- 140. Diseases of the Bladder and Prostate.
- 141. Other Diseases of the Urinary System.

Group 8.—DISEASES OF ORGANS OF GENERATION.

- 142. Ovarian Disease.
- 143. Diseases of Uterus and Appendages.
- 144. Paramenia.
- 145. Pelvic Abscess.
- 146. Perineal Abscess.
- 147. Diseases of Male Organs of Generation.

Group 9.—ACCIDENTS AND DISEASES OF REPRODUCTION.

- 148. Abortion, Miscarriage.
- 149. Puerperal Mania.
- 150. Puerperal Convulsions.
- 151. Placenta Previa.
- 152. Puerperal Hemorrhage.
- 153. Phlegmasia Dolens.
- 154. Other Accidents of Reproduction.

Group 10.—DISEASES OF OSSEOUS SYSTEM.

- 155. Diseases of the Joints.
- 156. Diseases of the Bones.
- 157. Other Diseases.

Group 11.—DISEASES OF THE INTEGUMENT.

- 158. Carbuncle.
- 159. Phlegmon, Cellulitis.
- 160. Ulcer, Bed-Sore.
- 161. Other Diseases of the Integument.

CLASS VII.—DEATHS FROM VIOLENCE.

Group 1.—ACCIDENT, NEGLIGENCE, OR DOUBTFUL.

- 162. Fracture, Contusion.
- 163. Falling.

Group 1.—*Concluded.*

- 164. Gunshot Wounds.
- 165. Railway Injuries.
- 166. Cuts.
- 167. Burns and Scalds.
- 168. Poison.
- 169. Drowning.
- 170. Suffocation.
- 171. Various.
- 172. Lost at Sea.

Group 2.—HOMICIDE.

- 173. Murder, Manslaughter.

Group 3.—SUICIDE.

- 174. Gunshot Wounds.
- 175. Cut, Stab.
- 176. Poison.
- 177. Drowning.
- 178. Hanging.
- 179. Otherwise.

CLASS VIII—DEATHS FROM ILL-DEFINED CAUSES.

- 180. Heart Failure.
- 181. Dropsy.
- 182. Debility, Exhaustion.
- 183. Atrophy and Inanition.
- 184. Sunstroke.
- 185. Mortification.
- 186. Tumor.
- 187. Abscess.
- 188. Hemorrhage.
- 189. Sudden (Cause unascertained).
- 190. Not Specified, or Ill-Defined.

NOTES TO ACCOMPANY CLASSIFICATION OF THE CAUSES OF DEATH.

No argument is needed to convince the thoughtful person of the many uses and the value of well-kept records of births, marriages, and deaths, and correct statistics based upon them. Much of the value of mortality statistics depends upon the care with which reports of the causes of death are made, and the certainty with which they may be interpreted in this office.

As a help in making clear what is required in reports of the causes of death, the following explanatory notes are appended :

The omission of a single fact, called for in the blank certificate of death, may appear but a trivial matter; but, if it is place of birth, the nativity of the decedent cannot be tabulated and it adds one more to the column "unknown." If age or sex is omitted, the same is true, and an aid which may be needed in placing the death under its real cause is not at hand.

A cause of death may be unclassifiable because the anatomical part affected is not given. Examples: hemorrhage, inflammation, congestion, suppuration, abscess, mortification, dropsy, tumor.

Again, the omission to specify the part affected is a bar to satisfactory classification though it may not render the death entirely unclassifiable. Examples: tuberculosis, cancer.

Classification is sometimes impossible because mere symptoms, instead of causes of death are given. Examples: exhaustion, debility, weakness, asthenia, shock, coma, asphyxia, heart failure.

Faulty nomenclature is a cause of uncertain interpretation. Examples: inflammation of the bowels, typhoid pneumonia. Accuracy should not be sacrificed by the use of popular terms. "Inflammation of the bowels" suggests several diseases but indicates none definitely. The same is true of "typhoid pneumonia."

When two definite causes of death are stated, their relative malposition is a cause of uncertainty. "Heart disease and rheumatism" looks like a transposition. If the cause of death was acute rheu-

matism followed by heart disease, it should be so stated, or if brevity is imperative, "rheumatism, heart disease."

Please remember that a death can be classified under only a single cause. A redundancy of causes is sometimes confusing, but an additional explanatory word or two is often of great service and gratefully received.

The following causes of death properly or improperly used are arranged alphabetically for convenience of reference.

Abscess. State location and cause.

Accident. State cause and character.

Albuminuria. State attendant disease, causal condition.

Aneurism. State location and mode of death.

Ascites. If possible, state cause.

Asphyxia. State cause or circumstances.

Asthenia. Should give cause or attending conditions.

Atrophy. Needs explanation.

Bilious Colic. See 123 of Classification.

Blood Poisoning. Too ill-defined. See "Septicemia."

Bowels, disease of. Is indefinite.

Bowels, inflammation of. Enteritis? Peritonitis?

Burns and Scalds. State how the injury happened and by what.

Cancer. Give part affected.

Carbuncle. Do not use for malignant pustule, or anthrax of man.

Cellulitis. State part affected.

Childbirth. State cause and mode of death. See "Classification."

Calculus. State kind, and mode of death.

Caries. State part affected.

Congestion of Lungs. Pneumonia? Bronchitis? Or a symptom of other pathologic process?

Convulsions. What variety! Epileptic? Puerperal? Uremic?
State the determining cause if possible.

Croup. Membranous?

Debility. State cause or circumstances.

Dentition. Avoid, if possible, or state the mode of death and its cause.

Dropsy. State parts affected and, if possible, the cause.

Drowning. State how it happened, and whether accidental, suicidal, or homicidal.

Enteritis, Entero-Colitis. State whether diarrhea was present.

- Erysipelas. State part affected, and whether surgical or what.
- Exhaustion. Cause of "exhaustion?"
- Fever. State kind of fever.
- Fistula. Alone, is too indefinite.
- Flooding. Avoid. See Class VI, Group 9.
- Fractures. What bone; what mode of death?
- Gangrene. State parts and causes.
- Gastro Enteritis. In this office must be classed as Gastritis or Enteritis: Please advise which, and whether diarrhea was present.
- Heart Failure. But slightly better than "unknown." Avoid its use if possible, or add cause of heart failure.
- Heart disease. State variety and cause if possible.
- Hernia. If strangulated, or subjected to operation, please state so.
- Hemorrhage. State seat of, and cause.
- Hydatids. State parts affected.
- Infantile Fever. If typhoid, please state so; otherwise must be relegated to the ill-defined class.
- Innutrition. As the result of what?
- Intemperance. Use "Alcoholism" instead, or qualifying words.
- Jaundice. If known, state cause.
- Malarial Diseases. Use only for the disease caused by the specific parasite of malarial disease, and say whether it was contracted outside this State.
- Malformation. State kind and whether congenital.
- Marasmus. Objectionable; if used, state cause.
- Malnutrition. State cause.
- Malignant Pustule. Use only for the disease which is caused by the inoculation of the anthrax bacillus.
- Metritis. State whether puerperal.
- Mortification. If used, state kind and parts involved.
- Necrosis. State seat, cause, and mode of death.
- Neurasthenia. State cause.
- Ovarian Tumor. State mode of death, whether following operation or otherwise.
- Paralysis of Brain. (?)
- Pelvic Cellulitis. State whether puerperal.
- Perforation of Intestines. If following typhoid fever, state so.
- Peritonitis. State whether idiopathic, puerperal, traumatic, or a sequel of appendicitis.

Phlebitis. State cause, variety and seat.

Phthisis. Is very often transcribed "phthisic" by town clerks.

Please do not use alone.

Poisoning. State by what, and whether accidental, suicidal, or homicidal.

Privation. Without explanation is ill-defined.

Septicemia. State whether puerperal, traumatic, surgical.

Shock. Surgical? Apoplexy? Fright? Should not be used alone.

Spine, Disease of. Should state whether disease of vertebræ or spinal cord.

Starvation. State circumstances.

Stillborn. Should be used only for children that have never breathed—those that are born dead.

Strangulation. State what kind or what circumstances.

Suffocation. From what cause?

Suicide. By what instrument, means, or mode?

Teething. Is ill-defined. Avoid its use if possible.

Thrombosis. State location.

Tuberculosis. State what parts affected, or if generalized, parts primarily or principally involved.

Tumor. Give kind, location and mode of death.

Ulcers and Ulceration. State location and nature.

Uremia. State cause, or with what diseases or conditions associated.

Wounds. State with what inflicted, and whether accidental, suicidal, or homicidal.

The foregoing list comprises the assigned causes of death which have given the most trouble in this office. Without being unmindful of the difficulty in some cases of making an exact diagnosis, the undersigned begs to request that the terms used in certifying the causes of death be such as to leave no doubt in the mind of the registrar as to the intended diagnosis of the cause of death.

A. G. YOUNG, Registrar.

ON THE CLASSIFICATION OF THE CAUSES OF DEATH.

(Reprinted from the First Annual Report.)

A registrar about to adopt a system of classification of the causes of death for his State must be very uncritical and easily satisfied to be pleased with any of the arrangements which he finds in use. In various states of our Union, the classifications differ among themselves enough so that he who would compare the statistical results of one state with those of another must constantly be on the alert that the classes or groups of diseases compared, contain the same individual causes of death. Recent investigations into the causes of diseases have so changed our conceptions of the nature of many of them that the existing nosologies appear antiquated. As Mr. Wynter Blyth has said, "the present classification was based upon an old—a dying—pathology."

Nevertheless, the compiler of this report deems it altogether out of place to attempt to satisfy himself with a rearrangement. He has, however, ventured a few changes which will, undoubtedly, place a few of the individual causes of death and groups of diseases more in line with the places to which they will be assigned in the future.

The most important innovation has been the placing of tuberculosis in its various forms, and syphilis, in the group of "Specific Neoplastic Diseases," a term which was, I believe, suggested by the Society of Medical Officers of Health of England. Zymotic Diseases has been retained as a convenient designation of the first class of causes of death; but as a name for the first group, or order, under this class, *infectious diseases* has been substituted for the objectionable term *miasmatic diseases*.

Minor changes are the removal of *croup* from the respiratory diseases and placing it after diphtheria, a position which it already occupies in the classification in use in some of the states. *Tonsil-*

itis has also been placed near diphtheria as a designation of certain affections, sometimes fatal, and not always differentiated with certainty from diphtheria. *Tetanus* is included with the infectious diseases and the *malarial diseases* have also been grouped with the infectious diseases. In some American lists of the causes of death they already occupy that position, but in the table in use by the registrar general of England these diseases form a group by themselves.

Under the diarrheal diseases, *infantile diarrhea* is used instead of cholera infantum, and *scurvy* and *rickets* are both placed under the dietetic diseases. In the group of diseases of the nervous system, *inflammation of the brain or its membrane*, as used in the English tables, is much better than some of the terms under which diseases of this kind are classed in this country.

STATE OF MAINE.

LAWS RELATING TO THE REGISTRATION OF
VITAL STATISTICS, 1895.

Chapter 118. Laws of 1891, as Amended by Chapter 233, Laws of 1893,
and Chapter 154, Laws of 1895.

SECTION 1. The secretary of the State Board of Health shall be the registrar of vital statistics for the State, and shall furnish to clergymen, and others authorized to marry, to sextons, to physicians, town clerks, clerks of the society of Friends, and to clerks of courts, a copy of this act, and suitable blanks for recording births, marriages, deaths and divorces, so printed, with appropriate headings, as readily to show the following facts and such others as may be deemed necessary to secure an accurate registration.

I. The record of a birth shall state its date and place of occurrence, full Christian and surname, if named, color and sex of child, whether living or still-born, and the full Christian and surnames, color, occupation, residence and birthplace of parents.

II. The record of a marriage shall state its date and place of occurrence, the name, residence, and official character of the person by whom solemnized, the full Christian and surnames of the parties, the age, color, occupation, and residence of each, the condition, whether single or widowed, whether first, second or other marriage; and the full Christian and surnames, residence, color, occupation, and birthplace of their parents.

III. The record of a death shall state its date, the full Christian and surname of the deceased, the sex, color, condition, whether single or married, age, occupation, place of birth, place of death, the full Christian and surnames and birthplaces of parents, and the disease or other cause of death, so far as known.

SECTION 2. The attending physician, accoucheur, midwife, or other person in charge, who shall attend at the birth of any child, living or still-born, within the limits of any town or city in this State, shall report to the clerk of such town or city within six days thereafter, all the facts regarding such birth, as required in section one of this act.

SECTION 3. Every person authorized to unite persons in marriage shall make a record of every marriage solemnized before him, in conformity with the requisitions prescribed for blank records of marriages in section one of this act, and shall within six days thereafter, deliver or forward to the clerk of each town in which the marriage intention was recorded, a copy of such record of marriage.

SECTION 4. Whenever any person shall die, or any still-born child shall be brought forth in this State, the undertaker, town clerk, or other person superintending the burial of said deceased person, shall obtain from the physician attending at such bringing forth or last sickness, a certificate, duly signed, setting forth as far as may be, the facts required in the record of a death, according to section one of this act; and it shall be the duty of the undertaker, or other person having charge of the burial of said deceased person, to add to said certificate the date and place of the proposed burial; and having duly signed the same, to forward it to the clerk of the town or city, where said person died, and obtain a permit for burial; and in case of any contagious or infectious disease, said certificate shall be made and forwarded immediately.

SECTION 5. In the case of any deceased person not having had the attendance of a physician in his or her last sickness, the town clerk may issue and sign the certificate of death, upon presentation of such facts as may be obtained of relatives, persons in attendance upon said deceased person during said last sickness, or present at the time of death or from any other source, and the permit for burial shall be issued upon such information. Said certificate and permit shall not be required before burial in cases where it is impracticable to obtain the same within a reasonable time after death, but in all such cases, said certificate shall be obtained as soon as practicable after death.

SECTION 6. Parents shall give notice to the clerk of their city or town of the births or deaths of their children; every house-

holder shall give notice of every birth and death happening in his house; the eldest person next of kin shall give such notice of the death of his kindred; the keeper of a workhouse, house of correction, prison, hospital, almshouse, or other institution, and the master or other commanding officer of a ship, shall give like notice of every birth or death happening among the persons under his charge.

SECTION 7. Except as provided in section five, no interment or disinterment of the dead body of any human being, or disposition thereof in any tomb, vault or cemetery, shall be made without a permit as aforesaid, from the clerk of the town or city, where said person died, nor otherwise than in accordance with such permit. No undertaker or other person shall assist in, assent to, or allow any such interment or disinterment to be made, except as provided in section five, until such permit has been given as aforesaid; and it shall be the duty of every undertaker or other person having charge of any burial place as aforesaid, who shall receive such permit, to preserve and return the same to the clerk of the town within six days after the day of burial.

SECTION 8. The town or city clerk shall appoint two suitable and proper persons, in each town or city, as sub-registrars, who shall be authorized to issue burial permits based upon a death certificate, as hereinbefore provided, in the same manner as is required of the town or city clerk; and the said record of death upon which the permit is issued shall be forwarded to the town clerk within six days after receiving the same, and all permits by whomsoever issued shall be returned to the town clerk as required by section seven of this act. The appointment of sub-registrars shall be made with reference to locality, so as to best suit the convenience of the inhabitants of the town, and such appointment shall be in writing and recorded in the office of the town or city clerk.

SECTION 9. Town clerks and sub-registrars may issue burial permits to persons in contiguous towns, when by so doing it would be more convenient for those seeking a permit, but in all cases the permit shall be made returnable to the town clerk of the town in which the death occurred.

SECTION 10. The assessors shall, when taking the annual inventory, collect and return to the town clerk, before the first day of June, the births which have occurred within their respective

jurisdictions, during the year ending December thirty-first next preceding, together with the names of such children.

SECTION 11. The clerk of every town shall keep a chronological record of all births, marriages, and deaths reported to him, and shall annually, in the month of June, transmit a copy of the record of all births, marriages, and deaths occurring during the year ending December thirty-first next preceding such said report, to the state registrar, together with the names, residences, and official stations of all such persons as have neglected to make returns to him in relation to the subject matters of such records, which the law required them to make, all to be made upon blanks to be prepared and furnished by the state registrar.

SECTION 12. The clerk of courts for the several counties shall, annually, during the month of February, make returns to the registrar of vital statistics in relating to libels for divorce in their respective counties for the calendar year next preceding. Such returns shall specify the following details; the number of divorces granted, and the names of the parties including the maiden name, and any other former name of female, if any, when ascertainable.

SECTION 13. The state registrar shall cause the returns made to him in pursuance of the preceding sections eleven and twelve to be arranged alphabetically for convenient reference, and carefully preserved in his office. He shall annually make and publish a general abstract and report of the returns of the preceding year in such form as will render them of practical utility, not more than two thousand five hundred copies of which shall be printed and bound in cloth, one copy of which shall be forwarded to every town, one copy to each senator and representative, one copy to each state and territory in the union, and the remainder to such departments, libraries and persons as the state registrar shall direct.

SECTION 14. The sum of twenty-five hundred dollars per annum, or as much thereof as may be necessary, is hereby appropriated for printing and binding the circulars and blanks, for postage, and to defray the expenses of clerical work in carrying out the provisions of this act.

SECTION 15. The town clerk's record of any birth, marriage or death, or a duly certified copy thereof, shall be *prima facie* evidence of such birth, marriage or death, in any judicial proceeding.

SECTION 16. If any person shall willfully neglect or refuse to perform any duty imposed upon him by the provisions of this act, it shall be a misdemeanor, and he shall be fined not more than one hundred dollars for each offense, for the use of the town in which the offense occurred, and it shall be the duty of the state registrar to enforce this section as far as comes within his power, and when the state registrar knows, or has good reason to believe, that any penalty or forfeiture under this act has been incurred, he shall at his discretion forthwith give notice thereof, in writing, to the county attorney of the county in which said penalty or forfeiture has occurred, which notice shall state as near as may be, the time of such neglect, the name of the person or persons incurring the penalty or forfeiture, and such other facts relating to the default of duty as said state registrar may have been able to learn, and upon receipt of such notice the county attorney shall prosecute the defaulting person or persons.

SECTION 17. The clerk of each city or town shall be paid by such city or town for receiving, recording and returning the facts required to be recorded by this act, the sum of fifteen cents for each birth, marriage and death, and for each birth or death duly reported to the town clerk, physicians shall receive twenty-five cents from the town in which the birth or death has occurred. It shall be the duty of the town clerk to enforce, so far as comes within his power, sections three, four, six, seven and ten, of chapter one hundred and eighteen, laws of eighteen hundred and ninety-one, and when he knows of any birth, marriage or death, which is not reported to his office in accordance with the provisions of said chapter, he shall collect, so far as he is able to do so, the facts called for in the blank certificates of birth, of marriage, or of death, as furnished by the state registrar, and shall record them as is prescribed in said chapter one hundred and eighteen; and for every birth, marriage or death thus collected and recorded he shall receive from the town the sum of twenty-five cents.

SECTION 18. This act shall take effect and be in force on and after the first day of January, eighteen hundred and ninety-two, and all acts and parts of acts inconsistent with this act, are hereby repealed. [Approved March 30, 1891.]

SECTION 19. A physician who has attended a person during his last illness shall, when requested, forthwith furnish for registration

a certificate stating, to the best of his knowledge and belief, the name of the deceased, his age, the disease of which he died, and the date of his death; and a physician or midwife who has attended at the birth of a child dying immediately thereafter, or at the birth of a still-born child, shall, when requested, forthwith furnish for registration a certificate, stating to the best of his knowledge and belief, the fact that such child died after birth or was born dead. It shall be a misdemeanor for any person to make a false return in regard to any birth or death.

SECTION 20. When a birth, marriage or death occurs in an unincorporated place, it shall be reported to the town clerk in the town which is nearest to the place at which the birth, marriage or death took place, and shall be recorded by the town clerk to whom the report is made; and all such reports and records shall be made and recorded and returned to the state registrar as is provided in chapter one hundred and eighteen, laws of eighteen hundred and ninety-one.

SECTION 21. The clerk of each town shall, on the first Monday of each month, make a certified copy of the record of all deaths and births recorded in the books of said town during the previous month, whenever the deceased person, or the parents of the child born were resident in any other town in this State at the time of said death or birth, or whenever they were recently resident in any other town, or whenever the remains of any deceased person have been carried to any other town for burial; and shall transmit said certified copies to the clerk of the town in which said deceased person or parents were resident at or near the time of said birth or death, or to which the remains of such deceased person have been carried for burial, stating in addition the name of the street and the number of the house, if any, where such deceased person or parents so resided, whenever the same can be ascertained; and the clerk so receiving such certified copies shall record the same in the books kept for recording deaths or births.

Such certified copies shall be made upon blanks to be furnished for that purpose by the registrar of vital statistics.

SECTION 22. No body of a deceased person whose death was caused by cholera, yellow fever, diphtheria, scarlet fever, typhus fever, typhoid fever, small pox or other pestilential disease, shall be removed from place to place in this State by any railroad, steam-

boat or other common carrier, unless there shall be attached to the outer case in which said body is inclosed, a certificate from the board of health where such person died, stating the disease causing such death, and that necessary precautions against infection satisfactory to said board have been observed. It is further provided, that a certificate of death giving heart failure as the only cause of death shall not be deemed sufficient upon which to issue a burial permit, and such certificate must be returned to the physician who made it for the proper correction and definition. If the body of a deceased person is brought into this state from without for burial, and if it is accompanied by a permit issued by the legally constituted authorities of the state from which it was brought, such permit shall be received as sufficient authority upon which the clerk of the town in which said body is to be buried shall issue a permit for burial; but if it is not accompanied by such permit, then the person or persons in charge of it shall apply for a burial permit to the clerk of the town in which it is to be buried, and the clerk of the town shall issue such permit when furnished with satisfactory information.

SECTION 23. The provisions of this act shall be enforced, and violation hereof shall be punished, as provided by section sixteen of chapter one hundred and eighteen of the public laws of eighteen hundred and ninety-one, unless otherwise provided for by law.

SECTION 24. All acts and parts of acts inconsistent with this act, are hereby repealed.

[Approved March 26.]

LIST OF TABLES.

	PAGE
Table No. 1.—Population of the State by Counties in 1890 and in 1880.....	7
Table No. 2.—Population of Maine, 1890: Distribution by Age and Sex	8
Table No. 3.—Distribution of the Population by Sexes: New England States.....	9
Table No. 4.—Density of the Population: New England States.	9
Table No. 5.—Density of the Population: Counties of Maine...	10
Table No. 6.—Population of 1890; Births, Marriages, and Deaths with the Rate of Each to 1,000 of population for the year ending December 31, 1894.....	11
Table.—Summary of Births, Marriages, and Deaths	12
Table No. 7.—Births and Deaths in each County	13
Table No. 8.—Births and Deaths in the Cities	14
Table No. 9.—The Number of Towns in each County in which the Births exceed the Deaths, and vice versa...	15
Table No. 10.—Births, Marriages, and Deaths by Counties and Towns	16-69
Table No. 11.—Births, Marriages, and Deaths by Counties.....	70-71
Table No. 12.—Births and Birth-Rates by Counties, for the years 1892-94	72
Table No. 13.—Births by Counties, showing the proportion of males to females	73
Table No. 14.—Births by Sex and Months. by Counties.....	74
Table No. 15.—Births in Cities, with the rate per 1,000 population.	75
Table No. 16.—Percentage of American and Foreign Births by Counties	76
Table No. 17.—Percentage of American and Foreign Births by Cities	77
Table No. 18.—Twin Births by Months and Counties	78
Table No. 19.—Twin Births by Sex and Parentage, by Counties..	79
Table No. 20.—Still-Births by Sex and Parentage, by Counties...	80
Table No. 21.—Still-Births by Seasons	81
Table No. 22.—Marriages and Marriage-Rates by Counties for the years 1892-94.....	84
Table No. 23.—Marriages by Counties and Nativity.....	85
Table No. 24.—Marriages by Months and Counties.....	86
Table No. 25.—Marriages by Ages and Counties.....	87
Table No. 26.—Interesting Facts in Relation to Marriage.....	88-89

	PAGE
Table No. 27.—Divorces decreed by the Supreme Court of Maine in the year 1894.....	92-93
Table No. 28.—Divorces by Causes, Sex of Libellants, and the number of years married	94
Table No. 29.—Deaths and Death-Rates by Counties for the years 1892-94	96
Table No. 30.—Number of Deaths in each Month of 1892, 1893, and 1894, with Monthly Ratio compared with a Standard of 100	97
Table No. 31.—The Number of Deaths in the State and in each County, arranged by Classes and Groups.....	98-105
Table No. 32.—Deaths in each Town from Special Causes, mostly Infectious Diseases.....	106-145
Table No. 33.—Deaths in each Town from Certain Diseases and Groups of Diseases.....	146-185
Table No. 34.—Deaths by Ages, Sex, and Months by Counties ...	186-187
Table No. 35.—Number of Deaths from Several Specified Causes, of each Sex, in each Month, which were registered during the three years 1892-94.....	188
Table No. 36.—Mortality by Months, reduced to a Standard Mean of 100: Three years 1892-94.....	189
Table.—Mortality from Ten Prominent Causes, 1892-94	192
Table.—Zymotic Death-Rates: New England States.....	193
Table.—Seven Zymotic Diseases by Counties	194
Table.—Zymotic Diseases by Cities	195
Table.—Measles by Counties, Months, and Age-Periods.....	196
Table.—Scarlet Fever by Counties, Months, and Age-Periods....	197
Table.—Influenza by Counties and Months	198
Table.—Whooping Cough by Counties, Months, and Age-Periods.	199
Table.—Diphtheria by Counties and Months	200
Table.—Croup by Counties and Months	201
Table.—Cerebro-Spinal Meningitis by Counties, Months, and Age-Periods	202
Table.—Typhoid Fever by Counties and Months.....	203
Table.—Consumption by Counties and Months	205
Table.—Infantile Diarrhea by Counties and Months	207
Table.—Rheumatism by Counties, Months, and Age-Groups.....	209
Table.—Cancer by Counties and Age-Groups.....	210
Table.—Old Age by Counties	211
Table.—Apoplexy by Counties, Months, and Age-Periods.....	213
Table.—Diseases of the Heart by Ages and by Sex.....	214
Table.—Diseases of the Heart by Counties	214
Table.—Pneumonia by Counties and Months	216
Table.—Bronchitis by Counties and Months.....	217
Table.—Peritonitis by Counties, Months, and Age-Periods.....	218
Table.—Bright's Disease by Counties	219
Table.—Suicides by Ages, Months, and Counties.....	221

INDEX.

	PAGE
Accidents.....	220
Ages and mortality.....	191
Apoplexy.....	212
by counties, months, and age-periods.....	213
Appendicitis.....	218
Birth-rate.....	11, 12, 82
Births and birth-rates by counties.....	72
Births by counties showing proportion of males to females.....	73
by sex and months, by counties.....	74
in cities, with rate.....	75
marriages and deaths in each county.....	70
in each town.....	16-69
notes on.....	82
parentage.....	82
percentage of American and foreign, by cities.....	77
by counties.....	76
relation of, to deaths.....	13, 14, 15
season and.....	83
Bright's disease.....	219
by counties.....	219
Bronchitis.....	216
by counties and months.....	217
Cancer.....	209
by counties and age-groups.....	210
Causes of death.....	191
Classification of the causes of death.....	222
Centenarians.....	211
Cerebro-spinal meningitis.....	201
by counties, months, and age-periods ..	202
Childbirth.....	219
Cirrhosis of the liver.....	218
Constitutional diseases.....	208
Consumption by counties and months.....	205
Croup.....	200
by counties and months.....	201

	PAGE
Death-rate	11, 12
Death-rates	190
compared	190
Deaths and death-rates by counties	96
by ages, sex and months, by counties	186
classification by causes	98-105
from several specified causes, by sex and month, 1892-94..	188
in each town from certain diseases and groups of diseases	146-185
from special causes, mostly infectious dis-	
eases	106-145
number of, in 1892-93-94, with monthly ratio	97
Diabetes	210
Diarrheal diseases	205
Dietetic diseases	208
Diphtheria	199
by counties and months	200
Diseases of the digestive system	218
heart	213
by counties	214
nervous system	212
respiratory system	214
urinary system	219
Divorces by causes, sex of libellants, etc	94
for the year 1894	92
notes on	95
Epilepsy	213
Hemiplegia	213
Homicide	220
Infantile diarrhea	206
by counties and months	207
Infectious diseases	195
Inflammation of the brain and membranes	212
Influenza	197
by counties and months, deaths from	198
Laws relating to the registration of vital statistics	235
Malarial diseases	203
Map of the State of Maine	5
Marriage, interesting facts in relation to	88
Marriage-rate	11, 12
Marriages and marriage-rates by counties	84
by ages and counties	87
by counties and nativity	85
by months and counties	86
notes on	90

	PAGE
Measles.....	196
by counties, months, and age-periods.....	196
Mortality by months reduced to a standard mean of 100, 1892-94..	189
from ten prominent causes, 1892-94.	192
Nephritis	219
Notes to accompany classification of the causes of death.....	229
Old age.....	210
by counties.....	211
Paralysis.....	213
Peritonitis	218
Pleurisy	217
Pneumonia	215
by counties and months.....	216
Population.....	7
comparative density of, in New England States.....	9
density of, in Maine	10
distribution by age and sex.	8
gain or loss in each county	7
Rheumatism	208
by counties, months, and age-groups	209
Scarlet fever.....	196
by counties, months, and age-periods.....	197
Seasons and mortality.....	190
Septic diseases.....	207
Sex and mortality.....	191
distribution of population by	9
Small-pox	196
Softening of the brain.....	213
Still-births.....	83
by seasons.....	81
by sex and parentage.....	80
Suicide	220
by ages, months, and counties.....	221
Summary of births, marriages and deaths.....	12
Tetanus.....	202
Tuberculosis	204
cerebral.....	204
mesenteric	205
other forms.....	205
pulmonary	204
Twin births.....	83
by months and counties.....	78
by sex and parentage.....	79

	PAGE
Typhoid fever.....	202
by counties and months.....	203
Vital Statistics, laws relating to	235
Whooping cough.....	199
by counties, months, and age-periods.....	199
Zymotic death-rates.....	193
diseases.....	192
by cities.....	195
by counties.....	194