

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

Public Documents of Maine:

BEING THE

ANNUAL REPORTS

OF THE VARIOUS

Departments  Institutions

FOR THE YEAR

1898.

VOLUME IV.

AUGUSTA
KENNEBEC JOURNAL PRINT
1900

Kennebec Museum

FIFTH ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES,
AND DEATHS

IN THE

STATE OF MAINE

FOR THE

YEAR ENDING DECEMBER 31, 1896.

AUGUSTA
KENNEBEC JOURNAL PRINT
1898.

DEPARTMENT OF VITAL STATISTICS.

OFFICE OF THE REGISTRAR,
AUGUSTA, ME., July 27, 1898.

To His Excellency, Llewellyn Powers, Governor, and the
Honorable Executive Council:

GENTLEMEN—In accordance with the provisions of the law, I
have the honor of submitting to you the Fifth Annual Report
relating to the births, marriages, divorces, and deaths which
were registered in Maine in the year 1896.

Very respectfully,

A. G. YOUNG, M. D.,
Registrar of Vital Statistics.

REGISTRATION REPORT, 1896.

In 1896, the registration year covered by this, the fifth report of the Department of Vital Statistics, the number of births, 15,429, was just one smaller than in the preceding year. The number of births registered in each of the five registration years, from 1892 to 1896, was respectively 14,028, 14,604, 14,607, 15,430, and 15,429. There was, therefore, before 1896, a continuous increase in the number.

The number of marriages in 1896 was 5,579, a number 150 smaller than in the preceding year. The number of marriages recorded in the State in 1892 was 5,726; in 1893, 5,795; in 1894, 5,594; in 1895, 5,729; and in 1896, 5,579. Thus in the fluctuation of the number of marriages, there is not exhibited the marked tendency upward as is shown in the births from year to year, or downward as with the figures representing the mortality in the State.

In 1896 the number of deaths recorded in the State was 10,626. This was 162 more than in the preceding year. The number of deaths in each year thus far recorded, is: in 1892, 12,147; in 1893, 11,134; in 1894, 11,012; in 1895, 10,464; in 1896, 10,626. There were therefore 1,013 fewer deaths in 1893 than there were in the "influenza year" 1892; 122 fewer in 1894 than in 1893; and 548 fewer in 1895 than in the preceding year.

This increase in the general mortality in 1896 was not due to a greater prevalence of the infectious diseases generally, for a considerably smaller number of deaths is ascribed to these causes than in the preceding year, but it is due mostly to a greater number of deaths from diseases of the heart, nephritis and Bright's disease, paralysis, and cancer. Among the infectious diseases a notable prevalence of measles and whooping

cough, increased the number of deaths from the former disease by 24, and from the latter by 29. On the other hand the number of deaths from diphtheria in 1896 was 26 smaller than in 1895, and from influenza 35, and from tuberculosis 38 smaller. Among the causes of death that were less operative in 1896 may be noted rheumatism, diseases of the nervous system, and pneumonia. Table No. 1 gives a cursory view of the relative mortality from some of the leading causes of death in 1895 and 1896.

TABLE No. 1.
Deaths from some of the Leading Causes.

Diseases.	1895.	1896.	More in 1895.	More in 1896.
Measles.....	8	32	-	24
Scarlet fever.....	25	33	-	8
Influenza.....	152	117	35	-
Whooping cough.....	82	111	-	29
Diphtheria.....	135	109	26	-
Croup.....	62	65	-	3
Cerebro-spinal meningitis.....	29	33	-	4
Tetanus.....	10	8	2	-
Typhoid fever.....	185	186	-	1
Tuberculosis.....	1,397	1,359	38	-
Diarrheal diseases.....	635	639	-	4
Rheumatism.....	56	44	12	-
Cancer.....	480	518	-	38
Diabetes.....	77	67	10	-
Diseases of nervous system.....	1,585	1,520	65	-
Diseases of heart.....	948	1,036	-	88
Pneumonia.....	812	781	31	-
Bronchitis.....	225	220	5	-
Peritonitis.....	125	116	9	-
Nephritis and Bright's disease.....	324	400	-	76

Population.—The population of the State of Maine in 1890 was, as given by the eleventh census, 661,086. In 1880, the population of the State was 648,936. There was, therefore, a gain of 12,150 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1880 and in 1890, and the gain or loss in each:

TABLE No. 2.
Population in 1890 and 1880.

Counties.	1890.	1880.	Difference.
Androscoggin.....	48,968	45,042	3,926 gain
Aroostook.....	49,589	41,700	7,889 gain
Cumberland.....	90,949	86,359	4,590 gain
Franklin.....	17,053	18,180	1,127 loss
Hancock.....	37,312	38,129	817 loss
Kennebec.....	57,012	53,058	3,954 gain
Knox.....	31,473	32,803	1,390 loss
Lincoln.....	21,996	24,821	2,825 loss
Oxford.....	30,586	32,627	2,041 loss
Penobscot.....	72,865	70,476	2,389 gain
Piscataquis.....	16,134	14,872	1,262 gain
Sagadahoc.....	19,452	19,272	180 gain
Somerset.....	32,627	32,333	294 gain
Waldo.....	27,759	32,463	4,704 loss
Washington.....	44,482	44,484	2 loss
York.....	62,829	62,257	572 gain
State.....	661,086	648,936	12,150 gain

TABLE No. 3.
Births, Marriages, and Deaths, 1892-96.

State.	1892.	1893.	1894.	1895.	1896.
Number of births.....	14,028	14,604	14,607	15,430	15,429
Number of marriages.....	5,726	5,795	5,594	5,729	5,579
Number of deaths.....	12,147	11,134	11,012	10,464	10,626
Birth rate.....	21.21	21.04	21.09	22.33	22.23
Marriage rate.....	8.56	8.76	8.46	8.67	8.44
Death rate.....	18.37	16.84	16.66	15.83	16.07

Birth, Marriage, and Death Rates.—In this report the birth-rates, marriage-rates, and death-rates from all causes, are stated as so many among each 1,000 of the population as shown by the census of 1890.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 4.

Population of 1890; Births, Marriages, and Deaths, with Rate of each to 1,000 of Population for the Year Ending December 31, 1896.

Counties.	Population 1890.	Births.	Birth-rate per 1,000.	Marriages.	Marriage-rate per 1,000 per- sons married.	Deaths.	Death-rate per 1,000.
Androscoggin	48,968	1,216	24.83	461	18.82	889	18.15
Aroostook	49,589	1,780	36.21	483	19.48	677	13.77
Cumberland.....	90,949	2,252	24.76	770	16.94	1,670	18.36
Franklin.....	17,053	397	23.55	156	18.30	301	17.85
Hancock.....	37,312	768	20.78	303	16.24	527	14.26
Kennebec.....	57,012	1,103	19.35	506	17.76	1,052	18.45
Knox.....	31,473	626	19.91	258	16.38	511	16.25
Lincoln.....	21,996	351	15.96	166	15.10	317	14.41
Oxford.....	30,586	565	18.61	252	16.48	446	14.68
Penobscot.....	72,865	1,531	21.07	682	18.72	1,169	16.09
Piscataquis.....	16,134	316	20.24	152	18.84	195	12.49
Sagadahoc.....	19,452	368	18.92	136	13.98	299	15.37
Somerset.....	32,627	612	18.95	261	16.00	452	13.99
Waldo.....	27,759	365	13.15	197	14.20	375	13.51
Washington.....	44,482	971	22.28	348	15.64	617	14.16
York.....	62,829	1,472	23.43	448	14.26	1,129	17.97
State.....	661,086	14,693	22.23	5,579	16.88	10,626	16.07

The following is a general summary of the births, marriages, and deaths in 1896:

BIRTHS.

Sex.		Parentage.	
Males	7,527	American	9,159
Females	7,148	Foreign.....	3,054
Not stated.....	18	One parent foreign.....	2,332
	<u>14,693</u>	Not stated.....	<u>148</u>
			<u>14,693</u>
Whole number of births.....		14,693	
Birth-rate per 1,000.....		*22.23	

*Birth-rates, marriage-rates, and death-rates based on the population for 1890.

MARRIAGES.

Groom and bride both American.....	4,051
Groom and bride both foreign.....	622
Groom American, bride foreign.....	387
Groom foreign, bride American.....	466
Not stated.....	<u>53</u>
Whole number of marriages.....	5,579
Marriage-rate per 1,000.....	8.44

DEATHS.

Sex.		Parentage.	
Males	5,350	American	9,176
Females	5,268	Foreign.....	1,221
Not stated	8	Not stated.....	<u>229</u>
	<u>10,626</u>		<u>10,626</u>
Whole number of deaths		10,626	
Death-rate per 1,000.....		16.07	

Relation of Births to Deaths.—As the total number of births registered in Maine in the year 1896 was 15,429 and the number of deaths was 10,626, the natural increase of births over deaths was 5,203.

The following table shows the number of births and deaths in each county, and the preponderance of births over deaths. In none of the preceding registration years until 1895 was the number of births greater than the number of deaths in every county in the State.

TABLE No. 5.

Counties.	Population in 1890.	Births.	Deaths.	Difference.
Androscoggin.....	48,968	1,216	889	327 gain
Aroostook.....	49,589	1,780	677	1,103 gain
Cumberland....	90,949	2,252	1,670	582 gain
Franklin.....	17,053	397	301	96 gain
Hancock.....	37,312	768	527	241 gain
Kennebec.....	57,012	1,103	1,052	51 gain
Knox.....	31,473	626	511	115 gain
Lincoln.....	21,996	351	317	34 gain
Oxford.....	30,586	565	446	119 gain
Penobscot.....	72,865	1,531	1,169	362 gain
Piscataquis.....	16,134	316	195	121 gain
Sagadahoc.....	19,452	368	299	69 gain
Somerset.....	32,627	612	452	160 gain
Waldo.....	27,759	365	375	10 loss
Washington.....	44,482	971	617	354 gain
York.....	62,829	1,472	1,129	343 gain
State.....	661,086	14,693	10,626	4,067 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following:

TABLE No. 6.

Cities.	Population in 1890.	Births.	Deaths.	Difference.
Auburn	11,250	215	156	59 gain
*Augusta.....	10,527	210	292	82 loss
Bangor.....	19,103	383	337	46 gain
Bath.....	8,723	161	132	29 gain
Belfast.....	5,294	54	72	18 loss
Biddeford.....	14,443	563	329	234 gain
Brewer.....	4,193	134	85	49 gain
Calais.....	7,290	232	151	81 gain
Deering.....	5,353	141	100	41 gain
Eastport.....	4,908	-	-	-
Ellsworth.....	4,804	54	72	18 loss
Gardiner.....	5,491	130	94	36 gain
Hallowell.....	3,181	59	49	10 gain
Lewiston.....	21,701	645	480	165 gain
Old Town.....	5,312	120	83	37 gain
Portland.....	36,425	920	719	201 gain
Rockland.....	8,174	158	149	9 gain
Saco.....	6,075	125	123	2 gain
Waterville.....	7,107	257	142	115 gain
Westbrook.....	6,632	269	116	153 gain
Total.....	195,986	4,830	3,681	1,149 gain

*Including 69 deaths in the Insane Hospital.

TABLE
Births, Marriages, and Deaths

ANDROSCOGGIN

TOWNS.	Population in 1890.	BIRTHS.										
		Sex.					Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.		American father and foreign mother.	
									American father.	Foreign father.	American mother.	Foreign mother.
Auburn	11,250	107	107	1	215	19.11	103	74	15	17	6	
Durham.	1,111	10	11	-	21	18.90	17	2	-	1	1	
East Livermore.....	1,506	13	24	1	38	25.23	18	10	3	6	1	
Greene.....	885	8	4	-	12	13.56	11	-	-	1	-	
Leeds	999	11	10	-	21	21.02	20	-	1	-	-	
Lewiston.	21,701	314	329	2	645	29.72	118	431	48	42	6	
Lisbon	3,120	55	53	-	108	34.62	44	48	8	8	-	
Livermore.....	1,151	7	2	-	9	7.82	7	1	1	-	-	
*Mechanic Falls.....	-	26	18	-	44	-	40	1	-	3	-	
Minot	1,355	6	10	-	16	11.81	11	2	1	2	-	
Poland	2,472	9	9	-	18	7.28	14	-	1	3	-	
Turner	2,016	17	20	-	37	18.35	32	2	2	1	-	
Wales	451	4	4	-	8	17.74	7	1	-	-	-	
Webster.....	951	12	12	-	24	25.24	15	4	3	2	-	
Total	48,968	599	613	4	1,216	24.83	457	576	83	86	14	

*Incorporated in 1893.

No. 7.
for the Year 1896.
COUNTY.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
67	2	2	4	-	75	76	79	1	156	125	23	8	13.87	
4	-	-	-	-	4	12	13	-	25	25	-	-	22.50	
34	2	-	3	-	39	18	7	-	25	20	4	1	16.60	
5	-	-	1	-	6	4	5	-	9	9	-	-	10.17	
10	-	1	1	-	12	3	5	-	8	8	-	-	8.01	
78	91	32	21	1	223	231	248	1	480	334	128	18	22.12	
17	10	2	2	-	31	31	23	-	54	45	7	2	17.31	
6	-	-	-	-	6	5	14	-	19	19	-	-	16.51	
23	-	1	-	-	24	12	16	-	28	28	-	-	-	
3	-	-	1	-	4	4	6	-	10	10	-	-	7.38	
12	-	1	-	-	13	17	8	-	25	25	-	-	10.11	
18	-	-	2	-	20	16	18	-	34	33	1	-	16.87	
-	-	-	-	-	-	-	2	-	2	2	-	-	4.43	
2	1	-	1	-	4	7	7	-	14	14	-	-	14.72	
279	106	39	36	1	461	436	451	2	889	697	163	29	18.15	

TABLE
Births, Marriages, and Deaths
AROOSTOOK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Arnity	420	6	3	-	9	21.43	4	2	1	2	-
Ashland.....	568	5	6	-	11	19.37	9	-	2	-	-
Bancroft.....	264	6	5	-	11	41.67	3	4	3	1	-
Benedicta.....	317	3	3	-	6	18.93	5	-	-	1	-
Blaine.....	784	15	19	-	34	43.37	9	12	6	7	-
Bridgewater.....	946	11	17	-	28	29.60	4	13	4	7	-
Caribou.....	4,087	90	84	-	174	42.57	66	32	43	31	2
Dyer Brook.....	221	4	4	-	8	36.20	7	-	1	-	-
Easton.....	978	4	11	-	15	15.34	7	5	2	1	-
Fort Fairfield.....	3,526	55	40	-	95	26.94	33	17	21	23	1
Fort Kent.....	1,826	52	53	-	105	57.50	53	15	16	18	3
Frenchville.....	2,560	107	71	-	178	69.53	162	1	5	8	2
Grand Isle.....	964	20	17	-	37	38.38	21	2	9	5	-
Haynesville.....	280	8	4	-	12	42.86	4	1	3	3	1
Hersey.....	151	4	5	-	9	59.60	7	-	-	2	-
Hodgdon.....	1,113	13	11	-	24	21.56	12	2	4	4	2
Houlton.....	4,015	36	34	-	70	17.43	22	23	11	14	-
Island Falls.....	223	17	15	-	32	143.49	12	10	4	6	-
Limestone.....	933	23	15	-	38	40.73	15	9	3	10	1
Linneus.....	965	6	5	-	11	11.40	3	1	5	2	-
Littleton.....	924	14	6	-	20	21.65	10	5	2	3	-
Ludlow.....	375	3	3	-	6	16.00	-	1	3	2	-
Madawaska.....	1,451	29	26	-	55	37.90	47	1	1	6	-
Mapleton.....	832	14	15	-	29	34.86	19	2	3	4	1

No. 7—Continued.
for the Year 1896.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	4	4	-	8	7	1	-	19.05
2	-	-	3	-	5	3	1	-	4	3	1	-	7.04
1	-	1	1	-	3	2	1	-	3	3	-	-	11.36
4	-	-	2	-	6	4	5	-	9	9	-	-	28.39
4	4	3	4	-	15	11	11	-	22	14	8	-	28.06
-	4	-	2	-	6	4	4	-	8	6	2	-	8.46
29	9	7	13	-	58	36	30	-	66	57	9	-	16.15
-	-	-	-	-	-	4	2	-	6	5	1	-	27.15
4	-	2	2	-	8	3	3	-	6	3	3	-	6.13
15	8	6	8	-	37	22	11	-	33	25	8	-	9.36
9	1	1	8	-	19	23	18	-	41	31	10	-	22.45
26	1	3	4	-	34	38	15	-	53	44	8	1	20.70
5	2	-	1	-	8	13	8	-	21	20	1	-	21.78
-	-	-	-	-	-	5	-	-	5	5	-	-	17.85
1	-	1	-	-	2	-	1	-	1	1	-	-	6.62
4	2	3	2	-	11	6	4	-	10	6	4	-	8.98
18	25	8	15	2	68	16	24	-	40	32	7	1	9.96
5	1	-	1	-	7	7	4	-	11	9	2	-	49.33
4	2	1	-	-	7	6	4	-	10	9	1	-	10.72
2	-	1	1	-	4	7	5	-	12	7	4	1	12.44
1	2	2	3	-	8	6	8	-	14	6	8	-	15.15
-	1	1	2	-	4	3	1	-	4	3	1	-	10.67
3	-	-	-	-	3	2	4	-	6	6	-	-	4.14
3	1	-	2	1	7	4	6	-	10	8	1	1	12.02

TABLE
Births, Marriages, and Deaths

AROOSTOOK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Mars Hill	837	14	15	-	29	34.65	9	3	6	11	-
Masardis.....	250	3	5	-	8	32.00	6	1	1	-	-
Monticello.....	1,132	15	16	-	31	27.39	4	11	4	11	1
New Limerick.....	567	8	6	-	14	24.69	6	6	1	1	-
New Sweden.....	707	12	11	-	23	32.53	3	17	1	2	-
Orient	244	3	3	-	6	24.59	2	-	1	2	1
Presque Isle.....	3,046	54	61	-	115	37.75	55	33	10	15	2
Sherman	909	20	17	-	37	40.70	29	1	5	1	1
Smyrna	303	7	10	-	17	56.11	6	3	4	4	-
Van Buren.....	1,168	19	24	-	43	36.82	27	3	9	4	-
Washburn	1,097	23	25	-	48	43.76	30	7	8	3	-
Weston	404	6	8	-	14	34.65	5	4	5	-	-
Woodland.....	885	11	9	-	20	22.60	11	2	2	5	-
Allagash Pl.....	200	1	1	-	2	10.00	2	-	-	-	-
Cary Pl.....	390	6	7	-	13	33.33	9	-	3	1	-
Castle Hill Pl.....	537	5	6	-	11	20.48	7	1	1	2	-
Caswell Pl.....	212	11	5	-	16	75.47	6	8	2	-	-
Chapman Pl.....	231	3	7	-	10	43.29	3	5	2	-	-
Connor Pl.....	526	13	10	-	23	43.73	4	3	7	9	-
Crystal Pl.....	297	4	7	-	11	37.04	7	1	2	1	-
Cyr Pl.....	429	12	15	-	27	62.94	17	4	4	2	-
Eagle Lake Pl.....	313	9	4	-	13	41.53	13	-	-	-	-
Garfield Pl.....	86	1	1	-	2	23.26	1	1	-	-	-
Glenwood Pl.....	183	1	2	-	3	16.39	2	-	1	-	-
Hamlin Pl.....	484	16	16	-	32	66.12	19	1	1	11	-
Hammond Pl.....	109	1	-	-	1	9.17	1	-	-	-	-

No. 7—Continued.
for the Year 1896.
COUNTY—CONTINUED.

MARRIAGES.						DEATHS.						Death rate per 1,000.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
3	2	2	1	-	8	3	4	-	7	4	3	-	8.36
2	-	-	1	-	3	-	-	1	1	1	-	-	4.00
2	6	3	2	-	13	8	12	-	20	12	8	-	17.67
-	-	-	-	-	-	1	4	-	5	3	2	-	8.82
5	-	-	1	-	6	1	3	-	4	-	4	-	5.66
2	-	-	-	-	2	-	3	-	3	2	1	-	12.30
13	4	4	6	1	28	21	20	-	41	29	12	-	13.46
7	1	3	1	-	12	6	5	-	11	11	-	-	12.10
4	2	1	3	-	10	1	2	-	3	3	-	-	9.90
7	-	-	2	1	10	13	9	-	22	22	-	-	18.84
9	2	-	4	-	15	10	7	-	17	15	2	-	15.50
-	-	-	-	-	-	1	3	-	4	4	-	-	9.90
-	-	-	1	-	1	5	6	-	11	8	3	-	12.43
3	-	-	-	-	3	1	1	-	2	1	1	-	10.00
-	-	-	-	-	-	3	1	-	4	3	1	-	10.26
3	-	1	1	-	5	2	-	-	2	2	-	-	3.72
-	-	-	-	-	-	4	2	-	6	3	3	-	28.30
-	-	-	-	-	-	-	4	-	4	3	1	-	17.32
-	-	-	-	-	-	8	5	-	13	9	4	-	24.71
1	-	-	-	-	1	6	-	-	6	4	2	-	20.20
-	-	-	-	-	-	4	4	-	8	7	1	-	18.65
-	-	-	-	-	-	1	-	-	1	1	-	-	3.19
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	1	-	1	-	1	1	-	-	5.46
-	-	-	-	-	-	6	2	-	8	8	-	-	16.53
-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE
Births, Marriages, and Deaths

AROOSTOOK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Macwahoc Pl.....	216	6	4	-	10	46.30	5	-	3	2	-
Merrill Pl.....	244	2	4	-	6	24.59	6	-	-	-	-
Molunkus Pl.....	77	1	-	-	1	12.99	1	-	-	-	-
Moro Pl.....	199	2	4	-	6	30.15	4	-	2	-	-
New Canada Pl.....	301	10	10	-	20	66.45	5	4	3	7	1
Oakfield Pl.....	720	21	14	-	35	48.61	21	4	2	8	-
Oxbow Pl.....	94	1	3	-	4	42.55	4	-	-	-	-
Perham Pl.....	438	10	3	-	13	29.68	9	1	2	1	-
Portage Lake Pl.....	140	2	2	-	4	28.57	4	-	-	-	-
Reed Pl.....	203	8	3	-	11	54.19	5	2	4	-	-
Sheridan Pl.....	221	-	-	-	-	-	-	-	-	-	-
St. Francis Pl.....	461	7	8	-	15	32.54	11	-	1	3	-
St. John Pl.....	226	2	3	-	5	22.12	1	1	2	1	-
Silver Ridge Pl.....	195	1	2	-	3	15.38	2	1	-	-	-
Stockholm Pl.....	105	3	3	-	6	57.14	6	-	-	-	-
Wade Pl.....	158	5	2	-	7	44.30	4	-	1	1	1
Wallagrass Pl.....	595	14	16	-	30	50.42	25	-	4	1	-
Westfield Pl.....	166	3	4	-	7	42.17	4	1	-	2	-
Westmanland Pl.....	52	3	2	-	5	96.15	-	4	-	1	-
Winterville Pl.....	72	3	3	-	6	83.33	5	-	1	-	-
Total.....	* 49,152	927	853	-	1,780	36.21	940	291	257	272	20

* Population in unorganized plantations in 1890, 437.

No. 7—Continued.
for the Year 1896.
 COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	-	1	-	1	1	-	-	4.63
1	-	-	-	-	1	-	2	-	2	2	-	-	8.20
-	-	-	-	-	-	1	-	-	1	1	-	-	12.99
2	-	-	-	-	2	1	2	-	3	3	-	-	15.08
-	-	-	-	-	-	2	3	-	5	3	2	-	16.61
3	-	1	2	-	6	14	5	-	19	18	1	-	26.39
-	-	-	-	-	-	2	-	-	2	1	1	-	21.27
1	-	-	-	-	1	6	1	-	7	7	-	-	15.98
2	-	-	-	-	2	-	-	-	-	-	-	-	-
1	2	-	-	-	3	3	1	-	4	3	1	-	19.70
1	-	-	-	-	1	-	-	-	-	-	-	-	-
8	1	1	1	-	11	1	2	-	3	3	-	-	6.51
2	-	-	-	-	2	2	-	-	2	1	1	-	8.85
-	1	-	-	-	1	2	2	-	4	3	-	1	20.51
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	2	-	3	2	-	1	18.99
13	-	-	1	-	14	8	1	-	9	8	1	-	15.13
-	-	-	-	-	-	1	1	-	2	2	-	-	12.05
-	-	-	-	-	-	-	1	-	1	1	-	-	19.23
-	-	-	-	-	-	1	1	-	2	2	-	-	27.78
236	85	56	101	5	483	379	297	1	677	536	135	6	13.77

TABLE
Births, Marriages, and Deaths
CUMBERLAND

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin	932	7	9	-	16	17.17	15	-	-	1	-
Bridgton	2,605	18	24	-	42	16.12	39	-	2	1	-
Brunswick.....	6,012	105	101	-	206	34.26	66	118	9	13	-
Cape Elizabeth.....	5,459	8	8	-	16	2.93	12	-	2	2	-
Casco.....	844	9	9	-	18	21.32	17	-	1	-	-
Cumberland	1,487	11	15	-	26	17.48	23	1	1	1	-
Deering	5,353	74	67	-	141	26.34	92	30	11	4	4
Falmouth	1,580	15	12	-	27	17.09	18	8	-	1	-
Freeport	2,482	27	20	-	47	18.94	41	1	3	-	2
Gorham.....	2,888	32	22	-	54	18.70	42	6	3	3	-
Gray.....	1,517	14	12	-	26	17.14	26	-	-	-	-
Harpswell	1,766	19	23	-	42	23.78	36	-	2	4	-
Harrison	1,071	11	2	-	13	12.14	12	-	-	1	-
Naples	846	7	11	-	18	21.28	17	-	-	1	-
New Gloucester.....	1,234	15	15	2	32	25.93	25	2	2	3	-
North Yarmouth	709	9	10	-	19	26.80	15	1	-	3	-
Otisfield.....	838	5	7	-	12	14.32	12	-	-	-	-
Portland	36,425	472	446	2	920	25.26	394	319	86	111	10
Pownal.....	712	6	4	-	10	14.04	9	1	-	-	-
Raymond	927	8	8	-	16	17.26	15	-	1	-	-
Scarboro	1,794	16	22	-	38	21.18	25	4	4	5	-
Sebago.....	681	3	2	-	5	7.34	5	-	-	-	-
*South Portland.....	-	57	78	-	135	-	88	20	8	18	1
Standish	1,841	20	15	-	35	19.01	32	1	1	1	-
Westbrook.....	6,632	130	139	-	269	40.56	90	138	17	19	5
Windham	2,216	22	18	-	40	18.05	34	2	1	2	1
Yarmouth.....	2,098	13	16	-	29	13.82	26	1	1	1	-
Total	90,949	1,133	1,115	4	2,252	24.76	1,226	653	155	195	23

*Incorporated in 1895.

**No. 7—Continued.
for the Year 1896.
COUNTY.**

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
6	-	1	-	-	7	8	9	-	17	17	-	-	18.24
20	-	3	-	-	23	21	23	-	44	42	2	-	16.89
28	24	4	4	-	60	60	47	-	107	90	15	2	17.80
5	-	-	1	-	6	3	4	-	7	6	-	1	12.82
4	-	-	-	-	4	5	13	-	18	18	-	-	21.32
13	1	-	1	-	15	11	16	-	27	27	-	-	18.16
41	-	2	4	-	47	46	54	-	100	78	16	6	18.87
7	1	-	1	-	9	10	9	-	19	14	3	2	12.03
15	-	1	-	-	16	16	21	-	37	37	-	-	14.91
19	-	1	1	-	21	25	33	-	58	54	3	1	20.01
11	-	1	-	1	13	19	10	-	29	28	-	1	18.46
10	-	-	-	-	10	15	6	-	21	21	-	-	11.89
6	-	-	1	-	7	7	8	-	15	14	1	-	14.01
10	-	-	-	-	10	14	13	-	27	27	-	-	31.91
8	-	2	-	-	10	9	13	-	22	22	-	-	17.83
4	-	-	1	-	5	5	10	-	15	14	1	-	21.16
12	-	-	-	-	12	8	11	-	19	19	-	-	22.67
192	96	38	30	5	361	332	387	-	719	523	149	47	19.74
2	-	1	-	-	3	5	1	-	6	6	-	-	8.43
4	-	-	-	1	5	4	10	-	14	14	-	-	15.10
4	-	1	-	-	5	15	11	-	26	22	1	3	14.50
2	-	-	-	-	2	7	9	-	16	15	-	1	23.49
22	3	5	2	1	33	37	38	-	75	56	11	8	-
9	-	-	-	-	9	18	16	-	34	34	-	-	18.47
26	12	6	2	-	46	43	73	-	116	85	31	-	17.49
12	-	-	-	-	12	16	13	-	29	28	-	1	13.09
15	3	1	-	-	19	20	33	-	53	48	5	-	25.26
507	140	67	48	8	770	779	891	-	1,670	1,359	238	73	18.36

TABLE
Births, Marriages, and Deaths
FRANKLIN

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Avon	439	6	4	-	10	22.78	10	-	-	-	-
Carthage	390	5	5	-	10	25.64	10	-	-	-	-
Chesterville	770	5	10	-	15	19.48	15	-	-	-	-
Eustis	321	9	8	-	17	52.95	13	-	2	2	-
Farmington	3,207	38	28	-	66	20.58	45	10	6	5	-
Freeman	464	4	5	-	9	19.40	7	-	-	2	-
Industry	545	5	6	-	11	20.18	11	-	-	-	-
Jay	1,541	36	35	-	71	46.07	32	27	8	3	1
Kingfield.....	601	9	12	-	21	34.94	20	-	-	-	1
Madrid	441	6	6	-	12	27.21	11	-	-	-	1
New Sharon.....	1,064	11	12	-	23	21.62	23	-	-	-	-
New Vineyard.....	660	3	7	-	10	15.15	10	-	-	-	-
Phillips	1,394	14	16	-	30	21.52	27	1	-	1	1
Rangeley	616	6	6	-	12	19.48	12	-	-	-	-
Salem	218	1	3	-	4	18.34	3	-	-	1	-
Strong	627	2	6	-	8	12.76	6	-	-	1	1
Temple.....	470	3	3	-	6	12.77	6	-	-	-	-
Weld	885	10	11	-	21	23.73	18	1	1	1	-
Wilton	1,622	16	11	-	27	16.65	26	-	-	-	1
Coplin Pl.....	71	-	1	-	1	14.08	1	-	-	-	-
Dallas Pl	184	-	3	-	3	16.30	2	-	-	-	1
Greenvale Pl	52	-	-	-	-	-	-	-	-	-	-
Jerusalem Pl	18	2	-	-	2	111.11	2	-	-	-	-
Lang Pl	51	2	1	-	3	58.82	2	1	-	-	-
Perkins Pl.....	94	-	1	-	1	10.64	1	-	-	-	-
Rangeley Pl	58	2	-	-	2	34.48	2	-	-	-	-
Redington Pl.....	28	1	-	-	1	35.71	-	-	1	-	-
Washington Pl	29	-	1	-	1	34.48	1	-	-	-	-
Total.....*	16,860	196	201	-	397	23.55	316	40	18	16	7

* Population in unorganized plantations in 1890, 193.

**No. 7—Continued.
for the Year 1896.
COUNTY.**

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
2	-	-	-	-	2	5	2	-	7	7	-	-	15.95
-	-	-	-	-	-	3	4	-	7	7	-	-	17.94
5	-	-	-	-	5	6	5	-	11	10	-	1	14.29
-	-	-	1	-	1	2	3	-	5	5	-	-	15.58
30	-	1	2	-	33	29	34	-	63	60	3	-	19.64
1	-	-	-	-	1	1	3	-	4	4	-	-	8.62
4	-	-	1	-	5	2	5	-	7	6	-	1	12.84
9	6	1	4	-	20	22	13	-	35	32	3	-	22.71
5	-	-	1	-	6	4	3	-	7	7	-	-	11.65
2	-	-	-	-	2	1	3	-	4	4	-	-	9.07
10	-	-	-	-	10	4	11	-	15	15	-	-	14.10
3	-	-	-	-	3	6	4	-	10	10	-	-	15.15
20	-	-	-	-	20	7	19	-	26	26	-	-	18.65
7	-	-	-	-	7	11	5	-	16	16	-	-	25.97
1	-	1	-	-	2	1	2	-	3	3	-	-	13.76
3	1	-	-	-	4	7	2	-	9	9	-	-	14.35
5	-	-	-	-	5	6	3	-	9	6	1	2	19.15
4	-	-	1	-	5	7	9	-	16	11	5	-	18.08
19	2	-	2	-	23	16	17	-	33	31	1	1	20.35
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	3	4	-	7	7	-	-	38.04
1	-	-	-	-	1	-	1	-	1	1	-	-	19.23
-	-	-	-	-	-	1	-	-	1	1	-	-	55.56
-	-	-	-	-	-	2	1	-	3	3	-	-	58.82
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-	17.24
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-	34.48
131	9	3	13	-	156	146	155	-	301	283	13	5	17.85

TABLE
Births, Marriages, and Deaths

HANCOCK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst	375	6	4	-	10	26.67	7	-	2	-	1
Aurora	175	2	1	-	3	17.14	2	-	-	-	1
Bluehill	1,980	22	25	-	47	23.74	33	3	8	1	2
Brooklin	1,046	11	15	-	26	24.86	25	1	-	-	-
Brooksville.....	1,310	16	15	-	31	23.66	28	-	-	2	1
Bucksport	2,921	23	21	-	44	15.06	42	-	1	1	-
Castine.....	987	10	8	-	18	18.24	18	-	-	-	-
Cranberry Isles	330	2	2	-	4	12.12	4	-	-	-	-
Dedham	366	5	3	-	8	21.86	8	-	-	-	-
Deer Isle.....	3,422	47	53	-	100	29.22	94	1	5	-	-
Eastbrook	246	2	4	-	6	24.39	6	-	-	-	-
Eden	1,946	27	35	-	62	31.86	40	5	8	7	2
Ellsworth	4,804	33	21	-	54	11.24	46	1	3	4	-
Franklin	1,264	19	17	-	36	28.48	31	2	3	-	-
Gouldsboro.....	1,709	16	13	-	29	16.97	26	-	3	-	-
Hancock	1,190	14	11	-	25	21.01	20	1	3	1	-
Isle au Haut.....	206	6	1	-	7	33.98	7	-	-	-	-
Lamoine	726	4	5	-	9	12.40	9	-	-	-	-
Mariaville	271	2	2	-	4	14.76	4	-	-	-	-
Mount Desert	1,355	21	9	-	30	22.14	29	-	-	1	-
Orland	1,390	15	10	-	25	17.99	20	-	2	2	1
Otis	239	-	1	-	1	4.18	1	-	-	-	-
Penobscot	1,313	9	17	-	26	19.80	26	-	-	-	-

No. 7—Continued.
for the Year 1896.
COUNTY.

MARRIAGES.							DEATHS.						Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
5	-	-	-	-	5	3	1	-	4	4	-	-	10.67
2	-	-	-	-	2	1	5	-	6	6	-	-	34.29
12	-	-	-	-	12	12	12	-	24	23	1	-	12.12
5	-	-	-	-	5	5	4	-	9	8	1	-	8.60
11	-	-	-	1	12	8	8	-	16	16	-	-	12.21
21	-	1	-	-	22	22	19	-	41	41	-	-	14.04
11	-	-	1	-	12	8	14	-	22	22	-	-	22.29
3	-	-	-	-	3	3	-	-	3	3	-	-	9.09
1	-	-	-	-	1	5	4	-	9	6	1	2	24.59
18	-	4	-	-	22	34	28	-	62	60	1	1	18.12
-	-	-	-	-	-	2	1	-	3	3	-	-	12.20
32	-	4	7	-	43	23	24	-	47	37	1	9	24.15
28	2	6	1	2	39	37	35	-	72	66	5	1	14.99
11	-	-	1	-	12	5	7	-	12	11	1	-	9.49
12	-	-	1	-	13	14	5	-	19	19	-	-	11.12
7	-	-	-	-	7	6	9	-	15	14	-	1	12.61
1	-	-	-	-	1	3	2	-	5	5	-	-	24.27
1	-	-	-	-	1	3	4	-	7	7	-	-	9.64
3	-	-	-	-	3	1	2	-	3	3	-	-	11.07
7	-	1	2	-	10	7	14	-	21	20	1	-	15.50
9	-	1	-	-	10	6	9	-	15	15	-	-	10.79
-	-	-	-	-	-	1	1	-	2	2	-	-	8.37
6	-	-	-	-	6	6	4	-	10	10	-	-	7.62

TABLE
Births, Marriages, and Deaths

HANCOCK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Sedgwick	1,012	13	7	-	20	19.76	19	-	1	-	-
*Sorrento	-	-	-	-	-	-	-	-	-	-	-
Sullivan.....	1,379	11	10	-	21	15.23	16	1	1	3	-
Surry	986	13	5	-	18	18.26	17	-	-	1	-
Tremont	2,036	26	28	-	54	26.52	48	1	2	3	-
Trenton	528	2	5	-	7	13.26	7	-	-	-	-
Verona	323	2	1	-	3	9.29	3	-	-	-	-
Waltham.....	242	5	1	-	6	24.79	6	-	-	-	-
*Winter Harbor	-	5	8	-	13	-	11	1	1	-	-
Long Island Pl	132	2	3	-	5	37.88	4	-	1	-	-
Swan's Island Pl	632	5	9	-	14	22.15	12	1	1	-	-
No. 33 Pl.....	112	1	1	-	2	17.86	2	-	-	-	-
Total †	36,953	397	371	-	768	20.78	671	18	45	26	8

* Incorporated in 1895.

† Population in unorganized plantations in 1890, 359.

No. 7—Continued.
for the year 1896.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
4	-	-	-	-	4	10	7	-	17	17	-	-	16.80
1	-	-	-	-	1	-	-	-	-	-	-	-	-
11	-	-	-	-	11	6	7	-	13	11	2	-	9.43
8	-	-	-	-	8	9	7	-	16	16	-	-	16.23
19	-	-	3	-	22	13	14	-	27	26	1	-	13.26
2	-	-	-	-	2	3	1	-	4	4	-	-	7.58
-	-	-	-	-	-	2	3	-	5	5	-	-	15.48
1	-	-	-	-	1	3	2	-	5	4	1	-	20.66
3	-	-	1	-	4	2	2	-	4	4	-	-	-
2	-	-	-	-	2	-	-	-	-	-	-	-	-
4	-	1	-	-	5	4	1	-	5	5	-	-	7.91
1	-	-	1	-	2	2	2	-	4	3	1	-	35.71
262	2	18	18	3	303	269	258	-	527	496	17	14	14.26

TABLE
Births, Marriages, and Deaths
KENNEBEC

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion	1,042	4	10	-	14	13.42	13	1	-	-	-
Augusta	10,527	109	101	-	210	19.95	94	72	16	25	3
Belgrade	1,090	10	6	-	16	14.68	16	-	-	-	-
Benton	1,136	8	11	-	19	16.73	13	3	3	-	-
Chelsea	2,356	7	3	-	10	4.24	10	-	-	-	-
China	1,423	12	15	-	27	18.97	23	1	2	1	-
Clinton	1,518	7	17	-	24	15.81	19	2	1	2	-
Farmingdale	821	6	5	1	12	14.62	6	3	3	-	-
Fayette	649	5	7	-	12	18.49	10	1	-	1	-
Gardiner	5,491	76	54	-	130	23.49	77	29	8	16	-
Hallowell	3,181	34	25	-	59	18.55	37	10	3	7	2
Litchfield	1,126	9	6	-	15	13.32	12	-	2	1	-
Manchester	612	4	1	-	5	8.17	4	-	1	-	-
Monmouth	1,362	16	18	-	34	24.96	27	5	-	2	-
Mount Vernon	940	9	9	-	18	19.15	15	1	1	1	-
Oakland	2,044	14	8	-	22	10.76	21	1	-	-	-
Pittston	1,281	7	3	-	10	7.81	10	-	-	-	-
Randolph	1,281	10	9	-	19	14.83	11	3	3	2	-
Readfield	1,176	11	6	-	17	14.46	15	1	1	-	-
Rome	500	5	5	-	10	20.00	9	-	-	1	-
Sidney	1,334	7	5	-	12	9.00	12	-	-	-	-
Vassalboro	2,052	14	20	-	34	16.57	20	7	3	4	-

No. 7—Continued.
for the Year 1896.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	-	-	3	8	8	-	16	16	-	-	15.36
67	20	14	9	3	113	160	132	-	292	248	37	7	27.74
9	-	-	1	-	10	3	2	-	5	5	-	-	4.59
3	-	-	-	-	3	10	10	-	20	20	-	-	17.61
4	-	-	-	-	4	9	6	-	15	15	-	-	6.37
19	-	-	-	-	19	17	13	-	30	28	2	-	21.08
20	-	-	-	-	20	11	15	-	26	25	1	-	17.13
9	-	-	-	-	9	10	4	-	14	11	3	-	17.05
1	-	-	-	-	1	4	5	-	9	9	-	-	13.87
44	2	6	6	-	58	53	41	-	94	90	4	-	17.12
20	3	1	3	-	27	24	24	1	49	39	6	4	15.40
2	-	-	-	-	2	10	6	-	16	16	-	-	14.21
3	-	-	-	-	3	6	3	-	9	9	-	-	14.71
10	-	-	-	-	10	10	11	-	21	20	-	1	15.42
8	-	-	1	-	9	8	7	-	15	15	-	-	15.96
19	-	2	-	1	22	20	10	-	30	27	3	-	14.68
5	-	1	-	-	6	14	14	-	28	24	3	1	21.86
13	-	1	1	-	15	11	7	-	18	16	2	-	14.05
13	-	-	-	-	13	6	13	-	19	18	1	-	16.16
5	-	-	-	-	5	3	6	-	9	9	-	-	18.00
1	-	1	-	-	2	10	6	-	16	15	1	-	11.99
7	-	-	1	-	8	25	19	-	44	36	8	-	21.44

TABLE
Births, Marriages, and Deaths
KENNEBEC

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Vienna	495	5	3	-	8	16.16	8	-	-	-	-
Waterville.....	7,107	125	131	1	257	36.16	95	88	28	44	2
Wayne	775	5	6	-	11	14.19	8	-	1	2	-
West Gardiner	853	3	2	-	5	5.86	5	-	-	-	-
Windsor	853	7	10	-	17	19.93	15	-	-	2	-
Winslow	1,814	15	17	-	32	17.64	8	22	2	-	-
Winthrop	2,111	29	14	-	43	20.37	25	13	3	1	1
Unity Plantation.....	62	-	1	-	1	16.13	1	-	-	-	-
Total	57,012	573	528	2	1,103	19.35	639	263	81	112	8

No. 7.

for the Year 1896.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
						Sex.			Nativity.			Death-rate per 1,000.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
3	-	-	-	-	3	6	3	-	9	9	-	-	18.18
46	20	11	11	5	93	82	59	1	142	108	23	11	19.98
10	-	-	1	-	11	2	5	-	7	7	-	-	9.03
4	-	-	-	-	4	6	8	-	14	14	-	-	16.41
2	-	-	-	-	2	15	4	-	19	19	-	-	22.27
4	-	1	2	-	7	19	25	-	44	35	9	-	24.26
14	7	-	1	2	24	16	6	-	22	20	2	-	10.42
-	-	-	-	-	-	-	-	-	-	-	-	-	-
368	52	38	37	11	506	578	472	2	1,052	923	105	24	18.45

TABLE
Births, Marriages, and Deaths

KNOX

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton.....	1,080	16	7	-	23	21.30	23	-	-	-	-
Camden	2,471	20	18	-	38	15.39	32	3	-	3	-
Cushing	688	7	4	-	11	15.99	10	-	1	-	-
Friendship.....	877	9	6	-	15	17.10	14	-	-	1	-
Hope	641	7	5	-	12	18.72	12	-	-	-	-
Hurricane Isle	266	1	2	-	3	11.28	1	1	1	-	-
North Haven	552	6	4	-	10	18.12	10	-	-	-	-
Rockland	8,174	70	88	-	158	19.33	126	10	13	9	-
Rockport	2,150	21	13	-	34	15.81	30	-	2	2	-
South Thomaston.....	1,534	26	15	1	42	27.38	33	2	4	2	1
St. George	2,491	32	37	-	69	27.70	43	20	4	2	-
Thomaston	3,009	25	32	-	57	18.94	47	4	3	3	-
Union	1,436	17	16	-	33	22.98	31	1	1	-	-
Vinalhaven	2,617	31	28	-	59	22.54	40	8	8	3	-
Warren.....	2,037	22	20	-	42	20.62	34	2	2	3	1
Washington	1,230	10	10	-	20	16.26	19	-	-	1	-
Matinicus Isle Pl.....	196	-	-	-	-	-	-	-	-	-	-
Total	* 31,449	320	305	1	626	19.91	505	51	39	29	2

* Population in unorganized plantations in 1890, 24.

No. 7—Continued.
for the Year 1896.
 COUNTY—CONTINUED.

MARRIAGES.							DEATHS.							
							Sex.			Nativity.				Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
2	-	-	-	-	2	13	12	-	25	25	-	-	23.15	
32	-	1	-	-	33	14	28	-	42	41	1	-	17.00	
2	-	-	-	1	3	5	4	-	9	9	-	-	13.08	
6	-	2	-	-	8	6	6	-	12	12	-	-	13.68	
1	-	-	-	-	1	-	4	-	4	4	-	-	6.24	
-	-	-	-	-	-	2	2	-	4	2	2	-	15.00	
3	-	-	-	-	3	7	4	-	11	11	-	-	18.93	
71	4	11	7	2	95	70	79	-	149	137	12	-	18.23	
15	-	1	2	-	18	15	11	-	26	26	-	-	12.09	
2	-	-	-	-	2	15	14	-	29	26	1	2	18.90	
18	5	1	1	-	25	27	24	-	51	44	6	1	20.47	
12	-	-	3	-	15	33	25	-	58	53	5	-	19.28	
12	-	-	1	-	13	12	8	-	20	20	-	-	13.93	
17	1	-	-	-	18	19	13	-	32	29	3	-	12.23	
7	-	-	-	-	7	13	11	-	24	24	-	-	11.78	
14	-	-	-	-	14	5	10	-	15	15	-	-	12.16	
-	-	1	-	-	1	-	-	-	-	-	-	-	-	
214	10	17	14	3	258	256	255	-	511	478	30	3	16.25	

TABLE
Births, Marriages, and Deaths

LINCOLN

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna.....	512	5	6	-	11	21.48	11	-	-	-	-
Boothbay.....	1,718	16	17	-	33	19.21	32	-	-	1	-
Boothbay Harbor.....	1,699	21	14	-	35	20.60	30	3	-	2	-
Bremen.....	842	7	4	-	11	13.06	11	-	-	-	-
Bristol.....	2,821	26	24	-	50	17.72	48	1	1	-	-
Damariscotta.....	1,012	5	4	-	9	8.89	9	-	-	-	-
Dresden.....	1,043	11	9	-	20	19.18	19	-	-	1	-
Edgecomb.....	749	2	6	-	8	10.68	7	-	1	-	-
Jefferson.....	1,391	9	9	-	18	12.94	17	-	-	-	1
Newcastle.....	1,282	8	9	-	17	13.26	12	-	1	4	-
Nobleboro.....	947	5	1	-	6	6.34	6	-	-	-	-
Somerville.....	453	5	4	-	9	19.87	9	-	-	-	-
Southport.....	533	11	7	-	18	33.77	16	-	1	1	-
Waldoboro.....	3,505	20	25	-	45	12.84	45	-	-	-	-
Westport.....	451	2	5	-	7	15.52	6	-	-	1	-
Whitefield.....	1,215	10	13	-	23	18.93	22	-	1	-	-
Wiscasset.....	1,733	13	18	-	31	17.89	28	-	1	2	-
Total.....*	21,906	176	175	-	351	16.02	328	4	6	12	1

* Population in unorganized plantations in 1890, 90.

No. 7—Continued.
for the Year 1896.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	4	4	-	8	8	-	-	15.62
13	-	-	1	-	14	15	12	-	27	27	-	-	15.72
15	1	2	2	-	20	7	9	1	17	11	1	5	10.01
3	-	-	-	-	3	4	3	-	7	7	-	-	8.31
24	-	-	2	-	26	20	17	-	37	36	1	-	13.12
10	-	-	2	1	13	9	8	-	17	16	1	-	16.79
8	1	-	-	-	9	13	10	-	23	22	1	-	22.05
6	-	-	-	-	6	5	4	-	9	8	1	-	12.02
13	-	-	-	-	13	12	14	-	26	24	-	2	18.69
11	-	-	1	-	12	6	12	-	18	17	1	-	14.04
2	-	-	-	-	2	8	8	-	16	16	-	-	16.90
4	-	-	1	-	5	5	4	-	9	9	-	-	19.87
4	-	-	-	-	4	4	2	-	6	5	1	-	11.26
15	-	-	-	-	15	24	23	-	47	46	1	-	13.41
2	-	-	-	-	2	1	-	-	1	1	-	-	2.22
9	-	-	2	-	11	10	17	-	27	26	1	-	22.22
7	-	1	1	-	9	10	12	-	22	21	1	-	12.69
148	2	3	12	1	166	157	159	1	317	300	10	7	14.47

TABLE
Births, Marriages, and Deaths
OXFORD

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany	645	6	6	-	12	18.60	11	1	-	-	-
Andover	740	11	7	-	18	24.32	14	1	2	-	1
Bethel.....	2,209	9	18	1	28	12.68	24	1	3	-	-
Brownfield	1,134	13	10	-	23	20.28	21	1	1	-	-
Buckfield.....	1,200	11	3	-	14	11.67	13	-	-	1	-
Byron	180	2	2	-	4	22.22	3	1	-	-	-
Canton	1,303	11	10	-	21	16.12	13	5	2	-	1
Denmark	755	4	4	-	8	10.60	7	-	-	1	-
Dixfield	988	7	10	-	17	17.21	15	1	-	1	-
Fryeburg	1,418	11	14	-	25	17.63	21	-	3	1	-
Gilead	336	2	4	-	6	17.86	6	-	-	-	-
Greenwood	727	7	8	-	15	20.63	14	-	-	1	-
Hanover.....	212	1	1	-	2	9.43	2	-	-	-	-
Hartford.....	689	2	3	-	5	7.26	5	-	-	-	-
Hebron.....	600	1	2	-	3	5.00	3	-	-	-	-
Hiram	1,063	9	7	-	16	15.05	15	-	1	-	-
Lovell	853	9	3	-	12	14.07	11	-	1	-	-
Mason	80	-	3	-	3	37.50	3	-	-	-	-
Mexico	355	7	6	-	13	36.62	11	-	2	-	-
Newry.....	343	1	4	-	5	14.58	3	-	1	1	-
Norway.....	2,665	36	26	-	62	23.26	50	6	1	3	2
Oxford	1,455	11	13	-	24	16.49	21	1	2	-	-

No. 7—Continued.
for the Year 1896.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	3	3	-	6	6	-	-	9.30
8	-	-	-	-	8	5	8	-	13	13	-	-	17.57
14	-	1	3	-	18	17	19	-	36	33	1	2	16.30
9	-	1	2	-	12	9	6	-	15	15	-	-	13.23
12	-	1	-	-	13	7	8	-	15	15	-	-	12.50
-	1	-	1	-	2	2	-	-	2	1	1	-	11.11
6	-	-	1	-	7	7	1	-	8	6	1	1	6.14
4	-	-	-	-	4	7	5	-	12	12	-	-	15.89
5	-	-	-	-	5	6	9	-	15	15	-	-	15.18
15	-	-	-	-	15	17	11	-	28	28	-	-	19.75
3	-	-	-	-	3	5	2	-	7	7	-	-	20.83
6	-	-	1	-	7	1	2	-	3	3	-	-	4.13
2	-	1	-	-	3	-	1	-	1	1	-	-	4.72
2	-	-	-	-	2	3	6	-	9	9	-	-	13.06
3	-	-	-	-	3	8	4	-	12	10	1	1	20.00
-	-	-	-	-	-	3	8	-	11	11	-	-	10.35
5	-	-	-	-	5	9	4	-	13	12	-	1	15.24
-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	1	-	-	-	11	3	5	-	8	8	-	-	22.52
-	-	-	-	-	-	-	2	-	2	2	-	-	5.83
19	1	2	1	-	23	23	17	-	40	40	-	-	15.01
5	-	1	1	-	7	9	10	-	19	18	-	1	13.06

TABLE
Births, Marriages, and Deaths
OXFORD

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Paris.....	3,156	26	23	-	49	15.53	42	2	2	3	-
Peru	692	8	6	-	14	20.23	11	-	1	1	1
Porter.....	1,015	6	6	-	12	11.82	12	-	-	-	-
Roxbury	222	3	3	-	6	27.06	6	-	-	-	-
Rumford	898	40	26	-	66	73.50	21	28	10	7	-
Stoneham	322	2	7	-	9	27.95	9	-	-	-	-
Stow	291	2	-	-	2	6.87	2	-	-	-	-
Sumner	901	9	9	-	18	19.98	17	-	-	1	-
Sweden	338	3	4	-	7	20.71	6	-	-	1	-
Upton	232	1	2	-	3	12.93	3	-	-	-	-
Waterford.....	1,001	11	2	-	13	12.99	12	-	1	-	-
Woodstock	859	7	8	-	15	17.46	12	-	3	-	-
Franklin Pl.....	112	1	-	-	1	8.93	1	-	-	-	-
Lincoln Pl	59	-	-	-	-	-	-	-	-	-	-
Magalloway Pl.....	79	2	1	-	3	37.97	1	-	1	1	-
Milton Pl.....	211	5	3	-	8	37.91	8	-	-	-	-
Batchelders Grant	26	3	-	-	3	115.38	1	2	-	-	-
Total	* 30,364	300	264	1	565	18.61	450	50	37	23	5

*Population in unorganized plantations in 1890, 222.

No. 7—Continued.
for the Year 1896.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.						Death-rate per 1,000.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
21	-	2	-	-	23	22	33	-	55	53	-	2	17.43
4	-	-	-	-	4	10	3	-	13	12	1	-	18.79
4	-	-	-	-	4	2	6	-	8	8	-	-	7.88
3	-	-	-	-	3	-	1	-	1	1	-	-	4.50
21	4	-	4	-	29	15	20	-	35	29	3	3	38.98
6	-	-	-	-	6	1	1	-	2	2	-	-	6.21
-	-	-	-	-	-	2	2	-	4	4	-	-	13.75
9	-	-	1	-	10	2	5	-	7	7	-	-	7.77
-	-	-	-	-	-	5	7	-	12	12	-	-	35.50
1	-	-	-	-	1	1	1	-	2	2	-	-	8.62
7	1	-	-	-	8	11	6	-	17	17	-	-	16.98
8	-	-	1	-	9	4	5	-	9	9	-	-	10.48
3	-	-	-	-	3	2	-	-	2	2	-	-	17.86
1	-	-	1	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	2	2	-	-	9.48
-	-	-	1	-	1	1	1	-	2	1	1	-	76.92
217	8	9	18	-	252	224	222	-	446	426	9	11	14.68

TABLE
Births, Marriages, and Deaths

PENOBSCOT

TOWNS.	Population in 1880.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alton	348	4	2	-	6	17.28	6	-	-	-	-
Argyle.....	263	4	3	-	7	26.39	4	-	2	1	-
Bangor.....	19,103	171	211	1	383	20.05	210	93	29	40	11
Bradford.....	1,215	10	7	-	17	13.99	16	-	-	1	-
Bradley.....	823	8	10	-	18	21.87	12	1	3	2	-
Brewer.....	4,193	71	63	-	134	31.96	73	36	14	9	2
Burlington.....	460	6	6	-	12	26.09	11	-	1	-	-
Carmel.....	1,066	7	9	-	16	15.01	15	-	1	-	-
Carroll.....	546	12	4	-	16	29.30	12	-	2	1	1
Charleston.....	971	9	9	-	18	18.43	15	-	-	3	-
Chester.....	368	5	1	-	6	16.30	5	-	-	1	-
Clifton.....	284	-	2	-	2	7.04	2	-	-	-	-
Corinna.....	1,207	9	12	-	21	17.40	21	-	-	-	-
Corinth.....	1,154	10	9	-	19	16.46	18	-	-	-	1
Dexter.....	2,732	21	32	-	53	19.40	29	14	7	3	-
Dixmont.....	919	10	8	-	18	19.59	18	-	-	-	-
Eddington.....	729	5	6	-	11	15.08	9	2	-	-	-
Edinburg.....	54	-	1	-	1	18.52	1	-	-	-	-
Enfield.....	769	15	12	-	27	35.11	12	7	3	5	-
Etna.....	646	5	3	-	8	12.38	6	-	1	-	1
Exeter.....	939	11	13	-	24	25.56	24	-	-	-	-
Garland.....	973	11	5	-	16	16.44	16	-	-	-	-
Glenburn.....	583	2	1	-	3	5.15	2	1	-	-	-
Greenbush.....	659	3	8	-	11	16.69	7	2	2	-	-

No. 7—Continued.
for the Year 1896.
COUNTY.

MARRIAGES.							DEATHS.						Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	3	2	-	5	4	-	1	14.37
-	-	-	-	-	-	4	1	-	5	5	-	-	19.01
152	30	18	23	3	226	155	181	1	337	251	69	17	17.64
9	-	-	2	-	11	9	11	-	20	19	-	1	16.46
-	-	1	-	-	1	4	3	-	7	6	1	-	8.50
27	3	-	2	-	32	52	33	-	85	68	16	1	20.27
3	-	-	-	-	3	1	1	-	2	2	-	-	4.34
7	-	1	-	-	8	8	8	-	16	14	1	1	15.01
2	1	-	1	-	4	6	1	-	7	7	-	-	12.82
8	-	1	-	-	9	6	14	-	20	18	1	1	20.60
1	-	-	-	-	1	1	3	-	4	4	-	-	10.87
-	-	-	-	-	-	3	1	-	4	3	1	-	14.08
8	-	-	1	-	9	15	4	-	19	19	-	-	15.74
14	-	1	-	-	15	13	11	-	24	20	4	-	20.80
22	4	1	5	-	32	29	25	-	54	51	3	-	19.77
11	-	-	-	-	11	7	12	-	19	19	-	-	20.67
2	1	-	-	-	3	5	9	-	14	13	1	-	19.20
-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	-	1	5	1	14	7	5	-	12	10	2	-	15.60
6	-	-	-	-	6	6	4	-	10	10	-	-	15.48
2	-	-	1	1	4	4	3	-	7	7	-	-	7.45
9	-	-	-	-	9	6	9	-	15	15	-	-	15.42
5	-	1	-	-	6	3	2	-	5	4	1	-	8.58
4	-	-	1	-	5	3	3	-	6	6	-	-	9.10

TABLE
Births, Marriages, and Deaths

PENOBSCOT

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Greenfield	231	-	2	-	2	8.66	2	-	-	-	-
Hampden.....	2,484	23	23	-	46	18.52	39	2	1	3	1
Hermon.....	1,282	14	10	-	24	18.72	24	-	-	-	-
Holden	609	6	6	-	12	19.70	8	2	1	-	1
Howland.....	171	7	5	-	12	70.17	6	1	3	2	-
Hudson	510	2	3	-	5	9.80	5	-	-	-	-
Kenduskeag.....	536	5	6	-	11	20.52	11	-	-	-	-
Kingman.....	671	4	6	-	10	14.90	3	-	6	1	-
Lagrange	721	13	5	-	18	24.97	16	-	-	2	-
Lee	929	9	5	1	15	16.15	15	-	-	-	-
Levant.....	880	6	4	-	10	11.36	10	-	-	-	-
Lincoln	1,756	12	13	-	25	14.24	13	5	3	3	1
Lowell	439	3	4	-	7	15.95	5	-	2	-	-
Mattamiscontis	47	1	1	-	2	42.55	2	-	-	-	-
Mattawamkeag	633	4	6	-	10	15.80	6	2	1	1	-
Maxfield	134	-	2	-	2	14.93	1	1	-	-	-
Medway	653	9	5	-	14	21.44	10	-	2	2	-
Milford	835	7	11	-	18	21.56	11	3	3	1	-
Mount Chase	284	2	5	-	7	24.65	4	1	2	-	-
Newburg..	867	7	7	-	14	16.15	13	-	-	-	1
Newport	1,188	17	16	-	33	27.78	29	-	3	1	-
Old Town	5,312	55	65	-	120	22.59	42	40	21	17	-
Orono	2,790	44	53	-	97	34.76	33	35	19	6	4
Orrington	1,406	6	6	-	12	8.54	8	-	1	3	-
Passadumkeag.....	343	6	8	-	14	40.82	10	1	1	2	-

No. 7—Continued.
for the year 1896.
COUNTY—CONTINUED.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
1	-	-	-	-	1	2	1	-	3	3	-	-	12.99	
25	-	1	1	-	27	19	20	-	39	37	2	-	15.70	
5	-	1	-	-	6	11	7	-	18	17	1	-	14.04	
-	-	-	1	-	1	2	4	-	6	5	1	-	9.85	
3	-	1	-	-	4	1	4	-	5	4	1	-	29.24	
3	-	-	-	-	3	3	6	-	9	9	-	-	17.65	
12	-	-	-	-	12	3	11	-	14	14	-	-	26.12	
4	2	-	-	-	6	7	11	-	18	12	6	-	26.83	
8	-	-	1	-	9	3	10	-	13	13	-	-	18.03	
8	-	1	1	-	10	4	9	-	13	9	3	1	13.99	
9	-	1	-	-	10	6	7	-	13	13	-	-	14.77	
8	1	1	1	-	11	11	14	-	25	17	2	6	14.24	
1	-	-	-	-	1	2	4	-	6	4	2	-	13.67	
-	-	-	-	-	-	1	-	-	1	1	-	-	21.27	
3	-	1	-	-	4	4	5	-	9	7	2	-	14.22	
2	-	-	-	-	2	-	-	-	-	-	-	-	-	
3	-	-	1	1	5	1	4	-	5	5	-	-	7.96	
2	-	-	-	-	2	6	6	-	12	9	3	-	14.37	
-	-	-	-	-	-	-	1	-	1	1	-	-	3.52	
4	-	-	-	-	4	6	4	-	10	10	-	-	11.53	
11	-	2	2	-	15	9	12	-	21	21	-	-	17.68	
37	5	3	6	1	52	42	41	-	83	65	15	3	15.62	
12	5	-	1	-	18	25	15	-	40	33	7	-	14.34	
14	-	-	1	-	15	15	6	-	21	21	-	-	14.94	
3	1	-	1	1	6	4	1	-	5	4	1	-	14.58	

TABLE
Births, Marriages, and Deaths
PENOBSCOT

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Patten.....	936	18	8	-	26	27.78	17	3	4	2	-
Plymouth.....	689	7	6	-	13	18.87	12	-	-	1	-
Prentiss.....	401	11	8	-	19	47.38	15	-	-	4	-
Springfield.....	677	11	7	-	18	26.59	16	-	1	1	-
Stetson ...	618	7	2	-	9	14.56	7	-	1	1	-
Veazie	650	4	1	-	5	7.69	5	-	-	-	-
Winn	936	10	9	-	19	20.30	10	5	3	1	-
Woodville	242	3	2	-	5	20.66	3	-	2	-	-
Drew Pl.....	110	1	2	-	3	27.27	1	1	1	-	-
Lakeville Pl ..	144	1	2	-	3	20.83	3	-	-	-	-
No. 2, Grand Falls Pl ..	68	-	-	-	-	-	-	-	-	-	-
Seboeis Pl.....	98	1	1	-	2	20.41	1	-	1	-	-
Stacyville Pl....	250	8	5	-	13	52.00	6	3	2	2	-
Webster Pl	135	5	4	-	9	66.67	8	-	1	-	-
Norcross ..	-	-	-	-	-	-	-	-	-	-	-
Total	* 72,669	758	771	2	1,531	21.07	974	261	150	122	24

* Population in unorganized plantations in 1890, 196.

No. 7.
for the Year 1896.
 COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
6	1	-	2	-	11	8	5	-	13	12	1	-	13.89
2	-	-	-	-	2	5	3	-	8	8	-	-	11.61
2	-	-	-	-	2	2	4	-	6	5	1	-	14.96
7	-	-	1	-	8	6	8	-	14	12	2	-	20.68
9	-	1	-	-	10	6	3	-	9	9	-	-	14.56
-	-	-	-	-	-	8	1	-	9	8	1	-	13.85
6	1	1	3	-	11	4	4	-	8	5	2	1	8.55
-	-	-	-	-	-	-	1	-	1	1	-	-	4.13
-	-	-	-	-	-	1	1	-	2	1	1	-	18.18
-	-	-	-	-	-	2	3	-	5	5	-	-	34.72
-	-	-	-	-	-	1	1	-	2	2	-	-	29.41
-	-	-	-	-	-	-	1	-	1	1	-	-	10.20
-	-	-	-	-	-	3	1	-	4	3	1	-	16.00
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
516	55	39	64	8	682	583	585	1	1,169	981	155	33	16.09

TABLE
Births, Marriages, and Deaths
 PISCATAQUIS

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbot	622	5	4	-	9	14.47	8	-	1	-	-
Atkinson	605	9	8	-	17	28.10	17	-	-	-	-
Blanchard	213	5	2	-	7	32.86	6	-	-	1	-
Brownville	1,074	16	19	-	35	32.59	19	11	2	3	-
Dover	1,942	17	8	1	26	13.39	22	2	-	1	1
Foxcroft	1,726	12	13	-	25	14.48	19	1	1	4	-
Greenville	781	8	13	-	21	26.89	9	6	4	2	-
Guilford	1,023	14	22	-	36	35.19	31	2	1	1	1
Medford	306	1	2	-	3	9.80	3	-	-	-	-
Milo	1,029	10	6	-	16	15.55	14	-	1	1	-
Monson	1,237	17	12	-	29	23.44	11	15	2	-	1
Orneville	492	1	3	-	4	8.13	1	-	-	-	3
Parkman	813	5	4	-	9	11.07	9	-	-	-	-
Sangerville	1,236	12	12	-	24	19.42	18	1	2	3	-
Sebec	725	9	6	-	15	20.69	14	-	-	1	-
Shirley	291	3	4	-	7	24.05	6	-	1	-	-
Wellington	584	6	3	-	9	15.41	8	-	-	-	1
Williamsburg	162	2	-	-	2	12.35	1	-	-	1	-
Willimantic	446	5	5	-	10	22.42	7	1	1	1	-
Barnard Pl	100	2	1	-	3	30.00	3	-	-	-	-
Kingsbury Pl.	205	1	2	-	3	14.63	3	-	-	-	-
Lake View Pl.	-	3	3	-	6	-	4	-	2	-	-
Deer Island	-	-	-	-	-	-	-	-	-	-	-
Kineo	-	-	-	-	-	-	-	-	-	-	-
North East Carry ..	-	-	-	-	-	-	-	-	-	-	-
Total	15,612*	163	152	1	316	20.24	233	39	18	19	7

*Population in unorganized plantations in 1890, 522.

No. 7—Continued.
for the Year 1896.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	4	4	-	8	8	-	-	12.86
3	-	-	-	-	3	4	2	-	6	6	-	-	9.91
-	-	-	-	-	-	1	-	-	1	1	-	-	4.69
9	1	6	1	-	17	6	8	-	14	10	3	1	13.04
21	2	3	-	-	26	13	14	-	27	26	1	-	13.90
8	-	1	-	-	9	5	10	-	15	15	-	-	8.69
6	1	2	5	1	15	2	5	-	7	4	2	1	8.96
18	-	-	1	-	19	8	8	-	16	14	1	1	15.64
1	-	-	-	-	1	-	-	-	-	-	-	-	-
15	-	2	4	-	21	7	9	-	16	13	3	-	15.55
4	3	-	-	-	7	4	7	-	11	8	3	-	8.89
3	-	-	-	-	3	3	2	-	5	5	-	-	10.16
3	-	-	-	-	3	9	5	-	14	14	-	-	17.22
8	-	-	-	-	8	9	9	-	18	18	-	-	14.56
7	-	-	-	-	7	3	3	-	6	6	-	-	8.28
1	-	-	-	-	1	1	-	-	1	-	1	-	3.44
7	-	-	-	-	7	5	5	-	10	10	-	-	17.12
-	-	-	-	-	-	1	1	-	2	2	-	-	12.35
2	-	-	-	-	2	2	4	-	6	6	-	-	13.45
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	6	-	-	6	6	-	-	29.26
-	-	-	-	-	-	2	1	-	3	3	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	-
-	-	-	1	-	1	1	-	-	1	1	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	-
118	7	14	12	1	152	98	97	-	195	178	14	3	12.49

TABLE
Births, Marriages, and Deaths

SAGADAHOC

TOWNS.	Population in 1890.	BIRTHS.											
		Sex.					Parentage.						
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.		
Arrowsic.....	177	-	-	-	-	-	-	-	-	-	-	-	-
Bath.	8,723	73	88	-	161	18.46	103	25	14	19	-	-	-
Bowdoin.....	940	17	7	-	24	25.53	21	2	1	-	-	-	-
Bowdoinham.....	1,508	8	10	-	18	11.94	16	1	1	-	-	-	-
Georgetown.....	849	10	12	-	22	25.91	20	-	1	1	-	-	-
Perkins.....	69	1	-	-	1	14.49	1	-	-	-	-	-	-
Phippsburg.....	1,396	23	9	-	32	22.92	29	-	2	1	-	-	-
Richmond.....	3,082	15	27	-	42	13.62	35	-	3	2	2	-	2
Topsham.....	1,394	33	20	-	53	38.02	24	23	4	2	-	-	-
West Bath.....	307	1	-	-	1	3.26	1	-	-	-	-	-	-
Woolwich.....	1,007	9	5	-	14	13.90	11	-	1	2	-	-	-
Total.....	19,452	190	178	-	368	18.92	261	51	27	27	2	-	2

No. 7—Continued.
for the Year 1896.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	4	1	-	5	5	-	-	28.25
53	6	10	5	1	75	66	66	-	132	112	20	-	15.13
5	-	-	-	-	5	9	9	-	18	18	-	-	19.15
13	-	-	-	-	13	12	11	-	23	22	-	1	15.25
3	-	-	-	-	3	7	9	-	16	16	-	-	18.85
-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	-	-	-	-	9	9	7	-	16	15	1	-	11.46
15	2	2	1	-	20	19	16	-	35	35	-	-	11.36
3	-	1	-	-	4	19	14	-	33	30	3	-	23.67
2	-	-	-	-	2	2	-	-	2	2	-	-	6.51
4	-	1	-	-	5	11	8	-	19	16	3	-	18.87
107	8	14	6	1	136	158	141	-	299	271	27	1	15.37

TABLE
Births, Marriages, and Deaths
SOMERSET

TOWNS.	Population in 1880.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson	1,444	14	16	-	30	20.78	24	2	1	2	1
Athens	1,072	10	7	-	17	15.86	16	-	1	-	-
Bingham	757	10	7	-	17	22.45	14	-	1	2	-
Cambridge.....	425	2	4	-	6	14.11	6	-	-	-	-
Canaan	1,130	9	8	-	17	15.04	15	-	1	-	1
Concord.....	345	1	4	-	5	14.49	4	-	1	-	-
Cornville	785	7	4	-	11	14.01	11	-	-	-	-
Detroit.....	590	5	5	-	10	16.95	10	-	-	-	-
Embden.....	579	7	5	-	12	20.73	12	-	-	-	-
Fairfield	3,510	36	40	-	76	21.65	43	22	6	5	-
Harmony	704	6	5	-	11	15.62	11	-	-	-	-
Hartland.. ..	974	12	11	-	23	23.61	17	3	2	1	-
Madison	1,815	21	24	-	45	24.79	36	2	3	4	-
Mercer.....	584	3	9	-	12	20.55	12	-	-	-	-
Moscow	422	4	3	-	7	16.59	6	1	-	-	-
New Portland	1,034	8	11	-	19	18.38	17	1	-	1	-
Norridgewock.....	1,656	9	11	-	20	12.08	18	2	-	-	-
Palmyra	1,004	5	6	-	11	10.96	11	-	-	-	-
Pittsfield	2,503	22	25	-	47	18.78	39	4	-	4	-
Ripley.....	478	4	3	-	7	14.64	7	-	-	-	-
St. Albans.....	1,206	9	7	-	16	13.27	15	-	-	1	-
Skowhegan	5,068	53	42	-	95	18.75	47	21	14	13	-
Smithfield	479	4	4	-	8	16.70	7	-	-	1	-
Solon.....	977	7	16	-	23	23.54	20	1	1	1	-

No. 7—Continued.
for the Year 1896.
COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
19	-	-	2	-	21	13	10	-	23	19	4	-	15.92
2	-	-	1	-	9	4	8	-	12	12	-	-	11.19
7	-	-	1	-	8	3	4	-	7	7	-	-	9.25
3	-	-	-	-	3	3	5	-	8	8	-	-	18.82
1	-	-	-	-	1	10	6	-	16	16	-	-	14.16
1	-	-	-	-	1	4	2	-	6	6	-	-	17.39
3	-	-	-	-	3	6	9	-	15	14	-	1	19.11
1	-	-	-	-	1	4	2	-	6	6	-	-	10.17
4	-	-	-	-	4	6	4	-	10	9	-	1	17.27
9	2	2	4	1	18	14	21	-	35	29	4	2	9.97
4	-	-	-	-	4	4	1	-	5	5	-	-	7.10
15	-	-	1	-	16	4	7	-	11	11	-	-	11.29
23	-	-	-	3	26	20	15	-	35	34	1	-	19.28
4	-	-	-	-	4	3	8	-	11	11	-	-	18.84
4	-	-	-	-	4	4	3	-	7	6	1	-	16.59
7	-	-	1	-	8	8	13	-	21	21	-	-	20.31
12	-	-	-	-	12	9	12	-	21	20	1	-	12.68
8	-	-	1	-	9	11	1	-	12	12	-	-	11.95
11	-	1	1	-	13	13	23	-	36	34	2	-	14.38
4	-	-	-	-	4	4	3	-	7	7	-	-	14.64
7	-	-	-	-	7	8	6	-	14	14	-	-	11.61
40	4	2	8	1	55	30	41	-	71	61	10	-	14.01
2	-	-	-	-	2	1	3	-	4	4	-	-	8.35
7	-	-	1	-	8	8	7	-	15	14	-	1	15.35

TABLE
Births, Marriages, and Deaths
SOMERSET

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Starks	766	5	6	-	11	14.36	11	-	-	-	-
Brighton Pl.....	434	5	2	-	7	16.13	7	-	-	-	-
Carratunk Pl	192	-	2	-	2	10.42	2	-	-	-	-
Carrying Place Pl	31	-	-	-	-	-	-	-	-	-	-
Dead River Pl	104	-	1	-	1	9.62	1	-	-	-	-
Dennistown Pl.....	66	-	2	-	2	30.30	-	1	-	1	-
Flagstaff Pl.....	87	-	-	-	-	-	-	-	-	-	-
Highland Pl	76	2	1	-	3	39.47	5	-	-	-	-
Jackman Pl.	217	6	4	-	10	46.08	1	7	-	2	-
Lexington Pl	190	5	-	-	5	25.13	4	-	-	1	-
Mayfield Pl.....	74	-	1	-	1	13.51	1	-	-	-	-
Moose River Pl	170	3	6	-	9	52.94	4	1	1	1	2
Pleasant Ridge Pl.....	-	1	1	-	2	-	2	-	-	-	-
The Forks Pl.	195	2	6	-	8	41.03	7	1	-	-	-
West Forks Pl	146	1	2	-	3	20.55	2	-	1	-	-
Long Pond.....	-	3	-	-	3	-	-	2	1	-	-
Total	* 32,298	301	311	-	612	18.95	463	71	34	40	4

* Population in unorganized plantations in 1890, 329.

No. 7—Continued.
for the Year 1896.
COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.						Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	4	2	-	6	5	-	1	7.83
3	-	-	-	-	3	4	5	-	9	9	-	-	20.74
2	-	-	-	-	2	1	1	-	2	2	-	-	10.42
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	15.15
1	-	-	-	-	1	1	-	-	1	1	-	-	11.90
-	-	-	-	-	-	1	-	-	1	1	-	-	13.16
1	4	-	2	-	7	6	5	-	11	5	3	3	50.69
-	-	-	-	-	-	3	2	-	5	5	-	-	25.13
-	-	-	-	-	-	1	-	-	1	1	-	-	13.51
1	-	-	-	-	1	-	2	-	2	1	1	-	11.76
-	-	-	-	-	-	1	-	-	1	1	-	-	-
1	-	-	-	-	1	-	1	-	1	1	-	-	5.13
1	-	-	1	-	2	-	2	-	2	1	1	-	13.70
-	-	-	-	-	-	1	-	-	1	1	-	-	-
217	10	5	24	5	261	218	234	-	452	415	28	9	13.99

TABLE
Births, Marriages, and Deaths

WALDO

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast	5,294	34	20	-	54	10.20	50	-	2	1	1
Belmont	475	5	6	-	11	23.15	10	-	1	-	-
Brooks	730	4	4	-	8	10.96	8	-	-	-	-
Burnham	846	8	7	-	15	17.73	15	-	-	-	-
Frankfort	1,099	12	10	-	22	20.02	19	1	1	1	-
Freedom	510	-	1	-	1	1.96	1	-	-	-	-
Islesboro	1,006	11	6	-	17	16.90	15	1	1	-	-
Jackson	522	-	-	-	-	-	-	-	-	-	-
Knox	657	4	7	-	11	16.74	11	-	-	-	-
Liberty	835	5	4	-	9	10.78	8	-	-	1	-
Lincolnton	1,361	16	5	-	21	15.43	21	-	-	-	-
Monroe	1,079	9	9	-	18	16.68	18	-	-	-	-
Montville	1,049	12	10	-	22	20.97	22	-	-	-	-
Morrill	460	1	4	-	5	10.73	4	-	-	-	1
Northport	691	3	3	-	6	8.68	6	-	-	-	-
Palermo	587	8	9	-	17	19.17	16	-	-	1	-
Prospect	697	2	8	-	10	14.35	7	2	1	-	-
Searsmont	1,144	11	7	-	18	15.73	18	-	-	-	-
Searsport	1,693	9	5	-	14	8.27	11	-	1	2	-
Stockton Springs	1,149	9	10	-	19	16.54	15	-	-	4	-
Swanville	689	6	2	-	8	11.61	7	-	1	-	-
Thorndike	589	7	4	-	11	18.68	9	-	1	1	-
Troy	868	2	7	-	9	10.37	9	-	-	-	-
Unity	922	4	5	-	9	9.76	9	-	-	-	-
Waldo	581	7	2	-	9	15.49	9	-	-	-	-
Winterport	1,926	8	13	-	21	10.90	21	-	-	-	-
Total	27,759	197	168	-	365	13.15	339	4	9	11	2

No. 7—Continued.
for the Year 1896.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
44	1	1	3	-	49	35	37	-	72	70	2	-	13.60
1	-	-	-	-	1	3	3	-	6	6	-	-	12.63
11	-	-	-	-	11	4	4	-	8	8	-	-	10.96
8	-	-	-	-	8	6	5	-	11	11	-	-	13.00
3	-	-	-	-	3	16	4	-	20	19	1	-	18.20
3	-	-	-	-	3	1	1	-	2	2	-	-	3.92
6	-	-	-	-	6	7	4	-	11	11	-	-	10.93
6	-	-	1	-	7	3	1	-	4	4	-	-	7.66
1	-	-	-	-	1	8	6	-	14	14	-	-	21.31
7	-	-	-	-	7	7	8	-	15	14	-	1	17.96
6	-	-	1	-	7	8	9	-	17	17	-	-	12.49
6	-	-	-	-	6	6	3	-	9	9	-	-	8.34
7	-	-	-	-	7	6	11	-	17	17	-	-	16.21
8	-	-	-	-	8	1	2	-	3	3	-	-	6.52
3	-	-	-	-	3	3	4	-	7	7	-	-	10.13
-	-	-	-	-	-	5	5	-	10	10	-	-	11.27
1	-	-	-	-	1	6	2	-	8	6	2	-	11.48
10	-	-	-	-	10	7	7	-	14	14	-	-	12.24
11	-	-	1	1	13	16	13	-	29	28	1	-	17.13
3	-	-	-	-	3	5	8	-	13	12	1	-	10.44
4	-	-	-	-	4	5	5	-	10	10	-	-	14.51
3	-	-	-	-	3	5	5	-	10	10	-	-	16.98
8	-	-	-	-	8	7	3	-	10	10	-	-	11.52
3	-	-	-	-	3	12	9	-	21	20	1	-	22.78
4	-	-	-	-	4	3	2	-	5	5	-	-	8.61
19	-	1	1	-	21	16	13	-	29	28	1	-	15.06
186	1	2	7	1	197	201	174	-	375	365	9	1	13.51

TABLE
Births, Marriages, and Deaths

WASHINGTON

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison.....	1,022	13	6	-	19	18.59	18	-	1	-	-
Alexander.....	337	5	6	-	11	32.65	11	-	-	-	-
Baileyville.....	226	-	2	-	2	8.85	1	-	-	1	-
Baring.....	273	3	2	-	5	18.32	4	-	-	1	-
Beddington.....	184	-	4	-	4	21.74	4	-	-	-	-
Brookton.....	429	9	5	-	14	32.63	6	2	3	3	-
Calais.....	7,290	119	113	-	232	31.82	65	63	49	52	3
Centerville.....	114	1	3	-	4	35.09	4	-	-	-	-
Charlotte.....	381	2	2	-	4	10.50	3	1	-	-	-
Cherryfield.....	1,787	22	15	-	37	20.71	34	-	1	-	2
Columbia.....	587	12	12	-	24	40.88	23	-	1	-	-
Columbia Falls.....	698	4	7	-	11	15.75	10	-	-	-	1
Cooper.....	264	5	3	-	8	30.30	8	-	-	-	-
Crawford.....	140	-	2	-	2	14.29	2	-	-	-	-
Danforth.....	1,063	18	15	-	33	31.04	16	7	5	5	-
Deblois.....	76	1	1	-	2	26.32	2	-	-	-	-
Dennysville.....	452	7	6	-	13	28.76	13	-	-	-	-
East Machias.....	1,637	10	16	3	29	17.72	23	1	1	1	3
Eastport.....	4,908	-	-	-	-	-	-	-	-	-	-
Edmunds.....	395	3	5	-	8	20.25	5	-	1	2	-
Forest City.....	287	7	1	-	8	27.87	2	3	1	2	-
Harrington.....	1,150	11	11	-	22	19.13	20	-	2	-	-
Jonesboro.....	470	15	5	-	20	42.55	20	-	-	-	-
Jonesport.....	1,917	33	25	-	58	30.26	49	1	4	4	-
Lubec.....	2,069	27	26	-	53	25.62	32	4	5	10	2
Machias.....	2,035	20	19	-	39	19.12	35	-	2	1	1
Machiasport.....	1,437	8	14	-	22	15.31	18	-	2	2	-

No. 7—Continued.
for the Year 1896.
COUNTY.

MARRIAGES.					DEATHS.								
					Sex.			Nativity.			Death-rate per 1,000.		
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.		Foreign.	Not stated.
9	-	-	-	-	9	12	5	-	17	16	1	-	16.63
2	-	-	-	-	2	2	3	-	5	3	2	-	14.84
1	-	-	-	-	1	1	-	-	1	1	-	-	4.42
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	5	3	-	8	6	2	-	18.64
32	25	17	13	-	87	74	77	-	151	94	56	1	20.71
-	-	-	-	-	-	1	-	-	1	1	-	-	8.77
2	-	-	-	-	2	4	3	-	7	5	2	-	18.37
7	-	-	-	-	7	16	11	-	27	24	3	-	15.11
2	-	-	-	-	2	3	3	-	6	6	-	-	10.22
11	-	-	-	-	11	2	4	-	6	6	-	-	8.60
1	-	-	-	-	1	2	1	-	3	3	-	-	11.36
1	-	-	-	-	1	1	-	-	1	1	-	-	7.14
8	-	1	2	-	11	6	9	-	15	10	5	-	14.11
1	-	-	-	-	1	-	2	-	2	2	-	-	26.32
6	-	-	-	-	6	4	5	-	9	8	1	-	19.91
12	-	-	1	-	13	9	14	-	23	19	4	-	14.05
2	-	-	1	-	3	-	-	-	-	-	-	-	-
1	-	-	1	-	2	4	4	-	8	8	-	-	20.25
2	-	1	1	-	4	2	-	-	2	2	-	-	6.97
13	-	1	1	-	15	10	10	-	20	20	-	-	17.39
1	-	-	-	-	1	5	1	-	6	6	-	-	12.77
12	-	2	2	-	16	12	4	-	16	15	1	-	8.35
20	5	3	2	-	30	27	19	-	46	41	5	-	22.23
30	-	1	4	-	35	27	22	-	49	41	8	-	24.08
2	-	-	-	-	2	7	8	-	15	14	1	-	10.44

TABLE
Births, Marriages, and Deaths
WASHINGTON

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Marshfield	299	2	1	-	3	10.03	3	-	-	-	-
Meddybemps	156	1	1	-	2	12.82	2	-	-	-	-
Milbridge	1,963	24	22	-	46	23.43	42	1	1	2	-
Northfield	143	1	1	-	2	13.99	2	-	-	-	-
Pembroke	1,514	16	25	-	41	27.08	33	1	2	5	-
Perry	945	15	11	-	26	27.51	20	-	3	3	-
Princeton	1,027	25	14	-	39	37.97	26	3	8	2	-
Robbinston	787	13	12	-	25	31.76	19	2	4	-	-
Roque Bluffs	154	2	1	-	3	19.48	3	-	-	-	-
Steuben	982	9	15	-	24	24.44	22	-	1	-	1
Talmage	112	-	-	-	-	-	-	-	-	-	-
Topsfield	375	1	-	-	1	2.67	1	-	-	-	-
Trescott	485	3	3	-	6	12.37	4	-	-	2	-
Vanceboro	870	10	6	-	16	18.39	4	3	5	4	-
Waite	159	-	-	-	-	-	-	-	-	-	-
Wesley	227	3	6	-	9	39.65	8	-	-	1	-
Whiting	393	2	3	-	5	12.72	5	-	-	-	-
Whitneyville	413	3	2	-	5	12.11	5	-	-	-	-
Codyville Pl	72	-	2	-	2	27.78	2	-	-	-	-
Grand Lake Stream Pl	404	9	8	-	17	42.08	6	1	7	3	-
Lambert Lake Pl	152	6	1	-	7	46.05	1	5	-	1	-
No. 14 Pl	112	-	2	-	2	17.85	2	-	-	-	-
No. 21 Pl	81	3	1	-	4	49.38	3	-	1	-	-
Kossuth Pl.	68	-	1	-	1	14.71	-	-	-	-	1
No. 10, R. 3	37	1	-	-	1	27.03	-	-	-	1	-
No. 29 Township	5	-	-	-	-	-	-	-	-	-	-
Total	* 43,563	504	464	3	971	22.28	641	98	110	108	14

* Population in unorganized plantations in 1890, 919.

No. 7—Continued.
for the year 1896.
COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
1	-	-	-	-	1	1	2	-	3	2	1	-	10.03	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10	-	-	1	-	11	16	16	-	32	30	2	-	16.30	
1	-	-	-	-	1	3	1	-	4	4	-	-	27.97	
17	1	-	-	-	18	16	9	-	25	21	4	-	16.51	
3	-	-	-	-	3	9	9	-	18	15	3	-	19.05	
11	-	-	2	-	13	8	6	-	14	12	2	-	13.63	
8	-	-	1	-	9	7	6	-	13	9	4	-	16.52	
1	-	-	-	-	1	1	2	-	3	3	-	-	19.48	
10	-	-	1	-	11	8	7	-	15	15	-	-	15.17	
1	-	-	-	-	1	1	1	-	2	2	-	-	17.86	
1	-	-	-	-	1	1	-	-	1	1	-	-	2.67	
1	-	-	-	-	1	2	4	-	6	5	1	-	12.37	
1	1	1	-	-	3	9	5	-	14	8	4	2	16.09	
1	-	-	2	-	3	-	-	-	-	-	-	-	-	
3	-	1	-	-	4	-	1	-	1	1	-	-	4.41	
-	-	-	1	-	1	1	3	-	4	4	-	-	10.17	
-	-	-	-	-	-	5	4	-	9	9	-	-	21.79	
-	-	-	-	-	-	1	1	-	2	2	-	-	27.78	
1	-	-	-	-	1	1	1	-	2	1	1	-	4.95	
-	1	1	-	-	2	1	-	-	1	1	-	-	6.57	
1	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	1	1	-	-	12.35	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	1	-	2	2	-	-	54.05	
-	-	-	-	-	-	1	-	-	1	1	-	-	200.00	
250	33	29	36	-	348	329	288	-	617	501	113	3	14.16	

TABLE
Births, Marriages, and Deaths

YORK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton	878	6	5	-	11	12.53	9	2	-	-	-
Alfred.....	1,030	7	2	-	9	8.74	9	-	-	-	
Berwick	2,294	27	22	-	49	21.36	34	10	1	4	
Biddeford.....	14,443	300	263	-	563	38.98	85	407	26	43	
Buxton.....	2,036	21	14	-	35	17.19	29	2	3	-	
Cornish	1,118	14	6	-	20	17.89	18	1	-	1	
Dayton	500	7	2	-	9	18.00	8	1	-	-	
Eliot	1,463	17	16	-	33	22.56	27	5	1	-	
Hollis	1,278	4	9	-	13	10.17	13	-	-	-	
Kennebunk	3,172	20	23	-	43	13.55	29	7	7	-	
Kennebunkport	2,196	24	19	-	43	19.58	37	1	1	4	
Kittery.....	2,864	19	22	-	41	14.32	33	1	2	5	
Lebanon	1,263	12	9	-	21	16.63	17	1	1	2	
Limerick	966	8	7	-	15	15.53	15	-	-	-	
Limington.....	1,092	4	6	-	10	9.16	9	-	-	1	
Lyman	854	8	7	-	15	17.56	14	-	1	-	
Newfield	796	7	4	-	11	13.82	10	-	1	-	
North Berwick	1,803	15	18	-	33	18.30	30	-	1	1	
Old Orchard	877	8	7	-	15	17.10	14	1	-	-	
Parsonsfield	1,398	4	7	-	11	7.87	11	-	-	-	
Saco	6,075	70	55	-	125	20.58	59	47	8	11	
Sanford	4,201	87	57	-	144	34.28	66	57	16	4	

No. 7—Continued.
for the Year 1896.
COUNTY.

MARRIAGES.							DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
5	-	-	-	-	5	3	5	-	8	7	1	-	9.11	
5	-	-	-	-	5	13	3	-	16	15	1	-	14.56	
10	1	-	1	-	12	11	19	-	30	28	2	-	15.53	
49	68	17	6	-	140	162	166	1	329	230	97	2	22.78	
9	-	-	-	1	10	15	19	-	34	34	-	-	16.70	
10	-	-	-	-	10	10	9	-	19	19	-	-	16.91	
4	-	-	-	-	4	2	4	-	6	6	-	-	12.00	
8	-	-	-	-	8	12	19	-	31	30	1	-	21.19	
3	1	-	-	-	4	8	17	-	25	25	-	-	19.56	
14	2	-	1	-	17	21	23	-	44	41	3	-	13.87	
4	-	-	-	-	4	23	15	-	38	35	2	1	17.31	
6	-	2	3	-	11	13	11	-	24	22	1	1	8.38	
7	-	1	-	-	8	14	12	-	26	25	1	-	20.59	
5	-	-	-	-	5	9	6	-	15	13	2	-	15.53	
6	-	-	-	-	6	6	1	-	7	7	-	-	6.41	
8	-	-	-	-	8	5	8	-	13	13	-	-	15.22	
1	-	-	-	-	1	8	5	-	13	12	1	-	16.33	
12	-	-	-	-	12	15	12	-	27	27	-	-	14.98	
2	-	1	1	-	4	8	7	-	15	14	1	-	17.10	
10	-	1	-	-	11	4	7	-	11	11	-	-	7.87	
46	3	2	2	1	54	54	69	-	123	109	13	1	20.25	
23	16	6	4	-	49	40	42	-	82	71	11	-	19.52	

TABLE
Births, Marriages, and Deaths

YORK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Shapleigh	968	5	9	-	14	14.46	12	-	-	2	-
South Berwick	3,434	48	37	-	85	24.75	39	38	2	4	2
Waterboro.....	1,357	13	9	-	22	16.21	22	-	-	-	-
Wells.....	2,029	11	16	-	27	13.31	25	-	-	2	-
York.....	2,444	27	28	-	55	22.50	42	3	3	7	-
Total	62,829	793	679	-	1,472	23.43	716	584	74	91	7

No. 7—Concluded.
for the Year 1896.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
5	-	1	-	1	7	2	16	-	18	16	-	2	18.39
18	3	-	-	-	21	31	39	-	70	55	15	-	20.38
10	-	1	-	-	11	12	15	-	27	27	-	-	19.90
8	-	-	-	2	10	22	17	-	39	38	1	-	19.22
7	-	2	2	-	11	16	23	-	39	37	2	-	15.96
295	94	34	20	5	448	539	589	1	1,129	967	155	7	17.97

TABLE
RECAPITULATION

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin ...	48,968	599	613	4	1,216	24.83	457	576	83	86	14
Aroostook.....	49,589	927	853	-	1,780	36.21	940	291	257	272	20
Cumberland	90,949	1,133	1,115	4	2,252	24.76	1,226	653	155	195	23
Franklin	17,053	196	201	-	397	23.55	316	40	18	16	7
Hancock	37,312	397	371	-	768	20.78	671	18	45	26	8
Kennebec	57,012	573	528	2	1,103	19.35	639	263	81	112	8
Knox	31,473	320	305	1	626	19.91	505	51	39	29	2
Lincoln.....	21,996	176	175	-	351	15.96	328	4	6	12	1
Oxford.....	30,586	300	264	1	565	18.61	450	50	37	23	5
Penobscot	72,865	758	771	2	1,531	21.07	974	261	150	122	24
Piscataquis	16,134	163	152	1	316	20.24	233	39	18	19	7
Sagadahoc	19,452	190	178	-	368	18.92	261	51	27	27	2
Somerset	32,627	301	311	-	612	18.95	462	71	34	40	4
Waldo	27,759	197	168	-	365	13.15	339	4	9	11	2
Washington	44,482	504	464	3	971	22.28	641	98	110	108	14
York	62,829	793	679	-	1,472	23.43	716	584	74	91	7
Total.....	661,086	7,527	7,148	18	14,693	22.23	9,159	3,054	1,143	1,189	148

BIRTHS, MARRIAGES, AND DEATHS.

65

No. 8.

BY COUNTIES.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
279	106	39	36	1	461	436	451	2	889	697	163	29	18.15
236	85	56	101	5	483	379	297	1	677	536	135	6	13.77
507	140	67	48	8	770	779	891	-	1,670	1,359	238	73	18.36
131	9	3	13	-	156	146	155	-	301	283	13	5	17.85
262	2	18	18	3	303	269	258	-	527	496	17	14	14.26
368	52	38	37	11	506	578	472	2	1,052	923	105	24	18.45
214	10	17	14	3	258	256	255	-	511	478	30	3	16.25
148	2	3	12	1	166	157	159	1	317	300	10	7	14.41
217	8	9	18	-	252	224	222	-	446	426	9	11	14.68
516	55	39	64	8	682	583	585	1	1,169	981	155	33	16.09
118	7	14	12	1	152	98	97	-	195	178	14	3	12.49
107	8	14	6	1	136	158	141	-	299	271	27	1	15.37
217	10	5	24	5	261	218	234	-	452	415	28	9	13.99
186	1	2	7	1	197	201	174	-	375	365	9	1	13.51
250	33	29	36	-	348	329	288	-	617	501	113	3	14.16
295	94	34	20	5	448	539	589	1	1,129	967	155	7	17.97
4,051	622	387	466	53	5,579	5,350	5,268	8	10,626	9,176	1,221	229	16.07

TABLE No. 9.
Births and Birth-Rates by Counties for the Years 1892-96.

	1892.		1893.		1894.		1895.		1896.	
	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.
State	14,028	21.21	13,908	21.04	13,940	21.09	14,762	22.33	14,693	22.23
Androscoggin.....	991	20.23	1,053	21.50	1,079	22.03	1,244	25.40	1,216	24.83
Aroostook	1,610	32.46	1,553	32.44	1,750	35.84	1,946	39.56	1,780	36.21
Cumberland.....	2,048	22.51	2,017	22.17	2,032	22.34	2,146	23.60	2,252	24.76
Franklin.....	345	20.23	314	18.60	328	19.43	362	21.43	397	23.55
Hancock.....	757	20.28	739	19.97	750	22.07	782	21.13	768	20.78
Kennebec.....	1,064	18.66	1,149	20.15	997	17.49	1,075	18.86	1,103	19.35
Knox.....	572	18.14	652	20.73	600	19.05	622	19.78	626	19.91
Lincoln	402	18.27	348	15.89	362	16.50	376	17.09	351	15.96
Oxford.....	524	17.13	498	16.36	564	18.47	588	19.35	565	18.61
Penobscot	1,452	19.92	1,375	18.91	1,444	19.89	1,479	20.37	1,531	21.07
Piscataquis.....	343	21.25	339	21.66	288	18.19	333	21.14	316	20.24
Sagadahoc.....	375	19.27	391	20.10	387	18.87	387	19.90	368	18.92
Somerset	629	19.27	642	19.90	533	17.14	622	19.19	612	18.95
Waldo	404	14.55	435	15.67	390	14.04	412	14.84	365	13.15
Washington	1,081	24.30	1,001	22.64	1,106	25.02	914	20.72	971	22.28
York.....	1,431	22.77	1,402	22.31	1,330	21.17	1,474	23.46	1,472	23.43

TABLE No. 10.
Births by Counties, Showing Proportion of Males to Females, 1896.

COUNTIES.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin.....	599	613	4	1,216	-	14	97.7
Aroostook.....	927	853	-	1,780	74	-	108.7
Cumberland.....	1,133	1,115	4	2,252	18	-	101.6
Franklin.....	196	201	-	397	-	5	97.5
Hancock.....	397	371	-	768	26	-	107.0
Kennebec.....	573	528	2	1,103	45	-	108.5
Knox.....	320	305	1	626	15	-	104.9
Lincoln.....	176	175	-	351	1	-	100.6
Oxford.....	300	264	1	565	36	-	113.6
Penobscot.....	758	771	2	1,531	-	13	98.3
Piscataquis.....	163	152	1	316	11	-	107.2
Sagadahoc.....	190	178	-	368	12	-	106.7
Somerset.....	301	311	-	612	-	10	96.8
Waldo.....	197	168	-	365	29	-	117.3
Washington.....	504	464	3	971	40	-	108.4
York.....	793	679	-	1,472	114	-	116.8
Total.....	7,527	7,148	18	14,693	379	-	105.3

TABLE No. 11.

Number of Births in Each Month of 1892, 1893, 1894, 1895, and 1896, with Monthly Ratio Compared with a Standard of 100.

Months.	1892.		1893.		1894.		1895.		1896.	
	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January	1,016	85.3	1,151	97.5	962	81.3	1,182	94.3	1,149	92.1
February	1,113	103.4	1,082	101.5	980	91.7	1,082	95.6	1,227	105.1
March	1,345	112.9	1,162	98.4	1,335	116.6	1,329	106.1	1,330	106.6
April	1,275	110.6	1,259	110.1	1,324	115.6	1,287	106.1	1,318	109.2
May	1,323	111.1	1,273	107.7	1,255	106.1	1,308	104.4	1,379	110.5
June	1,176	101.9	1,162	101.7	1,200	104.8	1,236	101.9	1,190	98.6
July	1,222	102.6	1,176	99.6	1,286	108.7	1,290	103.0	1,207	96.7
August	1,191	100.0	1,213	102.7	1,213	102.5	1,312	104.7	1,246	99.9
September	1,144	99.2	1,115	97.6	1,168	102.0	1,233	101.6	1,257	104.1
October	1,047	87.9	1,126	95.3	1,064	89.9	1,189	94.9	1,220	97.8
November	1,002	86.9	1,032	90.3	980	85.6	1,115	91.9	1,091	90.4
December	1,111	93.1	1,109	93.9	1,164	98.4	1,193	95.2	1,069	85.7
Unknown	63	-	48	-	9	-	6	-	10	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 12.
Births by Sex and Months, by Counties, 1896.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males	39	64	70	66	57	42	47	46	36	52	50	30	-	599	-
females ..	31	55	70	53	57	61	42	55	42	51	53	38	-	613	-
not stated	-	1	-	-	-	1	-	-	-	-	2	-	-	4	1216
Aroostook, males ...	66	75	75	90	96	83	74	66	88	73	63	73	-	927	-
females ..	60	64	61	68	89	71	88	69	66	58	61	78	-	853	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1780
Cumberland, males ..	92	99	90	94	106	86	85	120	88	91	93	89	-	1133	-
females ..	99	99	93	86	89	98	94	91	97	102	90	73	4	1115	-
not stated	-	-	1	-	-	-	-	-	-	-	-	-	-	4	2252
Franklin, males	20	11	21	18	24	23	17	12	12	16	11	11	-	186	-
females ..	14	14	20	11	14	15	23	17	26	22	16	9	-	201	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	397
Hancock, males	33	27	32	31	43	33	34	34	33	33	26	38	-	397	-
females ..	27	38	36	28	24	31	32	30	33	35	31	26	-	371	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768
Kennebec, males	49	41	51	48	53	50	46	47	58	46	44	40	-	573	-
females ..	40	43	60	47	63	39	38	54	43	31	34	35	1	528	-
not stated	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1103
Knox, males	29	28	30	34	27	19	23	27	24	30	26	23	-	320	-
females ..	21	30	36	26	26	26	23	19	26	29	22	21	-	305	-
not stated	-	-	-	-	-	-	-	-	-	-	1	-	-	1	626
Lincoln, males	14	17	23	15	13	15	11	17	20	8	13	9	1	176	-
females ..	11	12	15	13	20	9	21	12	23	17	8	12	2	175	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	351
Oxford, males	20	26	27	25	25	16	38	28	25	25	22	23	-	300	-
females ..	24	24	22	22	26	18	24	29	21	18	17	19	-	264	-
not stated	-	1	-	-	-	-	-	-	-	-	-	-	-	1	565
Penobscot, males ...	57	68	64	64	82	68	61	68	46	76	54	50	-	758	-
females ..	65	68	66	80	78	53	57	66	71	56	53	57	1	771	-
not stated	-	-	-	-	2	-	-	-	-	-	-	-	-	2	1531
Piscataquis, males ..	14	17	17	15	11	21	18	9	9	13	5	14	-	163	-
females ..	11	17	14	19	10	13	8	19	10	15	9	6	1	152	-
not stated	-	-	-	-	1	-	-	-	-	-	-	-	-	1	316
Sagadahoc, males ...	16	14	14	18	20	20	20	11	18	19	8	12	-	190	-
females ..	12	15	12	23	20	13	11	9	15	13	18	17	-	178	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	368
Somerset, males	23	27	25	26	26	18	25	26	28	27	23	27	-	301	-
females ..	26	27	31	24	33	28	24	31	28	33	11	15	-	311	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	612
Waldo, males	25	27	13	18	14	9	11	25	17	11	14	13	-	197	-
females ..	13	16	14	17	16	15	9	11	29	10	6	12	-	168	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	365
Washington, males ..	41	35	41	50	40	48	37	51	36	43	46	36	-	504	-
females ..	43	41	37	42	42	32	30	38	37	41	46	35	-	464	-
not stated	2	1	-	-	-	-	-	-	-	-	-	-	-	3	971
York, males	52	48	77	77	69	60	73	57	86	76	49	69	-	793	-
females ..	60	37	52	70	63	55	63	52	66	50	56	55	-	679	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1472
Total, males	557	600	659	629	670	577	587	602	632	581	536	508	9	7527	-
females ..	590	624	670	689	706	611	620	644	625	639	552	557	1	7148	-
not stated	2	3	1	-	3	2	-	-	-	-	3	4	-	18	-
	1149	1227	1330	1318	1379	1190	1207	1246	1257	1220	1091	1069	10	14693	14693

TABLE No. 13.
Births in Cities for 1896, with Rate per 1,000 of Population.

CITIES.	Population in 1890.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn	11,250	107	107	1	215	19.11	100.0
Augusta	10,527	109	101	-	210	19.95	107.9
Bangor	19,103	171	211	1	383	20.05	81.0
Bath	8,723	73	88	-	161	18.46	83.0
Belfast....	5,294	34	20	-	54	10.20	170.0
Biddeford	14,443	300	263	-	563	38.98	114.0
Brewer	4,193	71	63	-	134	31.96	112.7
Calais	7,290	119	113	-	232	31.82	105.3
Deering.....	5,353	74	67	-	141	26.34	110.4
Eastport.....	4,908	-	-	-	-	-	-
Ellsworth	4,804	33	21	-	54	11.24	157.1
Gardiner.....	5,491	76	54	-	130	23.68	140.7
Hallowell.....	3,181	34	25	-	59	18.55	136.0
Lewiston	21,701	314	329	2	645	29.72	95.4
Old Town.....	5,312	55	65	-	120	22.59	84.6
Portland.....	36,425	472	446	2	920	25.26	105.8
Rockland	8,174	70	88	-	158	19.33	79.5
Saco.....	6,075	70	55	-	125	20.57	127.3
Waterville.	7,107	125	131	1	257	36.16	95.4
Westbrook	6,632	130	139	-	269	40.56	93.5
Total.....	195,986	2,437	2,386	7	4,830	24.64	102.1

TABLE No. 14.
Percentage of American and Foreign Births by Counties, 1896.

COUNTIES.	PARENTS.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin.....	37.58	47.37	13.90	1.15
Aroostook.....	52.81	16.35	29.72	1.12
Cumberland.....	54.44	29.00	15.54	1.02
Franklin.....	79.60	10.08	8.56	1.76
Hancock.....	87.37	2.34	9.25	1.04
Kennebec.....	57.93	23.84	17.50	0.73
Knox.....	80.67	8.15	10.86	0.32
Lincoln.....	93.45	1.14	5.13	0.28
Oxford.....	79.65	8.85	10.62	0.88
Penobscot.....	63.62	17.05	17.76	1.57
Piscataquis.....	73.73	12.34	11.71	2.22
Sagadahoc.....	70.92	13.85	14.67	0.55
Somerset.....	75.65	11.60	12.09	0.66
Waldo.....	92.88	1.09	5.48	0.55
Washington.....	66.02	10.09	22.45	1.44
York.....	48.64	39.67	11.21	0.48
State.....	62.34	20.78	15.87	1.01

TABLE No. 15.
Percentage of American and Foreign Births, by Cities, 1896.

CITIES.	PARENTS.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Auburn	47.91	34.42	14.88	2.79
Augusta.....	44.76	34.29	19.52	1.43
Bangor.....	54.83	24.28	18.02	2.87
Bath.....	63.97	15.53	20.50	-
Belfast.....	92.59	-	5.56	1.85
Biddeford.....	15.10	72.29	12.26	0.35
Brewer.....	54.48	26.86	17.17	1.49
Calais	28.02	27.16	43.53	1.29
Deering	65.25	21.27	10.64	2.84
Eastport	-	-	-	-
Ellsworth	85.19	1.85	12.96	-
Gardiner.....	59.23	22.31	18.46	-
Hallowell	62.71	16.95	16.95	3.39
Lewiston.....	18.29	66.82	13.96	0.93
Old Town	35.00	33.33	31.67	-
Portland	42.83	34.67	21.41	1.09
Rockland.....	79.75	6.33	13.92	-
Saco	47.20	37.60	15.20	-
Waterville	36.96	34.24	28.03	0.77
Westbrook.....	33.46	51.30	13.38	1.86
Collectively	40.56	39.61	18.65	1.18

TABLE No. 16.
Twin Births by Months and Counties, 1896.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin	-	1	2	3	1	1	-	1	1	-	-	1	11
Aroostook	-	-	2	-	2	3	4	1	3	1	-	2	18
Cumberland.....	2	3	2	1	2	1	2	1	3	1	5	3	26
Franklin.....	-	1	1	2	2	2	-	-	-	2	1	-	11
Hancock	-	-	1	-	-	2	-	-	1	2	-	1	7
Kennebec.....	3	2	2	3	7	1	-	2	2	-	1	5	28
Knox.....	3	1	1	1	-	-	1	-	-	-	1	1	9
Lincoln	-	-	-	-	-	-	-	-	3	-	-	-	3
Oxford	1	-	1	-	1	-	-	-	1	1	1	3	9
Penobscot	-	1	4	3	3	-	2	3	2	4	1	1	24
Piscataquis.....	-	-	1	-	-	-	-	-	-	-	1	-	2
Sagadahoc.....	1	1	-	1	-	1	2	1	-	-	-	1	8
Somerset	1	-	-	1	4	-	1	-	1	-	-	1	9
Waldo.....	-	1	-	1	-	-	-	-	1	1	1	-	5
Washington	-	-	-	1	-	2	1	1	1	4	3	1	14
York	2	1	-	3	3	2	1	1	2	-	2	1	18
Total	13	12	17	20	25	15	14	11	21	16	17	21	202

TABLE No. 17.
Twin Births, by Sex and Parentage, by Counties, 1896.

COUNTIES.	SEX.				PARENTAGE.								
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	Total.	Living children.	Still-born children.	Total.
Androscoggin	3	7	1	-	3	7	-	1	-	11	21	1	22
Aroostook	2	9	7	-	7	6	1	4	-	18	36	-	36
Cumberland	7	13	6	-	12	8	3	3	-	26	50	2	52
Franklin.....	4	4	3	-	7	3	1	-	-	11	21	1	22
Hancock	3	4	-	-	6	1	-	-	-	7	11	3	14
Kennebec.....	8	9	11	-	18	5	1	4	-	28	47	9	56
Knox.....	3	1	5	-	5	1	1	2	-	9	15	3	18
Lincoln.....	1	2	-	-	2	1	-	-	-	3	5	1	6
Oxford.....	4	2	3	-	8	1	-	-	-	9	17	1	18
Penobscot	8	6	10	-	13	6	3	2	-	24	43	5	48
Piscataquis	-	2	-	-	1	1	-	-	-	2	3	1	4
Sagadahoc.....	3	2	3	-	5	3	-	-	-	8	13	3	16
Somerset	2	5	2	-	5	3	-	-	1	9	17	1	18
Waldo.....	1	2	2	-	5	-	-	-	-	5	10	-	10
Washington	7	2	5	-	11	2	1	-	-	14	25	3	28
York	2	7	9	-	11	4	1	2	-	18	31	5	36
Total.....	58	77	67	-	119	52	12	18	1	202	365	39	404

TABLE No. 18.
Still-Births by Sex and Parentage, by Counties, 1896.

COUNTIES.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin.....	28	24	11	63	31	22	10
Aroostook	39	30	5	74	49	25	-
Cumberland.....	70	60	1	131	77	54	-
Franklin.....	6	8	-	14	13	1	-
Hancock.....	15	11	-	26	24	2	-
Kennebec.....	33	18	1	52	38	14	-
Knox.....	19	15	2	36	33	3	-
Lincoln	9	7	-	16	15	1	-
Oxford.....	14	15	1	30	26	4	-
Penobscot	41	30	2	73	47	23	3
Piscataquis.....	8	4	5	17	13	4	-
Sagadahoc.....	10	12	-	22	14	8	-
Somerset	19	12	-	31	23	8	-
Waldo	8	9	-	17	17	-	-
Washington	26	17	3	46	41	4	1
York	61	24	3	88	35	53	-
Total	406	296	34	736	496	226	14

TABLE No. 19.
Still-Births by Seasons, 1896.

MONTHS.			
January	56		
February	73		
March	67	Total for first quarter.....	196
April	74		
May.....	56		
June	75	Total for second quarter.....	205
July.....	47		
August	51		
September	57	Total for third quarter.....	155
October.....	51		
November	56		
December	73	Total for fourth quarter	180
Months not stated.....	-		
Total.....	736		736

NOTES ON BIRTHS.

In the year 1896, 15,429 births were registered in the State, including still-births (14,028 in 1892, 14,604 in 1893, 14,607 in 1894, and 15,430 in 1895).

The number of living children born was 14,693, and the number of still-births was 736.

Of the whole number of living children of which the sex was certified, 7,527 were males and 7,148 were females. In 18 births, the sex was not stated. For each 100 girls born there were 105.3 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, and 106.4 in 1895).

Birth-Rate.—The birth-rate of living children for the State was 22.23 for each 1,000 of population, using the figures as given in the census returns for 1890 as the basis of calculation.

Table No. 13 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 of population was 24.64 as compared with 21.21, the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. It was the highest in Aroostook, 36.21, and the lowest in Waldo, 13.15. In six counties, Aroostook, Androscoggin, Cumberland, Franklin, Washington, and York, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 4 and No. 8.

For the purpose of comparison it may be stated that in 1896 the birth-rate in Vermont was 21.18; in Massachusetts, 28.94; in Rhode Island, 27.29; and in Connecticut, 24.9.

Parentage.—Of the total births in the State, 62.34 per cent. were of native parents; 20.78 per cent. were of foreign parentage; 15.87 per cent. were of parents, one of whom was foreign; while of 1.01 per cent. the nationality was not stated.

Lincoln county, as in each of the previous years, had the largest percentage of native-born parents, to wit, 93.45 per cent. Waldo followed with 92.88 per cent. of native parentage, and only 0.55 per cent. in which both parents were foreign-born.

In Hancock county, in 87.37 per cent. of the births, the parents were native-born.

In Knox, the percentage was 80.67, and in Oxford, 79.65.

Low percentages of native-born parents were shown in Androscoggin county, where, in 37.58 per cent. of the births, the parents were native-born, and 47.37 per cent. were foreign-born; and in York county with 48.64 per cent., and in Aroostook with 52.81 per cent. of the parents native-born.

The percentages of parentage, whether American-born or foreign-born, may be found for the other counties in Table No. 14.

Comparing the percentage of the births in our twenty cities with that of the rest of the State, we find that, in the cities, 40.56 per cent. of the births were of American parentage, while in the rural parts of the State, the percentage of American-born children was 75.03.

The largest percentage of foreign-born parents was in Biddeford, 72.29, and in Lewiston, 66.82.

The lowest percentage of foreign-born parents was again in Belfast where no birth was reported in which both parents were foreign, while in Ellsworth only 1.85 per cent., and in Rockland 6.33 per cent. of the births had both parents foreign-born. For further comparisons see Table No. 15.

Comparing the statistics of the other New England States with our 62.34 per cent. of American-born parents, we find that in 1896, in Vermont, 78.18 per cent. of the births were of American-born parents; in Massachusetts, 31.53 per cent.; in Rhode Island, 31.83 per cent.; and in Connecticut, 41.2 per cent.

Seasons and Births.—The largest number of births in any one month in 1896 was 1,379 in May; the smallest was 1,069 in December; the largest quarterly total was 3,887 in the second quarter; the smallest, 3,380 in the last quarter.

The following is a tabular statement of the number of births in each quarter of each of the five years 1892-96:

	1st Quarter.	2d Quarter.	3rd Quarter.	4th Quarter.
1892	3,474	3,774	3,557	3,160
1893	3,395	3,694	3,504	3,267
1894	3,277	3,779	3,667	3,208
1895	3,593	3,831	3,835	3,497
1896	3,706	3,887	3,710	3,380

The three consecutive months in which the largest number of births occurred were March, April, and May, 4,027.

Twin-Births.—In 1896, 202 twin births occurred; in 58 instances the twins were both boys; in 77, both girls; in 67, a boy and a girl. In 119 cases the parentage was American; in 52, foreign; and in 30 instances the parentage was mixed. Of the 404 children, 365 were born alive, and 39 were still-born.

Triplets in Biddeford. Other facts may be learned by consulting Tables No. 16 and No. 17.

Still-Births.—Of the 736 still-born children, 406 were males, and 296 females. In 34 the sex was not stated. With the exception of 14 still-births, as to which the nativity of the mother was not stated, 496 were of American mothers, and 226 were of foreign mothers.

The largest number of still-births, 131, occurred in Cumberland county; while the minimum number, 14, was reported in Franklin county.

The largest number of still-births, 75, was returned in June; the smallest number was 47 in July. See Tables No. 18 and No. 19 for other details.

TABLE No. 20.
Marriages and Marriage Rates by Counties for the Years 1892-96.

	1892.		1893.		1894.		1895.		1896.	
	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.
State	5,726	8.56	5,795	8.76	5,591	8.46	5,729	8.67	5,579	8.44
Androscoggin.....	479	9.78	463	9.46	456	9.31	459	9.37	461	9.41
Aroostook	458	9.24	494	9.96	492	9.92	543	10.95	483	9.74
Cumberland.....	779	8.57	820	9.02	757	8.32	813	8.94	770	8.47
Franklin.....	145	8.50	150	8.80	166	9.73	158	9.27	156	9.15
Hancock.....	307	8.23	311	8.33	327	8.76	321	8.60	303	8.12
Kennebec.....	553	9.70	529	9.28	478	8.38	506	8.88	506	8.88
Knox.....	276	8.77	318	10.10	270	8.58	287	9.12	258	8.19
Lincoln.....	172	7.82	155	7.05	143	6.50	150	6.81	166	7.55
Oxford.....	224	7.32	223	7.29	217	7.10	249	8.14	252	8.24
Penobscot.....	697	9.58	694	9.52	631	8.66	684	9.39	682	9.36
Piscataquis.....	133	8.24	143	8.86	144	8.92	151	9.35	152	9.42
Sagadahoc.....	137	8.07	131	6.73	131	6.73	111	5.71	136	6.99
Somerset.....	297	9.10	298	9.13	285	8.74	307	9.41	261	8.00
Waldo.....	240	8.65	225	8.11	226	8.14	218	7.89	197	7.10
Washington.....	354	7.96	406	9.13	414	9.31	320	7.19	348	7.82
York.....	455	7.24	435	6.92	454	7.23	452	7.19	448	7.13

TABLE No. 21.
Marriages by Counties and Nativity, 1896.

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin	279	106	39	36	1	461
Aroostook	236	85	56	101	5	483
Cumberland	507	140	67	48	8	770
Franklin	131	9	3	13	-	156
Hancock	262	2	18	18	3	303
Kennebec	368	52	38	37	11	506
Knox	214	10	17	14	3	258
Lincoln	148	2	3	12	1	166
Oxford	217	8	9	18	-	252
Penobscot	516	55	39	64	8	682
Piscataquis	118	7	14	12	1	152
Sagadahoc	107	8	14	6	1	136
Somerset	217	10	5	24	5	261
Waldo	186	1	2	7	1	197
Washington	250	33	29	36	-	348
York	295	94	34	20	5	448
Total	4,051	622	387	466	53	5,579

TABLE No. 22.
Marriages by Months and Counties, 1896.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	40	28	19	36	33	62	40	40	37	43	46	37	-	461
Aroostook	30	32	27	43	41	47	45	40	49	46	51	32	-	483
Cumberland	60	33	37	74	41	101	58	59	64	96	92	55	-	770
Franklin	7	12	7	18	17	17	4	9	22	10	13	19	1	156
Hancock	25	21	11	23	20	26	27	19	24	37	42	28	-	303
Kennebec	44	37	20	31	41	67	43	43	47	49	40	43	1	506
Knox.....	18	18	18	21	12	34	13	12	38	26	20	28	-	258
Lincoln	21	9	13	9	10	18	10	12	11	18	12	23	-	166
Oxford	25	13	21	19	23	17	28	8	24	17	26	31	-	252
Penobscot	49	31	41	54	44	81	55	49	62	64	78	74	-	682
Piscataquis.....	8	7	9	11	12	13	12	18	14	14	22	12	-	152
Sagadahoc	16	9	5	11	8	18	6	14	17	13	2	17	-	136
Somerset.....	26	12	14	30	21	23	19	20	21	29	19	27	-	261
Waldo	14	14	14	10	14	26	13	14	19	17	20	22	-	197
Washington	29	19	26	19	29	31	27	22	31	38	30	47	-	348
York	40	27	21	31	31	56	15	31	49	60	44	42	1	448
Total	452	322	303	440	397	637	415	410	529	577	557	537	3	5,579

TABLE No. 23.

Number of Marriages in Each Month of 1892, 1893, 1894, 1895, and 1896, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1892.		1893.		1894.		1895.		1896.	
	Marriages.	Ratio.*	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.
January	321	66.1	397	80.7	400	84.2	449	92.2	452	95.4
February	334	76.1	315	70.8	298	64.9	384	87.5	322	73.1
March.....	322	66.0	345	70.1	342	72.0	307	63.0	303	63.9
April.....	456	96.8	476	100.0	414	90.2	390	82.8	440	96.0
May.....	390	80.2	425	86.4	386	81.3	400	82.1	397	83.8
June.....	542	115.1	652	137.0	603	131.0	622	132.1	637	138.9
July.....	444	91.4	428	87.0	378	79.6	382	78.4	415	87.6
August.....	437	89.9	421	85.6	393	82.7	433	88.9	410	86.5
September.....	567	120.4	551	115.8	541	117.9	576	122.2	529	115.4
October.....	569	117.1	582	118.3	636	133.9	632	129.8	577	121.8
November.....	698	148.2	652	137.0	628	136.8	630	133.8	557	121.5
December.....	608	125.1	515	104.7	554	116.6	523	107.4	537	113.3
Unknown.....	38	-	36	-	18	-	1	-	3	-

*In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 24.
Marriages by Ages and Counties, 1896.

COUNTIES.	Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscogginmales	-	17	184	131	49	36	15	10	6	4	7	2	-	-	461
females	-	111	194	86	34	12	9	7	4	2	-	-	-	-	461
Aroostookmales	-	11	174	154	55	32	18	16	8	7	5	2	-	1	483
females	2	187	169	57	23	17	12	6	4	3	1	-	2	-	483
Cumberlandmales	-	18	280	238	95	48	28	22	16	11	11	3	-	-	770
females	2	132	334	166	61	27	19	12	6	6	5	-	-	-	770
Franklinmales	-	4	55	44	19	7	9	6	1	2	7	1	1	-	156
females	1	43	57	20	12	6	5	4	4	2	2	-	-	-	156
Hancockmales	-	6	122	75	33	22	16	12	4	6	6	1	-	-	303
females	6	93	118	30	18	13	9	8	3	2	2	-	1	-	303
Kennebecmales	-	22	182	141	52	41	20	13	11	10	10	4	-	-	506
females	-	140	197	75	31	21	17	10	10	2	1	1	-	1	506
Knoxmales	-	17	101	68	26	15	13	6	6	1	5	-	-	-	258
females	1	74	99	38	18	9	7	1	-	2	-	-	-	-	258
Lincolnmales	-	5	51	63	20	9	4	6	4	3	1	-	-	-	166
females	-	39	73	24	14	5	7	2	1	-	1	-	-	-	166
Oxfordmales	-	10	95	69	26	16	6	10	7	5	5	3	-	-	252
females	-	88	81	31	18	11	8	7	-	4	3	1	-	-	252
Penobscotmales	-	12	237	211	92	52	23	13	10	16	11	4	1	-	682
females	4	182	274	98	36	31	16	17	10	7	5	2	-	-	682
Piscataquismales	-	4	48	50	23	5	9	4	4	2	2	-	1	-	152
females	-	55	63	10	4	6	5	5	1	1	2	-	-	-	152
Sagadahocmales	-	4	48	43	14	11	3	4	2	2	3	-	2	-	136
females	-	35	50	24	10	4	4	-	5	2	2	-	-	-	136
Somersetmales	-	18	84	70	31	20	13	5	4	3	11	1	1	-	261
females	1	92	79	38	20	13	5	2	6	-	2	1	-	2	261
Waldomales	-	4	57	56	28	20	14	10	2	3	3	-	-	-	197
females	-	61	64	33	17	12	4	3	1	1	1	-	-	-	197
Washingtonmales	-	19	159	67	44	18	9	10	3	6	9	4	-	-	348
females	-	129	123	43	20	9	4	9	5	2	2	-	-	-	348
Yorkmales	-	16	188	91	57	33	22	18	10	8	4	1	-	-	448
females	-	102	191	64	34	22	13	6	4	5	4	-	3	-	448
Totalmales	-	187	2,065	1,571	664	385	222	165	98	89	100	26	6	1	5,579
females	17	1,563	2,166	837	370	218	146	100	69	42	37	5	-	9	5,579
Grand total	17	1,750	4,231	2,408	1,034	603	368	265	167	131	137	31	6	10	11,158

TABLE
Interesting Facts in

COUNTIES.	Instances in which the age of the bride exceeds that of the groom.		Widowers.		Widows.		Divorced.		First marriage.		Second marriage.		Third marriage.		Fourth marriage.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Androscoggin	90	61	37	17	18	383	406	72	52	6	3	-	-			
Aroostook	59	75	53	10	12	397	418	78	57	6	8	1	-			
Cumberland.....	115	124	82	14	15	631	672	127	90	11	7	-	-			
Franklin.....	30	34	23	8	9	113	123	35	23	5	9	2	-			
Hancock.....	37	51	34	12	17	240	252	55	44	5	6	2	1			
Kennebec.....	71	93	62	13	19	395	421	92	72	14	7	-	2			
Knox.....	52	36	21	13	23	209	214	37	40	11	3	1	1			
Lincoln.....	21	21	13	4	5	141	148	23	16	2	1	-	1			
Oxford.....	35	44	32	10	7	197	213	48	35	5	3	1	-			
Penobscot.....	95	91	83	29	36	562	563	110	106	14	9	-	-			
Piscataquis.....	16	25	14	3	4	124	134	22	16	6	2	-	-			
Sagadahoc.....	19	17	13	2	5	117	118	14	18	5	-	-	-			
Somerset.....	33	38	34	8	17	215	210	35	45	11	6	-	-			
Waldo.....	24	32	16	7	13	157	166	37	27	2	2	-	-			
Washington.....	44	51	38	4	7	293	303	51	41	4	3	-	1			
York.....	76	71	50	13	5	364	393	77	53	6	2	1	-			
Total.....	817	864	605	167	212	4,538	4,754	913	735	113	71	8	6			

NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1896 was 5,579 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, and 5,729 in 1895). We have, therefore, for the year 1896, a marriage-rate of 16.88 (persons married) to every 1,000 of population, or at the rate of 8.44 marriages per 1,000 persons.

Marriage-Rates.—The marriage-rate was higher in Aroostook county than elsewhere in the State, as in the two preceding years, it being for that county 19.48 per 1,000. The lowest marriage-rate, that of 13.98 per 1,000, was in Sagadahoc county. See Table No. 4.

Comparing the marriage-rate of Maine, 16.88 per 1,000, with that of the other New England States, we find that for the same year, 1896, it was in Vermont, 18.30; Massachusetts, 18.51; Rhode Island, 17.0; and Connecticut, 15.6.

Nativity.—Of the 5,526 records of marriage in which there is a statement of birthplace, in 73 per cent. the groom and bride were both American; in 11 per cent. both were of foreign birth; in 7 per cent. the groom was American and the bride of foreign birth; while in 9 per cent. a foreign groom and American bride were united.

Seasons.—The largest number of marriages, 637, was solemnized in June, while the smallest number in any one month, 303, occurred in March. See Table No. 22.

Ages of the Married.—The largest number, both of grooms and brides, was between 20 and 25 years of age. While still under 15 years of age, 17 brides were married; in the age-period 15-20 years, there were 187 grooms and 1,563 brides; in the period 20-25 years, 2,065 men and 2,166 women were married; from 25-30, 1,571 men and 837 women; from 30-35, 664 men and 370 women; from 35-40, 385 men and 218 women; from 40-45, 222 men and 146 women; from 45-50, 165 men and 100 women; from 50-55, 98 men and 69 women; from 55-60, 89

men and 42 women; from 60-70, 100 men and 37 women; from 70-80, 26 men and 5 women; over 80, 6 men. See Table No. 24.

In 4,762 marriages the groom was older than the bride; while in 817, the bride was the elder; 864 widowers and 605 widows were remarried; 167 men and 212 women were remarried after having been divorced from a former marriage.

Table No. 25 exhibits the fact that 4,538 men and 4,754 women were married the first time; that 913 men and 735 women were married the second time; that 113 men and 71 women were united in a third marriage; 8 men and 6 women contracted marriage a fourth time, while 1 man and 1 woman were married a fifth time.

The oldest groom was 90 years of age, and the oldest bride was 74. In 2 marriages the brides were only 13, and in 3, only 14 years old; in 2 marriages where the brides were only 17, each had been divorced; and in 1 marriage, the groom was 22 and the bride 57 years old. In Somerset county 18 brides under 30 years of age had been divorced.

TABLE

Divorces Deceed by the Supreme Court of Maine for the

Counties.	Libellant wife.	Libellant husband.	Adultery.	Adultery and desertion.	Extreme cruelty.	Extreme cruelty and intoxication.	Desertion.	Desertion and intoxication.	Desertion and extreme cruelty.	Desertion and failure to support.	Desertion and cruel and abusive treatment.
Androscoggin	34	12	2	1	-	-	13	1	-	1	1
Aroostook	23	8	8	-	-	-	13	-	-	-	-
Cumberland	51	17	10	-	1	-	21	-	-	-	-
Franklin	16	7	3	-	-	-	2	-	-	-	-
Hancock	15	10	5	-	-	-	9	-	-	-	-
Kennebec	79	29	14	-	-	1	22	1	-	1	-
Knox	44	9	1	-	1	-	12	-	-	-	-
Lincoln	10	4	2	-	1	-	2	-	-	-	-
Oxford	13	10	5	-	-	-	6	-	-	-	-
Penobscot.....	61	22	14	-	-	-	27	-	-	-	-
Piscataquis	10	8	8	-	-	-	4	-	-	-	-
Sagadahoc	8	5	7	-	-	-	7	-	-	-	-
Somerset.....	34	11	5	-	-	-	12	-	-	-	-
Waldo	31	3	2	-	1	-	5	-	-	-	-
Washington	17	7	6	-	-	-	11	-	-	-	-
York.....	45	15	9	-	-	-	19	-	-	-	-
Total	491	177	95	1	4	1	185	2	-	2	1

No. 26.

Year 1896, as Returned by Clerks of the Several Counties,

Desertion, cruel and abusive treatment and intoxication.	Intoxication.	Intoxication and failure to support.	Cruel and abusive treatment.	Cruel and abusive treatment and adultery.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Failure to support.	Failure to support, cruel and abusive treatment and desertion.	Nullity of marriage.	No cause reported.	Total.
-	6	2	11	-	-	1	3	3	-	1	-	46
-	-	-	2	-	1	-	-	1	-	-	-	31
-	13	-	16	-	-	-	6	1	-	-	-	68
-	5	-	12	-	-	-	-	-	1	-	-	23
-	2	-	9	-	-	-	-	-	-	-	-	25
-	11	4	19	2	-	4	7	15	-	1	6	108
-	13	-	23	-	1	-	-	2	-	-	-	53
-	-	-	9	-	-	-	-	-	-	-	-	14
-	2	-	9	-	-	-	-	1	-	-	-	23
-	10	-	28	-	1	-	3	-	-	-	-	83
-	1	-	3	1	-	-	-	1	-	-	-	18
-	2	-	5	-	-	-	-	-	-	-	-	13
-	10	-	13	1	-	3	1	-	-	-	-	45
-	8	-	15	-	-	-	-	3	-	-	-	34
-	2	-	3	-	-	-	1	1	-	-	-	24
-	6	-	23	-	-	-	-	3	-	-	-	60
-	91	6	204	4	3	8	21	31	1	2	6	668

TABLE No. 27.

Divorces by Causes, the Sex of the Libellants, and the Number of Years Married, 1896.

CAUSES.	LIBELLANTS.		NUMBER OF YEARS MARRIED.							
	Number.	Sex.	Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown.
Adultery.....	95	Males, 49 Females, 46	-	-	16	14	15	2	1	1
Adultery and desertion	1	Males, 1 Females, -	-	-	-	1	-	-	-	-
Extreme cruelty.....	4	Males, 4 Females, -	-	-	1	-	2	1	-	-
Extreme cruelty and intoxication	1	Males, 1 Females, -	-	-	-	-	1	-	-	-
Desertion.....	185	Males, 77 Females, 108	1	1	11	19	26	15	5	-
Desertion and intoxication.....	2	Males, 2 Females, -	-	-	2	-	-	-	-	-
Desertion and failure to support..	2	Males, - Females, 2	-	-	1	-	1	-	-	-
Desertion and cruel and abusive treatment.....	1	Males, - Females, 1	-	-	-	-	1	-	-	-
Intoxication	91	Males, 5 Females, 86	-	-	2	1	28	7	-	-
Intoxication and failure to support	6	Males, 6 Females, -	-	-	4	1	1	-	-	-
Cruel and abusive treatment.....	204	Males, 42 Females, 162	-	1	16	10	12	4	-	-
Cruel and abusive treatment and adultery	4	Males, 2 Females, 2	-	-	1	-	1	-	-	-
Cruel and abusive treatment and extreme cruelty	3	Males, - Females, 3	-	-	2	-	1	-	-	-
Cruel and abusive treatment and failure to support	8	Males, - Females, 8	-	-	4	1	3	-	-	-
Cruel and abusive treatment and intoxication	21	Males, - Females, 21	1	-	5	9	5	1	-	-
Failure to support.....	31	Males, - Females, 31	-	3	11	7	9	1	-	-
Failure to support, cruel and abusive treatment, and desertion	1	Males, - Females, 1	-	-	1	-	1	-	-	-
Nutlity of marriage.....	2	Males, 1 Females, -	1	-	-	-	-	-	-	-
No cause reported.....	6	Males, - Females, 6	-	-	1	2	3	-	-	-
Total	668	Males, 177 Females, 491	1	6	47	45	56	21	6	1
					143	142	143	47	7	2

NOTES ON DIVORCES.

Six hundred and sixty-eight divorces were decreed in the year 1896 (552 in 1892, 627 in 1893, 674 in 1894, and 681 in 1895). In 1896 there was decreed in Maine one divorce for every 8.3 marriages solemnized within the same year; in Vermont, one to 15.7; in Massachusetts, one to 19.2; in Rhode Island, one to 9.2; in Connecticut, one to 14.9. The divorce-rate is, therefore, greater in Maine than in any other New England State, and much greater than in some of them.

Some of the causes for which divorces were granted are: Adultery, 95, or 14.2 per cent. of the whole number; extreme cruelty, 4, or 0.06 per cent.; desertion, 185, or 27.0 per cent.; intoxication, 91, or 13.6 per cent.; cruel and abusive treatment, 204, or 30.5 per cent.; failure to support, 31, or 4.6 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 491 divorces, and the husband in 177.

In the divorces granted for adultery, the husband was the libellant 49 times, and the wife 46 times.

On account of extreme cruelty, the wife was the libellant in the 4 cases.

For desertion, the husband was the libellant 77 times, and the wife 108.

For intoxication, the husband was the libellant in 5 cases, and the wife in 86.

For cruel and abusive treatment, the husband was the libellant in 42 instances, and the wife in 162.

For failure to support, the wife was the libellant in the 31 divorces decreed for that cause.

Two divorces were granted before the married life had lasted 6 months; 6, before 1 year; 190, after from 1 to 5 years marriage; 187, after 5 to 10 years; 199, after 10 to 20 years; 68, after 20 to 30 years; and 13, after more than 30 years of married life. Tables No. 26 and 27 may be consulted for more detailed statements.

TABLE No. 28.
Deaths and Death-Rates by Counties, for the Years 1892-96.

	1892.		1893.		1894.		1895.		1896.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State	12,147	18.37	11,134	16.84	11,012	16.66	10,464	15.83	10,626	16.07
Androscoggin	803	16.39	819	16.73	941	19.22	866	14.40	889	18.15
Aroostook	619	12.48	609	12.72	657	13.46	665	13.52	677	13.77
Cumberland.....	1,845	20.28	1,719	18.90	1,690	18.57	1,629	17.91	1,670	18.56
Franklin.....	337	19.76	319	18.98	276	16.35	272	16.10	301	17.85
Hancock.....	581	15.57	494	13.35	553	16.27	510	13.78	527	14.26
Kennebec.....	1,273	22.32	1,153	20.22	1,132	19.86	1,014	17.79	1,052	18.45
Knox.....	629	19.99	569	18.09	509	16.18	526	16.73	511	16.25
Lincoln	439	19.95	330	15.06	341	15.50	325	14.78	317	14.41
Oxford.....	561	18.30	506	16.62	470	15.42	455	14.98	446	14.68
Penobscot	1,208	16.57	1,122	15.43	1,192	16.40	1,130	15.51	1,169	16.09
Piscataquis.. ..	246	15.24	249	15.91	214	13.52	207	13.14	195	12.49
Sagadahoc.....	352	18.09	326	16.76	290	14.91	287	14.75	299	15.37
Somerset	548	16.79	511	15.84	520	16.12	521	16.07	452	13.99
Waldo	538	19.38	408	14.70	444	16.00	405	14.59	375	13.51
Washington	775	17.42	761	17.22	636	14.39	603	13.67	617	14.16
York	1,393	22.20	1,239	19.72	1,147	18.26	1,049	16.70	1,129	17.97

TABLE No. 29.

**Number of Deaths in Each Month of 1892, 1893, 1894, 1895, 1896,
with Monthly Ratio Compared with a Standard of 100.**

MONTHS.	1892.		1893.		1894.		1895.		1896.	
	Deaths.	Ratio.*	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January	1,577	154.5	849	90.0	1,266	136.6	906	101.9	863	95.5
February	1,292	136.7	845	100.0	980	116.6	821	102.2	921	109.1
March... ..	1,095	106.0	959	103.3	920	103.4	1,053	118.4	944	104.6
April	1,048	106.0	1,037	100.0	994	110.0	854	99.3	942	97.8
May	1,045	106.0	969	100.0	851	93.3	843	94.8	961	106.5
June	833	84.6	819	90.0	816	90.0	715	83.1	814	93.2
July	866	84.6	823	90.0	865	93.3	803	90.3	845	93.6
August	938	82.2	1,080	106.6	953	100.0	938	105.5	1,079	119.5
September	976	93.9	975	106.6	956	106.6	1,023	118.9	912	104.4
October	844	81.8	917	100.0	821	86.6	902	101.5	833	92.3
November	790	78.8	796	86.6	761	83.3	743	86.4	667	76.4
December	793	76.5	1,037	100.0	819	86.6	858	96.5	839	93.0
Unknown	50		28		10		5		6	

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE

Shows the Number of Deaths in the State, and in

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.
All causes	11,533	961	758	1,841
Specified causes	11,094	898	711	1,799
CLASSES.				
I.—Zymotic diseases	2,854	213	287	390
II.—Parasitic diseases	1	—	—	—
III.—Dietetic diseases	31	—	1	5
IV.—Constitutional diseases	674	42	25	128
V.—Developmental diseases	1,968	202	167	326
VI.—Local diseases	5,129	411	212	868
VII.—Deaths from violence	437	30	19	82
VIII.—Deaths from ill-defined causes	439	63	47	42
GROUPS.				
I.—1. Infectious diseases	734	51	99	95
2. Specific neoplastic diseases	1,362	104	82	187
3. Diarrheal diseases	639	49	96	79
4. Zoögenous diseases	1	—	—	—
5. Septic diseases	118	9	10	29
II.—1. Parasitic diseases	1	—	—	—
III.—1. Dietetic diseases	31	—	1	5
IV.—1. Constitutional diseases	674	42	25	128
V.—1. Developmental diseases	1,968	202	167	326
VI.—1. Diseases of nervous system	1,520	122	58	255
2. Diseases of organs of special sense	4	1	—	1
3. Diseases of circulatory system	1,108	93	37	186
4. Diseases of respiratory system	1,141	93	50	196
5. Diseases of digestive system	679	48	30	110
6. Diseases of lymphatics, etc	12	1	—	1
7. Diseases of urinary system	561	40	23	111
8. Diseases of organs of generation	31	7	2	1
9. Accidents and diseases of reproduction	56	6	9	5
10. Diseases of osseous system	13	—	2	—
11. Diseases of the integument	4	—	1	2
VII.—1. Accident, negligence or doubtful	348	25	18	65
2. Homicide	8	1	—	2
3. Suicide	81	4	1	15
VIII.—1. Deaths from ill-defined causes	439	63	47	42

No. 30.

Each County, Arranged by Classes and Groups.

Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
318	556	1,129	557	337	480	1,253	218	326	490	396	672	1,241
308	536	1,087	534	320	473	1,205	209	319	471	383	652	1,189
80	119	299	141	64	106	328	48	76	117	83	190	313
-	-	5	3	1	2	7	-	3	-	1	-	1
22	29	54	32	25	36	66	21	20	34	28	37	75
48	85	147	95	52	89	194	42	52	77	57	112	223
147	282	539	241	154	223	557	89	157	224	201	289	535
11	21	43	22	24	17	53	9	11	19	13	22	41
10	20	42	23	17	7	48	9	7	19	13	20	52
22	30	66	42	12	31	96	6	12	19	13	57	83
40	71	130	68	44	47	156	29	47	67	58	104	128
15	11	95	28	6	22	66	9	14	26	10	23	90
3	7	8	3	2	6	10	4	3	5	2	6	11
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	5	3	1	2	7	-	3	-	1	2	1
22	29	54	32	25	36	66	21	20	34	28	37	75
48	85	147	95	52	89	194	42	52	77	57	112	223
41	69	202	61	54	64	150	26	44	73	50	80	171
-	-	-	-	-	-	1	-	-	-	1	-	-
38	53	109	58	33	58	105	20	44	33	59	58	124
35	73	104	57	30	50	128	15	31	50	25	74	130
21	48	76	34	19	23	78	11	21	27	31	43	59
1	-	3	-	-	-	2	-	1	-	2	1	-
11	33	38	24	17	24	76	15	15	29	30	31	44
-	3	2	3	-	2	3	-	-	3	2	1	2
-	3	2	2	1	1	12	2	-	7	1	1	5
-	-	2	2	-	1	2	-	1	2	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
8	16	34	17	16	12	42	8	9	17	8	17	36
-	-	-	-	-	-	1	-	-	-	-	2	1
3	5	9	5	7	5	10	1	2	2	5	3	4
10	20	42	23	17	7	48	9	7	19	13	20	52

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
I.—Zymotic.																	
1. Infectious diseases																	
Totals.....	734	51	99	95	22	30	66	42	12	31	96	6	12	19	13	57	83
Small-pox.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles.....	32	12	-	-	-	-	3	-	1	4	3	-	1	-	-	1	7
Rötheln.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever.....	33	4	3	3	1	-	-	6	-	1	7	-	5	-	-	1	2
Typhus fever.....	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Influenza.....	117	-	25	8	2	2	11	5	4	8	15	-	-	-	7	15	9
Whooping cough.....	111	6	11	10	8	9	6	5	-	4	29	2	-	6	1	6	6
Mumps.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria.....	109	1	8	34	3	2	19	13	-	3	1	-	-	2	-	9	14
Croup.....	65	3	25	7	3	-	4	5	1	-	6	1	1	2	1	3	3
Tonsilitis, etc.....	7	-	-	1	-	-	-	1	1	-	-	-	-	1	-	3	-
Crebro-spinal meningi- tis.....	33	2	2	6	1	1	2	1	2	2	4	-	-	-	1	6	3
Tetanus.....	8	1	1	-	-	1	2	1	-	-	-	-	-	-	1	-	1
Typhoid fever.....	186	19	23	26	2	7	16	3	3	6	22	1	3	6	2	11	36
Simple continued fever.....	18	1	1	-	1	1	2	1	-	1	5	2	-	1	-	1	1
Malarial diseases.....	12	2	-	-	1	-	1	1	-	2	3	-	-	1	-	1	-
Other specific febrile dis- eases.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.—2. Specific neo- plastic.																	
Totals.....	1,362	104	82	187	40	71	130	68	44	47	156	29	47	67	58	104	128
Tuberculosis, cerebral..	70	4	-	19	-	4	1	3	3	2	11	1	5	5	4	7	1
Tuberculosis, pulmonary	1,172	85	73	152	34	62	109	62	36	43	135	26	41	57	56	93	114
Tuberculosis, mesenteric	28	4	2	3	5	-	3	-	1	1	3	1	-	-	-	2	3
Tuberculosis, other forms.....	89	11	7	13	1	4	17	2	3	1	7	1	1	5	4	2	10
Syphilis.....	3	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
I.—3. Diarrheal dis- eases.																	
Totals.....	639	49	96	79	15	11	95	28	6	22	66	9	14	26	10	23	90
Infantile diarrhea.....	520	36	87	69	11	7	77	25	5	17	50	8	13	14	7	19	75
Cholera morbus.....	52	-	7	7	3	-	9	1	-	1	10	1	-	6	1	1	5
Dysentery.....	41	9	2	2	1	1	8	1	-	2	4	-	1	2	2	1	5
Diarrhea.....	26	4	-	1	-	3	1	1	1	2	2	-	-	4	-	2	5
I.—4. Zoögenous dis- eases.																	
Totals.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Hydrophobia.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant pustule.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Cow-pox and vaccina- tion.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.—5. Septic diseases.																	
Totals.....	118	9	10	29	3	7	8	3	2	6	10	4	3	5	2	6	11
Phagadema.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas.....	27	-	2	7	-	2	1	1	-	3	4	2	-	1	-	3	8
Pyæmia, septicæmia.....	60	8	2	18	2	3	4	2	1	3	2	1	1	1	2	2	1
Puerperal fever.....	31	1	6	4	1	2	3	-	1	-	4	1	2	3	-	1	2

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
II.—Parasitic.																	
Totals	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatids	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal parasites	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Other parasitic diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.—Dietetic.																	
Totals	31	-	1	5	-	-	5	3	1	2	7	-	3	-	1	2	1
Starvation	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malnutrition of infants	16	-	1	-	-	-	2	1	-	2	6	-	3	-	-	-	1
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Alcoholism	13	-	-	4	-	-	3	2	-	-	1	-	-	-	1	2	-
IV.—Constitutional.																	
Totals	674	42	25	128	22	29	54	32	25	36	66	21	20	34	28	37	75
Rheumatism	44	2	4	5	-	1	5	3	1	2	6	2	1	1	1	4	6
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, gastric	141	6	2	24	5	7	13	7	5	7	9	4	4	7	10	11	20
Cancer, mammary	50	3	2	13	3	3	1	1	1	3	9	1	1	1	1	5	4
Cancer, hepatic	60	8	1	13	1	2	1	2	2	2	8	1	4	6	3	2	4
Cancer, uterine	86	6	1	23	2	3	7	4	5	4	5	4	3	3	3	4	9
Cancer, other	181	7	11	35	5	7	18	8	6	9	19	7	5	10	5	7	22
Purpura hemorrhagic diathesis	8	-	1	1	-	-	2	1	-	-	1	-	-	1	-	1	-
Anemia, etc.	37	4	-	4	1	4	4	4	-	4	1	-	-	2	-	1	8
Diabetes mellitus	67	6	3	10	5	2	3	3	5	5	8	2	2	3	6	2	2
Other constitutional diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V.—Developmental.																	
Totals	1,968	202	167	326	48	85	147	95	52	89	194	42	52	77	57	112	223
Still-born	736	63	74	131	14	26	52	36	16	30	73	17	22	31	17	46	88
Premature birth	171	9	7	40	3	3	25	10	4	4	11	6	5	7	4	9	24
Ill-defined diseases of infancy	397	93	57	44	8	15	26	13	7	13	25	1	8	8	7	23	46
Atelectasis	6	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	1
Cyanosis	19	-	-	1	1	3	2	1	-	1	2	-	2	1	1	1	3
Spina bifida	8	-	2	-	-	-	-	1	-	-	2	-	-	-	-	-	3
Imperforate anus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital defects	13	3	2	2	-	-	-	-	-	-	3	-	1	1	-	-	2
Umbilical hemorrhage	8	-	1	1	1	-	1	-	1	-	2	-	1	-	-	-	-
Old age (over 70)	610	34	23	106	21	38	40	35	24	40	75	15	13	29	28	33	56

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VI.—Local.																	
1. Diseases of the nervous system.																	
Totals	1,520	122	58	255	41	69	202	61	54	64	150	26	44	73	50	80	171
Inflammation of brain or membranes	242	26	11	46	7	17	28	9	8	7	25	3	2	9	-	15	26
Apoplexy	492	44	12	87	16	21	52	14	16	23	39	3	2	9	15	35	19
Softening of brain	45	3	1	-	-	-	5	-	1	5	4	2	1	6	-	4	4
Hemiplegia	20	-	-	4	-	-	2	-	2	3	2	1	1	-	-	1	2
Paralysis agitans	3	-	-	1	-	-	-	1	-	-	2	1	-	-	-	-	-
Paralysis	301	15	16	44	8	11	39	15	9	14	28	3	13	15	16	14	41
Hydrocephalus (not acute)	20	2	1	1	1	-	3	3	1	-	5	1	-	-	-	-	2
Insanity	88	3	1	9	1	2	49	3	2	-	9	1	-	1	4	1	2
Brain, other diseases of.	59	3	3	12	-	6	5	7	1	5	8	1	1	-	1	-	6
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	24	2	1	5	-	1	7	-	1	-	-	-	-	-	-	-	3
Convulsions	129	16	10	22	5	6	6	4	3	3	19	2	4	3	4	9	13
Laryngismus stridulus	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Spinal meningitis	13	-	-	2	2	-	-	1	2	1	2	-	-	-	-	-	2
Myelitis	14	-	-	3	-	2	-	-	1	1	-	-	2	-	1	3	1
Paraplegia	5	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-
Locomotor ataxia	13	1	-	1	-	-	-	1	1	1	3	1	1	1	-	2	-
Other diseases of spinal cord	24	4	-	5	-	2	4	1	1	-	-	-	-	2	-	3	2
Other diseases of nervous system	26	3	1	5	1	-	-	1	4	1	2	2	-	-	2	2	2
VI.—2. Diseases of organs of special sense.																	
Totals	4	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-
Diseases of the ear	3	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Epistaxis and diseases of nose	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.—3. Circulatory system.																	
Totals	1,108	93	37	186	38	53	109	58	33	58	105	20	44	33	59	58	124
Endocarditis	19	2	-	3	1	-	2	2	-	-	3	-	-	1	-	3	2
Valvular disease of heart	310	19	5	59	16	16	25	17	7	18	33	3	13	14	11	20	34
Hypertrophy of heart	41	6	2	7	-	1	2	2	5	3	3	-	1	-	2	2	5
Pericarditis	8	1	-	-	-	-	2	-	-	2	-	-	-	1	1	-	1
Diseases of heart, unspecified	602	56	25	100	17	32	69	31	16	24	51	15	26	14	40	24	62
Angina pectoris	56	3	2	4	3	2	5	3	1	6	9	1	-	2	2	3	10
Syncope	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Aneurism	5	-	-	1	-	-	-	-	1	-	1	-	-	-	-	2	-
Senile gangrene	31	2	1	8	1	1	1	-	3	2	4	-	2	-	1	2	3
Embolism, thrombosis	16	1	2	1	-	1	2	-	1	1	-	-	2	-	1	2	2
Phlebitis	4	1	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
Others, circulatory system	14	2	-	3	-	-	1	2	-	1	-	-	-	-	1	-	4

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VI.—4. Respiratory system.																	
Totals	1,141	93	50	196	35	73	104	57	30	50	128	15	31	50	25	74	130
Laryngitis	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	2
Other diseases of larynx and trachea	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Emphysema, asthma	21	1	-	1	1	2	3	2	1	3	1	1	-	1	-	7	13
Bronchitis	220	27	8	35	6	12	23	8	5	7	25	3	12	5	7	13	22
Pneumonia	781	55	37	134	25	53	64	40	22	34	92	10	15	38	16	50	96
Pleurisy	19	2	-	6	1	2	1	1	-	-	1	-	1	1	-	1	2
Other diseases of respiratory system	93	7	5	19	2	4	13	5	2	6	9	1	3	3	2	5	7
VI.—5. Digestive system.																	
Totals	679	48	30	110	21	48	76	34	19	23	78	11	21	27	31	43	59
Diseases of the mouth	10	2	1	1	-	1	1	-	-	-	2	-	-	-	1	-	3
Dyspepsia	16	4	-	2	-	2	3	-	-	-	2	-	-	-	-	-	1
Gastric ulcer	16	-	1	2	-	3	1	1	1	-	3	-	1	2	-	1	-
Hematemesis	6	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	2
Gastritis	128	4	3	15	1	16	15	7	6	5	11	1	6	7	6	6	19
Other diseases of stomach	22	1	1	-	-	2	1	1	-	1	4	2	1	2	2	2	2
Enteritis	114	9	9	26	-	6	17	6	-	2	10	2	2	6	4	10	5
Ulceration of intestines. Stricture and strangulation of intestines	13	-	-	4	1	-	1	-	-	2	4	-	-	1	1	1	-
Intussusception of intestines	4	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	1
Hernia	3	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
Hernia	13	1	-	3	3	-	1	1	-	2	-	-	-	-	1	-	1
Other obstructive diseases of intestines	45	7	1	8	3	2	3	3	3	1	3	-	1	3	2	3	2
Fistula	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis	116	6	6	16	3	9	18	3	3	4	13	3	3	1	5	13	10
Appendicitis, etc	20	6	-	3	1	1	2	2	2	1	3	-	3	1	1	1	2
Ascites	7	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	1
Gallstones	8	-	1	2	-	-	2	-	1	2	2	-	-	-	-	-	1
Cirrhosis of liver	22	3	1	3	3	-	1	1	1	-	3	-	1	1	1	2	1
Hepatitis	26	-	3	3	-	1	2	3	2	2	5	-	1	2	3	1	1
Jaundice	20	1	3	6	1	1	2	-	-	-	1	-	1	1	1	1	2
Other diseases of liver	54	3	-	9	5	3	3	5	1	1	9	3	3	1	2	2	4
Other diseases of digestive system	15	1	2	3	-	1	2	-	1	1	-	-	1	-	2	-	1
VI.—6. Lymphatics, etc.																	
Totals	12	1	-	1	1	-	3	-	-	-	2	-	1	-	2	1	-
Diseases of lymphatics	3	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Diseases of the spleen	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Bronchocele	6	-	-	1	1	-	3	-	-	-	1	-	-	-	-	-	-
Addison's disease	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-

TABLE No. 30—Concluded.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoegin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VII.—Deaths from violence.																	
1. Accident, negligence or doubtful.																	
Totals	348	25	18	65	8	16	34	17	16	12	42	8	9	17	8	17	36
Fracture, contusion.....	47	1	1	13	-	2	8	1	5	2	7	-	1	1	1	4	2
Falling	25	2	3	4	-	1	3	1	1	-	5	1	-	1	1	1	1
Gunshot wounds	16	2	1	3	-	-	1	1	-	1	3	1	-	-	1	3	-
Railway injuries.....	30	3	-	1	-	-	4	1	-	1	2	1	-	5	-	-	6
Cuts.....	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds.....	28	1	-	5	4	-	1	2	-	-	4	1	1	1	-	-	8
Poison.....	11	-	-	2	-	2	2	2	-	-	3	-	1	-	-	1	-
Drowning.....	103	8	2	16	2	5	10	8	4	3	10	3	2	5	2	7	13
Suffocation.....	11	1	3	-	-	4	-	-	-	1	1	-	1	-	-	1	1
Various.....	74	7	6	16	-	3	4	1	5	5	7	1	3	5	3	1	5
Lost at sea.....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
VII.—2. Homicide.																	
Totals.....	8	1	-	2	-	-	-	-	1	-	1	-	-	-	-	2	1
Murder, manslaughter..	8	1	-	2	-	-	-	-	1	-	1	-	-	-	-	2	1
VII.—3. Suicide.																	
Totals	81	4	1	15	3	5	9	5	7	5	10	1	2	2	5	3	4
Gunshot wounds	22	-	1	7	-	3	3	-	1	-	4	-	-	-	1	1	1
Cut, stab.	8	1	-	1	1	-	1	1	1	1	1	-	-	-	1	-	-
Poison.....	13	2	-	3	-	1	1	1	1	-	1	1	-	1	-	1	-
Drowning.....	8	-	-	-	-	1	2	1	2	2	2	-	-	-	1	-	1
Hanging.....	24	1	-	2	2	1	2	-	4	4	2	-	2	-	2	1	1
Otherwise.....	6	-	-	2	-	-	2	1	-	-	-	-	-	1	-	-	-
VIII.—Deaths from ill-defined causes.																	
Totals	439	63	47	42	10	20	42	23	17	7	48	9	7	19	13	20	52
Heart failure.....	32	-	5	3	-	6	2	-	1	1	7	1	1	2	-	3	-
Dropsy	57	2	4	4	1	2	7	8	1	-	7	3	3	4	4	4	4
Debility, exhaustion....	78	7	6	10	1	-	5	5	3	3	2	4	1	1	5	2	17
Atrophy and inanition..	44	2	2	11	1	3	1	3	1	3	3	-	2	2	2	2	8
Sunstroke	6	-	-	3	-	1	-	-	-	-	-	-	1	-	-	-	-
Mortification	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Tumor.....	10	1	-	2	-	1	-	3	-	-	1	-	-	1	-	-	1
Abscess.....	12	2	-	1	1	1	1	1	-	-	2	-	-	2	-	-	1
Hemorrhage.....	8	1	-	1	-	1	-	-	-	-	2	-	-	1	-	-	2
Sudden (cause unascertained).....	26	-	4	2	-	3	2	1	3	-	8	-	-	-	-	-	3
Not specified, or ill-defined	164	47	26	5	6	3	22	2	8	-	10	1	-	7	2	9	16

TABLE
Deaths in Each Town from Special

THE STATE AND COUNTIES.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
MAINE	661,086	-	32	33	174	7	33	111
Androscoggin	48,908	-	12	4	4	-	2	6
Aroostook.....	49,589	-	-	3	33	-	2	11
Cumberland	90,949	-	-	3	41	1	6	10
Franklin	17,053	-	-	1	6	-	1	8
Hancock	37,312	-	-	-	2	-	1	9
Kennebec	57,012	-	3	-	23	-	2	6
Knox	31,473	-	-	6	18	1	1	5
Lincoln	21,996	-	1	-	1	1	2	-
Oxford	30,586	-	4	1	3	-	2	4
Penobscot	72,865	-	3	7	7	-	4	29
Piscataquis	16,134	-	-	-	1	-	-	2
Sagadahoc	19,452	-	1	5	1	-	-	2
Somerset.....	32,627	-	-	-	4	1	-	6
Waldo	27,759	-	-	-	1	-	1	1
Washington	44,482	-	1	1	12	3	6	6
York.....	62,829	-	7	2	17	-	3	6
ANDROSCOGGIN COUNTY.....	-	-	12	4	4	-	2	6
Auburn.....	11,250	-	3	1	1	-	-	1
Durham.. ..	1,111	-	-	-	1	-	-	1
East Livermore....	1,506	-	-	-	-	-	-	-
Greene	885	-	-	-	-	-	-	2
Leeds.....	999	-	-	-	-	-	-	-
Lewiston.....	21,701	-	9	2	2	-	2	1
Lisbon.....	3,120	-	-	-	-	-	-	-
Livermore.....	1,151	-	-	-	-	-	-	-
Mechanic Falls	-	-	-	-	-	-	-	1
Minot.....	1,355	-	-	-	-	-	-	-
Poland	2,472	-	-	1	-	-	-	-
Turner	2,016	-	-	-	-	-	-	-
Wales	451	-	-	-	-	-	-	-
Webster	951	-	-	-	-	-	-	-

No. 31.
Causes, Mostly Infectious Diseases.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
186	27	31	60	117	41	26	52	520	1,172	187	12	8
19	-	1	8	-	9	4	-	36	85	19	2	1
23	2	6	2	25	2	-	7	87	73	9	-	1
26	7	4	18	8	2	1	7	69	152	35	-	-
2	-	1	2	2	1	-	3	11	34	6	1	-
7	2	2	3	8	1	3	-	7	62	8	-	1
16	1	3	4	11	8	1	9	77	109	21	1	2
3	1	-	2	5	1	1	1	25	62	5	1	1
3	-	1	1	4	-	1	-	5	36	7	-	-
6	3	-	3	8	2	2	1	17	43	4	2	-
22	4	4	2	15	4	2	10	50	135	21	3	-
1	2	1	1	-	-	-	1	8	26	3	-	-
3	-	2	1	-	1	-	-	13	41	6	-	-
6	1	3	1	-	2	4	6	14	57	10	1	-
2	-	-	2	7	2	-	1	7	50	8	-	1
11	3	1	2	15	1	2	1	19	93	11	1	-
36	1	2	8	9	5	5	5	75	114	14	-	1
19	-	1	8	-	9	4	-	36	85	19	2	1
5	-	-	1	-	-	-	-	3	19	7	2	-
-	-	-	-	-	-	-	-	-	3	-	-	1
-	-	1	-	-	3	-	-	4	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
11	-	-	5	-	3	4	-	24	36	9	-	-
1	-	-	-	-	2	-	-	2	4	2	-	-
-	-	-	1	-	-	-	-	1	3	-	-	-
-	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	1	-	-	-	-	1	6	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	1	4	-	-	-

TABLE
Deaths in Each Town from Special
AROOSTOOK

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
AROOSTOOK COUNTY.....	-	-	-	3	33	-	2	11
Amity	420	-	-	-	-	-	-	-
Ashland	568	-	-	-	-	-	-	-
Bancroft	264	-	-	-	-	-	-	-
Benedicta	317	-	-	-	-	-	-	-
Blaine	784	-	-	1	3	-	-	1
Bridgewater.....	946	-	-	-	1	-	-	-
Caribou	4,087	-	-	-	3	-	-	1
Dyer Brook	221	-	-	-	-	-	-	-
Easton	978	-	-	-	-	-	-	-
Fort Fairfield.....	3,526	-	-	-	-	-	-	1
Fort Kent	1,826	-	-	-	-	-	-	1
Frenchville	2,560	-	-	-	-	-	-	-
Grand Isle	964	-	-	-	2	-	-	-
Haynesville	280	-	-	-	-	-	-	-
Hersey	151	-	-	-	-	-	-	-
Hodgdon	1,113	-	-	-	-	-	-	-
Houlton	4,015	-	-	-	-	-	-	-
Island Falls.....	223	-	-	-	2	-	-	-
Limestone	933	-	-	-	-	-	-	-
Linneus	965	-	-	-	-	-	-	-
Littleton	924	-	-	-	-	-	-	1
Ludlow	375	-	-	-	-	-	-	-
Madawaska.....	1,451	-	-	-	-	-	-	-
Mapleton	832	-	-	-	-	-	-	-
Mars Hill	837	-	-	-	1	-	-	-
Masardis.....	250	-	-	-	-	-	-	-
Monticello	1,132	-	-	-	-	-	-	1
New Limerick.....	567	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Special
AROOSTOOK

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro spinal meningitis.	Whooping cough.
New Sweden.....	707	-	-	-	-	-	-	-
Orient	244	-	-	-	-	-	-	-
Presque Isle.	3,046	-	-	-	-	-	1	-
Sherman	909	-	-	-	-	-	-	-
Smyrna	303	-	-	-	1	-	-	-
Van Buren.....	1,168	-	-	-	8	-	-	2
Washburn.....	1,097	-	-	-	1	-	-	-
Weston.....	404	-	-	-	-	-	-	-
Woodland.....	885	-	-	-	-	-	1	-
Plantations.								
Allagash.....	200	-	-	-	-	-	-	-
Cary	390	-	-	-	-	-	-	-
Castle Hill	537	-	-	-	-	-	-	-
Caswell	212	-	-	-	2	-	-	-
Chapman	231	-	-	-	-	-	-	-
Connor.....	526	-	-	-	-	-	-	-
Crystal.....	297	-	-	-	-	-	-	-
Cyr.....	429	-	-	-	3	-	-	-
Eagle Lake	313	-	-	-	-	-	-	-
Garfield.....	86	-	-	-	-	-	-	-
Glenwood.....	183	-	-	-	-	-	-	-
Hamlin.....	484	-	-	-	5	-	-	-
Hammond	109	-	-	-	-	-	-	-
Macwahoc.....	216	-	-	-	-	-	-	-
Merrill	244	-	-	-	-	-	-	-
Molunkus	77	-	-	-	-	-	-	-
Moro	199	-	-	-	-	-	-	-
New Canada.....	301	-	-	-	-	-	-	-
Oakfield.....	720	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial diseases.	Tetanus.
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	1	-	-	-	1	2	9	-	-	-
1	-	-	-	2	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	6	-	-	-	-
-	1	-	-	-	-	-	-	3	2	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	3	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	1
-	-	-	-	3	-	-	-	6	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	3	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	1	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	3	2	-	-	-

TABLE
Deaths in Each Town from Special
AROOSTOOK

COUNTY AND TOWNS.	Population in 1899.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Oxbow	94	-	-	-	-	-	-	-
Perham	438	-	-	2	-	-	-	-
Portage Lake.....	140	-	-	-	-	-	-	-
Reed	203	-	-	-	-	-	-	-
Sheridan	221	-	-	-	-	-	-	-
St. Francis.....	461	-	-	-	-	-	-	-
St. John.....	226	-	-	-	-	-	-	-
Silver Ridge.....	195	-	-	-	-	-	-	-
Stockholm.....	105	-	-	-	-	-	-	-
Wade.....	158	-	-	-	1	-	-	1
Wallagrass.....	595	-	-	-	-	-	-	2
Westfield	166	-	-	-	-	-	-	-
Westmanland	52	-	-	-	-	-	-	-
Winterville	72	-	-	-	-	-	-	-
CUMBERLAND COUNTY	-	-	-	3	41	1	6	10
Baldwin.....	932	-	-	-	-	-	1	-
Bridgton	2,605	-	-	-	-	-	-	-
Brunswick.....	6,012	-	-	-	-	-	-	1
Cape Elizabeth	5,459	-	-	-	-	-	-	-
Casco.....	844	-	-	-	-	-	-	-
Cumberland	1,487	-	-	-	3	-	-	-
Deering	5,353	-	-	1	-	-	-	1
Falmouth	1,580	-	-	-	-	-	-	-
Freeport	2,482	-	-	-	1	-	-	-
Gorham	2,888	-	-	-	-	-	1	-
Gray.....	1,517	-	-	-	-	-	-	1
Harpwell	1,766	-	-	-	1	-	-	-
Harrison	1,071	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Special
CUMBERLAND

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Naples	846	-	-	-	-	-	-	-
New Gloucester	1,234	-	-	-	-	-	-	1
North Yarmouth	709	-	-	-	-	-	-	-
Otisfield.....	838	-	-	-	-	-	-	-
Portland	36,425	-	-	1	23	-	2	3
Pownal.....	712	-	-	-	-	-	-	-
Raymond	927	-	-	-	-	-	-	-
Scarboro	1,794	-	-	1	-	-	-	-
Sebago	681	-	-	-	-	-	-	-
South Portland	-	-	-	-	4	1	-	1
Standish	1,841	-	-	-	1	-	-	1
Westbrook	6,632	-	-	-	4	-	1	-
Windham	2,216	-	-	-	-	-	1	-
Yarmouth.....	2,098	-	-	-	4	-	-	1
FRANKLIN COUNTY	-	-	-	1	6	-	1	8
Avon	439	-	-	-	-	-	-	-
Carthage	390	-	-	-	-	-	-	-
Chesterville	770	-	-	-	-	-	-	-
Eustis	321	-	-	-	-	-	-	1
Farmington	3,207	-	-	-	-	-	1	1
Freeman	464	-	-	-	-	-	-	-
Industry	545	-	-	-	-	-	-	-
Jay	1,541	-	-	-	-	-	-	-
Kingfield.....	601	-	-	-	1	-	-	-
Madrid	441	-	-	-	-	-	-	2
New Sharon.....	1,064	-	-	-	-	-	-	-
New Vineyard.....	660	-	-	1	-	-	-	1
Phillips	1,394	-	-	-	1	-	-	1
Rangeley.....	616	-	-	-	-	-	-	1

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
12	2	1	13	3	1	-	1	25	74	17	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	1	-	-	1	-	2	-	-	-
-	-	-	-	-	1	-	-	-	4	-	-	-
-	-	-	-	-	-	1	-	1	3	-	-	-
3	-	1	-	-	-	-	1	2	6	1	-	-
-	-	-	-	1	-	-	-	-	1	2	-	-
2	-	-	-	-	-	-	1	12	10	4	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	2	1	1	-	-	-	1	-	4	1	-	-
2	-	1	2	2	1	-	3	11	34	6	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
1	-	-	-	1	-	-	-	2	10	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
1	-	-	-	-	-	-	1	3	1	3	-	-
-	-	-	-	-	-	-	1	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	1	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	2	3	1	-	-

TABLE
Deaths in Each Town from Special
FRANKLIN

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Salem	218	-	-	-	-	-	-	-
Strong.....	627	-	-	-	-	-	-	-
Temple.....	470	-	-	-	-	-	-	-
Weld	885	-	-	-	-	-	-	-
Wilton	1,622	-	-	-	-	-	-	-
Coplin Pl.....	71	-	-	-	-	-	-	-
Dallas Pl.....	184	-	-	-	4	-	-	1
Jerusalem Pl	18	-	-	-	-	-	-	-
Lang Pl	51	-	-	-	-	-	-	-
Perkins Pl	94	-	-	-	-	-	-	-
Rangeley Pl	58	-	-	-	-	-	-	-
Redington Pl	28	-	-	-	-	-	-	-
Washington Pl	29	-	-	-	-	-	-	-
HANCOCK COUNTY	-	-	-	-	2	-	1	9
Amherst ..	375	-	-	-	-	-	-	1
Aurora	175	-	-	-	-	-	-	-
Bluehill.....	1,980	-	-	-	-	-	-	-
Brooklin	1,046	-	-	-	-	-	-	-
Brooksville.....	1,310	-	-	-	-	-	-	-
Bucksport	2,921	-	-	-	-	-	-	-
Castine.....	987	-	-	-	-	-	-	-
Cranberry Isles	330	-	-	-	-	-	-	-
Dedham.....	366	-	-	-	-	-	-	-
Deer Isle.....	3,422	-	-	-	-	-	-	1
Eastbrook	246	-	-	-	-	-	-	-
Eden	1,946	-	-	-	2	-	-	-
Ellsworth.....	4,804	-	-	-	-	-	1	-
Franklin	1,264	-	-	-	-	-	-	2

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	1	-	1	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	1	1	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	1	3	-	-	-	-
-	-	1	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
7	2	2	3	8	1	3	-	7	62	8	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	1	-	-	3	3	-	-
-	-	-	-	-	2	-	-	2	-	4	3	-
-	-	-	-	-	-	-	-	2	7	1	-	-
1	-	2	-	1	-	1	-	1	-	-	-	-
2	-	-	2	-	-	1	-	2	6	1	-	-
1	1	-	-	-	-	-	-	-	7	1	-	-

TABLE
Deaths in Each Town from Special
HANCOCK

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Gouldsboro	1,709	-	-	-	-	-	-	-
Hancock	1,190	-	-	-	-	-	-	-
Isle au Haut	206	-	-	-	-	-	-	3
Lamoine	726	-	-	-	-	-	-	-
Mariaville	271	-	-	-	-	-	-	-
Mount Desert.....	1,855	-	-	-	-	-	-	1
Orland	1,390	-	-	-	-	-	-	-
Otis.....	239	-	-	-	-	-	-	-
Penobscot	1,313	-	-	-	-	-	-	-
Sedgwick	1,012	-	-	-	-	-	-	-
Sorrento	-	-	-	-	-	-	-	-
Sullivan.....	1,379	-	-	-	-	-	-	-
Surry	986	-	-	-	-	-	-	1
Tremont	2,036	-	-	-	-	-	-	-
Trenton	528	-	-	-	-	-	-	-
Verona	323	-	-	-	-	-	-	-
Waltham.....	242	-	-	-	-	-	-	-
Winter Harbor	-	-	-	-	-	-	-	-
Long Island Pl	132	-	-	-	-	-	-	-
Swan's Island Pl	632	-	-	-	-	-	-	-
No. 33 Pl.	112	-	-	-	-	-	-	-
KENNEBEC COUNTY	-	-	3	-	23	-	2	6
Albion	1,042	-	-	-	-	-	-	-
Augusta.....	10,527	-	-	-	-	-	2	1
Belgrade.....	1,090	-	-	-	-	-	-	-
Benton	1,136	-	-	-	-	-	-	-
Chelsea.....	2,356	-	-	-	-	-	-	-
China.....	1,423	-	1	-	1	-	-	-
Clinton	1,518	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	5	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
1	1	-	-	-	-	-	-	-	6	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	2	-	-	1
1	-	-	1	-	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
16	1	3	4	11	8	1	9	77	109	21	1	2
-	-	-	-	-	-	-	-	-	7	-	-	-
5	-	-	-	1	1	-	1	34	25	5	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
1	-	-	-	-	-	-	1	-	4	1	-	-
2	-	-	-	1	-	-	-	2	4	-	-	-

TABLE
Deaths in Each Town from Special
KENNEBEC

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Farmingdale	821	-	-	-	-	-	-	-
Fayette	649	-	-	-	-	-	-	-
Gardiner.....	5,491	-	-	-	7	-	-	1
Hallowell	3,181	-	-	-	-	-	-	-
Litchfield.....	1,126	-	-	-	-	-	-	-
Manchester	612	-	-	-	-	-	-	-
Monmouth	1,362	-	-	-	-	-	-	-
Mount Vernon.....	940	-	-	-	-	-	-	-
Oakland.....	2,044	-	-	-	1	-	-	-
Pittston	1,281	-	-	-	4	-	-	-
Randolph	1,281	-	-	-	-	-	-	-
Readfield	1,176	-	-	-	2	-	-	-
Rome.....	500	-	-	-	-	-	-	-
Sidney	1,334	-	-	-	-	-	-	-
Vassalboro	2,052	-	-	-	2	-	-	-
Vienna	495	-	-	-	-	-	-	-
Waterville.....	7,107	-	1	-	2	-	-	3
Wayne	775	-	-	-	-	-	-	-
West Gardiner	853	-	-	-	1	-	-	-
Windsor	853	-	-	-	-	-	-	-
Winslow	1,814	-	1	-	3	-	-	1
Winthrop	2,111	-	-	-	-	-	-	-
Unity Pl	62	-	-	-	-	-	-	-
KNOX COUNTY.....	-	-	-	6	18	1	1	5
Appleton	1,080	-	-	-	2	-	1	-
Camden.....	2,471	-	-	-	-	-	-	1
Cushing.....	688	-	-	-	-	-	-	-
Friendship....	877	-	-	-	2	-	-	-

TABLE
Deaths in Each Town from Special
KNOX

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Hope	641	-	-	-	-	-	-	-
Hurricane Isle	266	-	-	-	-	-	-	-
North Haven	522	-	-	-	-	-	-	-
Rockland	8,174	-	-	1	6	-	-	1
Rockport	2,150	-	-	-	-	-	-	-
South Thomaston ..	1,534	-	-	4	1	-	-	1
St. George	2,491	-	-	1	3	1	-	1
Thomaston	3,009	-	-	-	-	-	-	-
Union	1,436	-	-	-	1	-	-	-
Vinalhaven	2,617	-	-	-	3	-	-	1
Warren.....	2,037	-	-	-	-	-	-	-
Washington	1,230	-	-	-	-	-	-	-
Matinicus Isle Pl.	196	-	-	-	-	-	-	-
LINCOLN COUNTY	-	-	1	-	1	1	2	-
Alna .. .	512	-	-	-	-	-	-	-
Boothbay	1,718	-	-	-	-	-	-	-
Boothbay Harbor	1,699	-	-	-	-	-	-	-
Bremen	842	-	-	-	-	-	-	-
Bristol	2,821	-	-	-	-	-	-	-
Damariscotta.....	1,012	-	-	-	-	-	-	-
Dresden.....	1,043	-	-	-	-	-	-	-
Edgecomb	749	-	-	-	-	-	-	-
Jefferson	1,391	-	-	-	-	-	2	-
Newcastle.....	1,282	-	-	-	-	-	-	-
Nobleboro	947	-	-	-	-	-	-	-
Somerville	453	-	-	-	1	-	-	-
Southport	533	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	2	1	-	-	-	11	15	2	1	1
-	-	-	-	-	-	1	-	2	1	1	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	3	8	-	-	-
2	-	-	-	-	-	-	-	4	4	1	-	-
-	-	-	-	1	-	-	1	1	3	-	-	-
-	-	-	-	-	-	-	-	-	8	-	-	-
-	-	-	-	1	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
3	-	1	1	4	-	1	-	5	36	7	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	1	4	-	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	1	-	1	-	-	-	-	-	-
-	-	-	-	1	-	-	-	2	2	2	-	-
-	-	-	-	-	-	-	-	-	3	1	-	-
1	-	-	-	1	-	-	-	1	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	1	-	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special
LINCOLN

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Waldoboro.....	3,505	-	-	-	-	-	-	-
Westport	451	-	-	-	-	-	-	-
Whitefield	1,215	-	1	-	-	-	-	-
Wiscasset	1,733	-	-	-	-	1	-	-
Monhegan Pl	90	-	-	-	-	-	-	-
OXFORD COUNTY.....	-	-	4	1	5	-	2	4
Albany	645	-	-	-	-	-	-	1
Andover	740	-	-	-	-	-	-	-
Bethel.....	2,209	-	-	-	2	-	-	-
Brownfield.. ..	1,134	-	-	-	-	-	-	-
Buckfield	1,200	-	-	-	-	-	-	-
Byron	180	-	-	-	-	-	1	-
Canton	1,303	-	-	-	-	-	-	-
Denmark	755	-	-	-	-	-	-	-
Dixfield	988	-	-	-	-	-	-	-
Fryeburg	1,418	-	-	-	-	-	-	-
Gilead	336	-	-	-	-	-	-	-
Greenwood.....	727	-	-	-	-	-	-	-
Hanover	212	-	-	-	-	-	-	-
Hartford	689	-	-	-	-	-	-	-
Hebron.....	600	-	-	-	-	-	-	-
Hiram	1,063	-	-	-	-	-	-	-
Lovell	853	-	-	-	-	-	-	-
Mason	80	-	-	-	-	-	-	-
Mexico	355	-	-	-	1	-	-	-
Newry	343	-	-	-	-	-	-	-
Norway.....	2,665	-	-	1	-	-	-	-

TABLE
Deaths in Each Town from Special
OXFORD

COUNTY AND TOWNS.	Population in 1880.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and group.	Tonsillitis.	Cerebro spinal meningitis.	Whooping cough.
Oxford	1,455	-	-	-	-	-	-	-
Paris	3,156	-	-	-	-	-	-	1
Peru	692	-	-	-	-	-	-	-
Porter	1,015	-	-	-	-	-	-	-
Roxbury ..	222	-	-	-	-	-	-	-
Rumford	898	-	4	-	-	-	-	1
Stoneham	322	-	-	-	-	-	-	-
Stow	291	-	-	-	-	-	-	-
Sumner	901	-	-	-	-	-	-	-
Sweden	338	-	-	-	-	-	-	-
Upton	232	-	-	-	-	-	-	-
Waterford	1,001	-	-	-	-	-	-	1
Woodstock.....	859	-	-	-	-	-	-	-
Franklin P1 ..	112	-	-	-	-	-	-	-
Lincoln P1 .	59	-	-	-	-	-	-	-
Magalloway P1	79	-	-	-	-	-	-	-
Milton P1	211	-	-	-	-	-	1	-
Batchelders Grant	26	-	-	-	-	-	-	-
PENOBSCOT COUNTY	-	-	3	7	7	-	4	29
Alton	348	-	-	-	-	-	-	-
Argyle	263	-	-	-	-	-	-	-
Bangor	19,103	-	-	2	3	-	1	9
Bradford	1,215	-	-	-	-	-	-	-
Bradley	823	-	-	-	-	-	-	-
Brewer	4,133	-	-	-	-	-	-	4
Burlington.....	460	-	-	-	-	-	-	-
Carmel	1,066	-	-	-	-	-	-	1
Carroll	546	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial diseases.	Tetanus.
-	-	-	-	-	-	-	-	1	3	1	-	-
1	-	-	-	-	-	-	-	1	3	-	1	-
-	-	-	-	1	-	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	5	3	1	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
22	4	4	2	15	4	2	19	50	135	21	3	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
8	1	2	1	5	2	-	2	15	35	8	2	-
-	-	-	-	1	-	-	1	2	3	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
2	1	-	-	1	-	1	1	4	10	4	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Special
PENOBSCOT

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Charleston	971	-	-	-	-	-	-	1
Chester.....	368	-	-	-	-	-	-	-
Clifton	284	-	-	-	-	-	-	-
Corinna	1,207	-	-	-	-	-	-	-
Corinth.....	1,154	-	-	-	-	-	-	-
Dexter	2,732	-	-	-	-	-	-	-
Dixmont	919	-	-	-	-	-	-	-
Eddington	729	-	-	-	-	-	-	-
Edinburg	54	-	-	-	-	-	-	-
Enfield	769	-	-	-	-	-	-	-
Etna	646	-	-	-	-	-	-	-
Exeter	939	-	-	-	-	-	-	-
Garland	973	-	-	-	-	-	-	-
Glenburn.....	583	-	-	-	-	-	-	-
Greenbush	659	-	-	-	-	-	-	-
Greenfield	231	-	-	-	-	-	-	-
Hampden	2,484	-	-	-	-	-	-	2
Hermon	1,282	-	-	-	-	-	-	-
Holden	609	-	-	-	-	-	-	1
Howland	171	-	-	-	-	-	-	-
Hudson	510	-	-	-	-	-	-	-
Kenduskeag	536	-	-	-	-	-	-	-
Kingman.....	671	-	1	-	-	-	-	-
Lagrange	721	-	-	-	-	-	-	-
Lee	929	-	-	-	-	-	-	-
Levant....	880	-	-	-	-	-	-	-
Lincoln	1,756	-	-	3	1	-	-	-
Lowell.....	439	-	-	-	-	-	-	-
Mattamiscontis	47	-	-	-	-	-	-	-
Mattawamkeag	633	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	1	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	1	5	6	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	4	1	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	3	5	-	-	-
1	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	4	-	-	-
2	-	-	-	1	-	-	-	-	1	-	-	-
1	-	-	-	-	-	1	1	3	4	1	-	-
-	-	-	-	-	-	-	1	1	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	1	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	5	-	-	-

TABLE
Deaths in Each Town from Special

PENOBSCOT

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Maxfield	134	-	-	-	-	-	-	-
Medway	653	-	-	1	-	-	-	-
Milford.....	835	-	-	-	-	-	-	2
Mount Chase	284	-	-	-	-	-	-	-
Newburg.....	867	-	-	-	-	-	-	1
Newport	1,188	-	-	-	1	-	-	-
Old Town	5,312	-	-	-	2	-	1	3
Orono	2,790	-	-	-	-	-	1	2
Orrington.....	1,406	-	-	-	-	-	-	-
Passadumkeag.....	343	-	-	-	-	-	-	1
Patten	936	-	-	-	-	-	-	1
Plymouth.....	689	-	-	-	-	-	-	-
Prentiss.....	401	-	-	-	-	-	-	-
Springfield	677	-	2	1	-	-	-	-
Stetson	618	-	-	-	-	-	-	-
Veazie	650	-	-	-	-	-	-	1
Winn	936	-	-	-	-	-	-	-
Woodville	242	-	-	-	-	-	-	-
Drew Pl.....	110	-	-	-	-	-	-	-
Lakeville Pl.....	144	-	-	-	-	-	-	-
No. 2 Grand Falls Pl	68	-	-	-	-	-	-	-
Seboeis Pl	98	-	-	-	-	-	-	-
Stacyville Pl.....	250	-	-	-	-	-	1	-
Webster Pl.....	135	-	-	-	-	-	-	-
Norcross	-	-	-	-	-	-	-	-
PISCATAQUIS COUNTY.....	-	-	-	-	1	-	-	2
Abbot	622	-	-	-	-	-	-	-
Atkinson.....	605	-	-	-	-	-	-	-
Blanchard	213	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Special
PISCATAQUIS

COUNTY AND TOWNS.	Population in 1880.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Brownville	1,074	-	-	-	1	-	-	-
Dover	1,942	-	-	-	-	-	-	-
Foxcroft	1,726	-	-	-	-	-	-	-
Greenville	781	-	-	-	-	-	-	-
Guilford.....	1,023	-	-	-	-	-	-	-
Medford	306	-	-	-	-	-	-	-
Milo	1,029	-	-	-	-	-	-	-
Monson	1,237	-	-	-	-	-	-	-
Orneville.....	492	-	-	-	-	-	-	-
Parkman.....	813	-	-	-	-	-	-	-
Sangerville	1,236	-	-	-	-	-	-	-
Sebec	725	-	-	-	-	-	-	-
Shirley	291	-	-	-	-	-	-	-
Wellington	584	-	-	-	-	-	-	-
Williamsburg	162	-	-	-	-	-	-	-
Willimantic	446	-	-	-	-	-	-	-
Barnard Pl.....	100	-	-	-	-	-	-	-
Kingsbury Pl	205	-	-	-	-	-	-	-
Lake View Pl.....	-	-	-	-	-	-	-	2
Deer Island.....	-	-	-	-	-	-	-	-
Kineo	-	-	-	-	-	-	-	-
North East Carry.....	-	-	-	-	-	-	-	-
SAGADAHOC COUNTY	-	-	1	5	1	-	-	2
Arrowsic.....	177	-	-	-	-	-	-	-
Bath	8,723	-	-	3	1	-	-	2
Bowdoin	940	-	-	-	-	-	-	-
Bowdoinham	1,508	-	-	-	-	-	-	-
Georgetown	849	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Special
 SAGADAHOC

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and group.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Perkins	69	-	-	-	-	-	-	-
Phippsburg.....	1,396	-	-	2	-	-	-	-
Richmond.....	3,082	-	1	-	-	-	-	-
Topsham.....	1,394	-	-	-	-	-	-	-
West Bath.....	307	-	-	-	-	-	-	-
Woolwich.....	1,007	-	-	-	-	-	-	-
SOMERSET COUNTY.....	-	-	-	-	4	1	-	6
Anson.....	1,444	-	-	-	-	-	-	-
Athens	1,072	-	-	-	-	-	-	-
Bingham.....	757	-	-	-	-	-	-	-
Cambridge.....	425	-	-	-	-	-	-	-
Canaan.....	1,130	-	-	-	1	1	-	-
Concord.....	345	-	-	-	-	-	-	-
Cornville.....	785	-	-	-	-	-	-	-
Detroit	590	-	-	-	-	-	-	-
Embden.....	579	-	-	-	-	-	-	2
Fairfield.....	3,510	-	-	-	1	-	-	1
Harmony.....	704	-	-	-	-	-	-	-
Hartland.....	974	-	-	-	-	-	-	-
Madison.....	1,815	-	-	-	-	-	-	-
Mercer.....	584	-	-	-	-	-	-	-
Moscow.....	422	-	-	-	-	-	-	1
New Portland.....	1,034	-	-	-	-	-	-	1
Norridgewock.....	1,656	-	-	-	-	-	-	-
Palmyra.....	1,004	-	-	-	-	-	-	-
Pittsfield.....	2,503	-	-	-	2	-	-	-
Ripley.....	478	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	1	2	1	-	-
-	-	1	-	-	-	-	-	1	5	-	-	-
1	-	1	-	-	-	-	-	1	4	3	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	5	1	-	-
6	1	3	1	-	2	4	6	14	57	10	1	-
-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	1	-	-	-	-	1	-	2	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	3	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	1	-	2	-	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	1	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	1	1	1	4	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	4	1	-	-
-	-	1	-	-	-	-	1	3	6	1	-	-
1	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	1	-	-	2	-	-	-
3	-	-	-	-	1	-	-	1	2	-	-	-
-	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
2	-	-	-	-	-	-	-	1	4	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-

TABLE
Deaths in Each Town from Special

SOMERSET

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro spinal meningitis.	Whooping cough.
St. Albans.. .. .	1,206	-	-	-	-	-	-	-
Skowhegan	5,068	-	-	-	-	-	-	1
Smithfield	479	-	-	-	-	-	-	-
Solon	977	-	-	-	-	-	-	-
Starks	766	-	-	-	-	-	-	-
Brighton Pl.	434	-	-	-	-	-	-	-
Carratunk Pl.	192	-	-	-	-	-	-	-
Carrying Place Pl.	31	-	-	-	-	-	-	-
Dead River Pl.	104	-	-	-	-	-	-	-
Dennistown Pl	66	-	-	-	-	-	-	-
Flagstaff Pl.	87	-	-	-	-	-	-	-
Highland Pl	76	-	-	-	-	-	-	-
Jackman Pl.	217	-	-	-	-	-	-	-
Lexington Pl.	199	-	-	-	-	-	-	-
Mayfield Pl	74	-	-	-	-	-	-	-
Moose River Pl.	170	-	-	-	-	-	-	-
Pleasant Ridge Pl	-	-	-	-	-	-	-	-
The Forks Pl.	195	-	-	-	-	-	-	-
West Forks Pl.	146	-	-	-	-	-	-	-
Long Pond.	-	-	-	-	-	-	-	-
WALDO COUNTY	-	-	-	-	1	-	1	1
Belfast	5,294	-	-	-	1	-	-	-
Belmont	475	-	-	-	-	-	-	-
Brooks	730	-	-	-	-	-	-	-
Burnham	846	-	-	-	-	-	-	-
Frankfort	1,099	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Special
WALDO

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Freedom	510	-	-	-	-	-	-	-
Islesboro.....	1,006	-	-	-	-	-	-	-
Jackson	522	-	-	-	-	-	-	-
Knox	657	-	-	-	-	-	-	-
Liberty	835	-	-	-	-	-	-	-
Lincolnville.....	1,361	-	-	-	-	-	-	-
Monroe.....	1,079	-	-	-	-	-	-	-
Montville	1,049	-	-	-	-	-	-	-
Morrill	460	-	-	-	-	-	-	-
Northport.....	691	-	-	-	-	-	-	-
Palermo	887	-	-	-	-	-	-	-
Prospect	697	-	-	-	-	-	-	-
Searsmont	1,144	-	-	-	-	-	-	-
Searsport	1,693	-	-	-	-	-	-	-
Stockton Springs.....	1,149	-	-	-	-	-	-	-
Swanville	689	-	-	-	-	-	-	-
Thorndike	589	-	-	-	-	-	-	-
Troy	868	-	-	-	-	-	-	-
Unity	922	-	-	-	-	-	-	-
Waldo	581	-	-	-	-	-	-	-
Winterport	1,926	-	-	-	-	-	1	1
WASHINGTON COUNTY	-	-	1	1	12	3	6	6
Addison	1,022	-	-	-	-	-	-	-
Alexander	337	-	-	-	-	-	-	-
Baileyville.....	226	-	-	-	-	-	-	-
Baring	273	-	-	-	-	-	-	-
Beddington.....	184	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Special
WASHINGTON

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Brookton	429	-	-	-	-	-	-	1
Calais	7,290	-	-	1	9	-	-	3
Centerville	114	-	-	-	-	-	-	-
Charlotte	381	-	-	-	-	-	-	-
Cherryfield	1,787	-	-	-	-	-	-	1
Columbia	587	-	-	-	-	-	-	-
Columbia Falls	698	-	-	-	-	-	-	-
Cooper	264	-	-	-	-	-	-	-
Crawford	140	-	-	-	-	-	-	-
Danforth	1,063	-	-	-	-	-	-	-
Deblois	76	-	-	-	-	-	-	-
Dennysville	452	-	-	-	-	-	-	-
East Machias	1,637	-	-	-	1	-	-	-
Eastport	4,908	-	-	-	-	-	-	-
Edmunds	395	-	-	-	1	-	-	-
Forest City	287	-	-	-	-	-	-	-
Harrington	1,150	-	-	-	-	-	-	-
Jonesboro	470	-	-	-	-	-	-	-
Jonesport	1,917	-	-	-	-	-	-	-
Lubec	2,069	-	-	-	-	-	-	-
Machias	2,035	-	-	-	-	-	4	-
Machiasport	1,437	-	-	-	-	-	-	-
Marshfield	299	-	-	-	-	-	-	-
Meddybemps	156	-	-	-	-	-	-	-
Milbridge	1,963	-	-	-	-	-	-	-
Northfield	143	-	-	-	-	-	-	-
Pembroke	1,514	-	-	-	-	-	1	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	2	1	-	-	-
7	1	-	-	1	-	1	-	5	20	2	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	3	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	1	1	1	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	3	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	4	14	-	-	-
-	-	-	-	3	-	-	1	-	4	2	1	-
-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	1	-	-	9	2	-	-
-	-	-	-	3	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-

TABLE
Deaths in Each Town from Special
WASHINGTON

COUNTY AND TOWNS.	Population in 1880.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Perry	945	-	-	-	1	-	-	-
Princeton	1,027	-	-	-	-	-	1	-
Robbinston	787	-	-	-	-	1	-	-
Roque Bluffs.....	154	-	-	-	-	-	-	-
Steuben	982	-	-	-	-	2	-	-
Talmage	112	-	-	-	-	-	-	-
Topsfield.....	375	-	-	-	-	-	-	-
Trescott.....	485	-	1	-	-	-	-	-
Vanceboro	870	-	-	-	-	-	-	-
Waite	159	-	-	-	-	-	-	-
Wesley	227	-	-	-	-	-	-	-
Whiting	393	-	-	-	-	-	-	-
Whitneyville	413	-	-	-	-	-	-	-
Codyville Pl	72	-	-	-	-	-	-	-
Grand Lake Stream Pl	404	-	-	-	-	-	-	-
Lambert Lake Pl	152	-	-	-	-	-	-	-
No. 14 Pl.....	112	-	-	-	-	-	-	-
No. 21 Pl.....	81	-	-	-	-	-	-	-
Kossuth Pl.....	68	-	-	-	-	-	-	-
No. 10, R. 3	37	-	-	-	-	-	-	1
No. 29, Township	5	-	-	-	-	-	-	-
YORK COUNTY.....	-	-	7	2	17	-	3	6
Acton	878	-	-	-	-	-	-	-
Alfred.....	1,030	-	-	-	-	-	-	-
Berwick.....	2,294	-	-	-	-	-	-	1
Biddeford.....	14,443	-	2	-	7	-	2	2
Buxton.....	2,036	-	-	-	-	-	-	-
Cornish.	1,118	-	-	-	-	-	-	-
Dayton.....	500	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Special
YORK

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Eliot.....	1,463	-	-	-	-	-	-	-
Hollis	1,278	-	-	-	-	-	-	-
Kennebunk	3,172	-	2	-	-	-	-	-
Kennebunkport	2,196	-	-	-	1	-	-	-
Kittery.....	2,864	-	-	-	-	-	-	-
Lebanon	1,263	-	-	-	-	-	-	1
Limerick	966	-	-	-	-	-	-	-
Limington	1,092	-	-	-	-	-	-	-
Lyman	854	-	-	-	-	-	-	-
Newfield	796	-	-	-	-	-	-	-
North Berwick	1,803	-	1	-	-	-	-	-
Old Orchard	877	-	-	-	-	-	-	-
Parsonsfield	1,398	-	-	-	-	-	-	-
Saco	6,075	-	1	2	3	-	-	-
Sanford	4,201	-	1	-	1	-	1	1
Shapleigh	968	-	-	-	-	-	-	-
South Berwick	3,434	-	-	-	2	-	-	-
Waterboro	1,357	-	-	-	-	-	-	-
Wells.....	2,029	-	-	-	-	-	-	1
York.....	2,444	-	-	-	3	-	-	-

No. 31—Concluded.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phtthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	-	-	-	-	1	-	-	-	3	-	-	-
-	-	-	-	3	-	-	-	-	4	-	-	-
1	-	-	-	-	-	-	-	4	4	-	-	-
-	-	-	-	1	-	-	-	3	5	-	-	-
-	-	-	-	-	-	1	-	-	4	-	-	-
-	-	-	1	-	-	-	-	-	3	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	6	-	-	-
-	-	-	-	-	-	-	-	1	4	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
9	1	-	-	-	-	1	1	2	7	2	-	-
2	-	-	3	1	-	1	1	15	10	1	-	-
-	-	1	-	-	-	-	-	-	1	1	-	-
4	-	-	-	-	-	-	1	2	7	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	1	-	1	-	1	6	-	-	-
-	-	-	-	-	1	-	-	1	3	-	-	-

No. 32.

Diseases and Groups of Diseases.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
492	786	1,036	781	220	140	679	400	161	31	56	348	81
44	52	87	55	27	11	48	26	14	7	6	25	4
12	35	34	37	8	5	30	17	6	2	9	18	1
87	122	173	134	35	27	110	88	23	1	5	65	15
16	18	37	25	6	4	21	7	4	-	-	8	3
21	31	51	53	12	8	48	27	6	3	3	16	5
52	122	105	64	23	17	76	25	13	2	2	34	9
14	38	55	40	8	9	34	15	9	3	2	17	5
16	30	29	22	5	3	19	13	4	-	1	16	7
23	34	53	34	7	9	23	21	3	2	1	12	5
39	83	99	92	25	11	78	48	28	3	12	42	10
9	14	19	10	3	2	11	10	5	-	2	8	1
18	24	40	15	12	4	21	7	8	-	-	9	2
35	29	32	38	7	5	27	20	9	3	7	17	2
19	31	56	16	7	2	31	19	11	2	-	8	5
24	41	52	50	13	11	43	23	8	1	1	17	3
63	82	114	96	22	12	59	34	10	2	5	36	4
44	52	87	55	27	11	48	26	14	7	6	25	4
11	7	18	10	-	3	8	4	2	2	-	4	2
2	3	9	1	-	-	2	-	-	-	-	1	-
1	1	2	3	-	-	2	2	1	-	-	1	-
1	-	-	1	-	-	1	-	-	-	-	1	-
-	-	1	1	-	1	1	-	-	-	-	-	-
23	25	37	27	24	6	18	12	4	2	5	15	1
3	7	2	5	1	-	4	3	1	1	1	-	-
-	1	4	-	-	1	-	1	1	-	-	-	-
1	3	1	2	-	-	4	1	2	-	-	2	-
1	-	2	-	-	-	2	-	-	-	-	-	-
-	1	2	5	-	-	2	1	1	-	-	1	1
1	4	7	-	1	-	2	2	2	-	-	-	-
-	-	1	-	-	-	-	-	-	1	-	-	-
-	-	1	-	1	-	2	-	-	1	-	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
12	35	34	37	8	5	30	17	6	2	9	18	1
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	1	-	-	-	-	-
-	1	-	1	-	-	-	-	-	-	-	-	-
-	-	-	3	-	-	-	-	-	-	-	-	-
2	1	-	-	-	-	1	1	-	-	-	-	-
-	1	1	1	-	-	-	-	-	-	-	-	-
-	3	2	3	-	-	3	2	-	-	1	1	-
-	-	2	1	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-
1	3	3	1	-	-	3	-	-	-	-	3	-
-	1	1	-	3	-	-	1	-	-	-	-	-
-	5	3	1	-	1	1	5	1	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	1	-	-	-	-	1	-
-	1	-	-	-	-	-	-	-	-	-	-	-
4	3	2	6	-	-	2	-	-	-	1	2	-
-	2	-	1	-	-	2	-	-	-	-	-	-
-	-	-	-	1	-	1	-	1	-	1	-	-
-	1	2	-	-	-	1	-	-	-	-	-	-
-	-	2	1	-	-	1	-	1	-	1	-	-
-	1	-	-	-	1	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	1	-	-	-	-
1	-	-	-	-	-	1	1	-	-	-	-	-
-	-	-	-	-	-	2	-	-	-	-	-	-
-	-	-	5	-	-	-	-	-	-	-	-	-
-	-	3	2	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	1	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
AROOSTOOK

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Oxbow	94	-	-	-	-	-	-	-	-
Perham.....	438	-	-	-	1	-	-	-	-
Portage Lake.....	140	-	-	-	-	-	-	-	-
Reed	203	-	-	-	-	-	1	-	-
Sheridan	221	-	-	-	-	-	-	-	-
St. Francis	461	-	-	-	-	-	-	1	-
St. John	226	-	-	-	-	-	-	-	-
Silver Ridge	195	-	-	-	-	-	1	-	-
Stockholm	105	-	-	-	-	-	-	-	-
Wade	158	-	-	-	-	-	-	-	-
Wallagrass	595	-	-	-	1	-	-	-	-
Westfield.....	166	-	-	-	-	-	-	1	-
Westmanland	52	-	-	-	-	-	-	-	-
Winterville	72	-	-	-	-	-	-	-	-
CUMBERLAND COUNTY	-	4	1	5	108	15	106	49	46
Baldwin	932	-	-	-	-	-	5	-	-
Bridgton	2,605	-	-	-	6	1	2	1	1
Brunswick	6,012	1	-	-	7	2	8	10	3
Cape Elizabeth.....	5,459	-	-	-	-	-	-	-	-
Casco	844	-	-	-	1	-	3	1	-
Cumberland	1,487	-	-	-	1	-	1	-	-
Deering	5,353	-	-	-	9	1	7	3	-
Falmouth	1,580	-	-	-	2	1	-	-	1
Freeport.....	2,482	-	-	-	4	-	2	1	-
Gorham	2,888	-	-	-	2	-	5	3	1
Gray	1,517	-	-	-	1	-	2	1	-
Harpwell.....	1,766	-	-	-	-	-	2	-	1
Harrison	1,071	-	-	-	3	1	1	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	2	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	2	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	1	-	-
-	1	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
87	122	173	134	35	27	110	88	23	1	5	65	15
2	2	1	-	2	-	-	2	-	-	-	-	-
4	2	5	5	-	-	3	3	-	-	-	3	-
9	2	8	9	2	-	5	3	1	-	-	5	-
1	1	1	1	-	-	-	2	-	-	-	1	-
2	-	2	2	-	-	1	-	-	-	-	-	-
5	1	3	3	-	1	1	1	1	-	-	1	-
5	6	13	2	2	1	6	8	-	-	1	3	2
3	-	-	2	-	1	2	1	-	-	-	-	-
3	2	7	1	1	-	1	5	1	-	-	2	-
2	8	5	4	1	1	4	6	-	-	1	3	-
2	4	2	1	1	1	3	1	-	-	-	1	-
-	-	5	-	1	-	2	2	-	-	-	-	-
-	1	3	-	-	1	2	1	-	-	-	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
2	1	7	5	-	-	3	-	-	-	-	1	-
-	3	3	-	2	-	2	-	2	-	-	-	-
-	1	2	3	-	-	1	1	-	-	-	-	-
-	4	3	2	-	1	3	-	-	-	-	2	-
34	53	60	60	19	15	52	34	11	1	2	32	9
-	1	-	-	-	-	1	1	1	-	-	-	-
1	1	1	3	-	-	-	-	-	-	-	-	-
-	2	6	-	-	-	2	-	2	-	-	-	1
-	-	3	1	-	-	1	2	-	-	-	-	-
5	2	4	7	1	2	6	3	2	-	-	3	-
2	4	4	1	1	-	1	2	1	-	-	1	2
2	13	14	10	2	2	4	5	-	-	1	4	-
-	1	2	7	-	-	2	4	1	-	-	2	-
3	7	9	5	-	1	2	1	-	-	-	1	1
16	18	37	25	6	4	21	7	4	-	-	8	3
1	-	2	-	-	-	-	1	-	-	-	-	-
-	-	1	1	-	-	1	-	-	-	-	1	-
1	-	1	3	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
5	3	7	5	-	2	4	2	1	-	-	-	-
-	1	1	1	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-
3	-	4	2	-	-	2	1	-	-	-	4	1
-	-	-	-	-	-	1	-	-	-	-	-	-
-	1	1	-	-	-	-	-	-	-	-	-	-
1	2	2	1	-	-	1	-	1	-	-	1	-
-	1	-	1	-	-	-	-	-	-	-	-	-
1	3	4	2	3	1	-	-	1	-	-	1	1
1	-	3	-	1	-	2	1	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
FRANKLIN

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Salem.....	218	-	-	-	1	-	-	-	-
Strong	627	-	-	-	-	-	-	-	-
Temple	470	-	-	-	1	-	1	-	1
Weld.....	885	-	-	-	2	-	2	-	-
Wilton.....	1,622	-	-	-	4	-	2	-	-
Coplin Pl	71	-	-	-	-	-	-	-	-
Dallas Pl	184	-	-	-	-	-	-	-	-
Greenville Pl.....	52	-	-	-	-	-	1	-	-
Jerusalem Pl	18	-	-	-	-	-	-	-	-
Lang Pl	51	-	-	-	-	-	-	-	-
Perkins Pl	94	-	-	-	-	-	-	-	-
Rangeley Pl.....	58	-	-	-	-	-	-	-	-
Redington Pl.....	28	-	-	-	-	-	-	-	-
Washington Pl.....	29	-	-	-	-	-	-	-	-
HANCOCK COUNTY	-	-	-	1	22	6	38	18	17
Amherst	375	-	-	-	-	-	-	-	-
Aurora	175	-	-	-	-	-	-	-	-
Bluehill	1,980	-	-	-	1	-	3	-	1
Brooklin	1,046	-	-	-	-	-	1	1	-
Brooksville	1,310	-	-	-	-	-	3	2	1
Bucksport.....	2,921	-	-	1	1	1	2	1	1
Castine	987	-	-	-	4	-	2	-	-
Cranberry Isles.....	330	-	-	-	-	-	-	-	-
Dedham.....	366	-	-	-	2	-	-	-	-
Deer Isle	3,422	-	-	-	1	1	4	2	6
Eastbrook.....	246	-	-	-	-	-	-	-	-
Eden.....	1,946	-	-	-	1	-	2	1	-
Ellsworth	4,804	-	-	-	2	1	4	2	3
Franklin	1,264	-	-	-	-	-	2	1	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	1	1	-	2	-	-	-	-	-	-
1	-	2	-	1	-	-	-	-	-	-	-	-
-	4	3	-	-	-	2	-	1	-	-	1	-
-	-	4	8	-	1	5	2	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	2	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
21	31	51	53	12	8	48	27	6	3	3	16	5
1	-	1	1	-	-	-	-	-	-	-	-	-
-	1	-	2	1	-	-	-	-	-	-	-	-
-	1	2	3	-	1	3	1	-	-	-	1	-
-	1	-	1	-	-	1	1	-	-	-	-	-
3	-	1	-	1	-	1	3	-	-	-	-	-
3	3	9	7	-	-	7	1	1	-	-	1	-
-	2	1	1	-	-	-	1	-	-	-	1	-
-	1	-	-	-	-	1	-	-	-	-	-	-
-	1	1	1	-	-	-	-	-	1	-	1	2
3	4	5	3	-	1	6	2	1	1	1	3	-
-	-	1	-	-	-	1	-	-	-	-	-	-
2	4	2	4	3	-	2	2	-	-	-	3	1
1	4	10	10	3	1	6	4	-	-	1	1	-
1	-	-	-	-	-	-	1	-	-	-	1	-

TABLE
Deaths in Each Town from Certain
HANCOCK

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Gouldsboro.....	1,709	-	-	-	1	1	2	1	-
Hancock	1,190	-	-	-	-	-	2	1	1
Isle au Haut	206	-	-	-	-	-	-	1	-
Lamoine	726	-	-	-	3	-	-	-	-
Mariaville	271	-	-	-	-	-	-	-	-
Mount Desert	1,355	-	-	-	-	-	1	2	-
Orland.....	1,390	-	-	-	1	1	4	-	-
Otis	239	-	-	-	-	-	-	-	-
Penobscot	1,313	-	-	-	1	-	-	1	1
Sedgwick.....	1,012	-	-	-	2	-	2	-	2
Sorrento	-	-	-	-	-	-	-	-	-
Sullivan	1,379	-	-	-	-	-	-	-	1
Surry	986	-	-	-	-	-	2	-	-
Tremont.....	2,036	-	-	-	1	-	1	2	-
Trenton	528	-	-	-	-	-	-	-	-
Verona	323	-	-	-	-	-	-	-	-
Waltham	242	-	-	-	-	1	1	-	-
Winter Harbor.....	-	-	-	-	-	-	-	-	-
Long Island Pl.....	132	-	-	-	-	-	-	-	-
Swan's Island Pl.	632	-	-	-	-	-	-	-	-
No. 33 Pl.	112	-	-	-	1	-	-	-	-
No. 8 Pl.	31	-	-	-	-	-	-	-	-
KENNEBEC COUNTY	-	3	2	5	40	9	40	30	28
Albion	1,042	-	-	-	-	-	1	-	-
Augusta	10,527	1	1	3	7	1	9	3	3
Belgrade	1,090	-	-	-	1	-	-	-	-
Benton	1,136	-	-	-	1	-	1	-	-
Chelsea	2,356	1	-	-	1	-	-	-	1
China	1,423	-	-	-	2	-	-	-	-
Clinton	1,518	-	-	-	1	-	1	1	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	1	3	3	1	-	2	1	-	-	-	-	-
-	1	2	-	-	-	2	1	-	-	-	1	1
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	1	-	-	2	-	-	-	-	-
1	-	1	1	-	-	-	-	-	-	-	-	-
-	2	1	3	-	-	4	-	-	-	-	1	-
1	-	1	1	-	-	2	1	-	-	-	1	-
1	-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	1	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	2	1	1	-	1	-	-	1	-	-	-
1	-	1	2	1	1	2	-	1	-	-	-	-
2	2	3	2	-	1	3	3	1	-	-	-	-
-	-	-	1	-	-	1	-	1	-	-	-	-
-	-	2	3	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	1	-	1	-	-	-	-
-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	2	1	1	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
52	122	105	64	23	17	76	25	13	2	2	34	9
-	-	1	1	-	-	2	1	1	-	-	1	-
11	67	21	22	8	3	27	4	3	-	1	9	2
-	1	2	-	-	-	-	-	-	-	-	1	-
1	-	4	2	2	1	3	1	1	-	-	1	-
-	-	2	4	-	-	-	-	-	1	-	1	-
2	3	2	1	1	2	3	-	2	-	-	-	-
1	1	3	3	-	-	2	-	-	-	-	1	-

No. 31—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	2	-	2	-	-	2	-	-	-	-	2	-
2	-	2	-	-	-	2	-	-	-	-	-	1
7	6	14	3	-	2	3	4	-	-	-	5	1
3	7	5	4	1	-	3	-	-	-	-	1	-
2	2	4	2	-	-	-	-	1	-	-	-	-
-	1	-	2	-	-	-	1	-	-	-	1	-
1	2	4	1	-	2	1	1	-	-	-	-	-
1	3	1	2	-	-	1	-	-	1	-	1	-
1	4	7	1	-	-	2	1	-	-	-	-	1
3	1	2	-	-	1	3	2	-	-	-	2	-
4	-	2	-	-	-	2	-	2	-	-	1	-
-	2	2	-	-	1	4	1	-	-	-	-	-
1	-	-	-	-	-	1	1	-	-	-	-	-
2	3	2	-	-	1	-	1	1	-	-	1	1
3	4	4	3	1	-	-	-	-	-	-	1	-
1	-	-	-	-	-	1	-	-	-	-	-	-
3	5	8	10	8	1	7	2	-	-	1	5	2
1	-	1	-	-	-	1	-	-	-	-	-	-
-	2	1	1	-	-	1	1	-	-	-	-	-
1	3	3	-	-	1	2	-	1	-	-	-	-
-	2	5	-	3	2	2	1	-	-	-	-	-
1	1	3	-	1	-	1	3	1	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
14	38	55	40	8	9	34	15	9	3	2	17	5
2	1	4	1	1	-	1	3	-	-	-	-	-
1	1	4	4	1	1	3	-	1	-	-	1	1
-	2	1	1	-	-	1	-	-	-	-	-	-
1	1	-	2	-	-	1	1	-	2	-	1	1

TABLE
Deaths in Each Town from Certain

KNOX

COUNTY AND TOWNS.	Population in 1880.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Hope	641	-	-	-	-	-	1	-	-
Hurricane Isle	266	-	-	-	-	-	1	-	-
North Haven.....	552	-	-	-	-	-	2	-	-
Rockland.....	8,174	2	-	1	5	3	4	5	2
Rockport	2,150	-	-	-	-	-	2	3	1
South Thomaston	1,534	-	-	-	1	-	2	2	-
St. George	2,491	-	1	-	1	1	7	1	2
Thomaston	3,009	-	-	1	4	2	1	1	2
Union.....	1,436	-	-	-	2	-	3	-	1
Vinalhaven	2,617	-	-	-	1	-	1	-	1
Warren	2,037	-	-	-	1	-	5	1	-
Washington	1,230	-	-	-	1	1	1	-	-
Matinicus Isle Pl	196	-	-	-	-	-	-	-	-
LINCOLN COUNTY.....	-	-	1	1	19	5	24	8	8
Alna	512	-	-	-	-	-	2	1	-
Boothbay.....	1,718	-	-	-	3	1	-	-	-
Boothbay Harbor.....	1,699	-	-	-	1	-	-	3	1
Bremen.....	842	-	-	-	-	-	1	-	-
Bristol	2,821	-	-	-	1	-	5	-	-
Damariscotta	1,012	-	-	-	2	1	2	1	-
Dresden	1,043	-	-	-	-	1	-	1	2
Edgecomb.....	749	-	-	-	1	-	1	-	-
Jefferson	1,391	-	-	-	3	-	2	-	2
Newcastle	1,232	-	-	-	2	-	1	-	-
Nobleboro	947	-	-	-	-	1	3	-	1
Somerville	453	-	-	-	-	-	1	-	1
Southport	533	-	-	-	1	-	-	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	-	-	-	1	-	-	-	-	-	-
-	1	-	-	1	-	-	-	-	-	-	-	-
-	-	2	-	-	-	-	-	-	-	-	3	-
3	13	17	8	1	4	11	5	5	1	1	3	3
1	3	3	2	2	-	1	-	-	-	-	-	-
-	2	3	3	1	1	1	2	1	-	-	1	-
1	4	3	5	-	1	2	1	-	-	1	2	-
3	5	13	4	-	1	4	1	-	-	-	2	-
1	1	-	-	-	-	3	-	1	-	-	1	-
1	2	1	4	1	1	1	1	-	-	-	1	-
-	2	4	1	-	-	2	1	1	-	-	2	-
-	-	-	5	-	-	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
16	30	29	22	5	3	19	13	4	-	1	16	7
1	1	-	-	-	-	2	1	-	-	-	3	-
2	2	1	-	1	-	-	2	-	-	1	1	1
-	1	-	-	-	-	1	1	-	-	-	-	1
1	1	-	1	-	1	-	-	-	-	-	2	-
3	4	6	2	1	-	4	1	-	-	-	-	1
1	2	3	-	-	-	-	-	-	-	-	-	-
2	2	-	3	2	-	2	-	-	-	-	1	-
1	1	-	2	-	1	-	-	1	-	-	-	-
-	2	3	5	-	-	3	1	-	-	-	-	1
-	3	2	1	1	1	1	-	-	-	-	3	-
-	2	2	3	-	-	1	1	-	-	-	-	-
-	1	1	1	-	-	-	-	-	-	-	1	-
1	-	-	-	-	-	-	-	1	-	-	-	-

TABLE
Deaths in Each Town from Certain

LINCOLN

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietic diseases.	Rheumatism.	Cancer.	Other constitu- tional diseases.	Old age.	Other develop- mental diseases.	Inflammation of brain or mem- branes.
Waldoboro	3,505	-	-	-	4	1	3	-	-
Westport	451	-	-	-	-	-	-	-	-
Whitefield	1,215	-	1	1	1	-	3	1	1
Wiscasset	1,733	-	-	-	-	-	-	1	-
Monhegan Pl	90	-	-	-	-	-	-	-	-
OXFORD COUNTY	-	-	2	2	25	9	40	15	7
Albany	645	-	-	-	-	-	1	-	-
Andover	740	-	-	-	1	-	1	2	-
Bethel	2,209	-	-	-	1	-	6	-	-
Brownfield	1,134	-	-	-	2	-	-	1	-
Buckfield	1,200	-	-	-	1	-	-	1	-
Byron	180	-	-	-	-	-	-	-	-
Canton	1,303	-	-	-	1	1	-	-	-
Denmark	755	-	-	-	2	-	1	-	-
Dixfield	988	-	-	-	2	-	1	-	-
Fryeburg	1,418	-	-	-	3	-	2	2	-
Gilead	336	-	-	-	-	-	1	-	-
Greenwood	727	-	-	-	-	-	-	-	-
Hanover	212	-	-	-	-	-	-	-	-
Hartford	689	-	-	-	-	-	1	-	-
Hebron	600	-	-	-	-	2	-	-	-
Hiram	1,063	-	-	-	-	1	1	1	-
Lovell	853	-	-	1	1	-	2	-	-
Mason	80	-	-	-	-	-	-	-	-
Mexico	355	-	-	-	-	1	1	-	-
Newry	343	-	-	-	1	-	-	-	-
Norway	2,665	-	-	-	2	-	8	2	1

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
2	3	4	1	-	-	3	3	2	-	-	3	1
-	-	-	1	-	-	-	-	-	-	-	-	-
2	2	5	2	-	-	1	1	-	-	-	-	1
-	3	2	-	-	-	1	2	-	-	-	2	1
-	-	-	-	-	-	-	-	-	-	-	-	-
23	34	53	34	7	9	23	21	3	2	1	12	5
1	-	-	2	-	-	-	1	-	-	-	-	-
-	2	-	-	1	-	-	-	1	-	-	1	-
1	4	3	1	-	-	3	1	-	-	-	2	-
3	2	1	3	1	1	1	-	-	-	-	-	-
2	3	2	-	-	-	1	2	1	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	2	1	-	1	-	-	-	-	-	-	-
1	-	2	1	-	-	-	2	-	-	-	-	-
2	2	-	2	-	-	-	-	-	-	-	-	1
1	1	3	4	2	-	2	1	-	-	-	2	2
1	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	1	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	-	1	1	-	-	-	-
-	1	3	1	-	-	-	2	-	-	-	1	-
1	1	1	1	-	-	-	1	-	-	1	-	-
3	1	1	-	1	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
1	4	4	4	-	-	4	1	-	-	-	1	-

TABLE
Deaths in Each Town from Certain
OXFORD

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or meninges.
Oxford.....	1,455	-	-	-	-	1	1	-	-
Paris	3,156	-	-	-	5	2	4	2	1
Peru	692	-	-	1	-	-	-	1	1
Porter	1,015	-	-	-	-	-	-	-	1
Roxbury.....	222	-	-	-	-	-	-	-	-
Rumford	598	-	2	-	-	1	3	1	1
Stoneham	322	-	-	-	-	-	-	-	-
Stow	291	-	-	-	-	-	-	-	-
Sumner	901	-	-	-	2	-	1	-	-
Sweden	338	-	-	-	1	-	3	1	1
Upton	232	-	-	-	-	-	1	1	-
Waterford.....	1,001	-	-	-	-	-	1	-	1
Woodstock	559	-	-	-	-	-	-	-	-
Franklin Pl.....	112	-	-	-	-	-	-	-	-
Lincoln Pl	59	-	-	-	-	-	-	-	-
Magalloway Pl	79	-	-	-	-	-	-	-	-
Milton Pl.....	211	-	-	-	-	-	-	-	-
Batchelders Grant.....	26	-	-	-	-	-	-	-	-
PENOBSCOT COUNTY	-	1	6	6	50	10	75	35	28
Alton	348	-	-	-	-	-	1	-	-
Argyle	263	-	-	-	-	-	-	-	-
Bangor	19,103	1	5	1	16	1	9	10	8
Bradford	1,215	-	-	1	1	-	-	-	-
Bradley	823	-	-	-	-	-	1	5	1
Brewer	4,133	-	1	-	3	-	5	-	2
Burlington	460	-	-	-	-	-	-	-	-
Carmel	1,066	-	-	-	-	-	-	-	-
Carroll	546	-	-	-	-	-	1	1	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
1	-	7	-	-	2	1	-	-	1	-	-	1
1	5	10	4	1	3	3	2	-	-	-	2	1
1	-	-	1	-	-	2	-	-	-	-	-	-
-	2	3	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	3	-	1	2	2	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	1	-	-	-	-	-	-
1	-	-	-	-	-	1	-	-	-	-	-	-
-	-	1	1	1	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	6	1	-	-	-	-	2	-	-	-	-
-	2	1	-	-	-	1	1	-	-	-	-	-
-	-	-	1	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
39	83	99	92	25	11	78	48	28	3	12	42	10
-	-	-	1	-	-	-	1	1	-	-	-	-
-	-	-	2	-	-	2	-	-	-	-	-	-
14	31	30	27	8	5	20	15	8	1	4	13	1
1	1	1	1	-	1	-	2	1	-	-	2	-
-	1	-	2	-	-	-	-	-	-	-	-	1
1	1	12	8	-	-	6	6	3	-	1	1	-
-	-	1	-	-	-	-	-	-	-	-	-	-
1	2	1	1	-	1	3	-	-	-	-	1	-
-	-	-	1	1	-	1	-	-	-	-	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONTINUED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	1	3	1	2	-	1	1	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	1	-
1	1	6	-	-	1	2	1	-	-	1	1	-
-	4	1	2	-	-	3	2	2	-	-	1	1
2	5	7	-	1	1	2	2	3	-	-	1	-
-	3	1	4	1	-	-	-	1	-	1	1	1
1	-	-	3	-	-	1	1	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	1	-	-	2	1	-	1	-	-	-
1	-	1	-	-	-	1	1	-	-	1	-	-
-	-	1	-	-	-	1	-	1	-	-	-	-
-	-	3	-	-	-	2	-	-	-	-	1	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	1	-	2	1	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	1	-	2	-	-	5	-	1	-	-	2	1
-	2	1	4	-	-	3	2	-	-	-	1	1
-	-	-	-	-	-	-	1	-	-	-	-	-
1	-	-	1	-	-	1	-	-	-	-	-	-
-	-	3	-	-	-	-	-	1	-	-	-	-
1	2	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	2	-	-	-	-	1	1	-	-	-	-	-
-	-	-	1	-	-	1	-	1	-	2	1	-
-	1	3	-	-	-	2	2	-	-	-	-	1
1	1	3	2	-	-	-	1	-	-	1	-	-
-	-	-	2	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	-	-	-	-	1	-	-	-	-	1	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	1	-	1	-	-	2	-	1	-	-	1	-
-	4	3	-	1	-	2	1	1	-	-	-	-
-	-	3	1	1	1	-	-	1	-	-	1	1
1	-	-	1	-	-	1	-	-	-	-	-	-
1	2	3	1	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	1	1	-	1	2	-	-	-	1	-
-	2	1	1	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	3	1	-	-	1	-	-	-	-	-	-
1	1	-	1	1	-	-	-	1	-	-	2	-
1	-	-	-	-	-	1	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
2	2	-	1	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	1	-	-	-	1	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	1	-	-	-	-	-	-
18	24	40	15	12	4	21	7	8	-	-	9	2
-	1	1	1	-	-	-	1	-	-	-	-	-
12	11	20	4	5	2	9	5	3	-	-	4	2
1	2	6	-	-	-	-	-	-	-	-	1	-
-	3	3	1	3	-	2	-	-	-	-	1	-
1	2	3	3	-	-	1	-	1	-	-	1	-

TABLE
Deaths in Each Town from Certain

SAGADAHOC

COUNTY AND TOWNS.	Population.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Perkins.....	69	-	-	-	-	-	-	-	-
Phippsburg	1,396	-	-	-	1	-	2	-	-
Richmond	3,082	-	1	-	-	-	5	-	1
Topsham	1,394	-	-	1	-	-	1	6	-
West Bath.....	307	-	-	-	-	-	-	-	-
Woolwich	1,007	-	-	-	2	-	2	1	-
SOMERSET COUNTY	-	-	-	1	27	6	29	10	9
Anson	1,444	-	-	-	-	-	1	-	-
Athens	1,072	-	-	-	3	1	1	-	-
Bingham	757	-	-	-	1	-	-	-	-
Cambridge	425	-	-	-	-	-	1	-	-
Canaan	1,130	-	-	-	-	-	-	-	-
Concord	345	-	-	-	1	-	-	1	1
Cornville	785	-	-	1	1	-	2	-	-
Detroit	590	-	-	-	-	-	1	-	-
Embden	579	-	-	-	-	-	1	1	3
Fairfield.....	3,510	-	-	-	1	1	1	-	-
Harmony.....	704	-	-	-	1	-	-	-	-
Hartland	974	-	-	-	-	-	1	-	-
Madison	1,815	-	-	-	3	1	-	1	-
Mercer	584	-	-	-	-	-	1	-	-
Moscow	422	-	-	-	-	-	-	-	-
New Portland.....	1,034	-	-	-	1	-	1	1	-
Norridgewock	1,656	-	-	-	2	-	5	-	-
Palmyra.....	1,004	-	-	-	-	1	3	1	-
Pittsfield	2,503	-	-	-	-	1	-	-	-
Ripley	478	-	-	-	1	1	2	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	1	-	-	1	1	-	-	-	-	-
1	4	1	3	1	1	4	-	2	-	-	-	-
2	1	3	1	2	1	1	-	1	-	-	2	-
-	-	-	-	-	-	1	-	-	-	-	-	-
1	-	1	1	1	-	2	-	1	-	-	-	-
35	29	32	38	7	5	27	20	9	3	7	17	2
4	1	4	3	2	-	2	3	1	-	-	-	-
1	-	-	1	-	-	2	-	-	-	-	-	-
-	1	-	-	-	-	-	1	-	-	-	-	-
1	-	3	-	-	-	-	-	-	-	-	-	-
1	1	1	2	-	-	-	-	-	-	1	1	-
-	-	1	-	-	-	-	1	-	-	-	-	-
-	-	-	3	1	-	1	1	1	-	-	-	-
-	-	1	-	1	-	-	1	-	-	-	-	-
1	-	-	1	-	1	1	-	-	-	-	-	-
-	3	-	-	1	1	2	3	-	1	1	4	-
-	-	1	1	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	1	-	-	-	-	1	-
4	1	4	1	-	1	3	-	2	-	-	1	-
-	2	1	-	1	-	1	-	-	-	1	-	-
1	-	-	-	-	1	-	-	-	-	-	1	-
3	2	1	1	-	-	3	-	-	-	-	-	-
1	-	-	2	1	-	3	2	1	-	-	1	1
-	1	3	-	-	-	-	-	-	-	-	-	-
1	5	1	4	-	-	3	5	-	-	3	1	1
-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
SOMERSET

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or meninges.
St. Albans	1,206	-	-	-	2	-	1	-	1
Skowhegan	5,068	-	-	-	7	-	5	3	4
Smithfield	479	-	-	-	1	-	1	-	-
Solon	977	-	-	-	-	-	-	-	-
Starks	766	-	-	-	-	-	-	-	-
Brighton Pl	434	-	-	-	-	-	1	-	-
Carratunk Pl	192	-	-	-	-	-	-	-	-
Carrying Place Pl	31	-	-	-	-	-	-	-	-
Dead River Pl	104	-	-	-	-	-	-	-	-
Dennistown Pl	66	-	-	-	-	-	-	-	-
Flagstaff Pl	87	-	-	-	-	-	-	-	-
Highland Pl	76	-	-	-	-	-	-	-	-
Jackman Pl	217	-	-	-	-	-	-	1	-
Lexington Pl	199	-	-	-	2	-	-	-	-
Mayfield Pl	74	-	-	-	-	-	-	-	-
Moose River Pl	170	-	-	-	-	-	-	-	-
Pleasant Ridge Pl	128	-	-	-	-	-	-	-	-
The Forks Pl	195	-	-	-	-	-	-	-	-
West Forks Pl	146	-	-	-	-	-	-	-	-
Long Pond	-	-	-	-	-	-	-	1	-
WALDO COUNTY	-	1	-	1	21	6	28	8	-
Belfast	5,294	1	-	-	6	1	3	1	-
Belmont	475	-	-	-	-	-	1	-	-
Brooks	730	-	-	-	1	-	1	-	-
Burnham	846	-	-	-	1	-	3	-	-
Frankfort	1,099	-	-	-	1	-	2	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	1	3	-	-	1	2	1	-	-	1	-
13	7	3	4	-	1	3	-	1	-	1	2	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	1	3	4	-	-	-	-	2	1	-	-	-
2	1	1	1	-	-	-	-	-	-	-	-	-
-	-	-	3	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	1	1	-	-	-	1	-	-	-	4	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
19	31	56	16	7	2	31	19	11	2	-	8	5
1	6	10	2	-	1	9	4	2	-	-	-	1
-	1	1	1	-	-	1	-	-	-	-	-	-
-	-	-	1	1	-	-	2	-	1	-	-	-
2	2	1	-	-	-	-	-	-	-	-	-	-
2	1	5	1	2	-	4	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
WASHINGTON

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Brookton	429	-	-	-	-	-	1	1	-
Calais.....	7,290	2	-	3	3	1	6	8	7
Centerville.	114	-	-	-	-	-	1	-	-
Charlotte.....	381	-	-	-	-	-	-	-	-
Cherryfield.....	1,787	-	-	-	3	1	4	-	1
Columbia.	587	-	-	-	1	-	-	2	-
Columbia Falls.....	698	-	-	-	-	-	1	-	-
Cooper.....	264	-	-	-	-	-	-	-	-
Crawford.....	140	-	-	-	-	-	-	-	-
Danforth.....	1,063	-	-	-	3	-	-	1	1
Deblois.....	76	-	-	-	-	-	-	-	-
Dennysville.....	452	-	-	-	-	-	4	-	-
East Machias.....	1,637	-	-	-	1	-	1	1	-
Eastport.....	4,908	-	-	-	-	-	-	-	-
Edmunds.....	395	-	-	-	-	-	-	1	-
Forest City.....	287	-	-	-	-	-	-	1	-
Harrington.....	1,150	-	-	-	1	1	-	1	-
Jonesboro.....	470	-	-	-	1	-	1	-	-
Jonesport.....	1,917	-	-	-	-	-	4	-	2
Lubec.....	2,069	-	-	-	2	1	-	-	1
Machias.....	2,035	-	-	-	2	-	1	2	1
Machiasport.....	1,437	-	-	-	1	-	2	-	-
Marshfield.....	299	-	-	-	1	-	-	-	-
Meddybemps.....	156	-	-	-	-	-	-	-	-
Milbridge.....	1,963	-	-	-	1	-	2	1	1
Northfield.....	143	-	-	-	-	-	-	-	-
Pembroke.....	1,514	-	-	-	2	-	2	1	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONTINUED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	-	-	-	1	-	-	-	-	-	-
4	10	10	12	2	4	13	6	1	-	-	4	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	1	1	-	1	-	1
2	2	-	1	1	1	3	-	-	1	-	1	-
-	-	-	1	-	-	-	-	1	-	-	1	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	1	1	4	-	-	2	1	-	-	-	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	1	-	-	-	-	1	-	-	-	-
1	1	2	1	-	-	2	2	1	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-
-	1	2	2	-	2	1	-	-	-	-	-	-
2	2	2	6	1	1	1	4	-	-	-	2	-
3	1	4	5	4	-	6	1	1	-	-	-	-
-	3	1	2	1	-	-	-	1	-	-	1	-
-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	5	2	1	-	1	1	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	4	5	1	-	-	4	-	-	-	-	-	1

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
1	3	3	1	-	-	-	2	-	-	-	1	-
2	-	2	1	1	-	2	-	-	-	-	-	-
-	3	-	-	-	-	1	1	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-
1	-	-	-	1	1	1	1	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	2	-	-	-	-	-	-	-	-	-
-	1	2	1	1	1	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-
1	-	-	3	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
63	82	114	96	22	12	59	34	10	2	5	36	4
-	-	3	2	-	-	-	-	-	-	-	-	-
3	3	4	-	1	1	1	-	1	-	-	-	-
1	3	2	3	-	-	3	1	-	-	1	1	-
13	19	18	26	10	2	11	8	5	-	3	8	2
1	2	4	5	2	1	3	1	-	-	-	-	-
1	2	1	5	-	-	-	1	-	-	-	1	-
1	1	2	1	2	-	1	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
YORK

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Eliot	1,463	-	-	-	2	-	5	1	-
Hollis.....	1,278	-	-	-	2	-	2	-	1
Kennebunk	3,172	-	-	-	2	-	6	4	1
Kennebunkport	2,196	-	-	-	2	1	1	1	-
Kittery	2,864	-	-	1	1	-	4	-	-
Lebanon	1,263	-	-	-	-	-	1	2	-
Limerick	966	-	-	-	-	-	4	-	-
Limington	1,092	-	-	-	-	-	-	-	-
Lyman	854	-	-	-	-	-	-	-	-
Newfield....	796	-	-	-	3	-	-	-	-
North Berwick	1,803	-	-	-	2	-	-	1	1
Old Orchard.....	877	-	-	-	2	-	1	-	-
Parsonsfield	1,398	-	-	-	-	-	-	-	1
Saco	6,075	-	1	-	8	2	5	1	4
Sanford.....	4,201	-	-	-	3	-	3	7	1
Shapleigh.....	968	-	-	-	1	-	-	1	1
South Berwick.....	3,434	-	-	2	3	-	1	2	1
Waterboro	1,357	-	-	-	2	1	4	2	-
Wells	2,029	-	-	-	3	-	1	1	2
York	2,444	-	-	-	3	-	3	4	-

No. 32—Concluded.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
5	1	4	1	-	2	-	-	-	-	-	1	-
1	4	1	2	-	2	-	-	-	-	-	1	1
1	4	2	-	-	-	7	1	-	-	-	3	1
1	-	7	1	-	-	3	1	-	1	-	2	-
1	-	6	1	-	-	2	2	-	-	-	1	-
1	2	6	3	-	-	2	-	-	-	-	2	-
2	1	2	1	-	-	2	1	-	-	-	-	-
-	1	-	3	-	-	-	1	-	-	-	-	-
-	1	3	2	1	-	1	-	-	-	-	1	-
-	3	4	-	-	-	-	-	-	-	-	1	-
4	1	1	4	2	-	-	2	-	-	-	-	-
-	1	1	2	-	-	2	-	-	-	-	1	-
3	1	1	2	-	-	1	1	-	-	-	-	-
6	10	12	11	-	1	8	2	2	1	-	5	-
3	9	3	6	-	-	1	2	-	-	-	2	-
-	3	5	1	-	1	1	-	-	-	-	-	-
5	1	11	6	3	-	6	2	2	-	-	4	-
1	4	3	2	-	-	1	-	-	-	1	-	-
2	2	5	4	1	-	-	1	-	-	-	2	-
5	3	3	2	-	2	3	1	-	-	-	-	-

TABLE
Deaths by Ages, Sex

COUNTIES.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Androscoggin, males.....	120	51	7	17	25	24	30	34	40	50	28	3	-	7
females.....	89	44	10	34	34	36	29	42	42	47	35	6	-	3
not stated.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Aroostook, males.....	140	47	16	19	24	11	12	16	26	40	20	2	1	5
females.....	69	35	9	25	47	24	18	12	22	23	10	1	-	2
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Cumberland, males.....	131	55	14	35	64	43	61	61	98	142	63	8	-	4
females.....	113	38	19	40	75	57	76	102	104	134	109	19	-	5
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Franklin, males.....	22	13	1	2	9	9	8	9	18	28	21	5	-	1
females.....	20	11	1	9	12	8	10	14	22	23	20	3	-	2
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock, males.....	42	9	1	14	18	11	16	15	46	63	29	4	-	1
females.....	26	13	5	15	29	24	19	13	33	48	28	5	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec, males.....	110	36	9	30	37	41	38	60	74	80	51	5	-	7
females.....	70	31	10	22	47	38	34	39	53	69	45	10	-	4
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Knox, males.....	50	17	4	7	15	15	14	23	31	52	23	5	-	1
females.....	34	15	10	9	22	22	14	21	31	38	33	3	1	2
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln, males.....	12	3	1	11	13	6	10	16	20	28	32	3	-	2
females.....	10	7	2	11	10	9	12	16	20	29	26	5	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Oxford, males.....	30	9	2	8	12	6	11	20	28	68	25	4	-	1
females.....	26	11	5	13	19	5	17	14	24	41	34	13	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot, males.....	95	45	17	18	37	33	36	58	63	97	67	10	-	7
females.....	96	40	10	24	63	49	39	56	52	83	63	11	2	3
not stated.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Piscataquis, males.....	7	7	3	3	6	3	3	12	16	20	15	3	-	-
females.....	5	6	-	13	6	14	8	7	10	15	9	3	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc, males.....	21	7	5	7	8	4	10	15	17	33	30	1	-	-
females.....	19	9	5	6	12	7	16	2	16	33	14	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset, males.....	28	15	2	10	16	10	16	15	34	37	32	2	-	1
females.....	23	14	3	7	22	25	24	21	26	33	31	5	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waldo, males.....	15	7	3	5	12	10	13	16	32	49	32	7	-	-
females.....	10	4	1	9	10	8	16	26	23	37	22	7	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington, males.....	66	24	7	21	21	20	18	17	46	50	29	7	-	3
females.....	42	23	5	19	24	19	22	19	37	36	30	10	-	2
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York, males.....	115	42	9	27	36	30	21	43	57	91	57	6	-	5
females.....	90	31	8	34	48	44	29	39	80	95	77	10	-	4
not stated.....	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Total, males.....	1004	387	101	234	353	276	317	430	646	928	554	75	1	44
females.....	742	332	103	290	480	389	383	437	595	784	536	113	3	31
not stated.....	3	1	-	-	-	-	-	-	-	-	1	-	-	3
Grand total.....	1749	720	204	524	833	665	700	867	1241	1712	1141	188	4	78

No. 33.

and Months by Counties.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
22	35	28	42	56	47	38	37	39	29	22	41	-	436	-
46	36	40	43	54	40	48	35	26	36	19	28	-	451	-
-	-	-	-	-	-	1	-	-	1	-	-	-	2	889
27	28	33	24	28	20	36	52	46	40	21	24	-	379	-
16	27	26	27	20	18	22	36	42	25	19	18	-	297	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1	677
56	71	70	71	71	58	79	92	57	54	47	53	-	779	-
70	91	91	76	79	62	70	81	55	73	68	76	-	891	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,670
16	10	13	9	14	13	11	21	12	8	5	14	-	146	-
9	17	12	15	11	20	15	12	13	14	9	8	-	155	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	301
20	18	24	29	32	15	20	29	19	25	17	21	-	269	-
18	21	23	23	35	22	23	9	22	22	13	22	-	258	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	527
59	47	45	38	56	32	50	70	54	54	31	42	-	578	-
36	37	50	38	48	31	32	55	47	41	31	26	-	472	-
-	-	-	-	-	1	-	-	-	-	-	-	1	2	1,952
22	25	8	36	33	19	14	18	21	20	16	24	-	256	-
24	16	18	22	18	20	23	23	31	25	19	16	-	255	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	511
8	17	14	12	14	12	12	9	12	14	20	13	-	157	-
11	13	23	12	11	14	13	8	15	14	11	14	-	159	-
-	-	-	-	-	-	1	-	-	-	-	-	-	1	317
20	27	14	20	22	18	15	24	22	14	12	16	-	224	-
24	24	19	12	22	18	19	15	18	18	13	20	-	222	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	446
51	48	49	62	45	39	33	62	49	47	47	51	-	583	-
57	65	62	38	47	52	45	53	54	40	33	39	-	585	-
-	-	-	-	1	1	-	-	-	-	-	-	-	1	1,169
6	6	8	9	7	4	8	14	10	5	6	13	2	98	-
6	11	5	13	6	8	5	15	8	8	6	6	-	97	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	195
6	13	15	10	14	13	5	27	11	15	15	14	-	158	-
9	7	5	14	14	16	6	18	11	15	12	14	-	141	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	299
15	18	22	22	18	13	20	20	22	10	16	22	-	218	-
17	15	20	23	9	14	15	27	26	25	13	29	1	234	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	452
15	17	24	32	7	17	11	23	15	11	10	19	-	201	-
13	10	14	18	11	17	17	16	13	18	10	17	-	174	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	375
32	22	31	28	25	32	30	23	36	29	15	26	-	329	-
26	31	28	24	22	30	22	27	21	18	16	23	-	288	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	617
47	42	53	41	58	40	38	63	39	34	37	47	-	539	-
59	57	57	54	54	38	48	64	46	31	38	43	-	589	-
-	-	-	-	-	-	-	1	-	-	-	-	-	1	1,129
422	444	451	485	500	392	420	584	464	409	337	440	2	5,350	-
441	477	493	437	461	420	423	494	448	423	330	399	2	5,268	-
-	-	-	-	-	2	2	1	-	1	-	-	2	8	-
863	921	944	942	961	814	845	1,079	912	833	667	839	6	10,626	10,626

TABLE No. 34.

Number of Deaths from Several Specified Causes, of Each Sex, in Each Month, which were Registered During Five Years, (1892-96).

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Cerebro-spinal meningitis.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
Totals	145	203	318	874	164	1,220	6,280	2,564	5,190	1,138	2,298
Males.....	72	93	142	442	86	652	2,671	-	2,580	519	1,144
Females.....	73	110	176	432	78	568	3,609	-	2,610	619	1,154
January.....	16	23	37	105	13	82	559	18	966	156	228
February.....	8	15	28	80	18	72	541	19	769	136	199
March.....	21	19	19	64	18	97	590	22	684	149	214
April.....	19	25	22	65	21	53	579	38	621	132	189
May.....	26	14	27	53	11	72	591	36	505	123	193
June.....	13	15	27	52	12	63	538	83	237	62	161
July.....	13	12	25	53	11	63	517	449	108	62	160
August.....	6	8	35	39	11	98	487	922	109	45	196
September.....	5	19	32	54	15	172	455	687	149	53	193
October.....	6	14	18	87	15	195	500	211	229	81	180
November.....	5	18	26	101	10	145	433	51	310	61	177
December.....	7	21	22	119	9	105	488	26	480	78	208
Not stated.....	-	-	-	2	-	3	2	2	3	-	-

NOTES ON DEATH AND THE CAUSES OF DEATH.

Death-Rates.—The number of deaths registered in the year 1896 was 10,626 (12,147 in 1892, 11,134 in 1893, 11,012 in 1894, and 10,464 in 1895). The number of deaths for this registration year was, therefore, 162 more than that for the year 1895, 386 less than for 1894, 508 less than for 1893, and 1,521 less than for 1892. The death-rate for the State for the year 1896 was 16.07 for every 1,000 of population as returned by the census of 1890 (18.37 in 1892, 16.84 in 1893, 16.66 in 1894, and 15.83 in 1895). Based on the estimated population of 1896, the death-rate would be slightly lower, 15.75.

By referring to Table No. 4, it will be seen that the death-rate of Piscataquis county was lower than that of any other county, being only 12.49, while the counties Androscoggin, Cumberland, Kennebec, and York show death-rates of 18.15, 18.36, 18.45, and 17.97, respectively.

The death-rate in the cities was 18.78 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, and 18.36 in 1895) as compared with that of the rest of the State with the cities omitted, which death-rate was 14.93 (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, and 14.77 in 1895).

Death-Rates Compared.—For the year 1896, the death-rate of Maine was 16.07; of New Hampshire, 18.04; of Vermont, 16.68; of Massachusetts, 19.32; of Rhode Island, 19.1; and of Connecticut, 17.5.

Season and Mortality.—The largest number of deaths occurred in August, 1079. In 1895 the largest number was in March, 1053. The smallest number of deaths in any one month was 667 in November. In the preceding year the smallest number was 715 in June. During the spring months 2847 deaths occurred; during the summer, 2738; during the autumn, 2412; in the winter 2623.

The following is a tabular statement of the number of deaths in each quarter of the five years 1892-96:

	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
1892.....	3,964	2,926	2,780	2,427
1893.....	2,653	2,825	2,878	2,750
1894.....	3,166	2,660	2,774	2,402
1895.....	2,780	2,412	2,764	2,503
1896.....	2,728	2,717	2,836	2,339

Table No. 29 exhibits the total number of deaths which occurred in each month of the five years for which a report has now been made. In 1892 the highest mortality occurred in January; in 1893, in August; in 1894, in January; in 1895, in March; in 1896, in August. The smallest number of deaths in all five years has been in November. The number of deaths for 1896 in each month by counties is shown in Table No. 33.

Sex and Mortality.—Of the 10,626 decedents, 5,350 were males, and 5,268 were females. The sex of 8 was unstated.

Among children dying before they were 5 years old, 1,391 were males, and 1,074 were females; there were 317 more deaths among boys under 5 years of age than among girls within the same age-period. On the contrary, at the age-periods from 10 to 50 years there was a preponderance of deaths among females, while there were more deaths among males at the ages from 50 to 80. At the age of 100 years and over, four persons died, one man and three women. See Table No. 33.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under 1 year of age	1,749	16.46 per cent.
From 1- 5 years of age	720	6.78 "
" 5-10 " " "	204	1.92 "
" 10-20 " " "	524	4.93 "
" 20-30 " " "	833	7.84 "
" 30-40 " " "	665	6.26 "
" 40-50 " " "	700	6.59 "
" 50-60 " " "	867	8.16 "
" 60-70 " " "	1,241	11.68 "
" 70-80 " " "	1,712	16.11 "
" 80-90 " " "	1,141	10.74 "
" 90-100 " " "	188	1.76 "
Over 100 " " "	4	0.04 "
Ages not stated	78	0.73 "

The Causes of Death.—Of the 11,533 deaths, including still-births and premature births, the cause of 11,094 was certified, leaving 439 of which the cause of death was unspecified or so ill-defined as to preclude satisfactory classification.

The following table shows the mortality from ten prominent causes in the five years 1892-96. In 1896, as well as in the three preceding years, diseases of the brain have headed the list, while in each of the five years the next most prominent cause of mortality in the State has been consumption. In 1892, on account of the existing epidemic of influenza, pneumonia was raised to the first place in the list of the causes of death.

MORTALITY FROM TEN PROMINENT CAUSES—1892-96.

CAUSES OF DEATH.	1896.	1896.	1895.	1894.	1893.	1892.
Brain disease*.....	1,270	1	1	1	1	3
Consumption	1,172	2	2	2	2	2
Heart diseases.....	1,036	3	3	4	4	4
Pneumonia	781	4	4	3	3	1
Old age	610	5	5	5	5	5
Infantile diarrhea.....	520	6	6	7	6	6
Cancer.....	518	7	7	6	7	7
Kidney disease†.....	452	8	8	8	8	8
Bronchitis.....	220	9	9	9	9	9
Diphtheria and croup	174	10	10	10	10	10

*Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain and its membranes, and other brain diseases.

†Including deaths certified as from nephritis, Bright's disease, albuminuria, and uremia.

By referring to Table No. 30, it will be noticed that the causes of death are arranged under eight "Classes," and that the causes of death in some of the classes are distributed into several "Groups." The following notes on some of the classes and groups of diseases and individual causes of death will be arranged in accordance with the classification shown in this Table 30.

Zymotic Diseases.—The lists of the zymotic diseases usually include small-pox, measles, scarlet fever, typhoid fever, whooping cough, diphtheria and croup, and the diarrheal diseases. The following table shows the number of deaths that resulted from each of these causes in 1896 in each of the New England States, the total deaths from these causes, and the zymotic

death-rates per 10,000 of living population. It will be noted that the zymotic death-rate of Vermont was lower than that for any other of these states, and that the highest rate in 1896 for these diseases was in Rhode Island.

ZYMOTIC DEATH RATES—1896.

DISEASES.	Maine.	New Hampshire.	Vermont.	Massachusetts.	Rhode Island.	Connecticut.
Small pox	-	-	-	-	-	-
Measles.....	32	23	35	137	58	259
Scarlet fever	33	23	34	249	53	82
Typhoid fever	186	139	86	723	113	207
Whooping cough	111	33	24	282	59	53
Diphtheria and croup	174	144	125	1,677	315	499
Diarrheal diseases	639	557	252	4,071	634	1,239
Total	1,175	919	556	7,139	1,232	2,339
Zymotic death-rate per 10,000.	17.77	24.41	16.73	28.55	31.27	27.35

SEVEN ZYMOTIC DISEASES BY COUNTIES—1896.

COUNTIES.	Population in 1890.	Aggregate deaths from zymotic diseases—1896.	Zymotic death-rate per 10,000—1896.	Mean zymotic death-rate—1892-96.
Androscoggin	48,968	94	19.20	25.65
Aroostook	49,589	166	33.48	29.40
Cumberland	90,949	159	17.49	18.65
Franklin	17,053	32	18.77	15.60
Hancock	37,312	29	7.77	12.38
Kennebec.....	57,012	143	25.68	22.24
Knox	31,473	60	19.06	16.07
Lincoln	21,996	11	5.00	6.82
Oxford	30,586	40	13.08	11.37
Penobscot	72,865	134	18.39	16.00
Piscataquis.....	16,134	13	8.06	8.80
Sagadahoc	19,452	26	13.37	11.92
Somerset	32,627	42	12.88	12.26
Waldo.....	27,759	14	5.04	7.63
Washington	44,482	54	12.14	17.35
York	62,829	158	23.71	24.70
State	661,086	1,175	17.62	17.97

In the foregoing table the third column shows, for each county, the whole number of deaths in 1896 from the zymotic diseases, the fourth column shows the zymotic death-rate for the same year, and the last column gives the mean, or average zymotic death-rate in each county for the five years 1892-96. The following table makes a similar comparative exhibit for the cities:

ZYMOTIC DISEASES BY CITIES—1896.

CITIES.	Population in 1890.	Aggregate deaths from seven zymotic diseases—1896.	Zymotic death-rate per 10,000—1896.	Mean zymotic death-rate—1892-96.
Auburn	11,250	14	12.44	19.73
Augusta	10,527	42	39.90	37.24
Bangor.....	19,103	41	21.46	24.41
Bath	8,723	17	19.48	15.82
Belfast.	5,294	5	9.44	9.82
Biddeford	14,443	76	52.62	50.14
Brewer.....	4,193	13	31.00	20.51
Calais	7,290	25	34.29	35.39
Deering.....	5,353	10	18.68	15.32
Eastport.....	4,908	-	-	-
Ellsworth	4,804	2	4.16	6.66
Gardiner	5,491	14	25.50	14.57
Hallowell	3,181	3	9.43	13.83
Lewiston	21,701	56	25.51	37.70
Old Town	5,312	13	24.47	28.99
Portland.....	36,425	66	18.12	19.22
Rockland	8,174	19	23.24	23.24
Saco.....	6,075	19	31.28	22.06
Waterville.....	7,107	28	39.40	43.05
Westbrook	6,632	19	28.65	36.17
Collectively	195,986	482	24.08	26.77

Infectious Diseases.—Disregarding influenza, the number of deaths caused by this group of diseases was 684 in 1892, 678 in 1893, 536 in 1894, 575 in 1895, and 617 in 1896. In 1896 there were, therefore, 42 more deaths from these causes than in the preceding year. By consulting the table which follows it will be seen that the number of deaths from measles, scarlet fever, cerebro-spinal meningitis, and typhoid fever was smaller than in any previous registration year except 1895; that from

whooping cough the mortality was much greater than in any of the preceding years; and that the combined mortality from diphtheria and croup was smaller than for any year except 1893 and 1894.

INFECTIOUS DISEASES—1892-96.

DISEASES.	1892.	1893.	1894.	1895.	1896.	Total.
Small-pox	-	-	-	-	-	-
Chicken-pox	-	1	-	1	-	2
Measles	29	55	21	8	32	145
Rötheln.....	-	-	-	1	2	3
Scarlet fever.....	36	80	29	25	33	203
Typhus fever	-	-	1	1	1	3
Influenza.....	755	153	295	152	117	1,472
Whooping cough.....	54	51	20	82	111	318
Mumps	-	-	-	1	-	1
Diphtheria.....	106	69	77	135	109	496
Croup.....	106	83	62	62	65	378
Tonsilitis, etc.....	9	7	1	4	7	28
Cerebro-spinal meningitis.....	38	30	34	29	33	164
Tetanus	7	10	6	10	8	41
Typhoid fever	255	257	258	185	186	1,141
Simple continued fever.....	31	29	19	21	18	118
Malarial diseases.....	13	5	8	10	12	48.
• Other specific febrile diseases.....	-	-	-	-	-	-

Small-Pox.—No death has resulted from this cause in any of the five years covered by the Vital Statistics reports, 1892-96.

Measles.—This disease caused the death of 32 persons of whom 18 were males and 14 were females. The deaths from measles were 29 in 1892; 55 in 1893; 21 in 1894; 8 in 1895.

MEASLES BY COUNTIES, MONTHS AND AGE-PERIODS—1896.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 12	January 2	Under 1..... 5
Aroostook -	February. 2	1-5. 20
Cumberland -	March 1	5-10. 3
Franklin -	April 3	20-30..... 1
Hancock -	May..... 10	40-50..... 1
Kennebec 3	June 3	Over 50 2
Knox -	July..... 2	Total 32
Lincoln 1	August 1	
Oxford 4	September 3	
Penobscot 3	October 2	
Piscataquis -	November 1	
Sagadahoc 1	December 2	
Somerset..... -	Total..... 32	
Waldo -		
Washington 1		
York 7		
State 32		

Scarlet Fever.—The total mortality from this disease was 33 (36 in 1892, 80 in 1893, 29 in 1894, and 25 in 1895), 17 males and 16 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was 8 in November. There were 12 deaths in the first quarter, 5 in the second, 3 in the third, and 13 in the last three months of the year. Penobscot county had 7 deaths from scarlet fever; Knox had 6; while Aroostook and Cumberland had 3 each. In 5 counties no deaths occurred from scarlet fever. Of the 33 deaths from this cause, 14 were in the cities. The following is an exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the four years 1893-96.

**SCARLET FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS
—1893-96.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin..... 11	January..... 15	Under 1..... 17
Aroostook..... 14	February..... 12	1-5..... 71
Cumberland... 16	March..... 14	5-10..... 46
Franklin..... 5	April..... 20	10-20..... 24
Hancock..... 7	May..... 10	20-30..... 7
Kennebec..... 14	June..... 12	30-40..... -
Knox..... 12	July..... 12	40-50..... 1
Lincoln.. .. -	August..... 8	Not stated..... 1
Oxford.. .. 1	September..... 18	Total... .. 167
Penobscot..... 16	October..... 12	
Piscataquis. -	November..... 15	
Sagadahoc..... 7	December..... 19	
Somerset..... 6	Total..... 167	
Waldo..... 2		
Washington..... 13		
York... .. 43		
State..... 167		

The scarlatinal death-rate per 10,000 for the State was 0.50; for the cities, 0.71. In the same year it was, in New Hampshire, 0.61; in Vermont, 1.02; in Massachusetts, 1.00; in Rhode Island, 1.34; and in Connecticut, 0.9.

Influenza.—During the year for which this report is made, 117 deaths were attributed to influenza. By months the percentage distribution of deaths from this cause was as follows: January, 7.7; February, 11.1; March, 24.8; April, 16.2; May, 16.2; June, 1.7; July, 2.6; August, 5.1; September, 1.7; October, 5.1; November, 3.4; December, 4.4. The following shows the age incidence of deaths reported as having occurred from influenza:

Under 1 year,	20	50-60 years,	5
1-5 years,	14	60-70 "	18
5-10 "	3	70-80 "	26
10-20 "	2	Over 80 "	19
20-30 "	2	Unknown "	2
30-40 "	1	Total	<u>117</u>
40-50 "	5		

The influenza death-rate for the whole State was 1.77 for each 10,000 of living population (11.43 in 1892, 2.31 in 1893, 4.46 in 1894, and 2.30 in 1895).

DEATHS FROM INFLUENZA BY COUNTIES AND MONTHS—1896.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.
Androscoggin.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Aroostook.....	2	1	9	2	1	1	-	2	-	4	3	-	25
Cumberland.....	-	-	1	3	2	-	-	1	-	1	-	-	8
Franklin.....	-	1	-	-	-	-	-	-	-	-	-	1	2
Hancock.....	-	2	-	1	3	-	-	1	1	-	-	-	8
Kennebec.....	-	1	2	6	1	-	-	-	-	1	-	-	11
Knox.....	-	-	1	1	1	-	1	-	-	-	-	1	5
Lincoln.....	-	1	2	-	-	-	-	-	-	-	-	1	4
Oxford.....	2	1	1	-	2	1	-	-	-	-	-	1	8
Penobscot.....	1	4	7	1	-	-	1	-	-	-	1	-	15
Piscataquis.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Waldo.....	1	1	2	2	1	-	-	-	-	-	-	-	7
Washington.....	1	1	2	3	4	-	1	1	1	-	-	1	15
York.....	2	-	2	-	4	-	-	1	-	-	-	-	9
State.....	9	13	29	19	19	2	3	6	2	6	4	5	117

Whooping Cough.—The number of deaths from whooping cough was 111 (54 in 1892, 51 in 1893, 20 in 1894, and 82 in 1895), of which 53 were males and 58 were females. The number of deaths in the cities was 35. Seventy-one of the 111 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping cough was 1.68 per 10,000; that of the cities, 1.78; of New Hampshire, 0.87; of Vermont, 0.72; of Massachusetts, 1.13; of Rhode Island, 1.49; of Connecticut, 0.6.

The following shows the deaths from whooping cough arranged by counties, months, and age-periods:

**WHOOPIING COUGH BY COUNTIES, MONTHS, AND AGE-PERIODS
—1896.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin 6	January 19	Under 1. 71
Aroostook 11	February 14	1-5..... 37
Cumberland 10	March 8	5-10..... 1
Franklin 8	April..... 6	10-20..... 1
Hancock 9	May 11	Not stated..... 1
Kennebec..... 6	June 8	Total..... 111
Knox 5	July..... 8	
Lincoln -	August 9	
Oxford 4	September 14	
Penobscot 29	October..... 4	
Piscataquis..... 2	November..... 5	
Sagadahoc 2	December..... 5	
Somerset 6	Total..... 111	
Waldo 1		
Washington 6		
York 6		
State 111		

The foregoing facts relating to whooping cough show how serious a factor in the mortality of the State this disease is becoming. Whooping cough in the year for which this report is made caused more than three times as many deaths as scarlet fever or measles, more than half as many as typhoid fever, and nearly two-thirds as many as diphtheria including membranous croup. The preceding table shows that, of the 111 deaths, 71 occurred in children under 1 year of age, and that all but three of these 111 deaths were of children not over 5 years of age. Aside from the records of departments of Vital Statistics, clinical experience teaches that, for the period of infancy, whooping cough is a dangerous disease.

The cause of this large number of deaths from whooping cough is largely due to the fact that the dangerous capabilities of whooping cough, especially in families in which there are young children, are underestimated. The public are awake to the dangerous nature of diphtheria, and demand that their children shall be protected from its infection. Do not the figures here presented indicate, at least, the necessity of a strict compliance with those sections of the public health laws which provide for the exclusion of infectious pupils from the public schools? They certainly indicate that parents should learn that children of tender ages should be protected from the infection of whooping cough.

Diphtheria.—There were, for the year 1896, 109 deaths from diphtheria (106 in 1892, 69 in 1893, 77 in 1894, and 135 in 1895). Of the decedents, 46 were males and 63 were females.

Ages: Under 1, 6; 1-5, 49; 5-10, 28; 10-20, 16; 20-30, 5; 30-40, 2; 40-50, 2; 50-60, 1.

Of the 109 deaths, 54 were in the cities, and 55 in other places. The diphtheria death-rate for the State was 1.65, and for the cities, 2.75.

The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

DIPHTHERIA BY COUNTIES AND MONTHS—1896.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	-	-	-	-	-	-	-	-	-	-	-	1	1	0.24
Aroostook	-	-	1	2	-	1	1	1	-	-	2	-	8	1.61
Cumberland... ..	2	1	2	2	-	-	5	1	3	4	6	8	34	3.74
Franklin	-	-	-	-	-	-	-	-	-	-	2	1	3	1.75
Hancock	-	-	-	-	-	-	-	-	-	-	2	-	2	0.54
Kennebec	2	3	2	-	1	2	1	2	-	2	2	2	19	3.33
Knox	2	-	1	1	2	-	3	-	-	3	-	1	13	4.13
Lincoln	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	-	-	1	-	-	-	-	-	1	-	-	1	3	0.98
Penobscot	1	-	-	-	-	-	-	-	-	-	-	-	1	0.14
Piscataquis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset.....	-	2	-	-	-	-	-	-	-	-	-	-	2	0.61
Waldo	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	2	1	3	1	1	-	-	1	-	9	2.02
York	2	2	-	5	1	-	2	1	-	1	-	-	14	2.23
State	9	8	7	12	5	6	13	6	4	10	15	14	109	1.65

Croup.—The number of deaths referable to this cause was 65 (106 in 1892, 83 in 1893, 62 in 1894, and 62 in 1895.) Of the 65 decedents, 42 were males and 23 females. All but 2 were less than 10 years of age.

Ages: Under 1, 25; 1-5, 28; 5-10, 10; over 10, 2.

The death-rate for croup was, for the State, 0.98; for the cities, 0.92.

The distribution of croup by counties and months is shown in the following table:

CROUP BY COUNTIES, AND MONTHS—1896.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	1	1	-	-	-	-	-	-	-	-	-	1	3	0.61
Aroostook	2	3	5	2	-	-	2	-	1	6	2	2	25	5.04
Cumberland	-	1	-	1	1	-	-	-	-	1	-	3	7	0.77
Franklin	1	-	1	-	-	-	-	-	-	-	-	1	3	1.76
Hancock	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec	3	-	1	-	-	-	-	-	-	-	-	-	4	0.70
Knox	1	-	-	-	2	-	-	-	1	-	1	-	5	1.59
Lincoln	-	-	-	-	-	-	-	-	-	1	-	-	1	0.45
Oxford	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot	-	1	1	2	-	-	-	-	-	-	-	2	6	0.82
Piscataquis	-	-	-	-	-	-	-	-	-	-	-	1	1	0.62
Sagadahoc	-	-	-	-	-	-	-	-	-	-	-	1	1	0.51
Somerset	-	1	-	-	-	-	-	-	-	-	1	-	2	0.61
Waldo	1	-	-	-	-	-	-	-	-	-	-	-	1	0.36
Washington	2	-	-	1	-	-	-	-	-	-	-	-	3	0.67
York	-	-	-	1	1	-	-	-	1	-	-	-	3	0.48
State	11	7	8	7	4	-	2	-	3	8	4	11	65	0.98

It is now conceded that the two diseases, croup and diphtheria, are etiologically one and the same. The combined death-rate for the two diseases is, for Maine, 2.63 per 10,000 of living population; of our cities, 3.67; and in the same year, for New Hampshire, 3.82; Vermont, 3.73; Massachusetts, 6.71; Rhode Island, 8.30; Connecticut, 5.8.

The following tabulation shows the number of deaths from diphtheria and croup for the five years 1892-96, arranged by counties, months, and age-periods:

DIPHTHERIA AND CROUP BY COUNTIES, MONTHS, AND AGE-PERIODS—1892-96.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 58	January 105	Under 1 149
Aroostook 122	February 80	1-5 375
Cumberland..... 169	March 64	5-10 199
Franklin..... 14	April 65	10-20 108
Hancock..... 23	May..... 53	20-30 19
Kennebec..... 109	June..... 52	30-40 12
Knox..... 71	July..... 53	40-50 6
Lincoln..... 13	August..... 39	50-60 2
Oxford..... 13	September..... 54	60-70 2
Penobscot..... 57	October..... 87	Not stated..... 2
Piscataquis..... 12	November..... 101	Total..... 874
Sagadahoc..... 20	December..... 119	
Somerset..... 22	Not stated..... 2	
Waldo..... 18	Total..... 874	
Washington..... 57		
York..... 96		
State..... 874		

Cerebro-Spinal Meningitis.—The number of decedents was 33 (38 in 1892, 30 in 1893, 34 in 1894, and 29 in 1895.)—20 males and 13 females. Twelve of these deaths were in the cities. Deaths from this cause occurred in every month except January: Distributed by quarters, they were 8, 11, 7, 7. The death-rate from this disease was 0.50.

The distribution of deaths from cerebro-spinal meningitis by counties, months, and age-periods is shown in the following:

CEREBRO-SPINAL MENINGITIS BY COUNTIES, MONTHS, AND AGE-PERIODS—1896.

BY COUNTIES.	By months.	By age-periods.			
Androscoggin	2	January	-	Under 1.....	12
Aroostook	2	February	6	1 to 5.....	9
Cumberland	6	March	2	5 to 10.....	1
Franklin	1	April	7	10 to 20.....	4
Hancock	1	May.....	2	20 to 30.....	2
Kennebec	2	June.....	2	30 to 40.....	1
Knox	1	July	2	40 to 50.....	-
Lincoln	2	August	1	50 to 60.....	1
Oxford	2	September	4	60 to 70.....	2
Penobscot	4	October	4	70 to 80.....	1
Piscataquis	-	November.....	2	Total	33
Sagadahoc.....	-	December	1		
Somerset.....	-	Not stated.....	-		
Waldo	1	Total	33		
Washington	6				
York	3				
State	33				

Tetanus.—This disease was the cause of 8 deaths (7 in 1892, 10 in 1893, 6 in 1894, and 10 in 1895). The decedents were, males 7, and females 1. These deaths occurred in the following months: February, 1; May, 1; June, 1; October, 3; November, 1; and December, 1. No county had more than one case except Kennebec, which had two.

Ages: Under 1, 1; 1-5, 1; 10-20, 3; 50-60, 2; 60-70, 1.

Typhoid Fever.—Including 7 deaths from "gastric fever," 4 "bilious fever," 4 "fever," 2 "slow fever," and 1 from "catarrhal fever," there were 204 deaths from typhoid fever. Of these, 107 were of males and 97 of females. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value,—77 per cent. died between 10 and 50 years of age.

Ages: Under 1, 3; 1-5, 9; 5-10, 8; 10-20, 52; 20-30, 51; 30-40, 27; 40-50, 29; 50-60, 8; 60-70, 6; 70-80, 7; over 80, 1; not stated, 3.

The largest number of deaths, 32, occurred in October, and the smallest number 7, in July. By quarters, 51 were in the first quarter, 37 in the second, 46 in the third, and 70 in the last quarter of the year.

The typhoid death-rate of 4.74 in the cities is considerably greater than that in the villages and rural towns, which is 2.39. The rate for the State is 3.08. The typhoid death-rate for the same year was, in New Hampshire, 3.69; Vermont, 2.58; Massachusetts, 2.89; Rhode Island, 2.87; Connecticut, 2.4.

The following exhibits the number of deaths from typhoid fever in each county by months, with death-rate in each county:

TYPHOID FEVER—1896.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin.....	4	-	3	1	2	1	1	1	-	4	2	1	-	20	4.08
Aroostook.....	1	3	-	2	1	1	-	-	5	7	-	4	-	24	4.84
Cumberland.....	1	4	3	1	5	-	2	-	4	4	1	1	-	26	2.86
Franklin.....	-	1	-	-	-	-	-	-	1	1	-	-	-	3	1.76
Hancock.....	1	-	-	-	-	-	-	1	1	3	1	1	-	8	2.14
Kennebec.....	1	2	-	1	3	1	-	-	2	4	3	1	-	18	3.16
Knox.....	-	1	-	-	-	-	-	-	-	1	1	1	-	4	1.27
Lincoln.....	-	-	1	1	-	-	-	-	-	-	1	-	-	3	1.36
Oxford.....	-	-	-	-	-	-	-	2	-	2	2	1	-	7	2.29
Penobscot.....	2	1	1	1	2	2	2	2	5	1	1	7	-	27	3.71
Piscataquis.....	-	-	-	1	1	-	-	-	-	-	-	1	-	3	1.85
Sagadahoc.....	-	1	-	-	-	-	-	2	-	-	-	-	-	3	1.54
Somerset.....	-	-	-	-	1	-	-	2	2	1	-	1	-	7	2.14
Waldo.....	-	-	-	-	-	-	-	1	1	-	-	-	-	2	0.72
Washington.....	1	-	-	1	-	1	1	-	3	3	1	1	-	12	2.70
York.....	5	6	8	4	-	3	1	3	1	1	3	2	-	37	5.89
State.....	16	19	16	13	15	9	7	14	25	32	16	22	-	204	3.08

The following exhibits, for the five years 1892-96, the distribution of deaths from typhoid fever by counties, months, and age-periods:

TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS
—1892-96.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 146	January 86	Under 1..... 18
Aroostook 126	February 76	1-5 56
Cumberland..... 174	March 98	5-10 61
Franklin 42	April 57	10-20 308
Hancock 53	May..... 74	20-30 381
Kennebec 100	June 66	30-40 162
Knox 30	July 66	40-50 102
Lincoln 21	August 101	50-60 62
Oxford 56	September 178	60-70 48
Penobscot 178	October 199	70-80 40
Piscataquis 19	November..... 147	Over 80..... 12
Sagadahoc..... 22	December..... 108	Not stated 14
Somerset..... 44	Not stated 3	Total 1,259
Waldo 30	Total..... 1,259	
Washington 67		
York 151		
State..... 1,259		

Malarial Diseases.—Twelve deaths were returned as from malarial diseases. The diagnosis in 5 of these cases was “malarial poisoning;” all of these other deaths were attributed to a complication of causes among which malarial poisoning is mentioned. These decedents were all males with the exception of one. So far as genuine malaria may have been a cause, the advanced ages of the decedents indicate that the disease may have been contracted in the army or outside of the State. The age of one was 47, two were 52, and the ages of the others ranged from 53 to 77.

In the other New England States, in the same year, the number of deaths attributed to this cause was, Vermont, 5; Massachusetts, 89; Connecticut, 170; Rhode Island, 42.

Tuberculosis.—Tuberculosis, a communicable and, therefore, a preventable disease, destroys more lives than any other malady. In 1896, it was the cause of 1,359 deaths (1,513 in 1892, 1,446 in 1893, 1,449 in 1894, and 1,397 in 1895). The death-rate per 10,000 from this cause was 20.56. The death-

rate from tuberculosis in the same year was 17.21 in Vermont; 29.46 in Massachusetts; 24.80 in Rhode Island; and 18.9 in Connecticut.

Cerebral Tuberculosis (Tubercular Meningitis.)—The number of deaths was 70; 32 were of males and 38 of females. The number in the cities was 38. The death-rate for the State was 1.05; for the cities, 1.94.

Ages: Under 1, 19; 1-5, 31; 5-10, 8; 10-20, 7; 20-30, 3; 30-40, 1; 40-50, 1.

Pulmonary Tuberculosis (Consumption.)—From this cause 1,172 deaths were registered in 1896 (1,352 in 1892, 1,299 in 1893, 1,262 in 1894, and 1,195 in 1895). There were, therefore, in 1896, 180 fewer deaths than in 1892, 127 fewer than in 1893, 90 fewer than in 1894, and 23 fewer than in 1895.

Ages: Under 1, 17; 1-5, 15; 5-10, 11; 10-20, 160; 20-30, 346; 30-40, 201; 40-50, 144; 50-60, 91; 60-70, 88; 70-80, 70; over 80, 19; not stated, 10.

It is thus shown in this report, as it was in the four preceding reports, that the smallest number of deaths occurred at the age-period 5 to 10 years, and that, of the decedents whose ages were given, 80 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 497 of the decedents, or 42.3 per cent., were males; and 675, or 57.7 per cent., were females.

The State's death-rate from consumption was 17.73 in each 10,000 of population; that of the cities, 17.91. Outside of our State, in the same year, the death-rate from consumption was, for New Hampshire, 18.03; Vermont, 15.20; Massachusetts, 22.14; Rhode Island, 21.22; Connecticut, 14.3.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

CONSUMPTION BY COUNTIES, AND MONTHS—1896.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	5	7	11	4	7	7	9	10	8	6	4	7	85	17.36
Aroostook	6	13	3	10	6	4	9	2	6	7	6	1	73	14.72
Cumberland	16	11	11	10	15	9	13	16	12	12	10	17	152	16.71
Franklin	1	4	3	4	3	3	3	1	2	4	1	5	34	19.94
Hancock	4	5	3	9	2	10	5	2	6	7	4	5	62	16.62
Kennebec	15	7	6	7	10	15	12	14	5	6	6	6	109	19.12
Knox	5	4	4	9	10	7	2	5	7	3	4	2	62	19.70
Lincoln	2	11	6	1	3	2	2	-	3	2	2	2	36	16.37
Oxford	1	7	2	1	5	4	5	3	4	4	3	4	43	14.06
Penobscot	11	7	12	21	11	16	7	10	7	11	12	10	135	18.53
Piscataquis	3	1	2	3	1	2	2	4	2	1	4	1	26	16.12
Sagadahoc	5	1	3	4	3	8	3	3	1	8	-	2	41	21.08
Somerset.....	4	7	7	5	3	5	5	5	4	5	3	4	57	17.47
Waldo	5	4	1	5	4	5	4	2	3	4	6	7	50	18.01
Washington.....	8	7	7	7	10	12	10	7	5	4	8	8	93	20.91
York	9	9	13	5	15	7	10	8	9	7	10	12	114	18.14
State	100	105	94	105	108	116	101	92	84	91	83	93	1,172	17.73

For the five years 1892-96, the distribution of deaths from pulmonary consumption is shown by counties, months, and age-periods in the following table:

CONSUMPTION BY COUNTIES, MONTHS, AND AGE-PERIODS
-1892-96.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 448	January 559	Under 1..... 94
Aroostook 334	February..... 541	1-5..... 94
Cumberland 855	March 590	5-10.. 55
Franklin 176	April 579	10-20. 774
Hancock 333	May..... 591	20-30..... 1,832
Kennebec..... 583	June 538	30-40..... 1,150
Knox..... 367	July 517	40-50..... 719
Lincoln 194	August 487	50-60..... 533
Oxford 219	September 455	60-70..... 498
Penobscot 738	October 500	70-80..... 384
Piscataquis. 156	November 434	Over 80..... 110
Sagadahoc 188	December..... 487	Not stated..... 37
Somerset 321	Not stated..... 2	Total..... 6,280
Waldo..... 281	Total.....6,280	
Washington 482		
York 605		
State.....6,280		

Tuberculosis Mscnteric.—There were 28 deaths from this cause, 11 males and 17 females.

Ages: Under 1, 2; 1-5, 5; 5-10, 1; 10-20, 4; 20-40, 9; 40-60, 5; over 60, 2.

Tuberculosis, Other Forms.—Of these deaths, 89 in all, the cause assigned was: tuberculosis or general tuberculosis, 53; scrofula, 15; tuberculosis of larynx, 7; disease of bone, 5; miliary tuberculosis, 4; lupus, 1; tuberculosis of liver, 1; tuberculosis of spine, 1; tuberculosis of kidney, 1; tuberculosis of throat, 1.

Diarrheal Diseases.—The total number of deaths caused by the diseases under this group was 639 (662 in 1892, 642 in 1893, 602 in 1894, and 635 in 1895). The death-rate for this group of diseases was 9.66 per 10,000. That of New Hampshire, for the same year, was 14.79; Vermont, 7.58; Massachusetts, 20.57; Rhode Island, 16.10; Connecticut, 14.4.

Infantile Diarrhea.—This, as synonymous with cholera infantum or including it, was the cause of 520 deaths (546 in 1892, 507 in 1893, 468 in 1894, and 523 in 1895). A reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates for this cause. There were in the first quarter of the year but 10 deaths from this cause; in the second quarter, 25; in the third quarter, 450, and in the fourth quarter, 35. The largest number of deaths occurred in August, 225.

Of the children dying from this cause, 53 per cent. were less than 6 months old, and another 33 per cent. were less than 1 year of age, making 86 per cent. of deaths within the first year of age.

Ages: Under 6 months, 275; 6-12 months, 172; 1-2 years, 71; unknown, 2.

In the classification of deaths from diarrheal diseases, only the deaths among children 2 years old, or younger, are included under "infantile diarrhea." The deaths from diarrheal diseases, other than those under this cause, were cholera morbus, 52; dysentery, 41; and diarrhea, 26.

Of the 520 deaths from infantile diarrhea, 224 were returned from the cities. This represents an urban death-rate from this cause of 11.43 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, and 13.78 in 1895), which is strongly in contrast with 6.36, the rate for the villages and rural districts (5.33 in 1892, 4.95 in 1893, 4.47 in 1894, and 5.44 in 1895).

The death-rate for the State from this affection was 7.87. For the same year it was in Vermont, 5.75; in Massachusetts, 11.83; for Rhode Island, 13.84; for Connecticut, 10.8.

INFANTILE DIARRHEA BY COUNTIES AND MONTHS—1896.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin	1	-	1	1	-	5	12	6	6	2	-	1	1	36	7.35
Aroostook	2	-	-	2	2	2	4	39	30	6	-	-	-	87	17.54
Cumberland	1	-	1	-	1	-	26	31	6	3	-	-	-	69	7.59
Franklin	-	-	-	-	1	-	2	4	4	-	-	-	-	11	6.45
Hancock	-	-	-	-	-	-	-	3	3	1	-	-	-	7	1.88
Kennebec	-	-	-	1	-	1	14	29	24	4	1	3	-	77	13.51
Knox	-	-	-	-	-	-	2	13	9	1	-	-	-	25	7.94
Lincoln	-	-	-	1	-	-	1	2	1	-	-	-	-	5	2.27
Oxford	-	-	-	-	-	-	4	7	4	1	-	1	-	17	5.55
Penobscot	1	-	-	1	2	1	5	22	15	3	-	-	-	50	6.86
Piscataquis	-	-	-	-	-	-	2	4	2	-	-	-	-	8	4.95
Sagadahoc	-	-	-	-	-	-	-	11	2	-	-	-	-	13	6.68
Somerset	-	-	1	-	-	-	2	5	5	1	-	-	-	14	4.29
Waldo	-	-	-	-	-	-	-	5	1	-	-	1	-	7	2.52
Washington	-	-	-	-	-	2	2	9	4	2	-	-	-	19	4.27
York	-	1	-	-	1	1	22	35	11	2	2	-	-	75	11.94
State	5	1	3	6	7	12	98	225	127	26	3	6	1	520	7.87

The preceding table exhibits the number of deaths from infantile diarrhea in 1896, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhea for the five years 1892-96, by counties, months, and age-groups:

INFANTILE DIARRHEA BY COUNTIES, MONTHS, AND AGE-PERIODS—1892-96.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 326	January 18	Under 6 months.... 1,377
Aroostook 369	February..... 19	6-12 months 837
Cumberland 340	March 22	1-2 years 310
Franklin 41	April 38	Over 2 years 30
Hancock 51	May 36	*Unknown 10
Kennebec 316	June 83	
Knox 102	July 449	Total 2,564
Lincoln 18	August 921	
Oxford 61	September 688	
Penobscot 225	October 211	
Piscataquis 28	November 51	
Sagadahoc 43	December..... 26	
Somerset 72	Not stated..... 2	
Waldo 31		
Washington..... 153	Total 2,564	
York..... 388		
State.... 2,564		

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the five years 1892-96.

INFANTILE DIARRHEA IN THE CITIES—1892-96.

CITIES.	1892.	1893.	1894.	1895.	1896.	Totals.
Auburn.....	10	18	10	9	3	50
Augusta.....	26	15	18	26	34	119
Bangor.....	14	13	20	10	15	72
Bath.....	5	4	9	3	8	29
Belfast.....	3	1	-	-	3	7
Biddeford.....	53	45	52	60	44	254
Brewer.....	2	2	8	3	4	19
Caluis.....	15	13	1	12	5	46
Deering.....	5	6	2	1	5	19
Eastport.....	10	9	9	8	-	36
Ellsworth.....	1	1	-	4	-	6
Gardiner.....	8	2	4	12	2	28
Hallowell.....	7	-	2	4	1	14
Lewiston.....	47	75	45	53	24	244
Old Town.....	9	8	9	11	5	42
Portland.....	29	18	19	34	25	125
Rockland.....	14	11	6	8	11	50
Saco.....	3	5	5	3	2	18
Waterville.....	21	18	21	13	21	94
Westbrook.....	16	13	14	11	12	66
Totals.....	298	277	254	285	224	1,338

Septic Diseases.—Of deaths from the diseases in this group, there were 27 from erysipelas; 60 from pyemia and septicemia; and 31 from puerperal fever,—giving a special death-rate of 1.78. The following shows the distribution of puerperal fever by months and counties:

January	1	Androscoggin	1
February	4	Aroostook	6
March	5	Cumberland	4
April	2	Franklin	1
May	2	Hancock	2
June	4	Kennebec	3
July	1	Knox	0
August	3	Lincoln	1
September	2	Oxford	0
October	2	Penobscot	4
November	1	Piscataquis	1
December	4	Sagadahoc	2
	—	Somerset	3
Total	31	Waldo	0
		Washington	1
		York	2
		Total	31

Dietetic Diseases.—Thirty-one deaths were returned under this class of causes; 16 of malnutrition of infants; 1 of rickets; 13 of alcoholism, and 1 of starvation. The special death-rate from alcoholism was 0.20. For the same year it was 0.18 in Vermont; 0.78 in Massachusetts; 0.86 in Rhode Island; and 0.6 in Connecticut.

Constitutional Diseases.—With tuberculosis transferred to the class of zymotic diseases, there were 674 deaths from constitutional diseases, or a death-rate of 10.20 per 10,000 for the State.

Rheumatism.—The returns give 44 deaths from this cause (68 in 1892, 46 in 1893, 66 in 1894, and 56 in 1895),—24 males and 20 females. Seventeen of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.67, while that in the cities was higher, 0.87. For the same year it was,

in New Hampshire, 0.40; in Vermont, 0.54; Massachusetts, 1.05; Rhode Island, 0.72; Connecticut, 1.2. The following shows the deaths from this cause arranged by counties, months, and age-groups:

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-GROUPS, 1896.

BY COUNTIES.	By months.	By age-groups.
Androscoggin 2	January 2	Under 1 -
Aroostook 4	February 7	1-5 1
Cumberland 5	March 5	5-10 -
Franklin -	April 2	10-20 4
Hancock 1	May 6	20-30 6
Kennebec 5	June 2	30-40 2
Knox 3	July 1	40-50 4
Lincoln 1	August 6	50-60 7
Oxford 2	September 2	60-70 11
Penobscot 6	October 3	70-80 7
Piscataquis 2	November 4	Over 80 2
Sagadahoc 1	December 4	Not stated -
Somerset 1	Not stated -	—
Waldo 1	—	Total 44
Washington 4	Total 44	
York 6		
State 44		

The following shows the distribution of deaths from rheumatism by counties, months, and age-groups for the four years 1893-6:

**RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS
—1893-96.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin 14	January 24	Under 1 -
Aroostook 16	February 20	1-5 3
Cumberland 26	March 20	5-10 4
Franklin -	April 20	10-20 21
Hancock 12	May 22	20-30 21
Kennebec 21	June 15	30-40 12
Knox 10	July 10	40-50 17
Lincoln 6	August 17	50-60 36
Oxford 12	September 11	60-70 45
Penobscot 25	October 18	70-80 38
Piscataquis 5	November 13	Over 80 14
Sagadahoc 10	December 20	Not stated 1
Somerset 11	Not stated 2	Total 212
Waldo 10	Total 212	
Washington 11		
York 23		
State 212		

Cancer.—From cancer in its various forms and locations, there were 518 deaths (404 in 1892, 433 in 1893, 474 in 1894, and 480 in 1895). Of the decedents, 185 were males and 333 females. The cancer death-rate for the State was, therefore, 7.84. In the same year the death-rate was, in New Hampshire, 7.30; in Vermont, 6.00; in Massachusetts, 7.19; in Rhode Island, 5.74; and in Connecticut, 5.3.

Distributed as to its more frequent locations, there died of cancer of the stomach 141; of the breast, 50; liver, 60; uterus, 86; abdominal and intestinal, 52; throat, 10; rectum, 13; lip, 3; neck, 4; face, 22; tongue, 2; jaw, 6; thigh, 2; eye, 4; various, 31; parts unspecified, 32.

The distribution of cancer by counties and age-groups, and the special death-rate for each county are shown in the following, for 1896 and for the five years 1892-96:

CANCER—1896 AND 1892-96.

COUNTIES.	1896.		1892-96.		AGE-GROUPS.	NUMBER OF DEATHS.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Death-rate per 10,000.		1896.	1892-96.
Androscoggin.....	30	6.15	173	7.07	Under 1 year	1	3
Aroostook.....	17	3.50	66	3.20	From 1 to 5 years	1	4
Cumberland	108	11.87	418	9.19	“ 5 to 10 “	3	3
Franklin	16	9.38	89	10.44	“ 10 to 20 “	2	10
Hancock	22	5.90	119	5.42	“ 20 to 30 “	13	35
Kennebec.....	40	7.02	216	7.58	“ 30 to 40 “	31	124
Knox	21	6.67	124	7.88	“ 40 to 50 “	60	282
Lincoln.....	19	8.64	86	7.82	“ 50 to 60 “	114	513
Oxford	25	8.17	92	6.01	“ 60 to 70 “	115	587
Penobscot.....	50	6.86	224	6.14	“ 70 to 80 “	126	532
Piscataquis	17	10.54	42	5.17	Over 80 years.....	51	201
Sagadahoc	17	8.74	79	8.12	Not stated	1	15
Somerset	27	8.28	121	7.42			
Waldo	21	7.57	92	6.63	Total	518	2,309
Washington	29	6.52	131	5.89			
York.....	59	9.39	237	7.64			
State.....	518	7.84	2,309	6.99			

Diabetes.—The deaths from this cause numbered 67 (55 in 1892, 65 in 1893, 71 in 1894, and 77 in 1895). The special death-rate from diabetes was, therefore, 1.01 in 1896. Thirty-nine of the decedents were males and 28 were females.

Ages: 1-5, 3; 5-10, 1; 10-20, 7; 20-30, 4; 30-40, 2; 40-50, 12; 50-60, 8; 60-70, 12; 70-80, 13; over 80, 5.

Old Age.—There were registered 610 deaths as due to old age, 269 men and 341 women. Of these decedents, 143 were between 70 and 80 years of age; 344 were from 80 to 90; 116 were from 90 to 100, while 3 were over 100 years old; and the age of 4 was unknown.

From Table No. 33, however, it will be seen that the whole number of persons who died at the ages between 70 and 100

years or more was 3,045 (3,801 in 1892, 3,147 in 1893, 3,242 in 1894, and 2,897 in 1895), or one death in every three and one-half was of a person who was between 70 and 100 years of age or older. Assuming that all these 3,045 died of old age, the death-rate from old age would be 46.06 among every 10,000 living at all ages.

Comparing with other states, we find that, in the same year, the death-rate of old persons (70 years of age and over) was, in Vermont, 48.56; Massachusetts, 33.93; Rhode Island, 28.43; and Connecticut, 33.2.

The following shows the number of deaths in each county, of persons 70 years of age and over, and the number of their deaths in each 10,000 of the population at all ages:

OLD AGE—1896.

COUNTIES.	Deaths.	Rate per 10,000.	COUNTIES.	Deaths.	Rate per 10,000.
Androscoggin.....	169	34.51	Oxford.....	185	60.49
Aroostook.....	97	19.56	Penobscot.....	333	45.70
Cumberland.....	475	52.23	Piscataquis.....	65	35.33
Franklin.....	100	58.64	Sagadahoc.....	113	58.09
Hancock.....	177	47.44	Somerset.....	140	42.91
Kennebec.....	260	45.60	Waldo.....	154	55.48
Knox.....	155	49.25	Washington.....	162	36.42
Lincoln.....	123	55.92	York.....	336	53.48

Centenarians.—Among the persons whose decease occurred in 1896, four had reached or exceeded the age of 100 years. Three of these persons were women. Their names, together with a few facts relating to the life history of each, are as follows:

September 13, Lucretia B. Estes died at South Thomaston, which was her birthplace, at the age of 102 years. Her father was William Estes. The maiden name of her mother was Hannah Philbrook.

April 11, Lucretia Kenney died at Eddington at the age of 101 years, 5 months, and 11 days. She was born in Dedham, Massachusetts. Her father was Jacob Smith.

August 15, Mary Susep, an Indian, died in Indian Island, Old Town, at the age of 100 years. Her occupation was a basket maker. She was born in Canada.

May 1, William Addington died at Hodgdon at the age of 100 years. He was born in Nova Scotia, which was also the birthplace of his parents.

Diseases of the Nervous System.—The number of deaths registered under the causes included in this group was 1,520 (1,459 in 1892, 1,451 in 1893, 1,543 in 1894, and 1,585 in 1895), or 22.99 to every 10,000 of population.

In the same year the death-rate from this group of causes was, in New Hampshire, 28.92; in Vermont, 19.62; Massachusetts, 26.33; Rhode Island, 19.29; Connecticut, 23.7.

Inflammation of the Brain or Membranes.—The number of deaths was 242 (236 in 1892, 263 in 1893, 286 in 1894, and 261 in 1895),—119 males and 123 females. Of these, 118 were in the cities. The death-rate from the several diseases grouped under this head was 3.66.

Ages: Under 1, 80; 1-5, 60; 5-10, 19; 10-20, 18; 20-40, 20; 40-60, 16; over 60, 28; not stated, 1.

Apoplexy.—From this cause 492 deaths occurred (488 in 1892, 422 in 1893, 408 in 1894, and 488 in 1895),—228 males and 264 females. Of these, 153 were in the cities. The State's death-rate from apoplexy was, therefore, 7.44; that of the cities, 7.81; that of New Hampshire in the same year, 9.48; Vermont, 4.27; Massachusetts, 8.14; Connecticut, 7.9.

The largest number, 55, occurred in March; the most fatal of the four seasons was the spring.

In 1894, the greatest mortality from this cause occurred in the spring; in 1892, 1893, and 1895, in the winter.

Conversely, the smallest number of deaths, 25, was in July; the smallest number in any one season was 112 in the summer months. Over 76 per cent. of the deaths were of persons 60 years of age and upward.

APOPLEXY BY COUNTIES AND MONTHS—1896.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	6	3	5	3	3	3	3	5	3	4	2	4	44	8.98
Aroostook	1	1	4	1	-	1	1	-	2	1	-	-	12	2.42
Cumberland	7	7	10	9	7	4	3	9	5	11	10	5	87	9.56
Franklin	2	2	1	3	4	-	-	1	1	1	1	-	16	9.38
Hancock	-	2	4	2	5	1	-	2	-	2	1	2	21	5.63
Kennebec	6	3	6	8	8	2	3	7	3	2	1	3	52	9.12
Knox	1	-	-	2	1	2	-	2	4	-	1	1	14	4.45
Lincoln	1	1	-	2	-	2	3	1	2	2	-	2	16	7.27
Oxford	2	2	-	3	3	3	1	1	2	3	1	2	23	7.52
Penobscot	4	1	7	-	3	4	2	4	2	3	7	2	39	5.35
Piscataquis	-	1	-	1	-	1	-	1	1	1	2	1	9	5.58
Sagadahoc	2	1	-	-	1	1	1	4	2	3	-	3	18	9.25
Somerset.....	5	4	4	2	2	4	1	2	4	4	1	2	35	10.73
Waldo	2	2	3	1	-	1	-	2	1	4	-	3	19	6.84
Washington	3	1	2	3	-	4	2	2	1	2	2	2	24	5.30
York	5	5	9	6	6	6	5	5	3	5	2	6	63	10.03
State	47	36	55	46	43	39	25	48	36	48	31	38	492	7.44

APOPLEXY, 1896, AND 1893-96.

COUNTIES.	1896.		1893-96.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Death-rate per 10,000.
Androscoggin.	44	8.98	135	6.89
Aroostook	12	2.42	38	1.92
Cumberland.....	87	9.56	329	9.04
Franklin	16	9.38	57	8.35
Hancock.....	21	5.63	87	5.83
Kennebec.....	52	9.12	188	8.24
Knox	14	4.45	73	5.80
Lincoln	16	7.27	66	7.50
Oxford.....	23	7.52	98	8.01
Penobscot	39	5.35	155	5.32
Piscataquis.....	9	5.58	24	3.70
Sagadahoc.....	18	9.25	77	9.89
Somerset	35	10.73	85	6.51
Waldo	19	6.84	67	6.03
Washington	24	5.39	107	6.01
York	63	10.03	224	8.91
State	492	7.44	1,810	6.84

Softening of the Brain.—From cerebral softening there were 45 deaths,—those of 19 males and 26 females.

Ages: 30-40, 1; 40-50, 2; 50-60, 3; 60-70, 12; 70-80, 16; over 80, 11.

Paralysis.—Of the 301 deaths from “paralysis,” 136 persons were males and 165 were females.

Ages: 1-5, 2; 5-10, 2; 20-40, 14; 40-50, 14; 50-60, 28; 60-70, 64; 70-80, 96; over 80, 78; not stated, 3.

Hemiplegia.—From this form of paralysis there were 20 deaths reported, 5 men and 15 women.

Ages: 1-5, 1; 50-60, 2; 60-70, 6; 70-80, 5; over 80, 6.

Epilepsy.—Fourteen males and 10 females died of epilepsy, 24 in all.

Ages: 1-5, 2; 5-10, 1; 10-20, 4; 20-40, 9; 40-60, 6; over 60, 2.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, valvular disease of the heart, hypertrophy and dilatation, pericarditis, angina pectoris, and unspecified, there were 1,036 deaths (816 in 1892, 875 in 1893, 940 in 1894, and 948 in 1895). The following exhibits the age and sex distribution of each form of disease for the year 1896:

DISEASE.	Under 1.	1-10.	10-20.	20-40.	40-60.	Over 60.	Unknown.	Male.	Female.	Not stated.	Totals.
Endocarditis	-	-	1	2	3	13	-	11	8	-	19
Valvular disease of heart	4	2	8	21	50	224	1	173	137	-	310
Hypertrophy of heart.....	-	-	1	4	3	33	-	21	20	-	41
Pericarditis	-	-	1	-	2	5	-	5	3	-	8
Unspecified diseases of heart.....	9	4	11	38	118	419	3	339	261	2	602
Angina pectoris.....	-	-	2	7	-	47	-	35	21	-	56
Totals	13	6	24	72	176	741	4	584	450	2	1,036

For the year 1896, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and counties:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin.....	87	17.77	Oxford..	53	17.33
Aroostook.....	34	6.86	Penobscot.....	99	13.59
Cumberland	173	19.03	Piscataquis	19	11.78
Franklin	37	21.70	Sagadahoc	40	20.56
Hancock	51	13.67	Somerset	32	9.81
Kennebec	105	18.42	Waldo	56	20.17
Knox	55	17.48	Washington.....	52	11.69
Lincoln.	29	13.18	York.....	114	18.14
			State	1,036	15.67

As may be noted, Franklin county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 15.67; that of New Hampshire for the same

year was 17.18; Vermont, 19.74; Massachusetts, 16.57; Rhode Island, 14.12; Connecticut, 10.9.

Diseases of the Respiratory System.—Without the inclusion of tuberculosis, 1,141 persons died from the various respiratory diseases, as tabulated on page 99 (1,796 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895). From these diseases there were, therefore, 655 fewer deaths than in 1892, 266 fewer than in 1893, 171 fewer than in 1894, and 24 fewer than in 1895. Although 1892, our first registration year, was noted as an influenza year, the falling off in the mortality from the diseases of the respiratory system is very encouraging. Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis, and the other respiratory diseases, in 1896 the number of deaths was 835 smaller than in 1892, 393 smaller than in 1893, 261 smaller than in 1894, and 47 smaller than in 1895.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1896, was 17.26 in each 10,000 of population, as compared with 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, and 27.16 in 1892. For the New England States the death-rate from this group of diseases was: Maine, 17.26; New Hampshire, 20.90; Vermont, 19.29; Massachusetts, 26.94; Rhode Island, 14.50; Connecticut, 24.3.

Pncumonia.—The number of deaths registered under this cause was 781 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894, and 812 in 1895), of which 367 were males and 414 were females. The death-rate from this disease was, therefore, 11.81 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, and 12.28 in 1895). As 269 of the deaths occurred in the cities, the urban death-rate was 13.73. For the same year the pneumonia death-rate was, in New Hampshire, 14.79; Vermont, 14.86; Massachusetts, 18.81; Rhode Island, 16.98; Connecticut, 15.9.

The age distribution for pneumonia is shown in the following:

Under	1	year,	121	40-50 years,	46
	1-5	years,	86	50-60	72
	5-10	"	13	60-70	99
	10-20	"	38	70-80	125
	20-30	"	43	Over 80	85
	30-40	"	48	Not stated,	5

PNEUMONIA BY COUNTIES AND MONTHS WITH DEATH-RATES PER 10,000—1896.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	8	7	6	6	10	3	3	-	2	1	4	5	55	11.23
Aroostook	4	9	3	5	2	2	-	2	3	2	3	2	37	7.46
Cumberland	24	19	21	24	13	8	2	-	2	5	6	10	134	14.73
Franklin	-	5	6	3	2	1	-	2	1	1	1	3	25	14.66
Hancock	3	2	15	8	11	-	1	2	2	2	3	4	53	14.20
Kennebec	9	10	13	10	3	1	1	2	-	6	5	4	64	11.23
Knox	4	4	2	8	5	5	-	-	2	1	6	3	40	12.71
Lincoln	1	2	4	1	1	2	1	-	2	2	4	2	22	10.00
Oxford	8	8	5	1	4	2	1	-	1	1	2	1	34	11.13
Penobscot	15	12	11	11	8	5	5	3	5	4	5	8	92	12.63
Piscataquis	1	2	3	1	1	1	-	-	-	1	-	-	10	6.20
Sagadahoc	-	5	-	1	2	3	-	-	-	1	2	1	15	7.71
Somerset	2	4	5	4	5	2	-	2	2	5	4	3	38	11.65
Waldo	2	1	2	2	1	2	1	1	-	2	-	2	16	5.76
Washington	9	8	7	6	1	2	2	2	4	-	2	7	50	11.24
York	17	10	9	12	12	3	2	5	2	3	9	12	96	15.28
State	107	108	112	103	81	42	19	21	28	37	56	67	781	11.81

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the five years 1892-96.

PNEUMONIA—1892-96.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 334	January 966	Under 1..... 670
Aroostook 224	February 769	1 to 5..... 425
Cumberland 865	March 684	5 to 10 92
Franklin 134	April 621	10 to 20 171
Hancock 277	May 565	20 to 30..... 263
Kennebec. 499	June 257	30 to 40..... 309
Knox 241	July 108	40 to 50..... 357
Lincoln 188	August 109	50 to 60..... 489
Oxford 264	September.... 149	60 to 70 791
Penobscot 590	October 229	70 to 80..... 941
Piscataquis 102	November..... 310	Over 80 661
Sagadahoc 152	December..... 480	Not stated..... 21
Somerset 265	Not stated..... 3	Total 5,190
Waldo. 174	Total 5,190	
Washington 306		
York 575		
State 5,190		

Bronchitis.—From this cause, including both acute and chronic bronchitis, 220 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, and 225 in 1895). Among these decedents, 109 were males and 111 females. Of these 220 deaths, 94 were in the cities. The largest number of deaths in any one month was 29 in May. In November and December occurred the smallest number of deaths, 11, each. The largest number of deaths in three consecutive months was 67 in January, February, and March; the smallest number in any three consecutive months was 40 in June, July, and August. The number of deaths by quarters was 67, 66, 40, and 47.

The bronchitis death-rate of the State was 3.33; of the cities, 4.79. For the same year the bronchitis death-rate was, in New Hampshire, 4.28; Vermont, 2.35; Massachusetts, 5.81; Rhode Island, 7.01; Connecticut, 6.1.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life:

Under 1 year,	82	40-50 years,	2
1-5 years,	38	50-60 "	4
5-10 "	1	60-70 "	9
10-20 "	1	70-80 "	37
20-30 "	5	Over 80 "	35
30-40 "	3	Not stated,	3

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rates of counties and State:

BRONCHITIS—1896.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	1	-	3	1	8	5	3	3	-	1	1	1	27	5.52
Aroostook	-	-	-	-	-	1	2	-	3	1	1	-	8	1.61
Cumberland	2	4	7	5	6	-	-	2	2	4	-	3	35	3.85
Franklin	1	2	-	1	1	1	-	-	-	-	-	-	6	3.52
Hancock	2	2	-	1	3	-	-	1	1	2	-	-	12	3.22
Kennebec	5	2	4	3	1	-	2	1	-	2	1	2	23	4.03
Knox	-	1	2	-	1	-	1	-	-	1	-	2	8	2.56
Lincoln	1	1	-	-	1	1	-	-	-	1	-	-	5	2.27
Oxford	-	1	1	1	1	-	-	1	-	-	2	-	7	2.29
Penobscot	3	3	1	1	1	2	1	2	1	6	3	1	25	3.43
Piscataquis	-	-	-	1	-	-	-	1	-	1	-	-	3	1.86
Sagadahoc	2	-	1	1	3	-	-	-	-	3	2	-	12	6.17
Somerset	-	-	-	1	1	-	-	-	1	2	-	2	7	2.15
Waldo	-	1	2	-	-	-	-	-	3	1	-	-	7	2.52
Washington	3	1	-	-	1	1	3	2	2	-	-	-	13	2.92
York	4	-	4	7	1	3	-	1	1	-	1	-	22	3.50
State	24	18	25	23	29	14	12	14	14	25	11	11	220	3.33

Plcurisy.—Nineteen deaths were charged to this disease (18 in 1892, 19 in 1893, 15 in 1894, and 19 in 1895),—14 males and 5 females.

Ages: 1-5, 1; 5-10, 1; 10-20, 1; 20-30, 2; 30-40, 1; 40-50, 2; 50-60, 2; 60-70, 5; 70-80, 1; 80-90, 2; not stated, 1.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 679 (659 in 1892, 653 in 1893, 685 in 1894, and 693 in 1895), or a death-rate of 10.27. The distribution of these under their several causes will be found on page 99.

Peritonitis.—There were 116 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, and 125 in 1895),—46 males and 70 females. Forty-two of them were in the cities. The following shows the county, month, and age-distribution of the deaths from this cause :

PERITONITIS—1896.

Androscoggin	6	January	7	Under 1.....	11
Aroostook	6	February	11	15	5
Cumberland	16	March	9	5-10	7
Franklin	3	April	17	10-20	13
Hancock	9	May.....	10	20-30	19
Kennebec	18	June	10	30-40	17
Knox	3	July	8	40-50	10
Lincoln	3	August	13	50-60	6
Oxford	4	September	11	60-70	11
Penobscot	13	October	7	70-80	9
Piscataquis	3	November.....	8	Over 80	6
Sagadahoc	3	December	5	Unknown	—
Somerset	1	Total	116	Total.....	116
Waldo	5				
Washington	13				
York	10				
State	116				

Appendicitis.—Of the deaths classified under this cause, 20 in number, 10 were males and 10 were females. The number of deaths in each month was, January, 2; February, 9; June, 1; August, 1; September, 1; November, 4; December, 2.

Ages: 5-10, 2; 10-20, 8; 20-30, 3; 30-40, 4; 50-60, 2; over 80, 1.

Cirrhosis of the Liver.—Twenty-two deaths were ascribed to cirrhosis of the liver—those of 13 men and 9 women. Of these 22 deaths, 6 were in the cities, and 16 in the rural parts of the

State. The death-rate of the State from this one cause was 0.33 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, and 0.50 in 1895); that of New Hampshire, for the same year, was, 0.66, and of Connecticut, 0.90. The data for comparison with other places are wanting.

Diseases of the Urinary System.—There were 561 deaths referred to the diseases under this group, equivalent to a death-rate of 8.49.

Nephritis.—Acute and chronic, caused the death of 118 persons, 62 males and 56 females. The death-rate from nephritis was, therefore, 1.78.

Ages: Under 1, 2; 1-5, 2; 5-10, 2; 10-20, 2; 20-30, 9; 30-40, 10; 40-50, 13; 50-60, 16; 60-70, 26; 70-80, 20; 80-90, 16.

Bright's Disease.—This was the cause of 282 deaths (204 in 1892, 217 in 1893, 219 in 1894, and 234 in 1895),—167 males and 115 females. Of these deaths, 82 were in the cities.

Ages: Under 1, 1; 1-5, 3; 5-10, 2; 10-20, 3; 20-30, 30; 30-40, 18; 40-50, 36; 50-60, 42; 60-70, 58; 70-80, 70; over 80, 17; not stated 2.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin.....	18	3.68	Oxford	17	5.56
Aroostook.....	9	1.81	Penobscot.....	37	5.08
Cumberland	58	6.37	Piscataquis	6	3.72
Franklin	6	3.52	Sagadahoc	5	2.57
Hancock	13	3.48	Somerset	19	5.82
Kennebec	18	3.16	Waldo	14	5.04
Knox	13	4.13	Washington	15	3.37
Lincoln.....	9	4.09	York.....	25	3.98
			State.....	282	4.27

Childbirth.—Under the group of accidents and diseases of reproduction, 56 deaths were registered, not including puerperal fever (69 in 1892, 59 in 1893, 41 in 1894, and 36 in 1895). This is equivalent to a special death-rate of 0.85.

Accidents.—From accidents of various kinds, 348 persons met their death (376 in 1892, 330 in 1893, 286 in 1894, and 341 in 1895). Of deaths from falls, there were 25; 3 were from a carriage; 3, falling down stairs; 2, from roof of house; 1, falling out of bed; and 1 each from a ladder, from a chair, from roof of barn; while 13 were unspecified.

Fractures caused 47 deaths,—fracture of skull, 17; of spine, 3; of hip, 15; of thigh, 6; of leg, 3; not stated, 3.

Sixteen deaths were from gun or pistol shot; two deaths were from cuts.

From railway injuries there were 30 deaths.

From burns and scalds, 28 deaths occurred. Three deaths from kerosene lamp explosion; 2 from using kerosene in lighting a fire; 6 from clothing taking fire; 2, scalded with boiling water; 1, burned by naphtha stove blacking; the rest, unspecified.

From poisoning 11 deaths occurred, of which opium was the cause of 3; eating woodbine berries, 2; chloral, 1; arsenic, 1; carbolic acid, 1; chloroform, 1; unspecified, 2.

By drowning, 103 lives were lost.

The returns indicate that 4 deaths occurred from machinery accidents. One person was lost at sea.

The death-rate from accidents in this State was 5.26; in New Hampshire, 5.89; in Vermont, 5.33; in Massachusetts, 8.24; in Rhode Island, 7.51; in Connecticut, 6.8.

Homicide.—Under this group 8 deaths were registered, 2 of these being committed by non-residents upon the high sea. This is equivalent to a death-rate of 0.12. For homicide, the rate for New Hampshire was 0.03; Massachusetts, 0.29; Rhode Island, 0.05; Connecticut, 0.12. The total number of homicides in New England was 94, (29 in 1893, 54 in 1894, and 94 in 1895).

Suicide.—Within the year, 81 persons took their own lives, (59 in 1892, the same number in 1893, 39 in 1894, and 66 in 1895)—65 males and 16 females. Of the males, the occupation of 22 was farmer; of 7, laborer; 3, merchant; 3, lumberman; 2, millman; 2, sailor; 2, mechanic; 2, clerk; 2, hack driver; 2, agent; 1, painter; 1, hostler; 1, shoemaker; 1, actor; 1, carpen-

ter; 1, postmaster; 1, manufacturer; 1, lithographer; 1, cooper; 1, caulker; 1, fisherman; 1, teamster; and in 6, the occupation was not stated.

Of the females, the occupation of 5 was returned as housewife; 3 as housekeeper; 2, school-teacher; 1, housework; 1, maid; and not stated, 4.

As to the means employed, 22 committed suicide by hanging; 22, by shooting; 8, by drowning; 8, by cuts; 13, with poison; 2, by strangulation; 1, struck by train; and in 5, the method was not stated.

SUICIDES BY AGES, MONTHS, AND COUNTIES—1896.

AGE-PERIODS.	Months.	Counties.	Rate per 10,000 of population.
10-20. 7	January 7	Androscoggin. . . . 4	0.82
20-30. 9	February. 2	Aroostook. 1	0.20
30-40. 8	March 3	Cumberland 15	1.65
40-50. 15	April 10	Franklin 3	1.76
50-60. 13	May. 14	Hancock 5	1.34
60-70. 14	June 9	Kennebec 9	1.58
70-80. 9	July 11	Knox 5	1.59
Over 80 6	August 8	Lincoln. 7	3.18
—	September 3	Oxford. 5	1.63
Total 81	October 5	Penobscot. 10	1.37
	November. 7	Piscataquis 1	0.62
	December 2	Sagadahoc 2	1.03
	—	Somerset 2	0.61
	Total 81	Waldo 5	1.80
		Washington. 3	0.67
		York 4	0.64
		—	—
		State. 81	1.23

The youngest suicide was a boy of 11 years, and 10 months; the oldest, a man of 85 years. The largest number of suicides in any one month was 14 in May. There were 11 in July, and 10 in April. By quarters, the suicides were 12, 33, 22, and 14. The largest number in any one county was 15 in Cumberland; the highest death-rate from suicide was in Lincoln county. The rate for the State per 10,000 of population was 1.23; that of New Hampshire, in the same year, was 0.95; Vermont, 1.05; Massachusetts, 1.27; Rhode Island, 1.17; Connecticut, 1.0.

LIST OF TABLES.

	PAGE
Table No. 1.—Deaths from some of the Leading Causes.....	6
Table No. 2.—Population of the State by Counties, 1880 and 1890	7
Table No. 3.—Births, Marriages, and Deaths, 1892-96.....	7
Table No. 4.—Population of 1890; Births, Marriages, and Deaths, with the rate of each to 1,000 of popu- lation for the year ending December 31, 1896..	8
Table.—Summary of Births, Marriages, and Deaths.....	9
Table No. 5.—Births and Deaths in each County.....	10
Table No. 6.—Births and Deaths in the Cities.....	11
Table No. 7.—Births, Marriages, and Deaths by Counties and Towns	12-63
Table No. 8.—Births, Marriages, and Deaths by Counties.....	64-65
Table No. 9.—Births and Birth-Rates by Counties, for the years 1892-96	66
Table No. 10.—Births by Counties, showing the proportion of males to females, 1896.....	67
Table No. 11.—Number of Births in each Month of 1892, 1893, 1894, 1895, and 1896, with Monthly Ratio com- pared with a Standard of 100.....	68
Table No. 12.—Births by Sex and Month by Counties, 1896....	69
Table No. 13.—Births in Cities, for 1896, with rate per 1,000 of population	70
Table No. 14.—Percentage of American and Foreign Births by Counties, 1896.....	71
Table No. 15.—Percentage of American and Foreign Births by Cities, 1896.....	72
Table No. 16.—Twin Births by Months and Counties, 1896.....	73
Table No. 17.—Twin Births by Sex and Parentage, by Counties, 1896	74
Table No. 18.—Still-Births by Sex and Parentage, by Counties, 1896	75
Table No. 19.—Still-Births by Seasons, 1896.....	76
Table No. 20.—Marriages and Marriage-Rates by Counties for the years 1892-96.....	79
Table No. 21.—Marriages by Counties and Nativity, 1896.....	80
Table No. 22.—Marriages by Months and Counties, 1896.....	81
Table No. 23.—Number of Marriages in each Month of 1892, 1893, 1894, 1895, and 1896, with Monthly Ratio compared with a Standard of 100.....	82

	PAGE
Table No. 24.—Marriages by Ages and Counties, 1896.....	83
Table No. 25.—Interesting Facts in Relation to Marriage.....	84-85
Table No. 26.—Divorces decreed by the Supreme Court of Maine in the year 1896.....	88-89
Table No. 27.—Divorces by Causes, Sex of Libellants, and the number of years married, 1896.....	90
Table No. 28.—Deaths and Death-Rates by Counties, for the years 1892-96	92
Table No. 29.—Number of Deaths in each Month of 1892, 1893, 1894, 1895, and 1896 with Monthly Ratio com- pared with a Standard of 100.....	93
Table No. 30.—The number of Deaths in the State, and in each County, arranged by Classes and Groups....	94-101
Table No. 31.—Deaths in each Town from Special Causes, Mostly Infectious Diseases.....	102-141
Table No. 32.—Deaths in each Town from Certain Diseases and Groups of Diseases.....	142-181
Table No. 33.—Deaths by Ages, Sex, and Months, by Counties..	182-183
Table No. 34.—Number of Deaths from Several Specified Causes, of each Sex, in each Month, which were registered during five years 1892-96.....	184
Table No. 35.—Mortality by Months, reduced to a Standard Mean of 100: Five years 1892-96.....	185
Table.—Mortality from Ten Prominent Causes, 1892-96.....	188
Table.—Zymotic Death-Rates: New England States, 1896.....	189
Table.—Seven Zymotic Diseases by Counties, 1896.....	190
Table.—Zymotic Diseases by Cities, 1896.....	191
Table.—Infectious Diseases, 1892-96.....	192
Table.—Measles by Counties, Months, and Age-Periods, 1896..	193
Table.—Scarlet Fever by Counties, Months, and Age-Periods, 1893-96	194
Table.—Influenza by Counties and Months, 1896.....	196
Table.—Whooping Cough by Counties, Months, and Age-Periods, 1896	197
Table.—Diphtheria by Counties and Months, 1896.....	199
Table.—Croup by Counties and Months, 1896.....	200
Table.—Diphtheria and Croup by Counties, Months, and Age- Periods, 1892-96.....	201
Table.—Cerebro-Spinal Meningitis by Counties, Months, and Age-Periods, 1896	202
Table.—Typhoid Fever, by Counties and Months, 1896.....	203
Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1892-96	204
Table.—Consumption by Counties and Months, 1896.....	206
Table.—Consumption by Counties, Months, and Age-Periods, 1892-96	207
Table.—Infantile Diarrhea by Counties and Months, 1896.....	209
Table.—Infantile Diarrhea by Counties, Months, and Age- Periods, 1892-96	210

LIST OF TABLES.

233

	PAGE
Table.—Infantile Diarrhea in the Cities, 1892-96.....	211
Table.—Rheumatism by Counties, Months, and Age-Groups, 1896,	213
Table.—Rheumatism by Counties, Months, and Age-Periods,	
1893-96	214
Table.—Cancer by Counties and Age-Groups, 1892-96.....	215
Table.—Old Age by Counties, 1896.....	216
Table.—Apoplexy by Counties, Months, and Age-Periods, 1896,	218
Table.—Apoplexy, 1896 and 1893-96.....	219
Table.—Diseases of the Heart by Ages and by Sex.....	220
Table.—Diseases of the Heart, by Counties.....	220
Table.—Pneumonia by Counties and Months with Death-Rates	
per 10,000, 1896.....	222
Table.—Pneumonia by Counties and Months, 1892-96.....	223
Table.—Bronchitis by Counties and Months, 1896.....	224
Table.—Peritonitis by Counties and Months, 1896.....	225
Table.—Bright's Disease by Counties, 1896.....	226
Table.—Suicides by Ages, Months, and Counties, 1896.....	228

INDEX.

	PAGE
Accidents	227
Age and mortality.....	187
Appendicitis	225
Apoplexy	217
by counties, months, and age-periods.....	218, 219
Birth-rate	77
Birth-rates	8, 9
Births and birth-rates, by counties and years.....	66
by counties, showing proportion of males to females....	67
by seasons	78
by sex and months, by counties.....	69
in cities, for 1896, with rate.....	70
in each month, by years.....	68
notes on	77
parentage	77
percentage of American and foreign, by cities.....	72
by counties	71
relation to deaths.....	10
twin	79
by months and counties.....	73
by sex and parentage.....	74
marriages and deaths, in each town.....	12-65
Brain or membranes, inflammation of.....	217
softening of the	219
Bright's disease	226
Bronchitis	223, 224
Cancer	214
1896 and 1892-96	215
Centenarians	216
Cerebro-spinal meningitis	201
by counties, months, and age-periods.....	202
Childbirth	226
Cirrhosis of the liver.....	225
Constitutional diseases	212
Consumption, by counties and months.....	206
by counties, months, and age-periods, 1892-96.....	207

	PAGE
Croup	199
by counties and months	200
Deaths, age and mortality.....	187
causes of	187
by ages, sex and months, by counties.....	182
by months, reduced to a standard mean for five years....	185
in each town, from special causes.....	102-141
from certain diseases and groups of dis-	
eases	142-181
in the State and counties, by classes and groups.....	94-101
from several specified causes in five years.....	184
notes on, and the causes of deaths.....	186
number in each month, by years.....	93
seasons and mortality.....	186
sex and mortality	187
and death-rates, by counties and years.....	92
Death-rates	8, 9, 186
compared	186
Diabetes	215
Diarrheal diseases	207
Dietetic diseases	212
Digestive system, diseases of the.....	225
Diphtheria	198
by counties and months.....	199
and croup, by counties, months, and age-periods, 1892-96	201
Divorces by causes, sex of libellants, etc.....	90
decreed in 1896.....	88
notes on	91
Epilepsy	219
Heart, diseases of the	220
Hemiplegia	219
Homicide	227
Infantile diarrhea	208
by counties and months	209
by counties, months, and age-periods, 1892-96..	210
in cities, 1892-96	211
Infectious diseases	191
1892-96	192
Influenza	195
deaths from, by counties and months.....	196
Liver, cirrhosis of	225
Marriage, interesting facts relating to.....	84
rates	8, 9, 86

	PAGE
Marriages, ages	86
and rates, by counties.....	79
by ages and counties	83
by counties and nativity.....	80
by months and counties.....	81
Marriages, nativity	86
notes on	86
number of, in each month, by years.....	82
seasons	86
Malarial diseases	204
Measles	193
Mortality from ten prominent causes, 1892-96.....	188
Nephritis	226
Nervous system, diseases of	217
Old age	215, 216
Paralysis	219
Peritonitis	225
Pleurisy	224
Pneumonia	221
1892-96	223
by counties and months, with death-rates.....	222
Population	7
Respiratory system, diseases of the.....	221
Rheumatism	212
by counties, months, and age-periods.....	213, 214
Scarlet fever	194
by counties, months, and age-periods.....	194
Septic diseases	212
Small-pox	192
Still-births	78
by seasons	76
by sex and parentage.....	75
Suicide	227, 228
Tetanus	202
Tuberculosis	204
mesenteric	207
other forms	207
Typhoid fever	202, 203
by counties, months, and age-periods, 1892-96.....	204
Urinary system, diseases of the.....	226
Whooping cough	197, 198
by counties, months, and age-periods.....	197

	PAGE
Zymotic death-rates	189
diseases	188
by cities	191
seven, by counties	190