

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>




Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

Public Documents of Maine :

BEING THE

ANNUAL REPORTS

OF THE VARIOUS

Departments  Institutions

FOR THE YEAR

1899.

VOLUME IV.

AUGUSTA
KENNEBEC JOURNAL PRINT
1900

SIXTH ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES,
AND DEATHS

IN THE

STATE OF MAINE

FOR THE

YEAR ENDING DECEMBER 31, 1897.

AUGUSTA
KENNEBEC JOURNAL PRINT
1899.



DEPARTMENT OF VITAL STATISTICS.

OFFICE OF THE REGISTRAR,
AUGUSTA, ME., July 13, 1899.

*To His Excellency, Llewellyn Powers, Governor, and the
Honorable Executive Council:*

GENTLEMEN—In accordance with the provisions of the law, I have the honor of submitting to you the Sixth Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1897.

Very respectfully,

A. G. YOUNG, M. D.,
Registrar of Vital Statistics.

REGISTRATION REPORT, 1897.

This report is for the year 1897. The number of births registered for that year is 287 smaller than in the preceding year. The number of births recorded in each of the registration years thus far, 1892-97, is, respectively, 14,028, 14,604, 14,607, 15,430, 15,429, and 15,142.

The number of marriages (number of couples married) in 1897, was 5,331, a number 248 smaller than in the preceding year. The number of marriages registered in the State in each of the years, 1892-97, is, respectively, 5,726, 5,795, 5,594, 5,729, 5,579, and 5,331. The number of marriages in 1896 was 150 less than in the preceding year, and slightly less than in any previous registration year, and in 1897 there were 248 fewer marriages than in 1896. In these figures we have, undoubtedly, an exemplification of the fact which has been worked out in other states and countries, where the statistics of a longer series of registration years is available, that the marriage-rate is influenced very largely by the financial stress or prosperity of the country.

In 1897 the number of deaths recorded in the State was 11,236, a number 610 larger than that of the deaths registered in the preceding year. The number of deaths in each year thus far recorded, is: in 1892, 12,147; in 1893, 11,124; in 1894, 11,012; in 1895, 10,464; in 1896, 10,626; in 1897, 11,236. An investigation of the causes which have contributed to the increase in the general mortality of the State reveals the fact that it was due chiefly to an increase in the number of deaths from influenza, pneumonia, diseases of the nervous system, and diphtheria.

Compared with 1896, among the infectious diseases there was an increase in the number of deaths from scarlet fever of 5; from influenza of 177; and from diphtheria and croup 102. On

the other hand the number of deaths in 1897 from measles was 10 smaller than in the preceding year, from whooping-cough, 65; from typhoid, 35; and from tuberculosis, 21 smaller than in 1896. The increased mortality from diphtheria was mostly in the counties of Androscoggin, Aroostook, and Cumberland. Table No. 1 gives a cursory view of the relative mortality from some of the leading causes of death in 1896 and 1897.

TABLE No. 1.
Deaths from some of the Leading Causes.

Diseases.	1896.	1897.	More in 1896.	More in 1897.
Measles	32	22	10	-
Scarlet fever	33	38	-	5
Influenza	117	294	-	177
Whooping cough	111	46	65	-
Diphtheria	109	200	-	91
Croup	65	76	-	11
Cerebro-spinal meningitis	33	36	-	3
Tetanus	8	2	6	-
Typhoid fever.....	186	151	35	-
Tuberculosis	1,359	1,338	21	-
Diarrheal diseases.....	639	666	-	27
Rheumatism	44	42	2	-
Cancer	518	463	55	-
Diabetes	67	95	-	28
Diseases of nervous system	1,520	1,661	-	141
Diseases of heart	1,036	1,062	-	26
Pneumonia	781	936	-	155
Bronchitis	220	237	-	17
Peritonitis	116	117	-	1
Nephritis and Bright's disease	400	368	32	-

Population.—The population of the State of Maine in 1890 was, as given by the eleventh census, 661,086. In 1880, the population of the State was 648,936. There was, therefore, a gain of 12,150 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1880 and in 1890, and the gain or loss in each:

TABLE No. 2.
Population in 1890 and 1880.

Counties.	1890.	1880.	Difference.
Androscoggin.....	48,968	45,042	3,926 gain
Aroostook.....	49,589	41,700	7,889 gain
Cumberland.....	90,949	86,359	4,590 gain
Franklin.....	17,053	18,180	1,127 loss
Hancock.....	37,312	38,129	817 loss
Kennebec.....	57,012	53,058	3,954 gain
Knox.....	31,473	32,863	1,390 loss
Lincoln.....	21,996	24,821	2,825 loss
Oxford.....	30,586	32,627	2,041 loss
Penobscot.....	72,865	70,476	2,389 gain
Piscataquis.....	16,134	14,872	1,262 gain
Sagadahoc.....	19,452	19,272	180 gain
Somerset.....	32,627	32,333	294 gain
Waldo.....	27,759	32,463	4,704 loss
Washington.....	44,482	44,484	2 loss
York.....	62,829	62,257	572 gain

TABLE No. 3.
Births, Marriages, and Deaths, 1892-97.

State.	1892.	1893.	1894.	1895.	1896.	1897.
Number of births.....	14,028	14,604	14,607	15,430	15,429	14,430
Number of marriages.....	5,726	5,795	5,594	5,729	5,579	5,331
Number of deaths.....	12,147	11,134	11,012	10,464	10,626	11,236
Birth-rate.....	21.21	21.04	21.09	22.33	22.23	21.83
Marriage-rate.....	8.56	8.76	8.46	8.97	8.44	8.07
Death-rate.....	18.37	16.84	16.66	15.83	16.07	16.99

Birth, Marriage, and Death Rates.—In this report the birth-rates, marriage-rates, and death-rates from all causes, are stated as so many among each 1,000 of the population as shown by the census of 1890.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 4.

Population of 1890; Births, Marriages, and Deaths, with rate of each to 1,000 of Population for the Year Ending December 31, 1897.

Counties.	Population in 1890.	Births.	Birth-rate per 1,000.	Marriages.	Marriage-rate per 1,000 persons married.	Deaths.	Death-rate per 1,000.
Androscoggin	48,968	1,017	20.77	405	16.54	995	20.32
Aroostook	49,589	1,802	36.64	488	19.48	761	15.47
Cumberland	90,949	2,024	22.25	698	15.34	1,765	19.41
Franklin	17,053	375	22.21	168	19.70	282	16.70
Hancock	37,312	748	20.20	291	15.58	586	15.82
Kennebec	57,012	1,215	21.31	464	16.28	1,140	20.00
Knox	31,473	588	18.69	237	15.06	475	15.10
Lincoln	21,996	346	15.73	124	11.28	343	15.59
Oxford	30,586	577	19.01	241	15.76	494	16.27
Penobscot	72,865	1,579	21.73	647	17.76	1,180	16.24
Piscataquis	16,134	352	22.33	150	18.60	241	15.29
Sagadahoc	19,452	346	17.79	111	11.42	299	15.37
Somerset	32,627	637	19.70	317	19.44	518	16.02
Waldo	27,759	378	13.62	214	15.42	425	15.31
Washington	44,482	1,088	24.98	338	15.20	591	13.57
York	62,829	1,358	21.61	443	14.10	1,141	18.16
State	661,086	14,430	21.83	5,331	16.14	11,236	16.99

The following is a general summary of the births, marriages, and deaths in 1897:

BIRTHS.

Sex.		Parentage.	
Males	7,292	American.....	9,044
Females.....	7,127	Foreign	2,877
Not stated.....	11	One parent foreign	2,354
	<u>14,430</u>	Not stated.....	155
			<u>14,430</u>
Whole number of births			14,430
Birth-rate per 1,000			*21.83

* Birth-rates, marriage-rates, and death-rates based on the population for 1890.

MARRIAGES.

Groom and bride both American.....	3,839
Groom and bride both foreign	611
Groom American, bride foreign	374
Groom foreign, bride American	454
Not stated	<u>53</u>
Whole number of marriages	5,331
Marriage-rate per 1,000	8.07

DEATHS.

Sex.		Parentage.	
Males	5,624	American	9,725
Females.....	5,606	Foreign	1,275
Not stated	6	Not stated.....	236
	<u>11,236</u>		<u>11,236</u>
Whole number of deaths.....			11,236
Death-rate per 1,000			16.99

Relation of Births to Deaths.—As the total number of births registered in Maine in the year 1897 was 15,142 and the number of deaths was 11,236, the natural increase of births over deaths was 3,906.

The following table shows the number of births and deaths in each county, and the preponderance of births over deaths. In none of the preceding registration years until 1895 was the number of births greater than the number of deaths in every county in the State.

TABLE No. 5.

Counties.	Population in 1890.	Births.	Deaths.	Difference.
Androscoggin	48,968	1,017	995	22 gain
Aroostook	49,589	1,802	761	1,041 gain
Cumberland	90,949	2,024	1,765	259 gain
Franklin	17,053	375	282	93 gain
Hancock	37,312	748	586	162 gain
Kennebec	57,012	1,215	1,140	75 gain
Knox	31,473	588	475	113 gain
Lincoln	21,996	346	343	3 gain
Oxford	30,586	577	494	83 gain
Penobscot	72,865	1,579	1,180	399 gain
Piscataquis	16,134	352	241	111 gain
Sagadahoc	19,452	346	299	47 gain
Somerset	32,627	637	518	119 gain
Waldo	27,759	378	425	47 loss
Washington	44,482	1,088	591	497 gain
York	62,829	1,358	1,141	217 gain
State	661,086	14,430	11,236	3,194 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following :

TABLE No 6.

Cities.	Population in 1890.	Births.	Deaths.	Difference.
Auburn.....	11,250	171	201	30 loss
*Augusta.....	10,527	236	319	83 loss
Bangor.....	19,103	383	319	64 gain
Bath.....	8,723	157	36	21 gain
Belfast.....	5,294	42	75	33 loss
Biddeford.....	14,443	495	325	170 gain
Brewer.....	4,193	132	95	37 gain
Calais.....	7,290	235	130	105 gain
Deering.....	5,353	140	107	33 gain
Eastport.....	4,908	116	67	49 gain
Ellsworth.....	4,804	55	92	37 loss
Gardiner.....	5,491	138	99	39 gain
Hallowell.....	3,181	71	53	18 gain
Lewiston.....	21,701	497	513	16 loss
Old Town.....	5,312	164	94	70 gain
Portland.....	36,425	834	812	22 gain
Rockland.....	8,174	146	123	23 gain
Saco.....	6,075	124	114	10 gain
Waterville.....	7,107	295	161	134 gain
Westbrook.....	6,632	177	107	70 gain
Total.....	193,986	4,608	3,942	666 gain

*Including 84 deaths in the Insane Hospital.

TABLE
Births, Marriages, and Deaths

ANDROSCOGGIN

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn	11,250	89	82	-	171	15.20	79	74	12	6	-
Durham	1,111	5	16	-	21	18.90	15	5	-	1	-
East Livermore	1,506	31	33	-	64	42.50	34	27	3	-	-
Greene	885	6	3	-	9	10.17	7	2	-	-	-
Leeds	999	9	5	-	14	14.01	14	-	-	-	-
Lewiston	21,701	245	252	-	497	22.90	99	331	30	35	2
Lisbon	3,120	49	54	-	103	33.01	41	51	4	6	1
Livermore.....	1,151	4	4	-	8	6.95	6	1	-	1	-
*Mechanic Falls.....	-	17	10	-	27	-	24	-	1	2	-
Minot	1,355	2	12	-	14	10.33	12	1	-	1	-
Poland	2,472	12	12	-	24	9.71	21	-	1	2	-
Turner	2,016	12	15	-	27	13.39	24	1	1	1	-
Wales	451	3	3	-	6	13.30	5	-	1	-	-
Webster.....	951	13	19	-	32	33.65	22	5	4	1	-
Total	48,968	497	520	-	1,017	20.77	403	498	57	56	3

* Incorporated in 1893.

No. 7.

for the Year 1897.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both American.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
64	3	5	6	2	80	98	103	-	201	165	26	10	17.87
3	-	-	2	-	5	8	15	-	23	22	1	-	20.70
13	2	-	2	-	17	14	19	-	33	29	4	-	21.91
10	-	-	-	-	10	5	5	-	10	10	-	-	11.30
5	-	1	-	-	6	11	4	-	15	15	-	-	15.02
67	82	24	32	-	205	261	251	1	513	381	127	5	23.64
12	8	4	3	1	28	21	31	-	52	42	8	2	16.67
6	-	1	-	-	7	6	6	-	12	10	2	-	10.43
11	-	2	-	-	13	18	19	-	37	35	2	-	-
-	-	-	1	-	1	6	2	-	8	8	-	-	5.90
10	-	1	-	-	11	19	15	-	34	31	3	-	13.75
15	-	2	1	-	18	15	22	-	37	37	-	-	18.35
1	-	-	-	-	1	2	3	-	5	5	-	-	11.09
2	-	-	1	-	3	10	5	-	15	13	1	1	15.77
219	95	40	48	3	405	494	500	1	995	803	174	18	20.32

TABLE
Births, Marriages, and Deaths

AROOSTOOK

TOWNS.	Population in 1880.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity	420	5	5	-	10	23.81	4	2	-	4	-
Ashland	568	18	11	-	29	51.06	18	5	5	1	-
Bancroft	264	6	5	-	11	41.67	3	3	4	1	-
Benedicta	317	8	9	-	17	53.63	15	-	1	1	-
Blaine	784	17	15	-	32	40.82	7	11	11	3	-
Bridgewater	946	16	10	-	26	27.48	7	14	3	2	-
Caribou	4,087	79	91	-	170	41.59	72	33	37	28	-
Dyer Brook	221	5	5	-	10	45.25	9	-	-	1	-
Easton	978	6	3	-	9	9.20	3	3	-	3	-
Fort Fairfield	3,526	56	45	-	101	28.64	38	30	10	20	3
Fort Kent	1,826	70	74	-	144	78.86	91	16	19	17	1
Frenchville	2,560	41	54	-	95	37.11	84	1	4	5	1
Grand Isle	964	29	20	-	49	50.83	25	6	9	9	-
Haynesville	280	1	2	-	3	10.71	1	-	1	1	-
Hersey	151	3	4	-	7	46.36	4	2	1	-	-
Hodgdon	1,113	13	9	-	22	19.77	7	1	5	4	5
Houlton	4,015	68	39	-	107	26.65	26	32	24	23	2
Island Falls	223	24	11	-	35	156.95	19	6	6	4	-
Limestone	933	10	10	-	20	21.44	10	3	2	5	-
Linneus	965	18	18	-	36	37.31	16	6	7	6	1
Littleton	924	9	12	-	21	22.73	10	2	3	6	-
Ludlow	375	8	6	-	14	37.33	3	6	2	3	-
Madawaska	1,451	25	33	-	58	39.97	50	-	2	6	-
Mapleton	832	18	15	-	33	39.66	27	2	1	3	-
Mars Hill	837	13	18	-	31	37.04	13	4	9	5	-
Masardis	250	2	5	-	7	28.00	6	-	-	1	-

No. 7—Continued.

for the Year 1897.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	1	2	-	3	2	1	-	7.14
5	-	-	4	-	9	5	1	-	6	4	2	-	10.56
1	1	2	1	-	5	1	3	-	4	2	2	-	15.15
4	-	-	2	-	6	3	1	-	4	3	1	-	12.62
3	7	2	4	-	16	1	11	-	12	7	5	-	15.31
-	10	-	2	-	12	9	22	-	31	22	9	-	32.77
22	8	7	10	2	49	31	31	-	62	51	10	1	15.17
2	-	-	-	-	2	1	1	-	2	2	-	-	9.05
2	1	2	2	-	7	4	3	-	7	5	2	-	7.16
19	8	10	3	-	40	11	20	-	31	23	6	2	8.79
11	1	-	6	-	18	36	41	-	77	72	5	-	42.17
26	-	1	4	-	31	38	34	-	72	60	12	-	28.12
10	1	-	5	-	16	23	14	-	37	33	4	-	38.38
1	-	-	-	1	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	6.62
5	1	-	1	-	7	5	4	-	9	7	2	-	8.09
25	17	10	10	2	64	23	13	-	36	19	14	3	8.97
4	4	4	1	-	13	2	7	-	9	7	2	-	40.36
1	3	1	2	-	7	4	4	-	8	6	2	-	8.57
7	-	1	2	-	10	6	8	-	14	12	2	-	14.51
4	-	1	1	-	6	3	5	-	8	4	4	-	8.66
2	-	2	-	-	4	3	3	-	6	3	3	-	16.00
2	-	-	-	-	2	3	10	-	13	12	1	-	8.96
4	-	-	1	-	5	4	7	-	11	8	3	-	13.22
-	3	1	3	-	7	7	10	-	17	12	4	1	20.31
-	-	-	-	-	-	1	1	-	2	2	-	-	7.99

TABLE
Births, Marriages, and Deaths
AROSTOOK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Monticello	1,132	13	16	-	29	24.73	4	7	10	8	-
New Limerick.....	567	6	9	-	15	26.46	3	4	4	4	-
New Sweden.....	707	15	7	-	22	31.12	-	20	2	-	-
Oakfield.....	720	15	13	-	28	38.89	17	4	4	3	-
Orient	244	9	3	-	12	49.18	8	-	1	3	-
Perham	438	8	3	-	11	25.11	8	-	3	-	-
Presque Isle	3,046	51	57	-	108	35.46	45	28	15	18	2
Sherman	909	11	7	-	18	19.80	15	1	-	1	1
Smyrna	303	6	1	-	7	23.10	1	5	1	-	-
Van Buren.....	1,168	27	31	-	58	49.66	28	6	12	12	-
Washburn	1,097	22	17	-	39	35.55	21	7	3	7	1
Weston.....	404	4	2	-	6	14.85	3	1	1	1	-
Woodland.....	885	11	8	-	19	21.47	9	3	4	3	-
Allagash Pl.	200	2	1	-	3	15.00	2	-	-	1	-
Cary Pl.....	390	5	9	-	14	35.89	8	-	2	4	-
Castle Hill Pl.....	537	11	5	-	16	29.80	9	1	3	2	1
Caswell Pl.....	212	5	10	-	15	70.75	4	4	2	5	-
Chapman Pl.....	231	3	4	-	7	30.30	2	3	1	1	-
Connor Pl.....	526	11	14	-	25	47.53	6	6	8	5	-
Crystal Pl.....	297	3	3	-	6	20.20	4	1	-	1	-
Cyr Pl.....	429	15	11	-	26	60.60	15	2	6	2	-
Eagle Lake Pl.....	313	12	9	-	21	67.09	19	-	1	1	-
Garfield Pl.....	86	-	2	-	2	23.26	2	-	-	-	-
Glenwood Pl.....	183	4	2	-	6	32.79	3	2	-	1	-
Hamlin Pl.....	484	8	6	-	14	28.93	9	1	-	4	-
Hammond Pl.....	109	2	3	-	5	45.87	3	-	2	-	-

No. 7—Continued.
for the Year 1897.
 COUNTY—CONTINUED.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
4	9	4	2	-	19	5	4	-	9	3	5	1	7.95	
-	-	-	-	-	-	3	2	1	6	5	-	1	10.58	
1	2	-	-	-	3	1	6	-	7	4	3	-	9.90	
4	1	-	-	-	5	5	5	-	10	8	1	1	13.89	
-	-	-	1	-	1	2	1	-	3	2	1	-	12.30	
1	-	-	-	-	1	4	2	-	6	5	1	-	13.70	
13	2	4	6	-	25	26	14	-	40	24	16	-	13.13	
9	1	-	6	-	16	2	2	-	4	4	-	-	4.40	
5	1	1	-	-	7	-	2	-	2	2	-	-	6.60	
10	1	2	3	-	16	22	20	-	42	34	6	2	35.96	
12	-	1	3	-	16	6	10	-	16	14	2	-	14.59	
-	-	-	-	-	-	1	4	-	5	4	1	-	12.38	
1	1	-	1	-	3	7	6	-	13	9	4	-	14.69	
-	-	-	-	-	-	1	-	-	1	1	-	-	5.00	
1	-	2	-	-	3	1	-	-	1	1	-	-	2.56	
4	-	-	-	-	4	4	2	-	6	5	1	-	11.17	
-	1	-	-	-	1	2	-	-	2	1	1	-	9.43	
-	-	-	-	-	-	-	1	-	1	1	-	-	4.33	
-	-	-	2	-	2	2	4	-	6	5	1	-	11.41	
-	-	-	-	-	-	3	-	-	3	2	1	-	10.10	
-	-	-	-	-	-	8	6	-	14	11	3	-	32.63	
-	-	-	-	-	-	4	2	-	6	5	1	-	19.17	
-	-	-	-	-	-	1	-	-	1	-	1	-	11.62	
-	-	-	-	-	-	1	2	-	3	3	-	-	16.39	
-	-	-	-	-	-	7	10	-	17	17	-	-	35.12	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE
Births, Marriages, and Deaths
ARROSTOOK

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Macwahoc Pl.....	216	1	2	-	3	13.89	2	-	-	1	-
Merrill Pl.....	244	7	2	-	9	36.89	7	-	-	1	1
Molunkus Pl.....	77	-	-	-	-	-	-	-	-	-	-
Moro Pl.....	199	2	11	-	13	65.33	6	3	1	3	-
Nashville Pl.....	34	-	-	-	-	-	-	-	-	-	-
New Canada Pl.....	301	7	10	-	17	56.48	9	1	4	3	-
Oxbow Pl.....	94	2	2	-	4	42.55	3	-	-	1	-
Portage Lake Pl.....	140	3	4	-	7	50.00	7	-	-	-	-
Reed Pl.....	203	6	5	-	11	54.19	4	2	2	3	-
Sheridan Pl.....	221	2	2	-	4	18.10	3	1	-	-	-
Silver Ridge Pl.....	195	3	2	-	5	25.64	3	1	1	-	-
St. Francis Pl.....	461	8	13	-	21	45.55	17	-	2	1	1
St. John Pl.....	226	3	2	-	10	44.25	5	1	3	1	-
Stockholm Pl.....	105	-	5	-	5	47.62	-	5	-	-	-
Wade Pl.....	158	5	3	-	8	50.63	4	2	1	1	-
Wallagrass Pl.....	595	17	17	-	34	57.14	26	4	3	1	-
Westfield Pl.....	166	5	6	-	11	66.27	6	2	2	-	1
Westmanland Pl.....	52	3	2	-	5	96.15	-	4	-	1	-
Winterville Pl.....	72	4	2	-	6	83.33	5	-	1	-	-
Total.....*	49,186	930	872	-	1,802	36.64	923	320	271	267	21

* Population in unorganized plantations in 1890, 403.

No. 7—Continued.
for the Year 1897.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate.
1	-	-	-	-	1	2	4	-	6	5	1	-	27.78
-	-	-	-	-	-	2	2	-	4	3	1	-	16.39
-	-	-	-	-	-	2	-	-	2	1	1	-	25.97
-	-	-	-	-	-	-	3	-	3	2	1	-	15.08
-	-	-	-	-	-	-	1	-	1	-	1	-	29.41
3	-	-	-	-	3	-	2	-	2	2	-	-	6.64
2	-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	2	-	-	2	2	-	-	9.85
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	2	2	-	-	10.26
3	-	-	1	-	4	6	9	-	15	15	-	-	32.54
-	-	-	-	-	-	4	2	-	6	3	3	-	26.55
-	2	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	-	1	2	-	10	1	8	-	9	9	-	-	15.13
-	-	-	-	-	-	1	2	-	3	1	2	-	18.07
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
242	86	56	91	5	483	365	395	1	761	594	155	12	15.47

TABLE
Births, Marriages, and Deaths

CUMBERLAND

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin.....	932	7	14	-	21	22.53	20	-	-	1	-
Bridgton	2,605	25	20	-	45	17.27	38	3	2	1	1
Brunswick	6,012	90	86	-	176	27.61	65	92	9	9	1
Cape Elizabeth.....	5,459	5	8	-	13	2.38	11	-	1	1	-
Casco	844	6	5	-	11	13.03	10	-	1	-	-
Cumberland	1,487	12	13	-	25	16.81	23	-	2	-	-
Deering	5,353	68	72	-	140	26.15	85	23	9	18	5
Falmouth	1,580	7	7	-	14	8.86	10	2	1	1	-
Freeport	2,482	22	33	-	55	22.16	48	1	2	2	2
Gorham	2,888	24	17	-	41	14.20	31	5	3	2	-
Gray	1,517	14	11	-	25	16.48	24	-	-	-	1
Harpwell	1,766	26	20	-	46	26.05	43	-	2	1	-
Harrison	1,071	5	9	-	14	13.07	14	-	-	-	-
Naples	846	16	5	-	21	24.82	21	-	-	-	-
New Gloucester	1,234	14	13	-	27	21.88	22	1	3	1	-
North Yarmouth	709	7	8	-	15	21.16	14	-	-	1	-
Otisfield.....	838	4	7	-	11	13.13	10	-	1	-	-
Portland	36,425	419	411	4	834	22.90	356	284	85	105	4
Pownal.....	712	5	6	-	11	15.45	9	-	-	2	-
Raymond	927	14	11	-	25	26.97	25	-	-	-	-
Scarboro	1,794	21	25	-	46	25.64	35	6	1	3	1
Sebago	681	3	1	-	4	5.87	3	-	1	-	-
*South Portland.....	-	55	65	1	121	-	81	16	9	13	2
Standish	1,841	11	13	-	24	13.04	22	1	-	1	-
Westbrook.....	6,632	97	80	-	177	26.68	66	77	13	20	1
Windham	2,216	10	17	-	27	12.18	22	3	1	1	-
Yarmouth.....	2,098	32	23	-	55	26.22	38	10	1	5	1
Total	90,949	1,019	1,000	5	2,024	22.25	1,146	524	147	188	19

* Incorporated in 1895.

No 7—Continued.
for the Year 1897.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
6	1	-	-	-	7	5	14	-	19	19	-	-	20.39
22	-	-	5	-	27	24	20	-	44	42	2	-	16.89
19	18	5	-	-	42	57	61	-	118	108	9	1	19.63
3	-	-	1	-	4	5	5	-	10	8	1	1	1.83
1	-	-	-	-	1	6	3	-	9	9	-	-	10.66
9	-	-	-	-	9	7	10	-	17	16	1	-	11.43
25	3	-	2	2	32	55	52	-	107	85	14	8	19.99
3	2	-	-	-	5	10	7	-	17	17	-	-	10.76
18	-	-	-	-	18	22	28	-	50	47	1	2	14.35
17	-	-	-	-	17	24	22	-	46	45	1	-	15.93
5	-	-	-	-	5	19	20	-	39	38	1	-	25.71
8	-	-	1	-	9	16	21	-	37	36	1	-	20.96
8	-	-	-	-	8	14	9	-	23	23	-	-	21.48
8	-	-	-	-	8	5	8	-	13	11	1	1	15.37
12	-	-	1	-	13	12	8	-	20	19	1	-	16.21
1	-	-	-	-	1	4	2	-	6	6	-	-	8.46
6	-	-	1	-	7	7	7	-	14	14	-	-	16.71
204	74	37	28	2	345	398	414	-	812	591	185	36	22.29
4	-	-	-	-	4	2	6	-	8	8	-	-	11.24
7	-	-	1	-	8	3	8	-	11	11	-	-	11.87
3	-	2	-	-	5	13	17	-	30	27	2	1	16.72
1	-	-	-	-	1	4	2	-	6	6	-	-	8.81
24	3	6	3	-	36	45	52	-	97	85	11	1	-
10	-	-	-	-	10	25	15	-	40	40	-	-	21.73
24	11	9	1	1	46	50	57	-	107	93	13	1	16.13
14	-	1	1	-	16	15	18	-	33	33	-	-	14.89
9	3	2	-	-	14	19	13	-	32	31	1	-	15.25
471	115	62	45	5	698	866	899	-	1,765	1,468	245	52	19.41

TABLE
Births, Marriages, and Deaths
FRANKLIN

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Avon	439	3	7	-	10	20.28	9	-	1	-	-
Carthage	390	4	1	-	5	12.82	5	-	-	-	-
Chesterville	770	6	4	-	10	12.99	10	-	-	-	-
Eustis	321	15	3	-	18	56.07	12	1	3	2	-
Farmington	3,207	26	31	-	57	17.77	43	6	5	2	1
Freeman	464	2	3	-	5	10.78	5	-	-	-	-
Industry	545	6	7	-	13	23.85	11	2	-	-	-
Jay	1,541	37	38	-	75	48.67	24	39	10	2	-
Kingfield.....	601	7	10	-	17	28.29	17	-	-	-	-
Madrid	441	6	4	-	10	22.68	8	-	2	-	-
New Sharon.....	1,064	8	7	-	15	14.10	14	-	-	-	1
New Vineyard.....	660	8	9	-	17	25.76	16	-	1	-	-
Phillips	1,394	15	13	-	28	20.09	26	-	-	1	1
Rangeley.....	616	9	7	-	16	25.97	14	-	1	1	-
Salem	218	3	-	-	3	13.76	3	-	-	-	-
Strong	627	10	4	-	14	22.33	12	1	-	-	1
Temple.....	470	4	6	-	10	21.28	10	-	-	-	-
Weld	885	7	4	-	11	12.43	9	1	1	-	-
Wilton	1,622	13	12	-	25	15.41	22	-	1	1	1
Coplin Pl	71	1	2	-	3	42.25	2	1	-	-	-
Dallas Pl	184	5	3	-	8	43.48	8	-	-	-	-
Greenvale Pl	52	-	-	-	-	-	-	-	-	-	-
Jerusalem Pl	18	-	-	-	-	-	-	-	-	-	-
Lang Pl	51	-	2	-	2	39.22	2	-	-	-	-
Perkins Pl	94	1	-	-	1	10.64	1	-	-	-	-
Rangeley Pl	58	-	1	-	1	17.24	1	-	-	-	-
Redington Pl	28	-	-	-	-	-	-	-	-	-	-
Township No. 6	26	-	-	-	-	-	-	-	-	-	-
Washington Pl	29	-	1	-	1	34.48	1	-	-	-	-
Total	16,886	196	179	-	375	22.21	285	51	25	9	5

* Population in unorganized plantations in 1890, 167.

**No. 7—Continued.
for the Year 1897.
COUNTY.**

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	3	3	-	6	6	-	-	13.67
1	-	-	-	-	1	3	2	-	5	5	-	-	12.82
9	-	-	-	-	9	11	6	-	17	17	-	-	22.08
7	-	2	-	-	9	7	2	-	9	7	2	-	28.03
33	1	2	-	-	36	34	26	-	60	55	2	3	18.71
1	-	-	-	-	1	2	5	-	7	7	-	-	15.09
1	1	-	-	-	2	3	1	-	4	4	-	-	7.34
13	10	1	1	-	25	16	13	-	29	28	-	1	18.82
5	-	1	1	-	7	5	5	-	10	10	-	-	16.64
3	-	-	-	-	3	5	2	-	7	7	-	-	15.87
3	-	-	-	-	3	12	10	-	22	20	1	1	20.68
3	-	-	-	-	3	5	2	-	7	7	-	-	10.61
12	1	-	-	-	13	14	10	-	24	24	-	-	16.22
9	-	-	-	-	9	11	6	-	17	17	-	-	27.60
1	-	-	-	-	1	1	3	-	4	4	-	-	18.35
10	-	-	-	-	10	2	5	-	7	7	-	-	11.16
4	-	-	-	-	4	5	1	-	6	5	-	1	12.77
3	-	1	-	-	4	8	7	-	15	14	1	-	16.95
20	-	-	-	-	20	5	13	-	18	18	-	-	11.10
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	3	1	-	4	4	-	-	21.74
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-	55.56
-	-	-	-	-	-	-	1	-	1	1	-	-	19.61
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-	37.46
-	-	-	-	-	-	-	1	-	1	-	-	1	34.48
145	14	7	2	-	168	155	127	-	282	269	6	7	16.70

TABLE
Births, Marriages, and Deaths

HANCOCK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst	375	5	7	-	12	32.00	9	1	1	1	-
Aurora	175	2	1	-	3	17.14	3	-	-	-	-
Bluehill	1,980	21	17	-	38	19.19	32	-	4	2	-
Brooklin	1,046	12	11	-	23	21.99	21	-	2	-	-
Brooksville	1,310	10	6	-	16	12.21	15	-	1	-	-
Bucksport	2,921	23	18	-	41	14.04	37	1	1	2	-
Castine	987	12	7	-	19	19.25	16	-	2	1	-
Cranberry Isles	330	4	5	-	9	27.27	7	1	-	1	-
Dedham	366	4	4	-	8	21.86	4	1	1	-	2
Deer Isle	3,422	27	30	-	57	16.66	54	1	1	1	-
Eastbrook	246	3	5	-	8	32.52	8	-	-	-	-
Eden	1,946	35	37	-	72	37.00	49	9	6	8	-
Ellsworth	4,804	27	28	-	55	11.45	53	-	1	1	-
Franklin	1,264	12	15	-	27	21.36	23	-	2	1	1
Gouldsboro	1,709	14	13	-	27	15.80	23	-	3	1	-
Hancock	1,190	7	7	-	14	11.77	13	1	-	-	-
Isle au Haut	206	2	4	-	6	29.13	6	-	-	-	-
Lamoine	726	7	2	-	9	12.40	8	-	1	-	-
Mariaville	271	2	2	-	4	14.76	4	-	-	-	-
Mount Desert	1,355	15	22	-	37	27.31	28	2	3	2	2
Orland	1,390	20	11	-	31	22.30	29	-	2	-	-
Otis	239	2	1	-	3	12.55	3	-	-	-	-
Penobscot	1,313	10	15	-	25	19.04	24	-	-	1	-

No. 7—Continued.
for the Year 1897.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	-	-	3	3	5	-	8	8	-	-	21.33
-	-	-	-	-	-	2	1	-	3	3	-	-	17.14
13	-	-	-	-	13	13	22	-	35	35	-	-	17.68
5	-	-	-	-	5	13	4	-	17	17	-	-	16.25
10	-	-	-	-	10	10	5	-	15	15	-	-	11.45
16	1	-	-	-	17	29	24	-	53	47	2	4	18.14
9	-	-	1	-	10	13	9	-	22	22	-	-	22.29
2	-	-	-	-	2	1	-	-	1	1	-	-	3.03
3	-	-	-	1	4	1	5	-	6	6	-	-	16.39
21	-	1	1	-	23	25	23	-	48	48	-	-	14.03
1	-	-	-	-	1	3	1	-	4	4	-	-	16.26
28	-	7	-	-	35	13	22	1	36	33	2	1	18.50
33	-	-	1	-	34	44	48	-	92	82	7	3	19.15
8	-	-	1	-	9	4	4	-	8	7	1	-	6.33
4	-	-	1	-	5	3	9	-	12	12	-	-	7.02
2	-	-	1	-	3	5	7	-	12	9	1	2	10.08
1	-	-	-	-	1	1	1	-	2	2	-	-	9.71
5	-	-	-	-	5	6	3	-	9	9	-	-	12.40
-	-	-	-	-	-	1	2	-	3	3	-	-	11.07
9	-	1	1	-	11	10	4	-	14	13	1	-	10.33
6	-	-	-	-	6	11	11	-	22	19	3	-	15.83
-	-	-	-	-	-	2	-	-	2	2	-	-	8.37
12	-	-	-	-	12	10	8	-	18	18	-	-	13.71

TABLE
Births, Marriages, and Deaths
HANCOCK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Sedgwick	1,012	9	8	-	17	16.80	16	1	-	-	-
†Sorrento	-	2	1	-	3	-	3	-	-	-	-
†Stonington	-	18	14	-	32	-	26	-	4	2	-
Sullivan	1,379	10	14	-	24	17.40	16	5	2	-	1
Surry	986	10	10	-	20	20.28	20	-	-	-	-
Swan's Island	632	9	12	-	21	33.23	20	1	-	-	-
Tremont	2,636	31	17	-	48	23.58	43	-	2	3	-
Trenton	528	2	3	-	5	9.47	4	-	1	-	-
Verona	323	1	7	-	8	24.77	8	-	-	-	-
Waltham	242	4	3	-	7	28.93	7	-	-	-	-
§Winter Harbor	-	7	3	-	10	-	9	-	-	1	-
Long Island Pl.	132	3	3	-	6	45.45	5	-	-	-	1
No. 33 Pl.	112	1	1	-	2	17.86	2	-	-	-	-
No. 8 Pl.	31	1	-	-	1	32.26	1	-	-	-	-
No. 7 Pl.	50	-	-	-	-	-	-	-	-	-	-
Total	* 37,034	384	364	-	748	20.20	649	24	40	28	7

No. 7—Continued.

for the year 1897.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
5	-	-	-	-	5	10	6	-	16	16	-	-	15.81
1	-	-	-	-	1	1	2	-	3	3	-	-	-
13	-	-	3	-	16	10	11	-	21	20	1	-	-
5	-	-	2	-	7	12	8	-	20	16	4	-	14.50
9	-	-	-	-	9	6	11	-	17	16	1	-	16.23
16	1	-	-	-	17	4	2	-	6	6	-	-	9.49
14	-	-	-	-	14	24	13	-	37	36	1	-	13.26
3	-	-	-	-	3	2	3	-	5	4	1	-	9.47
1	-	-	-	-	1	-	1	-	1	-	1	-	3.09
1	-	-	-	-	1	3	3	-	6	6	-	-	24.79
7	-	-	1	-	8	4	3	-	7	7	-	-	-
-	-	-	-	-	-	1	1	-	2	2	-	-	15.15
-	-	-	-	-	-	2	-	-	2	2	-	-	17.86
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-	20.00
266	2	9	13	1	291	302	283	1	586	550	26	10	15.82

*Population in unorganized plantations in 1890, 278.

†Incorporated in 1895.

‡Incorporated in 1897. §Incorporated in 1896.

TABLE
Births, Marriages, and Deaths

KENNEBEC

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion	1,042	9	10	-	19	18.23	19	-	-	-	-
Augusta	10,527	133	103	-	236	22.42	121	80	11	24	-
Belgrade	1,090	9	9	-	18	16.51	18	-	-	-	-
Benton	1,136	13	9	-	22	19.37	17	1	3	1	-
Chelsea	2,356	10	10	-	20	8.49	19	1	-	-	-
China.....	1,423	9	5	-	14	9.84	13	-	1	-	-
Clinton	1,518	17	9	-	26	17.13	24	-	-	2	-
Farmingdale.....	821	3	4	-	7	8.53	5	-	2	-	-
Fayette	649	6	4	-	10	15.41	8	-	-	2	-
Gardiner	5,491	62	76	-	138	25.13	89	23	12	8	6
Hallowell	3,181	35	36	-	71	22.32	41	15	7	8	-
Litchfield	1,126	13	12	-	25	22.20	22	1	-	2	-
Manchester	612	2	4	-	6	9.80	6	-	-	-	-
Monmouth	1,362	11	11	-	22	16.15	15	4	3	-	-
Mount Vernon.....	940	4	8	-	12	12.77	12	-	-	-	-
Oakland.....	2,044	17	24	-	41	20.06	33	4	2	2	-
Pittston	1,281	5	13	-	18	15.61	15	1	1	1	-
Randolph	1,281	11	12	-	23	18.68	15	4	4	-	-
Readfield	1,176	10	5	-	15	12.76	14	-	-	1	-
Rome	500	5	5	-	10	20.00	9	-	-	1	-
Sidney	1,334	7	8	-	15	11.24	13	1	-	1	-
Vassalboro	2,052	11	13	-	24	11.70	17	4	-	1	2

No. 7—Continued.
for the Year 1897.
 COUNTY.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
7	-	-	-	-	7	10	6	-	16	16	-	-	15.35	
62	23	16	5	1	107	175	144	-	319	263	41	15	30.30	
6	-	-	-	-	6	13	12	-	25	23	1	1	22.93	
3	-	-	-	1	4	9	14	-	23	21	2	-	21.10	
6	-	-	-	-	6	8	6	-	14	13	1	-	5.95	
14	-	-	1	-	15	19	13	-	32	29	2	1	22.49	
15	-	-	-	-	15	8	8	-	16	15	-	1	10.54	
10	-	-	1	-	11	8	7	-	15	13	2	-	18.27	
1	-	-	-	-	1	7	6	-	13	12	1	-	20.03	
33	9	2	-	1	45	52	46	1	99	89	9	1	18.03	
21	5	1	2	-	29	25	28	-	53	46	5	2	16.66	
5	-	-	-	-	5	6	7	-	13	13	-	-	11.55	
4	-	-	-	-	4	4	6	-	10	10	-	-	16.34	
7	-	2	1	-	10	12	16	-	28	28	-	-	20.56	
2	-	-	-	-	2	7	15	-	22	21	-	1	23.40	
18	-	-	1	-	19	18	10	-	28	28	-	-	13.70	
8	-	-	-	-	8	15	11	-	26	23	3	-	20.30	
4	-	1	1	1	7	3	13	-	16	16	-	-	12.49	
5	-	-	-	-	5	9	8	-	17	16	1	-	14.46	
4	-	-	-	-	4	4	5	-	9	9	-	-	18.00	
4	-	1	-	-	5	13	11	-	24	24	-	-	17.24	
11	1	1	4	-	17	19	17	-	36	31	5	-	17.54	

TABLE
Births, Marriages, and Deaths
 KENNEBEC

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Vienna	495	3	3	-	6	12.12	6	-	-	-	-
Waterville	7,107	143	152	-	295	41.51	87	121	41	42	4
Wayne	775	4	10	-	14	18.06	14	-	-	-	-
West Gardiner	853	3	5	-	8	9.38	8	-	-	-	-
Windsor	853	5	5	-	10	11.72	9	-	-	1	-
Winslow	1,814	28	27	-	55	30.32	23	13	9	7	3
Winthrop	2,111	23	12	-	35	16.58	19	15	-	1	-
Unity Pl	62	-	-	-	-	-	-	-	-	-	-
Total	57,012	611	604	-	1,215	21.31	711	288	96	105	15

No. 7—Continued.

for the Year 1897.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
						Sex.			Nativity.			Death-rate per 1,000.	
Both American.	Both American.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
4	-	-	-	-	4	5	6	-	11	11	-	-	22.22
32	26	8	12	7	85	71	89	1	161	134	22	5	22.65
6	-	-	1	-	7	8	5	-	13	13	-	-	16.77
1	-	-	-	-	1	3	3	-	6	6	-	-	7.03
2	-	1	-	-	3	9	9	-	18	18	-	-	21.10
8	-	-	-	-	8	16	21	-	37	29	8	-	20.40
14	4	-	5	1	24	15	24	-	39	34	3	2	18.47
-	-	-	-	-	-	-	1	-	1	-	1	-	13.13
317	68	33	34	12	464	571	567	2	1,140	1,004	107	29	20.00

TABLE
Births, Marriages, and Deaths
KNOX

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton	1,080	9	9	-	18	16.67	18	-	-	-	-
Camden	2,471	22	11	-	33	13.35	26	3	1	3	-
Cushing	688	4	7	-	11	15.99	11	-	-	-	-
Friendship	877	11	17	-	28	31.81	27	-	-	1	-
Hope	641	3	4	-	7	10.92	7	-	-	-	-
Hurricane Isle	266	9	6	-	15	56.39	5	8	2	-	-
North Haven	552	5	5	-	10	18.12	9	-	-	-	1
Rockland	8,174	84	62	-	146	17.86	127	8	-	6	5
Rockport	2,150	19	22	-	41	19.07	36	1	2	1	1
South Thomaston	1,534	7	19	-	26	16.95	20	2	3	-	1
St. George	2,491	35	35	-	70	28.10	44	13	10	2	1
Thomaston	3,009	14	18	-	32	10.63	28	-	2	-	2
Union	1,436	10	9	-	19	13.23	17	-	2	-	-
Vinalhaven	2,617	40	29	-	69	26.37	46	13	8	2	-
Warren	2,087	16	25	-	41	20.13	37	-	3	1	-
Washington	1,230	12	9	-	21	17.07	18	-	-	3	-
Matinicus Isle Pl	196	1	-	-	1	5.10	1	-	-	-	-
Total	* 31,449	301	287	-	588	18.69	477	48	33	19	11

* Population in unorganized plantations in 1890, 24.

No. 7—Continued.
for the Year 1897.

COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
8	-	-	-	-	8	11	13	-	24	23	1	-	22.22
25	-	-	1	-	26	19	21	-	40	40	-	-	16.19
5	-	-	1	-	6	9	5	-	14	14	-	-	20.35
5	-	-	-	-	5	5	6	-	11	10	-	1	12.54
3	-	-	-	-	3	4	4	-	8	8	-	-	12.48
-	-	-	-	-	-	1	1	-	2	1	1	-	7.52
5	-	-	1	-	6	1	2	-	3	3	-	-	5.43
56	-	5	8	-	69	67	56	-	123	112	10	1	15.05
18	-	3	1	-	22	12	20	-	32	29	-	3	14.88
3	-	2	-	-	5	19	10	-	29	23	3	3	18.90
9	3	2	1	-	15	16	22	-	38	37	1	-	15.25
22	-	-	2	-	24	16	12	-	28	24	4	-	9.31
9	-	-	-	-	9	16	11	-	27	26	1	-	18.80
13	2	-	4	-	19	23	18	-	41	36	4	1	15.67
11	-	-	-	-	11	16	14	-	30	30	-	-	14.73
8	-	-	-	-	8	12	11	-	23	23	-	-	18.70
-	-	1	-	-	1	2	-	-	2	2	-	-	10.20
200	5	13	19	-	237	249	226	-	475	441	25	9	15.10

TABLE
Births, Marriages, and Deaths
LINCOLN

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna	512	7	5	-	12	23.44	12	-	-	-	-
Boothbay	1,718	18	18	-	36	20.95	34	-	-	2	-
Boothbay Harbor	1,699	17	18	-	35	20.60	32	1	-	2	-
Bremen	842	4	5	-	9	10.69	9	-	-	-	-
Bristol	2,821	29	24	-	53	18.79	51	-	1	1	-
Damariscotta.....	1,012	3	5	-	8	7.90	8	-	-	-	-
Dresden.....	1,043	3	10	-	13	12.46	11	-	1	-	1
Edgecomb	749	5	6	-	11	14.68	9	1	-	-	1
Jefferson.....	1,391	11	9	-	20	14.38	17	-	-	1	2
Newcastle	1,282	12	10	-	22	17.16	18	1	2	1	-
Nobleboro	947	2	9	-	11	11.62	11	-	-	-	-
Somerville.....	453	-	2	-	3	6.62	3	-	-	-	-
Southport	533	8	6	-	14	26.27	14	-	-	-	-
Waldoboro	3,505	21	37	-	58	16.54	58	-	-	-	-
Westport	451	3	3	-	6	13.30	6	-	-	-	-
Whitefield	1,215	7	6	-	13	10.70	12	-	1	-	-
Wiscasset	1,733	12	9	-	21	12.12	20	-	-	1	-
Monhegan Pl.....	90	-	1	-	1	11.11	1	-	-	-	-
Total	21,996	162	184	-	346	15.73	326	3	5	8	4

No. 7—Continued.
for the Year 1897.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	7	5	-	12	12	-	-	23.44
15	-	-	-	-	15	9	6	-	15	13	2	-	8.73
10	-	-	1	1	12	16	19	-	35	29	5	1	20.60
3	-	-	-	-	3	4	2	-	6	6	-	-	7.13
15	-	-	-	-	15	20	17	-	37	35	-	2	13.12
6	-	-	-	-	6	6	4	-	10	10	-	-	9.88
4	-	-	-	-	4	7	19	-	26	26	-	-	24.92
1	-	-	-	-	1	4	7	-	11	10	1	-	14.68
7	-	1	-	1	9	9	10	-	19	17	-	2	13.66
10	-	-	2	1	13	9	13	-	22	20	-	2	17.16
5	-	-	-	-	5	18	3	-	21	20	-	1	22.18
1	-	-	-	-	1	7	-	-	7	7	-	-	15.45
3	-	1	-	-	4	3	4	-	7	5	2	-	13.13
19	-	-	1	-	20	31	30	-	61	61	-	-	17.40
1	-	1	1	-	3	4	4	-	8	7	1	-	17.74
6	-	-	1	-	7	7	14	-	21	17	4	-	17.28
4	-	-	-	-	4	8	14	-	22	22	-	-	12.69
-	-	-	-	-	-	1	2	-	3	3	-	-	33.33
112	-	3	6	3	124	170	173	-	343	320	15	8	15.59

TABLE
Births, Marriages, and Deaths

OXFORD

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany	645	6	5	-	11	17.05	9	-	1	1	-
Andover	740	8	11	-	19	25.68	18	-	1	-	-
Bethel	2,209	18	20	-	38	17.20	30	1	5	1	1
Brownfield	1,134	9	6	-	15	13.23	14	-	-	1	-
Buckfield	1,200	9	10	-	19	15.83	18	1	-	-	-
Byron	180	1	3	-	4	22.22	4	-	-	-	-
Canton	1,303	8	9	-	17	13.05	13	3	-	1	-
Denmark	755	10	-	-	10	13.25	9	1	-	-	-
Dixfield	988	6	3	-	9	9.11	9	-	-	-	-
Fryeburg	1,418	8	9	-	17	11.99	15	-	1	1	-
Gilead	336	1	2	-	3	8.93	3	-	-	-	-
Grafton	98	-	1	-	1	10.20	-	-	-	1	-
Greenwood	727	7	14	-	21	28.89	20	-	-	1	-
Hanover	212	4	1	-	5	23.58	5	-	-	-	-
Hartford	689	4	7	-	11	15.97	10	-	-	1	-
Hebron	600	7	5	-	12	20.00	11	-	-	1	-
Hiram	1,063	6	2	-	8	7.53	8	-	-	-	-
Lovell	853	8	4	-	12	14.07	11	-	1	-	-
Mason	80	-	-	-	-	-	-	-	-	-	-
Mexico	355	15	6	-	21	59.15	16	3	2	-	-
Newry	343	4	4	-	8	23.32	5	1	1	1	-
Norway	2,665	23	30	-	53	19.89	43	4	3	2	1

No. 7—Continued.
for the Year 1897.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	8	3	-	11	10	-	1	17.05
5	-	1	-	-	6	5	4	-	9	9	-	-	12.16
12	-	-	1	-	13	24	11	-	35	34	1	-	15.84
6	-	-	-	-	6	12	11	-	23	23	-	-	20.28
2	-	-	-	-	2	12	7	-	19	19	-	-	15.83
1	-	-	-	-	1	3	-	-	3	1	2	-	16.67
5	2	-	1	-	8	10	9	-	19	16	1	2	14.58
4	-	-	-	-	4	11	11	-	22	22	-	-	29.14
2	-	-	-	-	2	7	3	-	10	10	-	-	10.12
9	-	-	-	-	9	7	9	-	16	16	-	-	11.28
3	-	-	-	-	3	4	1	-	5	4	1	-	14.88
-	-	-	-	-	-	1	-	-	1	1	-	-	10.20
3	-	-	-	-	3	7	6	-	15	15	-	-	20.63
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	5	14	-	19	19	-	-	27.58
4	-	1	-	-	5	4	4	-	8	8	-	-	13.33
4	-	-	-	-	4	6	7	-	13	13	-	-	12.23
6	-	-	-	-	6	9	6	-	15	14	-	1	17.58
-	-	-	-	-	-	-	1	-	1	1	-	-	12.50
11	-	1	-	-	12	2	4	-	6	6	-	-	16.90
1	-	-	-	-	1	1	2	-	3	2	-	1	8.75
27	-	1	1	2	31	19	16	-	35	33	-	2	1.31

TABLE
Births, Marriages, and Deaths
OXFORD

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Oxford	1,455	11	12	-	23	15.81	20	3	-	-	-
Paris	3,156	21	29	-	50	15.84	43	1	3	3	-
Peru	692	8	9	-	17	24.57	15	-	-	-	2
Porter	1,015	3	7	-	10	9.85	10	-	-	-	-
Roxbury	222	2	1	-	3	13.51	2	1	-	-	-
Rumford	898	42	51	-	93	103.56	33	43	5	10	2
Stoneham	322	2	4	-	6	18.63	6	-	-	-	-
Stow	291	-	2	-	2	6.87	2	-	-	-	-
Sunner	901	4	8	-	12	13.32	12	-	-	-	-
Sweden	338	5	3	-	8	23.67	8	-	-	-	-
Upton	232	4	1	-	5	21.55	4	-	1	-	-
Waterford	1,001	9	11	-	20	19.98	19	-	1	-	-
Woodstock	859	6	3	-	9	10.48	8	-	-	1	-
Franklin Pl	112	1	-	-	1	8.93	1	-	-	-	-
Lincoln Pl	59	-	2	-	2	33.90	2	-	-	-	-
Milton Pl	211	-	2	-	2	9.48	2	-	-	-	-
Total	* 30,357	280	297	-	577	19.01	458	62	25	26	6

* Population in unorganized plantations in 1890, 229.

No. 7—Continued.
for the year 1897.
COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
9	-	1	-	-	10	4	12	-	16	14	-	2	11.00	
31	-	-	1	-	32	24	22	-	46	46	-	-	14.57	
5	-	1	1	-	7	4	7	-	11	11	-	-	15.75	
3	-	-	-	-	1	4	5	-	9	9	-	-	8.87	
1	-	-	-	-	1	4	2	-	6	6	-	-	27.03	
21	6	2	7	-	36	22	16	-	38	30	8	-	42.32	
-	-	-	-	-	-	2	3	-	5	5	-	-	15.53	
-	-	-	-	-	-	2	3	-	5	5	-	-	17.18	
12	-	-	-	-	12	11	9	-	20	20	-	-	22.20	
1	-	-	-	-	1	4	2	-	6	6	-	-	17.75	
1	-	-	-	-	1	1	2	-	3	3	-	-	12.93	
11	-	-	-	-	11	14	8	-	22	22	-	-	21.98	
7	-	-	-	-	7	6	5	-	11	11	-	-	12.81	
2	-	-	-	-	2	1	2	-	3	3	-	-	26.79	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	1	-	-	2	2	3	-	5	5	-	-	23.70	
210	8	9	12	2	241	262	232	-	494	472	13	9	16.27	

TABLE
Births, Marriages, and Deaths
 PENOBSCOT

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alton	348	6	2	-	8	22.99	8	-	-	-	-
Argyle	263	4	-	-	4	15.21	3	1	-	-	-
Bangor	19,103	169	212	2	383	20.05	210	84	40	42	7
Bradford	1,215	21	14	-	35	28.81	31	-	2	2	-
Bradley	823	4	5	-	9	10.93	5	1	2	1	-
Brewer	4,193	68	64	-	132	31.48	66	37	15	14	-
Burlington	460	1	4	-	5	10.87	5	-	-	-	-
Carmel	1,066	6	10	-	16	15.01	16	-	-	-	-
Carroll	546	10	6	-	16	29.31	14	-	2	-	-
Charleston	971	11	8	-	19	19.57	18	-	-	1	-
Chester	368	8	5	-	13	35.33	10	1	1	1	-
Clifton	284	3	2	-	5	17.61	4	-	-	1	-
Corinna	1,207	15	4	-	19	15.74	18	-	-	1	-
Corinth	1,154	5	2	-	7	6.07	7	-	-	-	-
Dexter	2,732	31	33	-	64	23.43	44	11	7	2	-
Dixmont	919	9	5	-	14	15.23	14	-	-	-	-
Eddington	729	2	4	-	6	8.23	3	1	2	-	-
Edinburg	54	-	1	-	1	18.52	1	-	-	-	-
Enfield	769	1	1	-	2	2.60	1	1	-	-	-
Etna	646	5	6	-	11	17.03	10	-	1	-	-
Exeter	939	7	13	-	20	21.30	20	-	-	-	-
Garland	973	6	5	-	11	11.31	9	1	1	-	-
Glenburn	583	7	5	-	12	20.58	9	1	1	1	-
Greenbush	659	7	6	-	13	19.73	11	1	-	1	-

No. 7—Continued.
for the Year 1897.
COUNTY.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
3	-	-	-	-	3	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	3	1	-	4	4	-	-	15.21	
127	27	19	22	5	200	156	163	-	319	229	70	20	16.70	
7	-	-	-	1	8	12	13	-	25	25	-	-	20.58	
4	-	-	-	-	4	10	11	-	21	18	3	-	25.52	
35	4	5	7	-	51	47	46	-	95	85	10	-	22.66	
6	-	-	-	-	6	5	1	-	6	5	1	-	13.04	
7	-	-	-	-	7	6	3	-	9	8	1	-	8.44	
4	1	-	-	-	5	6	3	-	9	8	-	1	16.48	
8	-	1	-	-	9	5	3	-	8	6	-	2	8.24	
-	-	-	-	-	-	-	1	-	1	1	-	-	2.71	
1	-	-	-	-	1	1	1	-	2	2	-	-	7.04	
8	-	-	-	1	9	15	7	-	22	20	2	-	18.23	
7	-	-	-	-	7	9	6	-	15	14	1	-	13.00	
29	1	1	-	-	31	23	31	-	54	51	3	-	19.77	
6	-	-	-	-	6	8	3	-	11	11	-	-	11.97	
6	-	-	-	-	6	6	5	-	11	10	1	-	15.09	
-	-	-	-	-	-	1	-	-	1	1	-	-	18.52	
11	-	-	2	-	13	7	4	-	11	9	2	-	14.30	
3	-	-	-	-	3	5	7	-	12	8	-	4	18.58	
6	-	-	-	-	6	11	7	-	18	17	1	-	19.17	
7	-	-	-	-	7	9	12	-	21	20	1	-	21.58	
2	-	-	-	-	2	3	3	-	6	6	-	-	10.29	
2	-	-	-	-	2	2	3	-	5	4	-	1	7.59	

TABLE
Births, Marriages, and Deaths
 PENOBSCOT

TOWNS.	Population in 1890.	BIRTHS.												
		Sex.					Parentage.							
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.			
Greenfield	231	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampden	2,484	19	22	-	41	16.51	35	2	3	1	-	-	-	-
Hermon	1,282	13	8	-	21	16.38	19	-	1	1	-	-	-	-
Holden	609	4	7	-	11	18.06	8	2	-	1	-	-	-	-
Howland	171	7	11	-	18	105.26	6	7	3	2	-	-	-	-
Hudson	510	4	4	-	8	15.69	8	-	-	-	-	-	-	-
Kenduskeag	536	-	5	-	5	9.33	4	-	-	1	-	-	-	-
Kingman	671	21	12	-	33	49.18	6	12	6	8	1	-	-	1
Lagrange	721	11	4	-	15	20.80	14	-	1	-	-	-	-	-
Lee	929	12	11	-	23	24.76	17	1	3	2	-	-	-	-
Levant	880	10	6	-	16	18.18	15	-	1	-	-	-	-	-
Lincoln	1,756	21	19	-	40	22.78	26	8	3	2	1	-	-	1
Lowell	439	8	5	-	13	29.61	10	1	1	1	-	-	-	-
Mattamiscontis.....	47	2	-	-	2	42.55	2	-	-	-	-	-	-	-
Mattawamkeag	633	12	3	-	15	23.70	9	3	1	2	-	-	-	-
Maxfield	134	3	-	-	3	22.39	3	-	-	-	-	-	-	-
Medway	653	10	5	-	15	22.97	8	-	5	2	-	-	-	-
Milford	835	8	9	-	17	20.36	11	2	2	2	-	-	-	-
Mount Chase	284	4	2	-	6	21.12	4	2	-	-	-	-	-	-
Newburgh	867	1	3	-	4	4.61	4	-	-	-	-	-	-	-
Newport.....	1,188	12	16	-	28	23.57	23	2	2	1	-	-	-	-
Old Town	5,312	86	78	-	164	30.87	62	49	26	25	2	-	-	2
Orono	2,790	38	37	-	75	26.88	25	29	15	5	1	-	-	1
Orrington	1,406	12	12	-	24	17.07	21	1	2	-	-	-	-	-
Passadumkeag	343	5	1	-	6	17.49	4	-	1	1	-	-	-	-

No 7—Continued.
for the Year 1897.
 COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	-	1	-	1	1	-	-	4.33
14	-	-	-	-	14	22	30	-	52	48	4	-	20.93
11	-	-	-	1	12	9	5	-	14	14	-	-	10.92
5	-	-	-	-	5	3	5	-	8	7	1	-	13.14
1	-	-	-	4	5	4	4	-	8	6	1	1	46.78
2	-	-	2	-	4	5	2	-	7	7	-	-	13.73
11	-	-	-	-	11	6	5	-	11	11	-	-	20.52
2	1	2	1	-	6	6	7	-	13	6	7	-	19.37
8	-	-	1	-	9	4	5	-	9	8	-	1	12.49
4	-	-	-	-	4	6	6	-	12	11	-	1	12.92
4	-	1	-	-	5	8	11	-	19	19	-	-	21.59
12	-	1	1	1	15	12	18	-	30	27	2	1	17.08
3	-	-	-	-	3	7	1	-	8	7	1	-	18.22
-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	1	-	1	-	9	7	5	-	12	8	2	2	18.96
-	-	-	1	-	1	-	2	-	2	2	-	-	14.26
2	-	-	1	-	3	-	1	-	1	1	-	-	1.53
4	-	-	1	-	5	5	5	-	10	7	2	1	11.98
-	-	-	1	-	1	1	1	-	2	2	-	-	7.04
5	-	-	-	-	5	5	5	-	10	8	1	1	11.53
14	1	-	1	-	16	12	11	-	23	22	1	-	19.36
29	10	4	9	-	52	54	40	-	94	77	14	3	17.70
11	3	4	2	-	20	21	24	-	45	31	12	2	16.13
8	-	-	-	-	8	4	10	-	14	14	-	-	9.96
1	-	-	-	-	1	6	1	-	7	6	1	-	20.41

TABLE
Births, Marriages, and Deaths
PENOBSCOT

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Patten	936	19	15	-	34	36.32	25	2	2	5	-
Plymouth	689	4	10	-	14	20.32	13	-	-	1	-
Prentiss	401	8	6	-	14	34.91	12	-	1	1	-
Springfield	677	6	7	-	13	19.20	13	-	-	-	-
Stetson	618	4	5	-	9	14.56	7	-	-	2	-
Veazie	650	5	4	-	9	13.85	7	1	-	-	1
Winn	936	11	8	-	19	20.30	10	3	4	2	-
Woodville	242	5	5	-	10	41.32	7	1	2	-	-
Drew Pl	110	-	2	-	2	18.18	2	-	-	-	-
Lakeville Pl	144	-	2	-	2	13.89	1	-	1	-	-
Grand Falls Pl	68	1	2	-	3	44.12	3	-	-	-	-
Seboeis Pl	98	3	1	-	4	40.82	2	1	1	-	-
Stacyville Pl	250	4	10	-	14	56.00	9	1	3	1	-
Webster Pl	135	2	1	-	3	22.22	3	-	-	-	-
Norcross	-	1	-	-	1	-	1	-	-	-	-
Total	72,669*	802	775	2	1,579	21.73	996	270	164	136	13

* Population in unorganized plantations in 1890, 196.

No. 7—Continued.
for the Year 1897.
COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.						
							Sex.			Nativity.			
Both American.	Both American.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
6	2	-	2	1	11	13	5	-	18	16	2	-	19.23
1	-	-	-	-	1	10	4	-	14	14	-	-	20.32
2	1	-	-	-	3	3	2	-	5	5	-	-	12.47
9	-	-	-	1	10	6	2	-	8	8	-	-	11.82
6	-	-	-	-	6	3	5	-	8	8	-	-	12.94
6	-	-	-	-	6	6	2	-	8	6	2	-	12.31
3	1	1	3	-	8	6	4	-	10	9	1	-	10.68
1	-	-	-	-	1	2	1	-	3	3	-	-	12.40
-	-	-	-	-	-	-	1	-	1	1	-	-	9.09
-	-	-	-	-	-	-	1	-	1	1	-	-	6.94
-	-	-	-	-	-	1	-	-	1	1	-	-	14.70
1	-	-	-	-	1	-	1	-	1	1	-	-	10.20
-	-	-	-	-	-	1	2	-	3	2	-	1	12.00
-	-	-	-	-	-	-	1	-	1	1	-	-	7.41
-	-	-	-	-	-	-	-	-	-	-	-	-	-
482	53	39	58	15	647	608	572	-	1,180	988	150	42	16.24

TABLE
Births, Marriages, and Deaths
PISCATAQUIS

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbot	622	12	5	-	17	27.33	16	-	-	1	-
Atkinson.....	605	5	4	-	9	14.88	9	-	-	-	-
Blanchard	213	4	2	-	6	28.17	6	-	-	-	-
Brownville	1,074	22	20	-	42	39.11	17	14	4	7	-
Dover	1,942	10	19	-	29	14.93	26	-	1	2	-
Foxcroft	1,726	11	12	1	24	13.90	13	5	2	3	1
Greenville	781	10	14	1	25	32.01	11	6	3	3	2
Guilford.....	1,023	11	16	-	27	26.39	22	2	1	2	-
Medford	306	4	2	-	6	19.61	6	-	-	-	-
Milo	1,029	11	21	-	32	31.10	27	-	2	3	-
Monson	1,237	22	15	-	37	29.91	13	21	3	-	-
Orneville	492	7	5	-	12	24.39	10	-	1	-	1
Parkman	813	7	7	-	14	17.22	14	-	-	-	-
Sangerville	1,236	12	7	-	19	15.37	15	-	4	-	-
Sebec.....	725	7	5	-	12	16.55	12	-	-	-	-
Shirley	291	3	1	-	4	13.75	2	-	1	1	-
Wellington	584	4	4	-	8	13.70	8	-	-	-	-
Williamsburg	162	1	1	-	2	12.35	1	-	-	1	-
Willimantic.....	446	5	9	-	14	31.39	14	-	-	-	-
Barnard Pl	100	3	-	-	3	30.00	2	1	-	-	-
Bowerbank Pl.....	87	-	-	-	-	-	-	-	-	-	-
Elliottsville Pl.....	53	1	1	-	2	37.74	1	1	-	-	-
Kingsbury Pl.....	205	-	4	-	4	19.51	4	-	-	-	-
Lake View Pl	-	3	1	-	4	-	1	-	3	-	-
North East Carry	-	-	-	-	-	-	-	-	-	-	-
Frenchtown	-	-	-	-	-	-	-	-	-	-	-
Total	*15,762	175	175	2	352	22.33	250	50	25	23	4

* Population in unorganized plantations in 1890, 372.

No. 7—Continued.
for the Year 1897.
 COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
4	-	-	-	-	4	5	4	-	9	9	-	-	14.47
9	-	-	-	-	9	1	7	-	8	8	-	-	13.22
-	-	-	-	-	-	2	-	-	2	1	1	-	9.39
9	4	1	2	-	16	7	9	-	16	13	3	-	14.90
26	1	1	3	-	31	18	16	-	34	33	-	1	17.51
9	3	-	-	-	12	11	12	-	23	22	1	-	13.33
4	-	1	4	-	9	11	7	-	18	17	1	-	23.05
15	1	-	-	-	16	14	6	-	20	19	1	-	19.55
3	-	-	-	-	3	4	3	-	7	6	1	-	22.88
11	2	-	-	-	13	12	10	-	22	22	-	-	21.38
3	2	-	-	-	5	3	11	-	14	14	-	-	11.32
2	-	-	-	-	2	1	5	-	6	6	-	-	12.20
8	-	-	-	-	8	12	5	-	17	17	-	-	20.91
2	-	-	-	-	2	6	15	-	21	20	-	1	16.99
6	-	-	1	-	7	3	5	-	8	8	-	-	11.03
-	-	-	-	-	-	-	2	-	2	2	-	-	6.87
5	-	1	-	-	6	2	1	-	3	3	-	-	51.37
-	-	-	-	-	-	-	1	-	1	1	-	-	6.17
3	-	-	-	-	3	3	-	-	3	3	-	-	6.73
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-	11.49
2	1	-	-	-	3	-	-	-	-	-	-	-	-
1	-	-	-	-	1	1	1	-	2	2	-	-	9.76
-	-	-	-	-	-	2	-	-	2	2	-	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	-
122	14	4	10	-	150	119	122	-	241	231	8	2	15.29

TABLE
Births, Marriages, and Deaths
SAGADAHOC

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Arrowsic	177	2	1	-	3	16.95	3	-	-	-	-
Bath	8,723	90	67	-	157	18.00	96	32	11	17	1
Bowdoin	940	6	10	-	16	17.02	12	3	1	-	-
Bowdoinham	1,508	6	13	-	19	12.60	18	-	1	-	-
Georgetown	849	10	6	-	16	18.85	14	-	1	1	-
Perkins	69	2	-	-	2	28.99	2	-	-	-	-
Phippsburg	1,396	14	17	-	31	22.21	28	-	2	1	-
Richmond	3,082	19	21	-	40	12.97	31	3	3	1	2
Topsham	1,394	29	28	-	57	40.89	24	28	2	3	-
West Bath	307	-	-	-	-	-	-	-	-	-	-
Woolwich	1,007	3	2	-	5	4.97	4	-	-	1	-
Total	19,452	181	165	-	346	17.79	232	66	21	24	3

No. 7—Continued.
for the Year 1897.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	1	1	-	2	2	-	-	11.30
33	4	4	8	-	49	70	66	-	136	105	30	1	15.59
4	-	1	-	-	5	7	5	-	12	11	1	-	12.77
10	-	-	-	-	10	14	16	-	30	30	-	-	19.89
2	-	-	1	-	3	6	5	-	11	11	-	-	12.96
-	-	-	-	-	-	-	1	-	1	1	-	-	14.49
12	-	-	1	-	13	6	10	-	16	15	1	-	11.46
12	1	-	-	-	13	20	22	-	42	37	4	1	13.63
6	-	-	2	-	8	11	12	-	23	21	2	-	16.50
-	-	1	-	-	1	2	3	-	5	5	-	-	16.29
5	-	-	-	-	5	7	14	-	21	20	1	-	20.85
88	5	6	12	-	111	144	155	-	299	258	39	2	15.37

TABLE
Births, Marriages, and Deaths

SOMERSET

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson	1,444	22	15	-	37	25.62	23	5	4	4	1
Athens	1,072	4	6	-	10	9.33	10	-	-	-	-
Bingham	757	8	12	-	20	43.76	13	3	2	1	1
Cambridge	425	4	2	-	6	14.12	5	-	-	1	-
Canaan	1,130	8	7	-	15	13.27	14	-	1	-	-
Concord	345	4	4	-	8	23.19	8	-	-	-	-
Cornville	785	4	9	-	13	16.56	13	-	-	-	-
Detroit	590	5	1	-	6	10.17	6	-	-	-	-
Embden	579	2	7	-	9	15.54	8	-	-	1	-
Fairfield	3,510	51	30	-	81	23.08	58	9	9	4	1
Harmony	704	5	11	-	16	22.73	15	-	-	-	1
Hartland	974	11	4	-	15	15.40	12	-	1	1	1
Madison	1,815	14	28	-	42	23.14	30	5	1	3	3
Mercer	584	6	3	-	9	15.41	8	-	-	1	-
Moscow	422	10	6	-	16	37.91	12	-	4	-	-
New Portland	1,034	6	11	-	17	16.44	17	-	-	-	-
Norridgewock	1,656	7	9	-	16	9.66	16	-	-	-	-
Palmyra	1,004	10	2	-	12	11.95	12	-	-	-	-
Pittsfield	2,503	19	34	-	53	21.17	49	2	1	1	-
Ripley	478	2	6	-	8	16.74	7	-	1	-	-
St. Albans	1,206	11	16	-	27	22.39	26	1	-	-	-
Skowhegan	5,068	50	47	-	97	19.14	51	22	19	5	-
Smithfield	479	3	3	-	6	12.53	5	-	-	1	-
Solon	977	11	9	-	20	20.47	18	-	2	-	-

No. 7—Continued.
for the Year 1897.
COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
9	-	-	-	-	9	10	8	-	18	17	1	-	12.47
4	-	-	-	-	4	5	14	-	19	19	-	-	17.72
13	-	-	1	-	14	9	7	-	16	16	-	-	21.14
4	-	-	1	-	5	2	1	-	3	3	-	-	7.06
3	-	-	-	-	3	9	13	-	22	22	-	-	19.47
5	-	-	-	-	5	2	3	-	5	5	-	-	14.49
4	-	-	-	-	4	4	4	-	8	7	-	1	10.19
-	-	-	-	-	-	2	5	-	7	7	-	-	11.86
1	-	-	-	-	1	6	4	-	10	10	-	-	17.27
22	2	9	6	2	41	32	25	-	57	48	8	1	16.24
3	-	-	1	-	4	2	5	-	7	6	1	-	9.94
4	-	-	-	-	4	5	9	-	14	14	-	-	14.37
34	-	3	6	-	43	26	15	-	41	38	2	1	22.59
5	-	-	-	-	5	7	6	-	13	13	-	-	22.26
2	-	-	-	-	2	3	7	-	10	6	4	-	23.70
11	-	-	1	-	12	10	6	-	16	14	2	-	15.47
12	-	-	-	-	12	18	15	-	33	31	1	1	19.93
6	-	-	1	-	7	12	9	-	21	19	-	2	20.92
35	2	2	2	-	41	14	10	-	24	22	2	-	9.59
3	-	-	-	-	3	7	4	-	11	11	-	-	23.01
3	-	-	-	-	3	8	15	-	23	22	1	-	19.07
52	2	4	11	-	69	41	42	-	83	72	10	1	16.38
4	-	-	-	-	4	4	-	-	4	3	1	-	8.35
3	-	-	1	-	4	4	9	-	13	12	-	1	13.31

TABLE
Births, Marriages, and Deaths

SOMERSET

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Starks	766	4	7	-	11	14.36	10	-	-	1	-
Bigelow Pl	62	1	1	-	2	32.26	2	-	-	-	-
Brighton Pl.....	434	4	4	-	8	18.43	8	-	-	-	-
Carratunk Pl.	192	-	1	-	1	5.21	-	-	1	-	-
Dead River Pl.....	104	2	1	-	3	28.85	3	-	-	-	-
Dennistown Pl	66	1	2	-	3	45.45	3	-	-	-	-
Flagstaff Pl	87	3	-	-	3	34.48	3	-	-	-	-
Highland Pl.....	76	2	1	-	3	39.47	3	-	-	-	-
Jackman Pl.....	217	6	9	-	15	69.12	-	10	2	3	-
Lexington Pl	199	-	-	-	-	-	-	-	-	-	-
Mayfield Pl	74	2	1	-	3	40.54	3	-	-	-	-
Moose River Pl	170	6	6	-	12	70.59	7	3	1	1	-
Pleasant Ridge Pl.....	-	-	-	-	-	-	-	-	-	-	-
The Forks Pl	195	3	5	-	8	41.03	2	2	3	1	-
West Forks Pl	146	4	2	-	6	41.10	1	-	4	1	-
North West Carry.....	-	-	-	-	-	-	-	-	-	-	-
Total	* 32,329	315	322	-	637	19.70	481	62	56	30	-

* Population in unorganized plantations in 1890, 298.

No. 7—Continued.

for the year 1897.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	-	-	3	5	2	-	7	7	-	-	9.14
-	-	-	-	-	-	-	2	-	2	2	-	-	32.26
3	-	-	-	-	3	4	2	-	6	6	-	-	13.82
-	-	-	-	-	-	-	1	-	1	1	-	-	5.21
-	-	-	-	-	-	-	1	-	1	1	-	-	9.62
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	4	-	-	4	4	-	-	45.98
1	-	-	-	-	1	-	2	-	2	2	-	-	26.32
2	3	-	1	-	6	3	2	-	5	2	3	-	23.04
-	-	-	-	-	-	1	1	-	2	2	-	-	10.05
-	-	-	-	-	-	-	1	-	1	1	-	-	13.51
1	-	-	-	-	1	2	3	-	5	2	3	-	29.41
-	-	-	-	-	-	1	-	-	1	1	-	-	-
1	-	-	1	-	2	-	1	-	1	1	-	-	5.13
1	-	-	-	-	1	1	-	-	1	-	1	-	6.85
-	-	-	-	-	-	1	-	-	1	-	1	-	-
255	9	18	33	2	317	265	253	-	518	469	41	8	16.02

TABLE
Births, Marriages, and Deaths

WALDO

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast	5,294	19	23	-	42	7.93	37	-	1	4	-
Belmont	475	3	5	-	8	16.84	8	-	-	-	-
Brooks	730	5	7	-	12	16.44	12	-	-	-	-
Burnham	846	15	9	-	24	28.37	24	-	-	-	-
Frankfort	1,099	11	6	-	17	15.47	14	-	2	1	-
Freedom	510	6	7	-	13	25.49	12	-	-	-	1
Islesboro.....	1,006	7	8	-	15	14.91	14	1	-	-	-
Jackson	522	2	2	-	4	7.66	4	-	-	-	-
Knox	657	10	3	-	13	19.79	11	-	-	2	-
Liberty.....	835	5	2	-	7	8.38	7	-	-	-	-
Lincolnvill.....	1,361	12	12	-	24	17.63	23	-	1	-	-
Monroe.....	1,079	6	9	-	15	13.90	15	-	-	-	-
Montville	1,049	7	12	-	19	18.11	19	-	-	-	-
Morrill	460	-	8	-	8	17.39	8	-	-	-	-
Northport.....	691	1	3	-	4	5.79	4	-	-	-	-
Palermo.....	887	4	2	-	6	6.76	4	-	-	2	-
Prospect	697	5	9	-	14	20.09	10	4	-	-	-
Searsmont.....	1,144	7	7	-	14	12.24	14	-	-	-	-
Searsport	1,693	7	10	-	17	10.04	17	-	-	-	-
Stockton Springs.....	1,149	6	5	-	11	9.57	10	-	1	-	-
Swanville.....	689	7	6	-	13	18.87	8	-	3	1	1
Thorndike	589	5	7	-	12	20.37	9	-	3	-	-
Troy	868	7	11	-	18	20.74	15	-	3	-	-
Unity	922	9	7	-	16	17.35	16	-	-	-	-
Waldo	581	5	6	-	11	18.93	11	-	-	-	-
Winterport	1,926	11	10	-	21	10.90	18	-	-	3	-
Total	27,759	182	196	-	378	13.62	344	5	14	13	2

No. 7—Continued.
for the Year 1897.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
45	-	4	1	-	50	38	37	-	75	75	-	-	14.15
1	-	1	-	-	2	2	3	-	5	5	-	-	10.52
4	-	-	-	-	4	6	8	-	14	14	-	-	19.18
13	-	-	-	-	13	4	8	-	12	12	-	-	14.18
5	-	-	-	-	5	10	6	1	17	16	1	-	15.47
3	-	-	-	-	3	2	3	-	5	5	-	-	9.80
5	-	-	-	-	5	4	5	-	9	9	-	-	8.95
12	-	-	-	-	12	4	5	-	9	8	-	1	17.24
1	-	-	-	-	1	5	7	-	12	12	-	-	18.26
6	-	-	-	-	6	9	1	-	10	10	-	-	11.98
5	-	-	-	-	5	8	7	-	15	14	1	-	11.02
9	-	-	-	-	9	14	8	-	22	22	-	-	20.39
15	-	-	-	-	15	9	9	-	18	17	-	1	17.15
6	-	-	-	-	6	3	7	-	10	10	-	-	21.74
5	-	-	2	-	7	5	7	-	12	12	-	-	17.37
3	-	-	-	-	3	6	6	-	12	12	-	-	13.52
1	-	-	-	-	1	2	4	-	6	6	-	-	8.61
4	-	1	1	-	6	13	9	-	22	21	-	1	19.23
13	-	-	-	-	13	12	17	-	29	28	1	-	17.13
4	-	-	-	-	4	5	6	-	11	11	-	-	9.57
2	-	-	-	-	2	8	7	-	15	15	-	-	21.77
2	-	-	-	-	2	2	3	-	5	5	-	-	8.48
7	-	-	-	-	7	9	9	-	18	18	-	-	20.74
8	-	1	-	-	9	8	6	-	14	13	1	-	15.18
5	-	-	-	-	5	5	5	-	10	10	-	-	17.21
19	-	-	-	-	19	21	17	-	38	35	3	-	19.73
203	-	7	4	-	214	214	210	1	425	415	7	3	15.31

TABLE
Births, Marriages, and Deaths

WASHINGTON

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison.....	1,022	16	10	-	26	25.44	24	-	1	-	1
Alexander.....	337	6	6	-	12	35.61	12	-	-	-	-
Baileyville.....	226	1	2	-	3	13.27	2	-	1	-	-
Baring.....	273	2	7	-	9	32.97	3	3	2	1	-
Beddington.....	184	1	1	-	2	10.87	2	-	-	-	-
Brookton.....	429	6	3	-	9	20.98	3	2	4	-	-
Calais.....	7,290	116	119	-	235	32.24	68	49	47	67	4
Centerville.....	114	1	-	-	1	8.77	1	-	-	-	-
Charlotte.....	381	2	4	-	6	15.75	6	-	-	-	-
Cherryfield.....	1,787	15	8	2	25	13.99	23	-	-	1	1
Columbia.....	587	5	7	-	12	20.44	12	-	-	-	-
Columbia Falls.....	698	10	5	-	15	21.49	13	-	-	-	2
Cooper.....	264	2	2	-	4	15.15	4	-	-	-	-
Crawford.....	140	-	1	-	1	7.14	1	-	-	-	-
Danforth.....	1,063	12	18	-	30	28.22	8	9	4	9	-
Deblois.....	76	-	-	-	-	-	-	-	-	-	-
Dennysville.....	452	6	5	-	11	24.34	11	-	-	-	-
East Machias.....	1,637	20	19	-	39	23.82	30	1	3	1	4
Eastport.....	4,908	70	46	-	116	23.63	36	27	21	32	-
Edmunds.....	395	11	6	-	17	43.04	17	-	-	-	-
Forest City.....	287	2	-	-	2	6.97	-	-	1	1	-
Harrington.....	1,150	8	6	-	14	12.17	13	-	-	1	-
Jonesboro.....	470	8	8	-	16	34.04	16	-	-	-	-
Jonesport.....	1,917	32	29	-	61	31.82	51	-	7	3	-
Lubec.....	2,069	25	25	-	50	24.17	36	4	5	5	-
Machias.....	2,035	20	26	-	46	22.60	43	-	2	1	-
Machiasport.....	1,437	13	11	-	24	16.70	23	-	-	1	-

No. 7—Continued.
for the Year 1897.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
5	-	-	-	-	5	7	3	-	10	10	-	-	9.78
3	-	-	-	1	4	1	1	-	2	2	-	-	5.93
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	1	-	6	-	6	6	-	-	21.98
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	2	-	3	-	3	2	1	-	6.99
23	21	10	16	-	70	70	60	-	130	92	37	1	17.82
-	-	-	-	-	-	-	1	-	1	1	-	-	8.77
-	-	-	-	-	-	-	2	4	6	6	-	-	15.75
14	-	-	-	-	14	9	5	-	14	12	2	-	7.83
1	-	-	1	-	2	6	3	-	9	8	1	-	15.33
6	-	-	-	-	6	3	4	-	7	7	-	-	10.03
-	-	-	-	-	-	2	1	-	3	-	2	1	11.36
1	-	-	-	-	1	1	-	-	1	1	-	-	7.14
10	-	1	1	-	12	12	8	-	20	19	1	-	18.81
1	-	-	-	-	1	1	-	-	1	1	-	-	13.16
4	-	-	-	-	4	3	3	-	6	6	-	-	13.27
7	-	-	-	-	7	10	11	-	21	21	-	-	12.83
17	16	10	10	-	53	30	37	-	67	45	20	2	13.65
4	-	-	-	-	4	3	5	-	8	7	1	-	20.25
-	1	-	-	-	1	-	-	-	-	-	-	-	-
5	-	-	-	-	5	9	6	-	15	13	2	-	13.04
1	-	-	-	-	1	6	6	-	12	12	-	-	25.53
19	-	1	1	-	21	13	8	-	21	20	1	-	10.95
13	3	3	4	-	23	10	14	-	24	18	4	2	11.59
35	-	-	2	-	17	18	15	-	33	29	4	-	16.21
5	-	-	-	-	5	6	7	-	13	12	1	-	9.05

TABLE
Births, Marriages, and Deaths
WASHINGTON

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Marshfield	299	2	4	-	6	20.07	5	-	1	-	-
Meddybemps	156	1	1	-	2	12.82	2	-	-	-	-
Milbridge	1,963	18	25	-	43	21.91	39	-	-	3	1
Northfield.....	143	1	1	-	2	13.99	2	-	-	-	-
Pembroke	1,514	24	18	-	42	27.74	35	2	1	4	-
Perry	945	14	13	-	27	28.57	21	3	1	2	-
Princeton	1,027	16	17	-	33	32.13	23	3	4	2	1
Robbinston	787	14	9	-	23	29.22	14	1	6	2	-
Roque Bluffs.....	154	-	2	-	2	12.99	2	-	-	-	-
Steuben	982	9	8	-	17	17.31	14	-	-	3	-
Talmage	112	2	2	-	4	35.71	2	-	2	-	-
Topsfield.....	375	4	4	-	8	21.33	5	-	2	-	1
Trescott	485	9	2	-	11	22.68	10	-	1	-	-
Vanceboro	870	15	10	-	25	28.74	2	10	7	6	-
Waite.....	159	1	2	-	3	18.87	1	-	2	-	-
Wesley	227	3	3	-	6	26.43	4	-	1	1	-
Whiting	393	7	3	-	10	25.45	9	-	-	-	1
Whitneyville	413	6	1	-	7	16.95	5	-	-	-	2
Codyville Pl.....	72	2	-	-	2	27.78	2	-	-	-	-
Grand Lake Stream Pl,	404	7	10	-	17	42.08	10	1	6	-	-
Kossuth Pl.....	68	-	1	-	1	14.71	-	-	-	-	1
Lambert Lake Pl	152	1	2	-	3	13.16	2	-	1	-	-
No. 14 Pl.....	112	1	3	-	4	35.71	2	-	-	2	-
No. 21 Pl.....	81	3	1	-	4	49.38	4	-	-	-	-
No. 10, R. 3	37	-	-	-	-	-	-	-	-	-	-
Total	* 43,558	570	516	2	1,088	24.98	673	115	133	148	19

* Population in unorganized plantations in 1890, 924.

No. 7—Continued.
for the Year 1897.
 COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both American.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	2	4	-	6	6	-	-	20.07
-	-	-	-	-	-	2	1	-	3	3	-	-	19.23
10	-	-	-	-	10	7	14	-	21	21	-	-	10.70
-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	2	1	-	17	14	12	-	26	22	4	-	17.17
7	-	1	1	-	9	4	8	-	12	9	3	-	12.70
6	-	2	1	-	9	8	5	-	13	7	6	-	12.66
9	-	1	-	-	10	4	5	-	9	5	4	-	11.44
-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	-	1	-	-	11	4	3	-	7	7	-	-	7.12
-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	3	2	6	-	8	7	1	-	21.33
-	-	-	-	-	-	5	5	-	10	7	3	-	20.61
2	1	-	-	-	3	6	2	-	8	6	2	-	9.20
-	-	-	-	-	-	1	1	-	2	2	-	-	12.58
1	-	-	-	-	1	2	4	-	6	4	2	-	26.43
-	-	-	-	-	-	7	6	-	13	11	1	1	33.08
1	-	-	-	-	1	1	2	-	3	2	1	-	7.26
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	5	2	-	7	6	1	-	17.33
1	-	-	-	-	1	1	-	-	1	1	-	-	14.71
-	1	-	-	-	1	1	1	-	2	2	-	-	13.16
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	3.48
222	43	33	39	1	338	299	292	-	591	479	105	7	13.57

TABLE
Births, Marriages, and Deaths
YORK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton.....	878	5	5	-	10	11.39	8	2	-	-	-
Alfred.....	1,030	5	8	-	13	12.62	11	-	1	1	-
Berwick.....	2,294	25	29	-	54	23.54	37	10	3	4	-
Biddeford.....	14,443	256	239	-	495	34.21	56	362	35	38	4
Buxton.....	2,036	21	11	-	32	15.72	32	-	-	-	-
Cornish.....	1,118	9	7	-	16	14.31	15	-	-	1	-
Dayton.....	500	3	4	-	7	14.00	7	-	-	-	-
Eliot.....	1,463	15	19	-	34	23.24	29	3	1	1	-
Hollis.....	1,278	13	8	-	21	16.43	19	-	1	1	-
Kennebunk.....	3,172	21	23	-	44	13.87	31	6	2	5	-
Kennebunkport.....	2,196	22	23	-	45	20.49	36	3	-	5	1
Kittery.....	2,864	16	19	-	35	12.22	27	1	2	4	1
Lebanon.....	1,263	9	11	-	20	15.84	17	-	1	2	-
Limerick.....	966	6	7	-	13	13.46	12	-	-	1	-
Limington.....	1,092	5	8	-	13	11.90	12	-	1	-	-
Lyman.....	854	4	7	-	11	12.88	10	-	-	1	-
Newfield.....	796	5	1	-	6	7.54	6	-	-	-	-
North Berwick.....	1,803	19	24	-	43	23.85	41	-	1	1	-
Old Orchard.....	877	6	6	-	12	13.68	9	3	-	-	-
Parsonsfield.....	1,398	8	6	-	14	10.01	14	-	-	-	-
Saco.....	6,075	57	67	-	124	20.41	76	28	9	8	3
Sanford.....	4,201	63	61	-	124	29.52	53	56	4	9	2

No. 7—Continued.
for the Year 1897.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	7	2	-	9	9	-	-	10.25
4	-	-	1	-	5	7	8	-	15	15	-	-	14.56
6	-	-	-	-	6	13	20	-	33	30	3	-	14.39
44	68	10	12	1	135	172	153	-	325	225	96	4	22.50
8	-	1	2	-	11	16	16	-	32	31	1	-	15.72
10	-	-	1	-	11	10	7	-	17	17	-	-	15.21
2	-	-	-	-	2	8	3	-	11	10	1	-	22.00
7	-	1	-	-	8	14	16	-	30	29	1	-	20.51
5	-	-	-	-	5	11	15	-	26	26	-	-	20.34
18	1	1	-	-	20	15	35	-	50	48	2	-	15.76
5	1	-	1	3	10	17	21	-	38	33	1	4	17.30
9	-	2	1	-	12	18	19	-	37	33	2	2	12.92
3	-	-	-	-	3	12	13	-	25	24	1	-	19.79
4	-	1	-	-	5	11	4	-	15	15	-	-	15.53
5	-	-	-	-	5	6	2	-	8	8	-	-	7.33
8	-	-	-	-	8	9	7	-	16	16	-	-	18.74
6	-	-	-	-	6	7	9	-	16	16	-	-	20.10
8	-	1	-	-	9	12	8	-	20	19	1	-	11.09
6	-	2	1	-	9	8	9	-	17	16	1	-	19.38
7	-	1	1	-	9	6	10	-	16	16	-	-	11.44
44	1	3	2	-	50	49	65	-	114	94	19	1	18.77
23	20	6	4	-	53	31	46	-	77	59	18	-	18.33

TABLE
Births, Marriages, and Deaths
YORK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Shapleigh	968	8	8	-	16	16.53	13	-	2	1	-
South Berwick	3,434	31	34	-	65	18.93	40	14	3	6	2
Waterboro	1,357	9	12	-	21	15.48	21	-	-	-	-
Wells	2,029	14	7	-	21	10.34	18	-	-	3	-
York	2,444	32	17	-	49	20.05	40	3	4	-	2
Total	62,829	687	671	-	1,358	21.61	690	491	70	92	15

No. 7—Concluded.

for the Year 1897.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			Death-rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	8	7	-	15	14	1	-	15.50
18	2	3	2	-	25	25	44	-	69	56	9	4	20.09
12	-	-	-	-	12	12	9	-	21	21	-	-	15.48
8	-	-	-	-	8	23	25	-	48	47	1	-	23.65
12	1	-	-	-	13	14	27	-	41	37	1	3	16.78
285	94	32	28	4	443	541	600	-	1,141	964	159	18	18.16

TABLE:
RECAPITULATION

COUNTIES.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin ...	48,968	497	520	-	1,017	20.77	403	498	57	56	3.
Aroostook.....	49,589	930	872	-	1,802	36.64	923	320	271	267	21
Cumberland	90,949	1,019	1,000	5	2,024	22.25	1,146	524	147	188	19.
Franklin	17,053	196	179	-	375	22.21	285	51	25	9	5.
Hancock	37,312	384	364	-	748	20.20	649	24	40	28	7
Kennebec	57,012	611	604	-	1,215	21.31	711	288	96	105	15.
Knox	31,473	301	287	-	588	18.69	477	48	33	19	11
Lincoln	21,896	162	184	-	346	15.73	326	3	5	8	4.
Oxford	30,586	280	297	-	577	19.01	458	62	25	26	6
Penobscot..	72,865	802	775	2	1,579	21.73	996	270	164	136	13
Piscataquis	16,134	175	175	2	352	22.33	250	50	25	23	4.
Sagadahoc	19,452	181	165	-	346	17.79	232	66	21	24	3
Somerset	32,627	315	322	-	637	19.70	481	62	56	30	8
Waldo	27,759	182	196	-	378	13.62	344	5	14	13	2
Washington	44,482	570	516	2	1,088	24.98	673	115	133	148	19
York	62,829	687	671	-	1,358	21.61	690	491	70	92	15.
Total.....	661,086	7,292	7,127	11	14,430	21.83	9,044	2,877	1,182	1,172	155.

No. 3.

BY COUNTIES.

MARRIAGES.						DEATHS.							
						Sex.			Nativity.			Death-rate.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
219	95	40	48	3	405	494	500	1	995	803	174	18	20.32
242	86	59	91	5	483	365	395	1	761	594	155	12	15.47
471	115	62	45	5	698	866	899	-	1,765	1,468	245	52	19.41
145	14	7	2	-	168	155	127	-	282	269	6	7	16.70
266	2	9	13	1	291	302	283	1	586	550	26	10	15.82
317	68	33	34	12	464	571	567	2	1,140	1,004	107	29	20.00
200	5	13	19	-	237	249	226	-	475	441	25	9	15.10
112	-	3	6	3	124	170	173	-	343	320	15	8	15.59
210	8	9	12	2	241	262	232	-	494	472	13	9	16.27
482	53	39	58	15	647	608	572	-	1,180	988	150	42	16.24
122	14	4	10	-	150	119	122	-	241	231	8	2	15.29
88	5	6	12	-	111	144	155	-	299	258	39	2	15.37
255	9	18	33	2	317	265	253	-	518	469	41	8	16.02
203	-	7	4	-	214	214	210	1	425	415	7	3	15.31
222	43	33	39	1	338	299	292	-	591	479	105	7	13.57
285	94	32	28	4	443	541	600	-	1,141	964	159	18	18.16
3,839	611	374	454	53	5,331	5,624	5,606	6	11,236	9,725	1,275	236	16.99

TABLE No. 9.

Births and Birth-Rates by Counties for the Years 1892-97.

	1892.		1893.		1894.		1895.		1896.		1897.	
	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.
State	14,028	21.21	13,908	21.04	13,940	21.09	14,762	22.33	14,693	22.23	14,430	21.83
Androscoggin ...	991	20.23	1,053	21.50	1,079	22.03	1,244	25.40	1,216	24.83	1,017	20.77
Aroostook	1,610	32.46	1,553	32.44	1,750	35.84	1,946	39.56	1,780	36.21	1,802	36.64
Cumberland	2,048	22.51	2,017	22.17	2,032	22.34	2,146	23.60	2,252	24.76	2,024	22.25
Franklin	345	20.23	314	18.60	328	19.43	362	21.43	397	23.55	375	22.21
Hancock	757	20.28	739	19.97	750	22.07	782	21.13	768	20.78	748	20.20
Kennebec	1,064	18.66	1,149	20.15	997	17.49	1,075	18.86	1,103	19.35	1,215	21.31
Knox	572	18.14	652	20.73	600	19.05	622	19.78	626	19.91	588	18.69
Lincoln	402	18.27	348	15.89	362	16.50	376	17.09	351	15.96	346	15.73
Oxford	524	17.13	498	16.36	564	18.47	588	19.35	565	18.61	577	19.01
Penobscot	1,452	19.92	1,375	18.91	1,444	19.89	1,479	20.37	1,531	21.07	1,579	21.73
Piscataquis	343	21.25	339	21.66	288	18.19	333	21.14	316	20.24	352	22.33
Sagadahoc	375	19.27	391	20.10	367	18.87	387	19.90	368	18.92	346	17.79
Somerset	629	19.27	642	19.90	553	17.14	622	19.19	612	18.95	637	19.70
Waldo	404	14.55	435	15.67	390	14.04	412	14.84	365	13.15	378	13.62
Washington	1,081	24.30	1,001	22.64	1,116	25.02	914	20.72	971	22.28	1,088	24.98
York	1,431	22.77	1,402	22.31	1,301	21.17	1,474	23.46	1,472	23.43	1,358	21.61

TABLE No. 10.

Births by Counties, Showing Proportion of Males to Females, 1897.

COUNTIES.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin	497	520	-	1,017	-	23	95.5
Aroostook	930	872	-	1,802	58	-	106.6
Cumberland	1,019	1,000	5	2,024	19	-	101.9
Franklin	196	179	-	375	17	-	109.4
Hancock	384	364	-	748	20	-	105.5
Kennebec.....	611	604	-	1,215	7	-	101.1
Knox	301	287	-	588	14	-	104.9
Lincoln	162	184	-	346	-	22	88.0
Oxford	280	297	-	577	-	17	94.3
Penobscot	802	775	2	1,579	27	-	103.5
Piscataquis	175	175	2	352	-	-	100.0
Sagadahoc	181	165	-	346	16	-	109.6
Somerset.....	315	322	-	637	-	7	97.9
Waldo	182	196	-	378	-	14	92.9
Washington	570	516	2	1,088	54	-	110.4
York	687	671	-	1,358	16	-	102.4
Total	7,292	7,127	11	14,430	165	-	102.3

TABLE No. 11.

Number of Births in each Month of 1892, 1893, 1894, 1895, 1896, and 1897, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1892.		1893.		1894.		1895.		1896.		1897.	
	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January	1,016	85.3	1,151	97.5	962	81.3	1,182	94.3	1,149	92.1	1,125	91.9
February ...	1,113	103.4	1,082	101.5	980	91.7	1,082	95.6	1,227	105.1	1,120	101.4
March	1,345	112.9	1,162	98.4	1,335	116.6	1,329	106.1	1,330	106.6	1,390	113.6
April	1,275	110.6	1,259	110.1	1,324	115.6	1,287	106.1	1,318	109.2	1,259	106.2
May.....	1,323	111.1	1,273	107.7	1,255	106.1	1,308	104.4	1,379	110.5	1,287	105.1
June	1,176	101.9	1,162	101.7	1,200	104.8	1,236	101.9	1,190	98.6	1,248	105.3
July.....	1,222	102.6	1,176	99.6	1,286	108.7	1,290	103.0	1,207	96.7	1,272	103.9
August	1,191	100.0	1,213	102.7	1,213	102.5	1,312	104.7	1,246	99.9	1,302	106.4
September .	1,144	99.2	1,115	97.6	1,168	102.0	1,233	101.6	1,257	104.1	1,205	101.8
October	1,047	87.9	1,126	95.3	1,064	89.9	1,189	94.9	1,220	97.8	1,138	93.0
November..	1,002	86.9	1,032	90.3	980	85.6	1,115	91.9	1,091	90.4	982	82.9
December..	1,111	93.1	1,109	93.9	1,164	98.4	1,193	95.2	1,069	85.7	1,077	88.0
Unknown ..	63	-	48	-	9	-	6	-	10	-	12	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 12.

Births by Sex and Months, by Counties, 1897.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males	37	42	52	40	48	44	41	39	39	36	45	34	-	497	-
females ..	41	39	43	44	47	57	56	43	30	46	37	37	-	520	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1017
Aroostook, males ...	75	79	95	95	86	76	92	85	67	59	57	59	5	930	-
females...	64	53	100	99	88	91	75	80	53	52	52	63	2	872	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1802
Cumberland, males ..	67	91	81	89	89	89	76	95	98	84	86	74	-	1019	-
females...	85	82	99	85	81	85	84	84	83	84	77	71	-	1000	-
not stated	-	-	1	1	1	1	-	-	-	-	-	-	-	5	2024
Franklin, males	13	23	12	9	19	13	17	27	23	17	10	13	-	196	-
females...	18	15	17	13	19	17	12	13	16	13	15	11	-	179	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	375
Hancock, males	28	30	38	36	30	26	22	32	44	35	32	31	-	384	-
females...	25	24	28	31	38	27	26	25	44	36	30	30	-	364	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	748
Kennebec, males	36	65	59	56	57	51	51	58	67	37	37	36	1	611	-
females...	45	43	53	38	60	55	76	58	36	74	37	29	-	604	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1215
Knox, males	24	19	23	28	30	21	23	34	32	31	16	20	-	301	-
females...	31	20	25	29	16	36	25	30	20	21	15	19	-	287	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	588
Lincoln, males	12	7	20	12	14	9	16	16	17	12	14	13	-	162	-
females...	6	15	15	18	21	14	15	15	17	18	10	20	-	184	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	346
Oxford, males	24	29	28	34	23	27	23	18	21	19	18	16	-	280	-
females...	31	27	33	22	35	24	23	19	20	25	23	15	-	297	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	577
Penobscot, males ...	67	66	94	66	68	67	62	70	67	50	59	66	-	802	-
females...	68	57	75	65	73	63	70	71	57	70	47	59	-	775	-
not stated	-	-	-	-	-	-	1	1	-	-	-	-	-	2	1579
Piscataquis, males ...	10	12	16	15	17	14	13	20	12	18	11	16	1	175	-
females...	18	11	16	10	16	24	16	20	8	14	11	11	-	175	-
not stated	1	-	-	-	1	-	-	-	-	-	-	-	-	2	352
Sagadahoc, males ...	24	19	16	10	15	13	19	14	13	10	10	18	-	181	-
females...	10	9	10	10	14	20	15	20	10	18	10	19	-	165	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	346
Somerset, males	22	26	24	23	36	36	23	33	28	19	22	23	-	315	-
females...	28	22	30	29	24	30	30	28	25	20	24	32	-	322	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	637
Waldo, males	18	11	18	16	16	14	19	15	18	14	9	14	-	182	-
females...	15	16	16	19	11	12	9	29	22	9	19	19	-	196	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	378
Washington, males...	44	44	59	51	42	42	54	41	59	41	36	54	3	570	-
females...	27	32	56	47	42	38	50	52	58	47	28	39	-	516	-
not stated	-	-	-	-	-	-	2	-	-	-	-	-	-	2	1088
York, males	58	52	66	57	61	60	73	60	53	55	39	53	-	687	-
females...	54	43	72	63	51	54	65	58	48	52	48	63	-	671	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1358
Total, males	559	615	701	637	651	602	624	657	658	537	501	540	10	7292	-
females...	566	508	688	622	636	647	647	645	547	599	483	537	2	7127	-
not stated	1	-	1	1	1	1	3	1	-	1	-	-	-	11	-
	1126	1123	1390	1260	1288	1250	1274	1303	1205	1138	984	1077	12	14430	14430

TABLE No. 13.
Births in Cities for 1897, with Rate per 1,000 of Population.

CITIES.	Population in 1890.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn	11,250	89	82	-	171	15.20	108.5
Augusta	10,527	133	103	-	236	22.42	129.1
Bangor	19,103	169	212	2	383	20.05	79.7
Bath	8,723	90	67	-	157	18.00	134.3
Belfast	5,294	19	23	-	42	7.93	82.6
Biddeford	14,443	256	339	-	495	34.21	107.1
Brewer	4,193	68	64	-	132	31.48	106.2
Calais	7,290	116	119	-	235	32.24	98.3
Deering	5,353	68	72	-	140	26.15	94.4
Eastport	4,908	70	46	-	116	23.63	152.2
Ellsworth	4,804	27	28	-	55	11.45	96.4
Gardiner	5,491	62	76	-	138	25.13	81.6
Hallowell	3,181	35	36	-	71	22.32	97.2
Lewiston	21,701	245	252	-	497	22.90	97.2
Old Town	5,312	86	78	-	164	30.87	110.3
Portland	36,425	419	411	4	834	22.90	101.9
Rockland	8,174	84	62	-	146	17.86	135.5
Saco	6,075	57	67	-	124	20.41	85.1
Waterville	7,107	143	152	-	295	41.51	94.1
Westbrook	6,632	97	80	-	177	26.68	121.2
Total	195,986	2,333	2,269	6	4,608	23.51	97.2

TABLE No. 14.
Percentage of American and Foreign Births by Counties, 1897.

COUNTIES.	PARENTS.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin	39.63	48.97	11.11	0.29
Aroostook	51.22	17.76	29.86	1.16
Cumberland	56.62	25.89	16.55	0.94
Franklin	76.00	13.60	9.07	1.33
Hancock	86.76	3.21	9.09	0.94
Kennebec	58.52	23.70	16.54	1.24
Knox	81.12	8.16	8.84	1.88
Lincoln	94.22	0.86	3.76	1.16
Oxford	79.38	10.75	8.84	1.03
Penobscot	63.08	17.10	18.99	0.83
Piscataquis	71.02	14.20	13.64	1.14
Sagadahoc	67.05	19.07	13.01	0.87
Somerset	75.51	9.73	13.50	1.26
Waldo	90.96	1.37	7.40	0.27
Washington	61.86	10.57	25.83	1.74
York	50.81	36.15	11.93	1.11
State	62.65	19.96	16.32	1.07

TABLE No. 15.
Percentage of American and Foreign Births, by Cities, 1897.

CITIES.	PARENTS.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Auburn.....	46.20	43.27	10.53	-
Augusta	51.27	33.90	14.83	-
Bangor.....	54.83	21.93	21.41	1.83
Bath.	61.15	20.38	17.83	0.64
Belfast	88.09	-	11.91	-
Biddeford.....	11.31	73.13	14.74	0.82
Brewer.....	50.00	28.03	21.97	-
Calais	28.94	20.85	48.51	1.70
Deering.....	60.71	16.43	19.28	3.58
Eastport	31.03	23.28	45.69	-
Ellsworth.....	96.37	-	1.81	1.82
Gardiner.....	64.49	16.67	14.49	4.35
Hallowell.....	57.74	21.13	21.13	-
Lewiston	19.92	66.60	13.07	0.41
Old Town	37.57	29.70	30.91	1.82
Portland.....	42.69	34.05	22.78	0.48
Rockland	86.98	5.48	4.12	3.42
Saco	61.29	22.58	13.71	2.42
Waterville.....	29.49	41.02	28.14	1.35
Westbrook.....	37.29	43.51	18.64	0.56
Collectively	41.45	36.98	20.51	1.06

TABLE No. 16.
Twin Births by Months and Counties, 1897.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	-	2	2	-	1	2	3	2	-	1	-	1	-	14
Aroostook	1	-	3	6	5	2	2	4	1	1	3	1	-	29
Cumberland	2	2	2	2	1	4	2	2	-	2	1	2	-	22
Franklin	-	-	-	-	1	2	-	3	-	-	-	-	-	6
Hancock	-	1	1	1	-	-	1	-	2	2	-	2	-	10
Kennebec	2	1	1	-	1	1	3	1	1	-	-	1	-	12
Knox	-	1	2	-	-	1	-	-	-	-	-	-	-	4
Lincoln	-	-	-	-	2	-	-	1	-	-	-	1	-	4
Oxford	-	2	-	-	-	2	-	-	1	-	-	-	-	5
Penobscot	2	1	2	2	1	3	3	3	3	-	-	-	-	20
Piscataquis	-	-	-	-	-	1	-	2	-	-	-	-	1	4
Sagadahoc	1	1	-	-	2	1	1	1	-	-	1	1	-	9
Somerset	-	1	-	2	-	3	2	-	1	2	1	-	-	12
Waldo	1	-	-	1	-	-	-	1	2	-	-	1	-	6
Washington	-	1	4	-	2	-	1	-	3	-	-	1	-	12
York	3	-	-	2	2	-	2	1	1	-	-	-	-	11
Total	12	13	17	16	18	22	20	21	15	8	6	11	1	180

TABLE No. 17.
Twin Births, by Sex and Parentage, by Counties, 1897.

COUNTIES.	SEX.				PARENTAGE.								
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	Total.	Living children.	Still-born children.	Total.
Androscoggin	5	6	3	-	8	6	-	-	-	14	28	-	28
Aroostook	11	7	11	-	15	8	4	2	-	29	54	4	58
Cumberland	7	10	5	-	8	8	5	1	-	22	39	5	44
Franklin	1	2	5	-	4	1	1	-	-	6	9	3	12
Hancock	2	5	3	-	9	-	-	-	1	10	18	2	20
Kennebec.....	5	3	3	1	7	2	1	2	-	12	21	3	24
Knox.....	1	3	-	-	3	-	-	1	-	4	8	-	8
Lincoln	1	-	3	-	4	-	-	-	-	4	8	-	8
Oxford	2	1	2	-	3	1	-	-	1	5	10	-	10
Penobscot	5	8	7	-	14	3	1	2	-	20	34	6	40
Piscataquis.....	2	1	1	-	1	3	-	-	-	4	8	-	8
Sagadahoc.....	1	2	6	-	4	3	-	2	-	9	13	5	18
Somerset	7	3	2	-	10	2	-	-	-	12	22	2	24
Waldo.....	2	2	2	-	4	-	-	2	-	6	10	2	12
Washington	3	6	3	-	7	-	4	1	-	12	24	-	24
York	7	3	1	-	5	6	-	-	-	11	17	5	22
Total	62	62	55	1	106	43	16	13	2	180	323	37	360

TABLE No. 13.
Still-Births by Sex and Parentage, by Counties, 1897.

COUNTIES.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin.....	24	13	2	39	21	17	1
Aroostook.....	49	43	5	97	55	40	2
Cumberland.....	60	46	1	107	65	40	2
Franklin.....	8	16	3	27	25	2	-
Hancock.....	17	19	1	37	33	4	-
Kennebec.....	34	23	8	65	47	16	2
Knox.....	10	13	1	24	21	3	-
Lincoln.....	7	6	-	13	12	1	-
Oxford.....	15	11	-	26	25	1	-
Penobscot.....	41	24	3	68	47	21	-
Piscataquis.....	12	7	1	20	18	2	-
Sagadahoc.....	16	10	-	26	19	7	-
Somerset.....	17	16	2	35	27	6	2
Waldo.....	9	4	1	14	14	-	-
Washington.....	28	13	3	44	35	9	-
York.....	36	33	1	70	32	38	-
Total.....	383	297	32	712	496	207	9

TABLE No. 19.
Still-Births by Seasons, 1897.

MONTHS.			
January	66		
February	58		
March	67	Total for first quarter.....	191
April	61		
May.....	64		
June	72	Total for second quarter	197
July	64		
August	59		
September	73	Total for third quarter	196
October	43		
November	42		
December	42	Total for fourth quarter	127
Months not stated	1	Total not stated	1
Total.....	712		712

NOTES ON BIRTHS.

In the year 1897, 15,142 births were registered in the State, including still-births (14,028 in 1892, 14,604 in 1893, 14,607 in 1894, 15,430 in 1895, and 15,429 in 1896).

The number of living children born was 14,430, and the number of still-births was 712.

Of the whole number of living children of which the sex was certified, 7,292 were males and 7,127 were females. In 11 births, the sex was not stated. For each 100 girls born there were 102.3 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, 106.4 in 1895, and 105.3 in 1896).

Birth-rate.—The birth-rate of living children for the State was 21.83 for each 1,000 population, using the figures as given in the census returns for 1890 as the basis of calculation.

Table No. 13 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 population was 23.51 as compared with 21.11, the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. It was the highest in Aroostook, 36.64, and the lowest in Waldo, 13.62. In five counties, Aroostook, Cumberland, Franklin, Piscataquis, and Washington, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 4 and No. 8.

Parentage.—Of the total births in the State, 62.65 per cent. were of native parents; 19.96 per cent. were of foreign parentage; 16.32 per cent. were of parents, one of whom was foreign; while of 1.07 per cent. the nationality was not stated.

Lincoln county as in each of the previous years, had the largest percentage of native-born parents, to wit, 94.22 per cent. Waldo followed with 90.96 per cent. of native parentage, and only 1.37 per cent. in which both parents were foreign-born.

In Hancock county, in 86.76 per cent. of the births, the parents were native-born.

In Knox, the percentage was 81.12, and in Oxford, 79.38.

Low percentages of native-born parents were shown in Androscoggin county, where, in 39.63 per cent. of the births, the parents

were native-born, and 48.97 per cent. were foreign-born; and in York county with 50.81 per cent., and in Aroostook with 51.22 per cent. of the parents native-born.

The percentages of parentage, whether American-born or foreign-born may be found for the other counties in Table No. 14.

Comparing the percentage of the births in our twenty cities with that of the rest of the State we find that, in the cities, 41.45 per cent. of the births were of American parentage, while in the rural parts of the State the percentage of American-born children, was 72.63.

The largest percentage of foreign-born parents was in Biddeford, 73.13, and in Lewiston, 66.60.

The lowest percentage of foreign-born parents was in Belfast and Ellsworth where no birth was reported in which both parents were foreign, and in Rockland only 5.48 per cent. of the births had both parents foreign-born. For further comparison see Table No. 15.

Seasons and Births.—The largest number of births in any one month in 1897 was 1,390 in March; the smallest was 984 in November; the largest quarterly total was 3,798 in the second quarter; the smallest 3,199 in the last quarter.

The following is a tabular statement of the number of births in each quarter of each of the six years 1892-97:

	1st Quarter.	2d Quarter.	3rd Quarter.	4th Quarter.
1892	3,474	3,774	3,557	3,160
1893	3,395	3,694	3,504	3,267
1894	3,277	3,779	3,667	3,208
1895	3,593	3,831	3,835	3,497
1896	3,706	3,887	3,710	3,380
1897	3,639	3,798	3,782	3,199

The three months in which the largest number of births occurred were March, May, and August, 3,981.

Twin-births.—In 1897, 180 twin-births occurred; in 62 instances the twins were both boys; in 62, both girls; in 55, a boy and a girl. In 106 cases the parentage was American; in 43, foreign; and in 29 instances the parentage was mixed. Of the 360 children, 323 were born alive, and 37 were still-born.

Triplets in Waterboro. Other facts may be learned by consulting Tables No. 16 and No. 17.

Still-births.—Of the 712 still-born children, 383 were males, and 297 females. In 32 the sex was not stated. With the exception of 9 still-births, as to which the nativity of the mother was not stated, 496 were of American mothers, and 207 were of foreign mothers.

The largest number of still-births, 107, occurred in Cumberland county; while the minimum number, 13, was reported in Lincoln county.

The largest number of still-births, 73, was returned in September; the smallest number was 42 in November and December. See Tables No. 18 and No. 19 for other details.

TABLE No. 20.

Marriages and Marriage Rates by Counties for the Years 1892-97.

	1892.		1893.		1894.		1895.		1896.		1897.	
	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.
State	5,726	8.56	5,795	8.76	5,591	8.46	5,729	8.67	5,579	8.44	5,331	8.07
Androscoggin ...	479	9.78	463	9.46	456	9.31	459	9.37	461	9.41	405	8.27
Aroostook	458	9.24	494	9.96	492	9.92	543	10.95	483	9.74	483	9.74
Cumberland.....	779	8.57	820	9.02	757	8.32	813	8.94	770	8.47	698	7.67
Franklin.....	145	8.50	150	8.80	166	9.73	158	9.27	156	9.15	168	9.85
Hancock.....	307	8.23	311	8.33	327	8.76	321	8.60	303	8.12	291	7.79
Kennebec	553	9.70	529	9.28	478	8.38	506	8.88	506	8.88	464	8.14
Knox	276	8.77	318	10.10	270	8.58	287	9.12	258	8.19	237	7.53
Lincoln	172	7.82	155	7.05	143	6.50	150	6.81	166	7.55	124	5.64
Oxford.....	224	7.32	223	7.29	217	7.10	249	8.14	252	8.24	241	7.88
Penobscot	697	9.58	694	9.52	631	8.66	684	9.39	682	9.36	647	8.88
Piscataquis	133	8.24	143	8.86	144	8.92	151	9.35	152	9.42	150	9.30
Sagadahoc	157	8.07	131	6.73	131	6.73	111	5.71	136	6.99	111	5.71
Somerset	297	9.10	298	9.13	285	8.74	307	9.41	261	8.00	317	9.72
Waldo	240	8.65	225	8.11	226	8.14	218	7.89	197	7.10	214	7.71
Washington	354	7.96	406	9.13	414	9.31	320	7.19	348	7.82	338	7.60
York	455	7.24	435	6.92	454	7.23	452	7.19	448	7.13	443	7.05

TABLE No. 21.
Marriages by Counties and Nativity, 1897.

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin	219	95	40	48	3	405
Aroostook	242	86	59	91	5	483
Cumberland.....	471	115	62	45	5	698
Franklin	145	14	7	2	-	168
Hancock.....	266	2	9	13	1	291
Kennebec	317	68	33	34	12	464
Knox	200	5	13	19	-	237
Lincoln	112	-	3	6	3	124
Oxford	210	8	9	12	2	241
Penobscot.....	482	53	39	58	15	647
Piscataquis	122	14	4	10	-	150
Sagadahoc.....	88	5	6	12	-	111
Somerset	255	9	18	33	2	317
Waldo	203	-	7	4	-	214
Washington	222	43	33	39	1	338
York	285	94	32	28	4	443
Total.....	3,839	611	374	454	53	5,331

TABLE No. 22.
Marriages by Months and Counties, 1897.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	36	29	21	35	24	44	34	40	30	41	39	32	-	405
Aroostook	28	30	42	37	42	59	38	29	38	54	43	40	3	483
Cumberland	57	38	32	51	46	102	33	51	69	27	76	56	-	698
Franklin	16	11	5	8	20	14	7	13	20	18	21	15	-	168
Hancock	21	24	15	24	19	30	14	25	26	35	22	30	-	291
Kennebec	37	23	34	24	34	51	34	36	50	47	42	46	-	464
Knox	30	15	11	11	12	24	15	11	26	25	29	28	-	237
Lincoln	10	9	6	6	7	14	11	7	11	13	11	19	-	124
Oxford	27	9	12	12	19	19	23	20	17	29	33	21	-	241
Penobscot	36	30	31	53	56	71	47	55	80	67	66	55	-	647
Piscataquis	6	13	8	11	20	19	8	11	17	13	13	11	-	150
Sagadahoc	3	7	6	5	15	13	6	5	14	12	14	11	-	111
Somerset	17	18	23	17	27	30	26	27	32	28	40	32	-	317
Waldo	17	13	16	18	17	18	12	17	18	16	24	28	-	214
Washington.....	19	29	15	6	18	37	31	21	36	33	40	53	-	538
York.....	35	27	27	25	40	43	29	31	39	35	64	47	1	443
Total	395	325	304	343	416	588	368	399	523	553	589	524	4	5,331

TABLE No. 23.
Number of Marriages in Each Month of 1892, 1893, 1894, 1895,
1896, and 1897, with Monthly Ratio Compared with a Standard
of 100.

MONTHS.	1892.		1893.		1894.		1895.		1896.		1897.	
	Marriages.	Ratio.*	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.
January	321	66.1	397	80.7	400	84.2	449	92.2	452	95.4	395	87.3
February...	334	76.1	315	70.8	298	64.9	384	87.5	322	73.1	325	79.5
March	322	66.0	345	70.1	342	72.0	307	63.0	303	63.9	304	67.2
April	456	96.8	476	100.0	414	90.2	390	82.8	440	96.0	343	78.3
May.....	390	80.2	425	86.4	386	81.3	400	82.1	397	83.8	416	91.9
June	542	115.1	652	137.0	603	131.0	622	132.1	637	138.9	588	134.2
July.....	444	91.4	428	87.0	378	79.6	382	78.4	415	87.6	368	81.3
August	437	89.9	421	85.6	393	82.7	433	88.9	410	86.5	399	88.2
September .	567	120.4	551	115.8	541	117.9	576	122.2	529	115.4	523	119.4
October.....	569	117.1	582	118.3	636	133.9	632	129.8	577	121.8	553	122.2
November..	698	148.2	652	137.0	628	136.8	630	133.8	557	121.5	589	134.5
December..	608	125.1	515	104.7	554	116.6	523	107.4	537	113.3	524	115.8
Unknown ..	38	-	36	-	18	-	1	-	3	-	4	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 24.
Marriages by Ages and Counties, 1897.

COUNTIES.		Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscoggin.....	males	-	13	164	108	48	30	19	6	4	4	7	2	-	-	405
	females	1	105	158	71	27	16	11	7	6	-	2	1	-	-	405
Aroostook	males	-	18	185	141	70	27	12	14	6	3	4	-	-	3	483
	females	1	204	168	54	16	15	11	7	2	-	2	-	3	3	483
Cumberland.....	males	-	21	233	232	84	61	21	13	15	6	9	3	-	-	698
	females	1	121	311	138	57	36	12	11	5	5	-	1	-	-	698
Franklin.....	males	-	3	48	52	20	15	5	5	5	6	8	1	-	-	168
	females	4	47	48	31	11	8	8	4	3	1	2	1	-	-	168
Hancock.....	males	-	8	103	88	34	23	8	5	6	7	5	2	1	1	291
	females	1	88	117	41	14	8	4	5	5	4	3	-	1	1	291
Kennebec.....	males	-	22	162	128	52	38	22	10	9	9	10	1	-	-	464
	females	3	141	157	81	30	17	10	5	10	5	4	-	1	1	464
Knox.....	males	-	10	84	59	33	18	9	9	5	3	7	-	-	-	237
	females	-	60	96	33	14	13	9	4	4	2	2	-	-	-	237
Lincoln.....	males	-	1	41	40	12	10	7	3	7	-	1	1	1	-	124
	females	-	38	39	21	6	6	6	3	2	-	1	2	-	-	124
Oxford.....	males	-	15	80	69	34	14	10	12	1	1	2	2	1	-	241
	females	1	72	85	40	18	15	4	2	1	-	3	-	-	-	241
Penobscot.....	males	-	18	205	201	87	53	21	26	9	13	11	3	-	-	647
	females	1	168	244	115	48	25	18	14	4	3	4	1	-	2	647
Piscataquis.....	males	-	1	58	47	17	9	4	6	2	2	4	-	-	-	150
	females	1	38	56	27	9	4	5	3	4	2	1	-	-	-	150
Sagadahoc.....	males	-	3	39	31	16	6	5	6	1	3	1	-	-	-	111
	females	-	28	32	21	15	6	1	5	1	1	1	-	-	-	111
Somerset.....	males	-	12	113	86	34	31	15	10	7	3	4	2	-	-	317
	females	1	101	118	47	21	11	6	5	2	2	2	1	-	-	317
Waldo.....	males	-	11	75	51	20	10	10	6	9	9	3	-	-	-	214
	females	1	53	73	37	8	14	6	5	4	6	7	-	-	-	214
Washington.....	males	-	15	148	91	30	23	12	10	2	2	4	1	-	-	338
	females	2	99	140	54	20	9	5	3	2	3	1	-	-	-	338
York.....	males	-	17	174	116	50	20	22	11	11	9	8	5	-	-	443
	females	1	105	171	82	24	20	14	13	5	6	1	1	-	-	443
Total.....	males	-	188	1,912	1,540	641	388	202	156	96	80	94	26	4	4	5,331
	females	19	1,468	2,013	893	338	223	130	96	60	41	37	6	7	7	5,331
Grand total.....		19	1,656	3,925	2,433	979	611	332	252	156	121	131	32	4	11	10,662

TABLE
Interesting Facts in

COUNTIES.	Instances in which the age of the bride exceeds that of the groom.		Widowers.		Widows.		Divorced.		First marriage.		Second marriage.		Third marriage.		Fourth marriage.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
Androscoggin	64	55	44	10	11	340	350	57	52	9	3	-	-	-	-	-	-
Aroostook	53	58	40	3	8	420	433	56	47	4	1	1	1	-	-	-	-
Cumberland	120	94	68	8	15	596	615	89	81	10	2	3	-	-	-	-	-
Franklin	27	36	22	12	12	120	134	39	24	9	10	-	-	-	-	-	-
Hancock	37	43	35	10	14	238	242	51	46	2	3	-	-	-	-	-	-
Kennebec	64	87	59	20	21	357	384	91	72	15	8	1	-	-	-	-	-
Knox	41	35	23	7	19	195	195	37	41	4	1	1	-	-	-	-	-
Lincoln	18	16	18	5	6	102	99	19	23	2	1	-	-	-	-	-	-
Oxford	37	34	24	8	12	199	205	36	32	5	4	1	-	-	-	-	-
Penobscot	87	99	68	20	23	528	553	108	84	10	7	-	-	-	-	-	-
Piscataquis	20	23	17	5	8	122	125	24	25	4	-	-	-	-	-	-	-
Sagadahoc	22	18	11	2	6	91	94	19	16	1	1	-	-	-	-	-	-
Somerset	35	58	29	14	13	245	275	64	36	5	5	3	1	-	-	-	-
Waldo	38	40	29	15	13	159	172	46	36	8	5	1	1	-	-	-	-
Washington	58	38	27	3	9	297	302	36	33	5	3	-	-	-	-	-	-
York	76	79	42	4	9	360	392	69	46	12	4	1	1	-	-	-	-
Total	797	813	556	146	199	4,369	4,570	841	694	104	58	12	3	-	-	-	-

NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1897 was 5,331 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, 5,729 in 1895, and 5,579 in 1896). We have, therefore, for the year 1897, a marriage-rate of 16.14 (persons married) to every 1,000 of population, or at the rate of 8.07 marriages per 1,000 persons.

Marriage-rates.—The marriage-rate was higher in Franklin county than elsewhere in the State, it being for that county 19.70 per 1,000. The lowest marriage-rate, that of 11.28 per 1,000, was in Lincoln county. See Table No. 4.

Nativity.—Of the 5,278 records of marriage in which there was a statement of birthplace, in 73 per cent. the groom and bride were both American; in 12 per cent. both were of foreign birth; in 7 per cent. the groom was American and the bride of foreign birth; while in 8 per cent. a foreign groom and American bride were united.

Seasons.—The largest number of marriages, 589, was solemnized in November, while the smallest number in any one month, 304, occurred in March. See Table No. 22.

Ages of the Married.—The largest number, both of grooms and brides was between 20 and 25 years of age. While still under fifteen years of age, 19 brides were married; in the age-period 15-20 years, there were 188 grooms, and 1,468 brides; in the period 20-25 years, 1,912 men and 2,013 women were married; from 25-30, 1,540 men and 893 women; from 30-35, 641 men and 338 women; from 35-40, 388 men and 223 women; from 40-45, 202 men and 130 women; from 45-50, 156 men and 96 women; from 50-55, 96 men and 60 women; from 55-60, 80 men and 41 women; from 60-70, 94 men and 37 women; from 70-80, 26 men and 6 women; over 80, 4 men. See Table No. 24.

In 4,534 marriages, the groom was older than the bride; while in 797, the bride was the elder; 813 widowers and 556 widows

were remarried; 146 men and 199 women were remarried after having been divorced from a former marriage.

Table No. 25 exhibits the fact that 4,369 men and 4,570 women were married the first time; that 841 men and 694 women were married the second time; that 104 men and 58 women were united in the third marriage; 12 men and 3 women contracted marriage a fourth time, while 2 men were married the sixth time. the oldest groom was 86 years of age, and the oldest bride was 76. In one marriage the bride was only 13, and in 12 only 14 years old; and in one marriage the groom was 66 and the bride 14 years old.

TABLE

Divorces Decreed by the Supreme Court of Maine for the

COUNTIES.	Libellant wife.	Libellant husband.	Adultery.	Adultery and desertion.	Impotence.	Extreme cruelty.	Extreme cruelty and intoxication.	Desertion.	Desertion and intoxication.	Desertion and extreme cruelty.	Desertion and failure to support.	Desertion and cruel and abusive treatment.
Androscoggin ...	33	12	7	-	-	-	-	13	-	-	-	1
Aroostook.....	24	8	4	-	-	1	-	4	-	-	-	-
Cumberland	83	24	12	-	-	1	-	38	-	-	1	-
Franklin	22	4	2	-	-	-	-	6	-	-	1	-
Hancock	21	8	10	-	-	1	-	7	-	-	-	-
Kennebec	73	18	9	-	-	-	-	17	-	-	-	-
Knox	23	12	-	-	-	-	-	9	-	-	-	-
Lincoln.....	5	4	1	-	-	1	-	2	-	-	-	-
Oxford.....	33	14	5	-	-	-	-	11	-	-	1	1
Penobscot.....	71	27	9	-	1	-	1	32	-	-	-	1
Piscataquis	11	7	4	-	-	-	-	8	-	-	-	-
Sagadahoc.....	17	3	1	-	-	-	-	5	-	-	1	-
Somerset	43	12	4	-	-	1	4	8	-	-	2	1
Waldo	16	7	4	-	-	-	-	8	-	-	-	-
Washington.....	18	12	7	-	-	-	1	7	-	-	-	-
York	43	14	7	-	-	-	-	23	-	-	1	-
Total.....	536	186	86	-	1	5	6	198	-	-	7	4

No. 26.

Year 1897, as Returned by Clerks of the Several Counties.

Desertion, cruel and abusive treatment and intoxication.	Intoxication.	Intoxication and failure to support.	Cruel and abusive treatment.	Cruel and abusive treatment and adultery.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Failure to support.	Failure to support, cruel and abusive treatment and desertion.	Nullity of marriage.	No cause reported.	Total.
-	4	-	14	-	-	2	4	-	-	-	-	45
-	5	-	11	-	1	2	-	4	-	-	-	32
-	8	2	23	-	2	5	5	10	-	-	-	107
-	5	-	9	-	1	2	-	-	-	-	-	26
-	-	-	9	-	-	-	-	2	-	-	-	29
-	11	2	21	2	-	5	12	11	-	1	-	91
-	13	-	12	-	-	-	-	1	-	-	-	35
-	-	-	5	-	-	-	-	-	-	-	-	9
-	6	-	17	-	-	5	-	1	-	-	-	47
-	9	1	34	-	-	2	7	-	-	1	-	98
-	4	-	2	-	-	-	-	-	-	-	-	18
-	1	-	8	-	-	-	1	3	-	-	-	20
-	6	-	21	-	-	4	2	2	-	-	-	55
-	1	-	7	-	1	-	-	2	-	-	-	23
-	3	-	10	-	-	-	1	-	-	-	1	30
-	9	1	7	-	1	5	-	3	-	-	-	57
-	85	6	210	2	6	32	32	39	-	2	1	722

TABLE No. 27.

Dixorees by Causes, the Sex of the Libellants, and the Number of Years Married, 1897.

CAUSES.	LIBELLANTS.		NUMBER OF YEARS MARRIED.							
	Number.	Sex.	Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown.
Adultery	86	Males, 53 Females, 33	-	-	26	9	12	6	-	-
Impotence.....	1	Females, 1	-	-	1	-	-	-	-	-
Extreme cruelty.....	5	Males, 4 Females, 1	-	-	3	-	1	-	-	-
Extreme cruelty and intoxication	6	Females, 6	-	-	3	1	1	1	-	-
Desertion	198	Males, 80 Females, 118	-	-	9	25	29	14	3	-
Desertion and failure to support	7	Males, 7	-	-	-	2	3	2	-	-
Desertion and cruel and abusive treatment.....	4	Males, 4 Females, 6	-	-	1	-	1	2	-	-
Intoxication.....	85	Males, 6 Females, 79	-	-	1	4	1	-	-	-
Intoxication and failure to support.	6	Females, 6	-	-	-	4	1	1	-	-
Cruel and abusive treatment	210	Males, 43 Females, 167	-	5	54	44	41	18	4	1
Cruel and abusive treatment and adultery	2	Males, 2 Females, 2	-	-	1	1	-	-	-	-
Cruel and abusive treatment and extreme cruelty	6	Males, 6 Females, 6	-	-	2	1	2	1	-	-
Cruel and abusive treatment and failure to support.....	32	Males, 32 Females, 32	-	-	7	10	11	3	1	-
Cruel and abusive treatment and intoxication	32	Males, 2 Females, 30	-	-	2	8	8	10	3	1
Failure to support.....	39	Males, 39 Females, 1	-	-	14	12	11	-	2	-
Nullity of marriage.....	2	Males, 1 Females, 1	-	-	-	-	-	-	1	-
No cause reported	1	Females, 1	-	-	1	-	-	-	-	-
Total	722	Males, 186 Females, 536	-	5	40	52	56	32	6	-
					141	143	152	71	23	1

NOTES ON DIVORCES.

Seven hundred and twenty-two divorces were decreed in the year 1897 (552 in 1892, 627 in 1893, 674 in 1894, 681 in 1895, and 668 in 1896). In 1897 there was decreed in Maine one divorce for every 7.4 marriages solemnized.

Some of the causes for which divorces were granted are: Adultery, 86, or 11.9 per cent. of the whole number; extreme cruelty, 5, or 0.07 per cent.; desertion, 198, or 27.4 per cent.; intoxication, 85, or 11.8 per cent.; cruel and abusive treatment, 210, or 29.1 per cent.; failure to support, 39, or 5.4 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 536 divorces, and the husband in 186.

In the divorces granted for adultery, the husband was the libellant 53 times, and the wife 33 times.

On account of extreme cruelty, the wife was the libellant in 4 cases, and the husband in one.

For desertion, the husband was the libellant 80 times, and the wife 118.

For intoxication, the husband was the libellant in 6 cases, and the wife in 79.

For cruel and abusive treatment, the husband was the libellant in 43 instances, and the wife in 167.

For failure to support, the wife was the libellant in the 39 divorces decreed for that cause.

Five divorces were granted before the married life had lasted one year; 181, after from 1 to 5 years marriage; 195 after 5 to 10 years; 208, after 10 to 20 years; 103, after 20 to 30 years; and 29, after more than 30 years of married life. Tables No. 26 and 27 may be consulted for more detailed statements.

TABLE No. 23.

Deaths and Death-Rates by Counties, for the Years 1892-97.

	1892.		1893.		1894.		1895.		1896.		1897.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State	12,147	18.37	11,134	16.84	11,012	16.66	10,464	15.83	10,626	16.07	11,236	16.99
Androscoggin ...	808	16.39	819	16.73	941	19.22	866	14.40	889	18.15	995	20.32
Aroostook	619	12.48	609	12.72	657	13.46	665	13.52	677	13.77	761	15.47
Cumberland.....	1,845	20.28	1,719	18.90	1,690	18.57	1,629	17.91	1,670	18.36	1,765	19.41
Franklin	337	19.76	319	18.98	276	16.35	272	16.10	301	17.85	282	16.70
Hancock	581	15.57	494	13.35	553	16.27	510	13.78	527	14.26	586	15.82
Kennebec	1,273	22.32	1,153	20.22	1,132	19.86	1,014	17.79	1,052	18.45	1,140	20.00
Knox	629	19.99	569	18.09	509	16.18	526	16.73	511	16.25	475	15.10
Lincoln	439	19.95	330	15.06	341	15.50	325	14.78	317	14.41	343	15.59
Oxford..	561	18.30	506	16.62	470	15.42	455	14.98	446	14.68	494	16.27
Penobscot.....	1,208	16.57	1,122	15.43	1,192	16.40	1,130	15.51	1,169	16.09	1,180	16.24
Piscataquis	246	15.24	249	15.91	214	13.52	207	13.14	195	12.49	241	15.29
Sagadahoc	352	18.09	326	16.76	290	14.91	287	14.75	299	15.37	299	15.37
Somerset	548	16.79	511	15.84	520	16.12	521	16.07	452	13.99	518	16.02
Waldo	538	19.38	408	14.70	444	16.00	405	14.59	375	13.51	425	15.31
Washington.....	775	17.42	761	17.22	636	14.39	603	13.67	617	14.16	591	13.57
York	1,393	22.20	1,239	19.72	1,147	18.26	1,049	16.70	1,129	17.97	1,141	18.16

TABLE No. 29.

Number of Deaths in Each Month of 1892, 1893, 1894, 1895, 1896, and 1897, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1892.		1893.		1894.		1895.		1896.		1897.	
	Deaths.	Ratio.*	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January	1,577	154.5	849	90.0	1,266	136.6	906	101.9	863	95.5	916	96.0
February ...	1,292	136.7	845	100.0	980	116.6	821	102.2	921	109.1	851	98.7
March	1,095	106.0	959	103.3	920	103.4	1,053	118.4	944	104.6	1,259	131.9
April	1,048	106.0	1,037	100.0	994	110.0	854	99.3	942	97.8	1,020	110.4
May.....	1,045	106.0	969	100.0	851	93.3	843	94.8	961	106.5	892	93.5
June	833	84.6	819	90.0	816	90.0	715	83.1	814	93.2	769	83.3
July.....	866	84.6	823	90.0	865	93.3	803	90.3	845	93.6	840	88.0
August	938	82.2	1,080	106.6	953	100.0	938	105.5	1,079	119.5	1,019	106.8
September.	976	93.9	975	106.6	956	106.6	1,023	118.9	912	104.4	997	108.0
October.....	844	81.8	917	100.0	821	86.6	902	101.5	833	92.3	999	104.7
November..	790	78.8	796	86.6	761	83.3	743	86.4	667	76.4	835	90.4
December ..	793	76.5	1,037	100.0	819	86.6	858	96.5	839	93.0	837	87.7
Unknown ..	50		28		10		5		6		2	

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE

Shows the Number of Deaths in the State, and in

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.
All causes	12,133	1,052	867	1,902
Specified causes	11,696	999	808	1,852
CLASSES.				
I.—Zymotic diseases	3,019	331	329	430
II.—Parasitic diseases	5	-	1	-
III.—Dietetic diseases	36	3	1	5
IV.—Constitutional diseases	657	44	22	125
V.—Developmental diseases	2,033	150	197	312
VI.—Local diseases	5,505	442	232	905
VII.—Deaths from violence	441	29	26	75
VIII.—Deaths from ill-defined causes.....	437	53	59	50
GROUPS.				
I.—1. Infectious diseases	899	94	167	149
2. Specific neoplastic diseases.....	1,342	131	79	188
3. Diarrheal diseases	666	95	71	77
4. Zöogenous diseases.....	-	-	-	-
5. Septic diseases	112	11	12	16
II.—1. Parasitic diseases.....	5	-	1	-
III.—1. Dietetic diseases.....	36	3	1	5
IV.—1. Constitutional diseases.....	657	44	22	125
V.—1. Developmental diseases	2,033	150	197	312
VI.—1. Diseases of nervous system	1,661	145	60	275
2. Diseases of organs of special sense	2	1	1	-
3. Diseases of circulatory system	1,152	99	36	170
4. Diseases of respiratory system.....	1,347	101	71	235
5. Diseases of digestive system	673	54	30	91
6. Diseases of lymphatics, etc.....	8	1	1	1
7. Diseases of urinary system	552	39	17	114
8. Diseases of organs of generation	27	1	3	8
9. Accidents and diseases of reproduction	62	1	12	9
10. Diseases of osseous system ..	14	-	-	1
11. Diseases of the integument	7	-	1	1
VII.—1. Accident, negligence or doubtful.....	366	22	24	63
2. Homicide	4	-	-	2
3. Suicide	71	7	2	10
VIII.—1. Deaths from ill-defined causes.....	437	53	59	50

No. 30.

Each County, Arranged by Classes and Groups.

Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
311	632	1,218	507	358	528	1,267	266	330	564	443	652	1,236
298	613	1,182	485	346	513	1,212	259	325	541	431	642	1,190
72	132	312	106	61	125	312	62	73	120	102	154	298
-	1	-	-	-	-	2	-	-	-	-	-	1
-	2	4	2	1	3	5	1	1	1	-	1	6
22	25	62	29	32	29	67	16	17	35	25	35	72
53	100	174	80	65	86	229	50	58	113	51	110	205
133	333	587	240	183	252	548	108	167	247	240	312	576
18	20	43	28	4	18	49	22	9	25	13	30	32
13	19	36	22	12	15	55	7	5	23	12	10	46
35	41	72	31	17	46	71	19	13	21	22	27	74
28	66	133	58	35	54	175	26	45	62	58	86	118
7	15	103	14	8	18	50	13	13	32	18	38	94
-	-	-	-	-	-	-	-	-	-	-	-	-
2	10	4	3	1	7	16	4	2	5	4	3	12
-	1	-	-	-	-	-	-	-	-	-	-	1
-	2	4	2	1	3	5	1	1	1	-	1	6
22	25	62	29	32	29	67	16	17	35	25	35	72
53	100	174	80	65	86	229	50	58	113	51	110	205
33	78	219	59	60	72	160	42	52	73	61	90	182
26	32	112	64	49	57	120	21	47	53	72	65	99
34	104	125	55	34	63	140	23	27	45	57	79	154
20	45	79	31	26	35	55	14	17	39	32	39	66
-	-	3	-	1	-	-	-	-	-	-	-	1
12	36	38	27	11	22	61	7	24	30	16	33	65
1	2	4	2	-	-	3	-	-	-	1	1	1
5	4	4	-	1	2	6	1	-	5	-	5	7
2	2	2	1	2	-	2	-	-	2	-	-	-
-	-	1	1	-	-	1	-	-	-	1	-	1
13	17	37	23	2	12	44	16	7	23	10	26	27
-	-	-	1	-	-	-	-	-	-	-	1	-
5	3	6	4	2	6	5	6	2	2	3	3	5
13	19	36	22	12	15	55	7	5	23	12	10	46

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
I.—Zymotic.																	
1. Infectious diseases																	
Totals	899	94	167	149	35	41	72	31	17	46	71	19	13	21	22	27	74
Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	22	-	1	10	-	1	4	-	-	2	1	-	-	1	-	-	2
Rötheln	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	38	2	15	6	-	1	3	5	1	-	3	-	-	-	1	-	1
Typhus fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	294	12	48	38	19	14	18	12	8	24	26	7	5	9	11	14	29
Whooping cough	46	6	16	6	-	3	1	4	-	3	3	1	-	-	-	-	4
Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	200	38	49	48	7	5	13	8	1	3	8	1	1	1	4	6	7
Croup	76	2	26	14	-	1	5	-	-	1	9	1	3	1	1	1	5
Tonsilitis, etc.	11	2	1	-	-	-	-	-	-	3	1	1	1	-	-	-	2
Cerebro-spinal meningitis	36	3	4	3	2	1	5	1	1	3	5	2	-	-	1	1	4
Tetanus	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid fever	151	19	5	22	6	14	23	1	5	7	15	5	-	7	2	4	16
Simple continued fever	16	3	1	1	-	-	-	-	-	1	1	1	2	-	-	1	4
Malarial diseases	7	-	-	1	1	1	-	-	1	-	2	-	1	-	-	-	-
Other specific febrile diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.—2. Specific neoplastic.																	
Totals	1,342	131	79	188	28	66	133	58	35	54	175	26	45	62	58	86	118
Tuberculosis, cerebral	74	7	2	22	2	2	2	1	1	3	11	2	2	4	1	9	3
Tuberculosis, pulmonary	1,128	108	66	151	25	60	112	47	32	48	148	22	36	52	47	66	108
Tuberculosis, mesenteric	39	4	6	3	-	-	4	2	-	1	5	1	3	1	2	4	3
Tuberculosis, other forms	97	11	5	11	1	4	14	8	2	2	10	1	4	5	8	7	4
Syphilis	4	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
I.—3. Diarrheal diseases.																	
Totals	666	95	71	77	7	15	103	14	8	18	50	13	13	32	18	38	94
Infantile diarrhea	528	78	62	64	5	12	86	10	5	14	38	6	10	14	12	29	83
Cholera morbus	15	1	-	3	-	1	1	2	1	1	1	1	1	1	-	-	2
Dysentery	57	5	2	6	1	-	11	-	1	2	4	4	1	8	1	6	5
Diarrhea	66	11	7	4	1	2	5	2	1	1	7	2	2	9	5	3	4
I.—4. Zoögenous diseases.																	
Totals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant pustule	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.—5. Septic diseases																	
Totals	112	11	12	16	2	10	4	3	1	7	16	4	2	5	4	3	12
Phagadena	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	24	2	2	4	1	2	2	1	-	1	1	2	1	1	1	1	3
Pyæmia, septicæmia	57	2	3	10	1	6	2	-	5	2	1	1	1	3	2	1	1
Puerperal fever	31	1	7	2	-	2	2	2	1	1	7	2	1	1	1	1	2

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoegin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
II.—Parasitic.																	
Totals	5	-	1	-	-	1	-	-	-	-	2	-	-	-	-	-	1
Thrush	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Hydatids	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal parasites	3	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Other parasitic diseases.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.—Dietetic.																	
Totals	36	3	1	5	-	2	4	2	1	3	5	1	1	1	-	1	6
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malnutrition of infants..	20	2	-	2	-	1	2	-	1	3	3	1	-	-	-	1	4
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets	3	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Alcoholism	13	1	-	2	-	1	2	2	-	-	2	-	-	1	-	-	2
IV.—Constitutional.																	
Totals	657	44	22	125	22	25	62	29	32	29	67	16	17	35	25	35	72
Rheumatism	42	-	6	9	1	1	2	1	2	4	6	1	-	1	2	1	5
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, gastric	122	9	6	18	3	5	16	4	5	4	6	1	7	7	7	10	14
Cancer, mammary	53	2	3	9	3	2	7	2	2	-	7	3	-	3	1	3	6
Cancer, hepatic	53	3	1	14	2	3	4	1	2	2	6	-	1	5	2	2	5
Cancer, uterine	49	6	-	10	-	4	3	3	3	7	3	-	1	-	-	2	7
Cancer, other	186	13	4	42	3	7	15	11	11	6	17	3	6	9	8	9	22
Purpura hemorrhagic diathesis	4	-	-	1	-	-	-	-	1	-	1	-	-	1	-	-	-
Anemia, etc	53	6	-	7	4	3	2	3	1	5	8	-	1	3	1	3	6
Diabetes mellitus	95	5	2	15	6	4	12	4	5	5	9	5	2	5	4	5	7
Other constitutional dis- eases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V.—Developmental.																	
Totals	2,033	150	197	312	53	100	174	80	65	86	229	50	58	113	51	110	205
Still-born	712	39	97	107	27	37	65	24	13	26	68	20	26	35	14	44	70
Premature birth	185	18	9	30	2	9	13	8	2	8	19	5	5	11	4	17	25
Ill-defined diseases of infancy	378	49	48	63	12	19	32	7	10	10	40	5	7	14	7	15	40
Atelectasis	12	-	-	3	2	-	1	1	-	-	2	-	1	-	-	1	-
Cyanosis	22	2	-	3	-	1	2	-	-	4	1	2	1	2	-	2	2
Spina bifida	11	-	-	6	-	-	1	-	-	1	-	-	-	1	-	-	2
Imperforate anus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital defects	4	1	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-
Umbilical hemorrhage ..	9	1	1	-	-	2	-	1	-	-	2	-	-	-	-	-	2
Old age (over 70)	700	40	42	100	10	32	60	39	38	36	97	18	18	49	26	31	64

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VI.—Local.																	
1. Diseases of the nervous system.																	
Totals	1,661	145	60	275	33	78	219	59	60	72	160	42	52	73	61	90	182
Inflammation of brain or membranes.....	327	26	19	66	5	12	42	6	8	7	36	7	8	10	5	29	41
Apoplexy	555	54	12	103	9	28	55	14	27	32	48	10	23	31	27	23	59
Softening of brain	52	7	1	11	-	1	3	1	-	5	5	2	2	5	1	-	8
Hemiplegia	23	-	-	4	-	1	3	1	4	1	-	-	1	5	-	-	3
Paralysis agitans	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Paralysis	279	18	11	34	14	19	21	22	9	9	29	7	9	13	21	12	31
Hydrocephalus (not acute)	16	1	1	2	-	3	2	-	1	1	-	-	-	1	-	1	3
Insanity	100	2	-	6	-	3	67	2	2	1	6	1	-	1	1	1	8
Brain, other diseases of.	42	3	2	9	-	3	4	1	4	1	2	1	1	1	2	6	2
Chorea	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Epilepsy	30	1	1	4	-	8	1	1	-	-	5	-	3	2	-	-	4
Convulsions	119	20	9	17	3	3	5	4	1	5	15	3	2	3	1	14	14
Laryngismus stridulus..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Spinal meningitis	17	2	1	2	-	2	2	1	1	-	1	1	-	1	-	1	2
Myelitis	15	1	-	1	1	1	-	2	1	4	1	-	1	-	1	1	1
Paraplegia	4	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-
Locomotor ataxia	13	1	-	2	1	1	2	-	-	-	1	2	2	-	-	1	-
Other diseases of spinal cord	19	3	1	5	-	-	3	-	1	1	2	1	-	1	-	-	1
Other diseases of nervous system	45	4	2	7	-	3	1	2	1	5	8	5	-	-	1	1	5
VI.—2. Diseases of organs of special sense																	
Totals.....	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the ear.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and diseases of nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the eye.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.—3. Circulatory system.																	
Totals	1,152	99	36	170	26	62	112	64	49	57	120	21	47	53	72	65	99
Endocarditis	22	-	-	-	-	1	2	4	1	1	7	-	-	1	2	2	1
Valvular disease of heart	275	25	5	44	6	18	18	23	10	8	39	3	10	9	7	21	29
Hypertrophy of heart...	54	3	1	8	2	2	1	6	5	4	7	2	1	1	4	2	5
Pericarditis	20	2	1	-	1	-	6	2	-	1	2	-	-	1	-	2	2
Diseases of heart unspecified	632	60	25	91	14	35	70	20	24	36	48	14	27	34	53	31	50
Angina pectoris	59	3	1	8	3	2	7	4	3	5	9	-	3	2	3	4	2
Syncope	4	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Aneurism	7	-	1	-	-	2	-	1	-	-	-	-	1	1	-	-	1
Senile gangrene.....	40	3	-	6	-	1	3	3	2	1	4	1	3	4	1	1	7
Embolism, thrombosis..	26	1	1	7	-	-	4	1	3	1	2	1	2	-	1	1	1
Phlebitis	3	-	1	-	-	-	1	-	-	-	-	-	-	-	1	1	-
Others, circulatory system.....	10	-	-	6	-	-	-	-	1	-	2	-	-	-	-	-	1

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VI.—4. Respiratory system.																	
Totals	1,347	101	71	235	34	104	125	55	34	63	140	23	27	45	57	79	154
Laryngitis	10	-	1	2	-	1	-	-	-	-	-	1	-	-	-	4	-
Other diseases of larynx and trachea	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Empysema, asthma	29	2	2	3	1	-	-	-	-	2	2	1	3	-	-	2	2
Bronchitis	237	23	11	32	5	17	39	2	2	14	30	3	4	9	12	5	27
Pneumonia	936	60	49	178	25	73	78	42	21	43	95	17	19	27	40	60	103
Pleurisy	26	5	1	6	1	3	-	1	1	1	1	1	-	1	-	1	3
Other diseases of respiratory system	107	10	11	14	2	10	6	4	3	2	12	-	3	5	5	7	13
VI.—5. Digestive system.																	
Totals	673	54	30	91	20	45	79	31	26	35	55	14	17	39	32	39	66
Diseases of the mouth	5	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1
Dyspepsia	17	-	2	1	2	2	-	-	1	2	-	-	1	-	1	1	4
Gastric ulcer	23	1	3	5	-	3	1	-	1	-	3	-	-	4	-	2	-
Hematemesis	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Gastritis	107	4	-	11	3	9	16	2	4	5	10	1	-	10	6	2	18
Other diseases of stomach	24	3	1	4	-	1	3	1	3	2	2	2	2	-	-	-	-
Enteritis	71	10	3	11	-	1	12	1	1	2	2	5	3	1	6	6	5
Ulceration of intestines. Stricture and strangulation of intestines	6	1	-	2	-	-	1	-	-	-	-	-	-	1	-	-	-
Intussusception of intestines	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	5	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Hernia	17	-	5	2	-	-	1	-	1	4	-	-	1	1	1	-	1
Other obstructive diseases of intestines	61	5	-	6	3	2	6	4	3	3	1	1	2	2	8	5	9
Fistula	117	8	5	22	5	10	12	9	3	7	11	2	4	5	1	4	9
Peritonitis	31	2	3	6	-	4	2	4	-	4	2	1	-	-	1	-	2
Appendicitis, etc	8	-	1	-	2	-	-	-	-	-	2	-	-	1	-	-	2
Ascites	6	-	1	-	1	-	1	-	-	1	1	-	-	-	-	-	1
Gallstones	30	1	1	2	4	2	2	2	3	1	3	1	1	2	1	1	3
Cirrhosis of liver	37	3	-	3	1	3	4	2	4	4	3	2	3	1	2	1	2
Hepatitis	17	1	1	2	2	1	3	-	-	1	-	-	-	1	1	1	3
Jaundice	53	2	4	6	1	4	9	3	2	1	1	1	1	2	4	3	3
Other diseases of liver	32	4	1	8	-	1	3	2	-	1	2	-	-	3	-	6	1
Other diseases of digestive system																	
VI.—6. Lymphatics, etc.																	
Totals	8	1	1	1	-	-	3	-	-	1	-	-	-	-	-	-	1
Diseases of lymphatics	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Diseases of the spleen	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Bronchocele	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Addison's disease	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VI.—7. Urinary system.																	
Totals	552	39	17	114	12	36	38	27	11	22	61	7	24	30	16	33	65
Nephritis	137	10	3	38	1	4	5	2	6	5	21	1	7	2	1	14	17
Bright's disease, albuminuria	231	19	8	35	8	16	16	13	3	11	21	4	11	15	12	9	25
Uremia	83	6	3	28	1	3	4	2	1	1	8	-	4	4	2	6	10
Suppression of urine	5	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1
Calculus	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Stricture	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hematuria	6	-	-	1	-	1	-	-	-	-	2	-	-	-	1	1	-
Diseases of bladder and prostate	74	2	2	10	1	9	12	4	1	4	6	1	1	9	-	1	11
Other diseases of urinary system	15	1	1	2	1	2	1	-	-	1	3	1	1	-	-	1	-
VI.—8. Organs of generation.																	
Totals	27	1	3	8	1	2	4	2	-	-	3	-	-	-	1	1	1
Ovarian disease	5	1	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-
Diseases of uterus and appendages	16	-	2	3	1	2	3	2	-	2	-	-	-	-	-	1	-
Paramenia	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic abscess	5	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	1
Perineal abscess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of male organs of generation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.—9. Accidents and diseases of reproduction.																	
Totals	62	1	12	9	5	4	4	-	1	2	6	1	-	5	-	5	7
Abortion, miscarriage	7	-	1	1	-	1	1	-	-	1	-	-	-	1	-	-	1
Puerperal mania	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal convulsions	11	-	-	1	-	1	-	-	-	2	1	-	-	2	-	2	2
Placenta previa	3	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Puerperal hemorrhage	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Phlegmasia dolens	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Other accidents of reproductions	37	1	11	4	5	3	1	-	1	1	2	-	-	2	-	3	3
VI.—10. Osseous system.																	
Totals	14	-	-	1	2	2	2	1	2	-	2	-	-	2	-	-	-
Diseases of the joints	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Diseases of the bones	12	-	-	1	2	2	1	1	2	-	2	-	-	1	-	-	-
Other diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.—11. Integument.																	
Totals	7	-	1	1	-	-	1	1	-	-	1	-	-	-	1	-	1
Carbuncle	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, cellulitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, bed sore	3	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Other diseases of integument	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1

TABLE No. 30—Concluded.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VII.—Deaths from violence.																	
1. Accident, negligence or doubtful.																	
Totals.....	366	22	24	63	13	17	37	23	2	12	44	16	7	23	10	26	27
Fracture, contusion.....	39	3	-	8	1	2	6	1	-	3	1	-	-	-	-	-	-
Falling.....	25	-	2	2	1	1	1	2	-	-	5	2	1	1	1	2	4
Gunshot wounds.....	25	-	5	1	5	1	1	1	-	1	4	3	-	-	-	-	-
Railway injuries.....	22	1	1	8	1	1	2	-	-	12	3	-	-	1	-	1	1
Cuts.....	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds.....	35	1	3	7	1	1	3	3	-	-	6	3	-	2	2	2	1
Poison.....	22	1	1	4	-	1	2	2	-	-	1	2	-	-	-	4	1
Drowning.....	101	4	4	21	1	9	9	7	2	4	8	3	3	8	1	6	11
Suffocation.....	14	1	-	2	2	-	5	-	-	-	1	-	-	-	-	1	2
Various.....	82	11	8	9	1	1	8	7	-	2	15	3	2	6	3	4	2
Lost at sea.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII.—2. Homicide.																	
Totals.....	4	-	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-
Murder, manslaughter..	4	-	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-
VII.—3. Suicide.																	
Totals.....	71	7	2	10	5	3	6	4	2	6	5	6	2	2	3	3	5
Gunshot wounds.....	14	2	-	3	1	1	1	1	-	-	-	-	1	1	-	2	1
Cut, stab.....	6	1	-	2	-	-	-	1	-	1	-	-	-	-	-	-	1
Poison.....	9	-	-	-	1	-	1	-	-	2	2	-	-	1	1	-	1
Drowning.....	8	1	-	2	-	-	-	1	-	-	1	1	1	-	-	-	-
Hanging.....	27	3	2	1	2	2	3	1	2	2	2	5	-	-	-	1	1
Otherwise.....	7	-	-	2	1	-	1	-	-	1	-	-	-	-	1	-	1
VIII.—Deaths from ill-defined causes.																	
Totals.....	437	53	59	50	13	19	36	22	12	15	55	7	5	23	12	10	46
Heart failure.....	53	7	4	10	2	2	3	2	1	-	6	2	1	3	3	2	5
Dropsy.....	60	4	4	1	4	5	6	4	1	1	9	3	2	6	4	1	5
Debility, exhaustion... .	73	3	7	9	-	4	5	4	4	3	12	-	-	4	2	2	14
Atrophy and inanition..	41	1	2	12	-	2	4	2	-	-	7	-	-	2	1	2	6
Sunstroke.....	6	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	2
Mortification.....	3	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Tumor.....	9	2	-	1	1	-	1	-	-	1	1	-	1	1	-	-	-
Abscess.....	5	-	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-
Hemorrhage.....	3	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
Sudden (cause unascertained)	14	1	-	3	-	-	2	1	-	-	4	-	-	-	-	-	3
Not specified, or ill-defined.....	170	34	40	12	6	5	13	6	6	9	16	2	1	6	1	2	11

TABLE
Deaths in Each Town from Special

THE STATE AND COUNTIES.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
MAINE	661,086	-	22	38	276	11	36	46
Androscoggin	48,968	-	-	2	46	2	3	6
Aroostook	49,589	-	1	15	75	1	4	16
Cumberland	90,949	-	10	6	62	-	3	6
Franklin	17,053	-	-	-	7	-	2	-
Hancock	37,312	-	1	1	6	-	1	3
Kennebec	57,012	-	4	3	18	-	5	1
Knox	31,473	-	-	5	8	-	1	4
Lincoln	21,996	-	-	1	1	-	1	-
Oxford	30,586	-	2	-	4	3	3	3
Penobscot	72,865	-	1	3	17	1	5	-
Piscataquis	16,134	-	-	-	2	1	2	1
Sagadahoc	19,432	-	-	-	4	1	-	-
Somerset.....	32,627	-	1	-	2	-	-	-
Waldo	27,759	-	-	1	5	-	1	2
Washington	44,482	-	-	-	7	-	1	-
York	62,829	-	2	1	12	2	4	4
ANDROSCOGGIN COUNTY.	-	-	-	2	46	2	3	6
Auburn.....	11,250	-	-	-	6	-	-	-
Durham	1,111	-	-	-	-	-	-	-
East Livermore.....	1,506	-	-	-	-	-	-	-
Greene	885	-	-	-	-	-	-	-
Leeds	999	-	-	-	2	-	-	-
Lewiston.....	21,701	-	-	1	32	2	3	6
Lisbon	3,120	-	-	-	3	-	-	-
Livermore	1,151	-	-	-	-	-	-	-
Mechanic Falls.....	-	-	-	1	1	-	-	-
Minot	1,355	-	-	-	-	-	-	-
Poland	2,472	-	-	-	2	-	-	-
Turner	2,016	-	-	-	-	-	-	-
Wales.....	451	-	-	-	-	-	-	-
Webster.....	951	-	-	-	-	-	-	-

No. 31.

Causes, Mostly Infectious Diseases.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
151	24	31	57	294	57	66	15	528	1,128	210	7	2
19	2	1	8	12	5	11	1	78	108	22	-	1
5	2	7	3	48	2	7	-	62	66	13	-	1
22	4	2	10	38	6	4	3	64	151	36	1	-
6	1	-	1	19	1	1	-	5	25	3	1	-
14	2	2	6	14	-	2	1	12	60	6	1	-
23	2	-	2	18	11	5	1	86	112	20	-	-
1	1	2	-	12	-	2	2	10	47	11	-	-
5	-	1	-	8	1	1	1	5	32	3	1	-
7	1	1	5	24	2	1	1	14	48	6	-	-
15	1	7	8	26	4	7	1	38	148	26	2	-
5	2	2	-	7	4	2	1	6	22	4	-	-
-	-	1	1	5	1	2	-	10	36	9	1	-
7	1	1	3	9	8	9	1	14	52	10	-	-
2	1	1	2	11	1	5	-	12	47	11	-	-
4	1	1	1	14	6	3	-	29	66	20	-	-
16	3	2	7	29	5	4	2	83	108	10	-	-
19	2	1	8	12	5	11	1	78	108	22	-	1
1	1	-	2	-	4	2	-	15	21	1	-	-
-	-	-	-	-	-	-	-	1	6	-	-	-
2	-	-	-	-	-	2	-	5	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
14	1	-	4	5	-	7	1	52	56	19	-	1
-	-	1	1	1	1	-	-	3	5	-	-	-
-	-	-	-	-	-	-	-	-	6	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	1	2	-	-	-	2	1	-	-	-
-	-	-	-	2	-	-	-	-	6	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
2	-	-	-	1	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special
AROOSTOOK

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
AROOSTOOK COUNTY.....	-	-	1	15	75	1	4	16
Amity	420	-	-	-	-	-	-	-
Ashland	568	-	-	-	-	-	-	-
Bancroft.....	264	-	-	-	-	-	-	-
Benedicta	317	-	-	-	-	-	-	-
Blaine.....	784	-	-	-	3	-	-	-
Bridgewater.....	946	-	-	-	-	-	-	-
Caribou	4,087	-	-	-	2	-	-	4
Dyer Brook	221	-	-	-	-	-	-	-
Easton	978	-	-	-	-	-	1	-
Fort Fairfield.....	3,526	-	-	-	1	-	-	2
Fort Kent	1,826	-	-	-	36	-	-	-
Frenchville	2,360	-	1	14	-	-	-	-
Grand Isle.....	964	-	-	-	1	1	-	4
Haynesville	280	-	-	-	-	-	-	-
Hersey.....	151	-	-	-	-	-	-	-
Hodgdon.....	1,113	-	-	-	-	-	-	-
Houlton	4,015	-	-	-	-	-	-	-
Island Falls	223	-	-	-	-	-	-	-
Limestone	933	-	-	-	-	-	-	1
Linneus	965	-	-	-	-	-	-	-
Littleton.....	924	-	-	-	-	-	-	-
Ludlow.....	375	-	-	-	-	-	-	-
Madawaska.....	1,451	-	-	-	-	-	-	-
Mapleton	832	-	-	-	3	-	-	-
Mars Hill.....	837	-	-	-	2	-	1	-
Masardis.....	250	-	-	-	-	-	-	-
Monticello	1,132	-	-	-	-	-	-	-
New Limerick.....	567	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
5	2	7	3	48	2	7	-	62	66	13	-	1
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-
1	-	-	-	-	-	-	-	1	5	-	-	-
-	-	1	1	1	-	-	-	11	4	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	1	1	-	-	-
-	-	1	1	1	-	-	-	1	1	1	-	1
-	-	-	-	7	-	2	-	7	3	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	13	-	-	-	2	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
1	-	-	1	2	-	-	-	2	3	1	-	-
1	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	1	2	2	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	2	-	-	-	-	1	-	-	-
-	-	2	-	2	-	-	-	-	2	-	-	-
-	1	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	2	4	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	1	1	1	-	-

TABLE
Deaths in Each Town from Special

ARROSTOOK

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
New Sweden.....	707	-	-	-	2	-	-	-
Oakfield.....	720	-	-	-	-	-	-	-
Orient.....	244	-	-	-	-	-	-	-
Perham.....	438	-	-	-	-	-	-	-
Presque Isle.....	3,046	-	-	-	1	-	-	-
Sherman.....	909	-	-	1	-	-	1	-
Smyrna.....	303	-	-	-	-	-	-	-
Van Buren.....	1,168	-	-	-	6	-	-	1
Washburn.....	1,097	-	-	-	-	-	1	1
Weston.....	404	-	-	-	-	-	-	-
Woodland.....	885	-	-	-	-	-	-	3
Plantations.								
Allagash.....	200	-	-	-	-	-	-	-
Cary.....	390	-	-	-	-	-	-	-
Castle Hill.....	537	-	-	-	1	-	-	-
Caswell.....	212	-	-	-	-	-	-	-
Chapman.....	231	-	-	-	-	-	-	-
Connor.....	526	-	-	-	-	-	-	-
Crystal.....	297	-	-	-	-	-	-	-
Cyr.....	429	-	-	-	1	-	-	-
Eagle Lake.....	313	-	-	-	-	-	-	-
Garfield.....	86	-	-	-	-	-	-	-
Glenwood.....	183	-	-	-	-	-	-	-
Hamlin.....	484	-	-	-	8	-	-	-
Hammond.....	109	-	-	-	-	-	-	-
Macwahoc.....	216	-	-	-	-	-	-	-
Merrill.....	244	-	-	-	-	-	-	-
Molunkus.....	77	-	-	-	-	-	-	-
Moro.....	199	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	2	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	1	-	4	5	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	11	7	-	-	-
-	-	1	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	3	1	-	-	-
-	-	-	-	-	-	-	-	4	-	-	-	-
-	-	-	-	1	-	3	-	-	-	-	-	-
-	-	-	-	-	2	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	1	5	-	-	-
1	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE
Deaths in Each Town from Special
AROOSTOOK

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Nashville	34	-	-	-	-	-	-	-
New Canada	301	-	-	-	1	-	-	-
Oxbow	94	-	-	-	-	-	-	-
Portage Lake	140	-	-	-	-	-	-	-
Reed	203	-	-	-	-	-	-	-
Sheridan	221	-	-	-	-	-	-	-
St. Francis	461	-	-	-	-	-	-	-
St. John	226	-	-	-	2	-	-	-
Silver Ridge	195	-	-	-	-	-	-	-
Stockholm	105	-	-	-	-	-	-	-
Wade	158	-	-	-	-	-	-	-
Wallagrass	595	-	-	-	5	-	-	-
Westfield	166	-	-	-	-	-	-	-
Westmanland	52	-	-	-	-	-	-	-
Winterville	72	-	-	-	-	-	-	-
CUMBERLAND COUNTY	-	-	10	6	62	-	3	6
Baldwin	932	-	-	-	-	-	-	-
Bridgton	2,605	-	-	-	-	-	-	-
Brunswick	6,012	-	-	-	1	-	-	3
Cape Elizabeth	5,459	-	-	-	-	-	-	-
Casco	844	-	-	-	-	-	-	-
Cumberland	1,487	-	-	-	-	-	-	-
Deering	5,353	-	-	1	2	-	-	-
Falmouth	1,580	-	-	-	-	-	-	-
Freeport	2,482	-	-	-	-	-	-	-
Gorham	2,888	-	-	-	-	-	-	-
Gray	1,517	-	-	-	-	-	-	-
Harpswell	1,766	-	-	-	1	-	-	-
Harrison	1,071	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	11	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
22	4	2	10	38	6	4	3	64	151	36	1	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	1	1	-	-	-	-	1	1	-	-
-	-	-	-	1	-	1	-	12	10	2	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	1	-	-	-	1	1	-	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
1	1	-	-	2	1	-	-	1	7	2	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
1	-	-	-	4	-	-	-	-	3	-	-	-
1	-	-	-	6	-	-	1	-	4	-	-	-
-	-	-	-	1	-	-	-	-	4	-	-	-
1	-	-	-	3	1	-	-	-	4	-	-	-
-	-	-	-	3	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special
CUMBERLAND

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Naples	846	-	-	-	-	-	-	-
New Gloucester	1,234	-	-	-	-	-	-	-
North Yarmouth	709	-	-	-	2	-	-	-
Otisfield	838	-	-	-	-	-	-	-
Portland	36,428	-	6	1	52	-	-	1
Pownal	712	-	-	-	-	-	-	-
Raymond	927	-	-	-	1	-	-	-
Scarboro	1,794	-	-	2	-	-	-	-
Sebago	681	-	-	-	-	-	-	-
South Portland	-	-	-	2	3	-	-	-
Standish	1,841	-	-	-	-	-	-	1
Westbrook	6,632	-	3	-	-	-	3	-
Windham	2,216	-	-	-	-	-	-	-
Yarmouth	2,098	-	1	-	-	-	-	1
FRANKLIN COUNTY.....	-	-	-	-	7	-	2	-
Avon	439	-	-	-	-	-	-	-
Carthage	390	-	-	-	-	-	-	-
Chesterville.....	770	-	-	-	-	-	-	-
Eustis	321	-	-	-	-	-	-	-
Farmington	3,207	-	-	-	-	-	1	-
Freeman	464	-	-	-	-	-	1	-
Industry	545	-	-	-	-	-	-	-
Jay	1,541	-	-	-	-	-	-	-
Kingfield.....	601	-	-	-	-	-	-	-
Madrid	441	-	-	-	-	-	-	-
New Sharon	1,064	-	-	-	-	-	-	-
New Vineyard.....	660	-	-	-	-	-	-	-
Phillips	1,394	-	-	-	-	-	-	-
Rangeley.....	616	-	-	-	4	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	1	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	1	-	1	-	-	-
11	-	-	5	4	1	1	1	31	75	25	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	2	-	-	-	1	2	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
5	-	-	-	1	-	-	-	4	10	3	-	-
-	-	-	2	1	-	-	-	-	1	-	-	-
-	3	-	-	5	1	-	-	10	10	-	-	-
-	-	1	-	1	-	-	-	1	3	2	-	-
-	-	-	-	-	-	1	-	3	1	-	-	-
6	1	-	1	19	1	1	-	5	25	3	1	-
-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	1	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	5	-	-	-	-	4	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	4	5	-	-	-
2	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	3	1	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	1	3	-	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-

TABLE:
Deaths in Each Town from Special Diseases.
FRANKLIN.

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Salem	219	-	-	-	-	-	-	-
Strong	627	-	-	-	-	-	-	-
Temple	470	-	-	-	-	-	-	-
Weld	885	-	-	-	-	-	-	-
Wilton	1,622	-	-	-	-	-	-	-
Coplin Pl	71	-	-	-	-	-	-	-
Dallas Pl	184	-	-	-	3	-	-	-
Greenvale Pl	52	-	-	-	-	-	-	-
Jerusalem Pl	18	-	-	-	-	-	-	-
Lang Pl	51	-	-	-	-	-	-	-
Perkins Pl	94	-	-	-	-	-	-	-
Rangeley Pl	58	-	-	-	-	-	-	-
Redington Pl	28	-	-	-	-	-	-	-
Township No. 6	26	-	-	-	-	-	-	-
Washington Pl	29	-	-	-	-	-	-	-
HANCOCK COUNTY	-	-	1	1	6	-	1	3
Amherst	375	-	-	-	-	-	-	-
Aurora	175	-	-	-	-	-	-	-
Bluehill	1,980	-	1	-	-	-	-	-
Brooklin	1,046	-	-	-	-	-	-	3
Brooksville	1,310	-	-	-	-	-	-	-
Buckspport	2,921	-	-	-	-	-	-	-
Castine	987	-	-	-	-	-	-	-
Cranberry Isles	330	-	-	-	1	-	-	-
Dedham	366	-	-	-	-	-	-	-
Deer Isle	3,422	-	-	-	-	-	-	-
Eastbrook	246	-	-	-	-	-	-	-
Eden	1,946	-	-	1	1	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	3	-	1	-	1	4	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
14	2	2	6	14	-	2	1	12	60	6	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
1	-	-	-	-	-	1	-	1	3	-	-	-
-	-	-	-	-	-	-	-	2	1	-	-	-
-	-	-	1	-	-	-	-	1	1	1	-	-
-	-	-	-	4	-	-	-	-	5	-	-	-
-	-	-	2	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	2	-	-	1	-	6	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	1	1	-	-	-	2	3	-	-	-

TABLE
Deaths in Each Town from Special

HANCOCK

COUNTY AND TOWNS.	Population in 1880.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and group.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Ellsworth	4,804	-	-	-	-	-	-	-
Franklin	1,264	-	-	-	-	-	-	-
Gouldsboro	1,709	-	-	-	-	-	-	-
Hancock	1,190	-	-	-	-	-	-	-
Isle au Haut	206	-	-	-	-	-	-	-
Lamoine	726	-	-	-	-	-	-	-
Mariaville	271	-	-	-	-	-	-	-
Mount Desert	1,355	-	-	-	-	-	-	-
Orland	1,390	-	-	-	-	-	-	-
Otis	289	-	-	-	-	-	-	-
Penobscot	1,313	-	-	-	-	-	-	-
Sedgwick	1,012	-	-	-	2	-	-	-
Sorrento	-	-	-	-	-	-	-	-
Stonington	-	-	-	-	1	-	-	-
Sullivan	1,379	-	-	-	-	-	-	-
Surry	986	-	-	-	-	-	-	-
Swan's Island	632	-	-	-	-	-	-	-
Tremont	2,036	-	-	-	-	-	1	-
Trenton	528	-	-	-	-	-	-	-
Verona	323	-	-	-	-	-	-	-
Waltham	242	-	-	-	1	-	-	-
Winter Harbor	-	-	-	-	-	-	-	-
Long Island Pl	132	-	-	-	-	-	-	-
No. 33 Pl	112	-	-	-	-	-	-	-
No. 8 Pl	31	-	-	-	-	-	-	-
No. 7 Pl	50	-	-	-	-	-	-	-

No. 7—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhœa.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
5	-	-	-	-	-	1	-	2	12	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	1	-
-	-	1	-	-	-	-	-	-	2	-	-	-
1	-	-	-	-	-	-	-	-	4	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	-	3	-	-	-	4	-	-	-
-	-	-	-	2	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	1	6	1	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	1	1	-	-	-

TABLE
Deaths in Each Town from Special

KENNEBEC

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
KENNEBEC COUNTY	-	-	4	3	18	-	5	1
Albion	1,042	-	-	-	-	-	-	-
Augusta.....	10,527	-	2	-	2	-	1	-
Belgrade	1,090	-	-	-	-	-	-	-
Benton	1,136	-	1	-	3	-	-	-
Chelsea.....	2,356	-	-	-	-	-	-	-
China	1,423	-	-	-	1	-	-	-
Clinton	1,518	-	-	-	-	-	-	-
Farmingdale	821	-	-	-	-	-	-	-
Fayette.....	649	-	-	-	-	-	-	-
Gardiner	5,491	-	-	3	1	-	-	-
Hallowell	3,181	-	-	-	1	-	-	-
Litchfield	1,126	-	-	-	1	-	-	-
Manchester	612	-	-	-	-	-	-	-
Monmouth	1,362	-	-	-	-	-	-	-
Mount Vernon.....	940	-	-	-	-	-	-	-
Oakland.	2,044	-	-	-	-	-	-	-
Pittston	1,281	-	-	-	4	-	1	-
Randolph	1,281	-	-	-	-	-	-	1
Readfield	1,176	-	-	-	-	-	-	-
Rome	500	-	-	-	-	-	-	-
Sidney.....	1,334	-	-	-	-	-	-	-
Vassalboro	2,052	-	-	-	-	-	-	-
Vienna	495	-	-	-	-	-	-	-
Waterville	7,107	-	-	-	5	-	3	-
Wayne	775	-	-	-	-	-	-	-
West Gardiner	853	-	-	-	-	-	-	-
Windsor.....	853	-	-	-	-	-	-	-
Winslow	1,814	-	1	-	-	-	-	-
Winthrop.	2,111	-	-	-	-	-	-	-
Unity Pl.....	62	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Special

KNOX

COUNTY AND TOWNS.	Population in 1890.	Small-pox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
KNOX COUNTY.....	-	-	-	5	8	-	1	4
Appleton.....	1,080	-	-	-	-	-	-	-
Camden.....	2,471	-	-	2	-	-	-	-
Cushing.....	688	-	-	-	-	-	-	-
Friendship.....	877	-	-	-	-	-	-	-
Hope.....	641	-	-	-	-	-	-	-
Hurricane Isle.....	266	-	-	-	-	-	-	-
North Haven.....	522	-	-	-	-	-	-	-
Rockland.....	8,174	-	-	1	4	-	1	4
Rockport.....	2,150	-	-	-	-	-	-	-
South Thomaston.....	1,534	-	-	1	-	-	-	-
St. George.....	2,491	-	-	-	1	-	-	-
Thomaston.....	3,009	-	-	-	2	-	-	-
Union.....	1,436	-	-	-	-	-	-	-
Vinalhaven.....	2,617	-	-	-	-	-	-	-
Warren.....	2,037	-	-	1	-	-	-	-
Washington.....	1,230	-	-	-	1	-	-	-
Matinicus Isle Pl.....	196	-	-	-	-	-	-	-
LINCOLN COUNTY.....	-	-	-	1	1	-	1	-
Alna.....	512	-	-	-	-	-	-	-
Boothbay.....	1,718	-	-	-	-	-	-	-
Boothbay Harbor.....	1,699	-	-	-	-	-	-	-
Bremen.....	842	-	-	-	-	-	-	-
Bristol.....	2,821	-	-	-	-	-	-	-
Damariscotta.....	1,012	-	-	-	-	-	-	-
Dresden.....	1,043	-	-	-	-	-	-	-
Edgecomb.....	749	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	1	2	-	12	-	2	2	10	47	11	-	-
-	-	-	-	1	-	1	-	-	2	-	-	-
-	-	1	-	-	-	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	1	-	1	-	1	-	6	14	4	-	-
-	-	-	-	-	-	-	-	1	3	4	-	-
-	-	-	-	1	-	-	-	1	2	-	-	-
-	-	-	-	1	-	-	-	1	3	1	-	-
-	-	-	-	3	-	-	-	-	3	-	-	-
-	-	-	-	1	-	-	-	-	3	1	-	-
-	-	-	-	1	-	-	-	-	7	-	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	1	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	1	-	8	1	1	1	5	32	3	1	-
-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	5	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	1	-	-	1	-	7	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	1	-	-	-	1	-	1	-	-	-	-

TABLE
Deaths in Each Town from Special
LINCOLN

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Jefferson	1,391	-	-	-	-	-	-	-
Newcastle	1,282	-	-	-	-	-	-	-
Nobleboro.....	947	-	-	1	-	-	-	-
Somerville.....	453	-	-	-	-	-	-	-
Southport.....	533	-	-	-	-	-	-	-
Waldoboro.....	3,505	-	-	-	1	-	-	-
Westport	451	-	-	-	-	-	-	-
Whitefield	1,215	-	-	-	-	-	1	-
Wiscasset	1,733	-	-	-	-	-	-	-
Monhegan Pl	90	-	-	-	-	-	-	-
OXFORD COUNTY	-	-	2	-	4	3	3	3
Albany	645	-	-	-	-	-	-	-
Andover	740	-	-	-	-	-	-	-
Bethel	2,209	-	-	-	2	-	-	-
Brownfield.....	1,134	-	-	-	1	-	1	-
Buckfield	1,200	-	-	-	-	3	-	-
Byron	180	-	-	-	-	-	-	-
Canton.....	1,303	-	-	-	-	-	-	-
Denmark.....	755	-	-	-	-	-	2	-
Dixfield	988	-	-	-	-	-	-	-
Fryeburg.....	1,418	-	-	-	-	-	-	-
Gilead	336	-	-	-	-	-	-	-
Grafton.....	98	-	-	-	-	-	-	-
Greenwood	727	-	-	-	-	-	-	-
Hanover	212	-	-	-	-	-	-	-
Hartford	689	-	-	-	-	-	-	-
Hebron.....	600	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	1	-	-	1	-	1	-	-
-	-	-	-	3	-	-	-	-	-	-	1	-
1	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	1	-	-	-	2	4	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	2	-	-	-	-	3	1	-	-
-	-	-	-	-	-	-	-	1	4	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
7	1	1	5	24	2	1	1	14	48	6	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	-	5	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	1	-	-	-	-
-	-	-	1	-	1	-	-	1	1	-	-	-
-	-	-	-	2	-	-	-	1	2	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special
OXFORD

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Hiram	1,063	-	-	-	-	-	-	-
Lovell	853	-	-	-	-	-	-	-
Mason	80	-	-	-	-	-	-	-
Mexico	355	-	-	-	-	-	-	-
Newry	343	-	-	-	-	-	-	-
Norway	2,665	-	-	-	-	-	-	1
Oxford	1,455	-	-	-	-	-	-	-
Paris	3,156	-	-	-	-	-	-	-
Peru	692	-	-	-	-	-	-	1
Porter	1,015	-	1	-	-	-	-	-
Roxbury	222	-	-	-	-	-	-	-
Rumford	898	-	1	-	1	-	-	1
Stoneham	322	-	-	-	-	-	-	-
Stow	291	-	-	-	-	-	-	-
Sumner	901	-	-	-	-	-	-	-
Sweden	338	-	-	-	-	-	-	-
Upton	232	-	-	-	-	-	-	-
Waterford	1,001	-	-	-	-	-	-	-
Woodstock	859	-	-	-	-	-	-	-
Franklin P1	112	-	-	-	-	-	-	-
Lincoln P1	59	-	-	-	-	-	-	-
Milton P1	211	-	-	-	-	-	-	-
PENOBSCOT COUNTY	-	-	1	3	17	1	5	-
Alton	348	-	-	-	-	-	-	-
Argyle	263	-	-	-	-	-	-	-
Bangor	19,103	-	1	-	4	-	-	-
Bradford	1,215	-	-	-	-	-	-	-
Bradley	823	-	-	-	1	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	1	-	-	1	-	1	-	2	4	-	-	-
-	-	1	-	-	1	-	-	-	3	1	-	-
2	-	-	-	3	-	-	-	-	5	1	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
1	-	-	1	3	-	-	-	7	3	1	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	4	-	-	-	-	2	-	-	-
-	-	-	1	1	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-
15	1	7	8	26	4	7	1	38	148	26	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
8	-	1	-	1	1	1	-	11	38	11	1	-
-	-	-	-	1	-	-	-	1	2	1	-	-
-	-	-	2	-	-	-	-	2	2	-	-	-

TABLE
Deaths in Each Town from Special

PENOBSCOT

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Brewer.....	4,193	-	-	1	4	-	-	-
Burlington.....	460	-	-	-	-	-	-	-
Carmel.....	1,066	-	-	-	-	-	-	-
Carroll.....	546	-	-	-	1	-	-	-
Charleston.....	971	-	-	-	-	-	-	-
Chester.....	368	-	-	1	-	-	-	-
Clifton.....	284	-	-	-	-	-	-	-
Corinna.....	1,207	-	-	-	-	-	-	-
Corinth.....	1,154	-	-	-	-	-	-	-
Dexter.....	2,732	-	-	-	-	-	-	-
Dixmont.....	919	-	-	-	-	-	-	-
Eddington.....	729	-	-	-	-	-	-	-
Edinburg.....	54	-	-	-	-	-	-	-
Enfield.....	769	-	-	-	-	-	-	-
Etna.....	646	-	-	-	1	-	-	-
Exeter.....	939	-	-	-	-	-	-	-
Garland.....	973	-	-	-	1	-	-	-
Glenburn.....	583	-	-	-	-	-	-	-
Greenbush.....	659	-	-	-	-	-	-	-
Greenfield.....	231	-	-	-	-	-	-	-
Hampden.....	2,484	-	-	-	1	-	-	-
Hermon.....	1,282	-	-	-	-	-	-	-
Holden.....	609	-	-	-	-	-	-	-
Howland.....	171	-	-	-	-	-	-	-
Hudson.....	510	-	-	-	-	-	-	-
Kenduskeag.....	536	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	-	-	1	2	-	1	-	6	16	3	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	3	-	-	-	-	3	-	-	-
-	-	1	-	1	-	-	-	-	3	1	-	-
2	-	-	-	2	-	-	-	-	10	4	1	-
-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	-	1	-	1	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	4	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	1	-	-	1	2	1	-	-
-	-	-	1	-	1	-	-	-	1	-	-	-
-	-	-	-	2	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-

TABLE
Deaths in Each Town from Special

PENOBSCOT

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Kingman.....	671	-	-	-	-	-	-	-
Lagrange.....	721	-	-	-	-	-	-	-
Lee.....	929	-	-	-	-	-	-	-
Levant.....	880	-	-	-	-	-	-	-
Lincoln.....	1,756	-	-	1	-	-	-	-
Lowell.....	439	-	-	-	-	-	-	-
Mattamiscontis.....	47	-	-	-	-	-	-	-
Mattawamkeag.....	633	-	-	-	-	-	-	-
Maxfield.....	134	-	-	-	-	-	-	-
Medway.....	653	-	-	-	-	-	-	-
Milford.....	835	-	-	-	-	-	-	-
Mount Chase.....	284	-	-	-	-	-	-	-
Newburg.....	867	-	-	-	-	-	-	-
Newport.....	1,188	-	-	-	-	-	-	-
Old Town.....	5,312	-	-	-	3	1	3	-
Orono.....	2,790	-	-	-	-	-	1	-
Orrington.....	1,406	-	-	-	-	-	-	-
Passadumkeag.....	343	-	-	-	-	-	-	-
Patten.....	936	-	-	-	-	-	1	-
Plymouth.....	689	-	-	-	-	-	-	-
Prentiss.....	401	-	-	-	-	-	-	-
Springfield.....	677	-	-	-	1	-	-	-
Stetson.....	618	-	-	-	-	-	-	-
Veazie.....	650	-	-	-	-	-	-	-
Winn.....	936	-	-	-	-	-	-	-
Woodville.....	242	-	-	-	-	-	-	-
Drew Pl.....	110	-	-	-	-	-	-	-
Lakeville Pl.....	144	-	-	-	-	-	-	-
Grand Falls Pl.....	68	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	1	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	2	-	-
-	-	1	-	-	-	1	-	1	2	-	-	-
1	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	4	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	2	-	-	-
-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	2	-	-	-	-	-	5	-	1	-
1	-	-	-	1	1	2	-	7	17	-	-	-
-	-	-	-	-	-	1	-	4	9	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	2	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	1	-	1	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhoea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
5	2	2	-	7	4	2	1	6	22	4	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	-	-	-	-	2	-	-	-
-	-	-	-	1	1	-	-	1	6	1	-	-
-	1	-	-	1	-	-	-	-	-	1	-	-
-	-	1	-	-	1	1	-	1	1	-	-	-
-	-	-	-	1	1	1	-	1	3	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
2	-	1	-	2	1	1	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	1	-	-	1	1	1	-	-	-
-	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Special
PISCATAQUIS

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Kingsbury Pl.	205	-	-	-	-	-	-	-
Lake View Pl.	-	-	-	-	-	-	-	-
North East Carry.	-	-	-	-	-	-	-	-
Frenchtown.	-	-	-	-	-	-	-	-
SAGADAHOC COUNTY.	-	-	-	-	4	1	-	-
Arrowsic.	177	-	-	-	-	-	-	-
Bath.	8,723	-	-	-	4	-	-	-
Bowdoin.	940	-	-	-	-	1	-	-
Bowdoinham.	1,508	-	-	-	-	-	-	-
Georgetown.	849	-	-	-	-	-	-	-
Perkins.	69	-	-	-	-	-	-	-
Phippsburg.	1,396	-	-	-	-	-	-	-
Richmond.	3,082	-	-	-	-	-	-	-
Topsham.	1,394	-	-	-	-	-	-	-
West Bath.	307	-	-	-	-	-	-	-
Woolwich.	1,007	-	-	-	-	-	-	-
SOMERSET COUNTY.	-	-	1	-	2	-	-	-
Anson.	1,444	-	-	-	-	-	-	-
Athens.	1,072	-	-	-	-	-	-	-
Bingham.	757	-	-	-	-	-	-	-
Cambridge.	425	-	-	-	-	-	-	-
Canaan.	1,130	-	-	-	-	-	-	-
Concord.	345	-	-	-	-	-	-	-
Cornville.	785	-	-	-	-	-	-	-
Detroit.	590	-	-	-	-	-	-	-
Embden.	579	-	-	-	-	-	-	-
Fairfield.	3,510	-	-	-	1	-	-	-
Harmony.	704	-	-	-	-	-	-	-

No. 7—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhæa.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	5	1	2	-	10	36	9	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	2	1	1	-	6	17	5	1	-
-	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	-	1	-	2	5	1	-	-
-	-	-	-	-	-	-	-	2	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
7	1	1	3	9	8	9	1	14	52	16	-	-
-	-	-	-	-	-	-	1	1	2	1	-	-
-	-	-	-	-	-	1	-	-	4	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	1	1	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	3	1	1	-	4	4	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	1	-	1	3	1	-	-
-	-	1	-	-	-	-	-	1	3	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	2	1	-	-	2	-	-	-
1	-	-	-	1	-	-	-	1	2	2	-	-
-	-	-	-	1	2	-	-	2	2	-	-	-
-	-	-	-	1	-	1	-	1	5	-	-	-
1	-	-	1	1	-	1	-	-	1	1	-	-
-	1	-	-	1	-	2	-	1	6	2	-	-
-	-	-	-	-	-	1	-	-	3	-	-	-
-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	1	-	-	-	-	1	-	-	-	-

TABLE
Deaths in Each Town from Special

WALDO

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
WALDO COUNTY	-	-	-	1	5	-	1	2
Belfast	5,294	-	-	-	2	-	-	-
Belmont.....	475	-	-	-	-	-	-	-
Brooks	730	-	-	-	-	-	-	-
Burnham.....	846	-	-	-	-	-	-	-
Frankfort	1,099	-	-	-	-	-	-	-
Freedom	510	-	-	-	-	-	-	-
Islesboro	1,006	-	-	-	2	-	-	-
Jackson	522	-	-	-	-	-	-	-
Knox.....	657	-	-	-	-	-	-	-
Liberty.....	835	-	-	-	-	-	-	-
Lincolnton	1,361	-	-	-	-	-	-	-
Monroe.....	1,079	-	-	-	-	-	-	-
Montville	1,049	-	-	-	-	-	-	-
Morrill	460	-	-	-	-	-	-	-
Northport	691	-	-	-	-	-	-	-
Palermo	887	-	-	-	-	-	-	-
Prospect	697	-	-	-	-	-	-	-
Searsmont	1,144	-	-	-	-	-	1	-
Searsport	1,693	-	-	-	-	-	-	-
Stockton Springs.....	1,149	-	-	-	-	-	-	-
Swanville.....	689	-	-	-	-	-	-	2
Thorndike	589	-	-	-	1	-	-	-
Troy	868	-	-	1	-	-	-	-
Unity	922	-	-	-	-	-	-	-
Waldo.....	581	-	-	-	-	-	-	-
Winterport.....	1,926	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
2	1	1	2	11	1	5	-	12	47	11	-	-
-	-	-	1	2	1	1	-	-	8	1	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	-	-	1	-	1	4	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	1	-	-	-	1	1	-	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	2	2	-	-	-
-	-	-	-	-	-	-	-	2	2	1	-	-
-	-	1	-	-	-	-	-	1	1	1	-	-
-	-	-	-	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	3	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	1	4	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	2	2	-	-	-
-	-	-	-	-	-	2	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	3	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	1	-	-	-	-	-	-	-	2	-	-	-
1	-	-	-	1	-	-	-	-	5	1	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
4	1	1	1	14	6	3	-	29	66	20	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	1	-	2	1	-	-	19	10	4	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	1	2	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	4	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	3	-	-	-	-	2	2	-	-
-	-	-	-	-	-	-	-	3	9	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	1	5	2	-	-
-	-	-	-	-	-	1	-	1	8	-	-	-

TABLE
Deaths in Each Town from Special
WASHINGTON

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
Machias	2,035	-	-	-	-	-	-	-
Machiasport	1,437	-	-	-	-	-	-	-
Marshfield	299	-	-	-	-	-	-	-
Meddybemps	156	-	-	-	-	-	-	-
Milbridge	1,963	-	-	-	-	-	-	-
Northfield	143	-	-	-	-	-	-	-
Pembroke	1,514	-	-	-	-	-	-	-
Perry.....	945	-	-	-	-	-	-	-
Princeton	1,027	-	-	-	2	-	-	-
Robbinston	787	-	-	-	-	-	-	-
Roque Bluffs.....	154	-	-	-	-	-	-	-
Steuben	982	-	-	-	-	-	-	-
Talmage	112	-	-	-	-	-	-	-
Topsfield.....	375	-	-	-	-	-	-	-
Trescott.....	485	-	-	-	-	-	-	-
Vanceboro	870	-	-	-	1	-	-	-
Waite	159	-	-	-	-	-	-	-
Wesley	227	-	-	-	-	-	1	-
Whiting.....	393	-	-	-	3	-	-	-
Whitneyville	413	-	-	-	-	-	-	-
Codyville Pl	72	-	-	-	-	-	-	-
Grand Lake Stream Pl.....	404	-	-	-	-	-	-	-
Kossuth Pl	68	-	-	-	-	-	-	-
Lambert Lake Pl	152	-	-	-	-	-	-	-
No. 14 Pl.....	112	-	-	-	-	-	-	-
No. 21 Pl.....	81	-	-	-	-	-	-	-
No. 10 R. 3	37	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	1	-	-	2	2	-	-	-	5	4	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	1	4	-	-	-
-	1	-	-	2	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	1	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	1	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	-	1	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-

TABLE
Deaths in Each Town from Special
YORK

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.
YORK COUNTY.....	-	-	2	1	12	2	4	4
Acton	878	-	-	-	-	-	-	-
Alfred	1,030	-	-	-	1	-	-	-
Berwick	2,294	-	-	-	-	-	-	-
Biddeford	14,443	-	1	-	2	1	-	-
Buxton	2,036	-	-	-	1	-	-	-
Cornish	1,118	-	-	-	1	-	-	-
Dayton	500	-	-	-	-	-	-	-
Eliot	1,463	-	-	-	-	-	-	-
Hollis	1,278	-	-	-	1	-	-	1
Kennebunk	3,172	-	-	-	1	-	-	-
Kennebunkport	2,196	-	-	-	-	-	2	-
Kittery	2,864	-	-	-	-	-	-	-
Lebanon	1,263	-	-	-	-	-	-	-
Limerick	966	-	-	-	-	-	-	-
Limington	1,092	-	-	-	-	-	-	-
Lyman	854	-	-	-	-	-	-	-
Newfield	796	-	-	-	-	-	-	-
North Berwick	1,803	-	-	-	-	-	-	-
Old Orchard	877	-	-	-	-	-	1	-
Parsonsfield	1,398	-	-	-	1	-	1	-
Saco	6,075	-	-	-	-	-	-	-
Sanford	4,201	-	1	1	2	-	-	1
Shapleigh	968	-	-	-	-	-	-	-
South Berwick	3,434	-	-	-	1	1	-	2
Waterboro	1,357	-	-	-	-	-	-	-
Wells ..	2,029	-	-	-	1	-	-	-
York	2,444	-	-	-	-	-	-	-

No. 31—Concluded.

Causes, Mostly Infectious Diseases.

COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
16	3	2	7	29	5	4	2	83	108	10	-	-
-	-	-	-	1	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	2	2	-	-	-	-	5	-	-	-
8	1	1	2	4	2	2	1	61	32	1	-	-
-	-	-	-	3	-	1	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	1	-	-	-	1	1	-	-	-
1	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	3	-	-	-	-	2	-	-	-
-	-	-	-	4	-	-	-	-	2	4	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
-	1	-	-	-	-	-	-	-	3	2	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	1	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	2	1	-	-
-	-	-	1	1	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	1	-	-	-	-	-	3	-	-	-
1	-	-	-	3	-	-	-	-	2	1	-	-
3	-	-	-	-	1	-	1	5	11	2	-	-
2	-	-	-	1	-	-	-	6	7	1	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	1	-	1	1	-	3	5	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	1	-	-	-	11	-	-	-
-	-	-	-	3	-	-	-	1	5	1	-	-

TABLE
Deaths in Each Town from Certain

THE STATE AND COUNTIES.	Population in 1880.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
MAINE	661,086	13	23	42	463	152	700	436	327
Androscoggin	48,968	1	2	-	33	11	40	53	26
Aroostook	49,589	-	1	6	14	2	42	49	19
Cumberland	90,949	2	3	9	93	23	100	75	66
Franklin	17,053	-	-	1	11	10	10	14	5
Hancock	37,312	1	1	1	17	7	32	22	12
Kennebec	57,012	2	2	2	46	14	60	36	42
Knox	31,473	2	-	1	21	7	39	9	6
Lincoln	21,996	-	1	2	23	7	38	12	8
Oxford	30,586	-	3	4	15	10	36	16	7
Penobscot	72,865	2	3	6	43	18	97	45	36
Piscataquis	16,134	-	1	1	10	5	18	7	7
Sagadahoc	19,452	-	1	-	14	3	18	9	8
Somerset	32,627	1	-	1	25	9	49	18	10
Waldo	27,759	-	-	2	18	5	26	7	5
Washington	44,482	-	1	1	26	8	31	18	29
York	62,829	2	4	5	54	13	64	46	41
ANDROSCOGGIN COUNTY	-	1	2	-	33	11	40	53	26
Auburn	11,250	1	-	-	10	2	17	9	4
Durham	1,111	-	-	-	-	-	1	1	-
East Livermore	1,506	-	-	-	-	1	2	2	2
Greene	885	-	-	-	-	-	1	-	2
Leeds	999	-	-	-	1	-	-	-	1
Lewiston	21,701	-	1	-	10	6	5	32	16
Lisbon	3,120	-	1	-	4	-	1	5	-
Livermore	1,151	-	-	-	2	-	3	-	-
Mechanic Falls	-	-	-	-	1	1	-	1	1
Minot	1,355	-	-	-	-	1	1	-	-
Poland	2,472	-	-	-	2	-	2	2	-
Turner	2,016	-	-	-	2	-	4	-	-
Wales	451	-	-	-	-	-	2	-	-
Webster	951	-	-	-	1	-	1	1	-

No. 32.

Diseases and Groups of Diseases.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
555	779	1,062	936	237	174	673	368	184	27	62	366	71
54	65	93	60	23	18	54	29	10	1	1	22	7
12	29	33	49	7	15	30	11	6	3	12	24	2
103	106	151	178	32	25	91	73	41	8	9	63	10
9	19	26	25	5	4	20	9	3	1	5	13	5
28	38	58	73	17	14	45	20	16	2	4	17	3
55	122	104	78	39	8	79	21	17	4	4	37	6
14	39	59	42	8	5	31	20	7	2	-	23	4
27	25	43	27	2	5	26	9	2	-	1	2	2
32	33	55	43	14	6	35	16	6	-	2	12	6
48	76	112	95	30	15	55	42	19	3	6	44	5
10	25	19	17	3	3	14	5	2	-	1	16	6
23	21	41	19	4	4	17	18	6	-	-	7	2
31	32	48	27	9	9	39	17	13	-	5	23	2
27	29	69	40	12	5	32	13	3	1	-	10	3
23	38	62	60	5	14	39	23	10	1	5	26	3
59	82	89	103	27	24	66	42	23	1	7	27	5
54	65	93	60	23	18	54	29	10	1	1	22	7
16	17	19	10	4	1	11	7	1	-	1	2	1
1	4	2	3	-	1	2	-	-	-	-	-	-
-	2	-	2	2	-	-	2	-	-	-	2	1
2	1	1	1	-	-	2	-	-	-	-	-	-
1	1	5	1	-	-	-	-	-	-	-	-	-
24	27	40	25	15	11	27	16	6	-	-	14	3
3	4	6	2	1	-	3	1	-	1	-	-	-
1	-	2	3	-	1	-	-	-	-	-	-	-
2	4	6	6	1	-	2	1	-	-	-	2	-
-	-	1	1	-	-	-	-	-	-	-	1	-
1	1	5	3	-	2	3	1	2	-	-	-	-
3	3	5	1	-	2	2	1	-	-	-	1	1
-	-	-	2	-	-	-	-	-	-	-	-	-
-	1	1	-	-	-	2	-	1	-	-	-	1

TABLE
Deaths in Each Town from Certain

AROSTOOK

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
AROSTOOK COUNTY	-	-	1	6	14	2	42	49	19
Amity	420	-	-	-	-	-	-	-	-
Ashland	568	-	-	-	-	-	-	-	-
Bancroft	264	-	-	-	-	-	-	-	-
Benedicta	317	-	-	-	-	-	2	-	-
Blaine	784	-	-	-	-	-	-	-	1
Bridgewater	946	-	-	-	-	-	1	2	1
Caribou	4,087	-	-	-	2	-	8	2	3
Dyer Brook	221	-	-	-	-	-	-	-	-
Easton	978	-	-	-	1	-	-	-	1
Fort Fairfield	3,526	-	-	-	1	-	-	1	2
Fort Kent	1,826	-	-	1	-	-	3	3	3
Frenchville	2,560	-	-	-	2	-	3	15	-
Grand Isle	964	-	-	1	-	-	3	3	-
Haynesville	280	-	-	-	-	-	-	-	-
Hersey	151	-	-	-	-	-	-	-	-
Hodgdon	1,113	-	-	1	-	-	1	1	-
Houlton	4,015	-	-	-	1	-	4	1	3
Island Falls	223	-	-	-	-	-	-	1	-
Limestone	933	-	-	-	-	-	-	-	-
Linneus	965	-	-	-	-	-	-	1	-
Littleton	924	-	-	-	-	-	-	-	-
Ludlow	375	-	-	-	1	-	1	-	-
Madawaska	1,451	-	-	-	-	-	-	3	-
Mapleton	832	-	-	-	1	-	-	-	-
Mars Hill	837	-	1	-	-	-	1	1	-
Masardis	250	-	-	-	-	-	1	-	-
Monticello	1,132	-	-	-	-	-	2	-	-
New Limerick	567	-	-	-	-	-	1	1	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
12	29	33	47	7	15	30	11	6	3	12	24	2
1	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	2	-	-	-	-	2	-
-	1	-	-	-	-	1	-	-	-	-	1	-
-	-	-	1	-	-	-	-	-	-	-	-	-
2	1	1	-	-	-	-	-	-	-	-	-	-
-	4	-	7	-	-	3	1	1	-	-	2	-
-	1	3	4	1	1	5	-	-	1	1	-	-
-	-	-	-	-	-	1	1	-	-	-	-	1
1	2	1	3	1	-	2	-	-	-	-	1	-
-	-	3	-	1	-	-	1	-	-	2	2	-
1	-	2	3	-	2	-	-	-	-	-	1	-
-	1	-	-	-	-	-	-	-	-	1	3	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	1	-	1	-	-	-	-	-
1	3	1	3	-	1	4	1	2	-	-	-	-
-	2	-	1	-	1	-	-	-	-	-	1	-
-	-	-	3	-	-	1	-	-	-	-	-	-
1	-	2	1	-	-	-	-	-	-	-	1	1
-	-	2	1	-	1	-	1	-	-	-	1	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	2	-	-	-	-	-	-	-	1	-	-
-	1	2	-	-	1	-	-	-	-	-	1	-
1	-	1	1	-	-	-	-	-	-	1	1	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	1	1	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

AROSTOOK

COUNTY AND TOWNS.	Population of 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Nashville.....	34	-	-	-	-	-	-	-	-
New Canada	301	-	-	-	-	-	-	-	-
Oxbow.....	94	-	-	-	-	-	-	-	-
Portage Lake.....	140	-	-	-	-	-	-	-	-
Reed.....	203	-	-	-	-	-	1	-	-
Sheridan.....	221	-	-	-	-	-	-	-	-
St. Francis.....	461	-	-	-	-	-	-	1	-
St. John.....	226	-	-	-	-	-	1	-	-
Silver Ridge.....	195	-	-	-	-	-	-	-	-
Stockholm.....	105	-	-	-	-	-	-	-	-
Wade.....	158	-	-	-	-	-	-	-	-
Wallagrass.....	595	-	-	-	-	-	-	1	-
Westfield.....	166	-	-	-	-	-	1	-	-
Westmanland.....	52	-	-	-	-	-	-	-	-
Winterville.....	72	-	-	-	-	-	-	-	-
CUMBERLAND COUNTY.....	-	2	3	9	93	23	100	75	66
Baldwin.....	932	-	-	-	-	-	1	-	-
Bridgton.....	2,605	-	-	-	4	3	1	2	3
Brunswick.....	6,012	-	-	1	7	1	8	17	2
Cape Elizabeth.....	5,459	-	-	-	1	-	1	1	1
Casco.....	844	-	-	-	-	1	1	-	-
Cumberland.....	1,487	-	-	-	3	-	1	1	-
Deering.....	5,353	-	-	1	7	2	8	6	2
Falmouth.....	1,580	-	-	-	-	1	4	1	1
Freeport.....	2,482	-	1	-	6	-	2	1	1
Gorham.....	2,888	-	-	-	2	-	7	1	4
Gray.....	1,517	-	-	-	4	-	4	1	-
Harpwell.....	1,766	-	-	-	4	1	2	1	-
Harrison.....	1,071	-	-	-	-	-	4	1	-

TABLE
Deaths in Each Town from Certain
CUMBERLAND

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Naples	846	1	-	-	2	-	-	-	-
New Gloucester	1,234	-	-	-	1	1	3	-	2
North Yarmouth	709	-	-	-	-	-	-	1	-
Otisfield	838	-	-	-	1	-	-	-	-
Portland	36,425	1	2	5	39	7	30	28	36
Pownal	712	-	-	-	-	-	-	-	-
Raymond	927	-	-	-	1	-	-	-	-
Scarboro	1,794	-	-	1	-	-	3	3	-
Sebago	681	-	-	-	-	-	1	-	1
South Portland	-	-	-	1	5	2	6	3	3
Standish	1,841	-	-	-	1	3	2	-	-
Westbrook	6,632	-	-	-	4	-	6	6	3
Windham	2,216	-	-	-	1	1	5	-	4
Yarmouth	2,098	-	-	-	-	-	-	1	3
FRANKLIN COUNTY.....	-	-	-	1	11	10	10	14	5
Avon	439	-	-	-	-	1	-	-	1
Carthage	390	-	-	-	1	-	-	-	-
Chesterville	770	-	-	-	-	-	2	1	1
Eustis.	321	-	-	-	-	-	-	3	-
Farmington	3,207	-	-	1	5	4	3	1	1
Freeman	464	-	-	-	-	-	-	-	-
Industry	545	-	-	-	-	-	1	-	-
Jay	1,541	-	-	-	-	1	1	3	-
Kingfield	601	-	-	-	-	-	-	-	-
Madrid	441	-	-	-	-	1	1	1	-
New Sharon	1,064	-	-	-	-	1	-	-	-
New Vineyard	660	-	-	-	1	-	-	1	1
Phillips	1,394	-	-	-	1	-	1	-	-
Rangeley	616	-	-	-	-	2	-	1	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	2	-	2	1	-	1	1	-	-	-	-	-
-	2	5	1	-	-	2	-	-	-	-	-	1
-	-	-	-	-	-	1	-	-	-	-	-	-
1	-	2	4	-	1	1	-	1	-	-	-	-
44	36	62	95	11	15	41	44	20	2	4	43	1
3	1	1	1	-	-	-	1	-	-	-	-	-
-	-	1	-	-	-	-	1	-	-	-	1	-
3	2	6	1	-	-	3	-	-	1	-	1	-
-	-	-	-	1	-	-	-	-	-	-	-	-
6	9	9	4	2	1	5	4	1	-	1	4	1
1	3	8	4	1	-	4	1	3	-	-	-	1
5	7	5	8	2	3	8	-	-	1	1	2	1
-	2	2	2	-	-	1	3	1	-	-	1	1
2	3	7	4	2	-	2	-	-	-	-	-	-
9	19	26	25	5	4	20	9	3	1	5	13	5
-	1	1	-	-	-	-	-	-	-	-	-	-
-	-	-	2	-	-	-	-	-	-	-	-	1
-	-	1	2	-	-	2	2	-	-	-	-	1
-	1	-	-	-	-	-	-	-	-	1	3	-
3	5	5	4	1	2	1	2	2	-	-	5	-
-	1	1	1	-	-	1	-	-	-	1	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	4	1	1	1	2	1	1	1	-	1	-
-	-	2	-	1	-	1	1	-	-	2	-	-
1	-	1	2	-	-	-	-	-	-	-	-	-
1	1	3	3	1	-	3	2	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-
1	3	2	3	-	-	3	-	-	-	-	1	1
-	1	1	1	-	-	4	-	-	-	-	-	-

TABLE
Death in Each Town from Certain

FRANKLIN

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Salem.....	218	-	-	-	-	-	-	-	-
Strong	627	-	-	-	-	-	-	3	-
Temple	470	-	-	-	1	-	-	-	-
Weld.....	885	-	-	-	-	-	-	-	-
Wilton	1,622	-	-	-	1	-	1	-	1
Coplin Pl.....	71	-	-	-	-	-	-	-	-
Dallas Pl.....	184	-	-	-	1	-	-	-	-
Greenvale Pl.....	52	-	-	-	-	-	-	-	-
Jerusalem Pl	18	-	-	-	-	-	-	-	-
Lang Pl.....	51	-	-	-	-	-	-	-	-
Perkins Pl.....	94	-	-	-	-	-	-	-	-
Rangeley Pl.....	58	-	-	-	-	-	-	-	-
Redington Pl	28	-	-	-	-	-	-	-	-
Township No. 6	26	-	-	-	-	-	-	-	-
Washington Pl	29	-	-	-	-	-	-	-	-
HANCOCK COUNTY.....	-	1	1	1	17	7	32	22	12
Amherst	375	-	-	-	-	-	-	3	-
Aurora	175	-	-	-	-	-	1	-	-
Bluehill.....	1,980	-	-	-	-	-	-	-	2
Brooklin	1,046	-	1	-	1	-	-	1	1
Brooksville	1,310	-	-	-	-	1	-	-	-
Bucksport	2,921	-	-	-	3	1	5	2	-
Castine	987	-	-	-	1	-	-	1	-
Cranberry Isles	330	-	-	-	-	-	-	-	-
Dedham	366	-	-	-	-	-	-	3	-
Deer Isle	3,422	-	-	-	2	1	1	1	2
Eastbrook	246	-	-	-	-	-	-	-	-
Eden	1,946	-	-	1	-	-	2	3	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	2	1	-	-	-	-	-	-	1	-	-
-	1	1	1	-	-	1	-	-	-	-	-	-
1	3	1	-	1	1	2	1	-	-	-	1	1
-	1	-	3	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
28	38	58	73	17	14	45	20	16	2	4	17	3
1	-	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
3	1	1	12	1	1	1	2	-	-	-	2	1
-	-	1	3	-	1	1	-	-	-	-	-	-
-	2	2	2	1	1	-	1	-	1	-	-	-
4	4	7	2	1	1	4	2	1	-	-	5	-
-	2	2	3	-	3	1	-	-	-	-	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	1	-	-	1	-	-	-	-	-
1	4	6	2	-	3	4	2	1	-	1	2	-
-	-	-	-	-	-	1	-	1	-	-	1	1
1	2	3	2	-	-	4	1	2	-	1	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
10	3	11	10	10	-	8	4	1	-	-	1	1
-	1	-	1	-	-	-	-	-	-	-	-	-
-	-	2	5	2	-	-	-	-	1	-	-	-
-	1	1	-	-	-	2	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	2	1	-	1	-	1	-	-	-	-	-	-
1	-	-	-	-	-	1	-	-	-	-	-	-
-	1	3	2	-	-	1	-	1	-	-	-	-
-	1	5	3	-	-	2	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	3	3	-	2	2	2	-	-	-	-	-
1	-	1	2	-	-	2	-	2	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
2	1	1	3	-	-	2	1	1	-	-	-	-
1	2	3	1	-	-	1	-	2	-	-	2	-
1	-	2	5	-	-	-	1	2	-	-	1	-
-	-	-	1	-	-	-	-	-	-	-	1	-
-	5	2	9	-	1	2	1	2	-	1	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
1	1	-	1	-	-	1	-	-	-	-	-	-
-	2	-	-	-	-	2	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

KNOX

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
KNOX COUNTY	-	2	-	1	21	7	39	9	6
Appleton.....	1,080	-	-	-	1	2	1	-	-
Camden.....	2,471	-	-	-	2	-	5	-	-
Cushing.....	688	-	-	-	1	1	2	-	-
Friendship.....	877	-	-	1	1	-	1	-	-
Hope.....	641	-	-	-	-	-	2	-	-
Hurricane Isle.....	266	-	-	-	-	-	-	-	-
North Haven.....	552	-	-	-	-	-	-	1	-
Rockland.....	8,174	1	-	-	6	1	5	1	3
Rockport.....	2,150	-	-	-	1	-	1	-	-
South Thomaston.....	1,534	-	-	-	1	-	3	-	-
St. George.....	2,491	-	-	-	2	-	8	1	1
Thomaston.....	3,009	1	-	-	-	-	1	1	-
Union.....	1,436	-	-	-	3	-	3	1	-
Vinalhaven.....	2,617	-	-	-	1	1	4	3	1
Warren.....	2,037	-	-	-	1	2	1	1	1
Washington.....	1,230	-	-	-	1	-	1	-	-
Matinicus Isle Pl.....	196	-	-	-	-	-	1	-	-
LINCOLN COUNTY	-	-	1	2	23	7	38	12	8
Alna.....	512	-	1	-	-	-	1	1	-
Boothbay.....	1,718	-	-	-	1	1	-	-	1
Boothbay Harbor.....	1,699	-	-	-	-	1	5	3	-
Bremen.....	842	-	-	-	-	-	-	-	-
Bristol.....	2,821	-	-	-	2	1	5	1	-
Damariscotta.....	1,012	-	-	-	-	-	2	-	-
Dresden.....	1,043	-	-	1	4	-	2	1	1
Edgecomb.....	749	-	-	-	1	-	2	1	1

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
14	39	59	42	8	5	31	20	7	2	-	23	4
-	1	2	6	1	-	-	2	-	1	-	2	-
1	3	3	6	2	1	6	-	-	-	-	2	-
-	3	3	-	-	-	1	-	-	-	-	1	-
-	1	1	-	-	-	1	1	-	-	-	1	-
1	1	1	-	-	1	-	-	-	-	-	-	1
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	1	-	1	-	-	-	-	-	-	-
6	12	13	10	1	1	4	6	1	-	-	6	2
1	4	5	5	1	-	2	-	1	1	-	-	-
-	1	7	1	1	1	2	3	1	-	-	1	-
2	1	4	4	2	-	3	1	-	-	-	1	-
1	1	6	1	-	-	2	3	-	-	-	2	1
-	2	5	1	-	-	1	4	-	-	-	-	-
-	3	2	3	-	-	3	-	1	-	-	6	-
-	5	4	1	-	-	3	-	3	-	-	-	-
2	1	2	3	-	-	2	-	-	-	-	1	-
-	-	1	-	-	-	-	-	-	-	-	-	-
27	25	43	27	2	5	26	9	2	-	1	2	2
-	2	2	-	1	1	1	-	-	-	-	-	1
3	-	2	-	-	-	2	1	-	-	-	-	-
6	3	2	-	-	-	2	2	-	-	1	-	-
1	3	-	1	-	-	-	-	-	-	-	-	-
1	1	3	3	-	2	4	-	-	-	-	1	-
1	1	4	1	-	-	-	-	-	-	-	-	-
1	2	3	4	-	1	3	-	-	-	-	-	-
1	1	2	1	-	-	-	1	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

LINCOLN

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Jefferson	1,391	-	-	-	1	-	2	1	-
Newcastle	1,282	-	-	-	3	1	4	1	1
Nobleboro	947	-	-	-	2	1	3	-	-
Somerville	453	-	-	-	2	-	-	-	-
Southport	533	-	-	-	1	-	-	-	-
Waldoboro	3,505	-	-	-	4	2	7	1	3
Westport	451	-	-	-	-	-	-	-	-
Whitefield	1,215	-	-	1	1	-	2	-	1
Wiscasset	1,733	-	-	-	1	-	3	2	-
Monhegan Pl.	90	-	-	-	-	-	-	-	-
OXFORD COUNTY	-	-	3	4	15	10	36	16	7
Albany	645	-	-	-	-	-	-	1	-
Andover	740	-	-	-	2	-	2	-	-
Bethel	2,209	-	1	1	1	1	6	-	-
Brownfield	1,134	-	-	-	-	-	1	-	-
Buckfield	1,200	-	-	-	-	-	1	3	-
Byron	180	-	-	-	-	-	-	-	-
Canton	1,303	-	-	-	-	2	2	-	1
Denmark	755	-	-	-	1	-	2	-	-
Dixfield	988	-	-	-	-	1	-	-	-
Fryeburg	1,418	-	-	1	-	-	1	-	-
Gilead	336	-	-	-	-	-	-	-	-
Grafton	98	-	-	-	-	-	-	-	-
Greenwood	727	-	-	-	-	3	2	2	-
Hanover	212	-	-	-	-	-	-	-	-
Hartford	689	-	-	-	2	-	-	-	-
Hebron	600	-	-	-	1	-	-	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
1	1	6	2	-	-	2	-	-	-	-	-	-	-
2	1	4	1	-	-	-	-	-	-	-	-	1	-
1	-	3	-	1	-	-	3	1	-	-	-	-	1
-	-	-	-	1	-	-	1	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-	-
6	3	6	7	-	-	-	4	4	1	-	-	-	-
1	-	2	1	-	-	-	2	-	1	-	-	-	-
1	1	2	3	1	1	-	-	-	-	-	-	-	-
-	6	1	1	-	-	-	2	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-	-
32	33	55	43	14	6	35	16	6	-	2	12	6	
-	2	-	3	-	-	-	-	1	-	-	1	1	
-	1	3	-	-	-	-	1	-	-	-	-	-	
-	-	6	4	2	1	-	-	-	-	1	-	2	
2	-	5	3	2	-	2	2	2	1	-	-	-	
1	1	4	1	-	1	2	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	2	-	
2	1	1	2	-	1	3	-	-	-	-	1	-	
-	1	3	4	1	-	-	1	1	1	-	-	-	1
2	1	1	-	1	-	1	-	-	-	-	-	-	
1	1	2	4	-	-	2	-	-	-	-	-	-	
2	-	2	1	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	
1	1	-	2	-	-	1	1	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	
1	6	2	1	-	1	2	1	1	1	-	-	-	
3	1	-	1	-	-	-	-	-	-	-	-	-	

TABLE
Deaths in Each Town from Certain

OXFORD

COUNTY AND TOWNS.	Population of 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Hiram	1,063	-	-	-	3	-	1	-	-
Lovell	853	-	-	-	1	-	1	1	-
Mason	80	-	-	-	-	-	-	-	-
Mexico	355	-	-	-	-	-	-	2	-
Newry	343	-	-	-	-	-	-	-	-
Norway	2,665	-	1	-	-	-	3	-	-
Oxford.....	1,455	-	-	1	-	-	4	-	-
Paris	3,156	-	-	-	-	2	1	2	3
Peru	692	-	-	-	-	-	-	2	-
Porter	1,015	-	-	-	-	-	1	1	-
Roxbury.....	222	-	-	-	-	-	1	-	1
Rumford	898	-	-	-	1	-	2	1	-
Stoneham	322	-	-	-	-	-	-	-	-
Stow	291	-	-	-	-	-	2	-	1
Sumner.....	901	-	-	-	2	1	-	-	1
Sweden.....	338	-	1	-	1	-	-	1	-
Upton.....	232	-	-	1	-	-	-	-	-
Waterford	1,001	-	-	-	-	-	1	-	-
Woodstock	859	-	-	-	-	-	2	-	-
Franklin Pl.....	112	-	-	-	-	-	-	-	-
Lincoln Pl.....	59	-	-	-	-	-	-	-	-
Milton Pl.....	211	-	-	-	-	-	-	-	-
PENOBSCOT COUNTY.....	-	2	3	6	43	18	97	45	36
Alton	348	-	-	-	-	-	-	-	-
Argyle	263	-	-	-	1	-	-	-	-
Bangor	19,103	2	1	2	12	8	16	11	17
Bradford	1,215	-	-	-	1	1	-	1	2
Bradley	823	-	-	-	-	-	2	4	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
1	1	2	2	-	-	-	-	-	-	-	-	-
3	1	1	-	2	-	1	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	1	-	-	-	-	-	-
3	3	3	1	1	-	4	3	-	-	-	1	-
2	-	1	-	-	1	-	-	-	-	-	-	-
2	2	3	3	3	-	5	1	1	-	1	2	1
-	1	1	-	-	-	-	-	2	-	-	1	-
-	1	3	-	-	-	1	-	-	-	-	-	-
3	-	-	1	5	-	-	1	1	-	-	2	1
-	-	-	-	-	-	-	-	1	-	-	-	-
1	4	3	-	-	1	2	-	-	-	-	-	-
-	-	-	2	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	1	-	-	-	-	-	-
-	2	4	1	1	-	4	-	-	-	-	-	-
2	-	1	1	-	-	-	-	-	-	-	1	-
-	-	-	-	1	-	1	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	1	-
48	76	112	95	30	15	55	42	19	3	6	44	5
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	1	-
11	20	39	31	8	6	17	16	6	2	2	6	-
1	-	5	3	1	-	1	1	1	-	-	1	-
1	-	1	1	-	1	1	-	-	-	-	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONTINUED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
2	2	14	9	2	-	5	2	1	-	-	3	-
-	-	1	1	-	-	-	-	-	-	-	1	-
-	-	1	1	-	-	2	1	-	-	-	-	1
-	2	1	1	-	1	-	-	-	-	-	1	-
-	1	1	-	-	-	1	1	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	1	2	1	-	-	-	1	1	1	-	1	-
-	-	1	1	-	-	1	-	1	-	-	-	-
2	5	6	2	1	1	1	4	-	-	-	-	-
1	1	2	-	1	1	-	1	-	-	-	-	-
2	2	-	1	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	2	1	-	-	-	-	-	-	-	-	-
-	1	1	-	-	-	-	-	-	-	1	-	-
2	2	2	3	2	1	1	1	-	-	-	-	-
-	4	2	1	2	-	2	-	1	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	4	3	-	-	6	-	1	-	1	1	1
-	-	1	1	1	1	2	-	-	-	-	-	1
1	-	2	-	-	-	-	-	-	-	-	1	-
-	-	-	3	-	-	-	-	-	-	-	-	-
-	-	-	2	-	-	-	-	-	-	1	-	-
1	4	1	-	1	-	1	1	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

PISCATAQUIS

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Kingsbury Pl	205	-	-	-	-	-	1	-	-
Lake View Pl	-	-	1	-	-	-	-	-	-
North East Carry	-	-	-	-	-	-	-	-	-
Frenchtown	-	-	-	-	-	-	-	-	-
SAGADAHOC COUNTY	-	-	1	-	14	3	18	9	8
Arrowsic	177	-	-	-	-	-	-	-	-
Bath	8,723	-	-	-	5	2	4	2	7
Bowdoin	940	-	-	-	-	-	-	-	-
Bowdoinham	1,508	-	-	-	3	-	2	-	-
Georgetown	849	-	-	-	1	-	1	-	-
Perkins	69	-	-	-	-	-	-	-	-
Phippsburg	1,396	-	-	-	2	1	-	-	-
Richmond	3,082	-	1	-	-	-	1	1	1
Topsham	1,394	-	-	-	1	-	2	6	-
West Bath	307	-	-	-	1	-	-	-	-
Woolwich	1,007	-	-	-	1	-	8	-	-
SOMERSET COUNTY	-	1	-	1	25	9	49	18	10
Anson	1,444	-	-	-	2	-	1	1	-
Athens	1,072	-	-	1	-	-	-	-	-
Bingham	757	-	-	-	-	1	-	1	1
Cambridge	425	-	-	-	-	-	-	-	1
Canaan	1,130	-	-	-	2	-	3	1	-
Concord	345	-	-	-	-	-	-	1	-
Cornville	785	-	-	-	-	1	1	-	-
Detroit	590	-	-	-	1	-	2	1	-
Embden	579	-	-	-	1	-	-	1	-
Fairfield	3,510	1	-	-	3	-	2	-	2
Harmony	704	-	-	-	-	-	1	1	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-
23	21	41	19	4	4	17	18	6	-	-	7	2
-	-	1	-	-	-	1	-	-	-	-	-	-
13	7	15	10	3	1	8	12	1	-	-	3	1
2	-	3	-	-	-	1	1	-	-	-	-	1
3	2	7	3	-	1	-	1	1	-	-	1	-
-	1	1	1	-	-	-	1	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
1	2	3	-	-	-	1	-	-	-	-	-	-
2	4	5	4	1	1	3	1	3	-	-	1	-
-	1	4	-	-	1	2	-	-	-	-	1	-
1	-	1	-	-	-	-	1	1	-	-	-	-
1	4	1	-	-	-	1	1	-	-	-	1	-
31	32	48	27	9	9	39	17	13	-	5	23	2
-	1	1	-	1	2	-	1	-	-	1	1	-
6	-	-	2	-	-	2	1	-	-	-	-	-
2	1	-	2	-	-	1	-	1	-	-	1	-
-	-	1	-	-	-	-	-	-	-	-	1	-
-	2	4	-	-	-	3	1	1	-	1	1	-
-	-	-	-	-	-	1	-	-	-	-	-	-
1	1	1	3	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	2	-	-	-	-	-
2	-	1	-	1	-	1	1	-	-	-	1	-
2	-	6	7	-	1	3	2	2	-	1	2	-
1	-	1	1	-	-	-	1	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

WALDO

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
WALDO COUNTY	-	-	-	2	18	5	26	7	5
Belfast	5,294	-	-	-	2	2	1	2	3
Belmont	475	-	-	-	-	-	-	1	-
Brooks.....	730	-	-	-	-	-	3	1	-
Burnham	846	-	-	-	-	-	1	-	-
Frankfort	1,099	-	-	-	1	-	-	1	-
Freedom	510	-	-	1	-	-	-	-	-
Islesboro	1,006	-	-	-	-	-	-	-	-
Jackson	522	-	-	-	-	-	-	-	-
Knox	657	-	-	-	1	-	-	-	-
Liberty.....	835	-	-	1	1	-	-	-	-
Lincolnton.....	1,361	-	-	-	1	-	2	-	-
Monroe.....	1,079	-	-	-	3	-	2	-	-
Montville	1,049	-	-	-	2	1	1	-	-
Morrill	460	-	-	-	-	-	-	-	-
Northport	691	-	-	-	1	-	4	1	-
Palermo.....	887	-	-	-	-	-	-	-	1
Prospect.....	697	-	-	-	-	-	-	-	-
Searsmont.....	1,144	-	-	-	-	1	1	-	-
Searsport.....	1,693	-	-	-	1	1	1	-	1
Stockton Springs.....	1,149	-	-	-	-	-	-	-	-
Swanville	689	-	-	-	-	-	3	-	-
Thorndike.....	589	-	-	-	1	-	-	-	-
Troy	868	-	-	-	1	-	2	-	-
Unity	922	-	-	-	1	-	2	-	-
Waldo	581	-	-	-	-	-	2	-	-
Winterport.....	1,926	-	-	-	2	-	1	1	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
27	29	69	40	12	5	32	13	3	1	-	10	3
4	7	22	5	-	1	7	1	-	-	-	1	-
1	1	-	1	-	-	-	-	-	-	-	-	-
2	-	1	2	1	-	2	-	-	-	-	-	-
-	1	-	-	-	-	3	-	-	-	-	1	-
-	1	4	-	-	-	2	-	-	-	-	-	-
1	-	3	-	-	-	-	-	-	-	-	-	-
1	-	1	-	1	-	-	-	-	-	-	-	-
1	-	1	-	2	-	1	-	-	-	-	-	1
-	3	3	2	1	-	-	-	-	-	-	-	-
-	-	2	1	-	-	1	-	1	-	-	1	-
2	1	1	2	-	-	2	2	-	-	-	-	-
1	1	3	3	-	-	2	-	-	-	-	1	-
-	1	1	-	-	-	3	-	2	-	-	2	1
-	1	1	1	1	-	1	3	-	-	-	-	1
-	1	-	-	-	-	-	-	-	-	-	1	-
2	-	2	2	-	-	-	-	-	-	-	1	1
1	-	1	-	-	-	1	-	-	-	-	-	-
3	1	4	5	-	-	-	1	-	-	-	-	-
1	1	2	7	1	3	-	2	-	-	-	1	-
-	1	5	-	-	1	-	1	-	-	-	-	-
-	-	3	3	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	1	1	-	-	-	-	-
2	-	3	-	1	-	1	-	-	-	-	-	-
2	2	3	-	-	-	1	-	-	-	-	1	-
1	2	-	1	1	-	-	-	-	-	-	-	-
3	4	3	5	3	-	4	1	-	1	-	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
23	38	62	60	5	14	39	23	10	1	5	26	3
2	-	3	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	1	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	-	-	-	-
5	7	15	10	4	2	8	7	4	-	1	8	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	1	-	1	-	-	-	-	-	-	-
-	-	1	-	-	-	2	-	-	-	-	2	-
-	-	1	-	-	1	2	1	-	-	-	-	-
-	-	1	1	-	-	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	2	-	-	2	-
-	1	1	2	-	-	-	2	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	1	-	-	-	-
1	-	3	2	-	-	2	-	-	-	-	-	-
-	3	3	9	-	4	3	4	-	1	-	3	-
1	-	1	1	-	-	-	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	3	2	1	-	1	1	-	-	-	-	1	1
-	3	1	1	-	-	2	-	-	-	-	-	-
2	3	1	1	-	-	-	1	-	-	-	1	-
-	1	1	3	-	-	1	1	-	-	1	1	-

TABLE
Deaths in Each Town from Certain

YORK

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
YORK COUNTY	-	2	4	5	54	13	64	46	41
Acton	878	-	-	-	-	-	-	1	-
Alfred	1,030	-	-	-	-	-	-	-	-
Berwick	2,294	-	-	-	2	-	4	-	2
Biddeford	14,443	1	1	2	7	8	9	18	22
Buxton	2,036	-	-	-	2	-	3	2	2
Cornish	1,118	-	-	-	-	1	-	1	-
Dayton	500	1	-	-	-	-	1	-	-
Eliot	1,463	-	-	-	-	-	1	2	-
Hollis	1,278	-	-	-	3	-	1	-	-
Kennebunk	3,172	-	-	-	4	-	10	-	2
Kennebunkport	2,196	-	-	-	2	1	2	3	3
Kittery	2,864	-	-	-	3	-	2	1	-
Lebanon	1,263	-	-	-	2	-	2	-	1
Limerick	966	-	-	-	-	1	-	1	-
Limington	1,092	-	-	-	3	1	-	-	-
Lyman	854	-	-	-	-	1	-	-	-
Newfield	796	-	-	-	1	-	1	-	-
North Berwick	1,803	-	-	-	-	-	3	-	-
Old Orchard	877	-	-	-	1	-	-	-	-
Parsonsfield	1,398	-	-	-	-	-	1	-	-
Saco	6,075	-	2	2	10	-	8	2	1
Sanford	4,201	-	1	-	2	-	1	6	2
Shapleigh	968	-	-	-	3	-	1	2	-
South Berwick	3,434	-	-	-	5	-	6	3	3
Waterboro	1,357	-	-	-	-	-	2	1	2
Wells	2,029	-	-	-	2	-	5	3	1
York	2,444	-	-	1	2	-	1	-	-

No. 32—Concluded.

Diseases and Groups of Diseases.

COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
59	82	89	103	27	24	66	42	23	1	7	27	5
-	2	1	-	-	-	-	1	-	-	-	-	-
2	2	2	1	2	-	1	1	2	-	-	1	-
-	4	1	5	1	-	2	-	-	1	-	-	-
9	19	15	31	11	6	12	8	2	-	1	5	-
1	3	5	2	1	-	3	-	-	-	-	1	-
3	1	-	2	-	-	1	1	3	-	-	-	-
1	-	1	-	-	1	-	1	-	-	-	1	-
5	1	4	3	-	1	2	2	2	-	-	2	-
1	1	4	2	3	2	-	1	-	-	-	-	-
3	4	6	3	-	-	2	1	-	-	-	1	-
4	1	2	4	1	2	2	-	-	-	-	2	-
2	6	3	5	-	-	2	2	2	-	-	1	-
2	2	1	7	1	-	-	2	1	-	-	-	-
2	2	1	1	-	-	1	4	1	-	-	-	-
-	-	-	1	-	-	-	1	-	-	-	-	-
2	2	2	-	-	1	2	-	1	-	-	1	-
-	2	2	-	1	2	1	1	1	-	-	1	-
2	2	-	1	1	-	-	3	1	-	-	1	1
1	1	2	2	-	1	2	-	-	-	-	2	-
-	-	4	-	-	-	-	-	-	-	-	-	-
4	10	10	11	2	2	7	1	3	-	1	2	1
5	3	8	7	2	2	4	4	3	-	3	1	1
-	-	2	-	-	-	4	1	-	-	-	-	-
6	3	4	5	1	1	7	3	1	-	1	-	2
-	2	3	4	-	1	3	1	-	-	-	-	-
2	5	1	4	-	1	2	1	-	-	1	2	-
2	4	5	2	-	1	6	2	-	-	-	3	-

TABLE
Deaths by Ages, Sex

COUNTIES.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Androscoggin, males ...	123	44	19	20	28	30	27	31	58	71	35	4	-	4
females	90	53	16	26	46	30	36	37	59	55	40	11	-	1
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aroostook, males	106	51	22	19	30	14	14	17	28	31	23	10	-	-
females	91	75	25	24	31	35	16	23	25	27	18	4	-	1
not stated	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cumberland, males	143	75	21	27	53	57	58	89	124	126	79	10	-	4
females	115	79	22	31	68	71	67	98	104	132	92	10	1	9
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Franklin, males	22	11	-	9	9	7	9	10	16	36	21	3	-	2
females	10	5	3	12	14	11	13	13	9	16	13	7	-	1
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock, males	37	15	3	24	25	16	20	32	41	54	27	5	-	-
females	29	10	4	23	31	22	16	25	34	39	46	1	1	2
not stated	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec, males	104	34	11	17	33	40	42	58	69	97	56	8	-	2
females	83	36	13	23	43	51	46	44	55	87	63	16	1	6
not stated	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Knox, males	24	19	5	12	14	6	18	34	36	48	29	4	-	-
females	17	17	5	14	24	24	17	21	20	33	22	10	-	2
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln, males	12	3	3	8	9	5	10	14	35	34	32	5	-	-
females	12	9	2	7	8	10	10	14	19	44	32	4	-	2
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford, males	40	15	8	8	13	20	12	19	45	43	31	8	-	-
females	21	4	4	9	12	27	23	11	32	46	36	7	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot, males	90	42	10	33	54	34	26	50	83	106	66	9	1	4
females	80	36	8	23	50	42	43	64	62	83	63	12	-	1
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Piscataquis, males	10	12	-	7	8	8	7	10	18	18	14	3	-	4
females	14	9	1	6	11	9	8	15	17	17	13	2	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc, males	15	7	2	6	3	8	8	11	24	39	18	1	-	2
females	12	4	4	10	12	12	12	16	18	26	24	4	1	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset, males	23	19	6	12	17	15	10	20	46	50	43	3	-	1
females	22	7	4	14	21	8	20	23	28	52	38	14	-	2
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waldo, males	13	10	3	9	6	6	16	16	41	47	33	13	-	1
females	17	10	2	8	16	18	13	18	24	45	33	6	-	-
not stated	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington, males	56	29	7	16	27	18	11	23	32	41	32	3	-	4
females	42	22	11	17	20	22	25	25	36	30	38	3	-	1
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York, males	116	42	5	20	23	23	29	43	72	110	49	2	1	6
females	85	36	6	28	51	37	34	50	86	93	73	16	-	5
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Totals, males	934	428	125	247	355	307	317	477	768	951	588	91	2	34
females	740	412	130	280	458	429	399	499	626	825	644	127	4	33
not stated	4	-	-	-	-	-	-	-	-	-	-	-	-	2
Grand total	1678	840	255	527	813	736	716	976	1394	1776	1232	218	6	69

No. 33.

and Months by Counties.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
27	33	54	42	42	28	49	51	44	58	34	32	-	494	-
34	38	47	48	41	30	42	55	36	60	37	32	-	500	-
-	-	-	1	-	-	-	-	-	-	-	-	-	1	995
23	22	33	31	41	26	26	39	45	32	32	25	-	365	-
26	28	37	38	44	29	21	41	43	38	25	25	-	395	-
-	-	-	1	-	-	-	-	-	-	-	-	-	1	761
80	72	76	77	72	61	75	79	68	74	45	87	-	866	-
76	69	112	82	63	61	63	82	78	68	69	76	-	899	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,765
15	9	16	12	14	13	11	10	13	14	17	11	-	155	-
6	9	19	14	12	7	9	15	8	16	11	11	-	127	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	282
28	25	42	26	28	24	13	25	27	26	20	18	-	302	-
31	20	36	43	17	19	25	16	22	15	16	23	-	283	-
-	-	-	-	-	-	-	1	-	-	-	-	-	1	586
42	46	55	45	36	40	45	70	52	57	45	38	-	571	-
51	38	74	39	52	34	54	58	59	37	37	34	-	567	-
1	-	-	-	-	-	-	-	1	-	-	-	-	2	1,140
23	27	35	21	14	19	15	10	26	18	28	14	-	249	-
18	24	35	19	14	12	19	17	17	18	20	13	-	226	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	475
8	14	15	14	15	13	16	18	14	16	15	12	-	170	-
11	11	24	13	14	15	10	13	14	14	11	23	-	173	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	343
15	17	36	19	20	25	23	22	26	19	22	18	-	262	-
22	13	33	19	22	18	15	16	10	25	18	21	-	232	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	494
60	63	69	57	58	30	24	32	61	53	53	48	-	608	-
57	46	57	51	34	47	41	43	47	54	51	44	-	572	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,180
6	7	16	9	16	7	10	7	12	12	6	11	-	119	-
9	7	11	12	13	10	13	9	10	13	8	7	-	122	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	241
16	6	13	12	10	6	12	15	16	8	16	13	1	144	-
14	10	25	12	9	12	8	15	14	12	12	12	-	155	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	299
18	15	32	21	18	14	29	28	24	24	19	23	-	265	-
19	17	32	27	19	19	22	15	14	24	25	20	-	253	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	518
11	19	40	20	13	15	15	15	17	18	16	15	-	214	-
12	12	32	20	16	19	16	17	16	22	13	15	-	210	-
-	1	-	-	-	-	-	-	-	-	-	-	-	1	425
26	20	25	32	22	25	17	30	29	25	26	21	1	299	-
28	22	20	31	19	23	14	34	23	34	19	25	-	292	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	591
50	35	47	53	37	27	52	59	53	53	43	32	-	541	-
53	56	61	60	46	41	36	62	59	51	37	38	-	600	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,141
448	430	604	491	456	373	432	510	526	507	427	418	2	5,024	-
467	420	655	528	435	396	408	508	470	492	408	419	-	5,606	-
1	1	-	1	1	-	-	1	1	-	-	-	-	6	-
916	851	1,259	1,020	892	769	840	1,019	997	999	835	837	2	11,236	11,236

TABLE No. 34.

Number of Deaths from Several Specified Causes, of Each Sex, in Each Month, which were Registered During Six Years, (1892-97).

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Cerebro-spinal meningitis.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
Totals	167	241	364	1,150	200	1,371	7,408	3,092	6,126	1,375	2,853
Males.....	80	110	168	564	105	742	3,146	-	3,029	631	1,405
Females.....	87	131	196	586	95	629	4,262	-	3,097	744	1,448
January	17	23	42	129	15	98	654	22	1,072	185	279
February	9	19	31	98	21	80	609	27	568	157	254
March	23	25	23	77	23	109	705	34	906	188	252
April	21	26	25	76	28	64	701	42	747	161	236
May	26	21	29	76	12	81	716	38	563	143	235
June	13	23	36	64	16	73	642	90	287	81	203
July	17	13	29	67	13	67	614	508	131	73	204
August	9	10	41	56	15	111	573	1,108	126	53	238
September	5	19	40	76	17	196	528	829	180	69	245
October	10	18	20	143	19	214	579	286	296	95	230
November	9	22	26	135	10	161	509	69	392	76	224
December.....	8	22	22	151	11	114	575	37	555	94	253
Not stated.....	-	-	-	2	-	3	3	2	3	-	-

NOTES ON DEATHS AND THE CAUSES OF DEATH.

Death-Rates.—The number of deaths registered in the year 1897 was 11,236 (12,147 in 1892, 11,134 in 1893, 11,012 in 1894, 10,464 in 1895, and 10,626 in 1896). The number of deaths for this registration year was, therefore, 610 more than that for the year 1896, 772 more than for 1895, 224 more than for 1894, 102 more than for 1893, and 911 less than for 1892. The death-rate for the State for the year 1897 was 16.99 for every 1,000 of population as returned by the census of 1890 (18.37 in 1892, 16.84 in 1893, 16.66 in 1894, 15.83 in 1895, and 16.07 in 1896). Based on the estimated population of 1897, the death-rate would be slightly lower, 16.77.

By referring to Table No. 4, it will be seen that the death-rate of Washington county was lower than that of any other county, being only 13.57. The counties Aroostook, Franklin, Hancock, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, and Washington had lower death-rates than that of the whole State; while the counties Androscoggin, Cumberland, Kennebec, and York, containing large manufacturing centres, have death-rates larger than that of the State. The highest county death-rate was that of Androscoggin, 20.32.

The death-rate in the cities was 20.11 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, 18.36 in 1895, and 18.78 in 1896) as compared with that of the rest of the State with the cities omitted, which death-rate was 15.68 (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, 14.77 in 1895, and 14.93 in 1896).

Seasons and Mortality.—The largest number of deaths occurred in March, 1,259. In 1896 the largest number of deaths was in August, 1,079. The smallest number of deaths in any one month was 769 in June. In the preceding year the smallest number was 667 in November. During the spring months 3,171 deaths occurred; during the summer, 2,628; during the autumn, 2,831; in the winter, 2,604.

The following is a tabular statement of the number of deaths in each quarter of the six years, 1892-97:

	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
1892.....	3,964	2,926	2,780	2,427
1893.....	2,653	2,825	2,878	2,750
1894.....	3,166	2,660	2,774	2,402
1895.....	2,780	2,412	2,764	2,503
1896.....	2,728	2,717	2,836	2,339
1897.....	3,026	2,681	2,856	2,671

Table No. 29 exhibits the total number of deaths which occurred in each month of the six years for which a report has now been made. In 1892, the highest mortality occurred in January; in 1893, in August; in 1894, in January; in 1895, in March; in 1896, in August; in 1897, in March. The smallest number of deaths in all the six registration years has been in November, with the exception of 1897 when it was in June. The number of deaths for 1897 in each month by counties is shown in Table No. 33.

Sex and Mortality.—Of the 11,236 decedents, 5,624 were males, and 5,606 were females. The sex of 6 was unstated.

Among children dying before they were 5 years old, 1,362 were males, and 1,152 were females; there were 210 more deaths among boys under 5 years of age than among girls within the same age-period. On the contrary, at the age-periods from 10 to 50 years there was a preponderance of deaths among females, while there were more deaths among males at the ages from 50 to 80. At the age of 100 years and over, six persons died, two men and four women. See Table No. 33.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under 1 year of age	1,678	14.93 per cent.
From 1-5 years of age	840	7.48 per cent.
From 5-10 years of age	255	2.27 per cent.
From 10-20 years of age	527	4.69 per cent.

From 20-30 years of age	813	7.24 per cent.
From 30-40 years of age	736	6.55 per cent.
From 40-50 years of age	716	6.37 per cent.
From 50-60 years of age	976	8.69 per cent.
From 60-70 years of age	1,394	12.41 per cent.
From 70-80 years of age	1,776	15.81 per cent.
From 80-90 years of age	1,232	10.96 per cent.
From 90-100 years of age	218	1.94 per cent.
Over 100 years of age	6	0.05 per cent.
Ages not stated	69	0.61 per cent.

The Causes of Death.—Of the 12,133 deaths, including 712 still-births and 185 premature births, the cause of 11,696 was certified, leaving 437 of which the cause of death was unspecified or so ill-defined as to preclude satisfactory classification.

The following table shows the mortality from ten prominent causes in the six years 1892-97. In 1897, as well as in the four preceding years, diseases of the brain have headed the list, while in each of the six years the next most prominent cause of mortality in the State has been consumption. In 1892, on account of the existing epidemic of influenza, pneumonia was raised to the first place in the list of the causes of death.

MORTALITY FROM TEN PROMINENT CAUSES—1892-97.

CAUSES OF DEATH.	1897.	1897.	1896.	1895.	1894.	1893.	1892.
Brain disease*.....	1,396	1	1	1	1	1	3
Consumption.....	1,128	2	2	2	2	2	2
Heart diseases.....	1,062	3	3	3	4	4	4
Pneumonia.....	936	4	4	4	3	3	1
Old age.....	700	5	5	5	5	5	5
Infantile diarrhea.....	528	6	6	6	7	6	6
Cancer.....	463	7	7	7	6	7	7
Kidney disease†.....	451	8	8	8	8	8	8
Diphtheria and croup.....	276	9	10	10	10	10	10
Bronchitis.....	237	10	9	9	9	9	9

*Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain and its membranes, and other brain diseases.

†Including deaths, certified as from nephritis, Bright's disease, albuminuria, and uremia.

By referring to Table No. 30, it will be noticed that the causes of death are arranged under eight "Classes," and that the causes of death in some of the classes are distributed into several "Groups." The following notes on some of the classes and groups of diseases and individual causes of death will be arranged in accordance with the classification shown in this Table 30.

Zymotic Diseases.—The lists of the zymotic diseases usually include smallpox, measles, scarlet fever, typhoid fever, whooping-cough, diphtheria and croup, and the diarrheal diseases. The following table shows the number of deaths which resulted from these zymotic diseases in the several counties of the State :

SEVEN ZYMOTIC DISEASES BY COUNTIES—1897.

COUNTIES.	Population in 1890.	Aggregate deaths from zymotic diseases—1897.	Zymotic death-rate per 10,000—1897.	Mean zymotic death-rate—1892-97.
Androscoggin	48,968	168	34.31	27.09
Aroostook	49,589	183	36.90	30.65
Cumberland	90,949	183	20.12	18.89
Franklin	17,053	20	11.73	14.95
Hancock	37,312	40	10.72	12.10
Kennebec	57,012	152	26.66	22.97
Knox	31,473	32	10.17	15.09
Lincoln	21,996	15	6.82	6.82
Oxford	30,586	34	11.12	11.33
Penobscot	72,865	86	11.80	15.30
Piscataquis	16,134	21	13.02	9.50
Sagadahoc	19,452	17	8.74	11.39
Somerset	32,627	42	12.87	12.36
Waldo	27,759	28	10.09	8.04
Washington	44,482	49	11.02	16.30
York	62,829	129	20.53	24.01
State	661,086	1,199	18.14	18.00

In the foregoing table the third column shows, for each county, the whole number of deaths in 1897 from the zymotic diseases, the fourth column shows the zymotic death-rate for the same year, and the last column gives the mean or average zymotic death-rate in each county for the six years 1892-97. The following table makes a similar comparative exhibit for the cities :

ZYMOTIC DISEASES BY CITIES—1897.

CITIES.	Population in 1890.	Aggregate deaths from seven zymotic diseases—1897.	Zymotic death-rate per 10,000—1897.	Mean zymotic death-rate—1892-97.
Auburn	11,250	28	24.89	20.59
Augusta	10,527	46	43.70	38.31
Bangor.....	19,103	26	13.61	19.28
Bath.....	8,723	12	13.76	15.47
Belfast	5,294	4	7.56	9.44
Biddeford	14,443	77	53.31	56.66
Brewer.....	4,193	12	28.62	21.86
Calais	7,290	20	27.43	34.06
Deering	5,353	6	11.21	14.63
Eastport	4,908	5	10.19	-
Ellsworth.....	4,804	8	16.65	8.33
Gardiner.....	5,491	11	20.03	15.48
Hallowell.....	3,181	5	15.72	14.14
Lewiston	21,701	113	52.07	40.09
Old Town	5,312	14	26.36	28.55
Portland	36,425	105	28.83	20.82
Rockland	8,174	17	20.80	22.88
Saco	6,075	10	16.46	21.12
Waterville.....	7,107	33	46.43	43.62
Westbrook	6,632	14	21.11	33.66
Collectively	195,986	566	28.88	27.12

Infectious Diseases.—Disregarding influenza, the number of deaths caused by this group of diseases was 684 in 1892, 678 in 1893, 536 in 1894, 575 in 1895, 617 in 1896, and 605 in 1897. In 1897 there were, therefore, 12 less deaths from these causes than in the preceding year. By consulting the table which follows, it will be seen that the number of deaths from typhoid fever was smaller than in any previous registration year; that from whooping-cough the mortality was less than in any of the preceding years; and that the combined mortality from diphtheria and croup was much larger than for any other registration year.

INFECTIOUS DISEASES—1892-97.

DISEASES.	1892.	1893.	1894.	1895.	1896.	1897.	Total.
Smallpox	-	-	-	-	-	-	-
Chicken-pox	-	1	-	1	-	-	2
Measles	29	55	21	8	32	22	167
Rotheln	-	-	-	1	2	-	3
Scarlet fever	36	80	29	25	33	38	241
Typhus fever	-	-	1	1	1	-	3
Influenza	755	153	295	152	117	294	1,766
Whooping cough	54	51	20	82	111	46	364
Mumps	-	-	-	1	-	-	1
Diphtheria	106	69	77	135	109	200	696
Croup	106	83	62	62	65	76	454
Tonsilitis, etc	9	7	1	4	7	11	39
Cerebro-spinal meningitis	38	30	34	29	33	36	200
Tetanus	7	10	6	10	8	2	43
Typhoid fever	255	257	258	185	186	151	1,292
Simple continued fever	31	29	19	21	18	16	134
Malarial diseases	13	5	8	10	12	7	55
Other specific febrile diseases	-	-	-	-	-	-	-

Smallpox.—No death has resulted from this cause in any of the six years covered by the Vital Statistics reports, 1892-97.

Measles.—This disease caused the death of 22 persons, of whom 8 were males and 14 were females. The deaths from measles were 29 in 1892; 55 in 1893; 21 in 1894; 8 in 1895; 32 in 1896.

MEASLES BY COUNTIES, MONTHS, AND AGE-PERIODS—1896-97.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 12	January 3	Under 1..... 15
Aroostook 1	February..... 3	1-5 27
Cumberland 10	March 3	5-10..... 4
Franklin -	April..... 5	20-30..... 3
Hancock 1	May..... 10	30-40..... 1
Kennebec 7	June 3	40-50..... 1
Knox -	July..... 6	50-60..... 2
Lincoln..... 1	August 4	*Over 60..... 1
Oxford 6	September 3	Total..... 54
Penobscot 4	October..... 6	
Piscataquis -	November..... 5	
Sagadahoc 2	December..... 3	
Somerset..... 1	Total..... 54	
Waldo -		
Washington 1		
York 9		
State 54		

* This person's age was 63 years.

Scarlet Fever.—The total mortality from this disease was 38 (36 in 1892, 80 in 1893, 29 in 1894, 25 in 1895, and 33 in 1896), 17 males and 21 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was 8 in June. There were 10 deaths in the first quarter, 16 in the second, 3 in the third, and 9 in the last three months of the year. Aroostook county had 15 deaths from scarlet fever, 14 of which were in Frenchville; Cumberland had 6; Knox had 5; while Kennebec and Penobscot had 3 each. In 6 counties no deaths occurred from scarlet fever. Of the 38 deaths from this cause, 6 were in the cities. The following is an exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the five years 1893-97.

**SCARLET FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS
—1893-97.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin 13	January 15	Under 1..... 17
Aroostook 29	February 16	1-5 94
Cumberland 22	March 20	5-10. 59
Franklin 5	April 21	10-20. 26
Hancock 8	May 17	20-30..... 7
Kennebec 17	June 20	30-40..... —
Knox 17	July 13	40-50..... 1
Lincoln 1	August 10	Not stated..... 1
Oxford 1	September 18	Total 205
Penobscot 19	October..... 16	
Piscataquis —	November..... 19	
Sagadahoc 7	December..... 20	
Somerset..... 6	Total..... 205	
Waldo 3		
Washington 13		
York 44		
State 205		

The scarlatinal death-rate per 10,000 for the State was 0.57; for the cities, 0.31.

Influenza.—During the year for which this report is made, 294 deaths were attributed to influenza. By months the percentage distribution of deaths from this cause was as follows: January, 1.4; February, 7.1; March, 36.7; April, 28.2; May, 12.9; June, 5.1; July, 1.7; August, 1.0; September, 0.7; October, 2.4; November, 1.4; December, 1.4. The following shows the age incidence of deaths reported as having occurred from influenza:

Under 1 year, 36	50-60 years, 22
1-5 years, 17	60-70 years, 30
5-10 years, 6	70-80 years, 78
10-20 years, 9	Over 80 years, 68
20-30 years, 6	—
30-40 years, 10	Total 294
40-50 years, 12	

The influenza death-rate for the whole State was 4.45 for each 10,000 of living population (11.43 in 1892, 2.31 in 1893, 4.46 in 1894, 2.30 in 1895, and 1.77 in 1896).

DEATHS FROM INFLUENZA BY COUNTIES AND MONTHS—1897.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.
Androscoggin	-	1	6	4	-	-	-	-	-	-	-	1	12
Aroostook	-	2	6	15	13	3	3	2	1	2	1	-	46
Cumberland	-	6	8	11	10	3	-	-	-	-	-	-	38
Franklin	-	1	5	7	3	2	1	-	-	-	-	-	19
Hancock	-	-	8	5	1	-	-	-	-	-	-	-	14
Kennebec	2	1	7	3	1	3	-	-	-	-	-	1	18
Knox	-	1	5	3	2	-	-	-	-	1	-	-	12
Lincoln	-	-	6	1	-	-	-	-	-	1	-	-	8
Oxford	-	-	12	6	3	-	1	1	-	-	-	1	24
Penobscot	1	2	11	8	-	1	-	-	1	1	1	-	26
Piscataquis	1	1	2	-	1	-	-	-	-	1	1	-	7
Sagadahoc	-	-	4	1	-	-	-	-	-	-	-	-	5
Somerset	-	-	5	4	-	-	-	-	-	-	-	-	9
Waldo	-	-	7	3	1	-	-	-	-	-	-	-	11
Washington	-	3	1	4	1	3	-	-	-	1	-	1	14
York	-	3	15	8	2	-	-	-	-	-	1	-	29
State	4	21	108	83	38	15	5	3	2	7	4	4	294

Whooping-Cough.—The number of deaths from whooping-cough was 46 (54 in 1892, 51 in 1893, 20 in 1894, 82 in 1895, and 111 in 1896), of which 26 were males and 20 were females. The number of deaths in the cities was 11. Thirty-six of the 46 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping-cough was 0.61 per 10,000; that of the cities, 0.56.

The following shows the deaths from whooping-cough arranged by counties, months, and age-periods:

**WHOOPIING COUGH BY COUNTIES, MONTHS, AND AGE-PERIODS
—1897.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin 6	January 5	Under 1..... 36
Aroostook 16	February 3	1-5 8
Cumberland 6	March 4	5-10..... -
Franklin -	April. 3	10-20..... 2
Hancock 3	May 2	Total 46
Kennebec 1	June 9	
Knox 4	July..... 4	
Lincoln -	August 6	
Oxford 3	September 8	
Penobscot -	October 2	
Piscataquis 1	November -	
Sagadahoc -	December -	
Somerset..... -	Total..... 46	
Waldo 2		
Washington -		
York..... 4		
State 46		

Diphtheria.—There were, for the year 1897, 200 deaths from diphtheria (106 in 1892, 69 in 1893, 77 in 1894, 135 in 1895, and 109 in 1896). Of the decedents, 84 were males and 116 were females.

Ages: Under 1, 12; 1-5, 95; 5-10, 53; 10-20, 23; 20-30, 7; 30-40, 5; 50-60, 1; over 60, 3; unknown, 1.

Of the 200 deaths, 88 were in the cities, and 112 in other places. The diphtheria death-rate for the State was 3.03, and for the cities, 4.50.

The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

DIPHThERIA BY COUNTIES AND MONTHS—1897.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	1	1	-	1	-	1	1	-	2	15	12	4	38	7.76
Aroostook	3	-	-	2	2	3	2	8	10	14	1	4	49	9.88
Cumberland	7	4	2	1	3	1	2	1	2	8	7	10	48	5.28
Franklin	2	1	2	-	-	1	1	-	-	-	-	-	7	4.10
Hancock	-	-	-	-	-	-	-	-	-	2	2	1	5	1.34
Kennebec	1	1	-	-	6	1	-	-	1	1	2	-	13	2.28
Knox ..	1	-	-	1	-	-	2	2	-	2	-	-	8	2.54
Lincoln	-	-	1	-	-	-	-	-	-	-	-	-	1	0.45
Oxford	1	-	-	-	1	1	-	-	-	-	-	-	3	0.98
Penobscot.....	1	-	-	1	-	1	-	1	1	1	-	2	8	9.12
Piscataquis	-	-	-	-	-	-	-	-	-	1	-	-	1	0.62
Sagadahoc	-	-	1	-	-	-	-	-	-	-	-	-	1	0.51
Somerset.....	-	-	-	-	-	-	-	-	-	-	-	1	1	0.30
Waldo	-	-	-	-	-	-	2	-	1	1	-	-	4	1.44
Washington	-	-	-	-	4	-	-	-	-	2	-	-	6	1.35
York	-	-	-	1	2	2	1	-	-	-	1	-	7	1.11
State	17	7	6	7	18	11	11	12	17	47	25	22	200	3.03

Croup.—The number of deaths referable to this cause was 76 (106 in 1892, 83 in 1893, 62 in 1894, 62 in 1895, and 65 in 1896). Of the 76 decedents, 38 were males and 38 females. All but 1 were less than 10 years of age.

Ages: Under 1, 15; 1-5, 49; 5-10, 11; over 10, 1.

The death-rate for croup was, for the State, 1.15; for the cities, 1.89.

The distribution of croup by counties and months is shown in the following table:

CROUP BY COUNTIES, AND MONTHS—1897.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	1	-	1	1	-	-	-	-	1	2	1	1	8	1.63
Aroostook	-	1	3	1	4	1	1	4	3	4	2	2	26	5.24
Cumberland	5	2	1	-	-	-	1	1	-	1	2	1	14	1.54
Franklin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock	-	1	-	-	-	-	-	-	-	-	-	-	1	0.27
Kennebec	-	2	-	-	-	-	-	-	1	-	-	2	5	0.88
Knox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	-	-	1	-	-	-	-	-	-	-	-	-	1	0.33
Penobscot	-	1	-	1	-	-	-	-	-	2	2	3	9	1.24
Piscataquis	-	1	-	-	-	-	-	-	-	-	-	-	1	0.62
Sagadahoc	-	1	1	1	-	-	-	-	-	-	-	-	3	1.53
Somerset	-	-	-	-	1	-	-	-	-	-	-	-	1	0.31
Waldo	-	1	-	-	-	-	-	-	-	-	-	-	1	0.36
Washington	-	-	-	-	-	-	-	-	-	-	1	-	1	0.22
York	1	1	-	-	-	-	1	-	-	-	1	1	5	0.81
State	7	11	7	4	5	1	3	5	5	9	9	10	76	1.15

It is now conceded that the two diseases, croup and diphtheria, are etiologically one and the same. The combined death-rate for the two diseases is 4.18 per 10,000 of living population; of our cities, 6.39.

The following tabulation shows the number of deaths from diphtheria and croup for the six years 1892-97, arranged by counties, months, and age-periods:

DIPHTHERIA AND CROUP BY COUNTIES, MONTHS, AND AGE-PERIODS—1892-97.

By COUNTIES.	By months.	By age-periods.
Androscoggin 104	January 129	Under 1..... 176
Aroostook 197	February.. 98	1-5..... 519
Cumberland 231	March 77	5-10..... 263
Franklin..... 21	April..... 76	10-20 132
Hancock 29	May..... 76	20-30..... 26
Kennebec 127	June 64	30-40. 17
Knox 79	July..... 67	40-50 6
Lincoln 14	August 56	50-60..... 3
Oxford..... 17	September..... 76	60-70..... 4
Penobscot..... 74	October..... 143	Over 70 1
Piscataquis..... 14	November..... 135	Not stated..... 3
Sagadahoc..... 24	December..... 151	Total1,150
Somerset..... 24	Not stated..... 2	
Waldo..... 23	Total..... 1,150	
Washington 64		
York 108		
State.....1,150		

Cerebro-Spinal Meningitis.—The number of decedents was 36 (38 in 1892, 30 in 1893, 34 in 1894, 29 in 1895, and 33 in 1896),—19 males and 17 females. Fourteen of these deaths were in the cities. Deaths from this cause occurred in every month except November. Distributed by quarters, they were 10, 12, 8, 6. The death-rate from this disease was 0.54.

The distribution of deaths from cerebro-spinal meningitis by counties, months, and age-periods is shown in the following:

CEREBRO-SPINAL MENINGITIS BY COUNTIES, MONTHS, AND AGE-PERIODS—1897.

BY COUNTIES.	By months.	By age-periods.			
Androscoggin	3	January	2	Under 1	9
Aroostook	4	February	3	1 to 5	11
Cumberland	3	March	5	5 to 10	2
Franklin	2	April	7	10 to 10	12
Hancock	1	May	1	30 to 40	1
Kennebec	5	June	4	Over 70	1
Knox	1	July	2	Total	36
Lincoln	1	August	4		
Oxford	3	September	2		
Penobscot	5	October	4		
Piscataquis	2	November	-		
Sagadahoc	-	December	2		
Somerset	-	Total	36		
Waldo	1				
Washington	1				
York	4				
State	36				

Tetanus.—This disease was the cause of 2 deaths (7 in 1892, 10 in 1893, 6 in 1894, 10 in 1895, and 8 in 1896). The decedents were 1 male and 1 female. These deaths occurred in January and August. Ages, 19 and 48.

Typhoid Fever.—Including 6 deaths from “gastric fever,” 5 “fever,” 3 “slow fever,” 1 “billious fever,” and 1 from “continued fever,” there were 167 deaths from typhoid fever. Of these, 96 were of males and 71 of females. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in

mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value,—74 per cent. died between 10 and 50 years of age.

Ages: Under 1, 3; 1-5, 7; 5-10, 11; 10-20, 33; 20-30, 46; 30-40, 32; 40-50, 13; 50-60, 8; 60-70, 8; 70-80, 5; over 90, 1.

The largest number of deaths, 24, occurred in September, and the smallest number, 8, in July. By quarters, 39 were in the first quarter, 35 in the second, 45 in the third, and 48 in the last quarter of the year.

The typhoid death-rate of 3.78 in the cities is considerably greater than that in the villages and rural towns, which is 2.00. The rate for the State is 2.53.

The following exhibits the number of deaths from typhoid fever in each county by months, with death-rate in each county :

TYPHOID FEVER—1897.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin.....	-	1	2	2	2	2	3	2	2	-	4	2	-	22	4.49
Aroostook.....	1	-	1	1	-	-	1	1	1	-	-	-	-	6	1.21
Cumberland.....	4	1	3	1	2	5	1	3	3	-	-	-	-	23	2.53
Franklin.....	-	-	1	-	-	-	-	1	-	1	2	1	-	6	3.52
Hancock.....	2	-	-	-	-	-	1	-	5	3	2	1	-	14	3.75
Kennebec.....	-	3	5	1	1	-	1	1	6	3	1	1	-	23	4.03
Knox.....	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.32
Lincoln.....	-	-	-	-	1	1	-	-	-	3	-	-	-	5	2.27
Oxford.....	3	-	-	-	-	-	-	-	1	2	1	-	-	7	2.29
Penobscot.....	2	1	1	3	1	1	-	3	2	1	-	1	-	16	2.19
Piscataquis.....	2	1	-	-	1	-	-	-	-	2	-	-	-	6	3.72
Sagadahoc.....	-	-	-	-	-	1	-	-	-	-	-	1	-	2	1.03
Somerset.....	1	1	-	-	-	1	-	-	-	1	3	2	-	9	4.63
Waldo.....	-	-	-	-	-	1	-	1	-	-	-	-	-	2	0.72
Washington.....	-	-	-	-	-	1	-	-	1	1	2	-	-	5	1.12
York.....	2	1	-	4	2	-	1	1	2	3	2	2	-	20	3.18
State.....	17	9	13	12	10	13	8	13	24	20	17	11	-	167	2.53

The following exhibits, for the six years 1892-97, the distribution of deaths from typhoid fever by counties, months, and age-periods:

**TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—
1892-97.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin 168	January 103	Under 1 21
Aroostook 132	February 85	1-5 63
Cumberland 197	March 111	5-10 72
Franklin 48	April 69	10-20 336
Hancock 67	May 84	20-30 427
Kennebec 123	June 79	30-40 194
Knox 31	July 74	40-50 115
Lincoln 26	August 114	50-60 70
Oxford 63	September 202	60-70 56
Penobscot 194	October 219	70-80 45
Piscataquis 25	November 164	Over 80 13
Sagadahoc 24	December 119	Not stated 14
Somerset 53	Not stated 3	Total 1,426
Waldo 32	Total 1,426	
Washington 72		
York 171		
State 1,426		

Malarial Diseases.—Seven deaths were registered as from malarial diseases. In five cases the disease was contracted outside of this State, four of the persons having been soldiers in the War of the Rebellion. In two cases no information is at hand as to the place of infection. All of the decedents were males; their respective ages were 12, 30, 50, 51, 59, 60, and 60.

Tuberculosis.—In 1897, tuberculosis in its various forms was the cause of 1,338 deaths (1,513 in 1892, 1,446 in 1893, 1,449 in 1894, 1,397 in 1895, and 1,359 in 1896). The death-rate per 10,000 from this cause was 20.30.

Cerebral Tuberculosis. (Tubercular Meningitis).—The number of deaths was 74; 30 were of males and 44 of females. The

number in the cities was 35. The death-rate for the State was 1.12; for the cities, 1.79.

Ages: Under 1, 22; 1-5, 22; 5-10, 9; 10-20, 6; 20-30, 7; 30-40, 3; 40-50, 4; over 50, 1.

Pulmonary Tuberculosis. . (Consumption).—From this cause 1,128 deaths were registered in 1897, which is equivalent to a death-rate of 17.06 per 10,000 of population. The death-rate for the cities was 21.02. The following tabular arrangement of the number of deaths in the State from pulmonary tuberculosis in each of the six registration years, together with the death-rate from consumption for each year, is a very encouraging exhibit. It indicates a progressive and rather rapid diminution in the mortality from pulmonary tuberculosis.

	Number of deaths.	Death-rate per 10,000.
1892.....	1,352.....	20.45
1893.....	1,299.....	19.64
1894.....	1,262.....	19.09
1895.....	1,195.....	18.08
1896.....	1,172.....	17.73
1897.....	1,128.....	17.06

There were, in 1897, 224 fewer deaths than in 1892, 171 fewer than in 1893, 134 fewer than in 1894, 67 fewer than in 1895, and 44 fewer than in 1896.

Ages: Under 1, 25; 1-5, 20; 5-10, 9; 10-20, 123; 20-30, 339; 30-40, 204; 40-50, 129; 50-60, 111; 60-70, 86; 70-80, 56; 80-90, 17; over 90, 2; not stated, 7.

It is thus shown in this report, as it was in the five preceding reports, that the smallest number of deaths occurred at the age-period 5 to 10 years, and that, of the decedents whose ages were given, 80 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 475 of the decedents, or 42.1 per cent., were males; and 653, or 57.9 per cent. were females.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

CONSUMPTION BY COUNTIES, AND MONTHS—1897.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Totals.	Death-rate per 10,000.
Androscoggin ...	6	3	11	16	11	12	10	8	8	12	4	7	-	108	22.06
Aroostook	5	4	7	6	11	4	3	2	4	1	13	6	-	66	13.31
Cumberland	12	11	14	17	17	14	15	12	10	9	9	11	-	151	16.60
Franklin	1	2	2	2	3	-	2	2	3	1	4	3	-	25	14.66
Hancock	9	3	6	8	6	4	4	6	4	3	4	3	-	60	16.08
Kennebec	7	7	16	14	10	8	10	10	9	7	7	7	-	112	19.64
Knox	4	6	7	4	5	4	4	3	2	4	2	2	-	47	14.93
Lincoln	2	1	-	2	1	5	2	6	2	2	3	6	-	32	14.55
Oxford	7	2	2	1	7	5	5	4	2	4	4	5	-	48	15.69
Penobscot	15	10	14	18	14	17	12	5	13	10	10	10	-	148	20.31
Piscataquis	2	1	3	1	4	-	4	1	1	-	2	2	-	22	13.64
Sagadahoc	7	2	2	2	3	5	3	4	1	4	1	2	-	36	18.51
Somerset	2	5	7	4	6	5	7	3	2	2	5	4	-	52	15.94
Waldo	1	2	7	5	9	6	3	3	2	3	3	3	-	47	16.93
Washington	2	-	10	6	7	5	4	7	6	8	2	8	1	66	14.84
York	11	9	7	16	11	11	9	10	4	9	3	8	-	108	17.19
State	93	68	115	122	125	105	97	86	73	79	77	87	1	1,128	17.06

For the six years 1892-97, the distribution of deaths from pulmonary consumption is shown by counties, months, and age-periods in the following table:

**CONSUMPTION BY COUNTIES, MONTHS, AND AGE-PERIODS
— 1892-97.**

By COUNTIES.	By months.	By age-periods.
Androscoggin 556	January 653	Under 1..... 119
Aroostook 400	February..... 609	1-5..... 114
Cumberland..... 1,606	March 705	5-10..... 64
Franklin 201	April 701	10-20..... 897
Hancock 393	May..... 716	20-30 2,171
Kennebec..... 695	June..... 642	30-40 1,354
Knox..... 414	July..... 614	40-50..... 848
Lincoln 226	August 573	50-60..... 644
Oxford 267	September..... 528	60-70..... 584
Penobscot 886	October 579	70-80..... 440
Piscataquis..... 178	November..... 511	Over 80..... 129
Sagadahoc 224	December..... 574	Not stated..... 44
Somerset 373	Not stated..... 3	Total 7,408
Waldo 328	Total 7,408	
Washington..... 548		
York..... 713		
State..... 7,408		

Tuberculosis Mesenteric. There were 39 deaths from this cause, 10 males and 29 females.

Ages: Under 1, 1; 1-5, 4; 5-10, 2; 10-20, 5; 20-40, 17; 40-60, 5; over 60, 5.

Tuberculosis, Other Forms.—Of these deaths, 97 in all, the cause assigned was: tuberculosis or general tuberculosis, 45; scrofula, 21; tuberculosis of larynx, 7; disease of bone, 8; miliary tuberculosis, 4; tuberculosis of glands, 4; tuberculosis of kidney, 3; tuberculosis of liver, 2; psoas abscess, 2; tuberculosis of throat, 1.

Diarrheal Diseases.—The total number of deaths caused by the diseases under this group was 666 (662 in 1892, 642 in 1893, 602 in 1894, 635 in 1895, and 639 in 1896). The death-rate for this group of diseases was 10.07 per 10,000.

Infantile Diarrhea.—This, as synonymous with cholera infantum or including it, was the cause of 528 deaths (546 in 1892, 507 in 1893, 468 in 1894, 523 in 1895, and 520 in 1896). A

reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates, for this cause. There were in the first quarter of the year but 24 deaths from this cause; in the second quarter, 13; in the third quarter, 387; and in the fourth quarter, 104. The largest number of deaths occurred in August, 186.

Of the children dying from this cause, 50 per cent. were less than 6 months old, and another 36 per cent. were less than 1 year of age, making 86 per cent. of deaths within the first year of age.

Ages: Under 6 months, 259; 6-12 months, 191; 1-2 years, 78.

In the classification of deaths from diarrheal diseases, only the deaths among children 2 years old, or younger, are included under "infantile diarrhea." The deaths from diarrheal diseases, other than those under this cause, were cholera morbus, 15; dysentery, 57; and diarrhea, 66.

Of the 528 deaths from infantile diarrhea, 293 were returned from the cities. This represents an urban death-rate from this cause of 14.95 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, 13.78 in 1895, and 11.43 in 1896), which is strongly in contrast with 5.05, the rate for the villages and rural districts (5.33 in 1892, 4.95 in 1893, 4.47 in 1894, 5.44 in 1895, and 6.36 in 1896).

INFANTILE DIARRHEA BY COUNTIES AND MONTHS—1897.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin	-	3	2	-	-	2	19	28	15	5	3	1	-	78	15.93
Aroostook	1	2	1	1	-	1	5	16	22	9	2	2	-	62	12.50
Cumberland	-	-	3	-	-	2	9	28	12	7	1	2	-	64	7.04
Franklin	-	-	-	-	-	-	-	2	1	2	-	-	-	5	2.93
Hancock	-	-	-	-	-	1	1	2	1	6	-	1	-	12	3.22
Kennebec	-	-	2	-	1	-	5	35	26	13	1	3	-	86	15.08
Knox	-	-	-	-	-	-	-	1	5	3	-	1	-	10	3.18
Lincoln	-	-	-	-	-	-	-	-	1	3	1	-	-	5	2.27
Oxford	-	-	-	-	-	-	1	5	2	3	3	-	-	14	4.58
Penobscot	-	2	1	2	-	1	3	6	17	4	1	1	-	38	5.21
Piscataquis	-	-	-	-	-	-	-	-	4	2	-	-	-	6	3.72
Sagadahoc	-	-	1	-	1	-	2	2	3	1	-	-	-	10	5.14
Somerset	-	-	-	-	-	-	2	8	1	3	-	-	-	14	4.29
Waldo	-	-	2	-	-	-	1	2	3	3	1	-	-	12	4.32
Washington	-	-	-	-	-	-	1	15	9	4	-	-	-	29	6.52
York	3	1	-	1	-	-	10	36	20	7	5	-	-	83	13.21
State	4	8	12	4	2	7	59	186	142	75	18	11	-	528	7.99

The preceding table exhibits the number of deaths from infantile diarrhea in 1897, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhea for the six years 1892-97, by counties, months, and age-groups:

**INFANTILE DIARRHEA BY COUNTIES, MONTHS, AND AGE-PERIODS
1892-97.**

By COUNTIES.	By months.	By age-periods.
Androscoggin 404	January 22	Under 6 months.... 1,636
Aroostook..... 431	February..... 27	6-12 months 1,028
Cumberland 404	March 34	1-2 years..... 388
Franklin 46	April 42	Over 2 years 30
Hancock 63	May..... 38	Unknown 10
Kennebec 402	June 90	Total 3,092
Knox 112	July 508	
Lincoln 23	August 1,107	
Oxford 75	September 830	
Penobscot 263	October 286	
Piscataquis..... 34	November..... 69	
Sagadahoc 53	December..... 37	
Somerset 86	Not stated 2	
Waldo 43	Total..... 3,092	
Washington 182		
York 471		
State 3,092		

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the six years, 1892-97:

INFANTILE DIARRHEA IN THE CITIES—1892-97.

CITIES.	1892.	1893.	1894.	1895.	1896.	1897.	Totals.
Auburn	10	18	10	9	3	15	65
Augusta	26	15	18	26	34	31	150
Bangor.....	14	13	20	10	15	11	83
Bath	5	4	9	3	8	6	35
Belfast.....	3	1	-	-	3	-	7
Biddeford	53	45	52	60	44	61	315
Brewer	2	2	8	3	4	6	25
Calais	15	13	1	12	5	19	65
Deering.....	5	6	2	1	5	1	20
Eastport.....	10	9	9	8	-	3	39
Ellsworth.....	1	1	-	4	-	2	8
Gardiner.....	8	2	4	12	2	5	33
Hallowell.....	7	-	2	4	1	3	17
Lewiston	47	75	45	53	24	52	296
Old Town	9	8	9	11	5	7	49
Portland	29	18	19	34	25	31	156
Rockland	14	11	6	8	11	6	56
Saco.....	3	5	5	3	2	5	23
Waterville.....	21	18	21	13	21	19	113
Westbrook.....	16	13	14	11	12	10	76
Totals	298	277	254	285	224	293	1,631

Septic Diseases.—Of deaths from the diseases in this group there were 24 from erysipelas; 57 from pyemia and septicemia; and 31 from puerperal fever,—giving a special death-rate of 1.69. The following shows the distribution of puerperal fever by months and counties:

January	3	Androscoggin	1
February	2	Aroostook	7
March	3	Cumberland	2
April	3	Franklin	0
May	6	Hancock	2
June	2	Kennebec	0
July	1	Knox	2
August	2	Lincoln	1
September	5	Oxford	1
October	1	Penobscot	7
November	0	Piscataquis	2
December	3	Sagadahoc	1
	—	Somerset	1
Total	31	Waldo	1
		Washington	1
		York	2
		Total	31

Dietetic Diseases.—Thirty-six deaths were returned under this class of causes; 20 of malnutrition of infants; 3 of rickets; and 13 of alcoholism. The special death-rate from alcoholism was 0.20.

Constitutional Diseases.—With tuberculosis transferred to the class of zymotic diseases, there were 657 deaths from constitutional diseases, or a death-rate of 9.94 per 10,000 for the State.

Rheumatism.—The returns give 42 deaths from this cause (68 in 1892, 46 in 1893, 66 in 1894, 56 in 1895, and 44 in 1896).—18 males and 24 females. Fifteen of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.64, while that in the cities was higher, 0.77. The following shows the deaths from this cause arranged by counties, months, and age-groups:

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-GROUPS, 1897.

By COUNTIES.	By months.	By age-groups.
Androscoggin	January	Under 1
Aroostook	February	1-5.....
Cumberland	March	5-10.....
Franklin	April	10-20.....
Hancock	May.....	20-30.....
Kennebec	June	30-40.....
Knox.....	July	40-50.....
Lincoln	August.....	50-60.....
Oxford	September.....	60-70.....
Penobscot	October	70-80.....
Piscataquis	November.....	Over 80
Sagadahoc	December	Not stated.....
Somerset.....	Not stated.....	—
Waldo.....	—	Total
Washington	Total	42
York.....		
State		

The following shows the distribution of deaths from rheumatism by counties, months, and age-groups for the five years 1893-97.

**RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS
—1893-97.**

By COUNTIES.	By months.	By age-periods.
Androscoggin 14	January 28	Under 1..... -
Aroostook 22	February 23	1-5..... 3
Cumberland 35	March 23	5-10 7
Franklin 1	April 25	10-20..... 24
Hancock 13	May 25	20-30..... 21
Kennebec 23	June 16	30-40..... 12
Knox 11	July 14	40-50..... 18
Lincoln 8	August 23	50-60..... 45
Oxford 16	September 13	60-70..... 58
Penobscot 31	October 21	70-80..... 46
Piscataquis 6	November 16	Over 80 19
Sagadahoc 10	December 25	Not stated..... 1
Somerset 12	Not stated..... 2	Total 254
Waldo 12	Total 254	
Washington 12		
York 28		
State 254		

Cancer.—From cancer in its various forms and locations, there were 463 deaths (404 in 1892, 433 in 1893, 474 in 1894, 480 in 1895, and 518 in 1896). Of the decedents, 188 were males and 275 females. The cancer death-rate for the State was, therefore, 7.00.

Distributed as to its more frequent locations, there died of cancer of the stomach, 122; of the breast, 53; liver, 53; uterus, 49; abdominal and intestinal, 52; throat, 7; rectum, 22; lip, 7; neck, 8; face, 16; mouth, 7; hand, 2; thigh, 2; eye, 4; lungs, 4; various, 28; parts unspecified, 27.

The distribution of cancer by counties and age-groups, and the special death-rate for each county are shown in the following, for 1897 and for the six years 1892-97:

CANCER—1897 AND 1892-97.

COUNTIES.	1897.		1892-97.		AGE-GROUPS.	NUMBER OF DEATHS.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Death-rate per 10,000.		1897.	1892-97.
Androscoggin.....	33	6.74	206	7.01	Under 1 year.....	-	3
Aroostook.....	14	2.82	80	2.70	From 1 to 5 years...	1	5
Cumberland.....	93	10.23	511	8.04	“ 5 to 10 “	-	3
Franklin.....	11	6.45	100	9.77	“ 10 to 20 “	3	13
Hancock.....	17	4.56	136	5.27	“ 20 to 30 “	4	39
Kennebec.....	46	8.07	262	7.66	“ 30 to 40 “	24	148
Knox.....	21	6.67	145	7.68	“ 40 to 50 “	66	348
Lincoln.....	23	10.46	109	8.26	“ 50 to 60 “	94	607
Oxford.....	15	4.90	107	5.83	“ 60 to 70 “	121	708
Penobscot.....	43	5.90	267	6.10	“ 70 to 80 “	118	650
Piscataquis.....	10	6.20	52	5.37	Over 80 years.....	28	229
Sagadahoc.....	14	7.20	93	7.97	Not stated.....	4	19
Somerset.....	25	7.66	146	7.46	Total.....	463	2,772
Waldo.....	18	6.48	110	6.60			
Washington.....	26	5.85	157	5.88			
York.....	54	8.59	291	7.72			
State.....	463	7.00	2,772	6.99			

Diabetes.—The deaths from this cause numbered 95 (55 in 1892, 65 in 1893, 71 in 1894, 77 in 1895, and 67 in 1896). The special death-rate from diabetes was, therefore, 1.44 in 1897. Fifty-five of the decedents were males and 40 were females.

Ages: 1-5, 1; 5-10, 2; 10-20, 13; 20-30, 9; 30-40, 8; 40-50, 7; 50-60, 17; 60-70, 21; 70-80, 10; over 80, 7.

Old Age.—There were registered 700 deaths as due to old age, 329 men and 371 women. Of these decedents, 150 were between 70 and 80 years of age; 414 were from 80 to 90; 128 were from 90 to 100; while 3 were over 100 years old; and the age of 5 was unknown.

From Table No. 33, however, it will be seen that the whole number of persons who died at the ages between 70 and 100 years or more was 3,232 (3,801 in 1892, 3,147 in 1893, 3,242 in 1894, 2,897 in 1895, and 3,045 in 1896), or one death in every three and one-half was of a person who was between 70 and 100 years of age or older. Assuming that all these 3,232 died of old age, the death-rate from old age would be 48.89 among every 10,000 living at all ages.

The following shows the number of deaths in each county, of persons 70 years of age and over, and the number of their deaths in each 10,000 of the population at all ages:

OLD AGE—1897.

COUNTIES.	Deaths.	Rate per 10,000.	COUNTIES.	Deaths.	Rate per 10,000.
Androscoggin.....	216	44.11	Oxford.....	171	55.91
Aroostook.....	113	22.71	Penobscot.....	340	46.66
Cumberland.....	450	49.48	Piscataquis.....	67	41.53
Franklin.....	96	56.30	Sagadahoc.....	113	58.09
Hancock.....	173	46.37	Somerset.....	190	58.23
Kennebec.....	328	57.53	Waldo.....	187	67.37
Knox.....	146	46.39	Washington.....	147	33.05
Lincoln.....	151	68.65	York.....	344	54.75

Centenarians.—Among the persons whose decease occurred in 1897, six had reached or exceeded the age of 100 years. Four of these persons were women. Their names, together with a few facts relating to the life history of each, are as follows:

August 12, Hannah Robinson died at Manchester at the age of 102 years, 3 months, and 12 days. She was born in Chelsea, as also were her parents, Thomas Kenney and Hannah White.

October 22, Joseph Manuel died at Kennebunkport at the age of 102 years. He was born in Portugal. His occupation was that of a fisherman.

November 4, Cynthia Sewall died at Bucksport at the age of 100 years, 1 month, and 29 days. She was born in Cherryfield. Her father's name was James Fickett. The maiden name of her mother was Polly Howell.

November 29, Nancy Connolly died at Bath at the age of 101 years. She was born in Ireland, as were also her parents, whose name was Murphy.

March 30, Nancy Shannon died at Portland at the age of 100 years. She was born in Ireland, which was also the birthplace of her parents.

March 31, Dudley Miles, colored, died at Old Town about 100 years old. No facts could be ascertained as to his antecedents.

Diseases of the Nervous System.—The number of deaths registered under the causes included in this group was 1,661 (1,459 in 1892, 1,451 in 1893, 1,543 in 1894, 1,585 in 1895, and 1,520 in 1896), or 25.13 to every 10,000 of population.

Inflammation of the Brain or Membranes.—The number of deaths was 327 (236 in 1892, 263 in 1893, 286 in 1894, 261 in 1895, and 242 in 1896),—180 males and 147 females. Of these, 168 were in the cities. The death-rate from the several diseases grouped under this head was 4.95.

Ages: Under 1, 110; 1-5, 93; 5-10, 19; 10-20, 16; 20-40, 26; 40-60, 39; over 60, 22; not stated, 2.

Apoplexy.—From this cause 555 deaths occurred (488 in 1892, 422 in 1893, 408 in 1894, 488 in 1895, and 492 in 1896),—260 males and 295 females. Of these, 188 were in the cities. The State's death-rate from apoplexy was, therefore, 8.40; that of the cities, 9.59.

The largest number, 55, occurred in February; the most fatal of the four seasons was the winter.

In 1894 and 1896, the greatest mortality from this cause occurred in the spring; in 1892, 1893, and 1895, in the winter.

Conversely, the smallest number of deaths, 38, was in March; the smallest number in any one season was 127 in the spring months. Over 72 per cent. of the deaths were of persons 60 years of age and upward.

APOPLEXY BY COUNTIES AND MONTHS—1897.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	4	7	4	7	4	3	4	4	6	8	1	2	54	11.03
Aroostook	-	-	-	1	2	1	3	3	1	1	-	-	12	2.42
Cumberland	9	15	6	10	9	7	9	5	8	7	8	10	103	11.33
Franklin	-	-	-	-	-	1	-	1	-	4	2	1	9	5.28
Hancock	2	5	1	3	4	-	5	2	1	3	2	-	28	7.54
Kennebec	7	7	7	3	5	2	3	5	2	2	4	8	55	9.65
Knox	-	2	2	-	-	-	1	1	1	4	2	1	14	4.45
Lincoln	1	3	1	4	3	-	2	2	4	2	2	3	27	12.27
Oxford	4	1	5	1	1	4	3	2	2	3	5	1	32	10.46
Penobscot	5	2	2	3	3	6	1	1	8	3	10	4	48	6.59
Piscataquis	-	-	1	2	2	1	-	2	1	-	-	1	10	6.20
Sagadahoc	-	1	2	1	1	1	2	2	5	2	3	3	23	11.82
Somerset	4	1	2	3	1	3	4	1	1	4	1	6	31	9.50
Waldo	3	3	2	3	-	5	-	5	2	2	1	1	27	9.73
Washington	4	2	-	3	3	3	1	2	1	-	3	1	23	5.17
York	8	6	3	3	4	5	6	4	9	5	3	3	59	9.39
State	51	55	38	47	42	42	44	42	52	50	47	45	555	8.40

APOPLEXY, 1897, AND 1893-97.

COUNTIES.	1897.		1893-97.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Death-rate per 10,000.
Androscoggin	54	11.03	189	7.72
Aroostook	12	2.42	50	2.02
Cumberland	103	11.33	432	9.50
Franklin	9	5.28	66	7.74
Hancock	28	7.50	115	6.16
Kennebec	55	9.65	243	8.52
Knox	14	4.45	87	5.53
Lincoln	27	12.27	93	8.46
Oxford	32	10.46	130	8.50
Penobscot	48	6.59	203	5.58
Piscataquis	10	6.20	34	4.22
Sagadahoc	23	11.82	100	10.08
Somerset	31	9.50	116	7.11
Waldo	27	9.73	94	6.77
Washington	23	5.17	130	5.84
York	59	9.39	283	9.01
State	555	8.40	2,365	7.15

Softening of the Brain.—From cerebral softening there were 52 deaths,—those of 33 males and 19 females.

Ages: 30-40, 1; 40-50, 1; 50-60, 6; 60-70, 13; 70-80, 21; over 80, 10.

Paralysis.—Of the 279 deaths from “Paralysis,” 142 persons were males and 137 were females.

Ages: Under 1, 1; 10-20, 1; 20-30, 4; 30-40, 3; 40-50, 16; 50-60, 26; 60-70, 58; 70-80, 110; over 80, 58; not stated, 2.

Hemiplegia.—From this form of paralysis there were 23 deaths reported, 9 men and 14 women.

Ages: 40-50, 2; 50-60, 2; 60-70, 3; 70-80, 13; over 80, 3.

Epilepsy.—Fourteen males and 16 females died of epilepsy, 30 in all.

Ages: Under 1, 2; 1-5, 1; 10-20, 5; 20-40, 11; 40-60, 4; over 60, 6; unknown, 1.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, valvular disease of the heart, hypertrophy and dilatation, pericarditis, angina pectoris, and unspecified, there were 1,062 deaths (816 in 1892, 875 in 1893, 940 in 1894, 948 in 1895, and 1,036 in 1896). The following exhibits the age and sex distribution of each form of disease for the year 1897:

DISEASE.	Under 1.	1-10.	10-20.	20-40.	40-60.	Over 60.	Unknown.	Male.	Female.	Not stated.	Totals.
Endocarditis.....	-	-	-	4	5	13	-	15	7	-	22
Valvular disease of heart.....	1	1	5	21	56	188	3	133	142	-	275
Hypertrophy of heart.....	-	-	-	5	16	33	-	34	20	-	54
Pericarditis.....	-	1	1	5	5	8	-	10	10	-	20
Unspecified diseases of heart.....	12	10	15	40	101	451	3	371	261	-	632
Angina pectoris.....	-	1	-	5	14	39	-	39	20	-	59
Totals.....	13	13	21	80	197	732	6	602	460	-	1,062

For the year 1897, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and counties:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin.....	93	18.99	Oxford.....	55	17.98
Aroostook.....	33	6.65	Penobscot.....	112	15.37
Cumberland.....	151	16.60	Piscataquis.....	19	11.78
Franklin.....	26	15.25	Sagadahoc.....	41	21.08
Hancock.....	58	15.54	Somerset.....	48	14.71
Kennebec.....	104	18.24	Waldo.....	69	24.86
Knox.....	59	18.75	Washington.....	62	13.94
Lincoln.....	43	19.55	York.....	89	14.17
			State.....	1,062	16.06

As may be noted, Waldo county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 16.06.

Diseases of the Respiratory System.—Without the inclusion of tuberculosis, 1,347 persons died from the various respiratory diseases, as tabulated on page 99 (1,796 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895, and 1,141 in 1896). From these diseases there were, therefore, 449 fewer deaths than in 1892, 60 fewer than in 1893, 35 more than in 1894, 182 more than in 1895, and 206 more than in 1896. Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis and the other respiratory diseases, in 1897 the number of deaths was 673 smaller than in 1892, 231 smaller than in 1893, 99 smaller than in 1894, 115 larger than in 1895, and 162 larger than in 1896.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1897 was 20.38 in each 10,000 of population, as compared with 17.26 in 1896, 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, and 27.16 in 1892.

Pneumonia.—The number of deaths registered under this cause was 936 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894, 812 in 1895, and 781 in 1896), of which 450 were males and 486 were females. The death-rate from this disease was, therefore, 14.16 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, 12.28 in 1895, and 11.81 in 1896). As 293 of the deaths occurred in the cities, the urban death-rate was 14.95.

The age distribution for pneumonia is shown in the following:

Under 1 year,	139	40-50 years,	59
1-5 years,	104	50-60 years,	66
5-10 years,	17	60-70 years,	126
10-20 years,	41	70-80 years,	157
20-30 years,	48	Over 80 yrs.,	119
30-40 years,	55	Not stated,	5

**PNEUMONIA BY COUNTIES AND MONTHS WITH DEATH-RATES.
PER 10,000—1897.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death-rate per 10,000.
Androscoggin	4	7	17	6	5	1	-	-	4	7	6	3	60	12.25.
Aroostook	5	6	6	3	5	1	2	1	4	6	6	4	49	9.88.
Cumberland	20	24	35	21	10	7	4	10	4	13	14	16	178	19.57.
Franklin	2	1	10	4	2	-	1	1	-	-	2	2	25	14.66.
Hancock	10	5	17	16	9	2	3	-	-	3	3	5	73	19.56.
Kennebec	11	7	18	12	3	3	3	1	5	7	7	1	78	13.68.
Knox	3	4	14	7	-	2	1	-	1	1	4	5	42	13.34.
Lincoln	2	1	8	4	2	1	-	-	1	2	1	5	27	12.27.
Oxford	3	4	12	6	2	4	1	-	2	4	1	4	43	14.06.
Penobscot	15	17	18	8	4	1	2	1	2	8	10	9	95	13.04.
Piscataquis	-	1	8	4	2	-	-	-	-	1	1	-	17	10.54.
Sagadahoc	3	1	6	2	-	-	-	-	1	2	3	1	19	9.77.
Somerset.....	5	5	6	1	2	-	1	-	2	-	3	2	27	8.27.
Waldo.....	3	4	11	5	1	1	3	1	1	3	4	3	40	14.41.
Washington	9	4	9	14	3	4	1	1	-	3	7	5	60	13.49.
York.....	11	8	27	13	8	3	1	1	4	7	10	10	103	16.39.
State	106	99	222	126	58	30	23	17	31	67	82	75	936	14.16.

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the six years 1892-97:

PNEUMONIA—1892-97.

BY COUNTIES.		By months.		By age-periods.	
Androscoggin	394	January	1,072	Under 1.....	809
Aroostook	273	February	868	1 to 5.....	529
Cumberland	1,043	March	906	5 to 10.....	109
Franklin	159	April	747	10 to 20.....	212
Hancock	350	May.....	563	20 to 30.....	311
Kennebec	577	June	287	30 to 40.....	364
Knox	283	July	131	40 to 50.....	416
Lincoln	215	August	126	50 to 60.....	555
Oxford	307	September.....	180	60 to 70.....	917
Penobscot	685	October.....	296	70 to 80.....	1,098
Piscataquis	119	November.....	392	Over 80.....	780
Sagadahoc	171	December.. ..	555	Not stated.....	26
Somerset.....	292	Not stated.. ..	3	Total	6,126
Waldo	214	Total.....	6,126		
Washington	366				
York	678				
State	6,126				

Bronchitis.—From this cause, including both acute and chronic bronchitis, 237 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, 225 in 1895, and 220 in 1896). Among these decedents, 111 were males and 126 females. Of these 237 deaths, 95 were in the cities. The largest number of deaths in any one month was 39 in March. In August occurred the smallest number of deaths, 8. The largest number of deaths in three consecutive months was 89 in January, February and March; the smallest number in any three consecutive months was 35 in July, August, and September. The number of deaths by quarters was 89, 68, 35, and 45.

The bronchitis death-rate of the State was 3.59; of the cities, 4.85.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life:

Under 1 year,	64	40-50 years,	5
1-5 years,	40	50-60 years,	6
5-10 years,	4	60-70 years,	19
10-20 years,	4	70-80 years,	50
20-30 years,	1	Over 80 yrs.,	42
30-40 years,	1	Not stated,	1

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rates of counties and State:

BRONCHITIS—1897.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.	Death rate per 10,000.
Androscoggin	-	2	2	5	3	-	-	1	4	1	2	3	23	4.70
Aroostook	-	-	2	1	2	-	-	1	-	1	-	-	7	1.41
Cumberland	6	2	4	7	1	3	1	-	-	2	1	5	32	3.52
Franklin	-	-	1	-	-	2	-	-	-	-	2	-	5	2.93
Hancock	4	-	3	4	-	2	2	1	1	-	-	-	17	4.56
Kennebec	8	2	7	1	2	3	3	1	4	5	3	-	39	6.84
Knox	1	1	3	-	-	-	-	-	1	1	1	-	8	2.54
Lincoln	-	-	-	-	-	1	-	-	-	-	-	1	2	0.64
Oxford	1	2	3	1	2	1	2	-	2	-	-	-	14	4.58
Penobscot	3	4	4	6	3	4	-	1	1	1	-	3	30	4.12
Piscataquis	1	-	-	-	-	1	-	-	-	-	1	-	3	1.86
Sagadahoc	1	-	1	-	-	-	-	-	1	-	1	-	4	2.05
Somerset	-	1	2	1	1	-	-	1	-	1	1	1	9	2.76
Waldo	2	1	2	1	1	1	1	1	1	-	-	1	12	4.32
Washington	-	2	-	1	1	-	-	-	1	-	-	-	5	1.12
York	2	4	5	1	4	1	2	1	-	2	3	2	27	4.30
State	29	21	39	29	20	19	11	8	16	14	15	16	237	3.59

Pleurisy.—Twenty-six deaths were charged to this disease (18 in 1892, 19 in 1893, 15 in 1894, 19 in 1895, and 19 in 1896),—10 males and 16 females.

Ages: Under 1, 1; 1-5, 1; 5-10, 2; 20-30, 3; 30-40, 2; 40-50, 4; 50-60, 3; 60-70, 4; 70-80, 2; 80-90, 3; not stated, 1.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 673 (659 in 1892, 653 in 1893, 685 in 1894, 693 in 1895, and 679 in 1896), or a death-rate of 10.18. The distribution of these under their several causes will be found on page 99.

Peritonitis.—There were 117 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, 125 in 1895, and 116 in 1896),—44 males and 73 females. Forty-four of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

PERITONITIS—1897.

Androscoggin	8	January	12	Under 1.....	4
Aroostook	5	February	10	1-5.....	6
Cumberland	22	March	12	5-10.....	8
Franklin	5	April	7	10-20.....	10
Hancock.....	10	May	8	20-30.....	17
Kennebec	12	June	10	30-40.....	21
Knox	9	July	7	40-50.....	15
Lincoln	3	August	9	50-60.....	7
Oxford	7	September	13	60-70.....	12
Penobscot	11	October	8	70-80.....	11
Piscataquis	2	November.....	9	Over 80	6
Sagadahoc	4	December	12	Total	117
Somerset.....	5	Total.....	117		
Waldo	1				
Washington	4				
York	9				
State	117				

Appendicitis.—Of the deaths classified under this cause, 31 in number, 23 were males and 8 were females. The number of deaths in each month was, January, 4; February, 3; March, 2; April, 2; May, 2; June, 3; July, 2; August, 3; September, 5; October, 1; November, 3; December, 1.

Ages: 1-5, 2; 5-10, 2; 10-20, 11; 20-30, 6; 30-40, 3; 40-50, 1; 50-60, 2; 60-70, 1; over 70, 2; not stated, 1.

Cirrhosis of the Liver.—Thirty deaths were ascribed to cirrhosis of the liver—those of 10 men and 20 women. Of these 30 deaths, 10 were in the cities, and 20 in the rural parts of the State. The death-rate of the State from this one cause was 0.45 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, 0.50 in 1895, and 0.33 in 1896).

Diseases of the Urinary System.—There were 552 deaths referred to the diseases under this group, equivalent to a death-rate of 8.35.

Nephritis.—Acute and chronic, caused the death of 137 persons, 72 males and 65 females. The death-rate from nephritis was, therefore, 2.07.

Ages: Under 1, 5; 1-5, 3; 10-20, 8; 20-30, 6; 30-40, 9; 40-50, 12; 50-60, 19; 60-70, 27; 70-80, 31; 80-90, 14; not stated, 3.

Bright's Disease.—This was the cause of 231 deaths (204 in 1892, 217 in 1893, 219 in 1894, 234 in 1895, and 282 in 1896),—137 males and 94 females. Of these deaths, 80 were in the cities.

Ages: Under 1, 2; 1-5, 3; 10-20, 5; 20-30, 15; 30-40, 15; 40-50, 19; 50-60, 44; 60-70, 60; 70-80, 48; over 80, 19; not stated, 1.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin	19	3.88	Oxford	11	3.59
Aroostook	8	1.61	Penobscot	21	2.88
Cumberland	35	3.85	Piscataquis	4	2.48
Franklin	8	4.69	Sagadahoc	11	5.65
Hancock	16	4.29	Somerset	15	4.66
Kennebec	16	2.81	Waldo	12	4.32
Knox	18	5.72	Washington	9	2.02
Lincoln	3	1.36	York	25	3.98
			State	231	3.49

Childbirth.—Under the group of accidents and diseases of reproduction, 62 deaths were registered, not including puerperal fever, (69 in 1892, 59 in 1893, 41 in 1894, 36 in 1895, and 56 in 1896). This is equivalent to a special death-rate of 0.94.

Accidents.—From accidents of various kinds, 366 persons met their death (376 in 1892, 330 in 1893, 286 in 1894, 341 in 1895, and 348 in 1896). Of deaths from falls, there were 25; 3 were from a carriage; 3, falling down stairs; 2, from a haymow; and 1 each from a tree, electric car, and a bicycle; while 14 were unspecified.

Fractures caused 39 deaths—fracture of skull, 12; of spine, 2; of hip, 12; of thigh, 11; of leg, 2.

Twenty-five deaths were from gun or pistol shot; one death was from a cut.

From railway injuries there were 22 deaths.

From burns and scalds, 35 deaths occurred. Three deaths from overturning lighted kerosene lamp; 2, from house burning; 10, from clothing taking fire; 2, scalded with boiling water; 1, burned by fire crackers; the rest, unspecified.

From poisoning, 9 deaths occurred, of which opium was the cause of 2; paris green, 3; rough on rats, 2; unspecified, 2.

By drowning, 101 lives were lost.

The death-rate from accidents in this State was 5.54.

Homicide.—Under this group 4 deaths were registered. This is equivalent to a death-rate of 0.05.

Suicide.—Within the year, 71 persons took their own lives (59 in 1892, the same number in 1893, 39 in 1894, 66 in 1895, and 81 in 1896),—58 males and 13 females. Of the males, the occupation of 23 was farmer; of 11, laborer; 6, merchant; 2, carpenter; 3, millmen; 1, shoemaker; 1, hostler; 1, horse dealer; 1, pensioner; 1, inmate Togus Home; 1, clerk; 1 teacher; 1, painter; 1, engineer; 1, hotel proprietor; 3, no occupation given.

Of the females, the occupation of 6 was returned as housewife; 3 as housekeeper; 1, scholar; 1, housework; 1, domestic; and not stated, 1.

As to the means employed, 25 committed suicide by hanging; 13, by shooting; 8, by drowning; 6, by cuts; 12, with poison; 2, by strangulation; and in 5, the method was not stated.

SUICIDES BY AGES, MONTHS, AND COUNTIES—1897.

AGE-PERIODS.	Months.	Counties.	Rate per 10,000 of population.	
10-20.	4	January 6	Androscoggin.... 7	1.43
20-30.	9	February 4	Aroostook 2	0.40
30-40.	13	March 4	Cumberland 10	1.10
40-50.	7	April 7	Franklin 5	2.93
50-60.	7	May 7	Hancock 3	0.80
60-70.	15	June 7	Kennebec 6	1.05
70-80.	8	July 8	Knox 4	1.27
Over 80.	7	August 8	Lincoln 2	0.91
Not stated.	1	September 7	Oxford 6	1.96
—		October 1	Penobscot..... 5	0.69
Total.	71	November..... 4	Piscataquis 6	3.72
		December..... 8	Sagadahoc 2	1.03
		—	Somerset 2	0.61
		Total 71	Waldo 3	1.08
			Washington 3	0.67
			York 5	0.79
			State 71	1.07

The youngest suicide was a girl of 14 years, and 8 months; the oldest, a man of 87 years. The largest number of suicides in any month was 8 in July, August, and December. By quarters, the suicides were 14, 21, 23, and 13. The largest number in any one county was 10 in Cumberland; the highest death-rate from suicide was in Piscataquis county. The rate for the State per 10,000 of population was 1.07.

LIST OF TABLES.

	PAGE
Table No. 1.—Deaths from some of the Leading Causes.....	6
Table No. 2.—Population of the State by Counties, 1880 and 1890	7
Table No. 3.—Births, Marriages, and Deaths, 1892-97.....	7
Table No. 4.—Population of 1890; Births, Marriages, and Deaths, with the rate of each to 1,000 of popu- lation for the year ending December 31, 1897..	8
Table.—Summary of Births, Marriages, and Deaths.....	9
Table No. 5.—Births and Deaths in each County.....	10
Table No. 6.—Births and Deaths in the Cities.....	11
Table No. 7.—Births, Marriages, and Deaths by Counties and Towns	12-63
Table No. 8.—Births, Marriages, and Deaths by Counties.....	64-65
Table No. 9.—Births and Birth-Rates by Counties, for the years 1892-97	66
Table No. 10.—Births by Counties, showing the proportion of males to females, 1897.....	67
Table No. 11.—Number of Births in each Month of 1892, 1893, 1894, 1895, 1896, and 1897, with Monthly Ratio compared with a Standard of 100.....	68
Table No. 12.—Births by Sex and Months by Counties, 1897.....	69
Table No. 13.—Births in Cities, for 1897, with rate per 1,000 of population	70
Table No. 14.—Percentage of American and Foreign Births by Counties, 1897.....	71
Table No. 15.—Percentage of American and Foreign Births by Cities, 1897	72
Table No. 16.—Twin Births by Months and Counties, 1897.....	73
Table No. 17.—Twin Births by Sex and Parentage, by Counties, 1897	74
Table No. 18.—Still-Births by Sex and Parentage, by Counties, 1897	75
Table No. 19.—Still-Births by Seasons, 1897.....	76
Table No. 20.—Marriages and Marriage-Rates by Counties for the years 1892-97.....	79
Table No. 21.—Marriages by Counties and Nativity, 1897.....	80
Table No. 22.—Marriages by Months and Counties, 1897.....	81
Table No. 23.—Number of Marriages in each Month of 1892, 1893, 1894, 1895, 1896, and 1897, with Monthly Ratio compared with a Standard of 100.....	82

	PAGE
Table No. 24.—Marriages by Ages and Counties, 1897.....	83
Table No. 25.—Interesting Facts in Relation to Marriage.....	84-85
Table No. 26.—Divorces decreed by the Supreme Court of Maine in the year 1897.....	88-89
Table No. 27.—Divorces by Causes, Sex of Libellants and the number of years married, 1897.....	90
Table No. 28.—Deaths and Death-Rates by Counties, for the years 1892-97.....	92
Table No. 29.—Number of Deaths in each Month of 1892, 1893, 1894, 1895, 1896, and 1897, with Monthly Ratio compared with a Standard of 100.....	93
Table No. 30.—The number of Deaths in the State, and in each County, arranged by Classes and Groups....	94-101
Table No. 31.—Deaths in each Town from Special Causes, Mostly Infectious Diseases	102-141
Table No. 32.—Deaths in each Town from Certain Diseases and Groups of Diseases.....	142-181
Table No. 33.—Deaths by Ages, Sex, and Months, by Counties..	182-183
Table No. 34.—Number of Deaths from Several Specified Causes, of each Sex, in each Month, which were registered during six years 1892-97....	184
Table No. 35.—Mortality by Months, reduced to a Standard Mean of 100: Six years 1892-97.....	185
Table.—Mortality from ten Prominent Causes, 1892-97.....	188
Table.—Seven Zymotic Diseases by Counties, 1897.....	189
Table.—Zymotic Diseases by Cities, 1897.....	190
Table.—Infectious Diseases, 1892-97.....	191
Table.—Measles by Counties, Months, and Age-Periods, 1897....	192
Table.—Scarlet Fever by Counties, Months, and Age-Periods, 1893-97	193
Table.—Influenza by Counties and Months, 1897.....	195
Table.—Whooping Cough by Counties, Months, and Age-Periods, 1897	196
Table.—Diphtheria by Counties and Months, 1897.....	197
Table.—Croup by Counties and Months, 1897.....	198
Table.—Diphtheria and Croup by Counties, Months, and Age- Periods, 1892-97.....	199
Table.—Cerebro-Spinal Meningitis by Counties, Months, and Age-Periods, 1897.....	200
Table.—Typhoid Fever, by Counties and Months, 1897.....	201
Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1892-97	202
Table.—Consumption by Counties and Months, 1897.....	204
Table.—Consumption by Counties, Months, and Age-Periods, 1892-97	205
Table.—Infantile Diarrhea by Counties and Months, 1897.....	207
Table.—Infantile Diarrhea by Counties, Months, and Age- Periods, 1892-97	208

LIST OF TABLES.

231

	PAGE
Table.—Infantile Diarrhea in the Cities, 1892-97	209
Table.—Rheumatism by Counties, Months, and Age-Groups, 1897,	211
Table.—Rheumatism by Counties, Months, and Age-Periods,	
1893-97	212
Table.—Cancer by Counties and Age-Groups, 1892-97.....	213
Table.—Old Age by Counties, 1897.....	214
Table.—Apoplexy by Counties, Months, and Age-Periods, 1897..	216
Table.—Apoplexy, 1897 and 1893-97.....	217
Table.—Diseases of the Heart by Ages and by Sex.....	218
Table.—Diseases of the Heart, by Counties.....	218
Table.—Pneumonia by Counties and Months with Death-Rates	
per 10,000, 1897.....	220
Table.—Pneumonia by Counties and Months, 1897.....	221
Table.—Bronchitis by Counties and Months, 1897.....	222
Table.—Peritonitis by Counties and Months, 1897.....	223
Table.—Bright's Disease by Counties, 1897.....	225
Table.—Suicides by Ages, Months, and Counties, 1897.....	226

INDEX.

	PAGE
Accidents	225
Age and mortality	187
Appendicitis	224
Apoplexy	215
by counties, montns, and age-periods.....	216, 217
Birth-rate	77
Birth-rates	8, 9
Births and birth-rates, by counties and years.....	66
by counties, showing proportion of males to females.....	67
by seasons	78
by sex and months, by counties.....	69
in cities, for 1897, with rate.....	70
in each month, by years.....	68
notes on	77
parentage	77
percentage of American and foreign, by cities.....	72
by counties.....	71
relation to deaths.....	10
twin	78
by months and counties.....	73
by sex and parentage.....	74
marriages and deaths, in each town.....	12-65
Brain or membranes, inflammation of.....	215
softening of the.....	217
Bright's disease	224
Bronchitis	221, 222
Cancer	212
1897 and 1892-97	213
Centenarians	214
Cerebro-spinal meningitis	200
by counties, months, and age-periods.....	200
Childbirth	225
Cirrhosis of the liver	224
Constitutional diseases	210
Consumption, by counties and months.....	204
by counties, months, and, age-periods, 1892-97.....	205

	PAGE
Croup	198
by counties and months	198
Deaths, age and mortality.....	187
causes of	188
by ages, sex and months, by counties.....	182
by months, reduced to a standard mean for six years....	185
in each town, from special causes.....	102-141
from certain diseases and groups of dis-	
eases	142-181
in the State and counties, by classes and groups.....	94-101
from several specific causes in six years.....	184
notes on, and the causes of death.....	185
number in each month, by years.....	93
seasons and mortality.....	186
sex and mortality	187
and death-rates, by counties and years.....	92
Death-rates	8, 9, 186
compared	186
Diabetes	213
Diarrheal diseases	205
Dietetic diseases	210
Digestive system, diseases of the.....	223
Diphtheria	197
by counties and months.....	197
and croup, by counties, months, and age-periods, 1892-97	199
Divorces by causes, sex of libellants, etc.....	90
decreed in 1897.....	88
notes on	91
Epilepsy	218
Heart, diseases of the	218
Hemiplegia	217
Homicide	226
Infantile diarrhea	205
by counties and months	207
by counties, months, and age-periods, 1892-97.	208
in cities, 1892-97.....	209
Infectious diseases	191
1892-97	191
Influenza	194
deaths from, by counties and months.....	195
Liver, cirrhosis of	224
Marriage, interesting facts relating to.....	84
rates	8, 9 85

	PAGE
Marriages, ages	86
and rates, by counties.....	79
by ages and counties.....	83
by counties and nativity.....	80
by months and counties.....	81
Marriages, nativity	86
notes on	86
number of, in each month, by years.....	82
seasons	86
Malarial diseases	202
Measles	192
Mortality from ten prominent causes, 1892-97.....	188
Nephritis	224
Nervous system, diseases of.....	215
Old age	213, 214
Paralysis	217
Peritonitis	223
Pleurisy	223
Pneumonia	219
1892-97	221
by counties and months, with death-rates.....	220
Population	7
Respiratory system, diseases of the.....	219
Rheumatism	210
by counties, months, and age-periods.....	211, 212
Scarlet fever	193
by counties, months, and age-periods.....	193
Septic diseases	210
Smallpox	191
Still-births	79
by seasons	76
by sex and parentage	75
Suicide	226
Tetanus	200
Tuberculosis	202
mesenteric	205
other forms	205
Typhoid fever	200, 201
by counties, months, and age-periods, 1892-97....	202
Urinary system, diseases of the.....	224
Whooping cough	196
by counties, months, and age-periods.....	196

	PAGE
Zymotic diseases	189
by cities	190
seven, by counties	189