

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

Public Documents of Maine:
BEING THE
ANNUAL REPORTS

OF THE VARIOUS

Departments  Institutions

FOR THE YEAR

1900.

VOLUME IV.

AUGUSTA
KENNEBEC JOURNAL PRINT
1900

SEVENTH ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES,
AND DEATHS

IN THE

STATE OF MAINE

FOR THE

YEAR ENDING DECEMBER 31, 1898.

AUGUSTA
KENNEBEC JOURNAL PRINT
1900

DEPARTMENT OF VITAL STATISTICS.

OFFICE OF THE REGISTRAR,
AUGUSTA, ME., March 20, 1900.

*To His Excellency, Llewellyn Powers, Governor, and the
Honorable Executive Council:*

GENTLEMEN—In accordance with the provisions of the law, I have the honor of submitting to you the Seventh Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1898.

Very respectfully,

A. G. YOUNG, M. D.,
Registrar of Vital Statistics.

REGISTRATION REPORT, 1898.

This report gives the results obtained in the registration and tabulation of the births, marriages, divorces, and deaths which occurred in the State of Maine during the year 1898. In justification of the late date at which the report is given to the public, it may be said that under the present conditions it was wholly impracticable to make an earlier presentation of the results which should, at the same time, be accurate and of value. A few changes which it may be well to make in the law relating to the subject probably would eventually enable this department to issue its reports some months earlier.

The number of births registered in the year 1898 is 21 smaller than in the preceding year. The number of births recorded in each of the registration years, 1892-98, is 14,028, 14,604, 14,607, 15,430, 15,429, 15,142, and 15,121, respectively.

The number of marriages (number of couples married) in 1898 was 5,144, a number 187 smaller than in the preceding year. The number of marriages registered in the State in each of the years, 1892-98, is, respectively, 5,726, 5,795, 5,594, 5,729, 5,579, 5,331, and 5,144.

The number of deaths recorded in the State for the same year was 10,956, a number 280 smaller than that of the deaths registered in the preceding year. The number of deaths in each year thus far recorded is: in 1892, 12,147; in 1893, 11,134; in 1894, 11,012; in 1895, 10,464; in 1896, 10,626; in 1897, 11,236; and in 1898, 10,956.

Compared with 1897, among the chief causes of death, there were in 1898, 19 more deaths from measles, 5 more from scarlet fever, 7 more from cerebro-spinal meningitis, 65 more from typhoid fever, 141 more from infantile diarrhea, or 188 from the diarrheal diseases collectively, 68 more from cancer, and 70 more from diseases of the heart. On the other hand, there was a smaller number of deaths from the following causes: from influenza, 149 fewer; from whooping-cough, 2; from diphtheria and croup, 36; from pulmonary tuberculosis, 107; from diseases of the nervous system, 54; from pneumonia, 167; and from bronchitis, 27 fewer deaths than in 1897.

A noteworthy and uninterrupted diminution of the number of deaths from pulmonary tuberculosis, or consumption, has been going on in this State ever since the registration of vital statistics was begun. The number of deaths from consumption for each of the registration years, 1892-98, has been 1,352, 1,299, 1,262, 1,195, 1,172, 1,128, and 1,021, respectively. The lessening of the number of deaths from each succeeding year since 1892 has been 53, 37, 67, 23, 44, and 107. The death-rate from consump-

tion per 10,000 of population, according to the census enumeration in 1890, has been reduced from 20.45 in 1892 to 15.44 in 1898. If the rate were based upon the actual but unknown population, the showing would be still more favorable.

The reasons for this falling off in the death-rate from consumption are probably more than one, but the principal reason is, undoubtedly, that our people are understanding more and more clearly the significance of the fact that pulmonary tuberculosis is a preventable disease and that it should be prevented. In 1889, the State Board of Health issued the first edition of its circular on the prevention of consumption. It has repeatedly been issued in large editions and has been distributed in every town by boards of health, clergymen, and other persons. The bulletin of the board has also actively carried on the same propaganda. This work, together with the help of the daily and weekly press, has been the prime factor in this saving. It has simply been a campaign of education.

Table No. 1 gives a cursory view of the relative mortality in 1897 and 1898 from some of the leading causes of death.

TABLE No. 1.
Deaths from Some of the Leading Causes.

Diseases.	1897.	1898.	More in 1897.	More in 1898.
Measles	22	41	-	19
Scarlet fever	38	43	-	5
Influenza	294	145	149	-
Whooping-cough	46	44	2	-
Diphtheria	200	185	15	-
Croup	76	55	21	-
Cerebro-spinal meningitis.....	36	43	-	7
Tetanus	2	4	-	2
Typhoid fever.....	151	216	-	65
Tuberculosis	1,338	1,239	99	-
Diarrheal diseases	666	854	-	188
Rheumatism	42	57	-	15
Cancer	463	531	-	68
Diabetes	95	88	7	-
Diseases of nervous system	1,661	1,607	54	-
Diseases of heart	1,062	1,132	-	70
Pneumonia	936	769	167	-
Bronchitis	237	210	27	-
Peritonitis.....	117	102	15	-
Nephritis and Bright's disease	368	395	-	27

Population.—The population of the State of Maine in 1890 was, as given by the eleventh census, 661,086. In 1880, the population of the State was 648,936. There was, therefore, a gain of 12,150 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1880 and in 1890, and the gain or loss in each :

TABLE No. 2.
Population in 1890 and 1880.

Counties.	1890.	1880.	Difference.
Androscoggin	48,968	45,042	3,926 gain
Aroostook	49,589	41,700	7,889 gain
Cumberland	90,949	86,359	4,590 gain
Franklin	17,053	18,180	1,127 loss
Hancock	37,312	38,129	817 loss
Kennebec	57,012	53,058	3,954 gain
Knox	31,473	32,863	1,390 loss
Lincoln	21,996	24,821	2,825 loss
Oxford	30,586	32,627	2,041 loss
Penobscot	72,865	70,476	2,389 gain
Piscataquis	16,134	14,872	1,262 gain
Sagadahoc	19,452	19,272	180 gain
Somerset	32,627	32,333	294 gain
Waldo	27,759	32,463	4,704 loss
Washington	44,482	44,484	2 loss
York	62,829	62,257	572 gain

TABLE No. 3.
Births, Marriages, and Deaths, 1892-98.

State.	1892.	1893.	1894.	1895.	1896.	1897.	1898.
Number of births	14,028	14,604	14,607	15,430	15,429	14,430	14,473
Number of marriages	5,726	5,795	5,594	5,729	5,579	5,331	5,144
Number of deaths	12,147	11,134	11,012	10,464	10,626	11,236	10,956
Birth-rate	21.21	21.04	21.09	22.33	22.23	21.83	21.89
Marriage-rate	8.56	8.76	8.46	8.67	8.44	8.07	7.78
Death-rate	18.37	16.84	16.66	15.83	16.07	16.99	16.57

Birth, Marriage, and Death-Rates.—In this report the birth-rates, marriage-rates, and death-rates from all causes, are stated as so many among each 1,000 of the population as shown by the census of 1890.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 4.

Population of 1890, Births, Marriages, and Deaths, with rate of each to 1,000 of Population for the Year Ending December 31, 1898.

Counties.	Population in 1890.	Births.	Birth-rate per 1,000.	Marriages.	Marriage-rate per 1,000 persons married.	Deaths.	Death-rate per 1,000.
Androscoggin	48,968	1,151	23.51	376	7.68	957	19.54
Aroostook	49,589	1,802	37.05	487	9.82	765	15.43
Cumberland	90,949	1,993	21.91	657	7.22	1,705	18.75
Franklin	17,053	398	23.65	158	9.26	276	16.18
Hancock	37,312	741	20.04	264	7.08	550	14.74
Kennebec	57,012	1,135	19.91	469	8.23	989	17.35
Knox	31,473	513	16.31	247	7.85	497	15.79
Lincoln	21,996	348	15.89	148	6.73	322	14.64
Oxford	30,586	650	21.36	236	7.72	488	15.96
Penobscot	72,865	1,521	21.08	602	8.28	1,185	16.26
Piscataquis	16,134	336	21.32	145	8.99	232	14.38
Sagadahoc	19,452	380	19.54	156	8.02	307	15.78
Somerset	32,627	624	19.28	275	8.43	503	15.42
Waldo	27,759	402	14.48	200	6.13	432	15.56
Washington	44,482	1,146	26.32	341	7.67	625	14.05
York	62,829	1,333	21.22	383	6.10	1,123	17.87
State	661,686	14,473	21.89	5,144	7.78	10,956	16.57

The following is a general summary of the births, marriages, and deaths in 1898:

BIRTHS.

Sex.		Parentage.	
Males	7,438	American	9,097
Females.....	7,016	Foreign	2,847
Not stated	19	One parent foreign.....	2,399
	14,473	Not stated	130
			14,473

Whole number of births 14,473
 Birth-rate per 1,000..... *21.89

* Birth-rates, marriage-rates, and death-rates based on the population for 1890.

MARRIAGES.

Groom and bride both American	3,773
Groom and bride both foreign	529
Groom American, bride foreign	372
Groom foreign, bride American	424
Not stated.....	46
Whole number of marriages	5,144
Marriage-rate per 1,000.....	7.78

DEATHS.

Sex.		Parentage.	
Males	5,506	American	9,408
Females.....	5,447	Foreign	1,310
Not stated.....	3	Not stated.....	238
	10,956		10,956

Whole number of deaths 10,956
 Death-rate per 1,000 16.57

Relation of Births to Deaths.—As the total number of births registered in Maine in the year 1898 was 15,121 and the number of deaths was 10,956, the natural increase of births over deaths was 4,165.

The following table shows the number of births and deaths in each county, and the preponderance of births over deaths. In none of the preceding registration years until 1895 was the number of births greater than the number of deaths in every county in the State.

TABLE No. 5.

Counties.	Population in 1890.	Births.	Deaths.	Difference.
Androscoggin.....	48,968	1,151	957	194 gain
Aroostook	49,589	1,802	765	1,037 gain
Cumberland	90,949	1,993	1,705	288 gain
Franklin	17,053	398	276	122 gain
Hancock	37,312	741	550	191 gain
Kennebec	57,012	1,135	989	146 gain
Knox.....	31,473	513	497	16 gain
Lincoln	21,996	348	322	26 gain
Oxford.....	30,586	650	488	162 gain
Penobscot	72,865	1,521	1,185	336 gain
Piscataquis.....	16,134	336	232	104 gain
Sagadahoc	19,452	380	307	73 gain
Somerset	32,627	624	503	121 gain
Waldo	27,759	402	432	30 loss
Washington	44,482	1,146	625	521 gain
York	62,829	1,333	1,123	210 gain
State	661,086	14,473	10,956	3,517 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following:

TABLE No. 6.

Cities.	Population in 1880.	Births.	Deaths.	Difference.
Auburn	11,250	225	213	12 gain
*Augusta	10,527	250	249	1 gain
Bangor	19,103	388	388	-
Bath	8,723	194	154	40 gain
Belfast	5,204	52	100	48 loss
Biddeford	14,443	471	302	169 gain
Brewer	4,193	137	67	70 gain
Calais	7,290	221	109	112 gain
Deering	5,353	142	93	49 gain
Eastport	4,908	140	83	57 gain
Ellsworth	4,804	52	55	3 loss
Gardiner	5,491	125	70	55 gain
Hallowell	3,181	56	41	15 gain
Lewiston	21,701	553	500	53 gain
Old Town	5,312	155	102	53 gain
Portland	36,425	871	832	39 gain
Rockland	8,174	127	140	13 loss
Saco	6,075	106	113	7 loss
Waterville	7,107	269	137	132 gain
Westbrook	6,632	163	120	43 gain
Total	195,986	4,697	3,868	829 gain

* Including 56 deaths in the Insane Hospital.

TABLE
Births, Marriages, and Deaths

ANDROSCOGGIN

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn	11,250	115	110	-	225	20.00	94	95	13	21	2
Durham	1,111	12	14	-	26	23.40	19	5	1	1	-
East Livermore.....	1,506	23	20	-	43	28.55	20	16	4	3	-
Greene	885	12	6	-	18	20.34	15	1	1	1	-
Leeds	999	13	12	-	25	25.02	22	1	2	-	-
Lewiston	21,701	264	288	1	553	25.48	110	355	40	42	6
Lisbon	3,120	52	50	-	102	32.69	52	34	7	9	-
Livermore	1,151	8	2	-	10	8.69	9	1	-	-	-
*Mechanic Falls.....	-	18	20	-	38	-	31	3	2	2	-
Minot	1,355	8	10	-	18	13.28	13	1	-	3	1
Poland	2,472	12	13	-	25	10.11	19	-	-	6	-
Turner	2,016	20	10	-	30	14.88	26	-	1	3	-
Wales	451	3	6	-	9	19.96	8	-	1	-	-
Webster.....	951	16	13	-	29	30.49	17	3	5	3	1
Total	48,968	576	574	1	1,151	23.51	455	515	77	94	10

* Incorporated in 1893.

No. 7.
for the Year 1893.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
58	5	8	2	1	74	111	102	-	213	176	32	5	18.93
3	-	-	-	-	3	3	8	-	11	11	-	-	9.90
13	-	-	-	1	14	22	15	-	37	35	2	-	24.57
1	-	-	-	-	1	3	3	-	6	5	-	1	6.77
3	-	-	-	-	3	10	5	-	15	13	2	-	15.02
72	77	27	21	4	201	263	236	1	500	350	138	12	23.04
17	9	3	6	-	35	31	25	-	56	50	5	1	17.95
8	-	-	-	-	8	7	7	-	14	13	1	-	12.16
6	-	-	-	-	6	11	13	-	24	23	1	-	-
1	-	-	-	-	1	6	5	-	11	8	1	2	8.12
10	-	-	-	-	10	16	15	-	31	30	1	-	12.54
15	-	-	1	-	16	16	10	-	26	26	-	-	12.90
-	-	-	-	-	-	3	3	-	6	6	-	-	13.30
2	1	1	-	-	4	5	2	-	7	5	1	1	7.36
209	92	39	30	6	376	507	449	1	957	751	184	23	19.54

TABLE
Births, Marriages, and Deaths

ARROSTOOK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign.	Not stated.
Amity	420	4	5	-	9	21.43	4	-	2	3	-
Ashland	568	16	9	-	25	44.01	19	3	3	-	-
Bancroft	264	7	5	-	12	45.45	4	5	3	-	-
Benedicta	317	3	2	-	5	15.77	5	-	-	-	-
Blaine	784	10	13	-	23	29.34	12	3	3	5	-
Bridgewater	946	22	21	-	43	45.45	12	17	6	8	-
Caribou	4,087	86	94	-	180	44.05	65	43	45	27	-
Dyer Brook	221	4	1	-	5	22.62	4	-	1	-	-
Easton	978	8	9	-	17	17.38	8	5	2	2	-
Fort Fairfield	3,526	64	41	-	105	29.78	41	27	11	24	2
Fort Kent	1,826	75	66	-	141	77.22	92	14	17	18	-
Frenchville	2,560	46	39	-	85	33.20	81	1	-	3	-
Grand Isle	964	23	21	-	44	45.64	28	2	7	7	-
Haynesville	280	4	5	-	9	32.14	3	2	3	1	-
Hersey	151	4	3	-	7	46.36	5	-	1	1	-
Hodgdon	1,113	13	14	-	27	24.26	18	1	5	3	-
Houlton	4,015	60	40	-	100	24.91	34	27	19	20	-
Island Falls	223	14	19	-	33	147.98	12	8	8	5	-
Limestone	932	20	12	-	32	34.30	13	9	3	7	-
Linneus	965	10	3	-	13	13.47	5	-	4	3	1
Littleton	924	6	4	-	10	10.82	4	2	1	3	-
Ludlow	375	4	4	-	8	21.33	1	3	3	1	-
Madawaska	1,451	28	31	-	59	40.66	48	-	2	7	2
Mapleton	832	12	9	-	21	25.24	12	2	5	2	-
Mars Hill	837	27	16	-	43	51.56	9	12	5	17	-
Masardis	250	7	7	-	14	56.00	11	2	-	1	-

**No. 7—Continued.
for the Year 1898.**

COUNTY.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
-	-	-	-	-	-	3	5	-	8	6	2	-	19.05	
9	1	1	3	-	14	2	4	-	6	6	-	-	10.56	
3	1	-	-	-	4	4	3	-	7	6	1	-	26.51	
5	-	-	2	-	8	1	-	-	1	-	1	-	3.15	
3	4	7	-	-	14	8	6	-	14	10	4	-	17.86	
2	4	-	3	-	9	5	2	-	13	10	3	-	13.74	
20	8	7	14	1	50	32	29	-	61	50	10	1	14.93	
3	1	-	-	-	4	5	4	-	9	7	2	-	40.72	
5	1	2	1	-	9	3	4	-	7	4	2	1	7.16	
20	8	6	9	1	44	6	14	-	20	13	5	2	5.67	
15	1	-	2	-	18	16	19	-	35	30	5	-	19.16	
11	1	-	1	-	13	30	40	-	70	68	2	-	27.34	
7	-	-	3	-	10	15	15	-	30	24	6	-	31.12	
1	-	-	-	-	1	6	1	-	7	4	3	-	25.00	
-	-	-	-	-	-	3	2	-	5	4	1	-	31.10	
8	1	2	4	-	15	1	6	-	7	6	1	-	6.29	
21	11	12	17	2	63	22	16	-	38	22	15	1	9.46	
7	2	1	3	-	13	8	10	-	18	18	-	-	80.72	
2	2	-	-	-	4	4	4	-	8	7	-	1	8.57	
5	-	1	1	-	7	9	6	-	15	9	4	2	15.54	
2	1	2	-	-	5	3	4	-	7	7	-	-	7.58	
2	1	-	1	-	4	2	2	-	4	2	2	-	10.66	
6	-	-	-	-	6	13	17	-	30	24	6	-	20.68	
4	2	-	2	-	8	1	4	-	5	3	2	-	6.01	
6	3	3	1	-	13	6	8	-	14	6	8	-	16.73	
1	-	-	-	-	1	1	6	-	7	7	-	-	28.00	

TABLE
Births, Marriages, and Deaths

AROOSTOOK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Monticello ..	1,132	18	17	4	39	34.45	9	14	9	7	-
New Limerick.....	567	4	3	-	7	12.35	2	3	2	-	-
New Sweden.....	707	11	9	-	20	28.29	-	18	1	1	-
Oakfield....	720	12	17	-	29	40.28	20	2	4	3	-
Orient .	244	4	2	-	6	24.59	1	1	-	4	-
Perham	438	4	10	-	14	31.96	7	5	1	1	-
Presque Isle	3,046	35	46	-	81	26.59	36	19	13	11	2
Sherman ..	909	7	17	-	24	26.40	19	2	1	2	-
Smyrna	303	6	1	-	7	23.10	2	2	2	1	-
St. Agatha	-	36	31	-	67	-	62	1	2	2	-
Van Buren.....	1,168	21	25	-	46	39.38	20	9	9	7	1
Washburn	1,097	22	20	-	42	38.29	28	8	2	4	-
Weston.....	404	2	4	-	6	14.85	3	-	2	1	-
Woodland.....	885	20	8	-	28	31.64	12	5	6	5	-
Cary Pl	390	7	3	-	10	25.64	6	3	-	1	-
Castle Hill Pl.....	537	7	5	-	12	22.35	9	2	-	1	-
Caswell Pl	212	7	5	-	12	56.60	4	1	5	2	-
Chapman Pl.....	231	7	3	-	10	43.29	7	-	2	1	-
Connor Pl.....	526	13	13	-	26	49.43	4	7	11	4	-
Crystal Pl.....	297	1	4	-	5	16.84	2	-	2	1	-
Cyr Pl.....	429	18	15	-	33	76.92	23	1	6	2	1
Garfield Pl	86	1	2	-	3	34.88	2	-	1	-	-
Glenwood Pl.....	183	-	1	-	1	5.46	1	-	-	-	-
Hamlin Pl	484	21	17	-	38	78.51	24	1	13	-	-
Hammond Pl	109	-	2	-	2	18.35	2	-	-	-	-

**No. 7—Continued.
for the Year 1898.**

COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	2	1	4	-	9	7	5	-	12	5	6	1	10.60
2	-	-	2	-	4	1	3	-	4	2	2	-	7.05
2	-	-	-	-	2	3	3	-	6	2	4	-	8.49
4	-	-	-	-	4	7	6	-	13	10	3	-	18.06
-	4	1	-	-	5	1	1	-	2	2	-	-	8.19
1	-	1	-	-	2	7	3	-	10	10	-	-	22.83
14	1	7	8	1	31	13	28	-	41	27	14	-	13.46
5	-	1	2	-	8	3	-	-	3	3	-	-	3.30
4	1	-	1	-	6	2	-	-	2	1	1	-	6.60
8	-	2	-	-	10	37	36	-	73	69	4	-	-
8	1	3	4	-	16	7	15	-	22	19	2	1	18.84
5	1	1	4	-	11	7	5	-	12	10	2	-	10.94
1	-	-	-	-	1	2	1	-	3	2	1	-	7.42
4	3	2	3	-	12	4	8	-	12	7	5	-	13.56
-	-	-	1	-	1	-	-	-	-	-	-	-	-
3	-	-	-	-	3	4	5	-	9	5	3	1	15.27
1	-	-	1	-	2	7	3	-	10	8	2	-	47.15
-	-	-	-	-	-	-	2	-	2	1	1	-	8.65
-	-	-	-	-	-	4	6	-	10	9	1	-	19.01
-	-	-	-	-	-	1	-	-	1	1	-	-	3.36
-	-	-	-	-	-	1	2	-	3	3	-	-	6.99
-	-	-	-	-	-	-	1	-	1	-	1	-	11.62
3	-	-	-	-	3	2	-	-	2	2	-	-	10.92
-	-	-	-	-	-	8	9	-	17	16	1	-	35.12
-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE
Births, Marriages, and Deaths

AROOSTOOK

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Maewahoc Pl	216	1	3	-	4	18.52	2	-	-	-	2
Merrill Pl	244	6	4	-	10	40.98	7	1	1	1	-
Molunkus Pl.....	77	-	1	-	1	12.99	-	-	-	1	-
Moro Pl	199	-	5	-	5	25.13	3	1	-	1	-
New Canada Pl	301	10	8	-	18	59.80	6	4	4	4	-
Oxbow Pl.	94	2	5	-	7	74.47	5	-	-	2	-
Portage Lake Pl	140	3	3	-	6	42.86	6	-	-	-	-
Reed Pl	203	8	5	-	13	64.07	10	1	-	2	-
Sheridan Pl	221	3	4	-	7	31.67	2	3	2	-	-
Silver Ridge Pl	195	1	-	-	1	5.13	1	-	-	-	-
St. Francis Pl.....	461	7	11	-	18	39.05	11	1	-	6	-
St. John Pl.....	226	7	7	-	14	61.95	5	2	3	4	-
Stockholm Pl	105	2	1	-	3	28.57	3	-	-	-	-
Wade Pl.....	158	6	6	-	12	75.95	4	3	3	2	-
Wallagrass Pl	595	16	11	-	27	45.37	24	1	2	-	-
Westfield Pl	166	2	4	-	6	36.14	4	-	-	2	-
Westmanland Pl.	52	1	2	-	3	57.69	-	2	1	-	-
Winterville Pl...	72	7	1	-	8	111.11	6	-	-	2	-
Plantation E.....	-	-	1	-	1	-	1	-	-	-	-
Total *	48,639	943	855	4	1,802	37.05	955	311	269	256	11

* Population in unorganized plantations in 1890, 950.

No. 7—Continued.
for the Year 1893.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
-	-	-	-	-	-	-	-	2	-	2	2	-	-	9.26
1	-	-	-	-	1	-	1	-	-	1	1	-	-	4.09
-	-	-	-	-	-	1	3	-	-	4	2	-	2	51.96
2	-	-	-	-	2	1	1	-	-	2	1	-	1	10.05
-	-	-	-	-	-	2	2	-	-	4	4	-	-	13.29
3	-	-	-	-	3	1	2	-	-	3	2	1	-	31.91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	5	1	-	-	6	4	2	-	29.55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	-	2	2	-	-	10.26
3	1	-	1	-	5	3	3	-	-	6	5	1	-	13.01
-	-	-	-	-	-	1	1	-	-	2	2	-	-	8.85
-	-	-	-	-	-	1	-	-	-	1	1	-	-	9.52
-	-	-	-	-	-	2	1	-	-	3	2	1	-	18.98
6	-	-	1	-	7	3	6	-	-	9	8	1	-	15.12
-	-	-	-	-	-	1	1	-	-	2	2	-	-	12.04
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	-	2	2	-	-	27.77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
252	67	63	100	5	487	360	405	-	-	765	607	144	14	15.43

TABLE
Births, Marriages, and Deaths
CUMBERLAND

TOWNS.	Population in 1890.	BIRTHS.									
		SEX.					Parentage.				
		Males.	Females.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin	992	7	6	-	13	13.95	12	-	-	-	1
Bridgton	2,605	18	30	-	48	18.43	43	-	4	1	-
Brunswick	6,012	80	76	-	156	25.95	58	74	12	11	1
Cape Elizabeth	5,459	7	6	-	13	2.38	10	1	2	-	-
Casco	844	6	8	-	14	16.59	14	-	-	-	-
Cumberland	1,487	7	16	-	23	15.47	20	1	1	1	-
Deering	5,333	68	74	-	142	26.53	91	26	8	11	6
Falmouth	1,580	7	8	-	15	9.49	8	6	1	-	-
Freeport	2,482	25	17	-	42	16.92	32	1	2	2	5
Gorham	2,888	16	19	-	35	12.12	27	4	2	2	-
Gray	1,517	21	16	-	37	24.39	32	-	2	2	1
Harpswell	1,766	13	14	-	27	15.29	23	-	1	3	-
Harrison	1,071	9	10	-	19	17.74	18	-	-	1	-
Naples	846	9	10	-	19	22.46	19	-	-	-	-
New Gloucester	1,234	11	15	-	26	21.07	22	1	-	2	1
North Yarmouth	709	4	4	-	8	11.28	7	-	-	1	-
Otisfield	838	4	4	-	8	9.55	7	-	1	-	-
Portland	36,425	442	427	2	871	23.91	364	302	77	117	11
Pownal	712	8	6	-	14	19.66	11	1	1	1	-
Raymond	927	13	8	-	21	22.65	26	-	-	1	-
Scarboro	1,794	13	25	-	38	21.18	26	5	1	5	1
Sebago	681	4	7	-	11	16.15	11	-	-	-	-
South Portland	-	74	61	-	135	-	87	16	15	17	-
Standish	1,841	13	5	-	18	9.78	17	-	-	1	-
Westbrook	6,632	74	89	-	163	24.58	43	90	11	18	1
Windham	2,216	25	11	-	36	16.25	30	1	4	1	-
Yarmouth	2,098	23	18	-	41	19.54	28	9	1	2	1
Total	90,949	1,001	990	2	1,993	21.91	1,080	538	146	200	29

No. 7—Continued.
for the Year 1893.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	-	-	-	-	7	9	7	-	16	15	1	-	17.17
33	-	-	-	-	33	22	24	-	46	44	2	-	17.66
30	12	2	6	-	50	46	51	-	97	83	13	1	16.13
8	-	-	1	-	9	5	4	-	9	9	-	-	16.49
4	-	-	-	-	4	4	7	-	11	11	-	-	13.03
13	-	-	1	-	14	9	6	-	15	14	1	-	10.09
29	-	2	2	3	36	49	44	-	93	77	8	8	17.37
3	-	1	-	-	4	7	10	-	17	16	1	-	10.76
14	-	-	-	1	15	14	17	-	31	31	-	-	12.49
14	-	-	-	-	14	20	22	-	42	40	2	-	14.54
2	-	-	1	3	6	14	17	-	31	30	1	-	20.44
11	-	1	-	-	12	9	14	-	23	23	-	-	13.02
5	-	-	-	-	5	7	8	-	15	15	-	-	14.01
8	-	-	-	-	8	11	9	-	20	18	1	1	23.64
2	-	1	-	-	3	14	7	-	21	21	-	-	17.02
1	-	-	-	-	1	4	4	-	8	8	-	-	11.28
2	-	1	-	-	3	2	4	-	6	6	-	-	7.16
183	74	38	29	1	325	416	416	-	832	608	191	33	22.84
-	-	-	-	-	-	7	5	-	12	12	-	-	16.85
5	-	-	-	-	5	4	4	-	8	8	-	-	8.63
2	-	-	2	-	4	20	7	-	27	26	1	-	15.05
4	-	-	-	-	4	6	8	-	14	14	-	-	20.56
16	2	6	2	-	26	49	46	-	95	72	22	1	-
12	-	-	-	-	12	14	11	-	25	25	-	-	13.58
19	9	6	2	-	36	58	52	-	120	89	31	-	18.09
10	-	-	1	-	11	20	16	-	36	34	2	-	16.25
4	2	-	4	-	10	12	23	-	35	25	10	-	16.68
441	99	58	51	8	657	862	843	-	1,705	1,374	287	44	18.75

TABLE
Births, Marriages, and Deaths
FRANKLIN

TOWNS.	Population in 1880.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Avon	439	2	4	-	6	13.67	6	-	-	-	-
Carthage	350	5	4	-	9	23.08	8	-	-	1	-
Chesterville	770	7	11	-	18	23.38	17	-	1	-	-
Eustis	321	5	10	-	15	46.73	9	1	3	2	-
Farmington	3,207	27	29	-	56	17.46	48	2	1	5	-
Freeman	464	4	3	-	7	15.09	7	-	-	-	-
Industry	545	2	7	-	9	16.51	9	-	-	-	-
Jay	1,541	50	49	-	99	64.24	31	52	10	6	-
Kingfield	601	11	4	-	15	24.96	14	-	1	-	-
Madrid	441	4	3	-	7	15.87	7	-	-	-	-
New Sharon	1,064	13	7	-	20	18.80	20	-	-	-	-
New Vineyard	660	2	10	-	12	18.18	11	-	1	-	-
Phillips	1,394	10	9	-	19	13.63	18	-	-	1	-
Rangeley	616	8	9	-	17	27.60	15	-	1	-	1
Salem	218	1	3	-	4	18.35	3	-	-	1	-
Strong	627	7	9	-	16	25.52	15	-	-	-	1
Temple	470	2	7	-	9	19.15	7	-	1	1	-
Weld	885	-	6	-	15	16.95	14	-	-	1	-
Wilton	1,622	15	19	-	34	20.96	30	-	-	3	1
Coplin Pl	71	-	-	-	-	-	-	-	-	-	-
Dallas Pl	184	5	2	-	7	38.04	7	-	-	-	-
Greenvale Pl	52	1	-	-	1	19.23	1	-	-	-	-
Lang Pl	51	-	-	-	-	-	-	-	-	-	-
Perkins Pl	94	-	1	-	1	10.64	1	-	-	-	-
Rangeley Pl	58	2	-	-	2	34.48	2	-	-	-	-
Jerusalem Pl	18	-	-	-	-	-	-	-	-	-	-
Redington Pl	28	-	-	-	-	-	-	-	-	-	-
Total	* 16,831	192	206	-	398	23.65	300	55	19	21	3

* Population in unorganized plantations in 1890, 222.

**No. 7—Continued.
for the Year 1893.
COUNTY.**

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
2	-	-	-	-	2	1	2	-	3	3	-	-	6.83
1	-	-	-	-	1	2	5	-	7	7	-	-	17.95
3	-	-	-	-	3	6	4	-	10	10	-	-	12.99
3	-	2	1	-	6	2	2	-	4	4	-	-	12.46
35	-	-	1	-	36	26	35	-	61	58	3	-	19.02
-	-	-	-	-	-	7	4	-	11	11	-	-	23.71
3	-	-	-	-	3	4	5	-	9	9	-	-	16.51
13	12	-	-	-	25	14	14	-	28	23	5	-	18.17
5	-	-	1	-	6	5	10	-	15	15	-	-	24.96
1	-	-	-	-	1	2	4	-	6	6	-	-	13.61
10	-	-	-	-	10	12	8	-	20	20	-	-	18.80
2	-	-	-	-	2	-	7	-	7	7	-	-	10.61
16	-	-	1	-	17	11	10	-	21	21	-	-	15.07
6	-	-	-	-	6	4	4	-	8	8	-	-	12.83
-	-	-	-	-	-	2	2	-	4	3	1	-	18.35
8	-	-	1	-	9	5	7	-	12	12	-	-	19.14
5	-	-	-	-	5	5	2	-	7	7	-	-	14.89
5	-	-	1	-	6	7	5	-	12	12	-	-	13.56
16	-	1	2	-	19	13	12	-	25	24	1	-	15.41
-	-	-	-	-	-	-	1	-	1	1	-	-	14.08
-	-	-	-	-	-	1	-	-	1	1	-	-	5.43
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	-	1	-	19.61
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	2	1	1	-	34.48
-	-	-	-	-	-	1	-	-	1	1	-	-	55.56
1	-	-	-	-	1	-	-	-	-	-	-	-	-
135	12	3	8	-	158	131	145	-	276	264	12	-	16.18

TABLE
Births, Marriages, and Deaths

HANCOCK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst	375	1	5	-	6	16.00	5	-	1	-	-
Aurora	175	1	1	-	2	11.43	2	-	-	-	-
Bluehill	1,980	26	18	-	44	22.22	37	2	4	-	1
Brooklin	1,046	8	11	-	19	18.16	18	-	-	1	-
Brooksville	1,310	13	18	-	31	23.66	30	-	-	1	-
Bucksport	2,921	18	22	-	40	13.69	36	-	3	-	1
Castine	987	7	3	-	10	10.13	9	-	1	-	-
Cranberry Isles	330	1	1	-	2	6.06	1	-	1	-	-
Dedham	366	2	2	-	4	10.93	4	-	-	-	-
Deer Isle	3,422	27	29	-	56	16.36	54	-	-	2	-
Eastbrook	246	7	2	-	9	36.59	9	-	-	-	-
Eden	1,946	40	40	-	80	41.11	63	4	7	6	-
Ellsworth	4,804	31	21	-	52	10.82	45	1	3	3	-
Franklin	1,264	13	18	-	31	24.53	30	-	-	1	-
Gouldsboro	1,709	17	10	-	27	15.80	23	-	3	1	-
Hancock	1,190	8	10	-	18	15.13	14	-	2	2	-
Isle au Haut	206	1	2	-	3	14.56	3	-	-	-	-
Lamoine	726	4	7	-	11	15.15	10	-	-	1	-
Mariaville	271	3	5	-	8	29.52	8	-	-	-	-
Mount Desert	1,355	16	19	-	35	25.83	34	1	-	-	-
Orland	1,390	13	12	-	25	17.99	25	-	-	-	-
Otis	239	1	1	-	2	8.37	2	-	-	-	-
Penobscot	1,313	15	16	-	25	19.04	24	-	1	-	-
Sedgwick	1,012	9	9	-	18	17.79	17	-	1	-	-

No. 7—Continued.
for the Year 1898.
 COUNTY.

MARRIAGES.							DEATHS.						Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	1	-	5	2	2	-	4	3	-	1	10.67
1	-	-	1	-	2	2	2	-	4	4	-	-	22.86
11	-	1	-	-	12	16	21	-	37	37	-	-	18.69
5	-	-	-	-	5	14	10	-	24	23	1	-	22.94
6	-	1	-	-	7	10	10	-	20	20	-	-	15.27
15	2	1	-	-	18	19	26	-	45	40	5	-	15.41
4	-	1	-	-	5	6	6	-	12	12	-	-	12.16
-	-	-	-	-	-	2	5	-	7	5	2	-	21.21
-	-	-	-	-	-	3	1	-	4	4	-	-	10.98
10	-	-	1	-	11	16	23	-	39	38	1	-	11.40
-	-	-	-	-	-	4	4	-	8	8	-	-	32.52
31	-	-	3	-	34	26	20	-	46	38	5	3	23.64
27	1	1	1	-	30	33	22	-	55	48	4	3	11.45
11	-	1	-	-	12	4	9	-	13	13	-	-	10.28
10	-	1	-	-	11	10	7	-	17	15	2	-	9.94
3	-	1	-	-	4	6	5	-	11	10	1	-	9.24
-	-	-	-	-	-	3	3	-	6	5	1	-	29.12
7	-	-	1	-	8	4	1	-	5	5	-	-	6.89
1	-	1	-	-	2	3	1	-	4	3	1	-	14.76
6	-	-	-	-	6	8	6	-	14	12	2	-	10.33
11	-	-	-	-	11	7	9	-	16	16	-	-	11.51
1	-	-	-	-	1	-	2	-	2	2	-	-	8.37
7	-	-	-	-	7	9	17	-	26	25	-	1	19.80
5	-	-	-	-	5	9	7	-	16	16	-	-	15.81

TABLE
Births, Marriages, and Deaths

HANCOCK

TOWNS.	Population in 1890.	BIRTHS.										
		Sex.					Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	
*Sorrento.	-	2	-	-	2	-	2	-	-	-	-	-
†Stonington.	-	27	13	-	40	-	35	4	1	-	-	-
Sullivan.	1,379	14	9	-	23	16.68	22	1	-	-	-	-
Surry.	986	8	16	-	24	24.34	23	-	1	-	-	-
Swan's Island.	632	11	8	-	19	30.06	15	2	2	-	-	-
Tremont.	2,036	14	14	-	28	13.75	23	-	4	2	-	-
Trenton.	528	5	2	-	7	13.26	7	-	-	-	-	-
Verona.	323	6	5	-	11	34.06	11	-	-	-	-	-
Waltham.	242	1	3	-	4	16.53	4	-	-	-	-	-
†Winter Harbor.	-	12	3	-	15	-	13	-	2	-	-	-
Long Island Pl.	132	4	4	-	8	60.61	6	1	1	-	-	-
No. 33 Pl.	112	2	-	-	2	17.86	2	-	-	-	-	-
Total.	§ 36,953	388	353	-	741	20.04	665	16	38	20	2	2

* Incorporated in 1895.

† Incorporated in 1897.

‡ Incorporated in 1896.

§ Population in unorganized plantations in 1890, 359.

No. 7—Continued.
for the Year 1898.
 COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	2	1	-	3	3	-	-	-
9	1	1	2	-	13	20	9	-	29	28	1	-	-
13	-	-	1	-	14	13	7	-	20	19	1	-	13.78
8	-	1	-	-	9	8	6	-	14	14	-	-	14.20
6	-	-	-	-	6	3	2	-	5	4	1	-	7.91
11	-	-	2	-	13	6	11	-	17	17	-	-	8.35
-	-	-	-	-	-	2	4	-	6	6	-	-	11.36
-	-	-	-	-	-	4	4	-	8	8	-	-	24.77
2	-	-	-	-	2	1	1	-	2	2	-	-	8.26
8	-	1	-	-	9	3	3	-	6	5	-	1	-
-	-	-	-	-	-	2	2	-	4	4	-	-	30.30
1	-	-	-	-	1	1	-	-	1	1	-	-	8.93
235	4	12	13	-	264	281	269	-	550	513	28	9	14.74

TABLE
Births, Marriages, and Deaths

KENNEBEC

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion.....	1,042	5	8	-	13	12.46	12	1	-	-	-
Augusta.....	10,527	131	116	3	250	23.75	112	87	12	34	5
Belgrade.....	1,090	9	10	-	19	17.43	18	-	-	1	-
Benton.....	1,136	11	4	-	15	13.20	12	-	2	1	-
Chelsea.....	2,356	3	12	-	15	6.37	13	1	-	1	-
China.....	1,423	10	9	-	19	13.35	18	-	-	1	-
Clinton.....	1,518	9	5	-	14	9.22	14	-	-	-	-
Farmingdale.....	821	1	4	-	5	6.09	3	1	1	-	-
Fayette.....	649	5	7	-	12	18.49	11	-	1	-	-
Gardiner.....	5,491	61	64	-	125	22.76	89	18	4	12	2
Hallowell.....	3,181	34	22	-	56	17.60	30	13	5	7	1
Litchfield.....	1,126	5	7	-	12	10.66	10	-	1	-	1
Manchester.....	612	7	2	-	9	14.71	9	-	-	-	-
Monmouth.....	1,362	12	10	-	22	16.15	18	2	-	2	-
Mount Vernon.....	940	12	6	-	18	19.15	16	-	-	1	1
Oakland.....	2,044	20	11	-	31	15.17	28	2	-	1	-
Pittston.....	1,281	5	4	-	9	7.80	9	-	-	-	-
Randolph.....	1,281	8	8	-	16	12.49	10	-	3	3	-
Readfield.....	1,176	10	6	-	16	13.60	15	1	-	-	-
Rome.....	500	-	6	-	6	12.00	6	-	-	-	-
Sidney.....	1,334	5	12	-	17	12.74	15	-	1	1	-
Vassalboro.....	2,052	24	16	-	40	19.49	28	8	3	5	1

No. 7—Continued.
for the Year 1893.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	-	-	1	-	8	7	7	-	14	14	-	-	13.44
64	16	7	10	4	101	129	120	-	249	195	32	22	23.65
3	-	-	1	1	5	8	4	-	12	12	-	-	11.01
7	-	-	-	-	7	13	9	-	22	22	-	-	19.37
1	-	-	-	-	1	18	9	-	27	21	6	-	11.46
12	-	-	1	-	13	15	21	-	36	35	1	-	25.30
14	-	-	-	-	14	14	10	-	24	24	-	-	15.81
7	-	1	-	-	8	8	10	-	18	18	-	-	21.92
2	-	-	-	-	2	7	5	-	12	12	-	-	18.49
50	3	4	5	-	62	35	35	-	70	61	8	1	12.75
24	1	1	5	-	31	19	20	2	41	30	8	3	12.89
5	-	-	-	-	5	8	11	-	19	18	-	1	16.87
3	1	-	-	-	4	6	4	-	10	9	1	-	16.34
11	-	1	1	-	13	19	11	-	30	29	-	1	22.03
5	-	-	-	-	5	11	11	-	22	18	-	4	23.40
29	-	2	-	-	31	13	19	-	32	29	2	1	15.66
8	-	-	-	-	8	10	13	-	23	21	-	2	17.95
4	1	1	-	-	6	5	5	-	10	8	2	-	7.81
4	-	-	-	-	4	10	4	-	14	14	-	-	11.90
3	-	-	-	-	3	3	4	-	7	7	-	-	14.00
3	-	-	-	-	3	7	9	-	16	12	2	2	11.99
14	2	2	-	1	19	17	7	-	24	18	2	4	11.70

TABLE
Births, Marriages, and Deaths

KENNEBEC

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign.	Not stated.
		Vienna	496	4	5	-	9	18.18	9	-	-
Waterville	7,107	186	182	1	269	37.85	84	97	41	45	2
Wayne	776	8	5	-	13	16.77	13	-	-	-	-
West Gardiner	853	6	5	-	11	12.90	8	-	2	1	-
Windsor	853	9	5	-	14	16.41	11	-	-	3	-
Winslow	1,814	23	23	-	46	25.36	15	22	4	5	-
Winthrop	2,111	19	13	-	32	15.16	19	13	-	-	-
Unity Pl	62	2	-	-	2	32.25	2	-	-	-	-
Total	57,012	594	537	4	1,135	19.91	657	261	80	124	13

No. 7—Continued.

for the Year 1898.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
3	-	-	-	-	3	2	4	-	6	6	-	-	12.12
55	16	9	11	1	92	67	70	-	137	108	23	6	19.28
3	-	-	-	-	3	7	2	-	9	9	-	-	10.55
-	-	-	-	-	-	9	8	-	17	16	1	-	18.93
5	-	-	1	-	6	15	21	-	36	30	6	-	19.85
6	1	-	-	1	8	16	24	-	40	37	2	1	18.95
-	-	-	-	-	-	-	-	-	-	-	-	-	-
356	41	28	36	8	469	505	482	2	989	845	96	48	17.37

TABLE
Births, Marriages, and Deaths

KNOX

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton.....	1,080	8	5	-	13	12.04	12	-	-	1	-
Camden.....	2,471	18	23	-	41	16.59	28	2	3	6	2
Cushing.....	688	3	3	-	6	8.72	5	-	-	-	1
Friendship.....	877	6	8	-	14	15.96	14	-	-	-	-
Hope.....	641	4	3	-	7	10.92	7	-	-	-	-
Hurricane Isle.....	266	4	6	-	10	37.59	5	4	1	-	-
North Haven.....	552	6	4	-	10	18.12	10	-	-	-	-
Rockland.....	8,174	58	69	-	127	15.54	98	12	10	7	-
Rockport.....	2,150	18	24	-	42	19.53	41	-	-	1	-
South Thomaston.....	1,534	15	14	-	29	18.90	23	1	2	3	-
St. George.....	2,491	30	24	-	54	21.68	37	11	4	2	-
Thomaston.....	3,009	21	21	-	42	13.96	40	-	-	1	1
Union.....	1,436	12	6	-	18	12.53	18	-	-	-	-
Vinalhaven.....	2,617	26	29	-	55	21.02	40	6	3	5	1
Warren.....	2,037	20	13	-	33	16.20	24	4	2	2	1
Washington.....	1,230	6	6	-	12	9.76	12	-	-	-	-
Matinicus Isle Pl.....	186	-	-	-	-	-	-	-	-	-	-
Total.....*	31,449	255	258	-	513	16.31	414	40	25	28	6

* Population in unorganized plantations in 1890, 24.

**No. 7—Continued.
for the Year 1893.**

COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
5	-	-	-	-	5	5	6	-	11	11	-	-	10.19
34	-	1	-	-	35	25	22	-	47	45	2	-	19.02
2	-	-	-	-	2	6	6	-	12	12	-	-	17.44
7	-	-	-	-	7	4	7	-	11	11	-	-	12.54
1	-	-	-	-	1	4	4	-	8	8	-	-	12.48
-	-	-	-	-	-	3	-	-	3	2	1	-	11.28
3	-	-	-	-	3	4	3	-	7	6	-	1	12.68
78	4	6	5	-	93	69	71	-	140	129	11	-	17.13
20	-	-	-	-	20	21	10	-	31	31	-	-	14.42
7	-	-	-	-	7	13	12	-	25	21	3	1	16.30
6	2	1	-	-	9	23	24	-	47	43	4	-	18.86
18	3	1	-	-	22	23	29	-	52	42	10	-	17.28
12	-	-	-	-	12	6	13	-	19	19	-	-	13.23
12	2	-	2	-	16	12	14	-	26	25	1	-	9.94
7	-	-	-	-	7	17	16	-	33	32	1	-	16.20
7	-	-	-	-	7	13	10	-	23	23	-	-	18.70
-	-	-	1	-	1	1	1	-	2	2	-	-	10.20
219	11	9	8	-	247	249	248	-	497	462	33	2	15.79

TABLE
Births, Marriages, and Deaths

LINCOLN

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna	512	2	3	-	5	9.77	5	-	-	-	-
Boothbay	1,718	27	21	-	48	27.82	44	-	1	3	-
Boothbay Harbor	1,699	23	27	-	50	29.43	40	2	4	3	1
Bremen	842	3	8	-	11	13.06	10	-	-	1	-
Bristol	2,821	31	18	-	49	17.37	47	-	2	-	-
Damariscotta	1,012	5	5	-	10	9.88	8	-	1	1	-
Dresden	1,043	6	8	-	14	13.42	12	-	2	-	-
Edgecomb	749	1	5	-	6	8.01	6	-	-	-	-
Jefferson	1,391	8	9	-	17	12.22	15	-	-	-	2
Newcastle	1,282	9	8	-	17	13.26	16	-	1	-	-
Nobleboro	947	8	3	-	11	11.62	11	-	-	-	-
Somerville	453	5	3	-	8	17.66	8	-	-	-	-
Southport	533	6	4	-	10	18.76	9	-	-	1	-
Waldoboro	3,505	16	24	-	40	11.41	37	-	1	2	-
Westport	451	3	3	-	6	13.30	6	-	-	-	-
Whitefield	1,215	15	12	-	27	22.22	24	2	1	-	-
Wiscasset	1,733	10	9	-	19	10.96	15	1	2	1	-
Total	* 21,906	178	170	-	348	15.89	313	5	15	12	3

* Population in unorganized plantations in 1890, 90.

No. 7—Continued.
for the Year 1898.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	1	-	4	2	4	-	6	6	-	-	11.72
28	-	1	-	-	29	7	14	-	21	21	-	-	12.22
14	-	-	-	-	14	16	10	-	26	22	3	1	15.30
5	-	-	-	-	5	4	-	-	4	4	-	-	4.76
16	-	-	-	-	16	20	17	-	37	34	2	1	13.12
4	-	-	1	-	5	12	9	-	21	20	1	-	20.75
3	-	-	-	-	3	5	6	-	11	11	-	-	10.55
6	-	-	-	-	6	2	9	-	11	10	1	-	14.69
6	-	-	-	-	6	11	15	-	26	23	2	1	18.69
9	-	-	-	-	9	8	10	-	18	17	1	-	14.04
2	-	-	-	-	2	9	6	-	15	15	-	-	15.84
3	-	-	-	-	3	3	4	-	7	7	-	-	15.45
7	-	1	-	-	8	5	4	-	9	8	-	1	16.88
21	-	-	-	-	21	32	29	-	61	58	1	2	17.40
-	-	-	-	-	-	4	1	-	5	5	-	-	11.09
6	-	-	-	-	6	13	11	-	24	21	-	3	19.75
11	-	-	-	-	11	7	13	-	20	20	-	-	11.54
144	-	2	2	-	148	160	162	-	322	302	11	9	14.64

TABLE
Births, Marriages, and Deaths

OXFORD

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany	645	4	8	-	12	18.61	11	-	-	1	-
Andover	740	6	7	-	13	17.57	12	1	-	-	-
Bethel	2,209	16	17	-	33	14.94	26	4	1	2	-
Brownfield	1,134	16	7	-	23	20.28	22	1	-	-	-
Buckfield	1,200	6	10	-	16	13.33	13	-	2	1	-
Byron	180	5	4	-	9	50.00	4	4	-	1	-
Canton	1,303	16	14	-	30	23.02	20	7	1	2	-
Denmark	755	6	4	-	10	13.25	8	-	2	-	-
Dixfield	988	17	13	-	30	30.36	23	3	1	2	1
Fryeburg	1,418	14	19	-	33	23.27	28	1	1	1	2
Gilead	336	2	2	-	4	11.90	2	-	2	-	-
Grafton	98	-	1	-	1	10.20	-	-	1	-	-
Greenwood	727	7	7	-	14	19.26	12	1	-	1	-
Hanover	212	4	-	-	4	18.87	2	-	1	-	1
Hartford	689	2	8	-	10	14.51	8	-	-	2	-
Hebron	600	-	4	-	4	6.67	4	-	-	-	-
Hiram	1,063	9	10	-	19	17.87	17	-	1	1	-
Lovell	853	3	5	-	8	9.38	7	-	1	-	-
Mason	80	-	1	-	1	12.50	1	-	-	-	-
Mexico	355	13	15	-	28	78.87	18	5	5	-	-
Newry	343	6	2	-	8	23.32	5	-	2	1	-
Norway	2,695	15	32	-	47	17.64	39	2	1	4	1

**No. 7—Continued.
for the Year 1898.**

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	1	4	-	5	5	-	-	7.75
6	-	-	-	-	6	4	6	-	10	10	-	-	13.51
20	1	-	4	-	25	10	7	-	17	16	1	-	7.69
5	-	-	-	-	5	8	9	-	17	17	-	-	14.99
6	-	-	-	-	6	6	11	-	17	17	-	-	14.17
-	-	-	-	-	-	-	1	-	1	1	-	-	5.56
4	3	-	1	1	9	9	7	-	16	15	1	-	12.28
6	-	-	-	-	6	6	7	-	13	13	-	-	17.22
3	-	-	-	-	3	5	5	-	10	10	-	-	10.12
16	-	1	-	-	17	10	12	-	22	21	-	1	15.51
1	-	-	-	-	1	1	7	-	8	7	1	-	23.81
-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	3	4	5	-	9	9	-	-	12.38
-	-	-	-	-	-	1	2	-	3	3	-	-	14.15
1	-	-	-	-	1	3	3	-	6	6	-	-	8.71
6	-	-	-	-	6	4	6	-	10	10	-	-	16.67
4	-	-	-	-	4	10	12	-	22	22	-	-	20.70
2	-	1	-	-	3	6	5	-	11	11	-	-	12.90
-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	2	-	5	8	7	-	15	14	1	-	42.25
-	-	-	-	-	-	8	-	-	8	8	-	-	23.32
33	-	2	2	-	37	15	35	-	50	46	-	4	18.76

TABLE
Births, Marriages, and Deaths

OXFORD

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Oxford	1,455	6	13	-	19	13.06	14	3	2	-	-
Paris	3,156	33	27	-	60	19.01	54	2	1	1	2
Peru	692	9	9	-	18	26.01	18	-	-	-	-
Porter	1,015	13	6	-	19	18.72	19	-	-	-	-
Roxbury	222	4	4	-	8	36.04	7	1	-	-	-
Rumford ..	898	37	45	-	82	91.31	37	26	12	7	-
Stoneham.....	322	4	3	-	7	21.74	7	-	-	-	-
Stow.....	291	1	1	-	2	6.87	2	-	-	-	-
Sumner	901	7	8	-	15	16.65	15	-	-	-	-
Sweden.....	338	7	6	-	13	38.46	11	-	-	2	-
Upton	232	2	3	-	5	21.55	4	-	-	1	-
Waterford	1,001	6	9	-	15	14.99	15	-	-	-	-
Woodstock.....	859	12	8	-	20	23.28	18	-	2	-	-
Franklin Pl.	112	-	-	-	-	-	-	-	-	-	-
Lincoln Pl	59	1	1	-	2	33.90	2	-	-	-	-
Milton Pl	211	3	2	-	5	23.70	4	-	-	1	-
Riley Pl	43	-	1	-	1	23.26	1	-	-	-	-
Batchelder's Grant	26	1	1	-	2	76.92	1	1	-	-	-
Total	* 30,426	313	337	-	650	21.36	511	62	39	31	7

* Population in unorganized plantations in 1890, 160.

No. 7—Continued.

for the Year 1898.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
12	-	-	-	-	12	16	17	-	33	32	1	-	22.68
22	1	1	-	-	24	36	21	-	57	53	-	4	18.06
5	-	-	1	-	6	2	4	-	6	6	-	-	8.67
4	-	-	-	-	4	6	8	-	14	14	-	-	13.79
1	-	-	-	-	1	3	5	-	8	8	-	-	36.04
18	3	3	8	-	32	16	19	-	35	28	7	-	38.98
2	-	-	-	-	2	1	1	-	2	2	-	-	6.21
-	-	-	-	-	-	2	2	-	4	4	-	-	13.75
4	-	-	1	-	5	9	10	-	19	19	-	-	21.09
-	-	-	-	-	-	6	2	-	8	8	-	-	23.67
1	-	-	-	-	1	-	1	-	1	1	-	-	4.31
7	-	-	-	-	7	6	7	-	13	12	1	-	12.99
3	-	-	-	-	3	5	4	-	9	9	-	-	10.48
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	16.95
1	-	-	-	-	1	1	-	-	1	1	-	-	4.74
-	-	-	-	-	-	1	-	-	1	1	-	-	23.26
-	-	-	-	-	-	4	2	-	6	6	-	-	230.76
200	8	8	19	1	236	234	254	-	488	466	13	9	15.96

TABLE
Births, Marriages, and Deaths

PENOBSCOT

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alton	348	3	3	-	6	17.24	4	-	2	-	-
Argyle.....	263	2	1	-	3	11.41	1	-	1	-	1
Bangor	19,103	203	183	2	388	20.31	220	90	30	44	4
Bradford	1,215	13	18	-	31	25.51	27	-	1	3	-
Bradley	823	7	4	-	11	13.37	10	-	-	1	-
Brewer	4,193	66	71	-	137	32.67	80	35	14	8	-
Burlington.....	460	4	3	-	7	15.22	7	-	-	-	-
Carmel	1,066	6	5	-	11	10.32	11	-	-	-	-
Carroll	546	8	3	-	11	20.15	10	-	-	1	-
Charleston	971	3	10	-	13	13.39	13	-	-	-	-
Chester.....	368	4	8	-	12	32.61	9	1	-	1	1
Clifton	284	2	3	-	5	17.61	5	-	-	-	-
Corinna	1,207	13	8	-	21	17.40	20	-	-	1	-
Corinth	1,154	3	11	-	14	12.14	14	-	-	-	-
Dexter	2,732	33	18	-	51	18.67	30	9	6	5	1
Dixmont	919	8	8	-	16	17.41	16	-	-	-	-
Eddington	729	2	7	-	9	12.35	9	-	-	-	-
Edinburg	54	1	1	-	2	37.04	2	-	-	-	-
Enfield	769	13	16	-	29	37.71	13	9	4	3	-
Etna	646	7	6	-	13	20.12	10	-	-	2	1
Exeter	939	8	10	-	18	19.17	18	-	-	-	-
Garland	973	3	9	-	12	12.33	12	-	-	-	-
Glenburn	588	2	4	-	6	10.29	6	-	-	-	-
Greenbush	659	5	6	-	11	16.69	8	-	2	-	1

**No. 7—Continued.
for the Year 1893.**

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	2	-	-	5	1	-	-	1	1	-	-	2.87
-	-	1	-	-	1	-	-	-	-	-	-	-	-
124	23	21	14	2	184	177	211	-	388	293	79	16	20.31
5	-	1	-	-	6	14	17	-	31	31	-	-	25.51
-	-	-	-	-	-	5	6	-	11	11	-	-	13.37
20	6	3	6	1	36	37	30	-	67	53	13	1	15.98
2	-	-	-	-	2	2	3	-	5	5	-	-	10.87
7	-	-	-	-	7	9	8	-	17	15	2	-	15.95
2	-	-	-	-	2	2	4	-	6	6	-	-	10.98
2	-	-	-	-	2	6	6	-	12	11	-	1	12.36
1	-	-	-	-	1	-	1	-	1	1	-	-	2.72
-	-	-	-	-	-	1	3	-	4	4	-	-	14.08
7	-	-	-	-	7	12	9	-	21	21	-	-	17.40
8	-	-	-	-	8	6	8	-	14	14	-	-	12.14
25	3	-	2	-	30	17	20	-	37	32	5	-	13.54
8	-	-	-	-	8	5	8	-	13	13	-	-	14.15
4	-	-	-	-	4	2	5	-	7	7	-	-	9.60
1	-	-	-	-	1	-	-	-	-	-	-	-	-
9	1	-	1	1	12	6	6	-	12	10	2	-	15.60
4	-	-	1	-	5	6	3	-	9	8	1	-	13.93
8	-	-	-	-	8	8	8	-	16	15	1	-	17.04
11	-	-	-	-	11	8	11	-	19	19	-	-	19.53
2	-	-	-	-	2	7	1	-	8	7	1	-	13.72
4	-	-	-	-	4	3	10	-	13	13	-	-	19.73

TABLE
Births, Marriages, and Deaths

PENOBSCOT

TOWNS.	Population in 1890.	BIRTHS.									
		SEX.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Hampden	2,484	25	22	-	47	18.92	42	1	2	2	-
Hermon	1,282	10	8	-	18	14.04	17	-	-	-	1
Holden	609	1	2	-	3	4.92	2	-	1	-	-
Howland	171	6	9	-	15	87.66	10	2	2	1	-
Hudson.....	510	1	3	-	4	7.85	4	-	-	-	-
Kenduskeag	536	4	4	-	8	14.93	8	-	-	-	-
Kingman	671	21	16	-	37	55.14	13	8	11	3	2
Lagrange	721	9	3	-	12	16.64	9	-	2	1	-
Lee	929	5	10	-	15	16.14	13	-	-	2	-
Levant	880	5	2	-	7	7.95	6	-	-	1	-
Lincoln	1,756	17	11	-	28	15.95	18	2	4	-	4
Lowell	439	4	-	-	4	9.11	4	-	-	-	-
Mattawamkeag	633	5	11	-	16	25.27	12	-	3	1	-
Maxfield	134	1	1	-	2	14.93	2	-	-	-	-
Medway.....	653	1	2	-	3	4.59	2	-	1	-	-
Milford.....	835	7	8	-	15	17.96	6	6	-	3	-
Mount Chase	284	7	3	-	10	35.21	7	1	-	2	-
Newburgh	867	1	10	-	11	12.69	11	-	-	-	-
Newport	1,188	12	12	-	24	20.20	20	2	1	-	1
Old Town	5,312	78	77	-	155	29.18	57	51	30	17	-
Orono	2,790	54	39	-	93	33.33	41	30	6	15	1
Orrington	1,406	12	9	-	21	15.00	20	1	-	-	-
Passadumkeag	343	2	5	-	7	20.41	6	-	1	-	-
Patten.....	936	13	9	-	22	23.56	11	3	5	3	-
Plymouth	689	5	3	-	8	11.61	8	-	-	-	-

No. 7—Continued.
for the Year 1898.

COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
19	-	-	-	-	19	21	22	-	43	41	2	-	17.31
6	-	1	1	-	2	7	11	-	18	18	-	-	14.04
3	-	2	-	-	5	9	6	-	15	9	3	3	24.60
4	-	2	2	-	8	1	4	-	5	4	1	-	29.22
-	-	-	-	-	-	3	4	-	7	7	-	-	13.73
6	-	1	-	-	7	3	2	-	5	5	-	-	9.33
3	-	-	2	-	5	10	10	-	20	14	6	-	29.81
8	-	-	-	-	8	5	6	-	11	11	-	-	15.26
4	-	-	1	-	5	7	3	-	10	10	-	-	10.76
5	-	-	2	-	7	8	8	-	16	16	-	-	18.18
10	-	1	1	-	12	15	8	-	23	18	2	3	13.10
-	-	-	-	-	-	3	2	-	5	5	-	-	11.39
7	-	-	-	-	7	3	1	-	4	4	-	-	6.31
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	2	2	-	-	3.06
3	-	-	-	-	3	8	6	-	14	11	3	-	16.77
-	-	-	-	-	-	2	-	-	2	2	-	-	7.04
6	-	-	-	-	6	3	4	-	7	7	-	-	8.07
16	-	2	-	-	18	12	12	-	24	22	2	-	20.20
37	3	4	6	1	51	61	41	-	102	86	16	-	19.20
11	7	-	1	-	19	24	29	-	53	33	14	6	19.00
13	-	-	1	-	14	13	10	-	23	23	-	-	16.36
-	-	-	-	-	-	3	3	-	6	5	1	-	17.49
12	-	3	2	-	17	3	4	-	7	6	1	-	7.48
5	-	-	-	-	5	3	3	-	6	6	-	-	8.71

TABLE
Births, Marriages, and Deaths

PENOBSCOT

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Prentiss	401	13	11	-	24	59.85	19	-	-	5	-
Springfield.....	677	8	4	-	12	17.73	11	-	1	-	-
Stetson	618	3	3	-	6	9.71	6	-	-	-	-
Veazie	650	3	6	-	9	13.85	8	-	1	-	-
Winn	936	13	8	-	21	22.44	12	3	2	4	-
Drew Pl	110	2	1	-	3	27.27	3	-	-	-	-
Lakeville Pl	144	1	3	-	4	27.78	2	-	2	-	-
Grand Falls Pl	68	-	1	-	1	14.71	1	-	-	-	-
Seboeis Pl	98	2	1	-	3	30.61	2	-	1	-	-
Stacyville Pl	250	4	5	-	9	36.00	4	2	2	-	1
Webster Pl.....	135	3	3	-	6	44.44	4	-	2	-	-
Norcross	-	-	1	-	1	-	1	-	-	-	-
Total	* 72,149	777	742	2	1,521	21.08	977	256	140	129	19

* Population in unorganized plantations in 1890, 716.

No. 7—Continued.
for the Year 1898.
 COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
6	-	1	-	-	7	2	1	-	3	3	-	-	7.48
5	-	-	1	-	6	4	4	-	8	6	2	-	11.82
5	-	-	-	-	5	4	4	-	8	8	-	-	12.94
4	1	1	-	-	6	6	-	-	6	5	1	-	9.23
3	-	-	-	-	3	5	6	-	11	8	3	-	11.75
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	2	2	-	-	13.89
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	10.20
1	-	-	-	-	1	3	2	-	5	2	3	-	20.00
1	-	-	1	-	2	1	-	-	1	1	-	-	7.40
1	-	-	-	-	1	-	-	-	-	-	-	-	-
462	44	46	45	5	602	590	595	-	1,185	991	164	30	16.26

TABLE
Births, Marriages, and Deaths

PISCATAQUIS

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbot	622	6	13	-	19	30.55	18	-	-	1	-
Atkinson	605	7	5	-	12	19.83	11	-	-	1	-
Blanchard	213	4	4	-	8	37.56	8	-	-	-	-
Brownville	1,074	21	13	-	34	31.66	17	6	3	7	1
Dover	1,942	8	5	1	14	7.21	11	2	-	1	-
Foxcroft	1,726	18	9	-	27	15.64	21	4	1	1	-
Greenville	781	15	16	-	31	39.69	17	2	7	5	-
Guilford	1,023	18	9	-	27	26.39	24	1	-	1	1
Medford	306	2	1	-	3	9.80	3	-	-	-	-
Milo	1,029	11	18	-	29	28.18	25	1	2	1	-
Monson	1,237	13	14	-	27	21.83	16	7	2	2	-
Orneville	492	3	6	-	9	18.29	8	-	-	1	-
Parkman	813	9	5	-	14	17.22	14	-	-	-	-
Sangerville	1,236	16	8	-	24	19.42	19	2	3	-	-
Sebec	725	7	7	-	14	19.31	12	-	1	1	-
Shirley	291	4	4	-	8	27.49	7	-	1	-	-
Wellington	584	3	7	-	10	17.12	10	-	-	-	-
Williamsburg	162	1	3	-	4	24.69	4	-	-	-	-
Willimantic	446	6	4	-	10	22.42	8	1	-	1	-
Barnard Pl.	100	2	1	-	3	30.00	3	-	-	-	-
Bowerbank Pl.	87	1	1	-	2	22.99	2	-	-	-	-
Elliottsville Pl.	53	-	-	-	-	-	-	-	-	-	-
Kingsbury Pl.	205	1	4	-	5	24.39	5	-	-	-	-
Lake View Pl.	-	2	-	-	2	-	-	2	-	-	-
Kineo	-	-	-	-	-	-	-	-	-	-	-
Total	* 15,762	178	157	1	336	21.32	263	28	20	23	2

* Population in unorganized plantations in 1890, 372.

No. 7—Continued.
for the Year 1898.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
5	-	-	1	-	6	4	1	-	5	5	-	-	8.04
4	-	-	1	-	5	6	6	-	12	12	-	-	19.83
3	-	-	-	-	3	4	2	-	6	5	1	-	28.17
14	4	2	4	-	24	8	7	-	15	13	2	-	13.97
15	-	1	1	-	17	14	15	-	29	27	2	-	14.93
15	-	-	1	-	16	13	13	-	26	25	1	-	15.06
6	3	1	2	-	12	14	8	-	22	16	6	-	28.17
13	-	1	1	-	15	10	13	-	23	23	-	-	22.48
2	-	-	-	-	2	2	-	-	2	2	-	-	6.53
9	-	2	2	-	13	6	13	-	19	18	1	-	18.46
6	-	2	-	-	8	5	7	-	12	12	-	-	9.70
3	-	-	1	-	4	4	3	-	7	4	1	2	14.23
3	-	1	-	-	4	6	5	-	11	11	-	-	13.53
5	-	-	-	-	5	6	3	-	9	8	1	-	7.28
4	-	-	-	-	4	2	8	-	10	9	1	-	13.79
1	-	-	-	-	1	1	1	-	2	2	-	-	6.87
3	-	-	-	-	3	4	5	-	9	9	-	-	15.41
-	-	-	-	-	-	3	1	-	4	4	-	-	24.69
-	-	-	-	-	-	1	2	-	3	3	-	-	6.73
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	18.87
-	-	-	-	-	-	1	1	-	2	2	-	-	9.76
-	1	-	-	-	1	3	-	-	3	2	1	-	-
1	-	-	1	-	2	-	-	-	-	-	-	-	-
112	8	10	15	-	145	118	114	-	232	213	17	2	14.38

TABLE
Births, Marriages, and Deaths

SAGADAHOC

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign.	Not stated.
Arrowsic	177	1	1	-	2	11.30	2	-	-	-	-
Bath	8,723	103	91	-	194	22.24	115	30	21	28	-
Bowdoin	940	14	6	-	20	21.28	19	-	-	1	-
Bowdoinham	1,508	11	7	-	18	11.94	17	1	-	-	-
Georgetown	849	3	8	-	11	12.96	9	-	-	2	-
Perkins	69	2	1	-	3	43.47	3	-	-	-	-
Phippsburg	1,396	20	7	-	27	19.34	21	-	1	4	1
Richmond	3,082	27	19	-	46	14.89	36	2	-	6	2
Topsham	1,394	25	22	-	47	33.72	15	23	5	4	-
West Bath	307	-	2	-	2	6.51	-	-	1	1	-
Woolwich	1,007	7	3	-	10	9.94	9	-	-	1	-
Total	19,452	213	167	-	380	19.54	246	56	28	47	3

No. 7—Continued.
for the Year 1898.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	1	1	-	2	2	-	-	11.30
57	10	7	6	-	80	71	83	-	154	140	14	-	17.65
8	-	-	-	-	8	7	7	-	14	13	1	-	14.89
3	-	-	-	-	3	7	13	-	20	20	-	-	13.26
8	-	-	-	-	8	7	5	-	12	11	-	1	14.13
-	-	-	-	-	-	1	-	-	1	1	-	-	14.49
9	-	1	-	-	10	14	12	-	26	25	1	-	18.62
19	-	5	3	-	27	21	16	-	37	32	3	2	12.01
10	-	1	-	-	11	18	13	-	31	27	3	1	22.24
1	-	-	-	-	1	1	-	-	1	1	-	-	3.26
7	-	1	-	-	8	4	5	-	9	9	-	-	8.94
122	10	15	9	-	156	152	155	-	307	281	22	4	15.78

TABLE
Births, Marriages, and Deaths

SOMERSET

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson	1,444	18	17	-	35	24.24	29	3	-	3	-
Athens	1,072	9	8	-	17	15.86	17	-	-	-	-
Bingham	757	10	11	-	21	27.74	17	2	2	-	-
Cambridge	425	1	4	-	5	11.76	4	-	1	-	-
Canaan	1,130	6	10	-	16	14.16	16	-	-	-	-
Concord	345	3	4	-	7	20.29	7	-	-	-	-
Cornville	785	5	5	-	10	12.74	9	-	-	1	-
Detroit	590	4	1	-	5	8.47	5	-	-	-	-
Embden	579	3	14	-	17	29.36	17	-	-	-	-
Fairfield	3,510	33	32	-	65	18.52	36	12	12	5	-
Harmony	704	5	5	-	10	14.20	10	-	-	-	-
Hartland	974	13	4	-	17	17.45	12	1	3	1	-
Madison	1,815	25	27	-	52	28.65	34	7	5	5	1
Mercer	584	8	5	-	13	22.26	10	-	3	-	-
Moscow	422	1	6	-	7	16.59	6	1	-	-	-
New Portland	1,034	6	5	-	11	10.64	10	-	-	1	-
Norridgewock	1,656	15	9	-	24	14.49	19	2	2	1	-
Palmyra	1,004	9	6	-	15	14.94	13	-	1	1	-
Pittsfield	2,503	31	23	-	54	21.57	43	3	5	3	-
Ripley	478	4	2	-	6	12.55	5	-	1	-	-
St. Albans	1,206	4	11	-	15	12.44	15	-	-	-	-
Skowhegan	5,068	51	51	-	102	20.13	56	21	13	12	-
Smithfield	479	1	4	-	5	10.43	5	-	-	-	-
Solon	977	13	14	-	27	27.64	24	1	1	1	-

No. 7—Continued.
for the Year 1898.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
12	-	1	-	-	13	18	9	-	27	27	-	-	18.70
10	-	-	-	-	10	13	6	-	19	19	-	-	17.71
10	-	-	2	-	12	5	7	-	12	10	2	-	15.85
5	-	-	-	-	5	4	8	-	12	12	-	-	28.24
2	-	-	-	-	2	7	5	-	12	11	1	-	10.62
-	-	-	-	-	-	4	4	-	8	8	-	-	23.19
3	-	-	-	-	3	6	6	-	12	12	-	-	15.29
3	-	-	-	-	3	7	2	-	9	9	-	-	15.25
2	-	-	-	-	2	8	5	-	13	13	-	-	22.45
20	5	2	2	-	29	24	22	-	46	43	3	-	13.11
2	-	-	-	-	2	4	6	-	10	10	-	-	14.20
1	-	1	-	-	2	11	4	-	15	14	1	-	15.40
30	4	2	7	-	43	16	18	-	34	27	5	2	18.73
2	-	-	-	-	2	6	4	-	10	8	-	2	17.12
1	-	-	-	-	1	3	1	-	4	4	-	-	9.48
10	-	-	1	1	12	6	3	-	9	9	-	-	8.70
9	-	-	1	-	10	14	12	-	26	23	3	-	15.70
5	-	-	-	-	5	3	4	-	7	6	1	-	6.97
21	1	1	-	-	23	25	24	-	49	48	1	-	19.58
5	-	-	-	-	5	1	4	-	5	5	-	-	10.46
6	-	-	1	-	7	6	6	-	12	12	-	-	9.95
38	5	2	2	-	47	29	44	-	73	62	11	-	14.40
3	-	-	-	-	3	3	3	-	6	6	-	-	12.53
7	-	1	-	-	8	11	7	-	18	17	1	-	18.42

TABLE
Births, Marriages, and Deaths

SOMERSET

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Starks	766	8	2	-	10	13.05	10	-	-	-	-
Bigelow Pl.....	62	1	-	-	1	16.13	1	-	-	-	-
Brighton Pl.....	434	3	1	-	4	9.22	4	-	-	-	-
Caratunk Pl	192	1	4	-	5	26.05	4	-	1	-	-
Carrying Place Pl.....	31	-	-	-	-	-	-	-	-	-	-
Dead River Pl	104	1	2	-	3	28.85	3	-	-	-	-
Dennistown Pl	66	2	2	-	4	60.06	1	1	-	2	-
Flagstaff Pl	87	-	1	-	1	11.49	1	-	-	-	-
Highland Pl	76	1	1	-	2	26.32	2	-	-	-	-
Jackman Pl.....	217	3	6	-	9	41.47	1	3	3	2	-
Lexington Pl	199	-	6	-	6	30.15	5	-	1	-	-
Mayfield Pl	74	2	1	-	3	40.54	3	-	-	-	-
Moose River Pl.	170	7	1	-	8	47.06	3	2	-	3	-
Pleasant Ridge Pl.....	-	2	1	-	3	-	2	-	-	-	1
The Forks Pl	195	-	2	-	2	10.26	-	-	1	1	-
West Forks Pl	146	3	4	-	7	47.94	2	2	1	2	-
Total	32,360	312	312	-	624	19.28	461	61	56	44	2

* Population in unorganized plantations in 1890, 267.

No. 7—Continued.
for the Year 1898.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	1	-	3	3	8	-	11	11	-	-	14.36
-	-	-	-	-	-	-	1	-	1	1	-	-	16.13
6	-	-	-	-	6	3	2	-	5	5	-	-	11.52
1	-	-	-	-	1	4	-	-	4	4	-	-	20.83
-	-	-	-	-	-	1	-	-	1	1	-	-	32.25
-	-	-	-	-	-	1	-	-	1	1	-	-	9.61
-	-	-	-	-	-	-	1	-	1	-	1	-	15.01
1	-	-	-	-	1	1	-	-	1	1	-	-	11.49
-	-	-	-	-	-	2	-	-	2	2	-	-	26.32
1	3	2	-	-	6	5	9	-	14	11	3	-	64.52
-	-	-	-	-	-	1	4	-	5	5	-	-	25.13
-	-	-	-	-	-	-	1	-	1	1	-	-	13.51
1	-	2	-	-	3	4	1	-	5	4	1	-	29.41
1	-	-	1	-	2	2	-	-	2	1	-	1	-
1	-	-	1	-	2	-	-	-	-	-	-	-	-
-	1	1	-	-	2	1	-	-	1	1	-	-	6.85
221	19	15	19	1	275	262	241	-	503	464	34	5	15.42

TABLE
Births, Marriages, and Deaths

WALDO

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast	5,294	29	23	-	52	9.82	47	-	1	3	1
Belmont	475	5	8	-	13	27.37	13	-	-	-	-
Brooks	730	12	8	-	20	27.40	20	-	-	-	-
Burnham	846	5	9	-	14	16.55	14	-	-	-	-
Frankfort	1,099	20	6	-	26	23.66	22	1	1	2	-
Freedom	510	6	5	-	11	21.57	11	-	-	-	-
Islesboro.....	1,006	10	3	-	13	12.92	13	-	-	-	-
Jackson	522	4	3	-	7	13.41	7	-	-	-	-
Knox	657	7	3	-	10	15.22	10	-	-	-	-
Liberty.....	835	7	6	-	13	15.57	12	-	1	-	-
Lincolnton.....	1,361	7	5	-	12	8.82	12	-	-	-	-
Monroe.....	1,079	11	13	-	24	22.24	20	1	2	1	-
Montville	1,049	13	5	-	18	17.16	18	-	-	-	-
Morrill	460	1	4	-	5	10.87	5	-	-	-	-
Northport	691	7	6	-	13	18.81	13	-	-	-	-
Palermo.....	887	3	5	-	8	9.02	8	-	-	-	-
Prospect	697	6	4	-	10	14.35	8	1	1	-	-
Searsmont.....	1,144	8	10	-	18	15.73	17	-	-	1	-
Searsport	1,693	8	7	-	15	8.86	15	-	-	-	-
Stockton Springs.....	1,149	10	6	-	16	13.93	16	-	-	-	-
Swanville	689	4	2	-	6	8.71	6	-	-	-	-
Thorndike	589	5	1	-	6	10.19	4	-	1	1	-
Troy.....	868	6	6	-	12	13.82	11	-	-	1	-
Unity	922	12	6	-	18	19.52	18	-	-	-	-
Waldo	581	6	8	-	14	24.10	14	-	-	-	-
Winterport	1,926	9	19	-	28	14.54	24	-	-	4	-
Total	27,759	221	181	-	402	14.48	378	3	7	13	1

No. 7—Continued.
for the Year 1898.
 COUNTY.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
39	1	1	3	-	44	53	47	-	100	94	6	-	18.89	
-	-	-	-	-	-	9	3	-	12	12	-	-	25.26	
7	-	-	-	-	7	7	5	-	12	12	-	-	16.44	
4	-	-	-	-	4	7	5	-	12	12	-	-	14.18	
1	-	-	-	-	1	5	11	-	16	15	1	-	14.56	
2	-	-	-	-	2	5	2	-	7	6	-	1	13.73	
2	-	-	-	-	2	1	-	-	1	1	-	-	0.99	
10	-	-	-	-	10	4	4	-	8	8	-	-	15.33	
3	-	-	-	-	3	6	7	-	13	13	-	-	19.79	
3	-	-	-	-	3	6	11	-	17	17	-	-	20.36	
5	-	-	-	-	5	8	7	-	15	14	1	-	11.02	
8	-	-	-	-	8	7	6	-	13	13	-	-	12.05	
8	-	-	-	-	8	9	10	-	19	19	-	-	18.11	
5	-	1	-	-	6	4	3	-	7	6	1	-	15.22	
4	-	-	-	-	4	11	4	-	15	15	-	-	21.71	
-	-	-	-	-	-	4	3	-	7	7	-	-	7.89	
2	-	-	-	-	2	7	4	-	11	9	2	-	15.78	
10	-	-	-	-	10	5	9	-	14	14	-	-	12.24	
19	-	-	-	-	19	11	18	-	29	27	2	-	17.13	
6	-	-	-	-	6	8	10	-	18	16	1	1	15.67	
4	-	-	-	-	4	4	4	-	8	8	-	-	11.61	
-	-	-	-	-	-	5	3	-	8	7	1	-	13.58	
12	-	-	-	-	12	3	9	-	12	12	-	-	13.82	
10	-	-	-	-	10	9	7	-	16	14	1	1	17.35	
8	-	-	1	-	9	4	4	-	8	8	-	-	13.77	
21	-	-	-	-	21	19	15	-	34	33	1	-	17.65	
193	1	2	4	-	200	221	211	-	432	412	17	3	15.56	

TABLE
Births, Marriages, and Deaths

WASHINGTON

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison	1,022	17	5	-	22	21.53	22	-	-	-	-
Alexander	337	7	5	-	12	35.61	10	-	2	-	-
Baileyville	226	4	4	-	8	35.40	7	-	-	1	-
Baring	273	3	3	-	6	21.97	3	-	1	2	-
Beddington.....	184	-	4	-	4	21.74	4	-	-	-	-
Brookton	429	5	2	-	7	16.32	5	-	-	2	-
Calais.....	7,290	116	105	-	221	30.32	69	59	35	54	4
Centerville.....	114	2	4	-	6	52.63	6	-	-	-	-
Charlotte	381	2	2	-	4	10.50	3	-	-	1	-
Cherryfield	1,787	18	16	1	35	19.59	33	-	1	-	1
Columbia.....	587	8	5	-	13	22.14	12	-	1	-	-
Columbia Falls.....	698	4	2	-	6	8.60	6	-	-	-	-
Cooper	264	3	1	-	4	15.15	4	-	-	-	-
Crawford	140	-	1	-	1	7.14	1	-	-	-	-
Danforth	1,063	16	14	-	30	28.22	12	9	5	4	-
Deblois	76	1	2	-	3	39.47	3	-	-	-	-
Dennysville	452	10	9	-	19	42.04	19	-	-	-	-
East Machias	1,637	19	19	-	38	23.21	36	-	2	-	-
Eastport	4,908	80	60	-	140	28.52	50	38	30	22	-
Edmunds	395	13	7	-	20	50.63	18	-	-	2	-
Forest City.....	287	7	4	-	11	38.33	6	2	1	2	-
Harrington	1,150	13	11	-	24	20.87	24	-	-	-	-
Jonesboro	470	10	9	-	19	40.43	19	-	-	-	-
Jonesport	1,917	22	24	-	46	24.00	38	-	4	2	2
Lubec	2,069	34	54	3	91	43.98	49	13	10	18	1
Machias.....	2,035	25	35	-	60	29.48	58	-	-	1	1
Machiasport.....	1,437	7	12	-	19	13.22	17	1	1	-	-

No. 7—Continued.
for the Year 1893.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
6	-	1	-	-	9	11	3	-	14	13	1	-	13.70
3	-	-	-	-	3	3	4	-	7	6	1	-	20.77
-	-	-	-	-	-	-	3	-	3	2	1	-	13.27
-	-	1	-	-	1	2	-	-	2	1	1	-	7.32
2	-	-	-	-	2	3	-	-	3	3	-	-	16.30
1	-	-	1	-	2	3	5	-	8	6	2	-	18.65
26	21	14	8	3	72	55	54	-	109	62	47	-	14.95
-	-	-	-	-	-	1	-	-	1	1	-	-	8.77
1	-	-	-	-	1	2	2	-	4	4	-	-	10.50
5	-	-	1	-	6	9	9	-	18	18	-	-	10.07
4	-	-	-	-	4	1	5	-	6	6	-	-	10.22
5	-	-	-	-	5	6	5	-	11	11	-	-	15.76
1	-	-	-	-	1	1	1	-	2	2	-	-	7.57
-	-	-	-	-	-	1	-	-	1	1	-	-	7.14
4	2	1	1	-	8	9	13	-	22	18	4	-	20.70
2	-	-	-	-	2	1	-	-	1	1	-	-	13.15
1	-	1	1	1	4	4	4	-	8	6	2	-	17.70
10	-	-	2	-	12	11	8	-	19	17	2	-	11.60
20	15	9	10	-	54	46	37	-	83	54	28	1	16.91
1	-	-	-	-	1	2	5	-	7	7	-	-	17.72
2	1	-	-	-	3	-	-	-	-	-	-	-	-
6	-	-	-	-	6	11	5	-	16	15	1	-	13.91
5	-	-	-	-	5	3	1	-	4	3	-	1	8.51
8	1	1	-	-	10	18	10	-	28	27	1	-	14.62
20	2	7	3	-	32	21	9	-	30	25	3	2	14.50
9	-	-	-	-	9	23	15	-	38	36	2	-	18.67
6	-	-	1	-	7	6	5	-	11	11	-	-	7.65

TABLE
Births, Marriages, and Deaths

WASHINGTON

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Marion	90	1	2	-	3	33.33	3	-	-	-	-
Marshfield	299	4	-	-	4	13.38	4	-	-	-	-
Meddybemps	156	2	-	-	2	12.82	2	-	-	-	-
Milbridge	1,963	19	23	-	42	21.40	40	-	-	2	-
Northfield.....	143	3	1	-	4	27.97	4	-	-	-	-
Pembroke	1,514	24	16	-	40	26.42	36	1	-	3	-
Perry.....	945	5	17	-	22	23.28	15	2	3	2	-
Princeton	1,027	18	22	-	40	38.95	31	3	5	1	-
Robbinston	787	9	11	-	20	25.41	11	2	1	6	-
Roque Bluffs.....	154	4	-	-	4	25.97	4	-	-	-	-
Steuben	982	5	7	-	12	12.22	12	-	-	-	-
Talmage	112	4	-	-	4	35.71	3	-	1	-	-
Topsfield	375	5	3	-	8	21.33	7	-	1	-	-
Trescott	485	4	-	-	4	8.25	3	-	-	1	-
Vanceboro	870	8	9	-	17	19.54	1	10	3	3	-
Waite	159	2	3	-	5	31.45	5	-	-	-	-
Wesley	227	3	1	-	4	17.62	4	-	-	-	-
Whiting.....	393	3	5	-	8	20.36	6	-	1	1	-
Whitneyville	413	2	5	-	7	16.95	6	-	1	-	-
Codyville Pl	72	-	-	-	-	-	-	-	-	-	-
Grand Lake Stream Pl.	404	10	1	-	11	27.23	6	-	5	-	-
Lambert Lake Pl.	152	4	6	-	10	65.79	-	7	1	2	-
No. 14 Pl.	112	1	2	-	3	26.79	3	-	-	-	-
No. 21 Pl.	81	2	1	-	3	37.04	3	-	-	-	-
Total	* 43,543	588	554	4	1,146	26.32	743	147	115	132	9

* Population in unorganized plantations in 1890, 939.

**No. 7—Continued.
for the Year 1893.**

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	-	1	-	1	1	-	-	11.11
1	-	-	-	-	1	1	1	-	2	2	-	-	6.69
1	-	-	-	-	1	1	1	-	2	1	1	-	12.82
16	-	1	-	-	17	8	13	-	21	21	-	-	10.70
-	-	-	-	-	-	1	3	-	4	4	-	-	27.97
11	1	1	2	-	15	17	13	-	30	25	5	-	19.82
8	-	-	1	-	9	5	8	-	13	9	4	-	13.76
5	-	2	-	-	7	3	12	-	15	11	4	-	14.61
5	-	-	1	-	6	7	3	-	10	8	1	1	12.70
-	-	-	-	-	-	-	1	-	1	1	-	-	6.49
8	-	1	-	-	9	4	6	-	10	8	2	-	10.18
-	-	-	-	-	-	1	1	-	2	2	-	-	17.85
2	-	-	-	-	2	6	3	-	9	7	1	1	24.00
-	-	-	-	-	-	2	8	-	10	8	2	-	20.61
3	1	1	-	-	5	5	3	-	8	4	4	-	9.20
-	-	-	-	-	-	2	1	-	3	-	3	-	18.87
2	-	-	-	-	2	1	1	-	2	2	-	-	8.81
1	-	1	-	-	2	2	3	-	5	5	-	-	12.72
2	-	-	-	-	2	9	2	-	11	7	4	-	26.63
2	-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	4	-	6	6	-	-	14.85
1	-	-	-	-	1	2	1	-	3	3	-	-	19.74
-	-	-	-	-	-	1	-	-	1	1	-	-	8.93
-	-	-	-	-	-	-	-	-	-	-	-	-	-
219	44	42	32	4	341	333	292	-	625	492	127	6	14.05

TABLE
Births, Marriages, and Deaths

YORK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton	878	5	4	-	9	10.25	8	1	-	-	-
Alfred	1,030	8	6	-	14	13.59	12	-	1	1	-
Berwick	2,294	20	16	-	36	15.69	24	7	2	3	-
Biddeford.....	14,443	246	225	-	471	32.61	75	340	22	32	2
Buxton.....	2,036	20	15	-	35	17.19	33	-	1	-	1
Cornish	1,118	10	12	-	22	19.68	20	-	1	-	1
Dayton.....	500	2	3	-	5	10.00	5	-	-	-	-
Eliot.....	1,463	17	10	-	27	18.46	20	3	3	-	1
Hollis	1,278	10	13	-	23	18.00	21	-	1	1	-
Kennebunk	3,172	21	28	-	49	15.45	37	6	2	4	-
Kennebunkport	2,196	17	15	1	33	15.03	29	2	2	-	-
Kittery.....	2,864	24	14	-	38	13.27	32	3	2	1	-
Lebanon	1,263	16	10	-	26	20.59	23	1	-	2	-
Limerick	966	5	6	-	11	11.39	10	-	-	1	-
Limington	1,092	11	5	-	16	14.65	14	-	-	2	-
Lyman	854	4	5	-	9	10.54	9	-	-	-	-
Newfield	796	4	7	-	11	13.82	8	-	1	1	1
North Berwick	1,803	11	11	-	22	12.20	18	1	3	-	-
Old Orchard	877	2	6	-	8	9.12	8	-	-	-	-
Parsonsfield	1,398	5	6	-	11	7.87	11	-	-	-	-
Saco	6,075	59	47	-	106	17.45	55	34	7	10	-
Sanford	4,201	98	76	-	174	41.42	76	71	11	15	1

No. 7—Continued.
for the Year 1898.
 COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
2	-	-	-	-	2	6	6	-	12	12	-	-	13.67
2	-	-	-	-	2	10	11	-	21	19	2	-	20.39
7	-	-	-	-	7	15	18	-	33	27	5	1	14.39
29	49	7	19	-	104	155	147	-	302	219	70	13	20.91
30	-	2	1	-	33	21	19	-	40	39	1	-	19.65
10	-	-	-	-	10	6	10	-	16	14	2	-	14.31
6	-	-	-	-	6	1	2	-	3	3	-	-	6.00
8	-	-	-	-	8	9	18	-	27	26	1	-	18.46
3	-	-	-	-	3	11	9	-	20	18	2	-	15.65
17	-	1	1	-	19	25	43	-	68	63	5	-	21.44
3	-	-	-	7	10	19	18	-	37	32	2	3	16.85
15	1	-	-	-	16	21	19	-	40	35	1	4	13.97
3	-	2	-	-	5	14	10	-	24	24	-	-	19.00
2	-	-	-	-	2	8	7	-	15	15	-	-	15.53
8	-	-	-	-	8	5	4	-	9	9	-	-	8.24
6	-	-	-	-	6	2	5	-	7	7	-	-	8.20
4	-	-	-	-	4	10	7	-	17	17	-	-	21.36
5	-	-	-	-	5	20	12	-	32	30	1	1	17.75
3	1	-	1	-	5	12	8	-	20	16	4	-	22.80
4	-	-	-	-	4	10	15	-	25	21	-	4	17.88
23	3	3	1	-	30	50	63	-	113	102	10	1	18.60
23	13	3	6	1	46	35	36	-	71	61	6	4	16.90

TABLE
Births, Marriages, and Deaths

YORK

TOWNS.	Population in 1890.	BIRTHS.									
		SEX.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Shapleigh	968	8	6	-	14	14.46	12	-	-	1	1
South Berwick	3,434	33	30	-	63	18.35	34	20	4	4	1
Waterboro	1,357	5	8	-	13	9.57	13	-	-	-	-
Wells.....	2,029	17	16	-	33	16.26	31	1	1	-	-
York	2,444	31	23	-	54	22.09	41	3	3	6	1
Total	62,829	709	623	1	1,333	21.22	679	493	67	84	10

**No. 7—Concluded.
for the Year 1893.**

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
5	-	-	-	-	5	6	8	-	14	13	1	-	14.46
11	1	1	2	-	15	19	25	-	44	40	4	-	12.81
4	-	-	-	-	4	7	17	-	24	22	2	-	17.69
13	-	-	1	-	14	17	20	-	37	37	-	-	18.24
7	1	1	1	-	10	27	25	-	52	50	2	-	21.28
253	69	20	33	2	383	541	582	-	1,123	971	121	31	17.87

TABLE
RECAPITULATION

COUNTIES.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin	48,968	576	574	1	1,151	23.51	455	515	77	94	10
Aroostook	49,589	943	855	4	1,802	37.05	955	311	269	256	11
Cumberland	90,949	1,001	990	2	1,993	21.91	1,080	538	146	200	29
Franklin	17,653	192	206	-	398	23.65	300	55	19	21	3
Hancock	37,312	388	353	-	741	20.04	665	16	38	20	2
Kennebec	57,012	594	537	4	1,135	19.91	657	261	80	124	13
Knox	31,473	255	258	-	513	16.31	414	40	25	28	6
Lincoln	21,996	178	170	-	348	15.89	313	5	15	12	3
Oxford	30,586	313	337	-	650	21.36	511	62	39	31	7
Penobscot	72,865	777	742	2	1,521	21.08	977	256	140	129	19
Piscataquis	16,134	178	157	1	336	21.32	263	28	20	23	2
Sagadahoc	19,452	213	167	-	380	19.54	246	56	28	47	3
Somerset	32,627	312	312	-	624	19.28	461	61	56	44	2
Waldo	27,759	221	181	-	402	14.48	378	3	7	13	1
Washington	44,482	588	554	4	1,146	26.32	743	147	115	132	9
York	62,829	709	623	1	1,333	21.22	679	493	67	84	10
Total	661,086	7,438	7,016	19	14,473	21.89	9,097	2,847	1,141	1,258	130

No. 3.

BY COUNTIES.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
209	92	39	30	6	376	507	449	1	957	751	184	22	19.54
252	67	63	100	5	487	360	405	-	765	607	144	14	15.43
441	99	58	51	8	657	862	843	-	1,705	1,374	287	44	18.75
135	12	3	8	-	158	131	145	-	276	264	12	-	16.18
235	4	12	13	-	264	281	269	-	550	513	28	9	14.74
356	41	28	36	8	469	505	482	2	989	845	96	48	17.35
219	11	9	8	-	247	249	248	-	497	462	33	2	15.79
144	-	2	2	-	148	160	162	-	322	302	11	9	14.64
200	8	8	19	1	236	234	254	-	488	466	13	9	15.96
462	44	46	45	5	602	590	595	-	1,185	991	164	30	16.26
112	8	10	15	-	145	118	114	-	232	213	17	2	14.38
122	10	15	9	-	156	152	155	-	307	281	22	4	15.78
221	19	15	19	1	275	262	241	-	503	464	34	5	15.42
193	1	2	4	-	200	221	211	-	432	412	17	3	15.56
219	44	42	32	4	341	333	292	-	625	492	127	6	14.05
253	69	20	35	8	383	541	582	-	1,123	971	121	31	17.87
3,773	529	372	424	46	5,144	5,506	5,447	3	10,956	9,408	1,310	238	16.57

TABLE No. 9.
Births and Birth-Rates by Counties for the Years 1892-98.

	1892.		1893.		1894.		1895.		1896.		1897.		1898.	
	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.
State	14,025	21.21	13,908	21.04	13,940	21.09	14,762	22.33	14,693	22.23	14,430	21.83	14,473	21.89
Androscoggin	991	20.23	1,053	21.50	1,079	22.03	1,244	25.40	1,216	24.83	1,017	20.77	1,151	23.51
Aroostook	1,610	32.46	1,553	32.44	1,750	35.84	1,946	39.56	1,780	36.21	1,802	37.05	1,802	37.05
Cumberland	2,048	22.51	2,017	22.17	2,032	22.34	2,146	23.60	2,252	24.76	2,024	22.25	1,993	21.91
Franklin	345	20.23	314	18.60	328	19.43	362	21.43	397	23.55	375	22.21	398	23.65
Hancock	757	20.28	739	19.97	750	22.07	782	21.13	768	20.78	748	20.20	741	20.04
Kennebec	1,064	18.66	1,149	20.15	997	17.49	1,075	18.86	1,103	19.35	1,215	21.31	1,135	19.91
Knox	572	18.14	652	20.73	600	19.05	622	19.78	626	19.91	588	18.69	513	16.31
Lincoln	402	18.27	348	15.89	362	16.50	376	17.09	351	15.96	346	15.73	348	15.89
Oxford	524	17.13	498	16.36	564	18.47	588	19.35	565	18.61	577	19.01	650	21.86
Penobscot	1,452	19.92	1,375	18.91	1,444	19.89	1,479	20.37	1,531	21.07	1,579	21.73	1,521	21.08
Piscataquis	343	21.25	339	21.66	288	18.19	333	21.14	316	20.24	352	22.39	336	21.52
Sagadahoc	375	19.27	391	20.10	367	18.87	387	19.90	368	18.92	346	17.79	380	19.54
Somerset	629	19.27	642	19.90	553	17.14	622	19.19	612	18.95	637	19.70	624	19.28
Waldo	404	14.55	435	15.67	390	14.04	412	14.84	365	13.15	378	13.62	402	14.48
Washington	1,081	24.30	1,001	22.64	1,106	25.02	914	20.72	971	22.28	1,088	24.98	1,146	26.32
York	1,431	22.77	1,402	22.31	1,330	21.17	1,474	23.46	1,472	23.43	1,358	21.61	1,333	21.22

TABLE No. 10.

Births by Counties, Showing Proportion of Males to Females, 1893.

COUNTIES.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin	576	574	1	1,151	2	-	100.3
Aroostook	943	855	4	1,802	88	-	110.3
Cumberland	1,001	990	2	1,993	11	-	101.1
Franklin	192	206	-	398	-	14	93.2
Hancock	388	353	-	741	35	-	109.9
Kennebec	594	537	4	1,135	57	-	110.6
Knox	255	258	-	513	-	3	98.8
Lincoln	178	170	-	348	8	-	104.7
Oxford	313	337	-	650	-	24	92.9
Penobscot	777	742	2	1,521	35	-	104.7
Piscataquis	178	157	1	336	21	-	113.4
Sagadahoc	213	167	-	380	46	-	127.5
Somerset	312	312	-	624	-	-	100.0
Waldo	221	181	-	402	40	-	122.1
Washington	588	554	4	1,146	34	-	106.1
York	709	623	1	1,333	86	-	113.8
Total	7,438	7,016	19	14,473	422	-	106.0

TABLE No. 11.
Number of Births in each Month of 1892, 1893, 1894, 1895, 1896, 1897, and 1898, with Monthly Ratio
Compared with a Standard of 100.

MONTHS.	1892.		1893.		1894.		1895.		1896.		1897.		1898.	
	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January	1,016	85.3	1,151	97.5	962	81.3	1,182	94.3	1,149	92.1	1,125	91.9	1,148	93.4
February	1,113	103.4	1,082	101.5	980	91.7	1,082	95.6	1,227	105.1	1,120	101.4	1,176	103.4
March	1,345	112.9	1,162	98.4	1,335	116.6	1,329	106.1	1,330	106.6	1,390	113.6	1,323	107.6
April	1,275	110.6	1,259	110.1	1,324	115.6	1,287	106.1	1,318	109.2	1,259	106.2	1,269	106.7
May	1,323	111.1	1,273	107.7	1,255	106.1	1,308	104.4	1,379	110.5	1,287	105.1	1,322	107.6
June	1,176	101.9	1,162	101.7	1,200	104.8	1,236	101.9	1,190	98.6	1,248	105.3	1,229	103.3
July	1,222	102.6	1,176	99.6	1,286	108.7	1,200	103.0	1,207	96.7	1,272	103.9	1,226	99.8
August	1,191	100.0	1,213	102.7	1,213	102.5	1,312	104.7	1,246	99.9	1,302	106.4	1,219	99.2
September	1,144	99.2	1,115	97.6	1,168	102.0	1,233	101.6	1,257	104.1	1,205	101.8	1,182	99.4
October	1,047	87.9	1,126	95.3	1,061	89.9	1,189	94.9	1,220	97.8	1,138	93.0	1,196	97.3
November	1,002	86.9	1,032	90.3	980	85.6	1,115	91.9	1,091	90.4	982	82.9	1,028	86.5
December	1,111	93.1	1,109	93.9	1,164	98.4	1,193	95.2	1,069	85.7	1,077	88.0	1,149	93.5
Unknown	63	-	48	-	9	-	6	-	10	-	12	-	6	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 12.

Births by Sex and Months, by Counties, 1893.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males	45	48	44	50	53	57	48	45	51	63	29	43	-	576	-
females...	46	54	48	40	56	62	57	43	49	35	41	43	-	574	-
not stated	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1151
Aroostook, males...	73	76	114	91	97	65	86	72	60	70	64	75	-	943	-
females...	58	58	95	95	80	76	82	84	56	59	57	55	-	855	-
not stated	-	-	-	-	-	-	-	2	2	-	-	-	-	4	1802
Cumberland, males	80	84	97	79	98	83	76	93	81	89	59	82	-	1001	-
females...	83	79	99	90	95	82	64	90	91	91	55	71	-	990	-
not stated	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1993
Franklin, males	17	14	15	22	11	15	19	15	13	20	13	18	-	192	-
females...	17	19	19	13	21	18	22	16	15	10	22	14	-	206	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	398
Hancock, males	31	27	27	35	43	32	37	35	37	35	21	28	-	388	-
females...	21	27	31	28	35	32	31	30	28	22	27	35	-	353	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	741
Kennebec, males	56	37	48	54	57	36	56	48	55	46	47	54	-	594	-
females...	42	46	42	49	45	47	48	48	33	50	41	46	-	537	-
not stated	1	1	-	2	-	-	-	-	-	-	-	-	-	4	1135
Knox, males	21	21	23	21	17	23	22	17	26	23	26	15	-	255	-
females...	18	22	32	21	19	21	18	26	26	19	18	18	-	258	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	513
Lincoln, males	13	12	13	25	16	18	14	15	7	14	17	13	-	178	-
females...	17	11	17	13	19	9	18	11	13	10	17	15	-	170	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	348
Oxford, males	17	38	21	26	30	23	27	21	26	30	28	26	-	313	-
females...	16	30	33	26	27	32	30	39	24	35	22	23	-	337	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	650
Penobscot, males	61	73	79	74	65	58	68	53	76	55	54	60	-	777	-
females...	75	52	67	63	58	63	61	56	57	65	68	55	-	742	-
not stated	1	-	-	-	-	-	1	-	-	-	-	-	-	2	1521
Piscataquis, males	16	16	15	13	21	10	10	13	21	12	10	20	-	178	-
females...	9	6	19	12	18	15	9	13	11	14	13	18	-	157	-
not stated	-	-	-	1	-	-	-	-	-	-	-	-	-	1	336
Sagadahoc, males	23	17	20	16	24	18	16	15	18	14	14	18	-	213	-
females...	5	12	15	13	13	16	17	12	18	15	13	18	-	167	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	380
Somerset, males	30	31	21	19	19	20	37	36	23	33	17	26	-	312	-
females...	25	21	28	28	34	28	27	23	22	25	23	28	-	312	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	624
Waldo, males	14	23	14	30	15	26	18	13	20	16	12	20	-	221	-
females...	14	17	15	25	13	19	11	13	14	20	8	12	-	181	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	402
Washington, males	52	47	49	42	48	64	53	48	50	45	43	46	-	588	-
females...	36	45	50	42	54	48	33	56	44	47	51	48	-	554	-
not stated	-	-	1	1	2	-	-	-	-	-	-	-	-	4	1146
York, males	56	59	60	54	69	60	53	74	59	61	51	53	-	709	-
females...	53	53	52	56	47	53	57	45	56	51	47	53	-	623	-
not stated	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1333
Total, males	605	623	660	651	683	608	640	613	623	626	505	597	4	7438	-
females...	541	552	662	614	634	621	585	605	557	568	523	552	2	7016	-
not stated	2	1	1	4	5	-	1	1	2	2	-	-	-	19	-
Grand total	1148	1176	1323	1269	1322	1229	1226	1219	1182	1196	1028	1149	6	14473	14473

TABLE No. 13.
Births in Cities for 1898, with Rate per 1,000 of Population.

CITIES.	Population in 1890.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn	11,250	115	110	-	225	20.00	104.5
Augusta	10,527	131	116	3	250	23.75	112.9
Bangor	19,103	203	183	2	388	20.31	116.9
Bath	8,723	103	91	-	194	22.24	113.2
Belfast	5,294	29	23	-	52	9.82	126.1
Biddeford	14,443	246	225	-	471	32.61	109.3
Brewer	4,193	66	71	-	137	32.67	93.0
Calais	7,290	116	105	-	221	30.32	110.5
Deering	5,353	68	74	-	142	26.53	91.9
Eastport	4,908	80	60	-	140	28.52	133.3
Ellsworth	4,804	31	21	-	52	10.82	147.6
Gardiner	5,491	61	64	-	125	22.76	95.3
Hallowell	3,181	34	22	-	56	17.60	154.5
Lewiston	21,701	264	288	1	553	25.48	91.7
Old Town	5,312	78	77	-	155	29.18	101.3
Portland	36,425	442	427	2	871	23.91	103.5
Rockland	8,174	58	69	-	127	15.54	84.1
Saco	6,075	59	47	-	106	17.45	125.5
Waterville	7,107	136	132	1	269	37.85	103.0
Westbrook	6,632	74	89	-	163	24.58	83.1
Total	195,986	2,394	2,294	9	4,697	23.97	104.4

TABLE No. 14.
Percentage of American and Foreign Births by Counties, 1898.

COUNTIES.	PARENTS.			Births with percentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin	39.52	44.74	14.87	0.87
Aroostook	53.00	17.26	29.13	0.61
Cumberland	54.19	27.00	17.36	1.45
Franklin	75.38	13.81	10.05	0.76
Hancock	89.75	2.16	7.82	0.27
Kennebec	57.89	23.00	17.97	1.14
Knox	80.70	7.80	10.33	1.17
Lincoln	89.94	1.44	7.76	0.86
Oxford	78.62	9.51	10.77	1.07
Penobscot	64.23	16.83	17.68	1.26
Piscataquis	78.27	8.33	12.79	0.61
Sagadahoc	64.74	14.73	19.74	0.79
Somerset	73.88	9.78	16.02	0.32
Waldo	94.02	0.75	4.98	0.25
Washington	64.83	12.82	21.56	0.79
York	50.93	36.99	11.33	0.75
State	62.79	19.73	16.58	0.90

TABLE No. 15.
Percentage of American and Foreign Births, by Cities, 1893.

CITIES.	PARENTS.			Births with percentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Auburn.. .. .	41.78	42.22	15.11	0.89
Augusta	44.80	34.80	18.40	2.00
Bangor	56.70	23.20	19.07	1.03
Bath	59.28	15.46	25.26	-
Belfast	90.36	-	7.69	1.93
Biddeford	15.92	72.19	11.46	0.43
Brewer	58.39	25.55	16.06	-
Calais	31.22	26.70	40.27	1.81
Deering	64.08	18.30	13.38	4.24
Eastport	35.71	27.14	37.15	-
Ellsworth	86.54	1.92	11.54	-
Gardiner	71.20	14.40	12.80	1.60
Hallowell	53.57	23.21	21.43	1.79
Lewiston	19.89	64.20	14.83	1.08
Old Town	36.77	32.90	30.33	-
Portland	41.79	34.67	22.27	1.27
Rockland	77.17	9.45	13.38	-
Saco	51.89	32.08	16.03	-
Waterville	31.23	36.06	31.57	0.74
Westbrook	26.38	55.21	17.79	0.62
Collectively	41.05	37.75	20.20	1.00

TABLE No. 16.
Twin Births by Months and Counties, 1898.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	-	-	-	1	2	3	1	-	-	2	-	3	-	12
Aroostook	3	4	4	4	3	1	1	2	1	2	1	1	-	27
Cumberland	2	3	1	1	2	1	1	1	3	3	-	2	-	20
Franklin	-	1	-	1	-	1	2	-	-	-	-	-	-	5
Hancock	1	-	-	-	-	1	2	1	2	-	-	5	-	12
Kennebec	1	1	-	1	1	3	-	1	1	3	1	2	-	15
Knox	-	1	-	-	-	1	-	2	-	-	1	-	-	5
Lincoln	-	-	1	-	-	-	-	-	-	-	1	1	-	3
Oxford	-	1	1	-	-	-	-	-	-	-	-	1	-	3
Penobscot	1	-	3	1	1	-	2	2	1	2	3	1	-	17
Piscataquis	-	-	-	-	-	-	-	-	1	1	-	-	-	2
Sagadahoc	1	1	1	-	-	-	2	-	-	1	-	-	-	6
Somerset	-	1	1	-	3	-	1	-	-	-	-	-	-	6
Waldo	-	-	-	1	-	-	-	1	-	-	1	2	-	5
Washington	-	1	3	2	3	1	1	1	1	2	1	-	-	16
York	2	1	1	1	3	-	-	1	1	1	-	1	-	12
Total	11	15	16	13	18	12	13	12	11	17	9	19	-	166

TABLE No. 17.
Twin Births, by Sex and Parentage, by Counties, 1893.

COUNTIES.	SEX.				PARENTAGE.								
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	Total.	Living children.	Still-born children.	Total.
Androscoggin	4	3	5	-	2	6	-	3	1	12	22	2	24
Aroostook	9	8	10	-	13	5	4	5	-	27	46	8	54
Cumberland	9	6	5	-	10	7	1	2	-	20	38	2	40
Franklin	4	-	1	-	4	-	1	-	-	5	7	3	10
Hancock	4	4	4	-	11	-	-	1	-	12	21	3	24
Kennebec	6	6	3	-	8	2	2	3	-	15	29	1	30
Knox	-	3	2	-	4	1	-	-	-	5	10	-	10
Lincoln	-	3	-	-	3	-	-	-	-	3	6	-	6
Oxford	2	1	-	-	1	2	-	-	-	3	6	-	6
Penobscot	7	4	6	-	12	1	2	2	-	17	24	10	34
Piscataquis	1	1	-	-	1	-	-	1	-	2	4	-	4
Sagadahoc	3	1	2	-	5	-	1	-	-	6	11	1	12
Somerset	1	4	1	-	4	-	2	-	-	6	12	-	12
Waldo	2	1	2	-	5	-	-	-	-	5	9	1	10
Washington	5	5	5	1	13	1	-	2	-	16	30	2	32
York	4	3	4	1	6	6	-	-	-	12	16	8	24
Total	61	53	50	2	102	31	13	19	1	166	291	41	332

TABLE No. 13.
Still-births by Sex and Parentage, by Counties, 1893.

COUNTIES.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin	22	21	3	46	25	20	1
Aroostook	52	43	3	98	70	28	-
Cumberland	65	29	2	96	50	43	3
Franklin	7	7	-	14	13	1	-
Hancock	14	12	1	27	25	2	-
Kennebec	30	15	6	51	30	21	-
Knox	5	6	1	12	12	-	-
Lincoln	5	4	-	9	7	2	-
Oxford	13	13	-	26	19	4	3
Penobscot	39	24	2	65	54	11	-
Piscataquis	11	11	2	24	21	3	-
Sagadahoc	12	5	-	17	13	4	-
Somerset	24	17	3	44	39	5	-
Waldo	6	2	-	8	8	-	-
Washington	20	19	3	42	36	5	1
York	41	26	2	69	41	27	1
Total	366	254	28	648	463	176	9

TABLE No. 19.
Still-Births by Seasons, 1898.

MONTHS.			
January	69		
February	58		
March	61	Total for first quarter.....	188
April	57		
May.....	47		
June	60	Total for second quarter	164
July	53		
August.....	48		
September.....	49	Total for third quarter.....	150
October.....	47		
November.....	55		
December	44	Total for fourth quarter	146
Months not stated.....	-	Total not stated.....	-
Total.....	648		648

NOTES ON BIRTHS.

In the year 1898, 15,121 births were registered in the State, including still-births (14,028 in 1892, 14,604 in 1893, 14,607 in 1894, 15,430 in 1895, 15,429 in 1896, and 15,142 in 1897).

The number of living children born was 14,473, and the number of still-births was 648.

Of the whole number of living children of which the sex was certified, 7,438 were males and 7,016 were females. In 19 births the sex was not stated. For each 100 girls born there were 106.0 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, 106.4 in 1895, 105.3 in 1896, and 102.3 in 1897).

Birth-rate.—The birth-rate of living children for the State was 21.89 for each 1,000 population, using the figures as given in the census returns for 1890 as the basis of calculation.

Table No. 13 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 population was 23.97 as compared with 21.02, the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. It was the highest in Aroostook, 37.05, and the lowest in Waldo, 14.48. In five counties, Androscoggin, Aroostook, Cumberland, Franklin, and Washington, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 4 and No. 8.

Parentage.—Of the total births in the State, 62.79 per cent. were of native parents; 19.73 per cent. were of foreign parentage; 16.58 per cent. were of parents, one of whom was foreign; while of 0.90 per cent. the nationality was not stated.

Waldo county had the largest percentage of native-born parents, to wit, 94.02 per cent., and only 0.75 per cent. in which both parents were foreign-born. Lincoln followed with 89.94 per cent. of native parentage, and only 1.44 per cent. in which both parents were foreign-born.

In Hancock county, in 89.75 per cent. of the births, the parents were native-born.

In Knox, the percentage was 80.70, and in Oxford, 78.62.

Low percentages of native-born parents were shown in Androscoggin county, where, in 39.52 per cent. of the births, the parents were native-born, and 44.74 per cent. were foreign-born; and in York county with 50.93 per cent., and in Aroostook with 53.00 per cent. of the parents native-born.

The percentages of parentage, whether American-born or foreign-born may be found for the other counties in Table No. 14.

Comparing the percentage of the births in our twenty cities with that of the rest of the State we find that, in the cities, 41.05 per cent. of the births were of American parentage, while in the rural parts of the State the percentage of American-born children was 72.30.

The largest percentage of foreign-born parents was in Biddeford, 72.19, and in Lewiston, 64.20.

The lowest percentage of foreign-born parents was in Belfast, 90.38 where no birth was reported in which both parents were foreign, and in Ellsworth only 1.92 per cent. of the births had both parents foreign-born. For further comparison see Table No. 15.

Seasons and Births.—The largest number of births in any one month in 1898 was 1,323 in March; the smallest was 1,028 in November; the largest quarterly total was 3,820 in the second quarter; the smallest, 3,373 in the last quarter.

The following is a tabular statement of the number of births in each quarter of each of the seven years 1892-98:

	1st Quarter.	2d Quarter.	3rd Quarter.	4th Quarter.
1892.....	3,474	3,774	3,557	3,160
1893.....	3,395	3,694	3,504	3,267
1894.....	3,277	3,779	3,667	3,208
1895.....	3,593	3,881	3,835	3,497
1896.....	3,706	3,887	3,710	3,380
1897.....	3,639	3,798	3,782	3,199
1898.....	3,647	3,820	3,627	3,373

The three months in which the largest number of births occurred were March, April, and May, 3,914.

Twin-births.—In 1898, 166 twin-births occurred; in 61 instances the twins were both boys; in 53, both girls; in 50, a boy and a girl. In 102 cases the parentage was American; in 31, foreign; and in 32 instances the parentage was mixed. Of the 332 children, 291 were born alive, and 41 were still-born.

In each of the towns, Strong, Vassalboro, Mars Hill, and Lewiston, a triple birth occurred. In one instance the children were all living; in another, two of the children were living; in the other two cases all were still-born. Other facts may be learned by consulting Tables No. 16 and No. 17.

Still-births.—Of the 648 still-born children, 366 were males, and 254 females. In 28 the sex was not stated. With the exception of 9 still-births, as to which the nativity of the mother was not stated, 463 were of American mothers, and 176 were of foreign mothers.

The largest number of still-births, 98, occurred in Aroostook county; while the minimum number, 8, was reported in Waldo county.

The largest number of still-births, 69, was returned in January; the smallest number was 44 in December. See Tables No. 18 and No. 19 for other details.

TABLE No. 20.
Marriages and Marriage-Rates by Counties for the Years 1892-93.

	1892.		1893.		1894.		1895.		1896.		1897.		1898.	
	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.
State	5,726	8.56	5,795	8.76	5,591	8.46	5,729	8.67	5,579	8.44	5,331	8.07	5,144	7.78
Androscoggin	479	9.78	463	9.46	456	9.31	459	9.37	461	9.41	405	8.27	376	7.68
Aroostook	458	9.24	494	9.96	492	9.92	543	10.95	483	9.74	483	9.74	487	9.82
Cumberland	779	8.57	820	9.02	757	8.32	813	8.94	770	8.47	698	7.67	657	7.22
Franklin	145	8.50	150	8.80	166	9.73	158	9.27	156	9.15	168	9.85	158	9.26
Hancock	307	8.23	311	8.33	327	8.76	321	8.60	303	8.12	291	7.79	264	7.08
Kennebec	553	9.70	529	9.28	478	8.38	506	8.88	506	8.88	464	8.14	469	8.23
Knox	276	8.77	318	10.10	270	8.58	287	9.12	258	8.19	237	7.53	247	7.85
Lincoln	172	7.82	155	7.05	143	6.50	150	6.81	166	7.55	124	5.64	148	6.73
Oxford	224	7.32	223	7.29	217	7.10	249	8.14	252	8.24	241	7.88	236	7.72
Penobscot	697	9.58	694	9.52	631	8.56	684	9.39	682	9.36	647	8.88	602	8.28
Piscataquis	133	8.24	143	8.86	144	8.92	151	9.35	152	9.42	150	9.30	145	8.99
Sagadahoc	157	8.07	131	6.73	131	6.73	111	5.71	136	6.99	111	5.71	156	8.02
Somerset	297	9.10	298	9.13	285	8.74	307	9.41	261	8.00	317	9.72	275	8.43
Waldo	240	8.65	225	8.11	226	8.14	218	7.89	197	7.10	214	7.71	200	6.13
Washington	354	7.96	406	9.13	414	9.31	320	7.19	348	7.82	338	7.60	341	7.67
York	455	7.24	435	6.92	454	7.23	452	7.19	448	7.13	443	7.05	383	6.10

TABLE No. 21.
Marriages by Counties and Nativity, 1898.

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin.....	209	92	39	30	6	376
Aroostook.....	252	67	63	100	5	487
Cumberland.....	441	99	55	51	8	657
Franklin.....	135	12	3	8	-	158
Hancock.....	235	4	12	13	-	264
Kennebec.....	356	41	22	36	8	469
Knox.....	219	11	9	8	-	247
Lincoln.....	144	-	2	2	-	148
Oxford.....	200	8	7	19	1	236
Penobscot.....	462	44	46	45	5	602
Piscataquis.....	112	8	10	15	-	145
Sagadahoc.....	122	10	15	9	-	156
Somerset.....	221	19	15	19	1	275
Waldo.....	193	1	2	4	-	200
Washington.....	219	44	42	32	4	341
York.....	253	69	20	33	8	383
Total.....	3,773	529	372	424	46	5,144

TABLE No. 22.
Marriages by Months and Counties, 1898.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin.....	37	18	15	29	29	46	37	29	32	33	44	27	-	376
Aroostook.....	30	33	25	31	36	64	42	29	47	56	56	38	-	487
Cumberland.....	48	34	39	44	50	77	35	35	67	78	84	66	-	657
Franklin.....	14	10	9	12	16	17	9	8	10	25	12	16	-	158
Hancock.....	22	11	14	23	18	26	15	23	21	32	33	26	-	264
Kennebec.....	38	27	27	40	32	58	32	31	44	53	39	42	-	469
Knox.....	27	10	17	19	15	24	18	12	23	23	26	33	-	247
Lincoln.....	11	5	19	14	8	11	10	9	8	17	14	22	-	148
Oxford.....	23	19	11	25	21	24	13	13	21	15	23	37	-	236
Penobscot.....	52	34	35	55	56	71	38	47	42	50	61	61	-	602
Piscataquis.....	12	5	13	10	12	14	9	12	10	15	11	22	-	145
Sagadahoc.....	7	7	4	10	16	21	11	17	16	16	18	13	-	156
Somerset.....	30	12	18	20	19	29	23	23	20	20	26	36	-	275
Waldo.....	19	13	14	15	11	28	12	14	27	11	18	21	-	200
Washington.....	23	30	29	24	16	21	28	27	26	35	37	44	1	341
York.....	45	17	11	25	25	40	24	22	33	49	49	43	-	383
Total.....	438	273	300	396	386	571	356	350	447	528	551	547	1	5,144

TABLE No. 23.
Number of Marriages in Each Month of 1892, 1893, 1894, 1895, 1896, 1897 and 1898, with Monthly Ratio
Compared with a Standard of 100.

MONTHS.	1892.		1893.		1894.		1895.		1896.		1897.		1898.	
	Marriages.	Ratio.*	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.
January	321	66.1	397	80.7	400	84.2	449	92.2	452	95.4	395	87.3	438	100.3
February	334	76.1	315	70.8	298	64.9	354	87.5	322	73.1	325	79.5	273	69.2
March	322	66.0	345	70.1	342	72.0	307	63.0	303	63.9	304	67.2	300	68.7
April	456	96.8	476	100.0	414	90.2	390	82.8	440	96.0	343	78.3	396	93.7
May	390	80.2	425	86.4	386	81.3	400	82.1	397	83.8	416	91.9	386	88.3
June	542	115.1	652	137.0	603	131.0	622	132.1	637	138.9	588	134.2	571	135.1
July	444	91.4	428	87.0	378	79.6	382	78.4	415	87.6	368	81.3	356	81.5
August	437	89.9	421	85.6	393	82.7	433	88.9	410	86.5	399	88.2	350	80.2
September	567	120.4	551	115.8	541	117.9	576	122.2	529	115.4	523	119.4	447	105.7
October	569	117.1	582	118.3	636	133.9	632	129.8	577	121.8	553	122.2	528	120.9
November	698	148.2	652	137.0	628	136.8	630	133.8	557	121.5	589	134.5	551	130.3
December	608	125.1	515	104.7	554	116.6	523	107.4	537	113.3	524	115.8	547	125.2
Unknown	38	-	36	-	18	-	1	-	3	-	4	-	1	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE NO. 24.
Marriages by Ages and Counties, 1893.

COUNTIES.	Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscoggin males	-	13	146	98	43	29	15	10	7	2	11	2	-	-	376
females	-	71	144	83	31	20	11	4	6	2	4	-	-	-	376
Aroostook males	-	11	200	138	57	30	20	16	6	9	5	-	1	-	487
females	-	196	171	59	24	9	11	2	6	4	4	-	1	-	487
Cumberland males	-	13	219	209	73	61	42	18	6	9	5	1	-	1	637
females	-	127	258	144	60	28	18	13	2	4	1	-	2	-	637
Franklin males	-	5	54	51	22	13	5	3	-	1	2	2	-	-	158
females	-	55	57	24	2	5	2	2	2	1	1	1	-	-	158
Hancock males	-	9	83	89	36	24	5	4	4	5	4	-	1	-	264
females	-	85	93	49	16	4	5	2	7	1	2	-	-	-	264
Kennebec males	-	16	151	141	63	28	19	17	15	8	10	1	-	-	469
females	1	116	177	78	35	25	16	10	5	1	4	1	-	-	469
Knox males	-	11	90	72	24	11	12	9	7	3	7	-	-	1	247
females	-	68	95	37	13	15	10	5	1	2	-	-	1	-	247
Lincoln males	-	2	60	32	18	16	11	4	3	4	1	3	-	-	148
females	1	54	54	15	5	9	3	3	-	1	3	-	-	-	148
Oxford males	-	6	83	72	27	16	11	5	2	8	3	3	-	-	236
females	1	65	95	33	13	11	8	4	2	-	3	1	-	-	236
Penobscot males	-	14	212	170	75	52	21	20	20	6	10	2	-	-	602
females	-	162	249	93	33	23	9	13	9	3	7	1	-	-	602
Piscataquis males	-	2	55	46	16	11	5	3	1	4	1	1	-	-	145
females	-	38	56	29	6	7	4	2	2	1	-	-	-	-	145
Sagadahoc males	-	7	44	50	25	6	6	9	5	1	3	-	-	-	156
females	-	34	62	21	14	13	4	1	3	1	3	-	-	-	156
Somerset males	-	9	111	62	38	18	11	8	2	5	7	4	-	-	275
females	1	95	92	34	16	13	6	6	1	6	4	1	-	-	275
Waldo males	-	12	58	59	23	13	9	7	4	5	10	-	-	-	200
females	1	55	74	32	8	8	7	5	3	6	1	-	-	-	200
Washington males	-	15	136	95	28	28	12	8	9	2	4	-	-	4	341
females	-	108	123	56	14	15	9	3	7	2	-	-	4	-	341
York males	-	25	138	114	45	22	13	6	6	4	9	1	-	-	333
females	1	89	155	69	32	13	11	2	4	2	5	-	-	-	333
Total males	-	170	1,840	1,498	613	372	217	141	97	76	92	20	-	6	5,144
females	6	1,418	1,955	856	328	218	134	77	60	37	42	5	-	8	5,144
Grand total	6	1,588	3,795	2,354	941	590	351	218	157	113	134	25	-	14	10,288

TABLE
Interesting Facts in

COUNTIES.	Instances in which the age of the bride exceeds that of the groom.		Widowers.		Widows.		Divorced.		First marriage.		Second marriage.		Third marriage.		Fourth marriage.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Androscoggin	73	62	46	10	19	304	311	60	59	11	6	-	-	-	-	-
Aroostook	45	76	38	5	14	406	483	72	46	9	6	-	-	-	-	-
Cumberland.....	112	84	59	20	19	552	578	97	74	6	3	-	-	1	-	-
Franklin	26	19	13	12	16	127	128	25	25	5	4	-	-	-	-	-
Hancock.....	37	36	29	8	14	220	221	38	41	6	2	-	-	-	-	-
Kennebec	77	73	61	26	25	370	383	84	79	13	7	2	-	-	-	-
Knox.....	37	41	26	12	23	192	196	47	44	5	4	1	1	-	-	-
Lincoln	13	23	17	4	3	120	127	22	15	4	5	1	-	-	-	-
Oxford	36	24	30	15	19	197	187	34	43	4	5	1	1	-	-	-
Penobscot	71	72	54	31	42	498	504	89	89	13	6	-	1	-	-	-
Piscataquis	22	23	14	4	8	118	123	25	19	-	3	2	-	-	-	-
Sagadahoc	30	24	19	8	9	124	128	30	25	4	1	-	-	-	-	-
Somerset	22	49	38	14	11	210	224	59	47	4	2	-	-	-	-	-
Waldo.....	22	36	32	9	10	155	158	37	37	7	5	1	-	-	-	-
Washington	49	48	35	6	9	282	292	48	44	6	-	-	-	-	-	-
York	65	51	40	5	8	327	334	52	43	3	5	-	-	-	-	-
Total	749	741	551	189	249	4,202	4,327	819	730	100	64	8	4	-	-	-

NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1898 was 5,144 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, 5,729 in 1895, 5,579 in 1896, and 5,331 in 1897). We have, therefore, for the year 1898, a marriage-rate of 15.56 (persons married) to every 1,000 of population, or at the rate of 7.78 marriages per 1,000 persons.

Marriage-rates.—The marriage-rate was higher in Aroostook county than elsewhere in the State, it being for that county 19.64 per 1,000. The lowest marriage-rate, that of 12.20 per 1,000, was in York county. See Table No. 4.

Nativity.—Of the 5,098 records of marriage in which there was a statement of birthplace, in 74 per cent. the groom and bride were both American; in 10 per cent. both were of foreign birth; in 7 per cent. the groom was American and the bride of foreign birth; while in 9 per cent. a foreign groom and American bride were united.

Seasons.—The largest number of marriages, 571, was solemnized in June, while the smallest number in any one month, 273, occurred in February. See Table No. 22.

Ages of the Married.—The largest number, both of grooms and brides, was between 20 and 25 years of age. While still under 15 years of age, 6 brides were married; in the age-period 15-20 years, there were 170 grooms, and 1,418 brides; in the period 20-25 years, 1,840 men and 1,955 women were married; from 25-30, 1,498 men and 856 women; from 30-35, 613 men and 328 women; from 35-40, 372 men and 218 women; from 40-45, 217 men and 134 women; from 45-50, 141 men and 77 women; from 50-55, 97 men and 60 women; from 55-60, 76 men and 37 women; from 60-70, 92 men and 42 women; from 70-80, 20 men and 5 women; over 80, 2 men. See Table No. 24.

In 4,395 marriages, the groom was older than the bride; while in 749, the bride was the elder; 741 widowers and 551 widows

were remarried; 189 men and 249 women were remarried after having been divorced from a former marriage.

Table No. 25 exhibits the fact that 4,202 men and 4,327 women were married the first time; that 819 men and 730 women were married the second time; that 100 men and 64 women were united in the third marriage; 8 men and 4 women contracted marriage a fourth time; 2 men contracted marriage a fifth time; while one man was married the sixth time. The oldest groom was 83 years of age, and the oldest bride was 77. In two marriages the bride was only 13, and in 4 only 14 years old. In one case where the bride was only 20 years of age, it was her third marriage.

TABLE

Divorces Decreed by the Supreme Court of Maine for the

COUNTIES.	Libellant wife.	Libellant husband.	Adultery.	Adultery and desertion.	Extreme cruelty.	Extreme cruelty and intoxication.
Androscoggin	42	14	4	-	-	-
Aroostook	35	6	2	-	-	-
Cumberland	55	28	15	-	-	2
Franklin	17	15	5	-	-	-
Hancock	27	11	5	-	2	-
Kennebec	71	34	15	-	1	-
Knox	35	11	2	-	-	-
Lincoln	9	5	-	-	-	-
Oxford	40	15	4	-	-	-
Penobscot	76	23	12	-	2	-
Piscataquis	14	7	3	-	-	-
Sagadahoc	15	2	-	-	-	-
Somerset	29	14	6	-	-	1
Waldo	20	4	3	-	-	-
Washington	18	14	9	1	-	-
York	34	24	6	-	-	-
Total ..	537	227	91	1	5	3

No. 26.

Year 1893, as Returned by Clerks of the Several Counties.

	Desertion.	Desertion and intoxication.	Desertion and cruel and abusive treatment.	Intoxication.	Intoxication and failure to support.	Cruel and abusive treatment.	Cruel and abusive treatment and adultery.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Failure to support.	No cause reported.	Total.
19	-	-	-	13	2	11	-	-	1	1	5	-	56
9	-	-	-	2	1	16	-	1	3	3	4	-	41
25	-	-	-	9	-	26	-	-	5	-	1	-	83
7	-	-	-	2	-	13	-	-	1	1	3	-	32
16	-	-	-	1	-	13	-	-	-	-	1	-	38
20	-	-	-	18	5	35	1	-	3	5	1	1	105
15	-	1	-	7	-	17	-	-	1	2	1	-	46
4	-	-	-	3	-	7	-	-	-	-	-	-	14
10	-	-	-	6	-	25	-	-	1	-	9	-	55
28	-	-	1	15	-	36	-	1	1	3	-	-	99
3	-	-	-	2	-	10	-	-	1	2	-	-	21
3	-	-	-	1	-	7	-	-	-	2	4	-	17
8	1	-	-	1	2	15	-	2	2	3	2	-	43
4	-	-	-	3	-	14	-	-	-	-	-	-	24
7	-	-	-	2	-	10	-	-	-	1	1	1	32
26	-	-	-	7	-	13	1	-	-	-	5	-	58
204	1	2		92	10	268	2	4	19	23	37	2	764

TABLE No. 27.

Divorces by Causes, the Sex of the Libellants, and the Number of Years Married, 1898.

CAUSES.	LIBELLANTS.		NUMBER OF YEARS MARRIED.							
	Number.	Sex.	Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown.
Adultery	91	Males	56	1	11	27	13	4	-	-
		Females ..	35	1	8	12	10	4	-	-
Adultery and desertion.....	1	Males	1	-	-	-	-	-	-	-
		Females ..	-	-	-	-	-	-	-	1
Extreme cruelty	5	Males	-	-	2	1	2	-	-	-
		Females ..	5	-	-	-	-	-	-	-
Extreme cruelty and intoxication.....	3	Males	-	-	-	1	2	-	-	-
		Females ..	3	-	-	-	-	-	-	-
Desertion	204	Males	97	1	11	38	27	13	8	-
		Females ..	107	1	23	36	27	15	5	-
Desertion and intoxication	1	Males	-	-	-	1	-	-	-	-
		Females ..	1	-	-	-	-	-	-	-
Desertion and cruel and abusive treatment.....	2	Males	-	-	-	-	-	-	-	-
		Females ..	2	-	-	2	-	-	-	-
Intoxication	92	Males	7	1	4	2	1	-	-	-
		Females ..	85	1	21	27	27	8	-	1
Intoxication and failure to support	10	Males	-	-	-	-	-	-	-	-
		Females ..	10	-	8	2	-	-	-	-
Cruel and abusive treatment	268	Males	65	2	18	15	18	9	2	-
		Females ..	203	3	60	59	49	20	5	1
Cruel and abusive treatment and adultery.....	2	Males	-	-	-	-	-	-	-	-
		Females ..	2	-	2	-	-	-	-	-
Cruel and abusive treatment and extreme cruelty	4	Males	1	-	1	-	-	-	-	-
		Females ..	3	-	2	1	-	-	-	-
Cruel and abusive treatment and failure to support.....	19	Males	-	-	-	-	-	-	-	-
		Females ..	19	3	6	5	3	2	-	-
Cruel and abusive treatment and intoxication	23	Males	-	-	-	-	-	-	-	-
		Females ..	23	4	5	9	3	2	-	-
Failure to support.....	37	Males	-	-	-	-	-	-	-	-
		Females ..	37	1	15	9	8	3	1	-
No cause reported	2	Males	-	-	-	-	-	-	-	-
		Females ..	2	-	-	1	1	-	-	-
Total.....	764	Males	227	3	1	45	82	58	27	11
		Females ..	537	3	17	152	166	132	54	11

NOTES ON DIVORCES.

Seven hundred and sixty-four divorces were decreed in the year 1898 (552 in 1892, 627 in 1893, 674 in 1894, 681 in 1895, 668 in 1896, and 722 in 1897). In 1898, there was decreed in Maine one divorce for every 6.7 marriages solemnized.

Some of the causes for which divorces were granted are: Adultery, 91, or 11.9 per cent. of the whole number; extreme cruelty, 5, or 0.07 per cent.; desertion, 204, or 26.7 per cent.; intoxication, 92, or 12.00 per cent.; cruel and abusive treatment, 268, or 35.1 per cent.; failure to support, 37, or 4.8 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 537 divorces, and the husband in 227.

In the divorces granted for adultery, the husband was the libellant 56 times, and the wife 35 times.

On account of extreme cruelty, the wife was the libellant in all 5 cases.

For desertion, the husband was the libellant 97 times, and the wife 107.

For intoxication, the husband was the libellant in 7 cases, and the wife in 85.

For cruel and abusive treatment, the husband was the libellant in 65 instances, and the wife in 203.

For failure to support, the wife was the libellant in the 37 divorces decreed for that cause.

Twenty-four divorces were granted before the marriage life had lasted one year; 197, after from 1 to 5 years marriage; 248, after 5 to 10 years; 190, after 10 to 20 years; 81, after 20 to 30 years; and 22, after more than 30 years of married life. Tables No. 26 and 27 may be consulted for more detailed statements.

TABLE No. 23.
Deaths and Death-Rates by Counties, for the Years 1892—93.

	1892.		1893.		1894.		1895.		1896.		1897.		1898.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State.....	12,147	18.37	11,134	16.84	11,012	16.66	10,464	15.83	10,626	16.07	11,236	16.99	10,956	16.57
Androscoggin	803	16.39	819	16.73	941	19.22	866	14.40	889	18.15	995	20.32	957	19.54
Aroostook	619	12.48	609	12.72	657	13.46	665	13.52	677	13.77	761	15.47	765	15.43
Cumberland	1,845	20.28	1,719	18.90	1,690	18.57	1,629	17.91	1,670	18.36	1,765	19.41	1,705	18.75
Franklin	337	19.76	319	18.98	276	16.35	272	16.10	301	17.85	282	16.70	276	16.18
Hancock	581	15.57	494	13.35	553	16.27	510	13.78	527	14.26	586	15.82	550	14.74
Kennebec	1,273	22.32	1,153	20.22	1,132	19.86	1,014	17.79	1,052	18.45	1,140	20.00	989	17.35
Knox	629	19.99	569	18.09	509	16.18	526	16.73	511	16.25	475	15.10	497	15.79
Lincoln	439	19.95	330	15.06	341	15.50	325	14.78	317	14.41	343	15.59	322	14.64
Oxford	561	18.30	506	16.62	470	15.42	455	14.98	446	14.68	494	16.27	488	15.96
Penobscot	1,208	16.57	1,122	15.43	1,192	16.40	1,130	15.51	1,169	16.09	1,180	16.24	1,185	16.26
Piscataquis	246	15.24	249	15.91	214	13.52	207	13.14	195	12.49	241	15.29	232	14.38
Sagadahoc	352	18.09	326	16.76	290	14.91	287	14.75	299	15.37	299	15.37	307	15.78
Somerset	548	16.79	511	15.84	520	16.12	521	16.07	452	13.99	518	16.02	503	15.42
Waldo	538	19.38	408	14.70	444	16.00	405	14.59	375	13.51	425	15.31	432	15.56
Washington	775	17.42	761	17.22	636	14.39	603	13.67	617	14.16	591	13.57	625	14.05
York	1,393	22.20	1,238	19.72	1,147	18.26	1,049	16.70	1,129	17.97	1,141	18.16	1,123	17.87

TABLE No. 29.

Number of Deaths in Each Month of 1892, 1893, 1894, 1895, 1896, 1897, and 1898, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1892.		1893.		1894.		1895.		1896.		1897.		1898.	
	Deaths.	Ratio.*	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January	1,577	154.5	849	90.0	1,266	136.6	906	101.9	863	95.5	916	96.0	887	95.3
February.....	1,292	136.7	845	100.0	980	116.6	821	102.2	921	109.1	851	98.7	817	97.1
March	1,095	106.0	959	103.3	920	103.4	1,053	118.4	944	104.6	1,259	131.9	863	92.7
April	1,048	106.0	1,037	100.0	994	110.0	854	99.3	942	97.8	1,020	110.4	915	101.6
May	1,045	106.0	969	100.0	851	93.3	843	94.8	961	106.5	892	93.5	935	100.0
June	833	84.6	819	90.0	816	90.0	715	83.1	814	93.2	769	83.3	791	87.8
July	866	84.6	823	90.0	865	93.3	803	90.3	845	93.6	840	88.0	814	87.5
August	938	82.2	1,080	106.6	953	100.0	938	105.5	1,079	119.5	1,019	106.8	1,003	107.7
September.....	976	93.9	975	106.6	956	106.6	1,023	118.9	912	104.4	997	108.0	1,147	127.3
October	844	81.8	917	100.0	821	86.6	902	101.5	833	92.3	999	104.7	1,034	111.1
November	790	78.8	796	86.6	761	83.3	743	86.4	667	76.4	835	90.4	837	92.9
December	793	76.5	1,037	100.0	819	86.6	858	96.5	839	93.0	837	87.7	911	97.9
Unknown	50	-	28	-	10	-	5	-	6	-	-	-	2	-

*In this column the inaccuracies due to the unequal lengths of the months are eliminated.

NUMBER OF DEATHS IN EACH MONTH.

TABLE

Shows the Number of Deaths in the State, and in

CAUSES OF DEATH.	State.	Androsceggin.	Arcootook.	Cumberland.
All causes	11,762	1,013	867	1,824
Specified causes.....	11,331	984	822	1,756
CLASSES.				
I.—Zymotic diseases	3,018	339	379	452
II.—Parasitic diseases	1	-	1	-
III.—Dietetic diseases	37	8	2	2
IV.—Constitutional diseases	730	59	28	105
V.—Developmental diseases	1,764	121	176	261
VI.—Local diseases	5,329	410	218	855
VII.—Deaths from violence	452	47	18	81
VIII.—Deaths from ill-defined causes	431	29	45	68
GROUPS.				
I.—1. Infectious diseases	865	166	136	141
2. Specific neoplastic diseases	1,243	115	91	195
3. Diarrheal diseases	854	107	141	89
4. Zoögenous diseases	-	-	-	-
5. Septic diseases	116	11	11	27
II.—1. Parasitic diseases.....	1	-	1	-
III.—1. Dietetic diseases.....	37	8	2	2
IV.—1. Constitutional diseases	730	59	28	105
V.—1. Developmental diseases	1,764	121	176	261
VI.—1. Diseases of nervous system	1,607	125	62	258
2. Diseases of organs of special sense	4	-	-	-
3. Diseases of circulatory system	1,236	87	39	188
4. Diseases of respiratory system	1,124	91	55	186
5. Diseases of digestive system	651	55	27	106
6. Diseases of lymphatics, etc	14	-	2	3
7. Diseases of urinary system	577	39	23	99
8. Diseases of organs of generation	29	2	1	5
9. Accidents and diseases of reproduction	51	5	8	6
10. Diseases of osseous system	25	5	1	2
11. Diseases of the integument	11	1	-	2
VII.—1. Accident, negligence or doubtful	390	43	17	73
2. Homicide	6	-	-	1
3. Suicide	56	4	1	7
VIII.—1. Deaths from ill-defined causes	431	29	45	68

No. 30.

Each County Arranged by Classes and Groups.

Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
293	584	1,056	514	340	519	1,273	261	328	558	446	675	1,211
280	565	1,018	501	326	500	1,215	244	318	548	428	658	1,168
76	157	244	119	47	115	297	55	69	126	84	175	284
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	5	-	-	1	7	-	3	1	-	2	3
14	46	62	31	34	36	67	15	22	41	36	38	96
50	81	145	62	55	86	189	49	46	103	41	114	185
134	254	522	262	170	247	602	113	166	256	252	305	563
6	26	40	27	18	15	53	12	12	21	15	24	37
13	19	38	13	14	19	58	17	10	10	18	17	43
14	39	62	30	9	19	80	11	12	29	19	31	67
33	71	96	71	31	65	122	22	35	59	51	75	111
23	44	76	13	3	28	89	21	17	35	10	63	95
-	-	-	-	-	-	-	-	-	-	-	-	-
6	3	10	5	4	3	6	1	5	3	4	6	11
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	5	-	2	1	7	-	3	1	-	2	3
14	46	62	31	34	36	67	15	22	41	36	38	96
50	81	145	62	55	86	189	49	46	103	41	114	185
38	66	182	78	40	59	180	42	47	66	69	90	205
1	-	-	-	1	-	1	-	-	-	1	-	-
28	59	118	73	54	53	132	27	39	69	66	72	132
24	55	106	59	23	63	149	22	31	50	53	56	101
19	39	71	24	25	32	67	8	21	33	23	46	55
-	-	-	-	1	1	1	1	-	1	-	-	3
21	35	35	22	22	33	65	10	25	24	34	34	56
1	-	-	3	-	2	2	-	1	5	3	3	3
2	-	6	1	2	3	3	3	1	5	1	3	3
-	-	1	2	2	1	1	-	1	2	1	2	4
-	-	3	-	-	-	1	-	-	1	1	1	1
6	24	33	23	12	13	47	12	10	18	9	22	28
-	1	2	-	-	-	-	-	-	-	-	-	2
-	1	5	4	6	2	6	-	2	3	6	2	7
13	19	38	13	14	19	58	17	10	10	18	17	43

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscegin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
I.—Zymotic.																	
1. Infectious diseases.																	
Totals	805	106	136	141	14	39	62	30	9	19	80	11	12	29	19	31	67
Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	41	-	12	2	-	5	2	-	1	1	11	-	3	-	4	-	-
Rötheln	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	43	6	4	5	-	3	5	3	-	1	7	-	1	-	4	-	4
Typhus fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	145	13	45	17	3	6	10	6	1	4	13	7	-	8	2	5	5
Whooping-cough	44	6	2	18	-	3	1	-	-	-	5	-	1	1	-	5	3
Mumps	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diphtheria	185	40	53	33	1	3	8	9	-	2	7	-	1	8	-	-	20
Croup	55	13	13	4	-	3	2	1	-	1	3	-	2	3	1	3	6
Tonsilitis, etc.	2	1	-	1	-	-	-	-	-	-	2	-	-	-	-	-	4
Cerebro-spinal meningitis	43	3	2	8	4	5	2	2	1	1	7	-	-	-	-	4	4
Tetanus	4	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-
Typhoid fever	216	23	5	49	5	9	30	8	6	8	20	3	4	6	6	13	1
Simple continued fever	10	-	-	2	1	1	-	-	1	2	1	-	-	1	1	-	-
Malarial diseases	8	-	-	2	-	1	1	1	-	-	1	-	1	-	1	-	-
Other specific febrile diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.—2. Specific neoplastic.																	
Totals	1,243	115	91	195	33	71	96	71	31	65	122	22	35	59	51	75	111
Tuberculosis, cerebral ..	62	5	2	14	2	4	6	1	2	5	8	-	3	2	6	2	2
Tuberculosis, pulmonary ..	1,021	93	81	149	29	58	76	57	25	49	97	18	31	52	44	64	98
Tuberculosis, mesenteric ..	60	2	5	16	1	3	5	4	-	4	7	2	1	1	4	1	4
Tuberculosis, other forms ..	96	15	3	15	1	6	9	8	4	7	10	2	3	3	1	4	5
Syphilis	4	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	2
I.—3. Diarrheal diseases.																	
Totals	854	107	141	89	23	44	76	13	3	28	89	21	17	35	10	63	95
Infantile diarrhea	669	97	100	74	18	32	60	12	2	19	67	10	14	26	7	52	79
Cholera morbus	38	1	2	4	1	6	3	-	-	4	4	1	3	1	6	2	2
Dysentery	52	5	1	6	3	2	5	-	-	4	4	5	1	1	2	4	9
Diarrhea	95	4	38	5	1	4	8	1	1	5	14	2	1	5	-	1	5
I.—4. Zoögenous diseases.																	
Totals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant pustule	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and vaccination ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.—5. Septic diseases.																	
Totals	116	11	11	27	6	3	10	5	4	3	6	1	5	3	4	6	11
Phagadema	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	13	-	1	3	1	3	2	2	1	-	-	-	-	-	-	2	-
Pyæmia, septicæmia	62	9	3	19	4	-	4	2	2	2	-	-	5	1	3	1	5
Puerperal fever	41	2	7	5	1	3	3	1	1	1	4	1	-	2	1	3	6

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York
II.—Parasitic.																	
Totals	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatids	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal parasites.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other parasitic diseases.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.—Dietetic.																	
Totals	37	8	2	2	-	1	5	-	2	1	7	-	3	1	-	2	3
Starvation	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
Malnutrition of infants..	16	2	1	1	-	1	3	-	1	-	4	-	-	1	-	-	2
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets	5	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	1
Alcoholism	14	6	-	1	-	-	2	-	-	-	2	-	1	-	-	2	-
IV.—Constitutional.																	
Totals	730	59	28	105	14	46	62	31	34	36	67	15	22	41	36	38	96
Rheumatism	57	5	1	10	1	2	5	2	2	4	5	-	3	4	1	3	9
Gout.....	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer, gastric	128	10	6	18	3	7	10	5	5	6	13	2	4	8	12	5	14
Cancer, mammary	58	6	4	3	1	3	3	2	5	6	1	1	6	2	3	7	7
Cancer, hepatic	61	4	-	15	-	3	4	1	1	1	1	1	6	2	2	2	9
Cancer, uterine.....	86	9	2	10	1	5	2	2	5	4	11	2	2	1	6	7	10
Cancer, other	198	14	6	30	6	10	15	3	7	10	18	5	6	10	10	10	34
Purpura hemorrhagic diathesis	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Anemia, etc	46	3	1	5	1	4	6	-	1	5	4	2	3	1	2	3	5
Diabetes mellitus	88	8	5	13	1	12	10	5	2	2	9	3	2	4	1	4	7
Other constitutional diseases.....	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-
V.—Developmental.																	
Totals	1,764	121	176	261	50	81	145	62	55	86	189	49	46	103	41	114	185
Still-born	648	46	98	96	14	27	51	12	9	26	65	24	17	44	8	42	69
Premature birth	158	10	4	23	3	7	16	5	9	5	23	5	4	11	6	8	19
Ill-defined diseases of infancy.....	290	26	38	36	13	10	26	8	3	12	24	4	5	9	7	24	45
Atelectasis.....	13	-	1	1	2	-	1	1	-	2	-	-	5	-	1	1	-
Cyanosis	15	1	1	1	-	-	2	-	1	-	1	-	-	-	2	2	4
Spina bifida.....	9	1	1	-	-	-	1	1	-	-	1	-	-	-	-	-	4
Imperforate anus.....	2	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
Other congenital defects	5	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
Umbilical hemorrhage..	2	1	-	2	-	-	-	-	-	-	3	1	-	-	-	-	1
Old age (over 70)	616	35	32	102	17	36	51	32	34	41	71	13	15	39	18	37	43

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VI.—Local.																	
1. Diseases of the nervous system.																	
Totals.....	1,607	125	62	258	38	66	182	78	40	59	180	42	47	66	69	90	205
Inflammation of brain or membranes.....	272	20	14	45	3	10	33	10	6	8	30	10	7	9	10	19	38
Apoplexy.....	558	52	8	104	19	24	45	27	13	21	62	8	13	32	26	27	77
Softening of brain.....	55	5	4	10	2	2	2	1	3	2	6	1	3	1	3	3	7
Hemiplegia.....	25	-	-	4	2	1	1	-	1	4	3	-	2	-	-	1	4
Paralysis agitans.....	3	-	-	1	-	1	-	1	-	-	-	-	2	-	-	-	-
Paralysis.....	270	13	11	30	8	16	27	19	6	11	31	11	8	10	17	13	39
Hydrocephalus (not acute).....	23	1	3	2	-	2	1	4	1	-	2	-	2	-	4	1	1
Insanity.....	76	4	1	6	-	1	40	3	3	2	6	2	2	1	-	3	2
Brain, other diseases of.	54	7	-	12	-	2	6	-	2	1	5	1	-	1	4	1	12
Chorea.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy.....	41	4	1	3	1	1	8	1	1	1	6	2	3	1	3	1	4
Convulsions.....	117	12	13	21	2	4	8	6	-	2	13	3	7	5	1	7	13
Laryngismus stridulus..	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2
Spinal meningitis.....	24	3	4	2	-	1	1	2	-	2	2	-	-	-	-	5	-
Myelitis.....	9	1	-	2	-	-	1	-	1	-	1	-	1	-	1	-	1
Paraplegia.....	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-
Locomotor ataxia.....	17	2	1	2	-	-	2	1	-	-	5	1	-	-	2	1	-
Other diseases of spinal cord.....	21	-	1	6	-	2	2	1	1	-	3	-	1	-	-	2	2
Other diseases of nervous system.....	34	1	1	8	1	-	4	2	1	5	4	1	-	1	1	2	2
VI.-2. Diseases of organs of special sense.																	
Totals.....	4	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-
Diseases of the ear.....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Epistaxis and diseases of nose.....	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the eye.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
VI.-3. Circulatory system.																	
Totals.....	1,236	87	39	188	28	59	118	73	54	53	132	27	39	69	66	72	132
Endocarditis.....	28	4	2	3	1	-	1	5	-	-	6	-	-	1	1	2	2
Valvular disease of heart	277	15	9	33	10	19	19	25	12	12	24	7	7	10	5	24	46
Hypertrophy of heart...	62	4	3	9	1	3	4	2	7	2	6	1	9	1	4	1	5
Pericarditis.....	13	3	-	1	-	1	1	2	-	-	-	-	-	4	-	-	1
Diseases of heart unspecified.....	677	46	20	116	13	29	75	31	26	31	71	14	18	50	51	33	53
Angina pectoris.....	75	10	2	7	1	2	10	2	5	4	9	2	2	1	2	6	10
Syncope.....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Aneurism.....	6	1	-	1	1	-	-	-	-	-	2	-	-	-	-	1	-
Senile gangrene.....	51	-	1	5	-	3	5	2	-	3	9	2	2	2	2	3	12
Embolism, thrombosis..	39	2	2	11	1	2	3	4	3	1	3	-	1	-	1	2	3
Phlebitis.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Others, circulatory system.....	7	2	-	2	-	-	-	-	-	-	2	1	-	-	-	-	-

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VI.—4. Respiratory system.																	
Totals	1,124	91	55	186	24	55	106	59	23	63	149	22	31	50	53	56	101
Laryngitis	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1
Other diseases of larynx and trachea.....	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Emphysema, asthma...	31	2	1	7	-	-	4	2	1	2	3	-	-	2	-	2	5
Bronchitis	210	10	11	31	4	11	27	10	4	17	24	3	9	8	10	9	22
Pneumonia	769	62	31	129	20	37	63	45	16	37	112	18	21	38	36	38	66
Pleurisy.....	17	4	3	2	-	1	2	1	-	1	1	1	-	-	1	-	-
Other diseases of respiratory system.....	91	11	9	17	-	6	10	1	2	5	9	-	1	2	5	6	7
VI.—5. Digestive system.																	
Totals	651	55	27	106	19	39	71	24	25	32	67	8	21	33	23	46	55
Diseases of the mouth...	11	-	-	3	-	-	2	1	2	-	-	-	2	-	-	1	-
Dyspepsia	23	3	3	4	1	-	-	-	1	2	1	-	2	1	-	4	1
Gastric ulcer.....	13	3	-	2	-	2	-	-	-	4	-	-	1	-	-	1	-
Hematemesis.....	5	-	-	-	1	-	1	-	-	1	1	-	-	-	-	1	-
Gastritis	117	5	5	15	4	12	11	5	3	7	15	-	2	4	6	9	14
Other diseases of stomach	7	-	2	2	-	-	-	-	-	1	1	1	1	-	-	-	-
Enteritis	70	4	1	12	1	3	11	3	6	4	4	2	1	5	4	5	4
Ulceration of intestines.	6	-	1	1	1	-	-	-	-	-	2	-	-	-	4	1	-
Stricture and strangulation of intestines.....	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Intussusception of intestines.....	7	2	-	1	-	1	1	-	-	1	-	-	-	-	-	-	1
Hernia.....	21	2	2	4	-	5	1	-	-	2	-	1	1	-	3	-	-
Other obstructive diseases of intestines.....	54	5	1	13	2	5	3	2	2	5	1	2	3	-	3	7	-
Fistula	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Peritonitis.....	102	12	5	16	1	5	10	5	-	3	13	-	5	10	4	7	6
Appendicitis, etc.....	26	6	-	6	-	1	1	-	-	2	-	2	1	1	1	2	3
Ascites	9	1	-	1	-	-	1	1	1	1	-	1	-	1	-	1	-
Gallstones.....	10	2	-	4	-	-	-	-	-	1	1	-	-	-	1	-	1
Cirrhosis of liver.....	38	1	1	8	3	2	2	2	1	2	6	-	1	2	1	3	3
Hepatitis.....	45	3	1	3	1	4	8	1	4	3	4	-	1	2	1	1	8
Jaundice	13	1	1	2	1	4	4	-	-	1	1	-	-	-	1	-	1
Other diseases of liver... Other diseases of digestive system.....	43	5	1	5	1	3	8	1	4	5	1	-	-	-	4	2	3
29	-	3	4	2	1	2	2	1	1	4	-	2	2	-	2	3	-
VI.—6. Lymphatics, etc.																	
Totals	14	-	2	3	-	-	-	-	1	1	1	1	-	1	1	-	3
Diseases of lymphatics.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Diseases of the spleen...	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele	3	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1
Addison's disease	7	-	1	1	-	-	-	-	1	1	1	1	-	1	-	-	-

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoegin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VI.—7. Urinary System.																	
Totals	577	39	23	99	21	35	35	22	33	65	10	25	24	34	34	34	56
Nephritis	145	15	4	23	6	12	3	5	8	10	14	2	8	2	5	15	13
Bright's disease, albuminuria																	
Uremia	250	13	11	51	9	14	13	10	3	5	16	28	3	4	10	14	14
Suppression of urine	62	5	1	15	-	5	2	3	5	2	9	9	9	4	4	4	4
Calculus	1	1	1	2	-	-	2	-	-	-	1	-	-	1	-	-	-
Stricture	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Hematuria	6	1	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-
Diseases of bladder and prostate	70	3	2	5	4	2	12	3	4	3	9	3	3	4	10	1	2
Other diseases of urinary system	28	1	4	3	1	1	1	1	-	2	3	2	1	2	1	4	1
VI.—8. Organs of generation.																	
Totals	29	2	1	5	1	-	-	3	-	2	2	-	1	5	2	2	3
Ovarian disease	7	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	3
Diseases of uterus and appendages	14	1	1	2	1	-	-	2	-	2	-	-	1	4	-	-	-
Parametria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic abscess	8	1	-	3	-	-	-	1	-	1	-	-	-	1	1	-	-
Perineal abscess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of male organs of generation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.—9. Accidents and diseases of reproduction.																	
Totals	51	5	8	6	2	-	6	1	2	3	3	3	1	5	1	2	3
Abortion, miscarriage	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal mania	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
Puerperal convulsions	11	-	1	2	1	-	3	-	1	1	-	-	-	1	-	1	-
Placenta previa	3	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-
Puerperal hemorrhage	6	1	-	2	-	-	-	-	-	1	-	-	-	2	-	-	-
Phlegmasia dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other accidents of reproduction	26	4	7	2	-	-	3	-	-	1	2	2	1	1	-	-	3
VI.—10. Osseous system.																	
Totals	25	5	1	2	-	-	1	2	2	1	1	-	1	2	1	2	4
Diseases of the joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the bones	21	5	1	1	-	-	1	2	2	1	1	-	1	-	1	2	3
Other diseases	4	-	-	1	-	-	-	-	-	-	-	-	-	2	-	2	1
VI.—11. Integument																	
Totals	11	1	-	2	-	-	3	-	-	-	1	-	-	1	1	1	1
Carbuncle	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1
Phlegmon, cellulitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, bed sore	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases of integument	7	1	-	2	-	-	-	-	-	-	1	-	-	1	1	1	-

TABLE No. 30—Concluded.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VII.—Deaths from violence.																	
1. Accident, negligence or doubtful.																	
Totals	390	43	17	73	6	24	33	23	12	13	47	12	10	18	9	22	28
Fracture, contusion	40	5	2	7	1	1	4	2	1	1	7	1	1	1	2	1	6
Falling	36	2	1	1	1	1	5	1	1	1	3	1	1	5	1	1	1
Gunshot wounds	19	1	2	1	1	1	1	3	1	1	3	2	2	2	1	3	1
Railway injuries	35	3	1	8	2	2	4	1	1	1	1	1	1	2	1	1	4
Cuts	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and scalds	31	1	1	7	—	—	2	2	3	3	3	1	1	1	1	1	5
Poison	15	—	—	1	—	—	3	1	1	1	1	—	—	3	1	3	1
Drowning	109	2	5	17	1	14	8	6	2	3	16	4	4	5	3	6	7
Suffocation	10	—	—	1	—	—	1	1	1	—	1	—	—	1	1	1	1
Various	75	12	6	18	2	4	5	4	4	3	4	5	1	1	2	4	3
Lost at sea	20	1	—	5	—	—	3	—	2	—	2	—	—	—	—	1	1
VII.—2. Homicide.																	
Totals	6	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	2
Murder, manslaughter	6	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	2
VII.—3. Suicide.																	
Totals	56	4	1	7	—	1	5	4	6	—	6	—	2	3	6	2	7
Gunshot wounds	13	2	—	2	—	1	2	—	1	—	—	—	1	—	1	1	2
Cut, stab	3	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—
Poison	12	1	1	1	—	—	1	2	1	—	2	—	—	1	2	—	—
Drowning	6	1	—	1	—	—	—	1	1	—	1	—	—	—	1	1	—
Hanging	21	—	—	1	—	—	2	1	2	—	3	—	1	2	—	—	5
Otherwise	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
VIII.—Deaths from ill-defined causes.																	
Totals	431	29	45	68	13	19	38	13	14	19	58	17	10	10	18	17	43
Heart failure	56	2	9	3	—	3	1	1	4	2	11	2	1	2	5	4	6
Dropsy	54	1	10	2	3	3	6	1	3	2	9	4	—	1	3	—	3
Debility, exhaustion	74	7	—	15	4	3	4	3	1	4	10	1	—	2	2	6	12
Atrophy and inanition	73	6	3	30	1	3	1	1	—	2	6	4	2	1	1	4	13
Sunstroke	7	—	—	3	—	—	—	—	—	—	1	—	—	—	—	—	1
Mortification	3	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
Tumor	15	—	—	—	—	1	4	1	—	2	3	2	1	—	1	—	—
Abscess	10	3	1	1	1	—	1	—	—	1	1	1	—	—	—	—	—
Hemorrhage	9	2	—	2	—	—	2	1	—	—	—	—	—	—	2	—	—
Sudden (cause unascertained)	24	—	1	3	2	2	—	—	1	1	5	2	—	1	1	2	3
Not specified, or ill-defined	101	2	21	9	2	3	19	4	5	5	12	—	2	3	3	—	5

No. 31.

Causes, Mostly Infectious Diseases.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhæa.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
216	13	41	62	145	52	95	38	669	1,021	218	8	4
23	-	2	9	13	5	4	1	97	93	22	-	1
5	1	7	3	45	1	38	2	100	81	10	-	-
49	3	5	19	17	6	5	4	74	149	45	2	-
5	1	1	4	3	3	1	1	18	29	4	-	-
9	-	3	-	6	2	4	6	32	58	13	1	-
30	3	3	4	10	5	8	3	60	76	20	1	1
8	2	1	2	6	-	1	-	12	57	13	1	-
6	1	1	2	1	-	1	-	2	25	6	-	-
8	-	1	2	4	4	5	-	19	49	16	-	-
20	-	4	2	13	4	14	4	67	97	25	1	1
3	-	1	-	7	5	2	4	10	18	4	-	-
4	-	-	5	-	1	1	1	14	31	4	1	-
6	-	2	1	8	1	5	3	26	52	7	-	-
6	-	1	3	2	2	-	1	7	44	7	1	-
13	2	3	1	5	4	1	6	52	64	11	-	1
21	-	6	5	5	9	5	2	79	98	11	-	-
23	-	2	9	13	5	4	1	97	93	22	-	1
3	-	1	1	5	1	2	1	17	21	3	-	-
2	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	2	-	-	1	-	5	6	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	2	-	-	-	-
17	-	1	6	7	3	1	-	69	46	14	-	-
1	-	-	-	-	-	-	-	3	3	2	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	-	1	-	-	-	2	-	-	1
-	-	-	-	-	-	-	-	-	3	2	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhæa.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
5	1	7	3	45	1	38	2	100	81	10	-	-
-	-	-	-	-	-	-	-	2	1	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	2	2	-	-	-
3	-	1	-	-	-	1	-	13	3	1	-	-
-	-	1	-	-	-	-	-	2	-	-	-	-
-	-	2	-	-	-	-	-	-	2	-	-	-
-	1	-	1	-	-	-	-	1	3	-	-	-
-	-	-	-	-	-	-	-	6	2	-	-	-
-	-	-	-	19	-	-	-	-	5	-	-	-
-	-	-	-	6	-	1	-	7	4	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	2	1	-	-	-
-	-	-	-	-	1	-	-	6	6	1	-	-
-	-	1	-	-	-	-	-	5	-	2	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	1	-	-	-	1	2	1	-	-
-	-	-	1	-	-	-	-	2	2	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	2	-	8	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	1	2	-	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE
Deaths in Each town from Special

AROOSTOOK

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and Group.	Tonsillitis.	Cerebro Spinal meningitis.	Whooping cough.	Mumps.
New Sweden.....	707	-	-	-	-	-	-	-	-
Oakfield.....	720	-	-	-	-	-	-	-	-
Orient.....	244	-	-	-	-	-	-	-	-
Perham.....	438	-	-	-	1	-	-	-	-
Presque Isle.....	3,046	-	-	-	-	-	1	-	-
Sherman.....	909	-	-	-	-	-	-	-	-
Smyrna.....	303	-	-	-	-	-	-	-	-
St. Agatha.....	-	-	-	-	-	-	-	-	-
Van Buren.....	1,168	-	-	-	2	-	-	-	-
Washburn.....	1,097	-	-	-	-	-	-	-	-
Weston.....	404	-	-	-	-	-	-	-	-
Woodland.....	885	-	-	-	-	-	-	-	-
Plantations.									
Cary.....	390	-	-	-	-	-	-	-	-
Castle Hill.....	537	-	-	-	-	-	-	-	-
Caswell.....	212	-	-	-	1	-	-	-	-
Chapman.....	231	-	-	-	-	-	-	-	-
Connor.....	526	-	-	-	-	-	-	-	-
Crystal.....	297	-	-	-	-	-	-	-	-
Cyr.....	429	-	-	-	-	-	-	-	-
Garfield.....	86	-	-	-	-	-	-	-	-
Glenwood.....	183	-	-	-	-	-	-	-	-
Hamlin.....	484	-	-	-	3	-	-	-	-
Hammond.....	109	-	-	-	-	-	-	-	-
Macwahoc.....	216	-	-	-	-	-	-	-	-
Merrill.....	244	-	-	-	-	-	-	-	-
Molunkus.....	77	-	-	-	-	-	-	-	-
Moro.....	199	-	-	-	-	-	-	-	-
New Canada.....	301	-	-	-	3	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile Diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	1	1	-	1	-	-
-	-	-	-	-	-	1	-	1	5	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	34	-	21	1	-	-	-
-	-	-	-	-	-	-	-	9	5	-	-	-
-	-	-	-	-	-	-	-	2	2	-	-	-
-	-	-	-	-	-	-	-	-	-	4	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	1	-	-	-	1	-	2	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	3	3	-	-	-
-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	5	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Pneumonia.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	1	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
49	3	5	19	17	6	5	4	74	149	45	2	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	1	1	1	-	1	-	-	3	1	-	-
1	-	-	3	-	1	-	-	10	7	4	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
1	1	1	-	-	2	-	1	2	8	2	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	3	2	-	-	-
2	-	-	1	-	-	-	-	-	7	-	1	-
-	-	1	1	4	-	1	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	2	-	-	-
2	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	1	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
36	2	1	10	4	-	2	-	40	82	21	-	-
-	-	1	1	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	3	3	-	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-
1	-	-	-	-	2	-	3	3	5	4	-	-
-	-	-	1	-	-	-	-	-	1	1	-	-
4	-	-	-	3	1	-	-	8	13	6	-	-
1	-	-	-	1	-	1	-	-	1	1	-	-
-	-	-	-	-	-	-	-	3	2	1	-	-
5	1	1	4	3	3	1	1	18	29	4	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	1	3	-	-	5	5	1	-	-
-	-	-	-	-	-	1	-	1	1	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
1	-	-	1	-	-	-	-	4	5	-	-	-
2	-	-	1	-	-	-	-	2	2	-	-	-
-	-	-	1	-	-	-	-	-	-	1	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	2	-	-	-	-

TABLE
Deaths in Each Town from Special

FRANKLIN

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.	Mumps.
Salem.....	216	-	-	-	-	-	-	-	-
Strong.....	627	-	-	-	-	-	1	-	-
Temple.....	470	-	-	-	-	-	-	-	-
Weld.....	885	-	-	-	-	-	-	-	-
Wilton.....	1,622	-	-	-	1	-	-	-	-
Plantations.									
Coplin.....	71	-	-	-	-	-	-	-	-
Dallas.....	184	-	-	-	-	-	-	-	-
Greenvale.....	52	-	-	-	-	-	-	-	-
Lang.....	51	-	-	-	-	-	-	-	-
Perkins.....	94	-	-	-	-	-	-	-	-
Rangeley.....	58	-	-	-	-	-	1	-	-
Jerusalem.....	18	-	-	-	-	-	-	-	-
Redington.....	28	-	-	-	-	-	-	-	-
HANCOCK COUNTY.....	-	-	5	3	6	-	5	3	-
Amherst.....	375	-	-	-	-	-	-	-	-
Aurora.....	175	-	-	-	-	-	-	-	-
Bluehill.....	1,980	-	-	-	-	-	-	3	-
Brooklin.....	1,046	-	-	-	-	-	-	-	-
Brooksville.....	1,310	-	-	-	-	-	-	-	-
Bucksport.....	2,921	-	-	-	-	-	-	-	-
Castine.....	987	-	-	-	-	-	-	-	-
Cranberry Isles.....	330	-	-	-	-	-	3	-	-
Dedham.....	366	-	-	-	-	-	-	-	-
Deer Isle.....	3,422	-	3	-	1	-	-	-	-
Eastbrook.....	246	-	-	-	-	-	-	-	-
Eden.....	1,946	-	-	-	2	-	1	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	2	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	4	-	-	-
1	1	-	1	-	-	-	1	1	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
9	-	3	-	6	2	4	6	32	58	13	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	2	-	3	3	1	-	-
-	-	1	-	2	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	-	2	1	-	-
1	-	-	-	-	-	-	-	2	4	1	-	-
-	-	-	-	-	-	-	-	2	2	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	4	2	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	1	-	1	-	-	-	3	4	3	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
2	2	1	2	6	-	1	-	12	57	13	1	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	1	-	-	-	-	-	-	3	8	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-
5	-	-	1	-	-	-	-	5	13	6	-	-
1	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	2	-	-	-	-	3	1	-	-
1	-	-	-	-	-	-	-	-	3	-	1	-
-	-	1	-	-	-	-	-	1	4	1	-	-
-	-	-	1	-	-	-	-	-	2	-	-	-
-	1	-	-	-	-	-	-	-	4	1	-	-
1	-	-	-	2	-	1	-	-	5	1	-	-
-	-	-	-	-	-	-	-	1	6	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
6	1	1	2	1	-	1	-	2	25	6	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
1	-	-	1	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
1	-	-	-	-	-	-	-	1	3	2	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	-	-	-	-	-	-	-	-	2	-	-	-
1	-	-	-	-	-	1	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	1	3	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
1	-	1	-	-	-	-	-	-	3	-	-	-
-	1	-	-	-	-	1	-	-	-	-	-	-
6	-	1	2	4	4	5	-	19	49	16	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	1	-	-	2	-	-	-
1	-	-	-	-	-	-	-	-	2	2	-	-
1	-	-	-	-	1	-	-	-	4	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	1	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	1	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	1	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Pneumonia.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	4	-	1	-	-
-	-	-	-	-	-	1	-	2	-	-	-	-
1	-	1	-	-	-	1	-	1	2	2	-	-
2	-	-	-	1	-	-	-	-	6	-	-	-
-	-	-	-	-	1	-	-	-	7	1	-	-
-	-	-	-	-	-	1	-	-	1	-	-	-
1	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
2	-	-	-	-	-	-	-	3	4	4	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	1	6	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
20	-	4	2	13	4	14	4	67	97	25	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	1	6	2	4	-	18	32	11	-	1
-	-	1	-	-	1	-	-	2	6	1	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	-	-	-	-	-	1	-	1	2	-	-	-
-	-	1	-	1	-	2	1	3	7	3	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	2	1	-	-
-	-	-	-	-	-	-	1	-	1	-	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-
1	-	1	-	-	-	1	-	6	1	-	-	-
-	-	-	-	-	-	1	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	1	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
1	-	-	-	1	-	-	-	2	4	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	3	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	1	1	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
3	-	1	-	7	5	2	4	10	18	4	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	1	-	3	-	-	-
-	-	-	-	1	1	-	-	1	1	-	-	-
-	-	-	-	2	-	-	1	2	2	2	-	-
-	-	-	-	1	1	-	-	-	1	-	-	-
1	-	-	-	-	2	1	1	3	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	1	1	-	-	3	1	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE
Deaths in Each Town from Special

SAGADAHOC

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.	Mumps.
SAGADAHOC COUNTY	-	-	3	1	3	-	-	-	-
Arrowsic	177	-	-	-	-	-	-	-	-
Bath	8,723	-	-	1	2	-	-	-	-
Bowdoin	940	-	-	-	-	-	-	-	-
Bowdoinham	1,508	-	-	-	-	-	-	-	-
Georgetown	849	-	-	-	-	-	-	-	-
Perkins	69	-	-	-	-	-	-	-	-
Phippsburg	1,396	-	3	-	-	-	-	-	-
Richmond	3,082	-	-	-	1	-	-	-	-
Topsham	1,394	-	-	-	-	-	-	-	-
West Bath	307	-	-	-	-	-	-	-	-
Woolwich	1,007	-	-	-	-	-	-	-	-
SOMERSET COUNTY	-	-	-	-	11	-	-	1	2
Anson	1,444	-	-	-	-	-	-	-	-
Athens	1,072	-	-	-	-	-	-	-	-
Bingham	757	-	-	-	-	-	-	-	-
Cambridge	425	-	-	-	-	-	-	-	-
Canaan	1,130	-	-	-	-	-	-	-	-
Concord	345	-	-	-	-	-	-	-	-
Cornville	785	-	-	-	1	-	-	-	-
Detroit	590	-	-	-	-	-	-	-	-
Embden	579	-	-	-	-	-	-	-	-
Fairfield	3,510	-	-	-	1	-	-	-	-
Harmony	704	-	-	-	-	-	-	-	-
Hartland	974	-	-	-	-	-	-	-	-
Madison	1,815	-	-	-	-	-	1	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phtthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
4	-	-	5	-	1	1	1	14	31	4	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	2	-	1	-	1	6	18	2	-	-
-	-	-	1	-	-	1	-	-	1	1	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	2	4	-	1	-
1	-	-	1	-	-	-	-	3	1	1	-	-
1	-	-	-	-	-	-	-	3	4	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
6	-	2	1	8	1	5	3	26	52	7	-	-
-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	1	1	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	1	-	-	-	-	1	1	1	-	-	-
-	-	-	-	-	-	-	-	2	4	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	2	1	-	-	-
-	-	-	1	1	1	1	-	2	4	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	1	-	-	1	2	1	1	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
6	-	1	3	2	2	-	1	7	44	7	1	-
1	-	-	-	2	1	-	1	1	5	-	-	-
-	-	-	1	-	-	-	-	-	1	2	-	-
-	-	1	-	-	-	-	-	2	-	1	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
2	-	-	-	-	1	-	-	1	-	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	6	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
1	-	-	1	-	-	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	1	-	1	-
-	-	-	-	-	-	-	-	-	6	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	1	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	1	3	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phtisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
13	2	3	1	5	4	1	6	52	64	11	-	1
-	-	-	-	-	-	-	-	-	2	-	-	-
1	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	1	-	-	-	1	2	7	9	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	4	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	-	3	2	-	-	-
3	2	1	-	-	-	-	1	13	7	1	-	-
1	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	2	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	2	2	1	-	-
-	-	-	-	-	-	-	1	5	6	-	-	-

No. 31—Concluded.

Causes, Mostly Infectious Diseases.

COUNTY.

Typhoid fever.	Ery sipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
21	-	6	5	5	9	5	2	79	98	11	-	-
-	-	-	-	-	-	1	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
1	-	-	-	-	-	-	-	1	3	-	-	-
6	-	4	1	1	-	3	-	50	24	3	-	-
-	-	-	1	-	-	-	-	1	4	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	1	-	-	-	3	-	-	-
1	-	-	-	-	-	-	-	2	-	-	-	-
2	-	-	-	1	-	-	-	1	4	-	-	-
-	-	-	-	1	-	-	-	1	3	-	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-
2	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	2	-	-	-	1	-	-	1	-	-
1	-	-	-	-	1	-	-	-	4	1	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
1	-	-	-	-	-	-	-	-	3	-	-	-
3	-	-	-	-	3	-	1	4	7	2	-	-
1	-	1	-	-	-	-	-	3	6	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
2	-	-	1	-	-	-	-	3	5	-	-	-
-	-	-	-	-	-	-	-	2	3	-	-	-
1	-	1	-	-	-	1	-	1	7	-	-	-
-	-	-	-	-	3	-	-	3	10	1	-	-

TABLE
Deaths in Each Town from Certain

THE STATE AND COUNTIES.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
MAINE	661,086	14	23	57	531	141	616	342	272
Androscoggin	48,968	6	2	5	43	11	35	30	20
Aroostook.....	49,589	-	2	1	18	9	32	42	14
Cumberland.....	90,949	1	1	10	76	18	102	40	45
Franklin.....	17,053	-	-	1	11	2	17	16	3
Hancock.....	37,312	-	1	2	28	16	36	11	10
Kennebec.....	57,012	2	3	5	40	17	51	27	33
Knox.....	31,473	-	-	2	24	5	32	13	10
Lincoln.....	21,996	-	2	2	29	3	34	3	6
Oxford.....	30,586	-	1	4	25	7	41	14	8
Penobscot.....	72,865	2	5	5	49	13	71	30	30
Piscataquis.....	16,134	-	-	-	10	5	13	7	10
Sagadahoc.....	19,452	1	2	3	14	5	15	10	7
Somerset.....	32,627	-	1	4	31	6	39	9	9
Waldo.....	27,759	-	-	1	32	3	18	9	10
Washington.....	44,482	2	-	3	27	8	37	27	19
York.....	62,829	-	3	9	74	13	43	54	38
ANDROSCOGGIN COUNTY ...	-	6	2	5	43	11	35	30	20
Auburn.....	11,250	-	-	-	13	5	8	4	2
Durham.....	1,111	-	-	-	-	-	3	-	-
East Livermore.....	1,506	1	2	-	1	1	2	1	1
Greene.....	885	-	-	-	-	-	1	-	-
Leeds.....	999	1	-	-	2	1	-	-	-
Lewiston.....	21,701	2	-	4	12	2	13	17	11
Lisbon.....	3,120	-	-	-	4	-	3	5	4
Livermore.....	1,151	-	-	-	4	-	-	-	-
Mechanic Falls.....	-	-	-	-	4	1	1	-	-
Minot.....	1,355	-	-	-	-	-	1	-	-
Poland.....	2,472	1	-	-	-	1	2	-	-
Turner.....	2,016	-	-	1	2	-	1	2	1
Wales.....	451	-	-	-	-	-	-	-	1
Webster.....	951	1	-	-	1	-	-	1	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
8	40	36	31	11	13	27	15	8	1	8	17	1
-	-	-	-	-	1	1	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	1	-	-
-	4	-	2	-	-	1	1	1	-	1	-	-
-	2	-	1	-	-	-	-	1	-	-	-	-
1	4	6	2	-	3	3	1	1	-	-	2	-
-	-	2	1	1	-	1	-	-	-	-	-	-
1	1	1	-	-	-	-	-	-	-	-	-	-
-	1	1	1	-	1	1	8	-	-	-	-	-
-	1	4	-	-	-	1	1	-	-	-	1	-
-	-	-	-	-	1	2	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	3	-
-	1	-	1	-	-	1	-	-	-	-	-	-
1	-	-	-	-	-	-	1	-	-	1	-	-
2	1	1	5	-	-	1	1	-	-	-	2	-
-	-	-	2	2	-	1	-	-	-	-	1	-
-	-	-	-	-	-	1	-	-	-	-	-	-
2	2	2	-	1	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	1	4	-	-	-	-	-	1	-	-	-	-
-	1	1	-	-	1	-	-	-	-	-	-	-
-	-	-	1	1	-	-	-	-	-	-	-	1
-	1	-	-	-	-	1	-	-	-	1	-	-
-	1	1	-	-	1	2	-	-	1	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

ARROSTOOK

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Oxbow	94	-	-	-	-	-	-	-	1
Portage Lake	140	-	-	-	-	-	-	-	-
Reed	203	-	-	-	2	-	-	1	-
Sheridan	221	-	-	-	-	-	-	-	-
Silver Ridge.....	195	-	-	-	-	-	1	1	-
St. Francis.....	461	-	-	-	-	-	2	-	-
St. John.....	226	-	-	-	-	-	-	1	-
Stockholm	105	-	-	-	-	-	-	-	-
Wade	158	-	-	-	-	-	-	-	-
Wallagrass	595	-	-	-	-	-	-	-	-
Westfield	166	-	-	-	-	-	-	-	-
Westmanland.....	52	-	-	-	-	-	-	-	-
Winterville	72	-	-	-	-	-	-	-	-
Plantation E.....	-	-	-	-	-	-	-	-	-
CUMBERLAND COUNTY	-	1	1	10	76	18	102	40	45
Baldwin	932	-	-	-	-	-	4	-	-
Bridgton.....	2,605	-	-	1	3	-	5	-	1
Brunswick	6,012	-	-	-	8	2	4	9	2
Cape Elizabeth	5,459	-	-	-	-	-	-	-	-
Casco	844	-	-	-	2	-	2	-	-
Cumberland.....	1,487	-	-	-	2	1	-	1	-
Deering.....	5,353	-	-	-	3	2	10	3	-
Falmouth	1,580	-	-	-	2	-	2	1	-
Freeport	2,482	-	-	-	2	-	4	-	-
Gorham	2,888	-	-	-	3	1	4	-	-
Gray	1,517	-	-	-	1	-	2	2	-
Harpwell.....	1,766	-	-	-	1	-	-	-	-
Harrison	1,071	-	-	-	1	-	3	-	-

TABLE
Deaths in Each Town from Certain

CUMBERLAND

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Naples.....	846	-	-	-	1	-	1	-	-
New Gloucester.....	1,234	-	-	-	1	-	6	-	-
North Yarmouth.....	709	-	-	-	-	-	-	-	-
Otisfield.....	838	-	-	-	-	-	-	-	-
Portland.....	36,425	1	-	7	28	11	29	14	30
Pownal.....	712	-	-	-	-	-	2	-	-
Raymond.....	927	-	-	-	-	-	1	-	1
Scarboro.....	1,794	-	-	-	-	-	2	1	1
Sebago.....	681	-	-	1	1	1	1	-	-
South Portland.....	-	-	-	-	8	-	3	-	5
Standish.....	1,841	-	-	-	-	-	4	1	-
Westbrook.....	6,632	-	-	1	7	-	9	7	2
Windham.....	2,216	-	-	-	1	-	3	1	3
Yarmouth.....	2,098	-	1	-	1	-	1	-	-
FRANKLIN COUNTY.....	-	-	-	1	11	2	17	16	3
Avon.....	439	-	-	-	-	-	-	-	-
Carthage.....	390	-	-	-	-	-	-	-	1
Chesterville.....	770	-	-	-	-	-	1	-	-
Eustis.....	321	-	-	-	-	-	-	3	-
Farmington.....	3,207	-	-	-	3	2	3	2	1
Freeman.....	464	-	-	-	-	-	1	-	-
Industry.....	545	-	-	-	1	-	-	1	-
Jay.....	1,541	-	-	-	-	-	2	4	-
Kingfield.....	601	-	-	-	-	-	1	2	-
Madrid.....	441	-	-	-	-	-	-	-	-
New Sharon.....	1,064	-	-	-	-	-	2	2	-
New Vineyard.....	660	-	-	-	2	-	-	-	-
Phillips.....	1,394	-	-	-	3	-	5	-	-
Rangeley.....	616	-	-	-	-	-	1	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
2	2	2	2	-	-	2	1	-	1	-	3	-
1	1	3	-	1	-	-	-	1	-	-	2	-
1	1	-	1	-	-	-	1	-	-	-	1	-
1	-	2	1	-	-	2	-	-	-	-	-	-
45	43	62	68	19	11	52	41	15	4	4	31	3
1	-	1	4	-	-	-	-	-	-	-	-	-
-	1	1	1	-	-	1	1	-	-	-	-	-
1	5	4	1	-	-	-	-	1	-	-	2	-
1	2	-	1	-	-	3	-	1	-	-	-	-
2	7	17	5	2	3	5	4	1	-	-	9	-
1	2	4	4	-	-	1	3	-	-	-	2	-
2	10	9	7	3	1	8	5	-	-	-	4	-
-	-	6	2	-	3	4	2	-	-	-	2	-
7	1	5	2	-	-	4	-	-	-	-	3	-
19	16	26	20	4	-	19	15	6	1	2	6	-
2	-	-	1	-	-	-	-	-	-	-	-	-
1	-	1	1	-	-	1	-	-	-	-	-	-
1	1	1	2	-	-	-	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
4	2	5	5	-	-	4	4	4	-	-	3	-
1	1	-	-	-	-	1	-	-	-	-	-	-
-	2	2	-	-	-	-	-	1	-	-	-	-
1	1	-	1	-	-	2	1	1	-	2	-	-
1	-	1	-	-	-	2	-	-	-	-	-	-
2	-	1	-	-	-	1	-	-	-	-	-	-
1	1	2	3	-	-	1	1	-	-	-	1	-
1	2	1	-	-	-	-	-	-	-	-	-	-
3	1	3	2	1	-	-	2	-	1	-	-	-
-	-	2	-	-	-	1	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

FRANKLIN

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Salem	218	-	-	-	-	-	-	1	-
Strong	627	-	-	-	-	-	-	-	-
Temple	470	-	-	1	-	-	-	-	1
Weld	885	-	-	-	2	-	-	-	-
Wilton	1,622	-	-	-	-	-	1	-	-
Coplin Pl.	71	-	-	-	-	-	-	-	-
Dallas Pl.	184	-	-	-	-	-	-	1	-
Greenvale Pl.	52	-	-	-	-	-	-	-	-
Lang Pl.	51	-	-	-	-	-	-	-	-
Perkins Pl.	94	-	-	-	-	-	-	-	-
Rangeley Pl.	58	-	-	-	-	-	-	-	-
Jerusalem Pl.	18	-	-	-	-	-	-	-	-
Redington Pl.	28	-	-	-	-	-	-	-	-
HANCOCK COUNTY	-	-	1	2	28	16	36	11	10
Amherst	375	-	-	-	-	-	1	-	1
Aurora	175	-	-	-	-	1	1	-	-
Bluehill	1,980	-	-	-	2	3	2	1	2
Brooklin	1,046	-	-	-	2	-	2	1	1
Brooksville	1,310	-	-	-	1	3	1	-	-
Bucksport	2,921	-	-	-	4	2	4	2	-
Castine	987	-	-	-	1	-	-	-	-
Cranberry Isles	330	-	-	-	-	-	-	-	-
Dedham	366	-	-	-	-	-	-	-	-
Deer Isle	3,422	-	-	1	1	-	1	1	-
Eastbrook	246	-	-	-	-	-	1	-	-
Eden	1,946	-	-	-	4	-	2	1	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
1	-	1	-	-	-	-	-	-	-	-	-	-
-	1	3	1	-	-	2	-	-	-	-	-	-
-	-	-	1	-	-	2	-	1	-	-	-	-
-	2	-	1	1	-	-	-	2	-	-	-	-
-	1	3	2	2	-	2	-	2	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
24	32	54	37	11	7	39	26	9	-	-	24	1
-	-	-	-	-	-	-	2	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
1	-	6	-	1	-	2	-	2	-	-	-	-
1	3	1	2	2	-	1	-	1	-	-	2	-
1	2	1	2	-	1	2	1	-	-	-	1	-
2	2	8	2	-	1	3	2	1	-	-	1	-
-	1	-	1	1	-	2	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	-	1	-	-	-	-	-	-	-	-
4	2	5	1	-	2	3	1	-	-	-	3	-
-	1	-	1	-	1	1	-	-	-	-	-	-
3	4	4	3	2	-	2	2	-	-	-	1	1

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
27	41	67	45	10	4	24	15	7	3	1	23	4
2	-	2	5	1	-	-	-	-	-	-	-	-
2	5	6	6	1	-	4	-	-	-	-	1	1
2	-	1	-	-	-	1	2	-	-	-	1	-
-	-	3	-	2	-	1	2	-	-	-	-	-
2	2	1	-	-	-	-	-	-	-	-	1	-
-	1	-	1	-	-	-	-	-	-	-	-	-
-	1	-	-	-	1	-	-	-	-	-	2	-
8	15	15	11	2	-	6	4	3	-	-	9	1
1	2	5	4	-	1	2	1	-	-	-	-	-
-	3	4	4	-	-	-	-	-	-	-	2	1
3	2	3	2	2	1	2	-	1	2	-	3	-
1	2	13	3	-	-	5	1	-	-	1	1	1
1	1	4	2	-	-	1	-	-	1	-	-	-
-	2	4	1	1	-	1	3	1	-	-	1	-
1	4	4	3	-	1	1	-	1	-	-	1	-
4	1	2	3	1	-	-	2	-	-	-	1	-
-	-	-	-	-	-	-	-	1	-	-	-	-
13	21	50	16	4	3	25	13	9	-	2	12	6
-	2	1	-	-	-	2	-	-	-	-	1	-
1	2	2	-	-	-	-	1	-	-	-	-	-
1	-	3	-	-	-	1	1	1	-	-	3	2
-	1	-	-	-	-	-	-	-	-	-	-	-
1	5	5	2	-	1	3	-	-	-	2	1	-
-	2	1	1	2	-	-	-	1	-	-	-	1
2	1	2	-	-	-	1	-	-	-	-	-	1
1	1	1	2	1	-	1	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

LINCOLN

THE STATE AND COUNTIES.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Jefferson.....	1,391	-	-	-	4	1	3	-	1
Newcastle.....	1,282	-	-	-	1	-	2	-	-
Nobleboro.....	947	-	-	-	3	-	2	-	-
Somerville.....	453	-	-	-	-	-	-	-	-
Southport.....	533	-	-	1	-	-	-	-	-
Waldoboro.....	3,505	-	-	1	3	-	6	1	1
Westport.....	451	-	-	-	-	-	1	-	-
Whitefield.....	1,215	-	-	-	3	-	4	-	-
Wiscasset.....	1,733	-	-	-	3	-	3	-	-
OXFORD COUNTY.....	-	-	1	4	25	7	41	14	8
Albany.....	645	-	-	-	-	-	-	-	-
Andover.....	740	-	-	-	-	-	4	-	-
Bethel.....	2,209	-	-	-	-	1	2	1	-
Brownfield.....	1,134	-	-	-	-	-	-	1	1
Buckfield.....	1,200	-	-	-	1	-	1	1	-
Byron.....	180	-	-	-	-	-	-	-	-
Canton.....	1,303	-	1	-	1	-	1	-	1
Denmark.....	755	-	-	-	1	-	4	-	-
Dixfield.....	988	-	-	-	1	-	-	1	-
Fryeburg.....	1,418	-	-	-	-	-	4	1	-
Gilead.....	336	-	-	-	-	1	-	-	-
Grafton.....	98	-	-	-	-	-	-	-	-
Greenwood.....	727	-	-	-	1	-	-	1	-
Hanover.....	212	-	-	-	-	-	-	-	-
Hartford.....	689	-	-	1	1	-	-	-	-
Hebron.....	600	-	-	-	1	-	-	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	1	2	1	-	-	4	4	2	-	-	-	-
1	-	7	2	-	-	-	-	-	-	-	-	-
1	2	3	1	-	-	1	-	-	-	-	1	-
-	-	3	1	-	-	1	-	-	-	-	-	-
-	-	1	-	-	1	-	1	1	-	-	-	1
5	2	10	3	-	1	7	-	2	-	-	3	-
-	-	2	-	1	-	-	-	-	-	-	-	-
-	2	4	-	-	-	3	-	2	-	-	1	-
-	-	3	3	-	-	1	6	-	-	-	2	1
21	30	49	37	17	9	32	26	7	2	3	13	2
1	-	-	1	-	1	-	-	-	-	-	-	-
-	1	1	1	-	-	1	1	-	-	-	-	-
1	-	4	1	-	-	3	-	-	-	-	1	-
2	-	3	1	1	-	-	1	1	-	-	-	-
-	3	1	-	-	-	-	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	3	1	-	-	-	2	-	-	-	-	1	1
-	-	4	-	1	-	1	-	-	-	-	-	-
-	-	1	1	2	-	-	1	-	-	-	-	-
2	1	-	6	-	-	2	-	1	-	-	1	-
-	-	-	1	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	-	1	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	1	-	-	-	-	-	-
-	3	-	1	-	-	2	-	-	-	-	1	-

TABLE
Deaths in Each Town from Certain

OXFORD

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Hiram.....	1,063	-	-	1	3	-	2	-	1
Lovell.....	853	-	-	-	1	-	3	-	-
Mason.....	80	-	-	-	-	-	-	-	-
Mexico.....	355	-	-	-	-	-	2	-	1
Newry.....	343	-	-	-	-	1	1	-	-
Norway.....	2,665	-	-	-	2	-	8	1	1
Oxford.....	1,455	-	-	-	2	1	-	-	-
Paris.....	3,156	-	-	-	3	1	3	4	1
Peru.....	692	-	-	-	-	-	-	-	-
Porter.....	1,015	-	-	-	2	-	-	-	-
Roxbury.....	222	-	-	-	2	-	1	-	-
Rumford.....	898	-	-	-	2	-	3	-	-
Stoneham.....	322	-	-	-	-	-	-	-	-
Stow.....	291	-	-	-	-	-	-	1	-
Sumner.....	901	-	-	1	1	1	-	1	-
Sweden.....	338	-	-	-	-	1	1	1	-
Upton.....	232	-	-	-	-	-	1	-	-
Waterford.....	1,001	-	-	-	-	-	-	-	-
Woodstock.....	859	-	-	1	-	-	-	-	-
Franklin Pl.....	112	-	-	-	-	-	-	-	-
Lincoln Pl.....	59	-	-	-	-	-	-	-	-
Milton Pl.....	211	-	-	-	-	-	-	-	-
Riley Pl.....	43	-	-	-	-	-	-	-	-
Batchelders Grant.....	26	-	-	-	-	-	-	-	-
PENOBSCOT COUNTY.....	-	2	5	5	49	13	71	30	30
Alton.....	348	-	-	-	-	-	-	-	-
Argyle.....	263	-	-	-	-	-	-	-	-
Bangor.....	19,103	1	3	2	16	5	11	4	10
Bradford.....	1,215	-	-	-	2	-	5	1	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
1	3	1	1	-	1	2	-	-	1	-	-	1
-	-	3	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	2	2	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	1	1	-	-	1	-
5	1	3	6	1	3	-	6	2	-	-	-	-
1	1	3	4	1	1	5	1	-	-	1	1	-
2	7	3	1	3	1	6	7	-	-	1	1	-
1	-	1	-	1	-	1	-	-	-	-	-	-
1	1	-	4	-	-	-	-	-	-	-	2	-
-	-	1	-	1	-	2	-	-	-	-	-	-
3	1	3	1	2	1	1	3	1	1	-	-	-
-	-	2	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	-	-	-	-
-	2	3	1	-	-	-	-	-	-	-	-	-
-	-	1	1	1	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	6	-	-	-	1	-	-	-	-	2	-
-	1	1	1	-	-	1	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
62	88	116	112	24	13	67	42	23	2	3	47	6
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
24	39	52	40	7	3	20	15	2	-	1	8	3
1	-	3	-	1	-	1	1	1	-	-	-	-

TABLE
Deaths in Each Town from Certain

PENOBSCOT

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Bradley.....	823	-	-	-	1	-	-	1	-
Brewer.....	4,193	-	-	-	1	-	1	4	3
Burlington.....	460	-	-	-	1	-	1	2	-
Carmel.....	1,066	-	-	1	-	-	-	-	1
Carroll.....	546	-	-	-	-	-	-	-	-
Charleston.....	971	-	-	-	-	-	1	1	-
Chester.....	368	-	-	-	-	-	-	-	-
Clifton.....	284	-	-	-	-	-	-	-	-
Corinna.....	1,207	-	-	-	-	1	2	-	-
Corinth.....	1,154	-	-	-	-	-	2	-	-
Dexter.....	2,732	-	-	-	4	-	4	-	2
Dixmont.....	919	-	-	-	2	-	-	-	-
Eddington.....	729	-	-	-	-	-	-	-	-
Edinburg.....	54	-	-	-	-	-	-	-	-
Enfield.....	769	-	-	-	1	-	1	-	1
Etna.....	646	-	-	-	-	1	2	-	-
Exeter.....	939	-	-	1	-	-	-	-	1
Garland.....	973	-	-	-	1	-	-	-	1
Glenburn.....	583	-	-	-	-	-	-	-	-
Greenbush.....	659	-	-	-	-	-	-	-	-
Hampden.....	2,484	-	-	-	-	4	9	-	2
Hermon.....	1,282	-	-	-	1	-	-	1	-
Holden.....	609	-	-	-	-	-	2	-	-
Howland.....	171	-	-	-	-	-	-	1	-
Hudson.....	510	-	-	-	-	-	-	-	-
Kenduskeag.....	536	-	-	-	-	-	-	-	-
Kingman.....	671	-	-	-	3	-	2	2	1
Lagrange.....	721	-	-	-	-	-	2	1	1
Lee.....	929	-	1	-	-	-	2	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONTINUED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	1	-	-	-	1	-	-	-	1	-
3	5	2	13	-	2	3	2	-	-	1	6	-
1	-	-	-	-	-	-	-	-	-	-	-	-
1	1	2	3	1	1	1	-	-	-	-	-	-
-	1	1	1	-	-	-	-	-	-	-	-	-
-	-	1	2	-	-	2	-	1	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	1	-	-	-	-	-	-
1	-	4	-	-	-	3	2	3	-	-	1	-
-	1	1	1	1	1	-	1	-	-	-	1	-
2	-	5	1	-	-	2	4	-	-	-	2	-
2	2	2	-	-	-	1	-	1	-	-	-	-
2	3	1	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	1	-	-	-	-	-	-	-	1	-
-	-	-	2	-	-	1	-	-	-	-	-	-
3	1	1	1	-	-	-	1	-	-	-	1	-
-	2	5	-	-	-	1	-	1	1	-	-	-
2	2	1	-	-	-	-	-	-	-	-	1	-
1	-	-	5	1	-	-	1	-	-	-	2	-
4	4	3	2	1	1	1	-	-	-	-	2	-
1	3	3	5	-	-	-	-	-	-	-	1	-
1	1	1	3	1	-	1	2	-	-	-	-	1
-	1	1	-	-	-	-	-	-	-	-	1	-
-	2	-	-	-	-	2	-	1	-	-	-	-
1	-	2	-	-	1	-	1	-	-	-	-	-
-	3	-	1	1	-	1	1	-	-	-	1	-
1	-	1	1	4	-	-	-	-	-	-	-	-
-	-	1	1	-	-	4	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

SAGADAHOC

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
SAGADAHOC COUNTY.....	-	1	2	3	14	5	15	10	7
Arrowsic	177	-	-	-	1	-	-	-	-
Bath	8,723	1	-	1	2	5	5	2	4
Bowdoin	940	-	-	1	-	-	1	1	-
Bowdoinham	1,508	-	-	-	5	-	2	1	-
Georgetown.....	849	-	-	-	1	-	1	1	-
Perkins.....	69	-	-	-	-	-	1	-	-
Phippsburg.....	1,396	-	-	-	-	-	1	1	-
Richmond.....	3,082	-	2	-	4	-	3	1	1
Topsham.....	1,384	-	-	1	1	-	-	3	-
West Bath.....	307	-	-	-	-	-	-	-	1
Woolwich.....	1,007	-	-	-	-	-	1	-	1
SOMERSET COUNTY.....	-	-	1	4	31	6	39	9	9
Anson.....	1,444	-	1	-	-	-	1	-	1
Athens.....	1,072	-	-	-	2	1	-	-	-
Bingham.....	757	-	-	-	1	-	1	-	1
Cambridge.....	425	-	-	-	1	-	4	-	-
Canaan.....	1,130	-	-	-	1	-	2	-	1
Concord.....	345	-	-	-	2	-	-	-	1
Cornville.....	785	-	-	-	1	-	-	-	-
Detroit.....	590	-	-	-	1	-	-	-	-
Embden	579	-	-	1	1	-	-	-	-
Fairfield.....	3,510	-	-	-	2	-	6	-	-
Harmony.....	704	-	-	-	1	-	-	1	-
Hartland.....	974	-	-	-	2	-	3	-	-
Madison.....	1,815	-	-	2	-	-	2	1	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
13	27	36	21	9	1	21	12	13	1	1	10	2
-	1	-	-	-	-	-	-	-	-	-	-	-
8	19	19	11	5	-	11	8	6	-	1	5	-
2	-	2	1	-	-	1	1	-	-	-	-	-
2	-	4	-	-	-	2	-	2	-	-	-	1
-	2	2	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	1	4	1	-	2	1	1	-	-	-	-
1	1	3	1	-	1	4	-	2	-	-	2	-
-	1	4	2	2	-	-	1	2	1	-	2	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	2	1	-	-	1	-	-	-	1	-
32	25	67	38	8	4	33	12	12	5	5	18	3
2	1	5	2	2	1	3	1	2	-	-	1	-
4	1	3	2	-	-	2	1	2	-	-	-	-
-	2	-	1	-	1	2	-	-	-	-	-	-
1	1	3	-	-	-	1	-	-	-	-	-	-
1	-	2	1	-	1	1	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
1	1	1	-	-	-	-	-	1	-	-	-	-
1	-	2	2	-	-	-	-	-	-	-	-	-
1	1	1	1	2	-	-	-	1	-	-	1	-
1	3	6	8	1	-	3	1	-	2	-	-	-
1	-	-	-	-	-	2	-	-	1	1	-	-
2	-	1	-	-	-	1	1	-	-	-	1	-
1	1	7	4	-	-	2	-	1	-	-	-	1

TABLE
Deaths in Each Town from Certain

WALDO

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
WALDO COUNTY.....	-	-	-	1	32	3	18	9	10
Belfast	5,294	-	-	-	7	-	1	1	1
Belmont	475	-	-	-	-	1	1	-	-
Brooks.....	730	-	-	-	1	-	-	-	-
Burnham	846	-	-	-	1	-	-	-	-
Frankfort.....	1,099	-	-	-	1	-	-	-	2
Freedom.....	510	-	-	-	1	-	-	-	1
Islesboro.....	1,006	-	-	-	-	-	-	-	-
Jackson.....	522	-	-	-	1	-	-	-	-
Knox.....	657	-	-	-	-	-	1	-	-
Liberty.....	835	-	-	-	-	-	1	-	-
Lincolnvile.....	1,361	-	-	-	2	-	1	-	-
Monroe.....	1,079	-	-	-	1	-	1	-	1
Montville.....	1,049	-	-	-	2	-	2	-	-
Morrill.....	460	-	-	-	-	-	2	-	-
Northport.....	691	-	-	-	1	1	1	1	1
Palermo.....	887	-	-	-	1	-	2	-	-
Prospect.....	697	-	-	-	-	-	-	-	-
Searsmont.....	1,144	-	-	-	3	-	-	-	-
Searsport.....	1,693	-	-	-	2	1	-	-	1
Stockton Springs	1,149	-	-	-	1	-	1	1	1
Swanville	689	-	-	-	-	-	-	-	-
Thorndike.....	589	-	-	-	-	-	-	-	-
Troy.....	868	-	-	-	2	-	-	1	1
Unity.....	922	-	-	-	1	-	3	1	-
Waldo.....	581	-	-	-	1	-	1	-	-
Winterport	1,926	-	-	1	3	-	-	4	1

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
26	33	63	36	10	7	23	19	15	2	1	9	6
5	8	20	9	5	2	10	4	1	-	-	2	1
-	-	3	-	-	-	1	-	1	-	-	-	-
-	1	1	2	-	-	-	1	-	-	-	-	1
1	4	-	2	-	-	-	-	-	-	-	-	-
-	-	3	3	1	-	-	-	1	-	-	-	-
-	1	1	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	1	-	-	-	-	-
1	-	3	1	-	-	-	-	1	-	-	-	-
1	1	1	-	-	-	-	-	-	-	-	-	-
1	1	3	5	1	1	-	-	-	-	1	-	-
2	1	1	2	-	-	1	1	-	-	-	-	1
1	-	2	-	-	1	1	-	1	-	-	-	2
1	4	-	1	-	-	3	1	1	-	-	1	-
2	-	-	-	-	-	-	1	-	-	-	1	-
1	2	1	-	1	-	1	1	-	-	-	-	-
-	-	1	2	-	-	-	-	-	-	-	-	-
-	-	2	-	-	-	-	-	-	-	-	-	-
-	3	1	2	-	1	-	2	-	-	-	-	-
2	3	7	1	-	1	1	1	2	1	-	1	-
2	1	1	-	-	-	-	1	-	-	-	1	-
-	-	2	2	-	-	1	-	-	-	-	-	-
2	-	1	-	-	-	2	-	1	-	-	-	-
1	-	2	-	-	1	1	-	-	-	-	-	-
-	-	4	1	-	-	1	1	-	-	-	2	-
-	1	-	3	-	-	-	-	1	-	-	1	-
3	2	3	-	2	-	-	4	5	1	-	-	-

TABLE
Deaths in Each Town from Certain
WASHINGTON

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
WASHINGTON COUNTY.....	-	2	-	3	27	8	37	27	19
Addison	1,022	-	-	-	-	1	1	1	-
Alexander.....	337	-	-	-	-	-	1	-	1
Baileyville.....	226	-	-	-	1	-	-	-	-
Baring.....	273	-	-	-	-	-	-	-	-
Beddington.....	184	-	-	-	-	-	-	-	-
Brookton.....	429	-	-	-	-	-	-	1	2
Calais.....	7,290	1	-	1	3	1	3	1	5
Centerville.....	114	-	-	-	-	-	1	-	-
Charlotte.....	381	-	-	-	-	-	-	-	-
Cherryfield.....	1,787	-	-	-	1	-	4	2	-
Columbia.....	587	-	-	-	-	-	1	-	-
Columbia Falls.....	698	-	-	-	-	-	2	-	-
Cooper.....	264	-	-	-	-	-	1	-	-
Crawford.....	140	-	-	-	1	-	-	-	-
Danforth.....	1,063	1	-	1	-	-	-	1	2
Deblois.....	76	-	-	-	-	-	1	-	-
Dennysville.....	452	-	-	-	2	-	-	-	-
East Machias.....	1,637	-	-	-	-	-	1	3	-
Eastport.....	4,908	-	-	1	5	-	5	3	3
Edmunds.....	395	-	-	-	-	-	1	-	-
Forest City.....	287	-	-	-	-	-	-	-	-
Harrington.....	1,150	-	-	-	-	-	2	1	-
Jonesboro.....	470	-	-	-	-	-	-	1	1
Jonesport.....	1,917	-	-	-	-	3	4	1	2
Lubec.....	2,069	-	-	-	1	1	1	1	1

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
27	44	66	38	9	9	46	29	5	2	2	22	2
-	1	2	1	1	-	1	2	-	-	-	1	-
-	-	1	-	-	-	1	-	1	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	1	-	-	-	-
-	-	-	1	-	1	-	1	-	-	-	-	-
9	6	11	7	1	3	11	7	-	-	-	9	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	-	-	-	-	-	-	-	-	-	-	-
-	-	3	1	-	-	1	-	-	-	-	-	-
-	1	-	-	-	-	1	-	-	-	1	-	1
-	1	1	-	-	-	-	1	-	1	-	1	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	-	1	3	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	1	-	-	-	-	-	-	-	-	1	-
2	1	1	-	-	-	2	1	-	-	-	1	-
-	7	5	5	2	-	1	9	1	-	-	2	-
-	-	1	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	4	-	-	1	-	1	-	1	-	-	2	-
-	-	-	-	-	-	-	-	-	-	-	1	-
1	-	6	3	-	-	-	-	-	-	-	1	-
1	-	1	3	-	-	4	1	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
YORK

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
YORK COUNTY.....	-	-	3	9	74	13	43	54	38
Acton.....	878	-	-	-	-	-	-	-	-
Alfred.....	1,030	-	-	-	1	1	-	-	1
Berwick.....	2,294	-	-	-	4	2	2	-	-
Bildeford.....	14,443	-	1	3	15	4	-	28	21
Buxton.....	2,036	-	1	-	4	-	2	-	-
Cornish.....	1,118	-	-	-	1	-	3	-	-
Dayton.....	500	-	-	-	2	-	-	-	-
Eliot.....	1,463	-	-	-	1	-	1	-	1
Hollis.....	1,278	-	-	-	1	-	1	-	-
Kennebunk.....	3,172	-	-	-	5	1	5	4	1
Kennebunkport.....	2,196	-	-	-	1	1	2	1	2
Kittery.....	2,864	-	-	-	-	1	3	-	1
Lebanon.....	1,263	-	1	-	2	-	4	3	-
Limerick.....	966	-	-	1	-	-	1	-	1
Limington.....	1,092	-	-	-	2	-	2	-	-
Lyman.....	854	-	-	-	1	-	1	-	-
Newfield.....	796	-	-	1	-	-	2	-	-
North Berwick.....	1,803	-	-	-	1	-	-	2	-
Old Orchard.....	877	-	-	-	-	-	-	1	-
Parsonsfield.....	1,398	-	-	-	4	-	2	-	1
Saco.....	6,075	-	-	1	12	1	2	5	3
Sanford.....	4,201	-	-	-	5	-	-	6	2
Shapleigh.....	968	-	-	-	1	-	-	1	-
South Berwick.....	3,434	-	-	-	3	-	2	2	2
Waterboro.....	1,357	-	-	-	1	-	2	-	-
Wells.....	2,029	-	-	2	2	1	3	-	1
York.....	2,444	-	-	1	5	1	3	1	1

No. 32—Concluded.

Diseases and Groups of Diseases.

COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
77	30	117	66	22	13	55	48	8	3	3	28	7
1	1	3	-	-	-	-	-	1	-	-	2	-
4	-	2	-	-	-	1	3	1	-	-	-	1
5	1	1	4	-	1	-	1	-	-	-	2	2
10	22	22	15	11	4	8	4	1	1	-	7	-
4	2	10	-	-	1	1	1	2	-	-	2	-
-	1	4	1	-	-	-	1	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
5	-	4	2	3	-	3	-	-	-	-	-	-
2	5	4	1	1	-	2	-	-	-	-	-	-
3	7	11	4	1	-	8	2	-	-	-	3	-
4	3	4	1	-	2	1	2	1	-	-	-	1
3	6	7	4	1	-	3	3	-	-	-	2	-
1	2	3	-	-	-	-	-	-	-	-	-	-
1	1	-	2	-	-	1	3	-	-	-	-	1
-	2	-	-	-	-	1	-	-	-	-	-	-
1	1	-	-	-	-	-	1	-	-	1	-	-
2	2	1	-	-	-	-	-	1	-	-	-	-
1	1	2	2	-	1	-	7	-	-	-	3	-
1	3	6	1	-	-	4	1	-	-	-	1	-
2	2	-	-	1	1	1	3	-	-	-	-	-
9	10	10	10	2	-	6	10	-	1	-	1	-
6	5	7	9	2	-	4	2	-	-	-	2	1
1	1	2	-	-	-	1	1	-	-	1	-	-
5	1	6	2	-	2	4	1	1	-	-	-	-
2	2	4	2	-	-	3	-	-	-	1	1	1
1	6	2	3	-	1	2	-	-	-	-	-	-
2	3	2	3	-	-	1	2	-	1	-	2	-

TABLE
Deaths by Ages, Sex

COUNTIES.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Androscoggin, males....	116	57	19	18	34	29	38	37	50	70	30	2	1	6
females.....	80	41	16	29	38	31	34	44	45	48	33	4	1	5
not stated.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Aroostook, males.....	112	63	26	12	13	16	20	18	27	33	13	1	1	5
females.....	113	70	23	35	35	23	17	18	25	23	19	4	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cumberland, males.....	131	48	26	31	35	59	64	79	123	131	71	11	-	3
females.....	119	47	13	48	68	63	66	77	107	125	92	17	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Franklin, males.....	22	4	4	5	5	8	7	13	20	18	24	1	-	-
females.....	18	-	6	7	17	12	9	7	21	20	17	2	-	3
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock, males.....	44	15	3	18	18	17	20	27	35	57	21	5	-	1
females.....	27	16	11	21	26	17	13	26	36	41	26	8	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec, males.....	83	30	12	23	37	29	32	45	60	82	53	13	1	5
females.....	64	22	9	23	40	39	26	45	65	69	63	13	-	4
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Knox, males.....	28	12	7	11	15	25	18	25	30	50	23	5	-	-
females.....	22	9	6	12	21	12	26	22	46	39	24	8	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln, males.....	6	2	3	9	9	6	9	10	27	37	39	3	-	-
females.....	10	5	2	1	15	11	13	14	26	26	30	8	1	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford, males.....	29	12	2	11	13	11	21	15	41	41	34	4	-	-
females.....	21	11	4	10	26	18	16	36	24	44	38	5	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot, males.....	104	42	10	28	43	25	33	44	73	100	74	10	-	4
females.....	66	51	16	20	48	34	40	64	73	106	62	11	-	4
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Piscataquis, males.....	20	9	2	4	6	11	8	8	11	24	14	1	-	-
females.....	9	10	3	3	9	12	11	8	14	15	16	3	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc, males.....	35	9	2	10	12	5	7	9	20	29	12	1	-	1
females.....	15	7	4	6	8	10	9	18	24	29	17	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset, males.....	26	16	6	15	12	10	12	23	38	56	37	9	-	2
females.....	20	20	3	7	29	19	20	20	35	36	22	9	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waldo, males.....	17	9	2	10	9	9	13	15	35	51	45	5	-	1
females.....	14	6	5	14	12	15	12	21	34	47	24	7	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington, males.....	65	20	5	19	20	21	23	26	41	49	32	9	-	3
females.....	55	25	4	16	15	19	14	35	32	38	29	8	1	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York, males.....	110	42	7	20	28	16	27	44	85	97	53	7	-	5
females.....	85	37	18	27	37	42	35	38	85	104	55	17	1	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Totals, males.....	948	390	136	244	359	297	352	438	716	925	575	87	3	36
females.....	738	377	143	279	444	377	361	493	692	810	567	138	4	24
not stated.....	1	-	-	-	-	1	-	-	-	-	-	-	-	1
Grand total.....	1687	767	279	523	803	675	713	931	1408	1735	1142	225	7	61

No. 33.

and Months by Counties.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
40	38	44	43	39	27	53	61	39	47	35	41	-	507	-
37	26	44	39	38	41	48	35	37	35	36	33	-	449	-
-	-	-	1	-	-	-	-	-	-	-	-	-	1	957
23	24	19	32	22	30	18	60	56	35	19	22	-	360	-
19	30	27	23	39	31	28	54	63	35	27	29	-	405	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	765
74	79	71	67	74	48	61	86	80	69	74	79	-	862	-
80	77	54	64	71	61	52	68	75	85	63	93	-	843	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,705
14	8	7	14	12	10	8	10	20	18	7	3	-	131	-
6	7	9	18	16	11	12	12	14	19	10	11	-	145	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	276
30	22	16	30	21	18	16	14	29	32	32	21	-	281	-
19	20	25	21	22	26	15	15	35	29	21	21	-	269	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	550
38	31	43	32	38	38	35	51	62	53	44	40	-	505	-
40	27	48	46	42	26	34	38	49	46	46	40	-	482	-
-	-	-	1	-	-	-	-	-	1	-	-	-	2	989
24	19	23	24	23	22	8	20	31	18	20	17	-	249	-
20	26	31	20	26	20	18	17	21	20	12	17	-	248	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	497
12	15	15	10	14	11	16	9	13	18	12	15	-	160	-
13	21	9	14	15	18	11	16	17	10	8	10	-	162	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	322
14	22	22	20	13	22	22	19	21	19	15	25	-	234	-
25	17	14	30	17	23	16	14	23	39	20	16	-	254	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	488
54	32	43	56	47	45	45	54	66	50	45	52	1	590	-
51	41	59	57	44	36	44	43	67	57	40	56	-	595	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,185
13	12	10	8	7	8	12	6	11	6	14	11	-	118	-
14	14	6	13	14	8	6	6	6	11	9	7	-	114	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	232
14	14	18	13	16	11	19	20	8	10	12	6	-	152	-
15	14	13	13	12	14	16	18	11	15	4	10	-	155	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	307
22	24	29	19	25	18	22	19	22	20	17	25	-	262	-
14	27	21	23	26	24	16	14	23	19	13	21	-	241	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	503
13	14	19	13	19	15	17	23	21	13	25	29	-	221	-
9	9	21	18	24	17	24	22	13	25	14	15	-	211	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	432
21	19	16	25	34	24	21	50	38	36	27	27	1	333	-
26	19	16	27	19	21	19	24	44	39	19	19	-	292	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	625
42	33	40	32	52	35	32	57	69	54	48	47	-	541	-
51	36	37	50	53	32	59	48	63	52	48	53	-	582	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,123
448	406	429	438	456	382	396	559	586	498	446	460	2	5,506	-
439	411	434	476	478	409	418	444	561	536	390	451	-	5,447	-
-	-	-	1	1	-	-	-	-	-	1	-	-	3	-
887	817	863	915	935	791	814	1,003	1,147	1,034	837	911	2	10,956	10,956

TABLE No. 34.

Number of Deaths from Several Specified Causes, of Each Sex, in Each Month, which were Registered During Seven Years, (1892-93.)

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Cerebro-spinal meningitis.	Typhoid fever.	Consumption.	Infantile diarrhoea.	Pneumonia.	Bronchitis.	Apoplexy.
Totals.....	208	284	408	1,390	243	1,587	8,429	3,761	6,895	1,585	3,411
Males.....	100	129	183	679	127	882	3,593	-	3,381	740	1,654
Females.....	108	155	225	711	116	705	4,835	-	3,514	845	1,757
Not stated.....	-	-	-	-	-	-	1	-	-	-	-
January.....	22	24	43	150	19	105	738	28	1,179	207	338
February.....	16	22	32	126	26	89	681	31	949	176	295
March.....	27	29	28	89	24	121	802	43	1,002	206	292
April.....	23	27	28	92	32	75	794	47	840	182	290
May.....	33	21	30	97	13	96	798	48	645	164	292
June.....	16	26	37	76	17	87	727	103	327	99	261
July.....	22	14	33	89	18	73	697	674	145	82	235
August.....	10	12	44	72	19	124	651	1,312	140	58	285
September.....	7	22	47	100	22	230	613	1,064	215	75	290
October.....	12	27	29	161	26	262	669	387	340	118	268
November.....	11	30	29	160	15	180	585	80	453	96	261
December.....	9	27	28	176	12	142	671	42	657	122	309
Not stated.....	-	-	-	2	-	3	3	2	3	-	-

NOTES ON DEATHS AND THE CAUSES OF DEATHS.

Death-Rates.—The number of deaths registered in the year 1898 was 10,956 (12,147 in 1892, 11,134 in 1893, 11,012 in 1894, 10,464 in 1895, 10,626 in 1896, and 11,236 in 1897). The number of deaths for this registration year was, therefore, 280 less than that for the year 1897, 330 more than for 1896, 492 more than for 1895, 56 less than for 1894, 178 less than for 1893, and 1,191 less than for 1892. The death-rate for the State for the year 1898 was 16.57 for every 1,000 of population as returned by the census of 1890 (18.37 in 1892, 16.84 in 1893, 16.66 in 1894, 15.83 in 1895, 16.07 in 1896, and 16.99 in 1897). Based on the estimated population of 1898, the death-rate would be slightly lower, 16.33.

By referring to Table No. 4, it will be seen that the death-rate of Washington county was lower than that of any other county, being only 14.05. The counties Aroostook, Franklin, Hancock, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, and Washington had lower death-rates than that of the whole State; while the counties Androscoggin, Cumberland, Kennebec, and York, containing large manufacturing centres, have death-rates larger than that of the State. The highest county death-rate was that of Androscoggin, 19.54.

The death-rate in the cities was 19.74 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, 18.36 in 1895, 18.78 in 1896, and 20.11 in 1897) as compared with that of the rest of the State with the cities omitted, which death-rate was 15.24 (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, 14.77 in 1895, 14.93 in 1896, and 15.68 in 1897).

Seasons and Mortality.—The largest number of deaths occurred in September, 1,147. In 1897, the largest number of deaths was in March, 1,259. The smallest number of deaths in any one month was 791 in June. In the preceding year the smallest number was 769 in June. During the spring months 2,713 deaths occurred; during the summer, 2,608; during the autumn, 3,018; in the winter, 2,615.

The following is a tabular statement of the number of deaths in each quarter of the seven years, 1892-98:

	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
1892	3,964	2,926	2,780	2,427
1893	2,653	2,825	2,878	2,750
1894	3,166	2,660	2,774	2,402
1895	2,780	2,412	2,764	2,503
1896	2,728	2,717	2,836	2,339
1897	3,026	2,681	2,856	2,671
1898	2,567	2,641	2,964	2,782

Table No. 29 exhibits the total number of deaths which occurred in each month of the seven years for which a report has now been made. In 1892, the highest mortality occurred in January; in 1893, in August; in 1894, in January; in 1895, in March; in 1896, in August; in 1897, in March; in 1898, in September. The smallest number of deaths in all the seven registration years has been in November, with the exception of 1897, when it was in June; and 1898, when it was in September. The number of deaths for 1898 in each month by counties is shown in Table No. 33.

Sex and Mortality.—Of the 10,956 decedents, 5,506 were males, and 5,447 were females. The sex of 3 was unstated.

Among children dying before they were 5 years old, 1,338 were males, and 1,115 were females; there were 223 more deaths among boys under 5 years of age than among girls within the same age-period. On the contrary, at the age-periods from 10 to 50 years there was a preponderance of deaths among females, while there were more deaths among males at the ages from 50 to 80. At the age of 100 years and over, seven persons died, three men and four women. See Table No. 33.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under 1	year of age	1,687	15.40 per cent.
From 1-5	years of age	767	7.00 per cent.
From 5-10	years of age	279	2.55 per cent.
From 10-20	years of age	523	4.77 per cent.
From 20-30	years of age	803	7.33 per cent.
From 30-40	years of age	675	6.16 per cent.
From 40-50	years of age	713	6.51 per cent.
From 50-60	years of age	931	8.50 per cent.
From 60-70	years of age	1,408	12.85 per cent.
From 70-80	years of age	1,735	15.84 per cent.
From 80-90	years of age.	1,142	10.42 per cent.
From 90-100	years of age	225	2.05 per cent.
Over 100	years of age	7	0.06 per cent.
Ages not stated		61	0.56 per cent.

The Causes of Death.—Of the 11,762 deaths, including 648 still-births and 158 premature births, the cause of 11,331 was certified, leaving 431 of which the cause of death was unspecified or so ill-defined as to preclude satisfactory classification.

The following table shows the mortality from ten prominent causes in the seven years 1892-98. With the exception of the year 1892, the various diseases of the brain have occupied the first place among the causes of death, and consumption has been the next most prominent cause of death until this year when it is reduced to the third place in the list, and diseases of the heart have the second place. In 1892, on account of the existing epidemic of influenza, pneumonia was raised to the first place in the list of the causes of death.

MORTALITY FROM TEN PROMINENT CAUSES—1892-93.

CAUSES OF DEATH.	1898.	1898.	1897.	1896.	1895.	1894.	1893.	1892.
Brain disease*	1,336	1	1	1	1	1	1	3
Heart diseases	1,062	2	3	3	3	4	4	4
Consumption	1,021	3	2	2	2	2	2	2
Pneumonia	769	4	4	4	4	3	3	1
Infantile diarrhea	669	5	6	6	6	7	6	6
Old age	616	6	5	5	5	5	5	5
Cancer	531	7	7	7	7	6	7	7
Kidney disease †	463	8	8	8	8	8	8	8
Diphtheria and croup	240	9	9	10	10	10	10	10
Bronchitis	210	10	10	9	9	9	9	9

* Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain and its membranes, and other brain diseases.

† Including deaths certified as from nephritis, Bright's disease, albuminuria, and uremia.

By referring to Table No. 30, it will be noticed that the causes of death are arranged under eight "Classes," and that the causes of death in some of the classes are distributed into several "Groups." The following notes on some of the classes and groups of diseases and individual causes of death will be arranged in accordance with the classification shown in this Table No. 30.

Zymotic Diseases.—The lists of the zymotic diseases usually include smallpox, measles, scarlet fever, typhoid fever, whooping-cough, diphtheria and croup, and the diarrheal diseases. The following table shows the number of deaths which resulted from these zymotic diseases in the several counties of the State.

SEVEN ZYMOTIC DISEASES BY COUNTIES—1898.

COUNTIES.	Population in 1890.	Aggregate deaths from zymotic diseases—1898.	Zymotic death-rate per 10,000—1898.	Mean zymotic death-rate—1892-98.
Androscoggin	48,968	195	39.82	28.91
Aroostook	49,589	230	46.38	32.90
Cumberland	90,949	200	21.99	19.34
Franklin	17,053	29	17.01	15.25
Hancock	37,312	70	18.76	13.06
Kennebec	57,012	124	21.75	22.80
Knox	31,473	34	10.80	14.48
Lincoln	21,996	10	4.54	6.49
Oxford	30,586	41	13.40	11.62
Penobscot	72,865	142	19.49	15.90
Piscataquis	16,134	24	14.88	10.27
Sagadahoc	19,452	28	14.39	11.82
Somerset	32,627	53	16.24	12.91
Waldo	27,759	25	9.06	8.19
Washington	44,482	84	18.88	16.67
York	62,829	149	23.72	24.26
State	661,086	1,438	21.75	18.54

In the foregoing table the third column shows, for each county, the whole number of deaths in 1898 from the zymotic diseases, the fourth column shows the zymotic death-rate for the same year, and the last column gives the mean or average zymotic death-rate in each county for the seven years 1892-98. The following table makes a similar comparative exhibit for the cities:

ZYMOTIC DISEASES BY CITIES—1893.

CITIES.	Population in 1890.	Aggregate deaths from seven zymotic diseases—1888.	Zymotic death-rate per 10,000—1888.	Mean zymotic death-rate—1892-98.
Auburn	11,250	38	33.78	22.48
Augusta	10,527	45	42.74	38.95
Bangor.....	19,103	47	24.60	20.04
Bath	8,723	12	13.76	15.23
Belfast	5,294	9	17.00	10.52
Biddeford	14,443	76	52.62	56.08
Brewer.....	4,193	7	16.69	21.12
Calais	7,290	10	13.72	31.16
Deering	5,353	8	14.94	11.82
Eastport	4,908	20	40.75	24.45
Ellsworth.....	4,804	7	14.57	9.22
Gardiner.....	5,491	10	18.39	15.90
Hallowell.....	3,181	3	9.43	13.47
Lewiston	21,701	134	61.75	43.18
Old Town.....	5,312	28	52.72	32.00
Portland	36,425	129	35.42	22.90
Rockland	8,174	12	14.68	21.67
Saco.....	6,075	13	21.40	21.16
Waterville.....	7,107	23	32.36	42.01
Westbrook	6,632	16	24.13	32.30
Collectively	195,986	637	32.50	27.89

Infectious Diseases.—Disregarding influenza, the number of deaths caused by this group of diseases was 684 in 1892, 678 in 1893, 536 in 1894, 575 in 1895, 617 in 1896, 605 in 1897, and 660 in 1898. In 1898 there were, therefore, 55 more deaths from these causes than in the preceding year. By consulting the table which follows, it will be seen that the number of deaths from typhoid fever, measles, and scarlet fever was larger than

in 1897; that from whooping-cough the mortality was less than in any of the three preceding years; and that the combined mortality from diphtheria and croup was less than for the last registration year.

INFECTIOUS DISEASES—1892-98.

DISEASES.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	Totals.
Smallpox	-	-	-	-	-	-	-	-
Chicken-pox	-	1	-	1	-	-	-	2
Measles	29	55	21	8	32	22	41	208
Rötheln	-	-	-	1	2	-	-	3
Scarlet fever	36	80	29	25	33	38	43	284
Typhus fever	-	-	1	1	1	-	-	3
Influenza	755	153	295	152	117	294	145	1,911
Whooping cough	54	51	20	82	111	46	44	408
Mumps.....	-	-	-	1	-	-	3	4
Diphtheria.....	106	69	77	135	109	200	185	881
Croup.....	106	33	62	62	65	76	55	509
Tonsilitis, etc.....	9	7	1	4	7	11	8	47
Cerebro-spinal meningitis	38	30	34	29	33	36	43	243
Tetanus	7	10	6	10	8	2	4	47
Typhoid fever.....	255	257	258	185	186	151	216	1,508
Simple continued fever	31	29	19	21	18	16	10	144
Malarial diseases	13	5	8	10	12	7	8	63
Other specific febrile diseases....	-	1	-	-	-	-	-	1

Smallpox.—No death has resulted from this cause in any of the seven years covered by the vital statistics reports, 1892-98.

Measles.—This disease caused the death of 41 persons, of whom 20 were males and 21 were females. The deaths from measles were 29 in 1892; 55 in 1893; 21 in 1894; 8 in 1895; 32 in 1896; and 22 in 1897.

MEASLES BY COUNTIES, MONTHS, AND AGE-PERIODS—1896-98.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 12	January 8	Under 1..... 32
Aroostook 13	February 10	1-5..... 41
Cumberland 12	March 7	5-10..... 7
Franklin -	April 7	10-20..... 3
Hancock 6	May 17	20-30..... 4
Kennebec 9	June 6	30-40..... 3
Knox -	July..... 11	40-50..... 1
Lincoln 2	August..... 5	50-60..... 2
Oxford 7	September 5	Over 60..... 2
Penobscot 15	October..... 8	Total..... 95
Piscataquis -	November..... 7	
Sagadahoc 4	December 4	
Somerset..... 1	Total 95	
Waldo 4		
Washington 1		
York..... 9		
State..... 95		

Scarlet Fever.—The total mortality from this disease was 43 (36 in 1892, 80 in 1893, 29 in 1894, 25 in 1895, 33 in 1896, and 38 in 1897), 19 males and 24 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was 9 in October. There were 8 deaths in the first quarter, 7 in the second, 6 in the third, and 22 in the last three months of the year. Penobscot county had 7 deaths from scarlet fever; Androscoggin had 6; Cumberland and Kennebec had 5 each; Aroostook, Waldo, and York had 4 each; Hancock and Knox had 3 each; and Oxford and Sagadahoc had 1 each. In 5 counties no deaths occurred from this disease. Of the 43 deaths from this cause, 30 were in the cities. The following is an exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the six years 1893-98:

**SCARLET FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS
1893-98.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin 19	January 16	Under 1..... 22
Aroostook 33	February..... 19	1-5..... 116
Cumberland 27	March 24	5-10..... 73
Franklin 5	April..... 22	10-20 28
Hancock 11	May..... 20	20-30..... 7
Kennebec 22	June 23	30-40..... -
Knox 20	July..... 14	40-50..... 1
Lincoln 1	August 12	Not stated..... 1
Oxford 2	September..... 21	Total..... 248
Penobscot..... 26	October..... 25	
Piscataquis..... -	November..... 27	
Sagadahoc 8	December 25	
Somerset..... 6	Total..... 248	
Waldo..... 7		
Washington..... 13		
York..... 48		
State 248		

The scarlatinal death-rate per 10,000 for the State was 0.65; for the cities, 1.54.

Influenza.—During the year for which this report is made, 145 deaths were attributed to influenza. By months the percentage distribution of deaths from this cause was as follows: January, 11.0; February, 9.7; March, 9.7; April, 10.3; May, 9.0; June, 6.2; July, 2.1; August, 6.2; September, 5.5; October, 4.8; November, 1.4; December, 23.4; not stated, 0.7. The following shows the age incidence of deaths reported as having occurred from influenza:

Under 1 year,	28	50-60 years,	6
1-5 years,	28	60-70 years,	13
5-10 years,	7	70-80 years,	23
10-20 years,	5	Over 80 years,	24
20-30 years,	4		
30-40 years,	1	Total,	145
40-50 years,	6		

The influenza death-rate for the whole State was 2.19 for each 10,000 of living population (11.43 in 1892, 2.31 in 1893, 4.46 in 1894, 2.30 in 1895, 1.77 in 1896, and 4.45 in 1897).

DEATHS FROM INFLUENZA BY COUNTIES AND MONTHS—1893.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	-	-	1	3	1	-	-	-	-	-	1	7	-	13
Aroostook	2	4	4	3	6	5	2	7	5	5	1	1	-	45
Cumberland	6	-	-	3	-	1	-	-	-	1	-	6	-	17
Franklin	-	-	-	-	1	-	1	-	-	-	-	1	-	3
Hancock	1	1	1	1	-	-	-	-	-	-	-	2	-	6
Kennebec	1	2	2	2	1	-	-	-	-	-	-	2	-	10
Knox	1	2	1	-	-	1	-	1	-	-	-	-	-	6
Lincoln	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Oxford	-	1	-	1	1	1	-	-	-	-	-	-	-	4
Penobscot	-	1	1	1	-	-	-	-	-	1	-	9	-	13
Piscataquis	1	2	2	-	-	-	-	-	-	-	-	2	-	7
Sagadahoc	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset	3	-	1	1	1	-	-	-	-	-	-	2	-	8
Waldo	-	-	-	-	-	-	-	-	1	-	-	1	-	2
Washington	1	1	-	-	1	-	-	1	-	-	-	-	1	5
York	-	-	1	-	1	-	-	-	2	-	-	1	-	5
State	16	14	14	15	13	9	3	9	8	7	2	34	1	145

Whooping-Cough.—The number of deaths from whooping-cough was 44 (54 in 1892, 51 in 1893, 20 in 1894, 82 in 1895, 111 in 1896, and 46 in 1897), of which 15 were males and 29 were females. The number of deaths in the cities was 28. Twenty-nine of the 44 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping-cough was 0.66 per 10,000; that of the cities, 1.42.

The following shows the deaths from whooping-cough arranged by counties, months, and age-periods:

**WHOOPIING-COUGH BY COUNTIES, MONTHS, AND AGE-PERIODS
—1898.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin..... 6	January 1	Under 1 29
Aroostook 2	February..... 1	1-5 15
Cumberland 18	March 5	Total 44
Franklin -	April 3	
Hancock 3	May 1	
Kennebec 1	June 1	
Knox -	July..... 4	
Lincoln -	August 3	
Oxford -	September 7	
Penobscot 5	October..... 9	
Piscataquis ... -	November..... 3	
Sagadahoc..... -	December 6	
Somerset..... 1	Total..... 44	
Waldo -		
Washington 5		
York..... 3		
State..... 44		

Diphtheria.—There were, for the year 1898, 185 deaths from diphtheria (106 in 1892, 69 in 1893, 77 in 1894, 135 in 1895, 109 in 1896, and 185 in 1897). Of the decedents, 86 were males and 99 were females.

Ages: Under 1, 24; 1-5, 77; 5-10, 54; 10-20, 19; 20-30, 4; 30-40, 3; 40-50, 2; 50-60, 1; over 70, 1.

Of the 185 deaths, 87 were in the cities, and 98 in other places. The diphtheria death-rate for the State was 2.80, and for the cities, 4.44.

The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

DIPHTHERIA BY COUNTIES AND MONTHS—1898.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	4	1	3	1	5	4	9	1	2	4	6	-	40	8.13
Aroostook	3	9	1	8	2	4	5	6	9	1	2	3	53	10.69
Cumberland	5	6	2	-	4	1	-	2	2	-	6	5	33	3.63
Franklin	-	-	-	-	-	-	-	-	-	-	-	1	1	0.59
Hancock	1	1	-	-	-	-	-	1	-	-	-	-	3	0.80
Kennebec	-	-	1	-	1	2	1	-	-	2	1	-	8	1.40
Knox	-	-	-	-	2	-	-	-	-	2	3	2	9	2.86
Lincoln	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	-	-	-	1	-	-	1	-	-	-	-	-	2	0.65
Penobscot	2	-	-	-	2	-	-	-	-	1	-	2	7	0.96
Piscataquis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc	-	-	-	1	-	-	-	-	-	-	-	-	1	0.51
Somerset.....	1	-	-	-	-	-	3	1	3	-	-	-	8	2.45
Waldo	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York.....	1	2	1	1	-	-	-	-	5	2	4	4	20	3.18
State	17	19	8	12	16	11	19	11	21	12	22	17	185	2.80

Croup.—The number of deaths referable to this cause was 55 (106 in 1892, 83 in 1893, 62 in 1894, 62 in 1895, 65 in 1896, and 76 in 1897). Of the 55 decedents, 29 were males and 26 females. All but 2 were less than 10 years of age.

Ages: Under 1, 18; 1-5, 26; 5-10, 9; over 10, 2.

The death-rate for croup was, for the State, 0.83; for the cities, 1.33.

The distribution of croup by counties and months is shown in the following table:

CROUP BY COUNTIES, AND MONTHS—1898.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	-	4	1	1	1	-	2	1	1	2	-	-	13	2.65
Aroostook	1	1	-	1	2	-	-	2	-	2	1	3	13	2.62
Cumberland	1	-	-	-	2	-	-	1	-	-	-	-	4	0.43
Franklin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock	1	-	-	-	-	-	-	-	-	-	-	2	3	0.81
Kennebec.....	-	-	1	-	-	-	-	-	-	-	1	-	2	0.35
Knox	-	-	1	-	-	-	-	-	-	-	-	-	1	0.32
Lincoln	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	-	1	-	-	-	-	-	-	-	-	-	-	1	0.33
Penobscot	-	1	-	-	-	1	-	-	-	1	-	-	3	0.41
Piscataquis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc	1	1	-	-	-	-	-	-	-	-	-	-	2	1.03
Somerset.....	-	-	1	1	-	-	1	-	-	-	-	-	3	0.93
Waldo	-	-	-	-	-	-	-	-	-	-	-	1	1	0.36
Washington	-	-	-	1	-	-	-	1	1	-	-	-	3	0.66
York.....	-	1	-	-	-	-	-	-	1	1	1	2	6	0.95
State.....	4	9	4	4	5	1	3	5	3	6	3	8	55	8.32

It is now conceded that the two diseases, croup and diphtheria, are etiologically one and the same. The combined death-rate for the two diseases is 3.63 per 10,000 of living population; of our cities, 5.77.

The following tabulation shows the number of deaths from diphtheria and croup for the seven years 1892-98, arranged by counties, months, and age-periods:

DIPHTHERIA AND CROUP BY COUNTIES, MONTHS, AND AGE-PERIODS—1892-98.

By COUNTIES.	By months.	By age-periods.
Androscoggin 157	January 150	Under 1 218
Aroostook 263	February 125	1-5. 622
Cumberland 268	March 89	5-10 326
Franklin 22	April 92	10-20 153
Hancock 35	May 97	20-30. 30
Kennebec 137	June 76	30-40. 20
Knox 89	July 89	40-50 8
Lincoln 14	August 73	50-60. 4
Oxford 20	September 100	60-70. 4
Penobscot 84	October 161	Over 70 2
Piscataquis 14	November 160	Not stated 3
Sagadahoc 27	December 176	Total 1,390
Somerset 35	Not stated 2	
Waldo 24	Total 1,390	
Washington 67		
York 134		
State 1,390		

Cerebro-Spinal Meningitis.—The number of decedents was 43 (38 in 1892, 30 in 1893, 34 in 1894, 29 in 1895, 33 in 1896, and 36 in 1897)—22 males and 21 females. Eighteen of these deaths were in the cities. Deaths from this cause occurred in every month. Distributed by quarters, they were 10, 6, 14, 13. The death-rate from this disease was 0.65.

The distribution of deaths from cerebro-spinal meningitis by counties, months, and age-periods is shown in the following:

CEREBRO-SPINAL MENINGITIS BY COUNTIES, MONTHS, AND AGE-PERIODS—1898.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 3	January 4	Under 1 8
Aroostook 2	February 5	1-5 18
Cumberland 8	March 1	5-10 13
Franklin 4	April 4	10-20 6
Hancock 5	May 1	20-30 3
Kennebec 2	June 1	30-40 2
Knox 2	July 5	50-60 2
Lincoln 1	August 4	Over 60 1
Oxford 1	September 5	Total 43
Penobscot 7	October 7	
Piscataquis -	November 5	
Sagadahoc -	December 1	
Somerset -	Total 43	
Waldo -		
Washington 4		
York 4		
State 43		

Tetanus.—This disease was the cause of 4 deaths (7 in 1892, 10 in 1893, 6 in 1894, 10 in 1895, 8 in 1896, and 2 in 1897). The decedents were 1 male and 3 females. These deaths occurred in February, June, and July. Ages, 4 months, 35, 57, and 72 years.

Typhoid Fever.—Including 6 deaths from “gastric fever,” 2 “slow fever,” and 2 “bilious fever,” there were 226 deaths from typhoid fever. Of these, 144 were of males and 82 of females. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value,—81 per cent. died between 10 and 50 years of age.

Ages: 1-5, 9; 5-10, 8; 10-20, 43; 20-30, 90; 30-40, 28; 40-50, 14; 50-60, 22; 60-70, 7; 70-80, 5.

The largest number of deaths, 49, occurred in October, and the smallest number, 7, in July. By quarters, 32 were in the first quarter, 43 in the second, 55 in the third, and 96 in the last quarter of the year.

The typhoid death-rate of 5.77 in the cities is considerably greater than that in the villages and rural towns, which is 2.42. The rate for the State is 3.42.

In 26 cases, the records state that the deaths were of Spanish war soldiers. The following exhibits the number of deaths from typhoid fever in each county by months, with death-rate in each county.

TYPHOID FEVER—1898.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	-	2	2	1	1	5	1	-	1	4	2	4	23	4.69
Aroostook	-	-	-	-	2	-	-	1	1	1	-	-	5	1.61
Cumberland	1	2	2	3	3	2	-	7	11	7	7	6	51	5.61
Franklin	-	-	-	-	2	1	-	-	-	2	1	-	6	3.52
Hancock	1	1	1	-	-	1	1	-	-	1	-	4	10	2.68
Kennebec	2	2	4	2	1	-	-	1	8	5	2	3	30	5.26
Knox	-	-	-	-	-	1	-	1	3	3	-	-	8	2.56
Lincoln	1	1	1	-	1	-	-	-	1	1	-	-	6	2.72
Oxford	-	-	-	1	-	-	1	1	1	2	2	1	9	2.94
Penobscot	2	-	1	1	1	1	3	-	1	7	2	3	22	3.02
Piscataquis	-	-	-	2	-	1	-	-	-	1	-	-	4	2.48
Sagadahoc	-	-	1	-	-	-	-	-	1	1	-	1	4	2.06
Somerset	-	2	-	-	-	1	-	1	1	-	-	2	7	2.15
Waldo	-	-	-	-	2	1	-	1	-	2	-	1	7	2.52
Washington	-	-	-	-	-	-	1	1	2	6	2	1	13	2.92
York	1	2	-	2	3	1	-	-	3	6	1	2	21	3.34
State	8	12	12	12	16	15	7	14	34	49	19	28	226	3.42

The following exhibits for the seven years 1892-98, the distribution of deaths from typhoid fever by counties, months, and age-periods:

**TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—
1892-98.**

BY COUNTIES.		By months.		By age-periods.	
Androscoggin	191	January	111	Under 1	21
Aroostook	137	February	97	1-5.	72
Cumberland	248	March	123	5-10.	80
Franklin	54	April	81	10-20.	379
Hancock	77	May.	100	20-30.	516
Kennebec	153	June	94	30-40.	222
Knox	39	July	81	40-50.	129
Lincoln	32	August	128	50-60.	92
Oxford	72	September	236	60-70.	63
Penobscot	216	October	268	70-80.	50
Piscataquis	29	November	183	Over 80	13
Sagadahoc	28	December	147	Not stated	15
Somerset	60	Not stated	3		
Waldo	39			Total	1,652
Washington	85	Total	1,652		
York	192				
State	1,652				

Malarial Diseases.—Eight deaths were registered as from malarial diseases. In five cases the disease was contracted outside of this State, one of the persons having been a soldier in the war of the rebellion, and one in the Cuban war. In three cases no information is at hand as to the place of infection. All but 1 of the decedents were males; their respective ages were 21, 27, 30, 41, 60, 62, 69, and 77.

Tuberculosis.—In 1898, tuberculosis in its various forms was the cause of 1,239 deaths (1,513 in 1892, 1,446 in 1893, 1,449 in 1894, 1,397 in 1895, 1,359 in 1896, and 1,338 in 1897). The death-rate per 10,000 from this cause was 18.74.

Cerebral Tuberculosis. (Tubercular Meningitis).—The number of deaths was 62; 27 were of males and 35 of females. The number in the cities was 23. The death-rate for the State was 0.94; for the cities, 1.17.

Ages: Under 1, 19; 1-5, 17; 5-10, 10; 10-20, 10; 20-30, 3; 30-40, 1; 40-50, 1; over 70, 1.

Pulmonary Tuberculosis. (Consumption).—From this cause 1,021 deaths were registered in 1898, which is equivalent to a death-rate of 15.44 per 10,000 of population. The death-rate for the cities was 17.71. The following tabular arrangement of the number of deaths in the State from pulmonary tuberculosis in each of the seven registration years, together with the death-rate from consumption for each year, is a very encouraging exhibit. It indicates a progressive and rather rapid diminution in the mortality from pulmonary tuberculosis.

	Number of deaths.	Death-rate per 10,000.
1892.....	1,352.....	20.45
1893.....	1,299.....	19.64
1894.....	1,262.....	19.09
1895.....	1,195.....	18.08
1896.....	1,172.....	17.73
1897.....	1,128.....	17.06
1898.....	1,021.....	15.44

There were, in 1898, 331 fewer deaths than in 1892, 278 fewer than in 1893, 241 fewer than in 1894, 174 fewer than in 1895, 151 fewer than in 1896, and 107 fewer than in 1897.

Ages: Under 1, 18; 1-5, 12; 5-10, 11; 10-20, 136; 20-30, 290; 30-40, 195; 40-50, 112; 50-60, 92; 60-70, 85; 70-80, 52; 80-90, 13; over 90, 2; not stated, 3.

It is thus shown in this report, as it was in the six preceding reports, that the smallest number of deaths occurred at the age-period 5 to 10 years, and that, of the decedents whose ages were given, 80 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 447 of the decedents, or 43.8 per cent., were males; and 573, or 56.2 per cent., were females, and the sex of 1 was not stated.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

CONSUMPTION BY COUNTIES AND MONTHS—1898.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.....	10	6	8	9	12	9	10	6	4	7	5	7	93	18.99
Aroostook.....	7	4	9	6	6	9	9	8	5	8	4	6	81	16.33
Cumberland.....	14	9	7	9	14	12	7	12	19	13	11	22	149	16.38
Franklin.....	4	4	1	5	3	2	1	2	1	3	1	2	29	17.01
Hancock.....	7	6	7	5	4	3	4	3	5	3	8	3	58	15.54
Kennebec.....	1	3	14	4	7	6	10	5	5	8	7	6	76	13.33
Knox.....	1	4	9	5	7	7	1	3	9	5	3	3	57	18.11
Lincoln.....	4	1	3	1	1	4	3	-	3	2	1	2	25	11.37
Oxford.....	3	8	5	8	5	4	3	5	2	-	2	4	49	16.02
Penobscot.....	11	5	7	8	10	6	6	3	7	12	8	14	97	13.31
Piscataquis.....	2	2	1	1	3	2	1	-	-	1	2	3	18	11.16
Sagadahoc.....	1	2	6	4	-	3	5	3	1	1	4	1	31	15.94
Somerset.....	2	8	4	6	2	5	5	3	5	5	4	3	52	15.94
Waldo.....	4	-	5	4	1	2	5	8	3	2	3	7	44	15.85
Washington.....	4	1	5	10	2	7	3	8	5	8	6	5	64	14.39
York.....	9	9	6	9	8	4	10	9	11	8	7	8	98	15.60
State.....	84	72	97	94	85	85	83	78	85	86	76	96	1,021	15.44

For the seven years 1892-98, the distribution of deaths from pulmonary consumption is shown by counties, months, and age-periods in the following table:

**CONSUMPTION BY COUNTIES, MONTHS, AND AGE-PERIODS
—1892-93.**

By COUNTIES.	By months.	By age-periods.
Androscoggin 649	January 737	Under 1 137
Aroostook 481	February 681	1-5 126
Cumberland 1,155	March 802	5-10 75
Franklin 230	April 795	10-20 1,032
Hancock 451	May 801	20-30 2,463
Kennebec 771	June 727	30-40 1,549
Knox 471	July 697	40-50 960
Lincoln 251	August 651	50-60 736
Oxford 316	September 613	60-70 668
Penobscot 983	October 665	70-80 492
Piscataquis 196	November 587	Over 80 144
Sagadahoc 255	December 670	Not stated 47
Somerset 425	Not stated 3	Total 8,429
Waldo 372	Total 8,429	
Washington 612		
York 811		
State 8,429		

Tuberculosis Mesenteric.—There were 60 deaths from this cause, 25 males and 35 females.

Ages: Under 1, 6; 1-5, 4; 5-10, 4; 10-20, 9; 20-40, 18; 40-60, 15; over 60, 3; not stated, 1.

Tuberculosis, Other Forms.—Of these deaths, 96 in all, the cause assigned was: tuberculosis or general tuberculosis, 47; scrofula, 15; tuberculosis of larynx, 10; tuberculosis of kidney, 4; tuberculosis of glands, 4; miliary tuberculosis, 3; tuberculosis of throat, 3; spinal tuberculosis, 3; tuberculosis of liver, 2; lupus, 2; psoas abscess, 1; tuberculosis of hip joint, 1; tuberculous ulceration of face, 1.

Diarrheal Diseases.—The total number of deaths caused by the diseases under this group was 854 (662 in 1892, 642 in 1893, 602 in 1894, 635 in 1895, 639 in 1896, and 666 in 1897). The death-rate for this group of diseases was 12.92 per 10,000.

Infantile Diarrhea.—This, as synonymous with cholera infantum or including it, was the cause of 669 deaths (546 in 1892, 507 in 1893, 468 in 1894, 523 in 1895, 520 in 1896, and 528 in 1897). A reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates, for this cause. There were in the first quarter of the year but 19 deaths from this cause; in the second quarter, 28; in the third quarter, 505; and in the fourth quarter, 117. The largest number of deaths occurred in September, 235.

Of the children dying from this cause, 50 per cent. were less than 6 months old, and another 35 per cent. were less than 1 year of age, making 85 per cent. of deaths within the first year of age.

Ages: Under 6 months, 338; 6-12 months, 234; 1-2 years, 97.

In the classification of deaths from diarrheal diseases, only the deaths among children 2 years old, or younger, are included under "infantile diarrhea." The deaths from diarrheal diseases, other than those under this cause, were: cholera morbus, 38; dysentery, 52; and diarrhea, 95.

Of the 669 deaths from infantile diarrhea, 297 were returned from the cities. This represents an urban death-rate from this cause of 15.15 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, 13.78 in 1895, 11.43 in 1896, and 14.95 in 1897), which is in contrast with 8.00, the rate for the villages and rural districts (5.33 in 1892, 4.95 in 1893, 4.47 in 1894, 5.44 in 1895, 6.36 in 1896, and 5.05 in 1897).

INFANTILE DIARRHEA BY COUNTIES AND MONTHS—1898.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	2	2	2	-	1	1	22	37	19	6	3	2	97	19.81
Aroostook	1	-	2	2	3	1	9	29	42	10	-	1	100	20.17
Cumberland	1	1	2	-	1	1	8	30	17	12	1	-	74	8.14
Franklin	-	-	-	-	-	1	-	3	10	4	-	-	18	10.56
Hancock	-	-	-	-	-	1	1	-	14	15	1	-	32	8.58
Kennebec	-	-	-	1	1	2	5	23	19	8	1	-	60	10.52
Knox	-	-	1	-	-	-	1	-	8	1	1	-	12	38.12
Lincoln	-	-	-	-	-	1	-	-	1	-	-	-	2	9.09
Oxford	1	-	-	-	-	-	-	4	8	5	1	-	19	6.21
Penobscot	-	-	-	1	1	-	-	23	29	11	1	1	67	9.20
Piscataquis	-	-	1	-	-	1	-	3	3	1	1	-	10	6.20
Sagadahoc	-	1	-	-	-	1	1	9	1	1	-	-	14	7.20
Somerset	1	-	-	-	2	1	3	6	9	4	-	-	26	7.97
Waldo	-	-	-	-	1	-	-	-	5	1	-	-	7	2.52
Washington	-	-	1	-	-	-	2	10	26	11	1	1	52	11.69
York	-	-	-	1	-	2	14	27	24	11	-	-	79	12.57
State	6	4	9	5	10	13	66	204	235	101	11	5	669	10.12

The preceding table exhibits the number of deaths from infantile diarrhea in 1898, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhea for the seven years 1892-98, by counties, months, and age-groups :

**INFANTILE DIARRHEA BY COUNTIES, MONTHS AND AGE-PERIODS—
1892-98.**

By COUNTIES.		By months.		By age-periods.	
Androscoggin	501	January	28	Under 6 months ...	1,974
Aroostook	531	February	31	6-12 months	1,262
Cumberland	478	March	43	1-2 years.....	485
Franklin	64	April	47	Over 2 years	30
Hancock	95	May.....	48	Unknown	10
Kennebec	462	June	103	Total	3,761
Knox	124	July	574		
Lincoln	25	August	1,311		
Oxford	94	September	1,065		
Penobscot.....	330	October.....	387		
Piscataquis	44	November.....	80		
Sagadahoc	67	December	42		
Somerset	112	Not stated.....	2		
Waldo	50	Total	3,761		
Washington	234				
York.....	550				
State	3,761				

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the seven years 1892-98:

INFANTILE DIARRHEA IN THE CITIES—1892-98.

CITIES.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	Totals.
Auburn	10	18	10	9	3	15	17	82
Augusta.	26	15	18	26	34	31	20	170
Bangor	14	13	20	10	15	11	18	101
Bath	5	4	9	3	8	6	6	41
Belfast.....	3	1	-	-	3	-	1	8
Biddeford.....	53	45	52	60	44	61	50	365
Brewer.....	2	2	8	3	4	6	3	28
Calais	15	13	1	12	5	19	7	72
Deering	5	6	2	1	5	1	2	22
Eastport	10	9	9	8	-	3	13	52
Ellsworth.....	1	1	-	4	-	2	1	9
Gardiner	8	2	4	12	2	5	4	37
Hallowell	7	-	2	4	1	3	1	18
Lewiston	47	75	45	53	24	52	69	365
Old Town	9	8	9	11	5	7	11	60
Portland	29	18	19	34	25	31	40	196
Rockland	14	11	6	8	11	6	5	61
Saco	3	5	5	3	2	5	4	27
Waterville	21	18	21	13	21	19	17	130
Westbrook	16	13	14	11	12	10	8	84
Totals	298	277	254	285	224	293	297	1,928

Septic Diseases.—Of deaths from the diseases in this group there were 13 from erysipelas; 62 from pyemia and septicemia; and 41 from puerperal fever,—giving a special death-rate of 1.75. The following shows the distribution of puerperal fever by months and counties:

January	3	Androscoggin	2
February	2	Aroostook	7
March	5	Cumberland	5
April	9	Franklin	1
May	5	Hancock	3
June	3	Kennebec	3
July	5	Knox	1
August	1	Lincoln	1
September	3	Oxford	1
October	1	Penobscot	4
November	3	Piscataquis	1
December	1	Sagadahoc	
	—	Somerset	2
Total	41	Waldo	1
		Washington	3
		York	6
		—	—
		Total	41

Dietetic Diseases.—Thirty-seven deaths were returned under this class of causes; 16 of malnutrition of infants; 5 of rickets; 14 of alcoholism; and 2 of starvation. The special death-rate from alcoholism was 0.21.

Constitutional Diseases.—With tuberculosis transferred to the class of zymotic diseases, there were 730 deaths from constitutional diseases, or a death-rate of 11.04 per 10,000 for the State.

Rheumatism.—The returns give 57 deaths from this cause (68 in 1892, 46 in 1893, 66 in 1894, 56 in 1895, 44 in 1896, and 42 in 1897),—33 males and 24 females. Twenty-four of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.86, while that in the cities was higher, 1.22. The following shows the deaths from this cause arranged by counties, months, and age-groups:

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS, 1898.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 5	January 3	Under 1 -
Aroostook 1	February 6	1-5..... -
Cumberland 10	March 8	5-10.....
Franklin 1	April 3	10-20..... 3
Hancock 2	May 3	20-30..... 5
Kennebec 5	June 3	30-40. 6
Knox 2	July 7	40-50. 4
Lincoln 2	August 4	50-60. 5
Oxford 4	September 1	60-70. 13
Penobscot 5	October..... 8	70-80. 14
Piscataquis -	November..... 9	Over 80..... 5
Sagadahoc 3	December..... 2	Not stated..... 1
Somerset..... 4	Not stated..... -	—
Waldo..... 1	—	Total.....
Washington 3	Total..... 57	
York 9		
State 57		

The following shows the distribution of deaths from rheumatism by counties, months, and age-groups for the six years 1893-98:

**RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS
—1893-98.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin 19	January 31	Under 1 -
Aroostook 23	February 29	1-5. 3
Cumberland 45	March 31	5-10 8
Franklin 2	April 28	10-20 27
Hancock 15	May 28	20-30 26
Kennebec 28	June 19	30-40 18
Knox 13	July 21	40-50 22
Lincoln 10	August 27	50-60 50
Oxford 20	September 14	60-70 71
Penobscot 36	October 29	70-80 60
Piscataquis 6	November 25	Over 80 24
Sagadahoc 13	December 27	Not stated 2
Somerset 16	Not stated 2	Total 311
Waldo 13	Total 311	
Washington 15		
York 37		
State 311		

Cancer.—From cancer in its various forms and locations, there were 531 deaths (404 in 1892, 433 in 1893, 474 in 1894, 480 in 1895, 518 in 1896, and 463 in 1897). Of the decedents, 197 were males and 334 females. The cancer death-rate for the State was, therefore, 8.03.

Distributed as to its more frequent locations, there died of cancer of the stomach, 128; of the breast, 58; liver, 61; uterus, 86; abdominal and intestinal, 42; throat, 7; rectum, 26; face, 31; lip, 10; neck, 6; mouth, 3; hand, 2; thigh, 2; eye, 2; lungs, 2; jaw, 6; tongue, 4; arm, 4; nose, 2; spleen, 2; various, 20; parts unspecified, 27.

The distribution of cancer by counties and age-groups, and the special death-rate for each county are shown in the following, for 1898, and for the seven years 1892-98:

CANCER—1898 AND 1892-98.

COUNTIES.	1898.		1892-98.		AGE-GROUPS.	NUMBER OF DEATHS.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Death-rate per 10,000.		1898.	1892-98.
Androscoggin	43	8.78	249	7.26	Under 1 year	-	3
Aroostook	18	3.63	98	2.82	From 1 to 5 years ...	-	5
Cumberland	76	8.36	587	8.09	“ 5 to 10 “ ...	-	3
Franklin	11	6.45	111	9.22	“ 10 to 20 “ ...	5	18
Hancock	28	7.50	164	6.27	“ 20 to 30 “ ...	6	45
Kennebec	40	7.02	302	7.57	“ 30 to 40 “ ...	34	182
Knox	24	7.63	169	7.67	“ 40 to 50 “ ...	64	412
Lincoln	29	13.18	138	8.26	“ 50 to 60 “ ...	95	702
Oxford	25	8.19	132	6.16	“ 60 to 70 “ ...	156	864
Penobscot	49	6.72	316	6.19	“ 70 to 80 “ ...	110	760
Piscataquis	10	6.20	62	5.49	Over 80 years	57	286
Sagadahoc	14	7.20	107	7.89	Not stated	4	23
Somerset	31	9.50	177	7.75	Total	531	3,303
Waldo	32	11.53	142	7.31			
Washington	27	6.07	184	5.91			
York	74	11.78	365	8.30			
State	531	8.03	3,303	7.14			

Diabetes.—The deaths from this cause numbered 88 (55 in 1892, 65 in 1893, 71 in 1894, 77 in 1895, 67 in 1896, and 95 in 1897). The special death-rate from diabetes was, therefore, 1.24 in 1898. Forty-six of the decedents were males and 42 were females.

Ages: 1-5, 3; 5-10, 2; 10-20, 12; 20-30, 4; 30-40, 10; 40-50, 8; 50-60, 20; 60-70, 12; 70-80, 14; over 80, 3.

Old Age.—There were registered 616 deaths as due to old age, 289 men and 327 women. Of these decedents, 138 were between 70 and 80 years of age; 346 were from 80 to 90; 126 were from 90 to 100; while 5 were over 100 years old; and the age of 1 was unknown.

From Table No. 33, however, it will be seen that the whole number of persons who died at the ages between 70 and 100 years or more was 3,109 (3,801 in 1892, 3,147 in 1893, 3,242 in 1894, 2,897 in 1895, 3,045 in 1896, and 3,232 in 1897), or one death in every three and one-half was of a person who was between 70 and 100 years of age or older. Assuming that all these 3,109 died of old age, the death-rate from old age would be 47.03 among every 10,000 living at all ages.

The following shows the number of deaths in each county, of persons 70 years of age and over, and the number of their deaths in each 10,000 of the population at all ages:

OLD AGE—1898.

COUNTIES.	Deaths.	Rate per 10,000.	COUNTIES.	Deaths.	Rate per 10,000.
Androscoggin.....	189	38.60	Oxford.....	166	54.27
Aroostook.....	94	18.95	Penobscot.....	363	49.82
Cumberland.....	447	49.15	Piscataquis.....	73	45.25
Franklin.....	88	51.60	Sagadahoc.....	96	49.35
Hancock.....	158	42.35	Somerset.....	169	51.80
Kennebec.....	294	51.57	Waldo.....	179	64.48
Knox.....	150	47.66	Washington.....	166	37.32
Lincoln.....	144	65.47	York.....	334	53.16

Centenarians.—Among the persons whose decease occurred in 1898, seven had reached or exceeded the age of 100 years. Four of these persons were women. Their names, together with a few facts relating to the life history of each, are as follows:

September 3, John McDougal died at Mars Hill at the age of 110 years. He was born in New Brunswick. His parents were born in Scotland. His occupation was that of a farmer.

June 28, Amy Pinkham died at Boothbay at the age of 103 years, 9 months, and 22 days. She was born in Southport. Her father's name was Henry Abbott. The maiden name of her mother was Keziah White.

September 21, Tirzah Emery died at Eliot at the age of 103 years, 6 months, and 9 days. She was born in Eliot, as was also her father, Israel Emery.

November 26, Thomas Decker Pinkham died at Pittston at the age of 103 years, and 11 days. He was born in Boothbay, as was also his mother. His father was born in Rhode Island. His occupation was that of a farmer.

April 20, David R. Loring died at Auburn at the age of 100 years, 4 months, and 28 days. He was born in Auburn. No occupation given.

September 10, Ann O'Neil died at Machias at the age of 100 years, 3 months, and 27 days. She was born in Ireland, which was also the birthplace of her parents.

March 18, Margaret A. McCarthy died at Lewiston at the age of 100 years, 1 month, and 1 day. She was born in Dublin. Her parents, George Watson and Fanny O'Rourke were both born in Ireland.

Diseases of the Nervous System.—The number of deaths registered under the causes included in this group was 1,607 (1,459 in 1892, 1,451 in 1893, 1,543 in 1894, 1,585 in 1895, 1,520 in 1896, and 1,661 in 1897), or 24.31 to every 10,000 of population.

Inflammation of the Brain or Membranes.—The number of deaths was 272 (236 in 1892, 263 in 1893, 286 in 1894, 261 in 1895, 242 in 1896, and 327 in 1897),—148 males and 124 females. Of these, 121 were in the cities. The death-rate from the several diseases grouped under this head was 4.11.

Ages: Under 1, 90; 1-5, 73; 5-10, 12; 10-20, 19; 20-40, 21; 40-60, 32; over 60, 25.

Apoplexy.—From this cause 558 deaths occurred (488 in 1892, 422 in 1893, 408 in 1894, 488 in 1895, 492 in 1896, and 555 in 1897).—249 males and 309 females. Of these, 189 were in the cities. The State's death-rate from apoplexy was, therefore, 8.44; that of the cities, 9.64.

The largest number, 58, occurred in June; the same number of deaths from apoplexy, 151, occurred in the winter and spring.

In 1894 and 1896, the greatest mortality from this cause occurred in the spring; in 1892, 1893, 1895, and 1897, in the winter.

Conversely, the smallest number of deaths, 31, was in July; the smallest number in any one season was 120 in the autumn months. Over 76 per cent. of the deaths were of persons 60 years of age and upward.

APOPLEXY BY COUNTIES AND MONTHS—1898.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death rate per 10,000.
Androscoggin	1	3	3	7	4	13	4	5	-	2	5	5	52	10.62
Aroostook	1	1	1	1	1	-	-	1	1	-	-	1	8	16.13
Cumberland	12	10	2	13	14	5	4	5	8	8	10	13	104	11.43
Franklin	7	-	2	2	4	3	1	1	-	1	-	4	19	11.14
Hancock	4	2	1	4	2	1	1	1	3	2	1	2	24	6.43
Kennebec	4	4	5	3	6	5	2	2	5	2	2	5	45	7.89
Knox	4	-	1	4	2	3	3	8	-	1	1	-	27	8.58
Lincoln	-	-	-	-	1	4	-	3	-	1	3	1	13	5.91
Oxford	2	-	-	2	-	5	1	3	1	2	2	3	21	6.87
Penobscot	6	2	9	5	6	7	4	1	5	5	4	8	62	8.51
Piscataquis.....	1	2	-	1	2	-	1	-	1	-	-	-	8	4.96
Sagadahoc	5	2	1	2	-	-	1	-	1	1	-	-	13	6.68
Somerset	3	7	5	2	2	3	1	4	1	1	-	3	32	9.81
Waldo.....	-	-	2	1	2	2	3	6	5	-	4	1	26	9.37
Washington.....	1	5	-	2	4	3	1	1	4	4	1	1	27	6.07
York	9	3	8	5	7	4	4	6	10	7	5	9	77	12.26
State	54	41	40	54	57	58	31	47	45	37	38	56	558	8.45

ADOPLEXV, 1898, AND 1893-98.

COUNTIES.	1898.		1893-98.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Death-rate per 10,000.
Androscoggin	52	10.62	241	8.20
Aroostook	8	16.13	58	2.69
Cumberland	104	11.44	536	9.82
Franklin	19	11.14	85	8.31
Hancock	24	6.43	139	6.21
Kennebec.....	45	7.89	288	8.40
Knox	27	8.58	114	6.04
Lincoln	13	5.91	106	8.03
Oxford	21	6.86	151	6.87
Penobscot	62	8.51	265	6.06
Piscataquis	8	4.96	42	4.34
Sagadahoc	13	6.68	113	9.68
Somerset.....	32	9.81	148	7.56
Waldo	26	9.37	120	7.20
Washington	27	6.07	157	5.88
York	77	12.26	360	9.55
State.....	558	8.44	2,923	7.37

Softening of the Brain.—From cerebral softening there were 55 deaths,—those of 38 males and 17 females.

Ages: 50-60, 9; 60-70, 11; 70-80, 26; over 80, 8; not stated, 1.

Paralysis.—Of the 270 deaths from "Paralysis." 126 persons were males and 144 were females.

Ages: Under 1, 3; 10-20, 4; 20-30, 4; 30-40, 8; 40-50, 14; 50-60, 32; 60-70, 42; 70-80, 88; over 80, 74; not stated, 1.

Hemiplegia.—From this form of paralysis there were 25 deaths reported, 13 men and 12 women.

Ages: 40-50, 2; 50-60, 1; 60-70, 5; 70-80, 10; over 80, 7.

Epilepsy.—Eighteen males and 23 females died of epilepsy, 41 in all.

Ages: Under 1, 3; 1-5, 2; 5-10, 2; 10-20, 10; 20-40, 8; 40-60, 10; over 60, 6.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, valvular disease of the heart, hypertrophy and dilatation, pericarditis, angina pectoris, and unspecified, there were 1,132 deaths (816 in 1892, 875 in 1893, 940 in 1894, 948 in 1895, 1,036 in 1896, and 1,062 in 1897). The following exhibits the age and sex distribution of each form of disease for the year 1898:

DISEASES.	Under 1.	1-10.	10-20.	20-40.	40-60.	Over 60.	Unknown.	Male.	Female.	Total.
Endocarditis	1	2	3	6	4	12	-	14	14	28
Valvular disease of heart.....	1	3	3	13	50	206	1	140	137	277
Hypertrophy of heart	-	-	1	5	11	45	-	30	32	62
Pericarditis	-	1	1	1	4	5	1	7	6	13
Unspecified diseases of heart	9	6	7	53	139	461	2	385	292	677
Angina pectoris.	-	-	-	1	17	57	-	44	31	75
Total	11	12	15	79	225	786	4	620	512	1,132

For the year 1898, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and counties:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin	82	16.75	Oxford	49	16.02
Aroostook	36	7.26	Penobscot.....	116	15.92
Cumberland	169	18.58	Piscataquis	24	14.86
Franklin.....	26	15.25	Sagadahoc.....	36	18.51
Hancock	54	14.47	Somerset	67	20.54
Kennebec	110	19.29	Waldo	63	22.70
Knox.....	67	21.29	Washington	66	14.84
Lincoln.	50	22.73	York	117	18.62
			State.....	1,132	17.12

As may be noted, Lincoln county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 17.12.

Diseases of the Respiratory System.—Without the inclusion of tuberculosis, 1,124 persons died from the various respiratory diseases, as tabulated on page 99, (1,796 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895, 1,141 in 1896, and 1,347 in 1897). From these diseases there were, therefore, 672 fewer deaths than in 1892, 283 fewer than in 1893, 188 fewer than in 1894, 41 fewer than in 1895, 17 less than in 1896, and 223 less than in 1897. Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis and the other respiratory diseases, in 1898 the number of deaths was 1,003 smaller than in 1892, 561 smaller than in 1893, 429 smaller than in 1894, 215 smaller than in 1895, 168 smaller than in 1896, and 330 smaller than in 1897.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1898 was 17.00 in each 10,000 of population, as compared with 20.38 in 1897, 17.26 in 1896, 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, and 27.16 in 1892.

Pneumonia.—The number of deaths registered under this cause was 769 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894, 812 in 1895, 781 in 1896, and 936 in 1897), of which 352 were males and 417 were females. The death-rate from this disease was, therefore, 11.62 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, 12.28 in 1895, 11.81 in 1896, and 14.16 in 1897. As 280 of the deaths occurred in the cities, the urban death-rate was 14.29.

The age distribution for pneumonia is shown in the following:

Under 1 year,	113	40-50 years,	63
1-5 years,	74	50-60 years,	57
5-10 years,	17	60-70 years,	109
10-20 years,	37	70-80 years,	124
20-30 years,	45	Over 80 years,	86
30-40 years,	38	Not stated,	6

**PNEUMONIA BY COUNTIES AND MONTHS WITH DEATH-RATES
PER 10,000—1898.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	9	9	13	13	3	1	1	1	2	3	4	3	62	12.66
Aroostook	2	1	1	3	4	4	1	1	6	2	1	5	31	6.45
Cumberland	15	17	19	14	10	5	2	-	3	10	10	24	129	14.18
Franklin	7	2	-	3	3	-	-	1	1	2	1	-	20	11.73
Hancock	4	3	7	3	3	2	-	1	3	3	4	4	37	9.92
Kennebec	11	3	2	6	6	2	1	4	2	5	6	9	63	11.05
Knox	4	5	9	4	7	4	1	-	-	2	2	7	45	14.36
Lincoln	3	3	2	-	2	-	-	-	-	1	-	5	16	7.27
Oxford	7	3	4	2	3	1	1	-	2	3	6	5	37	12.10
Penobscot	17	11	11	18	17	6	3	2	4	2	10	11	112	15.37
Piscataquis	4	2	5	1	2	1	-	-	-	1	-	2	18	11.16
Sagadahoc	2	5	-	4	5	2	-	-	-	1	1	1	21	10.79
Somerset	5	4	4	5	2	3	-	1	2	2	4	6	38	11.65
Waldo	1	3	2	5	5	4	2	1	2	2	2	7	36	12.97
Washington	5	5	2	7	6	-	1	1	2	2	3	4	38	8.54
York	11	5	9	5	4	5	1	1	6	3	7	9	66	10.50
State	107	81	96	93	82	49	14	14	35	44	61	102	769	11.62

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the seven years 1892-98:

PNEUMONIA—1892-95.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 456	January 1,179	Under 1. 922
Aroostook 304	February..... 949	1-5..... 603
Cumberland 1,172	March 1,002	5-10 126
Franklin 179	April 840	10-20 249
Hancock 357	May..... 645	20-30 356
Kennebec..... 640	June 327	30-40 402
Knox..... 328	July. 145	40-50 479
Lincoln..... 231	August. 140	50-60..... 612
Oxford..... 344	September. 215	60-70. 1,026
Penobscot 797	October..... 340	70-80..... 1,222
Piscataquis..... 137	November..... 453	Over 80 866
Sagadahoc 192	December 657	Not stated..... 32
Somerset 330	Not stated 3	Total..... 6,895
Waldo..... 250	Total..... 6,895	
Washington..... 404		
York..... 744		
State 6,895		

Bronchitis.—From this cause, including both acute and chronic bronchitis, 210 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, 225 in 1895, 220 in 1896, and 237 in 1897). Among these decedents, 109 were males and 101 females. Of these 210 deaths, 84 were in the cities. The largest number of deaths in any one month was 28 in December. In August occurred the smallest number of deaths, 5. The largest number of deaths in three consecutive months was 71 in October, November, and December; the smallest number in any three consecutive months was 20 in July, August, and September. The number of deaths by quarters was 59, 60, 20, and 71.

The bronchitis death-rate of the State was 3.18; of the cities, 4.28.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life:

Under 1 year,	68	40-50 years,	6
1-5 years,	28	50-60 years,	7
5-10 years,	4	60-70 years,	22
10-20 years,	3	70-80 years,	30
20-30 years,	1	Over 80 years,	36
30-40 years,	5		

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rates of counties and State:

BRONCHITIS—1898.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	2	2	-	1	1	-	1	-	-	1	-	2	10	2.04
Aroostook	1	-	-	-	1	2	1	1	-	2	2	1	11	2.22
Cumberland	3	3	3	1	2	1	1	2	1	2	5	7	31	3.41
Franklin	-	-	-	1	1	-	-	-	-	1	-	1	4	2.35
Hancock	2	1	1	5	1	-	-	-	-	1	-	-	11	2.95
Kennebec	3	3	2	3	2	4	1	-	2	1	2	4	27	4.74
Knox	1	-	1	2	3	1	-	-	-	1	-	1	10	3.18
Lincoln	1	1	1	1	-	-	-	-	-	-	-	-	4	1.28
Oxford	3	1	3	3	-	2	1	-	1	2	-	1	17	5.56
Penobscot	3	1	3	1	3	3	-	2	-	3	2	3	24	3.30
Piscataquis	-	1	-	-	-	-	-	-	-	1	-	1	3	1.86
Sagadahoc	-	-	1	-	1	3	1	-	1	2	-	-	9	4.63
Somerset	1	3	-	-	1	1	1	-	-	1	-	-	8	2.45
Waldo	-	-	-	2	4	1	1	-	-	-	-	2	10	3.60
Washington	-	3	2	-	-	-	-	-	-	2	1	1	9	2.02
York	2	-	1	1	1	-	1	-	1	3	8	4	22	3.50
State	22	19	18	21	21	18	9	5	6	23	20	28	210	3.18

Pleurisy.—Seventeen deaths were charged to this disease (18 in 1892, 19 in 1893, 15 in 1894, 19 in 1895, 19 in 1896, and 26 in 1897),—11 males and 6 females.

Ages: 20-30, 1; 30-40, 2; 40-50, 5; 50-60, 5; 60-70, 1; 70-80, 2; not stated, 1.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 651 (659 in 1892, 655 in 1893, 685 in 1894, 693 in 1895, 679 in 1896, and 673 in 1897), or a death-rate of 9.85. The distribution of these under their several causes will be found on page 99.

Peritonitis.—There were 102 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, 125 in 1895, 116 in 1896, and 117 in 1897),—46 males and 56 females. Fifty-two of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

PERITONITIS—1898.

BY COUNTIES.		By months.		By age-periods.	
Androscoggin	12	January	7	Under 1	7
Aroostook	5	February	6	1-5	9
Cumberland	16	March	10	5-10	2
Franklin	1	April	8	10-20	21
Hancock	5	May	7	20-30	11
Kennebec	10	June	10	30-40	14
Knox	5	July	6	40-50	11
Lincoln	-	August	10	50-60	12
Oxford	3	September	4	60-70	9
Penobscot	13	October	23	70-80	5
Piscataquis	-	November	7	Over 80	1
Sagadahoc	5	December	4		
Somerset	10			Total	102
Waldo	4	Total	102		
Washington	7				
York	6				
State	102				

Appendicitis.—Of the deaths classified under this cause, 26 in number, 16 were males and 10 were females. The number of deaths in each month was, January, 5; February, 2; March, 2; April, 1; May, 1; June, 2; July, 2; August, 1; September, 2; October, 1; November, 5; December, 2.

Ages: 1-5, 1; 5-10, 3; 10-20, 6; 20-30, 5; 30-40, 4; 40-50, 2; 50-60, 1; 60-70, 2; over 70, 2.

Cirrhosis of the Liver.—Thirty-eight deaths were ascribed to cirrhosis of the liver—those of 22 men and 16 women. Of these 38 deaths, 13 were in the cities, and 25 in the rural parts of the State. The death-rate of the State from this one cause was 0.58 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, 0.50 in 1895, 0.33 in 1896, and 0.45 in 1897).

Diseases of the Urinary System.—There were 577 deaths referred to the diseases under this group, equivalent to a death-rate of 8.73.

Nephritis.—Acute and chronic, caused the death of 145 persons, 75 males and 70 females. The death-rate from nephritis was, therefore, 2.19.

Ages: Under 1, 4; 1-5, 4; 5-10, 2; 10-20, 6; 20-30, 8; 30-40, 8; 40-50, 20; 50-60, 11; 60-70, 41; 70-80, 31; 80-90, 9; not stated, 1.

Bright's Disease.—This was the cause of 250 deaths (204 in 1892, 217 in 1893, 219 in 1894, 234 in 1895, 282 in 1896, and 231 in 1897),—147 males and 103 females. Of these deaths, 83 were in the cities.

Ages: Under 1, 1; 1-5, 2; 5-10, 6; 10-20, 6; 20-30, 10; 30-40, 19; 40-50, 32; 50-60, 44; 60-70, 57; 70-80, 53; over 80, 18; not stated, 2.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin	13	2.65	Oxford	16	5.23
Aroostook	11	2.22	Penobscot.....	28	3.84
Cumberland	51	5.61	Piscataquis	3	1.86
Franklin	9	5.28	Sagadahoc.....	4	2.06
Hancock	14	3.75	Somerset	10	3.06
Kennebec	13	2.28	Waldo	14	5.04
Knox	10	3.15	Washington.....	14	3.15
Lincoln	5	2.27	York.....	35	5.57
			State	250	3.78

Childbirth.—Under the group of accidents and diseases of reproduction, 51 deaths were registered, not including puerperal fever, (69 in 1892, 59 in 1893, 41 in 1894, 36 in 1895, 56 in 1896, and 62 in 1897). This is equivalent to a special death-rate of 0.77.

Accidents.—From accidents of various kinds, 390 persons met their death (376 in 1892, 330 in 1893, 286 in 1894, 341 in 1895, 348 in 1896, and 366 in 1897). Of deaths from falls, there were 36; 5 were from falling down stairs; 3, from a carriage; and 1 each from an ice run, a wharf, house, and a truck cart; while 24 were unspecified.

Fractures caused 40 deaths—fracture of thigh, 14; of skull, 13; of spine, 3; of hip, 6; of cervical vertebræ, 2; of trachea, 1; and abdominal contusion, 1.

Nineteen deaths were from gun or pistol shot.

From railway injuries there were 35 deaths.

From burns and scalds, 31 deaths occurred. Four deaths from clothing taking fire; 3, scalded with hot water; 1, explosion of lamp; 1, by using gasoline on stove while there was still fire in it; the rest, unspecified.

From poisoning, 15 deaths occurred, of which opium was the cause of 2; strychnine, 2; aconite, 1; paris green, 1; lead poisoning (an infant of 8 days), 1; the rest, unspecified.

By drowning, 109 lives were lost. There were 20 lives lost at sea; 13 of these were lost from the steamer Portland, November 27.

The death-rate from accidents in this State was 5.90.

Homicide.—Under this group 6 deaths were registered. This is equivalent to a death-rate of 0.09.

Suicide.—Within the year, 56 persons took their own lives (59 in 1892, the same number in 1893, 39 in 1894, 66 in 1895, 81 in 1896, and 71 in 1897),—45 males and 11 females. Of the males, the occupation of 13 was farmer; of 6, laborer; 3, shoemaker; 2, merchant; 2, student; 2, teamster; 1, wheelwright; 1, mechanic; 1, machinist; 1, cooper; 1, salesman; 1, editor and printer; 1, hotel keeper; 1, tailor; 1, baker; 1, blacksmith; 7, no occupation given.

Of the females, the occupation of 1 was returned as housewife; 2, as housekeeper; 1, housework; 1, domestic; 1, schoolteacher; 1, typewriter; and not stated, 4.

As to the means employed, 21 committed suicide by hanging; 13, by shooting; 6, by drowning; 3, by cuts; 11, with poison; and in 2, the method was not stated.

SUICIDES BY AGES, MONTHS, AND COUNTIES—1898.

AGE-PERIODS.	Months.	Counties.	Rate per 10,000 of population.
10-20... .. 3	January 2	Androscoggin 4	0.82
20-30. 7	February 3	Aroostook 1	0.20
30-40..... 8	March 4	Cumberland 7	0.77
40-50. 13	April..... 4	Franklin -	-
50-60..... 8	May..... 10	Hancock 1	0.26
60-70..... 9	June 7	Kennebec 5	0.88
70-80..... 5	July 2	Knox 4	1.27
Over 80 3	August 6	Lincoln..... 6	2.27
Not stated -	September 5	Oxford..... 2	0.65
Total 56	October..... 3	Penobscot..... 6	0.82
	November 7	Piscataquis -	-
	December .. 3	Sagadahoc 2	1.02
	Total 56	Somerset 3	0.92
		Waldo 6	2.16
		Washington..... 2	0.45
		York 7	1.11
		State 56	0.85

The youngest suicide was a boy of 15 years, and 5 months; the oldest, a man of 89 years. The largest number of suicides in any month was 10 in May. By quarters, the suicides were 9, 21, 13, and 13. The largest number in any county was 7, each, in Cumberland and York; the highest death-rate from suicide was in Lincoln county. The rate for the State per 10,000 of population was 0.85.

LIST OF TABLES.

	PAGE
Table No. 1.—Deaths from some of the Leading Causes.....	6
Table No. 2.—Population of the State by Counties, 1880 and 1890.	7
Table No. 3.—Births, Marriages, and Deaths, 1892-98.....	7
Table No. 4.—Population of 1890; Births, Marriages, and Deaths, with the rate of each to 1,000 of population for the year ending December 31, 1898.....	8
Table.—Summary of Births, Marriages, and Deaths.....	9
Table No. 5.—Births and Deaths in each County.....	10
Table No. 6.—Births and Deaths in the Cities.....	11
Table No. 7.—Births, Marriages, and Deaths by Counties and Towns	12-63
Table No. 8.—Births, Marriages, and Deaths by Counties.....	64-65
Table No. 9.—Births and Birth-Rates by Counties, for the years 1892-98	66
Table No. 10.—Births, by Counties, showing the proportion of males to females, 1898.....	67
Table No. 11.—Number of Births in each Month of 1892, 1893, 1894, 1895, 1896, 1897, and 1898 with Monthly Ratio compared with a Standard of 100.....	68
Table No. 12.—Births by Sex and Months by Counties, 1898.....	69
Table No. 13.—Births in Cities, for 1898, with rate per 1,000 of population	70
Table No. 14.—Percentage of American and Foreign Births by Counties, 1898	71
Table No. 15.—Percentage of American and Foreign Births by Cities, 1898.....	72
Table No. 16.—Twin Births by Months and Counties, 1898.....	73
Table No. 17.—Twin Births by Sex and Parentage, by Counties, 1898	74
Table No. 18.—Still-Births by Sex and Parentage, by Counties, 1898	75
Table No. 19.—Still-Births by Seasons, 1898.....	76
Table No. 20.—Marriages and Marriage-Rates by Counties for the years 1892-98.....	80
Table No. 21.—Marriages by Counties and Nativity, 1898.....	81
Table No. 22.—Marriages by Months and Counties, 1898.....	81
Table No. 23.—Number of Marriages in each month of 1892, 1893, 1894, 1895, 1896, 1897, and 1898, with Monthly Ratio compared with a Standard of 100.....	82

	PAGE
Table No. 24.—Marriages by Ages and Counties, 1898.....	83
Table No. 25.—Interesting Facts in Relation to Marriage.....	84-85
Table No. 26.—Divorces decreed by the Supreme Court of Maine in the year 1898.....	88-89
Table No. 27.—Divorces by Causes, Sex of Libellants and the number of years married, 1898	90
Table No. 28.—Deaths and Death-Rates by Counties, for the years 1892-8	92
Table No. 29.—Number of Deaths in each Month of 1892, 1893, 1894, 1895, 1896, 1897, and 1898, with Monthly Ratio compared with a Standard of 100.....	93
Table No. 30.—The number of Deaths in the State, and in each County, arranged by Classes and Groups.....	94-101
Table No. 31.—Deaths in each Town from Special Causes, Mostly Infectious Diseases	102-141
Table No. 32.—Deaths in each Town from Certain Diseases and Groups of Diseases	142-181
Table No. 33.—Deaths by Ages, Sex, and Months, by Counties... 182-183	182-183
Table No. 34.—Number of Deaths from Several Specified Causes, of each Sex, in each Month, which were regis- tered during seven years 1892-98.....	184
Table No. 35.—Mortality by Months, reduced to a Standard Mean of 100: Seven years 1892-98.....	185
Table.—Mortality from Ten Prominent Causes, 1892-98.....	189
Table.—Seven Zymotic Diseases by Counties, 1898.....	190
Table.—Zymotic Diseases by Cities, 1898.....	191
Table.—Infectious Diseases, 1892-98.....	192
Table.—Measles by Counties, Months, and Age-Periods, 1898.....	193
Table.—Scarlet Fever by Counties, Months, and Age-Periods, 1893-98	194
Table.—Influenza by Counties and Months, 1898.....	195
Table.—Whooping-Cough by Counties, Months, and Age-Periods, 1898	196
Table.—Diphtheria by Counties and Months, 1898.....	197
Table.—Croup by Counties and Months, 1898.....	198
Table.—Diphtheria and Croup by Counties, Months, and Age- Periods, 1892-98	199
Table.—Cerebro-Spinal Meningitis by Counties, Months, and Age- Periods, 1898	200
Table.—Typhoid Fever, by Counties and Months, 1898.....	201
Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1892-98	202
Table.—Consumption by Counties and Months, 1898.....	204
Table.—Consumption by Counties, Months, and Age-Periods, 1892-98	205
Table.—Infantile Diarrhea by Counties and Months, 1898.....	207
Table.—Infantile Diarrhea by Counties, Months, and Age-Periods, 1892-98	208

LIST OF TABLES.

231

	PAGE
Table.—Infantile Diarrhea in the Cities, 1892-98.....	209
Table.—Rheumatism by Counties, Months, and Age-Groups, 1898.	211
Table.—Rheumatism by Counties, Months, and Age-Periods, 1893-98	212
Table.—Cancer by Counties and Age-Groups, 1892-98.....	213
Table.—Old Age by Counties, 1898.....	214
Table.—Apoplexy by Counties, Months, and Age-Periods, 1898....	216
Table.—Apoplexy, 1898 and 1893-98.....	217
Table.—Diseases of the Heart by Ages and by Sex.....	218
Table.—Diseases of the Heart, by Counties.....	218
Table.—Pneumonia by Counties and Months with Death-Rates per 10,000, 1898	220
Table.—Pneumonia by Counties and Months, 1898.....	221
Table.—Bronchitis by Counties and Months, 1898.....	222
Table.—Peritonitis by Counties and Months, 1898.....	223
Table.—Bright's Disease by Counties, 1898.....	225
Table.—Suicides by Ages, Months, and Counties, 1898.....	227

INDEX.

	PAGE
Accidents	225
Age and mortality.....	188
Appendicitis	224
Apoplexy	215
by counties, months, and age-periods.....	216, 217
Birth-rate	77
Birth-rates	8, 9
Births and birth-rates, by counties and years.....	66
by counties, showing proportion of males to females.....	67
by seasons	78
by sex and months, by counties.....	69
in cities, for 1898, with rate.....	70
in each month, by years.....	68
notes on	77
parentage	77
percentage of American and foreign, by cities.....	72
by counties	71
relation to deaths.....	10
twin	79
by months and counties.....	73
by sex and parentage	74
marriages and deaths, in each town.....	12-65
Brain or membranes, inflammation of.....	215
softening of the.....	217
Bright's disease	224
Bronchitis	221, 222
Cancer	212
1898 and 1892-98.....	213
Centenarians	214
Cerebro-spinal meningitis	199
by counties, months, and age-periods.....	200
Childbirth	225
Cirrhosis of the liver.....	224
Constitutional diseases	210
Consumption, by counties and months.....	204
by counties, months, and age-periods, 1892-98.....	205

	PAGE
Croup	197
by counties and months.....	198
Deaths, age and mortality.....	188
causes of	188
by ages, sex and months, by counties.....	182
months, reduced to a standard mean for seven years.....	185
in each town, from special causes.....	102-141
from certain diseases and groups of diseases, 142-181	
in the State and counties, by classes and groups.....	94-101
from several specific causes in seven years.....	184
notes on, and the causes of death.....	186
number in each month, by years.....	93
seasons and mortality.....	187
sex and mortality.....	187
and death-rates, by counties and years.....	92
Death-rates	8, 9, 186
compared	186
Diabetes	213
Diarrheal diseases	205
Dietetic diseases	210
Digestive system, diseases of the.....	223
Diphtheria	196
by counties and months.....	197
and croup, by counties, months, and age-periods, 1892-98..	199
Divorces by causes, sex of libellants, etc.....	90
decreed in 1898.....	88
notes on	91
Epilepsy	218
Heart, diseases of the.....	218
Hemiplegia	217
Homicide	226
Infantile diarrhea	206
by counties and months.....	207
by counties, months, and age-periods, 1892-98..	208
in cities, 1892-98.....	209
Infectious diseases	191
1892-98	192
Influenza	194
deaths from, by counties and months.....	195
Liver, cirrhosis of.....	224
Marriage, interesting facts relating to.....	84
rates	8, 9, 86

	PAGE
Marriages, ages	86
and rates, by counties.....	80
by ages and counties.....	83
by counties and nativity.....	81
by months and counties.....	81
nativity	86
notes on	86
number of, in each month, by years.....	82
seasons	86
Malarial diseases	202
Measles	192
Mortality from ten prominent causes, 1892-98.....	189
Nephritis	224
Nervous system, diseases of.....	215
Old age	213, 214
Paralysis	217
Peritonitis	223
Pleurisy	223
Pneumonia	219
1892-98	221
by counties and months, with death-rates.....	220
Population	7
Respiratory system, diseases of the.....	219
Rheumatism	210
by counties, months, and age-periods.....	211, 212
Scarlet fever	193
by counties, months, and age-periods.....	194
Septic diseases	210
Smallpox	192
Still-births	79
by seasons	76
by sex and parentage.....	75
Suicide	226
Tetanus	200
Tuberculosis	202
mesenteric	205
other forms	205
Typhoid fever	200, 201
by counties, months, and age-periods, 1892-98.....	202
Urinary system, diseases of the.....	224
Whooping-cough	195
by counties, months, and age-periods.....	196

	PAGE
Zymotic diseases	189
by cities	191
seven, by counties	190