

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

STATE OF MAINE
ONE HUNDRED AND TWELFTH LEGISLATURE
FIRST REGULAR SESSION

JOINT STANDING COMMITTEE ON
LEGAL AFFAIRS
BILL SUMMARY



JULY, 1985

Prepared by:

Margaret Reinsch, Legislative Assistant
Office of Legislative Assistants
State House, Station 13 Augusta, Maine 04333
(207) 289-1670



STATE LAW LIBRARY
JUL 11 1985

HELEN T. GINDER, DIRECTOR
HAVEN WHITESIDE, ASST. DIRECTOR
GILBERT W. BREWER
DAVID ELLIOTT
MARTHA FREEMAN
CHRISTOS GIANOPOULOS
WILLIAM T. GLIDDEN, JR.

STATE OF MAINE
OFFICE OF LEGISLATIVE ASSISTANTS
ROOM 101
STATE HOUSE, STATION 13
AUGUSTA, MAINE 04333
TEL.: (207) 289-2486

SARAH HOOKE
JULIE S. JONES
JOHN B. KNOX
EDWARD POTTER
MARGARET J. REINSCH
LARS RYDELL
JOHN SELSER
ANDREA COLNES, RES. ASST.

ONE HUNDRED AND TWELFTH LEGISLATURE
FIRST REGULAR SESSION

JOINT STANDING COMMITTEE
BILL SUMMARIES
JULY 1985

This document is a compilation of the bill summaries prepared by this office for the Joint Standing Committees of the Maine Legislature, covering the First Regular Session of the 112th Legislature. The summaries are arranged by LD number and indexed separately by committee.

LD: 717 AN ACT TO MANDATE SMOKE ALARMS IN ALL NEW, NELSON
 CONVERTED OR RESTORED SINGLE-FAMILY DWELLINGS BEAULIEU

OTP-AM HOUSE Enacted
 SENATE Enacted PUBLIC
 GOV SIGNED CH # 190

H-103 CA H S
 H-108 HA STETSON

SUMMARY:

This bill mandates that additions to, conversions of or restorations of single-family dwellings must contain a smoke-alarm. This is in addition to newly-constructed houses, and apartments.

Committee Amendment "A" (H-103) limited the mandate to restorations and additions which add at least one bedroom.

House Amendment "A" (H-108) (Not adopted) inserted the language that the smoke alarms must be maintained in operational condition. It also defined a violation of this section of the law as a Class C crime.

LD: 724 AN ACT TO PROTECT TENANTS AFFECTED BY BEAULIEU
 CONDOMINIUM CONVERSIONS

LU-WD HOUSE Accepted Committee Report
 SENATE Accepted Committee Report
 GOV

SUMMARY:

This bill would have required a 24 month notice period of conversion of apartments to condominiums. The condominium converter must offer the condominium to the tenant 6 months before it is to be vacated. Municipalities of 10,000 or more must first approve any conversion.

LD: 736 AN ACT CONCERNING THE USE OF SCHOOLS AS PEARSON
 POLLING PLACES

LU-WD HOUSE Accepted Committee Report
 SENATE Accepted Committee Report
 GOV

SUMMARY:

This bill would have required the school administrative district, when requested by the municipal officers within the district to make space within the school available for use as a polling place.