

	L.D. 408
2	
4	(Filing No. H-180)
6	
8	STATE OF MAINE HOUSE OF REPRESENTATIVES 115TH LEGISLATURE
10	FIRST REGULAR SESSION
12	COMMITTEE AMENDMENT "🎢 " to H.P. 287, L.D. 408, Bill, "An
14	Act to Protect the Health and Safety of Nuclear Waste Site Workers"
16	Amend the bill by striking out everything after the enacting
18	clause and before the statement of fact and inserting in its place the following:
20	'38 MRSA §1482, sub-§5 is enacted to read:
22	
	5. Facility near existing nuclear power plant. Before any
24	low-level radioactive waste disposal facility is sited within the
26	Primary Emergency Planning Zone established under Title 37-B, section 960, subsection 1, the Maine Low-level Radioactive Waste Authority, in conjunction with the Maine Emergency Management
28	Agency, must develop and adopt a plan detailing how the safety of the facility's workers will be maintained in the event the
30	Primary Emergency Planning Zone requires evacuation as a result of a nuclear power plant accident.
32	
34	FISCAL NOTE
36	The costs associated with developing and adopting a safety plan will be absorbed by the Maine Low-level Radioactive Waste
38	Authority and the Maine Emergency Management Agency utilizing
40	existing budgeted resources.'
42	STATEMENT OF FACT
44	This amendment strikes the language of the bill. This amendment requires the Maine Low-level Radioactive Waste
46	Authority and the Maine Emergency Management Agency to adopt a

Page 1-LR1158(2)

COMMITTEE AMENDMENT "A" to H.P. 287, L.D. 408

plan detailing how the safety of low-level radioactive waste disposal facility workers will be maintained in the event of a nuclear accident if the facility is sited in the Primary Emergency Planning Zone. This amendment requires the plan to be adopted before any facility is located in the Primary Emergency Planning Zone.

8

2

4

б

This amendment also adds a fiscal note to the bill.

Reported by the Committee on Utilities

Reproduced and distributed under the direction of the Clerk of the House (4/25/91)

(Filing No. H-180)