# MAINE STATE LEGISLATURE

The following document is provided by the

LAW AND LEGISLATIVE DIGITAL LIBRARY

at the Maine State Law and Legislative Reference Library

http://legislature.maine.gov/lawlib



Reproduced from scanned originals with text recognition applied (searchable text may contain some errors and/or omissions)



# 115th MAINE LEGISLATURE

### SECOND REGULAR SESSION-1992

### Legislative Document

No. 2273

H.P. 1612

House of Representatives, February 3, 1992

Approved for introduction by a majority of the Legislative Council pursuant to Joint Rule 27. Reference to the Committee on State and Local Government suggested and ordered printed.

EDWIN H. PERT, Clerk

Presented by Representative KETTERER of Madison.

Cosponsored by Senator WEBSTER of Franklin, Representative HEPBURN of Skowhegan and Senator MATTHEWS of Kennebec.

#### STATE OF MAINE

IN THE YEAR OF OUR LORD NINETEEN HUNDRED AND NINETY-TWO

An Act to Establish a Boundary between the Town of Skowhegan and the Town of Madison.

(AFTER DEADLINE)

Contraction of the second

	Be it enacted by the People of the State of Maine as follows:
2	Downdowy line between the Toyun of Skarchegen and the Toyun of
4	Boundary line between the Town of Skowhegan and the Town of Madison. The boundary between the Town of Skowhegan and the Town of Madison, both in Somerset County, is as follows:
6	•
8	Beginning at a tapered granite stone scribed "T C" found set in the ground at the southeast corner of the Town of Madison, said
10	granite stone is the same point of beginning as described in Legislative Document No. 176, 1991;
12	Thence N 05-52-10 E a distance of 829.00 feet to a $3/4$ " aluminum rod topped with a 3 $1/4$ " aluminum survey cap set in the ground;
14	
16	Thence N 05-52-10 E a distance of 1468.81 feet to another 3/4" aluminum rod topped with a 3 1/4" aluminum survey cap set in the ground;
18	
20	Thence N 05-52-10 E a distance of 1411.29 feet to another 3/4" aluminum rod topped with a 3 1/4" aluminum survey cap set in the
22	ground;
	Thence N 05-52-10 E a distance of 1550.00 feet to another 3/4"
24	aluminum rod topped with a 3 1/4" aluminum survey cap set in the ground;
26	Thomas N OF 52 10 E a distance of 1550 00 foots to a granite stone
28	Thence N 05-52-10 E a distance of 1550.00 feet to a granite stone scribed "T C" found set in the ground at the southwest corner of the Town of Cornville.
30	
	All bearings described above are referenced to Magnetic North.
32	Reference survey plan by Smith's Land Surveys, Inc. dated
34	September 1991 and entitled "Survey of Proposed Town Line Location for the Towns of Skowhegan, Madison, and Cornville."
36	
38	STATEMENT OF FACT

40

This bill defines and describes the location of the boundary

line between the Town of Skowhegan and the Town of Madison.