



115th MAINE LEGISLATURE

SECOND REGULAR SESSION-1992

Legislative Document

No. 2452

H.P. 1769

House of Representatives, March 26, 1992

Approved for introduction by a majority of the Legislative Council pursuant to Joint Rule 27. Reference to the Committee on Utilities suggested and ordered printed.

EDWIN H. PERT, Clerk

Presented by Representative FARNSWORTH of Hallowell.

STATE OF MAINE

IN THE YEAR OF OUR LORD NINETEEN HUNDRED AND NINETY-TWO

An Act to Amend the East Pittston Water District Charter.

(AFTER DEADLINE)

(EMERGENCY)

Printed on recycled paper

Emergency preamble. Whereas, Acts of the Legislature do not become effective until 90 days after adjournment unless enacted as emergencies; and

6 Pittston Water District; and

8 Whereas, the changes need to take effect immediately to ensure the proper operation of the district; and

Whereas, in the judgment of the Legislature, these facts create an emergency within the meaning of the Constitution of Maine and require the following legislation as immediately necessary for the preservation of the public peace, health and safety; now, therefore,

Be it enacted by the People of the State of Maine as follows:

18

20

16

4

10

Sec. 1. P&SL 1987, c. 144, §13-A is enacted to read:

13-A. State funds exempt from investigation. The management and allocation by the East Pittston Water District of a contribution of funds by the State under the Maine Revised Statutes, Title 38, section 1364, subsection 5 and the income from those funds are not subject to investigation or review by the Public Utilities Commission under Title 35-A, section 310, 1302 or 1303, except upon request by the Department of Environmental Protection.

Emergency clause. In view of the emergency cited in the 30 preamble, this Act takes effect when approved.

STATEMENT OF FACT

This bill amends the charter of the East Pittston Water 36 District to provide that the use of state funds is exempt from investigation or review by the Public Utilities Commission, 38 unless the investigation or review is requested by the Department of Environmental Protection.

40

32

34

Page 1-LR3877(1) L.D.2452