MAINE STATE LEGISLATURE

The following document is provided by the

LAW AND LEGISLATIVE DIGITAL LIBRARY

at the Maine State Law and Legislative Reference Library

http://legislature.maine.gov/lawlib



Reproduced from scanned originals with text recognition applied (searchable text may contain some errors and/or omissions)

_	Γ·D• 199
2	(Filing No. H-299)
4	
6	
8	STATE OF MAINE HOUSE OF REPRESENTATIVES 116TH LEGISLATURE
10	FIRST REGULAR SESSION
12	COMMITTEE AMENDMENT "A" to H.P. 144, L.D. 189, Bill, "A
14	Act to Facilitate Municipal Road Construction"
16	Amend the bill by striking out everything after the enacting clause and before the statement of fact and inserting in its
18	place the following:
20	'Sec. 1. 38 MRSA §438-A, sub-§1, ¶A, as enacted by PL 1991, c. 46, §2, is amended to read:
22	
24	A. Minimum guidelines adopted by the board under this subsection may not require the issuance of a municipal
26	permit for the repair and maintenance of an existing road culvert or for the replacement of an existing road culvert.
28	as long as the replacement culvert is:
30	(1) Not-more -than-one-standard-eulvert-size-wider-in
30	diameter-than-the-eulvert-being-replaced;
32	(2) Not more than 25% longer than the culvert being replaced; and
34	
36	(3) Not longer than 75 feet.
	Ancillary culverting activities, including excavation and
38	filling, are included in this exemption. A person repairing, replacing or maintaining an existing culvert
40	under this paragraph shall ensure that erosion control
42	measures are taken to prevent sedimentation of the water and that the crossing does not block fish passage in the water

COMMITTEE AMENDMENT " to H.P. 144, L.D. 189

Sec. 2. 38 MRSA §480-Q, sub-§2-A, ¶A, as enacted by PL 1991, c. 46, §3, is repealed.' 2

STATEMENT OF FACT

The amendment replaces the bill. Current law permits a person to replace an existing road culvert with a larger culvert without obtaining a shoreland zoning permit or a permit issued 10 under the natural resources protection laws, provided the culvert 12 meets certain conditions. This amendment repeals the condition that the new culvert may not be more than one standard culvert size larger than the existing culvert. 14

Reported by the Committee on Energy and Natural Resources Reproduced and distributed under the direction of the Clerk of the House 5/13/93

(Filing No. H-299)