MAINE STATE LEGISLATURE

The following document is provided by the

LAW AND LEGISLATIVE DIGITAL LIBRARY

at the Maine State Law and Legislative Reference Library

http://legislature.maine.gov/lawlib



Reproduced from scanned originals with text recognition applied (searchable text may contain some errors and/or omissions)

L.D. 1218

4	(Filing No. H-274)
4	(IIIIII No. 11-2/4)
6	
8	STATE OF MAINE HOUSE OF REPRESENTATIVES 116TH LEGISLATURE
10	FIRST REGULAR SESSION
12	HOUSE AMENDMENT "#" to H.P. 903, L.D. 1218, Bill, "An Act
14	Related to Unavoidable Equipment Malfunctions"
16	Amend the bill by striking out all of section 2 and
18	inserting in its place the following: 'Sec. 2. 38 MRSA §414, sub-§§8 and 9 are enacted to read:
20	
22	8. Bypasses. The licensee may allow any bypass to occur that does not cause effluent limitations contained in the license
24	to be exceeded, but only if it is necessary to ensure efficient operation or prevent damage to equipment.
44	operacion of prevent damage to equipment.
26	9. Upsets. A licensee is not subject to penalty for discharge in excess of technology-based license effluent
28	limitations if the excessive discharge was caused by an upset and
	the licensee demonstrates that:
30	
32	A. The upset occurred and the licensee can identify the cause or causes of the upset;
34	B. The licensed facility was being properly operated at the
36	time of the upset;
•	C. The licensee provided oral notice of exceeding those
38	limitations within 24 hours to the department and a
40	<u>follow-up written notice within 5 working days to the department; and </u>
. U	aebar cilienci, and
42	D. The licensee took all reasonable steps to minimize or

Page 1-LR1919(3)

A. Of S.

2

STATEMENT OF FACT

4

This amendment is being presented on behalf of the Committee on Bills in Second Reading to correct a numbering conflict and technical error.

8

6

10

Filed by Rep. Kontos of Windham Reproduced and distributed under the direction of the Clerk of the House 5/11/93 (Filing No. H-274)