MAINE STATE LEGISLATURE

The following document is provided by the

LAW AND LEGISLATIVE DIGITAL LIBRARY

at the Maine State Law and Legislative Reference Library

http://legislature.maine.gov/lawlib



Reproduced from scanned originals with text recognition applied (searchable text may contain some errors and/or omissions)



117th MAINE LEGISLATURE

FIRST REGULAR SESSION-1995

Legislative Document

No. 674

H.P. 493

House of Representatives, February 28, 1995

An Act to Create a Buffer Strip Requirement for the Location of Gravel Pits.

Reference to the Committee on Natural Resources suggested and ordered printed.

OSEPH W. MAYO. Clerk

Presented by Representative MARTIN of Eagle Lake. Cosponsored by Representative: GOULD of Greenville, Senators: LAWRENCE of York, LORD of York.

Be it enacted by the People of the State of Maine as follows:

Sec. 1. 38 MRSA §490-D, sub-§7, as enacted by PL 1993, c. 350, §5, is amended to read:

7. Property boundary. A natural buffer strip at least 150 100 feet wide must be maintained between any excavation and a any property boundary, including a road right-of-way. This distance may be reduced to not less than 10 feet with the written permission of the affected abutting property owner or owners, except that the distance may not be reduced to less than 25 feet from the boundary of a cemetery or burial ground. The distance buffer strip between borrow pits owned by abutting owners may be reduced-to-not-less-than-50-feet eliminated with the abutter's written permission as long as the elimination of this buffer strip does not increase the runoff from either excavation across the property boundary. All property boundaries must be identified in the field by markings such as metal posts, stakes, flagging or blazed trees. The department may not grant a variance from the provisions of this seetien subsection.

22

6

8

10

12

14

16

18

20

STATEMENT OF FACT

24

26

28

30

32

34

The purpose of this bill is to amend the laws requiring a buffer strip between borrow pits and property lines, in order to prevent a person from avoiding the buffer strip requirement by transfer of a narrow strip of land. It reduces the required buffer strip from 150 feet to 100 feet. The bill allows for the elimination of the buffer strip between borrow pits of abutting owners in certain circumstances. The bill requires that all property lines and natural buffer strips be identified in the field by markings such a metal posts, stakes, flagging or blazed trees.