



117th MAINE LEGISLATURE

FIRST REGULAR SESSION-1995

Legislative Document

No. 1407

H.P. 997

House of Representatives, April 25, 1995

An Act to Establish Safety Standards for All Utility Facilities.

Reference to the Committee on Utilities and Energy suggested and ordered printed.

11).1

JOSEPH W. MAYO, Clerk

Presented by Representative STONE of Bangor.

 maintained by a municipality if the lines or poles were constructed by a person other than an electric utility, unless the electric utility is provided with certified copies of the findings by the applicable licensing authority of compliance with subsections		Be it enacted by the People of the State of Maine as follows:
 §2, is amended to read: 8 An electric utility may not provide electricity for any line in, upon, along or under roads, streets and public ways maintained by a municipality if the lines or poles were constructed by a person other than an electric utility, unless the electric utility is provided with certified copies of the findings by the applicable licensing authority of compliance with seubsections-L-and. subsection 2 and the commission's findings pursuant to subsection 3. 18 Sec. 3. 35-A MRSA §2305-A is enacted to read: 20 §2305-A. Electrical utilities to conform to standards 21 Applicable national standard. All electric power, telephone and community antenna or cable, television utilities operating in the State shall design, construct, operate and maintain their lines and equipment in conformance with the applicable provisions of the National Electrical Safety Code (NESC)-ANSI-C2 (Standard). 28 A. The requirements of the 1993 edition of the standard must be met for applicable facilities and work tasks on and after the effective date of the standard, and the requirements may be used by a utility at any time after the publication date. 36 37 38 39 39 30 30 30 30 31 32 34 35 35 35 36 36 37 37 38 38 39 39 30 30 30 30 30 31 31 32 32 34 35 35 35 35 36 36 37 37 38 38 39 39 30 30 30 30 30 31 31 32 32 32 32 34 34 35 35 35 34 36 36 37 36 37 37 38 38 39 39 30 30 30 30 30 30 31 31		
An electric utility may not provide electricity for any line in, upon, along or under roads, streets and public ways maintained by a municipality if the lines or poles were constructed by a person other than an electric utility, unless the electric utility is provided with certified copies of the findings by the applicable licensing authority of compliance with subsections -1-aad- subsection 2 and the commission's findings pursuant to subsection 3. Sec. 3. 35-A MRSA §2305-A is enacted to read: §2305-A. Electrical utilities to conform to standards 1. Applicable national standard. All electric power, telephone and community antenna or cable television utilities operating in the State shall design, construct, operate and maintain their lines and equipment in conformance with the applicable provisions of the National Electrical Safety Code (NESC)-ANSI-C2 (standard). A. The requirements of the 1993 edition of the standard after the effective date of the standard, and the requirements may be used by a utility at any time after the publication date. B. Unless a hearing is requested of the Public Utilities Commission within 120 days of the publication of a subsequent revision of the standard, the revised edition must automatically be adopted in 60 days, or the 180th day after publication, as the applicable edition for facilities and work covered in the standard until superseded. When editions change, existing facilities may continue to meet the requirements of previously applicable code editions if allowed under the new edition. 40 31 32 34 34 35 36 36 37 37 37 37 38 39 30 30 30 30 30 30 30 30 30 30		
 in, upon, along or under roads, streets and public ways maintained by a municipality if the lines or poles were constructed by a person other than an electric utility, unless the electric utility is provided with certified copies of the findings by the applicable licensing authority of compliance with subsections.l-and-subsection 2 and the commission's findings pursuant to subsection 3. Sec.3. 35-A MRSA §2305-A is enacted to read: §2305-A. Electrical utilities to conform to standards I. Applicable national standard. All electric power, telephone and community antenna or cable television utilities operating in the State shall design, construct, operate and maintain their lines and equipment in conformance with the applicable provisions of the National Electrical Safety Code (NESC)-ANSI-C2 (Standard). A. The requirements of the 1993 edition of the standard must be met for applicable facilities and work tasks on and after the effective date of the standard, and the requirements may be used by a utility at any time after the publication date. B. Unless a hearing is requested of the Public Utilities commission within 120 days of the publication of a subsequent revision of the standard, the revised edition after publication, as the applicable edition for facilities and work covered in the standard until superseded. When editions change, existing facilities may continue to meet the requirements of previously applicable code editions if allowed under the new edition. A. Modifications, deletions and waivers to the standard. The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the 	8	
 constructed by a person other than an electric utility, unless the electric utility is provided with certified copies of the findings by the applicable licensing authority of compliance with subsectionsL-and. subsection 2 and the commission's findings pursuant to subsection 3. Sec. 3. 35-A MRSA §2305-A is enacted to read: §2305-A. Electrical utilities to conform to standards l. Applicable national standard. All electric power, telephone and community antenna or cable television utilities operating in the State shall design, construct, operate and maintain their lines and equipment in conformance with the applicable provisions of the National Electrical Safety Code (NESC)-ANSI-C2 (Standard). A. The requirements of the 1993 edition of the standard must be met for applicable facilities and work tasks on and after the effective date of the standard, and the publication date. B. Unless a hearing is requested of the Public Utilities Commission within 120 days of the publication of a subsequent revision of the standard, the revised edition must automatically be adopted in 60 days, or the 180th day after publication, as the applicable edition for facilities and work covered in the standard until superseded. When editions change, existing facilities may continue to meet the requirements of previously applicable code editions if allowed under the new edition. Modifications, deletions and waivers to the standard. The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the 	10	in, upon, along or under roads, streets and public ways
 subsections - 1 - and <u>subsection</u> 2 and the commission's findings pursuant to subsection 3. Sec. 3. 35-A MRSA §2305-A is enacted to read: §2305-A. Electrical utilities to conform to standards Applicable national standard. All electric power, telephone and community antenna or cable television utilities operating in the State shall design, construct, operate and maintain their lines and equipment in conformance with the applicable provisions of the National Electrical Safety Code (NESC)-ANSI-C2 (Standard). A. The requirements of the 1993 edition of the standard after the effective date of the standard, and the requirements may be used by a utility at any time after the publication date. B. Unless a hearing is requested of the Public Utilities commission within 120 days of the publication of a subsequent revision of the standard, the revised edition after publication, as the applicable edition for facilities and work covered in the standard until superseded. Mhen editions change, existing facilities may continue to meet the requirements of previously applicable code editions if allowed under the new edition. Modifications, deletions and waivers to the standard. The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the 	12	constructed by a person other than an electric utility, unless
 Sec. 3. 35-A MRSA §2305-A is enacted to read: §2305-A. Electrical utilities to conform to standards Applicable national standard. All electric power, telephone and community antenna or cable television utilities operating in the State shall design, construct, operate and maintain their lines and equipment in conformance with the applicable provisions of the National Electrical Safety Code (NESC)-ANSI-C2 (Standard). A. The requirements of the 1993 edition of the standard must be met for applicable facilities and work tasks on and after the effective date of the standard, and the requirements may be used by a utility at any time after the publication date. B. Unless a hearing is requested of the Public Utilities commission within 120 days of the publication of a subsequent revision of the standard the revised edition must automatically be adopted in 60 days, or the 180th day after publication, as the applicable edition for facilities and work covered in the standard until superseded. When editions change, existing facilities may continue to meet the requirements of previously applicable code editions if allowed under the new edition. Modifications, deletions and waivers to the standard. The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the 	14	
 \$2305-A. Electrical utilities to conform to standards Applicable national standard. All electric power, telephone and community antenna or cable television utilities operating in the State shall design, construct, operate and maintain their lines and equipment in conformance with the applicable provisions of the National Electrical Safety Code (NESC)-ANSI-C2 (Standard). A. The requirements of the 1993 edition of the standard must be met for applicable facilities and work tasks on and after the effective date of the standard, and the publication date. B. Unless a hearing is requested of the Public Utilities Commission within 120 days of the publication of a subsequent revision of the standard, the revised edition must automatically be adopted in 60 days, or the 180th day after publication, as the applicable edition for facilities and work covered in the standard until superseded. When editions change, existing facilities may continue to meet the requirements of previously applicable code editions if allowed under the new edition. Modifications, deletions and waivers to the standard. The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the 	16	pursuant to subsection 3.
 1. Applicable national standard. All electric power, telephone and community antenna or cable television utilities operating in the State shall design, construct, operate and maintain their lines and equipment in conformance with the applicable provisions of the National Electrical Safety Code (NESC)-ANSI-C2 (Standard). A. The requirements of the 1993 edition of the standard must be met for applicable facilities and work tasks on and after the effective date of the standard, and the requirements may be used by a utility at any time after the publication date. B. Unless a hearing is requested of the public Utilities Commission within 120 days of the publication of a subsequent revision of the standard, the revised edition and work covered in the standard until superseded. When editions change, existing facilities may continue to meet the requirements of previously applicable code editions if allowed under the new edition. Modifications, deletions and waivers to the standard. The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the 	18	Sec. 3. 35-A MRSA §2305-A is enacted to read:
 telephone and community antenna or cable television utilities operating in the State shall design, construct, operate and maintain their lines and equipment in conformance with the applicable provisions of the National Electrical Safety Code (NESC)-ANSI-C2 (Standard). A. The requirements of the 1993 edition of the standard must be met for applicable facilities and work tasks on and after the effective date of the standard, and the requirements may be used by a utility at any time after the publication date. B. Unless a hearing is requested of the Public Utilities Commission within 120 days of the publication of a subsequent revision of the standard, the revised edition must automatically be adopted in 60 days, or the 180th day after publication, as the applicable edition for facilities and work covered in the standard until superseded. When editions change, existing facilities may continue to meet the requirements of previously applicable code editions if allowed under the new edition. Modifications, deletions and waivers to the standard. The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the 	20	§2305-A. Electrical utilities to conform to standards
 24 operating in the State shall design, construct, operate and maintain their lines and equipment in conformance with the applicable provisions of the National Electrical Safety Code (NESC)-ANSI-C2 (Standard). 28 A. The requirements of the 1993 edition of the standard must be met for applicable facilities and work tasks on and after the effective date of the standard, and the requirements may be used by a utility at any time after the publication date. 34 B. Unless a hearing is requested of the Public Utilities commission within 120 days of the publication of a subsequent revision of the standard, the revised edition and work covered in the standard until superseded. When editions change, existing facilities may continue to meet the requirements of previously applicable code editions if allowed under the new edition. 44 46 The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the 	22	
 maintain their lines and equipment in conformance with the applicable provisions of the National Electrical Safety Code (NESC)-ANSI-C2 (Standard). A. The requirements of the 1993 edition of the standard must be met for applicable facilities and work tasks on and after the effective date of the standard, and the requirements may be used by a utility at any time after the publication date. B. Unless a hearing is requested of the Public Utilities Commission within 120 days of the publication of a subsequent revision of the standard, the revised edition must automatically be adopted in 60 days, or the 180th day after publication, as the applicable edition for facilities and work covered in the standard until superseded. When editions change, existing facilities may continue to meet the requirements of previously applicable code editions if allowed under the new edition. Modifications, deletions and waivers to the standard. The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the 	24	
 applicable provisions of the National Electrical Safety Code (NESC)-ANSI-C2 (Standard). A. The requirements of the 1993 edition of the standard must be met for applicable facilities and work tasks on and after the effective date of the standard, and the requirements may be used by a utility at any time after the publication date. B. Unless a hearing is requested of the Public Utilities commission within 120 days of the publication of a subsequent revision of the standard, the revised edition must automatically be adopted in 60 days, or the 180th day after publication, as the applicable edition for facilities and work covered in the standard until superseded. When editions change, existing facilities may continue to meet the requirements of previously applicable code editions if allowed under the new edition. Modifications, deletions and waivers to the standard. The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the 		
 A. The requirements of the 1993 edition of the standard must be met for applicable facilities and work tasks on and after the effective date of the standard, and the requirements may be used by a utility at any time after the publication date. B. Unless a hearing is requested of the Public Utilities Commission within 120 days of the publication of a subsequent revision of the standard, the revised edition must automatically be adopted in 60 days, or the 180th day after publication, as the applicable edition for facilities and work covered in the standard until superseded. When editions change, existing facilities may continue to meet the requirements of previously applicable code editions if allowed under the new edition. Modifications, deletions and waivers to the standard. The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the 	26	applicable provisions of the National Electrical Safety Code
 must be met for applicable facilities and work tasks on and after the effective date of the standard, and the requirements may be used by a utility at any time after the publication date. B. Unless a hearing is requested of the Public Utilities Commission within 120 days of the publication of a subsequent revision of the standard, the revised edition must automatically be adopted in 60 days, or the 180th day after publication, as the applicable edition for facilities and work covered in the standard until superseded. When editions change, existing facilities may continue to meet the requirements of previously applicable code editions if allowed under the new edition. Modifications, deletions and waivers to the standard. The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the 	28	
aftertheeffectivedateofthestandard,andthe32requirementsmaybeusedbyautilityat anytimeafterthe34B.UnlessahearingisrequestedofthePublicUtilities36Commissionwithin120daysofthepublicationofa36Commissionwithin120daysofthepublicationofa38mustautomaticallybeadoptedin60days,orthe180thday38afterpublication,astheapplicableeditionfacilities40afterpublication,astheapplicableeditionfacilities41andworkcoveredinthestandarduntilsuperseded.When42therequirementsofpreviouslyapplicablecodeeditionsif44allowedunderthenewedition.afterappropriate46Thecommissionmay,atitsdiscretionandafterappropriate46Thecommissionmay,atitsdiscretionandafterappropriate46hearing,modify,deleteorwaiveindividualrequirementsofth	30	-
 requirements may be used by a utility at any time after the publication date. B. Unless a hearing is requested of the Public Utilities Commission within 120 days of the publication of a subsequent revision of the standard, the revised edition must automatically be adopted in 60 days, or the 180th day after publication, as the applicable edition for facilities and work covered in the standard until superseded. When editions change, existing facilities may continue to meet the requirements of previously applicable code editions if allowed under the new edition. Modifications, deletions and waivers to the standard. The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the 		
 B. Unless a hearing is requested of the Public Utilities Commission within 120 days of the publication of a subsequent revision of the standard, the revised edition must automatically be adopted in 60 days, or the 180th day after publication, as the applicable edition for facilities and work covered in the standard until superseded. When editions change, existing facilities may continue to meet the requirements of previously applicable code editions if allowed under the new edition. Modifications, deletions and waivers to the standard. The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the 	32	requirements may be used by a utility at any time after the
 36 Commission within 120 days of the publication of a subsequent revision of the standard, the revised edition 38 must automatically be adopted in 60 days, or the 180th day after publication, as the applicable edition for facilities 40 and work covered in the standard until superseded. When editions change, existing facilities may continue to meet 42 the requirements of previously applicable code editions if allowed under the new edition. 44 46 The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the 	34	
 must automatically be adopted in 60 days, or the 180th day after publication, as the applicable edition for facilities and work covered in the standard until superseded. When editions change, existing facilities may continue to meet the requirements of previously applicable code editions if allowed under the new edition. Modifications, deletions and waivers to the standard. The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the 	36	Commission within 120 days of the publication of a
 and work covered in the standard until superseded. When editions change, existing facilities may continue to meet the requirements of previously applicable code editions if allowed under the new edition. Modifications, deletions and waivers to the standard. The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the 	38	
allowed under the new edition.4444 2. Modifications, deletions and waivers to the standard. 46The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the	40	and work covered in the standard until superseded. When
2. Modifications, deletions and waivers to the standard. 46 The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the	42	
46 The commission may, at its discretion and after appropriate hearing, modify, delete or waive individual requirements of the	44	
hearing, modify, delete or waive individual requirements of the		
	46	
	4.0	
48 <u>standards</u> , <u>A modification</u> , <u>deletion</u> or <u>waiver</u> of <u>a national</u> <u>standard</u> of <u>practice</u> contained in the standard may be made only	48	
	50	

*

.

•

Page 1-LR1580(1)

L.D.1407

	substituted or when national standard practice is found to be not
2	applicable or is found to be unduly burdensome for the level of
-	safety achieved under the given local conditions.
4	
	A. Modifications, deletions or waivers of individual
6	requirements of an edition of the standard must remain in
	force until the effective date of the next edition of the
8	standard or repeal by the commission, whichever occurs first.
10	B. If no request for rehearing on existing modifications,
	deletions or waivers to an edition of the standard is
12	received within 120 days of the publication of the next
7.4	edition of the standard, the existing modifications,
14	<u>deletions or waivers must be automatically considered</u> repealed on the effective date of the subsequent edition.
16	repeated on the effective date of the subsequent edition.
10	3. Additional safety measures. The commission may, at its
18	discretion and after appropriate hearing, require safety measures
10	in addition to those required by the standard. The additional
20	requirements remain in force until repealed by the procedure set
	out in this subsection or by the commission. In order for
22	additional requirements to remain in force, they must be
	reaffirmed by the commission within 10 years of their inception
24	or last reaffirmation. If additional requirements are not
	affirmed within the prescribed time, they must be considered
26	repealed.
28	
2.0	STATEMENT OF FACT
30	STATEMENT OF FACT
32	This bill requires all utilities, including cable television
~ ~	companies, to comply with the National Electric Safety Code, as
34	enhanced or modified by the Public Utilities Commission. This
~ -	bill also repeals the Maine Revised Statutes, Title 35-A, section
36	2305, subsection 1, which has been written into the new section
	2305-A.

3'8

*

ч

-