MAINE STATE LEGISLATURE

The following document is provided by the

LAW AND LEGISLATIVE DIGITAL LIBRARY

at the Maine State Law and Legislative Reference Library

http://legislature.maine.gov/lawlib



Reproduced from scanned originals with text recognition applied (searchable text may contain some errors and/or omissions)



120th MAINE LEGISLATURE

FIRST REGULAR SESSION-2001

Legislative Document

No. 1432

H.P. 1069

House of Representatives, March 5, 2001

Millient M. Macfailand

An Act to Encourage Greater Acquisition, Deployment and Use of Automated External Defibrillators.

Reference to the Committee on Criminal Justice suggested and ordered printed.

MILLICENT M. MacFARLAND, Clerk

Presented by Representative BUMPS of China.

Cosponsored by Representatives: BULL of Freeport, TUTTLE of Sanford.

	Be it enacted by the People of the State of Maine as follows:
2	Sec. 1. 22 MRSA c. 421 is enacted to read:
4	
6	CHAPTER 421
	AUTOMATED EXTERNAL DEFIBRILLATORS
8	falso C. Posicitions
10	§2150-C. Definitions
	As used in this chapter, unless the context otherwise
12	indicates, the following terms have the following meanings.
14	1. Automated external defibrillator. "Automated external
	defibrillator" means a medical device heart monitor and
16	defibrillator that:
18	A. Has received approval of its premarket notification,
	filed pursuant to 21 United States Code, Section 360(k),
20	from the United States Food and Drug Administration;
22	B. Is capable of recognizing the presence or absence of
	ventricular fibrillation and rapid ventricular tachycardia,
24	and is capable of determining, without intervention by an
26	operator, whether defibrillation should be performed;
20	C. Either automatically charges and delivers an electrical
28	impulse to an individual, or charges and delivers an
	electrical impulse at the command of the operator; and
30	
32	D. In the case of a defibrillator that may be operated in either an automatic or a manual mode, is set to operate in
32	the automatic mode.
34	<u> </u>
	2. Automated external defibrillation. "Automatic external
36	defibrillation" means the process of applying an automated
2.0	external defibrillator to a person in cardiac arrest, allowing
38	the defibrillator to interpret the cardiac rhythm, and, if appropriate, delivering an electrical shock to the heart to allow
40	it to resume effective electrical activity.
42	3. Emergency medical services provider. "Emergency medical
	services provider" means an advanced emergency medical
44	technician, an ambulance attendant, a basic emergency medical
	services' person or a basic emergency medical technician, as
46	defined in Title 32, section 83, subsections 1, 3-A, 6 and 7,
48	respectively.
40	4. Emergency medical services system. "Emergency medical
50	services system" means the comprehensive and coordinated
	<u>statewide</u>

2	emergency medical services system, including the trauma care system, that is created in Title 32, chapter 2-B.
4	§2150-D. Training, maintenance, testing, use and reporting
6	requirements
O	1 Marinian and maintenance & second about the
8	1. Training and maintenance. A person who possesses an automated external defibrillator must:
10	A. Require expected users to complete successfully a course in automated external defibrillation and cardiopulmonary
12	resuscitation that is offered or approved by the American Heart Association or another nationally recognized
14	organization;
16	B. Maintain and test the defibrillator according to the manufacturer's quidelines; and
18	
	C. Consult with a physician regarding compliance with the
20	requirements of paragraphs A and B.
22	2. Notification of location of defibrillator. A person in
24	possession of an automated external defibrillator shall notify an agent of the local emergency communications or vehicle dispatch
44	center of the existence, location and type of the automated
26	external defibrillator.
28	3. Authorized users. A person who has obtained appropriate
	training on how to perform automated external defibrillation and
30	has successfully completed a course in cardiopulmonary
	resuscitation may perform automated external defibrillation,
32	regardless of whether the person is a physician, registered
	nurse, licensed practical nurse or emergency medical services
34	provider.
36	4. Activation of emergency medical services system. A
	person who renders out-of-hospital emergency care or treatment to
38	a person in cardiac arrest by using an automated external defibrillator must activate the emergency medical services system
40	as soon as possible and report any clinical use of the automated
40	
42	external defibrillator.
	§2150-E. Immunity
44	
4.5	1. Immunity for provider prescription. Except in the case
4 6	of intentional misconduct, a physician is not liable for civil
	damages for injury, death or loss to person or property for

providing a prescription for an automated external defibrillator approved for use as a medical device by the United States Food and Drug Administration.

- 2. Immunity for providing training. Except in the case of intentional misconduct, a person is not liable for civil damages for injury, death or loss to person or property for providing training in automated external defibrillation.
- 3. Immunity for providing defibrillation. Except in the case of intentional misconduct or when there is no good faith attempt to notify an emergency medical services system organization in accordance with section 2150-D, subsection 3, a person is not criminally responsible nor liable for civil damages for injury, death or loss to person or property for performing automated external defibrillation in good faith, regardless of whether the person has obtained appropriate training on how to perform automated external defibrillation.

SUMMARY

This bill requires certain training for designated uses of a defibrillator; requires notification of a defibrillator with the emergency medical services system; requires activation of the emergency medical services system in an emergency situation where a defibrillator is used; and provides immunity from liability for persons who use such a defibrillator.