MAINE STATE LEGISLATURE

The following document is provided by the

LAW AND LEGISLATIVE DIGITAL LIBRARY

at the Maine State Law and Legislative Reference Library

http://legislature.maine.gov/lawlib



Reproduced from scanned originals with text recognition applied (searchable text may contain some errors and/or omissions)



121st MAINE LEGISLATURE

FIRST REGULAR SESSION-2003

Legislative Document

No. 1143

H.P. 846

House of Representatives, March 4, 2003

An Act Concerning Endangered and Invasive Plant Species

Reference to the Committee on Agriculture, Conservation and Forestry suggested and ordered printed.

Millient M. MacFarland MILLICENT M. MacFARLAND Clerk

Presented by Representative DUNLAP of Old Town.
Cosponsored by Senator BRYANT of Oxford and
Representatives: KOFFMAN of Bar Harbor, McKEE of Wayne, PINEAU of Jay.

| | Be it enacted by the People of the State of Maine as follows: |
|-----|--|
| 2 | <pre>Sec. 1. 12 MRSA §544-B, sub-§3, as enacted by PL 1999, c. 556, §13, is repealed.</pre> |
| 6 | Sec. 2. 12 MRSA §544-B, sub-§3-A is enacted to read: |
| 8 | 3-A. Endangered plants. The commissioner has the following responsibilities related to endangered plants. |
| 10 | |
| 12 | A. The commissioner shall recommend a species to be listed as endangered or threatened. |
| 14 | B. In recommending a species to be listed as endangered or threatened, the commissioner shall: |
| 16 | (1) Make use of the rare plant database of the Natural |
| 18 | Areas Program, the advice of the Natural Areas Advisory Board and the knowledge of botanists in the State; |
| 20 | |
| 22 | (2) Consult, as appropriate, with federal agencies, other interested state agencies, other states or provinces having a common interest in the species and |
| 24 | interested persons and organizations; |
| 26 | (3) Maintain a list of all species that the Legislature has designated to be endangered or |
| 28 | threatened, naming each species by both its scientific |
| 30 | and common name, if any; and |
| | (4) Consider aspects of plant biology that contribute |
| 32 | to a species' rarity such as: |
| 34 | (a) Endemism. The plant species or subspecies may |
| 36 | <pre>be geographically restricted to the State or areas immediately adjacent to the State;</pre> |
| 38 | (b) Scarcity. A plant species or subspecies may be numerically scarce throughout its distribution |
| 40 | in North America and occur in only a few locations in the State; |
| 42 | |
| 44 | (c) Special habitat. A plant species or subspecies may require habitat that is scarce in the State; |
| 46 | |
| 48 | (d) Limit of range. A plant species or subspecies in the State may be at the edge of its |
| 50 | <pre>distribution or disjunct from its main distribution; and</pre> |
| J U | are and |

| 2 | (e) Population decline or vulnerability. A plant species or subspecies may be threatened or |
|----|---|
| 4 | seriously declining due to habitat modification or |
| c | destruction or from overcollection for commercial, |
| 6 | recreational or educational purposes. |
| 8 | C. The Legislature, as sole authority, shall designate a |
| 10 | species as a state endangered or state threatened species. The list of state endangered or state threatened species is |
| 12 | as follows: |
| 12 | (1) Acalypha virginica, commonly known as three-seeded |
| 14 | mercury; |
| 16 | (2) Achillea millefolium var. borealis, commonly known |
| 18 | as northern yarrow; |
| 20 | (3) Adiantum aleuticum, commonly known as aleutian maidenhair fern; |
| | |
| 22 | (4) Adlumia fungosa, commonly known as Allegheny vine; |
| 24 | (5) Agalinis maritima, commonly known as saltmarsh |
| 26 | <pre>false-foxglove;</pre> |
| 28 | (6) Agalinis neoscotica, commonly known as Nova Scotia false-foxglove; |
| 30 | (7) Agrostis mertensii, commonly known as boreal bentgrass; |
| 32 | |
| 34 | (8) Aletris farinosa, commonly known as unicorn root; |
| 36 | (9) Allium canadense, commonly known as wild garlic; |
| | (10) Allium tricoccum, commonly known as wild leek; |
| 38 | (11) Amelanchies nantucketonsis comments because a |
| 40 | (11) Amelanchier nantucketensis, commonly known as Nantucket shadbush; |
| 42 | (12) Amelanchier sanguinea var. gaspensis, commonly known as Gaspe shadbush; |
| 44 | known as Gaspe snadbusn; |
| | (13) Amerorchis rotundifolia, commonly known as small |
| 46 | round-leaved orchis; |
| 48 | (14) Anemone multifida, commonly known as cut-leaved anemone; |
| 50 | |

| | (15) Arabis laevigata, commonly known as smooth |
|----|---|
| 2 | rockcress; |
| 4 | (16) Arabis missouriensis, commonly known as Missouri rockcress; |
| 6 | |
| 8 | (17) Arctostaphylos alpina, commonly known as alpine bearberry; |
| 10 | (18) Aristida basiramea, commonly known as branching needle-grass; |
| 12 | |
| 14 | (19) Armoracia lacustris, commonly known as lake-cress; |
| 16 | (20) Arnica lanceolata, commonly known as hairy arnica; |
| 18 | (21) Artemisia campestris ssp. borealis, commonly known as Canadian wormwood; |
| 20 | (22) Asarum canadense, commonly known as wild ginger; |
| 22 | (23) Asclepias tuberosa, commonly known as butterfly weed; |
| 24 | (24) Asplenium platyneuron, commonly known as ebony |
| 26 | spleenwort; |
| 28 | (25) Asplenium rhizophyllum, commonly known as walking fern; |
| 30 | |
| 32 | (26) Asplenium trichomanes-ramosum, commonly known as green spleenwort; |
| 34 | (27) Aster divaricatus, commonly known as white wood aster; |
| 36 | (28) Aster patens, commonly known as late purple aster; |
| 38 | |
| 40 | (29) Aster schreberi, commonly known as Schreber's aster; |
| 42 | (30) Astragalus alpinus, commonly known as alpine milk-vetch; |
| 44 | |
| 46 | (31) Astragalus eucosmus, commonly known as elegant milk-vetch; |
| 48 | (32) Astragalus robbinsii, commonly known as Robbin's milk-vetch; |
| 50 | |

| | (33) Aureolaria pedicularia, commonly known as |
|-----|--|
| 2 | fern-leaved false foxglove; |
| 4 | (34) Baptisia tinctoria, commonly known as wild indigo; |
| 6 | (35) Barbarea orthoceras, commonly known as American winter-cress; |
| 8 | winter-cress; |
| 10 | (36) Bartonia paniculata, commonly known as screwstem; |
| 10 | (37) Betula glandulosa, commonly known as tundra dwarf |
| 12 | birch; |
| 14 | (38) Betula x minor, commonly known as dwarf white birch; |
| 16 | DITCHY |
| | (39) Betula pumila, commonly known as swamp birch; |
| 18 | (40) Bidens eatonii, commonly known as Eaton's |
| 20 | bur-marigold; |
| 22 | (41) Bidens hyperborea, commonly known as estuary bur-marigold; |
| 24 | |
| 26 | (42) Bolboschoenus x novae-angliae, commonly known as marsh bulrush; |
| 28 | (43) Botrychium lunaria, commonly known as moonwort; |
| 30 | (44) Bromus kalmii, commonly known as wild chess; |
| 32 | (45) Bromus pubescens, commonly known as hairy wood brome-grass; |
| 34 | 22 0 1 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| 2.5 | (46) Calamagrostis cinnoides, commonly known as small |
| 36 | reed-grass; |
| 38 | (47) Calamagrostis pickeringii, commonly known as |
| 40 | <pre>pickering's reed bent-grass;</pre> |
| | (48) Calamagrostis stricta ssp. inexpansa, commonly |
| 42 | known as New England northern reed grass; |
| 44 | (49) Calamagrostis stricta ssp. stricta, commonly |
| 46 | known as neglected reed-grass; |
| | (50) Calystegia spithamaea, commonly known as upright |
| 48 | <pre>bindweed;</pre> |

| 2 | (51) Cardamine bellidifolia, commonly known as alpine bitter-cress; |
|----|---|
| 4 | (52) Cardamine concatenata, commonly known as cut-leaved toothwort; |
| 6 | |
| 8 | (53) Cardamine longii, commonly known as long's bitter-cress; |
| 10 | (54) Cardamine x maxima, commonly known as large toothwort; |
| 12 | |
| 14 | (55) Carex adusta, commonly known as swarthy sedge; |
| 16 | (56) Carex alopecoidea, commonly known as foxtail sedge: |
| 18 | (57) Carex atherodes, commonly known as awned sedge; |
| 20 | (58) Carex atratiformis, commonly known as Black sedge; |
| 22 | (59) Carex backii, commonly known as Back's sedge; |
| 24 | (60) Carex baileyi, commonly known as Bailey's sedge; |
| 26 | (61) Carex bicknellii, commonly known as Bicknell's sedge; |
| 28 | |
| 30 | (62) Carex bigelowii, commonly known as Bigelow's sedge: |
| 32 | (63) Carex bushii, commonly known as Bush's sedge; |
| 34 | (64) Carex capillaris, commonly known as capillary sedge; |
| 36 | (65) Carex crawei, commonly known as Crawe's sedge; |
| 38 | |
| 40 | (66) Carex eburnea, commonly known as ebony sedge; |
| 42 | (67) Carex garberi, commonly known as Garber's sedge; |
| 44 | (68) Carex grisea, commonly known as narrowleaf sedge; |
| 46 | (69) Carex gynocrates, commonly known as northern bog sedge; |
| 48 | (70) Carex laevivaginata, commonly known as |
| | smooth-sheathed sedge; |
| 50 | |

| | (71) Carex laxiculmis, commonly known as spreading |
|----|--|
| 2 | sedge; |
| 4 | (72) Carex livida, commonly known as livid sedge; |
| 6 | (73) Carex macloviana, commonly known as Falkland |
| 8 | <u>Island sedge;</u> |
| 10 | (74) Carex muchlenbergii, commonly known as Muhlenberg sedge; |
| 12 | (75) Carex norvegica, commonly known as intermediate |
| 14 | sedge; |
| 16 | (76) Carex oronensis, commonly known as Orono sedge: |
| | (77) Carex polymorpha, commonly known as variable |
| 18 | <u>sedge;</u> |
| 20 | (78) Carex prairea, commonly known as prairie sedge: |
| 22 | (79) Carex praticola, commonly known as northern meadow sedge; |
| 24 | |
| 26 | (80) Carex rariflora, commonly known as loose-flowered sedge; |
| 28 | (81) Carex recta, commonly known as salt-marsh sedge; |
| 30 | (82) Carex saxatilis, commonly known as russett sedge; |
| 32 | (83) Carex scirpoidea, commonly known as bulrush sedge; |
| 34 | (84) Carex siccata, commonly known as dry land sedge; |
| 36 | (85) Carex silicea, commonly known as sea-beach sedge; |
| 38 | (86) Carex sparganioides, commonly known as bur-reed sedge; |
| 40 | (87) Carex sprengelii, commonly known as long-beaked |
| 42 | sedge; |
| 44 | (88) Carex x stenolepis, commonly known as Maine sedge; |
| 46 | (89) Carex sterilis, commonly known as dioecious sedge; |
| 48 | (90) Carex tenuiflora, commonly known as sparse-flowered sedge; |
| 50 | εξαίεο "**ομότοα σοαβ ότ |

| 2 | (91) Carex x trichina, commonly known as hair-like sedge; |
|----|--|
| 4 | (92) Carex typhina, commonly known as cat-tail sedge; |
| 6 | (93) Carex vaginata, commonly known as sheathed sedge; |
| 8 | (94) Carex vestita, commonly known as clothed sedge; |
| 10 | (95) Carex wiegandii, commonly known as Wiegand sedge; |
| 12 | (96) Carya cordiformis, commonly known as bitternut hickory; |
| 14 | |
| 16 | (97) Castanea dentata, commonly known as American chestnut; |
| 18 | (98) Castilleja coccinea, commonly known as Indian |
| 20 | paintbrush; |
| 22 | (99) Castilleja septentrionalis, commonly known as northern painted cup; |
| 24 | (100) Ceanothus americanus, commonly known as New Jersey tea; |
| 26 | |
| 28 | (101) Cenchrus longispinus, commonly known as long-spined sandbur; |
| 30 | (102) Ceratophyllum echinatum, commonly known as prickly hornwort; |
| 32 | |
| 34 | (103) Chamaecyparis thyoides, commonly known as Atlantic white-cedar; |
| 36 | (104) Chenopodium berlandieri, commonly known as Bosc's goosefoot; |
| 38 | |
| 40 | (105) Chenopodium humile, commonly known as coast-blite goosefoot; |
| 42 | (106) Chenopodium rubrum, commonly known as coast-blite goosefoot; |
| 44 | (107) Chimaphila maculata, commonly known as spotted |
| 46 | wintergreen; |
| 48 | (108) Clematis occidentalis, commonly known as purple |
| 50 | <u>clematis;</u> |

| | (109) Clethra alnifolia, commonly known as sweet |
|-----|---|
| 2 | pepper-bush; |
| 4 | (110) Corallorhiza odontorhiza, commonly known as Autumn coral-root; |
| 6 | *** CMIII** AA AT T AA AA |
| 8 | (111) Cornus florida, commonly known as flowering dogwood; |
| · · | #5 3 **^^4\ |
| 10 | (112) Crassula aquatica, commonly known as pygmyweed; |
| 12 | (113) Cryptogramma stelleri, commonly known as slender cliffbrake; |
| 14 | |
| 16 | (114) Cryptotaenia canadensis, commonly known as wild chervil; |
| 18 | (115) Cynoglossum virginianum, commonly known as northern wild comfrey; |
| 20 | |
| 22 | (116) Cyperus aristatus, commonly known as awned sedge; |
| | (117) Cyperus erythrorhizos, commonly known as |
| 24 | <pre>red-root flatsedge;</pre> |
| 26 | (118) Cyperus houghtonii, commonly known as Houghton's umbrella-sedge; |
| 28 | |
| | (119) Cypripedium arietinum, commonly known as |
| 30 | <pre>ram's-head lady's-slipper;</pre> |
| 32 | (120) Cypripedium reginae, commonly known as showy lady's-slipper; |
| 34 | |
| 2.6 | (121) Descurainia incana, commonly known as |
| 36 | Richardson's tansy-mustard; |
| 38 | (122) Diapensia lapponica, commonly known as Lapland diapensia; |
| 40 | diapensia; |
| | (123) Dicentra canadensis, commonly known as |
| 42 | squirrel-corn; |
| 44 | (124) Diphasiastrum x sabinifolium, commonly known as |
| | ground-fir; |
| 46 | |
| 48 | (125) Diphasiastrum sitchense, commonly known as Alaskan clubmoss; |

| | (126) Draba arabisans, commonly known as rock |
|----|--|
| 2 | whitlow-grass: |
| 4 | (127) Draba cana, commonly known as lance-leaved draba; |
| 6 | (128) Drosera anglica, commonly known as English sundew; |
| 8 | <u>sundew;</u> |
| | (129) Drosera linearis, commonly known as |
| 10 | slender-leaved sundew: |
| 12 | (130) Dryopteris filix-mas, commonly known as male fern: |
| 14 | a.v.a.r. |
| 16 | (131) Dryopteris fragrans, commonly known as fragrant cliff wood-fern; |
| 18 | (132) Dryopteris goldiana, commonly known as Goldie's |
| 20 | wood-fern; |
| _• | (133) Eleocharis engelmannii, commonly known as |
| 22 | Engelmann's spikerush; |
| 24 | (134) Eleocharis quinqueflora, commonly known as few-flowered spikerush; |
| 26 | |
| _ | (135) Eleocharis rostellata, commonly known as beaked |
| 28 | spikerush; |
| 30 | (136) Eleocharis tuberculosa, commonly known as long-tubercled spike-rush; |
| 32 | |
| 34 | (137) Elymus hystrix, commonly known as bottlebrush grass; |
| 36 | (138) Epilobium anagallidifolium, commonly known as alpine willow-herb; |
| 38 | alpine willow-nerd; |
| | (139) Epilobium hornemanii, commonly known as |
| 40 | <pre>Hornemann's willow-herb;</pre> |
| 42 | (140) Equisetum variegatum, commonly known as variegated horsetail; |
| 44 | variagacea noi be cail? |
| | (141) Eragrostis capillaris, commonly known as tiny |
| 46 | love-grass; |
| 48 | (142) Eragrostis hypnoides, commonly known as teal love grass; |
| 50 | |

| | (143) Erigeron hyssopifolius, commonly known as |
|----|---|
| 2 | hyssop-leaved fleabane; |
| 4 | (144) Eriocaulon parkeri, commonly known as Parker's pipewort; |
| 6 | |
| 8 | (145) Eupatorium dubium, commonly known as eastern joe-pye weed: |
| 10 | (146) Eupatorium fistulosum, commonly known as hollow joe-pye weed; |
| 12 | |
| 14 | (147) Eupatorium perfoliatum var. colpophilum, commonly known as estuary boneset; |
| 16 | (148) Eupatorium rotundifolium, commonly known as hairy boneset; |
| 18 | - |
| 20 | (149) Euphrasia disjuncta, commonly known as disjunct eyebright; |
| 22 | (150) Euphrasia oakesii, commonly known as Oake's eyebright; |
| 24 | |
| 26 | (151) Euthamia tenuifolia, commonly known as narrow-leaved goldenrod; |
| 28 | (152) Festuca prolifera, commonly known as Arctic red |
| 30 | (152) Pinkuistolia sukunuslis |
| 32 | (153) Fimbristylis autumnalis, commonly known as dwarf bulrush; |
| 34 | (154) Galearis spectabilis, commonly known as showy orchis; |
| 36 | |
| 38 | (155) Galium brevipes, commonly known as limestone swamp bedstraw; |
| 40 | (156) Galium kamtschaticum, commonly known as boreal bedstraw; |
| 42 | |
| 44 | (157) Galium labradoricum, commonly known as bog bedstraw; |
| 46 | (158) Galium obtusum, commonly known as blunt-leaved bedstraw; |
| 48 | |
| 50 | (159) Gamochaeta purpurea, commonly known as purple cudweed; |

| 2 | (160) Gentiana rubricaulis, commonly known as |
|-----|--|
| 4 | red-stemmed gentian; |
| 6 · | (161) Gentianella amarella, commonly known as northern gentian; |
| 8 | (162) Gentianella quinquefolia, commonly known as stiff gentian; |
| 10 | (163) Geocaulon lividum, commonly known as northern |
| 12 | commandra; |
| 14 | (164) Glyceria acutiflora, commonly known as sharp-scaled manna-grass; |
| 16 | (165) Goodyera oblongifolia, commonly known as giant |
| 18 | rattlesnake-plantain; |
| 20 | (166) Hackelia deflexa, commonly known as northern stickseed; |
| 22 | (167) Harrimanella hypnoides, commonly known as moss |
| 24 | bell-heather; |
| 26 | (168) Hedysarum alpinum, commonly known as alpine sweet-broom; |
| 28 | (169) Hepatica nobilis var. acuta, commonly known as |
| 30 | sharp-lobed hepatica; |
| 32 | (170) Hieracium gronovii, commonly known as hairy hawkweed; |
| 34 | (171) Hieracium robinsonii, commonly known as |
| 36 | Robinson's hawkweed; |
| 38 | (172) Hieracium venosum, commonly known as rattlesnake hawkweed; |
| 40 | (173) Hierochloe alpina, commonly known as alpine |
| 42 | sweet-grass; |
| 44 | (174) Hippuris vulgaris, commonly known as common mare's-tail; |
| 46 | (175) Hottonia inflata, commonly known as featherfoil; |
| 48 | (176) Houstonia longifolia, commonly known as |
| 50 | long-leaved bluet; |

| 2 | (177) Huperzia appalachiana, commonly known as |
|----|--|
| _ | Appalachian fir-clubmoss; |
| 4 | (178) Huperzia selago, commonly known as alpine |
| 6 | clubmoss: |
| 8 | (179) Hypericum ascyron, commonly known as great St. |
| 10 | John's-wort; |
| | (180) Hypoxis hirsuta, commonly known as yellow star |
| 12 | grass; |
| 14 | (181) Ilex glabra, commonly known as ink-berry; |
| 16 | (182) Ilex laevigata, commonly known as smooth winterberry holly; |
| 18 | |
| 20 | (183) Impatiens pallida, commonly known as pale jewel-weed; |
| 22 | (184) Iris prismatica, commonly known as slender blue flag; |
| 24 | |
| 26 | (185) Isoetes acadiensis, commonly known as Acadian quillwort; |
| 28 | (186) Isoetes prototypus, commonly known as prototype quillwort; |
| 30 | |
| 32 | (187) Isoetes riparia, commonly known as shore quillwort; |
| 34 | (188) Isotria medeoloides, commonly known as small whorled pogonia; |
| 36 | |
| 38 | (189) Isotria verticillata, commonly known as large whorled pogonia; |
| 40 | (190) Iva frutescens, commonly known as marsh-elder; |
| 42 | (191) Juncus alpinoarticulatus, commonly known as alpine rush; |
| 44 | |
| 46 | (192) Juncus dudleyi, commonly known as Dudley's rush; |
| 48 | (193) Juncus secundus, commonly known as secund rush; |
| 50 | (194) Juncus stygius, commonly known as moor rush; |

| | (195) Juncus subtilis, commonly known as slender rush; |
|----|--|
| 2 | (196) Juncus torreyi, commonly known as Torrey's rush; |
| 4 | 1190/ Juneus Correyr, Commonly known as Torrey's Tush, |
| | (197) Juncus vaseyi, commonly known as Vasey rush; |
| 6 | (198) Kalmia latifolia, commonly known as |
| 8 | mountain-laurel; |
| 10 | (199) Krigia virginica, commonly known as dwarf dandelion; |
| 12 | Aguard 1 2011 |
| 14 | (200) Lechea tenuifolia, commonly known as slender pinweed; |
| 16 | (201) Lespedeza hirta, commonly known as hairy bush-clover; |
| 18 | <u> </u> |
| 20 | (202) Lespedeza x nuttallii, commonly known as Nuttall's bush-clover; |
| 22 | (203) Liatris scariosa, commonly known as northern blazing star; |
| 24 | Didding Stary |
| 26 | (204) Lilaeopsis chinensis, commonly known as lilaeopsis; |
| 28 | (205) Limosella australis, commonly known as mudwort; |
| 30 | (206) Lindera benzoin, commonly known as spicebush; |
| 32 | (207) Lindernia dubia var. anagallidea, commonly known as slender false pimpernel; |
| 34 | |
| 36 | (208) Lipocarpha micrantha, commonly known as dwarf bulrush; |
| 38 | (209) Listera auriculata, commonly known as auricled twayblade; |
| 40 | <u> </u> |
| | (210) Littorella uniflora, commonly known as American |
| 42 | shore-grass; |
| 44 | (211) Lobelia siphilitica, commonly known as great blue lobelia; |
| 46 | |
| | (212) Loiseleuria procumbens, commonly known as alpine |
| 48 | azalea; |

| | (213) Lomatogonium rotatum, commonly known as marsh |
|----|---|
| 2 | <pre>felwort;</pre> |
| 4 | (214) Lonicera dioica, commonly known as mountain |
| 6 | honeysuckle; |
| U | (215) Lonicera oblongifolia, commonly known as swamp |
| 8 | fly-honeysuckle; |
| 10 | (216) Lonicera sempervirens, commonly known as trumpet honeysuckle; |
| 12 | nonoj o uo na o j |
| | (217) Lupinus perennis, commonly known as wild lupine; |
| 14 | |
| | (218) Luzula confusa, commonly known as northern |
| 16 | wood-rush; |
| 18 | (219) Luzula spicata, commonly known as spiked wood-rush; |
| 20 | <u> </u> |
| | (220) Lycopodiella appressa, commonly known as |
| 22 | Southern bog clubmoss; |
| 24 | (221) Malaxis monophyllos, commonly known as white adder's-mouth; |
| 26 | |
| | (222) Mikania scandens, commonly known as climbing |
| 28 | <pre>hempweed;</pre> |
| 30 | (223) Mimulus ringens var. colpophilus, commonly known as estuary monkeyflower; |
| 32 | |
| | (224) Minuartia glabra, commonly known as smooth |
| 34 | <pre>sandwort;</pre> |
| 36 | (225) Minuartia groenlandica, commonly known as mountain sandwort; |
| 38 | mountain sandwort; |
| | (226) Minuartia rubella, commonly known as Arctic |
| 40 | sandwort; |
| 42 | (227) Montia fontana, commonly known as blinks; |
| 44 | (228) Muhlenbergia richardsonis, commonly known as soft-leaf muhly; |
| 46 | T. T. WILLIAM T. I. |
| | (229) Muhlenbergia sobolifera, commonly known as cliff |
| 48 | muhly; |

| | (230) Najas gracillima, commonly known as thread-like |
|----|--|
| 2 | naiad; |
| 4 | (231) Najas guadalupensis, commonly known as Southern naiad; |
| 6 | |
| 8 | (232) Nuphar advena, commonly known as yellow pond-lily; |
| 10 | (233) Nymphaea leibergii, commonly known as pygmy water-lily; |
| 12 | (234) Omalotheca supina, commonly known as alpine |
| 14 | cudweed; |
| 16 | (235) Omalotheca sylvatica, commonly known as woodland cudweed; |
| 18 | (236) Ophioglossum pusillum, commonly known as adder's |
| 20 | tongue fern; |
| 22 | (237) Oryzopsis canadensis, commonly known as Canada mountain-ricegrass; |
| 24 | |
| 26 | (238) Osmorhiza berteroi, commonly known as mountain sweet-cicely; |
| 28 | (239) Oxytropis campestris, commonly known as St. John oxytrope; |
| 30 | (240) Panax quinquefolius, commonly known as American |
| 32 | ginseng; |
| 34 | (241) Parietaria pensylvanica, commonly known as Pennsylvania pellitory; |
| 36 | (242) Represent along commonly known as |
| 38 | (242) Parnassia glauca, commonly known as grass-of-parnassus; |
| 40 | (243) Paronychia argyrocoma, commonly known as silverling; |
| 42 | (244) Policyloria Euchichica compania bucana ac |
| 44 | (244) Pedicularis furbishiae, commonly known as Furbish's lousewort; |
| 46 | (245) Persicaria vivipara, commonly known as alpine bistort; |
| 48 | |
| 50 | (246) Phegopteris hexagonoptera, commonly known as broad beech fern; |

| 2 | (247) Phleum alpinum, commonly known as mountain |
|-----|---|
| | timothy; |
| 4 | |
| C | (248) Phryma leptostachya, commonly known as lopseed; |
| б | (249) Phyllodoce caerulea, commonly known as mountain |
| 8 | heath; |
| O | neach, |
| 10 | (250) Physalis pruinosa, commonly known as hairy |
| | ground-cherry; |
| 12 | |
| | (251) Pinguicula vulgaris, commonly known as common |
| 14 | <pre>butterwort;</pre> |
| | |
| 16 | (252) Platanthera flava, commonly known as pale green |
| | orchis; |
| 18 | |
| 2.0 | (253) Platanthera leucophaea, commonly known as |
| 20 | <pre>prairie white-fringed orchid;</pre> |
| 22 | (254) Platanus occidentalis, commonly known as |
| 22 | sycamore; |
| 24 | sycamore, |
| | (255) Poa fernaldiana, commonly known as wavy |
| 26 | bluegrass; |
| | |
| 28 | (256) Poa glauca, commonly known as white bluegrass; |
| | |
| 30 | (257) Podostemum ceratophyllum, commonly known as |
| | <pre>threadfoot;</pre> |
| 32 | (272) |
| 2.4 | (258) Polemonium vanbruntiae, commonly known as |
| 34 | <u>Jacob's ladder;</u> |
| 36 | (259) Polygala cruciata, commonly known as marsh |
| 30 | milkwort; |
| 38 | MAARTOL CI. |
| | (260) Polygala senega, commonly known as Seneca |
| 40 | snakeroot; |
| | |
| 42 | (261) Polygonum douglasii, commonly known as Douglas' |
| | knotweed; |
| 44 | |
| • • | (262) Polygonum tenue, commonly known as slender |
| 46 | knotweed; |
| 40 | (262) Pohamountary 2005 |
| 48 | (263) Potamogeton confervoides, commonly known as alga-like pondweed: |
| | arua-iike Donoweed: |

50

| | (264) Potamogeton friesii, commonly known as Fries' |
|----|--|
| 2 | pondweed; |
| 4 | (265) Potamogeton pulcher, commonly known as spotted |
| 6 | pondweed; |
| 8 | (266) Potamogeton strictifolius, commonly known as straight-leaved pondweed; |
| | |
| 10 | (267) Potomogeton vaseyi, commonly known as Vasey's pondweed; |
| 12 | <u> Farmour</u> |
| 14 | (268) Prenanthes boottii, commonly known as Boott's rattlesnake root; |
| 16 | (269) Prenanthes x mainensis, commonly known as Maine |
| 10 | rattlesnake root; |
| 18 | (270) Prenanthes nana, commonly known as dwarf |
| 20 | rattlesnake root; |
| 22 | (271) Prenanthes racemosa, commonly known as glaucous |
| 24 | rattlesnake root; |
| | (272) Primula laurentiana, commonly known as |
| 26 | <pre>bird's-eye primrose;</pre> |
| 28 | (273) Primula mistassinica, commonly known as |
| 30 | Mistassini primrose; |
| 32 | (274) Proserpinaca pectinata, commonly known as comb-leaved mermaid-weed; |
| | |
| 34 | (275) Prunus maritima, commonly known as beach plum; |
| 36 | (276) Pseudognaphalium helleri, commonly known as small rabbit tobacco; |
| 38 | SMAIL TADDIC CODACCO, |
| 40 | (277) Pycnanthemum muticum, commonly known as blunt mountain-mint; |
| 42 | (278) Pyrola asarifolia, commonly known as pink |
| 44 | wintergreen; |
| | (279) Pyrola minor, commonly known as lesser |
| 46 | wintergreen; |
| 48 | (280) Quercus bicolor, commonly known as swamp white oak; |
| 50 | |

| | (281) Quercus coccinea, commonly known as scarlet oak; |
|----|---|
| 2 | |
| 4 | (282) Quercus montana, commonly known as chestnut oak; |
| 1 | (283) Ranunculus ambigens, commonly known as |
| 6 | water-plantain spearwort; |
| 8 | (284) Ranunculus fascicularis, commonly known as early crowfoot; |
| 10 | |
| 12 | (285) Ranunculus gmelinii, commonly known as small yellow water crowfoot; |
| 14 | (286) Ranunculus lapponicus, commonly known as Lapland buttercup; |
| 16 | - |
| 18 | (287) Rhododendron lapponicum, commonly known as Lapland rosebay; |
| 20 | (288) Rhododendron maximum, commonly known as great |
| 22 | |
| 24 | (289) Rhododendron viscosum, commonly known as clammy azalea; |
| 26 | (290) Rhynchospora capillacea, commonly known as horned beak-rush; |
| 28 | |
| 30 | (291) Rhynchospora macrostachya, commonly known as tall beak-rush; |
| 32 | (292) Rosa blanda var. glabra, commonly known as northern rose; |
| 34 | |
| 36 | (293) Rubus arenicola, commonly known as sand-dwelling dewberry; |
| 38 | (294) Sagittaria calycina, commonly known as spongy arrow-head; |
| 40 | <u> </u> |
| 42 | (295) <u>Sagittaria rigida, commonly known as stiff</u> arrow-head; |
| 44 | (296) Salicornia bigelovii, commonly known as dwarf glasswort; |
| 46 | (297) Salicornia maritima, commonly known as Samphire |
| 48 | <u> </u> |
| 50 | (298) Salix arctophila, commonly known as Arctic willow; |

| 2 | (299) Salix argyrocarpa, commonly known as silverleaf |
|-----|---|
| | willow; |
| 4 | |
| | (300) Salix candida, commonly known as hoary willow; |
| 6 | |
| | (301) Salix herbacea, commonly known as dwarf willow; |
| 8 | |
| | (302) Salix interior, commonly known as sandbar willow; |
| 10 | |
| | (303) Salix myricoides, commonly known as blue-leaf |
| 12 | willow: |
| | |
| 14 | (304) Salix planifolia, commonly known as tea-leaved |
| | willow; |
| 16 | |
| | (305) Salix uva-ursi, commonly known as bearberry |
| 18 | willow: |
| | |
| 20 | (306) Samolus valerandi, commonly known as water |
| | <pre>pimpernel;</pre> |
| 22 | |
| | (307) Sanguisorba canadensis, commonly known as Canada |
| 24 | <pre>burnet;</pre> |
| | |
| 26 | (308) Sassafras albidum, commonly known as sassafras; |
| | |
| 28 | (309) Saxifraga foliolosa, commonly known as star |
| | <u>saxifrage;</u> |
| 30 | |
| | (310) Saxifraga paniculata, commonly known as livelong |
| 32 | <u>saxifrage;</u> |
| • | (0.1) |
| 34 | (311) Saxifraga pensylvanica, commonly known as swamp |
| 26 | saxifrage; |
| 36 | (212) Cabanania tun - tainataii - amania luona - |
| 2.0 | (312) Schoenoplectus x steinmetzii, commonly known as |
| 38 | Steinmetz's bulrush; |
| 40 | (313) Scirpus longii, commonly known as Long's bulrush; |
| 40 | (313) Scripus longit, commonly known as Long's bullush; |
| 42 | (314) Scirpus pendulus, commonly known as pendulous |
| 4.0 | bulrush; |
| 44 | Dair asii, |
| •• | (315) Scrophularia marilandica, commonly known as |
| 46 | carpenter's square; |
| •• | 202 642201 0 24 001 01 |
| 48 | (316) Scutellaria parvula, commonly known as Leonard's |
| | skullcap; |
| 50 | |
| | |

| | (317) Selaginella apoda, commonly known as creeping |
|----|--|
| 2 | <pre>spike-moss;</pre> |
| 4 | (318) Selaginella selaginoides, commonly known as low |
| 6 | spike-moss; |
| 8 | (319) Sericocarpus asteroides, commonly known as white-topped aster; |
| 10 | (320) Shepherdia canadensis, commonly known as Canada |
| 12 | buffaloberry; |
| 14 | (321) Silene acaulis, commonly known as moss campion; |
| 16 | (322) Sisyrinchium mucronatum, commonly known as Michaux's blue-eyed-grass; |
| 18 | (323) Solidago altissima, commonly known as tall goldenrod; |
| 20 | (324) Solidago x calcicola, commonly known as rock |
| 22 | goldenrod; |
| 24 | (325) Solidago multiradiata, commonly known as Cutler's goldenrod; |
| 26 | (326) Solidago ulmifolia, commonly known as elm-leaved |
| 28 | goldenrod; |
| 30 | (327) Sorghastrum nutans, commonly known as Indian grass; |
| 32 | (328) Sphenopholis obtusata, commonly known as prairie |
| 34 | wedge-grass; |
| 36 | (329) Spiraea septentrionalis, commonly known as northern meadow-sweet; |
| 38 | |
| 40 | (330) Spiranthes lacera var. gracilis, commonly known as southern slender ladies' tresses; |
| 42 | (331) Spiranthes lucida, commonly known as shining ladies'-tresses; |
| 44 | |
| 46 | (332) Sporobolus asper, commonly known as longleaf dropseed; |
| 48 | (333) Sporobolus neglectus, commonly known as small dropseed; |
| 50 | |

| | (334) Stuckenia filiformis var. alpinus, commonly |
|--|--|
| 2 | known as northern slender pondweed; |
| 4 | (335) Stuckenia filiformis var. occidentalis, commonly known as slender pondweed; |
| 6 | |
| 8 | (336) Suaeda calceoliformis, commonly known as American sea-blite; |
| 10 | (337) Suaeda maritima ssp. richii, commonly known as Rich's sea-blite; |
| 12 | |
| 14 | (338) Subularia aquatica, commonly known as water awlwort; |
| 16 | (339) Symphyotrichum anticostensis, commonly known as anticosti aster; |
| 18 | |
| 20 | (340) Symphyotrichum subulatum, commonly known as small salt-marsh aster; |
| 22 | (341) Tanacetum bipinnatum, commonly known as Huron tansy: |
| 24 | (342) Thalictrum thalictroides, commonly known as |
| | |
| 26 | <u>rue-anemone;</u> |
| 28 | (343) Thalictrum venulosum, commonly known as boundary meadow-rue; |
| | (343) Thalictrum venulosum, commonly known as boundary meadow-rue; |
| 28 | (343) Thalictrum venulosum, commonly known as boundary |
| 28 | (343) Thalictrum venulosum, commonly known as boundary meadow-rue; (344) Trichophorum clintonii, commonly known as Clinton's bulrush; (345) Triglochin gaspense, commonly known as Gaspe |
| 28 30 32 | (343) Thalictrum venulosum, commonly known as boundary meadow-rue; (344) Trichophorum clintonii, commonly known as Clinton's bulrush; (345) Triglochin gaspense, commonly known as Gaspe arrow-grass; |
| 28 30 32 34 | (343) Thalictrum venulosum, commonly known as boundary meadow-rue; (344) Trichophorum clintonii, commonly known as Clinton's bulrush; (345) Triglochin gaspense, commonly known as Gaspe |
| 28 30 32 34 36 | (343) Thalictrum venulosum, commonly known as boundary meadow-rue; (344) Trichophorum clintonii, commonly known as Clinton's bulrush; (345) Triglochin gaspense, commonly known as Gaspe arrow-grass; (346) Trillium grandiflorum, commonly known as large white-trillium; (347) Trimorpha acris, commonly known as bitter |
| 28 30 32 34 36 38 | (343) Thalictrum venulosum, commonly known as boundary meadow-rue; (344) Trichophorum clintonii, commonly known as Clinton's bulrush; (345) Triglochin gaspense, commonly known as Gaspe arrow-grass; (346) Trillium grandiflorum, commonly known as large white-trillium; (347) Trimorpha acris, commonly known as bitter fleabane; |
| 28 30 32 34 36 38 40 | (343) Thalictrum venulosum, commonly known as boundary meadow-rue; (344) Trichophorum clintonii, commonly known as Clinton's bulrush; (345) Triglochin gaspense, commonly known as Gaspe arrow-grass; (346) Trillium grandiflorum, commonly known as large white-trillium; (347) Trimorpha acris, commonly known as bitter |
| 28 30 32 34 36 38 40 | (343) Thalictrum venulosum, commonly known as boundary meadow-rue; (344) Trichophorum clintonii, commonly known as Clinton's bulrush; (345) Triglochin gaspense, commonly known as Gaspe arrow-grass; (346) Trillium grandiflorum, commonly known as large white-trillium; (347) Trimorpha acris, commonly known as bitter fleabane; (348) Triosteum aurantiacum, commonly known as wild coffee; (349) Triphora trianthophora, commonly known as |
| 28 30 32 34 36 38 40 42 | (343) Thalictrum venulosum, commonly known as boundary meadow-rue; (344) Trichophorum clintonii, commonly known as Clinton's bulrush; (345) Triglochin gaspense, commonly known as Gaspe arrow-grass; (346) Trillium grandiflorum, commonly known as large white-trillium; (347) Trimorpha acris, commonly known as bitter fleabane; (348) Triosteum aurantiacum, commonly known as wild coffee; |

| 2 | (351) Ulmus rubra, commonly known as slippery elm; |
|----|---|
| 4 | (352) Utricularia resupinata, commonly known as small purple bladderwort; |
| 6 | |
| 8 | (353) Vaccinium boreale, commonly known as alpine blueberry; |
| 10 | (354) Vahlodea atropurpurea, commonly known as mountain hairgrass; |
| 12 | |
| 14 | (355) Valeriana uliginosa, commonly known as marsh valerian; |
| 16 | (356) Verbena urticifolia, commonly known as white vervain; |
| 18 | |
| 20 | (357) Veronica wormskjoldii, commonly known as alpine speedwell: |
| 22 | (358) Viburnum edule, commonly known as squashberry; |
| 24 | (359) Viola brittoniana, commonly known as coast violet; |
| 26 | |
| 28 | <pre>(360) Viola canadensis, commonly known as tall white violet;</pre> |
| 30 | (361) Viola novae-angliae, commonly known as New England violet; |
| 32 | |
| 34 | <pre>(362) Viola palmata, commonly known as palmate-leaved violet;</pre> |
| 36 | (363) Viola palustris, commonly known as alpine marsh violet; |
| 38 | |
| 40 | (364) Vitis aestivalis, commonly known as summer grape; |
| | (365) Waldsteinia fragarioides, commonly known as |
| 42 | <pre>barren-strawberry;</pre> |
| 44 | (366) Wolffia columbiana, commonly known as Columbia water-meal |
| 46 | |
| 48 | (367) Woodsia alpina, commonly known as northern woodsia; |

| | (368) Woodsia glabella, commonly known as smooth |
|------------|--|
| 2 | woodsia; |
| 4 | (369) Woodsia obtusa, commonly known as blunt-lobed |
| 6 | woodsia; |
| U | (370) Woodwardia areolata, commonly known as netted |
| 8 | chain-fern; |
| 10 | (371) Xyris smalliana, commonly known as yellow-eyed |
| 10 | grass; |
| 12 | (372) Zannichellia palustris, commonly known as horned |
| 14 | pondweed; and |
| 16 | (373) Zosterella dubia, commonly known as water |
| 18 | stargrass. |
| 10 | D. Prior to recommending an addition, deletion or other |
| 20 | change to the endangered and threatened species listed in |
| 22 | subsection 3-A, the commissioner shall provide for public notice and public hearings on that proposed recommendation |
| | in accordance with the provisions of Title 5, chapter 375, |
| 24 | subchapter 2. |
| 26 | E. The Legislature may not amend the list of endangered or |
| | threatened species in subsection 3-A except upon the |
| 28 | recommendation of the commissioner. |
| 30 | Sec. 2. 12 MRSA §544-B, sub-§5 is enacted to read: |
| 32 | 5. Exotic invasive aquatic or terrestrial plants. The |
| | commissioner shall establish and maintain a register of exotic |
| 34 | invasive aquatic and terrestrial plants that are commercially |
| 36 | available in the State. As used in this section, "exotic invasive aquatic or terrestrial plant" means an aquatic or |
| 30 | terrestrial nonindigenous species that threatens or could |
| 38 | threaten the diversity or abundance of native species, the |
| | ecological stability of infested waters or commercial, |
| 40 | agricultural, aquacultural or recreational activity dependent on |
| 4.3 | such waters. |
| 42 | Sec. 3. 12 MRSA §7806, as enacted by PL 2001, c. 434, Pt. A, |
| 44 | §5, is amended to read: |
| 4 6 | §7806. Lake and River Protection Fund |
| 48 | The Lake and River Protection Fund, referred to in this |
| 50 | section as "the "fund," is created within the department as a nonlapsing fund. The fund must be administered by the |
| - | TOTAL POLITY ENTRY THE ENTRY HOUSE DE COMMENTE DE COLOU DY CHE |

commissioner. The fund is funded from fees collected for lake and river protection stickers issued under section 7794-B and from other funds accepted for those purposes by the commissioner or allocated or appropriated by the Legislature. Money in the fund may be used for enforcing laws pertaining to invasive aquatic plants, inspecting watercraft for invasive aquatic plant materials, educational and informational efforts targeted at invasive aquatic plant prevention, eradication and management activities and, the production and distribution of lake and river protection stickers required under section 7794-B and for educational efforts regarding the potential dangers of exotic invasive aquatic or terrestrial plants.

SUMMARY

This bill puts the official threatened and endangered plant list in statute and provides that the Legislature, upon recommendation of the Commissioner of Conservation, shall designate a species as a state endangered or state threatened species. The bill also requires the commissioner to establish and maintain a register of exotic invasive aquatic and terrestrial plants that are commercially available in the State. Finally, the bill proposes to use funds from the collection of fees for lake and river protection stickers to educate the public regarding the dangers of exotic invasive aquatic and terrestrial plants.