



121st MAINE LEGISLATURE

FIRST REGULAR SESSION-2003

Legislative Document

No. 1457

H.P. 1065

House of Representatives, March 27, 2003

An Act To Make Technical Amendments to Truck Size and Weight Laws

Submitted by the Department of Transportation pursuant to Joint Rule 204. Reference to the Committee on Transportation suggested and ordered printed.

Millicent M. Mac Jailand

MILLICENT M. MacFARLAND Clerk

Presented by Representative COLLINS of Wells. Cosponsored by Senator SAVAGE of Knox.

	Be it enacted by the People of the State of Maine as follows:
2	
	Sec. 1. 29-A MRSA §101, sub-§8-A is enacted to read:
4	
	8-A. Axle weight. "Axle weight" means the weight of an
6	axle plus the weight of the load carried by the axle.
8	Sec. 2. 29-A MRSA §101, sub-§23-A is enacted to read:
10	23-A, Final-stage manufacturer. "Final-stage manufacturer"
	means a manufacturer who performs manufacturing operations on an
12	incomplete vehicle such that the vehicle becomes complete.
14	Sec. 3. 29-A MRSA §101, sub-§§26-A and 26-B are enacted to
	read:
16	
	26-A. Gross vehicle weight. "Gross vehicle weight" or
18	"GVW" means the actual total weight of the vehicle and load.
	<u></u>
20	26-B. Gross vehicle weight rating. "Gross vehicle weight
20	rating" or "GVWR" means the weight of the vehicle and load as
22	determined by the final-stage manufacturer, as the rating appears
	on the vehicle.
24	
61	Sec. 4. 29-A MRSA §101, sub-§29-A is enacted to read:
26	been a apprending of the sub-sub-sub-sub-sub-sub-sub-sub-sub-sub-
20	<u>29-A. Interstate highway, interstate system or interstate</u>
28	highway system. "Interstate highway," "interstate system" or
20	"interstate highway system" has the same meaning as defined in
30	Title 23, section 1903, subsection 3, except that it does not
30	include that portion of the Maine Turnpike designated Interstate
32	<u>95 and 495 and that portion of Interstate 95 from the southern</u>
34	terminus of the Maine Turnpike to the New Hampshire state line.
34	cerminus of the marne furnpixe to the new hampshile state fine.
34	Sec. 5. 29-A MRSA §101, sub-§60-A is enacted to read:
26	Sec. 5. 27-A MAGA givi, sub-gov-A is enabled to read:
36	60-A. Registered weight. "Registered weight" means the
20	60-A. Registered weight. "Registered weight" means the gross vehicle weight specified on the vehicle's registration
38	· · · · · · · · · · · · · · · · · · ·
4.0	<u>certificate.</u>
40	Sec. 6. 29-A MRSA §101, sub-§66-A is enacted to read:
40	Sec. 0. 27-A MASA givi, Sub-goo-A is enacted to read.
42	55) Circle and write "Circle and write" score and ards
	66-A. Single-axle unit. "Single-axle unit" means one axle,
44	or 2 axles less than 4 feet apart as measured from axle center to
	<u>axle center.</u>
46	See 7 20 & MDCA \$101 and \$70 & the state of
	Sec.7. 29-A MRSA §101, sub-§78-A is enacted to read:
48	
	78-A. Tandem-axle unit. "Tandem-axle unit" means 2 or more
50	axles at least 4 feet and not more than 8 feet apart, as measured from axle center to axle center of the extreme axles.

Sec. 8. 29-A MRSA §101, sub-§§86-A and 86-B are enacted to 2 read: 4 86-A. Tri-axle semitrailer. "Tri-axle semitrailer" means a 6 semitrailer that contains one tri-axle unit. 86-B. Tri-axle unit. "Tri-axle unit" means 3 axles more 8 than 8 feet and less than 12 feet apart, as measured between the 10 centers of the first and 3rd axles. If the axle center of a single-axle unit is closer than 10 feet, or 9 feet in the case of a steering axle, to the axle center of the nearest axle of a 12 tri-axle unit, the 4 axles are a tri-axle unit. 14 Sec. 9. 29-A MRSA §2353, sub-§4, ¶E, as enacted by PL 1993, c. 683, Pt. A, §2 and affected by Pt. B, §5, is repealed. 16 Sec. 10. 29-A MRSA §2357, sub-§4, as amended by PL 1999, c. 18 580, §8 and affected by §14, is further amended to read: 20 4. Six-axle combination. Notwithstanding subsection 2, a 6-axle combination vehicle, consisting of a 3-axle truck tractor 22 operating in combination with a tri-axle semitrailer may not 24 exceed 100,000 pounds. The distance between the extreme axles of a vehicle under this subsection, excluding the steering axle, 26 must be at least 32 feet and the vehicle must be registered for at least 90,000 pounds. The maximum gross vehicle weight 28 permitted is reduced by 2,000 pounds for each foot the distance is less than 32 feet between the extreme axles, excluding the 30 steering axle, measured to the nearest foot. Sec. 11. 29-A MRSA §2382, sub-§6, as enacted by PL 1993, c. 32 683, Pt. A, §2 and affected by Pt. B, §5, is amended to read: 34 6. Scope of permit. A permit is limited to the particular 36 vehicle or object to be moved, the trailer or semitrailer hauling the overlimit object and particular ways and bridges. 38 Sec. 12. 29-A MRSA §2390, sub-§1, ¶F, as enacted by PL 1993, 40 c. 683, pt. A, §2 and affected by Pt. B, §5, is amended to read: 42 A combination of truck tractor, semitrailer and full F. or a combination of truck trailer, tractor and 2 semitrailers, may be operated on the Interstate Highway 44 System and those qualifying federal aid primary system 46 highways designated by the Secretary of the United States Department of Transportation, pursuant to the United States 48 Surface Transportation Assistance Act of 1982, Public Law 97-424, Section 411, with an overall length in excess of 65

feet, if no semitrailer or trailer length exceeds 28.5 2 This vehicle combination may also operate on other feet. highways designated by the Commissioner of Transportation. 4 Sec. 13. 29-A MRSA §2390, sub-§1, ¶J, as amended by PL 2001, c. 6 267, $\S13$ and affected by $\S16$, is further amended by repealing subparagraph (6). 8 Sec. 14. 29-A MRSA §2390, sub-§1, ¶J, as amended by PL 2001, c. 10 267, §13 and affected by §16, is further amended by adding at the end new subparagraphs (13) and (14) to read: 12 (13) The maximum gross weight of the truck tractor and 14 semitrailer combination may not exceed 80,000 pounds or the maximum gross vehicle weight permitted by 16 subchapter 1, whichever is less, whenever the vehicle is traveling on the Maine Turnpike or Interstate 95 18 from the southern terminus of the Maine Turnpike to the New Hampshire state line. 20 (14) This paragraph does not apply to a trailer or 22 semitrailer when transporting or returning empty from transporting a nondivisible load or object under the 24 provisions of an overlimit permit granted by section 2382. 26 **SUMMARY** 28 30 This bill clarifies that certain definitions apply to the entire Maine Revised Statutes, Title 29-A. 32 This bill restores the gross vehicle weight reduction provisions for shorter wheelbase 6-axle combination vehicles that 34 were inadvertently repealed in 1999. 36 This bill provides that an overlimit permit will also cover the trailer or semitrailer used to haul the overlimit load, in 38 the event that the trailer or semitrailer also exceeds normal width or length limits. 40 This bill makes clear that the same length provisions apply 42 on the network designated by the Commissioner of Transportation for double 28 1/2 trailer-semitrailer vehicles as would apply on 44 the national highway network. 46 This bill repeals the lift axle prohibition for vehicles hauling semitrailers between 48 feet and 53 feet in length. 48 50 This bill restores the 80,000-pound gross vehicle weight maximum for vehicles with semitrailers between 48 feet and 53
feet in length if they are traveling on the Maine Turnpike or on Interstate 95 from the southern terminus of the Maine turnpike to
the New Hampshire state line. The bill's provision removes an inconsistency of state law with a federal law exempting the Maine
Turnpike and Interstate 95 from the southern terminus of the Maine turnpike to the New Hampshire state line from federal truck
weight regulations.