



125th MAINE LEGISLATURE

FIRST REGULAR SESSION-2011

Legislative Document

No. 124

H.P. 106

House of Representatives, January 20, 2011

An Act To Eliminate Certain Restrictions on the Installation of Chimneys and Equipment

Reference to the Committee on Labor, Commerce, Research and Economic Development suggested and ordered printed.

fleth & Fuit

HEATHER J.R. PRIEST Clerk

Presented by Representative HARVELL of Farmington. Cosponsored by Senator SAVIELLO of Franklin and Representatives: BLACK of Wilton, CLARK of Millinocket, CRAFTS of Lisbon, DAVIS of Sangerville, DUCHESNE of Hudson, DUNPHY of Embden, EDGECOMB of Caribou, TIMBERLAKE of Turner.

Printed on recycled paper

1 Be it enacted by the People of the State of Maine as follows:

Sec. 1. 32 MRSA §18107, as amended by PL 2009, c. 652, Pt. A, §46, is further
amended to read:

4

§18107. Installations to conform to standards

5 Installation of oil, solid fuel, propane and natural gas burning equipment and chimneys may not be made in this State unless the installation complies with all the 6 7 standards and rules adopted by the board. These standards and rules may not prohibit the 8 continued use of an existing connection of a solid fuel burning appliance to a chimney 9 flue to which another appliance burning oil or solid fuel is connected for any chimney 10 existing and in use prior to February 2, 1998 as long as sufficient draft is available for each appliance, the chimney is lined and structurally intact and a carbon monoxide 11 detector is installed in the building near a bedroom. Whenever oil, solid fuel, propane 12 and natural gas burning equipment, accessory equipment or its installation are separately 13 contracted, the master oil and solid fuel burning technician or the propane and natural gas 14 technician in charge of the installation is responsible for ascertaining total conformance to 15 the standards and rules adopted by the board. Whenever a state fuel inspector authorized 16 under section 18110 finds a person installing or assisting in an oil, solid fuel, propane or 17 18 natural gas installation, that person shall, on request of the state fuel inspector, provide evidence of being properly licensed when required by this chapter and, if unable to 19 provide the evidence, shall furnish the state fuel inspector with that person's full name 20 21 and address and, if applicable, the full name and address of the master oil and solid fuel 22 burning technician or the propane and natural gas technician in charge.

23

SUMMARY

Current law allows the continued use of an existing connection of a solid fuel burning appliance to a chimney flue to which another appliance burning oil or solid fuel is connected for any chimney existing and in use prior to February 2, 1998 as long as sufficient draft is available for each appliance, the chimney is lined and structurally intact and a carbon monoxide detector is installed in the building near a bedroom.

This bill allows any such connection regardless of whether the chimney was existing and in use prior to February 2, 1998 as long as sufficient draft is available for each appliance, the chimney is lined and structurally intact and a carbon monoxide detector is installed in the building near a bedroom.