MAINE STATE LEGISLATURE

The following document is provided by the

LAW AND LEGISLATIVE DIGITAL LIBRARY

at the Maine State Law and Legislative Reference Library

http://legislature.maine.gov/lawlib



Reproduced from scanned originals with text recognition applied (searchable text may contain some errors and/or omissions)

SEVENTY-NINTH LEGISLATURE

SPECIAL SESSION

SENATE

NO. 312

In Senate, Nov. 6, 1919.

Reported by Mr. Washburn from the Committee on Ways and Bridges and referred to the next Legislature with the request that 1500 copies be printed and deposited with the Secretary of State for distribution.

P. F. CRANE, Secretary.

STATE OF MAINE

IN THE YEAR OF OUR LORD ONE THOUSAND NINE HUNDRED AND NINETEEN

AN ACT Additional to and Amendatory of Chapter Twentyfive of the Revised Statutes Relating to State and State Aid Highways.

Be it enacted by the People of the State of Maine, as follows:

The following sections is hereby added to chapter twenty-

- 2 five of the revised statutes, as amended by chapter two
- 3 hundred fifty eight of the laws of nineteen hundred seven-
- 4 teen to be known as section thirty-nine:

Sec. 39. Whenever the commission shall have determined

- 2 upon the construction or improvement of a state, or state aid
- 3 highway, the plans and specifications of which provide for
- 4 the use of tar macadam, concrete, or other similar material

5 of whatever designation, said plans and specifications shall 6 further provide either for one side shoulder, or driveway, 7 of at least eight feet in width and constructed of a foun-8 dation of broken stones or gravel and a surface of dirt, 9 cinders, gravel or other material affording a safe footing for 10 horses, or shoulders for driveways at least six feet in width II of similar construction on both sides of such improved state 12 or state aid highway. Whenever the commission shall have 13 determined to re-surface any improved state or state aid 14 highway provisions shall be made by the commission, either 15 for a driveway upon one side of the highway at least eight 16 feet in width and constructed of a foundation of broken 17 stones or gravel and a surface of dirt, cinders, gravel, or 18 other material affording a safe footing for horses, or drive-19 ways of similar construction of at least six feet in width 20 on both sides of the road so re-surfaced. The provisions of 21 this section shall not apply to bridges on state or state aid 22 highways, but all such bridges hereafter constructed or re-23 surfaced shall in case tar macadam, concrete or other similar 24 material is used for the final top surface, be creased or 25 roughened in such manner as to provide a reasonably safe 26 footing for horses.