

#### NEW DRAFT

# EIGHTY-FIRST LEGISLATURE

# **NO.** 483

House of Representatives, March 28, 1923.

Reported by Mr. Wood from Committee on Education and ordered printed under joint rules.

CLYDE R. CHAPMAN, Clerk.

# STATE OF MAINE

# IN THE YEAR OF OUR LORD ONE THOUSAND NINE HUNDRED AND TWENTY-THREE

AN ACT to Amend Section Two of Chapter Thirty-three of the Public Laws of Nineteen Hundred and Twenty-one, Relating to Sanitation of School Houses.

Be it enacted by the People of the State of Maine, as follows:
Section I. Paragraph one of section two of chapter
2 thirty-three of the public laws of nineteen hundred twenty3 one is hereby amended by inserting before the word "On"
4 in the first line, the following: 'It shall be the duty of all
5 towns to complete a portion of the improvements herein6 after mentioned each year, so that,' and by striking out the
7 words "twenty-four" in the second line and inserting in

### HOUSE-No. 483

8 place thereof the words 'twenty-seven,' so that said para-9 graph as amended shall read as follows:

'Sect. 2. It shall be the duty of all towns to complete a 2 portion of the improvements hereinafter mentioned each 3 year, so that on and after the first day of September, nine-4 teen hundred and twenty-seven, all school buildings or build-5 ings used for school purposes shall be provided with toilet 6 facilities that shall be installed in such manner and location 7 as to insure privacy, cleanliness and supervision by teachers 8 and that shall meet at least one of the following minimum 9 requirements.'

Sect. 2. Section two is hereby further amended by add-2 ing to paragraph (C) the following: 'provided that when 3 conditions make it necessary the above specifications may be 4 modified by written agreement of the state commissioner of 5 education and the superintending school committee,' so that 6 said paragraph as amended shall read as follows:

'(C) Privies located in attached buildings provided with 2 separate compartments for the sexes, accessible only by 3 separate ventilated passageways from school rooms or cor-4 ridors and constructed in such a manner that the vault of 5 said privy shall be at least ten feet from the nearest school 6 room wall and adjacent to the outside wall of the building 7 in which said privy is located, provided that when condi-8 tions make it necessary the above specifications may be 9 modified by written agreement of the state commissioner of 10 education and the superintending school committee.'