

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

SECOND NEW DRAFT
NEW DRAFT OF H. P. 21—L. D. 36

N I N E T Y - S E V E N T H L E G I S L A T U R E

Legislative Document

No. 1525

H. P. 1235

House of Representatives, May 5, 1955

Reported by Mr. Quinn from Committee on Legal Affairs and printed under
Joint Rules No. 10.

HARVEY R. PEASE, Clerk.

STATE OF MAINE

IN THE YEAR OF OUR LORD NINETEEN HUNDRED
FIFTY-FIVE

AN ACT Relating to Boilers and Unfired Steam Pressure Vessels.

Be it enacted by the People of the State of Maine, as follows :

Sec. 1. R. S., c. 30, § 66, amended. Section 66 of chapter 30 of the revised statutes is hereby amended by adding thereto a new paragraph to read as follows :

‘The term “schoolhouse” as used in this chapter shall include, but shall not be limited to, any structure used by schools or colleges, public or private, for the purpose of housing classrooms, gymnasiums, auditoriums or dormitories.

Sec. 2. R. S., c. 30, § 72, amended. The 1st sentence of section 72 of chapter 30 of the revised statutes is hereby amended to read as follows :

‘Each steam boiler used or proposed to be used within this State and all hot water supply and hot water heating boilers located in schoolhouses, and all boilers owned by municipalities, except boilers exempt under the provisions of section 78, shall be thoroughly inspected ~~internally and externally~~ while not under pressure by the chief inspector or by one of the deputy inspectors or special inspectors provided for herein, as to its design, construction, installation, condition and operation; ~~and if.~~ **Each steel boiler shall be inspected internally and externally; and all normally accessible surfaces of cast iron boilers shall be cleaned for inspection but need not be dismantled unless in the opinion of the inspector it is necessary.** If it shall be found to be suitable and to conform to the rules of the Board of Boiler Rules, upon payment by the owner or user of such a boiler of the sum of \$2 to the chief inspector, the latter shall issue to such owner or user an inspection certificate for each such boiler.’