

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

LAWS
OF THE
STATE OF MAINE

AS PASSED BY THE

ONE HUNDRED AND ELEVENTH LEGISLATURE

FIRST REGULAR SESSION
December 1, 1982 to June 24, 1983
Chapters 1-452

PUBLISHED BY THE DIRECTOR OF LEGISLATIVE RESEARCH
IN ACCORDANCE WITH MAINE REVISED STATUTES
ANNOTATED, TITLE 3, SECTION 164, SUBSECTION 6.

J.S. McCarthy Co., Inc.
Augusta, Maine
1983

PUBLIC LAWS
OF THE
STATE OF MAINE

AS PASSED AT THE
FIRST REGULAR SESSION

and

FIRST SPECIAL SESSION

of the

ONE HUNDRED AND ELEVENTH LEGISLATURE

1983

12 MRSA §9601-A is enacted to read:

§9601-A. Prohibition on sale of equipment without
spark arresters

No person may sell or offer to sell any internal
combustion chain saw or skidder in this State that
has not been provided with a spark arresting device
approved by the director. This prohibition shall not
apply to casual sales as defined in Title 36, section
1752.

Effective September 23, 1983.

CHAPTER 105

S.P. 236 - L.D. 678

AN ACT Concerning Appeals by the State
in Criminal Cases.

Be it enacted by the People of the State of Maine as
follows:

15 MRSA §2115-A, sub-§4, as repealed and replaced
by PL 1979, c. 343, §2, is amended to read:

4. Time. An appeal taken pursuant to subsections
subsection 1 or 2 shall be taken within 20 days after
the entry of the order or such further time as may be
granted by the court pursuant to a rule of court, and
an appeal taken pursuant to subsection 1 shall also
be taken before the defendant has been placed in
jeopardy. An appeal taken pursuant to this subsection
shall be diligently prosecuted.

Effective September 23, 1983.

CHAPTER 106

H.P. 154 - L.D. 179

AN ACT to Amend the Maine Statutes to
Provide for the Sale of Kerosene or Similar
Illuminating or Fuel Oils which Flash over
100° Fahrenheit, Closed Cup Test.