

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from electronic originals
(may include minor formatting differences from printed original)

LAWS
OF THE
STATE OF MAINE

AS PASSED BY THE

ONE HUNDRED AND TWENTY-THIRD LEGISLATURE

SECOND REGULAR SESSION
January 2, 2008 to March 31, 2008

FIRST SPECIAL SESSION
April 1, 2008 to April 18, 2008

THE GENERAL EFFECTIVE DATE FOR
SECOND REGULAR SESSION
NON-EMERGENCY LAWS IS
JUNE 30, 2008

THE GENERAL EFFECTIVE DATE FOR
FIRST SPECIAL SESSION
NON-EMERGENCY LAWS IS
JULY 18, 2008

PUBLISHED BY THE REVISOR OF STATUTES
IN ACCORDANCE WITH MAINE REVISED STATUTES ANNOTATED,
TITLE 3, SECTION 163-A, SUBSECTION 4.

Penmor Lithographers
Lewiston, Maine
2008

balances of any special tax beginning on the 60th day after the day of commitment of the special tax to the collector. The interest must be added to and become part of the tax. When determining whether or not to assess a fee or special tax pursuant to this paragraph the municipality shall consider the availability of municipal resources.

4. Abatement orders. If a system is determined to be malfunctioning, the municipality shall issue an abatement order pursuant to Title 30-A, section 3428 to the owner of the property and send a copy of the abatement order to the department.

5. Enforcement of abatement order. This section is enforced primarily at the local level pursuant to Title 30-A, section 4452. In addition to and in coordination with enforcement of the abatement order by the municipality under subsection 4, the department and the Department of Health and Human Services may enforce an abatement order.

6. Rules. The department in coordination with the Department of Health and Human Services and the Department of Marine Resources may adopt rules to implement this section. Rules adopted pursuant to this subsection are routine technical rules as defined in Title 5, chapter 375, subchapter 2-A.

Sec. 9. Rulemaking for subsurface waste water disposal system inspection certification. The Department of Health and Human Services in coordination with the Department of Marine Resources and the Department of Environmental Protection may adopt rules establishing the requirements for the certification of individuals to inspect subsurface waste water disposal systems. The existing voluntary certification program jointly run by the Department of Health and Human Services and Department of Environmental Protection may be used as a model for the rules. Individuals certified under the existing program must be certified under rules developed under this section. Rules adopted pursuant to this section are routine technical rules as defined in the Maine Revised Statutes, Title 5, chapter 375, subchapter 2-A.

Sec. 10. Study of additional mechanisms to abate water quality problems from malfunctioning subsurface waste water disposal systems and licensed overboard discharge systems. The Department of Health and Human Services, the Department of Environmental Protection, the Department of Marine Resources and the Executive Department, State Planning Office shall jointly develop recommendations on strategies to further abate water quality problems that affect shellfish harvesting and recreational uses of waters and that are the result of malfunctioning subsurface waste water disposal systems or licensed overboard discharge systems. The recommendations must be submitted to the joint standing committee of the Legislature having

jurisdiction over natural resources matters by January 15, 2009.

See title page for effective date.

CHAPTER 569

H.P. 1457 - L.D. 2073

An Act To Prevent Contamination of Drinking Water Supplies

Be it enacted by the People of the State of Maine as follows:

Sec. 1. 30-A MRSA §4452, sub-§7, as amended by PL 1997, c. 296, §8, is further amended to read:

7. Natural resources protection laws. A code enforcement officer, authorized by a municipality to represent that municipality in District Court and certified by the State Planning Office under section 4453 as familiar with court procedures, may enforce the provisions of ~~the natural resources protection laws, Title 38, section 420-C, Title 38, chapter 3, subchapter 1, article 5-A and Title 38, section 420-C, chapter 13-D~~ by instituting injunctive proceedings or by seeking civil penalties in accordance with Title 38, section 349, subsection 2.

Sec. 2. 38 MRSA §562-A, sub-§1-B, as enacted by PL 1993, c. 363, §2 and affected by §21, is amended to read:

1-B. Aboveground oil storage tank. "Aboveground oil storage tank" also referred to as a "tank" means any aboveground container, less than 10% of the capacity of which is beneath the surface of the ground ~~and, that~~ is used or intended to be used for the storage or supply of oil. Included in this definition are any tanks situated upon or above the surface of a floor and in such a manner that they may be readily inspected. Drums or other storage containers that have a capacity of 60 gallons or less and oil-containing electrical equipment are not included in this definition.

Sec. 3. 38 MRSA §563-C, as amended by PL 2005, c. 561, §6, is repealed.

Sec. 4. 38 MRSA §568-A, sub-§1, ¶J, as enacted by PL 2001, c. 302, §2, is amended to read:

J. An applicant is not eligible for coverage for any underground oil storage facility installed in violation of the provisions of ~~section 563-C chapter 13-D.~~

Sec. 5. 38 MRSA §568-A, sub-§1, ¶K, as enacted by PL 2001, c. 302, §2, is amended to read:

K. An applicant whose facility is subject to the provisions of ~~section 563-C chapter 13-D~~ is not

eligible for coverage for costs related to providing treatment or temporary or permanent water supply replacement and 3rd-party damage claim costs related to an oil discharge at a facility installed after September 30, 2001 and affecting that property's drinking water supply system.

Sec. 6. 38 MRSA c. 13-D is enacted to read:

CHAPTER 13-D

WELLHEAD PROTECTION

§1391. Declaration of policy

The Legislature finds and declares it to be the policy of the State, consistent with its duty to protect the health, safety and welfare of its citizens, to establish a coordinated statewide program to protect drinking water wells from contamination by oil or hazardous waste. The Legislature further finds that spills of oil and hazardous waste pose a significant risk to groundwater quality and that the handling of those substances near drinking water wells should be restricted to reduce the risk of contamination.

§1392. Definitions

As used in this chapter, unless the context otherwise indicates, the following terms have the following meanings.

1. Aboveground heating oil supply tank. "Aboveground heating oil supply tank" means an aboveground oil storage tank that is connected directly to an oil-burning heating appliance and is used solely to store heating oil.

2. Aboveground oil storage facility. "Aboveground oil storage facility" has the meaning set out in section 562-A, subsection 1-A.

3. Aboveground oil storage tank. "Aboveground oil storage tank" has the meaning set out in section 562-A, subsection 1-B.

4. Community drinking water well. "Community drinking water well" means a public drinking water well that supplies a community water system as defined under Title 22, section 2660-B, subsection 2.

5. Double-walled tank. "Double-walled tank" means a tank with inner and outer walls separated by an interstitial space that allows detection and containment of leaks.

6. Hazardous waste. "Hazardous waste" means any substance identified as hazardous waste by the board pursuant to section 1319-O.

7. Oil. "Oil" has the meaning set out in section 562-A, subsection 15. "Oil" does not include liquefied natural gas or other liquefied petroleum that is a gas at ambient temperatures.

8. Private drinking water well. "Private drinking water well" means a well that is used to supply

water for human consumption and that is not a public drinking water well.

9. Public drinking water well. "Public drinking water well" means a drinking water supply well for a public water system as defined in Title 22, section 2601, subsection 8.

10. Underground oil storage facility. "Underground oil storage facility" has the meaning set out in section 562-A, subsection 21.

11. Wellhead protection zone. "Wellhead protection zone" means:

A. In the case of a private drinking water well, the area within 300 feet of the well; and

B. In the case of a public drinking water well, the greater of:

(1) The area within 1,000 feet of the well; and

(2) The source water protection area of the well if mapped by the Department of Health and Human Services as described under Title 30-A, section 2001, subsection 20-A.

§1393. Prohibition on installation of facilities in wellhead protection zones

1. Prohibition. Unless otherwise exempted pursuant to subsection 2:

A. A person may not install an underground oil storage facility in a wellhead protection zone; and

B. After September 30, 2008, a person may not install in a wellhead protection zone:

(1) An aboveground oil storage facility;

(2) An automobile graveyard as defined in Title 30-A, section 3752, subsection 1 or an automobile recycling business as defined in Title 30-A, section 3752, subsection 1-A;

(3) An automobile body shop or other commercial automobile maintenance and repair facility;

(4) A dry cleaning facility that uses perchloroethylene;

(5) A metal finishing or plating facility; or

(6) A commercial hazardous waste facility as defined under section 1303-C, subsection 4.

2. Exceptions. Subsection 1 does not apply to:

A. A facility in existence or under construction on the effective date of the prohibition established under subsection 1. As used in this paragraph, "under construction" means that a substantial amount of money or effort has been expended toward completion of the facility as determined by the commissioner. The test of substantiality in-

volves an assessment of the amount of money or effort expended in relation to the amount required to complete the facility:

B. The replacement or expansion of an underground oil storage facility in existence on September 30, 2001 or a facility identified in subsection 1, paragraph B in existence on September 30, 2008 as long as the replacement or expansion occurs on the same property and the facility meets all applicable requirements of law;

C. The conversion of an aboveground oil storage facility in existence on September 30, 2001 to an underground oil storage facility or vice versa, as long as the conversion occurs on the same property and the facility to be converted meets all applicable requirements of law;

D. The installation of an oil storage facility used solely to store heating oil for consumption on the premises, including the installation of an aboveground heating oil supply tank; or

E. The installation of a facility located on the same property as a well serving only users of that property.

This subsection may not be interpreted to allow the conversion or expansion of an underground oil storage tank or underground oil storage facility subject to the abandonment requirement under section 566-A.

§1394. Variances

The provisions of this section govern the granting of a variance from the prohibitions under section 1393.

1. Community drinking water well, private drinking water well or well that supplies school. In the case of a community drinking water well, a private drinking water well or a well that supplies drinking water to a school, the commissioner may grant a variance from the prohibition of section 1393 if the applicant demonstrates that no hydrogeologic connection exists between the proposed facility and the water supply at issue.

2. Public drinking water well that is not community drinking water well or does not supply school. In the case of a public drinking water well other than a community drinking water well or a drinking water well supplying drinking water to a school, the commissioner may grant a variance from the prohibition of section 1393 if the commissioner determines that the engineering and monitoring measures proposed by the applicant exceed regulatory requirements and will effectively minimize the likelihood of drinking water contamination due to the discharge of oil or hazardous waste.

3. Determination. In considering whether to grant a variance under this section, the commissioner may consider the importance of the groundwater re-

source, the hydrogeology of the site and other relevant factors.

4. Procedure. The commissioner shall provide public notice and an opportunity for public comment on each variance request. The commissioner may deny a variance request or approve the request with or without conditions. The decision must be in writing with findings sufficient to explain the basis of the decision. The decision may be appealed to the board under section 341-D, subsection 4, paragraph A.

§1395. Installation requirements for aboveground heating oil supply tanks in the wellhead protection zone of a community drinking water well

Effective July 1, 2009, a person may not install an aboveground heating oil supply tank in the wellhead protection zone of a community drinking water well unless the tank:

1. Double-walled or secondary containment. Is a double-walled tank or has secondary containment approved by the commissioner;

2. Independent testing authority. And any secondary containment are listed and approved by a nationally recognized, independent testing authority; and

3. Licensed professional. Is installed by a journeyman or master oil burner technician licensed by the Oil and Solid Fuel Board under Title 32, section 2401-B or, in the case of an outside tank serving manufactured housing, by any person licensed by the Oil and Solid Fuel Board under Title 32, section 2401 to install such tanks.

The requirements of this section do not apply to tanks with a capacity of more than 660 gallons or to tanks at an aboveground oil storage facility with an aggregate tank capacity of more than 1,320 gallons. The requirements of this section are in addition to any other installation standards provided for in law or rule.

§1396. Financial assistance for upgrading aboveground oil storage tanks or facilities

The commissioner may disburse money from the Ground Water Oil Clean-up Fund to retrofit, repair or replace aboveground oil storage tanks or aboveground oil storage facilities in a wellhead protection zone when the commissioner determines that action is necessary to abate an imminent threat to the well. Disbursements must be made in the manner provided under section 569-A, subsection 8, paragraphs M and N and are subject to the annual disbursement limitations of those paragraphs.

§1397. Enforcement

In addition to other enforcement actions allowed under state law, the commissioner may issue an administrative order after providing a notice of violation for failure to comply with the requirements of this

chapter and after providing a reasonable opportunity to correct the violation. The administrative order may include, but is not limited to, a requirement that the owner or operator of the facility cease operation of the facility that is the subject of the violation until the violation has been corrected.

1. Service. Service of the commissioner's administrative order under this section must be made by hand delivery by an authorized representative of the department or by certified mailing, return receipt requested.

2. Appeal. The person to whom the commissioner's administrative order under this section is directed shall comply immediately or within the time period specified in the order. That person may appeal the order to the board by filing a written petition within 5 working days after receipt of the order. Within 15 working days after receipt of the petition, the board shall hold a hearing on the matter. All witnesses at the hearing must be sworn. Within 7 working days after the hearing, the board shall make findings of fact and shall continue, revoke or modify the administrative order. The decision of the board may be appealed to the Superior Court in accordance with Title 5, chapter 375, subchapter 7.

§1398. Eligibility for clean-up funds

Clean-up costs and 3rd-party damages resulting from discharges from an aboveground oil storage facility or an underground oil storage facility installed in violation of section 1393 are not eligible for coverage by the Ground Water Oil Clean-up Fund under sections 568-A and 569-A.

§1399. Municipal authority

This chapter may not be construed to prevent a municipality from imposing siting restrictions more stringent than the prohibitions in this chapter or in rules adopted by the board.

Sec. 7. Rules. The Board of Environmental Protection shall adopt rules that restrict the siting of the facilities listed in the Maine Revised Statutes, Title 38, section 1393, subsection 1 within significant sand and gravel aquifers mapped by the Department of Conservation, Bureau of Geology and Natural Areas, Maine Geological Survey. The rules must provide for variance from the restrictions in appropriate instances, including when engineering and monitoring that exceed regulatory requirements are determined to effectively reduce the risk of oil and hazardous waste discharges, and must be otherwise consistent with the rules for siting underground oil storage tanks adopted pursuant to Public Law 2001, chapter 302, section 3. Rules adopted under this section are major substantive rules pursuant to Title 5, chapter 375, subchapter 2-A.

Sec. 8. Aboveground oil storage tank registration; review. The Department of Defense, Vet-

erans and Emergency Management, Maine Emergency Management Agency, in coordination with the Department of Public Safety, Office of the State Fire Marshal and the Department of Environmental Protection, referred to in this section as "the departments," shall review the current framework for registering aboveground oil storage facilities. The departments shall invite the regulated community to participate in the review. The departments shall evaluate and make recommendations on a plan for coordinating among the departments the registration of aboveground oil storage facilities. Where appropriate, the plan must facilitate the use of geographic information system data. By January 15, 2009, the departments shall submit to the joint standing committee of the Legislature having jurisdiction over natural resources matters a report detailing their findings and recommendations. The report must include draft legislation necessary to implement the recommendations, and the joint standing committee of the Legislature having jurisdiction over natural resources matters may report out to the First Regular Session of the 124th Legislature a bill relating to the report.

See title page for effective date.

CHAPTER 570

H.P. 1392 - L.D. 1954

An Act To Amend the Potato Cull Pile Law

Emergency preamble. Whereas, acts and resolves of the Legislature do not become effective until 90 days after adjournment unless enacted as emergencies; and

Whereas, enforcement of laws requiring proper disposal of cull potatoes and maintenance of cull potato piles is essential to minimize the threat of disease; and

Whereas, revisions to the laws governing cull potatoes are needed; and

Whereas, in the judgment of the Legislature, these facts create an emergency within the meaning of the Constitution of Maine and require the following legislation as immediately necessary for the preservation of the public peace, health and safety; now, therefore,

Be it enacted by the People of the State of Maine as follows:

Sec. 1. 7 MRSA §1007-A, as amended by PL 2005, c. 512, §43, is further amended to read: