

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from electronic originals
(may include minor formatting differences from printed original)

LAWS
OF THE
STATE OF MAINE

AS PASSED BY THE

ONE HUNDRED AND TWENTY-EIGHTH LEGISLATURE

SECOND SPECIAL SESSION
June 19, 2018 to September 13, 2018

THE GENERAL EFFECTIVE DATE FOR
SECOND SPECIAL SESSION
NON-EMERGENCY LAWS IS
DECEMBER 13, 2018

ONE HUNDRED AND TWENTY-NINTH LEGISLATURE

FIRST REGULAR SESSION
December 5, 2018 to June 20, 2019

THE GENERAL EFFECTIVE DATE FOR
FIRST REGULAR SESSION
NON-EMERGENCY LAWS IS
SEPTEMBER 19, 2019

PUBLISHED BY THE REVISOR OF STATUTES
IN ACCORDANCE WITH THE MAINE REVISED STATUTES ANNOTATED,
TITLE 3, SECTION 163-A, SUBSECTION 4.

Augusta, Maine
2019

**CHAPTER 123
H.P. 699 - L.D. 944**

**An Act To Ban Native
American Mascots in All
Public Schools**

**Be it enacted by the People of the State of
Maine as follows:**

Sec. 1. 20-A MRSA §12 is enacted to read:

§12. Prohibition of Native American mascots

A public school, the University of Maine System or any college within the University of Maine System, the Maine Community College System or any college within the Maine Community College System or the Maine Maritime Academy may not have or adopt a name, symbol or image that depicts or refers to a Native American tribe, individual, custom or tradition and that is used as a mascot, nickname, logo, letter-head or team name of the school.

See title page for effective date.

**CHAPTER 124
H.P. 738 - L.D. 983**

**An Act To Exempt from
Natural Resources Protection
Act Permit Requirements
Certain Maintenance and
Repairs of Nonhydropower
Dams**

**Be it enacted by the People of the State of
Maine as follows:**

Sec. 1. 38 MRSA §480-Q, sub-§2, as amended by PL 2011, c. 205, §1, is further amended to read:

2. Maintenance and repair. Maintenance and repair of a structure, other than a crossing, in, on, over or adjacent to a protected natural resource if:

- A. Erosion control measures are taken to prevent sedimentation of the water;
- C. There is no additional intrusion into the protected natural resource; and
- D. The dimensions of the repaired structure do not exceed the dimensions of the structure as it existed 24 months prior to the repair, or if the structure has been officially included in or is considered by the Maine Historical Preservation Commission eligible for listing in the National Register of Historic Places, the dimensions of the repaired structure do not exceed the dimensions of the historic structure.

This subsection does not apply to: the repair of more than 50% of a structure located in a coastal sand dune system; ~~the repair of more than 50% of a dam, unless that repair has been approved by a representative of the United States Natural Resources Conservation Service;~~ or the repair of more than 50% of any other structure, unless the municipality in which the proposed activity is located requires a permit for the activity through an ordinance adopted pursuant to the mandatory shoreland zoning laws and the application for a permit is approved by the municipality;

Sec. 2. 38 MRSA §480-Q, sub-§2-D, as enacted by PL 2011, c. 205, §3, is amended to read:

2-D. Existing crossings. A permit is not required for the repair and maintenance of an existing crossing or for the replacement of an existing crossing, including ancillary crossing installation activities such as excavation and filling, in any protected natural resource area, as long as:

- A. Erosion control measures are taken to prevent sedimentation of the water;
- B. The crossing does not block passage for fish in the protected natural resource area; and
- C. For replacement crossings of a river, stream or brook:
 - (1) The replacement crossing is designed, installed and maintained to match the natural stream grade to avoid drops or perching; and
 - (2) As site conditions allow, crossing structures that are not open bottomed are embedded in the stream bottom a minimum of one foot or at least 25% of the culvert or other structure's diameter, whichever is greater, except that a crossing structure does not have to be embedded more than 2 feet.

For purposes of this subsection, "repair and maintenance" includes but is not limited to the riprapping of side slopes or culvert ends; removing debris and blockages within the crossing structure and at its inlet and outlet; and installing or replacing culvert ends if less than 50% of the crossing structure is being replaced;

Sec. 3. 38 MRSA §480-Q, sub-§2-E is enacted to read:

2-E. Nonhydropower dams. Maintenance and repair of an existing nonhydropower dam, as long as:

- A. A long-term maintenance and repair plan for the dam has been submitted to the department prior to the commencement of any maintenance or repair activities;
- B. The maintenance and repair activities do not involve more than 50% of the surface area or volume of the dam;