

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

PUBLIC DOCUMENTS OF MAINE:

BEING THE

ANNUAL REPORTS

OF THE VARIOUS

DEPARTMENTS  INSTITUTIONS

FOR THE YEAR

1901

VOLUME IV.

AUGUSTA
KENNEBEC JOURNAL PRINT
1901

EIGHTH ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES

AND

DEATHS

IN THE

STATE OF MAINE

FOR THE

YEAR ENDING DECEMBER 31, 1899.

AUGUSTA

KENNEBEC JOURNAL PRINT

1901

DEPARTMENT OF VITAL STATISTICS.

OFFICE OF THE REGISTRAR,
AUGUSTA, ME., July 25, 1901.

*To His Excellency, John F. Hill, Governor, and the Honorable
Executive Council:*

GENTLEMEN—In accordance with the provisions of the law, I have the honor of submitting to you the Eighth Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1899.

Very respectfully,

A. G. YOUNG, M. D.,

Registrar of Vital Statistics.

REGISTRATION REPORT, 1899.

This report gives the results obtained in the registration and tabulation of the births, marriages, divorces, and deaths which occurred in the State of Maine during the year 1899.

The number of births registered in the year 1899 is 646 smaller than in the preceding year. The number of births recorded in each of the registration years, 1892-99, is 14,028, 14,604, 14,607, 15,430, 15,429, 15,142, 15,121, and 14,475, respectively.

The number of marriages (number of couples married) in 1899 was 5,329, a number 185 larger than in the preceding year. The number of marriages registered in the State in each of the years 1892-99 is, respectively, 5,726, 5,795, 5,591, 5,729, 5,579, 5,331, 5,144, and 5,329.

The number of deaths recorded in the State for the same year was 11,370, a number 414 larger than that of the deaths registered in the preceding year. The number of deaths in each year thus far recorded is: In 1892, 12,147; in 1893, 11,134; in 1894, 11,012; in 1895, 10,464; in 1896, 10,626; in 1897, 11,236; in 1898, 10,956; and in 1899, 11,370.

Compared with 1898, among the chief causes of death, there were in 1899, 298 more deaths from pneumonia, 235 more from influenza, 121 more from diseases of the nervous system, 52 more from whooping-cough, 35 more from nephritis and Bright's disease, 23 more from bronchitis, 10 more from cancer, 7 more from diabetes, 7 more from cerebro-spinal meningitis, 7 more from tetanus; 5 more from croup, and 5 more from scarlet fever. On the other hand, there was a smaller number of deaths from the following causes: from diarrheal diseases, 192 fewer; from diseases of the heart, 104; from diphtheria, 93; from typhoid fever, 21; from pulmonary tuberculosis, 6; and from measles, 2 fewer deaths than in 1898.

A noteworthy and uninterrupted diminution of the number of deaths from pulmonary tuberculosis, or consumption, has been going on in this State ever since the registration of vital statistics was begun. The number of deaths from consumption for each of the registration years, 1892-99, has been 1,352, 1,200, 1,262, 1,195, 1,172, 1,128, 1,021, and 1,015, respectively. The lessening of the number of deaths from each succeeding year since 1892 has been 53, 37, 67, 23, 44, 107, and 6. The death-

rate from consumption per 10,000 of population has been reduced from 20.24 in 1892, to 14.69 in 1899. These death-rates are based upon the estimated population for those two years.

The reasons for this falling off in the death-rate from consumption are probably more than one, but the principal reason is, undoubtedly, that our people are understanding more and more clearly the significance of the fact that pulmonary tuberculosis is a preventable disease and that it should be prevented. In 1889, the State Board of Health issued the first edition of its circular on the prevention of consumption. It has repeatedly been issued in large editions and has been distributed in every town by boards of health, clergymen, and other persons. The bulletin of the Board has also actively carried on the same propaganda. This work, together with the help of the daily and weekly press, has been the prime factor in this saving. It has simply been a campaign of education.

Table No. 1 gives a cursory view of the relative mortality in 1898 and 1899 from some of the leading causes of death.

TABLE No. 1.
Deaths from Some of the Leading Causes.

Diseases.	1898.	1899.	More in 1898.	More in 1899.
Measles.	41	39	2	-
Scarlet fever.....	43	48	-	5
Influenza.....	145	380	-	235
Whooping-cough.....	44	96	-	52
Diphtheria.....	185	92	93	-
Croup.....	55	60	-	5
Cerebro-spinal meningitis.....	43	50	-	7
Tetanus.....	4	11	-	7
Typhoid fever.....	216	195	21	-
Tuberculosis.....	1,239	1,241	-	2
Diarrheal diseases.....	854	662	192	-
Rheumatism.....	57	57	-	-
Cancer.....	531	541	-	10
Diabetes.....	88	95	-	7
Diseases of nervous system.....	1,607	1,728	-	121
Diseases of heart.....	1,132	1,028	104	-
Pneumonia.....	769	1,067	-	298
Bronchitis.....	210	233	-	23
Peritonitis.....	102	83	19	-
Nephritis and Bright's disease.....	395	430	-	35

Population.—The population of the State of Maine in 1900 was, as given by the twelfth census, 694,466. In 1890, the population of the State was 661,086. There was therefore, a gain of 33,380 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1890 and in 1900, and the gain or loss in each:

TABLE No 2.
Population in 1900 and 1890.

Counties.	1900.	1890.	Difference.
Androscoggin	54,242	48,968	5,274 gain
Aroostook	60,744	49,589	11,155 gain
Cumberland	100,689	90,949	9,740 gain
Franklin	18,444	17,053	1,391 gain
Hancock	37,241	37,312	71 loss
Kennebec	59,117	57,012	2,105 gain
Knox	30,406	31,473	1,067 loss
Lincoln	19,669	21,996	2,327 loss
Oxford	32,238	30,586	1,652 gain
Penobscot	76,246	72,865	3,381 gain
Piscataquis	16,949	16,134	815 gain
Sagadahoc	20,330	19,452	878 gain
Somerset	33,849	32,627	1,222 gain
Waldo	24,185	27,759	3,574 loss
Washington	45,232	44,482	750 gain
York	64,885	62,829	2,056 gain

TABLE No. 3.
Births, Marriages, and Deaths, 1892-99.

State.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.
Number of births	14,028	14,604	14,607	15,430	15,429	14,430	14,473	13,895
Number of marriages	5,726	5,795	5,591	5,729	5,579	5,331	5,144	5,329
Number of deaths.....	12,147	11,134	11,012	10,464	10,626	11,236	10,956	11,370
Birth-rate	21.21	21.04	21.09	22.33	22.23	21.83	21.89	20.10
Marriage-rate	8.56	8.76	8.46	8.67	8.44	8.07	7.78	7.71
Death-rate	18.37	16.84	16.66	15.83	16.07	16.99	16.57	16.45

Birth, Marriage, and Death-Rates.—In this report the birth-rates, marriage-rates, and death-rates from all causes, are stated as so many among each 1,000 of the population according to the estimated population for 1899.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 4.

Population of 1899, Births, Marriages, and Deaths, with rate of each to 1,000 of Population for the Year Ending December 31, 1899.

Counties.	Estimated population for 1899.	Births.	Birth-rate per 1,000.	Marriages.	Marriage-rate per 1,000 persons married.	Deaths.	Death-rate per 1,000.
Androscoggin	53,715	1,116	20.78	398	7.41	1,054	19.62
Aroostook	59,629	1,822	31.23	450	7.55	766	13.13
Cumberland.....	99,724	1,974	19.79	722	7.24	1,778	17.83
Franklin.....	18,305	381	21.04	191	10.43	310	17.12
Hancock.....	37,248	720	19.41	300	8.05	572	15.42
Kennebec.....	58,907	1,036	17.59	479	8.13	1,063	18.05
Knox.....	30,513	516	16.74	198	6.49	468	15.36
Lincoln.....	19,902	334	16.78	145	7.29	316	15.88
Oxford.....	32,073	561	17.59	243	7.58	478	14.99
Penobscot.....	75,968	1,413	18.74	619	8.15	1,184	15.70
Piscataquis.....	16,868	310	18.83	146	8.65	277	16.83
Sagadahoc.....	20,242	381	18.82	155	7.65	299	14.77
Somerset.....	33,727	580	17.37	288	8.54	548	16.42
Waldo.....	24,542	335	13.65	173	7.05	432	17.60
Washington.....	45,157	1,062	23.75	398	8.81	618	13.82
York.....	64,680	1,360	21.03	424	6.55	1,207	18.66
State.....	691,140	13,895	20.10	5,329	7.71	11,370	16.45

The following is a general summary of the births, marriages, and deaths in 1899:

BIRTHS.

Sex.		Parentage.	
Males	7,091	American	8,535
Females	6,789	Foreign	2,851
Not stated	15	One parent foreign	2,339
	<u>13,895</u>	Not stated	<u>170</u>
			13,895
Whole number of births			13,895
Birth-rate per 1,000			*20.10

* Birth-rates, marriage-rates, and death-rates based on the estimated population for 1899.

MARRIAGES.

Groom and bride both American	3,882
Groom and bride both foreign	584
Groom American, bride foreign	389
Groom foreign, bride American	435
Not stated	<u>39</u>
Whole number of marriages	5,329
Marriage-rate per 1,000	7.71

DEATHS.

Sex.		Parentage.	
Males	5,676	American	9,677
Females	5,686	Foreign	1,418
Not stated	8	Not stated	<u>275</u>
	<u>11,370</u>		11,370
Whole number of deaths			11,370
Death-rate per 1,000			16.45

Relation of Births to Deaths.—As the total number of births registered in Maine in the year 1899 was 14,475 and the number of deaths was 11,370, the natural increase of births over deaths was 3,105.

The following table shows the number of births and deaths in each county, and the preponderance of births over deaths. In none of the preceding registration years until 1895, was the number of births greater than the number of deaths in every county in the State.

TABLE No. 5.

Counties.	Estimated population for 1890.	Births.	Deaths.	Difference.
Androscoggin.....	53,715	1,116	1,054	62 gain
Aroostook.....	59,629	1,822	766	1,056 gain
Cumberland.....	99,724	1,974	1,778	196 gain
Franklin.....	18,305	381	310	71 gain
Hancock.....	37,248	720	572	148 gain
Kennebec.....	58,907	1,036	1,063	27 loss
Knox.....	30,513	510	468	42 gain
Lincoln.....	19,902	334	316	18 gain
Oxford.....	32,073	561	478	83 gain
Penobscot.....	75,908	1,413	1,184	229 gain
Piscataquis.....	16,868	310	277	33 gain
Sagadahoc.....	20,242	381	299	82 gain
Somerset.....	33,727	580	548	32 gain
Waldo.....	24,542	335	432	97 loss
Washington.....	45,157	1,062	618	444 gain
York.....	64,680	1,360	1,207	153 gain
State.....	691,140	13,895	11,370	2,525 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following :

TABLE No. 6.

Cities.	Estimated population for 1889.	Births.	Deaths.	Difference.
Auburn	12,781	203	206	3 loss
*Augusta	11,578	229	301	72 loss
Bangor	21,575	302	337	35 loss
Bath	10,302	214	140	74 gain
Belfast	4,684	45	84	39 loss
Biddeford	15,975	519	343	176 gain
Brewer	4,771	138	71	67 gain
Calais	7,618	207	130	77 gain
Eastport	5,271	142	86	56 gain
Ellsworth	4,307	51	67	16 loss
Gardiner	5,501	110	106	4 gain
Hallowell	2,741	39	31	8 gain
Lewiston	23,555	598	564	34 gain
Old Town	5,718	154	107	47 gain
Portland	49,208	1,014	916	98 gain
Rockland	8,152	129	126	3 gain
Saco	6,118	105	134	29 loss
South Portland	6,287	121	84	37 gain
Waterville	9,259	201	147	54 gain
Westbrook	7,218	161	111	50 gain
Total	222,619	4,682	4,091	591 gain

* Including 110 deaths in the Insane Hospital.

TABLE
Births, Marriages, and Deaths

ANDROSCOGGIN

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn	12,781	99	104	-	203	15.88	90	79	15	14	5
Durham.....	1,218	7	12	-	19	15.60	16	3	-	-	-
East Livermore.....	2,066	32	20	1	53	25.65	27	15	7	3	1
Greene	820	6	2	-	8	9.76	7	-	-	1	-
Leeds	1,058	6	10	-	16	15.12	14	1	1	-	-
Lewiston	23,555	293	303	2	598	25.39	120	388	42	39	9
Lisbon	3,554	42	51	-	93	26.17	36	40	6	11	-
Livermore	1,122	4	9	-	13	11.59	11	-	-	2	-
Mechanic Falls.	1,687	20	13	-	33	19.56	27	2	-	4	-
Minot	755	4	5	-	9	11.92	9	-	-	-	-
Poland	1,703	7	13	-	20	11.74	13	1	3	3	-
Turner	1,860	18	12	-	30	16.13	29	1	-	-	-
Wales	423	2	6	-	8	18.91	7	-	1	-	-
Webster.....	1,113	3	10	-	13	11.68	8	2	2	1	-
Total	53,715	543	570	3	1,116	20.78	414	532	77	78	15

No. 7.
for the Year 1899.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
66	2	6	6	-	80	105	101	-	206	172	24	10	16.12
5	-	-	-	-	5	8	13	-	21	20	1	-	17.24
21	-	2	-	-	23	18	16	-	34	30	4	-	16.46
4	-	-	-	-	4	5	9	-	14	13	1	-	17.07
5	-	-	-	-	5	8	6	-	14	13	-	1	13.23
55	84	22	26	3	190	297	265	2	564	388	163	13	23.94
25	7	1	4	-	37	27	33	-	60	52	8	-	16.88
7	-	-	-	-	7	14	9	-	23	23	-	-	20.50
16	-	2	2	-	20	21	15	-	36	35	1	-	21.34
1	-	-	1	-	2	5	3	-	8	8	-	-	10.59
7	-	-	2	-	9	10	10	-	20	20	-	-	11.74
11	-	-	-	-	11	20	16	-	36	34	1	1	19.35
1	-	-	-	-	1	4	2	-	6	6	-	-	14.18
3	1	-	-	-	4	6	6	-	12	9	3	-	10.78
227	94	33	41	3	398	548	504	2	1,054	823	206	25	19.62

TABLE
Births, Marriages, and Deaths

AROOSTOOK

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity	406	5	8	-	13	32.02	3	4	2	4	-
Ashland	1,028	13	12	-	25	24.31	13	4	6	2	-
Bancroft	313	8	7	-	15	47.92	6	5	2	2	-
Benedicta	347	7	8	-	15	43.23	13	1	1	-	-
Blaine	937	12	14	-	26	27.75	9	5	7	5	-
Bridgewater	1,156	15	18	-	33	28.55	8	14	3	8	-
Caribou	4,691	68	63	-	131	27.93	52	33	24	20	2
Dyer Brook	274	5	1	-	6	21.90	3	1	1	1	-
Easton	1,192	4	6	-	10	8.40	5	-	-	5	-
Fort Fairfield	4,116	53	68	2	123	29.88	53	30	29	10	1
Fort Kent	2,458	81	61	-	142	57.77	104	10	14	13	1
Frenchville	1,192	40	56	-	96	80.54	94	-	1	1	-
Grand Isle	1,090	13	15	-	33	30.28	22	1	7	3	-
Haynesville	313	3	3	-	6	19.17	3	1	1	1	-
Hersey	195	1	2	-	3	15.39	3	-	-	-	-
Hodgdon	1,129	7	11	-	18	15.94	13	1	3	1	-
Houlton	4,619	48	52	-	100	21.65	31	28	15	21	5
Island Falls	979	19	24	-	43	43.92	16	13	7	7	-
Limestone	1,111	14	14	-	28	25.20	11	7	8	2	-
Linneus	821	10	12	-	22	26.80	9	5	2	6	-
Littleton	953	15	17	-	32	33.58	14	6	1	9	2
Ludlow	392	8	6	-	14	35.71	3	3	6	2	-
Madawaska	1,674	16	33	-	49	29.27	45	1	1	2	-
Mapleton	851	10	16	-	26	30.55	18	3	2	2	1
Mars Hill	1,148	10	18	-	28	24.39	9	4	7	8	-
Masardis	420	5	3	-	8	19.05	7	1	-	-	-

No. 7—Continued.
for the Year 1899.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	2	4	-	6	6	-	-	14.78
7	-	-	-	1	8	4	3	-	7	6	1	-	6.81
-	-	-	1	-	1	4	3	1	8	6	1	1	25.56
1	-	-	-	-	1	3	1	-	4	3	1	-	11.53
6	2	-	3	-	11	4	4	-	8	3	5	-	8.54
3	4	1	1	-	9	8	10	-	18	10	8	-	15.57
17	8	6	5	-	36	41	45	-	86	66	20	-	18.33
1	-	-	2	-	3	-	2	-	2	2	-	-	7.30
3	3	1	2	-	9	1	3	-	4	2	2	-	3.36
6	9	10	5	-	30	18	13	-	31	23	2	6	7.53
10	-	2	1	-	13	24	27	-	51	43	8	-	20.75
24	1	-	1	-	26	18	16	-	34	33	-	1	28.52
6	1	2	3	-	12	15	15	-	30	27	3	-	27.52
2	-	-	1	-	3	3	-	-	3	3	-	-	9.58
-	-	-	-	-	-	-	1	-	1	1	-	-	5.13
7	-	1	2	-	10	4	9	-	13	6	7	-	27.52
23	22	9	2	3	59	21	24	-	45	27	16	2	9.74
4	2	3	3	-	12	10	5	-	15	12	3	-	15.32
3	1	-	1	-	5	4	8	-	12	9	3	-	10.80
2	-	-	1	-	3	6	5	-	11	6	4	1	13.40
3	1	-	1	-	5	12	9	-	21	14	7	-	22.03
1	-	-	-	-	1	1	3	-	4	1	3	-	10.20
9	-	-	-	-	9	15	12	-	27	26	1	-	16.13
6	-	-	1	-	7	6	7	-	13	8	5	-	15.28
2	3	2	2	-	9	8	8	-	16	9	7	-	13.94
1	-	-	-	-	1	-	2	-	2	1	1	-	4.76

TABLE
Births, Marriages, and Deaths

ARROOSTOOK

TOWNS.	Estimated population for 1889.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated
Monticello	1,312	23	10	-	33	25.15	8	11	11	3	-
New Limerick	597	3	12	-	15	25.13	6	3	4	2	-
New Sweden	851	7	6	-	13	15.28	2	11	-	-	-
Oakfield	846	11	14	-	25	29.55	17	4	3	1	-
Orient	211	3	2	-	5	23.69	2	2	1	-	-
Perham	566	11	13	-	24	42.40	18	3	2	1	-
Presque Isle	3,728	47	55	-	102	27.36	33	22	25	19	3
Sherman	973	18	12	-	30	30.84	22	2	5	1	-
Smyrna	402	8	7	-	15	37.31	8	6	1	-	-
St. Agatha	1,396	32	30	-	62	44.41	62	-	-	-	-
Van Buren	1,807	34	35	-	69	38.19	36	9	12	11	1
Washburn	1,213	18	29	-	47	38.75	22	9	6	9	1
Weston	371	2	9	-	11	29.65	6	-	2	3	-
Woodland	1,075	11	17	-	28	26.05	10	6	3	8	1
Allagash Pl	190	4	1	-	5	26.31	4	-	1	-	-
Cary Pl	399	7	6	-	13	32.58	6	2	4	1	-
Castle Hill Pl	564	4	11	-	15	26.60	11	-	3	1	-
Caswell Pl.	353	8	7	-	15	42.49	6	6	-	3	-
Chapman Pl	280	7	1	-	8	28.57	3	1	3	1	-
Connor Pl	460	6	4	1	11	23.91	4	4	2	-	1
Crystal Pl	363	5	4	-	9	24.79	5	1	1	2	-
Cyr Pl	495	11	14	-	25	50.51	16	1	4	4	-
Garfield Pl	109	-	1	-	1	9.17	1	-	-	-	-
Glenwood Pl	178	2	-	-	2	11.24	2	-	-	-	-
Hamlin Pl	565	18	4	-	22	38.94	13	2	2	5	-
Hammond Pl	116	2	-	-	2	17.24	-	-	2	-	-

No. 7—Continued.
for the Year 1899.

COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
4	4	1	3	-	12	9	7	-	16	11	5	-	12.20
3	-	-	-	-	3	1	1	-	2	1	1	-	3.35
2	2	-	-	-	4	5	6	-	11	9	2	-	12.93
2	-	-	-	-	2	2	4	-	6	3	3	-	7.09
1	3	-	1	-	5	2	2	-	4	2	2	-	18.95
6	-	-	-	-	6	2	4	-	6	6	-	-	10.60
18	3	9	9	-	39	22	18	-	40	24	15	1	10.72
2	-	-	2	1	5	3	2	-	5	5	-	-	5.14
2	-	-	1	-	3	3	3	-	6	4	2	-	14.93
10	-	-	2	-	12	13	20	-	33	33	-	-	23.64
7	1	2	6	-	16	16	15	-	31	27	4	-	17.16
8	-	2	4	-	14	9	7	-	16	9	7	-	13.19
1	2	-	-	-	3	1	2	-	3	3	-	-	8.09
4	1	2	2	-	9	5	2	-	7	4	3	-	6.51
-	-	-	-	-	-	1	1	-	2	2	-	-	10.53
-	-	-	1	-	1	1	5	-	6	4	2	-	15.04
-	-	-	-	-	-	7	3	-	10	7	3	-	17.73
-	-	-	-	-	-	1	4	-	5	5	-	-	14.16
-	-	-	-	-	-	2	-	-	2	1	1	-	7.14
-	-	-	-	-	-	2	4	-	6	5	1	-	13.04
-	1	-	-	-	1	1	1	-	2	2	-	-	5.51
-	-	-	-	-	-	8	3	-	11	9	2	-	22.22
-	-	-	-	-	-	1	1	-	2	2	-	-	18.34
2	-	-	-	-	2	1	1	-	2	2	-	-	11.24
-	-	-	-	-	-	6	8	-	14	14	-	-	24.78
-	-	-	-	-	-	1	-	-	1	-	1	-	8.62

TABLE
Births, Marriages, and Deaths

ARROSTOOK

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Macwahoc Pl.....	160	-	2	-	2	12.50	2	-	-	-	-
Merrill Pl.....	293	6	1	-	7	23.90	3	2	1	1	-
Molunkus Pl.....	74	-	2	-	2	27.02	-	1	-	1	-
Moro Pl.....	216	2	4	-	6	22.78	4	1	1	-	-
Nashville Pl.....	32	-	1	-	1	31.25	1	-	-	-	-
New Canada Pl.....	408	4	14	-	18	44.12	9	4	5	-	-
Oxbow Pl.....	147	2	-	-	2	13.61	2	-	-	-	-
Portage Lake Pl.	231	5	3	-	8	34.63	8	-	-	-	-
Reed Pl.	379	8	5	-	13	34.30	5	2	3	3	-
Sheridan Pl.....	412	4	6	-	10	24.27	4	1	3	2	-
Silver Ridge Pl.....	170	-	2	-	2	11.76	2	-	-	-	-
St. Francis Pl.	560	9	12	-	21	37.50	12	-	5	4	-
St. John Pl.....	359	8	7	-	15	41.78	8	2	3	2	-
Stockholm Pl.....	179	6	2	-	8	44.69	2	6	-	-	-
Wade Pl.....	260	7	1	-	8	30.77	6	2	-	-	-
Wallagrass Pl.....	765	16	16	-	32	41.83	26	3	2	1	-
Westfield Pl.....	250	3	3	-	6	20.40	4	1	1	-	-
Westmanland Pl.	96	3	1	-	4	41.67	4	-	-	-	-
Winterville Pl....	119	1	3	-	4	33.61	1	-	1	2	-
Plantation E.....*	-	-	1	-	1	-	-	-	-	1	-
Total.....*	58,335	881	938	3	1,822	31.23	993	311	272	227	19

* Population in unorganized plantations in 1899, 1,294.

No. 7—Continued.
for the Year 1899.
 COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	-	2	-	2	1	1	-	12.50
1	-	-	1	-	2	2	1	-	3	3	-	-	10.24
-	-	-	-	-	-	-	1	-	1	-	1	-	13.56
1	-	-	-	1	2	1	1	-	2	1	1	-	7.59
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	2	2	-	-	4.90
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	1	-	-	-	-	-	-	-	-
2	-	-	-	-	2	3	2	-	5	5	-	-	13.19
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	2	-	-	-	-	-	-	-	-
5	1	1	1	-	8	-	3	-	3	2	1	-	5.35
1	-	-	-	-	1	3	2	-	5	5	-	-	13.92
-	1	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	3	-	5	5	-	-	19.23
9	-	-	2	-	11	7	5	-	12	10	2	-	15.69
-	-	-	-	-	-	1	-	-	1	1	-	-	3.40
-	-	-	-	-	-	2	-	-	2	2	-	-	20.83
-	-	-	-	-	-	1	1	-	2	2	-	-	16.80
-	-	-	-	-	-	-	-	-	-	-	-	-	-
239	76	56	73	6	450	381	384	1	766	586	168	12	13.13

TABLE
Births, Marriages, and Deaths

CUMBERLAND

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin	832	12	7	-	19	22.84	19	-	-	-	-
Bridgton	2,842	21	26	-	47	16.54	44	2	-	1	-
Brunswick	6,725	92	79	-	171	25.43	49	91	16	13	2
Cape Elizabeth.	887	6	2	-	8	9.02	5	-	1	2	-
Casco.....	789	4	7	-	11	13.94	11	-	-	-	-
Cumberland.....	1,412	9	12	-	21	14.87	15	6	-	-	-
Falmouth.....	1,518	7	7	-	14	9.22	7	5	1	1	-
Freeport... ..	2,353	17	15	-	32	13.60	27	-	2	2	1
Gorham.....	2,510	16	14	-	30	11.95	22	2	3	3	-
Gray.....	1,401	10	18	-	28	19.99	27	-	-	1	-
Harpswell... ..	1,752	24	20	-	44	25.11	39	-	4	1	-
Harrison	979	9	11	-	20	20.43	18	-	2	-	-
Naples	816	4	12	-	16	19.61	14	-	2	-	-
New Gloucester.....	1,164	12	11	-	23	19.75	20	-	2	1	-
North Yarmouth.....	648	3	7	-	10	15.43	7	2	-	-	1
Otisfield.....	739	9	6	-	15	20.30	11	-	1	3	-
Portland.....	49,208	519	495	-	1,014	20.61	455	333	99	105	22
Pownal.....	604	5	3	-	8	13.24	6	-	1	1	-
Raymond	833	7	6	-	13	15.61	12	-	-	1	-
Scarboro.....	1,872	16	16	-	32	17.09	21	4	2	5	-
Sebago.....	586	8	3	-	11	18.77	9	-	2	-	-
South Portland.....	6,287	64	57	-	121	19.25	75	17	21	7	1
Standish	1,537	15	13	-	28	18.22	28	-	-	-	-
Westbrook	7,218	98	63	-	161	22.31	52	82	20	6	1
Windham.....	1,957	16	14	-	30	15.33	25	-	3	2	-
Yarmouth.....	2,255	27	20	-	47	20.84	29	11	3	3	1
Total.....	99,724	1,030	944	-	1,974	19.79	1,047	555	185	158	29

No. 7—Continued.
for the Year 1899.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
5	-	-	-	-	5	6	6	-	12	12	-	-	14.43
25	-	-	1	-	26	23	35	-	58	57	1	-	20.41
16	19	4	4	-	43	71	68	-	139	117	21	1	20.67
1	-	-	1	-	2	4	2	-	6	6	-	-	6.75
5	-	-	-	-	5	8	4	-	12	12	-	-	15.21
6	1	-	-	-	7	18	10	-	28	26	2	-	19.83
4	-	3	1	-	8	12	11	-	23	22	1	-	15.15
18	-	1	-	-	19	18	20	-	38	34	4	-	16.15
16	-	1	-	-	17	23	28	-	51	49	2	-	20.32
7	-	-	-	-	7	18	11	-	29	28	1	-	20.70
9	-	-	1	-	10	11	12	-	23	21	2	-	13.13
5	-	-	-	-	5	10	6	-	16	16	-	-	16.34
6	-	-	-	-	6	9	13	-	22	20	2	-	26.96
9	-	-	-	-	9	8	10	-	18	16	1	1	15.46
2	-	-	-	-	2	8	7	-	15	14	-	1	23.15
2	-	-	-	-	2	6	10	-	16	15	1	-	21.65
253	83	43	33	4	416	446	466	4	916	668	194	54	18.61
3	-	-	-	-	3	5	1	-	6	6	-	-	9.93
2	-	-	1	-	3	6	8	-	14	13	-	1	16.81
6	-	-	-	-	6	16	21	-	37	35	2	-	19.76
1	-	-	-	-	1	7	3	-	10	10	-	-	17.07
23	3	2	4	-	32	44	40	-	84	69	12	3	13.36
18	-	-	-	-	18	12	17	-	29	29	-	-	18.87
24	9	6	4	2	45	52	59	-	111	87	23	1	15.38
12	-	-	1	1	14	12	16	-	28	25	3	-	14.31
6	1	1	3	-	11	15	22	-	37	32	2	3	16.41
484	116	61	54	7	722	868	906	4	1,778	1,439	274	65	17.83

TABLE
Births, Marriages, and Deaths

FRANKLIN

TOWNS.	Estimated population for 1898.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Avon	447	6	3	-	9	20.13	8	-	1	-	-
Carthage	339	4	2	-	6	17.70	5	-	-	1	-
Chesterville	715	4	5	-	9	12.59	9	-	-	-	-
Eustis	425	8	7	-	15	35.29	9	1	3	2	-
Farmington	3,280	19	18	-	37	11.28	30	4	3	-	-
Freeman	403	2	3	-	5	12.41	4	-	1	-	-
Industry	552	8	7	-	15	27.17	15	-	-	-	-
Jay	2,628	51	49	-	100	38.05	32	50	12	6	-
Kingfield	686	6	9	-	15	21.87	13	-	-	1	1
Madrid	337	3	3	-	6	17.80	6	-	-	-	-
New Sharon	958	11	10	-	21	21.92	18	-	-	1	2
New Vineyard.....	591	4	8	-	12	20.30	12	-	-	-	-
Phillips	1,399	20	6	-	26	18.66	23	3	-	-	-
Rangeley	927	8	16	-	24	25.89	19	-	2	2	1
Salem	197	1	1	-	2	10.15	2	-	-	-	-
Strong... ..	637	9	7	-	16	25.12	15	1	-	-	-
Temple.....	401	4	3	-	7	17.46	7	-	-	-	-
Weld	750	5	7	-	12	16.00	10	-	2	-	-
Wilton	1,646	14	10	-	24	14.58	21	1	1	-	1
Coplin Pl.....	70	-	-	-	-	-	-	-	-	-	-
Dallas Pl	173	5	4	-	9	52.02	9	-	-	-	-
Greenvale Pl	57	-	1	-	1	17.54	1	-	-	-	-
Lang Pl	84	3	-	-	3	35.71	3	-	-	-	-

No. 7—Continued.
for the Year 1899.
COUNTY.

MARRIAGES.							DEATHS.						Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	2	3	-	5	5	-	-	11.18
2	-	1	-	-	3	2	2	-	4	4	-	-	11.80
10	-	-	-	-	10	6	8	-	14	13	-	1	19.58
4	-	1	1	-	6	4	1	-	5	3	2	-	11.76
29	-	3	2	-	34	24	30	-	54	48	5	1	16.46
-	-	-	-	-	-	-	2	-	2	2	-	-	4.96
7	-	-	-	-	7	3	3	-	6	5	-	1	10.87
15	9	2	2	-	28	27	29	-	56	47	9	-	21.31
7	-	-	1	-	8	8	7	-	15	13	2	-	21.87
4	-	-	-	-	4	2	4	-	6	6	-	-	17.80
9	-	1	-	-	10	13	10	-	23	20	3	-	24.01
6	-	-	-	-	6	2	9	-	11	11	-	-	18.61
15	-	-	1	-	16	18	8	-	26	26	-	-	18.66
13	-	1	-	-	14	6	3	-	9	9	-	-	9.71
2	-	-	-	-	2	1	-	-	1	1	-	-	5.07
2	-	-	-	-	2	5	5	-	10	10	-	-	15.70
6	-	-	-	-	6	6	4	-	10	9	-	1	24.94
6	-	-	1	-	7	4	12	-	16	15	1	-	21.33
19	-	-	2	-	21	14	16	-	30	29	-	1	18.23
-	-	-	-	-	-	-	1	-	1	1	-	-	14.29
2	-	-	-	-	2	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	1	-	1	1	-	-	17.54
1	-	-	-	-	1	1	-	-	1	1	-	-	11.90

TABLE
Births, Marriages, and Deaths

FRANKLIN

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Perkins Pl	66	1	1	-	2	30.30	2	-	-	-	-
Rangeley Pl	95	3	1	-	4	42.11	2	-	-	2	-
Jerusalem Pl	34	-	1	-	1	29.41	1	-	-	-	-
Lowell Pl.	85	-	-	-	-	-	-	-	-	-	-
Redington Pl.	105	-	-	-	-	-	-	-	-	-	-
Washington Pl. ...	20	-	-	-	-	-	-	-	-	-	-
Total	*18,107	199	182	-	381	21.04	276	60	25	15	5

*Population in unorganized plantations in 1899, 198.

No. 7—Continued.
for the Year 1899.
COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
							Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	1	-	1	-	1	1	-	-	10.52	
1	-	-	-	-	1	1	-	-	1	1	-	-	29.41	
1	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	1	1	-	-	9.52	
-	-	-	-	-	-	1	-	-	1	1	-	-	50.00	
163	9	9	10	-	191	150	160	-	310	283	22	5	17.12	

TABLE
Births, Marriages, and Deaths

HANCOCK

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst	365	5	3	-	8	21.92	6	-	-	-	2
Aurora	150	2	2	-	4	26.67	4	-	-	-	-
Bluehill	1,823	16	16	-	34	18.65	31	1	2	-	-
Brooklin	922	10	8	-	18	19.52	17	-	1	-	-
Brooksville	1,184	8	15	-	23	19.43	22	-	-	1	-
Bucksport	2,367	23	12	-	35	14.79	31	-	1	1	2
Castine	931	14	8	-	22	23.63	19	-	-	3	-
Cranberry Isles	370	7	-	-	7	18.92	7	-	-	-	-
Dedham	329	5	6	-	11	33.43	5	-	3	3	-
Deer Isle	2,184	30	24	-	54	24.73	51	-	2	1	-
Eastbrook	248	1	2	-	3	12.10	2	-	-	-	1
Eden	4,136	40	34	-	74	17.89	52	6	7	7	2
Ellsworth	4,307	32	19	-	51	11.84	44	2	4	1	-
Franklin	1,207	12	17	-	29	24.03	26	-	1	2	-
Gouldsboro	1,274	10	7	-	17	13.34	16	-	1	-	-
Hancock	929	10	5	-	15	16.15	15	-	-	-	-
Isle au Haut	184	-	2	-	2	10.87	2	-	-	-	-
Lamoine	597	4	6	-	10	16.75	8	-	2	-	-
Mariaville	223	1	-	-	1	4.48	1	-	-	-	-
Mount Desert	1,576	19	25	-	44	27.92	36	3	3	1	1
Orland	1,265	14	9	-	23	18.18	18	1	2	2	-
Otis	160	-	1	-	1	6.25	1	-	-	-	-
Penobscot	1,142	12	10	-	22	19.26	19	1	1	1	-
Sedgwick	903	3	8	-	11	12.18	10	-	-	1	-

No. 7—Continued.
for the Year 1899.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	1	1	-	2	2	-	-	5.48
1	-	-	-	-	1	-	3	-	3	3	-	-	20.00
9	-	-	-	-	9	12	13	-	25	23	1	1	13.72
8	-	-	-	-	8	9	11	-	20	20	-	-	21.69
7	-	1	1	1	10	12	7	-	19	18	-	1	16.05
11	-	-	-	-	11	30	26	-	56	49	4	3	23.66
10	-	-	-	-	10	5	18	-	23	23	-	-	24.70
2	-	-	-	-	2	1	2	-	3	3	-	-	8.11
-	-	-	-	-	-	-	4	-	4	4	-	-	12.16
22	-	-	1	-	23	20	16	-	36	35	1	-	16.48
1	-	-	-	-	1	1	3	-	4	4	-	-	16.13
31	4	1	3	-	39	23	24	-	47	40	4	3	11.36
34	-	-	3	1	38	34	33	-	67	56	6	5	15.56
14	-	-	-	-	14	12	12	-	24	23	1	-	19.88
10	-	2	-	-	12	15	7	-	22	19	2	1	17.27
8	-	-	-	-	8	6	16	-	22	22	-	-	23.68
-	-	-	-	-	-	3	1	-	4	4	-	-	21.74
-	-	-	1	-	1	6	6	-	12	12	-	-	20.10
1	-	-	-	-	1	1	3	-	4	4	-	-	17.94
10	-	-	4	-	14	13	11	-	24	24	-	-	15.23
6	-	-	1	-	7	3	8	-	11	10	1	-	8.70
-	-	-	-	-	-	1	2	-	3	3	-	-	18.75
3	-	-	-	-	3	14	3	-	17	16	1	-	14.89
3	-	2	-	-	5	3	11	-	14	14	-	-	15.50

TABLE
Births, Marriages, and Deaths

HANCOCK

TOWNS.	Estimated population for 1899.	BIRTHS.												
		Sex.					Parentage.							
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.			
Sorrento	117	-	-	-	-	-	-	-	-	-	-	-	-	-
Stonington	1,648	30	28	-	58	35.19	47	4	5	1	1	-	-	
Sullivan	1,068	14	4	-	18	16.85	14	1	-	1	2	-	-	
Surry	908	17	7	-	24	26.43	23	-	1	-	-	-	-	
Swan's Island	745	8	10	-	18	24.16	15	1	2	-	-	-	-	
Tremont	2,012	23	19	-	42	20.87	37	-	2	2	1	-	-	
Trenton	476	3	2	-	5	10.50	5	-	1	-	-	-	-	
Verona	243	2	1	-	3	12.35	2	-	1	-	-	-	-	
Waltham	197	2	-	-	2	10.15	2	-	-	-	-	-	-	
Winter Harbor	571	11	8	-	19	33.27	14	2	1	2	-	-	-	
Long Island Pl	170	3	4	-	7	41.18	5	-	2	-	-	-	-	
No. 33 Pl	85	4	1	-	5	58.82	4	-	1	-	-	-	-	
No. 8 Pl	17	-	-	-	-	-	-	-	-	-	-	-	-	
No. 21 Pl	58	-	-	-	-	-	-	-	-	-	-	-	-	
Total	*37,091	397	328	-	720	19.41	611	22	45	30	12	-	-	

*Population in unorganized plantations in 1899, 157.

No. 7.—Continued.
for the Year 1899.
 COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
-	-	-	-	-	-	1	-	-	1	1	-	-	8.55	
11	-	1	-	-	12	9	6	-	15	14	1	-	9.10	
5	2	-	-	-	7	7	4	-	11	10	1	-	10.30	
8	1	-	-	-	9	5	9	-	14	13	-	1	15.42	
7	-	-	-	-	7	3	2	-	5	5	-	-	6.71	
22	-	-	1	-	23	18	12	-	30	29	1	-	14.91	
2	-	-	-	-	2	5	2	-	7	7	-	-	14.71	
2	-	-	-	-	2	5	4	-	9	8	-	1	37.04	
2	-	-	-	-	2	3	2	-	5	3	-	2	25.38	
9	-	-	1	-	10	2	4	-	6	5	1	-	10.51	
1	-	-	-	-	1	-	2	-	2	2	-	-	11.76	
2	-	-	-	-	2	1	-	-	1	1	-	-	11.76	
1	-	-	-	-	1	-	-	-	-	-	-	-	-	
1	-	-	-	-	1	-	-	-	-	-	-	-	-	
268	7	7	16	2	300	284	288	-	572	529	25	18	15.42	

TABLE
Births, Marriages, and Deaths

KENNEBEC

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion	894	11	13	-	24	26.85	24	-	-	-	-
Augusta.	11,578	107	121	1	229	19.78	165	72	13	28	11
Belgrade	1,061	9	7	-	16	15.08	16	-	-	-	-
Benton	1,101	4	6	-	10	9.08	8	1	-	1	-
Chelsea	3,018	7	8	-	15	4.97	13	1	-	-	1
China....	1,384	13	13	-	26	18.79	22	-	3	-	1
Clinton	1,410	15	7	-	22	15.60	19	-	1	2	-
Farmingdale	846	3	3	-	6	7.09	4	-	2	-	-
Fayette	568	4	4	-	8	14.08	6	1	-	1	-
Gardiner	5,501	48	62	-	110	20.00	75	18	6	11	-
Hallowell.....	2,741	15	24	-	39	14.23	26	3	5	3	2
Litchfield	1,064	8	8	-	16	15.04	13	-	2	1	-
Manchester	527	4	4	-	8	15.18	7	1	-	-	-
Monmouth ..	1,248	6	13	-	19	15.22	15	2	2	-	-
Mount Vernon.....	909	9	6	-	15	16.50	14	-	-	-	1
Oakland.....	1,926	13	20	-	33	17.13	25	5	2	1	-
Pittston	1,187	11	9	-	20	16.85	18	1	1	-	-
Randolph	1,097	6	5	-	11	10.02	8	1	-	2	-
Readfield	1,012	8	2	-	10	9.88	9	-	-	1	-
Rome	428	4	5	-	9	21.03	9	-	-	-	-
Sidney	1,095	7	9	-	16	14.61	13	-	-	1	2
Vassalboro	2,062	17	21	-	38	18.43	27	4	4	2	1

No. 7—Continued.
for the Year 1899.
 COUNTY.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
4	-	-	-	-	4	6	8	-	14	14	-	-	15.66	
70	13	8	5	-	96	140	161	-	301	237	43	21	26.00	
5	-	-	-	-	5	3	11	-	14	13	-	1	13.19	
4	-	-	1	-	5	10	9	-	19	17	2	-	17.91	
4	-	-	-	-	4	10	8	-	18	15	1	2	5.96	
12	-	-	-	-	12	10	19	-	29	28	1	-	20.95	
11	-	-	1	-	12	10	12	-	22	21	-	1	15.60	
6	-	-	-	-	6	9	5	-	14	11	1	2	16.55	
2	-	-	1	-	3	5	3	-	8	8	-	-	14.08	
47	5	2	2	-	56	50	56	-	106	91	13	2	19.27	
26	2	3	2	-	33	14	17	-	31	25	6	-	11.31	
8	-	-	-	-	8	4	7	-	11	8	1	2	10.34	
1	-	-	-	-	1	2	4	-	6	5	1	-	11.39	
13	-	1	1	-	15	11	16	-	27	27	-	-	21.63	
7	-	-	-	-	7	9	9	-	18	17	-	1	19.80	
25	2	3	-	-	30	18	12	-	30	27	3	-	15.58	
4	-	-	-	-	4	5	7	-	12	11	1	-	10.11	
13	-	-	-	-	13	9	11	-	20	16	4	-	18.23	
6	-	1	-	-	7	14	7	-	21	21	-	-	20.75	
2	-	-	-	-	2	3	6	-	9	9	-	-	21.03	
3	-	-	-	-	3	11	9	-	20	19	1	-	18.26	
9	1	1	2	-	13	17	14	-	31	27	2	2	15.03	

TABLE
Births, Marriages, and Deaths

KENNEBEC

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated
Vienna	414	2	2	-	4	9.66	4	-	-	-	-
Waterville	9,259	101	100	-	201	21.71	55	86	30	28	2
Wayne	707	5	2	-	7	9.90	7	-	-	-	-
West Gardiner	709	8	3	-	11	15.51	9	1	-	1	-
Windsor	789	7	3	-	10	12.67	9	-	1	-	-
Winslow	2,231	32	20	-	52	23.31	20	20	5	7	-
Winthrop	2,090	29	21	-	50	23.92	28	19	2	1	-
Unity Pl.	51	-	1	-	1	19.60	1	-	-	-	-
Total	58,907	513	522	1	1,036	17.59	609	236	79	91	21

No. 7—Continued.
for the Year 1899.
 COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	5	4	-	9	9	-	-	21.74
49	36	9	9	-	103	68	79	-	147	120	21	6	15.87
6	-	-	-	-	6	6	9	-	15	15	-	-	21.22
6	-	-	-	-	6	6	10	-	16	15	1	-	22.56
-	-	-	-	-	-	2	7	-	9	9	-	-	11.41
10	-	-	-	-	10	22	13	-	35	28	6	1	15.69
14	-	-	-	-	14	26	24	-	50	45	3	2	23.92
-	-	-	-	-	-	1	-	-	1	1	-	-	19.60
368	59	28	24	-	479	506	557	-	1,063	909	111	43	18.05

TABLE
Births, Marriages, and Deaths

KNOX

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton.....	985	12	8	-	20	20.30	19	-	-	1	-
Camden.....	2,860	15	15	-	30	10.49	26	1	1	2	-
Cushing.....	611	7	6	-	13	21.28	12	-	-	1	-
Friendship.....	820	10	13	-	23	28.05	23	-	-	-	-
Hope.....	603	3	3	-	6	9.95	6	-	-	-	-
Hurricane Isle.....	257	6	5	-	11	42.80	2	5	3	1	-
North Haven.....	551	5	6	-	11	19.96	11	-	-	-	-
Rockland.....	8,152	64	65	-	129	15.82	96	14	11	8	-
Rockport.....	2,314	19	19	-	38	16.42	34	1	2	-	1
South Thomaston...	1,437	8	9	-	17	11.83	14	-	3	-	-
St. George.....	2,214	32	30	-	62	28.00	29	26	4	3	-
Thomaston.....	2,720	9	22	-	31	11.40	30	-	-	1	-
Union.....	1,267	11	11	-	22	17.36	20	-	2	-	-
Vinalhaven.....	2,384	26	20	-	46	19.30	26	7	9	4	-
Warren.....	2,066	14	11	-	25	12.10	22	-	1	1	1
Washington.....	1,040	9	15	-	24	23.08	22	-	-	2	-
Matinicus Isle Pl.....	185	2	-	-	2	10.81	2	-	-	-	-
Total.....	*30,466	252	258	-	510	16.74	394	54	36	24	2

* Population in unorganized plantations in 1899, 47.

No. 7—Continued.
for the Year 1899.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	-	-	3	4	11	-	15	15	-	-	15.23
24	1	-	1	-	26	21	19	-	40	38	2	-	13.99
3	-	-	-	-	3	2	2	-	4	4	-	-	6.55
8	-	-	-	-	8	7	4	-	11	11	-	-	13.41
3	-	-	-	-	3	4	6	-	10	10	-	-	16.58
-	1	-	-	-	1	3	-	-	3	3	-	-	11.67
7	-	-	-	-	7	1	1	-	2	2	-	-	3.63
45	2	7	8	-	62	71	55	-	126	114	12	-	15.46
12	-	-	1	-	13	21	20	-	41	38	1	2	17.71
2	-	1	-	-	3	9	11	-	20	19	1	-	13.92
8	-	-	-	-	9	18	17	-	35	29	5	1	15.81
14	-	1	2	-	17	23	21	-	44	40	4	-	16.18
11	-	1	1	-	13	11	11	-	22	22	-	-	17.36
6	2	1	3	-	12	14	14	-	28	24	3	1	11.74
10	-	-	-	-	10	22	21	-	43	41	1	1	20.81
8	-	-	-	-	8	14	8	-	22	22	-	-	21.15
1	-	-	-	-	1	1	1	-	2	2	-	-	10.81
165	6	11	16	-	198	246	222	-	468	434	29	5	15.36

TABLE
Births, Marriages, and Deaths

LINCOLN

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.		Not stated.
									American father and foreign mother.		
Alna.....	450	3	5	-	8	17.78	6	-	1	1	-
Boothbay	1,762	35	17	-	52	29.51	48	1	-	3	-
Boothbay Harbor	1,904	15	27	-	42	22.06	36	4	1	1	-
Bremen.	675	5	7	-	12	17.78	12	-	-	-	-
Bristol	2,596	30	21	-	51	19.65	51	-	-	-	-
Damariscotta	890	7	3	-	10	11.24	9	1	-	-	-
Dresden.	898	6	9	-	15	16.70	14	-	1	-	-
Edgecomb	621	5	4	-	9	14.49	7	-	-	1	1
Jefferson..	1,179	9	3	1	13	11.03	13	-	-	-	-
Newcastle	1,096	5	7	-	12	10.95	11	-	-	-	1
Nobleboro	824	3	1	-	4	4.85	4	-	-	-	-
Somerville	382	5	4	-	9	23.56	9	-	-	-	-
Southport	527	4	7	-	11	20.87	11	-	-	-	-
Waldoboro.....	3,181	27	15	-	42	13.20	42	-	-	-	-
Westport.....	342	1	4	-	5	14.62	4	-	-	1	-
Whitefield	1,162	8	7	-	15	12.91	15	-	-	-	-
Wiscasset	1,319	13	9	-	22	16.69	22	-	-	-	-
Monbegan Pl.	94	-	2	-	2	21.28	2	-	-	-	-
Total	19,902	181	152	1	334	16.78	316	6	3	7	2

No. 7—Continued.
for the Year 1899.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
6	-	-	-	-	6	3	4	-	7	7	-	-	15.56
12	-	2	-	-	14	10	13	-	23	23	-	-	13.05
13	-	1	-	-	14	13	15	-	28	26	-	2	14.71
1	-	-	-	-	1	-	6	-	6	6	-	-	8.89
16	-	-	-	-	16	24	15	-	39	35	2	2	15.02
8	-	-	-	-	8	4	9	-	13	11	-	2	14.61
2	-	-	1	-	3	6	6	-	12	11	1	-	13.36
3	-	-	-	-	3	5	6	-	11	11	-	-	17.71
11	-	-	1	-	12	13	12	-	25	24	-	1	21.20
8	-	-	-	-	8	7	4	-	11	11	-	-	10.04
5	-	-	-	-	5	9	6	-	15	15	-	-	18.18
7	-	-	-	-	7	3	10	-	13	13	-	-	34.03
6	-	-	-	-	6	1	2	-	3	3	-	-	5.69
24	-	1	-	1	26	30	22	-	52	50	1	1	16.35
2	-	-	-	-	2	2	4	-	6	6	-	-	17.54
4	-	-	-	-	4	19	9	-	28	24	4	-	24.10
9	-	-	-	-	9	6	17	-	23	21	2	-	17.44
1	-	-	-	-	1	1	-	-	1	1	-	-	10.64
138	-	4	2	1	145	156	160	-	316	298	10	8	15.88

TABLE
Births, Marriages, and Deaths

OXFORD

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany	549	8	5	-	13	23.68	9	1	2	-	1
Andover	728	4	6	-	10	13.74	8	-	-	1	1
Bethel	1,872	21	15	-	36	19.23	33	1	1	1	-
Brownfield	1,030	10	7	-	17	16.50	16	1	-	-	-
Buckfield	1,145	5	20	-	25	21.83	24	-	-	1	-
Byron	202	3	1	-	4	19.80	3	-	1	-	-
Canton	982	9	9	-	18	18.33	12	3	2	1	-
Denmark	646	7	8	-	15	23.22	15	-	-	-	-
Dixfield	1,046	9	5	-	14	13.38	13	-	-	1	-
Fryeburg	1,380	10	4	-	14	10.14	13	-	1	-	-
Gilead	340	3	4	-	7	20.59	5	1	-	-	1
Grafton	83	1	1	-	2	24.10	1	-	-	-	1
Greenwood	740	11	17	-	28	37.84	26	-	-	2	-
Hanover	214	1	2	-	3	14.02	3	-	-	-	-
Hartford	663	6	4	-	10	15.08	10	-	-	-	-
Hebron	505	7	1	-	8	15.84	8	-	-	-	-
Hiram	1,020	6	7	-	13	12.75	12	-	1	-	-
Lovell	709	6	6	-	12	16.93	11	-	-	1	-
Mason	68	-	1	-	1	14.71	1	-	-	-	-
Mexico	770	6	4	-	10	12.99	7	1	2	-	-

No. 7—Continued.
for the Year 1899.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	1	5	-	6	6	-	-	10.93
6	-	-	-	-	6	7	7	-	14	11	1	2	19.23
22	1	1	1	-	25	18	14	-	32	31	1	-	17.09
6	-	1	-	-	7	8	2	-	10	10	-	-	9.71
6	-	-	-	-	6	14	13	-	27	26	-	1	23.58
1	-	-	-	-	1	-	2	-	2	2	-	-	9.90
2	1	-	-	-	3	10	4	-	14	14	-	-	14.26
7	-	-	-	-	7	7	9	-	16	16	-	-	24.77
14	-	1	-	-	15	6	6	-	12	11	-	1	11.47
7	-	-	-	-	7	11	10	-	21	21	-	-	15.22
-	-	-	-	-	-	-	3	-	3	3	-	-	8.82
-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	4	3	6	-	9	8	1	-	12.16
-	-	-	-	-	-	2	1	-	3	3	-	-	14.02
2	-	-	-	-	2	3	5	-	8	8	-	-	12.07
5	-	-	-	-	5	2	1	-	3	3	-	-	14.29
7	-	-	-	-	7	8	4	-	12	12	-	-	11.76
6	-	-	-	-	6	7	5	-	12	12	-	-	16.93
1	-	-	-	-	1	-	1	-	1	1	-	-	14.71
3	-	-	-	1	4	5	6	-	11	10	1	-	14.29

TABLE
Births, Marriages, and Deaths

OXFORD

TOWNS.	Estimated population for 1889.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Newry	292	3	2	-	5	17.12	3	-	2	-	-
Norway	2,878	22	26	-	48	16.68	40	4	2	2	-
Oxford	1,343	12	8	-	20	14.89	18	-	-	2	-
Paris	3,218	22	30	-	52	16.16	42	1	2	6	1
Peru	765	7	4	-	11	14.38	11	-	-	-	-
Porter	899	-	3	-	3	3.34	2	1	-	-	-
Roxbury	236	2	3	-	5	21.19	3	2	-	-	-
Rumford	3,483	45	40	-	85	24.40	21	43	12	9	-
Stoneham	288	1	2	-	3	10.42	3	-	-	-	-
Stow	272	-	-	-	-	-	-	-	-	-	-
Sumner	812	9	3	-	12	14.78	12	-	-	-	-
Sweden	288	3	2	-	5	17.36	5	-	-	-	-
Upton	241	-	8	-	8	33.20	7	-	-	1	-
Waterford	925	4	9	-	13	14.05	12	-	-	1	-
Woodstock	826	10	11	-	21	25.61	21	-	-	-	-
Milton Pl	202	2	8	-	10	49.50	9	-	-	1	-
Batchelders Grant ...	159	-	-	-	-	-	-	-	-	-	-
Total	*31,813	275	286	-	561	17.59	439	59	28	30	5

* Population in unorganized plantations in 1899, 260.

No. 7—Continued.
for the Year 1899.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	6	3	-	9	9	-	-	30.82
32	-	1	-	-	33	23	25	-	48	45	3	-	16.68
12	-	-	1	-	13	15	9	-	24	24	-	-	17.87
26	1	1	-	-	28	22	35	-	57	55	-	2	17.71
6	-	1	-	-	7	1	1	-	2	2	-	-	2.61
4	-	2	-	-	6	6	10	-	16	15	1	-	17.79
1	-	-	-	-	1	-	2	-	2	2	-	-	8.47
18	4	2	2	-	26	27	14	-	41	32	9	-	11.77
1	-	1	-	-	2	1	1	-	2	2	-	-	6.94
-	-	-	-	-	-	-	2	-	2	2	-	-	7.35
6	-	-	-	-	6	3	11	-	14	14	-	-	17.24
-	-	-	-	-	-	2	2	-	4	4	-	-	13.89
1	-	-	-	-	1	1	-	-	1	1	-	-	4.15
2	-	-	1	-	3	9	11	-	20	19	1	-	21.62
8	-	1	-	-	9	8	8	-	16	15	1	-	19.51
1	-	-	-	-	1	2	1	-	3	3	-	-	14.85
-	-	-	-	-	-	1	-	-	1	1	-	-	6.29
218	7	12	5	1	243	239	239	-	478	453	19	6	14.99

TABLE
Births, Marriages, and Deaths

PENOBSCOT

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alton.....	317	2	-	-	2	6.31	2	-	-	-	-
Argyle	312	-	2	-	2	6.41	2	-	-	-	-
Bangor	21,575	157	145	-	302	14.00	155	86	23	35	3
Bradford... ..	980	9	10	-	19	19.39	17	-	-	2	-
Bradley	696	10	6	-	16	22.99	13	1	1	1	-
Brewer.... .	4,771	77	61	-	138	28.93	60	48	18	11	1
Burlington.....	400	1	2	-	3	7.50	3	-	-	-	-
Carmel	945	5	10	-	15	15.87	14	-	1	-	-
Carroll	493	12	8	-	20	40.56	19	-	1	-	-
Charleston.....	855	8	11	-	19	22.22	15	2	-	2	-
Chester.....	863	-	-	-	-	-	-	-	-	-	-
Clifton	241	-	2	-	2	8.30	2	-	-	-	-
Corinna.	1,174	4	9	-	13	11.07	13	-	-	-	-
Corinth.... .	1,053	6	6	-	12	11.40	11	-	1	-	-
Dexter	2,920	29	24	-	53	18.15	38	11	2	1	1
Dixmont... ..	849	8	5	-	13	15.31	13	-	-	-	-
Eddington	670	9	6	-	15	22.38	14	1	-	-	-
Edinburg	64	1	-	-	1	15.62	1	-	-	-	-
Enfield	1,033	13	19	-	32	30.98	20	4	4	-	4
Etna.....	539	8	3	-	11	20.41	10	-	1	-	-
Exeter	885	7	5	-	12	13.56	11	-	1	-	-
Garland.....	869	10	8	-	18	20.70	18	-	-	-	-
Glenburn.	473	5	5	-	10	21.14	8	1	1	-	-
Greenbush	592	5	3	-	8	13.51	6	1	1	-	-
Hampden.	2,212	24	24	-	48	21.61	39	3	2	3	1

No. 7—Continued.
for the Year 1899.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	1	-	-	3	3	3	-	6	5	1	-	18.93
1	-	2	-	-	3	2	4	-	6	5	1	-	19.23
130	32	23	20	4	209	162	174	1	337	240	82	15	15.62
9	-	1	-	-	10	12	7	-	19	18	1	-	19.39
4	-	-	1	-	5	7	8	-	15	14	1	-	21.55
17	7	3	6	-	33	34	37	-	71	63	8	-	16.14
2	-	-	-	-	2	1	3	-	4	4	-	-	10.00
4	1	1	-	-	6	10	7	-	17	17	-	-	17.99
1	-	-	-	-	1	1	4	-	5	5	-	-	10.14
3	-	-	-	-	3	4	7	-	11	11	-	-	12.87
1	-	-	-	-	1	2	2	-	4	3	1	-	11.02
-	-	-	-	-	-	5	-	-	5	4	-	1	20.74
11	-	1	-	-	12	9	10	-	19	16	2	1	16.18
12	-	-	1	-	13	12	9	-	21	21	-	-	19.94
24	1	-	2	-	27	35	23	-	58	52	6	-	19.86
3	-	-	1	-	4	8	6	-	14	13	1	-	16.48
2	-	-	1	-	3	6	3	-	9	9	-	-	13.43
1	-	-	-	-	1	-	2	-	2	2	-	-	31.24
4	-	-	-	-	4	7	4	-	11	10	1	-	10.65
7	-	-	-	-	7	7	6	-	13	12	-	1	24.12
4	-	-	-	-	4	9	7	-	16	15	-	1	18.08
12	-	-	3	-	15	9	8	-	17	16	-	1	19.56
-	-	-	-	-	-	4	2	-	6	6	-	-	12.68
1	-	1	-	-	2	4	2	-	6	5	1	-	10.13
21	1	-	-	-	22	17	25	-	42	42	-	-	18.99

TABLE
Births, Marriages, and Deaths

PENOBSCOT

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated
Hermon.....	1,193	14	4	-	18	15.09	18	-	-	-	-
Holden	602	5	7	-	12	19.93	9	-	2	1	-
Howland.....	484	15	13	-	28	57.85	12	7	4	5	-
Hudson.....	438	4	5	-	9	20.55	8	-	1	-	-
Kenduskeag.....	434	2	4	-	6	13.82	6	-	-	-	-
Kingman.....	910	15	14	-	29	31.87	10	7	5	6	1
Lagrange.....	589	7	3	-	10	16.98	8	-	1	1	-
Lee.....	814	7	10	-	17	20.88	10	-	6	1	-
Levant.....	798	8	6	-	14	17.54	14	-	-	-	-
Lincoln.....	1,733	25	22	-	47	27.12	33	9	4	1	-
Lowell.....	314	3	4	-	7	22.29	3	-	2	2	-
Mattamiscontis..	30	1	-	-	1	33.33	1	-	-	-	-
Mattawamkeag.....	537	4	10	-	14	26.07	14	-	-	-	-
Maxfield ..	117	1	1	-	2	17.09	2	-	-	-	-
Medway.....	333	6	2	-	8	24.02	7	-	-	-	1
Milford.....	838	7	4	-	11	13.12	6	2	2	1	-
Mount Chase.....	298	4	6	-	10	33.56	7	1	2	-	-
Newburgh.....	747	3	5	-	8	10.71	7	-	-	1	-
Newport.....	1,499	2	6	-	8	5.33	6	-	-	1	1
Old Town.....	5,718	78	76	-	154	26.93	52	42	34	26	-
Orono.....	3,210	38	31	-	69	21.50	26	23	14	3	3
Orrington.....	1,280	13	8	-	21	16.41	21	-	-	-	-
Passadumkeag.....	402	4	5	-	9	24.88	6	-	2	1	-
Patten.....	1,148	19	19	-	38	33.10	23	3	6	6	-
Plymouth.....	661	1	3	-	4	6.05	2	-	-	-	2

No. 7.—Continued.
for the Year 1899.
 COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	-	-	1	-	8	10	7	-	17	14	3	-	14.25
3	-	-	1	-	4	7	4	-	11	10	1	-	18.27
5	-	-	-	-	5	5	6	-	11	9	2	-	22.73
1	-	-	-	-	1	4	2	-	6	5	-	1	13.70
13	-	-	1	-	14	3	3	-	6	6	-	-	13.82
2	-	-	-	-	2	4	6	-	10	8	1	1	10.99
6	-	-	-	-	6	2	7	-	9	9	-	-	15.28
4	-	-	-	-	4	1	4	-	5	5	-	-	6.14
7	-	-	-	-	7	15	3	-	18	18	-	-	22.56
10	1	-	2	1	14	13	6	-	19	18	-	1	10.96
1	-	-	-	-	1	6	3	-	9	8	1	-	28.66
1	-	-	-	-	1	-	-	-	-	-	-	-	-
12	-	-	2	-	14	2	8	-	10	9	1	-	18.62
1	-	-	1	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	1	-	3	2	1	-	9.00
3	-	-	-	-	3	6	10	-	16	13	2	1	19.09
1	-	-	-	-	1	2	-	-	2	1	1	-	6.71
7	-	-	-	-	7	5	6	-	11	9	-	2	14.72
10	-	-	2	-	12	12	14	-	26	24	1	1	16.01
35	8	5	7	-	55	57	50	-	107	86	20	1	18.71
12	2	3	1	1	19	18	22	-	40	26	14	-	12.47
6	-	-	-	-	6	11	9	-	20	19	-	1	15.62
3	-	-	-	-	3	2	3	-	5	4	-	1	12.44
3	1	1	1	-	6	7	9	-	16	12	3	1	13.94
1	-	-	-	-	1	3	5	-	8	8	-	-	3.02

TABLE
Births, Marriages, and Deaths

PENOBSCOT

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Prentiss.	492	9	5	-	14	28.45	12	-	-	1	1
Springfield.....	546	5	5	-	10	18.31	9	-	-	1	-
Stetson.....	514	4	5	-	9	17.50	7	-	-	2	-
Veazie.	564	1	2	-	3	5.32	3	-	-	-	-
Winn	713	4	2	-	6	8.42	3	-	1	2	-
Woodville	168	1	-	-	1	5.95	1	-	-	-	-
Drew Pl.	119	1	1	-	2	16.81	1	1	-	-	-
Lakeville Pl.....	130	4	4	-	8	61.54	7	-	-	1	-
Grand Falls Pl.....	54	2	1	-	3	55.55	3	-	-	-	-
Seboeis Pl ...	96	3	-	-	3	31.25	2	-	-	1	-
Stacyville Pl.....	347	7	5	-	12	34.58	9	-	1	-	2
Webster Pl.....	125	1	2	-	3	24.00	2	-	1	-	-
Indian Township No.3	1,144	1	-	-	1	0.87	-	1	-	-	-
Total	*75,420	739	674	-	1,413	18.74	874	254	145	119	21

* Population in unorganized plantations in 1899, 488.

No. 7—Continued.
for the Year 1899.
 COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.						Death-rate per 1,000.
							Sex.			Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	1	-	1	3	2	-	5	5	-	-	10.16
5	-	-	1	-	6	6	5	-	11	11	-	-	20.15
4	-	2	-	-	6	10	7	-	17	17	-	-	33.07
3	-	-	-	-	3	5	2	-	7	7	-	-	12.41
8	-	3	1	1	13	6	7	-	13	9	2	2	18.23
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	-	2	-	2	1	1	-	16.81
-	-	-	-	-	-	1	-	-	1	1	-	-	7.69
-	-	-	-	-	-	-	1	-	1	1	-	-	18.51
-	-	-	-	-	-	1	3	-	4	3	1	-	41.66
-	-	-	-	-	-	2	1	-	3	3	-	-	8.64
1	-	-	-	-	1	-	1	-	1	1	-	-	8.00
1	-	-	-	-	1	-	-	-	-	-	-	-	-
454	54	47	57	7	619	601	582	1	1,184	990	161	33	15.70

TABLE
Births, Marriages, and Deaths

PISCATAQUIS

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbot	707	10	5	-	15	21.22	14	-	1	-	-
Atkinson	506	1	3	-	4	7.90	2	-	1	-	1
Blanchard	245	1	2	-	3	12.24	3	-	-	-	-
Brownville	1,520	19	18	-	37	24.34	19	9	3	6	-
Dover	1,894	12	13	-	25	13.20	21	-	1	3	-
Foxcroft	1,637	6	17	-	23	14.05	13	4	5	1	-
Greenville	1,082	18	16	-	34	31.42	14	9	5	6	-
Guilford	1,491	19	10	-	29	19.45	20	4	3	2	-
Medford	284	2	2	-	4	14.08	4	-	-	-	-
Milo	1,182	11	18	-	29	24.20	23	1	2	2	1
Monson	1,128	11	7	-	18	15.96	14	3	1	-	-
Orneville	341	4	2	-	6	17.60	6	-	-	-	-
Parkman	727	6	6	-	12	16.51	10	-	1	1	-
Sangerville	1,242	10	9	-	19	15.30	13	2	1	3	-
Sebec	606	6	8	-	14	23.10	11	-	1	2	-
Shirley	252	4	2	-	6	23.80	3	-	-	3	-
Wellington	430	3	2	-	5	11.63	4	-	1	-	-
Williamsburg	120	3	1	-	4	33.33	4	-	-	-	-
Willimantic	421	5	6	-	11	26.13	9	1	1	-	-
Barnard Pl.	98	1	-	-	1	10.20	-	1	-	-	-
Elliottsville Pl ..	83	1	1	-	2	24.10	2	-	-	-	-
Kingsbury Pl.	116	1	1	-	2	17.24	2	-	-	-	-
Lake View Pl.	173	2	4	-	6	34.68	4	-	2	-	-
Katahdin Iron Works	110	-	-	-	-	-	-	-	-	-	-
Kineo	41	-	1	-	1	24.39	1	-	-	-	-
North East Carry	24	-	-	-	-	-	-	-	-	-	-
Total	*16,460	156	154	-	310	18.83	216	34	29	29	2

* Population in unorganized plantations in 1899, 408.

No. 7—Continued.
for the Year 1899.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	2	2	-	10	10	-	-	14.14
3	1	-	-	-	4	7	8	-	15	15	-	-	29.64
-	-	-	-	-	-	5	2	-	7	5	-	2	28.57
17	4	3	4	-	28	12	16	-	28	27	1	-	18.42
24	1	1	2	-	28	11	19	-	30	27	3	-	15.84
4	-	2	1	-	7	15	6	-	21	19	2	-	12.83
5	1	2	2	2	12	14	10	-	24	16	5	3	22.18
10	1	-	-	-	11	13	12	-	25	22	1	2	16.70
1	-	-	-	-	1	-	6	-	6	5	-	1	21.13
15	-	-	-	-	15	14	9	-	23	22	1	-	19.46
7	-	3	3	-	13	11	5	-	16	15	-	1	14.19
4	-	-	1	-	5	3	1	-	4	3	-	1	11.73
3	-	-	1	-	4	7	6	-	13	12	1	-	17.88
6	-	1	2	-	9	8	10	-	18	18	-	-	14.49
-	-	-	-	-	-	6	4	-	10	9	1	-	16.50
-	-	-	-	-	-	4	1	-	5	5	-	-	19.84
1	-	-	-	-	1	6	7	-	13	13	-	-	30.23
-	-	-	-	-	-	-	2	-	2	2	-	-	16.67
3	-	-	-	-	3	-	2	-	2	2	-	-	4.75
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	1	1	-	2	2	-	-	17.24
-	-	-	-	-	-	-	1	-	1	1	-	-	5.78
-	-	-	-	-	-	-	1	-	1	1	-	-	9.09
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	-	-	1	41.66
108	8	12	16	2	146	146	131	-	277	251	15	11	16.83

TABLE
Births, Marriages, and Deaths

SAGADAHOC

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Arrowsic	180	2	-	-	2	11.11	2	-	-	-	-
Bath	10,302	108	106	-	214	20.77	122	51	13	26	2
Bowdoin	937	14	8	-	22	23.48	20	-	-	2	-
Bowdoinham	1,325	10	7	-	17	12.83	15	1	1	-	-
Georgetown	804	8	6	-	14	17.41	14	-	-	-	-
Perkins	61	1	-	-	1	16.39	1	-	-	-	-
Phippsburg	1,268	13	6	-	19	14.98	18	-	1	-	-
Richmond	2,153	14	19	-	33	15.33	25	3	3	2	-
Topsham	2,027	22	23	-	45	22.20	20	19	6	-	-
West Bath	292	-	-	-	-	-	-	-	-	-	-
Woolwich	893	6	8	-	14	15.68	10	3	-	1	-
Total	20,242	198	183	-	381	18.82	247	77	24	31	-

No. 7—Continued.
for the Year 1899.
 COUNTY.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
1	-	-	-	-	1	1	2	-	3	3	-	-	16.67	
61	9	16	6	-	92	74	66	-	140	112	28	-	13.59	
6	-	-	-	-	6	7	7	-	14	13	-	1	14.94	
11	1	1	1	-	14	18	14	-	32	31	1	-	24.15	
2	-	-	-	-	2	9	3	-	12	10	2	-	14.93	
-	-	-	-	-	-	1	-	-	1	1	-	-	16.39	
6	-	-	-	-	6	6	2	-	14	13	1	-	11.04	
9	1	2	1	-	13	15	14	-	29	25	2	2	13.47	
7	1	1	2	1	12	16	12	-	28	28	-	-	13.81	
-	-	-	-	-	-	3	2	-	5	5	-	-	17.12	
9	-	-	-	-	9	9	12	-	21	19	2	-	23.52	
112	12	20	10	1	155	159	140	-	299	260	36	3	14.77	

TABLE
Births, Marriages, and Deaths

SOMERSET

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson	1,791	16	24	-	40	22.33	28	3	7	2	-
Athens	914	6	9	-	15	16.41	15	-	-	-	-
Bingham	833	2	6	-	8	9.60	8	-	-	-	-
Cambridge	370	1	3	-	4	10.81	4	-	-	-	-
Canaan	992	7	12	-	19	19.15	18	1	-	-	-
Concord	296	4	4	-	8	27.03	8	-	-	-	-
Cornville	698	3	3	-	6	8.60	6	-	-	-	-
Detroit	533	2	2	-	4	7.50	4	-	-	-	-
Embden	568	3	8	-	11	19.37	10	-	-	-	1
Fairfield	3,840	40	26	-	66	17.19	38	8	11	9	-
Harmony	584	4	7	-	11	18.84	11	-	-	-	-
Hartland	1,101	9	10	-	19	17.26	15	1	2	1	-
Madison	2,669	32	20	-	52	19.49	33	7	8	4	-
Mercer	502	5	5	-	10	19.92	10	-	-	-	-
Moscow	382	6	2	-	8	20.94	5	1	2	-	-
New Portland	925	2	14	-	16	17.30	13	-	1	2	-
Norridgewock	1,511	7	7	-	14	9.27	13	1	-	-	-
Palmyra	924	3	5	-	8	8.66	7	-	1	-	-
Pittsfield	2,851	26	24	-	50	17.54	45	1	1	3	-
Ripley	452	2	2	-	4	8.85	4	-	-	-	-
St. Albans	1,054	11	14	-	25	23.72	24	-	-	1	-
Skowhegan	5,168	43	45	-	88	17.03	46	14	15	12	1
Smithfield	452	2	4	-	6	13.27	5	-	-	1	-
Solon	994	5	7	-	12	12.07	10	1	-	-	1

No. 7—Continued.
for the Year 1899.
 COUNTY.

MARRIAGES.							DEATHS.						Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
13	2	-	1	-	16	15	27	-	42	42	-	-	23.45
9	-	-	-	-	9	7	7	-	14	14	-	-	15.32
13	-	-	-	-	13	6	9	-	15	13	2	-	18.01
6	-	-	-	-	6	3	4	-	7	7	-	-	18.92
1	-	-	-	-	1	4	10	-	14	14	-	-	14.11
-	-	-	-	-	-	3	2	-	5	5	-	-	16.89
1	-	-	-	-	1	5	8	-	13	11	1	1	18.62
4	-	-	-	-	4	4	5	-	9	9	-	-	16.89
-	-	-	-	-	-	4	6	-	10	10	-	-	17.61
19	2	5	1	-	27	29	27	-	56	48	7	1	14.58
3	-	-	-	-	3	5	5	-	10	10	-	-	17.12
6	-	-	-	-	6	11	17	-	28	27	1	-	25.43
25	1	2	2	-	30	18	20	-	38	33	3	2	14.24
1	-	-	-	-	1	6	10	-	16	16	-	-	31.87
3	-	-	-	-	3	5	8	-	13	10	3	-	34.03
2	-	-	1	-	3	3	8	-	11	10	-	1	11.89
14	-	-	1	-	15	6	12	-	18	17	-	1	11.91
15	-	-	-	-	15	9	5	-	14	14	-	-	15.15
19	-	-	1	1	21	15	19	-	34	33	1	-	11.93
5	-	-	-	-	5	2	6	-	8	8	-	-	17.70
6	-	-	-	-	6	17	15	-	32	31	-	1	30.36
51	2	6	7	1	67	42	41	-	83	72	11	-	16.06
2	-	-	-	-	2	3	3	-	6	5	-	1	13.27
8	-	-	-	-	8	6	6	-	12	12	-	-	12.07

TABLE
Births, Marriages, and Deaths

SOMERSET

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated
Starks	649	7	10	-	17	26.19	16	-	1	-	-
Bigelow Pl.	57	2	1	-	3	52.63	3	-	-	-	-
Brighton Pl.	375	2	2	-	4	10.67	4	-	-	-	-
Caratunk Pl.	215	3	1	-	4	18.60	4	-	-	-	-
Dead River Pl.	92	-	1	-	1	10.86	1	-	-	-	-
Dennistown Pl.	93	-	1	-	1	10.75	-	-	-	1	-
Flagstaff Pl.	112	2	1	-	3	26.79	3	-	-	-	-
Highland Pl.	67	1	2	-	3	44.78	3	-	-	-	-
Jackman Pl.	338	9	3	-	12	35.50	1	10	-	1	-
Lexington Pl.	228	3	-	-	3	13.16	3	-	-	-	-
Mayfield Pl.	87	1	-	-	1	11.49	1	-	-	-	-
Moose River Pl.	232	7	5	-	12	51.72	3	5	2	2	-
Pleasant Ridge Pl.	114	-	1	-	1	8.77	1	-	-	-	-
The Forks Pl.	161	5	4	-	9	55.90	5	-	3	-	1
West Forks Pl.	158	1	1	-	2	12.66	-	2	-	-	-
Total	*33,382	284	296	-	580	17.37	428	55	54	39	4

*Population in unorganized plantations in 1899, 345.

No. 7—Continued.
for the Year 1899.
 COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
5	-	-	-	-	5	4	5	-	9	9	-	-	13.87
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	1	4	-	5	5	-	-	13.33
-	-	-	-	-	-	2	2	-	4	2	2	-	18.60
-	-	-	-	-	-	-	1	-	1	1	-	-	10.86
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	6	-	2	-	9	6	2	-	8	7	-	1	23.67
-	-	-	-	-	-	-	2	-	2	2	-	-	8.95
-	-	-	-	-	-	-	1	-	1	1	-	-	11.49
-	-	1	3	-	4	1	5	-	6	6	-	-	25.86
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	1	-	-	3	1	2	-	3	3	-	-	18.63
1	-	-	-	-	1	-	1	-	1	1	-	-	6.33
239	13	15	19	2	288	243	305	-	548	508	31	9	16.42

TABLE
Births, Marriages, and Deaths

WALDO

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast	4,684	25	20	-	45	9.61	41	-	1	2	1
Belmont	359	2	1	-	3	8.36	2	-	1	-	-
Brooks	675	1	6	-	7	10.37	7	-	-	-	-
Burnham	774	10	7	-	17	21.96	17	-	-	-	-
Frankfort	1,200	6	9	-	15	12.50	12	-	2	1	-
Freedom	482	1	2	-	3	6.22	3	-	-	-	-
Islesboro.....	931	9	10	-	19	20.41	18	1	-	-	-
Jackson	447	2	3	-	5	11.19	4	-	-	1	-
Knox	568	3	5	-	8	14.08	8	-	-	-	-
Liberty	747	9	3	-	12	16.06	12	-	-	-	-
Lincolnton	1,238	12	3	-	15	12.12	13	1	-	-	1
Monroe	970	10	12	-	22	22.68	20	-	1	1	-
Montville	989	7	11	-	18	18.20	18	-	-	-	-
Morrill	424	4	4	-	8	18.86	8	-	-	-	-
Northport.....	560	3	3	-	6	10.71	6	-	-	-	-
Palermo	770	12	2	-	14	18.18	13	-	-	1	-
Prospect	653	3	3	-	6	9.19	5	1	-	-	-
Searsmont	968	9	7	-	16	16.53	16	-	-	-	-
Searsport	1,384	13	5	-	18	13.01	17	-	1	-	-
Stockton Springs.....	900	7	4	-	11	12.22	8	-	1	2	-
Swanville	521	6	1	-	7	13.44	7	-	-	-	-
Thorndike	506	7	3	-	10	19.76	9	-	-	1	-
Troy	776	8	3	-	11	14.18	10	-	-	1	-
Unity	881	4	4	-	8	9.08	8	-	-	-	-
Waldo	480	4	3	-	7	14.58	6	-	-	1	-
Winterport	1,655	13	11	-	24	14.50	21	-	-	3	-
Total	24,542	190	145	-	335	13.65	309	3	7	14	2

No. 7—Continued.
for the Year 1899.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
41	1	2	2	-	46	48	36	-	84	82	2	-	17.93
1	-	-	-	-	1	1	5	-	6	5	1	-	16.71
8	-	-	-	-	8	7	8	-	15	15	-	-	22.22
7	-	-	-	-	7	6	6	-	12	11	-	1	15.50
4	-	-	-	-	4	8	10	-	18	17	-	1	15.00
1	-	-	-	-	1	5	1	-	6	6	-	-	12.45
5	-	-	-	-	5	6	7	-	13	13	-	-	13.96
7	-	-	-	-	7	3	4	-	7	7	-	-	15.66
7	-	-	-	-	7	6	10	-	16	16	-	-	28.17
1	-	-	1	-	2	7	7	-	14	13	1	-	18.74
3	-	-	-	-	3	9	8	-	17	17	-	-	13.73
3	-	-	-	-	3	8	7	-	15	14	1	-	15.46
7	-	-	-	-	7	7	6	-	13	13	-	-	13.15
2	-	-	-	-	2	5	3	-	8	8	-	-	18.86
3	-	-	-	-	3	7	3	-	10	9	-	1	17.86
4	-	-	-	-	4	7	4	-	11	11	-	-	14.29
-	-	-	-	-	-	6	9	-	15	13	1	1	22.97
9	-	-	-	-	9	7	7	-	14	13	1	-	14.46
17	-	-	-	1	18	20	21	-	41	41	-	-	29.62
-	-	-	-	-	-	6	2	-	8	8	-	-	8.89
1	-	-	-	-	1	4	6	-	10	10	-	-	19.19
1	-	-	-	-	1	3	7	-	10	10	-	-	19.76
11	-	-	-	-	11	5	5	-	10	10	-	-	12.89
7	-	-	-	-	7	8	11	-	19	19	-	-	21.57
4	-	-	-	-	4	3	5	-	8	7	-	1	16.67
10	-	2	-	-	12	13	19	-	32	28	4	-	19.34
164	1	4	3	1	173	215	217	-	432	416	11	5	17.60

TABLE
Births, Marriages, and Deaths.
WASHINGTON

TOWNS.	Estimated population for 1899.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison.....	1,055	8	7	-	15	14.21	12	-	-	1	2
Alexander.....	333	3	5	-	8	24.02	8	-	-	-	-
Baileyville....	216	1	1	-	2	9.26	1	-	1	-	-
Baring.....	235	3	2	-	5	21.28	3	-	1	1	-
Beddington.....	95	1	-	-	1	10.53	1	-	-	-	-
Brookton.....	299	3	2	-	5	16.72	2	1	-	2	-
Calais.....	7,618	102	104	1	207	27.17	69	40	41	52	5
Centerville.....	93	2	2	-	4	43.01	4	-	-	-	-
Charlotte.....	321	3	2	-	5	15.58	5	-	-	-	-
Cherryfield.....	1,852	15	13	-	28	15.12	27	-	-	-	1
Columbia.....	523	5	3	-	8	15.30	8	-	-	-	-
Columbia Falls.....	581	12	4	-	16	27.54	16	-	-	-	-
Cooper.....	212	3	1	-	4	18.87	3	-	1	-	-
Crawford.....	115	-	1	-	1	8.70	1	-	-	-	-
Cutler.....	574	-	-	-	-	-	-	-	-	-	-
Danforth.....	1,089	13	9	-	22	10.89	9	3	6	4	-
Dennysville.....	479	5	7	-	12	25.05	11	-	-	1	-
East Machias....	1,532	15	14	4	33	21.54	27	1	4	1	-
Eastport.....	5,271	78	64	-	142	26.94	53	30	27	32	-
Edmunds.....	482	8	5	-	13	26.97	12	-	-	-	1
Forest City.....	168	-	-	-	-	-	-	-	-	-	-
Harrington.....	1,163	4	5	-	9	7.74	9	-	-	-	-
Jonesboro.....	607	10	9	-	19	31.30	16	-	3	-	-
Jonesport.....	2,103	35	30	-	65	30.92	57	-	5	3	-
Lubec.....	2,911	38	33	1	72	24.73	45	11	7	9	-
Machias.....	2,077	30	31	-	61	29.37	56	2	1	2	-
Machiasport..	1,239	11	8	-	19	15.33	19	-	-	-	-

No. 7.—Continued.
for the Year 1899.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
11	-	-	2	-	13	6	8	-	14	13	1	-	13.27
4	-	-	-	-	4	3	3	-	6	3	3	-	18.02
-	-	-	-	-	-	1	-	-	1	1	-	-	4.63
-	-	-	-	-	-	2	1	-	3	2	1	-	12.77
1	-	-	-	-	1	1	1	-	2	2	-	-	21.05
-	1	1	-	-	2	2	3	-	5	2	3	-	16.72
28	14	9	17	-	68	66	64	-	130	88	42	-	17.06
-	-	-	-	-	-	1	3	-	4	4	-	-	43.01
1	-	-	-	-	1	3	4	-	7	6	1	-	21.81
12	-	-	-	-	12	3	5	-	8	8	-	-	4.32
9	-	-	-	-	9	5	1	-	6	6	-	-	11.47
9	-	-	-	-	9	3	3	-	6	6	-	-	10.33
-	-	-	-	-	-	2	1	-	3	3	-	-	14.15
-	-	-	-	-	-	3	1	-	4	4	-	-	34.78
1	-	-	-	-	1	-	-	-	-	-	-	-	-
4	1	2	2	-	9	9	5	-	14	10	4	-	12.85
6	-	-	-	-	6	6	2	-	8	7	1	-	16.70
17	-	-	3	1	21	13	12	-	25	24	-	1	16.32
21	18	16	12	-	67	50	36	-	86	51	35	-	16.32
-	-	-	-	-	-	2	1	-	3	2	-	1	6.23
-	-	-	-	-	-	-	2	-	2	2	-	-	11.90
11	-	-	1	-	12	2	2	-	4	4	-	-	3.44
2	-	-	-	-	2	4	4	-	8	8	-	-	13.18
17	-	-	1	-	18	11	9	-	20	19	1	-	9.51
20	4	7	3	-	34	13	12	-	25	19	6	-	8.59
28	1	1	1	-	31	16	16	-	32	31	1	-	15.41
8	-	1	-	-	9	10	8	-	18	16	2	-	14.53

TABLE
Births, Marriages, and Deaths

WASHINGTON

TOWNS.	Estimated population for 1899.	BIRTHS.											
		Sex.				Parentage.							
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.		
Marion	95	-	-	-	-	-	-	-	-	-	-	-	-
Marshfield	234	2	2	-	4	17.09	4	-	-	-	-	-	-
Meddybemps	154	1	2	-	3	19.48	3	-	-	-	-	-	-
Milbridge	1,925	13	25	-	38	19.74	34	-	1	2	1	-	-
Northfield	128	2	-	-	2	15.63	2	-	-	-	-	-	-
Pembroke	1,638	24	17	-	41	25.03	31	2	2	5	1	-	-
Perry	1,215	16	15	-	31	25.51	24	2	3	2	-	-	-
Princeton	1,087	18	15	-	33	30.36	22	2	6	3	-	-	-
Robbinston	838	10	11	-	21	25.06	9	-	2	8	2	-	-
Roque Bluffs	168	2	3	-	5	29.76	4	-	-	1	-	-	-
Steuben	909	14	13	-	27	29.70	24	-	1	2	-	-	-
Topsfield	292	6	5	-	11	37.67	6	-	2	2	1	-	-
Trescott	465	6	6	-	12	25.81	9	-	2	1	-	-	-
Vanceboro	582	3	7	-	10	17.18	3	4	1	2	-	-	-
Waite	137	1	2	-	3	21.90	2	-	1	-	-	-	-
Wesley	201	2	4	-	6	29.85	5	-	-	1	-	-	-
Whiting	399	6	3	-	9	22.56	7	-	-	2	-	-	-
Whitneyville	423	5	1	-	6	14.18	5	-	-	-	-	1	-
Codyville Pl	68	2	2	-	4	58.82	4	-	-	-	-	-	-
Grand Lake Stream Pl	239	5	3	-	8	33.47	5	-	2	1	-	-	-
Lambert Lake Pl	119	2	5	-	7	58.82	1	4	2	-	-	-	-
No. 14 Pl	80	-	-	-	-	-	-	-	-	-	-	-	-
No. 21 Pl	86	4	1	-	5	58.14	4	-	1	-	-	-	-
Total	*44,725	552	504	6	1,062	23.75	682	102	123	140	15	-	-

* Population in unorganized plantations in 1899, 432.

No. 7—Continued.
for the Year 1899.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	1	1	-	2	2	-	-	21.05
-	-	-	-	-	-	1	2	-	3	1	2	-	12.82
-	-	-	-	-	-	3	2	-	5	4	-	1	32.47
8	-	-	-	-	8	12	19	-	31	30	-	1	16.10
-	-	-	-	-	-	-	3	-	3	3	-	-	23.44
12	1	-	3	-	16	13	13	-	26	22	3	1	15.87
3	-	-	-	-	3	7	3	-	10	9	1	-	8.23
9	-	4	2	-	15	8	11	-	19	13	6	-	17.48
3	-	-	2	-	5	6	4	-	10	9	1	-	11.93
1	-	-	-	-	1	1	1	-	2	2	-	-	11.90
10	-	-	1	-	11	8	7	-	15	14	1	-	16.50
1	-	-	-	-	1	3	-	-	3	2	1	-	10.27
-	-	-	-	-	-	7	7	-	14	10	4	-	30.11
1	-	-	1	-	2	3	1	-	4	3	1	-	6.87
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	4	3	-	7	6	1	-	34.83
2	-	1	1	-	4	2	3	-	5	5	-	-	12.53
-	-	-	-	-	-	1	1	-	2	2	-	-	4.74
-	-	-	-	-	-	-	1	-	1	1	-	-	14.71
-	-	-	-	-	-	5	-	-	5	4	1	-	20.92
-	1	-	-	-	1	-	1	-	1	1	-	-	8.40
-	-	-	-	-	-	-	3	-	3	2	1	-	37.50
-	-	-	-	-	-	1	2	-	3	2	1	-	34.88
262	41	42	52	1	398	323	295	-	618	488	125	5	13.82

TABLE
Births, Marriages, and Deaths

YORK

TOWNS.	Estimated population for 1899.	BIRTHS.												
		Sex.					Parentage.							
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.		American father and foreign mother.			
									American	Foreign	American	Foreign		
Acton	788	7	11	-	18	22.84	15	3	-	-	-	-	-	-
Alfred	946	4	8	-	12	12.68	11	-	-	1	-	-	-	-
Berwick	2,281	17	19	-	36	15.78	28	6	-	2	-	-	-	-
Biddeford.....	15,975	278	240	1	519	32.49	80	348	39	48	4	-	-	-
Buxton.....	1,857	20	18	-	38	20.46	35	1	1	1	-	-	-	-
Cornish	997	8	7	-	15	15.05	15	-	-	-	-	-	-	-
Dayton.....	476	2	4	-	6	12.61	6	-	-	-	-	-	-	-
Eliot.....	1,458	21	13	-	34	23.32	31	2	1	-	-	-	-	-
Hollis	1,274	7	11	-	18	14.13	16	1	-	1	-	-	-	-
Kennebunk	3,223	23	29	-	52	16.13	44	2	4	2	-	-	-	-
Kennebunkport	2,130	17	15	-	32	15.02	27	-	2	2	1	-	-	-
Kittery	2,872	17	22	-	39	13.58	32	1	2	3	1	-	-	-
Lebanon	1,328	9	12	-	21	15.82	19	1	1	-	-	-	-	-
Limerick	883	7	6	-	13	15.06	12	-	-	-	-	-	-	1
Limington.....	1,010	6	7	-	13	12.87	13	-	-	-	-	-	-	-
Lyman	704	7	4	-	11	15.62	11	-	-	-	-	-	-	-
Newfield	688	3	4	-	7	10.17	7	-	-	-	-	-	-	-
North Berwick.....	1,753	11	12	-	23	13.12	22	-	-	1	-	-	-	-
Old Orchard	956	7	7	-	14	14.64	8	1	1	4	-	-	-	-
Parsonsfield	1,157	5	5	-	10	8.64	8	-	-	2	-	-	-	-
Saco	6,118	45	60	-	105	17.16	53	32	12	6	2	-	-	-
Sanford	5,892	77	63	-	140	23.77	52	68	7	12	1	-	-	-

No. 7—Continued.
for the Year 1899.
 COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
4	-	1	-	-	5	7	7	-	14	14	-	-	17.77
4	-	-	-	-	4	9	9	-	18	18	-	-	15.78
4	-	-	-	1	5	22	27	-	49	47	2	-	21.48
47	64	17	20	2	150	180	163	-	343	237	103	3	21.47
20	-	-	1	1	22	13	18	-	31	31	-	-	16.69
5	-	-	1	-	6	7	7	-	14	14	-	-	14.04
1	-	-	-	-	1	4	4	-	8	8	-	-	16.81
9	-	-	-	-	9	9	11	-	20	20	-	-	13.71
4	-	-	-	-	4	7	6	-	13	12	1	●	10.20
20	-	2	-	-	22	28	34	-	62	55	7	-	19.24
7	-	-	1	-	8	33	23	-	56	47	4	5	26.29
6	-	-	-	-	6	22	22	-	44	40	3	1	15.32
4	-	-	-	-	4	10	9	-	19	19	-	-	14.31
5	1	-	-	-	6	6	5	-	11	11	-	-	12.46
2	-	-	-	-	2	8	10	-	18	18	-	-	17.82
4	-	-	-	-	4	9	2	-	11	11	-	-	15.62
6	-	-	-	-	6	3	5	-	8	7	-	1	11.63
4	-	-	-	-	4	13	8	-	21	20	1	-	11.98
9	1	-	-	-	10	10	10	-	20	15	3	2	20.92
9	-	-	1	-	10	10	17	-	27	27	-	-	23.34
35	3	-	2	1	41	62	72	-	134	107	24	3	21.90
19	10	5	5	-	39	55	42	-	97	74	19	4	16.46

TABLE
Births, Marriages, and Deaths

YORK

TOWNS.	Estimated population for 1889.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Shapleigh	859	5	6	-	11	12.81	10	-	-	1	-
South Berwick	3,213	38	31	-	69	21.48	39	19	3	7	1.
Waterboro	1,187	10	10	-	20	16.85	19	-	1	-	-
Wells.....	2,009	21	11	-	32	15.93	30	-	-	1	1.
York	2,646	29	23	-	52	19.65	37	6	3	4	2
Total	64,680	701	658	1	1,360	21.03	680	491	77	98	14.

No. 7—Concluded.
for the Year 1899.

COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.							
							Sex.			Nativity.				Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
2	-	-	-	-	2	9	2	-	11	10	-	1	12.81	
17	2	2	3	-	24	18	25	-	43	36	7	-	13.38	
7	-	-	-	-	7	15	17	-	32	31	-	1	26.96	
7	-	-	3	-	10	22	16	-	38	37	1	-	18.91	
12	-	1	-	-	13	20	25	-	45	44	-	1	17.01	
273	81	28	37	5	424	611	596	-	1,207	1,010	175	22	18.66	

TABLE
Recapitulation

COUNTIES.	Estimated population for 1899.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin	53,715	543	570	3	1,116	20.78	414	532	77	78	15
Aroostook	59,629	881	938	3	1,822	31.23	993	311	272	227	19
Cumberland	99,724	1,030	944	-	1,974	19.79	1,047	555	185	158	29
Franklin	18,305	199	182	-	381	21.04	276	60	25	15	5
Hancock	37,248	397	323	-	720	19.41	611	22	45	30	12
Kennebec.	58,907	513	522	1	1,036	17.59	609	236	79	91	21
Knox	30,513	252	258	-	510	16.74	394	54	36	24	2
Lincoln.	19,902	181	152	1	334	16.78	316	6	3	7	2
Oxford	32,073	275	286	-	561	17.59	439	59	28	30	5
Penobscot	75,908	739	674	-	1,413	18.74	874	254	145	119	21
Piscataquis.	16,865	156	154	-	310	18.83	216	34	29	29	2
Sagadahoc	20,242	198	183	-	381	18.82	247	77	24	31	2
Somerset	33,727	284	296	-	580	17.37	428	55	54	39	4
Waldo.	24,542	190	145	-	335	13.65	309	3	7	14	2
Washington	45,157	552	504	6	1,062	23.75	682	102	123	140	15
York	64,680	701	658	1	1,360	21.03	680	491	77	98	14
Total	691,140	7,091	6,789	15	13,895	20.10	8,535	2,851	1,209	1,130	170

No. 3.
by Counties.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
							Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
227	94	33	41	3	398	548	504	2	1,054	823	206	25	19.62	
239	76	56	73	6	450	381	384	1	766	586	168	12	13.13	
484	116	61	54	7	722	865	906	4	1,778	1,439	274	65	17.83	
163	9	9	10	-	191	150	160	-	310	283	22	5	17.12	
268	7	7	16	2	300	284	288	-	572	529	25	18	15.42	
368	59	28	24	-	479	506	557	-	1,063	909	111	43	18.05	
165	6	11	16	-	198	246	222	-	468	434	29	5	15.36	
138	-	4	2	1	145	156	160	-	316	298	10	8	15.88	
218	7	12	5	1	243	239	239	-	478	453	19	6	14.99	
454	54	47	57	7	619	601	582	1	1,184	930	161	33	15.70	
108	8	12	16	2	146	146	131	-	277	251	15	11	16.83	
112	12	20	10	1	155	159	140	-	299	260	36	3	14.77	
239	13	15	19	2	288	243	305	-	548	508	31	9	16.42	
164	1	4	3	1	173	215	217	-	432	416	11	5	17.60	
262	41	42	52	1	398	323	295	-	618	488	125	5	13.82	
273	81	28	37	5	424	611	596	-	1,207	1,010	175	22	18.66	
3,882	584	389	435	39	5,329	5,676	5,686	8	11,370	9,677	1,418	275	16.45	

TABLE No. 9.
Births and Birth-Rates by Counties for the Years 1892—99.

	1892.		1893.		1894.		1895.		1896.		1897.		1898.		1899.	
	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.
State	14,028	21.21	13,908	21.04	13,940	21.09	14,762	22.33	14,693	22.23	14,430	21.83	14,473	21.89	13,895	20.10
Androscoggin	991	20.23	1,053	21.50	1,079	22.03	1,244	25.40	1,216	24.83	1,017	20.77	1,151	23.51	1,116	20.73
Aroostook	1,610	32.46	1,553	32.44	1,750	35.84	1,946	39.56	1,780	36.21	1,802	37.05	1,802	37.05	1,822	31.23
Cumberland	2,048	22.51	2,017	22.17	2,032	22.34	2,146	23.60	2,252	24.76	2,024	22.25	1,993	21.91	1,974	19.79
Franklin	345	20.23	314	18.60	328	19.43	362	21.43	397	23.55	375	22.21	398	23.65	381	21.04
Hancock	757	20.28	739	19.97	750	22.07	782	21.13	768	20.78	748	20.20	741	20.04	720	19.41
Kennebec	1,064	18.66	1,149	20.15	997	17.49	1,075	18.86	1,103	19.35	1,215	21.31	1,135	19.91	1,036	17.59
Knox	572	18.14	652	20.73	600	19.65	622	19.78	626	19.91	588	18.69	513	16.31	510	16.74
Lincoln	402	18.27	348	15.89	362	16.50	376	17.09	351	15.96	346	15.73	348	15.89	334	16.73
Oxford	524	17.13	498	16.36	564	18.47	588	19.35	565	18.61	577	19.01	650	21.36	561	17.59
Penobscot	1,452	19.92	1,375	18.91	1,444	19.89	1,479	20.37	1,531	21.07	1,579	21.73	1,521	21.08	1,413	18.74
Piscataquis	343	21.25	339	21.66	288	18.19	333	21.14	316	20.24	352	22.33	336	21.32	310	18.83
Sagadahoc	375	19.27	391	20.10	367	18.87	387	19.90	368	18.92	346	17.79	380	19.54	381	18.82
Somerset	629	19.27	642	19.90	553	17.14	622	19.19	612	18.95	637	19.70	624	19.28	580	17.37
Waldo	404	14.55	435	15.67	390	14.04	412	14.84	365	13.15	378	13.62	402	14.48	335	13.65
Washington	1,081	24.30	1,001	22.64	1,106	25.02	914	20.72	971	22.28	1,088	24.98	1,146	26.32	1,062	23.75
York	1,431	22.77	1,402	22.31	1,330	21.17	1,474	23.46	1,472	23.43	1,358	21.61	1,333	21.22	1,360	21.03

TABLE No. 10.

Births by Counties, Showing Proportion of Males to Females, 1899.

COUNTIES.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin	543	570	3	1,116	-	27	95.3
Aroostook	881	938	3	1,822	-	57	93.9
Cumberland	1,030	944	-	1,974	86	-	109.1
Franklin	199	182	-	381	17	-	109.3
Hancock	397	323	-	720	74	-	122.9
Kennebec.....	513	522	1	1,036	-	9	98.3
Knox	252	258	-	510	-	6	97.7
Lincoln	181	152	1	334	29	-	119.1
Oxford	275	286	-	561	-	11	96.2
Penobscot	739	674	-	1,413	65	-	109.6
Piscataquis	156	154	-	310	2	-	101.2
Sagadahoc	198	183	-	381	15	-	108.6
Somerset	284	296	-	580	-	12	95.9
Waldo	190	145	-	335	45	-	131.5
Washington	552	504	6	1,062	48	-	109.5
York	701	658	1	1,360	43	-	106.5
Total	7,091	6,789	15	13,895	424	122	104.4

TABLE No. 11.

Number of Births in Each Month of 1892-99, with a Monthly Ratio Compared with a Standard of 100.

MONTHS.	1892.		1893.		1894.		1895.		1896.		1897.		1898.		1899.	
	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January	1,016	85.3	1,151	97.5	962	81.3	1,182	94.3	1,149	92.1	1,125	91.9	1,148	93.4	1,093	92.6
February	1,113	103.4	1,082	101.5	980	91.7	1,082	95.6	1,227	105.1	1,120	101.4	1,176	103.4	1,104	103.7
March	1,345	112.9	1,162	98.4	1,335	116.6	1,329	106.1	1,330	106.6	1,390	113.6	1,323	107.6	1,237	104.9
April	1,275	110.6	1,259	110.1	1,324	115.6	1,287	106.1	1,318	109.2	1,259	106.2	1,269	106.7	1,295	113.5
May	1,323	111.1	1,273	107.7	1,255	106.1	1,308	104.4	1,379	110.5	1,287	105.1	1,322	107.6	1,224	103.8
June	1,176	101.9	1,162	101.7	1,200	104.8	1,236	101.9	1,190	98.6	1,248	105.3	1,229	103.3	1,201	105.3
July	1,222	102.6	1,176	99.6	1,286	108.7	1,290	103.0	1,207	96.7	1,272	103.9	1,226	99.8	1,239	105.1
August	1,191	100.0	1,213	102.7	1,213	102.5	1,312	104.7	1,246	99.9	1,302	106.4	1,219	99.2	1,197	101.3
September.....	1,144	99.2	1,115	97.6	1,168	102.0	1,233	101.6	1,257	104.1	1,205	101.8	1,182	99.4	1,163	101.8
October	1,047	87.9	1,126	95.3	1,064	89.9	1,189	94.9	1,220	97.8	1,138	93.0	1,196	97.3	1,058	89.6
November	1,002	86.9	1,032	90.3	980	85.6	1,115	91.9	1,091	90.4	982	82.9	1,028	86.5	979	85.8
December	1,111	93.1	1,109	93.9	1,164	98.4	1,193	95.2	1,069	85.7	1,077	88.0	1,149	93.5	1,098	93.0
Unknown	63	-	48	-	9	-	6	-	10	-	12	-	6	-	7	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 12.

Births by Sex and Months, by Counties, 1899.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males	53	42	54	54	41	48	44	40	50	42	41	32	2	543	
females...	48	39	55	63	39	49	44	42	50	48	34	59		570	
not stated	-	-	1	-	-	-	1	-	-	-	1	-	-	3	1116
Aroostook, males...	56	61	80	103	82	71	83	89	60	68	58	67	3	881	
females...	63	80	81	87	103	84	94	87	70	58	62	69		938	
not stated	-	-	-	-	-	-	-	2	2	1	-	-	-	3	1822
Cumberland, males	81	81	82	82	94	88	91	96	82	77	85	90	1	1030	
females...	76	72	94	74	66	74	91	82	83	89	65	77	1	944	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-		1974
Franklin, males...	17	8	20	15	19	20	18	17	17	8	23	17	-	199	
females...	11	17	14	18	24	17	17	14	14	18	7	11	-	182	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-		381
Hancock, males.....	35	26	36	39	34	44	28	29	32	31	27	36	-	397	
females...	26	28	35	30	30	36	27	24	23	25	18	21	-	323	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-		720
Kennebec, males....	41	41	59	40	52	41	55	56	36	33	26	33	-	513	
females...	49	36	52	55	50	39	47	43	44	28	40	39	-	522	
not stated	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1036
Knox, males.....	11	18	17	27	22	24	11	14	31	27	20	30	-	252	
females...	26	26	16	23	27	14	19	18	23	20	30	16	-	258	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-		510
Lincoln, males.....	11	12	14	9	16	21	18	26	17	7	15	15	-	181	
females...	14	13	11	14	11	18	20	13	11	6	8	13	-	152	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	1	334
Oxford, males.....	24	20	23	19	30	22	14	23	31	24	16	29	-	275	
females...	21	24	18	32	23	25	18	28	31	29	18	19	-	286	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-		561
Penobscot, males...	51	66	64	82	48	65	62	68	55	54	54	70	-	739	
females...	67	60	59	56	65	67	52	53	55	46	43	51	-	674	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-		1413
Piscataquis, males..	12	13	14	13	10	19	11	13	18	10	12	11	-	156	
females...	15	12	18	15	14	8	13	16	12	10	10	11	-	154	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-		310
Sagadahoc, males...	10	16	21	25	17	16	17	14	18	16	13	15	-	198	
females...	15	8	11	17	22	23	16	14	12	14	12	19	-	183	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-		381
Somerset, males....	19	26	28	25	39	16	31	16	20	21	16	27	-	284	
females...	19	30	22	29	31	26	34	24	22	14	19	26	-	296	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-		580
Waldo, males.....	14	20	10	17	16	20	15	15	24	16	11	12	-	190	
females...	11	18	15	15	8	16	9	12	15	14	4	8	-	145	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-		335
Washington, males..	37	43	56	51	41	35	49	43	48	50	45	54	-	552	
females...	43	39	49	47	40	50	50	35	35	43	46	27	-	504	
not stated	-	-	-	1	1	2	1	1	1	1	-	-	-	6	1062
York, males....	66	49	54	62	59	57	76	53	66	57	47	55	-	701	
females...	51	60	54	57	50	46	62	79	54	54	53	38	-	658	
not stated	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1360
Total, males.....	538	542	632	663	620	607	623	612	605	541	509	593	6	7091	
females...	555	562	604	632	603	592	613	584	554	516	469	504	1	6789	
not stated	-	-	1	-	1	-	2	3	1	4	1	1	-	15	
Grand total... ..	1093	1104	1237	1295	1224	1201	1239	1197	1163	1058	979	1098	7	13895	13895

TABLE No. 13.
Births in Cities for 1899, with Rate per 1,000 of Population.

CITIES.	Estimated population for 1899.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn	12,781	99	104	-	203	15.88	95.2
Augusta	11,578	107	121	1	229	19.78	88.4
Bangor	21,575	157	145	-	302	14.00	108.2
Bath	10,302	108	106	-	214	20.77	101.9
Belfast	4,684	25	20	-	45	9.61	125.0
Biddeford	15,975	278	240	1	519	32.49	115.8
Brewer	4,771	77	61	-	138	28.93	126.2
Calais	7,618	102	104	1	207	27.17	98.1
Eastport	5,271	78	64	-	142	26.94	121.9
Ellsworth	4,307	32	19	-	51	11.84	168.4
Gardiner	5,501	48	62	-	110	20.00	77.4
Hallowell	2,741	15	24	-	39	14.23	62.5
Lewiston	23,555	293	303	2	598	25.39	86.7
Old Town	5,718	78	76	-	154	26.93	102.6
Portland	49,208	519	495	-	1,014	20.61	104.8
Rockland	8,152	64	65	-	129	15.82	98.5
Saco	6,118	45	60	-	105	17.16	75.0
South Portland	6,287	64	57	-	121	19.25	112.3
Waterville	9,259	101	100	-	201	21.71	101.0
Westbrook	7,218	98	63	-	161	22.31	155.6
Total	222,619	2,388	2,289	5	4,682	21.03	104.3

TABLE No. 14.
Percentage of American and Foreign Births by Counties, 1899.

COUNTIES.	PARENTS.			Births with percentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin	37.11	47.67	13.88	1.34
Aroostook	54.50	17.05	27.44	1.01
Cumberland	53.04	28.12	17.38	1.46
Franklin	72.44	15.75	10.50	1.31
Hancock	84.86	3.05	10.42	1.67
Kennebec.....	58.78	22.78	16.41	2.03
Knox	77.25	10.59	11.77	0.39
Lincoln	94.61	1.80	2.99	0.60
Oxford	78.25	10.52	10.34	0.89
Penobscot	61.85	18.68	17.98	1.49
Piscataquis	69.68	10.97	18.71	0.64
Sagadahoc	64.83	20.21	14.44	0.52
Somerset	73.79	9.48	16.04	0.69
Waldo	92.24	0.89	6.27	0.60
Washington	64.22	9.60	24.77	1.41
York	50.00	36.10	12.87	1.03
State	61.42	20.51	16.84	1.23

TABLE No. 15.
Percentage of American and Foreign Births, by Cities, 1899.

CITIES.	PARENTS.			Births with percentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Auburn	44.33	38.92	14.29	2.46
Augusta	45.85	31.44	17.90	4.81
Bangor.....	51.32	28.48	19.21	0.99
Bath	57.01	23.83	18.22	0.94
Belfast	91.11	-	6.67	2.22
Biddeford	15.41	67.05	16.76	0.78
Brewer.....	43.48	34.78	21.01	0.73
Calais	33.33	19.32	44.93	2.42
Eastport	37.32	21.13	41.55	-
Ellsworth.....	86.27	3.92	9.81	-
Gardiner.....	68.19	16.36	15.45	-
Hallowell.....	66.67	7.69	20.51	5.13
Lewiston.....	20.07	64.88	13.54	1.51
Old Town	33.77	27.27	38.96	-
Portland.....	44.87	32.84	20.12	2.17
Rockland	74.42	10.85	14.73	-
Saco.....	50.48	30.48	17.14	1.90
South Portland	61.98	14.05	23.14	0.83
Waterville.....	27.36	42.79	28.86	0.99
Westbrook	32.30	50.93	16.15	0.62
Collectively	40.11	37.85	20.65	1.39

TABLE No. 16.
Twin Births by Months and Counties, 1899.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	4	-	2	1	1	1	3	-	2	-	3	3	-	20
Aroostook	1	2	3	2	2	1	1	2	2	-	3	3	-	22
Cumberland	1	2	3	2	3	2	3	1	1	2	-	2	-	22
Franklin	-	2	-	-	1	1	-	-	-	-	-	1	-	5
Hancock	2	1	1	4	-	1	2	1	-	-	-	-	-	12
Kennebec	-	2	4	-	1	-	3	-	-	1	3	-	-	14
Knox	-	-	1	-	1	-	-	-	-	1	-	-	-	3
Lincoln	-	-	1	-	1	1	-	-	-	1	-	1	-	5
Oxford	-	-	-	-	-	1	1	-	1	1	-	1	-	5
Penobscot	-	3	-	2	-	-	1	2	1	2	-	3	-	14
Piscataquis	-	-	-	-	-	-	-	-	-	1	1	-	-	2
Sagadahoc	-	-	-	-	-	-	-	-	1	-	1	-	-	2
Somerset	-	1	2	2	-	-	-	-	-	1	2	-	-	8
Waldo	-	3	-	-	1	-	-	-	1	-	-	-	-	5
Washington	1	1	1	3	-	1	1	2	-	-	2	3	-	15
York	2	2	1	3	2	1	5	-	2	1	-	2	-	21
Total	11	19	19	19	13	10	20	8	11	11	15	19	-	175

TABLE No. 17.
Twin Births, by Sex and Parentage, by Counties, 1899.

COUNTIES.	SEX.				PARENTAGE.								
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	Total.	Living children.	Still-born children.	Total.
Androscoggin	9	6	4	1	6	8	3	3	-	20	35	5	40
Aroostook	7	8	7	-	11	4	5	2	-	22	43	1	44
Cumberland	9	7	6	-	9	5	4	4	-	22	40	4	44
Franklin	1	1	3	-	2	1	-	2	-	5	10	-	10
Hancock	4	3	5	-	10	-	1	1	-	12	21	3	24
Kennebec	2	6	6	-	8	1	2	1	2	14	25	3	28
Knox	2	-	1	-	3	-	-	-	-	3	6	-	6
Lincoln	3	1	1	-	5	-	-	-	-	5	10	-	10
Oxford	3	2	-	-	2	2	-	1	-	5	7	3	10
Penobscot	5	6	3	-	7	6	1	-	-	14	28	-	28
Piscataquis	-	1	1	-	2	-	-	-	-	2	2	2	4
Sagadahoc	-	1	1	-	2	-	-	-	-	2	3	1	4
Somerset	2	1	5	-	7	1	-	-	-	8	16	-	16
Waldo	2	1	2	-	5	-	-	-	-	5	8	2	10
Washington	10	2	3	-	11	2	1	1	-	15	26	4	30
York	3	10	8	-	9	10	1	1	-	21	41	1	42
Total	62	56	56	1	99	40	18	16	2	175	321	29	350

TABLE No. 13.
Still-Births by Sex and Parentage, by Counties, 1899.

COUNTIES.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin	31	21	4	56	31	25	-
Aroostook	41	32	3	76	49	26	1
Cumberland	61	36	4	101	58	43	-
Franklin	6	8	-	14	11	3	-
Hancock	17	21	1	39	37	2	-
Kennebec	14	14	6	34	21	13	-
Knox	10	11	-	21	18	3	-
Lincoln	8	5	-	13	10	3	-
Oxford	12	9	-	21	17	4	-
Penobscot	24	12	1	37	23	14	-
Piscataquis	9	8	2	19	16	3	-
Sagadahoc	10	7	-	17	14	3	-
Somerset	12	10	8	30	25	5	-
Waldo	9	10	-	19	17	2	-
Washington	17	13	1	31	25	6	-
York	23	29	-	52	30	21	1
Total	304	246	30	580	402	176	2

TABLE No. 19.
Still-Births by Seasons, 1899.

MONTHS.			
January	50		
February	44		
March	59	Total for first quarter.....	153
April	58		
May	52		
June	53	Total for second quarter....	163
July	44		
August.	40		
September.....	51	Total for third quarter.....	135
October.....	48		
November.....	49		
December....	32	Total for fourth quarter	129
Months not stated.....	-	Total not stated	-
Total	580		580

NOTES ON BIRTHS.

In the year 1899, 14,475 births were registered in the State, including still-births (14,028 in 1892, 14,604 in 1893, 14,607 in 1894, 15,430 in 1895, 15,429 in 1896, 15,142 in 1897, and 15,121 in 1898).

The number of living children born was 13,895, and the number of still-births was 580.

Of the whole number of living children of which the sex was certified, 7,091 were males and 6,789 were females. In 15 births the sex was not stated. For each 100 girls born there were 104.4 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, 106.4 in 1895, 105.3 in 1896, 102.3 in 1897, and 106.0 in 1898).

Birth-rate.—The birth-rate of living children for the State was 20.10 for each 1,000 population, using the estimated population for 1899 as the basis of calculation.

Table No. 13 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 population was 21.03 as compared with 19.66, the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. It was the highest in Aroostook, 31.23, and the lowest in Waldo, 13.65. In five counties, Androscoggin, Aroostook, Franklin, Washington, and York, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 4 and No. 8.

Parentage.—Of the total births in the State, 61.42 per cent. were of native parents; 20.51 per cent. were of foreign parentage; 16.84 per cent. were of parents, one of whom was foreign; while of 1.23 per cent. the nationality was not stated.

Lincoln county had the largest percentage of native-born parents, to wit, 94.61 per cent., and only 0.60 per cent. in which both parents were foreign-born. Waldo followed with 92.24 per cent. of native parentage, and only 0.60 per cent. in which both parents were foreign-born.

In Hancock county, in 84.86 of the births, the parents were native-born.

In Knox, the percentage was 77.25, and in Oxford, 78.25.

Low percentages of native-born parents were shown in Androscoggin county, where, in 37.11 per cent. of the births, the parents were native-born, and 47.67 per cent. were foreign-born; and in York county with 50.00 per cent., and in Cumberland with 53.04 per cent. of the parents native-born.

The percentages of parentage, whether American-born or foreign-born may be found for the other counties in Table No. 14.

Comparing the percentage of the births in our twenty cities with that of the rest of the State we find that, in the cities, 40.11 per cent. of the births were of American parentage, while in the rural parts of the State the percentage of American-born children was 72.26.

The largest percentage of foreign-born parents was in Biddeford, 67.05, and in Lewiston, 64.88.

In Belfast no birth was reported in which both parents were foreign, and in Ellsworth only 3.92 per cent. of the births had both parents foreign-born. For further comparison see Table No. 15.

Seasons and Births.—The largest number of births in any one month in 1899 was 1,295 in April; the smallest was 979 in November; the largest quarterly total was 3,720 in the second quarter; the smallest, 3,135 in the last quarter. The three consecutive months in which the largest number of births occurred were March, April, and May, 3,756.

The following is a tabular statement of the number of births in each month of the eight years 1892-99:

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892	1,016	1,113	1,345	1,275	1,323	1,176	1,222	1,191	1,144	1,047	1,002	1,111	63	14,028
1893	1,151	1,082	1,162	1,259	1,273	1,162	1,176	1,213	1,115	1,126	1,032	1,109	48	13,908
1894	962	980	1,335	1,324	1,255	1,200	1,286	1,213	1,168	1,064	980	1,164	9	13,940
1895	1,182	1,082	1,329	1,287	1,308	1,236	1,290	1,312	1,233	1,189	1,115	1,193	6	14,762
1896	1,149	1,227	1,330	1,318	1,379	1,190	1,207	1,246	1,257	1,220	1,091	1,069	10	14,693
1897	1,126	1,123	1,396	1,260	1,288	1,250	1,274	1,303	1,205	1,138	984	1,077	12	14,430
1898	1,148	1,176	1,323	1,269	1,322	1,229	1,226	1,219	1,182	1,196	1,028	1,149	6	14,473
1899	1,093	1,104	1,237	1,295	1,224	1,201	1,239	1,197	1,163	1,058	979	1,098	7	13,895

Twin-births.--In 1899, 175 twin births occurred; in 62 instances the twins were both boys; in 56, both girls; in 56, a boy and a girl. In 99 cases the parentage was American; in 40, foreign; and in 34 instances the parentage was mixed. Of the 350 children, 321 were born alive, and 29 were still-born.

In Lewiston a triple birth occurred in which the children were all living. Other facts may be learned by consulting Tables No. 16 and No. 17.

Still-births.--Of the 580 still-born children, 304 were males, and 246 females. In 30 the sex was not stated. With the exception of 2 still-births, as to which the nativity of the mother was not stated, 402 were of American mothers, and 176 were of foreign mothers.

The largest number of still-births, 101, occurred in Aroostook county, while the minimum number, 13, was reported in Lincoln county.

The largest number of still-births, 59, was returned in March; the smallest number was 32 in December. See Tables No. 18 and No. 19 for other details.

TABLE No. 20.
Marriages and Marriage-rates by Counties for the Years 1892-99.

	1892.		1893.		1894.		1895.		1896.		1897.		1898.		1899.	
	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.
State	5,726	8.56	5,795	8.76	5,591	8.46	5,729	8.67	5,579	8.44	5,331	8.07	5,144	7.78	5,329	7.71
Androscoggin	479	9.78	463	9.46	456	9.31	459	9.37	461	9.41	405	8.27	376	7.65	398	7.41
Aroostook	458	9.24	494	9.96	492	9.92	543	10.95	483	9.74	483	9.67	487	9.62	450	7.55
Cumberland	779	8.57	820	9.02	757	8.32	813	8.94	770	8.47	698	7.67	657	7.22	722	7.24
Franklin	145	8.50	150	8.80	166	9.73	152	9.27	156	9.15	162	9.85	158	9.26	191	10.43
Hancock	307	8.23	311	8.33	327	8.76	321	8.60	303	8.12	291	7.79	264	7.08	300	8.05
Kennebec	553	9.70	529	9.28	478	8.38	506	8.88	506	8.82	464	8.14	469	8.23	479	8.13
Knox	276	8.77	318	10.10	270	8.58	287	9.12	258	8.19	237	7.53	247	7.85	198	6.49
Lincoln	172	7.82	155	7.05	143	6.50	150	6.81	166	7.55	124	5.64	148	6.73	145	7.29
Oxford	224	7.32	223	7.29	217	7.10	249	8.14	252	8.24	241	7.88	236	7.72	243	7.58
Penobscot	697	9.58	694	9.52	631	8.66	684	9.39	682	9.36	647	8.88	602	8.28	619	8.15
Piscataquis	133	8.24	143	8.86	144	8.92	151	9.35	152	9.42	150	9.30	145	8.99	146	8.65
Sagadahoc	157	8.07	131	6.73	131	6.73	111	5.71	136	6.99	111	5.71	156	8.02	155	7.65
Somerset	237	9.10	298	9.13	285	8.74	307	9.41	261	8.00	317	9.72	275	8.43	288	8.54
Waldo	240	8.65	225	8.11	226	8.14	218	7.89	197	7.10	214	7.71	200	6.13	173	7.05
Washington	354	7.96	406	9.13	414	9.31	320	7.19	348	7.82	333	7.60	341	7.67	398	8.81
York	455	7.24	435	6.92	454	7.23	452	7.19	448	7.13	442	7.05	383	6.10	424	6.55

TABLE No. 21.
Marriages by Counties and Nativity, 1899.

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin	227	94	33	41	3	398
Aroostook	239	76	56	73	6	450
Cumberland	484	116	61	54	7	722
Franklin	163	9	9	10	-	191
Hancock	268	7	7	16	2	300
Kennebec	368	59	28	24	-	479
Knox	165	6	11	16	-	198
Lincoln	138	-	4	2	1	145
Oxford	218	7	12	5	1	243
Penobscot	454	54	47	57	7	619
Piscataquis	108	8	12	16	2	146
Sagadahoc	112	12	20	10	1	155
Somerset	239	13	15	19	2	288
Waldo	164	1	4	3	1	173
Washington	262	41	42	52	1	398
York	273	81	28	37	5	424
Total	3,882	584	389	435	39	5,329

TABLE No. 22.
Marriages by Months and Counties, 1899.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	25	31	24	41	28	52	29	33	39	32	29	35	-	398
Aroostook	28	28	24	55	19	32	32	37	41	60	37	36	1	450
Cumberland	51	42	32	63	45	96	45	46	81	78	80	62	1	722
Franklin	16	9	17	6	16	19	21	15	16	29	19	17	-	191
Hancock	26	12	17	23	9	33	20	25	24	31	42	38	-	300
Kennebec	33	24	22	42	41	56	29	32	55	59	42	58	-	479
Knox	20	15	14	11	17	26	14	11	21	16	16	17	-	198
Lincoln	10	10	3	9	12	13	9	11	11	18	18	21	-	145
Oxford	22	9	13	29	14	21	14	19	26	23	25	28	-	243
Penobscot	51	23	32	45	39	81	45	56	69	67	62	43	-	619
Piscataquis	9	7	13	10	12	18	11	8	7	16	15	20	-	146
Sagadahoc	3	9	6	9	14	22	9	10	21	24	18	10	-	155
Somerset	13	14	21	26	20	37	15	22	27	31	33	22	1	288
Waldo	11	11	9	12	12	21	8	12	18	25	13	21	-	173
Washington	19	17	28	26	14	35	31	42	31	36	64	55	-	398
York	26	25	15	39	34	46	30	29	34	45	48	-	-	424
Total	369	286	290	446	346	628	362	414	521	581	567	516	3	5,329

TABLE No. 23.

Number of Marriages in Each Month of 1892-99, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1892.		1893.		1894.		1895.		1896.		1897.		1898.		1899.	
	Marriages.	Ratio.*	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.
January	321	66.1	397	80.7	400	84.2	449	92.2	452	95.4	395	87.3	438	100.3	369	81.6
February	334	76.1	315	70.8	298	64.9	384	87.5	322	73.1	325	79.5	273	69.2	286	70.0
March	322	66.0	345	70.1	342	72.0	307	63.0	303	63.9	304	67.2	300	68.7	290	64.2
April	456	96.8	476	100.0	414	90.2	390	82.8	440	96.0	343	78.3	396	93.7	446	101.8
May	390	80.2	425	86.4	386	81.3	400	82.1	397	83.8	416	91.9	386	88.3	346	76.5
June	542	115.1	652	137.0	603	131.0	622	132.1	637	138.9	588	134.2	571	135.1	628	143.4
July	444	91.4	428	87.0	378	79.6	382	78.4	415	87.6	368	81.3	356	81.5	362	80.1
August	437	89.9	421	85.6	393	82.7	433	88.9	410	86.5	399	88.2	350	80.2	414	91.6
September	567	120.4	551	115.8	541	117.9	576	122.2	529	115.4	523	113.4	447	105.7	521	115.3
October	569	117.1	582	118.3	636	133.9	632	129.8	577	121.8	553	122.2	528	120.9	581	128.5
November	698	148.2	652	137.0	628	136.8	630	133.8	557	121.5	589	134.5	551	130.3	567	129.2
December	608	125.1	515	104.7	554	116.6	523	107.4	537	113.3	524	115.8	547	125.2	516	114.1
Unknown	38	-	36	-	18	-	1	-	3	-	4	-	1	-	3	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 24.
Marriages by Ages and Counties, 1899.

COUNTIES.	Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscogginmales	-	13	141	115	49	27	19	10	9	7	7	1	-	-	398
females	1	100	158	65	26	15	11	5	10	2	5	-	-	-	398
Aroostook.....males	-	17	182	127	52	26	14	9	7	9	6	1	-	-	450
females	2	183	156	47	26	12	10	4	-	4	3	1	-	2	450
Cumberland.....males	-	18	228	223	115	59	26	21	11	12	4	4	-	1	722
females	-	126	283	163	65	42	21	7	6	3	5	-	-	1	722
Franklinmales	-	-	66	49	25	12	13	9	2	8	7	-	-	-	191
females	2	53	67	29	9	11	11	4	1	2	2	-	-	-	191
Hancock.....males	-	10	111	90	38	18	10	10	7	-	4	1	-	1	300
females	-	101	106	45	22	6	6	7	4	-	2	-	-	1	300
Kennebecmales	-	16	187	118	64	22	19	20	8	7	14	3	-	1	479
females	2	109	193	82	34	15	16	10	6	6	4	1	-	1	479
Knox.....males	-	9	69	55	23	13	7	10	4	2	4	2	-	-	198
females	-	50	76	35	7	10	9	5	3	1	2	-	-	-	198
Lincolnmales	-	5	50	38	14	19	4	5	4	2	3	1	-	-	145
females	-	38	47	28	14	7	1	6	1	1	2	-	-	-	145
Oxford.....males	-	7	93	70	29	12	9	4	7	3	7	2	-	-	243
females	-	75	84	42	11	6	8	7	3	4	2	1	-	-	243
Penobscot.....males	-	15	186	192	95	48	22	20	13	14	10	4	-	-	619
females	3	166	235	103	44	31	11	12	6	7	5	1	-	1	619
Piscataquis.....males	-	3	35	39	22	11	17	10	5	-	3	1	-	-	146
females	-	49	43	23	7	10	6	6	-	1	1	-	-	-	146
Sagadahoc.....males	-	4	49	44	21	17	6	4	2	5	2	1	-	-	155
females	-	25	67	28	16	7	6	-	3	-	2	-	-	-	155
Somerset.....males	-	14	107	67	31	28	9	12	5	6	6	2	-	1	288
females	-	92	102	32	19	16	9	6	5	3	2	1	-	1	288
Waldo.....males	-	4	68	48	11	10	11	7	5	2	5	2	-	-	173
females	-	48	64	32	8	6	5	4	2	4	-	-	-	-	173
Washington..males	-	17	135	126	44	28	13	11	7	3	9	3	1	1	398
females	1	121	145	58	27	20	8	5	3	4	5	-	-	1	398
York.....males	-	18	182	119	40	14	19	10	4	10	6	2	-	-	424
females	1	100	184	71	29	15	8	5	4	3	3	1	-	-	424
Total.....males	-	170	1,889	1,520	673	364	218	172	100	90	97	30	1	5	5,329
females	12	1,430	2,010	883	364	229	146	93	57	45	45	6	1	8	5,329
Grand total.....	12	1,600	3,899	2,403	1,037	593	364	265	157	135	142	36	2	13	10,658

TABLE
Interesting Facts in

COUNTIES.	Instances in which the age of the bride exceeds that of the groom.		Widowers.		Widows.		Divorced.		First marriage.		Second marriage.		Third marriage.		Fourth marriage.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Androscoggin	62	58	39	12	16	327	342	62	48	6	5	2	1			
Aroostook	51	65	31	6	7	379	412	58	34	12	4	1	-			
Cumberland	118	94	61	11	20	615	638	100	76	4	4	1	1			
Franklin	28	30	23	14	22	146	145	34	38	8	7	2	-			
Hancock	35	45	35	9	7	243	256	49	38	5	3	-	1			
Kennebec	93	71	57	28	24	380	398	84	73	12	7	3	1			
Knox	25	25	19	10	16	163	163	32	31	2	4	-	-			
Lincoln	14	21	16	3	4	121	125	19	18	5	2	-	-			
Oxford	44	33	33	9	11	201	199	38	37	3	6	1	1			
Penobscot	76	85	60	28	61	504	496	103	112	8	9	2	-			
Piscataquis	18	25	23	10	14	111	108	32	33	3	4	-	-			
Sagadahoc	22	24	20	7	8	124	127	27	27	4	1	-	-			
Somerset	46	54	41	18	18	215	228	62	50	10	8	-	1			
Waldo	26	29	25	8	6	136	142	36	27	1	4	-	-			
Washington	52	49	36	10	8	338	353	51	35	7	9	1	-			
York	86	45	31	11	12	381	368	49	36	5	7	1	-			
Total	796	753	550	194	254	4,384	4,500	836	713	95	84	14	6			

NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1899 was 5,329 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, 5,729 in 1895, 5,579 in 1896, 5,331 in 1897, and 5,144 in 1898). We have, therefore, for the year 1899, a marriage-rate of 15.42 (persons married) to every 1,000 of population, or at the rate of 7.71 marriages per 1,000 persons.

Marriage-rates.—The marriage-rate was higher in Franklin county than elsewhere in the State, it being for that county 20.86 per 1,000. The lowest marriage-rate, that of 12.98 per 1,000, was in Knox county. See Table No. 4.

Nativity.—Of the 5,290 records of marriage in which there was a statement of birthplace, in 73 per cent. the groom and bride were both American; in 11 per cent. both were of foreign birth; in 7 per cent. the groom was American and the bride of foreign birth; while in 9 per cent. a foreign groom and American bride were united.

Seasons.—The largest number of marriages, 628, was solemnized in June, while the smallest number in any one month, 286, occurred in February. See Table No. 22.

Ages of the Married.—The largest number, both of grooms and brides, was between 20 and 25 years of age. While still under 15 years of age, 12 brides were married; in the age-period 15-20 years, there were 170 grooms and 1,430 brides; in the period 20-25 years, 1,889 men and 2,010 women were married; from 25-30, 1,520 men and 883 women; from 30-35, 673 men and 364 women; from 35-40, 364 men and 229 women; from 40-45, 218 men and 146 women; from 45-50, 172 men and 93 women; from 50-55, 100 men and 57 women; from 55-60, 90 men and 45 women; from 60-70, 97 men and 45 women; from 70-80, 30 men and 6 women; over 80, 1 man and 1 woman. See Table No. 24.

In 4,533 marriages, the groom was older than the bride; while in 796, the bride was the elder; 753 widowers and 550 widows were remarried; 194 men and 254 women were remarried after having been divorced from a former marriage.

Table No. 25 exhibits the fact that 4,384 men and 4,500 women were married the first time; that 836 men and 713 women were married the second time; that 95 men and 84 women were united in the third marriage; 14 men and 6 women contracted marriage a fourth time; and 2 men and 1 woman contracted marriage a fifth time. The oldest groom was 81 years of age, and the oldest bride was 82. In seven marriages the bride was only 14 years old. In one case where the bride was only 15 years of age, it was her second marriage.

TABLE.

Divorces Decreed by the Supreme Court of Maine for the

COUNTIES.	Libellant wife.	Libellant husband.	Adultery.	Adultery and desertion.	Adultery and failure to support.	Adultery and intoxication.	Extreme cruelty	Extreme cruelty and intoxication.
Androscoggin	57	20	9	-	-	-	1	-
Aroostook	27	5	3	-	-	-	-	-
Cumberland	79	27	6	-	-	-	-	-
Franklin	22	5	2	-	-	-	-	-
Hancock	9	7	-	-	-	-	1	-
Kennebec	79	24	9	-	1	1	-	-
Knox	29	14	1	-	-	-	-	-
Lincoln	10	5	-	-	-	-	-	-
Oxford	18	5	3	-	-	-	-	-
Penobscot	85	31	10	-	-	-	1	-
Piscataquis	14	3	1	-	-	-	-	-
Sagadahoc	24	11	3	1	-	-	-	-
Somerset.....	38	15	6	-	-	-	-	-
Waldo	13	5	1	-	-	-	-	-
Washington	21	13	7	-	-	-	-	-
York	55	21	10	-	-	-	1	-
Total	579	211	71	1	1	1	4	-

No. 26.

year 1899, as Returned by Clerks of the Several Counties.

Desertion.	Desertion and intoxication.	Desertion and cruel and abusive treatment.	Intoxication.	Intoxication and failure to support.	Desertion and failure to support.	Cruel and abusive treatment.	Cruel and abusive treatment and adultery.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Failure to support.	No cause reported.	Total.
8	-	1	14	-	-	31	-	1	4	3	5	-	77
5	1	1	3	-	-	11	-	-	3	4	1	-	32
35	-	-	14	-	1	44	-	-	1	5	-	-	106
7	-	-	3	-	-	13	-	-	1	-	1	-	27
8	-	-	1	-	-	6	-	-	-	-	-	-	16
15	-	-	11	-	-	25	3	2	18	13	-	5	103
9	-	-	8	-	-	20	-	1	1	-	2	-	42
5	-	-	1	-	-	7	-	-	-	1	1	-	15
8	-	-	2	-	-	7	-	-	-	1	2	-	23
45	-	2	9	-	-	42	-	-	2	4	1	-	116
5	-	-	3	-	-	7	-	-	-	1	-	-	17
12	1	-	4	-	-	10	-	-	-	1	3	-	35
8	-	-	4	-	-	18	-	3	3	8	3	-	53
4	-	-	4	-	-	7	-	-	-	-	2	-	18
13	-	-	3	1	-	9	-	-	-	1	-	-	34
14	-	-	10	-	-	28	-	-	-	5	8	-	76
201	2	4	94	1	1	285	3	7	33	47	29	5	790

TABLE No. 27.

Divorces by Causes, the Sex of the Libellants, and the Number of Years Married, 1899.

CAUSES.	LIBELLANTS.		NUMBER OF YEARS MARRIED.							
	Number.	Sex.	Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown.
Adultery	71	Males	46	2 14	13	9	4	2	2	-
		Females ..	25	1 6	9	7	1	1	-	-
Adultery and desertion	1	Males	-	-	-	-	-	-	-	-
		Females ..	-	-	-	-	-	-	-	-
Adultery and failure to support	1	Males	1	-	-	1	-	-	-	-
		Females ..	1	-	1	-	-	-	-	-
Adultery and intoxication	1	Males	-	-	1	-	-	-	-	-
		Females ..	-	-	-	-	-	-	-	-
Extreme cruelty	4	Males	4	1	1	2	-	-	-	-
		Females ..	88	-	13	29	32	9	4	1
Desertion	201	Males	113	-	21	22	42	16	10	2
		Females ..	2	-	-	-	2	-	-	-
Desertion and intoxication	2	Males	-	-	-	-	-	-	-	-
		Females ..	4	-	1	-	2	1	-	-
Desertion and cruel and abusive treatment	4	Males	-	-	-	-	-	-	-	-
		Females ..	4	-	1	-	2	1	-	-
Desertion and failure to support	1	Males	-	-	-	-	-	-	-	-
		Females ..	1	-	-	-	-	-	1	-
Intoxication	94	Males	5	1	1	-	3	-	-	-
		Females ..	89	1 1	27	23	32	5	-	-
Intoxication and failure to support	1	Males	-	-	-	-	-	-	-	-
		Females ..	1	-	-	-	1	-	-	-
Cruel and abusive treatment	285	Males	67	2	21	17	12	9	4	2
		Females ..	218	1 3	70	64	48	24	6	2
Cruel and abusive treatment and adultery	3	Males	-	-	-	-	-	-	-	-
		Females ..	3	-	2	1	-	-	-	-
Cruel and abusive treatment and extreme cruelty	7	Males	-	-	-	-	-	-	-	-
		Females ..	7	-	1	5	1	-	-	-
Cruel and abusive treatment and failure to support	33	Males	-	-	-	-	-	-	-	-
		Females ..	33	-	11	13	8	1	-	-
Cruel and abusive treatment and intoxication	47	Males	2	-	1	1	-	-	-	-
		Females ..	45	1 1	18	10	12	3	-	-
Failure to support	29	Males	-	-	-	-	-	-	-	-
		Females ..	29	-	1	4	12	6	4	2
No cause reported	5	Males	1	-	1	-	-	-	-	-
		Females ..	4	-	2	-	2	-	-	-
Total	790	Males ..	211	2 17	51	56	52	20	10	3
		Females ..	579	4 13	167	160	157	55	19	4

NOTES ON DIVORCES.

Seven hundred and ninety divorces were decreed in the year 1899 (552 in 1892, 627 in 1893, 674 in 1894, 681 in 1895, 668 in 1896, 722 in 1897, and 764 in 1898). In 1899, there was decreed in Maine one divorce for every 6.7 marriages solemnized, the same rate as in 1898.

Some of the causes for which divorces were granted are: Adultery, 71, or 8.9 per cent. of the whole number; extreme cruelty, 4, or 0.05 per cent.; desertion, 201, or 25.4 per cent.; intoxication, 94, or 11.9 per cent.; cruel and abusive treatment, 285, or 36.1 per cent.; failure to support, 29, or 3.6 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 579 divorces, and the husband in 211.

In the divorces granted for adultery, the husband was the libellant 46 times, and the wife 25 times.

On account of extreme cruelty, the wife was the libellant in all 4 cases.

For desertion, the husband was the libellant 88 times, and the wife 113.

For intoxication, the husband was the libellant in 5 cases, and the wife in 89.

For cruel and abusive treatment, the husband was the libellant in 67 instances, and the wife in 218.

For failure to support, the wife was the libellant in the 29 divorces decreed for that cause.

Thirty-six divorces were granted before the marriage life had lasted one year; 218, after from 1 to 5 years marriage; 216, after 5 to 10 years; 209, after 10 to 20 years; 75, after 20 to 30 years; and 29 after more than 30 years of married life. Tables No. 26 and 27 may be consulted for more detailed statements.

TABLE No. 28.
Deaths and Death-Rates by Counties, for the Years 1892-99.

	1892.		1893.		1894.		1895.		1896.		1897.		1898.		1899.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State	12,147	18.37	11,134	16.84	11,012	16.66	10,464	15.83	10,626	16.07	11,236	16.99	10,956	16.57	11,370	16.45
Androscoggin.....	803	16.39	819	16.73	941	19.22	866	14.40	889	18.15	995	20.32	957	19.54	1,054	19.62
Aroostook.....	619	12.48	609	12.72	657	13.46	665	13.52	677	13.77	761	15.47	765	15.43	766	13.13
Cumberland.....	1,845	20.28	1,719	18.90	1,690	18.57	1,629	17.91	1,670	18.36	1,765	19.41	1,705	18.75	1,778	17.83
Franklin.....	337	19.76	319	18.98	276	16.35	272	16.10	301	17.85	282	16.70	276	16.18	310	17.12
Hancock.....	581	15.57	494	13.35	553	16.37	510	13.78	527	14.26	586	15.82	550	14.74	572	15.42
Kennebec.....	1,273	22.32	1,153	20.22	1,132	19.86	1,014	17.79	1,052	18.45	1,140	20.00	989	17.35	1,063	18.05
Knox.....	629	19.99	569	18.09	509	16.18	526	16.73	511	16.25	475	15.10	497	15.79	468	15.88
Lincoln.....	439	19.95	330	15.06	341	15.50	325	14.78	317	14.41	343	15.59	322	14.64	316	15.88
Oxford.....	561	18.30	506	16.62	470	15.42	455	14.98	446	14.68	494	16.27	488	15.96	478	14.99
Penobscot.....	1,208	16.57	1,122	15.43	1,192	16.40	1,130	15.51	1,169	16.09	1,180	16.24	1,185	16.26	1,184	15.70
Piscataquis.....	246	15.24	249	15.91	214	13.52	207	13.14	195	12.49	241	15.29	232	14.38	277	16.83
Sagadahoc.....	352	18.09	326	16.76	290	14.91	287	14.75	299	15.37	299	15.37	307	15.78	299	14.77
Somerset.....	548	16.79	511	15.84	520	16.12	521	16.07	452	13.99	518	16.02	503	15.42	548	16.42
Waldo.....	538	19.38	408	14.70	444	16.00	405	14.59	375	13.51	425	15.31	432	15.56	432	17.60
Washington.....	775	17.42	761	17.22	636	14.39	603	13.67	617	14.16	591	13.57	625	14.05	618	13.82
York.....	1,393	22.20	1,239	19.72	1,147	18.26	1,049	16.70	1,129	17.97	1,141	18.16	1,123	17.87	1,207	18.66

TABLE No. 29.

Number of Deaths in Each Month of 1892-99, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1892.		1893.		1894.		1895.		1896.		1897.		1898.		1899.	
	Deaths.	Ratio.*	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January	1,577	154.5	849	90.0	1,266	136.6	906	101.9	863	95.5	916	96.0	887	95.3	1,432	148.4
February	1,292	136.7	845	100.0	980	116.6	821	102.2	921	109.1	851	98.7	817	97.1	1,049	130.5
March ..	1,095	106.0	959	103.3	920	103.4	1,053	118.4	944	104.6	1,259	131.9	863	92.7	935	96.9
April ..	1,048	106.0	1,037	100.0	994	110.0	854	99.3	942	97.8	1,020	110.4	915	101.6	965	103.3
May	1,045	106.0	969	100.0	851	93.3	843	94.8	961	106.5	892	93.5	935	100.0	899	93.2
June	833	84.6	819	90.0	816	90.0	715	83.1	814	93.2	769	83.3	791	87.8	768	82.2
July	866	84.6	823	90.0	865	93.3	803	90.3	845	93.6	840	88.0	814	87.5	783	81.1
August ..	938	82.2	1,080	106.6	953	100.0	938	105.5	1,079	119.5	1,019	106.8	1,003	107.7	1,031	106.8
September ..	976	93.9	975	106.6	956	106.6	1,023	118.9	912	104.4	997	108.0	1,147	127.3	953	102.0
October	844	81.8	917	100.0	821	86.6	902	101.5	833	92.3	999	104.7	1,034	111.1	882	91.4
November ..	790	78.8	796	86.6	761	83.3	743	86.4	667	76.4	835	90.4	837	92.9	781	83.6
December	793	76.5	1,037	100.0	819	86.6	858	96.5	839	93.0	837	87.7	911	97.9	881	91.3
Unknown	50	-	28	-	10	-	5	-	6	-	-	-	2	-	11	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

NUMBER OF DEATHS IN EACH MONTH.

TABLE

Shows the Number of Deaths in the State, and in

CAUSES OF DEATH.	State.....	Androscoggin.	Aroostook.	Cumberland.
All causes	12,134	1,124	856	1,922
Specified causes	11,733	1,092	811	1,881
CLASSES.				
I.—Zymotic diseases	3,050	347	362	427
II.—Parasitic diseases	-	-	-	-
III.—Dietetic diseases	40	4	1	10
IV.—Constitutional diseases	748	63	35	130
V.—Developmental diseases	1,829	164	157	311
VI.—Local diseases	5,590	473	237	920
VII.—Deaths from violence	476	42	19	83
VIII.—Deaths from ill-defined causes	401	32	45	41
GROUPS.				
I.—1. Infectious diseases	1,001	144	122	124
2. Specific neoplastic diseases	1,245	98	96	206
3. Diarrheal diseases	662	95	136	64
4. Zoögenous diseases	-	-	-	-
5. Septic diseases	142	10	8	33.
II.—1. Parasitic diseases	-	-	-	-
III.—1. Dietetic diseases	40	4	1	10
IV.—1. Constitutional diseases	748	63	35	130
V.—1. Developmental diseases	1,829	164	157	311
VI.—1. Diseases of nervous system	1,728	151	58	290
2. Diseases of organs of special sense	7	2	-	1
3. Diseases of circulatory system	1,134	90	40	178
4. Diseases of respiratory system	1,445	130	69	236
5. Diseases of digestive system	565	43	26	79
6. Diseases of lymphatics, etc.	7	1	1	2
7. Diseases of urinary system	604	45	28	117
8. Diseases of organs of generation	34	7	1	5
9. Accidents and diseases of reproduction	40	1	11	5
10. Diseases of osseous system	19	2	2	6
11. Diseases of the integument	7	-	1	1
VII.—1. Accident, negligence or doubtful	374	35	13	67
2. Homicide	9	-	1	1
3. Suicide	93	7	5	15
VIII.—1. Deaths from ill-defined causes	401	32	45	41

No. 30.

Each County Arranged by Classes and Groups.

Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
329	623	1,119	495	332	504	1,221	305	320	584	453	662	1,285
314	608	1,083	486	319	489	1,171	291	312	568	431	642	1,235
-	75	261	94	58	100	304	77	62	149	84	216	313
1	-	5	1	1	1	4	3	2	2	-	1	4
15	43	68	42	15	45	82	19	18	40	25	41	67
52	123	133	92	48	64	146	52	53	88	60	90	196
155	307	569	237	186	253	573	123	149	274	242	278	615
16	14	47	20	11	26	62	17	28	15	20	16	40
15	15	36	9	13	15	50	14	8	16	22	20	50
23	27	75	25	14	40	100	31	19	57	24	70	106
33	69	106	46	34	48	139	25	26	57	54	98	110
13	22	72	18	8	10	51	16	12	25	3	35	82
-	6	-	-	-	-	-	-	-	-	-	-	-
-	3	8	5	2	2	14	5	5	10	3	13	15
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	5	1	1	1	4	3	2	2	-	1	4
15	43	68	42	15	45	82	19	18	40	25	41	67
52	123	133	92	48	64	146	52	53	88	60	90	196
40	85	231	75	40	68	181	48	38	84	73	89	177
-	-	1	-	-	-	-	-	-	2	-	-	1
35	66	104	59	51	59	114	19	31	47	60	61	120
32	75	144	52	43	74	148	34	31	75	51	67	184
33	34	43	19	23	23	66	8	25	36	20	19	68
-	-	-	-	-	1	-	1	1	-	-	-	-
12	40	37	28	29	26	51	13	19	25	37	37	60
-	2	2	2	-	1	5	-	1	3	-	1	4
2	1	6	2	-	-	7	-	-	1	1	2	1
1	2	1	-	-	-	1	-	2	-	-	2	-
-	2	-	-	-	1	-	-	1	1	-	-	-
8	13	30	12	11	17	55	12	24	15	14	16	32
-	-	3	2	-	-	1	-	-	-	-	-	1
8	1	14	6	-	9	6	5	4	-	6	-	7
15	15	36	9	13	15	50	14	8	16	22	20	50

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
I.—Zymotic.																	
1. Infectious diseases.																	
Totals	1,001	144	122	124	23	27	75	25	14	40	100	31	19	57	24	70	106
Smallpox	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Chicken-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	39	6	15	5	-	-	2	-	-	-	3	3	-	1	-	2	2
Rötheln	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	48	1	11	8	1	3	3	-	-	-	4	4	-	4	5	1	3
Typhus fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	380	24	42	38	13	15	29	12	8	25	36	19	10	32	5	40	32
Whooping-cough	96	10	1	15	-	2	7	-	-	1	14	1	1	6	3	1	22
Mumps	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	92	37	6	19	3	-	4	2	-	1	-	-	-	1	-	3	16
Croup	60	18	10	12	2	-	3	-	-	3	-	-	2	1	1	1	6
Tonsillitis, etc	5	1	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1
Cerebro-spinal meningitis	50	6	4	3	1	-	4	2	-	1	4	3	3	5	3	4	7
Tetanus	11	2	-	2	-	2	1	-	-	-	1	-	-	-	-	2	2
Typhoid fever	195	38	24	20	3	5	17	6	5	5	32	2	2	6	6	-	15
Simple continued fever	11	-	1	-	-	-	1	1	1	1	-	-	-	1	1	-	1
Malarial diseases	10	1	1	2	-	-	1	2	-	-	1	-	-	-	-	1	1
Other specific febrile diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.—2. Specific neoplastic.																	
Totals	1,245	98	96	206	33	69	106	46	34	48	139	25	26	57	54	98	110
Tuberculosis, cerebral ..	57	8	2	12	1	1	5	1	2	2	8	-	3	2	2	5	3
Tuberculosis, pulmonary ..	1,015	71	82	165	28	59	88	37	30	32	111	20	18	46	50	85	87
Tuberculosis, mesenteric ..	60	2	7	10	1	3	2	2	1	3	7	2	3	3	1	4	9
Tuberculosis, other forms ..	109	15	5	18	3	6	11	6	1	5	12	3	2	6	1	4	11
Syphilis	4	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
I.—3. Diarrheal diseases.																	
Totals	662	95	136	64	13	22	72	18	8	10	51	16	12	25	3	35	82
Infantile diarrhea	565	77	128	59	9	15	66	15	4	9	38	11	12	17	3	32	70
Cholera morbus	6	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	3
Dysentery	42	11	4	3	3	3	2	1	1	-	2	2	-	4	-	2	4
Diarrhea	49	7	4	1	1	3	4	2	3	1	11	2	-	4	-	1	5
I.—4. Zoögenous diseases.																	
Totals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant pustule	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and vaccination ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I.—5. Septic diseases.																	
Totals	142	10	8	33	6	3	8	5	2	2	14	5	5	10	3	13	15
Phagadema	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	29	3	-	6	2	1	1	-	1	-	3	1	1	2	-	2	6
Pyæmia, septicæmia	66	3	3	21	2	2	2	3	1	1	7	1	3	4	3	5	5
Puerperal fever	47	4	5	6	2	-	5	2	-	1	4	3	1	4	-	6	4

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
II.—Parasitic.																	
Totals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatids	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other parasitic diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.—Dietetic.																	
Totals	40	4	1	10	1	-	5	1	1	1	4	3	2	2	-	1	4
Starvation	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Malnutrition of infants	19	2	-	5	-	-	1	-	-	-	3	3	1	2	-	-	2
Scurvy	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Rickets	3	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
Alcoholism	16	2	-	5	-	-	4	-	1	1	-	-	-	-	-	1	2
IV.—Constitutional.																	
Totals	748	63	35	130	15	43	68	42	15	45	82	19	18	40	25	41	67
Rheumatism	57	1	5	9	3	3	7	1	1	3	8	2	-	2	1	5	6
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, gastric	119	7	10	17	3	5	7	7	1	5	18	8	4	5	6	7	9
Cancer, mammary	62	6	3	13	1	4	9	3	1	3	4	2	1	3	1	3	5
Cancer, hepatic	73	8	3	11	2	4	7	5	2	2	6	1	1	2	3	6	10
Cancer, uterine	88	5	2	12	-	8	11	4	2	8	13	1	3	5	1	6	7
Cancer, other	199	22	8	38	6	12	18	10	3	16	17	2	4	11	9	9	14
Purpura hemorrhagic diathesis	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Anemia, etc	53	6	1	10	-	1	4	5	1	1	9	2	1	5	-	1	6
Diabetes mellitus	95	8	3	20	-	5	5	7	4	7	7	1	3	7	4	4	10
Other constitutional diseases	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
V.—Developmental.																	
Totals	1,829	164	157	311	52	123	133	92	48	64	146	52	53	88	60	90	196
Still-born	580	56	76	101	14	39	34	21	13	21	37	19	17	30	19	31	52
Premature birth	184	14	14	43	5	12	22	6	3	5	-	9	4	6	2	13	26
Ill-defined diseases of infancy	342	50	38	51	13	11	25	8	6	9	26	2	5	11	15	20	52
Atelectasis	12	2	-	2	-	2	-	-	-	-	-	-	2	-	-	1	1
Cyanosis	24	1	-	6	1	1	1	1	-	-	6	3	-	-	-	-	4
Spina bifida	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate anus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital defects	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-
Umbilical hemorrhage	8	-	-	3	1	-	-	-	-	-	-	1	1	-	1	-	1
Old age (over 70)	674	41	29	103	16	60	47	56	26	29	77	18	24	41	23	24	60

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VI.—Local.																	
1. Diseases of the nervous system.																	
Totals.....	1,728	151	58	290	40	85	231	75	40	68	181	48	38	84	73	89	177
Inflammation of brain or membranes.....	273	50	6	52	6	12	23	2	9	8	29	6	6	12	4	15	33
Apoplexy.....	629	60	18	125	16	20	63	35	13	30	56	10	18	40	33	24	68
Softening of brain.....	59	3	-	9	1	4	6	2	2	5	10	2	5	3	4	-	3
Hemiplegia.....	21	-	-	3	1	3	1	1	-	1	4	-	-	1	-	1	4
Paralysis agitans.....	7	-	-	1	-	-	-	-	-	-	-	-	-	1	3	2	-
Paralysis.....	300	10	17	45	11	24	34	15	8	15	30	16	3	7	18	18	29
Hydrocephalus (not acute).....	14	-	1	1	-	-	2	2	-	-	2	-	-	2	-	-	3
Insanity.....	110	-	1	8	-	3	74	6	2	1	2	2	-	2	1	2	2
Brain, other diseases of.....	65	7	4	10	-	8	4	1	4	1	8	1	2	2	1	5	7
Chorea.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy.....	25	12	-	3	-	1	6	-	-	-	7	2	-	-	1	-	2
Convulsions.....	126	14	8	14	2	5	11	7	1	3	17	3	3	8	3	11	11
Laryngismus stridulus.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spinal meningitis.....	30	2	3	1	2	1	2	2	1	1	4	2	-	2	1	4	2
Myelitis.....	4	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1
Paraplegia.....	4	1	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Locomotor ataxia.....	11	-	-	1	1	-	1	-	-	1	-	-	-	1	1	2	3
Other diseases of spinal cord.....	13	-	-	3	-	1	1	1	-	1	3	1	-	1	-	1	-
Other diseases of nervous system.....	37	1	-	12	-	2	3	-	-	1	3	3	-	4	1	3	4
VI.-2. Diseases of organs of special sense.																	
Totals.....	7	2	-	1	-	-	1	-	-	-	-	-	-	2	-	-	1
Diseases of the ear.....	6	2	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1
Epistaxis and diseases of nose.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the eye.....	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.-3. Circulatory system.																	
Totals.....	1,134	90	40	178	35	66	104	59	51	59	114	19	31	47	60	61	120
Endocarditis.....	17	1	1	5	-	1	1	-	-	3	1	1	1	-	1	1	1
Valvular disease of heart.....	288	23	8	58	10	11	21	17	17	19	23	1	3	10	9	20	38
Hypertrophy of heart.....	59	5	1	12	1	1	3	3	2	14	1	6	1	2	3	4	-
Pericarditis.....	17	3	-	-	-	1	6	-	-	3	2	1	-	-	-	1	-
Diseases of heart unspecified.....	586	53	26	74	18	44	55	29	17	24	61	12	15	21	40	28	59
Angina pectoris.....	61	3	1	6	4	5	7	4	2	4	6	-	1	1	3	5	9
Syncope.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurism.....	10	-	-	2	-	1	1	1	2	-	-	-	-	1	1	-	1
Senile gangrene.....	48	2	1	10	2	7	4	6	2	-	2	3	1	1	1	1	6
Embolism, thrombosis.....	38	-	1	10	-	2	4	4	4	1	5	1	2	1	-	2	1
Phlebitis.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Others, circulatory system.....	10	-	1	1	-	-	-	-	-	1	2	-	-	1	3	-	1

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VI.—4. Respiratory system.																	
Totals	1,445	130	69	236	32	75	144	52	43	74	148	34	31	75	51	67	184
Laryngitis	11	-	1	1	1	-	-	1	1	1	1	-	-	-	1	1	2
Other diseases of larynx and trachea	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Emphysema, asthma.....	25	1	3	1	1	-	1	2	-	3	3	2	2	2	-	-	3
Bronchitis	233	30	2	31	7	15	31	3	-	10	16	3	4	10	9	16	32
Pneumonia	1,067	87	49	183	22	54	101	43	37	55	117	27	25	63	35	39	130
Pleurisy.....	24	4	-	2	-	3	-	-	1	-	2	-	-	-	3	-	3
Other diseases of respiratory system.....	83	8	7	12	1	3	11	3	2	5	9	1	2	-	3	8	8
VI.—5. Digestive system.																	
Totals	565	43	26	79	33	34	43	19	23	23	66	8	25	36	20	19	68
Diseases of the mouth...	7	1	-	1	-	-	1	1	-	-	2	-	-	-	-	-	2
Dyspepsia	27	3	6	2	1	-	3	1	-	1	5	1	-	1	-	1	2
Gastric ulcer.....	18	1	1	1	-	-	-	-	-	1	5	-	-	2	1	4	2
Hematemesis	4	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	2
Gastritis.....	89	7	1	6	9	11	3	4	6	2	5	2	4	7	1	4	17
Other diseases of stomach	7	-	-	-	-	2	-	1	2	-	2	-	1	1	-	-	-
Enteritis	44	3	2	5	3	5	5	2	1	1	5	1	2	1	2	-	6
Ulceration of intestines. Stricture and strangulation of intestines.....	8	1	1	-	-	-	-	-	1	1	2	-	-	2	-	-	1
Intussusception of intestines.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	19	-	-	3	1	-	3	-	-	1	3	1	2	1	2	-	2
Other obstructive diseases of intestines	50	3	1	12	3	4	1	1	3	1	5	-	2	3	3	-	8
Fistula	2	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Peritonitis	83	6	4	13	3	1	2	3	1	4	15	1	2	5	5	4	2
Appendicitis, etc.	37	6	5	2	2	-	2	-	2	-	5	-	1	2	1	1	2
Ascites	5	-	-	-	-	-	2	-	-	-	2	-	-	1	-	-	-
Gallstones	7	1	-	1	-	-	-	-	-	1	2	-	1	1	-	-	-
Cirrhosis of liver.....	36	1	-	9	-	5	2	4	2	1	4	-	3	-	1	1	3
Hepatitis	35	4	-	4	3	2	2	-	3	1	1	1	6	3	-	-	5
Jaundice	15	-	2	2	-	1	1	-	-	1	1	-	-	-	2	1	4
Other diseases of liver.....	39	4	-	7	4	3	5	1	2	3	2	1	-	2	2	1	2
Other diseases of digestive system.....	33	2	3	3	4	-	6	1	1	2	2	-	1	4	-	2	2
VI.—6. Lymphatics, etc.																	
Totals	7	1	1	2	-	-	-	-	1	-	1	1	-	-	-	-	-
Diseases of lymphatics..	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the spleen...	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Bronchocele	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Addison's disease.....	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-

TABLE No. 30—Continued.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VI.—7. Urinary system.																	
Totals	604	45	28	117	12	40	37	28	29	26	51	13	19	25	37	37	60
Nephritis	168	16	7	39	3	9	6	6	9	5	15	1	13	3	4	13	16
Bright's disease, albuminuria	262	15	11	44	6	17	19	12	8	18	20	7	2	15	20	17	31
Uremia	75	1	6	23	-	6	5	2	7	1	6	3	-	-	-	-	6
Suppression of urine	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Calculus	5	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1
Stricture	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hematuria	3	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-
Diseases of bladder and prostate	62	9	2	8	2	4	4	6	4	2	6	1	3	2	4	2	3
Other diseases of urinary system	28	3	2	1	1	2	2	2	-	-	1	1	-	1	6	3	3
VI.—8. Organs of generation.																	
Totals	34	7	1	5	-	2	2	-	-	1	5	-	1	3	-	1	4
Ovarian disease	13	1	-	2	-	-	2	-	-	-	3	-	-	2	-	-	3
Diseases of uterus and appendages	15	6	-	1	-	1	-	1	-	1	2	-	1	1	-	1	-
Paramenia	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic abscess	4	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1
Perineal abscess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of male organs of generation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.—9. Accidents and diseases of reproduction.																	
Totals	40	1	11	5	2	1	6	2	-	-	7	-	-	1	1	2	1
Abortion, miscarriage ..	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Puerperal mania	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal convulsions ..	7	-	-	1	-	1	1	-	-	2	-	-	1	-	1	-	-
Placenta previa	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal hemorrhage ..	5	-	1	-	-	1	-	-	-	2	-	-	-	-	-	1	-
Phlegmasia dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other accidents of reproduction	23	1	10	1	2	-	5	-	-	-	2	-	-	-	1	-	1
VI.—10. Osseous system.																	
Totals	19	2	2	6	1	2	1	-	-	-	1	-	2	-	-	2	-
Diseases of the joints	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of the bones	16	1	2	5	1	2	1	-	-	-	1	-	2	-	-	1	-
Other diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.—11. Integument.																	
Totals	7	-	1	1	-	2	-	-	-	1	-	-	1	1	-	-	-
Carbuncle	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, cellulitis	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Ulcer, bed sore	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other diseases of integument	4	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-

TABLE No. 30—Concluded.
Deaths by Classes and Groups.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VII.—Deaths from violence.																	
1. Accident, negligence or doubtful.																	
Totals	374	35	13	67	8	13	30	12	11	17	55	12	24	15	14	16	32
Fracture, contusion.....	57	6	1	14	1	2	3	2	4	5	5	2	3	3	1	1	2
Falling	32	2	2	8	1	1	3	1	1	1	3	1	1	3	4	1	1
Gunshot wounds	14	-	-	1	-	-	1	1	-	-	3	2	2	-	-	-	3
Railway injuries	33	-	-	13	-	-	4	-	1	-	4	2	4	1	-	1	4
Cuts	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Burns and scalds.....	38	4	3	5	-	2	3	1	1	3	7	-	2	3	3	3	1
Poison	21	1	1	3	-	1	1	1	-	3	1	1	1	2	2	1	3
Drowning.....	103	7	4	12	5	7	7	1	3	3	21	2	11	2	2	7	9
Suffocation	8	-	-	1	-	2	2	-	-	3	3	3	-	-	1	1	3
Various	65	15	3	10	2	1	6	4	1	2	8	3	1	1	1	1	6
Lost at sea	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
VII.—2. Homicide.																	
Totals	9	-	1	1	-	-	3	2	-	-	1	-	-	-	-	-	1
Murder, manslaughter ..	9	-	1	1	-	-	3	2	-	-	1	-	-	-	-	-	1
VII.—3. Suicide.																	
Totals	93	7	5	15	8	1	14	6	-	9	6	5	4	-	6	-	7
Gunshot wounds	25	2	2	6	2	-	5	2	-	2	-	-	3	-	1	-	-
Cut, stab	8	-	1	2	-	-	2	1	-	1	1	-	-	-	-	-	-
Poison	24	3	-	4	1	2	2	-	-	3	2	2	-	-	2	-	3
Drowning.....	8	1	-	2	-	1	1	-	-	1	1	-	-	-	1	-	-
Hanging	23	1	2	4	1	-	3	-	-	2	1	3	-	-	2	-	4
Otherwise	5	-	-	1	1	-	1	-	-	-	1	-	1	-	-	-	-
VIII.—Deaths from ill-defined causes.																	
Totals	401	32	45	41	15	15	36	9	13	15	50	14	8	16	22	20	50
Heart failure	101	5	7	6	5	4	10	1	5	4	14	4	1	10	7	8	10
Dropsy	61	5	6	7	2	2	3	1	2	4	7	3	3	2	8	2	4
Debility, exhaustion.....	57	8	5	7	1	2	2	-	-	-	9	3	1	-	3	2	12
Atrophy and inanition ..	33	4	1	6	1	-	3	2	-	-	3	2	-	-	1	1	2
Sunstroke	3	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumor	10	2	-	1	-	-	-	-	1	1	-	-	-	2	1	-	2
Abscess	5	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1
Hemorrhage	9	1	1	1	-	1	-	-	1	1	-	-	-	1	-	2	-
Sudden (cause unascertained).....	16	-	-	1	1	3	1	1	-	1	4	-	-	1	1	-	2
Not specified, or ill-defined	106	6	25	11	5	2	17	2	4	5	9	2	3	-	-	4	11

No. 31.

Causes, Mostly Infectious Diseases.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phtisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
195	29	47	66	380	42	49	6	565	1,015	226	10	11
38	3	4	3	24	11	7	-	77	71	25	1	2
24	-	5	3	42	4	4	-	128	82	14	1	-
20	6	6	21	38	3	1	1	59	165	40	2	2
3	2	2	2	13	3	1	-	9	28	5	-	-
5	1	-	2	15	3	3	1	15	59	10	-	2
17	1	5	2	29	2	4	-	66	88	18	1	1
6	-	2	3	12	1	2	-	15	37	9	2	-
5	1	-	1	8	1	3	-	4	30	4	-	-
8	-	1	1	25	-	1	-	9	38	10	-	-
32	3	4	7	36	2	11	-	38	111	27	1	1
-	1	3	1	19	2	2	1	11	20	5	-	-
2	1	1	3	10	-	-	-	12	18	8	-	-
6	2	4	4	32	4	4	-	17	46	11	-	-
6	-	-	3	5	-	-	-	3	50	4	-	-
8	2	6	5	40	2	1	-	32	85	13	1	3
15	6	4	5	32	4	5	3	70	87	23	1	-
38	3	4	3	24	11	7	-	77	71	25	1	2
5	-	-	-	6	2	1	-	9	12	3	-	-
1	-	-	-	1	-	-	-	-	-	-	-	1
1	-	-	-	1	-	1	-	4	1	2	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
24	3	3	2	9	6	5	-	60	34	16	-	1
6	-	-	-	3	2	-	-	1	7	1	-	-
-	-	-	1	-	-	-	-	1	1	-	-	-
-	-	1	-	-	-	-	-	1	5	-	1	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	3	2	-	-
-	-	-	-	1	1	-	-	1	2	1	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	2	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
24	-	5	3	42	4	4	-	128	82	14	1	-
-	-	-	-	1	-	-	-	2	1	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	1	-	1	-	21	7	4	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
2	-	-	-	1	-	-	-	7	3	-	-	-
4	-	-	-	1	-	-	-	8	3	-	-	-
-	-	-	-	-	-	-	-	7	9	-	-	-
-	-	-	-	2	-	2	-	12	4	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	3	-	-	-	-	3	1	-	-
3	-	-	-	-	-	-	-	2	5	1	-	-
-	-	-	1	1	-	-	-	1	1	-	-	-
-	-	1	-	-	-	-	-	2	2	-	-	-
-	-	-	-	-	-	-	-	1	3	-	-	-
-	-	-	-	1	-	-	-	2	7	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	3	-	15	-	-	-	-	2	-	-	-
2	-	-	-	-	-	-	-	1	-	-	-	-
3	-	1	-	1	-	-	-	1	1	-	-	-
1	-	-	-	-	-	-	-	-	-	1	-	-
1	-	-	-	-	-	-	-	4	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	1	-	-	-	-	-	4	3	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	4	-	-	17	3	-	-	-
-	-	-	-	6	-	-	-	13	1	-	-	-
-	-	-	1	-	-	-	-	5	5	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	2	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	1	-	5	-	-	-	-
•	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	2	-	-	-	3	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	4	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
26	6	6	21	38	3	1	1	59	165	40	2	2
-	-	-	-	1	-	-	-	1	1	-	-	-
-	-	-	-	5	-	1	-	1	4	1	-	-
2	-	-	3	-	-	-	1	12	7	3	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	2	4	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	5	-	-	-
-	-	-	3	1	-	-	-	1	5	3	-	-
-	-	-	-	4	-	-	-	-	2	-	-	-
-	-	-	1	1	-	-	-	-	1	-	-	-
-	1	-	1	-	-	-	-	-	4	-	-	-
-	-	-	-	1	-	-	-	2	2	-	-	-
-	-	-	-	1	-	-	-	-	2	-	1	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
13	2	2	10	9	2	-	-	36	87	20	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-

TABLE.
Deaths in Each Town from Special
CUMBERLAND

COUNTY AND TOWNS.	Estimated population for 1899.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.	Mumps.
Scarboro	1,872	-	-	-	-	-	-	2	-
Sebago	586	-	-	-	-	-	-	-	-
South Portland	6,287	-	-	-	-	-	-	-	-
Standish	1,537	-	-	-	-	-	-	-	-
Westbrook	7,218	-	-	-	1	-	1	-	-
Windham	1,957	-	-	-	-	-	-	1	-
Yarmouth	2,255	-	-	-	-	-	-	-	-
FRANKLIN COUNTY.....	18,107	-	-	1	5	-	1	-	-
Avon	447	-	-	-	-	-	-	-	-
Carthage	339	-	-	-	-	-	-	-	-
Chesterville.....	715	-	-	-	-	-	-	-	-
Eustis	425	-	-	-	1	-	-	-	-
Farmington.....	3,280	-	-	-	-	-	-	-	-
Freeman	403	-	-	-	-	-	-	-	-
Industry	552	-	-	-	-	-	-	-	-
Jay	2,628	-	-	-	3	-	-	-	-
Kingfield	686	-	-	-	-	-	-	-	-
Madrid	337	-	-	-	-	-	-	-	-
New Sharon	958	-	-	-	-	-	-	-	-
New Vineyard	591	-	-	-	-	-	-	-	-
Phillips	1,399	-	-	-	-	-	-	-	-
Rangeley	927	-	-	-	-	-	-	-	-
Salem.....	197	-	-	-	-	-	-	-	-
Strong	637	-	-	-	-	-	-	-	-
Temple	401	-	-	-	-	-	-	-	-
Weld	750	-	-	-	-	-	-	-	-
Wilton ..	1,646	-	-	1	1	-	1	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	1	-	1	-	-	-	-	-	4	4	-	-
-	1	-	-	-	-	-	-	-	1	-	-	-
2	-	1	-	1	1	-	-	1	8	1	-	1
-	-	-	-	2	-	-	-	-	2	-	-	-
2	-	2	-	3	-	-	-	5	15	3	-	-
-	-	-	-	-	-	-	-	-	4	2	-	-
-	-	-	-	2	-	-	-	-	5	2	-	-
3	2	2	2	13	3	1	-	9	28	5	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	-	1	-	-	-	-
1	1	1	-	5	-	-	-	1	10	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	1	-	1	-	6	4	1	-	-
1	1	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	3	-	-	-	-	1	-	-	-
-	-	1	-	1	-	-	-	-	2	1	-	-
-	-	-	2	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	-	1	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	1	2	-	-

TABLE
Deaths in Each Town from Special

HANCOCK

COUNTY AND TOWNS.	Estimated population for 1899.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.	Mumps.
Mount Desert.....	1,576	-	-	-	-	-	-	-	-
Orland	1,265	-	-	-	-	-	-	-	-
Otis	160	-	-	-	-	-	-	-	-
Penobscot... ..	1,142	-	-	-	-	-	-	-	-
Sedgwick	903	-	-	-	-	-	-	-	-
Sorrento.....	117	-	-	-	-	-	-	-	-
Stonington.....	1,648	-	-	-	-	-	-	-	-
Sullivan	1,068	-	-	-	-	-	-	-	-
Surry	908	-	-	-	-	-	-	-	-
Swan's Island.....	745	-	-	-	-	-	-	-	-
Tremont.....	2,012	-	-	-	-	-	-	-	-
Trenton	476	-	-	-	-	-	-	-	-
Verona	243	-	-	-	-	-	-	-	-
Waltham	197	-	-	-	-	-	-	-	-
Winter Harbor.....	571	-	-	-	-	-	-	-	-
Long Island Pl.....	170	-	-	-	-	-	-	-	-
No. 33 Pl.....	85	-	-	-	-	-	-	-	-
KENNEBEC COUNTY.....	58,907	3	2	3	7	-	4	7	-
Albion	894	-	-	-	-	-	-	-	-
Augusta	11,578	-	1	3	1	-	1	3	-
Belgrade	1,061	-	-	-	-	-	-	-	-
Benton	1,101	-	-	-	-	-	-	-	-
Chelsea	3,018	-	-	-	-	-	-	-	-
China	1,384	-	-	-	-	-	-	-	-
Clinton	1,410	-	-	-	1	-	-	-	-
Farmingdale.....	846	-	-	-	-	-	-	-	-
Fayette.....	568	-	-	-	-	-	-	-	-
Gardiner	5,501	-	-	-	1	-	-	2	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	1	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	1	-	-	-	-	4	1	-	-
1	-	-	-	-	-	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	-	2	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	1	1	-	-	-	2	3	-	-	1
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	1	-	1	-	-
1	-	-	-	-	-	-	1	-	-	-	-	-
17	1	5	2	29	2	4	-	66	88	18	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-
8	-	1	-	2	-	1	-	24	16	4	-	-
-	-	-	-	3	-	-	-	-	1	-	-	-
2	-	-	-	1	-	-	-	-	-	2	1	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	1	-	-	2	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
2	-	-	2	5	-	-	-	2	7	4	-	-

TABLE
Deaths in Each Town from Special
KENNEBEC

COUNTY AND TOWNS.	Estimated population for 1899.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.	Mumps.
Hallowell	2,741	-	-	-	-	-	-	-	-
Litchfield	1,064	-	-	-	-	-	-	-	-
Manchester	527	-	-	-	-	-	-	-	-
Monmouth	1,248	-	-	-	-	-	-	-	-
Mount Vernon	909	-	-	-	-	-	1	-	-
Oakland	1,926	-	-	-	-	-	-	-	-
Pittston	1,187	-	-	-	-	-	-	-	-
Randolph	1,097	-	-	-	-	-	-	-	-
Readfield.....	1,012	-	-	-	-	-	-	-	-
Rome	428	-	1	-	-	-	-	-	-
Sidney	1,095	-	-	-	-	-	-	1	-
Vassalboro.....	2,062	-	-	-	-	-	-	-	-
Vienna	414	-	-	-	-	-	-	-	-
Waterville	9,259	-	-	-	-	-	2	-	-
Wayne.....	707	-	-	-	-	-	-	-	-
West Gardiner.....	709	-	-	-	-	-	-	-	-
Windsor.....	789	-	-	-	-	-	-	-	-
Winslow	2,231	3	-	-	-	-	-	-	-
Winthrop	2,090	-	-	-	4	-	-	1	-
Unity Pl	51	-	-	-	-	-	-	-	-
KNOX COUNTY.....	30,466	-	-	-	2	-	2	-	-
Appleton	985	-	-	-	-	-	-	-	-
Camden	2,860	-	-	-	-	-	-	-	-
Cushing	611	-	-	-	-	-	-	-	-
Friendship.....	820	-	-	-	-	-	-	-	-
Hope	603	-	-	-	-	-	-	-	-
Hurricane Isle	257	-	-	-	-	-	-	-	-
North Haven	551	-	-	-	-	-	-	-	-
Rockland.....	8,152	-	-	-	1	-	1	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	5	2	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	1	-	1	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	-	5	1	-	-
-	-	-	-	1	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	2	6	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	1	-	1	-	-	-	1	1	1	-	-
-	-	-	-	1	-	-	-	1	1	-	-	-
-	-	-	-	1	1	-	-	2	-	-	-	-
-	-	-	-	-	1	1	-	-	1	-	-	1
-	-	-	-	3	-	-	-	3	1	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
3	-	2	-	2	1	1	-	25	19	2	-	-
-	-	-	-	1	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	1	-	-	-	3	2	1	-	-
1	-	-	-	1	-	-	-	1	7	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
6	-	2	3	12	1	2	-	15	37	9	2	-
-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	3	3	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
2	-	-	-	-	-	-	-	1	1	1	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	1	-	-	-	-	-	2	6	5	-	-

TABLE
Deaths in Town from Special
OXFORD

COUNTY AND TOWNS.	Estimated population for 1899.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.	Mumps.
OXFORD COUNTY	31,885	-	-	-	4	-	1	1	-
Albany	549	-	-	-	-	-	-	-	-
Andover	728	-	-	-	-	-	-	-	-
Bethel	1,872	-	-	-	-	-	-	-	-
Brownfield ...	1,030	-	-	-	-	-	-	-	-
Buckfield.....	1,145	-	-	-	-	-	-	-	-
Byron ...	202	-	-	-	-	-	-	-	-
Canton	982	-	-	-	-	-	-	-	-
Denmark.....	646	-	-	-	1	-	-	-	-
Dixfield	1,046	-	-	-	-	-	-	-	-
Fryeburg	1,380	-	-	-	-	-	-	-	-
Gilead	340	-	-	-	-	-	-	-	-
Greenwood ...	740	-	-	-	-	-	-	-	-
Hanover.....	214	-	-	-	-	-	-	-	-
Hartford.....	663	-	-	-	-	-	-	-	-
Hebron	505	-	-	-	-	-	-	-	-
Hiram	1,020	-	-	-	-	-	-	-	-
Lovell	709	-	-	-	-	-	-	-	-
Mason	68	-	-	-	-	-	-	-	-
Mexico	770	-	-	-	-	-	-	-	-
Newry	292	-	-	-	-	-	-	-	-
Norway	2,878	-	-	-	-	-	-	-	-
Oxford.....	1,343	-	-	-	1	-	-	-	-
Paris.....	3,218	-	-	-	-	-	1	-	-
Peru	765	-	-	-	-	-	-	-	-
Porter	899	-	-	-	-	-	-	-	-
Roxbury.....	236	-	-	-	-	-	-	-	-
Rumford	3,483	-	-	-	2	-	-	1	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
8	-	1	1	25	-	1	-	9	38	10	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	1	3	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	1	1	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
2	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
1	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	1	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	2	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	1	-	-	4	3	-	-
-	-	-	-	-	-	-	-	1	2	1	-	-
1	-	-	-	6	-	-	-	-	3	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	3	-	-	-	3	-	2	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	2	-	-	-	-	1	-	-	-
-	-	-	1	1	-	-	-	-	-	1	-	-
1	-	-	-	2	-	1	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-
1	-	-	-	1	-	1	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
1	-	-	-	1	-	-	-	-	1	1	-	-
1	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	1	1	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	1	-	1	-	-
-	1	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	2	-	1	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	-	-	1
2	-	2	1	4	-	-	-	11	9	-	1	-
-	-	1	1	-	-	1	-	-	2	3	-	-
-	-	-	-	-	-	-	-	1	1	1	-	-
-	-	-	-	-	-	1	-	1	-	-	-	-
-	-	-	-	4	1	-	-	1	1	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
6	-	-	3	5	-	-	-	3	50	4	-	-
1	-	-	1	1	-	-	-	1	5	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	3	-	-	-
1	-	-	-	-	-	-	-	-	4	1	-	-
1	-	-	-	-	-	-	-	-	2	-	-	-
2	-	-	-	-	-	-	-	-	5	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	4	-	-	-
1	-	-	-	-	-	-	-	-	3	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
2	2	6	5	40	2	1	-	32	85	13	1	3
-	-	-	-	1	1	-	-	-	3	1	-	-
-	-	1	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
4	1	1	-	6	-	-	-	11	15	1	-	1
1	-	1	-	-	-	-	-	-	1	-	-	-
-	1	1	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
-	-	-	-	1	1	-	-	-	-	-	-	-
-	-	-	1	1	-	-	-	1	1	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	1	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	2	-	-	-	-	9	-	-	-
1	-	1	-	2	-	-	-	5	17	2	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	1	-	1	-	1
2	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	6	-	-	-	2	3	2	1	1
-	-	-	-	2	-	-	-	1	2	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-

No. 31—Concluded.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	1	-	-	-	-	-	-	2	1	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	1	-	-	3	-	-	-	2	3	2	-	-
-	-	-	1	3	-	-	-	1	3	1	1	-
-	-	-	-	1	-	-	-	-	-	4	-	-
-	1	-	-	1	-	1	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	1	1	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	1	-	-	-	-	2	-	-	-
4	-	1	-	5	1	1	-	6	10	3	-	-
3	1	-	-	3	-	1	-	11	6	1	-	-
-	-	-	-	1	-	-	1	-	1	-	-	-
1	-	-	-	-	-	1	1	-	2	6	-	-
-	-	-	-	1	-	-	-	-	3	2	-	-
-	-	1	2	1	-	-	-	2	2	1	-	-
-	-	-	1	2	1	-	-	1	4	-	-	-

TABLE
Deaths in Each Town from Certain

THE STATE AND COUNTIES.	Estimated population for 1899.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
MAINE	691,140	16	24	57	541	150	674	391	273
Androscoggin	53,715	2	2	1	48	14	41	53	50
Aroostook.....	59,629	-	1	5	26	4	29	38	6
Cumberland.....	99,724	5	5	9	91	30	103	64	52
Franklin	18,305	-	1	3	12	-	16	17	6
Hancock	37,248	-	-	3	33	7	60	12	12
Kennebec	58,907	4	1	7	52	9	47	30	23
Knox	30,513	-	1	1	29	12	56	9	2
Lincoln.....	19,902	1	-	1	9	5	26	6	9
Oxford	32,073	1	-	3	34	8	29	9	8
Penobscot.....	75,908	-	4	8	58	16	77	32	29
Piscataquis	16,868	-	3	2	14	3	18	6	6
Sagadahoc	20,242	-	2	-	13	5	24	8	6
Somerset	33,727	-	2	2	26	12	41	11	12
Waldo	24,542	-	-	1	20	4	23	16	4
Washington.....	45,157	1	-	5	31	5	24	22	15
York	64,680	2	2	6	45	16	60	58	33
ANDROSCOGGIN COUNTY	53,715	2	2	1	48	14	41	53	50
Auburn.....	12,781	-	2	1	11	6	13	4	8
Durham	1,215	-	-	-	3	-	3	-	1
East Livermore	2,066	-	-	-	-	-	-	2	-
Greene	820	-	-	-	2	-	3	1	-
Leeds	1,058	-	-	-	-	-	-	-	-
Lewiston	23,555	2	-	-	19	5	13	37	38
Lisbon	3,554	-	-	-	4	1	1	4	-
Livermore	1,122	-	-	-	1	1	2	1	-
Mechanic Falls	1,687	-	-	-	5	-	-	1	3
Minot. ..	755	-	-	-	-	-	-	-	-
Poland	1,703	-	-	-	-	1	1	1	-
Turner.....	1,860	-	-	-	1	-	4	-	-
Wales.....	423	-	-	-	1	-	-	-	-
Webster.....	1,113	-	-	-	1	-	1	2	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
18	34	37	49	8	12	26	18	10	1	11	13	5
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	1	-
-	-	-	2	-	-	-	1	-	-	-	-	-
-	2	-	-	1	-	1	-	-	-	-	-	-
-	2	4	11	-	-	1	1	-	-	-	-	-
1	4	7	-	-	-	7	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	1	-	-	-	-	-	-	-
-	2	-	1	1	-	2	1	1	-	1	1	1
-	2	1	-	1	-	-	-	-	-	1	1	-
-	1	2	1	-	2	-	-	-	-	-	-	-
-	3	-	-	-	-	-	-	-	-	1	-	-
-	-	-	1	-	-	-	1	-	-	-	1	-
-	-	-	1	-	-	-	-	-	-	-	-	-
1	2	-	-	1	-	-	-	-	-	-	-	-
4	1	6	7	-	1	-	4	-	-	1	1	-
1	1	1	1	1	1	1	1	-	-	-	-	-
-	-	-	1	-	-	-	-	1	-	-	-	-
1	2	2	-	-	1	-	-	-	-	-	-	1
-	2	1	-	1	-	-	1	1	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	1	-	-	1	-	1	-	-	-	-
2	1	-	1	-	-	-	-	-	-	-	-	-
1	-	-	1	-	1	1	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	1	-	-	2	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONTINUED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	1	-	1	-	-	1	-	-	-	-	1	-
-	1	-	2	1	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	2
1	-	2	4	-	-	1	3	-	-	-	1	-
1	-	-	-	-	-	-	1	-	-	-	2	-
1	-	2	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	1	-	1	1	-	-	1	-	2	-
-	-	1	1	1	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	2	-	-	-	-
1	1	1	-	-	1	1	-	-	-	-	-	-
-	1	-	3	-	-	-	-	-	-	-	-	-
-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
AROOSTOOK

COUNTY AND TOWNS.	Estimated population for 1899.	Alcoholism.	Other (dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Reed.....	379	-	-	-	-	-	-	-	-
St. Francis.....	560	-	-	-	-	-	-	-	-
St. John.....	359	-	-	-	-	-	-	-	-
Wade.....	260	-	-	-	-	-	-	1	-
Wallagrass.....	765	-	-	1	-	-	-	3	-
Westfield.....	250	-	-	-	-	-	-	-	-
Westmanland.....	96	-	-	-	-	-	-	-	-
Winterville.....	119	-	-	-	-	-	-	-	-
CUMBERLAND COUNTY.....	99,724	5	5	9	91	30	103	64	52
Baldwin.....	832	-	-	-	-	-	3	-	-
Bridgton.....	2,842	-	-	-	2	1	2	1	-
Brunswick.....	6,725	-	1	-	3	3	7	11	3
Cape Elizabeth.....	887	-	-	-	-	-	-	-	-
Casco.....	789	-	-	-	2	-	3	-	-
Cumberland.....	1,412	-	-	-	1	2	1	1	1
Falmouth.....	1,518	-	-	-	-	-	2	1	-
Freeport.....	2,353	-	-	-	2	-	2	-	-
Gorham.....	2,510	-	-	-	3	-	4	1	1
Gray.....	1,401	-	-	-	3	-	1	2	-
Harpwell.....	1,752	-	-	-	-	1	1	-	-
Harrison.....	979	-	-	-	1	-	-	1	-
Naples.....	816	-	-	-	4	1	-	-	-
New Gloucester.....	1,164	-	-	-	2	2	3	-	-
North Yarmouth.....	648	-	-	1	-	-	4	-	-
Otisfield.....	739	-	-	-	1	-	-	-	-
Portland.....	49,208	5	4	5	49	12	39	27	38
Pownal.....	604	-	-	-	-	-	3	-	-
Raymond.....	833	-	-	-	1	1	1	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	2	-	2	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	2	1	-	-	-	-	1	-	-	-	-	-
-	-	1	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
125	113	155	183	31	22	79	83	34	5	5	67	15
-	2	1	-	1	-	-	-	-	-	-	-	1
3	4	11	6	-	1	5	5	2	-	-	-	-
10	5	19	16	3	1	2	4	-	-	1	5	1
-	1	1	1	-	-	1	-	-	-	-	1	-
-	-	1	3	-	-	-	1	-	-	-	-	-
7	-	3	1	-	-	-	-	-	-	-	-	1
2	1	1	2	-	-	1	1	2	-	-	2	-
1	-	4	8	-	-	3	2	-	-	-	1	-
7	3	2	5	-	-	3	3	4	1	1	2	2
2	1	7	2	-	1	1	1	-	-	-	1	1
4	2	-	3	-	1	-	1	1	-	-	1	-
-	2	1	2	-	-	1	2	-	-	-	-	-
1	3	1	4	1	-	-	-	1	-	-	1	-
1	1	4	2	-	-	1	-	-	-	-	-	-
4	-	1	3	-	-	-	-	-	-	-	1	-
2	4	1	2	-	-	1	1	-	-	-	-	-
65	66	58	96	13	12	46	48	18	4	3	43	5
-	-	1	1	-	1	-	-	-	-	-	-	-
-	1	1	1	1	-	1	1	1	-	-	-	1

TABLE
Deaths in Each Town from Certain

CUMBERLAND

COUNTY AND TOWNS.	Estimated population for 1889.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other develop-mental diseases.	Inflammation of brain or membranes.
Scarboro	1,872	-	-	-	1	1	2	1	-
Sebago	586	-	-	-	2	-	1	-	-
South Portland	6,287	-	-	-	2	4	6	6	4
Standish	1,537	-	-	1	-	1	4	1	1
Westbrook	7,218	-	-	2	10	-	8	8	4
Windham	1,957	-	-	-	1	1	2	1	-
Yarmouth	2,255	-	-	-	1	-	4	2	-
FRANKLIN COUNTY.....	18,107	-	1	3	12	-	16	17	6
Avon	447	-	-	1	-	-	1	-	-
Carthage	339	-	-	-	-	-	-	-	-
Chesterville.....	715	-	-	-	-	-	-	2	-
Eustis	425	-	-	-	-	-	-	-	-
Farmington.....	3,280	-	-	-	2	-	4	2	-
Freeman	403	-	-	-	-	-	-	-	-
Industry	552	-	-	-	2	-	1	-	-
Jay	2,628	-	-	-	1	-	1	7	2
Kingfield	686	-	-	1	1	-	1	-	-
Madrid	337	-	-	-	-	-	-	1	-
New Sharon	958	-	-	-	2	-	6	-	1
New Vineyard	591	-	-	1	1	-	-	-	-
Phillips	1,399	-	-	-	-	-	-	1	1
Rangeley	927	-	-	-	-	-	-	-	1
Salem.....	197	-	-	-	-	-	-	-	-
Strong	637	-	-	-	-	-	1	1	-
Temple	401	-	-	-	1	-	-	1	-
Weld	750	-	1	-	1	-	1	-	1
Wilton	1,646	-	-	-	1	-	-	2	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	4	1	5	1	1	1	2	1	-	-	-	-
1	1	-	-	1	-	1	1	-	-	-	-	-
4	4	12	4	2	3	1	6	2	-	-	-	1
3	1	6	3	1	1	-	2	-	-	-	-	-
3	4	9	8	6	-	7	2	-	-	-	5	2
3	2	6	3	-	-	-	-	1	-	-	1	-
2	1	3	2	1	-	3	-	1	-	-	3	-
16	18	33	22	7	3	33	9	3	-	2	8	8
-	-	-	1	-	-	1	-	-	-	-	-	-
1	-	1	-	-	-	1	-	-	-	-	-	-
1	-	-	3	-	1	3	1	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	1	1
3	-	8	-	-	1	6	1	-	-	-	1	2
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
2	3	4	6	3	-	5	-	1	-	-	2	1
1	1	3	-	-	-	1	-	-	-	-	-	1
1	1	-	-	-	-	2	-	-	-	-	-	-
1	1	1	1	-	-	4	-	1	-	-	-	1
-	2	-	1	-	-	-	-	-	-	1	-	-
-	4	6	2	2	-	1	2	1	-	1	-	-
-	1	-	2	1	-	-	-	-	-	-	4	-
-	-	-	-	1	-	-	-	-	-	-	-	-
2	-	-	-	-	-	2	1	-	-	-	-	-
-	-	2	1	-	-	2	-	-	-	-	-	-
-	3	2	1	-	1	-	1	-	-	-	-	1
-	2	5	3	-	-	4	1	-	-	-	-	1

TABLE
Deaths in Each Town from Certain

FRANKLIN

COUNTY AND TOWNS.	Estimated population for 1899.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Plantations.									
Coplin	70	-	-	-	-	-	-	-	-
Greenvale.....	57	-	-	-	-	-	-	-	-
Lang.....	84	-	-	-	-	-	-	-	-
Rangeley	95	-	-	-	-	-	-	-	-
Jerusalem.....	34	-	-	-	-	-	-	-	-
Redington	105	-	-	-	-	-	-	-	-
Washington.....	20	-	-	-	-	-	-	-	-
HANCOCK COUNTY.....	37,091	-	-	3	33	7	60	12	12
Amherst	365	-	-	-	-	-	-	1	1
Aurora	150	-	-	-	-	-	-	-	-
Bluehill	1,523	-	-	-	2	-	2	-	1
Brooklin	922	-	-	-	2	-	4	-	-
Brooksville	1,184	-	-	-	4	4	4	-	-
Bucksport.....	2,364	-	-	-	4	-	7	1	1
Castine	931	-	-	-	-	-	2	-	-
Cranberry Isles.....	370	-	-	-	-	-	-	-	-
Dedham	329	-	-	-	1	-	-	-	-
Deer Isle	2,184	-	-	-	1	-	4	1	2
Eastbrook.....	248	-	-	-	-	-	-	-	-
Eden.....	4,186	-	-	-	4	-	1	-	-
Ellsworth	4,307	-	-	1	4	-	3	1	1
Franklin	1,207	-	-	-	2	-	5	-	-
Gouldsboro	1,274	-	-	-	2	1	2	2	-
Hancock	929	-	-	-	2	-	-	1	1
Isle au Haut.. ..	164	-	-	-	-	-	-	-	-
Lamoine	597	-	-	-	1	-	3	-	-
Mariaville.....	223	-	-	-	-	-	1	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
20	53	63	54	15	6	34	26	14	2	1	13	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	1	-	-	-	-	-	-
2	1	5	3	1	-	-	-	-	-	-	-	-
-	3	4	2	1	-	-	-	1	-	-	-	-
-	1	-	2	-	-	1	-	-	-	-	-	-
1	5	11	10	1	1	3	4	-	-	-	-	-
1	4	7	1	-	-	1	1	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	1	-	-	-	-	-	1	-	-	-	-	-
1	4	4	3	-	-	5	1	1	1	-	1	-
-	2	1	-	-	-	-	-	-	-	-	-	-
2	1	3	6	1	1	4	2	4	-	-	2	-
1	6	7	6	2	2	8	5	1	-	-	3	-
-	2	3	3	-	1	1	1	-	-	-	2	-
-	3	1	1	1	1	1	2	1	-	-	-	-
1	4	2	1	-	-	1	-	-	1	-	2	1
-	-	1	2	-	-	-	-	-	-	-	-	-
1	-	2	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	1	-	-	-	-	-

TABLE

Deaths in Each Town from Certain

HANCOCK

COUNTY AND TOWNS.	Estimated population for 1899.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Mount Desert.....	1,576	-	-	-	1	1	-	2	1
Orland	1,265	-	-	-	-	-	3	-	-
Otis	160	-	-	-	-	-	1	-	-
Penobscot.....	1,142	-	-	-	-	1	3	-	-
Sedgwick	903	-	-	1	-	-	1	-	1
Sorrento.....	117	-	-	-	-	-	-	-	1
Stonington	1,648	-	-	1	-	-	-	1	1
Sullivan	1,068	-	-	-	1	-	-	-	-
Surry.	908	-	-	-	2	-	2	-	-
Swan's Island.....	745	-	-	-	-	-	1	-	1
Tremont.....	2,012	-	-	-	-	-	7	-	-
Trenton	476	-	-	-	-	-	2	1	-
Verona	243	-	-	-	-	-	-	-	-
Waltham.....	197	-	-	-	-	-	2	-	-
Winter Harbor.....	571	-	-	-	-	-	-	1	-
Long Island Pl.....	170	-	-	-	-	-	-	-	-
No. 33 Pl.....	85	-	-	-	-	-	-	-	-
KENNEBEC COUNTY.....	53,907	4	1	7	52	9	47	30	23
Albion	894	-	-	-	-	-	5	-	-
Augusta	11,578	3	-	-	9	1	10	7	6
Belgrade	1,061	-	-	-	1	-	1	-	1
Benton	1,101	-	-	-	2	1	1	-	-
Chelsea	3,018	-	-	-	-	-	-	1	-
China.	1,384	-	-	1	1	1	2	2	-
Clinton.	1,410	-	-	1	-	1	3	-	-
Farmingdale.....	846	-	-	-	-	-	-	-	2
Fayette.....	568	-	1	-	-	-	2	-	-
Gardiner	5,501	-	-	1	5	1	5	5	1

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
2	1	1	5	1	-	1	1	-	-	-	-	-
-	4	1	-	-	-	-	1	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	2	-	-	1	-	1	1	1	-	-	-	-
-	1	2	-	1	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	1	-	1	-	1	-	-	2	-
-	2	1	1	-	-	-	1	1	-	-	-	-
2	1	1	2	1	-	-	1	1	-	-	-	-
-	1	-	-	-	-	-	2	-	-	-	-	-
1	1	3	5	1	-	2	-	2	-	-	-	-
1	-	-	-	1	-	-	-	-	-	-	-	-
1	-	1	-	1	-	1	-	-	-	-	-	-
-	1	-	-	-	-	1	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
63	145	92	101	31	12	43	25	12	2	6	30	14
-	1	2	2	-	-	2	-	-	-	-	-	-
13	90	18	27	9	-	8	9	6	-	2	7	2
1	-	2	2	-	-	2	-	-	-	-	-	-
1	1	-	2	-	1	-	1	-	-	-	3	-
1	1	3	2	1	1	1	1	-	-	-	1	-
2	2	5	3	2	-	1	-	-	-	1	-	-
2	1	1	1	-	-	2	2	-	-	-	1	-
1	2	3	-	-	-	1	-	1	-	-	-	-
-	-	-	2	-	-	-	1	-	-	-	-	-
7	9	10	17	1	2	6	1	-	1	-	3	1

TABLE
Deaths in Each Town from Certain

KENNEBEC

COUNTY AND TOWNS.	Estimated population for 1899.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Hallowell	2,741	-	-	1	2	1	-	-	-
Litchfield	1,064	-	-	1	1	1	-	-	-
Manchester	527	-	-	-	-	-	-	-	-
Monmouth	1,248	-	-	-	1	-	1	-	-
Mount Vernon	909	-	-	-	2	-	-	-	-
Oakland	1,926	-	-	-	4	-	2	-	2
Pittston	1,187	-	-	-	-	-	1	-	-
Randolph	1,097	-	-	-	2	1	1	-	1
Readfield	1,012	-	-	1	2	-	2	1	2
Rome	428	-	-	-	1	-	-	1	-
Sidney	1,095	-	-	-	1	-	2	-	-
Vassalboro	2,062	1	-	-	1	-	2	1	-
Vienna	414	-	-	-	2	-	-	-	-
Waterville	9,259	-	-	-	5	-	2	8	8
Wayne	707	-	-	-	2	-	-	-	-
West Gardiner	709	-	-	1	2	-	2	1	-
Windsor	789	-	-	-	2	-	1	-	-
Winslow	2,231	-	-	-	3	-	-	1	-
Winthrop	2,090	-	-	-	1	1	2	2	-
Unity Pl	51	-	-	-	-	-	-	-	-
KNOX COUNTY	30,466	-	1	1	29	12	56	9	2
Appleton	985	-	-	-	-	1	-	-	-
Camden	2,860	-	-	-	2	1	3	1	-
Cushing	611	-	-	-	-	-	-	-	-
Friendship	820	-	-	-	-	-	1	-	-
Hope	603	-	-	-	-	-	-	-	-
Hurricane Isle	257	-	-	-	-	-	-	1	-
North Haven	551	-	-	-	-	-	1	-	-
Rockland	8,152	-	-	-	9	4	14	3	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
6	1	-	4	2	-	2	-	-	-	-	-	1
-	2	3	-	-	1	1	-	-	-	-	-	-
-	-	-	1	-	-	-	-	1	-	-	-	-
3	3	4	3	-	1	1	1	-	-	-	1	-
3	3	1	-	-	-	2	1	-	-	1	-	-
1	1	4	3	-	-	1	-	-	-	-	3	1
1	1	2	1	-	-	1	-	-	-	-	-	-
1	1	-	5	1	1	-	1	-	-	-	1	-
2	2	3	-	-	-	-	-	-	-	-	-	1
-	-	-	1	-	-	1	1	-	-	-	-	-
1	-	3	4	-	-	-	1	2	-	-	-	1
3	3	6	2	1	1	1	-	-	-	-	-	-
2	1	2	-	-	-	-	-	-	-	-	-	-
7	8	11	9	6	2	3	1	-	1	1	6	2
1	-	3	2	-	-	1	-	-	-	1	-	3
1	2	-	1	-	-	2	-	2	-	-	-	-
1	1	1	1	-	-	2	-	-	-	-	-	-
2	1	-	2	3	-	2	-	-	-	-	3	1
-	8	5	4	5	2	-	4	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	1	-
35	38	50	43	3	6	19	18	10	2	2	12	6
3	1	1	2	-	-	-	-	-	-	1	-	1
6	2	8	3	-	1	1	1	3	-	-	1	-
1	-	1	-	-	-	1	-	-	-	-	-	-
-	-	1	-	-	-	-	2	-	-	-	-	1
4	-	1	2	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
7	15	16	9	1	-	8	5	3	1	-	5	2

TABLE
Deaths in Each Town from Certain

OXFORD

COUNTY AND TOWNS.	Estimated population for 1899.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other develop-mental diseases.	Inflammation of brain or membranes.
OXFORD COUNTY	31,885	1	-	3	34	8	29	9	8
Albany	549	-	-	-	1	-	1	-	-
Andover	728	-	-	-	-	-	1	-	-
Bethel	1,872	-	-	1	4	1	3	1	-
Brownfield	1,030	-	-	-	-	-	-	-	1
Buckfield.....	1,145	-	-	-	1	-	2	-	-
Byron	202	-	-	-	-	-	-	-	-
Canton	982	-	-	1	1	-	2	-	-
Denmark.....	646	-	-	-	3	-	1	-	1
Dixfield	1,046	-	-	-	-	-	-	1	-
Fryeburg	1,380	-	-	-	1	-	2	-	-
Gilead	340	-	-	-	-	-	-	1	-
Greenwood	740	-	-	-	1	-	1	-	-
Hanover.....	214	-	-	-	-	-	1	-	1
Hartford.....	663	-	-	-	1	-	-	-	-
Hebron	505	-	-	-	-	-	-	-	-
Hiram	1,020	-	-	-	-	-	-	-	-
Lovell	709	-	-	-	2	-	1	1	-
Mason	68	-	-	-	-	-	-	-	1
Mexico	770	-	-	-	-	1	-	-	-
Newry	292	-	-	-	1	-	-	-	-
Norway	2,878	-	-	-	6	1	4	1	2
Oxford.....	1,343	-	-	-	1	-	2	-	-
Paris.....	3,218	-	-	1	3	2	6	2	2
Peru	765	-	-	-	-	-	-	-	-
Porter	899	-	-	-	4	-	-	-	-
Roxbury.....	236	-	-	-	-	-	-	-	-
Rumford	3,483	-	-	-	-	-	1	2	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
30	30	55	55	10	9	23	23	3	1	-	17	9
-	-	-	-	-	-	1	-	-	-	-	-	-
-	2	-	1	-	2	2	-	-	-	-	-	-
3	1	4	4	1	1	1	1	-	-	-	1	1
1	-	4	-	2	-	-	-	-	-	-	-	-
2	6	5	1	-	-	3	-	1	-	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	1	3	-	-	-	-	-	-	-	-	2
-	1	2	-	1	-	1	2	-	-	-	-	-
2	-	1	-	-	-	2	-	1	-	-	-	-
1	1	1	9	-	-	-	1	-	-	-	1	-
-	-	-	1	-	-	-	1	-	-	-	-	-
-	1	1	-	-	-	1	-	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-
1	1	3	-	-	-	1	-	-	-	-	-	-
-	-	2	1	-	-	-	-	-	-	-	-	-
2	1	2	1	-	-	-	1	-	-	-	-	1
2	-	2	1	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	1	1
2	-	1	3	-	-	2	-	-	-	-	-	-
2	3	4	6	1	2	-	3	-	-	-	2	-
2	1	4	4	2	-	1	2	-	-	-	-	-
4	2	4	4	2	3	2	4	1	-	-	-	2
-	-	1	-	1	-	-	-	-	-	-	-	-
1	2	3	2	-	-	1	-	-	-	-	-	1
-	-	-	2	-	-	-	-	-	-	-	-	-
1	3	3	5	-	-	1	2	-	-	-	7	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
1	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	1	1	-	-	-	-	-
-	1	-	-	-	-	-	1	-	-	-	1	-
1	1	1	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	1	3	2	-	-	2	2	-	-	-	-	-
-	1	2	5	-	-	1	-	-	-	-	1	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
56	96	107	117	16	15	66	38	13	5	7	55	6
-	2	-	1	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-
19	17	34	38	2	3	23	11	3	2	2	18	2
1	-	2	1	-	1	2	-	-	1	-	1	-
1	-	-	-	1	-	-	5	-	-	-	1	-
-	4	4	6	2	-	1	2	-	-	-	4	-
-	-	-	1	-	-	-	-	-	-	-	-	-
1	-	3	2	-	-	1	1	3	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	1	-	-	1	-	-	-	-	-	-	-
-	1	-	2	-	-	-	-	-	-	-	-	-
-	-	-	2	-	-	-	-	1	-	-	-	-
1	1	2	1	-	-	-	1	-	-	-	-	-
2	4	1	5	-	1	-	1	-	-	-	1	-
1	9	8	2	2	-	6	3	-	-	1	-	1
-	2	4	3	-	-	1	-	-	-	-	-	-
-	1	2	1	1	-	1	-	1	-	-	-	-
-	-	1	-	-	1	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

PENOBSCOT

COUNTY AND TOWNS.	Estimated population for 1899.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other develop- mental diseases.	Inflammation of brain or membranes.
Enfield.....	1,033	-	-	-	-	-	-	2	-
Etna.....	539	-	-	-	1	-	1	1	1
Exeter.....	885	-	1	-	-	-	2	1	-
Garland.....	869	-	-	1	1	-	-	-	-
Glenburn.....	473	-	-	-	-	-	-	-	-
Greenbush.....	592	-	-	-	-	-	1	1	-
Hampden.....	2,212	-	1	-	4	1	7	2	3
Hermon.....	1,193	-	-	1	1	-	-	1	-
Holden.....	602	-	-	-	1	-	1	-	-
Howland.....	484	-	-	-	-	-	1	-	-
Hudson.....	438	-	-	-	-	-	-	-	-
Kenduskeag.....	434	-	-	-	-	1	1	-	-
Kingman.....	910	-	-	-	-	-	-	1	-
Lagrange.....	589	-	-	-	-	1	3	1	-
Lee.....	814	-	-	-	-	-	1	-	-
Levant.....	798	-	-	-	-	-	-	-	-
Lincoln.....	1,733	-	-	-	-	2	-	-	-
Lowell.....	314	-	-	-	1	-	1	-	-
Mattawamkeag.....	537	-	-	-	1	-	-	-	-
Medway.....	333	-	-	-	-	-	-	-	-
Milford.....	838	-	-	-	1	-	3	1	1
Mount Chase.....	298	-	-	-	-	-	-	-	-
Newburgh.....	747	-	-	-	-	-	1	-	2
Newport.....	1,499	-	-	-	1	-	1	1	-
Old Town.....	5,718	-	-	-	2	1	3	2	5
Orono.....	3,210	-	1	-	-	2	3	-	1
Orrington.....	1,280	-	-	-	1	-	-	-	-
Passadumkeag.....	402	-	-	-	1	-	-	-	-
Patten.....	1,148	-	-	-	1	1	1	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONTINUED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	1	-	1	1	-	-	-	-	3	-
-	2	1	1	1	-	-	-	-	-	-	-	-
3	-	1	1	-	-	2	1	-	-	-	-	-
-	3	1	-	-	1	-	-	1	-	-	-	-
-	1	-	1	-	-	1	-	-	-	-	-	-
-	-	-	-	-	1	1	-	-	-	-	-	-
2	1	3	3	1	-	1	-	-	1	-	3	1
2	2	3	1	1	-	1	-	-	-	-	2	-
-	-	2	2	-	-	1	-	-	-	-	1	-
1	1	-	-	1	1	-	-	-	-	-	1	-
-	-	-	-	-	-	-	1	-	-	-	-	1
-	2	-	-	-	-	1	-	-	-	-	-	-
-	-	-	2	-	-	-	-	-	-	-	2	-
1	-	-	1	-	-	1	-	-	-	-	-	-
-	-	1	-	-	-	-	1	-	-	-	-	-
2	2	3	-	-	-	1	-	3	-	-	1	-
-	3	4	-	-	1	2	-	-	-	-	-	-
1	1	1	1	-	-	-	-	-	-	-	-	-
-	4	-	1	-	-	-	-	-	-	-	-	-
1	3	-	-	-	-	1	-	-	-	-	-	-
1	-	2	1	-	-	1	-	-	-	-	-	-
-	1	-	1	-	-	-	-	-	-	-	-	-
-	2	-	-	-	-	1	1	-	-	-	-	-
1	1	7	2	-	1	3	-	-	-	1	1	-
6	7	4	19	2	-	4	3	1	-	-	7	-
1	4	4	5	1	-	2	3	-	-	-	2	-
3	4	3	-	-	-	2	2	-	-	-	1	-
-	-	1	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	1	1	-	-	1	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
1	-	-	2	-	-	-	-	-	-	-	-	1
-	1	-	-	-	1	1	-	-	-	-	-	-
1	2	-	3	-	-	1	1	-	-	-	-	-
-	5	1	3	-	-	1	-	-	-	-	2	-
1	1	-	-	1	1	-	-	-	-	-	1	-
-	1	-	-	-	-	-	-	-	-	-	2	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	1	-	1	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
10	32	16	27	3	4	8	8	5	-	-	12	5
-	1	2	1	-	1	-	-	-	-	-	1	-
-	4	-	-	-	-	-	1	-	-	-	1	1
-	-	-	4	-	-	-	-	-	-	-	-	-
-	6	4	4	-	1	1	1	-	-	-	-	-
-	7	2	4	-	1	1	-	-	-	-	-	1
2	5	2	1	-	-	-	1	1	-	-	-	1
-	-	-	2	1	1	1	1	-	-	-	3	-
2	1	2	1	-	-	1	-	-	-	-	1	-
1	1	-	-	-	-	-	-	1	-	-	-	-
1	-	-	1	-	-	-	1	1	-	-	2	-
-	1	-	-	1	-	3	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	3	-	-	-	1	2	-	-	-	-
1	1	1	3	-	-	-	-	-	-	-	1	1
2	2	-	1	-	-	-	1	-	-	-	1	-

TABLE

Deaths in Each Town from Certain

PISCATAQUIS

COUNTY AND TOWNS.	Estimated population for 1899.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other develop- mental diseases.	Inflammation of brain or membranes.
Shirley	252	-	-	-	-	1	-	-	-
Wellington	430	-	-	-	1	-	-	-	1
Williamsburg.....	120	-	-	-	1	-	-	-	-
Willimantic.....	421	-	1	-	-	-	-	-	-
Kingsbury Pl	116	-	-	-	-	-	1	-	-
Lake View Pl.....	173	-	-	-	-	-	-	-	-
Katahdin Iron Works	110	-	-	-	-	-	-	-	-
North East Carry	24	-	-	-	-	-	-	-	-
SAGADAHOC COUNTY	20,242	-	2	-	13	5	24	8	6
Arrowsic	180	-	-	-	-	-	-	-	-
Bath	10,302	-	-	-	7	4	8	3	3
Bowdoin	937	-	1	-	-	-	1	1	-
Bowdoinham	1,325	-	-	-	3	1	2	1	-
Georgetown.....	804	-	-	-	-	-	1	-	-
Perkins	61	-	-	-	-	-	1	-	-
Phippsburg	1,268	-	1	-	1	-	2	-	-
Richmond	2,153	-	-	-	1	-	6	-	2
Topsham	2,027	-	-	-	1	-	1	1	1
West Bath.....	292	-	-	-	-	-	-	-	-
Woolwich	895	-	-	-	-	-	2	2	-
SOMERSET COUNTY	33,382	-	2	2	26	12	41	11	12
Anson	1,791	-	-	-	1	-	1	2	1
Athens	914	-	-	-	-	-	-	1	-
Bingham	833	-	-	-	1	-	-	1	1
Cambridge	370	-	-	-	1	1	-	-	-
Canaan	992	-	-	-	-	-	1	-	-
Concord	296	-	-	-	-	-	-	-	-
Cornville	698	-	-	-	-	-	3	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	1	-	-	-	-	1	-	-	-	-	-	-
1	2	2	2	-	-	-	-	-	-	-	1	1
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
18	14	26	25	4	2	25	15	4	1	-	24	4
1	-	-	2	-	-	-	-	-	-	-	-	-
10	11	15	11	2	1	14	11	1	1	-	7	3
-	1	2	1	-	-	1	-	-	-	-	-	1
1	-	5	2	-	-	2	-	-	-	-	4	-
-	1	-	1	1	-	1	1	-	-	-	5	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	2	-	-	2	1	1	-	-	1	-
3	-	-	2	-	-	2	2	2	-	-	2	-
2	-	3	2	1	-	-	-	-	-	-	1	-
1	-	-	1	-	1	-	-	-	-	-	2	-
-	1	1	1	-	-	3	-	-	-	-	2	-
40	32	43	63	10	2	36	18	7	3	1	15	-
4	3	5	3	2	-	6	-	2	1	-	-	-
3	1	-	1	-	-	1	1	-	-	-	1	-
-	1	-	4	-	-	1	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-
1	-	1	2	-	-	1	2	-	1	-	1	-
-	-	-	-	1	-	-	-	-	-	-	2	-
1	-	1	2	-	-	1	2	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

WALDO

COUNTY AND TOWNS.	Estimated population for 1899.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other develop- mental diseases.	Inflammation of brain or membranes.
WALDO COUNTY	24,542	-	-	1	20	4	23	16	4
Belfast	4,684	-	-	-	5	2	3	4	1
Belmont.....	359	-	-	-	1	-	-	1	1
Brooks.....	675	-	-	-	4	-	1	-	-
Burnham	774	-	-	-	-	-	-	-	-
Frankfort.....	1,200	-	-	-	1	-	1	2	-
Freedom	482	-	-	-	-	-	1	-	-
Islesboro	931	-	-	-	1	-	1	-	-
Jackson	447	-	-	-	-	-	-	-	-
Knox	568	-	-	1	-	-	1	2	-
Liberty.....	747	-	-	-	-	-	-	-	-
Lincolntown	1,238	-	-	-	1	1	3	-	-
Monroe	970	-	-	-	-	-	2	1	-
Montville	989	-	-	-	1	1	4	1	-
Morrill	424	-	-	-	-	-	-	-	-
Northport	560	-	-	-	-	-	-	-	-
Palermo.....	770	-	-	-	-	-	-	-	-
Prospect	653	-	-	-	-	-	-	-	-
Searsmont	968	-	-	-	-	-	1	-	-
Searsport.....	1,384	-	-	-	-	-	4	1	1
Stockton Springs	900	-	-	-	2	-	-	-	-
Swanville	521	-	-	-	-	-	-	-	1
Thorndike	506	-	-	-	-	-	-	-	-
Troy.....	776	-	-	-	-	-	1	-	-
Unity	881	-	-	-	-	-	-	2	-
Waldo	480	-	-	-	-	-	-	-	-
Winterport.....	1,655	-	-	-	4	-	-	2	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
33	36	55	35	9	7	20	24	13	-	1	14	6
4	8	19	5	-	1	5	6	2	-	-	2	2
-	-	-	1	-	-	1	-	-	-	-	-	-
2	1	2	-	1	-	2	-	-	-	-	-	-
1	1	1	1	-	-	-	-	1	-	-	-	-
1	1	-	2	-	4	-	1	2	-	-	-	-
1	1	2	-	-	-	-	-	-	-	-	-	-
-	1	-	2	-	-	-	-	1	-	-	1	-
1	-	1	1	-	-	-	-	-	-	-	3	-
1	1	1	1	-	-	-	1	-	-	-	-	-
3	1	2	-	1	-	1	1	1	-	-	1	-
-	2	1	2	-	-	-	2	-	-	-	-	1
1	1	3	1	-	1	1	-	-	-	-	2	-
-	1	3	-	-	-	1	-	-	-	-	-	-
3	-	-	-	-	-	-	1	-	-	-	-	-
-	-	2	1	-	-	-	3	-	-	-	-	1
1	2	-	1	-	1	-	1	1	-	-	-	-
-	2	3	-	-	-	-	-	-	-	-	-	-
4	-	1	2	-	1	-	-	-	-	1	-	1
1	7	6	-	-	2	3	4	1	-	-	2	-
-	1	1	1	-	-	-	2	-	-	-	-	-
-	1	2	3	-	-	-	-	-	-	-	-	-
2	-	-	1	-	1	3	-	1	-	-	1	-
2	1	2	1	-	-	-	-	-	-	-	-	-
-	2	-	9	-	-	-	1	1	-	-	-	1
-	-	1	-	-	-	-	-	1	-	-	-	-
5	1	2	-	3	-	2	-	3	-	-	2	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

A poplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	2	-	-	-	-	-	-	-	-	1	-
-	3	4	2	2	-	1	3	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
2	3	6	1	-	1	-	-	1	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	3	-
1	1	3	2	-	-	1	-	-	-	-	-	-
1	1	2	1	-	-	-	1	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-
3	4	1	2	-	-	-	1	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
1	-	-	3	-	1	-	1	-	-	-	1	-
-	1	-	2	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	1	-	-	-	-	-	-
-	1	-	-	-	-	-	-	1	-	-	-	-
-	1	1	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	-	-	-	-	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	-	-	-	-	-	-	-
68	76	111	130	38	16	68	47	13	4	1	32	7
-	2	2	-	1	-	-	2	-	-	-	1	-
1	-	4	1	1	-	1	1	-	-	-	-	-
3	5	5	6	1	3	5	1	1	-	-	1	-
13	16	21	44	12	1	13	12	2	2	1	8	2
5	3	4	2	-	-	2	-	-	-	-	-	-
1	3	1	1	1	1	2	-	-	-	-	-	-
-	1	3	-	1	-	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

YORK

COUNTY AND TOWNS.	Estimated population for 1886.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Eliot	1,458	-	-	-	1	1	2	-	1
Hollis	1,274	-	-	-	2	-	1	-	-
Kennebunk	3,223	-	-	1	4	3	2	2	-
Kennebunkport	2,130	-	-	-	2	1	3	4	-
Kittery	2,872	-	1	-	6	1	5	2	-
Lebanon	1,328	-	-	-	-	-	1	2	-
Limerick	883	-	-	-	-	-	1	1	1
Limington	1,010	-	-	-	-	-	1	-	1
Lyman	704	-	-	-	2	-	-	-	1
Newfield	688	-	-	-	1	-	3	2	-
North Berwick	1,753	-	-	-	2	-	1	-	-
Old Orchard	956	-	-	-	1	1	-	-	-
Parsonsfield	1,157	-	-	-	-	1	1	2	1
Saco	6,118	2	-	-	6	3	6	5	3
Sanford	5,892	-	-	-	3	-	4	1	4
Shapleigh	859	-	-	-	2	-	-	-	-
South Berwick	3,213	-	-	-	2	1	3	1	-
Waterboro	1,187	-	-	-	-	2	1	1	-
Wells	2,009	-	-	2	1	-	4	2	-
York	2,646	-	-	-	-	-	3	1	-

No. 32—Concluded.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
3	3	1	1	1	1	-	-	-	-	-	-	-
1	2	-	2	1	1	1	-	-	-	-	-	-
4	2	6	5	3	-	4	3	1	-	-	6	1
4	3	6	6	1	2	3	2	2	-	-	-	-
3	4	3	7	1	-	4	-	-	-	-	-	-
1	-	1	4	-	-	1	1	-	-	-	-	2
1	1	1	-	-	-	1	-	1	-	-	-	-
1	-	1	4	-	-	2	2	-	1	-	-	-
-	1	-	1	1	1	2	1	-	-	-	-	-
-	1	-	-	-	-	-	1	-	-	-	-	-
-	-	1	1	2	-	1	3	1	-	-	3	-
2	-	4	-	-	-	2	4	1	-	-	2	-
2	2	4	3	-	-	1	2	-	-	-	1	-
9	7	13	14	4	4	6	2	-	-	-	3	2
4	5	13	12	3	-	5	6	2	-	-	2	-
-	1	-	2	-	-	2	-	-	-	-	-	-
3	3	3	7	3	1	2	1	-	-	-	1	-
2	2	3	-	-	1	5	1	1	1	-	-	-
1	7	2	4	1	-	-	1	1	-	-	-	-
4	2	9	3	-	-	3	1	-	-	-	4	-

TABLE
Deaths by Ages, Sex

COUNTIES.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Androscoggin, males ...	114	72	28	25	37	33	36	46	53	61	38	3	-	2
females	91	58	23	29	27	43	33	35	46	63	39	10	-	7
not stated	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Aroostook, males ...	125	51	11	24	25	10	16	20	40	31	27	-	-	1
females	100	41	14	22	43	28	23	21	38	33	18	2	-	1
not stated	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cumberland, males	128	53	12	34	60	67	69	100	115	143	79	7	-	1
females	99	51	18	23	85	75	75	102	143	123	97	13	-	2
not stated	3	-	-	-	-	-	-	-	-	-	-	-	-	1
Franklin, males	16	11	6	4	7	9	6	14	20	30	20	6	-	1
females	20	10	2	7	11	14	9	19	19	21	22	6	-	1
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock, males	27	7	5	9	17	11	17	32	50	66	39	4	-	-
females	21	12	6	15	23	15	23	29	40	51	45	7	-	1
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec, males	76	13	16	21	31	32	37	55	65	95	51	7	-	7
females	77	26	11	13	38	35	47	51	78	93	65	15	-	7
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Knox, males	22	11	4	11	18	20	19	19	41	35	43	3	-	-
females	13	11	3	5	11	18	13	25	31	44	39	9	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln, males	11	4	1	4	9	11	7	22	27	29	24	5	-	2
females	14	3	2	9	8	4	12	10	13	37	36	10	-	2
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford, males	25	10	2	10	10	11	17	20	41	50	39	4	-	-
females	16	5	3	12	28	7	15	34	33	52	28	5	-	1
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot, males	75	36	10	30	38	49	38	49	95	96	71	13	-	1
females	70	27	9	30	52	48	45	51	73	88	71	16	-	2
not stated	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Piscataquis, males	16	16	5	2	5	9	9	14	16	28	20	4	-	2
females	15	4	1	9	8	8	4	11	22	21	22	6	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc, males	27	6	2	8	12	6	12	11	24	30	19	1	-	1
females	15	13	2	3	7	8	9	5	22	27	21	8	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset, males	28	20	2	4	13	8	15	24	39	46	38	6	-	-
females	27	17	5	13	30	22	25	28	42	53	39	1	-	3
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waldo, males	19	7	1	10	11	6	10	24	38	55	32	1	-	1
females	16	8	1	7	25	17	14	18	25	40	33	10	-	2
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington, males	64	20	4	17	25	17	16	18	43	59	37	3	-	-
females	42	17	3	18	30	20	22	23	28	51	31	12	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York, males	141	45	10	21	29	26	42	42	79	98	65	12	-	1
females	95	44	15	21	42	33	47	50	77	81	71	20	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Totals, males	914	382	119	234	347	325	366	510	786	952	642	79	-	20
females	731	347	118	236	468	395	416	512	730	878	677	148	-	28
not stated	5	1	-	-	1	-	-	-	-	-	-	-	-	1
Grand total	1650	730	237	470	816	720	782	1022	1516	1830	1319	227	2	49

No. 33.

and Months by Counties.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
59	45	52	52	39	41	37	46	47	42	39	46	3	548	-
54	39	40	37	37	44	39	51	39	34	45	43	2	504	-
-	-	-	-	-	-	1	-	-	-	-	1	-	2	1,054
33	27	36	23	20	26	24	52	57	26	33	24	-	381	-
34	31	40	34	20	22	10	49	56	35	23	30	1	384	-
-	-	-	-	-	-	1	-	-	-	-	-	-	1	766
91	91	66	76	74	60	63	92	74	55	56	70	-	868	-
128	65	89	49	81	53	68	78	71	71	72	81	-	906	-
-	1	-	1	-	1	1	-	-	-	-	-	-	4	1,778
22	16	17	12	8	9	19	6	7	9	16	15	-	150	-
10	20	10	15	19	15	7	14	15	8	13	14	-	160	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	316
41	28	21	17	25	16	18	24	25	29	12	28	-	284	-
39	37	22	35	20	23	17	20	18	19	18	20	-	288	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	572
62	50	39	44	36	45	38	48	34	27	35	48	-	506	-
71	55	41	55	49	40	35	40	47	52	34	37	1	557	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,063
23	26	21	23	17	11	17	19	22	22	24	21	-	246	-
31	24	25	21	20	19	14	14	16	17	13	8	-	222	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	468
20	17	16	8	11	7	13	17	10	12	12	13	-	156	-
26	19	16	10	9	13	7	14	13	13	11	7	2	160	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	316
37	21	21	28	19	10	21	15	14	16	17	20	-	239	-
34	26	18	24	24	17	16	20	15	15	16	14	-	239	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	478
65	40	43	64	50	42	41	59	49	54	45	43	-	601	-
102	53	50	55	47	30	34	54	40	42	39	36	-	582	-
-	-	-	1	-	-	-	-	-	-	-	-	-	1	1,184
27	8	11	12	11	12	7	10	11	15	13	9	-	146	-
27	13	4	9	9	13	9	6	9	11	9	12	-	131	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	277
16	15	11	16	14	11	12	12	22	12	10	8	-	159	-
20	11	10	13	11	9	15	13	13	12	10	3	-	140	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	299
29	22	21	23	20	18	24	17	11	19	16	23	-	243	-
54	32	18	31	21	18	11	31	25	25	16	23	-	305	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	548
27	20	17	22	15	13	12	23	14	19	20	13	-	215	-
34	25	18	14	20	15	8	8	21	28	9	17	-	217	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	432
34	28	25	26	19	23	27	35	29	26	30	20	1	323	-
36	29	16	22	25	16	25	24	27	30	20	25	-	295	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	618
70	52	43	42	59	42	48	58	55	55	33	54	-	611	-
76	63	58	51	50	34	44	62	47	32	29	49	1	596	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,207
656	506	460	488	437	386	421	533	481	438	405	461	4	5,676	-
776	542	475	475	462	381	359	498	472	444	376	419	7	5,686	-
-	1	-	2	-	1	3	-	-	-	-	1	-	8	-
1,432	1,049	935	965	899	768	783	1,031	953	882	781	881	11	11,370	11,370

TABLE No. 34.

Number of Deaths from Several Specified Causes, of Each Sex, in Each Month, which were Registered During Eight Years, (1892-99.)

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Cerebro-spinal meningitis.	Typhoid fever.	Consumption.	Infantile diarrhœa.	Pneumonia.	Bronchitis.	Apoplexy.
Totals.	247	332	504	1,542	293	1,782	9,444	4,326	7,962	1,818	4,040
Males	112	163	233	745	153	996	4,068	-	3,868	857	1,958
Females.....	134	169	271	797	140	785	5,375	-	4,094	961	2,082
Not stated.....	1	-	-	-	-	1	1	-	-	-	-
January	22	27	50	163	27	121	832	38	1,498	251	395
February	18	25	36	137	31	100	768	37	1,108	204	361
March.	33	35	42	97	25	135	897	51	1,112	240	346
April	25	30	31	105	37	100	885	61	948	198	332
May.	37	29	37	111	20	104	899	61	717	191	353
June.....	22	29	46	83	22	94	796	116	378	109	303
July.	28	14	37	97	24	79	778	665	165	92	277
August	14	16	54	82	23	144	738	1,506	157	65	342
September.	7	26	54	113	22	251	685	1,207	245	83	323
October.	15	30	35	175	30	291	751	440	395	129	326
November	15	37	42	183	18	199	654	87	505	113	312
December.....	11	34	39	194	14	160	755	55	731	143	370
Not stated.....	-	-	1	2	-	4	6	2	3	-	-

NOTES ON DEATHS AND THE CAUSES OF DEATHS.

Death-Rates.—The number of deaths registered in the year 1899 was 11,370 (12,147 in 1892, 11,134 in 1893, 11,012 in 1894, 10,464 in 1895, 10,626 in 1896, 11,236 in 1897, and 10,956 in 1898). The number of deaths for this registration year was, therefore, 414 more than that for the year 1898, 134 more than for 1897, 744 more than for 1896, 906 more than for 1895, 358 more than for 1894, 236 more than for 1893, and 777 less than for 1892. The death-rate for the State for the year 1899 was 16.45 for every 1,000 of population, according to the estimated population for 1899 (18.37 in 1892, 16.84 in 1893, 16.66 in 1894, 15.83 in 1895, 16.07 in 1896, 16.99 in 1897, and 16.57 in 1898).

By referring to Table No. 4, it will be seen that the death-rate of Aroostook county was lower than that of any other county, being only 13.13. The counties Aroostook, Hancock, Knox, Lincoln, Oxford, Penobscot, Sagadahoc, Somerset, and Washington had lower death-rates than that of the whole State; while the counties Androscoggin, Cumberland, Franklin, Kennebec, Waldo and York have death-rates larger than that of the State. The highest county death-rate was that of Androscoggin, 19.62.

The death-rate in the cities was 18.10 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, 18.36 in 1895, 18.78 in 1896, 20.11 in 1897, and 19.74 in 1898) as compared with that of the rest of the State with the cities omitted, which death-rate was 15.52 (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, 14.77 in 1895, 14.93 in 1896, 15.68 in 1897, and 15.24 in 1898).

Seasons and Mortality.—The largest number of deaths occurred in February, 1,049. The smallest number of deaths in any one month was 768 in June. During the spring months 2,799 deaths occurred; during the summer, 2,582; during the autumn, 2,616; in the winter, 3,362. The following shows the month in which the largest and smallest number of deaths occurred in the years 1892-99:

Largest Number.		Smallest Number.		
1892	January	1,577	November.....	790
1893	August.....	1,080	November.....	796
1894	January	1,266	November.....	761
1895	March.....	1,053	June	715
1896	August....	1,079	November.....	667
1897	March	1,259	June	769
1898	September	1,147	June	791
1899	February	1,049	June	768

The following is a tabular statement of the number of deaths in each quarter of the eight years 1892-99:

	1st Quarter.	2d Quarter.	3rd Quarter.	4th Quarter.
1892	3,964	2,926	2,780	2,427
1893	2,653	2,825	2,878	2,750
1894	3,166	2,660	2,774	2,402
1895	2,780	2,412	2,764	2,503
1896	2,728	2,717	2,836	2,339
1897	3,026	2,681	2,856	2,671
1898	2,567	2,641	2,964	2,782
1899	3,416	2,632	2,767	2,544

Table No. 29 exhibits the total number of deaths which occurred in each month of the eight years for which a report has now been made. The number of deaths for 1899 in each month by counties is shown in Table No. 33.

Sex and Mortality.—Of the 11,370 decedents, 5,676 were males and 5,686 were females. The sex of 8 was unstated.

Among children dying before they were 5 years old, 1,296 were males and 1,078 were females; there were 218 more deaths among boys under 5 years of age than among girls within the same age-period. On the contrary, at the age-periods from 10 to 50 years there was a preponderance of deaths among females, while there were more deaths among males at the ages from 50 to 80. At the age of 100 years and over, 2 persons died, both women. See Table No. 33.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under 1	year of age	1,650	14.51 per cent.
From 1-5	years of age	730	6.42 per cent.
From 5-10	years of age	237	2.08 per cent.
From 10-20	years of age	470	4.13 per cent.
From 20-30	years of age	816	7.18 per cent.
From 30-40	years of age	720	6.33 per cent.
From 40-50	years of age	782	6.89 per cent.
From 50-60	years of age	1,022	8.99 per cent.
From 60-70	years of age	1,516	13.33 per cent.
From 70-80	years of age	1,830	16.09 per cent.
From 80-90	years of age	1,319	11.60 per cent.
From 90-100	years of age	227	2.00 per cent.
Over 100	years of age	2	0.02 per cent.
Ages not stated		49	0.43 per cent.

The Causes of Death.—Of the 12,134 deaths, including 580 still-births and 184 premature births, the cause of 11,733 was certified, leaving 401 of which the cause of death was unspecified or so ill-defined as to preclude satisfactory classification.

The following table shows the mortality from ten prominent causes in the eight years 1892-99. With the exception of the year 1892, the various diseases of the brain have occupied the first place among the causes of death, and consumption was the next most prominent cause until last year when it was reduced to the third place in the list, and this year it occupies the fourth place. Diseases of the heart have the third place, and pneumonia has the second place. In 1892, on account of the existing epidemic of influenza, pneumonia occupied the first place in the list of the causes of death.

MORTALITY FROM TEN PROMINENT CAUSES—1892-99.

CAUSES OF DEATH.	1899.	1899.	1898.	1897.	1896.	1895.	1894.	1893.	1892.
Brain disease*	1,478	1	1	1	1	1	1	1	3
Pneumonia	1,067	2	4	4	4	4	3	3	1
Heart disease....	1,028	3	2	3	3	3	4	4	4
Consumption	1,015	4	3	2	2	2	2	2	2
Old Age	674	5	6	5	5	5	5	5	5
Infantile diarrhea.....	565	6	5	6	6	6	7	6	6
Cancer.....	541	7	7	7	7	7	6	7	7
Kidney disease †.....	505	8	8	8	8	8	8	8	8
Bronchitis	233	9	10	10	9	9	9	9	9
Diphtheria and croup.....	152	10	9	9	10	10	10	10	10

*Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain and its membranes; and other brain diseases.

†Including deaths certified as from nephritis, Bright's disease, albuminuria, and uremia.

By referring to Table No. 30, it will be noticed that the causes of death are arranged under eight "Classes," and that the causes of death in some of the classes are distributed into several "Groups." The following notes on some of the classes and groups of diseases and individual causes of death will be arranged in accordance with the classification shown in this Table No. 30.

Zymotic Diseases.—The lists of the zymotic diseases usually include smallpox, measles, scarlet fever, typhoid fever, whooping-cough, diphtheria and croup, and the diarrheal diseases. The following table shows the number of deaths which resulted from these zymotic diseases in the several counties of the State.

SEVEN ZYMOTIC DISEASES BY COUNTIES—1899.

COUNTIES.	Estimated population for 1899.	Aggregate deaths from zymotic diseases—1899.	Zymotic death-rate per 10,000—1899.	Mean zymotic death-rate—1892-99.
Androscoggin.....	53,715	205	38.16	30.06
Aroostook.....	59,629	209	35.05	33.18
Cumberland.....	99,724	143	14.35	18.71
Franklin.....	18,305	22	12.02	14.84
Hancock.....	37,248	32	8.59	12.50
Kennebec.....	58,907	111	18.84	22.30
Knox.....	30,513	26	8.52	13.73
Lincoln.....	19,902	13	6.53	6.50
Oxford.....	32,073	23	7.17	11.07
Penobscot.....	75,908	105	13.83	15.64
Piscataquis.....	16,868	24	14.23	10.77
Sagadahoc.....	20,242	17	8.40	11.39
Somerset.....	33,727	44	13.03	12.93
Waldo.....	24,542	18	7.33	8.08
Washington.....	45,157	57	12.62	16.16
York.....	64,680	146	22.57	23.79
State.....	691,140	1,195	17.29	18.61

In the foregoing table the third column shows, for each county, the whole number of deaths in 1899 from the zymotic diseases, the fourth column shows the zymotic death-rate for the same year, and the last column gives the mean or average zymotic death-rate in each county for the eight years 1892-99. The following table makes a similar comparative exhibit for the cities :

ZYMOTIC DISEASES BY CITIES—1899.

CITIES.	Estimated population for 1899.	Aggregate deaths from seven zymotic diseases—1899.	Zymotic death-rate per 10,000—1899.	Mean zymotic death-rate—1892-99.
Auburn	12,781	24	18.78	22.01
Augusta	11,578	41	35.40	38.50
Bangor	21,575	26	12.05	19.04
Bath	10,302	10	9.71	14.54
Belfast	4,684	3	6.40	10.01
Biddeford	15,975	78	48.83	55.17
Brewer	4,771	12	25.15	21.62
Calais	7,618	19	24.94	30.38
Eastport	5,271	6	11.37	22.81
Ellsworth	4,307	2	4.64	8.65
Gardiner.....	5,501	7	12.72	15.50
Hallowell.....	2,741	-	-	11.79
Lewiston	23,555	147	62.41	45.59
Old Town.	5,718	18	31.48	31.94
Portland.....	49,208	88	17.88	22.28
Rockland	8,152	4	49.07	25.09
Saco.....	6,118	17	27.79	21.99
South Portland.....	9,259	6	6.48	-
Waterville.....	7,218	30	41.56	40.70
Westbrook	6,287	8	12.72	29.85
Collectively	222,619	546	24.53	27.47

Infectious Diseases.—Disregarding influenza, the number of deaths caused by this group of diseases was 684 in 1892, 678 in 1893, 536 in 1894, 575 in 1895, 617 in 1896, 605 in 1897, 660 in 1898, and 621 in 1899. In 1899 there were, therefore, 39 fewer deaths from these causes than in the preceding year. By consulting the table which follows, it will be seen that the number of deaths from scarlet fever, cerebro-spinal meningitis, and whoop-

ing-cough was larger than in 1898; and from typhoid fever there were 21 fewer deaths than in that year. The combined mortality from diphtheria and croup was less than for any registration year, except 1893, when it was exactly the same.

INFECTIOUS DISEASES—1892-99.

DISEASES.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	Totals.
Smallpox.....	-	-	-	-	-	-	-	3	3
Chickenpox.....	-	1	-	1	-	-	-	-	2
Measles.....	29	55	21	8	32	22	41	39	247
Rötheln.....	-	-	-	1	2	-	-	-	3
Scarlet fever.....	36	80	29	25	33	38	43	48	332
Typhus fever.....	-	-	1	1	1	-	-	-	3
Influenza.....	755	153	295	152	117	294	145	380	2,291
Whooping-cough.....	54	51	20	82	111	46	44	96	504
Mumps.....	-	-	-	1	-	-	3	1	5
Diphtheria.....	106	69	77	135	109	200	185	92	973
Croup.....	106	83	62	62	65	76	55	60	569
Tonsilitis, etc.....	9	7	1	4	7	11	8	5	52
Cerebro-spinal meningitis.....	38	30	34	29	33	36	43	50	293
Tatanus.....	7	10	6	10	8	2	4	11	58
Typhoid fever.....	255	257	258	185	186	151	216	195	1,703
Simple continued fever..	31	29	19	21	18	16	10	11	155
Malarial diseases.....	13	5	8	10	12	7	8	10	73
Other specific febrile diseases.....	-	1	-	-	-	-	-	-	1

Smallpox.—Three deaths occurred from smallpox in the Waterville-Winslow outbreak. This is the first year since the registration act went into effect in which deaths have occurred from this cause.

Ages: Under 1, 1; 1-5, 2.

Measles.—This disease caused the death of 39 persons, of whom 12 were males, 26 were females, and 1 was not stated. The deaths from measles were 29 in 1892, 55 in 1893, 21 in 1894, 8 in 1895, 32 in 1896, 22 in 1897, and 41 in 1898. .

MEASLES BY COUNTIES, MONTHS, AND AGE-PERIODS—1896-99.

BY COUNTIES.	By months.	By age-periods.
Androscoggin..... 18	January..... 8	Under 1..... 48
Aroostook..... 28	February..... 12	1-5..... 57
Cumberland..... 17	March..... 13	5-10..... 9
Franklin..... -	April..... 9	10-20..... 4
Hancock..... 6	May..... 21	20-30..... 7
Kennebec..... 11	June..... 12	30-40..... 3
Knox..... -	July..... 17	40-50..... 2
Lincoln..... 2	August..... 9	50-60..... 2
Oxford..... 7	September..... 5	Over 60..... 2
Penobscot..... 18	October..... 11	Total..... 134
Piscataquis..... 3	November..... 11	
Sagadahoc..... 4	December..... 6	
Somerset..... 2	Total..... 134	
Waldo..... 4		
Washington..... 3		
York..... 11		
State..... 134		

Scarlet Fever.—The total mortality from this disease was 48 (36 in 1892, 80 in 1893, 29 in 1894, 25 in 1895, 33 in 1896, 38 in 1897, and 43 in 1898), 34 males and 14 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was 7 each in November and December. There were 12 deaths in the first quarter, 11 in the second, 8 in the third, and 17 in the last three months of the year. Aroostook county had 11 deaths from scarlet fever; Cumberland had 8; Waldo had 5; Penobscot, Piscataquis, and Somerset had 4 each; Hancock, Kennebec, and York had 3 each; and Androscoggin, Franklin, and Washington had 1 each. In 4 counties no deaths occurred from this disease. Of the 48 deaths from this cause, 9 were in the cities. The following is an exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the seven years 1893-99:

**SCARLET FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS
—1893-99.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin 20	January 19	Under 1. 26
Aroostook 44	February. 22	1-5. 139
Cumberland 35	March 30	5-10. 89
Franklin 6	April 25	10-20. 31
Hancock 14	May 25	20-30. 8
Kennebec 25	June 26	30-40. 1
Knox 20	July 14	40-50 1
Lincoln 1	August. 16	Not stated 1
Oxford 2	September. 25	Total 296
Penobscot 30	October 28	
Piscataquis 4	November 34	
Sagadahoc 8	December 32	
Somerset 10	Total 296	
Waldo 12		
Washington 14		
York 51		
State 296		

The scarlatinal death-rate per 10,000 for the State was 0.69; for the cities, 0.40.

Influenza.—During the year for which this report is made, 380 deaths were attributed to influenza. By months the percentage distribution of deaths from this cause was as follows: January, 40.52; February, 27.37; March, 12.63; April, 7.10; May, 2.89; June, 1.84; July, 1.32; August, 0.53; September, 1.58; October, 1.58; November, 1.06; December, 1.58. The following shows the age incidence of deaths reported as having occurred from influenza:

Under 1	year,	34	50-60 years,	21	
	1-5	years,	17	60-70 years,	56
	5-10	years,	4	70-80 years,	111
	10-20	years,	7	Over 80 years,	108
	20-30	years,	6		—
	30-40	years,	7	Total,	380
	40-50	years,	9		

The influenza death-rate for the whole State was 5.50 for each 10,000 of living population (11.43 in 1892, 2.31 in 1893, 4.46 in 1894, 2.30 in 1895, 1.77 in 1896, 4.45 in 1897, and 2.19 in 1898).

DEATHS FROM INFLUENZA BY COUNTIES AND MONTHS—1899.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	10	7	3	1	1	-	-	-	-	1	1	-	-	24
Aroostook	3	3	11	7	2	2	3	-	4	4	1	2	-	42
Cumberland	19	10	3	1	2	1	-	-	1	-	1	-	-	38
Franklin	3	6	2	-	-	-	-	1	-	-	-	1	-	13
Hancock	6	5	2	-	-	2	-	-	-	-	-	-	-	15
Kennebec	14	12	2	1	-	-	-	-	-	-	-	-	-	29
Knox	6	4	-	2	-	-	-	-	-	-	-	-	-	12
Lincoln	4	3	1	-	-	-	-	-	-	-	-	-	-	8
Oxford	9	8	3	3	2	-	-	-	-	-	-	-	-	25
Penobscot	19	6	5	4	-	-	1	1	-	-	-	-	-	36
Piscataquis	12	3	1	1	-	1	1	-	-	-	-	-	-	19
Sagadahoc	3	4	2	1	-	-	-	-	-	-	-	-	-	10
Somerset.....	20	8	2	2	-	-	-	-	-	-	-	-	-	32
Waldo	4	-	1	-	-	-	-	-	-	-	-	-	-	5
Washington	8	17	6	2	3	1	-	-	1	1	-	1	-	40
York	14	8	4	2	1	-	-	-	-	-	1	2	-	32
State	154	104	48	27	11	7	5	2	6	6	4	6	-	350

Whooping-Cough.—The number of deaths from whooping-cough was 96 (54 in 1892, 51 in 1893, 20 in 1894, 82 in 1895, 111 in 1896, 46 in 1897, and 44 in 1898), of which 50 were males and 46 were females. The number of deaths in the cities was 45. Sixty-one of the 96 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping-cough was 1.39 per 10,000; that of the cities, 2.02.

The following shows the deaths from whooping-cough arranged by counties, months, and age-periods:

**WHOOPIING-COUGH BY COUNTIES, MONTHS, AND AGE-PERIODS
—1899.**

By COUNTIES.	By months.	By age-periods.
Androscoggin 10	January 7	Under 1..... 61
Aroostook 7	February 4	1-5..... 31
Cumberland 15	March 14	5-10..... 4
Franklin..... -	April 3	Total 96
Hancock 2	May 7	
Kennebec 7	June 9	
Knox -	July..... 4	
Lincoln -	August 10	
Oxford 1	September 7	
Penobscot 14	October..... 6	
Piscataquis 1	November..... 13	
Sagadahoc 1	December 11	
Somerset..... 6	Not stated..... 1	
Waldo 3	Total..... 96	
Washington 7		
York 22		
State 96		

Diphtheria.—There were, for the year 1899, 92 deaths from diphtheria (106 in 1892, 69 in 1893, 77 in 1894, 135 in 1895, 109 in 1896, 200 in 1897, and 185 in 1898). Of the decedents, 36 were males and 56 were females.

Ages: Under 1, 7; 1-5, 50; 5-10, 25; 10-20, 8; 20-30, 1; over 70, 1.

Of the 92 deaths, 61 were in the cities, and 31 in other places. The diphtheria death-rate for the State was 1.33; and for the cities, 2.74.

The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

DIPHTHERIA BY COUNTIES AND MONTHS—1899.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	1	1	2	1	3	2	2	3	6	5	6	5	37	6.89
Aroostook	-	1	-	1	-	1	-	3	-	-	-	-	6	1.01
Cumberland	2	-	-	2	3	1	2	1	2	1	4	1	19	1.91
Franklin	-	-	-	-	-	-	1	1	-	-	1	-	3	1.64
Hancock	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec	-	-	-	-	1	-	-	-	1	1	-	1	4	0.68
Knox.....	-	1	-	1	-	-	-	-	-	-	-	-	2	0.66
Lincoln	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford.....	-	-	-	1	-	-	-	-	-	-	-	-	1	3.12
Penobscot	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Piscataquis.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset	-	-	-	-	-	-	-	-	-	1	-	-	1	0.30
Waldo.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	1	1	1	-	3	0.66
York.....	1	2	1	2	1	-	1	-	1	1	2	4	16	2.47
State	4	5	3	8	8	4	6	8	11	10	14	11	92	1.33

Croup.—The number of deaths referable to this cause was 60 (106 in 1892, 83 in 1893, 62 in 1894, 62 in 1895, 65 in 1896, 76 in 1897, and 55 in 1898). Of the 60 decedents, 30 were males and 30 were females. All were less than 10 years of age.

Ages: Under 1, 15; 1-5, 36; 5-10, 9.

The death-rate for croup was, for the State, 0.86; for the cities, 1.48.

The distribution of croup by counties and months is shown in the following table:

CROUP BY COUNTIES, AND MONTHS—1899.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	1	2	1	4	2	2	1	-	2	-	1	2	18	3.35
Aroostook	1	2	2	1	1	1	-	-	-	1	1	-	10	1.68
Cumberland	3	-	1	-	2	-	-	1	-	-	3	2	12	1.20
Franklin	-	-	1	-	-	-	1	-	-	-	-	-	2	1.09
Hancock	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec	-	-	-	-	-	-	-	-	-	1	1	1	3	0.51
Knox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	2	-	-	-	-	-	-	-	-	-	-	1	3	0.94
Penobscot	-	1	-	-	-	-	-	-	-	-	-	-	1	0.13
Piscataquis ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc	1	1	-	-	-	-	-	-	-	-	-	-	2	0.99
Somerset.....	1	-	-	-	-	-	-	-	-	-	-	-	1	0.30
Waldo	-	-	-	-	-	-	-	-	-	-	1	-	1	0.41
Washington	-	-	-	-	-	-	-	-	-	1	-	-	1	0.22
York	-	-	-	-	1	-	-	-	-	1	2	2	6	0.93
State	9	6	5	5	6	3	2	1	2	4	9	8	60	0.87

It is now conceded that the two diseases, croup and diphtheria, are etiologically one and the same. The combined death-rate for the State for the two diseases is 2.19 per 10,000 of living population; of our cities, 4.22.

The following tabulation shows the number of deaths from diphtheria and croup for the eight years 1892-99, arranged by counties, months, and age-periods:

DIPHTHERIA AND CROUP BY COUNTIES, MONTHS, AND AGE-PERIODS—1892-99.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 212	January 163	Under 1..... 239
Aroostook 279	February 136	1-5..... 709
Cumberland 299	March 97	5-10. 360
Franklin 27	April..... 105	10-20..... 161
Hancock 35	May 111	20-30..... 31
Kennebec 144	June 83	30-40..... 20
Knox 91	July 97	40-50.... 8
Lincoln 14	August 82	50-60..... 4
Oxford 24	September 113	60-70.... 4
Penobscot.... 85	October..... 175	Over 70 3
Piscataquis 14	November.... 183	Not stated..... 3
Sagadahoc... 29	December 195	Total.1,542
Somerset 37	Not stated..... 2	
Waldo 25	Total.1,542	
Washington 71		
York 156		
State.... 1,542		

Cerebro-Spinal Meningitis.—The number of decedents was 50 (38 in 1892, 30 in 1893, 34 in 1894, 29 in 1895, 33 in 1896, 36 in 1897, and 43 in 1898)—26 males and 24 females. Nineteen of these deaths were in the cities. Deaths from this cause occurred in every month except September. Distributed by quarters, they were 14, 17, 10, 9. The death-rate from this disease was 0.72.

The distribution of deaths from cerebro-spinal meningitis by counties, months, and age-periods is shown in the following :

**CEREBRO-SPINAL MENINGITIS BY COUNTIES, MONTHS, AND
AGE-PERIODS—1899.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin 6	January 8	Under 1. 14
Aroostook 4	February 5	1-5..... 12
Cumberland... 3	March 1	5-10 3
Franklin 1	April 5	10-20..... 5
Hancock -	May..... 7	20-30..... 5
Kennebec 4	June 5	30-40..... 4
Knox 2	July 6	40-50. 3
Lincoln -	August 4	50-60..... 3
Oxford 1	September -	Over 60 1
Penobscot 4	October 4	Total..... 50
Piscataquis 3	November..... 3	
Sagadahoc..... 3	December..... 2	
Somerset..... 5	Total 50	
Waldo 3		
Washington 4		
York 7		
State 50		

Tetanus.—This disease was the cause of 11 deaths (7 in 1892, 10 in 1893, 6 in 1894, 10 in 1895, 8 in 1896, 2 in 1897, and 4 in 1898). The decedents were 9 males and 2 females. These deaths occurred in March, April, May, June, July, and August.

Ages: Under 1, 3; 10-20, 2; 20-30, 2; 50-60, 2; 70-80, 1; 80-90, 1.

Typhoid Fever.—Including 6 deaths from “bilious fever,” 2 “continued fever,” 1 “gastric fever,” 1 “catarrhal fever,” and 1 “fever,” there were 206 deaths from typhoid fever. Of these, 117 were of males, 88 of females, and 1 not stated. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value,—81 per cent., just the same as last year, died between 10 and 50 years of age.

Ages: Under 1, 2; 1-5, 3; 5-10, 14; 10-20, 62; 20-30, 64; 30-40, 21; 40-50, 19; 50-60, 7; 60-70, 7; 70-80, 4; over 80, 2; not stated, 1.

The largest number of deaths, 31, occurred in October, and the smallest number, 5, in July. By quarters, 42 were in the first quarter, 42 in the second, 51 in the third, and 70 in the last quarter of the year.

The typhoid death-rate of 4.27 in the cities is considerably greater than that in the villages and rural towns, which is 2.37. The rate for the State is 2.99.

The following exhibits the number of deaths from typhoid fever in each county by months, with death-rate in each county :

TYPHOID FEVER—1899.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate Per 10,000.
Androscoggin.....	2	2	6	5	4	1	-	3	4	5	2	3	1	38	7.07
Aroostook.....	2	-	2	1	-	2	1	4	4	3	5	1	-	25	4.19
Cumberland.....	1	-	1	2	1	1	1	4	2	2	4	1	-	20	2.01
Franklin.....	1	-	-	-	-	-	1	-	-	-	-	1	-	3	1.64
Hancock.....	-	-	-	-	-	-	-	1	1	1	1	1	-	5	1.34
Kennebec.....	1	3	1	3	-	3	-	-	1	2	2	2	-	18	3.06
Knox.....	1	-	-	2	-	1	-	-	2	1	-	-	-	7	2.29
Lincoln.....	-	-	-	-	-	-	-	1	2	3	-	-	-	6	3.01
Oxford.....	-	-	-	3	-	-	-	-	2	4	-	-	-	9	2.81
Penobscot.....	2	2	1	5	3	-	1	7	1	6	2	4	-	34	4.48
Piscataquis.....	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.59
Sagadahoc.....	1	-	-	-	-	-	-	-	1	-	-	-	-	2	0.99
Somerset.....	-	-	-	-	-	-	-	2	-	2	1	2	-	7	2.08
Waldo.....	1	-	1	2	-	-	-	-	-	-	-	3	-	7	2.85
Washington.....	2	-	1	-	-	1	-	1	1	-	1	1	-	8	1.77
York.....	2	4	1	2	-	-	1	-	2	2	-	2	-	16	2.47
State.....	17	11	14	25	8	9	5	23	23	31	18	21	1	206	2.99

The following exhibits for the eight years 1892-99, the distribution of deaths from typhoid fever by counties, months, and age-periods:

**TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—
1892-99.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin 229	January 128	Under 1 23
Aroostook 162	February..... 108	1-5 75
Cumberland 268	March 137	5-10..... 94
Franklin 57	April 106	10-20..... 441
Hancock 82	May 108	20-30..... 580
Kennebec..... 171	June 103	30-40..... 243
Knox 46	July 86	40-50..... 148
Lincoln 38	August 151	50-60..... 99
Oxford 81	September 259	60-70..... 70
Penobscot 250	October 299	70-80..... 54
Piscataquis 30	November..... 201	Over 80 15
Sagadahoc 30	December... .. 168	Not stated..... 16
Somerset..... 67	Not stated..... 4	Total..... 1,858
Waldo..... 46	Total 1,858	
Washington 93		
York 208		
State 1,858		

Malarial Diseases.—Ten deaths were registered as due to malarial diseases. In six cases the disease was contracted outside of this State, four of the persons having contracted the disease in the war of the rebellion; one in the war with Spain; one in the South; one was buried in Virginia; and the ages of the remaining three indicate a probability that the disease was referable to the Civil War. All of the decedents were males; their respective ages were 28, 53, 59, 61, 63, 66, 67, 74, 79, and 88.

Tuberculosis.—In 1899, tuberculosis in its various forms was the cause of 1,241 deaths (1,513 in 1892, 1,446 in 1893, 1,449 in 1894, 1,397 in 1895, 1,359 in 1896, 1,338 in 1897, and 1,239 in 1898). The death-rate per 10,000 from this cause was 17.96.

Cerebral Tuberculosis. (Tubercular Meningitis).—The number of deaths was 57; 28 were of males and 29 of females. The number in the cities was 26. The death-rate for the State was 0.82; for the cities, 1.17.

Ages: Under 1, 18; 1-5, 19; 5-10, 6; 10-20, 9; 20-30, 1; 30-40, 3; over 70, 1.

Pulmonary Tuberculosis. (Consumption).—From this cause 1,015 deaths were registered in 1899, which is equivalent to a death-rate of 14.69 per 10,000 of population. The death-rate for the cities was 16.26. The following tabular arrangement of the number of deaths in the State from pulmonary tuberculosis in each of the eight registration years, together with the death-rate from consumption for each year, is a very encouraging exhibit. It indicates a progressive and rather rapid diminution in the mortality from pulmonary tuberculosis. As the death-rates in this table are based upon the population estimated with the aid of the census enumeration of 1900, they are slightly different from the death-rates presented in a similar table in the report for 1898.

	Number of deaths.	Death-rate per 10,000.
1892.....	1,352.....	20.24
1893.....	1,299.....	19.35
1894.....	1,262.....	18.80
1895.....	1,195.....	17.71
1896.....	1,172.....	17.21
1897.....	1,128.....	16.47
1898.....	1,021.....	14.85
1899.....	1,015.....	14.69

There were in 1899, 337 fewer deaths than in 1892, 284 fewer than in 1893, 247 fewer than in 1894, 180 fewer than in 1895, 157 fewer than in 1896, 113 fewer than in 1897, and 6 fewer than in 1898.

Ages: Under 1, 16; 1-5, 9; 5-10, 8; 10-20, 110; 20-30, 312; 30-40, 203; 40-50, 117; 50-60, 98; 60-70, 76; 70-80, 48; 80-90, 17; not stated, 1.

It is thus shown in this report, as it was in the seven preceding reports, that the smallest number of deaths occurred at the age-period 5-10 years, and that, of the decedents whose ages were given, 82 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 433 of the decedents, or 42.7 per cent., were males; and 582, or 57.3 per cent., were females.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

CONSUMPTION BY COUNTIES AND MONTHS—1899.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin....	7	6	8	2	6	5	6	10	4	4	9	2	2	71	13.22
Aroostook.....	7	5	18	9	4	6	5	4	7	5	5	6	1	82	13.75
Cumberland	13	11	14	13	23	10	18	10	14	12	9	18	-	165	16.55
Franklin	2	5	1	3	2	2	1	4	2	2	1	3	-	28	15.30
Hancock.....	10	7	3	7	5	4	4	1	6	6	4	2	-	59	15.84
Kennebec	10	8	7	12	10	8	6	10	5	6	4	2	-	88	14.94
Knox	2	3	4	4	2	3	6	3	4	3	1	2	-	37	12.13
Lincoln	3	2	1	-	3	2	3	3	2	4	4	3	-	30	15.07
Oxford.....	2	4	4	5	6	-	2	5	1	2	4	3	-	38	11.82
Penobscot.....	12	12	11	11	5	6	8	10	8	9	8	11	-	111	14.62
Piscataquis....	3	-	2	1	3	1	3	-	-	3	2	2	-	20	11.86
Sagadahoc	1	4	1	3	2	-	2	2	-	2	1	-	-	18	8.89
Somerset	1	5	3	3	6	4	2	6	3	3	4	6	-	46	13.64
Waldo	7	4	5	5	4	5	3	6	4	2	1	4	-	50	20.37
Washington	8	5	6	6	7	7	8	5	7	7	9	10	-	85	18.82
York	6	6	7	7	13	6	4	8	6	10	5	9	-	87	13.45
State	94	87	95	91	101	69	81	87	73	80	71	83	3	1,015	14.69

For the eight years, 1892-99, the distribution of deaths from pulmonary consumption is shown by counties, months, and age-periods in the following table:

CONSUMPTION BY COUNTIES, MONTHS, AND AGE-PERIODS
—1892-99.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 720	January 831	Under 1..... 153
Aroostook 563	February..... 768	1-5..... 134
Cumberland 1,320	March 897	5-10..... 84
Franklin 258	April 886	10-20..... 1,142
Hancock 510	May..... 902	20-30..... 2,774
Kennebec 859	June 796	30-40..... 1,753
Knox 508	July 778	40-50.. .. 1,077
Lincoln 281	August 738	50-60..... 833
Oxford 354	September 686	60-70 744
Penobscot 1,094	October.... 745	70-80..... 540
Piscataquis 216	November..... 658	80 and over 161
Sagadahoc 273	December..... 753	Not stated. 49
Somerset..... 471	Not stated..... 6	Total 9,444
Waldo 422	Total 9,444	
Washington 697		
York 898		
State 9,444		

Tuberculosis Mesenteric.—There were 60 deaths from this cause, 22 males and 38 females.

Ages: Under 1, 5; 1-5, 3; 5-10, 2; 10-20, 10; 20-40, 15; 40-60, 15; over 60, 10.

Tuberculosis, Other Forms.—Of these deaths, 109 in all, the cause assigned was: tuberculosis or general tuberculosis, 73; scrofula, 14; tuberculosis of larynx, 7; miliary tuberculosis, 4; spinal tuberculosis, 2; tuberculosis of liver, 1; lupus, 3; psoas abscess, 2; tuberculosis of hip joint, 3.

Diarrheal Diseases.—The total number of deaths caused by the diseases under this group was 662 (662 in 1892, 642 in 1893, 602 in 1894, 635 in 1895, 639 in 1896, 666 in 1897, and 854 in 1898). The death-rate for this group of diseases was 9.58 per 10,000.

Infantile Diarrhea.—This, as synonymous with cholera infantum or including it, was the cause of 565 deaths (546 in 1892, 507 in 1893, 468 in 1894, 523 in 1895, 520 in 1896, 528 in 1897, and 669 in 1898). A reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates, for this cause. There were in the first quarter of the year but 25 deaths from this cause; in the second quarter, 40; in the third quarter, 428; and in the fourth quarter, 72. The largest number of deaths occurred in August, 194.

Of the children dying from this cause, 52 per cent. were less than 6 months old, and another 33 per cent. were less than 1 year of age, making 85 per cent. of deaths within the first year of age.

Ages: Under 6 months, 295; 6-12 months, 191; 1-2 years, 78; not stated, 1.

In the classification of deaths from diarrheal diseases, only the deaths among children 2 years old, or younger, are included under "infantile diarrhea." The deaths from diarrheal diseases, other than those under this cause, were: cholera morbus, 6; dysentery, 42; and diarrhea, 49.

Of the 565 deaths from infantile diarrhea, 262 were returned from the cities. This represents an urban death-rate from this cause of 11.77 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, 13.78 in 1895, 11.43 in 1896, 14.95 in 1897, and 15.15 in 1898), which is in contrast with 6.47, the rate for the villages and rural districts (5.33 in 1892, 4.95 in 1893, 4.47 in 1894, 5.44 in 1895, 6.36 in 1896, 5.05 in 1897, and 8.00 in 1898).

INFANTILE DIARRHEA BY COUNTIES AND MONTHS—1899.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	5	1	2	2	3	1	17	22	17	3	1	3	77	14.33
Aroostook	1	1	2	-	3	1	5	52	52	10	-	1	128	21.47
Cumberland	-	-	-	1	2	1	12	30	8	2	2	1	59	5.92
Franklin	-	-	-	-	-	1	2	1	1	2	-	2	9	4.92
Hancock	-	1	-	-	1	1	-	2	5	4	-	1	15	4.03
Kennebec	1	1	1	3	2	3	14	19	14	8	-	-	66	11.20
Knox	-	-	1	2	-	-	1	3	5	3	-	-	15	4.92
Lincoln	-	-	-	-	-	-	1	1	1	1	-	-	4	2.01
Oxford	-	-	-	-	-	1	1	5	-	1	-	1	9	2.81
Penobscot	1	1	-	-	-	-	6	13	10	6	-	1	38	5.01
Piscataquis	1	-	1	2	-	-	-	1	5	-	1	-	11	6.52
Sagadahoc	-	1	-	-	-	-	4	-	6	1	-	-	12	5.93
Somerset.....	1	-	-	1	1	2	3	4	2	3	-	-	17	5.04
Waldo.....	-	-	-	-	-	-	1	1	1	-	-	-	3	1.22
Washington	-	-	-	3	-	-	4	11	7	4	-	3	32	7.09
York	-	-	2	-	1	2	20	29	9	5	2	-	70	10.82
State	10	6	9	14	13	13	91	194	143	53	6	13	563	8.18

The preceding table exhibits the number of deaths from infantile diarrhea in 1899, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhea for the eight years, 1892-99, by counties, months, and age-groups:

INFANTILE DIARRHEA BY COUNTIES, MONTHS, AND AGE-PERIODS—1892-99.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 578	January 38	Under 6 months ... 2,269
Aroostook 659	February..... 37	6-12 months 1,453
Cumberland..... 537	March 52	1-2 years 563
Franklin..... 73	April..... 61	Over 2 years..... 30
Hancock 110	May..... 61	Unknown 11
Kennebec..... 528	June 116	Total..... 4,326
Knox..... 139	July 665	
Lincoln..... 29	August 1,505	
Oxford 103	September..... 1,208	
Penobscot 368	October 440	
Piscataquis.... 55	November 86	
Sagadahoc..... 79	December 55	
Somerset..... 129	Not stated..... 2	
Waldo..... 53	Total.. 4,326	
Washington 266		
York 620		
State 4,326		

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the eight years 1892-99:

INFANTILE DIARRHEA IN THE CITIES—1892-99.

CITIES.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	Totals.
Auburn.....	10	18	10	9	3	15	17	9	91
Augusta.....	26	15	18	26	34	31	20	24	194
Bangor.....	14	13	20	10	15	11	18	6	107
Bath.....	5	4	9	3	8	6	6	8	49
Belfast.....	3	1	-	-	3	-	1	1	9
Biddeford.....	53	45	52	60	44	61	50	39	404
Brewer.....	2	2	8	3	4	6	3	8	36
Calais.....	15	13	1	12	5	19	7	11	83
Eastport.....	10	9	9	8	-	3	13	5	57
Ellsworth.....	1	1	-	4	-	2	1	1	10
Gardiner.....	8	2	4	12	2	5	4	2	39
Hallowell.....	7	-	2	4	1	3	1	-	18
Lewiston.....	47	75	45	53	24	52	69	60	425
Old Town.....	9	8	9	11	5	7	11	11	71
Portland.....	29	18	19	34	25	31	40	36	232
Rockland.....	14	11	6	8	11	6	5	2	63
Saco.....	3	5	5	3	2	5	4	6	33
South Portland.....	-	-	-	-	-	-	-	3	3
Waterville.....	21	18	21	13	21	19	17	25	155
Westbrook.....	16	13	14	11	12	10	8	5	89
Totals.....	293	271	252	284	219	292	295	262	2,168

Septic Diseases.—Of deaths from the diseases in this group there were 29 from erysipelas; 66 from pyemia and septicemia; and 47 from puerperal fever,—giving a special death-date of 2.05. The following shows the distribution of puerperal fever by months and counties:

January	4	Androscoggin	4
February	2	Aroostook	5
March	8	Cumberland	6
April	6	Franklin	2
May	5	Hancock	
June	3	Kennebec	5
July	3	Knox	2
August	4	Lincoln	
September	3	Oxford	1
October	3	Penobscot	4
November	1	Piscataquis	3
December	5	Sagadahoc	1
	—	Somerset	4
Total	47	Waldo	
		Washington	6
		York	4
		—	
		Total	47

Dietetic Diseases.—Forty deaths were returned under this class of causes; 19 of malnutrition of infants; 3 of rickets; 16 of alcoholism; 1 of starvation; and 1 of scurvy. The special death-rate from alcoholism was 0.23.

Constitutional Diseases.—With tuberculosis transferred to the class of zymotic diseases, there were 748 deaths from constitutional diseases, or a death-rate of 10.82 per 10,000 for the State.

Rheumatism.—The returns give 57 deaths from this cause (68 in 1892, 46 in 1893, 66 in 1894, 56 in 1895, 44 in 1896, 42 in 1897, and 57 in 1898),—33 males and 24 females. Sixteen of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.82, while that in the cities was lower, 0.72. The following shows the deaths from this cause arranged by counties, months, and age-groups:

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS—1899.

By COUNTIES.	By months.	By age-periods.
Androscoggin 1	January 6	Under 1. 1
Aroostook 5	February..... 6	1-5..... -
Cumberland 9	March 5	5-10..... 2
Franklin 3	April -	10-20..... 2
Hancock 3	May..... 10	20-30..... 3
Kennebec. 7	June 5	30-40..... 6
Knox 1	July 4	40-50..... 6
Lincoln 1	August. 7	50-60..... 10
Oxford 3	September..... 1	60-70.... 7
Penobscot 8	October 4	70-80..... 13
Piscataquis 2	November..... 4	Over 80 ... 7
Sagadahoc ... -	December 5	Not stated.... -
Somerset 2	Not stated..... -	Total 57
Waldo 1	Total 57	
Washington 5		
York 6		
State 57		

The following shows the distribution of deaths from rheumatism by counties, months, and age-groups for the seven years 1893-99:

**RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS
—1893-99.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin 20	January 37	Under 1..... 1
Aroostook 28	February. 35	1-5..... 3
Cumberland 54	March..... 36	5-10..... 10
Franklin 5	April 28	10-20..... 29
Hancock 18	May..... 38	20-30..... 29
Kennebec..... 35	June 24	30-40..... 24
Knox..... 14	July 25	40-50..... 28
Lincoln..... 11	August. 34	50-60..... 60
Oxford 23	September. 15	60-70..... 78
Penobscot 44	October..... 33	70-80..... 73
Piscataquis..... 8	November 29	Over 80..... 31
Sagadahoc 13	December..... 32	Not stated..... 2
Somerset..... 18	Not stated..... 2	
Waldo..... 14		Total..... 368
Washington 20	Total..... 368	
York 43		
State 368		

Cancer.—From cancer in its various forms and locations, there were 541 deaths (404 in 1892, 433 in 1893, 474 in 1894, 480 in 1895, 518 in 1896, 463 in 1897, and 531 in 1898). Of the decedents, 179 were males and 362 females. The cancer death-rate for the State was, therefore, 7.83.

Distributed as to its more frequent locations, there died of cancer of the stomach, 119; of the breast, 62; liver, 73; uterus, 88; abdominal and intestinal, 51; throat, 5; rectum, 15; face, 20; lip, 13; neck, 7; mouth, 5; thigh, 4; lungs, 3; jaw, 7; arm, 4; nose, 3; various, 21; parts unspecified, 41.

The distribution of cancer by counties and age-groups, and the special death-rate for each county are shown in the following, for 1899, and for the eight years 1892-99:

CANCER—1899 AND 1892-99.

COUNTIES.	1899.		1892-99.		AGE-GROUPS.	NUMBER OF DEATHS.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.		1899.	1892-99.
Androscoggin	48	8.94	297	7.61	Under 1 year	-	3
Aroostook	26	4.36	124	3.84	From 1 to 5 years...	2	7
Cumberland	91	9.13	678	9.36	“ 5 to 10 “ ...	1	4
Franklin	12	6.56	123	8.98	“ 10 to 20 “ ...	-	18
Hancock	33	8.86	197	6.67	“ 20 to 30 “ ...	9	54
Kennebec	52	8.82	354	7.85	“ 30 to 40 “ ...	21	203
Knox	29	9.50	198	7.98	“ 40 to 50 “ ...	71	483
Lincoln	9	4.52	147	8.76	“ 50 to 60 “ ...	138	840
Oxford	34	10.60	166	7.35	“ 60 to 70 “ ...	143	1,007
Penobscot	58	7.64	374	6.42	“ 70 to 80 “ ...	113	873
Piscataquis	14	8.30	76	6.32	Over 80 years	43	329
Sagadahoc	13	6.42	120	7.45	Not stated.....	-	23
Somerset	26	7.71	203	8.14	Total	541	3,844
Waldo	20	8.15	162	7.65			
Washington	31	6.86	215	6.05			
York	45	6.96	410	8.25			
State	541	7.83	3,844	7.38			

Diabetes.—The deaths from this cause numbered 95 (55 in 1892, 65 in 1893, 71 in 1894, 77 in 1895, 67 in 1896, 95 in 1897, and 88 in 1898). The special death-rate from diabetes was, therefore, 1.37 in 1899. Forty-four of the decedents were males and 51 were females.

Ages: 1-5, 1; 5-10, 1; 10-20, 7; 20-30, 5; 30-40, 6; 40-50, 10; 50-60, 20; 60-70, 28; 70-80, 13; over 80, 3; not stated, 1.

Old Age.—There were registered 674 deaths as due to old age, 300 men and 374 women. Of these decedents, 162 were between 70 and 80 years of age; 395 were from 80 to 90; 113 were from 90 to 100; while 2 were over 100 years old; and the age of 2 was unknown.

From Table No. 33, however, it will be seen that the whole number of persons who died at the ages between 70 and 100 years or more was 3,378 (3,801 in 1892, 3,147 in 1893, 3,242 in 1894, 2,897 in 1895, 3,045 in 1896, 3,232 in 1897, and 3,109 in 1898), or one death in every three and two-fifths was of a person who was between 70 and 100 years of age or older. Assuming that all these 3,378 died of old age, the death-rate from old age would be 48.88 among every 10,000 living at all ages.

The following shows the number of deaths in each county of persons 70 years of age and over, and the number of their deaths in each 10,000 of the population at all ages :

OLD AGE—1899.

COUNTIES.	Deaths.	Rate per 10,000.	COUNTIES.	Deaths.	Rate per 10,000.
Androscoggin	214	39.84	Oxford	178	55.50
Aroostook	111	18.62	Penobscot	355	46.77
Cumberland	462	46.33	Piscataquis	101	52.88
Franklin	105	57.36	Sagadahoc	106	52.37
Hancock	212	56.92	Somerset	183	54.26
Kennebec	327	55.51	Waldo	172	70.08
Knox	173	18.62	Washington	191	42.30
Lincoln	141	70.85	York	347	53.65

Centenarians.—Among the persons whose decease occurred in 1899, two had exceeded the age of 100 years. These persons were both women. Their names, together with a few facts relating to the life history of each, are as follows :

September 28, Susan Richards died at Frankfort at the age of 102 years, 2 months, and 25 days. She was born in Vinalhaven. Her father's name was Thomas Ginn. The maiden name of her mother was Sarah Young. Parentage was American.

April 11, Phoebe Ellis died at Sidney at the age of 102 years, and 3 months. She was born in Sidney. Her father, Reuben Sawtelle, was born in Groton, Mass.; and her mother, whose maiden name was Phoebe Godfrey, was a native of Nova Scotia.

Diseases of the Nervous System.—The number of deaths registered under the causes included in this group was 1,728 (1,459 in 1892, 1,451 in 1893, 1,543 in 1894, 1,585 in 1895, 1,520 in 1896, 1,661 in 1897, and 1,607 in 1898), or 25.00 to every 10,000 of population.

Inflammation of the Brain or Membranes.—The number of deaths was 273 (236 in 1892, 263 in 1893, 286 in 1894, 261 in 1895, 242 in 1896, 327 in 1897, and 272 in 1898),—135 males and 138 females. Of these 130 were in the cities. The death-rate from the several diseases grouped under this head was 3.95.

Ages: Under 1, 94; 1-5, 74; 5-10, 22; 10-20, 20; 20-40, 21; 40-60, 17; over 60, 23; not stated, 2.

Apoplexy.—From this cause 629 deaths occurred (488 in 1892, 422 in 1893, 408 in 1894, 488 in 1895, 492 in 1896, 555 in 1897, and 558 in 1898),—303 males and 326 females. Of these 217 were in the cities. The State's death-rate from apoplexy was, therefore, 9.11; that of the cities, 9.75.

The largest number of deaths from apoplexy, 189, occurred in the winter; the largest number in any one month was 66 in February.

In 1894 and 1896, the greatest mortality from this cause occurred in the spring; in 1892, 1893, 1895, 1897, in the winter; and in 1898, in the winter and spring.

Conversely, the smallest number of deaths, 33, was in September; the smallest number in any one season was 141 in the summer months. Over 67 per cent. of the deaths were of persons 60 years of age and upward.

APOPLEXY BY COUNTIES AND MONTHS—1899.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	5	10	4	3	4	7	5	3	4	2	7	6	60	11.17
Aroostook	1	3	1	1	1	-	3	4	-	2	-	2	18	3.02
Cumberland	11	11	10	6	11	10	7	16	9	10	11	13	125	12.53
Franklin	-	-	3	3	1	-	1	1	1	2	4	-	16	8.74
Hancock	2	2	1	5	2	1	2	2	-	1	-	2	20	5.37
Kennebec	6	2	10	7	6	4	6	4	3	8	5	2	63	10.69
Knox	4	3	2	5	4	3	2	2	-	6	2	2	35	11.47
Lincoln	3	3	1	-	-	1	-	2	2	-	1	-	13	6.53
Oxford	2	5	3	1	2	2	4	2	3	1	2	3	30	9.35
Penobscot	8	5	4	5	10	1	4	1	2	4	5	7	56	7.38
Piscataquis	4	1	-	1	-	-	-	-	-	2	1	1	10	5.93
Sagadahoc	1	1	3	-	3	1	1	3	1	3	1	-	18	8.89
Somerset	1	2	3	1	8	2	3	5	1	4	5	5	40	11.86
Waldo	3	6	2	1	2	2	-	3	2	3	1	8	33	13.45
Washington	2	1	1	1	2	4	1	3	1	4	2	2	24	5.31
York	9	11	6	2	5	5	3	5	4	6	4	8	68	10.51
State	62	66	54	42	61	43	42	56	33	58	51	61	629	9.11

APOPLEXY, 1899, AND 1893-99.

COUNTIES.	1899.		1893-99.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Death-rate per 10,000.
Androscoggin.....	60	11.17	301	8.00
Aroostook.....	18	3.02	76	1.82
Cumberland.....	125	12.53	661	9.47
Franklin.....	16	8.74	101	7.88
Hancock. ...	20	5.37	159	6.09
Kennebec.....	63	10.69	351	8.51
Knox.....	35	11.47	149	6.97
Lincoln.....	13	6.53	119	8.54
Oxford.....	30	9.35	151	8.06
Penobscot.....	56	7.38	321	6.04
Piscataquis.....	10	5.93	52	4.40
Sagadahoc.....	18	8.89	131	8.09
Somerset.....	40	11.86	188	7.96
Waldo.....	33	13.45	153	8.90
Washington.....	24	5.31	151	5.72
York.....	68	10.51	428	9.45
State.....	629	9.11	3,552	7.34

Softening of the Brain.—From cerebral softening there were 59 deaths,—those of 34 males and 25 females.

Ages: 30-40, 2; 40-50, 4; 50-60, 7; 60-70, 15; 70-80, 22; over 80, 9.

Paralysis.—Of the 300 deaths from “Paralysis,” 152 persons were males and 148 were females.

Ages: Under 1, 2; 1-5, 1; 20-30, 3; 30-40, 15; 40-50, 11; 50-60, 33; 60-70, 56; 70-80, 106; over 80, 72; not stated, 1.

Hemiplegia.—From this form of paralysis there were 21 deaths reported, 9 men and 12 women.

Ages: 20-30, 1; 40-50, 3; 50-60, 2; 60-70, 6; 70-80, 7; over 80, 2.

Epilepsy.—Fourteen males and 11 females died of epilepsy, 25 in all.

Ages: Under 1, 1; 1-5, 1; 10-20, 3; 20-40, 9; 40-60, 3; over 60, 8.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, valvular disease of the heart, hypertrophy and dilatation, pericarditis, angina pectoris, and unspecified, there were 1,028 deaths (816 in 1892, 875 in 1893, 940 in 1894, 948 in 1895, 1,036 in 1896, 1,062 in 1897, and 1,132 in 1898). The following exhibits the age and sex distribution of each form of disease for the year 1899:

DISEASES.	Under 1.	1-10.	10-20.	20-40.	40-60.	Over 60.	Unknown.	Male.	Female.	Total.
	Endocarditis	-	-	3	4	5	4	1	8	9
Valvular disease of heart	2	1	4	19	64	197	1	168	120	288
Hypertrophy of heart	-	-	3	3	11	42	-	36	23	59
Pericarditis	-	-	-	4	2	11	-	10	7	17
Unspecified diseases of heart.....	8	7	6	41	120	400	4	332	254	586
Angina pectoris	-	-	-	4	11	46	-	39	22	61
Total	10	8	16	75	213	700	6	593	435	1,028

For the year 1899, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and counties:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Aroostook.....	37	6.21	Penobscot.....	107	14.10
Cumberland	155	15.54	Piscataquis	16	9.49
Franklin	33	18.03	Sagadahoc	26	12.84
Hancock	63	16.91	Somerset	43	12.75
Kennebec	92	15.62	Waldo	55	22.41
Knox	50	16.38	Washington.....	58	12.84
Lincoln.....	39	19.60	York	111	17.16
			State.....	1,028	14.87

As may be noted, Lincoln county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 14.87.

Diseases of the Respiratory System.—Without the inclusion of tuberculosis, 1,445 persons died from the various respiratory diseases, as tabulated on page 101, (1,796 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895, 1,141 in 1896, 1,347 in 1897, and 1,124 in 1898). From these diseases there were, therefore, 351 fewer deaths than in 1892, 38 more than in 1893, 133 more than in 1894, 280 more than in 1895, 304 more than in 1896, 98 more than in 1897, and 321 more than in 1898. Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis, and the other respiratory diseases, in 1899, the number of deaths was 688 smaller than in 1892, 246 smaller than in 1893, 114 smaller than in 1894, 100 larger than in 1895, 147 larger than in 1896, 15 smaller than in 1897, and 315 larger than in 1898.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1899 was 20.91 in each 10,000 of population, as compared with 17.00 in 1898, 20.38 in 1897, 17.26 in 1896, 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, and 27.16 in 1892.

Pneumonia.—The number of deaths registered under this cause was 1,067 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894, 812 in 1895, 781 in 1896, 936 in 1897, and 769 in 1898), of which 487 were males and 580 were females. The death-rate from this disease was, therefore, 15.44 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, 12.28 in 1895, 11.81 in 1896, 14.16 in 1897, and 11.62 in 1898). As 387 of the deaths occurred in the cities, the urban death-rate was 17.38.

The age distribution for pneumonia is shown in the following:

Under 1 year,	128	40-50 years,	70
1-5 years,	102	50-60 years,	90
5-10 years,	32	60-70 years,	152
10-20 years,	39	70-80 years,	189
20-30 years,	44	Over 80 years,	158
30-40 years,	61	Not stated,	2

**PNEUMONIA BY COUNTIES AND MONTHS WITH DEATH RATES
PER 10,000—1899.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death rate per 10,000.
Androscoggin.....	21	6	12	9	3	5	3	1	4	5	10	8	87	16.20
Aroostook.....	13	7	8	2	2	7	-	2	3	-	2	3	49	8.22
Cumberland.....	55	29	20	10	14	9	3	5	7	9	7	15	183	18.35
Franklin.....	5	3	4	3	2	-	-	-	-	1	2	2	22	12.02
Hancock.....	20	5	5	8	6	-	2	-	-	3	1	4	54	14.50
Kennebec.....	29	22	10	9	8	2	-	2	-	5	6	8	101	17.15
Knox.....	5	8	4	6	8	4	1	1	-	1	3	2	43	14.09
Lincoln.....	15	10	3	2	1	-	-	-	2	2	1	1	37	18.59
Oxford.....	17	15	9	5	1	2	2	-	-	1	2	1	55	17.15
Penobscot.....	41	10	10	18	8	5	1	3	5	5	4	7	117	15.41
Piscataquis.....	9	6	2	-	1	1	1	-	2	-	1	4	27	16.01
Sagadahoc.....	7	4	2	4	-	2	2	1	-	2	-	1	25	12.35
Somerset.....	17	9	6	9	3	4	2	1	4	5	1	2	63	18.68
Waldo.....	15	4	3	4	4	1	-	-	-	3	1	-	35	14.26
Washington.....	9	6	3	6	2	1	1	1	1	5	1	3	39	8.64
York.....	41	15	9	13	9	8	2	-	2	8	10	13	130	20.10
State.....	319	159	110	108	72	51	20	17	30	55	52	74	1,067	15.44

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the eight years 1892-99:

PNEUMONIA—1892-99.

BY COUNTIES.		By months.		By age-periods.	
Androscoggin.	543	January.....	1,498	Under 1.....	1,050
Aroostook.	353	February.....	1,108	1-5.....	705
Cumberland.	1,355	March.	1,112	5-10	158
Franklin.....	201	April.....	948	10-20.....	288
Hancock.....	441	May.....	717	20-30.....	400
Kennebec.....	741	June.....	378	30-40.....	463
Knox.....	371	July.....	165	40-50.....	549
Lincoln.....	268	August.....	157	50-60.....	702
Oxford.....	399	September.....	245	60-70.....	1,178
Penobscot ...	914	October.....	395	70-80.....	1,411
Piscataquis.....	164	November.....	505	Over 80....	1,024
Sagadahoc.....	217	December....	731	Not stated.	34
Somerset.....	393	Not stated.....	3	Total.....	7,962
Waldo.....	285	Total.....	7,962		
Washington.....	443				
York.....	874				
State.....	7,962				

Bronchitis.—From this cause, including both acute and chronic bronchitis, 233 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, 225 in 1895, 220 in 1896, 237 in 1897, and 210 in 1898). Among these decedents, 114 were males and 119 females. Of these 233 deaths, 97 were in the cities. The largest number of deaths in any one month was 44 in January. In August occurred the smallest number of deaths, 7. The largest number of deaths in three consecutive months was 106 in January, February, and March; the smallest number in any three consecutive months was 25 in July, August, and September. The number of deaths by quarters was 106, 53, 25, and 49.

The bronchitis death-rate of the State was 3.37; of the cities, 4.35.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life:

Under 1 year,	69	40-50 years,	5
1-5 years,	30	50-60 years,	14
5-10 years,	2	60-70 years,	16
10-20 years,	1	70-80 years,	49
20-30 years,	1	Over 80 years,	42
30-40 years,	3	Not stated,	1

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rates of counties and State:

BRONCHITIS—1899.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	6	2	5	3	2	3	1	-	1	2	2	3	30	5.59
Aroostook	1	2	3	-	1	-	-	-	-	-	-	1	8	1.34
Cumberland	7	4	4	1	4	1	1	-	3	2	3	1	31	3.10
Franklin	-	-	2	-	2	-	-	-	-	1	2	-	7	3.82
Hancock	3	2	1	2	-	1	2	1	-	-	2	1	15	4.23
Kennebec	4	2	6	2	5	-	1	3	2	2	1	3	31	5.26
Knox	1	-	1	1	-	-	-	-	-	-	-	-	3	0.98
Lincoln	-	-	-	-	-	-	-	-	-	-	1	1	2	1.00
Oxford	3	-	1	1	2	-	-	-	1	1	-	1	10	3.12
Penobscot	4	3	1	1	4	-	1	-	-	1	-	1	16	2.11
Piscataquis	-	-	2	-	-	-	-	-	-	-	1	-	3	1.78
Sagadahoc	1	-	1	1	-	-	-	-	-	-	-	1	4	1.98
Somerset	4	1	-	-	1	1	1	-	-	-	1	1	10	2.96
Waldo	4	-	1	-	1	1	-	-	1	-	1	-	9	3.67
Washington	3	4	2	2	1	-	1	1	-	-	-	2	16	3.54
York	3	8	4	2	4	3	2	2	-	2	3	5	38	5.88
State	44	28	34	16	27	10	10	7	8	11	17	21	233	3.37

Pleurisy.—Twenty-four deaths were charged to this disease (18 in 1892, 19 in 1893, 15 in 1894, 19 in 1895, 19 in 1896, 26 in 1897, and 17 in 1898),—19 males and 5 females.

Ages: 10-20, 4; 20-30, 1; 40-50, 2; 50-60, 5; 60-70, 6; 70-80, 3; over 80, 3.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 565 (659 in 1892, 653 in 1893, 685 in 1894, 693 in 1895, 679 in 1896, 673 in 1897, and 651 in 1898), or a death-rate of 8.17. The distribution of these under their several causes will be found on page 101.

Peritonitis.—There were 83 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, 125 in 1895, 116 in 1896, 117 in 1897, and 102 in 1898),—28 males and 55 females. Thirty-nine of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

PERITONITIS—1899.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 6	January 11	Under 1. 5
Aroostook 4	February..... 3	1-5..... 5
Cumberland..... 13	March 3	5-10..... 3
Franklin ... 3	April 12	10-20. 7
Hancock 1	May..... 9	20-30..... 16
Kennebec..... 8	June 6	30-40..... 7
Knox..... 3	July 5	40-50..... 19
Lincoln . . . 1	August 7	50-60.. . . . 8
Oxford 4	September..... 5	60-70..... 10
Penobscot 15	October..... 6	70-80..... 3
Piscataquis 1	November 7	Total 83
Sagadahoc 2	December..... 9	
Somerset 5	Total 83	
Waldo 5		
Washington 4		
York 8		
State 83		

Appendicitis.—Of the deaths classified under this cause, 37 in number, 21 were males and 16 were females. The number of deaths in each month was, January, 1; February, 0; March, 2; April, 8; May, 4; June, 3; July, 2; August, 5; September, 4; October, 5; November, 1; December, 2.

Ages: 5-10, 3; 10-20, 15; 20-30, 8; 30-40, 2; 40-50, 1; 50-60, 1; 60-70, 4; over 70, 3.

Cirrhosis of the Liver.—Thirty-six deaths were ascribed to cirrhosis of the liver—those of 25 men and 11 women. Of these 36 deaths, 16 were in the cities, and 20 in the rural parts of the State. The death-rate of the State from this one cause was 0.52 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, 0.50 in 1895, 0.33 in 1896, 0.45 in 1897, and 0.58 in 1898).

Diseases of the Urinary System.—There were 604 deaths referred to the diseases under this group, equivalent to a death-rate of 8.74.

Nephritis.—Acute and chronic, caused the death of 168 persons, 98 males and 70 females. The death-rate from nephritis was, therefore, 2.43.

Ages: Under 1, 1; 1-5, 3; 5-10, 2; 10-20, 3; 20-30, 4; 30-40, 16; 40-50, 12; 50-60, 31; 60-70, 36; 70-80, 43; over 80, 17.

Bright's Disease.—This was the cause of 262 deaths (204 in 1892, 217 in 1893, 219 in 1894, 234 in 1895, 282 in 1896, 231 in 1897, and 250 in 1898),—140 males and 122 females. Of these deaths, 83 were in the cities.

Ages: Under 1, 2; 1-5, 2; 5-10, 2; 10-20, 9; 20-30, 16; 30-40, 20; 40-50, 22; 50-60, 41; 60-70, 70; 70-80, 56; over 80, 22.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin	15	2.79	Oxford	18	5.61
Aroostook	11	1.84	Penobscot.....	20	2.63
Cumberland... ..	44	4.41	Piscataquis	7	4.15
Franklin.	6	3.28	Sagadahoc.	2	0.99
Hancock	17	4.56	Somerset.	15	4.45
Kennebec	19	3.23	Waldo	20	8.15
Knox.....	12	3.93	Washington	17	3.76
Lincoln	8	4.02	York.....	31	4.79
			State.....	262	3.80

Childbirth.—Under the group of accidents and diseases of reproduction, 40 deaths were registered, not including puerperal fever, (69 in 1892, 59 in 1893, 41 in 1894, 36 in 1895, 56 in 1896, 62 in 1897, and 51 in 1898). This is equivalent to a special death-rate of 0.58.

Accidents.—From accidents of various kinds, 374 persons met their death (376 in 1892, 330 in 1893, 286 in 1894, 341 in 1895, 348 in 1896, 366 in 1897, and 390 in 1898). Of deaths from falls, there were 32; 7 were from a carriage; 4, from a building; 1, from a load of hay; 1, from a staging; 1, from a scaffold in barn; 1, on a saw; 1, on the point of a knife; and 1, a child of two years, while washing his face fell and struck on a kettle, breaking his neck; while 15 were unspecified.

Fractures caused 57 deaths—fracture of hip, 17; of skull, 15; of spine, 7; of thigh, 2; of back, 1; of ribs, 1; of legs, 1; and 13 were unspecified.

Fourteen deaths were from gun or pistol shot.

From railway injuries there were 33 deaths.

From burns and scalds, 38 deaths occurred. Five deaths were from clothing taking fire; 2, scalded with hot water; 1, caused by gasoline stove; 1, from kerosene stove; 1, explosion kerosene can; 1, explosion of lamp; 1, playing with matches; the rest, unspecified.

From poisoning, 21 deaths occurred, of which wood alcohol was the cause of 2; chloral, 1; morphine, 1; arsenic, 1; carbolic acid, 1; hydrocyanic acid, 1; mercurial poisoning, 1; lead poisoning, 1; phosphorus poisoning, 1; overdose of chloroform, 1; the rest, unspecified.

By drowning, 103 lives were lost. There was only one life lost at sea.

The death-rate from accidents in this State was 5.41.

Homicide.—Under this group 9 deaths were registered. This is equivalent to a death-rate of 0.13.

Suicide.—Within the year, 93 persons took their own lives (59 in 1892, the same number in 1893, 39 in 1894, 66 in 1895, 81 in 1896, 71 in 1897, and 56 in 1898),—75 males and 18 females. Of the males, the occupation of 24 was farmer; of 9, laborer; 4, merchant; 2, manufacturer; 2, mariner; 2, jailer; 3, carpenter; 2, hackman; 1, each, publisher, printer, painter, blacksmith, cook, mill-hand, restaurant keeper, clerk, lawyer, machinist, spool maker, watchman, oculist, shoemaker, engineer, student, paper mill worker, teamster, lumberman, music dealer, and boss weaver; while of 6 no occupation was given.

Of the females, the occupation of 7 was returned as housewife; 1, as housekeeper; 1, housework; 1, stenographer; 1, nurse; 1, schoolgirl; and not stated, 6.

As to the means employed; 25 committed suicide by hanging; 25, by shooting; 24, by poisoning; 8, by drowning; 8, by cutting throat; 1, suffocation by gas; and in 2, the method was not stated.

SUICIDES BY AGES, MONTHS, AND COUNTIES—1899.

AGE-PERIODS.	Months.	Counties.	Rate per 10,000 of population.			
10-20.....	1	January	4	Androscoggin....	7	1.30
20-30.....	15	February	6	Aroostook... ..	5	0.84
30-40.....	19	March	9	Cumberland	15	1.50
40-50.....	20	April	12	Franklin	8	4.37
50-60.....	13	May.....	9	Hancock.....	1	0.26
60-70.....	12	June... ..	14	Kennebec	14	2.38
70-80.....	12	July.....	7	Knox.....	6	1.97
Over 80	1	August	3	Lincoln.....	-	-
Total	93	September	7	Oxford	9	2.81
		October	7	Penobscot.....	6	0.79
		November.....	7	Piscataquis	5	2.96
		December.. ..	8	Sagadahoc.....	4	1.97
		Total	93	Somerset	-	-
				Waldo.....	6	2.44
				Washington.....	-	-
				York	7	1.08
				State.....	93	1.34

The youngest suicide was a girl of 16 years; the oldest, a man of 80 years. The largest number of suicides in any month was 14 in June. By quarters, the suicides were 19, 35, 17, and 22. The largest number in any county was 15 in Cumberland; the highest death-rate from suicide was in Franklin county. The rate for the State per 10,000 of population was 1.34.

LIST OF TABLES.

	PAGE
Table No. 1.—Deaths from some of the Leading Causes.....	6
Table No. 2.—Population of the State by Counties, 1900 and 1890,	7
Table No. 3.—Births, Marriages, and Deaths, 1892-99.....	7
Table No. 4.—Population of 1899; Births, Marriages, and Deaths, with the rate of each to 1,000 of population for the year ending December 31, 1899.....	8
Table.—Summary of Births, Marriages, and Deaths.....	9
Table No. 5.—Births and Deaths in each County.....	10
Table No. 6.—Births and Deaths in the Cities.....	11
Table No. 7.—Births, Marriages, and Deaths by Counties and Towns	12-65
Table No. 8.—Births, Marriages, and Deaths by Counties.....	66-67
Table No. 9.—Births and Birth-Rates by Counties, for the years 1892-99	68
Table No. 10.—Births, by Counties, showing the proportion of males to females, 1899.....	69
Table No. 11.—Number of Births in each Month of 1892-99, with Monthly Ratio compared with a Standard of 100	70
Table No. 12.—Births by Sex and Months by Counties, 1899.....	71
Table No. 13.—Births in Cities, for 1899, with rate per 1,000 of population	72
Table No. 14.—Percentage of American and Foreign Births by Counties, 1899	73
Table No. 15.—Percentage of American and Foreign Births by Cities, 1899	74
Table No. 16.—Twin Births by Months and Counties, 1899.....	75
Table No. 17.—Twin Births by Sex and Parentage, by Counties, 1899	76
Table No. 18.—Still-Births by Sex and Parentage, by Counties, 1899	77
Table No. 19.—Still-Births by Seasons, 1899.....	78
Table No. 20.—Marriages and Marriage-Rates by Counties for the years 1892-99.....	82
Table No. 21.—Marriages by Counties and Nativity, 1899.....	83
Table No. 22.—Marriages by Months and Counties, 1899.....	83
Table No. 23.—Number of Marriages in each month of 1892-99, with Monthly Ratio compared with a Standard of 100	84

LIST OF TABLES.

227

	PAGE
Table No. 24.—Marriages by Ages and Counties, 1899.....	85
Table No. 25.—Interesting Facts in Relation to Marriage.....	86-87
Table No. 26.—Divorces decreed by the Supreme Court of Maine in the year 1899.....	90-91
Table No. 27.—Divorces by Causes, Sex of Libellants and the number of years married, 1899.....	92
Table No. 28.—Deaths and Death-Rates by Counties, for the years 1892-99	94
Table No. 29.—Number of Deaths in each Month of 1892-99, with Monthly Ratio compared with a Standard of 100,	95
Table No. 30.—The number of Deaths in the State, and in each County, arranged by Classes and Groups.....	96-103
Table No. 31.—Deaths in each Town from Special Causes, Mostly Infectious Diseases	104-141
Table No. 32.—Deaths in each Town from Certain Diseases and Groups of Diseases	142-179
Table No. 33.—Deaths by Ages, Sex, and Months, by Counties.....	180-181
Table No. 34.—Number of Deaths from Several Specified Causes, of each Sex, in each Month, which were regis- tered during eight years 1892-99.....	182
Table No. 35.—Mortality by Months, reduced to a Standard Mean of 100: Eight years 1892-99.....	183
Table.—Mortality from Ten Prominent Causes, 1892-99.....	187
Table.—Seven Zymotic Diseases by Counties, 1899.....	188
Table.—Zymotic Diseases by Cities, 1899.....	189
Table.—Infectious Diseases, 1892-99.....	190
Table.—Measles by Counties, Months, and Age-Periods, 1896-99..	191
Table.—Scarlet Fever by Counties, Months, and Age-Periods, 1893-99	192
Table.—Influenza by Counties and Months, 1899.....	193
Table.—Whooping-Cough by Counties, Months, and Age-Periods, 1899	194
Table.—Diphtheria by Counties and Months, 1899.....	195
Table.—Croup by Counties and Months, 1899.....	196
Table.—Diphtheria and Croup by Counties, Months, and Age- Periods, 1892-99	197
Table.—Cerebro-Spinal Meningitis by Counties, Months, and Age- Periods, 1899	198
Table.—Typhoid Fever by Counties and Months, 1899.....	199
Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1892-99	200
Table.—Consumption by Counties and Months, 1899.....	202
Table.—Consumption by Counties, Months, and Age-Periods, 1892-99	203
Table.—Infantile Diarrhea by Counties and Months, 1899.....	205
Table.—Infantile Diarrhea by Counties, Months, and Age-Periods, 1892-99	206

	PAGE
Table.—Infantile Diarrhea in the Cities, 1892-99.....	207
Table.—Rheumatism by Counties, Months, and Age-Groups, 1899..	209
Table.—Rheumatism by Counties, Months, and Age-Periods, 1893-99	210
Table.—Cancer by Counties and Age-Groups, 1892-99.....	211
Table.—Old Age by Counties, 1899.....	212
Table.—Apoplexy by Counties and Months, 1899.....	214
Table.—Apoplexy, 1899 and 1893-99.....	215
Table.—Diseases of the Heart by Ages and by Sex.....	216
Table.—Diseases of the Heart by Counties.....	216
Table.—Pneumonia by Counties and Months with Death-Rates per 10,000, 1899.....	218
Table.—Pneumonia by Counties and Months, 1892-99.....	219
Table.—Bronchitis by Counties and Months, 1899.....	220
Table.—Peritonitis by Counties and Months, 1899.....	221
Table.—Bright's Disease by Counties, 1899.....	223
Table.—Suicides by Ages, Months, and Counties, 1899.....	225

INDEX.

	PAGE
Accidents	223
Age and mortality.....	186
Appendicitis	222
Apoplexy	213
by counties and months.....	214
1899, and 1893-99.....	215
Birth-rate	79
Birth-rates	8, 9
Births and birth-rates, by counties and years.....	68
by counties, showing proportion of males to females.....	69
by seasons	80
by sex and months, by counties.....	71
in cities, for 1899, with rate.....	72
in each month, by years.....	70
notes on	79
percentage	79
percentage of American and foreign, by cities.....	74
by counties	73
relation to deaths	10
twin	81
by months and counties.....	75
by sex and parentage.....	76
marriages and deaths, in each town.....	12-65
Brain or membranes, inflammation of.....	213
softening of the	215
Bright's disease	222
Bronchitis	219, 220
Cancer	210
1899 and 1892-99.....	211
Centenarians	212
Cerebro-spinal meningitis	197
by counties, months, and age-periods.....	198
Childbirth	223
Cirrhosis of the liver.....	222
Constitutional diseases	208
Consumption, by counties and months.....	202
by counties, months, and age-periods, 1892-99.....	203

	PAGE
Croup	195
by counties and months.....	196
Deaths, age and mortality.....	186
causes of	186
by ages, sex and months, by counties.....	180, 181
months, reduced to a standard mean for eight years.....	183
in each town, from special causes.....	104-141
from certain diseases and groups of diseases, 142-179	
in the State and counties, by classes and groups.....	96-103
from several specified causes in eight years.....	182
notes on, and the causes of death.....	184
number in each month, by years.....	95
seasons and mortality.....	184
sex and mortality.....	185
and death-rates, by counties and years.....	94
Death-rates	8, 9, 184
compared	184
Diabetes	211
Diarrheal diseases	203
Dietetic diseases	208
Digestive system, diseases of the.....	221
Diphtheria	194
by counties and months.....	195
and croup, by counties, months, and age-periods, 1892-99..	197
Divorces by causes, sex of libellants, etc.....	92
decreed in 1899.....	90, 91
notes on	93
Epilepsy	216
Heart, diseases of the.....	216
Hemiplegia	215
Homicide	224
Infantile diarrhea	204
by counties and months.....	205
by counties, months, and age-periods, 1892-99..	206
in cities, 1892-99.....	207
Infectious diseases	189
1892-99	190
Influenza	192
deaths from, by counties and months.....	193
Liver, cirrhosis of.....	222
Marriage, interesting facts relating to.....	86, 87
rates	8, 9, 88

	PAGE
Marriages, ages	88
and rates, by counties.....	82
by ages and counties.....	85
by counties and nativity.....	83
by months and counties.....	83
nativity	88
notes on	88
number of, in each month, by years.....	84
seasons	88
Malarial diseases	200
Measles	190
by counties, months, and age-periods, 1896-99.....	191
Mortality from ten prominent causes, 1892-99.....	187
Nephritis	222
Nervous system, diseases of.....	213
Old age	211, 212
Paralysis	215
Peritonitis	221
Pleurisy	221
Pneumonia	217
1892-99	219
by counties and months, with death-rates.....	218
Population	7
Respiratory system, diseases of the.....	217
Rheumatism	208
by counties, months and age-periods.....	209, 210
Scarlet fever	191
by counties, months, and age-periods.....	192
Septic diseases	208
Smallpox	190
Still-births	81
by seasons	78
by sex and parentage.....	77
Suicide	224
by ages, months, and counties, 1899.....	225
Tetanus	198
Tuberculosis	200
mesenteric	203
other forms	203
Typhoid fever	198, 199
by counties, months, and age-periods, 1892-99.....	200
Urinary system, diseases of the.....	222

	PAGE
Whooping-cough	193
by counties, months, and age-periods.....	194
Zymotic diseases	187
by cities	189
seven, by counties	188