

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>




Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

PUBLIC DOCUMENTS OF MAINE:

1902

BEING THE



ANNUAL REPORTS

OF THE VARIOUS

DEPARTMENTS AND INSTITUTIONS

For the Year 1901.

VOLUME IV.

AUGUSTA
KENNEBEC JOURNAL PRINT
1902

NINTH ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES
AND DEATHS

IN THE

STATE OF MAINE

FOR THE

YEAR ENDING DECEMBER 31, 1900.

AUGUSTA
KENNEBEC JOURNAL PRINT
1902

DEPARTMENT OF VITAL STATISTICS.

OFFICE OF THE REGISTRAR,
AUGUSTA, ME., May 26, 1902.

*To His Excellency, John F. Hill, Governor, and the Honorable
Executive Council:*

GENTLEMEN—In accordance with the provisions of the law, I have the honor of submitting to you the Ninth Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1900.

Very respectfully,

A. G. YOUNG, M. D.,

Registrar of Vital Statistics.

REGISTRATION REPORT, 1900.

This report presents the results of the registration and tabulation of the births, marriages, divorces, and deaths which occurred in the State of Maine during the year 1900.

The number of births registered in that year is 234 larger than in the preceding year. The number of births recorded in each of the registration years, 1892-1900, is 14,028, 14,604, 14,607, 15,430, 15,429, 15,142, 15,121, 14,475, and 14,709, respectively.

The number of marriages (number of couples married) in 1900 was 5,482, a number 153 larger than in the preceding year. The number of marriages registered in the State in each of the years 1892-1900 is, respectively, 5,726, 5,795, 5,591, 5,729, 5,579, 5,331, 5,144, 5,329, and 5,482.

The number of deaths recorded in the State for the same year was 11,389, a number 19 larger than that of the deaths registered in the preceding year. The number of deaths in each year thus far recorded is: In 1892, 12,147; in 1893, 11,134; in 1894, 11,012; in 1895, 10,464; in 1896, 10,626; in 1897, 11,236; in 1898, 10,956; in 1899, 11,370; and in 1900, 11,389.

Compared with 1899, among the chief causes of death, there were in 1900, 143 more from diarrheal diseases, 85 more from nephritis and Bright's disease, 45 more from measles, 29 more from bronchitis, 22 more from peritonitis, 17 more from diseases of heart, 12 more from phthisis, 3 more from diphtheria, and 3 more from whooping-cough. On the other hand, there was a smaller number of deaths from the following causes: From grippe 144 fewer; from diseases of nervous system, 85; from tuberculosis in all its forms, 26; from diabetes, 21; from cancer, 15; and from scarlet fever, 13 fewer deaths than in 1899.

A noteworthy diminution of the number of deaths from pulmonary tuberculosis, or consumption, has been going on in this State ever since the registration of vital statistics was begun with the exception that in this registration year 1900, there were 12 more deaths from pulmonary tuberculosis than in the preceding year. The total number of deaths from all forms of tuberculosis was 26 fewer than in 1899.

Bertillon Classification.—The nomenclature of the causes of death in this report is the revised Bertillon classification adopted by the International Commission which met in Paris in August, 1900.

Table No. 1 gives a cursory view of the relative mortality in 1899 and 1900 from some of the leading causes of death.

TABLE No. 1
Deaths from Some of the Leading Causes.

Diseases.	1899.	1900.	More in 1899.	More in 1900.
Measles.....	39	84	-	45
Scarlet fever	48	35	13	-
Influenza (grippe)	380	236	144	-
Whooping-cough	96	99	-	3
Diphtheria and croup.....	152	155	-	3
Cerebro-spinal meningitis.....	50	42	8	-
Typhoid fever	195	196	-	1
Tuberculosis	1,241	1,215	26	-
Diarrheal diseases	662	805	-	143
Rheumatism	57	56	1	-
Cancer	541	526	15	-
Diabetes.	95	74	21	-
Diseases of nervous system	1,728	1,643	85	-
Diseases of heart	1,028	1,045	-	17
Pneumonia	1,067	1,067	-	-
Bronchitis.....	233	262	-	29
Peritonitis	83	105	-	22
Nephritis and Bright's disease	430	515	-	85

Population.—The population of the State of Maine in 1900, as given by the twelfth census, was 694,466. In 1890, the population of the State was 661,086. There was therefore, a gain of 33,380 in the decade between the last two census enumerations. Table No. 7 shows the population for 1900 in each of the cities, towns, and plantations of the State. The following table exhibits the population of the several counties in 1890 and in 1900, and the gain or loss in each.

TABLE No. 2.
Population in 1900 and 1890.

Counties.	1900.	1890.	Difference.
Androscoggin	54,242	48,968	5,274 gain
Aroostook.....	60,744	49,589	11,155 gain
Cumberland	100,689	90,949	9,740 gain
Franklin	18,444	17,053	1,391 gain
Hancock	37,241	37,312	71 loss
Kennebec	59,117	57,012	2,105 gain
Knox	30,406	31,473	1,067 loss
Lincoln.....	19,669	21,996	2,327 loss
Oxford	32,238	30,586	1,652 gain
Penobscot	76,246	72,865	3,381 gain
Piscataquis.....	16,949	16,134	815 gain
Sagadahoc	20,330	19,452	878 gain
Somerset	33,849	32,627	1,222 gain
Waldo	24,185	27,759	3,574 loss
Washington	45,232	44,482	750 gain
York.....	64,885	62,829	2,056 gain

TABLE No. 3.
Births, Marriages, and Deaths, 1892-1900.

State.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.
Number of births	14,028	14,604	14,607	15,430	15,429	14,430	14,473	13,895	14,095
Number of marriages ...	5,726	5,795	5,591	5,729	5,579	5,331	5,144	5,329	5,482
Number of deaths	12,147	11,134	11,012	10,464	10,626	11,236	10,956	11,370	11,389
Birth-rate	21.21	21.04	21.09	22.33	22.23	21.83	21.89	20.10	20.30
Marriage-rate.....	8.56	8.76	8.46	8.67	8.44	8.07	7.78	7.71	7.89
Death-rate	18.37	16.84	16.66	15.83	16.07	16.99	16.57	16.45	16.40

Birth, Marriage and Death-Rates.—In this report the birth-rates, marriage-rates, and death-rates from all causes are stated as so many among each 1,000 of the population according to the population for 1900.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 4.

Population of 1900, Births, Marriages, and Deaths, with rate of each to 1,000 of Population for the Year Ending December 31, 1900.

Counties.	Population in 1900.	Births.	Birth-rate per 1,000.	Marriages.	Marriage-rate per 1,000 persons married.	Deaths.	Death-rate per 1,000.
Androscoggin	54,242	1,099	20.26	463	8.54	963	17.75
Aroostook	60,744	1,843	30.77	527	8.68	763	12.74
Cumberland	100,689	2,074	20.60	731	7.26	1,828	18.15
Franklin	18,444	392	21.63	149	8.08	311	17.16
Hancock	37,241	689	18.62	269	7.22	511	13.81
Kennebec	59,117	1,166	19.72	477	8.07	1,073	18.15
Knox	30,406	448	14.79	255	8.38	519	17.14
Lincoln	19,669	339	17.24	148	7.52	293	14.88
Oxford	32,238	555	17.26	241	7.48	545	16.95
Penobscot	76,246	1,314	17.38	647	8.49	1,127	14.91
Piscataquis	16,949	323	19.49	128	7.55	244	14.73
Sagadahoc	20,330	422	20.76	145	7.13	335	16.48
Somerset	33,849	603	17.99	328	9.69	478	14.26
Waldo	24,185	348	14.38	167	6.91	417	17.24
Washington	45,232	1,059	23.53	359	7.94	700	15.53
York	64,885	1,421	21.90	448	6.90	1,282	19.76
State	694,466	14,095	20.30	5,482	7.83	11,389	16.40

The following is a general summary of the births, marriages, and deaths in 1900:

BIRTHS.

Sex.		Parentage.	
Males.....	7,154	American	8,449
Females	6,929	Foreign.	3,040
Not stated.....	12	One parent foreign.....	2,468
	<u>14,095</u>	Not stated.....	<u>138</u>
			14,095
Whole number of births.....		14,095	
Birth-rate per 1,000.....		26.3 0	

MARRIAGES.

Groom and bride both American	3,975
Groom and bride both foreign	579
Groom American, bride foreign.....	388
Groom foreign, bride American	480
Not stated	<u>60</u>
Whole number of marriages.	5,482
Marriage-rate per 1,000	7.89

DEATHS.

Sex.		Parentage.	
Males ..	5,734	American	9,836
Females	5,649	Foreign.	1,380
Not stated.....	6	Not stated	<u>173</u>
	<u>11,389</u>		11,389
Whole number of deaths.....		11,389	
Death-rate per 1,000.		16.40	

Relation of Births to Deaths.—As the total number of births registered in Maine in the year 1900 was 14,709 and the number of deaths was 11,389, the natural increase of births over deaths was 3,320.

The following table shows the number of births and deaths in each county, and the preponderance of births over deaths, or vice versa.

TABLE No. 5.

Counties.	Population in 1900.	Births.	Deaths.	Difference.
Androscoggin	54,242	1,099	963	136 gain
Aroostook	60,744	1,843	763	1,080 gain
Cumberland	100,689	2,074	1,828	246 gain
Franklin	18,444	392	311	81 gain
Hancock	37,241	689	511	178 gain
Kennebec	59,117	1,166	1,073	93 gain
Knox	30,406	448	519	71 loss
Lincoln	19,669	339	293	46 gain
Oxford	32,238	555	545	10 gain
Penobscot	76,246	1,314	1,127	187 gain
Piscataquis	16,949	323	244	79 gain
Sagadahoc	20,330	422	335	87 gain
Somerset	33,849	603	478	125 gain
Waldo	24,185	348	417	69 loss
Washington	45,232	1,059	700	359 gain
York	64,885	1,421	1,282	137 gain
State	694,466	14,095	11,389	2,706 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following :

TABLE No. 6.

Cities.	Population in 1900.	Births.	Deaths.	Difference.
Auburn	12,951	207	202	5 gain
*Augusta	11,683	253	265	12 loss
Bangor	21,850	319	329	10 loss
Bath	10,477	263	172	91 gain
Belfast	4,615	57	83	26 loss
Biddeford	16,145	534	340	194 gain
Brewer	4,835	99	94	5 gain
Calais	7,655	216	132	78 gain
Eastport	5,311	167	108	59 gain
Ellsworth	4,297	57	58	1 loss
Gardiner	5,501	92	98	6 loss
Hallowell	2,714	57	48	9 gain
Lewiston	23,761	586	493	93 gain
Old Town	5,763	16	98	70 gain
Portland	50,145	1,077	966	111 gain
Rockland	8,150	115	159	44 loss
Saco	6,122	110	129	19 loss
South Portland	6,287	141	92	49 gain
Waterville	9,477	311	158	153 gain
Westbrook	7,283	161	96	65 gain
Total	225,022	4,990	4,126	864 gain

*Including 107 deaths in the Insane Hospital.

TABLE
Births, Marriages, and Deaths

ANDROSCOGGIN

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn	12,951	102	105	-	207	15.98	112	75	11	9	-
Durham	1,230	17	10	-	27	21.95	22	3	1	1	-
East Livermore....	2,129	24	23	-	47	22.08	23	18	4	1	1
Greene	826	6	6	-	12	14.53	11	1	-	-	-
Leeds	1,065	10	10	-	20	18.78	17	2	-	1	-
Lewiston	23,761	307	277	2	586	24.66	96	400	50	37	3
Lisbon	3,603	27	27	-	54	14.99	22	26	4	1	1
Livermore	1,125	8	10	-	18	16.00	15	3	-	-	-
Mechanic Falls	1,687	13	11	-	24	14.23	19	1	4	-	-
Minot	808	5	11	-	16	19.80	15	-	-	1	-
Poland	1,648	11	11	-	22	13.35	18	2	1	1	-
Turner	1,842	20	17	-	37	20.09	31	3	2	1	-
Wales	436	4	4	-	8	18.35	8	-	-	-	-
Webster.....	1,131	6	15	-	21	18.57	11	4	2	3	1
Total	54,242	560	537	2	1,099	20.26	420	538	79	56	6

No. 7.
for the Year 1900.
 COUNTY.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
81	2	4	5	-	92	93	109	-	202	171	28	3	15.60	
10	-	-	1	-	11	8	12	-	20	17	3	-	16.26	
17	-	1	1	-	19	9	15	-	24	23	1	-	11.27	
1	-	-	1	-	2	10	6	-	16	15	-	1	19.37	
8	-	-	-	-	8	4	6	-	10	9	-	1	9.39	
75	109	28	26	-	238	242	250	1	493	350	137	6	20.75	
20	9	3	1	-	33	31	24	-	55	43	12	-	15.27	
7	-	-	-	-	7	6	6	-	12	12	-	-	10.67	
16	-	-	-	-	16	14	21	-	35	33	2	-	20.75	
1	-	-	-	-	1	5	8	-	13	13	-	-	16.09	
13	-	-	-	-	13	14	8	-	22	20	2	-	13.35	
11	-	-	-	-	11	16	25	-	41	38	3	-	22.26	
-	-	-	-	1	1	3	4	-	7	7	-	-	16.05	
8	-	1	2	-	11	7	6	-	13	11	2	-	11.41	
268	120	37	37	1	463	462	500	1	963	762	190	11	17.75	

TABLE
Births, Marriages, and Deaths

AROOSTOOK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity.....	404	6	5	-	11	27.23	6	2	1	2	-
Ashland ...	1,080	19	17	-	36	33.33	21	3	6	5	1
Bancroft	318	4	6	-	10	31.45	3	5	1	1	-
Benedicta.....	350	4	4	-	8	22.86	6	-	-	1	1
Blaine	954	14	10	-	24	25.16	8	1	7	6	2
Bridgewater.....	1,179	21	21	-	42	35.62	10	12	12	8	-
Caribou	4,758	85	71	-	156	32.79	53	34	41	27	1
Dyer Brook.....	280	4	7	-	11	39.29	-	9	1	1	-
Easton	1,215	6	5	-	11	9.05	5	2	1	2	1
Fort Fairfield.	4,181	45	56	1	102	24.40	40	30	12	18	2
Fort Kent.....	2,528	54	67	-	121	47.86	74	10	14	22	1
Frenchville.....	1,316	13	20	-	33	25.08	25	1	3	4	-
Grand Isle	1,104	13	18	-	31	28.08	16	2	8	5	-
Haynesville	316	5	5	-	10	31.65	4	1	5	-	-
Hersey ...	199	5	2	-	7	35.18	5	1	-	-	1
Hodgdon	1,130	19	7	-	26	23.01	11	3	6	5	1
Houlton.....	4,686	56	54	2	112	23.90	28	45	12	25	2
Island Falls.....	1,063	20	20	-	40	37.63	13	10	12	5	-
Limestone.....	1,131	18	13	-	31	27.41	10	4	4	13	-
Linneus.	834	10	10	-	20	23.98	10	-	6	4	-
Littleton	956	18	11	-	29	30.33	11	5	6	7	-
Ludlow	394	5	2	-	7	17.77	3	-	1	3	-
Madawaska.....	1,698	34	44	-	78	45.94	68	-	1	7	2
Mapleton	853	11	11	-	22	25.79	15	4	1	2	-
Mars Hill.....	1,183	17	18	-	35	29.59	9	18	3	5	-
Masardis.....	438	5	9	-	14	31.96	9	3	1	1	-

No. 7—Continued.
for the Year 1900.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
-	-	-	-	-	-	2	-	-	-	2	2	-	-	4.95
8	1	3	2	1	15	4	2	-	6	5	1	-	-	5.56
-	-	-	-	-	-	2	2	-	4	3	1	-	-	12.58
3	1	-	1	-	5	1	-	-	1	1	-	-	-	2.86
7	1	2	1	-	11	5	9	-	14	7	7	-	-	14.68
-	5	-	2	-	7	6	7	1	14	8	5	1	-	11.87
36	6	9	11	-	62	36	40	-	76	58	18	-	-	15.97
5	-	-	-	-	5	2	3	-	5	5	-	-	-	17.85
1	5	3	2	-	11	4	4	-	8	3	5	-	-	6.58
15	6	6	3	1	31	28	21	-	49	38	7	4	-	11.72
12	1	2	4	-	19	25	17	-	42	36	6	-	-	16.61
23	-	1	5	-	29	15	24	-	39	37	2	-	-	29.64
6	-	1	1	-	8	12	13	-	25	22	3	-	-	22.64
1	-	-	1	-	2	-	1	-	1	1	-	-	-	3.16
2	-	-	-	-	2	-	1	-	1	1	-	-	-	5.03
8	3	1	-	-	12	1	1	-	2	2	-	-	-	1.77
16	16	8	12	4	56	19	11	-	30	23	7	-	-	6.40
2	2	3	2	1	10	7	3	-	10	9	1	-	-	9.41
5	-	1	-	-	6	6	9	-	15	12	3	-	-	13.26
1	-	-	1	-	2	7	2	-	9	8	1	-	-	10.79
3	-	-	1	-	4	13	9	-	22	9	13	-	-	23.01
1	-	1	2	-	4	1	5	-	6	1	5	-	-	15.23
6	-	-	3	-	9	12	11	-	23	20	3	-	-	13.55
4	-	2	1	-	7	4	1	-	5	3	2	-	-	5.86
-	-	2	-	-	2	3	4	-	7	4	3	-	-	5.92
-	-	1	-	-	1	1	4	-	5	4	1	-	-	11.42

TABLE
Births, Marriages, and Deaths

ARROSTOOK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Monticello	1,332	22	28	2	52	39.04	10	19	9	13	1
New Limerick.....	600	8	6	-	14	23.33	9	1	2	2	-
New Sweden.....	867	7	10	-	17	19.61	1	14	2	-	-
Oakfield.....	860	12	13	-	25	29.07	16	1	7	1	-
Orient	208	3	2	-	5	24.04	1	-	1	3	-
Perham	580	6	13	-	19	32.76	15	-	2	2	-
Presque Isle.....	3,804	48	46	-	94	24.71	46	17	12	17	2
Sherman	980	14	11	-	25	25.51	18	3	2	2	-
Smyrna	411	5	6	-	11	26.76	5	3	1	2	-
St. Agatha	1,396	54	34	-	88	63.04	81	-	2	3	2
Van Buren.....	1,878	37	35	-	72	38.34	33	12	14	12	1
Washburn	1,225	18	14	-	32	26.12	21	4	4	3	-
Weston	367	-	5	-	5	13.62	5	-	-	-	-
Woodland	1,096	16	12	-	28	25.55	11	7	5	5	-
Cary Pl	400	6	6	-	12	30.00	7	1	2	2	-
Castle Hill Pl.....	567	5	7	-	12	21.16	8	2	1	-	1
Caswell Pl	368	7	7	-	14	38.04	6	1	6	1	-
Chapman Pl	285	7	7	-	14	49.12	9	-	5	-	-
Connor Pl.....	453	20	15	-	35	77.26	12	4	13	6	-
Crystal Pl.....	370	2	4	-	6	16.22	5	-	-	-	1
Cyr Pl.....	502	16	13	-	29	57.77	14	2	6	7	-
Eagle Lake Pl.....	406	-	-	-	-	-	-	-	-	-	-
Garfield Pl.....	111	3	1	-	4	36.04	4	-	-	-	-
Glenwood Pl.....	178	2	3	-	5	28.09	5	-	-	-	-
Hamlin Pl	574	20	16	-	36	62.72	24	1	2	9	-
Hammond Pl	116	-	2	-	2	17.24	-	-	1	1	-

No. 7—Continued.
for the Year 1900.
 COUNTY—CONTINUED.

MARRIAGES.							DEATHS.						Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
6	4	2	6	-	18	9	9	-	18	13	5	-	13.51
-	1	-	-	-	1	2	6	-	8	6	2	-	13.33
-	4	1	2	-	7	4	7	-	11	3	8	-	12.69
4	-	-	-	-	4	9	3	-	12	11	1	-	13.95
3	1	-	1	-	5	1	3	-	4	4	-	-	19.23
1	-	-	1	-	2	3	5	-	8	6	2	-	13.79
26	3	5	5	3	42	12	36	-	48	37	10	1	12.62
9	1	-	-	-	10	3	3	-	6	5	1	-	6.12
2	1	-	-	-	3	-	4	-	4	3	1	-	9.73
26	-	1	5	-	32	20	10	-	30	29	1	-	21.49
7	2	2	3	-	14	10	9	-	19	17	2	-	10.12
9	-	2	3	-	14	5	7	-	12	7	4	1	9.80
2	-	-	-	-	2	2	1	-	3	3	-	-	8.17
3	-	-	2	-	5	12	15	-	27	21	6	-	24.64
1	-	-	-	-	1	4	2	-	6	2	4	-	15.00
3	-	-	-	-	3	3	5	-	8	7	1	-	14.11
1	-	-	-	-	1	3	1	-	4	2	2	-	10.87
-	-	-	-	-	-	3	-	-	3	3	-	-	10.53
-	-	-	-	-	-	8	13	-	21	16	5	-	46.36
-	-	-	-	-	-	1	1	-	2	2	-	-	5.41
-	-	-	-	-	-	6	6	-	12	11	1	-	23.90
-	-	-	-	-	-	4	2	-	6	5	1	-	14.78
-	-	-	1	-	1	1	1	-	2	1	1	-	18.02
2	-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	9	5	-	14	13	1	-	24.39
-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE
Births, Marriages, and Deaths

AROOSTOOK

TOWNS.	Population in 1900.	BIRTHS.										
		Sex.				Parentage.						
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.		American father and foreign mother.	
Macwahoc Pl	153	2	2	-	4	26.14	3	-	1	-	-	
Merrill Pl	298	4	6	-	10	33.56	6	1	1	2	-	
Molunkus Pl	74	-	1	-	1	13.51	1	-	-	-	-	
Moro Pl	217	3	2	-	5	23.04	3	1	-	1	-	
New Canada Pl. . . .	419	7	6	-	13	31.03	6	-	-	7	-	
Oxbow Pl	153	-	3	-	3	19.61	2	-	1	-	-	
Portage Lake Pl	241	1	5	-	6	24.90	6	-	-	-	-	
Reed Pl	399	9	7	-	16	40.10	9	2	2	3	-	
Sheridan Pl	433	6	6	-	12	27.71	5	3	1	3	-	
Silver Ridge Pl	168	1	2	-	3	17.86	1	-	2	-	-	
St. Francis Pl	568	15	6	-	21	36.97	15	1	1	4	-	
St. John Pl	371	4	3	-	7	18.87	2	-	2	3	-	
Stockholm Pl	191	3	1	-	4	20.94	1	3	-	-	-	
Wade Pl	271	7	5	-	12	44.28	6	3	2	1	-	
Wallagrass Pl	784	12	14	-	26	33.16	21	1	4	-	-	
Westfield Pl	259	5	1	-	6	23.17	4	-	1	1	-	
Westmanland Pl	100	1	-	-	1	10.00	-	1	-	-	-	
Winterville Pl	124	6	2	-	8	64.52	7	-	1	-	-	
Plantation E	44	1	-	-	1	22.73	-	-	1	-	-	
No. 8, R. 4	111	-	1	-	1	9.01	1	-	-	-	-	
Total	*59,860	936	902	5	1,843	30.77	928	313	284	295	23	

* Population in unorganized plantations 1900, 884.

No. 7—Continued.
for the Year 1900.
 COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	2	2	-	4	4	-	-	26.14
-	-	-	-	-	-	1	1	-	2	1	1	-	6.71
-	-	-	-	-	-	-	1	-	1	1	-	-	13.51
1	-	-	-	-	1	2	1	-	3	3	-	-	13.82
-	-	-	-	-	-	4	3	-	7	5	2	-	16.70
3	-	-	-	-	3	-	1	-	1	1	-	-	6.54
1	-	-	1	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	4	2	-	6	5	1	-	15.04
1	-	-	-	-	1	6	-	-	6	6	-	-	13.86
-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	-	1	4	-	11	2	2	-	4	3	1	-	7.04
1	-	1	-	-	2	-	2	-	2	2	-	-	5.39
-	-	-	-	-	-	2	-	-	2	1	1	-	10.47
1	-	-	-	-	1	1	-	-	1	1	-	-	3.69
16	-	1	2	-	19	4	6	-	10	9	1	-	12.76
-	-	-	-	-	-	2	-	-	2	1	-	1	7.72
-	-	-	-	-	-	2	-	-	2	-	2	-	20.00
-	-	-	-	-	-	1	-	-	1	1	-	-	8.06
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
300	64	62	91	10	527	383	379	1	763	593	162	8	12.74

TABLE
Births, Marriages, and Deaths

CUMBERLAND

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin.....	821	6	8	-	14	17.05	13	-	-	1	-
Bridgton.....	2,868	30	20	-	50	17.43	44	-	3	3	-
Brunswick.....	6,806	75	90	-	165	24.24	46	99	8	11	1
Cape Elizabeth.....	887	11	12	-	23	25.93	22	-	1	-	-
Casco.....	783	8	9	-	17	21.71	15	-	1	-	1
Cumberland.....	1,404	12	9	-	21	14.96	19	1	-	1	-
Falmouth.....	1,511	6	8	-	14	9.27	9	4	-	1	-
Freeport.....	2,339	23	18	-	41	17.53	36	1	1	1	2
Gorham.....	2,540	12	21	-	33	12.99	29	-	2	2	-
Gray.....	1,388	14	11	-	25	18.01	24	-	-	1	-
Harpswell.....	1,750	22	14	-	36	20.57	33	1	-	1	1
Harrison.....	969	9	9	-	18	18.58	17	-	-	1	-
Naples.....	813	4	8	-	12	14.75	11	-	1	-	-
New Gloucester.....	1,162	12	14	-	26	22.38	22	4	-	-	-
North Yarmouth.....	642	4	3	-	7	10.90	6	1	-	-	-
Otisfield.....	728	7	2	-	9	12.36	8	-	-	1	-
Portland.....	50,145	552	525	-	1,077	21.48	461	365	116	118	17
Pownal.....	592	6	2	-	8	13.51	5	-	1	2	-
Raymond.....	823	12	4	-	16	19.44	15	-	-	1	-
Scarboro.....	1,865	26	22	-	48	25.74	35	6	3	2	2
Sebago.....	576	3	5	-	8	13.89	8	-	-	-	-
South Portland.....	6,287	68	73	-	141	22.43	93	18	16	14	-
Standish.....	1,504	21	10	-	31	20.61	28	1	1	1	-
Westbrook.....	7,283	74	87	-	161	22.11	47	78	19	15	2
Windham.....	1,929	22	18	-	40	20.74	34	2	3	1	-
Yarmouth.....	2,274	15	18	-	33	14.51	24	3	-	6	-
Total.....	100,689	1,054	1,020	-	2,074	20.60	1,104	584	176	184	26

No. 7—Continued.
for the Year 1900.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	9	9	-	18	17	-	1	21.92
29	-	1	-	-	30	21	17	-	38	38	-	-	13.25
32	15	2	7	-	56	63	73	-	136	126	15	1	19.98
1	-	-	-	-	1	6	5	-	11	11	-	-	12.40
4	-	-	-	1	5	4	5	-	9	9	-	-	11.49
4	-	-	2	-	6	9	12	-	21	21	-	-	14.96
5	-	1	-	-	6	4	15	-	19	17	2	-	12.57
15	-	1	-	-	16	28	19	-	47	47	-	-	20.09
20	-	-	-	-	20	24	20	-	44	39	5	-	17.32
10	-	-	-	-	10	13	11	-	24	24	-	-	17.29
12	-	-	1	-	13	17	10	-	27	26	-	1	15.43
4	-	-	-	-	4	9	7	-	16	15	1	-	16.51
2	-	-	-	-	2	11	11	-	22	22	-	-	27.06
10	-	-	1	-	11	8	13	-	21	21	-	-	18.07
2	-	-	1	-	3	8	7	-	15	15	-	-	23.36
3	-	1	-	-	4	7	5	-	12	12	-	-	16.48
224	85	49	33	7	398	500	464	2	966	760	185	21	19.26
1	-	-	-	1	2	3	2	-	5	5	-	-	8.45
4	-	-	-	-	4	9	12	-	21	21	-	-	25.52
5	-	-	-	1	6	16	16	-	32	29	1	2	17.16
1	-	-	-	-	1	4	2	-	6	6	-	-	10.42
32	1	5	5	-	43	42	50	-	92	84	8	-	14.63
12	-	-	-	-	12	11	14	-	25	25	-	-	16.62
25	9	6	5	-	45	42	54	-	96	82	14	-	13.19
12	-	1	4	-	17	22	16	-	38	35	3	-	19.69
11	1	-	-	-	12	34	33	-	67	61	5	1	29.46
484	111	67	59	10	731	924	902	2	1,828	1,562	239	27	18.15

TABLE
Births, Marriages, and Deaths
FRANKLIN

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not Stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Avon	448	4	1	-	5	11.16	5	-	-	-	-
Carthage	334	5	1	-	6	17.96	6	-	-	-	-
Chesterville	709	6	6	-	12	16.93	12	-	-	-	-
Eustis	436	6	4	-	10	22.94	5	1	3	1	-
Farmington	3,288	20	28	-	48	14.60	40	5	2	-	1
Freeman	397	3	2	-	5	12.59	4	-	-	-	1
Industry	553	7	6	-	13	23.51	11	-	1	-	1
Jay	2,758	58	58	-	116	42.06	40	60	10	5	1
Kingfield.....	693	6	5	-	11	15.87	9	-	2	-	-
Madrid	326	4	2	-	6	18.40	5	-	1	-	-
New Sharon	946	6	8	-	14	14.80	14	-	-	-	-
New Vineyard.....	584	6	4	-	10	17.12	9	-	1	-	-
Phillips	1,399	13	9	-	22	15.73	21	-	1	-	-
Rangeley.....	961	11	18	-	29	30.18	24	-	2	3	-
Salem	195	-	3	-	3	15.38	3	-	-	-	-
Strong.....	637	5	2	-	7	10.99	7	-	-	-	-
Temple	394	11	1	-	12	30.46	11	-	-	1	-
Weld	738	10	6	-	16	21.68	16	-	-	-	-
Wilton	1,647	8	16	-	24	14.57	22	-	-	2	-
Coplin Pl	70	1	2	-	3	42.86	1	-	-	2	-
Dallas Pl.....	172	6	4	-	10	58.14	10	-	-	-	-
Greenvale Pl.....	57	2	1	-	3	52.63	3	-	-	-	-
Lang Pl	87	1	2	-	3	34.48	2	1	-	-	-
Perkins Pl	63	1	-	-	1	15.87	1	-	-	-	-
Rangeley Pl	98	1	-	-	1	10.20	1	-	-	-	-
Redington	113	-	-	-	-	-	-	-	-	-	-
No. 6.....	22	1	1	-	2	90.90	2	-	-	-	-
Total	*18,125	202	190	-	392	21.63	284	67	23	14	4

* Population in unorganized plantations in 1900, 319.

**No. 7—Continued.
for the Year 1900.
COUNTY.**

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	4	2	-	6	5	1	-	13.39
3	-	-	-	1	4	1	2	-	3	3	-	-	8.98
6	-	-	-	-	6	2	2	-	10	10	-	-	14.10
1	-	-	-	-	1	9	3	-	12	12	-	-	27.52
34	-	1	-	-	35	33	30	-	63	63	-	-	19.16
-	-	-	-	-	-	3	6	-	9	9	-	-	22.67
5	-	-	-	-	5	6	3	-	9	9	-	-	16.27
9	9	1	2	-	21	25	23	-	48	37	9	2	17.40
10	-	-	-	-	10	7	7	-	14	14	-	-	20.20
2	-	-	-	-	2	4	4	-	8	8	-	-	24.53
5	-	-	-	-	5	8	7	-	15	15	-	-	15.86
3	-	-	-	-	3	12	6	-	18	18	-	-	30.82
14	-	-	2	-	16	10	9	-	19	19	-	-	13.58
7	-	1	1	-	9	6	8	-	14	12	2	-	14.57
1	-	-	-	-	1	1	2	-	3	2	1	-	15.38
3	-	1	-	-	4	7	3	-	10	10	-	-	15.70
2	-	-	-	-	2	3	3	-	6	6	-	-	15.23
6	-	-	-	-	6	3	7	-	10	10	-	-	13.55
15	-	-	1	-	16	11	14	-	25	24	1	-	15.18
-	1	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	2	2	-	-	11.62
-	-	-	-	-	-	2	-	-	2	2	-	-	35.08
-	-	-	-	-	-	1	-	-	1	1	-	-	11.49
-	-	-	-	-	-	2	-	-	2	2	-	-	31.74
2	-	-	-	-	2	-	1	-	1	1	-	-	10.20
-	-	-	-	-	-	-	1	-	1	-	-	1	8.84
-	-	-	-	-	-	-	-	-	-	-	-	-	-
128	10	4	6	1	149	160	151	-	311	294	14	3	17.16

TABLE
Births, Marriages, and Deaths

HANCOCK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst	364	4	3	-	7	19.23	7	-	-	-	-
Aurora	152	2	1	-	3	19.73	2	-	1	-	-
Bluehill . .	1,828	13	16	-	29	15.86	25	-	4	-	-
Brooklin	936	8	10	-	18	19.23	18	-	-	-	-
Brooksville	1,171	16	18	-	34	29.04	33	-	1	-	-
Bucksport	2,339	16	13	-	29	12.40	26	-	-	2	1
Castine.....	925	-	-	-	-	-	-	-	-	-	-
Cranberry Isles	374	4	5	-	9	24.06	7	-	-	2	-
Dedham.	327	6	3	-	9	27.52	6	-	1	2	-
Deer Isle.....	2,047	30	29	-	59	28.82	58	-	-	1	-
Eastbrook	248	3	3	-	6	24.19	6	-	-	-	-
Eden	4,379	48	31	-	79	18.04	58	14	5	2	-
Ellsworth	4,297	29	28	-	57	13.27	49	-	7	1	-
Franklin	1,201	16	9	-	25	20.82	22	1	2	-	-
Gouldsboro	1,259	12	17	-	29	23.03	22	-	3	3	1
Hancock	900	6	8	-	14	15.56	11	1	1	1	-
Isle au Haut	182	4	1	-	5	27.47	5	-	-	-	-
Lamoine	594	2	2	-	4	6.73	3	-	1	-	-
Mariaville	218	2	-	-	2	9.17	2	-	-	-	-
Mount Desert	1,600	16	23	-	39	24.38	29	3	4	1	2
Orland	1,251	9	12	-	21	16.79	20	-	-	-	1
Otis.....	152	1	-	-	1	6.58	-	-	-	1	-
Penobscot	1,156	18	5	-	23	19.90	21	-	2	-	-
Sedgwick . .	902	7	7	-	14	15.52	14	-	-	-	-

No. 7—Continued.
for the Year 1900.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	3	4	-	7	6	1	-	19.23
2	-	1	-	-	3	2	-	-	2	2	-	-	13.16
10	-	-	1	-	11	4	17	-	21	19	2	-	11.49
4	-	-	1	-	5	8	9	-	17	17	-	-	18.16
6	-	-	-	-	6	7	4	-	11	11	-	-	9.39
18	-	-	-	-	18	23	30	-	53	51	1	1	22.66
2	-	-	-	-	2	4	3	-	7	7	-	-	7.57
1	-	-	2	-	3	1	1	-	2	2	-	-	5.35
2	-	-	-	-	2	5	3	-	8	7	1	-	24.46
19	-	-	-	-	19	19	21	-	40	39	-	1	19.54
1	-	-	1	-	2	2	1	-	3	2	-	1	12.09
30	1	3	2	-	36	28	12	-	40	37	2	1	9.13
33	-	2	2	-	37	32	26	-	58	55	3	-	13.50
13	-	-	-	-	13	9	12	-	21	20	1	-	17.49
8	-	-	-	-	8	2	6	-	8	7	1	-	6.35
-	-	-	-	-	-	4	3	-	7	7	-	-	7.78
-	-	-	-	-	-	4	2	-	6	6	-	-	32.96
5	-	-	-	-	5	4	4	-	8	7	1	-	13.46
-	-	-	-	-	-	2	-	-	2	2	-	-	9.17
6	-	-	-	-	6	9	6	-	15	14	-	1	9.38
7	-	-	1	-	8	15	12	-	27	27	-	-	21.58
-	-	-	-	-	-	-	2	-	2	2	-	-	13.16
6	-	-	-	-	6	7	6	-	13	13	-	-	11.25
18	-	1	1	-	20	2	6	-	8	7	1	-	8.87

TABLE
Births, Marriages, and Deaths

HANCOCK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Sorrento	117	-	2	-	2	17.09	2	-	-	-	-
Stonington.....	1,648	19	19	-	38	23.06	36	-	2	-	-
Sullivan	1,034	9	10	-	19	18.38	17	-	1	1	-
Surry	900	6	9	-	15	16.67	13	-	1	-	1
Swan's Island	758	-	-	-	-	-	-	-	-	-	-
Tremont	2,010	22	27	-	49	24.38	42	-	5	1	1
Trenton	459	4	5	-	9	19.61	9	-	-	-	-
Verona	234	5	4	-	9	38.46	9	-	-	-	-
Waltham....	192	1	-	-	1	5.21	1	-	-	-	-
Winter Harbor	571	8	8	-	16	28.02	13	-	2	1	-
Long Island Pl	174	5	4	-	9	51.72	8	-	1	-	-
No. 33 Pl.....	82	3	2	-	5	60.98	4	-	1	-	-
No. 8 Pl	17	-	1	-	1	58.82	-	-	-	1	-
Total	*36,998	354	335	-	689	18.62	598	19	45	20	7

* Population in unorganized plantations in 1900, 243.

No. 7.—Continued.

for the Year 1900.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	-	-	3	3	-	-	3	3	-	-	25.64
6	-	-	-	-	6	17	19	-	36	34	2	-	21.84
5	-	-	1	-	6	8	14	-	22	20	2	-	21.27
9	-	-	-	-	9	9	6	-	15	15	-	-	16.67
-	-	-	-	-	-	4	2	-	6	5	1	-	7.92
21	-	2	1	-	24	8	8	-	16	14	2	-	7.96
2	-	-	-	-	2	4	3	-	7	7	-	-	15.25
-	-	-	-	-	-	2	2	-	4	4	-	-	17.09
1	-	-	-	-	1	4	4	-	8	8	-	-	41.67
3	-	-	-	-	3	4	3	-	7	7	-	-	12.26
3	-	-	-	-	3	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-	12.19
1	-	-	-	-	1	-	-	-	-	-	-	-	-
246	1	9	13	-	269	259	252	-	511	485	21	5	13.81

TABLE
Births, Marriages, and Deaths

KENNEBEC

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion	878	10	9	-	19	21.64	19	-	-	-	-
Augusta.	11,683	121	132	-	253	21.66	112	87	21	27	6
Belgrade.....	1,058	13	7	-	20	18.90	19	-	-	1	-
Benton	1,097	9	10	-	19	17.31	16	-	2	1	-
Chelsea	3,092	6	12	-	18	5.82	16	1	-	1	-
China	1,380	9	5	-	14	10.14	11	1	1	-	1
Clinton....	1,398	6	11	-	17	12.16	16	-	-	-	1
Farmingdale	848	8	3	-	11	12.97	6	3	1	1	-
Fayette	560	4	6	-	10	17.86	8	1	-	1	-
Gardiner	5,501	47	45	-	92	16.72	60	18	9	5	-
Hallowell	2,714	29	28	-	57	21.00	33	10	8	4	2
Litchfield	1,057	12	9	-	21	19.87	17	-	2	2	-
Manchester	518	7	4	-	11	21.24	10	-	1	-	-
Monmouth.....	1,236	9	4	-	13	10.52	10	2	-	1	-
Mount Vernon.....	906	9	7	-	16	17.66	15	-	-	-	1
Oakland.....	1,913	25	14	-	39	20.39	29	5	4	1	-
Pittston.....	1,177	9	6	-	15	12.74	13	-	2	-	-
Randolph	1,077	8	16	-	24	22.28	12	7	1	3	1
Readfield	994	8	7	-	15	15.09	15	-	-	-	-
Rome	420	2	4	-	6	14.29	6	-	-	-	-
Sidney	1,068	5	6	-	11	10.30	8	-	1	2	-
Vassalboro	2,062	13	16	-	29	14.06	23	4	-	2	-

No. 7.

for the Year 1900.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
8	-	-	-	-	8	8	5	-	13	12	1	-	14.81
70	15	12	13	3	113	134	131	-	265	210	43	12	22.68
8	-	-	-	-	8	7	13	-	20	20	-	-	18.90
9	1	-	2	-	12	8	10	-	18	18	-	-	16.41
2	-	1	1	-	4	14	8	-	22	18	3	1	7.12
8	-	-	-	-	8	10	22	-	32	31	1	-	23.19
16	-	-	-	-	16	10	11	-	21	21	-	-	15.02
1	-	-	-	-	1	7	8	-	15	13	2	-	17.69
1	-	-	-	-	1	5	6	-	11	11	-	-	19.64
55	4	5	4	-	68	47	51	-	98	90	8	-	17.81
11	-	1	2	-	14	23	25	-	48	34	14	-	17.69
4	-	-	-	-	4	7	12	-	19	18	-	1	17.98
1	-	-	-	-	1	6	7	-	13	12	1	-	25.10
12	1	-	1	-	14	10	12	-	22	22	-	-	17.80
4	-	-	-	-	4	6	8	-	14	14	-	-	15.45
12	-	1	-	-	13	13	17	-	30	27	3	-	15.68
4	-	-	-	-	4	6	8	-	14	14	-	-	11.89
9	1	1	2	-	13	14	6	-	20	18	2	-	18.57
4	-	-	-	-	4	10	2	-	12	12	-	-	12.07
-	-	-	-	-	-	3	-	-	3	3	-	-	7.14
6	-	-	-	-	6	8	10	-	18	18	-	-	16.85
10	-	4	1	-	15	22	24	-	46	42	4	-	22.31

TABLE
Births, Marriages, and Deaths

KENNEBEC

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Vienna.....	406	2	5	-	7	17.24	6	-	-	-	1
Waterville.....	9,477	145	166	-	311	32.82	83	134	35	59	-
Wayne.....	707	5	6	-	11	15.56	11	-	-	-	-
West Gardiner.....	693	4	2	-	6	8.66	5	-	-	-	1
Windsor.....	782	2	5	-	7	8.95	6	-	-	1	-
Winslow.....	2,277	29	35	-	64	28.11	24	27	6	7	-
Winthrop.....	2,088	16	14	-	30	14.36	19	10	-	1	-
Unity Pl.....	50	-	-	-	-	-	-	-	-	-	-
Total.....	59,117	572	594	-	1,166	19.72	628	310	94	120	14

No. 7—Continued.
for the Year 1900.
 COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	2	-	-	2	2	-	-	4.93
51	28	16	6	4	105	79	79	-	158	107	41	10	16.67
6	-	1	-	-	7	9	6	-	15	15	-	-	21.22
2	-	-	-	-	2	5	13	-	18	18	-	-	25.98
6	-	-	-	-	6	9	7	-	16	16	-	-	20.46
7	-	1	-	-	8	27	16	-	43	41	1	1	18.88
9	3	2	-	-	14	20	25	-	45	33	11	1	21.55
-	-	-	-	-	-	2	-	-	2	2	-	-	40.00
340	53	45	32	7	477	531	542	-	1,073	912	135	26	18.15

TABLE
Births, Marriages, and Deaths

KNOX

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton	975	12	3	-	15	15.38	14	-	-	1	-
Camden	2,825	21	23	-	44	15.57	37	2	1	3	1
Cushing	604	4	3	-	7	11.59	7	-	-	-	-
Friendship	814	10	6	-	16	19.66	16	-	-	-	-
Hope	599	3	3	-	6	10.02	6	-	-	-	-
Hurricane Isle.....	257	4	5	-	9	35.02	3	5	-	1	-
North Haven.....	551	6	5	-	11	19.96	11	-	-	-	-
Rockland	8,150	56	59	-	115	14.11	89	12	2	12	-
Rockport	2,314	12	18	-	30	12.97	26	-	4	-	-
South Thomaston . .	1,426	7	10	-	17	11.92	13	2	1	-	1
St. George.	2,206	25	19	-	44	19.95	30	6	3	5	-
Thomaston	2,688	11	21	-	32	11.90	26	2	2	2	-
Union	1,248	9	10	-	19	15.22	19	-	-	-	-
Vinalhaven	2,358	14	22	-	36	15.27	28	4	2	1	1
Warren	2,069	21	11	-	32	15.47	27	1	2	2	-
Washington	1,019	5	8	-	13	12.76	12	-	-	1	-
Matinicus Isle Pl	184	2	-	-	2	10.87	1	-	-	1	-
Total	*30,287	222	226	-	448	14.79	365	34	17	29	3

* Population in unorganized plantations in 1900, 119.

No. 7—Continued.
for the Year 1900.
 COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
3	-	-	-	-	3	13	5	-	18	18	-	-	18.46	
20	-	-	3	-	23	17	31	-	48	47	1	-	16.99	
5	-	-	-	-	5	7	7	-	14	14	-	-	23.18	
11	-	1	-	-	12	6	6	-	12	11	-	1	14.74	
4	-	-	-	-	4	1	-	-	1	1	-	-	1.67	
-	-	-	-	-	-	2	2	-	4	4	-	-	15.56	
4	-	1	-	-	5	3	2	-	5	5	-	-	9.07	
80	3	1	6	-	90	76	83	-	159	145	14	-	19.51	
16	-	-	1	-	17	23	26	-	49	48	1	-	21.18	
3	-	-	1	-	4	9	11	-	20	17	3	-	14.03	
8	4	-	-	-	12	17	9	-	26	24	2	-	11.79	
27	1	1	1	-	30	28	24	-	52	40	9	3	19.35	
13	-	-	-	-	13	9	8	-	17	17	-	-	13.62	
17	-	-	1	-	18	18	23	-	41	31	10	-	17.39	
11	-	-	-	-	11	19	14	-	33	33	-	-	15.95	
4	-	-	1	-	5	10	8	-	18	16	1	1	17.66	
3	-	-	-	-	3	2	-	-	2	2	-	-	10.87	
229	8	4	14	-	255	260	259	-	519	473	41	5	17.14	

TABLE
Births, Marriages, and Deaths

LINCOLN

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna.....	444	5	2	-	7	15.77	7	-	-	-	-
Boothbay	1,766	15	22	-	37	20.95	32	-	1	4	-
Boothbay Harbor ...	1,926	17	19	-	36	18.69	25	2	3	6	-
Bremen	657	8	3	-	11	16.74	9	-	-	2	-
Bristol	2,572	26	20	1	47	18.27	43	2	1	1	-
Damariscotta	876	5	5	-	10	11.42	10	-	-	-	-
Dresden.....	882	7	3	-	10	11.34	10	-	-	-	-
Edgecomb.....	607	4	4	-	8	13.18	8	-	-	-	-
Jefferson	1,155	10	8	-	18	15.58	15	-	-	3	-
Newcastle	1,075	11	7	-	18	16.74	16	1	-	1	-
Nobleboro	810	6	5	-	11	13.58	11	-	-	-	-
Somerville	374	7	1	-	8	21.39	8	-	-	-	-
Southport	527	9	4	-	13	24.67	11	-	1	1	-
Waldoboro.....	3,145	23	37	-	60	19.08	57	-	2	-	1
Westport.....	330	3	2	-	5	15.15	4	-	1	-	-
Whitefield	1,156	11	12	-	23	19.90	19	-	1	3	-
Wiscasset	1,273	11	5	-	16	12.57	14	1	-	1	-
Monhegan Pl.	94	-	1	-	1	10.64	1	-	-	-	-
Total	19,699	178	160	1	339	17.24	300	6	10	22	1

No. 7—Continued.
for the Year 1900.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	-	-	3	7	2	-	9	9	-	-	20.27
17	-	-	1	-	18	10	13	1	24	24	-	-	13.60
12	-	-	1	1	14	11	15	-	26	25	1	-	13.50
-	-	-	-	-	-	5	1	-	6	6	-	-	9.13
22	-	-	1	-	23	14	17	-	31	30	1	-	12.05
10	-	1	-	-	11	7	11	-	18	18	-	-	20.55
8	-	-	-	-	8	12	12	-	24	24	-	-	27.21
3	-	-	-	-	3	4	3	-	7	7	-	-	11.53
14	-	-	-	-	14	6	8	-	14	13	-	1	12.12
4	-	-	-	-	4	6	8	-	14	14	-	-	13.02
2	-	-	-	-	2	3	5	-	8	8	-	-	9.88
3	-	-	-	-	3	4	3	-	7	6	-	1	18.71
3	-	-	-	-	3	5	3	-	8	7	1	-	15.18
22	1	-	-	-	23	22	32	-	54	53	1	-	17.17
2	-	-	-	-	2	1	2	-	3	3	-	-	9.09
9	1	-	-	-	10	13	10	-	23	22	1	-	19.90
7	-	-	-	-	7	10	7	-	17	16	1	-	13.35
-	-	-	-	-	-	-	-	-	-	-	-	-	-
141	2	1	3	1	148	140	152	1	293	285	6	2	14.88

TABLE
Births, Marriages, and Deaths

OXFORD

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany	538	7	8	-	15	27.88	10	1	2	2	-
Andover	727	7	5	-	12	16.51	8	-	1	1	2
Bethel	1,835	8	14	-	22	11.99	20	1	-	1	-
Brownfield	1,019	8	5	-	13	12.76	12	-	-	1	-
Buckfield	1,139	6	9	-	15	13.17	15	-	-	-	-
Byron	204	5	3	-	8	39.22	7	-	1	-	-
Canton	946	7	10	-	17	17.97	11	5	1	-	-
Denmark	634	6	5	-	11	17.35	9	1	1	-	-
Dixfield	1,052	12	11	-	23	21.86	19	1	1	2	-
Fryeburg	1,376	10	9	-	19	13.81	16	1	1	1	-
Gilead	340	4	3	-	7	20.59	4	1	1	1	-
Grafton	81	2	-	-	2	24.69	1	-	1	-	-
Greenwood	741	7	7	-	14	18.89	12	1	1	-	-
Hanover	214	2	1	-	3	14.02	2	-	1	-	-
Hartford	660	3	1	-	4	6.06	4	-	-	-	-
Hebron	494	2	2	-	4	8.10	4	-	-	-	-
Hiram	1,015	7	9	-	16	15.76	16	-	-	-	-
Lovell	693	7	5	-	12	17.32	12	-	-	-	-
Mason	67	1	-	-	1	14.92	1	-	-	-	-
Mexico	816	9	7	-	16	19.61	9	4	1	2	-
Newry	236	1	2	-	3	10.49	3	-	-	-	-
Norway	2,902	22	26	-	48	16.54	37	3	1	7	-

No. 7—Continued.
for the Year 1900.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	3	2	-	5	5	-	-	9.29
4	-	1	-	-	5	9	9	-	18	16	-	2	24.76
16	-	-	-	-	16	16	10	-	26	26	-	-	14.17
7	-	-	-	-	7	12	13	-	25	25	-	-	24.53
4	-	-	-	-	4	9	6	-	15	15	-	-	13.17
-	-	-	-	-	-	-	3	-	3	3	-	-	14.70
4	-	-	-	-	4	12	3	-	15	14	1	-	15.86
11	-	-	1	-	12	10	9	-	19	19	-	-	29.97
8	-	-	-	-	8	10	8	-	18	18	-	-	17.11
24	-	-	-	-	24	15	12	-	27	26	-	1	19.62
1	-	-	-	-	1	2	1	-	3	3	-	-	8.82
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	4	6	-	10	9	1	-	13.50
-	-	-	-	-	-	1	3	-	4	4	-	-	18.69
1	-	-	-	-	1	3	1	-	4	4	-	-	6.06
2	-	-	1	-	3	3	7	-	10	10	-	-	20.24
5	-	-	-	-	5	9	11	-	20	20	-	-	19.70
5	-	-	-	-	5	7	4	-	11	11	-	-	15.87
-	-	-	-	-	-	2	1	-	3	3	-	-	44.78
1	1	-	-	2	4	2	5	-	7	7	-	-	8.58
2	-	-	-	-	2	-	-	-	-	-	-	-	-
23	-	3	1	1	33	19	19	-	38	36	2	-	13.09

TABLE
Births, Marriages, and Deaths

OXFORD

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Oxford	1,331	6	14	-	20	15.03	16	2	2	-	-
Paris	3,225	23	24	-	47	14.57	39	3	3	2	-
Peru	773	11	4	-	15	19.40	13	-	1	1	-
Porter	886	10	8	-	18	20.32	15	-	2	-	1
Roxbury	238	-	5	-	5	21.01	3	2	-	-	-
Rumford	3,770	45	49	-	94	24.93	33	44	12	4	1
Stoneham	284	3	2	-	5	17.61	5	-	-	-	-
Stow	270	1	2	-	3	11.11	3	-	-	-	-
Sumner	802	12	8	-	20	24.94	20	-	-	-	-
Sweden	282	4	2	-	6	21.28	5	-	-	1	-
Upton	242	2	1	-	3	12.40	2	-	-	1	-
Waterford	917	11	5	-	16	17.45	15	-	-	1	-
Woodstock	816	6	2	-	8	9.80	8	-	-	-	-
Lincoln Pl	73	1	-	-	1	13.70	1	-	-	-	-
Magalloway Pl	77	-	1	-	1	12.99	1	-	-	-	-
Milton Pl	202	2	1	-	3	14.85	2	-	-	-	1
Batchelders Grant ...	173	2	1	-	3	17.34	2	1	-	-	-
Riley	13	-	2	-	2	153.85	-	2	-	-	-
Total	*32,153	282	273	-	555	17.26	415	73	34	28	5

*Population in unorganized plantations in 1900, 85.

No. 7—Continued.
for the Year 1900.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	-	-	-	2	9	10	13	-	23	21	2	-	17.28
26	1	3	1	-	31	30	25	-	55	51	3	1	17.05
2	-	-	1	-	3	7	10	-	17	17	-	-	21.99
6	-	-	-	-	6	8	8	-	16	15	-	1	18.06
-	-	-	-	-	-	1	2	-	3	3	-	-	12.61
14	5	4	5	-	28	48	35	-	83	68	15	-	22.02
1	-	-	-	-	1	3	1	-	4	4	-	-	14.08
1	-	-	-	-	1	2	1	-	3	3	-	-	11.11
4	-	-	-	-	4	7	6	-	13	13	-	-	16.21
1	-	-	-	-	1	2	3	-	5	5	-	-	17.73
-	-	-	-	-	-	1	-	-	1	1	-	-	4.13
11	-	1	-	-	12	11	12	-	23	22	1	-	25.08
6	-	-	-	-	6	6	8	-	14	14	-	-	17.16
1	-	-	-	-	1	-	1	-	1	1	-	-	13.70
-	-	-	-	-	-	-	2	-	2	2	-	-	25.97
2	-	-	-	-	2	1	-	-	1	1	-	-	4.95
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
207	7	12	10	5	241	285	260	-	545	515	25	5	16.95

TABLE
Births, Marriages, and Deaths

PENOBSCOT

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alton	314	3	2	-	5	15.92	2	-	1	1	1
Argyle	320	1	2	-	3	9.38	2	1	-	-	-
Bangor	21,850	152	166	1	319	14.60	169	90	23	34	3
Bradford	954	11	8	-	19	19.92	19	-	-	-	-
Bradley	682	7	7	-	14	20.53	11	1	2	-	-
Brewer.....	4,835	44	55	-	99	20.47	42	29	14	14	-
Burlington.....	394	2	3	-	5	12.69	4	-	-	1	-
Carmel	932	7	8	-	15	16.09	14	1	-	-	-
Carroll	487	9	4	-	13	26.69	11	-	1	1	-
Charleston	842	-	1	-	1	1.19	1	-	-	-	-
Chester	363	2	3	-	5	13.77	5	-	-	-	-
Clifton	236	2	4	-	6	24.42	6	-	-	-	-
Corinna	1,170	4	12	-	16	13.68	15	-	-	1	-
Corinth.....	1,042	3	10	-	13	12.48	12	-	1	-	-
Dexter	2,941	31	16	-	47	15.98	31	5	3	8	-
Dixmont	843	7	5	-	12	14.23	12	-	-	-	-
Eddington	663	6	4	-	10	15.08	9	-	-	1	-
Edinburg	65	1	1	-	2	30.77	2	-	-	-	-
Enfield	1,062	11	9	-	20	18.83	13	4	2	1	-
Etna	527	4	4	-	8	15.18	8	-	-	-	-
Exeter	879	2	5	-	7	7.96	6	-	-	1	-
Garland	857	5	10	-	15	17.50	15	-	-	-	-
Glenburn	461	3	2	-	5	10.85	4	1	-	-	-
Greenbush	586	6	7	-	13	22.18	9	-	1	3	-
Hampden	2,182	17	27	-	44	20.16	36	2	2	4	-

BIRTHS, MARRIAGES, AND DEATHS.

No. 7.
for the Year 1900.
COUNTY.

MARRIAGES.							DEATHS.						Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	1	2	1	-	-	1	1	-	-	3.18
1	-	-	-	-	1	3	2	-	5	3	2	-	15.62
133	18	18	24	6	199	167	162	-	329	235	75	19	15.06
6	-	1	-	-	7	6	10	-	16	16	-	-	16.77
6	-	-	-	-	6	3	5	-	8	8	-	-	11.73
35	3	4	5	-	47	50	44	-	94	78	15	1	19.44
-	-	-	-	-	-	2	4	-	6	5	1	-	15.23
8	-	-	-	-	8	6	7	-	13	12	1	-	13.95
3	-	-	1	-	4	3	2	-	5	5	-	-	10.26
3	-	-	1	-	4	-	-	-	-	-	-	-	-
-	-	-	-	-	-	3	1	-	4	2	2	-	11.02
3	-	-	-	-	3	1	1	-	2	2	-	-	8.14
12	1	1	-	-	14	16	16	-	32	30	1	1	27.36
6	-	-	-	-	6	9	10	-	19	19	-	-	18.23
31	3	1	5	-	40	17	43	-	60	53	5	2	20.40
8	-	-	-	-	8	4	6	-	10	10	-	-	11.86
3	-	-	1	-	4	5	12	-	17	16	1	-	25.64
-	-	-	-	-	-	-	1	-	1	1	-	-	15.38
5	2	-	2	-	9	5	9	-	14	13	1	-	13.19
3	-	-	-	1	4	9	4	-	13	13	-	-	29.04
2	-	-	-	-	2	6	6	-	12	11	-	1	13.65
7	-	-	-	-	7	12	7	-	19	19	-	-	22.17
3	-	-	-	-	3	3	4	-	7	7	-	-	15.19
5	-	-	-	-	5	6	7	-	13	11	-	2	22.18
16	-	1	1	-	18	21	21	-	42	37	5	-	19.25

TABLE
Births, Marriages, and Deaths

PENOBSBOT

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Hermon	1,183	4	3	-	7	5.92	6	-	1	-	-
Holden	602	2	6	-	8	13.29	6	1	1	-	-
Howland	519	12	7	-	19	36.61	11	1	7	-	-
Hudson	430	-	-	-	-	-	-	-	-	-	-
Kenduskeag	423	10	2	-	12	28.37	12	-	-	-	-
Kingman	936	18	15	-	33	35.26	17	5	9	2	-
Lagrange	574	7	3	-	10	17.42	10	-	-	-	-
Lee	801	11	10	-	21	26.22	17	-	2	1	1
Levant	789	7	6	-	13	16.48	13	-	-	-	-
Lincoln	1,731	23	17	-	40	23.11	28	4	4	4	-
Lowell	300	-	3	-	3	10.00	3	-	-	-	-
Mattawamkeag	527	8	1	-	9	17.08	6	2	-	1	-
Maxfield	115	-	-	-	-	-	-	-	-	-	-
Medway	297	-	-	-	-	-	-	-	-	-	-
Milford	838	4	4	-	8	9.54	6	1	-	1	-
Mount Chase	299	2	3	-	5	16.72	4	-	1	-	-
Newburgh	734	2	5	-	7	9.54	7	-	-	-	-
Newport	1,533	6	3	-	9	5.87	5	2	2	-	-
Old Town	5,763	93	75	-	168	29.15	80	44	23	20	1
Orono	3,257	42	50	-	92	28.25	31	37	17	6	1
Orrington	1,266	11	5	-	16	12.64	14	-	1	1	-
Passadumkeag	409	3	4	-	7	17.11	6	1	-	-	-
Patten	1,172	25	10	-	35	29.86	21	7	4	3	-
Plymouth	658	7	8	-	15	22.80	15	-	-	-	-
Prentiss	502	5	10	-	15	29.88	11	-	-	2	2

No. 7—Continued.
for the Year 1900.

COUNTY—CONTINUED.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife /merican.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
9	-	-	-	-	9	6	8	-	14	13	1	-	11.83	
1	-	-	-	-	1	5	4	-	9	9	-	-	14.95	
1	-	-	-	1	2	7	4	-	11	11	-	-	21.19	
1	-	-	-	-	1	3	1	-	4	4	-	-	9.30	
7	-	-	1	-	8	3	3	-	6	6	-	-	14.18	
5	-	1	2	-	8	7	4	-	11	8	2	1	11.75	
5	-	-	-	-	5	2	3	-	5	5	-	-	8.71	
1	-	1	1	-	3	1	6	-	7	7	-	-	8.74	
3	-	-	-	-	3	8	6	-	14	13	-	1	17.74	
12	-	-	3	-	15	9	5	-	14	12	2	-	8.09	
2	-	-	-	-	2	2	1	-	3	2	1	-	10.00	
6	1	-	-	-	7	2	5	-	7	5	2	-	13.28	
-	-	-	-	-	-	3	-	-	3	2	1	-	26.08	
-	-	-	-	-	-	1	1	-	2	2	-	-	8.73	
3	-	-	1	-	4	5	6	-	11	10	1	-	13.13	
-	-	-	-	-	-	2	3	-	5	4	1	-	16.72	
4	-	-	-	-	4	6	4	-	10	8	1	1	13.62	
18	2	-	1	-	21	17	8	-	25	25	-	-	16.31	
40	8	8	19	-	75	58	40	-	98	77	19	2	17.01	
18	3	3	1	-	25	19	23	-	42	33	8	1	12.90	
15	-	1	-	-	16	7	4	-	11	11	-	-	8.69	
1	-	-	-	-	1	2	2	-	4	3	1	-	9.78	
5	1	-	-	-	6	4	5	-	9	6	3	-	7.68	
3	-	-	-	-	3	5	10	-	15	14	1	-	22.80	
3	-	-	-	-	3	3	2	-	5	4	1	-	9.96	

TABLE
Births, Marriages, and Deaths

PENOBSCOT

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not Stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Springfield	532	8	6	-	14	26.32	11	1	1	1	-
Stetson	503	-	3	-	3	5.96	1	-	1	1	-
Veazie	555	2	4	-	6	10.81	5	1	-	-	-
Winn	688	-	-	-	-	-	-	-	-	-	-
Woodville	160	3	2	-	5	31.25	3	1	1	-	-
Drew Pl.....	120	1	1	-	2	16.66	2	-	-	-	-
Grand Falls Pl.....	52	-	-	-	-	-	-	-	-	-	-
Lakeville Pl.....	129	2	2	-	4	31.01	4	-	-	-	-
Seboeis Pl	96	-	-	-	-	-	-	-	-	-	-
Stacyville Pl.....	347	4	3	-	7	20.17	4	2	1	-	-
Webster Pl	124	3	2	-	5	40.32	4	-	1	-	-
Indian Township No.3	1,144	-	-	-	-	-	-	-	-	-	-
Total	*75,595	665	648	1	1,314	17.38	821	244	127	113	9

* Population in unorganized plantations in 1900, 651.

No. 7—Continued.
for the Year 1900.
 COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
5	-	-	-	-	5	2	-	-	2	1	1	-	3.76	
5	-	-	1	-	6	8	6	-	14	13	1	-	27.83	
-	-	1	-	-	1	2	3	-	5	3	1	1	9.01	
2	-	-	1	1	4	3	2	1	6	4	1	1	8.72	
-	-	-	-	-	-	1	1	-	2	2	-	-	12.50	
-	-	-	-	-	-	1	1	-	2	2	-	-	16.66	
-	-	-	-	-	-	-	1	-	1	1	-	-	19.22	
-	-	-	-	-	-	1	1	-	2	2	-	-	15.50	
-	-	-	-	-	-	-	1	-	1	1	-	-	10.42	
1	-	-	1	-	2	1	-	-	1	1	-	-	2.88	
-	-	-	-	-	-	1	1	-	2	2	-	-	16.13	
1	1	2	2	-	6	1	1	-	2	2	-	-	1.74	
477	43	43	74	10	647	566	560	1	1,127	935	158	34	14.91	

TABLE
Births, Marriages, and Deaths

PISCATAQUIS

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbot	716	2	8	-	10	13.97	7	-	-	2	1
Atkinson.....	495	3	4	-	7	14.14	6	-	1	-	-
Blanchard	248	2	1	-	3	12.10	2	1	-	-	-
Brownville	1,570	18	19	-	37	23.57	19	11	3	4	-
Dover	1,889	12	17	-	29	15.35	24	1	-	4	-
Foxcroft	1,629	11	12	-	23	14.12	13	3	7	-	-
Greenville	1,117	19	15	-	34	30.44	16	7	3	8	-
Guilford.....	1,544	14	14	-	28	18.13	21	2	4	1	-
Medford.....	282	1	1	-	2	7.09	2	-	-	-	-
Milo	1,150	14	12	-	26	22.61	19	1	3	3	-
Monson	1,116	15	7	-	22	19.71	20	1	1	-	-
Orneville	325	3	4	-	7	21.54	7	-	-	-	-
Parkman.....	718	7	7	-	14	19.50	13	-	-	1	-
Sangerville.....	1,294	9	15	-	24	18.55	18	1	1	4	-
Sebec	593	7	8	-	15	25.30	14	-	-	1	-
Shirley	248	3	3	-	6	24.19	4	-	-	2	-
Wellington	413	5	7	-	12	29.06	11	1	-	-	-
Williamsburg	117	-	2	-	2	17.09	1	-	-	1	-
Willimantic	419	5	8	-	13	31.03	11	1	1	-	-
Barnard Pl.....	98	-	-	-	-	-	-	-	-	-	-
Bowerbank Pl.....	66	-	-	-	-	-	-	-	-	-	-
Elliottsville Pl.....	86	4	-	-	4	46.51	2	3	-	-	-
Kingsbury Pl.....	106	-	1	-	1	9.43	1	-	-	-	-
Lake View Pl.....	173	2	1	-	3	17.34	2	-	1	-	-
Katahdin Iron Works	114	-	1	-	1	8.77	1	-	-	-	-
Kineo	43	-	-	-	-	-	-	-	-	-	-
Total	*16,569	156	167	-	323	19.49	233	33	25	31	1

* Population in unorganized plantations in 1900, 380.

**No. 7—Continued.
for the Year 1900.**

COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
2	-	-	-	-	2	7	10	-	17	15	2	-	23.74
2	-	-	-	-	2	6	2	-	8	7	1	-	16.16
1	-	-	-	-	1	1	3	-	4	4	-	-	16.13
7	3	-	3	-	13	7	8	-	15	13	1	1	9.55
25	-	2	5	-	32	11	14	-	25	22	3	-	13.23
13	1	1	1	-	16	13	14	-	27	26	1	-	16.57
3	1	1	4	1	10	6	5	-	11	8	3	-	9.85
6	-	1	-	-	7	13	12	-	25	24	-	1	16.19
3	-	-	-	-	3	2	2	-	4	3	1	-	14.18
11	-	1	1	-	13	11	11	-	22	20	2	-	19.13
3	1	1	-	-	5	8	3	-	11	11	-	-	9.86
1	-	-	-	-	1	4	-	-	4	3	1	-	12.31
4	-	-	-	-	4	3	8	-	11	11	-	-	15.32
10	-	-	-	-	10	10	14	-	24	23	1	-	18.55
1	-	-	-	-	1	3	2	-	5	4	-	1	8.43
1	-	-	-	-	1	1	1	-	2	2	-	-	8.06
2	-	-	-	-	2	3	6	-	9	9	-	-	21.79
-	-	-	-	-	-	1	3	-	4	4	-	-	34.19
3	-	-	-	-	3	1	2	-	3	3	-	-	7.16
-	-	-	-	-	-	2	2	-	4	4	-	-	40.82
-	-	-	-	-	-	2	2	-	4	4	-	-	60.61
-	-	-	-	-	-	2	1	-	3	2	1	-	34.88
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	8.77
1	-	-	-	-	1	1	-	-	1	-	1	-	23.36
100	6	7	14	1	128	119	125	-	244	223	18	3	14.73

TABLE
Births, Marriages, and Deaths

SAGADAHO

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Arrowsic.....	180	-	-	-	-	-	-	-	-	-	-
Bath.....	10,477	120	143	-	263	25.10	144	70	22	27	-
Bowdoin.....	937	7	10	-	17	18.14	17	-	-	-	-
Bowdoinham.....	1,305	14	9	-	23	17.62	21	-	2	-	-
Georgetown.....	799	4	6	-	10	12.52	10	-	-	-	-
Perkins.....	61	1	-	-	1	16.39	1	-	-	-	-
Phippsburg.....	1,254	12	14	-	26	20.73	21	1	1	3	-
Richmond.....	2,049	13	11	-	24	11.71	18	1	4	1	-
Topsham.....	2,097	30	14	-	44	20.91	18	20	6	-	-
West Bath.....	291	-	1	-	1	3.44	-	-	1	-	-
Woolwich.....	880	8	5	-	13	14.77	10	1	-	1	1
Total.....	20,330	209	213	-	422	20.76	260	93	36	32	1

No. 7—Continued.
for the Year 1900.
COUNTY.

MARRIAGES.							DEATHS.						
							Sex.			Nativity.			Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	-	1	-	1	1	-	-	5.56
58	17	8	8	-	91	82	90	-	172	143	28	1	16.42
5	-	-	-	-	5	12	8	-	20	20	-	-	21.34
10	-	-	-	-	10	13	11	-	24	24	-	-	18.40
4	-	-	-	-	4	7	8	-	15	14	1	-	18.77
-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	-	1	1	-	8	13	6	-	19	15	4	-	15.15
12	-	-	-	-	12	20	15	-	35	32	3	-	17.08
4	-	-	2	-	6	9	17	-	26	23	2	1	12.40
-	-	-	-	-	-	2	3	-	5	5	-	-	17.18
8	-	-	-	-	8	6	12	-	18	18	-	-	20.45
108	17	9	11	-	145	164	171	-	335	295	38	2	16.48

TABLE
Births, Marriages, and Deaths

SOMERSET

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson	1,830	16	17	-	33	18.03	28	2	2	1	-
Athens	896	4	10	-	14	15.63	14	-	-	-	-
Bingham	841	11	11	-	22	26.16	15	2	1	2	2
Cambridge	364	3	3	-	6	16.48	6	-	-	-	-
Canaan	977	5	10	-	15	15.35	14	1	-	-	-
Concord	291	1	7	-	8	27.49	7	1	-	-	-
Cornville	689	6	1	-	7	10.16	7	-	-	-	-
Detroit	527	5	5	-	10	18.98	8	-	1	-	1
Embden	567	6	7	-	13	22.93	13	-	-	-	-
Fairfield	3,878	45	21	-	66	17.02	30	8	7	13	8
Harmony	571	3	4	-	7	12.26	7	-	-	-	-
Hartland	1,115	14	7	-	21	18.83	16	-	3	2	-
Madison	2,764	26	29	-	55	19.90	41	9	2	3	-
Mercer	493	6	3	-	9	18.26	9	-	-	-	-
Moscow	378	2	9	-	11	29.16	11	-	-	-	-
New Portland	913	4	7	-	11	12.05	10	-	-	1	-
Norridgewock	1,495	7	14	-	21	14.05	19	-	1	1	-
Palmyra	915	10	5	-	15	16.39	13	-	2	-	-
Pittsfield	2,891	27	17	-	44	15.22	35	4	2	3	-
Ripley	449	2	2	-	4	8.91	4	-	-	-	-
St. Albans	1,037	7	7	-	14	13.50	14	-	-	-	-
Skowhegan	5,180	50	47	-	97	18.73	49	18	17	12	1
Smithfield	449	3	1	-	4	8.91	4	-	-	-	-
Solon	996	13	18	-	31	31.12	30	-	1	-	-

No. 7—Continued.
for the Year 1900.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
12	-	-	-	-	12	18	14	-	32	30	2	-	17.49
11	-	-	-	-	11	9	10	-	19	19	-	-	21.21
10	-	-	-	1	11	5	2	-	7	7	-	-	8.32
7	-	-	-	-	7	4	1	-	5	5	-	-	13.74
9	-	-	-	-	9	5	7	-	12	11	1	-	12.28
1	-	-	-	-	1	2	1	-	3	2	1	-	10.31
-	-	-	-	-	-	5	1	-	6	6	-	-	8.71
-	-	-	-	-	-	5	6	-	11	11	-	-	20.87
-	-	-	-	-	-	1	2	-	3	3	-	-	5.29
16	1	1	2	-	20	21	31	-	52	43	6	3	13.41
6	-	-	-	-	6	8	5	-	13	13	-	-	22.77
11	2	1	1	-	15	7	5	-	12	11	1	-	10.76
33	3	5	7	1	49	17	17	-	34	28	4	2	12.30
3	-	-	-	-	3	4	6	-	10	10	-	-	20.28
1	-	1	1	-	3	8	1	-	9	8	1	-	23.81
8	-	-	-	-	8	11	9	-	20	20	-	-	21.91
13	-	1	-	-	14	11	14	-	25	24	-	1	16.72
9	-	-	-	-	9	5	9	-	14	14	-	-	15.30
32	-	1	5	-	38	14	17	-	31	31	-	-	10.72
4	-	-	-	-	4	-	1	-	1	1	-	-	2.23
5	-	-	-	-	5	5	6	-	11	11	-	-	10.61
56	4	4	9	1	74	43	48	-	91	81	7	3	17.57
4	-	-	-	-	4	4	1	-	5	5	-	-	11.14
4	-	-	1	-	5	7	5	-	12	12	-	-	12.05

TABLE
Births, Marriages, and Deaths

SOMERSET

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not Stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Starks	636	4	8	-	12	18.87	11	1	-	-	-
Bigelow Pl.....	57	1	-	-	1	17.54	1	-	-	-	-
Brighton Pl	368	3	2	-	5	13.59	5	-	-	-	-
Caratunk Pl	218	-	2	-	2	9.17	1	-	-	1	-
Carrying Place Pl...	22	-	-	-	-	-	-	-	-	-	-
Dead River Pl.....	91	1	1	-	2	21.98	2	-	-	-	-
Dennistown Pl	96	-	1	-	1	10.42	-	-	-	1	-
Flagstaff Pl	115	1	1	-	2	17.39	2	-	-	-	-
Highland Pl	67	-	-	-	-	-	-	-	-	-	-
Jackman Pl	352	10	3	-	13	36.93	2	8	2	1	-
Lexington Pl	231	5	3	-	8	34.63	8	-	-	-	-
Mayfield Pl	89	1	1	-	2	22.47	2	-	-	-	-
Moose River Pl..	239	4	6	-	10	41.84	4	3	-	3	-
Pleasant Ridge Pl ...	114	-	1	-	1	8.77	1	-	-	-	-
The Forks Pl	157	3	1	-	4	25.48	1	-	2	1	-
West Forks Pl.....	160	1	1	-	2	12.50	1	-	-	1	-
Total	*33,518	310	293	-	603	17.99	445	57	43	46	12

* Population in unorganized plantations in 1900, 331.

No. 7—Continued.
for the Year 1900.
 COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	2	4	-	6	6	-	-	9.43
-	-	-	-	-	-	-	1	-	1	1	-	-	17.54
3	-	-	-	-	3	2	3	-	5	5	-	-	13.59
-	-	-	-	-	-	-	2	-	2	1	1	-	9.17
-	-	-	-	-	-	1	-	-	1	1	-	-	45.45
-	-	-	-	-	-	1	-	-	1	-	-	1	10.99
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	1	-	-	1	1	-	-	8.70
-	-	-	-	-	-	1	1	-	2	2	-	-	29.85
-	2	1	-	-	3	3	-	-	3	2	1	-	8.52
3	-	-	-	-	3	-	1	-	1	1	-	-	4.33
-	-	-	-	-	-	-	4	-	4	4	-	-	44.94
1	1	-	-	-	2	3	3	-	6	5	1	-	25.10
2	-	-	-	-	2	-	2	-	2	2	-	-	17.54
2	-	-	2	-	4	3	1	-	4	4	-	-	25.48
1	-	-	-	-	1	1	-	-	1	-	1	-	6.25
269	13	15	28	3	328	237	241	-	478	441	27	10	14.26

TABLE
Births, Marriages, and Deaths

WALDO

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast	4,615	35	22	-	57	12.35	50	1	1	3	2
Belmont	352	5	4	-	9	25.57	9	-	-	-	-
Brooks	669	8	1	-	9	13.45	9	-	-	-	-
Burnham	766	5	3	-	8	10.45	8	-	-	-	-
Frankfort.....	1,211	11	11	-	22	18.17	17	3	1	-	1
Freedom	479	5	4	-	9	18.78	9	-	-	-	-
Islesboro.....	923	3	8	-	11	11.92	10	1	-	-	-
Jackson	439	4	5	-	9	20.50	9	-	-	-	-
Knox	558	5	4	-	9	16.13	8	-	-	1	-
Liberty	737	8	7	1	16	21.71	16	-	-	-	-
Lincolnvile.....	1,223	6	4	-	10	8.18	9	-	-	-	1
Monroe	958	7	8	-	15	15.66	15	-	-	-	-
Montville	982	10	8	-	18	18.33	18	-	-	-	-
Morrill	420	1	3	-	4	9.52	4	-	-	-	-
Northport	545	1	5	-	6	11.01	5	-	1	-	-
Palermo	757	5	6	-	11	14.53	10	-	-	-	1
Prospect	648	4	2	-	6	9.26	6	-	-	-	-
Searsmont	949	7	5	-	12	12.64	11	-	-	1	-
Searsport	1,349	10	7	-	17	12.60	16	-	1	-	-
Stockton Springs....	872	7	5	-	12	13.76	12	-	-	-	-
Swanville.....	502	5	3	-	8	15.94	7	-	-	1	-
Thorndike	497	5	3	-	8	16.10	7	-	1	-	-
Troy	766	2	5	-	7	9.14	7	-	-	-	-
Unity	877	6	5	-	11	12.54	11	-	-	-	-
Waldo	468	6	6	-	12	25.64	12	-	-	-	-
Winterport	1,623	18	14	-	32	19.72	26	-	-	6	-
Total	24,185	189	158	1	348	14.38	321	5	5	12	5

No. 7—Continued.
for the Year 1900.
 COUNTY.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
39	-	2	1	-	42	46	37	-	83	77	5	1	17.99	
-	-	-	-	-	-	4	2	-	6	6	-	-	17.04	
11	-	-	-	-	11	7	11	-	18	18	-	-	26.90	
3	-	-	-	-	3	14	6	-	20	19	-	1	25.85	
2	-	-	-	-	2	13	5	-	18	15	2	1	14.86	
4	-	-	-	-	4	4	1	-	5	5	-	-	10.44	
4	-	-	1	-	5	4	1	-	5	5	-	-	5.42	
1	-	-	-	-	1	4	3	-	7	6	-	1	15.95	
-	-	-	-	-	-	4	5	-	9	9	-	-	16.13	
6	-	-	-	-	6	6	11	-	17	17	-	-	23.07	
4	-	-	-	-	4	14	12	-	26	26	-	-	21.26	
2	-	-	-	-	2	8	7	-	15	15	-	-	15.66	
12	-	-	-	-	12	8	8	-	16	16	-	-	16.29	
1	-	-	1	-	2	4	2	-	6	6	-	-	14.29	
4	-	-	1	-	5	4	5	-	9	9	-	-	16.51	
4	-	-	-	-	4	8	5	-	13	13	-	-	17.17	
2	-	-	-	-	2	4	6	-	10	9	1	-	15.43	
4	-	1	-	-	5	7	8	-	15	15	-	-	15.81	
16	-	-	-	-	16	15	13	-	28	27	1	-	20.76	
4	-	-	-	-	4	10	16	-	26	26	-	-	29.82	
2	-	-	-	-	2	4	-	-	4	4	-	-	7.97	
2	-	-	-	-	2	8	5	-	13	13	-	-	26.16	
7	-	-	-	-	7	8	9	-	17	17	-	-	22.19	
7	-	-	-	-	7	2	4	-	6	6	-	-	7.98	
-	-	-	-	-	-	-	3	-	3	3	-	-	6.41	
19	-	-	-	-	19	11	11	-	22	22	-	-	13.56	
160	-	3	4	-	167	221	196	-	417	404	9	4	17.24	

TABLE
Births, Marriages, and Deaths

WASHINGTON

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison.....	1,059	14	16	-	30	28.33	29	-	1	-	-
Alexander ...	333	6	6	-	12	36.04	11	-	1	-	-
Baileyville	215	-	3	-	3	13.95	3	-	-	-	-
Baring	231	3	1	-	4	17.32	2	-	2	-	-
Beddington....	86	-	-	-	-	-	-	-	-	-	-
Brookton	285	6	2	-	8	28.07	2	1	2	3	-
Calais	7,655	111	104	1	216	28.22	67	50	38	56	5
Centerville	91	2	4	-	6	65.93	6	-	-	-	-
Charlotte	315	3	4	-	7	22.22	5	-	1	1	-
Cherryfield	1,859	19	14	-	33	17.75	31	-	1	-	1
Columbia	516	8	5	-	13	25.19	12	-	1	-	-
Columbia Falls.....	569	3	7	-	10	17.57	10	-	-	-	-
Cooper	207	6	1	-	7	33.81	6	-	-	1	-
Crawford	112	1	-	-	1	8.93	1	-	-	-	-
Cutler	565	7	3	-	10	17.70	8	-	1	1	-
Danforth	1,092	14	12	-	26	23.81	8	6	5	7	-
Debleis	73	2	2	-	4	54.79	4	-	-	-	-
Dennysville	482	4	9	-	13	26.97	12	-	-	1	-
East Machias	1,521	19	17	-	36	23.67	31	-	3	-	2
Eastport	5,311	94	73	-	167	31.44	63	36	30	38	-
Edmunds	492	10	8	-	18	36.59	17	-	-	-	1
Forest City	151	1	2	-	3	19.87	-	2	1	-	-
Harrington	1,165	3	4	1	8	6.87	6	-	2	-	-
Jonesboro	606	7	8	-	15	24.75	14	-	1	-	-
Jonesport	2,124	26	25	-	51	24.01	42	-	7	2	-
Lubec	3,005	8	10	-	18	5.99	11	1	2	4	-
Machias	2,082	30	27	-	57	27.38	54	-	1	2	-
Machiasport	1,218	8	19	-	27	22.16	26	-	-	1	-

No. 7—Continued.
for the Year 1900.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	1	-	5	10	3	-	13	12	-	1	12.28
1	-	-	-	-	1	1	3	-	4	1	3	-	12.01
-	-	-	-	-	-	2	-	-	2	1	1	-	9.32
2	-	-	-	-	2	1	-	-	1	1	-	-	4.33
-	-	-	-	-	-	-	2	-	2	2	-	-	23.26
2	-	1	-	-	3	-	2	-	2	1	1	-	7.02
24	11	12	9	-	56	66	72	-	138	88	47	3	18.03
-	-	-	-	-	-	-	1	-	1	1	-	-	10.99
2	-	-	-	1	3	2	-	-	2	2	-	-	6.35
13	-	-	2	-	15	4	4	-	8	7	1	-	4.30
7	-	-	-	-	7	4	5	-	9	9	-	-	17.44
7	-	-	-	-	7	6	5	-	11	11	-	-	19.33
1	-	-	-	-	1	4	2	-	6	6	-	-	28.99
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	4	5	-	9	9	-	-	15.93
5	3	-	2	-	10	12	8	-	20	14	6	-	18.32
2	-	-	-	-	2	1	-	-	1	-	1	-	13.70
5	-	-	-	-	5	4	5	-	9	9	-	-	18.67
9	-	1	1	-	11	20	8	-	28	26	1	1	18.41
18	5	9	10	-	42	55	53	-	108	73	34	1	20.34
1	-	-	-	-	1	6	6	-	12	12	-	-	24.39
-	-	-	-	-	-	1	-	-	1	1	-	-	6.62
7	-	-	1	-	8	4	6	-	10	10	-	-	8.58
2	-	-	-	-	2	4	2	-	6	6	-	-	9.90
27	-	1	3	-	31	12	4	-	16	15	1	-	7.53
10	5	4	3	-	22	25	22	-	47	37	6	4	15.64
28	-	-	-	-	28	24	30	-	54	50	4	-	25.93
8	-	-	-	-	8	12	10	-	22	20	2	-	18.06

TABLE
Births, Marriages, and Deaths

WASHINGTON

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Marion	95	-	-	-	-	-	-	-	-	-	
Marshfield	227	5	1	-	6	26.43	5	-	-	1	
Meddybemps	154	-	-	-	-	-	-	-	-	-	
Milbridge	1,921	18	24	-	42	21.86	40	-	1	1	
Northfield.....	126	1	1	-	2	15.87	2	-	-	-	
Pembroke	1,652	24	11	-	35	21.19	30	-	3	2	
Perry	1,245	13	17	-	30	24.10	19	3	5	3	
Princeton	1,094	14	16	-	30	27.42	25	-	2	3	
Robbinston	844	10	10	-	20	23.70	14	1	4	1	
Roque Bluffs.....	168	-	-	-	-	-	-	-	-	-	
Steuben	901	11	2	-	13	14.43	11	-	2	-	
Talmage	93	2	-	-	2	21.51	2	-	-	-	
Topsfield.....	282	5	3	-	8	28.37	6	-	-	2	
Trescott.....	463	2	5	-	7	15.12	3	1	-	3	
Vanceboro.....	550	5	9	-	14	25.45	2	7	3	2	
Waite	135	3	1	-	4	29.62	2	-	1	1	
Wesley	198	-	6	-	6	30.30	6	-	-	-	
Whiting	399	4	3	-	7	17.54	7	-	-	-	
Whitneyville	424	4	4	-	8	18.87	7	-	1	-	
Codyville Pl	68	-	1	-	1	14.71	1	-	-	-	
Grand LakeStream Pl	221	8	1	-	9	40.72	6	1	1	1	
Lambert Lake Pl ...	113	-	2	-	2	17.70	1	1	-	-	
No. 14 Pl.....	77	1	3	-	4	51.95	3	-	-	1	
No. 21 Pl.	86	2	2	-	4	46.51	4	-	-	-	
Kossuth	46	-	2	-	2	43.47	1	-	-	1	
Total	*45,002	547	510	2	1,059	23.53	678	110	123	139	9

*Population in unorganized plantations in 1900, 230.

No. 7—Continued.
for the Year 1900.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	1	-	-	1	1	-	-	10.53
1	-	-	-	-	1	1	2	-	3	3	-	-	13.22
-	-	-	-	-	-	1	-	-	1	1	-	-	6.49
16	-	-	1	-	17	17	14	-	31	30	1	-	16.14
1	-	-	-	-	1	-	1	-	1	1	-	-	7.94
7	-	2	1	-	10	11	12	-	23	18	5	-	13.92
2	-	-	-	-	2	7	11	-	18	15	3	-	14.46
13	-	2	2	-	17	7	1	-	8	6	2	-	7.31
5	2	-	1	-	8	5	4	-	9	7	2	-	10.66
1	-	-	-	-	1	-	-	-	-	-	-	-	-
10	1	-	-	-	11	10	6	-	16	16	-	-	17.76
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	1	1	6	1	-	7	6	1	-	24.82
2	-	-	1	-	3	1	3	-	4	2	2	-	8.64
3	-	1	3	-	7	2	6	-	8	3	5	-	14.55
-	-	-	-	-	-	1	1	-	2	1	1	-	14.81
1	-	-	-	-	1	4	2	-	6	6	-	-	30.30
2	-	-	-	-	2	-	4	-	4	3	-	1	10.63
1	-	-	-	-	1	1	3	-	4	4	-	-	9.43
-	-	-	1	-	1	-	1	-	1	1	-	-	14.71
-	-	-	-	-	-	3	1	-	4	4	-	-	18.10
1	-	-	1	-	2	2	1	-	3	3	-	-	26.55
-	-	-	-	-	-	1	-	-	1	1	-	-	12.99
-	-	-	-	-	-	1	1	-	2	2	-	-	23.26
-	-	-	-	-	-	1	-	-	1	-	1	-	21.74
254	27	33	43	2	359	367	333	-	700	558	131	11	15.55

TABLE
Births, Marriages, and Deaths
YORK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton	778	7	9	-	16	20.57	14	1	-	-	1
Alfred	937	9	8	-	17	18.14	15	-	1	1	-
Berwick	2,280	24	16	-	40	17.54	26	9	2	3	-
Biddeford.....	16,145	266	268	-	534	33.08	68	378	46	39	3
Buxton	1,838	25	18	-	43	23.39	41	-	-	1	1
Cornish	984	5	8	-	13	13.21	12	-	-	1	-
Dayton	473	3	4	-	7	14.80	6	-	-	1	-
Eliot	1,458	16	10	-	26	17.83	21	4	1	-	-
Hollis	1,274	6	11	-	17	13.34	17	-	-	-	-
Kennebunk.....	3,228	29	27	-	56	17.35	40	10	-	5	1
Kennebunkport	2,123	17	17	-	34	16.02	29	1	2	2	-
Kittery.....	2,872	20	18	-	38	13.23	23	4	1	8	2
Lebanon	1,335	14	17	-	31	23.22	25	2	4	-	-
Limerick	874	2	6	-	8	9.15	7	-	-	1	-
Limington	1,001	4	10	-	14	13.99	14	-	-	-	-
Lyman	687	7	2	-	9	13.10	9	-	-	-	-
Newfield	676	4	5	-	9	13.31	9	-	-	-	-
North Berwick	1,748	11	18	-	29	16.59	28	-	-	1	-
Old Orchard	964	7	14	-	21	21.78	14	2	1	3	1
Parsonfield	1,131	2	1	-	3	2.65	2	-	1	-	-
Saco	6,122	66	44	-	110	17.97	56	35	9	10	-
Sanford	6,078	86	84	-	170	27.97	59	85	11	13	2

No. 7—Continued.
for the Year 1900.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	12	10	-	22	21	1	-	28.28
4	-	-	1	-	5	14	7	-	21	21	-	-	22.41
9	-	-	-	-	9	20	22	-	42	40	1	1	18.42
40	80	14	20	2	156	185	155	-	340	229	104	7	21.06
9	-	-	-	-	9	18	14	-	32	30	2	-	17.41
6	-	-	-	-	6	10	9	-	19	19	-	-	19.31
3	-	-	-	-	3	4	7	-	11	10	1	-	23.26
5	-	-	-	-	5	13	21	-	34	33	1	-	23.32
3	-	1	-	-	4	12	9	-	21	21	-	-	16.48
16	1	1	-	1	19	27	16	-	43	38	5	-	13.32
10	1	-	3	1	15	19	14	-	33	31	2	-	15.54
16	-	2	2	1	21	19	26	-	45	40	2	3	15.67
3	-	1	-	-	4	14	11	-	25	23	2	-	18.73
4	-	-	-	-	4	12	10	-	22	21	1	-	25.17
6	-	-	1	-	7	7	4	-	11	11	-	-	10.99
7	-	-	1	-	8	4	5	-	9	9	-	-	13.10
4	-	-	2	-	6	13	4	-	17	15	1	1	25.15
9	-	-	1	-	10	19	12	-	31	31	-	-	17.73
6	-	-	-	4	10	14	11	-	25	20	2	3	25.93
14	-	1	-	-	15	13	10	-	23	22	1	-	20.34
35	1	6	4	-	46	61	68	-	129	118	10	1	21.07
20	13	9	2	-	44	61	68	-	129	109	19	1	21.22

TABLE
Births, Marriages, and Deaths

YORK

TOWNS.	Population in 1900.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Shapleigh	847	10	12	-	22	25.97	19	1	1	1	-
South Berwick	3,188	38	35	-	73	22.90	32	19	11	10	1
Waterboro	1,169	8	7	-	15	12.83	14	-	-	1	-
Wells ..	2,007	6	11	-	17	8.47	15	-	-	2	-
York	2,668	26	23	-	49	18.37	34	3	3	9	-
Total	64,885	718	703	-	1,421	21.90	649	554	94	112	12

**No. 7—Concluded.
for the Year 1900.**

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	7	4	-	11	11	-	-	12.99
9	1	1	4	-	15	31	36	-	67	57	10	-	21.01
8	-	1	-	-	9	7	14	-	21	21	-	-	17.96
5	-	-	-	-	5	18	36	-	54	53	1	-	26.91
9	-	-	-	-	9	22	23	-	45	45	-	-	16.87
264	97	37	41	9	448	656	626	-	1,282	1,099	166	17	19.76

TABLE
Recapitulation

COUNTIES.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin	54,242	560	537	2	1,099	20.26	420	538	79	56	6
Aroostook	60,744	936	902	5	1,843	30.77	928	313	284	295	23
Cumberland	100,689	1,054	1,020	-	2,074	20.60	1,104	584	176	184	26
Franklin	18,444	202	190	-	392	21.63	284	67	23	14	4
Hancock	37,241	354	335	-	689	18.62	598	19	45	20	7
Kennebec	59,117	572	594	-	1,166	19.72	628	310	94	120	14
Knox	30,406	222	226	-	448	14.79	365	34	17	29	3
Lincoln	19,669	178	160	1	339	17.24	300	6	10	22	1
Oxford	32,238	282	273	-	555	17.26	415	73	34	28	5
Penobscot	76,246	665	648	1	1,314	17.38	821	244	127	113	9
Piscataquis	16,949	156	167	-	323	19.49	233	33	25	31	1
Sagadahoc	20,330	209	213	-	422	20.76	260	93	36	32	1
Somerset	33,849	310	293	-	603	17.99	445	57	43	46	12
Waldo	24,185	189	158	1	348	14.38	321	5	5	12	5
Washington	45,232	547	510	2	1,059	23.53	678	110	123	139	9
York	64,885	718	703	-	1,421	21.90	649	554	94	112	12
Total	694,466	7,154	6,929	12	14,095	20.30	8,449	3,040	1,215	1,253	138

No. 3.

by Counties.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
268	120	37	37	1	463	462	500	1	963	762	190	11	17.75	
300	64	62	91	10	527	383	379	1	763	593	162	8	12.74	
484	111	67	59	10	731	924	902	2	1,828	1,562	239	27	18.15	
128	10	4	6	1	149	160	151	-	311	294	14	3	17.16	
246	1	9	13	-	269	259	252	-	511	485	21	5	13.81	
340	53	45	32	7	477	531	542	-	1,073	912	135	26	18.15	
229	8	4	14	-	255	260	259	-	519	473	41	5	17.14	
141	2	1	3	1	148	140	152	1	293	285	6	2	14.88	
207	7	12	10	5	241	285	260	-	545	515	25	5	16.95	
477	43	43	74	10	647	566	560	1	1,127	935	158	34	14.91	
100	6	7	14	1	128	119	125	-	244	223	18	3	14.73	
108	17	9	11	-	145	164	171	-	335	295	38	2	16.48	
269	13	15	28	3	328	237	241	-	478	441	27	10	14.26	
160	-	3	4	-	167	221	196	-	417	404	9	4	17.24	
254	27	33	43	2	359	367	333	-	700	558	131	11	15.55	
264	97	37	41	9	448	656	626	-	1,282	1,099	166	17	19.76	
3,975	579	388	480	60	5,482	5,734	5,649	6	11,389	9,886	1,380	173	16.40	

TABLE No. 9.
Births and Birth-Rates by Counties for the Years 1893-1900.

	1893.		1894.		1895.		1896.		1897.		1898.		1899.		1900.	
	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.
State	13,908	21.04	13,940	21.09	14,762	22.33	14,693	22.23	14,430	21.83	14,473	21.89	13,895	20.10	14,095	20.30
Androscoggin	1,053	21.50	1,079	22.03	1,244	25.40	1,216	24.83	1,017	20.77	1,151	23.51	1,116	20.78	1,099	20.26
Aroostook	1,553	32.44	1,750	35.84	1,946	39.56	1,780	36.21	1,802	37.05	1,802	37.05	1,822	31.23	1,843	32.77
Cumberland	2,017	22.17	2,032	22.34	2,146	23.60	2,252	24.76	2,024	22.25	1,993	21.91	1,974	19.79	2,074	20.60
Franklin	314	18.60	328	19.43	362	21.43	397	23.55	375	22.21	398	23.65	381	21.04	392	21.63
Hancock	739	19.97	750	22.07	782	21.13	768	20.78	748	20.20	741	20.04	720	19.41	689	18.62
Kennebec	1,149	20.15	997	17.49	1,075	18.86	1,103	19.35	1,215	21.31	1,135	19.91	1,036	17.59	1,166	19.72
Knox	652	20.73	600	19.05	622	19.78	626	19.91	588	18.69	513	16.31	510	16.74	448	14.79
Lincoln	948	15.89	862	16.50	876	17.09	851	15.96	846	15.73	848	15.89	834	16.77	839	17.24
Oxford	498	16.36	564	18.47	588	19.35	565	18.61	577	19.01	650	21.36	561	17.59	555	17.26
Penobscot	1,375	18.91	1,444	19.89	1,479	20.37	1,531	21.07	1,579	21.73	1,521	21.08	1,413	18.74	1,314	17.38
Piscataquis	339	21.66	288	18.19	333	21.14	316	20.24	352	22.33	336	21.32	310	18.83	323	19.49
Sagadahoc	391	20.10	367	18.87	387	19.90	368	18.92	346	17.79	380	19.54	381	18.82	422	20.76
Somerset	642	19.80	553	17.14	622	19.19	612	18.95	637	19.70	624	19.28	580	17.37	603	17.99
Waldo	435	15.67	390	14.04	412	14.84	365	13.15	378	13.62	402	14.48	333	13.65	348	14.38
Washington	1,001	22.64	1,106	25.02	914	20.72	971	22.28	1,088	24.98	1,146	26.32	1,062	23.75	1,059	23.53
York	1,402	22.31	1,330	21.17	1,474	23.46	1,472	23.43	1,358	21.61	1,333	21.22	1,360	21.03	1,421	21.90

TABLE No. 10.

Births by Counties, Showing Proportion of Males to Females, 1900.

COUNTIES.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin	560	537	2	1,099	23	-	104.3
Aroostook	936	902	5	1,843	34	-	103.8
Cumberland	1,054	1,020	-	2,074	34	-	103.3
Franklin	202	190	-	392	12	-	106.3
Hancock	354	335	-	689	19	-	105.7
Kennebec.....	572	594	-	1,166	-	22	96.3
Knox.....	222	226	-	448	-	4	98.2
Lincoln	178	160	1	339	18	-	111.2
Oxford	282	273	-	555	9	-	103.3
Penobscot	665	648	1	1,314	17	-	102.6
Piscataquis.....	156	167	-	323	-	11	93.4
Sagadahoc	209	213	-	422	-	4	98.1
Somerset	310	293	-	603	17	-	105.8
Waldo.....	189	158	1	348	31	-	119.6
Washington	547	510	2	1,059	37	-	107.2
York	718	703	-	1,421	15	-	102.1
Total	7,154	6,929	12	14,085	266	41	103.2

TABLE No. 11.
Number of Births in Each Month of 1893-1900, with a Monthly Ratio Compared with a Standard of 100.

MONTHS.	1893.		1894.		1895.		1896.		1897.		1898.		1899.		1900.	
	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January	1,151	97.5	962	81.3	1,182	94.3	1,149	92.1	1,125	91.9	1,148	93.4	1,093	92.6	1,167	97.5
February	1,082	101.5	980	91.7	1,082	95.6	1,227	105.1	1,120	101.4	1,176	103.4	1,104	103.7	1,083	100.2
March	1,162	98.4	1,335	116.6	1,329	106.1	1,330	106.6	1,390	113.6	1,323	107.6	1,237	104.9	1,260	105.4
April	1,259	110.1	1,324	115.6	1,287	106.1	1,318	109.2	1,259	106.2	1,269	106.7	1,295	113.5	1,245	107.5
May	1,273	107.7	1,255	106.1	1,308	104.4	1,379	110.5	1,287	105.1	1,322	107.6	1,224	103.8	1,276	106.7
June.....	1,162	101.7	1,200	104.8	1,236	101.9	1,190	98.6	1,248	105.3	1,229	103.3	1,201	105.3	1,146	108.8
July	1,176	99.6	1,286	108.7	1,290	103.0	1,207	96.7	1,272	103.9	1,226	99.8	1,239	105.1	1,284	109.1
August.....	1,213	102.7	1,213	102.5	1,312	104.7	1,246	99.9	1,302	106.4	1,219	99.2	1,197	101.3	1,255	104.1
September.....	1,115	97.6	1,168	102.0	1,233	101.6	1,257	104.1	1,205	101.8	1,182	99.4	1,163	101.8	1,213	104.7
October	1,126	95.3	1,064	89.9	1,189	94.9	1,220	97.8	1,138	93.0	1,196	97.3	1,058	89.6	1,070	94.1
November	1,032	90.3	980	85.6	1,115	91.9	1,091	90.4	982	82.9	1,028	86.5	979	85.8	1,055	89.1
December	1,109	93.9	1,164	98.4	1,193	95.2	1,069	85.7	1,077	88.0	1,149	93.5	1,098	93.0	1,035	86.5
Unknown.....	48	-	9	-	6	-	10	-	12	-	6	-	7	-	6	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 12.
Births, by Sex and Months, by Counties, 1900.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males	60	43	44	58	47	44	59	56	41	33	39	36	-	560	-
females...	60	45	54	48	62	40	50	32	38	32	38	38	-	537	-
not stated	-	-	1	-	-	1	-	-	-	-	-	-	-	2	1099
Aroostook, males...	66	69	90	101	94	81	84	73	70	66	62	77	3	936	-
females...	63	77	90	99	92	75	85	72	70	63	45	71	-	902	-
not stated	-	1	-	1	-	1	-	-	-	-	-	-	-	5	1843
Cumberland, males...	82	78	87	91	86	93	107	85	88	84	93	80	-	1054	-
females...	98	83	87	82	91	89	94	85	83	76	84	67	1	1020	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2074
Franklin, males	17	13	14	19	28	17	11	19	18	17	19	10	-	202	-
females...	18	13	21	19	14	19	21	11	18	14	13	9	-	190	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	392
Hancock, males	22	30	42	34	31	24	34	30	34	26	24	23	-	354	-
females...	29	29	27	24	32	22	26	27	38	24	23	34	-	335	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	689
Kennebec, males...	35	49	52	38	36	52	44	60	61	56	44	45	-	572	-
females...	44	57	51	52	53	55	37	56	52	37	57	43	-	594	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1166
Knox, males...	18	18	19	22	12	17	17	20	24	25	17	13	-	222	-
females...	17	20	18	16	22	20	14	19	20	22	16	22	-	226	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	448
Lincoln, males	14	14	18	12	14	10	13	17	11	21	17	17	-	178	-
females...	12	14	15	13	20	15	18	8	16	16	9	10	-	160	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	1	339
Oxford, males	13	23	24	21	24	19	32	31	23	24	32	16	-	282	-
females...	25	23	15	17	26	25	23	22	23	28	26	20	-	273	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	555
Penobscot, males...	51	65	43	54	42	62	60	69	68	50	42	58	1	665	-
females...	44	36	73	68	64	46	57	59	55	51	45	50	-	648	-
not stated	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1314
Piscataquis, males...	11	15	17	14	15	13	11	16	12	13	9	10	-	156	-
females...	21	10	15	14	18	12	11	11	11	10	18	16	-	167	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	323
Sagadahoc, males...	18	12	17	19	24	12	23	23	14	16	16	15	-	209	-
females...	22	13	24	17	25	25	17	19	16	11	13	11	-	213	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	422
Somerset, males...	27	26	21	31	22	26	32	36	32	16	21	20	-	310	-
females...	30	16	26	31	32	19	28	24	19	28	21	19	-	293	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	603
Waldo, males...	18	17	11	15	22	16	15	18	16	17	13	10	1	189	-
females...	10	21	13	12	12	11	12	10	18	16	7	16	-	158	-
not stated	1	-	-	-	-	-	-	-	-	-	-	-	-	1	348
Washington, males...	51	35	54	47	50	42	55	51	42	35	42	43	-	547	-
females...	44	30	55	49	40	45	52	39	47	35	33	41	-	510	-
not stated	1	-	-	-	-	1	-	-	-	-	-	-	-	2	1059
York, males	67	47	64	58	71	46	74	68	64	50	61	48	-	718	-
females...	58	41	58	48	55	50	68	89	69	64	56	47	-	703	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1421
Total, males....	570	554	617	634	618	574	671	672	618	549	551	521	5	7154	-
females....	595	528	642	609	658	568	613	583	593	521	504	514	1	6929	-
not stated	2	1	1	2	-	4	-	-	2	-	-	-	-	12	-
Grand total	1167	1083	1260	1245	1276	1146	1284	1255	1213	1070	1055	1035	6	14095	14095

TABLE No. 13.
Births in Cities for 1900, with Rate per 1,000 of Population.

CITIES.	Population in 1900.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn	12,951	102	105	-	207	15.98	97.1
Augusta	11,688	121	132	-	253	21.66	91.6
Bangor	21,850	152	166	1	319	14.60	91.5
Bath	10,477	120	143	-	263	25.10	83.9
Belfast	4,615	35	22	-	57	12.55	159.1
Biddeford	16,145	266	268	-	534	33.08	99.2
Brewer	4,835	44	55	-	99	20.48	80.0
Calais	7,655	111	104	1	216	28.22	106.7
Eastport	5,311	94	73	-	167	31.44	128.8
Ellsworth	4,297	29	28	-	57	13.27	103.6
Gardiner	5,501	47	45	-	92	16.72	104.4
Hallowell	2,714	29	28	-	57	21.00	103.6
Lewiston	23,761	307	277	2	586	24.66	110.8
Old Town	5,763	93	75	-	168	29.15	124.0
Portland	50,145	552	525	-	1,077	21.48	105.1
Rockland	8,150	56	59	-	115	14.11	94.9
Saco	6,122	66	44	-	110	17.97	150.0
South Portland	6,287	68	73	-	141	22.43	93.1
Waterville	9,477	145	166	-	311	32.82	87.4
Westbrook	7,283	74	87	-	161	22.11	85.1
Total	225,022	2,511	2,475	4	4,990	22.18	101.5

TABLE No. 14.

Percentage of American and Foreign Births by Counties, 1900.

COUNTIES.	PARENTS.			Births with percentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin.....	38.22	48.95	12.28	0.55
Aroostook.....	50.35	16.98	31.42	1.25
Cumberland.....	53.24	28.16	17.35	1.25
Franklin.....	72.45	17.09	9.44	1.02
Hancock.....	86.79	2.76	9.43	1.02
Kennebec.....	53.86	26.58	18.35	1.21
Knox.....	81.47	7.58	10.27	0.68
Lincoln.....	88.50	1.77	9.44	0.29
Oxford.....	74.77	13.15	11.17	0.91
Penobscot.....	62.48	18.57	18.26	0.69
Piscataquis.....	72.14	10.21	17.34	0.31
Sagadahoc.....	61.61	22.04	16.11	0.24
Somerset.....	73.80	9.45	14.76	1.99
Waldo.....	92.25	1.43	4.89	1.43
Washington.....	64.02	10.39	24.74	0.85
York.....	45.67	38.99	14.49	0.85
State.....	59.94	21.57	17.50	0.99

TABLE No. 15.
Percentage of American and Foreign Births, by Cities, 1900.

CITIES.	PARENTS.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Auburn	54.11	36.23	9.66	-
Augusta	44.27	34.39	18.97	2.37
Bangor	52.98	28.21	17.87	0.94
Bath	54.75	26.62	18.63	-
Belfast	87.72	1.75	7.01	3.52
Biddeford	12.73	70.79	15.92	0.56
Brewer	42.43	29.29	28.28	-
Calais	31.02	23.15	43.52	2.31
Eastport	37.72	21.56	40.72	-
Ellsworth	85.96	-	12.28	1.76
Gardiner.....	65.22	19.57	15.21	-
Hallowell	57.89	17.54	21.05	3.52
Lewiston	16.38	63.26	14.85	0.51
Old Town ..	47.62	26.19	25.60	0.59
Portland.....	42.80	33.89	21.73	1.58
Rockland	77.39	12.18	10.43	-
Saco.....	50.91	31.82	17.27	-
South Portland ..	65.96	24.12	9.92	-
Waterville	26.69	43.09	30.22	-
Westbrook	29.19	48.45	21.12	1.24
Collectively	39.55	38.68	20.88	0.89

TABLE No. 16.
Twin Births by Months and Counties, 1900.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin.....	-	1	-	1	1	-	2	3	1	1	-	-	-	10
Aroostook.....	-	2	3	1	2	3	2	1	4	-	2	2	-	22
Cumberland.....	1	2	1	2	2	-	1	1	1	-	2	1	-	14
Franklin.....	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Hancock.....	-	2	-	-	-	-	-	-	-	-	-	1	-	3
Kennebec.....	1	3	1	1	1	2	-	3	1	2	1	-	-	16
Knox.....	1	-	-	1	-	1	-	-	-	3	-	1	-	7
Lincoln.....	-	1	-	-	-	-	-	-	1	-	1	-	-	3
Oxford.....	-	1	1	-	1	-	1	-	-	-	-	-	-	4
Penobscot.....	2	2	1	2	1	1	-	1	1	1	-	1	-	13
Piscataquis.....	1	1	-	1	-	-	1	-	-	-	-	1	-	5
Sagadahoc.....	-	-	1	-	3	-	-	2	1	1	1	-	-	9
Somerset.....	-	-	1	1	1	-	-	-	-	-	-	-	-	3
Waldo.....	2	1	-	-	-	1	-	-	-	-	-	1	-	5
Washington.....	1	1	1	2	-	1	1	2	-	-	-	3	-	12
York.....	-	1	2	2	6	-	2	-	1	-	-	-	-	14
Total.....	9	18	13	14	18	9	10	13	11	8	7	11	-	141

TABLE No. 17.
Twin Births, by Sex and Parentage, by Counties, 1900.

COUNTIES.	SEX.				PARENTAGE.								
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	Total.	Living children.	Still-born children.	Total.
Androscoggin	5	2	3	-	1	9	-	-	-	10	20	-	20
Aroostook	7	7	8	-	12	5	2	2	1	22	36	8	44
Cumberland	2	6	6	-	6	5	2	1	-	14	27	1	28
Franklin	-	1	-	-	1	-	-	-	-	1	2	-	2
Hancock	-	1	2	-	2	-	-	-	1	3	6	-	6
Kennebec	5	2	9	-	8	4	2	2	-	16	32	-	32
Knox	5	1	1	-	6	1	-	-	-	7	13	1	14
Lincoln	2	1	-	-	2	-	-	1	-	3	6	-	6
Oxford	1	3	-	-	4	-	-	-	-	4	7	1	8
Penobscot	3	3	6	1	9	3	1	-	-	13	25	1	26
Piscataquis	1	2	2	-	4	-	-	1	-	5	10	-	10
Sagadahoc	3	5	1	-	4	3	1	1	-	9	17	1	18
Somerset	1	1	1	-	2	-	-	1	-	3	6	-	6
Waldo	-	1	4	-	5	-	-	-	-	5	10	-	10
Washington	3	4	5	-	9	1	1	1	-	12	22	2	24
York	5	2	7	-	7	3	2	2	-	14	26	2	28
Total	43	42	55	1	82	34	11	12	2	141	265	17	282

TABLE No. 13.
Still-Births by Sex and Parentage by Counties, 1900.

COUNTIES.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin	20	16	5	41	18	23	-
Aroostook	45	34	5	84	58	26	-
Cumberland	51	45	4	100	60	38	2
Franklin	10	7	-	17	14	3	-
Hancock	15	9	-	24	23	1	-
Kennebec	19	12	3	34	26	7	1
Knox	6	4	-	10	9	1	-
Lincoln	3	8	1	12	12	-	-
Oxford	17	12	-	29	24	5	-
Penobscot	28	30	2	60	42	16	2
Piscataquis	12	7	1	20	16	4	-
Sagadahoc	12	2	-	14	13	1	-
Somerset	15	7	5	27	21	6	-
Waldo	15	7	-	22	21	1	-
Washington	34	20	4	58	46	12	-
York	37	24	1	62	29	32	1
Total	339	244	31	614	432	176	6

TABLE No. 19.
Still-Births by Seasons, 1900.

MONTHS.			
January	54		
February	49		
March	70	Total for first quarter.....	173
April	59		
May	60		
June	40	Total for second quarter.....	159
July	46		
August	55		
September	42	Total for third quarter... ..	143
October	44		
November.....	36		
December	59	Total for fourth quarter.....	139
Months not stated.	-	Total not stated	-
Total	614		614

NOTES ON BIRTHS.

In the year 1900, 14,709 births were registered in the State, including still-births (14,028 in 1892, 14,604 in 1893, 14,607 in 1894, 15,430 in 1895, 15,429 in 1896, 15,142 in 1897, 15,121 in 1898, and 14,475 in 1899).

The number of living children born was 14,095, and the number of still-births was 614.

Of the whole number of living children of which the sex was certified, 7,154 were males and 6,929 were females. In 12 births the sex was not stated. For each 100 girls born there were 103.2 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, 106.4 in 1895, 105.3 in 1896, 102.3 in 1897, 106.0 in 1898, and 104.4 in 1899).

Birth-rate.—The birth-rate of living children for the State was 20.30 for each 1,000 population.

Table No. 13 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 population was 22.18 as compared with 19.40, the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. It was the highest in Aroostook, 30.77, and the lowest in Waldo, 14.38. In six counties, Aroostook, Cumberland, Franklin, Sagadahoc, Washington, and York, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 4 and No. 8.

Parentage.—Of the total births in the State, 59.94 per cent. were of native parents; 21.57 per cent. were of foreign parentage; 17.50 per cent. were of parents, one of whom was foreign; while of 0.99 per cent. the nationality was not stated.

Waldo county had the largest percentage of native-born parents, to wit, 92.25 per cent., and only 1.43 per cent. in which both parents were foreign-born. Lincoln followed with 88.50 per cent. of native parentage, and only 1.77 per cent. in which both parents were foreign-born.

In Hancock county, in 86.79 of the births, the parents were native-born.

In Knox, the percentage of native-born was 81.47, and in Oxford, 74.77.

Low percentages of native-born parents were shown in Androscoggin county, where, in 38.22 per cent. of the births, the

parents were native-born, and 48.95 per cent. were foreign-born; in Aroostook with 50.35 per cent., in York county with 45.67 per cent., and in Cumberland with 53.24 per cent. of the parents native-born.

The percentages of parentage, whether American-born or foreign-born may be found for the other counties in Table No. 14.

Comparing the percentage of the births in our twenty cities with that of the rest of the State we find that, in the cities, 39.55 per cent. of the births were of American parentage, while in the rural parts of the State the percentage of American-born children was 71.11.

The largest percentage of foreign-born parents was in Biddeford, 70.79, and in Lewiston, 68.26.

In Ellsworth no birth was reported in which both parents were foreign, and in Belfast only 1.75 per cent. of the births had both parents foreign-born. For further comparison see Table No. 15.

Seasons and Births.—The largest number of births in any one month in 1900 was 1,284 in July; the smallest was 1,035 in December; the largest quarterly total was 3,752 in the third quarter; the smallest, 3,160 in the last quarter. The three consecutive months in which the largest number of births occurred were March, April and May, 3,781.

The following is a tabular statement of the number of births in each month of the nine years 1892-1900.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892	1,016	1,113	1,345	1,275	1,323	1,176	1,222	1,191	1,144	1,047	1,002	1,111	63	14,028
1893	1,151	1,082	1,162	1,259	1,273	1,162	1,176	1,213	1,115	1,126	1,032	1,109	48	13,903
1894	962	980	1,335	1,324	1,255	1,200	1,266	1,213	1,168	1,064	980	1,164	9	13,940
1895	1,182	1,082	1,329	1,287	1,308	1,236	1,290	1,312	1,233	1,189	1,115	1,193	6	14,762
1896	1,149	1,227	1,330	1,318	1,379	1,190	1,207	1,246	1,257	1,220	1,091	1,069	10	14,693
1897	1,126	1,123	1,390	1,260	1,288	1,250	1,274	1,303	1,205	1,138	984	1,077	12	14,430
1898	1,148	1,176	1,323	1,269	1,322	1,229	1,226	1,219	1,132	1,196	1,028	1,149	6	14,473
1899	1,093	1,104	1,237	1,295	1,224	1,201	1,239	1,197	1,163	1,058	979	1,098	7	13,895
1900	1,167	1,083	1,260	1,245	1,276	1,146	1,284	1,255	1,213	1,070	1,055	1,035	6	14,905

Twin-births.—In 1900, 141 twin births occurred; in 43 instances the twins were both boys; in 42, both girls; in 55, a boy and a girl. In 82 cases the parentage was American; in 34 foreign; and in 23 instances the parentage was mixed. Of the 282 children, 265 were born alive, and 17 were still-born.

Triplets.—In Sanford and Cyr Plantation a triple birth occurred, in which the children were all living. There were also triplets in Eastport in which two children were living, in Portland where only one was living, and in Burnham where all three were still-born. Other facts may be learned by consulting Tables No. 16 and No. 17.

Still-births.—Of the 614 still-born children, 339 were males, and 244 females. In 31 the sex was not stated. With the exception of six still-births, as to which the nativity of the mother was not stated, 432 were of American mothers, and 176 were of foreign mothers.

The largest number of still-births, 100, occurred in Cumberland county, while the minimum number, 10, was reported in Knox county.

The largest number of still-births, 70, was returned in March; the smallest number was 36 in November. See Tables No. 18 and No. 19 for other details.

TABLE No. 20.
Marriages and Marriage-rates by Counties for the Years 1893-1900.

	1893.		1894.		1895.		1896.		1897.		1898.		1899.		1900.	
	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.
State.....	5,795	8.76	5,591	8.46	5,729	8.67	5,579	8.44	5,331	8.07	5,144	7.78	5,329	7.71	5,482	7.89
Androscoggin.....	463	9.46	456	9.31	459	9.37	461	9.41	405	8.27	376	7.68	398	7.41	463	8.54
Aroostook.....	434	9.96	492	9.92	513	10.95	483	9.74	483	9.74	487	9.82	450	7.55	527	8.62
Cumberland.....	820	9.02	757	8.32	813	8.94	770	8.47	698	7.67	657	7.22	722	7.24	731	7.26
Franklin.....	150	8.80	166	9.73	158	9.27	156	9.15	168	9.85	158	9.26	191	10.43	149	8.08
Hancock.....	311	8.33	327	8.76	321	8.60	303	8.12	291	7.79	264	7.08	300	8.05	269	7.22
Kennebec.....	529	9.23	478	8.38	506	8.88	506	8.88	464	8.14	469	8.23	479	8.13	477	8.07
Knox.....	318	10.10	270	8.58	287	9.12	252	8.19	237	7.53	247	7.85	198	6.49	255	8.38
Lincoln.....	155	7.05	143	6.50	150	6.81	166	7.55	124	5.64	148	6.73	145	7.29	148	7.52
Oxford.....	223	7.29	217	7.10	249	8.14	252	8.24	241	7.88	236	7.72	243	7.58	241	7.48
Penobscot.....	694	9.52	631	8.66	684	9.39	682	9.36	647	8.88	602	7.28	619	8.15	647	8.49
Piscataquis.....	143	8.86	144	8.92	151	9.35	152	9.42	150	9.30	145	8.99	146	8.65	128	7.55
Sagadahoc.....	131	6.73	131	6.73	111	5.71	136	6.99	111	5.71	156	8.02	155	7.65	145	7.13
Somerset.....	298	9.13	285	8.74	307	9.41	261	8.00	317	9.72	275	8.43	288	8.54	328	9.69
Waldo.....	225	8.11	226	8.14	218	7.89	197	7.10	214	7.71	200	6.13	173	7.05	167	6.91
Washington.....	406	9.13	414	9.31	320	7.19	342	7.82	338	7.60	341	7.67	398	8.81	359	7.94
York.....	435	6.92	454	7.23	452	7.19	448	7.13	443	7.05	383	6.10	424	6.55	448	6.90

TABLE No. 21.
Marriages by Counties and Nativity, 1900.

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin	268	120	37	37	1	463
Aroostook	300	64	62	91	10	527
Cumberland	484	111	67	59	10	731
Franklin	128	10	4	6	1	149
Hancock	246	1	9	13	-	269
Kennebec	340	53	45	32	7	477
Knox	229	2	4	14	-	255
Lincoln	141	2	1	3	1	148
Oxford	207	7	12	10	5	241
Penobscot	477	43	43	74	10	647
Piscataquis	100	6	7	14	1	128
Sagadahoc	108	17	9	11	-	145
Somerset	269	13	15	28	3	328
Waldo	160	-	3	4	-	167
Washington	254	27	33	43	2	359
York	264	97	37	41	9	448
Total	3,975	579	388	480	60	5,482

TABLE No. 22.
Marriages by Months and Counties, 1900.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	39	22	20	33	30	44	48	32	57	43	60	29	-	463
Aroostook	35	29	22	40	37	77	48	45	37	66	53	38	-	527
Cumberland	52	37	32	46	52	112	57	59	73	83	65	63	-	731
Franklin	10	2	6	7	12	18	13	14	14	21	13	13	-	149
Hancock	18	23	14	15	17	20	12	20	32	36	31	31	-	269
Kennebec	31	23	14	38	24	63	34	47	58	57	50	39	-	477
Knox	21	13	18	18	19	22	15	13	33	23	29	32	-	255
Lincoln	10	2	7	6	2	9	14	9	15	18	24	26	-	148
Oxford	27	13	14	14	23	29	8	12	25	29	27	15	-	241
Penobscot	52	51	24	54	45	84	51	44	63	65	64	50	-	647
Piscataquis	13	7	10	9	7	20	10	5	12	13	8	14	-	128
Sagadahoc	10	6	6	7	2	24	12	12	14	22	8	16	-	145
Somerset	20	19	27	26	24	37	24	22	27	31	37	34	-	328
Waldo	12	7	12	3	9	25	17	8	14	20	13	27	-	167
Washington	29	20	26	31	25	40	26	18	38	34	36	35	1	359
York	38	30	19	35	33	50	26	41	31	54	44	47	-	448
Total	417	313	271	382	373	674	415	407	543	615	562	509	1	5,482

TABLE No. 23.

Number of Marriages in Each Month of 1893-1900, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1893.		1894.		1895.		1896.		1897.		1898.		1899.		1900.	
	Marriages.	*Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.
January	397	86.7	400	84.2	449	92.2	452	95.4	395	87.3	438	100.3	369	81.6	417	89.58
February	315	70.8	298	64.9	384	87.5	322	73.1	325	79.5	273	69.2	286	70.0	313	74.43
March.....	345	70.1	342	72.0	307	63.0	303	63.9	304	67.2	300	68.7	290	64.2	271	58.22
April.....	476	100.0	414	90.2	390	82.8	440	96.0	343	78.3	396	93.7	446	101.8	382	84.79
May ..	425	86.4	386	81.3	400	82.1	397	83.8	416	91.9	386	88.3	346	76.5	373	82.80
June	652	137.0	603	131.0	622	132.1	637	138.9	588	134.2	571	135.1	628	143.4	674	149.61
July ..	428	87.0	378	79.6	382	78.4	415	87.6	368	81.3	356	81.5	362	80.1	415	89.15
August.....	421	85.6	393	82.7	433	88.9	410	86.5	399	88.2	350	80.2	414	91.6	407	87.43
September	551	115.8	541	117.9	576	122.2	529	115.4	523	119.4	447	105.7	521	115.3	543	120.53
October	582	118.3	636	133.9	632	129.8	577	121.8	553	122.2	528	120.9	581	128.5	615	132.12
November	652	137.0	628	136.8	630	133.8	557	121.5	589	134.5	551	130.3	567	129.2	562	124.75
December	515	104.7	554	116.6	523	107.4	537	113.3	524	115.8	547	125.2	516	114.1	509	109.34
Unknown	36	-	18	-	1	-	3	-	4	-	1	-	3	-	1	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 24.

Marriages by Ages and Counties, 1900.

COUNTIES.	Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscoggin.....males	-	18	156	130	64	36	21	14	4	10	7	3	-	-	463
females	-	97	175	96	33	25	13	12	5	4	2	-	-	1	463
Aroostook.....males	-	11	204	145	69	45	13	15	8	2	6	5	-	4	527
females	3	218	181	59	24	10	7	10	6	-	3	2	-	4	527
Cumberland.....males	-	17	254	216	116	52	27	12	9	12	14	2	-	-	731
females	-	109	314	164	71	29	18	13	7	3	-	1	-	2	731
Franklin.....males	-	6	47	40	23	9	8	4	5	3	3	1	-	-	149
females	1	43	57	24	8	5	6	1	-	3	1	-	-	-	149
Hancock.....males	-	6	86	95	28	19	11	9	3	4	7	1	-	-	269
females	-	90	97	36	20	9	9	-	2	3	3	-	-	-	269
Kennebec.....males	-	17	155	133	61	29	27	21	16	3	12	3	-	-	477
females	3	117	170	82	49	18	15	10	7	1	5	-	-	-	477
Knox.....males	-	8	85	72	36	20	11	6	9	5	2	1	-	-	255
females	-	59	93	52	19	7	13	3	5	1	3	-	-	-	255
Lincoln.....males	-	6	51	32	20	18	5	5	8	1	1	1	-	-	148
females	-	33	60	24	14	8	2	4	-	2	1	-	-	-	148
Oxford.....males	-	6	78	74	31	12	12	9	4	5	9	-	-	1	241
females	2	65	93	32	15	10	10	5	3	1	3	1	-	1	241
Penobscot.....males	-	16	223	197	88	40	23	17	14	9	13	4	-	3	647
females	-	155	250	108	55	23	17	14	11	3	6	-	-	5	647
Piscataquis.....males	-	6	44	33	17	11	8	3	1	2	1	1	-	1	128
females	1	34	54	15	7	7	1	3	3	-	2	-	-	1	128
Sagadahoc.....males	-	1	52	41	22	8	5	5	6	-	4	1	-	-	145
females	-	34	57	26	8	7	3	7	-	2	-	1	-	-	145
Somerset.....males	-	13	117	90	45	25	13	6	5	6	5	2	1	-	328
females	4	89	133	38	28	14	7	5	3	2	4	1	-	-	328
Waldo.....males	-	8	59	41	19	12	7	6	5	1	9	-	-	-	167
females	1	32	74	24	9	5	10	6	3	1	2	-	-	-	167
Washington.....males	-	12	125	108	53	19	14	10	6	5	5	2	-	-	359
females	2	105	134	65	21	10	9	3	4	1	5	-	-	-	359
York.....males	-	26	180	118	49	25	16	9	8	8	5	4	-	-	448
females	-	88	196	77	40	19	9	7	6	2	3	1	-	-	448
Total.....males	-	177	1,916	1,565	741	380	221	151	111	76	103	31	1	9	5,482
females	17	1,368	2,138	922	421	206	149	103	65	29	43	7	-	14	5,482
Grand total.....	17	1,545	4,054	2,487	1,162	586	370	254	176	105	146	38	1	23	10,964

TABLE
Interesting Facts in

COUNTIES.	Instances in which the age of the bride exceeds that of the groom.		Widowers.		Widows.		Divorced.		First marriage.		Second marriage.		Third marriage.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Androscoggin.....	94	68	54	14	15	381	394	72	65	10	4			
Aroostook	52	91	43	11	3	422	477	92	41	10	5			
Cumberland.....	142	96	63	19	28	614	640	109	86	5	5			
Franklin... ..	18	26	15	9	13	113	120	29	23	6	5			
Hancock... ..	32	40	32	11	13	215	223	47	42	3	3			
Kennebec.....	73	90	57	16	26	369	391	89	74	14	7			
Knox.....	45	31	31	20	15	204	209	49	44	2	2			
Lincoln	24	20	16	5	3	123	129	21	17	3	2			
Oxford.....	34	39	19	10	14	191	208	43	31	6	2			
Penobscot	107	95	67	32	35	516	540	105	92	18	9			
Piscataquis.....	19	13	15	6	12	108	100	18	27	1	-			
Sagadahoc.....	19	20	16	8	7	117	122	25	20	3	3			
Somerset	49	51	33	12	15	265	280	58	42	5	3			
Waldo	27	24	16	6	11	136	139	25	23	4	4			
Washington	38	49	39	11	7	299	313	56	43	4	3			
York	100	59	34	6	12	383	402	60	41	5	5			
Total	868	812	550	196	229	4,456	4,687	898	711	99	65			

NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1900 was 5,482 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, 5,729 in 1895, 5,579 in 1896, 5,331 in 1897, 5,144 in 1898, and 5,329 in 1899). We have, therefore, for the year 1900, a marriage-rate of 15.78 (persons married) to every 1,000 of population, or at the rate of 7.89 marriages per 1,000 persons.

Marriage-rates.—The marriage-rate was higher in Somerset county than elsewhere in the State, it being for that county 19.38 per 1,000. The lowest marriage-rate, that of 13.80 per 1,000, was in York county. See Table No. 4.

Nativity.—Of the 5,422 records of marriage in which there was a statement of birthplace, in 73 per cent. the groom and bride were both American; in 10 per cent. both were of foreign birth; in 8 per cent. the groom was American and the bride of foreign birth; while in 9 per cent. a foreign groom and American bride were united.

Seasons.—The largest number of marriages, 674 was solemnized in June, while the smallest number in any one month, 271, occurred in March. See Table No. 22.

Ages of the Married.—The largest number, both of grooms and brides was between 20 and 25 years of age. While still under 15 years of age, 17 brides were married; in the age-period 15-20 years there were 177 grooms and 1,368 brides; in the period 20-25 years, 1,916 men and 2,138 women were married; from 25-30, 1,565 men and 922 women; from 30-35, 741 men and 421 women; from 35-40, 380 men and 206 women; from 40-45, 221 men and 149 women; from 45-50, 151 men and 103 women; from 50-55, 111 men and 65 women; from 55-60, 76 men and 29 women; from 60-70, 103 men and 43 women; from 70-80, 31 men and seven women; over 80, 1 man. See Table No. 24.

In 4,614 marriages, the groom was older than the bride; while in 868, the bride was the elder; 812 widowers and 550 widows

were remarried; 196 men and 229 women were remarried after having been divorced from a former marriage.

Table No. 25 exhibits the fact that 4,456 men and 4,687 women were married the first time; that 898 men and 711 women were married the second time; that 99 men and 65 women were united in the third marriage; 11 men and 3 women contracted marriage a fourth time. The oldest groom was 84 years of age, and the oldest bride was 76. In one marriage the bride was only 13 years old, and in seven marriages the bride was only 14 years old.

TABLE

Divorces Decreed by the Supreme Court of Maine for the

COUNTIES.	Libellant wife.	Libellant husband.	Adultery.	Adultery and desertion.	Adultery and failure to support.	Adultery and intoxication.	Extreme cruelty.	Extreme cruelty and intoxication.	Desertion.
Androscoggin	49	13	5	-	-	-	2	-	9
Aroostook	14	5	2	-	-	-	-	-	3
Cumberland	88	23	14	-	-	-	2	1	30
Franklin	21	19	2	-	-	-	-	-	13
Hancock	16	9	5	-	-	-	-	-	9
Kennebec	62	24	7	1	-	1	1	-	10
Knox	48	14	2	-	-	-	1	-	13
Lincoln	12	5	1	-	-	-	-	-	3
Oxford	38	11	7	-	1	-	-	-	11
Penobscot	58	28	9	-	-	-	2	-	25
Piscataquis	13	7	3	-	-	-	-	-	7
Sagadahoc	29	8	2	-	-	-	-	-	9
Somerset	38	11	10	-	-	-	4	-	10
Waldo	24	4	3	-	-	-	1	1	8
Washington	25	8	5	-	-	-	1	-	13
York	54	23	16	-	-	-	3	-	18
Total	589	212	93	1	1	1	17	2	191

No. 26.

Year 1900, as Returned by Clerks of the Several Counties.

Desertion and failure to support.	Desertion and cruel and abusive treatment.	Intoxication.	Intoxication and failure to support.	Cruel and abusive treatment.	Cruel and abusive treatment and adultery.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Failure to support.	Gross, wanton and cruel neglect.	Impotence	Marriage annulled.	Total.
1	-	5	-	29	-	3	-	2	6	-	-	-	62
-	-	3	-	6	-	-	1	2	2	-	-	-	19
-	-	14	-	38	-	-	2	7	2	-	-	-	111
-	-	3	-	17	-	-	-	1	4	-	-	-	40
-	-	1	-	10	-	-	-	-	-	-	-	-	25
-	1	9	2	33	-	-	-	9	3	7	-	2	86
-	1	15	-	25	-	-	3	1	1	-	-	-	62
-	-	2	-	9	-	-	1	1	-	-	-	-	17
-	-	5	-	23	-	-	-	1	1	-	-	-	49
-	-	15	-	32	-	-	-	3	-	-	-	-	86
-	-	2	-	5	-	-	-	2	1	-	-	-	20
-	-	6	1	11	-	-	2	2	4	-	-	-	37
-	-	6	-	14	-	-	3	1	1	-	-	-	49
-	-	2	-	10	1	-	-	2	-	-	-	-	28
-	-	5	-	9	-	-	-	-	-	-	-	-	33
-	-	14	-	22	-	-	-	-	4	-	-	-	77
1	2	107	3	293	1	3	12	34	29	7	1	2	801

TABLE No. 27.

Divorces by Causes, the Sex of Libellants, and the Number of Years Married, 1900.

CAUSES.	LIBELLANTS.		NUMBER OF YEARS MARRIED.							
	Number.	Sex.	Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown.
Adultery.....	93	Males ...	50	3	11	12	19	3	2	-
		Females ...	43	2	13	10	10	7	-	1
Adultery and desertion	1	Males	1	-	-	-	-	1	-	-
		Females ...	1	-	-	-	-	-	-	-
Adultery and failure to support.....	1	Males	1	-	1	1	-	-	-	-
		Females ...	1	-	-	-	-	-	-	-
Adultery and intoxication.....	1	Males	1	-	-	-	-	-	-	-
		Females ...	1	-	-	-	-	-	-	-
Extreme cruelty... ..	17	Males	17	-	2	5	7	3	-	-
		Females ...	17	-	1	-	-	-	-	-
Extreme cruelty and intoxication... ..	2	Males	2	-	-	1	1	-	-	-
		Females ...	2	-	-	-	-	-	-	-
Desertion... ..	191	Males	82	1	11	25	22	18	4	-
		Females ...	109	1	12	31	42	16	7	-
Desertion and cruel and abusive treatment.....	2	Males	-	-	-	-	-	-	-	-
		Females ...	2	-	2	-	-	-	-	-
Desertion and failure to support.....	1	Males	1	-	1	-	-	-	-	-
		Females ...	1	-	1	-	-	-	-	-
Intoxication.	107	Males	12	1	4	2	3	1	-	1
		Females ...	95	4	27	28	27	3	5	1
Intoxication and failure to support. ...	3	Males	3	-	1	2	-	-	-	-
		Females ...	65	1	4	19	17	14	8	2
Cruel and abusive treatment.....	293	Males	228	2	10	66	49	70	23	7
		Females ...	228	2	10	66	49	70	23	7
Cruel and abusive treatment and adultery	1	Males	1	-	1	-	-	-	-	-
		Females ...	1	-	1	-	-	-	-	-
Cruel and abusive treatment and extreme cruelty	3	Males	1	-	1	-	-	-	-	-
		Females ...	2	-	-	-	-	2	-	-
Cruel and abusive treatment and failure to support.....	12	Males	12	-	6	4	2	-	-	-
		Females ...	12	-	6	4	2	-	-	-
Cruel and abusive treatment and intoxication	34	Males ...	1	-	-	-	1	-	-	-
		Females ...	33	-	13	8	10	2	-	-
Failure to support.....	29	Males	29	-	9	7	6	6	-	1
		Females ...	29	-	9	7	6	6	-	1
Gross, wanton and cruel neglect	7	Males	7	-	3	-	2	2	-	-
		Females ...	7	-	3	-	2	2	-	-
Impotence.....	1	Males	1	-	1	-	-	-	-	-
		Females ...	1	-	1	-	-	-	-	-
Marriage annulled.....	2	Males	2	-	2	-	-	-	-	-
		Females ...	2	-	2	-	-	-	-	-
Total.....	801	Males	212	2	9	47	56	59	30	8
		Females ...	589	2	17	159	146	177	65	19

NOTES ON DIVORCES.

Eight hundred and one divorces were decreed in the year 1900 (552 in 1892, 627 in 1893, 674 in 1894, 681 in 1895, 668 in 1896, 722 in 1897, 764 in 1898, and 790 in 1899). In 1900, there was decreed in Maine one divorce for every 6.8 marriages solemnized.

Some of the causes for which divorces were granted are: Adultery, 93, or 11.6 per cent. of the whole number, extreme cruelty, 17, or 2.1 per cent.; desertion, 191, or 23.8 per cent.; intoxication, 107, or 13.4 per cent.; cruel and abusive treatment, 293, or 36.6 per cent.; failure to support, 29, or 3.6 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 589 divorces, and the husband in 212.

In the divorces granted for adultery, the husband was the libellant 50 times, and the wife 43 times.

On account of extreme cruelty, the wife was the libellant in all 17 cases.

For desertion, the husband was the libellant 109 times, and the wife 82.

For intoxication, the husband was the libellant in 12 cases, and the wife in 95.

For cruel and abusive treatment, the husband was the libellant in 65 instances, and the wife in 228.

For failure to support, the wife was the libellant in the 29 divorces decreed for that cause.

Four divorces were granted before the marriage life had lasted six months; 26 before 1 year's marriage; 206, after from 1 to 5 years marriage; 202, after 5 to 10 years; 236 after 10 to 20 years; 95 after 20 to 30 years; and 27 after more than 30 years of married life. Tables No. 26 and 27 may be consulted for more detailed statements.

TABLE No. 28.
Deaths and Death-Rates by Counties, for the Years 1893-1900.

	1893.		1894.		1895.		1896.		1897.		1898.		1899.		1900.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State	11,134	16.84	11,012	16.66	10,464	15.83	10,626	16.07	11,236	16.99	10,956	16.57	11,370	16.45	11,389	16.40
Androscoggin	819	16.73	941	19.22	866	14.40	889	18.15	995	20.32	957	19.54	1,054	19.62	963	17.75
Aroostook	609	12.72	657	13.46	665	13.52	677	13.77	761	15.47	765	15.43	766	13.13	763	12.74
Cumberland	1,719	18.90	1,690	18.57	1,629	17.91	1,670	18.36	1,765	19.41	1,705	18.75	1,778	17.83	1,828	18.15
Franklin	319	18.98	276	16.35	272	16.10	301	17.85	282	16.70	276	16.18	310	17.12	311	17.16
Hancock	494	13.35	553	16.27	510	13.78	527	14.26	586	15.82	550	14.74	572	15.42	511	13.81
Kennebec	1,153	20.22	1,132	19.86	1,014	17.79	1,052	18.45	1,140	20.00	989	17.35	1,063	18.05	1,073	18.15
Knox	569	18.09	509	16.18	526	16.73	511	16.25	475	15.10	497	15.79	468	15.36	519	17.14
Lincoln	330	15.06	341	15.50	325	14.78	317	14.41	343	15.59	322	14.64	316	15.82	293	14.88
Oxford	506	16.62	470	15.42	455	14.98	446	14.68	494	16.27	488	15.96	478	14.99	545	16.95
Penobscot	1,122	15.43	1,192	16.40	1,130	15.51	1,169	16.09	1,180	16.24	1,185	16.26	1,184	15.70	1,127	14.91
Piscataquis	249	15.91	214	13.52	207	13.14	195	12.49	241	15.29	232	14.38	277	16.83	244	14.73
Sagadahoc	326	16.76	290	14.91	287	14.75	299	15.37	299	15.37	307	15.78	299	14.77	335	16.48
Somerset	511	15.84	520	16.12	521	16.07	452	13.99	518	16.02	503	15.42	548	16.42	478	14.26
Waldo	408	14.70	444	16.00	405	14.59	375	13.51	425	15.31	432	15.56	432	17.60	417	17.24
Washington	761	17.22	636	14.39	603	13.67	617	14.16	591	13.57	625	14.05	618	13.82	700	15.55
York	1,239	19.72	1,147	18.26	1,049	16.70	1,129	17.97	1,141	18.16	1,123	17.87	1,207	18.66	1,282	19.76

TABLE No. 29.
Number of Deaths in Each Month of 1893-1900, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1893.		1894.		1895.		1896.		1897.		1898.		1899.		1900.	
	Deaths.	Ratio.*	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January	849	90.0	1,266	136.6	906	101.9	863	95.5	916	96.0	887	95.3	1,432	148.4	903	99.5
February	845	100.0	980	116.6	821	102.2	921	109.1	851	98.7	817	97.1	1,049	130.5	881	100.8
March.....	959	103.3	920	103.4	1,053	118.4	944	104.6	1,259	131.9	863	92.7	935	96.9	1,095	110.1
April.....	1,037	100.0	994	110.0	854	99.3	942	97.8	1,020	110.4	915	101.6	965	103.3	1,196	127.7
May.....	969	100.0	851	83.3	843	84.8	961	106.5	892	93.5	935	100.0	899	93.2	1,068	107.3
June	819	90.0	816	90.0	715	83.1	814	93.2	769	83.3	791	87.8	768	82.2	793	84.7
July..	823	90.0	865	93.3	803	90.3	845	93.6	840	88.0	814	87.5	783	81.1	839	84.4
August.....	1,080	106.6	953	100.0	938	105.5	1,079	119.5	1,019	106.8	1,003	107.7	1,031	106.8	1,033	103.8
September	975	106.6	956	106.6	1,023	118.9	912	104.4	997	108.0	1,147	127.3	953	102.0	1,037	110.8
October	917	100.0	821	86.6	902	101.5	833	92.3	999	104.7	1,034	111.1	882	91.4	911	91.6
November.....	796	86.6	761	83.3	743	86.4	667	76.4	835	90.4	837	92.9	781	83.6	769	82.1
December	1,037	100.0	819	86.6	858	96.5	839	93.0	837	87.7	911	97.9	861	91.3	856	86.1
Unknown.....	28	-	10	-	5	-	6	-	-	-	2	-	11	-	8	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

NUMBER OF DEATHS IN EACH MONTH.

TABLE

Showing the Number of Deaths in the State, and in

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.
All causes (including premature deaths)	11,616	975	776	1,874
I. General diseases.....	2,939	255	217	471
II. Diseases of nervous system and organs of special sense.....	1,652	146	51	270
III. Diseases of circulatory system	1,113	94	50	178
IV. Diseases of respiratory system	1,513	149	87	226
V. Diseases of digestive system....	1,411	136	126	220
VI. Diseases of genito-urinary system and its adnexa	647	45	19	127
VII. The Puerperal state.....	79	5	14	10
VIII. Diseases of skin and cellular tissue	75	5	7	15
IX. Diseases of organs of locomotion	15	-	-	5
X. Malformation	67	5	1	5
XI. Early infancy.	583	41	44	114
XII. Old age	685	33	40	115
XIII. Deaths from external causes.....	462	31	32	90
XIV. Deaths from ill-defined causes	375	30	88	28

No. 30.

Each County Arranged by Classes and Counties.

Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
314	520	1,088	522	304	552	1,149	250	343	487	421	720	1,321
83	144	248	126	71	133	291	57	94	138	108	185	318
39	76	229	61	38	90	165	29	32	77	60	85	204
36	55	108	91	31	45	97	21	33	52	61	73	88
42	51	161	63	33	64	150	37	46	60	62	88	194
30	65	103	41	31	73	135	23	45	50	37	114	182
25	30	46	31	29	27	60	13	19	23	27	42	84
1	5	5	4	2	5	4	3	2	2	3	6	8
1	2	4	4	3	3	5	5	4	1	-	7	9
-	1	1	2	-	-	3	-	1	-	1	-	1
-	4	10	1	3	3	11	3	-	3	2	9	7
7	20	30	15	14	21	54	15	23	18	14	49	104
29	42	69	41	28	50	70	23	17	31	25	22	50
10	15	38	24	10	20	60	13	20	22	15	25	37
11	10	36	18	11	18	44	8	7	10	6	15	35

TABLE No. 30—Continued.
Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
II. Diseases of the nervous system and of the organs of special sense.....	1,652	146	51	270	39	76	229	61	38	90	165	29	32	77	60	85	204
Encephalitis.....	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	1	2
Simple meningitis.....	251	35	9	51	4	15	20	4	2	14	22	4	6	11	3	17	34
Epidemic cerebro-spinal meningitis.....	42	5	-	5	1	2	7	3	-	5	6	1	-	1	-	3	3
Progressive locomotor ataxia.....	17	1	1	5	-	2	-	-	-	2	-	-	-	3	-	2	1
Other diseases of the spinal cord.....	62	4	1	10	4	-	5	3	-	4	3	2	1	4	4	5	12
Congestion and hemorrhage of the brain.....	583	50	17	106	10	25	55	30	19	32	63	13	11	30	29	18	75
Softening of the brain..	51	4	1	9	2	2	8	-	1	5	3	1	2	4	5	-	4
Paralysis without specified cause.....	270	14	11	47	6	11	21	10	10	18	36	2	5	13	13	18	35
General paralysis.....	33	2	2	4	2	3	9	2	-	1	2	1	1	1	1	2	-
Other forms of mental alienation.....	100	1	2	6	2	2	71	1	-	1	4	1	2	-	2	5	5
Epilepsy.....	31	3	-	4	2	1	7	2	1	2	1	-	-	2	-	2	4
Eclampsia (non-puerperal).....	8	1	-	-	1	-	4	-	-	-	-	-	-	-	1	-	1
Convulsions of children	113	20	1	13	4	7	7	4	4	4	13	3	1	7	-	7	18
Tetanus.....	7	-	1	1	1	1	-	-	-	-	1	-	-	-	-	2	2
Chorea.....	4	-	-	-	-	1	-	-	-	-	2	-	-	-	1	-	1
Other diseases of nervous system.....	64	5	4	8	-	5	13	1	1	2	5	1	2	1	1	8	7
Diseases of the ear.....	9	1	-	1	-	-	1	1	-	-	3	-	1	-	-	1	-
III. Diseases of the circulatory system..	1,113	94	50	178	36	55	108	91	31	45	97	21	33	52	61	73	88
Pericarditis.....	12	1	2	-	1	-	2	2	-	1	1	-	-	-	1	-	1
Acute endocarditis.....	22	1	3	3	-	-	2	2	1	2	-	-	2	-	2	4	4
Organic diseases of heart	939	87	41	151	28	51	93	75	28	38	75	16	29	44	51	59	73
Angina pectoris.....	72	3	2	10	3	3	8	7	1	-	9	3	3	3	6	6	5
Affections of the arteries (atheroma, aneurism, etc).....	21	1	1	5	-	-	2	-	-	1	3	-	-	2	-	4	2
Embolism and thrombosis.....	28	1	1	5	2	-	4	-	4	6	1	-	1	1	-	2	-
Affections of the veins (varices, hemorrhoids, phlebitis, etc).....	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Affections of lymphatic system.....	3	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-
Hemorrhages.....	14	-	-	4	1	1	2	1	-	1	-	-	-	1	2	1	-
Other affections of circulatory system.....	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
IV. Diseases of the respiratory system...	1,513	149	87	226	42	51	161	63	33	64	150	37	46	60	62	88	194
Affections of the larynx.	25	3	1	2	-	1	3	3	1	-	3	-	2	-	1	1	5
Affections of the thyroid body.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Acute bronchitis.....	167	20	9	34	4	6	19	4	6	6	14	2	4	6	3	10	20
Chronic bronchitis....	95	9	3	10	3	7	18	4	3	4	7	-	2	5	4	7	9
Broncho-pneumonia..	132	18	13	22	10	4	10	6	1	6	21	2	-	6	2	5	6
Pneumonia.....	935	82	50	137	23	28	94	38	19	40	87	30	36	35	49	53	134
Pleurisy.....	23	3	1	9	1	-	3	1	-	1	5	-	-	1	1	2	-

TABLE No. 30—Concluded.
Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VII.—The puerperal state	79	5	14	10	1	5	5	4	2	5	4	3	2	2	3	6	8
Accidents of pregnancy	13	1	1	2	-	2	-	1	-	2	1	-	-	-	-	2	1
Puerperal hemorrhage...	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other accidents of labor	19	-	6	4	-	-	2	1	-	1	1	1	-	-	1	1	1
Puerperal septicemia...	29	2	6	3	1	1	2	2	-	1	2	1	1	2	1	2	2
Puerperal albuminuria and eclampsia	12	2	1	1	-	1	1	-	-	-	-	1	1	-	1	-	3
Other puerperal accidents, sudden death..	5	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	1
VIII.—Diseases of the skin and cellular tissue	75	5	7	15	1	2	4	4	3	3	5	5	4	1	-	7	9
Gangrene	49	3	3	11	1	-	3	2	2	3	4	4	2	1	-	5	5
Furuncle (boil, carbuncle)	4	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-
Phlegmon, acute abscess	14	1	3	1	-	1	1	1	-	1	1	2	-	-	-	-	2
Other diseases of the skin and its adnexa ...	8	1	1	2	-	1	-	-	-	-	-	-	-	-	-	1	2
IX.—Diseases of the organs of locomotion..	15	-	-	5	-	1	1	2	-	-	3	-	1	-	1	-	1
Affections of the bones (non-tuberculous)	13	-	-	5	-	1	1	1	-	-	2	-	1	-	1	-	1
Amputation	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
X.—Malformations.																	
Malformations, congenital (still-births excepted)	67	5	1	5	-	4	10	1	3	3	11	3	-	3	2	9	7
XI.—Early infancy	583	41	44	114	7	20	30	15	14	21	54	15	23	18	14	49	104
Congenital icterus, debility, and sclerema...	437	31	38	78	4	14	21	10	13	14	35	10	20	14	9	40	86
Other diseases of early infancy	84	7	3	18	1	3	5	2	-	6	12	2	1	3	5	5	11
Lack of care	62	3	3	18	2	3	4	3	1	1	7	3	2	1	-	4	7
XII.—Old age.																	
Senile debility	685	33	40	115	29	42	69	41	28	50	70	23	17	31	25	22	50
XIII.—Deaths from external causes	462	31	32	90	10	15	38	24	10	20	60	13	20	22	15	25	37
Suicide by poison	12	1	1	-	-	3	-	3	-	1	1	1	-	2	-	-	2
Suicide by hanging or strangulation	15	-	1	2	-	1	2	-	2	2	1	2	1	-	-	-	1
Suicide by drowning....	9	1	-	3	-	1	-	1	-	1	-	-	-	-	-	2	-
Suicide by firearms	18	2	2	6	-	2	2	-	-	1	-	1	1	-	-	-	1
Suicide by cutting instruments	5	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	2
Other suicides	7	-	-	-	-	-	-	-	1	2	-	-	1	-	2	1	-
Fractures	50	3	2	7	3	1	4	2	3	4	6	1	2	3	2	1	6
Dislocations and sprains	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Other accidental injuries	140	5	12	33	4	3	3	6	3	6	22	3	8	8	5	7	7
Burns and scalds.....	45	3	6	8	-	1	8	3	2	2	3	1	1	-	3	2	2
Sunstroke	7	-	-	2	-	-	3	-	-	-	-	-	-	-	-	-	2
Freezing	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Electric shock	7	2	-	1	-	1	-	-	-	-	-	-	-	2	-	-	-
Accidental drowning ...	91	7	5	15	2	8	7	7	-	1	14	3	5	4	1	8	4
Inanition	21	3	-	6	-	1	-	-	-	1	4	-	-	1	1	-	4
Other acute poisonings..	16	2	2	4	1	-	1	-	-	3	2	-	-	1	1	-	-
Other external violence.	16	2	-	3	-	-	1	-	-	-	2	-	-	-	-	3	5
XIV.—Deaths from ill-defined causes	375	30	88	28	11	10	36	18	11	18	44	8	7	10	6	15	35
Dropsy	40	3	6	2	1	-	7	2	1	5	8	1	1	1	1	1	-
Sudden death	39	1	3	8	3	1	4	1	2	1	7	1	-	1	-	3	3
Unspecified or ill-defined causes of death	296	26	79	18	7	9	25	15	8	12	29	6	6	8	5	11	32

TABLE
Deaths in Each Town from Special

THE STATE AND COUNTIES.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Cerebro-spinal meningitis.
MAINE	694,466	2	84	35	155	42
Androscoggin	54,242	-	3	3	28	5
Aroostook	60,744	-	14	9	14	-
Cumberland	100,689	2	5	4	41	5
Franklin	18,444	-	5	-	5	1
Hancock	37,241	-	4	-	6	2
Kennebec	59,117	-	7	2	14	7
Knox	30,406	-	2	1	4	3
Lincoln	19,669	-	1	-	-	-
Oxford	32,238	-	3	-	6	5
Penobscot	76,246	-	6	3	5	6
Piscataquis	16,949	-	6	4	1	1
Sagadahoc	20,330	-	1	2	3	-
Somerset	33,849	-	16	-	1	1
Waldo	24,185	-	1	1	-	-
Washington	45,232	-	2	2	4	3
York	64,885	-	8	4	23	3
ANDROSCOGGIN COUNTY	54,242	-	3	3	28	5
Auburn	12,951	-	-	-	2	2
Durham	1,230	-	-	-	2	-
East Livermore	2,129	-	1	-	2	-
Greene	826	-	-	-	1	-
Leeds	1,065	-	-	-	-	-
Lewiston	23,761	-	-	3	17	3
Lisbon	3,603	-	1	-	2	-
Livermore	1,125	-	-	-	-	-
Mechanic Falls	1,687	-	-	-	-	-
Minot	808	-	-	-	-	-
Poland	1,648	-	-	-	-	-
Turner	1,842	-	1	-	2	-
Wales	436	-	-	-	-	-
Webster	1,131	-	-	-	-	-

TABLE
Deaths in Each Town from Special

ARROSTOOK

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Cerebro-spinal meningitis.
ARROSTOOK COUNTY	59,629	-	14	9	14	-
Amity	404	-	-	-	-	-
Ashland	1,060	-	-	-	-	-
Bancroft	318	-	-	-	-	-
Benedicta.....	350	-	-	-	-	-
Blaine	954	-	-	-	-	-
Bridgewater.....	1,179	-	-	-	-	-
Caribou	4,758	-	2	-	-	-
Dyer Brook.....	280	-	-	-	-	-
Easton	1,215	-	-	-	-	-
Fort Fairfield	4,181	-	3	-	1	-
Fort Kent	2,528	-	1	-	-	-
Frenchville	1,316	-	-	-	-	-
Grand Isle.....	1,104	-	-	-	-	-
Haynesville.....	316	-	-	-	-	-
Hersey	199	-	-	-	-	-
Hodgdon	1,130	-	-	-	-	-
Houlton	4,686	-	1	-	-	-
Island Falls.....	1,063	-	2	-	-	-
Limestone	1,181	-	1	-	-	-
Linneus	834	-	-	1	-	-
Littleton	956	-	-	-	-	-
Ludlow	394	-	-	-	-	-
Madawaska	1,698	-	-	-	2	-
Mapleton.....	853	-	-	-	-	-
Mars Hill	1,183	-	-	-	-	-
asardis	488	-	-	-	-	-
Monticello.....	1,332	-	1	-	1	-
New Limerick.....	600	-	1	2	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.
28	16	1	6	2	28	2	8	1	78	64	7	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	1	9	2	-
4	4	-	1	-	2	-	1	-	7	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	2	-	-
2	-	-	-	-	-	-	-	-	5	2	-	-
2	-	-	-	-	-	-	1	-	6	1	-	-
-	-	-	-	-	1	-	1	-	14	2	-	-
2	-	-	1	-	4	-	1	-	3	3	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
1	2	-	-	-	-	-	-	-	-	6	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	11	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	1	-	-	-	-	-	-	1	-	-
1	-	-	1	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-

TABLE
Deaths in Each Town from Special

ARROSTOOK

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and group.	Cerebro-spinal meningitis.
New Sweden	867	-	1	-	-	-
Oakfield	860	-	-	2	-	-
Orient	208	-	1	-	-	-
Perham	580	-	-	-	-	-
Presque Isle	3,804	-	-	1	-	-
Sheridan	980	-	-	-	-	-
Smyrna	411	-	-	-	-	-
St. Agatha	1,396	-	-	-	-	-
Van Buren	1,878	-	-	-	-	-
Washburn	1,225	-	-	-	-	-
Weston	367	-	-	-	-	-
Woodland	1,096	-	-	1	1	-
Plantations.						
Cary	400	-	-	-	-	-
Castle Hill	567	-	-	-	-	-
Caswell	368	-	-	1	-	-
Chapman	285	-	-	-	-	-
Connor	453	-	-	-	2	-
Crystal	370	-	-	-	-	-
Cyr	502	-	-	-	-	-
Eagle Lake	406	-	-	-	-	-
Garfield	111	-	-	1	-	-
Glenwood	178	-	-	-	-	-
Hamlin	574	-	-	-	-	-
Hammond	116	-	-	-	-	-
Macwahoc	153	-	-	-	-	-
Merrill	298	-	-	-	-	-
Molunkus	74	-	-	-	-	-
Moro	217	-	-	-	-	-
New Canada	419	-	-	-	2	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	2	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
3	1	-	-	-	-	-	-	1	1	5	2	-
-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	2	1	-	11	3	-	-
-	-	1	-	-	-	-	-	-	8	1	-	-
-	2	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	1	-	-	-	-	3	4	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
2	1	-	-	1	5	-	1	-	1	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	4	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	3	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-

TABLE
Deaths in Each Town from Special
AROOSTOOK

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Cerebro-spinal meningitis.
Oxbow	153	-	-	-	-	-
Portage Lake	241	-	-	-	-	-
Reed	399	-	-	-	-	-
Sheridan	433	-	-	-	-	-
Silver Ridge	168	-	-	-	-	-
St. Francis	568	-	-	-	-	-
St. John	371	-	-	-	-	-
Stockholm	191	-	-	-	-	-
Wade	271	-	-	-	-	-
Wallagrass	784	-	-	-	4	-
Westfield	259	-	-	-	1	-
Westmanland	100	-	-	-	-	-
Winterville	124	-	-	-	-	-
Plantation E.	44	-	-	-	-	-
No. 8, R. 4.	111	-	-	-	-	-
CUMBERLAND COUNTY	100,689	2	5	4	41	5
Baldwin	821	-	-	-	-	1
Bridgton	2,868	-	1	1	1	-
Brunswick ..	6,806	-	2	3	8	1
Cape Elizabeth ..	887	-	-	-	-	-
Casco	783	-	-	-	-	-
Cumberland	1,404	-	1	-	-	-
Falmouth	1,511	-	-	-	-	-
Freeport ..	2,339	-	-	-	-	1
Gorham	2,540	-	-	-	-	-
Gray ..	1,388	-	-	-	-	-
Harpwell	1,750	-	-	-	-	2
Harrison	969	-	-	-	-	-

TABLE
Deaths in Each Town from Special

CUMBERLAND

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Cerebro-spinal meningitis.
Naples.....	813	-	-	-	-	-
New Gloucester.	1,162	-	-	-	1	-
North Yarmouth.....	642	-	-	-	2	-
Otisfield.....	728	-	-	-	-	-
Portland	50,145	2	-	-	18	-
Pownal	592	-	-	-	-	-
Raymond	823	-	-	-	-	-
Scarboro	1,865	-	-	-	-	-
Sebago	576	-	-	-	-	-
South Portland	6,287	-	-	-	-	-
Standish.....	1,504	-	-	-	-	-
Westbrook.....	7,283	-	-	-	10	-
Windham	1,929	-	-	-	-	-
Yarmouth.....	2,274	-	1	-	1	-
FRANKLIN COUNTY	18,125	-	5	-	5	1
Avon	448	-	-	-	-	-
Carthage	334	-	-	-	-	-
Chesterville.....	709	-	-	-	1	-
Eustis	436	-	-	-	-	-
Farmington.....	3,288	-	-	-	-	-
Freeman.....	397	-	-	-	-	-
Industry.....	553	-	-	-	-	-
Jay	2,758	-	3	-	3	-
Kingfield	693	-	-	-	-	-
Madrid	326	-	-	-	-	-
New Sharon	946	-	-	-	-	-
New Vineyard.....	584	-	-	-	-	1

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	-	-	1	-	-	1	2	1	-
-	-	1	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	1	-	-	-	-	4	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
10	19	2	1	3	10	3	6	1	70	82	27	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	-	-	1	-	-	-	-	3	1	-
-	-	-	1	-	1	-	-	-	3	1	-	-
-	-	-	-	-	2	-	-	-	-	1	1	-
-	-	-	-	-	1	-	3	-	7	9	4	-
-	-	-	-	-	-	-	-	-	2	-	-	-
1	1	-	-	-	10	1	-	-	13	14	2	-
1	1	-	-	-	1	-	-	-	1	3	1	-
-	-	-	-	-	1	1	2	-	-	4	3	-
3	6	2	1	2	6	2	1	-	10	22	8	1
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	1	-	-	-	1	-	-	-	-	1	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	1	7	1	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	1	-	1	-	-	1	-	-
1	1	1	-	-	-	-	-	-	2	2	2	-
-	1	-	-	-	-	-	-	-	-	2	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	1	2	-	-
-	-	-	-	-	1	-	-	-	-	-	2	-

TABLE
Deaths in Each Town from Special
FRANKLIN

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Cerebro-spinal meningitis.
Phillips... ..	1,399	-	-	-	1	-
Rangeley	961	-	-	-	-	-
Salem..... .	195	-	-	-	-	-
Strong	637	-	-	-	-	-
Temple..... .	394	-	1	-	-	-
Weld.....	738	-	-	-	-	-
Wilton.....	1,647	-	1	-	-	-
Plantations.						
Coplin	70	-	-	-	-	-
Dallas	172	-	-	-	-	-
Greenvale..... .	57	-	-	-	-	-
Lang.....	87	-	-	-	-	-
Perkins.....	63	-	-	-	-	-
Rangeley	98	-	-	-	-	-
Redington..... .	113	-	-	-	-	-
No. 6	22	-	-	-	-	-
HANCOCK COUNTY..... .	36,998	-	4	-	6	2
Amherst	364	-	-	-	-	-
Aurora	152	-	-	-	-	-
Bluehill	1,828	-	-	-	-	-
Brooklin	936	-	-	-	-	-
Brooksville	1,171	-	-	-	-	-
Bucksport..... .	2,339	-	-	-	-	1
Castine	925	-	-	-	-	-
Cranberry Isles.	374	-	-	-	-	-
Dedham	327	-	-	-	-	-
Deer Isle	2,047	-	-	-	4	-

No. 51—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	-	-	-	-	-	-	1	-	-
-	2	-	-	1	1	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	1	-	-	-	1	-	-	-	1	1	-
-	-	-	-	-	1	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	9	3	1	2	6	3	7	-	17	67	6	-
-	-	-	-	-	-	-	-	-	-	2	1	-
-	1	-	-	-	-	-	2	-	-	4	-	-
-	-	-	-	1	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	3	1	-
-	-	-	-	-	-	-	-	-	-	8	1	-
-	-	-	-	-	1	-	-	-	2	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	2	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	2	6	-	-

TABLE
Deaths in Each Town from Special
HANCOCK

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Cerebro-spinal meningitis.
Eastbrook	248	-	-	-	-	-
Eden.....	4,379	-	-	-	-	-
Ellsworth ...	4,297	-	-	-	-	-
Franklin	1,201	-	-	-	-	-
Gouldsboro . .	1,259	-	-	-	-	-
Hancock.....	900	-	-	-	-	-
Isle au Haut.....	182	-	-	-	-	-
Lamoine ...	594	-	-	-	-	-
Mariaville.....	218	-	-	-	-	-
Mount Desert.....	1,600	-	-	-	-	-
Orland.....	1,251	-	3	-	-	-
Otis.....	152	-	-	-	-	-
Penobscot	1,156	-	-	-	-	-
Sedgwick.....	902	-	-	-	-	-
Sorrento	117	-	-	-	-	-
Stonington.....	1,648	-	-	-	2	-
Sullivan	1,034	-	-	-	-	1
Surry	900	-	-	-	-	-
Swan's Island.....	758	-	-	-	-	-
Tremont.....	2,010	-	-	-	-	-
Trenton	459	-	-	-	-	-
Verona.....	234	-	-	-	-	-
Waltham.....	192	-	-	-	-	-
Winter Harbor	571	-	1	-	-	-
Long Island Pl.....	174	-	-	-	-	-
No. 33 Pl.....	82	-	-	-	-	-
No. 8 Pl.....	17	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	-	-	-	-	-	-	1	-	-
-	3	-	-	-	-	-	-	-	1	4	1	-
-	2	1	-	-	-	-	-	-	1	5	-	-
-	-	-	-	-	-	-	-	-	-	4	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-
-	1	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	2	-	-	-	-	1	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	5	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	1	-	-	5	3	1	-
-	-	-	-	-	1	1	-	-	-	5	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	1	-	1	-
-	-	-	-	1	-	-	-	-	1	3	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	1	1	-	-

TABLE
Deaths in Each Town from Special
KENNEBEC

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Cerebro-spinal meningitis.
KENNEBEC COUNTY.....	59,117	-	7	2	14	7
Albion	878	-	-	-	-	-
Augusta	11,683	-	-	-	-	1
Belgrade	1,058	-	-	-	-	-
Benton	1,097	-	2	-	-	-
Chelsea	3,092	-	-	2	-	-
China	1,380	-	-	-	5	-
Clinton	1,398	-	-	-	-	-
Farmingdale.....	848	-	-	-	-	-
Fayette.....	560	-	-	-	-	-
Gardiner	5,501	-	1	-	-	1
Hallowell	2,714	-	-	-	-	-
Litchfield	1,057	-	-	-	-	-
Manchester	518	-	-	-	1	-
Monmouth	1,236	-	-	-	-	-
Mount Vernon	906	-	-	-	1	-
Oakland	1,913	-	-	-	-	-
Pittston	1,177	-	-	-	-	-
Randolph	1,077	-	-	-	3	-
Readfield	994	-	-	-	-	-
Rome	420	-	-	-	-	-
Sidney	1,068	-	-	-	-	-
Vassalboro	2,062	-	1	-	-	-
Vienna	406	-	-	-	-	-
Waterville	9,477	-	1	-	1	5
Wayne.....	707	-	-	-	-	-
West Gardiner.....	693	-	-	-	-	-
Windsor.....	782	-	1	-	-	-
Winslow	2,277	-	1	-	1	-
Winthrop	2,088	-	-	-	2	-
Unity Pl	50	-	-	-	-	-

No. 31—Continued.
Causes, Mostly Infectious Diseases.
COUNTY.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septiceemia.	Septiceemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera morbus.	Infantile diarrhea.	Phtthisis.	Tuberculosis, other forms.	Malarial disease.
16	11	1	2	1	14	3	9	2	42	102	15	4
2	-	-	-	-	-	-	-	-	-	2	-	-
3	4	-	-	-	2	1	1	-	19	18	3	3
1	-	-	-	-	1	-	-	-	2	2	1	-
3	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	1	-	-	-	-	3	2	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	1	2	-	1	-	2	8	1	-
-	-	-	-	-	-	-	2	-	2	10	1	-
1	1	-	-	-	-	1	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	1	-	-	-	-	2	-	-
-	1	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	1	1	-	-	6	-	-
-	-	-	1	-	-	-	1	-	1	-	-	-
-	-	-	-	-	2	-	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	1	-	-	-	-	-	-	3	-	-
-	1	-	-	-	3	-	-	-	1	6	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	2	-	1	-	1	-	1	-	6	14	1	-
-	-	-	-	-	-	-	1	-	-	2	-	-
-	-	1	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	3	2	1
-	-	-	-	-	-	-	-	-	5	7	-	-
5	-	-	-	-	-	-	-	-	2	4	2	-
-	-	-	-	-	-	-	-	-	-	1	-	-

TABLE
Deaths in Each Town from Special

KNOX

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Cerebro-spinal meningitis.
KNOX COUNTY	30,287	-	2	1	4	3
Appleton	975	-	-	-	-	-
Camden	2,825	-	-	-	1	-
Cushing	604	-	-	-	-	-
Friendship	814	-	-	-	-	-
Hope	599	-	-	-	-	-
Hurricane Isle	257	-	-	-	-	-
North Haven	551	-	-	-	-	-
Rockland	8,150	-	2	-	-	1
Rockport	2,314	-	-	-	-	-
South Thomaston	1,426	-	-	1	2	-
St. George	2,206	-	-	-	-	-
Thomaston	2,688	-	-	-	-	-
Union	1,248	-	-	-	-	-
Vinalhaven	2,358	-	-	-	1	2
Warren	2,069	-	-	-	-	-
Washington	1,019	-	-	-	-	-
Matinicus Isle Pl.	184	-	-	-	-	-
LINCOLN COUNTY	19,699	-	1	-	-	-
Alna	444	-	-	-	-	-
Boothbay	1,766	-	-	-	-	-
Boothbay Harbor	1,926	-	-	-	-	-
Bremen	657	-	1	-	-	-
Bristol	2,572	-	-	-	-	-
Damariscotta	876	-	-	-	-	-
Dresden	882	-	-	-	-	-
Edgecomb	607	-	-	-	-	-
Jefferson	1,155	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.
-	4	-	2	2	11	2	3	-	14	58	10	-
-	-	-	-	1	3	-	-	-	4	-	-	-
-	-	-	-	-	2	-	-	-	-	6	1	-
-	-	-	-	-	-	-	-	-	-	3	1	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	1	-	-	-	2	-	5	17	1	-
-	1	-	-	-	-	-	-	-	2	5	3	-
-	-	-	-	1	1	-	-	-	-	1	-	-
-	1	-	-	-	-	-	1	-	2	3	-	-
-	-	-	1	-	-	-	-	-	1	5	1	-
-	-	-	-	-	-	-	-	-	-	4	-	-
-	-	-	-	-	4	-	-	-	-	7	1	-
-	-	-	-	-	2	2	-	-	-	3	-	-
-	1	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
1	3	1	-	-	7	-	2	1	7	24	7	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	1	-	1	3	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	1	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-
-	1	-	-	-	1	-	-	1	1	3	-	-
-	-	-	-	-	1	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	1	1	-	-

TABLE
Deaths in Each Town from Special

LINCOLN

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Cerebro-spinal meningitis.
Newcastle.....	1,075	-	-	-	-	-
Nobleboro.....	810	-	-	-	-	-
Somerville.....	374	-	-	-	-	-
Southport.....	527	-	-	-	-	-
Waldoboro.....	3,145	-	-	-	-	-
Westport.....	330	-	-	-	-	-
Whitefield.....	1,156	-	-	-	-	-
Wiscasset.....	1,273	-	-	-	-	-
Monhegan Pl.....	94	-	-	-	-	-
OXFORD COUNTY.....	32,153	-	3	-	6	5
Albany.....	538	-	-	-	-	-
Andover.....	727	-	-	-	-	-
Bethel.....	1,835	-	-	-	-	-
Brownfield.....	1,019	-	-	-	-	-
Buckfield.....	1,139	-	-	-	-	-
Byron.....	204	-	-	-	-	-
Canton.....	946	-	-	-	-	-
Denmark.....	634	-	-	-	-	1
Dixfield.....	1,052	-	-	-	-	-
Fryeburg.....	1,376	-	-	-	-	1
Gilead.....	340	-	-	-	-	-
Grafton.....	81	-	-	-	-	-
Greenwood.....	741	-	-	-	-	-
Hanover.....	214	-	-	-	-	-
Hartford.....	660	-	1	-	-	-
Hebron.....	494	-	-	-	-	-
Hiram.....	1,015	-	-	-	-	-
Lovell.....	693	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	-	2	-	-	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	1	-	-	-	-	2	-	-
-	1	-	-	-	-	-	-	-	-	1	1	-
-	1	-	-	-	2	-	-	-	1	3	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	1	2	1	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
3	14	1	1	-	15	3	7	-	25	38	11	1
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	1	-	-	-	2	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	-	-	-	-	1	1	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	2	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	1	-	1	1	1	1
-	-	-	1	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	2	-	-	-	-	-	-	-	1	3	1	-
-	1	-	-	-	-	-	-	-	1	5	1	-

TABLE
Deaths in Each Town from Special
OXFORD

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Cerebro-spinal meningitis.
Mason	67	-	-	-	-	-
Mexico	816	-	-	-	-	-
Newry	286	-	-	-	-	-
Norway	2,902	-	-	-	1	1
Oxford	1,331	-	-	-	-	-
Paris	3,225	-	-	-	1	-
Peru	773	-	-	-	-	-
Porter	886	-	-	-	-	-
Roxbury	238	-	-	-	-	-
Rumford	3,770	-	-	-	4	-
Stoneham	284	-	-	-	-	-
Stow	270	-	-	-	-	-
Sumner.....	802	-	-	-	-	-
Sweden.....	282	-	-	-	-	-
Upton	242	-	-	-	-	-
Waterford	917	-	1	-	-	1
Woodstock.....	816	-	1	-	-	1
Lincoln Pl	73	-	-	-	-	-
Magalloway Pl	77	-	-	-	-	-
Milton Pl	202	-	-	-	-	-
Batchelders Grant	173	-	-	-	-	-
Riley	13	-	-	-	-	-
PENOBSCOT COUNTY...	75,595	-	6	3	5	6
Alton	314	-	-	-	-	-
Argyle.....	320	-	-	-	-	-
Bangor	21,850	-	-	1	2	2
Bradford	954	-	-	-	-	-
Bradley	682	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	-	-	2	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	2	5	1	-
-	1	-	-	-	-	-	1	-	2	2	1	-
-	2	1	-	-	1	2	-	-	1	4	3	-
-	-	-	-	-	1	-	1	-	-	-	-	-
1	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	3	-	-	-	1	1	1	-	12	5	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	1	-	1	-	3	-
1	1	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	24	1	2	4	12	2	10	1	55	111	28	4
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	4	-	-	2	2	1	4	1	13	28	6	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	1	-	-	-	2	1	-
-	-	-	-	-	-	-	-	-	-	2	-	-

TABLE
Deaths in Each Town from Special

PENOBSCOT

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Cerebro-spinal meningitis.
Brewer	4,885	-	-	1	1	-
Burlington	394	-	-	-	-	-
Carmel	932	-	-	1	-	-
Carroll.....	487	-	-	-	-	-
Charleston	842	-	-	-	-	-
Chester	363	-	-	-	-	-
Clifton.....	236	-	-	-	-	-
Corinna	1,170	-	-	-	-	-
Corinth.....	1,042	-	1	-	-	-
Dexter	2,941	-	3	-	-	1
Dixmont	843	-	-	-	-	-
Eddington	663	-	-	-	1	-
Edinburg.....	65	-	-	-	-	-
Enfield	1,062	-	-	-	-	-
Etna	527	-	-	-	-	-
Exeter	879	-	-	-	-	-
Garland	857	-	-	-	-	-
Glenburn.....	461	-	-	-	-	-
Greenbush	586	-	-	-	-	-
Hampden	2,182	-	-	-	-	-
Hermon	1,183	-	-	-	-	-
Holden	602	-	-	-	-	-
Howland	519	-	-	-	-	-
Hudson.....	430	-	-	-	-	-
Kenduskeag	423	-	-	-	-	-
Kingman	936	-	-	-	-	-
Lagrange	574	-	-	-	-	-
Lee	801	-	-	-	-	-
Levant	789	-	1	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.
-	1	-	-	1	-	-	-	-	9	12	6	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	1	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	1	-	-	-	1	3	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	1	-	-	-	2	5	4	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	3	2	-	-
-	-	-	-	-	-	-	1	-	1	4	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	4	-	-
-	1	-	-	-	-	-	-	-	-	2	1	-
-	3	-	-	1	1	-	1	-	-	4	2	-
-	-	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	2	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	2	-
1	-	-	-	-	-	-	-	-	-	2	-	-

TABLE
Deaths in Each Town from Special

PENOBSCOT

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Cerebro-spinal meningitis.
Lincoln.....	1,731	-	-	-	-	-
Lowell.....	300	-	-	-	-	-
Mattawamkeag.....	527	-	-	-	-	-
Maxfield.....	115	-	-	-	-	-
Medway.....	297	-	-	-	-	-
Milford.....	838	-	-	-	-	-
Mount Chase.....	299	-	-	-	-	-
Newburgh.....	734	-	-	-	-	-
Newport.....	1,533	-	-	-	-	-
Old Town.....	5,763	-	-	-	-	-
Orono....	3,257	-	-	-	1	-
Orrington.....	1,266	-	1	-	-	-
Passadumkeag.....	409	-	-	-	-	1
Patten.....	1,172	-	-	-	-	-
Plymouth.....	658	-	-	-	-	-
Prentiss.....	502	-	-	-	-	-
Springfield.....	532	-	-	-	-	-
Stetson.....	503	-	-	-	-	-
Veazie.....	555	-	-	-	-	-
Winn.....	688	-	-	-	-	-
Woodville.....	160	-	-	-	-	-
Drew Pl.....	120	-	-	-	-	-
Grand Falls Pl.....	52	-	-	-	-	-
Lakeville Pl.....	129	-	-	-	-	-
Seboeis Pl.....	96	-	-	-	-	-
Stacyville Pl.....	347	-	-	-	-	-
Webster.....	124	-	-	-	-	2
Indian Township No. 3.....	1,144	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.
-	1	-	-	-	-	-	-	-	1	1	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	1	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	1	2	1	-
-	3	-	-	-	3	-	1	-	11	10	1	1
-	-	-	1	-	-	-	1	-	2	6	-	-
-	-	-	-	-	-	-	1	-	-	3	-	-
-	1	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	2	-	-	-	1	-	-	-
-	-	1	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	1	1	-	2
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-

TABLE
Deaths in Each Town from Special
PISCATAQUIS

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Cerebro-spinal meningitis.
PISCATAQUIS COUNTY	16,569	-	6	4	1	1
Abbot	716	-	1	-	-	-
Atkinson	495	-	-	-	-	-
Blanchard	248	-	-	2	-	-
Brownville	1,570	-	-	-	-	-
Dover	1,889	-	-	2	-	-
Foxcroft	1,629	-	2	-	-	-
Greenville	1,117	-	-	-	-	-
Guilford	1,544	-	1	-	-	-
Medford	282	-	-	-	-	-
Milo	1,150	-	1	-	-	-
Monson	1,116	-	-	-	-	-
Orneville	325	-	-	-	-	-
Parkman	718	-	-	-	-	-
Sangerville	1,294	-	1	-	1	1
Sebec	593	-	-	-	-	-
Shirley	248	-	-	-	-	-
Wellington	413	-	-	-	-	-
Williamsburg	117	-	-	-	-	-
Willimantic	419	-	-	-	-	-
Barnard Pl	98	-	-	-	-	-
Bowerbank Pl	66	-	-	-	-	-
Elliottsville Pl	86	-	-	-	-	-
Kingsbury Pl	106	-	-	-	-	-
Lake View Pl	173	-	-	-	-	-
Katahdin Iron Works	114	-	-	-	-	-
Kineo	43	-	-	-	-	-

No. 51—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.
-	4	1	1	1	6	-	1	-	11	17	5	-
-	1	-	-	-	1	-	-	-	-	-	1	-
-	-	-	-	-	3	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	1	3	1	-
-	-	-	-	-	-	-	-	-	-	2	1	-
-	-	1	-	-	1	-	-	-	2	2	1	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	5	1	-	-
-	-	-	-	-	1	-	-	-	-	1	1	-
-	1	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Special

SAGADAHOC

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Cerebro-spinal meningitis.
SAGADAHOC COUNTY	20,330	-	1	2	3	-
Arrowsic	180	-	-	-	-	-
Bath	10,477	-	-	-	2	-
Bowdoin	987	-	-	-	-	-
Bowdoinham	1,305	-	1	-	-	-
Georgetown	799	-	-	-	-	-
Perkins	61	-	-	-	-	-
Phippsburg	1,254	-	-	-	-	-
Richmond	2,049	-	-	-	1	-
Topsham	2,097	-	-	2	-	-
West Bath.....	291	-	-	-	-	-
Woolwich	880	-	-	-	-	-
SOMERSET COUNTY	33,518	-	16	-	1	1
Anson	1,830	-	1	-	-	-
Athens	896	-	1	-	-	-
Bingham	841	-	-	-	-	-
Cambridge	364	-	-	-	-	-
Canaan	977	-	-	-	-	-
Concord	291	-	-	-	-	-
Cornville	689	-	-	-	-	-
Detroit	527	-	-	-	-	-
Embden	567	-	-	-	-	-
Fairfield	3,878	-	-	-	-	-
Harmony.....	571	-	-	-	-	-
Hartland	1,115	-	-	-	-	-
Madison	2,764	-	1	-	1	1

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera morbus.	Infantile diarrhœa.	Phthisis.	Tuberculosis, other forms.	Malarial disease.
10	5	.	1	1	6	-	7	1	24	33	6	-
-	-	-	-	-	-	-	-	-	-	-	-	-
7	1	-	-	1	4	-	3	-	17	19	3	-
-	-	-	-	-	-	-	-	-	1	2	-	-
1	-	-	-	-	-	-	1	-	2	3	2	-
1	-	-	-	-	1	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	1	-	-	2	1	-
-	2	-	-	-	-	-	1	1	1	1	-	-
-	-	-	1	-	1	-	-	-	2	3	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
1	1	-	-	-	-	-	1	-	-	-	-	-
1	4	1	2	-	9	1	7	-	15	52	3	-
-	-	-	-	-	-	-	1	-	3	3	-	-
-	-	-	-	-	-	-	-	-	-	4	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	3	5	1	-
-	1	-	-	-	-	-	-	-	1	3	-	-
-	1	-	-	-	-	-	-	-	-	3	-	-
-	1	-	-	-	-	-	1	-	3	3	-	-

TABLE
Deaths in Each Town from Special

SOMERSET

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Cerebro-spinal meningitis.
Mercer	493	-	-	-	-	-
Moscow	378	-	-	-	-	-
New Portland.....	913	-	2	-	-	-
Norridgewock	1,495	-	-	-	-	-
Palmyra.....	915	-	-	-	-	-
Pittsfield	2,891	-	2	-	-	-
Ripley	449	-	-	-	-	-
St. Albans.....	1,037	-	-	-	-	-
Skowhegan	5,180	-	8	-	-	-
Smithfield	449	-	-	-	-	-
Solon	996	-	-	-	-	-
Starks	636	-	-	-	-	-
Plantations.						
Bigelow	57	-	-	-	-	-
Brighton	368	-	-	-	-	-
Caratunk	218	-	-	-	-	-
Carrying Place	22	-	-	-	-	-
Dead River.	91	-	-	-	-	-
Dennistown.....	96	-	-	-	-	-
Flagstaff	115	-	-	-	-	-
Highland	67	-	-	-	-	-
Jackman	352	-	-	-	-	-
Lexington	231	-	-	-	-	-
Mayfield	89	-	-	-	-	-
Moose River	239	-	1	-	-	-
Pleasant Ridge.....	114	-	-	-	-	-
The Forks	157	-	-	-	-	-
West Forks	160	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	-	2	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	2	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	3	-	-
-	1	-	-	-	1	-	1	-	1	3	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	-	-	-	-	10	-	-
-	-	-	1	-	-	1	-	-	3	3	-	-
-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-

TABLE
Deaths in Each Town from Special
WALDO

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Cerebro-spinal meningitis.
WALDO COUNTY	24,185	-	1	1	-	-
Belfast	4,615	-	-	1	-	-
Belmont	352	-	-	-	-	-
Brooks	669	-	-	-	-	-
Burnham	766	-	1	-	-	-
Frankfort	1,211	-	-	-	-	-
Freedom	479	-	-	-	-	-
Islesboro	923	-	-	-	-	-
Jaekson	439	-	-	-	-	-
Knox	558	-	-	-	-	-
Liberty	737	-	-	-	-	-
Lincolnvile	1,223	-	-	-	-	-
Monroe	958	-	-	-	-	-
Montville	982	-	-	-	-	-
Morrill	420	-	-	-	-	-
Northport	545	-	-	-	-	-
Palermo	757	-	-	-	-	-
Prospect	648	-	-	-	-	-
Searsmont	949	-	-	-	-	-
Searsport	1,349	-	-	-	-	-
Stockton Springs	872	-	-	-	-	-
Swanville	502	-	-	-	-	-
Thorndike	497	-	-	-	-	-
Troy	766	-	-	-	-	-
Unity	877	-	-	-	-	-
Waldo	468	-	-	-	-	-
Winterport	1,623	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.
2	4	-	1	1	14	-	4	-	11	42	6	1
-	-	-	-	-	3	-	2	-	4	11	1	1
-	-	-	-	-	1	-	-	-	1	1	-	-
-	-	-	-	-	1	-	-	-	-	-	1	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	-	-	1	-	1	-	2	2	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	2	-	-	-	-	2	-	-
-	-	-	1	-	2	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	1	2	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-
1	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	-	-	4	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	2	-	-	-	-	5	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	1	2	-	-

TABLE
Deaths in Each Town from Special

WASHINGTON

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Cerebro-spinal meningitis.
WASHINGTON COUNTY	45,002	-	2	2	4	3
Addison	1,059	-	-	-	-	-
Alexander	333	-	-	-	-	-
Baileyville.....	215	-	-	-	-	-
Baring.....	231	-	-	-	-	-
Beddington	86	-	-	-	-	-
Brookton.....	285	-	-	-	-	-
Calais	7,655	-	-	2	1	-
Centerville.....	91	-	-	-	-	-
Charlotte.....	315	-	-	-	-	-
Cherryfield.....	1,859	-	1	-	-	-
Columbia	516	-	-	-	-	-
Columbia Falls ...	569	-	-	-	-	-
Cooper.....	207	-	-	-	-	-
Crawford.....	112	-	-	-	-	-
Cutler	565	-	-	-	-	-
Danforth	1,092	-	-	-	-	-
Deblois	73	-	-	-	-	-
Dennysville.....	482	-	-	-	-	-
East Machias ...	1,521	-	-	-	-	-
Eastport ..	5,311	-	-	-	2	-
Edmunds.....	492	-	-	-	-	1
Forest City.	151	-	-	-	-	-
Harrington	1,165	-	-	-	-	-
Jonesboro.....	606	-	-	-	-	-
Jonesport	2,124	-	-	-	-	-
Lubec	3,005	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.
2	10	2	2	2	8	2	11	2	70	77	12	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	2	-	2	-	2	-	5	-	12	14	5	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	1	-	-	-	1	-	1	-	3	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	1	-	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
1	-	-	-	-	-	-	-	-	2	3	-	-
-	-	-	-	-	1	5	-	-	3	9	-	-
4	-	-	-	1	-	-	1	1	15	12	1	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	1	-	-	-	-	-	-	-	2	2	2	-
2	2	-	-	-	1	-	1	-	8	5	-	-

TABLE
Deaths in Each Town from Special
WASHINGTON

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Cerebro-spinal meningitis.
Machias	2,082	-	-	-	-	1
Machiasport	1,218	-	-	-	-	-
Marion	95	-	-	-	-	-
Marshfield	227	-	-	-	-	1
Meddybemps	154	-	-	-	-	-
Milbridge	1,921	-	-	-	1	-
Northfield	126	-	-	-	-	-
Pembroke	1,652	-	-	-	-	-
Perry	1,245	-	-	-	-	-
Princeton	1,094	-	-	-	-	-
Robbinston	844	-	-	-	-	-
Roque Bluffs	168	-	-	-	-	-
Steuben	901	-	1	-	-	-
Talnage	93	-	-	-	-	-
Topsfield	282	-	-	-	-	-
Trescott	463	-	-	-	-	-
Vanceboro	550	-	-	-	-	-
Waite	135	-	-	-	-	-
Wesley	198	-	-	-	-	-
Whiting	399	-	-	-	-	-
Whitneyville	424	-	-	-	-	-
Codyville Pl	68	-	-	-	-	-
Grand Lake Stream Pl	221	-	-	-	-	-
Lambert Lake Pl	113	-	-	-	-	-
No. 14 Pl	77	-	-	-	-	-
No. 21 Pl	86	-	-	-	-	-
Kossuth	46	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.
1	1	-	-	-	-	1	2	-	9	7	1	-
-	1	-	-	-	1	1	1	-	1	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	4	8	-	-
-	-	-	1	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	1	1	-	1	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	1	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-

TABLE
Deaths in Each Town from Special
YORK

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and group.	Cerebro-spinal meningitis.
YORK COUNTY	64,885	-	8	4	23	3
Acton.	778	-	-	-	-	-
Alfred	987	-	2	-	-	-
Berwick ..	2,280	-	1	1	-	1
Biddeford	16,145	-	1	1	8	1
Buxton	1,838	-	-	-	-	-
Cornish.....	984	-	-	-	-	-
Dayton	473	-	-	-	-	-
Eliot	1,458	-	-	-	-	-
Hollis.....	1,274	-	-	-	1	-
Kennebunk	3,228	-	1	-	-	-
Kennebunkport.....	2,123	-	-	-	-	-
Kittery	2,872	-	-	-	1	-
Lebanon	1,335	-	-	-	-	-
Limerick	874	-	-	-	-	-
Limington	1,001	-	-	-	-	-
Lyman	687	-	-	-	-	-
Newfield	676	-	-	-	-	-
North Berwick.....	1,748	-	-	-	-	-
Old Orchard.....	964	-	-	-	-	-
Parsonsfield	1,131	-	-	-	-	-
Saco.....	6,122	-	2	-	2	-
Sanford. . .	6,078	-	-	1	3	1
Shapleigh	847	-	-	-	-	-
South Berwick.	3,188	-	-	-	6	-
Waterboro.. ..	1,169	-	-	-	2	-
Wells	2,007	-	-	1	-	-
York....	2,668	-	1	-	-	-

No. 31—Concluded.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.
5	29	1	2	2	41	10	19	2	98	100	11	1
-	-	-	-	-	1	-	-	-	1	2	-	-
-	-	-	-	-	-	-	1	-	-	1	-	-
-	2	-	-	-	1	-	-	-	2	5	-	-
2	16	-	1	-	6	2	3	1	44	26	2	-
-	1	-	-	-	-	1	2	-	3	3	-	-
-	-	-	-	-	-	1	-	1	-	4	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	3	-	-
-	1	-	-	-	1	-	1	-	1	1	-	-
-	-	-	-	-	2	-	-	-	2	1	-	-
-	1	-	-	-	-	-	-	-	-	2	1	-
-	1	-	-	-	2	-	-	-	1	4	1	-
1	-	-	-	-	-	-	1	-	1	1	-	-
-	-	-	-	-	4	-	-	-	-	4	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	1	1	-
-	-	-	-	-	1	-	-	-	2	-	-	-
-	-	-	-	-	2	-	-	-	2	4	-	-
-	-	-	-	-	3	-	1	-	4	-	-	-
-	-	-	-	-	3	-	-	-	-	2	-	1
-	6	-	-	-	3	2	2	-	10	9	-	-
2	1	-	1	2	7	1	3	-	16	16	5	-
-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	1	-	3	-	1	6	-	-
-	-	-	-	-	-	1	-	-	1	2	-	-
-	-	1	-	-	3	-	-	-	-	2	-	-
-	-	-	-	-	-	1	-	-	5	1	-	-

TABLE

Deaths in Each Town from Certain

THE STATE AND COUNTIES.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
MAINE.....	694,466	15	56	526	74	137	583	685
Androscoggin	54,242	3	3	42	6	22	41	33
Aroostook	60,744	-	-	22	5	3	44	40
Cumberland	100,689	2	10	89	16	19	114	115
Franklin	18,444	-	-	19	1	2	7	29
Hancock	37,241	1	4	27	3	3	20	42
Kennebec	59,117	3	4	40	2	11	30	69
Knox	30,406	-	2	23	2	5	15	41
Lincoln	19,669	-	4	17	3	2	14	28
Oxford	32,238	1	6	21	5	6	21	50
Penobscot	76,246	3	6	65	4	16	54	70
Piscataquis	16,949	-	-	7	3	2	15	23
Sagadahoc	20,330	1	1	17	3	4	23	17
Somerset	33,849	1	4	31	4	10	18	31
Waldo	24,185	-	4	24	2	6	14	25
Washington	45,232	-	5	29	5	9	49	22
York	64,885	-	3	53	10	16	104	50
ANDROSCOGGIN COUNTY.....	54,242	3	3	42	6	23	41	33
Auburn	12,951	1	1	13	3	4	4	7
Durham	1,230	-	1	2	-	1	-	-
East Livermore	2,129	-	-	2	-	-	1	1
Greene	826	-	-	-	-	-	-	2
Leeds	1,065	-	-	-	-	-	-	-
Lewiston	23,761	2	1	17	2	16	30	12
Lisbon	3,603	-	-	1	-	-	2	1
Livermore	1,125	-	-	3	-	1	-	-
Mechanic Falls.....	1,687	-	-	1	-	-	-	1
Minot	808	-	-	1	-	-	1	1
Poland	1,648	-	-	-	-	-	2	1
Turner	1,842	-	-	1	-	1	1	4
Wales	436	-	-	-	1	-	-	-
Webster	1,131	-	-	1	-	-	-	3

No. 32.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	A poplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
258	583	760	1,045	1,067	262	184	606	72	443	50	66	396
35	50	55	92	100	29	20	44	8	28	3	4	27
10	17	24	48	63	12	12	40	3	10	8	5	27
51	106	107	164	159	44	23	80	14	100	7	11	79
4	10	24	32	33	7	2	19	3	19	-	-	10
15	25	34	54	32	13	6	41	4	17	4	1	14
21	55	145	103	104	37	20	52	10	29	3	6	32
4	30	23	86	44	8	11	24	2	21	2	5	19
2	19	17	31	20	9	4	22	3	18	2	2	8
14	32	39	40	46	10	8	41	5	16	4	5	15
23	63	70	87	108	21	21	70	3	36	2	5	55
4	13	11	19	32	2	3	11	-	10	2	3	10
6	11	14	32	36	6	4	14	-	16	1	4	16
11	30	35	49	41	11	8	28	2	16	-	4	18
3	29	28	58	51	7	4	22	2	18	2	2	13
19	18	44	67	58	17	13	33	5	24	4	3	22
36	75	90	88	140	29	25	65	8	65	6	6	31
35	50	55	92	100	29	20	44	8	28	3	4	27
9	15	18	20	12	6	5	6	4	13	1	-	5
-	1	-	2	3	-	-	-	-	-	-	-	-
-	-	-	2	6	1	-	-	-	1	-	-	-
-	2	-	1	4	-	1	1	-	-	-	1	1
-	-	2	1	-	-	-	1	-	-	-	-	-
24	20	24	42	40	18	10	23	4	9	1	1	14
1	4	2	7	7	1	2	5	-	3	-	-	2
-	-	1	2	10	1	-	-	-	1	-	-	-
-	1	2	4	-	1	-	3	-	-	-	-	2
-	3	1	-	1	-	-	1	-	-	-	-	-
-	1	2	3	4	-	-	-	-	1	-	-	1
1	3	3	6	9	-	1	1	-	-	1	1	1
-	-	-	-	1	-	-	1	-	-	-	-	-
-	-	-	2	3	1	1	2	-	-	-	1	1

TABLE
Deaths in Each Town from Certain
AROOSTOOK

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
AROOSTOOK COUNTY	59,860	-	-	22	5	3	44	40
Amity	404	-	-	-	-	-	1	1
Ashland	1,080	-	-	-	-	-	-	-
Bancroft	318	-	-	-	-	-	-	-
Benedicta	350	-	-	-	1	-	-	-
Blaine	954	-	-	-	-	-	2	1
Bridgewater	1,179	-	-	-	-	-	1	2
Caribou	4,758	-	-	2	1	-	8	4
Dyer Brook	280	-	-	-	1	-	1	-
Easton	1,215	-	-	-	-	-	-	-
Fort Fairfield	4,181	-	-	3	1	-	1	2
Fort Kent	2,528	-	-	-	-	1	1	-
Frenchville	1,316	-	-	1	-	-	-	6
Grand Isle	1,104	-	-	1	1	-	-	1
Haynesville	316	-	-	-	-	-	-	-
Hersey	199	-	-	-	-	-	-	1
Hodgdon	1,130	-	-	-	-	-	-	-
Houlton	4,686	-	-	1	-	-	4	1
Island Falls	1,063	-	-	1	-	1	1	-
Limestone	1,131	-	-	1	-	-	-	-
Linneus	834	-	-	-	-	-	-	-
Littleton	956	-	-	1	-	-	-	1
Ludlow	394	-	-	1	-	-	-	-
Madawaska	1,698	-	-	-	-	-	-	1
Mapleton	853	-	-	1	-	-	-	-
Mars Hill	1,183	-	-	-	-	-	2	1
Masardis	438	-	-	1	-	-	-	-
Monticello	1,332	-	-	-	-	-	2	1

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
10	17	24	48	63	12	12	40	3	10	8	5	27
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	2
-	1	2	1	2	-	-	3	-	-	-	-	1
-	-	2	1	2	-	1	1	-	1	-	-	-
3	2	-	9	6	1	1	4	1	-	-	-	4
-	-	-	-	-	-	-	2	-	-	-	-	-
1	-	-	-	1	-	-	1	-	1	-	-	-
-	2	2	4	5	3	-	3	-	-	3	-	-
-	-	2	1	1	1	1	1	-	-	3	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	2	-	-	-	1	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	1
-	2	1	2	6	-	-	3	-	2	-	-	1
-	-	-	1	-	-	1	-	-	1	-	-	-
-	1	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	1	-	-	-	1	2
-	1	1	1	2	1	-	1	-	1	-	-	-
-	1	-	2	-	-	-	-	-	-	-	-	1
-	-	-	-	1	1	-	-	-	-	-	-	1
1	1	-	-	-	-	-	1	-	-	-	-	-
-	1	1	-	-	-	-	-	-	-	-	-	-
-	-	2	-	1	-	1	1	-	-	1	1	-

TABLE
Deaths in Each Town from Certain

AROSTOOK

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
New Limerick	600	-	-	-	-	-	-	1
New Sweden.....	867	-	-	-	-	-	1	4
Oakfield.....	860	-	-	-	-	-	1	1
Orient	208	-	-	-	-	-	-	-
Perham	580	-	-	1	-	-	-	1
Presque Isle	3,804	-	-	2	-	-	2	4
Sherman	980	-	-	-	-	-	2	-
Smyrna	411	-	-	1	-	-	-	-
St. Agatha.....	1,396	-	-	-	-	-	5	1
Van Buren.....	1,878	-	-	-	-	-	1	1
Washburn	1,225	-	-	-	-	-	-	-
Weston.....	367	-	-	-	-	-	-	-
Woodland.....	1,096	-	-	1	-	-	2	-
Plantations.								
Cary	400	-	-	1	-	-	-	1
Castle Hill	567	-	-	1	-	-	-	-
Caswell	368	-	-	1	-	-	-	-
Chapman	285	-	-	-	-	-	-	-
Connor.....	453	-	-	-	-	-	1	1
Crystal	370	-	-	-	-	-	-	-
Cyr	502	-	-	-	-	-	1	-
Eagle Lake	406	-	-	-	-	-	-	1
Garfield	111	-	-	-	-	-	-	-
Glenwood	178	-	-	-	-	-	-	-
Hamlin.....	574	-	-	-	-	-	2	-
Hammond	116	-	-	-	-	-	-	-
Macwahoc	153	-	-	-	-	-	-	-
Merrill	298	-	-	-	-	-	-	-
Molunkus	74	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
AROOSTOOK

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Moro	217	-	-	-	-	-	1	-
New Canada.....	419	-	-	-	-	-	-	-
Oxbow	153	-	-	-	-	-	-	-
Portage Lake	241	-	-	-	-	-	-	-
Reed	399	-	-	-	-	-	1	-
Sheridan	433	-	-	-	-	-	-	-
Silver Ridge.....	168	-	-	-	-	-	-	-
St. Francis.....	568	-	-	-	-	-	-	1
St. John	371	-	-	-	-	-	-	-
Stockholm	191	-	-	-	-	-	-	-
Wade.....	271	-	-	-	-	-	-	-
Wallagrass	784	-	-	-	-	-	-	-
Westfield	259	-	-	-	-	1	-	-
Westmanland	100	-	-	-	-	-	-	-
Winterville	124	-	-	-	-	-	-	-
Plantation E.....	44	-	-	-	-	-	-	-
No. 8, R. 4	111	-	-	-	-	-	-	-
CUMBERLAND COUNTY	100,689	2	10	89	16	19	114	115
Baldwin	821	-	-	2	-	1	-	3
Bridgton.....	2,868	-	-	4	-	-	1	1
Brunswick.	6,806	1	-	7	-	-	9	7
Cape Elizabeth.....	887	-	-	1	-	-	-	1
Casco	783	-	-	-	-	1	-	1
Cumberland	1,404	-	-	-	-	-	-	5
Falmouth	1,511	-	-	2	-	-	-	1
Freeport.....	2,339	-	1	3	1	-	-	4
Gorham	2,540	-	1	1	1	-	3	5
Gray	1,388	-	-	1	-	-	1	2

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	1	1	-	-	1	-	-	-	-	-
-	-	-	1	2	-	1	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	1	-	-	-	-	-	-	-	-	-	-
51	106	107	164	159	44	23	80	14	100	7	11	79
-	1	-	1	-	-	-	-	-	1	-	-	-
1	3	-	5	4	3	3	3	-	4	-	-	-
1	11	6	11	15	6	1	2	-	2	1	1	6
1	-	1	-	5	-	-	-	-	-	-	-	1
-	1	-	2	1	-	-	-	-	-	-	-	-
1	2	-	3	-	-	-	3	-	1	-	-	1
1	3	2	4	1	-	-	2	-	1	-	-	-
2	1	4	4	8	2	2	2	-	5	-	-	-
2	2	2	8	2	1	1	3	1	2	-	-	2
-	5	2	4	-	-	-	1	-	1	-	-	-

TABLE
Deaths in Each Town from Certain

CUMBERLAND

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Harpswell.....	1,750	-	-	1	-	-	-	1
Harrison.....	969	-	-	2	-	-	2	-
Naples.....	813	-	1	-	1	-	1	1
New Gloucester.....	1,162	-	-	1	1	-	1	5
North Yarmouth.....	642	-	-	-	-	-	-	-
Otisfield.....	728	-	-	-	1	-	-	2
Portland.....	50,145	1	4	37	7	14	68	44
Pownal.....	592	-	-	-	-	-	-	1
Raymond.....	823	-	-	1	1	-	1	1
Scarboro.....	1,865	-	-	1	-	-	2	9
Sebago.....	576	-	-	-	-	-	1	-
South Portland.....	6,287	-	2	4	-	-	10	5
Standish.....	1,504	-	-	3	-	-	-	3
Westbrook.....	7,283	-	-	10	-	1	5	4
Windham.....	1,929	-	1	3	1	-	4	6
Yarmouth.....	2,274	-	-	5	2	2	5	3
FRANKLIN COUNTY.	18,125	-	-	19	1	2	7	29
Avon.....	448	-	-	1	-	-	-	-
Carthage.....	334	-	-	-	-	-	-	-
Chesterville.....	709	-	-	-	-	-	-	3
Eustis.....	436	-	-	-	-	-	-	-
Farmington.....	3,288	-	-	7	-	1	2	11
Freeman.....	397	-	-	1	-	1	1	1
Industry.....	553	-	-	1	1	-	-	2
Jay.....	2,755	-	-	1	-	-	1	2
Kingfield.....	693	-	-	-	-	-	-	1
Madrid.....	326	-	-	1	-	-	-	1

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	2	3	7	2	-	1	-	-	2	-	-	1
-	3	2	4	-	-	-	-	-	-	-	-	-
-	2	1	3	1	-	-	1	-	-	1	-	1
-	2	1	2	2	-	-	-	1	-	-	-	-
-	1	1	2	-	-	-	-	-	2	-	-	1
1	1	2	-	2	-	-	2	-	-	-	-	1
37	50	58	69	94	20	12	49	11	53	3	7	53
-	-	-	1	-	-	-	-	-	3	-	-	-
-	1	-	2	1	4	-	2	-	1	-	-	-
-	4	-	-	6	-	-	1	-	1	-	-	1
-	-	-	1	-	-	-	1	-	-	-	-	-
3	4	10	11	8	1	1	2	-	4	-	-	2
-	-	3	6	-	-	1	-	-	3	-	-	3
1	1	2	6	3	5	-	2	-	1	-	1	2
-	-	-	4	-	2	-	-	1	9	-	-	1
-	6	7	4	4	-	1	4	-	4	2	1	3
4	10	24	32	33	7	2	19	3	19	-	-	10
-	1	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	1	-	-	-	-	1	-	-	1	-	-	-
-	-	1	-	-	-	-	4	1	1	-	-	2
-	1	6	5	7	-	-	4	1	3	-	-	1
-	2	-	-	1	-	-	-	-	1	-	-	-
-	-	-	2	-	-	-	1	-	-	-	-	-
3	-	3	2	7	1	1	1	1	1	-	-	2
-	-	1	1	-	1	-	-	-	3	-	-	-
-	-	-	3	1	1	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
FRANKLIN

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
New Sharon.....	946	-	-	1	-	-	-	1
New Vineyard.....	584	-	-	2	-	-	-	1
Phillips	1,399	-	-	-	-	-	1	1
Rangeley.....	961	-	-	-	-	-	-	-
Salem	195	-	-	-	-	-	-	-
Strong.....	637	-	-	-	-	-	1	2
Temple	394	-	-	-	-	-	-	-
Weld.....	738	-	-	-	-	-	-	-
Wilton	1,647	-	-	4	-	-	1	2
Coplin Pl.....	70	-	-	-	-	-	-	-
Dallas Pl.....	172	-	-	-	-	-	-	-
Greenville Pl.....	57	-	-	-	-	-	-	1
Lang Pl.....	87	-	-	-	-	-	-	-
Perkins Pl.....	63	-	-	-	-	-	-	-
Rangeley Pl.....	98	-	-	-	-	-	-	-
Redington.....	113	-	-	-	-	-	-	-
No. 6.....	22	-	-	-	-	-	-	-
HANCOCK COUNTY.....	36,998	1	4	27	3	3	20	42
Amherst... ..	364	-	-	-	-	-	-	1
Aurora.....	152	-	-	1	-	1	-	-
Bluehill.....	1,828	-	-	1	-	-	1	-
Brooklin	936	-	-	1	-	-	-	5
Brooksville.....	1,171	-	-	-	-	-	-	-
Bucksport.....	2,339	-	-	2	1	-	3	3
Castine... ..	925	-	1	1	-	-	-	1
Cranberry Isles	374	-	-	-	-	-	-	-
Dedham.....	327	-	-	1	-	-	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory organs.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	1	3	2	1	-	1	-	-	-	-	1
-	-	3	2	3	-	-	-	-	-	-	-	1
-	2	3	3	3	2	-	-	-	1	-	-	-
-	-	2	2	2	-	-	-	-	1	-	-	1
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	4	1	-	-	-	-	1	-	-	-
-	-	-	1	-	-	-	2	-	-	-	-	1
-	1	1	4	-	-	-	1	-	-	-	-	1
-	2	1	-	2	1	-	3	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	2	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
15	25	34	54	32	13	6	41	4	17	4	1	14
-	1	-	1	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	2	3	-	-	-	3	1	1	-	-	-
-	-	1	3	1	1	-	2	-	1	-	-	-
-	-	3	-	-	-	-	1	-	-	-	-	2
3	1	2	4	7	2	1	6	1	4	-	1	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	1	2	-	-	-	1	-	-	-	-

TABLE
Deaths in Each Town from Certain

HANCOCK

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Deer Isle.....	2,047	-	-	3	-	-	-	-
Eastbrook.....	248	-	-	-	-	-	-	-
Eden.....	4,379	1	-	6	-	1	6	1
Ellsworth.....	4,297	-	1	2	-	-	2	8
Franklin.....	1,201	-	-	-	-	-	-	2
Gouldsboro.....	1,259	-	-	1	-	-	-	-
Hancock.....	900	-	-	-	-	-	-	1
Isle au Haut.....	182	-	-	-	-	-	-	-
Lamoine.....	594	-	-	2	-	-	-	1
Mariaville.....	218	-	-	-	-	-	-	1
Mount Desert.....	1,600	-	-	-	-	-	2	1
Orland.....	1,251	-	-	1	-	-	1	5
Otis.....	152	-	1	-	-	-	-	1
Penobscot.....	1,156	-	-	1	-	-	-	1
Sedgwick.....	902	-	-	-	-	-	1	3
Sorrento.....	117	-	-	-	-	-	-	-
Stonington.....	1,648	-	-	2	-	-	1	1
Sullivan.....	1,034	-	1	-	1	1	-	2
Surry.....	900	-	-	-	1	-	1	1
Swan's Island.....	758	-	-	-	-	-	-	-
Tremont.....	2,010	-	-	1	-	-	2	-
Trenton.....	459	-	-	-	-	-	-	1
Verona.....	234	-	-	-	-	-	-	-
Waltham.....	192	-	-	1	-	-	-	2
Winter Harbor.....	571	-	-	-	-	-	-	-
Long Island Pl.....	174	-	-	-	-	-	-	-
No. 33 Pl.....	82	-	-	-	-	-	-	-
No. 8 Pl.....	17	-	-	-	-	-	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
2	5	4	7	3	-	-	1	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
2	2	1	2	1	2	-	4	-	-	2	-	-
4	3	1	7	8	1	-	5	1	4	-	-	1
1	2	1	1	2	-	-	3	-	1	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
1	1	1	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	1	-	-	1	-	-	3
-	-	1	1	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	2	-	-	-	-	2
-	1	3	1	1	1	-	2	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	4	1	1	-	-	1	-	1	-	-	-
-	-	-	1	-	1	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	2
-	2	2	3	1	1	-	2	-	1	-	-	3
-	1	-	4	1	-	-	3	-	-	-	-	-
-	1	2	1	1	-	1	2	-	-	-	-	-
-	-	-	3	-	-	1	1	-	-	-	-	-
-	-	1	6	1	-	-	1	-	-	-	-	-
-	1	-	-	1	-	-	-	-	-	-	-	-
-	-	1	1	-	1	-	-	-	-	-	-	1
-	2	2	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-

TABLE
Deaths in Each Town from Certain

KENNEBEC

COUNTY AND TOWNS.	Population.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
KENNEBEC COUNTY	59,117	3	4	40	2	11	30	69
Albion	878	-	-	-	-	-	-	2
Augusta.....	11,683	-	-	8	-	7	4	10
Belgrade.....	1,058	-	-	2	-	-	-	2
Benton.....	1,097	-	-	1	-	-	1	1
Chelsea.....	3,092	1	-	1	-	-	-	-
China.....	1,380	-	1	1	-	-	-	5
Clinton.....	1,398	-	-	1	-	-	-	3
Farmingdale.....	848	-	-	1	1	-	-	2
Fayette.....	560	-	-	2	-	-	2	-
Gardiner.....	5,501	-	-	4	-	1	6	4
Hallowell.....	2,714	1	-	2	1	1	-	3
Litchfield.....	1,057	-	-	2	-	-	-	2
Manchester.....	518	-	-	-	-	-	1	-
Monmouth.....	1,236	-	-	3	-	-	-	1
Mount Vernon.....	906	-	-	1	-	-	-	3
Oakland.....	1,913	-	-	-	-	-	-	5
Pittston.....	1,177	-	-	1	-	-	-	1
Randolph.....	1,077	-	-	-	-	-	-	-
Readfield.....	994	-	1	1	-	-	-	-
Rome.....	420	-	-	-	-	-	-	1
Sidney.....	1,068	-	-	-	-	-	-	3
Vassalboro.....	2,062	-	-	-	-	-	-	2
Vienna.....	406	-	-	-	-	-	1	-
Waterville.....	9,477	1	1	4	-	1	10	7
Wayne.....	707	-	-	1	-	-	-	1
West Gardiner.....	693	-	-	-	-	-	1	2
Windsor.....	782	-	-	-	-	1	-	2
Winslow.....	2,277	-	-	2	-	-	1	2
Winthrop.....	2,088	-	1	2	-	-	3	5
Unity Pl.....	50	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

KNOX

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
KNOX COUNTY.....	30,287	-	2	23	2	5	15	41
Appleton.....	975	-	-	3	-	-	2	2
Camden ..	2,825	-	-	3	-	-	1	1
Cushing ..	604	-	-	-	-	-	1	1
Friendship.....	814	-	-	1	-	-	-	1
Hope	599	-	-	-	-	-	-	1
Hurricane Isle.....	257	-	-	-	-	-	-	-
North Haven.....	551	-	-	1	-	-	2	1
Rockland	8,150	-	-	6	-	4	5	10
Rockport	2,314	-	-	3	1	-	1	3
South Thomaston	1,426	-	-	1	-	1	-	2
St. George.....	2,206	-	1	1	-	-	-	5
Thomaston ..	2,688	-	1	3	-	-	-	6
Union	1,248	-	-	-	-	-	1	-
Vinalhaven	2,358	-	-	-	-	-	-	3
Warren	2,069	-	-	-	-	-	1	4
Washington	1,019	-	-	1	1	-	-	1
Matinicus Isle Pl.....	184	-	-	-	-	-	1	-
LINCOLN	19,699	-	4	17	3	2	14	28
Alna	444	-	-	2	1	-	-	2
Boothbay	1,766	-	-	1	1	-	3	1
Boothbay Harbor	1,926	-	-	-	-	-	-	-
Bremen	657	-	-	-	-	-	1	1
Bristol	2,572	-	2	2	1	-	2	5
Damariscotta ..	876	-	1	-	-	-	-	1
Dresden.....	882	-	-	2	-	-	-	2
Edgecomb	607	-	-	2	-	-	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
4	30	23	86	44	6	11	24	2	21	2	5	19
-	1	-	5	1	-	-	-	-	-	-	-	-
1	4	1	7	6	2	1	2	-	2	-	-	1
-	1	-	3	1	1	-	-	-	1	-	-	-
-	1	1	2	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	1
-	-	-	-	1	-	-	-	-	-	-	-	-
-	6	16	36	10	1	4	8	-	5	2	2	4
-	3	-	2	9	2	1	1	-	4	-	1	6
-	2	1	4	1	1	-	1	-	-	-	-	-
-	-	-	4	2	-	2	2	-	-	-	1	1
1	3	2	10	8	1	-	4	-	-	-	1	1
-	3	-	2	1	-	1	2	-	1	-	-	-
1	1	-	2	2	-	1	3	1	5	-	-	2
1	3	2	4	-	-	1	1	1	2	-	-	3
-	2	-	4	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	19	17	31	20	9	4	22	3	18	2	2	8
-	1	-	1	-	-	-	1	-	-	-	-	1
-	-	3	2	4	2	1	2	-	3	-	-	-
-	3	2	1	-	-	1	2	2	3	1	1	1
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	4	2	-	-	6	-	1	-	-	-
-	3	2	1	-	3	-	1	-	2	-	-	-
-	2	1	1	3	-	1	-	-	-	-	-	3
-	-	-	1	-	-	-	1	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

LINCOLN

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Jefferson..	1,155	-	-	2	-	-	1	-
Newcastle	1,075	-	-	-	-	-	-	4
Nobleboro	810	-	-	2	-	-	1	-
Somerville...	374	-	-	-	-	-	1	2
Southport....	527	-	-	-	-	-	-	-
Waldoboro.....	3,145	-	1	1	-	2	4	5
Westport	330	-	-	-	-	-	1	-
Whitefield	1,156	-	-	-	-	-	-	3
Wiscasset.....	1,273	-	-	3	-	-	-	2
Monhegan Pl.....	94	-	-	-	-	-	-	-
OXFORD COUNTY.....	32,153	1	6	21	5	6	21	50
Albany	538	-	-	-	-	-	1	-
Andover	727	-	-	1	2	-	-	3
Bethel	1,835	-	-	1	-	-	1	2
Brownfield	1,019	-	1	2	-	-	-	3
Buckfield	1,139	-	-	-	-	-	1	1
Byron	204	-	-	-	-	-	-	-
Canton	946	-	1	-	-	-	-	1
Denmark	634	-	1	1	-	-	-	3
Dixfield.....	1,052	-	1	2	-	1	-	1
Fryeburg	1,376	-	-	3	1	-	-	3
Gilead.....	340	-	-	-	-	-	-	-
Grafton	81	-	-	-	-	-	-	-
Greenwood	741	-	-	1	-	-	-	2
Hanover	214	-	-	-	-	-	-	-
Hartford	660	-	-	-	-	-	-	-
Hebron.....	494	-	-	-	-	-	-	1

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	A poplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	2	1	1	-	-	1	-	3	-	-	-
-	1	1	2	-	1	-	1	-	-	-	-	-
1	-	-	1	-	-	-	-	-	1	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	3	-	-	1	-	-	-	-	-	-	-	-
1	5	1	8	5	1	-	4	-	2	-	1	3
-	-	-	-	1	-	1	-	-	-	-	-	-
-	1	-	6	1	1	-	1	-	2	1	-	-
-	-	2	2	2	1	-	2	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
14	32	39	40	46	10	8	41	5	16	4	5	15
1	-	-	1	1	-	-	-	-	-	-	-	-
-	-	3	1	-	-	-	3	-	-	-	1	-
-	5	1	4	6	-	-	-	-	1	-	1	-
2	1	-	4	4	-	-	3	1	1	-	1	-
-	2	1	-	-	1	-	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	4	2	-	-	1	-	1	-	-	-
-	2	2	1	1	1	-	2	-	-	-	-	2
-	2	1	-	2	-	-	2	-	-	-	-	-
-	3	2	2	1	2	-	1	-	1	1	1	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	2	-	-	-	-	-	1	-	-
-	-	1	-	2	-	-	-	-	-	-	-	-
-	-	-	2	1	-	-	-	-	-	-	-	-
-	-	-	1	2	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Certain
OXFORD

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Hiram....	1,015	-	-	1	-	-	-	-
Lovell.....	698	-	-	-	-	-	-	6
Mason.....	67	-	-	-	-	-	-	1
Mexico..	816	-	-	-	-	1	-	1
Newry.....	286	-	-	-	-	-	-	-
Norway.....	2,902	-	-	1	1	-	-	2
Oxford.....	1,331	-	-	-	-	1	-	-
Paris.....	3,225	-	-	3	-	1	1	5
Peru.....	773	-	-	-	-	-	-	4
Porter.....	886	-	-	-	1	-	-	2
Roxbury.....	238	-	-	-	-	-	1	-
Rumford.....	3,770	1	1	1	-	-	13	3
Stoneham.....	284	-	-	-	-	-	-	-
Stow.....	270	-	-	-	-	-	-	2
Sumner.....	802	-	-	1	-	-	-	1
Sweden.....	282	-	-	-	-	-	-	1
Upton.....	242	-	-	-	-	-	-	-
Waterford.....	917	-	1	3	-	1	2	-
Woodstock.....	816	-	-	-	-	1	-	2
Lincoln Pl.....	73	-	-	-	-	-	-	-
Magalloway Pl.....	77	-	-	-	-	-	-	-
Milton Pl.....	202	-	-	-	-	-	1	-
Batchelders Grant.....	173	-	-	-	-	-	-	-
Riley.....	13	-	-	-	-	-	-	-

TABLE

Deaths in Each Town from Certain

PENOBSCOT

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
PENOBSCOT COUNTY.....	75,595	3	6	65	4	16	54	70
Alton	314	.	-	-	-	-	-	-
Argyle	320	-	-	-	-	-	-	-
Bangor	21,850	3	1	19	2	6	18	15
Bradford	954	-	-	3	-	-	-	1
Bradley	682	-	-	1	-	-	-	-
Brewer.....	4,835	-	-	5	-	1	4	5
Burlington.....	394	-	1	-	-	-	-	1
Carmel	932	-	-	1	-	-	-	-
Carroll	487	-	-	-	-	-	1	-
Charleston	842	-	-	-	-	-	-	-
Chester.....	363	-	-	-	-	-	-	-
Clifton	236	-	-	1	-	-	-	-
Corinna	1,170	-	-	1	-	1	2	5
Corinth.....	1,042	-	-	-	1	-	1	1
Dexter	2,941	-	-	2	-	-	2	4
Dixmont.....	843	-	-	2	-	-	-	-
Eddington	663	-	-	1	-	-	-	4
Edinburg	65	-	-	1	-	-	-	-
Enfield	1,062	-	-	-	-	-	-	1
Etna	527	-	-	1	-	-	-	-
Exeter.....	879	-	-	-	-	-	1	2
Garland	857	-	-	2	-	-	3	1
Glenburn.....	461	-	-	2	-	-	-	-
Grenbush	586	-	-	-	-	1	-	1
Hampden	2,182	-	-	1	-	-	1	8
Hermon	1,183	-	-	1	-	-	-	-
Holden	602	-	-	1	-	2	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Encephalitis and simple meningitis.	A poplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
23	63	70	87	108	21	21	70	3	36	2	5	55
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	2
9	17	26	26	36	1	4	25	2	10	-	1	17
-	2	-	-	2	-	1	1	-	-	-	-	-
-	-	-	-	1	-	-	1	-	-	-	-	-
5	8	5	5	4	1	1	3	-	7	1	1	4
-	-	-	1	-	-	-	-	-	-	-	-	1
-	2	-	-	-	-	-	2	-	1	-	-	1
-	-	-	-	-	1	1	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	1	-	3	4	1	2	3	-	-	-	-	3
-	-	1	5	2	1	-	-	-	-	-	-	1
2	7	3	6	4	2	1	4	-	2	-	-	2
-	1	2	2	-	1	-	-	-	-	-	-	-
-	-	1	2	2	-	1	2	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	1	1	1	1	2	-	-	-	-	-
-	-	-	2	-	-	-	1	-	-	-	-	-
1	1	1	1	3	-	-	-	-	1	-	-	-
2	1	-	-	2	1	-	1	-	-	-	-	2
-	-	-	1	-	-	-	1	-	1	-	-	-
-	-	3	2	-	-	1	-	-	-	-	-	-
-	6	4	1	3	1	-	1	1	-	-	1	1
-	1	-	3	5	-	-	-	-	-	-	1	-
-	-	-	2	1	-	-	1	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

PENOBSCOT

COUNTY AND TOWNS.	Population.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Howland	519	-	-	-	-	-	1	-
Hudson	430	-	-	1	-	-	1	1
Kenduskeag	423	-	-	-	-	-	-	-
Kingman	936	-	-	-	-	-	1	-
Lagrange	574	-	-	-	-	-	-	-
Lee	801	-	-	1	-	-	-	1
Levant	789	-	-	1	-	-	1	-
Lincoln	1,731	-	-	-	-	-	-	2
Lowell	300	-	-	1	-	-	-	-
Mattawamkeag	527	-	1	-	-	-	1	1
Maxfield	115	-	-	-	-	-	-	-
Medway	287	-	-	-	-	-	-	-
Milford	838	-	-	-	-	-	-	-
Mount Chase	299	-	-	-	-	-	-	-
Newburgh	734	-	-	2	-	-	-	2
Newport	1,533	-	-	3	-	-	2	3
Old Town	5,763	-	1	5	-	2	6	4
Orono	3,257	-	1	4	1	1	6	1
Orrington	1,266	-	-	-	-	-	-	-
Passadumkeag	409	-	-	-	-	-	1	1
Patten	1,172	-	-	-	-	-	-	-
Plymouth	658	-	-	1	-	-	1	1
Prentiss	502	-	-	-	-	-	-	-
Springfield	532	-	-	-	-	-	-	-
Stetson	503	-	-	-	-	-	-	3
Veazie	555	-	-	-	-	-	-	-
Winn	688	-	-	-	-	2	-	1
Woodville	160	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

PENOBSCOT

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Drew Pl.....	120	-	-	-	-	-	-	-
Grand Falls Pl.....	52	-	-	1	-	-	-	-
Lakeville Pl.....	129	-	1	-	-	-	-	-
Seboeis Pl.	96	-	-	-	-	-	-	-
Stacyville	347	-	-	-	-	-	-	-
Webster Pl.....	124	-	-	-	-	-	-	-
Indian Township No. 3	1,144	-	-	-	-	-	-	-
PISCATAQUIS COUNTY.....	16,569	-	-	7	3	2	15	23
Abbot	716	-	-	-	-	-	1	1
Atkinson.....	495	-	-	1	-	-	-	-
Blanchard	248	-	-	-	-	-	1	-
Brownville	1,570	-	-	-	-	-	-	-
Dover	1,889	-	-	-	1	-	-	2
Foxcroft	1,629	-	-	2	-	-	2	2
Greenville	1,117	-	-	-	-	-	1	1
Guilford	1,544	-	-	1	-	-	2	8
Medford	282	-	-	-	-	-	1	1
Milo	1,150	-	-	1	1	-	2	1
Monson	1,116	-	-	-	-	-	-	1
Orneville	325	-	-	-	-	-	-	1
Parkman.....	718	-	-	-	-	1	-	2
Sangerville	1,294	-	-	-	-	-	2	1
Sebec	593	-	-	1	-	-	-	1
Shirley	248	-	-	-	-	-	-	-
Wellington	413	-	-	1	1	1	2	-
Williamsburg	117	-	-	-	-	-	-	-
Willimantic	419	-	-	-	-	-	-	1
Barnard Pl.....	98	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
PISCATAQUIS

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Bowerbank Pl	66	-	-	-	-	-	-	-
Elliottsville Pl	86	-	-	-	-	-	-	-
Kingsbury Pl.....	106	-	-	-	-	-	-	-
Lake View Pl	173	-	-	-	-	-	1	-
Katahdin Iron Works	114	-	-	-	-	-	-	-
Kineo	43	-	-	-	-	-	-	-
SAGADAHOC COUNTY.	20,330	1	1	17	3	4	23	17
Arrowsic.....	180	-	-	-	-	-	-	-
Bath	10,477	-	1	5	1	4	17	5
Bowdoin	937	-	-	4	1	-	1	1
Bowdoinham	1,305	-	-	2	-	-	-	1
Georgetown	799	-	-	2	-	-	-	2
Perkins	61	-	-	-	-	-	-	-
Phippsburg.....	1,254	-	-	-	-	-	-	-
Richmond	2,049	1	-	3	-	-	2	6
Topsham	2,097	-	-	1	1	-	3	-
West Bath	291	-	-	-	-	-	-	1
Woolwich.....	880	-	-	-	-	-	-	1
SOMERSET COUNTY	33,518	1	4	31	4	10	18	31
Anson	1,830	-	1	1	-	1	3	-
Athens	896	-	-	1	-	1	-	-
Bingham	841	-	-	-	-	-	2	-
Cambridge	364	-	-	1	-	-	-	1
Canaan.....	977	-	1	2	-	-	-	1
Concord	291	-	-	-	-	-	-	-
Cornville.....	689	-	-	-	-	-	-	1
Detroit	527	-	-	1	-	1	-	1
Embden.....	567	-	-	-	-	-	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory organs.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	-	-	1	-	-	-	-	1	-	-	1
-	-	-	-	1	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	1
6	11	14	32	36	6	4	14	-	16	1	4	16
-	-	-	-	-	-	-	-	-	-	-	-	1
5	4	10	15	15	4	1	7	-	11	1	3	9
-	2	2	-	2	1	-	-	-	-	-	-	1
-	-	-	3	2	-	-	1	-	4	-	-	-
-	-	-	3	1	-	1	1	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	1	2	2	-	-	1	-	1	-	1	1
1	-	-	2	6	-	2	2	-	-	-	-	-
-	2	1	2	3	1	-	1	-	-	-	-	1
-	-	-	1	1	-	-	-	-	-	-	-	-
-	1	-	4	4	-	-	1	-	-	-	-	2
11	30	35	49	41	11	8	28	2	16	-	4	18
-	4	-	7	2	2	-	2	-	1	-	-	-
2	2	1	1	2	1	-	2	-	1	-	-	-
-	-	2	-	2	-	-	1	-	-	-	-	-
-	-	-	1	-	-	-	1	-	-	-	-	-
-	1	1	1	3	-	-	-	-	-	-	-	-
-	-	-	3	-	-	-	-	-	-	-	-	-
-	2	-	1	-	-	-	1	-	-	-	-	1
-	1	1	2	1	1	-	-	-	1	-	-	-
-	-	2	-	-	-	-	-	-	1	-	-	-

TABLE
Deaths in Each Town from Certain

SOMERSET

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Fairfield	3,878	-	-	3	-	-	1	3
Harmony	571	-	-	1	-	-	-	1
Hartland	1,115	-	-	-	-	-	-	4
Madison	2,764	-	-	2	1	1	2	1
Mercer	493	-	-	-	-	-	-	-
Moscow	378	-	-	1	-	-	-	-
New Portland	913	-	-	2	-	-	-	2
Norridgewock.....	1,495	-	-	3	-	1	-	2
Palmyra	915	-	-	1	-	-	-	1
Pittsfield.....	2,891	-	-	3	-	1	3	2
Ripley.....	449	-	-	-	-	-	-	-
St. Albans.	1,037	-	1	-	-	-	-	2
Skowhegan	5,180	1	1	6	1	-	4	8
Smithfield	449	-	-	-	-	-	-	-
Solon.....	996	-	-	1	2	1	1	-
Starks.....	636	-	-	-	-	3	-	-
Bigelow Pl.....	57	-	-	-	-	-	-	-
Brighton Pl.	368	-	-	1	-	-	-	-
Caratunk Pl	218	-	-	-	-	-	-	-
Carrying Place Pl.....	22	-	-	-	-	-	-	-
Dead River Pl.....	91	-	-	-	-	-	-	1
Dennistown Pl.	96	-	-	-	-	-	-	-
Flagstaff Pl	115	-	-	-	-	-	-	-
Highland Pl.....	67	-	-	-	-	-	-	-
Jackman Pl.	352	-	-	-	-	-	1	-
Lexington Pl.....	231	-	-	-	-	-	-	-
Mayfield Pl	89	-	-	-	-	-	-	-
Moose River Pl.....	239	-	-	1	-	-	1	-
Pleasant Ridge Pl.....	114	-	-	-	-	-	-	-
The Forks Pl	157	-	-	-	-	-	-	-
West Forks Pl.....	160	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

WALDO

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
WALDO COUNTY	24,185	-	4	24	2	6	14	25
Belfast	4,615	-	-	3	-	2	3	2
Belmont	352	-	-	-	-	-	-	1
Brooks	669	-	-	-	-	-	-	1
Burnham	766	-	-	1	-	-	2	2
Frankfort	1,211	-	-	-	-	-	-	2
Freedom	479	-	1	1	-	-	-	-
Islesboro	923	-	-	-	1	-	-	1
Jackson	439	-	-	1	-	-	-	-
Knox	558	-	-	-	-	-	1	-
Liberty	737	-	-	2	-	1	-	1
Lincolnton	1,223	-	-	2	-	-	2	2
Monroe	958	-	-	2	-	-	-	-
Montville	982	-	-	4	-	1	1	1
Morrill	420	-	-	-	-	-	-	1
Northport	545	-	1	-	-	-	-	1
Palermo	757	-	-	-	-	-	-	4
Prospect	648	-	-	-	1	-	-	1
Searsmont	949	-	-	-	-	1	-	1
Searsport	1,349	-	1	1	-	-	-	-
Stockton Springs	872	-	-	4	-	-	-	2
Swanville	502	-	-	-	-	-	-	-
Thorndike	497	-	-	-	-	-	2	1
Troy	766	-	-	1	-	-	-	1
Unity	877	-	-	1	-	1	1	-
Waldo	468	-	-	-	-	-	-	-
Winterport	1,623	-	1	1	-	-	2	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
3	29	28	58	51	7	4	22	2	18	2	2	13
-	4	5	18	8	1	-	2	-	4	-	1	4
-	1	-	-	1	-	-	-	-	-	-	-	-
1	3	1	2	4	-	1	2	-	-	-	-	-
-	1	1	1	3	2	-	1	-	-	-	1	1
-	2	-	2	3	1	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	1	2	-	1	-	-	-	1	-	-
-	1	3	1	-	-	-	2	-	-	-	-	-
-	-	2	1	1	-	-	2	-	2	-	-	-
-	2	3	2	4	-	-	1	-	1	-	-	2
-	1	2	4	-	-	1	2	-	1	-	-	-
-	-	2	1	2	-	1	-	-	1	-	-	-
-	-	-	1	-	-	-	1	-	-	-	-	-
-	2	-	-	2	-	-	-	-	1	-	-	-
-	1	2	2	1	-	-	-	-	1	-	-	1
1	1	1	-	-	-	-	1	-	-	-	-	-
1	2	-	2	2	-	-	1	1	2	-	-	-
-	3	2	5	5	1	-	-	1	1	-	-	1
-	2	3	3	3	-	-	-	-	1	1	-	1
-	-	-	-	1	-	-	2	-	-	-	-	-
-	2	-	3	3	-	-	1	-	1	-	-	-
-	-	-	4	3	-	-	-	-	-	-	-	1
-	-	-	-	1	-	-	1	-	1	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	5	-	2	-	3	-	-	-	-	2

TABLE
Deaths in Each Town from Certain
WASHINGTON

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
WASHINGTON COUNTY	45,002	-	5	29	5	9	49	22
Addison	1,059	-	-	-	-	1	-	-
Alexander	333	-	-	-	-	-	-	2
Baileyville	215	-	-	-	-	-	-	-
Baring	231	-	-	-	-	-	-	-
Beddington	86	-	-	-	-	-	-	-
Brookton	285	-	-	-	-	-	-	-
Calais	7,655	-	-	4	2	1	16	3
Centerville	91	-	-	-	-	-	-	-
Charlotte	315	-	-	-	-	-	-	-
Cherryfield	1,859	-	-	1	-	2	1	-
Columbia	516	-	-	2	-	-	-	1
Columbia Falls	569	-	-	-	1	-	-	-
Cooper	207	-	-	2	-	-	-	-
Crawford	112	-	-	-	-	-	-	-
Cutler	565	-	-	1	-	-	-	2
Danforth	1,092	-	1	-	-	1	3	2
Deblois	73	-	-	-	-	-	-	-
Dennysville	482	-	-	-	-	-	2	-
East Machias	1,521	-	-	-	-	-	-	-
Eastport	5,311	-	3	4	-	-	11	2
Edmunds	492	-	-	-	-	-	1	-
Forest City	151	-	-	-	-	-	-	-
Harrington	1,165	-	-	2	-	-	-	-
Jonesboro	606	-	-	-	-	-	1	-
Jonesport	2,124	-	-	-	-	1	1	-
Lubec	3,005	-	1	1	1	1	-	1
Machias	2,082	-	-	2	-	1	2	2
Machiasport	1,218	-	-	1	-	-	-	1

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Encephalitis and simple meningitis.	A poplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
19	18	44	67	58	17	13	33	5	24	4	3	22
-	1	1	2	1	-	-	-	-	1	-	-	2
-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	1	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
3	4	9	13	12	4	2	11	1	5	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	1	-	-	-	-	-
-	1	-	1	1	-	-	-	-	-	-	-	-
-	-	1	2	1	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	1	-	-	1	-	1
-	-	1	4	1	-	-	-	-	-	1	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
1	2	-	2	-	1	-	2	-	-	-	-	2
4	-	11	8	14	2	4	1	1	2	1	-	1
-	-	3	-	-	-	-	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	2	-	-	-	2	-	1	-	1	-
-	-	-	1	1	-	-	-	-	-	-	-	-
1	-	-	4	4	-	-	-	-	1	-	1	2
1	1	2	-	-	-	-	3	2	6	-	-	-
2	3	4	4	2	3	1	-	-	1	-	-	2
-	1	-	4	2	1	1	-	-	1	-	1	-

TABLE
Deaths in Each Town from Certain

WASHINGTON

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Marion	95	-	-	-	-	-	-	-
Marshfield	227	-	-	-	-	-	-	-
Meddybemps	154	-	-	-	-	-	-	-
Milbridge	1,921	-	-	-	-	-	2	-
Northfield	126	-	-	1	-	-	-	-
Pembroke	1,652	-	-	3	-	-	1	-
Perry	1,245	-	-	-	-	1	3	1
Princeton	1,094	-	-	-	-	-	-	-
Robbinston	844	-	-	1	-	-	-	1
Roque Bluffs	168	-	-	-	-	-	-	-
Steuben	901	-	-	4	-	-	2	1
Talmage	93	-	-	-	-	-	-	-
Topsfield	282	-	-	-	1	-	-	1
Trescott	463	-	-	-	-	-	1	1
Vaneeboro	550	-	-	-	-	-	1	-
Waite	135	-	-	-	-	-	-	1
Wesley	198	-	-	-	-	-	-	-
Whiting	399	-	-	-	-	-	-	-
Whitneyville	424	-	-	-	-	-	-	-
Coöyville Pl	68	-	-	-	-	-	1	-
Grand Lake Stream Pl	221	-	-	-	-	-	-	-
Lambert Lake Pl	113	-	-	-	-	-	-	-
No. 14 Pl.	77	-	-	-	-	-	-	-
No. 21 Pl.	86	-	-	-	-	-	-	-
Kossuth	46	-	-	-	-	-	-	-

No. 32—Continued.

Diseases and Groups of Diseases.

COUNTY.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	5	3	1	1	2	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	3	2	1	3	1	1	-	1	-	-	-
2	1	1	2	2	-	-	-	-	-	-	-	-
1	-	-	1	1	-	-	-	-	1	-	-	-
-	-	2	1	-	-	-	2	-	-	-	-	1
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	2	2	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	1	1	-	-	-	-	-	-	-
-	-	-	-	1	1	-	-	-	-	-	-	-
-	-	-	1	4	-	-	-	-	-	-	-	1
-	-	-	-	1	-	-	-	-	-	-	-	-
-	2	-	-	-	-	2	-	-	1	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	2	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	2	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1

TABLE
Deaths in Each Town from Certain

YORK

COUNTY AND TOWNS.	Population.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
YORK COUNTY.....	64,885	-	3	53	10	16	104	50
Acton	778	-	-	-	-	-	3	-
Alfred	937	-	-	-	-	-	2	-
Berwick.....	2,280	-	-	3	-	-	4	1
Bildeford	16,145	-	-	11	1	4	48	3
Buxton	1,838	-	-	3	-	1	2	-
Cornish	984	-	1	1	-	-	-	-
Dayton.....	473	-	-	2	-	-	-	2
Eliot.	1,458	-	-	2	1	-	2	3
Hollis	1,274	-	-	1	-	-	-	3
Kennebunk	3,228	-	-	1	-	-	-	4
Kennebunkport.....	2,123	-	-	2	-	-	3	3
Kittery.....	2,872	-	1	3	-	1	1	3
Lebanon.....	1,335	-	-	2	1	1	2	2
Limerick	874	-	-	-	-	-	-	1
Limington.....	1,001	-	-	1	1	-	1	1
Lyman	687	-	-	-	-	-	2	-
Newfield.....	676	-	-	1	-	-	-	1
North Berwick	1,748	-	1	1	-	-	2	-
Old Orchard	964	-	-	1	-	-	2	-
Parsonsfield	1,131	-	-	-	-	1	-	1
Saco	6,122	-	-	4	1	3	8	5
Sanford	6,078	-	-	4	2	1	16	1
Shapleigh.....	847	-	-	-	-	-	-	1
South Berwick	3,188	-	-	2	1	2	1	5
Waterboro.....	1,169	-	-	-	-	1	-	-
Wells.....	2,007	-	-	5	-	-	3	8
York.....	2,668	-	-	3	2	1	2	2

No. 32—Concluded.

Diseases and Groups of Diseases.

COUNTY.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
36	75	90	83	140	29	25	65	8	65	6	6	31
-	1	4	-	1	-	-	-	-	5	-	-	1
1	4	1	2	3	1	-	1	-	2	-	-	-
-	2	1	4	6	-	1	3	-	2	1	2	-
15	12	16	19	41	6	8	16	1	14	2	1	8
-	2	4	4	-	-	-	4	-	-	1	-	1
1	2	2	2	1	-	-	-	-	1	-	-	-
-	-	-	-	2	-	-	2	-	-	1	-	-
-	5	1	5	-	2	4	1	-	-	-	-	2
-	1	4	1	-	-	-	4	-	1	-	-	-
-	7	2	5	4	1	2	2	-	5	-	-	-
1	2	2	2	7	-	1	3	-	2	-	1	-
2	2	5	3	2	1	-	1	2	2	-	1	-
-	2	5	1	3	-	-	1	2	-	-	-	-
-	2	3	-	2	1	-	1	-	2	-	-	-
-	-	1	1	-	-	-	1	-	2	-	-	-
-	1	-	-	-	2	-	-	-	-	1	-	-
-	-	1	1	5	-	-	-	-	-	-	-	4
1	4	1	3	3	1	-	2	-	3	-	-	1
1	-	2	2	2	-	2	2	-	1	-	-	-
1	4	6	-	1	1	-	-	-	-	-	-	2
6	8	11	8	16	-	1	7	1	8	-	-	4
4	4	6	6	19	3	2	2	1	4	-	1	2
-	-	2	-	1	-	-	2	-	1	-	-	1
-	5	3	3	6	3	2	5	-	4	-	-	3
1	1	3	2	3	-	-	2	-	-	-	-	-
-	3	3	5	11	2	1	1	-	4	-	-	-
2	1	1	4	1	5	1	2	1	2	-	-	2

TABLE
Deaths by Ages, Sex

COUNTIES.	Under 1.	AGES.											Unknown.	
		1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.		100 and over.
Androscoggin, males.....	105	47	12	23	32	24	35	37	47	56	38	5	-	1
females.....	91	54	13	20	39	34	30	43	54	65	43	9	1	4
not stated.....	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Aroostook, males.....	128	40	7	20	28	17	16	18	39	44	25	1	-	-
females.....	104	53	16	21	28	34	18	26	29	27	16	4	1	2
not stated.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cumberland, males.....	175	73	19	34	65	67	43	80	118	138	96	13	-	3
females.....	138	67	21	36	67	69	62	75	110	129	111	16	-	1
not stated.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Franklin, males.....	27	10	3	7	6	4	10	14	16	38	20	3	-	2
females.....	15	15	6	7	9	5	11	17	18	18	24	6	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock, males.....	38	18	5	12	17	6	17	19	44	48	30	4	-	1
females.....	29	10	7	18	23	12	17	19	35	45	24	13	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec, males.....	59	29	14	18	34	37	37	50	91	84	60	9	1	8
females.....	77	25	10	23	36	43	47	31	75	89	74	9	-	3
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Knox, males.....	28	4	4	9	12	11	18	21	46	59	44	4	-	-
females.....	24	7	3	11	23	19	26	20	41	51	26	8	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln, males.....	9	8	4	6	6	4	9	12	24	33	21	3	-	1
females.....	16	7	5	8	10	4	7	5	18	36	33	3	-	-
not stated.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford, males.....	35	15	9	6	18	11	16	17	41	58	52	6	-	1
females.....	30	18	1	12	25	18	17	19	36	37	38	8	1	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot, males.....	93	37	7	20	39	32	38	55	87	92	57	6	-	3
females.....	68	36	7	36	44	34	37	47	82	94	57	14	1	3
not stated.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Piscataquis, males.....	15	9	7	5	9	5	10	10	16	21	10	-	-	2
females.....	16	7	3	14	14	7	8	6	11	18	7	4	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc, males.....	28	9	4	6	11	12	13	11	15	36	17	2	-	-
females.....	27	15	1	3	11	7	21	18	13	33	17	5	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset, males.....	29	13	9	7	18	12	10	18	27	49	39	3	1	2
females.....	19	11	7	13	18	15	24	23	42	45	16	6	1	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waldo, males.....	20	9	-	8	8	10	16	21	34	53	37	5	-	-
females.....	10	6	2	9	15	10	13	15	30	41	33	9	-	3
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington, males.....	89	29	10	20	32	15	17	33	30	48	38	5	-	1
females.....	71	28	5	13	27	22	22	29	31	47	33	5	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York, males.....	148	49	15	35	23	30	34	49	75	112	78	5	-	3
females.....	92	39	14	25	47	40	42	59	81	109	66	11	1	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Totals, males.....	1026	399	129	236	358	297	339	465	750	969	662	74	2	28
females.....	827	398	121	269	436	373	402	452	706	884	628	130	6	17
not stated.....	5	1	-	-	-	-	-	-	-	-	-	-	-	-
Grand total.....	1858	798	250	505	794	670	741	917	1456	1853	1290	204	8	45

No. 33.

and Months by Counties.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
34	47	41	37	43	34	32	60	39	21	30	40	1	462	-
44	36	29	46	35	40	34	57	42	57	30	50	-	500	-
-	1	-	-	-	-	-	-	-	-	-	-	-	1	963
25	40	41	30	40	29	26	34	42	29	21	26	-	333	-
27	22	37	41	48	22	32	35	34	30	27	24	-	379	-
-	-	-	-	-	-	-	1	-	-	-	-	-	1	763
66	77	101	96	79	66	95	90	75	45	62	72	-	924	-
71	62	86	94	93	55	74	70	81	78	68	70	-	902	-
-	1	-	-	-	-	-	1	-	-	-	-	-	2	1,828
12	12	15	17	11	13	13	17	12	18	11	9	-	160	-
15	8	15	18	19	11	14	10	10	2	11	12	-	151	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	311
23	20	14	26	31	21	19	25	27	27	17	19	-	259	-
22	14	21	26	34	13	16	19	27	18	24	18	-	252	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	511
43	47	44	57	62	35	33	32	53	46	39	40	-	531	-
47	44	51	64	49	44	35	37	54	43	31	40	3	542	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,073
18	18	19	39	31	12	20	27	26	20	13	17	-	260	-
17	18	30	28	31	26	20	18	12	20	25	13	1	259	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	519
12	15	14	18	14	7	6	8	19	7	8	12	-	140	-
15	12	12	24	13	12	10	11	12	12	11	8	-	152	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	298
25	24	23	29	19	27	20	27	23	24	27	17	-	285	-
17	18	20	30	18	18	24	18	27	22	25	23	-	260	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	545
43	42	52	50	57	37	41	64	47	52	38	41	2	566	-
43	33	65	65	54	41	29	42	48	47	32	61	-	560	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,127
13	9	10	6	10	11	5	8	13	12	12	10	-	119	-
11	10	11	17	14	8	8	14	9	7	9	7	-	125	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	244
12	8	14	17	16	10	14	24	15	8	11	14	1	164	-
14	9	17	15	17	11	15	21	16	5	18	13	-	171	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	335
17	22	16	20	23	26	19	21	27	17	11	24	-	237	-
13	18	19	31	22	18	24	18	15	28	16	24	-	241	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	478
24	24	24	24	23	11	16	17	15	17	19	7	-	221	-
14	15	31	21	22	13	15	9	8	17	15	13	-	196	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	417
27	26	43	24	23	32	26	39	48	41	18	25	-	367	-
30	30	35	25	31	27	26	24	34	35	17	19	-	333	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	700
63	47	74	83	46	35	37	68	70	52	42	39	-	656	-
46	49	68	78	50	31	40	72	55	48	36	50	-	626	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,282
457	478	548	573	518	460	422	561	551	436	374	412	4	5,734	-
446	401	547	623	550	393	417	470	484	475	395	444	4	5,649	-
-	2	-	-	-	-	-	2	2	-	-	-	-	6	-
903	881	1,095	1,196	1,068	793	839	1,033	1,037	911	769	856	8	11,389	11,389

TABLE No. 34.

Number of Deaths from Several Specified Causes of Each Sex, in Each Month, which were Registered during Nine Years, 1892-1900.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Cerebro-spinal meningitis.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
Totals	331	367	603	1,697	335	1,978	10,471	5,006	9,029	2,080	4,623
Males	154	181	272	821	180	1,110	4,516	-	4,393	980	2,210
Females	176	186	331	875	155	867	5,954	-	4,635	1,100	2,413
Not stated	1	-	-	1	-	1	1	-	1	-	-
January	30	28	58	186	31	135	914	50	1,590	280	443
February	23	28	41	150	34	116	831	45	1,222	239	400
March	36	40	51	106	28	148	1,016	59	1,269	274	407
April	34	34	38	108	42	107	995	74	1,175	232	396
May	50	33	43	124	25	110	1,022	69	868	209	389
June	36	32	57	91	26	103	896	130	447	128	341
July	39	17	53	104	29	87	861	736	199	101	328
August	19	17	69	90	25	162	797	1,727	180	72	393
September	9	27	58	126	25	280	767	1,415	266	98	382
October	22	32	45	189	36	321	813	532	434	145	374
November	19	43	46	206	20	221	726	105	557	137	352
December	14	36	43	215	14	184	827	62	817	165	417
Not stated	-	-	1	2	-	4	6	2	5	-	1

NOTES ON DEATHS AND THE CAUSES OF DEATHS.

Death-rates.—The number of deaths registered in the year 1900 was 11,389 (12,147 in 1892, 11,134 in 1893, 11,012 in 1894, 10,464 in 1895, 10,626 in 1896, 11,236 in 1897, 10,956 in 1898, and 11,370 in 1899). The number of deaths for this registration year was, therefore, 19 more than that for the year 1899, 433 more than for 1898, 153 more than for 1897, 763 more than for 1896, 925 more than for 1895, 377 more than for 1894, 255 more than for 1893, and 758 less than for 1892. The death-rate for the State for the year 1900 was 16.40 for every 1,000 of population, (18.37 in 1892, 16.84 in 1893, 16.66 in 1894, 15.83 in 1895, 16.07 in 1896, 16.99 in 1897, 16.57 in 1898, and 16.45 in 1899).

By referring to Table No. 4, it will be seen that the death-rate of Aroostook county was lower than that of any other county, being only 12.74. The counties Aroostook, Hancock, Lincoln, Penobscot, Piscataquis, Somerset, and Washington had lower death-rates than that of the whole State; while the counties Androscoggin, Cumberland, Franklin, Kennebec, Knox, Oxford, Sagadahoc, Waldo and York have death-rates larger than that of the State. The highest county death-rate was that of York, 19.76.

The death-rate in the cities was 18.34 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, 18.36 in 1895, 18.78 in 1896, 20.11 in 1897, 19.74 in 1898, and 18.10 in 1899) as compared with that of the rest of the State with the cities omitted, which death-rate was 15.47 (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, 14.77 in 1895, 14.93 in 1896, 15.68 in 1897, 15.24 in 1898, and 15.52 in 1899).

Seasons and Mortality.—The largest number of deaths occurred in April, 1,196. The smallest number of deaths in any one month was 769, in November. During the spring months 3,359 deaths occurred; during the summer, 2,665; during the autumn, 2,717; in the winter, 2,640. The following shows the month in which the largest and smallest number of deaths occurred in the years 1892-1900:

Largest Number.			Smallest Number.		
1892	January	1,577	November.....		790
1893	August.....	1,080	November.....		796
1894	January	1,266	November.....		761
1895	March	1,053	June		715
1896	August.....	1,073	November.....		667
1897	March	1,259	June		769
1898	September	1,147	June.....		791
1899	February	1,049	June		768
1900	April.....	1,196	November.....		769

The following is a tabular statement of the number of deaths in each quarter of the nine years 1892-1900:

	1st Quarter.	2d Quarter.	3rd Quarter.	4th Quarter.
1892.....	3,964	2,926	2,780	2,427
1893.....	2,653	2,825	2,878	2,750
1894.....	3,166	2,660	2,774	2,402
1895.....	2,780	2,412	2,764	2,503
1896.....	2,728	2,717	2,836	2,339
1897.....	3,026	2,681	2,856	2,671
1898.....	2,867	2,641	2,964	2,782
1899.....	3,416	2,632	2,767	2,544
1900.....	2,879	3,057	2,909	2,536

Table No. 29 exhibits the total number of deaths which occurred in each month of the years 1893-1900. The number of deaths for 1900 in each month by counties is shown in Table No. 33.

Sex and Mortality.—Of the 11,389 decedents, 5,734 were males and 5,649 were females. The sex of six was unstated.

Among children dying before they were 5 years old, 1,425 were males and 1,225 were females; there were 200 more deaths among boys under 5 years of age than among girls within the same age-period. On the contrary, at the age-periods from 10 to 50 years there was a preponderance of deaths among females, while there were more deaths among males at the ages from 50 to 90. At the age of 100 years and over, 8 persons died, 6 women and 2 men. See Table No. 33.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under 1	year of age	1,858	16.31 per cent.
From 1-5	years of age	798	7.00 per cent.
From 5-10	years of age	250	2.21 per cent.
From 10-20	years of age	505	4.43 per cent.
From 20-30	years of age	794	6.97 per cent.
From 30-40	years of age	670	5.88 per cent.
From 40-50	years of age	741	6.51 per cent.
From 50-60	years of age	917	8.05 per cent.
From 60-70	years of age	1,456	12.79 per cent.
From 70-80	years of age	1,853	16.27 per cent.
From 80-90	years of age	1,290	11.33 per cent.
From 90-100	years of age	204	1.79 per cent.
Over 100	years of age	8	0.07 per cent.
Ages not stated		45	0.39 per cent.

The Causes of Death.—The following table shows the mortality from ten prominent causes in the eight years 1893-1900. The various diseases of the brain have occupied the first place among the causes of death, and consumption was the next most prominent cause until 1898 when it was reduced to the third place in the list, in 1899 to the fourth place, and this year it occupies the same place. Diseases of the heart have the third place, and pneumonia has the second place.

MORTALITY FROM TEN PROMINENT CAUSES—1893-1900.

CAUSES OF DEATH.	1900.	1900.	1899.	1898.	1897.	1896.	1895.	1894.	1893.
Brain disease*.....	1,359	1	1	1	1	1	1	1	1
Pneumonia	1,067	2	2	4	4	4	4	3	3
Heart disease	1,045	3	3	2	3	3	3	4	4
Consumption	1,027	4	4	3	2	2	2	2	2
Old age.....	685	5	5	6	5	5	5	5	5
Infantile diarrhea.....	680	6	6	5	6	6	6	7	6
Cancer.....	626	7	7	7	7	7	7	6	7
Kidney disease†.....	515	8	8	8	8	8	8	8	8
Bronchitis	262	9	9	10	10	9	9	9	9
Diphtheria and croup....	155	10	10	9	9	10	10	10	10

* Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain, and its membranes ; and other brain diseases.

† Including deaths certified as from nephritis, Bright's disease, albuminuria and uremia.

By referring to Table No. 30, it will be noticed that the causes of death are arranged by counties under fourteen classes. The following notes on some of the classes and individual causes of death will be arranged in accordance with the classification shown in this Table No. 30.

Infectious Diseases.—The lists of the infectious diseases usually include smallpox, measles, scarlet fever, typhoid fever, whooping-cough, diphtheria and croup. The following table shows the number of deaths which resulted from these diseases in the several counties of the State.

SIX INFECTIOUS DISEASES BY COUNTIES—1900.

COUNTIES.	Population in 1900.	Aggregate deaths from six infectious diseases—1900.	Infectious death-rate per 10,000—1900.
Androscoggin	54,242	69	12.72
Aroostook	60,744	81	13.33
Cumberland	100,689	92	9.14
Franklin	18,444	19	10.30
Hancock	37,241	19	5.10
Kennebec	59,117	50	8.46
Knox	30,406	11	3.29
Lincoln	19,669	5	2.54
Oxford	32,238	26	8.07
Penobscot	76,246	38	4.98
Piscataquis	16,949	15	8.85
Sagadahoc	20,330	21	10.33
Somerset	33,849	22	6.50
Waldo	24,185	8	3.31
Washington	45,232	26	5.75
York	64,885	69	10.63
State	694,466	571	8.22

In the foregoing table the third column shows, for each county, the whole number of deaths in 1900 from the infectious diseases, the fourth column shows the infectious death-rate for the same year. The following table makes a similar comparative exhibit for the cities:

SIX INFECTIOUS DISEASES BY CITIES—1900.

CITIES.	Population in 1900.	Aggregate deaths from six infectious diseases—1900.	Infectious death-rate per 10,000—1900.
Auburn	12,961	8	6.17
Augusta	11,683	7	5.99
Bangor	21,850	7	3.20
Bath	10,477	10	9.54
Belfast	4,615	1	2.17
Biddeford	16,145	28	17.34
Brewer	4,835	3	6.20
Calais	7,655	5	6.53
Eastport	5,311	6	11.29
Ellsworth	4,297	2	4.65
Gardiner	5,501	2	3.64
Hallowell	2,714	-	-
Lewiston	23,761	37	15.57
Old Town	5,763	3	5.21
Portland	50,145	49	9.77
Rockland	8,150	3	3.68
Saco	6,122	10	16.33
South Portland	6,287	-	-
Waterville	9,477	5	5.28
Westbrook	7,283	12	16.48
Collectively.....	225,022	198	8.80

By consulting the following table it will be seen that the number of deaths from measles, whooping-cough, and diphtheria was larger than in 1889; from typhoid fever there was only one more death. There was a less number of deaths from influenza (grippe), scarlet fever, and cerebro-spinal meningitis than last year.

INFECTIOUS DISEASES—1893-1900.

DISEASES.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	Total.
Smallpox.....	-	-	-	-	-	-	3	2	5
Chickenpox	1	-	1	-	-	-	-	1	3
Measles	55	21	8	32	22	41	39	84	302
Rotheln (German measles).....	-	-	1	2	-	-	-	1	4
Scarlet fever.....	80	29	25	33	38	43	48	35	331
Influenza (Grippe).....	153	295	152	117	294	145	380	236	1,772
Whooping cough	51	20	82	111	46	44	96	99	549
Mumps.	-	-	1	-	-	3	1	-	5
Diphtheria	69	77	135	109	200	185	92	155	1,022
Croup.....	83	62	62	65	76	55	60	-	463
Cerebro-spinal meningitis.....	30	34	29	33	36	43	50	42	297
Tetanus	10	6	10	8	2	4	11	7	58
Typhoid fever	257	258	185	186	151	216	195	196	1,644
Malarial diseases.....	5	8	10	12	7	8	10	13	73

Smallpox.—Two deaths occurred from smallpox in Portland. This is the second year since the registration act went into effect in which deaths have occurred from this cause.

Ages: 50-60, 1; unknown, 1.

Measles.—This disease caused the death of 84 persons, of whom 42 were males, and 42 were females. The deaths from measles were 29 in 1892, 55 in 1893, 21 in 1894, 8 in 1895, 32 in 1896, 22 in 1897, 41 in 1898, and 39 in 1899.

MEASLES BY COUNTIES, MONTHS, AND AGE-PERIODS—1896-1900.

BY COUNTIES.		By months.		By age-periods.	
Androscoggin	21	January	16	Under 1.....	64
Aroostook	42	February.....	17	1-5.....	84
Cumberland	22	March	16	5-10.....	18
Franklin	5	April	18	10-20.....	15
Hancock	10	May	34	20-30.....	12
Kennebec.....	18	June	26	30-40.....	7
Knox	2	July	28	40-50.....	7
Lincoln	3	August	14	50-60.....	2
Oxford	10	September.....	7	Over 60	8
Penobscot	24	October.....	18	Not stated.....	1
Piscataquis.....	9	November.....	15	Total.....	218
Sagadahoc	5	December.....	9		
Somerset	18	Total	218		
Waldo.....	5				
Washington	5				
York	19				
State	218				

Scarlet Fever.—The total mortality from this disease was 35 (36 in 1892, 80 in 1893, 29 in 1894, 25 in 1895, 33 in 1896, 38 in 1897, 43 in 1898, and 48 in 1899), 18 males and 17 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was six in November. There were 9 deaths in the first quarter, 11 in the second, 5 in the third, and 10 in the last three months of the year. Aroostook county had 9 deaths from scarlet fever; Cumberland, Piscataquis and York had 4 each; Androscoggin and Penobscot had 3 each; Kennebec, Sagadahoc and Washington had 2 each; and Knox and Waldo had 1 each. In 5 counties no deaths occurred from this disease. Of the 35 deaths from this cause, 9 were in the cities.

The following is the exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the eight years 1893-1900.

**SCARLET FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS
—1893-1900.**

By COUNTIES.		By months.		By age-periods.	
Androscoggin	23	January	22	Under 1.	30
Aroostook	53	February	23	1-5.	153
Cumberland	39	March	35	5-10.	101
Franklin	6	April	29	10-20.	34
Hancock	14	May	29	20-30.	9
Kennebec	27	June	29	30-40.	2
Knox	21	July.....	17	40-50.	1
Lincoln	1	August	17	Not stated.....	1
Oxford	2	September . . .	26	Total.....	331
Penobscot.....	33	October.....	30		
Piscataquis	8	November	40		
Sagadahoc	10	December.....	34		
Somerset.....	10	Total	331		
Waldo	13				
Washington	16				
York	55				
State	331				

The scarlatinal death-rate per 10,000 for this State was 0.50; for the cities, 0.40.

Grippe.—During the year for which this report is made, 236 deaths were attributed to grippe. By months the percentage distribution of deaths from this cause was as follows: January, 4.24; February, 8.05; March, 14.83; April, 37.71; May, 15.68; June, 5.93; July 1.27; August, 3.39; September, 0.85; October, 2.54; November, 1.27; December, 3.39, and not stated, 0.85. The following shows the age incidence of deaths reported as having occurred from grippe:

Under 1 year,	27	50-60 years,	14
1-5 years,	8	60-70 years,	32
5-10 years,	1	70-80 years,	62
10-20 years,	3	Over 80 years,	76
20-30 years,	3	Not stated,	1
30-40 years,	4		
40-50 years,	5	Total,	236

The gripe death-rate for the whole State was 3.40 for each 10,000 of living population (11.43 in 1892, 2.31 in 1893, 4.46 in 1894, 2.30 in 1895, 1.77 in 1896, 4.45 in 1897, 2.19 in 1898, and 5.50 in 1899).

DEATHS FROM GRIPPE BY COUNTIES AND MONTHS—1900.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	1	1	1	6	3	1	-	-	-	-	-	1	-	14
Aroostook	1	6	2	4	2	2	2	4	1	3	-	1	-	28
Cumberland	3	2	7	14	6	4	-	-	-	1	-	2	-	39
Franklin	-	-	1	2	1	-	-	1	-	-	-	1	-	6
Hancock	-	-	-	3	2	1	-	-	-	-	-	-	-	6
Kennebec	-	-	3	7	2	-	-	1	-	1	-	-	-	14
Knox	-	1	3	4	3	-	-	-	-	-	-	-	-	11
Lincoln	-	1	1	3	2	-	-	-	-	-	-	-	-	7
Oxford	-	-	3	4	4	1	-	1	-	1	1	-	-	15
Penobscot	-	4	1	4	1	-	-	-	-	-	1	1	-	12
Piscataquis	1	3	-	1	-	1	-	-	-	-	-	-	-	6
Sagadahoc	-	-	-	2	3	-	-	-	-	-	1	-	-	6
Somerset	-	-	-	4	1	2	1	-	1	-	-	-	-	9
Waldo	-	-	2	6	4	-	-	1	-	-	-	1	-	14
Washington	3	-	1	-	2	-	-	-	-	-	-	-	2	8
York	1	1	10	25	1	2	-	-	-	-	-	1	-	41
State	10	19	35	89	37	14	3	8	2	6	3	8	2	236

Whooping-Cough.—The number of deaths from whooping-cough was 99 (54 in 1892, 51 in 1893, 20 in 1894, 82 in 1895, 111 in 1896, 46 in 1897, 44 in 1898, and 96 in 1899), of which 39 were males and 60 were females. The number of deaths in the cities was 32. Sixty-one of the 99 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping-cough was 1.42 per 10,000; that of the cities, 1.42.

The following shows the deaths from whooping-cough arranged by counties, months, and age-periods:

**WHOOPIING-COUGH BY COUNTIES, MONTHS, AND AGE-PERIODS
1900.**

BY COUNTIES.		By months.		By age-periods.	
Androscoggin	7	January	8	Under 1.....	62
Aroostook	28	February	5	1-5.....	33
Cumberland	15	March	9	5-10.....	3
Franklin	3	April	7	Over 80.....	1
Hancock	-	May	6	Total	99
Kennebec	16	June	11		
Knox...	-	July	16		
Lincoln	1	August	15		
Oxford	3	September	4		
Penobscot	-	October	10		
Piscataquis.....	-	November.....	4		
Sagadahoc	10	December	4		
Somerset	1	Total	99		
Waldo	2				
Washington	8				
York	5				
State	99				

Diphtheria.—There were, for the year 1900, 155 deaths from diphtheria (106 in 1892, 69 in 1893, 77 in 1894, 135 in 1895, 109 in 1896, 200 in 1897, 185 in 1898, and 92 in 1899). Of the decedents, 77 were males and 78 were females.

Ages: Under 1, 17; 1-5, 76; 5-10, 36; 10-20, 18; 20-30, 3; 30-40, 1; 40-50, 1; 50-60, 2; over 60, 1.

Of the 155 deaths, 66 were in the cities, and 89 in other places. The diphtheria death-rate for the State was 1.28; and for the cities, 2.93.

The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

DIPHTHERIA BY COUNTIES AND MONTHS—1900.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death rate per 10,000.
Androscoggin	5	5	1	-	4	2	2	1	-	2	3	3	28	5.16
Aroostook	-	-	1	-	1	-	1	-	5	1	-	5	14	2.30
Cumberland	10	4	3	2	2	4	3	-	2	4	3	4	41	4.07
Franklin	1	-	1	-	1	-	-	1	-	-	1	-	5	3.71
Hancock	-	-	-	-	-	-	-	-	-	2	4	-	6	1.61
Kennebec.....	-	1	-	-	4	2	-	-	2	1	2	2	14	2.37
Knox	1	2	-	-	-	-	-	1	-	-	-	-	4	1.32
Lincoln	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	-	-	-	-	-	-	-	3	-	1	2	-	6	1.86
Penobscot	-	-	-	-	1	-	-	-	1	-	1	2	5	0.66
Piscataquis	-	-	-	1	-	-	-	-	-	-	-	-	1	0.59
Sagadahoc	-	-	1	-	-	-	-	-	-	1	1	-	3	1.48
Somerset	-	-	-	1	-	-	-	-	-	-	-	-	1	0.29
Waldo	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington	2	-	-	-	-	-	-	-	2	-	-	-	4	0.88
York	4	1	2	-	-	-	-	2	1	2	6	5	23	3.54
State	23	13	9	4	13	8	6	8	13	14	23	21	155	2.23

The following tabulation shows the number of deaths from diphtheria for the eight years 1893-1900, arranged by counties, months, and age-periods:

**DIPHTHERIA BY COUNTIES, MONTHS AND AGE-PERIODS—
1893-1900.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin 222	January 166	Under 1. 224
Arroostook 271	February 136	1-5. 688
Cumberland 310	March 93	5-10. 351
Franklin 32	April 94	10-20. 151
Hancock 35	May. 103	20-30. 30
Kennebec 141	June 71	30-40. 17
Knox 79	July 91	40-50. 9
Lincoln 12	August. 80	50-60. 5
Oxford 25	September 107	60-70. 4
Penobscot 78	October 164	Over 70. 3
Piscataquis 9	November 188	Not Stated. 3
Sagadahoc 27	December 190	Total 1,485
Somerset 35	Not stated 2	
Waldo 21	Total. 1,485	
Washington 52		
York 136		
State 1,485		

Cerebro-Spinal Meningitis.—The number of decedents was 42 (38 in 1892, 30 in 1893, 34 in 1894, 29 in 1895, 33 in 1896, 36 in 1897, 43 in 1898, and 50 in 1899)—27 males and 15 females. Sixteen of these deaths were in the cities. Deaths from this cause occurred in every month except December. Distributed by quarters, they were 10, 14, 10, 8. The death-rate from this disease was 0.61.

The distribution of deaths from cerebro-spinal meningitis by counties, months, and age-periods is shown in the following:

CEREBRO-SPINAL MENINGITIS BY COUNTIES, MONTHS, AND AGE-PERIODS—1900.

By COUNTIES.	By months.	By age-periods.
Androscoggin 5	January 4	Under 1..... 8
Aroostook -	February 3	1-5 16
Cumberland 5	March 3	5-10... .. . 4
Franklin 1	April 5	10-20. 6
Hancock 2	May 5	20-30..... . 3
Kennebec..... . . . 7	June..... . . . 4	30-40..... . 1
Knox..... 3	July 5	40-50. 3
Lincoln -	August..... . 2	50-60..... . -
Oxford 5	September 3	Over 60 1
Penobscot 6	October 6	Total 42
Piscataquis 1	November..... . 2	
Sagadahoc -	December..... . -	
Somerset..... . . . 1	Total 42	
Waldo.. -		
Washington 3		
York 3		
State 42		

Typhoid Fever.—There were 196 deaths from typhoid fever. Of these, 114 were of males and 82 of females. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value,—81 per cent, just the same as last year, died between 10 and 50 years of age.

Ages: 1-5, 8; 5-10, 9; 10-20, 56; 20-30, 49; 30-40, 28; 40-50, 26; 50-60, 10; 60-70, 6; 70-80 2; over 80, 1; not stated, 1.

The largest number of deaths, 30, occurred in October, and the smallest number, 6, in May. By quarters, 43 were in the first quarter, 22 in the second, 55 in the third, and 76 in the last quarter of the year.

The typhoid death-rate of 3.64 in the cities is considerably greater than that in the villages and rural towns, which is 2.43. The rate for the State is 2.82.

The following exhibits the number of deaths from typhoid fever in each county by months, with death-rate in each county:

TYPHOID FEVER—1900.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	2	3	-	3	-	-	3	2	4	5	3	3	28	5.16
Aroostook	-	-	1	-	1	1	-	3	2	3	5	-	16	2.63
Cumberland	1	3	1	-	1	-	1	2	-	5	5	6	25	2.48
Franklin	-	1	-	-	-	1	1	-	1	-	-	2	6	3.25
Hancock	1	1	-	-	-	-	-	1	2	2	1	1	9	2.41
Kennebec	-	-	-	-	-	-	1	1	3	2	-	4	11	1.86
Knox	-	-	-	-	-	-	-	-	2	1	-	1	4	1.32
Lincoln	-	-	-	-	1	-	1	1	-	-	-	-	3	1.53
Oxford	2	-	-	-	-	1	1	-	3	5	2	-	14	4.34
Penobscot	2	1	2	1	2	2	-	3	4	3	1	3	24	3.15
Piscataquis	1	1	-	-	-	-	-	1	1	-	-	-	4	2.36
Sagadahoc	-	-	1	-	-	2	-	-	2	-	-	-	5	2.46
Somerset	-	1	-	-	-	-	-	-	1	2	-	-	4	1.18
Waldo	1	-	2	-	-	-	-	-	-	-	1	-	4	1.65
Washington	1	1	1	1	1	-	-	2	1	1	1	-	10	2.21
York	3	4	5	2	-	2	-	2	3	1	3	4	28	4.47
State	14	16	13	7	6	9	8	18	29	30	22	24	196	2.82

The following exhibits for the eight years 1893-1900, the distribution of deaths from typhoid fever by counties, months, and age-periods:

**TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS
—1893-1900.**

BY COUNTIES.	By months.		By age-periods.		
Androscoggin	208	January	125	Under 1.....	12
Aroostook	151	February.....	113	1-5	77
Cumberland	263	March	136	5-10.....	88
Franklin	54	April	103	10-20.....	410
Hancock	77	May.....	97	20-30.....	538
Kennebec	161	June	92	30-40.....	244
Knox	44	July.....	79	40-50.....	157
Lincoln	38	August	147	50-60.....	97
Oxford	82	September..	240	60-70.....	68
Penobscot	233	October.....	279	70-80.....	48
Piscataquis	27	November	182	Over 80	14
Sagadahoc.....	31	December.....	171	Not stated....	15
Somerset	64	Not stated.....	4	Total	1,768
Waldo	38	Total	1,768		
Washington	101				
York	196				
State.....	1,768				

Malarial Diseases.—Thirteen deaths were registered as due to malarial diseases. In five cases the disease was contracted outside of this State, four of the persons having contracted the disease in the war of the rebellion: one probably in the war with Spain; and the ages of five others indicate a probability that the disease was referable to the Civil War. All of the decedents but one were males; their respective ages were: 10-20, 1; 30-40, 1; 50-60, 3; 60-70, 6; 70-80, 2.

Tuberculosis.—In 1900, tuberculosis in its various forms was the cause of 1,215 deaths (1,513 in 1892, 1,446 in 1893, 1,449 in 1894, 1,397 in 1895, 1,359 in 1896, 1,338 in 1897, 1,239 in 1898, and 1,241 in 1899). The death-rate per 10,000 from this cause was 17.50.

Cerebral Tuberculosis. (Tubercular Meningitis).—The number of deaths was 76; 36 were of males and 40 of females.

The number in the cities was 32. The death-rate for the State was 1.09; for the cities, 1.42.

Ages: Under 1, 14; 1-5, 31; 5-10, 13; 10-20, 7; 20-30, 6; 30-40, 3; 40-50, 1; over 60, 1.

Pulmonary Tuberculosis. (Consumption).—From this cause 1,027 deaths were registered in 1900, which is equivalent to a death-rate of 14.79 per 10,000 of population. The death-rate for the cities was 16.49. The following tabular arrangement of the number of deaths in the State from pulmonary tuberculosis in each of the nine registration years, together with the death-rate from consumption for each year, is a very encouraging exhibit.

	Number of deaths.	Death-rate per 10,000.
1892.....	1,352.....	20.24
1893.....	1,299.....	19.35
1894.....	1,262.....	18.80
1895.....	1,195.....	17.71
1896.....	1,172.....	17.21
1897.....	1,128.....	16.47
1898.....	1,021.....	14.85
1899.....	1,015.....	14.69
1900.....	1,027.....	14.79

There were in 1900, 325 fewer deaths than in 1892, 272 fewer than in 1893, 235 fewer than in 1894, 168 fewer than in 1895, 145 fewer than in 1896, 101 fewer than in 1897, 6 more than in 1898, and 12 more than in 1899.

Ages: Under 1, 14; 1-5, 22; 5-10, 11; 10-20, 120; 20-30, 298; 30-40, 196; 40-50, 130; 50-60 93; 60-70, 63; 70-80, 54; 80-90, 19; not stated, 7.

It is thus shown in this report, as it was in the eight preceding reports, that the smallest number of deaths occurred at the age-period 5-10 years, and that, of the decedents whose ages were given, 82 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 448 of the decedents, or 43.6 per cent., were males; and 579, or 56.4 per cent., were females.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

CONSUMPTION BY COUNTIES AND MONTHS—1900.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	2	6	9	9	9	8	6	7	8	2	7	5	78	14.38
Aroostook	6	5	6	2	14	6	4	5	3	6	6	1	64	10.54
Cumberland	17	9	15	15	19	11	10	1	18	8	9	10	142	14.10
Franklin	1	3	2	2	1	3	2	2	1	1	3	1	22	11.93
Hancock	7	3	4	6	5	9	3	7	6	8	4	5	67	17.99
Kennebec	5	5	14	16	10	7	8	5	11	9	5	7	102	17.25
Knox ..	1	6	8	7	7	4	6	4	5	3	7	-	58	19.08
Lincoln	3	-	5	3	2	-	2	-	3	-	3	3	24	12.20
Oxford	4	2	2	5	5	4	3	1	1	3	5	3	38	11.79
Penobscot	7	4	11	16	11	15	7	9	7	6	6	12	111	14.56
Piscataquis	-	-	1	-	3	3	1	2	1	2	2	2	17	10.03
Sagadahoc ..	3	-	3	5	4	1	2	4	3	2	1	5	33	16.23
Somerset ..	2	4	4	8	6	4	9	3	2	1	3	6	52	15.36
Waldo	7	6	2	3	7	4	1	1	2	3	2	4	42	17.37
Washington ..	9	4	14	3	10	9	9	4	4	5	3	3	77	17.02
York	8	6	18	10	10	12	10	4	7	3	6	6	100	15.41
State	82	63	118	110	123	100	83	59	82	62	72	73	1,027	14.79

The following table shows the deaths from pulmonary tuberculosis arranged according to sex and age-periods.

CONSUMPTION BY SEX AND AGE-PERIODS—1900.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Totals.
Males ..	6	10	3	46	100	92	60	55	33	28	10	5	448
Females	8	12	8	74	198	104	70	38	30	26	9	2	579
Totals	14	22	11	120	298	196	130	93	63	54	19	7	1,027

For the eight years, 1893-1900, the distribution of deaths from pulmonary tuberculosis is shown by counties, months, and age-periods in the following table:

CONSUMPTION BY COUNTIES, MONTHS, AND AGE-PERIODS
—1893-1900.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 721	January 769	Under 1..... 141
Aroostook 566	February 724	1-5..... 132
Cumberland 1,291	March 886	5-10..... 84
Franklin 240	April 868	10-20 1,114
Hancock 510	May 890	20-30..... 2,688
Kennebec..... 829	June 782	30-40... 1,718
Knox 480	July 759	40-50..... 1,042
Lincoln. 258	August 692	50-60..... 800
Oxford 338	September..... 669	60-70..... 694
Penobscot 1,038	October 688	70-80..... 506
Piscataquis..... 193	November..... 650	80 and over..... 155
Sagadahoe 254	December..... 736	Not stated..... 45
Somerset..... 464	Not stated... 6	Total..... 9,119
Waldo..... 396	Total..... 9,119	
Washington 680		
York 861		
State 9,119		

Tuberculosis Mesenteric.—There were 49 deaths from this cause, 18 males and 31 females.

Ages: Under 1, 5; 1-5, 3; 5-10, 2; 10-20, 7; 20-40, 17; 40-60, 8; over 60, 7.

Tuberculosis, Other Forms.—Of these deaths, 63 in all, the cause assigned was: tuberculosis or general tuberculosis, 37; tuberculosis of larynx, 7; spinal tuberculosis, 1; tuberculosis of liver, 5; lupus, 2; tuberculosis of kidneys, 8; psoas abscess, 2; tuberculosis of hip joint, 1.

There were 22 deaths from erysipelas; 26 from pyemia and septicemia; and 29 from puerperal fever,—giving a special death-rate of 1.11. The following shows the distribution of puerperal fever by months and counties:

January.....	1	Androscoggin	2
February.....	1	Aroostook	6
March.....	6	Cumberland	3
April.....	4	Franklin	1
May.....	6	Hancock	1
June.....	2	Kennebec	2
July.....	3	Knox	2
August.....		Lincoln	
September.....	1	Oxford	1
October.....	2	Penobscot	2
November.....	2	Piscataquis	1
December.....	1	Sagadahoc	1
	—	Somerset	2
Total.....	29	Waldo	1
		Washington	2
		York	2
		—	
		Total	29

Fifteen deaths were returned under alcoholism. The special death-rate from alcoholism was 0.21.

Rheumatism.—The returns give 56 deaths from this cause (68 in 1892, 46 in 1893, 66 in 1894, 56 in 1895, 44 in 1896, 42 in 1897, 57 in 1898, and 56 in 1899),—29 males and 27 females. Sixteen of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.81, while that in the cities was lower, 0.71. The following shows the deaths from this cause arranged by counties, months, and age-groups:

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS—1900.

BY COUNTIES.		By months.		By age-periods.	
Androscoggin	3	January	3	Under 1.	-
Aroostook	-	February	6	1-5.	-
Cumberland	10	March	8	5-10.	1
Franklin	-	April	4	10-20.	2
Hancock	4	May	6	20-30.	3
Kennebec	4	June	-	30-40.	3
Knox	2	July	7	40-50.	5
Lincoln	4	August	4	50-60.	11
Oxford	6	September	2	60-70.	20
Penobscot	6	October	2	70-80	8
Piscataquis	-	November	4	Over 80	3
Sagadahoc	1	December	10	Total	56
Somerset	4	Total	56		
Waldo	4				
Washington	5				
York	3				
State	56				

The following shows the distribution of deaths from rheumatism by counties, months and age-groups for the eight years 1893-1900.

**RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS
—1893-1900.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin 23	January 40	Under 1..... 1
Aroostook 28	February 41	1-5..... 3
Cumberland 64	March 44	5-10..... 11
Franklin 5	April 32	10-20..... 31
Hancock 22	May..... 44	20-30..... 32
Kennebec 39	June 24	30-40..... 27
Knox 16	July..... 32	40-50..... 33
Lincoln 15	August 38	50-60..... 71
Oxford 29	September 17	60-70..... 98
Penobscot 50	October..... 35	70-80..... 81
Piscataquis 8	November..... 33	Over 80 34
Sagadahoc 14	December.. 42	Not stated..... 2
Somerset..... 22	Not stated..... 2	Total 424
Waldo 18	Total..... 424	
Washington 25		
York 46		
State 424		

Cancer.—From cancer in its various forms and locations, there were 526 deaths (404 in 1892, 433 in 1893, 474 in 1894, 480 in 1895, 518 in 1896, 463 in 1897, 531 in 1898, and 541 in 1899). Of the decedents, 188 were males and 338 females. The cancer death-rate for the State, was, therefore, 7.57.

Distributed as to its more frequent locations, there died of cancer of the stomach, 144; liver, 64; breast, 45; abdominal and intestinal, 38; rectum, 18; uterus, 74; skin, 18; mouth, 14; neck, 7; throat, 9; kidneys, 5; eye, 4; lung, 3; arm, 2; thigh, 2; various, 49; parts unspecified, 30.

The deaths from cancer arranged by sex and age-periods of the decedents is exhibited in the following:

CANCER BY SEX AND AGE-PERIODS—1900.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
	Males	-	-	2	-	5	1	12	24	59	59	26	-
Females	1	2	1	1	6	22	41	88	85	60	30	1	338
Totals.....	1	2	3	1	11	23	53	112	144	119	56	1	526

The distribution of cancer by counties and age-groups, and the special death-rate for each county are shown in the following for 1900, and for the eight years 1893-1900.

CANCER—1900 AND 1893-1900.

COUNTIES.	1899.		1893-1900.		AGE-GROUPS.	NUMBER OF DEATHS.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.		1900.	1893-1900.
Androscoggin	42	7.74	307	7.63	Under 1 year.....	1	4
Aroostook	22	3.62	138	3.27	From 1 to 5 years...	2	8
Cumberland	89	8.84	693	9.31	“ 5 to 10 “ ...	3	7
Franklin	19	10.30	127	9.14	“ 10 to 20 “ ...	1	18
Hancock	27	7.25	201	7.13	“ 20 to 30 “ ...	11	59
Kennebec	40	6.77	355	7.72	“ 30 to 40 “ ...	18	204
Knox	23	7.56	198	7.93	“ 40 to 50 “ ...	58	492
Lincoln	17	8.64	151	8.75	“ 50 to 60 “ ...	112	855
Oxford	21	6.51	180	7.25	“ 60 to 70 “ ...	145	1,049
Penobscot	65	8.53	395	6.68	“ 70 to 80 “ ...	118	893
Piscataquis.....	7	4.13	79	6.05	Over 80 years.....	56	354
Sagadahoc	17	8.36	119	7.57	Not stated.....	1	23
Somerset.....	31	9.16	218	8.27	Total	526	3,966
Waldo	24	9.92	170	7.93			
Washington	29	6.41	218	6.10			
York	53	8.17	417	8.24			
State	526	7.57	3,966	7.41			

Diabetes.—The deaths from this cause numbered 74 (55 in 1892, 65 in 1893, 71 in 1894, 77 in 1895, 67 in 1896, 95 in 1897, 88 in 1898, and 95 in 1899). The special death-rate from diabetes was, therefore, 1.07 in 1900. Thirty-six of the decedents were males and 38 were females.

Ages: 5-10, 1; 10-20, 11; 20-30, 8; 30-40, 7; 40-50, 8; 50-60, 10; 60-70, 21; 70-80, 8.

Old Age.—There were registered 685 deaths as due to old age, 338 men and 347 women. Of these decedents, 151 were between 70-80 years of age; 408 were from 80 to 90; 117 were from 90 to 100; while 8 were over 100 years old; and the age of one was unknown.

From Table No. 33, however, it will be seen that the whole number of persons who died at the ages between 70 and 100 years or more was 3,355 (3,801 in 1892, 3,147 in 1893, 3,242 in 1894, 2,897 in 1895, 3,045 in 1896, 3,232 in 1897, 3,109 in 1898, and 3,378 in 1899), or one death in every three and two-fifths was of a person who was between 70 and 100 years of age or older. Assuming that all these 3,355 died of old age, the death-rate from old age would be 48.31 among every 10,000 living at all ages.

The following shows the number of deaths in each county of persons 70 years of age and over, and the number of their deaths in each 10,000 of the population at all ages.

OLD AGE—1900.

COUNTIES.	Deaths.	Rate per 10,000.	COUNTIES.	Deaths.	Rate per 10,000.
Androscoggin	217	40.00	Oxford	200	62.04
Aroostook	118	19.43	Penobscot	321	42.10
Cumberland	503	49.96	Piscataquis	70	41.30
Franklin	109	59.10	Sagadahoc	110	54.11
Hancock	164	44.04	Somerset	160	47.27
Kennebec	326	55.14	Waldo	178	73.60
Knox	192	63.15	Washington	176	38.91
Lincoln	129	65.69	York	382	58.87

Centenarians.—Among the persons whose decease occurred in 1900, eight had exceeded the age of 100 years. Six of these persons were women and two were men. Their names together with a few facts relating to the life history of each, are as follows:

Dec. 19, Polly Collins died at Mars Hill at the age of 105 years, 2 months, and 6 days. She was born in New Brunswick. Her father, James Dyer, and her mother whose maiden name was Margaret Greer, were both natives of New Brunswick.

May 15, Lucy Davis died at Auburn at the age of 105 years. She was born in Lisbon. Her father, Z. Jordan, was also born in Lisbon. The birthplace of her mother, whose maiden name was Turner, was not known.

Mar. 29, Charlotte Hargraves died at North Shapleigh at the age of 100 years, 11 months, and 7 days. She was born in Amesbury, Mass. Her father's name was Oliver Blaisdell. The maiden name of her mother was Abigail Downs. Parentage was not given.

Nov. 23, George Kendall died at Fairfield at the age of 100 years, 6 months, and 23 days. He was born in Fairfield, as was also his mother, Abigail Chase. His father, Wm. Kendall, was born in Woolwich.

Oct. 18, Abigail Church died at New Portland, at the age of 100 years, 6 months, and 5 days. She was born in Poland, as were also her parents, John and Abigail Knights.

Feb. 5, Hildah Bisbee died at Woodstock, at the age of 100 years and five days. She was born in Belfast. Her father's name was Allen Hall. The maiden name of her mother was Maria Lion. Both her parents were born in New Brunswick.

Feb. 25, Mary O'Leary died at Bangor, at the age of 100 years. She was born in Ireland. Her father's name was Timothy Cochran. Her mother's maiden name was Mary Lymes. Her parents were both born in Ireland.

Oct. 6, Marshall King died at Waterville, at the age of 100 years. He was born in Canada. No facts are known concerning his parents.

Diseases of the Nervous System and of Organs of Special Sense.—The number of deaths registered under the causes included in this group was 1,652 (1,459 in 1892, 1,451 in 1893, 1,543 in 1894, 1,585 in 1895, 1,520 in 1896, 1,661 in 1897, 1,607 in 1898, and 1,728 in 1899), or 23.79 to every 10,000 of population.

Inflammation of the Brain or Membranes.—The number of deaths was 251 (236 in 1892, 263 in 1893, 286 in 1894, 261 in 1895, 242 in 1896, 327 in 1897, 272 in 1898, and 273 in 1899),—107 males and 143 females, and 1, not stated. Of these 136 were in the cities. The death-rate from the several diseases grouped under this head was 3.61.

Ages: Under 1, 83; 1-5, 70; 5-10, 20; 10-20, 15; 20-40, 19; 40-60, 18; over 60, 24; not stated, 2.

Apoplexy.—From this cause 583 deaths occurred (488 in 1892, 422 in 1893, 408 in 1894, 488 in 1895, 492 in 1896, 555 in 1897, 558 in 1898, and 629 in 1899),—254 males and 329 females. Of these 177 were in the cities. The State's death-rate from apoplexy was, therefore, 8.39; that of the cities, 7.86.

The largest number of deaths from apoplexy, 162 occurred in the spring; the largest number in any one month was 64 in April.

In 1894 and 1896, the greatest mortality from this cause occurred in the spring; in 1892, 1893, 1895, 1897, in the winter; in 1898, in the winter and spring; and in 1899, in the winter.

Conversely, the smallest number of deaths, 35, was in May; the smallest number in any one season was 134 in the winter months. Over 77 per cent. of the deaths were of persons 60 years of age and upward.

APOPLEXY BY COUNTIES AND MONTHS—1900.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
	Androscoggin	4	3	2	6	-	7	4	7	4	4	6	3	
Aroostook	1	1	-	2	4	-	4	1	2	1	-	1	17	2.80
Cumberland	7	9	9	15	13	8	7	7	10	6	6	9	106	10.53
Franklin	1	-	-	-	-	1	4	1	-	1	-	2	10	5.42
Hancock	1	1	3	2	1	2	1	5	1	1	6	1	25	6.71
Kennebec	7	3	7	8	3	5	1	2	4	7	3	5	55	9.30
Knox	2	2	5	3	2	2	4	1	4	-	1	4	30	9.87
Lincoln	1	-	2	2	1	1	1	2	3	3	1	2	19	9.66
Oxford	4	1	5	3	3	1	5	3	5	2	-	-	32	9.93
Penobscot	5	2	10	10	1	-	5	6	6	7	4	7	63	8.26
Piscataquis	2	-	-	1	1	4	-	1	2	1	-	1	13	7.67
Sagadahoc	2	2	2	1	1	-	-	1	1	1	-	-	11	5.41
Somerset	1	1	3	2	-	4	1	5	5	2	3	3	30	8.86
Waldo	4	1	3	2	-	2	5	5	-	2	3	2	29	11.99
Washington	1	5	4	1	-	-	3	-	3	1	-	-	18	3.98
York	5	8	8	6	5	2	6	5	9	9	5	7	75	11.56
State	48	39	63	64	35	39	51	52	59	48	38	47	583	8.39

The following is a tabular exhibit, by sex and age-groups, of the deaths from apoplexy.

APOPLEXY BY SEX AND AGE-PERIODS—1900.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Totals.
	Males	2	2	1	2	7	4	13	31	59	88	42	1
Females	1	3	1	1	2	10	13	37	75	122	64	2	331
Total	3	5	2	3	9	14	26	68	134	210	106	3	583

APOPLEXY, 1900, AND 1893—1900.

COUNTIES.	1900.		1893-1900.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Death-rate per 10,000.
Androscoggin	50	9.22	351	8.08
Aroostook	17	2.80	93	1.91
Cumberland.....	106	10.53	767	9.52
Franklin.....	10	5.42	111	7.52
Hancock.....	25	6.71	184	6.18
Kennebec	55	9.30	406	8.58
Knox	30	9.87	179	7.36
Lincoln	19	9.66	138	8.77
Oxford.....	32	9.93	213	8.25
Penobscot.....	63	8.26	384	6.30
Piscataquis	13	7.67	65	4.79
Sagadahoc.....	11	5.41	142	8.73
Somerset	30	8.86	218	8.05
Waldo	29	11.99	182	9.41
Washington	18	3.98	199	5.50
York	75	11.56	503	9.69
State.....	583	8.39	4,135	7.44

Softening of the Brain.—From cerebral softening there were 51 deaths,—those of 25 males and 26 females.

Ages: 40-50, 1; 50-60, 4; 60-70, 14; 70-80, 18; over 80, 13; not stated, 1.

Paralysis.—Of the 270 deaths from paralysis, 118 persons were males and 152 were females.

Ages: Under 1, 1; 5-10, 2; 10-20, 2; 30-40, 6; 40-50, 14; 50-60, 28; 60-70, 65; 70-80, 84; 80-90, 60; over 90, 8.

Epilepsy.—Seventeen males and 14 females died of epilepsy, 31 in all.

Ages: 1-5, 1; 5-10, 3; 10-20, 2; 20-40, 12; 40-60, 5; over 60, 8.

Tetanus.—This disease was the cause of 7 deaths (7 in 1892, 10 in 1893, 6 in 1894, 10 in 1895, 8 in 1896, 2 in 1897, 4 in 1898, and 11 in 1899). The decedents were 5 males and 2 females. These deaths occurred in January, April, May, July, August, November, and December.

Ages: 1-5, 3; 40-50, 1; 50-60, 1; over 60, 2.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, pericarditis, angina pectoris, and organic diseases of the heart, there were 1,045 deaths (816 in 1892, 875 in 1893, 940 in 1894, 948 in 1895, 1,036 in 1896, 1,062 in 1897, 1,132 in 1898, and 1,028 in 1899). The following exhibits the age and sex distribution of each form of disease for the year 1900:

DISEASES.	Under 1.	1-10.	10-20.	20-40.	40-60.	Over 60.	Unknown.	Male.	Female.	Total.
	Pericarditis	-	-	1	3	3	5	-	5	7
Endocarditis	-	1	1	-	3	17	-	13	9	22
Organic diseases of heart.....	9	6	21	47	178	673	5	514	425	939
Angina pectoris	-	-	2	7	11	52	-	36	36	72
Total	9	7	25	57	195	747	5	568	477	1,045

For the year 1900, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and Counties:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin	92	16.96	Oxford.....	40	12.41
Aroostook....	48	7.90	Penobscot.....	87	11.41
Cumberland	164	16.29	Piscataquis ...	19	11.21
Franklin	32	17.35	Sagadahoc	32	15.75
Hancock	54	14.50	Somerset.....	49	14.48
Kennebec	103	17.42	Waldo	58	23.98
Knox	86	28.28	Washington.....	67	14.81
Lincoln.....	31	15.76	York.....	83	12.79
			State.....	1,045	14.90

As may be noted, Knox county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 14.90.

The whole number of deaths from diseases of the heart arranged by sex and age-groups was as follows :

HEART DISEASE BY SEX AND AGE-PERIODS—1900.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Totals.
Males	5	1	2	11	9	14	24	70	165	174	89	4	568
Females	4	-	4	14	11	23	43	58	114	133	72	1	477
Totals.....	9	1	6	25	20	37	67	128	279	307	161	5	1,045

Diseases of the Respiratory System.—Without the inclusion of tuberculosis, 1,513 persons died from the various respiratory diseases as tabulated on page 97 (1,769 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895, 1,141 in 1896, 1,347 in 1897, 1,124 in 1898, and 1,455 in 1899). From these diseases there were, therefore, 283 fewer deaths than in 1892, 106 more than in 1893, 201 more than in 1894, 348 more than in 1895, 372 more than in 1896, 166 more than in 1897, 389 more than in 1898, and 132 more than in 1899. Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis, and the other respiratory diseases, in 1900, the number of deaths was 608 smaller than in 1892, 166 smaller than in 1893, 34 smaller than in 1894, 180 larger than in 1895, 227 larger than in 1896, 65 larger than in 1897, 395 larger than in 1898, and 80 larger than in 1899.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1900 was 21.79 in each 10,000 of population, as compared with 20.91 in 1899, 17.00 in 1898, 20.38 in 1897, 17.26 in 1896, 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, and 27.16 in 1892.

Pneumonia.—The number of deaths registered under this cause was 1,067 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894, 812 in 1895, 781 in 1896, 936 in 1897, 769 in 1898, and 1,067 in 1899), of which 525 were males and 541 were females and 1, not

stated. The death-rate from this disease was, therefore, 15.36 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, 12.28 in 1895, 11.81 in 1896, 14.16 in 1897, 11.62 in 1898, and 15.44 in 1899). As 387 of the deaths occurred in the cities, the urban death-rate was 17.20.

The age distribution of pneumonia by sex and age-groups is shown in the following table:

PNEUMONIA BY SEX AND AGE-PERIODS—1900.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Totals.
Males	95	43	7	22	35	37	41	51	61	92	42	526
Females	84	64	11	20	17	28	39	44	65	98	70	540
Not stated... ..	1	-	-	-	-	-	-	-	-	-	-	1
Totals	180	107	18	42	52	65	80	95	126	190	112	1,067

**PNEUMONIA BY COUNTIES AND MONTHS WITH DEATH RATES
PER 10,000—1900.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin ...	6	9	11	16	15	11	1	4	2	4	6	15	-	100	18.44
Aroostook	8	4	5	7	6	8	4	6	3	4	2	6	-	63	10.37
Cumberland	11	16	28	41	17	7	6	1	1	8	12	11	-	159	15.79
Franklin.....	5	4	6	5	5	-	2	-	-	-	2	4	-	33	17.89
Hancock	2	3	4	6	7	1	3	1	-	2	-	3	-	32	8.59
Kennebec	12	13	10	18	22	4	2	1	3	4	7	7	1	104	17.59
Knox	2	2	11	15	8	2	1	-	1	-	2	-	-	44	14.47
Lincoln.....	1	1	-	10	3	2	-	-	-	2	-	1	-	20	10.17
Oxford	5	4	7	7	5	3	3	2	-	2	2	6	-	46	14.27
Penobscot....	12	16	13	25	17	7	2	3	1	1	3	8	-	108	14.16
Piscataquis	2	5	5	7	6	1	-	-	2	1	-	3	-	32	18.88
Sagadahoc	-	5	9	8	4	2	3	1	-	-	2	1	1	36	17.71
Somerset.....	5	2	5	9	6	-	2	-	2	3	2	5	-	41	12.11
Waldo	6	5	9	6	7	5	2	1	-	2	3	5	-	51	21.09
Washington	4	5	7	11	11	6	-	1	2	3	3	5	-	58	12.82
York	12	20	27	37	12	9	2	2	4	3	6	6	-	140	21.58
State.....	93	114	157	228	151	68	33	23	21	39	52	86	2	1,067	15.36

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the eight years 1893-1900.

PNEUMONIA—1893-1900.

By COUNTIES.	By months.	By age-periods.
Androscoggin 555	January 1,224	Under 1. 1,087
Aroostook 374	February 939	1-5 737
Cumberland 1,301	March 1,090	5-10. 161
Franklin 203	April 1,035	10-20. 288
Hancock 394	May 733	20-30. 379
Kennebec 680	June 384	30-40. 445
Knox 330	July 175	40-50. 533
Lincoln 216	August 162	50-60. 628
Oxford 371	September 234	60-70. 1,065
Penobscot 882	October. 380	70-80. 1,316
Piscataquis 178	November. 492	Over 80 927
Sagadahoc 206	December. 745	Not stated 32
Somerset 365	Not stated. 5	Total. 7,598
Waldo 284	Total 7,598	
Washington 414		
York 845		
State 7,598		

Bronchitis.—From this cause, including both acute and chronic bronchitis, 262 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, 225 in 1895, 220 in 1896, 237 in 1897, 210 in 1898, and 233 in 1899). Among these decedents, 123 were males and 139 females. Of these 262 deaths, 93 were in the cities. The largest number of deaths in any one month was 35 in February. In August occurred the smallest number of deaths, 7. The largest number of deaths in three consecutive months was 98 in January, February, and March; the smallest number in any three consecutive months was 31 in July, August, and September. The number of deaths by quarters was 98, 71, 31, and 62.

The bronchitis death-rate of the State was 3.77; of the cities, 4.13.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life:

Under 1 year,	92	50-60 years,	8
1-5 years,	41	60-70 years,	18
10-20 years,	3	70-80 years,	48
20-30 years,	2	Over 80 years,	42
30-40 years,	3	Not stated,	1
40-50 years,	4		

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rates of counties and State:

BRONCHITIS—1900.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	4	5	4	1	1	2	1	3	3	-	1	4	29	5.35
Aroostook	1	-	1	1	1	1	1	1	3	-	1	1	12	1.98
Cumberland	2	10	6	6	2	3	-	-	1	2	6	6	44	4.37
Franklin	2	1	1	1	1	-	-	-	-	-	1	-	7	3.80
Hancock ..	1	-	2	2	1	2	1	-	2	-	1	1	13	7.05
Kennebec	6	4	4	4	2	5	2	1	-	5	4	-	37	6.26
Knox	2	1	1	1	1	1	-	-	-	1	-	-	8	2.63
Lincoln	-	-	1	2	1	-	1	-	1	1	1	1	9	4.58
Oxford	-	2	1	-	-	2	1	-	-	1	-	3	10	3.10
Penobscot	2	3	3	5	1	-	1	-	-	1	1	4	21	2.75
Piscataquis.....	-	-	-	-	1	-	-	-	-	-	1	-	2	1.18
Sagadahoc	-	-	1	-	1	-	1	-	-	-	1	2	6	2.95
Somerset.....	1	1	1	3	1	-	-	-	2	1	-	1	11	3.25
Waldo	-	2	2	-	1	-	-	-	-	1	1	-	7	2.89
Washington	1	3	3	2	1	2	-	1	-	3	-	1	17	3.76
York	7	3	3	6	2	1	-	1	3	-	2	1	29	4.47
State	29	35	34	34	18	19	9	7	15	16	21	25	262	3.77

Pleurisy.—Twenty-eight deaths were charged to this disease (18 in 1892, 19 in 1893, 15 in 1894, 19 in 1895, 19 in 1896, 26 in 1897, 17 in 1898, and 24 in 1899).—13 males and 15 females.

Ages: Under 1, 2; 1-5, 1; 5-10, 1; 10-20, 2; 20-30, 4; 30-40, 2; 40-50, 3; 50-60, 4; 60-70, 5; over 70, 4.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 1,411 (659 in 1892, 653 in 1893, 685 in 1894, 693 in 1895, 679 in 1896, 673 in 1897, 651 in 1898, and 1,411 in 1899), or a death-rate of 20.32. The distribution of these under their several causes will be found on page 98.

Diarrheal Diseases.—The total number of deaths caused by the diseases under this group was 805 (662 in 1892, 642 in 1893, 602 in 1894, 635 in 1895, 639 in 1896, 666 in 1897, 854 in 1898, and 662 in 1899). The death-rate for this group of diseases was 11.59 per 10,000.

Infantile Diarrhea.—This, as synonymous with cholera infantum or including it, was the cause of 680 deaths (546 in 1892, 507 in 1893, 468 in 1894, 523 in 1895, 520 in 1896, 528 in 1897, 669 in 1898, and 565 in 1899). A reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates, for this cause. There were in the first quarter of the year but 28 deaths from this cause; in the second quarter, 35; in the third quarter, 500; and in the fourth quarter, 117. The largest number of deaths occurred in August, 225.

Of the children dying from this cause, 53 per cent. were less than 6 months old, and another 33 per cent. were less than 1 year of age, making 86 per cent. of deaths within the first year of age.

Ages: Under 3 months, 164; 3-6 mos., 202; 6-9 mos., 151; 9-12 mos., 73; 12-18 mos., 74; 18 months-2 years, 16.

In the classification of deaths from diarrheal diseases, only the deaths among children 2 years old, or younger, are included under "infantile diarrhea." The deaths from diarrheal diseases, other than those under this cause, were: cholera morbus, 13; dysentery, 46; and diarrhea, 125.

Of the 680 deaths from infantile diarrhea, 334 were returned from the cities. This represents an urban death-rate from this cause of 14.84 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, 13.78 in 1895, 11.43 in 1896, 14.95 in 1897, 15.15 in 1898, and 11.77 in 1899), which is in contrast with 7.37, the rate for the villages and rural districts (5.33 in 1892, 4.95 in 1893, 4.47 in 1894, 5.44 in 1895, 6.36 in 1896, 5.05 in 1897, 8.00 in 1898, and 6.47 in 1899).

INFANTILE DIARRHEA BY COUNTIES AND MONTHS—1900.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	1	-	1	1	1	2	12	33	17	8	2	2	80	14.75
Aroostook	1	4	3	4	4	3	3	19	25	8	2	2	78	12.84
Cumberland	2	1	-	3	1	1	26	48	27	11	3	-	123	12.22
Franklin	-	-	-	-	-	-	1	8	1	-	-	-	10	5.42
Hancock	1	-	-	-	-	1	-	2	9	3	1	-	17	4.56
Kennebec	2	-	-	1	-	-	5	8	17	7	1	1	42	7.14
Knox	-	-	-	1	-	-	-	3	6	3	1	-	14	4.60
Lincoln	-	-	-	-	-	1	-	2	3	1	-	-	7	3.56
Oxford	-	-	-	-	-	1	1	6	12	1	3	1	25	7.75
Penobscot	2	-	1	-	-	3	5	17	17	9	1	-	55	7.21
Piscataquis	-	-	1	-	-	-	-	6	2	2	-	-	11	6.49
Sagadahoc	2	-	1	-	-	1	3	12	5	-	-	-	24	11.81
Somerset	-	-	-	-	1	-	-	-	7	7	-	-	15	4.43
Waldo	-	-	-	1	-	-	-	4	4	2	-	-	11	4.54
Washington	1	1	-	1	-	-	1	18	28	17	2	1	70	15.48
York	-	2	1	1	1	1	10	39	28	13	2	-	98	15.10
State ..	12	8	8	13	8	14	67	225	208	92	18	7	680	9.79

The preceding table exhibits the number of deaths from infantile diarrhea in 1900, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhea for the eight years, 1893-1900, by counties, months, and age-groups:

**INFANTILE DIARRHEA BY COUNTIES, MONTHS, AND AGE-PERIODS
—1893-1900.**

BY COUNTIES.		By months.		By age-periods.	
Androscoggin	594	January	47	Under 6 months....	2,331
Aroostook.	658	February.....	42	6-12 months	1,514
Cumberland	584	March	58	1-2 years.....	600
Franklin	72	April	72	Over 2 years... ..	5
Hancock	119	May.....	68	Unknown	10
Kennebec	487	June	112	Total.....	4,460
Knox.....	130	July	625		
Lincoln.....	33	August.....	1,533		
Oxford	120	September.....	1,262		
Penobscot	385	October.....	493		
Piscataquis	59	November.....	89		
Sagadahoc	97	December	57		
Somerset... ..	125	Not stated....	2		
Waldo	58	Total	4,460		
Washington	299				
York	640				
State	4,460				

The following is a tabular exhibit of the number of deaths from infantile diarrheæ in the cities for each of the eight years 1893-1900:

INFANTILE DIARRHEA IN THE CITIES—1893-1900.

CITIES.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	Totals.
Auburn.....	18	10	9	3	15	17	9	9	90
Augusta.....	15	18	26	34	31	20	24	19	187
Bangor.....	13	20	10	15	11	18	6	13	106
Bath.....	4	9	3	8	6	6	8	17	61
Belfast.....	1	-	-	3	-	1	1	4	10
Biddeford.....	45	52	60	44	61	50	39	43	394
Brewer.....	2	8	3	4	6	3	8	9	43
Calais.....	13	1	12	5	19	7	11	12	80
Eastport.....	9	9	8	-	3	13	5	15	62
Ellsworth.....	1	-	4	-	2	1	1	1	10
Gardiner.....	2	4	12	2	5	4	2	2	33
Hallowell.....	-	2	4	1	3	1	-	2	13
Lewiston.....	75	45	53	24	52	69	60	63	441
Old Town.....	8	9	11	5	7	11	11	11	73
Portland.....	18	19	34	25	31	40	36	70	273
Rockland.....	11	6	8	11	6	5	2	5	54
Saco.....	5	5	3	2	5	4	6	10	40
South Portland.....	-	-	-	-	-	-	3	7	10
Waterville.....	18	21	13	21	19	17	25	6	140
Westbrook.....	13	14	11	12	10	8	5	13	86
Totals.....	271	252	284	219	292	295	262	331	2,206

Peritonitis.—There were 105 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, 125 in 1895, 116 in 1896, 117 in 1897, 102 in 1898, and 83 in 1899),—47 males and 58 females. Thirty-four of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

PERITONITIS—1900.

BY COUNTIES.		By months.		By age-periods.	
Androscoggin	7	January	15	Under 1.....	7
Aroostook	7	February.....	10	1-5.....	4
Cumberland	16	March	7	5-10.....	6
Franklin	2	April	5	10-20.....	20
Hancock	8	May.....	12	20-30.	18
Kennebec	14	June	9	30-40.....	10
Knox	4	July.....	9	40-50.....	12
Lincoln.....	5	August	11	50-60.....	5
Oxford	7	September	11	60-70.....	11
Penobscot	11	October.....	7	70-80.....	9
Piscataquis	3	November.....	5	Over 80	3
Sagadahoc	-	December.....	4	Total.....	105
Somerset.....	8	Total	105		
Waldo	1				
Washington	6				
York	6				
State	105				

Appendicitis.—Of the deaths classified under this cause, 46 in number, 25 were males and 21 were females. The number of deaths in each month was, January, 4; February, 1; March, 3; April, 6; May, 5; June, 3; July, 5; August, 5; September, 1; October, 4; November, 5; December, 4.

Ages: 1-5, 2; 5-10, 5; 10-20, 10; 20-30, 9; 30-40, 9; 40-50, 6; 60-70, 1; over 70, 4.

Cirrhosis of the Liver.—Fifty-five deaths were ascribed to cirrhosis of the liver—those of 33 men and 22 women. Of these 55 deaths, 12 were in the cities, and 43 in the rural parts of the State. The death-rate of the State from this one cause was 0.79 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, 0.50 in 1895, 0.33 in 1896, 0.45 in 1897, 0.58 in 1898, and 0.52 in 1899).

Diseases of the Urinary System.—There were 620 deaths referred to the diseases under this group, equivalent to a death-rate of 8.93.

Nephritis.—Acute Nephritis caused the death of 72 persons, 38 males and 33 females, and not stated, 1. The death-rate from nephritis was, therefore, 1.04.

Ages: Under 1, 5; 1-5, 4; 5-10, 4; 10-20, 4; 20-30, 4; 30-40, 6; 40-50, 6; 50-60, 8; 60-70, 9; 70-80, 18; over 80, 3; not stated, 1.

**Bright's Disease.*—This was the cause of 443 deaths (204 in 1892, 217 in 1893, 219 in 1894, 234 in 1895, 282 in 1896, 231 in 1897, 250 in 1898, and 262 in 1899),—251 males and 192 females. Of these deaths, 166 were in the cities.

The sex and age-group distribution of Bright's disease is as follows:

BRIGHT'S DISEASE BY SEX AND AGE-PERIODS—1900.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Total.
Males	3	1	-	5	11	9	22	36	60	70	34	251
Females	2	2	2	5	10	19	30	35	39	36	12	192
Totals.....	5	3	2	10	21	28	52	71	99	106	46	443

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin	28	5.16	Oxford	16	4.96
Aroostook	10	1.65	Penobscot.....	36	4.72
Cumberland.....	100	9.93	Piscataquis	10	5.90
Franklin	19	10.30	Sagadahoc	16	7.87
Hancock.....	17	4.56	Somerset	16	4.73
Kennebec	29	4.90	Waldo	18	7.44
Knox.....	21	6.91	Washington.....	24	5.31
Lincoln.....	18	9.15	York	65	10.02
			State	443	6.38

*This title includes: Chronic, albuminous, interstitial, or parenchymatous nephritis; albuminuria; amyloid or fatty degeneration of the kidney; amyloid kidney; steatosis of the kidney; renal sclerosis. Also include when their precise nature is not indicated: Uremia, uremic eclampsia; uremic delirium; uremic coma.

The Puerperal State.—Under this class of accidents and diseases of reproduction, 50 deaths were registered, not including puerperal fever, (69 in 1892, 59 in 1893, 41 in 1894, 36 in 1895, 56 in 1896, 62 in 1897, 51 in 1898, and 40 in 1899). This is equivalent to a special death-rate of 0.72.

Deaths from External Causes.—Under this class there were 462 deaths.

Fractures caused 50 deaths—fracture of skull, 17; of hip, 13; of thigh, 8; of spine, 6; of legs, 2; and 4 were unspecified.

Burns and scalds caused 45 deaths—nine deaths were from clothing taking fire; 4, scalded with hot water; 4, explosion of lamp; 2, mother and child, by the ignition of roofing material in a kettle on kitchen stove; 1, explosion of oil stove; 1, moving cattle from a burning barn; 1, playing with matches; the rest, unspecified.

Sunstroke caused 7 deaths. One person, who was lost in the woods, was frozen to death.

Seven persons died from electric shock, including 2 deaths from lightning.

Dislocations and sprains caused 2 deaths.

Accidental drowning caused 91 deaths.

Twenty-one persons died from inanition.

Other accidental injuries caused the death of 140 persons; 36 deaths were from railway injuries; 36, also, from falls; 16, from pistol and gun shot wounds; 9 from working in sawmill; and the rest were unspecified.

From acute poisonings there were 16 deaths.

Sixteen people met their death from other external violence, including 10 homicides.

The death-rate in the State, under this class was 6.65.

Suicide.—Within the year, 66 persons took their own lives (59 in 1892, the same number in 1893, 39 in 1894, 66 in 1895, 81 in 1896, 71 in 1897, 56 in 1898, and 93 in 1899),—53 males and 13 females. Of the males, the occupation of 16 was farmer; of 6, laborer; of 3, merchant; of 3, clerk; of 2, joiner; 1, each lumber dealer, policeman, traveling agent, guide, sailmaker, steward, river driver, ship carpenter, fisherman, blacksmith, clock maker, pulp maker, engineer, powder maker, laundry worker, millman, dairyman, and hostler; while of 5 no occupation was given.

Of the females, the occupation of 5 was registered as housewife; 3, as housekeeper; 1, housework; 1, domestic; and not stated, 3.

As to the means employed; 20 committed suicide by hanging; 18, by shooting; 12, by poisoning; 9, by drowning; 5, by cutting throat; and in 2, the method was not stated.

SUICIDES BY AGES, MONTHS, AND COUNTIES—1900.

AGE-PERIODS.	Months.	Counties.	Rate per 10,000 of population.
10-20..... 2	January 7	Androscoggin ... 4	0.74
20-30..... 10	February 5	Aroostook 5	0.82
30-40..... 11	March 3	Cumberland . . . 11	1.09
40-50... .. 16	April 4	Franklin -	-
50-60. 10	May..... 9	Hancock 1	0.27
60-70..... 7	June 4	Kennebec 6	1.01
70-80... .. 3	July. 4	Knox 5	1.64
Over 80 7	August 4	Lincoln..... 2	1.02
Total 66	September 10	Oxford 5	1.55
	October 7	Penobscot... .. 5	0.66
	November..... 3	Piscataquis 3	1.77
	December 6	Sagadahoc 4	1.97
	Total 66	Somerset 4	1.18
		Waldo 2	0.83
		Washington..... 3	0.66
		York..... 6	0.92
		State..... 66	0.95

The youngest suicide was a girl of 16 years; the oldest, a man of 82 years. The largest number of suicides in any month was 10 in September. By quarters, the suicides were 15, 17, 18, and 16. The largest number in any county was 11 in Cumberland; the highest death-rate from suicide was in Sagadahoc county. The rate for the State per 10,000 of population was 0.95.

LIST OF TABLES.

	PAGE
Table No. 1.—Deaths from some of the Leading Causes.....	6
Table No. 2.—Population of the State by Counties, 1900 and 1890,	7
Table No. 3.—Births, Marriages, and Deaths, 1893-1900.....	7
Table No. 4.—Population of 1900; Births, Marriages, and Deaths, with the rate of each to 1,000 of population for the year ending December 31, 1900.....	8
Table.—Summary of Births, Marriages, and Deaths.....	9
Table No. 5.—Births and Deaths in each County.....	10
Table No. 6.—Births and Deaths in the Cities.....	11
Table No. 7.—Births, Marriages, and Deaths by Counties and Towns	12-63
Table No. 8.—Births, Marriages, and Deaths by Counties.....	64-65
Table No. 9.—Births and Birth-Rates by Counties, for the years 1893-1900	66
Table No. 10.—Births, by Counties, showing the proportion of males to females, 1900.....	67
Table No. 11.—Number of Births in each Month of 1893-1900, with Monthly Ratio compared with a Standard of 100	68
Table No. 12.—Births by Sex and Months by Counties, 1900.....	69
Table No. 13.—Births in Cities, for 1900, with rate per 1,000 of population	70
Table No. 14.—Percentage of American and Foreign Births by Counties, 1900	71
Table No. 15.—Percentage of American and Foreign Births by Cities, 1900	72
Table No. 16.—Twin Births by Months and Counties, 1900.....	73
Table No. 17.—Twin Births by Sex and Parentage, by Counties, 1900	74
Table No. 18.—Still-Births by Sex and Parentage, by Counties, 1900	75
Table No. 19.—Still-Births by Seasons, 1900.....	76
Table No. 20.—Marriages and Marriage-Rates by Counties for the years 1893-1900	80
Table No. 21.—Marriages by Counties and Nativity, 1900.....	81
Table No. 22.—Marriages by Months and Counties, 1900.....	81

	PAGE
Table No. 23.—Number of Marriages in each month of 1893-1900, with Monthly Ratio compared with a Standard of 100	82
Table No. 24.—Marriages by Ages and Counties, 1900.....	83
Table No. 25.—Interesting Facts in Relation to Marriages.....	84-85
Table No. 26.—Divorces decreed by the Supreme Court of Maine in the year 1900.....	88-89
Table No. 27.—Divorces by Causes, Sex of Libellants and the number of years married, 1900.....	90
Table No. 28.—Deaths and Death-Rates by Counties, for the years 1893-1900	92
Table No. 29.—Number of deaths in each Month of 1893-1900, with Monthly Ratio compared with a Standard of 100,	93
Table No. 30.—The number of Deaths in the State, and in each County, arranged by Classes and Counties.....	94-99
Table No. 31.—Deaths in each Town from Special Causes, Mostly Infectious Diseases	100-139
Table No. 32.—Deaths in each Town from Certain Diseases and Groups of Diseases	140-179
Table No. 33.—Deaths by Ages, Sex, and Months, by Counties... 180-181	
Table No. 34.—Number of Deaths from Several Specified Causes, of each Sex, in each Month, which were registered during nine years 1892-1900.....	182
Table No. 35.—Mortality by Months, reduced to a Standard Mean of 100: Nine years 1892-1900.....	183
Table.—Mortality from Ten Prominent Causes, 1893-1900.....	187
Table.—Six Infectious Diseases by Counties, 1900.....	188
Table.—Six Infectious Diseases by Cities, 1900.....	189
Table.—Infectious Diseases, 1893-1900.....	190
Table.—Measles by Counties, Months, and Age-Periods, 1896-1900,	191
Table.—Scarlet Fever by Counties, Months, and Age-Periods, 1893-1900	192
Table.—Grippe by Counties and Months, 1900.....	193
Table.—Whooping-Cough by Counties, Months, and Age-Periods, 1900	194
Table.—Diphtheria by Counties and Months, 1900.....	195
Table.—Diphtheria by Counties, Months, and Age-Periods, 1893-1900	196
Table.—Cerebro-Spinal Meningitis by Counties, Months, and Age-Periods, 1900	197
Table.—Typhoid Fever by Counties and Months, 1900.....	198
Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1893-1900	199
Table.—Consumption by Counties and Months, 1900.....	201
Table.—Consumption by Sex and Age-Periods, 1900.....	201
Table.—Consumption by Counties, Months, and Age-Periods, 1893-1900	202

	PAGE
Table.—Rheumatism by Counties, Months, and Age-Periods, 1900,	204
Table.—Rheumatism by Counties, Months, and Age-Periods, 1893- 1900	205
Table.—Cancer by Sex and Age-Periods, 1900.....	206
Table.—Cancer by Counties and Age-Periods, 1893-1900.....	206
Table.—Old Age by Counties, 1900.....	207
Table.—Apoplexy by Counties and Months, 1900.....	210
Table.—Apoplexy by Sex and Age-Periods, 1900.....	210
Table.—Apoplexy, 1900 and 1893-1900.....	211
Table.—Diseases of the Heart by Ages and by Sex.....	212
Table.—Diseases of the Heart by Counties.....	212
Table.—Heart Disease by Sex and Age-Periods, 1900.....	213
Table.—Pneumonia by Sex and Age-Periods, 1900.....	214
Table.—Pneumonia by Counties and Months with Death-Rates per 10,000, 1900	215
Table.—Pneumonia by Counties and Months, 1893-1900.....	216
Table.—Bronchitis by Counties and Months, 1900.....	217
Table.—Infantile Diarrhea by Counties and Months, 1900.....	219
Table.—Infantile Diarrhea by Counties, Months, and Age-Periods, 1893-1900	220
Table.—Infantile Diarrhea in the Cities, 1893-1900.....	221
Table.—Peritonitis by Counties and Months, 1900.....	222
Table.—Bright's Disease by Sex and Age-Periods, 1900.....	223
Table.—Bright's Disease by Counties, 1900.....	223
Table.—Suicides by Ages, Months, and Counties, 1900.....	225

INDEX.

	PAGE
Age and mortality	186
Appendicitis	222
Apoplexy	209
1900, and 1893-1900.....	211
by counties and months.....	210
by sex and age-periods, 1900.....	210
Birth-rate	77
Birth-rates	8, 9
Births and birth-rates, by counties and years.....	66
by counties, showing proportion of males to females....	67
by seasons	78
by sex and months, by counties.....	69
in cities, for 1900, with rate.....	70
in each month, by years.....	68
notes on	77
percentage	77
percentage of American and foreign, by cities.....	72
by counties.....	71
relation to deaths.....	10
twin	79
by months and counties.....	73
by sex and parentage.....	74
marriages and deaths, in each town.....	12-63
Brain or membranes, inflammation of.....	209
Softening of the.....	211
Bright's disease	223
Bronchitis	216, 217
Cancer	205
1900 and 1893-1900.....	206
by sex and age-periods, 1900.....	206
Centenarians	208
Cerebro-Spinal meningitis	196
by counties, months, and age-periods.....	197
Cirrhosis of the liver.....	222
Consumption, by counties and months.....	201
by counties, months, and age-periods, 1893-1900....	202
by sex and age-periods, 1900.....	201

	PAGE
Deaths, age and mortality	186
causes of	186
by ages, sex and months, by counties.....	180, 181
months, reduced to a standard mean for nine years.....	183
in each town, from special causes.....	100-139
from certain diseases and groups of diseases.....	140-179
in the State and counties, by classes and counties.....	94-99
from several specified causes in nine years.....	182
notes on, and the causes of death.....	184
number in each month, by years.....	93
seasons and mortality.....	184
sex and mortality.....	185
and death-rates, by counties and years.....	92
Death-rates	8, 9
compared	184
Diabetes	207
Diarrheal diseases	218
Digestive system, diseases of the.....	218
Diphtheria	194
by counties and months.....	195
by counties, months, and age-periods, 1893-1900.....	196
Divorces by causes, sex of libellants, etc.....	90
decreed in 1900	88, 89
notes on	91
Epilepsy	211
External causes, deaths from.....	224
Grippe	192
deaths from, by counties and months.....	193
Heart, diseases of the.....	212
Homicide	224
Infantile Diarrhea	218
by counties and months.....	219
by counties, months, and age-periods, 1893-1900	220
in cities, 1893-1900.....	221
Infectious diseases	187
1893-1900	190
six by cities.....	189
six by counties.....	188
Liver, cirrhosis of.....	222
Marriage, interesting facts relating to.....	84, 85
rates	8, 9, 86
Marriages, ages	86
and rates, by counties.....	80
by ages and counties.....	83
by counties and nativity.....	81
by months and counties.....	81
nativity	86

	PAGE
Marriages, notes on	86
number of, in each month, by years	82
seasons	86
Malarial diseases	199
Measles	190
by counties, months, and age-periods, 1896-1900	191
Mortality from ten prominent causes, 1893-1900	187
Nephritis	223
Nervous system, diseases of	209
Old age	207
Paralysis	211
Peritonitis	221
by counties, months, and age-periods, 1900	222
Pleurisy	217
Pneumonia	213
1893-1900	216
by counties and months, with death-rates	215
by sex and age-periods, 1900	214
Population	7
Puerperal fever, by months and counties, 1900	203
Puerperal state, the	224
Respiratory system, diseases of the	213
Rheumatism	203
by counties, months, and age-periods	204, 205
Scarlet fever	191
by counties, months, and age-periods	192
sex and mortality	185
Smallpox	190
Still-births	79
by seasons	76
by sex and parentage	75
Suicide	224
by ages, months, and counties, 1900	225
Tetanus	212
Tuberculosis	199
mesenteric	202
other forms	202
Typhoid fever	197
by counties and months, 1900	198
by counties, months, and age-periods, 1893-1900	199
Urinary system, diseases of the	222
Whooping-cough	193
by counties, months, and age-periods	194