

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

PUBLIC DOCUMENTS OF MAINE:

1905

BEING THE

ANNUAL REPORTS

OF THE VARIOUS

DEPARTMENTS AND INSTITUTIONS

For the Year 1904.

VOLUME IV.

AUGUSTA
KENNEBEC JOURNAL PRINT
1905

TWELFTH ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES
AND DEATHS

IN THE

STATE OF MAINE

FOR THE

Year Ending December 31, 1903.

AUGUSTA
KENNEBEC JOURNAL PRINT
1905

DEPARTMENT OF VITAL STATISTICS.

OFFICE OF THE REGISTRAR,

AUGUSTA, ME., April 13, 1905.

To His Excellency, William T. Cobb, Governor, and the Honorable Executive Council:

GENTLEMEN—In accordance with the provisions of the law, I have the honor of submitting to you the Twelfth Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1903.

Very respectfully,

A. G. YOUNG, M. D.,

Registrar of Vital Statistics.

REGISTRATION REPORT, 1903.

This report presents the results of the registration and tabulation of the births, marriages, divorces, and deaths which occurred in the State of Maine during the year 1903.

The number of births registered in that year is 36 less than in the preceding year. The number of births recorded in each of the registration years, 1892-1903, is 14,028, 14,604, 14,607, 15,430, 15,429, 15,142, 15,121, 14,475, 14,709, 14,615, 15,166, and 15,130 respectively.

The number of marriages (number of couples married) in 1903 was 6,200, a number 295 larger than in the preceding year. The number of marriages registered in the State in each of the years 1892-1903 is, respectively, 5,726, 5,795, 5,591, 5,729, 5,579, 5,331, 5,144, 5,329, 5,482, 5,735, 5,905, and 6,200.

The number of deaths recorded in the State for the same year was 11,009, a number 336 more than that of the deaths registered in the preceding year. The number of deaths in each year thus far recorded is: in 1892, 12,147; in 1893, 11,134; in 1894, 11,012; in 1895, 10,464; in 1896, 10,626; in 1897, 11,236; in 1898, 10,956; in 1899, 11,370; in 1900, 11,389; in 1901, 11,133; in 1902, 10,673, and in 1903, 11,009.

Compared with 1902, among the chief causes of death there were in 1903, 74 more from influenza, 70 more from diseases of the nervous system, 68 more from diarrheal diseases, 63 more from typhoid fever, 62 more from nephritis and Bright's disease, 59 more from whooping cough, 56 more from diseases of heart, 13 more from rheumatism, 12 more from pneumonia, 9 more from diabetes, 8 more from measles, and 5 more from scarlet fever. On the other hand, there was a smaller number of deaths from the following causes: from tuberculosis in all its forms, 89 fewer; from bronchitis, 32; from peritonitis, 26; and from cancer, 17.

Bertillon Classification.—The nomenclature of the causes of death in this report is the revised Bertillon classification adopted by the International Commission which met in Paris in August, 1900.

Table No. 1 gives a cursory view of the relative mortality in 1902 and 1903 from some of the leading causes of death.

TABLE No. 1.
Deaths from Some of the Leading Causes.

Diseases.	1902.	1903.	More in 1902.	More in 1903.
Measles	28	36	-	8
Scarlet fever	13	18	-	5
Influenza (grippe).....	122	196	-	74
Whooping cough.....	51	110	-	59
Diphtheria and croup	115	115	-	-
Typhoid fever.....	162	225	-	63
Tuberculosis	1,165	1,076	89	-
Diarrheal diseases.....	443	511	-	68
Rheumatism	45	58	-	13
Cancer	615	598	17	-
Diabetes	83	92	-	9
Diseases of nervous system	1,567	1,637	-	70
Diseases of heart	1,097	1,153	-	56
Pneumonia.....	987	999	-	12
Bronchitis.....	241	209	32	-
Peritonitis	81	55	26	-
Nephritis and Bright's disease	563	625	-	62

Population.—The population of the State of Maine in 1900, as given by the twelfth census, was 694,466. In 1890, the population of the State was 661,086. There was, therefore, a gain of 33,380 in the decade between the last two census enumerations. Table No. 7 shows the population for 1900 in each of the cities, towns, and plantations of the State. The following table exhibits the population of the several counties in 1890 and in 1900, and the gain or loss in each.

TABLE No. 2.
Population in 1900 and 1890.

Counties.	1900.	1890.	Difference.
Androscoggin	54,242	48,968	5,274 gain
Aroostook	60,744	49,589	11,155 gain
Cumberland	100,689	90,949	9,740 gain
Franklin	18,444	17,053	1,391 gain
Hancock	37,241	37,312	71 loss
Kennebec	59,117	57,012	2,105 gain
Knox	30,406	31,473	1,067 loss
Lincoln	19,669	21,996	2,327 loss
Oxford	32,238	30,586	1,652 gain
Penobscot	76,246	72,865	3,381 gain
Piscataquis	16,949	16,134	815 gain
Sagadahoc	20,330	19,452	878 gain
Somerset	33,849	32,627	1,222 gain
Waldo	24,185	27,759	3,574 loss
Washington	45,232	44,482	750 gain
York	64,885	62,829	2,056 gain

TABLE No. 3.
Births, Marriages, and Deaths 1895-1903.

State.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.
Number of births	15,430	15,429	14,430	14,473	13,895	14,095	14,021	14,508	14,453
Number of marriages ...	5,729	5,579	5,331	5,144	5,329	5,482	5,735	5,905	6,200
Number of deaths	10,464	10,626	11,236	10,956	11,370	11,389	11,133	10,673	11,009
Birth-rate	22.33	22.23	21.83	21.89	20.10	20.30	20.19	20.89	20.81
Marriage-rate	8.67	8.44	8.07	7.78	7.71	7.89	8.26	8.50	8.93
Death-rate	15.83	16.07	16.99	16.57	16.45	16.40	16.03	15.37	15.85

Birth, Marriage, and Death-Rates.—In this report the birth-rates, marriage-rates, and death-rates from all causes are stated as so many among each 1,000 of the population according to the population for 1900.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 4.

Population of 1900, Births, Marriages, and Deaths with rate of each to 1,000 of Population for the Year ending December 31, 1903.

Counties.	Population in 1900.	Births.	Birth-rate per 1,000.	Marriages.	Marriage rate per 1,000 persons married.	Deaths.	Death-rate per 1,000.
Androscoggin	54,242	1,050	19.36	485	8.94	745	13.73
Aroostook	60,744	2,095	35.45	617	10.16	773	13.08
Cumberland	100,689	2,029	20.15	908	8.97	1,712	17.00
Franklin	18,444	383	21.20	172	9.33	277	15.33
Hancock	37,241	676	18.27	323	8.67	531	14.35
Kennebec	59,117	1,054	18.34	508	8.59	1,092	18.47
Knox	30,406	450	14.86	280	9.21	483	15.95
Lincoln	19,669	303	15.40	132	6.71	327	16.63
Oxford	32,238	729	22.80	345	10.70	541	16.99
Penobscot	76,246	1,598	21.09	705	9.25	1,282	16.93
Piscataquis	16,949	351	21.30	165	9.74	214	12.99
Sagadahoc	20,330	352	17.31	152	7.48	339	16.67
Somerset.....	33,849	591	17.60	349	10.31	547	16.29
Waldo	24,185	272	11.25	182	7.53	358	14.80
Washington	45,232	1,031	22.99	360	7.96	611	13.63
York	64,885	1,459	22.49	522	8.05	1,177	18.14
State	694,466	14,453	20.81	6,200	8.93	11,009	15.85

The following is a general summary of the births, marriages, and deaths in 1903:

BIRTHS.

Sex.		Parentage.	
Males	7,406	American.....	8,634
Females	7,033	Foreign.....	3,052
Not stated.....	14	One parent foreign.....	2,600
	14,453	Not stated.....	167
			14,453
Whole number of births			14,453
Birth-rate per 1,000			20.81

MARRIAGES.

Groom and bride both American	4,501
Groom and bride both foreign	654
Groom American, bride foreign.....	474
Groom foreign, bride American	534
Not stated.....	37
Whole number of marriages.....	6,200
Marriage-rate per 1,000.....	8.93

DEATHS.

Sex.		Parentage.	
Males.....	5,629	American	9,425
Females	5,378	Foreign.....	1,412
Not stated.....	2	Not stated.....	172
	11,009		11,009
Whole number of deaths			11,009
Death rate per 1,000.....			15.85

Relation of Births to Deaths.—As the total number of births registered in Maine in the year 1903 was 15,130, and the number of deaths was 11,009, the natural increase of births over deaths was 4,121.

The following table shows the number of births and deaths in each county, and the preponderance of births over deaths, or vice versa :

TABLE No. 5.

Counties.	Population in 1900.	Births.	Deaths.	Difference.
Androscoggin	54,242	1,050	745	305 gain
Aroostook	60,744	2,095	773	1,322 gain
Cumberland	100,689	2,029	1,712	317 gain
Franklin	18,444	383	277	106 gain
Hancock	37,241	676	531	145 gain
Kennebec	59,117	1,084	1,092	8 loss
Knox	30,406	450	483	33 loss
Lincoln	19,669	303	327	24 loss
Oxford	32,238	729	541	188 gain
Penobscot	76,246	1,598	1,282	316 gain
Piscataquis	16,949	351	214	137 gain
Sagadahoc	20,330	352	339	13 gain
Somerset	33,849	591	547	44 gain
Waldo	24,185	272	358	86 loss
Washington	45,232	1,031	611	420 gain
York	64,885	1,459	1,177	282 gain
State	694,466	14,453	11,009	3,444 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following:

TABLE No. 6.

Cities.	Population in 1900.	Births.	Deaths.	Difference.
Auburn	12,951	212	167	45 gain
*Augusta	11,683	236	280	44 loss
†Bangor	21,850	375	375	-
Bath	10,477	218	172	46 gain
Belfast	4,615	46	78	32 loss
Biddeford	16,145	526	294	232 gain
Brewer	4,835	128	87	41 gain
Calais	7,655	184	111	73 gain
Eastport	5,311	131	64	67 gain
Ellsworth	4,297	62	60	2 gain
Gardiner	5,501	91	89	2 gain
Hallowell	2,714	39	54	15 loss
Lewiston	23,761	545	329	216 gain
Old Town	5,763	193	123	70 gain
Portland	50,145	1,017	930	87 gain
Rockland	8,130	117	161	44 loss
Saco	6,122	120	116	4 gain
South Portland	6,287	129	107	22 gain
Waterville	9,477	274	179	95 gain
Westbrook	7,283	176	86	90 gain
Total	225,022	4,819	3,862	957 gain

*Including 71 deaths in the Insane Hospital.

†Including 27 deaths in the Insane Hospital.

TABLE
Births, Marriages, and Deaths
ANDROSCOGGIN

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn	12,951	120	92	-	212	16.37	106	81	18	7	-
Durham	1,230	8	2	-	10	8.13	10	-	-	-	-
East Livermore	2,129	34	20	-	54	25.36	33	13	7	1	-
Greene	826	8	8	-	16	19.37	15	1	-	-	-
Leeds	1,065	6	12	-	18	16.90	14	3	1	-	-
Lewiston	23,761	299	245	1	545	22.94	108	324	54	48	11
Lisbon	3,603	33	29	-	62	17.21	32	19	6	4	1
Livermore	1,125	10	9	-	19	16.89	13	6	-	-	-
Mechanic Falls	1,687	13	14	-	27	16.00	22	2	2	1	-
Minot	808	8	6	-	14	17.33	12	1	-	1	-
Poland	1,648	11	16	-	27	16.38	23	3	-	1	-
Turner	1,842	14	6	-	20	10.86	14	-	4	2	-
Wales	436	7	5	-	12	27.52	10	2	-	-	-
Webster	1,131	9	5	-	14	12.38	7	4	1	2	-
Total	54,242	580	469	1	1,050	19.36	419	459	93	67	12

No. 7.

for the Year, 1903.

COUNTY.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
90	9	8	14	-	121	79	87	1	167	144	19	4	12.89	
9	-	-	-	-	9	14	13	-	27	23	4	-	21.95	
18	4	3	2	-	27	17	11	-	28	27	1	-	13.15	
8	-	-	-	-	8	7	10	-	17	17	-	-	20.58	
7	-	-	1	-	8	8	9	-	17	17	-	-	15.96	
77	77	29	25	-	208	179	150	-	329	231	88	10	13.85	
22	7	3	2	2	36	16	22	-	38	35	3	-	10.55	
9	-	-	-	-	9	6	11	-	17	16	1	-	15.11	
13	1	1	2	-	17	18	7	-	25	25	-	-	14.82	
2	-	-	-	-	2	5	3	-	8	7	1	-	9.90	
12	-	2	-	-	14	12	7	-	19	17	2	-	11.53	
5	-	1	-	-	6	17	11	-	28	28	-	-	15.20	
7	-	-	-	-	7	1	5	-	6	6	-	-	13.76	
11	-	1	1	-	13	8	11	-	19	14	3	2	16.77	
290	98	48	47	2	485	387	357	1	745	607	122	16	13.73	

TABLE
Births, Marriages, and Deaths

ARROSTOOK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity	404	6	11	-	17	42.08	12	1	3	1	-
Ashland	1,080	26	30	-	56	51.85	36	7	6	6	1
Bancroft	318	4	3	-	7	22.01	1	3	1	2	-
Benedicta	350	6	3	-	9	25.71	7	-	1	1	-
Blaine	954	18	15	-	33	34.59	10	9	9	5	-
Bridgewater	1,179	25	23	-	48	40.71	16	17	8	7	-
Caribou	4,758	86	88	-	174	36.57	78	34	35	24	3
Crystal	370	3	3	-	6	16.21	2	1	3	-	-
Dyer Brook	280	6	4	-	10	35.71	9	-	-	1	-
Easton	1,215	20	12	-	32	26.34	13	4	7	6	2
Fort Fairfield	4,181	79	69	-	148	35.50	58	36	17	33	4
Fort Kent	2,528	60	56	-	116	45.89	72	11	18	14	1
Frenchville	1,316	60	44	-	104	79.08	99	-	1	3	1
Grand Isle	1,104	12	21	-	33	29.89	22	1	5	5	-
Haynesville	316	3	3	-	6	18.99	3	-	3	-	-
Hersey	199	3	3	-	6	30.15	2	1	1	1	1
Hodgdon	1,130	13	10	-	23	20.35	8	5	3	7	-
Houlton	4,686	52	42	1	95	20.27	32	29	16	17	1
Island Falls	1,063	17	22	-	39	36.69	12	13	11	2	1
Limestone	1,131	21	27	-	48	42.44	18	13	4	13	-
Linneus	834	13	13	-	26	31.18	14	4	3	5	-
Littleton	956	20	8	-	28	29.29	10	4	8	5	1
Ludlow	394	7	1	-	8	20.30	2	3	-	2	1
Madawaska	1,698	33	33	-	66	38.87	59	-	1	6	-
Mapleton	853	7	2	-	9	10.55	5	1	1	2	-
Mars Hill	1,183	29	17	-	46	38.88	7	13	15	11	-

**No. 7—Continued,
for the Year 1903.
COUNTY.**

MARRIAGES.							DEATHS.						Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	1	-	2	2	2	-	4	3	1	-	9.90
19	-	-	8	-	27	5	8	-	13	9	2	2	12.04
1	1	-	-	-	2	-	2	-	2	-	2	-	6.29
2	-	-	1	-	3	3	2	-	5	5	-	-	14.28
6	1	1	3	-	11	6	6	-	12	8	4	-	12.58
1	3	4	1	-	9	12	7	-	19	14	4	1	16.11
35	6	5	11	-	57	36	29	-	65	55	10	-	13.66
-	1	-	2	-	3	2	4	-	6	4	2	-	16.21
4	-	-	-	-	4	3	1	-	4	3	1	-	14.29
1	2	1	2	-	6	-	6	-	6	5	1	-	4.94
18	3	5	9	1	36	17	13	1	31	24	6	1	7.41
37	1	4	6	-	48	27	18	-	45	38	6	1	17.80
11	2	-	1	-	14	19	15	-	34	32	1	1	25.84
8	-	-	1	-	9	16	16	-	32	28	4	-	28.99
2	1	1	-	-	4	4	2	-	6	4	2	-	18.99
4	1	-	-	-	5	2	1	-	3	2	1	-	15.07
6	2	1	1	-	10	2	1	-	3	1	2	-	2.65
11	15	7	12	1	46	11	20	-	31	21	8	2	6.62
6	2	1	2	-	11	10	9	-	19	16	3	-	17.87
-	3	2	3	-	8	5	7	-	12	10	2	-	10.61
4	-	1	1	-	6	7	6	-	13	6	7	-	15.59
3	-	1	1	-	5	3	5	-	8	4	4	-	8.37
1	-	-	1	-	2	2	2	-	4	1	3	-	10.15
12	-	-	-	-	12	12	13	-	25	24	1	-	14.72
5	-	3	1	-	9	7	5	-	12	11	1	-	14.07
3	6	6	3	-	18	1	6	-	7	4	3	-	5.92

TABLE
Births, Marriages, and Deaths

AROSTOOK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Masardis	438	10	10	-	20	45.66	9	1	4	6	-
Monticello	1,332	28	17	1	46	34.53	15	11	13	7	-
New Limerick	600	8	9	-	17	28.33	7	5	3	2	-
New Sweden	867	15	14	-	29	33.45	-	20	2	7	-
Oakfield	860	12	7	-	19	22.09	14	1	4	-	-
Orient	208	4	3	-	7	33.65	5	2	-	-	-
Perham	580	9	5	-	14	24.14	12	-	1	1	-
Presque Isle	3,804	60	42	2	104	27.34	56	21	13	12	2
St. Agatha	1,396	48	43	-	91	65.19	83	1	1	5	1
Sherman	980	20	8	-	28	28.57	19	1	5	3	-
Smyrna	411	13	7	-	20	48.66	6	7	5	2	-
Van Buren	1,873	41	44	-	85	45.26	47	17	11	10	-
Washburn	1,223	18	21	-	39	31.84	24	6	5	4	-
Weston	367	2	6	-	8	21.80	6	1	-	1	-
Woodland	1,096	13	16	-	29	26.46	11	7	7	4	-
Cary Pl.	400	1	5	-	6	15.00	4	1	1	-	-
Castle Hill Pl.	567	9	12	-	21	37.04	12	1	3	4	1
Caswell Pl.	368	8	4	-	12	32.61	4	2	4	2	-
Chapman Pl.	285	7	4	-	11	38.60	5	-	4	2	-
Connor Pl.	453	9	5	-	14	30.90	5	4	3	2	-
Cyr Pl.	502	11	16	-	27	53.78	19	1	1	6	-
E Pl.	44	3	1	-	4	90.91	1	1	2	-	-
Eagle Lake Pl.	406	18	11	-	29	71.43	26	-	3	-	-
Garfield Pl.	111	-	2	-	2	18.02	1	-	1	-	-
Glenwood Pl.	178	1	1	-	2	11.24	2	-	-	-	-

No. 7—Continued.
for the Year 1903.
 COUNTY—CONTINUED.

MARRIAGES.							DEATHS.						
							Sex.			Nativity.			Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	1	-	-	4	4	-	-	4	3	1	-	9.13
5	1	3	1	-	10	12	4	-	16	14	2	-	12.01
2	1	-	1	-	4	4	1	-	5	4	1	-	8.33
1	2	2	-	-	5	7	6	-	13	6	7	-	14.99
6	-	-	-	-	6	4	1	-	5	4	1	-	5.81
-	-	1	-	-	1	-	-	-	-	-	-	-	-
1	1	2	-	-	4	2	1	-	3	3	-	-	5.17
15	5	5	11	1	37	12	17	-	29	24	5	-	7.62
15	1	-	1	-	17	21	18	-	39	36	3	-	27.94
6	-	1	3	-	10	7	5	-	12	11	1	-	12.24
4	1	1	2	-	8	3	1	-	4	4	-	-	9.73
5	3	1	6	-	15	16	17	-	33	25	8	-	17.57
5	2	2	3	-	12	7	8	-	15	13	2	-	12.24
2	-	1	-	-	3	5	1	-	6	5	1	-	16.35
5	6	-	-	-	11	9	3	-	12	7	5	-	10.95
1	-	-	-	-	1	-	2	-	2	2	-	-	5.00
4	1	-	-	-	5	4	6	-	10	5	5	-	17.64
3	-	-	1	-	4	2	3	-	5	3	2	-	13.59
3	-	-	-	-	3	1	1	-	2	2	-	-	7.02
3	-	-	-	-	3	6	4	-	10	6	4	-	22.08
1	-	-	1	-	2	3	3	-	6	4	2	-	11.95
-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	-	2	-	-	10	13	8	-	21	16	5	-	51.72
1	-	-	-	-	1	1	1	-	2	2	-	-	18.02
2	-	-	-	-	2	-	-	-	-	-	-	-	-

TABLE
Births, Marriages, and Deaths

AROOSTOOK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Hamlin Pl	574	20	14	-	34	59.23	20	1	3	10	-
Hammond Pl	116	1	1	-	2	17.24	1	-	1	-	-
Macwahoc Pl	153	-	5	-	5	32.68	5	-	-	-	-
Merrill Pl	298	2	6	-	8	26.85	6	1	-	1	-
New Canada Pl	419	8	9	-	17	40.57	6	2	2	7	-
Oxbow Pl	153	3	3	-	6	39.22	6	-	-	-	-
Portage Lake Pl	241	4	3	-	7	29.04	5	-	1	1	-
Reed Pl	399	15	4	-	19	47.62	10	-	8	1	-
St. Francis Pl	568	13	16	-	29	51.06	19	5	5	-	-
St. John Pl	371	9	5	1	15	40.43	9	1	3	2	-
Silver Ridge Pl	168	1	-	-	1	5.95	-	-	-	1	-
Stockholm Pl	191	5	6	-	11	57.59	10	-	-	-	1
Wade Pl	271	2	4	-	6	22.14	2	1	-	3	-
Wallagrass Pl	784	16	20	-	36	45.92	28	2	5	-	1
Westfield Pl	259	4	6	-	10	38.61	4	2	1	2	1
Westmanland Pl	100	3	1	-	4	40.00	-	4	-	-	-
Winterville Pl	124	6	2	-	8	64.52	6	-	2	-	-
Molunkus	74	-	-	-	-	-	-	-	-	-	-
Total	*59,099	1,109	981	5	2,095	35.45	1,137	340	307	287	24

*Population in unorganized plantations in 1900, 1,645.

No. 7—Continued.
for the Year 1903.
 COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	2	-	-	6	5	3	-	8	7	1	-	13.94
1	-	-	1	-	2	-	1	-	1	1	-	-	8.62
2	-	-	-	-	2	1	-	-	1	1	-	-	6.53
1	-	-	-	-	1	-	1	-	1	1	-	-	3.35
2	-	1	-	-	3	5	2	-	7	6	1	-	16.71
-	-	-	-	-	-	1	-	-	1	1	-	-	6.54
3	-	-	1	-	4	-	3	-	3	1	1	1	12.45
4	-	-	-	-	4	6	2	-	8	8	-	-	20.05
6	-	-	1	-	7	8	9	-	17	16	1	-	29.93
2	-	-	1	-	3	4	4	-	8	7	1	-	21.56
1	-	-	-	-	1	1	-	-	1	-	1	-	5.95
2	4	1	-	-	7	3	-	-	3	3	-	-	15.71
1	-	2	-	-	3	3	6	-	9	6	3	-	33.22
15	1	1	1	1	19	10	4	-	14	12	2	-	17.86
1	1	-	-	-	2	2	1	-	3	3	-	-	11.58
-	1	-	-	-	1	5	1	-	6	3	3	-	60.00
4	-	-	2	-	6	4	-	-	4	2	1	1	32.25
1	-	-	-	-	1	3	-	-	3	3	-	-	40.54
352	81	72	108	4	617	418	354	1	773	612	151	10	13.08

TABLE
Births, Marriages, and Deaths
CUMBERLAND

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin.....	821	6	8	-	14	17.05	11	-	-	3	-
Bridgton.....	2,868	23	23	-	46	16.04	40	-	1	5	-
Brunswick.....	6,806	80	89	-	169	24.83	53	83	19	13	1
Cape Elizabeth.....	887	7	6	-	13	14.66	7	2	2	2	-
Casco.....	783	8	7	-	15	19.16	14	-	1	-	-
Cumberland.....	1,404	16	12	-	28	19.94	22	3	2	-	1
Falmouth.....	1,511	11	13	-	24	15.88	19	4	1	-	-
Freeport.....	2,339	21	23	-	44	18.81	38	1	2	2	1
Gorham.....	2,540	22	19	-	41	16.14	32	2	3	2	2
Gray.....	1,388	10	12	-	22	15.85	19	-	1	2	-
Harpwell.....	1,750	22	24	-	46	26.28	38	-	5	3	-
Harrison.....	969	13	10	-	23	23.74	22	-	1	-	-
Naples.....	813	7	5	-	12	14.76	12	-	-	-	-
New Gloucester.....	1,162	14	11	-	25	21.51	20	3	2	-	-
North Yarmouth.....	642	3	9	-	12	18.69	10	2	-	-	-
Otisfield.....	728	2	6	-	8	10.99	6	1	-	1	-
Portland.....	50,145	517	499	1	1,017	20.28	418	365	97	120	17
Pownal.....	592	3	1	-	4	6.76	4	-	-	-	-
Raymond.....	823	10	12	-	22	26.73	22	-	-	-	-
Scarboro.....	1,865	18	16	-	34	18.23	21	6	-	7	-
Sebago.....	576	1	4	-	5	8.68	4	-	1	-	-
South Portland.....	6,287	53	76	-	129	20.52	90	17	9	13	-
Standish.....	1,504	7	19	-	26	17.29	25	1	-	-	-
Westbrook.....	7,283	87	89	-	176	24.17	51	87	18	20	-
Windham.....	1,929	12	16	-	28	14.52	26	1	-	1	-
Yarmouth.....	2,274	23	23	-	46	20.23	26	10	4	5	1
Total.....	100,689	996	1,032	1	2,029	20.15	1,050	588	169	199	23

No. 7—Continued.
for the Year 1903.
COUNTY.

MARRIAGES.							DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
7	-	-	-	-	7	5	3	-	8	8	-	-	9.74	
25	-	2	1	-	28	22	24	-	46	44	2	-	16.04	
24	10	5	6	-	45	37	49	-	86	65	20	1	12.64	
4	-	-	1	-	5	4	3	-	7	7	-	-	7.89	
5	-	-	-	-	5	3	6	-	9	8	1	-	11.49	
11	1	2	-	-	14	10	15	-	25	24	-	1	17.81	
10	-	1	-	-	11	21	15	-	36	32	4	-	23.83	
18	-	-	1	-	19	14	21	-	35	33	2	-	14.96	
8	-	4	-	-	12	25	24	-	49	48	1	-	19.30	
13	-	1	-	-	14	17	12	-	29	29	-	-	20.87	
12	-	1	1	-	14	14	8	-	22	22	-	-	12.57	
14	-	-	-	-	14	10	4	-	14	14	-	-	14.45	
7	-	-	-	-	7	10	4	-	14	14	-	-	17.22	
7	-	-	-	-	7	17	9	-	26	24	2	-	22.38	
4	-	-	-	-	4	8	6	-	14	13	-	1	21.61	
5	-	-	-	-	5	13	4	-	17	17	-	-	23.35	
294	90	51	46	6	487	452	478	-	930	690	220	20	18.55	
4	-	-	-	-	4	4	2	-	6	6	-	-	10.14	
3	-	-	-	-	3	9	5	-	14	14	-	-	17.01	
9	1	2	1	-	13	14	11	-	25	22	2	1	13.41	
6	-	-	-	-	6	2	10	-	12	11	1	-	20.83	
45	4	3	2	1	55	53	54	-	107	96	11	-	17.02	
9	-	1	-	-	10	15	11	-	26	26	-	-	17.29	
45	15	11	7	-	78	44	42	-	86	60	25	1	11.81	
10	-	1	1	-	12	14	21	-	35	34	1	-	18.15	
19	4	1	-	-	24	21	13	-	34	28	5	1	14.95	
618	125	86	67	7	903	858	854	-	1,712	1,389	297	26	17.00	

TABLE
Births, Marriages, and Deaths
FRANKLIN

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Avon	448	3	1	-	4	8.93	4	-	-	-	-
Carthage	334	-	5	-	5	14.97	5	-	-	-	-
Chesterville	709	4	3	-	7	9.87	5	1	-	1	-
Eustis	436	7	5	-	12	27.52	9	-	1	2	-
Farmington	3,288	18	18	-	36	10.95	28	1	4	3	-
Freeman	397	4	3	-	7	17.63	5	-	1	1	-
Industry	553	2	6	-	8	14.47	7	-	1	-	-
Jay	2,758	45	54	-	99	35.90	22	63	12	2	-
Kingfield	693	16	8	-	24	34.63	20	1	1	1	1
Madrid	326	1	4	-	5	15.34	5	-	-	-	-
New Sharon	946	3	15	-	18	19.03	18	-	-	-	-
New Vineyard	584	8	5	-	13	22.26	13	-	-	-	-
Phillips	1,399	8	14	-	22	15.73	21	-	1	-	-
Rangeley	961	8	19	-	27	28.10	21	2	4	-	-
Salem	195	-	2	-	2	10.26	2	-	-	-	-
Strong	637	5	10	-	15	23.55	14	-	-	1	-
Temple	394	4	1	-	5	12.69	5	-	-	-	-
Weld	738	6	14	-	20	27.10	16	-	3	1	-
Wilton	1,647	23	15	-	38	23.07	32	1	3	1	1
Coplin Pl.	70	-	1	-	1	14.28	1	-	-	-	-
Dallas Pl.	172	4	3	-	7	40.70	6	-	1	-	-
Greenville Pl.	57	-	1	-	1	17.54	1	-	-	-	-
Lang Pl.	87	-	1	-	1	11.49	1	-	-	-	-
Rangeley Pl.	98	-	2	-	2	20.41	2	-	-	-	-
Perkins Pl.	63	-	-	-	-	-	-	-	-	-	-
Washington	20	-	1	-	1	50.00	1	-	-	-	-
Jerusalem	35	-	2	-	2	57.14	2	-	-	-	-
Township No. 6.	22	-	1	-	1	45.45	1	-	-	-	-
Total	*18,067	169	214	-	383	21.20	287	69	32	13	2

* Population in unorganized plantations in 1900, 377.

No. 7—Continued.
for the Year 1903.
COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	2	3	-	5	3	1	1	11.16
2	-	1	1	-	4	2	1	-	3	3	-	-	8.98
6	-	-	-	-	6	5	3	-	8	8	-	-	11.28
5	-	-	1	-	6	3	3	-	6	5	1	-	13.76
28	-	2	2	-	32	27	27	-	54	49	5	-	16.42
3	-	-	-	-	3	2	1	-	3	2	1	-	7.56
2	-	-	-	-	2	6	3	-	9	9	-	-	16.27
11	9	1	3	-	24	20	22	-	42	37	5	-	15.23
6	-	1	-	-	7	5	7	-	12	12	-	-	17.31
2	-	-	-	-	2	3	3	-	6	5	1	-	18.40
3	-	-	-	-	3	7	10	-	17	14	3	-	17.97
4	-	-	-	-	4	3	12	-	15	15	-	-	25.68
10	-	-	2	-	12	9	16	-	25	24	1	-	17.87
12	2	1	1	-	16	3	8	-	11	11	-	-	11.45
-	-	-	-	-	-	-	1	-	1	1	-	-	5.13
9	-	-	-	-	9	1	3	-	4	4	-	-	6.28
2	-	-	-	-	2	1	1	-	2	2	-	-	5.08
6	-	-	-	-	6	4	6	-	10	9	1	-	13.55
22	2	-	2	-	26	17	23	-	40	38	2	-	24.29
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	1	-	-	1	1	-	-	5.81
1	-	-	-	-	1	-	1	-	1	1	-	-	17.64
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	50.00
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	-	-	1	45.45
141	13	6	12	-	172	123	154	-	277	254	21	2	15.33

TABLE
Births, Marriages, and Deaths

HANCOCK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother. and foreign father.	American father and foreign mother.	Not stated.
Amherst	364	2	1	-	3	8.24	3	-	-	-	-
Aurora	152	3	1	-	4	26.32	4	-	-	-	-
Bluehill	1,828	11	10	-	21	11.49	19	-	-	2	-
Brooklin	936	9	8	-	17	18.16	16	-	-	1	-
Brooksville	1,171	12	14	-	26	22.20	25	-	-	1	-
Bucksport	2,339	21	16	-	37	15.82	34	1	-	2	-
Castine.....	925	9	11	-	20	21.62	17	-	1	1	1
Cranberry Isles	374	5	-	-	5	13.37	3	-	2	-	-
Dedham.....	327	3	2	-	5	15.29	4	-	-	-	1
Deer Isle.....	2,047	21	13	-	34	16.61	33	-	-	-	1
Eastbrook	248	3	4	-	7	28.23	7	-	-	-	-
Eden	4,379	37	41	-	78	17.81	55	8	6	9	-
Ellsworth.....	4,297	33	29	-	62	14.43	56	1	2	3	-
Franklin	1,201	12	14	-	26	21.65	25	-	-	-	1
Gouldsboro	1,259	6	5	-	11	9.53	10	-	1	-	-
Hancock	900	9	9	-	18	20.00	13	1	2	2	-
Isle au Haut	182	1	-	-	1	5.49	1	-	-	-	-
Lamoine	594	3	3	-	6	10.10	6	-	-	-	-
Mariaville	218	-	-	-	-	-	-	-	-	-	-
Mount Desert	1,600	29	21	-	50	31.25	43	-	3	3	1
Orland	1,251	7	9	-	16	12.79	14	1	-	-	1
Otis.....	152	1	1	-	2	13.16	2	-	-	-	-
Penobscot	1,156	9	14	-	23	19.90	22	-	-	1	-
Sedgwick	902	12	10	-	22	24.39	18	-	3	1	-
Sorrento	117	-	1	-	1	8.55	1	-	-	-	-
Stonington.....	1,648	18	21	-	39	23.67	33	4	2	-	-

No. 7—Continued.
for the Year 1903.
 COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	4	1	-	5	5	-	-	13.74
1	-	-	-	-	1	2	3	-	5	4	1	-	32.89
11	-	-	-	-	11	16	14	-	30	29	1	-	16.41
2	-	-	1	-	3	8	8	-	16	15	1	-	17.09
8	-	-	-	-	8	12	8	-	20	20	-	-	17.08
12	-	-	-	-	12	24	12	-	36	35	1	-	15.39
10	-	-	-	-	10	5	5	-	10	10	-	-	10.81
2	-	1	-	-	3	2	2	-	4	4	-	-	10.70
-	-	-	-	-	-	5	3	-	8	6	2	-	24.46
7	-	-	1	-	8	24	20	-	44	43	1	-	21.49
1	-	-	-	-	1	4	3	-	7	7	-	-	28.23
57	5	4	4	-	70	21	29	-	50	44	5	1	11.42
35	-	1	1	-	37	35	25	-	60	58	1	1	13.96
4	-	-	-	-	4	7	7	-	14	14	-	-	11.66
12	1	-	3	-	16	9	6	-	15	15	-	-	11.91
10	-	-	-	-	10	8	6	-	14	13	1	-	15.56
-	-	-	-	-	-	1	-	-	1	-	1	-	5.49
11	-	-	2	-	13	5	2	-	7	7	-	-	11.78
1	-	-	-	-	1	2	2	-	4	4	-	-	18.35
15	-	-	-	-	15	5	13	-	18	18	-	-	11.25
10	-	1	1	-	12	10	9	-	19	19	-	-	15.19
1	-	-	-	-	1	-	1	-	1	1	-	-	6.58
6	-	-	1	-	7	9	6	-	15	15	-	-	12.98
11	-	1	-	-	12	12	6	-	18	18	-	-	19.96
1	-	-	-	-	1	3	-	-	3	3	-	-	25.65
8	-	-	1	-	9	11	11	-	22	19	3	-	13.35

TABLE
Births, Marriages, and Deaths

HANCOCK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Sullivan.....	1,084	6	12	-	18	17.41	14	1	1	2	-
Surry.....	900	9	9	-	18	20.00	17	-	1	-	-
Swan's Island.....	758	8	9	-	17	22.43	15	1	1	-	-
Tremont.....	2,010	31	28	-	59	29.35	53	1	4	1	-
Trenton.....	459	5	1	-	6	13.07	6	-	-	-	-
Verona.....	234	3	-	-	3	12.82	3	-	-	-	-
Waltham.....	192	2	1	-	3	15.62	3	-	-	-	-
Winter Harbor.....	571	6	4	-	10	17.51	10	-	-	-	-
Long Island Pl.....	174	3	3	-	6	34.48	4	-	1	-	1
No. 8 Pl.....	17	1	-	-	1	58.82	1	-	-	-	-
No. 33 Pl.....	82	-	1	-	1	12.19	1	-	-	-	-
Total.....	*36,998	350	326	-	676	18.27	591	19	30	29	7

*Population in unorganized plantations in 1900, 243.

No. 7—Continued.
for the Year 1903.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
10	-	2	-	-	12	6	5	-	11	11	-	-	10.64
8	-	1	1	-	10	11	8	-	19	19	-	-	21.11
7	-	-	1	-	8	5	2	-	7	6	1	-	9.23
17	-	-	-	-	17	16	10	-	26	26	-	-	12.94
3	-	-	-	-	3	6	1	-	7	7	-	-	15.25
1	-	-	-	-	1	-	-	-	-	-	-	-	-
2	-	-	-	-	2	-	1	-	1	1	-	-	5.21
1	-	-	-	-	1	5	2	-	7	7	-	-	12.26
1	-	-	-	-	1	3	2	-	5	5	-	-	28.74
-	-	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	2	2	-	-	24.38
288	6	11	18	-	323	298	233	-	531	510	19	2	14.35

TABLE
Births, Marriages, and Deaths

KENNEBEC

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion	878	11	10	-	21	23.92	21	-	-	-	-
Augusta.....	11,683	119	117	-	236	20.20	113	67	27	25	4
Belgrade	1,058	5	8	-	13	12.29	13	-	-	-	-
Benton	1,097	15	15	-	30	27.35	22	2	2	4	-
Chelsea	3,092	8	5	-	13	4.20	12	1	-	-	-
China.....	1,380	9	10	-	19	13.77	16	-	-	1	-
Clinton	1,398	10	13	-	23	16.45	22	-	1	-	-
Farmingdale	848	3	4	-	7	8.25	2	1	4	-	-
Fayette	560	4	5	-	9	16.07	8	-	-	1	-
Gardiner	5,501	46	45	-	91	16.54	64	13	8	5	1
Hallowell	2,714	23	16	-	39	14.37	25	5	7	2	-
Litchfield	1,057	5	8	-	13	12.30	11	-	-	2	-
Manchester	518	7	2	-	9	17.37	9	-	-	-	-
Monmouth.....	1,236	7	10	-	17	13.75	10	6	-	1	-
Mount Vernon.....	906	8	9	-	17	18.76	16	-	-	1	-
Oakland.....	1,913	16	9	-	25	13.07	21	1	2	1	-
Pittston	1,177	10	7	-	17	14.44	14	1	2	-	-
Randolph	1,077	5	7	-	12	11.14	4	6	1	1	-
Readfield	994	8	7	-	15	15.09	15	-	-	-	-
Rome.....	420	6	5	-	11	26.19	10	-	-	1	-
Sidney.....	1,068	5	5	-	10	9.36	9	1	-	-	-
Vassalboro	2,062	15	25	-	40	19.40	30	4	1	4	1

**No. 7—Continued,
for the Year 1903.
COUNTY.**

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
9	-	-	-	-	9	9	15	-	24	23	1	-	27.33
65	16	7	5	3	96	138	142	-	280	230	34	16	23.95
6	-	-	-	-	6	11	9	-	20	19	-	1	18.90
11	1	3	1	-	16	10	18	-	28	27	1	-	25.52
7	-	-	-	-	7	10	5	-	15	13	2	-	4.85
14	-	2	1	-	17	12	11	-	23	22	1	-	16.67
14	-	1	-	-	15	9	14	-	23	23	-	-	16.45
-	1	-	-	-	1	5	3	-	8	7	1	-	9.43
6	-	-	-	-	6	1	6	-	7	6	1	-	12.50
47	3	1	3	-	54	42	47	-	89	82	7	-	16.18
22	-	-	1	-	23	30	24	-	54	48	6	-	19.90
5	-	-	-	-	5	10	5	-	15	14	1	-	14.19
5	-	-	-	-	5	4	3	-	7	6	1	-	13.51
7	-	-	1	-	8	13	7	-	20	18	2	-	16.18
3	-	-	-	-	3	9	5	-	14	14	-	-	15.45
26	-	-	-	-	26	17	20	-	37	35	2	-	19.34
8	-	-	-	-	8	12	7	-	19	18	-	1	16.14
7	-	-	-	-	7	8	9	-	17	16	1	-	15.78
6	-	-	-	-	6	10	8	-	18	17	1	-	18.11
5	-	-	-	-	5	4	2	-	6	6	-	-	14.29
10	-	1	1	-	12	10	11	-	21	21	-	-	19.66
10	-	-	2	-	12	13	16	-	29	25	2	2	14.06

TABLE
Births, Marriages, and Deaths

KENNEBEC

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Vienna	406	4	4	-	8	19.70	8	-	-	-	-
Waterville	9,477	139	134	1	274	28.91	93	96	38	43	4
Wayne	707	7	5	-	12	16.97	11	1	-	-	-
West Gardiner	693	2	7	-	9	12.99	9	-	-	-	-
Windsor	782	6	3	-	9	11.51	8	-	-	1	-
Winslow	2,277	36	24	-	60	26.79	19	29	6	6	-
Winthrop	2,088	13	12	-	25	11.97	16	9	-	-	-
Unity Pl	50	-	-	-	-	-	-	-	-	-	-
Togus	-	-	-	-	-	-	-	-	-	-	-
Total	59,117	552	531	1	1,084	18.34	633	243	99	99	10

No. 7—Continued.
for the Year 1903.
 COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	4	5	-	9	9	-	-	22.17
67	15	7	18	1	108	84	95	-	179	138	40	1	18.89
8	-	-	-	-	8	6	8	-	14	13	1	-	19.80
2	-	-	-	-	2	4	2	-	6	6	-	-	8.66
5	-	-	-	-	5	5	6	-	11	9	2	-	14.07
11	7	1	1	-	20	22	21	-	43	35	7	1	18.88
13	-	-	2	-	15	20	26	-	46	40	6	-	22.03
-	-	-	-	-	-	1	-	-	1	1	-	-	20.00
-	-	-	1	-	1	9	-	-	9	8	1	-	-
401	43	23	37	4	508	542	550	-	1,092	949	121	22	18.47

TABLE
Births, Marriages, and Deaths

KNOX

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton.....	975	6	10	-	16	16.41	16	-	-	-	-
Camden.....	2,825	27	23	-	50	17.70	42	3	2	3	-
Cushing.....	604	6	4	-	10	16.55	9	-	1	-	-
Friendship.....	814	6	4	-	10	12.29	9	-	-	1	-
Hope.....	599	5	7	-	12	20.03	12	-	-	-	-
Hurricane Isle.....	257	3	2	-	5	19.45	1	4	-	-	-
North Haven.....	551	6	5	-	11	19.96	11	-	-	-	-
Rockland.....	8,150	56	61	-	117	14.36	91	6	9	10	1
Rockport.....	2,314	17	14	-	31	13.40	24	2	2	3	-
St. George.....	2,206	27	24	-	51	23.12	28	17	5	1	-
South Thomaston....	1,426	12	10	-	22	15.43	17	2	2	1	-
Thomaston.....	2,688	7	16	-	23	8.56	18	1	3	-	1
Union.....	1,248	6	9	-	15	12.02	14	-	1	-	-
Vinalhaven.....	2,358	17	14	-	31	13.15	22	5	2	2	-
Warren.....	2,069	13	16	-	29	14.02	25	-	2	2	-
Washington.....	1,019	7	10	-	17	16.68	17	-	-	-	-
Matinicus Isle Pl.....	184	-	-	-	-	-	-	-	-	-	-
Total.....	*30,287	221	229	-	450	14.86	356	40	29	23	2

* Population in unorganized plantations in 1900, 119.

No. 7—Continued.
for the Year 1903.
COUNTY.

MARRIAGES.							DEATHS.						Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
5	-	-	-	-	5	5	4	-	9	8	1	-	9.23
41	1	2	1	-	45	23	24	-	47	45	1	1	16.64
4	-	-	-	-	4	6	5	-	11	11	-	-	18.21
6	-	-	-	-	6	5	5	-	10	10	-	-	12.29
2	-	-	-	-	2	7	3	-	10	10	-	-	16.69
1	1	-	-	-	2	-	1	-	1	1	-	-	3.89
2	-	-	-	-	2	3	3	-	6	6	-	-	10.89
76	1	7	6	-	90	83	78	-	161	147	14	-	19.75
20	-	-	1	-	21	10	21	-	31	31	-	-	13.40
9	6	-	1	-	16	13	12	-	25	22	2	1	11.33
9	2	-	-	1	12	15	14	-	29	28	1	-	20.34
8	-	1	1	-	10	22	24	-	46	43	3	-	17.12
12	-	-	1	-	13	7	9	-	16	16	-	-	12.82
18	-	3	-	-	21	15	18	-	33	31	2	-	13.99
21	-	2	-	-	23	15	13	-	28	26	2	-	13.53
	-	-	-	-	6	10	7	-	17	17	-	-	16.68
2	-	-	-	-	2	2	1	-	3	3	-	-	16.30
4	11	15	11	1	280	241	242	-	483	455	26	2	15.95

TABLE
Births, Marriages, and Deaths

LINCOLN

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna	444	4	4	-	8	18.02	6	1	-	1	-
Boothbay	1,766	21	22	-	43	24.35	40	-	-	2	1
Boothbay Harbor	1,926	18	16	-	34	17.65	27	2	2	2	1
Bremen	657	7	6	1	14	21.31	12	-	1	1	-
Bristol	2,572	19	28	-	47	18.28	42	1	4	-	-
Damariscotta.....	876	6	5	-	11	12.56	11	-	-	-	-
Dresden.....	882	4	6	-	10	11.34	8	1	-	1	-
Edgecomb	607	4	3	-	7	11.53	6	-	1	-	-
Jefferson.....	1,155	8	4	-	12	10.39	11	-	-	1	-
Newcastle	1,075	7	9	-	16	14.88	15	-	-	1	-
Nobleboro	810	6	2	-	8	9.88	7	-	-	-	1
Somerville.....	374	5	1	-	6	16.04	6	-	-	-	-
Southport	527	4	6	-	10	18.98	9	-	-	1	-
Waldoboro.....	3,145	27	20	-	47	14.94	43	1	1	1	1
Westport.....	330	3	4	-	7	21.21	5	-	2	-	-
Whitefield	1,156	7	5	-	12	10.38	11	1	-	-	-
Wiscasset	1,273	8	3	-	11	8.64	10	-	-	1	-
Monhegan Pl.....	94	-	-	-	-	-	-	-	-	-	-
Total	19,869	158	144	1	303	15.40	269	7	11	12	4

No. 7—Continued.
for the Year 1903.
 COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
5	-	-	1	-	6	4	4	-	8	8	-	-	18.02
17	-	-	-	-	17	10	14	-	24	23	1	-	13.59
9	1	2	-	-	12	11	11	-	22	17	1	4	11.42
7	-	-	-	-	7	3	6	-	9	9	-	-	13.70
17	-	-	1	-	18	31	25	-	56	41	7	8	21.77
4	-	-	-	-	4	3	7	-	10	10	-	-	11.42
1	-	-	-	-	1	10	15	-	25	25	-	-	28.34
3	-	-	-	-	3	7	3	-	10	10	-	-	16.47
8	-	-	-	-	8	9	10	-	19	19	-	-	16.45
4	-	-	-	-	4	10	5	-	15	15	-	-	13.95
3	-	-	1	-	4	12	3	-	15	15	-	-	18.52
2	-	2	-	-	4	1	2	-	3	3	-	-	8.02
6	-	-	-	-	6	7	4	-	11	10	1	-	20.87
14	1	1	-	-	16	27	23	-	60	57	3	-	19.08
-	-	-	-	-	-	3	1	-	4	4	-	-	12.12
7	-	-	-	-	7	9	7	-	16	13	3	-	13.84
14	1	-	-	-	15	12	7	-	19	18	1	-	14.93
-	-	-	-	-	-	1	-	-	1	1	-	-	10.64
121	3	5	3	-	132	170	157	-	327	298	17	12	16.63

TABLE
Births, Marriages, and Deaths

OXFORD

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany.....	538	6	4	-	10	18.59	10	-	-	-	-
Andover.....	727	-	-	-	-	-	-	-	-	-	-
Bethel.....	1,835	17	24	-	41	22.34	32	6	2	1	-
Brownfield.....	1,019	8	7	-	15	14.72	13	-	1	1	-
Buckfield.....	1,139	8	6	-	14	12.29	13	-	-	1	-
Byron.....	204	7	1	-	8	39.22	5	1	-	2	-
Canton.....	946	15	12	-	27	28.54	18	4	3	1	1
Denmark.....	634	1	5	-	6	9.46	5	-	1	-	-
Dixfield.....	1,052	11	13	-	24	22.81	21	2	-	1	-
Fryeburg.....	1,376	12	12	-	24	17.44	23	-	1	-	-
Gilead.....	340	4	3	-	7	20.59	7	-	-	-	-
Grafton.....	81	-	3	-	3	37.04	3	-	-	-	-
Greenwood.....	741	4	7	-	11	14.85	11	-	-	-	-
Hanover.....	214	-	1	-	1	4.67	1	-	-	-	-
Hartford.....	660	4	7	-	11	16.67	9	2	-	-	-
Hebron.....	494	3	2	-	5	10.12	5	-	-	-	-
Hiram.....	1,015	8	14	-	22	21.67	19	1	1	1	-
Lovell.....	693	8	5	-	13	18.76	13	-	-	-	-
Mexico.....	816	31	23	-	54	66.18	19	24	6	5	-
Newry.....	286	1	3	-	4	13.99	3	-	1	-	-
Norway.....	2,902	25	31	-	56	19.30	45	2	1	6	2
Oxford.....	1,331	6	9	-	15	11.27	14	-	1	-	-

**No. 7—Continued,
for the Year 1903.
COUNTY.**

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
5	-	1	1	-	7	3	1	-	4	4	-	-	7.43
5	-	1	1	-	10	-	-	-	-	-	-	-	-
22	-	-	1	-	23	13	24	-	37	36	1	-	20.16
3	-	-	-	-	3	14	10	-	24	24	-	-	23.55
7	-	-	1	-	8	11	15	-	26	24	1	1	22.83
-	-	-	-	-	-	3	-	-	3	3	-	-	14.71
3	2	2	2	-	9	9	7	-	16	13	2	1	16.91
4	-	-	-	-	4	8	5	-	13	13	-	-	20.50
8	-	-	-	-	8	7	9	-	16	16	-	-	15.21
14	-	2	1	-	17	18	9	-	27	25	1	1	19.62
-	-	-	-	-	-	4	-	-	4	4	-	-	11.76
-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	-	-	7	5	4	-	9	8	-	1	12.15
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	6	5	-	11	10	1	-	16.67
3	-	-	-	-	3	5	5	-	10	10	-	-	20.24
6	-	-	-	-	6	8	10	-	18	18	-	-	17.73
4	-	-	-	-	4	4	9	-	13	13	-	-	18.76
6	3	2	1	-	12	12	12	-	24	21	3	-	29.45
4	-	1	-	-	5	1	1	-	2	2	-	-	6.99
25	1	2	1	-	29	24	19	-	43	39	3	1	14.82
9	-	1	-	-	10	12	6	-	20	19	1	-	15.02

TABLE
Births, Marriages, and Deaths
OXFORD

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Paris	3,225	33	25	-	58	17.98	51	3	1	3	-
Peru	773	2	5	-	7	9.05	6	-	1	-	-
Porter	886	9	6	-	15	16.93	15	-	-	-	-
Roxbury	238	3	4	-	7	29.41	6	1	-	-	-
Rumford	3,770	96	91	-	187	49.60	48	104	16	15	4
Stoneham	284	5	7	-	12	42.25	10	-	1	1	-
Stow	270	3	2	-	5	18.52	5	-	-	-	-
Sumner	802	5	7	-	12	14.96	11	-	1	-	-
Sweden	282	3	6	-	9	31.91	9	-	-	-	-
Upton	242	1	-	-	1	4.13	-	-	1	-	-
Waterford	917	9	9	-	18	19.63	15	-	1	2	-
Woodstock	816	10	9	-	19	23.28	15	1	2	1	-
Lincoln Pl	73	1	1	-	2	27.40	2	-	-	-	-
Milton Pl	202	4	2	-	6	29.70	6	-	-	-	-
Total	*31,823	363	366	-	729	22.85	488	151	42	41	7

* Population in unorganized plantations in 1900, 415.

No. 7—Continued.
for the Year 1903.
 COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
31	5	1	2	-	39	27	24	-	51	51	-	-	15.81
5	-	1	2	-	8	7	6	-	13	13	-	-	16.82
7	-	-	-	-	7	14	8	-	22	20	2	-	24.83
1	1	-	-	-	2	2	2	-	4	3	1	-	16.81
33	31	10	15	-	89	32	37	-	69	57	11	1	18.30
5	-	-	-	-	5	3	2	-	5	5	-	-	17.61
-	-	-	-	1	1	-	3	-	3	3	-	-	11.11
6	-	-	-	-	6	8	4	-	12	12	-	-	14.96
-	-	-	-	-	-	5	-	-	5	5	-	-	17.73
-	-	-	-	-	-	2	1	-	3	3	-	-	12.39
9	-	-	-	-	9	7	7	-	14	14	-	-	15.27
6	-	-	-	-	6	8	6	-	14	14	-	-	17.16
2	-	-	-	-	2	1	-	-	1	-	1	-	13.70
5	-	-	-	-	5	2	3	-	5	5	-	-	24.75
249	43	24	28	1	345	285	256	-	541	507	28	6	16.99

TABLE
Births, Marriages, and Deaths

PENOBSCOT

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Hampden	2,182	18	24	-	42	19.25	36	1	2	3	-
Hermon	1,188	5	5	-	10	8.45	8	-	1	1	-
Holden	602	7	7	-	14	23.26	8	3	1	1	1
Howland	519	6	7	-	13	25.05	4	6	1	1	1
Hudson	430	6	-	-	6	13.95	5	-	-	-	1
Kenduskeag	423	1	5	-	6	14.18	5	-	-	1	-
Kingman	936	18	16	-	34	36.32	16	5	9	3	1
Lagrange	574	4	9	-	13	22.65	12	-	1	-	-
Lee	801	6	11	-	17	21.22	15	-	1	1	-
Levant	789	16	5	-	21	26.62	20	-	-	1	-
Lincoln	1,731	9	10	-	19	10.98	11	4	2	-	2
Lowell	300	3	7	-	10	33.33	9	-	1	-	-
Mattamiscontis	28	1	-	-	1	35.71	1	-	-	-	-
Mattawankeag	527	10	4	-	14	26.56	8	-	4	2	-
Maxfield	115	4	-	-	4	34.78	4	-	-	-	-
Medway	297	3	5	-	8	26.94	8	-	-	-	-
Milford	838	5	9	-	14	16.71	7	3	1	2	1
Millinocket	1,144	52	30	-	82	71.68	25	26	18	13	-
Mt. Chase	299	4	1	-	5	16.72	3	1	1	-	-
Newburg	734	1	4	-	5	6.81	5	-	-	-	-
Newport	1,533	9	5	-	14	9.13	13	1	-	-	-
Old Town	5,763	109	84	-	193	33.49	72	61	35	25	-
Orono	3,257	48	50	-	98	30.09	42	30	17	9	-
Orrington	1,266	7	7	-	14	11.06	13	1	-	-	-

No. 7—Continued.
for the Year 1903.
COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
16	-	-	-	-	16	22	18	-	40	38	2	-	18.33
12	-	-	-	-	12	10	5	-	15	13	1	1	12.68
3	-	-	-	-	3	5	1	-	6	6	-	-	9.97
4	-	1	1	-	6	4	2	-	6	3	3	-	11.56
4	-	-	-	-	4	2	3	-	5	4	-	1	11.63
3	-	-	-	-	3	7	3	-	10	10	-	-	23.64
3	-	-	2	-	5	5	8	-	13	8	5	-	13.89
8	-	-	-	1	9	1	5	-	6	6	-	-	10.10
5	-	-	1	-	6	8	6	-	14	13	1	-	17.48
6	-	-	-	-	6	4	6	-	10	8	2	-	12.67
12	-	3	-	-	15	17	17	-	34	30	4	-	19.64
-	-	-	-	-	-	4	1	-	5	5	-	-	16.66
-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	2	-	-	7	7	2	-	9	7	2	-	17.08
1	-	-	-	-	1	-	-	-	-	-	-	-	-
3	-	-	-	-	3	1	1	-	2	2	-	-	6.73
2	-	-	-	3	5	6	4	-	10	8	2	-	11.93
15	6	8	1	1	31	16	9	-	25	18	6	1	21.85
3	-	-	-	-	3	-	1	-	1	1	-	-	3.34
10	-	-	-	-	10	8	6	-	14	14	-	-	19.07
14	1	-	2	-	17	13	11	-	24	24	-	-	15.66
34	8	9	5	-	56	59	64	-	123	93	25	5	21.34
3	4	3	8	-	18	21	25	-	46	30	15	1	14.12
9	-	-	-	-	9	7	8	-	15	12	3	-	11.85

TABLE
Births, Marriages, and Deaths

PENOBSCOT

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Passadumkeag	409	5	3	-	8	19.56	6	1	-	-	1
Patten.....	1,172	14	13	-	27	22.95	20	1	4	2	-
Plymouth	658	7	3	-	10	15.20	8	-	-	-	2
Prentiss.....	502	8	6	-	14	27.89	11	-	1	-	2
Springfield.....	532	4	9	-	13	24.44	8	-	3	2	-
Stetson.....	503	1	4	-	5	9.94	5	-	-	-	-
Veazie.....	555	3	5	-	8	14.41	8	-	-	-	-
Winn	688	10	6	-	16	23.25	11	2	2	-	1
Woodville	160	1	1	-	2	12.50	2	-	-	-	-
Drew Pl	120	1	-	-	1	8.33	1	-	-	-	-
Lakeville Pl	129	2	1	-	3	23.25	3	-	-	-	-
Seboeis Pl	96	-	1	-	1	10.41	1	-	-	-	-
Stacyville Pl	347	4	3	-	7	20.17	7	-	-	-	-
Webster Pl	124	4	1	-	5	40.32	3	-	2	-	-
No. 2, R. 6.....	-	1	1	-	2	-	2	-	-	-	-
Indian Township.....	-	1	-	-	1	-	1	-	-	-	-
Total	*75,731	842	755	1	1,598	21.09	987	275	172	140	24

* Population in unorganized plantations in 1900, 515.

No. 7—Continued.
for the Year 1903.
COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
7	-	-	2	1	10	-	1	-	1	1	-	-	2.44	
15	-	-	1	1	17	10	11	-	21	16	3	2	17.92	
3	-	-	-	-	3	2	8	-	10	10	-	-	15.20	
2	-	-	-	-	2	3	2	-	5	5	-	-	9.96	
3	-	-	-	-	3	6	3	-	9	7	2	-	16.92	
3	-	-	-	-	3	6	4	-	10	10	-	-	19.88	
5	-	-	-	-	5	7	6	-	13	12	1	-	23.42	
2	-	-	1	-	3	9	7	-	16	9	7	-	23.25	
3	-	-	-	-	3	4	1	-	5	3	2	-	31.25	
-	-	-	-	-	-	1	1	-	2	2	-	-	16.66	
-	-	-	-	-	-	1	1	-	2	2	-	-	15.50	
-	-	-	-	-	-	3	-	-	3	2	-	1	31.25	
1	-	-	2	-	3	-	2	-	2	2	-	-	5.76	
1	-	-	-	-	1	1	2	-	3	3	-	-	24.19	
-	-	-	-	-	-	1	-	-	1	1	-	-	-	
2	-	-	-	-	2	-	-	-	-	-	-	-	-	
518	58	65	56	8	705	678	604	-	1,282	1,063	183	36	16.93	

TABLE
Births, Marriages, and Deaths

PISCATAQUIS

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbot	716	8	6	-	14	19.55	12	-	2	-	-
Atkinson	495	4	4	-	8	16.16	7	1	-	-	-
Blanchard	248	6	2	-	8	32.25	7	1	-	-	-
Brownville	1,570	23	21	-	44	28.03	23	10	7	4	-
Dover	1,889	17	11	-	28	14.82	25	-	1	2	-
Foxcroft	1,629	8	17	-	25	15.35	19	3	2	1	-
Greenville	1,117	19	25	-	44	39.39	18	12	7	7	-
Guilford	1,544	8	14	-	22	14.25	15	3	3	1	-
Medford	282	1	-	-	1	3.54	1	-	-	-	-
Milo	1,150	29	15	-	44	38.26	34	1	3	5	1
Monson	1,116	13	13	-	26	23.21	13	13	-	-	-
Orneville	325	3	4	-	7	21.54	6	1	-	-	-
Parkman	718	3	7	-	10	13.93	8	-	2	-	-
Sangerville	1,294	11	15	-	26	20.09	20	3	1	2	-
Sebec	593	2	2	-	4	6.75	4	-	-	-	-
Shirley	248	5	2	-	7	28.23	3	-	3	1	-
Wellington	413	6	1	-	7	16.95	6	-	1	-	-
Williamsburg	117	2	-	-	2	17.09	1	-	1	-	-
Willimantic	419	3	5	-	8	19.09	8	-	-	-	-
Barnard Pl.	98	-	1	-	1	10.20	1	-	-	-	-
Bowerbank Pl.	66	-	1	-	1	15.15	1	-	-	-	-
Elliottsville Pl.	86	2	1	-	3	34.88	1	1	1	-	-
Kingsbury Pl.	106	3	2	-	5	47.17	4	-	1	-	-
Lake View Pl.	173	3	3	-	6	34.68	1	3	1	1	-
Chesuncook	65	-	-	-	-	-	-	-	-	-	-
Total	*16,477	179	172	-	351	21.30	238	52	36	24	1

*Population in unorganized plantations in 1900, 472.

No. 7—Continued.
for the Year 1903.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
8	-	-	-	-	8	6	1	-	7	5	-	2	9.78
2	-	1	-	-	3	2	1	-	3	3	-	-	6.06
2	1	-	-	-	3	3	3	-	6	5	-	1	24.19
9	6	-	3	-	18	9	10	-	19	15	4	-	12.10
15	-	-	-	-	15	10	16	-	26	25	1	-	13.76
12	1	-	-	1	14	12	16	-	28	25	3	-	17.19
4	6	2	2	-	14	21	3	-	24	11	11	2	21.49
12	-	1	-	-	13	11	10	-	21	21	-	-	13.60
3	-	-	-	-	3	2	-	-	2	2	-	-	7.08
10	-	-	1	-	11	10	3	-	13	11	2	-	11.30
7	3	1	1	-	12	6	8	-	14	11	3	-	12.54
2	-	-	1	-	3	3	3	-	6	6	-	-	18.46
6	-	-	-	-	6	11	3	-	14	14	-	-	19.50
12	-	2	1	-	15	2	6	-	8	6	2	-	6.18
-	1	-	-	-	1	5	2	-	7	7	-	-	11.80
4	-	-	-	-	4	2	1	-	3	3	-	-	12.10
7	-	-	1	-	8	2	2	-	4	4	-	-	9.69
1	-	-	-	-	1	1	-	-	1	1	-	-	8.54
3	-	-	-	-	3	-	1	-	1	1	-	-	2.39
-	-	-	-	-	-	-	1	-	1	1	-	-	10.20
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	1	-	2	-	-	-	-	-	-	-	-
1	-	-	-	-	1	2	2	-	4	4	-	-	37.74
4	-	-	-	-	4	-	1	-	1	1	-	-	5.78
-	-	1	-	1	2	1	-	-	1	1	-	-	15.38
126	18	8	11	2	165	121	93	-	214	188	26	6	12.99

TABLE
Births, Marriages, and Deaths

SAGADAHOC

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Arrowsic.....	180	1	1	-	2	11.11	2	-	-	-	-
Bath.....	10,477	109	109	-	218	20.81	122	56	16	22	2
Bowdoin.....	937	3	7	-	10	10.67	9	-	-	1	-
Bowdoinham.....	1,305	7	9	-	16	12.26	14	-	2	-	-
Georgetown.....	799	6	6	-	12	15.02	12	-	-	-	-
Perkins.....	61	-	1	-	1	16.39	1	-	-	-	-
Phippsburg.....	1,254	14	7	-	21	16.75	16	2	1	2	-
Richmond.....	2,049	13	11	-	24	11.71	18	4	1	-	1
Topsham.....	2,097	17	21	-	38	18.12	16	14	4	4	-
West Bath.....	291	3	2	-	5	17.18	5	-	-	-	-
Woolwich.....	880	4	1	-	5	5.68	5	-	-	-	-
Total.....	20,330	177	175	-	352	17.31	220	76	24	29	3

No. 7—Continued.
for the Year 1903.
 COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	2	3	-	5	5	-	-	27.78
60	16	10	14	-	100	89	33	-	172	143	28	1	16.42
8	1	-	-	-	9	9	10	-	19	18	1	-	20.28
6	-	-	-	-	6	11	10	-	21	20	1	-	16.09
10	-	-	-	-	10	6	5	-	11	11	-	-	13.77
-	-	-	-	-	-	-	3	-	3	3	-	-	49.17
3	-	-	-	-	3	14	7	-	21	21	-	-	16.75
7	1	1	-	-	9	19	22	-	41	39	2	-	20.01
4	2	-	-	-	6	12	13	-	25	22	3	-	11.92
1	-	-	-	-	1	2	3	-	5	5	-	-	17.18
7	-	1	-	-	8	6	10	-	16	15	1	-	18.18
106	20	12	14	-	152	170	169	-	339	302	36	1	16.67

TABLE
Births, Marriages, and Deaths

SOMERSET

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson	1,830	33	22	1	56	30.60	35	12	2	5	2
Athens	896	12	8	-	20	22.32	19	-	1	-	-
Bingham	841	7	7	-	14	16.65	10	1	1	1	1
Cambridge	364	1	5	-	6	16.48	5	1	-	-	-
Canaan	977	6	5	-	11	11.26	11	-	-	-	-
Concord	291	6	1	-	7	24.05	6	-	-	-	1
Cornville	689	4	4	-	8	11.61	8	-	-	-	-
Detroit	527	2	-	-	2	3.79	2	-	-	-	-
Embden	567	4	7	-	11	19.40	11	-	-	-	-
Fairfield	3,878	34	28	-	62	15.99	30	11	8	7	6
Harmony	571	7	5	-	12	21.02	11	-	-	1	-
Hartland	1,115	5	8	2	15	13.45	10	2	2	1	-
Madison	2,764	22	23	-	45	16.28	27	13	2	3	-
Mercer	493	7	3	-	10	20.28	10	-	-	-	-
Moscow	378	7	5	-	12	31.75	9	-	-	3	-
New Portland	913	6	9	-	15	16.43	14	-	-	1	-
Norridgewock	1,495	12	16	-	28	18.73	23	3	2	-	-
Palmyra	915	8	8	-	16	17.49	14	-	2	-	-
Pittsfield	2,891	21	28	-	49	16.95	40	3	3	3	-
Ripley	449	3	3	-	6	13.36	6	-	-	-	-
St. Albans	1,037	6	6	-	12	11.57	10	1	1	-	-
Skowhegan	5,180	40	49	-	89	17.18	52	14	16	7	-
Smithfield	449	-	1	-	1	2.23	-	-	-	1	-
Solon	396	9	7	-	16	16.06	14	-	1	1	-
Starks	636	4	4	-	8	12.58	8	-	-	-	-

No. 7—Continued.
for the Year 1903.
COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
22	2	1	3	1	29	22	15	-	37	33	3	1	20.21
6	-	-	-	-	6	9	6	-	15	15	-	-	16.74
5	-	1	1	-	7	8	6	-	14	14	-	-	16.65
5	-	-	-	-	5	9	4	-	13	12	-	1	35.71
9	-	-	-	-	9	15	7	-	22	22	-	-	22.52
5	-	-	-	-	5	1	2	-	3	3	-	-	10.31
8	-	-	-	-	8	2	5	-	7	7	-	-	10.16
5	-	-	-	-	5	7	4	-	11	10	1	-	20.87
7	-	-	1	-	8	3	-	-	3	3	-	-	5.29
20	1	2	5	3	31	36	27	-	63	51	10	2	16.25
9	-	1	-	-	10	2	12	-	14	13	1	-	24.52
11	-	2	-	-	13	8	8	-	16	15	1	-	14.35
22	8	1	6	-	37	19	21	-	40	39	1	-	14.47
8	-	-	-	-	8	4	6	-	10	10	-	-	20.28
3	-	-	1	-	4	7	3	-	10	9	1	-	26.46
7	-	-	-	-	7	7	10	-	17	16	1	-	18.62
7	-	-	-	-	7	13	12	-	25	25	-	-	16.72
6	-	-	-	-	6	14	7	-	21	21	-	-	22.95
35	-	1	2	1	39	18	27	-	45	44	1	-	15.57
3	-	1	-	-	4	1	4	-	5	5	-	-	11.14
5	-	-	-	-	5	7	8	-	15	13	2	-	14.46
37	1	5	7	-	50	45	44	-	89	71	18	-	17.18
3	-	-	-	-	3	6	2	-	8	8	-	-	17.82
5	-	-	-	-	5	6	6	-	12	12	-	-	12.05
9	-	-	-	-	9	1	4	-	5	4	1	-	7.86

TABLE
Births, Marriages, and Deaths

SOMERSET

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Bigelow Pl.....	57	-	1	-	1	17.54	1	-	-	-	-
Brighton Pl.....	368	-	-	-	-	-	-	-	-	-	-
Caratunk Pl.....	218	4	5	-	9	41.28	6	-	3	-	-
Dead River Pl.....	91	1	-	-	1	10.99	1	-	-	-	-
Dennistown Pl.....	96	1	-	-	1	10.42	-	1	-	-	-
Flagstaff Pl.....	115	3	1	-	4	34.78	3	-	1	-	-
Highland Pl.....	67	2	2	-	4	59.70	4	-	-	-	-
Jackman Pl.....	352	10	4	-	14	39.77	-	11	-	2	1
Lexington Pl.....	231	5	5	-	10	43.29	10	-	-	-	-
Mayfield Pl.....	89	-	-	-	-	-	-	-	-	-	-
Moose River Pl.....	239	4	3	-	7	29.29	3	4	-	-	-
Pleasant Ridge Pl....	114	1	-	-	1	8.77	1	-	-	-	-
The Forks Pl.....	157	3	1	-	4	25.48	3	-	1	-	-
West Forks Pl.....	160	3	1	-	4	25.00	1	2	1	-	-
Rockwood.....	76	-	-	-	-	-	-	-	-	-	-
Total.....	*33,572	303	285	3	591	17.60	418	79	47	36	11

*Population in unorganized plantations in 1900, 277.

No. 7—Continued.
for the Year 1903.
 COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.						Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	1	-	-	-	2	3	1	-	4	3	1	-	70.17
-	-	-	-	-	-	1	-	-	1	1	-	-	2.71
4	-	-	1	-	5	1	-	-	1	1	-	-	4.59
2	-	-	-	-	2	-	1	-	1	1	-	-	10.99
-	-	1	-	-	1	2	-	-	2	1	1	-	20.84
3	-	-	-	-	3	1	-	-	1	1	-	-	8.70
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	3	-	-	-	5	4	5	-	9	7	2	-	26.57
2	-	-	-	-	2	1	1	-	2	2	-	-	8.66
-	-	-	1	-	1	-	1	-	1	1	-	-	11.24
-	1	1	-	-	2	1	2	-	3	2	1	-	12.55
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	2	-	-	2	2	-	-	12.74
1	-	-	1	-	2	-	-	-	-	-	-	-	-
2	-	-	1	-	3	-	-	-	-	-	-	-	-
280	17	17	30	5	349	286	261	-	547	497	46	4	16.29

TABLE
Births, Marriages, and Deaths

WALDO

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast	4,615	19	27	-	46	9.97	41	-	2	3	-
Belmont	352	5	1	-	6	17.05	6	-	-	-	-
Brooks	669	1	4	-	5	7.47	5	-	-	-	-
Burnham.....	766	5	7	-	12	15.67	12	-	-	-	-
Frankfort	1,211	-	-	-	-	-	-	-	-	-	-
Freedom	479	-	-	-	-	-	-	-	-	-	-
Islesboro.....	923	6	10	-	16	17.33	15	-	1	-	-
Jackson	439	1	5	-	6	13.67	5	-	1	-	-
Knox	558	6	2	-	8	14.34	8	-	-	-	-
Liberty.....	737	2	8	-	10	13.57	10	-	-	-	-
Lincolnton.....	1,223	8	5	-	13	10.63	12	-	1	-	-
Monroe.....	958	9	6	-	15	15.66	15	-	-	-	-
Montville	982	5	10	-	15	15.27	15	-	-	-	-
Morrill	420	2	2	-	4	9.52	3	-	-	1	-
Northport	545	1	3	-	4	7.34	4	-	-	-	-
Palermo.....	757	4	6	-	10	13.21	10	-	-	-	-
Prospect	648	2	3	-	5	7.72	4	1	-	-	-
Searsmont	949	8	4	-	12	12.64	12	-	-	-	-
Searsport	1,349	5	9	-	14	10.38	12	-	1	1	-
Stockton Springs.....	872	2	6	-	8	9.17	8	-	-	-	-
Swanville	502	6	4	-	10	19.92	8	-	1	1	-
Thorndike	497	3	3	-	6	12.07	5	-	1	-	-
Troy	766	3	3	-	6	7.83	6	-	-	-	-
Unity	877	7	5	-	12	13.68	12	-	-	-	-
Waldo	468	7	3	-	10	21.37	9	-	-	1	-
Winterport	1,623	8	11	-	19	11.71	15	1	2	1	-
Total	24,185	125	147	-	272	11.25	252	2	10	8	-

No. 7—Continued.
for the Year 1903.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
37	-	1	4	-	42	41	37	-	78	75	1	2	16.90
2	-	-	-	-	2	7	2	-	9	9	-	-	25.57
5	-	-	-	-	5	9	6	-	15	15	-	-	22.41
9	-	-	-	-	9	6	3	-	9	8	-	1	11.75
5	-	-	-	-	5	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
8	-	-	-	-	8	3	4	-	7	6	1	-	7.58
3	-	-	-	-	3	5	5	-	10	9	-	1	22.78
3	-	-	-	-	3	5	3	-	8	7	-	1	14.34
3	-	-	-	-	3	2	5	-	7	6	-	1	9.50
10	-	1	1	-	12	19	11	-	30	27	1	2	24.53
6	-	2	-	-	8	7	10	-	17	17	-	-	17.75
8	-	-	-	-	8	7	9	-	16	16	-	-	16.29
1	-	-	-	-	1	1	1	-	2	2	-	-	4.76
4	-	-	-	-	4	5	9	-	14	14	-	-	25.69
4	-	-	-	-	4	6	2	-	8	8	-	-	10.57
7	-	-	-	-	7	2	3	-	5	4	1	-	7.72
4	-	-	-	-	4	12	7	-	19	19	-	-	20.02
9	-	3	-	-	12	14	22	-	36	35	1	-	26.69
-	-	-	-	-	-	10	4	-	14	14	-	-	16.06
12	-	-	-	-	12	3	3	-	6	6	-	-	11.95
3	-	-	-	-	3	1	1	-	2	2	-	-	4.02
7	-	-	-	-	7	3	6	-	9	9	-	-	11.75
2	1	-	-	-	3	5	2	-	7	6	1	-	7.98
6	-	-	-	-	6	5	3	-	8	8	-	-	17.09
9	-	1	-	-	10	11	11	-	22	20	2	-	13.56
168	1	8	5	-	182	189	169	-	358	342	8	8	14.80

TABLE
Births, Marriages, and Deaths

WASHINGTON

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison	1,059	9	7	-	16	15.11	16	-	-	-	-
Alexander	333	7	9	-	16	48.05	13	-	2	1	-
Baileyville	215	5	1	-	6	27.91	3	-	3	-	-
Baring	231	-	3	-	3	12.99	1	-	1	1	-
Beddington	86	-	-	-	-	-	-	-	-	-	-
Brookton	285	1	4	-	5	17.54	3	1	1	-	-
Calais	7,655	102	82	-	184	24.04	43	36	36	61	8
Centerville	91	1	1	-	2	21.98	2	-	-	-	-
Charlotte	315	-	2	-	2	6.35	2	-	-	-	-
Cherryfield	1,859	20	15	-	35	18.83	32	-	1	2	-
Columbia	516	3	7	-	10	19.38	10	-	-	-	-
Columbia Falls	569	15	6	-	21	36.91	21	-	-	-	-
Cooper	207	-	2	-	2	9.66	2	-	-	-	-
Crawford	112	1	2	-	3	26.79	2	-	-	1	-
Cutler	565	7	2	-	9	15.93	8	-	1	-	-
Danforth	1,092	16	13	-	29	26.56	17	5	4	3	-
Deblois	73	2	-	-	2	27.40	2	-	-	-	-
Dennysville	482	8	5	-	13	26.97	9	-	-	3	1
East Machias	1,521	11	16	-	27	17.75	23	1	1	1	1
Eastport	5,311	68	63	-	131	24.67	43	29	31	28	-
Edmunds	492	17	5	-	22	44.72	20	-	-	1	1
Forest City	151	4	1	-	5	33.11	1	-	2	2	-
Harrington	1,165	7	9	-	16	13.73	16	-	-	-	-
Jonesboro	606	8	9	-	17	28.05	17	-	-	-	-
Jonesport	2,124	19	25	-	44	20.72	38	-	5	1	-
Lubec	3,005	47	40	-	87	28.96	56	8	11	11	1

No. 7—Continued.
for the Year 1903.
 COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
6	-	-	-	-	6	11	10	-	21	20	1	-	19.83
1	-	-	-	-	1	2	3	-	5	5	-	-	15.02
1	-	-	-	-	1	2	3	-	5	5	-	-	23.26
-	-	-	-	-	-	3	1	-	4	1	3	-	17.32
1	-	-	-	-	1	-	1	-	1	1	-	-	11.63
2	-	1	-	-	3	5	1	-	6	2	4	-	21.05
23	8	9	13	-	53	47	64	-	111	74	37	-	14.50
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	2	2	-	4	3	1	-	12.70
16	-	1	1	-	18	9	4	-	13	10	3	-	6.99
5	-	-	-	-	5	3	5	-	8	8	-	-	15.50
7	-	-	-	-	7	5	1	-	6	6	-	-	10.54
2	-	-	-	-	2	1	1	-	2	2	-	-	9.66
-	-	-	-	-	-	-	5	-	5	5	-	-	44.64
3	-	-	-	-	3	4	6	-	10	9	1	-	17.70
3	1	1	-	-	5	8	6	-	14	8	5	1	12.82
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	4	3	-	7	7	-	-	14.52
14	-	1	2	1	18	14	10	-	24	21	2	1	15.78
23	4	6	10	-	43	32	32	-	64	45	19	-	12.05
4	-	-	-	-	4	6	3	-	9	9	-	-	18.29
-	-	-	-	-	-	1	2	-	3	1	2	-	19.87
13	-	-	-	-	13	5	10	-	15	12	3	-	12.88
7	-	-	-	-	7	-	2	-	2	2	-	-	3.30
21	-	2	-	-	23	11	7	-	18	16	1	1	8.47
14	1	4	6	-	25	27	15	-	42	36	6	-	13.98

TABLE
Births, Marriages, and Deaths
WASHINGTON

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Machias	2,082	36	28	-	64	30.74	53	1	5	5	-
Machiasport	1,218	4	7	-	11	9.03	11	-	-	-	-
Marion	95	1	1	-	2	21.05	2	-	-	-	-
Marshfield	227	1	3	-	4	17.62	4	-	-	-	-
Meddybemps	154	-	2	-	2	12.99	2	-	-	-	-
Milbridge	1,921	17	23	-	40	20.82	37	-	-	2	1
Northfield	126	-	1	-	1	7.94	1	-	-	-	-
Pembroke	1,652	16	20	-	36	21.79	30	-	2	3	1
Perry	1,245	9	16	-	25	20.08	16	1	2	4	2
Princeton	1,094	22	12	-	34	31.07	27	-	2	3	2
Robbinston	844	6	14	-	20	23.70	14	-	3	2	1
Roque Bluffs.....	168	-	1	-	1	5.95	1	-	-	-	-
Steuben	901	8	4	-	12	13.32	10	-	1	1	-
Talmage	93	-	-	-	-	-	-	-	-	-	-
Topsfield.....	282	6	2	-	8	28.36	6	-	1	1	-
Trescott.....	463	1	3	-	4	8.64	3	1	-	-	-
Vanceboro.....	550	11	6	-	19	34.54	5	7	5	2	-
Waite.....	135	2	3	-	5	37.03	4	-	-	1	-
Wesley	198	2	4	-	6	30.30	6	-	-	-	-
Whiting	399	1	3	-	4	10.03	4	-	-	-	-
Whitneyville	424	3	3	-	6	14.15	5	1	-	-	-
Codyville Pl	68	1	-	-	1	14.71	1	-	-	-	-
Grand LakeStream Pl	221	2	6	-	8	36.19	3	1	4	-	-
No. 14 Pl.....	77	2	3	-	5	64.94	3	-	-	2	-
No. 21 Pl	86	4	2	-	6	69.77	6	-	-	-	-
Total	*44,843	533	498	-	1,031	22.99	654	92	124	142	19

*Population in unorganized plantations in 1900, 389.

No. 7—Continued.
for the Year 1903.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
11	-	-	1	-	12	10	9	-	19	16	3	-	9.13
7	-	-	-	-	7	9	13	-	22	20	1	1	18.06
-	-	-	-	-	-	2	1	-	3	3	-	-	30.06
2	-	-	-	-	2	2	4	-	6	6	-	-	26.43
1	-	-	-	-	1	1	1	-	2	2	-	-	12.99
11	-	-	-	-	11	12	16	-	28	25	2	1	14.58
1	-	-	-	-	1	1	1	-	2	2	-	-	15.87
12	-	3	1	-	16	9	11	-	20	19	1	-	12.11
9	-	1	2	-	12	5	10	-	15	13	2	-	12.05
6	-	-	1	-	7	10	11	-	21	12	9	-	19.20
1	-	-	1	-	2	7	9	-	16	8	8	-	18.96
2	-	-	-	-	2	1	-	-	1	1	-	-	5.95
7	-	1	-	-	8	7	8	-	15	14	1	-	16.65
2	-	-	-	-	2	-	-	-	-	-	-	-	-
6	-	-	2	-	8	2	-	-	2	1	1	-	7.09
1	-	-	1	-	2	4	2	-	6	4	2	-	12.96
1	1	-	2	-	4	9	3	-	12	2	4	6	21.82
2	-	-	-	-	2	1	1	-	2	-	2	-	14.81
-	-	-	2	-	2	2	2	-	4	4	-	-	20.20
7	-	-	-	-	7	3	4	-	7	7	-	-	17.54
2	-	1	-	-	3	2	5	-	7	6	2	-	16.51
1	-	-	-	-	1	-	-	-	-	-	-	-	-
5	-	-	-	-	5	1	1	-	2	1	1	-	9.05
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
268	15	31	45	1	360	302	309	-	611	473	127	11	13.63

TABLE
Births, Marriages, and Deaths

YORK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton.....	778	7	3	-	10	12.85	8	-	-	2	-
Alfred.....	987	4	7	-	11	11.74	10	1	-	-	-
Berwick.....	2,280	24	7	-	31	13.60	16	9	2	4	-
Biddeford.....	16,145	262	264	-	526	32.58	75	350	59	35	4
Buxton.....	1,838	20	14	-	34	18.50	32	1	1	-	-
Cornish.....	984	7	3	-	10	10.16	9	-	-	-	1
Dayton.....	473	2	4	-	6	12.68	4	-	1	1	-
Eliot.....	1,458	15	13	1	29	19.89	20	4	1	2	2
Hollis.....	1,274	9	8	-	17	13.34	16	1	-	-	-
Kennebunk.....	3,228	32	19	-	51	15.80	43	3	1	4	-
Kennebunkport.....	2,123	15	17	-	32	15.07	20	5	3	2	2
Kittery.....	2,872	30	31	-	61	21.24	48	4	1	7	1
Lebanon.....	1,335	15	12	-	27	20.22	19	2	4	2	-
Limerick.....	874	5	10	-	15	17.16	14	-	-	1	-
Limington.....	1,001	9	5	-	14	13.99	13	1	-	-	-
Lyman.....	687	5	-	-	5	7.28	5	-	-	-	-
Newfield.....	676	4	1	-	5	7.40	5	-	-	-	-
North Berwick.....	1,748	12	20	-	32	18.31	28	-	3	-	1
Old Orchard.....	964	4	6	-	10	10.37	10	-	-	-	-
Parsonsfeld.....	1,131	7	4	-	11	9.73	8	-	1	2	-
Saco.....	6,122	57	63	-	120	19.60	69	32	8	8	3
Sanford.....	6,078	113	96	-	209	34.39	54	120	16	18	1
Shapleigh.....	847	4	6	-	10	11.81	10	-	-	-	-
South Berwick.....	3,188	26	31	-	57	17.88	29	15	7	6	-
Waterboro.....	1,169	10	9	-	19	16.25	17	1	1	-	-
Wells.....	2,007	18	18	-	36	17.94	29	1	2	3	1
York.....	2,668	33	38	-	71	26.61	44	10	5	10	2
Total.....	64,885	749	709	1	1,459	22.49	655	£60	116	110	18

**No. 7—Concluded,
for the Year 1903.
COUNTY.**

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	15	8	-	23	23	-	-	29.56
6	-	-	1	-	7	9	11	-	20	17	3	-	21.34
7	-	-	-	-	7	16	15	-	31	31	-	-	13.60
41	69	14	13	1	138	137	157	-	294	196	98	-	18.21
11	-	-	-	-	11	24	17	-	41	39	2	-	22.31
7	-	-	-	-	7	8	14	-	22	21	1	-	22.36
6	-	-	1	-	7	7	2	-	9	8	1	-	19.03
9	-	-	-	-	9	9	9	-	18	17	1	-	12.35
13	-	-	-	-	13	6	17	-	23	23	-	-	18.05
22	1	-	1	-	24	22	31	-	53	51	2	-	16.41
16	1	1	4	-	22	20	20	-	40	33	5	2	18.84
23	1	2	-	-	26	29	15	-	44	43	1	-	15.32
4	-	-	2	-	6	9	10	-	19	19	-	-	14.23
9	-	-	-	-	9	3	13	-	16	16	-	-	18.31
8	-	-	-	-	8	8	8	-	16	16	-	-	15.98
6	-	-	-	-	6	6	9	-	15	14	1	-	21.83
2	-	-	-	-	2	5	5	-	10	10	-	-	14.80
15	-	-	1	-	16	4	15	-	19	17	2	-	10.87
3	-	1	1	-	5	12	15	-	27	23	3	1	28.01
10	-	-	-	-	10	8	9	-	17	15	1	1	15.03
39	7	9	7	-	62	47	69	-	116	98	14	4	18.95
37	20	12	8	-	77	75	52	-	127	86	41	-	20.90
6	-	-	-	-	6	11	8	-	19	19	-	-	22.43
6	3	2	-	-	11	22	26	-	48	41	7	-	15.06
8	-	-	-	1	9	10	17	-	27	27	-	-	23.10
7	-	1	-	-	8	18	18	-	36	36	-	-	17.94
8	-	1	3	-	12	21	26	-	47	45	1	1	17.62
333	102	43	42	2	522	561	616	-	1,177	984	184	9	18.14

TABLE
Recapitulation

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin	54,242	580	469	1	1,050	19.36	419	459	93	67	12
Aroostook	60,744	1,109	981	5	2,095	35.45	1,137	340	307	287	24
Cumberland	100,689	96	1,032	1	2,029	20.15	1,050	588	169	199	23
Franklin	18,444	169	214	-	383	21.20	267	69	32	13	2
Hancock	37,241	350	326	-	676	18.27	591	19	30	29	7
Kennebec	59,117	552	531	1	1,084	18.34	633	243	99	99	10
Knox	30,406	221	229	-	450	14.86	356	40	29	23	2
Lincoln	19,669	158	141	1	303	15.40	269	7	11	12	4
Oxford	32,238	363	366	-	729	22.85	488	151	42	41	7
Penobscot.....	76,246	842	755	1	1,598	21.09	987	275	172	140	24
Piscataquis	16,949	179	172	-	351	21.30	238	52	36	24	1
Sagadahoc	20,330	177	175	-	352	17.31	220	76	24	29	3
Somerset.....	33,849	303	285	3	591	17.60	418	79	47	36	11
Waldo	24,185	125	147	-	272	11.25	252	2	10	8	-
Washington.....	45,232	533	498	-	1,031	22.99	654	92	124	142	19
York.....	64,885	749	709	1	1,459	22.49	655	560	116	110	18
Total	694,466	7,406	7,083	14	14,453	20.81	8,634	3,052	1341	1259	167

No. 8.
by Counties.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
290	98	48	47	2	485	387	357	1	745	607	122	16	13.73
352	81	72	108	4	617	418	354	1	773	612	151	10	13.08
618	125	86	67	7	903	858	854	-	1,712	1,389	297	26	17.00
141	13	6	12	-	172	123	154	-	277	254	21	2	15.33
288	6	11	18	-	323	298	233	-	531	510	19	2	14.35
401	43	23	37	4	508	542	550	-	1,092	949	121	22	18.47
242	11	15	11	1	280	241	242	-	483	455	26	2	15.95
121	3	5	3	-	132	170	157	-	327	298	17	12	16.63
249	43	24	28	1	345	285	256	-	541	507	28	6	16.99
518	58	65	56	8	705	678	604	-	1,282	1,063	183	36	16.93
126	18	8	11	2	165	121	93	-	214	183	26	5	12.99
106	20	12	14	-	152	170	169	-	339	302	36	1	16.67
280	17	17	30	5	349	286	261	-	547	497	46	4	16.29
168	1	8	5	-	182	189	169	-	358	342	8	8	14.80
268	15	31	45	1	360	302	309	-	611	473	127	11	13.63
333	102	43	42	2	522	561	616	-	1,177	984	184	9	18.14
4,501	654	474	534	37	6,200	5,629	5,378	2	11,009	9,425	1,412	172	15.85

TABLE No. 9.
Births and Birth-Rates by Counties for the Years 1896-1903.

	1896.		1897.		1898.		1899.		1900.		1901.		1902.		1903.	
	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.
State.....	14,693	22.23	14,430	21.83	14,473	21.89	13,895	20.10	14,095	20.30	14,021	20.19	14,508	20.89	14,433	20.81
Androscoggin.....	1,216	24.83	1,017	20.77	1,151	23.51	1,116	20.78	1,099	20.26	1,060	19.54	1,117	20.59	1,050	19.36
Aroostook.....	1,780	36.21	1,802	37.05	1,802	37.05	1,822	31.23	1,843	32.77	1,945	32.62	2,090	35.12	2,095	35.45
Cumberland.....	2,252	24.76	2,024	22.25	1,993	21.91	1,974	19.79	2,074	20.60	1,877	18.64	1,951	19.37	2,029	20.15
Franklin.....	397	23.55	375	22.21	398	23.65	381	21.04	392	21.63	406	22.32	416	23.19	383	21.20
Hancock.....	768	26.78	748	20.20	741	20.04	720	19.41	689	18.62	666	18.01	700	18.92	676	18.27
Kennebec.....	1,103	19.35	1,215	21.31	1,135	19.91	1,036	17.59	1,163	19.72	1,123	19.00	1,227	20.76	1,084	18.34
Knox.....	626	19.91	583	18.69	513	16.31	510	16.74	448	14.79	498	16.41	437	14.42	450	14.86
Lincoln.....	351	15.96	346	15.73	348	15.89	334	16.78	339	17.24	335	17.03	307	15.61	303	15.40
Oxford.....	565	18.61	577	19.01	650	21.36	561	17.59	555	17.26	627	19.45	639	21.44	729	22.85
Penobscot.....	1,531	21.07	1,579	21.73	1,521	21.08	1,412	18.74	1,314	17.38	1,405	18.54	1,577	20.80	1,598	21.09
Piscataquis.....	316	20.24	352	22.33	336	21.32	310	18.83	323	19.49	289	17.28	347	21.11	351	21.30
Sagadahoc.....	368	18.92	346	17.79	380	19.54	381	18.82	422	20.76	420	20.66	382	18.79	352	17.31
Somerset.....	612	18.95	637	19.70	634	19.28	580	17.37	603	17.99	600	17.90	583	17.34	591	17.60
Waldo.....	365	13.15	378	13.62	402	14.48	335	15.65	348	14.38	364	15.05	282	11.66	272	11.25
Washington.....	971	22.28	1,088	24.98	1,146	26.32	1,062	23.75	1,059	23.53	975	21.67	991	22.10	1,031	22.99
York.....	1,472	23.43	1,358	21.61	1,333	21.22	1,360	21.03	1,421	21.90	1,431	22.05	1,412	21.76	1,459	22.49

TABLE No. 10.

Births by Counties, Showing Proportion of Males to Females, 1903

COUNTIES.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin	580	469	1	1,050	111	-	123.6
Aroostook	1,109	981	5	2,095	128	-	113.0
Cumberland	996	1,032	1	2,029	-	36	96.5
Franklin	169	214	-	383	-	45	79.0
Hancock	350	326	-	676	24	-	107.4
Kennebec	552	531	1	1,084	21	-	104.0
Knox	221	229	-	450	-	8	96.5
Lincoln	158	144	1	303	14	-	109.7
Oxford	363	366	-	729	-	3	99.2
Penobscot	842	755	1	1,598	87	-	111.5
Piscataquis	179	172	-	351	7	-	104.1
Sagadahoc	177	175	-	352	2	-	101.1
Somerset	303	285	3	591	18	-	106.3
Waldo	125	147	-	272	-	22	85.0
Washington	533	498	-	1,031	35	-	107.0
York	749	709	1	1,459	40	-	105.6
Total	7,406	7,033	14	14,453	487	114	105.3

TABLE No. 11.

Number of Births in Each Month of 1896-1903, with a Monthly Ratio Compared with a Standard of 100.

MONTHS.	1896.		1897.		1898.		1899.		1900.		1901.		1902.		1903.	
	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January	1,149	92.1	1,125	91.9	1,148	93.4	1,093	92.6	1,167	97.5	1,123	94.3	1,143	92.7	1,210	98.6
February	1,227	105.1	1,120	101.4	1,176	103.4	1,104	103.7	1,083	100.2	1,128	104.8	1,111	99.8	1,151	103.9
March.....	1,330	106.6	1,390	113.6	1,323	107.6	1,237	104.9	1,260	105.4	1,303	109.4	1,401	113.6	1,353	110.3
April.....	1,318	109.2	1,259	106.2	1,269	106.7	1,295	113.5	1,245	107.5	1,270	110.2	1,250	104.7	1,364	114.9
May	1,379	110.5	1,287	105.1	1,322	107.6	1,224	103.8	1,276	106.7	1,290	108.3	1,333	108.1	1,326	108.1
June	1,190	98.6	1,248	105.3	1,229	103.3	1,201	105.3	1,146	108.8	1,190	103.3	1,244	104.3	1,247	105.1
July	1,207	96.7	1,272	103.9	1,226	99.8	1,239	105.1	1,284	109.1	1,178	98.9	1,237	100.3	1,215	99.0
August.....	1,246	99.9	1,302	106.4	1,219	99.2	1,197	101.3	1,255	104.1	1,199	100.6	1,252	101.6	1,223	99.7
September	1,257	104.1	1,205	101.8	1,182	99.4	1,163	101.8	1,213	104.7	1,252	108.7	1,207	101.2	1,205	101.5
October.....	1,220	97.6	1,138	93.0	1,196	97.3	1,058	89.6	1,070	94.1	1,051	88.3	1,137	92.3	1,134	92.4
November.....	1,091	90.4	982	82.9	1,028	86.5	979	85.8	1,055	89.1	983	85.3	1,064	89.2	1,026	86.4
December.....	1,069	85.7	1,077	88.0	1,149	93.5	1,098	93.0	1,035	86.5	1,048	88.0	1,119	90.8	990	80.6
Unknown.....	10	-	12	-	6	-	7	-	6	-	6	-	10	-	9	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 12.

Births, by Sex and Months, by Counties, 1903.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males	55	34	56	68	57	73	60	45	38	32	33	27	2	580	-
females	40	47	44	44	38	53	40	43	30	36	33	21	-	469	-
not stated	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1050
Aroostook, males	84	91	104	134	116	78	94	92	85	87	79	63	2	1109	-
females	86	81	103	110	118	96	75	67	66	67	54	57	1	981	-
not stated	-	-	-	-	-	-	1	-	-	-	-	-	-	5	2095
Cumberland, males	78	85	91	71	81	86	83	91	82	88	78	82	-	996	-
females	93	92	86	87	82	87	82	93	85	83	88	73	1	1032	-
not stated	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2029
Franklin, males	14	13	19	14	22	6	10	17	11	16	13	14	-	169	-
females	15	10	20	23	14	22	24	14	22	19	13	18	-	214	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	383
Hancock, males	29	36	28	35	21	24	30	35	35	23	28	26	-	350	-
females	27	34	28	31	18	32	24	22	31	27	29	23	-	328	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	676
Kennebec, males	47	37	49	62	56	40	43	40	57	45	43	33	-	552	-
females	45	39	58	58	53	43	39	42	55	29	32	38	-	531	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1084
Knox, males	14	15	19	22	12	18	20	22	18	18	21	22	-	221	-
females	24	17	23	20	24	16	25	21	9	20	14	16	-	229	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	450
Lincoln, males	11	11	13	12	18	15	11	12	20	16	8	11	-	158	-
females	13	9	9	8	18	13	10	16	15	17	7	9	-	144	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	303
Oxford, males	29	20	36	38	39	30	22	35	29	36	22	27	-	363	-
females	32	25	28	26	20	32	46	31	32	41	27	26	-	366	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	729
Penobscot, males	64	82	79	76	70	77	77	80	54	63	57	63	-	842	-
females	72	63	72	75	71	57	70	50	58	53	60	54	-	755	-
not stated	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1598
Piscataquis, males	9	21	21	18	11	19	11	19	20	9	12	9	-	179	-
females	11	17	19	11	13	19	9	20	10	11	17	15	-	172	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	351
Sagadahoc, males	14	15	12	25	16	19	15	8	20	11	12	10	-	177	-
females	20	12	16	13	15	12	10	16	19	14	6	22	-	175	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	352
Somerset, males	21	23	28	23	29	28	23	32	22	24	22	27	1	303	-
females	17	17	23	30	26	24	28	23	28	17	31	20	1	285	-
not stated	-	-	-	-	-	2	-	-	-	-	-	-	-	3	591
Waldo, males	13	17	14	8	12	6	11	8	11	8	7	10	-	125	-
females	15	12	21	11	10	12	9	13	14	14	7	9	-	147	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	272
Washington, males	51	37	51	48	59	42	38	58	36	40	40	33	-	533	-
females	46	37	46	43	38	44	49	45	43	45	24	37	1	498	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1031
York, males	56	58	78	60	77	58	64	59	70	61	60	48	-	749	-
females	64	43	58	58	71	63	61	54	50	63	48	46	-	709	-
not stated	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1459
Total, males	589	595	698	714	696	619	612	653	608	577	535	505	5	7446	-
females	620	555	654	648	629	625	601	570	597	556	490	484	4	7033	-
not stated	1	1	1	2	1	3	2	-	-	1	1	1	-	14	-
Grand total	1210	1151	1353	1364	1326	1247	1215	1223	1205	1134	1026	990	9	14453	14453

TABLE No. 13.
Births in Cities for 1903, with Rate per 1,000 of Population.

CITIES.	Population in 1900.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn	12,951	120	92	-	212	16.37	130.4
Augusta	11,683	119	117	-	236	20.20	101.7
Bangor.....	21,850	204	170	• 1	375	17.16	120.0
Bath.....	10,477	109	109	-	218	20.81	100.0
Belfast.....	4,615	19	27	-	46	9.97	70.4
Biddeford	16,145	262	264	-	526	32.58	99.2
Brewer	4,835	68	60	-	128	26.47	113.3
Calais	7,655	102	82	-	184	24.04	124.4
Eastport.....	5,311	68	63	-	131	24.67	107.9
Ellsworth.....	4,297	33	29	-	62	14.43	113.8
Gardiner.....	5,501	46	45	-	91	16.54	102.2
Hallowell.....	2,714	23	16	-	39	14.37	143.7
Lewiston	23,761	299	245	1	545	22.94	122.0
Old Town.....	5,763	109	84	-	193	33.49	129.8
Portland.....	50,145	517	499	1	1,017	20.28	103.6
Rockland	8,150	56	61	-	117	14.36	91.8
Saco.....	6,122	57	63	-	120	19.60	90.5
South Portland.....	6,287	53	76	-	129	20.52	69.7
Waterville.....	9,477	139	134	1	274	28.91	103.7
Westbrook	7,283	87	89	-	176	24.17	97.8
Total.....	225,022	2,490	2,325	4	4,819	21.42	107.1

TABLE No. 14.
Percentage of American and Foreign Births by Counties, 1903.

COUNTIES.	PARENTS.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin	39.90	43.71	15.24	1.15
Aroostook	54.28	16.23	28.35	1.14
Cumberland	51.75	28.98	18.14	1.13
Franklin.....	69.72	18.02	11.74	0.52
Hancock	87.43	2.81	8.73	1.03
Kennebec.....	58.40	22.42	18.26	0.92
Knox.....	79.11	8.89	11.56	0.44
Lincoln	88.78	2.31	7.59	1.32
Oxford	66.94	20.71	11.39	0.96
Penobscot	61.76	17.21	19.52	1.51
Piscataquis.....	67.80	14.82	17.09	0.29
Sagadahoc.....	62.50	21.59	15.06	0.85
Somerset	70.73	13.37	14.04	1.86
Waldo.....	92.65	0.73	6.62	-
Washington	63.44	8.92	25.80	1.84
York	44.90	38.38	15.49	1.23
State	59.73	21.12	17.99	1.16

TABLE No. 15.
Percentage of American and Foreign Births by Cities, 1903.

CITIES.	PARENTS.			Births with percentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Auburn	50.00	38.21	11.79	-
Augusta	47.89	28.39	22.03	1.69
Bangor.....	59.47	19.20	19.73	1.60
Bath.....	55.96	25.69	17.43	0.92
Belfast	89.13	-	10.87	-
Biddeford.....	14.25	66.54	18.45	0.76
Brewer.....	49.22	31.25	18.75	0.78
Calais	23.37	19.57	52.72	4.34
Eastport	32.82	22.14	45.04	-
Ellsworth.....	96.32	1.61	8.07	-
Gardiner.....	70.33	14.29	14.29	1.09
Hallowell.....	64.10	12.82	23.08	-
Lewiston	19.82	59.45	18.72	2.01
Old Town	37.31	31.61	31.08	-
Portland	41.10	35.89	21.34	1.67
Rockland	77.78	5.13	16.24	0.85
Saco	57.50	26.67	13.33	2.50
South Portland	69.77	13.18	17.05	-
Waterville.....	31.31	34.67	29.56	1.46
Westbrook	28.98	49.43	21.59	-
Collectively	40.82	36.04	21.85	1.29

TABLE No. 16.
Twin Births by Months and Counties, 1903.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin.....	1	1	2	4	1	2	-	1	1	-	1	-	14
Aroostook.....	1	3	4	4	1	2	1	2	1	1	1	-	21
Cumberland.....	2	2	3	1	3	3	2	2	2	5	2	1	28
Franklin.....	-	1	-	1	-	-	3	-	-	-	3	-	8
Hancock.....	-	-	-	4	-	-	-	1	-	1	1	-	7
Kennebec.....	-	-	2	4	1	2	1	2	2	1	-	-	15
Knox.....	1	-	1	1	-	-	-	-	3	1	1	-	8
Lincoln.....	-	-	-	1	1	-	-	-	1	1	-	1	5
Oxford.....	-	-	-	2	1	1	1	-	1	2	1	-	9
Penobscot.....	3	1	1	-	2	3	2	4	1	1	1	-	19
Piscataquis.....	1	-	-	1	-	-	-	2	-	-	-	-	4
Sagadahoc.....	-	-	-	-	-	-	-	-	-	-	-	2	2
Somerset.....	-	-	1	1	1	3	1	1	1	-	2	1	12
Waldo.....	1	1	1	-	-	-	-	-	-	-	-	-	3
Washington.....	1	2	-	-	1	1	1	1	-	1	-	-	8
York.....	1	1	1	1	1	1	4	1	1	3	-	2	17
Total.....	12	12	16	25	13	18	16	17	14	17	13	7	180

TABLE No. 17.
Twin Births by Sex and Parentage, by Counties, 1903.

COUNTIES.	SEX.				PARENTAGE.				Total.	Living children.	Still-born children.	Total.	
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.					Not stated.
Androscoggin.....	8	3	3	-	4	9	1	-	-	14	28	-	28
Aroostook.....	5	6	10	-	12	-	6	3	-	21	38	4	42
Cumberland.....	10	7	11	-	14	10	2	2	-	28	52	4	56
Franklin.....	2	3	3	-	7	1	-	-	-	8	14	2	16
Hancock.....	1	4	2	-	4	-	1	2	-	7	12	2	14
Kennebec.....	7	3	5	-	8	2	2	3	-	15	28	2	30
Knox.....	4	2	2	-	6	2	-	-	-	8	14	2	16
Lincoln.....	3	1	1	-	5	-	-	-	-	5	10	-	10
Oxford.....	3	5	1	-	4	3	-	2	-	9	17	1	18
Penobscot.....	3	4	12	-	11	4	-	1	3	19	34	4	38
Piscataquis.....	1	2	1	-	2	1	1	-	-	4	8	-	8
Sagadahoc.....	-	2	-	-	1	1	-	-	-	2	4	-	4
Somerset.....	5	3	3	1	8	2	1	-	1	12	22	2	24
Waldo.....	1	-	2	-	3	-	-	-	-	3	5	1	6
Washington.....	4	3	1	-	5	-	1	2	-	8	13	3	16
York.....	4	8	5	-	9	7	-	1	-	17	28	6	34
Total.....	61	56	62	1	103	42	15	16	4	180	327	33	360

TABLE No. 13.
Still-Births by Sex and Parentage by Counties, 1903.

COUNTIES.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin	15	11	1	27	14	12	1
Aroostook	62	28	4	94	64	30	-
Cumberland	47	43	3	93	51	42	-
Franklin	16	6	-	22	17	5	-
Hancock	14	16	-	30	29	1	-
Kennebec	25	13	3	41	29	12	-
Knox	14	11	-	25	24	1	-
Lincoln	7	9	-	16	13	3	-
Oxford	18	13	-	31	25	6	-
Penobscot	31	28	3	62	40	21	1
Piscataquis	12	3	-	15	14	1	-
Sagadahoc	5	11	-	16	12	4	-
Somerset	19	19	1	39	33	4	2
Waldo	8	7	1	16	15	1	-
Washington	34	24	-	58	43	13	2
York	56	33	3	92	49	43	-
Total	383	275	19	677	472	199	6

TABLE No. 19.
Still-Births by Seasons, 1903.

MONTHS.			
January	52		
February	58		
March	67	Total for first quarter.....	177
April	67		
May	62		
June	48	Total for second quarter.....	177
July.....	68		
August	48		
September	47	Total for third quarter.....	163
October.....	62		
November.....	38		
December.....	60	Total for fourth quarter	160
Total.....	677		677

NOTES ON BIRTHS.

In the year 1903, 15,130 births were registered in the State, including still-births (14,028 in 1892, 14,604 in 1893, 14,607 in 1894, 15,430 in 1895, 15,429 in 1896, 15,142 in 1897, 15,121 in 1898, 14,475 in 1899, 14,709 in 1900, 14,615 in 1901, and 15,166 in 1902).

The number of living children born was 14,453, and the number of still-births was 677.

Of the whole number of living children of which the sex was certified, 7,406 were males and 7,033 were females. In 14 births the sex was not stated. For each 100 girls born there were 105.3 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, 106.4 in 1895, 105.3 in 1896, 102.3 in 1897, 106.0 in 1898, 104.4 in 1899, 103.2 in 1900, 105.6 in 1901, and 105.0 in 1902).

Birth-rate.—The birth-rate of living children for the State was 20.81 for each 1,000 of population.

Table No. 13 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 population was 21.42 as compared with 20.52, the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. As it invariably has been every year since the registration began, it was the highest in Aroostook, 35.45, and the lowest in Waldo, 11.25. In seven counties, Aroostook, Franklin, Oxford, Penobscot, Piscataquis, Washington and York, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 4 and No. 8.

Parentage.—Of the total births in the State, 59.73 per cent. were of native parents; 21.12 per cent. were of foreign parentage; 17.99 per cent. were of parents one of whom was foreign; while of 1.16 per cent. the nationality was not stated.

Waldo county had the largest percentage of native-born parents, to wit, 92.65 per cent., and only 0.73 per cent. in which both parents were foreign-born. Lincoln followed with 88.78

per cent. of native parentage, and only 2.31 per cent. in which both parents were foreign-born.

In Hancock county, in 87.43 per cent. of the births the parents were native-born, and in 2.81 per cent., foreign-born.

In Knox, the percentage of native-born parents was 79.11; in Somerset, 70.73; in Franklin, 69.72; and in Piscataquis, 67.80.

Comparatively high percentages of foreign-born parents are found in Androscoggin county, 43.71 per cent.; in York, 38.38 per cent.; in Cumberland, 28.98 per cent.; and in Kennebec, 22.42 per cent.

The percentages of parentage, whether American-born or foreign-born, may be found for the other counties in Table No. 14.

Comparing the percentage of the births in our twenty cities with that of the rest of the State, we find that, in the cities, 40.82 per cent. of the births were of American parentage, while in the rural parts of the State, the percentage of American-born children was 69.21.

The largest percentage of foreign-born parents was in Biddeford, 66.54; and in Lewiston, 59.45.

In Ellsworth only 1.61 per cent. of the births had both parents foreign-born, and in Belfast there were no foreign births. For further comparison see Table No. 15.

Seasons and Births.—The largest number of births in any one month in 1903 was 1,364 in April; the smallest was 990 in December; the largest quarterly total was 3,937 in the second quarter; the smallest, 3,150 in the last quarter. The three consecutive months in which the largest number of births occurred were March, April, and May, 4,043.

The following is a tabular statement of the number of births in each month of the twelve years 1892-1903.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892.....	1,016	1,113	1,345	1,275	1,323	1,176	1,222	1,191	1,144	1,047	1,602	1,111	63	14,028
1893.....	1,151	1,082	1,162	1,259	1,273	1,162	1,176	1,213	1,115	1,126	1,632	1,109	48	13,908
1894.....	962	980	1,335	1,324	1,255	1,200	1,286	1,213	1,168	1,064	980	1,164	9	13,940
1895.....	1,182	1,082	1,329	1,287	1,308	1,236	1,290	1,312	1,233	1,189	1,115	1,193	6	14,762
1896.....	1,149	1,227	1,330	1,318	1,379	1,190	1,207	1,246	1,257	1,220	1,091	1,069	10	14,693
1897.....	1,126	1,123	1,390	1,260	1,288	1,250	1,274	1,303	1,205	1,138	984	1,077	12	14,430
1898.....	1,148	1,176	1,323	1,269	1,322	1,229	1,226	1,219	1,182	1,196	1,028	1,149	6	14,473
1899.....	1,093	1,104	1,237	1,295	1,224	1,201	1,239	1,197	1,163	1,058	979	1,098	7	13,895
1900.....	1,167	1,083	1,260	1,245	1,276	1,146	1,284	1,255	1,213	1,070	1,055	1,035	6	14,905
1901.....	1,123	1,128	1,303	1,270	1,290	1,190	1,178	1,199	1,252	1,051	983	1,048	6	14,021
1902.....	1,143	1,111	1,401	1,250	1,333	1,244	1,237	1,252	1,207	1,137	1,064	1,119	10	14,508
1903.....	1,210	1,151	1,353	1,304	1,326	1,247	1,215	1,223	1,205	1,134	1,026	990	9	14,453

Twin-births.—In 1903, 180 twin-births occurred; in 61 instances the twins were both boys; in 56, both girls; in 62, a boy and a girl, and in 1 instance the sex was not stated. In 103 cases the parentage was American; in 42, foreign; in 31 instances the parentage was mixed; and in 4 it was not stated. Of the 360 children, 327 were born alive, and 33 were still-born.

Triplets.—In Appleton a triple birth occurred, also in Old Town.

Still-births.—Of the 677 still-born children, 383 were males and 275 were females. In 19 the sex was not stated. With the exception of six still-births, as to which the nativity of the mother was not stated, 472 were of American mothers, and 199 were of foreign mothers.

The largest number of still-births occurred in Aroostook and Cumberland counties, 94 and 93, respectively; while the minimum number, 15, was reported in Piscataquis county.

The largest number of still-births, 67, was returned in March and April; the smallest number was 38 in November. See Tables No. 18 and 19 for other details.

TABLE No. 20.
Marriages and Marriage-Rates by Counties for the Years 1896-1903.

	1896.		1897.		1898.		1899.		1900.		1901.		1902.		1903.	
	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.
State	5,579	8.44	5,331	8.07	5,144	7.78	5,329	7.71	5,482	7.89	5,735	8.26	5,905	8.50	6,200	8.98
Androscoggin.....	461	9.41	405	8.27	376	7.68	398	7.41	463	8.54	492	9.07	462	8.52	485	8.94
Aroostook.....	483	9.74	483	9.74	487	9.82	450	7.55	527	8.68	524	8.63	569	9.37	617	10.16
Cumberland.....	770	8.47	698	7.67	657	7.22	722	7.24	731	7.26	791	7.86	846	8.40	903	8.97
Franklin.....	156	9.15	168	9.85	153	9.26	191	10.43	149	8.08	189	10.25	162	8.78	172	9.33
Hancock.....	303	8.12	291	7.79	264	7.08	300	8.05	269	7.22	332	8.92	322	8.65	323	8.67
Kennebec.....	506	8.88	464	8.14	469	8.23	479	8.13	477	8.07	456	7.71	504	8.63	508	8.59
Knox.....	258	8.19	237	7.53	247	7.85	198	6.49	255	8.38	276	9.08	273	8.98	280	9.21
Lincoln.....	166	7.55	124	5.64	143	6.73	145	7.29	148	7.52	144	7.32	133	6.76	132	6.71
Oxford.....	252	8.24	241	7.88	238	7.72	243	7.58	241	7.48	285	8.84	319	9.90	345	10.70
Penobscot.....	682	9.36	647	8.88	602	8.28	619	8.15	647	8.49	668	8.76	701	9.19	705	9.25
Piscataquis.....	152	9.42	150	9.30	145	8.99	146	8.65	128	7.55	152	8.97	163	9.62	165	9.74
Sagadahoc.....	136	6.99	111	5.71	156	8.02	155	7.65	145	7.13	144	7.08	158	7.77	152	7.48
Somerset.....	261	8.00	317	9.72	275	8.43	288	8.54	328	9.69	333	9.83	308	9.10	349	10.31
Waldo.....	197	7.10	214	7.71	200	6.13	173	7.05	167	6.91	177	7.32	161	6.66	182	7.53
Washington.....	348	7.82	338	7.60	341	7.67	398	8.81	359	7.94	327	7.23	344	7.61	360	7.96
York.....	448	7.13	443	7.05	383	6.10	424	6.55	448	6.90	445	6.87	480	7.40	522	8.05

TABLE No. 21.
Marriages by Counties and Nativity, 1903.

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin	290	98	48	47	2	485
Aroostook	352	81	72	108	4	617
Cumberland	618	125	86	67	7	903
Franklin	141	13	6	12	-	172
Hancock	288	6	11	18	-	323
Kennebec	401	43	23	37	4	508
Knox	242	11	15	11	1	280
Lincoln	121	3	5	3	-	132
Oxford	249	43	24	28	1	345
Penobscot	518	58	65	56	8	705
Piscataquis	126	18	8	11	2	165
Sagadahoc	106	20	12	14	-	152
Somerset	280	17	17	30	5	349
Waldo	168	1	2	5	-	182
Washington	268	15	31	45	1	360
York	333	102	43	42	2	522
Total	4,501	654	474	534	37	6,200

TABLE No. 22.
Marriages by Months and Counties, 1903.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	41	22	24	40	39	59	35	49	48	48	52	28	-	485
Aroostook	37	33	31	65	41	76	65	56	38	64	60	50	1	617
Cumberland	51	57	35	56	53	126	55	64	105	111	111	79	-	903
Franklin	12	5	9	15	8	25	10	17	11	22	22	16	-	172
Hancock	13	15	19	18	30	31	25	33	38	34	42	42	-	323
Kennebec	36	41	23	30	40	73	22	44	57	49	53	40	-	508
Knox	23	15	31	13	20	33	16	30	25	24	21	29	-	280
Lincoln	12	9	4	13	4	16	9	9	14	12	16	14	-	132
Oxford	28	19	24	25	21	40	19	22	30	34	32	42	-	345
Penobscot	36	32	38	56	30	107	46	54	83	82	76	59	-	705
Piscataquis	7	4	6	7	12	22	14	11	24	14	21	23	-	165
Sagadahoc	5	3	13	11	9	20	6	13	15	17	25	15	-	152
Somerset	19	19	23	16	32	44	19	33	31	40	31	39	-	349
Waldo	17	10	16	15	13	23	9	8	17	13	29	12	-	182
Washington	26	16	13	19	20	37	27	27	43	37	39	56	-	360
York	44	25	18	35	29	81	31	38	53	65	62	41	-	522
Total	407	331	327	437	401	813	408	500	630	670	690	585	1	6,200

TABLE No. 23.

Number of Marriages in Each Month of 1896-1903, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1896.		1897.		1898.		1899.		1900.		1901.		1902.		1903.	
	Marriages.	Ratio*.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.
January.....	452	95.4	395	87.3	432	100.3	369	81.6	417	89.5	369	75.8	436	86.9	407	77.4
February.....	322	73.1	325	79.5	273	69.2	286	70.0	313	74.4	288	65.5	351	77.5	331	69.7
March.....	303	63.9	304	67.2	300	68.7	290	64.2	271	58.2	285	58.5	309	61.6	327	62.2
April.....	440	96.0	343	78.3	396	93.7	446	101.8	382	84.7	409	86.8	442	91.1	437	85.9
May.....	397	83.8	416	91.9	386	88.3	346	76.5	373	82.8	371	76.2	380	75.6	401	76.2
June.....	637	138.9	588	134.2	571	135.1	628	143.4	674	149.6	745	158.1	707	145.8	813	159.7
July.....	415	87.6	368	81.3	356	81.5	362	80.1	415	89.1	409	84.0	394	78.5	405	77.6
August.....	410	86.5	399	88.2	350	80.2	414	91.6	407	87.4	402	82.5	401	79.9	500	95.1
September.....	529	115.4	523	119.4	447	105.7	521	115.3	543	120.5	606	128.6	595	122.7	630	123.8
October.....	577	121.8	553	122.2	528	120.9	581	128.5	615	132.1	694	142.5	649	129.3	670	127.4
November.....	557	121.5	589	134.5	551	130.3	567	129.2	562	124.7	652	138.3	682	140.6	690	135.6
December.....	537	113.3	524	115.8	547	125.2	516	114.1	509	109.3	502	103.1	558	111.2	585	111.2
Unknown.....	3	-	4	-	1	-	3	-	1	-	3	-	1	-	1	-

*In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 24.
Marriages by Ages and Counties—1903.

COUNTIES.	Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over. Not stated.	Total.	
Androscoggin...males..	-	21	174	126	55	43	27	15	5	7	9	1	-	2	485
females	-	108	192	81	40	24	14	10	5	2	7	-	-	2	485
Aroostook.....males..	-	22	256	189	60	32	25	14	4	3	7	5	-	-	617
females	1	239	250	62	20	16	6	9	6	4	4	-	-	-	617
Cumberland.....males..	-	25	297	293	118	62	43	25	12	14	13	1	-	-	903
females	2	166	351	209	75	46	21	20	6	2	5	-	-	-	903
Franklin.....males..	-	5	59	52	18	12	9	5	5	2	2	2	-	1	172
females	1	53	56	24	14	12	6	1	2	1	1	1	-	-	172
Hancock.....males..	-	11	120	94	41	21	18	7	5	1	3	1	-	1	323
females	-	101	126	50	15	11	9	5	4	-	2	-	-	-	323
Kennebec.....males..	-	15	174	137	65	32	23	20	15	9	14	3	-	1	508
females	2	127	176	86	47	22	16	15	4	4	6	1	-	2	508
Knox.....males..	-	13	93	69	38	18	16	10	9	6	6	2	-	-	280
females	-	66	100	45	31	15	7	5	6	2	2	1	-	-	280
Lincoln.....males..	-	3	38	48	13	3	8	1	2	2	3	1	-	-	132
females	-	33	55	22	10	3	3	3	1	1	1	-	-	-	132
Oxford.....males..	-	15	134	86	48	22	14	10	6	1	8	1	-	-	345
females	1	103	121	48	29	21	7	6	2	3	3	-	-	1	345
Penobscot.....males..	-	18	260	207	79	56	26	17	16	7	18	-	1	-	705
females	1	163	277	123	59	23	19	12	17	5	2	1	-	3	705
Piscataquis.....males..	-	6	63	40	20	14	7	4	6	1	2	1	-	1	165
females	-	47	60	23	16	11	3	-	1	1	1	1	-	1	165
Sagadahoc.....males..	-	3	61	40	21	6	5	9	3	2	2	-	-	-	152
females	-	36	58	33	13	5	-	2	3	2	-	-	-	-	152
Somerset.....males..	-	12	127	81	48	24	23	10	10	3	8	3	-	-	349
females	2	103	119	54	25	14	13	4	5	5	4	1	-	-	349
Waldo.....males..	-	5	57	55	24	12	10	5	6	1	4	2	-	1	182
females	2	50	61	38	11	7	1	3	4	1	4	-	-	-	182
Washington.....males..	-	16	133	112	41	13	18	9	3	5	7	3	-	-	360
females	1	121	129	44	22	17	10	6	3	2	4	-	-	1	360
York.....males..	-	22	203	142	64	30	19	16	6	7	12	1	-	-	522
females	1	124	206	105	34	13	15	8	8	2	6	-	-	-	522
Total.....males..	-	212	2,249	1,771	753	410	291	177	113	71	118	27	2	6	6,200
females	14	1,640	2,337	1,047	461	260	150	109	77	37	52	6	-	10	6,200
Grand total.....	14	1,852	4,586	2,818	1,214	670	441	286	190	108	170	33	2	16	12,400

TABLE
Some Interesting Facts in

COUNTIES.	Instances in which the age of the bride exceeds that of the groom.		Widowers.		Widows.		Divorced.		First marriage.		Second marriage.		Third marriage.		Fourth marriage.	
							M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Androscoggin	84	67	52	31	29	385	401	86	75	11	6	-	-	-	-	
Aroostook.....	74	76	50	11	13	528	552	78	61	9	2	-	-	-	-	
Cumberland.....	146	111	66	36	31	756	806	136	94	10	3	1	-	-	-	
Franklin.....	22	24	12	17	23	131	137	38	29	2	6	-	-	-	-	
Hancock.....	48	36	24	15	16	272	283	43	36	5	4	3	-	-	-	
Kennebec.....	76	102	68	27	32	377	406	118	89	10	10	1	1	-	-	
Knox.....	47	41	30	24	27	215	223	56	51	4	5	4	1	-	-	
Lincoln.....	19	16	16	8	3	109	112	18	17	2	3	3	-	-	-	
Oxford.....	58	44	34	19	29	282	282	54	56	8	6	1	1	-	-	
Penobscot.....	132	87	69	33	45	585	591	107	106	10	8	3	-	-	-	
Piscataquis.....	28	25	16	8	13	132	135	31	27	2	2	-	-	-	-	
Sagadahoc.....	24	18	11	9	8	125	133	25	18	2	1	-	-	-	-	
Somerset.....	40	56	43	20	25	272	280	66	60	9	8	1	-	-	-	
Waldo.....	30	25	16	14	12	142	153	31	24	5	4	3	-	-	-	
Washington.....	55	45	38	10	10	305	312	50	44	5	3	-	1	-	-	
York.....	89	61	42	19	21	439	457	72	58	7	5	1	-	-	-	
Total.....	972	834	587	301	337	5,055	5,263	1009	845	101	76	21	4	-	-	

NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1903 was 6,200 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, 5,729 in 1895, 5,579 in 1896, 5,331 in 1897, 5,144 in 1898, 5,329 in 1899, 5,482 in 1900, 5,735 in 1901, and 5,905 in 1902). We have, therefore, for the year 1903, a marriage-rate of 17.86 (persons married) to every 1,000 of population, or at the rate of 8.93 marriages per 1,000 persons.

Marriage-rates.—The marriage-rate was higher in Oxford county than elsewhere in the State, it being for that county 21.40 per 1,000. The lowest marriage-rate, that of 13.42 per 1,000, was in Lincoln county. See Table No. 4.

Nativity.—Of the 6,163 records of marriage in which there was a statement of birthplace, in 73 per cent. the groom and bride were both American; in 11 per cent. both were of foreign birth; in 8 per cent. the groom was American and the bride of foreign birth; while in 8 per cent. a foreign groom and American bride were united.

Seasons.—The largest number of marriages, 813, was solemnized in June, while the smallest number in any one month, 327, occurred in March. See Table No. 22.

Ages of the Married.—The largest number, both of grooms and brides, was between 20 and 25 years of age. While still under 15 years of age, 14 brides were married; in the age-period 15-20 years there were 212 grooms and 1,640 brides; in the period 20-25 years, 2,249 men and 2,337 women were married; from 25-30, 1,771 men and 1,047 women; from 30-35, 753 men and 461 women; from 35-40, 410 men and 260 women; from 40-45, 291 men and 150 women; from 45-50, 177 men and 109 women; from 50-55, 113 men and 77 women; from 55-60, 71 men and 37 women; from 60-70, 118 men and 52 women; from 70-80, 27 men and 6 women; over 80, 2 men. The age of 6 grooms and 10 brides was not stated. See Table No. 24.

In 5,228 marriages, the groom was older than the bride; while in 972, the bride was the elder; 834 widowers and 587 widows were remarried; 301 men and 337 women were remarried after having been divorced from a former marriage.

Table No. 25 exhibits the fact that 5,055 men and 5,263 women were married the first time; that 1,009 men and 845 women were married the second time; that 101 men and 76 women were united in the third marriage; that 21 men and 4 women contracted marriage a fourth time; and 2 men were married a fifth time, and 1 man, a sixth time. The oldest groom was 84 years of age, and the oldest bride was 77. In two marriages the bride was but 13 years of age, and in eight, but 14.

TABLE

Divorces Decreed by the Supreme Court of Maine for the

COUNTIES.	Libellant wife.	Libellant husband.	Adultery.	Adultery and desertion.	Extreme cruelty.	Desertion.
Androscoggin.....	74	24	5	-	2	25
Aroostook.....	45	12	6	-	-	14
Cumberland.....	85	32	7	-	-	34
Franklin.....	23	12	8	-	1	8
Hancock.....	35	11	6	-	-	18
Kennebec.....	68	29	13	-	-	21
Knox.....	31	12	4	-	2	6
Lincoln.....	11	7	1	-	-	4
Oxford.....	34	16	5	-	1	10
Penobscot.....	95	34	14	1	-	41
Piscataquis.....	22	7	4	-	1	3
Sagadahoc.....	18	7	2	-	-	6
Somerset.....	38	13	8	-	-	9
Waldo.....	20	8	2	-	-	9
Washington.....	32	13	7	-	-	17
York.....	53	25	11	-	2	25
Total.....	684	262	103	1	9	250

No. 26.

Year 1903, as returned by Clerks of the Several Counties.

Intoxication.	Intoxication and failure to support.	Cruel and abusive treatment.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Failure to support.	Gross, wanton and cruel neglect to provide maintenance.	Impotence.	Priority of marriage.	Nullity of marriage.	Total.
9	2	43	-	6	4	2	-	-	-	-	98
4	-	26	-	-	-	6	-	1	-	-	57
18	-	53	-	-	2	-	2	1	-	-	117
4	-	13	-	1	-	-	-	-	-	-	35
2	-	17	-	-	-	2	-	1	-	-	46
22	-	34	-	-	-	5	-	1	-	1	97
6	-	24	-	-	-	1	-	-	-	-	43
3	-	6	-	1	3	-	-	-	-	-	18
4	-	27	-	-	2	1	-	-	-	-	50
18	-	54	-	-	-	-	-	-	1	-	129
-	-	18	-	-	2	-	-	-	1	-	29
5	-	8	-	-	-	4	-	-	-	-	25
9	-	19	2	-	2	1	-	1	-	-	51
3	-	13	-	1	-	-	-	-	-	-	28
6	-	11	-	-	2	-	-	-	-	2	45
12	-	25	-	-	1	2	-	-	-	-	78
125	2	391	2	9	18	24	2	5	2	3	946

TABLE No. 27.
Divorces by Causes, the Sex of Libellants, and the Number of Years Married, 1903.

CAUSES.	LIBELLANTS.		NUMBER OF YEARS MARRIED.								
	Number.	Sex.	Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown.	
Adultery.....	103	Males.....	57	-	19	15	16	7	-	-	
		Females..	46	1	12	15	13	4	1	-	
Adultery and desertion.....	1	Males.....	-	-	-	-	-	-	-	-	
		Females..	1	-	-	-	-	-	1	-	
Extreme cruelty.....	9	Males.....	1	-	1	-	-	-	-	-	
		Females..	8	-	4	2	2	-	-	-	
Desertion.....	250	Males.....	114	-	19	28	44	14	8	1	
		Females..	136	-	17	37	57	21	4	-	
Intoxication.....	125	Males.....	6	-	1	3	2	-	-	-	
		Females..	119	-	38	37	31	10	1	2	
Intoxication and failure to support.....	2	Males.....	-	-	-	-	-	-	-	-	
		Females..	2	-	1	1	-	-	-	-	
Cruel and abusive treatment.....	391	Males.....	81	2	29	18	23	7	2	-	
		Females..	310	2	97	80	82	29	12	1	
Cruel and abusive treatment and extreme cruelty.....	2	Males.....	-	-	-	-	-	-	-	-	
		Females..	2	-	-	1	1	-	-	-	
Cruel and abusive treatment and failure to support.....	9	Males.....	-	-	-	-	-	-	-	-	
		Females..	9	-	4	2	1	2	-	-	
Cruel and abusive treatment and intoxication.....	18	Males.....	18	1	5	2	6	4	-	-	
		Females..	1	-	-	-	-	-	-	-	
Failure to support.....	24	Males.....	-	-	7	9	6	2	-	-	
		Females..	24	-	-	-	-	-	-	-	
Gross, wanton and cruel neglect to provide maintenance.....	2	Males.....	2	-	-	1	-	1	-	-	
		Females..	1	1	-	-	-	-	-	-	
Impotence.....	5	Males.....	4	1	3	-	-	-	-	-	
		Females..	1	-	-	-	-	-	-	-	
Priority of marriage.....	2	Males.....	-	-	-	-	-	-	-	-	
		Females..	2	-	1	-	1	-	-	-	
Nullity of marriage.....	3	Males.....	2	1	1	-	-	-	-	-	
		Females..	1	-	-	-	1	-	-	-	
Total.....	946	Males.....	262	1	4	69	64	85	28	10	1
		Females..	684	4	11	186	187	201	73	19	3

NOTES ON DIVORCES.

Nine hundred and forty-six divorces were decreed in the year 1903 (552 in 1892, 627 in 1893, 674 in 1894, 681 in 1895, 668 in 1896, 722 in 1897, 764 in 1898, 790 in 1899, 801 in 1900, 808 in 1901, and 905 in 1902). In 1903, there was decreed in Maine one divorce for every 6.6 marriages solemnized.

Some of the causes for which divorces were granted are: Adultery, 103, or 10.9 per cent. of the whole number; extreme cruelty, 9, or 1 per cent.; desertion, 250, or 26.4 per cent.; intoxication, 125, or 13.2 per cent.; cruel and abusive treatment, 391, or 41.3 per cent.; failure to support, 24, or 2.5 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 684 divorces, and the husband in 262.

In the divorces granted for adultery, the husband was the libellant 57 times, and the wife 46 times.

On account of extreme cruelty, the wife was the libellant in 8 cases, and the husband in only one case.

For desertion, the husband was the libellant 114 times, and the wife, 136.

For intoxication, the husband was the libellant in 6 cases, and the wife in 119.

For cruel and abusive treatment, the husband was the libellant in 81 instances, and the wife in 310.

For failure to support, the wife was the libellant in the 24 divorces decreed for that cause.

Five divorces were granted before the marriage life had lasted six months; 15 before 1 year's marriage; 255 after from 1 to 5 years' marriage; 251 after 5 to 10 years; 286 after 10 to 20 years; 101 after 20 to 30 years; 29 after more than 30 years of married life; while in 4 cases it was not stated how many years they had been married. Tables No. 26 and No. 27 may be consulted for more detailed statements.

TABLE No. 23.
Deaths and Death-Rates by Counties for the Years 1896-1903.

	1896.		1897.		1898.		1899.		1900.		1901.		1902.		1903.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State	10,626	16.07	11,236	16.99	10,956	16.57	11,370	16.45	11,389	16.40	11,133	16.03	10,673	15.37	11,609	15.85
Androscoggin	889	18.15	995	20.32	957	19.54	1,054	19.62	963	17.75	848	15.63	806	14.86	745	13.73
Aroostook	677	13.77	761	15.47	765	15.43	766	13.13	763	12.74	804	13.48	736	12.37	773	13.08
Cumberland	1,670	18.36	1,765	19.41	1,708	18.75	1,778	17.83	1,828	18.15	1,746	17.34	1,682	16.70	1,712	17.00
Franklin	301	17.85	282	16.70	276	16.18	310	17.12	311	17.16	275	15.12	258	14.33	277	15.33
Hancock	527	14.26	586	15.82	550	14.74	572	15.42	511	13.81	511	13.72	468	12.66	531	14.35
Kennebec	1,052	18.45	1,140	20.00	989	17.35	1,063	18.05	1,073	18.15	1,070	18.10	1,020	17.25	1,092	18.47
Knox	511	16.25	475	15.10	497	15.79	468	15.36	519	17.14	491	16.18	445	14.69	483	15.95
Lincoln	317	14.41	343	15.59	322	14.64	316	15.88	293	14.88	322	16.37	253	12.86	327	16.63
Oxford	446	14.68	494	16.27	488	15.96	478	14.99	545	16.95	537	16.70	557	17.33	541	16.99
Penobscot	1,169	16.09	1,180	16.24	1,185	16.26	1,184	15.70	1,127	14.91	1,257	16.58	1,224	16.14	1,282	16.93
Piscataquis	195	12.49	241	15.29	232	14.38	277	16.83	244	14.73	254	15.19	217	13.20	214	12.99
Sagadahoc	299	15.37	299	15.37	307	15.78	299	14.77	335	16.48	293	14.41	310	15.25	339	16.67
Somerset	452	13.99	518	16.02	503	15.42	548	16.42	478	14.26	495	14.76	534	15.88	547	16.29
Waldo	375	13.51	425	15.31	432	15.56	432	17.60	417	17.24	399	16.50	368	15.22	358	14.80
Washington	617	14.16	591	13.57	625	14.05	618	13.82	700	15.55	648	14.40	579	12.91	611	13.63
York	1,129	17.97	1,141	18.16	1,123	17.87	1,207	18.66	1,282	17.26	1,183	15.23	1,216	18.74	1,177	18.14

TABLE No. 29.

Number of Deaths in Each Month of 1896-1903, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1896.		1897.		1898.		1899.		1900.		1901.		1902.		1903.	
	Deaths.	Ratio.*	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January	863	95.5	916	96.0	887	95.3	1,432	148.4	903	99.5	955	100.9	876	96.7	1,006	107.6
February	921	109.1	851	98.7	817	97.1	1,049	130.5	881	100.8	1,091	85.4	900	110.0	944	111.8
March	944	104.6	1,259	131.9	863	92.7	935	96.9	1,095	110.1	1,132	119.7	929	102.5	996	106.5
April	942	97.8	1,020	110.4	915	101.6	965	103.3	1,190	127.7	955	104.4	939	107.1	989	109.3
May	961	106.5	892	93.5	935	100.0	899	93.2	1,068	107.3	944	99.9	919	101.4	930	99.5
June	814	98.2	769	83.3	791	87.8	768	82.2	793	84.3	789	86.2	805	91.8	786	86.9
July	845	93.6	840	88.0	814	87.5	783	81.1	839	84.4	836	88.4	837	92.4	901	96.4
August	1,079	119.5	1,019	106.8	1,003	107.7	1,031	106.8	1,033	103.8	831	87.9	861	95.0	865	92.4
September	912	104.4	997	108.0	1,147	127.3	953	102.0	1,037	110.8	970	105.6	911	103.9	957	105.7
October	833	92.3	999	104.7	1,034	111.1	882	91.4	911	91.6	882	93.3	854	94.3	865	92.5
November	667	76.4	835	90.4	837	92.9	781	83.6	769	82.1	831	90.8	820	93.5	831	91.8
December	839	98.0	837	87.7	911	97.9	881	91.3	856	86.1	897	94.9	998	110.1	919	98.3
Unknown	6	-	-	-	2	-	11	-	8	-	20	-	24	-	20	-

*In this column the inaccuracies due to the unequal lengths of the months are eliminated.

NUMBER OF DEATHS IN EACH MONTH.

TABLE

Showing the Number of Deaths in the State, and in

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.
All causes (including premature births)	11,225	749	780	1,753
I. General diseases.....	2,763	189	188	443
II. Diseases of nervous system and organs of special • sense.....	1,641	117	67	224
III. Diseases of circulatory system	1,230	70	46	208
IV. Diseases of respiratory system	1,348	92	85	205
V. Diseases of digestive system.....	1,087	79	162	153
VI. Diseases of genito-urinary system and its adnexa	770	55	26	160
VII. The Puerperal state	94	4	13	18
VIII. Diseases of skin and cellular tissue	92	4	4	15
IX. Diseases of organs of locomotion	15	1	2	3
X. Malformations	62	5	2	11
XI. Early infancy	414	25	19	71
XII. Old age	663	45	40	104
XIII. Deaths from external causes.....	516	33	25	89
XIV. Deaths from ill-defined causes	530	30	101	49

No. 30.

Each County Arranged by Classes and Counties.

Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
281	545	1,108	486	335	552	1,304	221	347	553	360	632	1,219
68	123	287	125	82	118	329	41	75	135	82	183	295
29	81	238	77	53	71	176	46	47	80	56	89	190
24	83	104	65	41	73	125	21	49	60	55	68	138
41	58	123	43	30	74	184	22	42	67	35	88	159
21	42	92	35	19	45	143	25	30	59	25	50	107
20	36	56	36	28	38	74	16	33	36	32	44	80
3	3	7	7	2	8	7	-	3	5	1	8	5
2	7	13	5	2	7	7	1	7	3	-	7	8
-	1	1	1	1	2	2	-	-	1	-	-	-
3	2	7	2	2	6	4	2	-	4	2	2	8
12	20	30	8	10	21	48	10	14	16	7	28	75
23	43	57	34	32	42	70	10	19	37	34	25	48
14	28	40	32	23	27	73	14	16	25	15	20	42
21	18	53	16	10	20	62	13	12	25	16	20	64

TABLE No. 30—Continued.
Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
I.—General diseases.....	2,763	189	188	443	68	123	287	125	82	118	329	41	75	135	92	183	295
Typhoid fever.....	225	5	9	33	3	5	59	5	4	9	39	5	5	9	2	12	28
Intermittent fever and malarial cachexia.....	9	1	-	-	-	1	-	1	-	2	3	-	-	-	-	-	1
Smallpox.....	7	6	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Measles.....	36	-	2	5	-	-	2	1	-	2	6	1	-	8	1	2	-
Scarlatina.....	18	2	3	-	-	-	11	-	1	-	-	-	-	-	-	-	1
Whooping cough.....	110	2	2	18	3	-	14	1	2	1	11	-	3	3	1	17	26
Diphtheria and croup....	115	11	24	21	2	-	11	-	3	2	5	1	9	11	3	3	12
Grippe.....	196	13	33	18	4	13	15	15	1	17	12	2	3	4	1	12	23
Cholera nostras.....	28	1	2	3	1	1	1	2	1	1	2	2	1	1	1	2	4
Dysentery.....	27	1	2	3	3	-	-	-	-	2	2	2	-	2	2	2	2
Erysipelas.....	19	2	-	4	1	1	2	-	1	-	2	-	1	1	-	2	1
Other epidemic diseases	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purulent septicemia and infection.....	39	3	2	11	3	3	1	3	-	1	2	-	1	2	3	1	3
Tuberculosis of larynx....	7	-	1	1	-	-	1	-	-	-	2	-	2	1	-	-	2
Tuberculosis of lungs....	901	55	47	139	21	55	90	50	30	39	108	16	25	45	34	66	81
Tuberculosis of meninges	53	4	4	12	1	3	5	3	1	1	8	-	-	2	2	6	3
Tuberculosis of the peritoneum.....	54	3	2	9	1	3	4	4	-	4	10	-	-	2	-	8	4
Pott's disease.....	5	-	-	-	-	-	1	1	-	1	1	-	-	-	1	-	-
Cold abscess.....	4	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
White swelling.....	6	1	-	-	-	-	1	-	-	-	1	-	-	1	1	1	-
Tuberculosis of other organs.....	7	-	2	-	-	1	-	1	-	-	1	1	-	-	-	-	1
General tuberculosis....	39	5	7	7	-	-	3	3	-	1	10	-	2	3	-	1	4
Scrofula.....	5	2	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Syphilis.....	6	-	1	1	-	-	1	-	-	2	-	-	-	-	-	1	-
Cancer of mouth.....	19	1	1	3	-	2	2	-	2	1	3	1	-	2	-	1	-
Cancer of stomach and liver.....	220	14	9	39	10	6	17	7	10	13	27	3	9	9	6	18	23
Cancer of the peritoneum, intestines and rectum.	75	12	-	16	1	2	8	1	5	1	11	1	2	1	1	4	9
Cancer of female genital organs.....	91	6	3	17	2	4	9	5	-	2	12	1	3	4	4	8	11
Cancer of breast.....	54	5	2	11	4	2	3	1	1	1	8	-	2	4	2	-	8
Cancer of skin.....	21	-	1	4	1	-	2	1	2	3	2	-	-	1	-	1	3
Cancer of other organs and organs not specified.....	118	5	7	29	1	10	10	6	4	4	12	-	1	3	7	3	16
Other tumors.....	13	3	2	1	-	-	2	1	-	-	2	1	-	-	-	-	1
Acute articular rheumatism.....	36	2	-	3	1	2	4	4	2	-	6	3	-	2	1	3	3
Chronic rheumatism and gout.....	22	2	2	3	-	2	1	-	2	1	4	-	-	1	-	2	2
Diabetes.....	92	8	6	20	3	3	2	3	2	5	6	6	1	3	8	4	5
Exophthalmic goiter.....	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Addison's disease.....	5	-	-	2	1	-	-	-	-	-	-	-	-	1	-	-	1
Leukemia.....	5	-	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-
Anemia, chlorosis.....	44	6	1	8	1	1	1	2	1	1	7	1	4	2	1	2	5
Other general diseases	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Alcoholism, acute or chronic.....	23	-	-	2	3	-	1	3	-	-	5	1	-	1	-	-	7
Other chronic poisonings	3	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1

TABLE No. 30—Continued.
Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
II.—Diseases of the nervous system and of the organs of special sense	1,641	117	67	224	29	81	238	77	53	71	176	46	47	80	56	89	190
Encephalitis.....	24	3	2	2	-	1	3	1	2	-	3	1	1	1	1	1	3
Simple meningitis.....	243	26	16	37	6	13	23	9	3	15	28	3	7	3	4	14	36
Progressive locomotor ataxia.....	17	-	-	1	-	2	5	-	1	3	3	-	-	1	-	1	-
Other diseases of the spinal cord.....	59	3	2	7	-	5	6	3	7	2	7	1	-	-	-	7	9
Congestion and hemorrhage of the brain.....	712	56	19	107	12	29	91	41	29	29	70	22	26	46	21	31	83
Softening of the brain....	35	2	-	3	-	7	2	-	5	5	-	-	-	5	1	-	3
Paralysis without specified cause.....	223	8	6	25	2	17	29	11	6	5	27	12	6	12	18	16	23
General paralysis.....	33	1	1	4	-	1	8	2	-	2	6	-	1	1	2	4	-
Other forms of mental alienation.....	61	-	3	3	1	1	40	2	1	-	4	1	1	1	-	1	2
Epilepsy.....	34	2	2	3	1	1	9	-	-	2	3	-	1	1	2	1	6
Eclampsia (non-puerperal).....	11	1	1	1	1	1	-	-	1	-	3	-	-	-	1	1	-
Convulsions of children.....	88	8	10	10	1	2	11	4	1	1	10	2	2	4	2	9	11
Tetanus.....	11	1	-	5	-	1	-	-	-	1	-	-	-	-	1	-	2
Other diseases of the nervous system.....	86	6	5	17	2	7	6	2	2	5	6	4	1	5	3	4	11
Diseases of the eye and its adnexa.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the ear.....	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1
III.—Diseases of the circulatory system.....	1,230	70	46	208	24	83	104	65	41	73	125	21	49	60	55	63	138
Pericarditis.....	6	-	1	-	-	-	1	-	-	1	1	1	-	-	-	-	-
Acute endocarditis.....	35	3	2	3	-	4	3	3	1	1	5	3	2	-	2	1	2
Organic diseases of the heart.....	1,017	58	35	175	19	71	90	51	28	61	98	16	40	51	44	61	119
Angina pectoris.....	95	4	5	10	3	3	7	6	7	7	15	1	4	4	3	5	11
Affections of the arteries (atheroma, aneurism, etc.).....	26	2	-	6	2	2	1	-	-	2	1	-	1	3	4	1	1
Embolism and thrombosis.....	33	2	1	9	-	2	1	4	5	1	1	-	1	1	2	-	3
Affections of the veins (varices, hemorrhoids, phlebitis, etc.).....	4	-	-	-	1	-	-	-	-	2	-	-	-	1	-	-	-
Hemorrhages.....	13	-	2	5	-	1	1	-	-	1	2	-	-	-	-	-	1
Other diseases of the circulatory system.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.—Diseases of the respiratory system.....	1,348	92	85	205	41	58	123	43	30	74	184	22	42	67	35	88	159
Affections of the larynx.....	13	-	-	3	-	1	2	1	1	-	-	-	2	-	-	1	2
Affections of the thyroid body.....	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Acute bronchitis.....	132	11	11	8	5	5	19	3	3	10	12	2	7	3	4	6	23
Chronic bronchitis.....	77	12	4	8	3	3	12	4	1	1	7	-	4	3	2	6	7
Broncho-pneumonia.....	136	6	7	26	6	6	15	3	5	7	23	2	4	2	1	12	11
Pneumonia.....	863	56	51	139	27	37	62	29	18	47	130	16	24	56	25	51	95
Pleurisy.....	17	1	-	6	-	2	1	1	-	1	-	-	-	-	1	2	2
Congestion of the lungs, pulmonary apoplexy..	53	1	7	8	-	2	3	2	2	4	6	-	-	1	2	-	10
Gangrene of the lungs...	4	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Asthma.....	23	2	2	2	-	1	1	-	-	3	3	-	1	1	-	5	2
Emphysema of the lungs	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Other diseases of the respiratory system (phthisis excepted)....	24	1	2	2	-	1	3	-	-	1	3	2	-	1	-	4	4

TABLE No. 30—Continued.
Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
V.—Diseases of the digestive system.....	1,087	79	162	153	21	42	92	35	19	45	143	25	30	59	25	50	107
Affections of the mouth and its adnexa.....	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1
Affections of the pharynx.....	24	1	8	2	-	-	1	-	-	5	-	-	-	3	1	2	1
Ulcer of the stomach....	15	-	2	-	-	1	2	-	1	-	3	-	-	1	1	-	4
Other affections of the stomach, cancer excepted.....	147	10	13	22	2	1	22	7	6	4	18	4	4	7	1	7	19
Infantile diarrhea (under 2 years).....	408	31	103	41	5	13	28	10	1	22	56	3	12	16	2	18	42
Diarrhea and enteritis (2 years and over).....	108	2	7	13	4	7	6	4	2	2	15	6	2	10	8	6	14
Intestinal parasites.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Hernias and other intestinal obstructions.....	81	7	5	12	1	4	8	3	3	4	6	7	2	5	4	3	7
Other affections of the intestines.....	25	-	3	4	1	1	2	1	1	5	2	-	-	2	2	-	1
Acute yellow atrophy of liver.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Cirrhosis of liver.....	64	3	1	12	1	5	7	2	1	1	8	1	3	5	1	6	7
Biliary calculi.....	11	2	2	3	-	-	-	-	-	2	2	-	-	-	-	-	-
Other affections of the liver.....	66	3	6	12	3	4	7	3	2	3	7	-	4	4	3	3	2
Affections of the spleen.....	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Inflammatory peritonitis (puerperal excepted).....	55	3	6	13	-	2	4	2	-	1	8	1	2	2	-	2	9
Other diseases of the digestive system.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and abscess of the iliac fossa.....	79	16	5	19	4	4	5	3	2	-	11	3	1	2	2	2	-
VI.—Diseases of the genito-urinary system and its adnexa.....	770	55	26	160	20	36	56	36	28	38	74	16	33	36	32	44	80
Acute nephritis.....	52	4	4	6	3	1	9	4	1	2	3	3	2	2	-	4	4
Bright's disease.....	573	44	15	128	12	28	37	25	18	29	53	11	30	25	25	27	66
Other diseases of the kidneys and their adnexa.....	27	1	2	3	-	3	2	-	1	-	2	2	-	3	2	4	2
Calculi of the urinary tract.....	3	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1
Diseases of the bladder.....	50	2	2	11	2	3	3	3	5	3	-	1	3	1	6	2	-
Diseases of the urethra, urinary abscess, etc....	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the prostate.....	21	2	2	4	1	-	1	-	3	1	2	-	-	2	-	1	2
Nonvenereal diseases of the male genital organs.....	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1
Uterine hemorrhage (non puerperal).....	4	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1
Uterine tumor (non-cancerous).....	6	-	1	1	-	-	-	-	1	-	1	-	-	-	1	-	1
Other diseases of the uterus.....	12	1	-	4	1	-	1	1	-	-	2	-	-	1	1	-	-
Cysts and other tumors of the ovary.....	12	-	-	-	1	-	2	-	-	-	5	-	-	-	2	2	-
Other diseases of the female genital organs.....	6	1	-	2	-	-	1	2	-	-	-	-	-	-	-	-	-
VII.—The puerperal state.....	94	4	13	18	3	3	7	7	2	8	7	-	3	5	1	8	5
Accidents of pregnancy.....	24	-	1	6	1	1	3	2	1	2	1	-	1	2	-	3	-
Puerperal hemorrhage.....	7	1	-	1	-	-	-	-	-	2	-	-	1	-	-	2	-
Other accidents of labor.....	7	-	2	2	1	-	-	1	-	1	-	-	-	-	-	-	-
Puerperal septicemia....	23	2	2	6	-	-	1	4	-	4	-	-	1	1	1	-	1

TABLE No. 30—Concluded.
Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
Puerperal albuminuria and eclampsia.....	17	1	4	2	-	1	1	-	-	1	3	-	-	1	-	1	2
Other puerperal accidents, sudden death...	16	-	4	1	1	1	2	-	1	-	1	-	-	1	-	2	2
VIII.—Diseases of the skin and cellular tissue	92	4	4	15	2	7	13	5	2	7	7	1	7	3	-	7	8
Gangrene.....	76	4	3	9	2	7	12	5	2	5	6	1	7	2	-	6	5
Furuncle, boil, carbuncle.	12	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2
Phlegmon, acute abscess	7	-	-	2	-	-	-	-	-	2	1	-	-	1	-	-	1
Other diseases of the skin and its adnexa.....	7	-	-	2	-	-	-	-	-	2	1	-	-	1	-	-	1
IX.—Diseases of the organs of locomotion..	15	1	2	3	-	1	1	1	1	2	2	-	-	1	-	-	-
Affections of the bones (non-tuberculous).....	13	1	2	2	-	1	1	1	1	2	2	-	-	-	-	-	-
Amputation.....	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
X.—Malformations.....	62	5	2	11	3	2	7	2	2	6	4	2	-	4	2	2	8
Malformations, congenital (still-births excepted)	414	25	19	71	12	20	30	2	10	21	48	10	14	16	2	28	75
XI.—Early infancy.....	338	19	15	55	9	18	25	6	8	16	35	7	12	12	7	25	69
Congenital icterus, debility and sclerema.....	26	1	2	1	-	1	1	-	1	4	7	1	1	3	-	1	2
Other diseases of early infancy.....	50	5	2	15	3	1	4	2	1	1	6	2	1	1	-	2	4
Lack of care.....	50	5	2	15	3	1	4	2	1	1	6	2	1	1	-	2	4
XII.—Old age.....	663	45	40	104	23	43	57	34	32	42	70	10	19	37	34	25	48
Senile debility.....	663	45	40	104	23	43	57	34	32	42	70	10	19	37	34	25	48
XIII.—Deaths from external causes.....	516	33	25	89	14	28	40	32	23	27	73	14	16	25	15	20	42
Suicide by poison.....	13	2	-	4	-	1	2	1	-	1	-	1	-	-	-	1	-
Suicide by asphyxia.....	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide by hanging or strangulation.....	21	2	-	2	2	1	1	-	-	3	1	-	2	-	3	-	4
Suicide by drowning.....	15	1	1	1	1	2	1	1	-	1	2	-	3	-	-	1	-
Suicide by firearms.....	21	4	-	2	1	-	2	1	-	1	4	-	1	2	-	1	2
Suicide by cutting instruments.....	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-
Suicide by jumping from high places.....	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Fractures.....	40	1	2	13	1	-	2	6	-	2	3	2	1	3	2	-	2
Dislocations and sprains	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Other accidental injuries	155	12	8	27	6	6	10	8	3	6	26	4	7	9	4	5	14
Burns and scalds.....	33	2	2	6	-	2	3	-	2	3	5	1	1	1	-	-	5
Sunstroke.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Freezing.....	4	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Electric shock.....	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Accidental drowning.....	127	5	5	15	-	11	13	11	17	5	14	3	1	7	6	5	9
Absorption of deleterious gases (non-suicidal)	14	1	1	4	-	2	-	-	-	2	1	-	-	-	-	1	2
Other acute poisonings..	22	1	1	5	2	1	2	3	-	2	3	1	-	1	-	-	-
Other external violence.	40	1	4	8	1	1	1	-	1	3	10	1	-	2	-	3	4
XIV.—Deaths from ill-defined causes.....	530	30	101	49	21	18	53	16	10	20	62	13	12	25	16	20	64
Dropsy.....	41	1	5	1	1	2	6	3	-	1	6	2	1	2	1	2	7
Sudden death.....	37	4	-	3	4	2	4	1	3	1	7	-	-	2	-	2	4
Unspecified or ill-defined causes of death.....	452	25	96	45	16	14	43	12	7	18	49	11	11	21	15	16	53

TABLE No. 31.

Deaths from all Causes by Months—1903.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
All causes, (including premature births)	11,225	1,027	956	1,012	1,009	952	798	916	877	977	880	860	940	21
I.—General diseases	2,763	253	249	307	281	236	198	214	200	198	188	213	221	5
II.—Diseases of nervous system and organs of special sense	1,641	148	142	124	152	133	136	148	139	139	130	113	137	-
III.—Diseases of circulatory system.....	1,230	113	92	87	98	112	106	118	92	93	102	99	114	4
IV.—Diseases of respiratory system.....	1,348	168	159	175	131	138	90	60	35	53	71	119	147	2
V.—Diseases of digestive system	1,087	60	57	61	64	73	40	105	179	203	116	54	71	4
VI.—Diseases of genito-urinary system and its adnexa	770	69	64	70	67	63	69	63	63	57	67	56	61	1
VII.—The puerperal state..	94	7	4	9	10	6	8	12	9	5	12	3	9	-
VIII.—Diseases of skin and cellular tissue	92	7	9	8	7	5	6	9	2	8	13	10	8	-
IX.—Diseases of organs of locomotion	15	1	1	3	2	-	-	1	2	2	1	-	2	-
X.—Malformations.....	62	5	5	4	9	6	5	4	4	6	5	3	6	-
XI.—Early infancy.....	414	33	36	30	38	34	32	35	18	43	42	42	30	1
XII.—Old age	663	70	65	64	54	56	46	47	48	50	47	67	47	2
XIII.—Deaths from external causes.....	516	35	35	20	40	44	42	62	39	61	49	47	42	-
XIV.—Deaths from ill-defined causes.....	530	58	38	50	56	46	20	38	47	59	37	34	45	2

TABLE No. 31—Continued.
Deaths from All Causes by Months—1903.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
III.—Diseases of the circulatory system	1,230	113	92	87	98	112	106	118	92	93	102	99	114	4
Pericarditis	6	-	1	1	-	1	1	-	-	-	-	1	1	-
Acute endocarditis	35	1	3	-	2	4	2	1	4	7	5	4	2	-
Organic diseases of the heart	1,017	94	77	73	79	93	91	100	74	74	87	77	94	4
Angina pectoris	95	15	7	5	12	5	5	5	5	5	6	11	8	-
Affections of the arteries (atheroma, aneurism, etc)	26	1	1	4	1	3	4	1	2	2	2	2	3	-
Embolism and thrombosis	33	-	2	3	4	3	1	2	3	2	1	2	4	-
Affections of the veins (varices hemorrhoids, phlebitis, etc)	4	1	-	1	-	-	-	-	-	-	-	-	2	-
Hemorrhages	13	1	1	-	-	3	2	-	1	3	-	2	-	-
Other diseases of the circulatory system	1	-	-	-	-	-	-	-	-	-	1	-	-	-
IV.—Diseases of the respiratory system	1,348	168	159	175	131	138	90	60	35	53	71	119	147	2
Diseases of the larynx	13	-	3	1	1	-	2	-	1	-	1	3	1	-
Affections of the thyroid body	3	-	-	1	-	-	-	-	-	1	-	-	1	-
Acute bronchitis	132	21	16	13	10	15	6	8	5	7	8	14	8	1
Chronic bronchitis	77	4	6	8	11	8	4	4	3	5	7	7	9	1
Broncho-pneumonia	136	13	11	22	16	11	10	10	2	3	11	11	16	-
Pneumonia	863	116	112	118	84	90	61	32	16	30	34	77	93	-
Pleurisy	17	4	4	1	1	-	1	2	-	-	1	-	2	-
Congestion and apoplexy of the lungs	53	5	5	6	3	7	3	2	5	3	4	5	5	-
Gangrene of lungs	4	-	1	1	1	1	-	-	-	-	-	-	-	-
Asthma	23	3	-	2	2	3	1	1	1	1	1	1	1	-
Emphysema of the lungs	3	-	-	1	-	1	-	-	-	-	-	-	1	-
Other diseases of the respiratory system (phthis excepted)	24	2	2	2	1	2	1	2	-	3	4	1	4	-
V.—Diseases of the digestive system	1,087	60	57	61	64	73	40	105	179	203	116	54	71	4
Affections of the mouth and its adnexa	4	-	-	1	1	-	-	-	1	-	-	-	1	-
Affections of the pharynx	24	2	1	3	1	-	-	1	5	-	3	4	3	-
Ulcer of the stomach	15	1	-	1	2	3	2	2	-	-	2	1	-	1
Other diseases of the stomach, cancer excepted	147	11	10	8	13	12	7	10	16	28	13	5	13	1
Infantile diarrhea (under 2 years)	403	10	3	9	6	10	7	42	118	127	54	12	4	1
Diarrhea and enteritis (2 years and over)	108	5	3	9	8	8	3	12	14	19	12	6	8	1
Intestinal parasites	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Hernias and other intestinal obstructions	81	9	7	5	7	10	9	5	5	7	6	4	7	-
Other affections of the intestines	25	2	6	1	-	3	1	2	2	1	4	2	1	-
Acute yellow atrophy of liver	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Cirrhosis of liver	64	5	4	4	8	6	2	6	3	6	6	5	9	-
Biliary calculi	11	-	2	2	1	3	-	1	1	-	1	-	-	-
Other affections of the liver	66	2	11	8	5	3	2	9	4	5	4	5	8	-
Affections of the spleen	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Inflammatory peritonitis (puerperal excepted)	55	3	5	6	5	5	1	4	4	6	4	3	9	-
Other diseases of the digestive system	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and abscess of the iliac fossa	79	9	5	4	7	10	5	11	5	4	7	6	6	-
VI.—Diseases of the genito-urinary system and its adnexa	770	69	64	70	67	63	69	63	63	57	67	56	61	1
Acute nephritis	52	9	6	6	5	3	5	4	-	4	4	3	3	-
Bright's disease	573	50	44	49	50	47	53	50	55	39	49	40	46	1
Other diseases of the kidneys and their adnexa	27	4	4	4	1	1	2	2	1	1	1	3	2	-
Calculi of the urinary tract	3	-	-	1	-	-	-	1	-	-	1	-	-	-
Diseases of the bladder	50	4	4	6	3	7	4	2	2	7	4	3	4	-
Diseases of the urethra, urinary abscess, etc	1	-	-	-	-	-	1	-	-	-	-	-	-	-

TABLE No. 31—Concluded.
Deaths from All Causes by Months—1903.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
Diseases of the prostate.....	21	2	3	2	3	1	1	1	1	1	3	1	2	-
Nonvenereal diseases of the male genital organs.....	3	-	-	-	1	-	-	-	1	1	-	-	-	-
Uterine hemorrhage (non-puerperal).....	4	-	-	-	1	1	-	-	-	-	-	1	1	-
Uterine tumor (non-cancerous)....	6	-	-	-	1	1	-	-	-	1	2	1	-	-
Other diseases of the uterus.....	12	-	-	2	1	2	1	-	1	1	2	1	1	-
Cysts and other tumors of the ovary	12	-	3	-	1	-	1	1	1	1	1	2	1	-
Other diseases of the female genital organs.....	6	-	-	-	-	-	1	2	-	1	-	1	1	-
VII.—The puerperal state.....	94	7	4	9	10	6	9	12	9	5	12	3	9	-
Accidents of pregnancy.....	24	-	1	3	4	1	2	3	4	1	3	1	1	-
Puerperal hemorrhage.....	7	1	-	-	-	-	1	1	-	2	-	-	2	-
Other accidents of labor.....	7	1	-	2	-	1	-	1	1	-	-	-	1	-
Puerperal septicemia.....	23	3	-	1	2	-	4	2	1	2	3	1	4	-
Puerperal albuminuria and eclampsia.....	17	1	1	2	2	1	1	3	1	1	3	1	-	-
Other puerperal accidents, sudden death.....	16	1	2	1	2	3	1	2	1	1	1	-	1	-
VIII.—Diseases of the skin and cellular tissue.....	92	7	9	8	7	5	6	9	2	8	13	10	8	-
Gangrene.....	76	6	8	5	5	2	6	9	2	7	11	8	5	-
Furuncle (boil, carbuncle).....	2	1	-	-	-	-	-	-	-	1	-	-	-	-
Phlegmon, acute abscess.....	7	-	1	1	2	1	-	-	-	1	-	1	-	-
Other diseases of the skin and its adnexa.....	7	-	-	2	-	2	-	-	-	-	1	1	1	-
IX.—Diseases of the organs of locomotion.....	15	1	1	3	2	-	-	1	2	2	1	-	2	-
Affections of the bones (non-tuberculous).....	13	1	1	3	2	-	-	1	1	2	-	-	2	-
Amputation.....	2	-	-	-	-	-	-	-	1	1	-	-	-	-
X.—Malformations.....	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Malformations, congenital, (stillbirths excepted).....	62	5	5	4	9	6	5	4	4	6	5	3	6	-
XI.—Early infancy.....	414	33	36	30	38	34	32	35	18	43	42	42	30	1
Congenital icterus, debility and sclerema.....	338	29	22	24	32	27	28	32	15	36	34	37	21	1
Other diseases of early infancy.....	26	2	4	3	2	4	3	-	1	1	1	3	2	-
Lack of care.....	50	2	10	3	4	3	1	3	2	6	7	2	7	-
XII.—Old age.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile debility.....	663	70	65	64	54	56	46	47	48	50	47	67	47	2
XIII.—Deaths from external causes.....	516	35	35	20	40	44	42	62	39	61	49	47	42	-
Suicide by poison.....	13	1	1	3	1	2	-	-	2	1	-	-	2	-
Suicide by asphyxia.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Suicide by hanging or strangulation.....	21	3	2	1	1	3	2	1	1	3	2	1	1	-
Suicide by drowning.....	15	2	3	-	1	1	1	2	-	3	1	1	-	-
Suicide by firearms.....	21	2	1	-	4	2	2	1	2	1	2	2	2	-
Suicide by cutting instruments.....	4	-	1	1	-	-	-	2	-	-	-	-	-	-
Suicide by jumping from high places.....	2	-	-	-	1	-	-	1	-	-	-	-	-	-
Fractures.....	40	4	2	1	2	1	4	3	4	1	6	5	7	-
Dislocations and sprains.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other accidental injuries.....	155	10	13	7	16	12	14	13	10	16	17	14	13	-
Burns and scalds.....	33	4	6	1	2	2	2	-	-	2	-	8	6	-
Sunstroke.....	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Freezing.....	4	2	-	-	-	-	-	-	-	-	-	2	-	-
Electric shock.....	2	-	-	-	-	-	-	-	1	-	1	-	-	-
Accidental drowning.....	127	1	4	2	5	12	12	30	12	26	10	8	5	-
Absorption of deleterious gases (non-suicidal).....	14	-	1	-	2	1	1	3	2	2	-	2	-	-
Other acute poisonings.....	22	2	1	1	-	3	2	5	2	3	1	2	-	-
Other external violence.....	40	4	-	3	6	4	1	2	2	3	7	2	6	-
XIV.—Deaths from ill-defined causes.....	530	58	38	50	56	40	20	38	47	59	37	34	45	2
Dropsy.....	41	3	3	5	2	3	2	6	3	4	2	4	4	-
Sudden death.....	37	4	1	7	1	1	1	1	4	3	4	4	6	-
Unspecified or ill-defined causes of death.....	452	51	34	38	53	42	17	31	40	52	31	26	35	2

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.						0-4.
			0.	1.	2.	3.	4.	
All causes.....	Totals	33,425	5003	889	400	251	227	6770
	Males	17,014	2776	449	197	129	105	3656
	Females ..	16,381	2207	440	203	122	122	3094
Typhoid fever.....	Not stated	30	20	-	-	-	-	20
	Totals	611	3	1	6	3	4	17
	Males	356	-	-	4	1	1	6
Typhus fever.....	Females ..	255	3	1	2	2	3	11
	Totals	1	-	-	-	-	-	-
	Males	1	-	-	-	-	-	-
Intermittent fever and malarial cachexia ..	Females ..	-	-	-	-	-	-	-
	Totals	40	-	-	-	-	-	-
	Males	38	-	-	-	-	-	-
Smallpox	Females ..	2	-	-	-	-	-	-
	Totals	19	2	-	1	-	-	3
	Males	12	2	-	-	-	-	2
Measles	Females ..	7	-	-	1	-	-	1
	Totals	90	18	19	6	1	1	45
	Males	37	12	9	2	1	1	25
Scarlatina	Females ..	53	6	10	4	-	-	20
	Totals	49	4	3	7	3	10	27
	Males	22	1	2	5	1	5	14
Whooping cough	Females ..	27	3	1	2	2	5	13
	Totals	189	118	37	11	8	4	178
	Males	87	51	21	4	2	2	80
Diphtheria and croup	Females ..	102	67	16	7	6	2	98
	Totals	357	46	41	42	36	38	203
	Males	188	28	24	24	21	19	116
Grippe	Females ..	169	18	17	18	15	19	87
	Totals	524	81	15	3	3	5	107
	Males	262	55	8	1	1	2	67
Cholera nostras.....	Females ..	322	26	7	2	2	3	40
	Totals	51	-	1	5	3	2	11
	Males	19	-	-	1	1	-	2
Dysentery	Females ..	32	-	1	4	2	2	9
	Totals	98	19	7	4	7	6	43
	Males	45	10	3	2	5	4	24
Erysipelas	Females ..	53	9	4	2	2	2	19
	Totals	61	9	-	1	-	-	10
	Males	27	6	-	-	-	-	6
Other epidemic affections	Females ..	34	3	-	1	-	-	4
	Totals	2	-	1	-	1	-	2
	Males	1	-	1	-	-	-	1
Purulent and septicemic affections.....	Females ..	1	-	-	-	1	-	1
	Totals	137	7	1	-	-	2	10
	Males	70	1	-	-	-	-	1
Malignant pustule and anthrax	Females ..	67	6	1	-	-	2	9
	Totals	1	-	-	-	-	-	-
	Males	1	-	-	-	-	-	-
Tuberculosis of larynx	Females ..	-	-	-	-	-	-	-
	Totals	30	-	-	1	-	-	1
	Males	21	-	-	-	-	-	-
Tuberculosis of lungs.....	Females ..	9	-	-	1	-	-	1
	Totals	2,904	32	18	11	9	8	78
	Males	1,291	26	9	2	4	4	45
Tuberculosis of meninges.....	Females ..	1,613	6	9	9	5	4	33
	Totals	173	32	22	13	10	18	95
	Males	80	17	9	5	5	7	43
Tuberculosis of peritoneum	Females ..	93	15	13	8	5	11	52
	Totals	171	11	4	1	-	2	18
	Males	71	8	2	-	-	1	11
Pott's disease.....	Females ..	100	3	2	1	-	1	7
	Totals	28	3	1	-	-	-	4
	Males	10	1	-	-	-	-	1
	Females ..	18	2	1	-	-	-	3

No. 32.

Age-Groups—1901-1903.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100-X.	Unknown.
686	486	930	1215	1182	1054	1047	1045	1201	1342	1592	2005	2549	2777	2830	2341	1349	549	142	24	309
355	230	432	583	521	504	485	505	616	675	810	1053	1330	1491	1496	1175	615	227	47	9	196
331	256	498	632	661	550	562	540	585	667	782	952	1219	1236	1334	1162	734	322	95	15	104
47	50	89	106	80	50	47	30	34	16	14	6	8	2	5	1	-	-	-	-	9
21	20	44	63	55	32	31	23	11	11	7	5	3	2	3	-	-	-	-	-	4
26	30	45	43	25	18	16	7	11	5	7	1	3	2	3	-	-	-	-	-	3
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	3	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
-	-	-	3	3	1	-	-	-	1	1	3	12	6	5	2	4	1	-	-	-
-	-	-	-	-	1	3	-	-	1	1	1	-	-	-	1	-	-	-	-	-
2	-	-	-	1	2	2	1	5	-	1	1	-	-	-	-	-	-	-	1	-
2	-	-	-	1	1	1	1	3	1	1	1	-	-	-	-	-	-	-	-	1
-	-	-	-	1	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-
5	4	6	5	2	6	5	1	3	-	-	1	-	-	1	-	-	-	-	-	-
2	2	2	2	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3	2	4	4	2	4	4	4	1	-	-	-	2	2	-	-	-	-	-	-	-
11	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95	28	13	5	2	2	4	1	-	-	-	1	1	-	-	-	-	-	-	-	2
46	14	4	2	1	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	2
49	14	9	3	2	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	2
17	5	5	7	5	6	5	5	17	9	14	23	40	63	88	102	41	15	1	-	2
10	5	1	2	2	3	3	3	10	9	9	23	34	23	34	44	15	1	-	-	2
7	5	4	5	8	3	4	5	8	5	7	16	17	4	5	2	2	1	-	-	2
7	2	-	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	1	1	2	3	-	-	1	2	2	1	5	4	5	8	3	5	-	-	-
-	-	1	1	1	2	2	1	1	2	2	1	1	1	1	1	1	1	-	-	-
-	-	2	1	-	2	2	2	1	2	6	6	4	4	4	2	2	4	4	4	-
-	-	1	1	-	2	1	1	-	2	2	2	4	1	1	4	3	1	1	1	-
-	-	-	1	-	1	-	-	-	4	4	2	1	3	3	1	-	2	3	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	2	7	11	15	7	7	5	15	9	10	10	8	7	5	6	2	1	-	-	1
2	5	2	3	8	8	7	3	8	6	3	3	3	5	5	3	1	1	-	-	1
-	2	2	2	3	3	3	2	7	3	7	3	1	2	2	3	3	1	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	2	4	5	3	4	2	1	1	1	2	2	-	-	-	-	-	-	-	-
-	2	3	3	3	3	3	3	1	1	1	1	2	2	-	-	-	-	-	-	-
-	1	-	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
25	45	289	451	413	305	224	197	159	136	128	124	127	97	58	24	8	2	-	14	7
14	16	99	187	161	139	92	85	79	74	72	65	66	43	31	11	4	1	-	7	7
11	29	190	264	252	182	132	112	80	62	56	59	61	61	54	27	13	4	1	7	2
29	13	9	7	7	5	1	1	1	1	1	1	1	1	1	1	1	1	-	1	2
14	6	5	2	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
15	7	4	5	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
5	5	21	27	17	11	10	9	8	9	1	12	6	6	1	3	-	-	1	-	1
4	-	6	10	6	3	4	2	4	5	-	8	3	3	1	1	-	-	-	-	-
1	5	15	17	11	8	6	3	7	4	1	4	3	3	3	2	1	-	1	-	1
2	4	2	1	3	2	3	-	1	1	1	2	1	2	1	-	-	-	-	-	-
1	2	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	2	-	1	2	1	1	3	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE
Deaths from All Causes by

CAUSES OF DEATH.	Sex.	Totals.						0-4.
			0.	1.	2.	3.	4.	
Cold abscess.....	Totals	7	2	-	-	-	-	2
	Males	3	1	-	-	-	-	1
White swelling.....	Females ..	4	1	-	-	-	-	1
	Totals	12	-	-	-	-	-	-
Tuberculosis of other organs	Males	7	-	-	-	-	-	-
	Females ..	5	-	-	-	-	-	-
General tuberculosis	Totals	33	2	2	-	-	-	4
	Males	18	2	1	-	-	-	3
Scrofula	Females ..	15	-	1	-	-	-	1
	Totals	133	5	-	3	1	-	9
Syphilis	Males	61	3	-	2	1	-	6
	Females ..	72	2	-	1	-	-	3
Gonorrhoea	Totals	25	11	3	-	-	-	14
	Males	14	8	1	-	-	-	9
Cancer of mouth	Females ..	11	3	2	-	-	-	5
	Totals	18	2	-	-	-	-	2
Cancer of stomach and liver.....	Males	11	1	-	-	-	-	1
	Females ..	7	1	-	-	-	-	1
Cancer of peritoneum, intestines and rectum	Totals	1	-	-	-	-	-	-
	Males	1	-	-	-	-	-	-
Cancer of female genital organs.....	Females ..	-	-	-	-	-	-	-
	Totals	58	-	-	-	-	-	-
Cancer of breast	Males	48	-	-	-	-	-	-
	Females ..	10	-	-	-	-	-	-
Cancer of skin.....	Totals	675	1	-	-	-	-	1
	Males	313	-	-	-	-	-	-
Cancer of other organs and of organs not specified	Females ..	362	1	-	-	-	-	1
	Totals	200	-	-	-	-	-	-
Other tumors	Males	72	-	-	-	-	-	-
	Females ..	128	-	-	-	-	-	-
Acute articular rheumatism	Totals	280	-	-	-	-	-	-
	Males	166	-	-	-	-	-	-
Chronic rheumatism and gout.....	Females ..	1	-	-	-	-	-	-
	Totals	83	-	-	-	-	-	-
Diabetes	Males	52	-	-	-	-	-	-
	Females ..	31	-	-	-	-	-	-
Exophthalmic goiter.....	Totals	321	1	-	-	1	-	2
	Males	147	-	-	-	1	-	1
Addison's disease.....	Females ..	174	1	-	-	-	-	1
	Totals	35	-	-	-	-	-	-
Leukemia.....	Males	11	-	-	-	-	-	-
	Females ..	24	-	-	-	-	-	-
Exopthalmic goiter.....	Totals	99	-	-	-	4	-	4
	Males	51	-	-	-	2	-	2
Leukemia.....	Females ..	48	-	-	-	2	-	2
	Totals	57	-	-	-	-	-	-
Exopthalmic goiter.....	Males	25	-	-	-	-	-	-
	Females ..	32	-	-	-	-	-	-
Exopthalmic goiter.....	Totals	262	-	1	1	2	1	5
	Males	123	-	1	-	1	1	3
Exopthalmic goiter.....	Females ..	139	-	-	1	1	-	2
	Totals	6	-	-	-	-	-	-
Exopthalmic goiter.....	Males	1	-	-	-	-	-	-
	Females ..	5	-	-	-	-	-	-
Exopthalmic goiter.....	Totals	10	-	-	-	-	-	-
	Males	5	-	-	-	-	-	-
Exopthalmic goiter.....	Females ..	5	-	-	-	-	-	-
	Totals	19	-	-	1	1	-	2
Exopthalmic goiter.....	Males	11	-	-	-	-	-	1
	Females ..	8	-	-	-	1	-	1

TABLE
Deaths From all causes by

CAUSES OF DEATH.	Sex.	Totals.						0-4.
			0.	1.	2.	3.	4.	
Anemia, chlorosis	Totals	150	15	5	-	-	-	20
	Males	59	7	2	-	-	-	9
	Females	91	8	3	-	-	-	11
Other general diseases	Totals	6	3	-	-	1	-	4
	Males	3	1	-	-	-	-	2
	Females	3	2	-	-	1	-	2
Alcoholism, acute or chronic	Totals	60	-	-	-	-	-	-
	Males	54	-	-	-	-	-	-
	Females	6	-	-	-	-	-	-
Chronic lead poisoning	Totals	3	-	-	-	2	-	2
	Males	2	-	-	-	-	-	1
	Females	1	-	-	-	1	-	1
Other chronic poisonings	Totals	9	-	-	-	-	-	-
	Males	2	-	-	-	-	-	-
	Females	7	-	-	-	-	-	-
Encephalitis	Totals	53	13	3	2	-	-	18
	Males	28	10	1	1	-	-	12
	Females	25	3	2	1	-	-	6
Simple meningitis	Totals	718	267	88	38	22	26	441
	Males	370	142	47	15	10	12	226
	Females	347	124	41	23	12	14	214
	Not stated	1	1	-	-	-	-	1
Epidemic cerebro-spinal meningitis	Totals	77	24	9	7	2	4	46
	Males	37	14	4	4	1	2	23
	Females	40	10	5	3	1	2	23
Progressive locomotor ataxia	Totals	53	1	-	-	-	-	1
	Males	34	1	-	-	-	-	1
	Females	19	-	-	-	-	-	-
Other diseases of the spinal cord	Totals	148	6	2	-	-	-	8
	Males	85	2	-	-	-	-	6
	Females	63	4	2	-	-	-	2
Congestion and hemorrhage of the brain	Totals	1,981	25	5	3	-	-	33
	Males	993	16	3	1	-	-	20
	Females	988	9	2	2	-	-	13
Softening of the brain	Totals	122	-	-	-	-	-	-
	Males	70	-	-	-	-	-	-
	Females	52	-	-	-	-	-	-
Paralysis without specified cause	Totals	728	6	-	-	-	-	6
	Males	347	3	-	-	-	-	3
	Females	381	3	-	-	-	-	3
General paralysis	Totals	64	-	-	-	-	-	-
	Males	34	-	-	-	-	-	-
	Females	30	-	-	-	-	-	-
Other forms of mental alienation	Totals	210	-	-	-	-	-	-
	Males	91	-	-	-	-	-	-
	Females	119	-	-	-	-	-	-
Epilepsy	Totals	97	8	1	1	-	1	11
	Males	58	4	1	1	-	1	7
	Females	39	4	-	-	-	-	4
Eclampsia, (non-puerperal)	Totals	33	-	-	-	-	-	-
	Males	8	-	-	-	-	-	-
	Females	25	-	-	-	-	-	-
Convulsions of children	Totals	284	195	50	24	11	4	284
	Males	161	114	27	15	2	3	161
	Females	123	81	23	9	9	1	123
Tetanus	Totals	23	4	-	-	-	1	5
	Males	15	4	-	-	-	1	5
	Females	8	-	-	-	-	-	-
Chorea	Totals	3	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	3	-	-	-	-	-	-
Other diseases of nervous system	Totals	254	20	5	2	1	-	28
	Males	129	10	3	-	-	-	13
	Females	125	10	2	2	1	-	15

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.							
			0.	1.	2.	3.	4.	0-4.	
Diseases of the eye and its adnexa.....	Totals.....	2	-	-	-	-	-	-	-
	Males.....	2	-	-	-	-	-	-	-
	Females..	2	-	-	-	-	-	-	-
Diseases of the ear.....	Totals.....	6	4	-	1	-	-	-	5
	Males.....	5	4	-	-	-	-	-	4
	Females..	1	-	-	1	-	-	-	1
Pericarditis.....	Totals.....	29	-	-	-	-	1	-	1
	Males.....	16	-	-	-	-	-	-	-
	Females..	13	-	-	-	-	1	-	1
Acute endocarditis.....	Totals.....	100	-	-	-	-	1	1	2
	Males.....	53	-	-	-	1	-	-	1
	Females..	47	-	-	-	-	1	1	1
Organic diseases of heart.....	Totals.....	2,949	56	4	-	3	4	67	
	Males.....	1,689	35	2	-	3	1	41	
	Females..	1,260	21	2	-	-	3	26	
Angina pectoris.....	Totals.....	248	-	-	-	-	-	-	
	Males.....	156	-	-	-	-	-	-	
	Females..	92	-	-	-	-	-	-	
Affections of the arteries (atheroma, aneurism, etc.).....	Totals.....	87	-	-	-	-	-	-	
	Males.....	58	-	-	-	-	-	-	
	Females..	29	-	-	-	-	-	-	
Embolism and thrombosis.....	Totals.....	107	2	-	-	-	-	2	
	Males.....	48	2	-	-	-	-	2	
	Females..	59	-	-	-	-	-	-	
Affections of the veins, (varices, hemorrhoids, phlebitis, etc.).....	Totals.....	9	-	-	-	-	-	-	
	Males.....	5	-	-	-	-	-	-	
	Females..	4	-	-	-	-	-	-	
Affections of the lymphatic system.....	Totals.....	2	1	-	-	-	-	1	
	Males.....	2	1	-	-	-	-	1	
	Females..	-	-	-	-	-	-	-	
Hemorrhages.....	Totals.....	47	11	2	-	-	-	13	
	Males.....	17	6	1	-	-	-	7	
	Females..	30	5	1	-	-	-	6	
Other affections of the circulatory system..	Totals.....	1	1	-	-	-	-	1	
	Males.....	-	-	-	-	-	-	-	
	Females..	1	1	-	-	-	-	1	
Diseases of the nasal fossae	Totals.....	1	-	-	-	-	-	-	
	Males.....	1	-	-	-	-	-	-	
	Females..	-	-	-	-	-	-	-	
Affections of the larynx.....	Totals.....	52	10	15	5	2	3	35	
	Males.....	28	4	12	1	1	-	18	
	Females..	24	6	3	4	1	3	17	
Affections of the thyroid body.....	Totals.....	10	-	-	-	1	-	1	
	Males.....	-	-	-	-	-	-	-	
	Females..	10	-	-	-	1	-	1	
Acute bronchitis	Totals.....	397	195	53	11	6	3	268	
	Males.....	194	118	23	6	3	-	151	
	Females..	203	77	30	5	3	2	117	
Chronic bronchitis	Totals.....	275	5	3	-	-	-	9	
	Males.....	111	3	-	-	-	-	4	
	Females..	164	2	3	-	-	-	5	
Broncho-pneumonia	Totals.....	400	96	47	22	7	6	178	
	Males.....	182	45	19	8	3	3	78	
	Females..	218	51	28	14	4	3	100	
Pneumonia	Totals.....	2,580	316	115	51	28	17	527	
	Males.....	1,286	173	66	24	15	11	233	
	Females..	1,293	142	55	27	13	6	243	
	Not stated	1	1	-	-	-	-	1	
Pleurisy.....	Totals.....	57	4	2	-	-	-	6	
	Males.....	37	2	1	-	-	-	3	
	Females..	20	2	1	-	-	-	3	
Congestion of the lungs, pulmonary apoplexy	Totals.....	190	40	10	-	2	-	52	
	Males.....	97	25	5	-	1	-	31	
	Females..	93	15	5	-	1	-	21	

No. 32—Continued.

Age-Groups—1901-1903.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100-X.	Unknown.
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	2	3	-	-	2	1	-	-	-	-	1	3	4	2	4	3	-	-	-	-
2	1	1	2	-	2	1	-	-	-	-	1	2	2	2	3	4	-	-	-	-
1	1	1	1	-	-	-	-	-	-	-	-	2	2	2	1	2	-	-	-	-
4	1	2	1	-	2	3	4	5	5	1	13	13	13	12	16	8	5	-	-	-
4	1	2	1	-	2	5	2	1	1	1	8	8	9	8	3	4	-	-	-	-
12	17	28	28	40	55	63	66	107	132	235	316	428	455	422	309	123	27	6	-	13
1	6	16	7	20	21	32	30	55	77	142	196	262	273	250	177	61	12	2	8	8
11	11	12	21	20	34	31	36	52	55	93	120	166	182	172	132	62	15	4	5	5
-	-	2	3	4	2	2	5	15	15	15	34	40	37	38	22	9	3	1	1	1
-	-	1	2	1	1	1	3	11	13	9	26	22	26	19	11	7	2	-	-	-
-	-	1	1	3	1	1	2	4	4	2	6	8	18	11	19	11	2	1	1	1
-	-	-	-	-	-	5	5	12	1	5	2	11	15	13	15	9	6	2	-	-
-	-	-	-	-	-	2	2	2	3	3	9	10	6	15	5	4	1	-	-	-
-	-	-	-	-	-	2	9	1	7	2	2	5	7	4	2	1	-	-	-	-
-	2	5	5	5	1	4	9	7	4	4	9	6	17	7	14	4	3	1	1	1
-	2	5	3	4	1	4	9	3	2	2	4	10	5	10	3	1	1	1	1	1
-	-	-	-	-	1	1	4	1	1	1	1	2	2	4	1	2	1	1	1	1
-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3	1	-	3	-	2	6	-	3	1	4	3	4	3	-	1	-	-	-	-	-
2	-	-	1	-	2	2	-	1	1	2	2	3	1	-	-	-	-	-	-	-
1	1	-	2	-	4	4	-	2	2	2	3	3	3	-	-	1	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	1	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-
8	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	2	-	1	1	1	1	3	3	1	1	-	-	-	-	-	-	-
-	-	-	2	-	2	1	1	1	1	1	3	-	1	-	-	-	-	-	-	-
2	1	2	3	1	2	-	2	1	4	2	7	11	16	22	25	21	4	2	-	1
1	2	1	2	1	1	-	-	-	1	1	7	5	6	8	7	2	1	-	-	-
2	1	2	1	1	3	5	2	1	3	2	5	4	11	16	17	14	2	1	-	1
1	-	-	-	1	1	1	6	16	17	32	46	48	44	21	13	2	1	2	-	2
-	-	2	3	-	2	-	-	1	2	6	10	14	13	21	19	7	5	-	-	1
-	2	2	-	1	1	3	4	4	10	7	18	33	27	25	14	8	2	1	1	1
16	3	1	4	4	4	6	9	9	13	17	21	31	26	25	21	6	1	-	-	1
8	1	-	2	4	2	3	6	5	5	11	4	17	15	9	9	2	1	-	-	1
8	2	1	2	2	1	3	3	4	8	6	17	14	11	16	12	4	-	-	-	-
58	38	65	82	76	75	99	90	106	136	130	155	209	198	215	178	90	36	6	-	13
33	16	30	53	42	44	50	53	62	65	59	67	96	96	101	71	42	14	1	-	8
25	22	35	29	34	31	49	37	44	71	71	88	113	102	114	105	48	22	5	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	4	5	4	3	3	1	4	2	4	-	3	7	4	2	1	-	-	-	-
3	-	4	4	3	2	2	1	2	1	2	-	2	3	2	2	1	-	-	-	-
1	-	1	1	1	1	1	1	2	1	2	-	1	1	4	2	-	-	-	-	-
6	-	5	5	2	1	7	2	8	2	13	4	11	23	17	8	10	5	1	1	1
1	-	2	3	1	1	5	-	6	1	7	2	6	12	7	3	4	3	1	-	-
5	-	3	-	1	3	5	2	2	1	6	2	5	11	10	5	6	2	-	-	-

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.						0-4.
			0.	1.	2.	3.	4.	
Gangrene of the lungs	Totals	11	-	-	-	-	-	-
	Males	8	-	-	-	-	-	-
	Females	3	-	-	-	-	-	-
Asthma	Totals	69	3	4	1	-	-	8
	Males	39	2	2	-	-	-	4
	Females	30	1	2	1	-	-	4
Emphysema of the lungs.....	Totals	9	-	-	-	-	-	-
	Males	5	-	-	-	-	-	-
	Females	4	-	-	-	-	-	-
Other diseases of the respiratory system (phthisis excepted)	Totals	82	7	2	-	-	-	9
	Males	35	1	-	-	-	-	1
	Females	47	6	2	-	-	-	8
Affections of the mouth and its adnexa	Totals	11	8	-	-	-	-	5
	Males	8	5	-	-	-	-	3
	Females	3	3	-	-	-	-	2
Affections of the pharynx.....	Totals	57	6	2	1	4	3	16
	Males	34	3	1	-	1	1	6
	Females	23	3	1	1	3	2	10
Affections of the esophagus	Totals	2	-	-	-	-	-	-
	Males	1	-	-	-	-	-	-
	Females	1	-	-	-	-	-	-
Ulcer of the stomach	Totals	47	-	-	-	-	-	-
	Males	21	-	-	-	-	-	-
	Females	26	-	-	-	-	-	-
Other affections of the stomach (cancer excepted)	Totals	403	76	15	4	2	3	100
	Males	191	47	8	4	2	1	62
	Females	212	29	7	-	-	2	38
Infantile diarrhea (under two years).....	Totals	1,330	1153	170	-	-	-	1323
	Males	725	636	86	-	-	-	722
	Females	604	517	84	-	-	-	601
	Not stated	1	-	-	-	-	-	-
Diarrhea and enteritis (two years and over)	Totals	308	-	1	53	20	6	80
	Males	159	-	-	29	14	2	45
	Females	149	-	1	24	6	4	35
Intestinal parasites.....	Totals	7	1	2	1	1	-	5
	Males	5	1	2	1	-	-	4
	Females	2	-	-	-	1	-	1
Hernias and other intestinal obstructions.....	Totals	187	22	7	1	1	1	32
	Males	97	17	4	1	-	-	23
	Females	90	5	3	-	-	1	9
Other affections of the intestines.....	Totals	97	17	1	-	-	4	22
	Males	43	8	1	-	-	-	9
	Females	54	9	-	-	-	4	13
Acute yellow atrophy of liver	Totals	9	2	-	-	-	-	2
	Males	4	1	-	-	-	-	1
	Females	5	1	-	-	-	-	1
Cirrhosis of the liver	Totals	152	2	-	-	-	-	2
	Males	98	1	-	-	-	-	1
	Females	54	1	-	-	-	-	1
Biliary calculi	Totals	34	-	-	-	-	-	-
	Males	11	-	-	-	-	-	-
	Females	23	-	-	-	-	-	-
Other affections of the liver.....	Totals	193	13	1	-	-	-	14
	Males	105	9	1	-	-	-	10
	Females	88	4	-	-	-	-	4
Affections of the spleen	Totals	7	-	-	-	-	-	-
	Males	6	-	-	-	-	-	-
	Females	1	-	-	-	-	-	-
Inflammatory peritonitis (puerperal ex- cepted)	Totals	235	19	7	3	4	3	36
	Males	108	10	4	2	3	1	20
	Females	127	9	3	1	1	2	16
Other affections of digestive system (cancer and tuberculosis excepted)	Totals	3	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	3	-	-	-	-	-	-

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.						
			0.	1.	2.	3.	4.	0-4.
Appendicitis and abscess of the iliac fossa..	Totals	180	-	-	4	-	2	6
	Males	108	-	-	2	-	2	4
	Females ..	72	-	-	2	-	-	2
Acute nephritis	Totals	171	5	4	3	1	-	13
	Males	91	1	4	3	1	-	9
	Females ..	80	4	-	-	-	-	4
Bright's disease.....	Totals	1,567	10	1	1	4	3	19
	Males	931	5	1	-	1	2	9
	Females ..	636	5	-	1	3	1	10
Other diseases of the kidneys and their adnexa	Totals	71	4	1	-	-	-	5
	Males	49	3	1	-	-	-	4
	Females ..	22	1	-	-	-	-	1
Calculi of the urinary tract	Totals	6	-	-	-	-	-	-
	Males	4	-	-	-	-	-	-
	Females ..	2	-	-	-	-	-	
Diseases of the bladder.....	Totals	157	5	-	-	-	-	5
	Males	142	5	-	-	-	-	5
	Females ..	15	-	-	-	-	-	
Diseases of the urethra, urinary abscess, etc	Totals	6	-	-	-	-	-	-
	Males	4	-	-	-	-	-	-
	Females ..	2	-	-	-	-	-	
Diseases of the prostate.....	Totals	60	-	-	-	-	-	-
	Males	60	-	-	-	-	-	-
	Females ..	-	-	-	-	-	-	
Nonvenereal diseases of the male genital organs.....	Totals	4	-	-	-	-	-	-
	Males	4	-	-	-	-	-	-
	Females ..	-	-	-	-	-	-	
Uterine hemorrhage (non-puerperal).....	Totals	8	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females ..	8	-	-	-	-	-	
Uterine tumor (non-cancerous).....	Totals	18	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females ..	18	-	-	-	-	-	
Other diseases of the uterus	Totals	33	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females ..	33	-	-	-	-	-	
Cysts and other tumors of ovary	Totals	36	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females ..	36	-	-	-	-	-	
Other diseases of female genital organs	Totals	18	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females ..	18	-	-	-	-	-	
Non-puerperal diseases of the breast (cancer excepted).....	Totals	1	-	-	-	-	-	-
	Males	1	-	-	-	-	-	-
	Females ..	-	-	-	-	-	-	
Accidents of pregnancy	Totals	55	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females ..	55	-	-	-	-	-	
Puerperal hemorrhage	Totals	18	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females ..	18	-	-	-	-	-	
Other accidents of labor.....	Totals	32	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females ..	32	-	-	-	-	-	
Puerperal septicemia.....	Totals	90	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females ..	90	-	-	-	-	-	
Puerperal albuminuria and eclampsia	Totals	41	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females ..	41	-	-	-	-	-	
Other puerperal accidents sudden death	Totals	46	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females ..	46	-	-	-	-	-	
Gangrene	Totals	195	5	-	-	-	-	5
	Males	111	4	-	-	-	-	4
	Females ..	84	1	-	-	-	1	

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.						
			0.	1.	2.	3.	4.	0-4.
Furuncle (boil, carbuncle)	Totals	10	-	-	-	-	-	-
	Males	8	-	-	-	-	-	-
Phlegmon, acute abscess.....	Females ..	2	-	-	-	-	-	-
	Totals	20	4	1	-	-	1	6
Other diseases of the skin and its adnexa ...	Males	11	2	1	-	-	-	3
	Females ..	9	2	-	-	1	-	3
Affections of the bones (non-tuberculous)...	Totals	15	4	-	-	-	1	5
	Males	5	1	-	-	-	-	1
Arthritis and other diseases of the joints (tuberculosis and rheumatism excepted) .	Females ..	10	3	-	-	1	-	4
	Totals	34	1	5	-	-	-	6
Amputation	Males	17	1	2	-	-	-	3
	Females ..	17	-	3	-	-	-	3
Other affections of the organs of locomotion	Totals	1	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
Malformations congenital (still-births ex- cepted).....	Females ..	2	-	-	-	-	-	-
	Totals	1	-	-	-	-	-	-
Congenital icterus, debility and sclerema...	Males	1	-	-	-	-	-	-
	Females ..	175	164	5	-	-	-	169
Other diseases of early infancy.....	Totals	90	84	3	-	-	-	87
	Males	83	73	2	-	-	-	80
Lack of care	Females ..	2	2	-	-	-	-	2
	Not stated	1,016	940	-	-	-	-	940
Old age.....	Totals	551	504	-	-	-	-	504
	Males	445	422	-	-	-	-	422
Suicide by poison	Females ..	20	14	-	-	-	-	14
	Not stated	76	74	-	-	-	-	74
Suicide by asphyxia	Totals	43	42	-	-	-	-	42
	Males	33	32	-	-	-	-	32
Suicide by hanging or strangulation.....	Females ..	145	145	-	-	-	-	145
	Totals	89	89	-	-	-	-	89
Suicide by drowning.....	Males	55	55	-	-	-	-	55
	Females ..	1	1	-	-	-	-	1
Suicide by firearms	Not stated	2,064	-	-	-	-	-	-
	Totals	920	-	-	-	-	-	-
Suicide by cutting instruments.....	Males	1,144	-	-	-	-	-	-
	Females ..	36	-	-	-	-	-	-
Suicide by jumping from high places.....	Totals	21	-	-	-	-	-	-
	Males	15	-	-	-	-	-	-
Other suicides.....	Females ..	1	-	-	-	-	-	-
	Totals	1	-	-	-	-	-	-
Fractures	Males	78	-	-	-	-	-	-
	Females ..	64	-	-	-	-	-	-
Suicide by firearms	Totals	14	-	-	-	-	-	-
	Males	32	-	-	-	-	-	-
Suicide by cutting instruments.....	Females ..	16	-	-	-	-	-	-
	Totals	16	-	-	-	-	-	-
Suicide by jumping from high places.....	Males	58	-	-	-	-	-	-
	Females ..	55	-	-	-	-	-	-
Suicide by hanging or strangulation.....	Totals	3	-	-	-	-	-	-
	Males	17	-	-	-	-	-	-
Suicide by drowning.....	Females ..	12	-	-	-	-	-	-
	Totals	5	-	-	-	-	-	-
Suicide by firearms	Males	2	-	-	-	-	-	-
	Females ..	-	-	-	-	-	-	-
Suicide by hanging or strangulation.....	Totals	7	-	-	-	-	-	-
	Males	6	-	-	-	-	-	-
Suicide by jumping from high places.....	Females ..	1	-	-	-	-	-	-
	Totals	126	1	-	-	1	-	2
Fractures	Males	78	1	-	-	-	-	2
	Females ..	48	-	-	-	-	-	-

TABLE
Deaths From all Causes by

CAUSES OF DEATH.	Sex.	Totals.	0-4.					
			0.	1.	2.	3.	4.	0-4.
Dislocations and sprains.....	Totals	3	-	-	-	-	-	-
	Males	3	-	-	-	-	-	-
Other accidental injuries.....	Females	-	-	-	-	-	-	-
	Totals	439	9	2	10	6	3	30
Burns and scalds	Males	368	7	1	6	4	2	18
	Females	71	2	1	4	2	3	12
Sunstroke.....	Totals	124	3	11	11	9	5	39
	Males	45	-	2	9	6	-	17
Freezing	Females	79	3	9	2	3	5	22
	Totals	15	2	-	-	-	-	2
Electric shock.....	Males	11	-	2	-	-	-	2
	Females	4	-	-	-	-	-	-
Accidental drowning.....	Totals	14	-	-	-	-	-	-
	Males	13	-	-	-	-	-	-
Inanition.....	Females	1	-	-	-	-	-	-
	Totals	350	3	4	2	1	12	22
Inhalation of deleterious gases (suicide ex- cepted).....	Males	315	3	4	1	1	10	19
	Females	34	-	1	-	-	2	3
Other acute poisonings.....	Not stated	1	-	-	-	-	-	-
	Totals	2	1	-	-	-	-	1
Other external violence	Males	1	1	-	-	-	-	1
	Females	1	-	-	-	-	-	-
Dropsy.....	Totals	33	1	-	-	-	1	2
	Males	22	1	-	-	-	-	3
Sudden death.....	Females	11	-	-	-	-	-	-
	Totals	58	10	6	5	5	2	28
Unspecified or ill-defined causes of death ...	Males	36	7	2	3	3	-	15
	Females	22	3	4	2	2	2	13
Dropsy.....	Totals	94	44	1	3	2	-	50
	Males	51	22	1	-	-	-	23
Sudden death.....	Females	43	22	1	2	2	-	27
	Totals	128	1	2	-	-	-	3
Unspecified or ill-defined causes of death ...	Males	62	-	1	-	-	-	1
	Females	66	1	1	-	-	-	2
Unspecified or ill-defined causes of death ...	Totals	100	17	-	-	1	1	19
	Males	60	6	-	-	-	-	6
Unspecified or ill-defined causes of death ...	Females	40	11	-	-	1	1	13
	Totals	1,354	484	38	13	5	6	546
Unspecified or ill-defined causes of death ...	Males	640	267	18	6	2	3	296
	Females	711	216	20	7	3	3	249
Unspecified or ill-defined causes of death ...	Not stated	3	1	-	-	-	-	1

No. 32—Concluded.

Age-Groups—1901-1903.

10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100-X.	Unknown.
-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
20	15	26	38	36	28	26	24	30	20	21	24	27	18	12	7	4	4	-	9
14	14	25	38	34	27	25	22	29	20	18	18	22	12	3	2	3	1	-	9
6	1	1	-	1	1	1	1	1	-	3	6	5	6	9	9	5	3	-	-
12	3	6	8	2	7	5	4	5	4	1	1	1	5	4	4	1	1	-	-
3	1	3	4	4	4	2	2	1	1	1	1	2	2	3	3	1	3	-	-
9	2	3	4	4	4	3	3	1	3	1	5	5	5	3	3	1	1	-	-
-	1	1	-	1	1	1	1	1	-	1	1	6	6	1	1	-	-	-	-
-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
-	-	1	-	1	-	-	1	3	2	1	1	-	2	-	-	-	-	-	1
-	-	1	-	1	-	-	1	3	2	1	1	-	2	-	-	-	-	-	1
-	-	-	-	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
35	41	39	59	26	15	26	9	15	12	10	4	9	1	3	1	-	-	-	23
29	38	37	62	22	13	24	8	14	11	10	3	9	2	2	1	-	-	-	22
6	3	2	7	4	2	2	1	1	1	1	1	1	1	1	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	3	2	1	2	2	1	1	6	-	1	3	2	2	-	-	-	-	-	-
-	2	2	-	2	2	1	1	5	-	1	-	1	2	-	-	-	-	-	-
-	2	2	1	2	2	1	1	1	-	1	3	1	1	-	-	-	-	-	1
-	3	2	1	2	2	1	1	2	7	6	2	2	1	-	-	-	-	-	1
-	1	1	1	2	2	1	1	1	1	1	1	1	1	-	-	-	-	-	1
-	4	1	1	2	2	2	1	1	2	2	4	4	1	1	1	-	-	-	6
-	1	1	1	2	2	2	1	1	1	1	3	3	2	2	2	-	-	-	4
-	3	2	-	2	2	2	-	6	5	5	10	9	10	10	10	14	14	-	2
-	1	-	-	2	2	3	-	3	3	3	12	9	14	10	7	7	7	-	1
-	2	-	5	3	4	1	-	2	2	2	9	7	10	7	7	7	7	-	5
-	3	2	3	2	-	1	3	3	3	3	3	4	4	5	2	2	1	-	4
15	6	16	19	25	21	31	34	36	42	36	104	91	97	61	52	19	1	-	23
6	1	8	8	10	10	8	8	13	13	13	35	35	44	29	20	8	1	-	12
9	5	-	11	13	11	23	19	26	23	18	48	50	53	31	32	11	1	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1

TABLE
Deaths in Each Town from Special

THE STATE AND COUNTIES.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.
MAINE	694,466	7	36	18	115	110
Androscoggin	54,242	6	-	2	11	8
Aroostook	60,744	-	8	3	24	2
Cumberland	100,689	-	5	-	21	18
Franklin	18,444	-	-	-	2	3
Hancock	37,241	-	2	-	-	-
Kennebec	59,117	1	1	11	11	14
Knox	30,406	-	-	-	-	1
Lincoln	19,669	-	-	1	3	2
Oxford	32,238	-	2	-	2	1
Penobscot	76,246	-	6	-	5	11
Piscataquis	16,949	-	1	-	1	-
Sagadahoc	20,330	-	-	-	9	3
Somerset	33,849	-	8	-	11	3
Waldo	24,185	-	1	-	-	1
Washington	45,232	-	2	-	3	17
York	64,885	-	-	1	12	26
ANDROSCOGGIN COUNTY	54,242	6	-	2	11	8
Auburn	12,951	-	-	-	2	1
Durham	1,230	6	-	-	2	-
East Livermore	2,129	-	-	-	-	1
Greene	826	-	-	-	-	1
Leeds	1,065	-	-	-	-	-
Lewiston	23,761	-	-	2	5	5
Lisbon	3,608	-	-	-	2	-
Livermore	1,125	-	-	-	-	-
Mechanic Falls	1,687	-	-	-	-	-
Minot	808	-	-	-	-	-
Poland	1,648	-	-	-	-	-
Turner	1,842	-	-	-	-	-
Wales	436	-	-	-	-	-
Webster	1,131	-	-	-	-	-

No. 33.

Causes, Mostly Infectious Diseases.

Other epidemic affections.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhœa.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
1	225	19	23	39	196	27	108	28	403	901	175	9
-	5	2	2	3	13	1	2	-	31	55	16	1
1	9	2	2	2	33	3	7	7	103	47	9	-
-	33	4	6	11	18	3	13	1	41	139	29	-
-	3	1	-	3	4	-	4	1	5	21	2	-
-	5	1	-	3	13	-	7	1	13	55	7	1
-	59	2	1	1	15	3	6	1	23	90	14	-
-	5	-	4	3	15	-	4	2	10	50	12	1
-	4	1	-	-	5	-	2	1	1	30	1	-
-	9	-	4	1	17	2	2	1	22	39	7	2
-	32	2	-	2	12	5	15	2	56	108	32	3
-	5	-	-	-	2	2	6	-	3	16	1	-
-	5	-	1	1	3	-	2	1	12	25	4	-
-	9	1	1	2	4	4	10	1	16	45	7	-
-	2	-	1	3	7	2	8	2	2	34	4	-
-	12	2	-	1	12	-	6	3	18	66	16	-
-	28	1	1	3	23	2	14	4	42	81	14	1
-	5	2	2	3	13	1	2	-	31	55	16	1
-	1	1	-	-	5	-	1	-	4	14	4	-
-	-	-	-	-	-	-	-	-	-	3	-	-
-	-	1	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	3	-	1	1	4	1	-	-	20	21	7	1
-	-	-	1	2	1	-	1	-	-	4	2	-
-	1	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	1	3	2	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	3	-	-
-	-	-	-	-	2	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-

TABLE
Deaths in Each Town from Special
AROOSTOOK

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.
AROOSTOOK COUNTY	51,397	-	8	3	24	2
Amity	404	-	-	-	-	-
Ashland	1,680	-	-	-	-	-
Bancroft	318	-	1	-	-	-
Benedicta	350	-	-	-	-	-
Blaine	954	-	-	-	-	-
Bridgewater	1,179	-	-	-	-	-
Caribou.....	4,758	-	-	-	1	-
Crystal	370	-	-	-	-	-
Easton.....	1,215	-	-	-	-	-
Fort Fairfield	4,181	-	-	-	-	-
Fort Kent	2,528	-	1	-	1	-
Frenchville	1,316	-	-	-	8	-
Grand Isle.....	1,104	-	-	-	-	-
Hersey.....	199	-	-	-	-	-
Houlton	4,686	-	-	-	3	1
Island Falls	1,063	-	2	-	1	1
Limestone	1,131	-	-	-	-	-
Linneus	834	-	-	-	-	-
Ludlow.....	394	-	-	-	-	-
Madawaska	1,698	-	-	-	3	-
Mapleton.....	853	-	-	3	-	-
Mars Hill.....	1,183	-	-	-	-	-
Monticello	1,332	-	-	-	-	-
New Sweden	867	-	-	-	1	-
Perham.....	580	-	-	-	-	-
Presque Isle	3,804	-	2	-	-	-
St. Agatha.....	1,396	-	-	-	-	-
Sherman.....	980	-	-	-	1	-

TABLE
Deaths in Each Town from special
AROOSTOOK

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.
Van Buren	1,878	-	-	-	-	-
Washburn	1,225	-	2	-	-	-
Woodland	1,096	-	-	-	-	-
Castle Hill Pl	567	-	-	-	-	-
Chapman Pl	285	-	-	-	-	-
Connor Pl	453	-	-	-	-	-
Cyr Pl	502	-	-	-	-	-
Eagle Lake Pl	406	-	-	-	-	-
Hamlin Pl	574	-	-	-	-	-
New Canada Pl	419	-	-	-	-	-
Reed Pl	399	-	-	-	1	-
St. Francis Pl	568	-	-	-	3	-
St. John Pl	371	-	-	-	-	-
Silver Ridge Pl	168	-	-	-	-	-
Stockholm Pl	191	-	-	-	-	-
Wade Pl	271	-	-	-	1	-
Wallagrass Pl	784	-	-	-	-	-
Westfield Pl	259	-	-	-	-	-
Westmanland Pl	100	-	-	-	-	-
Winterville Pl	124	-	-	-	-	-
CUMBERLAND COUNTY	97,775	-	5	-	21	18
Baldwin	821	-	-	-	-	-
Bridgton	2,868	-	-	-	3	-
Brunswick	6,806	-	-	-	2	-
Cape Elizabeth	887	-	-	-	-	1
Cumberland	1,404	-	-	-	-	-
Falmouth	1,511	-	-	-	-	-
Freeport	2,339	-	-	-	-	-
Gorham	2,540	-	1	-	1	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Other epidemic affections.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	1	1	-	-	-	17	-	-	-
-	-	-	1	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	4	-	-
-	2	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	2	1	-	-
-	1	-	-	-	1	1	1	1	1	-	-	-
-	-	-	-	-	1	1	-	1	3	1	-	-
-	-	-	-	-	3	-	-	1	2	-	-	-
-	-	-	-	-	1	1	-	2	-	-	-	-
-	-	-	-	-	-	-	1	-	1	-	-	-
-	-	-	-	-	1	-	-	-	3	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	33	4	6	11	18	3	13	1	41	139	29	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	2	-	-	-	-	3	-	-
-	3	1	-	1	1	-	2	1	7	5	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	2	4	-	-
-	-	-	-	-	2	-	-	-	-	5	-	-
-	1	-	-	-	-	-	-	-	2	2	2	-

TABLE
Deaths in Each Town from Special

CUMBERLAND

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.
Gray	1,388	-	-	-	-	-
Harpwell ..	1,760	-	-	-	-	1
Naples	813	-	-	-	-	-
North Yarmouth.....	642	-	-	-	-	-
Otisfield	728	-	-	-	-	-
Portland	50,145	-	3	-	9	12
Pownal	592	-	-	-	-	-
Raymond	823	-	-	-	-	-
Scarboro	1,865	-	1	-	-	1
Sebago	576	-	-	-	-	-
South Portland	6,287	-	-	-	3	2
Standish.....	1,504	-	-	-	1	-
Westbrook	7,283	-	-	-	1	1
Windham	1,929	-	-	-	-	-
Yarmouth.....	2,274	-	-	-	1	-
FRANKLIN COUNTY	13,535	-	-	-	2	3
Carthage	334	-	-	-	-	-
Eustis	436	-	-	-	-	-
Farmington.....	3,288	-	-	-	-	-
Industry.....	553	-	-	-	-	-
Jay	2,758	-	-	-	-	3
New Sharon.....	946	-	-	-	-	-
New Vineyard	584	-	-	-	-	-
Phillips.....	1,399	-	-	-	-	-
Salem.....	195	-	-	-	-	-
Strong	637	-	-	-	-	-
Weld	738	-	-	-	-	-
Wilton.....	1,647	-	-	-	2	-
Washington.....	20	-	-	-	-	-

TABLE
Deaths in Each Town from Special

HANCOCK

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.
HANCOCK COUNTY.....	33,068	-	2	-	-	-
Amherst	364	-	-	-	-	-
Aurora	152	-	-	-	-	-
Bluehill	1,828	-	-	-	-	-
Brooklin	936	-	-	-	-	-
Brooksville.....	1,171	-	-	-	-	-
Bucksport.....	2,339	-	-	-	-	-
Cranberry Isles.....	374	-	-	-	-	-
Dedham	327	-	-	-	-	-
Deer Isle	2,047	-	-	-	-	-
Eastbrook.....	248	-	-	-	-	-
Eden	4,379	-	-	-	-	-
Ellsworth	4,297	-	-	-	-	-
Franklin	1,201	-	-	-	-	-
Gouldsboro	1,259	-	-	-	-	-
Mount Desert.....	1,600	-	-	-	-	-
Orland.....	1,251	-	-	-	-	-
Penobscot.....	1,156	-	-	-	-	-
Sedgwick	902	-	-	-	-	-
Stonington	1,648	-	-	-	-	-
Sullivan	1,084	-	1	-	-	-
Surry	900	-	-	-	-	-
Swan's Island.....	758	-	-	-	-	-
Tremont.....	2,010	-	-	-	-	-
Winter Harbor	571	-	-	-	-	-
Long Island Pl.....	174	-	1	-	-	-
No. 33 Pl	82	-	-	-	-	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Other epidemic affections.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	5	1	-	3	13	-	7	1	13	55	7	1
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	2	-	-	-	1	-	-	-
-	-	-	-	-	2	-	-	-	-	2	1	-
-	-	-	-	-	2	-	-	-	1	1	-	-
-	1	-	-	-	-	-	1	-	-	2	-	-
-	-	-	-	-	-	-	1	-	1	3	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	1	1	-	1	-	-	1	-	1	8	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	4	6	2	-
-	2	-	-	-	1	-	-	-	1	7	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	1	-	-	-	-	1	-	1
-	-	-	-	-	-	-	-	-	-	4	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	1	-	1	-	-	4	-	-
-	-	-	-	-	-	-	-	-	-	3	1	-
-	-	-	-	-	-	-	-	-	2	4	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	1	-	-	-	-	1	2	1	-
-	-	-	-	-	-	-	1	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-

TABLE
Deaths in Town from Special
KENNEBEC

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.
KENNEBEC COUNTY	57,856	1	1	11	11	14
Albion.....	878	-	-	-	-	-
Augusta	11,683	1	1	9	-	2
Belgrade	1,058	-	-	-	-	-
Benton	1,097	-	-	-	-	-
Chelsea	3,092	-	-	-	-	-
China	1,380	-	-	-	-	-
Clinton	1,398	-	-	-	1	-
Farmingdale.....	848	-	-	-	-	-
Fayette.....	560	-	-	-	-	-
Gardiner	5,501	-	-	1	2	5
Hallowell	2,714	-	-	1	-	2
Litchfield	1,057	-	-	-	-	-
Monmouth	1,236	-	-	-	-	-
Mount Vernon.....	906	-	-	-	-	-
Oakland	1,913	-	-	-	-	-
Pittston	1,177	-	-	-	1	1
Randolph	1,077	-	-	-	1	1
Readfield.....	994	-	-	-	-	-
Rome	420	-	-	-	-	-
Sidney	1,068	-	-	-	-	-
Vassalboro.....	2,062	-	-	-	-	-
Vienna	406	-	-	-	-	-
Waterville	9,477	-	-	-	5	2
Wayne.....	707	-	-	-	-	-
Windsor	782	-	-	-	-	-
Winslow	2,277	-	-	-	1	1
Winthrop	2,088	-	-	-	-	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Other epidemic affections.	Typhoid fever.	Erysipelas.	Fuereperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhœa.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	59	2	1	1	15	3	6	1	28	90	14	-
-	-	-	-	-	1	-	-	-	-	2	1	-
-	29	-	-	-	-	2	4	-	12	16	4	-
-	-	-	-	-	-	-	-	-	-	5	-	-
-	1	-	-	-	1	-	-	-	1	3	-	-
-	-	-	-	-	1	-	-	-	-	3	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-
-	1	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	-	-	1	-	-	7	1	-
-	1	-	-	-	-	-	-	-	1	7	1	-
-	-	-	-	-	2	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-
-	1	-	-	-	-	-	-	-	-	9	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	1	-	1	-	1	-	-	-	2	-	1	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	10	16	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	-	-	-	-	-	-	-	-	-	-	-
-	5	-	-	1	-	-	-	-	1	4	1	-
-	1	-	-	-	-	-	1	-	-	5	2	-

TABLE
Deaths in Each Town from Special
KNOX

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Meas.es.	Scarlet fever.	Diphtheria and croup.	Whooping cough.
KNOX COUNTY.....	28,598	-	-	-	-	1
Appleton.....	975	-	-	-	-	-
Camden.....	2,825	-	-	-	-	-
Cushing.....	604	-	-	-	-	-
Friendship.....	814	-	-	-	-	-
Hope.....	599	-	-	-	-	-
North Haven.....	551	-	-	-	-	-
Rockland.....	8,150	-	-	-	-	-
Rockport.....	2,314	-	-	-	-	-
St. George.....	2,206	-	-	-	-	-
South Thomaston.....	1,426	-	-	-	-	1
Thomaston.....	2,688	-	-	-	-	-
Vinalhaven.....	2,358	-	-	-	-	-
Warren.....	2,069	-	-	-	-	-
Washington.....	1,019	-	-	-	-	-
LINCOLN COUNTY.....	18,871	-	-	1	3	2
Alna.....	444	-	-	-	-	-
Boothbay.....	1,766	-	-	-	1	-
Boothbay Harbor.....	1,926	-	-	-	-	-
Bremen.....	657	-	-	-	-	-
Bristol.....	2,572	-	-	-	-	-
Damariscotta.....	876	-	-	-	-	-
Dresden.....	882	-	-	-	-	-
Edgecomb.....	607	-	-	-	-	-
Jefferson.....	1,156	-	-	-	-	1
Newcastle.....	1,075	-	-	-	-	-
Nobleboro.....	810	-	-	-	-	-
Southport.....	527	-	-	-	-	-
Walloboro.....	3,145	-	-	1	2	-
Whitefield.....	1,156	-	-	-	-	-
Wiscasset.....	1,273	-	-	-	-	1

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Other epidemic affections.	Typhoid fever.	Erysipelas.	Puerperal septicæmia.	Septicæmia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhæa.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	5	-	4	3	15	-	4	2	10	50	12	1
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	1	-	4	-	2	-	-	4	2	-
-	-	-	-	-	2	-	-	-	-	1	2	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	1	-	2	1	2	-	-	-	6	20	3	-
-	1	-	-	-	1	-	-	1	1	-	1	-
-	-	-	-	-	-	-	-	1	1	6	-	-
-	-	-	-	1	-	-	-	-	-	3	1	-
-	1	-	-	-	2	-	-	-	2	3	1	-
-	-	-	-	-	2	-	-	-	-	3	1	-
-	-	-	1	1	1	-	-	-	-	5	1	1
-	1	-	-	-	1	-	-	-	-	2	-	-
-	4	1	-	-	5	-	2	1	1	30	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	1	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	1	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	1	-	-	-	-	2	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	2	-	-	-	2	-	-	-	-	5	1	-
-	1	-	-	-	1	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	1	3	-	-

TABLE
Deaths in Each Town from Special
OXFORD

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.
OXFORD COUNTY	28,245	-	2	-	2	1
Bethel	1,835	-	1	-	1	-
Brownfield	1,019	-	-	-	-	-
Buckfield	1,139	-	-	-	-	-
Byron	204	-	-	-	-	-
Canton	946	-	-	-	-	-
Denmark	634	-	-	-	-	-
Dixfield	1,052	-	-	-	-	-
Fryeburg	1,376	-	-	-	-	-
Greenwood	741	-	-	-	-	1
Hartford	660	-	-	-	-	-
Hebron	494	-	-	-	-	-
Hiram	1,015	-	-	-	-	-
Lovell	693	-	-	-	-	-
Mexico	816	-	-	-	-	-
Norway	2,902	-	-	-	-	-
Oxford	1,331	-	-	-	-	-
Paris	3,225	-	-	-	-	-
Peru	773	-	-	-	-	-
Porter	886	-	-	-	-	-
Rumford	3,770	-	-	-	1	-
Sumner	802	-	-	-	-	-
Waterford	917	-	1	-	-	-
Woodstock	816	-	-	-	-	-
Milton Pl.	202	-	-	-	-	-
PENOBSCOT COUNTY	72,312	-	6	-	5	11
Bangor	21,850	-	1	-	-	3
Bradford	954	-	-	-	-	-
Bradley	682	-	-	-	1	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Other epidemic affections.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
1	9	-	4	1	17	2	2	1	22	39	7	2
-	1	-	2	-	2	-	-	1	2	5	-	-
-	-	-	-	-	-	-	-	-	1	2	1	-
-	-	-	1	-	1	-	-	-	-	4	-	-
-	1	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	1	1	-	-	-	3	-	-
-	-	-	-	-	-	-	-	-	1	3	1	1
-	-	-	1	-	-	-	-	-	-	-	1	-
-	-	-	-	-	1	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	3	-	-	-	-	-	-	-	2	6	1	-
-	-	-	-	-	2	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	3	-	-	-	1	6	1	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	3	-	-	-	2	1	1	-	12	1	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	1	-	-	-	2	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	1	-	1
-	32	2	-	2	12	5	15	2	56	108	32	3
-	10	-	-	1	4	-	3	1	16	31	6	1
-	-	-	-	-	-	1	-	-	-	2	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-

TABLE
Deaths in Town from Special
PENOBSCOT

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.
Brewer	4,835	-	-	-	-	-
Carmel	932	-	-	-	-	-
Carroll	487	-	-	-	-	-
Charleston	842	-	-	-	-	-
Corinna	1,170	-	-	-	-	-
Corinth	1,042	-	-	-	-	-
Dexter	2,941	-	-	-	-	-
Dixmont	843	-	-	-	-	1
Eddington	663	-	-	-	-	-
Enfield	1,062	-	-	-	-	1
Etna	527	-	-	-	-	-
Exeter	879	-	-	-	-	-
Garland	857	-	-	-	1	-
Glenburn	461	-	-	-	-	-
Greenbush	586	-	-	-	-	-
Hampden	2,182	-	-	-	-	-
Hermon	1,183	-	-	-	-	-
Holden	602	-	-	-	-	-
Howland	519	-	-	-	-	-
Hudson	430	-	-	-	-	-
Kenduskeag	423	-	-	-	-	-
Kingman	936	-	-	-	-	-
Lagrange	574	-	-	-	-	-
Lee	801	-	-	-	-	-
Levant	789	-	-	-	-	-
Lincoln	1,731	-	-	-	-	-
Lowell	300	-	-	-	-	-
Mattawamkeag	527	-	-	-	-	-
Medway	297	-	-	-	1	-
Milford	838	-	-	-	-	-
Millinocket	1,144	-	-	-	-	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONTINUED.

Other epidemic affections.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	-	-	12	1	-	4	8	3	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	1	-	-	-	-	-	-	-	-	2	1	-
-	-	-	-	1	1	-	2	-	-	1	2	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	2	-	2	10	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	1	-	-	-	-	-	2	-	6	3	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	1	1	1	-
-	-	-	-	-	-	-	-	-	1	3	-	-
-	-	-	-	-	1	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	1	-	-
-	2	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	1	1	-	3	3	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	1	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	1	1	-
-	1	-	-	-	-	-	-	-	7	-	1	-

TABLE
Deaths in Each Town from Special

PENOBSCOT

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.
Newburg	734	-	-	-	-	-
Newport	1,533	-	-	-	-	-
Old Town	5,763	-	1	-	1	4
Orono	3,257	-	3	-	1	1
Orrington	1,266	-	-	-	-	-
Passadumkeag	409	-	-	-	-	-
Patten	1,172	-	1	-	-	1
Prentiss	502	-	-	-	-	-
Springfield	532	-	-	-	-	-
Stetson	503	-	-	-	-	-
Veazie	555	-	-	-	-	-
Winn	688	-	-	-	-	-
Woodville	160	-	-	-	-	-
Lakeville Pl	129	-	-	-	-	-
Seboeis Pl	96	-	-	-	-	-
Webster Pl	124	-	-	-	-	-
PISCATAQUIS COUNTY	12,623	-	1	-	1	-
Abbot	716	-	-	-	-	-
Atkinson	495	-	-	-	-	-
Blanchard	248	-	-	-	-	-
Brownville	1,570	-	-	-	-	-
Dover	1,889	-	-	-	-	-
Foxcroft	1,629	-	1	-	1	-
Greenville	1,117	-	-	-	-	-
Gullford	1,544	-	-	-	-	-
Milo	1,150	-	-	-	-	-
Monson	1,116	-	-	-	-	-
Orneville	325	-	-	-	-	-
Parkman	718	-	-	-	-	-
Kingsbury Pl	106	-	-	-	-	-

No. 53—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Other epidemic affections.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhoea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	-	-	-	-	-	-	2	-	-
-	1	-	-	-	-	-	-	-	-	4	-	-
-	9	-	-	-	-	1	1	-	4	10	4	1
-	1	-	-	-	2	-	1	1	6	2	1	-
-	-	-	-	-	-	-	1	-	-	-	1	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	1	2	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	-	-	-	-	-	-	1	1	-	1
-	-	-	-	-	-	-	-	-	-	2	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	5	-	-	-	2	2	6	-	3	16	1	-
-	-	-	-	-	-	-	2	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	2	-	-	1	-	-
-	1	-	-	-	-	-	1	-	-	4	-	-
-	1	-	-	-	-	-	-	-	1	-	-	-
-	1	-	-	-	-	-	-	-	1	2	-	-
-	2	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	1	-	-	3	-	-

TABLE
Deaths in Each Town from Special

SAGADAHOC

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.
SAGADAHOC COUNTY	19,978	-	-	-	9	3
Arrowsic	180	-	-	-	-	-
Bath	10,477	-	-	-	7	-
Bowdoin	937	-	-	-	1	-
Bowdoinham	1,305	-	-	-	-	-
Georgetown	799	-	-	-	-	1
Phippsburg	1,254	-	-	-	-	2
Richmond	2,049	-	-	-	-	-
Topsham	2,097	-	-	-	1	-
Woolwich	880	-	-	-	-	-
SOMERSET COUNTY	28,622	-	8	-	11	3
Anson	1,830	-	-	-	5	-
Athens	896	-	-	-	-	-
Bingham	841	-	-	-	-	-
Cambridge	364	-	-	-	-	-
Canaan	977	-	1	-	-	-
Concord	291	-	-	-	-	-
Detroit	527	-	-	-	-	-
Fairfield	3,878	-	1	-	-	2
Harmony	571	-	2	-	-	-
Hartland	1,115	-	-	-	1	-
Madison	2,764	-	1	-	-	-
Mercer	493	-	-	-	-	-
Moscow	378	-	-	-	-	-
New Portland	913	-	-	-	-	-
Norridgewock	1,495	-	-	-	-	-
Palmyra	915	-	-	-	-	-
Pittsfield	2,891	-	-	-	-	1

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Other epidemic affections.	Typhoid fever.	Erysipelas.	Fuerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	5	-	1	1	3	-	2	1	12	25	4	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	1	-	3	-	2	-	7	13	-	-
-	-	-	-	-	-	-	-	-	-	3	1	-
-	1	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	2	-	-	1	-	-	9	1	1	1	-	-
-	1	-	-	-	-	-	-	-	4	1	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	9	1	1	2	4	4	10	1	16	45	7	-
-	-	-	-	-	-	-	-	-	2	6	1	-
-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	2	1	-
-	6	-	1	-	1	1	-	-	2	6	-	-
-	-	-	-	-	1	-	1	-	1	2	-	-
-	-	-	-	-	-	-	-	-	1	3	-	-
-	-	1	-	-	-	-	-	-	2	5	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	1	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	1	-	-	2	2	1	-
-	-	-	-	1	-	-	-	-	1	1	1	-
-	1	-	-	-	-	-	2	-	-	1	-	-

TABLE
Deaths in Each Town from Special

SOMERSET

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.
Ripley	449	-	-	-	-	-
Skowhegan	5,180	-	3	-	5	-
Smithfield	449	-	-	-	-	-
Solon	996	-	-	-	-	-
Bigelow Pl	57	-	-	-	-	-
Jackman Pl	352	-	-	-	-	-
WALDO COUNTY	21,027	-	1	-	-	1
Belfast	4,615	-	-	-	-	1
Belmont	352	-	-	-	-	-
Brooks	669	-	-	-	-	-
Burnham	766	-	-	-	-	-
Jackson	439	-	-	-	-	-
Knox	558	-	-	-	-	-
Liberty	737	-	-	-	-	-
Lincolntonville	1,223	-	-	-	-	-
Monroe	958	-	1	-	-	-
Montville	982	-	-	-	-	-
Morrill	420	-	-	-	-	-
Palermo	757	-	-	-	-	-
Prospect	648	-	-	-	-	-
Searsmont	949	-	-	-	-	-
Searsport	1,349	-	-	-	-	-
Stockton Springs	872	-	-	-	-	-
Swanville	502	-	-	-	-	-
Thorndike	497	-	-	-	-	-
Troy	766	-	-	-	-	-
Unity	877	-	-	-	-	-
Waldo	468	-	-	-	-	-
Winterport	1,623	-	-	-	-	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Other epidemic affections.	Typhoid fever.	Erysipelas.	Fuorperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	1	-	7	-	1	3	1	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	2	-	1	3	7	2	6	2	2	34	4	-
-	1	-	-	-	-	-	2	-	-	10	2	-
-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	1	1	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	2	-	1	-	-	4	-	-
-	-	-	-	-	1	-	1	-	-	1	1	-
-	-	-	-	-	1	-	1	-	-	1	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	-	2	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	2	2	-	-	-	-	1	-

TABLE
Deaths in Each Town from special
WASHINGTON

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.
WASHINGTON COUNTY.....	41,754	-	2	-	3	17
Addison	1,059	-	1	-	1	-
Alexander.....	333	-	-	-	-	2
Baileyville	215	-	-	-	-	-
Beddington	86	-	-	-	-	-
Brookton.....	285	-	-	-	-	-
Calais.....	7,655	-	1	-	1	4
Charlotte	315	-	-	-	-	-
Cherryfield.....	1,859	-	-	-	-	-
Columbia.....	516	-	-	-	-	-
Columbia Falls	569	-	-	-	-	-
Cooper.....	207	-	-	-	-	-
Crawford.....	112	-	-	-	-	3
Danforth	1,092	-	-	-	-	-
Dennysville.....	482	-	-	-	-	-
East Machias	1,521	-	-	-	-	-
Eastport.....	5,311	-	-	-	-	-
Edmunds	492	-	-	-	-	-
Harrington.....	1,165	-	-	-	-	-
Jonesport	2,124	-	-	-	-	1
Lubec.....	3,006	-	-	-	1	-
Machias	2,082	-	-	-	-	1
Machiasport	1,218	-	-	-	-	-
Marion	95	-	-	-	-	1
Marshfield.....	227	-	-	-	-	-
Meddybemps	154	-	-	-	-	-
Milbridge.....	1,921	-	-	-	-	-
Northfield.....	126	-	-	-	-	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Other epidemic affections.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	12	2	-	1	12	-	6	3	18	66	16	-
-	1	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	2	-	-	-	3	-	2	1	9	9	4	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	-	-	-	-	-	1	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	1	-	-	-	-	-	-	-	-	2	1	-
-	1	-	-	-	1	-	-	-	-	3	-	-
-	1	-	-	-	-	-	1	-	-	1	-	-
-	1	1	-	-	1	-	-	-	3	7	3	-
-	-	-	-	1	-	-	-	-	1	3	1	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	1	1	8	-	-
-	-	-	-	-	2	-	1	-	-	3	1	-
-	2	-	-	-	1	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	-	1	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-

TABLE
Deaths in Each Town from Special

WASHINGTON

THE STATE AND COUNTIES.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.
Pembroke	1,652	-	-	-	-	1
Perry	1,245	-	-	-	-	2
Princeton	1,094	-	-	-	-	1
Robbinston.....	844	-	-	-	-	-
Steuben	901	-	-	-	-	-
Vanceboro	550	-	-	-	-	1
Wesley	198	-	-	-	-	-
Whiting	399	-	-	-	-	-
Whitneyville.....	424	-	-	-	-	-
Grand Lake Stream Pl.....	221	-	-	-	-	-
YORK COUNTY.....	63,335	-	-	1	12	26
Acton.....	778	-	-	-	-	-
Alfred	937	-	-	-	-	-
Berwick	2,280	-	-	-	-	1
Biddeford	16,145	-	-	-	7	15
Buxton	1,838	-	-	-	-	-
Cornish.....	984	-	-	-	-	1
Dayton	478	-	-	-	-	-
Ellot	1,458	-	-	-	-	-
Hollis.....	1,274	-	-	-	-	-
Kennebunk	3,228	-	-	-	-	-
Kennebunkport	2,123	-	-	-	-	3
Kittery	2,872	-	-	-	-	-
Lebanon	1,335	-	-	-	2	-
Limington	1,001	-	-	-	-	-
Lyman	687	-	-	-	-	-
North Berwick.....	1,748	-	-	-	-	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Other epidemic affections.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	-	-	-	-	-	-	2	1	-
-	1	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	4	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	1	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	28	1	1	3	23	2	14	4	42	81	14	1
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	1	1
-	-	1	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	8	-	1	1	-	2	2	-	19	31	6	-
-	-	-	-	-	2	-	-	-	2	2	-	-
-	1	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	1	-	-	-	1	-	1	-	-
-	-	-	-	-	5	-	-	-	1	3	1	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	2	-	-	-	1	-	1	-	-	3	1	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	3	-	-	-	-	2	-	-
-	1	-	-	-	1	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	4	-	-

TABLE
Deaths in Each Town from Special

YORK

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.
Old Orchard.....	964	-	-	-	1	1
Parsonsfield	1,131	-	-	-	-	-
Saco	6,122	-	-	-	1	2
Sanford.....	6,078	-	-	-	1	2
Shapleigh	847	-	-	-	-	-
South Berwick.....	3,188	-	-	1	-	1
Waterboro	1,169	-	-	-	-	-
Wells	2,007	-	-	-	-	-
York	2,668	-	-	-	-	-

No. 33—Concluded.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Other epidemic affections.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	1	-	-	1	-	-	-	-
-	-	-	-	-	2	-	2	-	-	-	-	-
-	5	-	-	1	2	-	2	1	2	6	-	-
-	9	-	-	-	4	-	3	-	14	13	-	-
-	-	-	-	-	1	-	1	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	1	-	1	-	3	-

TABLE
Deaths in Each Town from Certain

THE STATE AND COUNTIES.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
MAINE	694,406	23	58	598	92	2	414	663
Androscoggin	54,242	-	4	43	8	-	25	45
Aroostook	60,744	-	2	23	6	-	19	40
Cumberland	100,689	2	6	119	20	1	71	104
Franklin	18,444	3	1	19	3	-	12	23
Hancock	37,241	-	4	26	3	-	20	43
Kennebec	59,117	1	5	51	2	-	30	57
Knox	30,406	3	4	21	3	-	8	34
Lincoln	19,669	-	4	24	5	-	10	32
Oxford	32,298	-	1	25	6	-	21	42
Penobscot	76,246	5	10	75	6	1	48	70
Piscataquis	16,949	1	3	6	1	-	10	10
Sagadahoc	20,330	-	-	17	3	-	14	19
Somerset	33,849	1	3	24	8	-	16	37
Waldo	24,185	-	1	20	4	-	7	34
Washington	45,232	-	5	35	5	-	28	25
York	64,885	7	5	70	9	-	75	48
ANDROSCOGGIN COUNTY	54,242	-	4	43	8	-	25	45
Auburn	12,951	-	1	8	1	-	5	10
Durham	1,230	-	-	-	1	-	-	3
East Livermore	2,129	-	-	1	-	-	1	6
Greene	826	-	-	-	-	-	-	3
Leeds	1,065	-	-	2	-	-	-	1
Lewiston	23,761	-	1	15	4	-	17	10
Lisbon	3,603	-	2	3	-	-	-	4
Livermore	1,125	-	-	1	-	-	-	2
Mechanic Falls	1,687	-	-	3	-	-	1	-
Minot	808	-	-	1	-	-	1	-
Poland	1,648	-	-	2	-	-	-	-
Turner	1,842	-	-	2	1	-	-	4
Wales	436	-	-	-	1	-	-	-
Webster	1,131	-	-	2	-	-	-	2

No. 34.

Diseases and Groups of Diseases.

	Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
267	712	658	1,153	999	209	140	576	52	573	71	77	439	
29	56	32	65	62	23	7	46	4	44	2	10	23	
18	19	30	43	58	15	12	52	4	15	11	1	24	
39	107	78	188	165	16	24	99	6	128	12	10	79	
6	12	11	22	33	8	-	12	3	12	3	4	10	
14	29	38	78	43	8	7	22	1	28	3	4	24	
26	91	121	101	77	31	15	58	9	37	6	8	32	
10	41	26	60	32	7	4	21	4	25	3	4	28	
5	29	19	36	23	4	3	16	1	18	2	-	23	
15	29	25	69	54	11	9	27	2	29	4	6	21	
31	70	75	119	153	19	12	72	3	53	7	8	65	
4	22	20	21	18	2	2	16	3	11	-	1	13	
8	26	12	47	28	11	3	16	2	30	2	6	10	
4	46	30	55	58	6	3	33	2	25	4	2	23	
5	21	30	49	26	6	3	15	-	25	-	3	12	
14	31	44	67	63	12	13	26	4	27	8	4	16	
39	83	67	133	106	30	23	51	4	66	4	6	36	
29	56	32	65	62	23	7	46	4	44	2	10	23	
4	13	5	21	15	8	2	7	1	11	-	4	8	
-	2	-	2	1	-	-	1	-	-	-	-	-	
1	-	1	1	5	-	-	1	-	-	1	1	1	
-	4	2	2	-	1	-	1	-	2	-	-	-	
-	1	-	3	7	-	-	1	-	1	-	-	-	
18	23	20	22	18	9	2	26	2	23	1	4	13	
2	-	1	1	2	1	1	1	1	-	-	-	-	
-	3	-	1	2	-	-	2	-	2	-	1	-	
-	1	2	3	2	2	1	3	-	-	-	-	1	
-	1	-	-	1	-	-	1	-	2	-	-	-	
3	1	-	2	1	1	1	2	-	1	-	-	-	
-	5	-	2	3	-	-	-	-	1	-	-	-	
-	-	1	1	-	-	-	-	-	-	-	-	-	
-	2	-	4	5	1	-	-	-	1	-	-	-	

TABLE
Deaths in Each Town from Certain
AROOSTOOK

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
AROOSTOOK COUNTY	58,004	-	2	23	6	-	19	40
Amity	404	-	-	-	-	-	1	-
Ashland	1,080	-	-	-	-	-	-	1
Bancroft	318	-	-	-	-	-	-	-
Benedicta	350	-	-	1	-	-	-	-
Blaine	954	-	-	1	-	-	-	1
Bridgewater	1,179	-	-	-	-	-	-	-
Caribou	4,758	-	-	1	-	-	4	3
Crystal	370	-	-	-	-	-	2	1
Dyer Brook	280	-	-	1	-	-	-	1
Easton	1,215	-	-	1	-	-	-	-
Fort Fairfield	4,181	-	-	3	-	-	-	3
Fort Kent	2,528	-	-	-	-	-	-	2
Frenchville	1,316	-	-	-	-	-	-	2
Grand Isle	1,104	-	1	-	-	-	-	1
Haynesville	316	-	-	-	1	-	-	1
Hodgdon	1,130	-	-	-	-	-	-	-
Houlton	4,686	-	-	-	-	-	2	2
Island Falls	1,063	-	-	1	-	-	1	1
Limestone	1,131	-	-	-	-	-	-	-
Linneus	834	-	-	-	1	-	1	1
Littleton	956	-	-	-	2	-	-	1
Ludlow	394	-	1	-	-	-	-	1
Madawaska	1,698	-	-	-	-	-	-	3
Mapleton	853	-	-	2	-	-	-	1
Mars Hill	1,183	-	-	1	-	-	-	-
Masardis	498	-	-	-	-	-	-	-
Monticello	1,332	-	-	-	-	-	1	1
New Limerick	600	-	-	-	-	-	-	1

TABLE
Deaths in Each Town from Certain

AROSTOOK

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
New Sweden	867	-	-	-	-	-	-	-
Oakfield	860	-	-	-	-	-	1	-
Perham	580	-	-	-	-	-	-	-
Presque Isle	3,804	-	-	2	-	-	-	1
St. Agatha	1,396	-	-	-	-	-	-	1
Sherman	980	-	-	1	1	-	1	-
Smyrna	411	-	-	-	-	-	-	-
Van Buren	1,878	-	-	1	-	-	2	3
Washburn	1,225	-	-	1	1	-	-	-
Weston	367	-	-	-	-	-	1	-
Woodland	1,096	-	-	1	-	-	1	2
Cary Pl	400	-	-	-	-	-	-	1
Castle Hill Pl	567	-	-	2	-	-	-	1
Caswell Pl	368	-	-	-	-	-	-	-
Chapman Pl	285	-	-	-	-	-	-	-
Connor Pl	453	-	-	-	-	-	1	1
Cyr Pl	502	-	-	-	-	-	-	1
Eagle Lake Pl	406	-	-	1	-	-	-	-
Garfield Pl	111	-	-	-	-	-	-	-
Hamlin Pl	574	-	-	-	-	-	-	-
Hammond Pl	116	-	-	-	-	-	-	-
Macwahoc Pl	153	-	-	-	-	-	-	-
New Canada Pl	419	-	-	-	-	-	-	-
Oxbow Pl	153	-	-	-	-	-	-	-
Portage Lake Pl	241	-	-	-	-	-	-	-
Reed Pl	399	-	-	-	-	-	-	-
St. Francis Pl	668	-	-	-	-	-	-	-
St. John Pl	371	-	-	-	-	-	-	1
Stockholm Pl	191	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

ARROSTOOK

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Wade Pl.....	271	-	-	1	-	-	-	-
Wallagrass Pl.....	784	-	-	1	-	-	-	-
Westfield Pl.....	259	-	-	-	-	-	-	-
Westmanland Pl.....	100	-	-	-	-	-	-	-
Winterville Pl.....	124	-	-	-	-	-	-	-
Molunkus	74	-	-	-	-	-	-	-
CUMBERLAND COUNTY	100,689	2	6	119	20	1	71	104
Baldwin	821	-	-	1	-	-	-	-
Bridgton	2,868	-	-	2	1	-	-	-
Brunswick	6,806	-	-	3	2	-	3	4
Cape Elizabeth	887	-	-	-	-	-	-	-
Casco	783	-	1	-	-	-	1	4
Cumberland	1,404	-	-	1	-	-	-	3
Falmouth	1,511	-	-	2	-	-	1	7
Freeport	2,339	-	-	2	-	-	1	3
Gorham	2,540	-	-	2	2	-	1	4
Gray	1,388	-	-	6	-	-	-	1
Harpwell.....	1,750	-	1	2	-	-	1	-
Harrison	969	-	-	-	-	-	-	2
Naples	813	-	-	2	-	-	1	-
New Gloucester.....	1,162	-	-	3	-	-	-	5
North Yarmouth.....	642	-	-	2	-	-	-	3
Otisfield	728	-	-	3	1	-	-	1
Portland	50,145	2	4	63	7	-	47	49
Pownal	592	-	-	-	-	-	-	-
Raymond	823	-	-	2	1	-	1	2
Scarboro	1,865	-	-	2	-	-	1	-
Sebago.....	576	-	-	1	-	-	-	1

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	-	1	1	-	1	1	1	-	1	-	1
-	-	1	-	-	-	-	2	-	-	1	-	-
-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	3	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	2
-	-	-	1	-	-	-	-	-	-	-	-	2
39	107	78	188	165	16	24	99	6	128	12	10	79
-	2	-	1	-	-	-	-	-	1	-	-	-
1	4	4	8	2	2	-	-	-	6	-	-	3
2	4	3	11	9	1	2	6	-	2	3	-	3
-	1	-	1	-	-	-	-	-	1	1	-	1
-	1	1	-	2	-	-	-	-	-	-	-	-
1	3	-	4	5	-	-	-	-	-	-	-	3
-	6	1	4	-	-	1	1	-	4	-	-	2
-	1	3	6	2	-	-	3	-	3	1	-	2
1	5	1	6	1	1	-	6	-	3	-	-	2
-	1	-	4	5	-	-	1	-	4	-	1	1
-	2	-	5	2	1	-	1	-	2	-	-	1
-	1	-	3	3	-	-	-	-	1	-	-	-
-	2	-	1	-	-	-	-	-	4	-	-	1
-	1	5	2	2	1	-	2	-	-	-	-	1
-	1	-	2	1	-	-	-	-	-	-	-	1
-	1	2	3	2	-	-	1	-	-	-	1	1
24	48	37	91	96	5	18	58	5	82	5	3	39
-	-	1	1	1	-	-	1	-	1	-	-	-
-	-	-	-	-	-	-	1	-	2	-	-	1
1	1	-	2	5	-	-	1	-	1	-	1	2
-	1	-	-	1	1	-	1	-	1	-	1	-

TABLE
Deaths in Each Town from Certain

CUMBERLAND

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
South Portland	6,287	-	-	7	1	-	4	5
Standish	1,504	-	-	4	1	-	-	2
Westbrook	7,283	-	-	3	2	1	8	-
Windham	1,929	-	-	5	1	-	-	3
Yarmouth	2,274	-	-	1	1	-	1	5
FRANKLIN COUNTY	17,637	3	1	19	3	-	12	23
Avon	448	-	-	-	-	-	-	-
Carthage	334	-	-	-	-	-	-	-
Chesterville	709	1	-	1	-	-	-	2
Eustis	436	-	-	-	-	-	-	-
Farmington	3,288	-	-	5	1	-	-	5
Freeman	397	-	-	1	-	-	-	-
Industry	553	-	-	-	-	-	-	-
Jay	2,758	1	-	2	-	-	5	2
Kingfield	693	-	-	2	-	-	1	2
Madrid	326	-	-	-	-	-	-	1
New Sharon	946	-	-	2	-	-	1	4
New Vineyard	584	-	-	1	1	-	1	1
Phillips	1,399	-	1	1	-	-	2	4
Rangeley	961	-	-	-	1	-	-	1
Strong	637	-	-	-	-	-	1	-
Temple	394	-	-	-	-	-	-	-
Weld	738	-	-	1	-	-	-	-
Wilton	1,647	1	-	3	-	-	1	1
Dallas Pl.	172	-	-	-	-	-	-	-
Township No. 6	22	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

HANCOCK

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
HANCOCK COUNTY.....	36,555	-	4	25	3	-	20	43
Amherst	364	-	-	-	-	-	-	-
Aurora	152	-	-	-	-	-	-	-
Bluehill	1,828	-	-	2	1	-	1	-
Brooklin	936	-	-	1	-	-	-	1
Brooksville	1,171	-	-	2	-	-	1	2
Bucksport.....	2,339	-	-	3	-	-	-	7
Castine	925	-	-	-	-	-	-	1
Cranberry Isles.....	374	-	-	-	-	-	-	-
Dedham	327	-	-	-	-	-	1	1
Deer Isle	2,047	-	-	3	-	-	-	3
Eastbrook.....	248	-	-	-	-	-	-	-
Eden.....	4,379	-	-	2	-	-	2	4
Ellsworth	4,297	-	-	3	1	-	2	4
Franklin	1,201	-	-	-	-	-	1	1
Gouldsboro	1,259	-	-	-	-	-	-	3
Hancock	900	-	1	1	-	-	-	-
Isle au Haut.....	182	-	-	-	-	-	-	-
Lamoine	594	-	-	-	-	-	-	-
Mariaville.....	218	-	-	-	-	-	-	-
Mount Desert.....	1,600	-	-	-	-	-	-	1
Orland.....	1,251	-	-	3	-	-	-	2
Otis	152	-	-	-	-	-	-	-
Penobscot.....	1,156	-	-	-	-	-	-	2
Sedgwick.....	902	-	-	-	-	-	2	3
Sorrento.....	117	-	-	-	-	-	-	-
Stonington	1,648	-	1	2	-	-	6	2
Sullivan	1,084	-	-	-	-	-	1	1

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
14	29	38	78	43	8	7	22	1	28	3	4	24
-	-	1	-	2	-	-	-	-	1	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	1
-	-	2	9	3	-	1	3	-	3	-	-	-
-	-	1	3	-	-	-	-	-	2	-	-	1
-	3	3	-	1	2	-	-	-	1	-	1	1
-	4	2	3	4	1	2	1	-	-	-	-	-
-	-	1	5	1	-	-	-	-	1	-	-	1
-	-	-	1	1	-	-	-	-	-	-	1	-
-	1	-	2	2	-	-	-	-	-	-	-	1
3	2	2	4	2	-	1	2	-	1	1	-	4
1	1	2	-	-	-	-	1	-	-	-	-	-
-	4	2	4	-	-	-	5	-	5	-	-	-
4	1	4	11	2	2	-	4	1	2	-	-	5
1	2	2	1	2	-	-	-	-	-	1	-	-
-	1	1	2	-	-	1	1	-	1	-	-	-
1	1	-	4	-	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	1	1	2	1	-	1	-	-	-	-	-	1
-	-	2	-	1	1	-	-	-	-	-	-	-
1	-	-	1	6	-	-	-	-	-	-	-	1
-	-	1	5	2	1	-	-	-	1	-	1	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	1	3	-	-	-	-	-	-	1	-	-
-	1	-	2	1	1	-	1	-	-	-	1	1
-	-	-	2	-	-	-	-	-	1	-	-	-
-	3	3	1	4	-	-	-	-	-	-	-	-
1	1	-	3	-	-	-	-	-	2	-	-	1

TABLE
Deaths in Each Town from Certain
HANCOCK

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Surry	900	-	-	-	-	-	-	2
Swan's Island	758	-	-	-	-	-	-	-
Tremont	2,010	-	1	4	1	-	1	1
Trenton	459	-	1	-	-	-	-	1
Winter Harbor	571	-	-	-	-	-	1	1
Long Island Pl	174	-	-	-	-	-	1	-
No. 33 Pl	82	-	-	-	-	-	-	-
KENNEBEC COUNTY	59,117	1	5	51	2	-	30	57
Albion	878	-	-	1	-	-	2	-
Augusta	11,683	-	1	8	-	-	7	14
Belgrade	1,058	-	-	1	-	-	2	1
Benton	1,097	-	-	2	-	-	-	3
Chelsea	3,092	-	-	-	-	-	-	2
China	1,380	-	-	2	-	-	1	1
Clinton	1,398	-	-	1	-	-	-	-
Farmingdale	848	-	-	1	-	-	-	-
Fayette	560	-	-	1	-	-	-	1
Gardiner	5,501	-	-	4	-	-	-	2
Hallowell	2,714	-	-	4	-	-	2	2
Litchfield	1,057	-	1	2	-	-	-	1
Manchester	518	-	-	-	-	-	-	-
Monmouth	1,236	-	1	1	-	-	-	-
Mount Vernon	906	-	1	-	-	-	-	-
Oakland	1,913	-	-	1	-	-	1	2
Pittston	1,177	-	-	1	1	-	-	2
Randolph	1,077	-	-	-	-	-	-	1
Readfield	994	-	-	1	-	-	-	3
Rome	420	-	-	-	-	-	-	-

No. 34—Continued.

Diseases and Groups of Diseases

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
1	-	3	4	3	-	-	-	-	3	-	-	-
-	1	1	-	-	-	-	2	-	-	-	-	1
-	-	1	5	2	-	-	-	-	2	-	-	2
-	2	-	-	1	-	-	-	-	1	-	-	-
-	-	1	1	-	-	-	1	-	-	-	-	1
-	-	-	-	2	-	-	-	-	-	-	-	1
1	-	-	-	-	-	-	-	-	-	-	-	-
26	91	121	101	77	31	15	58	9	37	6	8	32
-	2	3	2	1	3	-	1	1	-	-	-	-
9	23	54	15	16	5	2	9	1	6	3	4	7
-	-	-	5	3	-	-	-	-	2	-	-	1
-	-	6	1	2	2	1	2	-	-	-	-	-
-	4	-	1	-	-	-	2	-	1	-	-	-
-	1	4	2	1	-	-	2	-	2	-	-	-
1	3	1	6	2	1	-	2	-	1	-	-	1
-	2	-	1	-	-	-	-	-	-	-	-	1
-	3	-	-	-	-	-	-	-	-	-	-	1
-	10	4	11	12	1	3	7	-	3	1	-	4
-	8	7	6	4	-	-	-	-	1	-	-	1
-	-	2	2	1	1	-	1	1	-	-	-	2
1	-	2	-	1	-	-	-	-	1	-	-	2
-	1	3	7	2	-	-	-	-	1	-	-	-
1	5	-	3	-	-	-	1	-	-	-	-	2
3	1	1	4	3	2	1	1	-	1	-	-	1
-	2	1	3	1	-	-	2	-	-	-	-	1
1	2	-	3	2	-	1	2	-	1	-	-	-
1	3	-	2	-	1	-	3	-	-	-	1	1
-	1	-	-	1	-	-	-	-	-	-	-	1

TABLE
Deaths in Each Town from Certain

KENNEBEC

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Sidney	1,068	-	-	2	-	-	1	5
Vassalboro.....	2,062	-	-	2	-	-	-	4
Vienna	406	-	-	-	-	-	-	1
Waterville	9,477	1	1	6	-	-	11	4
Wayne.....	707	-	-	1	-	-	-	-
West Gardiner.....	693	-	-	-	-	-	-	-
Windsor	782	-	-	1	-	-	-	3
Winslow.....	2,277	-	-	3	1	-	2	1
Winthrop	2,688	-	-	5	-	-	1	4
Unity Pl.....	50	-	-	-	-	-	-	-
Togus.....	-	-	-	-	-	-	-	-
KNOX COUNTY	30,287	3	4	21	3	-	8	34
Appleton.....	975	-	-	1	-	-	1	2
Camden	2,825	-	-	1	1	-	1	5
Cushing	604	-	-	1	-	-	-	-
Friendship.....	814	-	-	1	-	-	-	1
Hope.....	599	-	-	1	-	-	-	2
Hurricane Isle.....	257	-	-	-	-	-	-	-
North Haven.....	551	-	-	-	-	-	-	2
Rockland.....	8,150	3	2	10	-	-	2	6
Rockport.....	2,314	-	-	2	1	-	-	2
St. George.....	2,206	-	-	-	-	-	1	4
South Thomaston.....	1,426	-	-	-	-	-	-	2
Thomaston.....	2,688	-	1	1	-	-	2	1
Union.....	1,248	-	-	-	1	-	1	2
Vinalhaven	2,358	-	-	2	-	-	-	3
Warren	2,069	-	1	1	-	-	-	1
Washington	1,019	-	-	-	-	-	-	1
Matinicus Isle Pl.....	184	-	-	-	-	-	-	-

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	3	-	1	2	4	1	-	-	-	-	-	-
-	3	3	-	4	-	-	3	-	1	-	-	-
-	-	-	1	-	-	-	-	-	1	1	-	-
6	4	21	13	11	6	3	10	4	9	-	3	3
-	4	1	1	2	-	-	1	-	1	-	-	-
-	1	-	1	1	1	-	2	-	-	-	-	-
-	-	-	1	-	1	-	-	-	1	-	-	-
3	-	-	5	3	2	1	1	-	2	1	-	3
-	3	7	3	2	1	1	5	1	1	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	2	1	1	-	-	-	1	-	2	-	-	-
10	41	26	60	32	7	4	21	4	25	3	4	28
-	1	1	2	-	-	-	1	-	-	-	-	-
-	1	2	11	2	1	-	1	-	3	1	1	-
-	5	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	-	-	-	-	2	1	-	1
-	-	-	2	1	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	1
5	12	6	19	10	-	1	7	2	9	-	1	12
1	3	3	5	2	-	-	3	-	-	-	1	-
-	1	3	1	-	-	-	1	1	3	-	-	1
2	4	2	-	-	1	-	2	1	-	-	-	6
1	1	1	10	5	1	1	1	-	2	-	1	4
-	3	2	1	1	2	1	1	-	-	1	-	1
1	3	3	4	2	2	-	-	-	3	-	-	1
-	1	2	4	3	-	-	2	-	2	-	-	1
-	6	-	-	4	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	1	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
LINCOLN

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
LINCOLN COUNTY.....	19,575	-	4	24	5	-	10	32
Alna.....	444	-	-	-	-	-	-	2
Boothbay.....	1,766	-	1	2	-	-	3	2
Boothbay Harbor.....	1,926	-	-	2	-	-	1	5
Bremen.....	657	-	-	1	-	-	-	1
Bristol.....	2,572	-	-	3	2	-	-	8
Damariscotta.....	876	-	-	1	-	-	1	1
Dresden.....	882	-	-	2	-	-	-	3
Edgecomb.....	607	-	-	-	-	-	-	-
Jefferson.....	1,155	-	1	-	-	-	-	1
Newcastle.....	1,075	-	1	2	-	-	-	1
Nobleboro.....	810	-	-	-	-	-	-	-
Somerville.....	374	-	-	-	-	-	1	1
Southport.....	527	-	-	1	-	-	-	1
Waldoboro.....	3,145	-	1	6	1	-	4	3
Westport.....	380	-	-	-	1	-	-	1
Whitefield.....	1,156	-	-	2	1	-	-	2
Wiscasset.....	1,273	-	-	2	-	-	-	-
OXFORD COUNTY.....	30,882	-	1	25	6	-	21	42
Albany.....	538	-	-	-	-	-	-	1
Bethel.....	1,835	-	-	2	1	-	-	3
Brownfield.....	1,019	-	-	3	-	-	-	1
Buckfield.....	1,139	-	-	2	1	-	-	3
Byron.....	204	-	-	-	-	-	1	-
Canton.....	946	-	-	-	1	-	-	1
Denmark.....	634	-	-	3	-	-	-	1
Dixfield.....	1,052	-	-	-	-	-	1	-
Fryeburg.....	1,376	-	-	-	1	-	-	6

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
5	29	19	36	23	4	3	16	1	18	2	-	23
1	-	-	2	-	-	-	-	-	1	-	-	1
-	3	2	2	2	-	1	1	-	2	-	-	1
-	1	3	1	-	-	-	3	-	3	-	-	15
-	1	-	-	-	1	-	-	-	-	-	-	-
1	4	1	7	4	-	-	2	-	-	2	-	-
-	1	-	1	-	-	-	-	-	1	-	-	-
-	3	1	4	5	1	-	-	1	1	-	-	-
1	1	-	1	2	-	-	-	-	-	-	-	-
-	1	1	2	2	-	1	1	-	-	-	-	-
-	2	2	2	1	-	-	-	-	-	-	-	1
-	1	3	3	1	-	-	1	-	1	-	-	1
-	1	-	-	1	-	-	-	-	-	-	-	-
1	3	1	-	-	-	-	-	-	1	-	-	-
1	6	2	6	5	2	1	5	-	2	-	-	3
-	-	1	1	-	-	-	-	-	-	-	-	-
-	1	1	1	-	-	-	1	-	3	-	-	-
-	-	1	3	-	-	-	2	-	3	-	-	1
15	29	25	69	54	11	9	21	2	29	4	6	21
-	-	-	2	-	-	-	1	-	-	-	-	-
2	-	2	1	1	1	1	2	-	-	-	-	3
-	1	1	5	5	1	1	-	-	-	-	-	2
-	2	2	4	3	-	-	1	-	-	-	-	1
-	-	1	-	-	-	-	-	-	-	-	-	-
-	1	1	-	3	-	-	-	-	-	-	1	2
3	-	-	1	2	-	-	-	-	1	-	-	-
1	4	-	2	1	-	1	-	-	-	1	-	-
1	1	2	2	-	-	1	3	-	1	-	-	1

TABLE
Deaths in Each Town from Certain
OXFORD

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Gilead	340	-	-	1	-	-	-	-
Grafton.....	81	-	-	-	-	-	1	-
Greenwood	741	-	-	-	-	-	-	-
Hartford	660	-	-	2	-	-	-	2
Hebron	494	-	-	-	-	-	-	-
Hiram	1,015	-	-	1	-	-	-	-
Lovell	693	-	-	-	-	-	-	4
Mexico	816	-	-	-	-	-	2	1
Newry	286	-	-	-	-	-	-	-
Norway.....	2,902	-	-	4	-	-	1	4
Oxford.....	1,331	-	-	2	-	-	-	-
Paris.....	3,225	-	-	2	1	-	1	7
Peru	773	-	-	-	-	-	-	-
Porter	586	-	-	-	-	-	-	1
Roxbury.....	238	-	-	-	-	-	-	1
Rumford	3,770	-	1	1	-	-	10	1
Stoneham	284	-	-	-	-	-	-	-
Stow	270	-	-	-	-	-	-	2
Sumner	502	-	-	1	-	-	3	-
Sweden	282	-	-	-	-	-	-	-
Upton.....	242	-	-	-	-	-	-	-
Waterford.....	917	-	-	-	-	-	1	1
Woodstock	816	-	-	1	-	-	-	2
Lincoln Pl	73	-	-	-	1	-	-	-
Milton Pl.....	202	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

PENOBSCOT

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Kenduskeag	423	-	1	-	-	-	-	-
Kingman	936	-	1	-	-	-	-	-
Lagrange.....	574	-	-	-	-	-	-	-
Lee	801	-	-	2	-	-	-	-
Levant	789	-	-	2	-	-	-	-
Lincoln.....	1,731	-	1	-	-	-	2	2
Lowell.....	300	-	-	-	-	-	1	-
Mattawamkeag.....	527	-	-	-	-	-	1	-
Milford	838	-	1	-	-	-	-	1
Millinocket	1,144	1	-	-	-	-	1	-
Mt. Chase	299	-	-	-	-	-	-	-
Newburg	734	-	-	-	-	-	-	1
Newport.....	1,533	-	-	1	-	-	-	1
Old Town	5,763	2	-	4	-	-	6	4
Orono.....	3,257	-	-	3	-	-	9	-
Orrington	1,266	-	-	2	-	-	2	-
Passadumkeag	409	-	-	-	-	-	1	-
Patten	1,172	-	-	1	-	-	1	2
Plymouth	658	-	-	-	-	-	-	-
Prentiss	502	-	-	-	-	-	-	2
Springfield	532	-	-	-	-	-	-	1
Stetson	503	-	-	-	-	-	-	-
Veazie.....	555	-	-	1	-	-	1	3
Winn	688	-	-	1	-	-	-	2
Woodville.....	160	-	-	1	-	-	-	-
Drew Pl	120	-	-	-	-	-	-	1
Lakeville Pl.....	129	-	-	-	-	-	1	-
Seboeis Pl.....	96	-	-	-	-	-	-	-
Stacyville Pl	347	-	-	-	-	-	-	-
Webster Pl	124	-	-	-	-	-	1	-

TABLE
Deaths in Each Town from Certain
PISCATAQUIS

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Di-cases of early infancy.	Old age.
PISCATAQUIS COUNTY	16,208	1	3	6	1	-	10	10
Abbot	716	-	-	-	-	-	-	-
Atkinson	495	-	-	-	-	-	1	-
Blanchard	248	-	-	-	-	-	-	1
Brownville.....	1,570	-	-	-	-	-	-	-
Dover	1,889	-	1	-	-	-	-	-
Foxcroft.....	1,629	-	1	3	-	-	-	1
Greenville.....	1,117	1	-	-	-	-	1	2
Guilford	1,544	-	-	1	-	-	1	2
Medford.....	282	-	-	-	-	-	-	-
Milo	1,150	-	1	-	-	-	4	1
Monson.....	1,116	-	-	-	-	-	-	2
Orneville	325	-	-	-	1	-	-	-
Parkman	718	-	-	-	-	-	-	1
Sangerville	1,294	-	-	2	-	-	-	-
Sebec	593	-	-	-	-	-	3	-
Shirley	248	-	-	-	-	-	-	-
Wellington.....	413	-	-	-	-	-	-	-
Willimantic.....	419	-	-	-	-	-	-	-
Barnard Pl	98	-	-	-	-	-	-	-
Kingsbury Pl	106	-	-	-	-	-	-	-
Lake View Pl	173	-	-	-	-	-	-	-
Chesuncook	65	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

SAGADAHOC

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
SAGADAHOC COUNTY	20,330	-	-	17	3	-	14	19
Arrowsic	180	-	-	-	-	-	-	-
Bath	10,477	-	-	9	3	-	11	6
Bowdoin	937	-	-	-	-	-	-	-
Bowdoinham	1,805	-	-	2	-	-	2	2
Georgetown	799	-	-	1	-	-	-	1
Perkins	61	-	-	-	-	-	-	-
Phippsburg	1,254	-	-	1	-	-	-	-
Richmond	2,049	-	-	2	-	-	-	3
Topsham	2,097	-	-	1	-	-	1	1
West Bath	291	-	-	-	-	-	-	1
Woolwich	880	-	-	1	-	-	-	1
SOMERSET COUNTY	32,916	1	3	24	8	-	16	37
Anson	1,830	-	-	1	1	-	-	1
Athens	896	-	-	1	-	-	1	2
Bingham	841	-	-	3	1	-	2	-
Cambridge	364	-	-	-	-	-	1	1
Canaan	977	-	1	1	-	-	-	4
Concord	291	-	-	-	-	-	-	-
Cornville	689	-	-	-	-	-	-	-
Detroit	527	-	-	1	-	-	-	1
Embden	567	-	-	-	-	-	1	1
Fairfield	3,878	1	1	-	-	-	-	2
Harmony	571	-	-	-	-	-	1	-
Hartland	1,115	-	-	1	-	-	-	2
Madison	2,764	-	-	1	-	-	1	1
Mercer	493	-	-	1	-	-	1	-

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY.

Encephalitis and simple meningitis.	A poplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
8	26	12	47	28	11	3	16	2	30	2	6	10
-	-	1	1	-	-	-	-	-	1	-	-	-
6	13	5	22	19	7	3	9	1	14	-	2	8
1	3	-	4	-	-	-	-	-	1	-	-	-
-	3	-	4	-	1	-	-	-	2	-	1	-
-	-	1	-	1	-	-	-	-	2	-	1	1
-	1	-	-	2	-	-	-	-	-	-	-	-
1	-	1	2	-	-	-	2	1	1	-	-	-
-	1	3	6	3	1	-	4	-	5	1	1	-
-	3	-	4	2	1	-	-	-	2	1	-	1
-	1	1	-	-	1	-	-	-	1	-	-	-
-	1	-	4	1	-	-	1	-	1	-	1	-
4	46	30	55	58	6	3	33	2	25	4	2	23
-	4	2	2	2	-	-	3	-	5	1	-	1
-	2	-	-	3	-	-	2	-	2	-	-	-
-	-	1	1	2	-	-	1	-	1	-	-	-
-	2	1	1	2	-	-	1	1	-	1	-	-
1	1	-	3	5	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	2	-	-	2	-	-	1	-	2	-	-	-
-	-	-	1	2	-	-	1	-	1	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	1
1	6	2	6	7	1	-	3	-	1	-	-	5
-	1	-	-	1	-	-	2	-	-	1	-	-
-	2	-	3	-	-	-	1	-	1	-	-	-
1	1	4	7	4	1	-	1	-	2	-	1	-
-	1	-	2	-	-	-	-	-	1	-	-	1

TABLE
Deaths in Each Town from Certain
SOMERSET

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Moscow	378	-	-	1	-	-	-	1
New Portland.....	913	-	-	-	-	-	-	1
Norridgewock	1,495	-	-	-	-	-	-	3
Palmyra.....	915	-	-	1	-	-	1	5
Pittsfield.....	2,891	-	1	5	2	-	1	1
Ripley.....	449	-	-	-	-	-	-	1
St. Albans.....	1,037	-	-	-	2	-	-	3
Skowhegan	5,180	-	-	2	1	-	2	4
Smithfield.....	449	-	-	-	-	-	-	-
Solon	996	-	-	-	-	-	-	-
Starks	636	-	-	1	1	-	-	2
Bigelow Pl.....	57	-	-	-	-	-	-	-
Brighton Pl.....	368	-	-	-	-	-	-	-
Caratunk Pl.....	218	-	-	-	-	-	-	-
Dead River Pl	91	-	-	-	-	-	-	-
Dennistown Pl.....	96	-	-	1	-	-	-	-
Flagstaff Pl	115	-	-	-	-	-	-	-
Jackman Pl.....	352	-	-	1	-	-	4	-
Lexington Pl	231	-	-	1	-	-	-	-
Mayfield Pl	89	-	-	1	-	-	-	-
The Forks Pl.....	157	-	-	-	-	-	-	1
WALDO COUNTY	21,998	-	1	20	4	-	7	34
Belfast	4,615	-	-	6	1	-	-	1
Belmont.....	352	-	-	-	-	-	-	1
Brooks	669	-	-	-	-	-	-	-
Burnham.....	766	-	-	1	-	-	1	1
Islesboro	923	-	-	1	-	-	1	3
Jackson	439	-	-	1	1	-	-	2

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	-	-	1	-	-	1	-	-	-	1	-
-	4	1	1	1	1	-	1	-	2	-	-	-
-	2	2	7	-	-	-	-	-	2	-	-	1
-	1	3	-	4	-	1	1	-	-	-	-	1
-	5	5	6	5	1	-	1	-	1	-	-	2
-	-	-	-	-	-	-	1	-	-	-	-	-
-	2	2	2	1	-	-	1	-	-	-	-	1
1	9	5	11	10	2	2	7	1	1	1	-	5
-	-	-	1	1	-	-	2	-	-	-	-	1
-	1	-	1	3	-	-	-	-	-	-	-	2
-	-	-	-	-	2	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	1	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
5	21	30	49	26	6	3	15	-	25	-	3	12
-	3	8	10	7	1	-	5	-	9	-	-	6
2	-	1	1	1	-	-	-	-	-	-	1	-
-	1	1	2	3	2	-	2	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	1
-	-	1	1	-	-	-	-	-	-	-	-	-
-	-	-	2	-	-	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

WALDO

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Knox	558	-	1	-	1	-	1	1
Liberty.....	787	-	-	-	-	-	-	2
Lincolnton	1,223	-	-	1	-	-	-	6
Monroe	958	-	-	-	1	-	-	2
Montville	982	-	-	-	-	-	1	1
Morrill	420	-	-	-	-	-	-	1
Northport	545	-	-	1	-	-	-	1
Palermo.....	757	-	-	-	-	-	1	1
Prospect	648	-	-	-	-	-	-	1
Searsmont	949	-	-	-	-	-	-	5
Searsport.....	1,349	-	-	6	-	-	-	1
Stockton Springs	872	-	-	-	-	-	-	-
Swanville	502	-	-	2	-	-	-	-
Troy	766	-	-	-	-	-	-	2
Unity	877	-	-	1	-	-	-	-
Waldo	468	-	-	-	-	-	1	2
Winterport.....	1,623	-	-	1	-	-	1	-
WASHINGTON COUNTY.....	44,118	-	5	35	5	-	28	25
Addison	1,059	-	1	1	-	-	-	1
Alexander	333	-	-	-	-	-	-	-
Baileyville	215	-	-	-	-	-	-	-
Baring.....	231	-	-	-	-	-	-	2
Brookton.....	285	-	-	-	-	-	-	-
Calais.....	7,655	-	1	8	1	-	7	5
Charlotte.....	315	-	-	-	-	-	1	-
Cherryfield.....	1,859	-	-	-	-	-	2	1
Columbia.....	516	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
WASHINGTON

COUNTY AND TOWNS.	Population in 1800.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Columbia Falls	569	-	-	-	-	-	-	-
Cooper.....	207	-	-	-	-	-	-	-
Crawford.....	112	-	-	-	-	-	-	-
Cutler	585	-	-	-	-	-	1	-
Danforth	1,092	-	-	-	-	-	1	1
Dennysville.....	482	-	-	-	-	-	-	-
East Machias	1,521	-	-	2	1	-	-	1
Eastport.....	5,311	-	1	6	-	-	6	2
Edmunds.....	492	-	-	-	1	-	-	-
Harrington.....	1,165	-	-	3	-	-	-	2
Jonesboro	606	-	-	1	-	-	-	-
Jonesport	2,124	-	-	-	-	-	3	2
Lubec.....	3,005	-	1	2	-	-	3	-
Machias	2,082	-	-	1	-	-	3	-
Machiasport	1,218	-	-	4	-	-	-	1
Marion	95	-	-	-	-	-	-	-
Marshfield	227	-	-	-	-	-	-	-
Meddybemps.....	154	-	-	-	-	-	-	-
Milbridge	1,921	-	-	-	-	-	-	-
Northfield	126	-	-	-	-	-	-	-
Pembroke.....	1,652	-	1	3	1	-	-	-
Perry	1,245	-	-	-	1	-	-	-
Princeton	1,094	-	-	1	-	-	-	2
Robbinston	844	-	-	-	-	-	-	1
Roque Bluffs	168	-	-	-	-	-	-	-
Steuben	901	-	-	-	-	-	-	1
Topsfield	282	-	-	1	-	-	1	-
Trescott	463	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

WASHINGTON

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Vanceboro	550	-	-	1	-	-	-	3
Waite.....	135	-	-	-	-	-	-	-
Wesley	198	-	-	-	-	-	-	-
Whiting	399	-	-	1	-	-	-	-
Whitneyville	424	-	-	-	-	-	-	-
Grand Lake Stream Pl.....	221	-	-	-	-	-	-	-
YORK COUNTY	64,885	7	5	70	9	-	75	48
Acton.....	778	-	-	-	-	-	-	-
Alfred	937	-	1	2	-	-	-	1
Berwick.....	2,280	-	-	1	1	-	2	1
Biddeford.....	16,145	2	2	10	1	-	39	2
Buxton	1,838	-	-	4	-	-	1	2
Cornish.....	984	-	-	3	-	-	-	2
Dayton	473	-	-	1	-	-	-	1
Eliot.....	1,458	-	-	2	-	-	-	1
Hollis.....	1,274	-	-	2	-	-	-	3
Kennebunk	3,228	-	-	4	-	-	1	3
Kennebunkport	2,123	-	-	4	1	-	1	1
Kittery	2,872	-	-	4	-	-	-	1
Lebanon	1,335	-	-	-	-	-	1	1
Limerick.....	874	-	-	2	-	-	2	1
Limington	1,001	-	-	1	-	-	1	3
Lyman	687	-	-	-	1	-	-	-
Newfield.....	676	-	-	-	-	-	-	1
North Berwick.....	1,748	-	-	-	-	-	-	1
Old Orchard.....	964	-	-	1	-	-	-	-
Parsonsfield	1,131	-	-	4	-	-	-	-

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	1	1	-	1	1	-	-	-	-	-	1	1
-	1	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	2	-	1	-	-	-	-	-	1	-	1	-
-	1	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
39	83	67	133	106	30	23	51	4	66	4	6	36
-	3	2	4	5	-	1	-	1	1	-	-	1
-	2	-	4	1	-	1	-	-	3	-	-	1
-	3	-	4	4	4	1	3	-	2	-	-	1
19	9	14	31	29	10	6	7	-	10	-	1	4
-	7	5	5	2	5	-	1	-	1	-	1	1
-	1	1	1	1	-	-	2	-	-	-	-	1
-	1	-	3	-	-	-	1	-	-	-	1	-
-	5	2	1	-	1	-	2	-	1	-	-	-
-	1	3	8	1	-	-	2	-	-	-	-	1
3	4	1	6	5	-	-	2	-	7	-	-	2
1	2	4	5	4	1	-	1	-	2	-	-	3
2	1	5	6	3	-	2	-	-	4	-	1	2
-	6	-	1	4	-	-	-	-	1	-	-	-
-	4	1	3	3	-	-	-	-	-	-	-	-
-	-	-	1	3	-	-	-	-	3	-	-	-
-	4	-	4	-	-	-	-	-	1	-	-	-
-	1	1	-	-	-	-	-	-	1	-	-	2
-	2	-	-	2	-	-	2	1	5	-	-	1
1	-	1	3	5	1	1	1	-	-	-	-	3
-	1	2	3	-	1	-	1	-	1	-	-	-

TABLE
Deaths in Each Town from Certain
YORK

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Other general diseases.	Diseases of early infancy.	Old age.
Saco	6,122	-	2	8	2	-	10	5
Sanford.....	6,078	1	-	4	-	-	8	5
Shapleigh	847	-	-	1	-	-	-	2
South Berwick.....	3,188	2	-	2	-	-	4	2
Waterboro	1,169	-	-	1	1	-	1	2
Wells.....	2,007	1	-	4	2	-	1	3
York.....	2,668	1	-	5	-	-	3	4

No. 34—Concluded.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
7	6	7	11	7	1	5	7	-	8	-	-	3
2	8	7	12	10	1	-	7	1	4	2	-	3
1	1	3	3	1	-	-	1	-	2	-	-	1
1	5	5	4	1	3	2	4	-	3	-	1	-
-	1	1	1	5	-	1	1	-	1	2	1	1
-	3	1	3	7	1	1	1	-	2	-	-	2
2	2	1	6	3	1	2	5	1	3	-	-	3

TABLE
Deaths by Ages, Sex

COUNTIES.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Androscoggin, males	68	24	9	12	25	20	22	39	49	70	37	7	-	5
females	39	25	5	17	22	23	26	39	51	61	41	5	-	3
not stated	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Aroostook, males	148	49	15	23	22	15	21	22	38	40	21	1	1	2
females	103	28	16	28	31	20	24	20	21	32	25	5	-	1
not stated	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cumberland, males	102	31	20	32	60	67	72	88	154	144	65	15	-	8
females	83	46	22	28	88	69	51	92	130	124	95	24	2	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Franklin, males	16	1	3	2	7	5	13	7	18	25	18	5	-	3
females	23	5	4	7	10	9	14	15	16	25	24	2	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock, males	28	8	5	8	21	28	18	28	45	64	41	4	-	-
females	15	8	3	8	12	21	13	26	37	46	32	12	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec, males	73	30	10	21	36	28	40	62	78	92	60	6	-	6
females	55	32	12	33	53	30	34	49	77	87	76	10	-	2
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Knox, males	16	10	2	5	22	11	19	26	45	45	33	3	1	3
females	14	10	1	14	17	5	22	24	47	49	27	12	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln, males	8	4	2	5	13	7	6	11	28	51	22	2	-	11
females	11	4	5	10	5	10	7	11	28	27	30	7	-	2
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford, males	48	8	3	14	16	13	17	12	38	63	45	4	-	4
females	35	11	1	9	18	23	19	16	35	42	36	11	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot, males	107	41	16	19	56	47	48	59	99	109	59	12	1	5
females	83	29	14	30	57	47	46	48	73	102	56	16	-	3
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Piscataquis, males	17	7	-	2	10	12	4	10	22	19	14	2	-	2
females	6	3	2	2	6	8	11	11	12	19	9	4	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc, males	22	11	3	7	8	12	12	16	21	32	24	2	-	-
females	17	7	4	7	11	8	6	14	25	35	27	7	1	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset, males	26	12	10	16	18	11	19	20	47	63	35	5	-	4
females	22	13	4	11	21	19	26	26	38	38	37	6	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waldo, males	17	5	1	7	5	13	10	15	34	42	33	6	-	1
females	11	5	4	6	12	7	3	23	22	34	34	7	-	1
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington, males	48	16	6	11	18	14	20	30	42	57	30	-	-	6
females	40	24	12	17	31	24	13	28	26	51	33	7	-	3
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York, males	90	41	9	31	29	23	46	52	52	94	52	10	-	2
females	82	32	10	21	33	32	51	53	76	123	76	21	2	4
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total, males	834	298	114	215	366	326	387	497	840	1010	589	88	3	62
females	639	282	119	248	427	355	366	495	714	895	658	156	5	19
not stated	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Grand total	1474	581	233	463	793	681	753	992	1554	1905	1247	244	8	81

No. 35.

and Months, by Counties.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
38	38	35	40	27	27	40	33	35	24	26	23	1	387	-
34	30	33	33	27	24	34	26	35	24	22	31	4	357	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	745
37	28	24	30	38	30	39	42	60	32	28	29	1	418	-
26	21	21	31	37	19	26	36	51	25	20	40	1	354	-
-	-	1	-	-	-	-	-	-	-	-	-	-	1	773
79	75	98	69	68	60	73	59	71	74	57	74	1	858	-
72	82	83	62	84	66	61	73	72	51	65	82	1	854	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,712
15	11	11	15	11	10	8	10	13	9	6	4	-	123	-
20	11	9	15	13	10	15	9	12	9	21	10	-	154	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	277
24	26	23	23	28	17	40	21	25	28	24	19	-	298	-
24	32	26	6	22	17	18	18	15	15	20	20	-	233	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	531
68	45	49	49	46	46	40	34	34	41	44	46	-	542	-
59	52	49	48	43	42	38	48	33	43	39	44	2	550	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,092
12	13	27	29	13	11	26	23	19	28	15	24	1	241	-
12	19	21	30	18	19	19	18	27	24	23	12	-	242	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	483
14	18	17	12	14	11	9	12	33	9	8	13	-	170	-
19	12	15	13	20	11	8	7	12	14	12	14	-	157	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	327
30	30	26	23	27	17	16	26	25	21	19	25	-	285	-
23	22	25	19	24	16	23	19	22	18	20	25	-	256	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	541
58	50	72	60	52	42	61	59	57	58	56	50	3	678	-
62	53	52	55	51	41	47	45	48	44	46	59	1	604	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,282
11	14	7	8	10	11	12	9	11	7	14	7	-	121	-
9	7	2	10	8	7	7	5	6	13	8	11	-	93	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	214
10	17	10	19	13	6	12	18	12	16	23	14	-	170	-
7	18	15	13	17	12	13	12	10	12	21	19	-	169	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	339
28	15	20	32	23	25	25	22	19	24	22	29	2	286	-
18	23	21	30	16	25	17	32	16	24	17	22	-	261	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	547
21	14	18	16	11	20	11	14	17	20	7	20	-	189	-
20	13	13	15	15	13	17	8	15	12	13	15	-	169	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	358
25	28	29	26	30	27	26	15	27	25	20	24	-	302	-
28	26	29	40	25	19	35	20	22	23	18	24	-	309	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	611
52	48	50	52	47	41	44	43	55	45	38	45	1	561	-
51	53	66	55	52	44	-	49	48	53	59	44	1	616	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,177
522	470	516	503	458	401	482	440	513	461	407	446	10	5,629	-
484	474	480	485	472	385	419	425	444	404	424	472	10	5,378	-
-	-	-	1	-	-	-	-	-	-	-	1	-	2	-
1006	944	996	989	930	786	901	865	957	865	831	919	20	11,009	11,009

TABLE No. 36.

Number of Deaths from Several Specified Causes of Each Sex, in Each Month, which were Registered during Twelve Years, 1892-1903.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
Totals	421	416	792	2,054	2,589	13,375	6,336	12,009	2,752	6,604
Males	191	203	359	1,009	1,466	5,806	-	5,861	1,302	3,203
Females	229	213	433	1,044	1,122	7,568	-	6,146	1,450	3,401
Not stated	1	-	-	1	1	1	-	2	-	-
January	35	30	72	214	205	1,151	78	1,927	358	616
February	33	33	62	178	174	1,081	65	1,637	332	585
March	48	57	71	131	220	1,357	78	1,712	341	565
April	41	39	60	133	157	1,270	97	1,492	315	566
May	64	35	58	153	154	1,305	93	1,171	269	550
June	45	33	72	113	133	1,125	169	639	177	515
July	47	21	69	118	125	1,075	894	297	131	489
August	26	18	30	110	207	1,004	2,088	246	39	549
September	10	27	68	150	324	960	1,637	357	125	528
October	29	35	56	230	379	1,030	711	586	189	526
November	22	48	57	265	265	949	141	801	190	516
December	21	40	65	257	240	1,055	82	1,136	232	596
Not stated	-	-	2	2	6	13	3	8	4	3

NOTES ON DEATHS AND THE CAUSES OF DEATH.

Death-rates.—The number of deaths registered in the year 1903 was 11,009 (12,147 in 1892, 11,134 in 1893, 11,012 in 1894, 10,464 in 1895, 10,626 in 1896, 11,236 in 1897, 10,956 in 1898, 11,370 in 1899, 11,389 in 1900, 11,133 in 1901, and 10,673 in 1902). The number of deaths for this registration year was, therefore, 336 more than for 1902, 124 less than for 1901, 380 less than for the year 1900, 361 less than for 1899, 53 more than for 1898, 227 less than for 1897, 383 more than for 1896, 545 more than in 1895, 3 less than in 1894, 125 less than in 1893, 1,138 less than for 1892. The death-rate for the State for the year 1903 was 15.85 for every 1,000 of population (18.37 in 1892, 16.84 in 1893, 16.66 in 1894, 15.83 in 1895, 16.07 in 1896, 16.99 in 1897, 16.57 in 1898, 16.45 in 1899, 16.40 in 1900, 16.03 in 1901, and 15.37 in 1902).

By referring to Table No. 4, it will be seen that the death-rate of Piscataquis county was lower than that of any other county, being only 12.99. The counties Androscoggin, Aroostook, Franklin, Hancock, Piscataquis, Waldo, and Washington had lower death-rates than that of the whole State; while the counties Cumberland, Kennebec, Knox, Lincoln, Oxford, Penobscot, Sagadahoc, Somerset, and York had death-rates larger than that of the State. The highest county death-rate was that of Kennebec, 18.47.

The death-rate in the cities was 17.16 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, 18.36 in 1895, 18.78 in 1896, 20.11 in 1897, 19.74 in 1898, 18.10 in 1899, 18.34 in 1900, 17.90 in 1901, and 17.03 in 1902) as compared with that of the rest of the State with the cities omitted, which death-rate was 13.39 (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, 14.77 in 1895, 14.93 in 1896, 15.68 in 1897, 15.24 in 1898, 15.52 in 1899, 15.47 in 1900, 15.13 in 1901, and 14.58 in 1902).

Seasons and Mortality.—The largest number of deaths occurred in January, 1,006. The smallest number of deaths in any one month was 786 in June. During the spring months 2,915 deaths occurred; during the summer, 2,552; during the

autumn, 2,653; in the winter, 2,869. The following shows the month in which the largest and smallest number of deaths occurred in the years 1892-1903:

Largest Number.			Smallest Number.	
1892	January	1,577	November.....	790
1893	August.....	1,080	November.....	796
1894	January	1,266	November.....	761
1895	March	1,053	June	715
1896	August.....	1,079	November.....	667
1897	March.....	1,259	June	769
1898	September	1,147	June	791
1899	February	1,049	June	768
1900	April.....	1,196	November.....	769
1901	March.....	1,132	June	739
1902	December	998	June	805
1903	January	1,006	June	786

The following is a tabular statement of the number of deaths in each quarter of the twelve years 1892-1903:

	1st Quarter.	2d Quarter.	3d Quarter.	4th Quarter.
1892	3,964	2,926	2,780	2,427
1893	2,653	2,825	2,878	2,750
1894	3,166	2,660	2,774	2,402
1895	2,780	2,412	2,764	2,503
1896	2,728	2,717	2,836	2,339
1897	3,026	2,681	2,856	2,671
1898	2,567	2,641	2,964	2,782
1899	3,416	2,632	2,767	2,544
1900	2,879	3,057	2,909	2,536
1901	3,178	2,688	2,637	2,610
1902	2,787	2,503	2,585	2,774
1903	2,946	2,705	2,723	2,615

Table No. 29 exhibits the total number of deaths which occurred in each month of the years 1896-1903. The number of deaths for 1903 in each month by counties is shown in Table No. 35.

Sex and Mortality.—Of the 11,009 decedents, 5,629 were males and 5,378 were females. The sex of two was unstated.

Among children dying before they were 5 years old, 1,132 were males and 921 were females; there were 211 more deaths among boys under 5 years of age than among girls within the same age-period. On the contrary, at the age-periods from 10 to 50 years there was a preponderance of deaths among females, while there were more deaths among males at the ages from 50 to 90. At the age of 100 years and over, 8 persons died, 5 women and 3 men. See Table No. 35.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under 1	year of age	1,474	13.39 per cent.
From 1-5	years of age	581	5.28 per cent.
From 5-10	years of age	233	2.12 per cent.
From 10-20	years of age	463	4.21 per cent.
From 20-30	years of age	793	7.20 per cent.
From 30-40	years of age	681	6.19 per cent.
From 40-50	years of age	753	6.84 per cent.
From 50-60	years of age	992	9.01 per cent.
From 60-70	years of age	1,554	14.11 per cent.
From 70-80	years of age	1,905	17.30 per cent.
From 80-90	years of age	1,247	11.33 per cent.
From 90-100	years of age	244	2.22 per cent.
Over 100	years of age	8	0.07 per cent.
Agnes not stated		81	0.73 per cent.

The Causes of Death.—The following table shows the mortality from ten prominent causes in the eight years 1896-1903. The various diseases of the brain have occupied the first place among the causes of death, and consumption was the next most prominent cause until 1898 when it was reduced to the third place in the list; in 1899 and 1900 it occupied the fourth place; in 1901, the third place; in 1902, the fourth place, which it still keeps this year. Diseases of the heart have the second place, and pneumonia has the third place.

MORTALITY FROM TEN PROMINENT CAUSES—1896-1903.

CAUSES OF DEATH.	1903.	1903.	1902.	1901.	1900.	1899.	1898.	1897.	1896.
Brain disease*	1,348	1	1	1	1	1	1	1	1
Heart disease	1,153	2	2	2	3	3	2	3	3
Pneumonia	999	3	3	4	2	2	4	4	4
Consumption	901	4	4	3	4	4	3	2	2
Old age	663	5	5	5	5	5	6	5	5
Kidney disease†	625	6	7	8	8	8	8	8	8
Cancer	598	7	6	6	7	7	7	7	7
Infantile diarrhea	403	8	8	7	6	6	5	6	6
Bronchitis	209	9	9	9	9	9	10	10	
Diphtheria and croup	115	10	10	10	10	10	9	9	10

* Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain, and its membranes, and other brain diseases.

† Including deaths certified as from nephritis, Bright's disease, albuminuria and uremia.

By referring to Table No. 30 it will be noticed that the causes of death are arranged by counties under fourteen classes. The following notes on some of the classes and individual causes of death will be arranged in accordance with the classification shown in this Table No. 30.

Infectious Diseases.—The lists of the infectious diseases usually include smallpox, measles, scarlet fever, typhoid fever, whooping cough, diphtheria and croup. The following table shows the number of deaths which resulted from these diseases in the several counties of the State:

SIX INFECTIOUS DISEASES BY COUNTIES—1903.

COUNTIES.	Population in 1900.	Aggregate deaths from six infectious diseases—1903.	Infectious death-rate per 10,000—1903.
Androscoggin.....	54,242	32	5.90
Aroostook.....	60,744	46	7.57
Cumberland.....	100,689	77	7.65
Franklin.....	18,444	8	4.34
Hancock.....	37,241	7	1.88
Kennebec.....	59,117	97	16.41
Knox.....	30,405	6	1.97
Lincoln.....	19,669	10	5.08
Oxford.....	32,238	14	4.34
Penobscot.....	76,246	54	7.08
Piscataquis.....	16,949	7	4.13
Sagadahoc.....	20,330	17	8.36
Somerset.....	33,849	31	9.16
Waldo.....	24,185	4	1.65
Washington.....	45,232	34	7.52
York.....	64,885	67	10.33
State.....	694,466	511	7.36

In the foregoing table the second column shows for each county the whole number of deaths in 1903 from the infectious diseases; the third column shows the infectious death-rate for the same year. The following table makes a similar comparative exhibit for the cities:

SIX INFECTIOUS DISEASES BY CITIES—1903.

CITIES.	Population in 1900.	Aggregate deaths from six infectious diseases—1903.	Infectious death-rate per 10,000—1903.
Auburn	12,951	4	3.09
Augusta	11,683	42	35.95
Bangor	21,850	14	6.41
Bath	10,477	8	7.64
Belfast	4,615	2	4.33
Biddeford	16,145	30	18.58
Brewer	4,835	-	-
Calais	7,655	8	10.45
Eastport	5,311	1	1.88
Ellsworth	4,297	2	4.65
Gardiner	5,501	9	16.36
Hallowell	2,714	4	14.74
Lewiston	23,761	15	6.31
Old Town	5,763	15	26.03
Portland	50,145	41	8.17
Rockland	8,150	1	1.23
Saco	6,122	8	13.07
South Portland	6,287	8	12.72
Waterville	9,477	24	25.32
Westbrook	7,283	7	6.86
Collectively	225,022	241	10.71

By consulting the following table it will be seen that the number of deaths from typhoid fever, influenza, whooping cough, measles, scarlet fever, and tetanus was larger than in 1902. There was a smaller number of deaths from malarial diseases and smallpox. The number of deaths from diphtheria and croup was the same in both years.

INFECTIOUS DISEASES—1896-1903.

DISEASES.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	Total.
Smallpox.....	-	-	-	3	2	-	12	7	24
Chickenpox.....	-	-	-	-	1	-	-	-	1
Measles.....	32	22	41	39	84	26	28	36	308
Rotheln (German Measles).....	9	-	-	-	1	-	-	-	10
Scarlet fever.....	33	58	43	48	35	18	13	18	246
Influenza (Grippe).....	117	294	145	380	236	266	122	196	1,756
Whooping cough.....	111	46	44	96	99	28	51	110	585
Mumps.....	-	-	3	1	-	-	-	1	5
Diphtheria and croup.....	174	276	240	152	155	127	115	115	1,354
Cerebro-spinal meningitis.....	33	36	43	50	42	44	33	-	281
Tetanus.....	8	2	4	11	7	5	7	11	55
Typhoid fever.....	186	151	216	195	196	224	162	225	1,555
Malarial disease.....	12	7	8	10	13	11	20	9	90

Smallpox.—There were 7 deaths from smallpox in 1903. This number of deaths occurred among 2,096 cases, as near as the number of cases could be counted up. The most of these cases were in the lumber camps and in the northern part of the State. In 1902, smallpox was the cause of 12 deaths; in 1901, 0; in 1900, 2; in 1899, 3. No deaths were due to this disease from 1892, when our system of registration of deaths went into effect, until 1899.

Measles.—This disease caused the death of 36 persons, of whom 16 were males, and 20 were females. The deaths from measles were 29 in 1892, 55 in 1893, 21 in 1894, 8 in 1895, 32 in 1896, 22 in 1897, 41 in 1898, 39 in 1899, 84 in 1900, 26 in 1901, and 28 in 1902.

MEASLES BY COUNTIES, MONTHS, AND AGE-PERIODS—1896-1903.

BY COUNTIES.		By months.		By age-periods.	
Androscoggin	27	January	21	Under 1	82
Aroostook	55	February	27	1-5	111
Cumberland	38	March	28	5-10	23
Franklin	5	April	25	10-20	25
Hancock	14	May	48	20-30	19
Kennebec	23	June	35	30-40	18
Knox	7	July	36	40-50	11
Lincoln	3	August	21	50-60	3
Oxford	14	September	8	Over 60	15
Penobscot	35	October	25	Not stated	1
Piscataquis	10	November	18	Total	308
Sagadahoc	5	December	16		
Somerset	27	Total	308		
Waldo	8				
Washington	13				
York	24				
State	308				

Scarlet Fever.—The total mortality from this disease was 18 (36 in 1892, 80 in 1893, 29 in 1894, 25 in 1895, 33 in 1896, 38 in 1897, 43 in 1898, 48 in 1899, 35 in 1900, 18 in 1901, and 13 in 1902), 9 males and 9 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was 12 in March. There were 13 deaths in the first quarter, 1 in the second, 0 in the third, and 4 in the last quarter of the year.

Androscoggin county had 2 deaths from scarlet fever; Aroostook, 3; Kennebec, 11; Lincoln, 1; and York, 1. In eleven counties no deaths occurred. Of the 18 deaths from this cause, 12 were in the cities.

The following is the exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the eleven years 1893-1903:

**SCARLET FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS
—1893-1903.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin	27	January 24
Aroostook	62	February
Cumberland	41	March
Franklin	7	April
Hancock	14	May
Kennebec	40	June
Knox	22	July
Lincoln	2	August
Oxford	5	September
Penobscot	38	October
Piscataquis	10	November
Sagadahoc	10	December
Somerset	11	Total
Waldo	14	380
Washington	19	
York	58	
State	380	
		Under 1..... 34
		1-5..... 176
		5-10.... 112
		10-20..... 43
		20-30..... 10
		30-40..... 2
		40-50..... 1
		50-60..... 1
		Not stated
		1
		Total..... 380

The scarlatinal death-rate per 10,000 for this State was 0.26; for the cities, 0.53.

Grippe.—During the year for which this report is made, 196 deaths were attributed to grippe. By months the percentage distribution of deaths from this cause was as follows: January, 6.12; February, 11.23; March, 19.39; April, 21.94; May, 11.74; June, 6.12; July, 5.10; August, 2.04; September, 3.57; October, 1.53; November, 3.57; December, 7.65. The following shows the age incidence of deaths reported as having occurred from grippe:

Under 1 year,	29	50-60 years,	8
1-5 years,	10	60-70 years,	18
5-10 years,	1	70-80 years,	53
10-20 years,	4	Over 80 years,	62
20-30 years,	3		—
30-40 years,	4	Total,	196
40-50 years,	4		

The grippe death-rate for the whole State was 2.82 for each 10,000 of living population (11.43 in 1892, 2.31 in 1893 4.46 in 1894, 2.30 in 1895, 1.77 in 1896, 4.45 in 1897, 2.19 in 1898, 5.50 in 1899, 3.40 in 1900, 3.83 in 1901, and 1.87 in 1902).

DEATHS FROM GRIPPE BY COUNTIES AND MONTHS—1903.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin	-	1	2	3	2	-	1	1	1	-	-	2	13
Aroostook	3	1	2	6	5	1	4	2	2	2	1	4	33
Cumberland	1	2	6	2	1	1	-	-	-	-	2	3	18
Franklin	-	-	1	3	-	-	-	-	-	-	-	-	4
Hancock	1	3	3	2	2	-	1	-	1	-	-	-	13
Kennebec	1	3	-	5	1	2	1	-	1	-	-	1	15
Knox	-	1	6	5	2	-	-	-	-	-	1	-	15
Lincoln	-	-	1	1	1	2	-	-	-	-	-	-	5
Oxford	4	4	4	3	1	-	-	-	-	-	-	1	17
Penobscot	-	1	-	1	6	1	2	-	-	-	1	-	12
Piscataquis	-	-	2	-	-	-	-	-	-	-	-	-	2
Sagadahoc	-	1	-	1	-	-	1	-	-	-	-	-	3
Somerset	-	-	2	1	-	-	-	-	-	1	-	-	4
Waldo	-	2	-	1	-	-	-	-	2	-	-	2	7
Washington	2	-	3	3	1	3	-	-	-	-	-	-	12
York	-	3	6	6	1	2	-	1	-	-	2	2	23
State	12	22	38	43	23	12	10	4	7	3	7	15	196

Whooping Cough.—The number of deaths from whooping cough was 110 (54 in 1892, 51 in 1893, 20 in 1894, 82 in 1895, 111 in 1896, 46 in 1897, 44 in 1898, 96 in 1899, 99 in 1900, 28 in 1901, and 51 in 1902), of which 50 were males and 60 were females. The number of deaths in the cities was 61. Seventy-one of the 110 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping cough was 1.56 per 10,000, that of the cities, 2.71.

The following shows the deaths from whooping cough arranged by counties, months, and age-periods:

**WHOOPIING COUGH BY COUNTIES, MONTHS, AND AGE-PERIODS—
1903.**

BY COUNTIES.		By months.		By age-periods.	
Androscoggin	8	January	12	Under 1.....	71
Aroostook	2	February	15	1-5.....	36
Cumberland	18	March	15	5-10.....	2
Franklin	3	April	16	10-20.....	-
Hancock	-	May.....	7	20-30.....	1
Kennebec.....	14	June	11	Total.....	110
Knox	1	July.....	10		
Lincoln	2	August	4		
Oxford	1	September	4		
Penobscot	11	October.....	3		
Piscataquis	-	November.....	5		
Sagadahoc	3	December	7		
Somerset.....	3	Not stated	1		
Waldo	1	Total.....	110		
Washington	17				
York.....	26				
State	110				

Diphtheria.—There were, for the year 1903, 115 deaths from diphtheria, the same number as in 1902, (106 in 1892, 69 in 1893, 77 in 1894, 135 in 1895, 109 in 1896, 200 in 1897, 185 in 1898, 92 in 1899, 155 in 1900, and 127 in 1901). Of the decedents, 64 were males and 51 were females.

Ages: Under 1, 16; 1-5, 43; 5-10, 36; 10-20, 14; 20-30, 2; 30-40, 2; 50-60, 1; not stated, 1.

Of the 115 deaths, 44 were in the cities, and 71 in other places. The diphtheria death-rate for the State was 1.66, and for the cities, 1.96.

The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

DIPHtherIA BY COUNTIES AND MONTHS—1903.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	2	2	-	-	-	-	-	-	-	2	3	2	11	2.03
Aroostook	3	2	-	1	1	1	2	3	4	2	2	3	24	3.95
Cumberland	2	-	1	2	2	-	-	3	-	1	6	4	21	2.09
Franklin	-	-	-	-	-	-	1	-	1	-	-	-	2	1.08
Hancock	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec	1	-	2	-	-	-	-	-	3	3	-	2	11	1.86
Knox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	1	-	-	-	-	1	1	-	-	-	3	1.53
Oxford	-	1	-	-	-	-	-	-	-	-	1	-	2	0.62
Penobscot	-	-	-	-	-	-	-	-	-	1	3	1	5	0.66
Piscataquis	-	-	-	-	-	1	-	-	-	-	-	-	1	0.59
Sagadahoc	-	-	1	-	1	-	-	1	-	2	4	-	9	4.43
Somerset	-	-	1	-	2	2	-	2	1	-	2	1	11	3.25
Waldo	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington	1	-	-	-	-	-	-	-	-	1	1	-	3	0.66
York	3	1	-	1	2	2	-	-	-	-	3	-	12	1.85
State	12	6	6	4	8	6	3	10	10	12	25	13	115	1.66

The following tabulation shows the number of deaths from diphtheria for the eleven years 1893-1903, arranged by counties, months, and age-periods:

**DIPHTHERIA BY COUNTIES, MONTHS, AND AGE-PERIODS—
1893-1903.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin 246	January 194	Under 1 270
Aroostook 347	February 164	1-5 845
Cumberland 282	March 119	5-10 446
Franklin 36	April 118	10-20 192
Hancock 40	May 132	20-30 37
Kennebec 169	June 93	30-40 23
Knox 82	July 105	40-50 10
Lincoln 23	August 100	50-60 6
Oxford 38	September 131	60-70 5
Penobscot 106	October 205	Over 70 3
Piscataquis 12	November 247	Not stated 5
Sagadahoc 44	December 232	Total 1,842
Somerset 55	Not stated 2	
Waldo 26	Total 1,842	
Washington 61		
York 175		
State 1,842		

Typhoid Fever.—There were 225 deaths from typhoid fever. Of these, 137 were males and 88 were females. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value; 80 per cent. died between 10 and 50 years of age.

Ages: Under 1, 1; 1-5, 7; 5-10, 18; 10-20, 53; 20-30, 75; 30-40, 31; 40-50, 20; 50-60, 9; 60-70, 5; 70-80, 3; not stated, 1.

The largest number of deaths, 34, occurred in January, and the smallest number, 10, in August. By quarters, 94 were in the first quarter, 49 in the second, 36 in the third, and 46 in the last quarter of the year.

The typhoid death-rate of 5.11 in the cities is considerably greater than that in the villages and rural towns, which is 2.34. The rate for the State is 3.24.

The following exhibits the number of deaths from typhoid fever in each county, by months, with death-rate in each county:

TYPHOID FEVER—1903.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death rate per 10,000.
Androscoggin	-	-	2	-	-	-	-	1	1	-	-	1	5	0.92
Aroostook	-	1	-	-	2	-	1	-	1	1	2	1	9	1.48
Cumberland	2	6	5	5	3	4	1	1	2	-	1	3	33	3.28
Franklin	-	-	-	-	1	-	-	-	-	-	1	1	3	1.63
Hancock	-	-	-	1	-	1	-	-	1	1	-	1	5	1.34
Kennebec.....	18	14	14	5	2	2	2	-	-	1	1	-	59	0.99
Knox	1	1	1	-	-	1	-	-	-	1	-	-	5	1.64
Lincoln	1	-	1	-	-	-	1	-	1	-	-	-	4	2.03
Oxford	-	1	2	-	1	1	2	-	-	1	1	-	9	2.79
Penobscot	3	3	4	3	3	1	2	6	1	1	2	3	32	4.20
Piscataquis	1	-	-	1	-	-	-	1	-	-	1	1	5	2.95
Sagadahoc	-	-	1	-	1	1	-	-	-	-	1	1	5	2.46
Somerset.....	3	-	1	1	-	-	1	-	1	-	1	1	9	2.66
Waldo	-	-	-	-	-	-	-	-	2	-	-	-	2	0.83
Washington	1	-	1	1	-	-	1	-	1	3	1	3	12	2.65
York	4	1	1	3	4	1	1	1	3	6	1	2	28	4.32
State.....	34	27	33	20	17	12	12	10	14	15	13	18	225	3.24

The following exhibits for the eleven years 1893-1903, the distribution of deaths from typhoid fever by counties, months, and age-periods:

**TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—
1893-1903.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin 234	January 195	Under 1..... 15
Aroostook 187	February..... 171	1-5..... 91
Cumberland 336	March 208	5-10..... 135
Franklin 60	April 153	10-20..... 549
Hancock 99	May..... 141	20-30..... 724
Kennebec..... 267	June 122	30-40..... 342
Knox 59	July 117	40-50..... 221
Lincoln 48	August 192	50-60..... 126
Oxford 107	September 284	60-70..... 82
Penobscot 347	October 337	70-80..... 60
Piscataquis 40	November 226	Over 80 15
Sagadahoc 41	December..... 227	Not stated..... 19
Somerset..... 81	Not stated..... 6	Total..... 2,379
Waldo 51	Total 2,379	
Washington 125		
York 297		
State 2,379		

Malarial Diseases.—Nine deaths were registered as due to malarial diseases. In six cases the disease was contracted outside of this State; these persons having contracted the disease in the war of the rebellion. All of the decedents were males; their respective ages were: 50-60, 1; 60-70, 6; 70-80, 1; 80-90, 1.

Tuberculosis.—In 1903, tuberculosis in its various forms was the cause of 1,076 deaths (1,513 in 1892, 1,446 in 1893, 1,449 in 1894, 1,397 in 1895, 1,359 in 1896, 1,338 in 1897, 1,239 in 1898, 1,241 in 1899, 1,215 in 1900, 1,250 in 1901, and 1,165 in 1902). The death-rate per 10,000 from this cause was 15.49.

Cerebral Tuberculosis. (Tubercular Meningitis.)—The number of deaths was 53; 27 were of males and 26 of females.

The number for the cities was 21. The death-rate for the State was 0.76; for the cities, 0.93.

Ages: Under 1, 13; 1-5, 16; 5-10, 8; 10-20, 7; 20-30, 5; 30-40, 1; 40-50, 1; 50-60, 1; over 60, 1.

Pulmonary Tuberculosis. (Consumption.)—From this cause 901 deaths were registered in 1903, which is equivalent to a death-rate of 12.97 per 10,000 of population. The death-rate for the cities was 14.80. The following is a tabular arrangement of the number of deaths in the State from pulmonary tuberculosis in each of the twelve registration years, together with the death-rate from consumption for each year:

	Number of deaths.	Death-rate per 10,000.
1892.....	1,352.....	20.24
1893.....	1,299.....	19.35
1894.....	1,262.....	18.80
1895.....	1,195.....	17.71
1896.....	1,172.....	17.21
1897.....	1,128.....	16.47
1898.....	1,021.....	14.85
1899.....	1,015.....	14.69
1900.....	1,027.....	14.79
1901.....	1,033.....	14.87
1902.....	970.....	13.97
1903.....	901.....	12.97

There were in 1903, 451 fewer deaths than in 1892, 398 fewer than in 1893, 361 fewer than in 1894, 294 fewer than in 1895, 271 fewer than in 1896, 227 fewer than in 1897, 120 fewer than in 1898, 114 fewer than in 1899, 126 fewer than in 1900, 132 fewer than in 1901, 69 fewer than in 1902.

Ages: Under 1, 11; 1-5, 17; 5-10, 9; 10-20, 101; 20-30, 266; 30-40, 157; 40-50, 117; 50-60, 87; 60-70, 79; 70-80, 44; over 80, 9; not stated, 4.

It is thus shown in this report, as it was in the eleven preceding reports, that the smallest number of deaths occurred at the age-period 5-10 years, and that, of the decedents whose ages were given, 70 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 398 of the decedents, or 44.2 per cent., were males; and 503, or 55.8 per cent., were females.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

CONSUMPTION BY COUNTIES AND MONTHS—1903.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death rate per 10,000.
Androscoggin.....	2	4	5	2	5	6	4	4	2	2	3	3	1	55	10.14
Aroostook.....	6	4	4	7	4	6	3	3	4	2	2	2	-	47	7.74
Cumberland.....	13	13	16	5	14	15	10	6	13	2	11	15	-	139	13.80
Franklin.....	3	3	2	1	-	-	2	3	2	2	3	-	-	21	11.39
Hancock.....	6	5	5	5	10	1	2	5	3	3	7	3	-	55	14.77
Kennebec.....	8	8	5	13	6	6	6	8	5	7	7	11	-	90	15.22
Knox.....	2	2	6	11	5	1	2	3	3	4	4	7	-	50	16.44
Lincoln.....	2	4	4	2	1	1	3	1	3	3	5	1	-	30	15.25
Oxford.....	3	5	4	3	3	4	5	1	2	1	3	5	-	39	12.10
Penobscot.....	6	12	12	12	11	9	8	8	5	7	12	5	1	108	14.16
Piscataquis.....	2	3	-	2	2	1	3	1	-	1	-	1	-	16	9.44
Sagadahoc.....	2	2	1	4	1	1	3	5	-	2	2	2	-	25	12.30
Somerset.....	3	3	4	5	3	5	1	6	3	3	3	5	1	45	13.29
Waldo.....	3	3	2	3	4	2	1	2	1	2	1	4	-	34	14.06
Washington.....	6	5	12	3	6	3	8	4	6	6	5	2	-	66	14.59
York.....	5	9	16	4	9	9	9	3	3	6	4	4	-	81	12.48
State.....	78	85	134	88	84	70	70	63	55	59	72	70	3	901	12.97

The following table shows the deaths from pulmonary tuberculosis arranged according to sex and age-periods:

CONSUMPTION BY SEX AND AGE-PERIODS—1903.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	6	8	4	33	106	64	55	52	39	22	6	3	398
Females.....	5	9	5	68	160	93	62	35	40	22	3	1	503
Total.....	11	17	9	101	266	157	117	87	79	44	9	4	901

For the eleven years 1893-1903, the distribution of deaths from pulmonary tuberculosis is shown by counties, months, and age-periods in the following table:

**CONSUMPTION BY COUNTIES, MONTHS, AND AGE-PERIODS
1893-1903.**

By COUNTIES.	By months.	By age-periods.
Androscoggin 924	January 1,006	Under 1..... 173
Aroostook 754	February 974	1-5..... 178
Cumberland 1,754	March 1,227	5-10..... 109
Franklin 295	April 1,143	10-20..... 1,447
Hancock 669	May..... 1,173	20-30..... 3,552
Kennebec 1,073	June 1,011	30-40..... 2,247
Knox 625	July..... 973	40-50..... 1,398
Lincoln 349	August 899	50-60..... 1,064
Oxford 460	September 862	60-70..... 945
Penobscot 1,360	October..... 905	70-80..... 661
Piscataquis 253	November..... 873	80 and over..... 189
Sagadahoc 347	December 964	Not stated..... 60
Somerset..... 608	Not stated..... 13	Total 12,023
Waldo 513	Total 12,023	
Washington 890		
York 1,149		
State 12,023		

Tuberculosis Mesenteric.—There were 54 deaths from this cause, 25 males and 29 females.

Ages: Under 1, 3; 1-5, 1; 5-10, 2; 10-20, 7; 20-40, 20; 40-60, 8; over 60, 12; not stated, 1.

Tuberculosis, Other Forms.—Of these deaths, 68 in all, the cause assigned was: tuberculosis or general tuberculosis, 39; tuberculosis of larynx, 7; tuberculosis of kidneys, 2; cold abscess, 4; tuberculosis of joints, 6; Pott's disease, 5; and others, 5.

There were 19 deaths from erysipelas; 39 from pyemia and septicemia, and 23 from puerperal fever—giving a special death-rate of 1.17. The following shows the distribution of puerperal fever by months and counties:

January.....	3	Androscoggin	2
February.....	1	Aroostook	2
March.....	1	Cumberland	6
April.....	2	Franklin	0
May.....	0	Hancock	0
June.....	3	Kennebec	1
July.....	2	Knox	4
August.....	1	Lincoln	0
September.....	2	Oxford	4
October.....	3	Penobscot	0
November.....	1	Piscataquis	0
December.....	4	Sagadahoc	1
		Somerset	1
Total.....	23	Waldo	1
		Washington	0
		York	1
		Total	23

Twenty-three deaths were returned under alcoholism. The special death-rate from alcoholism was 0.33.

Rheumatism.—The returns give 58 deaths from this cause (68 in 1892, 46 in 1893, 66 in 1894, 56 in 1895, 44 in 1896, 42 in 1897, 57 in 1898, 56 in 1899, 56 in 1900, 53 in 1901, and 45 in 1902), 31 males and 27 females. Twenty of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.84, while that in the cities was 0.89. The following shows the deaths from this cause arranged by counties, months, and age-groups:

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS—1903.

BY COUNTIES.		By months.		By age-periods.	
Androscoggin	4	January	8	Under 1	-
Aroostook	2	February	6	1-5	2
Cumberland	6	March	6	5-10	2
Franklin	1	April	3	10-20	9
Hancock	4	May	4	20-30	4
Kennebec	5	June	3	30-40	4
Knox	4	July	6	40-50	1
Lincoln	4	August	5	50-60	4
Oxford	1	September	2	60-70	13
Penobscot	10	October	2	70-80	14
Piscataquis	3	November	10	Over 80	5
Sagadahoc	-	December	3	Total	58
Somerset	3	Total	58		
Waldo	1				
Washington	5				
York	5				
State	58				

The following shows the distribution of deaths from rheumatism by counties, months, and age-groups for the eleven years 1893-1903:

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS
—1893-1903.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 31	January 53	Under 1 year 1
Aroostook 35	February 56	1-5. 7
Cumberland 82	March 56	5-10..... 18
Franklin 8	April 45	10-20..... 48
Hancock 28	May..... 60	20-30..... 44
Kennebec..... 54	June 33	30-40..... 36
Knox 27	July 48	40-50..... 40
Lincoln 21	August 47	50-60..... 87
Oxford 33	September 29	60-70..... 133
Penobscot 71	October 43	70-80..... 118
Piscataquis..... 14	November..... 51	Over 80 46
Sagadahoc 20	December..... 56	Not stated..... 2
Somerset..... 32	Not stated. 3	Total..... 580
Waldo 29	Total 580	
Washington..... 35		
York..... 60		
State 580		

Cancer.—From cancer in its various forms and locations, there were 598 deaths, (404 in 1892, 433 in 1893, 474 in 1894, 480 in 1895, 518 in 1896, 463 in 1897, 531 in 1898, 541 in 1899, 526 in 1900, 570 in 1901, and 615 in 1902). Of the decedents, 210 were males and 388 females. The cancer death-rate for the State was, therefore, 8.61.

Distributed as to its more frequent locations, there died of cancer of the stomach, 132; uterus, 91; liver, 88; intestines, 65; breast, 54; skin, 21; mouth, 19; neck, 12; kidneys, 10; rectum, 10; throat, 8; abdomen, 8; bladder, 6; pancreas, 3; eye, 2; femur, 2; groin, 2; larynx, 2; leg, 2; lungs, 2; various, 25; parts unspecified, 34.

The deaths from cancer, arranged by sex and age-periods of the decedents, is exhibited in the following:

CANCER BY SEX AND AGE-PERIODS—1903.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
	Males	-	1	-	1	7	7	17	31	59	66	18	3
Females	-	-	-	3	5	21	54	91	103	79	31	1	388
Total..	-	1	-	4	12	28	71	122	162	145	49	4	598

The distribution of cancer by counties and age-groups, and the special death-rate for each county are shown in the following for 1903, and for the eleven years 1893-1903 :

CANCER—1903 AND 1893-1903.

COUNTIES.	1903.		1893-1903.		AGE-GROUPS.	NUMBER OF DEATHS.	
	Number of deaths.	Death rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.		1903.	1893-1903.
Androscoggin	43	7.93	439	7.36	Under 1 year.....	-	6
Aroostook	23	3.79	201	3.61	From 1-5 years.....	1	9
Cumberland	119	11.82	1,021	9.22	“ 5-10 “	-	9
Franklin	19	10.30	186	9.17	“ 10-20 “	4	26
Hancock	26	6.98	292	7.13	“ 20-30 “	12	85
Kennebec	51	8.63	512	7.87	“ 30-40 “	28	297
Knox	21	6.91	287	8.58	“ 40-50 “	71	712
Lincoln	24	12.20	210	9.71	“ 50-60 “	122	1,229
Oxford	25	7.75	261	7.36	“ 60-70 “	162	1,532
Penobscot	75	9.84	603	7.19	“ 70-80 “	145	1,303
Piscataquis	6	3.54	101	5.42	Over 80 years	49	507
Sagadahoc	17	8.36	175	7.82	Not stated	4	34
Somerset.....	24	7.09	395	8.19	Total	598	5,749
Waldo	20	8.27	234	8.80			
Washington	35	7.74	312	6.27			
York.....	70	10.79	610	8.55			
State.....	598	8.61	5,749	7.53			

Diabetes.—The deaths from this cause numbered 92 (55 in 1892, 65 in 1893, 71 in 1894, 77 in 1895, 67 in 1896, 95 in 1897, 88 in 1898, 95 in 1899, 74 in 1900, 87 in 1901, and 83 in 1902). The special death-rate from diabetes was, therefore, 1.32 in 1903. Thirty-nine of the decedents were males and 53 were females.

Ages: 1-5, 1; 5-10, 1; 10-20, 5; 20-30, 4; 30-40, 8; 40-50, 12; 50-60, 18; 60-70, 23; 70-80 15; 80-90, 5.

Old Age.—There were registered 663 deaths as due to old age, 282 men and 381 women. Of these decedents, 151 were from 70 to 80 years of age; 372 were from 80 to 90; 126 were from 90 to 100, while 7 were over 100 years old; and the ages of 7 were unknown.

From Table No. 35, however, it will be seen that the whole number of persons who died at the ages between 70 and 100 years or more was 3,404 (3,801 in 1892, 3,147 in 1893, 3,242 in 1894, 2,897 in 1895, 3,045 in 1896, 3,232 in 1897, 3,109 in 1898, 3,378 in 1899, 3,355 in 1900, 3,332 in 1901, and 3,289 in 1902), or one death in every three and one-tenth was of a person who was between 70 and 100 years of age or older. Assuming that all these 3,404 died of old age, the death-rate from old age would be 49.02 among every 10,000 living at all ages.

The following shows the number of deaths in each county of persons 70 years of age and over, and the number of their deaths in each 10,000 of the population at all ages:

OLD AGE—1903.

COUNTIES.	Deaths.	Rate per 10,000.	COUNTIES.	Deaths.	Rate per 10,000.
Androscoggin.....	221	40.74	Oxford.....	201	62.35
Aroostook.....	125	20.58	Penobscot.....	355	46.56
Cumberland.....	469	46.58	Piscataquis.....	67	39.53
Franklin.....	99	53.68	Sagadahoc.....	128	62.96
Hancock.....	199	53.44	Somerset.....	184	54.36
Kennebec.....	331	55.99	Waldo.....	156	64.50
Knox.....	170	55.91	Washington.....	182	40.24
Lincoln.....	139	70.67	York.....	378	58.26

Centenarians.—Among the persons whose decease occurred in 1903, eight had exceeded the age of 100 years. Five of these persons were women and three were men. Their names, together with a few facts relating to the life history of each, are as follows:

April 19, Scott B. Anderson died at Bangor at the age of 113 years. He was a negro. He was born in Iowa. His father, Abraham Anderson, was born in Iowa. His mother's name was not given, but she was also a native of Iowa.

February 20, Helen C. Neagle died at Bath at the age of 106 years, 3 months, and 20 days. She was born in County Clare, Ireland. No record was given of parents' names, but they were born in Ireland.

September 17, Ruth Curtis died at Kennebunkport, at the age of 104 years, 9 months, and 7 days. She was born in Kennebunkport. Her father, Shadrick Averill, was a native of Kennebunkport, as was also her mother whose maiden name was Hannah Smith.

January 30, John Smith died at Linneus at the age of 102 years. He was a native of New Brunswick. Parentage was not given.

May 3, Jane Folsom died at Portland at the age of 100 years, 7 months, and 23 days. Her occupation was that of a nurse. She was born in Portland. Her father's name was Amos Folsom. Her mother's maiden name was Bethiah Newbegin. Birthplace of parents was not stated.

February 2, Mary F. Lane died at New Gloucester, at the age of 100 years, 3 months, and 5 days. Her birthplace was not given. No record of parents.

November 11, Josiah Hassen died at Vinalhaven, at the age of 100 years. He was born at Lincolnville. Parentage was not given.

December 5, Rebecca Goodrich died at Biddeford at the age of 100 years. She was born in Biddeford. Her father's name was Andrew Goodrich. Her mother's name was not given, nor the birthplace of either parent.

Diseases of the Nervous System and of Organs of Special Sense.—The number of deaths registered under the causes included in this group was 1,641 (1,459 in 1892, 1,451 in 1893,

1,543 in 1894, 1,585 in 1895, 1,520 in 1896, 1,661 in 1897, 1,607 in 1898, 1,728 in 1899, 1,652 in 1900, 1,615 in 1901, and 1,600 in 1902), or 23.63 to every 10,000 of population.

Inflammation of the Brain or Membranes.—The number of deaths was 243 (236 in 1892, 263 in 1893, 286 in 1894, 261 in 1895, 242 in 1896, 327 in 1897, 272 in 1898, 273 in 1899, 251 in 1900, 264 in 1901, and 211 in 1902), 132 males and 111 females. Of these, 112 were in the cities. The death-rate from the several diseases grouped under this head was 3.50.

Ages: Under 1, 80; 1-5, 70; 5-10, 22; 10-20, 22; 20-40, 20; 40-60, 19; over 60, 9; not stated, 1.

Apoplexy.—From this cause 712 deaths occurred (488 in 1892, 422 in 1893, 408 in 1894, 488 in 1895, 492 in 1896, 555 in 1897, 558 in 1898, 629 in 1899, 583 in 1900, 595 in 1901, and 674 in 1902), 364 males and 348 females. Of these, 231 were in the cities. The State's death-rate from apoplexy was, therefore, 10.25; that of the cities, 10.27.

The largest number of deaths from apoplexy, 191, occurred in the winter; the largest number in any one month was 67 in April.

In 1894, 1896, and 1900, the greatest mortality from this cause occurred in the spring; in 1892, 1893, 1895, 1897, 1899, and 1901, in the winter; in 1898, in the winter and spring; and in 1902, in the summer.

Conversely, the smallest number of deaths, 48, was in November; the smallest number in any one season was 167 in the fall months. Over 78 per cent. of the deaths were of persons 60 years of age and upward.

APOPLEXY BY COUNTIES AND MONTHS—1903.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	2	2	6	4	2	2	5	4	6	4	6	10	56	10.32
Aroostook	1	1	1	1	-	4	2	2	1	2	-	4	19	3.13
Cumberland	11	13	8	10	12	8	12	2	8	6	8	9	107	10.63
Franklin	2	-	1	1	-	3	-	-	1	-	3	1	12	6.51
Hancock	-	3	-	1	3	1	4	-	2	5	5	5	29	7.79
Kennebec	7	4	4	12	9	16	7	7	3	10	6	6	91	15.39
Knox	4	3	1	2	4	1	2	5	9	6	1	3	41	13.48
Lincoln	3	3	2	3	4	3	4	-	3	2	1	1	29	14.74
Oxford	5	3	2	2	-	-	2	3	3	3	2	4	29	9.00
Penobscot	6	5	7	8	7	4	6	4	8	5	4	6	70	10.10
Piscataquis	1	4	1	1	3	1	4	3	-	2	2	-	22	12.98
Sagadahoc	2	2	4	1	-	4	1	1	6	2	-	3	26	12.79
Somerset	2	1	1	6	4	4	5	6	2	5	2	8	46	13.59
Waldo	4	1	2	3	-	2	-	2	1	4	2	-	21	8.68
Washington	3	7	3	1	2	1	2	4	1	2	3	2	31	6.85
York	12	9	8	11	8	7	7	8	1	6	3	3	83	12.80
State	65	61	51	67	58	61	66	51	55	64	48	65	712	10.25

The following is a tabular exhibit, by sex and age-groups, of the deaths from apoplexy:

APOPLEXY BY SEX AND AGE-PERIODS—1903.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	2	2	-	2	6	11	24	35	81	122	77	2	364
Females	4	1	-	3	1	5	19	36	83	126	69	1	348
Total	6	3	-	5	7	16	43	71	164	248	146	3	712

APOPLEXY, 1903—1893-1903.

COUNTIES.	1903.		1893-1903.	
	Number of deaths.	Death rate per 10,000.	Number of deaths.	Death rate per 10,000.
Androscoggin	56	10.32	516	8.65
Aroostook	19	3.13	149	2.23
Cumberland	107	10.63	1,101	9.94
Franklin	12	6.51	157	7.74
Hancock	29	7.79	266	6.49
Kennebec.....	91	15.39	626	10.59
Knox	41	13.48	290	8.67
Lincoln	29	14.74	199	9.20
Oxford	29	9.00	293	8.26
Penobscot	70	10.10	593	7.07
Piscataquis.....	22	12.98	117	6.28
Sagadahoc	26	12.79	207	9.26
Somerset	46	13.59	323	8.67
Waldo.....	21	8.68	249	9.36
Washington	31	6.85	304	6.11
York	83	12.80	726	9.32
State	712	10.25	6,116	8.01

Softening of the Brain.—From cerebral softening there were 35 deaths—those of 23 males and 12 females.

Ages: From 5-10, 1; 40-50, 4; 50-60, 1; 60-70, 6; 70-80, 16; over 80, 7.

Paralysis.—Of the 223 deaths from paralysis, 101 persons were males and 122 were females.

Ages: Under 1, 3; 10-20, 1; 20-30, 2; 30-40, 6; 40-50, 16; 50-60, 26; 60-70, 57; 70-80, 72; 80-90, 36; over 90, 3; not stated, 1.

Epilepsy.—Twenty males and 14 females died of epilepsy, 34 in all.

Ages: Under 1, 1; 1-5, 1; 10-20, 7; 20-40, 8; 40-60, 6; over 60, 10; not stated, 1.

Tetanus.—This disease was the cause of 11 deaths (7 in 1892, 10 in 1893, 6 in 1894, 10 in 1895, 8 in 1896, 2 in 1897, 4 in 1898, 11 in 1899, 7 in 1900, 5 in 1901, and 7 in 1902). The decedents

were 7 males and 4 females. Of these 11 deaths from tetanus, 1 occurred in each of the months January, April, June, August, September, and November. In July, there were 5 tetanus deaths all from the 11th to the 27th.

Ages: Under 1, 1; 10-20, 2; 20-30, 3; 30-40, 1; 40-50, 2; 50-60, 1; over 60, 1.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, pericarditis, angina pectoris, and organic diseases of the heart, there were 1,153 deaths (816 in 1892, 875 in 1893, 940 in 1894, 948 in 1895, 1,036 in 1896, 1,062 in 1897, 1,132 in 1898, 1,028 in 1899, 1,045 in 1900, 1,076 in 1901, and 1,097 in 1902). The following exhibits the age and sex distribution of each form of disease for the year 1903:

DISEASES.	Under 1.	1-10.	10-20.	20-40.	40-60.	Over 60.	Unknown.	Males.	Females.	Total.
Pericarditis	-	-	2	-	-	4	-	4	2	6
Endocarditis	-	4	-	3	5	23	-	20	15	35
Organic diseases of heart.....	20	5	12	70	192	715	3	587	430	1,017
Angina pectoris.....	-	-	1	3	14	77	-	64	31	95
Total	20	9	15	76	211	819	3	675	478	1,153

For the year 1903, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and counties:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin.....	65	11.98	Oxford.....	69	21.40
Aroostook.....	43	7.08	Penobscot.....	119	15.61
Cumberland.....	188	18.67	Piscataquis.....	21	12.39
Franklin.....	22	11.93	Sagadahoc.....	47	23.12
Hancock.....	78	20.94	Somerset.....	55	16.25
Kennebec.....	101	17.08	Waldo.....	49	20.26
Knox.....	60	19.73	Washington.....	67	14.81
Lincoln.....	36	18.30	York.....	133	20.50
			State.....	1,153	16.60

As may be noted, Sagadahoc county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 16.60.

The whole number of deaths from diseases of the heart arranged by sex and age-groups was as follows:

HEART DISEASE BY SEX AND AGE-PERIODS—1903.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	9	2	-	8	9	21	42	90	192	200	100	2	675
Females	11	1	6	7	20	25	33	48	99	145	82	1	478
Total	20	3	6	15	29	46	75	138	291	345	182	3	1,153

Diseases of the Respiratory System.—Without the inclusion of tuberculosis, 1,348 persons died from the various respiratory diseases as tabulated on page 95 (1,769 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895, 1,141 in 1896, 1,347 in 1897, 1,124 in 1898, 1,455 in 1899, 1,513 in 1900, 1,405 in 1901, and 1,380 in 1902). From these diseases there were, therefore, 421 fewer deaths than in 1892, 59 fewer than in 1893, 36 more than in 1894, 183 more than in 1895, 207 more than in 1896, 1 more than in 1897, 224 more than in 1898, 107 fewer than in 1899, 165 fewer than in 1900, 57 fewer than in 1901, and 32 fewer than in 1902. Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis, and the other respiratory diseases, in 1903 the number of deaths was 872 smaller than in 1892, 457 smaller than in 1893, 325 smaller than in 1894, 111 smaller than in 1895, 64 smaller than in 1896, 226 smaller than in 1897, 104 larger than in 1898, 221 smaller than in 1899, 291 smaller than in 1900, 189 smaller than in 1901, and 101 smaller than in 1902.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1903 was 19.41 in each 10,000 of population, as compared with 19.87 in 1902, 20.23 in 1901, 21.79 in 1900, 20.91 in 1899, 17.00 in 1898, 20.38 in 1897, 17.26 in 1896, 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, 27.16 in 1892.

Pneumonia.—The number of deaths registered under this cause was 999 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894, 812

in 1895, 781 in 1896, 936 in 1897, 769 in 1898, 1,067 in 1899, 1,067 in 1900, 994 in 1901, and 987 in 1902), of which 501 were males, 497 were females, and 1 was not stated. The death-rate from this disease was, therefore, 14.39 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, 12.28 in 1895, 11.81 in 1896, 14.16 in 1897, 11.62 in 1898, 15.44 in 1899, 15.36 in 1900, 14.31 in 1901, and 14.21 in 1902). As 357 of the deaths occurred in the cities, the urban death-rate was 15.87.

The age distribution of pneumonia by sex and age-groups is shown in the following table:

PNEUMONIA BY SEX AND AGE-PERIODS—1903.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	78	44	10	12	33	40	48	45	66	77	46	2	501
Females	68	45	9	17	23	29	18	60	74	78	75	1	497
Not stated	1	-	-	-	-	-	-	-	-	-	-	-	1
Total	147	89	19	29	56	69	66	105	140	155	121	3	959

**PNEUMONIA BY COUNTIES AND MONTHS WITH DEATH-RATES
PER 10,000—1903.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	10	9	8	5	4	4	3	-	3	4	4	8	62	11.43
Aroostook	7	6	3	5	8	6	3	1	-	3	5	11	58	9.55
Cumberland	18	20	32	11	19	11	6	3	6	7	17	15	165	16.39
Franklin.....	7	5	4	3	3	-	2	-	1	3	2	3	33	17.89
Hancock	5	3	5	3	5	4	4	2	3	1	4	4	43	11.55
Kennebec.....	9	12	7	10	7	7	4	1	2	3	5	10	77	13.03
Knox ..	4	3	5	9	1	-	-	1	1	1	4	3	32	10.52
Lincoln	1	2	10	2	1	1	-	-	1	-	2	3	23	11.69
Oxford	8	6	4	5	10	3	1	2	1	2	4	8	54	16.75
Penobscot	22	21	22	14	13	10	5	2	4	5	15	20	153	20.07
Piscataquis ..	1	1	2	2	2	2	2	-	-	2	3	1	18	10.62
Sagadahoc	4	9	2	1	3	-	-	-	-	-	5	4	28	13.77
Somerset.....	9	5	7	10	6	3	1	4	3	4	3	3	58	17.13
Waldo	4	2	4	2	1	3	1	-	2	2	4	1	26	10.75
Washington.....	4	11	7	8	8	7	8	-	3	3	-	4	63	13.93
York.....	16	8	15	10	10	10	2	2	3	5	11	11	106	16.34
State	129	123	140	100	101	71	42	18	33	45	88	109	999	14.39

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the eleven years 1893-1903:

PNEUMONIA—1893--1903.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 768	January 1,561	Under 1..... 1,498
Aroostook 530	February 1,354	1-5..... 1,028
Cumberland 1,757	March 1,533	5-10..... 235
Franklin 292	April 1,352	10-20..... 395
Hancock 525	May 1,036	20-30..... 545
Kennebec 978	June 576	30-40..... 627
Knox 419	July 273	40-50..... 745
Lincoln 296	August 228	50-60..... 916
Oxford 557	September 325	60-70..... 1,470
Penobscot 1,261	October 532	70-80..... 1,785
Piscataquis 242	November..... 736	Over 80 1,288
Sagadahoc 285	December..... 1,064	Not stated 46
Somerset..... 522	Not stated..... 8	Total..... 10,578
Waldo 374	Total 10,578	
Washington 622		
York 1,150		
State 10,578		

Bronchitis.—From this cause, including both acute and chronic bronchitis, 209 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, 225 in 1895, 220 in 1896, 237 in 1897, 210 in 1898, 233 in 1899, 262 in 1900, 222 in 1901, and 241 in 1902). Among these decedents, 99 were males and 110 were females. Of these 209 deaths, 72 were in the cities. The largest number of deaths in any one month was 25 in January. In August occurred the smallest number of deaths, 8. The largest number of deaths in three consecutive months was 68 in January, February, and March; the smallest number in any three consecutive months was 30 in June, July, and August. The number of deaths by quarters was 68, 54, 32, and 53, and 2 not stated.

The bronchitis death-rate of the State was 3.01; of the cities, 3.20.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life.

Under 1 year,	62	40-50 years,	0
1-5 years,	26	50-60 years,	8
5-10 years,	0	60-70 years,	21
10-20 years,	2	70-80 years,	39
20-30 years,	1	Over 80 years,	49
30-40 years,	1		

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rates of counties and State:

BRONCHITIS—1903.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death rate per 10,000.
Androscoggin.....	4	2	1	-	2	3	3	-	2	2	1	2	1	23	4.24
Aroostook.....	2	1	2	2	1	1	-	1	-	-	3	2	-	15	2.47
Cumberland.....	1	1	4	3	2	-	1	-	1	-	2	1	-	16	1.59
Franklin.....	-	1	-	3	-	-	-	-	1	2	1	-	-	8	4.34
Hancock.....	1	1	1	1	1	-	-	-	2	1	-	-	-	8	2.15
Kennebec.....	6	7	1	4	6	1	-	1	-	-	3	1	1	31	5.24
Knox.....	1	-	1	1	1	-	1	-	-	-	1	1	-	7	2.30
Lincoln.....	-	2	1	-	-	1	-	-	-	-	-	-	-	4	2.03
Oxford.....	-	-	-	1	2	2	-	1	-	3	1	1	-	11	3.41
Penobscot.....	-	3	4	3	-	-	3	2	1	1	1	1	-	19	2.49
Piscataquis.....	1	-	-	-	1	-	-	-	-	-	-	-	-	2	1.18
Sagadahoc.....	-	3	2	-	-	-	1	-	-	1	3	1	-	11	5.41
Somerset.....	1	1	1	-	1	-	-	-	-	-	-	2	-	6	1.77
Waldo.....	1	-	1	1	-	-	1	-	-	-	1	1	-	6	2.48
Washington.....	1	-	1	1	2	-	1	1	1	1	1	2	-	12	2.65
York.....	6	-	1	1	4	2	1	2	4	4	3	2	-	30	4.62
State.....	25	22	21	21	23	10	12	8	12	15	21	17	2	209	3.01

Pleurisy.—Seventeen deaths were charged to this disease (18 in 1892, 19 in 1893, 15 in 1894, 19 in 1895, 19 in 1896, 26 in 1897, 17 in 1898, 24 in 1899, 28 in 1900, 24 in 1901, and 16 in 1902),—10 males and 7 females.

Ages: Under 1, 1; 1-5, 1; 10-20, 1; 20-30, 3; 30-40, 1; 40-50, 3; 50-60, 2; 60-70, 1; over 70, 4.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 1,087 (659 in 1892, 653 in 1893, 685 in 1894, 693 in 1895, 679 in 1896, 673 in 1897, 651 in 1898, 1,411 in 1899, 1,411 in 1900, 1,202 in 1901, and 973 in 1902), or a death-rate of 15.65. The distribution of these under their several causes will be found on page 96.

Diarrheal Diseases.—The total number of deaths caused by the diseases under this group was 566 (662 in 1892, 642 in 1893, 602 in 1894, 635 in 1895, 639 in 1896, 666 in 1897, 854 in 1898, 662 in 1899, 805 in 1900, 684 in 1901, and 476 in 1902). The death-rate for this group of diseases was 8.15 per 10,000.

Infantile Diarrhea.—This, as synonymous with cholera infantum or including it, was the cause of 403 deaths (546 in 1892, 507 in 1893, 468 in 1894, 523 in 1895, 520 in 1896, 528 in 1897, 669 in 1898, 565 in 1899, 680 in 1900, 567 in 1901, and 360 in 1902). A reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates, for this cause. There were in the first quarter of the year but 22 deaths from this cause; in the second quarter, 23; in the third quarter, 287; and in the fourth quarter, 70. The largest number of deaths occurred in September, 126.

Of the children dying from this cause, 57 per cent. were less than 6 months old, and another 29 per cent. were less than 1 year of age, making 86 per cent. of deaths within the first year of age.

Ages: Under 3 months, 99; 3-6 months, 133; 6-9 months, 76; 9-12 months, 41; 12-18 months, 38; 18 months-2 years, 15; not stated, 1.

In the classification of deaths from diarrheal diseases, only the deaths among children under 2 years of age are included under "infantile diarrhea." The deaths from diarrheal diseases, other than those under this cause, were: cholera morbus, 28; dysentery, 27; and diarrhea, 108.

Of the 403 deaths from infantile diarrhea, 146 were returned from the cities. This represents an urban death-rate from this cause of 6.49 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, 13.78 in 1895, 11.43 in 1896, 14.95 in 1897, 15.15 in 1898, 11.77 in 1899, 14.84 in 1900, 10.09 in 1901, and 6.89 in 1902), which is in contrast with 5.50, the rate for the villages and rural districts (5.33 in 1892, 4.95 in 1893, 4.47 in 1894, 5.44 in 1895, 6.36 in

1896, 5.05 in 1897, 8.00 in 1898, 6.47 in 1899, 7.37 in 1900, 7.24 in 1901, and 4.37 in 1902).

INFANTILE DIARRHEA BY COUNTIES AND MONTHS—1903.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death rate per 10,000.
Androscoggin.....	-	-	-	1	1	3	7	12	5	1	-	1	-	31	5.72
Aroostook.....	-	1	2	2	3	2	7	28	44	13	1	-	-	103	16.96
Cumberland.....	1	-	-	1	1	-	10	14	10	2	1	1	-	41	4.07
Franklin.....	-	-	-	-	-	-	-	2	1	1	1	-	-	5	2.71
Hancock.....	-	-	1	-	-	-	2	2	3	4	1	-	-	13	3.49
Kennebec.....	5	-	1	-	2	-	3	8	4	2	3	-	-	28	4.74
Knox.....	-	-	-	-	-	-	1	2	4	3	-	-	-	10	3.29
Lincoln.....	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.51
Oxford.....	-	1	1	-	1	1	-	6	9	3	-	-	-	22	6.82
Penobscot.....	1	-	3	1	1	-	4	14	19	8	2	2	1	56	7.34
Piscataquis.....	-	-	-	-	-	-	-	-	2	-	1	-	-	3	1.77
Sagadahoc.....	-	-	-	-	1	-	2	7	2	-	-	-	-	12	5.90
Somerset.....	-	-	-	1	-	-	3	6	3	3	-	-	-	16	4.73
Waldo.....	1	-	-	-	-	-	1	-	-	-	-	-	-	2	0.83
Washington.....	2	-	1	-	-	-	-	3	8	4	-	-	-	18	3.98
York.....	-	-	-	-	-	1	2	15	12	10	2	-	-	42	6.47
State.....	10	3	9	6	10	7	42	119	126	54	12	4	1	403	5.80

The preceding table exhibits the number of deaths from infantile diarrhea in 1903, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhea for the eleven years 1893-1903, by counties, months, and age-groups:

**INFANTILE DIARRHEA BY COUNTIES, MONTHS, AND AGE-PERIODS
— 1893-1903.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin 720	January 75	Under 6 months.... 3,086
Aroostook 1,023	February 62	6-12 months 1,913
Cumberland 711	March 77	1-2 years..... 769
Franklin 90	April 95	Over 2 years 5
Hancock 154	May 92	Unknown 17
Kennebec 591	June 151	Total..... 5,790
Knox 160	July 784	
Lincoln 38	August 1,893	
Oxford 162	September 1,685	
Penobscot 536	October 671	
Piscataquis 73	November..... 125	
Sagadahoc 122	December..... 77	
Somerset..... 156	Not stated..... 3	
Waldo 68	Total 5,790	
Washington 384		
York 802		
State 5,790		

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the eight years, 1896-1903:

INFANTILE DIARRHEA IN THE CITIES—1896-1903.

CITIES.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	Total.
Auburn	3	15	17	9	9	7	3	4	67
Augusta	34	31	20	24	19	18	11	12	169
Bangor	15	11	18	6	13	8	4	16	91
Bath	8	6	6	8	17	4	4	7	60
Belfast	3	-	1	1	4	-	1	-	16
Biddeford	44	61	50	39	43	48	42	19	346
Brewer	4	6	3	8	9	7	2	4	43
Calais.....	5	19	7	11	12	12	7	9	82
Eastport.....	-	3	13	5	15	15	-	3	54
Ellsworth	-	2	1	1	1	-	-	1	6
Gardiner	2	5	4	2	2	8	-	-	23
Hallowell	1	3	1	-	2	-	-	1	8
Lewiston	24	52	69	60	63	43	26	20	357
Old Town	5	7	11	11	11	9	11	4	69
Portland	25	31	40	36	70	19	18	24	263
Rockland.....	11	6	5	2	5	5	4	6	44
Saco	2	5	4	6	10	3	4	2	36
South Portland	-	-	-	3	7	1	3	1	15
Waterville	21	19	17	25	6	12	9	10	119
Westbrook	12	10	8	5	13	8	6	3	65
Total	219	292	295	282	331	227	155	146	1,927

Peritonitis.—There were 55 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, 125 in 1895, 116 in 1896, 117 in 1897, 102 in 1898, 83 in 1899, 105 in 1900, 99 in 1901, and 81 in 1902), 27 males and 28 females. Twenty-four of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

PERITONITIS—1903.

BY COUNTIES.		By months.	By age-periods.		
Androscoggin	3	January	3	Under 1.....	7
Aroostook	6	February.....	5	1-5.....	-
Cumberland	13	March	6	5-10.....	1
Franklin	-	April	5	10-20.....	7
Hancock	2	May.....	5	20-30.....	6
Kennebec.....	4	June	1	30-40.....	8
Knox.....	2	July.....	4	40-50.....	4
Lincoln	-	August	4	50-60.....	11
Oxford	1	September	6	60-70.....	6
Penobscot	8	October.....	4	70-80.....	3
Piscataquis	1	November.....	3	Over 80	2
Sagadahoc	2	December.....	9	Total.....	55
Somerset.....	2	Total	55		
Waldo.....	-				
Washington	2				
York.....	9				
State	55				

Appendicitis.—Of the deaths classified under this cause, 79 in number, 43 were males and 36 were females. The number of deaths in each month was: January, 9; February, 5; March, 4; April, 7; May, 10; June, 5; July, 11; August, 5; September, 4; October, 7; November, 6; December, 6.

Ages: 1-5, 5; 5-10, 13; 10-20, 22; 20-30, 15; 30-40, 11; 40-50, 4; 50-60, 1; 60-70, 4; over 70, 3; not stated, 1.

Cirrhosis of the Liver.—Sixty-four deaths were ascribed to cirrhosis of the liver—those of 39 men and 25 women. Of these 64 deaths, 26 were in the cities, and 38 in the rural parts of the State. The death-rate in the State from this one cause was 0.92 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, 0.50 in 1895, 0.33 in 1896, 0.45 in 1897, 0.58 in 1898, 0.52 in 1899, 0.79 in 1900, 0.63 in 1901, and 0.63 in 1902).

Diseases of the Genito-Urinary System and Its Adnexa.—There were 770 deaths referred to the diseases under this group, equivalent to a death-rate of 11.09.

Nephritis.—Acute nephritis caused the death of 52 persons, 26 males and 26 females. The death-rate from nephritis was, therefore, 0.75.

Ages: 1-5, 3; 5-10, 2; 10-20, 4; 20-30, 9; 30-40, 1; 40-50, 6; 50-60, 4; 60-70, 10; 70-80, 12; not stated, 1.

* *Bright's Disease*.—This was the cause of 573 deaths (204 in 1892, 217 in 1893, 219 in 1894, 234 in 1895, 282 in 1896, 231 in 1897, 250 in 1898, 262 in 1899, 443 in 1900, 471 in 1901, and 523 in 1902), 339 males and 234 females. Of these deaths, 227 were in the cities.

The sex and age-group distribution of Bright's disease is as follows:

BRIGHT'S DISEASE BY SEX AND AGE-PERIODS—1903.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	2	2	1	3	10	16	28	46	85	104	38	4	339
Females	1	1	2	7	13	23	32	38	54	42	21	-	234
Total....	3	3	3	10	23	39	60	84	139	146	59	4	573

This title includes: Chronic, albuminous, interstitial, or parenchymatous nephritis; albuminuria; amyloid or fatty degeneration of the kidney; amyloid kidney; steatosis of the kidney; renal sclerosis. Also include when their precise nature is not indicated; Uremia, uremic eclampsia; uremic delirium; uremic coma.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin	44	8.11	Oxford.....	29	9.00
Aroostook.....	15	2.47	Penobscot.....	53	6.95
Cumberland	128	12.71	Piscataquis	11	6.49
Franklin	12	6.51	Sagadahoc.....	30	14.76
Hancock	28	7.52	Somerset	25	7.39
Kennebec	37	6.26	Waldo	25	10.34
Knox	25	8.22	Washington.....	27	5.97
Lincoln.....	18	9.15	York.....	66	10.17
			State.....	573	8.25

The Puerperal State.—Under this class of accidents and diseases of reproduction, 94 deaths were registered, not including puerperal fever (69 in 1892, 50 in 1893, 41 in 1894, 36 in 1895, 56 in 1896, 62 in 1897, 51 in 1898, 40 in 1899, 50 in 1900, 52 in 1901, and 69 in 1902). This is equivalent to a special death-rate of 1.34.

Deaths from External Causes.—Under this class there were 516 deaths.

Fractures caused 40 deaths—fracture of skull, 12; of hip, 14; of thigh, 6; of spine, 1; of neck, 2; of legs, 1; and 4 were unspecified.

Burns and scalds caused 33 deaths—11 were from clothing taking fire; 5, scalded with hot water; 4, explosion of lamp; 1, lighting fire with kerosene; 1, falling into bonfire; 1, playing with matches; the rest unspecified.

Sunstroke caused 1 death. Four persons died from exposure to cold.

Dislocation and sprain caused 1 death.

From accidental drowning 127 deaths occurred.

Other accidental injuries caused the death of 155 persons; 51 were from railway injuries; 25, from falls; 19, from pistol and gunshot wounds; 12, run over by teams; 9, working in a mill;

6, from falling trees; 4, by electric cars; 2, from cuts; 1, a performer in a circus, from swallowing a sword; 1, thrown from a mowing machine; 1, caught in an elevator; 1, choked with an orange; 1, crushed beneath a boulder; and the rest were unspecified.

From acute poisoning there were 22 deaths.

Forty people met their death from other external violence, including 10 murders.

The death-rate in the State under this class was 7.43.

Suicide.—Within the year 77 persons took their own lives (59 in 1892, the same number in 1893, 39 in 1894, 66 in 1895, 81 in 1896, 71 in 1897, 56 in 1898, 93 in 1899, 66 in 1900, 81 in 1901, and 73 in 1902)—60 males and 17 females. Of the males, the occupation of 21 was farmer; of 8, laborer; of 3, shoemaker; of 3, mill operative; of 1, each, carpenter, gunner, U. S. N., jobber, lawyer, lumberman, marketman, mechanic, merchant, painter, palmist, photographer, printer, salesman, ship-joiner, student, tailor, veterinary surgeon, and woodworker; while of 7 no occupation was given.

Of the females, the occupation of 8 was registered as housewife; 4, as domestic; 2, as housekeeper; 1, as teacher; and not stated, 2.

As to the means employed: 21 committed suicide by hanging; 21, by shooting; 15, by drowning; 13, by poisoning; 4, by cutting throat; 2, by jumping from high places; and 1 by asphyxia.

SUICIDES BY AGES, MONTHS, AND COUNTIES—1903.

AGE-PERIODS.	Months.	Counties.	Rate per 10,000 of population.
10-20..... 2	January 8	Androscoggin.... 10	1.84
20-30..... 10	February 8	Aroostook..... 1	0.16
30-40..... 19	March 5	Cumberland 10	0.99
40-50..... 10	April 7	Franklin 4	2.17
50-60..... 19	May..... 9	Hancock 4	1.07
60-70..... 5	June 5	Kennebec 8	1.35
70-80..... 6	July 6	Knox 4	1.32
Over 80 3	August 6	Lincoln..... -	-
Not stated..... 3	September 8	Oxford..... 6	1.86
Total 77	October 6	Penobscot..... 8	1.05
	November..... 4	Piscataquis 1	0.59
	December..... 5	Sagadahoc 6	2.95
	Total 77	Somerset 2	0.59
		Waldo 3	1.24
		Washington..... 4	0.88
		York..... 6	0.92
		State..... 77	1.11

The youngest suicide was a girl of 17 years; the oldest, a man of 85 years. The largest number of suicides in any month was 9 in May. By quarters, the suicides were 21, 21, 20, and 15. The largest number in any county was 10 in Androscoggin and Cumberland, each. The highest death-rate from suicide was in Sagadahoc county. The rate for the State per 10,000 of population was 1.11.

LIST OF TABLES.

	PAGE
Table No. 1.—Deaths from some of the Leading Causes.....	6
Table No. 2.—Population of the State by counties, 1900 and 1890	7
Table No. 3.—Births, Marriages and Deaths, 1895-1903.....	7
Table No. 4.—Population of 1900; Births, Marriages and Deaths, with the rate of each to 1,000 of popu- lation for the year ending December 31, 1903	8
Table.—Summary of Births, Marriages, and Deaths.....	9
Table No. 5.—Births and Deaths in each County.....	10
Table No. 6.—Births and Deaths in the Cities.....	11
Table No. 7.—Births, Marriages, and Deaths by Counties and Towns	12-61
Table No. 8.—Births, Marriages, and Deaths by Counties....	62, 63
Table No. 9.—Births and Birth-Rates by Counties, for the years 1896-1903	64
Table No. 10.—Births, by Counties, showing the proportion of males to females, 1903.....	65
Table No. 11.—Number of Births in each month of 1896-1903, with Monthly ratio compared with a Standard of 100	66
Table No. 12.—Births by Sex and Months by Counties, 1903...	67
Table No. 13.—Births in Cities, for 1903, with rate per 1,000 of population	68
Table No. 14.—Percentage of American and Foreign Births by Counties, 1903	69
Table No. 15.—Percentage of American and Foreign Births by Cities, 1903	70
Table No. 16.—Twin Births by Months and Counties, 1903....	71
Table No. 17.—Twin Births by Sex and Parentage, by Counties, 1903	72
Table No. 18.—Still-Births by Sex and Parentage, by Counties, 1903	73
Table No. 19.—Still-Births by Seasons, 1903.....	74
Table No. 20.—Marriages and Marriage-Rates by Counties for the years 1896-1903.....	78
Table No. 21.—Marriages by Counties and Nativity, 1903.....	79
Table No. 22.—Marriages by Months and Counties, 1903.....	79

	PAGE
Table No. 23.—Number of Marriages in each month of 1896-1903, with Monthly Ratio compared with a Standard of 100.....	80
Table No. 24.—Marriages by Ages and Counties, 1903.....	81
Table No. 25.—Interesting Facts in Relation to Marriages.....	82, 83
Table No. 26.—Divorces decreed by the Supreme Court of Maine in the year 1903.....	86, 87
Table No. 27.—Divorces by Causes, sex of Libellants and the Number of years married, 1903.....	88
Table No. 28.—Deaths and Death-Rates by Counties, for the years 1896-1903	90
Table No. 29.—Number of Deaths in each Month of 1896-1903, with Monthly Ratio compared with a Standard of 100.....	91
Table No. 30.—The number of Deaths in the State, and in each County, arranged by Classes and Counties....	92-97
Table No. 31.—Deaths from All Causes, by Months.....	98-101
Table No. 32.—Deaths from All Causes, by Age-Groups, 1901-1903	102-117
Table No. 33.—Deaths in each Town from Special Causes, Mostly Infectious Diseases.....	118-147
Table No. 34.—Deaths in each Town from Certain Diseases and Groups of Diseases.....	148-185
Table No. 35.—Deaths by Ages, Sex, and Months, by Counties..	186-187
Table No. 36.—Number of Deaths from Several Specified Causes, of each sex, in each Month, which were registered during twelve years, 1892-1903	188
Table No. 37.—Mortality by Months, reduced to a Standard Mean of 100: Twelve years, 1892-1903.....	189
Table.—Mortality from Ten Prominent Causes, 1896-1903.....	193
Table.—Six Infectious Diseases by Counties, 1903.....	194
Table.—Six Infectious Diseases by Cities, 1903.....	195
Table.—Infectious Diseases, 1896-1903.....	196
Table.—Measles by Counties, Months, and Age-Periods, 1896-1903	197
Table.—Scarlet Fever by Counties, Months, and Age-Periods, 1893-1903	198
Table.—Grippe by Counties and Months, 1903.....	199
Table.—Whooping Cough by Counties, Months and Age-Periods, 1903	200
Table.—Diphtheria by Counties and Months, 1903.....	201
Table.—Diphtheria by Counties, Months and Age-Periods, 1893-1903	202
Table.—Typhoid Fever by Counties and Months, 1903.....	203
Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1893-1903	204

	PAGE
Table.—Consumption by Counties and Months, 1903.....	206
Table.—Consumption by Sex and Age-Periods, 1903.....	206
Table.—Consumption by Counties, Months, and Age-Periods, 1893-1903	207
Table.—Rheumatism by Counties, Months, and Age-Periods, 1903	209
Table.—Rheumatism by Counties, Months, and Age-Periods, 1893-1903	210
Table.—Cancer by Sex and Age-Periods, 1903.....	211
Table.—Cancer by Counties and Age-Periods, 1903 and 1893- 1903	211
Table.—Old Age by Counties, 1903.....	212
Table.—Apoplexy by Counties and Months, 1903.....	215
Table.—Apoplexy by Sex and Age-Periods, 1903.....	215
Table.—Apoplexy, 1903 and 1893-1903.....	216
Table.—Diseases of the Heart by Ages and by Sex.....	217
Table.—Diseases of the Heart by Counties.....	217
Table.—Heart Disease by Sex and Age-Periods, 1903.....	218
Table.—Pneumonia by Sex and Age-Periods, 1903.....	219
Table.—Pneumonia by Counties and Months with Death-Rates per 10,000, 1903.....	220
Table.—Pneumonia by Counties, Months, and Age-Periods, 1893- 1903	221
Table.—Bronchitis by Counties and Months, 1903.....	222
Table.—Infantile Diarrhea by Counties and Months, 1903.....	224
Table.—Infantile Diarrhea by Counties, Months, and Age- Periods, 1893-1903	225
Table.—Infantile Diarrhea in the Cities, 1896-1903.....	226
Table.—Peritonitis by Counties, Months, and Age-Periods, 1903	227
Table.—Bright's Disease by Sex and Age-Periods, 1903.....	228
Table.—Bright's Disease by Counties, 1903.....	229
Table.—Suicides by Ages, Months, and Counties, 1903.....	231

INDEX.

	PAGE
Age and Mortality.....	192
Appendicitis	227
Apoplexy	214
1903 and 1893-1903.....	216
by counties and months.....	215
by sex and age-periods, 1903.....	215
Birth-rate	75
Birth-rates	8, 9
Births and birth-rates, by counties and years.....	64
by counties, showing proportion of males to females.....	65
by seasons	76
by sex and months, by counties.....	67
in cities, for 1903, with rate.....	68
in each month, by years.....	66
notes on	75
parentage of	75
percentage of American and foreign, by cities.....	70
by counties.....	69
relation to deaths.....	10
twin	77
by months and counties.....	71
by sex and parentage.....	72
marriages and deaths, in each town.....	12-61
Brain or membranes, inflammation of.....	214
softening of the.....	216
Bright's Disease	228
Bronchitis	221, 222
Cancer	210
1903 and 1893-1903.....	211
by sex and age-periods, 1903.....	211
Centenarians	213
Cirrhosis of the liver.....	227
Consumption, by counties and months.....	206
by counties, months, and age-periods, 1893-1903..	207
by sex and age-periods, 1903.....	206

	PAGE
Deaths, age and mortality.....	192
causes of	192
by ages, sex and months, by counties.....	186, 187
months, reduced to a standard mean for twelve years..	189
in each town, from special causes.....	118-147
from certain diseases and groups of dis-	
eases	148-185
in the State and Counties, by classes and counties.....	92-97
from all Causes, by months.....	98-101
from all Causes, by age-groups, 1901-1903.....	102-117
from several specified causes in twelve years.....	188
notes on, and the causes of death.....	190
number in each month, by years.....	91
seasons and mortality.....	190
sex and mortality.....	192
and death-rates, by counties and years.....	90
Death-rates	8, 9
compared	192
Diabetes	212
Diarrheal Diseases	223
Digestive system, diseases of the.....	223
Diphtheria	200
by counties and months.....	201
by counties, months, and age-periods, 1893-1903....	202
Divorces by causes, sex of libellants, etc.....	88
decreed in 1903.....	86, 87
notes on	89
Epilepsy	216
External causes, deaths from.....	229
Genito-Urinary system and its adnexa, diseases of the.....	227
Grippe	198
deaths from, by counties and months.....	199
Heart, diseases of the.....	217
Infantile Diarrhea	223
by counties and months.....	224
by counties, months, and age-periods, 1893-	
1903	225
in cities, 1896-1903.....	226
Infectious diseases	193
1896-1903	196
six by cities.....	195
six by counties.....	194
Liver, cirrhosis of.....	227
Marriages, interesting facts relating to.....	82, 83
rates	8, 9, 84

	PAGE
Marriages, ages	84
and rates, by counties.....	78
by ages and counties.....	81
by counties and nativity.....	79
by months and counties.....	79
nativity	84
Marriages, notes on.....	84
number of, in each month, by years.....	80
seasons	84
Malarial diseases	204
Measles	196
by counties, months, and age-periods, 1896-1903.....	197
Mortality from ten prominent causes, 1896-1903.....	193
Nephritis	228
Nervous system, diseases of the.....	213
Old Age	212
Paralysis	216
Peritonitis	226
by counties, months, and age-periods, 1903.....	227
Pleurisy	222
Pneumonia	218
1893-1903	221
by counties and months, with death-rates.....	220
by sex and age-periods, 1903.....	219
Population	7
Puerperal fever, by months and counties, 1903.....	208
Puerperal state, the.....	229
Respiratory system, diseases of the.....	218
Rheumatism	208
by counties, months, and age-periods.....	209, 210
Scarlet fever	197
by counties, months, and age-periods.....	198
Sex and mortality.....	192
Smallpox	196
Still-births	77
by seasons	74
by sex and parentage.....	73
Suicide	230
by ages, months, and counties, 1903.....	231
Tetanus	216
Tuberculosis	204
mesenteric	207
other forms	207
pulmonary	205

	PAGE
Typhoid fever	202
by counties and months, 1903.....	203
by counties, months, and age-periods, 1893-1903..	204
Whooping cough	199
by counties, months, and age-periods.....	200