

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

FOURTEENTH ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES
AND DEATHS

IN THE

STATE OF MAINE

FOR THE

Year Ending December 31, 1905.

AUGUSTA
KENNEBEC JOURNAL PRINT
1907

DEPARTMENT OF VITAL STATISTICS.

OFFICE OF THE REGISTRAR,

AUGUSTA, MAINE, April 16, 1907.

To His Excellency, William T. Cobb, Governor, and the Honorable Executive Council:

GENTLEMEN:—In accordance with the provisions of the law, I have the honor of submitting to you the Fourteenth Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1905.

Very respectfully,

A. G. YOUNG, M. D.,

Registrar of Vital Statistics.

REGISTRATION REPORT, 1905.

This report presents the results of the registration and tabulation of the births, marriages, divorces, and deaths which occurred in the State of Maine during the year 1905.

The number of births registered in that year is 600 more than in the preceding year. The number of births recorded in each of the registration years, 1892-1905, is 14,028, 14,604, 14,607, 15,430, 15,429, 15,142, 15,121, 14,475, 14,709, 14,615, 15,166, 15,130, 15,405, and 16,005, respectively.

The number of marriages (number of couples married) in 1905 was 6,264 more than in the preceding year. The number of marriages registered in the State in each of the years 1892-1905 is respectively, 5,726, 5,795, 5,591, 5,729, 5,579, 5,331, 5,144, 5,329, 5,482, 5,735, 5,905, 6,200, 6,208, and 6,264.

The number of deaths recorded in the State for the same year was 11,381, a number 35 more than that of the deaths registered in the preceding year. The number of deaths in each year thus far recorded is: in 1892, 12,147; in 1893, 11,134; in 1894, 11,012; in 1895, 10,464; in 1896, 10,626; in 1897, 11,236; in 1898, 10,956; in 1899, 11,370; in 1900, 11,389; in 1901, 11,133; in 1902, 10,673; in 1903, 11,009; in 1904, 11,346, and in 1905, 11,381.

Compared with 1904, among the chief causes of death there were in 1905, 197 more from diarrheal diseases, 77 more from influenza, 71 more from diseases of the nervous system, 51 more from cancer, 31 more from diseases of heart, 27 more from peritonitis, 24 more from diabetes, 17 more from nephritis and Bright's disease, 10 more from measles, and 3 more from pneumonia.

On the other hand there was a smaller number of deaths from the following causes: from tuberculosis in all forms 108 fewer; from typhoid fever, 86; from diphtheria and croup, 52; from whooping cough, 16; from bronchitis, 5; and from scarlet fever, 3.

Bertillon Classification. The nomenclature of the causes of death in this report is the revised Bertillon classification adopted by the International Commission which met in Paris in August, 1900.

Table No. 1 gives a cursory view of the relative mortality in 1904 and 1905 from some of the leading causes of death.

TABLE No. 1.
Deaths from Some of the Leading Causes.

Diseases.	1904.	1905.	More in 1904.	More in 1905.
Measles	22	32	-	10
Scarlet fever	10	7	3	-
Influenza	166	243	-	77
Whooping cough.....	54	38	16	-
Diphtheria and croup.....	162	110	52	-
Typhoid fever	242	156	86	-
Tuberculosis	1,217	1,109	108	-
Diarrheal diseases.....	475	672	-	197
Rheumatism	60	60	-	-
Cancer	611	662	-	51
Diabetes.....	91	115	-	24
Diseases of nervous system	1,576	1,647	-	71
Diseases of heart	1,191	1,222	-	31
Pneumonia.....	1,050	1,053	-	3
Bronchitis.....	223	218	5	-
Peritonitis	63	90	-	27
Nephritis and Bright's disease	629	646	-	17

Population. The population of the State of Maine in 1900, as given by the twelfth census, was 694,466. In 1890, the population of the State was 661,086. There was therefore, a gain of 33,380 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1890 and in 1900, and the estimated population in 1905.

TABLE No. 2.

Population in 1890, and 1900, and Estimated Population for 1905.

Counties.	Population in 1890.	Population in 1900.	Estimated population for 1905.
Androscoggin	48,968	54,242	56,879
Aroostook.....	49,589	60,744	66,322
Cumberland	90,949	100,689	105,559
Franklin	17,053	18,444	19,140
Hancock	37,312	37,341	37,241
Kennebec	57,012	59,117	60,170
Knox	31,473	30,406	30,406
Lincoln.....	21,996	19,669	19,669
Oxford.....	30,586	32,238	33,064
Penobscot	72,865	76,246	77,937
Piscataquis	16,134	16,949	17,357
Sagadahoc	19,452	20,330	20,769
Somerset	32,627	33,549	34,460
Waldo	27,759	24,185	24,185
Washington.....	44,482	45,232	45,607
York.....	62,829	64,885	65,913
Total.....	661,086	694,466	714,978

TABLE No. 3.

Births, Marriages and Deaths, 1897-1905.

State.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.
Number of births.....	14,430	14,473	13,895	14,095	14,021	14,508	14,453	14,673	15,294
Number of marriages...	5,331	5,144	5,329	5,482	5,735	5,905	6,200	6,208	6,264
Number of deaths	11,236	10,956	11,370	11,389	11,133	10,673	11,009	11,346	11,381
Birth-rate	21.83	21.89	20.10	20.30	20.19	20.89	20.81	21.13	21.40
Marriage-rate.....	8.07	7.78	7.71	7.89	8.26	8.50	8.93	8.94	8.76
Death-rate	16.99	16.57	16.45	16.40	16.03	15.37	15.85	16.34	15.92

Birth, Marriage, and Death-Rates. In this report the birth-rates, marriage-rates, and death-rates from all causes are stated as so many among each 1,000 of the population according to the estimated population for 1905, excepting Tables No. 7 and 8.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 4.

Estimated Population for 1905, Births, Marriages and Deaths with rate of each to 1,000 of Population for the Year ending December 31, 1905.

Counties.	Estimated population for 1905.	Births.	Birth-rate per 1,000.	Marriages.	Marriage rate per 1,000.	Deaths.	Death-rate per 1,000.
Androscoggin	56,879	1,164	20.47	500	8.79	900	15.83
Aroostook	66,322	2,241	34.60	564	8.70	802	12.38
Cumberland	105,559	2,066	19.03	876	8.07	1,788	16.47
Franklin	19,140	432	22.72	177	9.32	283	14.89
Hancock	37,241	733	19.04	337	8.75	544	14.13
Kennebec	60,170	1,177	19.14	529	8.70	1,115	18.13
Knox	30,406	465	15.32	282	9.29	478	15.75
Lincoln	19,669	345	17.42	117	5.91	269	13.58
Oxford	33,064	792	23.36	371	10.94	506	14.92
Penobscot	77,937	1,578	20.04	732	9.29	1,305	16.57
Piscataquis	17,357	353	20.29	157	9.03	270	15.52
Sagadahoc	20,769	344	15.95	152	7.05	322	14.93
Somerset	34,460	698	19.95	350	10.00	561	16.03
Waldo	24,185	352	14.52	206	8.50	407	16.79
Washington	45,607	1,013	21.87	368	7.95	673	14.53
York	65,913	1,541	23.03	546	8.16	1,158	17.30
State	714,678	15,294	21.40	6,264	8.76	11,381	15.92

The following is a general summary of the births, marriages, and deaths in 1905.

BIRTHS.

Sex.		Parentage.	
Males	7,794	American	9,189
Females.....	7,483	Foreign.....	3,179
Not stated	17	One parent foreign.....	2,751
	<u>15,294</u>	Not stated.....	175
			<u>15,294</u>
Whole number of births.....			15,294
Birth-rate per 1,000			21.40

MARRIAGES.

Groom and bride both American.....	4,479
Groom and bride both foreign	672
Groom American, bride foreign	514
Groom foreign, bride American	560
Not stated.....	39
Whole number of marriages	<u>6,264</u>
Marriage-rate per 1,000.....	8.76

DEATHS.

Sex.		Parentage.	
Males	5,835	American	9,670
Females	5,545	Foreign.....	1,538
Not stated.....	1	Not stated.....	173
	<u>11,381</u>		<u>11,381</u>
Whole number of deaths			11,381
Death-rate per 1,000.....			15.92

Relation of Births to Deaths.—As the total number of births registered in Maine in the year 1905 was 16,005, and the number of deaths was 11,381, the natural increase of births over deaths was 4,624.

The following table shows the number of births and deaths in each county, and the preponderance of births over deaths, or vice versa :

TABLE No. 5.

Counties.	Estimated population for 1905.	Births.	Deaths.	Difference.
Androscoggin	56,879	1,164	900	264 gain
Aroostook	66,322	2,241	802	1,439 gain
Cumberland	105,559	2,066	1,788	278 gain
Franklin	19,140	432	283	149 gain
Hancock	37,241	733	544	189 gain
Kennebec	60,170	1,177	1,115	62 gain
Knox	30,406	465	478	13 loss
Lincoln	19,669	345	269	76 gain
Oxford	33,064	792	506	286 gain
Penobscot	77,937	1,578	1,305	273 gain
Piscataquis	17,357	353	270	83 gain
Sagadahoc	20,769	344	322	22 gain
Somerset.....	34,460	698	561	137 gain
Waldo	24,185	352	407	55 loss
Washington	45,607	1,013	673	340 gain
York.....	65,913	1,541	1,158	383 gain
State	714,678	15,294	11,381	3,913 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following table, together with the birth-rate and the death-rate per 1,000 of the estimated population in each city. [The discrepancy in the death-rates in the cities which may be noted in comparing this table with Table No. 7 is due to the fact that in this table the death-rates are based upon estimated populations, while in Table No. 7 the death-rates are per 1,000 of population as shown by the census of 1900.]

TABLE No. 6.

Cities.	Population in 1900.	Estimated population in 1906.	Births.	Deaths.	Difference.	Birth-rate.	Death-rate.
Auburn.....	12,951	13,802	208	173	35 gain	15.07	12.53
Augusta.....	11,683	12,261	251	284	33 loss	20.47	*15.90
Bangor.....	21,850	23,224	311	419	108 loss	13.39	*15.50
Bath.....	10,477	11,354	204	161	43 gain	17.97	14.18
Belfast.....	4,615	4,615	53	68	15 loss	11.48	14.73
Biddeford.....	16,145	16,996	531	270	261 gain	31.24	15.89
Brewer.....	4,835	5,156	148	88	60 gain	28.70	17.07
Calais.....	7,655	7,838	164	133	31 gain	20.92	16.97
Eastport.....	5,311	5,513	125	81	44 gain	22.67	14.69
Ellsworth.....	4,297	4,297	65	66	1 loss	15.13	15.36
Gardner.....	5,501	5,506	106	100	6 gain	19.25	18.16
Hallowell.....	2,714	2,714	44	42	2 gain	16.21	15.48
Lewiston.....	23,761	24,791	621	475	146 gain	25.05	*17.75
Old Town.....	5,763	5,989	187	135	52 gain	31.22	22.54
Portland.....	50,145	57,005	1,051	938	113 gain	18.44	*15.86
Rockland.....	8,150	8,150	141	152	11 loss	17.31	18.65
Saco.....	6,122	6,146	126	114	12 gain	20.50	18.54
South Portland.....	6,287	6,287	126	85	41 gain	20.04	13.52
Waterville.....	9,477	10,662	290	141	149 gain	27.20	13.22
Westbrook.....	7,283	7,609	185	102	83 gain	24.31	13.41
Total.....	225,022	239,915	4,937	4,027	910 gain	20.58	16.79

* Deaths of non-residents in public institutions: Augusta, 89; Bangor, 59; Lewiston, 35; Portland, 34; deducted from total in estimating death-rate.

TABLE
Births, Marriages, and Deaths
ANDROSCOGGIN

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn	12,951	109	99	-	208	16.06	83	78	27	19	1
Durham	1,230	11	19	-	30	24.39	15	9	4	2	-
East Livermore.....	2,129	25	30	-	55	25.83	36	12	5	2	-
Greene	826	5	7	-	12	14.53	10	2	-	-	-
Leeds	1,065	8	13	-	21	19.72	16	1	2	2	-
Lewiston	23,761	322	299	-	621	26.56	139	326	84	64	8
Lisbon	3,603	33	41	1	81	22.48	42	23	9	7	-
Livermore.....	1,125	12	10	-	22	19.56	15	5	1	1	-
Mechanic Falls.....	1,687	11	6	-	17	10.08	13	1	-	2	1
Minot	808	5	7	-	12	14.85	9	-	1	1	1
Poland	1,648	14	8	-	22	13.35	19	1	-	1	1
Turner	1,842	25	8	-	33	17.92	29	-	1	3	-
Wales	436	6	2	-	8	18.35	6	1	1	-	-
Webster.....	1,131	14	8	-	22	19.45	16	2	2	2	-
Total	54,242	606	557	1	1,164	21.46	448	461	137	106	12

No. 7.
for the Year 1905.
COUNTY.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
90	20	7	13	1	131	91	82	-	173	149	23	1	13.36	
12	1	-	2	-	15	15	16	-	31	27	4	-	24.39	
16	6	1	3	-	26	19	12	-	31	28	3	-	14.56	
4	1	-	-	-	5	10	8	-	18	18	-	-	21.79	
10	-	-	-	-	10	7	10	-	17	17	-	-	15.96	
84	81	31	32	1	229	244	231	-	475	325	145	5	20.00	
22	10	2	1	-	35	16	17	-	33	24	7	2	9.16	
9	-	-	-	-	9	9	4	-	13	12	1	-	11.56	
12	-	-	1	-	13	9	15	-	24	20	4	-	14.23	
2	-	-	-	-	2	6	4	-	10	10	-	-	12.38	
4	-	-	1	-	5	7	14	-	21	19	2	-	12.74	
10	-	1	-	-	11	23	16	-	39	37	2	-	21.17	
1	-	-	-	-	1	2	1	-	3	3	-	-	6.88	
2	-	3	2	1	8	4	8	-	12	10	2	-	10.61	
278	119	45	55	3	500	462	438	-	900	699	193	8	16.59	

TABLE
Births, Marriages, and Deaths
AROOSTOOK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity	404	9	7	-	16	39.60	7	-	3	6	-
Ashland	1,080	17	24	-	41	37.96	25	7	5	4	-
Bancroft	318	5	2	-	7	22.01	2	2	2	1	-
Benedicta	350	3	9	-	12	34.29	12	-	-	-	-
Blaine	954	8	20	-	28	29.35	13	6	4	5	-
Bridgewater	1,179	14	22	-	36	30.53	8	11	7	9	1
Caribou	4,758	89	70	-	159	33.42	64	39	27	27	2
Castle Hill	567	5	10	-	15	26.46	6	2	4	3	-
Crystal	370	4	5	-	9	24.32	5	2	1	-	1
Dyer Brook	280	4	4	-	8	28.57	7	-	1	-	-
Easton	1,215	18	12	-	30	24.69	11	7	10	2	-
Fort Fairfield	4,181	58	74	1	133	31.81	51	31	13	30	8
Fort Kent	2,528	86	74	-	160	63.29	113	14	18	15	-
Frenchville	1,316	51	56	-	107	81.31	107	-	-	-	-
Grand Isle	1,104	24	21	-	45	40.76	27	2	9	7	-
Haynesville	316	4	5	-	9	28.48	6	-	3	-	-
Hersey	199	2	3	-	5	25.12	1	2	1	1	-
Hodgdon	1,130	13	9	1	23	20.35	16	1	2	3	1
Houlton	4,686	62	49	1	112	23.90	25	38	24	20	5
Island Falls	1,063	23	25	-	48	45.16	18	10	14	5	1
Limestone	1,131	31	13	-	44	38.90	13	7	8	16	-
Linneus	834	10	12	-	22	26.38	10	2	6	4	-
Littleton	956	7	10	-	17	17.78	8	3	2	4	-
Ludlow	394	7	8	-	15	38.07	6	1	4	4	-
Madawaska	1,698	26	37	-	63	37.10	57	-	1	5	-
Mapleton	853	8	3	-	11	12.90	8	2	-	1	-

No. 7—Continued.
for the Year 1905.
COUNTY.

MARRIAGES.							DEATHS.						Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	1	-	-	3	5	2	-	7	4	3	-	17.33
3	1	1	-	-	10	4	7	-	11	10	1	-	10.19
2	-	-	-	-	2	1	4	-	5	3	2	-	15.72
2	-	-	-	-	2	3	1	-	4	3	1	-	11.43
6	-	1	3	-	10	6	11	-	17	13	4	-	17.82
2	1	3	5	-	11	3	5	-	8	5	3	-	6.79
24	5	6	10	-	45	41	27	-	68	47	21	-	14.29
4	-	1	-	-	5	3	2	-	5	2	3	-	8.82
1	-	1	1	-	3	1	3	-	4	1	3	-	10.81
1	-	-	-	-	1	2	1	-	3	3	-	-	10.71
4	1	1	1	-	7	5	10	-	15	15	-	-	12.35
15	3	7	4	1	30	3	5	-	8	5	2	1	1.91
22	2	2	9	-	35	17	16	-	33	25	8	-	13.05
10	-	-	-	-	10	19	21	-	40	40	-	-	30.40
5	1	2	1	-	9	9	10	-	19	17	2	-	17.21
2	-	-	-	-	2	2	3	-	5	4	1	-	15.82
2	-	-	1	-	3	1	2	-	3	2	1	-	15.08
5	-	1	1	-	7	5	4	-	9	4	5	-	7.96
11	9	1	10	1	32	22	19	-	41	22	18	1	8.75
8	2	2	2	-	14	8	2	-	10	7	2	1	9.41
10	1	6	4	-	21	10	5	-	15	10	5	-	13.26
2	-	1	4	-	7	5	10	-	15	11	4	-	17.99
3	-	1	1	1	6	3	4	-	7	4	3	-	7.32
-	-	1	1	-	2	4	2	-	6	2	4	-	15.23
12	-	-	3	-	15	7	8	-	15	14	1	-	8.83
5	1	2	2	-	10	4	7	-	11	8	2	1	12.90

TABLE
Births, Marriages, and Deaths
AROOSTOOK

Towns.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Mars Hill	1,183	19	26	-	45	38.04	15	12	9	9	-
Masardis	438	9	10	-	19	43.38	11	4	-	4	-
Monticello	1,332	28	18	-	46	34.53	13	14	11	8	-
New Limerick	600	4	1	-	5	8.33	3	-	2	-	-
New Sweden	867	13	15	-	28	32.30	-	18	6	4	-
Oakfield	860	11	17	-	28	32.56	17	2	7	1	1
Orient	208	5	1	-	6	28.84	4	-	1	1	-
Perham	580	9	19	-	28	48.28	17	4	1	6	-
Presque Isle	3,804	64	63	-	127	33.39	61	22	24	16	4
St. Agatha	1,396	46	44	-	90	64.47	82	2	2	4	-
Sherman	980	19	14	-	33	33.67	25	-	8	-	-
Smyrna	411	6	12	-	18	43.80	7	4	6	1	-
Van Buren	1,878	66	53	-	119	63.37	60	26	16	15	2
Washburn	1,225	23	25	-	48	39.18	30	4	7	5	2
Westfield	259	5	5	-	10	38.61	5	2	2	1	-
Weston	367	4	6	-	10	27.25	5	1	1	3	-
Woodland	1,096	13	17	-	30	27.37	15	4	6	5	-
Cary Pl	400	2	1	-	3	7.50	2	-	-	-	1
Caswell Pl	368	12	4	-	16	43.48	9	2	2	3	-
Chapman Pl	285	4	5	-	9	31.58	6	-	2	1	-
Connor Pl	453	6	7	-	13	28.70	8	-	5	-	-
Cyr Pl	502	16	19	-	35	69.72	25	3	3	4	-
E Pl	44	1	2	-	3	68.18	2	-	-	1	-
Eagle Lake Pl	406	30	34	-	64	157.64	46	1	13	2	-
Garfield Pl	111	1	1	-	2	18.02	2	-	-	-	-

No. 7—Continued.
for the Year 1905.
COUNTY—CONTINUED.

MARRIAGES.							DEATHS.						Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
8	2	4	3	-	17	11	3	-	14	4	10	-	11.84
1	-	3	-	-	4	2	3	-	5	4	1	-	11.42
-	-	2	3	-	5	13	6	-	19	13	6	-	14.26
-	-	1	3	-	4	6	2	-	8	7	1	-	13.33
-	-	1	3	-	4	8	3	-	11	9	2	-	12.69
4	-	2	1	-	7	10	4	-	14	10	2	2	16.28
1	-	-	2	-	3	2	2	-	4	4	-	-	19.23
6	-	1	1	-	8	6	5	-	11	8	3	-	18.97
22	7	4	12	-	45	34	29	-	63	46	17	-	16.56
11	-	-	1	-	12	16	17	-	33	25	8	-	23.64
6	-	1	2	-	9	6	7	-	13	11	2	-	13.27
-	-	-	-	-	-	1	2	-	3	2	1	-	7.30
10	3	2	2	-	17	27	20	-	47	44	3	-	25.02
10	-	2	-	-	12	4	5	-	9	5	3	1	7.34
2	-	1	-	-	3	1	4	-	5	4	1	-	19.31
3	2	-	-	-	5	3	1	-	4	3	1	-	10.90
2	1	1	3	-	7	7	5	-	12	6	5	1	10.95
1	-	-	-	-	1	-	-	-	-	-	-	-	-
3	2	-	-	-	5	4	4	-	8	5	3	-	21.74
1	-	-	-	-	1	-	1	-	1	1	-	-	3.51
4	-	1	3	-	8	2	6	-	8	8	-	-	17.66
1	-	-	-	-	1	8	6	-	14	11	3	-	27.89
1	-	1	-	-	2	-	-	-	-	-	-	-	-
15	-	-	4	-	19	15	7	-	22	21	1	-	54.19
-	-	-	-	-	-	1	-	-	1	1	-	-	9.01

TABLE
Births, Marriages, and Deaths
AROOSTOOK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Glenwood Pl.....	178	7	3	-	10	56.18	9	-	-	1	-
Hamlin Pl	574	9	17	-	26	45.30	11	2	2	11	-
Hammond Pl.....	116	-	-	-	-	-	-	-	-	-	-
Hill Pl.....	124	6	10	-	16	129.03	11	-	2	2	1
Macwahoc Pl.....	153	-	1	-	1	6.54	1	-	-	-	-
Merrill Pl.....	298	8	9	-	17	57.04	12	1	3	1	-
Moro Pl.....	217	-	-	-	-	-	-	-	-	-	-
Nashville Pl.....	32	-	1	-	1	31.25	1	-	-	-	-
New Canada Pl.....	419	10	11	-	21	50.12	8	-	3	8	2
Oxbow Pl	153	3	4	-	7	45.75	7	-	-	-	-
Portage Lake Pl.....	241	4	4	-	8	33.20	3	3	1	-	1
Reed Pl.....	399	9	3	-	12	30.08	7	-	3	2	-
St. Francis Pl.....	568	8	18	-	26	45.77	16	-	6	4	-
St. John Pl.....	371	7	8	-	15	40.43	9	1	-	5	-
Silver Ridge Pl.....	168	1	1	-	2	11.90	1	-	-	1	-
Stockholm Pl.....	191	4	4	-	8	41.88	4	3	1	-	-
Wade Pl.....	271	7	6	-	13	47.97	7	2	3	1	-
Wallagrass Pl.....	784	23	20	-	43	54.85	35	-	2	2	4
Westmanland Pl.....	100	1	1	-	2	20.00	2	-	-	-	-
No. 8, R. 4.....	111	2	1	-	3	27.03	-	1	-	2	-
Total.....	*59,385	1,113	1,125	3	2,241	37.74	1,242	327	329	306	37

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

BIRTHS, MARRIAGES, AND DEATHS.

19

No. 7—Continued.

for the Year 1905.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
						Sex.			Nativity.			Death-rate per 1,000.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
1	-	-	-	-	1	2	1	-	3	3	-	-	16.85
3	-	-	-	-	3	9	12	-	21	20	1	-	36.59
-	-	-	-	-	-	-	3	-	3	2	1	-	25.86
1	-	-	2	-	3	2	-	-	2	1	1	-	16.13
2	-	-	-	-	2	-	-	-	-	-	-	-	-
2	-	1	-	-	3	3	2	-	5	4	-	1	16.78
1	-	1	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	2	-	2	-	62.50
1	-	-	-	-	1	3	2	-	5	4	1	-	11.94
2	-	-	-	-	2	1	-	-	1	-	1	-	6.54
-	-	-	3	-	3	1	1	-	2	1	1	-	8.30
5	-	-	1	-	6	4	1	-	5	4	1	-	12.53
6	-	2	2	-	10	4	4	-	8	7	1	-	14.08
2	-	-	2	-	4	1	2	-	3	2	-	1	8.09
1	-	1	-	-	2	-	-	-	-	-	-	-	-
-	3	1	1	-	5	5	-	-	5	3	2	-	26.18
2	-	-	1	-	3	1	3	-	4	3	1	-	14.76
11	-	1	-	-	12	5	4	-	9	6	3	-	11.48
-	-	-	1	-	1	3	2	-	5	1	4	-	50.00
-	-	-	-	-	-	1	5	-	6	6	-	-	54.05
320	47	75	119	3	564	427	375	-	802	600	192	10	13.51

TABLE
Births, Marriages, and Deaths
CUMBERLAND

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin	821	7	5	-	12	14.62	11	-	-	1	-
Bridgton	2,868	19	27	-	46	16.04	37	1	3	4	1
Brunswick	6,806	98	76	-	174	25.57	48	89	12	23	2
Cape Elizabeth	887	8	8	-	16	18.04	14	-	1	1	-
Casco	783	5	10	-	15	19.16	15	-	-	-	-
Cumberland	1,404	13	18	-	31	22.08	22	4	2	3	-
Falmouth	1,511	9	4	-	13	8.60	10	3	-	-	-
Freeport	2,339	19	18	-	37	15.82	35	1	1	-	-
Gorham	2,540	25	15	-	40	15.75	37	1	1	1	-
Gray	1,388	16	11	-	27	19.45	24	-	-	3	-
Harpwell	1,750	26	18	-	44	25.14	39	1	3	-	1
Harrison	969	16	7	-	23	23.74	21	-	1	1	-
Naples	813	5	10	-	15	18.45	15	-	-	-	-
New Gloucester	1,162	13	9	-	22	18.93	21	-	-	1	-
North Yarmouth	642	5	4	-	9	14.02	7	-	-	2	-
Otisfield	728	7	5	-	12	16.48	11	-	-	1	-
Portland	50,145	521	528	2	1,051	20.96	451	378	85	123	14
Pownal	592	4	6	-	10	16.89	7	1	1	1	-
Raymond	823	9	5	-	14	17.01	14	-	-	-	-
Scarboro	1,865	7	22	-	29	15.55	19	5	1	4	-
Sebago	576	6	4	-	10	17.36	10	-	-	-	-
South Portland	6,287	73	53	-	126	20.04	89	19	5	11	2
Standish	1,504	13	17	-	30	19.95	27	-	1	1	1
Westbrook	7,283	102	83	-	185	25.40	68	69	26	20	2
Windham	1,929	20	16	-	36	18.66	33	2	-	1	-
Yarmouth	2,274	12	27	-	39	17.15	21	9	3	6	-
Total	100,689	1,058	1,006	2	2,066	20.52	1,106	583	146	208	23

BIRTHS, MARRIAGES, AND DEATHS.

21

No. 7—Continued.
for the Year 1905.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.				Nativity.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	-	-	1	-	8	2	4	-	6	6	-	-	7.31
21	-	-	1	-	22	24	29	-	53	51	2	-	18.48
28	14	1	-	7	50	68	66	-	134	107	26	1	19.69
3	-	-	-	-	3	6	3	-	9	8	1	-	10.15
6	-	-	-	-	6	11	9	-	20	19	1	-	25.54
7	-	3	2	-	12	15	11	-	26	25	1	-	18.52
8	-	-	1	-	9	18	9	-	27	22	4	1	17.81
16	-	-	-	-	16	21	19	-	40	40	-	-	17.10
13	-	-	1	-	14	31	26	-	57	56	1	-	22.44
9	-	1	2	-	12	10	8	-	18	18	-	-	12.97
12	-	-	1	-	13	16	16	-	32	32	-	-	18.29
4	-	-	-	-	4	15	9	-	24	24	-	-	24.77
9	-	-	-	-	9	2	6	-	8	8	-	-	9.84
11	-	-	1	-	12	13	10	-	23	22	-	1	19.79
7	-	-	-	-	7	5	2	-	7	7	-	-	10.90
2	-	-	-	-	2	11	5	-	16	15	-	1	21.98
290	85	50	50	1	476	461	476	1	938	685	217	36	18.71
2	-	1	-	-	3	9	6	-	15	14	1	-	25.34
7	-	-	-	-	7	9	7	-	16	16	-	-	19.44
9	-	1	-	-	10	13	13	-	26	24	2	-	13.94
5	-	-	-	-	5	2	5	-	7	7	-	-	12.15
38	3	7	3	-	51	39	46	-	85	72	12	1	13.52
19	-	1	1	-	21	9	14	-	23	23	-	-	15.29
33	14	11	11	1	70	56	46	-	102	79	23	-	14.01
14	-	-	1	-	15	16	23	-	39	38	1	-	20.22
10	4	3	1	1	19	21	16	-	37	32	5	-	16.27
590	120	79	77	10	876	903	884	1	1,788	1,450	297	41	17.76

TABLE
Births, Marriages, and Deaths
FRANKLIN

TOWNS.	Population in 1900.	BIRTHS.										
		Sex.				Parentage.						
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	
Avon	448	6	1	-	7	15.63	7	-	-	-	-	-
Carthage	334	2	5	-	7	20.96	6	-	-	-	1	-
Chesterville	709	5	8	-	13	18.34	12	1	-	-	-	-
Eustis	436	8	5	-	13	29.82	9	2	2	-	-	-
Farmington	3,288	23	28	-	51	15.51	40	1	5	5	-	-
Freeman	397	2	6	-	8	20.15	7	-	1	-	-	-
Industry	553	4	5	-	9	16.27	9	-	-	-	-	-
Jay	2,758	52	48	-	100	36.26	19	60	14	7	-	-
Kingfield	693	8	6	-	14	20.20	11	-	1	2	-	-
Madrid	326	4	5	-	9	27.61	9	-	-	-	-	-
New Sharon	946	2	9	1	12	12.68	12	-	-	-	-	-
New Vineyard	584	7	3	-	10	17.12	9	-	-	1	-	-
Phillips	1,399	15	12	-	27	19.30	25	-	2	-	-	-
Rangeley	961	12	21	-	33	34.34	24	2	6	1	-	-
Salem	195	1	1	-	2	10.26	2	-	-	-	-	-
Strong	637	9	7	-	16	25.12	13	1	1	1	-	-
Temple	394	6	5	-	11	27.92	11	-	-	-	-	-
Weld	738	5	8	-	13	17.62	11	-	1	1	-	-
Wilton	1,647	30	21	-	51	30.37	43	1	2	3	2	-
Coplin Pl.	70	2	1	-	3	42.86	3	-	-	-	-	-
Dallas Pl.	172	2	7	-	9	52.33	7	-	1	-	1	-
Lang Pl.	87	1	2	-	3	34.48	2	-	-	1	-	-
Rangeley Pl.	98	2	-	-	2	20.41	2	-	-	-	-	-
Sandy River Pl.	21	1	1	-	2	95.24	2	-	-	-	-	-
Perkins	63	2	3	-	5	79.37	5	-	-	-	-	-
Washington	20	1	-	-	1	50.00	1	-	-	-	-	-
No. 4, R. 3	33	1	-	-	1	30.30	1	-	-	-	-	-
Total	*18,007	213	218	1	432	23.90	302	68	36	23	3	-

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

BIRTHS, MARRIAGES, AND DEATHS.

23

No. 7—Continued.
for the Year 1905.
COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
1	-	-	1	-	2	4	-	-	4	4	-	-	8.93
7	-	-	-	-	7	2	3	-	5	5	-	-	14.97
6	-	-	-	-	6	8	9	-	17	16	1	-	23.98
8	-	-	-	-	8	1	4	-	5	4	-	1	11.47
31	1	-	-	-	32	18	29	-	47	46	1	-	14.29
6	-	-	-	-	6	5	2	-	7	7	-	-	17.63
2	-	-	-	-	2	5	3	-	8	8	-	-	14.47
7	10	1	4	-	22	17	21	-	38	31	7	-	13.78
4	-	-	-	-	4	3	8	-	11	11	-	-	15.87
3	-	-	-	-	3	6	4	-	10	10	-	-	30.67
7	-	-	-	-	7	10	7	-	17	17	-	-	17.97
5	-	-	1	-	6	6	3	-	9	9	-	-	15.41
16	1	2	-	-	19	11	8	-	19	19	-	-	13.58
16	-	1	-	-	17	4	8	-	12	11	-	1	12.49
1	-	-	-	-	1	3	1	-	4	4	-	-	20.51
7	-	-	-	-	7	4	6	-	10	9	1	-	15.70
3	-	-	-	-	3	2	3	-	5	5	-	-	12.69
3	-	-	-	-	3	7	4	-	11	11	-	-	14.31
15	-	-	1	-	16	23	13	-	36	34	1	1	21.86
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	2	1	-	3	3	-	-	17.44
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	1	-	-	1	1	-	-	10.20
1	-	-	1	-	2	1	1	-	2	2	-	-	95.24
-	-	-	-	-	-	-	1	-	1	1	-	-	15.57
1	-	-	-	-	1	-	1	-	1	1	-	-	50.00
-	-	-	-	-	-	-	-	-	-	-	-	-	-
153	12	4	8	-	177	143	140	-	283	269	11	3	15.72

TABLE
Births, Marriages, and Deaths
HANCOCK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst	364	7	4	-	11	30.22	10	-	1	-	-
Aurora	152	1	2	-	3	19.74	3	-	-	-	-
Bluehill	1,828	10	15	-	25	13.68	25	-	-	-	-
Brooklin	936	9	7	-	16	17.09	15	-	-	1	-
Brooksville	1,171	14	9	-	23	19.64	23	-	-	-	-
Bucksport	2,339	17	17	-	34	14.54	30	-	2	1	1
Castine	925	13	11	-	24	25.95	23	-	-	-	1
Cranberry Isles	374	4	1	-	5	13.37	4	-	-	1	-
Dedham	327	2	2	-	4	12.23	3	-	1	-	-
Deer Isle	2,047	29	24	-	53	25.89	50	-	1	1	1
Eastbrook	248	1	1	-	2	8.06	2	-	-	-	-
Eden	4,379	45	41	2	88	20.10	63	11	6	5	3
Ellsworth	4,297	33	32	-	65	15.13	62	-	3	-	-
Franklin	1,201	16	9	-	25	20.82	24	-	-	1	-
Gouldsboro	1,259	9	9	-	18	14.30	16	-	1	1	-
Hancock	900	8	6	-	14	15.56	13	-	1	-	-
Isle au Haut	182	2	-	-	2	10.99	2	-	-	-	-
Lamoine	594	5	3	-	8	13.47	8	-	-	-	-
Mariaville	218	-	1	-	1	4.59	1	-	-	-	-
Mount Desert	1,600	16	15	-	31	19.38	28	-	2	-	1
Orland	1,251	11	8	-	19	15.19	18	-	-	-	1
Otis	152	4	1	-	5	32.89	5	-	-	-	-
Penobscot	1,156	10	15	-	25	21.63	23	-	1	-	1
Sedgwick	902	14	11	-	25	27.72	21	1	2	-	1
Sorrento	117	-	2	-	2	17.09	2	-	-	-	-
South West Harbor ..	-	9	8	-	17	-	13	2	1	1	-

No. 7—Continued.
for the Year 1905.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	2	1	-	3	3	-	-	8.24
2	-	-	-	-	2	4	4	-	8	8	-	-	52.63
13	-	1	-	-	14	17	9	-	26	26	-	-	14.22
6	-	-	-	-	6	12	7	-	19	16	3	-	20.30
5	-	-	-	-	5	12	5	-	17	17	-	-	14.52
15	-	1	1	-	17	22	21	-	43	38	4	1	18.38
7	-	1	1	-	9	8	8	-	16	16	-	-	17.30
3	-	-	-	-	3	1	-	-	1	1	-	-	2.67
-	-	-	-	-	-	1	3	-	4	3	1	-	12.23
21	-	1	-	-	22	13	14	-	27	27	-	-	13.19
1	-	-	-	-	1	2	-	-	2	2	-	-	8.06
46	1	3	4	-	56	25	27	-	52	42	7	3	11.87
42	-	2	1	-	45	34	32	-	66	56	8	2	15.36
15	-	1	1	-	17	9	11	-	20	18	2	-	16.65
9	-	-	-	-	9	3	6	-	9	7	1	1	7.15
11	-	-	-	-	11	13	6	-	19	19	-	-	21.11
2	-	-	-	-	2	-	2	-	2	2	-	-	10.99
5	-	-	1	-	6	4	10	-	14	14	-	-	23.57
2	-	-	-	-	2	2	1	-	3	3	-	-	13.76
9	-	2	1	-	12	14	5	-	19	19	-	-	11.88
11	-	-	-	-	11	9	13	-	22	22	-	-	17.59
3	-	-	-	-	3	2	-	-	2	2	-	-	13.16
6	-	-	-	-	6	12	14	-	26	26	-	-	22.49
6	-	-	-	-	6	6	5	-	11	11	-	-	12.20
3	-	-	-	-	3	-	-	-	-	-	-	-	-
6	-	-	-	-	6	2	7	-	9	8	1	-	-

TABLE
Births, Marriages, and Deaths
HANCOCK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Stonington.....	1,648	23	25	-	48	29.13	31	11	5	1	-
Sullivan.....	1,034	15	14	-	29	28.05	19	2	4	4	-
Surry.....	900	12	14	-	26	28.89	26	-	-	-	-
Swan's Island	758	11	7	-	18	23.75	16	-	2	-	-
Tremont.....	2,010	19	16	-	35	17.41	33	-	1	1	-
Trenton.....	459	4	7	-	11	23.97	10	-	-	1	-
Verona.....	234	2	-	-	2	8.55	2	-	-	-	-
Waltham.....	192	1	1	-	2	10.42	2	-	-	-	-
Winter Harbor.....	571	8	3	-	11	19.26	8	-	-	2	1
Long Island Pl.....	174	2	2	-	4	22.99	2	-	1	-	1
No. 21 Pl.....	58	1	-	-	1	17.24	1	-	-	-	-
No. 33 Pl.....	82	1	-	-	1	12.20	1	-	-	-	-
Total.....	*37,039	388	343	2	733	19.79	638	27	35	21	12

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued.
for the Year 1905.
COUNTY—CONCLUDED.

MARRIAGES.					DEATHS.								Death rate per 1,000.
					Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
18	-	-	4	-	22	10	17	-	27	27	-	-	16.38
4	-	-	-	-	4	7	8	-	15	15	-	-	14.51
9	-	-	-	-	9	8	10	-	18	18	-	-	20.00
7	-	-	-	-	7	4	2	-	6	6	-	-	7.92
7	-	-	-	-	7	9	7	-	16	16	-	-	7.96
4	-	-	-	-	4	7	5	-	12	12	-	-	26.14
1	-	-	-	-	1	-	1	-	1	1	-	-	4.27
2	-	-	-	-	2	1	-	-	1	1	-	-	5.21
3	-	-	-	-	3	4	-	-	4	4	-	-	7.01
-	-	-	2	-	2	3	-	-	3	3	-	-	17.24
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	-	1	-	1	1	-	-	12.20
308	1	12	16	-	337	282	262	-	544	510	27	7	14.69

TABLE
Births, Marriages, and Deaths
KENNEBEC

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion	878	5	6	-	11	12.53	11	-	-	-	-
Augusta	11,683	137	113	1	251	21.48	134	76	17	21	3
Belgrade	1,058	9	8	-	17	16.07	14	-	2	1	-
Benton	1,097	10	8	-	18	16.41	14	1	1	1	1
Chelsea	3,092	12	3	-	15	4.85	12	-	2	1	-
China	1,380	14	13	-	27	19.57	25	-	2	-	-
Clinton	1,398	7	8	1	16	11.44	13	2	1	-	-
Farmingdale	848	8	6	-	14	16.51	10	2	2	-	-
Fayette	560	5	5	-	10	17.86	9	1	-	-	-
Gardiner	5,501	55	51	-	106	19.27	73	15	7	11	-
Hallowell	2,714	24	20	-	44	16.21	29	6	7	2	-
Litchfield	1,057	6	5	-	11	10.41	10	-	1	-	-
Manchester	518	5	4	-	9	17.37	7	-	1	1	-
Monmouth	1,236	18	8	-	26	21.04	18	5	1	2	-
Mount Vernon	906	10	5	-	15	16.56	14	-	1	-	-
Oakland	1,913	17	15	-	32	16.73	25	2	1	4	-
Pittston	1,177	7	10	-	17	14.44	13	2	-	2	-
Randolph	1,077	12	11	-	23	21.36	9	7	4	3	-
Readfield	994	7	5	-	12	12.07	10	2	-	-	-
Rome	420	8	8	-	16	38.10	16	-	-	-	-
Sidney	1,068	10	4	-	14	13.11	14	-	-	-	-
Vassalboro	2,062	15	14	-	29	14.06	22	1	3	2	1
Vienna	406	5	3	-	8	19.70	7	-	-	-	1
Waterville	9,477	145	145	-	290	30.60	102	91	51	43	3
Wayne	707	9	8	-	17	27.05	16	-	-	1	-

BIRTHS, MARRIAGES, AND DEATHS.

29

No. 7—Continued.
for the Year 1905.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	-	-	-	-	7	11	4	-	15	15	-	-	17.10
85	16	8	7	6	121	151	133	-	284	217	51	16	24.31
8	-	-	-	-	8	9	13	-	22	21	1	-	20.79
10	-	-	-	-	10	16	12	-	28	26	2	-	25.52
12	1	2	-	-	15	7	5	-	12	11	1	-	3.88
13	-	-	1	-	14	9	16	-	25	23	2	-	18.12
14	-	-	-	-	14	17	14	-	31	28	3	-	22.17
3	-	-	-	-	3	5	8	-	13	12	1	-	15.33
1	-	-	-	-	1	9	6	-	15	14	-	1	26.79
42	-	6	2	-	50	54	46	-	100	92	8	-	18.18
17	1	-	-	-	18	22	20	-	42	33	7	2	15.48
4	-	-	-	-	4	8	7	-	15	14	1	-	14.19
2	-	-	-	-	2	5	5	-	10	8	2	-	19.31
9	-	1	-	-	10	13	11	-	24	24	-	-	19.42
6	-	-	-	-	6	12	7	-	19	19	-	-	20.97
20	-	1	-	-	21	19	22	-	41	39	2	-	21.43
12	-	1	-	1	14	8	12	-	20	18	2	-	16.99
4	2	-	-	-	6	9	13	-	22	20	2	-	20.43
9	-	-	-	-	9	7	7	-	14	13	1	-	14.08
4	-	1	-	-	5	4	4	-	8	8	-	-	19.05
8	-	-	-	-	8	15	15	-	30	28	2	-	28.09
13	4	6	1	-	24	19	22	-	41	38	3	-	19.88
5	-	-	-	-	5	7	3	-	10	10	-	-	24.63
52	21	15	13	2	103	78	63	-	141	110	26	5	14.88
3	-	1	-	-	4	8	10	-	18	17	1	-	25.46

TABLE
Births, Marriages, and Deaths
KENNEBEC

Towns.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
West Gardiner	693	7	5	-	12	17.32	9	2	-	1	-
Windsor.....	782	2	1	-	3	3.84	3	-	-	-	-
Winslow	2,277	38	34	-	72	31.62	19	43	7	3	-
Winthrop	2,088	22	20	-	42	20.11	30	11	-	1	-
Unity Pl	50	-	-	-	-	-	-	-	-	-	-
Togus	-	-	-	-	-	-	-	-	-	-	-
Total	59,117	629	546	2	1,177	19.91	688	269	111	100	9

No. 7—Continued.
for the Year 1905.
COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
4	-	-	-	-	4	6	7	-	13	12	1	-	18.76
4	-	-	-	-	4	11	5	-	16	16	-	-	20.46
13	6	3	3	-	25	16	22	-	38	31	7	-	16.69
10	3	1	-	-	14	20	19	-	39	35	4	-	18.68
-	-	-	-	-	-	1	-	-	1	1	-	-	20.00
-	-	-	-	-	-	8	-	-	8	8	-	-	-
394	53	46	27	9	529	584	531	-	1,115	961	130	24	18.87

TABLE
Births, Marriages, and Deaths

KNOX

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton.....	975	8	9	-	17	17.44	17	-	-	-	-
Camden.....	2,825	26	24	-	50	17.70	46	1	2	1	-
Cushing....	604	1	7	-	8	13.25	7	1	-	-	-
Friendship.....	814	4	6	-	10	12.29	10	-	-	-	-
Hope.....	599	4	3	-	7	11.69	5	-	1	-	1
Hurricane Isle.....	257	5	4	-	9	35.02	2	7	-	-	-
North Haven.....	551	5	4	-	9	16.33	8	1	-	-	-
Rockland.....	8,150	72	69	-	141	17.31	102	16	10	12	1
Rockport.....	2,314	21	21	-	42	18.15	35	1	2	3	1
St. George.....	2,206	24	12	-	36	16.32	17	13	3	3	-
South Thomaston...	1,426	10	5	-	15	10.52	11	1	1	-	2
Thomaston.....	2,688	10	13	-	23	8.56	16	2	2	3	-
Union.....	1,248	12	5	-	17	13.62	15	-	1	1	-
Vinalhaven.....	2,358	21	24	-	45	19.08	34	6	2	3	-
Warren.....	2,069	13	9	-	22	10.63	19	2	-	-	1
Washington.....	1,019	6	6	-	12	11.78	12	-	-	-	-
Criehaven Pl.....	47	1	-	-	1	21.28	1	-	-	-	-
Matinicus Isle Pl.....	184	-	1	-	1	5.43	1	-	-	-	-
Total.....	*30,334	243	222	-	465	15.33	358	51	24	26	6

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued.
for the Year 1905.
COUNTY.

MARRIAGES.						DEATHS.							
						Sex.			Nativity.			Death-rate per 1,000.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
4	-	-	-	-	4	3	10	-	13	13	-	-	13.33
28	2	1	1	-	32	14	17	-	31	29	-	2	10.97
7	-	-	-	-	7	3	4	-	7	7	-	-	11.59
4	-	1	-	-	5	9	8	-	17	17	-	-	20.88
5	-	-	-	-	5	5	7	-	12	12	-	-	20.03
2	1	-	-	-	3	-	2	-	2	2	-	-	7.78
2	-	-	-	-	2	5	5	-	10	8	-	2	18.15
72	6	5	9	-	92	73	79	-	152	135	15	2	18.65
7	1	1	-	-	9	18	14	-	32	31	1	-	13.83
20	4	-	1	-	25	19	11	-	30	27	3	-	13.60
10	2	-	-	-	12	11	9	-	20	19	1	-	14.03
16	2	-	-	-	18	24	22	-	46	40	4	2	17.11
13	-	-	-	-	13	7	12	-	19	18	1	-	15.22
18	4	1	1	-	24	26	19	-	45	37	8	-	19.08
21	-	1	-	-	22	16	15	-	31	30	1	-	14.98
7	-	1	-	-	8	6	2	-	8	8	-	-	7.85
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	2	-	3	3	-	-	16.30
237	22	11	12	-	282	240	238	-	478	436	34	8	15.76

TABLE
Births, Marriages, and Deaths
LINCOLN

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna	444	2	5	-	7	15.77	7	-	-	-	-
Boothbay	1,766	21	20	-	41	23.22	40	-	-	1	-
Boothbay Harbor	1,926	22	26	1	49	25.44	44	-	2	3	-
Bremen	657	6	6	-	12	18.26	10	-	1	1	-
Bristol	2,572	28	29	-	57	22.16	54	1	2	-	-
Damariscotta	876	8	4	-	12	13.70	12	-	-	-	-
Dresden	882	7	9	-	16	18.14	15	-	1	-	-
Edgecomb	607	1	3	-	4	6.59	3	-	-	1	-
Jefferson	1,155	8	7	-	15	12.99	14	-	1	-	-
Newcastle	1,075	11	7	-	18	16.74	17	-	-	1	-
Nobleboro	810	6	5	-	11	13.58	9	-	-	2	-
Somerville	374	3	5	-	8	21.39	7	-	-	1	-
Southport	527	4	5	-	9	17.08	7	-	-	2	-
Waldoboro	3,145	23	21	-	44	13.99	39	-	3	1	1
Westport	330	-	1	-	1	3.03	1	-	-	-	-
Whitefield	1,156	9	4	-	13	11.25	11	-	1	1	-
Wiscasset	1,273	18	10	-	28	22.00	24	1	1	2	-
Monhegan Pl	94	-	-	-	-	-	-	-	-	-	-
Total	19,669	177	167	1	345	17.54	314	2	12	16	1

No. 7—Continued.
for the Year 1905.
COUNTY.

MARRIAGES.						DEATHS.							
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
2	-	-	-	-	2	3	3	-	6	6	-	-	13.51
9	-	-	-	-	9	15	10	-	25	23	1	1	14.16
11	-	2	-	2	15	13	7	-	20	20	-	-	10.38
4	-	-	-	-	4	6	3	-	9	9	-	-	13.70
17	-	-	-	-	17	15	11	-	26	26	-	-	10.11
4	-	-	-	-	4	12	7	-	19	19	-	-	21.69
4	-	-	-	-	4	3	1	-	4	4	-	-	4.54
2	-	-	-	-	2	6	6	-	12	12	-	-	19.77
10	-	-	-	-	10	12	6	-	18	16	2	-	15.58
7	-	-	1	-	8	6	6	-	12	11	1	-	11.16
5	-	-	-	-	5	4	-	-	4	4	-	-	4.94
2	-	-	-	-	2	4	4	-	8	8	-	-	21.39
1	-	-	-	-	1	6	4	-	10	9	1	-	18.98
19	-	-	-	-	19	23	15	-	38	37	1	-	12.08
-	-	-	-	-	-	4	2	-	6	5	1	-	18.18
9	-	-	-	-	9	12	14	-	26	22	4	-	22.49
5	-	1	-	-	6	11	14	-	25	25	-	-	19.64
-	-	-	-	-	-	1	-	-	1	1	-	-	10.64
111	-	3	1	2	117	156	113	-	269	257	11	1	13.68

TABLE
Births, Marriages, and Deaths

OXFORD

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany	538	4	5	-	9	16.73	7	-	2	-	-
Andover	727	6	10	-	16	22.01	18	2	1	-	-
Bethel	1,835	22	16	-	38	20.71	33	4	1	-	-
Brownfield	1,019	6	11	-	17	16.68	16	-	1	-	-
Buckfield	1,139	4	7	-	11	9.66	9	-	1	1	-
Byron	204	3	2	-	5	24.51	3	-	1	1	-
Canton	946	7	9	-	16	16.91	12	2	2	-	-
Denmark	634	7	6	-	13	20.50	11	1	1	-	-
Dixfield	1,052	11	8	-	19	18.06	18	1	-	-	-
Fryeburg	1,376	18	6	1	25	18.17	21	1	1	2	-
Gilead	340	1	2	-	3	8.82	3	-	-	-	-
Grafton	81	-	-	-	-	-	-	-	-	-	-
Greenwood	741	6	14	-	20	26.99	18	2	-	-	-
Hanover	214	2	-	-	2	9.35	2	-	-	-	-
Hartford	660	7	9	-	16	24.24	10	4	1	-	1
Hebron	494	2	1	-	3	6.07	2	-	-	-	1
Hiram	1,015	11	4	-	15	14.78	15	-	-	-	-
Lovell	693	7	7	-	14	20.20	13	-	1	-	-
Mason	67	3	1	-	4	59.70	3	-	1	-	-
Mexico	816	29	33	-	62	75.98	19	31	4	7	1
Newry	286	2	3	-	5	17.48	3	-	-	2	-
Norway	2,902	32	35	-	67	23.09	41	9	10	6	1
Oxford	1,331	15	15	-	30	22.54	25	-	4	1	-
Paris	3,225	32	29	-	61	18.91	49	6	3	3	-
Peru	773	6	3	-	9	11.64	7	1	-	1	-

No. 7—Continued.
for the Year 1905.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	-	-	3	4	2	-	6	6	-	-	11.15
6	1	2	1	-	10	3	6	-	9	6	-	1	12.38
17	-	-	-	-	17	20	19	-	39	35	4	-	21.25
7	-	1	-	-	8	11	4	-	15	15	-	-	14.72
7	-	-	-	-	7	12	17	-	29	29	-	-	25.46
2	-	-	-	-	2	1	-	-	1	1	-	-	4.90
2	-	-	2	-	4	7	3	-	10	9	1	-	10.57
3	-	-	-	-	3	5	9	-	14	13	1	-	22.08
10	-	-	1	-	11	8	12	-	20	19	1	-	19.01
12	-	-	-	-	12	11	7	-	18	17	1	-	13.08
-	-	-	-	-	-	4	2	-	6	6	-	-	17.65
2	-	-	-	-	2	-	2	-	2	2	-	-	24.69
11	-	-	-	-	11	3	5	-	8	8	-	-	10.80
1	-	-	-	-	1	1	2	-	3	3	-	-	14.02
4	-	-	1	-	5	1	6	-	7	7	-	-	10.61
2	-	-	-	-	2	2	1	-	3	3	-	-	6.07
6	-	-	-	-	6	8	6	-	14	13	1	-	13.79
6	-	-	-	-	6	8	4	-	12	11	1	-	17.32
-	-	-	-	-	-	-	2	-	2	2	-	-	29.85
10	2	4	4	-	20	5	9	-	14	14	-	-	17.15
1	-	-	-	-	1	2	2	-	4	4	-	-	13.99
22	2	-	1	-	25	23	13	-	36	33	3	-	12.41
7	-	-	2	-	9	12	9	-	21	20	1	-	15.73
41	4	-	2	-	47	22	26	-	48	47	1	-	14.88
10	-	-	-	-	10	3	5	-	8	7	1	-	10.35

TABLE
Births, Marriages, and Deaths
OXFORD

TOWNS.	Population in 1800.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Porter	886	10	12	-	22	24.83	20	1	-	1	-
Roxbury	238	3	2	-	5	21.01	4	1	-	-	-
Rumford	3,770	109	104	-	213	56.50	63	108	27	18	2
Stoneham	284	3	3	-	6	21.13	6	-	-	-	-
Stow	270	2	1	-	3	11.11	2	-	1	-	-
Sunner	802	7	12	-	19	23.69	18	-	1	-	-
Sweden	282	-	3	-	3	10.64	3	-	-	-	-
Upton	242	3	3	-	6	24.79	4	1	1	-	-
Waterford	917	4	8	-	12	13.09	11	-	1	-	-
Woodstock	816	8	8	-	16	19.61	14	-	1	1	-
Lincoln Pl	73	1	-	-	1	13.70	1	-	-	-	-
Magalloway Pl	77	-	1	-	1	12.99	1	-	-	-	-
Milton Pl	202	1	4	-	5	24.75	5	-	-	-	-
Total	*31,967	394	397	1	792	24.78	505	175	67	39	6

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued.
for the Year 1905.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	-	1	-	-	8	7	7	-	14	14	-	-	15.80
2	1	-	1	-	4	1	2	-	3	2	1	-	12.61
33	31	6	20	-	90	44	29	-	73	57	15	1	19.36
2	-	-	-	-	2	1	-	-	1	1	-	-	3.52
4	-	-	-	-	4	2	2	-	4	4	-	-	14.81
16	-	1	-	-	17	7	11	-	18	18	-	-	22.44
-	-	-	-	-	-	3	5	-	8	8	-	-	28.37
4	-	1	-	-	5	2	2	-	4	4	-	-	16.53
4	-	-	-	-	4	10	10	-	20	20	-	-	21.81
6	-	-	-	-	6	7	2	-	9	9	-	-	11.03
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	-	-	-	-	-	-	-	-
5	-	-	1	1	7	2	1	-	3	3	-	-	14.85
277	41	16	36	1	371	262	244	-	506	472	32	2	15.83

TABLE
Births, Marriages, and Deaths

PENOBSCOT

TOWNS.	Population in 1900.	BIRTHS.											
		Sex.				Parentage.							
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.		
Alton.....	314	-	-	-	-	-	-	-	-	-	-	-	-
Argyle.....	320	2	3	-	5	15.63	4	-	-	1	-	-	-
Bangor.....	21,860	156	154	1	311	14.23	146	78	36	48	3	-	-
Bradford.....	954	7	9	-	16	16.77	15	-	-	1	-	-	-
Bradley.....	682	4	3	-	7	10.26	3	2	1	1	-	-	-
Brewer.....	4,535	73	75	-	148	30.61	80	46	14	6	2	-	-
Burlington.....	394	7	4	-	11	27.92	10	-	-	1	-	-	-
Carmel.....	932	9	12	-	21	22.53	19	1	-	-	1	-	-
Carroll.....	487	5	3	-	8	16.43	7	-	1	-	-	-	-
Charleston.....	842	4	7	-	11	13.06	11	-	-	-	-	-	-
Chester.....	363	4	7	-	11	30.30	10	-	-	1	-	-	-
Clifton.....	236	1	3	-	4	16.95	4	-	-	-	-	-	-
Corinna.....	1,170	5	6	-	11	9.40	8	1	1	1	-	-	-
Corinth.....	1,042	10	6	-	16	15.36	16	-	-	-	-	-	-
Dexter.....	2,941	57	39	-	96	32.64	58	15	12	11	-	-	-
Dixmont.....	843	7	9	-	16	18.98	16	-	-	-	-	-	-
Eddington.....	663	2	3	-	5	7.54	5	-	-	-	-	-	-
Edinburg.....	65	-	-	-	-	-	-	-	-	-	-	-	-
Enfield.....	1,062	9	18	-	27	25.42	14	5	6	2	-	-	-
Etna.....	527	5	4	-	9	17.08	8	1	-	-	-	-	-
Exeter.....	879	6	3	-	9	10.24	9	-	-	-	-	-	-
Garland.....	857	1	6	-	7	8.17	7	-	-	-	-	-	-
Glenburn.....	461	4	4	-	8	17.35	8	-	-	-	-	-	-
Greenbush.....	586	6	3	-	9	15.36	6	1	-	2	-	-	-
Hampden.....	2,182	13	16	-	29	13.29	25	1	1	2	-	-	-
Hermon.....	1,183	6	14	-	20	16.91	18	-	-	2	-	-	-

No. 7—Continued.

for the Year 1905.

COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
5	-	-	-	-	5	3	2	-	5	4	1	-	15.92
-	-	-	-	1	1	1	2	-	3	3	-	-	9.38
148	22	22	29	2	223	204	215	-	419	313	76	30	19.18
10	-	-	-	-	10	11	12	-	23	22	1	-	24.11
9	-	-	-	-	9	6	4	-	10	8	2	-	14.66
35	7	6	8	-	56	52	36	-	88	79	8	1	18.20
1	-	-	-	-	1	4	1	-	5	5	-	-	12.69
4	-	1	-	-	5	9	9	-	18	16	2	-	19.31
8	-	-	-	-	8	5	7	-	12	12	-	-	24.64
7	-	-	-	-	7	8	8	-	16	15	1	-	19.00
3	-	-	1	-	4	1	2	-	3	3	-	-	8.26
1	-	1	-	-	2	1	1	-	2	2	-	-	8.47
13	-	2	-	-	15	13	13	-	26	22	3	1	22.22
9	-	-	-	-	9	11	11	-	22	22	-	-	21.11
29	3	3	1	-	36	22	29	-	51	46	5	-	17.34
5	-	-	-	-	5	9	5	-	14	14	-	-	16.61
3	-	-	-	-	3	5	2	-	7	7	-	-	10.56
1	-	-	-	-	1	-	-	-	-	-	-	-	-
5	-	1	4	-	10	1	5	-	6	6	-	-	5.65
6	-	1	-	-	7	2	4	-	6	5	-	1	11.39
6	-	-	-	-	6	9	4	-	13	13	-	-	14.79
4	-	-	-	-	4	5	8	-	13	12	1	-	15.17
4	-	-	-	-	4	3	4	-	7	7	-	-	15.18
5	-	-	-	-	5	7	3	-	10	10	-	-	17.06
10	-	1	-	-	11	18	31	-	49	46	2	1	22.46
7	1	1	1	-	10	8	9	-	17	16	1	-	14.37

TABLE
Births, Marriages, and Deaths
PENOBSCOT

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Holden	602	3	6	-	9	14.95	5	2	2	-	-
Howland	519	2	8	-	10	19.27	8	1	1	-	-
Hudson	430	2	3	-	5	11.63	5	-	-	-	-
Kenduskeag	423	6	9	-	15	35.46	11	1	-	3	-
Kingman	936	16	10	-	26	27.78	10	5	7	4	-
Lagrange	574	5	7	-	12	20.91	9	1	-	2	-
Lee	801	10	12	-	22	27.47	19	1	1	1	-
Levant	789	10	5	-	15	19.01	13	1	-	1	-
Lincoln	1,731	35	26	-	61	35.24	38	11	8	3	1
Lowell	300	3	3	-	6	20.00	6	-	-	-	-
Mattawamkeag	527	8	4	-	12	22.77	9	1	2	-	-
Maxfield	115	1	-	-	1	8.70	1	-	-	-	-
Medway	297	5	4	-	9	30.30	6	-	2	-	1
Milford	838	6	10	-	16	19.09	12	1	2	1	-
Millinocket	1,144	55	58	-	114	99.65	38	46	20	10	-
Mt. Chase	299	2	4	-	6	20.07	6	-	-	-	-
Newburgh	734	4	-	-	4	5.45	4	-	-	-	-
Newport	1,533	10	7	-	17	11.09	13	1	1	1	1
Old Town	5,763	92	95	-	187	32.45	79	61	25	22	-
Orono	3,257	45	54	-	99	30.40	33	41	16	8	1
Orrington	1,266	11	14	-	25	19.75	22	1	1	1	-
Passadumkeag	409	4	2	-	6	14.67	4	-	2	-	-
Patten	1,172	-	-	-	-	-	-	-	-	-	-
Plymouth	658	4	3	-	7	10.64	7	-	-	-	-
Prentiss	502	7	6	-	13	25.90	9	-	2	2	-

No. 7—Continued.
for the Year 1905.
COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	-	-	3	4	1	-	5	4	1	-	8.31
5	-	3	1	-	9	2	4	-	6	5	1	-	11.56
5	-	-	-	-	5	1	4	-	5	4	1	-	11.63
4	-	-	-	-	4	6	2	-	8	7	1	-	18.91
3	-	-	-	-	3	6	7	-	13	12	1	-	13.89
2	-	-	1	-	3	7	2	-	9	8	1	-	15.68
3	-	-	-	-	3	8	5	-	13	13	-	-	16.23
3	-	-	-	-	3	3	3	-	6	6	-	-	7.60
18	3	1	2	-	24	21	12	-	33	31	2	-	19.06
2	-	1	-	-	3	2	1	-	3	2	1	-	10.00
2	-	-	-	-	2	1	1	-	2	-	1	1	3.80
2	-	-	-	-	2	-	-	-	-	-	-	-	-
1	-	-	1	-	2	3	-	-	3	2	1	-	10.10
3	-	-	-	-	3	3	9	-	12	9	2	1	14.32
12	8	5	7	-	32	11	5	-	16	9	7	-	13.99
3	-	-	-	-	3	3	4	-	7	7	-	-	23.41
7	1	-	-	-	8	4	12	-	16	16	-	-	21.80
18	3	2	1	-	24	10	14	-	24	24	-	-	15.66
32	2	8	13	-	55	89	46	-	135	107	26	2	23.43
14	8	6	5	-	33	23	21	-	44	30	14	-	13.51
8	-	-	-	-	8	10	14	-	24	24	-	-	18.96
6	-	-	-	1	7	4	4	-	8	7	1	-	19.56
2	-	1	-	-	3	-	-	-	-	-	-	-	-
5	-	-	-	-	5	9	4	-	13	13	-	-	19.76
2	-	-	-	-	2	2	5	-	7	7	-	-	13.94

TABLE
Births, Marriages, and Deaths

PENOBSCOT

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Springfield	532	9	7	-	16	30.08	13	-	1	2	-
Stetson	503	5	5	-	10	19.88	8	-	1	1	-
Veazie	555	3	2	-	5	9.01	4	-	-	1	-
Winn	688	8	2	-	10	14.53	6	2	1	1	-
Woodville	160	1	-	-	1	6.25	1	-	-	-	-
Drew Pl.....	120	1	-	-	1	8.33	1	-	-	-	-
Grand Falls Pl	52	-	-	-	-	-	-	-	-	-	-
Lakeville Pl.....	129	-	1	-	1	7.75	1	-	-	-	-
Seboels Pl	96	3	1	-	4	41.67	4	-	-	-	-
Stacyville Pl.....	347	7	5	-	12	34.58	8	2	2	-	-
Webster Pl	124	3	2	-	5	40.32	3	-	2	-	-
No. 1, R. 7	42	1	-	-	1	-	-	-	1	-	-
Indian Township	-	-	-	-	-	-	-	-	-	-	-
Total	*75,637	790	787	1	1,578	20.86	923	330	172	143	10

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued.
 for the Year 1905.
 COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	4	3	-	7	7	-	-	13.16
2	-	-	-	-	2	6	2	-	8	8	-	-	15.90
6	-	-	-	-	6	4	9	-	13	9	3	1	23.42
4	-	-	-	-	4	4	4	-	8	6	1	1	11.63
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	1	-	-	1	1	-	-	8.33
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	2	2	-	-	15.50
-	-	-	-	-	-	1	-	-	1	1	-	-	10.42
2	1	-	-	-	3	2	1	-	3	3	-	-	8.65
3	-	-	-	-	3	-	1	-	1	1	-	-	8.06
1	-	-	-	-	1	1	1	-	2	1	-	1	47.61
-	-	-	-	-	-	2	-	-	2	-	2	-	-
528	59	66	75	4	732	676	629	-	1,305	1,094	170	41	17.25

TABLE
Births, Marriages, and Deaths
PISCATAQUIS

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbot	716	3	6	-	9	12.57	7	1	-	1	-
Atkinson	495	5	2	-	7	14.14	7	-	-	-	-
Blanchard	248	-	2	-	2	8.06	2	-	-	-	-
Brownville	1,570	22	32	-	54	34.39	28	11	10	4	1
Dover	1,889	21	18	-	39	20.65	35	2	1	1	-
Foxcroft	1,629	16	13	1	30	18.42	21	1	4	4	-
Greenville	1,117	21	25	-	46	41.18	21	17	5	3	-
Guilford	1,544	12	23	-	35	22.67	28	4	1	2	-
Medford	282	-	1	-	1	3.55	1	-	-	-	-
Milo	1,150	16	12	-	28	24.35	25	-	1	2	-
Monson	1,116	7	13	-	20	17.92	7	9	1	2	1
Orneville	325	5	2	-	7	21.53	7	-	-	-	-
Parkman	718	3	3	-	6	8.36	5	-	1	-	-
Sangerville	1,294	11	15	-	26	20.10	23	1	-	2	-
Sebec	593	2	1	-	3	5.06	2	-	-	1	-
Shirley	248	4	1	-	5	20.16	4	-	1	-	-
Wellington	413	-	2	-	2	4.84	2	-	-	-	-
Williamsburg	117	2	-	-	2	17.09	1	-	1	-	-
Willimantic	419	4	2	-	6	14.32	6	-	-	-	-
Barnard Pl.	98	-	3	-	3	30.61	3	-	-	-	-
Bowerbank Pl.	66	3	1	-	4	60.61	4	-	-	-	-
Elliottsville Pl	86	1	-	-	1	11.63	1	-	-	-	-
Kingsbury Pl	106	5	3	-	8	75.47	8	-	-	-	-
Lake View Pl	173	2	5	-	7	40.46	2	2	2	1	-
Katahdin Iron Works	114	1	1	-	2	17.54	1	1	-	-	-
Total	*16,526	166	186	1	353	21.36	251	49	25	23	2

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued.
for the Year 1905.
COUNTY.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
4	-	-	-	-	4	3	2	-	5	5	-	-	6.98	
4	-	1	-	-	5	2	6	-	8	7	1	-	16.16	
1	-	-	-	-	1	-	2	-	2	2	-	-	8.06	
8	6	1	2	-	17	16	12	-	28	22	5	1	17.83	
20	-	-	-	-	20	17	14	-	31	29	2	-	16.41	
3	1	2	-	-	6	15	20	-	35	34	1	-	21.49	
7	1	2	3	-	13	13	13	-	26	19	6	1	23.27	
12	1	-	1	-	14	14	11	-	25	21	4	-	16.19	
1	-	-	-	-	1	-	-	-	-	-	-	-	-	
15	3	-	2	2	22	13	12	-	25	22	3	-	21.74	
5	3	1	-	-	9	6	6	-	12	9	2	1	10.75	
5	-	-	-	-	5	4	2	-	6	5	1	-	18.46	
5	-	-	-	-	5	8	9	-	17	17	-	-	23.68	
6	1	-	1	-	8	10	12	-	22	21	1	-	17.00	
2	-	-	-	-	2	6	2	-	8	6	1	1	13.49	
3	-	1	1	-	5	3	-	-	3	2	-	1	12.10	
5	-	-	-	-	5	6	2	-	8	7	1	-	19.37	
-	-	-	-	-	-	-	1	-	1	1	-	-	8.55	
2	-	-	-	-	2	1	2	-	3	3	-	-	7.16	
-	-	-	-	-	-	-	1	-	1	1	-	-	10.20	
2	-	-	-	-	2	1	-	-	1	1	-	-	15.15	
2	1	-	-	-	3	-	-	-	-	-	-	-	-	
3	-	-	-	-	3	1	-	-	1	1	-	-	9.43	
4	-	1	-	-	5	1	-	-	1	1	-	-	5.78	
-	-	-	-	-	-	1	-	-	1	1	-	-	8.77	
119	17	9	10	2	157	141	129	-	270	237	28	5	16.34	

TABLE
Births, Marriages, and Deaths.

SAGADAHOC

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Arrowsic.....	180	1	2	-	3	16.67	3	-	-	-	-
Bath.....	10,477	108	96	-	204	19.47	118	50	14	20	2
Bowdoin.....	937	4	2	-	6	6.40	6	-	-	-	-
Bowdoinham.....	1,305	9	6	-	15	11.49	12	-	2	1	-
Georgetown.....	799	5	7	-	12	15.02	11	-	-	-	1
Perkins.....	61	-	-	-	-	-	-	-	-	-	-
Phippsburg.....	1,254	13	5	-	18	14.35	14	-	4	-	-
Richmond.....	2,049	13	11	-	24	11.71	19	2	2	1	-
Topsham... ..	2,097	24	24	-	48	22.89	23	19	3	3	-
West Bath.....	291	1	-	-	1	3.44	1	-	-	-	-
Woolwich.....	880	7	6	-	13	14.77	13	-	-	-	-
Total.....	20,330	185	159	-	344	16.93	220	71	25	25	3

No. 7—Continued.
for the Year 1905.
COUNTY.

MARRIAGES.							DEATHS.						
							Sex.			Nativity.			Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	-	1	-	1	1	-	-	5.56
52	12	2	10	-	76	80	81	-	161	141	20	-	15.37
10	-	-	-	-	10	13	7	-	20	20	-	-	21.34
7	-	-	1	-	8	8	11	-	19	17	2	-	14.56
2	-	-	-	-	2	6	8	-	14	14	-	-	17.52
1	-	-	-	-	1	-	-	-	-	-	-	-	-
5	-	1	1	-	7	4	6	-	10	9	1	-	7.97
20	1	-	2	-	23	13	23	-	36	33	3	-	17.57
10	2	3	1	-	16	13	18	-	31	28	3	-	14.78
-	-	1	-	-	1	2	3	-	5	5	-	-	17.18
7	-	-	-	-	7	14	11	-	25	24	1	-	28.40
115	15	7	15	-	152	153	169	-	322	292	30	-	15.84

TABLE
Births, Marriages, and Deaths

SOMERSET

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson	1,830	26	24	-	50	27.32	34	8	5	3	-
Athens	896	7	6	-	13	14.51	12	1	-	-	-
Bingham	841	10	8	-	18	21.40	13	-	1	2	2
Cambridge	364	1	5	-	6	16.48	4	1	-	1	-
Canaan	977	7	6	-	13	13.31	12	-	1	-	-
Concord	291	3	8	-	11	37.80	8	-	2	1	-
Cornville	689	3	3	-	6	8.71	6	-	-	-	-
Detroit	527	6	4	-	10	18.98	10	-	-	-	-
Embden	567	9	6	-	15	26.46	14	-	-	1	-
Fairfield	3,878	51	23	1	75	19.34	45	9	10	7	4
Harmony	571	8	11	-	19	33.28	17	1	-	1	-
Hartland	1,115	14	9	-	23	20.63	18	1	1	1	2
Madison	2,764	36	26	-	62	22.43	37	16	7	1	1
Mercer	493	3	5	-	8	16.23	7	-	1	-	-
Moscow	378	5	5	-	10	26.46	8	-	1	-	1
New Portland	913	11	5	-	16	17.52	14	-	1	1	-
Norridgewock	1,495	11	9	-	20	13.38	17	2	1	-	-
Palmyra	915	6	16	-	22	24.04	21	-	1	-	-
Pittsfield	2,891	40	29	-	69	23.87	63	-	2	4	-
Ripley	449	1	3	-	4	8.91	4	-	-	-	-
St. Albans	1,037	6	9	-	15	14.46	15	-	-	-	-
Skowhegan	5,180	64	42	-	106	20.46	65	20	15	6	-
Smithfield	449	5	5	-	10	22.27	9	1	-	-	-
Solon	996	8	10	-	18	18.07	14	1	3	-	-

No. 7—Continued.
for the Year 1905.
COUNTY.

MARRIAGES.					DEATHS.								Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
12	2	5	3	-	22	14	19	-	33	32	1	-	18.03
3	-	-	-	-	3	11	11	-	22	20	2	-	24.55
4	-	2	1	-	7	10	2	-	12	10	2	-	14.27
1	-	1	2	-	4	2	4	-	6	5	1	-	16.48
6	-	1	-	-	7	6	17	-	23	22	-	1	23.54
4	-	-	-	-	4	1	2	-	3	3	-	-	10.31
6	-	-	-	-	6	9	4	-	13	12	1	-	18.87
3	-	1	-	-	4	3	1	-	4	3	1	-	7.59
4	-	-	-	-	4	8	5	-	13	13	-	-	22.93
25	4	3	5	-	37	32	31	-	63	48	10	5	16.25
9	-	-	-	-	9	4	8	-	12	11	1	-	21.02
17	1	1	1	-	20	7	12	-	19	18	1	-	17.04
17	4	4	1	-	26	24	17	-	41	36	4	1	14.83
7	-	-	-	-	7	3	3	-	6	6	-	-	12.17
2	-	-	3	-	5	9	4	-	13	10	3	-	34.39
7	-	-	-	-	7	3	4	-	7	7	-	-	7.67
10	-	-	1	-	11	5	11	-	16	16	-	-	10.70
6	-	1	-	-	7	13	11	-	24	24	-	-	26.23
36	1	1	1	-	39	36	19	-	55	54	-	1	19.02
10	-	-	-	-	10	3	3	-	6	6	-	-	13.36
8	-	-	1	-	9	8	11	-	19	19	-	-	18.32
37	6	9	7	-	59	43	41	-	84	67	15	2	16.22
4	-	-	-	-	4	2	3	-	5	5	-	-	11.14
6	-	-	-	-	6	10	5	-	15	13	2	-	15.06

TABLE
Births, Marriages, and Deaths
SOMERSET

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Starks	636	12	3	-	15	23.58	14	-	-	-	1
Bigelow Pl.....	57	2	4	-	6	105.26	6	-	-	-	-
Brighton Pl.....	368	-	-	-	-	-	-	-	-	-	-
Caratunk Pl.....	218	4	2	-	6	27.52	6	-	-	-	-
Dead River Pl.....	91	3	3	-	6	65.93	6	-	-	-	-
Dennistown Pl.....	96	2	-	-	2	20.83	1	-	-	1	-
Flagstaff Pl.....	115	2	3	-	5	43.48	3	1	-	1	-
Highland Pl.....	67	-	-	-	-	-	-	-	-	-	-
Jackman Pl.....	352	6	9	-	15	42.61	1	11	1	2	-
Lexington Pl.....	231	6	3	-	9	38.96	8	-	1	-	-
Mayfield Pl.....	89	-	-	-	-	-	-	-	-	-	-
Moose River Pl.....	239	5	3	-	8	33.47	1	6	-	1	-
Pleasant Ridge Pl...	114	-	-	-	-	-	-	-	-	-	-
The Forks Pl.....	157	2	-	-	2	12.74	1	-	-	1	-
West Forks Pl.....	160	1	2	-	3	18.75	1	-	2	-	-
Rockwood	76	-	-	-	-	-	-	-	-	-	-
Holeb	30	1	1	-	2	66.67	1	1	-	-	-
Total	*33,602	387	310	1	698	20.77	516	80	56	35	11

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued.
 for the Year 1905.
 COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
6	-	-	-	-	6	8	4	-	12	10	2	-	18.87	
-	1	-	-	-	1	1	1	-	2	1	1	-	35.09	
2	-	-	-	2	4	1	-	-	1	1	-	-	2.72	
1	-	-	-	-	1	2	3	-	5	3	2	-	22.94	
2	-	-	-	-	2	-	-	-	-	-	-	-	-	
1	-	-	-	-	1	-	-	-	-	-	-	-	-	
1	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	1	1	-	-	14.93	
1	2	1	-	-	4	8	3	-	11	5	6	-	31.25	
7	-	-	-	-	7	1	-	-	1	1	-	-	4.33	
1	-	-	-	-	1	2	2	-	4	4	-	-	44.94	
-	1	-	-	-	1	1	-	-	1	1	-	-	4.18	
-	-	-	-	-	-	1	-	-	1	1	-	-	8.77	
-	-	-	1	-	1	1	2	-	3	2	1	-	19.11	
1	-	-	-	-	1	2	1	-	3	2	1	-	18.75	
1	1	-	-	-	2	1	-	-	1	-	1	-	13.16	
-	-	-	-	-	-	-	1	-	1	1	-	-	33.33	
268	23	30	27	2	350	295	266	-	561	493	58	10	16.70	

TABLE
Births, Marriages, and Deaths
WALDO

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast	4,615	29	24	-	53	11.48	47	1	1	2	2
Belmont	352	3	3	-	6	17.05	5	-	-	-	1
Brooks	669	4	12	-	16	23.92	15	-	-	-	1
Burnham	766	5	7	-	12	15.67	12	-	-	-	-
Frankfort	1,211	11	5	-	16	13.21	7	5	2	2	-
Freedom	479	2	3	-	5	10.44	5	-	-	-	-
Islesboro	923	10	8	-	18	19.56	17	1	-	-	-
Jackson	439	3	2	-	5	11.39	4	-	-	1	-
Knox	558	2	4	-	6	10.75	4	-	-	2	-
Liberty	737	6	5	-	11	14.93	10	-	-	1	-
Lincolntonville	1,223	9	7	-	16	13.08	16	-	-	-	-
Monroe	958	5	10	-	15	15.66	15	-	-	-	-
Montville	982	7	11	-	18	18.33	17	-	-	1	-
Morrill	420	2	3	-	5	11.90	5	-	-	-	-
Northport	545	2	7	-	9	16.51	9	-	-	-	-
Palermo	757	7	4	-	11	14.53	11	-	-	-	-
Prospect	648	8	7	-	15	23.15	14	-	1	-	-
Searsmont	949	8	9	-	17	17.91	16	-	-	1	-
Searsport	1,349	6	6	-	12	8.90	10	1	-	1	-
Stockton Springs	872	7	8	-	15	17.20	13	1	-	1	-
Swanville	502	4	4	-	8	15.94	6	-	-	2	-
Thorndike	497	2	4	-	6	12.07	6	-	-	-	-
Troy	766	5	7	-	12	15.67	11	-	-	1	-
Unity	877	4	6	-	10	11.40	10	-	-	-	-
Waldo	468	8	5	-	13	27.78	13	-	-	-	-
Winterport	1,623	12	10	-	22	13.56	17	-	2	3	-
Total	24,185	171	181	-	352	14.55	315	9	6	18	4

No. 7—Continued.
for the Year 1905.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
36	-	1	-	-	37	32	36	-	68	60	6	2	14.73
3	-	-	-	-	3	2	5	-	7	7	-	-	19.89
7	-	1	-	-	8	6	10	-	16	15	1	-	23.92
4	-	-	-	-	4	9	4	-	13	12	1	-	16.97
7	-	1	2	-	10	5	7	-	12	8	4	-	9.91
3	-	1	-	-	4	3	3	-	6	5	-	1	12.53
8	-	-	-	-	8	8	6	-	14	14	-	-	15.17
3	-	-	1	-	4	6	4	-	10	10	-	-	22.78
1	-	-	-	-	1	8	6	-	14	14	-	-	25.09
7	-	-	-	-	7	7	5	-	12	12	-	-	16.28
13	-	1	-	-	14	7	16	-	23	23	-	-	18.81
8	-	-	1	-	9	2	2	-	4	4	-	-	4.18
7	-	-	-	-	7	13	15	-	28	28	-	-	28.51
3	-	-	-	-	3	1	1	-	2	2	-	-	4.76
8	-	-	-	-	8	3	8	-	11	11	-	-	20.18
4	-	-	-	-	4	8	7	-	15	15	-	-	19.82
5	1	1	-	1	8	5	6	-	11	11	-	-	16.98
10	-	1	-	-	11	11	7	-	18	18	-	-	18.97
17	1	-	-	-	18	10	12	-	22	21	1	-	16.31
4	-	-	-	-	4	7	7	-	14	14	-	-	16.06
3	-	-	-	-	3	2	6	-	8	8	-	-	15.94
3	-	-	-	-	3	-	3	-	3	3	-	-	6.04
6	-	-	-	-	6	6	8	-	14	13	1	-	18.28
5	-	-	-	-	5	8	8	-	16	16	-	-	18.24
7	-	-	-	-	7	4	6	-	10	10	-	-	21.36
10	-	-	-	-	10	18	18	-	36	32	4	-	22.18
192	2	7	4	1	206	191	216	-	407	386	18	3	16.83

TABLE
Births, Marriages, and Deaths
WASHINGTON

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison.....	1,059	11	9	-	20	18.89	17	-	2	-	1
Alexander.....	333	8	7	-	15	45.05	13	-	1	1	-
Baileyville.....	215	9	5	-	14	65.12	7	5	2	-	-
Baring.....	231	1	1	-	2	8.66	1	-	-	1	-
Beddington.....	86	-	1	-	1	11.63	1	-	-	-	-
Brookton.....	285	2	-	-	2	7.02	-	1	-	1	-
Calais.....	7,655	78	86	-	164	21.42	43	33	37	44	7
Centerville.....	91	2	-	-	2	21.98	2	-	-	-	-
Charlotte.....	315	1	2	-	3	9.52	1	-	2	-	-
Cherryfield.....	1,859	12	19	-	31	16.68	26	-	-	2	3
Columbia.....	516	3	8	-	11	21.32	11	-	-	-	-
Columbia Falls.....	569	9	8	-	17	29.88	17	-	-	-	-
Cooper.....	207	2	3	-	5	24.15	5	-	-	-	-
Crawford.....	112	-	1	-	1	8.93	1	-	-	-	-
Cutler.....	565	5	4	-	9	15.93	8	-	-	1	-
Danforth.....	1,092	17	14	-	31	28.39	13	5	9	4	-
Deblois.....	73	-	2	-	2	27.40	2	-	-	-	-
Dennysville.....	482	7	3	-	10	20.75	9	-	-	1	-
East Machias.....	1,521	9	11	-	20	13.15	17	1	2	-	-
Eastport.....	5,311	65	60	-	125	23.54	57	14	24	29	1
Edmunds.....	492	12	5	-	17	34.55	15	-	-	1	1
Forest City.....	151	-	1	-	1	6.62	1	-	-	-	-
Harrington.....	1,165	4	3	-	7	6.01	7	-	-	-	-
Jonesboro.....	606	9	10	-	19	31.35	19	-	-	-	-
Jonesport.....	2,124	26	27	-	53	24.96	46	-	3	4	-
Lubec.....	3,005	39	69	-	108	35.94	54	25	15	11	3
Machias.....	2,082	32	25	-	57	27.38	48	-	4	1	4

No. 7—Continued.
for the Year 1905.
COUNTY.

MARRIAGES.							DEATHS.						Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	-	-	3	9	9	-	18	18	-	-	17.00
3	-	1	-	-	4	3	1	-	4	3	1	-	12.01
-	1	-	-	-	1	4	-	-	4	3	1	-	18.60
-	-	-	1	-	1	2	2	-	4	3	1	-	17.32
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	-	2	-	5	1	2	-	3	3	-	-	10.53
28	10	11	10	-	59	73	60	-	133	84	49	-	17.37
-	-	-	-	-	-	1	2	-	3	3	-	-	32.97
2	-	-	-	-	2	2	-	-	2	1	1	-	6.35
12	-	-	-	-	12	2	6	-	8	6	2	-	4.30
9	-	-	-	-	9	9	4	-	13	13	-	-	25.19
5	-	-	-	-	5	3	1	-	4	4	-	-	7.03
1	-	-	-	-	1	1	-	-	1	-	-	1	4.83
-	-	-	-	-	-	1	1	-	2	1	1	-	17.86
3	-	-	-	-	3	7	4	-	11	10	1	-	19.47
6	-	1	2	-	9	9	10	-	19	12	6	1	17.40
2	-	-	-	-	2	-	-	-	-	-	-	-	-
6	-	-	1	-	7	3	1	-	4	3	1	-	8.30
9	-	-	-	-	9	9	11	-	20	20	-	-	13.15
34	6	8	8	-	56	40	41	-	81	47	33	1	15.25
6	-	2	1	-	9	2	2	-	4	4	-	-	8.13
-	-	-	1	-	1	1	-	-	1	1	-	-	6.62
5	-	-	-	-	5	9	9	-	18	17	1	-	15.45
6	-	-	-	-	6	7	5	-	12	12	-	-	19.80
20	-	-	3	-	23	13	18	-	31	24	7	-	14.60
9	3	5	3	-	20	22	33	-	55	43	11	1	15.84
20	-	1	1	-	22	19	14	-	33	30	3	-	15.85

TABLE
Births, Marriages, and Deaths
WASHINGTON

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Machiasport.....	1,218	6	13	-	19	15.60	16	1	1	1	-
Marion.....	95	1	1	-	2	21.05	2	-	-	-	-
Marshfield.....	227	3	-	-	3	13.22	3	-	-	-	-
Meddybemps.....	154	3	1	-	4	25.97	4	-	-	-	-
Milbridge.....	1,921	17	12	-	29	15.10	25	2	-	2	-
Northfield.....	126	1	1	-	2	15.87	1	-	-	1	-
Pembroke.....	1,652	23	18	-	41	24.82	36	-	2	2	1
Perry.....	1,245	7	13	-	20	16.06	12	-	2	4	2
Princeton.....	1,094	17	5	-	22	20.11	16	-	1	5	-
Robbinston.....	844	8	7	-	15	17.77	9	1	1	2	2
Roque Bluffs.....	168	2	3	-	5	29.76	4	-	-	1	-
Steuben.....	901	13	12	-	25	27.75	25	-	-	-	-
Talmage.....	93	-	1	-	1	10.75	1	-	-	-	-
Topsfield.....	282	5	7	-	12	42.55	12	-	-	-	-
Trescott.....	463	3	8	-	11	23.76	9	-	1	1	-
Vanceboro.....	550	7	12	-	19	34.55	10	4	4	-	1
Waite.....	135	2	1	-	3	22.22	2	-	-	1	-
Wesley.....	198	3	4	-	7	35.35	7	-	-	-	-
Whiting.....	399	2	2	-	4	10.03	4	-	-	-	-
Whitneyville.....	424	3	1	-	4	9.43	3	1	-	-	-
Codyville Pl.....	68	2	1	-	3	44.12	3	-	-	-	-
Grand Lake Stream Pl	221	2	9	-	11	49.77	11	-	-	-	-
No. 14 Pl.....	77	1	1	-	2	25.97	-	-	-	2	-
No. 21 Pl.....	86	1	1	-	2	23.26	2	-	-	-	-
No. 10, R. 3.....	46	-	-	-	-	-	-	-	-	-	-
Total.....	*44,889	495	518	-	1,013	22.57	658	93	113	123	26

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued.
for the Year 1905.
COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.						Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	1	1	-	-	9	4	5	-	9	9	-	-	7.39
-	-	-	-	-	-	1	-	-	1	1	-	-	10.53
1	-	-	-	-	1	3	4	-	7	7	-	-	30.84
3	-	-	1	-	4	2	1	-	3	1	2	-	19.48
17	-	-	-	-	17	24	13	-	37	34	3	-	19.26
2	-	-	-	-	2	2	2	-	4	4	-	-	31.75
4	-	1	1	-	6	12	8	-	20	14	6	-	12.11
7	-	2	2	-	11	3	10	-	13	11	2	-	10.44
2	1	-	2	-	5	10	6	-	16	13	3	-	14.63
-	-	1	-	-	1	5	6	-	11	7	4	-	13.03
2	-	-	1	-	3	2	2	-	4	4	-	-	23.81
13	-	-	-	-	13	7	9	-	16	15	1	-	17.76
-	-	-	-	-	-	1	-	-	1	-	1	-	10.75
4	-	-	1	-	5	2	3	-	5	5	-	-	17.73
4	-	1	-	-	5	3	3	-	6	4	2	-	12.96
-	1	-	1	-	2	5	1	-	6	3	2	1	10.91
-	-	-	-	-	-	1	1	-	2	1	1	-	14.81
1	-	-	-	-	1	1	5	-	6	5	1	-	30.30
4	-	-	-	1	5	2	3	-	5	5	-	-	12.53
1	-	-	-	-	1	-	3	-	3	2	1	-	7.08
-	-	-	-	-	-	-	2	-	2	1	1	-	29.41
-	-	1	-	-	1	3	2	-	5	4	1	-	22.62
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	2	1	1	-	2	2	-	-	23.26
-	-	-	-	-	-	1	-	-	1	1	-	-	21.74
264	24	37	42	1	368	347	326	-	673	518	150	5	14.99

TABLE
Births, Marriages, and Deaths
YORK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton	778	5	11	-	16	20.57	15	-	1	-	-
Alfred	937	6	6	-	12	12.81	8	2	2	-	-
Berwick	2,280	15	22	-	37	16.23	25	5	7	-	-
Biddeford.....	16,145	271	260	-	531	32.89	76	363	46	46	-
Buxton.....	1,538	18	21	-	39	21.22	36	2	-	-	1
Cornish	984	3	5	-	8	8.13	7	-	1	-	-
Dayton	473	3	6	-	9	19.03	9	-	-	-	-
Eliot.....	1,458	12	13	-	25	17.15	19	2	3	1	-
Hollis	1,274	15	10	-	25	19.62	22	1	2	-	-
Kennebunk	3,228	25	31	-	56	17.35	40	8	2	5	1
Kennebunkport	2,123	15	21	-	36	16.96	27	5	3	1	-
Kittery.....	2,872	27	24	-	51	17.76	39	3	2	6	1
Lebanon	1,335	12	6	1	19	14.23	13	2	2	-	2
Limerick	874	6	9	-	15	17.16	13	-	-	2	-
Limington	1,001	10	12	-	22	21.98	20	-	-	2	-
Lyman	687	3	6	-	9	13.10	5	-	-	-	1
Newfield	676	7	6	-	13	19.23	10	1	2	-	-
North Berwick	1,748	13	14	-	27	15.45	27	-	-	-	-
Old Orchard	964	3	6	-	9	9.34	6	-	-	3	-
Parsonsfeld	1,131	8	11	-	19	16.80	15	-	-	3	1
Saco	6,122	70	56	-	126	20.58	64	34	11	16	1
Sanford	6,078	136	114	-	250	41.13	76	131	20	23	-
Shapleigh	847	10	3	-	13	15.35	12	-	-	1	-
South Berwick	3,188	27	33	-	60	18.82	21	19	5	14	1
Waterboro.....	1,769	8	18	-	26	22.24	24	-	-	2	-
Wells.....	2,007	21	12	-	33	16.44	31	-	-	2	-
York	2,668	30	25	-	55	20.61	42	6	3	3	1
Total	64,885	779	761	1	1,541	23.75	705	584	112	130	10

No. 7—Concluded.
for the Year 1905.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
5	-	-	-	-	5	8	8	-	16	15	1	-	20.57
4	-	-	-	-	4	8	6	-	14	14	-	-	14.94
8	2	1	-	-	11	17	14	-	31	29	2	-	13.60
49	69	21	9	-	148	135	135	-	270	176	94	-	16.72
13	1	-	-	-	14	18	24	-	42	41	1	-	22.85
3	-	1	1	-	5	15	8	-	23	23	-	-	23.37
6	-	-	1	-	7	1	10	-	11	9	2	-	23.26
10	-	-	3	-	13	15	9	-	24	22	1	1	16.46
4	-	1	-	-	5	10	15	-	25	23	2	-	19.62
16	2	4	-	-	22	17	34	-	51	48	3	-	15.80
10	2	4	2	-	18	22	21	-	43	43	-	-	20.25
12	2	2	1	-	17	25	12	-	37	37	-	-	12.88
6	-	1	1	-	8	13	13	-	26	23	-	3	19.48
7	-	-	2	-	9	6	10	-	16	16	-	-	18.31
1	-	-	1	-	2	8	4	-	12	12	-	-	11.99
6	-	-	-	-	6	5	4	-	9	9	-	-	13.10
2	-	-	-	-	2	9	9	-	18	17	1	-	26.63
9	-	-	1	-	10	15	8	-	23	23	-	-	13.16
3	-	2	-	-	5	7	8	-	15	11	4	-	15.56
8	-	-	-	-	8	11	19	-	30	29	1	-	26.53
49	6	6	5	-	66	54	60	-	114	102	12	-	18.62
32	25	17	7	-	81	60	66	-	126	103	23	-	20.73
9	-	1	-	-	10	7	7	-	14	14	-	-	16.53
17	8	3	1	-	29	36	20	-	56	48	8	-	17.57
10	-	-	1	-	11	10	8	-	18	18	-	-	15.40
7	-	-	-	-	7	12	22	-	34	32	1	1	16.94
19	-	3	-	1	23	29	31	-	60	59	1	-	22.40
325	117	67	36	1	546	573	585	-	1,158	996	157	5	17.85

TABLE
Recapitulation

COUNTIES.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin	54,242	606	557	1	1,164	21.46	448	461	137	106	12
Aroostook	*59,385	1,113	1,125	3	2,241	37.74	1,242	327	329	306	37
Cumberland	100,689	1,058	1,006	2	2,066	20.52	1,106	583	146	208	23
Franklin	*18,007	213	218	1	432	23.99	302	68	36	23	3
Hancock	*37,039	338	343	2	733	19.79	638	27	35	21	12
Kennebec	59,117	629	546	2	1,177	19.91	688	269	111	100	9
Knox	*30,334	243	222	-	465	15.33	358	51	24	26	6
Lincoln	19,669	177	167	1	345	17.54	314	2	12	16	1
Oxford	*31,967	394	397	1	792	24.78	505	175	67	39	6
Penobscot	*75,637	790	787	1	1,578	20.86	923	330	172	143	10
Piscataquis	*16,526	166	186	1	353	21.36	251	49	28	23	2
Sagadahoc	20,330	185	159	-	344	16.93	220	71	25	25	3
Somerset	*33,602	387	310	1	698	20.77	516	80	56	35	11
Waldo	24,185	171	181	-	352	14.55	315	9	6	18	4
Washington	*44,889	495	518	-	1,013	22.57	658	93	113	123	26
York	64,885	779	761	1	1,541	23.75	705	584	112	130	10
Total	*690,503	7,794	7,483	17	15,294	22.15	9,189	3,179	1,409	1,342	175

* Population omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 8.
by Counties.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
278	119	45	55	3	500	462	438	-	900	699	193	8	16.59	
320	47	75	119	3	564	427	375	-	802	600	192	10	13.51	
590	120	79	77	10	876	903	884	1	1,788	1,450	297	41	17.76	
153	12	4	8	-	177	143	140	-	283	269	11	3	15.72	
308	1	12	16	-	337	282	262	-	544	510	27	7	14.69	
394	53	46	27	9	529	584	531	-	1,115	961	130	24	18.87	
237	22	11	12	-	282	240	238	-	478	436	34	8	15.76	
111	-	3	1	2	117	156	113	-	269	257	11	1	13.68	
277	41	16	36	1	371	262	244	-	506	472	32	2	15.83	
528	59	66	75	4	732	676	629	-	1,305	1,094	170	41	17.25	
119	17	9	10	2	157	141	129	-	270	237	28	5	16.34	
115	15	7	15	-	152	153	169	-	322	292	30	-	15.84	
268	23	30	27	2	350	295	266	-	561	493	58	10	16.70	
192	2	7	4	1	206	191	216	-	407	386	18	3	16.83	
264	24	37	42	1	368	347	326	-	673	518	150	5	14.99	
325	117	67	36	1	546	573	585	-	1,158	996	157	5	17.85	
4,479	672	514	560	39	6,264	5,835	5,545	1	11,381	9,670	1,538	173	16.48	

TABLE No. 9.
Births and Birth-Rates by Counties for the Years 1898-1905.

	1898.		1899.		1900.		1901.		1902.		1903.		1904.		1905.	
	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.
State	14,473	21.89	13,895	20.10	14,095	20.30	14,021	20.19	14,508	20.89	14,453	20.81	14,673	21.13	15,294	21.40
Androscoggin	1,151	23.51	1,116	20.78	1,099	20.26	1,069	19.54	1,117	20.59	1,050	19.36	1,059	19.52	1,164	20.47
Aroostook	1,802	37.05	1,822	31.23	1,843	32.77	1,945	32.62	2,090	35.12	2,095	35.45	2,223	37.27	2,241	34.60
Cumberland	1,993	21.91	1,974	19.79	2,074	20.60	1,877	18.64	1,951	19.37	2,029	20.15	2,011	19.97	2,066	19.03
Franklin	798	23.65	381	21.04	392	21.63	406	22.32	416	23.19	383	21.20	376	20.60	432	22.60
Hancock	341	20.04	720	19.41	689	18.62	666	18.01	700	18.92	676	18.27	695	18.76	733	19.05
Kennebec	1,135	19.91	1,036	17.59	1,166	19.72	1,123	19.00	1,227	20.76	1,084	18.34	1,174	19.86	1,177	19.14
Knox	513	16.31	510	16.74	448	14.79	498	16.41	437	14.42	450	14.86	452	14.92	465	15.32
Lincoln	348	15.89	334	16.78	339	17.24	335	17.03	307	15.61	303	15.40	288	14.64	345	17.42
Oxford	650	21.36	561	17.59	555	17.26	627	19.45	689	21.44	729	22.85	730	22.88	792	23.36
Penobscot	1,521	21.08	1,413	18.74	1,314	17.38	1,405	18.54	1,577	20.80	1,598	21.09	1,541	20.34	1,578	20.04
Piscataquis	336	21.32	310	18.83	323	19.49	289	17.28	347	21.11	351	21.30	343	20.64	353	20.29
Sagadahoc	380	19.54	381	18.82	422	20.76	420	20.66	382	18.79	352	17.31	399	19.63	344	15.95
Somerset	624	19.28	580	17.37	603	17.99	600	17.90	583	17.34	591	17.60	631	18.88	698	19.95
Waldo	402	14.48	335	13.65	348	14.38	364	15.05	282	11.66	272	11.25	319	13.19	352	14.52
Washington	1,146	26.32	1,062	23.75	1,059	23.53	975	21.67	991	22.10	1,031	22.99	988	22.03	1,013	21.87
York	1,333	21.22	1,360	21.03	1,421	21.90	1,431	22.05	1,412	21.76	1,459	22.49	1,441	22.21	1,541	23.03

TABLE NO. 10.

Births by Counties, Showing Proportion of Males to Females, 1905.

COUNTIES.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin	606	557	1	1,164	49	-	108.8
Aroostook.....	1,113	1,125	3	2,241	-	12	98.9
Cumberland.....	1,058	1,008	2	2,066	52	-	105.2
Franklin.....	213	218	1	432	-	5	97.7
Hancock.....	388	343	2	733	45	-	113.1
Kennebec.....	629	546	2	1,177	83	-	115.2
Knox.....	243	222	-	465	21	-	109.5
Lincoln.....	177	167	1	345	10	-	105.6
Oxford.....	394	397	1	792	-	3	99.2
Penobscot.....	790	787	1	1,578	3	-	100.4
Piscataquis.....	166	186	1	353	-	20	89.2
Sagadahoc.....	185	159	-	344	26	-	116.4
Somerset.....	387	310	1	698	77	-	124.8
Waldo.....	171	181	-	352	-	10	94.5
Washington.....	495	518	-	1,013	-	23	95.6
York.....	779	761	1	1,541	18	-	102.4
Total.....	7,794	7,488	17	15,294	384	73	104.1

TABLE No. II.

Number of Births in Each Month of 1898-1905, with a Monthly Ratio Compared with a Standard of 100.

MONTHS.	1898.		1899.		1900.		1901.		1902.		1903.		1904.		1905.	
	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January	1,148	93.4	1,093	92.6	1,167	97.5	1,123	94.3	1,143	92.7	1,210	98.6	1,219	97.8	1,178	90.8
February	1,176	103.4	1,104	103.7	1,083	130.2	1,128	104.8	1,111	99.8	1,151	103.9	1,207	107.2	1,180	100.6
March	1,323	107.6	1,237	104.9	1,260	105.4	1,303	109.4	1,401	113.6	1,353	110.3	1,367	109.7	1,463	112.7
April	1,269	106.7	1,295	113.5	1,245	107.5	1,270	110.2	1,250	104.7	1,364	114.9	1,325	109.9	1,340	106.6
May	1,322	107.6	1,224	103.8	1,276	106.7	1,290	108.3	1,333	108.1	1,326	108.1	1,336	107.2	1,365	105.2
June	1,299	103.3	1,201	105.3	1,146	108.8	1,190	103.3	1,244	104.3	1,247	105.1	1,186	98.3	1,375	109.4
July	1,226	99.8	1,239	105.1	1,284	109.1	1,178	98.9	1,237	100.3	1,215	99.0	1,297	104.1	1,439	110.9
August	1,219	99.2	1,197	101.3	1,255	104.1	1,199	100.6	1,252	101.6	1,223	99.7	1,216	97.6	1,328	102.3
September	1,182	99.4	1,163	101.8	1,213	104.7	1,252	108.7	1,207	101.2	1,205	101.5	1,203	99.8	1,259	100.2
October	1,196	97.3	1,058	89.6	1,070	94.1	1,051	88.3	1,137	92.3	1,134	92.4	1,217	97.7	1,163	89.6
November	1,028	86.5	979	85.8	1,055	89.1	983	85.3	1,064	89.2	1,026	86.4	1,037	85.9	1,057	84.1
December	1,149	93.5	1,098	93.0	1,035	86.5	1,048	88.0	1,119	90.8	990	80.6	1,057	84.8	1,143	88.1
Unknown	6	-	7	-	6	-	6	-	10	-	9	-	6	-	4	-

* In this column the inaccuracies due to the unequal length of the months are eliminated.

TABLE No. 12.

Births, by Sex and Months, by Counties, 1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males	44	41	61	45	56	57	42	57	50	56	41	54	2	606	-
females...	38	45	51	56	50	51	53	48	29	50	42	44	-	557	-
not stated	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1164
Aroostook, males...	71	89	112	109	122	88	112	95	94	63	61	96	1	1113	-
females...	89	98	107	120	97	96	117	86	99	62	69	84	1	1125	-
not stated	-	-	3	-	-	-	-	-	-	-	-	-	-	3	2241
Cumberland, males...	79	79	102	87	95	95	56	90	92	53	52	84	-	1038	-
females...	81	93	96	78	82	87	98	90	81	63	75	82	1	1006	-
not stated	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2066
Franklin, males.....	16	10	15	16	26	27	23	18	14	15	11	22	-	243	-
females...	25	13	21	21	17	16	26	17	16	14	16	16	-	218	-
not stated	-	-	-	-	-	-	-	1	-	-	-	-	-	1	432
Hancock, males.....	30	26	37	23	28	45	42	47	31	33	25	21	-	388	-
females...	28	31	28	28	33	27	33	23	37	30	22	23	-	343	-
not stated	-	-	-	1	-	-	-	-	-	1	-	-	-	2	733
Kennebec, males.....	61	54	54	62	57	50	53	44	48	55	60	31	-	629	-
females...	50	43	45	47	49	43	45	44	47	55	36	42	-	546	-
not stated	1	-	1	-	-	-	-	-	-	-	-	-	-	2	1177
Knox, males.....	24	21	20	16	12	21	21	27	24	21	16	20	-	243	-
females...	21	22	18	23	15	18	23	13	19	19	17	14	-	222	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	465
Lincoln, males.....	12	15	12	11	15	22	12	23	25	7	8	15	-	177	-
females...	12	11	21	23	11	7	19	14	7	14	14	14	-	167	-
not stated	-	-	-	-	-	1	-	-	-	-	-	-	-	1	345
Oxford, males.....	26	31	40	25	37	28	43	47	41	20	27	29	-	394	-
females...	26	34	38	36	41	36	33	35	36	25	29	28	-	397	-
not stated	-	-	-	-	-	-	-	-	-	-	1	-	-	1	792
Penobscot, males....	50	52	80	58	82	78	98	88	56	57	42	49	-	790	-
females...	60	50	74	70	68	84	78	48	55	72	61	67	-	787	-
not stated	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1578
Piscataquis, males..	17	16	21	9	7	18	16	10	12	14	13	13	-	166	-
females...	11	14	21	17	8	19	19	15	21	16	7	18	-	186	-
not stated	-	-	-	-	-	-	1	-	-	-	-	-	-	1	353
Sagadahoc, males...	19	17	18	22	10	17	18	12	13	19	10	10	-	185	-
females...	12	11	19	15	16	15	18	14	11	10	8	10	-	159	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	344
Somerset, males.....	28	34	30	38	39	38	39	31	31	31	20	28	-	387	-
females...	21	20	38	36	29	28	20	24	22	27	23	22	-	310	-
not stated	-	-	-	-	-	-	-	1	-	-	-	-	-	1	698
Waldo, males.....	9	16	19	10	17	14	13	19	15	17	14	8	-	171	-
females...	14	12	19	28	13	10	18	11	14	14	10	18	-	181	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	352
Washington, males...	45	35	40	45	39	38	45	48	37	38	40	45	-	495	-
females...	41	36	55	46	45	40	35	51	41	45	43	40	-	518	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1013
York, males.....	65	58	67	59	90	79	64	65	75	66	56	35	-	779	-
females...	51	53	82	59	59	78	76	71	66	50	56	60	-	761	-
not stated	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1541
Total, males....	596	594	728	635	732	718	727	721	658	595	527	560	3	7794	-
females...	580	586	733	703	633	655	711	604	601	566	528	582	1	7483	-
not stated	2	-	2	2	-	2	1	3	-	2	2	1	-	17	-
Grand total.....	1178	1180	1463	1340	1365	1375	1439	1328	1259	1163	1057	1143	4	15294	15294

TABLE No. 13.

Births in Cities for 1905, with Rate per 1,000 of Population.

CITIES.	Estimated population for 1905.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn	13,802	109	99	-	208	15.07	110.1
Augusta.....	12,261	137	113	1	251	20.47	121.2
Bangor.....	23,224	156	154	1	311	13.39	101.3
Bath.....	11,354	108	96	-	204	17.97	112.5
Belfast.....	4,615	29	24	-	53	11.48	120.0
Biddeford.....	16,996	271	260	-	531	31.24	104.2
Brewer.....	5,156	73	75	-	148	28.70	97.3
Calais	7,838	78	86	-	164	20.92	90.7
Eastport	5,513	65	60	-	125	22.67	108.3
Ellsworth.....	4,297	33	32	-	65	15.13	103.1
Gardiner.....	5,506	55	51	-	106	19.25	107.8
Hallowell.....	2,714	24	20	-	44	16.21	120.0
Lewiston.....	24,791	322	299	-	621	25.05	107.7
Old Town.....	5,989	92	95	-	187	31.22	96.8
Portland.....	57,005	521	528	2	1,051	18.44	98.7
Rockland	8,150	72	69	-	141	17.30	104.3
Saco.....	6,146	70	56	-	126	20.50	125.0
South Portland.....	6,287	73	53	-	126	20.04	137.7
Waterville.....	10,662	145	145	-	290	27.20	100.0
Westbrook.....	7,609	102	83	-	185	24.31	122.9
Total.....	239,915	2,535	2,398	4	4,937	20.58	105.7

TABLE No. 14.
Percentage of American and Foreign Births by Counties, 1905.

COUNTIES.	PARENTS.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin	38.49	39.60	20.88	1.03
Aroostook	55.42	14.59	28.34	1.65
Cumberland	53.52	28.22	17.14	1.12
Franklin	69.91	15.74	13.66	0.69
Hancock	87.04	3.68	7.64	1.64
Kennebec	58.41	22.85	17.97	0.77
Knox	76.99	10.97	10.75	1.29
Lincoln	91.01	0.58	8.12	0.29
Oxford	63.76	22.10	13.38	0.76
Penobscot	58.49	20.92	19.96	0.63
Piscataquis	71.10	13.88	14.45	0.57
Sagadahoc	63.96	20.64	14.53	0.87
Somerset	73.92	11.46	13.04	1.58
Waldo	89.49	2.56	6.81	1.14
Washington	64.96	9.18	23.30	2.56
York	45.75	37.90	15.70	0.65
State	60.08	20.79	17.99	1.14

TABLE No. 15.
Percentage of American and Foreign Births by Cities, 1905.

CITIES.	PARENTS.			Births with percentage not stated.
	American-born.	Foreign-born,	One foreign-born.	
Auburn	39.90	37.50	22.12	0.48
Augusta	53.39	30.28	15.14	1.19
Bangor.....	46.95	25.08	27.01	0.96
Bath	57.84	24.51	16.67	0.98
Belfast	88.66	1.89	5.67	3.78
Biddeford	14.31	68.36	17.33	-
Brewer	54.05	31.08	13.51	1.36
Calais	26.22	20.12	49.29	4.27
Eastport.....	45.60	11.20	42.40	0.80
Ellsworth	95.38	-	4.62	-
Gardiner	68.87	14.15	16.98	-
Hallowell.....	65.90	13.64	20.46	-
Lewiston	22.38	52.50	23.83	1.29
Old Town.....	42.25	32.62	25.13	-
Portland.....	42.91	35.97	19.79	1.33
Rockland	72.34	11.35	15.60	0.71
Saco.....	50.79	26.98	21.44	0.79
South Portland.....	70.63	15.06	12.70	1.59
Waterville.....	35.17	31.38	32.75	1.05
Westbrook	36.75	37.30	24.87	1.08
Collectively	41.56	35.53	22.07	1.06

TABLE No. 16.
Twin Births by Months and Counties, 1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin	-	-	-	2	1	2	-	-	-	2	1	1	9
Aroostook	4	1	4	5	-	4	-	2	2	1	1	3	27
Cumberland.....	3	1	1	2	5	1	1	1	-	1	1	1	18
Franklin.....	-	1	-	-	3	2	-	-	-	-	-	1	7
Hancock.....	-	1	-	-	2	-	2	-	-	1	-	1	7
Kennebec	-	1	3	2	3	1	2	3	2	-	1	-	18
Knox.....	1	1	1	-	-	1	-	2	-	-	-	-	6
Lincoln	-	-	-	-	-	-	-	-	1	-	1	-	2
Oxford	-	-	1	1	-	-	-	1	-	1	-	1	5
Penobscot	1	-	2	1	2	1	3	3	3	1	2	2	21
Piscataquis	-	-	-	-	-	-	1	-	1	-	-	2	4
Sagadahoc.....	-	1	-	-	-	-	-	-	-	-	-	-	1
Somerset	3	-	2	1	-	1	1	1	-	1	-	-	10
Waldo	-	-	1	1	1	-	-	-	-	-	-	1	4
Washington	-	-	2	-	2	-	-	2	-	-	2	1	9
York	-	2	4	1	1	2	2	-	2	2	2	2	20
Total	12	9	21	16	20	15	12	15	11	10	11	16	168

TABLE No. 17.
Twin Births by Sex and Parentage, by Counties, 1905.

COUNTIES.	SEX.				PARENTAGE.					Total.	Living children.	Still-born children.	Total.
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.				
Androscoggin.....	4	3	2	-	1	8	-	-	-	9	16	2	18
Aroostook.....	12	10	5	-	15	5	3	3	1	27	53	1	54
Cumberland.....	6	7	5	-	10	4	-	4	-	18	35	1	36
Franklin.....	2	2	3	-	5	1	1	-	-	7	12	2	14
Hancock.....	-	2	5	-	6	-	-	1	-	7	7	7	14
Kennebec.....	5	5	8	-	10	4	1	3	-	18	34	2	36
Knox.....	3	1	2	-	6	-	-	-	-	6	11	1	12
Lincoln.....	1	-	1	-	2	-	-	-	-	2	4	-	4
Oxford.....	2	2	1	-	2	2	-	1	-	5	10	-	10
Penobscot.....	7	5	9	-	12	5	2	2	-	21	38	4	42
Piscataquis.....	-	2	2	-	2	1	1	-	-	4	8	-	8
Sagadahoc.....	1	-	-	-	1	-	-	-	-	1	2	-	2
Somerset.....	4	3	3	-	8	2	-	-	-	10	20	-	20
Waldo.....	-	3	1	-	4	-	-	-	-	4	8	-	8
Washington.....	3	3	3	-	8	-	-	-	1	9	16	2	18
York.....	10	6	4	-	8	10	-	2	-	20	35	5	40
Total.....	60	54	54	-	100	42	8	16	2	168	309	27	336

TABLE No. 18.
Still-Births by Sex and Parentage, by Counties, 1905.

COUNTIES.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin	16	19	-	35	19	16	-
Aroostook	65	39	1	105	64	41	-
Cumberland	55	49	1	105	62	43	-
Franklin	13	12	1	26	21	5	-
Hancock	22	19	2	43	42	1	-
Kennebec	25	16	1	42	29	13	-
Knox	16	8	-	24	20	4	-
Lincoln	5	4	-	9	9	-	-
Oxford	14	18	1	33	27	5	1
Penobscot	43	25	4	72	52	17	3
Piscataquis	11	4	-	15	10	4	1
Sagadahoc	8	8	-	16	14	2	-
Somerset	16	13	3	32	27	5	-
Waldo	7	4	2	13	13	-	-
Washington	29	24	-	53	46	3	4
York	53	32	3	88	49	39	-
Total	398	294	19	711	504	198	9

TABLE No. 19.
Still-Births by Seasons, 1905.

MONTHS.			
January	53		
February	66		
March	52	Total for first quarter	171
April	60		
May	67		
June	66	Total for second quarter	193
July	50		
August	55		
September	61	Total for third quarter	166
October	77		
November	53		
December	51	Total for fourth quarter	181
Total	711		711

NOTES ON BIRTHS.

In the year 1905, 16,005 births were registered in the State, including still-births (14,082 in 1892, 14,604 in 1893, 14,607 in 1894, 15,430 in 1895, 15,429 in 1896, 15,142 in 1897, 15,121 in 1898, 14,475 in 1899, 14,709 in 1900, 14,615 in 1901, 15,166 in 1902, 15,130 in 1903, and 15,405 in 1904).

The number of living children born was 15,294, and the number of still-births was 711.

Of the whole number of living children of which the sex was certified 7,794 were males and 7,483 were females. In 17 births the sex was not stated. For each 100 girls born there were 104.1 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, 106.4 in 1895, 105.3 in 1896, 102.3 in 1897, 106.0 in 1898, 104.4 in 1899, 103.2 in 1900, 105.6 in 1901, 105.0 in 1902, 105.3 in 1903, and 104.2 in 1904).

Birth-rate. The birth-rate of living children for the State was 21.40 for each 1,000 of population.

Table No. 13 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 population was 20.58 as compared with 21.82, the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. As it invariably has been every year since the registration began, it was the highest in Aroostook, 34.60, and the lowest in Waldo, 14.52. In five counties, Aroostook, Franklin, Oxford, Washington, and York, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 4 and 8.

Parentage.—Of the total births in the State, 60.08 per cent. were of native parents; 20.79 per cent. were of foreign parentage; 17.99 per cent. were of parents one of whom was foreign; while of 1.14 per cent. the nationality was not stated.

Lincoln county had the largest percentage of native-born parents, to wit, 91.01 per cent., and only 0.58 per cent. in which both parents were foreign-born. Waldo followed with 89.49

per cent. of native parentage, and only 2.56 per cent. in which both parents were foreign-born.

In Hancock county in 87.04 per cent. of the births the parents were native-born and in 3.68 per cent. foreign-born.

In Knox, the percentage of native-born parents was 76.99; in Somerset, 73.92; in Piscataquis, 71.10, and in Franklin, 69.91.

Comparatively high percentages of foreign-born parents are found in Androscoggin county, 39.60; in York, 37.90; in Cumberland, 28.22; in Kennebec, 22.85; in Oxford, 22.10; and in Penobscot, 20.92 per cent.

The percentages of parentage, whether American-born or foreign-born, may be found for the other counties in Table No. 14.

Comparing the percentage of the births in our twenty cities with that of the rest of the State, we find that, in the cities, 41.36 per cent. of the births were of American parentage, while in the rural parts of the State, the percentage of American-born children was 69.01.

The largest percentage of foreign-born parents was in Biddeford, 68.36; and in Lewiston, 52.50.

In Ellsworth there were no foreign births, and in Belfast only 1.89 per cent. of the births had both parents foreign-born. For further comparison see Table No. 15.

Seasons and Births.—The largest number of births in any one month in 1905 was 1,463 in March; the smallest was 1,057 in November; the largest quarterly total was 4,080 in the second quarter; the smallest, 3,363 in the last quarter. The three consecutive months in which the largest number of births occurred were May, June, and July, 4,179.

The following is a tabular statement of the number of births in each month of the fourteen years 1892-1905:

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892.....	1,016	1,113	1,345	1,275	1,323	1,176	1,222	1,191	1,144	1,047	1,002	1,111	63	14,028
1893.....	1,151	1,082	1,162	1,259	1,273	1,162	1,176	1,213	1,115	1,126	1,032	1,109	48	13,908
1894.....	962	980	1,335	1,324	1,255	1,200	1,286	1,213	1,168	1,064	980	1,164	9	13,940
1895.....	1,182	1,082	1,329	1,287	1,308	1,236	1,290	1,312	1,233	1,189	1,115	1,193	6	14,762
1896.....	1,149	1,227	1,330	1,318	1,379	1,190	1,207	1,246	1,257	1,220	1,091	1,069	10	14,693
1897.....	1,126	1,123	1,390	1,260	1,288	1,250	1,274	1,303	1,205	1,138	984	1,077	12	14,430
1898.....	1,148	1,176	1,323	1,269	1,322	1,229	1,226	1,219	1,182	1,196	1,028	1,149	6	14,473
1899.....	1,093	1,104	1,237	1,295	1,224	1,201	1,239	1,197	1,163	1,058	979	1,036	7	13,895
1900.....	1,167	1,083	1,260	1,245	1,276	1,146	1,284	1,255	1,213	1,070	1,055	1,035	6	14,905
1901.....	1,123	1,128	1,303	1,270	1,290	1,190	1,178	1,199	1,252	1,051	983	1,048	6	14,021
1902.....	1,143	1,111	1,401	1,250	1,333	1,244	1,237	1,252	1,207	1,137	1,064	1,119	10	14,508
1903.....	1,210	1,151	1,353	1,304	1,326	1,247	1,215	1,223	1,205	1,134	1,026	990	9	14,453
1904.....	1,219	1,207	1,367	1,325	1,336	1,166	1,297	1,216	1,203	1,217	1,037	1,057	6	14,673
1905.....	1,178	1,180	1,463	1,340	1,365	1,375	1,439	1,328	1,259	1,163	1,057	1,143	4	15,294

Twin-births.—In 1905, 168 twin-births occurred; in 60 instances the twins were both boys; in 54, both girls; in 54, a boy and a girl. In 100 cases the parentage was American; in 42, foreign; in 24 instances the parentage was mixed; and in 2 it was not stated. Of the 336 children, 309 were born alive, and 27 were still-born.

Triplets.—In Monticello a triple birth occurred, in which all the children were living. There were also triplets in Bath and York; in each of these only one was living.

Still-births.—Of the 711 still-born children, 398 were males and 294 were females. In 19 the sex was not stated. With the exception of nine still-births, as to which the nativity of the mother was not stated, 504 were of American mothers, and 198 were of foreign mothers.

The largest number of still-births occurred in Cumberland and Aroostook counties, 105 in each; while the minimum number, 9, was reported in Lincoln county.

The largest number of still-births, 77, was returned in October; the smallest number was 50 in July. See Tables No. 18 and 19 for other details.

TABLE No. 20.
Marriages and Marriage-Rates by Counties for the Years 1898-1905.

	1898.		1899.		1900.		1901.		1902.		1903.		1904.		1905.	
	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.
State	5,144	7.78	5,329	7.71	5,482	7.89	5,735	8.26	5,905	8.50	6,200	8.93	6,208	8.94	6,264	8.76
Androscoggin	376	7.68	398	7.41	463	8.54	492	9.57	462	8.52	485	8.94	465	8.57	500	8.79
Aroostook	487	9.82	450	7.55	527	8.68	524	8.63	569	9.37	617	10.16	623	10.26	564	8.70
Cumberland	657	7.22	723	7.24	731	7.26	791	7.86	846	8.40	903	8.97	848	8.42	876	8.07
Franklin	158	9.26	191	10.43	149	8.02	189	10.25	162	8.78	172	9.33	167	9.05	177	9.31
Hancock	264	7.08	300	8.05	269	7.22	332	8.92	322	8.65	323	8.67	333	8.94	337	8.75
Kennebec	469	8.23	479	8.13	477	8.07	456	7.71	504	8.53	508	8.59	554	9.37	529	8.70
Knox	247	7.85	192	6.49	255	8.32	276	9.68	273	8.98	280	9.21	261	8.58	282	9.29
Lincoln	148	6.73	145	7.29	148	7.52	144	7.32	133	6.76	132	6.71	166	8.44	117	5.91
Oxford	236	7.72	243	7.58	241	7.42	285	8.84	319	9.90	345	10.70	317	8.83	371	10.94
Penobscot	602	8.28	619	8.15	647	8.49	668	8.76	701	9.19	705	9.25	754	9.89	732	9.29
Piscataquis	145	8.99	146	8.65	128	7.55	152	8.97	163	9.62	165	9.74	171	10.09	157	9.03
Sagadahoc	156	8.02	155	7.65	145	7.13	144	7.08	158	7.77	152	7.48	183	9.00	152	7.05
Somerset	275	8.43	288	8.54	328	9.69	333	9.83	308	9.10	349	10.31	337	9.96	350	10.00
Waldo	200	6.13	173	7.05	167	6.91	177	7.32	161	6.66	182	7.53	154	6.37	206	8.50
Washington	341	7.67	398	8.81	359	7.94	327	7.23	344	7.61	360	7.96	332	7.34	368	7.85
York	383	8.10	424	6.55	448	6.90	445	6.87	480	7.40	522	8.05	543	8.37	546	8.16

TABLE No. 21.

Marriages by Counties and Nativity, 1905.

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin	278	119	45	55	3	500
Aroostook	320	47	75	119	3	564
Cumberland	590	120	79	77	10	876
Franklin	153	12	4	8	-	177
Hancock	308	1	12	16	-	337
Kennebec	394	53	46	27	9	529
Knox	237	22	11	12	-	282
Lincoln	111	-	3	1	2	117
Oxford	277	41	16	36	1	371
Penobscot	528	59	66	75	4	732
Piscataquis	119	17	9	10	2	157
Sagadahoc	115	15	7	15	-	152
Somerset	268	23	30	27	2	350
Waldo	192	2	7	4	1	206
Washington	264	24	37	42	1	368
York	325	117	67	36	1	546
Total	4,479	672	514	560	39	6,264

TABLE No. 22.

Marriages by Months and Counties, 1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin.....	50	20	22	18	41	59	37	39	64	57	53	40	-	500
Aroostook.....	42	43	33	35	34	74	57	44	54	60	58	30	-	564
Cumberland.....	44	44	45	62	64	125	49	69	97	107	107	63	-	876
Franklin.....	9	11	15	6	14	21	7	14	24	17	16	23	-	177
Hancock.....	20	14	25	15	10	27	26	23	33	47	45	52	-	337
Kennebec.....	34	27	32	27	32	78	38	32	67	49	56	45	-	529
Knox.....	20	11	16	18	13	29	19	12	36	33	42	27	-	282
Lincoln.....	7	11	2	3	10	7	6	15	8	14	14	20	-	117
Oxford.....	26	24	25	28	24	34	33	33	37	39	36	32	-	371
Penobscot.....	51	40	33	38	46	124	56	69	80	69	64	61	1	732
Piscataquis.....	11	11	12	15	19	14	15	13	10	15	11	11	-	157
Sagadahoc.....	6	8	15	13	10	22	7	14	11	12	25	9	-	152
Somerset.....	23	11	19	24	26	52	24	33	42	37	32	27	-	350
Waldo.....	10	7	7	9	9	25	8	14	31	31	29	26	-	206
Washington.....	21	13	24	13	27	41	20	30	46	46	39	47	1	368
York.....	49	30	22	33	42	64	47	34	56	65	50	54	-	546
Total.....	423	325	347	357	427	796	449	500	696	698	677	567	2	6,264

TABLE No. 23.

Number of Marriages in Each Month of 1898-1905, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1898.		1899.		1900.		1901.		1902.		1903.		1904.		1905.	
	Marriages.	Ratio.*	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.
January.....	438	100.3	369	81.6	417	89.5	369	75.8	436	86.9	407	77.4	439	83.3	423	79.5
February.....	273	69.2	286	70.0	313	74.4	282	65.5	351	77.5	331	69.7	352	73.9	325	67.7
March.....	300	68.7	290	64.2	271	58.2	285	58.5	309	61.6	327	62.2	331	62.8	347	65.2
April.....	396	93.7	446	101.8	382	84.7	409	86.8	442	91.1	437	85.9	463	90.8	357	69.5
May.....	386	82.3	346	76.5	373	82.8	371	76.2	380	75.6	401	76.2	404	76.7	427	80.3
June.....	571	135.1	628	143.4	674	149.6	745	158.1	707	145.8	813	159.7	829	162.5	796	154.9
July.....	356	81.5	362	80.1	415	89.1	409	84.0	394	78.5	408	77.6	390	74.0	449	84.4
August.....	350	80.2	414	91.6	407	87.4	402	82.5	401	79.9	500	95.1	449	85.2	500	94.0
September.....	447	105.7	521	115.3	543	120.5	606	128.6	535	122.7	630	123.8	644	126.2	696	135.4
October.....	528	120.9	581	128.5	615	132.1	694	142.5	649	129.3	670	127.4	675	128.1	698	131.2
November.....	551	130.3	567	129.2	562	124.7	652	138.3	682	140.6	690	135.6	663	130.0	677	131.7
December.....	547	125.2	516	114.1	509	109.3	502	103.1	558	111.2	585	111.2	568	107.8	567	106.6
Unknown.....	1	-	3	-	1	-	3	-	1	-	1	-	1	-	2	-

* In this column the inaccuracies due to the unequal length of the months are eliminated.

TABLE No. 24.
Marriages by Ages and Counties, 1905.

COUNTIES.	Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscoggin...males..	-	19	186	150	63	34	10	13	7	5	11	2	-	-	500
females	-	110	214	86	36	23	16	7	2	4	2	-	-	-	500
Aroostook.....males..	-	23	243	166	62	26	17	5	8	5	9	-	-	-	564
females	-	232	206	61	28	16	8	4	-	7	2	-	-	-	564
Cumberland....males..	-	25	299	264	127	77	27	23	11	12	6	3	-	-	876
females	2	175	326	211	77	38	12	20	6	5	4	-	-	-	876
Franklin.....males..	-	6	67	48	19	9	11	6	3	3	4	1	-	-	177
females	-	69	49	28	7	10	5	3	2	2	2	-	-	-	177
Hancock.....males..	-	14	122	77	50	27	16	7	7	7	4	1	-	-	337
females	-	99	118	62	19	13	5	7	3	5	3	-	-	1	337
Kennebec.....males..	-	16	208	135	63	28	26	16	11	8	13	5	-	-	529
females	2	131	185	111	32	25	13	8	7	6	7	1	-	1	529
Knox.....males..	-	15	99	74	27	25	8	12	11	2	5	3	1	-	282
females	-	80	88	46	24	11	11	7	3	5	6	-	-	1	282
Lincoln.....males..	-	5	38	24	19	7	6	9	1	6	1	1	-	-	117
females	1	23	49	15	9	5	4	5	2	3	-	1	-	-	117
Oxford.....males..	-	14	148	106	40	24	7	11	7	7	4	3	-	-	371
females	2	117	131	59	24	13	7	4	5	5	3	-	-	1	371
Penobscot.....males..	-	20	251	209	111	39	31	30	12	12	11	5	-	1	732
females	-	205	256	120	64	35	17	12	11	9	1	-	-	2	732
Piscataquis...males..	-	13	43	53	18	11	5	4	3	3	2	2	-	-	157
females	-	45	48	28	11	9	6	3	1	1	2	-	-	-	157
Sagadahoc.....males..	-	7	45	43	24	8	11	3	5	3	3	-	-	-	152
females	-	42	52	28	9	7	8	4	1	-	1	-	-	-	152
Somerset.....males..	-	19	117	89	45	22	17	16	9	7	7	2	-	-	350
females	1	101	124	47	24	19	12	8	4	2	6	1	-	1	350
Waldo.....males..	-	9	69	45	23	18	13	7	10	2	8	1	-	1	206
females	-	56	71	27	14	9	9	7	7	4	-	1	-	1	206
Washington...males..	-	26	128	109	49	26	5	9	10	5	-	1	-	-	368
females	-	135	131	47	36	5	6	5	2	-	1	-	-	-	368
York.....males..	-	21	218	141	64	35	19	12	16	6	10	3	-	1	546
females	-	135	221	88	31	27	21	9	5	4	4	-	-	1	546
Total.....males..	-	252	2,281	1,733	804	416	229	183	131	93	103	35	1	3	6,264
females	8	1,753	2,269	1,064	445	265	160	113	61	62	45	5	1	8	6,264
Grand total.....	8	2,010	4,550	2,797	1,249	681	389	296	192	155	148	40	2	11	12,528

TABLE
Some Interesting Facts in

COUNTIES.	Instances in which the age of the bride exceeds that of the groom.		Widowers.		Widows.		Divorced.		First marriage.		Second marriage.		Third marriage.	
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Androscoggin	71	54	47	16	17	430	436	64	53	5	9			
Aroostook	56	61	41	9	16	492	505	67	54	3	3			
Cumberland	157	99	70	23	38	751	764	114	104	8	4			
Franklin	31	22	14	18	21	137	142	38	27	1	7			
Hancock	60	46	40	15	20	276	277	53	56	5	4			
Kennebec	80	75	55	29	33	422	437	92	74	11	12			
Knox	48	36	33	21	26	225	223	50	49	7	10			
Lincoln	17	19	17	4	6	94	94	21	21	2	2			
Oxford	60	43	43	19	20	309	308	58	58	4	5			
Penobscot	111	86	68	48	47	597	614	120	108	14	6			
Piscataquis	26	18	12	8	23	131	122	22	30	4	5			
Sagadahoc	23	17	11	9	9	126	132	21	18	4	2			
Somerset	54	61	52	26	34	262	262	75	77	10	8			
Waldo	30	41	24	8	17	157	165	40	36	9	4			
Washington	42	30	25	8	12	329	330	33	36	5	1			
York	79	65	47	26	17	454	480	82	59	9	5			
Total	945	773	599	287	356	5,192	5,291	950	860	101	87			

NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1905 was 6,264 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, 5,729 in 1895, 5,579 in 1896, 5,331 in 1897, 5,144 in 1898, 5,329 in 1899, 5,482 in 1900, 5,735 in 1901, 5,905 in 1902, 6,200 in 1903, and 6,208 in 1904). We have, therefore, for the year 1905, a marriage-rate of 17.52 (persons married) to every 1,000 of population, or at the rate of 8.76 marriages per 1,000 persons.

Marriage-rates.—The marriage-rate was higher in Oxford county than elsewhere in the State, it being for that county 10.94 per 1,000. The lowest marriage-rate, that of 5.91 per 1,000 was in Lincoln county. See Table No. 4.

Nativity.—Of the 6,225 records of marriage in which there was a statement of birthplace, in 72 per cent. the groom and bride were both American; in 11 per cent. both were of foreign birth; in 8 per cent. the groom was American and the bride of foreign birth; while in 9 per cent. a foreign groom and American bride were united.

Seasons.—The largest number of marriages, 796, was solemnized in June, while the smallest number in any one month, 325, occurred in February. See Table No. 22.

Ages of the Married.—The largest number, both of grooms and brides, was between 20 and 25 years of age. While still under 15 years of age, 8 brides were married; in the age-period 15-20 years there were 252 grooms and 1,758 brides; in the period 20-25 years 2,281 men and 2,269 women were married; from 25-30, 1,733 men and 1,064 women; from 30-35, 804 men and 445 women; from 35-40, 416 men and 265 women; from 40-45, 229 men and 160 women; from 45-50, 183 men and 113 women; from 50-55, 131 men and 61 women; from 55-60, 93 men and 62 women; from 60-70, 103 men and 45 women; from 70-80, 35 men and 5 women; over 80, one man and one woman.

The age of 3 grooms and 8 brides was not stated. See Table No. 24.

In 5,319 marriages, the groom was older than the bride; while in 945, the bride was the elder; 773 widowers and 599 widows were remarried; 287 men and 356 women were remarried after having been divorced from a former marriage.

Table No. 25 exhibits the fact that 5,192 men and 5,291 women were married for the first time; that 950 men and 860 women were married the second time; that 101 men and 87 women were united in the third marriage; that 6 men and 7 women contracted marriage a fourth time; and 3 men and 1 woman were married a fifth time. The oldest groom was 80 years of age, and the oldest bride was 81. The youngest groom was 16 years of age, and the youngest bride was 13.

At the age of 16 years, 3 grooms were married; at 17 years, 13; at 18 years, 65; and at 19 years, 170. At the age of 13 years, 1 bride was married; at 14 years, 7; at 15, 74; at 16, 175, at 17, 324; and at 18, 598.

One man was married for the first time at the age of 69 years, one at 65, one at 62, and one at 61. Four brides were married a second time at the age of 17 years, one at the age of 16, and one at 18. In one instance the bride was married a fourth time when 29 years of age, while in another case the bride was married a fifth time when but 25 years old. One woman contracted marriage for the first time at the age of 81 years, while the groom was but 21.

TABLE

Divorces Decreed by the Supreme Court of Maine for the

COUNTIES.	Libellant wife.	Libellant husband.	Adultery.	Cruelty.	Extreme cruelty.	Extreme cruelty and abusive treatment.	Extreme cruelty and adultery.	Desertion.	Desertion and adultery.	Intoxication.
Androscoggin	49	18	11	-	-	-	-	17	-	6
Aroostook	27	15	3	-	1	-	-	8	-	4
Cumberland	92	18	4	-	-	-	-	35	-	24
Franklin	30	12	6	-	1	-	-	9	-	3
Hancock	19	15	8	-	-	3	-	16	-	-
Kennebec.....	68	31	14	32	-	-	-	20	-	23
Knox.....	38	12	1	-	-	-	-	4	-	9
Lincoln	11	3	-	-	-	-	-	6	-	-
Oxford	40	18	7	-	-	-	-	10	-	5
Penobscot	92	28	14	-	-	-	-	42	-	19
Piscataquis.....	18	6	1	-	-	-	-	6	-	-
Sagadahoc.....	14	8	3	-	2	-	-	5	-	1
Somerset	41	14	8	-	1	-	-	7	1	7
Waldo	15	8	5	-	-	-	1	4	-	1
Washington	23	11	1	-	2	-	-	17	-	1
York	33	21	8	-	2	-	-	18	1	6
Total	610	238	94	32	9	3	1	224	2	109

No. 26.

Year, 1905, as returned by Clerks of the Several Counties.

Intoxication and extreme cruelty.	Intoxication and failure to support.	Cruel and abusive treatment.	Cruel and abusive treatment and adultery.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment, extreme cruelty, and non-support.	Failure to support.	Impotence.	Neglecting to provide suitable maintenance.	Marriage annulled.	Total.
1	-	25	1	3	2	1	-	-	-	-	-	67
-	-	24	-	1	-	-	-	-	-	1	-	42
-	-	41	-	2	-	1	-	3	-	-	-	110
-	-	12	-	1	2	4	-	3	1	-	-	42
-	-	7	-	-	-	-	-	-	-	-	-	34
-	-	1	-	-	-	-	-	10	-	-	-	99
-	-	32	-	-	1	-	-	2	1	-	-	50
-	-	7	-	-	1	-	-	-	-	-	-	14
-	-	33	-	-	2	-	-	1	-	-	-	58
-	-	36	-	1	3	-	-	4	-	-	1	120
-	-	13	-	1	3	-	-	-	-	-	-	24
1	-	9	-	-	-	-	-	1	-	-	-	22
-	1	19	-	4	-	2	2	3	-	-	-	55
-	-	12	-	-	-	-	-	-	-	-	-	23
-	-	13	-	-	-	-	-	-	-	-	-	34
-	-	17	1	-	-	1	-	-	-	-	-	54
2	1	300	2	13	14	9	2	27	2	1	1	848

TABLE No. 27.

Divorces by Causes, the Sex of Libellants, and the Number of Years Married, 1905.

CAUSES.	LIBELLANTS.		NUMBER OF YEARS MARRIED.							
	Number.	Sex.	Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown.
Adultery	Males	61	-	1	24	15	17	3	1	-
	Females..	33	-	-	9	10	10	2	2	-
Cruelty	Males	9	1	-	5	1	1	1	1	-
	Females..	23	-	-	8	4	10	1	-	-
Extreme cruelty.....	Males	-	-	-	-	-	-	-	-	-
	Females..	9	-	-	2	2	4	1	-	-
Extreme cruelty and abusive treatment	Males	1	-	-	1	-	-	-	-	-
	Females..	2	-	-	1	1	-	-	-	-
Extreme cruelty and adultery	Males	-	-	-	-	-	-	-	-	-
	Females..	1	-	-	1	-	-	-	-	-
Desertion.....	Males	92	-	-	14	31	26	14	7	-
	Females..	132	1	-	18	44	38	26	4	1
Desertion and adultery	Males	1	-	-	1	-	-	-	-	-
	Females..	1	-	-	1	-	-	-	-	-
Intoxication	Males	2	-	-	1	1	-	-	-	-
	Females..	107	1	1	29	34	33	9	-	-
Intoxication and extreme cruelty	Males	-	-	-	-	-	-	-	-	-
	Females..	2	-	-	-	1	-	1	-	-
Intoxication and failure to support.....	Males	-	-	-	-	-	-	-	-	-
	Females..	1	-	-	-	-	1	-	-	-
Cruel and abusive treatment.....	Males	68	1	18	22	19	5	2	1	-
	Females..	232	3	81	56	62	27	3	-	-
Cruel and abusive treatment and adultery	Males	-	-	-	-	-	-	-	-	-
	Females..	2	-	-	-	-	1	1	-	-
Cruel and abusive treatment and failure to support.....	Males	-	-	-	-	-	-	-	-	-
	Females..	13	-	-	8	1	3	1	-	-
Cruel and abusive treatment and intoxication.....	Males	-	-	-	-	-	-	-	-	-
	Females..	14	-	-	5	4	3	2	-	-
Cruel and abusive treatment and extreme cruelty	Males	2	1	1	-	-	-	-	-	-
	Females..	7	-	1	4	2	-	-	-	-
Cruel and abusive treatment, extreme cruelty and non-support	Males	-	-	-	-	-	-	-	-	-
	Females..	2	-	1	-	-	-	1	-	-
Failure to support.....	Males	-	-	-	-	-	-	-	-	-
	Females..	27	1	12	4	9	1	-	-	-
Neglecting to provide suitable maintenance	Males	-	-	-	-	-	-	-	-	-
	Females..	1	-	-	1	-	-	-	-	-
Impotence	Males	1	-	1	-	-	-	-	-	-
	Females..	1	1	-	-	-	-	-	-	-
Marriage annulled	Males	1	-	-	1	-	-	-	-	-
	Females..	1	-	-	-	-	-	-	-	-
Total	Males	238	1	3	65	71	64	23	11	1
	Females..	610	3	5	177	166	176	73	10	1

NOTES ON DIVORCES.

Eight hundred and forty-eight divorces were decreed in the year 1905 (552 in 1892, 627 in 1893, 674 in 1894, 681 in 1895, 668 in 1896, 722 in 1897, 764 in 1898, 790 in 1899, 801 in 1900, 808 in 1901, 905 in 1902, 946 in 1903, and 906 in 1904). In 1905, there was decreed in Maine one divorce for every 7.4 marriages solemnized.

Some of the causes for which divorces were granted are: Adultery, 94, or 11.1 per cent. of the whole number; cruelty, 32, or 3.8 per cent.; desertion, 224, or 26.4 per cent.; intoxication, 109, or 12.9 per cent.; cruel and abusive treatment, 300, or 35.4 per cent.; failure to support, 27, or 3.2 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 610 divorces, and the husband in 238.

In the divorces granted for adultery, the husband was the libellant 61 times, and the wife 33 times.

On account of cruelty, the wife was the libellant in 23 cases, and the husband in 9 cases.

For desertion, the husband was the libellant 92 times, and the wife 132.

For intoxication, the husband was the libellant in 2 cases, and the wife in 107.

For cruel and abusive treatment, the husband was the libellant in 68 instances, and the wife in 232.

For failure to support, the wife was the libellant in the 27 divorces decreed for that cause.

Four divorces were granted before the marriage life had lasted six months; 8 before 1 year's marriage; 242 after from 1 to 5 years' marriage; 237 after 5 to 10 years; 240 after 10 to 20 years; 94 after 20 to 30 years; 21 after more than 30 years of married life; while in 2 cases it was not stated how many years they had been married. Tables No. 26 and No. 27 may be consulted for more detailed statements.

TABLE No. 28.
Deaths and Death-Rates by Counties for the Years 1898-1905.

	1898.		1899.		1900.		1901.		1902.		1903.		1904.		1905.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State	10,956	16.57	11,370	16.45	11,389	16.40	11,133	16.03	10,673	15.37	11,009	15.85	11,346	16.34	11,381	15.92
Androscoggin	957	19.54	1,054	19.62	963	17.75	848	15.63	806	14.86	745	13.73	833	15.36	900	15.83
Aroostook	765	15.43	766	13.13	763	12.74	804	13.42	736	12.37	773	13.08	805	13.50	762	12.33
Cumberland	1,705	18.75	1,778	17.83	1,828	18.15	1,746	17.34	1,682	16.70	1,712	17.00	1,810	17.98	1,788	16.47
Franklin	276	16.18	310	17.12	311	17.16	275	15.12	258	14.38	277	15.33	306	16.77	283	14.80
Hancock	550	14.74	572	15.42	511	13.81	511	13.72	468	12.66	531	14.35	492	13.28	514	14.14
Kennebec	989	17.35	1,063	18.05	1,073	18.15	1,070	18.10	1,020	17.25	1,092	18.47	1,086	18.37	1,115	18.13
Knox	497	15.79	468	15.36	519	17.14	491	16.18	445	14.69	483	15.95	487	16.08	478	15.75
Lincoln	322	14.61	316	15.88	293	14.88	322	16.37	253	12.86	327	16.63	319	16.22	269	13.58
Oxford	488	15.96	478	14.99	545	16.95	537	16.70	557	17.33	541	16.99	572	17.93	506	14.92
Penobscot	1,185	16.26	1,184	15.70	1,127	14.91	1,257	16.58	1,224	16.14	1,282	16.93	1,361	17.96	1,305	16.57
Piscataquis	232	14.38	277	16.83	244	14.73	254	15.19	217	13.20	214	12.99	252	15.17	270	15.52
Sagadahoc	307	15.78	299	14.77	335	16.48	293	14.41	310	15.25	339	16.67	312	15.35	322	14.93
Somerset	503	15.42	548	16.42	478	14.26	495	14.76	534	15.88	547	16.29	560	16.68	561	16.03
Waldo	432	15.56	432	17.60	417	17.24	399	16.50	368	15.22	358	14.80	394	16.29	407	16.79
Washington	625	14.05	618	13.82	700	15.55	648	14.40	579	12.91	611	13.63	581	12.96	673	14.53
York	1,123	17.87	1,207	18.66	1,282	17.26	1,183	18.23	1,216	18.74	1,177	18.14	1,176	18.12	1,158	17.30

TABLE No. 29.

Number of Deaths in Each Month of 1898-1905, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1898.		1899.		1900.		1901.		1902.		1903.		1904.		1905.	
	Deaths.	Ratio.*	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January	887	95.3	1,432	148.4	903	99.5	955	100.9	876	96.7	1,006	107.6	985	102.2	981	101.4
February	818	97.1	1,049	130.5	881	100.8	1,091	85.4	900	110.0	944	111.8	1,035	118.9	1,009	115.6
March	863	92.7	935	96.9	1,095	110.1	1,132	119.7	929	102.5	996	106.5	1,050	117.8	1,197	123.8
April	915	101.6	965	103.3	1,196	127.7	955	104.4	933	107.1	989	109.3	1,116	119.7	1,023	109.4
May	935	100.0	899	93.2	1,068	107.3	944	99.9	919	101.4	930	99.5	1,038	107.7	957	99.0
June.....	791	87.8	768	82.2	793	84.3	789	86.2	805	91.8	786	86.9	807	86.5	830	88.8
July ..	814	87.5	783	81.1	839	84.4	836	88.4	837	92.4	901	96.4	800	83.0	768	79.4
August.....	1,003	107.7	1,031	106.8	1,033	103.8	831	87.9	861	95.0	865	92.4	896	93.0	1,006	104.0
September.....	1,143	127.3	953	102.0	1,037	110.8	970	105.6	911	103.9	957	105.7	907	97.2	1,012	108.2
October.....	1,034	111.1	882	91.4	911	91.6	882	93.3	854	94.3	865	92.5	909	94.3	958	99.1
November	837	92.9	781	83.6	769	82.1	831	90.8	820	93.5	831	91.8	817	87.6	824	88.1
December	911	97.9	881	91.3	856	86.1	897	94.9	998	110.1	919	98.3	944	97.9	799	82.6
Unknown	2	-	11	-	8	-	20	-	24	-	20	-	12	-	17	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

NUMBER OF DEATHS IN EACH MONTH.

TABLE

Showing the Number of Deaths in the State, and in

CAUSES OF DEATH.	State.	Androsoggin.	Aroostook.	Cumberland.
All causes (including premature births)	11,607	913	831	1,811
I. General diseases	2,799	215	170	457
II. Diseases of nervous system and organs of special sense	1,648	122	71	270
III. Diseases of circulatory system	1,328	86	49	247
IV. Diseases of respiratory system	1,391	134	90	167
V. Diseases of digestive system	1,303	149	175	164
VI. Diseases of genito-urinary system and its adnexa	773	54	36	152
VII. The puerperal state	84	3	9	13
VIII. Diseases of skin and cellular tissue	85	8	2	11
IX. Diseases of organs of locomotion	12	2	2	2
X. Malformations	75	8	3	8
XI. Early infancy	488	32	61	65
XII. Old age	724	36	44	126
XIII. Deaths from external causes	518	44	39	92
XIV. Deaths from ill-defined causes	379	20	80	37

No. 30.

Each County Arranged by Classes and Counties.

Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
291	554	1,139	486	270	514	1,336	277	326	577	412	684	1,186
62	110	254	130	54	117	382	73	92	131	95	183	274
40	69	234	61	39	70	165	37	50	86	60	82	192
30	66	130	74	38	67	129	23	48	63	62	91	125
33	86	139	32	23	58	175	36	55	62	49	99	153
35	66	103	44	25	53	155	27	15	71	35	70	116
26	34	68	27	26	38	79	15	27	31	27	41	92
2	8	5	2	2	3	8	1	4	9	2	7	6
3	5	8	1	5	3	14	5	2	4	3	5	6
-	-	-	1	-	-	-	1	2	1	-	-	1
1	1	11	9	1	3	6	4	1	4	3	1	11
13	20	45	20	5	24	47	12	9	25	13	21	76
14	45	54	50	28	39	82	20	10	42	41	39	54
21	18	51	25	10	21	65	17	8	32	9	20	46
11	26	37	10	14	18	29	6	3	16	13	25	34

TABLE No. 30—Continued.
Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
I.—General diseases	2,799	215	170	457	62	110	254	130	54	117	382	73	92	131	95	183	274
Typhoid fever	156	13	12	22	1	5	14	3	1	4	30	3	4	3	4	6	31
Intermittent fever and malarial cachexia	11	1	-	-	-	-	2	-	-	-	4	-	1	-	-	-	2
Measles	32	2	-	1	2	3	2	9	-	-	3	-	1	4	1	1	3
Scarlatina	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	3
Whooping cough	38	2	2	10	1	2	2	1	-	-	4	-	1	2	1	4	3
Diphtheria and croup	110	7	15	16	-	2	2	1	2	5	16	8	6	9	1	5	16
Influenza	343	15	18	39	10	11	25	9	5	12	33	5	6	16	4	21	17
Cholera nostras	12	1	2	2	-	-	2	2	2	2	16	-	1	2	1	6	5
Dysentery	35	1	7	3	-	-	2	2	1	2	5	2	1	1	1	4	5
Erysipelas	27	2	1	6	-	2	2	2	1	3	-	1	2	-	-	2	3
Purulent septicemia and infection	50	7	2	7	3	-	1	3	2	4	10	1	1	1	4	-	4
Glanders and farcy	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Actinomycosis, trichinosis, etc	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis of larynx	16	3	-	3	-	-	-	1	-	4	1	-	-	-	-	-	4
Tuberculosis of lungs	894	61	60	129	18	40	85	47	13	28	132	20	27	43	43	71	77
Tuberculosis of meninges	71	3	5	21	-	5	5	2	1	5	14	-	1	-	2	3	4
Tuberculosis of the peritoneum	59	8	2	7	1	4	2	2	-	2	16	-	1	2	1	6	5
Pott's disease	3	-	-	1	-	-	1	-	2	1	-	-	-	-	-	-	1
White swelling	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs	16	1	-	5	-	-	-	1	-	1	2	-	-	-	-	3	3
General tuberculosis	44	5	1	7	1	3	1	3	2	3	7	3	-	2	1	1	4
Scrofula	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Syphilis	2	-	1	1	-	-	-	-	1	2	-	-	1	-	-	-	2
Cancer of mouth	25	1	2	6	1	-	1	1	-	2	3	-	1	3	-	4	-
Cancer of stomach and liver	273	19	12	53	10	10	25	15	7	10	28	9	14	6	9	21	25
Cancer of peritoneum, intestines and rectum	76	5	3	13	2	4	6	5	1	3	11	1	3	5	3	1	10
Cancer of female genital organs	100	10	2	16	-	4	8	3	1	5	9	4	3	9	5	12	9
Cancer of breast	51	8	2	12	2	1	10	-	-	1	-	3	4	2	-	2	4
Cancer of skin	24	1	1	6	1	-	3	1	2	3	1	1	-	2	-	-	2
Cancer of other organs and of organs not specified	113	8	2	17	2	6	15	6	6	2	18	4	3	4	7	2	11
Other tumors	12	1	2	3	-	-	3	-	-	1	1	1	-	-	-	-	-
Acute articular rheumatism	39	1	1	9	1	1	6	-	-	2	4	3	1	2	1	2	5
Chronic rheumatism and gout	21	2	3	1	-	-	1	2	1	-	2	1	1	3	1	-	3
Diabetes	115	15	8	18	5	5	13	3	3	5	12	8	5	4	2	4	5
Exophthalmic goiter	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Addison's disease	5	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	1
Leukemia	9	-	1	-	2	-	1	1	-	-	1	-	-	-	1	1	1
Anemia, chlorosis	63	8	1	20	1	1	2	4	1	5	5	-	3	4	2	2	4
Other general diseases	5	-	-	1	-	-	2	-	-	-	1	-	-	-	-	1	-
Alcoholism, acute and chronic	20	3	1	1	-	-	1	2	-	3	2	-	-	1	1	-	5
Other chronic poisonings	5	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-

TABLE No. 30—Continued.
Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Antroscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo	Washington.	York.
II.—Diseases of the nervous system and of the organs of special sense	1,648	122	71	270	40	69	234	61	39	70	165	37	50	86	60	82	192
Encephalitis.....	13	-	-	1	1	1	1	1	-	-	1	-	-	1	1	3	2
Simple meningitis.....	216	22	13	45	7	8	28	3	5	9	19	9	1	10	4	8	25
Progressive locomotor ataxia.....	20	1	-	5	-	1	3	1	-	3	3	-	1	-	-	1	1
Other diseases of the spinal cord.....	45	5	1	7	1	2	6	1	-	4	2	1	1	2	3	2	7
Congestion and hemorrhage of the brain.....	751	48	21	144	14	33	83	33	17	33	79	12	36	45	26	32	97
Softening of the brain...	29	2	-	3	2	1	3	-	1	2	6	-	-	1	2	2	4
Paralysis without specified cause.....	235	13	11	18	6	10	43	7	6	5	22	9	4	15	14	15	37
General paralysis.....	37	3	1	4	2	2	8	-	1	1	3	1	2	1	2	4	2
Other forms of mental alienation.....	63	2	1	11	-	1	37	2	2	2	1	-	1	-	1	-	2
Epilepsy.....	37	3	3	5	-	1	9	4	-	1	3	1	1	-	2	3	1
Eclampsia (non-puerperal).....	7	1	1	-	-	-	-	1	1	-	1	1	-	-	-	-	1
Convulsions of children.....	95	7	10	11	2	6	6	2	6	12	1	1	1	5	2	9	9
Tetanus.....	7	2	-	3	-	-	-	1	-	-	-	-	-	1	-	-	-
Other diseases of the nervous system.....	92	15	9	13	5	3	7	2	3	4	13	2	2	4	3	3	4
Diseases of the ear.....	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
III.—Diseases of the circulatory system.....	1,328	86	49	247	30	66	130	74	38	67	129	23	48	63	62	91	125
Pericarditis.....	9	2	-	1	-	1	4	-	-	-	-	-	-	-	-	-	1
Acute endocarditis.....	57	3	3	17	2	2	9	-	-	2	5	-	5	-	-	5	4
Organic diseases of the heart.....	1,068	70	42	190	22	52	99	55	32	55	100	21	38	57	53	72	110
Angina pectoris.....	88	5	3	18	3	7	6	9	3	4	13	-	1	1	3	5	4
Affections of the arteries (atheroma, aneurism, etc.).....	40	2	-	4	1	3	6	1	1	2	2	-	2	3	5	5	3
Embolism and thrombosis.....	44	2	-	12	2	-	5	6	2	2	6	-	2	1	1	1	2
Affections of the veins (varices, hemorrhoids, phlebitis, etc.).....	7	-	-	2	-	-	1	1	-	1	2	-	-	-	-	-	-
Hemorrhages.....	14	1	1	3	-	1	-	2	-	1	1	2	-	1	-	-	1
Other diseases of the circulatory system.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.—Diseases of the respiratory system.....	1,391	134	90	167	33	86	139	32	23	58	175	36	55	62	49	99	153
Diseases of the nasal fossæ.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Affections of the larynx.....	9	1	-	2	-	-	1	-	-	-	1	-	1	1	-	1	1
Affections of the thyroid body.....	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis.....	102	6	11	10	1	3	11	3	3	8	16	5	2	1	3	4	15
Chronic bronchitis.....	116	11	9	22	2	12	10	2	2	4	8	3	4	3	5	6	15
Broncho-pneumonia.....	170	18	9	21	11	11	20	1	5	7	29	3	5	4	2	12	12
Pneumonia.....	883	36	58	97	18	56	85	24	10	32	104	19	41	52	33	70	98
Pleurisy.....	21	2	1	3	-	1	-	-	-	2	4	2	-	-	1	-	5
Congestion of the lungs, pulmonary apoplexy...	43	6	1	6	-	3	8	2	-	1	6	2	-	-	2	2	4
Gangrene of the lungs.....	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Asthma.....	12	3	1	-	-	2	-	-	-	1	1	-	-	1	2	1	-
Pulmonary emphysema.....	4	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-
Other diseases of the respiratory system (phthisis excepted)....	26	-	-	3	-	-	1	-	3	3	4	2	2	-	1	3	4

TABLE No. 30—Continued.
Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Androskoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
V.—Diseases of digestive system	1,303	149	175	164	35	66	103	44	25	53	155	27	15	71	35	70	116
Affections of the mouth and its adnexa	6	-	-	2	-	-	-	-	-	-	1	-	-	2	-	-	1
Affections of the pharynx	11	2	2	3	-	-	1	-	-	-	3	-	-	-	-	-	-
Diseases of the esophagus	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Ulcer of the stomach	22	2	4	3	1	1	3	-	-	-	4	1	-	2	-	-	1
Other diseases of the stomach (cancer excepted)	170	14	7	20	5	11	13	6	7	7	17	2	1	12	6	15	27
Infantile diarrhea (under 2 years)	561	73	116	64	11	23	39	14	3	18	76	9	7	21	5	26	56
Diarrhea and enteritis (2 years and over)	111	9	13	11	2	6	7	7	5	8	14	-	3	10	2	7	7
Intestinal parasites	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Hernias and other intestinal obstructions	94	10	6	15	7	5	9	3	1	3	11	1	2	6	6	4	5
Other affections of the intestines	24	2	3	4	-	2	1	2	-	2	-	2	-	1	-	3	2
Acute yellow atrophy of liver	5	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	-
Hydatid tumors of the liver	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Cirrhosis of liver	44	-	-	5	1	4	4	3	3	4	1	3	-	4	6	1	5
Biliary calculi	23	4	1	4	-	1	3	1	-	2	2	-	-	1	4	-	-
Other affections of the liver	65	10	5	10	4	4	8	-	3	4	5	2	-	1	2	2	5
Affections of the spleen	5	1	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-
Inflammatory peritonitis (puerperal excepted) ..	90	7	9	11	1	8	11	2	1	3	11	4	-	7	3	8	4
Appendicitis and abscess of the iliac fossa	68	15	8	11	1	1	2	6	-	2	7	3	2	3	1	3	3
VI.—Diseases of the genito-urinary system and its adnexa	773	54	36	152	26	34	68	27	26	38	79	15	27	31	27	41	92
Acute nephritis	47	4	1	10	3	2	4	1	2	6	4	2	-	-	1	3	4
Bright's disease	599	39	29	125	20	28	50	18	20	24	58	10	24	27	23	30	74
Other diseases of the kidneys and their adnexa	26	4	3	4	-	-	1	3	1	1	4	1	1	-	1	-	2
Calculi of the urinary tract	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of the bladder	42	2	-	6	1	2	8	1	1	3	6	-	1	1	2	3	5
Diseases of the urethra, urinary abscess, etc.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diseases of the prostate	25	2	1	4	-	1	2	1	2	1	4	1	-	2	-	1	3
Nonvenereal diseases of the male genital organs	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Uterine hemorrhage, (non-puerperal)	6	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1
Uterine tumor (non-cancerous)	5	-	-	-	-	-	1	2	-	-	-	-	1	-	-	1	-
Other diseases of the uterus	7	1	-	3	1	-	-	-	-	1	-	-	-	1	-	-	-
Cysts and other tumors of the ovary	6	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	2
Other diseases of the female genital organs ..	7	1	1	-	-	1	-	1	-	2	1	-	-	-	-	-	-

TABLE No. 30—Concluded.
Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Androscoquin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VII.—The puerperal state	83	3	9	13	2	8	4	2	2	3	8	1	4	9	2	7	6
Accidents of pregnancy..	15	1	1	1	1	2	1	1	1	1	4	1	1	2	1	1	1
Puerperal hemorrhage..	6	-	-	1	-	-	-	-	-	-	2	-	-	1	-	-	-
Other accidents of labor..	3	1	4	7	2	2	3	1	2	1	-	-	2	3	1	1	2
Puerperal septicemia ...	32	1	4	7	2	2	3	1	2	1	-	-	2	3	1	1	2
Puerperal albuminuria and eclampsia.....	10	1	1	3	-	1	-	-	-	-	1	-	1	-	-	1	1
Other puerperal acci- dents, sudden death ...	17	-	2	1	-	2	1	-	-	-	1	-	-	3	1	3	2
VIII.—Diseases of the skin and cellular tissue	85	2	2	11	3	5	8	1	5	3	14	5	2	4	3	5	6
Gangrene	70	7	2	7	3	5	8	1	5	3	12	3	1	2	3	4	4
Furuncle, boil, carbuncle	4	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1
Phlegmon, acute abscess	6	1	-	3	-	-	-	-	-	-	-	-	-	1	-	1	-
Other diseases of the skin and its adnexa ...	5	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	1
IX.—Diseases of the or- gans of locomotion ...	12	2	2	2	-	-	-	1	-	-	-	1	2	1	-	-	1
Non-tuberculous diseases of the bones	11	2	2	1	-	-	-	1	-	-	-	1	2	1	-	-	1
Athritis and other dis- eases of the joints (tu- berculosis and rheuma- tism excepted)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
X.—Malformations.																	
Malformations, congeni- tal, still-birth(excepted)	75	8	3	8	1	1	11	9	1	3	6	4	1	4	3	1	11
XI.—Early infancy.....	489	32	61	65	13	20	46	20	5	24	47	12	9	25	13	21	76
Congenital icterus, debil- ity, and sclerema	398	27	56	42	9	19	39	12	3	19	38	11	8	20	13	17	65
Other diseases of early infancy	29	2	2	5	1	-	1	1	-	3	5	-	1	1	-	2	5
Lack of care	62	3	3	18	3	1	6	7	2	2	4	1	-	4	-	2	6
XII.—Old age.																	
Senile debility.....	724	36	44	126	14	45	54	50	28	39	82	20	10	42	41	39	54
XIII.—Deaths from ex- ternal causes	518	44	39	92	21	18	51	25	10	21	65	17	8	32	9	20	46
Suicide by poison.....	11	1	-	5	1	-	2	1	-	-	-	-	-	-	-	-	1
Suicide by asphyxia.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Suicide by hanging or strangulation.....	23	2	-	3	3	1	2	2	1	-	1	1	2	1	1	1	2
Suicide by drowning....	13	1	-	-	-	2	1	1	1	2	-	-	-	1	-	1	3
Suicide by firearms.....	25	2	3	4	1	-	1	2	-	3	3	2	1	1	-	-	2
Suicide by cutting instru- ments	9	-	-	3	-	-	-	1	-	1	2	-	-	1	-	-	1
Other suicides	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Fractures	68	4	6	17	5	1	8	6	2	2	7	-	-	3	2	3	2
Other accidental injuries	142	11	6	28	1	3	11	4	4	7	27	7	1	11	4	5	12
Burns and scalds.....	39	3	5	6	1	2	4	1	1	-	3	-	1	5	-	1	6
Sunstroke.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Freezing	4	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-
Accidental drowning....	87	7	5	13	6	4	6	3	1	3	12	5	1	5	1	6	9
Inanition (starvation)...	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Absorption of deleter- ious gases (non-suicidal)	17	1	6	1	-	1	4	2	-	-	-	1	-	-	-	-	1
Other acute poisonings..	24	1	2	4	1	1	3	-	-	-	6	-	1	-	-	2	3
Other external violence.	50	11	4	6	2	3	8	2	-	3	3	-	-	3	-	1	4
XIV.—Deaths from ill- defined causes.....	379	20	80	37	11	26	37	10	14	18	29	6	3	16	13	25	34
Dropsy	23	-	4	1	-	1	3	-	3	2	4	1	-	2	-	1	1
Sudden death.....	20	1	1	2	-	2	1	3	2	-	2	-	-	1	1	1	3
Unspecified or ill-defined causes of death.....	336	19	75	34	11	23	33	7	9	16	23	5	3	13	12	23	30

TABLE No. 31.

Deaths from All Causes by Months—1905.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
All causes (including premature births).....	11,607	992	1031	1230	1037	983	851	786	1027	1030	972	839	814	15
I.—General diseases	2,799	238	246	312	268	229	226	196	224	227	216	202	213	2
II.—Diseases of nervous system and organs of special sense	1,648	145	150	154	134	159	127	108	126	136	139	149	120	1
III.—Diseases of circulatory system	1,328	113	105	134	99	108	119	93	114	103	117	115	107	1
IV.—Diseases of respiratory system	1,391	169	215	262	178	126	66	32	26	55	77	78	104	3
V.—Diseases of digestive system	1,303	54	69	64	66	75	62	112	259	240	160	81	59	2
VI.—Diseases of genito-urinary system and its adnexa	773	72	53	73	87	75	66	58	69	54	61	54	50	1
VII.—The puerperal state....	83	9	5	9	6	7	7	8	5	4	5	8	10	-
VIII.—Diseases of skin and cellular tissue	85	12	6	6	10	6	4	8	7	7	6	7	6	-
IX.—Diseases of organs of locomotion	12	-	3	1	1	2	-	1	1	-	1	1	1	-
X.—Malformations.....	75	8	3	5	9	6	6	7	6	7	8	3	7	-
XI.—Early infancy.....	489	33	36	47	38	58	37	41	45	52	36	34	31	1
XII.—Old age.....	724	78	71	85	68	63	60	44	53	50	64	40	48	-
XIII.—Deaths from external causes.....	518	30	33	45	36	50	49	51	61	47	47	36	30	3
XIV.—Deaths from ill-defined causes.....	379	31	36	33	37	19	22	27	31	48	35	31	28	1

TABLE No. 31—Continued.
Deaths from All Causes by Months—1905.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
I.—General diseases	2,799	238	246	312	268	229	226	196	224	227	216	202	213	2
Typhoid fever.....	156	13	10	12	12	7	10	6	12	27	22	14	11	-
Intermittent fever and malarial cachexia.....	11	-	-	2	1	1	1	4	1	1	-	-	-	-
Measles.....	32	3	3	2	4	4	2	4	3	2	1	3	1	-
Scarlatina.....	1	-	1	2	-	1	1	-	-	1	1	-	-	-
Whooping cough.....	38	4	3	2	2	1	3	6	5	2	3	1	6	-
Diphtheria and croup.....	110	11	20	17	5	5	7	11	8	6	6	12	16	-
Influenza.....	243	21	48	81	48	16	7	4	2	2	4	6	4	1
Cholera nostras.....	12	-	-	-	1	1	-	-	-	-	-	-	-	-
Dysentery.....	35	2	2	-	-	1	-	1	5	15	2	1	1	-
Erysipelas.....	27	2	4	6	3	1	3	1	1	2	2	1	1	-
Purulent septicemia and infection. Glanders and farcy.....	50	2	4	1	5	7	6	3	4	2	1	8	2	-
Actinomycosis, trichinosis, etc.....	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis of larynx.....	16	1	2	2	1	1	1	2	2	1	-	1	2	-
Tuberculosis of lungs.....	894	80	68	105	88	86	80	73	76	65	60	53	59	1
Tuberculosis of meninges.....	71	6	3	8	9	2	9	6	9	7	3	0	4	-
Tuberculosis of the peritoneum.....	59	9	6	4	8	1	4	7	3	6	3	4	4	-
Pott's disease.....	8	1	-	3	-	1	-	1	-	-	1	1	-	-
White swelling.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs.....	16	2	1	2	1	3	-	1	1	2	2	-	1	-
General tuberculosis.....	44	5	4	3	4	5	3	3	4	5	1	4	3	-
Scrofula.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....	8	2	-	2	-	-	1	1	-	1	-	1	-	-
Cancer of mouth.....	25	3	4	2	-	1	3	-	2	3	5	-	2	-
Cancer of stomach and liver.....	273	17	15	17	20	27	25	15	20	23	33	32	28	-
Cancer of peritoneum, intestines and rectum.....	76	3	6	4	5	9	7	9	9	5	8	6	5	-
Cancer of female genital organs.....	100	10	5	8	8	11	2	7	8	8	11	8	8	-
Cancer of breast.....	51	9	4	2	4	1	4	6	1	3	5	5	1	-
Cancer of skin.....	24	-	2	4	1	2	1	3	2	-	2	-	1	-
Cancer of other organs and of organs not specified.....	113	10	8	10	11	6	10	6	11	8	10	13	10	-
Other tumors.....	12	-	-	-	1	1	1	2	1	1	1	1	2	-
Acute articular rheumatism.....	39	3	6	3	1	6	2	3	5	3	1	4	2	-
Chronic rheumatism and gout.....	21	1	3	1	1	1	2	3	2	1	2	1	3	-
Diabetes.....	115	5	5	9	15	9	6	5	16	14	10	7	14	-
Exophthalmic goiter.....	2	1	-	-	-	-	1	-	-	-	-	-	-	-
Addison's disease.....	5	-	2	-	-	-	-	-	-	-	2	-	1	-
Leukemia.....	9	-	-	-	1	1	3	-	-	-	2	1	1	-
Anemia, chlorosis.....	63	2	3	7	5	9	9	2	7	4	6	3	6	-
Other general diseases.....	5	-	-	-	1	1	1	1	1	-	-	-	-	-
Alcoholism, acute and chronic.....	20	3	3	-	2	1	1	1	1	3	-	2	3	-
Other chronic poisonings.....	5	-	1	-	-	2	-	-	2	-	-	-	-	-
II.—Diseases of the nervous system and of the organs of special sense	1,648	145	150	154	134	159	127	108	126	136	139	149	120	1
Encephalitis.....	13	2	-	-	2	1	-	2	1	2	1	2	1	-
Simple meningitis.....	216	20	21	17	14	19	18	9	25	19	23	15	16	-
Progressive locomotor ataxia.....	20	2	3	1	2	-	2	-	5	2	-	-	1	-
Other diseases of the spinal cord.....	45	2	5	6	3	3	4	3	3	6	3	3	4	-
Congestion and hemorrhage of the brain.....	751	60	67	71	59	74	65	53	52	47	62	75	65	1
Softening of the brain.....	29	2	1	5	4	5	2	1	1	1	2	4	1	-
Paralysis without specified cause.....	235	26	14	20	19	26	9	21	13	30	18	25	14	-
General paralysis.....	37	5	5	3	5	3	2	1	3	3	2	5	3	-
Other forms of mental alienation..	63	6	6	4	5	9	5	3	4	9	7	4	1	-
Epilepsy.....	37	3	4	5	3	1	5	1	3	3	1	5	3	-
Eclampsia (non-puerperal).....	7	1	-	-	2	1	-	-	1	-	1	1	1	-
Convulsions of children.....	95	4	12	15	12	7	5	6	5	3	11	8	7	-
Tetanus.....	7	1	-	-	-	1	3	1	1	-	-	-	-	-
Other diseases of the nervous system	92	11	12	7	6	9	8	6	9	9	6	3	6	-
Diseases of the ear.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE No. 31—Concluded.
Deaths from All Causes by Months—1905.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
Diseases of the prostate	25	1	2	1	4	2	1	3	6	-	1	2	2	-
Nonvenereal diseases of the male genital organs	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Uterine hemorrhage (non-puerperal)	6	-	1	1	-	1	1	-	1	-	-	1	-	-
Uterine tumor (non-cancerous)	5	-	1	2	1	-	-	1	-	-	-	1	-	-
Other diseases of the uterus	7	-	1	-	1	-	2	-	1	1	-	1	-	-
Cysts and other tumors of the ovary	6	-	2	-	-	-	-	1	2	-	-	1	-	-
Other diseases of the female genital organs	7	-	-	-	2	1	-	-	1	1	1	1	1	-
VII.—The puerperal state	83	9	5	9	6	7	7	2	5	4	5	8	10	-
Accidents of pregnancy	15	1	2	3	1	-	-	3	1	-	1	3	3	-
Puerperal hemorrhage	6	1	1	-	-	-	1	-	1	-	-	-	2	-
Other accidents of labor	3	-	1	1	-	-	-	-	-	-	-	1	-	-
Puerperal septicemia	32	6	-	1	3	4	4	2	-	3	1	4	4	-
Puerperal albuminuria and eclampsia	10	-	-	2	1	1	1	1	2	-	-	2	-	-
Other puerperal accidents, sudden death	17	1	1	2	1	2	1	2	1	1	3	1	1	-
VIII.—Diseases of the skin and cellular tissue	85	12	6	6	10	6	4	8	7	7	6	7	6	-
Gangrene	70	9	5	5	9	6	3	6	6	6	6	6	3	-
Furuncle, boil, carbuncle	4	-	-	1	-	-	-	-	-	-	-	1	1	-
Phlegmon, acute abscess	6	2	-	1	-	1	1	1	-	-	-	1	1	-
Other diseases of the skin and its adnexa	5	1	1	-	-	-	-	1	-	1	-	-	1	-
IX.—Diseases of the organs of locomotion	12	-	3	1	1	2	-	1	1	-	1	1	1	-
Non-tuberculous diseases of the bones	11	-	3	1	-	2	-	1	1	-	1	1	1	-
Arthritis and other diseases of the joints (tuberculosis and rheumatism excepted)	1	-	-	-	1	-	-	-	-	-	-	-	-	-
X.—Malformations														
Malformations, congenital (stillbirths excepted)	75	2	3	5	9	6	6	7	6	7	8	3	7	-
XI.—Early infancy	489	33	36	47	38	58	37	41	45	52	36	34	31	1
Congenital icterus, debility, and sclerema	398	29	33	38	27	47	33	36	34	37	27	30	26	1
Other diseases of early infancy	29	1	1	4	4	5	1	3	2	3	1	-	2	-
Lack of care	62	3	2	3	7	6	3	2	9	12	8	4	3	-
XII.—Old age														
Senile debility	724	78	71	85	68	63	60	44	53	50	64	40	48	-
XIII.—Deaths from external causes	518	30	33	44	38	49	49	51	61	47	47	36	30	3
Suicide by poison	11	1	1	3	1	2	-	-	1	1	-	-	1	-
Suicide by asphyxia	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Suicide by hanging or strangulation	23	-	1	3	-	4	1	2	2	6	1	2	1	-
Suicide by drowning	13	-	-	-	2	2	1	-	1	3	3	1	-	-
Suicide by firearms	25	2	-	3	6	-	5	3	2	1	1	2	-	-
Suicide by cutting instruments	9	-	2	-	1	-	1	1	-	1	1	-	2	-
Other suicides	2	-	-	1	-	-	-	-	-	1	-	-	-	-
Fractures	68	5	5	6	2	9	4	6	8	11	6	1	4	1
Other accidental injuries	142	8	11	16	4	11	14	11	16	10	19	12	9	1
Burns and scalds	39	2	2	3	2	4	3	6	3	2	3	7	2	-
Sunstroke	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Freezing	4	3	1	-	-	-	-	-	-	-	-	-	-	-
Accidental drowning	87	-	-	2	-	8	15	15	16	14	6	3	3	4
Inanition (starvation)	2	-	-	-	-	-	-	1	1	-	-	-	-	-
Absorption of deleterious gases, (non-suicidal)	17	3	5	-	-	-	-	4	1	1	1	1	2	-
Other acute poisonings	24	5	2	2	1	-	-	2	3	3	2	4	2	-
Other external violence	50	3	3	5	11	2	5	2	6	2	6	3	2	-
XIV.—Deaths from ill-defined causes	379	31	36	33	37	19	22	27	31	48	35	31	28	1
Dropsy	23	2	2	2	2	1	-	1	3	3	2	2	3	-
Sudden death	20	1	-	3	3	-	2	-	1	4	3	-	3	-
Unspecified or ill-defined causes of death	336	28	34	28	32	18	20	26	27	41	30	29	22	1

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Total.						0-4.
			0.	1.	2.	3.	4.	
All causes.....	Totals.....	56,616	8532	1439	684	416	353	11,424
	Males.....	28,984	4772	744	361	223	179	6,279
	Females.....	27,585	3729	695	323	193	174	5,114
	Not stated.....	47	31	-	-	-	-	31
Typhoid fever.....	Totals.....	1,009	4	3	9	4	10	30
	Males.....	586	-	1	5	1	5	12
	Females.....	423	4	2	4	3	5	18
Typhus fever.....	Totals.....	1	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Intermittent fever and malarial cachexia.....	Totals.....	64	-	-	1	-	-	1
	Males.....	62	-	-	1	-	-	1
	Females.....	2	-	-	-	-	-	-
Smallpox.....	Totals.....	22	4	-	1	-	-	5
	Males.....	14	4	-	-	-	-	4
	Females.....	8	-	-	1	-	-	1
Measles.....	Totals.....	144	34	27	9	5	2	77
	Males.....	59	20	11	3	4	1	39
	Females.....	85	14	16	6	1	1	38
Scarlatina.....	Totals.....	66	4	5	8	5	13	35
	Males.....	28	1	3	5	1	6	16
	Females.....	38	3	2	3	4	7	19
Whooping cough.....	Totals.....	281	178	54	18	11	6	267
	Males.....	136	82	30	8	5	2	127
	Females.....	145	96	24	10	6	4	140
Diphtheria and croup.....	Totals.....	629	75	64	79	62	68	348
	Males.....	342	46	38	48	34	39	205
	Females.....	287	29	26	31	28	29	143
Influenza.....	Totals.....	993	118	24	10	6	8	166
	Males.....	445	71	13	5	3	3	95
	Females.....	548	47	11	5	3	5	71
Cholera nostras.....	Totals.....	75	2	1	8	3	4	18
	Males.....	36	2	-	3	1	2	8
	Females.....	39	-	1	5	2	2	10
Dysentery.....	Totals.....	160	31	10	7	11	9	68
	Males.....	74	16	5	3	8	6	38
	Females.....	86	15	5	4	3	3	30
Erysipelas.....	Totals.....	117	14	-	1	-	-	15
	Males.....	57	6	-	-	-	-	6
	Females.....	60	8	-	1	-	-	9
Other epidemic affections.....	Totals.....	2	-	1	-	1	-	2
	Males.....	1	-	1	-	-	-	1
	Females.....	1	-	-	-	1	-	1
Purulent and septicemic affections.....	Totals.....	238	17	1	1	1	2	22
	Males.....	132	6	-	-	1	-	7
	Females.....	106	11	1	1	-	2	15
Glanders and farcy.....	Totals.....	2	-	-	-	-	-	-
	Males.....	2	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Malignant pustule and anthrax.....	Totals.....	4	1	-	-	-	-	1
	Males.....	3	1	-	-	-	-	1
	Females.....	1	-	-	-	-	-	-
Actinomycosis, trichinosis, etc.....	Totals.....	1	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	1	-	-	-	-	-	-
Tuberculosis of larynx.....	Totals.....	57	-	1	1	-	-	2
	Males.....	37	-	1	-	-	-	1
	Females.....	20	-	-	1	-	-	1
Tuberculosis of lungs.....	Totals.....	4,814	66	28	18	16	8	136
	Males.....	2,148	43	15	6	8	4	76
	Females.....	2,696	23	13	12	8	4	60
Tuberculosis of meninges.....	Totals.....	307	59	44	28	16	21	168
	Males.....	150	29	23	13	8	10	83
	Females.....	157	30	21	15	8	11	85

TABLE

Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Total.						0-4.
			0.	1.	2.	3.	4.	
Tuberculosis of peritoneum.....	Totals.....	292	14	8	2	-	2	26
	Males.....	118	10	3	-	1	1	14
	Females.....	174	4	5	2	-	1	12
Pott's disease.....	Totals.....	44	3	2	1	-	-	6
	Males.....	20	1	1	-	-	-	2
	Females.....	24	2	1	1	-	-	4
Cold abscess.....	Totals.....	12	2	-	1	-	-	3
	Males.....	5	1	-	1	-	-	2
	Females.....	7	1	-	-	-	-	1
White swelling.....	Totals.....	20	-	-	-	-	-	-
	Males.....	13	-	-	-	-	-	-
	Females.....	7	-	-	-	-	-	-
Tuberculosis of other organs.....	Totals.....	61	4	3	-	-	-	7
	Males.....	32	3	2	-	-	-	5
	Females.....	29	1	1	-	-	-	2
General tuberculosis.....	Totals.....	210	11	1	6	1	-	19
	Males.....	106	8	1	5	1	-	15
	Females.....	104	3	-	1	-	-	4
Scrofula.....	Totals.....	29	13	4	-	1	-	18
	Males.....	16	10	1	-	-	-	11
	Females.....	13	3	3	-	1	-	7
Syphilis.....	Totals.....	34	9	-	-	-	-	9
	Males.....	21	5	-	-	-	-	5
	Females.....	13	4	-	-	-	-	4
Gonorrhoea.....	Totals.....	2	1	-	-	-	-	1
	Males.....	1	-	-	-	-	-	-
	Females.....	1	1	-	-	-	-	1
Cancer of mouth.....	Totals.....	112	-	-	-	-	-	-
	Males.....	90	-	-	-	-	-	-
	Females.....	22	-	-	-	-	-	-
Cancer of stomach and liver.....	Totals.....	1,186	2	-	-	-	-	2
	Males.....	590	-	-	-	-	-	-
	Females.....	626	2	-	-	-	-	2
Cancer of peritoneum, intestines and rectum.....	Totals.....	352	1	-	-	-	-	1
	Males.....	151	1	-	-	-	-	1
	Females.....	221	-	-	-	-	-	-
Cancer of female genital organs.....	Totals.....	458	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	458	-	-	-	-	-	-
Cancer of breast.....	Totals.....	274	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	273	-	-	-	-	-	-
Cancer of skin.....	Totals.....	134	-	-	-	-	-	-
	Males.....	90	-	-	-	-	-	-
	Females.....	44	-	-	-	-	-	-
Cancer of other organs and organs not specified.....	Totals.....	540	1	2	-	2	-	5
	Males.....	243	-	1	-	2	-	3
	Females.....	297	1	1	-	-	-	2
Other tumors.....	Totals.....	51	-	-	-	-	-	-
	Males.....	14	-	-	-	-	-	-
	Females.....	37	-	-	-	-	-	-
Acute articular rheumatism.....	Totals.....	170	-	-	-	5	-	5
	Males.....	94	-	-	-	2	-	2
	Females.....	76	-	-	-	3	-	3
Chronic rheumatism and gout.....	Totals.....	106	-	-	-	-	-	-
	Males.....	55	-	-	-	-	-	-
	Females.....	51	-	-	-	-	-	-
Scurvy.....	Totals.....	1	1	-	-	-	-	1
	Males.....	-	1	-	-	-	-	-
	Females.....	1	-	-	-	-	-	1
Diabetes.....	Totals.....	468	-	2	3	2	3	10
	Males.....	223	-	1	2	1	2	6
	Females.....	245	-	1	1	1	1	4

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Total.						
			0.	1.	2.	3.	4.	0-4.
Exophthalmic goiter.....	Totals.....	11	-	-	-	-	-	-
	Males.....	2	-	-	-	-	-	-
Addison's disease.....	Females.....	9	-	-	-	-	-	-
	Totals.....	21	-	-	1	-	-	1
Leukemia.....	Males.....	13	-	-	1	-	-	1
	Females.....	8	-	-	-	-	-	-
Anemia, chlorosis.....	Totals.....	38	1	1	3	1	-	6
	Males.....	22	-	1	1	-	-	2
Other general diseases.....	Females.....	16	1	-	2	1	-	4
	Totals.....	257	28	8	2	1	2	41
Alcoholism, acute or chronic.....	Males.....	96	13	2	1	-	1	17
	Females.....	161	15	6	1	1	1	24
Chronic lead poisoning.....	Totals.....	11	4	-	-	-	-	5
	Males.....	5	1	-	-	1	-	2
Other chronic poisonings.....	Females.....	6	3	-	-	-	-	3
	Totals.....	101	-	-	-	-	-	-
Encephalitis.....	Males.....	89	-	-	-	-	-	-
	Females.....	12	-	-	-	-	-	-
Simple meningitis.....	Totals.....	3	-	-	-	2	-	2
	Males.....	2	-	-	-	1	-	1
Other diseases of the spinal cord.....	Females.....	1	-	-	-	-	-	1
	Totals.....	17	-	-	-	1	-	-
Epidemic cerebro-spinal meningitis.....	Males.....	6	-	-	-	-	-	-
	Females.....	11	-	-	-	-	-	-
Progressive locomotor ataxia.....	Totals.....	76	21	4	3	-	-	28
	Males.....	42	16	2	2	-	-	20
Congestion and hemorrhage of brain.....	Females.....	34	5	2	1	-	-	8
	Totals.....	1,146	438	142	58	41	32	711
Softening of the brain.....	Males.....	598	237	74	28	23	16	378
	Females.....	547	200	68	30	18	16	332
Paralysis without specified cause.....	Not stated.....	1	1	-	-	-	-	1
	Totals.....	77	24	9	7	2	4	46
General paralysis.....	Males.....	37	14	2	4	1	2	23
	Females.....	40	10	7	3	1	2	23
Other forms of mental alienation.....	Totals.....	99	1	-	-	-	-	1
	Males.....	66	1	-	-	-	-	1
Epilepsy.....	Females.....	33	-	-	-	-	-	-
	Totals.....	245	8	3	-	1	-	12
Eclampsia (non-puerperal).....	Males.....	134	3	-	-	1	-	4
	Females.....	111	5	3	-	-	-	8
Other forms of mental alienation.....	Totals.....	3,446	49	12	4	-	1	66
	Males.....	1,722	28	7	1	-	-	36
Epilepsy.....	Females.....	1,724	21	5	3	-	1	30
	Totals.....	195	-	-	-	-	-	-
General paralysis.....	Males.....	109	-	-	-	-	-	-
	Females.....	86	-	-	-	-	-	-
Other forms of mental alienation.....	Totals.....	1,180	8	4	-	-	-	12
	Males.....	556	5	1	-	-	-	6
Epilepsy.....	Females.....	624	3	3	-	-	-	6
	Totals.....	126	-	-	-	-	-	-
Eclampsia (non-puerperal).....	Males.....	73	-	-	-	-	-	-
	Females.....	53	-	-	-	-	-	-
Epilepsy.....	Totals.....	344	-	-	-	-	-	-
	Males.....	136	-	-	-	-	-	-
Eclampsia (non-puerperal).....	Females.....	208	-	-	-	-	-	-
	Totals.....	159	10	1	1	1	2	15
Epilepsy.....	Males.....	92	4	1	1	1	2	9
	Females.....	67	6	-	-	-	-	6
Eclampsia (non-puerperal).....	Totals.....	51	-	-	-	-	-	-
	Males.....	12	-	-	-	-	-	-
Epilepsy.....	Females.....	39	-	-	-	-	-	-

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.	0.	1.	2.	3.	4.	0-4.
Convulsions of children.....	Totals.....	457	328	72	35	12	9	456
	Males.....	256	187	41	21	2	5	256
Tetanus.....	Females.....	201	141	31	14	10	4	200
	Totals.....	44	4	-	-	-	2	6
Chorea.....	Males.....	28	4	-	-	-	2	6
	Females.....	16	-	-	-	-	-	-
Other diseases of nervous system.....	Totals.....	4	-	-	-	-	-	-
	Males.....	4	-	-	-	-	-	-
Other diseases of nervous system.....	Females.....	422	31	7	3	3	1	45
	Totals.....	204	14	5	-	1	-	20
Diseases of the eye and its adnexa.....	Males.....	217	16	2	3	2	1	24
	Females.....	1	1	-	-	-	-	1
Diseases of the ear.....	Totals.....	3	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
Diseases of the ear.....	Females.....	3	-	-	-	-	-	-
	Totals.....	8	5	-	1	-	-	6
Pericarditis.....	Males.....	7	5	-	-	-	-	5
	Females.....	1	-	-	1	-	-	1
Acute endocarditis.....	Totals.....	49	-	-	-	-	1	1
	Males.....	26	-	-	-	-	-	-
Organic diseases of heart.....	Females.....	23	-	-	-	-	1	1
	Totals.....	206	3	-	-	1	1	5
Angina pectoris.....	Males.....	107	3	-	-	1	-	4
	Females.....	99	-	-	-	-	1	1
Affections of the arteries (atheroma, aneurism, etc.).....	Totals.....	5,069	83	9	2	3	4	101
	Males.....	2,870	54	3	1	3	1	62
Embolism and thrombosis.....	Females.....	2,199	29	6	1	-	3	39
	Totals.....	415	-	-	-	-	-	-
Affections of the veins (varices, hemorrhoids, phlebitis, etc.).....	Males.....	245	-	-	-	-	-	-
	Females.....	170	-	-	-	-	-	-
Other affections of the circulatory system.....	Totals.....	178	-	1	-	-	-	1
	Males.....	121	-	-	-	-	-	-
Diseases of the nasal fossae.....	Females.....	57	-	1	-	-	-	3
	Totals.....	201	3	-	-	-	-	3
Affections of the lymphatic system.....	Males.....	89	2	-	-	-	-	2
	Females.....	112	1	-	-	-	-	1
Hemorrhages.....	Totals.....	17	-	-	-	-	-	-
	Males.....	7	-	-	-	-	-	-
Other affections of the circulatory system.....	Females.....	10	-	-	-	-	-	-
	Totals.....	2	1	-	-	-	-	1
Diseases of the nasal fossae.....	Males.....	2	1	-	-	-	-	1
	Females.....	-	-	-	-	-	-	-
Affections of the larynx.....	Totals.....	80	16	3	1	-	-	20
	Males.....	34	9	1	-	-	-	10
Affections of the thyroid body.....	Females.....	46	7	2	1	-	-	10
	Totals.....	3	3	-	-	-	-	3
Acute bronchitis.....	Males.....	3	3	-	-	-	-	3
	Females.....	4	1	1	-	-	-	2
Diseases of the nasal fossae.....	Totals.....	3	1	-	-	-	-	1
	Males.....	1	1	-	-	-	-	1
Affections of the larynx.....	Females.....	79	15	19	9	4	3	50
	Totals.....	43	8	14	3	2	-	27
Affections of the thyroid body.....	Males.....	36	7	5	6	2	3	23
	Females.....	13	-	-	-	1	-	1
Acute bronchitis.....	Totals.....	13	-	-	-	-	-	-
	Males.....	13	-	-	-	-	-	-
Acute bronchitis.....	Females.....	623	309	74	23	11	4	421
	Totals.....	298	176	35	10	6	1	228
Acute bronchitis.....	Males.....	325	133	39	13	5	3	193
	Females.....							

DEATHS FROM ALL CAUSES BY AGE-GROUPS.

No. 32—Continued.

Age-Groups—1901-1905.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100+.	Unknown.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
4	6	4	1	6	3	2	4	2	1	-	1	-	2	-	-	-	-	-	-	1
3	5	4	-	2	3	1	2	1	1	-	1	-	1	1	-	-	-	-	-	-
1	1	1	2	-	3	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	1	12	11	11	16	19	16	23	40	35	37	47	34	39	14	5	-	-	-	1
8	3	7	4	3	8	8	10	13	18	17	21	23	15	18	7	1	-	-	-	-
2	4	5	7	8	8	11	6	10	22	18	16	24	19	21	7	4	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
3	3	3	2	2	2	1	-	1	3	2	4	6	8	5	3	-	-	-	-	-
2	1	2	2	2	2	1	-	3	2	2	2	3	4	3	-	-	-	-	-	-
1	2	1	2	2	2	1	-	1	3	2	2	3	4	2	-	-	-	-	-	-
7	3	6	5	6	4	6	8	10	15	22	26	27	30	11	7	1	-	-	-	-
3	3	3	1	4	2	5	6	7	14	9	13	14	6	5	1	-	-	-	-	-
4	3	3	4	2	4	3	3	1	5	8	8	17	14	16	5	2	-	-	-	-
20	33	46	50	80	86	106	125	180	243	392	528	730	771	746	520	231	51	6	-	24
5	13	24	19	34	33	56	58	93	139	227	324	443	460	435	300	110	18	2	-	15
15	20	22	31	46	53	50	67	87	104	165	204	287	311	311	220	121	33	4	-	9
1	-	2	7	6	4	2	9	27	27	33	49	63	61	59	41	17	4	1	-	2
1	1	1	5	5	2	1	6	20	19	22	36	33	36	27	22	11	2	-	-	-
-	-	-	-	-	-	1	3	7	8	11	13	30	23	32	19	6	2	1	-	-
-	-	-	-	-	-	8	4	2	5	5	20	24	23	27	25	14	8	-	-	-
-	-	-	-	-	-	4	2	1	3	2	17	16	19	25	15	8	7	-	-	-
-	-	-	-	-	-	4	1	1	3	2	3	8	14	2	10	6	1	-	-	-
-	3	7	7	8	5	5	14	10	11	18	17	28	14	34	8	5	2	1	-	1
-	3	7	5	6	3	5	11	5	4	10	10	14	11	18	4	1	-	-	-	-
-	-	-	-	-	1	-	1	-	1	1	1	3	4	3	16	4	4	2	1	-
-	-	-	-	-	-	-	1	-	-	-	1	2	2	1	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
3	1	4	3	3	3	11	1	3	3	4	5	7	7	1	1	2	1	-	-	-
2	-	2	2	-	1	5	1	1	2	2	2	3	1	-	-	1	1	-	-	-
1	1	2	3	2	2	6	-	2	1	2	3	4	6	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	2	1	1	2	1	-	1	1	1	1	2	1	1	-	-	-	-	-	-
10	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	1	1	-	-	2	1	-	1	1	1	4	1	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	3	3	4	2	2	-	2	1	5	1	12	19	26	36	37	32	7	3	-	1
4	2	3	3	1	1	-	2	1	4	3	9	13	19	27	11	14	3	1	-	-

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.	Age.					
			0.	1.	2.	3.	4.	
Chronic bronchitis.....	Totals.....	490	8	4	-	1	-	13
	Males.....	206	4	-	-	1	-	5
	Females...	284	4	4	-	-	-	8
Broncho pneumonia.....	Totals.....	721	185	84	36	10	9	324
	Males.....	330	91	42	18	5	5	161
	Females...	390	93	42	18	5	4	162
Pneumonia.....	Not stated.	1	1	-	-	-	-	1
	Totals.....	4,362	564	197	88	47	28	924
	Males.....	2,174	313	103	42	24	17	499
Pleurisy.....	Females...	2,185	250	94	46	23	11	424
	Not stated.	3	1	-	-	-	-	1
	Totals.....	102	5	2	-	-	-	3
Congestion of the lungs, pulmonary apo- plexy.....	Males.....	64	2	1	-	-	-	3
	Females...	33	3	1	-	1	-	5
	Totals.....	278	59	12	1	4	-	76
Gangrene of the lungs.....	Males.....	138	35	6	1	2	-	44
	Females...	140	24	6	-	2	-	32
	Totals.....	18	-	-	-	-	-	-
Asthma.....	Males.....	15	-	-	-	-	-	-
	Females...	3	-	-	-	-	-	-
	Totals.....	110	7	4	1	-	-	12
Emphysema of the lungs.....	Males.....	59	3	2	-	-	-	5
	Females...	51	4	2	1	-	-	7
	Totals.....	16	-	-	-	-	-	-
Other diseases of the respiratory system (phthisis excepted).....	Males.....	10	-	-	-	-	-	-
	Females...	5	-	-	-	-	-	-
	Totals.....	136	15	2	-	-	1	18
Affections of the mouth and its adnexa...	Males.....	71	6	-	-	-	1	7
	Females...	65	9	2	-	-	-	11
	Totals.....	19	13	-	1	-	-	14
Affections of the pharynx.....	Males.....	12	6	-	1	-	-	7
	Females...	7	7	-	-	-	-	7
	Totals.....	81	9	3	1	6	5	24
Affections of the esophagus.....	Males.....	44	4	1	-	3	3	11
	Females...	37	5	2	1	3	2	13
	Totals.....	6	-	1	-	-	-	1
Ulcer of the stomach.....	Males.....	2	-	-	-	-	-	-
	Females...	4	-	1	-	-	-	1
	Totals.....	92	-	1	-	-	-	1
Other affections of the stomach (cancer excepted).....	Males.....	39	-	1	-	-	-	1
	Females...	53	-	-	-	-	-	-
	Totals.....	736	146	24	8	4	4	186
Infantile diarrhea (under two years).....	Males.....	359	89	13	7	3	2	114
	Females...	377	57	11	1	1	2	72
	Totals.....	2,260	1,960	293	-	-	-	2,253
Diarrhea and enteritis(two years and over)	Males.....	1,264	1,111	150	-	-	-	1,261
	Females...	995	849	143	-	-	-	992
	Not stated.	1	-	-	-	-	-	-
Intestinal parasites.....	Totals.....	525	-	1	83	35	12	131
	Males.....	263	-	-	45	27	5	77
	Females...	262	-	1	38	8	7	54
Hernias and other intestinal obstructions	Totals.....	10	1	4	1	1	-	7
	Males.....	8	1	4	1	-	-	6
	Females...	2	-	-	-	1	-	1
Other affections of the intestines.....	Totals.....	370	43	10	4	4	2	63
	Males.....	186	29	7	4	1	-	41
	Females...	184	14	3	-	3	2	22
Acute yellow atrophy of liver.....	Totals.....	136	26	1	-	1	5	33
	Males.....	67	13	1	-	1	-	15
	Females...	69	13	-	-	-	5	18
	Totals.....	22	3	-	-	-	-	3
	Males.....	9	2	-	-	-	-	2
	Females...	13	1	-	-	-	-	1

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.						0-4.
			0.	1.	2.	3.	4.	
Hydatid tumors of the liver.....	Totals.....	1	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
Cirrhosis of the liver.....	Females.....	-	-	-	-	-	-	-
	Totals.....	242	2	-	-	-	-	2
Biliary calculi.....	Males.....	153	1	-	-	-	-	1
	Females.....	89	1	-	-	-	-	1
Other affections of the liver.....	Totals.....	72	-	-	-	-	-	-
	Males.....	23	-	-	-	-	-	-
Affections of the spleen.....	Females.....	49	-	-	-	-	-	-
	Totals.....	336	19	3	-	-	-	22
Inflammatory peritonitis (puerperal ex- cepted).....	Males.....	190	13	1	-	-	-	14
	Females.....	146	6	2	-	-	-	8
Other affections of the digestive system (cancer and tuberculosis excepted).....	Totals.....	13	-	-	-	-	-	-
	Males.....	10	-	-	-	-	-	-
Appendicitis and abscess of the iliac fossa	Females.....	3	-	-	-	-	-	-
	Totals.....	388	27	8	5	4	4	48
Other diseases of the kidneys and their adnexa.....	Males.....	164	15	4	3	3	1	26
	Females.....	224	12	4	2	1	3	22
Bright's disease.....	Totals.....	3	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
Acute nephritis.....	Females.....	3	-	-	-	-	-	-
	Totals.....	329	2	2	5	2	5	16
Diseases of the bladder.....	Males.....	192	-	2	3	1	4	10
	Females.....	137	2	-	2	1	1	6
Diseases of the urethra, urinary abscess etc.....	Totals.....	272	11	6	5	2	1	25
	Males.....	141	4	5	5	1	1	16
Disease of the prostate.....	Females.....	131	7	-	-	-	-	9
	Totals.....	2,741	15	2	1	5	5	28
Other diseases of the female genital organs.....	Males.....	1,597	7	1	-	1	3	12
	Females.....	1,144	8	1	1	4	2	16
Uterine hemorrhage (non-puerperal).....	Totals.....	117	6	2	-	-	-	8
	Males.....	76	5	1	-	-	-	6
Uterine tumor (non-cancerous).....	Females.....	41	1	1	-	-	-	2
	Totals.....	10	-	-	-	-	-	-
Other diseases of the uterus.....	Males.....	6	-	-	-	-	-	-
	Females.....	4	-	-	-	-	-	-
Cysts and other tumors of ovary.....	Totals.....	256	6	-	-	-	-	6
	Males.....	230	5	-	-	-	-	5
Other diseases of female genital organs.....	Females.....	26	1	-	-	-	-	1
	Totals.....	9	-	-	-	-	-	-
Disease of the prostate.....	Males.....	6	-	-	-	-	-	-
	Females.....	3	-	-	-	-	-	-
Non-venereal diseases of the male genital organs.....	Totals.....	102	-	-	-	-	-	-
	Males.....	102	-	-	-	-	-	-
Uterine tumor (non-cancerous).....	Females.....	5	-	-	-	-	-	-
	Totals.....	5	-	-	-	-	-	-
Other diseases of the uterus.....	Males.....	-	-	-	-	-	-	-
	Females.....	16	-	-	-	-	-	-
Cysts and other tumors of ovary.....	Totals.....	16	-	-	-	-	-	-
	Males.....	27	-	-	-	-	-	-
Other diseases of female genital organs.....	Females.....	27	-	-	-	-	-	-
	Totals.....	57	-	-	-	-	-	-
Other diseases of the uterus.....	Males.....	57	-	-	-	-	-	-
	Females.....	57	-	-	-	-	-	-
Cysts and other tumors of ovary.....	Totals.....	53	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
Other diseases of female genital organs.....	Females.....	53	-	-	-	-	-	-
	Totals.....	36	-	-	-	-	-	-
Other diseases of female genital organs.....	Males.....	36	-	-	-	-	-	-
	Females.....	36	-	-	-	-	-	-

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Total.						
			0.	1.	2.	3.	4.	0-4.
Non-puerperal diseases of the breast (cancer excepted)	Totals	1	-	-	-	-	-	-
	Males	1	-	-	-	-	-	-
Accidents of pregnancy	Females	-	-	-	-	-	-	-
	Totals	91	-	-	-	-	-	-
Puerperal hemorrhage	Males	91	-	-	-	-	-	-
	Females	30	-	-	-	-	-	-
Other accidents of labor	Totals	41	-	-	-	-	-	-
	Males	41	-	-	-	-	-	-
Puerperal septicemia	Females	159	-	-	-	-	-	-
	Totals	159	-	-	-	-	-	-
Puerperal albuminuria and eclampsia	Males	70	-	-	-	-	-	-
	Females	70	-	-	-	-	-	-
Other puerperal accidents sudden death	Totals	83	-	-	-	-	-	-
	Males	83	-	-	-	-	-	-
Gangrene	Females	326	7	-	-	-	-	7
	Totals	187	5	-	-	-	-	5
Furuncle (boil, carbuncle)	Females	139	2	-	-	-	-	2
	Totals	16	-	-	-	-	-	-
Phlegmon, acute abscess	Males	13	-	-	-	-	-	-
	Females	3	-	-	-	-	-	-
Other diseases of the skin and its adnexa	Totals	38	6	2	-	-	1	9
	Males	22	4	2	-	-	-	6
Affections of the bones (non-tuberculous)	Females	16	2	-	-	-	1	3
	Totals	21	6	1	-	-	1	8
Arthritis and other diseases of the joints (tuberculosis and rheumatism excepted)	Males	8	2	1	-	-	-	3
	Females	13	4	-	-	-	1	5
Amputation	Totals	55	4	5	1	-	-	10
	Males	32	3	2	1	-	-	6
Other affections of the organs of locomotion	Females	23	1	3	-	-	-	4
	Totals	3	-	-	-	-	-	-
Malformations, congenital (still births excepted)	Males	3	-	-	-	-	-	-
	Females	2	-	-	-	-	-	-
Congenital icterus, debility and sclerema	Totals	2	-	-	-	-	-	-
	Males	1	-	-	-	-	-	-
Lack of care	Females	1	-	-	-	-	-	-
	Totals	312	286	10	-	2	1	299
Other diseases of early infancy	Males	167	155	4	-	-	-	159
	Females	143	129	6	-	2	1	138
Lack of care	Not stated	2	2	-	-	-	-	2
	Totals	1,824	1670	-	-	-	-	1670
Lack of care	Males	1,030	937	-	-	-	-	937
	Females	767	714	-	-	-	-	714
Lack of care	Not stated	27	19	-	-	-	-	19
	Totals	128	126	-	-	-	-	126
Lack of care	Males	68	67	-	-	-	-	67
	Females	59	58	-	-	-	-	58
Lack of care	Not stated	1	1	-	-	-	-	1
	Totals	252	252	-	-	-	-	252
Lack of care	Males	144	144	-	-	-	-	144
	Females	106	106	-	-	-	-	106
Lack of care	Not stated	2	2	-	-	-	-	2

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.	0.	1.	2.	3.	4.	0-4.
Old age.....	Totals.....	3,544	-	-	-	-	-	-
	Males.....	1,574	-	-	-	-	-	-
Suicide by poison.....	Females.....	1,970	-	-	-	-	-	-
	Totals.....	60	-	-	-	-	-	-
Suicide by asphyxia.....	Males.....	41	-	-	-	-	-	-
	Females.....	19	-	-	-	-	-	-
Suicide by hanging or strangulation.....	Totals.....	2	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
Suicide by hanging or strangulation.....	Females.....	1	-	-	-	-	-	-
	Totals.....	129	-	-	-	-	-	-
Suicide by drowning.....	Males.....	107	-	-	-	-	-	-
	Females.....	22	-	-	-	-	-	-
Suicide by firearms.....	Totals.....	57	-	-	-	-	-	-
	Males.....	30	-	-	-	-	-	-
Suicide by cutting instruments.....	Females.....	27	-	-	-	-	-	-
	Totals.....	124	-	-	-	-	-	-
Suicide by jumping from high places.....	Males.....	118	-	-	-	-	-	-
	Females.....	6	-	-	-	-	-	-
Other suicides.....	Totals.....	34	-	-	-	-	-	-
	Males.....	26	-	-	-	-	-	-
Fractures.....	Females.....	8	-	-	-	-	-	-
	Totals.....	3	-	-	-	-	-	-
Dislocations and sprains.....	Males.....	14	-	-	-	-	-	-
	Females.....	10	-	-	-	-	-	-
Other accidental injuries.....	Totals.....	4	-	-	-	-	-	-
	Males.....	267	3	1	-	2	-	6
Burns and scalds.....	Females.....	163	2	-	-	2	-	4
	Totals.....	98	1	1	-	-	-	2
Sunstroke.....	Males.....	4	-	-	-	-	-	-
	Females.....	4	-	-	-	-	-	-
Freezing.....	Totals.....	764	13	4	16	7	6	46
	Males.....	655	10	3	12	4	2	31
Electric shock.....	Females.....	109	3	1	4	3	4	15
	Totals.....	202	5	4	23	15	8	65
Accidental drowning.....	Males.....	78	2	4	17	9	2	34
	Females.....	124	3	10	6	6	6	31
Inhalation of deleterious gases (suicide excepted).....	Totals.....	18	2	-	1	-	-	3
	Males.....	13	-	-	-	-	-	-
Other acute poisonings.....	Females.....	5	2	-	1	-	-	3
	Totals.....	19	-	-	-	-	-	-
Inanition.....	Males.....	17	-	-	-	-	-	-
	Females.....	2	-	-	-	-	-	-
Not stated.....	Totals.....	15	-	-	-	-	-	-
	Males.....	14	-	-	-	-	-	-
Inhalation of deleterious gases (suicide excepted).....	Females.....	1	-	-	-	-	-	-
	Totals.....	574	4	8	3	4	18	37
Inanition.....	Males.....	524	3	6	2	4	16	31
	Females.....	48	1	2	1	-	2	6
Inhalation of deleterious gases (suicide excepted).....	Not stated.....	2	-	-	-	-	-	-
	Totals.....	5	1	-	-	-	-	1
Other acute poisonings.....	Males.....	4	1	-	-	-	-	1
	Females.....	1	-	-	-	-	-	-
Inhalation of deleterious gases (suicide excepted).....	Totals.....	65	3	-	-	2	1	6
	Males.....	45	3	-	-	1	1	5
Other acute poisonings.....	Females.....	20	-	-	-	1	-	1
	Totals.....	112	14	13	13	8	5	53
Inhalation of deleterious gases (suicide excepted).....	Males.....	65	9	6	6	4	1	26
	Females.....	47	5	7	7	4	4	27

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.						
			0.	1.	2.	3.	4.	0-4.
Other external violence..	Totals.....	184	98	3	4	2	1	108
	Males.....	116	61	1	1	-	1	64
	Females...	68	37	2	3	2	-	44
Dropsy.....	Totals.....	175	1	2	-	-	1	4
	Males.....	85	-	1	-	-	-	1
	Females...	90	1	1	-	-	1	3
Sudden death.....	Totals.....	140	20	-	-	1	1	22
	Males.....	91	8	-	-	-	-	8
	Females...	48	12	-	-	1	1	14
Unspecified or ill-defined causes of death.	Not stated.	1	-	-	-	-	-	-
	Totals.....	2,056	816	55	18	7	8	904
	Males.....	1,003	445	29	9	3	4	490
	Females...	1,048	368	26	9	4	4	411
	Not stated.	5	3	-	-	-	-	3

No. 32—Concluded.

Age-Groups—1901-1905.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100+.	Unknown.
2	6	5	6	8	7	3	2	5	5	2	6	4	1	4	3	-	-	-	-	7
1	3	3	3	7	5	3	-	5	4	1	4	3	1	4	1	-	-	-	-	4
1	3	2	2	1	2	-	-	-	1	1	2	1	-	-	2	-	-	-	-	3
2	3	2	1	3	3	5	-	6	8	9	13	22	29	38	16	4	5	1	-	1
-	-	-	-	-	-	-	-	-	-	-	7	6	10	14	5	2	3	-	-	1
-	3	-	-	-	3	3	3	3	4	5	6	12	15	16	11	2	2	1	-	1
-	-	3	3	3	1	1	6	3	8	7	18	13	19	9	3	6	1	-	-	8
-	-	-	5	3	5	1	2	3	8	7	13	19	14	7	2	5	-	-	-	4
-	-	-	2	2	5	1	4	3	4	5	15	11	14	5	1	1	-	-	-	3
-	-	1	-	-	-	1	4	-	4	2	-	-	2	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
21	12	20	29	27	25	46	46	42	49	63	124	154	138	142	93	66	24	2	-	29
9	5	10	11	10	12	12	19	10	22	36	58	67	63	65	47	32	8	-	-	17
12	7	10	18	17	13	34	27	32	27	27	66	87	75	77	45	34	16	2	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1

TABLE
Deaths in Each Town from Special

THE STATE AND COUNTIES.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.
MAINE.....	694,466	32	7	110
Androscoggin.....	54,242	2	1	7
Aroostook.....	60,744	-	2	15
Cumberland.....	100,689	1	1	16
Franklin.....	18,444	2	-	-
Hancock.....	37,241	3	-	2
Kennebec.....	59,117	2	-	9
Knox.....	30,406	9	-	1
Lincoln.....	19,669	-	-	2
Oxford.....	32,238	-	-	5
Penobscot.....	76,246	3	-	16
Piscataquis.....	16,949	-	-	-
Sagadahoc.....	20,330	1	-	6
Somerset.....	33,849	4	-	9
Waldo.....	24,185	1	-	1
Washington.....	45,232	1	-	5
York.....	64,885	3	3	16
ANDROSCOGGIN COUNTY.....	53,806	2	1	7
Auburn.....	12,951	-	-	1
Durham.....	1,230	-	-	1
East Livermore.....	2,129	1	-	-
Greene.....	826	-	-	-
Leeds.....	1,065	-	-	-
Lewiston.....	23,761	1	1	2
Lisbon.....	3,603	-	-	-
Livermore.....	1,125	-	-	-
Mechanic Falls.....	1,687	-	-	-
Minot.....	808	-	-	-
Poland.....	1,648	-	-	-
Turner.....	1,842	-	-	-
Webster.....	1,131	-	-	3
AROOSTOOK COUNTY.....	54,493	-	2	15
Ashland.....	1,080	-	-	-
Bancroft.....	318	-	-	-
Benedicta.....	350	-	-	-
Blaire.....	954	-	-	-
Bridgewater.....	1,179	-	-	-
Caribou.....	4,758	-	-	-
Castle Hill.....	567	-	-	-
Dyer Brook.....	280	-	-	-
Easton.....	1,215	-	-	-
Fort Fairfield.....	4,181	-	-	-
Fort Kent.....	2,528	-	-	-
Frenchville.....	1,316	-	-	4
Grand Isle.....	1,104	-	-	-
Haynesville.....	316	-	-	-
Hersey.....	199	-	-	-
Hodgdon.....	1,130	-	-	-
Houlton.....	4,686	-	-	1
Island Falls.....	1,063	-	-	2
Limestone.....	1,131	-	-	-

No. 33.

Causes, Mostly Infectious Diseases.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicæmia.	Septicæmia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhæa.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
38	156	27	32	50	243	35	111	12	561	894	215	11
2	13	2	1	7	15	-	9	1	73	61	20	1
2	12	1	4	2	18	-	13	2	116	60	8	-
10	22	6	7	7	36	3	11	2	64	129	45	-
1	1	-	2	3	10	-	2	-	11	18	2	-
-	5	2	2	-	11	-	6	-	23	40	12	-
2	14	2	3	1	25	3	3	2	39	75	9	2
1	3	2	3	3	9	1	5	2	14	47	6	-
-	1	1	1	2	5	-	2	-	3	13	8	-
-	4	3	1	4	12	2	8	-	12	28	16	-
8	30	-	-	10	33	5	14	-	76	132	40	4
1	3	-	-	1	5	2	-	1	9	20	3	-
1	4	1	2	1	6	1	3	-	7	27	2	1
1	3	2	3	1	16	1	10	-	21	43	6	-
1	4	-	1	4	4	1	2	-	5	43	4	-
4	6	2	1	-	21	4	2	1	26	71	13	2
3	31	3	2	4	17	5	7	1	56	77	21	1
2	13	2	1	7	15	-	9	1	73	61	20	1
-	2	-	1	1	6	-	1	-	8	12	5	1
-	2	-	-	1	-	-	-	-	3	2	-	-
-	-	-	-	-	-	-	2	-	2	2	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
1	8	1	-	5	5	-	5	1	55	31	11	-
1	-	-	-	-	1	-	-	-	2	2	-	-
-	-	-	-	-	1	-	-	-	-	1	1	-
-	-	-	-	-	1	-	-	-	-	4	-	-
-	-	-	-	-	1	-	-	-	-	1	1	-
-	1	-	-	-	1	-	1	-	-	3	1	-
2	12	1	4	2	18	7	13	2	116	60	8	-
-	1	-	-	-	1	-	1	-	2	1	-	-
1	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	1	-	-	-	2	1	1	-	14	5	2	-
-	1	-	-	-	1	-	-	-	1	1	-	-
-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	1	-	-	-	-	-	1	-	13	9	-	-
-	-	-	-	-	2	-	-	-	6	2	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	-	1	1	1	-	3	-	-
-	-	-	-	-	-	-	-	1	-	2	-	-
1	-	-	-	-	-	-	-	-	1	-	1	-

TABLE
Deaths in Each Town from Special
AROOSTOOK

COUNTY AND TOWNS.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.
Linneus.....	834	-	-	-
Littleton.....	956	-	-	-
Ludlow.....	394	-	-	-
Madawaska.....	1,698	-	-	3
Mars Hill.....	1,183	-	-	-
Masardis.....	438	-	-	-
Monticello.....	1,332	-	-	-
New Limerick.....	600	-	-	-
New Sweden.....	867	-	-	-
Oakfield.....	860	-	-	-
Perham.....	580	-	-	-
Presque Isle.....	3,804	-	-	-
St. Agatha.....	1,396	-	1	-
Sherman.....	980	-	-	-
Van Buren.....	1,878	-	-	-
Washburn.....	1,225	-	-	1
Westfield.....	259	-	1	-
Weston.....	367	-	-	-
Woodland.....	1,096	-	-	-
Caswell Pl.....	368	-	-	-
Connor Pl.....	453	-	-	2
Cyr Pl.....	502	-	-	-
Eagle Lake Pl.....	406	-	-	-
Hamlin Pl.....	574	-	-	-
Hill Pl.....	124	-	-	-
Merrill Pl.....	298	-	-	-
New Canada Pl.....	419	-	-	-
Oxbow Pl.....	153	-	-	-
St. Francis Pl.....	567	-	-	2
St. John Pl.....	371	-	-	-
Wade Pl.....	271	-	-	-
Wallagrass Pl.....	784	-	-	-
Westmanland Pl.....	100	-	-	-
CUMBERLAND COUNTY.....	98,389	1	1	16
Bridgton.....	2,868	-	-	-
Brunswick.....	6,806	-	-	2
Casco.....	783	-	-	-
Cumberland.....	1,404	-	-	-
Falmouth.....	1,511	-	-	-
Freeport.....	2,359	-	-	1
Gorham.....	2,540	-	-	-
Gray.....	1,388	-	-	-
Harpwell.....	1,750	-	-	-
Harrison.....	969	-	-	-
Naples.....	813	-	-	-
New Gloucester.....	1,162	-	1	-
North Yarmouth.....	642	-	-	-
Otisfield.....	728	-	-	-
Portland.....	50,145	-	-	10
Raymond.....	823	-	-	-
Scarboro.....	1,865	1	-	-
Sebago.....	576	-	-	-
South Portland.....	6,287	-	-	1
Standish.....	1,504	-	-	-
Westbrook.....	7,283	-	-	2
Windham.....	1,929	-	-	-
Yarmouth.....	2,274	-	-	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial di-casc.
-	1	-	-	1	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	2	-	-	-	-	1	-	-
-	1	-	-	-	-	-	1	-	1	2	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	1	-	-	-	1	-	1	2	-	-
-	-	-	1	-	1	-	-	-	7	1	-	-
-	1	-	-	-	1	-	-	-	-	2	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	22	4	-	-
-	-	-	-	-	1	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	1	-	2	1	1	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	1	-	-	-	3	1	-	-
-	-	-	-	-	-	-	1	-	12	1	-	-
-	-	-	-	-	1	-	-	-	4	1	-	-
-	1	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	1	-	1	-	1	2	-	-
-	1	-	-	-	-	-	-	-	1	1	-	-
-	2	-	-	-	2	-	-	-	-	-	-	-
-	-	-	-	-	2	-	1	-	1	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	2	-	-	-	1	1	-	-
10	22	6	7	7	36	3	11	2	64	129	45	-
-	1	-	-	-	3	-	1	-	-	4	1	-
2	1	-	-	1	2	-	-	-	8	5	4	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	2	-	-	-	-	2	3	-
-	-	-	-	-	3	-	-	-	-	2	2	-
2	-	-	-	-	3	-	-	-	-	5	2	-
-	-	-	1	-	1	-	-	1	-	5	1	-
-	-	-	-	-	3	-	-	-	-	4	-	-
-	-	-	-	-	1	-	-	-	1	1	-	-
-	-	-	-	-	1	-	-	-	-	3	-	-
-	4	-	4	-	16	-	-	-	-	3	-	-
1	14	-	4	5	1	1	3	1	37	77	23	-
-	-	-	1	-	1	-	-	-	-	2	-	-
-	1	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	-	-	2	-	6	2	7	-
-	-	-	-	-	-	-	1	-	-	1	1	-
1	-	-	-	-	1	-	3	-	10	8	2	-
-	1	-	1	1	-	-	-	-	1	4	-	-

TABLE
Deaths in Each Town from Special
FRANKLIN

COUNTY AND TOWNS.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.
FRANKLIN COUNTY	14,443	2	-	-
Carthage.....	354	-	-	-
Chester ville.....	709	-	-	-
Farming ton.....	3,288	2	-	-
Freeman.....	397	-	-	-
Industry.....	553	-	-	-
Jay.....	2,758	-	-	-
Kingfield.....	693	-	-	-
Mauid.....	326	-	-	-
New Sharon.....	946	-	-	-
New Vineyard.....	584	-	-	-
Phillips.....	1,399	-	-	-
Strong.....	637	-	-	-
Wilton.....	1,647	-	-	-
Dallas Pl.....	172	-	-	-
HANCOCK COUNTY	34,228	3	-	2
Aurora.....	152	-	-	-
Bluehill.....	1,828	-	-	-
Brooklin.....	936	-	-	-
Brooksville.....	1,171	-	-	-
Bucksport.....	2,339	-	-	1
Castine.....	925	-	-	-
Deer Isle.....	2,047	-	-	-
Eden.....	4,379	-	-	-
Ellsworth.....	4,297	-	-	-
Franklin.....	1,201	-	-	-
Gouldsboro.....	1,259	-	-	-
Hancock.....	900	-	-	-
Isle au Haut.....	182	-	-	-
Lamoine.....	594	-	-	-
Mariaville.....	218	-	-	-
Mount Desert.....	1,600	-	-	-
Orland.....	1,251	-	-	-
Penobscot.....	1,156	-	-	-
Sedgwick.....	902	-	-	-
South West Harbor.....	-	-	-	-
Stonington.....	1,648	3	-	-
Sullivan.....	1,034	-	-	-
Surry.....	900	-	-	1
Swan's Island.....	758	-	-	-
Tremont.....	2,010	-	-	-
Trenton.....	459	-	-	-
No. 33 Pl.....	82	-	-	-
KENNEBEC COUNTY	58,647	2	-	9
Albion.....	878	-	-	-
Augusta.....	11,683	-	-	3
Belgrade.....	1,058	-	-	-
Benton.....	1,097	-	-	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
1	1	-	2	3	10	-	2	-	11	18	2	-
-	-	-	1	-	1	-	1	-	-	1	-	-
-	-	-	-	-	4	-	-	-	1	1	-	-
-	-	-	-	-	1	-	-	-	-	2	1	-
-	1	-	-	1	2	-	-	-	5	3	1	-
-	-	-	1	-	-	-	-	-	-	2	-	-
-	-	-	-	1	-	-	1	-	-	1	-	-
-	-	-	-	1	1	-	-	-	2	1	-	-
-	-	-	-	1	1	-	-	-	-	5	-	-
-	5	2	2	-	11	-	6	-	23	40	12	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	2	-	-	-	1	3	-	-
-	1	-	-	-	1	-	1	-	1	1	-	-
-	-	-	-	-	1	-	1	-	2	1	2	-
-	-	-	-	-	1	-	-	-	-	6	-	-
-	-	-	-	-	2	-	1	-	4	1	1	-
-	-	-	-	-	1	-	1	-	1	4	-	-
-	-	-	-	-	-	-	1	-	1	3	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	3	1	1	-
-	-	1	1	-	-	-	1	-	1	2	2	-
-	-	-	-	-	-	-	-	-	2	4	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	1	-	-	-	3	4	-	-
-	-	-	-	-	2	-	-	-	2	2	-	-
-	-	-	-	-	1	-	-	-	1	1	2	-
-	-	1	-	-	-	-	1	-	-	1	1	-
2	14	2	3	1	25	3	7	2	39	85	9	2
-	-	-	-	-	1	-	-	-	-	1	-	-
-	6	1	2	-	3	-	1	-	19	21	1	1
-	1	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-

TABLE
Deaths in Each Town from Special

KENNEBEC

COUNTY AND TOWNS.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.
Chelsea	3,082	-	-	-
China	1,380	-	-	-
Clinton	1,398	-	-	-
Farmingdale	848	-	-	-
Fayette	560	-	-	-
Gardiner	5,501	-	-	-
Hallowell	2,714	-	-	-
Litchfield	1,057	-	-	-
Manchester	518	-	-	-
Monmouth	1,236	-	-	-
Mount Vernon	906	-	-	-
Oakland	1,913	-	-	-
Pittston	1,177	-	-	-
Randolph	1,077	-	-	-
Readfield	994	-	-	-
Sidney	1,068	1	-	-
Vassalboro	2,062	-	-	-
Vienna	406	-	-	-
Waterville	9,477	1	-	5
Wayne	707	-	-	-
West Gardiner	693	-	-	-
Windsor	782	-	-	-
Winslow	2,277	-	-	1
Winthrop	2,038	-	-	-
KNOX COUNTY	29,084	9	-	1
Appleton	975	-	-	-
Camden	2,825	1	-	-
Friendship	814	-	-	-
Hurricane Isle	257	-	-	-
North Haven	551	1	-	-
Rockland	8,150	4	-	-
Rockport	2,314	-	-	-
St. George	2,206	-	-	1
South Thomaston	1,426	-	-	-
Thomaston	2,688	-	-	-
Union	1,248	-	-	-
Vinalhaven	2,358	-	-	-
Warren	2,069	3	-	-
Washington	1,019	-	-	-
Matinecus Isle Pl	184	-	-	-
LINCOLN COUNTY	17,010	-	-	2
Boothbay	1,766	-	-	-
Boothbay Harbor	1,926	-	-	-
Bristol	2,572	-	-	-
Danville	876	-	-	-
Dresden	882	-	-	-
Jefferson	1,155	-	-	-
Newcastle	1,075	-	-	-
Nobleboro	810	-	-	-
Somerville	374	-	-	-
Waldoboro	3,145	-	-	-
Whitefield	1,156	-	-	-
Wiscasset	1,273	-	-	2

TABLE
Deaths in Each Town from Special
OXFORD

COUNTY AND TOWNS.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.
OXFORD COUNTY.....	28,846	-	-	5
Albany.....	538	-	-	-
Bethel.....	1,835	-	-	-
Brownfield.....	1,019	-	-	-
Buckfield.....	1,139	-	-	-
Canton.....	946	-	-	-
Denmark.....	634	-	-	-
Dixfield.....	1,052	-	-	-
Fryeburg.....	1,376	-	-	-
Gilead.....	340	-	-	-
Grafton.....	81	-	-	-
Greenwood.....	741	-	-	-
Hartford.....	660	-	-	-
Hebron.....	494	-	-	-
Hiram.....	1,015	-	-	-
Lovell.....	693	-	-	-
Mason.....	87	-	-	-
Mexico.....	816	-	-	2
Norway.....	2,902	-	-	-
Oxford.....	1,331	-	-	-
Paris.....	3,225	-	-	-
Peru.....	773	-	-	-
Porter.....	886	-	-	1
Rumford.....	3,770	-	-	1
Stow.....	270	-	-	-
Sumner.....	802	-	-	1
Sweden.....	282	-	-	-
Upton.....	242	-	-	-
Waterford.....	917	-	-	-
PENOBSCOT COUNTY.....	69,704	3	-	16
Alton.....	314	-	-	-
Argyle.....	320	-	-	-
Bangor.....	21,850	2	-	-
Bradford.....	954	-	-	-
Bradley.....	682	-	-	-
Brewer.....	4,855	-	-	-
Burlington.....	394	-	-	-
Carmel.....	932	-	-	1
Carroll.....	487	-	-	-
Charleston.....	842	-	-	-
Clifton.....	236	-	-	-
Corinna.....	1,170	-	-	1
Corinth.....	1,042	1	-	1
Dexter.....	2,941	-	-	4
Dixmont.....	843	-	-	-
Eddington.....	663	-	-	-
Etna.....	527	-	-	-
Garland.....	857	-	-	-
Glenburn.....	461	-	-	-
Greenbush.....	586	-	-	2
Hampden.....	2,182	-	-	-
Hermon.....	1,183	-	-	-
Holden.....	602	-	-	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhœa.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	4	3	1	4	12	2	8	-	18	28	16	-
-	-	1	-	-	-	-	1	-	-	-	-	-
-	-	-	-	1	3	-	1	-	-	2	-	-
-	-	-	1	1	1	-	1	-	-	2	2	-
-	-	-	-	1	1	-	1	-	1	1	1	-
-	-	-	-	1	1	-	1	-	2	1	-	-
-	-	-	-	1	1	-	1	-	1	1	1	-
-	-	-	-	-	1	-	1	-	1	1	1	-
-	-	-	-	-	1	-	1	-	1	2	3	-
-	-	-	-	-	1	-	1	-	2	1	1	-
-	-	-	-	-	1	-	1	-	4	3	1	-
-	1	-	-	-	1	-	1	-	1	3	4	-
-	2	-	-	-	2	-	2	-	2	2	1	-
-	1	2	-	-	1	-	1	-	6	1	2	-
-	-	-	-	-	1	-	1	-	-	4	-	-
-	-	-	-	-	1	-	1	-	1	-	1	-
8	30	-	-	10	33	5	14	-	76	132	40	4
-	-	-	-	-	-	-	-	-	1	-	-	-
-	17	-	-	-	9	2	4	-	12	39	12	2
-	1	-	-	1	-	-	1	-	1	2	1	-
-	1	-	-	1	-	-	1	-	1	1	5	-
-	-	-	-	-	3	-	-	-	13	16	-	-
-	-	-	-	-	1	-	-	-	1	1	-	-
-	1	-	-	-	1	-	-	-	1	1	-	-
-	1	-	-	-	1	-	-	-	-	3	-	-
-	2	-	-	-	1	-	-	-	-	1	2	-
-	1	-	-	2	1	-	-	-	5	4	-	-
-	-	-	-	1	1	-	-	-	1	5	2	-
-	-	-	-	1	1	-	-	-	1	1	1	1
-	-	-	-	1	1	-	-	-	1	1	-	-
-	-	-	-	1	1	-	1	-	1	1	1	-
-	1	-	-	1	2	-	1	-	2	5	2	-
-	-	-	-	-	1	-	-	-	1	1	1	-

TABLE
Deaths in Each Town from Special
PENOBSCOT

COUNTY AND TOWNS. *	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.
Howland.....	519	-	-	-
Kenduskeag.....	423	-	-	-
Kingman.....	936	-	-	-
Lagrange.....	574	-	-	-
Lee.....	801	-	-	-
Levant.....	789	-	-	-
Lincoln.....	1,731	-	-	-
Medway.....	297	-	-	-
Millford.....	838	-	-	-
Millinocket.....	1,144	-	-	-
Mt. Chase.....	299	-	-	-
Newburg.....	734	-	-	-
Newport.....	1,533	-	-	-
Old Town.....	5,763	-	-	4
Orono.....	3,257	-	-	1
Orrington.....	1,266	-	-	-
Passadumkeag.....	409	-	-	-
Plymouth.....	658	-	-	2
Prentiss.....	502	-	-	-
Springfield.....	532	-	-	-
Stetson.....	503	-	-	-
Veazie.....	555	-	-	-
Lakeville Pl.....	129	-	-	-
Seboeis Pl.....	96	-	-	-
Stacyville Pl.....	347	-	-	-
Webster Pl.....	124	-	-	-
No. 1 R. 7.....	42	-	-	-
Indian Township.....	-	-	-	-
PISCATAQUIS COUNTY.....	13,909	-	-	-
Abbot.....	716	-	-	-
Atkinson.....	495	-	-	-
Brownville.....	1,570	-	-	-
Dover.....	1,889	-	-	-
Foxcroft.....	1,629	-	-	-
Greenville.....	1,117	-	-	-
Guilford.....	1,544	-	-	-
Milo.....	1,150	-	-	-
Monson.....	1,116	-	-	-
Orneville.....	325	-	-	-
Parkman.....	718	-	-	-
Sangerville.....	1,294	-	-	-
Shirley.....	248	-	-	-
Barnard Pl.....	98	-	-	-
SAGADAHOC COUNTY.....	20,089	1	-	6
Bath.....	10,477	1	-	4
Bowdoin.....	937	-	-	-
Bowdoinham.....	1,305	-	-	-
Georgetown.....	799	-	-	1
Phillipsburg.....	1,254	-	-	-
Richmond.....	2,049	-	-	-
Topsham.....	2,097	-	-	1
West Bath.....	291	-	-	-
Woolwich.....	880	-	-	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	-	-	-	-	-	1	1	-	-
2	-	-	-	1	1	-	-	-	3	-	-	-
1	-	-	-	-	1	-	-	-	-	1	1	-
-	-	-	-	-	1	-	-	-	3	-	-	-
-	-	-	-	-	1	-	-	-	1	1	-	-
-	-	-	-	1	-	-	-	-	2	1	1	-
2	-	-	-	-	2	-	-	-	1	-	-	-
-	1	-	-	1	2	-	1	-	-	3	1	-
-	5	-	-	1	3	2	1	-	20	18	1	-
-	-	-	-	1	1	1	1	-	5	3	5	1
-	-	-	-	2	2	-	-	-	1	2	1	-
-	-	-	-	-	-	-	-	-	-	2	-	-
1	-	-	-	-	-	-	-	1	-	-	1	-
-	-	-	-	-	-	-	-	1	1	1	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
1	-	-	-	-	-	-	-	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	3	1	-	1	5	2	-	1	9	20	3	-
1	-	-	-	-	-	-	-	-	-	2	-	-
-	-	1	-	-	1	-	-	-	2	1	-	-
-	-	-	-	-	1	-	-	-	1	1	-	-
-	-	-	-	1	1	1	-	-	3	1	1	-
-	1	-	-	-	1	-	1	-	1	4	-	-
-	2	-	-	-	-	1	-	-	3	3	2	-
-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
1	4	2	2	1	6	1	3	-	7	27	2	1
-	1	1	1	1	1	1	3	-	4	19	1	-
-	2	-	-	-	1	-	-	-	-	3	-	-
-	-	-	-	-	1	-	-	-	-	-	1	-
-	1	-	1	-	-	-	-	-	2	-	-	1
-	-	-	-	-	-	-	-	-	1	3	-	-
-	-	-	-	-	1	-	-	-	-	2	-	-

TABLE
Deaths in Each Town from Special
SOMERSET

COUNTY AND TOWNS.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.
SOMERSET COUNTY	31,244	4	-	9
Anson.....	1,830	-	-	-
Athens.....	896	1	-	-
Bingham.....	841	-	-	-
Cambridge.....	364	-	-	-
Canaan.....	977	-	-	-
Concord.....	291	-	-	-
Cornville.....	689	-	-	-
Emden.....	569	-	-	-
Fairfield.....	3,578	1	-	1
Harmony.....	571	-	-	-
Hartland.....	1,115	-	-	-
Madison.....	2,764	-	-	-
Marcer.....	493	-	-	-
Moscow.....	378	-	-	-
New Portland.....	913	-	-	-
Norridgewock.....	1,495	-	-	-
Palmyra.....	915	-	-	-
Pittsfield.....	2,891	2	-	3
Ripley.....	449	-	-	-
St. Albans.....	1,037	-	-	3
Skowhegan.....	5,180	-	-	1
Smithfield.....	449	-	-	-
Solon.....	996	-	-	1
Starks.....	636	-	-	-
Bigelow Pl.....	57	-	-	-
Caratunk Pl.....	218	-	-	-
Jackman Pl.....	352	-	-	-
WALDO COUNTY	93,548	1	-	1
Belfast.....	4,615	-	-	-
Brooks.....	669	-	-	-
Burnham.....	766	1	-	-
Frankfort.....	1,211	-	-	-
Freedom.....	479	-	-	-
Islesboro.....	923	-	-	-
Knox.....	558	-	-	-
Liberty.....	737	-	-	-
Lincolnton.....	1,223	-	-	-
Montville.....	982	-	-	-
Northport.....	545	-	-	-
Palermo.....	757	-	-	-
Prospect.....	648	-	-	-
Searsmont.....	949	-	-	-
Searsport.....	1,349	-	-	-
Stockton Springs.....	872	-	-	-
Swanville.....	502	-	-	1
Thorndike.....	497	-	-	-
Troy.....	766	-	-	-
Unity.....	877	-	-	-
Winterport.....	1,623	-	-	-

TABLE
Deaths in Each Town from Special
WASHINGTON

COUNTY AND TOWNS.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and group.
WASHINGTON COUNTY.....	42,594	1	-	5
Addison.....	1,059	-	-	-
Alexander.....	333	-	-	-
Baileyville.....	215	-	-	-
Baring.....	231	-	-	-
Brookton.....	285	-	-	-
Calais.....	7,655	-	-	-
Cherryfield.....	1,859	-	-	1
Columbia.....	516	-	-	-
Columbia Falls.....	569	-	-	-
Cutler.....	565	-	-	-
Danforth.....	1,092	-	-	-
Dennysville.....	482	-	-	-
East Machias.....	1,521	-	-	-
Eastport.....	5,311	-	-	-
Edmunds.....	492	-	-	-
Harrington.....	1,165	-	-	2
Jonesboro.....	606	-	-	-
Jonesport.....	2,124	-	-	1
Lubec.....	3,005	-	-	1
Machias.....	2,082	-	-	-
Machiasport.....	1,218	-	-	-
Marshfield.....	227	-	-	-
Meddybemps.....	154	-	-	-
Milbridge.....	1,921	-	-	-
Northfield.....	126	-	-	-
Pembroke.....	1,652	-	-	-
Perry.....	1,245	-	-	-
Princeton.....	1,094	-	-	-
Roque Bluffs.....	168	-	-	-
Steuben.....	901	-	-	-
Talmage.....	93	-	-	-
Topsfield.....	282	-	-	-
Trescott.....	463	-	-	-
Vanceboro.....	550	-	-	-
Waite.....	135	-	-	-
Whiting.....	399	-	-	-
Whitneyville.....	424	-	-	-
Codyville Pl.....	68	1	-	-
Grand Lake Stream Pl.....	221	-	-	-
No. 21 Pl.....	86	-	-	-
YORK COUNTY.....	64,198	3	3	16
Acton.....	778	-	-	-
Alfred.....	937	-	-	-
Berwick.....	2,280	-	-	1
Biddeford.....	16,145	-	-	9
Buxton.....	1,836	1	-	-
Cornish.....	984	-	-	-
Dayton.....	473	-	1	-
Eliot.....	1,458	-	-	-
Hollis.....	1,274	-	-	-

No. 33.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
4	6	2	1	-	21	4	7	1	26	71	13	2
-	-	-	-	-	3	-	-	-	-	-	1	-
-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	3	1	-	-	2	3	4	-	9	16	1	-
-	-	-	-	-	1	-	-	-	1	-	-	-
1	-	-	-	-	1	-	-	-	1	1	1	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	1	-	-	-	1	2	-	-
-	1	-	1	-	-	-	-	-	2	1	-	-
-	1	1	-	-	1	-	1	-	1	7	1	-
-	2	-	-	-	1	-	-	1	2	9	2	-
-	-	-	-	-	2	-	1	-	2	3	2	-
-	-	-	-	-	5	-	-	-	1	1	-	-
1	-	-	-	-	-	-	-	-	1	-	1	-
-	-	-	-	-	2	-	-	-	1	2	-	-
-	-	-	-	-	1	-	-	-	-	1	-	1
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	1	1	1	-	-	1	-	-
-	-	-	-	-	1	-	-	-	-	2	-	-
-	-	-	-	-	1	-	-	-	1	1	1	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	1	1	-	-
-	-	-	-	-	2	-	-	-	1	2	-	-
3	31	3	2	4	17	5	7	1	56	77	21	1
-	-	-	-	-	-	1	1	-	-	-	-	-
-	-	1	-	-	1	-	-	-	-	1	1	-
1	13	1	-	-	1	1	3	1	19	20	9	-
-	-	-	-	-	1	-	-	1	1	2	-	-
-	-	-	-	-	1	-	-	-	1	-	1	-
-	-	-	-	1	-	-	-	-	4	3	-	-
-	-	-	-	-	2	-	1	-	1	1	-	1

TABLE
Deaths in Each Town from Special
YORK

COUNTY AND TOWNS.	Population in 1800.	Measles.	Scarlet fever.	Diphtheria and croup.
Kennebunk	3,228	-	-	1
Kennebunkport.....	2,123	-	-	2
Kittery.....	2,872	-	-	-
Lebanon.....	1,335	-	-	-
Limerick.....	874	-	-	-
Limington.....	1,001	-	-	-
Newfield.....	676	-	-	-
North Berwick.....	1,748	-	-	-
Old Orchard.....	964	-	-	-
Parsonsfield.....	1,131	-	-	-
Saco.....	6,122	-	2	1
Sanford.....	6,078	2	-	2
Shapleigh.....	847	-	-	-
South Berwick.....	3,188	-	-	-
Waterboro.....	1,169	-	-	-
Wells.....	2,007	-	-	-
York.....	2,668	-	-	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
-	-	-	-	-	-	-	-	-	-	4	-	-
-	1	-	-	-	-	-	-	-	-	3	-	-
-	1	-	-	-	-	-	-	-	2	3	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	-	-	-	-	1	2	-	-
1	2	-	-	-	1	-	-	-	4	12	-	-
1	9	-	1	-	1	-	-	-	14	1	-	-
-	-	-	-	-	-	-	1	-	1	2	-	-
-	1	-	-	-	2	-	-	-	2	3	3	-
-	-	-	-	-	1	-	-	-	1	2	2	-
-	3	-	-	2	2	1	-	-	3	3	1	-

TABLE
Deaths in Each Town from Certain

THE STATE AND COUNTIES.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
MAINE	694,466	26	60	662	115	489	724
Androscoggin.....	54,242	3	3	52	15	32	36
Aroostook.....	60,744	1	4	24	8	61	44
Cumberland.....	100,689	1	10	123	18	65	126
Franklin.....	18,444	1	1	18	5	13	14
Hancock.....	37,241	1	1	25	5	20	45
Kennebec.....	59,117	1	1	68	13	46	54
Knox.....	30,400	2	2	31	3	20	50
Lincoln.....	19,669	1	1	17	3	5	28
Oxford.....	32,238	3	2	26	5	24	39
Penobscot.....	76,246	2	6	70	12	47	82
Piscataquis.....	16,949	1	4	22	8	12	20
Sagadahoc.....	20,330	1	2	28	5	9	10
Somerset.....	33,849	1	5	31	4	25	42
Waldo.....	24,185	1	2	24	2	13	41
Washington.....	45,232	1	2	42	4	21	39
York.....	64,885	5	2	61	5	76	54
ANDROSCOGGIN COUNTY	54,242	3	3	52	15	32	36
Auburn.....	12,951	1	-	14	5	9	10
Durham.....	1,230	-	-	-	-	1	-
East Livermore.....	2,129	-	-	-	1	-	1
Greene.....	826	-	-	4	-	-	5
Leeds.....	1,065	-	-	-	1	-	-
Lewiston.....	23,761	2	1	23	4	18	13
Lisbon.....	3,603	-	1	4	-	3	1
Livermore.....	1,125	-	1	-	-	-	-
Mechanic Falls.....	1,687	-	-	1	2	-	-
Minot.....	808	-	-	1	-	-	-
Poland.....	1,648	-	-	3	-	-	1
Turner.....	1,842	-	-	1	-	-	5
Wales.....	436	-	-	-	-	1	-
Webster.....	1,131	-	-	1	2	-	-
AROOSTOOK COUNTY	57,952	1	4	24	8	61	44
Amity.....	404	-	-	1	-	1	1
Ashland.....	1,080	-	-	-	-	-	-
Bancroft.....	318	-	-	-	-	-	-
Benedicta.....	350	-	-	-	-	-	-
Blaine.....	954	-	-	1	1	1	1
Bridgewater.....	1,179	-	-	-	-	1	-
Caribou.....	4,758	-	-	4	1	8	7
Castle Hill.....	567	-	-	-	-	-	-
Crystal.....	370	-	-	1	1	-	-
Dyer Brook.....	280	-	-	-	-	-	-
Easton.....	1,215	-	-	1	-	2	-
Fort Fairfield.....	4,181	-	-	-	-	-	-
Fort Kent.....	2,528	-	-	-	-	3	4
Frenchville.....	1,316	-	-	-	-	-	1
Grand Isle.....	1,104	-	-	-	-	-	2
Haynesville.....	316	-	-	-	-	1	-
Hersey.....	199	-	1	-	-	-	-

TABLE
Deaths in Each Town from Certain
AROOSTOOK

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Hodgdon	1,130	-	-	-	-	1	-
Houlton	4,686	1	1	-	-	3	2
Island Falls	1,063	-	-	-	-	-	-
Limestone	1,131	-	-	-	1	6	2
Linneus	834	-	1	-	1	1	-
Littleton	956	-	-	-	1	-	1
Ludlow	394	-	-	-	-	-	-
Madawaska	1,698	-	-	1	-	-	3
Mapleton	853	-	-	2	-	-	1
Mars Hill	1,183	-	-	2	-	2	-
Masardis	438	-	-	-	-	-	-
Monticello	1,332	-	1	-	-	4	1
New Limerick	600	-	-	-	-	-	-
New Sweden	867	-	-	-	-	1	4
Oakfield	860	-	-	1	-	-	1
Orient	208	-	-	-	-	-	-
Perham	580	-	-	-	-	1	-
Presque Isle	3,804	-	-	3	1	1	1
St. Agatha	1,396	-	-	1	-	-	3
Sherman	980	-	-	1	-	-	-
Smyrna	411	-	-	1	-	-	-
Van Buren	1,878	-	-	1	-	13	-
Wasburn	1,225	-	-	-	1	1	1
Westfield	259	-	-	-	-	-	1
Weston	367	-	-	-	-	-	-
Woodland	1,096	-	-	1	-	-	-
Caswell Pl.	368	-	-	-	-	2	1
Chapman Pl.	285	-	-	-	-	-	-
Connor Pl.	453	-	-	-	-	-	-
Cyr Pl.	502	-	-	-	-	4	-
Eagle Lake Pl.	406	-	-	-	-	1	-
Garfield Pl.	111	-	-	-	-	-	-
Glenwood Pl.	178	-	-	-	-	-	-
Hamlin Pl.	574	-	1	-	-	-	1
Hammond Pl.	116	-	-	-	-	-	-
Hill Pl.	124	-	-	-	-	-	1
Nashville Pl.	32	-	-	-	-	-	1
New Canada Pl.	419	-	-	-	-	1	1
Portage Lake Pl.	241	-	-	-	-	-	-
Reed Pl.	399	-	-	-	-	-	-
St. Francis Pl.	568	-	-	1	-	-	-
St. John Pl.	371	-	-	-	-	-	1
Stockholm Pl.	191	-	-	-	-	-	-
Wade Pl.	271	-	-	-	-	1	-
Wallagrass	784	-	-	-	-	-	1
Westmanland Pl.	100	-	-	-	-	-	-
No. 8 R. 4	111	-	-	-	-	1	-
CUMBERLAND COUNTY.....	100,689	1	10	123	18	65	126
Baldwin	821	-	-	2	-	-	-
Bridgton	2,868	-	1	2	1	-	4
Brunswick	6,806	-	1	4	1	15	8
Capa Elizabeth	887	-	-	-	-	1	-
Casco	783	-	-	2	1	-	2
Cumberland	1,404	-	-	-	-	1	8
Falmouth	1,511	-	-	1	-	-	3
Freeport	2,339	-	-	4	1	1	-

TABLE
Deaths in Each Town from Certain
CUMBERLAND

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Gorham.....	2,540	-	-	5	1	1	4
Gray.....	1,388	-	-	1	-	-	1
Harpswell.....	1,750	-	-	2	-	-	1
Harrison.....	969	-	2	1	-	1	2
Naples.....	813	-	-	1	-	-	-
New Gloucester.....	1,162	-	-	2	-	1	8
North Yarmouth.....	642	-	-	-	-	1	-
Otisfield.....	728	-	-	1	-	-	1
Portland.....	50,145	1	6	61	9	31	50
Pownal.....	592	-	-	2	-	-	1
Raymond.....	823	-	-	2	1	1	1
Scarboro.....	1,865	-	-	5	-	-	2
Sebago.....	576	-	-	-	-	-	1
South Portland.....	6,287	-	-	10	1	5	9
Standish.....	1,504	-	-	2	-	-	5
Westbrook.....	7,283	-	-	7	1	4	7
Windham.....	1,924	-	-	3	1	2	6
Yarmouth.....	2,274	-	1	3	-	-	2
FRANKLIN COUNTY.....	17,754	-	1	18	5	12	14
Avon.....	448	-	-	-	-	-	-
Carthage.....	334	-	-	2	-	-	-
Chesterville.....	709	-	-	1	-	-	3
Eustis.....	436	-	-	-	-	-	-
Farmington.....	3,288	-	-	3	-	4	2
Freeman.....	397	-	-	2	-	2	1
Industry.....	653	-	-	-	1	-	-
Jay.....	2,758	-	1	-	-	3	-
Kingfield.....	693	-	-	1	-	-	-
Madrid.....	326	-	-	-	-	-	-
New Sharon.....	946	-	-	1	-	-	3
New Vineyard.....	584	-	-	1	1	-	-
Phillips.....	1,399	-	-	2	-	-	-
Rangeley.....	961	-	-	-	2	1	1
Salem.....	195	-	-	-	-	-	1
Strong.....	637	-	-	-	-	1	-
Temple.....	394	-	-	-	-	-	2
Wald.....	728	-	-	1	-	-	-
Wilton.....	1,647	-	-	3	1	2	1
Dallas Pl.....	172	-	-	-	-	-	-
Rangeley Pl.....	98	-	-	-	-	-	-
Sandy River Pl.....	21	-	-	-	-	-	-
Washington.....	20	-	-	1	-	-	-
HANCOCK COUNTY.....	36,584	-	1	25	5	20	45
Amherst.....	364	-	-	-	-	-	-
Aurora.....	152	-	-	-	-	1	-
Bluehill.....	1,828	-	-	1	1	2	1
Brooklin.....	936	-	-	-	-	-	3
Brooksville.....	1,171	-	-	1	1	-	2
Bucksport.....	2,339	-	-	1	-	1	4

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	5	3	7	5	4	1	5	-	-	-	-	2
1	2	-	4	2	-	1	2	-	-	-	-	1
1	2	-	5	2	1	-	2	-	2	-	-	-
1	1	2	7	2	1	-	1	-	-	1	-	-
-	1	-	2	2	-	-	-	-	-	-	-	-
2	3	1	-	1	-	-	-	-	-	-	-	-
-	1	-	2	-	-	-	-	-	3	-	-	-
-	2	-	1	-	-	-	-	-	1	-	-	-
-	2	-	1	-	-	-	-	-	1	-	-	-
27	70	42	110	65	14	10	52	9	67	3	2	44
-	3	-	4	1	-	-	1	-	1	-	-	2
1	1	1	-	-	1	-	2	-	2	-	-	1
-	3	-	3	2	-	-	1	-	-	-	-	1
2	12	4	8	3	-	1	1	-	3	-	-	4
-	2	2	2	1	-	-	1	-	3	-	-	1
7	3	4	11	6	2	1	6	-	6	-	1	1
-	3	7	7	3	-	-	3	-	7	-	-	4
-	4	1	10	-	1	1	5	-	2	-	-	-
8	14	18	27	29	3	1	22	3	20	-	5	16
-	-	-	1	1	-	-	1	-	-	-	-	1
-	-	-	1	-	-	-	-	-	-	-	-	-
-	1	-	1	4	1	-	1	-	1	-	-	-
2	3	1	1	1	-	-	-	1	-	-	3	2
-	-	-	3	2	1	-	4	-	8	-	-	1
-	-	-	1	-	1	-	1	-	-	-	-	1
-	1	4	1	1	1	1	2	1	1	-	1	2
-	2	-	2	3	2	-	1	-	-	-	-	1
-	1	2	1	2	1	1	3	-	-	-	-	1
-	-	-	2	2	1	1	1	-	-	-	-	-
-	1	2	1	1	1	-	1	-	4	-	-	3
-	-	-	1	3	-	-	1	-	1	-	-	1
1	-	-	1	-	2	-	-	-	1	-	-	-
-	-	2	1	1	1	-	2	-	-	-	1	-
-	2	3	6	2	2	-	3	1	2	-	1	3
-	1	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
9	33	27	62	67	15	4	37	2	28	6	3	15
-	-	-	1	1	-	-	-	-	-	-	-	-
2	1	1	5	1	2	1	1	-	1	-	-	-
-	3	-	1	1	2	-	3	-	3	1	-	-
-	-	-	2	2	1	-	1	-	2	-	-	-
2	4	3	2	3	-	-	5	-	1	1	-	1

TABLE
Deaths in Each Town from Certain

HANCOCK

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Castine	925	-	-	1	-	1	3
Cranberry Isles	574	-	-	-	-	-	1
Dedham	527	-	-	2	-	-	1
Deer Isle	2,047	-	-	2	-	-	1
Eden	4,579	-	-	4	1	4	5
Ellsworth	4,297	-	1	1	-	2	5
Franklin	1,201	-	-	-	-	-	4
Gouldsboro	1,259	-	-	-	-	-	3
Hancock	900	-	-	2	-	-	2
Isle au Haut	182	-	-	-	-	-	-
Lamoine	594	-	-	-	-	-	2
Mariaville	218	-	1	-	-	-	-
Mount Desert	1,600	-	1	1	1	2	1
Orland	1,251	-	-	2	-	-	2
Otis	152	-	-	-	-	-	-
Penobscot	1,156	-	-	1	-	2	2
Sedgwick	902	-	-	-	1	-	-
South West Harbor	-	-	-	1	-	-	1
Stonington	1,645	-	-	2	-	2	-
Sullivan	1,034	-	-	-	-	-	-
Surry	500	-	-	-	-	1	3
Swan's Island	758	-	-	-	-	1	1
Tremont	2,010	-	-	-	-	-	2
Trenton	459	-	-	1	-	-	1
Verona	234	-	-	-	-	-	-
Waltham	192	-	-	1	-	-	-
Winter Harbor	571	-	-	-	-	1	-
Long Island Pt	174	-	-	-	-	-	-
KENNEBEC COUNTY	59,117	1	7	68	13	46	54
Albion	578	-	-	-	-	1	1
Augusta	11,683	1	1	11	5	14	15
Belgrade	1,058	-	-	2	1	-	-
Benton	1,097	-	1	3	2	-	-
Chelsea	3,092	-	-	3	-	-	1
China	1,380	-	-	2	-	-	1
Clinton	1,398	-	-	3	1	-	1
Farmingdale	548	-	-	-	-	-	1
Fayette	560	-	-	1	-	-	1
Gardiner	5,501	-	2	5	2	2	4
Hallowell	2,714	-	-	2	-	2	-
Litchfield	1,057	-	-	1	1	-	-
Manchester	515	-	-	-	-	-	-
Monmouth	1,236	-	-	2	-	-	4
Mount Vernon	906	-	1	1	-	1	2
Oakland	1,913	-	-	3	-	-	-
Pittston	1,177	-	-	1	-	-	4
Randolph	1,077	-	1	1	-	-	2
Readfield	994	-	1	1	-	3	-
Rome	420	-	-	-	-	-	2
Sidney	1,068	-	-	2	-	1	1
Vassalboro	2,062	-	-	3	1	3	2
Vienna	406	-	-	-	-	-	1
Waterville	9,477	-	-	5	-	12	6
Wayne	707	-	-	3	-	2	-

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
1	1	1	3	2	-	-	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	5	3	2	-	-	1	-	-	-	-	1
-	4	1	4	9	-	1	3	-	5	-	1	5
-	1	4	5	25	-	2	4	-	2	-	-	4
1	1	3	3	1	-	-	1	-	-	1	-	1
-	1	-	-	-	-	-	2	-	-	-	-	-
1	-	1	2	5	-	-	-	-	1	-	-	-
-	-	-	1	1	-	-	-	-	-	-	-	-
-	2	-	1	-	-	-	-	-	-	-	-	-
-	1	1	3	1	-	2	3	-	-	-	-	-
-	1	1	6	-	-	-	1	-	-	1	-	1
-	-	-	5	1	-	3	-	-	2	-	-	-
-	2	-	2	1	-	-	-	-	-	-	1	1
-	1	-	1	-	-	1	1	-	-	-	-	-
-	4	-	1	-	-	-	3	-	3	-	-	-
1	1	1	4	2	-	-	1	-	1	-	-	-
-	-	-	1	1	-	-	1	-	-	-	-	-
-	1	1	1	1	-	1	-	-	1	1	-	1
-	-	-	-	-	-	-	2	-	-	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-
29	83	122	118	105	21	13	57	4	50	1	6	45
-	1	1	2	2	1	-	2	-	-	1	1	-
8	12	71	26	16	3	-	11	-	10	-	-	6
-	4	1	4	3	4	1	1	1	-	-	1	1
-	-	4	3	4	2	-	2	-	-	-	1	-
-	1	-	1	1	-	-	-	-	-	-	-	-
-	2	-	6	2	-	-	2	-	1	-	-	-
1	3	1	4	3	1	-	5	-	-	-	-	1
-	1	1	3	3	-	-	1	-	-	-	-	-
-	1	1	3	3	1	-	1	-	-	-	-	-
2	12	4	13	14	1	2	2	-	6	-	1	1
-	9	1	1	6	1	-	5	-	1	-	1	6
-	1	-	1	4	2	-	-	-	1	-	-	2
-	-	2	1	4	2	-	-	-	1	-	-	1
-	-	1	3	4	2	-	1	-	1	-	-	1
-	5	1	2	2	2	-	-	-	1	-	-	-
1	4	3	8	2	2	-	2	-	3	-	-	1
-	-	-	-	2	2	-	2	-	2	-	-	-
-	1	1	2	2	1	-	1	-	2	-	-	1
-	-	-	1	1	-	-	-	-	2	-	-	-
-	1	2	1	-	-	-	-	-	-	-	-	1
-	4	4	1	-	-	1	-	-	1	-	-	1
1	3	3	7	-	-	-	1	1	1	-	-	2
1	-	-	1	-	-	-	1	1	2	-	-	1
10	11	8	14	8	3	4	7	2	6	-	1	7
-	-	1	-	6	-	-	1	-	1	-	-	1

TABLE
Deaths in Each Town from Certain
KENNEBEC

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
West Gardiner	693	-	-	1	-	-	1
Windsor	782	-	-	3	-	-	1
Winslow	2,277	-	-	2	-	4	-
Winthrop	2,088	-	-	7	-	1	2
Unity Pl.	50	-	-	-	-	-	-
Togus	-	-	-	1	-	-	1
KNOX COUNTY.....	30,287	2	2	31	3	20	50
Appleton	975	-	-	-	-	1	-
Camden	2,825	-	-	3	-	1	3
Cushing.....	604	-	-	3	-	-	1
Friendship.....	814	-	-	-	-	-	1
Hope	599	-	-	2	-	-	-
Hurricane Isle.....	257	-	-	-	-	-	-
North Haven	551	-	-	1	1	-	1
Rockland	8,150	2	-	9	-	6	15
Rockport.....	2,314	-	-	4	1	-	3
St. George.....	2,206	-	-	1	-	3	6
South Thomaston.....	1,426	-	-	2	-	1	1
Thomaston	2,688	-	-	2	-	2	5
Union	1,248	-	1	-	-	-	2
Vinalhaven	2,358	-	1	2	1	4	4
Warren.....	2,069	-	-	1	-	2	7
Washington.....	1,019	-	-	1	-	-	-
Matinicus Isle Pl.....	184	-	-	-	-	-	1
LINCOLN COUNTY.....	19,669	-	1	17	3	5	28
Alna.....	444	-	-	2	-	-	-
Boothbay	1,766	-	-	1	-	-	4
Boothbay Harbor.....	1,926	-	-	1	1	1	1
Bremen.....	657	-	-	-	-	-	-
Bristol.....	2,572	-	-	3	-	-	3
Damariscotta.....	876	-	1	2	-	-	3
Dresden	882	-	-	-	-	-	-
Edgecomb.....	607	-	-	2	-	-	1
Jefferson	1,155	-	-	-	-	-	1
Newcastle.....	1,075	-	-	-	-	1	2
Nobleboro	810	-	-	-	-	-	-
Somerville.....	374	-	-	1	-	-	-
Southport.....	527	-	-	1	1	1	1
Waldoboro.....	3,145	-	-	2	-	1	2
Westport.....	330	-	-	1	-	-	1
Whitefield	1,156	-	-	-	1	-	6
Wiscasset.....	1,273	-	-	1	-	1	3
Monhegan Pl.....	94	-	-	-	-	-	-

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	A poplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	1	1	2	-	-	2	-	1	-	-	-
-	1	2	2	1	-	-	1	-	-	-	-	1
5	2	1	2	1	-	-	1	-	-	-	-	3
-	3	1	4	1	1	1	2	-	-	-	-	6
-	-	-	4	-	4	-	-	-	-	-	-	1
-	1	-	-	2	-	-	-	-	2	-	-	-
4	33	24	64	25	5	2	23	1	18	1	7	18
-	2	1	4	1	-	1	-	-	-	-	-	1
1	1	-	9	3	-	-	2	-	-	-	-	1
-	2	4	-	-	-	-	1	-	2	-	-	1
-	3	-	1	-	-	-	1	-	-	-	1	1
-	1	1	-	1	-	-	-	-	-	-	-	-
3	5	6	13	9	1	-	7	1	9	1	2	7
-	2	-	7	2	-	-	2	-	-	-	1	1
-	1	4	5	-	-	-	3	-	2	-	1	2
-	-	2	2	2	-	-	1	-	1	-	-	1
-	5	4	7	-	1	-	2	-	2	-	-	3
-	2	1	3	1	2	-	-	-	-	-	-	3
-	4	5	6	2	1	-	3	-	1	-	1	2
-	-	-	6	3	-	-	1	-	1	-	-	-
-	2	1	1	1	-	-	-	-	-	-	1	-
-	-	-	1	-	-	-	-	-	-	-	-	-
5	17	17	35	15	5	3	17	2	20	-	2	8
-	-	-	1	-	-	1	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	1
-	1	1	2	-	2	-	2	-	3	-	-	-
-	-	2	-	-	-	-	-	-	2	-	1	-
-	3	2	2	3	-	1	3	-	1	-	-	1
-	-	3	5	2	-	-	-	-	1	-	-	1
-	-	4	-	-	-	-	1	-	-	-	-	-
-	-	-	5	-	1	1	-	-	-	-	-	-
1	-	-	1	-	-	-	1	2	1	-	-	-
-	2	1	3	2	-	-	1	-	3	-	-	-
-	-	-	3	-	1	-	1	-	-	-	1	-
-	-	-	3	-	-	-	1	-	1	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	1
-	-	-	2	-	-	-	1	-	1	-	-	1
-	-	2	2	5	1	-	3	-	5	-	-	1
-	-	-	2	1	-	-	-	-	-	-	-	-
-	3	3	2	-	-	-	1	-	-	-	-	-
-	-	1	2	-	-	-	-	-	2	-	-	1

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
9	33	28	61	39	12	7	27	6	24	2	6	15
1	-	-	-	2	-	-	-	-	-	-	-	-
1	3	2	2	1	1	-	2	-	-	-	-	1
-	-	2	2	3	-	-	1	-	-	-	-	2
-	2	4	4	1	1	1	2	-	1	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	1	-	2	1	3	1	-	-	1	-	-	-
-	1	-	-	3	-	-	-	-	1	-	-	-
-	2	-	6	1	-	-	1	-	-	-	-	-
-	3	1	3	2	-	-	-	-	-	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	-	-	-	2
-	-	-	-	-	-	-	1	-	-	-	-	-
1	1	2	1	1	1	-	-	1	-	-	-	-
-	-	-	3	1	1	-	-	-	2	-	-	-
-	2	-	-	3	-	-	-	1	-	-	-	-
1	-	1	-	-	3	-	1	-	-	1	-	-
1	3	1	5	4	3	-	-	-	-	-	-	-
-	3	2	5	2	-	1	-	-	2	-	-	-
1	6	-	5	2	3	-	2	-	-	-	-	1
-	-	-	1	-	-	-	-	1	-	-	-	-
1	1	1	1	-	1	-	-	-	2	-	1	1
-	1	-	3	1	3	1	1	-	7	-	2	4
-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	3	-	-	-	2	-	-	-	-	-
-	1	2	3	1	1	1	-	-	1	-	-	1
-	-	-	2	-	-	-	-	1	2	1	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-
20	79	66	118	133	24	18	65	4	58	8	7	58
-	1	-	-	-	-	-	-	-	-	-	-	-
4	24	28	40	48	7	3	24	1	22	2	3	26
-	3	-	3	4	-	-	2	-	-	-	-	-
3	4	4	2	-	1	1	1	-	1	1	-	1
-	-	-	6	13	-	-	1	-	-	-	-	3
-	-	1	-	1	-	-	1	-	-	-	-	1
1	1	2	-	1	-	-	3	-	2	-	-	1

TABLE
Deaths in Each Town from Certain
PENOBSCOT

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Charleston.....	842	-	1	-	-	-	2
Chester.....	363	-	-	-	-	-	1
Clifton.....	236	-	-	-	-	-	1
Corinna.....	1,170	-	-	-	-	-	3
Corinth.....	1,042	-	-	-	-	1	3
Dexter.....	2,941	-	-	3	-	3	5
Dixmont.....	843	-	1	1	-	1	-
Eddington.....	663	-	-	-	-	-	-
Enfield.....	1,062	1	-	2	-	2	-
Etna.....	527	-	-	-	-	1	-
Exeter.....	879	-	-	2	-	1	2
Garland.....	857	-	-	1	-	-	-
Glenburn.....	461	-	-	-	-	-	1
Greenbush.....	586	-	-	-	-	1	-
Hampden.....	2,182	-	-	4	1	-	3
Hermon.....	1,183	-	1	1	-	-	-
Holden.....	602	-	-	1	-	-	-
Howland.....	519	-	-	-	-	1	1
Hudson.....	430	-	-	-	-	-	-
Kenduskeag.....	423	-	-	1	-	-	-
Kingman.....	936	-	-	-	-	2	-
Lagrange.....	574	-	-	-	-	-	-
Lee.....	801	-	-	-	-	-	3
Levant.....	789	-	-	2	-	-	-
Lincoln.....	1,751	-	-	1	-	1	7
Lowell.....	300	-	-	1	-	-	-
Mattawamkeag.....	527	-	-	-	-	-	1
Medway.....	297	-	-	-	-	-	2
Millford.....	858	-	-	-	-	1	1
Millinocket.....	1,144	-	-	-	-	2	-
Mt. Chase.....	299	-	-	-	-	-	-
Newburg.....	734	-	-	-	1	-	2
Newport.....	1,533	-	1	-	-	-	3
Old Town.....	5,763	-	-	5	-	8	4
Orono.....	3,257	-	1	-	1	2	3
Orrington.....	1,266	-	-	4	2	-	1
Passadumkeag.....	409	-	-	-	1	-	-
Plymouth.....	658	-	-	-	-	-	1
Prentiss.....	562	-	-	-	-	-	1
Springfield.....	532	-	-	1	-	1	1
Stetson.....	503	-	-	1	-	-	1
Veazie.....	555	-	-	2	-	-	1
Winn.....	688	-	-	-	-	-	1
Lakeville Pl.....	129	-	-	-	-	-	1
Stacyville Pl.....	347	-	-	-	-	1	-
No. 1 R 7.....	42	-	-	-	-	-	-
Indian Township.....	-	-	-	-	-	-	-
PISCATAQUIS COUNTY.....	15,994	-	4	22	8	12	20
Abbot.....	716	-	-	-	-	-	1
Atkinson.....	495	-	-	1	1	-	1
Blanchard.....	248	-	-	-	-	-	-
Brownville.....	1,570	-	-	4	-	2	-
Dover.....	1,889	-	-	5	4	1	1
Foxcroft.....	1,629	-	1	5	2	-	2

TABLE
Deaths in Each Town from Certain
PISCATAQUIS

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Greenville	1,117	-	-	1	-	1	1
Guilford.....	1,544	-	2	-	-	-	-
Milo	1,150	-	-	-	-	3	1
Monson.....	1,116	-	1	1	-	1	1
Orneville.....	325	-	-	-	-	-	1
Parkman.....	718	-	-	-	1	-	2
Sangerville.....	1,294	-	-	1	-	-	3
Sebec	593	-	-	2	-	-	2
Shirley	248	-	-	-	-	1	-
Wellington.....	413	-	-	1	-	-	2
Williamsburg.....	117	-	-	-	-	-	-
Willimantic.....	419	-	-	1	-	-	1
Kingsbury Pl.....	106	-	-	-	-	2	-
Lake View Pl.....	173	-	-	-	-	1	-
Katahdin Iron Works.....	114	-	-	-	-	-	-
SAGADAHOC COUNTY.....	20,269	-	2	28	5	9	10
Arrowsic.....	180	-	-	-	-	-	-
Bath	10,477	-	-	9	1	5	2
Bowdoin.....	937	-	-	2	-	-	1
Bowdoinham.....	1,305	-	-	-	1	-	-
Georgetown.....	799	-	-	3	-	-	2
Phippsburg.....	1,254	-	-	1	1	-	-
Richmond.....	2,049	-	1	7	1	1	2
Topsam.....	2,037	-	1	3	1	2	-
West Bath.....	291	-	-	1	-	-	1
Woolwich.....	880	-	-	2	-	1	2
SOMERSET COUNTY.....	32,802	1	5	31	4	25	42
Anson.....	1,830	-	-	6	-	2	1
Athens.....	896	-	-	-	-	1	-
Bingham.....	841	-	-	1	-	1	-
Cambridge.....	364	-	-	-	-	-	-
Canaan.....	977	-	-	3	-	-	3
Concord.....	291	-	-	-	-	-	1
Cornville.....	689	-	-	-	-	-	5
Detroit.....	527	-	-	-	-	-	-
Emden.....	569	-	-	1	-	-	-
Fairfield.....	3,878	-	-	2	1	4	4
Harmony.....	571	-	-	-	-	-	-
Hartland.....	1,115	-	1	1	-	-	-
Madison.....	2,764	-	-	3	1	3	3
Mercer.....	493	-	-	-	-	1	-
Moscow.....	378	-	-	-	-	1	1
New Portland.....	913	-	-	1	-	-	1
Norridgewock.....	1,495	-	-	4	-	-	4
Palmyra.....	915	-	-	1	-	-	5
Pittsfield.....	2,891	-	1	-	-	3	2
Ripley.....	449	-	-	-	-	-	2
St. Albans.....	1,037	-	-	-	1	1	3

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
2	1	1	1	2	2	-	1	1	1	-	-	2
-	1	1	5	2	1	-	-	-	1	-	2	1
4	-	1	1	3	1	-	1	1	-	-	1	1
-	1	-	2	-	-	-	-	-	-	2	-	-
1	3	-	-	1	-	1	-	-	-	-	-	2
1	1	1	3	4	2	1	-	-	2	-	-	2
-	-	1	1	1	-	-	-	-	-	-	-	2
-	1	1	-	-	-	1	-	-	-	-	-	2
-	-	1	-	-	-	-	1	-	1	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
1	36	13	44	46	6	3	5	-	24	2	3	5
-	-	-	-	-	-	-	-	-	-	-	-	1
1	17	8	22	20	4	3	4	-	11	1	2	3
-	2	-	4	4	2	-	-	-	-	-	-	-
-	2	1	2	3	2	-	-	-	2	-	-	-
-	3	-	2	2	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	1	-	-	1
-	6	3	2	6	-	-	-	-	6	-	-	-
-	3	1	9	4	-	-	1	-	-	1	-	-
-	1	-	1	-	-	-	-	-	-	-	-	-
-	1	-	2	7	-	-	-	-	4	-	1	-
11	45	29	58	56	4	2	40	-	27	6	4	28
-	1	1	1	4	1	-	3	-	1	1	-	-
-	7	-	2	5	-	-	4	-	1	-	-	1
-	1	1	1	1	-	-	2	-	-	-	-	-
-	1	-	-	-	-	-	1	-	-	-	1	-
1	3	1	2	1	-	-	1	-	-	1	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	1	-	1	-	-	-	-	-	3	-	-	-
-	1	-	1	-	-	-	1	-	-	-	-	-
-	1	2	4	-	-	-	1	-	-	-	-	2
2	5	5	6	12	-	1	3	-	1	-	1	2
-	2	-	-	-	-	-	-	-	1	-	-	2
-	1	-	1	-	-	-	1	-	-	-	-	2
-	1	1	1	2	-	1	1	-	-	-	-	2
-	3	1	3	2	-	1	3	-	1	2	-	1
-	1	-	1	5	-	-	3	-	2	-	-	3
-	-	2	1	-	-	-	-	-	-	1	-	1
-	1	-	1	-	-	-	1	-	-	-	-	-
-	1	-	3	-	-	-	-	-	-	1	-	-
-	1	-	1	-	-	-	-	-	-	-	1	-
-	1	1	3	-	-	-	-	-	-	-	-	1
1	2	6	5	7	-	-	2	-	3	-	-	1
-	-	-	1	1	-	-	1	-	2	-	-	2
1	-	-	2	4	-	-	3	-	1	-	-	1

TABLE
Deaths in Each Town from Certain
SOMERSET

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Skowhegan	5,180	-	3	5	1	7	-
Smithfield	449	-	-	-	-	-	1
Solon	986	-	-	1	-	-	2
Starks	636	-	-	-	-	-	2
Bigelow Pl.	57	-	-	-	-	-	-
Brighton Pl.	368	-	-	-	-	-	-
Caratunk Pl.	218	-	-	-	-	1	-
Highland Pl.	67	-	-	-	-	-	-
Jackman Pl.	352	1	-	1	-	-	2
Mayfield Pl.	89	-	-	1	-	-	-
Pleasant Ridge Pl.	114	-	-	-	-	-	-
The Forks Pl.	157	-	-	-	-	-	-
West Forks Pl.	160	-	-	-	-	-	1
Rockwood	76	-	-	-	-	-	-
WALDO COUNTY.....	24,185	1	2	24	2	13	41
Belfast	4,615	-	-	4	-	-	2
Belmont	352	-	-	-	-	-	2
Brooks	669	-	1	2	-	-	1
Burnham	766	-	-	3	-	-	-
Frankfort	1,211	-	-	1	-	-	2
Freedom	479	-	-	-	-	-	-
Isleboro	923	-	-	-	-	-	2
Jackson	439	-	-	-	1	-	2
Knox	558	-	-	2	1	-	1
Liberty	737	-	-	-	-	-	2
Lincolntonville	1,223	-	-	1	-	1	2
Monroe	958	-	-	-	-	1	-
Montville	982	-	-	1	-	-	2
Morrill	420	-	-	-	-	-	1
Northport	545	-	-	2	-	2	-
Palermo	757	-	-	-	-	2	-
Prospect	648	-	-	1	-	-	4
Searsmont	949	-	-	-	-	3	-
Searsport	1,349	-	-	4	-	1	3
Stockton Springs	872	-	-	-	-	-	1
Swanville	502	-	-	-	-	-	-
Thornbike	497	-	-	-	-	-	-
Troy	766	-	-	1	-	-	3
Unity	877	-	-	-	-	2	3
Waldo	468	-	1	-	-	1	2
Winterport	1,623	1	-	2	-	-	6
WASHINGTON COUNTY.....	44,207	-	2	42	4	21	39
Addison	1,059	-	-	1	-	-	1
Alexander	333	-	-	-	-	-	-
Baileyville	215	-	-	-	-	-	-
Baring	231	-	-	1	-	-	-
Calais	7,655	-	-	8	2	4	7
Centerville	91	-	-	1	-	-	-
Charlotte	315	-	-	1	-	-	-
Cherryfield	1,859	-	-	-	-	-	1

TABLE
Deaths in Each Town from Certain
WASHINGTON

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Columbia.....	516	-	-	-	-	-	-
Columbia Falls.....	569	-	-	-	-	-	-
Cooper.....	207	-	-	-	-	-	1
Crawford.....	112	-	-	1	-	-	-
Cutler.....	565	-	-	-	-	-	1
Danforth.....	1,092	-	-	1	-	-	2
Dennysville.....	482	-	-	-	-	-	-
East Machias.....	1,521	-	-	2	-	-	-
Eastport.....	5,311	2	-	2	-	4	3
Edmunds.....	492	-	-	-	-	-	1
Forest City.....	151	-	-	-	-	-	-
Harrington.....	1,165	-	-	-	-	-	1
Jonesboro.....	606	-	-	1	1	-	-
Jonesport.....	2,124	-	-	5	-	1	2
Lubec.....	3,005	-	-	4	-	1	2
Machias.....	2,082	-	-	-	-	3	1
Machiasport.....	1,218	-	-	-	-	-	-
Marion.....	95	-	-	-	-	-	-
Marshfield.....	227	-	-	-	-	-	2
Meddybemps.....	154	-	-	-	-	-	-
Milbridge.....	1,921	-	-	2	-	4	-
Northfield.....	126	-	-	1	-	-	1
Pembroke.....	1,652	-	-	3	-	-	-
Perry.....	1,245	-	-	1	-	-	5
Princeton.....	1,094	-	-	1	-	-	1
Robbinston.....	844	-	-	2	-	-	2
Roque Bluffs.....	168	-	-	-	-	-	-
Steuben.....	901	-	-	2	-	-	-
Topsfield.....	282	-	-	-	-	-	1
Trescott.....	463	-	-	-	-	3	1
Vanceboro.....	550	-	-	-	-	-	2
Waite.....	135	-	-	-	-	-	-
Wesley.....	198	-	-	1	-	-	-
Whiting.....	399	-	-	-	-	-	-
Whitneyville.....	424	-	-	1	-	-	-
Grand Lake Stream Pl.....	221	-	-	-	-	-	1
No. 21 Pl.....	86	-	-	-	-	-	-
No. 10 R. 3.....	46	-	-	-	-	-	-
YORK COUNTY.....	64,885	5	8	61	5	76	54
Acton.....	778	-	1	1	-	2	-
Alfred.....	937	-	-	1	-	-	1
Berwick.....	2,280	-	-	2	-	6	3
Biddeford.....	16,145	1	2	4	1	33	5
Buxton.....	1,838	-	-	2	-	-	5
Cornish.....	984	-	-	1	1	1	2
Dayton.....	473	-	-	1	-	1	-
Eliot.....	1,458	-	-	1	-	1	-
Hollis.....	1,274	-	-	2	-	-	1
Kennebunk.....	3,228	-	-	10	-	6	2
Kennebunkport.....	2,123	-	-	2	-	-	4
Kittery.....	2,872	-	-	2	-	2	-
Lebanon.....	1,335	-	1	2	-	-	2
Limerick.....	874	-	-	1	1	-	1
Limington.....	1,001	-	-	-	-	-	1
Lyman.....	687	-	-	1	-	-	-

TABLE
Deaths in Each Town from Certain
YORK

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Newfield.....	676	-	-	1	-	-	-
North Berwick.....	1,748	-	-	-	-	1	-
Old Orchard.....	964	-	1	2	-	1	-
Parsonsfeld.....	1,131	-	-	1	-	1	3
Saco.....	6,122	-	1	10	1	3	4
Sanford.....	6,078	2	-	8	-	15	6
Shapleigh.....	847	-	-	-	-	2	1
South Berwick.....	3,188	-	1	4	1	1	2
Waterboro.....	1,167	-	-	-	-	-	1
Wells.....	2,007	-	1	2	-	-	4
York.....	2,668	2	-	-	-	-	6

No. 34—Concluded.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
1	1	4	2	1	-	-	1	-	2	-	1	1
1	1	1	2	5	-	-	-	-	2	-	-	1
1	1	1	2	3	-	-	-	-	2	-	-	1
1	1	4	3	3	-	-	-	-	4	-	-	1
1	1	6	6	11	2	-	10	-	13	-	-	4
1	1	3	9	4	1	-	3	1	7	-	1	1
1	1	4	3	3	-	1	1	-	1	-	-	4
1	1	5	1	4	1	-	1	2	3	-	-	4
1	1	5	5	4	1	1	1	-	1	1	1	4
1	1	6	4	4	3	1	4	-	1	-	2	2

TABLE
Deaths by Ages, Sex

COUNTIES.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Androscoggin, males....	112	26	8	17	38	24	34	31	74	57	31	9	-	1
females.....	59	23	12	17	29	33	37	45	70	67	39	4	-	3
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aroostook, males.....	144	41	10	24	23	19	9	28	40	50	33	2	-	4
females.....	113	39	4	25	32	18	16	20	38	41	18	7	1	2
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cumberland, males.....	118	35	21	41	64	52	64	98	143	149	105	10	-	3
females.....	111	30	16	28	47	59	68	88	141	176	90	30	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Franklin, males.....	16	5	3	7	5	5	7	17	16	42	16	1	-	1
females.....	25	6	5	4	7	8	6	12	21	28	13	5	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock, males.....	46	13	3	10	13	10	13	26	43	60	42	3	-	-
females.....	19	13	7	6	27	21	9	31	30	58	36	5	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec, males.....	81	24	4	22	28	36	39	63	104	93	79	5	-	6
females.....	56	27	7	17	22	46	38	60	76	110	57	13	1	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Knox, males.....	26	10	2	10	20	10	13	22	47	43	33	2	-	2
females.....	25	7	5	9	14	10	17	25	29	48	36	11	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln, males.....	14	3	3	2	7	5	7	15	28	38	31	2	-	1
females.....	9	5	2	4	6	7	7	11	15	23	17	6	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford, males.....	38	11	3	5	11	15	22	25	44	49	32	6	-	1
females.....	29	9	7	6	13	16	17	23	35	48	33	8	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot, males.....	99	40	14	18	51	57	52	67	84	103	82	9	-	4
females.....	86	31	9	24	60	31	49	52	93	99	80	10	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Piscataquis, males.....	21	4	3	9	11	9	9	7	14	27	22	3	-	2
females.....	13	4	3	6	6	15	9	12	19	26	15	1	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc, males.....	19	5	2	5	11	7	13	7	33	32	15	4	-	-
females.....	12	5	3	5	14	8	15	18	27	38	22	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset, males.....	46	16	6	15	14	9	15	23	49	59	33	8	-	2
females.....	24	7	1	17	25	21	12	23	36	53	36	11	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waldo, males.....	8	6	5	3	12	6	14	25	35	42	29	6	-	-
females.....	17	2	1	7	18	8	10	25	34	47	38	6	1	2
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington, males.....	52	20	9	20	21	9	17	35	47	73	41	3	-	-
females.....	45	20	2	19	31	19	29	29	69	69	32	11	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York, males.....	125	39	11	21	22	33	36	42	77	110	53	4	-	-
females.....	76	18	10	16	38	29	35	56	104	115	77	11	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total, males.....	965	298	107	229	351	306	364	531	880	1027	677	77	-	23
females.....	719	246	94	210	390	349	364	530	797	1046	639	141	4	16
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Grand total.....	1684	544	201	439	741	655	728	1061	1677	2073	1316	218	4	40

No. 35.

and Months, by Counties.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
42	36	31	54	37	27	47	37	43	32	41	34	1	462	-
29	32	35	36	44	29	34	46	30	53	31	37	2	438	-
22	33	32	40	36	25	18	53	68	45	25	29	1	427	-
30	29	32	30	37	40	18	34	42	37	20	25	1	375	-
74	81	77	75	79	72	76	95	79	83	60	50	2	903	-
87	88	76	80	73	63	59	70	70	76	68	62	1	884	-
13	7	24	17	14	13	5	11	15	8	4	12	1	143	1788
8	10	23	17	13	15	10	6	9	13	6	10	-	140	-
18	21	35	28	22	15	21	27	26	23	26	19	1	282	283
21	21	33	18	28	18	19	12	24	29	18	21	-	262	-
55	55	60	55	49	43	41	50	53	46	34	43	-	584	544
55	40	61	46	42	41	38	34	43	41	44	45	1	531	-
20	21	20	18	17	19	11	23	25	20	27	19	-	240	1115
19	15	17	25	22	22	16	17	22	21	19	23	-	238	-
17	10	13	10	12	15	12	13	14	15	16	9	-	156	478
17	9	10	8	12	8	6	9	9	4	12	-	-	113	-
37	31	32	19	24	14	16	24	17	16	14	18	-	262	269
19	23	32	28	19	18	17	23	20	17	13	15	-	244	-
64	57	76	56	61	42	55	80	47	42	56	39	1	676	506
55	72	69	57	45	48	37	42	51	61	47	44	1	629	-
15	12	8	13	11	12	10	13	11	12	10	13	1	141	1305
8	14	14	7	10	8	14	5	15	11	12	8	-	129	-
18	17	12	14	13	14	9	12	12	11	11	10	-	153	270
12	17	33	12	8	14	7	19	8	15	14	10	-	169	-
22	25	28	29	22	23	11	28	45	21	17	23	1	295	322
20	17	45	30	21	17	13	11	22	26	26	18	-	266	-
17	20	22	17	26	18	9	5	16	14	14	13	-	191	561
13	29	32	21	20	15	16	11	16	12	16	15	-	216	-
27	27	41	37	23	21	20	40	26	33	30	22	-	347	407
30	31	46	30	23	26	18	22	31	24	27	14	1	326	-
44	57	45	49	45	36	46	78	44	46	36	46	1	573	673
53	52	83	47	49	39	39	51	53	46	38	35	-	585	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1158
505	510	556	531	491	409	407	589	541	467	421	399	9	5835	-
476	499	641	492	466	421	361	417	471	491	405	400	7	5545	-
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
981	1009	1197	1023	957	830	768	1006	1012	958	824	799	17	11,381	11,381

TABLE No. 36.

Number of Deaths from Several Specified Causes of Each Sex, in Each Month, which were Registered during Fourteen Years, 1892-1905.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
Totals.....	475	433	884	2,326	2,987	15,285	7,266	14,112	3,193	8,069
Males	213	209	408	1,163	1,696	6,663	-	6,897	1,501	3,932
Females	261	224	476	1,162	1,290	8,621	-	7,210	1,692	4,137
Not stated	1	-	-	1	1	1	-	5	-	-
January	45	32	81	239	227	1,311	93	2,162	412	747
February	39	35	69	214	194	1,252	84	1,951	393	725
March.....	56	59	84	148	252	1,557	103	2,061	421	704
April.....	49	39	69	153	218	1,473	116	1,774	365	689
May	68	39	64	172	207	1,489	110	1,378	304	685
June	47	35	79	125	159	1,291	192	733	201	635
July.....	52	21	80	137	147	1,233	1,014	332	146	591
August.....	29	19	90	130	234	1,150	2,368	289	96	646
September.....	12	28	73	161	372	1,087	2,097	422	142	625
October	30	37	59	252	415	1,172	820	767	215	649
November	25	48	58	301	290	1,068	168	951	217	649
December	23	41	76	292	266	1,188	93	1,341	275	720
Not stated	-	-	2	2	6	14	3	11	6	4

NOTES ON DEATHS AND THE CAUSES OF DEATH.

Death-rates.—The number of deaths registered in the year 1905 was 11,381 (12,147 in 1892, 11,134 in 1893, 11,012 in 1894, 10,464 in 1895, 10,626 in 1896, 11,236 in 1897, 10,956 in 1898, 11,370 in 1899, 11,389 in 1900, 11,133 in 1901, 10,673 in 1902, 11,009 in 1903, and 11,346 in 1904). The number of deaths for this registration year was, therefore, 35 more than for 1904, 372 more than for 1903, 708 more than for 1902, 248 more than for 1901, 8 less than for the year 1900, 11 more than for 1899, 425 more than for 1898, 145 more than for 1897, 755 more than for 1896, 917 more than for 1895, 369 more than for 1894, 247 more than for 1893, and 766 less than for 1892. The death-rate for the State for the year 1905 was 15.92 for every 1,000 of population (18.37 in 1892, 16.84 in 1893, 16.66 in 1894, 15.83 in 1895, 16.07 in 1896, 16.99 in 1897, 16.57 in 1898, 16.45 in 1899, 16.40 in 1900, 16.03 in 1901, 15.37 in 1902, 15.85 in 1903, and 16.34 in 1904).

By referring to Table No. 4, it will be seen that the death-rate of Aroostook county was lower than that of any other county, being only 12.38. The counties Androscoggin, Aroostook, Franklin, Hancock, Knox, Lincoln, Oxford, Piscataquis, Sagadahoc and Washington had lower death-rates than that of the whole State; while the counties Cumberland, Kennebec, Penobscot, Somerset, Waldo and York had death-rates larger than that of the State. The highest county death-rate was that of Kennebec, 18.13.

The death-rate in the cities was 16.79 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, 18.36 in 1895, 18.78 in 1896, 20.11 in 1897, 19.74 in 1898, 18.10 in 1899, 18.34 in 1900, 17.90 in 1901, 17.03 in 1902, 17.16 in 1903, and 18.00 in 1904), as compared with that of the rest of the State with the cities omitted, which death-rate was 15.49 (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, 14.77 in 1895, 14.93 in 1896, 15.68 in 1897, 15.24 in 1898, 15.52 in 1899, 15.47 in 1900, 15.13 in 1901, 14.58 in 1902, 13.39 in 1903, and 15.54 in 1904).

Seasons and Mortality.—The largest number of deaths occurred in March, 1,197. The smallest number of deaths in any one month was 768 in July. During the spring months 3,177 deaths occurred; during the summer, 2,604; during the

autumn, 2,794; in the winter, 2,789. The following shows the month in which the largest and the smallest number of deaths occurred in the years 1892-1905:

Largest Number.		Smallest Number.	
1892	January..... 1,577	November.....	790
1893	August..... 1,080	November.....	796
1894	January..... 1,266	November.....	761
1895	March..... 1,053	June... ..	715
1896	August..... 1,079	November.. ..	667
1897	March..... 1,259	June.....	769
1898	September..... 1,147	June.....	791
1899	February..... 1,049	June.....	768
1900	April..... 1,196	November.....	769
1901	March..... 1,132	June.....	789
1902	December..... 998	June.....	805
1903	January..... 1,006	June.....	788
1904	April..... 1,116	July.....	800
1905	March..... 1,197	July.....	768

The following is a tabular statement of the number of deaths in each quarter of the fourteen years 1892-1905:

	1st Quarter.	2d Quarter.	3d Quarter.	4th Quarter.
1892.....	3,964	2,926	2,780	2,427
1893.....	2,653	2,825	2,878	2,750
1894.....	3,166	2,660	2,774	2,402
1895.....	2,780	2,412	2,764	2,503
1896.....	2,728	2,717	2,836	2,339
1897.....	3,026	2,681	2,856	2,671
1898.....	2,567	2,641	2,964	2,782
1899.....	3,416	2,632	2,767	2,544
1900.....	2,879	3,057	2,909	2,536
1901.....	3,178	2,688	2,637	2,610
1902.....	2,787	2,503	2,585	2,774
1903.....	2,946	2,705	2,723	2,615
1904.....	3,100	2,961	2,663	2,670
1905.....	3,187	2,810	2,786	2,581

The following table shows the number of deaths which have occurred in each of the twelve months in each of the years from 1892 to 1905:

DEATHS IN EACH MONTH FOR THE YEARS 1892-1905.

YEARS.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Totals.
1892	1,577	1,292	1,095	1,048	1,045	833	866	938	976	844	790	793	50	12,147
1893	849	845	959	1,037	969	819	823	1,080	976	917	796	1,037	28	11,134
1894	1,266	980	920	983	851	816	865	953	956	821	761	820	10	11,012
1895	906	821	1,053	854	843	715	803	938	1,023	902	743	858	5	10,464
1896	863	921	944	942	961	814	845	1,079	912	833	667	839	6	10,626
1897	916	851	1,259	1,020	892	769	840	1,019	997	999	835	837	2	11,236
1898	887	817	863	915	935	791	814	1,003	1,147	1,034	837	911	2	10,956
1899	1,432	1,049	935	965	899	768	783	1,031	953	882	781	881	11	11,370
1900	903	881	1,095	1,196	1,068	793	839	1,033	1,037	911	769	856	8	11,389
1901	955	1,091	1,132	955	944	789	836	831	970	882	831	897	20	11,133
1902	876	900	929	939	919	805	837	861	911	854	820	998	24	10,673
1903	1,006	944	996	989	930	786	901	865	957	865	831	919	20	11,009
1904	985	1,035	1,080	1,116	1,038	807	800	896	907	909	817	944	12	11,346
1905	981	1,009	1,197	1,023	957	830	768	1,006	1,012	958	824	799	17	11,381
Total	14,402	13,436	14,457	13,992	13,251	11,135	11,620	13,533	13,733	12,611	11,102	12,389	215	155,876

Table No. 29 exhibits the total number of deaths which occurred in each month of the years 1898-1905. The number of deaths for 1905 in each month by counties is shown in Table No. 35.

Sex and Mortality.—Of the 11,381 decedents, 5,835 were males and 5,545 were females. The sex of one was unstated.

Among children dying before they were 5 years old, 1,263 were males and 965 were females; there were 298 more deaths among boys under 5 years of age than among girls within the same age-period. On the contrary, at the age-periods from 10 to 50 years there was a preponderance of deaths among females, while there were more deaths among males at the ages of from 50 to 80; and from 80 to 100, more among females. At the age of 100 years and over four women died. See Table No. 35.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under 1 year of age	1,684	14.80 per cent.
From 1-5 years of age	544	4.78 per cent.
From 5-10 years of age	201	1.77 per cent.
From 10-20 years of age	439	3.86 per cent.
From 20-30 years of age	741	6.51 per cent.
From 30-40 years of age	655	5.76 per cent.
From 40-50 years of age	728	6.40 per cent.
From 50-60 years of age	1,061	9.31 per cent.
From 60-70 years of age	1,677	14.74 per cent.
From 70-80 years of age	2,073	18.21 per cent.
From 80-90 years of age	1,316	11.56 per cent.
From 90-100 years of age	218	1.92 per cent.
100 years of age and over,	4	0.03 per cent.
Ages not stated	40	0.35 per cent.

The Causes of Death.—The following table shows the mortality from ten prominent causes in the eight years 1898-1905. The various diseases of the brain have occupied the first place among the causes of death, and consumption was the next most prominent cause until 1898 when it was reduced to the third place in the list; in 1899 and 1900 it occupied the fourth place; in 1901, the third place; in 1902, 1903, and 1904 it again occu-

pied the fourth place, which it still keeps this year. Diseases of the heart have the second place, and pneumonia has the third place.

MORTALITY FROM TEN PROMINENT CAUSES—1898-1905.

CAUSES OF DEATH.	1905.	1905.	1904.	1903.	1902.	1901.	1900.	1899.	1898.
Brain disease*.....	1,364	1	1	1	1	1	1	1	1
Heart disease.....	1,222	2	2	2	2	2	3	3	2
Pneumonia.....	1,053	3	3	3	3	4	2	2	4
Consumption.....	894	4	4	4	4	3	4	4	3
Old age.....	724	5	5	5	5	5	5	5	6
Cancer.....	662	6	7	7	6	6	7	7	7
Kidney disease†.....	646	7	6	6	7	8	8	8	8
Infantile diarrhea.....	561	8	8	8	8	7	6	6	5
Bronchitis.....	218	9	9	9	9	9	9	9	10
Diphtheria and croup.....	110	10	10	10	10	10	10	10	9

*Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain, and its membranes, and other brain diseases.

†Including deaths certified as from nephritis, Bright's disease, albuminuria and uremia.

By referring to Table No. 30 it will be noticed that the causes of death are arranged by counties under fourteen classes. The following notes on some of the classes and individual causes of death will be arranged in accordance with the classification shown in this Table No. 30.

Infectious Diseases.—The lists of the infectious diseases usually include smallpox, measles, scarlet fever, typhoid fever, whooping cough, diphtheria and croup. The following table shows the number of deaths which resulted from these diseases in the several counties of the State:

SIX INFECTIOUS DISEASES BY COUNTIES—1905.

COUNTIES.	Estimated population for 1905.	Aggregate deaths from six infectious diseases—1905.	Infectious death-rate per 10,000—1905.
Androscoggin	56,879	25	4.40
Aroostook	66,322	31	4.67
Cumberland	105,559	50	4.74
Franklin	19,140	4	2.09
Hancock	37,241	10	2.69
Kennebec	60,170	27	4.49
Knox	30,406	14	4.60
Lincoln	19,669	3	1.52
Oxford	33,064	9	2.72
Penobscot	77,937	57	7.31
Piscataquis	17,357	4	2.30
Sagadahoc	20,769	12	5.78
Somerset	31,460	18	5.80
Waldo	24,185	7	2.89
Washington	45,607	16	3.51
York	65,913	56	8.50
State	714,678	343	4.80

In the foregoing table the second column shows for each county the whole number of deaths for 1905 from the infectious diseases; the third column shows the infectious death-rate for the same year. The following table makes a similar comparative exhibit for the cities:

SIX INFECTIOUS DISEASES BY CITIES—1905.

CITIES.	Estimated Popu- lation for 1905.	Aggregate deaths from six infectious diseases—1905.	Infectious death- rate per 10,000—1905.
Auburn.....	13,802	3	2.17
Augusta.....	12,261	9	7.34
Bangor.....	23,224	19	8.18
Bath.....	11,354	6	5.28
Belfast.....	4,615	2	4.33
Biddeford.....	16,996	23	1.35
Brewer.....	5,156	1	1.94
Calais.....	7,888	3	3.83
Eastport.....	5,513	-	-
Ellsworth.....	4,297	-	-
Gardiner.....	5,506	-	-
Hallowell.....	2,714	-	-
Lewiston.....	24,791	13	5.24
Old Town.....	5,989	9	15.03
Portland.....	57,005	28	4.91
Rockland.....	8,150	5	6.13
Saco.....	6,146	6	9.76
So. Portland.....	6,287	2	3.18
Waterville.....	10,662	8	7.50
Westbrook.....	7,609	5	6.57
Collectively.....	233,915	142	5.92

By consulting the following table it will be seen that the number of deaths from measles and gripe was larger than in 1904. There was a smaller number of deaths from typhoid fever, scarlet fever, whooping cough, diphtheria and croup, tetanus, and malarial disease.

INFECTIOUS DISEASES—1898-1905.

DISEASES.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	Total.
Smallpox.....	-	3	2	-	12	7	3	-	27
Chickenpox.....	-	-	1	-	-	-	-	-	1
Measles.....	41	39	84	26	28	36	22	32	308
Rotheln (German measles).....	-	-	1	-	-	-	-	-	1
Scarlet fever.....	43	48	35	18	13	18	10	7	192
Grippe.....	145	380	236	266	122	196	166	243	1,754
Whooping cough.....	44	96	99	28	51	110	54	38	520
Mumps.....	3	1	-	-	-	1	-	-	5
Diphtheria and croup.....	240	152	155	127	115	115	162	110	1,176
Cerebro-spinal meningitis.....	43	50	42	44	33	-	-	-	212
Tetanus.....	4	11	7	5	7	11	14	7	66
Typhoid fever.....	216	195	196	224	162	225	242	156	1,616
Malarial disease.....	8	10	13	11	20	9	13	11	95

Smallpox.—In 1905, as in 1904, there were no deaths from smallpox. In 1903, smallpox was the cause of 7 deaths; in 1902, 12; in 1901, 0; in 1900, 2; in 1899, 3. No deaths were due to this disease from 1892, when our system of registration went into effect, until 1899.

Measles.—This disease caused the death of 32 persons, of whom 14 were males and 18 were females. The deaths from measles were 29 in 1892, 55 in 1893, 21 in 1894, 8 in 1895, 32 in 1896, 22 in 1897, 41 in 1898, 39 in 1899, 84 in 1900, 26 in 1901, 28 in 1902, 36 in 1903, and 22 in 1904.

MEASLES BY COUNTIES, MONTHS, AND AGE-PERIODS
—1896-1905.

BY COUNTIES.		By months.		By age periods.	
Androscoggin	29	January	31	Under 1	98
Aroostook	56	February	33	1-5.....	128
Cumberland	48	March	36	5-10.....	28
Franklin	7	April	33	10-20.	27
Hancock	21	May.....	52	20-30.....	21
Kennebec	27	June.....	37	30-40.....	22
Knox	17	July	41	40-50.....	13
Lincoln	3	August	24	50-60.....	6
Oxford	15	September.....	10	Over 60	16
Penobscot	38	October	26	Not stated....	3
Piscataquis	10	November.....	21	Total	362
Sagadahoc	6	December.....	18		
Somerset	32	Total	362		
Waldo	9				
Washington	17				
York	27				
State	362				

Scarlet Fever.—The total mortality from this disease was 7 (36 in 1892, 80 in 1893, 29 in 1894, 25 in 1895, 33 in 1896, 38 in 1897, 43 in 1898, 48 in 1899, 35 in 1900, 18 in 1901, 13 in 1902, 18 in 1903, and 10 in 1904); 1 male and 6 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was 2 in March. There were 3 deaths in the first quarter, 2 in the second, 1 in the third, and 1 in the last quarter of the year.

Androscoggin county had 1 death from scarlet fever; Aroostook, 2; Cumberland, 1; and York, 3. Of the 7 deaths from this cause, 3 were in the cities.

The following is the exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the thirteen years 1893-1905:

SCARLET FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1905.

BY COUNTIES.		By months.		By age-periods.	
Androscoggin.....	28	January	24	Under 1.....	34
Aroostook.....	65	February.....	31	1-5.....	185
Cumberland.....	44	March.....	55	5-10.....	116
Franklin.....	7	April.....	34	10-20.....	45
Hancock.....	14	May.....	35	20-30.....	10
Kennebec.....	41	June.....	32	30-40.....	4
Knox.....	22	July.....	21	40-50.....	1
Lincoln.....	3	August.....	19	50-60.....	1
Oxford.....	5	September.....	27	Not stated.....	1
Penobscot.....	38	October.....	35	Total.....	397
Piscataquis.....	10	November.....	45		
Sagadahoc.....	10	December.....	39		
Somerset.....	12	Total.....	397		
Waldo.....	14				
Washington.....	19				
York.....	65				
State.....	397				

The scarlatina death-rate per 10,000 for this State was 0.09; for the cities, 0.12.

Grippe.—During the year for which this report is made, 243 deaths were attributed to grippe. By months the percentage distribution of deaths from this cause was as follows: January, 8.68; February, 19.84; March, 33.47; April, 19.84; May, 6.61; June, 2.89; July, 1.65; August, 0.41; September, 0.83; October, 1.65; November, 2.48; December, 1.65. The following shows the age incidence of deaths reported as having occurred from grippe:

Under 1 year,	16	40-50 years,	4
1-5 years,	9	50-60 years,	17
5-10 years,	1	60-70 years,	34
10-20 years,	3	70-80 years,	76
20-30 years,	4	Over 80 years,	72
30-40 years,	7		
		Total,	243

The grippe death-rate for the whole State was 3.40 for each 10,000 of living population (11.43 in 1892, 2.31 in 1893, 4.46 in 1894, 2.30 in 1895, 1.77 in 1896, 4.45 in 1897, 2.19 in 1898, 5.50 in 1899, 3.40 in 1900, 3.83 in 1901, 1.87 in 1902, 2.82 in 1903, and 2.39 in 1904).

DEATHS FROM GRIPPE BY COUNTIES AND MONTHS—
1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	3	1	7	2	-	-	-	-	-	-	1	1	-	16
Aroostook	1	2	1	9	2	1	-	-	1	-	-	-	1	18
Cumberland	6	13	7	7	1	1	-	-	-	1	-	-	-	36
Franklin	-	-	4	3	1	2	-	-	-	-	-	-	-	10
Hancock	-	1	6	2	1	-	1	-	-	-	-	-	-	11
Kennebec	1	4	11	2	1	1	-	1	-	1	1	2	-	25
Knox	2	2	2	-	-	-	1	-	-	-	2	-	-	9
Lincoln	1	-	3	-	1	-	-	-	-	-	-	-	-	5
Oxford	1	1	4	3	1	-	-	-	-	1	-	1	-	12
Penobscot	-	10	10	6	5	-	1	-	-	-	1	-	-	33
Piscataquis	-	2	2	-	1	-	-	-	-	-	-	-	-	5
Sagadahoc	-	3	1	1	-	-	-	-	-	-	1	-	-	6
Somerset.....	1	3	3	5	1	1	-	-	1	1	-	-	-	16
Waldo	1	-	3	-	-	-	-	-	-	-	-	-	-	4
Washington	1	4	10	4	1	1	-	-	-	-	-	-	-	21
York	3	2	7	4	-	-	1	-	-	-	-	-	-	17
State	21	48	81	48	16	7	4	1	2	4	6	4	1	243

Whooping Cough.—The number of deaths from whooping cough was 38 (54 in 1892, 51 in 1893, 20 in 1894, 82 in 1895, 111 in 1896, 46 in 1897, 44 in 1898, 96 in 1899, 99 in 1900, 28 in 1901, 51 in 1902, 110 in 1903, and 54 in 1904), of which 20 were males and 18 females. The number of deaths in the cities was 9. Twenty-four of the 38 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping cough was 0.53 per 10,000; that of the cities, 0.38.

The following shows the deaths from whooping cough arranged by counties, months, and age-periods:

WHOOPING COUGH BY COUNTIES, MONTHS, AND AGE-PERIODS—1905.

BY COUNTIES.		By months.		By age-periods.	
Androscoggin.....	2	January.....	4	Under 1.....	24
Aroostook.....	2	February.....	3	1-5.....	13
Cumberland.....	10	March.....	2	5-10.....	-
Franklin.....	1	April.....	2	10-20.....	-
Hancock.....	-	May.....	1	20-30.....	-
Kennebec.....	2	June.....	3	30-40.....	-
Knox.....	1	July.....	6	40-50.....	-
Lincoln.....	-	August.....	5	50-60.....	-
Oxford.....	-	September.....	2	60-70.....	-
Penobscot.....	8	October.....	3	Not stated.....	
Piscataquis.....	1	November.....	1	Total.....	38
Sagadahoc.....	1	December.....	6		
Somerset.....	2	Total.....	38		
Waldo.....	1				
Washington.....	4				
York.....	3				
State.....	38				

Diphtheria.—There were for the year 1905, 110 deaths from diphtheria (106 in 1892, 69 in 1893, 77 in 1894, 135 in 1895, 109 in 1896, 200 in 1897, 185 in 1898, 92 in 1899, 155 in 1900, 127 in 1901, 115 in 1902, the same in 1903, and 162 in 1904). Of the decedents, 68 were males and 42 were females.

Ages: Under 1, 13; 1-5, 57; 5-10, 15; 10-20, 16; 20-30, 6; 30-40, 1; 40-50, 2.

Of the 110 deaths, 42 were in the cities, and 68 in other places. The diphtheria death-rate for the State was 1.54, and for the cities, 1.76.

The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

DIPHTHERIA BY COUNTIES AND MONTHS—1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	-	1	-	-	-	-	2	1	-	2	-	1	7	1.23
Aroostook	-	2	1	2	1	1	-	2	2	1	-	3	15	2.26
Cumberland	2	3	1	-	2	1	-	2	1	1	1	2	16	1.52
Franklin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock	1	-	-	-	-	-	1	-	-	-	-	-	2	0.53
Kennebec	2	-	1	1	-	1	1	1	1	-	1	-	9	1.50
Knox	-	1	-	-	-	-	-	-	-	-	-	-	1	0.33
Lincoln	-	-	-	-	-	-	-	-	-	-	2	-	2	1.02
Oxford	-	-	-	-	1	-	-	-	-	-	3	1	5	1.51
Penobscot	3	1	1	1	-	1	1	1	1	1	2	3	16	2.05
Piscataquis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc	1	1	-	-	-	-	1	-	-	-	1	2	6	2.89
Somerset.....	1	3	-	-	-	1	1	-	1	1	-	1	9	2.61
Waldo ..	-	1	-	-	-	-	-	-	-	-	-	-	1	0.41
Washington	-	-	1	1	1	1	-	-	-	-	-	1	5	1.10
York.....	1	7	2	-	-	1	-	1	-	-	2	2	16	2.43
State	11	20	7	5	5	7	7	8	6	6	12	16	110	1.54

The following tabulation shows the number of deaths from diphtheria for the thirteen years 1893-1905, arranged by counties, months, and age-periods:

DIPHTHERIA BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1905.

BY COUNTIES.	By months.	By age-periods.
Androscoggin..... 266	January..... 219	Under 1..... 299
Aroostook..... 379	February..... 200	1-5..... 971
Cumberland..... 435	March..... 136	5-10..... 503
Franklin..... 37	April..... 138	10-20..... 234
Hancock..... 47	May..... 151	20-30..... 49
Kennebec..... 186	June..... 105	30-40..... 25
Knox..... 84	July..... 124	40-50..... 13
Lincoln..... 28	August..... 120	50-60..... 7
Oxford..... 48	September..... 142	60-70..... 5
Penobscot..... 144	October..... 227	Over 70... .. 3
Piscataquis..... 14	November..... 283	Not stated..... 5
Sagadahoc..... 67	December..... 267	Total..... 2,114
Somerset..... 77	Not stated..... 2	
Waldo..... 28	Total.. .. 2,114	
Washington..... 74		
York..... 200		
State..... 2,114		

Typhoid Fever.—There were 156 deaths from typhoid fever. Of these, 94 were males and 62 were females. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value; 74 per cent. died between 10 and 50 years of age.

Ages: Under 1, 0; 1-5, 9; 5-10, 11; 10-20, 31; 20-30, 43; 30-40, 25; 40-50, 16; 50-60, 10; 60-70, 7; 70-80, 3; not stated, 1.

The largest number of deaths, 27, occurred in September, and the smallest number, 6, in July. By quarters, 35 were in the first quarter, 29 in the second, 45 in the third, and 47 in the last quarter of the year.

The typhoid death-rate of 3.29 in the cities is considerably greater than that in the villages and rural towns, which is 1.07. The rate for the State is 2.18.

The following exhibits the number of deaths from typhoid fever in each county, by months, with death-rate in each county:

TYPHOID FEVER—1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death rate per 10,000.
Androscoggin	1	-	-	-	1	-	1	-	1	6	2	1	13	2.29
Aroostook	1	-	1	-	1	2	1	-	3	1	2	-	12	1.81
Cumberland	2	2	2	-	1	1	1	4	3	4	1	1	22	2.08
Franklin	-	-	-	-	-	1	-	-	-	-	-	-	1	0.52
Hancock	1	-	-	-	-	-	-	1	2	1	-	-	5	1.34
Kennebec	1	3	-	4	-	1	-	2	-	2	1	-	14	2.33
Knox	-	1	-	-	-	-	-	-	1	-	1	-	3	0.99
Lincoln	-	-	-	-	-	-	-	-	-	-	-	1	1	0.51
Oxford	1	-	1	-	-	-	-	-	-	1	1	-	4	1.21
Pensbscot.....	4	3	3	4	3	3	-	-	4	1	3	2	30	3.85
Piscataquis	-	-	-	-	-	-	1	-	2	-	-	-	3	1.73
Sagadahoc	-	1	-	-	1	1	-	1	-	-	-	-	4	1.93
Somerset.....	-	-	-	-	-	-	-	1	2	-	-	-	3	0.87
Waldo	-	-	1	1	-	-	-	1	-	-	-	1	4	1.65
Washington	-	-	1	1	-	-	1	-	2	-	1	-	6	1.32
York	2	-	3	2	-	1	1	2	7	6	2	5	31	4.70
State	13	10	12	12	7	10	6	12	27	22	14	11	156	2.18

The following exhibits for the thirteen years 1893-1905 the distribution of deaths from typhoid fever by counties, months, and age-periods:

TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1905.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 260	January 217	Under 1 16
Aroostook 230	February 191	1-5 104
Cumberland 382	March 240	5-10 155
Franklin 63	April 214	10-20 637
Hancock 108	May 194	20-30 853
Kennebec 233	June 148	30-40 401
Knox 65	July 139	40-50 259
Lincoln 53	August 219	50-60 148
Oxford 123	September 332	60-70 99
Penobscot 460	October 373	70-80 67
Piscataquis 51	November 251	Over 80 15
Sagadahoc 50	December 253	Not stated 23
Somerset 89	Not stated 6	Total 2,777
Waldo 63	Total 2,777	
Washington 135		
York 352		
State 2,777		

Malarial Diseases.—Eleven deaths were registered as due to malarial diseases. In all these cases the disease was contracted outside of this State; six of these persons having contracted the disease in the war of the rebellion. All of the decedents were males; their respective ages were: 50-60, 1; 60-70, 7; 70-80, 3.

Tuberculosis.—In 1905, tuberculosis in its various forms was the cause of 1,109 deaths (1,513 in 1892, 1,446 in 1893, 1,449 in 1894, 1,397 in 1895, 1,359 in 1896, 1,338 in 1897, 1,239 in 1898, 1,241 in 1899, 1,215 in 1900, 1,250 in 1901, 1,165 in 1902, 1,076 in 1903, and 1,217 in 1904). The death-rate per 10,000 from this cause was 15.30.

Cerebral Tuberculosis.—(Tubercular Meningitis.)—The number of deaths was 71; 39 were of males and 32 of females.

The number for the cities was 34. The death-rate for the State was 0.99; for the cities, 1.42.

Ages: Under 1, 14; 1-5, 33; 5-10, 13; 10-20, 6; 20-30, 1; 30-40, 2; 40-50 0; over 60, 2.

Pulmonary Tuberculosis. (Consumption.)—From this cause 894 deaths were registered in 1905, which is equivalent to a death-rate of 12.50 per 10,000 of population. The death-rate for the cities was 15.09. The following is a tabular arrangement of the number of deaths in the State from pulmonary tuberculosis in each of the fourteen registration years, together with the death-rate from consumption for each year:

	Number of deaths.	Death rate per 10,000.
1892.....	1,352.....	20.24
1893.....	1,299.....	19.35
1894.....	1,262.....	18.80
1895.....	1,195.....	17.71
1896.....	1,172.....	17.21
1897.....	1,128.....	16.47
1898.....	1,021.....	14.85
1899.....	1,015.....	14.69
1900.....	1,027.....	14.79
1901.....	1,033.....	14.87
1902.....	970.....	13.97
1903.....	901.....	12.97
1904.....	1,016.....	14.63
1905.....	894.....	12.50

There were in 1905, 458 fewer deaths than in 1892, 405 fewer than in 1893, 368 fewer than in 1894, 301 fewer than in 1895, 278 fewer than in 1896, 234 fewer than in 1897, 127 fewer than in 1898, 121 fewer than in 1899, 133 fewer than in 1900, 139 fewer than in 1901, 76 fewer than in 1902, 7 fewer than in 1903, and 122 fewer than in 1904.

Ages: Under 1, 15; 1-5, 13; 5-10, 11; 10-20, 108; 20-30, 252; 30-40, 166; 40-50, 109; 50-60, 91; 60-70, 63; 70-80, 52; 80 and over, 10; not stated, 4.

It is thus shown in this report, as it was in the thirteen preceding reports, that the smallest number of deaths occurred at the age-period 5-10 years, and that, of the decedents whose ages were given, 81 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 410 of the decedents, or 46.0 per cent., were males; and 484, or 54.0 per cent., were females.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

CONSUMPTION BY COUNTIES AND MONTHS—1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin ...	4	3	6	8	9	4	7	5	2	4	2	6	1	61	10.72
Aroostook.....	4	3	14	5	10	5	1	7	1	3	3	4	-	60	9.05
Cumberland	16	11	10	17	7	12	12	9	8	9	2	10	-	129	12.22
Franklin	2	1	2	5	3	1	-	1	1	-	1	1	-	18	9.40
Hancock.....	3	6	3	3	3	2	5	4	3	4	2	2	-	40	10.74
Kennebec	4	5	14	10	2	10	7	3	11	3	4	6	-	85	14.13
Knox	3	5	5	6	2	5	4	3	3	3	4	4	-	47	15.46
Lincoln.....	-	1	1	-	2	-	1	2	2	3	-	1	-	13	6.61
Oxford.....	3	2	5	4	2	4	-	2	1	2	2	1	-	28	8.47
Penobscot.....	14	15	11	11	12	14	12	12	8	8	7	8	-	132	16.94
Piscataquis	3	2	3	-	3	-	2	1	4	1	-	1	-	20	11.52
Sagadahoc	5	-	2	3	3	1	2	1	3	3	-	4	-	27	13.00
Somerset	2	2	6	6	3	5	2	4	5	2	5	1	-	43	12.48
Waldo	4	4	8	3	5	4	2	3	3	-	3	4	-	43	17.78
Washington.....	8	5	8	3	5	7	7	10	3	5	5	2	-	71	15.57
York	5	3	7	4	9	6	9	9	7	7	7	4	-	77	11.68
State	80	68	105	88	85	80	73	76	65	60	53	59	1	894	12.51

The following table shows the deaths from pulmonary tuberculosis arranged according to sex and age-periods:

CONSUMPTION BY SEX AND AGE-PERIODS—1905.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	80 and over.	Not stated.	Total.
Males ...	6	8	2	40	112	71	63	47	35	17	6	3	410
Females	9	5	9	68	140	95	46	44	28	35	4	1	484
Total	15	13	11	108	252	166	109	91	63	52	10	4	894

For the thirteen years 1893-1905, the distribution of deaths from pulmonary tuberculosis is shown by counties, months, and age-periods in the following table.

CONSUMPTION BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1905.

By COUNTIES.	By months.	By age-periods.
Androscoggin 1,054	January 1,165	Under 1 207
Aroostook 885	February 1,145	1-5 202
Cumberland 2,038	March 1,427	5-10 130
Franklin 340	April 1,346	10-20 1,664
Hancock 748	May 1,357	20-30 4,111
Kennebec 1,237	June 1,177	30-40 2,609
Knox 717	July 1,131	40-50 1,641
Lincoln 393	August 1,045	50-60 1,249
Oxford 524	September 989	60-70 1,087
Penobscot 1,635	October 1,047	70-80 758
Piscataquis 304	November 992	80 and over 209
Sagadahoc 395	December 1,097	Not stated 66
Somerset 707	Not stated 15	Total 13,933
Waldo 596	Total 13,933	
Washington 1,026		
York 1,334		
State 13,933		

Tuberculosis Mesenteric.—There were 59 deaths from this cause, 21 males and 38 females.

Ages: Under 1, 0; 1-5, 3; 5-10, 6; 10-20, 6; 20-40, 20; 40-60, 13; over 60, 11.

Tuberculosis, Other Forms.—Of these deaths, 85 in all, the cause assigned was: tuberculosis or general tuberculosis, 44; tuberculosis of larynx, 16; tuberculosis of stomach, 3; tuberculosis of kidneys, 1; tuberculosis of joints, 1; Pott's disease, 8; and others, 12.

There were 27 deaths from erysipelas; 50 from pyemia and septicemia, and 32 from puerperal fever—giving a special death-rate of 1.53. The following shows the distribution of puerperal fever by months and counties:

January	6	Androscoggin	1
February	0	Aroostook	4
March	1	Cumberland	7
April	3	Franklin	2
May	4	Hancock	2
June	4	Kennebec	3
July	2	Knox	1
August	0	Lincoln	2
September	3	Oxford	1
October	1	Penobscot	0
November	4	Piscataquis	0
December	4	Sagadahoc	2
	—	Somerset	3
Total	32	Waldo	1
		Washington	1
		York	2
		Total	32

Twenty deaths were returned under alcoholism. The special death-rate from alcoholism was 0.28.

Rheumatism.—The returns give 60 deaths from this cause (68 in 1892, 46 in 1893, 66 in 1894, 56 in 1895, 44 in 1896, 42 in 1897, 57 in 1898, 56 in 1899, 56 in 1900, 53 in 1901, 45 in 1902, 58 in 1903, and 60 in 1904), 32 males and 28 females. Sixteen of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.84, while that in the cities was 0.67. The following shows the deaths from this cause arranged by counties, months, and age-groups:

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS—1905.

By COUNTIES.		By months.		By age-periods.	
Androscoggin	3	January.....	4	Under 1.....	-
Aroostook.....	4	February.....	9	1-5.....	1
Cumberland	10	March	4	5-10.....	2
Franklin.....	1	April.....	2	10-20.....	4
Hancock	1	May	7	20-30.....	7
Kennebec.....	7	June	4	30-40.....	4
Knox.....	2	July.....	6	40-50.....	8
Lincoln.....	1	August.....	7	50-60.....	2
Oxford	2	September	4	60-70.....	14
Penobscot.....	6	October.....	3	70-80.....	14
Piscataquis.....	4	November.....	5	Over 80.....	4
Sagadahoc	2	December.....	5	Total.....	60
Somerset.....	5	Total.....	60		
Waldo.....	2				
Washington.....	2				
York.....	8				
State.....	60				

The following shows the distribution of deaths from rheumatism by counties, months, and age-groups for the thirteen years 1893-1905:

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1905.

BY COUNTIES.		By months.		By age-periods.	
Androscoggin	36	January	62	Under 1.....	1
Aroostook	44	February	72	1-5.....	8
Cumberland	104	March	65	5-10.....	24
Franklin	10	April	51	10-20.....	55
Hancock	34	May.....	69	20-30.....	53
Kennebec.....	64	June	39	30-40.....	44
Knox.....	32	July.....	58	40-50.....	52
Lincoln	25	August	57	50-60.....	97
Oxford	40	September	38	60-70.....	159
Penobscot	81	October.....	47	70-80.....	151
Piscataquis	22	November.....	68	Over 80	53
Sagadahoc	24	December.....	71	Not stated.....	3
Somerset.....	40	Not stated.....	3	Total	700
Waldo.....	33	Total.....	700		
Washington	40				
York	71				
State	700				

Cancer.—From cancer in its various forms and locations there were 662 deaths (404 in 1892, 433 in 1893, 474 in 1894, 480 in 1895, 518 in 1896, 463 in 1897, 531 in 1898, 541 in 1899, 526 in 1900, 570 in 1901, 615 in 1902, 598 in 1903, and 611 in 1904). Of the decedents, 238 were males and 424 were females. The cancer death-rate for the State was, therefore, 9.26.

Distributed as to its more frequent locations, there died of cancer of the stomach, 180; female genital organs, 100; liver, 85; intestines, 76; breast, 51; mouth, 25; skin, 24; kidneys, 11; abdomen, 9; throat, 9; pancreas, 8; pelvis, 7; bladder, 6; neck, 3; lung, 3; spleen, 3; thigh, 2; leg, 2; various, 27; unspecified, 31.

The deaths from cancer, arranged by sex and age-periods of the decedents, is exhibited in the following:

CANCER BY SEX AND AGE-PERIODS—1905.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
	Males.....	1	1	1	2	2	14	18	39	74	60	25	1
Females.....	1	1	1	2	7	35	66	95	102	85	26	3	424
Total.....	2	2	2	4	9	49	84	134	176	145	51	4	662

The distribution of cancer by counties and age-groups, and the special death-rate for each county are shown in the following for 1905, and for the thirteen years 1893-1905:

CANCER—1905 AND 1893-1905.

COUNTIES.	1905.		1893-1905.		AGE-GROUPS.	NUMBER OF DEATHS.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.		1905.	1893-1905.
Androscoggin	52	9.14	537	7.26	Under 1 year.....	2	8
Aroostook.....	24	3.62	252	2.92	From 1-5 years.....	2	12
Cumberland	123	11.65	1,252	9.12	" 5-10 "	2	11
Franklin	18	9.40	221	8.88	" 10-20 "	4	30
Hancock	25	6.71	346	7.14	" 20-30 "	9	105
Kennebec	68	11.30	640	8.18	" 30-40 "	49	384
Knox.....	31	10.19	349	8.83	" 40-50 "	84	866
Lincoln.....	17	8.64	243	9.50	" 50-60 "	134	1,487
Oxford	26	7.86	322	7.49	" 60-70 "	176	1,860
Penobscot.....	70	8.98	735	7.25	" 70-80 "	145	1,612
Piscataquis	22	12.68	139	6.16	Over 80 years.....	51	608
Sagadahoc	25	13.48	222	8.22	Not stated.....	4	39
Somerset.....	31	9.00	374	8.35	Total.....	662	7,022
Waldo	24	9.92	271	8.62			
Washington.....	42	9.21	388	6.54			
York	61	9.25	731	8.53			
State.....	662	9.26	7,022	7.56			

Diabetes.—The deaths from this cause numbered 115 (55 in 1892, 65 in 1893, 71 in 1894, 77 in 1895, 67 in 1896, 95 in 1897, 88 in 1898, 95 in 1899, 74 in 1900, 87 in 1901, 83 in 1902, 92 in 1903, and 91 in 1904. The special death-rate from diabetes was, therefore, 1.61 in 1905. Fifty-one of the decedents were males and 64 were females.

Ages: 1-5, 2; 5-10, 3; 10-20, 6; 20-30, 5; 30-40, 7; 40-50, 9; 50-60, 28; 60-70, 39; 70-80, 14; 80-90, 2.

Old Age.—There were registered 724 deaths as due to old age, 320 men and 404 women. Of these decedents, 26 were from 60 to 70 years of age; 179 were from 70 to 80; 400 were from 80 to 90; 116 were from 90 to 100; while 4 were 100 years of age and older.

From Table No. 35, however, it will be seen that the whole number of persons who died at the ages between 70 and 100 years or more was 3,611 (3,801 in 1892, 3,147 in 1893, 3,242 in 1894, 2,897 in 1895, 3,045 in 1896, 3,232 in 1897, 3,109 in 1898, 3,378 in 1899, 3,355 in 1900, 3,332 in 1901, 3,289 in 1902, 3,404 in 1903, and 3,532 in 1904), or one death in every three and one-seventh was of a person who was between 70 and 100 years of age or older. Assuming that all these 3,611 died of old age, the death-rate from old age would be 50.53 among every 10,000 living at all ages.

The following shows the number of deaths in each county of persons 70 years of age and over, and the number of their deaths in each 10,000 of the population at all ages:

OLD AGE—1905.

COUNTIES.	Deaths.	Rate per 10,000.	COUNTIES.	Deaths.	Rate per 10,000.
Androscoggin.....	207	36.39	Oxford.....	176	53.23
Aroostook.....	152	22.92	Penobscot.....	384	49.27
Cumberland.....	560	53.05	Piscataquis.....	94	54.16
Franklin.....	105	54.86	Sagadahoc.....	113	54.41
Hancock.....	204	54.77	Somerset.....	200	58.04
Kennebec.....	358	59.50	Waldo.....	169	69.88
Knox.....	173	56.90	Washington.....	229	50.21
Lincoln.....	117	59.48	York.....	370	56.13

Centenarians.—Among the persons whose decease occurred in 1905, three had exceeded the age of 100 years, while one was just 100. All were females. Their names, together with a few facts relating to the life history of each, are as follows:

August 12, Mary M. Cunningham died at Bangor at the age of 105 years, 1 month, and 8 days. She was born in Sedgwick. Her father, Daniel Bridges, and her mother, whose maiden name was Mary Withington, were also born in Sedgwick.

November 23, Diana Beckwith died at Pittston at the age of 102 years, and 9 months. She and also her parents were born in Canada. Her father's name was Robert Wilcox. Her mother's name is not given.

March 7, Elizabeth Tower died at Washburn at the age of 102 years, and 1 month. She and her father, whose name was James Easler, were born in New Brunswick. The name and birthplace of her mother were unknown.

March 22, Amanda Walker died at Palermo at the age of 100 years. She was born in Waldoboro. No facts are known concerning her parents.

Diseases of the Nervous System and of Organs of Special Sense.—The number of deaths registered under the causes included in this group was 1,648 (1,459 in 1892, 1,451 in 1893, 1,543 in 1894, 1,585 in 1895, 1,520 in 1896, 1,661 in 1897, 1,607 in 1898, 1,728 in 1899, 1,652 in 1900, 1,615 in 1901, 1,600 in 1902, 1,641 in 1903, and 1,578 in 1904), or 23.06 to every 10,000 of population.

Inflammation of the Brain or Membranes.—The number of deaths was 216 (236 in 1892, 263 in 1893, 286 in 1894, 261 in 1895, 242 in 1896, 327 in 1897, 272 in 1898, 273 in 1899, 251 in 1900, 264 in 1901, 211 in 1902, 243 in 1903, and 212 in 1904), 119 males and 97 females. Of these, 107 were in the cities. The death-rate from the several diseases grouped under this head was 4.46.

Ages: Under 1, 88; 1-5, 48; 5-10, 4; 10-20, 26; 20-40, 19; 40-60, 20; over 60, 11.

Apoplexy.—From this cause 751 deaths occurred (488 in 1892, 422 in 1893, 408 in 1894, 488 in 1895, 492 in 1896, 555 in 1897, 558 in 1898, 629 in 1899, 583 in 1900, 595 in 1901, 674 in 1902, 712 in 1903, and 714 in 1904), 364 males and 387 females. Of these, 238 were in the cities. The State's death-

rate from apoplexy was, therefore, 10.51; that of the cities, 9.92.

The largest number of deaths from apoplexy, 204, occurred in the spring; the largest number in any one month was 75 in November.

In 1894, 1896, and 1900, the greatest mortality from this cause occurred in the spring; in 1892, 1893, 1895, 1897, 1899, 1901, 1903, and 1904, in the winter; in 1898, in the winter and spring; and in 1902, in the summer.

Conversely, the smallest number of deaths, 47, was in September; the smallest number in any one season was 170 in the summer months. Over 80 per cent. of the deaths were of persons 60 years of age and upward.

APOPLEXY BY COUNTIES AND MONTHS—1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin	4	3	5	3	2	4	3	4	1	6	5	6	-	46	8.09
Aroostook	-	3	1	4	4	5	-	-	-	2	1	1	-	21	3.17
Cumberland	13	6	13	7	14	13	14	11	6	13	20	14	-	144	13.64
Franklin	1	1	-	-	3	2	-	1	2	3	1	-	-	14	7.31
Hancock	2	5	1	4	3	1	3	1	2	4	2	5	-	33	8.86
Kennebec	6	8	4	7	9	4	5	5	5	7	10	13	-	83	13.79
Knox	2	-	2	6	2	5	3	1	2	2	3	5	-	33	10.85
Lincoln.....	1	2	2	1	-	5	-	-	1	1	1	3	-	17	8.64
Oxford.....	4	6	5	3	2	1	1	1	4	3	3	-	-	33	9.98
Penobscot.....	7	5	12	8	8	3	7	5	8	2	9	5	-	79	10.14
Piscataquis	1	3	1	1	1	2	-	1	1	-	-	1	-	12	6.91
Sagadahoc.....	2	2	3	2	6	3	2	6	-	4	3	3	-	36	17.33
Somerset	1	5	9	2	3	2	4	5	6	2	4	1	1	45	13.06
Waldo	4	2	1	4	3	2	3	-	2	-	2	3	-	26	10.75
Washington.....	1	5	2	4	3	2	2	2	4	3	3	1	-	32	7.02
York	11	11	10	3	11	11	6	9	3	10	8	4	-	97	14.72
State.....	60	67	71	59	74	65	53	52	47	62	75	65	1	751	10.51

The following is a tabular exhibit by sex and age-groups of the deaths from apoplexy:

APOPLEXY BY SEX AND AGE-PERIODS—1905.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80	Not stated	Total.
Males	7	2	1	3	2	2	14	50	103	116	62	2	364
Females	5	2	2	2	5	5	18	39	108	133	67	1	387
Total	12	4	3	5	7	7	32	89	211	249	129	3	751

APOPLEXY 1905 AND 1893-1905.

COUNTIES.	1905.		1893-1905.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.
Androscoggin	46	8.09	628	8.49
Aroostook	21	3.17	186	2.16
Cumberland	144	13.64	1,365	9.95
Franklin	14	7.31	196	7.88
Hancock	33	8.86	319	6.59
Kennebec	83	13.79	801	10.24
Knox	33	10.85	363	9.18
Lincoln	17	8.64	229	8.96
Oxford	33	9.98	362	8.11
Penobscot	79	10.14	738	7.28
Piscataquis	12	6.91	141	6.24
Sagadahoc	36	17.33	273	10.11
Somerset	45	13.06	391	8.73
Waldo	26	10.75	303	9.63
Washington	32	7.02	370	6.24
York	97	14.72	916	10.69
State	751	10.51	7,581	8.16

Softening of the Brain.—From cerebral softening there were 29 deaths—those of 18 males and 11 females.

Ages: From 40-50, 2; 50-60, 4; 60-70, 7; 70-80, 11; over 80, 5.

Paralysis.—Of the 235 deaths from paralysis, 106 persons were males and 129 were females.

Ages: Under 1, 0; 1-5, 3; 5-10, 0; 10-20, 2; 20-30, 0; 30-40, 5; 40-50, 14; 50-60, 30; 60-70, 64; 70-80, 71; 80-90, 42; over 90, 4.

Epilepsy.—Twenty-three males and 14 females died of epilepsy, 37 in all.

Ages: Under 1, 2; 1-5, 2; 10-20, 5; 20-40, 10; 40-60, 5; over 60, 12; not stated, 1.

Tetanus.—This disease was the cause of 7 deaths (7 in 1892, 10 in 1893, 6 in 1894, 10 in 1895, 8 in 1896, 2 in 1897, 4 in 1898, 11 in 1899, 7 in 1900, 5 in 1901, 7 in 1902, 11 in 1903, and 14 in 1904). The decedents were 6 males and 1 female. Of these 7 deaths from tetanus, 1 occurred in each of the months January, June, August, and September; and 3 in July, all from the 3rd to the 9th.

Ages: 1-5, 1; 5-10, 2; 10-20, 2; 40-50, 1; over 70, 1.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, pericarditis, angina pectoris, and organic diseases of the heart, there were 1,222 deaths (816 in 1892, 875 in 1893, 940 in 1894, 948 in 1895, 1,036 in 1896, 1,062 in 1897, 1,132 in 1898, 1,028 in 1899, 1,045 in 1900, 1,076 in 1901, 1,097 in 1902, 1,153 in 1903, and 1,191 in 1904). The following exhibits the age and sex distribution of each form of disease for the year 1905:

DISEASES.	Under 1	1-10.	10-20.	20-40.	40-60.	Over 60.	Unknown.	Males.	Females.	Totals.
Pericarditis	-	-	-	2	2	5	-	4	5	9
Endocarditis	2	1	4	3	17	30	-	32	25	57
Organic diseases of heart.....	16	7	17	69	228	728	3	601	467	1,068
Angina pectoris	-	1	-	4	24	59	-	45	43	88
Total	18	9	21	78	271	822	3	682	540	1,222

For the year 1905, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and county:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin.....	80	14.06	Oxford.....	61	18.45
Aroostook.....	48	7.24	Penobscot.....	118	15.14
Cumberland.....	226	21.41	Piscataquis.....	21	12.10
Franklin.....	27	14.11	Sagadahoc.....	44	21.19
Hancock.....	62	16.65	Somerset.....	58	16.83
Kennebec.....	118	19.61	Waldo.....	56	23.15
Knox.....	64	21.05	Washington.....	85	18.64
Lincoln.....	35	17.79	York.....	119	18.05
			State.....	1,222	17.10

As may be noted, Waldo county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 17.10.

The whole number of deaths from diseases of the heart arranged by sex and age-groups was as follows:

HEART DISEASE BY SEX AND AGE-PERIODS—1905.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	14	2	5	7	16	23	42	98	200	191	82	2	682
Females.....	4	1	5	10	29	19	49	82	114	167	68	1	540
Total.....	18	3	10	17	36	42	91	180	314	358	150	3	1,222

Diseases of the Respiratory System.—Without the inclusion of tuberculosis, 1,391 persons died from the various respiratory diseases, as tabulated on page 95 (1,769 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895, 1,141 in 1896, 1,347 in 1897, 1,124 in 1898, 1,455 in 1899, 1,513 in 1900, 1,405 in 1901, 1,380 in 1902, 1,348 in 1903, and 1,428 in 1904). From these diseases there were, therefore, 378 fewer deaths than in 1892, 16 fewer than in 1893, 79 more than in 1894, 226 more than in 1895, 250 more than in 1896, 44 more than in 1897, 267 more than in 1898, 64 fewer than in 1899, 122 fewer than in 1900,

14 fewer than in 1901, 11 more than in 1902, 43 more than in 1903, and 37 fewer than in 1904.

Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis, and the other respiratory diseases, in 1905 the number of deaths was 863 smaller than in 1892, 421 smaller than in 1893, 289 smaller than in 1894, 75 smaller than in 1895, 28 smaller than in 1896, 190 smaller than in 1897, 140 larger than in 1898, 175 smaller than in 1899, 255 smaller than in 1900, 153 smaller than in 1901, 65 smaller than in 1902, 36 larger than in 1903, and 159 smaller than in 1904.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1905 was 19.46 in each 10,000 of population, as compared with 20.56 in 1904, 19.41 in 1903, 19.87 in 1902, 20.23 in 1901, 21.79 in 1900, 20.91 in 1899, 17.00 in 1898, 20.38 in 1897, 17.26 in 1896, 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, 27.16 in 1892.

Pneumonia.—The number of deaths registered under this cause was 1,053 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894, 812 in 1895, 781 in 1896, 936 in 1897, 769 in 1898, 1,067 in 1899, 1,067 in 1900, 994 in 1901, 987 in 1902, 999 in 1903, and 1,050 in 1904), of which 507 were males and 546 were females. The death-rate from this disease was, therefore, 14.73 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, 12.28 in 1895, 11.81 in 1896, 14.16 in 1897, 11.62 in 1898, 15.44 in 1899, 15.36 in 1900, 14.31 in 1901, 14.21 in 1902, 14.39 in 1903, and 15.12 in 1904). As 386 of the deaths occurred in the cities, the urban death-rate was 14.05.

The age distribution of pneumonia by sex and age-groups is shown in the following table:

PNEUMONIA BY SEX AND AGE-PERIODS—1905.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	94	51	6	16	19	32	50	45	60	84	48	2	507
Females.....	74	56	2	14	15	24	32	38	88	133	68	2	546
Total.....	168	107	8	30	34	56	82	83	148	217	116	4	1,053

**PNEUMONIA BY COUNTIES AND MONTHS, WITH
DEATH-RATE PER 10,000—1905.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin	5	18	10	16	17	7	2	2	4	7	6	9	1	104	18.28
Aroostook	5	7	11	9	9	8	3	1	2	3	6	3	-	67	10.10
Cumberland	16	22	14	12	11	7	3	-	5	8	9	11	-	118	11.18
Franklin	-	6	12	3	3	-	-	-	-	1	1	3	-	29	15.15
Hancock	5	6	17	10	6	-	3	2	4	6	4	4	-	67	17.99
Kennebec	21	16	27	10	5	3	-	1	3	1	8	10	-	105	17.45
Knox	2	3	6	4	2	1	-	1	2	3	-	1	-	25	8.22
Lincoln	5	3	3	1	2	-	-	-	-	1	-	-	-	15	7.63
Oxford	6	9	11	5	3	-	-	-	1	-	1	3	-	39	11.80
Penobscot.....	12	31	24	12	12	5	3	3	6	6	10	8	1	133	17.07
Piscataquis	3	3	1	3	4	1	1	1	1	1	1	2	-	22	12.68
Sagadahoc	7	10	14	6	-	3	1	-	-	1	3	1	-	46	22.15
Somerset	7	10	10	9	7	3	-	-	3	3	-	4	-	56	16.25
Waldo	3	8	10	2	1	2	-	-	4	3	1	1	-	35	14.47
Washington.....	12	8	13	13	7	6	3	1	2	4	8	5	-	82	17.98
York	16	16	20	20	13	2	-	4	1	5	2	11	-	110	16.69
State	125	176	203	135	102	48	19	16	38	53	60	76	2	1,053	14.73

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the thirteen years 1893-1905:

PNEUMONIA—1893-1905.

By COUNTIES.	By months.	By age-periods.
Androscoggin... .. 936	January 1,796	Under 1..... 1,834
Aroostook..... 648	February 1,668	1-5..... 1,245
Cumberland..... 2,027	March 1,882	5-10..... 258
Franklin..... 360	April 1,634	10-20..... 451
Hancock..... 649	May..... 1,243	20-30..... 629
Kennebec..... 1,204	June... .. 670	30-40..... 729
Knox..... 475	July..... 308	40-50 885
Lincoln..... 340	August..... 271	50-60..... 1,106
Oxford..... 633	September 390	60-70..... 1,763
Penobscot..... 1,521	October..... 653	70-80..... 2,180
Piscataquis..... 282	November..... 886	Over 80 1,547
Sagadahoc..... 363	December..... 1,269	Not stated..... 54
Somerset..... 644	Not stated... .. 11	Total..... 12,681
Waldo..... 448	Total..... 12,681	
Washington..... 769		
York..... 1,382		
State..... 12,681		

Bronchitis.—From this cause, including both acute and chronic bronchitis, 218 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, 225 in 1895, 220 in 1896, 237 in 1897, 210 in 1898, 233 in 1899, 262 in 1900, 222 in 1901, 241 in 1902, 209 in 1903, and 223 in 1904). Among these decedents, 105 were males and 113 were females. Of these 218 deaths, 67 were in the cities. The largest number of deaths in any one month was 42 in March. In August occurred the smallest number of deaths, 4. The largest number of deaths in three consecutive months was 101 in January, February, and March; the smallest number in any three consecutive months was 24 in July, August, and September. The number of deaths by quarters was 101, 51, 24, and 41, and 1 not stated.

The bronchitis death-rate of the State was 3.05; of the cities, 2.79.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life.

Under 1 year,	57	40-50 years,	3
1-5 years,	18	50-60 years,	15
5-10 years,	2	60-70 years,	18
10-20 years,	2	70-80 years,	55
20-30 years,	3	Over 80 years,	40
30-40 years,	5		

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rate of counties and State:

BRONCHITIS—1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin	1	1	6	-	1	1	-	-	3	2	1	1	-	17	2.99
Aroostook	2	1	1	2	3	-	-	-	1	-	3	1	-	20	3.02
Cumberland	5	5	2	5	4	1	4	-	2	1	1	2	-	32	3.03
Franklin	-	-	-	1	1	-	-	-	-	1	-	-	-	3	1.57
Hancock	1	1	1	2	1	3	-	-	1	1	2	2	-	15	4.03
Kennebec	5	3	3	4	1	-	-	1	-	-	1	3	-	21	3.49
Knox	1	-	-	-	1	-	-	1	-	-	-	2	-	5	1.64
Lincoln	1	1	1	-	-	-	1	-	1	-	-	-	-	5	2.54
Oxford	1	1	1	4	-	1	1	-	1	2	-	-	-	12	3.63
Penobscot	2	6	6	2	2	1	-	-	1	1	1	1	1	24	3.08
Piscataquis	-	1	3	1	-	1	-	-	1	-	-	1	-	8	4.61
Sagadahoc	2	-	-	-	-	1	1	-	-	-	1	1	-	6	2.89
Somerset	2	-	1	-	1	-	-	-	-	-	-	-	-	4	1.16
Waldo	-	2	1	-	-	-	1	-	-	2	1	1	-	8	3.31
Washington	3	2	3	-	-	1	-	-	-	1	-	-	-	10	2.19
York	6	3	7	3	-	2	-	*2	1	-	-	4	-	28	4.25
State	32	27	42	24	15	12	8	4	12	11	11	19	1	218	3.05

Pleurisy.—Twenty-one deaths were charged to this disease (18 in 1892, 19 in 1893, 15 in 1894, 19 in 1895, 19 in 1896, 26 in 1897, 17 in 1898, 24 in 1899, 28 in 1900, 24 in 1901, 16 in 1902, 17 in 1903, and 24 in 1904).—12 males and 9 females.

Ages: Under 1, 1; 10-20, 1; 20-30, 1; 30-40, 5; 40-50, 2; 50-60, 4; 60-70, 1; over 70, 6.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 1,303 (659 in 1892, 653 in 1893, 685 in 1894, 693 in 1895, 679 in 1896, 673 in 1897, 651 in 1898, 1,411 in 1899, 1,411 in 1900, 1,202 in 1901, 973 in 1902, 1,087 in 1903, and 1,076 in 1904), or a death-rate of 18.23. The distribution of these under their several causes will be found on page 96.

Diarrheal Diseases.—The total number of deaths caused by the diseases under this group was 719 (662 in 1892, 642 in 1893, 602 in 1894, 635 in 1895, 639 in 1896, 666 in 1897, 854 in 1898, 662 in 1899, 805 in 1900, 684 in 1901, 476 in 1902, 566 in 1903, and 514 in 1904). The death-rate from this group of diseases was 10.06 per 10,000.

Infantile Diarrhea.—This, as synonymous with cholera infantum or including it, was the cause of 561 deaths (546 in 1892, 507 in 1893, 468 in 1894, 523 in 1895, 520 in 1896, 528 in 1897, 669 in 1898, 565 in 1899, 680 in 1900, 567 in 1901, 360 in 1902, 403 in 1903, and 369 in 1904). A reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates, for this cause. There were in the first quarter of the year but 35 deaths from this cause; in the second quarter, 28; in the third quarter, 391; and in the fourth quarter, 107. The largest number of deaths occurred in August, 168.

Of the children dying from this cause, 58 per cent. were less than 6 months old, and another 29 per cent. were less than 1 year of age, making 87 per cent. of deaths within the first year of age.

Ages: Under 3 months, 151; 3-6 months, 225; 6-9 months, 80; 9-12 months, 41; 12-18, months, 56; 18 months—2 years, 8.

In the classification of deaths from diarrheal diseases, only the deaths among children under 2 years of age are included under "infantile diarrhea." The deaths from diarrheal diseases, other than those under this cause, were: cholera morbus, 12; dysentery, 35; and diarrhea, 111.

Of the 561 deaths from infantile diarrhea, 239 were returned from the cities. This represents an urban death-rate from this cause of 9.96 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, 13.78 in 1895, 11.43 in 1896, 14.95 in 1897, 15.15 in 1898, 11.77 in 1899, 14.84 in 1900, 10.09 in 1901, 6.89 in 1902, 6.49 in 1903, and 6.26 in 1904), which is in contrast with 4.51, the rate for

the villages and rural districts (5.33 in 1892, 4.95 in 1893, 4.47 in 1894, 5.44 in 1895, 6.36 in 1896, 5.05 in 1897, 8.00 in 1898, 6.47 in 1899, 7.37 in 1900, 7.24 in 1901, 4.37 in 1902, 5.50 in 1903, and 4.86 in 1904).

**INFANTILE DIARRHEA BY COUNTIES AND MONTHS—
1905.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.....	1	3	-	2	-	-	18	22	15	10	2	-	73	12.83
Aroostook.....	4	2	1	3	1	2	6	31	35	25	4	2	116	17.49
Cumberland.....	-	-	-	-	-	1	12	20	21	8	1	1	64	6.06
Franklin.....	-	2	-	-	-	-	-	1	7	1	-	-	11	5.75
Hancock.....	-	-	2	-	-	-	1	6	8	5	1	-	28	6.18
Kennebec.....	-	2	4	2	1	1	1	7	15	5	1	-	39	6.48
Knox.....	1	-	-	-	-	-	-	7	4	1	1	-	14	4.60
Lincoln.....	-	-	-	-	-	-	1	-	-	-	2	-	3	1.53
Oxford.....	-	-	1	-	-	1	1	7	5	3	-	-	18	5.44
Penobscot.....	1	-	2	4	1	-	9	32	16	4	4	3	76	9.75
Piscataquis.....	-	-	-	-	-	1	1	1	4	2	-	-	9	5.19
Sagadahoc.....	-	-	1	-	1	-	1	2	2	-	-	-	7	3.37
Somerset.....	-	1	1	-	-	-	-	5	8	4	-	2	21	6.09
Waldo.....	-	-	-	-	-	-	-	-	2	2	1	-	5	2.07
Washington.....	2	-	2	1	1	-	1	5	11	3	-	-	26	5.70
York.....	-	1	1	-	3	2	7	22	11	6	2	1	56	8.50
State.....	9	11	15	12	8	8	59	168	164	79	19	9	561	7.85

The preceding table exhibits the number of deaths from infantile diarrhea in 1905, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhea for the thirteen years 1893-1905, by counties, months, and age-groups.

**INFANTILE DIARRHEA BY COUNTIES, MONTHS, AND
AGE-PERIODS—1893-1905.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin..... 827	January 90	Under 6 months ... 3,610
Aroostook..... 1,255	February..... 81	6-12 months 2,194
Cumberland 818	March..... 102	1-2 years..... 894
Franklin 108	April..... 114	Over 2 years 5
Hancock 186	May..... 109	Unknown 17
Kennebec..... 668	June 174	Total..... 6,720
Knox 176	July..... 904	
Lincoln..... 44	August..... 2,173	
Oxford..... 197	September 1,945	
Penobscot..... 644	October..... 780	
Piscataquis..... 82	November..... 152	
Sagadahoc 133	December..... 93	
Somerset..... 191	Not stated..... 3	
Waldo..... 78	Total..... 6,720	
Washington..... 420		
York..... 893		
State..... 6,720		

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the eight years 1898-1905:

INFANTILE DIARRHEA IN THE CITIES—1898-1905.

CITIES.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	Total.
Auburn	17	9	9	7	3	4	2	8	59
Augusta	20	24	19	18	11	12	14	19	137
Bangor	18	6	13	8	4	16	6	12	83
Bath	6	8	17	4	4	7	2	4	52
Belfast	1	1	4	-	1	-	3	1	11
Bladeford	50	39	43	48	42	19	19	19	279
Brewer	3	8	9	7	2	4	7	13	53
Calais	7	11	12	12	7	9	1	9	68
Eastport	13	5	15	15	-	3	2	2	55
Ellsworth	1	1	1	-	-	1	-	-	4
Gardiner	4	2	2	8	-	-	1	1	18
Hallowell	1	-	2	-	-	1	2	1	7
Lewiston	69	60	63	43	26	20	29	55	365
Old Town	11	11	11	9	11	4	2	20	79
Portland	40	36	70	19	18	24	23	57	267
Rockland	5	2	5	5	4	6	1	9	37
Saco	4	6	10	3	4	2	3	4	36
South Portland	-	3	7	1	3	1	2	6	23
Waterville	17	25	6	12	9	10	13	9	101
Westbrook	8	5	13	8	6	3	9	10	62
Total	295	262	331	227	155	146	141	239	1,796

Peritonitis.—There were 90 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, 125 in 1895, 116 in 1896, 117 in 1897, 102 in 1898, 83 in 1899, 105 in 1900, 99 in 1901, 81 in 1902, 55 in 1903, and 63 in 1904), 36 males and 54 females. Thirty-one of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

PERITONITIS—1905.

By COUNTIES.		By months.		By age periods.	
Androscoggin	7	January	6	Under 1	4
Aroostook	9	February	5	1-5.....	4
Cumberland	11	March	6	5-10.....	8
Franklin	1	April	7	10-20.	20
Hancock	8	May.....	6	20-30.....	11
Kennebec	11	June.....	11	30-40.....	8
Knox	2	July	8	40-50.....	11
Lincoln	1	August	11	50-60.....	7
Oxford	3	September	4	60-70.....	9
Penobscot	11	October	15	70-80.....	5
Piscataquis	4	November.....	8	Over 80	3
Sagadahoc	-	December.....	3	Total	90
Somerset	7	Total	90		
Waldo	3				
Washington	8				
York	4				
State	90				

Appendicitis.—Of the deaths classified under this cause, 68 in number, 32 were males and 36 were females. The number of deaths in each month was: January, 5; February, 3; March, 9; April, 6; May, 9; June, 4; July, 4; August, 8; September, 6; October, 6; November, 6; December, 2.

Ages: Under 1, 1; 1-5, 4; 5-10, 5; 10-20, 19; 20-30, 16; 30-40, 7; 40-50, 6; 50-60, 5; 60-70, 3; over 70, 2.

Cirrhosis of the Liver.—Forty-four deaths were ascribed to cirrhosis of the liver—those of 26 men and 18 women. Of these 44 deaths, 8 were in the cities, and 36 in the rural parts of the State. The death-rate in the State from this one cause was 0.62 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, 0.50 in 1895, 0.33 in 1896, 0.45 in 1897, 0.58 in 1898, 0.52 in 1899; 0.79 in 1900; 0.63 in 1901; 0.63 in 1902; 0.92 in 1903, and 0.66 in 1904).

Diseases of the Genito-Urinary System and its Adnexa.—There were 773 deaths referred to the diseases under this group, equivalent to a death-rate of 10.82.

Nephritis.—Acute nephritis caused the death of 47 persons, 23 males and 24 females. The death-rate from nephritis was, therefore, 0.66.

Ages: Under 1, 1; 1-5, 3; 5-10, 2; 10-20, 5; 20-30, 10; 30-40, 7; 40-50, 5; 50-60, 4; 60-70, 6; 70-80, 3, not stated, 1.

**Bright's Disease*.—This was the cause of 599 deaths (204 in 1892, 217 in 1893, 219 in 1894, 234 in 1895, 282 in 1896, 231 in 1897, 250 in 1898, 262 in 1899, 443 in 1900, 471 in 1901, 523 in 1902, 573 in 1903, and 575 in 1904), 335 males and 264 females. Of these deaths, 217 were in the cities.

The sex and age-group distribution of Bright's disease is as follows:

BRIGHT'S DISEASE BY SEX AND AGE-PERIODS—1905.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
	Males	1	-	1	5	12	12	20	62	97	91	33	1
Females	2	-	2	2	18	17	28	46	74	63	10	2	264
Total	3	-	3	7	30	29	48	108	171	154	43	3	599

* This title includes: Chronic, albuminous, interstitial, or parenchymatous nephritis; albuminuria; amyloid or fatty degeneration of the kidney; amyloid kidney; steatosis of the kidney; renal sclerosis. Also includes when their precise nature is not indicated: Uremia, uremic eclampsia; uremic delirium; uremic coma.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin	39	6.86	Oxford	24	7.26
Aroostook.....	29	4.37	Penobscot.....	58	7.44
Cumberland	125	11.84	Piscataquis	10	5.76
Franklin	20	10.43	Sagadahoc ..	24	11.56
Hancock	28	7.52	Somerset.....	27	7.84
Kennebec	50	8.31	Waldo	23	9.51
Knox	18	5.92	Washington.....	30	6.58
Lincoln	20	10.17	York.....	74	11.23
			State	599	8.38

The Puerperal State.—Under this class of accidents and diseases of reproduction, 51 deaths were registered, not including puerperal fever, (69 in 1892, 50 in 1893, 41 in 1894, 36 in 1895, 56 in 1896, 62 in 1897, 51 in 1898, 40 in 1899, 50 in 1900, 52 in 1901, 69 in 1902, 94 in 1903, and 72 in 1904). This is equivalent to a special death-rate of 0.71.

Deaths from External Causes.—Under this class there were 518 deaths.

Fractures caused 68 deaths—fracture of skull, 31; of thigh, 14; of hip, 11; of spine, 5; of ribs, 3; of neck, 2; of leg, 1; not stated, 1.

Burns and scalds caused 39 deaths—14 were from clothing taking fire; 7, explosion of lamp; 5, scalded with hot water; 2, lighting fire with kerosene; 1, playing with matches; 1, explosion of oil stove; 1, by overturning of oil stove; 1, by overturning lamp; the rest, unspecified.

Sunstroke caused 1 death. Four persons died from exposure to cold.

From accidental drowning, 87 deaths occurred.

Other accidental injuries caused the death of 142 persons; 33 were from railway injuries; 28, from falls; 25, from pistol and gunshot wounds; 11, working in a mill; 6, from falling

timber; 4, by electric cars; 4, from explosions; 3, run over by teams; 2, crushed by buildings; 2, by runaway horses; 1, crushed by cart; 1, tramped on by cow; 1, tramped on by horse; 1, crushed by logs; 1, by swallowing piece of glass; 1, working in shoe shop; and the rest were unspecified.

From acute poisoning there were 24 deaths.

Fifty people met their death from other external violence, including 14 murders.

The death-rate in the State under this class was 7.25.

Suicide.—Within the year 84 persons took their own lives (59 in 1892, the same number in 1893, 39 in 1894, 66 in 1895, 81 in 1896, 71 in 1897, 56 in 1898, 93 in 1899, 66 in 1900, 81 in 1901, 73 in 1902, 77 in 1903, and 107 in 1904), 67 males and 17 females. Of the males, the occupation of 18 was farmer; of 8, laborer; of 6, carpenter; of 3, bookkeeper; of 2 each, merchant and soldier; of 1 each, barber, blacksmith, brakeman, clerk, dentist, doctor, engineer, expressman, foreman, lawyer, machinist, master mariner, packer, painter, potato buyer, railroad employee, sailor, shoe factory employee, spool maker, stone cutter, teamster, telegraph operator; while of 6 no occupation was given.

Of the females, the occupation of 7 was registered as housewife; 3, as housekeeper; 1, as teacher; 1, as domestic; and not stated, 5.

As to the means employed, 25 committed suicide by shooting; 23, by hanging; 11, by poisoning; 13, by drowning; 9, by cutting throat; 1, asphyxiation by illuminating gas; and not stated, 2.

SUICIDES BY AGES, MONTHS, AND COUNTIES—1905.

AGE-PERIODS.	Months.	Counties.	Rate per 10,000 of population.
10-20..... 1	January..... 3	Androscoggin.. 6	1.05
20-30..... 14	February..... 4	Aroostook..... 3	0.45
30-40..... 9	March..... 10	Cumberland... 16	1.52
40-50..... 22	April..... 10	Franklin..... 5	2.61
50-60..... 16	May..... 8	Hancock..... 3	0.81
60-70..... 13	June..... 8	Kennebec..... 6	1.00
70-80..... 5	July..... 6	Knox..... 7	2.30
Over 80..... 4	August..... 6	Lincoln..... 2	1.02
Total..... 84	September..... 12	Oxford..... 6	1.81
	October..... 7	Penobscot..... 7	0.90
	November..... 5	Piscataquis... 3	1.73
	December..... 5	Sagadahoc..... 3	1.44
	Total..... 84	Somerset..... 4	1.16
		Waldo..... 2	0.83
		Washington... 2	0.43
		York..... 9	1.37
		State..... 84	1.18

The youngest suicide was a boy of 14 years; the oldest, a man of 87 years. The largest number of suicides in any month was 15 in September. By quarters, the suicides were 17, 26, 24, and 17. The largest number in any county was 16 in Cumberland. The highest death-rate from suicide was in Franklin county. The rate for the State per 10,000 of population was 1.18.

LIST OF TABLES.

	PAGE
Table No. 1.—Deaths from some of the Leading Causes...	6
Table No. 2.—Population in 1890 and 1900, and Estimated Population for 1905.....	7
Table No. 3.—Births, Marriages, and Deaths, 1897-1905...	7
Table No. 4.—Estimated Population of 1905; Births, Mar- riages and Deaths, with the rate of each to 1,000 of population for the year ending December 31, 1905.....	8
Table.—Summary of Births, Marriages and Deaths.....	9
Table No. 5.—Births and Deaths in each County.....	10
Table No. 6.—Births and Deaths in the Cities.....	11
Table No. 7.—Births, Marriages, and Deaths by Counties and Towns.....	12-61
Table No. 8.—Births, Marriages, and Deaths by Counties	62-63
Table No. 9.—Births and Birth-Rates by Counties, for the years 1898-1905.....	64
Table No. 10.—Births, by Counties, showing the proportion of males to females, 1905.....	65
Table No. 11.—Number of Births in each month of 1898- 1905, with Monthly ratio compared with a Standard of 100.....	66
Table No. 12.—Births by Sex and Months by Counties, 1905.	67
Table No. 13.—Births in Cities, for 1905, with rate per 1,000 of population.....	68
Table No. 14.—Percentage of American and Foreign Births by Counties, 1905.....	69
Table No. 15.—Percentage of American and Foreign Births by Cities, 1905.....	70
Table No. 16.—Twin Births by Months and Counties, 1905..	71
Table No. 17.—Twin Births by Sex and Parentage, by Coun- ties, 1905.....	72
Table. No 18.—Still-Births by Sex and Parentage, by Coun- ties, 1905.....	73
Table No. 19.—Still-Births by Seasons, 1905.....	74
Table No. 20.—Marriages and Marriage Rates by Counties for the years 1898-1905.....	78
Table No. 21.—Marriages by Counties and Nativity, 1905...	79
Table No. 22.—Marriages by Months and Counties, 1905...	79

LIST OF TABLES.

207

	PAGE
Table No. 23.—Number of Marriages in each month of 1898-1905, with Monthly Ratio compared with a Standard of 100.....	80
Table No. 24.—Marriages by Ages and Counties, 1905.....	81
Table No. 25.—Interesting facts in Relation to Marriages..	82-83
Table No. 26.—Divorces decreed by the Supreme Court of Maine in the year 1905.....	86-87
Table No. 27.—Divorces by Causes, sex of Libellants and the Number of years married, 1905.....	88
Table No. 28.—Deaths and Death-Rates by Counties, for the years 1898-1905.....	90
Table No. 29.—Number of Deaths in each Month of 1898-1905, with Monthly Ratio compared with a Standard of 100.....	91
Table No. 30.—The number of Deaths in the State, and in each County, arranged by Classes and Counties	92-97
Table No. 31.—Deaths from All Causes, by Months.....	98-101
Table No. 32.—Deaths from All Causes, by Age-Groups, 1901-1905	102-119
Table No. 33.—Deaths in each Town from Special Causes, Mostly Infectious Diseases.....	120-137
Table No. 34.—Deaths in each Town from Certain Diseases and Groups of Diseases.....	138-159
Table No. 35.—Deaths by Ages, Sex, and Months, by Counties	160-161
Table No. 36.—Number of Deaths from Several Specified Causes, of each sex, in each month, which were registered during fourteen years, 1892-1905	162
Table No. 37.—Mortality by Months, reduced to a Standard Mean of 100; Fourteen years, 1892-1905..	163
Table.—Deaths in each Month for the years 1892-1905.....	166
Table.—Mortality from Ten Prominent Causes, 1898-1905...	168
Table.—Six Infectious Diseases by Counties, 1905.....	169
Table.—Six Infectious Diseases by Cities, 1905.....	170
Table.—Infectious Diseases, 1898-1905.....	171
Table.—Measles by Counties, Months, and Age-Periods, 1896-1905	172
Table.—Scarlet Fever by Counties, Months, and Age-Periods, 1893-1905.....	173
Table.—Grippe by Counties and Months, 1905.....	174
Table.—Whooping Cough by Counties, Months and Age-Periods, 1905.....	175
Table.—Diphtheria by Counties and Months, 1905.....	176
Table.—Diphtheria by Counties, Months, and Age-Periods, 1893-1905	177
Table.—Typhoid Fever by Counties and Months, 1905.....	178

	PAGE
Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1893-1905.....	179
Table.—Consumption by Counties and Months, 1905.....	181
Table.—Consumption by Sex and Age-Periods, 1905.....	181
Table.—Consumption by Counties, Months, and Age-Periods, 1893-1905.....	182
Table.—Rheumatism by Counties, Months, and Age-Periods, 1905	184
Table.—Rheumatism by Counties, Months, and Age-Periods, 1893-1905	185
Table.—Cancer by Sex and Age-Periods, 1905.....	186
Table.—Cancer by Counties and Age-Periods, 1905 and 1893-1905	186
Table.—Old Age by Counties, 1905.....	187
Table.—Apoplexy by Counties and Months, 1905.....	189
Table.—Apoplexy by Sex and Age-Periods, 1905.....	189
Table.—Apoplexy, 1905 and 1893-1905.....	190
Table.—Diseases of the Heart by Ages.....	191
Table.—Diseases of the Heart by Counties.....	192
Table.—Heart Disease by Sex and Age-Periods, 1905.....	192
Table.—Pneumonia by Sex and Age-Periods, 1905.....	193
Table.—Pneumonia by Counties and Months with Death-Rates per 10,000, 1905.....	194
Table.—Pneumonia by Counties Months, and Age-Periods, 1893-1905	195
Table.—Bronchitis by Counties and Months, 1905.....	196
Table.—Infantile Diarrhea by Counties and Months, 1905...	198
Table.—Infantile Diarrhea by Counties, Months, and Age-Periods, 1893-1905.....	199
Table.—Infantile Diarrhea in the Cities, 1898-1905.....	200
Table.—Peritonitis by Counties, Months, and Age-Periods, 1905	201
Table.—Brights' Disease by Sex and Age-Periods, 1905.....	202
Table.—Bright's Disease by Counties, 1905.....	203
Table.—Suicides by Ages, Months, and Counties, 1905.....	205

INDEX.

	PAGE
Age and Mortality.....	167
Appendicitis	201
Apoplexy	188
1905 and 1893-1905.....	190
by counties and months.....	189
by sex and age-periods, 1905.....	190
Birth-rate	75
Birth-rates	8, 9
Births and birth-rates, by counties and years.....	64
by counties, showing proportion of males to females..	65
by seasons	76
by sex and months, by counties.....	67
in cities, for 1905 with rate.....	68
in each month, by years.....	66
notes on.....	75
parentage of.....	75
percentage of American and foreign, by cities.....	70
by counties....	69
relation to deaths.....	10
twin	77
by months and counties.....	71
by sex and parentage.....	72
marriages and deaths, in each town.....	12-63
Brain or membranes, inflammation of.....	188
softening of the.....	190
Bright's Disease.....	202
Bronchitis	195,196
Cancer	185
1905 and 1893-1905.....	186
by sex and age-periods, 1905.....	186
Centenarians	188
Cirrhosis of the liver.....	201

	PAGE
Consumption, by counties and months.....	181
by counties, months, and age-periods, 1893-1905	182
by sex and age-periods, 1905.....	181
Deaths, age and mortality.....	167
causes of	167
by ages, sex and months, by counties.....	160-161
months, reduced to a standard mean for fourteen years	163
in each month, for the years 1892-1905.....	166
in each town, from special causes.....	120-138
from certain diseases and groups of diseases	138-160
in the State and Counties, by classes and counties...	92-97
from all Causes, by months.....	98-101
from all Causes, by age-groups, 1901-1905.....	102-119
from several specified causes in fourteen years.....	162
notes on, and the causes of death.....	164
number in each month, by years.....	91
seasons and mortality.....	164
sex and mortality.....	167
and death-rates, by counties and years.....	90
Death-rates	8, 9
compared	167
Diabetes	187
Diarrheal Diseases	197
Digestive system, diseases of the.....	197
Diphtheria	175
by counties and months.....	176
by counties, months, and age-periods, 1893-1905..	177
Divorces by causes, sex of libellants, etc.....	88
decreed in 1905	86-87
notes on	89
Epilepsy	191
External causes, deaths from.....	203
Genito-Urinary system and its adnexa, diseases of the	201
Grippe	173
deaths from, by counties and months.....	174
Heart, diseases of the.....	191
Infantile Diarrhea	197
by counties and months.....	198
by counties, months, and age-periods, 1893-1905	199
in cities, 1898-1905.....	200
Infectious diseases.....	168
1898-1905	171
six by cities.....	170
six by counties.....	169

	PAGE
Liver, cirrhosis of.....	201
Marriages, interesting facts relating to.....	82-83
rates	8, 9, 84
ages	84
and rates, by counties.....	78
by ages and counties.....	81
by counties and nativity.....	79
by months and counties.....	79
nativity	84
notes on.....	84
number of, in each month, by years.....	80
seasons	84
Malarial diseases	179
Measles	171
by counties, months, and age-periods, 1896-1905....	172
Mortality from ten prominent causes, 1898-1905.....	168
Nephritis	202
Nervous system, diseases of the.....	188
Old Age.....	187
Paralysis	191
Peritonitis	200
by counties, months, and age-periods, 1905.....	201
Pluerisy	196
Pneumonia	193
1893-1905	195
by counties and months, with death-rates.....	194
by sex and age-periods, 1905.....	193
Population	7
Puerperal fever, by months and counties, 1905.....	183
Puerperal state, the.....	203
Respiratory system, diseases of the.....	192
Rheumatism	183
by counties, months and age-periods.....	184, 185
Scarlet fever	172
by counties, months, and age-periods.....	173
Sex and mortality.....	167
Smallpox	171
Still-births	77
by seasons.....	74
by sex and parentage.....	73
Suicide	204
by ages, months, and counties, 1905.....	205
Tetanus	191
Tuberculosis	179
mesenteric	182
other forms.....	182
pulmonary	180

	PAGE
Typhoid fever.....	177
by counties and months, 1905.....	178
by counties, months, and age-periods, 1893- 1905	179
Whooping cough.....	174
by counties, months, and age-periods.....	175