

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

PUBLIC DOCUMENTS OF MAINE:

1908

BEING THE

ANNUAL REPORTS

OF THE VARIOUS

Departments and Institutions

For the Year 1907

VOLUME IV

FIFTEENTH ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES
AND DEATHS

IN THE

STATE OF MAINE

FOR THE

Year Ending December 31, 1906

AUGUSTA
KENNEBEC JOURNAL, PRINT
1907

DEPARTMENT OF VITAL STATISTICS.

OFFICE OF THE REGISTRAR,

AUGUSTA, MAINE, December 17, 1907.

To His Excellency, William T. Cobb, Governor, and the Honorable Executive Council:

GENTLEMEN:—In accordance with the provisions of the law, I have the honor of submitting to you the Fifteenth Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1906.

Very respectfully,

A. G. YOUNG, M. D.,

Registrar of Vital Statistics.

REGISTRATION REPORT, 1906.

This report presents the results of the registration and tabulation of the births, marriages, divorces, and deaths which occurred in the State of Maine during the year 1906.

The number of births registered in that year is 580 more than in the preceding year. The number of births recorded in each of the registration years 1892-1906 is 14,028, 14,604, 14,607, 15,430, 15,429, 15,142, 15,121, 14,475, 14,709, 14,615, 15,166, 15,130, 15,405, 16,005, and 16,585, respectively.

The number of marriages (number of couples married) in 1906 was 6,498, 234 more than in the preceding year. The number of marriages registered in the State in each of the years 1892-1906 is, respectively, 5,726, 5,795, 5,591, 5,729, 5,579, 5,331, 5,144, 5,329, 5,482, 5,735, 5,905, 6,200, 6,208, 6,264, and 6,498.

The number of deaths recorded in the State for the same year was 11,427, a number 46 more than that of the deaths registered in the preceding year. The number of deaths in each year thus far recorded is: in 1892, 12,147; in 1893, 11,134; in 1894, 11,012; in 1895, 10,464; in 1896, 10,626; in 1897, 11,236; in 1898, 10,956; in 1899, 11,370; in 1900, 11,389; in 1901, 11,133; in 1902, 10,673; in 1903, 11,009; in 1904, 11,346; in 1905, 11,381; and in 1906, 11,427.

Compared with 1905, among the chief causes of death there were in 1906, 119 more from diarrheal diseases, 73 more from measles, 71 more from whooping cough, 69 more from nephritis and Bright's disease, 67 more from tuberculosis in all forms, 24 more from diseases of heart, 9 more from diphtheria and croup, and 6 more from diabetes.

On the other hand, there was a smaller number of deaths from the following causes; from influenza, 134 fewer; from diseases of nervous system, 130; from pneumonia, 82; from cancer, 45; from bronchitis, 31; from peritonitis, 31; from typhoid fever, 23; from rheumatism, 6; and from scarlet fever, 2.

Bertillon Classification. The nomenclature of the causes of death in this report is the revised Bertillon classification adopted by the International Commission which met in Paris in August, 1900.

Table No. 1 gives a cursory view of the relative mortality in 1905 and 1906 from some of the leading causes of death.

TABLE No. 1.
Deaths from Some of the Leading Causes.

Diseases.	1905.	1906.	More in 1905.	More in 1906.
Measles.....	32	105	-	73
Scarlet fever.....	7	5	2	-
Influenza.....	243	109	134	-
Whooping cough.....	38	109	-	71
Diphtheria and croup.....	110	119	-	9
Typhoid fever.....	156	133	23	-
Tuberculosis.....	1,109	1,176	-	67
Diarrheal diseases.....	672	791	-	119
Rheumatism.....	60	54	6	-
Cancer.....	662	617	45	-
Diabetes.....	115	121	-	6
Diseases of nervous system.....	1,647	1,517	130	-
Diseases of heart.....	1,222	1,246	-	24
Pneumonia.....	1,053	971	82	-
Bronchitis.....	218	187	31	-
Peritonitis.....	90	59	31	-
Nephritis and Bright's disease.....	646	715	-	69

Population. The population of the State of Maine in 1900, as given by the twelfth census, was 694,466. In 1890, the population of the State was 661,086. There was, therefore, a gain of 33,380 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1890 and in 1900, and the estimated population in 1906.

TABLE No. 2.

Population in 1890 and 1900, and Estimated Population for 1906

Counties.	Population in 1890.	Population in 1900.	Estimated population for 1906.
Androscoggin	48,968	54,242	57,406
Aroostook	49,589	60,744	67,437
Cumberland	90,949	100,689	106,533
Franklin	17,053	18,444	19,279
Hancock	37,312	37,241	37,241
Kennebec	57,012	59,117	60,380
Knox	31,473	30,406	30,406
Lincoln	21,996	19,669	19,669
Oxford	30,586	32,238	33,229
Penobscot	72,865	76,246	78,275
Piscataquis	16,134	16,949	17,438
Sagadahoc	19,452	20,330	20,857
Somerset	32,627	33,849	34,582
Waldo	27,759	24,185	24,185
Washington	44,482	45,232	45,682
York	62,829	64,885	66,119
Total	661,086	694,466	718,718

TABLE No. 3.

Births, Marriages and Deaths, 1898-1906.

State.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.
Number of births.....	14,473	13,895	14,005	14,021	14,508	14,453	14,673	15,294	15,878
Number of marriages ..	5,144	5,329	5,482	5,735	5,905	6,200	6,208	6,264	6,498
Number of deaths	10,956	11,370	11,389	11,133	10,673	11,009	11,346	11,381	11,427
Birth-rate	21.89	20.10	20.30	20.19	20.89	20.81	21.15	21.40	22.09
Marriage-rate.....	7.78	7.71	7.89	8.26	8.50	8.93	8.94	8.76	9.04
Death-rate.....	16.57	16.45	16.40	16.03	15.37	15.85	16.34	15.92	15.90

Birth, Marriage, and Death-Rates. In this report the birth-rates, marriage-rates, and death-rates from all causes are stated as so many among each 1,000 of the population according to the estimated population for 1906, excepting Tables No. 7 and 8.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No 4.

Estimated Population for 1906, Births, Marriages and Deaths with rate of each to 1,000 of Population for the year Ending December 31, 1906.

Counties.	Estimated population for 1906.	Births.	Birth-rate per 1,000.	Marriages.	Marriage-rate per 1,000.	Deaths.	Death-rate per 1,000.
Androscoggin.....	57,406	1,175	20.47	536	9.34	1,054	18.36
Aroostook.....	67,437	2,323	34.45	664	9.85	1,013	15.02
Cumberland.....	106,523	2,179	20.45	918	8.62	1,702	15.98
Franklin.....	19,279	404	20.96	184	9.54	293	15.20
Hancock.....	37,241	768	20.62	319	8.57	469	12.66
Kennebec.....	60,380	1,225	20.72	541	8.96	965	15.98
Knox.....	30,406	531	17.53	263	8.84	460	15.19
Lincoln.....	19,669	310	15.76	150	7.63	249	12.66
Oxford.....	33,229	880	26.48	366	11.01	580	17.45
Penobscot.....	78,275	1,722	22.00	812	10.37	1,397	17.85
Piscataquis.....	17,438	364	20.87	170	9.75	237	13.59
Sagadahoc.....	20,857	366	17.54	151	7.24	296	14.19
Somerset.....	34,582	692	20.01	331	9.57	471	13.62
Waldo.....	24,185	365	15.09	228	9.43	395	16.33
Washington.....	45,682	1,023	22.39	362	7.92	653	14.29
York.....	66,119	1,551	23.46	497	7.52	1,193	18.04
State.....	718,718	15,878	22.09	6,498	9.04	11,427	15.90

The following is a general summary of the births, marriages, and deaths in 1906.

BIRTHS.

Sex.		Parentage.	
Males	8,160	American	9,542
Females	7,695	Foreign	3,265
Not stated	23	One parent foreign	2,891
	<u>15,878</u>	Not stated	<u>180</u>
			15,878
Whole number of births		15,878	
Birth-rate per 1,000 ..		22.09	

MARRIAGES.

Groom and bride both American	4,639
Groom and bride both foreign	696
Groom American, bride foreign	545
Groom foreign, bride American	582
Not stated	<u>36</u>
Whole number of marriages	6,498
Marriage-rate per 1,000	9.04

DEATHS.

Sex.		Nativity.	
Males	5,925	American	9,636
Females	5,497	Foreign	1,591
Not stated	5	Not stated	<u>200</u>
	<u>11,427</u>		11,427
Whole number of deaths		11,427	
Death-rate per 1,000		15.90	

Relation of Births to Deaths. As the total number of births registered in Maine in the year 1906 was 16,585, and the number of deaths was 11,427, the natural increase of births over deaths was 5,158.

The following table shows the number of births and deaths in each county and the preponderance of births over deaths, or vice versa:

TABLE No. 5.

Counties.	Estimated Population for 1906.	Births.	Deaths.	Difference.
Androscoggin	57,406	1,175	1,054	121 gain
Aroostook	67,437	2,323	1,013	1,310 gain
Cumberland	106,533	2,179	1,702	477 gain
Franklin	19,279	404	293	111 gain
Hancock	37,241	768	469	299 gain
Kennebec	60,380	1,225	965	260 gain
Knox	30,406	531	460	71 gain
Lincoln	19,669	310	249	61 gain
Oxford	33,229	880	580	300 gain
Penobscot	78,275	1,722	1,397	325 gain
Piscataquis	17,438	364	237	127 gain
Sagadahoc	20,857	366	296	70 gain
Somerset.....	34,582	692	471	221 gain
Waldo.....	24,185	365	395	30 loss
Washington	45,682	1,023	653	370 gain
York.....	66,119	1,551	1,193	358 gain
State	718,718	15,578	11,427	4,451 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following table, together with the birth-rate and the death-rate per 1,000 of the estimated population in each city. The discrepancy in the death-rates in the cities which may be noted in comparing this table with Table No. 7 is due to the fact that in this table the death-rates are based upon estimated populations, while in Table No. 7 the death-rates are per 1,000 of population as shown by the census of 1900.

TABLE No 6.

Cities.	Population in 1900.	Estimated population in 1906.	Births.	Deaths.	Difference.	Birth-rate.	Death-rate.
Auburn	12,951	13,972	272	227	45 gain	19.47	16.25
Augusta	11,683	12,377	266	253	13 gain	21.49	*12.93
Bangor.	21,850	23,498	343	412	69 loss	14.60	*16.66
Bath.....	10,477	11,529	219	154	65 gain	19.00	13.36
Belfast	4,615	5,373	51	91	40 loss	9.49	16.94
Biddeford.....	16,145	17,166	551	327	224 gain	32.10	19.05
Brewer.....	4,835	5,220	157	87	70 gain	30.08	16.67
Calais	7,655	7,874	172	113	59 gain	21.84	14.76
Eastport.....	5,311	6,448	150	90	60 gain	23.26	16.95
Ellsworth.....	4,297	4,297	68	48	20 gain	15.82	11.17
Gardiner.....	5,501	5,507	103	70	33 gain	18.70	12.71
Hallowell.....	2,714	2,714	40	52	12 loss	14.73	19.16
Lewiston	23,761	24,997	569	546	23 gain	22.76	*19.40
Old Town.....	5,763	6,034	166	146	20 gain	27.51	24.20
Portland	50,145	55,165	1,063	932	131 gain	19.27	*15.90
Rockland	8,150	8,150	160	156	4 gain	19.63	19.14
Saco	6,122	6,150	130	107	23 gain	21.14	17.40
South Portland.....	6,287	6,287	145	82	63 gain	23.06	13.04
Waterville.....	9,477	10,899	336	170	166 gain	30.83	15.60
Westbrook	7,283	7,674	223	100	123 gain	29.06	13.03
Total.....	225,022	241,331	5,184	4,164	1,020 gain	21.49	17.25

* Deaths of non-residents in public institutions: Augusta, 93; Bangor, 48; Lewiston, 61; Portland, 55; deducted from total in estimating death-rate.

TABLE
Births, Marriages, and Deaths
ANDROSCOGGIN

TOWNS.	Population in 1900	BIRTHS.										
		Sex.					Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.		American father and foreign mother.	
									American	Foreign	American	Foreign
Auburn	12,951	137	134	1	272	21.00	132	89	25	22	4	
Durham	1,230	17	13	-	30	24.39	23	5	2	-	-	
East Livermore	2,129	37	36	-	73	34.29	43	19	2	3	-	
Greene	826	8	8	-	16	19.37	14	-	-	2	-	
Leeds	1,065	8	13	-	21	19.72	14	5	2	-	-	
Lewiston	23,761	290	279	-	569	23.95	133	308	62	56	4	
Lisbon	3,603	25	26	-	51	14.15	21	16	6	7	1	
Livermore	1,125	20	13	-	33	29.33	29	2	-	1	1	
Mechanic Falls	1,687	17	15	-	32	18.97	24	3	2	3	-	
Minot	808	2	11	-	13	16.09	10	1	1	1	-	
Poland	1,648	11	8	-	19	11.53	16	-	1	2	-	
Turner	1,842	9	15	-	24	13.03	21	1	-	2	-	
Wales	436	2	7	-	9	20.64	9	-	-	-	-	
Webster	1,131	5	8	-	13	11.41	11	-	-	2	-	
Total	54,242	588	586	1	1,175	21.66	500	449	115	101	10	

No. 7.
for the Year 1906.
COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
94	14	9	7	1	125	103	123	1	227	202	23	2	17.53
2	2	1	1	-	6	6	15	-	21	19	1	1	17.07
19	1	-	1	-	21	18	16	-	34	30	2	2	15.97
8	-	-	1	-	9	10	10	-	20	19	1	-	24.21
15	-	-	-	-	15	11	9	-	20	18	-	2	18.79
110	86	35	25	1	257	275	270	1	546	387	157	2	22.98
13	9	7	2	1	32	18	34	1	53	47	5	1	14.71
4	-	-	1	-	5	7	6	-	13	12	1	-	11.56
20	-	-	2	-	22	8	20	-	28	27	1	-	16.60
3	-	-	1	-	4	5	7	-	12	11	1	-	14.85
12	-	-	1	-	13	18	13	-	31	27	3	1	18.82
10	-	1	-	-	11	12	19	-	31	29	2	-	16.83
4	-	-	-	-	4	2	2	-	4	4	-	-	9.17
10	-	-	2	-	12	11	3	-	14	14	-	-	12.38
324	112	53	44	3	536	504	547	3	1,054	846	197	11	19.43

TABLE
Births, Marriages and Deaths

AROOSTOOK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.				Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity	404	10	10	-	20	49.50	13	1	1	5	-
Ashland.....	1,080	41	28	-	69	63.89	37	11	15	3	3
Bancroft.....	318	7	3	-	10	31.45	5	2	3	-	-
Benedicta.....	350	5	4	-	9	25.71	5	1	-	3	-
Blaine.....	954	11	14	-	25	26.21	17	2	3	3	-
Bridgewater.....	1,179	24	21	-	45	38.17	15	13	9	7	1
Caribou	4,758	106	87	2	195	40.98	86	37	45	23	4
Castle Hill	567	11	9	-	20	35.27	15	1	-	4	-
Crystal	370	8	1	1	10	27.03	6	1	1	2	-
Dyer Brook.....	280	7	5	-	12	42.86	9	-	1	2	-
Easton.....	1,215	21	15	-	36	29.63	9	8	11	8	-
Fort Fairfield.....	4,181	68	56	-	124	29.66	47	25	13	29	10
Fort Kent	2,528	88	66	-	154	60.92	106	9	22	16	1
Frenchville.....	1,316	51	27	-	78	59.27	76	-	-	2	-
Grand Isle	1,104	12	19	-	31	28.08	21	2	5	3	-
Haynesville.....	316	3	6	-	9	28.48	4	-	5	-	-
Hersey	199	3	3	-	6	30.15	3	-	2	1	-
Hodgdon.....	1,130	15	6	-	21	18.58	15	1	2	1	2
Houlton	4,686	67	56	2	125	26.68	36	41	22	25	1
Island Falls.....	1,063	30	27	1	58	54.56	26	15	7	8	2
Limestone	1,131	27	31	-	58	51.28	24	11	8	15	-
Linneus	834	13	10	-	23	27.58	13	3	2	4	1
Littleton	956	9	10	-	19	19.87	5	4	5	4	1
Ludlow.....	394	8	5	-	13	32.99	4	-	3	6	-
Madawaska.....	1,698	32	33	-	65	38.28	59	-	-	6	-
Mapleton	853	11	13	-	24	28.14	16	2	6	-	-

No. 7—Continued.
for the year 1906.
COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
2	-	3	1	-	6	2	3	-	5	3	2	-	12.38
4	1	3	3	-	11	9	8	-	17	13	2	2	15.74
1	1	-	-	-	2	2	3	-	5	3	1	1	15.72
-	-	-	2	-	2	1	5	-	6	5	1	-	17.14
9	1	5	3	-	18	10	9	-	19	16	9	-	19.92
3	1	1	2	-	7	12	2	-	14	7	7	-	11.87
29	10	3	11	-	53	42	44	-	86	73	13	-	18.07
5	-	1	-	1	7	4	1	-	5	4	1	-	8.82
2	-	-	1	-	3	3	3	-	6	4	1	1	16.22
2	-	1	-	-	3	1	1	-	2	2	-	-	7.14
8	4	4	1	-	17	8	6	-	14	11	3	-	11.52
16	2	7	9	1	35	8	10	-	18	14	3	1	4.31
34	-	1	2	-	37	44	21	-	65	63	2	-	25.71
16	-	-	2	-	18	20	24	-	44	43	1	-	33.43
9	-	-	4	-	13	22	12	-	34	29	5	-	30.80
1	-	-	-	-	1	1	5	-	6	5	1	-	18.99
1	-	-	-	-	1	1	-	-	1	1	-	-	5.03
5	-	5	1	-	11	3	3	-	6	6	-	-	5.31
9	10	9	11	-	39	29	17	-	46	27	18	1	9.82
7	2	3	2	-	14	3	13	-	16	13	3	-	15.05
10	2	7	2	-	21	13	8	-	21	16	5	-	18.57
8	1	1	1	-	11	2	3	-	5	4	1	-	6.00
-	-	2	1	1	4	3	7	-	10	7	3	-	10.46
-	1	-	1	-	2	1	4	-	5	3	2	-	12.69
13	1	1	1	-	16	6	20	-	26	26	-	-	15.31
7	2	-	-	-	9	4	3	-	7	5	1	1	8.21

No. 7—Continued.
for the Year 1906.
 COUNTY—CONTINUED.

MARRIAGES.							DEATHS.						Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	1	5	3	-	16	8	8	-	16	11	5	-	13.52
3	-	-	1	-	4	8	3	-	11	8	3	-	25.11
2	3	-	3	-	8	4	10	-	14	11	3	-	10.51
3	1	-	-	-	4	7	-	-	7	5	2	-	11.67
2	2	1	-	-	5	2	5	-	7	4	3	-	8.07
8	-	1	1	-	10	6	2	-	8	8	-	-	9.30
1	-	1	-	-	2	-	2	-	2	2	-	-	9.62
4	-	-	2	-	6	4	5	-	9	7	2	-	15.52
18	2	2	14	-	36	26	17	-	43	30	12	1	11.30
18	-	-	-	-	18	22	21	-	43	40	3	-	30.80
9	1	2	2	-	14	7	10	-	17	17	-	-	17.35
1	1	2	2	1	7	2	-	-	2	-	2	-	4.87
13	1	4	12	-	30	49	39	-	88	81	7	-	46.86
6	1	1	-	-	8	4	9	-	13	10	3	-	10.61
1	1	-	1	-	3	4	1	-	5	2	2	1	19.30
3	1	-	-	-	4	6	3	-	9	8	1	-	24.52
3	3	3	-	-	9	7	10	-	17	13	4	-	15.51
-	-	-	-	-	-	-	1	-	1	1	-	-	5.26
-	-	-	1	-	1	3	-	-	3	3	-	-	7.50
3	-	1	4	-	8	11	3	-	14	11	3	-	38.04
1	1	1	1	-	4	6	3	-	9	8	-	1	31.58
6	-	-	2	-	8	4	2	-	6	4	2	-	13.24
2	-	-	-	-	2	8	7	-	15	13	2	-	29.88
1	-	-	-	-	1	1	-	-	1	1	-	-	22.73
10	-	1	-	4	15	23	12	-	35	32	3	-	86.21
1	-	-	-	-	1	-	-	-	-	-	-	-	-

TABLE
Births, Marriages, and Deaths

AROSTOOK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Glenwood Pl.....	178	-	2	-	2	11.24	2	-	-	-	-
Hamlin Pl.....	574	14	13	-	27	47.04	16	-	4	7	-
Hammond Pl.....	116	1	1	-	2	17.24	1	-	1	-	-
Hill Pl.....	124	7	3	-	10	80.64	5	1	3	1	-
Macwahoc Pl.....	153	1	3	-	4	26.14	3	-	1	-	-
Merrill Pl.....	298	6	10	-	16	53.69	8	1	4	3	-
Moro Pl.....	217	3	1	-	4	18.43	3	-	1	-	-
Nashville Pl.....	32	-	-	-	-	-	-	-	-	-	-
New Canada Pl.....	419	11	8	-	19	45.34	10	1	4	4	-
Oxbow Pl.....	153	1	8	-	9	58.82	8	-	1	-	-
Portage Lake Pl.....	241	4	4	-	8	33.20	3	1	2	2	-
Reed Pl.....	399	7	6	-	13	32.58	8	2	2	1	-
St. Francis Pl.....	568	19	16	-	35	61.62	26	1	4	4	-
St. John Pl.....	371	5	5	-	10	26.95	6	-	2	2	-
Silver Ridge Pl.....	168	2	4	-	6	35.71	4	1	1	-	-
Stockholm Pl.....	191	7	8	-	15	78.53	13	1	1	-	-
Wade Pl.....	271	10	4	-	14	51.66	7	-	4	3	-
Wallagrass Pl.....	784	16	20	-	36	45.92	29	2	3	2	-
Westmanland Pl.....	160	1	1	-	2	20.00	-	1	-	1	-
No. 8, R. 4.....	111	-	1	-	1	9.01	-	-	1	-	-
Molunkus.....	74	-	-	-	-	-	-	-	-	-	-
No. 9, R. 4.....	23	-	-	-	-	-	-	-	-	-	-
Total.....	*59,672	1,259	1,058	6	2,323	38.93	1,295	321	359	316	32

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued.

for the Year 1906.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	-	1	-	1	1	-	-	5.62
3	-	-	3	-	6	10	6	-	16	16	-	-	27.87
-	1	-	-	-	1	2	-	-	2	2	-	-	17.24
-	-	-	2	-	2	2	2	-	4	2	2	-	32.26
2	-	-	-	-	2	3	1	-	4	3	1	-	26.14
2	-	-	-	-	2	3	2	-	5	3	2	-	16.78
2	-	-	-	-	3	2	2	-	4	3	1	-	18.43
1	-	-	-	-	1	-	-	-	-	-	-	-	-
3	-	1	-	-	4	9	7	-	16	16	-	-	38.19
2	-	-	-	-	2	4	-	-	4	1	3	-	26.14
4	-	-	2	-	6	2	2	-	4	1	3	-	16.60
3	3	4	5	-	15	3	5	-	8	4	4	-	20.05
5	-	-	1	-	6	4	4	-	8	8	-	-	14.08
3	-	2	1	-	6	-	5	-	5	4	1	-	13.48
-	-	1	-	-	1	-	1	-	1	1	-	-	5.95
5	2	-	-	-	7	6	7	-	13	11	2	-	68.06
2	-	-	1	-	3	2	-	-	2	1	1	-	7.38
9	-	-	2	-	11	13	15	-	28	26	2	-	35.71
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	2	-	1	1	18.02
-	-	-	-	-	-	-	1	-	1	1	-	-	13.51
-	-	-	-	-	-	-	1	-	1	1	-	-	43.48
375	64	90	127	8	664	543	470	-	1,013	832	170	11	16.98

TABLE
Births, Marriages, and Deaths
CUMBERLAND

Towns.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin.....	821	9	9	-	18	21.92	17	-	1	-	-
Bridgton.....	2,868	38	21	-	59	20.57	52	3	3	-	1
Brunswick.....	6,806	83	84	-	167	24.54	46	85	23	11	2
Cape Elizabeth.....	887	11	7	-	18	20.29	10	4	2	2	-
Casco.....	783	8	5	-	13	16.60	12	1	-	-	-
Cumberland.....	1,404	15	14	-	29	20.66	23	3	2	1	-
Falmouth.....	1,511	12	14	-	26	17.20	20	3	2	1	-
Freeport.....	2,339	17	19	-	36	15.39	31	2	2	-	1
Gorham.....	2,540	22	19	-	41	16.14	34	2	3	1	1
Gray.....	1,388	19	11	-	30	21.61	26	1	-	1	2
Harpswell.....	1,750	24	19	-	43	24.57	37	1	3	2	-
Harrison.....	969	5	15	-	20	20.64	20	-	-	-	-
Naples.....	813	8	7	-	15	18.45	14	-	-	1	-
New Gloucester.....	1,162	11	13	-	24	20.65	19	1	3	1	-
North Yarmouth.....	642	7	2	-	9	14.02	7	2	-	-	-
Otisfield.....	728	5	5	-	10	13.74	7	1	-	2	-
Portland.....	50,145	534	528	1	1,063	21.20	484	373	82	98	26
Pownal.....	592	7	4	-	11	18.58	7	-	-	3	1
Raymond.....	823	11	5	-	16	19.44	16	-	-	-	-
Scarboro.....	1,865	19	18	-	37	19.84	27	5	-	3	2
Sebago.....	576	10	5	-	15	26.04	12	3	-	-	-
South Portland.....	6,287	78	66	1	145	23.06	101	19	16	8	1
Standish.....	1,504	16	19	-	35	23.27	34	-	-	1	-
Westbrook.....	7,283	112	111	-	223	30.62	84	71	34	33	1
Windham.....	1,929	19	12	-	31	16.07	24	3	2	2	-
Yarmouth.....	2,274	26	19	-	45	19.79	31	5	4	3	2
Total.....	100,689	1,126	1,051	2	2,179	21.64	1,195	588	182	174	40

No. 7—Continued.
for the Year 1906.
COUNTY.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
6	-	1	-	-	7	12	7	-	19	18	1	-	23.14	
15	-	-	1	-	16	20	21	-	41	36	5	-	14.30	
28	8	7	9	-	52	47	58	-	105	81	23	1	15.43	
5	-	-	-	-	5	7	5	-	12	8	4	-	13.53	
3	-	2	-	-	5	5	5	-	10	10	-	-	12.77	
5	-	1	-	1	7	13	9	-	22	21	1	-	15.67	
5	1	1	-	-	7	7	9	-	16	15	1	-	10.59	
21	-	-	-	1	22	15	23	-	38	37	1	-	16.25	
19	-	1	3	-	23	25	24	-	49	48	1	-	19.30	
11	-	-	-	-	11	9	8	-	17	15	1	1	12.25	
13	-	4	2	-	19	14	18	-	32	32	-	-	18.29	
5	-	-	-	-	5	11	6	-	17	16	-	1	17.54	
5	-	1	-	-	6	6	3	-	9	9	-	-	11.07	
7	-	-	-	-	7	7	10	-	17	17	-	-	14.63	
5	-	-	-	-	5	3	4	-	7	6	1	-	10.90	
3	-	-	-	-	3	6	7	-	13	13	-	-	17.86	
323	106	59	48	2	538	468	464	-	932	702	199	31	18.59	
3	-	-	1	-	4	4	6	-	10	10	-	-	16.89	
6	-	1	-	-	7	7	5	-	12	12	-	-	14.58	
8	-	1	-	-	9	14	12	-	26	19	7	-	13.94	
6	-	-	-	-	6	5	6	-	11	11	-	-	19.10	
41	1	8	5	-	55	43	39	-	82	72	9	1	13.04	
14	-	-	1	-	15	13	22	-	35	35	-	-	23.27	
32	9	3	8	1	53	53	47	-	100	82	16	2	13.73	
11	-	-	-	-	11	15	16	-	31	29	2	-	16.07	
17	-	2	1	-	20	17	22	-	39	36	3	-	17.15	
617	125	92	79	5	918	846	856	-	1,702	1,390	275	37	16.90	

TABLE
Births, Marriages, and Deaths
FRANKLIN

Towns.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Avon	448	3	1	-	4	8.93	4	-	-	-	-
Carthage	334	3	2	-	5	14.97	4	-	-	1	-
Chesterville	709	4	4	-	8	11.28	7	-	1	-	-
Eustis	436	7	9	-	16	35.70	12	2	2	-	-
Farmington	3,288	25	22	-	47	14.29	39	1	1	2	4
Freeman	397	1	3	-	4	10.08	3	-	-	1	-
Industry	553	3	7	-	10	18.08	9	-	1	-	-
Jay	2,753	60	57	-	117	42.42	27	74	10	5	1
Kingfield	693	3	6	-	9	12.99	6	2	1	-	-
Madrid	326	3	4	-	7	21.47	7	-	-	-	-
New Sharon	946	10	4	-	14	14.80	12	-	1	-	1
New Vineyard	534	7	3	-	10	17.12	10	-	-	-	-
Phillips	1,399	15	10	-	25	17.57	21	1	2	1	-
Rangeley	981	17	14	-	31	32.26	23	6	2	-	-
Salem	195	2	2	-	4	20.51	4	-	-	-	-
Strong	637	6	5	-	11	17.27	10	1	-	-	-
Temple	394	3	5	-	8	20.30	7	-	-	-	1
Weld	738	8	8	-	16	21.68	14	-	1	1	-
Wilton	1,647	17	20	-	37	22.47	33	-	3	1	-
Coplin Pl	70	1	2	-	3	42.86	3	-	-	-	-
Dallas Pl	172	2	7	-	9	52.33	7	1	1	-	-
Lang Pl	87	1	1	-	2	22.98	2	-	-	-	-
Rangeley Pl	98	1	1	-	2	20.41	2	-	-	-	-
Sandy River Pl	78	2	-	-	2	25.64	1	-	1	-	-
Jerusalem	35	-	-	-	-	-	-	-	-	-	-
Lowelltown	90	-	-	-	-	-	-	-	-	-	-
Perkins	63	-	-	-	-	-	-	-	-	-	-
Washington	20	-	-	-	-	-	-	-	-	-	-
No. 4. R. 3	33	1	2	-	3	90.90	2	-	1	-	-
Total	*18,189	205	199	-	404	22.07	269	88	28	12	7

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

**No. 7—Continued.
for the Year 1906.
COUNTY.**

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
3	-	-	-	-	3	3	3	-	6	5	1	-	13.39
2	-	-	-	-	2	4	3	-	7	5	2	-	20.96
8	-	-	-	-	8	3	5	-	8	8	-	-	11.28
4	1	1	1	-	7	2	4	-	6	6	-	-	13.76
34	-	1	1	-	36	28	30	-	58	55	3	-	17.64
4	-	-	-	-	4	3	5	-	8	8	-	-	20.15
6	-	1	-	-	7	6	1	-	7	7	-	-	12.66
17	11	2	2	-	32	32	16	-	48	37	11	-	17.40
5	-	1	-	-	6	8	6	-	14	13	1	-	20.20
1	-	-	-	-	1	4	1	-	5	5	-	-	15.34
9	-	-	-	-	9	5	7	-	12	12	-	-	12.68
1	-	-	1	-	2	2	4	-	6	6	-	-	10.27
16	-	-	-	-	16	18	5	-	23	22	1	-	16.44
10	-	1	2	-	13	15	5	-	20	16	1	3	20.81
1	-	-	-	-	1	1	1	-	2	2	-	-	10.25
3	-	-	2	-	5	5	4	-	9	9	-	-	14.13
1	-	-	-	-	1	2	3	-	5	5	-	-	12.69
7	-	1	-	-	8	5	5	-	10	10	-	-	13.55
18	1	1	-	-	20	16	12	-	28	27	1	-	17.00
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	5.81
-	-	-	-	-	-	1	-	-	1	1	-	-	11.49
-	-	-	-	-	-	1	-	-	1	1	-	-	10.70
1	-	-	-	-	1	-	1	-	1	1	-	-	12.82
-	-	-	-	-	-	1	-	-	1	1	-	-	28.57
-	-	-	-	-	-	1	1	-	2	2	-	-	22.22
-	-	-	-	-	-	2	-	-	2	2	-	-	31.75
2	-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	2	1	-	1	60.60
153	13	9	9	-	184	170	123	-	293	268	21	4	16.01

TABLE
Births, Marriages and Deaths

HANCOCK

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst	364	3	4	-	7	19.23	7	-	-	-	
Aurora	152	-	2	-	2	13.16	1	-	1	-	
Bluehill	1,828	16	16	-	32	17.51	30	-	2	-	
Brooklin	936	7	12	-	19	20.30	18	-	-	1	
Brooksville.....	1,171	5	14	-	19	16.23	15	-	1	2	
Bucksport	2,339	20	15	-	35	14.96	33	-	2	-	
Castine	925	11	11	-	22	23.78	21	-	1	-	
Cranberry Isles	374	7	4	-	11	29.41	9	-	-	2	
Dedham.....	327	5	4	-	9	27.52	6	-	2	1	
Deer Isle.....	2,047	18	32	-	50	24.43	46	-	2	2	
Eastbrook	248	4	5	-	9	36.29	9	-	-	-	
Eden	4,379	69	51	1	121	27.63	92	13	6	9	
Ellsworth	4,297	41	27	-	68	16.82	60	-	5	3	
Franklin	1,201	16	19	-	35	29.14	34	-	-	1	
Gouldsboro	1,259	-	-	-	-	-	-	-	-	-	
Hancock	900	10	13	-	23	25.56	22	-	-	1	
Isle au Haut	182	2	1	-	3	16.48	3	-	-	-	
Lamoine	594	8	4	-	12	20.20	9	2	1	-	
Mariaville	218	2	1	-	3	13.76	3	-	-	-	
Mount Desert	1,600	22	14	-	36	22.50	27	4	2	3	
Orland	1,251	8	11	-	19	15.19	18	-	1	-	
Otis.....	152	1	3	-	4	26.22	4	-	-	-	
Penobscot	1,156	9	11	-	20	17.30	19	-	1	-	
Sedgwick	902	9	12	-	21	23.28	17	-	1	2	
Sorrento	117	2	3	-	5	42.73	5	-	-	-	
South West Harbor ..	-	8	9	-	17	-	15	1	1	-	

No. 7—Continued.
for the Year 1906.
COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
1	-	-	-	-	1	2	-	-	2	2	-	-	5.49
2	-	-	-	-	2	1	2	-	3	3	-	-	19.74
10	-	-	-	-	10	13	17	-	30	29	-	1	16.41
-	-	-	-	-	-	8	2	-	10	10	-	-	10.68
8	-	-	-	-	8	13	11	-	24	23	1	-	20.50
23	-	-	1	-	24	20	19	1	40	36	2	2	17.10
5	-	-	-	-	5	14	9	-	23	21	-	2	24.86
2	1	2	-	-	5	3	2	-	5	5	-	-	13.36
2	-	-	-	-	2	1	5	-	6	4	1	1	18.35
15	-	-	-	-	15	19	14	-	33	33	-	-	16.12
1	-	-	-	-	1	1	1	-	2	2	-	-	8.06
46	3	5	7	1	62	23	24	-	47	42	5	-	10.73
32	-	-	-	-	32	25	23	-	48	45	3	-	11.17
6	1	-	-	-	7	8	4	-	12	12	-	-	9.99
7	-	-	-	-	7	-	-	-	-	-	-	-	-
6	1	-	1	-	8	4	4	-	8	7	1	-	8.89
2	-	-	-	-	2	-	-	-	-	-	-	-	-
6	-	-	-	-	6	1	3	-	4	4	-	-	6.73
1	-	-	-	-	1	-	1	-	1	1	-	-	4.59
21	-	-	1	-	22	9	4	-	13	13	-	-	8.12
8	-	-	1	-	9	6	6	-	12	12	-	-	9.59
2	-	-	-	-	2	2	-	-	2	2	-	-	13.11
8	-	-	-	-	8	9	3	-	12	12	-	-	10.30
10	-	-	-	-	10	7	6	-	13	13	-	-	14.41
1	-	-	-	-	1	2	1	-	3	3	-	-	25.64
6	-	-	-	-	6	11	3	-	14	14	-	-	-

TABLE
Births, Marriages, and Deaths

HANCOCK

TOWNS.	Population in 1900.	BIRTHS.										
		Sex.					Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.		American father and foreign mother.	
									American father.	foreign mother.	American mother.	foreign father.
Stonington.....	1,648	23	25	-	48	29.13	31	9	5	3	-	
Sullivan.....	1,034	9	12	-	21	20.31	16	1	2	2	-	
Surry.....	900	4	5	-	9	10.00	8	-	1	-	-	
Swan's Island	758	6	6	-	12	15.83	12	-	-	-	-	
Tremont	2,010	13	19	-	32	15.92	30	-	1	1	-	
Trenton	459	4	5	-	9	19.61	8	-	-	1	-	
Verona	234	4	1	-	5	21.36	5	-	-	-	-	
Waltham	192	3	1	-	4	20.83	4	-	-	-	-	
Winter Harbor.....	571	11	6	-	17	29.77	14	1	1	1	-	
Long Island Pl.....	174	2	5	-	7	40.22	7	-	-	-	-	
No. 8 Pl.	17	-	-	-	-	-	-	-	-	-	-	
No. 21 Pl.....	58	-	-	-	-	-	-	-	-	-	-	
No. 33 Pl.....	82	-	2	-	2	24.39	2	-	-	-	-	
Total	*37,056	332	385	1	768	20.73	660	31	39	35	3	

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See table No. 2.

No. 7—Continued.

for the Year 1906.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
14	3	1	2	-	20	17	6	-	23	20	3	-	13.96
9	-	-	1	-	10	9	8	-	17	17	-	-	16.44
4	-	-	-	-	4	8	5	-	13	13	-	-	14.44
4	-	-	-	-	4	8	6	-	14	13	-	1	18.47
8	-	-	-	-	8	7	6	-	13	13	-	-	6.47
-	-	-	-	-	-	6	3	-	9	8	1	-	19.61
2	-	-	-	-	2	1	-	-	1	1	-	-	4.27
4	-	-	-	-	4	1	-	-	1	1	-	-	5.21
6	1	-	-	-	7	3	3	-	6	5	1	-	10.51
1	-	-	-	-	1	1	-	-	1	1	-	-	5.75
-	-	-	-	-	-	2	-	-	2	2	-	-	117.65
2	-	-	-	-	2	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	2	-	2	2	-	-	24.39
286	10	8	14	1	319	265	208	1	469	444	18	7	12.66

TABLE
Births, Marriages and Deaths
KENNEBEC

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion	878	9	8	-	17	19.32	16	-	1	-	-
Augusta.....	11,683	136	130	-	266	22.77	137	83	25	20	1
Belgrade.....	1,058	14	6	-	20	18.90	18	-	1	1	-
Benton.....	1,097	10	18	-	28	25.52	21	2	1	3	1
Chelsea.....	3,092	10	8	-	18	5.82	14	2	-	2	-
China.....	1,350	16	14	-	30	21.74	24	1	3	-	2
Clinton.....	1,398	13	9	-	22	15.74	22	-	-	-	-
Farmingdale.....	848	5	4	-	9	10.61	6	3	-	-	-
Fayette.....	560	2	7	-	9	16.07	7	2	-	-	-
Gardiner.....	5,501	55	48	-	103	18.72	69	13	11	10	-
Hallowell.....	2,714	18	22	-	40	14.74	26	7	6	1	-
Litchfield.....	1,057	4	6	-	10	9.46	9	-	-	1	-
Manchester.....	518	6	2	-	8	15.44	8	-	-	-	-
Monmouth.....	1,236	9	10	-	19	15.37	14	3	2	-	-
Mount Vernon.....	906	11	6	-	17	18.76	15	1	-	1	-
Oakland.....	1,913	8	20	-	28	14.64	23	1	2	2	-
Pittston.....	1,177	9	12	-	21	17.84	19	2	-	-	-
Randolph.....	1,077	5	9	-	14	13.00	7	3	2	1	1
Readfield.....	994	5	10	-	15	15.09	14	1	-	-	-
Rome.....	420	3	5	-	8	19.05	8	-	-	-	-
Sidney.....	1,068	9	8	-	17	15.92	14	2	-	1	-
Vassalboro.....	2,062	12	13	-	25	14.06	13	2	4	6	-
Vienna.....	406	5	5	-	10	24.63	9	-	-	1	-

No. 7—Continued.
for the year 1906.
COUNTY.

MARRIAGES.							DEATHS.						Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
5	-	-	-	-	5	9	4	-	13	13	-	-	14.81
90	14	14	11	4	133	189	114	-	253	139	112	2	21.66
7	-	-	-	-	7	9	5	-	14	14	-	-	13.23
10	-	-	-	-	10	13	6	-	19	19	-	-	17.32
6	1	-	-	-	7	7	4	-	11	8	2	1	3.56
13	-	2	-	-	15	17	15	-	32	32	-	-	23.19
7	-	1	-	-	8	10	9	-	19	18	-	1	13.59
4	-	-	-	-	4	6	5	-	11	11	-	-	12.97
3	-	1	-	-	4	8	5	-	13	12	1	-	23.21
50	1	6	6	-	63	41	29	-	70	62	8	-	12.72
18	2	-	1	-	21	30	22	-	52	46	6	-	19.16
5	-	-	-	-	5	8	4	-	12	12	-	-	11.35
1	-	-	-	-	1	2	1	-	3	3	-	-	5.79
2	-	1	3	-	6	12	6	-	18	16	1	1	14.56
7	-	-	-	-	7	5	5	-	10	10	-	-	11.04
16	1	-	-	-	17	21	16	-	37	33	2	2	19.34
7	-	1	-	-	8	5	10	-	15	15	-	-	12.74
4	2	1	-	-	7	5	7	-	12	12	-	-	11.14
8	2	1	-	-	11	3	6	-	9	9	-	-	9.05
4	-	-	-	-	4	1	-	-	1	1	-	-	2.38
6	-	-	-	-	6	9	8	-	17	16	1	-	15.92
10	3	-	-	-	13	26	13	-	39	35	4	-	18.91
1	-	-	-	-	1	6	4	-	10	9	1	-	24.63

TABLE
Births, Marriages, and Deaths

KENNEBEC.

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Waterville	9,477	178	158	-	336	35.45	125	110	54	43	4
Wayne	707	3	8	-	11	15.56	10	1	-	-	-
West Gardiner	693	3	3	-	6	8.66	6	-	-	-	-
Windsor	782	1	2	-	3	3.84	3	-	-	-	-
Winslow	2,277	37	28	-	65	28.55	21	27	13	3	1
Winthrop	2,088	23	26	-	49	23.47	31	16	-	2	-
Unity Pl	50	1	-	-	1	20.00	-	-	1	-	-
Togus	-	-	-	-	-	-	-	-	-	-	-
Total	59,117	620	605	-	1,225	20.72	709	282	126	98	10

No. 7—Continued.

for the Year 1906.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
82	20	12	11	2	127	88	82	-	170	129	34	7	17.94
7	-	-	-	-	7	5	4	-	9	9	-	-	12.73
2	-	-	-	-	2	3	7	-	10	10	-	-	14.43
4	-	-	-	-	4	4	3	-	7	7	-	-	8.95
9	6	5	-	-	20	19	17	-	36	27	9	-	15.81
10	1	-	1	-	12	18	15	-	33	30	2	1	15.81
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	10	-	-	10	10	-	-	-
404	53	45	33	6	541	539	426	-	965	767	183	15	16.32

TABLE
Births, Marriages, and Deaths

KNOX

TOWNS.	Population in 1900	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton	975	8	12	-	20	20.51	20	-	-	-	-
Camden	2,825	20	24	-	44	14.16	33	1	3	4	3
Cushing	604	5	4	-	9	14.90	9	-	-	-	-
Friendship	814	6	9	-	15	18.43	12	2	-	1	-
Hope	599	5	8	-	13	21.70	12	-	-	1	-
Hurricane Isle	257	2	4	-	6	23.35	1	4	1	-	-
North Haven	551	7	3	-	10	18.15	10	-	-	-	-
Rockland	8,150	85	75	-	160	19.63	115	27	11	6	1
Rockport	2,314	15	21	-	36	15.56	28	4	2	1	1
St. George	2,206	32	27	-	59	26.75	35	20	3	1	-
South Thomaston	1,426	11	16	-	27	18.93	19	2	4	2	-
Thomaston	2,688	15	9	-	24	8.93	19	2	2	1	-
Union	1,248	8	9	-	17	13.62	17	-	-	-	-
Vinalhaven	2,358	33	20	-	53	22.48	44	5	4	-	-
Warren	2,369	12	14	-	26	12.57	21	-	1	4	-
Washington	1,019	9	2	-	11	10.79	11	-	-	-	-
Matinicus Isle Pl.....	184	1	-	-	1	5.43	1	-	-	-	-
Muscle Ridge Pl.....	-	-	-	-	-	-	-	-	-	-	-
Total	*30,287	274	257	-	531	17.53	407	67	31	21	5

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued.
for the Year 1906.
COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
4	-	-	-	-	4	7	4	-	11	11	-	-	11.28
33	-	2	2	-	37	24	22	-	46	41	4	1	16.28
6	-	-	-	-	6	2	4	-	6	6	-	-	9.93
7	-	-	-	-	7	5	7	-	12	10	2	-	14.74
2	-	-	-	-	2	6	6	-	12	12	-	-	20.03
3	-	-	-	-	3	1	1	-	2	1	1	-	7.78
6	-	-	-	-	6	6	3	-	9	8	1	-	16.33
74	5	4	6	-	89	95	61	-	156	139	17	-	19.14
21	-	1	2	-	24	13	19	-	32	30	2	-	13.61
14	-	-	1	-	15	11	13	-	24	18	6	-	10.88
4	2	-	-	-	6	11	9	-	20	16	4	-	14.03
14	-	-	-	-	14	26	19	-	45	42	3	-	16.74
10	-	-	-	-	10	13	10	-	23	23	-	-	18.42
25	-	3	2	-	30	9	10	-	19	17	2	-	8.06
6	-	1	-	-	7	11	20	-	31	30	1	-	14.98
7	-	-	-	-	7	3	7	-	10	10	-	-	9.31
1	-	-	-	-	1	-	2	-	2	2	-	-	10.87
-	-	1	-	-	1	-	-	-	-	-	-	-	-
237	7	12	13	-	269	243	217	-	460	416	43	1	15.19

TABLE
Births, Marriages and Deaths

LINCOLN

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna.....	444	4	7	-	11	24.77	11	-	-	-	-
Boothbay.....	1,766	14	16	-	30	16.99	28	-	1	-	1
Boothbay Harbor....	1,926	23	25	-	48	24.92	44	1	-	2	1
Bremen.....	657	2	2	-	10	15.22	8	-	-	2	-
Bristol.....	2,572	19	15	-	34	13.21	32	-	1	1	-
Damariscotta.....	876	9	4	-	13	14.84	12	-	-	1	-
Dresden.....	882	8	4	-	12	13.61	10	-	1	1	-
Edgecomb.....	607	6	-	-	6	9.88	6	-	-	-	-
Jefferson.....	1,155	6	4	-	10	8.66	10	-	-	-	-
Newcastle.....	1,075	10	14	-	24	22.33	24	-	-	-	-
Nobleboro.....	810	6	7	-	13	16.05	13	-	-	-	-
Somerville.....	374	5	-	-	5	13.37	5	-	-	-	-
Southport.....	527	8	1	-	9	17.08	9	-	-	-	-
Waldoboro.....	3,145	34	17	1	52	16.53	46	3	2	1	-
Westport.....	330	1	2	-	3	9.09	3	-	-	-	-
Whitefield.....	1,156	6	1	-	7	6.06	7	-	-	-	-
Wiscasset.....	1,273	14	9	-	23	18.07	22	-	-	1	-
Monhegan Pl.....	94	-	-	-	-	-	-	-	-	-	-
Total.....	19,669	181	128	1	310	15.76	290	4	5	9	2

No. 7—Continued.
for the Year 1906.
 COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Total.	Nativity.			Death-rate per 1,000.
						Male.	Female.	Not stated.		American.	Foreign.	Not stated.	
2	-	-	-	-	2	4	4	-	8	8	-	-	18.02
19	-	1	2	-	22	11	5	-	16	15	1	-	9.06
16	-	1	-	-	17	11	13	-	24	22	2	-	12.46
3	-	1	-	-	4	4	1	-	5	5	-	-	7.61
17	-	1	1	-	19	15	16	-	31	28	3	-	12.05
7	-	-	-	-	7	9	6	-	15	15	-	-	17.12
5	-	-	-	-	5	3	6	-	9	8	1	-	10.20
1	-	-	-	-	1	4	3	-	7	7	-	-	11.53
11	-	-	-	-	11	12	11	1	24	23	-	1	20.78
10	-	-	-	-	10	11	12	-	23	22	1	-	21.39
1	-	-	-	-	1	8	5	-	13	13	-	-	16.05
4	-	-	-	-	4	3	1	-	4	4	-	-	10.70
3	-	-	-	-	3	3	1	-	4	3	-	1	7.59
17	-	-	-	-	17	13	22	-	35	34	1	-	11.13
5	-	-	-	-	5	4	1	-	5	5	-	-	15.15
12	-	1	1	-	14	8	8	-	16	15	1	-	13.84
6	-	1	-	-	7	6	4	-	10	10	-	-	7.86
1	-	-	-	-	1	-	-	-	-	-	-	-	-
140	-	6	4	-	150	129	119	1	249	237	10	2	12.66

TABLE
Births, Marriages, and Deaths
 OXFORD

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.		Not stated.
									American father.	and foreign mother.	
Albany	533	11	9	-	20	37.17	14	-	3	3	-
Andover	727	12	12	-	24	33.01	16	-	2	5	1
Bethel	1,835	19	21	-	40	21.80	32	3	3	2	-
Brownfield	1,019	6	6	-	12	11.78	9	-	-	3	-
Buckfield	1,139	8	7	-	15	13.17	13	1	-	1	-
Byron	204	2	1	-	3	14.71	1	-	-	2	-
Canton	946	9	13	-	22	23.26	19	1	2	-	-
Denmark	634	4	6	-	10	15.77	9	-	-	1	-
Dixfield	1,052	11	4	-	15	14.26	13	1	1	-	-
Fryeburg	1,376	7	11	-	18	13.08	17	-	1	-	-
Gilead	340	-	2	-	2	5.88	1	1	-	-	-
Grafton	81	1	1	-	2	24.69	1	-	1	-	-
Greenwood	741	8	7	-	15	20.24	12	-	1	2	-
Hanover	214	1	1	-	2	9.35	2	-	-	-	-
Hartford	660	6	4	-	10	15.15	7	1	1	1	-
Hebron	484	2	9	-	11	22.27	10	1	-	-	-
Hiram	1,015	12	12	-	24	23.65	24	-	-	-	-
Lovell	653	5	4	-	9	12.99	9	-	-	-	-
Mason	67	1	1	-	2	29.85	-	-	1	-	1
Mexico	816	47	33	-	80	98.04	25	38	9	8	-
Newry	286	4	4	-	8	27.97	5	1	2	-	-
Norway	2,902	31	21	-	52	17.92	42	2	4	4	-
Oxford	1,331	15	6	-	21	15.78	19	2	-	-	-

No. 7—Continued.
for the Year 1906.
COUNTY.

MARRIAGES.					DEATHS.								
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
-	-	-	1	-	1	4	4	-	8	7	1	-	14.87
6	-	-	1	-	7	7	6	-	13	11	1	1	17.88
18	-	-	2	1	21	22	15	-	37	35	2	-	20.16
9	-	-	-	-	9	4	12	-	16	16	-	-	15.70
10	-	1	-	-	11	16	14	-	30	30	-	-	26.34
1	-	1	1	-	3	-	1	-	1	-	-	1	4.90
11	-	-	-	-	11	6	9	-	15	15	-	-	15.86
3	-	-	-	-	3	7	6	-	13	11	2	-	20.50
10	1	1	1	-	13	10	7	-	17	17	-	-	16.14
7	-	-	-	1	8	9	15	-	24	20	4	-	17.44
1	-	1	-	-	2	2	-	-	2	2	-	-	5.88
1	-	-	-	-	1	-	-	-	-	-	-	-	-
11	-	-	-	-	11	3	3	-	6	6	-	-	8.09
2	-	-	-	-	2	2	2	-	4	3	-	1	18.69
7	-	1	2	-	10	5	10	-	15	14	1	-	22.72
4	-	1	-	-	5	4	6	-	10	10	-	-	20.24
11	-	-	-	-	11	1	11	-	12	12	-	-	11.82
5	-	-	-	-	5	8	12	-	20	20	-	-	28.66
1	-	-	-	-	1	-	1	-	1	1	-	-	14.93
10	1	1	5	-	17	18	11	-	29	23	6	-	35.54
-	-	-	1	-	1	2	2	-	4	4	-	-	13.98
12	1	1	1	-	15	19	23	-	42	36	6	-	14.47
13	-	1	-	-	14	8	12	-	20	19	1	-	15.03

TABLE
Births, Marriages, and Deaths
OXFORD

TOWNS.	Population in 1900	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Paris	3,225	32	22	1	55	17.06	47	2	3	3	-
Peru	773	5	10	-	15	19.40	12	-	1	2	-
Porter	886	7	10	-	17	19.19	16	-	1	-	-
Roxbury	238	3	4	-	7	29.41	4	1	1	1	-
Rumford	3,770	133	133	-	266	70.56	54	168	27	17	-
Stoneham	284	5	3	-	8	28.17	8	-	-	-	-
Stow	270	2	6	-	8	29.63	5	-	-	-	3
Sunmer	862	10	10	-	20	24.94	18	1	1	-	-
Sweden	282	2	3	-	5	17.73	4	-	-	1	-
Upton	242	2	1	-	3	12.40	2	-	1	-	-
Waterford	917	9	13	-	22	23.99	22	-	-	-	-
Woodstock	816	10	12	-	22	26.96	17	1	-	3	1
Lincoln Pl	73	2	-	-	2	27.40	2	-	-	-	-
Magalloway Pl	77	-	2	-	2	25.97	2	-	-	-	-
Milton Pl	202	3	6	-	9	44.55	7	-	2	-	-
Batchelders Grant...	173	-	1	-	1	5.78	-	1	-	-	-
Riley	13	1	-	-	1	76.92	1	-	-	-	-
No. 4, R 2	-	-	-	-	-	-	-	-	-	-	-
Total	*32,153	448	431	1	880	27.37	521	226	68	59	6

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued.

for the Year 1906.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
34	8	-	-	-	42	28	21	-	49	49	-	-	15.19
6	1	1	-	-	8	6	6	-	12	11	1	-	15.52
3	-	-	-	-	3	9	7	-	16	16	-	-	18.06
2	-	-	-	-	2	-	1	-	1	1	-	-	4.20
34	36	9	9	-	88	56	50	-	106	93	13	-	28.12
3	-	-	-	-	3	1	3	-	4	4	-	-	14.08
4	-	-	-	-	4	1	2	-	3	3	-	-	11.11
5	-	-	-	-	5	3	7	-	10	10	-	-	12.47
4	-	-	1	-	5	2	1	-	4	4	-	-	14.18
3	-	-	-	-	3	5	1	-	6	5	1	-	24.80
8	-	-	-	-	8	4	6	-	10	10	-	-	10.91
6	-	1	1	-	8	8	7	-	15	13	2	-	18.38
-	-	-	-	-	-	-	1	-	1	1	-	-	13.70
-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	4	-	1	-	1	1	-	-	4.95
-	1	-	-	-	1	1	-	-	1	1	-	-	5.78
-	-	-	-	-	-	1	-	-	1	-	1	-	76.92
-	-	-	-	-	-	1	-	-	1	1	-	-	-
269	49	20	26	2	366	284	296	-	580	535	42	3	18.04

No. 7—Continued.
for the Year 1906.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	1	3	-	4	4	-	-	12.74
-	-	-	-	-	-	3	2	-	5	5	-	-	15.62
154	21	34	33	2	244	224	188	-	412	297	80	35	18.86
9	-	-	-	-	9	11	5	-	16	16	-	-	16.77
3	-	-	1	-	4	7	5	-	12	9	3	-	17.60
30	14	5	6	-	55	41	46	-	87	67	20	-	17.91
1	-	-	-	-	1	3	1	-	4	4	-	-	10.15
4	-	-	1	-	5	5	11	-	16	14	1	1	17.17
2	-	-	-	-	2	2	3	-	5	5	-	-	10.26
4	-	-	1	-	5	6	7	-	13	12	1	-	15.44
-	-	-	-	-	-	4	-	-	4	4	-	-	11.02
1	-	-	-	-	1	6	2	-	8	8	-	-	33.90
14	-	-	1	-	15	11	12	-	23	22	1	-	19.66
12	-	1	-	-	13	13	8	-	21	19	2	-	20.15
28	1	2	4	-	35	40	28	-	68	60	8	-	23.12
3	-	-	-	-	3	8	5	-	13	13	-	-	15.42
2	-	1	-	-	3	8	4	-	12	10	2	-	18.10
1	-	-	-	-	1	1	-	-	1	1	-	-	15.38
7	1	1	1	-	10	5	7	-	12	11	1	-	11.30
4	-	-	-	-	4	7	7	-	14	13	1	-	26.57
8	-	1	-	-	9	8	5	-	13	13	-	-	14.79
4	-	-	-	-	4	6	6	-	12	11	1	-	14.00
1	-	-	-	-	1	2	2	-	4	2	2	-	8.68
2	-	-	-	-	2	5	9	-	14	14	-	-	23.89
-	-	-	-	-	-	1	-	-	1	-	1	-	6.25

TABLE
Births, Marriages and Deaths
PENOBSCOT

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Hampden	2,182	20	19	-	39	17.87	30	2	3	4	-
Heron	1,183	5	5	-	10	8.45	8	1	1	-	-
Holden	602	7	4	-	11	18.27	9	-	1	1	-
Howland	519	9	6	-	15	28.90	9	3	2	1	-
Hudson	430	5	7	-	12	27.91	11	-	1	-	-
Kenduskeag	423	3	4	-	7	16.55	6	1	-	-	-
Kingman	936	21	13	-	34	36.32	18	6	7	3	-
Lagrange	574	7	4	-	11	19.16	9	-	1	1	-
Lee	801	8	8	-	16	19.98	14	-	2	-	-
Levant	789	9	5	-	14	17.67	14	-	-	-	-
Lincoln	1,731	37	20	-	57	32.93	41	7	3	6	-
Lowell	300	1	-	-	1	3.33	1	-	-	-	-
Mattamiscontis	28	-	-	-	-	-	-	-	-	-	-
Mattawamkeag	527	4	9	-	13	24.67	8	1	3	1	-
Maxfield	115	-	-	-	-	-	-	-	-	-	-
Medway	297	6	3	1	10	33.67	7	1	1	-	1
Milford	838	2	3	-	5	5.97	4	1	-	-	-
Millinocket	1,144	65	58	-	123	107.52	36	59	17	11	-
Mt. Chase	299	3	5	-	8	26.76	6	1	1	-	-
Newburgh	734	3	7	-	10	13.62	9	-	1	-	-
Newport	1,533	20	18	-	38	24.79	33	1	3	1	-
Old Town	5,763	89	77	-	166	28.80	66	48	31	21	-
Orono	3,257	68	50	-	118	36.23	39	53	14	11	1
Orrington	1,266	9	11	1	21	16.60	17	2	-	2	-
Passadumkeag	409	3	6	-	9	22.00	7	-	-	2	-
Patten	1,172	24	24	-	48	40.96	43	-	2	3	-

No. 7—Continued.
for the year 1906.
COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
17	1	-	-	-	18	19	21	-	40	35	5	-	18.33
16	-	3	-	-	19	6	8	-	14	14	-	-	11.84
4	-	1	1	-	6	9	1	-	10	10	-	-	16.61
3	-	-	1	-	4	2	1	-	3	2	1	-	5.78
4	-	-	1	-	5	1	1	-	2	2	-	-	4.65
3	-	2	-	-	5	4	3	-	7	6	1	-	16.55
6	-	-	1	-	7	4	8	-	12	11	1	-	12.82
7	-	1	1	-	9	2	1	-	3	3	-	-	5.23
4	-	1	2	-	7	4	4	-	8	6	2	-	9.99
8	-	-	-	-	8	5	6	-	11	11	-	-	13.94
11	1	7	-	-	19	25	9	-	34	30	3	1	13.86
3	-	-	-	-	3	1	3	-	4	4	-	-	13.33
-	-	-	-	-	-	1	-	-	1	-	1	-	35.71
7	-	1	1	-	9	4	2	-	6	6	-	-	11.39
-	-	1	-	-	1	1	2	-	3	3	-	-	26.08
5	-	-	-	-	5	5	3	-	8	7	1	-	26.94
10	1	2	2	-	15	4	7	-	11	9	1	1	13.13
14	19	2	9	1	45	37	16	-	53	37	16	-	46.33
-	-	1	-	-	1	-	1	-	1	1	-	-	3.34
7	-	-	1	-	8	9	4	-	13	12	1	-	17.71
15	-	-	-	-	15	11	15	-	26	24	1	1	16.96
42	14	4	8	-	68	86	30	-	146	110	31	5	25.33
14	8	9	7	-	38	39	38	-	77	68	7	2	23.64
6	-	-	-	-	6	12	17	-	29	28	-	1	22.91
5	-	-	1	-	6	1	2	-	3	2	-	1	7.33
17	-	1	-	-	18	5	2	-	7	5	2	-	5.97

TABLE
Births, Marriages, and Deaths
PENOBSCOT

Towns.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Plymouth	658	10	5	-	15	22.80	15	-	-	-	-
Prentiss	502	9	2	-	11	21.91	11	-	-	-	-
Springfield	532	1	12	-	13	24.44	11	1	1	-	-
Stetson	503	1	3	-	4	7.91	4	-	-	-	-
Veazie	555	2	2	-	4	7.21	4	-	-	-	-
Winn	688	6	5	-	11	15.99	9	1	1	-	-
Woodville	160	1	3	-	4	25.00	3	-	-	1	-
Drew Pl	120	3	1	-	4	33.33	4	-	-	-	-
Grand Falls Pl	52	-	-	-	-	-	-	-	-	-	-
Lakeville Pl	129	-	-	-	-	-	-	-	-	-	-
Seboeis Pl	96	3	4	-	7	72.92	5	2	-	-	-
Stacyville Pl	347	8	7	-	15	43.23	8	2	4	1	-
Webster Pl	124	3	-	-	3	24.19	3	-	-	-	-
No. 1, R. 7	42	1	-	-	1	23.81	-	-	1	-	-
No. 2, R. 6	-	-	2	-	2	-	1	-	1	-	-
Indian Township	-	-	1	-	1	-	1	-	-	-	-
Total	*75,825	830	824	8	1,722	22.71	1,034	347	173	158	10

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued.
for the Year 1906.
COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
6	-	-	-	-	6	5	13	-	18	17	-	1	27.20
-	-	1	-	-	1	6	3	-	9	6	1	2	17.93
7	1	-	-	-	8	7	3	-	10	8	-	2	18.80
3	-	-	-	-	3	3	4	-	7	7	-	-	13.92
6	-	-	-	-	6	9	2	-	11	8	3	-	19.82
5	-	-	-	-	5	1	3	-	4	3	1	-	5.81
-	-	-	-	-	-	1	-	-	1	1	-	-	6.25
4	-	-	-	-	4	-	-	-	-	-	-	-	-
-	1	-	-	-	1	1	-	-	1	1	-	-	19.23
-	-	-	-	-	-	1	-	-	1	1	-	-	7.75
1	-	-	-	-	1	1	-	-	1	-	1	-	10.42
3	-	-	1	-	4	4	-	-	4	3	1	-	11.53
-	-	-	-	-	-	1	-	-	1	1	-	-	8.06
-	-	-	-	-	-	2	-	-	2	2	-	-	47.62
-	-	1	-	-	1	1	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
558	83	83	85	3	812	768	629	-	1,397	1,139	205	53	18.42

TABLE
Births, Marriages, and Deaths
PISCATAQUIS

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbot	716	6	8	-	14	19.55	13	-	-	1	-
Atkinson.....	495	8	2	-	10	20.20	10	-	-	-	-
Blanchard	248	-	1	-	1	4.03	-	1	-	-	-
Brownville	1,570	17	26	-	43	27.39	17	20	3	3	-
Dover	1,889	17	16	-	33	17.47	32	-	-	1	-
Foxcroft	1,629	7	14	-	21	12.89	14	3	2	2	-
Greenville	1,117	28	21	-	49	43.87	19	11	10	9	-
Guilford	1,544	10	17	-	27	17.49	22	2	2	1	-
Medford.....	282	1	5	-	6	21.28	6	-	-	-	-
Milo	1,150	35	31	-	66	57.39	45	4	8	8	1
Monson	1,116	10	17	-	27	24.19	19	1	4	1	2
Orneville.....	325	2	3	-	5	15.38	4	1	-	-	-
Parkman.....	718	11	6	-	17	23.68	15	1	1	-	-
Sangerville	1,294	8	5	-	13	10.04	12	-	1	-	-
Sebec.....	533	2	-	-	2	3.37	2	-	-	-	-
Shirley	248	4	5	-	9	36.29	5	2	1	1	-
Wellington	413	7	3	-	10	24.21	10	-	-	-	-
Williamsburg	117	1	1	-	2	17.09	2	-	-	-	-
Willimantic	419	1	-	-	1	2.39	1	-	-	-	-
Barnard Pl.....	98	1	1	-	2	20.41	1	-	-	1	-
Bowerbank Pl.....	66	1	-	-	1	15.15	1	-	-	-	-
Elliottsville Pl.....	86	1	-	-	1	11.63	1	-	-	-	-
Kingsbury Pl.....	106	1	1	-	2	18.87	2	-	-	-	-
Lake View Pl.....	173	-	2	-	2	11.56	2	-	-	-	-
Katahdin Iron Works	114	-	-	-	-	-	-	-	-	-	-
Total	*16,526	179	185	-	364	22.03	255	46	32	28	3

* Population of county omitting that of unorganized plantations and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued.
for the Year 1906.
COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
6	-	-	-	-	6	2	2	-	4	4	-	-	5.59
7	-	-	-	-	7	5	2	-	7	6	1	-	14.14
3	-	-	-	-	3	-	-	-	-	-	-	-	-
7	1	-	2	-	10	13	16	-	29	22	6	1	18.47
14	-	1	2	-	17	7	14	-	21	20	-	1	11.12
12	2	-	-	-	14	10	7	-	17	16	1	-	10.44
10	1	2	8	-	21	27	13	-	40	25	13	2	35.80
21	-	-	1	-	22	6	9	-	15	14	1	-	9.72
3	-	-	2	-	5	1	1	-	2	2	-	-	7.09
16	-	1	3	-	20	14	15	-	29	26	3	-	25.22
9	1	-	-	-	10	10	6	-	16	16	-	-	14.34
5	-	-	1	-	6	1	3	-	4	4	-	-	12.31
4	-	-	-	-	4	8	5	-	13	13	-	-	18.11
9	-	1	1	-	11	10	4	-	14	14	-	-	10.82
2	-	-	-	-	2	2	3	-	5	5	-	-	8.43
2	-	-	-	1	3	1	4	-	5	5	-	-	20.16
3	-	-	-	-	3	3	2	-	5	4	1	-	12.11
-	-	-	-	-	-	1	-	-	1	1	-	-	8.55
1	-	-	-	-	1	1	2	-	3	3	-	-	7.16
-	1	-	-	-	1	1	-	-	1	-	-	1	10.20
1	-	1	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	2	2	-	-	23.26
-	-	-	-	-	-	-	2	-	2	2	-	-	18.87
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	2	-	-	2	2	-	-	17.54
137	6	6	20	1	170	127	110	-	237	206	26	5	14.34

TABLE
Births, Marriages, and Deaths

SAGADAHO

Towns.	Population in 1900.	BIRTHS.										
		Sex.					Parentage.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	
Arrowsic	180	-	-	-	-	-	-	-	-	-	-	-
Bath	10,477	115	104	-	219	20.90	133	42	25	17	2	
Bowdoin	937	10	5	-	15	16.01	14	1	-	-	-	
Bowdoinham	1,305	7	14	-	21	16.09	15	1	3	-	2	
Georgetown	799	6	8	-	16	20.03	13	-	2	1	-	
Phippsburg	1,254	6	9	-	15	11.96	13	-	1	1	-	
Richmond	2,049	9	14	-	23	11.23	19	-	3	-	1	
Topsham	2,097	24	15	-	39	18.60	15	11	-	11	2	
West Bath	291	2	3	-	5	17.18	3	2	-	-	-	
Woolwich	880	6	7	-	13	14.77	11	-	1	1	-	
Total	20,330	187	179	-	366	18.01	236	57	35	31	7	

No. 7—Continued.
for the Year 1906.
 COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	1	-	-	-	2	1	2	-	3	3	-	-	16.67
55	11	5	3	-	74	38	71	-	154	128	24	2	14.70
4	-	-	1	-	5	11	4	-	15	14	1	-	16.01
13	-	-	-	-	13	11	7	-	18	17	-	1	13.79
9	-	-	-	-	9	5	4	-	9	9	-	-	11.2
7	-	-	-	-	7	10	11	-	21	17	3	1	16.75
13	-	-	1	-	14	21	21	-	42	35	6	1	20.50
12	2	-	-	3	17	11	12	-	23	19	3	1	10.97
4	-	-	-	-	4	3	3	-	6	6	-	-	20.62
3	-	1	2	-	6	3	2	-	5	5	-	-	5.68
121	14	6	7	3	151	159	137	-	296	253	37	6	14.56

TABLE
Births, Marriages and Deaths

SOMERSET

TOWNS.	Population in 1900.	BIRTHS.												
		Sex.					Parentage.							
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.		American father and foreign mother.			
									American	Foreign	American	Foreign		
Anson	1,830	31	33	-	64	34.97	39	12	5	8	-	-	-	-
Athens	896	12	15	-	27	30.13	25	1	-	-	-	-	1	
Bingham	841	13	9	-	22	26.16	18	-	2	1	1	-	-	
Cambridge	364	4	3	-	7	19.23	5	1	-	1	-	-	-	
Canaan	977	10	7	-	17	17.40	17	-	-	-	-	-	-	
Concord	291	1	3	-	4	13.75	4	-	-	-	-	-	-	
Cornville	689	1	4	-	5	7.26	5	-	-	-	-	-	-	
Detroit	527	4	3	-	7	13.28	7	-	-	-	-	-	-	
Embden	567	7	9	-	16	28.22	14	2	-	-	-	-	-	
Fairfield	3,878	27	37	1	65	16.76	35	15	12	3	-	-	-	
Harmony	571	10	5	-	15	26.27	15	-	-	-	-	-	-	
Hartland	1,115	8	15	-	23	20.63	18	1	2	1	1	-	-	
Madison	2,764	35	32	-	67	24.24	33	25	4	3	2	-	-	
Mercer	493	3	4	-	7	14.30	6	-	-	1	-	-	-	
Moscow	378	4	6	-	10	26.46	6	-	3	-	-	-	1	
New Portland	913	6	6	-	12	13.14	10	-	1	1	-	-	-	
Norridgewock	1,495	10	14	-	24	16.05	18	2	2	1	1	-	-	
Palmyra	915	5	4	-	9	9.84	8	-	1	-	-	-	-	
Pittsfield	2,891	26	28	-	54	18.68	51	-	1	2	-	-	-	
Ripley	449	3	4	-	7	15.59	7	-	-	-	-	-	-	
St. Albans	1,037	9	10	-	19	18.32	17	-	1	-	-	-	1	
Skowhegan	5,180	59	49	-	108	20.85	61	16	15	11	5	-	-	
Smithfield	449	4	3	-	7	15.57	7	-	-	-	-	-	-	
Solon	996	14	15	-	29	29.11	29	-	-	-	-	-	-	

No. 7—Continued.
for the Year 1906.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
17	2	-	5	-	24	17	15	-	32	31	1	-	17.48
5	-	-	-	-	5	4	5	-	9	8	-	1	10.04
5	-	-	1	-	6	8	4	-	12	9	1	2	14.27
1	-	-	-	-	1	1	7	-	8	7	-	1	21.98
6	-	-	-	-	6	4	5	-	9	9	-	-	9.21
2	-	1	-	-	3	2	1	-	3	3	-	-	10.31
2	-	-	-	-	2	4	6	-	10	8	1	1	14.51
8	-	-	-	-	8	4	7	-	11	11	-	-	20.87
5	1	-	-	-	6	6	3	-	9	9	-	-	15.87
20	1	4	2	1	28	28	24	-	52	46	6	-	13.41
4	-	1	-	-	5	10	9	-	19	19	-	-	33.27
17	-	-	1	-	18	6	8	-	14	14	-	-	12.56
27	8	4	5	-	44	18	19	-	37	33	4	-	13.39
4	-	-	-	-	4	1	1	-	2	2	-	-	4.06
4	-	-	1	-	5	5	1	-	6	6	-	-	15.87
10	-	-	1	-	11	9	4	-	13	12	-	1	14.24
8	1	-	1	-	10	24	11	-	35	32	2	1	23.41
9	-	-	-	-	9	6	7	-	13	13	-	-	14.21
25	-	1	2	-	28	16	23	-	39	36	3	-	13.49
1	-	-	-	-	1	1	1	-	2	2	-	-	4.45
7	-	-	-	-	7	6	1	-	7	6	1	-	17.67
46	1	7	6	-	60	29	41	-	70	56	13	1	13.51
2	-	1	-	-	3	3	4	-	7	6	1	-	15.57
6	-	-	-	-	6	8	7	-	15	15	-	-	15.06

TABLE
Births, Marriages, and Deaths
SOMERSET

TOWNS.	Population in 1900	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Starks	636	3	7	-	10	15.72	10	-	-	-	-
Bigelow Pl.....	57	-	2	-	2	35.08	2	-	-	-	-
Brighton Pl.....	368	-	-	-	-	-	-	-	-	-	-
Caratunk Pl.....	218	2	2	-	4	18.35	4	-	-	-	-
Dead River Pl.....	91	1	1	-	2	21.98	2	-	-	-	-
Dennistown Pl.....	96	-	2	-	2	20.83	-	-	-	-	2
Flagstaff Pl.....	115	3	2	-	5	43.48	5	-	-	-	-
Highland Pl.....	67	1	-	-	1	14.93	1	-	-	-	-
Jackman Pl.....	352	5	5	-	10	28.41	-	6	2	2	-
Lexington Pl.....	231	3	5	-	8	34.63	8	-	-	-	-
Mayfield Pl.....	89	1	-	-	1	11.24	1	-	-	-	-
Moose River Pl.....	239	4	6	-	10	41.84	1	5	2	2	-
Pleasant Ridge Pl.....	114	4	-	-	4	35.08	4	-	-	-	-
The Forks Pl.....	157	1	2	-	3	19.11	2	-	-	1	-
West Forks Pl.....	160	2	2	-	4	25.00	-	2	1	1	-
Rockwood	76	-	-	-	-	-	-	-	-	-	-
Holeb	30	-	1	-	1	33.33	1	-	-	-	-
Total ..	*33,602	336	355	1	692	20.59	496	88	54	41	13

* Population in county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued.
for the year 1906.
COUNTY—CONCLUDED

MARRIAGES.						DEATHS.						Death-rate per 1,000.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	1	-	-	2	4	4	-	8	2	-	-	12.58
-	2	-	1	-	3	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	1	-	-	2	1	1	-	2	2	-	-	9.17
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	1	-	2	1	1	-	2	2	-	-	17.39
1	-	-	-	-	1	-	-	-	-	-	-	-	-
3	4	-	1	-	8	6	3	-	9	7	2	-	25.57
4	-	-	-	-	4	1	4	-	5	5	-	-	21.64
-	-	-	-	-	-	-	1	-	1	1	-	-	11.24
-	2	1	-	-	3	2	1	-	3	2	1	-	12.55
-	-	-	-	-	-	2	-	-	2	2	-	-	17.54
-	-	-	-	-	-	1	2	-	3	2	1	-	19.11
2	-	-	-	-	2	-	1	-	1	-	1	-	6.25
-	1	-	1	-	2	1	-	-	1	1	-	-	13.16
-	-	-	-	-	-	-	-	-	-	-	-	-	-
255	24	22	29	1	331	239	232	-	471	425	38	8	14.02

TABLE
Births, Marriages, and Deaths

WALDO

Towns.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast	4,615	27	24	-	51	11.05	49	-	-	2	-
Belmont	352	3	5	-	8	22.73	7	-	-	1	-
Brooks	669	4	4	-	8	11.96	7	-	-	1	-
Burnham.....	766	6	7	-	13	16.97	13	-	-	-	-
Frankfort.....	1,211	8	6	-	14	11.56	8	3	3	-	-
Freedom	479	4	5	-	9	18.79	8	-	-	1	-
Islesboro.....	923	12	3	-	15	16.25	11	1	3	-	-
Jackson	439	3	5	-	8	18.22	8	-	-	-	-
Knox	558	7	4	-	11	18.74	11	-	-	-	-
Liberty.....	737	3	3	-	6	8.14	6	-	-	-	-
Lincolnton.....	1,223	14	9	-	23	18.81	22	-	-	1	-
Monroe	958	9	9	-	18	18.78	16	-	1	1	-
Montville	982	9	9	-	18	18.33	17	-	-	1	-
Morrill	420	1	-	-	1	2.38	1	-	-	-	-
Northport.....	545	3	5	-	8	14.68	8	-	-	-	-
Palermo	757	4	5	-	9	11.90	9	-	-	-	-
Prospect	648	7	3	-	10	15.43	6	1	3	-	-
Searsmont.....	949	10	10	-	20	21.07	15	-	1	4	-
Searsport	1,349	12	10	-	22	16.31	17	2	1	2	-
Stockton Springs.....	872	6	10	-	16	18.35	12	2	1	1	-
Swanville	502	4	4	-	8	15.94	7	-	-	1	-
Thorndike	497	4	7	-	11	22.13	10	-	-	1	-
Troy	766	9	9	-	18	23.50	18	-	-	-	-
Unity	877	5	6	-	11	12.54	10	-	1	-	-
Waldo	468	3	6	-	9	19.23	9	-	-	-	-
Winterport	1,623	10	10	-	20	12.32	15	-	2	3	-
Total	24,185	187	178	-	365	15.09	320	9	16	20	-

No. 7—Continued.
for the Year 1906.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
58	-	1	-	-	59	49	42	-	91	86	4	1	19.72
5	-	-	-	-	5	2	1	-	3	3	-	-	8.52
7	-	-	-	-	7	3	2	-	5	5	-	-	7.47
11	-	-	-	-	11	8	2	-	10	10	-	-	13.05
10	1	1	-	-	12	6	9	-	15	10	3	2	12.39
3	-	-	-	-	3	2	3	-	5	5	-	-	10.42
3	-	-	-	-	3	7	6	-	13	13	-	-	14.08
7	-	-	1	-	8	5	5	-	10	10	-	-	22.78
3	-	-	-	-	3	5	2	-	7	7	-	-	12.54
4	-	-	-	-	4	5	4	-	9	8	1	-	12.21
7	-	-	-	-	7	10	8	-	18	18	-	-	14.72
9	-	1	1	-	11	6	14	-	20	20	-	-	20.88
2	-	1	-	-	3	5	11	-	16	16	-	-	16.29
1	-	-	-	-	1	2	3	-	5	5	-	-	11.90
4	-	2	-	-	6	4	8	-	12	11	1	-	22.02
3	-	-	-	-	3	4	2	-	6	6	-	-	7.93
4	1	-	-	-	5	4	6	-	10	9	1	-	15.43
9	-	-	-	-	9	8	8	-	16	16	-	-	16.86
9	-	1	2	-	12	6	14	-	20	18	1	1	14.83
14	1	-	2	-	17	8	5	-	13	13	-	-	14.91
6	-	-	-	-	6	3	3	-	6	6	-	-	11.93
2	-	-	-	-	2	5	8	-	13	12	1	-	26.16
8	-	-	-	-	8	5	7	-	12	12	-	-	15.67
9	-	-	-	-	9	8	15	-	23	21	2	-	26.23
1	-	-	-	-	1	8	4	-	12	12	-	-	25.64
11	-	1	-	1	13	13	12	-	25	22	3	-	15.40
210	3	8	6	1	228	191	204	-	395	374	17	4	16.33

TABLE
Births, Marriages, and Deaths
WASHINGTON

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison.....	1,059	8	10	-	18	17.00	18	-	-	-	-
Alexander.....	333	1	11	-	12	36.04	10	-	1	1	-
Baileyville.....	215	6	13	-	19	88.37	4	7	3	5	-
Baring.....	231	4	2	-	6	25.97	2	-	2	2	-
Beddington.....	86	-	1	-	1	11.63	1	-	-	-	-
Brookton.....	285	2	3	-	5	17.54	4	-	-	1	-
Calais.....	7,655	92	80	-	172	22.47	55	35	30	43	9
Centerville.....	91	-	-	-	-	-	-	-	-	-	-
Charlotte.....	315	3	3	-	6	19.05	5	-	-	1	-
Cherryfield.....	1,859	10	7	-	17	9.14	16	-	-	1	-
Columbia.....	516	7	11	-	18	34.88	18	-	-	-	-
Columbia Falls.....	569	8	8	-	16	28.12	13	1	-	-	2
Cooper.....	207	5	1	-	6	28.99	5	-	1	-	-
Crawford.....	112	-	1	-	1	8.93	1	-	-	-	-
Cutler.....	565	2	5	-	7	12.39	7	-	-	-	-
Danforth.....	1,092	12	13	-	25	22.89	16	3	5	1	-
Deblois.....	73	1	-	-	1	13.70	1	-	-	-	-
Dennysville.....	482	4	7	-	11	22.82	9	-	1	1	-
East Machias.....	1,521	6	6	-	12	7.89	12	-	-	-	-
Eastport.....	5,311	76	74	-	150	28.24	69	18	38	25	-
Edmunds.....	492	9	10	1	20	40.65	15	-	1	4	-
Forest City.....	151	1	-	-	1	6.62	-	-	1	-	-
Harrington.....	1,185	7	8	-	15	12.88	13	1	1	-	-
Jonesboro.....	606	10	9	-	19	31.35	18	-	-	-	1
Jonesport.....	2,124	27	28	-	55	25.89	46	1	4	3	1
Lubec.....	3,005	59	46	1	106	35.27	51	16	14	25	-
Machias.....	2,082	21	15	-	36	17.29	28	2	1	3	2

No. 7—Continued.
for the Year 1906.
COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
7	-	-	3	-	10	10	9	-	19	19	-	-	23.81
1	-	-	-	-	1	1	3	-	4	3	-	1	12.01
1	-	-	2	-	3	3	5	-	8	5	3	-	37.21
1	-	-	-	-	1	1	1	-	2	2	-	-	8.65
2	-	-	-	-	2	-	1	-	1	1	-	-	11.63
2	-	-	-	-	2	1	2	-	3	1	2	-	10.52
21	5	7	9	-	42	57	56	-	113	74	39	-	14.76
1	-	-	-	-	1	-	2	-	2	2	-	-	21.98
2	-	1	-	-	3	3	2	-	5	5	-	-	15.87
16	1	-	1	-	18	5	2	-	7	5	2	-	3.77
2	-	-	-	-	2	4	1	-	5	5	-	-	9.69
7	-	-	-	-	7	7	6	-	13	11	2	-	22.85
1	-	-	-	-	1	2	-	-	2	1	1	-	9.66
2	-	-	-	-	2	1	1	-	2	2	-	-	17.86
2	1	-	-	-	3	5	6	-	11	9	2	-	19.47
8	1	1	4	-	14	10	18	-	28	22	6	-	25.64
-	-	-	-	-	-	1	1	-	2	2	-	-	27.40
6	-	-	-	-	6	4	5	-	9	7	1	1	19.67
12	-	-	-	-	12	10	18	-	28	22	2	4	18.41
21	6	8	10	-	45	40	50	-	90	65	25	-	16.95
7	-	-	-	1	8	4	-	-	4	4	-	-	8.13
-	-	-	-	-	-	1	-	-	1	-	1	-	6.62
10	-	1	-	-	11	10	5	-	15	15	-	-	12.88
5	-	-	-	-	5	7	5	-	12	12	-	-	19.80
18	-	2	2	-	22	16	10	-	26	24	2	-	12.24
8	6	5	6	-	25	36	21	-	57	42	14	1	18.87
19	-	1	2	-	22	16	18	-	34	29	3	2	16.33

TABLE
Births, Marriages and Deaths
WASHINGTON

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Machiasport	1,218	15	11	-	26	21.35	22	-	2	2	-
Marion	95	3	-	-	3	31.58	2	-	-	1	-
Marshfield	227	1	1	-	2	8.81	2	-	-	-	-
Meddybemps	154	1	2	-	3	19.48	2	-	-	-	1
Milbridge	1,921	17	14	-	31	16.14	30	-	-	1	-
Northfield	126	1	3	-	4	31.74	3	-	-	1	-
Pembroke	1,652	13	17	-	30	18.16	26	-	1	3	-
Perry	1,245	14	15	-	29	23.29	17	3	2	6	1
Princeton	1,094	17	10	-	27	24.68	21	1	-	4	1
Robbinston	844	8	9	-	17	20.14	11	-	3	2	1
Roque Bluffs	168	3	6	-	9	53.57	9	-	-	-	-
Steuben	901	5	10	-	15	16.65	14	-	-	-	1
Talmage	93	1	1	-	2	21.51	2	-	-	-	-
Topsfield	282	9	3	-	12	42.55	8	1	2	-	1
Trescott	463	4	8	-	12	25.92	8	-	1	3	-
Vanceboro	550	5	4	-	9	16.36	4	4	1	-	-
Waite	135	3	4	-	7	51.85	5	-	1	1	-
Wesley	198	2	2	-	4	20.20	4	-	-	-	-
Whiting	399	4	4	-	8	20.05	6	-	2	-	-
Whitneyville	424	2	3	-	5	11.79	5	-	-	-	-
Codyville Pl	68	-	-	-	-	-	-	-	-	-	-
Grand LakeStreamPl	221	5	4	-	9	40.72	7	1	1	-	-
No. 14 Pl	77	-	2	-	2	25.97	2	-	-	-	-
No. 21 Pl	86	-	2	-	2	23.26	1	-	-	1	-
Total	*44,843	514	507	2	1,023	22.81	648	94	119	141	21

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued.
for the Year 1906.
COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.			Death-rate per 1,000	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
11	-	2	1	-	14	10	5	-	15	12	3	-	12.32
2	-	-	-	-	2	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	2	-	2	2	-	-	8.81
1	-	-	-	-	1	3	1	-	4	3	1	-	25.97
10	-	1	-	-	11	11	15	-	26	26	-	-	13.53
2	-	-	-	-	2	-	2	-	2	1	1	-	15.87
8	-	-	1	-	9	9	11	-	20	17	3	-	12.11
5	-	-	1	-	6	5	7	-	12	8	4	-	9.64
7	-	-	1	-	8	8	6	-	14	14	-	-	12.80
2	-	-	-	-	2	6	5	-	11	10	1	-	13.03
2	-	-	-	-	2	1	3	-	4	4	-	-	23.81
12	-	-	-	-	12	8	4	-	12	12	-	-	13.32
-	-	-	-	-	-	1	2	-	3	3	-	-	32.25
1	-	-	-	-	1	1	1	-	2	2	-	-	7.09
4	-	-	-	-	4	-	3	-	3	3	-	-	6.48
1	-	-	1	-	2	2	1	-	3	1	2	-	5.45
1	-	-	-	-	1	-	2	-	2	2	-	-	14.81
1	-	-	-	-	1	1	1	-	2	2	-	-	10.10
6	-	-	-	-	6	4	-	-	4	4	-	-	10.02
-	-	-	1	-	1	2	4	-	6	4	2	-	14.15
1	-	-	1	-	2	-	-	-	-	-	-	-	-
5	-	-	1	-	6	1	-	-	1	1	-	-	4.52
-	-	-	-	-	-	1	-	-	1	1	-	-	12.98
-	-	-	-	-	-	1	-	-	1	1	-	-	11.63
265	20	29	47	1	362	330	323	-	653	522	122	9	14.56

TABLE
Births, Marriages, and Deaths
YORK

Towns.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton.....	778	7	6	-	13	16.71	11	-	2	-	-
Alfred.....	937	5	2	-	7	7.47	5	1	1	-	-
Berwick.....	2,280	18	20	-	38	16.67	29	2	4	2	1
Biddeford.....	16,145	283	268	-	551	34.25	98	345	55	48	5
Buxton.....	1,838	17	12	-	29	15.77	29	-	-	-	-
Cornish.....	984	9	6	-	15	15.25	14	-	-	1	-
Dayton.....	473	4	2	-	6	12.68	6	-	-	-	-
Eliot.....	1,458	14	21	-	35	24.01	25	5	1	4	-
Hollis.....	1,274	9	10	-	19	14.91	17	1	-	1	-
Kennebunk.....	3,228	26	19	-	45	13.94	33	3	7	2	-
Kennebunkport.....	2,123	27	21	-	48	22.61	34	-	7	7	-
Kittery.....	2,872	27	31	-	58	20.19	43	3	9	3	-
Lebanon.....	1,335	13	13	-	26	19.48	16	6	2	-	2
Limerick.....	874	7	6	-	13	14.87	10	2	-	1	-
Limington.....	1,001	13	6	-	19	18.98	14	3	1	1	-
Lyman.....	687	4	5	-	9	13.10	7	2	-	-	-
Newfield.....	676	5	1	-	6	8.87	5	-	1	-	-
North Berwick.....	1,748	19	13	-	32	18.31	29	2	-	-	1
Old Orchard.....	964	4	5	-	9	9.34	6	1	1	1	-
Parsonsfield.....	1,131	5	8	-	13	11.49	12	-	1	-	-
Saco.....	6,122	67	63	-	130	21.23	83	26	7	14	-
Sanford.....	6,078	119	134	-	253	41.63	67	136	22	28	-
Shapleigh.....	847	3	3	-	6	7.08	6	-	-	-	-
South Berwick.....	3,188	30	36	-	66	20.70	29	22	5	10	-
Waterboro.....	1,169	8	5	-	13	11.12	11	-	1	1	-
Wells.....	2,007	16	14	-	30	14.95	26	-	1	3	-
York.....	2,668	25	37	-	62	23.24	42	8	6	4	2
Total.....	64,885	784	767	-	1,551	23.90	707	568	134	131	11

No. 7—Concluded.
for the Year 1906.
 COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
5	-	-	-	-	5	7	5	-	12	12	-	-	15.42
5	-	1	-	-	6	4	8	-	12	12	-	-	12.81
12	-	-	1	-	13	15	12	-	27	27	-	-	11.84
35	63	19	19	-	136	169	158	-	327	221	102	4	20.25
13	-	1	-	-	14	21	18	-	39	31	1	7	21.22
10	-	-	-	-	10	7	12	-	19	19	-	-	19.31
1	-	1	-	-	2	4	3	-	7	6	1	-	14.80
4	-	-	1	-	5	8	13	-	21	19	-	2	14.40
7	-	-	-	-	7	12	20	-	32	31	-	1	24.33
24	1	2	1	-	28	27	29	-	56	51	5	-	17.35
11	3	3	-	-	17	30	19	-	49	43	6	-	23.08
14	-	-	-	-	14	28	33	-	61	57	3	1	21.24
5	-	2	-	-	7	12	9	-	21	15	2	4	15.73
5	1	1	-	-	7	7	10	-	17	16	1	-	19.45
5	-	-	-	-	5	6	7	-	13	12	1	-	12.99
6	-	1	-	-	7	3	3	-	6	6	-	-	8.73
1	-	2	-	-	3	11	6	-	17	15	2	-	25.15
7	1	1	-	-	9	16	15	-	31	30	1	-	17.73
4	-	-	-	-	4	6	11	-	17	17	-	-	17.63
10	-	1	-	-	11	8	16	-	24	22	1	1	21.22
25	3	4	2	-	34	58	49	-	107	90	15	2	17.48
31	38	14	13	-	96	53	54	-	107	78	29	-	17.60
2	-	-	-	-	2	5	10	-	15	15	-	-	17.71
11	1	-	2	-	14	21	31	-	52	40	12	-	16.31
7	-	-	-	-	7	12	8	-	20	20	-	-	17.11
8	-	-	-	-	8	17	21	-	38	33	4	1	18.93
20	2	3	-	1	26	21	25	-	46	44	1	1	17.24
288	113	56	39	1	497	588	605	-	1,193	932	187	24	18.39

TABLE
Recapitulation

COUNTIES.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin	54,242	588	586	1	1,175	21.66	500	449	115	101	10
Aroostook.....	*59,672	1,259	1,058	6	2,323	38.93	1,295	321	359	316	32
Cumberland	100,689	1,126	1,051	2	2,179	21.64	1,195	588	182	174	40
Franklin	*18,189	205	199	-	404	22.07	269	88	28	12	7
Hancock	*37,056	382	385	1	768	20.73	660	31	39	35	3
Kennebec	59,117	620	605	-	1,225	20.72	709	282	126	98	10
Knox	*30,287	274	257	-	531	17.53	407	67	31	21	5
Lincoln.....	19,669	181	128	1	310	15.76	290	4	5	9	2
Oxford.....	*32,153	448	431	1	880	27.37	521	226	68	59	6
Penobscot.....	*75,825	590	824	8	1,722	22.71	1,034	347	173	158	10
Piscataquis	*16,526	179	185	-	364	22.03	255	46	32	28	3
Sagadahoc	20,330	187	179	-	366	18.01	236	57	35	31	7
Somerset.....	*33,602	336	355	1	692	20.59	496	88	54	41	13
Waldo	24,185	187	178	-	365	15.09	320	9	16	20	-
Washington.....	*44,843	514	507	2	1,023	22.81	648	94	119	141	21
York	64,885	784	767	-	1,551	23.90	707	568	134	131	11
Total.....	*691,270	8,160	7,695	23	15,878	22.97	9,542	3,265	1516	1375	180

*Population omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 8.
by Counties.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
324	112	53	44	3	536	504	547	3	1,054	846	197	11	19.43
375	64	90	127	8	664	543	470	-	1,013	832	170	11	16.98
617	125	92	79	5	918	846	856	-	1,702	1,390	275	37	16.90
153	13	9	9	-	184	170	123	-	293	268	21	4	16.01
286	10	8	14	1	319	265	203	1	469	444	18	7	12.66
404	53	45	33	6	541	539	426	-	965	767	183	15	16.32
237	7	12	13	-	269	243	217	-	460	416	43	1	15.19
140	-	6	4	-	150	129	119	1	249	237	10	2	12.66
269	49	20	26	2	366	284	296	-	580	535	42	3	18.04
558	83	83	85	3	812	768	629	-	1,397	1,139	205	53	18.42
137	6	6	20	1	170	127	110	-	237	206	26	5	14.34
121	14	6	7	3	151	159	137	-	296	253	37	6	14.56
255	24	22	29	1	331	239	232	-	471	425	38	8	14.02
210	3	8	6	1	228	191	204	-	395	374	17	4	16.33
265	20	29	47	1	362	330	323	-	653	522	122	9	14.56
288	113	56	39	1	497	588	605	-	1,193	982	187	24	18.39
4,639	696	545	582	36	6,498	5,925	5,497	5	11,427	9,636	1,591	200	16.53

TABLE No. 9.
Births and Birth-Rates by Counties for the Years 1899-1906.

	1899.		1900.		1901.		1902.		1903.		1904.		1905.		1906.	
	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.
State	13,895	20.10	14,005	20.30	14,021	20.19	14,508	20.89	14,453	20.81	14,673	21.13	15,294	21.40	15,878	22.09
Androscoggin	1,116	20.78	1,099	20.26	1,060	19.54	1,117	20.59	1,050	19.36	1,059	19.52	1,164	20.47	1,175	20.47
Aroostook	1,822	31.23	1,843	32.77	1,945	32.62	2,090	35.12	2,095	35.45	2,223	37.27	2,241	34.60	2,323	34.45
Cumberland	1,974	19.79	2,074	20.60	1,877	18.64	1,951	19.37	2,029	20.15	2,011	19.97	2,066	19.03	2,179	20.45
Franklin	381	21.04	392	21.63	406	22.32	416	23.19	383	21.20	376	20.60	432	22.60	404	20.96
Hancock	720	19.41	689	18.62	666	18.01	700	18.92	676	18.27	695	18.76	733	19.05	768	20.62
Kennebec	1,036	17.59	1,166	19.72	1,123	19.00	1,227	20.76	1,084	18.34	1,174	19.86	1,177	19.14	1,225	20.72
Knox	510	16.74	445	14.79	498	16.41	437	14.42	450	14.86	452	14.92	465	15.32	531	17.53
Lincoln	334	16.78	339	17.24	335	17.03	307	15.61	303	15.40	288	14.64	345	17.42	310	15.76
Oxford	561	17.59	555	17.26	627	19.45	689	21.44	729	22.85	730	22.88	792	23.36	880	26.48
Penobscot	1,413	18.74	1,314	17.38	1,405	18.54	1,577	20.80	1,598	21.09	1,541	20.34	1,578	20.04	1,722	22.00
Piscataquis	310	18.83	323	19.49	289	17.28	347	21.11	351	21.30	343	20.64	353	20.29	364	20.87
Sagadahoc	381	18.82	422	20.76	420	20.66	382	18.79	352	17.31	399	19.63	344	15.95	366	17.54
Somerset	580	17.37	603	17.99	600	17.90	583	17.34	591	17.60	634	18.88	698	19.95	692	20.01
Waldo	335	13.65	348	14.38	364	15.05	282	11.66	272	11.25	319	13.19	352	14.52	365	15.09
Washington	1,062	23.75	1,059	23.53	975	21.67	991	22.10	1,031	22.99	988	22.03	1,013	21.87	1,023	22.39
York	1,360	21.03	1,421	21.90	1,431	22.05	1,412	21.76	1,459	22.49	1,441	22.21	1,541	23.03	1,551	23.46

TABLE No. 10.

Births by Counties, Showing Proportion of Males to Females, 1906.

COUNTIES.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin	588	586	1	1,175	2	-	100.3
Aroostook	1,259	1,058	6	2,323	201	-	119.0
Cumberland	1,126	1,051	2	2,179	75	-	107.1
Franklin	205	199	-	404	6	-	103.0
Hancock	382	385	1	768	-	3	99.2
Kennebec	620	605	-	1,225	15	-	102.4
Knox	274	257	-	531	17	-	106.6
Lincoln	181	128	1	310	53	-	141.4
Oxford	448	431	1	880	17	-	103.9
Penobscot	890	824	8	1,722	66	-	108.0
Piscataquis	179	185	-	364	-	6	96.8
Sagadahoc	187	179	-	366	8	-	104.5
Somerset	336	355	1	692	-	19	94.6
Waldo	187	178	-	365	9	-	105.1
Washington	514	507	2	1,023	7	-	101.4
York	784	767	-	1,551	17	-	102.2
Total	8,160	7,695	23	15,878	493	28	106.0

TABLE No. II.

Number of Births in Each Month of 1899-1906, with a Monthly Ratio Compared with a Standard of 100.

Months.	1899.		1900.		1901.		1902.		1903.		1904.		1905.		1906.	
	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January	1,093	92.6	1,167	97.5	1,123	94.3	1,143	92.7	1,210	98.6	1,219	97.8	1,178	90.8	1,173	87.0
February	1,104	103.7	1,083	100.2	1,128	104.8	1,111	99.8	1,151	103.9	1,207	107.2	1,180	100.6	1,206	99.0
March.....	1,237	104.9	1,260	105.4	1,303	109.4	1,401	113.6	1,353	110.3	1,367	109.7	1,463	112.7	1,333	102.1
April.....	1,205	113.5	1,245	107.5	1,270	110.2	1,250	104.7	1,364	114.9	1,325	109.9	1,340	106.6	1,385	106.1
May	1,224	103.8	1,276	106.7	1,290	108.3	1,333	108.1	1,326	108.1	1,336	107.2	1,365	105.2	1,335	99.0
June	1,201	105.3	1,146	108.8	1,190	103.3	1,244	104.3	1,247	105.1	1,186	98.3	1,375	109.4	1,310	100.3
July	1,239	105.1	1,284	109.1	1,178	98.9	1,237	100.3	1,215	99.0	1,297	104.1	1,439	110.9	1,454	107.8
August.....	1,197	101.3	1,255	104.1	1,199	100.6	1,252	101.6	1,223	99.7	1,216	97.6	1,328	102.3	1,450	107.5
September.....	1,163	101.8	1,213	104.7	1,252	108.7	1,207	101.2	1,205	101.5	1,203	99.8	1,259	100.2	1,364	104.5
October.....	1,058	89.6	1,070	94.1	1,051	88.3	1,137	92.3	1,134	92.4	1,217	97.7	1,163	89.6	1,280	94.9
November.....	979	85.8	1,055	89.1	983	85.3	1,064	89.2	1,026	86.4	1,037	85.9	1,057	84.1	1,260	96.5
December.....	1,098	93.0	1,035	86.5	1,048	88.0	1,119	90.8	990	80.6	1,057	84.8	1,143	88.1	1,325	98.2
Unknown.....	7	-	6	-	6	-	10	-	9	-	6	-	4	-	3	-

*In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 12.
Births, by Sex and Months, by Counties, 1906.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males	57	41	41	54	46	46	64	57	46	43	45	45	-	588	-
females...	44	51	39	55	53	48	52	53	61	39	54	37	-	586	-
not stated	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1175
Aroostook, males....	81	110	124	130	105	116	134	104	85	100	83	87	-	1259	-
females...	71	95	85	100	103	98	84	100	91	77	74	79	1	1058	-
not stated	-	-	-	-	1	1	-	2	1	-	-	-	-	6	2823
Cumberland, males....	79	88	85	92	86	96	119	90	98	86	105	102	-	1126	-
females...	75	76	99	101	89	87	93	94	84	97	82	74	-	1051	-
not stated	-	-	-	-	-	-	2	-	-	-	-	-	-	2	2179
Franklin, males.....	9	18	17	16	20	19	21	16	20	14	18	17	-	205	-
females...	16	20	14	25	16	18	14	13	12	19	13	19	-	199	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	404
Hancock, males.....	19	29	26	34	34	31	40	35	35	30	37	32	-	382	-
females...	32	33	32	34	33	25	33	37	40	38	23	25	-	385	-
not stated	-	-	-	-	-	-	1	-	-	-	-	-	-	1	768
Kennebec, males....	54	53	54	45	45	51	62	64	54	46	42	50	-	620	-
females...	49	46	49	51	64	47	48	49	63	40	50	49	-	605	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1225
Knox, males.....	17	10	24	23	23	30	26	34	30	14	17	26	-	274	-
females...	19	15	24	22	13	23	31	15	27	22	23	23	-	257	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	531
Lincoln, males.....	17	10	11	19	13	14	12	13	16	20	13	22	1	181	-
females...	8	10	12	10	9	8	11	11	16	10	12	11	-	128	-
not stated	-	-	1	-	-	-	-	-	-	-	-	-	-	1	310
Oxford, males.....	36	27	38	35	38	40	47	38	46	29	31	43	-	448	-
females...	39	27	38	39	36	36	32	38	39	37	36	34	-	431	-
not stated	-	-	-	-	-	-	1	-	-	-	-	-	-	1	880
Penobscot, males....	69	68	60	69	71	75	90	86	83	67	60	92	-	890	-
females...	65	64	74	54	55	66	83	83	68	75	69	67	1	824	-
not stated	-	-	-	1	1	1	-	1	-	2	1	-	-	8	1722
Piscataquis, males..	11	12	18	13	16	15	16	14	14	17	21	12	-	179	-
females...	14	8	16	14	13	14	9	21	18	15	21	22	-	185	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	364
Sagadahoc, males....	17	18	18	16	7	20	17	18	15	17	14	10	-	187	-
females...	15	14	13	5	18	14	14	16	13	22	12	23	-	179	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	366
Somerset, males.....	26	22	28	32	28	29	30	30	25	27	21	35	-	336	-
females...	27	22	34	29	39	24	32	26	27	38	30	27	-	355	-
not stated	-	-	-	1	-	-	1	-	-	-	-	-	-	1	692
Waldo, males.....	9	13	15	16	17	10	19	20	17	16	22	13	-	187	-
females...	10	10	10	12	26	15	16	12	16	13	21	17	-	178	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	365
Washington, males..	39	29	55	47	45	45	46	38	37	42	45	46	-	514	-
females...	33	43	49	46	40	38	37	47	41	45	36	52	-	507	-
not stated	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1023
York, males.....	56	67	67	57	75	51	64	94	74	50	57	72	-	784	-
females...	60	55	63	88	57	58	63	64	64	67	70	58	-	767	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1551
Total, males.....	596	615	681	698	669	688	807	751	695	618	634	707	1	8160	-
females...	577	589	651	685	664	619	644	695	668	659	625	617	2	7695	-
not stated	-	2	1	2	2	3	3	4	1	3	1	1	-	23	-
Grand total.....	1173	1206	1333	1385	1335	1310	1454	1450	1364	1280	1260	1325	3	15878	15878

TABLE No. 13.
Births in Cities for 1906, with Rate per 1,000 of Population.

CITIES.	Estimated population for 1906.	Males born.	Females born.	Sex not stated.	Total	Birth-rate per 1,000.	Males to each 100 females.
Auburn	13,972	137	134	1	272	19.47	102.2
Augusta	12,377	136	130	-	266	21.49	104.6
Bangor.....	23,498	162	175	6	343	14.60	92.6
Bath.....	11,529	115	104	-	219	19.00	110.6
Belfast.....	5,373	27	24	-	51	9.49	112.5
Biddeford.....	17,166	283	268	-	551	32.10	105.6
Brewer.....	5,220	74	83	-	157	30.08	89.2
Calais	7,874	92	80	-	172	21.84	115.0
Eastport	6,448	76	74	-	150	23.26	102.7
Ellsworth.....	4,297	41	27	-	68	15.82	151.9
Gardiner.....	5,507	55	48	-	103	18.70	114.6
Hallowell.....	2,714	18	22	-	40	14.73	81.8
Lewiston	24,997	290	279	-	569	22.76	103.9
Old Town.....	6,034	89	77	-	166	27.51	115.6
Portland.....	55,165	534	528	1	1,063	19.27	101.1
Rockland	8,150	85	75	-	160	19.63	113.3
Saco.....	6,150	67	63	-	130	21.14	106.3
South Portland.....	6,287	78	66	1	145	23.06	118.2
Waterville.....	10,899	178	158	-	336	30.83	112.7
Westbrook.....	7,674	112	111	-	223	29.06	100.9
Total.....	241,331	2,649	2,526	9	5,184	21.49	104.9

TABLE No. 14.
Percentage of American and Foreign Births by Counties, 1906.

COUNTIES.	PARENTS.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin	42.55	38.21	18.39	0.85
Aroostook	55.75	13.82	29.06	1.37
Cumberland	54.84	26.98	16.34	1.84
Franklin	66.59	21.78	9.90	1.73
Hancock	85.94	4.04	9.74	0.38
Kennebec.....	57.88	23.02	18.28	0.82
Knox	76.65	12.62	9.79	0.94
Lincoln	93.54	1.29	4.52	0.65
Oxford	59.20	25.69	14.43	0.68
Penobscot	60.05	20.15	19.22	0.58
Piscataquis.....	70.06	12.64	16.48	0.82
Sagadahoc	64.48	15.57	18.03	1.92
Somerset	71.68	12.72	13.73	1.87
Waldo.....	87.67	2.47	9.86	-
Washington	63.34	9.19	25.42	2.05
York	45.58	36.62	17.09	1.71
State	60.10	20.56	18.21	1.13

TABLE No. 15.
Percentage of American and Foreign Births by Cities, 1906.

CITIES.	PARENTS.			Births with percentage not stated.
	American born.	Foreign-born.	One foreign-born.	
Auburn	48.53	32.72	17.28	1.47
Augusta	51.51	31.20	16.92	0.37
Bangor	52.33	23.84	22.09	1.74
Bath	60.73	19.18	19.18	0.91
Belfast	96.07	-	3.93	-
Biddeford	17.72	62.75	18.63	0.90
Brewer	44.59	33.12	22.29	-
Calais	31.98	20.35	42.44	5.23
Eastport	46.00	12.00	42.00	-
Ellsworth	88.24	-	11.76	-
Gardiner	66.99	12.62	20.39	-
Hallowell	65.00	17.50	17.50	-
Lewiston	22.37	54.13	21.79	0.71
Old Town	39.76	28.92	31.32	-
Portland	45.53	35.09	16.93	2.45
Rockland	71.87	16.87	10.63	0.63
Saco	63.84	20.00	16.16	-
South Portland	69.66	13.10	16.55	0.69
Waterville	37.20	32.74	28.87	1.19
Westbrook	37.67	31.84	30.04	0.45
Collectively	43.74	33.74	21.28	1.24

TABLE No. 16.
Twin Births by Months and Counties, 1906.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin.....	1	-	-	3	1	1	1	1	1	-	1	3	13
Aroostook.....	2	2	-	2	1	1	1	1	2	-	1	2	15
Cumberland.....	1	2	2	1	1	-	2	1	1	1	3	1	16
Franklin.....	-	-	-	3	-	-	-	1	1	-	-	2	7
Hancock.....	-	-	-	-	1	-	1	3	1	2	-	1	9
Kennebec.....	2	1	1	1	2	1	-	1	2	-	-	-	11
Knox.....	-	-	-	-	1	2	1	1	-	-	-	1	6
Lincoln.....	-	-	-	-	-	1	-	-	-	-	-	-	1
Oxford.....	1	-	-	-	2	-	2	-	2	2	-	1	10
Penobscot.....	2	2	-	2	1	-	3	3	1	3	-	5	22
Piscataquis.....	1	-	2	1	-	-	1	-	-	-	-	2	7
Sagadahoc.....	1	1	-	-	-	1	-	-	1	-	-	1	5
Somerset.....	-	-	1	-	-	-	1	1	1	1	1	-	6
Waldo.....	-	1	1	-	-	-	-	-	1	-	-	-	3
Washington.....	1	2	2	1	4	1	2	-	1	1	-	1	16
York.....	1	-	-	1	4	2	2	1	1	-	3	1	16
Total.....	13	11	9	15	18	10	17	14	16	10	9	21	163

TABLE No. 17.
Twin Births by Sex and Parentage, by Counties, 1906.

COUNTIES.	SEX.				PARENTAGE.							Living children.	Still-born children.	Total.
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	Total.				
Androscoggin	6	2	5	-	4	5	2	2	-	13	26	-	26	
Aroostook	6	1	8	-	10	3	1	1	-	15	28	2	30	
Cumberland	3	4	9	-	6	6	3	1	-	16	31	1	32	
Franklin	2	3	2	-	6	1	-	-	-	7	12	2	14	
Hancock	2	3	4	-	6	2	-	1	-	9	14	4	18	
Kennebec	3	4	4	-	5	3	2	1	-	11	22	-	22	
Knox	4	1	1	-	4	2	-	-	-	6	11	1	12	
Lincoln	-	-	1	-	1	-	-	-	-	1	2	-	2	
Oxford	3	4	3	-	6	3	-	-	1	10	15	5	20	
Penobscot	8	5	9	-	10	6	2	3	1	22	41	3	44	
Piscataquis	1	3	3	-	2	1	1	2	1	7	14	-	14	
Sagadahoc	1	-	4	-	2	-	1	2	-	5	10	-	10	
Somerset	1	2	3	-	4	2	-	-	-	6	11	1	12	
Waldo	-	2	1	-	2	-	-	-	1	3	4	2	32	
Washington	2	4	10	-	12	2	-	2	-	16	32	-	32	
York	4	7	5	-	4	6	2	3	1	16	25	7	32	
Total	46	45	72	-	84	42	14	18	5	163	298	28	326	

TABLE No. 18.
Still-Births by Sex and Parentage by Counties, 1906.

COUNTIES.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin	20	12	2	34	21	13	-
Aroostook	53	35	5	93	70	23	-
Cumberland	54	34	3	91	61	30	-
Franklin	6	12	-	18	14	3	1
Hancock	24	21	-	45	36	8	1
Kennebec.....	34	24	3	61	43	18	-
Knox	17	8	3	28	23	5	-
Lincoln	6	1	1	8	7	1	-
Oxford	25	16	2	43	27	16	-
Penobscot	46	27	-	73	57	16	-
Piscataquis.....	11	7	-	18	15	2	1
Sagadahoc	7	7	-	14	10	4	-
Somerset	14	18	-	32	26	6	-
Waldo.....	9	6	-	15	13	2	-
Washington	27	19	-	46	35	11	-
York	55	33	-	88	43	45	-
Total	408	280	19	707	501	203	3

TABLE No. 19.
Still-Births by Seasons, 1906.

MONTHS.			
January	67		
February	48		
March	62	Total for first quarter.....	177
April	65		
May.....	65		
June	52	Total for second quarter.....	182
July.....	58		
August	54		
September	73	Total for third quarter.....	185
October.....	57		
November.....	50		
December.....	56	Total for fourth quarter	163
Total	707		707

NOTES ON BIRTHS.

In the year 1906, 16,585 births were registered in the State, including still-births, (14,082 in 1892, 14,604 in 1893, 14,607 in 1894, 15,430 in 1895, 15,429 in 1896, 15,142 in 1897, 15,121 in 1898, 14,475 in 1899, 14,709 in 1900, 14,615 in 1901, 15,166 in 1902, 15,130 in 1903, 15,405 in 1904, and 16,005 in 1905).

The number of living children born was 15,878, and the number of still-births was 707.

Of the whole number of living children of which the sex was certified 8,160 were males and 7,695 were females. In 23 births the sex was not stated. For each 100 girls born there were 106 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, 106.4 in 1895, 105.3 in 1896, 102.3 in 1897, 106 in 1898, 104.4 in 1899, 103.2 in 1900, 105.6 in 1901, 105 in 1902, 105.3 in 1903, 104.2 in 1904, and 104.1 in 1905).

Birth-rate.—The birth-rate of living children for the State was 22.09 for each 1,000 of population.

Table No. 13 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 population was 21.49 as compared with 22.40, the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. As it invariably has been every year since the registration began, it was the highest in Aroostook, 34.45, and the lowest in Waldo, 15.09. In four counties, Aroostook, Oxford, Washington, and York, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 4 and 8.

Parentage.—Of the total births in the State, 60.10 per cent. were of native parents; 20.56 per cent. were of foreign parentage; 18.21 per cent. were of parents one of whom was foreign; while of 1.13 per cent. the nationality was not stated.

Lincoln county had the largest percentage of native-born parents, to wit, 93.54 per cent., and only 1.29 per cent. in which both parents were foreign-born. Waldo followed with 87.67 per cent. of native parentage, and only 2.47 per cent. in which both parents were foreign-born.

In Hancock county in 85.94 per cent. of the births the parents were native-born, and in 4.04 per cent. foreign-born.

In Knox, the percentage of native-born parents was 76.65; in Somerset, 71.68; in Piscataquis, 70.06; and in Franklin, 66.59.

Comparatively high percentages of foreign-born parents are found in Androscoggin county, 38.21; in York, 36.62; in Cumberland, 26.98; in Oxford, 25.69; in Kennebec, 23.02; and in Penobscot, 20.15 per cent.

The percentages of parentage, whether American-born or foreign-born, may be found for the other counties in Table No. 14.

Comparing the percentage of the births in our twenty cities with that of the rest of the State, we find that, in the cities, 43.74 per cent. of the births were of American parentage, while in the rural parts of the State the percentage of American-born children was 68.02.

The largest percentage of foreign-born parents was in Biddeford, 62.75; and in Lewiston, 54.13.

In Belfast and Ellsworth there were no foreign births. For further comparison see Table No. 15.

Seasons and Births.—The largest number of births in any one month in 1906 was 1,454 in July; the smallest was 1,173 in January; the largest quarterly total was 4,268 in the third quarter; the smallest, 3,712 in the first quarter. The three consecutive months in which the largest number of births occurred were July, August and September, 4,268.

The following is a tabular statement of the number of births in each month of the fifteen years 1892-1906.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892.....	1,016	1,113	1,315	1,275	1,323	1,176	1,222	1,181	1,144	1,047	1,002	1,111	63	14,028
1893.....	1,151	1,082	1,102	1,259	1,273	1,162	1,176	1,213	1,115	1,126	1,032	1,109	48	13,908
1894.....	962	980	1,335	1,324	1,255	1,200	1,286	1,213	1,168	1,064	980	1,164	9	13,940
1895.....	1,182	1,082	1,329	1,287	1,308	1,236	1,290	1,312	1,233	1,189	1,115	1,193	6	14,762
1896.....	1,149	1,227	1,330	1,318	1,379	1,190	1,207	1,246	1,257	1,220	1,091	1,069	10	14,693
1897.....	1,126	1,123	1,390	1,260	1,288	1,250	1,274	1,303	1,205	1,138	984	1,077	12	14,430
1898.....	1,148	1,176	1,323	1,269	1,322	1,229	1,226	1,219	1,182	1,196	1,028	1,149	6	14,473
1899.....	1,093	1,104	1,237	1,295	1,224	1,201	1,239	1,197	1,163	1,058	979	1,098	7	13,895
1900.....	1,167	1,083	1,260	1,245	1,276	1,146	1,284	1,255	1,213	1,070	1,055	1,035	6	14,905
1901.....	1,123	1,128	1,303	1,270	1,290	1,190	1,178	1,199	1,252	1,051	983	1,048	6	14,021
1902.....	1,143	1,111	1,401	1,250	1,333	1,244	1,237	1,252	1,207	1,137	1,064	1,119	10	14,508
1903.....	1,210	1,151	1,333	1,304	1,326	1,247	1,215	1,223	1,205	1,134	1,026	990	9	14,453
1904.....	1,219	1,207	1,367	1,325	1,336	1,186	1,297	1,216	1,203	1,217	1,037	1,057	6	14,673
1905.....	1,178	1,180	1,463	1,340	1,365	1,375	1,439	1,328	1,259	1,163	1,057	1,143	4	15,294
1906.....	1,173	1,206	1,333	1,385	1,335	1,310	1,454	1,450	1,364	1,280	1,269	1,325	3	15,878

Twin-births.—In 1906, 163 twin-births occurred, in 46 instances the twins were both boys; in 45, both girls; in 72, a boy and a girl. In 84 cases the parentage was American; in 42, foreign; in 32 instances the parentage was mixed; and in 5 it was not stated. Of the 326 children, 298 were born alive, and 28 were still-born.

Triplets. In Hancock a triple birth occurred in which all the children were living. There were also triplets in Sanford in which only one was living.

Still-births. Of the 707 still-born children, 408 were males and 280 were females. In 19 the sex was not stated. With the exception of three still-births as to which the nativity of the mother was not stated, 501 were of American mothers, and 203 were of foreign mothers.

The largest number of still-births occurred in Aroostook county, 93; while the minimum number, 8, was reported in Lincoln county.

The largest number of still-births, 73, was returned in September; the smallest number was 48 in February. See Tables No. 18 and 19 for other details.

TABLE No. 20.
Marriages and Marriage-Rates by Counties for the Years 1899-1906.

	1899.		1900.		1901.		1902.		1903.		1904.		1905.		1906.	
	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.
State.....	5,329	7.71	5,482	7.89	5,735	8.26	5,905	8.50	6,200	8.93	6,208	8.94	6,264	8.76	6,498	9.04
Androscoggin.....	398	7.41	463	8.54	492	9.07	462	8.52	485	8.94	465	8.57	500	8.79	536	9.34
Aroostook.....	450	7.55	527	8.68	524	8.63	569	9.37	617	10.16	623	10.26	564	8.70	664	9.85
Cumberland.....	722	7.24	731	7.26	791	7.86	846	8.40	903	8.97	843	8.42	876	8.07	918	8.62
Franklin.....	191	10.43	149	8.08	189	10.25	162	8.78	172	9.33	167	9.05	177	9.31	184	9.54
Hancock.....	300	8.05	269	7.23	332	8.92	322	8.65	323	8.67	333	8.94	337	8.75	319	8.57
Kennebec.....	479	8.13	477	8.07	456	7.71	594	8.53	508	8.59	554	9.37	529	8.70	541	8.96
Knox.....	198	6.49	255	8.38	276	9.08	273	8.98	280	9.21	261	8.58	282	9.29	269	8.84
Lincoln.....	145	7.29	148	7.52	144	7.32	133	6.76	132	6.71	166	8.44	117	5.91	150	7.65
Oxford.....	243	7.58	241	7.48	285	8.84	319	9.90	345	10.70	317	9.83	371	10.94	366	11.01
Penobscot.....	619	8.15	647	8.49	668	8.76	701	9.19	705	9.25	754	9.89	732	9.29	812	10.37
Piscataquis.....	146	8.65	128	7.55	152	8.97	163	9.62	165	9.74	171	10.09	157	9.03	170	9.75
Sagadahoc.....	155	7.65	145	7.13	144	7.08	158	7.77	152	7.48	183	9.00	152	7.05	151	7.24
Somerset.....	288	8.54	328	9.69	333	9.85	308	9.10	349	10.31	337	9.96	350	10.00	331	9.57
Waldo.....	173	7.05	167	6.91	177	7.32	161	6.66	182	7.53	154	6.37	206	8.50	228	9.43
Washington.....	398	8.81	359	7.94	327	7.23	344	7.61	360	7.96	332	7.34	368	7.95	362	7.92
York.....	424	6.55	448	6.90	445	6.87	480	7.40	522	8.05	543	8.37	546	8.16	497	7.52

TABLE No. 21.
Marriages by Counties and Nativity, 1906.

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin.....	324	112	53	44	3	536
Aroostook.....	375	64	90	127	5	664
Cumberland.....	617	125	92	79	5	918
Franklin.....	153	13	9	9	-	184
Hancock.....	286	10	8	14	1	319
Kennebec.....	404	53	45	33	6	541
Knox.....	237	7	12	13	-	269
Lincoln.....	140	-	6	4	-	150
Oxford.....	269	49	20	26	2	366
Penobscot.....	558	88	88	85	3	812
Piscataquis.....	137	6	6	20	1	170
Sagadahoc.....	121	14	6	7	3	151
Somerset.....	255	24	23	29	1	331
Waldo.....	210	3	8	6	1	228
Washington.....	265	20	29	47	1	362
York.....	288	113	56	39	1	497
Total.....	4,639.	696	545	582	36	6,498

TABLE No. 22.
Marriages by Months and Counties, 1906.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin.....	50	28	21	49	37	79	41	54	46	57	47	27	-	536
Aroostook.....	52	49	30	53	54	93	56	50	44	73	68	42	-	664
Cumberland.....	61	52	38	59	51	151	60	70	118	115	76	67	-	918
Franklin.....	16	15	8	6	8	27	14	13	16	14	29	18	-	184
Hancock.....	24	20	17	20	18	35	18	21	25	40	41	40	-	319
Kennebec.....	43	32	26	26	43	78	47	45	68	49	48	36	-	541
Knox.....	32	18	17	21	17	35	22	21	19	20	18	29	-	269
Lincoln.....	10	4	7	8	9	18	8	15	19	18	22	12	-	150
Oxford.....	28	18	21	36	33	46	25	17	35	40	33	34	-	366
Penobscot.....	54	66	46	53	57	107	52	68	92	85	68	64	-	812
Piscataquis.....	5	9	18	10	9	18	6	8	25	24	21	17	-	170
Sagadahoc.....	12	8	11	10	14	18	11	14	17	13	14	9	-	151
Somerset.....	22	23	23	27	26	38	22	22	33	33	36	26	-	331
Waldo.....	21	8	13	12	17	31	20	19	17	26	22	22	-	228
Washington.....	24	20	21	24	25	37	30	23	36	36	40	46	-	362
York.....	33	24	19	36	35	62	35	34	55	53	63	48	-	497
Total.....	487	394	336	450	453	873	467	494	665	696	646	537	-	6,498

TABLE No. 23.

Number of Marriages in Each Month of 1899-1906, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1899.		1900.		1901.		1902.		1903.		1904.		1905.		1906.	
	Marriages.	Ratio.*	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.
January.....	369	81.6	417	89.5	369	75.8	436	86.9	407	77.4	439	83.3	423	79.5	487	87.9
February.....	286	70.0	318	74.4	288	65.5	351	77.5	331	69.7	352	73.9	325	67.7	394	78.8
March.....	290	64.2	271	58.2	285	58.5	309	61.6	327	62.2	331	62.8	347	65.2	336	60.7
April.....	446	101.8	382	84.7	409	86.8	442	91.1	437	85.9	463	90.8	357	69.5	450	84.0
May.....	346	76.5	373	82.8	371	76.2	380	75.6	401	76.2	404	76.7	427	80.3	453	81.8
June.....	628	143.4	674	149.6	745	158.1	707	145.8	813	159.7	829	162.5	796	154.9	873	162.9
July.....	362	80.1	415	89.1	409	84.0	394	78.5	408	77.6	390	74.0	449	84.4	467	84.3
August.....	414	91.6	407	87.4	402	82.5	401	79.9	500	95.1	449	85.2	500	94.0	494	89.2
September.....	521	115.3	543	120.5	606	128.6	595	122.7	630	123.8	644	126.2	696	135.4	665	124.1
October.....	581	128.5	615	132.1	694	142.5	649	129.3	670	127.4	675	128.1	698	131.2	696	125.7
November.....	567	129.2	562	124.7	652	138.3	682	140.6	690	135.6	663	130.0	677	131.7	646	120.5
December.....	516	114.1	509	109.3	502	103.1	558	111.2	585	111.2	568	107.8	567	106.6	537	96.1
Unknown.....	3	-	1	-	3	-	1	-	1	-	1	-	2	-	-	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 24.
Marriages by Ages and Counties—1906.

COUNTIES.	Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscoggin...males..	-	21	217	132	70	36	16	13	11	8	6	3	-	3	536
females	2	104	220	105	36	29	13	12	3	7	1	1	-	3	536
Aroostook.....males..	-	24	289	182	73	39	14	14	9	8	7	3	1	1	664
females	4	266	237	81	27	17	12	8	5	3	3	1	-	-	664
Cumberland.....males	-	31	292	297	144	60	34	15	20	11	9	4	1	-	918
females	3	148	354	216	100	44	18	22	3	4	6	-	-	-	918
Franklin.....males	-	6	58	50	28	10	13	4	7	7	1	-	-	-	184
females	1	45	65	29	16	12	6	5	3	1	1	-	-	-	184
Hancock.....males	-	13	140	78	31	23	10	12	1	5	6	-	-	-	319
females	1	107	109	56	15	11	6	7	3	1	3	-	-	-	319
Kennebec.....males	-	32	195	149	62	38	20	13	13	4	9	4	1	1	541
females	1	139	198	89	46	27	14	11	6	3	3	1	-	-	541
Knox.....males	-	10	90	69	34	22	14	8	7	6	4	5	-	-	269
females	-	62	100	37	25	17	5	8	3	8	3	1	-	-	269
Lincoln.....males	-	5	51	43	19	12	8	8	1	1	2	-	-	-	150
females	-	31	61	33	9	11	1	2	-	2	-	-	-	-	150
Oxford.....males	-	11	122	116	52	16	17	8	10	6	4	2	-	2	366
females	1	107	136	58	19	12	6	10	10	2	3	-	-	2	366
Penobscot.....males	-	35	279	215	119	79	30	16	10	13	10	6	-	-	812
females	1	215	292	146	71	37	14	17	7	3	8	1	-	-	812
Piscataquis.....males	-	4	64	48	22	15	10	3	3	-	1	-	-	-	170
females	-	51	66	25	13	8	3	4	-	-	-	-	-	-	170
Sagadahoc.....males	-	5	60	36	19	14	7	6	-	3	-	1	-	-	151
females	1	32	61	31	8	10	5	-	-	3	-	-	-	-	151
Somerset.....males	-	15	117	76	46	23	21	8	10	7	4	3	1	-	331
females	1	114	107	42	26	14	10	6	3	5	3	-	-	-	331
Waldo.....males	-	13	80	64	18	19	8	10	7	4	5	-	-	-	228
females	2	54	90	34	14	9	10	8	1	5	1	-	-	-	228
Washington.....males	-	16	142	93	51	19	19	8	5	4	5	-	-	-	362
females	1	127	133	47	29	6	6	3	4	-	1	-	1	-	362
York.....males	-	2	210	116	57	26	19	19	8	10	10	2	-	-	497
females	-	12	187	83	40	29	13	7	4	3	3	-	-	-	497
Total.....males	-	261	2,406	1,764	845	451	260	165	122	97	83	33	4	7	6,498
females	19	1,730	2,416	1,112	494	293	142	131	54	54	41	6	-	6	6,498
Grand total.....	19	1,991	4,822	2,876	1,339	744	402	296	176	151	124	39	4	13	12,996

TABLE
Some Interesting Facts in

COUNTIES.	Instances in which the age of the bride exceeded that of the groom.	Widowers.		Divorced.		First marriage.		Second marriage.		Third marriage.	
		Widows.		M.	F.	M.	F.	M.	F.	M.	F.
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Androscoggin	95	72	56	21	21	440	455	83	69	9	7
Aroostook	64	77	51	7	13	580	600	79	61	4	3
Cumberland	133	84	77	30	41	804	800	102	112	10	6
Franklin	33	27	19	16	24	141	141	33	37	8	5
Hancock	44	30	30	13	9	276	280	41	35	2	1
Kennebec	105	65	64	27	31	449	446	85	84	7	8
Knox	61	39	30	29	24	201	215	63	45	4	7
Lincoln	27	12	14	6	6	132	130	15	19	3	1
Oxford	51	39	33	20	28	305	303	51	53	7	6
Penobscot	134	96	96	40	40	676	675	124	125	10	10
Piscataquis	22	17	16	8	11	145	143	22	33	3	4
Sagadahoc	27	15	11	6	11	130	129	20	22	1	-
Somerset	52	54	39	28	27	250	264	70	60	11	7
Waldo	39	28	28	13	12	186	189	31	34	10	5
Washington	66	37	26	17	12	308	324	47	34	6	1
York	100	69	31	16	20	412	446	76	46	9	5
Total	1,113	761	621	297	330	5,435	5,540	942	862	104	76

NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1906 was 6,498 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, 5,729 in 1895, 5,579 in 1896, 5,331 in 1897, 5,144 in 1898, 5,329 in 1899, 5,482 in 1900, 5,735 in 1901, 5,905 in 1902, 6,200 in 1903, 6,208 in 1904, and 6,264 in 1905). We have, therefore, for the year 1906, a marriage-rate of 18.08 (persons married) to every 1,000 of population, or at the rate of 9.04 marriages per 1,000 persons.

Marriage-rates.—The marriage-rate was higher in Oxford county than elsewhere in the State, it being for that county 11.01 per 1,000. The lowest marriage-rate, that of 7.24 per 1,000, was in Sagadahoc county. See Table No. 4.

Nativity.—Of the 6,462 records of marriage in which there was a statement of birthplace, in 72 per cent. the groom and bride were both American; in 11 per cent. both were of foreign birth; in 8 per cent. the groom was American and the bride of foreign birth; while in 9 per cent. a foreign groom and American bride were united.

Seasons.—The largest number of marriages, 873, was solemnized in June, while the smallest number in any one month, 336, occurred in March. See Table No. 22.

Ages of the Married.—The largest number, both of grooms and brides, was between 20 and 25 years of age. While still under 15 years of age, 19 brides were married; in the age-period 15-20 years there were 261 grooms and 1,730 brides; in the period 20-25 years 2,406 men and 2,416 women were married; from 25-30, 1,764 men and 1,112 women; from 30-35, 845 men and 494 women; from 35-40, 451 men and 293 women; from 40-45, 260 men and 142 women; from 45-50, 165 men and 131 women; from 50-55, 122 men and 54 women; from 55-60, 97 men and 54 women; from 60-70, 83 men and 41 women; from 70-80, 33 men and 6 women; over 80, 4 men. The age of 7 grooms and 6 brides was not stated. See Table No. 24.

In 5,385 marriages the groom was older than the bride; while in 1,113 the bride was the elder; 761 widowers and 621 widows were remarried; 297 men and 330 women were remarried after having been divorced from a former marriage.

Table No. 25 exhibits the fact that 5,435 men and 5,540 women were married for the first time; that 942 men and 862 women were married the second time; that 104 men and 76 women were united in the third marriage; that 10 men and 12 women contracted marriage a fourth time; that 1 man and 1 woman were married a fifth time, and 1 man was married the sixth time. The oldest groom was 84 years of age, and the oldest bride was 73. The youngest groom was 15 years of age, and the youngest bride was 12.

At the age of 15 years 3 grooms were married; at 16 years, 3; at 17 years, 17; at 18 years, 71; and at 19 years, 159. At the age of 12 years 1 bride was married; at 13 years, 7; at 14 years, 11; at 15, 50; at 16, 157; and at 17, 289.

One man was married for the sixth time at the age of 70 years; and 1 for the fifth time at 49. One bride was married a second time at the age of 17 years; and 1 at 18, who had been divorced. In one instance the bride was married a third time when 27 years of age, having been divorced twice; while in another case the bride was married a fifth time when but 28 years old. One woman contracted marriage for the first time at the age of 72 years.

TABLE

Divorces Decreed by the Supreme Court of Maine for the

COUNTIES.	Libellant wife.	Libellant husband.	Adultery.	Adultery and intoxication.	Cruelty.	Extreme cruelty.	Extreme cruelty and utter desertion.	Desertion.	Intoxication.	Intoxication and extreme cruelty.	Intoxication and failure to support.
Androscoggin	61	17	9	1	-	-	-	17	6	-	1
Aroostook	19	14	2	-	-	-	-	9	2	-	-
Cumberland	81	20	11	-	-	2	-	27	16	-	-
Franklin	24	9	9	-	-	-	-	11	4	-	-
Hancock	17	8	5	-	-	1	-	11	1	-	-
Kennebec.....	66	25	12	-	38	-	-	17	19	-	-
Knox	46	8	2	-	-	-	-	11	8	-	-
Lincoln	9	4	1	-	-	-	-	2	-	-	-
Oxford.....	31	14	7	-	-	-	-	15	3	1	-
Penobscot.....	62	20	7	-	-	1	-	17	19	-	-
Piscataquis.....	13	2	2	-	-	-	-	4	1	-	-
Sagadahoc	24	9	2	-	-	1	1	13	1	-	-
Somerset.....	39	15	8	-	-	-	-	8	8	-	-
Waldo.....	16	7	6	-	-	-	-	6	3	-	-
Washington	30	13	6	-	-	-	-	13	2	-	-
York.....	54	10	6	-	-	1	-	14	11	-	-
Total.....	592	195	95	1	38	6	1	195	104	1	1

No. 26.

Year, 1906, as returned by Clerks of the Several Counties.

	Cruel and abusive treatment.	Cruel and abusive treatment and adultery.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment, extreme cruelty and non-support.	Cruel and abusive treatment, gross and confirmed habits of intoxication, non-support and adultery.	Failure to support.	Neglecting to provide suitable maintenance.	Gross and wanton, or cruel, refusing to provide.	Impotence.	Marriage annulled.	Total.
36	-	-	2	5	-	-	-	1	-	-	-	-	78
19	-	-	-	-	-	-	-	-	1	-	-	-	33
36	-	-	2	1	-	-	1	2	-	-	2	1	101
9	-	-	-	-	-	-	-	-	-	-	-	-	33
7	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	5	-	-	-	-	91
30	-	-	-	2	1	-	-	-	-	-	-	-	54
9	-	-	-	1	-	-	-	-	-	-	-	-	13
17	-	-	-	1	-	-	-	1	-	-	-	-	45
32	-	-	-	3	-	-	-	-	-	3	-	-	82
6	-	-	-	1	-	-	-	1	-	-	-	-	15
10	-	-	-	3	2	-	-	-	-	-	-	-	33
14	-	-	1	5	6	3	-	1	-	-	-	-	54
7	-	-	-	-	-	-	-	-	-	-	-	-	23
21	-	-	-	-	-	-	-	1	-	-	-	-	43
27	1	-	-	-	-	-	-	4	-	-	-	-	64
281	1	5	22	9	3	1	16	1	3	2	1	1	787

TABLE No. 27.
Divorces by Causes, the Sex of Libellants, and the Number of Years Married, 1906.

CAUSES.	LIBELLANTS.		NUMBER OF YEARS MARRIED.							
	Number.	Sex.	Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown.
Adultery	95	Males.... 57 Females.. 38	1	20	20	14	3	-	-	-
Adultery and intoxication.....	1	Males.... 6 Females.. 1	-	-	-	1	-	-	-	-
Cruelty	38	Males.... 32 Females.. 6	1	9	12	8	1	1	-	-
Extreme cruelty.....	6	Males.... 6 Females.. 1	1	2	1	2	-	-	-	-
Extreme cruelty and utter desertion...	1	Males.... 1 Females.. 1	-	1	-	-	-	-	-	-
Desertion	195	Males.... 69 Females.. 126	-	18	42	39	17	8	12	12
Intoxication	104	Males.... 9 Females.. 95	2	30	22	26	11	3	1	-
Intoxication and extreme cruelty	1	Males.... 1 Females.. 1	-	1	-	-	-	-	-	-
Intoxication and failure to support.....	1	Males.... 1 Females.. 1	-	1	-	-	-	-	-	-
Cruel and abusive treatment.....	281	Males.... 51 Females.. 230	4	17	13	12	4	1	-	-
Cruel and abusive treatment and adultery.....	1	Males.... 1 Females.. 1	-	-	-	-	-	1	-	-
Cruel and abusive treatment and failure to support	5	Males.... 5 Females.. 5	-	3	-	2	-	-	-	-
Cruel and abusive treatment and intoxication.....	22	Males.... 2 Females.. 20	-	1	8	4	5	2	-	1
Cruel and abusive treatment and extreme cruelty	9	Males.... 9 Females.. 9	-	5	2	2	-	-	-	-
Cruel and abusive treatment, extreme cruelty and non-support	3	Males.... 3 Females.. 3	-	1	-	1	-	1	-	-
Cruel and abusive treatment, gross and confirmed habits of intoxication, non-support and adultery	1	Males.... 1 Females.. 1	-	-	-	-	1	-	-	-
Failure to support.....	16	Males.... 16 Females.. 16	-	7	5	1	1	1	1	-
Neglecting to provide suitable maintenance	1	Males.... 1 Females.. 1	-	-	-	-	1	-	-	-
Gross or wanton and cruel treatment, refusing to provide	3	Males.... 3 Females.. 3	-	-	-	2	1	-	-	-
Impotence	2	Males.... 2 Females.. 2	-	1	1	-	-	-	-	-
Marriage annulled.....	1	Males.... 1 Females.. 1	-	-	-	-	-	-	-	-
Total	787	Males.... 195 Females.. 592	24	3 20	44	53	56	12	4	2
					165	156	167	54	22	5

NOTES ON DIVORCES.

Seven hundred and eighty-seven divorces were decreed in the year 1906 (552 in 1892, 627 in 1893, 674 in 1894, 681 in 1895, 668 in 1896, 722 in 1897, 764 in 1898, 790 in 1899, 801 in 1900, 808 in 1901, 905 in 1902, 946 in 1903, 906 in 1904, and 848 in 1905). In 1906, there was decreed in Maine one divorce for every 12.1 marriages solemnized.

Some of the causes for which divorces were granted are: Adultery, 95, or 12.1 per cent. of the whole number; cruelty, 38, or 4.8 per cent.; desertion, 195, or 24.8 per cent.; intoxication, 104, or 13.2 per cent.; cruel and abusive treatment, 281, or 35.7 per cent.; failure to support, 16, or 2.3 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 592 divorces, and the husband in 195.

In the divorces granted for adultery, the husband was the libellant 57 times, and the wife 38 times.

On account of cruelty, the wife was the libellant in 32 cases, and the husband in 6 cases.

For desertion, the husband was the libellant 69 times, and the wife 126.

For intoxication, the husband was the libellant in 9 cases, and the wife in 95.

For cruel and abusive treatment, the husband was the libellant in 51 instances, and the wife in 230.

For failure to support, the wife was the libellant in the 16 divorces decreed for that cause.

Three divorces were granted before the marriage life had lasted six months; 44 before 1 year's marriage; 209 after from 1 to 5 years' marriage; 209 after 5 to 10 years; 223 after 10 to 20 years; 66 after 20 to 30 years; 26 after more than 30 years of married life; while in 7 cases it was not stated how many years they had been married. Tables No. 26 and No. 27 may be consulted for more detailed statements.

TABLE No. 28.
Deaths and Death-Rates by Counties for the Years 1899-1906.

	1899.		1900.		1901.		1902.		1903.		1904.		1905.		1906.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State	11,370	16.45	11,389	16.40	11,133	16.03	10,673	15.37	11,009	15.85	11,346	16.34	11,381	15.92	11,427	15.90
Androscoggin	1,054	19.62	963	17.75	848	15.63	806	14.86	745	13.73	833	15.36	900	15.83	1,054	18.36
Aroostook	766	13.13	763	12.74	804	13.48	736	12.37	773	13.08	805	13.50	802	12.38	1,013	15.02
Cumberland	1,778	17.83	1,828	18.15	1,746	17.34	1,682	16.70	1,712	17.00	1,810	17.98	1,788	16.47	1,702	15.98
Franklin	310	17.42	311	17.16	275	15.12	258	14.38	277	15.33	306	16.77	283	14.80	293	15.20
Hancock	572	15.42	511	13.81	511	13.72	468	12.66	531	14.35	492	13.28	544	14.14	469	12.66
Kennebec	1,063	18.05	1,073	18.15	1,070	18.10	1,020	17.25	1,092	18.47	1,086	18.37	1,115	18.13	965	15.98
Knox	468	15.36	519	17.14	491	16.18	445	14.69	483	15.96	487	16.08	478	15.75	460	15.19
Lincoln	316	15.88	293	14.88	322	16.37	253	12.86	327	16.63	319	16.22	269	13.58	249	12.66
Oxford	478	14.99	545	16.96	537	16.70	557	17.33	541	16.99	572	17.93	506	14.92	580	17.45
Penobscot	1,184	15.70	1,127	14.91	1,257	16.58	1,224	16.14	1,282	16.93	1,361	17.96	1,305	16.57	1,397	17.85
Piscataquis	277	16.25	244	14.73	234	15.19	217	13.20	214	12.99	252	15.17	270	15.52	237	13.59
Sagadahoc	296	14.77	335	16.48	293	14.41	310	15.25	339	16.67	312	15.35	322	14.93	296	14.19
Somerset	548	16.42	473	13.26	493	14.76	534	15.85	547	16.29	560	16.68	561	16.03	471	13.62
Waldo	432	17.60	417	17.24	399	16.50	368	15.22	358	14.80	394	16.29	407	16.79	395	16.33
Washington	618	13.82	700	15.55	648	14.40	579	12.91	611	13.63	581	12.96	673	14.53	653	14.29
York	1,207	18.66	1,282	17.26	1,183	18.23	1,216	18.74	1,177	18.14	1,176	18.12	1,158	17.30	1,193	18.04

TABLE No. 29.

Number of Deaths in Each Month of 1899-1906, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1899.		1900.		1901.		1902.		1903.		1904.		1905.		1906.	
	Deaths.	Ratio *	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January.....	1,432	148.4	903	99.5	955	100.9	876	96.7	1,006	107.6	985	102.2	981	101.4	822	84.7
February.....	1,049	130.5	881	100.8	1,091	85.4	900	110.0	944	111.8	1,035	118.9	1,009	115.6	853	97.2
March.....	935	96.9	1,095	110.1	1,132	119.7	929	102.5	996	106.5	1,080	117.8	1,197	123.8	1,060	109.2
April.....	965	103.3	1,196	127.7	955	104.4	939	107.1	989	109.3	1,116	119.7	1,023	109.4	985	104.8
May.....	899	93.2	1,068	107.3	944	99.9	919	101.4	930	99.5	1,038	107.7	957	99.0	961	99.0
June.....	768	82.2	793	84.3	789	86.2	805	91.8	786	86.9	807	86.5	830	88.8	848	90.2
July.....	783	81.1	839	84.4	836	88.4	837	92.4	901	96.4	800	83.0	768	79.4	885	91.2
August.....	1,031	106.8	1,033	103.8	831	87.9	861	95.0	865	92.4	896	93.0	1,006	104.0	1,133	116.8
September.....	953	102.0	1,037	110.8	970	105.6	911	103.9	957	105.7	907	97.2	1,012	108.2	1,117	118.9
October.....	882	91.4	911	91.6	882	93.3	854	94.3	865	92.5	909	94.3	958	99.1	920	94.8
November.....	781	83.6	769	82.1	831	90.8	820	93.5	831	91.8	817	87.6	824	88.1	885	94.2
December.....	881	91.3	856	83.1	897	94.9	998	110.1	919	98.3	944	97.9	799	82.6	942	97.2
Unknown.....	11	-	8	-	20	-	24	-	20	-	12	-	17	-	16	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

NUMBER OF DEATHS IN EACH MONTH.

TABLE

Showing the Number of Deaths in the State, and in

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.
All causes (including premature births).....	11,646	1,071	1,027	1,738
I. General diseases.....	2,853	263	265	418
II. Diseases of nervous system and organs of special sense.....	1,524	126	71	211
III. Diseases of circulatory system.....	1,384	103	55	221
IV. Diseases of respiratory system.....	1,330	173	117	197
V. Diseases of digestive system.....	1,366	162	252	167
VI. Diseases of genito-urinary system and its adnexa.....	853	73	28	180
VII. The puerperal state.....	101	12	10	9
VIII. Diseases of skin and cellular tissue.....	88	10	3	11
IX. Diseases of organs of locomotion.....	17	3	1	4
X. Malformations.....	86	10	5	11
XI. Early infancy.....	489	39	32	90
XII. Old age.....	535	33	34	83
XIII. Deaths from external causes.....	586	38	51	84
XIV. Deaths from ill-defined causes.....	434	26	103	52

No. 30.

Each County Arranged by Classes and Counties.

Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
299	479	982	465	251	599	1,433	239	300	487	399	673	1,204
64	130	215	114	48	152	384	63	52	144	94	160	287
42	63	188	63	44	55	178	28	40	71	65	86	193
40	65	130	91	47	69	136	29	52	51	75	97	123
29	47	93	29	18	80	166	16	48	37	35	75	170
31	34	87	33	15	74	174	25	27	60	26	76	123
33	39	72	40	23	29	89	22	29	27	32	37	100
-	5	5	7	3	7	13	3	3	6	2	4	12
3	2	10	5	1	5	12	3	2	4	3	7	7
-	-	1	-	-	1	4	-	-	1	1	-	1
2	2	8	8	1	7	6	2	6	4	1	5	8
11	21	36	17	5	41	58	6	10	24	12	31	56
12	26	53	25	21	37	65	8	12	24	24	35	43
22	24	51	21	15	24	103	17	16	16	13	35	56
10	21	33	12	10	18	45	17	3	18	16	25	25

TABLE No 30.—Continued.
Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
I.—General diseases.....	2,853	263	265	418	64	130	215	114	48	152	384	63	52	144	94	160	287
Typhoid fever.....	133	10	12	14	2	3	9	4	1	-	39	5	12	3	2	12	15
Intermittent fever and malarial cachexia.....	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-
Measles.....	105	32	27	8	6	-	1	1	-	8	6	-	-	5	3	-	8
Scarlatina.....	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Whooping cough.....	109	3	38	18	2	4	12	3	1	9	7	1	1	7	4	1	7
Diphtheria and croup.....	119	10	14	20	3	3	6	7	-	5	31	2	1	6	12	5	4
Influenza.....	109	6	29	9	5	7	7	3	1	9	7	12	12	7	3	1	11
Cholera nostras.....	31	12	2	1	1	-	5	-	1	-	5	12	12	7	3	1	11
Dysentery.....	46	12	3	7	2	3	3	4	-	4	1	2	-	10	-	2	3
Erysipelas.....	21	12	1	1	1	1	12	1	-	1	5	1	1	-	2	1	1
Other epidemic affections.....	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Purulent and septicemic affections.....	40	4	2	8	-	1	6	4	2	1	6	-	1	1	1	2	1
Glanders and farcy.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Rabies.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of larynx.....	12	-	1	5	-	-	-	-	-	-	3	-	-	1	1	-	1
Tuberculosis of lungs.....	915	75	69	140	14	44	76	38	13	40	120	24	16	54	31	69	92
Tuberculosis of meninges.....	109	13	9	15	2	6	7	2	-	6	20	1	3	5	2	4	14
Tuberculosis of peritoneum.....	54	2	7	3	-	2	4	-	4	3	12	1	1	3	4	-	8
Pott's disease.....	14	1	1	2	1	2	1	1	-	1	-	1	1	-	-	1	1
Cold abscess.....	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
White swelling.....	5	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-
Tuberculosis of other organs.....	16	1	1	3	-	-	1	1	-	1	2	1	-	-	1	2	2
General tuberculosis.....	50	2	3	9	-	2	3	1	2	3	16	1	-	3	2	1	2
Scrofula.....	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Syphilis.....	14	-	4	-	-	-	1	1	1	1	3	-	1	-	1	-	1
Cancer of mouth.....	29	4	1	8	-	4	3	1	-	2	1	1	1	1	-	1	2
Cancer of stomach and liver.....	215	22	9	34	6	9	15	9	7	12	28	5	3	9	7	14	26
Cancer of peritoneum, intestines and rectum.....	101	9	3	20	-	8	9	3	1	5	5	1	3	6	5	4	19
Cancer of female genital organs.....	92	11	2	16	2	2	6	5	2	2	15	1	4	6	3	4	11
Cancer of breast.....	49	7	1	9	3	2	3	2	2	3	3	2	1	2	2	4	3
Cancer of skin.....	30	1	1	2	2	1	3	1	1	3	6	-	1	-	1	4	3
Cancer of other organs and organs not specified.....	101	10	9	19	2	10	8	7	2	6	9	-	-	2	3	3	11
Other tumors.....	12	2	2	-	1	-	-	-	-	2	-	-	-	1	1	-	1
Acute articular rheumatism.....	30	2	1	5	-	2	4	4	1	2	1	1	1	1	1	-	4
Chronic rheumatism and gout.....	24	1	3	4	2	2	1	-	-	2	3	-	-	1	-	2	3
Diabetes.....	121	11	7	14	3	8	12	6	4	11	10	4	4	3	4	5	15
Addison's disease.....	2	3	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-
Leukemia.....	2	-	3	-	-	1	-	-	-	1	1	1	-	-	-	1	-
Anemia, chlorosis.....	53	6	1	7	3	2	5	2	-	3	8	1	1	3	4	1	6
Other general diseases.....	9	1	-	1	-	1	3	-	1	1	1	-	-	-	1	-	1
Alcoholism, acute or chronic.....	43	3	3	6	1	-	5	2	-	2	4	2	2	1	1	3	8
Chronic lead poisoning.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other chronic poisonings.....	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
II.—Diseases of the nervous system and of the organs of special sense.....	1,524	126	71	211	42	63	188	63	44	55	178	28	40	71	65	86	193
Encephalitis.....	9	1	-	-	-	-	1	-	-	2	1	-	-	3	-	1	-
Simple meningitis.....	159	24	11	16	2	6	13	1	3	2	25	5	-	5	4	12	30
Progressive locomotor ataxia.....	24	-	1	3	2	1	-	2	-	3	3	-	3	-	1	3	2

TABLE No. 30—Continued.
Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
Ulcer of the stomach.....	23	1	1	3	1	-	3	1	1	3	3	-	1	5	-	-	-
Other affections of the stomach (cancer excepted).....	146	13	7	19	6	4	11	6	6	7	15	3	4	9	3	9	24
Infantile diarrhea (under two years).....	652	74	191	70	7	17	43	7	-	24	79	10	12	17	3	40	58
Diarrhea and enteritis (two years and over) ..	139	13	23	17	2	5	9	4	1	9	15	7	3	9	4	13	5
Hernias and other intestinal obstructions.....	84	14	7	10	2	3	6	3	1	4	12	1	1	4	3	4	9
Other affections of the intestines.....	30	5	1	7	-	-	-	-	1	4	3	-	1	1	-	1	6
Acute yellow atrophy of liver.....	4	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-
Hydatid tumors of the liver.....	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
Cirrhosis of the liver.....	43	5	1	3	2	2	4	-	1	4	7	2	1	1	5	1	4
Biliary calculi.....	19	4	-	3	2	-	-	-	-	1	4	-	-	1	1	1	2
Other affections of the liver.....	65	3	7	10	3	2	5	4	1	8	9	-	-	4	3	1	5
Affections of the spleen.....	5	1	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-
Inflammatory peritonitis (puerperal excepted) ..	59	4	8	12	3	-	3	1	1	4	8	1	1	5	2	2	4
Other affections of the digestive system (cancer and tuberculosis excepted).....	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and abscess of the iliac fossa.....	75	22	5	9	2	1	1	7	-	3	13	-	3	2	-	3	4
VI.—Diseases of the genito-urinary system and its adnexa.....	853	73	28	180	33	39	72	40	23	29	89	22	29	27	32	37	160
Acute nephritis.....	63	6	1	13	2	4	5	1	-	6	6	3	-	2	4	2	8
Bright's disease.....	652	55	18	151	24	32	49	30	19	20	67	13	25	20	22	28	79
Other diseases of the kidneys and their adnexa..	21	1	2	2	-	-	2	3	2	-	2	1	1	1	-	1	3
Calculi of the urinary tract.....	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the bladder.....	39	3	4	3	4	-	7	1	-	1	1	1	2	2	3	4	3
Diseases of the urethra, urinary abscess, etc.....	3	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-
Diseases of the prostate.....	24	-	2	4	2	1	4	1	1	1	3	1	1	-	-	-	3
Non-venereal diseases of the male genital organs.....	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Uterine hemorrhage, (non-puerperal).....	4	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-
Uterine tumor (non-cancerous).....	11	2	-	-	-	-	1	1	-	1	2	1	-	-	1	1	1
Other diseases of the uterus.....	13	1	-	5	1	-	1	-	-	-	3	-	-	1	1	-	-
Cysts and other tumors of ovary.....	6	1	-	-	-	-	1	1	-	-	-	1	-	1	-	1	-
Other diseases of female genital organs.....	11	3	-	-	-	1	-	-	1	-	2	1	-	-	-	-	3
Non-puerperal diseases of the breast (cancer excepted).....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Metritis.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII.—The puerperal state.....	101	12	10	9	-	5	5	7	3	7	13	3	3	6	2	4	12
Accidents of pregnancy.....	17	2	1	1	-	1	1	-	-	2	4	-	-	-	-	-	5
Puerperal hemorrhage.....	6	-	1	-	-	-	-	-	-	2	2	-	-	1	-	-	2
Other accidents of labor.....	12	2	1	1	-	-	2	-	-	1	2	-	-	-	-	2	1

TABLE No. 30—Concluded.
Deaths by Classes and Counties.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
Puerperal septicemia....	25	3	4	3	-	2	-	2	-	-	1	1	2	4	-	-	3
Puerperal albuminuria and eclampsia.....	27	4	1	3	-	2	2	3	2	2	2	1	-	1	2	1	1
Other puerperal accidents, sudden death...	14	1	2	1	-	-	-	2	1	2	2	1	1	-	-	1	-
VIII.—Diseases of the skin and cellular tissue	88	10	3	11	3	2	10	5	1	5	12	3	2	4	3	7	7
Gangrene.....	67	9	2	8	3	2	7	4	1	4	7	-	2	2	3	6	7
Furuncle, boil, carbuncle	2	-	-	1	-	-	2	-	-	-	2	2	-	1	-	-	-
Phlegmon, acute abscess	7	1	1	1	-	-	1	1	-	1	-	1	-	-	-	-	-
Other diseases of the skin and its adnexa....	6	-	-	1	-	-	-	-	-	-	3	-	-	1	-	1	-
IX.—Diseases of the organs of locomotion...	17	3	1	4	-	-	1	-	-	1	4	-	-	1	1	-	1
Non-tuberculous diseases of the bones.....	14	2	1	2	-	-	1	-	-	1	4	-	-	1	1	-	1
Arthritis and other diseases of the joints (tuberculosis and rheumatism excepted).....	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of organs of locomotion.....	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
X.—Malformations.....	86	10	5	11	2	2	8	8	1	7	6	2	6	4	1	5	8
Malformations, congenital (still-births excepted)	86	10	5	11	2	2	8	8	1	7	6	2	6	4	1	5	8
XI.—Early infancy.....	488	39	32	90	11	21	36	17	5	41	58	6	10	24	12	31	55
Congenital icterus, debility and sclerema.....	388	31	29	65	8	18	29	13	5	27	51	5	8	20	10	27	42
Other diseases of early infancy.....	39	4	3	8	-	1	6	1	-	3	4	-	2	2	-	1	4
Lack of care.....	61	4	-	17	3	2	1	3	-	11	3	1	-	2	2	3	9
XII.—Old age.....	535	33	34	83	12	26	53	25	21	37	65	8	12	24	24	35	43
Senile debility.....	535	33	34	83	12	26	53	25	21	37	65	8	12	24	24	35	43
XIII.—Deaths from external causes.....	586	38	51	84	22	24	51	21	15	24	103	17	16	16	13	35	56
Suicide by poison.....	12	2	-	4	1	-	2	-	-	-	2	-	-	-	-	-	1
Suicide by asphyxia.....	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide by hanging or strangulation.....	21	-	-	2	-	-	4	-	2	-	6	-	-	-	1	1	3
Suicide by drowning.....	11	-	1	2	-	-	1	-	1	-	1	1	1	-	-	2	1
Suicide by firearms.....	32	-	1	6	-	4	2	5	-	2	2	2	1	-	1	1	5
Suicide by cutting instruments.....	5	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1
Suicide by jumping from high places.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other suicides.....	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Fractures.....	44	3	1	13	2	-	3	1	2	4	7	2	-	2	-	1	3
Other accidental injuries	191	12	19	28	10	8	16	9	4	8	35	5	6	5	3	8	15
Burns and scalds.....	41	4	6	4	1	2	6	2	1	1	4	-	3	-	1	2	4
Sunstroke.....	6	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	2
Freezing.....	4	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-
Electric shock.....	14	-	-	2	-	1	1	-	-	-	3	-	1	1	-	2	3
Accidental drowning.....	126	7	7	9	3	6	9	3	3	5	30	7	3	5	3	13	13
Inhalation of deleterious gases (suicide excepted)	12	1	5	3	-	-	-	-	-	-	2	-	-	-	-	-	1
Other acute poisonings..	31	3	6	4	1	1	5	-	1	1	5	-	-	-	2	1	1
Other external violence..	32	3	4	3	1	1	2	1	1	1	6	-	1	1	1	3	3
XIV.—Deaths from ill-defined causes.....	435	26	103	52	10	21	33	12	10	18	45	17	3	18	16	25	26
Dropsy.....	8	-	3	-	-	-	1	1	-	-	1	-	-	-	-	1	1
Sudden death.....	40	2	2	5	4	3	2	2	1	1	10	3	-	-	2	1	2
Unspecified or ill-defined causes of death.....	387	24	98	47	6	18	30	9	9	17	34	14	3	18	14	23	23

TABLE No. 31.
Deaths from All Causes by Months—1906.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
All causes (including pre-mature births).....	11,646	834	870	1077	1002	980	874	906	1146	1129	944	904	960	19
I.—General diseases....	2,853	211	220	247	222	238	231	231	241	273	253	237	245	4
II.—Diseases of nervous system and organs of special sense.....	1,524	103	123	152	136	139	117	120	152	124	102	131	124	1
III.—Diseases of circulatory system.....	1,384	109	104	134	126	119	113	118	120	102	114	107	114	4
IV.—Diseases of respiratory system.....	1,330	81	129	212	179	139	104	56	33	44	91	119	143	-
V.—Diseases of digestive system.....	1,366	55	62	72	55	66	66	103	322	300	127	71	66	1
VI.—Diseases of genito-urinary system and its adnexa	853	84	56	86	90	66	63	70	69	74	64	58	71	2
VII.—The puerperal state....	101	10	11	13	7	8	7	11	6	8	7	6	7	-
VIII.—Diseases of skin and cellular tissue.....	88	9	4	11	13	5	7	6	7	5	6	8	7	-
IX.—Diseases of organs of locomotion.....	17	2	3	2	1	3	2	-	-	1	3	-	-	-
X.—Malformations.....	86	11	6	6	10	5	6	7	5	8	5	7	10	-
XI.—Early infancy.....	488	38	40	36	48	44	41	36	37	46	46	38	36	2
XII.—Old age.....	535	53	50	36	38	53	36	49	39	42	47	42	50	-
XIII.—Deaths from external causes.....	586	36	36	33	44	54	54	65	76	49	47	44	46	2
XIV.—Deaths from ill-defined causes.....	435	32	26	37	34	41	27	34	39	53	32	36	41	3

TABLE No. 31—Continued.
Deaths from All Causes by Months—1906.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
—General diseases	2,853	211	220	247	222	238	231	231	241	273	253	237	245	4
Typhoid fever	133	9	11	11	6	6	8	7	10	16	18	20	10	1
Intermittent fever and malarial cachexia	3	-	-	-	-	-	-	1	-	-	2	-	-	-
Measles	105	6	3	5	8	2	5	7	6	13	16	24	10	-
Scarlatina	5	-	1	1	-	-	1	-	-	1	-	2	1	-
Whooping cough	109	4	3	5	5	4	11	9	13	22	7	14	11	1
Diphtheria and croup	119	16	6	8	14	4	11	6	5	9	10	14	16	-
Influenza	109	11	6	18	18	18	4	5	9	2	8	7	3	-
Cholera nostras	31	-	1	-	1	1	8	-	-	2	2	1	1	-
Dysentery	46	1	-	-	-	-	1	3	9	17	11	3	1	-
Erysipelas	21	1	-	2	1	3	3	1	2	-	2	4	2	-
Other epidemic affections	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Purulent and septicemic affections	40	5	1	3	1	6	2	2	4	4	4	2	6	-
Glanders and farcy	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Rabies	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis of larynx	12	2	3	-	3	-	-	-	3	1	-	-	-	-
Tuberculosis of lungs	915	74	79	86	69	92	76	82	73	72	75	61	76	-
Tuberculosis of meninges	109	8	9	8	4	15	13	14	10	13	10	7	7	-
Tuberculosis of peritoneum	54	1	6	6	6	5	4	6	4	2	2	8	4	-
Potts' disease	14	-	1	2	1	-	2	-	3	2	-	-	3	-
Cold abscess	1	-	-	-	-	-	-	-	-	-	-	1	-	-
White swelling	5	1	1	1	-	-	-	-	-	-	2	-	-	-
Tuberculosis of other organs	16	1	1	2	2	1	1	3	1	1	2	1	-	-
General tuberculosis	50	4	4	2	7	4	5	5	6	4	3	1	-	-
Scrofula	7	1	1	1	-	1	1	-	1	-	-	-	1	-
Syphilis	14	-	2	4	2	2	1	-	1	1	-	1	-	-
Cancer of mouth	29	2	3	1	1	2	4	6	2	4	-	-	4	-
Cancer of stomach and liver	215	10	24	15	17	10	16	20	27	22	19	12	23	-
Cancer of peritoneum, intestines and rectum	101	7	6	9	5	10	8	9	8	14	8	9	8	-
Cancer of female genital organs	92	10	6	3	11	11	6	7	8	6	9	5	10	-
Cancer of breast	49	4	3	5	4	4	3	2	4	5	5	5	5	-
Cancer of skin	30	2	2	4	3	1	2	3	2	4	1	4	2	-
Cancer of other organs and organs not specified	101	7	10	14	9	5	10	13	6	4	9	5	9	-
Other tumors	12	2	1	-	-	-	1	3	1	1	1	2	-	-
Acute articular rheumatism	30	3	7	2	1	5	-	1	2	1	3	1	4	-
Chronic rheumatism and gout	24	2	2	2	-	2	2	1	1	4	1	3	4	-
Diabetes	121	10	10	16	10	6	12	8	9	9	12	7	11	1
Addison's disease	8	-	-	-	-	3	2	1	-	-	-	-	2	-
Leukemia	8	-	1	2	1	1	-	2	1	-	-	-	4	-
Anemia, chlorosis	53	3	3	6	6	6	6	2	7	5	3	2	4	-
Other general diseases	9	1	-	1	2	-	-	-	1	1	1	-	2	-
Alcoholism, acute or chronic	43	3	3	4	4	2	2	2	4	4	2	7	6	-
Chronic lead poisoning	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Other chronic poisonings	4	-	-	-	-	-	-	-	1	-	1	2	-	-
II.—Diseases of the nervous system and of the organs of special sense	1,524	103	123	152	136	139	117	120	152	124	102	131	124	1
Encephalitis	9	1	2	-	-	1	1	2	-	-	1	1	-	-
Simple meningitis	159	11	10	15	23	13	8	9	26	17	6	10	11	-
Progressive locomotor ataxia	24	1	3	3	1	1	4	2	2	2	1	4	1	-
Other diseases of the spinal cord	45	1	3	4	2	6	3	4	3	5	2	6	6	-
Congestion and hemorrhage of brain	718	46	66	77	60	69	54	57	69	48	53	63	56	-
Softening of the brain	33	5	5	4	1	4	1	-	2	3	1	4	3	-
Paralysis without specified cause	233	19	9	23	25	21	20	20	15	20	15	22	24	-
General paralysis	12	1	2	-	2	1	-	1	1	1	-	2	1	-
Other forms of mental alienation	84	6	9	8	6	3	7	5	9	8	6	8	8	1
Epilepsy	31	3	-	1	4	3	6	-	5	2	3	3	1	-
Eclampsia (non puerperal)	8	1	1	-	2	-	1	1	-	-	-	-	2	-
Convulsions of children	93	3	8	8	8	9	5	7	9	12	12	5	7	-
Tetanus	4	-	-	-	-	-	-	3	1	-	-	-	-	-
Chorea	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other diseases of nervous system	63	5	4	9	3	4	8	7	9	5	2	3	4	-
Diseases of the eye and its adnexa	2	-	1	-	-	1	-	-	-	-	-	-	-	-
Diseases of the ear	5	-	-	-	1	1	3	-	-	-	-	-	-	-

TABLE No. 31—Concluded.
Deaths from all Causes by Months—1906.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
Metritis.....	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Uterine hemorrhage (non- puerperal).....	4	-	-	2	1	-	-	-	-	-	1	-	-	-
Uterine tumors (non-cancerous)....	11	1	1	1	1	1	-	1	2	1	1	-	2	-
Other diseases of the uterus.....	13	5	1	1	1	-	1	-	1	1	-	2	-	-
Cysts and other tumors of ovary...	6	2	-	1	1	-	-	-	1	-	2	-	-	-
Other diseases of female genital organs.....	11	2	1	1	2	1	1	1	-	1	1	-	-	-
Non-puerperal diseases of the breast (cancer excepted).....	1	-	-	-	-	-	-	-	1	-	-	-	-	-
VII.—The puerperal state.....	101	10	11	13	7	8	7	11	6	8	7	6	7	-
Accidents of pregnancy.....	17	2	3	1	-	2	-	3	2	1	1	-	2	-
Puerperal hemorrhage.....	6	-	-	-	1	-	2	1	-	-	2	2	2	-
Other accidents of labor.....	12	-	3	2	-	2	1	-	-	2	2	2	2	-
Puerperal septicemia.....	25	5	1	4	2	2	1	1	-	3	1	3	2	-
Puerperal albuminuria and ec- lampsia.....	27	3	3	3	1	2	2	3	3	3	1	1	2	-
Other puerperal accidents, sudden death.....	14	-	1	3	3	-	1	3	1	1	-	-	1	-
VIII.—Diseases of the skin and cel- lular tissue.....	88	9	4	11	13	5	7	6	7	5	6	8	7	-
Gangrene.....	67	6	4	8	10	4	6	3	6	1	6	7	6	-
Furuncle, boil, carbuncle.....	8	1	-	-	-	-	1	2	-	3	-	-	1	-
Phlegmon, acute abscess.....	7	-	-	2	2	1	-	1	-	1	-	-	-	-
Other diseases of the skin and its adnexa.....	6	2	-	1	1	-	-	-	1	-	-	1	-	-
IX.—Diseases of the organs of lo- comotion.....	17	2	3	2	1	3	2	-	-	1	3	-	-	-
Non-tuberculous diseases of the bones.....	14	2	2	2	1	3	1	-	-	1	2	-	-	-
Arthritis and other diseases of the joints (tuberculosis and rheuma- tism excepted).....	2	-	-	-	-	-	1	-	-	-	1	-	-	-
Other diseases of organs of loco- motion.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-
X.—Malformations.....														
Malformations, congenital (still- births excepted).....	86	11	6	6	10	5	6	7	5	8	5	7	10	-
XI.—Early infancy.....	488	38	40	36	48	44	41	36	37	46	46	38	36	2
Congenital icterus, debility and sclerema.....	388	34	29	28	36	34	29	30	31	37	37	31	30	2
Other diseases of early infancy....	39	-	4	2	8	5	5	1	3	3	3	3	2	-
Lack of care.....	61	4	7	6	4	5	7	5	3	6	6	4	4	-
XII.—Old age.....														
Senile debility.....	535	53	50	36	38	53	36	49	39	42	47	42	50	-
XIII.—Deaths from external causes	586	36	36	33	44	54	65	76	49	47	44	46	2	-
Suicide by poison.....	12	1	2	2	2	1	1	-	1	-	1	-	1	-
Suicide by asphyxia.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Suicide by hanging or strangulation	21	-	-	2	4	-	2	2	3	2	1	3	2	-
Suicide by drowning.....	11	1	-	-	1	-	2	-	2	2	2	1	-	-
Suicide by firearms.....	32	-	2	2	1	3	1	3	3	9	-	4	3	1
Suicide by cutting instruments.....	5	-	-	1	1	-	-	1	-	-	-	1	1	-
Suicide by jumping from high places	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other suicides.....	2	1	-	-	-	-	1	-	-	-	-	-	2	-
Fractures.....	44	1	7	5	3	3	5	3	3	5	2	5	2	-
Other accidental injuries.....	191	20	12	8	10	23	12	9	21	20	18	15	23	-
Burns and scalds.....	41	5	1	4	7	1	2	2	3	2	6	3	5	-
Sunstroke.....	6	-	-	-	-	-	-	2	3	1	-	-	-	-
Freezing.....	4	2	1	-	-	-	-	-	-	-	-	-	1	-
Electric shock.....	14	-	-	1	1	1	-	3	5	1	2	-	-	-
Accidental drowning.....	126	1	-	2	3	18	23	30	28	3	8	7	2	1
Inhalation of deleterious gases (suicide excepted).....	12	-	6	-	1	-	-	-	-	-	3	-	2	-
Other acute poisonings.....	31	2	1	5	4	1	4	5	4	-	1	2	2	-
Other external violence.....	32	2	3	1	6	3	1	5	-	4	3	3	1	-
XIV.—Deaths from ill-defined causes.....	435	32	26	37	34	41	27	34	39	53	32	36	41	3
Dropsy.....	8	-	1	2	1	-	-	1	-	-	-	2	1	-
Sudden death.....	40	3	1	3	1	5	3	3	5	2	3	5	6	-
Unspecified or ill-defined causes of death.....	387	29	25	33	31	35	24	30	34	51	29	29	34	3

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Total.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
All causes	Totals	68,262	10,641	1834	857	514	439	14,285
	Males	35,020	5,928	960	444	278	227	7,837
	Females	33,189	4,677	874	413	236	212	6,412
	Not stated	53	36	-	-	-	-	36
Typhoid fever	Totals	1,142	6	3	10	4	10	33
	Males	664	1	1	5	1	5	13
	Females	478	5	2	5	3	5	20
Typhus fever	Totals	1	-	-	-	-	-	-
	Males	1	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Intermittent fever and malarial ca- chexia.....	Totals	67	-	-	1	-	-	1
	Males	65	-	-	1	-	-	1
	Females	2	-	-	-	-	-	-
Smallpox.....	Totals	22	4	-	1	-	-	5
	Males	14	4	-	-	-	-	4
	Females	8	-	-	1	-	-	1
Measles	Totals	249	70	56	19	8	2	165
	Males	117	41	25	8	5	1	80
	Females	131	28	31	11	3	1	74
Scarlatina	Not stated	1	1	-	-	-	-	1
	Totals	71	4	5	8	8	13	38
	Males	30	1	3	5	3	6	18
Whooping cough	Females	41	3	2	3	5	7	20
	Totals	390	253	75	25	14	6	373
	Males	193	123	39	12	6	2	182
Diphtheria and croup.....	Females	197	130	36	13	8	4	191
	Totals	748	85	82	91	82	81	421
	Males	405	50	46	54	46	48	244
Influenza	Females	343	35	36	37	36	33	177
	Totals	1,102	139	34	10	8	8	199
	Males	496	83	16	5	4	3	111
Cholera nostras	Females	606	56	18	5	4	5	88
	Totals	106	11	1	8	3	5	28
	Males	51	7	-	3	1	2	13
Dysentery.....	Females	55	4	1	5	2	3	15
	Totals	206	38	13	10	13	9	83
	Males	90	19	7	3	10	6	45
Erysipelas	Females	116	19	6	7	3	3	38
	Totals	138	18	-	1	-	-	19
	Males	74	9	-	-	-	-	9
Other epidemic affections	Females	64	9	-	1	-	-	10
	Totals	5	1	1	-	1	-	3
	Males	3	-	1	-	-	-	1
Purulent and septicemic affections	Females	2	-	-	-	1	-	2
	Totals	278	19	1	1	1	2	24
	Males	154	7	-	-	1	-	8
Glanders and farcy	Females	124	12	1	1	-	2	16
	Totals	3	-	-	-	-	-	-
	Males	3	-	-	-	-	-	-
Malignant pustule and anthrax.....	Females	-	4	1	-	-	-	1
	Totals	4	1	-	-	-	-	1
	Males	3	1	-	-	-	-	1
Rabies	Females	1	-	-	-	-	-	-
	Totals	1	-	-	1	-	-	1
	Males	-	-	-	-	-	-	-
Actinomycosis, trichinosis, etc	Females	1	-	-	1	-	-	1
	Totals	1	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
Tuberculosis of larynx	Females	1	-	-	-	-	-	-
	Totals	69	-	1	1	-	-	2
	Males	46	-	1	-	-	-	1
Tuberculosis of lungs.....	Females	23	-	-	-	-	-	1
	Totals	5,729	77	34	21	18	11	161
	Males	2,589	48	17	7	10	6	88
Females	3,170	29	17	14	8	5	73	

No. 32.

Age-Groups-1901-1906.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
1308	1005	1810	2406	2339	2115	2052	2087	2405	2778	3342	4076	5259	5643	5842	4664	2877	1107	276	32	546
686	488	822	1165	1069	972	975	1014	1219	1446	1733	2182	2718	2963	3065	2355	1354	450	92	11	344
622	515	922	1241	1270	1143	1077	1083	1186	1332	1609	1894	2541	2680	2777	2308	1523	657	184	21	186
76	78	178	205	148	97	82	54	60	33	28	21	18	11	10	1	-	-	-	-	16
34	33	89	125	98	62	56	34	41	22	14	14	10	7	5	-	-	-	-	-	9
42	45	79	80	50	35	26	20	19	11	14	7	8	4	5	-	-	-	-	-	7
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
18	8	6	6	6	11	8	3	5	3	4	2	4	3	1	2	-	-	-	-	2
10	4	2	1	2	3	3	1	3	2	1	2	2	1	-	1	-	-	-	-	1
8	4	4	5	6	7	5	2	2	1	3	-	2	2	1	1	-	-	-	-	1
17	10	1	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	1	1	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	2
7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
189	69	25	12	10	2	6	3	3	1	1	1	2	1	1	-	-	-	-	-	2
96	32	11	7	6	4	4	2	1	1	-	-	-	-	-	-	-	-	-	-	2
93	37	14	5	4	2	2	3	1	1	1	1	1	1	1	-	-	-	-	-	2
25	11	9	11	15	13	11	14	27	20	33	48	74	123	165	174	89	30	7	1	3
13	2	4	4	6	5	4	8	13	10	13	18	33	53	74	79	36	7	1	1	3
12	9	5	7	9	8	7	6	14	10	20	30	41	70	91	95	53	23	6	1	3
7	3	-	-	1	1	-	-	1	1	2	1	4	6	9	21	7	4	-	-	3
4	2	-	-	-	-	-	1	-	-	2	1	2	1	2	11	3	8	-	-	3
3	1	-	-	-	-	-	-	-	-	2	2	2	6	7	10	4	4	-	-	-
9	1	1	1	3	3	2	-	6	2	7	6	11	24	19	10	10	8	-	-	-
2	1	-	-	1	1	1	1	1	1	1	1	3	13	10	3	2	2	-	-	-
-	1	1	1	3	3	3	3	9	11	11	6	9	14	15	8	5	5	1	-	-
-	1	1	2	2	2	1	2	4	1	2	5	6	8	10	6	2	2	-	-	-
-	1	1	2	2	1	1	-	1	1	2	6	5	4	1	2	3	3	1	-	-
-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	7	12	10	19	26	13	14	21	18	17	22	26	22	13	12	2	1	-	-	1
3	4	9	4	6	9	7	8	13	13	9	13	16	13	9	7	1	1	-	-	-
1	3	3	6	13	11	6	6	8	8	5	9	10	9	4	5	1	-	-	-	-
-	-	-	1	1	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	3	9	11	11	10	3	2	3	3	4	4	3	2	1	-	-	-	-	-	-
-	2	5	7	8	8	1	1	1	3	4	3	2	1	-	-	-	-	-	-	-
1	1	4	3	2	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
56	112	559	867	815	608	453	383	311	265	266	234	231	180	122	52	2	2	-	-	20
25	28	212	356	346	264	187	177	167	142	144	128	116	76	63	22	12	1	-	-	11
31	84	347	511	469	344	266	206	164	123	122	106	115	104	59	30	6	1	-	-	9

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.	Age					Total under 5
			Under 1.	1 and under 2	2.	3.	4.	
Tuberculosis of meninges	Totals	416	100	57	36	18	24	235
	Males	204	51	29	20	8	12	120
Tuberculosis of peritoneum	Females	212	49	28	16	10	12	115
	Totals	346	16	3	4	1	2	31
Pott's disease	Males	139	11	3	-	-	1	15
	Females	207	5	5	4	1	1	16
Cold abscess	Totals	58	4	2	1	-	1	8
	Males	25	2	1	-	-	-	3
White swelling	Females	30	2	1	1	-	1	5
	Totals	13	2	-	1	-	-	3
Tuberculosis of other organs	Males	5	1	-	1	-	-	2
	Females	8	1	-	-	-	-	1
General tuberculosis	Totals	25	-	-	-	-	-	-
	Males	15	-	-	-	-	-	-
Scrofula	Females	10	-	-	-	-	-	-
	Totals	77	5	5	-	-	-	10
Syphilis	Males	43	3	4	-	-	-	7
	Females	34	2	1	-	-	-	3
Cancer of mouth	Totals	260	14	1	6	1	-	22
	Males	127	9	1	5	1	-	16
Cancer of stomach and liver	Females	133	5	-	1	-	-	6
	Totals	36	15	5	-	1	-	21
Cancer of peritoneum, intestines and rectum	Males	19	11	2	-	-	-	13
	Females	17	4	3	-	1	-	8
Cancer of female genital organs	Totals	48	14	2	-	-	-	16
	Males	31	9	1	-	-	-	10
Cancer of breast	Females	17	5	1	-	-	-	6
	Totals	2	1	-	-	-	-	1
Cancer of skin	Males	1	-	-	-	-	-	-
	Females	1	1	-	-	-	-	1
Cancer of other organs and organs not specified	Totals	141	-	-	-	-	-	-
	Males	115	-	-	-	-	-	-
Other tumors	Females	26	-	-	-	-	-	-
	Totals	1,401	2	-	-	-	-	2
Acute articular rheumatism	Males	662	-	-	-	-	-	-
	Females	739	2	-	-	-	-	2
Chronic rheumatism and gout	Totals	453	1	-	-	-	-	1
	Males	165	1	-	-	-	-	1
Scurvy	Females	288	-	-	-	-	-	-
	Totals	550	-	-	-	-	-	-
Scurvy	Males	-	-	-	-	-	-	-
	Females	550	-	-	-	-	-	-
Scurvy	Totals	323	-	-	-	-	-	-
	Males	2	-	-	-	-	-	-
Scurvy	Females	321	-	-	-	-	-	-
	Totals	164	-	-	-	-	-	-
Scurvy	Males	113	-	-	-	-	-	-
	Females	51	-	-	-	-	-	-
Scurvy	Totals	641	2	2	-	2	-	6
	Males	296	-	1	-	2	-	3
Scurvy	Females	345	2	1	-	-	-	3
	Totals	63	-	1	-	-	-	1
Scurvy	Males	15	-	-	-	-	-	-
	Females	48	-	1	-	-	-	1
Scurvy	Totals	930	-	1	-	6	-	7
	Males	111	-	1	-	3	-	4
Scurvy	Females	89	-	-	-	3	-	3
	Totals	130	-	-	-	-	-	-
Scurvy	Males	63	-	-	-	-	-	-
	Females	67	-	-	-	-	-	-
Scurvy	Totals	1	1	-	-	-	-	1
	Males	-	1	-	-	-	-	-
Scurvy	Females	1	-	-	-	-	-	1

TABLE
Deaths from all Causes by

CAUSES OF DEATHS.	Sex.	Total.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Diabetes	Totals	559	-	2	5	3	4	14
	Males	282	-	1	4	2	3	10
Exophthalmic goiter.....	Females.....	307	-	1	1	1	1	4
	Totals	11	-	-	-	-	-	-
Addison's disease.....	Males.....	9	-	-	-	-	-	-
	Females.....	29	-	-	1	-	-	1
Leukemia	Males.....	18	-	-	1	-	-	1
	Females.....	11	-	-	-	-	-	-
Anemia, chlorosis.....	Totals	46	2	1	3	1	1	8
	Males.....	28	1	1	1	-	1	4
Other general diseases.....	Females.....	18	1	-	2	1	-	4
	Totals	310	35	9	3	1	2	50
Alcoholism, acute or chronic.....	Males.....	110	13	3	1	-	1	18
	Females.....	200	22	6	2	1	1	32
Chronic lead poisonings.....	Totals	20	5	1	-	3	-	9
	Males.....	9	1	1	-	3	-	5
Other chronic poisonings.....	Females.....	11	4	-	-	-	-	4
	Totals	144	-	-	-	-	-	-
Encephalitis	Males.....	129	-	-	-	-	-	-
	Females.....	15	-	-	-	-	-	2
Simple meningitis.....	Totals	4	-	-	-	2	-	2
	Males.....	3	-	-	-	1	-	1
Epidemic cerebro-spinal meningitis.....	Females.....	1	-	-	-	1	-	1
	Totals	21	-	-	-	-	-	-
Progressive locomotor ataxia.....	Males.....	7	-	-	-	-	-	-
	Females.....	14	-	-	-	-	-	-
Other diseases of the spinal cord.....	Totals	85	21	5	4	1	-	31
	Males.....	45	16	3	2	-	-	21
Softening of the brain.....	Females.....	40	5	2	2	-	-	10
	Totals	1,305	498	165	68	45	35	811
Epilepsy.....	Males.....	676	265	88	34	24	16	427
	Females.....	628	232	77	34	21	19	383
Paralysis without specified cause.....	Not stated.	1	1	-	-	-	-	1
	Totals	77	24	9	7	2	4	46
General paralysis.....	Males.....	37	14	2	4	1	2	23
	Females.....	40	10	7	3	1	2	23
Other forms of mental alienation.....	Totals	123	1	-	-	-	-	1
	Males.....	84	1	-	-	-	-	1
Congestion and hemorrhage of brain.....	Females.....	39	-	-	-	-	-	-
	Totals	290	13	5	1	2	-	21
Softening of the brain.....	Males.....	158	7	1	-	2	-	10
	Females.....	132	6	4	1	-	-	11
Paralysis without specified cause.....	Totals	4,164	58	12	5	-	1	76
	Males.....	2,074	35	7	2	-	-	44
General paralysis.....	Females.....	2,090	23	5	3	-	1	32
	Totals	228	-	-	-	-	-	-
Other forms of mental alienation.....	Males.....	125	-	-	-	-	-	-
	Females.....	103	-	-	-	-	-	-
Epilepsy.....	Totals	1,413	9	4	-	-	-	13
	Males.....	664	6	1	-	-	-	7
Eclampsia (non-puerperal).....	Females.....	749	3	3	-	-	-	6
	Totals	138	-	-	-	-	-	-
Other forms of mental alienation.....	Males.....	80	-	-	-	-	-	-
	Females.....	58	-	-	-	-	-	-
Epilepsy.....	Totals	428	-	-	-	-	-	-
	Males.....	179	-	-	-	-	-	-
Eclampsia (non-puerperal).....	Females.....	249	-	-	-	-	-	-
	Totals	190	10	1	1	1	2	15
Other forms of mental alienation.....	Males.....	104	4	1	1	1	2	9
	Females.....	86	6	-	-	-	-	6
Epilepsy.....	Totals	59	-	-	-	-	-	-
	Males.....	16	-	-	-	-	-	-
Eclampsia (non-puerperal).....	Females.....	43	-	-	-	-	-	-

TABLE
Deaths from All Causes by

CAUSES OF DEATH.	Sex.	Totals.						Total under 5.
			Under 1.	1 and under 2.	2.	3.	4.	
Convulsions of children.....	Totals.....	550	398	86	38	15	11	548
	Males.....	306	225	47	24	4	5	305
Tetanus.....	Females...	244	173	39	14	11	6	243
	Totals.....	48	4	-	-	-	2	6
Chorea.....	Males...	32	4	-	-	-	2	6
	Females...	16	-	-	-	-	-	-
Other diseases of nervous system.....	Totals.....	5	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
Diseases of the eye and its adnexa.....	Females...	5	-	-	-	-	-	-
	Totals.....	485	32	8	3	5	2	50
Diseases of the ear.....	Males.....	228	15	6	-	2	-	23
	Females...	256	16	2	3	3	2	26
Pericarditis.....	Not stated.	1	1	-	-	-	-	1
	Totals.....	5	-	-	-	-	-	-
Acute endocarditis.....	Males.....	1	-	-	-	-	-	-
	Females...	4	-	-	-	-	-	-
Organic diseases of heart.....	Totals.....	13	6	-	3	-	-	9
	Males.....	9	5	-	1	-	-	6
Angina pectoris.....	Females...	4	1	-	2	-	-	3
	Totals.....	64	1	-	-	-	1	1
Affections of the arteries (atheroma, aneurism, etc.).....	Males.....	29	-	-	-	-	-	-
	Females...	35	-	-	-	-	1	1
Embolism and thrombosis.....	Totals.....	243	3	-	-	1	1	5
	Males.....	125	3	-	-	1	-	4
Other affections of the circulatory system.....	Females...	118	-	-	-	-	1	1
	Totals.....	6,182	93	13	2	3	5	116
Angina pectoris.....	Males.....	3,468	59	4	1	3	1	68
	Females...	2,714	34	9	1	4	4	48
Affections of the veins (varices, hemorrhoids, phlebitis etc.).....	Totals.....	436	-	-	-	-	-	-
	Males.....	287	-	-	-	-	-	-
Hemorrhages.....	Females...	209	-	-	-	-	-	-
	Totals.....	243	1	1	-	-	-	2
Other affections of the circulatory system.....	Males.....	165	-	-	-	-	-	-
	Females...	80	1	1	-	-	-	2
Diseases of the nasal fossae.....	Totals.....	248	4	-	-	-	1	5
	Males.....	116	2	-	-	-	1	3
Diseases of the nasal fossae.....	Females...	132	2	-	-	-	-	2
	Totals.....	19	-	-	-	-	-	-
Affections of the lymphatic system.....	Males.....	8	-	-	-	-	-	-
	Females...	11	-	-	-	-	-	-
Hemorrhages.....	Totals.....	3	1	-	-	-	-	1
	Males.....	2	1	-	-	-	-	1
Other affections of the circulatory system.....	Females...	1	-	-	-	-	-	-
	Totals.....	98	22	4	3	-	-	29
Diseases of the nasal fossae.....	Males.....	41	12	1	-	-	-	13
	Females...	57	10	3	3	-	-	16
Diseases of the nasal fossae.....	Totals.....	6	3	-	-	-	-	3
	Males.....	-	-	-	-	-	-	-
Diseases of the nasal fossae.....	Females...	6	3	-	-	-	-	3
	Totals.....	4	1	1	-	-	-	2
Diseases of the nasal fossae.....	Males.....	3	1	-	-	-	-	1
	Females...	1	-	1	-	-	-	1
Diseases of the nasal fossae.....	Totals.....	94	20	21	11	5	5	62
	Males.....	51	11	15	5	3	1	35
Diseases of the nasal fossae.....	Females...	43	9	6	6	2	4	27
	Totals.....	14	-	-	-	1	-	1
Diseases of the nasal fossae.....	Males.....	1	-	-	-	-	-	-
	Females...	13	-	-	-	1	-	1
Diseases of the nasal fossae.....	Totals.....	718	353	87	28	11	5	484
	Males.....	335	194	45	10	6	1	256
Diseases of the nasal fossae.....	Females...	383	159	42	18	5	4	228

No. 32—Continued.

Age-Groups—1901-1906.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	\$5-99.	100 and over.	Unknown.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
5	7	4	2	6	3	2	4	3	1	-	1	-	2	1	-	1	-	-	-	1
4	6	4	1	2	2	1	2	2	1	-	1	-	1	1	-	-	-	-	-	-
1	1	1	1	4	3	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-
-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
11	11	15	14	16	21	19	18	27	47	39	40	52	38	43	17	6	-	-	-	1
9	4	9	4	4	9	8	11	15	22	18	23	25	15	20	7	2	-	-	-	-
2	7	6	10	12	12	11	7	12	23	21	17	27	23	23	10	4	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
4	4	4	2	2	2	2	-	1	3	1	5	9	9	7	5	-	-	-	-	-
2	3	2	2	2	2	2	-	1	3	2	2	3	4	4	1	-	-	-	-	-
8	3	3	5	7	7	5	9	7	13	20	27	26	33	36	15	8	-	-	-	1
3	3	3	1	4	4	3	6	6	8	10	18	9	16	17	8	1	-	-	-	-
5	3	3	4	3	3	3	3	6	5	10	9	17	17	19	7	5	-	-	-	-
22	39	51	57	92	104	136	154	222	288	482	653	886	938	326	632	281	66	9	1	27
6	16	26	24	41	42	71	69	112	160	272	400	529	539	540	355	131	24	4	1	18
16	23	35	33	51	62	65	85	110	128	210	253	357	379	386	277	150	42	5	1	9
1	-	2	1	2	2	2	2	2	2	2	4	4	4	3	2	2	2	1	-	2
1	-	1	2	7	7	10	5	4	4	5	24	21	31	47	43	36	16	6	-	1
-	-	-	-	-	-	3	3	2	2	3	20	20	21	29	37	21	10	9	-	-
-	-	-	-	-	-	5	5	2	4	2	4	10	18	6	15	6	6	3	-	1
-	-	-	-	-	-	5	16	12	12	22	21	33	21	42	10	6	2	2	-	1
-	-	-	-	-	-	4	4	5	7	11	13	16	16	22	6	2	2	2	-	1
-	-	-	-	-	-	1	1	2	1	1	8	17	5	2	4	4	4	4	-	1
-	-	-	-	-	-	2	2	2	1	1	3	3	5	4	1	-	-	-	-	-
-	-	-	-	-	-	1	1	-	1	-	2	2	2	3	1	-	-	-	-	-
-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
3	1	-	5	5	3	12	1	4	3	4	5	7	9	3	1	2	1	-	-	1
2	-	-	3	1	6	1	1	2	2	2	2	3	3	1	1	1	1	-	-	1
1	1	-	2	5	2	6	2	2	1	2	3	4	2	2	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
16	2	2	1	2	2	1	-	1	1	1	2	2	2	1	-	-	-	-	-	-
10	1	1	1	1	1	1	-	1	1	1	1	1	1	1	-	-	-	-	-	-
6	2	1	-	-	2	-	2	1	1	1	5	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
4	3	3	4	2	2	2	2	1	1	1	4	-	-	1	-	-	-	-	-	1
1	1	3	1	1	1	1	1	1	5	4	12	24	30	43	47	35	9	3	-	1
4	2	3	1	1	1	1	2	1	4	4	3	11	13	12	14	15	3	1	-	-
-	-	-	-	-	-	-	-	-	-	-	9	13	9	13	33	20	6	2	-	1

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.	Under 1.	1 and under 2.				Total under 5.
				2.	3.	4.		
Chronic bronchitis.....	Totals.....	582	9	4	-	1	-	14
	Males.....	246	5	-	-	1	-	6
	Females.....	336	4	4	-	-	-	8
Broncho pneumonia.....	Totals.....	902	250	113	48	14	13	438
	Males.....	420	122	57	26	7	7	219
	Females.....	481	127	56	22	7	6	218
Pneumonia.....	Not stated	1	1	-	-	-	-	1
	Totals.....	5,151	702	251	113	57	34	1157
	Males.....	2,591	385	136	51	30	21	623
Pleurisy.....	Females.....	2,557	316	115	62	27	13	533
	Not stated	3	1	-	-	-	-	1
	Totals.....	119	5	2	-	1	-	3
Congestion of the lungs, pulmonary apoplexy.....	Males.....	75	2	1	-	-	-	3
	Females.....	44	3	1	-	1	-	5
	Totals.....	352	77	14	1	4	2	98
Gangrene of the lungs.....	Males.....	182	46	8	1	2	2	59
	Females.....	170	31	6	-	2	-	39
	Totals.....	28	-	-	-	-	-	-
Asthma.....	Males.....	21	-	-	-	-	-	-
	Females.....	7	-	-	-	-	-	-
	Totals.....	140	9	5	1	-	-	15
Emphysema of the lungs.....	Males.....	76	3	3	-	-	-	6
	Females.....	64	6	2	1	-	-	9
	Totals.....	22	-	-	-	-	-	-
Other diseases of the respiratory system (phthisis excepted).....	Males.....	13	-	-	-	-	-	-
	Females.....	9	-	-	-	-	-	-
	Totals.....	156	16	3	1	-	1	21
Affections of the mouth and its adnexa.....	Males.....	88	7	1	1	-	1	10
	Females.....	68	9	2	-	-	-	11
	Totals.....	23	16	-	-	-	-	17
Affections of the pharynx.....	Males.....	15	9	-	1	-	-	10
	Females.....	8	7	-	-	-	-	7
	Totals.....	92	12	4	2	7	6	31
Affections of the esophagus.....	Males.....	50	6	2	-	4	4	16
	Females.....	42	6	2	2	3	2	15
	Totals.....	8	-	1	-	-	-	1
Ulcer of the stomach.....	Males.....	3	-	-	-	-	-	-
	Females.....	5	-	1	-	-	-	1
	Totals.....	115	1	1	-	-	-	2
Other affections of the stomach (cancer excepted).....	Males.....	48	-	1	-	-	-	1
	Females.....	67	1	-	-	-	-	1
	Totals.....	882	181	30	12	5	4	232
Infantile diarrhea (under 2 years).....	Males.....	429	111	13	10	3	2	139
	Females.....	453	70	17	2	2	2	93
	Totals.....	2,912	257	378	-	-	-	2905
Diarrhea and enteritis (two years and over).....	Males.....	1,638	1431	204	-	-	-	1635
	Females.....	1,273	1096	174	-	-	-	1270
	Not stated	1	-	-	-	-	-	-
Intestinal parasites.....	Totals.....	664	-	1	106	46	28	181
	Males.....	321	-	-	55	33	13	101
	Females.....	343	-	1	51	13	15	80
Hernias and other intestinal obstructions.....	Totals.....	10	1	4	1	-	-	7
	Males.....	8	1	4	1	-	-	6
	Females.....	2	-	-	-	1	-	1
Other affections of the intestines.....	Totals.....	454	51	12	5	4	2	74
	Males.....	227	33	8	4	1	-	46
	Females.....	227	18	4	1	3	2	28
Acute yellow atrophy of liver.....	Totals.....	166	32	3	-	2	5	42
	Males.....	80	16	2	-	1	-	19
	Females.....	86	16	1	-	1	5	23
Total	Totals.....	26	3	-	-	-	-	3
	Males.....	10	2	-	-	-	-	2
	Females.....	16	1	-	-	-	-	1

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.	Under 1.	1 and under 2.			Total under 6.
				2.	3.	4.	
Hydatid tumors of the liver.....	Totals	4	-	-	-	-	-
	Males.....	2	-	-	-	-	-
	Females...	2	-	-	-	-	-
Cirrhosis of the liver.....	Totals	285	2	-	-	-	2
	Males.....	180	1	-	-	-	1
	Females...	105	1	-	-	-	1
Biliary calculi	Totals ...	91	-	-	-	-	-
	Males.....	29	-	-	-	-	-
	Females ..	62	-	-	-	-	-
Other affections of the liver.....	Totals	401	20	4	-	1	26
	Males.....	225	14	2	-	1	18
	Females...	176	6	2	-	-	8
Affections of the spleen	Totals	18	-	-	-	-	-
	Males.....	11	-	-	-	-	-
	Females...	7	-	-	-	-	-
Inflammatory peritonitis (puerperal ex- cepted)	Totals	447	29	9	5	4	5
	Males.....	191	16	4	3	3	2
	Females...	256	13	5	2	1	3
Other affections of the digestive system (cancer and tuberculosis excepted).....	Totals	5	1	-	-	-	1
	Males.....	2	1	-	-	-	1
	Females...	3	-	-	-	-	-
Appendicitis and abscess of the iliac fossa	Totals	404	3	4	5	3	7
	Males.....	240	1	2	3	2	5
	Females...	164	2	2	2	1	2
Acute nephritis.....	Totals	335	14	6	6	3	3
	Males.....	169	4	5	5	1	1
	Females...	166	10	1	1	2	2
Bright's disease	Totals	3,393	17	2	2	6	7
	Males.....	1,962	7	1	1	1	4
	Females...	1,431	10	1	1	5	3
Other diseases of the kidneys and their adnexa	Totals	138	6	2	-	-	8
	Males.....	87	5	1	-	-	6
	Females...	51	1	1	-	-	2
Calculi of the urinary tract	Totals	12	-	-	-	-	-
	Males.....	7	-	-	-	-	-
	Females...	5	-	-	-	-	-
Diseases of the bladder.....	Totals	295	6	-	-	-	6
	Males.....	266	5	-	-	-	5
	Females...	29	1	-	-	-	1
Diseases of the urethra, urinary abscess, etc.	Totals	12	-	-	-	-	-
	Males.....	9	-	-	-	-	-
	Females...	3	-	-	-	-	-
Diseases of the prostate	Totals	126	-	-	-	-	-
	Males.....	126	-	-	-	-	-
	Females ..	-	-	-	-	-	-
Non-venereal diseases of the male genital organs	Totals	7	-	-	-	-	-
	Males.....	7	-	-	-	-	-
	Females...	-	-	-	-	-	-
Metritis	Totals	1	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females...	1	-	-	-	-	-
Uterine hemorrhage (non-puerperal).....	Totals	20	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females...	20	-	-	-	-	-
Uterine tumor (non-cancerous).....	Totals	38	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females...	38	-	-	-	-	-
Other diseases of the uterus.....	Totals	70	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females...	70	-	-	-	-	-
Cysts and other tumors of ovary	Totals	59	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females...	59	-	-	-	-	-

No. 32—Continued.

Age-Groups—1901-1906.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
-	1	-	-	-	2	2	12	15	18	28	44	48	42	28	18	4	-	-	-	-
-	1	-	-	-	2	2	11	11	11	20	29	30	25	16	12	4	-	-	-	-
-	-	-	-	-	2	5	5	5	5	5	8	15	18	19	12	5	-	-	-	-
-	-	-	-	-	3	2	2	1	1	2	6	6	6	7	2	2	-	-	-	-
-	-	-	-	-	1	1	3	4	4	11	11	7	10	6	1	1	-	-	-	-
7	6	1	1	1	5	11	12	19	22	30	38	53	50	32	29	12	-	-	-	-
4	2	3	3	6	6	6	6	9	11	22	18	20	31	24	19	14	-	-	-	-
3	4	1	1	2	5	6	10	11	8	20	13	22	26	13	15	4	-	-	-	-
-	-	-	-	1	1	1	1	1	4	3	-	-	1	3	-	-	-	-	-	-
-	-	-	-	1	1	1	1	3	2	-	-	-	1	2	-	-	-	-	-	-
25	30	39	34	34	26	30	23	20	32	20	17	23	16	14	8	4	-	-	-	-
13	15	15	14	11	7	9	6	7	12	13	10	9	10	7	5	-	-	-	-	-
12	15	24	20	23	19	21	17	13	20	7	2	-	6	-	3	4	-	-	-	-
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	61	54	45	28	31	15	21	19	14	12	13	10	7	3	3	3	-	-	-	-
20	32	34	34	19	18	8	14	12	8	9	8	6	3	1	1	1	-	-	-	-
23	29	20	11	9	13	7	7	7	6	3	5	4	4	3	2	2	-	-	-	-
20	7	18	19	21	17	23	17	18	17	18	23	25	24	9	3	2	-	-	-	-
12	3	9	8	9	6	5	12	8	13	6	7	11	17	16	5	3	-	-	-	-
8	4	9	11	12	15	12	11	9	5	11	11	12	8	8	4	-	-	-	-	-
13	19	38	56	74	80	102	161	188	241	297	355	482	487	384	246	91	22	5	1	17
6	10	11	20	26	35	38	75	100	140	173	201	288	325	253	166	57	12	1	1	11
7	9	27	36	48	45	64	86	88	101	124	154	194	162	131	80	34	10	4	1	6
-	-	3	3	5	10	5	2	6	9	7	11	19	9	15	15	8	3	-	-	-
-	-	2	1	7	2	1	3	3	4	8	12	6	11	12	6	2	-	-	-	-
-	-	1	2	1	1	1	1	3	6	3	3	7	3	4	3	2	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	2	2	1	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	2	3	5	5	7	5	7	18	45	54	60	45	31	6	-	-	3
1	-	-	-	2	1	3	1	5	5	17	44	50	49	45	28	5	1	-	-	3
-	-	-	-	1	1	1	1	4	-	2	3	1	1	1	1	1	-	-	-	-
-	-	-	-	1	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	1	1	-	-	-	-	1	6	8	17	25	30	25	10	-	-	-
-	-	-	-	1	1	-	-	-	-	1	6	8	17	25	30	25	10	-	-	-
-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	2	4	5	-	5	1	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	1	3	-	10	4	7	3	3	3	2	-	-	-	-	-	-
-	-	-	-	2	3	-	-	10	4	7	3	3	3	2	-	-	-	-	-	-
-	-	-	-	2	7	15	-	9	3	3	3	3	2	-	-	-	-	-	-	-
-	-	-	-	2	7	15	-	9	3	3	3	3	2	-	-	-	-	-	-	-
-	-	-	-	2	4	6	-	6	3	5	7	6	5	-	-	-	-	-	-	-
-	-	-	-	2	5	4	-	6	3	5	7	6	5	-	-	-	-	-	-	-
-	-	-	-	3	5	4	-	6	3	5	7	6	5	-	-	-	-	-	-	-

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.	Age Group				Total under 5.	
			Under 1.	1 and under 2.	2.	3.		4.
Other diseases of female genital organs...	Totals	47	1	-	-	-	-	1
	Males	-	-	-	-	-	-	-
Non-puerperal diseases of the breast (cancer excepted)	Females	47	1	-	-	-	-	1
	Totals	2	1	-	-	-	-	1
Accidents of pregnancy	Males	2	1	-	-	-	-	1
	Females	-	-	-	-	-	-	-
Puerperal hemorrhage	Totals	108	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
Other accidents of labor	Females	108	-	-	-	-	-	-
	Totals	36	-	-	-	-	-	-
Puerperal septicemia	Males	36	-	-	-	-	-	-
	Females	53	-	-	-	-	-	-
Puerperal albuminuria and eclampsia	Totals	53	-	-	-	-	-	-
	Males	184	-	-	-	-	-	-
Other puerperal accidents, sudden death	Females	184	-	-	-	-	-	-
	Totals	97	-	-	-	-	-	-
Gangrene	Males	97	-	-	-	-	-	-
	Females	97	-	-	-	-	-	-
Furuncle (boil, carbuncle)	Totals	393	7	-	-	-	-	7
	Males	226	5	-	-	-	-	5
Phlegmon, acute abscess	Females	167	2	-	-	-	-	2
	Totals	24	1	-	-	-	-	1
Other diseases of the skin and its adnexa	Males	19	-	-	-	-	-	-
	Females	5	1	-	-	-	-	1
Affections of the bones (non-tuberculous)	Totals	45	8	2	-	1	-	11
	Males	25	5	2	-	-	-	7
Arthritis and other diseases of the joints (tuberculosis and rheumatism excepted)	Females	20	3	-	-	-	1	4
	Totals	27	10	1	-	1	-	12
Amputations	Males	10	3	-	-	-	-	4
	Females	17	7	-	-	1	-	8
Other affections of the organs of locomotion	Totals	69	7	5	1	-	1	14
	Males	40	5	2	1	-	1	9
Malformations, congenital (still-births excepted)	Females	29	2	3	-	-	-	5
	Totals	5	1	-	-	-	-	1
Congenital icterus, debility and sclerema	Males	4	1	-	-	-	-	1
	Females	1	-	-	-	-	-	-
Other diseases of early infancy	Totals	2	-	-	-	-	-	-
	Males	2	-	-	-	-	-	-
Malformations, congenital (still-births excepted)	Females	-	-	-	-	-	-	-
	Totals	398	389	13	-	2	1	385
Congenital icterus, debility and sclerema	Males	215	200	7	-	-	-	207
	Females	180	166	6	-	2	1	175
Other diseases of early infancy	Not stated	3	3	-	-	-	-	3
	Totals	2,212	2,045	-	-	-	-	2,045
Malformations, congenital (still-births excepted)	Males	1,244	1,144	-	-	-	-	1,144
	Females	940	882	-	-	-	-	882
Other diseases of early infancy	Not stated	28	19	-	-	-	-	19
	Totals	167	163	-	-	-	-	163
Malformations, congenital (still-births excepted)	Males	93	91	-	-	-	-	91
	Females	73	71	-	-	-	-	71
Other diseases of early infancy	Not stated	1	1	-	-	-	-	1

TABLE
Deaths from All Causes by

CAUSES OF DEATH.	Sex.	Totals.					Total under 5.	
			Under 1.	1 and under 2.	2.	3.		4.
Lack of care	Totals	313	313	-	-	-	-	313
	Males.....	174	174	-	-	-	-	174
	Females...	137	137	-	-	-	-	137
	Not stated..	2	2	-	-	-	-	2
Old age.....	Totals	4,079	-	-	-	-	-	-
	Males.....	1,831	-	-	-	-	-	-
	Females...	2,248	-	-	-	-	-	-
Suicide by poison	Totals	72	-	-	-	-	-	-
	Males.....	49	-	-	-	-	-	-
	Females...	23	-	-	-	-	-	-
Suicide by asphyxia	Totals	3	-	-	-	-	-	-
	Males.....	2	-	-	-	-	-	-
	Females...	1	-	-	-	-	-	-
Suicide by hanging or strangulation.....	Totals	150	-	-	-	-	-	-
	Males.....	128	-	-	-	-	-	-
	Females...	22	-	-	-	-	-	-
Suicide by drowning.....	Totals	68	-	-	-	-	-	-
	Males.....	39	-	-	-	-	-	-
	Females...	29	-	-	-	-	-	-
Suicide by firearms	Totals	156	-	-	-	-	-	-
	Males.....	147	-	-	-	-	-	-
	Females...	9	-	-	-	-	-	-
Suicide by cutting instruments.....	Totals	39	-	-	-	-	-	-
	Males.....	30	-	-	-	-	-	-
	Females...	9	-	-	-	-	-	-
Suicide by jumping from high places.....	Totals	3	-	-	-	-	-	-
	Males.....	2	-	-	-	-	-	-
	Females...	1	-	-	-	-	-	-
Other suicides	Totals	16	-	-	-	-	-	-
	Males.....	11	-	-	-	-	-	-
	Females...	5	-	-	-	-	-	-
Fractures.. ..	Totals	311	3	1	-	2	-	6
	Males.....	191	2	-	-	2	-	4
	Females...	120	1	1	-	-	-	2
Dislocations and sprains.	Totals	4	-	-	-	-	-	-
	Males.....	4	-	-	-	-	-	-
	Females...	-	-	-	-	-	-	-
Other accidental injuries.....	Totals	955	16	8	18	10	10	62
	Males.....	827	13	4	13	7	4	41
	Females...	128	3	4	5	3	6	21
Burns and scalds	Totals	243	6	19	32	21	11	89
	Males.....	95	2	5	23	11	4	45
	Females...	148	4	14	9	10	7	44
Sunstroke	Totals	24	3	-	-	-	2	6
	Males.....	18	1	-	-	-	2	3
	Females...	6	2	-	1	-	-	3
Freezing	Totals	23	-	-	-	-	-	-
	Males.....	21	-	-	-	-	-	-
	Females...	2	-	-	-	-	-	-
Electric shock	Totals	29	-	-	-	-	-	-
	Males.....	26	-	-	-	-	-	-
	Females...	3	-	-	-	-	-	-
Accidental drowning	Totals	700	5	10	7	4	18	44
	Males.....	641	4	8	4	4	16	36
	Females...	57	1	2	3	-	2	8
	Not stated..	2	-	-	-	-	-	-
Inanition	Totals	5	1	-	-	-	-	1
	Males.....	4	1	-	-	-	-	1
	Females...	1	-	-	-	-	-	-
Inhalation of deleterious gases (suicide excepted).....	Totals	77	3	2	1	3	3	12
	Males.....	52	3	2	-	1	2	8
	Females...	25	-	-	1	2	1	4
Other acute poisonings	Totals	143	17	22	17	8	6	70
	Males.....	81	11	10	8	4	1	34
	Females...	62	6	12	9	4	5	36

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Other external violence	Totals	216	118	3	4	2	1	128
	Males.....	134	69	1	1	-	1	72
	Females...	82	49	2	3	2	-	56
Dropsy	Totals	183	1	3	-	-	2	6
	Males.....	91	-	2	-	-	1	3
	Females...	92	1	1	-	-	1	3
Sudden death	Totals	180	27	-	-	1	1	29
	Males.....	111	12	-	-	-	-	12
	Females...	68	15	-	-	1	1	17
Unspecified or ill-defined causes of death.	Not stated.	1	-	-	-	-	-	-
	Totals	2,443	1005	67	25	9	9	1115
	Males.....	1,216	561	35	12	5	4	617
	Females...	1,219	438	32	13	4	5	492
	Not stated.	8	6	-	-	-	-	6

No. 32—Concluded.

Age-Groups—1901-1906.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
2	6	5	7	9	8	5	3	7	5	5	6	4	J	5	3	-	-	-	-	7
1	3	3	3	8	6	5	-	7	4	4	4	3	J	5	1	-	-	-	-	4
1	3	3	4	8	2	2	3	7	1	1	2	1	-	-	2	-	-	-	-	3
2	3	2	1	3	3	5	-	6	9	10	14	22	31	38	17	4	5	1	1	1
2	3	2	-	-	2	2	-	3	5	6	7	10	15	22	6	2	2	3	-	1
-	2	-	1	3	1	1	7	3	4	4	7	12	16	16	11	8	2	2	1	1
-	2	-	4	4	4	1	4	4	9	11	23	17	21	11	8	7	1	1	-	9
-	2	-	4	4	1	3	7	4	4	4	18	13	16	8	4	5	2	-	-	5
-	2	-	4	3	1	5	5	4	5	5	5	4	5	3	4	2	1	-	-	3
30	14	24	33	29	29	49	51	44	54	72	134	174	167	168	110	80	27	4	-	35
12	6	12	14	10	14	12	19	11	25	42	62	79	77	75	59	40	8	1	-	21
18	8	12	19	19	15	37	32	33	29	80	72	95	90	93	50	40	19	3	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3

TABLE
Deaths in Each Town from Special

THE STATE AND COUNTIES.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
MAINE	694,466	-	105	5	119
Androscoggin.....	54,242	-	32	1	10
Aroostook.....	60,744	-	27	1	14
Cumberland.....	100,689	-	8	-	20
Franklin.....	18,444	-	6	-	3
Hancock.....	37,241	-	-	-	3
Kennebec.....	59,117	-	1	1	6
Knox.....	30,406	-	-	-	7
Lincoln.....	19,669	-	-	-	-
Oxford.....	32,238	-	8	-	5
Penobscot.....	76,246	-	6	-	31
Piscataquis.....	16,949	-	-	-	2
Sagadahoc.....	20,330	-	-	-	1
Somerset.....	33,849	-	5	-	6
Waldo.....	24,185	-	3	-	2
Washington.....	45,232	-	-	2	5
York.....	64,885	-	8	-	4
ANDROSCOGGIN COUNTY	53,117	-	32	1	10
Auburn.....	12,951	-	10	1	4
Durham.....	1,230	-	-	-	-
East Livermore.....	2,129	-	-	-	1
Greene.....	826	-	-	-	-
Leeds.....	1,065	-	1	-	-
Lewiston.....	23,761	-	19	-	2
Lisbon.....	3,603	-	-	-	1
Mechanic Falls.....	1,687	-	-	-	-
Minot.....	808	-	1	-	-
Poland.....	1,648	-	-	-	-
Turner.....	1,842	-	-	-	-
Wales.....	436	-	1	-	-
Webster.....	1,131	-	-	-	2
AROOSTOOK COUNTY	55,238	-	27	1	14
Ashland.....	1,080	-	-	-	-
Bancroft.....	318	-	-	-	-
Benedicta.....	350	-	-	-	1
Blaine.....	954	-	-	-	1
Bridgewater.....	1,179	-	-	-	-
Caribou.....	4,758	-	9	-	-
Castle Hill.....	567	-	-	-	-
Dyer Brook.....	280	-	-	-	-
Easton.....	1,215	-	-	-	-
Fort Fairfield.....	4,181	-	-	-	-
Fort Kent.....	2,528	-	5	1	2
Frenchville.....	1,316	-	-	-	2
Grand Isle.....	1,104	-	1	-	-
Haynesville.....	316	-	1	-	-
Hodgdon.....	1,130	-	-	-	-
Houlton.....	4,686	-	-	-	-
Island Falls.....	1,063	-	-	-	-
Limestone.....	1,131	-	-	-	-
Littleton.....	956	-	-	-	-

No. 33.

Causes, Mostly Infectious Diseases.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
109	133	21	25	40	109	46	139	31	652	915	261	3
3	10	2	3	4	6	2	13	2	74	75	20	-
33	12	1	4	2	29	2	23	2	191	69	23	-
18	14	1	3	8	9	3	17	1	70	140	37	1
2	2	1	-	-	5	2	2	1	17	14	3	-
4	3	1	2	1	1	3	3	-	44	44	12	-
3	9	2	-	6	8	3	9	5	43	76	18	-
2	4	1	2	4	3	4	4	-	7	38	6	-
1	1	-	-	2	1	-	1	1	13	13	6	-
9	-	1	-	1	9	4	9	-	24	40	15	-
7	39	5	1	6	7	1	15	5	79	120	53	1
1	5	1	1	-	2	2	7	2	10	24	5	-
1	2	1	2	1	1	-	3	-	12	16	6	-
8	3	-	4	1	8	10	9	1	17	54	12	-
4	2	2	-	1	3	-	4	1	3	31	10	-
1	12	1	-	2	1	2	13	9	40	69	9	-
7	15	1	3	1	11	3	5	1	52	92	28	1
3	10	2	3	4	6	2	13	2	74	75	20	-
2	-	1	1	1	4	-	1	-	15	14	4	-
-	1	-	-	-	-	-	1	1	4	1	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
1	8	-	2	2	1	2	10	1	45	43	15	-
-	-	-	-	-	-	-	1	-	3	3	-	-
-	-	-	-	-	-	-	-	-	1	3	1	-
-	-	-	-	1	-	-	-	-	1	3	-	-
-	-	1	-	-	-	-	-	-	2	2	-	-
-	1	-	-	-	1	-	-	-	1	1	-	-
38	12	1	4	2	29	3	23	2	191	69	23	-
-	-	-	-	-	-	-	-	-	2	1	1	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	1	-	-	-	-	-	1	-	-	4	2	-
-	1	1	-	1	-	1	-	-	21	4	1	-
-	1	-	-	-	-	-	-	-	1	4	1	-
-	1	-	1	-	-	-	-	-	2	-	1	-
-	1	-	-	-	-	-	1	-	1	-	-	-
9	2	-	-	-	2	-	1	-	20	6	-	-
1	1	-	-	-	22	-	-	-	4	6	-	-
-	-	-	-	-	1	-	1	-	9	2	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	1	-	-	-	-	-	2	-	1	6	-	-
-	-	-	-	-	-	-	-	-	3	1	1	-
-	-	-	-	-	-	-	-	-	2	2	-	-
-	-	-	-	-	-	-	-	-	4	1	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-

TABLE
Deaths in Each Town from Special
AROOSTOOK

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Ludlow	394	-	-	-	-
Madawaska	1,638	-	-	-	1
Mapleton	853	-	-	-	-
Mars Hill	1,183	-	-	-	-
Masardis	438	-	-	-	-
Monticello	1,332	-	-	-	-
New Limerick	600	-	-	-	-
New Sweden	867	-	-	-	-
Onkfield	860	-	-	-	-
Perham	580	-	-	-	1
Presque Isle	3,504	-	-	-	-
St. Agatha	1,396	-	1	-	1
Sherman	980	-	-	-	-
Van Buren	1,878	-	1	-	1
Washburn	1,225	-	-	-	-
Westfield	259	-	-	-	-
Weston	367	-	-	-	-
Woodland	1,086	-	-	-	-
Allagash Pl.	190	-	-	-	1
Caswell Pl.	368	-	-	-	-
Chapman Pl.	285	-	-	-	-
Connor Pl.	453	-	-	-	-
Cyr Pl.	502	-	-	-	-
E Pl.	44	-	-	-	-
Eagle Lake Pl.	406	-	1	-	-
Glenwood Pl.	178	-	-	-	-
Hamlin Pl.	574	-	-	-	-
Hammond Pl.	116	-	-	-	-
Macwahoc Pl.	153	-	-	-	-
New Canada Pl.	419	-	4	-	-
Portage Lake Pl.	241	-	-	-	-
Reed Pl.	399	-	-	-	-
St. Francis Pl.	568	-	1	-	1
St. John Pl.	371	-	-	-	2
Stockholm Pl.	191	-	-	-	-
Wallgrass Pl.	784	-	3	-	-
Molunkus	74	-	-	-	-
CUMBERLAND COUNTY	98,443	-	8	-	20
Baldwin	821	-	-	-	-
Bridgton	2,868	-	-	-	1
Brunswick	6,806	-	-	-	1
Cumberland	1,404	-	-	-	-
Falmouth	1,511	-	-	-	-
Freeport	2,339	-	-	-	-
Gorham	2,540	-	-	-	-
Gray	1,388	-	-	-	-
Harpswell	1,750	-	-	-	-
Harrison	969	-	-	-	-
Naples	813	-	-	-	-
New Gloucester	1,162	-	-	-	-
North Yarmouth	642	-	-	-	-
Otisfield	728	-	-	-	-
Portland	50,145	-	4	-	13
Pownal	592	-	-	-	-
Raymond	823	-	-	-	-
Scarboro	1,865	-	-	-	-
South Portland	6,287	-	-	-	1
Standish	1,504	-	-	-	-
Westbrook	7,283	-	3	-	3
Windham	1,929	-	1	-	1
Yarmouth	2,274	-	-	-	-

No. 33—Continued.
Causes, Mostly Infectious Diseases.
COUNTY—CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
1	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	12	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	1
-	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	-	-	-	-	-	3	3	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	1
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	3	3	-	3
4	-	-	-	-	-	-	-	-	1	-	-	-
13	-	-	-	-	-	-	-	-	3	3	-	3
-	-	-	-	-	-	-	-	-	1	-	-	2
2	1	-	1	-	2	-	1	-	32	4	-	3
-	-	-	-	-	-	-	-	-	2	1	-	1
-	-	-	-	-	-	-	-	-	2	1	-	1
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	2	3	-	-
-	-	-	-	-	-	-	-	-	1	1	2	-
-	-	-	-	-	-	-	-	-	5	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
1	1	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	13	2	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	12	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	3	-	-	1
3	-	-	-	-	-	-	-	-	1	3	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
18	14	1	3	8	9	7	17	1	70	140	37	1
-	-	-	-	-	-	-	-	-	-	2	-	-
2	-	-	-	-	-	-	-	-	-	1	-	-
2	-	-	-	-	-	-	-	-	-	6	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
8	9	1	1	5	4	4	7	1	44	77	24	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
2	1	-	1	-	-	-	1	-	1	11	1	1
-	-	-	-	-	-	-	-	-	-	7	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
3	-	-	-	-	-	-	-	-	-	6	-	-
-	-	-	-	-	-	-	-	-	-	12	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-
1	-	-	-	-	-	-	-	-	-	2	-	-

TABLE
Deaths in Each Town from Special
FRANKLIN

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
FRANKLIN COUNTY	15,319	-	6	-	3
Avon	448	-	-	-	-
Carthage	334	-	3	-	-
Chesterville	709	-	-	-	-
Eustis	436	-	-	-	-
Farmington	3,288	-	-	-	-
Jay	2,758	-	3	-	-
Kingfield	693	-	-	-	1
New Sharon	946	-	-	-	-
Phillips	1,399	-	-	-	2
Rangleley	961	-	-	-	-
Strong	637	-	-	-	-
Weld	738	-	-	-	-
Wilton	1,647	-	-	-	-
Dallas Pl.	172	-	-	-	-
Lowelltown	90	-	-	-	-
Perkins	63	-	-	-	-
HANCOCK COUNTY	33,711	-	-	-	3
Amherst	364	-	-	-	-
Aurora	152	-	-	-	-
Bluehill	1,828	-	-	-	-
Brooklin	936	-	-	-	-
Brooksville	1,171	-	-	-	-
Bucksport	2,339	-	-	-	-
Castine	925	-	-	-	-
Cranberry Isles	374	-	-	-	-
Deer Isle	2,047	-	-	-	1
Eden	4,379	-	-	-	-
Ellsworth	4,297	-	-	-	-
Franklin	1,201	-	-	-	-
Hancock	900	-	-	-	-
Mariaville	218	-	-	-	-
Mount Desert	1,600	-	-	-	-
Orland	1,251	-	-	-	-
Penobscot	1,156	-	-	-	-
Sedgwick	902	-	-	-	-
Sorrento	117	-	-	-	-
South West Harbor	-	-	-	-	-
Stonington	1,648	-	-	-	1
Sullivan	1,034	-	-	-	-
Surry	900	-	-	-	-
Swan's Island	758	-	-	-	-
Tremont	2,010	-	-	-	-
Trenton	459	-	-	-	-
Winter Harbor	571	-	-	-	-
Long Island Pl.	174	-	-	-	1
KENNEBEC COUNTY	57,291	-	1	1	6
Albion	878	-	-	-	-
Augusta	11,683	-	1	-	1
Belgrade	1,058	-	-	-	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid Fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial diseases.
2	2	1	-	-	5	2	2	1	7	14	3	-
-	-	-	-	-	-	1	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	1	-	-	-	1	-	1	1	1	1	1	-
-	-	-	-	-	1	-	-	-	3	2	-	-
-	-	-	-	-	1	-	-	-	4	2	-	-
-	-	1	-	-	2	-	-	-	1	1	-	-
1	-	-	-	-	1	-	-	-	1	-	1	-
-	-	-	-	-	-	1	1	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
4	3	1	2	1	7	3	5	-	17	44	12	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	1	-	1	-	-	-	1	3	1	-
-	-	-	-	-	-	-	-	-	-	2	-	-
2	-	-	-	1	1	-	-	-	1	3	1	-
-	-	-	-	-	1	-	-	-	6	4	-	-
-	-	-	-	-	1	1	1	-	5	2	2	-
-	-	-	-	-	1	-	-	-	-	6	2	-
-	-	-	-	-	1	-	-	-	-	1	-	-
-	-	-	-	-	1	-	1	-	-	3	-	-
1	-	-	-	-	1	1	-	-	-	3	-	-
-	-	1	-	-	-	-	-	-	1	1	-	-
-	-	-	1	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	1	-	2	-	-	2	1	-
-	-	-	-	-	-	-	1	-	-	3	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	2	1	-
2	9	2	-	6	8	3	9	5	43	76	16	-
-	1	-	-	-	-	-	-	-	-	2	-	-
2	7	-	-	1	-	-	-	1	16	15	3	-
-	-	-	-	-	-	-	-	-	-	1	-	-

TABLE
Deaths in Each Town from Special
KENNEBEC

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and group.
Benton	1,097	-	-	-	-
Chelsea	3,092	-	-	-	-
China	1,380	-	-	-	-
Clinton	1,398	-	-	-	-
Farmingdale	848	-	-	-	-
Fayette	560	-	-	-	-
Gardiner	5,501	-	-	-	1
Hallowell	2,714	-	-	-	-
Litchfield	1,057	-	-	-	-
Manchester	518	-	-	-	-
Monmouth	1,236	-	-	1	-
Mount Vernon	906	-	-	-	-
Oakland	1,913	-	-	-	-
Pittston	1,177	-	-	-	-
Randolph	1,077	-	-	-	-
Rome	420	-	-	-	-
Sidney	1,068	-	-	-	-
Vassalboro	2,062	-	-	-	-
Vienna	406	-	-	-	-
Waterville	9,477	-	-	-	3
Wayne	707	-	-	-	-
West Gardiner	693	-	-	-	-
Winslow	2,277	-	-	-	1
Winthrop	2,088	-	-	-	-
KNOX COUNTY	28,855	-	1	-	7
Appleton	975	-	-	-	-
Camden	2,825	-	-	-	-
Cushing	604	-	-	-	-
Friendship	814	-	-	-	-
Hope	599	-	-	-	-
Hurricane Isle	257	-	-	-	-
North Haven	551	-	1	-	-
Rockland	8,150	-	-	-	6
Rockport	2,314	-	-	-	-
St. George	2,206	-	-	-	-
South Thomaston	1,426	-	-	-	1
Thomaston	2,688	-	-	-	-
Vinalhaven	2,358	-	-	-	-
Warren	2,069	-	-	-	-
Washington	1,019	-	-	-	-
LINCOLN COUNTY	15,274	-	-	-	-
Boothbay	1,766	-	-	-	-
Boothbay Harbor	1,928	-	-	-	-
Bristol	2,572	-	-	-	-
Damariscotta	876	-	-	-	-
Jefferson	1,156	-	-	-	-
Newcastle	1,075	-	-	-	-
Waldoboro	3,145	-	-	-	-
Westport	330	-	-	-	-
Whitefield	1,156	-	-	-	-
Wiscasset	1,273	-	-	-	-

TABLE
Deaths in Each Town from Special
OXFORD

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
OXFORD COUNTY	28,398	-	8	-	5
Albany	538	-	-	-	-
Andover	727	-	-	-	-
Bethel	1,835	-	3	-	-
Brownfield	1,019	-	-	-	-
Buckfield	1,139	-	-	-	-
Denmark	634	-	-	-	-
Dixfield	1,052	-	-	-	-
Fryeburg	1,376	-	2	-	-
Hanover	214	-	1	-	-
Hartford	660	-	-	-	-
Hebron	494	-	-	-	1
Hiram	1,015	-	-	-	-
Lovell	693	-	-	-	-
Mason	67	-	-	-	-
Mexico	816	-	-	-	-
Norway	2,902	-	-	-	-
Oxford	1,331	-	-	-	-
Paris	3,325	-	-	-	-
Peru	773	-	-	-	-
Porter	886	-	1	-	-
Rumford	3,770	-	1	-	3
Summer	802	-	-	-	-
Sweden	282	-	-	-	-
Upton	242	-	-	-	-
Waterford	917	-	-	-	-
Woodstock	816	-	-	-	1
Batchelders Grant	173	-	-	-	-
PENOBSCOT COUNTY	70,136	-	6	-	31
Alton	314	-	-	-	-
Bangor	21,850	-	3	-	5
Bradford	954	-	-	-	-
Bradley	682	-	-	-	-
Brewer	4,835	-	1	-	2
Carmel	932	-	-	-	-
Carroll	487	-	-	-	-
Charleston	842	-	-	-	-
Clifton	236	-	-	-	-
Corinna	1,170	-	-	-	-
Corinth	1,042	-	-	-	-
Dexter	2,941	-	-	-	-
Dixmont	843	-	-	-	-
Eddingtown	663	-	-	-	-
Edinburg	65	-	-	-	-
Enfield	1,062	-	-	-	-
Etna	527	-	-	-	-
Exeter	879	-	-	-	-
Glenburn	461	-	-	-	-
Greenbush	586	-	-	-	-
Hampden	2,182	-	-	-	-
Hermon	1,183	-	-	-	-
Hudson	430	-	-	-	-
Kingman	936	-	-	-	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid Fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial diseases.
9	-	1	-	1	9	4	9	-	24	40	15	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	1	-	-	-	-	1	3	1	-
1	-	-	-	-	2	-	-	-	1	1	-	-
-	-	-	-	-	2	-	-	-	1	2	-	-
-	-	-	-	-	-	-	2	-	1	2	-	-
-	-	-	-	-	-	-	1	-	-	1	-	1
-	-	-	-	-	-	-	-	-	-	1	-	-
1	-	-	-	-	1	-	-	-	1	3	-	-
-	-	-	-	-	1	-	2	-	1	4	-	1
-	-	1	-	-	1	-	1	-	1	2	-	-
-	-	-	-	-	1	-	-	-	1	3	-	-
-	-	-	-	-	1	-	-	-	1	4	-	-
-	-	-	-	-	1	-	-	-	11	5	6	-
-	-	-	-	-	1	-	-	-	1	1	1	-
-	-	-	-	-	-	-	1	-	-	1	-	1
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
7	39	5	1	6	7	1	15	5	79	120	53	1
-	-	-	-	-	-	-	-	-	-	3	-	-
5	10	3	1	3	2	-	4	-	13	35	13	-
-	1	-	-	-	-	-	1	-	-	1	1	-
-	1	-	-	-	-	-	-	-	3	2	-	-
-	-	-	-	-	2	1	-	1	3	11	7	-
-	-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	4	-	2
-	-	-	-	-	-	-	2	-	6	3	-	-
-	-	-	-	-	-	-	-	-	-	4	-	9
1	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	1	-	-	1	1	-
-	-	-	-	-	-	-	1	-	-	1	1	-
-	-	-	-	1	-	-	-	-	-	2	-	-
-	-	-	-	-	2	-	-	-	1	5	-	-
-	-	-	-	-	-	-	-	1	3	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-

TABLE
Deaths in Each Town from Special

PENOBSCOT

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Lagrange	574	-	-	-	-
Lee	801	-	-	-	1
Levant	789	-	-	-	-
Lincoln	1,731	-	1	-	-
Mattawamkeag	527	-	-	-	-
Medway	297	-	-	-	-
Millford	888	-	-	-	2
Millinocket	1,144	-	-	-	1
Newburg	734	-	-	-	-
Newport	1,533	-	-	-	-
Old Town	5,763	-	1	-	11
Orono	3,257	-	-	-	7
Orrington	1,266	-	-	-	2
Patten	1,172	-	-	-	-
Plymouth	658	-	-	-	-
Prentiss	502	-	-	-	-
Springfield	532	-	-	-	-
Veazie	555	-	-	-	-
Winn	688	-	-	-	-
Woodville	160	-	-	-	-
Stacyville Pl.	347	-	-	-	-
Webster Pl.	124	-	-	-	-
No. 1, R. 7	42	-	-	-	-
No. 2, R. 6	-	-	-	-	-
PISCATAQUIS COUNTY	14,245	-	-	-	2
Atkinson	495	-	-	-	-
Brownville	1,570	-	-	-	-
Dover	1,889	-	-	-	-
Foxcroft	1,629	-	-	-	-
Greenville	1,117	-	-	-	2
Guilford	1,544	-	-	-	-
Milo	1,150	-	-	-	-
Monson	1,116	-	-	-	-
Orneville	325	-	-	-	-
Parkman	718	-	-	-	-
Sangerville	1,294	-	-	-	-
Shirley	248	-	-	-	-
Wellington	413	-	-	-	-
Willmantic	419	-	-	-	-
Kingsbury Pl.	106	-	-	-	-
Katahdin Iron Works	114	-	-	-	-
SAGADAHOC COUNTY	20,089	-	-	-	1
Bath	10,477	-	-	-	-
Bowdoin	937	-	-	-	-
Bowdoinham	1,305	-	-	-	-
Georgetown	799	-	-	-	-
Phippsburg	1,254	-	-	-	1
Richmond	2,049	-	-	-	-
Topsham	2,097	-	-	-	-
West Bath	291	-	-	-	-
Woolwich	880	-	-	-	-

TABLE
Deaths in Each Town from Special
SOMERSET

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
SOMERSET COUNTY	30,512	-	5	-	6
Anson	1,830	-	-	-	-
Athens	896	-	-	-	-
Bingham	841	-	-	-	-
Cambridge	364	-	-	-	-
Canaan	977	-	-	-	-
Concord	291	-	-	-	-
Cornville	689	-	-	-	-
Detroit	527	-	-	-	-
Embsen	569	-	-	-	-
Fairfield	3,878	-	-	-	-
Harmony	571	-	-	-	-
Hartland	1,115	-	-	-	-
Madison	2,764	-	-	-	2
Mercer	493	-	-	-	-
Moscow	378	-	-	-	-
New Portland	913	-	-	-	-
Norridgewock	1,495	-	-	-	-
Palmyra	915	-	-	-	-
Pittsfield	2,891	-	-	-	-
Skowhegan	5,180	-	5	-	2
Smithfield	449	-	-	-	-
Solon	996	-	-	-	1
Starks	636	-	-	-	-
Jackman Pl.	352	-	-	-	1
Lexington Pl.	231	-	-	-	-
Pleasant Ridge Pl.	114	-	-	-	-
The Forks Pl.	157	-	-	-	-
WALDO COUNTY	21,541	-	3	-	2
Belfast	4,615	-	1	-	1
Brooks	669	-	-	-	-
Burnham	766	-	-	-	-
Frankfort	1,211	-	-	-	-
Freedom	479	-	-	-	-
Jackson	439	-	-	-	-
Knox	558	-	-	-	-
Liberty	737	-	-	-	-
Lincolntonville	1,223	-	-	-	-
Monroe	958	-	1	-	-
Montville	982	-	-	-	-
Northport	545	-	-	-	-
Palermo	757	-	-	-	-
Prospect	648	-	-	-	-
Searsport	1,349	-	-	-	1
Stockton Springs	872	-	-	-	-
Swanville	502	-	-	-	-
Thorndike	497	-	-	-	-
Troy	766	-	-	-	-
Unity	877	-	-	-	-
Waldo	468	-	-	-	-
Winterport	1,623	-	1	-	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhæa.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
8	3	-	4	1	8	10	9	1	17	54	12	-
-	-	-	-	1	1	2	1	-	3	2	2	-
-	-	-	-	-	2	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	-	-	3	1	-
-	-	-	-	-	-	-	-	-	-	2	1	-
-	1	-	-	-	-	-	1	-	-	1	-	-
-	-	-	-	-	3	-	-	1	-	-	1	-
-	1	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
2	-	-	-	-	-	2	2	-	-	2	-	-
1	-	-	-	-	-	-	-	-	3	4	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	2	-	-
-	-	-	-	-	-	4	1	-	1	7	1	-
-	-	-	-	-	-	-	-	-	2	2	-	-
-	-	-	-	-	-	-	-	-	3	2	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
1	1	-	1	-	1	-	-	-	1	2	-	1
1	-	-	2	1	1	1	2	-	1	6	1	-
-	-	-	-	-	-	1	-	-	1	11	1	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	1	-	-	-	1	-	-	1	1	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
4	2	2	-	1	3	-	4	1	3	31	10	-
-	-	-	-	1	-	-	-	1	2	4	2	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	1	-	1	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	1	-	-	1	-	-	-	-	4	1	-
-	-	1	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	1	-	-	-	-	-	1	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-
3	-	-	-	-	1	-	1	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	3	-	-

TABLE
Deaths in Each Town from Special
WASHINGTON

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
WASHINGTON COUNTY	41,156	-	-	2	5
Addison	1,059	-	-	-	-
Alexander	333	-	-	-	-
Baileyville	215	-	-	-	-
Calsais	7,655	-	-	1	1
Charlotte	315	-	-	-	-
Cherryfield	1,859	-	-	-	1
Columbia	516	-	-	-	-
Columbia Falls	569	-	-	-	-
Cooper	207	-	-	-	-
Crawford	112	-	-	-	-
Cutler	565	-	-	-	-
Danforth	1,092	-	-	-	-
Dennysville	482	-	-	-	-
East Machias	1,521	-	-	-	-
Eastport	5,311	-	-	-	-
Edmunds	492	-	-	-	-
Harrington	1,165	-	-	-	-
Jonesboro	606	-	-	-	-
Jonesport	2,124	-	-	-	-
Lubec	3,005	-	-	-	2
Machias	2,082	-	-	-	-
Machiasport	1,218	-	-	-	-
Milbridge	1,921	-	-	-	1
Northfield	126	-	-	-	-
Pembroke	1,652	-	-	1	-
Princeton	1,094	-	-	-	-
Robbinston	844	-	-	-	-
Roque Bluffs	168	-	-	-	-
Steuben	901	-	-	-	-
Talmage	93	-	-	-	-
Topsfield	282	-	-	-	-
Trescott	463	-	-	-	-
Vanceboro	550	-	-	-	-
Watte	135	-	-	-	-
Whitneyville	424	-	-	-	-
YORK COUNTY	64,412	-	8	-	4
Acton	778	-	-	-	-
Alfred	937	-	-	-	-
Berwick	2,280	-	-	-	-
Biddeford	16,145	-	4	-	1
Buxton	1,838	-	-	-	-
Cornish	984	-	-	-	-
Eliot	1,458	-	-	-	-
Hollis	1,274	-	1	-	-
Kennebunk	3,228	-	-	-	-
Kennebunkport	2,123	-	-	-	-
Kittery	2,872	-	-	-	-
Lebanon	1,335	-	-	-	-
Limerick	874	-	-	-	-

No. 33—Continued.

Causes, Mostly Infectious Diseases.

COUNTY.

Whoopingcough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
1	12	1	-	2	1	2	13	9	40	69	9	1
-	-	-	-	-	-	-	2	-	2	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	4	-	-	1	-	1	4	-	7	12	-	1
-	-	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	1	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	3	-	-	-	-	-	1	-	-	2	-	-
-	-	-	-	-	-	-	1	-	5	2	-	-
-	1	-	-	-	-	-	1	1	-	3	-	-
-	1	-	-	-	1	-	-	-	6	11	-	2
-	-	-	-	-	-	-	-	-	1	2	-	1
-	-	-	-	-	-	-	-	-	1	1	-	-
-	2	-	-	-	-	1	2	-	2	5	-	2
-	-	-	-	-	-	-	-	-	3	5	-	-
-	-	-	-	-	-	-	1	1	1	6	-	1
-	-	-	-	-	-	-	-	-	2	8	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	1
-	1	-	-	-	-	-	-	-	1	2	-	1
-	-	1	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	2	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
7	15	1	3	1	11	3	5	1	58	92	28	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	1	-	-	-	-	1	-	-	-	2	-	1
-	3	-	-	-	-	-	-	-	37	31	-	14
-	2	-	2	-	-	1	-	-	1	1	-	-
-	1	-	-	1	-	-	-	-	1	1	1	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	2	-	-	-	-	-	-	-	2	2	-	-
2	2	-	-	-	4	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-
-	1	-	-	-	-	-	-	-	-	5	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-

TABLE
Deaths in Each Town from Special
YORK

COUNTY AND TOWNS.	Population in 1900.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Limington	1,001	-	-	-	1
Lyman	687	-	-	-	-
Newfield	676	-	-	-	-
North Berwick	1,748	-	-	-	-
Old Orchard	964	-	-	-	-
Parsonsfield	1,131	-	-	-	-
Saco	6,122	-	-	-	-
Sanford	6,078	-	3	-	1
Shapleigh	847	-	-	-	-
South Berwick	3,188	-	-	-	-
Waterboro	1,169	-	-	-	-
Wells	2,007	-	-	-	1
York	2,668	-	-	-	-

TABLE
Deaths in Each Town from Certain

THE STATE AND COUNTIES.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
MAINE	694,466	43	54	617	121	486	535
Androscoggin.....	54,242	3	3	64	11	39	33
Aroostook.....	60,744	3	4	26	7	32	34
Cumberland.....	130,689	6	9	108	14	90	83
Franklin.....	18,444	1	2	15	3	11	12
Hancock.....	37,241	-	4	36	8	21	26
Kennebec.....	59,117	5	5	47	12	36	53
Knox.....	30,406	2	4	28	6	17	25
Lincoln.....	19,669	-	1	15	4	5	21
Oxford.....	32,238	2	4	31	11	41	37
Penobscot.....	76,246	4	4	68	10	58	65
Piscataquis.....	16,949	2	1	10	4	6	8
Sagadahoc.....	20,330	2	1	13	4	10	12
Somerset.....	33,849	1	2	26	3	24	24
Waldo.....	24,185	1	1	21	4	12	24
Washington.....	45,232	3	2	34	5	29	35
York.....	64,885	8	7	75	15	55	43
ANDROSCOGGIN COUNTY	54,242	3	3	64	11	39	33
Auburn.....	12,951	-	1	14	2	6	7
Durham.....	1,230	-	-	3	-	1	-
East Livermore.....	2,129	-	-	6	-	1	4
Greene.....	826	-	-	2	2	2	2
Leeds.....	1,065	-	-	-	-	1	1
Lewiston.....	23,761	3	2	25	5	25	9
Lisbon.....	3,603	-	-	4	1	1	3
Livermore.....	1,125	-	-	-	1	-	3
Mechanic Falls.....	1,687	-	-	5	-	1	-
Minot.....	808	-	-	-	-	-	2
Poland.....	1,648	-	-	3	-	1	1
Turner.....	1,842	-	-	2	-	-	1
Wales.....	436	-	-	-	-	-	1
Webster.....	1,131	-	-	-	-	-	-
AROOSTOOK COUNTY	58,871	3	4	26	7	32	34
Amity.....	404	-	-	-	-	1	-
Ashland.....	1,080	2	-	-	-	-	2
Bancroft.....	318	-	-	1	-	1	-
Benedicta.....	350	-	-	-	-	-	2
Blaine.....	954	-	-	-	-	2	2
Bridgewater.....	1,179	-	-	-	-	1	1
Caribou.....	4,758	-	-	3	-	-	4
Castle Hill.....	567	-	-	1	-	-	-
Crystal.....	370	-	-	1	-	2	-
Dyer Brook.....	280	-	-	-	-	-	-
Easton.....	1,215	-	-	1	-	-	-
Fort Fairfield.....	4,181	-	-	-	-	1	-
Fort Kent.....	2,528	-	1	1	-	1	-
Frenchville.....	1,316	-	-	-	-	-	1
Grand Isle.....	1,104	-	-	1	-	-	1
Haynesville.....	316	-	-	-	-	-	-
Hersey.....	199	-	-	-	-	-	-
Hodgdon.....	1,130	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
AROOSTOOK

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Houlton	4,686	-	-	2	-	1	1
Island Falls	1,063	-	-	1	-	1	-
Limestone	1,131	-	-	2	-	1	-
Linneus	834	-	-	-	-	1	-
Littleton	956	-	-	-	-	1	-
Ludlow	394	-	-	-	-	-	-
Madawaska	1,698	-	-	-	-	-	-
Mapleton	853	-	-	-	-	1	-
Mars Hill	1,183	-	-	2	-	1	1
Masardis	438	-	-	1	-	-	-
Monticello	1,332	-	-	-	-	-	-
New Limerick	600	-	-	-	-	2	2
New Sweden	867	-	-	-	-	-	1
Oakfield	860	1	-	-	-	-	-
Orient	208	-	-	-	-	-	-
Perham	580	-	-	-	-	2	-
Presque Isle	3,804	-	-	1	1	4	1
St. Agatha	1,396	-	-	-	-	-	-
Sherman	980	-	-	-	2	-	-
Smymra	411	-	-	-	-	-	-
Van Buren	1,878	-	-	1	1	7	4
Washburn	1,225	-	-	-	-	-	-
Westfield	259	-	-	-	-	-	-
Weston	367	-	-	-	-	-	1
Woodland	1,096	-	-	1	1	1	1
Cary Pl	400	-	-	-	-	-	1
Caswell Pl	368	-	-	-	-	-	-
Chapman Pl	285	-	-	-	1	-	-
Connor Pl	453	-	-	-	-	-	2
Cyr Pl	502	-	2	1	-	-	-
Eagle Lake Pl	406	-	-	1	-	-	1
Hamlin Pl	574	-	-	-	-	-	-
Hill Pl	124	-	-	1	-	1	-
Macwahoc Pl	153	-	-	-	-	1	-
Merrill Pl	298	-	-	-	-	-	-
Moro Pl	217	-	-	-	-	-	-
New Canada Pl	419	-	-	1	-	-	-
Oxbow Pl	153	-	-	-	-	-	-
Portage Lake Pl	241	-	-	-	-	-	1
Reed Pl	399	-	1	-	-	-	-
St. Francis Pl	568	-	-	1	-	-	-
St. John Pl	371	-	-	-	-	-	-
Silver Ridge Pl	168	-	-	-	-	-	-
Stockholm Pl	191	-	-	1	-	-	2
Waçe Pl	271	-	-	-	-	-	-
Wallagrass Pl	784	-	-	-	-	1	1
No. 8, R. 4	111	-	-	-	-	-	-
No. 9, R. 4	23	-	-	-	-	-	1
CUMBERLAND COUNTY	100,689	6	9	108	14	90	83
Baldwin	821	-	-	1	-	2	-
Bridgton	2,868	-	2	-	1	1	3
Brunswick	6,806	1	-	7	-	6	3
Cape Elizabeth	887	-	-	1	1	-	-
Casco	783	-	-	1	-	-	1

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	5	-	5	9	-	2	-	2	-	-	1
-	1	1	1	1	1	-	1	-	1	-	-	1
-	-	-	3	1	1	-	2	-	1	-	-	-
2	1	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	1	1	-	1	-	-	-	-	-
1	1	2	1	-	3	-	1	-	1	-	-	1
-	-	1	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	3	-	-	-	-	-	-	-
-	-	-	-	-	1	-	1	-	-	-	-	-
1	-	-	1	1	1	-	2	-	-	-	-	1
-	-	-	-	1	1	-	1	-	-	-	-	-
-	-	2	1	1	2	-	1	-	1	-	-	5
-	1	1	-	4	5	-	-	-	-	-	-	2
-	-	-	1	1	5	-	2	-	2	-	-	1
1	1	3	2	11	11	-	4	-	1	-	-	2
1	1	2	1	3	3	-	-	-	-	-	-	1
-	-	-	-	1	1	-	-	-	1	-	-	1
1	1	1	1	1	1	-	1	-	-	-	-	1
-	-	-	-	3	-	-	1	-	-	-	-	1
-	-	-	-	2	1	-	-	-	-	-	-	-
-	-	1	-	1	1	-	1	-	1	-	-	6
-	-	-	-	1	1	-	-	-	-	-	-	-
-	-	-	-	1	1	-	2	-	-	-	-	2
-	-	-	1	-	-	-	2	-	-	-	-	-
-	1	-	-	1	1	-	-	-	1	-	-	4
-	-	-	1	-	1	-	-	-	-	-	-	1
-	-	1	-	-	-	-	1	-	1	-	-	1
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	2	-	-	-	-	-	-	1
-	-	-	-	1	1	-	-	-	-	-	-	1
16	112	82	193	144	31	22	80	13	151	6	16	68
-	-	3	1	-	-	-	2	-	-	-	-	2
1	2	2	7	-	-	-	2	-	4	-	-	1
1	10	3	11	2	2	-	7	-	7	-	-	1
2	1	1	3	14	6	-	-	-	3	-	1	2
-	2	-	3	1	-	-	-	-	1	-	-	1
-	-	-	5	-	-	-	1	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
CUMBERLAND

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Cumberland.....	1,404	-	-	2	-	1	1
Falmouth.....	1,511	-	-	1	1	-	2
Freeport.....	2,339	-	1	3	-	2	1
Gorham.....	2,540	-	-	1	-	2	6
Gray.....	1,388	-	-	-	-	4	-
Harpswell.....	1,750	-	-	2	-	1	1
Harrison.....	969	-	-	1	2	-	1
Naples.....	813	-	-	-	1	-	-
New Gloucester.....	1,162	-	-	-	-	1	3
North Yarmouth.....	642	-	-	-	-	-	1
Otisfield.....	728	-	-	-	-	2	-
Portland.....	50,145	5	3	53	5	57	35
Pownal.....	592	-	-	2	-	-	-
Raymond.....	823	-	-	3	-	1	-
Scarboro.....	1,865	-	-	3	-	1	5
Sebago.....	576	-	-	2	-	-	1
South Portland.....	6,287	-	-	5	3	2	3
Standish.....	1,504	-	2	1	-	-	1
Westbrook.....	7,283	-	-	11	-	5	3
Windham.....	1,829	-	1	2	-	2	4
Yarmouth.....	2,274	-	-	1	-	-	2
FRANKLIN COUNTY.....	17,870	1	2	15	3	11	12
Avon.....	448	-	-	-	-	-	1
Carthage.....	334	-	-	-	-	-	-
Chesterville.....	709	-	-	-	-	1	-
Eustis.....	436	-	-	-	-	-	-
Farmington.....	3,288	1	1	5	-	3	2
Freeman.....	397	-	-	2	-	-	1
Industry.....	553	-	-	-	1	-	1
Jay.....	2,758	-	-	1	-	2	1
Kingfield.....	693	-	-	1	1	1	2
Madrid.....	326	-	-	-	-	-	1
New Sharon.....	946	-	-	1	-	-	1
New Vineyard.....	584	-	-	-	-	-	-
Phillips.....	1,399	-	-	-	-	1	1
Rangeley.....	961	-	1	-	-	2	-
Salem.....	135	-	-	-	-	-	-
Strong.....	637	-	-	1	-	-	-
Temple.....	394	-	-	1	-	-	-
Weld.....	738	-	-	1	1	-	-
Wilton.....	1,647	-	-	1	-	1	-
Lang Pl.....	87	-	-	-	-	-	-
Lowelltown.....	90	-	-	-	-	-	-
Rangeley Pl.....	98	-	-	-	-	-	-
Sandy River Pl.....	21	-	-	1	-	-	-
Perkins.....	63	-	-	-	-	-	-
No. 4 R. 3.....	33	-	-	-	-	-	1
Jerusalem.....	35	-	-	-	-	-	-
HANCOCK COUNTY.....	35,165	-	4	36	8	21	26
Amherst.....	364	-	-	-	-	-	-
Aurora.....	152	-	-	1	-	-	-
Bluehill.....	1,828	-	-	3	-	1	1

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	A poplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	1	2	1	3	-	-	1	-	1	-	-	1
-	2	-	2	1	-	-	1	-	1	-	-	-
-	2	-	6	1	-	-	1	-	3	-	-	-
-	10	-	6	2	-	-	5	-	6	-	-	-
-	6	1	1	1	1	1	-	-	2	-	1	-
-	1	2	3	-	1	2	-	2	2	1	-	-
-	1	1	1	2	2	1	1	-	1	-	1	-
-	1	-	1	2	1	-	-	-	-	-	1	-
-	1	-	2	-	-	2	-	1	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
7	51	42	104	81	9	13	44	7	95	4	11	44
-	-	2	4	-	-	-	-	-	-	-	-	-
-	1	-	1	-	-	-	1	-	-	1	-	-
-	2	1	2	1	-	1	1	-	1	-	-	-
-	1	-	1	1	2	-	-	-	-	-	-	-
2	7	3	4	5	-	1	2	-	6	-	2	5
1	3	4	2	1	2	-	1	-	3	-	-	-
1	4	8	12	17	-	-	4	1	4	-	-	3
-	1	1	3	2	1	-	4	-	2	-	-	-
-	4	3	6	2	3	-	1	1	5	-	-	2
2	28	12	38	23	3	3	22	2	24	-	3	19
-	-	-	1	-	-	-	2	-	1	-	-	-
-	2	-	1	1	-	-	1	-	-	-	-	-
-	5	2	6	7	-	-	5	-	6	-	1	2
-	2	-	-	-	-	-	-	-	1	-	-	1
-	1	1	1	-	-	-	-	-	2	-	-	-
-	6	3	1	5	2	2	4	-	1	-	-	5
-	3	-	3	-	-	-	1	-	-	-	1	-
-	1	1	1	-	1	-	2	-	-	-	-	1
-	1	1	1	-	-	-	2	-	1	-	-	1
-	1	1	4	2	1	1	2	1	5	-	-	3
-	-	-	1	1	-	-	1	-	-	-	-	1
-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	1	3	3	3	-	-	-	-	-	-	-
-	3	1	6	-	-	-	-	-	5	-	1	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	1	-	-	-	-	-	-	-	-	-
6	31	25	58	35	6	6	12	4	32	3	4	20
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	1	2	9	1	1	-	-	1	1	-	-	-

TABLE
Deaths in Each Town from Certain
HANCOCK

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Brooklin	936	-	-	1	-	-	-
Brooksville	1,171	-	-	2	1	-	1
Bucksport	2,339	-	-	6	1	1	2
Castine	925	-	1	2	1	-	1
Cranberry Isles	374	-	-	-	-	-	-
Dedham	327	-	-	-	-	-	-
Deer Isle	2,047	-	-	4	1	2	5
Eastbrook	248	-	-	-	-	-	1
Eden	4,379	-	1	3	1	2	1
Ellsworth	4,297	-	1	2	-	1	1
Franklin	1,201	-	-	-	-	-	-
Hancock	900	-	1	-	-	-	-
Lamoine	594	-	-	-	-	1	-
Mount Desert	1,600	-	-	-	1	-	-
Orland	1,251	-	-	3	-	-	3
Otis	152	-	-	-	-	-	-
Penobscot	1,156	-	-	1	-	-	2
Sedgwick	902	-	-	-	-	1	1
Sorrento	117	-	-	-	-	1	-
South West Harbor	-	-	-	1	-	-	1
Stonington	1,648	-	-	3	1	-	1
Sullivan	1,034	-	-	1	-	3	1
Surry	900	-	-	-	1	-	1
Swans Island	758	-	-	1	-	-	1
Tremont	2,010	-	-	1	-	-	1
Trenton	459	-	-	-	-	1	-
Verona	234	-	-	1	-	-	-
Waltham	192	-	-	-	-	-	-
Winter Harbor	571	-	-	-	-	1	1
No. 8 Pl	17	-	-	-	-	-	-
No. 33 Pl	82	-	-	-	-	-	-
KENNEBEC COUNTY	58,647	5	5	47	12	36	53
Albion	878	-	-	-	-	1	1
Augusta	11,683	2	-	8	-	13	20
Belgrade	1,058	-	1	2	-	-	-
Benton	1,097	-	-	1	-	-	-
Chelsea	3,092	-	-	-	-	1	-
China	1,380	-	1	5	-	2	1
Clinton	1,398	1	-	3	-	-	1
Farmingdale	848	-	-	-	1	-	-
Fayette	560	-	-	-	2	-	2
Gardiner	5,501	1	1	6	2	2	6
Hallowell	2,714	-	-	2	-	1	-
Litchfield	1,057	-	-	1	-	1	1
Manchester	518	-	-	1	-	1	-
Monmouth	1,236	-	-	4	-	-	-
Mount Vernon	906	-	-	-	1	-	1
Oakland	1,913	-	1	1	2	1	1
Pittston	1,177	-	-	1	-	1	1
Randolph	1,077	-	-	-	-	-	1
Readfield	994	-	-	-	1	-	-
Sidney	1,068	-	-	1	-	-	-
Vassalboro	2,062	-	-	-	-	2	4

TABLE
Deaths in Each Town from Certain

KENNEBEC

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Vienna.....	406	-	-	-	-	-	2
Waterville.....	9,477	1	-	5	1	9	6
Wayne.....	707	-	-	2	-	1	1
West Gardiner.....	693	-	-	1	-	-	-
Windsor.....	782	-	1	-	-	-	1
Winslow.....	2,277	-	-	1	-	-	1
Winthrop.....	2,088	-	-	2	1	-	2
Togus.....	-	-	-	-	1	-	-
KNOX COUNTY.....	30,030	2	4	28	6	17	25
Appleton.....	975	-	-	1	-	-	1
Camden.....	2,825	-	-	2	-	2	-
Cushing.....	604	-	-	-	-	1	-
Friendship.....	814	-	-	-	-	-	-
Hope.....	599	-	1	-	-	1	-
North Haven.....	551	-	-	-	1	1	-
Rockland.....	8,150	1	1	11	-	5	10
Rockport.....	2,314	-	-	3	1	3	2
St. George.....	2,206	1	-	1	1	3	3
South Thomaston.....	1,426	-	1	-	-	1	4
Thomaston.....	2,688	-	1	4	2	-	1
Union.....	1,248	-	-	-	-	-	1
Vinalhaven.....	2,358	-	-	3	-	-	1
Warren.....	2,069	-	-	3	1	-	2
Washington.....	1,019	-	-	-	-	-	-
Matinicus Isle Pl.....	184	-	-	-	-	-	-
LINCOLN COUNTY.....	19,575	-	1	15	4	5	21
Alna.....	444	-	-	-	-	-	2
Boothbay.....	1,766	-	-	-	1	-	-
Boothbay Harbor.....	1,926	-	1	1	1	-	1
Bremen.....	657	-	-	1	-	-	1
Bristol.....	2,572	-	-	2	1	2	4
Damariscotta.....	876	-	-	3	-	-	2
Dresden.....	882	-	-	-	-	-	1
Edgecomb.....	607	-	-	1	-	-	-
Jefferson.....	1,155	-	-	-	-	-	1
Newcastle.....	1,075	-	-	2	-	1	2
Nobleboro.....	810	-	-	2	-	-	1
Somerville.....	374	-	-	-	-	-	-
Southport.....	527	-	-	-	-	-	-
Waldoboro.....	3,145	-	-	1	1	1	4
Westport.....	330	-	-	-	-	1	-
Whitefield.....	1,156	-	-	2	-	-	1
Wiscasset.....	1,273	-	-	-	-	-	1

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	-	2	-	-	-	-	-	-	-	-	-
10	11	8	14	17	2	1	6	1	9	-	-	13
-	2	-	1	1	-	-	1	-	-	-	-	-
-	1	1	1	1	2	-	1	-	-	-	-	-
-	1	1	1	-	-	-	-	-	-	-	-	1
-	1	1	2	1	-	-	2	-	3	-	-	1
1	4	2	2	-	1	-	2	2	-	1	-	1
-	1	1	1	1	-	-	2	-	2	-	-	2
1	38	24	33	19	8	2	22	1	30	5	5	16
-	2	1	-	1	-	-	-	-	1	-	-	-
-	5	1	17	1	-	-	2	1	1	-	1	2
-	-	-	1	-	-	-	1	-	1	-	-	-
-	3	-	2	-	-	1	-	-	2	-	-	-
-	1	-	4	-	-	-	-	-	1	1	-	-
-	11	9	22	10	-	-	10	-	10	-	4	1
-	2	1	4	1	-	-	2	-	3	-	-	2
-	1	1	3	1	1	-	-	-	1	1	-	2
-	1	1	3	3	-	-	-	-	1	1	-	2
1	2	3	6	6	2	-	1	-	4	-	-	1
-	2	2	3	1	1	-	2	-	2	-	-	-
-	2	3	3	3	2	-	2	-	1	-	-	-
-	5	3	2	-	3	-	1	-	-	1	-	-
-	-	-	2	-	-	-	-	-	-	-	-	-
3	19	22	43	10	4	4	14	-	19	3	3	12
-	1	-	3	-	-	-	1	-	-	-	-	1
1	2	3	2	-	-	-	1	-	3	-	-	-
-	1	1	2	-	-	-	-	-	1	-	-	1
1	2	1	-	-	1	-	-	-	-	1	-	-
-	4	1	5	-	-	-	-	-	-	-	1	-
-	1	1	1	1	-	1	1	-	1	-	-	2
-	1	1	2	1	1	-	-	-	1	-	-	-
1	1	-	1	8	-	-	4	-	1	1	1	2
-	1	1	6	2	1	-	-	-	3	1	-	-
-	1	3	2	1	1	-	4	-	2	-	-	1
-	1	-	2	2	1	-	1	-	-	-	-	-
-	1	-	2	2	2	-	1	-	-	-	1	1
-	3	5	6	1	-	1	-	-	1	-	1	1
-	1	-	1	-	-	-	-	-	2	-	-	2
-	2	2	2	1	-	-	-	-	2	1	-	-

TABLE
Deaths in Each Town from Certain
OXFORD

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
OXFORD COUNTY	31,551	2	4	31	11	41	37
Albany	538	-	-	-	1	1	-
Andover	727	-	-	1	-	1	-
Bethel	1,835	-	-	3	-	3	-
Brownfield	1,019	-	-	2	1	1	-
Buckfield	1,139	1	-	4	-	-	3
Canton	946	-	-	1	1	2	2
Denmark	634	-	-	-	-	1	-
Dixfield	1,052	-	-	1	-	-	1
Fryeburg	1,376	-	1	1	1	-	1
Gilead	340	-	-	-	-	-	1
Greenwood	741	-	-	-	-	-	-
Hanover	214	-	-	-	-	-	1
Hartford	660	-	-	1	-	2	-
Hebron	494	-	1	1	-	1	-
Hiram	1,015	-	-	2	-	-	-
Lovell	693	-	1	2	-	1	4
Mexico	816	-	-	1	1	1	-
Newry	286	-	-	1	-	1	-
Norway	2,902	-	-	3	1	5	4
Oxford	1,331	-	1	3	-	-	1
Paris	3,225	-	-	1	-	-	8
Peru	773	-	-	2	-	-	-
Porter	886	-	-	1	2	-	1
Roxbury	238	-	-	-	-	-	-
Rumford	3,770	1	-	-	-	18	5
Stoneham	284	-	-	-	-	-	-
Stow	270	-	-	-	1	-	-
Sumner	802	-	-	-	-	-	2
Sweden	282	-	-	-	-	-	-
Upton	242	-	-	-	-	1	1
Waterford	917	-	-	-	-	2	1
Woodstock	816	-	-	-	-	-	1
Lincoln Pl	73	-	-	-	-	-	-
Milton Pl	202	-	-	-	-	-	-
Riley	13	-	-	-	-	-	-
No. 4, R. 2	-	-	-	-	-	-	-
PENOBSCOT COUNTY	75,218	4	4	68	10	58	65
Alton	314	-	-	-	-	-	-
Argyle	320	-	1	-	-	-	1
Bangor	21,850	2	2	22	1	14	9
Bradford	954	-	-	2	-	-	-
Bradley	682	-	-	-	-	-	1
Brewer	4,835	-	-	5	1	3	3
Burlington	394	-	-	-	-	-	1
Carmel	932	-	-	2	-	-	-
Carroll	487	-	-	-	-	1	-
Charleston	842	-	-	-	-	-	-
Chester	363	-	-	-	-	-	-
Clifton	236	-	-	-	-	-	1
Corinna	1,170	-	-	4	1	2	2
Corinth	1,042	-	-	2	-	2	2

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
2	34	19	65	64	11	5	41	6	20	7	3	21
-	1	1	1	1	-	-	1	-	-	-	-	-
-	1	-	-	1	-	-	2	-	-	-	-	3
-	6	-	2	4	-	-	4	-	-	-	-	3
-	-	1	7	4	-	-	1	-	-	1	-	-
-	2	-	-	4	1	-	3	-	-	-	-	1
-	1	-	-	3	-	2	4	-	-	-	-	-
-	1	-	3	3	-	1	-	-	1	-	-	2
-	1	3	-	1	-	-	-	-	-	-	1	1
-	2	-	5	2	1	-	2	-	2	-	-	1
-	2	-	-	1	-	-	-	-	-	-	-	-
-	-	-	2	1	-	-	-	-	-	-	-	-
-	1	-	-	1	-	-	-	1	-	-	-	-
-	3	1	1	1	-	-	-	-	1	-	-	1
-	-	-	-	1	-	-	-	-	-	-	-	-
-	3	-	6	3	-	-	2	-	-	-	1	1
-	4	-	7	1	-	-	1	-	-	-	-	-
-	1	3	4	5	-	2	2	-	2	-	-	2
-	-	-	2	-	1	-	2	-	-	1	-	-
-	-	-	2	-	-	-	2	-	-	-	-	-
-	-	-	1	-	-	-	2	-	1	-	-	-
1	-	-	1	-	6	-	4	2	2	2	-	4
-	-	3	7	17	-	-	1	-	1	1	-	-
-	-	1	1	-	1	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	1	-	-	1
-	2	1	2	-	-	-	2	-	-	1	1	1
-	-	-	1	-	-	-	2	1	-	-	-	1
-	-	-	-	-	-	-	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
27	78	73	118	120	22	24	80	6	67	12	11	92
-	-	-	-	1	-	-	-	-	-	-	-	-
10	30	26	42	40	5	8	23	1	21	3	2	28
-	4	1	1	3	-	-	1	-	1	-	-	-
-	-	-	-	2	-	-	1	-	-	-	-	-
2	2	7	5	9	-	4	5	1	3	-	1	-
-	1	-	-	2	-	-	-	-	-	-	-	-
-	-	1	1	1	-	1	1	-	1	-	-	-
-	-	-	1	1	-	1	-	-	-	-	-	-
-	4	-	-	2	-	-	-	-	-	2	-	1
-	-	-	-	-	-	-	-	-	-	-	-	3
1	1	5	1	1	1	1	1	-	1	-	1	-
1	3	-	1	1	1	1	1	1	1	2	-	1

TABLE
Deaths in Each Town from Certain
PENOBSCOT

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Dexter	2,941	-	-	1	-	3	3
Dixmont	843	-	-	-	1	-	-
Eddington	663	-	-	-	-	-	2
Enfield	1,062	-	-	2	-	2	-
Etna	527	-	-	1	-	-	-
Exeter	879	-	-	1	1	-	1
Garland	857	-	-	2	-	-	-
Glenburn	461	-	-	-	-	-	-
Greenbush	586	-	-	-	-	-	-
Greenfield	160	-	-	-	-	-	-
Hampden	2,182	-	-	4	1	4	3
Hermon	1,183	-	-	1	-	-	-
Holden	602	-	-	1	-	1	2
Howland	519	-	-	1	-	-	1
Hudson	430	-	-	-	-	-	-
Kenduskeag	423	-	-	-	-	-	-
Kingman	936	-	-	2	-	1	-
Lagrange	574	-	-	-	-	-	-
Lee	801	-	-	-	-	-	1
Levant	789	-	-	-	-	-	3
Lincoln	1,731	-	-	1	1	1	3
Lowell	300	-	-	-	-	-	1
Mattamiscontis	28	-	-	-	-	-	-
Mattawamkeag	527	-	-	-	-	-	-
Maxfield	115	-	-	-	-	-	1
Medway	297	-	-	-	-	-	-
Millford	838	-	-	-	-	1	1
Millinocket	1,144	-	-	-	1	8	1
Mount Chase	299	-	-	-	-	-	1
Newburg	734	-	-	1	-	-	2
Newport	1,533	2	-	3	-	-	4
Old Town	5,763	-	-	3	1	10	8
Orono	3,257	-	-	2	1	5	1
Orrington	1,266	-	1	3	-	-	1
Passadumkeag	409	-	-	-	-	-	-
Patten	1,172	-	-	-	-	-	-
Plymouth	658	-	-	-	-	-	1
Prentiss	502	-	-	-	-	-	1
Springfield	532	-	-	-	-	-	3
Stetson	503	-	-	1	-	-	-
Veazie	555	-	-	1	-	-	1
Winn	688	-	-	-	-	-	-
Grand Falls Pl	52	-	-	-	-	-	-
Lakeville Pl	129	-	-	-	-	-	-
Stacyville Pl	347	-	-	-	-	-	-
PISCATAQUIS COUNTY	15,408	2	1	10	4	6	8
Abbot	716	-	-	1	-	1	-
Atkinson	495	-	-	1	1	-	1
Brownville	1,570	-	-	1	-	-	1
Dover	1,889	-	-	1	1	1	-
Foxcroft	1,629	-	-	1	-	-	3
Greenville	1,117	2	-	1	-	1	-
Guilford	1,544	-	-	-	1	-	-
Medford	282	-	-	-	-	-	-
Milo	1,180	-	1	-	-	1	2

TABLE
Deaths in Each Town from Certain
PISCATAQUIS

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Monson	1,116	-	-	1	-	1	-
Parkman	718	-	-	1	1	-	-
Sangerville.....	1,294	-	-	-	-	-	1
Sebec.....	593	-	-	-	-	-	-
Shirley	248	-	-	1	-	1	-
Wellington.....	413	-	-	-	-	-	-
Williamsburg.....	117	-	-	-	-	-	-
Willimantic.....	419	-	-	1	-	-	-
Barnard Pl.....	98	-	-	-	-	-	-
SAGADAHOC COUNTY.....	20,269	2	1	13	4	10	12
Arrowsic.....	180	-	-	-	-	-	-
Bath.....	10,477	2	1	7	4	4	4
Bowdoin.....	937	-	-	1	-	-	-
Bowdoinham.....	1,305	-	-	-	-	-	-
Georgetown.....	799	-	-	-	-	1	1
Phippsburg.....	1,254	-	-	3	-	-	-
Richmond.....	2,049	-	-	2	-	2	2
Topsham.....	2,037	-	-	-	-	3	5
West Bath.....	291	-	-	-	-	-	-
Woolwich.....	880	-	-	-	-	-	-
SOMERSET COUNTY.....	32,781	1	2	26	3	24	24
Anson.....	1,830	-	-	4	-	3	-
Athens.....	896	-	-	-	-	2	-
Bingham.....	841	1	-	-	-	-	-
Cambridge.....	364	-	-	-	-	-	-
Canaan.....	977	-	-	-	-	-	-
Concord.....	291	-	-	-	-	-	-
Cornville.....	689	-	-	1	-	-	-
Detroit.....	527	-	-	-	-	-	1
Embden.....	569	-	-	1	-	-	-
Fairfield.....	3,878	-	-	2	-	4	1
Harmony.....	571	-	-	3	-	-	-
Hartland.....	1,115	-	-	-	-	-	1
Madison.....	2,764	-	-	2	-	1	4
Mercer.....	493	-	-	-	-	-	-
Moscow.....	378	-	-	-	-	-	-
New Portland.....	913	-	-	1	-	-	-
Norridgewock.....	1,495	-	1	2	-	-	2
Palmyra.....	915	-	-	1	1	-	3
Pittsfield.....	891	-	-	3	2	3	3
Ripley.....	449	-	-	-	-	-	-
St. Albans.....	1,037	-	-	-	-	-	1
Skowhegan.....	5,180	-	1	2	-	5	5
Smithfield.....	449	-	-	-	-	1	-
Solon.....	996	-	-	1	-	2	2
Starks.....	636	-	-	1	-	-	-
Caratunk Pl.....	218	-	-	1	-	-	-
Flagstaff Pl.....	115	-	-	-	-	-	-
Jackman Pl.....	352	-	-	-	-	2	-
Lexington Pl.....	231	-	-	1	-	1	1
Mayfield Pl.....	89	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain
SOMERSET

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Moose River Pl.....	239	-	-	-	-	-	-
The Forks Pl.....	157	-	-	-	-	-	-
West Forks Pl.....	160	-	-	-	-	-	-
Rockwood.....	76	-	-	-	-	-	-
WALDO COUNTY.....	24,185	1	1	21	4	12	24
Belfast.....	4,615	1	1	4	-	1	2
Belmont.....	352	-	-	-	1	1	1
Brooks.....	669	-	-	-	-	2	-
Burnham.....	766	-	-	1	-	-	1
Frankfort.....	1,211	-	-	-	1	-	2
Freedom.....	479	-	-	-	-	-	1
Islesboro.....	923	-	-	2	-	-	-
Jackson.....	439	-	-	-	-	-	-
Knox.....	558	-	-	-	-	-	-
Liberty.....	737	-	-	1	-	-	-
Lincolnton.....	1,223	-	-	-	1	-	1
Monroe.....	958	-	-	2	1	2	1
Montville.....	982	-	-	1	-	-	-
Morrill.....	420	-	-	-	-	-	-
Northport.....	545	-	-	-	-	1	2
Palermo.....	757	-	-	-	-	-	-
Prospect.....	648	-	-	1	-	-	2
Searsmont.....	949	-	-	-	-	1	3
Searsport.....	1,349	-	-	4	-	3	1
Stockton Springs.....	872	-	-	1	-	-	1
Swanville.....	502	-	-	-	-	-	-
Thorndike.....	497	-	-	2	-	1	-
Troy.....	766	-	-	1	-	-	2
Unity.....	877	-	-	-	-	-	3
Waldo.....	468	-	-	-	-	-	-
Winterport.....	1,623	-	-	1	-	-	1
WASHINGTON COUNTY.....	44,114	3	2	34	5	29	35
Addison.....	1,059	-	-	1	-	-	3
Alexander.....	333	-	-	1	-	-	-
Baileyville.....	215	-	-	-	-	-	-
Baring.....	231	-	-	-	-	-	-
Brookton.....	285	-	-	-	-	-	1
Calais.....	7,655	-	-	4	-	4	4
Centerville.....	91	-	-	-	-	-	-
Charlotte.....	315	-	-	-	-	-	-
Cherryfield.....	1,859	-	-	-	-	-	-
Columbia.....	516	-	-	1	-	-	-
Columbia Falls.....	569	-	-	1	1	1	1
Cooper.....	207	-	-	-	-	-	-
Crawford.....	112	-	-	-	-	-	-
Cutler.....	565	-	-	2	-	1	-
Danforth.....	1,092	-	-	1	1	-	1
Deblois.....	73	-	-	-	-	-	1
Dennysville.....	482	-	-	-	-	-	2
East Machias.....	1,521	-	-	1	-	-	2
Eastport.....	5,311	-	1	4	-	5	7

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	1	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1
4	28	33	71	24	4	7	19	4	22	2	3	10
-	4	11	18	5	-	1	8	1	10	-	1	4
-	1	-	1	-	-	-	-	-	1	-	-	-
-	1	1	1	3	1	1	-	-	1	-	-	1
1	-	1	1	1	-	-	1	-	2	-	1	1
1	-	1	2	-	-	1	-	1	1	-	-	-
-	2	-	2	-	-	-	-	-	1	-	-	-
-	1	1	3	1	1	1	-	-	1	1	-	1
-	1	2	5	1	-	-	-	-	-	-	-	-
-	3	-	3	2	-	-	1	-	1	1	-	-
-	-	1	1	1	1	-	-	-	-	-	-	1
-	2	1	2	1	1	-	1	-	-	-	-	-
-	-	1	6	1	1	-	-	-	-	-	-	-
-	-	1	4	2	1	1	-	-	-	-	-	1
-	3	-	-	-	-	-	-	-	-	-	-	-
-	-	3	2	1	1	1	-	-	-	-	-	-
1	2	2	5	1	1	1	1	-	1	-	-	-
-	1	-	2	1	-	-	1	1	3	-	-	-
-	3	-	9	1	1	-	1	-	-	-	1	-
13	35	38	83	53	10	12	23	2	28	4	4	31
-	2	2	7	1	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	2
-	7	7	16	13	2	1	4	-	3	-	2	5
3	1	1	-	-	-	-	-	-	-	-	-	-
-	2	1	1	2	-	-	-	-	1	-	-	-
-	1	1	1	-	-	-	-	-	-	-	-	-
-	2	1	2	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
1	2	1	-	4	-	-	-	-	2	-	-	1
-	-	-	1	-	-	-	-	-	-	-	-	-
-	2	2	4	4	1	1	1	-	1	1	-	2
5	3	5	12	9	2	2	2	1	4	1	-	1

TABLE
Deaths in Each Town from Certain
 WASHINGTON

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Edmunds	492	-	-	-	-	1	-
Forest City	151	-	-	-	-	-	-
Harrington	1,165	-	-	-	-	-	1
Jonesboro	606	-	-	1	1	-	-
Jonesport	2,124	-	-	1	-	4	1
Lubeck	3,005	1	-	5	-	4	2
Machias	2,082	-	-	-	-	5	-
Machiasport	1,218	-	-	1	-	-	1
Marshfield	227	-	-	-	-	-	-
Meddybemps	154	-	-	-	-	-	-
Milbridge	1,921	-	-	3	1	2	-
Northfield	126	-	-	-	-	-	-
Pembroke	1,682	-	-	1	-	1	-
Perry	1,245	-	-	-	-	1	2
Princeton	1,094	1	1	1	-	-	-
Robbinston	844	-	-	2	-	-	1
Roque Bluffs	168	-	-	-	-	-	-
Steuben	901	-	-	1	1	-	-
Talmage	93	-	-	1	-	-	1
Trescott	463	-	-	-	-	-	-
Vanceboro	550	-	-	-	-	-	1
Waite	135	-	-	-	-	-	1
Whiting	399	1	-	1	-	-	-
Whitneyville	424	-	-	-	-	-	2
Grand Lake Stream Pl.	221	-	-	-	-	-	-
No. 14 Pl.	77	-	-	-	-	-	-
No. 21 Pl.	86	-	-	-	-	-	-
YORK COUNTY	64,885	8	7	75	15	55	43
Acton	778	-	-	1	-	-	-
Alfred	937	-	-	-	-	-	-
Berwick	2,280	-	-	1	-	1	1
Bildeford	16,145	1	3	12	1	25	6
Buxton	1,838	-	-	5	-	-	2
Cornish	984	-	-	-	1	-	-
Dayton	473	-	-	1	-	-	-
Elliot	1,458	-	-	1	2	-	-
Hollis	1,274	-	-	1	-	-	3
Kennebunk	3,228	1	1	5	2	2	2
Kennebunkport	2,123	-	-	8	-	1	4
Kittery	2,872	-	-	2	1	-	4
Lebanon	1,335	-	-	2	-	1	2
Limerick	874	-	-	1	1	1	2
Limington	1,001	-	-	-	-	-	2
Lyman	687	-	-	-	-	-	-
Newfield	676	-	-	2	-	-	-
North Berwick	1,748	-	-	1	1	1	-
Old Orchard	964	-	-	3	2	-	-
Parsonsfield	1,131	-	-	3	-	-	3
Saco	6,122	1	1	7	3	5	3
Sanford	6,078	2	-	4	1	11	-
Shapleigh	847	-	-	-	-	-	1
South Berwick	3,188	2	-	1	-	2	2
Waterboro	1,169	-	-	1	-	1	3
Wells	2,007	-	-	5	-	-	2
York	2,668	1	2	8	-	4	2

TABLE
Deaths by Ages, Sex

COUNTIES.	Under 1.	1 to 4.	5 to 9.	10 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
Androscoggin, males	105	53	12	22	33	34	37	41	50	75	33	7	1	1
females	110	53	13	22	36	33	47	45	65	70	42	11	-	-
not stated	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Aroostook, males	216	81	21	24	32	14	22	29	39	36	25	2	-	2
females	166	64	20	30	23	30	22	31	23	33	23	4	-	1
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cumberland, males	133	38	19	25	54	59	65	89	129	137	82	12	-	4
females	123	45	16	21	58	60	54	85	120	145	107	21	-	1
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Franklin, males	21	7	3	7	13	7	10	20	24	28	24	3	-	3
females	12	8	6	4	3	5	11	11	18	28	15	1	-	1
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock, males	34	11	4	12	15	14	14	32	42	52	31	3	-	1
females	22	9	2	6	20	19	10	20	30	29	28	6	-	2
not stated	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec, males	66	28	9	24	34	42	38	52	82	92	56	13	-	3
females	53	17	9	14	30	27	40	35	61	81	49	9	-	1
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Knox, males	31	12	3	9	13	13	12	25	47	43	31	4	-	-
females	17	3	3	9	13	11	19	19	35	46	33	9	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln, males	8	2	2	2	4	1	9	8	32	31	25	5	-	-
females	4	2	2	2	8	9	7	3	25	29	25	3	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford, males	57	14	3	8	17	14	14	15	43	54	39	6	-	-
females	50	20	3	12	17	18	13	27	43	41	36	16	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot, males	127	59	16	36	65	38	63	80	94	97	68	12	-	13
females	72	40	11	39	56	40	58	59	74	98	54	23	-	5
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Piscataquis, males	14	9	1	9	9	8	7	15	14	26	11	2	-	2
females	16	3	3	11	10	8	5	7	16	21	8	2	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc, males	19	6	4	6	8	5	8	21	25	28	24	4	1	-
females	22	6	3	2	9	6	14	13	17	27	14	3	-	1
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset, males	37	17	4	9	7	16	8	27	36	40	34	3	-	1
females	24	12	7	8	10	18	24	25	31	39	27	7	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waldo, males	14	5	2	1	10	9	11	24	26	58	24	7	-	-
females	15	-	1	6	13	13	16	15	45	41	30	6	-	3
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington, males	56	17	3	17	29	13	20	24	40	61	40	9	-	1
females	48	23	7	10	19	21	22	31	36	57	38	10	1	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York, males	108	42	9	29	30	28	33	50	91	105	53	6	-	4
females	94	41	4	16	38	39	41	60	89	104	69	10	-	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total, males	1046	401	115	240	373	315	371	552	814	963	600	98	2	35
females	848	346	110	212	363	357	403	486	728	889	598	141	1	15
not stated	3	-	-	-	-	-	-	-	-	-	-	-	-	2
Grand total	1897	747	225	452	736	672	774	1038	1542	1852	1198	239	3	52

No. 35.
and Months, by Counties.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.	
23	40	52	42	38	29	40	43	43	48	49	56	1	504	-	
42	37	44	50	44	30	37	67	59	48	48	41	-	547	-	
-	-	-	-	-	1	-	-	-	1	-	-	1	8	1,054	
25	38	36	36	49	37	34	103	74	45	36	28	2	543	-	
22	23	29	30	33	34	42	66	76	43	40	32	-	470	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,013	-
70	61	80	71	77	72	57	83	83	61	64	67	-	846	-	
65	65	87	81	88	64	55	71	69	70	67	73	1	856	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,702	-
15	14	15	11	11	18	10	22	6	13	18	17	-	170	-	
9	6	9	12	10	7	10	13	11	12	15	9	-	123	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	293	-
19	23	21	26	28	23	20	21	26	16	20	22	-	265	-	
11	16	17	19	18	10	18	15	25	22	11	21	-	203	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	469	-
48	41	63	42	31	40	33	59	50	50	35	45	2	539	-	
39	38	33	41	27	32	37	34	37	30	37	40	1	426	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	965	-
19	15	20	20	19	27	26	17	21	19	24	16	-	243	-	
14	22	29	19	18	15	12	16	22	19	14	17	-	217	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	460	-
12	12	10	9	12	7	12	7	15	12	10	11	-	129	-	
10	7	14	6	8	9	6	14	6	15	10	14	-	119	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	1	249	-
22	23	28	36	28	19	22	27	23	17	18	21	-	284	-	
26	25	37	29	28	21	17	21	28	22	21	21	-	296	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	580	-
47	57	81	64	58	53	53	80	74	60	68	68	5	768	-	
49	52	73	59	49	46	47	53	51	44	50	54	2	629	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,397	-
9	8	10	10	11	8	9	15	15	11	9	12	-	127	-	
9	8	11	9	10	9	12	10	15	6	4	7	-	110	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	237	-
11	12	10	17	14	13	16	14	13	11	15	13	-	159	-	
11	7	16	8	13	13	7	12	10	12	10	18	-	137	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	296	-
16	22	17	17	28	14	18	27	25	24	16	15	-	239	-	
19	20	18	21	25	17	20	19	24	14	18	17	-	232	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	471	-
6	15	14	18	9	21	26	12	24	11	17	18	-	191	-	
21	15	17	23	21	17	21	15	16	11	11	16	-	204	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	395	-
20	17	27	22	28	28	34	32	30	30	30	32	1	330	-	
26	19	17	28	26	22	26	29	46	35	25	24	-	323	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	653	-
45	39	58	58	50	47	60	51	42	44	40	54	-	588	-	
42	56	67	50	53	45	48	64	58	44	35	43	-	605	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,193	-
407	437	542	499	490	456	470	613	564	472	469	495	11	5,925	-	
415	416	518	485	471	391	415	519	553	447	416	447	4	5,497	-	
-	-	-	1	-	1	-	1	-	1	-	-	1	5	-	-
822	853	1,060	985	961	848	885	1,133	1,117	920	885	942	16	11,427	11,427	

TABLE No. 36.

Number of Deaths from Several Specified Causes of Each Sex, in Each Month, which were Registered during Fifteen Years, 1892-1906.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
Totals.....	580	438	993	2,445	3,120	16,200	7,918	15,082	3,380	8,787
Males.....	271	211	465	1,226	1,774	7,200	-	7,404	1,578	4,284
Females.....	307	227	528	1,218	1,345	9,260	-	7,673	1,802	4,503
Not stated.....	2	-	-	1	1	1	-	5	-	-
January.....	51	32	85	255	236	1,385	104	2,223	425	793
February.....	42	35	72	220	205	1,331	89	2,054	404	791
March.....	61	59	89	156	263	1,643	113	2,209	459	781
April.....	57	39	74	167	224	1,542	121	1,917	387	749
May.....	70	40	68	176	213	1,581	117	1,484	326	754
June.....	52	36	90	136	167	1,367	206	808	219	689
July.....	59	21	89	143	154	1,315	1,062	368	152	648
August.....	35	19	103	135	244	1,223	2,612	305	101	715
September.....	25	29	95	170	388	1,159	2,307	444	150	673
October.....	46	37	66	262	433	1,247	890	773	228	702
November.....	49	50	72	315	310	1,129	186	1,048	225	712
December.....	33	41	87	308	276	1,264	108	1,438	298	776
Not stated.....	-	-	3	2	7	14	3	11	6	4

TABLE No. 37.

Mortality by Months Reduced to a Standard Mean of 100,
Fifteen Years, 1892-1906.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Typhoid fever.	Consumption.	Infantile diarrhoea.	Pneumonia.	Bronchitis.	Apoplexy.
January.....	103.53	86.02	100.89	122.80	89.06	100.66	15.47	173.54	145.05	106.26
February.....	94.40	104.20	94.53	117.30	85.65	107.11	14.65	177.53	155.86	117.35
March.....	123.83	158.60	105.54	75.13	99.25	119.42	16.80	178.20	159.90	104.65
April.....	119.57	108.33	109.04	83.11	87.35	115.81	18.59	154.64	139.30	106.64
May.....	142.10	107.53	80.64	84.76	80.38	114.91	17.40	115.85	113.57	101.03
June.....	109.08	100.00	110.27	67.68	65.12	102.66	31.65	65.18	78.83	98.10
July.....	119.77	56.45	105.54	68.87	58.12	95.58	157.93	28.73	52.95	86.88
August.....	71.05	51.08	122.14	65.01	92.08	88.89	388.44	23.81	35.18	95.81
September.....	52.44	80.55	116.39	84.60	151.30	87.04	354.49	35.82	53.99	95.82
October.....	93.38	99.46	78.26	126.17	163.40	90.64	132.35	60.35	89.43	94.07
November.....	102.78	138.88	88.21	156.76	120.89	84.79	28.58	84.54	80.99	101.37
December.....	66.99	110.21	103.17	148.32	104.16	91.87	16.06	112.26	103.81	103.98
Mean.....	100.00	100.00	100.00	100.00	100.00	100.00	100.06	100.00	100.00	100.00

NOTES ON DEATHS AND THE CAUSES OF DEATHS.

The number of deaths registered in the year 1906 was 11,427. This was 46 more than for the preceding year, 1905, and a larger number than has occurred in any year since 1892, but a glance at the following tabulation will show that the death-rate, based upon the estimated population of all but the census year, 1900, has gradually lessened.

Years.	Total deaths.	Males.	Females.	Not stated.	Death-rate per 1,000.
1892.....	12,147	5,939	6,175	33	18.19
1893.....	11,134	5,557	5,551	26	16.59
1894.....	11,012	5,570	5,422	20	16.33
1895.....	10,464	5,226	5,228	10	15.44
1896.....	10,626	5,350	5,268	8	15.60
1897.....	11,236	5,624	5,606	6	16.42
1898.....	10,956	5,506	5,447	3	15.93
1899.....	11,370	5,676	5,686	8	16.45
1900.....	11,389	5,734	5,649	6	16.40
1901.....	11,133	5,604	5,523	6	15.94
1902.....	10,673	5,454	5,216	3	15.19
1903.....	11,003	5,629	5,378	2	15.58
1904.....	11,346	5,865	5,468	10	15.97
1905.....	11,381	5,835	5,545	1	15.92
1906.....	11,427	5,925	5,497	5	15.90
Average.....	11,154	5,633	5,511	10	16.12

By referring to Table No. 4, it will be seen that the lowest death-rate was in Hancock and Lincoln counties, being only 12.66 in each. The counties Aroostook, Franklin, Hancock, Knox, Lincoln, Piscataquis, Sagadahoc, Somerset, and Washington had lower death-rates than that of the whole State; while the counties Androscoggin, Cumberland, Kennebec,

Oxford, Penobscot, Waldo, and York had death-rates larger than that of the State. The highest county death-rate was that of Androscoggin, 18.36.

The death-rates in the cities was 17.25 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, 18.36 in 1895, 18.78 in 1896, 20.11 in 1897, 19.74 in 1898, 18.10 in 1899, 18.34 in 1900, 17.90 in 1901, 17.03 in 1902, 17.16 in 1903, 18.00 in 1904, and 16.79 in 1905), as compared with that of the rest of the State with the cities omitted, which death-rate was 14.71 (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, 14.77 in 1895, 14.93 in 1896, 15.68 in 1897, 15.24 in 1898, 15.52 in 1899, 15.47 in 1900, 15.13 in 1901, 14.58 in 1902, 13.39 in 1903, 15.54 in 1904, and 15.49 in 1905).

Seasons and Mortality.—The largest number of deaths occurred in August, 1,133. The smallest number of deaths in any one month was 822 in January. During the spring months 3,006 deaths occurred; during the summer, 2,866; during the autumn, 2,922; in the winter, 2,617. The following shows the month in which the largest and the smallest number of deaths occurred in the years 1892-1906:

Largest Number.		Smallest Number.	
1892	January 1,577	November 790	
1893	August 1,080	November 796	
1894	January 1,266	November 761	
1895	March 1,053	June 715	
1896	August 1,079	November 667	
1897	March 1,259	June 769	
1898	September 1,147	June 791	
1899	February 1,049	June 768	
1900	April 1,196	November 769	
1901	March 1,132	June 789	
1902	December 998	June 805	
1903	January 1,006	June 786	
1904	April 1,116	July 800	
1905	March 1,197	July 768	
1906	August 1,133	January 822	

The following is a tabular statement of the number of deaths in each quarter of the fifteen years 1892-1906:

	1st Quarter.	2d Quarter.	3d Quarter.	4th Quarter.
1892	3,964	2,926	2,780	2,427
1893	2,653	2,825	2,878	2,750
1894	3,166	2,660	2,774	2,402
1895	2,780	2,412	2,764	2,503
1896	2,728	2,717	2,836	2,339
1897	3,026	2,681	2,856	2,671
1898	2,567	2,641	2,964	2,782
1899	3,416	2,632	2,767	2,544
1900	2,879	3,057	2,909	2,536
1901	3,178	2,688	2,637	2,610
1902	2,787	2,503	2,585	2,774
1903	2,946	2,705	2,723	2,615
1904	3,100	2,961	2,603	2,670
1905	3,187	2,810	2,786	2,581
1906	2,735	2,794	3,135	2,747
Average.....	3,007	2,784	2,800	2,597

The following table shows the number of deaths which have occurred in each of the twelve months in each of the years from 1892 to 1906:

DEATHS IN EACH MONTH FOR THE YEARS 1892-1906.

Years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Totals.
1892	1,577	1,292	1,095	1,048	1,045	833	866	938	976	844	790	793	50	12,147
1893	849	845	959	1,037	969	819	823	1,080	975	917	796	1,087	28	11,134
1894	1,266	980	920	993	851	816	865	953	956	821	761	820	10	11,012
1895	906	821	1,053	854	843	715	803	938	1,023	902	743	858	5	10,464
1896	863	921	944	942	961	814	845	1,079	912	833	667	839	6	10,626
1897	916	851	1,259	1,020	892	769	840	1,019	997	999	635	837	2	11,236
1898	887	817	863	915	935	791	814	1,003	1,147	1,034	837	911	2	10,956
1899	1,432	1,049	935	965	899	768	783	1,031	953	882	781	881	11	11,370
1900	903	881	1,095	1,196	1,068	793	839	1,033	1,037	911	769	856	8	11,389
1901	955	1,091	1,132	955	944	789	836	831	970	882	831	897	20	11,133
1902	876	900	929	939	919	805	837	861	911	854	820	998	24	10,673
1903	1,006	944	996	989	930	786	901	865	957	865	831	919	20	11,009
1904	985	1,035	1,080	1,116	1,038	807	800	896	907	909	817	944	12	11,346
1905	981	1,009	1,197	1,023	957	830	768	1,006	1,012	958	824	799	17	11,381
1906	822	853	1,060	985	961	848	885	1,133	1,117	920	885	942	16	11,427
Total	15,224	14,289	15,517	14,977	14,212	11,983	12,505	14,666	14,850	13,531	11,987	13,331	231	167,303

NOTES ON DEATHS AND CAUSES OF DEATHS.

Table No. 29 exhibits the total number of deaths which occurred in each month of the years 1899-1906. The number of deaths for 1906 in each month by counties is shown in Table No. 35.

Sex and Mortality.—Of the 11,427 decedents, 5,925 were males and 5,497 were females. The sex of five was unstated.

Among children dying before they were 5 years old, 1,447 were males and 1,194 were females; there were 253 more deaths among boys under 5 years of age than among girls within the same age-period. On the contrary, at the age-periods from 10 to 50 years there was a preponderance of deaths among females, while there were more deaths among males at the ages of from 50 to 90, and from 90 to 100, more among females. At the age of 100 years and over two men and one woman died. See Table No. 35.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under 1 year of age	1,897	16.61 per cent.
From 1-5 years of age	747	5.54 per cent.
From 5-10 years of age	225	1.97 per cent.
From 10-20 years of age	452	3.96 per cent.
From 20-30 years of age	736	6.44 per cent.
From 30-40 years of age	672	5.88 per cent.
From 40-50 years of age	774	6.77 per cent.
From 50-60 years of age	1,038	9.08 per cent.
From 60-70 years of age	1,542	13.49 per cent.
From 70-80 years of age	1,852	16.21 per cent.
From 80-90 years of age	1,198	10.48 per cent.
From 90-100 years of age	239	2.09 per cent.
100 years of age and over	3	0.03 per cent.
Ages not stated	52	0.45 per cent.

The Causes of Death.—The following table shows the mortality from ten prominent causes in the fifteen years 1892-1906. The various diseases of the brain have occupied the first place among the causes of death, except in 1892 when pneumonia had the first place, and consumption was the next most prominent cause until 1898 when it was reduced to the third place in the

list; and in 1899 and 1900 it occupied the fourth place; in 1901, the third place; in 1902, 1903, 1904, and 1905 it again occupied the fourth place, which it still keeps this year. Diseases of the heart have the second place, and pneumonia has the third place.

**MORTALITY FROM TEN PROMINENT CAUSES,
1892-1906.**

Years.	Brain disease.*	Heart disease.	Pneumonia.	Consumption.	Old age.	Cancer.	Kidney disease.†	Infantile diarrhea.	Bronchitis.	Diphtheria and croup.
1892	3d	4th	1st	2d	5th	7th	8th	5th	9th	10th
1893	1st	4th	3d	2d	5th	7th	8th	6th	9th	10th
1894	1st	4th	3d	2d	5th	6th	8th	7th	9th	10th
1895	1st	5d	4th	2d	5th	7th	8th	6th	9th	10th
1896	1st	3d	4th	2d	5th	7th	8th	6th	9th	10th
1897	1st	3d	4th	2d	5th	7th	8th	6th	10th	9th
1898	1st	2d	4th	3d	6th	7th	8th	5th	10th	9th
1899	1st	3d	2d	4th	5th	7th	8th	6th	9th	10th
1900	1st	3d	2d	4th	5th	7th	8th	6th	9th	10th
1901	1st	2d	4th	3d	5th	6th	8th	7th	9th	10th
1902	1st	2d	3d	4th	5th	6th	7th	8th	9th	10th
1903	1st	2d	3d	4th	5th	7th	6th	8th	9th	10th
1904	1st	2d	3d	4th	5th	7th	6th	8th	9th	10th
1905	1st	2d	3d	4th	5th	6th	7th	8th	9th	10th
1906	1st	2d	3d	4th	8th	7th	5th	6th	9th	10th

*Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain, and its membranes, and other brain diseases.

†Including deaths certified as from nephritis, Bright's disease, albuminuria and uremia.

By referring to Table No. 30 it will be noticed that the causes of death are arranged by counties under fourteen classes. The following notes on some of the classes and individual causes of death will be arranged in accordance with the classification shown in this Table No. 30.

Infectious Diseases.—The lists of the infectious diseases usually include smallpox, measles, scarlet fever, typhoid fever, whooping cough, diphtheria and croup. The following table shows the number of deaths which resulted from these diseases in the several counties of the State:

SIX INFECTIOUS DISEASES BY COUNTIES—1906.

COUNTIES.	Estimated population for 1906.	Aggregate deaths from six infectious diseases—1906.	Infectious death-rate per 10,000—1906.
Androscoggin	57,406	56	9.76
Aroostook	67,437	92	13.64
Cumberland.....	106,533	60	5.63
Franklin.....	19,279	13	6.74
Hancock	37,241	10	2.69
Kennebec.....	60,380	19	3.15
Knox.....	30,406	15	4.93
Lincoln	19,669	2	1.02
Oxford	33,229	22	6.62
Penobscot.....	78,275	83	10.60
Piscataquis.....	17,438	8	4.59
Sagadahoc.....	20,857	4	1.92
Somerset.....	34,532	22	6.36
Waldo.....	24,185	11	4.55
Washington	45,682	21	4.59
York	66,119	34	5.14
State	718,718	472	6.57

In the foregoing table the second column shows for each county the whole number of deaths for 1906 from the infectious diseases; the third column shows the infectious death-rate for the same year. The following table makes a similar comparative exhibit for the cities:

SIX INFECTIOUS DISEASES BY CITIES—1906.

CITIES.	Estimated population for 1906.	Aggregate deaths from six infectious diseases—1906.	Infectious death rate per 10,000.—1906.
Auburn	13,972	17	12.16
Augusta	12,377	11	8.89
Bangor	23,498	23	9.79
Bath	11,529	-	-
Belfast	5,373	2	3.72
Biddeford	17,166	9	5.24
Brewer	5,220	4	7.66
Calais	7,874	6	7.62
Eastport	6,448	2	3.10
Ellsworth	4,297	-	-
Gardner	5,507	1	1.82
Hallowell	2,714	-	-
Lewiston	24,997	30	12.00
Old Town	6,034	18	29.83
Portland	55,165	34	6.17
Rockland	8,150	9	11.00
Saco	6,150	-	-
South Portland	6,287	3	4.77
Waterville	10,899	3	2.75
Westbrook	7,674	9	11.73
Collectively	241,331	181	7.50

By consulting the following table it will be seen that the number of deaths from measles, whooping cough, and diphtheria and croup was larger than in 1905. There was a smaller number of deaths from typhoid fever, scarlet fever, influenza, tetanus, and malarial disease.

INFECTIOUS DISEASES—1899-1906.

DISEASES.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	Total.
Smallpox.....	3	2	-	12	7	3	-	-	27
Measles ...	39	84	26	28	36	22	32	105	372
Scarlet fever.....	48	35	18	13	18	10	7	5	154
Influenza	380	236	266	122	196	166	243	109	1,718
Whooping cough	96	99	28	51	110	54	38	109	585
Diphtheria and croup.....	152	155	127	115	115	162	110	119	1,055
Tetanus	11	7	5	7	11	14	7	4	66
Typhoid fever	195	196	224	162	225	242	156	133	1,533
Malarial disease.....	10	13	11	20	9	13	11	3	90

Smallpox.—In 1906, as in 1905, there were no deaths from smallpox. In 1904, smallpox was the cause of 3 deaths; in 1903, 7; in 1902, 12; in 1901, 0; in 1900, 2; in 1899, 3. No deaths were due to this disease from 1892, when our system of registration went into effect, until 1899.

Measles.—This disease caused the death of 105 persons, of whom 58 were males, 46 were females, and 1, not stated. The deaths from measles were 29 in 1892, 55 in 1893, 21 in 1894, 8 in 1895, 32 in 1896, 22 in 1897, 41 in 1898, 39 in 1899, 84 in 1900, 26 in 1901, 28 in 1902, 36 in 1903, 22 in 1904, and 32 in 1905.

MEASLES BY COUNTIES, MONTHS, AND AGE-PERIODS—1896-1906.

By COUNTIES.	By months.	By age-periods.
Androscoggin..... 61	January 37	Under 1..... 134
Aroostook..... 83	February 36	1-5..... 170
Cumberland 56	March 41	5-10..... 35
Franklin 13	April 41	10-20..... 29
Hancock..... 21	May..... 54	20-30..... 24
Kennebec 28	June 42	30-40..... 26
Knox 18	July..... 48	40-50..... 16
Lincoln..... 3	August 30	50-60..... 8
Oxford..... 23	September 23	Over 60 22
Penobscot..... 44	October..... 42	Not stated 3
Piscataquis 10	November..... 45	Total 467
Sagadahoc 6	December 28	
Somerset 37	Total 467	
Waldo 12		
Washington..... 17		
York..... 35		
State..... 467		

Scarlet Fever.—The total mortality from this disease was 5 (36 in 1892, 80 in 1893, 29 in 1894, 25 in 1895, 33 in 1896, 38 in 1897, 43 in 1898, 48 in 1899, 35 in 1900, 18 in 1901, 13 in 1902, 18 in 1903, 10 in 1904, and 7 in 1905) 2 males and 3 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was 2 in November. There were no deaths in the first quarter, 1 in the second, 1 in the third, and 3 in the last quarter of the year.

Androscoggin county had 1 death from scarlet fever; Aroostook, 1; Kennebec, 1; and Washington, 2. Of the 5 deaths from this cause, 2 were in the cities.

The following is the exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the fourteen years 1893-1906.

SCARLET FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—1893—1906.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 29	January 24	Under 1..... 34
Aroostook..... 66	February 31	1-5..... 188
Cumberland 44	March 55	5-10..... 117
Franklin 7	April 34	10-26..... 45
Hancock 14	May 36	20-30..... 10
Kennebec 42	June..... 33	30-40..... 4
Knox 22	July 21	40-50..... 1
Lincoln..... 3	August 19	50-60..... 2
Oxford..... 5	September 28	Not stated..... 1
Penobscot..... 38	October 35	Total 402
Piscataquis 10	November 47	
Sagadahoc 10	December 39	
Somerset 12	Total 402	
Waldo 14		
Washington..... 21		
York 65		
State..... 402		

The scarlatina death-rate per 10,000 for this State was 0.07; for the cities, 0.08.

Influenza.—During the year for which this report is made, 109 deaths were attributed to influenza. By months the percentage distribution of deaths from this cause was as follows: January, 10.09; February, 5.51; March, 16.51; April, 16.51; May, 16.51; June, 3.67; July, 4.59; August, 8.26; September, 1.84; October, 7.34; November, 6.42; December, 2.75. The following shows the age incidence of deaths reported as having occurred from influenza:

Under	1 year,	21	40-50 years,	2
	1-5 years,	12	50-60 years,	5
	5-10 years,	5	60-70 years,	8
	10-20 years,	2	70-80 years,	24
	20-30 years,	2	Over 80 years,	26
	30-40 years,	2		
			Total,	109

The influenza death-rate for the whole State was 1.52 for each 10,000 living population (11.43 in 1892, 2.31 in 1893, 4.46 in 1894, 2.30 in 1895, 1.77 in 1896, 4.45 in 1897, 2.19 in 1898, 5.50 in 1899, 3.40 in 1900, 3.83 in 1901, 1.87 in 1902, 2.82 in 1903, 2.39 in 1904, and 3.40 in 1905).

DEATHS FROM INFLUENZA BY COUNTIES AND MONTHS—1906.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	-	-	3	1	1	-	-	-	-	-	1	-	-	6
Aroostook'.....	1	-	2	2	3	1	3	8	1	5	3	-	-	29
Cumberland	-	1	2	-	3	-	1	-	-	1	1	-	-	9
Franklin	1	-	-	1	3	-	-	-	-	-	-	-	-	5
Hancock	-	-	1	1	4	-	-	-	-	-	1	-	-	7
Kennebec	2	-	1	1	1	-	-	-	1	1	-	1	-	8
Knox	-	-	1	-	-	-	-	-	-	1	1	-	-	3
Lincoln	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Oxford	2	-	3	2	1	1	-	-	-	-	-	-	-	9
Penobscot	2	1	2	-	-	-	-	-	-	-	-	2	-	7
Piscataquis	-	1	-	-	1	-	-	-	-	-	-	-	-	2
Sagadahoc	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset	-	2	1	3	1	1	-	-	-	-	-	-	-	8
Waldo	-	-	-	1	-	1	-	1	-	-	-	-	-	3
Washington	-	1	-	-	-	-	-	-	-	-	-	-	-	1
York	2	-	2	6	-	-	1	-	-	-	-	-	-	11
State	11	6	18	18	18	4	5	9	2	8	7	3	-	109

Whooping Cough.—The number of deaths from whooping cough was 109 (54 in 1892, 51 in 1893, 20 in 1894, 82 in 1895, 111 in 1896, 46 in 1897, 44 in 1898, 96 in 1899, 99 in 1900, 28 in 1901, 51 in 1902, 110 in 1903, 54 in 1904, and 38 in 1905), of which 57 were males and 52 females. The number of deaths in the cities was 25. Seventy-five of the 109 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping cough was 1.52 per 10,000; that of the cities, 1.04.

The following shows the deaths from whooping cough arranged by counties, months, and age-periods:

**WHOOPIING COUGH BY COUNTIES, MONTHS, AND
AGE-PERIODS—1906.**

BY COUNTIES.		By months.	By age-periods.
Androscoggin	3	January	Under 1
Aroostook	38	February	1-5
Cumberland	18	March	5-10
Franklin	2	April	10-20
Hancock	4	May	20-30
Kennebec	2	June	30-40
Knox	3	July	40-50
Lincoln	1	August	50-60
Oxford	9	September	60-70
Penobscot	7	October	Not stated
Piscataquis	1	November	Total
Sagadahoc	1	December	
Somerset	8	Not stated	
Waldo	4	Total	109
Washington	1		
York	7		
State	109		

Diphtheria.—There were for the year 1906, 119 deaths from diphtheria. Of the decedents, 56 were males and 63 were females. Ages: Under 1, 10; 1-5, 63; 5-10, 28; 10-20, 11; 20-30, 2; 40-50, 3; 60-70, 2.

Of the 119 deaths, 55 were in the cities, and 64 in other places. The diphtheria death-rate for the State was 1.66, and for the cities, 2.28. The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

DIPHTHERIA BY COUNTIES AND MONTHS—1906.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin	3	1	-	1	-	-	1	-	-	-	2	2	-	10	1.75
Aroostook	2	2	2	1	-	1	1	2	1	1	1	-	-	14	2.08
Cumberland	1	-	2	3	2	5	-	1	1	2	2	1	-	20	1.88
Franklin	-	-	-	-	1	1	-	-	-	-	-	1	-	3	1.56
Hancock	1	-	-	-	-	1	-	-	-	1	-	-	-	3	0.81
Kennebec	1	-	1	-	-	-	-	-	1	-	2	1	-	6	0.99
Knox	-	-	1	-	-	-	-	-	-	-	-	6	-	7	2.30
Lincoln	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	1	-	-	-	-	-	1	-	-	2	1	-	-	5	1.50
Penobscot	4	1	2	9	1	1	2	2	2	1	3	3	-	31	3.96
Piscataquis	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1.15
Sagadahoc	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.48
Somerset	-	1	-	-	-	-	-	-	2	2	-	1	-	6	1.74
Waldo	-	-	-	-	-	1	-	-	-	-	1	-	-	2	0.83
Washington.....	1	-	-	-	-	-	1	-	2	1	-	-	-	5	1.09
York	-	-	-	-	-	1	-	-	-	-	2	1	-	4	0.60
State	16	6	8	14	4	11	6	5	9	10	14	16	-	119	1.66

The following tabulation shows the number of deaths from diphtheria for the fourteen years 1893-1906 arranged by counties, months, and age-periods.

DIPHThERIA BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1906.

By COUNTIES.	By months.	By age-periods.
Androscoggin 276	January 235	Under 1..... 309
Aroostook 398	February..... 206	1-5..... 1,034
Cumberland..... 455	March 144	5-10..... 531
Franklin 40	April..... 152	10-20..... 245
Hancock..... 50	May..... 155	20-30..... 51
Kennebec..... 192	June 116	30-40..... 25
Knox 91	July..... 130	40-50..... 16
Lincoln..... 28	August..... 125	50-60..... 7
Oxford..... 53	September..... 151	60-70... .. 6
Penobscot..... 175	October..... 237	Over 70..... 4
Piscataquis..... 16	November..... 297	Not stated..... 5
Sagadahoc 68	December..... 283	Total..... 2,233
Somerset..... 83	Not stated..... 2	
Waldo 30	Total..... 2,233	
Washington..... 79		
York 204		
State..... 2,233		

The following table shows the number of deaths from diphtheria in each of the cities in each year from 1892 to 1906, the diphtheria death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities :

Deaths and Death-Rates from Diphtheria

CITIES.	1892.		1893.		1894.		1895.		1896.		1897.		1898.	
	Number	Death-rate per 10,000.	Number	Death-rate per 10,000.	Number	Death-rate per 10,000.	Number	Death-rate per 10,000.	Number	Death-rate per 10,000.	Number	Death-rate per 10,000.	Number	Death-rate per 10,000.
Auburn	5	4.31	9	7.65	3	2.51	2	1.65	1	0.81	6	4.82	14	11.10
Augusta.....	7	6.51	8	7.36	9	8.19	3	2.70	-	-	2	1.76	1	0.87
Bangor.....	-	-	2	1.00	2	0.99	4	1.95	3	1.45	4	1.90	7	3.29
Bath	4	4.41	3	3.24	2	2.12	3	3.12	1	1.02	4	4.02	2	1.98
Belfast	1	1.94	-	-	1	1.99	3	6.06	1	2.05	2	4.15	1	2.10
Biddeford.....	20	13.68	1	0.67	-	-	7	4.58	7	4.53	2	1.28	13	8.23
Brewer.....	-	-	-	-	1	2.25	-	-	-	-	4	8.62	-	-
Calais	11	14.94	5	6.76	-	-	2	2.68	9	11.98	-	-	-	-
Eastport	4	8.02	1	1.99	-	-	1	1.96	-	-	1	1.93	3	5.74
Ellsworth	-	-	1	2.15	-	-	-	-	-	-	-	-	-	-
Gardiner	-	-	-	-	-	-	-	-	7	12.73	1	1.82	1	1.82
Hallowell	1	3.24	-	-	-	-	-	-	-	-	1	3.50	1	3.56
Lewiston	9	4.07	3	1.34	9	4.00	5	2.20	2	0.87	32	13.83	38	16.27
Old Town	2	3.70	2	3.67	4	7.28	2	3.61	2	3.58	3	5.33	1	1.76
Portland *.....	13	2.99	14	3.16	18	3.99	28	6.09	23	4.92	54	11.34	31	6.40
Rockland	2	2.45	3	3.67	-	-	9	11.03	6	7.35	4	4.90	-	-
Saco	-	-	1	1.64	-	-	-	-	3	4.92	-	-	1	1.64
South Portland†	-	-	-	-	3	4.88	2	3.17	4	6.17	3	4.51	1	1.46
Waterville	3	3.96	6	7.67	15	18.62	9	10.85	2	2.34	5	5.70	-	-
Westbrook.....	9	13.31	4	5.86	-	-	-	-	4	5.70	-	-	2	2.80
Total	91	4.41	63	3.02	67	3.17	80	3.74	75	3.47	128	5.86	117	5.29
State	212	3.17	152	2.26	139	2.06	197	2.91	174	2.55	276	4.03	240	3.49
State excluding cities	121	2.62	89	1.93	72	1.55	117	2.52	99	2.13	148	3.18	123	2.64

* Portland includes Deering.

† South Portland includes Cape Elizabeth.

in the Cities and the State, 1892-1906.

1899.	Death-rate per 10,000.	1900.	Death-rate per 10,000.	1901.	Death-rate per 10,000.	1902.	Death-rate per 10,000.	1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
3	2.35	2	1.54	2	1.52	-	-	2	1.49	3	2.20	1	0.72	4	2.86	57	3.04
1	0.86	-	-	2	1.70	1	0.84	-	-	-	-	3	2.45	1	0.81	38	2.27
-	-	2	0.92	2	0.90	4	1.79	-	-	3	1.31	-	-	5	2.13	38	1.18
2	1.94	2	1.91	5	4.69	3	2.77	7	6.36	14	12.52	4	3.52	-	-	56	3.57
-	-	-	-	-	24.22	-	-	-	-	1	1.95	-	-	1	1.86	13	1.75
11	6.89	8	4.96	3	1.84	5	3.03	7	4.20	6	3.57	9	5.29	1	0.58	100	4.22
-	-	1	2.07	-	-	-	-	-	-	3	5.89	-	-	2	3.83	11	1.51
1	1.31	1	1.31	-	-	1	1.29	1	1.29	-	-	-	-	1	1.27	32	2.86
-	-	2	3.77	1	1.87	1	1.85	-	-	-	-	-	-	-	-	14	1.81
-	-	-	-	-	12.33	-	-	-	-	1	2.33	-	-	-	-	3	0.45
1	1.82	-	-	4	7.27	-	-	2	3.63	-	-	-	-	1	1.82	17	2.06
1	3.62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	0.93
47	19.95	17	7.15	7	2.92	1	0.41	5	2.05	7	2.85	2	0.81	2	0.80	186	5.30
-	-	-	-	-	-	3	5.13	1	1.70	3	5.05	4	6.68	11	18.23	38	4.31
22	4.46	18	3.59	24	4.71	15	2.89	9	1.71	18	3.26	10	1.85	13	2.36	310	4.25
1	1.23	-	-	1	1.23	1	1.23	-	-	-	-	-	-	6	7.36	33	2.70
3	4.90	2	3.27	2	3.26	1	1.63	1	1.63	1	1.63	1	1.63	-	-	16	1.75
-	-	-	-	-	-	3	3.99	3	3.90	1	1.27	1	1.25	1	1.22	22	2.12
-	-	1	1.06	1	1.03	3	3.01	5	4.91	5	4.80	5	4.69	3	2.75	63	4.76
1	1.39	10	13.73	2	2.72	-	-	1	1.34	4	5.30	2	2.63	3	3.91	42	3.91
94	4.21	66	2.92	59	2.58	42	1.82	44	1.88	70	2.96	42	1.75	55	2.27	1,093	3.29
152	2.20	155	2.23	127	1.82	115	1.64	115	1.63	162	2.28	110	1.54	119	1.66	2,445	2.36
58	1.24	89	1.90	68	1.45	73	1.55	71	1.51	92	1.95	68	1.44	64	1.36	1,352	1.93

Typhoid Fever.—There were 133 deaths from typhoid fever. Of these, 78 were males and 55 were females. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value; 76 per cent. died between 10 and 50 years of age.

Ages: Under 1, 2; 1-5, 1; 5-10, 10; 10-20, 30; 20-30, 41; 30-40, 19; 40-50, 12; 50-60, 8; 60-70, 7; 70-80, 2; not stated, 1.

The largest number of deaths, 18, occurred in October, and the smallest number, 6, in April and May, respectively. By quarters, 31 were in the first quarter, 20 in the second, 33 in the third, and 48 in the last quarter of the year, and in 1 the month was not stated.

The typhoid death-rate of 2.15 in the cities is greater than that in the villages and rural towns, which is 1.70. The rate for the State is 1.86.

The following exhibits the number of deaths from typhoid fever in each county, by months, with death-rate in each county:

TYPHOID FEVER—1906.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death rate per 10,000.
Androscoggin	1	-	-	1	-	1	1	1	2	1	1	1	-	10	1.74
Aroostook.....	-	1	1	1	1	2	-	-	1	2	1	2	-	12	1.78
Cumberland	1	1	-	-	-	3	2	1	2	1	1	2	-	14	1.31
Franklin	-	-	1	-	-	-	-	1	-	-	-	-	-	2	1.04
Hancock	-	-	-	-	-	-	-	-	1	2	-	-	-	3	0.81
Kennebec	1	4	-	1	-	-	-	1	2	-	-	-	-	9	1.49
Knox	1	1	-	-	-	-	-	1	-	-	1	-	-	4	1.31
Lincoln	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.51
Oxford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot.....	1	2	4	2	3	1	2	2	3	6	10	2	1	39	5.11
Piscataquis	1	-	-	-	1	-	-	1	-	-	1	1	-	5	2.87
Sagadahoc	-	-	-	-	-	-	-	1	-	-	1	-	-	2	0.96
Somerset	1	-	-	-	-	-	-	-	-	1	1	-	-	3	0.86
Waldo	-	-	-	-	-	-	-	1	1	-	-	-	-	2	0.82
Washington.....	1	1	2	1	-	-	1	-	2	1	3	-	-	12	2.63
York	1	1	3	-	1	1	1	-	2	3	-	2	-	15	2.27
State	9	11	11	6	6	8	7	10	16	18	20	10	1	133	1.86

The following exhibits for the fourteen years 1893-1906 the distribution of deaths from typhoid fever by counties, months, and age-periods:

TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1906.

BY COUNTIES.		By months.		By age-periods.	
Androscoggin	270	January	226	Under 1	18
Aroostook	242	February	202	1-5	105
Cumberland	396	March	251	5-10	165
Franklin	65	April	220	10-20	667
Hancock	111	May	200	20-30	894
Kennebec	302	June	156	30-40	420
Knox	69	July	146	40-50	271
Lincoln	54	August	229	50-60	156
Oxford	123	September	345	60-70	106
Penobscot	499	October	391	70-80	69
Piscataquis	56	November	271	Over 80	15
Sagadahoc	52	December	263	Not stated	24
Somerset	92	Not stated	7	Total	2,910
Waldo	65	Total	2,910		
Washington	147				
York	367				
State	2,910				

The following table shows the number of deaths from typhoid fever in each of the cities in each year from 1892 to 1906, the typhoid death-rate of each city based upon the estimated population of each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Typhoid

CITIES.	1892.		1893.		1894.		1895.		1896.		1897.		1898.	
	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.
Auburn	3	2.58	6	5.10	3	2.51	1	0.83	5	4.07	1	0.80	3	2.38
Augusta.....	-	-	7	6.44	6	5.46	5	4.50	5	4.46	5	4.41	19	16.59
Bangor	21	10.69	12	6.02	25	12.37	13	6.35	8	3.86	8	3.90	7	3.29
Bath	2	2.20	3	3.24	2	2.12	1	1.04	2	2.05	-	-	1	0.99
Belfast	1	1.94	3	5.89	-	-	1	2.02	1	2.05	-	-	1	2.10
Biddeford.....	18	12.32	5	3.34	4	2.64	12	7.85	17	10.99	8	5.12	6	3.80
Brewer.....	-	-	3	6.84	6	13.48	-	-	2	4.37	1	2.15	-	-
Calais.....	-	-	9	12.16	3	6.72	-	-	7	9.32	-	-	-	-
Eastport.....	-	-	2	3.98	2	3.95	3	5.87	-	-	1	1.92	3	5.74
Ellsworth.....	1	2.13	2	4.30	4	8.69	-	-	2	4.44	5	11.24	3	6.82
Gardiner.....	-	-	2	3.64	-	-	-	-	1	1.82	2	3.63	2	3.64
Hallowell.....	-	-	1	3.29	2	6.68	1	3.39	2	6.81	1	3.50	1	3.56
Lewiston.....	36	16.28	13	5.82	21	9.32	9	3.96	11	4.80	14	6.05	17	7.28
Old Town.....	4	7.40	1	1.84	3	5.46	2	3.61	2	3.58	1	1.78	3	5.29
Portland*.....	7	1.61	14	3.16	21	4.65	23	5.00	15	3.21	12	2.52	37	7.63
Rockland.....	3	3.67	4	4.90	-	-	2	2.45	-	-	1	1.23	5	6.13
Saco	4	6.57	1	1.64	1	1.64	6	9.84	9	14.75	3	4.91	3	4.91
South Portland †	1	1.72	3	5.18	1	1.63	2	3.17	3	4.62	6	9.01	2	2.93
Waterville.....	2	2.64	3	3.84	3	3.72	1	1.21	-	-	3	3.96	2	2.22
Westbrook.....	1	1.48	3	4.39	2	2.90	3	4.31	2	2.85	-	-	4	5.59
Total	104	5.04	97	4.65	111	5.25	85	3.98	94	4.35	72	3.29	119	5.38
State	286	4.32	286	4.26	277	4.11	206	3.04	204	3.00	167	2.44	226	3.29
State exclusive of cities.....	182	3.94	189	4.09	168	3.58	121	2.61	110	2.37	95	2.04	107	2.29

* Including Deering.

† Including Cape Elizabeth.

Malarial Diseases.—Three deaths were registered as due to malarial diseases. In all these cases the disease was contracted outside of this State; two of these persons having contracted the disease in the war of the rebellion. The decedents were males; their respective ages were: 20-30, 1; 60-70, 1; 80-90, 1.

Fever in the Cities and the State, 1892-1906.

1892.	Death-rate per 10,000.	1893.	Death-rate per 10,000.	1894.	Death-rate per 10,000.	1895.	Death-rate per 10,000.	1896.	Death-rate per 10,000.	Total.	Death-rate per 10,000.						
5	3.91	4	3.09	-	-	1	0.75	1	0.74	1	0.73	2	1.45	-	-	36	1.93
8	6.92	4	3.42	9	7.63	4	3.36	29	24.11	5	4.12	6	4.89	7	5.66	119	6.80
15	6.95	4	1.88	24	10.85	7	3.12	10	4.41	39	16.99	17	7.32	10	4.26	220	6.81
-	-	1	0.95	1	0.94	2	1.85	1	0.91	2	1.79	1	0.88	-	-	19	1.26
1	2.14	-	-	-	-	-	-	1	2.00	2	3.91	1	1.91	-	-	12	1.60
5	3.13	16	9.91	19	11.65	10	6.07	8	4.80	10	5.94	13	7.65	3	1.75	154	6.46
4	8.38	1	2.07	7	14.29	1	2.01	-	-	3	5.89	1	1.94	1	1.92	30	4.22
4	5.25	2	2.61	3	3.90	3	3.88	2	2.58	-	-	3	3.83	4	5.08	42	3.69
1	1.90	-	-	2	3.74	1	1.85	1	1.84	-	-	-	-	-	11.80	17	2.17
-	-	2	4.65	-	-	2	4.65	2	4.65	1	2.33	-	-	-	-	24	3.59
2	3.64	1	1.82	2	3.64	1	1.82	1	1.82	-	-	-	-	-	-	14	1.70
-	-	-	-	4	14.73	2	7.37	1	3.68	1	3.68	-	-	-	-	16	3.71
24	10.19	15	6.31	13	5.42	2	0.83	3	1.23	9	3.66	8	3.23	8	3.20	203	5.84
2	3.50	3	5.21	7	12.05	5	8.54	9	15.26	19	31.97	5	8.35	6	9.94	72	8.25
13	2.64	19	3.79	15	2.34	15	2.89	17	3.23	16	2.99	14	2.58	9	1.63	247	3.37
1	1.23	1	1.23	1	1.23	1	1.23	1	1.23	2	2.45	1	1.23	3	3.68	26	2.13
4	6.54	6	9.80	5	8.16	4	6.52	5	8.15	5	8.14	2	3.25	-	-	58	6.32
2	2.86	-	-	-	-	1	1.33	3	3.90	1	1.27	1	1.25	-	-	26	2.59
3	3.25	2	2.11	7	7.20	7	7.03	17	16.69	2	1.92	2	1.87	-	-	51	3.84
2	2.77	1	1.37	1	1.36	2	2.70	3	4.01	3	3.98	2	2.63	-	-	29	2.69
93	4.16	82	3.68	120	5.25	71	3.07	115	4.91	121	5.11	79	3.30	52	2.15	1,415	4.23
206	2.98	196	2.82	224	3.21	162	2.31	225	3.18	242	3.41	156	2.18	133	1.85	3,196	3.09
113	2.42	114	2.43	104	2.22	91	1.94	110	2.34	121	2.57	77	1.63	81	1.72	1,781	2.55

Tuberculosis.—In 1906, tuberculosis in its various forms was the cause of 1,176 deaths (1,513 in 1892, 1,446 in 1893, 1,443 in 1894, 1,397 in 1895, 1,359 in 1896, 1,338 in 1897, 1,239 in 1898, 1,241 in 1899, 1,223 in 1900, 1,250 in 1901, 1,165 in 1902, 1,076 in 1903, 1,217 in 1904, and 1,109 in 1905). The death-rate per 10,000 from this cause was 16.36.

The following table shows the number of deaths from tuberculosis in each of the cities in each year from 1892 to 1906, the tuberculosis death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Tuberculosis

CITIES.	1892.		1893.		1894.		1895.		1896.		1897.		1898.	
	No. of Deaths	Death-rate per 10,000.	No. of Deaths	Death-rate per 10,000.	No. of Deaths	Death-rate per 10,000.	No. of Deaths	Death-rate per 10,000.	No. of Deaths	Death-rate per 10,000.	No. of Deaths	Death-rate per 10,000.	No. of Deaths	Death-rate per 10,000.
Auburn	16	13.81	26	22.11	36	30.17	24	19.83	26	21.19	22	17.68	24	19.03
Augusta.....	36	33.46	34	31.27	31	28.21	37	33.32	30	26.74	19	16.76	22	19.21
Bangor.....	63	32.06	53	26.60	45	22.28	56	27.35	43	20.72	49	23.30	43	20.19
Bath.....	20	22.04	18	19.44	15	15.92	20	20.83	14	14.32	22	22.12	20	19.75
Belfast.....	13	25.21	12	23.58	16	31.86	11	22.20	16	32.74	9	18.68	5	10.52
Biddeford.....	45	30.79	36	24.07	33	21.82	32	20.92	34	21.99	33	21.11	27	17.08
Brewer.....	7	16.20	14	31.92	11	24.72	17	37.66	14	30.58	19	40.94	10	21.24
Calais.....	33	44.82	24	32.43	19	25.55	26	34.79	22	29.30	14	18.55	11	14.51
Eastport.....	15	30.07	22	43.75	20	39.46	19	37.18	-	-	10	19.27	8	15.30
Ellsworth.....	7	14.88	11	23.65	7	15.21	8	17.58	8	17.78	12	26.97	7	15.92
Gardiner.....	13	23.67	14	25.50	19	34.58	13	23.65	11	20.01	15	27.28	5	9.09
Hallowell.....	8	25.90	7	23.02	6	20.04	6	20.36	7	24.13	13	45.55	4	14.25
Lewiston.....	31	14.02	37	16.58	48	21.31	49	21.56	45	19.62	75	32.41	60	25.70
Old Town.....	17	31.47	15	27.54	12	21.85	9	16.25	16	28.66	17	30.21	9	15.86
Portland*.....	122	28.08	118	26.64	104	23.05	125	27.20	103	22.01	109	22.88	113	23.31
Rockland.....	20	24.48	19	23.26	21	25.72	10	12.25	17	20.83	18	22.07	19	23.30
Saco.....	17	27.94	15	24.63	14	22.97	12	19.68	9	14.75	13	21.28	9	14.72
South Portland*..	13	22.41	12	20.09	3	4.88	12	19.00	7	10.79	13	19.52	9	13.18
Waterville.....	20	26.38	14	17.91	21	26.07	16	19.30	16	18.76	28	31.94	20	22.21
Westbrook.....	12	17.75	16	23.44	18	26.12	12	17.25	14	19.93	10	14.11	19	26.56
Total.....	528	25.61	517	24.76	499	23.62	514	24.05	452	20.91	520	23.79	444	20.09
State.....	1513	22.66	1446	21.55	1443	21.40	1397	20.61	1359	19.95	1338	19.55	1239	18.01
State exclusive of cities.....	985	21.34	929	20.09	944	20.38	883	19.03	907	19.51	818	17.56	795	17.03

* Portland includes Deering.

† South Portland includes Cape Elizabeth.

This table and the corresponding one for pulmonary tuberculosis present some interesting facts. While the death-rates for the individual cities are based upon too small numbers to be of much value, the figures for the totals for the cities, for the state as a whole, and for the state exclusive of the cities may be accepted as a trustworthy indication that the tuberculosis death-rates have diminished by from 26.2% to 37.7%.

(all kinds) in the Cities and the State—1892-1906.

1899.	Death-rate per 10,000.	1900.	Death-rate per 10,000.	1901.	Death-rate per 10,000.	1902.	Death-rate per 10,000.	1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
15	11.74	20	15.44	21	16.00	8	6.02	18	13.37	20	14.67	17	12.32	18	12.88	311	16.42
20	17.29	21	17.97	22	18.65	18	15.11	20	16.63	22	18.11	22	17.94	18	14.54	372	21.68
50	23.17	34	15.56	51	23.05	48	21.43	37	16.31	58	25.27	51	21.96	48	20.43	729	22.65
11	10.68	22	21.00	31	29.10	19	17.55	13	11.80	15	13.42	20	17.61	11	9.54	271	17.81
5	10.68	12	26.00	9	18.98	11	22.60	12	24.03	10	19.53	8	15.25	6	11.17	155	20.87
34	21.28	28	17.34	38	23.29	37	22.44	37	22.21	39	23.18	29	17.06	45	26.21	527	22.05
15	31.44	18	37.23	15	30.62	7	14.10	11	21.88	16	31.42	21	40.73	18	34.48	213	29.68
16	21.00	19	24.82	24	31.20	12	15.52	13	16.74	14	17.95	17	21.69	12	15.24	276	24.27
19	36.05	13	24.48	17	31.77	9	16.69	10	18.41	10	18.27	13	23.58	13	23.41	198	25.18
9	20.70	5	11.64	8	18.62	5	11.64	7	16.29	3	6.98	5	11.64	8	18.62	110	16.55
11	20.00	9	16.36	8	14.54	11	19.99	8	14.53	8	14.53	7	12.71	5	9.08	157	19.03
7	25.35	11	40.53	7	25.79	6	22.11	8	29.48	3	11.05	8	29.48	9	33.16	110	26.01
50	21.23	45	18.94	33	13.77	51	21.10	28	11.49	41	16.68	42	16.94	58	23.20	693	19.64
9	15.74	11	19.09	10	17.22	14	23.92	14	23.74	16	26.92	19	31.72	17	28.17	205	23.89
107	21.70	109	21.74	124	24.32	120	23.16	98	18.61	102	19.07	100	18.41	101	18.31	1,655	22.57
11	13.49	18	22.09	18	22.09	15	18.40	23	28.22	20	24.54	18	22.09	12	14.72	259	21.17
13	21.25	9	14.70	10	16.32	7	11.42	8	13.04	12	19.54	13	21.15	8	13.01	169	18.43
9	12.85	13	18.12	11	14.97	9	11.97	12	15.61	15	19.08	9	11.21	13	15.85	160	15.30
21	22.73	15	15.83	13	13.38	9	9.04	18	17.67	19	18.23	16	15.01	17	15.60	263	19.34
18	24.94	16	21.97	22	29.94	11	14.84	10	13.37	11	14.58	10	13.14	12	15.64	211	19.57
450	20.14	448	19.83	492	21.52	427	18.45	405	17.30	454	19.17	445	18.57	449	18.53	7,044	21.09
1241	17.96	1223	17.61	1250	17.90	1165	16.58	1076	15.23	1217	17.13	1109	15.52	1176	16.36	19,192	18.53
791	16.91	775	16.54	758	16.16	738	15.71	671	14.27	763	16.20	664	14.08	727	15.40	12,148	17.35

Cerebral Tuberculosis.—(Tubercular Meningitis.)—The number of deaths was 109; 54 were of males and 55 of females.

The number for the cities was 51. The death-rate for the State was 0.81; for the cities, 2.11.

Ages: Under 1, 41; 1-5, 26; 5-10, 10; 10-20, 13; 20-30, 6; 30-40, 4; 40-50, 4; 50-60, 4; over 60, 1.

Pulmonary Tuberculosis. (Consumption.)—From this cause 915 deaths were registered in 1906, which is equivalent to a death-rate of 12.73 per 10,000 of population. The death-rate for the cities was 14.38. The following is a tabular arrangement of the number of deaths in the State from pulmonary tuberculosis in each of the fifteen registration years, together with the death-rate from consumption for each year:

	Number of deaths.	Death-rate per 10,000.
1892	1,352	20.24
1893	1,299	19.35
1894	1,262	18.80
1895	1,195	17.71
1896	1,172	17.21
1897	1,128	16.47
1898	1,021	14.85
1899	1,015	14.69
1900	1,027	14.79
1901	1,033	14.87
1902	970	13.97
1903	901	12.97
1904	1,016	14.63
1905	894	12.50
1906	915	12.73

There were in 1906, 437 fewer deaths than in 1892, 384 fewer than in 1893, 347 fewer than in 1894, 280 fewer than in 1895, 257 fewer than in 1896, 213 fewer than in 1897, 106 fewer than in 1898, 100 fewer than in 1899, 112 fewer than in 1900, 118 fewer than in 1901, 55 fewer than in 1902, 14 more than in 1903, 101 fewer than in 1904, and 21 more than in 1905.

Ages: Under 1, 11; 1-5, 14; 5-10, 10; 10-20, 120; 20-30, 259; 30-40, 170; 40-50, 115; 50-60, 82; 60-70, 72; 70-80, 50; 80 and over, 12.

It is thus shown in this report, as it was in the majority of the preceding reports, that the smallest number of deaths occurred at the age-period 5-10 years, and that, of the decedents whose ages were given, 77 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 411 of the decedents, or 44.9 per cent., were males; and 504, or 55.1 per cent., were females.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

CONSUMPTION BY COUNTIES AND MONTHS—1906.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin....	7	9	3	2	13	3	10	4	6	10	4	4	-	75	13.06
Aroostook.....	3	6	6	5	8	7	8	6	2	8	8	2	-	69	10.23
Cumberland....	10	9	15	10	16	14	8	16	12	9	8	13	-	140	13.14
Franklin.....	1	3	-	1	-	3	1	1	1	1	2	-	-	14	7.26
Hancock.....	4	6	5	10	2	1	1	3	4	4	3	1	-	44	11.81
Kennebec.....	7	4	8	7	6	7	6	5	4	8	4	10	-	76	12.59
Knox.....	4	8	4	-	1	4	2	2	2	2	6	3	-	38	12.48
Lincoln.....	2	1	1	1	1	-	1	2	1	2	-	1	-	13	6.61
Oxford.....	2	3	5	4	4	5	1	5	3	1	1	6	-	40	12.04
Penobscot.....	13	11	12	10	8	9	9	8	11	9	7	13	-	120	15.33
Piscataquis....	1	2	-	2	2	5	2	2	3	3	1	1	-	24	13.76
Sagadahoc.....	2	-	1	1	1	-	5	1	-	-	1	4	-	16	7.67
Somerset.....	6	5	5	2	11	5	6	2	4	3	3	2	-	54	15.61
Waldo.....	1	2	3	-	2	1	2	2	5	2	2	3	-	31	12.82
Washington.....	5	4	7	7	4	4	7	6	8	6	7	4	-	69	15.10
York.....	6	6	11	7	13	8	7	8	6	7	4	9	-	92	13.91
State.....	74	79	86	69	92	76	82	73	72	75	61	76	-	915	12.73

The following table shows the deaths from pulmonary tuberculosis arranged according to sex and age-periods :

CONSUMPTION BY SEX AND AGE-PERIODS—1906.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	80 and over.	Not stated.	Total.
Males.....	5	7	6	46	117	70	52	38	40	27	3	-	411
Females.....	6	7	4	74	142	100	63	44	32	23	9	-	504
Total.....	11	14	10	120	259	170	115	82	72	50	12	-	915

For the fourteen years 1893-1906, the distribution of deaths from pulmonary tuberculosis is shown by counties, months, and age-periods in the following table :

CONSUMPTION BY COUNTIES MONTHS AND AGE-PERIODS—1893-1906.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 1,129	January 1,239	Under 1..... 218
Aroostook 954	February 1,224	1-5..... 216
Cumberland 2,178	March 1,513	5-10..... 140
Franklin 354	April 1,415	10-20..... 1,784
Hancock 792	May..... 1,449	20-30..... 4,370
Kennebec 1,313	June 1,253	30-40..... 2,779
Knox 755	July..... 1,213	40-50..... 1,756
Lincoln..... 406	August 1,118	50-60..... 1,331
Oxford..... 564	September 1,061	60-70..... 1,159
Penobscot..... 1,755	October 1,122	70-80..... 808
Piscataquis 328	November..... 1,053	Over 80 221
Sagadahoc 411	December 1,173	Not stated..... 66
Somerset 761	Not stated..... 15	Total 14,848
Waldo 627	Total..... 14,848	
Washington..... 1,085		
York..... 1,426		
State..... 14,848		

The following table shows the number of deaths from pulmonary tuberculosis in each of the cities in each year from 1892 to 1906, the death-rate from this disease for each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Pulmonary Tuberculosis

CITIES.	1892.		1893.		1894.		1895.		1896.		1897.		1898.	
		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.
Auburn	16	13.81	23	19.56	29	24.31	20	16.53	19	15.48	21	16.88	21	16.65
Augusta ..	35	32.53	30	27.59	28	25.48	33	29.72	25	22.28	14	12.35	19	16.59
Bangor	56	28.50	49	24.59	38	18.81	47	22.95	35	16.87	38	18.07	32	15.02
Bath	19	20.94	14	15.12	13	13.79	20	20.83	13	13.30	17	17.09	18	17.78
Belfast	12	23.27	10	19.65	15	29.87	10	20.19	12	24.55	8	16.60	5	10.52
Biddeford.....	40	27.37	35	23.41	29	19.17	28	18.31	27	17.46	32	20.47	24	15.19
Brewer.....	6	13.89	11	25.08	9	20.22	13	28.80	10	21.84	16	34.47	7	14.87
Calais	28	38.01	18	24.32	16	21.52	19	25.42	20	26.63	10	13.25	9	11.87
Eastport	14	28.06	19	37.78	18	35.51	18	35.23	-	-	9	17.34	7	13.38
Ellsworth	6	12.76	8	17.20	7	15.21	8	17.58	7	15.56	12	26.97	7	15.92
Gardiner	7	12.74	13	23.66	19	34.58	12	21.83	10	18.19	12	21.83	5	9.09
Hallowell	7	22.66	6	19.73	5	16.70	4	13.57	5	17.24	11	38.54	3	10.69
Lewiston	30	13.57	37	16.58	43	19.09	43	18.92	36	15.70	56	24.20	46	19.70
Old Town	17	31.47	14	25.70	11	20.03	8	14.45	11	19.71	17	30.21	7	12.34
Portland*.....	99	20.71	105	23.71	86	19.06	100	21.76	79	16.88	82	17.21	90	18.57
Rockland	19	23.26	15	18.37	20	24.50	9	11.03	15	18.38	14	17.16	13	15.94
Saco	17	27.94	15	24.63	14	22.97	8	13.12	7	11.47	11	18.01	7	11.45
South Portland†..	9	15.51	10	16.74	9	14.65	10	15.83	6	9.25	10	15.02	5	7.32
Waterville	20	26.38	11	14.07	16	19.86	11	13.27	9	10.55	24	27.38	14	15.55
Westbrook.....	12	17.75	11	16.11	14	20.31	6	8.62	10	14.24	10	14.11	13	18.17
Total	460	22.31	454	21.74	439	20.78	427	19.98	356	16.47	424	19.40	352	15.93
State	1352	20.25	1299	19.36	1262	18.71	1195	17.63	1172	17.21	1128	16.48	1021	14.84
State exclusive of cities	892	19.32	845	18.28	823	17.77	768	16.55	816	17.55	704	15.11	669	14.33

*Portland includes Deering.

† South Portland includes Cape Elizabeth.

in the Cities and the State, 1892-1906.

1899.	Death-rate per 10,000.	1900.	Death-rate per 10,000.	1901.	Death-rate per 10,000.	1902.	Death-rate per 10,000.	1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
12	9.39	17	13.13	14	10.67	7	5.27	14	10.40	13	9.53	12	8.69	14	10.02	252	13.35
16	13.83	18	15.41	20	16.95	14	11.75	16	13.30	21	17.29	21	17.13	15	12.12	325	18.95
40	18.54	28	12.81	36	16.27	40	17.86	31	13.67	47	20.48	39	16.79	35	14.89	591	18.41
6	5.82	19	18.13	29	27.22	13	12.01	13	11.80	11	9.84	19	16.73	8	6.94	232	15.16
5	10.68	11	23.84	8	16.87	7	14.38	10	20.02	7	13.67	8	15.25	4	7.44	132	17.79
30	18.78	26	16.10	34	20.84	35	21.23	31	18.61	36	21.40	20	11.77	31	18.06	458	19.21
14	29.34	12	24.82	12	24.49	5	10.07	8	15.91	14	27.49	16	31.03	11	21.07	164	22.89
15	19.69	14	18.29	20	26.00	10	12.93	9	11.59	10	12.82	16	20.41	12	15.24	226	19.87
17	32.25	12	22.59	15	28.03	9	16.69	7	12.89	7	12.79	12	21.77	11	19.81	175	22.27
8	18.40	5	11.64	8	18.62	5	11.64	7	16.29	2	4.65	4	9.31	6	13.96	100	15.05
7	12.73	8	14.54	5	9.09	9	16.35	7	12.72	8	14.53	7	12.71	3	5.45	132	16.00
5	18.11	10	36.85	7	25.79	5	18.42	7	25.79	3	11.05	8	29.48	8	29.48	94	22.27
34	14.43	40	16.83	25	10.43	46	19.03	21	8.81	33	13.42	31	12.51	43	17.20	564	16.01
9	15.74	10	17.35	9	15.50	10	17.09	10	16.95	14	23.56	18	30.06	13	21.54	178	20.78
87	17.64	82	16.35	101	19.81	88	16.98	80	15.19	82	15.33	77	14.17	77	13.96	1,306	17.82
6	7.36	17	20.86	17	20.85	15	18.40	20	24.54	16	19.63	18	22.09	10	12.27	224	18.31
10	16.35	9	14.70	7	11.42	3	4.89	8	13.04	10	16.28	12	19.52	8	13.01	146	15.92
8	11.42	9	12.55	11	14.97	8	10.64	9	11.71	13	16.54	2	2.49	11	13.41	120	12.54
19	20.56	14	14.77	10	10.30	7	7.03	16	15.70	15	14.39	14	13.13	15	13.76	215	15.78
15	20.78	14	19.22	17	23.14	8	10.79	9	12.04	11	14.58	8	10.51	12	15.64	170	15.73
363	16.24	375	16.60	405	17.71	344	14.87	333	14.22	373	15.75	362	15.11	347	14.32	5,814	17.43
1015	14.69	1027	14.79	1083	14.79	970	13.81	901	12.75	1016	14.30	894	12.51	915	12.73	16,200	15.66
652	13.94	652	13.92	628	13.39	626	13.33	568	12.08	643	13.65	532	11.28	568	12.03	10,386	14.84

Tuberculosis Mesenteric.—There were 54 deaths from this cause, 21 males and 33 females.

Ages: Under 1, 2; 1-5, 3; 5-10, 2; 10-20, 6; 20-40, 14; 40-60, 13; over 60, 14.

Tuberculosis, Other Forms.—Of these deaths, 98 in all, the cause assigned was: Tuberculosis or general tuberculosis, 50; tuberculosis of larynx, 12; tuberculosis of bones, 6; tuberculosis of glands, 2; tuberculosis of bladder, 1; Pott's disease, 14; and others, 13.

There were 21 deaths from erysipelas; 40 from pyemia and septicemia, and 25 from puerperal fever—giving a special death-rate of 1.20. The following shows the distribution of puerperal fever by months and counties:

January	5	Androscoggin	3
February	1	Aroostook	4
March	4	Cumberland	3
April	2	Franklin	0
May	2	Hancock	2
June	1	Kennebec	0
July	1	Knox	2
August	0	Lincoln	0
September	3	Oxford	0
October	1	Penobscot	1
November	3	Piscataquis	1
December	2	Sagadahoc	2
		Somerset	4
Total	25	Waldo	0
		Washington	0
		York	3
		Total	25

Forty-three deaths were returned under alcoholism. The special death-rate from alcoholism was 0.60.

Rheumatism.—The returns give 54 deaths from this cause (68 in 1892, 46 in 1893, 66 in 1894, 56 in 1895, 44 in 1896, 42 in 1897, 57 in 1898, 56 in 1899, 56 in 1900, 53 in 1901, 45 in 1902, 58 in 1903, 60 in 1904, and 60 also in 1905), 25 males and 29 females. Fifteen of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.75, while that in the cities was 0.62. The following shows the deaths from this cause arranged by counties, months, and age-groups:

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS—1906.

By COUNTIES.		By months.		By age-periods.	
Androscoggin	3	January.....	5	Under 1.....	-
Aroostook.....	4	February	9	1-5.....	2
Cumberland	9	March	4	5-10.....	1
Franklin	2	April	1	10-20.....	3
Hancock	4	May	7	20-30.....	-
Kennebec	5	June.....	2	30-40.....	4
Knox	4	July	2	40-50.....	9
Lincoln.....	1	August	3	50-60.....	7
Oxford.....	4	September.....	5	60-70.....	11
Penobscot.....	4	October	4	70-80.....	10
Piscataquis	1	November	4	Over 80	7
Sagadahoe	1	December	8	Total	54
Somerset	2	Total	54		
Waldo					
Washington.....					
York	7				
State.....	54				

The following shows the distribution of deaths from rheumatism by counties, months, and age-groups for the fourteen years 1893-1906:

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1906.

BY COUNTIES.		By months.		By age-periods.	
Androscoggin	39	January	67	Under 1	1
Aroostook.....	48	February	51	1-5.....	10
Cumberland	113	March	69	5-10.....	25
Franklin	12	April	52	10-20.....	58
Hancock	38	May	76	20-30.....	53
Kennebec	69	June.....	41	30-40.....	48
Knox	36	July	60	40-50.....	61
Lincoln.....	26	August	60	50-60.....	104
Oxford.....	44	September.....	43	60-70.....	170
Penobscot.....	85	October	51	70-80.....	161
Piscataquis	23	November	72	Over 80	60
Sagadahoc	25	December	79	Not stated.....	3
Somerset.....	42	Not stated	3	Total	754
Waldo	34	Total	754		
Washington.....	42				
York.....	78				
State.....	754				

Cancer.—From cancer in its various forms and locations there were 617 deaths (404 in 1892, 433 in 1893, 474 in 1894, 480 in 1895, 518 in 1896, 463 in 1897, 531 in 1898, 541 in 1899, 526 in 1900, 570 in 1901, 615 in 1902, 598 in 1903, 611 in 1904, and 662 in 1905). Of the decedents, 238 were males and 379 were females. The cancer death-rate for the State was 8.58.

Distributed as to its more frequent locations, there died of cancer of the stomach, 134; intestines, 101; female genital organs, 92; liver, 79; breast, 49; skin, 30, mouth, 29; abdomen, 11; neck, 11; throat, 9; pelvis, 9; arm, 7; kidneys, 4; bladder, 4; prostate, 4; lung, 3; larynx, 3; hip, 3; pancreas, 2; eye, 2; various, 12; unspecified, 19.

The deaths from cancer, arranged by sex and age-periods of the decedents, is exhibited in the following:

CANCER BY SEX AND AGE-PERIODS—1906.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	-	-	-	2	1	11	18	50	70	62	24	-	238
Females	-	1	-	1	2	30	62	96	89	74	24	-	379
Total	-	1	-	3	3	41	80	146	159	136	48	-	617

The distribution of cancer by counties and age-groups and the special death-rate for each county are shown in the following for 1906, and for the fourteen years 1893-1906:

CANCER—1906 AND 1893-1906.

COUNTIES.	1906.		1893-1906.		AGE-GROUPS.	NUMBER OF DEATHS.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.		1906.	1893-1906.
Androscoggin	64	11.15	601	7.72	Under 1 year	1	9
Aroostook	26	3.86	278	2.98	From 1-5 years	-	12
Cumberland	108	10.14	1,360	8.92	“ 5-10 “	-	11
Franklin	15	7.78	236	9.55	“ 10-20 “	3	33
Hancock	36	9.67	382	6.47	“ 20-30 “	3	108
Kennebec	47	7.78	687	7.94	“ 30-40 “	41	425
Knox	28	9.21	377	8.31	“ 40-50 “	80	946
Lincoln	15	7.63	258	7.79	“ 50-60 “	146	1,633
Oxford	31	9.33	353	6.99	“ 60-70 “	159	2,019
Penobscot	68	8.68	803	6.67	“ 70-80 “	136	1,748
Piscataquis	10	5.74	149	5.25	Over 80 years	48	656
Sagadahoc	13	6.23	235	7.92	Not stated	-	39
Somerset	26	7.52	400	7.85	Total	617	7,639
Waldo	21	8.68	292	7.64			
Washington	34	7.44	422	6.10			
York	75	11.34	806	8.37			
State	617	8.58	7,639	7.37			

Diabetes.—The deaths from this cause numbered 121 (55 in 1892, 65 in 1893, 71 in 1894, 77 in 1895, 67 in 1896, 95 in 1897, 88 in 1898, 95 in 1899, 74 in 1900, 87 in 1901, 83 in 1902, 92 in 1903, 91 in 1904, and 115 in 1905). The special death-rate from diabetes was, therefore, 1.68 in 1906. Fifty-nine of the decedents were males and 62 were females.

Ages: 1-5, 4; 5-10, 3; 10-20, 6; 20-30, 7; 30-40, 11; 40-50, 11; 50-60, 16; 60-70, 29; 70-80, 27; 80-90, 5; over 90, 1; and not stated, 1.

Old Age.—There were registered 535 deaths as due to old age, 257 men and 278 women. Of these decedents, 102 were from 70 to 80 years of age; 315 were from 80 to 90; 117 were from 90 to 100; while 1 was over 100 years of age.

From Table No. 35, however, it will be seen that the whole number of persons who died at the ages between 70 and 100 years of more was 3,292 (3,801 in 1892, 3,147 in 1893, 3,242 in 1894, 2,897 in 1895, 3,045 in 1896, 3,232 in 1897, 3,109 in 1898, 3,378 in 1899, 3,355 in 1900, 3,332 in 1901, 3,289 in 1902, 3,404 in 1903, 3,532 in 1904, and 3,611 in 1905), or one death in every two and four fifths was of a person who was between 70 and 100 years of age or older. Assuming that all these 3,292 died of old age, the death-rate from old age would be 45.80 among every 10,000 living at all ages.

The following shows the number of deaths in each county of persons 70 years of age and over, and the death-rate per 10,000 of the population at all ages.

OLD AGE—1906.

COUNTIES.	Deaths.	Rate per 10,000.	COUNTIES.	Deaths.	Rate per 10,000.
Androscoggin	239	41.64	Oxford.....	192	57.78
Aroostook.....	123	18.24	Penobscot.....	352	44.97
Cumberland	504	47.31	Piscataquis	70	40.14
Franklin	99	51.40	Sagadahoc	101	48.42
Hancock.....	149	40.00	Somerset	150	43.38
Kennebec	300	49.69	Waldo	166	68.64
Knox	166	54.59	Washington.....	216	47.28
Lincoln.....	118	59.98	York.....	347	52.48

Centenarians.—Among the persons whose decease occurred in 1906, three had exceeded the age of 100 years. Two of these persons were men, and one was a woman. Their names, together with a few facts relating to the life history of each, are as follows:

March 5, Reuben Ray died at Greene at the age of 101 years, 4 months, and 17 days. He was born in Lewiston. Birthplace of parents not known.

November 22, Sabrina Watts Hall died at Jonesboro at the age of 101 years, 2 months, and 16 days. She was born in Jonesboro. Her father, Samuel Watts, was born in North Yarmouth, and her mother, Polly Noyes, was born in Haverhill, Mass.

February, 14, Clarkson Goud died at Topsham at the age of 100 years, 1 month, and 22 days. He was born in Wayne. His father, whose name was James Goud, and his mother, whose name was not known, were born in Dresden.

Diseases of the Nervous System and of Organs of Special Sense.—The number of deaths registered under the causes included in this group was 1,524 (1,459 in 1892, 1,451 in 1893, 1,543 in 1894, 1,585 in 1895, 1,520 in 1896, 1,661 in 1897, 1,607 in 1898, 1,728 in 1899, 1,652 in 1900, 1,615 in 1901, 1,600 in 1902, 1,641 in 1903, 1,578 in 1904, and 1,648 in 1905), or 21.20 to every 10,000 of population.

Inflammation of the Brain or Membranes.—The number of deaths was 159 (236 in 1892, 263 in 1893, 286 in 1894, 261 in 1895, 242 in 1896, 327 in 1897, 272 in 1898, 273 in 1899, 251 in 1900, 264 in 1901, 211 in 1902, 243 in 1903, 212 in 1904, and 216 in 1905), 78 males and 81 females. Of these, 93 were in the cities. The death-rate from the several diseases grouped under this head was 2.21.

Ages: Under 1, 60; 1-5, 40; 5-10, 11; 10-20, 14; 20-40, 17; 40-60, 9; over 60, 8.

Apoplexy.—From this cause 718 deaths occurred (488 in 1892, 422 in 1893, 408 in 1894, 488 in 1895, 492 in 1896, 555 in 1897, 558 in 1898, 629 in 1899, 583 in 1900, 595 in 1901, 674 in 1902, 712 in 1903, 714 in 1904, and 751 in 1905), 352 males and 366 females. Of these, 227 were in the cities. The State's death-rate from apoplexy was, therefore, 9.99; that of the cities, 9.47.

The largest number of deaths from apoplexy, 206, occurred in the spring; the largest number in any one month was 77 in March.

In 1894, 1896, 1900, and 1905, the greatest mortality from this cause occurred in the spring; in 1892, 1893, 1895, 1897, 1899, 1901, 1903, and 1904, in the winter; in 1898, in the winter and spring; and in 1902, in the summer.

Conversely, the smallest number of deaths, 46, was in January; the smallest number in any one season was 164 in the fall months. Over 76 per cent. of the deaths were of persons 60 years of age and upward.

APOPLEXY BY COUNTIES AND MONTHS—1906.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin.....	6	10	8	7	2	4	6	8	-	2	7	2	-	62	10.80
Aroostook.....	-	2	1	2	5	3	1	1	1	-	3	1	-	20	2.97
Cumberland.....	8	6	11	10	10	11	5	12	8	11	10	10	-	112	10.52
Franklin.....	-	3	4	3	2	3	1	5	3	-	1	3	-	28	14.52
Hancock.....	-	6	4	6	-	1	3	3	2	2	1	3	-	31	8.32
Kennebec.....	9	6	8	4	6	4	8	5	6	5	10	5	-	76	12.59
Knox.....	3	3	5	2	3	2	4	3	6	3	2	2	-	38	12.50
Lincoln.....	3	5	-	2	2	-	1	3	1	1	-	1	-	19	9.66
Oxford.....	4	-	7	3	6	4	1	3	2	1	3	-	-	34	10.23
Penobscot.....	1	4	8	4	9	5	10	6	7	7	8	9	-	78	9.96
Piscataquis.....	-	1	-	1	2	-	-	4	1	-	-	2	-	11	6.31
Sagadahoc.....	3	1	3	3	3	4	-	1	-	3	3	2	-	26	12.47
Somerset.....	2	3	2	3	5	3	3	5	1	3	5	3	-	38	10.99
Waldo.....	2	4	3	2	5	2	2	-	1	1	2	4	-	28	11.58
Washington.....	2	6	3	-	1	4	2	2	5	6	3	1	-	35	7.66
York.....	3	6	10	8	8	4	10	8	4	8	5	8	-	82	10.86
State.....	46	66	77	60	69	54	57	69	48	53	63	56	-	718	9.99

The following is a tabular exhibit by sex and age-groups of the deaths from apoplexy:

APOPLEXY BY SEX AND AGE-PERIODS—1906.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	7	1	4	2	4	8	19	54	89	102	61	1	352
Females	2	-	1	1	6	3	15	43	100	117	77	1	366
Total	9	1	5	3	10	11	34	97	189	219	138	2	718

APOPLEXY 1906 AND 1893-1906.

COUNTIES.	1906.		1893-1906.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.
Androscoggin	62	10.80	690	8.58
Aroostook	20	2.97	206	2.18
Cumberland	112	10.51	1,477	9.90
Franklin	28	14.52	224	8.30
Hancock	31	8.32	350	6.71
Kennebec	76	12.59	877	10.36
Knox	38	12.50	401	9.42
Lincoln	19	9.65	248	9.01
Oxford	34	10.23	396	8.51
Penobscot	78	9.89	816	7.44
Piscataquis	11	6.31	152	6.22
Sagadahoc	26	12.47	299	10.24
Somerset	38	10.99	429	8.86
Waldo	28	11.58	331	9.78
Washington	35	7.66	405	6.33
York	82	12.40	998	10.78
State	718	9.99	8,299	8.25

Softening of the Brain.—From cerebral softening there were 33 deaths—those of 16 males and 17 females.

Ages: From 30-40, 1; 60-70, 14; 70-80, 13; over 80, 5.

Paralysis.—Of the 233 deaths from paralysis, 108 persons were males and 125 were females.

Ages: Under 1, 1; 10-20, 1; 20-30, 1; 30-40, 3; 40-50, 15; 50-60, 23; 60-70, 65; 70-80, 81; 80-90, 30; over 90, 11; not stated, 2.

Epilepsy.—Twelve males and 19 females died of epilepsy, 31 in all.

Ages: 5-10, 1; 10-20, 3; 20-40, 8; 40-60, 13; over 60, 6.

Tetanus.—This disease was the cause of 4 deaths (7 in 1892, 10 in 1893, 6 in 1894, 10 in 1895, 8 in 1896, 2 in 1897, 4 in 1898, 11 in 1899, 7 in 1900, 5 in 1901, 7 in 1902, 11 in 1903, 14 in 1904, and 7 in 1905). The decedents were all males. Of these 4 deaths from tetanus, 3 occurred in July, all from the 3rd to the 9th, and 1, in August.

Ages: 5-10, 1; 10-20, 1; 20-30, 1; 40-50, 1.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, pericarditis, angina pectoris, and organic diseases of the heart, there were 1,246 deaths (816 in 1892, 875 in 1893, 940 in 1894, 948 in 1895, 1,036 in 1896, 1,062 in 1897, 1,132 in 1898, 1,028 in 1899, 1,045 in 1900, 1,076 in 1901, 1,097 in 1902, 1,153 in 1903, 1,191 in 1904, and 1,222 in 1905). The following exhibits the age and sex distribution of each form of disease for the year 1906:

DISEASES.	Under 1.	1-10.	10-20.	20-40.	40-60.	Over 60.	Unknown.	Males.	Females.	Total.
Pericarditis	-	1	2	1	2	9	-	3	12	15
Endocarditis	-	1	2	2	9	22	1	18	19	37
Organic diseases of heart.....	10	7	11	67	206	809	3	598	515	1,113
Angina pectoris	-	-	1	2	19	59	-	42	39	81
Total	10	9	16	72	236	899	4	661	585	1,246

For the year 1906, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and county:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin.....	90	15.68	Oxford	65	19.56
Aroostook.....	53	7.86	Penobscot.....	118	15.08
Cumberland	193	18.12	Piscataquis	24	13.76
Franklin	38	19.71	Sagadahoc	45	21.58
Hancock	58	15.57	Somerset	45	13.01
Kennebec	119	19.71	Waldo	71	29.36
Knox	83	27.30	Washington.....	83	18.17
Lincoln.....	43	21.86	York	118	17.85
			State	1,246	17.34

As may be noted, Waldo county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 17.34.

The whole number of deaths from diseases of the heart arranged by sex and age-groups was as follows:

HEART DISEASE BY SEX AND AGE-PERIODS—1906.

SEX.	Under 1.											Over 80.	Not stated.	Total.
	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.					
Males	5	1	1	5	12	26	34	79	181	222	92	3	661	
Females	5	4	3	10	10	25	43	80	139	163	102	1	585	
Total	10	5	4	15	22	51	77	159	320	385	194	4	1,246	

Diseases of the Respiratory System.—Without the inclusion of tuberculosis, 1,330 persons died from the various respiratory diseases, as tabulated on page 95 (1,760 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895, 1,141 in 1896, 1,347 in 1897, 1,124 in 1898, 1,455 in 1899, 1,513 in 1900, 1,405 in 1901, 1,380 in 1902, 1,348 in 1903, 1,428 in 1904, and 1,391 in 1905). From these diseases there were, therefore, 439 fewer deaths than in 1892, 77 fewer than in 1893, 18 more than in 1894, 165 more than in 1895, 189 more than in 1896, 17 fewer than in 1897, 206 more than in 1898, 125 fewer than in 1899, 183 fewer than in 1900, 75 fewer than in 1901, 50 fewer than in 1902, 18 fewer than in 1903, 98 fewer than in 1904, and 61 fewer than in 1905.

Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis, and the other respiratory diseases, in 1906 the number of deaths was 876 smaller than in 1892, 461 smaller than in 1893, 329 smaller than in 1894, 115 smaller than in 1895, 68 smaller than in 1896, 230 smaller than in 1897, 100 larger than in 1898, 225 smaller than in 1899, 295 smaller than in 1900, 193 smaller than in 1901, 105 smaller than in 1902, 4 smaller than in 1903, 199 smaller than in 1904, and 40 smaller than in 1905.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1906 was 18.50 in each 10,000 population, as compared with 19.46 in 1905, 20.56 in 1904, 19.41 in 1903, 19.87 in 1902, 20.23 in 1901, 21.79 in 1900, 20.91 in 1899, 17.00 in 1898, 20.38 in 1897, 17.26 in 1896, 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, 27.16 in 1892.

Pneumonia.—The number of deaths registered under this cause was 970 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894, 812 in 1895, 781 in 1896, 936 in 1897, 769 in 1898, 1,067 in 1899, 1,067 in 1900, 994 in 1901, 987 in 1902, 999 in 1903, 1,050 in 1904, and 1,053 in 1905), of which 507 were males and 463 were females. The death-rate from this disease was, therefore, 13.50 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, 12.28 in 1895, 11.81 in 1896, 14.16 in 1897, 11.62 in 1898, 15.44 in 1899, 15.36 in 1900, 14.31 in 1901, 14.21 in 1902, 14.39 in 1903, 15.12 in 1904, and 14.73 in 1905). As 421 of the deaths occurred in the cities, the urban death-rate was 17.44.

The age distribution of pneumonia by sex and age-groups is shown in the following table :

PNEUMONIA BY SEX AND AGE-PERIODS—1906.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	103	79	15	18	29	18	38	46	49	66	46	-	507
Females	100	65	10	10	19	22	33	19	59	72	54	-	463
Total	203	144	25	28	48	40	71	65	108	138	100	-	970

**PNEUMONIA BY COUNTIES AND MONTHS WITH
DEATH-RATE PER 10,000—1906.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin	5	9	19	18	9	8	3	2	5	17	14	17	-	126	21.95
Aroostook	3	8	14	16	9	5	4	3	5	5	12	11	-	95	14.09
Cumberland	14	13	24	17	14	8	8	3	3	11	12	17	-	144	13.52
Franklin	2	2	1	1	-	2	1	-	-	3	7	4	-	23	11.93
Hancock	2	3	5	5	8	2	-	-	2	1	2	5	-	35	9.40
Kennebec	5	12	11	6	6	8	3	-	-	5	7	5	-	68	11.26
Knox	1	1	2	6	3	1	-	-	-	1	4	-	-	19	6.25
Lincoln	1	1	3	1	2	2	-	-	-	-	-	-	-	10	5.08
Oxford	4	8	10	17	4	4	3	-	1	2	6	5	-	64	19.26
Penobscot	9	18	16	16	12	8	2	-	3	7	18	11	-	120	15.33
Piscataquis	1	1	1	2	-	3	-	-	-	2	1	-	-	11	6.31
Sagadahoc	-	4	5	5	6	4	1	1	-	2	2	3	-	33	15.92
Somerset	3	3	3	4	7	1	-	2	-	3	-	2	-	28	13.42
Waldo	1	2	4	1	2	4	-	-	-	1	3	6	-	24	9.92
Washington	2	3	5	8	9	6	5	1	1	3	6	4	-	53	11.60
York	8	15	26	20	14	9	6	4	2	3	3	7	-	117	17.70
State	61	103	149	143	105	75	36	16	22	66	97	97	-	970	13.50

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the fourteen years 1893-1906:

PNEUMONIA—1893-1906.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 1,062	January 1,857	Under 1..... 2,037
Aroostook..... 743	February..... 1,771	1-5..... 1,389
Cumberland 2,171	March 2,031	5-10..... 283
Franklin 383	April 1,777	10-20..... 479
Hancock 684	May..... 1,348	20-30..... 677
Kennebec 1,272	June 745	30-40..... 769
Knox 494	July..... 344	40-50..... 956
Lincoln..... 350	August 287	50-60.... 1,171
Oxford 697	September 412	60-70..... 1,871
Penobscot..... 1,641	October..... 719	70-80 2,318
Piscataquis 293	November..... 983	Over 80 1,647
Sagadahoc 396	December 1,366	Not stated..... 54
Somerset 672	Not stated..... 11	Total..... 13,651
Waldo 472	Total 13,651	
Washington..... 822		
York 1,499		
State..... 13,651		

The following table shows the number of deaths from pneumonia in each of the cities in each year from 1892 to 1906, the pneumonia death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Pneumonia

CITIES.	1892.		1893.		1894.		1895.		1896.		1897.		1898.	
		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.
Auburn†.....	22	18.98	13	11.05	6	5.03	15	12.40	10	8.15	10	8.04	5	3.96
Augusta.....	32	29.74	16	14.71	18	16.38	16	14.41	22	19.61	20	17.64	13	11.35
Bangor.....	40	20.35	44	22.08	61	30.20	37	18.07	27	13.01	31	14.74	40	18.78
Bath.....	22	24.25	20	21.60	16	16.98	11	11.46	4	4.09	10	10.05	11	10.86
Belfast.....	13	25.21	7	13.75	5	9.96	4	8.07	2	4.09	5	10.38	9	18.94
Bideford.....	53	36.27	38	25.41	22	14.55	25	16.35	26	16.81	31	19.83	15	9.47
Brewer.....	8	18.51	6	13.68	9	20.22	13	28.70	8	17.47	9	19.39	13	27.62
Calais.....	-	-	15	20.27	7	9.41	15	20.07	12	15.98	10	13.25	7	9.23
Eastport.....	10	20.04	7	13.92	8	15.78	2	3.91	-	-	9	17.34	5	9.56
Ellsworth.....	12	25.52	6	12.90	12	26.08	7	15.38	10	22.22	10	22.48	3	6.82
Gardiner.....	18	32.77	8	14.56	8	14.56	8	14.56	3	5.46	2	3.64	5	9.09
Hallowell.....	5	16.19	8	26.31	-	-	4	13.57	4	13.79	1	3.50	2	7.12
Lewiston.....	32	14.47	18	8.06	27	11.99	20	8.80	27	11.77	25	10.80	33	14.13
Old Town.....	12	22.21	8	14.69	8	14.57	6	10.83	7	12.54	3	5.33	10	17.62
Portland*.....	113	26.01	123	27.77	85	18.83	79	17.19	62	13.25	105	22.04	75	15.47
Rockland.....	21	25.71	17	20.82	12	14.70	10	12.25	8	9.80	10	12.26	11	13.49
Saco.....	11	18.08	17	27.92	9	14.77	6	9.84	11	18.02	11	18.01	10	16.36
South Portland†..	9	15.51	12	20.09	10	16.27	8	12.66	8	12.33	4	6.01	7	10.25
Waterville.....	21	27.70	25	31.98	13	16.14	5	6.03	10	11.72	10	11.41	6	6.66
Westbrook.....	6	8.87	11	16.11	7	10.16	2	2.87	10	14.24	8	11.29	7	9.78
Total.....	460	22.31	419	20.07	343	16.24	293	13.71	271	12.54	324	14.82	287	12.99
State.....	1431	21.43	1143	17.03	1023	15.17	812	11.98	781	11.47	936	13.68	769	11.18
State exclusive of cities.....	971	21.04	724	15.66	680	14.68	519	11.18	510	10.97	612	13.14	482	10.33

* Portland includes Deering.

† South Portland includes Cape Elizabeth.

in the Cities and the State—1892-1906.

1899.	Death-rate per 10,000.	1900.	Death-rate per 10,000.	1901.	Death-rate per 10,000.	1902.	Death-rate per 10,000.	1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
25	19.56	12	9.27	16	12.19	12	9.03	15	11.14	10	7.34	22	15.94	26	18.61	219	11.38
27	23.34	16	13.70	12	10.17	30	25.18	16	13.30	22	18.11	16	13.05	19	15.35	295	17.06
38	17.61	36	16.48	37	16.72	41	18.31	58	25.57	60	26.15	48	20.67	40	17.02	638	19.72
11	10.68	15	14.32	10	9.39	14	12.93	19	17.25	16	14.31	20	17.61	15	13.01	214	13.92
5	10.68	8	17.33	6	12.66	7	14.38	7	14.02	3	5.86	8	15.25	5	9.31	94	12.66
44	27.54	41	25.39	21	12.87	42	25.48	29	17.41	40	23.77	37	21.77	45	26.22	509	21.28
6	12.55	4	8.27	11	22.45	6	12.09	15	29.83	8	15.71	13	25.21	9	17.24	138	19.26
7	9.19	12	15.68	17	22.10	14	13.10	9	11.59	16	20.51	10	12.76	13	16.51	164	14.31
3	5.69	14	26.36	12	22.43	7	12.98	5	9.20	6	10.96	9	16.33	9	16.21	106	13.25
6	13.71	8	18.62	9	30.25	13	30.25	2	4.65	6	13.96	25	58.18	5	11.64	134	18.83
17	30.91	19	34.54	14	25.45	4	7.27	12	21.80	11	19.98	14	25.43	3	5.27	146	17.69
4	14.49	8	29.48	4	14.74	8	29.48	4	14.74	4	14.74	6	22.11	5	18.42	67	15.91
34	14.43	40	16.83	28	11.68	42	17.37	18	7.38	23	10.17	49	19.77	70	23.00	488	13.71
19	33.22	9	15.62	8	13.77	11	18.79	16	27.12	7	11.78	9	15.03	21	34.80	154	17.86
96	19.47	94	18.74	68	13.34	75	14.47	96	18.23	77	14.39	65	11.96	81	14.68	1,294	17.72
9	11.04	10	12.27	9	11.04	12	14.72	10	12.27	9	11.04	9	11.04	10	12.27	167	13.65
14	22.89	16	26.14	11	17.95	6	9.79	7	11.40	7	11.40	9	14.64	6	9.76	151	16.46
5	7.14	13	18.12	7	9.53	6	7.98	3	3.90	5	6.36	3	3.73	6	7.31	106	10.48
9	9.74	14	14.77	9	9.26	24	24.12	11	10.80	21	20.14	8	7.53	17	15.60	203	14.91
8	11.08	3	4.12	9	13.31	9	12.14	12	16.05	7	9.28	6	7.89	17	22.15	122	10.70
387	17.32	392	17.35	318	13.91	383	16.55	364	15.55	360	15.20	386	16.11	422	17.41	5,409	16.14
067	15.44	1067	15.36	994	14.23	987	14.05	999	14.11	1050	14.78	1052	14.73	970	13.50	15,082	14.54
680	14.54	675	14.41	676	14.41	604	12.86	635	13.50	690	14.65	667	14.15	548	11.61	9,673	13.81

Bronchitis.—From this cause, including both acute and chronic bronchitis, 187 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, 225 in 1895, 220 in 1896, 237 in 1897, 210 in 1898, 233 in 1899, 262 in 1900, 222 in 1901, 241 in 1902, 209 in 1903, 223 in 1904, and 218 in 1905). Among these decedents, 77 were males and 110 were females. Of these 187 deaths, 60 were in the cities. The largest number of deaths in any one month was 38 in March. In August occurred the smallest number of deaths, 5. The largest number of deaths in three consecutive months was 82 in March, April, and May; the smallest number in any three consecutive months was 19 in July, August, and September. The number of deaths by quarters was 62, 62, 19, and 44.

The bronchitis death-rate of the State was 2.60; of the cities, 2.49.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life.

Under	1 year,	45	40-50 years,	2
	1-5 years,	19	50-60 years,	6
	5-10 years,	1	60-70 years,	13
	10-20 years,	0	70-80 years,	41
	20-30 years,	1	Over 80 years,	57
	30-40 years,	1	Not stated,	1

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rate of counties and State:

BRONCHITIS—1906.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin.....	1	3	3	1	4	1	-	1	-	2	3	2	-	21	3.66
Aroostook.....	-	-	2	-	-	1	-	-	1	-	2	-	-	6	0.89
Cumberland.....	2	1	12	3	2	1	3	1	1	1	1	3	-	31	2.91
Franklin.....	-	-	-	-	2	-	-	-	-	1	-	-	-	3	1.57
Hancock.....	-	-	2	1	1	1	-	1	-	-	-	-	-	6	1.61
Kennebec.....	-	-	-	5	2	3	1	-	-	-	1	1	-	13	2.15
Knox.....	-	-	3	1	2	-	1	-	-	-	-	1	-	8	2.63
Lincoln.....	1	-	-	-	-	-	-	-	-	1	-	2	-	4	2.03
Oxford.....	-	1	2	-	2	1	-	-	-	1	1	3	-	11	3.31
Penobscot.....	2	1	6	2	2	3	1	-	1	1	-	3	-	22	2.81
Piscataquis.....	1	-	-	-	-	-	-	-	-	-	-	2	-	3	1.72
Sagadahoc.....	1	2	1	1	1	2	-	-	1	2	-	-	-	11	5.27
Somerset.....	1	1	-	2	1	-	-	-	-	1	-	2	-	8	2.31
Waldo.....	-	-	1	-	-	1	-	1	1	-	-	-	-	4	1.65
Washington.....	1	-	-	1	-	3	-	1	1	1	-	2	-	10	2.19
York.....	3	2	6	5	3	1	-	-	2	2	-	2	-	26	3.93
State.....	13	11	38	22	22	18	6	5	8	13	6	23	-	187	2.60

Pleurisy.—Seventeen deaths were charged to this disease (12 in 1892, 19 in 1893, 15 in 1894, 19 in 1895, 19 in 1896, 26 in 1897, 17 in 1898, 24 in 1899, 28 in 1900, 24 in 1901, 16 in 1902, 17 in 1903, 24 in 1904, and 21 in 1905), 11 males and 6 females.

Ages: Under 1, 1; 10-20, 2; 20-30, 2; 40-50, 2; 50-60, 2; 60-70, 4; over 70, 4.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 1,366 (659 in 1892, 653 in 1893, 685 in 1894, 693 in 1895, 679 in 1896, 673 in 1897, 651 in 1898, 1,411 in 1899, 1,411 in 1900, 1,202 in 1901, 973 in 1902, 1,087 in 1903, 1,076 in 1904, and 1,303 in 1905), or a death-rate of 19.01. The distribution of these under their several causes will be found on page 95.

Diarrheal Diseases.—The total number of deaths caused by the diseases under this group was 868 (662 in 1892, 642 in 1893, 602 in 1894, 635 in 1895, 639 in 1896, 666 in 1897, 854 in 1898, 662 in 1899, 805 in 1900, 684 in 1901, 476 in 1902, 566 in 1903, 514 in 1904, and 719 in 1905). The death-rate from this group of diseases was 12.08 per 10,000.

Infantile Diarrhea.—This, as synonymous with cholera infantum or including it, was the cause of 652 deaths (546 in 1892, 507 in 1893, 468 in 1894, 523 in 1895, 520 in 1896, 528 in 1897, 669 in 1898, 565 in 1899, 680 in 1900, 567 in 1901, 360 in 1902, 403 in 1903, 369 in 1904, and 561 in 1905). A reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates, for this cause. There were in the first quarter of the year but 26 deaths from this cause; in the second quarter, 26; in the third quarter, 502; and in the fourth quarter, 98. The largest number of deaths occurred in August, 244.

Of the children dying from this cause, 55 per cent. were less than 6 months old, and another 32 per cent. were less than 1 year of age, making 87 per cent. of deaths within the first year of age.

Ages: Under 3 months, 165; 3-6 months, 194; 6-9 months, 128; 9-12 months, 80; 12-18 months, 60; 18 months-2 years, 25.

In the classification of deaths from diarrheal diseases, only the deaths among children under 2 years of age are included under "infantile diarrhea." The deaths from diarrheal diseases other than those under this cause were: cholera morbus, 31; dysentery, 46; and diarrhea, 139.

Of the 652 deaths from infantile diarrhea, 245 were returned from the cities. This represents an urban death-rate from this cause of 10.15 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, 13.78 in 1895, 11.43 in 1896, 14.95 in 1897, 15.15 in 1898, 11.77 in 1899, 14.84 in 1900, 10.09 in 1901; 6.89 in 1902, 6.49 in 1903, 6.26 in 1904, and 9.96 in 1905), which is in contrast with 8.52 the rate for the villages and rural districts (5.33 in 1892, 4.95 in 1893, 4.47 in 1894, 5.44 in 1895, 6.36 in 1896, 5.05 in 1897, 8.00 in 1898, 6.47 in 1899, 7.37 in 1900, 7.24 in 1901, 4.37 in 1902, 5.50 in 1903, 4.86 in 1904, and 6.57 in 1905).

**INFANTILE DIARRHEA BY COUNTIES AND MONTHS—
1906.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	2	2	-	-	-	1	5	31	22	7	2	2	74	12.89
Aroostook	2	2	2	-	1	8	13	79	64	15	5	-	191	28.32
Cumberland	1	-	2	2	2	4	5	24	22	6	2	-	70	8.45
Franklin	-	-	-	-	-	-	-	4	-	1	2	-	7	3.64
Hancock	-	-	-	-	-	1	-	3	9	2	2	-	17	4.56
Kennebec	1	-	1	-	1	-	-	16	19	4	-	1	43	10.73
Knox	-	-	1	-	-	-	-	1	1	1	1	2	7	2.30
Lincoln	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	-	-	-	-	-	-	3	9	7	4	1	-	24	7.22
Penobscot	2	-	2	1	1	-	5	34	18	14	-	2	79	10.09
Piscataquis	-	-	-	1	-	-	-	3	2	2	1	1	10	5.73
Sagadahoc	-	-	-	-	-	-	2	3	4	2	1	-	12	5.75
Somerset	-	1	-	-	-	-	1	5	7	3	-	-	17	4.92
Waldo	-	-	1	-	-	-	-	-	1	1	-	-	3	1.24
Washington	3	-	1	1	2	-	1	11	16	4	-	1	40	8.76
York	-	-	-	-	-	-	13	21	18	4	1	1	58	8.76
State	11	5	10	5	7	14	48	244	210	70	18	10	652	9.07

The preceding table exhibits the number of deaths from infantile diarrhea in 1906, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhea for the fourteen years 1893-1906, by counties, months, and age-groups:

**INFANTILE DIARRHEA BY COUNTIES, MONTHS, AND
AGE-PERIODS—1893—1906.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin 901	January 101	Under 6 months.... 3,969
Aroostook..... 1,446	February 86	6-12 months..... 2,402
Cumberland 888	March 112	1-2 years..... 979
Franklin 115	April 119	Over 2 years..... 5
Hancock 203	May 116	Unknown..... 17
Kennebec 711	June..... 188	Total 7,372
Knox 183	July 952	
Lincoln..... 44	August 2,417	
Oxford..... 221	September 2,155	
Penobscot..... 723	October 850	
Piscataquis 92	November 170	
Sagadahoc 145	December 103	
Somerset 208	Not stated 3	
Waldo 81	Total 7,372	
Washington..... 460		
York 951		
State..... 7,372		

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the eight years 1899-1906:

INFANTILE DIARRHÆA IN THE CITIES—1899-1906.

CITIES.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	Total.
Auburn	9	9	7	3	4	2	8	15	57
Augusta	24	19	18	11	12	14	19	16	133
Bangor	6	13	8	4	16	6	12	13	78
Bath	8	17	4	4	7	2	4	7	53
Belfast	1	4	-	1	-	3	1	2	12
Biddeford	39	43	48	42	19	19	19	37	266
Brewer	8	9	7	2	4	7	13	3	53
Calais	11	12	12	7	9	1	9	7	68
Eastport	5	15	15	-	3	2	2	6	48
Ellsworth	1	1	-	-	1	-	-	5	8
Gardiner	2	2	8	-	-	1	1	1	15
Hallowell	-	2	-	-	1	2	1	1	7
Lewiston	60	63	43	26	20	29	55	45	341
Old Town	11	11	9	11	4	2	20	12	80
Portland	36	70	19	18	24	23	37	44	271
Rockland	2	5	5	4	6	1	9	1	33
Saco	6	10	3	4	2	3	4	5	37
South Portland	3	7	1	3	1	2	6	7	30
Waterville	25	6	12	9	10	13	9	16	100
Westbrook	5	13	8	6	3	9	10	2	56
Total	262	331	227	155	146	141	239	245	1,746

Peritonitis.—There were 59 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, 125 in 1895, 116 in 1896, 117 in 1897, 102 in 1898, 83 in 1899, 105 in 1900, 99 in 1901, 81 in 1902, 55 in 1903, 63 in 1904, and 90 in 1905), 27 males and 32 females. Twenty-one of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

PERITONITIS—1906.

BY COUNTIES.		By months.		By age-periods.	
Androscoggin.....	4	January	4	Under 1.....	2
Aroostook.....	8	February	9	1-5.....	2
Cumberland	12	March	6	5-10.....	4
Franklin	3	April	4	10-20.....	9
Hancock.....	-	May.....	6	20-30.....	5
Kennebec	3	June	2	30-40.....	
Knox	1	July.....	2	40-50.....	12
Lincoln.....	1	August	9	50-60.....	8
Oxford.....	4	September	4	60-70.....	5
Penobscot.....	8	October.....	4	70-80.....	6
Piscataquis	1	November.....	6	Over 80	2
Sagadahoc	1	December	3	Total	59
Somerset.....	5	Total	59		
Waldo	2				
Washington.....	2				
York	4				
State.....	59				

Appendicitis.—Of the deaths classified under this cause, 75 in number, 48 were males and 27 were females. The number of deaths in each month was: January, 4; February, 7; March, 6; April, 10; May, 6; June, 9; July, 5; August, 3; September, 10; October, 4; November, 5; December, 6.

Ages: Under 1, 1; 1-5, 5; 5-10, 6; 10-20, 26; 20-30, 11; 30-40, 8; 40-50, 4; 50-60, 7; 60-70, 5; over 70, 2.

Cirrhosis of the Liver.—Forty-three deaths were ascribed to cirrhosis of the liver—those of 27 men and 16 women. Of these 43 deaths, 16 were in the cities, and 27 in the rural parts of the State. The death-rate in the State from this one cause was 0.60 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, 0.50 in 1895, 0.33 in 1896, 0.45 in 1897, 0.58 in 1898, 0.52 in 1899, 0.79 in 1900, 0.63 in 1901, 0.63 in 1902, 0.92 in 1903, 0.66 in 1904, and 0.62 in 1905).

Diseases of the Genito-Urinary System and its Adnexa.—There were 853 deaths referred to the diseases under this group, equivalent to a death-rate of 11.87.

Nephritis.—Acute nephritis caused the death of 63 persons, 28 males and 35 females. The death-rate from nephritis was, therefore, 0.88.

Ages: Under 1, 3; 1-5, 4; 5-10, 7; 10-20, 4; 20-30, 8; 30-40, 9; 40-50, 7; 50-60, 6; 60-70, 6; 70-80, 5; over 80, 4.

* *Bright's Disease*.—This was the cause of 652 deaths (204 in 1892, 217 in 1893, 219 in 1894, 234 in 1895, 282 in 1896, 231 in 1897, 250 in 1898, 262 in 1899, 443 in 1900, 471 in 1901, 523 in 1902, 573 in 1903, 575 in 1904, and 599 in 1905), 365 males and 287 females. Of these deaths, 264 were in the cities.

The sex and age-group distribution of Bright's disease is as follows:

BRIGHT'S DISEASE BY SEX AND AGE-PERIODS—1906.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	-	2	1	3	6	15	35	65	82	111	43	2	365
Females	2	2	2	5	14	21	35	43	68	59	35	1	287
Total	2	4	3	8	20	36	70	108	150	170	78	3	652

*This title includes: Chronic, albuminous, interstitial, or parenchymatous nephritis; albuminuria; amyloid or fatty degeneration of the kidney; amyloid kidney; steatosis of the kidney; renal sclerosis. Also includes when their precise nature is not indicated: Uremia, uremic eclampsia; uremic delirium; uremic coma.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause :

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin	55	9.58	Oxford	20	6.02
Aroostook	18	2.67	Penobscot	67	8.56
Cumberland	151	14.17	Piscataquis	13	7.45
Franklin	24	12.45	Sagadahoc	25	11.99
Hancock	32	8.59	Somerset	20	5.78
Kennebec	49	8.11	Waldo	22	9.10
Knox	30	9.87	Washington	28	6.13
Lincoln.....	19	9.86	York.....	79	11.95
			State.....	652	9.07

The Puerperal State.—Under this class of accidents and diseases of reproduction, 76 deaths were registered, not including puerperal fever, (69 in 1892, 50 in 1893, 41 in 1894, 36 in 1895, 56 in 1896, 62 in 1897, 51 in 1898, 40 in 1899, 50 in 1900, 52 in 1901, 69 in 1902, 94 in 1903, 72 in 1904, and 51 in 1905). This is equivalent to a special death-rate of 1.06.

Deaths from External Causes.—Under this class there were 586 deaths.

Fractures caused 44 deaths—fracture of thigh, 13; of hip, 12; of skull, 11; of spine, 6; of rib, 1; of leg, 1.

Burns and scalds caused 41 deaths—13 were from clothing taking fire; 11, scalded with hot water; 3, lighting fire with kerosene; 3, by overturning lamp; 2 children burned to death in a box where they made a fire while playing; 1, playing with matches; 1, burned in hot pulp; the rest, unspecified.

Sunstroke caused 6 deaths. Four persons died from exposure to cold.

From accidental drowning, 126 deaths occurred.

Other accidental injuries caused the death of 191 persons; 47 were from falls, 44, from railway injuries; 14, from pistol and gunshot wounds; 13, from working in a mill; 10, from explosions; 8, by runaway horses; 8, by electric cars; 5, run over by

teams; 5, suffocated by falling dirt; 4, by falling trees; 3, while coasting; 2, by falling derrick; 1, kicked by a horse; 1, crushed by moving building; 1, crushed by log; 1, crushed by falling pole; 1, accident at house raising; 1, struck by handle of pitchfork; 1, cut on foot; and the rest were unspecified.

From acute poisoning there were 31 deaths.

Thirty-two people met their death from other external violence, including 1 murder and 1 homicide.

The death-rate in the State under this class was 8.15.

Suicide.—Within the year 85 persons took their own lives (59 in 1892, the same number in 1893, 39 in 1894, 66 in 1895, 81 in 1896, 71 in 1897, 56 in 1898, 93 in 1899, 66 in 1900, 81 in 1901, 73 in 1902, 77 in 1903, 107 in 1904, and 84 in 1905), 73 males and 12 females. Of the males, the occupation of 19 was farmer; of 10, laborer, of 4, painter; of 3, clerk; and 3, shoemaker; of 2, carpenter; and 2, soldier; of 1 each, book dealer, bookkeeper, butcher, editor, engineer, fisherman, herbist, hostler, jeweler, machinist, master mariner, millman, motorman, sewing machine agent, spinner, teacher, teamster, telegraph operator, traveling salesman; while of 11, no occupation was given.

Of the females, the occupation of 4 was registered as housewife; of 4, as housekeeper; and of 4 no occupation was given.

As to the means employed; 32 committed suicide by shooting; 21, by hanging; 12, by poisoning; 11, by drowning; 5, by cutting throat; 1, by asphyxiation by illuminating gas; 1, by jumping from a high place; and not stated, 2.

SUICIDES BY AGES, MONTHS AND COUNTIES—1906.

AGE-PERIODS.		Months.		Counties.		Rate per 10,000 of population.
10-20.....	2	January	3	Androscoggin .	5	0.87
20-30.....	15	February	5	Aroostook.....	2	0.45
30-40.....	12	March	7	Cumberland ...	16	1.51
40-50.....	16	April	9	Franklin	3	1.56
50-60.....	14	May.....	4	Hancock	4	1.07
60-70.....	12	June	7	Kennebec	9	1.49
70-80.....	8	July	6	Knox	5	1.64
Over 80	5	August	9	Lincoln.....	3	1.53
Unknown	1	September	13	Oxford.....	3	0.91
Total	85	October	4	Penobscot.....	11	1.41
		November.....	9	Piscataquis	3	1.15
		December	8	Sagadahoc	2	0.96
		Unknown	1	Somerset	1	0.29
		Total	85	Waldo	3	1.24
				Washington....	4	0.87
				York.....	11	1.66
				State.....	85	1.18

The youngest suicide was a boy of 17 years; the oldest, a man of 87 years. The largest number of suicides in any month was 13 in September. By quarters, the suicides were 15, 20, 28, 21, and of 1 the month was not stated. As in 1905, the largest number in any county was 16 in Cumberland. This county also had the largest number of suicides in 1904, while in 1903, the largest number was in Androscoggin and Cumberland counties, the same in each. The highest death-rate from suicide was in York county. The rate for the State per 10,000 of population was 1.18.

LIST OF TABLES.

	PAGE
Table No. 1.—Deaths from some of the Leading Causes	6
Table No. 2.—Population in 1890 and 1900 and Estimated Population for 1906	7
Table No. 3.—Births, Marriages, and Deaths, 1898-1906.....	7
Table No. 4.—Estimated Population of 1906, Births, Mar- riages, and Deaths, with the rate of each to 1,000 of population for the year ending De- cember 31, 1906	8
Table.—Summary of Births, Marriages and Deaths	9
Table No. 5.—Births and Deaths in each County	10
Table No. 6.—Births and Deaths in the Cities	11
Table No. 7.—Births, Marriages and Deaths by Counties and Towns	12-61
Table No. 8.—Births, Marriages and Deaths by Counties.....	62-63
Table No. 9.—Births and Birth-Rates by Counties, for the years 1899-1906	64
Table No. 10.—Births, by Counties, showing the proportion of males to females, 1906	65
Table No. 11.—Number of Births in each month of 1899-1906, with Monthly Ratio compared with a Stan- dard of 100	66
Table No. 12.—Births by Sex and Months by Counties, 1906...	67
Table No. 13.—Births in Cities, for 1906, with rate per 1,000 of population	68
Table No. 14.—Percentage of American and Foreign births by Counties, 1906	69
Table No. 15.—Percentage of American and Foreign Births by Cities, 1906	70
Table No. 16.—Twin Births by Months and Counties, 1906.....	71
Table No. 17.—Twin Births by Sex and Parentage, by Counties, 1906	72
Table No. 18.—Still-Births by Sex and Parentage, by Counties, 1906	73
Table No. 19.—Still-Births by Seasons, 1906	74
Table No. 20.—Marriages and Marriage-Rates by Counties for the years 1899-1906	78

	PAGE
Table No. 21...Marriages by Counties and Nativity, 1906	79
Table No. 22.—Marriages by Months and Counties, 1906.....	79
Table No. 23.—Number of Marriages in each month of 1899-1906, with Monthly Ratio compared with a Standard of 100	80
Table No. 24.—Marriages by Ages and Counties, 1906	81
Table No. 25.—Interesting Facts in Relation to Marriages	82-83
Table No. 26.—Divorces decreed by the Supreme Court of Maine in the year 1906	86-87
Table No. 27.—Divorces by Causes, sex of Libellants and the Number of years married, 1906	88
Table No. 28.—Deaths and Death-Rates by Counties, for the years 1899-1906	90
Table No. 29.—Number of Deaths in each Month of 1899-1906, with Monthly Ratio compared with a Standard of 100	91
Table No. 30.—The number of Deaths in the State, and in each County, arranged by Classes and Counties... ..	92-97
Table No. 31.—Deaths from all Causes, by Months	98-101
Table No. 32.—Deaths from all Causes, by Age-Groups, 1901-1906	102-119
Table No. 33.—Deaths in each Town from Special Causes, Mostly Infectious Diseases	120-137
Table No. 34.—Deaths in each Town from Certain Diseases and Groups of Diseases	138-157
Table No. 35.—Deaths by Ages, Sex, and Months, by Counties. .	158-159
Table No. 36.—Number of Deaths from several Specified Causes, of each sex, in each month, which were registered during fifteen years, 1892-1906	160
Table No. 37.—Mortality by Months, reduced to a Standard Mean of 100; Fifteen years, 1892-1906	161
Table.—Deaths in each Month for the years 1892-1906.....	165
Table.—Mortality from Ten Prominent Causes, 1892-1906.....	167
Table.—Six Infectious Diseases by Counties, 1906	168
Table.—Six Infectious Diseases by Cities, 1906	169
Table.—Infectious Diseases, 1899-1906	170
Table.—Measles by Counties, Months, and Age-Periods, 1896-1906	171
Table.—Scarlet Fever by Counties, Months, and Age-Periods, 1893-1906	172
Table.—Influenza by Counties and Months, 1906	174
Table.—Whooping Cough by Counties, Months, and Age-Periods, 1906	175
Table.—Diphtheria by Counties and Months, 1906	176
Table.—Diphtheria by Counties, Months, and Age-Periods, 1893-1906	177

	PAGE
Table.—Diphtheria in the Cities and the State, 1892-1906	178-179
Table.—Typhoid Fever by Counties and Months, 1906	180
Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1893-1906	181
Table.—Typhoid Fever in the Cities and the State, 1892-1906....	182-183
Table.—Tuberculosis (all kinds) in the Cities and the State, 1892-1906	184-185
Table.—Consumption by Counties and Months, 1906	188
Table.—Consumption by Sex and Age-Periods, 1906	188
Table.—Consumption by Counties, Months, and Age-Periods, 1893-1906	189
Table.—Pulmonary Tuberculosis in the Cities and State, 1892- 1906	190-191
Table.—Rheumatism by Counties, Months, and Age-Periods, 1906	193
Table.—Rheumatism by Counties, Months, and Age-Periods, 1893-1906	194
Table.—Cancer by Sex and Age-Periods, 1906	195
Table.—Cancer by Counties and Age-Periods, 1906 and 1893- 1906	195
Table.—Old Age by Counties, 1906	196
Table.—Apoplexy by Counties and Months, 1906	198
Table.—Apoplexy by Sex and Age-Periods, 1906	199
Table.—Apoplexy, 1906, and 1893-1906	199
Table.—Diseases of the Heart by Ages	200
Table.—Diseases of the Heart by Counties	201
Table.—Heart Disease by Sex and Age-Periods, 1906	201
Table.—Pneumonia by Sex and Age-Periods, 1906	203
Table.—Pneumonia by Counties and Months with Death-Rate per 10,000, 1906	204
Table.—Pneumonia by Counties, Months, and Age-Periods, 1893- 1906	205
Table.—Pneumonia in the Cities and the State, 1892-1906.....	206-207
Table.—Bronchitis by Counties and Months, 1906	209
Table.—Infantile Diarrhea by Counties and Months, 1906.....	211
Table.—Infantile Diarrhea by Counties, Months, and Age- Periods, 1893-1906	212
Table.—Infantile Diarrhea in the Cities, 1899-1906	213
Table.—Peritonitis by Counties, Months, and Age-Periods, 1906	214
Table.—Bright's Disease by Sex and Age-Periods, 1906	215
Table.—Bright's Disease by Counties, 1906	216
Table.—Suicides by Ages, Months, and Counties, 1906	218

INDEX.

	PAGE
Age and Mortality	166
Appendicitis	214
Apoplexy	197
1906 and 1893-1906	199
by counties and months	198
by sex and age-periods, 1906	199
Birth-rate	75
Birth-rates	8, 9
Births and birth-rates, by counties and years	64
by counties, showing proportion of males to females	65
by seasons	76
by sex and months, by counties	67
in cities, for 1906, with rate	65
in each month, by years	66
notes on	75
parentage of	75
percentage of American and foreign, by cities	70
by counties.....	69
relation to deaths	10
twin	77
by months and counties	71
by sex and parentage	72
marriages and deaths, in each town	12-61
Brain or membranes, inflammation of	197
softening of the	199
Bright's Disease	215
Bronchitis	208
Cancer	194
1906 and 1893-1906	195
by sex and age-periods, 1906	195
Centenarians	197
Cirrhosis of the liver	214
Consumption, by counties and months	188
by counties, months, and age-periods, 1893-1906..	189
by sex and age-periods, 1906	188

	PAGE
Deaths, age and mortality	166
causes of	166
by ages, sex and months, by counties	158-159
months, reduced to a standard mean for fifteen years...	161
in each month, for the years 1892-1906	155
in each town, from special causes	120-138
from certain diseases and groups of dis-	
eases	158
in the State and Counties, by classes and counties.....	92-97
from all Causes, by months	98-101
from all Causes, by age-groups, 1901-1906	102-119
from several specified causes in fifteen years	150
notes on, and the causes of death	162
number in each month, by years	91
seasons and mortality	163
sex and mortality	166
and death-rates, by counties and years	90
Death-rates	8, 9
compared	166
Diabetes	190
Diarrheal diseases	210
Digestive system, diseases of the	209
Diphtheria	175
by counties and months	179
by counties, months, and age-periods, 1893-1906.....	177
in the cities and in the State, 1892-1906	178-179
Divorces by causes; sex of libellants, etc.....	38
decreed in 1906	86-87
notes on	89
Epilepsy	200
External causes, deaths from	216
Genito-Urinary system and its adnexa, diseases of the	214
Heart, diseases of the	200
Infantile Diarrhea	210
by counties and months	211
by counties, months, and age-periods, 1893-	
1906	212
in cities, 1899-1906	213
Infectious diseases	168
1899-1906	170
six by cities	169
six by counties	158
Influenza	173
deaths from, by counties and months	172
Liver, cirrhosis of	214

	PAGE
Marriages, interesting facts relating to	82-83
rates	8, 9, 84
ages	84
and rates, by counties	78
by ages and counties	81
by counties and nativity	79
by months and counties	79
nativity	34
notes on	84
number of, in each month, by years	80
seasons	84
Malarial diseases	182
Measles	170
by counties, months, and age-periods, 1896-1906	171
Mortality from ten prominent causes, 1892-1906	167
Nephritis	215
Nervous system, diseases of the	197
Old Age	196
Paralysis	200
Peritonitis	213
by counties, months, and age-periods, 1906	214
Pleurisy	204
Pneumonia	203
1893-1906	205
by counties and months, with death-rates	204
by sex and age-periods, 1906	203
in the cities and the State, 1892-1906	206-207
Population	6
Puerperal fever, by months and counties, 1906	192
Puerperal state, the	215
Respiratory system, diseases of the	202
Rheumatism	192
by counties, months, and age-periods	193
Scarlet fever	171
by counties, months, and age-periods	172
Sex and mortality	160
Smallpox	170
Still-births	77
by seasons	74
by sex and parentage	73
Suicides	217
by ages, months, and counties, in 1906	218
Tetanus	200

	PAGE
Tuberculosis	183
in the cities and the State, 1892-1906	184-185
mesenteric	192
other forms	192
pulmonary	186
in the cities and the State, 1892-1906.....	190-191
Typhoid fever	180
by counties and months, 1906	180
by counties, months, and age-periods, 1893-1906 ...	181
in the cities and the State, 1892-1906	182-183
Whooping cough	174
by counties, months, and age-periods	175