

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

PUBLIC DOCUMENTS OF MAINE

1910

BEING THE

ANNUAL REPORTS

OF THE VARIOUS

DEPARTMENTS AND INSTITUTIONS

For the Year 1909.

—
VOLUME V.
—



AUGUSTA
KENNEBEC JOURNAL PRINT
1910

SEVENTEENTH ANNUAL REPORT.

UPON THE

BIRTHS, MARRIAGES, DIVORCES
AND DEATHS

IN THE

STATE OF MAINE

FOR THE

Year Ending December 31, 1908

WATERVILLE
SENTINEL PUBLISHING COMPANY
1909

DEPARTMENT OF VITAL STATISTICS.

OFFICE OF THE REGISTRAR,
AUGUSTA, MAINE, August 24, 1909.

To His Excellency, Bert M. Fernald, Governor, and the Honorable Executive Council:

GENTLEMEN:—In accordance with the provisions of the law, I have the honor of submitting to you the Seventeenth Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1908.

Very respectfully,

A. G. YOUNG, M. D.,

Registrar of Vital Statistics.

REGISTRATION REPORT, 1908.

This report presents the results of the registration and tabulation of the births, marriages, divorces, and deaths which occurred in the State of Maine during the year 1908.

The number of births registered in that year is 319 more than in the preceding year. The number of births recorded in each of the registration years 1892-1908 is 14,028, 14,604, 14,607, 15,430, 15,429, 15,142, 15,121, 14,475, 14,709, 14,615, 15,166, 15,130, 15,405, 16,005, 16,585, 16,595, and 16,914, respectively.

The number of marriages (number of couples married) in 1908 was 5,904, 476 less than in the preceding year. The number of marriages registered in the State in each of the years 1892-1908 is, respectively, 5,726, 5,795, 5,591, 5,729, 5,579, 5,331, 5,144, 5,329, 5,482, 5,735, 5,905, 6,200, 6,208, 6,264, 6,498, 6,380, and 5,904.

The number of deaths recorded in the State for the same year was 11,664, a number 139 less than that of the deaths registered in the preceding year. The number of deaths in each year thus far recorded is: in 1892, 12,147; in 1893, 11,134; in 1894, 11,012; in 1895, 10,464; in 1896, 10,626; in 1897, 11,236; in 1898, 10,956; in 1899, 11,370; in 1900, 11,389; in 1901, 11,133; in 1902, 10,673; in 1903, 11,009; in 1904, 11,346; in 1905, 11,381; in 1906, 11,427; in 1907, 11,803, and in 1908, 11,664.

Bertillon Classification.—The nomenclature of the causes of death in this report is the revised Bertillon classification adopted by the International Commission which met in Paris in August, 1900.

Population.—The population of the State of Maine in 1900, as given by the twelfth census was 694,466. In 1890, the population of the State was 661,086. There was, therefore, a gain of 33,380 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1890 and in 1900, and the estimated population in 1908.

TABLE No. 1.
**Population in 1890 and 1900, and Estimated Population
 for 1908.**

| COUNTIES. | Population in 1890. | Population in 1900. | Estimated population for 1908. |
|--------------------|------------------------|------------------------|--------------------------------------|
| Androscoggin | 48,968 | 54,242 | 58,458 |
| Aroostook | 49,589 | 60,744 | 69,664 |
| Cumberland | 90,949 | 100,689 | 108,481 |
| Franklin | 17,053 | 18,444 | 19,556 |
| Hancock | 37,312 | 37,241 | 37,241 |
| Kennebec | 57,012 | 59,117 | 60,797 |
| Knox | 31,473 | 30,406 | 30,406 |
| Lincoln | 21,996 | 19,669 | 19,669 |
| Oxford | 30,586 | 32,238 | 33,558 |
| Penobscot | 72,865 | 76,246 | 78,993 |
| Piscataquis | 16,134 | 16,949 | 17,597 |
| Sagadahoc | 19,452 | 20,330 | 21,034 |
| Somerset | 32,627 | 33,849 | 34,825 |
| Waldo | 27,759 | 24,185 | 24,185 |
| Washington | 44,482 | 45,232 | 45,832 |
| York | 62,829 | 64,885 | 66,533 |
| Total | 661,086 | 694,466 | 726,829 |

TABLE No. 2.
Births, Marriages and Deaths, 1900-1908.

| STATE. | 1900. | 1901. | 1902. | 1903. | 1904. | 1905. | 1906. | 1907. | 1908. |
|-----------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Number of births..... | 14,095 | 14,021 | 14,508 | 14,453 | 14,673 | 15,294 | 15,878 | 15,914 | 16,173 |
| Number of marriages | 5,482 | 5,735 | 5,905 | 6,200 | 6,208 | 6,264 | 6,498 | 6,380 | 5,904 |
| Number of deaths..... | 11,389 | 11,133 | 10,673 | 11,009 | 11,346 | 11,381 | 11,427 | 11,803 | 11,664 |
| Birth-rate..... | 20.30 | 20.19 | 20.89 | 20.81 | 21.13 | 21.40 | 22.09 | 22.02 | 22.25 |
| Marriage-rate..... | 7.89 | 8.26 | 8.50 | 8.93 | 8.94 | 8.76 | 9.04 | 8.83 | 8.12 |
| Death-rate..... | 16.40 | 16.03 | 15.37 | 15.85 | 16.34 | 15.92 | 15.90 | 16.33 | 16.05 |

Birth, Marriage, and Death-Rates.—In this report the birth-rates, marriage-rates, and death-rates from all causes are stated as so many among each 1,000 of the population according to the estimated population for 1908, excepting Tables No. 6 and 7.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 3.
Estimated Population for 1908, Births, Marriages and Deaths with rate of each to 1,000 of Population for the Year Ending December 31, 1908.

| COUNTIES. | Estimated population for 1908. | Births. | Birth-rate per 1,000. | Marriages. | Marriage-rate per 1,000. | Deaths. | Death-rate per 1,000. |
|------------------------|--------------------------------|---------|-----------------------|------------|--------------------------|---------|-----------------------|
| Androscoggin | 58,458 | 1,124 | 19.23 | 465 | 7.95 | 952 | 16.29 |
| Aroostook | 69,664 | 2,429 | 34.87 | 580 | 8.33 | 975 | 14.00 |
| Cumberland | 108,481 | 2,254 | 20.78 | 854 | 7.87 | 1,781 | 16.42 |
| Franklin | 19,556 | 402 | 20.56 | 183 | 9.36 | 337 | 17.23 |
| Hancock | 37,241 | 753 | 20.22 | 326 | 8.75 | 555 | 14.90 |
| Kennebec | 60,797 | 1,236 | 20.33 | 519 | 8.54 | 1,144 | 18.82 |
| Knox | 30,406 | 454 | 14.93 | 203 | 6.67 | 473 | 15.56 |
| Lincoln | 19,669 | 321 | 16.32 | 137 | 6.97 | 340 | 17.29 |
| Oxford | 33,558 | 906 | 27.00 | 350 | 10.42 | 561 | 16.72 |
| Penobscot | 78,993 | 1,781 | 22.55 | 761 | 9.63 | 1,283 | 16.24 |
| Piscataquis | 17,597 | 409 | 23.24 | 170 | 9.66 | 250 | 14.21 |
| Sagadahoc | 21,034 | 347 | 16.50 | 104 | 4.94 | 335 | 15.93 |
| Somerset | 34,825 | 749 | 21.51 | 326 | 9.36 | 524 | 15.05 |
| Waldo | 24,185 | 380 | 15.71 | 185 | 7.65 | 368 | 15.22 |
| Washington | 45,832 | 1,051 | 22.93 | 315 | 6.87 | 643 | 14.03 |
| York | 66,533 | 1,577 | 23.70 | 426 | 6.40 | 1,143 | 17.17 |
| State | 726,829 | 16,173 | 22.25 | 5,904 | 8.12 | 11,664 | 16.05 |

The following is a general summary of the births, marriages, and deaths in 1908.

BIRTHS.

| SEX. | | PARENTAGE. | |
|-----------------------------|--------|-------------------------|--------|
| Males..... | 8,363 | American..... | 9,681 |
| Females..... | 7,798 | Foreign..... | 3,315 |
| Not stated..... | 12 | One parent foreign..... | 3,011 |
| | 16,173 | Not stated..... | 166 |
| | | | 16,173 |
| Whole number of births..... | | 16,173 | |
| Birth-rate per 1,000..... | | 22.25 | |

MARRIAGES.

| | |
|------------------------------------|-------|
| Groom and bride American..... | 4,129 |
| Groom and bride foreign..... | 635 |
| Groom American, bride foreign..... | 533 |
| Groom foreign, bride American..... | 584 |
| Not stated..... | 23 |
| Whole number of marriages..... | 5,904 |
| Marriage-rate per 1,000..... | 8.12 |

DEATHS.

| SEX. | | NATIVITY. | |
|-----------------------------|--------|-----------------|--------|
| Males..... | 6,060 | American..... | 9,854 |
| Females..... | 5,602 | Foreign..... | 1,621 |
| Not stated..... | 2 | Not stated..... | 189 |
| | 11,664 | | 11,664 |
| Whole number of deaths..... | | 11,664 | |
| Death-rate per 1,000..... | | 16.05 | |

Relation of Births to Deaths.—As the total number of births registered in Maine in the year 1908 was 16,914, and the number of deaths was 11,664, the natural increase of births over deaths was 5,250.

The following table shows the number of births and deaths in each county and the preponderance of births over deaths, or vice-versa.

TABLE No. 4.

| COUNTIES. | Estimated population for 1908. | Births. | Deaths. | Difference. |
|-------------------|--------------------------------|---------|---------|-------------|
| Androscoggin..... | 58,458 | 1,124 | 952 | 172 gain |
| Aroostook..... | 69,664 | 2,429 | 975 | 1,454 gain |
| Cumberland..... | 108,481 | 2,254 | 1,781 | 473 gain |
| Franklin..... | 19,556 | 402 | 337 | 65 gain |
| Hancock..... | 37,241 | 753 | 555 | 198 gain |
| Kennebec..... | 60,797 | 1,236 | 1,144 | 92 gain |
| Knox..... | 30,406 | 454 | 473 | 19 loss |
| Lincoln..... | 19,669 | 321 | 340 | 19 loss |
| Oxford..... | 33,558 | 906 | 561 | 345 gain |
| Penobscot..... | 78,993 | 1,781 | 1,283 | 498 gain |
| Piscataquis..... | 17,597 | 409 | 250 | 159 gain |
| Sagadahoc..... | 21,034 | 347 | 335 | 12 gain |
| Somerset..... | 34,825 | 749 | 524 | 225 gain |
| Waldo..... | 24,185 | 380 | 368 | 12 gain |
| Washington..... | 45,832 | 1,051 | 643 | 408 gain |
| York..... | 66,533 | 1,577 | 1,143 | 434 gain |
| State..... | 726,829 | 16,173 | 11,664 | 4,509 gain |

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following table, together with the birth-rate and the death-rate per 1,000 of the estimated population in each city. The discrepancy in the death-rates in the cities which may be noted in comparing this table with Table No. 6 is due to the fact that in this table the death-rates are based upon estimated populations, while in Table No. 6 the death-rates are per 1,000 of population as shown by the census of 1900.

TABLE No. 5.

| CITIES. | Population in 1900. | Estimated population in 1908. | Births. | Deaths. | Difference. | Birth-rate. | Death-rate. |
|---------------------|---------------------|-------------------------------|---------|---------|-------------|-------------|-------------|
| Auburn..... | 12,951 | 14,311 | 259 | 197 | 62 gain | 18.10 | 13.77 |
| Augusta..... | 11,683 | 12,609 | 284 | 274 | 10 gain | 22.52 | *16.26 |
| Bangor..... | 21,850 | 24,050 | 359 | 412 | 53 loss | 14.93 | *16.38 |
| Bath..... | 10,477 | 11,877 | 197 | 156 | 41 gain | 16.59 | 13.13 |
| Belfast..... | 4,615 | 5,250 | 63 | 82 | 19 loss | 12.00 | 15.62 |
| Biddeford..... | 16,145 | 17,525 | 528 | 296 | 232 gain | 30.13 | 16.89 |
| Brewer..... | 4,835 | 5,347 | 166 | 86 | 80 gain | 31.04 | 16.08 |
| Calais..... | 7,655 | 7,946 | 160 | 126 | 34 gain | 20.14 | 15.86 |
| Eastport..... | 5,311 | 5,633 | 116 | 77 | 39 gain | 20.59 | 13.67 |
| Ellsworth..... | 4,297 | 4,297 | 60 | 67 | 7 loss | 13.96 | 15.59 |
| Gardiner..... | 5,501 | 5,509 | 111 | 99 | 12 gain | 20.15 | 17.97 |
| Hallowell..... | 2,714 | 2,714 | 39 | 50 | 11 loss | 14.37 | 18.42 |
| Lewiston..... | 23,761 | 25,409 | 549 | 488 | 61 gain | 21.61 | *18.77 |
| Old Town..... | 5,763 | 6,123 | 157 | 118 | 39 gain | 25.64 | 19.27 |
| Portland..... | 50,145 | 57,374 | 1,162 | 1,026 | 136 gain | 20.25 | *19.12 |
| Rockland..... | 8,150 | 8,150 | 113 | 133 | 20 loss | 13.87 | 16.32 |
| Saco..... | 6,122 | 6,161 | 111 | 116 | 5 loss | 18.02 | 18.83 |
| South Portland..... | 6,287 | 6,287 | 163 | 77 | 86 gain | 25.93 | 12.24 |
| Waterville..... | 9,477 | 11,373 | 304 | 196 | 108 gain | 26.73 | 17.23 |
| Westbrook..... | 7,283 | 7,803 | 201 | 110 | 91 gain | 25.76 | 14.10 |
| Total..... | 225,022 | 245,748 | 5,102 | 4,186 | 916 gain | 20.76 | 17.03 |

*Deaths of non-residents in public institutions: Augusta, 84; Bangor, 54; Lewiston, 42; Portland, 67; deducted from total in estimating death-rate.

TABLE
Births, Marriages, and Deaths

ANDROSCOGGIN

| TOWNS. | Population in 1900. | BIRTHS. | | | | | | | | | |
|---------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | PARENTAGE. | | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| Auburn..... | 12,951 | 138 | 121 | - | 259 | 20.00 | 117 | 74 | 33 | 33 | 2 |
| Durham..... | 1,230 | 19 | 14 | - | 33 | 26.83 | 20 | 7 | 2 | 4 | - |
| East Livermore..... | 2,129 | 29 | 43 | - | 72 | 33.82 | 39 | 22 | 7 | 3 | 1 |
| Greene..... | 826 | 8 | 11 | - | 19 | 23.00 | 12 | 3 | 3 | 1 | - |
| Leeds..... | 1,065 | 17 | 4 | - | 21 | 19.72 | 19 | 1 | - | 1 | - |
| Lewiston..... | 23,761 | 274 | 275 | - | 549 | 23.11 | 142 | 277 | 72 | 58 | - |
| Lisbon..... | 3,603 | 22 | 10 | - | 32 | 8.88 | 9 | 15 | 3 | 4 | 1 |
| Livermore..... | 1,125 | 13 | 9 | - | 22 | 19.56 | 16 | 4 | - | 2 | - |
| Mechanic Falls..... | 1,687 | 13 | 9 | - | 22 | 13.04 | 18 | 1 | - | 2 | 1 |
| Minot..... | 808 | 4 | 5 | - | 9 | 11.14 | 7 | - | 2 | - | - |
| Poland..... | 1,648 | 9 | 18 | - | 27 | 16.38 | 21 | 1 | 4 | 1 | - |
| Turner..... | 1,842 | 14 | 14 | - | 28 | 15.20 | 23 | 1 | 3 | - | 1 |
| Wales..... | 436 | 1 | 7 | - | 8 | 18.35 | 7 | - | 1 | - | - |
| Webster..... | 1,131 | 11 | 12 | - | 23 | 20.34 | 15 | 3 | 3 | 2 | - |
| Total..... | 54,242 | 572 | 552 | - | 1,124 | 20.72 | 465 | 409 | 133 | 111 | 6 |

No. 6.
for the Year 1908.
COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| | | | | | | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 88 | 10 | 10 | 7 | 1 | 116 | 104 | 93 | - | 197 | 163 | 34 | - | 15.21 |
| 4 | 1 | 1 | 1 | - | 7 | 14 | 6 | - | 20 | 20 | - | - | 16.26 |
| 23 | 1 | 5 | 1 | - | 30 | 15 | 12 | - | 27 | 26 | 1 | - | 12.68 |
| 3 | 1 | - | 1 | - | 5 | 11 | 8 | - | 19 | 18 | 1 | - | 23.00 |
| 7 | - | - | - | - | 7 | 10 | 9 | - | 19 | 19 | - | - | 17.84 |
| 66 | 73 | 29 | 37 | - | 205 | 271 | 217 | - | 488 | 335 | 142 | 11 | 20.54 |
| 9 | 12 | 4 | 5 | - | 30 | 37 | 24 | - | 61 | 48 | 13 | - | 16.93 |
| 10 | - | 1 | - | - | 11 | 10 | 11 | - | 21 | 21 | - | - | 18.67 |
| 7 | - | - | 3 | - | 10 | 10 | 9 | - | 19 | 19 | - | - | 11.26 |
| 4 | - | - | 1 | - | 5 | 9 | 8 | - | 17 | 16 | 1 | - | 21.03 |
| 14 | - | 3 | 2 | 1 | 20 | 16 | 12 | - | 28 | 25 | 3 | - | 16.99 |
| 7 | - | 1 | 1 | - | 9 | 11 | 12 | - | 23 | 21 | 2 | - | 12.49 |
| 1 | - | - | - | - | 1 | 2 | - | - | 2 | 1 | - | 1 | 4.58 |
| 8 | - | - | - | 1 | 9 | 6 | 5 | - | 11 | 8 | 3 | - | 9.73 |
| 251 | 98 | 54 | 59 | 3 | 465 | 526 | 426 | - | 952 | 740 | 200 | 12 | 17.55 |

TABLE
Births, Marriages, and Deaths

AROOSTOOK

| Towns. | Population in 1900. | BIRTHS. | | | | | | | | | |
|---------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| Amity..... | 404 | 7 | 5 | - | 12 | 29.70 | 11 | - | 1 | - | - |
| Ashland..... | 1,080 | 39 | 35 | 1 | 75 | 69.44 | 45 | 11 | 15 | 4 | - |
| Baneroft..... | 318 | 6 | 6 | - | 12 | 37.74 | 2 | 3 | 3 | 4 | - |
| Benedicta..... | 350 | 6 | 4 | - | 10 | 28.57 | 8 | 1 | - | 1 | - |
| Blaine..... | 954 | 11 | 18 | - | 29 | 30.40 | 12 | 6 | 5 | 6 | - |
| Bridgewater..... | 1,179 | 20 | 17 | - | 37 | 31.38 | 12 | 12 | 7 | 6 | - |
| Caribou..... | 4,758 | 106 | 97 | 1 | 204 | 42.88 | 96 | 36 | 51 | 21 | - |
| Castle Hill..... | 567 | 6 | 5 | - | 11 | 19.40 | 7 | 2 | - | 2 | - |
| Crystal..... | 370 | 8 | 9 | - | 17 | 45.95 | 8 | 2 | 7 | - | - |
| Dyer Brook..... | 280 | 5 | 1 | - | 6 | 21.43 | 5 | - | - | 1 | - |
| Easton..... | 1,215 | 20 | 13 | - | 33 | 27.15 | 12 | 5 | 6 | 10 | - |
| Fort Fairfield..... | 4,181 | 54 | 48 | - | 102 | 24.40 | 36 | 16 | 25 | 22 | 3 |
| Fort Kent..... | 2,528 | 75 | 106 | - | 181 | 71.60 | 125 | 13 | 21 | 20 | 2 |
| Frenchville..... | 1,316 | 29 | 39 | - | 68 | 51.67 | 67 | - | - | 1 | - |
| Grand Isle..... | 1,104 | 28 | 31 | - | 59 | 53.44 | 42 | 3 | 7 | 7 | - |
| Haynesville..... | 316 | 4 | 2 | - | 6 | 18.98 | 2 | - | 4 | - | - |
| Hersey..... | 199 | 1 | 2 | - | 3 | 15.08 | 2 | 1 | - | - | - |
| Hodgdon..... | 1,130 | 17 | 12 | - | 29 | 25.66 | 16 | 3 | 4 | 5 | 1 |
| Houlton..... | 4,686 | 94 | 67 | - | 161 | 34.36 | 54 | 42 | 30 | 35 | - |
| Island Falls..... | 1,063 | 30 | 18 | - | 48 | 45.16 | 24 | 11 | 7 | 5 | 1 |
| Limestone..... | 1,131 | 21 | 22 | - | 43 | 38.02 | 22 | 7 | 6 | 7 | 1 |
| Linneus..... | 834 | 13 | 9 | - | 22 | 26.38 | 15 | 3 | 2 | 2 | - |
| Littleton..... | 956 | 17 | 11 | - | 28 | 29.29 | 8 | 7 | 2 | 11 | - |
| Ludlow..... | 394 | 4 | 3 | - | 7 | 17.77 | 2 | 2 | 1 | 2 | - |
| Madawaska..... | 1,698 | 29 | 31 | - | 60 | 35.34 | 53 | 1 | 4 | 2 | - |
| Mapleton..... | 853 | 18 | 11 | - | 29 | 34.00 | 17 | 4 | 2 | 5 | 1 |

No. 6—Continued.
for the Year 1908.

COUNTY.

| MARRIAGE. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| | | | | | | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| - | - | 1 | - | - | 1 | 6 | 1 | - | 7 | 4 | 3 | - | 17.33 |
| 9 | 1 | 2 | 4 | - | 16 | 5 | 5 | - | 10 | 8 | 1 | 1 | 9.26 |
| 1 | - | 1 | 1 | - | 3 | 1 | 1 | - | 2 | 2 | - | - | 6.29 |
| 2 | - | - | - | - | 2 | 2 | 2 | - | 4 | 1 | 3 | - | 11.43 |
| 10 | - | 3 | 6 | - | 19 | 7 | 10 | - | 17 | 10 | 7 | - | 17.82 |
| 7 | - | 2 | 1 | - | 10 | 9 | 7 | - | 16 | 10 | 6 | - | 13.57 |
| 25 | 10 | 8 | 12 | - | 55 | 42 | 35 | - | 77 | 61 | 15 | 1 | 16.18 |
| 1 | 1 | - | - | - | 2 | 3 | 5 | - | 8 | 8 | - | - | 14.10 |
| 3 | - | - | 1 | - | 4 | 2 | 1 | - | 3 | 1 | 2 | - | 8.11 |
| - | - | - | - | - | - | 2 | 2 | - | 4 | 2 | 2 | - | 14.29 |
| 7 | 2 | 2 | 3 | - | 14 | 11 | 9 | - | 20 | 14 | 6 | - | 16.46 |
| 16 | 2 | 7 | 3 | - | 28 | 11 | 12 | - | 23 | 17 | 6 | - | 5.50 |
| 19 | - | 2 | 6 | - | 27 | 23 | 26 | - | 49 | 43 | 6 | - | 19.38 |
| 10 | - | - | 2 | - | 12 | 29 | 22 | - | 51 | 47 | 4 | - | 38.75 |
| 5 | - | 1 | 2 | - | 8 | 12 | 14 | - | 26 | 23 | 3 | - | 23.55 |
| 2 | - | - | - | - | 2 | 3 | 1 | - | 4 | 2 | 2 | - | 12.66 |
| 1 | - | - | - | - | 1 | 2 | 1 | - | 3 | 3 | - | - | 15.08 |
| 1 | - | 3 | 3 | - | 7 | 7 | 2 | - | 9 | 5 | 4 | - | 7.96 |
| 10 | 7 | 8 | 20 | - | 45 | 42 | 28 | - | 70 | 45 | 23 | 2 | 14.94 |
| 10 | 2 | 2 | 5 | - | 19 | 13 | 2 | - | 15 | 13 | 2 | - | 14.11 |
| 6 | 1 | 3 | 3 | - | 13 | 12 | 8 | - | 20 | 16 | 4 | - | 17.68 |
| 3 | - | 2 | 3 | - | 8 | 5 | 4 | - | 9 | 5 | 2 | 2 | 10.79 |
| 2 | - | - | 3 | - | 5 | 7 | 2 | - | 9 | 7 | 2 | - | 9.57 |
| 1 | - | - | 2 | - | 3 | 1 | 3 | - | 4 | 4 | - | - | 10.16 |
| 9 | - | - | - | - | 9 | 11 | 14 | - | 25 | 24 | 1 | - | 14.72 |
| 8 | 1 | 1 | 2 | - | 12 | 9 | 3 | - | 12 | 11 | 1 | - | 14.07 |

TABLE
Births, Marriages, and Deaths
AROOSTOOK

| Towns. | Population in 1900. | BIRTHS. | | | | | | | | | |
|--------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| | | | | | | | | | | | |
| Mars Hill..... | 1,183 | 30 | 24 | - | 54 | 45.65 | 24 | 10 | 9 | 11 | - |
| Masardis..... | 438 | 13 | 11 | - | 24 | 54.79 | 12 | 3 | 3 | 6 | - |
| Monticello..... | 1,332 | 13 | 19 | - | 32 | 24.02 | 13 | 6 | 7 | 6 | - |
| New Limerick..... | 600 | 3 | 7 | - | 10 | 16.67 | 4 | 1 | 3 | 2 | - |
| New Sweden..... | 867 | 8 | 6 | - | 14 | 16.14 | 1 | 3 | 5 | 5 | - |
| Oakfield..... | 860 | 18 | 12 | - | 30 | 34.88 | 20 | - | 5 | 3 | 2 |
| Orient..... | 208 | 1 | 2 | - | 3 | 14.42 | 1 | - | 2 | - | - |
| Perham..... | 580 | 5 | 10 | - | 15 | 25.86 | 12 | 1 | - | 2 | - |
| Portage Lake..... | 241 | 6 | 7 | - | 13 | 53.94 | 6 | 5 | 1 | 1 | - |
| Presque Isle..... | 3,804 | 78 | 74 | 1 | 153 | 40.22 | 88 | 13 | 31 | 21 | - |
| St. Agatha..... | 1,396 | 52 | 48 | - | 100 | 71.63 | 91 | 2 | 2 | 5 | - |
| Sherman..... | 980 | 20 | 18 | - | 38 | 38.78 | 25 | 2 | 8 | 2 | 1 |
| Smyrna..... | 411 | 6 | 6 | - | 12 | 29.20 | 5 | 2 | 4 | 1 | - |
| Van Buren..... | 1,878 | 91 | 48 | - | 139 | 74.01 | 80 | 23 | 18 | 17 | 1 |
| Washburn..... | 1,225 | 20 | 23 | - | 43 | 35.10 | 27 | 5 | 4 | 7 | - |
| Westfield..... | 259 | 6 | 11 | - | 17 | 65.64 | 8 | 3 | 2 | 4 | - |
| Weston..... | 367 | 8 | 5 | - | 13 | 35.42 | 7 | - | 1 | 5 | - |
| Woodland..... | 1,096 | 15 | 17 | - | 32 | 29.20 | 14 | 6 | 6 | 6 | - |
| Allagash Pl..... | 190 | - | - | - | - | - | - | - | - | - | - |
| Cary Pl..... | 400 | 4 | 8 | - | 12 | 30.00 | 8 | 1 | 3 | - | - |
| Caswell Pl..... | 368 | 12 | 10 | - | 22 | 59.78 | 10 | 2 | 4 | 6 | - |
| Chapman Pl..... | 285 | 2 | 6 | - | 8 | 28.07 | 6 | 1 | - | 1 | - |
| Connor Pl..... | 453 | 8 | 8 | - | 16 | 35.32 | 9 | 2 | 4 | 1 | - |
| Cyr Pl..... | 502 | 6 | 15 | - | 21 | 41.83 | 16 | 2 | - | 3 | - |
| E Pl..... | 44 | - | 3 | - | 3 | 68.18 | 1 | - | - | 2 | - |
| Eagle Lake Pl..... | 406 | 55 | 41 | - | 96 | 236.45 | 58 | 13 | 18 | 7 | - |

No. 6—Continued.
for the Year 1908.

COUNTY—CONTINUED.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | SEX. | | | | NATIVITY. | | | Death rate per 1,000. |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 6 | 3 | 7 | 4 | - | 20 | 13 | 7 | - | 20 | 12 | 8 | - | 16.91 |
| 5 | 1 | 1 | 2 | - | 9 | 4 | 6 | - | 10 | 8 | 2 | - | 22.84 |
| 3 | - | - | 2 | - | 5 | 7 | 7 | - | 14 | 6 | 7 | 1 | 10.51 |
| 3 | - | 1 | 1 | - | 5 | 3 | 1 | - | 4 | 3 | 1 | - | 6.67 |
| 3 | 1 | - | - | - | 4 | 4 | 6 | - | 10 | 3 | 7 | - | 11.53 |
| 3 | 1 | - | 2 | - | 6 | 5 | 4 | - | 9 | 8 | - | 1 | 10.47 |
| - | - | - | - | - | - | 2 | - | - | 2 | 1 | 1 | - | 9.61 |
| 1 | 1 | - | 1 | - | 3 | 3 | 8 | - | 11 | 8 | 3 | - | 18.97 |
| 4 | - | 1 | 1 | - | 6 | 1 | 2 | - | 3 | 3 | - | - | 12.45 |
| 19 | 4 | 8 | 8 | - | 39 | 29 | 29 | - | 58 | 36 | 19 | 3 | 15.25 |
| 8 | 1 | 1 | 2 | - | 12 | 17 | 27 | - | 44 | 40 | 4 | - | 31.52 |
| 9 | - | - | 2 | - | 11 | 6 | 4 | - | 10 | 10 | - | - | 10.20 |
| 1 | 1 | 1 | 1 | - | 4 | 3 | 5 | - | 8 | 8 | - | - | 19.46 |
| 11 | 1 | 3 | 2 | - | 17 | 42 | 27 | - | 69 | 59 | 10 | - | 36.74 |
| 9 | - | 1 | 1 | - | 11 | 10 | 9 | - | 19 | 14 | 4 | 1 | 15.51 |
| 1 | - | - | - | - | 1 | 5 | 7 | - | 12 | 7 | 4 | 1 | 46.32 |
| 3 | - | - | 2 | - | 5 | 1 | 4 | - | 5 | 4 | 1 | - | 13.62 |
| 6 | 1 | 1 | 5 | - | 13 | 9 | 10 | - | 19 | 11 | 7 | 1 | 17.34 |
| 2 | - | - | - | - | 2 | - | - | - | - | - | - | - | - |
| 1 | - | - | 1 | - | 2 | 2 | 2 | - | 4 | 3 | 1 | - | 10.00 |
| 2 | - | 2 | 1 | - | 5 | 3 | - | - | 3 | 1 | 2 | - | 8.15 |
| 3 | - | - | 2 | - | 5 | 1 | 3 | - | 4 | 3 | 1 | - | 14.03 |
| 2 | 1 | - | - | - | 3 | 10 | 3 | - | 13 | 11 | 2 | - | 28.70 |
| - | - | - | - | - | - | 4 | 8 | - | 12 | 12 | - | - | 23.58 |
| - | - | - | - | - | - | 1 | - | - | 1 | - | 1 | - | 22.72 |
| 8 | - | 1 | 7 | - | 16 | 17 | 14 | - | 31 | 26 | 5 | - | 76.35 |

TABLE
Births, Marriages, and Deaths

AROSTOOK

| TOWNS | Population in 1900. | BIRTHS. | | | | | | | | | |
|-----------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| | | | | | | | | | | | |
| Garfield Pl. | 111 | 3 | - | - | 3 | 27.03 | 3 | - | - | - | - |
| Glenwood Pl. | 178 | 1 | - | - | 1 | 5.62 | 1 | - | - | - | - |
| Hamlin Pl. | 574 | 13 | 15 | - | 28 | 48.78 | 17 | - | 4 | 7 | - |
| Hammond Pl. | 116 | 3 | - | - | 3 | 25.86 | 2 | 1 | - | - | - |
| Macwahoc Pl. | 153 | - | 1 | - | 1 | 6.54 | 1 | - | - | - | - |
| Merrill Pl. | 298 | 10 | 5 | - | 15 | 50.34 | 7 | 4 | 3 | 1 | - |
| Moro Pl. | 217 | 5 | - | - | 5 | 23.04 | 4 | - | - | 1 | - |
| New Canada Pl. | 419 | 7 | 5 | - | 12 | 28.64 | 10 | - | 2 | - | - |
| Oxbow Pl. | 153 | - | - | - | - | - | - | - | - | - | - |
| Reed Pl. | 399 | 7 | 8 | - | 15 | 37.59 | 3 | 7 | 1 | 4 | - |
| St. Francis Pl. | 568 | 12 | 15 | - | 27 | 47.54 | 17 | 1 | 6 | 3 | - |
| St. John Pl. | 371 | 1 | 4 | - | 5 | 13.48 | 3 | - | 1 | 1 | - |
| Silver Ridge Pl. | 168 | - | 2 | - | 2 | 11.90 | 2 | - | - | - | - |
| Stockholm Pl. | 191 | 12 | 14 | - | 26 | 135.08 | 5 | 13 | 5 | 3 | - |
| Wade Pl. | 271 | 9 | 4 | - | 13 | 47.97 | 8 | 1 | 3 | 1 | - |
| Wallagrass Pl. | 784 | 17 | 20 | - | 37 | 47.19 | 30 | 1 | 3 | 2 | 1 |
| Westmanland Pl. | 100 | 2 | 1 | - | 3 | 30.00 | 1 | 1 | - | 1 | - |
| Winterville Pl. | 124 | 8 | 11 | - | 19 | 153.23 | 8 | 6 | 4 | 1 | - |
| No. 9, R. 3 | - | 2 | - | - | 2 | - | 1 | - | 1 | - | - |
| Total | *59,442 | 1,260 | 1,166 | 3 | 2,429 | 40.86 | 1,372 | 332 | 383 | 328 | 14 |

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.
for the Year 1908.

COUNTY—CONCLUDED.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| | | | | | | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| - | - | - | 1 | - | 1 | - | 1 | - | 1 | 1 | - | - | 9.01 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1 | - | - | - | - | 1 | 4 | 8 | - | 12 | 10 | 2 | - | 20.91 |
| - | - | - | - | - | - | 2 | 1 | - | 3 | 3 | - | - | 25.86 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2 | - | - | - | - | 2 | 2 | 2 | - | 4 | 3 | 1 | - | 13.42 |
| 2 | - | - | - | - | 2 | 2 | 3 | - | 5 | 5 | - | - | 23.04 |
| 5 | 1 | 1 | - | - | 7 | 5 | 4 | - | 9 | 9 | - | - | 21.48 |
| 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 4 | - | - | 1 | - | 5 | 5 | 5 | - | 10 | 8 | 2 | - | 25.06 |
| 6 | - | - | - | - | 6 | 6 | 2 | - | 8 | 5 | 3 | - | 14.08 |
| 2 | - | - | 1 | - | 3 | - | - | - | - | - | - | - | - |
| 2 | - | - | 2 | - | 4 | - | 1 | - | 1 | 1 | - | - | 5.95 |
| 2 | 3 | 3 | 1 | - | 9 | 2 | 1 | - | 3 | 2 | 1 | - | 15.71 |
| 1 | - | - | - | - | 1 | 3 | 2 | - | 5 | 5 | - | - | 18.45 |
| 4 | - | 1 | 1 | - | 6 | 5 | 10 | - | 15 | 15 | - | - | 19.13 |
| 2 | - | - | 1 | - | 3 | 1 | 2 | - | 3 | 2 | 1 | - | 30.00 |
| - | - | - | - | - | - | 3 | - | - | 3 | 3 | - | - | 24.19 |
| - | - | - | - | - | - | - | 1 | - | 1 | 1 | - | - | - |
| 315 | 47 | 81 | 137 | - | 580 | 519 | 456 | - | 975 | 756 | 205 | 14 | 16.40 |

TABLE
Births, Marriages, and Deaths

CUMBERLAND

| TOWNS. | Population in 1900. | BIRTHS. | | | | | | | | | |
|---------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| Baldwin..... | 821 | 11 | 6 | - | 17 | 20.71 | 16 | - | 1 | - | - |
| Bridgton..... | 2,868 | 25 | 18 | - | 43 | 14.99 | 37 | 2 | 2 | 2 | - |
| Brunswick..... | 6,806 | 87 | 72 | - | 159 | 23.36 | 55 | 71 | 15 | 15 | 3 |
| Cape Elizabeth..... | 887 | 16 | 9 | - | 25 | 28.18 | 16 | 5 | 2 | 2 | - |
| Casco..... | 783 | 7 | 8 | - | 15 | 19.16 | 14 | - | - | 1 | - |
| Cumberland..... | 1,404 | 9 | 11 | - | 20 | 14.25 | 17 | - | 3 | - | - |
| Falmouth..... | 1,511 | 12 | 9 | - | 21 | 13.90 | 9 | 10 | 1 | 1 | - |
| Freeport..... | 2,339 | 17 | 30 | - | 47 | 20.09 | 39 | 1 | 1 | 4 | 2 |
| Gorham..... | 2,540 | 21 | 26 | - | 47 | 18.50 | 42 | 1 | 1 | 3 | - |
| Gray..... | 1,388 | 4 | 12 | - | 16 | 11.53 | 12 | - | - | 3 | 1 |
| Harpswell..... | 1,750 | 21 | 21 | - | 42 | 24.00 | 37 | 1 | 4 | - | - |
| Harrison..... | 969 | 9 | 12 | - | 21 | 21.67 | 18 | - | - | 3 | - |
| Naples..... | 813 | 13 | 3 | - | 16 | 19.68 | 15 | - | - | 1 | - |
| New Gloucester..... | 1,162 | 10 | 10 | - | 20 | 17.21 | 16 | - | 4 | - | - |
| North Yarmouth..... | 642 | 4 | 6 | - | 10 | 15.58 | 8 | 1 | 1 | - | - |
| Otisfield..... | 728 | 4 | 7 | - | 11 | 15.11 | 10 | - | - | 1 | - |
| Portland..... | 50,145 | 601 | 560 | 1 | 1,162 | 23.17 | 519 | 411 | 95 | 125 | 12 |
| Pownal..... | 592 | 4 | 5 | - | 9 | 15.20 | 7 | 1 | 1 | - | - |
| Raymond..... | 823 | 7 | 9 | - | 16 | 19.44 | 15 | - | - | 1 | - |
| Scarboro..... | 1,865 | 24 | 13 | - | 37 | 19.83 | 23 | 7 | 2 | 4 | 1 |
| Sebago..... | 576 | 7 | 6 | - | 13 | 22.56 | 11 | 1 | 1 | - | - |
| South Portland..... | 6,287 | 84 | 79 | - | 163 | 25.92 | 108 | 21 | 11 | 23 | - |
| Standish..... | 1,504 | 19 | 10 | - | 29 | 19.28 | 29 | - | - | - | - |
| Westbrook..... | 7,283 | 105 | 96 | - | 201 | 27.60 | 76 | 63 | 37 | 22 | 3 |
| Windham..... | 1,929 | 18 | 14 | - | 32 | 16.59 | 28 | 2 | 1 | 1 | - |
| Yarmouth..... | 2,274 | 32 | 30 | - | 62 | 27.26 | 41 | 11 | 3 | 7 | - |
| Total..... | 100,689 | 1,171 | 1,082 | 1 | 2,254 | 22.36 | 1,218 | 606 | 186 | 219 | 22 |

No. 6—Continued.

for the Year 1908.

COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 7 | - | - | - | 1 | 8 | 4 | 6 | - | 10 | 9 | - | 1 | 12.18 |
| 20 | - | - | - | 1 | 21 | 24 | 13 | - | 37 | 36 | - | 1 | 12.90 |
| 21 | 7 | 6 | 9 | - | 43 | 58 | 58 | - | 116 | 101 | 15 | - | 17.04 |
| 3 | - | - | - | - | 3 | 5 | 3 | - | 8 | 7 | 1 | - | 9.02 |
| 8 | - | 1 | - | - | 9 | 3 | 8 | - | 11 | 11 | - | - | 14.05 |
| 4 | 1 | - | - | - | 5 | 5 | 5 | - | 10 | 10 | - | - | 7.12 |
| 5 | - | - | 1 | - | 6 | 11 | 12 | - | 23 | 19 | 4 | - | 15.22 |
| 10 | - | 1 | - | - | 11 | 16 | 18 | - | 34 | 33 | 1 | - | 14.54 |
| 12 | - | 1 | - | - | 13 | 18 | 18 | - | 36 | 33 | 3 | - | 14.17 |
| 9 | - | - | 1 | - | 10 | 10 | 8 | - | 18 | 18 | - | - | 12.97 |
| 9 | - | 1 | - | - | 10 | 10 | 16 | - | 26 | 25 | 1 | - | 14.86 |
| 14 | - | - | - | - | 14 | 10 | 7 | - | 17 | 17 | - | - | 17.54 |
| 6 | - | - | - | - | 6 | 9 | 3 | - | 12 | 12 | - | - | 14.76 |
| 6 | - | - | 1 | - | 7 | 12 | 14 | - | 26 | 25 | 1 | - | 22.38 |
| 7 | - | 2 | - | - | 9 | 7 | 3 | - | 10 | 9 | 1 | - | 15.58 |
| 4 | - | - | - | 1 | 5 | 3 | 5 | - | 8 | 8 | - | - | 10.99 |
| 323 | 91 | 59 | 41 | 3 | 517 | 522 | 504 | - | 1,026 | 777 | 223 | 26 | 20.46 |
| 4 | - | - | - | - | 4 | 5 | 10 | - | 15 | 14 | 1 | - | 25.35 |
| 6 | - | 1 | - | - | 7 | 11 | 7 | - | 18 | 18 | - | - | 21.87 |
| 12 | - | 1 | 1 | - | 14 | 11 | 9 | - | 20 | 18 | 2 | - | 10.72 |
| 4 | - | - | - | - | 4 | 4 | 3 | - | 7 | 7 | - | - | 12.15 |
| 35 | 2 | 3 | 4 | - | 44 | 34 | 43 | - | 77 | 61 | 15 | 1 | 12.25 |
| 9 | - | 2 | - | - | 11 | 20 | 17 | - | 37 | 36 | 1 | - | 24.60 |
| 32 | 5 | 10 | 5 | - | 52 | 50 | 60 | - | 110 | 90 | 19 | 1 | 15.10 |
| 11 | 1 | - | - | - | 12 | 17 | 12 | - | 29 | 29 | - | - | 15.03 |
| 6 | - | 2 | 1 | - | 9 | 19 | 21 | - | 40 | 36 | 4 | - | 17.59 |
| 587 | 107 | 90 | 64 | 6 | 854 | 898 | 883 | - | 1,781 | 1,459 | 292 | 30 | 17.69 |

TABLE
Births, Marriages, and Deaths

FRANKLIN

| TOWNS. | Population in 1900. | BIRTHS. | | | | | | | | | |
|---------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| | | | | | | | | | | | |
| Avon..... | 448 | 3 | 2 | — | 5 | 11.16 | 5 | — | — | — | — |
| Carthage..... | 334 | 5 | 2 | — | 7 | 20.96 | 7 | — | — | — | — |
| Chesterville..... | 709 | 7 | 6 | — | 13 | 18.34 | 12 | 1 | — | — | — |
| Eustis..... | 436 | 6 | 9 | — | 15 | 34.40 | 10 | 2 | 3 | — | — |
| Farmington..... | 3,288 | 19 | 25 | — | 44 | 13.38 | 30 | 1 | 4 | 6 | 3 |
| Freeman..... | 397 | 4 | 3 | — | 7 | 17.63 | 6 | — | 1 | — | — |
| Industry..... | 553 | 4 | 3 | — | 7 | 12.66 | 6 | — | — | 1 | — |
| Jay..... | 2,758 | 58 | 53 | — | 111 | 40.25 | 20 | 78 | 10 | 3 | — |
| Kingfield..... | 693 | 5 | 11 | — | 16 | 23.09 | 14 | — | — | 2 | — |
| Madrid..... | 326 | 5 | 3 | — | 8 | 24.54 | 7 | — | — | — | 1 |
| New Sharon..... | 946 | 8 | 4 | — | 12 | 12.68 | 11 | — | — | 1 | — |
| New Vineyard..... | 584 | 3 | 3 | — | 6 | 10.27 | 5 | — | — | — | 1 |
| Phillips..... | 1,399 | 10 | 9 | — | 19 | 13.58 | 17 | — | 2 | — | — |
| Rangeley..... | 961 | 22 | 10 | — | 32 | 33.30 | 26 | 1 | 4 | 1 | — |
| Salem..... | 195 | — | 2 | — | 2 | 10.25 | 1 | — | — | 1 | — |
| Strong..... | 637 | 9 | 7 | — | 16 | 25.12 | 15 | — | 1 | — | — |
| Temple..... | 394 | 1 | 5 | — | 6 | 15.23 | 5 | — | — | — | 1 |
| Weld..... | 738 | 10 | 6 | — | 16 | 21.68 | 16 | — | — | — | — |
| Wilton..... | 1,647 | 17 | 17 | — | 34 | 20.64 | 31 | 1 | 2 | — | — |
| Coplin Pl..... | 70 | 1 | 1 | — | 2 | 28.57 | 2 | — | — | — | — |
| Dallas Pl..... | 172 | 5 | 6 | — | 11 | 63.95 | 11 | — | — | — | — |
| Lang Pl..... | 87 | — | — | — | — | — | — | — | — | — | — |
| Rangeley Pl..... | 98 | 1 | 1 | — | 2 | 20.41 | 2 | — | — | — | — |
| Sandy River Pl..... | 78 | 1 | 4 | — | 5 | 64.11 | 4 | — | 1 | — | — |
| Perkins..... | 63 | 2 | — | — | 2 | 31.75 | 2 | — | — | — | — |
| Washington..... | 20 | 1 | 2 | — | 3 | 150.00 | 3 | — | — | — | — |
| No. 4, R. 3..... | 33 | 1 | — | — | 1 | 30.30 | 1 | — | — | — | — |
| Total..... | *18,064 | 208 | 194 | — | 402 | 22.26 | 269 | 84 | 28 | 15 | 6 |

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.
for the Year 1908.
COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | SEX. | | | | NATIVITY. | | | Death rate per 1,000. |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 2 | - | - | - | - | 2 | 3 | 3 | - | 6 | 5 | 1 | - | 13.39 |
| - | - | - | - | - | - | 2 | 3 | - | 5 | 5 | - | - | 14.97 |
| 6 | - | 1 | - | - | 7 | 6 | 8 | - | 14 | 13 | 1 | - | 19.75 |
| 4 | - | 1 | 2 | - | 7 | 5 | 4 | - | 9 | 7 | 1 | 1 | 20.64 |
| 23 | - | 1 | 2 | - | 26 | 27 | 41 | - | 68 | 66 | 1 | 1 | 20.68 |
| 3 | - | - | - | - | 3 | 3 | 4 | - | 7 | 5 | 2 | - | 17.63 |
| 6 | - | - | - | - | 6 | 1 | 3 | - | 4 | 4 | - | - | 7.23 |
| 12 | 7 | 4 | 2 | - | 25 | 27 | 28 | - | 55 | 43 | 11 | 1 | 19.94 |
| 5 | - | - | 1 | - | 6 | 4 | 7 | - | 11 | 11 | - | - | 15.87 |
| 5 | - | - | - | - | 5 | 2 | 1 | - | 3 | 3 | - | - | 9.21 |
| 10 | - | 1 | - | - | 11 | 16 | 6 | - | 22 | 20 | 1 | 1 | 23.26 |
| 3 | - | - | - | - | 3 | 4 | 7 | - | 11 | 11 | - | - | 18.84 |
| 17 | - | - | 1 | - | 18 | 11 | 15 | - | 26 | 26 | - | - | 18.58 |
| 9 | - | 1 | 3 | - | 13 | 9 | 5 | - | 14 | 12 | 2 | - | 14.57 |
| 3 | - | - | - | - | 3 | 4 | 1 | - | 5 | 5 | - | - | 25.64 |
| 8 | - | - | 1 | - | 9 | 6 | 8 | - | 14 | 13 | 1 | - | 21.98 |
| 4 | - | - | - | - | 4 | 5 | 6 | - | 11 | 11 | - | - | 27.92 |
| 8 | 1 | - | - | - | 9 | 11 | 4 | - | 15 | 15 | - | - | 20.33 |
| 21 | - | - | 1 | - | 22 | 18 | 9 | - | 27 | 26 | 1 | - | 16.39 |
| 1 | - | - | - | - | 1 | - | 1 | - | 1 | 1 | - | - | 14.28 |
| 1 | - | - | - | - | 1 | 1 | 1 | - | 2 | 2 | - | - | 11.63 |
| - | - | - | - | - | - | 1 | - | - | 1 | 1 | - | - | 11.49 |
| - | - | - | - | - | - | 2 | - | 1 | 3 | 2 | 1 | - | 30.60 |
| 2 | - | - | - | - | 2 | - | 1 | - | 1 | 1 | - | - | 12.82 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - | - | - | - | - | - | - | 1 | - | 1 | 1 | - | - | 50.00 |
| - | - | - | - | - | - | 1 | - | - | 1 | 1 | - | - | 30.30 |
| 153 | 8 | 9 | 13 | - | 183 | 169 | 167 | 1 | 337 | 310 | 23 | 4 | 18.66 |

TABLE
Births, Marriages, and Deaths

HANCOCK

| TOWNS. | BIRTHS. | | | | | | | | | | |
|------------------------|---------------------|-------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | SEX. | | | | | PARENTAGE. | | | | | |
| | Population in 1900. | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| Amherst..... | 364 | 3 | 3 | - | 6 | 16.48 | 6 | - | - | - | - |
| Aurora..... | 152 | 2 | 2 | - | 4 | 26.32 | 4 | - | - | - | - |
| Bluehill..... | 1,828 | 21 | 13 | - | 34 | 18.60 | 30 | 1 | 2 | - | 1 |
| Brooklin..... | 936 | 12 | 8 | - | 20 | 21.26 | 19 | - | - | 1 | - |
| Brooksville..... | 1,171 | 11 | 17 | - | 28 | 23.91 | 27 | - | - | - | 1 |
| Bucksport..... | 2,339 | 14 | 18 | - | 32 | 13.68 | 29 | 1 | 1 | 1 | - |
| Castine..... | 925 | 5 | 7 | - | 12 | 12.97 | 12 | - | - | - | - |
| Cranberry Isles..... | 374 | 5 | 2 | - | 7 | 18.72 | 5 | - | 1 | 1 | - |
| Dedham..... | 327 | 1 | 3 | - | 4 | 12.23 | 3 | - | - | 1 | - |
| Deer Isle..... | 2,047 | 20 | 18 | - | 38 | 18.56 | 38 | - | - | - | - |
| Eastbrook..... | 248 | - | - | - | - | - | - | - | - | - | - |
| Eden..... | 4,379 | 43 | 43 | 2 | 88 | 20.10 | 67 | 10 | 6 | 4 | 1 |
| Ellsworth..... | 4,297 | 31 | 29 | - | 60 | 13.96 | 54 | - | 1 | 5 | - |
| Franklin..... | 1,201 | 13 | 12 | - | 25 | 20.82 | 23 | 1 | - | 1 | - |
| Gouldsboro..... | 1,259 | 8 | 14 | - | 22 | 17.47 | 21 | - | - | - | 1 |
| Hancock..... | 900 | 5 | 9 | - | 14 | 15.56 | 13 | - | 1 | - | - |
| Isle au Haut..... | 182 | 2 | 1 | - | 3 | 16.47 | 3 | - | - | - | - |
| Lamoine..... | 594 | 4 | 3 | - | 7 | 11.78 | 4 | 1 | 1 | 1 | - |
| Mariaville..... | 218 | - | 1 | - | 1 | 4.59 | 1 | - | - | - | - |
| Mount Desert..... | 1,600 | 25 | 18 | - | 43 | 26.87 | 36 | 1 | 3 | 2 | 1 |
| Orland..... | 1,251 | 11 | 17 | - | 28 | 22.38 | 27 | - | 1 | - | - |
| Otis..... | 152 | 1 | 3 | - | 4 | 26.32 | 4 | - | - | - | - |
| Penobscot..... | 1,156 | 2 | 11 | - | 13 | 11.25 | 12 | - | 1 | - | - |
| Sedgwick..... | 902 | 17 | 9 | - | 26 | 28.82 | 24 | 1 | 1 | - | - |
| Sorrento..... | 117 | 2 | - | - | 2 | 17.09 | 1 | - | - | 1 | - |
| South West Harbor..... | - | 5 | 6 | - | 11 | - | 8 | 1 | 1 | 1 | - |

No. 6—Continued.

for the Year 1908.

COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 2 | - | - | - | - | 2 | 1 | 4 | - | 5 | 5 | - | - | 13.74 |
| 1 | - | - | - | - | 1 | 1 | - | - | 1 | 1 | - | - | 6.58 |
| 15 | - | 1 | - | - | 16 | 21 | 10 | - | 31 | 29 | 1 | 1 | 16.96 |
| 10 | - | - | - | - | 10 | 11 | 9 | - | 20 | 19 | 1 | - | 21.26 |
| 10 | - | - | - | - | 10 | 3 | 9 | - | 12 | 12 | - | - | 10.25 |
| 16 | - | 1 | 1 | - | 18 | 18 | 20 | - | 38 | 32 | 5 | 1 | 16.25 |
| 8 | 1 | - | - | - | 9 | 4 | 1 | - | 5 | 4 | 1 | - | 5.41 |
| 3 | - | 1 | - | - | 4 | 4 | 3 | - | 7 | 7 | - | - | 18.72 |
| 1 | - | - | - | - | 1 | 5 | 1 | - | 6 | 6 | - | - | 18.35 |
| 17 | - | - | - | - | 17 | 17 | 15 | - | 32 | 30 | - | 2 | 15.63 |
| 5 | - | - | - | - | 5 | 2 | 1 | - | 3 | 2 | 1 | - | 12.10 |
| 32 | 1 | 5 | 2 | - | 40 | 19 | 25 | - | 44 | 39 | 5 | - | 10.05 |
| 27 | - | - | - | - | 27 | 32 | 35 | - | 67 | 60 | 7 | - | 15.59 |
| 10 | - | - | - | - | 10 | 13 | 7 | - | 20 | 20 | - | - | 16.66 |
| 12 | - | 1 | - | - | 13 | 10 | 8 | - | 18 | 16 | - | 2 | 14.30 |
| 3 | - | - | 1 | - | 4 | 7 | 8 | - | 15 | 14 | 1 | - | 16.67 |
| 2 | - | - | - | - | 2 | - | 1 | - | 1 | 1 | - | - | 5.49 |
| 2 | - | - | - | - | 2 | 6 | 7 | - | 13 | 13 | - | - | 21.89 |
| 3 | - | - | - | - | 3 | 5 | - | - | 5 | 4 | - | 1 | 22.95 |
| 9 | 1 | 1 | - | - | 11 | 12 | 6 | - | 18 | 18 | - | - | 11.25 |
| 12 | - | - | 1 | - | 13 | 16 | 13 | - | 29 | 29 | - | - | 23.18 |
| 2 | - | 1 | - | - | 3 | 1 | 1 | - | 2 | 2 | - | - | 13.16 |
| 9 | - | - | - | - | 9 | 11 | 9 | - | 20 | 19 | - | 1 | 17.30 |
| 7 | - | - | - | - | 7 | 7 | 6 | - | 13 | 12 | 1 | - | 14.41 |
| 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 7 | - | - | - | - | 7 | 5 | 3 | - | 8 | 8 | - | - | - |

TABLE
Births, Marriages, and Deaths

HANCOCK

| TOWNS. | Population in 1900. | BIRTHS. | | | | | | | | | |
|-------------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| | | | | | | | | | | | |
| Stonington | 1,648 | 33 | 41 | — | 74 | 44.90 | 51 | 16 | 5 | 1 | 1 |
| Sullivan | 1,034 | 12 | 16 | — | 28 | 27.08 | 24 | 1 | 1 | 2 | — |
| Surry | 900 | 6 | 7 | — | 13 | 14.44 | 13 | — | — | — | — |
| Swan's Island | 758 | 10 | 11 | — | 21 | 27.70 | 18 | 2 | — | 1 | — |
| Tremont | 2,010 | 26 | 10 | — | 36 | 17.91 | 33 | — | 2 | 1 | — |
| Trenton | 459 | 5 | 4 | — | 9 | 19.61 | 8 | — | 1 | — | — |
| Verona | 234 | 3 | 3 | — | 6 | 25.64 | 6 | — | — | — | — |
| Waltham | 192 | 3 | — | — | 3 | 15.63 | 3 | — | — | — | — |
| Winter Harbor | 571 | 6 | 10 | — | 16 | 28.02 | 13 | 1 | — | 1 | 1 |
| Long Island Pl. | 174 | 3 | 5 | — | 8 | 46.00 | 7 | — | 1 | — | — |
| No. 8 Pl. | 17 | 1 | — | — | 1 | 58.82 | 1 | — | — | — | — |
| No. 21 Pl. | 58 | 2 | 2 | — | 4 | 68.96 | 2 | — | — | 2 | — |
| No. 33 Pl. | 82 | 1 | 1 | — | 2 | 24.39 | 2 | — | — | — | — |
| Total | *37,056 | 374 | 377 | 2 | 753 | 20.32 | 652 | 37 | 30 | 27 | 7 |

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.
for the Year 1908.

COUNTY—CONCLUDED.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 19 | - | - | 5 | - | 24 | 26 | 16 | - | 42 | 38 | 4 | - | 25.49 |
| 10 | 1 | 1 | - | - | 12 | 9 | 5 | - | 14 | 14 | - | - | 13.54 |
| 4 | - | - | - | - | 4 | 5 | 5 | - | 10 | 10 | - | - | 11.11 |
| 5 | - | 1 | 1 | - | 7 | 2 | 2 | - | 4 | 4 | - | - | 5.28 |
| 12 | - | - | - | - | 12 | 10 | 7 | - | 17 | 17 | - | - | 8.46 |
| 2 | - | 2 | - | - | 4 | 4 | 6 | - | 10 | 10 | - | - | 21.79 |
| 3 | - | - | - | - | 3 | 5 | 2 | - | 7 | 7 | - | - | 29.91 |
| 2 | - | - | - | - | 2 | 2 | - | - | 2 | 1 | - | 1 | 10.42 |
| 7 | - | - | 2 | - | 9 | 5 | 7 | - | 12 | 11 | - | 1 | 21.02 |
| 2 | - | 1 | - | - | 3 | 2 | 1 | - | 3 | 3 | - | - | 17.24 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1 | - | - | - | - | 1 | 1 | - | - | 1 | 1 | - | - | 17.24 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 293 | 4 | 16 | 13 | - | 326 | 302 | 253 | - | 555 | 518 | 27 | 10 | 14.98 |

TABLE
Births, Marriages, and Deaths

KENNEBEC

| TOWNS. | Population in 1900. | BIRTHS. | | | | | | | | | |
|--------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| | | | | | | | | | | | |
| Albion | 878 | 5 | 10 | - | 15 | 17.08 | 14 | - | 1 | - | - |
| Augusta | 11,683 | 159 | 125 | - | 284 | 24.31 | 148 | 87 | 29 | 18 | 2 |
| Belgrade | 1,058 | 11 | 9 | - | 20 | 18.90 | 18 | - | 1 | 1 | - |
| Beaton | 1,097 | 14 | 10 | - | 24 | 21.88 | 19 | 1 | - | 4 | - |
| Chelsea | 3,092 | 7 | 7 | - | 14 | 4.53 | 10 | 2 | 1 | 1 | - |
| China | 1,380 | 9 | 11 | - | 20 | 14.49 | 19 | - | - | 1 | - |
| Clinton | 1,398 | 19 | 11 | - | 30 | 21.46 | 26 | 2 | - | 2 | - |
| Farmingdale | 848 | 2 | 4 | - | 7 | 8.25 | 5 | 1 | 1 | - | - |
| Fayette | 560 | 6 | 3 | - | 9 | 16.07 | 6 | 2 | 1 | - | - |
| Gardiner | 5,501 | 58 | 53 | - | 111 | 20.18 | 73 | 15 | 10 | 13 | - |
| Hallowell | 2,714 | 18 | 21 | - | 39 | 14.37 | 34 | - | 2 | 3 | - |
| Litchfield | 1,037 | 5 | 4 | - | 9 | 8.51 | 6 | 1 | - | 2 | - |
| Manchester | 518 | 3 | - | - | 3 | 5.79 | 2 | - | - | 1 | - |
| Monmouth | 1,236 | 10 | 8 | - | 18 | 14.56 | 15 | 2 | - | 1 | - |
| Mount Vernon | 906 | 10 | 6 | - | 16 | 17.66 | 14 | 2 | - | - | - |
| Oakland | 1,913 | 19 | 26 | - | 45 | 23.52 | 36 | 2 | 2 | 2 | 3 |
| Pittston | 1,177 | 7 | 9 | - | 16 | 13.59 | 16 | - | - | - | - |
| Randolph | 1,077 | 12 | 9 | - | 21 | 19.50 | 18 | 1 | 1 | 1 | - |
| Readfield | 994 | 8 | 5 | - | 13 | 13.08 | 8 | 4 | 1 | - | - |
| Rome | 420 | 4 | 4 | - | 8 | 19.05 | 8 | - | - | - | - |
| Sidney | 1,068 | 17 | 6 | - | 23 | 21.54 | 20 | 1 | 2 | - | - |
| Vassalboro | 2,062 | 22 | 14 | - | 36 | 17.46 | 23 | 8 | 1 | 4 | - |
| Vienna | 406 | 4 | 4 | - | 8 | 19.70 | 8 | - | - | - | - |

No. 6—Continued.

for the Year 1908.

COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| | | | | | | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 7 | - | - | - | - | 7 | 16 | 8 | - | 24 | 21 | - | 3 | 27.33 |
| 57 | 26 | 11 | 11 | - | 105 | 156 | 118 | - | 274 | 217 | 51 | 6 | 23.45 |
| 9 | - | - | - | - | 9 | 13 | 13 | - | 26 | 24 | 2 | - | 24.57 |
| 11 | - | 1 | 1 | - | 13 | 13 | 8 | - | 21 | 19 | 2 | - | 19.14 |
| 2 | - | - | - | - | 2 | 7 | 8 | - | 15 | 13 | 1 | 1 | 4.85 |
| 13 | - | 1 | - | - | 14 | 15 | 14 | - | 29 | 27 | 1 | 1 | 21.01 |
| 17 | - | - | 1 | - | 18 | 14 | 8 | - | 22 | 22 | - | - | 15.74 |
| 4 | - | - | - | - | 4 | 6 | 5 | - | 11 | 9 | 2 | - | 12.97 |
| 2 | - | - | - | - | 2 | 7 | 3 | - | 10 | 10 | - | - | 17.86 |
| 45 | - | 7 | 7 | - | 59 | 43 | 56 | - | 99 | 90 | 9 | - | 18.00 |
| 12 | - | 1 | 1 | - | 14 | 22 | 28 | - | 50 | 43 | 6 | 1 | 18.42 |
| 10 | - | - | 1 | - | 11 | 4 | 18 | - | 22 | 21 | 1 | - | 20.81 |
| 3 | - | - | - | - | 3 | 6 | 7 | - | 13 | 12 | 1 | - | 25.10 |
| 4 | - | - | - | - | 4 | 7 | 11 | - | 18 | 18 | - | - | 14.56 |
| 3 | - | - | - | - | 3 | 9 | 8 | - | 17 | 17 | - | - | 18.76 |
| 25 | - | 1 | 2 | - | 28 | 19 | 19 | - | 38 | 36 | 2 | - | 19.86 |
| 4 | - | - | 1 | - | 5 | 6 | 4 | - | 10 | 9 | - | 1 | 9.50 |
| 9 | 2 | - | - | - | 11 | 11 | 14 | - | 25 | 23 | 2 | - | 23.21 |
| 3 | - | - | - | - | 3 | 15 | 4 | - | 19 | 18 | - | 1 | 19.11 |
| 5 | - | 1 | - | - | 6 | 5 | 3 | - | 8 | 8 | - | - | 19.05 |
| 2 | - | - | 2 | - | 4 | 13 | 6 | - | 19 | 18 | 1 | - | 17.79 |
| 15 | 3 | 1 | 1 | - | 20 | 13 | 21 | - | 34 | 31 | 3 | - | 16.49 |
| 3 | - | - | - | - | 3 | 1 | 7 | - | 8 | 8 | - | - | 19.70 |

TABLE
Births, Marriages, and Deaths

KENNEBEC

| TOWNS. | Population in 1900. | BIRTHS. | | | | | | | | | |
|--------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| | | | | | | | | | | | |
| Waterville..... | 9,477 | 144 | 159 | 1 | 304 | 32.08 | 114 | 105 | 44 | 37 | 4 |
| Wayne..... | 707 | 3 | 1 | — | 4 | 5.66 | 4 | — | — | — | — |
| West Gardiner..... | 693 | 6 | 3 | — | 9 | 12.99 | 9 | — | — | — | — |
| Windsor..... | 782 | 7 | 5 | — | 12 | 15.35 | 12 | — | — | — | — |
| Winslow..... | 2,277 | 32 | 43 | — | 75 | 32.94 | 16 | 49 | 6 | 4 | — |
| Winthrop..... | 2,088 | 23 | 18 | — | 41 | 19.64 | 24 | 11 | 2 | 4 | — |
| Unity Pl..... | 50 | — | 1 | — | 1 | 20.00 | 1 | — | — | — | — |
| Togus..... | — | — | 1 | — | 1 | — | 1 | — | — | — | — |
| Total..... | 59,117 | 645 | 590 | 1 | 1,236 | 20.91 | 727 | 296 | 105 | 99 | 9 |

No. 6—Continued.
for the Year 1908.

COUNTY—CONCLUDED.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | SEX. | | | | NATIVITY. | | | Death rate per 1,000. |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 68 | 16 | 13 | 19 | - | 116 | 85 | 111 | - | 196 | 148 | 46 | 2 | 20.68 |
| - | - | 1 | - | - | 1 | 10 | 4 | - | 14 | 14 | - | - | 19.80 |
| 4 | - | - | - | - | 4 | 10 | 8 | - | 18 | 16 | 1 | 1 | 25.98 |
| 3 | - | - | - | - | 3 | 5 | 6 | - | 11 | 11 | - | - | 14.07 |
| 9 | 21 | 2 | 3 | - | 35 | 32 | 14 | - | 46 | 37 | 9 | - | 20.20 |
| 8 | - | - | 3 | - | 11 | 22 | 15 | - | 37 | 34 | 2 | 1 | 17.72 |
| - | - | - | - | - | - | 1 | - | - | 1 | 1 | - | - | 20.00 |
| 1 | - | - | - | - | 1 | 9 | - | - | 9 | 7 | - | 2 | - |
| 358 | 68 | 40 | 53 | | 519 | 595 | 549 | | 1,144 | 982 | 142 | 20 | 19.35 |

TABLE
Births, Marriages, and Deaths

KNCX

| TOWNS. | Population in 1900. | BIRTHS. | | | | | | | | | |
|------------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| Appleton..... | 975 | 11 | 9 | - | 20 | 20.51 | 17 | - | 1 | 2 | - |
| Camden..... | 2,825 | 27 | 23 | - | 50 | 17.70 | 39 | 2 | 2 | 6 | 1 |
| Cushing..... | 604 | 3 | 6 | - | 9 | 14.90 | 7 | - | 2 | - | - |
| Friendship..... | 814 | 11 | 3 | - | 14 | 17.20 | 12 | - | - | 2 | - |
| Hope..... | 599 | 5 | 9 | - | 14 | 23.37 | 12 | - | 1 | - | 1 |
| Hurricane Isle..... | 257 | 2 | 1 | - | 3 | 11.67 | - | 3 | - | - | - |
| North Haven..... | 551 | 10 | 2 | - | 12 | 21.78 | 11 | - | - | 1 | - |
| Rockland..... | 8,150 | 64 | 49 | - | 113 | 13.87 | 85 | 18 | 3 | 5 | 2 |
| Rockport..... | 2,314 | 18 | 18 | - | 36 | 15.56 | 31 | 3 | 1 | 1 | - |
| St. George..... | 2,206 | 20 | 27 | - | 47 | 21.26 | 32 | 9 | 4 | 2 | - |
| South Thomaston..... | 1,426 | 20 | 3 | - | 23 | 16.13 | 16 | 4 | 1 | 2 | - |
| Thomaston..... | 2,688 | 7 | 9 | - | 16 | 5.96 | 15 | 1 | - | - | - |
| Union..... | 1,248 | 11 | 12 | - | 23 | 18.43 | 22 | - | - | 1 | - |
| Vinalhaven..... | 2,358 | 17 | 18 | - | 35 | 14.84 | 27 | 2 | 4 | 1 | 1 |
| Warren..... | 2,069 | 12 | 9 | - | 21 | 10.15 | 18 | - | 1 | 2 | - |
| Washington..... | 1,019 | 8 | 8 | - | 16 | 15.70 | 16 | - | - | - | - |
| Matinicus Isle Pl..... | 184 | 2 | - | - | 2 | 10.87 | 2 | - | - | - | - |
| Total..... | *30,287 | 248 | 206 | - | 454 | 14.99 | 362 | 42 | 20 | 25 | 5 |

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.

for the Year 1908.

COUNTY.

| MARRIAGE. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| | | | | | | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 3 | - | - | - | - | 3 | 11 | 8 | - | 19 | 19 | - | - | 19.49 |
| 28 | 1 | 1 | 1 | - | 31 | 24 | 27 | - | 51 | 50 | 1 | - | 18.06 |
| 3 | - | - | - | - | 3 | 6 | 5 | - | 11 | 11 | - | - | 18.21 |
| 3 | - | - | - | - | 3 | 4 | 7 | - | 11 | 10 | 1 | - | 13.51 |
| 1 | - | - | - | 1 | 2 | 3 | 5 | - | 8 | 8 | - | - | 13.36 |
| - | 1 | - | - | - | 1 | 5 | - | - | 5 | 4 | 1 | - | 19.46 |
| 1 | - | - | - | - | 1 | 2 | 5 | - | 7 | 7 | - | - | 12.70 |
| 53 | 6 | 3 | 4 | 1 | 67 | 72 | 61 | - | 133 | 125 | 8 | - | 16.32 |
| 10 | - | - | - | - | 10 | 16 | 14 | - | 30 | 30 | - | - | 12.96 |
| 7 | 6 | - | - | - | 13 | 12 | 19 | - | 31 | 28 | 3 | - | 14.05 |
| 3 | 1 | - | - | - | 4 | 16 | 13 | - | 29 | 24 | 4 | 1 | 20.24 |
| 19 | - | - | 1 | - | 20 | 37 | 17 | - | 54 | 47 | 7 | - | 20.09 |
| 7 | - | - | 1 | - | 8 | 8 | 8 | - | 16 | 15 | 1 | - | 12.83 |
| 14 | 1 | - | 1 | - | 15 | 14 | 14 | - | 28 | 27 | 1 | - | 11.87 |
| 14 | - | 1 | - | - | 15 | 12 | 12 | - | 24 | 24 | - | - | 11.60 |
| 6 | - | - | - | - | 6 | 7 | 7 | - | 14 | 14 | - | - | 13.74 |
| - | - | - | - | - | - | - | 2 | - | 2 | 2 | - | - | 10.87 |
| 172 | 16 | 5 | 8 | 2 | 203 | 240 | 224 | - | 473 | 445 | 27 | 1 | 15.62 |

TABLE
Births, Marriages, and Deaths

LINCOLN

| TOWNS | Population in 1900. | BIRTHS. | | | | | | | | | |
|----------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| Alna..... | 444 | 6 | 4 | - | 10 | 22.52 | 7 | 1 | 1 | 1 | - |
| Boothbay..... | 1,766 | 25 | 13 | - | 38 | 21.52 | 34 | - | 2 | 1 | 1 |
| Boothbay Harbor..... | 1,926 | 16 | 25 | - | 41 | 21.29 | 40 | - | 1 | - | - |
| Bremen..... | 657 | 5 | 3 | - | 8 | 12.18 | 7 | - | - | 1 | - |
| Bristol..... | 2,572 | 27 | 22 | - | 49 | 19.05 | 46 | - | 1 | 2 | - |
| Damariscotta..... | 876 | 4 | 6 | - | 10 | 11.42 | 8 | 1 | - | 1 | - |
| Dresden..... | 882 | 9 | 2 | - | 11 | 12.47 | 10 | - | 1 | - | - |
| Edgecomb..... | 607 | 4 | 4 | - | 8 | 13.18 | 8 | - | - | - | - |
| Jefferson..... | 1,155 | 6 | 5 | - | 11 | 9.52 | 11 | - | - | - | - |
| Newcastle..... | 1,075 | 8 | 14 | - | 22 | 20.47 | 21 | 1 | - | - | - |
| Nobleboro..... | 810 | 5 | 9 | - | 14 | 17.28 | 13 | - | - | 1 | - |
| Somerville..... | 374 | 6 | 5 | - | 11 | 29.41 | 10 | - | - | 1 | - |
| Southport..... | 527 | 5 | 4 | - | 9 | 17.08 | 9 | - | - | - | - |
| Waldoboro..... | 3,145 | 11 | 17 | - | 28 | 8.90 | 26 | - | 1 | 1 | - |
| Westport..... | 330 | 6 | 1 | - | 7 | 21.21 | 7 | - | - | - | - |
| Whitefield..... | 1,156 | 12 | 5 | - | 17 | 14.71 | 16 | - | - | 1 | - |
| Wisasset..... | 1,273 | 15 | 12 | - | 27 | 21.21 | 23 | 1 | 1 | 2 | - |
| Monhegan Pl..... | 94 | - | - | - | - | - | - | - | - | - | - |
| Total..... | 19,669 | 170 | 151 | - | 321 | 16.32 | 296 | 4 | 8 | 12 | 1 |

No. 6—Continued.

for the Year 1908.

COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 3 | - | - | - | - | 3 | 1 | 6 | - | 7 | 7 | - | - | 15.77 |
| 9 | - | 2 | - | - | 11 | 10 | 16 | - | 26 | 22 | 3 | 1 | 14.72 |
| 15 | - | 1 | - | - | 16 | 12 | 15 | - | 27 | 23 | 3 | 1 | 14.02 |
| 3 | - | - | - | - | 3 | 6 | 3 | - | 9 | 9 | - | - | 13.70 |
| 11 | - | 1 | - | - | 12 | 13 | 22 | - | 35 | 30 | 3 | 2 | 13.61 |
| 6 | - | - | 1 | - | 7 | 5 | 10 | - | 15 | 15 | - | - | 17.12 |
| 3 | - | - | 1 | - | 4 | 9 | 5 | - | 14 | 14 | - | - | 15.87 |
| 4 | - | - | - | - | 4 | 1 | 6 | - | 7 | 6 | - | 1 | 11.53 |
| 7 | - | - | 1 | - | 8 | 12 | 22 | - | 34 | 34 | - | - | 29.44 |
| 7 | - | - | - | - | 7 | 17 | 9 | - | 26 | 25 | 1 | - | 24.18 |
| 15 | - | - | - | - | 15 | 5 | 5 | - | 10 | 10 | - | - | 12.35 |
| 5 | - | - | - | - | 5 | 5 | 3 | - | 8 | 8 | - | - | 21.39 |
| 6 | - | - | - | - | 6 | 6 | 5 | - | 11 | 11 | - | - | 20.87 |
| 20 | 1 | - | - | 1 | 22 | 29 | 23 | - | 52 | 48 | 2 | 2 | 16.53 |
| - | - | - | - | - | - | 6 | 1 | - | 7 | 7 | - | - | 21.21 |
| 6 | - | - | - | - | 6 | 17 | 13 | - | 30 | 29 | 1 | - | 25.95 |
| 8 | - | - | - | - | 8 | 8 | 12 | - | 20 | 18 | 1 | 1 | 15.71 |
| - | - | - | - | - | - | - | 2 | - | 2 | 2 | - | - | 21.28 |
| 128 | 1 | 4 | 3 | 1 | 137 | 162 | 178 | | 340 | 318 | 14 | 8 | 17.29 |

TABLE
Births, Marriages, and Deaths

OXFORD

| Towns | Population in 1900. | BIRTHS. | | | | | | | | | |
|-----------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | Rate per 1,000. | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| Albany..... | 538 | 8 | 2 | - | 10 | 18.59 | 9 | - | - | 1 | - |
| Andover..... | 727 | 9 | 12 | - | 21 | 28.89 | 17 | - | 2 | 1 | 1 |
| Bethel..... | 1,835 | 11 | 16 | - | 27 | 14.71 | 21 | - | 2 | 4 | - |
| Brownfield..... | 1,019 | 10 | 6 | - | 16 | 15.70 | 15 | - | - | 1 | - |
| Buckfield..... | 1,139 | 9 | 9 | - | 18 | 15.80 | 17 | - | - | - | 1 |
| Byron..... | 204 | 1 | 1 | - | 2 | 9.80 | - | 1 | - | 1 | - |
| Canton..... | 946 | 16 | 10 | - | 26 | 27.48 | 15 | 8 | 3 | - | - |
| Denmark..... | 634 | 3 | 2 | - | 5 | 7.89 | 5 | - | - | - | - |
| Dixfield..... | 1,052 | 16 | 9 | - | 25 | 23.76 | 21 | 1 | 2 | 1 | - |
| Fryeburg..... | 1,376 | 3 | 11 | - | 14 | 10.17 | 9 | 1 | 2 | 2 | - |
| Gilead..... | 340 | 5 | 2 | - | 7 | 20.58 | 3 | 1 | 3 | - | - |
| Grafton..... | 81 | 2 | - | - | 2 | 24.69 | - | - | 2 | - | - |
| Greenwood..... | 741 | 7 | 13 | - | 20 | 26.99 | 15 | 4 | - | 1 | - |
| Hanover..... | 214 | 1 | 5 | - | 6 | 28.04 | 5 | - | - | 1 | - |
| Hartford..... | 660 | 8 | 7 | - | 15 | 22.73 | 9 | 3 | 3 | - | - |
| Hebron..... | 494 | 7 | 4 | - | 11 | 22.27 | 9 | 1 | - | 1 | - |
| Hiram..... | 1,015 | 14 | 13 | - | 27 | 26.60 | 26 | - | - | 1 | - |
| Lovell..... | 693 | 8 | 1 | - | 9 | 12.99 | 9 | - | - | - | - |
| Mason..... | 67 | 2 | 1 | - | 3 | 44.78 | 3 | - | - | - | - |
| Mexico..... | 816 | 44 | 37 | - | 81 | 99.26 | 33 | 32 | 12 | 4 | - |
| Newry..... | 286 | 6 | 2 | - | 8 | 27.97 | 7 | - | 1 | - | - |
| Norway..... | 2,902 | 40 | 24 | - | 64 | 22.05 | 43 | 4 | 9 | 7 | 1 |
| Oxford..... | 1,331 | 7 | 12 | - | 19 | 14.27 | 13 | 4 | - | 1 | 1 |

No. 6—Continued.

for the Year 1908.

COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | SEX. | | | | NATIVITY. | | | Death rate per 1,000. |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 2 | - | - | - | - | 2 | 6 | 3 | - | 9 | 9 | - | - | 16.73 |
| 7 | - | - | - | - | 7 | 9 | 2 | - | 11 | 8 | 2 | 1 | 15.13 |
| 5 | - | - | 1 | - | 6 | 13 | 15 | - | 28 | 27 | 1 | - | 15.26 |
| 11 | - | - | - | - | 11 | 6 | 10 | - | 16 | 15 | 1 | - | 15.70 |
| 6 | - | - | - | - | 6 | 9 | 5 | - | 14 | 14 | - | - | 12.29 |
| - | - | - | - | - | - | 2 | - | - | 2 | 2 | - | - | 9.80 |
| 6 | - | - | - | - | 6 | 11 | 10 | - | 21 | 20 | 1 | - | 12.29 |
| 5 | 1 | 3 | - | - | 9 | 7 | 5 | - | 12 | 11 | 1 | - | 18.93 |
| 16 | - | 1 | - | - | 17 | 11 | 10 | - | 21 | 21 | - | - | 19.96 |
| 10 | - | - | - | - | 10 | 4 | 8 | - | 12 | 12 | - | - | 8.72 |
| - | - | - | - | - | - | 3 | 2 | - | 5 | 4 | - | 1 | 14.71 |
| 1 | - | - | - | - | 1 | 1 | 1 | - | 2 | 2 | - | - | 24.69 |
| 5 | - | - | - | - | 5 | 5 | 5 | - | 10 | 8 | 1 | 1 | 13.98 |
| 1 | - | - | - | - | 1 | 1 | 2 | - | 3 | 3 | - | - | 14.02 |
| 6 | - | 1 | - | - | 7 | 2 | 8 | - | 10 | 10 | - | - | 15.15 |
| 4 | - | - | - | - | 4 | 4 | 8 | - | 12 | 12 | - | - | 24.29 |
| 10 | - | - | - | - | 10 | 7 | 8 | - | 15 | 15 | - | - | 14.78 |
| 5 | - | 1 | - | - | 6 | 4 | 6 | - | 10 | 10 | - | - | 14.43 |
| - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| 7 | 2 | 2 | 2 | - | 13 | 17 | 21 | - | 38 | 31 | 7 | - | 46.32 |
| 2 | - | - | - | - | 2 | 4 | 1 | - | 5 | 5 | - | - | 17.48 |
| 23 | 1 | 1 | 3 | - | 28 | 23 | 31 | - | 54 | 48 | 6 | - | 18.61 |
| 6 | - | 2 | - | - | 8 | 8 | 9 | - | 17 | 17 | - | - | 12.77 |

TABLE
Births, Marriages, and Deaths

OXFORD

| TOWNS. | BIRTHS. | | | | | | | | | | |
|------------------------|---------------------|-------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | Population in 1900. | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| Paris | 3,225 | 39 | 39 | - | 78 | 24.19 | 64 | 7 | 5 | 2 | - |
| Peru | 773 | 4 | 10 | - | 14 | 18.11 | 13 | 1 | - | - | - |
| Porter | 886 | 4 | 3 | - | 7 | 7.90 | 6 | - | - | 1 | - |
| Roxbury | 238 | 3 | 4 | - | 7 | 29.41 | 4 | 2 | - | 1 | - |
| Rumford | 3,770 | 150 | 128 | - | 278 | 82.49 | 57 | 183 | 23 | 14 | 1 |
| Stoneham | 284 | 7 | 4 | - | 11 | 38.73 | 11 | - | - | - | - |
| Stow | 270 | 4 | 6 | - | 10 | 37.04 | 10 | - | - | - | - |
| Sumner | 802 | 10 | 8 | - | 18 | 22.44 | 16 | - | 1 | - | 1 |
| Sweden | 282 | 3 | 3 | - | 6 | 21.27 | 5 | - | 1 | - | - |
| Upton | 242 | 2 | - | - | 2 | 8.26 | 1 | - | 1 | - | - |
| Waterford | 917 | 11 | 8 | - | 19 | 20.72 | 16 | 1 | - | 2 | - |
| Woodstock | 816 | 6 | 6 | - | 12 | 14.71 | 9 | 2 | - | 1 | - |
| Lincoln Pl. | 73 | - | - | - | - | - | - | - | - | - | - |
| Magalloway Pl. | 77 | 1 | - | - | 1 | 12.99 | 1 | - | - | - | - |
| Milton Pl. | 202 | 5 | 1 | - | 6 | 29.70 | 6 | - | - | - | - |
| Bachelor's Grant | 173 | - | 1 | - | 1 | 5.78 | 1 | - | - | - | - |
| Total | *32,140 | 486 | 420 | - | 906 | 28.19 | 524 | 256 | 72 | 48 | 6 |

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.
for the Year 1908.

COUNTY—CONCLUDED.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | SEX. | | | | NATIVITY. | | | Death rate per 1,000. |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 31 | 8 | 1 | 4 | - | 44 | 22 | 26 | - | 48 | 44 | 3 | 1 | 14.88 |
| 7 | - | - | - | - | 7 | 6 | 11 | - | 17 | 15 | 2 | - | 21.99 |
| 9 | - | 1 | - | - | 10 | 4 | 5 | - | 9 | 9 | - | - | 10.16 |
| 1 | 1 | - | - | - | 2 | - | 2 | - | 2 | 1 | 1 | - | 12.61 |
| 27 | 40 | 12 | 18 | - | 97 | 63 | 36 | - | 99 | 61 | 36 | 2 | 26.26 |
| 4 | - | - | - | - | 4 | 3 | 1 | - | 4 | 4 | - | - | 14.08 |
| 3 | - | - | - | - | 3 | 2 | - | - | 2 | 2 | - | - | 7.41 |
| 6 | - | - | - | - | 6 | 5 | 1 | - | 6 | 6 | - | - | 7.47 |
| 1 | - | - | - | - | 1 | 1 | - | - | 1 | 1 | - | - | 3.55 |
| 1 | - | - | 2 | - | 3 | 2 | - | - | 2 | 1 | 1 | - | 8.26 |
| 5 | 1 | - | - | - | 6 | 11 | 11 | - | 22 | 22 | - | - | 23.99 |
| 3 | 1 | 1 | 1 | - | 6 | 8 | 9 | - | 17 | 15 | 2 | - | 20.83 |
| 1 | - | - | - | - | 1 | 1 | - | - | 1 | 1 | - | - | 13.69 |
| - | - | - | - | - | - | 1 | - | - | 1 | 1 | - | - | 12.99 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - | - | - | - | - | - | 1 | 2 | - | 3 | 3 | - | - | 17.34 |
| 237 | 55 | 26 | 32 | - | 350 | 287 | 274 | - | 561 | 490 | 65 | 6 | 17.45 |

TABLE
Births, Marriages, and Deaths

PENOBSCOT

| TOWNS. | Population in 1900. | BIRTHS. | | | | | | | | | |
|-----------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| Alton..... | 314 | 4 | 1 | - | 5 | 15.92 | 4 | - | 1 | - | - |
| Argyle..... | 320 | - | 1 | - | 1 | 3.12 | 1 | - | - | - | - |
| Bangor..... | 21,850 | 189 | 169 | 1 | 359 | 16.43 | 188 | 81 | 40 | 35 | 15 |
| Bradford..... | 954 | 8 | 4 | - | 12 | 12.58 | 11 | 1 | - | - | - |
| Bradley..... | 682 | 3 | 6 | - | 9 | 13.20 | 5 | 2 | 2 | - | - |
| Brewer..... | 4,835 | 84 | 82 | - | 166 | 34.33 | 74 | 50 | 20 | 22 | - |
| Burlington..... | 394 | 2 | 3 | - | 5 | 12.69 | 5 | - | - | - | - |
| Carmel..... | 932 | 11 | 8 | - | 19 | 20.39 | 17 | - | 2 | - | - |
| Carroll..... | 487 | 4 | 5 | - | 9 | 18.48 | 7 | - | 1 | 1 | - |
| Charleston..... | 842 | 8 | 14 | - | 22 | 26.13 | 21 | - | - | 1 | - |
| Chester..... | 363 | - | 3 | - | 3 | 8.26 | 2 | - | 1 | - | - |
| Clifton..... | 236 | 2 | 5 | - | 7 | 29.66 | 7 | - | - | - | - |
| Corinna..... | 1,170 | 16 | 5 | - | 21 | 17.95 | 19 | - | 1 | 1 | - |
| Corinth..... | 1,042 | 6 | 12 | - | 18 | 17.27 | 15 | - | 1 | 2 | - |
| Dexter..... | 2,941 | 44 | 25 | 1 | 70 | 23.80 | 46 | 9 | 7 | 8 | - |
| Dixmont..... | 843 | 4 | 4 | - | 8 | 9.49 | 8 | - | - | - | - |
| East Millinocket..... | - | 26 | 15 | - | 41 | - | 15 | 13 | 10 | 3 | - |
| Eddington..... | 663 | 6 | 4 | - | 10 | 15.08 | 7 | - | 1 | 2 | - |
| Edinburg..... | 65 | 1 | - | - | 1 | 15.38 | 1 | - | - | - | - |
| Enfield..... | 1,062 | 18 | 13 | - | 31 | 29.19 | 21 | - | 5 | 5 | - |
| Etna..... | 527 | 2 | - | - | 2 | 3.80 | 1 | - | - | - | 1 |
| Exeter..... | 879 | 6 | 7 | - | 13 | 14.79 | 13 | - | - | - | - |
| Garland..... | 857 | 3 | 5 | - | 8 | 9.33 | 6 | 1 | 1 | - | - |
| Glenburn..... | 461 | 5 | 3 | - | 8 | 17.35 | 8 | - | - | - | - |
| Greenbush..... | 586 | 3 | 2 | - | 5 | 8.53 | 5 | - | - | - | - |
| Greenfield..... | 160 | 3 | 1 | - | 4 | 25.00 | 3 | - | - | 1 | - |

No. 6—Continued.
for the Year 1908.

COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 3 | - | - | - | - | 3 | 1 | - | - | 1 | 1 | - | - | 3.18 |
| - | - | 2 | - | - | 2 | - | 2 | - | 2 | 1 | 1 | - | 6.24 |
| 157 | 28 | 38 | 28 | - | 251 | 221 | 191 | - | 412 | 305 | 85 | 22 | 18.86 |
| 4 | - | - | - | - | 4 | 5 | 7 | - | 12 | 12 | - | - | 12.58 |
| 6 | 1 | - | 1 | - | 8 | 8 | 4 | - | 12 | 9 | 3 | - | 17.60 |
| 22 | 9 | 1 | 1 | 1 | 34 | 45 | 41 | - | 86 | 69 | 17 | - | 17.79 |
| 4 | - | 1 | - | - | 5 | 5 | 2 | - | 7 | 6 | 1 | - | 17.76 |
| 8 | - | 1 | - | - | 9 | 9 | 5 | - | 14 | 14 | - | - | 15.02 |
| 5 | - | 1 | - | - | 6 | 2 | - | - | 2 | 2 | - | - | 4.11 |
| 11 | - | - | - | - | 11 | 8 | 5 | - | 13 | 12 | - | 1 | 15.44 |
| 2 | - | - | - | - | 2 | 2 | 2 | - | 4 | 3 | 1 | - | 11.02 |
| 3 | - | - | - | - | 3 | 2 | 2 | - | 4 | 4 | - | - | 16.95 |
| 5 | - | - | - | 1 | 6 | 10 | 12 | - | 22 | 22 | - | - | 18.80 |
| 10 | - | - | - | - | 10 | 7 | 12 | - | 19 | 18 | - | 1 | 18.23 |
| 25 | 1 | 1 | 1 | - | 28 | 28 | 22 | - | 50 | 44 | 6 | - | 17.00 |
| 6 | - | 1 | - | - | 7 | 6 | 5 | - | 11 | 11 | - | - | 13.05 |
| 5 | 1 | - | 2 | - | 8 | 7 | 4 | - | 11 | 7 | 4 | - | - |
| 3 | - | - | - | - | 3 | 6 | 6 | - | 12 | 12 | - | - | 18.10 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 8 | - | - | - | - | 8 | 12 | 2 | - | 14 | 14 | - | - | 13.18 |
| 6 | - | - | - | - | 6 | 3 | - | - | 3 | 3 | - | - | 5.69 |
| 5 | - | 1 | - | - | 6 | 4 | 4 | 1 | 9 | 7 | 2 | - | 10.24 |
| 5 | - | - | - | - | 5 | 12 | 4 | - | 16 | 16 | - | - | 18.66 |
| 2 | - | 2 | - | - | 4 | 9 | 1 | - | 10 | 8 | 2 | - | 21.69 |
| 6 | - | - | - | - | 6 | 3 | 1 | - | 4 | 4 | - | - | 6.83 |
| - | - | 1 | - | - | 1 | 1 | 1 | - | 2 | 1 | - | 1 | 12.50 |

TABLE
Births, Marriages, and Deaths

PENOBSCOT

| Towns. | Population in 1900. | BIRTHS. | | | | | | | | | |
|--------------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| | | | | | | | | | | | |
| Hampden | 2,182 | 18 | 15 | — | 33 | 15.12 | 30 | — | 1 | 2 | — |
| Hermon | 1,183 | 10 | 6 | — | 13 | 13.53 | 15 | 1 | — | — | — |
| Holden | 602 | 6 | 3 | — | 9 | 14.95 | 4 | 2 | 3 | — | — |
| Howland | 519 | 6 | 7 | — | 13 | 25.05 | 7 | 2 | 4 | — | — |
| Hudson | 430 | 2 | 3 | — | 5 | 11.63 | 5 | — | — | — | — |
| Kenduskeag | 423 | 5 | 3 | — | 3 | 18.91 | 7 | 1 | — | — | — |
| Kingman | 936 | 18 | 12 | — | 30 | 32.05 | 14 | 4 | 6 | 5 | 1 |
| Lagrange | 574 | 10 | 2 | — | 12 | 20.91 | 9 | 2 | — | — | 1 |
| Lee | 801 | 9 | 7 | — | 16 | 19.98 | 12 | — | 4 | — | — |
| Levant | 789 | 6 | 6 | — | 12 | 15.21 | 10 | — | 1 | — | 1 |
| Lincoln | 1,731 | 23 | 19 | — | 42 | 24.26 | 30 | 3 | 5 | 4 | — |
| Lowell | 300 | 2 | 2 | — | 4 | 13.33 | 4 | — | — | — | — |
| Mattamiscontis | 28 | — | — | — | — | — | — | — | — | — | — |
| Mattawamkeag | 527 | 12 | 7 | — | 19 | 36.05 | 17 | — | 2 | — | — |
| Maxfield | 115 | 1 | — | — | — | 8.70 | 1 | — | — | — | — |
| Medway | 297 | — | 1 | — | 1 | 3.37 | — | — | 1 | — | — |
| Milford | 838 | 15 | 6 | — | 21 | 25.06 | 15 | 1 | 2 | 2 | 1 |
| Millinocket | 1,144 | 90 | 91 | — | 181 | 158.22 | 43 | 97 | 30 | 11 | — |
| Mt. Chase | 299 | 6 | 4 | — | 10 | 33.44 | 7 | — | — | 3 | — |
| Newburg | 734 | 7 | 3 | — | 10 | 13.62 | 6 | — | 2 | 2 | — |
| Newport | 1,533 | 16 | 19 | — | 35 | 22.83 | 27 | 1 | 3 | 2 | 2 |
| Old Town | 5,763 | 74 | 83 | — | 157 | 27.24 | 64 | 50 | 22 | 21 | — |
| Orono | 3,257 | 40 | 61 | — | 101 | 31.01 | 33 | 37 | 14 | 17 | — |
| Orrington | 1,266 | 20 | 8 | — | 28 | 22.12 | 23 | 1 | 4 | — | — |
| Passadumkeag | 409 | 3 | 3 | — | 6 | 14.67 | 6 | — | — | — | — |
| Patten | 1,172 | 20 | 22 | — | 42 | 35.84 | 27 | 2 | 8 | 5 | — |

No. 6—Continued.

for the Year 1908.

COUNTY—CONTINUED.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 12 | 1 | 1 | 1 | - | 15 | 15 | 24 | - | 39 | 33 | 6 | - | 17.87 |
| 14 | - | - | - | 1 | 15 | 5 | 6 | - | 11 | 11 | - | - | 9.30 |
| 1 | 1 | 2 | 1 | - | 5 | 5 | 3 | - | 8 | 7 | 1 | - | 13.29 |
| 2 | 1 | - | 1 | - | 4 | 4 | 6 | - | 10 | 8 | 2 | - | 19.27 |
| 5 | - | - | - | - | 5 | 5 | 5 | - | 10 | 10 | - | - | 23.26 |
| 2 | - | 1 | - | - | 3 | 3 | 5 | - | 8 | 8 | - | - | 18.91 |
| 4 | - | - | - | - | 4 | 5 | 1 | - | 6 | 5 | 1 | - | 6.40 |
| 6 | - | - | 1 | 1 | 8 | 4 | 3 | - | 7 | 7 | - | - | 12.20 |
| 2 | - | - | 1 | - | 3 | 4 | 8 | - | 12 | 12 | - | - | 14.98 |
| 5 | - | 1 | 1 | - | 7 | 4 | 6 | - | 10 | 10 | - | - | 12.67 |
| 9 | - | - | 1 | - | 10 | 13 | 11 | - | 24 | 20 | 4 | - | 13.86 |
| 2 | - | - | - | - | 2 | 3 | 4 | - | 7 | 6 | 1 | - | 23.33 |
| - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| 5 | 1 | - | - | - | 6 | 5 | 1 | - | 6 | 6 | - | - | 11.39 |
| - | - | - | 1 | - | 1 | 1 | - | - | 1 | 1 | - | - | 8.70 |
| 5 | - | - | - | 1 | 6 | 2 | 8 | - | 10 | 9 | - | 1 | 33.70 |
| 3 | - | - | 2 | - | 5 | 6 | 5 | - | 11 | 9 | 2 | - | 13.13 |
| 14 | 23 | 4 | 11 | 1 | 53 | 23 | 18 | - | 41 | 30 | 9 | 2 | 35.84 |
| 4 | - | - | - | - | 4 | 1 | 1 | - | 2 | 1 | 1 | - | 6.69 |
| 6 | - | - | - | - | 6 | 6 | 7 | - | 13 | 5 | 8 | - | 17.71 |
| 13 | 1 | - | - | - | 14 | 9 | 11 | - | 20 | 16 | 2 | 2 | 13.05 |
| 38 | 9 | 4 | 4 | - | 55 | 58 | 60 | - | 118 | 94 | 22 | 2 | 20.48 |
| 22 | 4 | 3 | 2 | - | 31 | 26 | 25 | - | 51 | 36 | 14 | 1 | 15.66 |
| 8 | - | - | - | - | 8 | 12 | 12 | - | 24 | 22 | 2 | - | 18.96 |
| 1 | - | - | - | - | 1 | 1 | 1 | - | 2 | 1 | - | 1 | 4.89 |
| 11 | - | - | 2 | - | 13 | 5 | 5 | - | 10 | 6 | 2 | 2 | 8.53 |

TABLE
Births, Marriages, and Deaths

PENOBSCOT

| TOWNS. | Population in 1900. | BIRTHS. | | | | | | | | | |
|-----------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| | | | | | | | | | | | |
| Plymouth | 658 | 4 | 4 | - | 8 | 12.16 | 8 | - | - | - | - |
| Prentiss | 502 | 4 | 11 | - | 15 | 29.88 | 10 | - | 1 | 3 | 1 |
| Springfield | 532 | 6 | 4 | - | 10 | 18.80 | 9 | - | - | 1 | - |
| Stetson | 503 | 5 | 3 | - | 8 | 15.90 | 7 | - | - | - | 1 |
| Veazie | 555 | 8 | 3 | - | 11 | 20.00 | 6 | - | 3 | 2 | - |
| Winn | 688 | 10 | 5 | - | 15 | 21.80 | 9 | 2 | 2 | 1 | 1 |
| Woodville | 160 | 2 | 3 | - | 5 | 31.25 | 5 | - | - | - | - |
| Drew Pl. | 120 | 4 | 3 | - | 7 | 58.33 | 6 | 1 | - | - | - |
| Grand Falls Pl. | 52 | 2 | - | - | 2 | 38.46 | 1 | 1 | - | - | - |
| Lakeville Pl. | 129 | 3 | 2 | - | 5 | 38.75 | 4 | 1 | - | - | - |
| Seboeis Pl. | 96 | - | 2 | - | 2 | 20.83 | 2 | - | - | - | - |
| Stacyville Pl. | 347 | 6 | 8 | - | 14 | 40.35 | 8 | 2 | 3 | 1 | - |
| Webster Pl. | 124 | 4 | 2 | - | 6 | 48.38 | 5 | - | 1 | - | - |
| No. 1, R. 7 | 42 | 1 | 2 | - | 3 | 71.43 | - | - | 2 | 1 | - |
| Indian Township | - | - | 1 | - | 1 | - | 1 | - | - | - | - |
| Total | *75,825 | 936 | 843 | 21 | 1,781 | 23.50 | 1,007 | 368 | 217 | 164 | 25 |

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.
for the Year 1908.

COUNTY—CONCLUDED.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| | | | | | | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 8 | - | - | - | - | 8 | 6 | 6 | - | 12 | 12 | - | - | 18.24 |
| 2 | - | - | - | - | 2 | 8 | 1 | - | 9 | 9 | - | - | 17.93 |
| 3 | 1 | - | - | - | 4 | 5 | 6 | - | 11 | 11 | - | - | 20.68 |
| 5 | - | - | - | - | 5 | 7 | 2 | - | 9 | 9 | - | - | 17.89 |
| 7 | - | 1 | - | - | 8 | 6 | 4 | - | 10 | 9 | 1 | - | 18.02 |
| 3 | - | - | - | - | 3 | 3 | 3 | - | 6 | 6 | - | - | 8.72 |
| - | - | - | - | - | - | 1 | 1 | - | 2 | 2 | - | - | 12.10 |
| - | - | - | - | - | - | - | 1 | - | 1 | 1 | - | - | 8.33 |
| 1 | - | - | - | - | 1 | 1 | - | - | 1 | 1 | - | - | 19.23 |
| 1 | - | - | - | - | 1 | 1 | - | - | 1 | 1 | - | - | 7.75 |
| - | - | 1 | 1 | - | 2 | 1 | - | - | 1 | - | 1 | - | 10.41 |
| 3 | - | - | 1 | - | 4 | 1 | 2 | - | 3 | 2 | 1 | - | 8.65 |
| 2 | - | - | - | - | 2 | - | - | - | - | - | - | - | - |
| - | - | - | - | - | - | - | 1 | - | 1 | 1 | - | - | 23.81 |
| - | - | - | - | - | - | 3 | - | - | 3 | 2 | 1 | - | - |
| 540 | 82 | 68 | 65 | 6 | 761 | 684 | 598 | 1 | 1,283 | 1,044 | 203 | 36 | 16.92 |

TABLE
Births, Marriages, and Deaths

PISCATAQUIS

| TOWNS. | Population in 1900. | BIRTHS. | | | | | | | | | |
|--------------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| | | | | | | | | | | | |
| Abbot..... | 716 | 4 | 7 | — | 11 | 15.36 | 7 | 1 | 1 | 1 | 1 |
| Atkinson..... | 495 | 3 | 4 | — | 7 | 14.14 | 7 | — | — | — | — |
| Blanchard..... | 248 | 1 | 2 | — | 3 | 12.09 | 2 | — | 1 | — | — |
| Bowerbank..... | 66 | — | — | — | — | — | — | — | — | — | — |
| Brownville..... | 1,570 | 19 | 25 | — | 44 | 28.03 | 19 | 14 | 3 | 7 | 1 |
| Dover..... | 1,889 | 27 | 19 | — | 46 | 24.35 | 32 | 1 | 6 | 6 | 1 |
| Foxcroft..... | 1,629 | 19 | 8 | 1 | 28 | 17.19 | 20 | 3 | 3 | 2 | — |
| Greenville..... | 1,117 | 26 | 24 | — | 50 | 44.76 | 16 | 22 | 8 | 4 | — |
| Guilford..... | 1,544 | 13 | 19 | — | 32 | 20.72 | 27 | 2 | — | 3 | — |
| Medford..... | 282 | 3 | 5 | — | 8 | 28.37 | 7 | — | — | 1 | — |
| Milo..... | 1,150 | 36 | 31 | — | 67 | 58.26 | 45 | 7 | 8 | 5 | 2 |
| Monson..... | 1,116 | 17 | 19 | — | 36 | 32.26 | 16 | 14 | 3 | 3 | — |
| Orneville..... | 325 | 4 | 1 | — | 5 | 15.38 | 5 | — | — | — | — |
| Parkman..... | 718 | 7 | 7 | — | 14 | 19.50 | 11 | 1 | 1 | 1 | — |
| Sangerville..... | 1,294 | 13 | 5 | — | 18 | 13.91 | 16 | 1 | 1 | — | — |
| Sebec..... | 593 | 4 | 1 | — | 5 | 8.43 | 5 | — | — | — | — |
| Shirley..... | 248 | 4 | 4 | — | 8 | 32.25 | 5 | — | 1 | 2 | — |
| Wellington..... | 413 | 4 | 3 | — | 7 | 16.95 | 6 | — | 1 | — | — |
| Williamsburg..... | 117 | 3 | 2 | — | 5 | 42.74 | — | 2 | 3 | — | — |
| Willimantic..... | 419 | 3 | 1 | — | 4 | 9.55 | 4 | — | — | — | — |
| Barnard Pl..... | 98 | 1 | 1 | — | 2 | 20.41 | — | — | — | — | 2 |
| Elliottsville Pl..... | 86 | — | 1 | — | 1 | 11.62 | — | — | 1 | — | — |
| Kingsbury Pl..... | 106 | 2 | 1 | — | 3 | 28.30 | 2 | — | 1 | — | — |
| Lakeview Pl..... | 173 | 1 | 1 | — | 2 | 11.56 | 1 | 1 | — | — | — |
| Katahdin Iron Works..... | 114 | 1 | 2 | — | 3 | 26.32 | 2 | — | 1 | — | — |
| Total..... | *16,526 | 215 | 193 | 1 | 409 | 24.72 | 255 | 69 | 43 | 35 | 7 |

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.

for the Year 1908.

COUNTY.

| MARRIAGE. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 3 | - | - | - | - | 3 | 5 | 10 | - | 15 | 14 | - | 1 | 20.95 |
| 5 | - | - | - | - | 5 | 4 | 2 | - | 6 | 6 | - | - | 12.12 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 9 | 3 | 3 | 3 | - | 18 | 12 | 9 | - | 21 | 15 | 5 | 1 | 13.38 |
| 11 | 2 | 1 | 4 | - | 18 | 13 | 17 | - | 30 | 26 | 4 | - | 15.88 |
| 16 | 2 | 1 | - | - | 19 | 16 | 13 | - | 29 | 27 | 2 | - | 17.80 |
| 14 | 2 | 3 | 5 | - | 24 | 23 | 11 | - | 34 | 23 | 7 | 4 | 30.44 |
| 14 | - | - | 1 | - | 15 | 9 | 8 | - | 17 | 16 | 1 | - | 11.01 |
| 5 | - | - | 1 | - | 6 | 1 | 2 | - | 3 | 2 | 1 | - | 10.64 |
| 13 | - | 4 | 1 | - | 18 | 11 | 15 | - | 26 | 23 | 3 | - | 22.61 |
| 1 | 3 | 1 | 1 | - | 6 | 8 | 4 | - | 12 | 11 | 1 | - | 10.71 |
| - | - | 1 | - | - | 1 | 1 | 3 | - | 4 | 3 | 1 | - | 12.31 |
| 4 | - | - | - | - | 4 | 2 | 4 | - | 6 | 6 | - | - | 8.36 |
| 10 | - | - | - | - | 10 | 7 | 7 | - | 14 | 13 | - | 1 | 10.82 |
| 6 | - | - | - | - | 6 | 9 | 3 | - | 12 | 10 | 2 | - | 20.24 |
| 3 | - | - | 1 | - | 4 | 4 | 2 | - | 6 | 6 | - | - | 24.19 |
| 3 | - | - | - | - | 3 | 4 | 1 | - | 5 | 5 | - | - | 12.11 |
| 1 | - | - | - | - | 1 | 1 | - | - | 1 | - | 1 | - | 8.54 |
| 2 | - | - | - | - | 2 | 1 | 2 | - | 3 | 3 | - | - | 7.16 |
| 1 | - | 1 | - | - | 2 | - | - | - | - | - | - | - | - |
| 1 | 1 | - | - | - | 2 | 1 | 2 | - | 3 | 3 | - | - | 34.86 |
| 2 | - | - | - | - | 2 | - | - | - | - | - | - | - | - |
| - | - | - | - | - | - | 2 | - | - | 2 | 2 | - | - | 11.56 |
| - | - | - | - | - | - | - | 1 | - | 1 | 1 | - | - | 8.77 |
| 125 | 13 | 15 | 17 | - | 170 | 134 | 116 | - | 250 | 215 | 28 | 7 | 15.13 |

TABLE
Births, Marriages, and Deaths

SAGADAHOC

| Towns. | Population in 1900. | BIRTHS. | | | | | | | | | |
|------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| | | | | | | | | | | | |
| Arrowsic | 180 | - | 1 | - | 1 | 5.55 | 1 | - | - | - | - |
| Bath | 10,477 | 95 | 102 | - | 197 | 18.80 | 109 | 42 | 21 | 24 | 1 |
| Bowdoin | 937 | 6 | 5 | - | 11 | 11.74 | 11 | - | - | - | - |
| Bowdoinham | 1,305 | 12 | 12 | - | 24 | 18.31 | 19 | - | 4 | 1 | - |
| Georgetown | 799 | 6 | 8 | - | 14 | 17.52 | 12 | - | 1 | 1 | - |
| Perkins | 61 | 1 | 1 | - | 2 | 32.78 | 2 | - | - | - | - |
| Phippsburg | 1,254 | 5 | 9 | - | 14 | 11.16 | 12 | 1 | 1 | - | - |
| Richmond | 2,049 | 17 | 15 | - | 32 | 15.62 | 28 | 1 | 1 | 2 | - |
| Topsham | 2,097 | 19 | 19 | - | 38 | 18.12 | 20 | 13 | 2 | 3 | - |
| West Bath | 291 | 2 | 2 | - | 4 | 13.75 | 3 | - | - | 1 | - |
| Woolwich | 880 | 4 | 6 | - | 10 | 11.36 | 10 | - | - | - | - |
| Total | 20,330 | 167 | 180 | - | 347 | 17.07 | 227 | 57 | 30 | 32 | 1 |

No. 6—Continued.
for the Year 1908.

COUNTY

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 1 | - | - | - | - | 1 | 5 | 1 | - | 6 | 6 | - | - | 33.34 |
| 37 | 4 | 5 | 5 | 1 | 52 | 76 | 80 | - | 156 | 119 | 37 | - | 14.89 |
| 3 | - | - | - | 1 | 4 | 11 | 5 | - | 16 | 15 | - | 1 | 17.08 |
| 8 | - | - | 1 | - | 9 | 10 | 11 | - | 21 | 19 | 1 | 1 | 16.09 |
| 2 | 1 | - | - | - | 3 | 8 | 5 | - | 13 | 13 | - | - | 16.27 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 8 | - | - | - | - | 8 | 11 | 13 | - | 24 | 22 | 2 | - | 19.14 |
| 6 | - | - | - | - | 6 | 25 | 19 | - | 44 | 39 | 3 | 2 | 21.47 |
| 10 | 2 | - | 1 | - | 13 | 23 | 15 | - | 38 | 32 | 4 | 2 | 18.12 |
| 3 | - | - | - | - | 3 | 4 | - | - | 4 | 4 | - | - | 13.75 |
| 4 | 1 | - | - | - | 5 | 4 | 9 | - | 13 | 13 | - | - | 14.77 |
| 82 | 8 | 5 | 7 | 2 | 104 | 177 | 158 | - | 335 | 282 | 47 | 6 | 16.48 |

TABLE
Births, Marriages, and Deaths

SOMERSET

| Towns. | Population in 1900. | BIRTHS. | | | | | | | | | |
|------------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| Anson | 1,830 | 23 | 30 | — | 53 | 28.97 | 28 | 15 | 6 | 4 | — |
| Athens | 896 | 11 | 3 | — | 14 | 15.63 | 13 | 1 | — | — | — |
| Bingham | 841 | 7 | 8 | — | 15 | 17.83 | 10 | 2 | 2 | — | 1 |
| Cambridge | 364 | 3 | 3 | — | 6 | 16.48 | 5 | 1 | — | — | — |
| Canaan | 977 | 11 | 8 | — | 19 | 19.45 | 17 | 2 | — | — | — |
| Concord | 291 | 5 | 4 | — | 9 | 30.93 | 6 | — | 1 | 2 | — |
| Cornville | 689 | 4 | 3 | — | 7 | 10.16 | 7 | — | — | — | — |
| Detroit | 527 | 1 | 4 | — | 5 | 9.49 | 4 | — | — | 1 | — |
| Embden | 567 | 9 | 6 | — | 15 | 26.46 | 13 | — | 1 | — | 1 |
| Fairfield | 3,878 | 48 | 38 | — | 86 | 22.18 | 51 | 14 | 13 | 6 | 2 |
| Harmony | 571 | 14 | 7 | — | 21 | 36.78 | 19 | — | — | 1 | 1 |
| Hartland | 1,115 | 17 | 11 | — | 28 | 25.11 | 25 | — | 1 | 2 | — |
| Madison | 2,764 | 34 | 52 | — | 86 | 31.11 | 47 | 24 | 6 | 6 | 3 |
| Mercer | 493 | 6 | 6 | — | 12 | 24.34 | 11 | — | — | — | 1 |
| Moscow | 378 | 7 | 7 | — | 14 | 37.04 | 9 | 1 | 2 | 2 | — |
| New Portland | 913 | 4 | 9 | — | 13 | 14.24 | 9 | — | 2 | 1 | 1 |
| Norridgewock | 1,495 | 19 | 18 | — | 37 | 24.75 | 22 | 8 | 2 | 2 | 3 |
| Palmyra | 915 | 6 | 9 | — | 15 | 16.39 | 13 | — | — | 2 | — |
| Pittsfield | 2,891 | 27 | 21 | — | 48 | 16.60 | 40 | 1 | 2 | 3 | 2 |
| Ripley | 449 | 5 | 6 | — | 11 | 24.48 | 10 | — | 1 | — | — |
| St. Albans | 1,037 | 10 | 12 | — | 22 | 21.22 | 22 | — | — | — | — |
| Skowhegan | 5,180 | 55 | 57 | — | 112 | 21.63 | 72 | 19 | 15 | 6 | — |
| Smithfield | 449 | 2 | 7 | — | 9 | 20.04 | 9 | — | — | — | — |
| Solon | 996 | 9 | 12 | — | 21 | 21.08 | 20 | — | 1 | — | — |

No. 6—Continued.

for the Year 1908.

COUNTY

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 17 | 1 | - | - | - | 18 | 19 | 16 | - | 35 | 31 | 4 | - | 19.13 |
| 9 | - | 1 | - | - | 10 | 5 | 2 | - | 7 | 6 | 1 | - | 7.81 |
| 9 | - | - | 1 | - | 10 | 8 | 5 | - | 13 | 10 | 2 | 1 | 15.46 |
| 3 | - | - | - | - | 3 | 3 | 3 | - | 6 | 6 | - | - | 16.48 |
| 8 | - | 1 | - | - | 9 | 8 | 4 | - | 12 | 12 | - | - | 12.28 |
| 2 | - | - | - | - | 2 | 1 | 1 | - | 2 | 2 | - | - | 6.87 |
| 4 | - | - | - | - | 4 | 5 | 9 | - | 14 | 14 | - | - | 20.32 |
| 6 | - | 1 | - | - | 7 | 4 | 4 | - | 8 | 8 | - | - | 15.18 |
| 4 | - | 2 | - | - | 6 | 8 | 5 | - | 13 | 13 | - | - | 22.93 |
| 28 | 5 | 3 | 7 | - | 43 | 34 | 32 | - | 66 | 61 | 5 | - | 17.02 |
| 7 | - | - | 3 | - | 10 | 3 | 10 | - | 13 | 11 | 2 | - | 22.77 |
| 5 | - | 1 | - | - | 6 | 5 | 2 | - | 7 | 7 | - | - | 6.27 |
| 23 | 10 | 6 | 1 | - | 40 | 18 | 17 | - | 35 | 29 | 5 | 1 | 12.66 |
| 3 | - | - | - | - | 3 | 2 | 4 | - | 6 | 6 | - | - | 12.17 |
| 1 | 1 | 1 | - | - | 3 | 2 | - | - | 2 | 2 | - | - | 5.29 |
| 6 | - | - | - | - | 6 | 11 | 9 | - | 20 | 20 | - | - | 21.91 |
| 7 | - | 2 | 1 | - | 10 | 18 | 10 | - | 28 | 26 | 2 | - | 18.73 |
| 4 | - | - | - | - | 4 | 10 | 5 | - | 15 | 14 | - | 1 | 16.39 |
| 21 | - | 2 | 3 | - | 26 | 17 | 16 | - | 33 | 31 | 2 | - | 11.42 |
| 4 | - | - | - | - | 4 | 6 | 8 | - | 14 | 13 | 1 | - | 31.18 |
| 11 | - | - | 1 | - | 12 | 7 | 5 | - | 12 | 12 | - | - | 11.57 |
| 30 | 3 | 6 | 5 | - | 44 | 54 | 35 | - | 89 | 79 | 9 | 1 | 17.18 |
| 5 | - | 1 | - | 1 | 7 | 4 | 5 | - | 9 | 9 | - | - | 20.04 |
| 4 | 1 | - | - | 1 | 6 | 8 | 6 | - | 14 | 10 | 2 | 2 | 14.06 |

TABLE
Births, Marriages, and Deaths

SOMERSET

| Towns. | Population in 1900. | BIRTHS. | | | | | | | | | |
|-------------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | PARENTAGE. | | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| Starks | 636 | 7 | 6 | - | 13 | 20.44 | 10 | - | - | 2 | 1 |
| Bigelow Pl. | 57 | - | 1 | - | 1 | 17.55 | - | 1 | - | - | - |
| Brighton Pl. | 368 | - | - | - | - | - | - | - | - | - | - |
| Caratunk Pl. | 218 | 5 | 6 | - | 11 | 50.46 | 7 | - | 2 | 2 | - |
| Dead River Pl. | 91 | 2 | 1 | - | 3 | 32.97 | 3 | - | - | - | - |
| Dennistown Pl. | 96 | - | 1 | - | 1 | 10.41 | - | 1 | - | - | - |
| Flagstaff Pl. | 115 | 2 | 1 | - | 3 | 26.09 | 2 | - | - | 1 | - |
| Highland Pl. | 67 | 1 | 1 | - | 2 | 29.85 | 1 | 1 | - | - | - |
| Jackman Pl. | 352 | 11 | 8 | - | 19 | 53.98 | 1 | 14 | 1 | 2 | 1 |
| Lexington Pl. | 231 | 4 | 4 | - | 8 | 34.63 | 8 | - | - | - | - |
| Moose River Pl. | 239 | 3 | 3 | - | 6 | 25.10 | 3 | 2 | 1 | - | - |
| Pleasant Ridge Pl. | 114 | 1 | - | - | 1 | 8.77 | 1 | - | - | - | - |
| The Forks Pl. | 157 | - | 2 | - | 2 | 12.74 | - | 1 | 1 | - | - |
| West Forks Pl. | 160 | - | 1 | - | 1 | 6.25 | 1 | - | - | - | - |
| Total | *33,407 | 373 | 376 | - | 749 | 22.42 | 519 | 108 | 60 | 45 | 17 |

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.

for the Year 1908.

COUNTY—CONCLUDED.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 4 | - | - | - | - | 4 | 5 | 1 | - | 6 | 6 | - | - | 9.43 |
| - | - | - | - | - | - | 2 | 2 | - | 4 | 3 | - | 1 | 70.18 |
| 4 | - | - | - | - | 4 | - | - | - | - | - | - | - | - |
| 1 | - | - | 2 | - | 3 | 2 | 1 | - | 3 | - | 3 | - | 13.76 |
| 2 | - | - | - | - | 2 | 2 | 1 | - | 3 | 3 | - | - | 32.97 |
| - | - | - | - | - | - | 1 | - | - | 1 | - | - | 1 | 10.41 |
| - | - | - | - | - | - | 1 | - | - | 1 | 1 | - | - | 8.69 |
| - | - | - | - | - | - | - | 1 | - | 1 | 1 | - | - | 14.72 |
| 8 | - | - | 3 | - | 11 | 9 | 6 | - | 15 | 11 | 3 | 1 | 42.61 |
| 4 | - | - | - | - | 4 | - | 3 | - | 3 | 3 | - | - | 12.98 |
| 1 | 1 | - | - | - | 2 | 1 | 3 | - | 4 | 1 | 3 | - | 16.74 |
| - | - | - | - | - | - | 1 | - | - | 1 | 1 | - | - | 8.77 |
| 2 | - | 1 | - | - | 3 | 3 | 2 | - | 5 | 3 | 1 | 1 | 31.85 |
| - | - | - | - | - | - | 2 | 2 | - | 4 | 3 | 1 | - | 25.00 |
| 247 | 22 | 28 | 27 | 2 | 326 | 289 | 235 | | 524 | 468 | 46 | 10 | 15.69 |

TABLE
Births, Marriages, and Deaths

WALDO

| Towns. | Population in 1900. | BIRTHS. | | | | | | | | | |
|-----------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| Belfast..... | 4,615 | 24 | 39 | - | 63 | 13.65 | 56 | 3 | 2 | 2 | - |
| Belmont..... | 352 | 3 | 6 | - | 9 | 25.57 | 8 | - | - | 1 | - |
| Brooks..... | 669 | 5 | 7 | - | 12 | 17.94 | 12 | - | - | - | - |
| Burnham..... | 766 | 8 | 11 | - | 19 | 24.80 | 17 | - | 2 | - | - |
| Frankfort..... | 1,211 | 7 | 9 | - | 16 | 13.21 | 10 | 3 | 3 | - | - |
| Freedom..... | 479 | 5 | 3 | - | 8 | 16.71 | 8 | - | - | - | - |
| Islesboro..... | 923 | 8 | 8 | - | 16 | 17.33 | 14 | - | 1 | - | 1 |
| Jackson..... | 439 | 3 | 3 | - | 6 | 13.67 | 6 | - | - | - | - |
| Knox..... | 558 | 6 | 3 | - | 9 | 16.13 | 9 | - | - | - | - |
| Liberty..... | 737 | 1 | 4 | - | 5 | 6.78 | 5 | - | - | - | - |
| Lincolnvile..... | 1,223 | 5 | 5 | - | 10 | 8.18 | 9 | - | - | 1 | - |
| Monroe..... | 958 | 6 | 9 | - | 15 | 15.66 | 15 | - | - | - | - |
| Montville..... | 982 | 4 | 13 | - | 17 | 17.31 | 16 | - | - | 1 | - |
| Morrill..... | 420 | 2 | - | - | 2 | 4.71 | 2 | - | - | - | - |
| Northport..... | 545 | 5 | 3 | - | 8 | 14.68 | 7 | - | - | 1 | - |
| Palermo..... | 757 | 7 | 11 | - | 18 | 23.78 | 16 | - | 1 | - | 1 |
| Prospect..... | 648 | 5 | 1 | - | 6 | 9.26 | 6 | - | - | - | - |
| Searsmont..... | 949 | 7 | 13 | - | 20 | 21.07 | 19 | - | - | 1 | - |
| Searsport..... | 1,349 | 19 | 9 | - | 28 | 20.76 | 23 | 3 | - | 2 | - |
| Stockton Springs..... | 872 | 11 | 6 | - | 17 | 19.50 | 10 | 5 | 1 | 1 | - |
| Swanville..... | 502 | 7 | 1 | - | 8 | 15.94 | 7 | - | - | - | 1 |
| Thorndike..... | 497 | 4 | 4 | - | 8 | 16.10 | 8 | - | - | - | - |
| Troy..... | 766 | 8 | 6 | - | 14 | 18.28 | 14 | - | - | - | - |
| Unity..... | 877 | 8 | 7 | - | 15 | 17.10 | 15 | - | - | - | - |
| Waldo..... | 468 | 3 | 3 | - | 6 | 12.82 | 6 | - | - | - | - |
| Winterport..... | 1,623 | 15 | 10 | - | 25 | 15.40 | 23 | - | 1 | 1 | - |
| Total..... | 24,185 | 186 | 194 | - | 380 | 15.72 | 341 | 14 | 11 | 11 | 3 |

No. 6—Continued.

for the Year 1908.

COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 42 | - | 1 | - | - | 43 | 39 | 43 | - | 82 | 76 | 4 | 2 | 17.77 |
| 6 | - | - | - | - | 6 | 3 | 1 | - | 4 | 4 | - | - | 11.36 |
| 4 | - | - | - | - | 4 | 5 | 3 | - | 8 | 8 | - | - | 11.96 |
| 12 | - | - | 1 | - | 13 | 6 | 7 | - | 13 | 12 | 1 | - | 16.97 |
| 5 | - | 1 | - | - | 6 | 4 | 8 | - | 12 | 9 | 2 | 1 | 9.91 |
| 3 | - | - | - | - | 3 | 5 | 3 | - | 8 | 8 | - | - | 16.71 |
| 5 | - | - | 1 | - | 6 | 4 | 8 | - | 12 | 11 | 1 | - | 13.00 |
| 3 | - | - | - | - | 3 | 5 | 2 | - | 7 | 7 | - | - | 18.22 |
| 4 | - | - | - | - | 4 | 2 | 4 | - | 6 | 6 | - | - | 10.75 |
| 3 | - | - | - | - | 3 | 4 | 6 | - | 10 | 10 | - | - | 13.56 |
| 11 | - | - | - | - | 11 | 7 | 9 | - | 16 | 16 | - | - | 13.08 |
| 1 | - | - | - | - | 1 | 5 | 6 | - | 11 | 11 | - | - | 11.48 |
| 8 | - | - | - | - | 8 | 13 | 4 | - | 17 | 17 | - | - | 17.31 |
| 2 | - | - | - | - | 2 | 3 | 2 | - | 5 | 5 | - | - | 11.90 |
| 6 | - | - | - | - | 6 | 4 | 8 | - | 12 | 12 | - | - | 22.01 |
| 4 | - | - | 1 | - | 5 | 8 | 6 | - | 14 | 14 | - | - | 18.49 |
| 4 | - | - | - | - | 4 | 5 | 4 | - | 9 | 8 | 1 | - | 13.89 |
| 4 | - | 1 | - | - | 5 | 7 | 10 | - | 17 | 17 | - | - | 17.91 |
| 7 | - | - | - | - | 7 | 15 | 14 | - | 29 | 29 | - | - | 21.50 |
| 7 | - | - | 1 | - | 8 | 8 | 8 | - | 16 | 15 | 1 | - | 18.35 |
| 9 | - | - | - | - | 9 | 2 | 2 | - | 4 | 4 | - | - | 7.97 |
| 1 | - | - | - | - | 1 | 3 | 4 | - | 7 | 7 | - | - | 14.08 |
| 7 | - | - | - | - | 7 | 3 | 9 | - | 12 | 12 | - | - | 15.67 |
| 6 | - | - | - | - | 6 | 5 | 4 | - | 9 | 9 | - | - | 10.26 |
| 3 | - | - | - | - | 3 | 1 | 4 | - | 5 | 5 | - | - | 10.68 |
| 11 | - | - | - | - | 11 | 12 | 11 | - | 23 | 23 | - | - | 14.17 |
| 178 | | 3 | 4 | | 185 | 178 | 190 | | 368 | 355 | 10 | 3 | 15.22 |

TABLE
Births, Marriages, and Deaths

WASHINGTON

| TOWNS. | Population in 1900. | BIRTHS. | | | | | | | | | |
|---------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| Addison..... | 1,059 | 6 | 11 | - | 17 | 16.05 | 17 | - | - | - | - |
| Alexander..... | 333 | 4 | 5 | - | 9 | 27.03 | 7 | - | 1 | 1 | - |
| Baileyville..... | 215 | 18 | 19 | - | 37 | 172.10 | 11 | 17 | 3 | 6 | - |
| Baring..... | 231 | 2 | 4 | - | 6 | 25.97 | 1 | - | 2 | 3 | - |
| Beddington..... | 86 | 1 | - | - | 1 | 11.63 | 1 | - | - | - | - |
| Brookton..... | 285 | 6 | 3 | - | 9 | 31.58 | 5 | 1 | 1 | 2 | - |
| Calais..... | 7,655 | 79 | 81 | - | 160 | 20.90 | 59 | 27 | 19 | 47 | 8 |
| Centerville..... | 91 | 1 | 1 | - | 2 | 21.98 | 2 | - | - | - | - |
| Charlotte..... | 315 | 5 | 6 | - | 11 | 34.92 | 7 | - | 2 | 1 | 1 |
| Cherryfield..... | 1,859 | 17 | 15 | - | 32 | 17.21 | 30 | - | - | 1 | 1 |
| Columbia..... | 516 | 13 | 13 | - | 26 | 50.39 | 24 | - | 2 | - | - |
| Columbia Falls..... | 569 | 13 | 14 | - | 27 | 47.42 | 24 | 1 | 1 | 1 | - |
| Cooper..... | 207 | 1 | - | - | 1 | 4.83 | 1 | - | - | - | - |
| Crawford..... | 112 | - | 2 | - | 2 | 17.86 | 1 | - | 1 | - | - |
| Cutler..... | 565 | 5 | 3 | - | 8 | 14.16 | 7 | - | - | 1 | - |
| Danforth..... | 1,092 | 19 | 23 | 1 | 43 | 39.38 | 28 | 7 | 5 | 2 | 1 |
| Deblois..... | 73 | - | - | - | - | - | - | - | - | - | - |
| Dennysville..... | 482 | 6 | 3 | - | 9 | 18.67 | 8 | - | - | 1 | - |
| East Machias..... | 1,521 | 12 | 12 | - | 24 | 15.78 | 18 | - | 1 | 4 | 1 |
| Eastport..... | 5,311 | 58 | 58 | - | 116 | 21.84 | 47 | 20 | 23 | 24 | 2 |
| Edmunds..... | 492 | 9 | 4 | - | 13 | 26.42 | 10 | - | 1 | 2 | - |
| Forest City..... | 151 | 1 | 2 | - | 3 | 19.87 | 1 | - | - | 2 | - |
| Harrington..... | 1,165 | 6 | 13 | - | 19 | 16.31 | 17 | - | 1 | 1 | - |
| Jonesboro..... | 606 | 8 | 13 | - | 21 | 34.65 | 20 | - | - | - | 1 |
| Jonesport..... | 2,124 | 41 | 21 | - | 62 | 29.19 | 54 | - | 2 | 4 | 2 |
| Lubec..... | 3,005 | 46 | 37 | - | 83 | 27.62 | 41 | 10 | 11 | 20 | 1 |
| Machias..... | 2,082 | 33 | 23 | - | 56 | 26.90 | 52 | 1 | 2 | 1 | - |

No. 6—Continued.

for the Year 1908.

COUNTY.

| MARRIAGE. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 8 | - | - | - | - | 8 | 8 | 7 | - | 15 | 14 | 1 | - | 14.16 |
| 1 | - | 1 | - | - | 2 | 3 | 1 | - | 4 | 4 | - | - | 12.02 |
| 1 | - | - | 3 | - | 4 | 3 | 3 | - | 6 | 5 | - | 1 | 27.91 |
| - | - | - | - | - | - | 2 | 1 | - | 3 | 2 | 1 | - | 12.98 |
| - | - | - | - | - | - | - | 1 | - | 1 | 1 | - | - | 11.63 |
| - | - | - | - | - | - | 2 | 1 | - | 3 | 3 | - | - | 10.52 |
| 16 | 6 | 8 | 14 | - | 44 | 67 | 59 | - | 126 | 75 | 49 | 2 | 16.46 |
| - | - | - | - | - | - | 1 | - | - | 1 | 1 | - | - | 10.99 |
| 5 | - | 1 | - | - | 6 | 2 | 3 | - | 5 | 5 | - | - | 15.87 |
| 10 | - | - | - | - | 10 | 6 | 4 | - | 10 | 8 | 2 | - | 5.38 |
| 4 | - | 1 | - | - | 5 | 6 | 5 | - | 11 | 9 | - | 2 | 21.32 |
| 4 | - | - | - | - | 4 | 5 | 7 | - | 12 | 11 | - | 1 | 21.09 |
| - | - | - | - | - | - | - | 2 | - | 2 | - | 1 | 1 | 9.66 |
| - | - | - | - | - | - | 3 | - | - | 3 | 3 | - | - | 26.79 |
| 4 | - | 2 | - | - | 6 | 3 | 5 | - | 8 | 8 | - | - | 14.16 |
| 8 | 1 | 1 | 2 | - | 12 | 9 | 11 | - | 20 | 14 | 6 | - | 18.32 |
| - | - | - | - | - | - | - | 1 | - | 1 | 1 | - | - | 13.70 |
| 4 | - | - | - | - | 4 | 4 | 1 | - | 5 | 5 | - | - | 10.37 |
| 12 | - | 1 | - | - | 13 | 15 | 14 | - | 29 | 28 | 1 | - | 16.46 |
| 24 | 5 | 11 | 7 | - | 47 | 39 | 38 | - | 77 | 57 | 20 | - | 15.87 |
| 4 | - | - | - | - | 4 | 5 | 4 | - | 9 | 9 | - | - | 18.29 |
| - | - | - | - | - | - | 1 | - | - | 1 | 1 | - | - | 6.62 |
| 7 | - | - | 1 | - | 8 | 1 | 7 | - | 8 | 7 | - | 1 | 6.87 |
| 6 | - | - | 1 | - | 7 | 5 | 3 | - | 8 | 8 | - | - | 13.20 |
| 21 | - | 1 | - | - | 22 | 15 | 17 | - | 32 | 32 | - | - | 15.07 |
| 8 | 6 | 7 | 8 | - | 29 | 35 | 18 | - | 53 | 38 | 15 | - | 9.65 |
| 11 | - | 1 | 1 | - | 13 | 27 | 21 | - | 48 | 45 | 2 | 1 | 23.05 |

TABLE
Births, Marriages, and Deaths

WASHINGTON

| TOWNS. | Population in 1900. | BIRTHS. | | | | | | | | | |
|--------------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| | | | | | | | | | | | |
| Machiasport..... | 1,218 | 14 | 17 | - | 31 | 25.45 | 28 | - | - | 3 | - |
| Marion..... | 95 | 3 | - | - | 3 | 31.58 | 2 | - | - | 1 | - |
| Marshfield..... | 227 | 3 | 1 | - | 4 | 17.62 | 2 | - | 1 | 1 | - |
| Meddybemps..... | 154 | 3 | 1 | - | 4 | 25.98 | 4 | - | - | - | - |
| Millbridge..... | 1,921 | 19 | 13 | - | 32 | 16.66 | 29 | - | 1 | 2 | - |
| Northfield..... | 126 | - | 1 | - | 1 | 7.94 | 1 | - | - | - | - |
| Pembroke..... | 1,652 | 6 | 12 | - | 18 | 10.90 | 12 | 1 | 2 | 3 | - |
| Perry..... | 1,245 | 10 | 6 | - | 16 | 12.85 | 10 | 1 | 2 | 2 | 1 |
| Princeton..... | 1,094 | 15 | 14 | - | 29 | 26.51 | 23 | 1 | 1 | 3 | 1 |
| Robbinston..... | 844 | 7 | 10 | - | 17 | 20.14 | 12 | - | 3 | 2 | - |
| Roque Bluffs..... | 168 | 1 | - | - | 1 | 5.95 | 1 | - | - | - | - |
| Steuben..... | 901 | 11 | 5 | - | 16 | 17.76 | 15 | - | - | 1 | - |
| Talmage..... | 93 | 4 | 3 | - | 7 | 75.27 | 5 | - | - | - | 2 |
| Topsfield..... | 282 | 6 | 3 | - | 9 | 31.91 | 7 | 1 | 1 | - | - |
| Tresecott..... | 463 | 2 | 7 | 1 | 10 | 21.60 | 7 | - | 1 | 1 | 1 |
| Vanceboro..... | 550 | 9 | 9 | - | 18 | 32.73 | 7 | 5 | 5 | 1 | - |
| Waite..... | 135 | 2 | 2 | - | 4 | 29.63 | 3 | - | - | 1 | - |
| Wesley..... | 198 | 2 | 4 | - | 6 | 30.30 | 6 | - | - | - | - |
| Whiting..... | 399 | 1 | 3 | - | 4 | 10.03 | 4 | - | - | - | - |
| Whitneyville..... | 424 | 4 | 1 | - | 5 | 11.79 | 3 | 1 | 1 | - | - |
| Codyville Pl..... | 68 | - | 3 | - | 3 | 44.11 | 2 | - | 1 | - | - |
| Grand Lake Stream Pl.... | 221 | 5 | 4 | - | 9 | 40.72 | 8 | - | 1 | - | - |
| No. 14 Pl..... | 77 | 1 | 2 | - | 3 | 38.96 | 2 | - | - | 1 | - |
| Kossuth..... | 46 | 2 | - | - | 2 | 43.48 | 2 | - | - | - | - |
| Lambert Lake Pl..... | 113 | - | 2 | - | 2 | 17.70 | 2 | - | - | - | - |
| Total..... | *44,916 | 540 | 509 | 2 | 1,051 | 23.40 | 690 | 94 | 98 | 146 | 23 |

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.
for the Year 1908.

COUNTY—CONCLUDED.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | SEX. | | | | NATIVITY. | | | Death rate per 1,000. |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 16 | - | 1 | - | - | 17 | 7 | 5 | - | 12 | 9 | 2 | 1 | 9.85 |
| 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| 1 | - | - | - | - | 1 | 2 | 1 | - | 3 | 3 | - | - | 13.22 |
| 1 | - | 1 | - | - | 2 | - | - | - | - | - | - | - | - |
| 7 | - | - | - | - | 7 | 10 | 12 | - | 22 | 20 | 2 | - | 11.45 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 4 | - | - | 1 | - | 5 | 8 | 16 | - | 24 | 22 | 2 | - | 14.53 |
| 4 | - | 1 | 1 | - | 6 | 9 | 7 | - | 16 | 12 | 3 | 1 | 12.85 |
| 6 | - | - | 1 | - | 7 | 11 | 6 | - | 17 | 16 | 1 | - | 15.54 |
| 2 | 1 | - | - | - | 3 | 1 | 1 | - | 2 | 1 | 1 | - | 2.37 |
| 1 | - | - | 1 | - | 2 | 1 | 1 | - | 2 | 2 | - | - | 11.90 |
| 4 | - | - | - | - | 4 | 3 | 7 | - | 10 | 9 | 1 | - | 11.10 |
| - | - | - | - | - | - | 2 | 2 | - | 4 | 3 | 1 | - | 43.00 |
| 1 | - | - | 1 | - | 2 | - | 2 | - | 2 | 1 | 1 | - | 7.09 |
| - | - | - | - | - | - | 1 | 3 | - | 4 | 2 | 2 | - | 8.64 |
| 1 | 1 | 1 | - | - | 3 | 4 | 3 | - | 7 | 5 | 2 | - | 12.73 |
| 1 | - | - | 1 | - | 2 | 1 | - | - | 1 | 1 | - | - | 7.40 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1 | - | - | - | - | 1 | 4 | 3 | - | 7 | 7 | - | - | 17.54 |
| - | - | - | - | - | - | 3 | - | - | 3 | 3 | - | - | 7.08 |
| - | - | - | - | - | - | - | 1 | - | 1 | 1 | - | - | 14.70 |
| - | - | - | - | - | - | - | 1 | - | 1 | - | 1 | - | 4.52 |
| - | - | - | - | - | - | 1 | - | - | 1 | 1 | - | - | 12.98 |
| 3 | - | 1 | - | - | 4 | 2 | - | - | 2 | 1 | 1 | - | 43.48 |
| - | - | - | - | - | - | - | 1 | - | 1 | - | 1 | - | 8.85 |
| 212 | 20 | 40 | 43 | | 315 | 337 | 306 | | 643 | 513 | 119 | 11 | 14.32 |

TABLE
Births, Marriages, and Deaths

YORK

| TOWNS. | BIRTHS. | | | | | | | | | | |
|--------------------|---------------------|-------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | Population in 1900. | SEX. | | | | Rate per 1,000. | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| Acton..... | 778 | 3 | 6 | - | 9 | 11.57 | 8 | - | - | 1 | - |
| Alfred..... | 937 | 4 | 4 | - | 8 | 8.54 | 5 | 1 | - | 2 | - |
| Berwick..... | 2,280 | 17 | 23 | - | 40 | 17.54 | 29 | 8 | 3 | - | - |
| Biddeford..... | 16,145 | 277 | 251 | - | 528 | 32.70 | 95 | 313 | 59 | 56 | 5 |
| Buxton..... | 1,838 | 20 | 17 | - | 37 | 20.13 | 33 | 1 | 1 | 2 | - |
| Cornish..... | 984 | 2 | 8 | - | 10 | 10.16 | 7 | 1 | 1 | 1 | - |
| Dayton..... | 473 | 3 | 4 | - | 7 | 14.80 | 6 | - | 1 | - | - |
| Eliot..... | 1,458 | 13 | 9 | - | 22 | 15.09 | 20 | - | 2 | - | - |
| Hollis..... | 1,274 | 9 | 12 | - | 21 | 16.41 | 19 | 2 | - | - | - |
| Kennebunk..... | 3,228 | 26 | 34 | - | 60 | 18.59 | 46 | 4 | 3 | 6 | 1 |
| Kennebunkport..... | 2,123 | 23 | 23 | - | 46 | 21.67 | 37 | - | 4 | 5 | - |
| Kittery..... | 2,872 | 21 | 25 | - | 46 | 16.02 | 39 | - | 2 | 5 | - |
| Lebanon..... | 1,335 | 9 | 17 | - | 26 | 19.48 | 21 | - | 3 | 2 | - |
| Limerick..... | 874 | 10 | 8 | - | 18 | 21.74 | 14 | 3 | 1 | - | - |
| Limington..... | 1,001 | 10 | 6 | - | 16 | 15.98 | 15 | 1 | - | - | - |
| Lyman..... | 687 | 5 | 3 | - | 8 | 11.64 | 8 | - | - | - | - |
| Newfield..... | 676 | 3 | 7 | - | 10 | 14.79 | 9 | - | 1 | - | - |
| North Berwick..... | 1,748 | 17 | 16 | - | 33 | 18.88 | 30 | 1 | 2 | - | - |
| Old Orchard..... | 964 | 10 | 9 | - | 19 | 19.71 | 13 | 2 | 1 | 2 | 1 |
| Parsonfield..... | 1,131 | 11 | 7 | - | 18 | 15.92 | 17 | 1 | - | - | - |
| Saco..... | 6,122 | 53 | 58 | - | 111 | 18.13 | 59 | 24 | 11 | 16 | 1 |
| Sanford..... | 6,078 | 147 | 129 | - | 276 | 45.41 | 83 | 140 | 28 | 22 | 3 |
| Shapleigh..... | 847 | 6 | 9 | - | 15 | 17.71 | 12 | 2 | 1 | - | - |
| So. Berwick..... | 3,188 | 47 | 29 | - | 76 | 23.84 | 44 | 22 | 2 | 7 | 1 |
| Waterboro..... | 1,169 | 12 | 7 | - | 19 | 16.25 | 17 | - | 1 | 1 | - |
| Wells..... | 2,007 | 18 | 9 | - | 27 | 13.45 | 25 | 1 | - | 1 | - |
| York..... | 2,668 | 36 | 35 | - | 71 | 26.61 | 46 | 9 | 6 | 8 | 2 |
| Total..... | 64,885 | 812 | 765 | - | 1,577 | 24.30 | 757 | 536 | 133 | 137 | 14 |

No. 6—Concluded.

for the Year 1908.

COUNTY.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| | | | | | | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 4 | - | 1 | - | - | 5 | 4 | 1 | - | 5 | 5 | - | - | 6.43 |
| 2 | - | - | - | - | 2 | 7 | 5 | - | 12 | 12 | - | - | 12.81 |
| 11 | - | - | 1 | - | 12 | 17 | 18 | - | 35 | 28 | 6 | 1 | 15.35 |
| 39 | 46 | 21 | 22 | - | 128 | 147 | 149 | - | 296 | 211 | 85 | - | 18.33 |
| 8 | - | 1 | - | - | 9 | 15 | 12 | - | 27 | 26 | 1 | - | 14.69 |
| 1 | - | - | - | - | 1 | 4 | 9 | - | 13 | 13 | - | - | 13.21 |
| 1 | - | - | - | - | 1 | 7 | 2 | - | 9 | 8 | 1 | - | 19.03 |
| 7 | - | - | - | - | 7 | 18 | 7 | - | 25 | 24 | 1 | - | 17.14 |
| 10 | - | - | - | - | 10 | 8 | 11 | - | 19 | 18 | 1 | - | 14.91 |
| 17 | 1 | 1 | - | - | 19 | 21 | 37 | - | 58 | 53 | 4 | 1 | 17.97 |
| 7 | - | - | - | - | 7 | 18 | 21 | - | 39 | 34 | 5 | - | 18.37 |
| 8 | - | - | - | - | 8 | 20 | 30 | - | 50 | 44 | 5 | 1 | 17.41 |
| 1 | - | - | - | - | 1 | 12 | 11 | - | 23 | 20 | 2 | 1 | 17.23 |
| 5 | - | - | - | - | 5 | 11 | 11 | - | 22 | 20 | 2 | - | 25.17 |
| 13 | - | - | - | - | 13 | 12 | 10 | - | 22 | 22 | - | - | 21.98 |
| 2 | - | 1 | - | - | 3 | 5 | 5 | - | 10 | 10 | - | - | 14.56 |
| 3 | - | - | 1 | - | 4 | 6 | 8 | - | 14 | 14 | - | - | 20.71 |
| 8 | - | 2 | - | - | 10 | 19 | 20 | - | 39 | 37 | - | 2 | 22.31 |
| 3 | 2 | 1 | 1 | - | 7 | 10 | 13 | - | 23 | 18 | 4 | 1 | 23.86 |
| 6 | - | 2 | - | - | 8 | 10 | 11 | - | 21 | 19 | 1 | 1 | 18.57 |
| 29 | 7 | 7 | 5 | - | 48 | 45 | 71 | - | 116 | 91 | 24 | 1 | 18.95 |
| 25 | 29 | 9 | 5 | - | 68 | 53 | 50 | - | 103 | 84 | 18 | 1 | 16.95 |
| - | - | - | - | - | - | 6 | 4 | - | 10 | 10 | - | - | 11.81 |
| 10 | 1 | - | 3 | - | 14 | 27 | 26 | - | 53 | 44 | 9 | - | 16.62 |
| 4 | - | - | - | - | 4 | 9 | 11 | - | 20 | 20 | - | - | 17.11 |
| 11 | - | 1 | - | - | 12 | 22 | 10 | - | 32 | 30 | 2 | - | 15.94 |
| 16 | - | 2 | 1 | 1 | 20 | 21 | 26 | - | 47 | 44 | 2 | 1 | 17.61 |
| 251 | 86 | 49 | 39 | 1 | 426 | 554 | 589 | - | 1,143 | 959 | 173 | 11 | 17.62 |

TABLE
Recapitulation

| COUNTIES. | Population in 1900. | BIRTHS. | | | | | | | | | |
|-------------------|---------------------|---------|---------|-------------|--------|-----------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|
| | | SEX. | | | | | PARENTAGE. | | | | |
| | | Male. | Female. | Not stated. | Total. | Rate per 1,000. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. |
| Androscoggin..... | 54,242 | 572 | 552 | — | 1,124 | 20.72 | 465 | 409 | 133 | 111 | 6 |
| Aroostook..... | *59,442 | 1,260 | 1,166 | 3 | 2,429 | 40.86 | 1,372 | 332 | 383 | 328 | 14 |
| Cumberland..... | 100,689 | 1,171 | 1,082 | 1 | 2,254 | 22.39 | 1,218 | 609 | 186 | 219 | 22 |
| Franklin..... | *18,064 | 208 | 194 | — | 402 | 22.26 | 269 | 84 | 28 | 15 | 6 |
| Hancock..... | *37,056 | 374 | 377 | 2 | 753 | 20.32 | 652 | 37 | 30 | 27 | 7 |
| Kennebec..... | 59,117 | 645 | 590 | 1 | 1,236 | 20.91 | 727 | 296 | 105 | 99 | 9 |
| Knox..... | *30,287 | 248 | 206 | — | 454 | 14.99 | 362 | 42 | 20 | 25 | 5 |
| Lincoln..... | 19,669 | 170 | 151 | — | 321 | 16.32 | 296 | 4 | 8 | 12 | 1 |
| Oxford..... | *32,140 | 486 | 420 | — | 906 | 28.19 | 524 | 256 | 72 | 48 | 6 |
| Penobscot..... | *75,797 | 936 | 843 | 2 | 1,781 | 23.50 | 1,007 | 368 | 217 | 164 | 25 |
| Piscataquis..... | *16,526 | 215 | 193 | 1 | 409 | 24.72 | 255 | 69 | 43 | 35 | 7 |
| Sagadahoc..... | 20,330 | 167 | 180 | — | 347 | 17.07 | 227 | 57 | 30 | 32 | 1 |
| Somerset..... | *33,407 | 373 | 376 | — | 749 | 22.42 | 519 | 108 | 60 | 45 | 17 |
| Waldo..... | 24,185 | 186 | 194 | — | 380 | 15.72 | 341 | 14 | 11 | 11 | 3 |
| Washington..... | *45,002 | 540 | 509 | 2 | 1,051 | 23.40 | 690 | 94 | 98 | 146 | 23 |
| York..... | 64,885 | 812 | 765 | — | 1,577 | 24.30 | 757 | 536 | 133 | 137 | 14 |
| Total..... | *690,838 | 8,363 | 7,798 | 12 | 16,173 | 23.42 | 9,681 | 3,315 | 1,557 | 1,454 | 166 |

*Population omitting that of unorganized townships, and other places not represented in this tabulation. See Table No. 1.

No. 7.
by Counties.

| MARRIAGES. | | | | | | DEATHS. | | | | | | | |
|----------------|---------------|-------------------|----------------|-------------|--------|---------|---------|-------------|--------|-----------|----------|-------------|-----------------------|
| | | | | | | SEX. | | | | NATIVITY. | | | Death-rate per 1,000. |
| Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. | Male. | Female. | Not stated. | Total. | American. | Foreign. | Not stated. | |
| 251 | 98 | 54 | 59 | 3 | 465 | 526 | 426 | - | 952 | 740 | 200 | 12 | 17.55 |
| 315 | 47 | 81 | 137 | - | 580 | 519 | 456 | - | 975 | 756 | 205 | 14 | 16.40 |
| 587 | 107 | 90 | 64 | 6 | 854 | 898 | 883 | - | 1,781 | 1,459 | 292 | 30 | 17.69 |
| 153 | 8 | 9 | 13 | - | 183 | 169 | 167 | 1 | 337 | 310 | 23 | 4 | 18.66 |
| 293 | 4 | 16 | 13 | - | 326 | 302 | 253 | - | 555 | 518 | 27 | 10 | 14.98 |
| 358 | 68 | 40 | 53 | - | 519 | 595 | 549 | - | 1,144 | 982 | 142 | 20 | 19.35 |
| 172 | 16 | 5 | 8 | 2 | 203 | 249 | 224 | - | 473 | 445 | 27 | 1 | 15.62 |
| 128 | 1 | 4 | 3 | 1 | 137 | 162 | 178 | - | 340 | 318 | 14 | 8 | 17.29 |
| 237 | 55 | 26 | 32 | - | 350 | 287 | 274 | - | 561 | 490 | 65 | 6 | 17.45 |
| 540 | 82 | 68 | 65 | 6 | 761 | 684 | 598 | 1 | 1,283 | 1,044 | 203 | 36 | 16.92 |
| 125 | 13 | 15 | 17 | - | 170 | 134 | 116 | - | 250 | 215 | 28 | 7 | 15.13 |
| 82 | 8 | 5 | 7 | 2 | 104 | 177 | 158 | - | 335 | 282 | 47 | 6 | 16.48 |
| 247 | 22 | 28 | 27 | 2 | 326 | 289 | 235 | - | 524 | 468 | 46 | 10 | 15.69 |
| 178 | - | 3 | 4 | - | 185 | 178 | 190 | - | 368 | 355 | 10 | 3 | 15.22 |
| 212 | 20 | 40 | 43 | - | 315 | 337 | 306 | - | 643 | 513 | 119 | 11 | 14.32 |
| 251 | 86 | 49 | 39 | 1 | 426 | 554 | 589 | - | 1,143 | 959 | 173 | 11 | 17.62 |
| 4,129 | 635 | 533 | 584 | 23 | 5,904 | 6,060 | 5,602 | 2 | 11,664 | 9,854 | 1,621 | 189 | 16.88 |

TABLE No. 8.
Births and Birth-Rates by Counties for the Years 1901-1908.

| | 1901. | | 1902. | | 1903. | | 1904. | | 1905. | | 1906. | | 1907. | | 1908. | |
|------------------------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|
| | Births. | Rate. | Births. | Rate. | Births. | Rate. | Births. | Rate. | Births. | Rate. | Births. | Rate. | Births. | Rate. | Births. | Rate. |
| State | 14,021 | 20.19 | 14,508 | 20.89 | 14,453 | 20.81 | 14,673 | 21.13 | 15,294 | 21.40 | 15,878 | 22.09 | 15,914 | 22.02 | 16,173 | 22.25 |
| Androscoggin | 1,060 | 19.54 | 1,117 | 20.59 | 1,050 | 19.36 | 1,059 | 19.52 | 1,164 | 20.47 | 1,175 | 20.47 | 1,088 | 18.78 | 1,124 | 19.23 |
| Aroostook | 1,945 | 32.62 | 2,090 | 35.12 | 2,095 | 35.45 | 2,223 | 37.27 | 2,241 | 34.60 | 2,323 | 34.45 | 2,413 | 35.20 | 2,429 | 34.87 |
| Cumberland | 1,877 | 18.64 | 1,951 | 19.37 | 2,029 | 20.15 | 2,011 | 19.97 | 2,066 | 19.03 | 2,179 | 20.45 | 2,163 | 20.12 | 2,254 | 20.78 |
| Franklin | 406 | 22.32 | 416 | 23.19 | 383 | 21.20 | 376 | 20.60 | 432 | 22.60 | 404 | 20.96 | 442 | 22.76 | 402 | 20.56 |
| Hancock | 666 | 18.01 | 700 | 18.92 | 676 | 18.27 | 695 | 18.76 | 733 | 19.05 | 768 | 20.62 | 757 | 20.33 | 753 | 20.22 |
| Kennebec | 1,122 | 10.99 | 1,227 | 20.72 | 1,084 | 13.34 | 1,174 | 19.55 | 1,177 | 19.14 | 1,225 | 20.72 | 1,257 | 20.75 | 1,236 | 20.33 |
| Knox | 498 | 16.41 | 437 | 14.42 | 450 | 14.86 | 452 | 14.92 | 465 | 15.32 | 531 | 17.53 | 444 | 14.60 | 454 | 14.93 |
| Lincoln | 335 | 17.03 | 307 | 15.61 | 303 | 15.40 | 288 | 14.64 | 345 | 17.42 | 310 | 15.76 | 323 | 16.42 | 321 | 16.32 |
| Oxford | 627 | 19.45 | 689 | 21.44 | 729 | 22.85 | 730 | 22.88 | 792 | 23.36 | 880 | 26.48 | 787 | 23.57 | 906 | 27.60 |
| Penobscot | 1,405 | 18.54 | 1,577 | 20.80 | 1,598 | 21.09 | 1,541 | 20.34 | 1,578 | 20.04 | 1,722 | 22.00 | 1,772 | 22.54 | 1,781 | 22.55 |
| Piscataquis | 289 | 17.28 | 347 | 21.11 | 351 | 21.30 | 343 | 20.64 | 353 | 20.29 | 364 | 20.87 | 404 | 23.06 | 409 | 23.24 |
| Sagadahoc | 420 | 20.66 | 382 | 18.79 | 352 | 17.31 | 399 | 19.63 | 344 | 15.95 | 366 | 17.54 | 340 | 16.23 | 347 | 16.50 |
| Somerset | 600 | 17.90 | 583 | 17.34 | 591 | 17.60 | 634 | 18.88 | 698 | 19.95 | 692 | 20.01 | 703 | 20.26 | 749 | 21.51 |
| Waldo | 364 | 15.05 | 282 | 11.66 | 272 | 11.25 | 319 | 13.19 | 352 | 14.52 | 365 | 15.09 | 385 | 15.92 | 380 | 15.71 |
| Washington | 975 | 21.67 | 991 | 22.10 | 1,031 | 22.99 | 988 | 22.03 | 1,013 | 21.87 | 1,023 | 22.39 | 1,030 | 22.51 | 1,051 | 22.93 |
| York | 1,431 | 22.05 | 1,412 | 21.76 | 1,459 | 22.49 | 1,441 | 22.21 | 1,541 | 23.03 | 1,551 | 23.46 | 1,606 | 24.21 | 1,577 | 23.70 |

TABLE No. 9.
Births by Counties, Showing Proportion of Males to Females, 1908.

| COUNTIES. | Males. | Females. | Sex not stated. | Total. | Excess of males. | Excess of females. | Males to each 100 females. |
|-------------------|--------|----------|-----------------|--------|------------------|--------------------|----------------------------|
| Androscoggin..... | 572 | 552 | - | 1,124 | 20 | - | 103.6 |
| Aroostook..... | 1,260 | 1,166 | 3 | 2,429 | 94 | - | 108.1 |
| Cumberland..... | 1,171 | 1,082 | 1 | 2,254 | 89 | - | 108.2 |
| Franklin..... | 208 | 194 | - | 402 | 14 | - | 107.3 |
| Hancock..... | 374 | 377 | 2 | 753 | - | 3 | 99.2 |
| Kennebec..... | 645 | 590 | 1 | 1,236 | 55 | - | 109.3 |
| Knox..... | 248 | 206 | - | 454 | 42 | - | 120.4 |
| Lincoln..... | 170 | 151 | - | 321 | 19 | - | 112.6 |
| Oxford..... | 486 | 420 | - | 906 | 66 | - | 115.7 |
| Penobscot..... | 936 | 843 | 2 | 1,781 | 93 | - | 111.0 |
| Piscataquis..... | 215 | 193 | 1 | 409 | 22 | - | 111.4 |
| Sagadahoc..... | 167 | 180 | - | 347 | - | 13 | 82.8 |
| Somerset..... | 373 | 376 | - | 749 | - | 3 | 99.2 |
| Waldo..... | 186 | 194 | - | 380 | - | 8 | 95.8 |
| Washington..... | 540 | 509 | 2 | 1,051 | 31 | - | 106.1 |
| York..... | 812 | 765 | - | 1,577 | 47 | - | 106.1 |
| Total..... | 8,363 | 7,798 | 12 | 16,173 | 592 | 27 | 107.2 |

TABLE No. 10.

Number of Births in Each Month of 1901-1908, with a Monthly Ratio Compared with a Standard of 100.

| MONTHS. | 1901. | | 1902. | | 1903. | | 1904. | | 1905. | | 1906. | | 1907. | | 1908. | |
|---------------------|---------|---------|---------|--------|---------|--------|---------|--------|---------|--------|---------|--------|---------|--------|---------|--------|
| | Births. | Ratio.* | Births. | Ratio. | Births. | Ratio. | Births. | Ratio. | Births. | Ratio. | Births. | Ratio. | Births. | Ratio. | Births. | Ratio. |
| January | 1,123 | 94.3 | 1,143 | 92.7 | 1,210 | 98.6 | 1,219 | 97.8 | 1,178 | 90.8 | 1,173 | 87.0 | 1,301 | 96.3 | 1,296 | 94.3 |
| February | 1,128 | 104.8 | 1,111 | 99.8 | 1,151 | 103.9 | 1,207 | 107.2 | 1,180 | 100.6 | 1,206 | 99.0 | 1,288 | 105.0 | 1,312 | 102.2 |
| March | 1,303 | 109.4 | 1,401 | 113.6 | 1,353 | 110.3 | 1,367 | 109.7 | 1,463 | 112.7 | 1,333 | 102.1 | 1,431 | 105.9 | 1,551 | 112.9 |
| April | 1,270 | 110.2 | 1,250 | 104.7 | 1,364 | 114.9 | 1,325 | 109.9 | 1,340 | 106.6 | 1,385 | 106.1 | 1,397 | 106.8 | 1,345 | 101.2 |
| May | 1,290 | 108.3 | 1,333 | 108.1 | 1,326 | 108.1 | 1,336 | 107.2 | 1,365 | 105.2 | 1,335 | 99.0 | 1,455 | 107.4 | 1,464 | 106.6 |
| June | 1,190 | 103.3 | 1,244 | 104.3 | 1,247 | 105.1 | 1,186 | 98.3 | 1,375 | 109.4 | 1,310 | 100.3 | 1,424 | 108.9 | 1,430 | 107.5 |
| July | 1,178 | 98.9 | 1,237 | 100.3 | 1,215 | 99.0 | 1,297 | 104.1 | 1,439 | 110.9 | 1,454 | 107.8 | 1,360 | 100.6 | 1,361 | 99.1 |
| August | 1,199 | 100.6 | 1,252 | 101.6 | 1,223 | 99.7 | 1,216 | 97.6 | 1,328 | 102.3 | 1,450 | 107.5 | 1,293 | 95.7 | 1,438 | 104.7 |
| September | 1,252 | 108.7 | 1,207 | 101.2 | 1,205 | 101.5 | 1,203 | 99.8 | 1,259 | 100.2 | 1,364 | 104.5 | 1,336 | 102.1 | 1,246 | 93.7 |
| October | 1,051 | 88.3 | 1,137 | 92.3 | 1,134 | 92.4 | 1,217 | 97.7 | 1,163 | 89.6 | 1,280 | 94.9 | 1,264 | 93.5 | 1,216 | 88.5 |
| November | 983 | 85.3 | 1,064 | 89.2 | 1,026 | 86.4 | 1,037 | 85.9 | 1,057 | 84.1 | 1,260 | 96.5 | 1,129 | 86.3 | 1,212 | 91.1 |
| December | 1,048 | 88.0 | 1,119 | 90.8 | 990 | 80.6 | 1,057 | 84.8 | 1,143 | 88.1 | 1,325 | 98.2 | 1,231 | 91.1 | 1,299 | 94.6 |
| Unknown | 6 | - | 10 | - | 9 | - | 6 | - | 4 | - | 3 | - | 5 | - | 3 | - |

*In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. II.
Births, by Sex and Months, by Counties, 1908.

| COUNTIES. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Not stated. | Total. | Grand total. |
|------------------------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|-------------|--------|--------------|
| Androscoggin, males... | 46 | 55 | 57 | 34 | 51 | 47 | 48 | 49 | 54 | 39 | 42 | 50 | - | 572 | - |
| females... | 45 | 53 | 52 | 51 | 51 | 56 | 32 | 34 | 41 | 51 | 39 | 47 | - | 552 | - |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1,124 |
| Aroostook, males... | 100 | 114 | 129 | 115 | 117 | 115 | 95 | 113 | 80 | 93 | 98 | 91 | - | 1,260 | - |
| females... | 81 | 95 | 138 | 104 | 130 | 96 | 94 | 108 | 73 | 72 | 84 | 91 | - | 1,166 | - |
| not stated | - | 1 | - | 1 | 1 | - | - | - | - | - | - | - | - | 3 | 2,429 |
| Cumberland, males... | 113 | 79 | 104 | 102 | 92 | 110 | 116 | 92 | 105 | 85 | 90 | 83 | - | 1,171 | - |
| females... | 87 | 79 | 97 | 82 | 97 | 92 | 91 | 98 | 67 | 95 | 101 | 96 | - | 1,082 | - |
| not stated | - | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | 2,254 |
| Franklin, males... | 25 | 17 | 22 | 17 | 18 | 23 | 14 | 19 | 12 | 10 | 14 | 17 | - | 208 | - |
| females... | 18 | 13 | 14 | 18 | 18 | 21 | 17 | 17 | 11 | 10 | 16 | 21 | - | 194 | - |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 402 |
| Hancock, males... | 26 | 40 | 32 | 20 | 40 | 27 | 29 | 35 | 35 | 31 | 25 | 34 | - | 374 | - |
| females... | 23 | 31 | 42 | 26 | 34 | 27 | 40 | 40 | 28 | 32 | 30 | 29 | - | 377 | - |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 | 753 |
| Kennebec, males... | 60 | 53 | 67 | 36 | 61 | 57 | 55 | 54 | 50 | 44 | 46 | 62 | - | 645 | - |
| females... | 53 | 35 | 54 | 45 | 52 | 58 | 56 | 51 | 63 | 40 | 38 | 45 | - | 590 | - |
| not stated | - | - | 1 | - | - | - | - | - | - | - | - | - | - | 1 | 1,236 |
| Knox, males... | 17 | 17 | 28 | 25 | 25 | 30 | 17 | 17 | 22 | 19 | 15 | 16 | - | 248 | - |
| females... | 14 | 19 | 17 | 17 | 15 | 15 | 17 | 24 | 17 | 11 | 14 | 26 | - | 206 | - |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 454 |
| Lincoln, males... | 16 | 14 | 15 | 14 | 16 | 12 | 12 | 12 | 10 | 13 | 24 | 12 | - | 170 | - |
| females... | 10 | 11 | 7 | 14 | 9 | 10 | 21 | 18 | 12 | 16 | 10 | 13 | - | 151 | - |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 321 |
| Oxford, males... | 25 | 39 | 30 | 54 | 47 | 39 | 40 | 51 | 38 | 52 | 33 | 38 | - | 496 | - |
| females... | 18 | 38 | 50 | 31 | 44 | 32 | 39 | 38 | 45 | 33 | 26 | 26 | - | 420 | - |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 906 |
| Penobscot, males... | 81 | 69 | 93 | 78 | 95 | 75 | 68 | 91 | 77 | 64 | 71 | 74 | - | 936 | - |
| females... | 80 | 58 | 70 | 78 | 74 | 73 | 71 | 86 | 66 | 64 | 62 | 59 | 2 | 843 | - |
| not stated | 1 | - | - | - | - | 1 | 1 | - | - | - | - | - | - | 2 | 1,781 |
| Piscataquis, males... | 17 | 17 | 20 | 18 | 13 | 17 | 21 | 23 | 21 | 17 | 18 | 13 | - | 215 | - |
| females... | 14 | 13 | 26 | 24 | 15 | 12 | 19 | 23 | 15 | 11 | 9 | 12 | - | 193 | - |
| not stated | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | 409 |
| Sagadahoc, males... | 15 | 7 | 20 | 7 | 20 | 17 | 18 | 14 | 9 | 13 | 13 | 14 | - | 167 | - |
| females... | 17 | 5 | 19 | 16 | 14 | 16 | 18 | 13 | 20 | 14 | 15 | 13 | - | 180 | - |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 347 |
| Somerset, males... | 23 | 37 | 32 | 33 | 27 | 43 | 33 | 30 | 20 | 33 | 31 | 31 | - | 373 | - |
| females... | 28 | 38 | 27 | 34 | 28 | 39 | 31 | 35 | 25 | 41 | 22 | 28 | - | 376 | - |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 740 |
| Waldo, males... | 14 | 14 | 23 | 15 | 14 | 18 | 15 | 12 | 16 | 13 | 16 | 16 | - | 186 | - |
| females... | 19 | 14 | 15 | 19 | 20 | 16 | 16 | 13 | 18 | 13 | 16 | 14 | 1 | 194 | - |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 380 |
| Washington, males... | 47 | 42 | 54 | 40 | 50 | 50 | 39 | 46 | 35 | 41 | 45 | 51 | - | 540 | - |
| females... | 35 | 53 | 42 | 47 | 32 | 38 | 40 | 41 | 44 | 54 | 34 | 49 | - | 509 | - |
| not stated | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - | 2 | 1,051 |
| York, males... | 71 | 76 | 76 | 63 | 76 | 79 | 74 | 79 | 64 | 34 | 56 | 64 | - | 812 | - |
| females... | 57 | 65 | 78 | 67 | 68 | 69 | 63 | 62 | 57 | 57 | 59 | 63 | - | 765 | - |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1,577 |
| Total, males... | 696 | 690 | 802 | 671 | 762 | 759 | 694 | 737 | 648 | 601 | 637 | 666 | - | 8,363 | - |
| females... | 599 | 620 | 748 | 673 | 701 | 670 | 665 | 701 | 597 | 614 | 575 | 632 | - | 7,798 | - |
| not stated | 1 | 2 | 1 | 1 | 1 | 1 | 2 | - | 1 | 1 | - | 1 | - | 12 | - |
| Grand total..... | 1296 | 1312 | 1551 | 1345 | 1464 | 1430 | 1361 | 1438 | 1246 | 1216 | 1212 | 1299 | 3 | 16173 | 16173 |

TABLE No. 12.

Births in Cities for 1908, with Rate per 1,000 of Population.

| CITIES. | Estimated population for 1908. | Males born. | Females born. | Sex not stated. | Total. | Birth-rate per 1,000. | Males to each 100 females. |
|---------------------|--------------------------------|-------------|---------------|-----------------|--------|-----------------------|----------------------------|
| Auburn..... | 14,311 | 138 | 121 | - | 259 | 18.10 | 114.1 |
| Augusta..... | 12,609 | 159 | 125 | - | 284 | 22.52 | 127.2 |
| Bangor..... | 24,050 | 189 | 169 | 1 | 359 | 14.93 | 118.8 |
| Bath..... | 11,877 | 95 | 102 | - | 197 | 16.59 | 93.1 |
| Belfast..... | 5,250 | 24 | 39 | - | 63 | 12.00 | 71.5 |
| Biddeford..... | 17,525 | 277 | 251 | - | 528 | 30.13 | 110.4 |
| Brewer..... | 5,347 | 84 | 82 | - | 166 | 31.04 | 102.4 |
| Calais..... | 7,946 | 79 | 81 | - | 160 | 20.14 | 97.5 |
| Eastport..... | 5,633 | 58 | 58 | - | 116 | 20.59 | 100.0 |
| Ellsworth..... | 4,297 | 31 | 29 | - | 60 | 13.96 | 106.9 |
| Gardiner..... | 5,509 | 58 | 53 | - | 111 | 20.15 | 109.4 |
| Hallowell..... | 2,714 | 18 | 21 | - | 39 | 14.37 | 85.7 |
| Lewiston..... | 25,409 | 274 | 275 | - | 549 | 21.61 | 99.6 |
| Old Town..... | 6,123 | 74 | 83 | - | 157 | 25.64 | 89.2 |
| Portland..... | 57,374 | 601 | 360 | 1 | 1,162 | 20.25 | 107.3 |
| Rockland..... | 8,150 | 64 | 49 | - | 113 | 13.87 | 130.6 |
| Saco..... | 6,161 | 53 | 58 | - | 111 | 18.02 | 91.4 |
| South Portland..... | 6,287 | 84 | 79 | - | 163 | 25.93 | 106.3 |
| Waterville..... | 11,373 | 144 | 159 | 1 | 304 | 26.73 | 90.6 |
| Westbrook..... | 7,803 | 105 | 96 | - | 201 | 25.76 | 109.4 |
| Total..... | 245,748 | 2,609 | 2,490 | 3 | 5,102 | 20.76 | 104.8 |

TABLE No. 13.
 Percentage of American and Foreign Births by Counties,
 1908.

| COUNTIES. | PARENTS. | | | Births with percentage not stated. |
|-------------------|----------------|---------------|-------------------|------------------------------------|
| | American-born. | Foreign-born. | One foreign born. | |
| Androscoggin..... | 41.37 | 36.39 | 21.71 | 0.53 |
| Aroostook..... | 56.48 | 13.67 | 29.27 | 0.58 |
| Cumberland..... | 54.03 | 27.02 | 17.97 | 0.98 |
| Franklin..... | 66.91 | 20.90 | 10.70 | 1.49 |
| Hancock..... | 86.59 | 4.91 | 7.57 | 0.93 |
| Kennebec..... | 58.82 | 23.95 | 16.50 | 0.73 |
| Knox..... | 79.74 | 9.25 | 9.91 | 1.10 |
| Lincoln..... | 92.21 | 1.25 | 6.23 | 0.31 |
| Oxford..... | 57.83 | 28.26 | 13.25 | 0.66 |
| Penobscot..... | 56.54 | 20.66 | 21.39 | 1.41 |
| Piscataquis..... | 62.35 | 16.87 | 19.07 | 1.71 |
| Sagadahoc..... | 65.42 | 16.43 | 17.87 | 0.28 |
| Somerset..... | 69.29 | 14.42 | 14.02 | 2.27 |
| Waldo..... | 89.74 | 3.68 | 5.79 | 0.79 |
| Washington..... | 65.65 | 8.94 | 23.22 | 2.19 |
| York..... | 48.00 | 33.99 | 17.12 | 0.89 |
| State..... | 59.86 | 20.50 | 18.62 | 1.02 |

TABLE No. 14.
Percentage of American and Foreign Births by Cities, 1908.

| CITIES. | PARENTS. | | | Births with percentage not stated. |
|---------------------|----------------|---------------|-------------------|------------------------------------|
| | American-born. | Foreign-born. | One foreign born. | |
| Auburn..... | 45.18 | 28.57 | 25.48 | 0.77 |
| Augusta..... | 52.11 | 30.63 | 16.55 | 0.71 |
| Bangor..... | 52.37 | 22.56 | 20.89 | 4.18 |
| Bath..... | 55.33 | 21.32 | 22.84 | 0.51 |
| Belfast..... | 88.89 | 4.76 | 6.35 | - |
| Biddeford..... | 17.99 | 59.28 | 21.78 | 0.95 |
| Brewer..... | 44.58 | 30.12 | 25.30 | - |
| Calais..... | 36.87 | 16.88 | 41.25 | 5.00 |
| Eastport..... | 40.52 | 17.24 | 40.52 | 1.72 |
| Ellsworth..... | 90.00 | - | 10.00 | - |
| Gardiner..... | 65.77 | 13.51 | 20.72 | - |
| Hallowell..... | 87.18 | - | 12.82 | - |
| Lewiston..... | 25.86 | 50.46 | 23.68 | - |
| Old Town..... | 40.76 | 31.85 | 27.39 | - |
| Portland..... | 44.66 | 35.37 | 18.93 | 1.04 |
| Rockland..... | 75.22 | 15.92 | 7.08 | 1.78 |
| Saco..... | 53.15 | 21.62 | 24.32 | 0.91 |
| South Portland..... | 66.26 | 12.88 | 20.86 | - |
| Waterville..... | 37.50 | 34.54 | 26.64 | 1.32 |
| Westbrook..... | 37.81 | 31.34 | 29.35 | 1.50 |
| Collectively..... | 43.53 | 32.95 | 22.40 | 1.12 |

TABLE No. 15.
Twin Births by Months and Counties, 1908.

| COUNTIES. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Total. |
|-------------------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|--------|
| Androscoggin..... | 2 | 2 | - | - | 4 | 1 | - | - | 2 | - | 1 | 1 | 13 |
| Aroostook..... | 3 | 1 | 4 | 5 | 2 | 2 | 2 | 2 | 1 | 3 | 2 | 2 | 29 |
| Cumberland..... | 4 | 1 | 1 | 1 | 2 | 8 | 5 | 3 | 3 | 1 | 6 | - | 35 |
| Franklin..... | 1 | - | - | - | - | - | 2 | - | - | - | - | - | 3 |
| Hancock..... | - | - | - | - | 1 | - | - | 2 | - | - | - | - | 3 |
| Kennebec..... | - | 2 | 2 | 1 | 1 | - | - | - | 3 | - | - | 1 | 10 |
| Knox..... | - | - | 1 | - | - | 1 | - | - | 1 | 1 | - | 1 | 5 |
| Lincoln..... | 1 | 2 | - | 1 | - | - | 1 | - | - | - | 1 | - | 6 |
| Oxford..... | 2 | - | 2 | 1 | 1 | 1 | 1 | - | 1 | 1 | - | - | 10 |
| Penobscot..... | 1 | 1 | 4 | 2 | 1 | - | 1 | 2 | - | 1 | 3 | 5 | 21 |
| Piscataquis..... | 1 | - | 1 | - | - | - | - | 1 | 2 | 1 | - | - | 6 |
| Sagadahoc..... | - | - | - | 1 | - | - | 2 | 1 | - | 1 | - | - | 5 |
| Somerset..... | - | - | - | 2 | - | 1 | - | 1 | - | - | 1 | 1 | 6 |
| Waldo..... | - | - | - | - | - | - | - | 2 | 1 | - | 1 | - | 4 |
| Washington..... | - | - | 2 | 1 | - | - | - | - | - | 4 | 1 | - | 8 |
| York..... | 2 | 1 | 1 | 2 | - | - | 2 | 2 | 1 | - | 2 | - | 13 |
| Total..... | 17 | 10 | 18 | 17 | 12 | 14 | 16 | 16 | 15 | 13 | 18 | 11 | 177 |

TABLE No. 16.
Twin Births by Sex and Parentage, by Counties, 1908.

| COUNTIES. | SEX. | | | | PARENTAGE. | | | | | Total. | Living children. | Stillborn children. | Total. |
|-------------------|------------|--------------|--------------------------|-------------|----------------|---------------|-------------------------------------|-------------------------------------|-------------|--------|------------------|---------------------|--------|
| | Both male. | Both female. | One male and one female. | Not stated. | Both American. | Both foreign. | American mother and foreign father. | American father and foreign mother. | Not stated. | | | | |
| Androscoggin..... | 4 | 5 | 4 | - | 6 | 5 | 1 | 1 | - | 13 | 24 | 2 | 26 |
| Aroostook..... | 8 | 13 | 8 | - | 18 | 5 | 3 | 2 | 1 | 29 | 57 | 1 | 58 |
| Cumberland..... | 10 | 15 | 10 | - | 19 | 10 | 2 | 4 | - | 35 | 67 | 3 | 70 |
| Franklin..... | 1 | - | 2 | - | 2 | 1 | - | - | - | 3 | 5 | 1 | 6 |
| Hancock..... | - | 1 | 2 | - | 3 | - | - | - | - | 3 | 5 | 1 | 6 |
| Kennebec..... | 5 | 2 | 3 | - | 7 | 3 | - | - | - | 10 | 14 | 6 | 20 |
| Knox..... | 4 | - | 1 | - | 3 | - | 2 | - | - | 5 | 10 | - | 10 |
| Lincoln..... | 4 | 1 | 1 | - | 6 | - | - | - | - | 6 | 12 | - | 12 |
| Oxford..... | 4 | 2 | 4 | - | 7 | 2 | 1 | - | - | 10 | 18 | 2 | 20 |
| Penobscot..... | 11 | - | 10 | - | 11 | 4 | 4 | 1 | 1 | 21 | 35 | 7 | 42 |
| Piscataquis..... | 2 | 3 | 1 | - | 3 | 2 | 1 | - | - | 6 | 12 | - | 12 |
| Sagadahoc..... | 4 | - | 1 | - | 3 | 1 | - | 1 | - | 5 | 10 | - | 10 |
| Somerset..... | 2 | 3 | 1 | - | 3 | 3 | - | - | - | 6 | 9 | 3 | 12 |
| Waldo..... | 1 | - | 3 | - | 3 | 1 | - | - | - | 4 | 8 | - | 8 |
| Washington..... | 3 | 2 | 3 | - | 6 | - | 1 | - | 1 | 8 | 16 | - | 16 |
| York..... | 4 | 4 | 5 | - | 10 | 2 | 1 | - | - | 13 | 25 | 1 | 26 |
| Total..... | 67 | 51 | 59 | | 110 | 39 | 16 | 9 | 3 | 177 | 327 | 27 | 354 |

TABLE No. 17.
Still Births by Sex and Parentage, by Counties, 1908.

| COUNTIES. | Male. | Female. | Sex not stated. | Total. | Mother American. | Mother foreign. | Not stated. |
|------------------------|-------|---------|-----------------|--------|------------------|-----------------|-------------|
| Androscoggin | 21 | 13 | 1 | 35 | 25 | 10 | - |
| Aroostook | 48 | 48 | 6 | 102 | 80 | 22 | - |
| Cumberland | 48 | 51 | 1 | 100 | 71 | 29 | - |
| Franklin | 7 | 5 | 2 | 14 | 11 | 2 | 1 |
| Hancock | 16 | 14 | 5 | 35 | 32 | 3 | - |
| Kennebec | 39 | 19 | 2 | 60 | 47 | 12 | 1 |
| Knox | 6 | 12 | 1 | 19 | 16 | 3 | - |
| Lincoln | 7 | 6 | - | 13 | 12 | 1 | - |
| Oxford | 26 | 14 | - | 40 | 26 | 13 | 1 |
| Penobscot | 41 | 35 | 1 | 77 | 59 | 17 | 1 |
| Piscataquis | 15 | 12 | - | 27 | 25 | 2 | - |
| Sagadahoc | 9 | 8 | - | 17 | 8 | 9 | - |
| Somerset | 28 | 14 | 1 | 43 | 26 | 15 | 2 |
| Waldo | 6 | 8 | 1 | 15 | 13 | 2 | - |
| Washington | 23 | 17 | 1 | 41 | 35 | 6 | - |
| York | 64 | 36 | 3 | 103 | 53 | 50 | - |
| Total | 404 | 312 | 25 | 741 | 539 | 196 | 6 |

TABLE No. 18.
Still Births by Seasons, 1908.

| MONTHS.. | | | |
|-----------------|-----|--------------------------------|-----|
| January | 65 | | |
| February | 63 | | |
| March | 69 | Total for first quarter | 197 |
| April | 75 | | |
| May | 71 | | |
| June | 62 | Total for second quarter | 208 |
| July | 59 | | |
| August | 53 | | |
| September | 61 | Total for third quarter | 173 |
| October | 60 | | |
| November | 50 | | |
| December | 53 | Total for fourth quarter | 163 |
| Total | 741 | | 741 |

NOTES ON BIRTHS.

In the year 1908, 16,914 births were registered in the State, including stillbirths, (14,082 in 1892, 14,604 in 1893, 14,607 in 1894, 15,430 in 1895, 15,429 in 1896, 15,142 in 1897, 15,121 in 1898, 14,475 in 1899, 14,709 in 1900, 14,615 in 1901, 15,166 in 1902, 15,130 in 1903, 15,405 in 1904, 16,005 in 1905, 16,585 in 1906, and 16,595 in 1907).

The number of living children born was 16,173 and the number of stillbirths was 741.

Of the whole number of living children of which the sex was certified, 8,363 were males and 7,798 were females. In 12 births the sex was not stated. For each 100 girls born there were 107.2 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, 106.4 in 1895, 105.3 in 1896, 102.3 in 1897, 106 in 1898, 104.4 in 1899, 103.2 in 1900, 105.6 in 1901, 105 in 1902, 105.3 in 1903, 104.2 in 1904, 104.1 in 1905, 106 in 1906, and 104.3 in 1907).

Birth-rate.—The birth-rate of living children for the State was 22.25 for each 1,000 of population.

Table No. 12 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 population was 20.76 as compared with 23.09, the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. As it invariably has been every year since the registration began, it was the highest in Aroostook, 34.87, and the lowest in Knox, 14.93. In six counties, Aroostook, Oxford, Penobscot, Piscataquis, Washington, and York, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 3 and 7.

Parentage.—Of the total births in the State, 59.86 per cent. were of native parents; 20.50 per cent. were of foreign parentage; 18.62 per cent. were of parents one of whom was foreign; while in 1.02 per cent. the nationality was not stated.

Lincoln county had the largest percentage of native-born parents, to wit, 92.21 per cent., and only 1.25 per cent. in which both parents were foreign-born. Waldo followed with 89.74

per cent. of native parentage, and only 3.68 per cent. in which both parents were foreign-born.

In Hancock county in 86.59 per cent. of the births the parents were native-born, and in 4.91 per cent., foreign-born.

In Knox the percentage of native-born parents was 79.74; in Somerset, 69.29; in Franklin, 66.91; in Washington, 65.65; and in Sagadahoc, 65.42.

Comparatively high percentages of foreign-born parents are found in Androscoggin county, 36.39; in York, 33.99; in Oxford, 28.26; in Cumberland, 27.02; and in Kennebec, 23.95.

The percentages of parentage, whether American-born or foreign-born, may be found for the other counties in Table No. 13.

Comparing the percentage of the births in our twenty cities with that of the rest of the State, we find that in the cities 43.53 per cent. of the births were of American parentage, while in the rural parts of the State the percentage of American-born children was 64.49.

The largest percentage of foreign-born parents was in Biddeford, 59.28; and in Lewiston, 50.46.

In Ellsworth and Hallowell there were no births in which both parents were foreign-born, and in Belfast the percentage of such births was only 4.76. For further comparisons see Table No. 14.

Seasons and Births.—The largest number of births in any one month in 1908 was 1,551 in March; the smallest was 1,212 in November; the largest quarterly total was 4,239 in the second quarter; the smallest, 3,727 in the last quarter. The three consecutive months in which the largest number of births occurred were March, April, and May, 4,360.

The following is a tabular statement of the number of births in each month of the seventeen years 1892-1908.

| | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Not stated. | Total. |
|------|----------|-----------|--------|--------|-------|-------|-------|---------|------------|----------|-----------|-----------|-------------|--------|
| 1892 | 1,016 | 1,113 | 1,345 | 1,275 | 1,323 | 1,176 | 1,222 | 1,191 | 1,144 | 1,047 | 1,002 | 1,111 | 63 | 14,028 |
| 1893 | 1,151 | 1,082 | 1,162 | 1,259 | 1,273 | 1,162 | 1,176 | 1,213 | 1,115 | 1,126 | 1,032 | 1,109 | 48 | 13,908 |
| 1894 | 962 | 980 | 1,335 | 1,324 | 1,255 | 1,200 | 1,286 | 1,213 | 1,163 | 1,064 | 990 | 1,164 | 9 | 13,940 |
| 1895 | 1,182 | 1,082 | 1,329 | 1,287 | 1,308 | 1,236 | 1,290 | 1,312 | 1,233 | 1,189 | 1,115 | 1,193 | 6 | 14,762 |
| 1896 | 1,149 | 1,227 | 1,330 | 1,318 | 1,379 | 1,190 | 1,207 | 1,246 | 1,257 | 1,220 | 1,091 | 1,069 | 10 | 14,693 |
| 1897 | 1,126 | 1,123 | 1,330 | 1,260 | 1,288 | 1,250 | 1,274 | 1,303 | 1,205 | 1,138 | 984 | 1,077 | 12 | 14,430 |
| 1898 | 1,148 | 1,176 | 1,323 | 1,269 | 1,322 | 1,229 | 1,226 | 1,219 | 1,182 | 1,196 | 1,028 | 1,149 | 6 | 14,473 |
| 1899 | 1,093 | 1,104 | 1,237 | 1,235 | 1,224 | 1,201 | 1,239 | 1,197 | 1,163 | 1,058 | 979 | 1,098 | 7 | 13,895 |
| 1900 | 1,167 | 1,083 | 1,260 | 1,245 | 1,276 | 1,146 | 1,284 | 1,255 | 1,213 | 1,070 | 1,055 | 1,035 | 6 | 14,905 |
| 1901 | 1,123 | 1,128 | 1,303 | 1,270 | 1,290 | 1,190 | 1,178 | 1,199 | 1,252 | 1,051 | 983 | 1,048 | 6 | 14,021 |
| 1902 | 1,143 | 1,111 | 1,401 | 1,250 | 1,333 | 1,244 | 1,237 | 1,252 | 1,207 | 1,137 | 1,064 | 1,119 | 10 | 14,508 |
| 1903 | 1,210 | 1,151 | 1,353 | 1,304 | 1,326 | 1,247 | 1,215 | 1,223 | 1,205 | 1,134 | 1,026 | 990 | 9 | 14,453 |
| 1904 | 1,219 | 1,207 | 1,367 | 1,325 | 1,336 | 1,186 | 1,297 | 1,216 | 1,203 | 1,217 | 1,037 | 1,057 | 6 | 14,673 |
| 1905 | 1,178 | 1,180 | 1,463 | 1,340 | 1,365 | 1,375 | 1,439 | 1,328 | 1,259 | 1,163 | 1,057 | 1,143 | 4 | 15,294 |
| 1906 | 1,173 | 1,206 | 1,333 | 1,385 | 1,335 | 1,310 | 1,454 | 1,450 | 1,364 | 1,280 | 1,260 | 1,325 | 3 | 15,878 |
| 1907 | 1,301 | 1,288 | 1,431 | 1,397 | 1,455 | 1,424 | 1,360 | 1,293 | 1,336 | 1,264 | 1,129 | 1,231 | 5 | 15,914 |
| 1908 | 1,296 | 1,312 | 1,551 | 1,345 | 1,464 | 1,430 | 1,361 | 1,438 | 1,246 | 1,216 | 1,212 | 1,299 | 3 | 16,173 |

Twin-births.—In 1908, 177 twin-births occurred; in 67 instances the twins were both boys; in 51, both girls; in 59, a boy and a girl. In 110 cases the parentage was American; in 39, foreign; in 25 instances the parentage was mixed; and in 3 it was not stated. Of the 354 children, 327 were born alive, and 27 were stillborn.

Triplets.—Triple births occurred in Belfast, Fort Kent, Hudson, Mars Hill and St. Francis. In Hudson, one was stillborn, and in St. Francis, all were stillborn, while in the other places, they were all living children.

Stillbirths.—Of the 741 stillborn children, 404 were males and 312 were females. In 25 the sex was not stated. With the exception of six stillbirths as to which the nativity of the mother was not stated, 539 were of American mothers, and 196 were of foreign mothers.

The largest number of stillbirths occurred in York county, 103; while the minimum number, 13, was reported in Lincoln county.

The largest number of stillbirths, 75, was returned in April; the smallest number was 50 in November. See Tables No. 17 and 18 for other details.

TABLE No. 19.
Marriages and Marriage-Rates by Counties for the Years 1901-1908.

| | 1901. | | 1902. | | 1903. | | 1904. | | 1905. | | 1906. | | 1907. | | 1908. | |
|-------------------|------------|-------|------------|-------|------------|-------|------------|-------|------------|-------|------------|-------|------------|-------|------------|-------|
| | Marriages. | Rate. | Marriages. | Rate. | Marriages. | Rate. | Marriages. | Rate. | Marriages. | Rate. | Marriages. | Rate. | Marriages. | Rate. | Marriages. | Rate. |
| State..... | 5,735 | 8.26 | 5,905 | 8.50 | 6,200 | 8.93 | 6,208 | 8.94 | 6,264 | 8.76 | 6,498 | 9.04 | 6,380 | 8.83 | 5,904 | 8.12 |
| Androscoggin..... | 492 | 9.07 | 462 | 8.52 | 485 | 8.94 | 465 | 8.57 | 500 | 8.79 | 536 | 9.34 | 475 | 8.20 | 465 | 7.95 |
| Aroostook..... | 524 | 12.63 | 569 | 22.37 | 617 | 10.10 | 623 | 10.26 | 564 | 9.70 | 664 | 9.89 | 592 | 8.64 | 580 | 9.33 |
| Cumberland..... | 791 | 7.86 | 846 | 8.40 | 903 | 9.05 | 905 | 9.48 | 875 | 8.75 | 912 | 9.07 | 963 | 9.96 | 854 | 7.87 |
| Franklin..... | 189 | 10.89 | 162 | 8.78 | 172 | 8.33 | 167 | 8.05 | 171 | 8.31 | 184 | 9.54 | 194 | 10.00 | 183 | 9.36 |
| Hancock..... | 332 | 7.92 | 322 | 6.65 | 323 | 6.67 | 333 | 8.94 | 337 | 7.75 | 319 | 8.75 | 329 | 8.83 | 326 | 8.75 |
| Kennebec..... | 456 | 7.71 | 504 | 9.53 | 502 | 8.59 | 554 | 8.37 | 523 | 7.79 | 541 | 9.96 | 590 | 9.24 | 519 | 8.54 |
| Knox..... | 276 | 9.03 | 273 | 9.82 | 286 | 8.81 | 261 | 8.29 | 282 | 8.29 | 269 | 8.84 | 251 | 8.25 | 293 | 6.07 |
| Lincoln..... | 144 | 7.33 | 133 | 6.76 | 132 | 6.71 | 165 | 8.94 | 117 | 5.94 | 150 | 7.63 | 145 | 7.37 | 137 | 6.97 |
| Oxford..... | 285 | 8.44 | 319 | 9.90 | 343 | 9.90 | 317 | 8.33 | 371 | 10.94 | 366 | 11.01 | 367 | 10.99 | 350 | 10.42 |
| Penobscot..... | 668 | 9.76 | 701 | 9.19 | 705 | 9.28 | 754 | 9.83 | 732 | 9.29 | 812 | 9.29 | 809 | 10.29 | 761 | 9.63 |
| Piscataquis..... | 152 | 8.97 | 163 | 9.62 | 165 | 7.42 | 171 | 10.09 | 157 | 8.03 | 170 | 10.37 | 176 | 10.29 | 170 | 9.66 |
| Sagadahoc..... | 144 | 7.08 | 152 | 7.77 | 152 | 7.42 | 183 | 9.00 | 152 | 7.05 | 151 | 7.24 | 148 | 7.07 | 104 | 4.94 |
| Somerset..... | 333 | 8.83 | 308 | 9.10 | 349 | 10.31 | 337 | 9.96 | 350 | 9.00 | 331 | 9.57 | 354 | 10.20 | 326 | 9.36 |
| Waldo..... | 177 | 7.32 | 161 | 6.66 | 182 | 7.53 | 154 | 6.37 | 206 | 8.50 | 228 | 7.43 | 207 | 8.56 | 185 | 7.65 |
| Washington..... | 327 | 7.22 | 344 | 7.61 | 360 | 7.96 | 332 | 7.34 | 368 | 7.95 | 362 | 7.92 | 306 | 6.69 | 315 | 6.87 |
| York..... | 445 | 6.87 | 480 | 7.40 | 522 | 8.05 | 543 | 8.37 | 546 | 8.16 | 497 | 7.52 | 504 | 7.60 | 426 | 6.40 |

TABLE No. 20.

Marriages by Counties and Nativity, 1908.

| COUNTIES. | Both American. | Both foreign. | Husband American. | Wife American. | Not stated. | Total. |
|-------------------|----------------|---------------|-------------------|----------------|-------------|--------|
| Androscoggin..... | 251 | 98 | 54 | 59 | 3 | 465 |
| Aroostook..... | 315 | 47 | 81 | 137 | - | 580 |
| Cumberland..... | 587 | 107 | 64 | 64 | 6 | 854 |
| Franklin..... | 153 | 8 | 9 | 13 | - | 183 |
| Hancock..... | 293 | 4 | 16 | 13 | - | 326 |
| Kennebec..... | 358 | 68 | 40 | 53 | - | 519 |
| Knox..... | 172 | 16 | 5 | 8 | 2 | 203 |
| Lincoln..... | 128 | 1 | 4 | 3 | 1 | 137 |
| Oxford..... | 237 | 55 | 26 | 32 | - | 350 |
| Penobscot..... | 540 | 82 | 68 | 65 | 6 | 761 |
| Piscataquis..... | 125 | 13 | 15 | 17 | - | 170 |
| Sagadahoc..... | 82 | 8 | 5 | 7 | 2 | 104 |
| Somerset..... | 247 | 22 | 28 | 27 | 2 | 326 |
| Waldo..... | 178 | - | 3 | 4 | - | 185 |
| Washington..... | 212 | 20 | 40 | 43 | - | 315 |
| York..... | 251 | 86 | 49 | 39 | 1 | 426 |
| Total..... | 4,129 | 635 | 533 | 584 | 23 | 5,904 |

TABLE No. 21.

Marriages by Months and Counties, 1908.

| COUNTIES. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Not stated. | Total. |
|------------------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|-------------|--------|
| Androscoggin... | 43 | 29 | 25 | 27 | 37 | 58 | 41 | 41 | 38 | 45 | 57 | 24 | - | 465 |
| Aroostook..... | 35 | 37 | 40 | 53 | 40 | 60 | 41 | 56 | 57 | 69 | 46 | 46 | - | 580 |
| Cumberland..... | 58 | 59 | 44 | 61 | 46 | 128 | 58 | 54 | 99 | 98 | 88 | 61 | - | 854 |
| Franklin..... | 12 | 10 | 11 | 10 | 25 | 29 | 15 | 17 | 15 | 13 | 12 | 14 | - | 183 |
| Hancock..... | 33 | 13 | 16 | 17 | 21 | 37 | 25 | 24 | 31 | 45 | 31 | 35 | - | 326 |
| Kennebec..... | 39 | 36 | 24 | 44 | 38 | 86 | 32 | 26 | 55 | 54 | 37 | 48 | - | 519 |
| Knox..... | 13 | 17 | 13 | 15 | 14 | 30 | 11 | 14 | 16 | 25 | 17 | 18 | - | 203 |
| Lincoln..... | 7 | 6 | 7 | 9 | 5 | 13 | 8 | 16 | 21 | 17 | 15 | 13 | - | 137 |
| Oxford..... | 25 | 25 | 26 | 20 | 30 | 47 | 23 | 22 | 37 | 32 | 38 | 25 | - | 350 |
| Penobscot..... | 50 | 36 | 43 | 50 | 44 | 101 | 57 | 71 | 77 | 78 | 90 | 64 | - | 761 |
| Piscataquis..... | 13 | 7 | 4 | 6 | 6 | 13 | 3 | 9 | 15 | 13 | 11 | 7 | - | 170 |
| Sagadahoc..... | 10 | 7 | 4 | 6 | 6 | 13 | 3 | 9 | 15 | 13 | 11 | 7 | - | 104 |
| Somerset..... | 27 | 21 | 19 | 30 | 24 | 46 | 23 | 23 | 27 | 32 | 34 | 20 | - | 326 |
| Waldo..... | 15 | 14 | 6 | 6 | 12 | 18 | 7 | 17 | 18 | 24 | 27 | 21 | - | 185 |
| Washington..... | 17 | 18 | 22 | 18 | 17 | 33 | 18 | 25 | 33 | 35 | 35 | 44 | - | 315 |
| York..... | 40 | 30 | 20 | 22 | 26 | 54 | 34 | 44 | 38 | 43 | 39 | 36 | - | 426 |
| Total..... | 437 | 366 | 332 | 405 | 398 | 779 | 405 | 474 | 589 | 641 | 591 | 487 | - | 5,904 |

TABLE No. 22.

Number of Marriages in Each Month of 1901-1908, with Monthly Ratio Compared with a Standard of 100.

| MONTHS. | 1901. | | 1902. | | 1903. | | 1904. | | 1905. | | 1906. | | 1907. | | 1908. | |
|-----------------|------------|---------|------------|--------|------------|--------|------------|--------|------------|--------|------------|--------|------------|--------|------------|--------|
| | Marriages. | Ratio.* | Marriages. | Ratio. | Marriages. | Ratio. | Marriages. | Ratio. | Marriages. | Ratio. | Marriages. | Ratio. | Marriages. | Ratio. | Marriages. | Ratio. |
| January | 369 | 75.8 | 436 | 86.9 | 407 | 77.4 | 439 | 83.3 | 423 | 79.5 | 487 | 87.9 | 409 | 75.6 | 437 | 86.7 |
| February | 288 | 65.5 | 351 | 77.5 | 331 | 69.7 | 352 | 73.9 | 325 | 67.7 | 394 | 78.8 | 382 | 78.1 | 366 | 80.8 |
| March | 285 | 58.5 | 309 | 61.6 | 327 | 62.2 | 331 | 62.8 | 347 | 65.2 | 336 | 60.7 | 282 | 52.1 | 332 | 65.9 |
| April | 409 | 86.8 | 442 | 91.1 | 437 | 85.9 | 463 | 90.8 | 357 | 69.5 | 450 | 84.0 | 503 | 96.0 | 405 | 83.5 |
| May | 371 | 76.2 | 380 | 75.6 | 401 | 76.2 | 404 | 76.7 | 427 | 80.3 | 453 | 81.8 | 411 | 76.0 | 398 | 79.0 |
| June | 745 | 158.1 | 707 | 145.8 | 813 | 159.7 | 829 | 162.5 | 796 | 154.9 | 873 | 163.5 | 866 | 165.3 | 779 | 160.6 |
| July | 409 | 84.0 | 394 | 78.5 | 408 | 77.6 | 390 | 74.0 | 449 | 84.4 | 467 | 84.3 | 497 | 91.9 | 405 | 80.4 |
| August | 402 | 82.5 | 401 | 79.9 | 500 | 95.1 | 449 | 85.2 | 500 | 94.0 | 494 | 89.2 | 471 | 87.1 | 474 | 94.0 |
| September | 606 | 128.6 | 595 | 122.7 | 630 | 123.8 | 644 | 126.2 | 696 | 135.4 | 665 | 124.1 | 668 | 127.5 | 589 | 121.4 |
| October | 694 | 142.5 | 649 | 129.3 | 670 | 127.4 | 675 | 128.1 | 698 | 131.2 | 696 | 125.7 | 706 | 130.5 | 641 | 127.2 |
| November | 652 | 138.3 | 682 | 140.6 | 690 | 135.6 | 663 | 130.0 | 677 | 131.7 | 646 | 120.5 | 663 | 126.5 | 591 | 121.9 |
| December | 502 | 103.1 | 558 | 111.2 | 585 | 111.2 | 568 | 107.8 | 567 | 106.6 | 537 | 97.3 | 520 | 96.1 | 487 | 96.6 |
| Unknown | 3 | - | 1 | - | 1 | - | 1 | - | 2 | - | - | - | 2 | - | - | - |

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 23.

Marriages by Ages and Counties, 1908.

| COUNTIES. | Under 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 70. | 70 to 80. | 80 and over. | Not stated. | Total. |
|-------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|-------------|--------|
| Androscoggin..... males | - | 18 | 183 | 111 | 58 | 26 | 24 | 13 | 13 | 6 | 8 | 5 | - | - | 465 |
| females | - | 104 | 171 | 91 | 28 | 21 | 21 | 12 | 8 | 6 | 3 | - | - | - | 465 |
| Aroostook..... males | - | 17 | 255 | 140 | 65 | 39 | 19 | 17 | 15 | 4 | 9 | - | - | - | 580 |
| females | 5 | 209 | 206 | 74 | 32 | 17 | 13 | 8 | 7 | 5 | 4 | - | - | - | 580 |
| Cumberland..... males | - | 34 | 294 | 233 | 135 | 52 | 36 | 31 | 10 | 13 | 10 | 6 | - | - | 854 |
| females | - | 164 | 311 | 182 | 87 | 45 | 31 | 11 | 9 | 7 | 4 | 3 | - | - | 854 |
| Franklin..... males | - | 8 | 70 | 37 | 27 | 15 | 6 | 10 | 2 | 2 | 4 | 2 | - | - | 183 |
| females | - | 57 | 66 | 17 | 16 | 8 | 7 | 2 | 5 | - | 5 | - | - | - | 183 |
| Hancock..... males | - | 17 | 114 | 76 | 44 | 29 | 17 | 9 | 5 | 6 | 7 | 2 | - | - | 326 |
| females | 1 | 112 | 110 | 41 | 17 | 17 | 10 | 7 | 6 | 2 | 3 | - | - | - | 326 |
| Kennebec..... males | - | 17 | 209 | 121 | 53 | 32 | 27 | 20 | 11 | 9 | 15 | 4 | 1 | - | 519 |
| females | 1 | 137 | 176 | 87 | 41 | 28 | 12 | 8 | 11 | 6 | 10 | 2 | - | - | 519 |
| Knox..... males | - | 16 | 62 | 60 | 30 | 9 | 8 | 4 | 4 | 1 | 7 | 1 | 1 | - | 203 |
| females | - | 44 | 78 | 35 | 17 | 10 | 6 | 4 | 2 | 5 | 1 | - | - | 1 | 203 |
| Lincoln..... males | - | 4 | 55 | 28 | 25 | 4 | 5 | 3 | 3 | 5 | 4 | 1 | - | - | 137 |
| females | - | 33 | 55 | 24 | 8 | 6 | 2 | 2 | 3 | - | 4 | - | - | - | 137 |
| Oxford..... males | - | 20 | 120 | 89 | 54 | 21 | 14 | 15 | 7 | 3 | 6 | 1 | - | - | 350 |
| females | 3 | 97 | 134 | 50 | 24 | 11 | 10 | 8 | 6 | 5 | 2 | - | - | - | 350 |
| Penobscot..... males | - | 34 | 302 | 194 | 94 | 45 | 22 | 20 | 20 | 7 | 17 | 4 | 2 | - | 761 |
| females | - | 204 | 281 | 133 | 49 | 33 | 20 | 14 | 7 | 5 | 12 | 2 | 1 | - | 761 |
| Piscataquis..... males | - | 10 | 54 | 54 | 17 | 17 | 9 | 2 | 4 | 1 | 2 | - | - | - | 170 |
| females | - | 47 | 57 | 31 | 15 | 8 | 7 | 2 | 1 | 2 | - | - | - | - | 170 |
| Sagadahoc..... males | - | 7 | 20 | 31 | 21 | 6 | 5 | 5 | 2 | 2 | 4 | 1 | - | - | 104 |
| females | - | 23 | 40 | 21 | 8 | 3 | 4 | 3 | 2 | - | - | - | - | - | 104 |
| Somerset..... males | - | 23 | 128 | 73 | 36 | 20 | 9 | 11 | 8 | 7 | 8 | 3 | - | - | 326 |
| females | - | 116 | 105 | 47 | 20 | 11 | 8 | 2 | 7 | 2 | 6 | 2 | - | - | 326 |
| Waldo..... males | - | 12 | 51 | 45 | 27 | 18 | 9 | 7 | 6 | 6 | 3 | 1 | - | - | 185 |
| females | 1 | 52 | 58 | 28 | 19 | 10 | 4 | 6 | 4 | 1 | 2 | - | - | - | 185 |
| Washington..... males | - | 14 | 131 | 91 | 28 | 21 | 13 | 8 | 6 | 1 | 2 | - | - | - | 315 |
| females | - | 97 | 118 | 49 | 20 | 16 | 7 | 5 | 2 | 1 | - | - | - | - | 315 |
| York..... males | - | 21 | 185 | 84 | 45 | 31 | 14 | 14 | 13 | 7 | 7 | 5 | - | - | 426 |
| females | 2 | 113 | 155 | 69 | 32 | 17 | 12 | 9 | 9 | 4 | 3 | 1 | - | - | 426 |
| Total..... males | - | 272 | 2,233 | 1,467 | 759 | 385 | 237 | 189 | 129 | 80 | 113 | 36 | 4 | - | 5,904 |
| females | 13 | 1,609 | 2,121 | 979 | 433 | 261 | 174 | 103 | 89 | 51 | 59 | 10 | 1 | 1 | 5,904 |
| Grand total..... | 13 | 1,881 | 4,354 | 2,446 | 1,192 | 646 | 411 | 292 | 218 | 131 | 172 | 46 | 5 | 1 | 11,808 |

TABLE
Some Interesting Facts in

| COUNTIES. | Instances in which the age of the bride exceeded that of the groom. | Widowers. | Widows. | Divorced. | | First marriage. | | Second marriage. | |
|------------------------|---|-----------|---------|-----------|-------|-----------------|-------|------------------|-----|
| | | | | M. | F. M. | F. M. | F. M. | F. | |
| Androscoggin | 95 | 74 | 62 | 15 | 19 | 376 | 384 | 81 | 74 |
| Aroostook | 78 | 75 | 54 | 15 | 20 | 506 | 490 | 79 | 69 |
| Cumberland | 182 | 91 | 78 | 39 | 39 | 724 | 737 | 118 | 108 |
| Franklin | 34 | 24 | 19 | 19 | 22 | 140 | 142 | 36 | 32 |
| Hancock | 47 | 42 | 40 | 18 | 19 | 266 | 267 | 52 | 54 |
| Kennebec | 92 | 88 | 50 | 29 | 40 | 402 | 429 | 107 | 81 |
| Knox | 43 | 19 | 23 | 20 | 11 | 164 | 169 | 35 | 31 |
| Lincoln | 22 | 17 | 10 | 4 | 6 | 116 | 121 | 19 | 15 |
| Oxford | 70 | 45 | 31 | 21 | 22 | 284 | 297 | 58 | 49 |
| Penobscot | 148 | 94 | 75 | 34 | 56 | 633 | 630 | 113 | 120 |
| Piscataquis | 29 | 15 | 18 | 11 | 18 | 144 | 134 | 24 | 32 |
| Sagadahoc | 10 | 21 | 9 | 6 | 6 | 77 | 89 | 25 | 15 |
| Somerset | 45 | 40 | 37 | 18 | 28 | 268 | 261 | 48 | 50 |
| Waldo | 30 | 25 | 23 | 8 | 16 | 152 | 146 | 29 | 34 |
| Washington | 48 | 34 | 31 | 8 | 11 | 273 | 273 | 40 | 41 |
| York | 89 | 63 | 40 | 12 | 15 | 351 | 371 | 69 | 53 |
| Total | 1,062 | 767 | 600 | 277 | 348 | 4,876 | 4,940 | 933 | 858 |

No. 24.

Relation to Marriages.

| Third marriage. | | Fourth marriage. | | Fifth marriage. | | Total number of persons married. | Oldest. | | Youngest. | | Oldest couple. | | Youngest couple. | |
|-----------------|-------|------------------|----|-----------------|----|----------------------------------|---------|-------|-----------|-------|----------------|----|------------------|----|
| M. | F. M. | F. M. | F. | F. M. | F. | | M. | F. M. | F. M. | F. M. | F. M. | F. | | |
| 7 | 7 | 1 | - | - | - | 930 | 74 | 62 | 17 | 15 | 70 | 62 | 18 | 17 |
| 10 | 5 | 1 | - | - | - | 1,160 | 69 | 66 | 18 | 14 | 68 | 66 | 18 | 15 |
| 11 | 9 | 1 | - | - | - | 1,708 | 78 | 77 | 17 | 15 | 78 | 76 | 18 | 16 |
| 7 | 8 | - | 1 | - | - | 366 | 77 | 69 | 17 | 15 | 77 | 69 | 17 | 18 |
| 8 | 4 | - | - | - | 1 | 652 | 74 | 68 | 16 | 14 | 68 | 67 | 16 | 16 |
| 9 | 9 | 1 | - | - | - | 1,038 | 80 | 77 | 17 | 14 | 68 | 77 | 18 | 15 |
| 2 | 3 | 2 | - | - | - | 406 | 80 | 65 | 17 | 16 | 80 | 55 | 18 | 16 |
| 2 | 1 | - | - | - | - | 274 | 78 | 67 | 17 | 15 | 78 | 64 | 18 | 18 |
| 7 | 3 | 1 | 1 | - | - | 700 | 75 | 67 | 17 | 14 | 69 | 67 | 18 | 14 |
| 14 | 10 | 1 | 1 | - | - | 1,522 | 84 | 86 | 17 | 15 | 69 | 86 | 18 | 16 |
| 2 | 3 | - | 1 | - | - | 340 | 60 | 59 | 18 | 15 | 60 | 59 | 18 | 17 |
| 2 | - | - | - | - | - | 208 | 70 | 53 | 18 | 15 | 70 | 53 | 19 | 16 |
| 9 | 15 | 1 | - | - | - | 652 | 75 | 71 | 17 | 15 | 75 | 70 | 18 | 15 |
| 4 | 5 | - | - | - | - | 370 | 70 | 69 | 17 | 14 | 70 | 69 | 18 | 15 |
| 1 | 1 | 1 | - | - | - | 630 | 66 | 58 | 18 | 15 | 66 | 58 | 18 | 16 |
| 3 | 2 | 3 | - | - | - | 852 | 75 | 70 | 17 | 14 | 75 | 69 | 17 | 17 |
| 98 | 85 | 13 | 4 | - | 1 | 11,808 | | | | | | | | |

NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1908 was 5,904 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, 5,729 in 1895, 5,579 in 1896, 5,331 in 1897, 5,144 in 1898, 5,329 in 1899, 5,482 in 1900, 5,735 in 1901, 5,905 in 1902, 6,200 in 1903, 6,208 in 1904, 6,264 in 1905, 6,498 in 1906, and 6,380 in 1907). We have therefore for the year 1908, a marriage-rate of 16.24 (persons married) to every 1,000 of population, or at the rate of 8.12 marriages per 1,000 persons.

Marriage-rates.—The marriage-rate was higher in Oxford county than elsewhere in the State, it being for that county 10.42 per 1,000. The lowest marriage-rate, that of 4.94 per 1,000, was in Sagadahoc county. See Table No. 3.

Nativity.—Of the 5,881 records of marriage in which there was a statement of birthplace, in 70 per cent. the groom and bride were both American; in 10 per cent. both were of foreign birth; in 9 per cent. the groom was American and the bride of foreign birth; while in 10 per cent. a foreign groom and American bride were united.

Seasons.—The largest number of marriages, 779, was solemnized in June, while the smallest number in any one month, 332, occurred in March. See Table No. 21.

Ages of the Married.—The largest number, both of grooms and brides, was between 20 and 25 years of age. While still under 15 years of age, 13 brides were married; in the age-period 15-20 years there were 272 grooms and 1,609 brides; in the period 20-25 years 2,233 men and 2,121 women were married; from 25-30, 1,467 men and 979 women; from 30-35, 759 men and 433 women; from 35-40, 385 men and 261 women; from 40-45, 237 men and 174 women; from 45-50, 189 men and 103 women; from 50-55, 129 men and 89 women; from 55-60, 80 men and 51 women; from 60-70, 113 men and 59 women; from 70-80, 36 men and 10 women; over 80, 4 men and 1 woman. The age of 1 bride was not stated. See Table No. 23.

In 4,842 marriages the groom was older than the bride; while in 1,062 the bride was the elder; 767 widowers and 600 widows were remarried; 277 men and 348 women were remarried after having been divorced from a former marriage.

Table No. 24 exhibits the fact that 4,876 men and 4,940 women were married for the first time; that 933 men and 858 women were married the second time; that 98 men and 85 women were united in the third marriage; that 13 men and 4 women contracted marriage a fourth time; and one woman was married the fifth time. The oldest groom was 84 years of age, and the oldest bride was 86. The youngest groom was 16 years of age, and the youngest bride was 14.

At the age of 16 years 2 grooms were married; at 17 years, 20; at 18 years, 83; and at 19 years 167. At the age of 14 years 13 brides were married; at 15 years, 61; at 16 years, 166; at 17 years 328; and at 18 years, 551.

In one marriage where the groom was 48 and the bride 77 years of age, it was the first marriage of each. Three grooms were married for the first time at the ages of 78, 75, and 68, respectively. One groom who had been widowed, was married a second time at the age of 18. At 17 years of age two brides were married a second time after having been divorced; at 18 years, two; at 19, six.

At the age of 23, one bride was married a third time; one, at the age of 37 was married a fourth time. One woman contracted marriage for the fifth time at the age of 60 years.

TABLE

Divorces Decreed by the Supreme Court of Maine for the

| COUNTIES. | Libellant wife. | Libellant husband. | Adultery. | Cruelty. | Extreme cruelty. | Utter desertion. | Utter desertion and failure to support. | Utter desertion and adultery. |
|-------------------|-----------------|--------------------|-----------|----------|------------------|------------------|---|-------------------------------|
| Androscoggin..... | 56 | 22 | 12 | - | - | 12 | - | - |
| Aroostook..... | 32 | 13 | 6 | - | 1 | 14 | - | - |
| Cumberland..... | 102 | 31 | 10 | - | - | 46 | 1 | - |
| Franklin..... | 32 | 9 | 7 | - | - | 12 | - | - |
| Hancock..... | 21 | 9 | 4 | - | 1 | 13 | - | - |
| Kennebec..... | 86 | 27 | 16 | 44 | - | 18 | - | - |
| Knox..... | 31 | 10 | 5 | - | 1 | 13 | - | - |
| Lincoln..... | 19 | 3 | - | - | - | 5 | - | - |
| Oxford..... | 24 | 20 | 9 | - | - | 12 | - | - |
| Penobscot..... | 76 | 31 | 15 | - | 1 | 36 | - | - |
| Piscataquis..... | 28 | 11 | 6 | - | - | 12 | - | - |
| Sagadahoc..... | 13 | 4 | - | - | - | 8 | - | - |
| Somerset..... | 48 | 16 | 13 | - | 2 | 11 | - | - |
| Waldo..... | 21 | 12 | 4 | - | - | 11 | - | - |
| Washington..... | 27 | 8 | 5 | - | - | 10 | - | 1 |
| York..... | 40 | 22 | 7 | - | 3 | 21 | - | - |
| Total..... | 656 | 248 | 119 | 44 | 9 | 254 | 1 | 1 |

No. 25.

Year, 1908, as returned by Clerks of the Several Counties.

| Intoxication. | Intoxication and failure to support. | Gross and confirmed intoxication from the use of drugs. | Cruel and abusive treatment. | Cruel and abusive treatment and adultery. | Cruel and abusive treatment and failure to support. | Cruel and abusive treatment and intoxication. | Cruel and abusive treatment and extreme cruelty. | Cruel and abusive treatment, extreme cruelty and gross and confirmed habits of intoxication. | Failure to support. | Grossly, wantonly neglecting, and refusing to provide suitable maintenance. | Total. |
|---------------|--------------------------------------|---|------------------------------|---|---|---|--|--|---------------------|---|--------|
| 13 | - | - | 36 | - | - | 2 | - | - | 3 | - | 78 |
| 2 | - | - | 20 | - | - | - | 1 | - | - | 1 | 45 |
| 25 | 1 | - | 33 | 2 | 1 | 9 | - | - | 5 | - | 133 |
| 4 | - | - | 9 | - | 1 | 3 | 4 | - | 1 | - | 41 |
| 4 | - | - | 8 | - | - | - | - | - | - | - | 30 |
| 20 | - | - | - | - | 1 | - | - | - | 14 | - | 113 |
| 8 | - | - | 10 | - | - | 1 | 1 | - | 2 | - | 41 |
| - | - | - | 10 | 1 | - | 5 | - | - | 1 | - | 22 |
| 6 | - | - | 13 | - | - | 1 | 1 | - | 2 | - | 44 |
| 13 | - | 1 | 36 | - | - | 2 | - | - | 3 | - | 107 |
| 2 | 1 | - | 10 | 1 | 3 | 1 | - | - | 3 | - | 39 |
| 1 | - | - | 6 | - | - | 1 | 1 | - | - | - | 17 |
| 7 | - | - | 20 | - | 3 | 1 | 3 | 1 | 3 | - | 64 |
| 1 | - | - | 17 | - | - | - | - | - | - | - | 33 |
| 4 | - | - | 7 | 2 | - | 4 | - | - | 2 | - | 35 |
| 6 | - | - | 24 | - | - | - | - | - | 1 | - | 62 |
| 116 | 2 | 1 | 259 | 6 | 9 | 30 | 11 | 1 | 40 | 1 | 904 |

TABLE No. 26.

Divorces by Causes, Sex of Libellants, and the Number of Years Married, 1908.

| CAUSES. | LIBELLANTS. | | NUMBER OF YEARS MARRIED. | | | | | | | | |
|--|-------------|--------------|--------------------------|---------------|---------|----------|-----------|-----------|----------|----------|---|
| | Number. | SEX. | Under 6 months. | Under 1 year. | 1 to 5. | 5 to 10. | 10 to 20. | 20 to 30. | Over 30. | Unknown. | |
| | | | | | | | | | | | |
| Adultery..... | 119 | Males..... | 74 | 2 | 4 | 23 | 27 | 16 | 1 | 1 | - |
| | | Females..... | 45 | 1 | 2 | 10 | 14 | 14 | 3 | 1 | - |
| Cruelty..... | 44 | Males..... | 6 | - | - | 2 | - | 1 | 1 | - | - |
| | | Females..... | 38 | 2 | - | 18 | 7 | 6 | 3 | 2 | - |
| Extreme cruelty..... | 9 | Males..... | 9 | - | - | 5 | 2 | 1 | 1 | - | - |
| | | Females..... | 109 | - | - | 15 | 42 | 27 | 18 | 7 | - |
| Utter desertion..... | 254 | Males..... | 145 | 2 | 28 | 43 | 47 | 17 | 8 | - | - |
| | | Females..... | - | - | - | - | - | - | - | - | - |
| Utter desertion and failure to support..... | 1 | Males..... | 1 | - | - | - | 1 | - | - | - | - |
| | | Females..... | 1 | - | - | - | - | 1 | - | - | - |
| Utter desertion and adultery..... | 1 | Males..... | - | - | - | - | - | - | - | - | - |
| | | Females..... | 7 | - | - | 2 | 2 | 2 | 1 | - | - |
| Intoxication..... | 116 | Males..... | 109 | - | - | 35 | 31 | 32 | 8 | 3 | - |
| | | Females..... | 2 | - | - | - | - | 1 | - | 1 | - |
| Intoxication and failure to support..... | 2 | Males..... | 1 | - | - | - | - | 1 | - | - | - |
| | | Females..... | 1 | - | - | - | - | - | - | - | - |
| Gross and confirmed intoxication from the use of drugs..... | 1 | Males..... | 46 | 1 | 2 | 14 | 12 | 12 | 5 | - | - |
| | | Females..... | 213 | 4 | 66 | 60 | 46 | 30 | 5 | 2 | - |
| Cruel and abusive treatment..... | 6 | Males..... | 2 | - | - | 1 | - | 1 | - | - | - |
| | | Females..... | 4 | - | - | 2 | 1 | 1 | - | - | - |
| Cruel and abusive treatment and adultery..... | 9 | Males..... | - | - | - | - | - | - | - | - | - |
| | | Females..... | 9 | - | - | 2 | 4 | 1 | 1 | 1 | - |
| Cruel and abusive treatment and failure to support..... | 30 | Males..... | 1 | - | - | 1 | - | - | - | - | - |
| | | Females..... | 29 | - | - | 4 | 9 | 11 | 3 | 2 | - |
| Cruel and abusive treatment and intoxication..... | 11 | Males..... | 1 | - | - | 1 | - | - | - | - | - |
| | | Females..... | 10 | - | - | 4 | 5 | 1 | - | - | - |
| Cruel and abusive treatment, extreme cruelty and gross and confirmed habits of intoxication..... | 1 | Males..... | - | - | - | - | - | - | - | - | - |
| | | Females..... | 1 | - | - | - | - | 1 | - | - | - |
| Failure to support..... | 40 | Males..... | - | - | - | - | - | - | - | - | - |
| | | Females..... | 40 | - | - | 16 | 15 | 4 | 3 | 1 | 1 |
| Grossly, wantonly neglecting and refusing to provide suitable maintenance..... | 1 | Males..... | - | - | - | - | - | - | - | - | - |
| | | Females..... | 1 | - | - | 1 | - | - | - | - | - |
| Total..... | 904 | Males..... | 248 | 3 | 6 | 59 | 86 | 60 | 26 | 8 | - |
| | | Females..... | 656 | 3 | 8 | 191 | 192 | 166 | 69 | 24 | 3 |

NOTES ON DIVORCES.

Nine hundred and four divorces were decreed in the year 1908 (552 in 1892, 627 in 1893, 674 in 1894, 681 in 1895, 668 in 1896, 722 in 1897, 764 in 1898, 790 in 1899, 801 in 1900, 808 in 1901, 905 in 1902, 946 in 1903, 906 in 1904, 848 in 1905, 787 in 1906, and 887 in 1907). In 1908, there was decreed in Maine one divorce for every 6.5 marriages solemnized.

Some of the causes for which divorces were granted are: Adultery, 119, or 13.2 per cent. of the whole number; cruelty, 44, or 4.9 per cent.; desertion, 254, or 28.3 per cent.; intoxication, 116, or 12.8 per cent.; cruel and abusive treatment, 259 or 28.6 per cent; failure to support, 40, or 4.4 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 656 divorces, and the husband in 248.

In the divorces granted for adultery, the husband was the libellant 74 times, and the wife 45 times.

On account of cruelty, the wife was the libellant in 38 cases, and the husband in 6 cases.

For desertion, the husband was the libellant 109 times, and the wife 145.

For intoxication, the husband was the libellant in 7 cases, and the wife in 109.

For cruel and abusive treatment, the husband was the libellant in 46 instances, and the wife in 213.

For failure to support, the wife was the libellant in the 40 divorces decreed for that cause.

Six divorces were granted before the marriage life had lasted six months; 14 before one year's marriage; 250 after from 1 to 5 years' marriage; 278 after 5 to 10 years; 226 after 10 to 20 years; 95 after 20 to 30 years; 32 after more than 30 years of married life; while in 3 cases it was not stated how many years they had been married. Tables No. 25 and No. 26 may be consulted for more detailed statements.

TABLE No. 27.
Deaths and Death-Rates by Counties for the Years 1901-1908.

| | 1901. | | 1902. | | 1903. | | 1904. | | 1905. | | 1906. | | 1907. | | 1908. | |
|-------------------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|
| | Deaths. | Rate. | Deaths. | Rate. | Deaths. | Rate. | Deaths. | Rate. | Deaths. | Rate. | Deaths. | Rate. | Deaths. | Rate. | Deaths. | Rate. |
| State..... | 11,133 | 16.03 | 10,673 | 15.37 | 11,009 | 15.85 | 11,346 | 16.34 | 11,381 | 15.92 | 11,427 | 15.90 | 11,802 | 16.33 | 11,664 | 16.05 |
| Androscoggin..... | 848 | 15.63 | 806 | 14.86 | 745 | 13.73 | 833 | 15.36 | 900 | 15.83 | 1,054 | 18.36 | 1,046 | 18.06 | 952 | 16.29 |
| Aroostook..... | 804 | 13.48 | 736 | 12.37 | 773 | 13.08 | 805 | 13.50 | 802 | 12.38 | 1,013 | 15.02 | 840 | 12.25 | 975 | 14.00 |
| Cumberland..... | 1,746 | 17.34 | 1,682 | 16.70 | 1,712 | 17.00 | 1,810 | 17.98 | 1,788 | 16.47 | 1,702 | 15.98 | 1,884 | 17.52 | 1,781 | 16.42 |
| Franklin..... | 275 | 15.12 | 258 | 14.38 | 277 | 15.33 | 306 | 16.77 | 283 | 14.80 | 293 | 15.20 | 316 | 16.27 | 337 | 17.23 |
| Hancock..... | 511 | 13.72 | 468 | 12.66 | 531 | 14.35 | 492 | 13.28 | 544 | 14.14 | 469 | 12.66 | 545 | 14.63 | 555 | 14.90 |
| Kennebec..... | 1,070 | 18.10 | 1,020 | 17.25 | 1,092 | 18.47 | 1,086 | 18.37 | 1,115 | 18.13 | 965 | 15.98 | 1,136 | 18.75 | 1,144 | 18.82 |
| Knox..... | 491 | 16.18 | 445 | 14.69 | 483 | 15.95 | 487 | 16.08 | 478 | 15.75 | 460 | 15.19 | 489 | 16.08 | 473 | 15.56 |
| Lincoln..... | 322 | 16.37 | 253 | 12.86 | 327 | 16.63 | 319 | 16.22 | 269 | 13.58 | 249 | 12.66 | 288 | 14.64 | 340 | 17.29 |
| Oxford..... | 537 | 16.70 | 557 | 17.33 | 541 | 16.99 | 572 | 17.93 | 506 | 14.92 | 580 | 17.45 | 573 | 17.16 | 561 | 16.72 |
| Penobscot..... | 1,257 | 16.58 | 1,224 | 16.14 | 1,282 | 16.93 | 1,361 | 17.96 | 1,305 | 16.57 | 1,397 | 17.85 | 1,430 | 18.19 | 1,283 | 16.24 |
| Piscataquis..... | 254 | 15.19 | 217 | 13.20 | 214 | 12.99 | 252 | 15.17 | 270 | 15.52 | 237 | 13.59 | 218 | 12.45 | 250 | 14.21 |
| Sagadahoc..... | 293 | 14.41 | 310 | 15.25 | 339 | 16.67 | 312 | 15.35 | 322 | 14.93 | 296 | 14.19 | 288 | 13.75 | 335 | 15.93 |
| Somerset..... | 495 | 14.76 | 534 | 15.88 | 547 | 16.29 | 560 | 16.68 | 561 | 16.03 | 471 | 13.62 | 532 | 15.33 | 524 | 15.05 |
| Waldo..... | 399 | 16.50 | 368 | 15.22 | 358 | 14.80 | 394 | 16.29 | 407 | 16.79 | 395 | 16.33 | 385 | 15.92 | 368 | 15.22 |
| Washington..... | 648 | 14.40 | 579 | 12.91 | 611 | 13.63 | 581 | 12.96 | 673 | 14.53 | 653 | 14.29 | 604 | 13.20 | 643 | 14.03 |
| York..... | 1,183 | 18.23 | 1,216 | 18.74 | 1,177 | 18.14 | 1,176 | 18.12 | 1,158 | 17.30 | 1,193 | 18.04 | 1,228 | 18.51 | 1,143 | 17.17 |

TABLE No. 28.

Number of Deaths in Each Month of 1901-1908, with Monthly Ratio Compared with a Standard of 100:

| MONTHS. | 1901. | | 1902. | | 1903. | | 1904. | | 1905. | | 1906. | | 1907. | | 1908. | |
|-----------------|---------|---------|---------|--------|---------|--------|---------|--------|---------|--------|---------|--------|---------|--------|---------|--------|
| | Deaths. | Ratio.* | Deaths. | Ratio. | Deaths. | Ratio. | Deaths. | Ratio. | Deaths. | Ratio. | Deaths. | Ratio. | Deaths. | Ratio. | Deaths. | Ratio. |
| January | 955 | 100.9 | 876 | 96.7 | 1,006 | 107.6 | 985 | 102.2 | 981 | 101.4 | 822 | 84.7 | 1,118 | 111.5 | 1,128 | 113.8 |
| February | 1,091 | 85.4 | 900 | 110.0 | 944 | 111.8 | 1,035 | 118.9 | 1,009 | 115.6 | 853 | 97.2 | 1,128 | 124.6 | 985 | 106.4 |
| March | 1,132 | 119.7 | 929 | 102.5 | 996 | 106.5 | 1,080 | 117.8 | 1,197 | 123.8 | 1,060 | 109.2 | 1,177 | 117.3 | 1,001 | 101.0 |
| April | 955 | 104.4 | 939 | 107.1 | 989 | 109.3 | 1,116 | 119.7 | 1,023 | 109.4 | 985 | 104.8 | 1,069 | 110.2 | 1,045 | 109.1 |
| May | 944 | 99.9 | 919 | 101.4 | 930 | 99.5 | 1,038 | 107.7 | 957 | 99.0 | 961 | 99.0 | 973 | 97.0 | 954 | 96.3 |
| June | 789 | 86.2 | 805 | 91.8 | 786 | 86.9 | 807 | 86.5 | 830 | 88.8 | 848 | 90.2 | 947 | 97.6 | 818 | 85.4 |
| July | 836 | 88.4 | 837 | 92.4 | 901 | 96.4 | 800 | 83.0 | 768 | 79.4 | 885 | 91.2 | 844 | 84.1 | 820 | 82.7 |
| August | 831 | 87.9 | 861 | 95.0 | 865 | 92.4 | 896 | 93.0 | 1,006 | 104.0 | 1,133 | 116.8 | 898 | 89.5 | 1,033 | 104.2 |
| September | 970 | 105.6 | 911 | 103.9 | 957 | 105.7 | 907 | 97.2 | 1,012 | 108.2 | 1,117 | 118.9 | 855 | 88.1 | 1,079 | 112.6 |
| October | 882 | 93.3 | 854 | 94.3 | 865 | 92.5 | 909 | 94.3 | 958 | 99.1 | 920 | 94.8 | 931 | 92.8 | 990 | 99.9 |
| November | 831 | 90.8 | 820 | 93.5 | 831 | 91.8 | 817 | 87.6 | 824 | 88.1 | 885 | 94.2 | 875 | 90.2 | 890 | 92.9 |
| December | 897 | 94.9 | 998 | 110.1 | 919 | 98.3 | 944 | 97.9 | 799 | 82.6 | 942 | 97.2 | 978 | 97.6 | 919 | 92.7 |
| Unknown | 20 | - | 24 | - | 20 | - | 12 | - | 17 | - | 16 | - | 9 | - | 2 | - |

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

NUMBER OF DEATHS IN EACH MONTH.

TABLE

Showing the Number of Deaths in the State, and in

| CAUSES OF DEATH. | State. | Androscoggin. | Aroostook. | Cumberland. |
|--|--------|---------------|------------|-------------|
| All causes (including premature births) | 11,856 | 967 | 993 | 1,808 |
| I. General diseases | 2,888 | 243 | 218 | 436 |
| II. Diseases of nervous system and organs of special sense | 1,624 | 141 | 80 | 254 |
| III. Diseases of circulatory system | 1,480 | 88 | 67 | 231 |
| IV. Diseases of respiratory system | 1,334 | 106 | 120 | 209 |
| V. Diseases of digestive system | 1,450 | 130 | 224 | 182 |
| VI. Diseases of genito-urinary system and its adnexa | 822 | 62 | 41 | 177 |
| VII. The puerperal state | 83 | 4 | 12 | 11 |
| VIII. Diseases of skin and cellular tissue | 64 | 5 | 4 | 11 |
| IX. Diseases of organs of locomotion | 10 | - | 2 | 1 |
| X. Malformations | 91 | 7 | 9 | 19 |
| XI. Early infancy | 500 | 55 | 53 | 87 |
| XII. Old age | 523 | 33 | 39 | 66 |
| XIII. Deaths from external causes | 650 | 65 | 38 | 90 |
| XIV. Deaths from ill-defined causes | 337 | 28 | 86 | 34 |

No. 29.

Each County Arranged by Classes and Counties.

| Franklin. | Hancock. | Kennebec. | Knox. | Lincoln. | Oxford. | Penobscot. | Piscataquis. | Sagadahoc. | Somerset. | Waldo. | Washington. | York. |
|-----------|----------|-----------|-------|----------|---------|------------|--------------|------------|-----------|--------|-------------|-------|
| 345 | 562 | 1,160 | 478 | 343 | 575 | 1,308 | 255 | 339 | 529 | 376 | 651 | 1,167 |
| 80 | 144 | 274 | 115 | 90 | 135 | 322 | 58 | 71 | 131 | 73 | 200 | 298 |
| 53 | 66 | 209 | 77 | 59 | 72 | 144 | 32 | 40 | 85 | 55 | 73 | 184 |
| 38 | 83 | 140 | 86 | 58 | 74 | 164 | 25 | 76 | 64 | 64 | 92 | 130 |
| 53 | 56 | 110 | 46 | 38 | 60 | 177 | 36 | 46 | 56 | 39 | 62 | 120 |
| 34 | 66 | 151 | 32 | 27 | 59 | 157 | 18 | 39 | 52 | 39 | 80 | 160 |
| 24 | 53 | 69 | 34 | 28 | 50 | 76 | 14 | 23 | 35 | 35 | 22 | 79 |
| 2 | 4 | 7 | 2 | 3 | 6 | 10 | 6 | 2 | 4 | 2 | 2 | 6 |
| 4 | 4 | 6 | - | 2 | 3 | 6 | 3 | - | 9 | 4 | 2 | 1 |
| - | - | 1 | 1 | - | - | 2 | - | - | 1 | - | 1 | 1 |
| - | 1 | 8 | 8 | 2 | 5 | 8 | 6 | - | - | 2 | 6 | 10 |
| 14 | 14 | 34 | 16 | 7 | 29 | 52 | 11 | 10 | 15 | 14 | 22 | 67 |
| 6 | 24 | 67 | 29 | 10 | 36 | 75 | 14 | 13 | 20 | 23 | 24 | 44 |
| 27 | 34 | 58 | 21 | 13 | 35 | 77 | 29 | 17 | 39 | 19 | 38 | 50 |
| 10 | 13 | 26 | 11 | 6 | 11 | 38 | 3 | 2 | 18 | 7 | 27 | 17 |

TABLE No. 29—Continued.
Deaths by Classes and Counties.

| CAUSES OF DEATH. | State. | Androscoggin. | Aroostook. | Cumberland. | Franklin. | Hancock. | Kennebec. | Knox. | Lincoln. | Oxford. | Penobscot. | Piscataquis. | Sagadahoc. | Somerset. | Waldo. | Washington. | York. |
|--|--------|---------------|------------|-------------|-----------|----------|-----------|-------|----------|---------|------------|--------------|------------|-----------|--------|-------------|-------|
| I.—General diseases | 2,888 | 243 | 218 | 436 | 80 | 144 | 274 | 115 | 90 | 135 | 322 | 58 | 71 | 131 | 73 | 200 | 298 |
| Typhoid fever | 151 | 12 | 21 | 30 | 1 | 4 | 10 | 4 | 1 | 5 | 21 | 6 | — | — | — | 15 | 13 |
| Intermittent fever and ma- larial cachexia | 9 | — | — | 3 | — | — | — | — | — | — | — | — | 1 | — | 1 | 3 | — |
| Measles | 21 | 1 | 1 | — | 1 | — | 10 | 1 | — | — | — | — | — | — | — | — | 1 |
| Scarlatina | 17 | 3 | 2 | 4 | 2 | 1 | 1 | — | — | 6 | — | — | — | — | 2 | — | 1 |
| Whooping cough | 80 | 7 | 7 | 10 | 6 | 4 | 8 | 2 | 6 | 1 | 9 | — | — | — | 1 | 2 | 10 |
| Diphtheria and croup | 105 | 19 | 11 | 19 | 2 | 5 | 8 | 2 | — | 6 | 6 | 3 | 1 | 7 | 1 | 6 | 9 |
| Influenza | 241 | 12 | 30 | 26 | 8 | 10 | 16 | 15 | 10 | 16 | 21 | 6 | 6 | 9 | 20 | 8 | 18 |
| Cholera nostras | 15 | 1 | 2 | 3 | 1 | — | 1 | — | 1 | 1 | 1 | 1 | — | — | — | 3 | 3 |
| Dysentery | 39 | 3 | — | 4 | 1 | — | 7 | 9 | — | — | 4 | — | — | — | — | — | 3 |
| Erysipelas | 15 | — | 1 | 5 | — | — | — | 1 | 4 | — | 2 | — | — | — | 1 | — | — |
| Purulent and septicemic affections | 49 | 6 | 4 | 9 | — | — | 4 | 3 | 1 | 1 | 5 | — | — | 1 | 2 | 2 | 10 |
| Malignant pustule | 15 | 1 | 1 | 1 | — | — | — | 1 | — | — | 2 | — | — | — | — | — | 2 |
| Tuberculosis of larynx | 15 | 1 | 1 | 1 | — | — | — | 1 | — | — | 2 | — | — | — | — | — | 1 |
| Tuberculosis of lungs | 893 | 79 | 86 | 120 | 18 | 46 | 86 | 33 | 29 | 36 | 93 | 16 | 27 | 42 | 22 | 67 | 93 |
| Tuberculosis of meninges | 89 | 7 | 5 | 17 | 2 | 3 | 7 | 1 | 2 | 7 | 8 | 1 | 3 | 1 | 4 | 10 | 11 |
| Tuberculosis of peritoneum Pott's disease | 63 | 6 | 4 | 15 | 2 | 1 | 5 | 4 | 2 | 3 | 11 | 1 | — | — | 3 | 1 | 6 |
| White swelling | 4 | — | — | 1 | — | — | — | — | — | — | 2 | 1 | — | — | — | — | 1 |
| Tuberculosis of other organs General tuberculosis | 55 | 2 | 4 | 9 | 2 | 5 | 6 | 2 | 1 | 2 | 11 | — | — | 2 | 1 | 3 | 4 |
| Serofula | 4 | 1 | — | 1 | — | — | — | — | — | — | 3 | 1 | — | — | — | — | — |
| Syphilis | 12 | 1 | 2 | 2 | — | — | — | — | — | 1 | 4 | — | — | 1 | — | 1 | 1 |
| Cancer of mouth | 26 | 2 | 2 | 3 | — | 4 | 5 | 3 | 2 | 1 | 2 | — | — | 1 | — | 3 | 4 |
| Cancer of stomach and liver Cancer of peritoneum intes- tines and rectum | 266 | 26 | 11 | 46 | 9 | 11 | 22 | 9 | 7 | 32 | 5 | 5 | 13 | 7 | 10 | 7 | 46 |
| Cancer of female genital or- gans | 99 | 11 | 3 | 12 | — | 7 | 16 | 3 | 8 | 3 | 11 | 2 | — | 4 | 4 | 3 | 12 |
| Cancer of breast | 100 | 9 | 5 | 15 | 1 | 6 | 12 | 2 | 5 | 5 | 13 | 3 | 2 | 2 | 6 | 1 | 13 |
| Cancer of skin | 64 | 4 | 1 | 10 | 3 | 3 | 6 | 2 | 3 | 4 | 9 | 4 | 3 | 2 | 1 | 5 | 4 |
| Cancer of other organs and organs not specified | 42 | 3 | — | 5 | 5 | 4 | 5 | 2 | 1 | 2 | 4 | — | 1 | 1 | — | 6 | 3 |
| Other tumors | 109 | 6 | 3 | 18 | 4 | 7 | 11 | 7 | 4 | 4 | 9 | 1 | 7 | 4 | 1 | 8 | 15 |
| Acute articular rheumatism Chronic rheumatism and gout | 12 | 1 | 2 | 2 | — | 1 | 1 | — | 1 | 2 | — | — | — | — | — | 2 | — |
| Diabetes | 29 | 1 | 1 | 3 | 1 | 2 | 3 | 1 | 1 | 2 | 10 | — | — | 1 | 1 | 1 | 1 |
| Exophthalmic goiter | 18 | 1 | — | 4 | — | 2 | — | 1 | — | 2 | 2 | 2 | 1 | 2 | 1 | — | — |
| Addison's disease | 116 | 9 | 3 | 22 | 9 | 8 | 6 | 6 | 3 | 4 | 11 | 3 | 4 | 3 | 4 | 5 | 16 |
| Leukemia | 3 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Anemia, chlorosis | 7 | — | 1 | — | — | — | 2 | — | — | — | 2 | — | — | — | — | — | — |
| Other general diseases | 52 | 5 | 1 | 7 | 1 | 2 | 4 | 1 | 1 | 4 | 11 | — | — | 4 | 1 | 6 | 4 |
| Alcoholism, acute or chronic Chronic lead poisoning | 3 | 1 | — | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Other chronic poisoning | 31 | 2 | 2 | 7 | — | — | 5 | — | — | 3 | 3 | 1 | 2 | 1 | 1 | 2 | 2 |
| II.—Diseases of the nervous system and of the organs of special sense | 1 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| Encephalitis | 1,624 | 141 | 80 | 254 | 53 | 66 | 209 | 77 | 59 | 72 | 144 | 32 | 40 | 85 | 55 | 73 | 184 |
| Simple meningitis | 11 | — | 2 | — | 1 | 1 | 1 | — | 1 | — | — | 2 | — | 2 | — | 1 | — |
| Progressive locomotor atax- ia | 215 | 25 | 18 | 26 | 9 | 11 | 30 | 4 | 5 | 11 | 20 | 4 | 3 | 6 | 3 | 5 | 35 |
| Other diseases of the spinal cord | 18 | 2 | 1 | 3 | — | 1 | 2 | — | 1 | 1 | 3 | — | — | 1 | — | — | 2 |
| Congestion and hemorrhage of the brain | 45 | 4 | 2 | 9 | — | 3 | 4 | 3 | 1 | 3 | 3 | — | 1 | 2 | — | 3 | 7 |
| Softening of the brain | 802 | 72 | 31 | 126 | 34 | 24 | 88 | 42 | 33 | 46 | 66 | 19 | 26 | 42 | 32 | 40 | 81 |
| | 36 | 4 | 2 | 10 | 1 | 1 | 2 | 2 | 1 | 1 | 2 | — | 1 | — | — | 3 | 4 |

TABLE No. 29—Continued.
Deaths by Classes and Counties.

| CAUSES OF DEATH. | State. | Androscoggin. | Aroostook. | Cumberland. | Franklin. | Hancock. | Kennebec. | Knox. | Lincoln. | Oxford. | Penobscot. | Piscataquis. | Sagadahoc. | Somerset. | Waldo. | Washington. | York. |
|--|--------|---------------|------------|-------------|-----------|----------|-----------|-------|----------|---------|------------|--------------|------------|-----------|--------|-------------|-------|
| Paralysis without specified cause..... | 230 | 13 | 13 | 42 | 5 | 15 | 19 | 17 | 6 | 2 | 3 | 20 | 4 | 18 | 14 | 10 | 28 |
| General paralysis..... | 25 | 2 | - | - | - | 1 | 13 | - | 2 | - | 4 | - | - | 2 | - | - | 1 |
| Other forms of mental alienation..... | 56 | 4 | - | 7 | - | 1 | 27 | 2 | 2 | 2 | 6 | - | - | 1 | - | - | 4 |
| Epilepsy..... | 36 | - | 3 | 3 | - | - | 11 | 1 | 3 | 2 | 3 | - | 1 | 2 | 1 | - | 6 |
| Eclampsia (non-puerperal)..... | 5 | - | 1 | 2 | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 |
| Convulsions of children..... | 71 | 10 | 5 | 6 | 3 | 3 | 4 | 3 | 1 | 2 | 5 | 4 | - | 5 | 3 | 7 | 10 |
| Tetanus..... | 6 | 1 | - | 2 | - | 1 | - | - | 1 | - | 1 | - | - | - | - | - | 1 |
| Chorea..... | 3 | 1 | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Other diseases of nervous system..... | 60 | 4 | 2 | 14 | - | 4 | 7 | 2 | 2 | 1 | 10 | - | 3 | 4 | 1 | 3 | 3 |
| Diseases of the ear..... | 5 | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 |
| III.—Diseases of the circulatory system..... | 1,480 | 88 | 67 | 231 | 38 | 83 | 140 | 86 | 58 | 74 | 164 | 25 | 76 | 64 | 64 | 92 | 130 |
| Pericarditis..... | 7 | 1 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| Acute endocarditis..... | 75 | 4 | 5 | 14 | 1 | 4 | 6 | 3 | 5 | 4 | 9 | 1 | 10 | 5 | 1 | 2 | 3 |
| Organic diseases of heart..... | 1,099 | 66 | 45 | 164 | 34 | 71 | 98 | 60 | 34 | 58 | 120 | 17 | 48 | 50 | 54 | 76 | 104 |
| Angina pectoris..... | 103 | 10 | 5 | 12 | 1 | 2 | 9 | 7 | 9 | 3 | 9 | 4 | 7 | 4 | 5 | 5 | 11 |
| Affections of the arteries (atheroma, aneurism, etc)..... | 115 | 6 | 5 | 29 | - | 4 | 22 | 7 | 4 | 4 | 16 | 1 | 7 | 4 | 2 | 5 | 7 |
| Embolism and thrombosis..... | 68 | - | 2 | 20 | 2 | 1 | 5 | 8 | 6 | 3 | 8 | 2 | 3 | 2 | - | 2 | 3 |
| Affections of the veins (varices, hemorrhoids, phlebitis, etc.)..... | 3 | - | 2 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| Affections of the lymphatic system..... | 2 | - | - | - | - | 1 | - | - | - | - | 2 | - | - | 1 | - | - | - |
| Hemorrhages..... | 8 | 1 | 1 | 1 | - | - | - | 1 | - | - | - | - | - | - | 1 | - | 1 |
| IV.—Diseases of the respiratory system..... | 1,334 | 106 | 120 | 209 | 53 | 56 | 110 | 46 | 38 | 60 | 177 | 36 | 46 | 56 | 39 | 62 | 120 |
| Diseases of the larynx..... | 11 | 2 | 2 | 1 | - | 1 | 1 | 1 | - | - | - | - | 2 | - | - | - | 1 |
| Diseases of the thyroid body..... | 3 | - | - | - | - | - | 1 | - | 1 | - | 1 | - | - | - | - | - | - |
| Acute bronchitis..... | 89 | 8 | 2 | 12 | 6 | 4 | 15 | 5 | 2 | 6 | 8 | 2 | 4 | 3 | 3 | 1 | 8 |
| Chronic bronchitis..... | 65 | 4 | 1 | 6 | 2 | 1 | 11 | 2 | 4 | 7 | 3 | 2 | 2 | 5 | 5 | 3 | 7 |
| Broncho pneumonia..... | 195 | 24 | 19 | 31 | 3 | 10 | 14 | 2 | 6 | 10 | 29 | 5 | 12 | 9 | 2 | 5 | 13 |
| Pneumonia..... | 873 | 59 | 85 | 142 | 39 | 35 | 60 | 28 | 23 | 35 | 127 | 25 | 22 | 38 | 24 | 51 | 80 |
| Pleurisy..... | 10 | 1 | 1 | 1 | 1 | - | 2 | - | 2 | - | 1 | - | 2 | - | - | - | 1 |
| Congestion of the lungs..... | 47 | 3 | 4 | 10 | 1 | 3 | 6 | 2 | 1 | 1 | 7 | 2 | 2 | - | - | - | 5 |
| Gangrene of the lungs..... | 7 | 1 | - | - | - | 1 | - | - | 1 | 1 | - | - | - | 1 | 2 | - | - |
| Asthma..... | 18 | 3 | 4 | 3 | 1 | - | - | 1 | - | - | - | - | - | - | 2 | 1 | 3 |
| Other diseases of the respiratory system..... | 16 | 1 | 2 | 3 | - | 1 | 2 | 3 | - | - | 1 | - | - | - | - | - | 3 |
| V.—Diseases of the digestive system..... | 1,450 | 130 | 224 | 182 | 34 | 66 | 151 | 32 | 27 | 59 | 157 | 18 | 39 | 52 | 39 | 80 | 160 |
| Affections of the mouth and its adnexa..... | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | - |
| Affections of the pharynx..... | 6 | 2 | - | 1 | - | 2 | - | - | - | - | - | - | - | - | - | - | 1 |
| Affections of the esophagus..... | 2 | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - |
| Ulcer of the stomach..... | 28 | - | 2 | 3 | 2 | 2 | 1 | - | - | 1 | 6 | 1 | 2 | - | 1 | 2 | 5 |
| Other affections of the stomach (cancer excepted)..... | 225 | 10 | 17 | 33 | 7 | 12 | 20 | 3 | 8 | 16 | 30 | 4 | 8 | 10 | 17 | 8 | 22 |
| Infantile diarrhea (under two years)..... | 682 | 75 | 168 | 79 | 7 | 18 | 73 | 15 | 3 | 17 | 53 | 6 | 17 | 14 | 2 | 43 | 92 |
| Diarrhea and enteritis (two years and over)..... | 126 | 9 | 10 | 8 | 2 | 7 | 22 | 3 | 6 | 8 | 16 | 2 | 3 | 9 | 2 | 9 | 10 |
| Intestinal parasites..... | 4 | - | 2 | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Hernia and other intestinal obstructions..... | 32 | 4 | 5 | 22 | 2 | 5 | 6 | 3 | - | 3 | 11 | 1 | - | 4 | 4 | 4 | 8 |
| Other affections of the intestines..... | 19 | 3 | 1 | 1 | 1 | - | 3 | 1 | 1 | - | 2 | - | 1 | 1 | - | 2 | 2 |

TABLE No. 29—Continued.
Deaths by Classes and Counties.

| CAUSES OF DEATH. | State. | Androscoggin. | Aroostook. | Cumberland. | Franklin. | Hancock. | Kennebec. | Knox. | Lincoln. | Oxford. | Penobscot. | Piscataquis. | Sagadahoc. | Somerset. | Waldo. | Washington. | York. |
|---|--------|---------------|------------|-------------|-----------|----------|-----------|-------|----------|---------|------------|--------------|------------|-----------|--------|-------------|-------|
| Acute yellow atrophy of liver..... | 7 | - | - | - | - | - | 1 | 2 | - | - | - | 1 | - | 1 | 1 | - | 1 |
| Cirrhosis of liver..... | 65 | 7 | 3 | 5 | - | - | 5 | 3 | 5 | - | 10 | 1 | - | 1 | 3 | 2 | 5 |
| Biliary calculi..... | 22 | - | 1 | 4 | 4 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 4 | - | - |
| Other affections of the liver | 55 | 3 | 4 | 8 | 5 | 4 | 8 | - | 1 | 1 | 1 | 1 | - | 2 | 2 | 4 | 5 |
| Affections of the spleen..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Inflammatory peritonitis (puerperal excepted).... | 64 | 6 | 6 | 8 | 8 | 7 | 7 | - | 1 | 5 | 8 | 1 | 5 | 3 | - | 3 | 4 |
| Other affections of the digestive system (cancer and tuberculosis excepted).... | 4 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 2 |
| Appendicitis and abscess of the iliac fossa..... | 56 | 11 | 4 | 9 | 2 | 1 | 4 | 1 | 1 | 2 | 10 | - | - | 4 | 2 | 1 | 3 |
| VI.—Diseases of the genito-urinary system and its adnexa..... | 822 | 62 | 41 | 177 | 24 | 53 | 69 | 34 | 28 | 50 | 76 | 14 | 23 | 35 | 35 | 22 | 79 |
| Acute nephritis..... | 89 | 5 | 8 | 16 | 2 | 2 | 11 | 3 | 4 | 8 | 9 | 2 | 3 | 3 | 2 | 5 | 8 |
| Bright's disease..... | 600 | 45 | 22 | 138 | 18 | 46 | 44 | 22 | 22 | 31 | 49 | 11 | 22 | 24 | 27 | 15 | 64 |
| Other diseases of the kidneys and their adnexa.... | 21 | 1 | 5 | 2 | - | 1 | 3 | 3 | - | 2 | 1 | - | - | 2 | 1 | - | - |
| Calculi of the urinary tract | 37 | - | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Diseases of the bladder..... | 1 | 3 | 5 | 5 | 2 | - | 6 | 1 | 1 | 3 | 3 | - | - | 3 | 1 | 1 | 5 |
| Diseases of the urethra, urinary abscess, etc..... | 4 | - | - | 1 | - | 1 | - | - | - | - | 2 | - | - | - | - | - | - |
| Diseases of the prostate..... | 24 | 2 | 1 | 6 | - | - | 1 | 2 | - | 4 | 4 | - | 1 | 2 | 1 | - | - |
| Non-venereal diseases of the male genital organs..... | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Metritis..... | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Uterine hemorrhage (non-puerperal)..... | 3 | - | - | - | - | - | - | 1 | - | - | 2 | - | - | - | - | - | - |
| Uterine tumor (non-cancerous)..... | 16 | 1 | - | 4 | 1 | 3 | 2 | - | - | - | 2 | - | - | 1 | - | 1 | 1 |
| Other diseases of the uterus | 8 | 4 | - | 1 | - | - | 1 | - | - | - | - | - | - | - | 1 | - | 1 |
| Cysts and other tumors of the ovary..... | 7 | 1 | 1 | 2 | - | - | 1 | 1 | - | - | - | 1 | - | - | - | - | - |
| Other diseases of the female genital organs..... | 10 | - | 1 | 2 | - | - | - | - | 2 | 3 | - | - | - | - | 2 | - | - |
| VII.—The puerperal state | 85 | 4 | 12 | 11 | 2 | 4 | 7 | 2 | 3 | 6 | 10 | 6 | 2 | 4 | 2 | 2 | 6 |
| Accidents of pregnancy.... | 17 | 1 | 3 | 2 | 1 | - | 1 | - | - | - | 2 | 2 | 1 | 1 | 1 | 2 | - |
| Puerperal hemorrhage..... | 7 | 1 | - | - | 1 | 1 | - | - | 1 | - | 1 | 2 | - | - | - | - | - |
| Other accidents of labor.... | 5 | - | 1 | - | - | - | - | - | 1 | 1 | - | - | - | 1 | - | - | - |
| Puerperal septicemia..... | 23 | 1 | 4 | 2 | - | 1 | 2 | 2 | 1 | 4 | 2 | 1 | - | - | - | - | 3 |
| Puerperal albuminuria and convulsions..... | 20 | 1 | 3 | 4 | - | 1 | 1 | - | - | 1 | 4 | 1 | - | 1 | 1 | - | 2 |
| Other puerperal accidents, sudden death..... | 11 | - | 2 | 2 | 1 | 1 | 2 | - | - | - | 1 | - | - | 1 | - | - | 1 |
| VIII.—Diseases of the skin and cellular tissue..... | 64 | 5 | 4 | 11 | 4 | 4 | 6 | - | 2 | 3 | 6 | 3 | - | 9 | 4 | 2 | 1 |
| Gangrene..... | 46 | 4 | - | 8 | 4 | 3 | 5 | - | 1 | 2 | 6 | 2 | - | 4 | 4 | 2 | 1 |
| Furuncle, boil, carbuncle.. | 4 | - | 1 | - | - | - | 1 | - | - | - | - | - | - | 2 | - | - | - |
| Phlegmon, acute abscess.... | 8 | 1 | 1 | 2 | - | 1 | - | - | - | 1 | - | - | - | 2 | - | - | - |
| Other diseases of the skin and its adnexa..... | 6 | - | 2 | 1 | - | - | - | - | 1 | - | - | 1 | - | 1 | - | - | - |
| IX.—Diseases of the organs of locomotion..... | 10 | - | 2 | 1 | - | - | 1 | 1 | - | - | 2 | - | - | 1 | - | 1 | 1 |
| Non-tuberculous diseases of the bones..... | 7 | - | 1 | - | - | - | 1 | 1 | - | - | 1 | - | - | 1 | - | 1 | 1 |
| Arthritis and other diseases of the joints (tuberculosis and rheumatism excepted) | 2 | - | - | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - |

TABLE No. 29—Concluded.
Deaths by Classes and Counties.

| CAUSES OF DEATH. | State. | Androscoggin. | Aroostook. | Cumberland. | Franklin. | Hancock. | Kennebec. | Knox. | Lincoln. | Oxford. | Penobscot. | Piscataquis. | Sagadahoc. | Somerset. | Waldo. | Washington. | York. |
|--|--------|---------------|------------|-------------|-----------|----------|-----------|-------|----------|---------|------------|--------------|------------|-----------|--------|-------------|-------|
| Other diseases of organs of locomotion | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| X.—Malformations | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Malformations, congenital (stillbirths excepted) | 91 | 7 | 9 | 19 | - | 1 | 8 | 8 | 2 | 5 | 5 | 6 | - | - | 2 | 6 | 10 |
| XI.—Early infancy | 500 | 55 | 55 | 87 | 14 | 14 | 34 | 16 | 7 | 29 | 52 | 11 | 10 | 15 | 14 | 22 | 67 |
| Congenital icterus, debility and sclerema | 393 | 47 | 42 | 62 | 12 | 12 | 30 | 11 | 7 | 18 | 38 | 10 | 5 | 11 | 13 | 20 | 55 |
| Other diseases of early infancy | 25 | 5 | 5 | 7 | 2 | 2 | 1 | - | - | 5 | 3 | - | - | 1 | - | - | 4 |
| Lack of care | 72 | 3 | 6 | 18 | - | - | 3 | 5 | - | 6 | 11 | 1 | 5 | 3 | 1 | 2 | 8 |
| XII.—Old age | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Senile debility | 523 | 33 | 39 | 66 | 6 | 24 | 67 | 29 | 10 | 36 | 75 | 14 | 13 | 20 | 23 | 24 | 44 |
| XIII.—Deaths from external causes | 650 | 65 | 38 | 90 | 27 | 34 | 58 | 21 | 13 | 35 | 77 | 29 | 17 | 39 | 19 | 38 | 50 |
| Suicide by poison | 16 | 1 | 1 | 5 | - | - | 2 | 1 | - | - | - | - | - | 2 | - | - | - |
| Suicide by asphyxia | 3 | 2 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Suicide by hanging or strangulation | 41 | 7 | 2 | 4 | 4 | - | 7 | 1 | 2 | 4 | 1 | 1 | - | 2 | 2 | 1 | 3 |
| Suicide by drowning | 15 | 1 | - | 2 | - | 2 | 1 | 1 | 1 | - | 2 | - | - | - | 2 | 2 | 1 |
| Suicide by firearms | 35 | 5 | - | 6 | 3 | 3 | 5 | - | 1 | 2 | 4 | 4 | 1 | 2 | 1 | 1 | - |
| Suicide by cutting instruments | 11 | - | - | 4 | - | - | - | - | 1 | - | 1 | 1 | - | 2 | 1 | - | 1 |
| Fractures | 81 | 6 | 2 | 16 | 6 | 4 | 3 | 1 | 3 | 6 | 3 | 2 | 2 | 8 | 2 | 2 | 11 |
| Dislocation | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other accidental injuries | 165 | 15 | 12 | 17 | 8 | 9 | 20 | 3 | 2 | 8 | 30 | 3 | 3 | 9 | 2 | 10 | 11 |
| Burns and scalds | 45 | 5 | 4 | 7 | - | 1 | 5 | 1 | - | 2 | 4 | 1 | 1 | 1 | 4 | 4 | 5 |
| Sunstroke | 8 | 1 | - | 1 | - | - | - | - | - | 1 | 2 | - | - | - | - | - | - |
| Freezing | 9 | 2 | 1 | 2 | - | 1 | - | - | - | - | 1 | - | - | 2 | - | - | - |
| Electric shock | 9 | 1 | 1 | 2 | - | 1 | - | - | - | - | - | 1 | - | 2 | - | - | 1 |
| Accidental drowning | 117 | 7 | 6 | 16 | 2 | 10 | 10 | 5 | 1 | 5 | 17 | 9 | 7 | 6 | 2 | 8 | 6 |
| Starvation | 4 | - | - | - | - | - | - | 2 | 1 | - | - | - | - | - | - | - | 1 |
| Inhalation of deleterious gases (suicide excepted) | 9 | - | - | 1 | - | - | - | 2 | - | 1 | 1 | - | - | - | - | 3 | 1 |
| Other acute poisonings | 39 | 8 | 1 | 3 | 2 | 2 | 4 | 4 | - | 1 | 1 | 4 | 2 | 2 | - | - | 5 |
| Other external violence | 42 | 2 | 8 | 4 | 2 | 2 | 1 | 2 | - | 4 | 3 | 2 | 1 | 1 | - | 6 | 4 |
| XIV.—Deaths from ill-defined causes | 337 | 28 | 86 | 34 | 10 | 15 | 26 | 11 | 6 | 11 | 38 | 3 | 2 | 18 | 7 | 27 | 17 |
| Dropsy | 9 | 1 | 1 | - | - | - | 1 | 1 | 1 | - | - | - | - | 3 | - | - | 1 |
| Sudden death | 38 | 3 | 3 | 1 | 1 | 2 | 1 | - | - | 1 | 14 | - | - | 2 | 2 | 4 | 4 |
| Unspecified or ill-defined causes of deaths | 290 | 24 | 82 | 33 | 9 | 11 | 24 | 10 | 5 | 10 | 24 | 3 | 2 | 13 | 5 | 23 | 12 |

TABLE No. 30.
Deaths from All Causes by Months—1908.

| CAUSES OF DEATH. | Total. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Not stated. |
|---|--------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|-------------|
| All causes (including premature births)..... | 11,856 | 1,149 | 1,006 | 1,021 | 1,057 | 976 | 832 | 840 | 1,045 | 1,090 | 1,003 | 903 | 931 | 3 |
| I.—General diseases..... | 2,888 | 301 | 261 | 263 | 291 | 233 | 220 | 192 | 224 | 215 | 241 | 215 | 232 | — |
| II.—Diseases of nervous system and organs of special sense..... | 1,624 | 161 | 160 | 170 | 126 | 152 | 113 | 109 | 117 | 139 | 131 | 117 | 129 | — |
| III.—Diseases of circulatory system..... | 1,480 | 151 | 106 | 125 | 153 | 138 | 112 | 105 | 105 | 104 | 122 | 133 | 126 | — |
| IV.—Diseases of respiratory system..... | 1,334 | 197 | 149 | 148 | 172 | 155 | 60 | 36 | 38 | 64 | 77 | 100 | 138 | — |
| V.—Diseases of digestive system..... | 1,450 | 81 | 63 | 56 | 58 | 55 | 83 | 146 | 321 | 278 | 160 | 82 | 67 | — |
| VI.—Diseases of genitourinary system and its adnexa..... | 822 | 73 | 78 | 60 | 64 | 65 | 70 | 63 | 66 | 71 | 70 | 65 | 77 | — |
| VII.—The puerperal state..... | 83 | 7 | 7 | 8 | 10 | 14 | 5 | 6 | 7 | 6 | 3 | 3 | 7 | — |
| VIII.—Diseases of skin and cellular tissue..... | 64 | 8 | 8 | 6 | 7 | 3 | 6 | 4 | 2 | 5 | 7 | 2 | 6 | — |
| IX.—Diseases of organs of locomotion..... | 10 | 1 | — | — | — | 1 | 2 | — | 1 | 2 | 2 | 1 | — | — |
| X.—Malformations..... | 91 | 3 | 4 | 9 | 6 | 8 | 8 | 8 | 9 | 14 | 8 | 7 | 7 | — |
| XI.—Early infancy..... | 500 | 49 | 53 | 53 | 44 | 43 | 36 | 43 | 35 | 35 | 35 | 45 | 29 | — |
| XII.—Old age..... | 523 | 43 | 51 | 43 | 48 | 39 | 35 | 30 | 36 | 52 | 52 | 55 | 39 | — |
| XIII.—Deaths from external causes..... | 650 | 44 | 40 | 47 | 48 | 51 | 56 | 80 | 47 | 71 | 59 | 60 | 44 | 3 |
| XIV.—Deaths from ill-defined causes..... | 337 | 30 | 26 | 33 | 30 | 19 | 26 | 18 | 37 | 34 | 36 | 18 | 30 | — |

TABLE No. 30—Continued.

Deaths from All Causes by Months—1908.

| CAUSES OF DEATH. | Total. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Not stated. |
|--|--------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|-------------|
| I.—General diseases | 2,888 | 301 | 261 | 263 | 291 | 233 | 220 | 192 | 224 | 215 | 241 | 215 | 232 | - |
| Typhoid fever | 151 | 6 | 6 | 13 | 15 | 6 | 10 | 3 | 17 | 15 | 27 | 19 | 14 | - |
| Intermittent fever and malarial cachexia | 9 | 1 | - | 2 | - | - | - | 1 | - | 2 | - | 1 | 2 | - |
| Measles | 21 | - | 2 | 2 | 5 | 3 | - | - | 2 | - | 1 | 1 | 4 | - |
| Scarlatina | 17 | 1 | 3 | 3 | 5 | 1 | 2 | 1 | 1 | 1 | - | 2 | 2 | - |
| Whooping cough | 80 | 5 | 3 | 1 | 2 | 5 | 6 | 4 | 12 | 13 | 6 | 8 | 9 | - |
| Diphtheria and croup | 105 | 11 | 7 | 6 | 9 | 10 | 13 | 1 | 2 | 10 | 15 | 10 | 11 | - |
| Influenza | 241 | 78 | 47 | 44 | 30 | 20 | 7 | 2 | 1 | 2 | 1 | 4 | 5 | - |
| Cholera nostras | 15 | - | - | - | - | - | 1 | - | 4 | 4 | 3 | 3 | - | - |
| Dysentery | 39 | - | - | - | - | 2 | - | 4 | 6 | 15 | 8 | - | 4 | - |
| Erysipelas | 15 | 2 | 2 | 3 | 3 | 1 | 1 | 1 | - | - | - | 2 | - | - |
| Purulent and septicemic affections | 49 | 5 | 7 | 3 | 3 | 1 | 4 | 4 | 5 | 4 | 7 | 5 | 3 | - |
| Malignant pustule | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| Tuberculosis of larynx | 13 | 2 | 1 | 1 | 2 | - | 1 | - | - | - | - | 1 | 3 | - |
| Tuberculosis of lungs | 893 | 86 | 85 | 78 | 102 | 76 | 68 | 63 | 64 | 50 | 72 | 72 | 77 | - |
| Tuberculosis of meninges | 89 | 10 | 4 | 9 | 9 | 10 | 7 | 9 | 7 | 10 | 2 | 2 | 3 | - |
| Tuberculosis of peritoneum | 63 | 8 | 4 | 7 | 4 | 2 | 6 | 5 | 6 | 3 | 7 | 5 | 6 | - |
| Pott's disease | 13 | 1 | - | 2 | - | 1 | 2 | - | 1 | 1 | - | 1 | 1 | - |
| White swelling | 4 | 1 | - | - | 1 | 1 | - | - | - | - | - | - | 1 | - |
| Tuberculosis of other organs | 15 | - | - | 2 | 2 | - | 3 | 2 | 3 | - | 3 | - | - | - |
| General tuberculosis | 55 | 4 | 4 | 4 | 6 | 6 | 6 | 5 | 4 | 7 | - | 5 | 4 | - |
| Scrofula | 4 | - | 1 | - | 1 | 1 | 1 | - | - | - | - | - | - | - |
| Syphilis | 12 | 1 | - | 1 | - | 1 | 2 | 1 | 2 | 1 | 2 | - | 1 | - |
| Cancer of mouth | 30 | 1 | 4 | 1 | 1 | - | 3 | 1 | 3 | 4 | 2 | 2 | 8 | - |
| Cancer of stomach and liver | 266 | 19 | 20 | 28 | 23 | 26 | 20 | 19 | 30 | 21 | 22 | 21 | 17 | - |
| Cancer of peritoneum, intestines and rectum | 99 | 7 | 8 | 2 | 7 | 6 | 6 | 15 | 8 | 13 | 8 | 10 | 9 | - |
| Cancer of female genital organs | 100 | 8 | 4 | 8 | 14 | 7 | 6 | 9 | 9 | 9 | 5 | 5 | 12 | - |
| Cancer of breast | 64 | 8 | 5 | 7 | 4 | 4 | 7 | 5 | 4 | 6 | 4 | 7 | 7 | - |
| Cancer of skin | 42 | 3 | 2 | 3 | 7 | 3 | 6 | 4 | 5 | 3 | 2 | 2 | 2 | - |
| Cancer of other organs and organs not specified | 109 | 13 | 7 | 10 | 9 | 12 | 10 | 6 | 11 | 3 | 13 | 8 | 7 | - |
| Other tumors | 12 | 1 | 1 | 1 | - | 2 | 1 | 2 | - | 1 | - | 2 | 1 | - |
| Acute articular rheumatism | 29 | 2 | 8 | 1 | 3 | 2 | 2 | 2 | 1 | 1 | 3 | 1 | 2 | - |
| Chronic rheumatism and gout | 18 | - | 3 | 1 | - | 2 | 2 | 1 | 1 | 5 | 2 | 1 | - | - |
| Diabetes | 116 | 7 | 13 | 12 | 12 | 8 | 9 | 17 | 4 | 9 | 6 | 10 | 8 | - |
| Exophthalmic goiter | 3 | - | 1 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Addison's disease | 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Leukemia | 7 | 1 | - | 2 | - | 2 | - | - | 1 | 1 | - | - | - | - |
| Anemia, chlorosis | 52 | 5 | 5 | 4 | 6 | 6 | 4 | - | 4 | 5 | 2 | 3 | 5 | - |
| Other general diseases | 3 | - | - | - | - | 1 | - | 1 | - | 1 | - | - | - | - |
| Alcoholism, acute or chronic | 31 | 3 | 4 | 2 | 1 | 5 | 1 | 2 | 4 | 1 | 1 | 3 | 4 | - |
| Chronic lead poisoning | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| Other chronic poisoning | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| II.—Diseases of the nervous system, and of the organs of special sense | 1,624 | 161 | 160 | 170 | 126 | 152 | 113 | 109 | 117 | 139 | 131 | 117 | 129 | - |
| Encephalitis | 11 | - | - | 2 | 1 | 1 | - | 2 | - | - | - | 2 | 1 | - |
| Simple meningitis | 215 | 22 | 21 | 30 | 14 | 17 | 13 | 8 | 23 | 21 | 18 | 14 | 14 | - |
| Progressive locomotor ataxia | 18 | 4 | - | 1 | - | 2 | - | 1 | 2 | 1 | - | - | 3 | - |
| Other diseases of the spinal cord | 45 | 2 | 6 | 3 | 6 | 7 | 3 | 3 | 1 | 2 | 2 | 4 | 6 | - |
| Congestion and hemorrhage of the brain | 802 | 81 | 71 | 76 | 68 | 73 | 65 | 53 | 54 | 70 | 65 | 63 | 63 | - |
| Softening of the brain | 36 | 5 | 4 | 6 | 2 | 4 | 2 | 6 | 1 | - | - | 2 | 2 | - |
| Paralysis without specified cause | 230 | 24 | 19 | 30 | 14 | 28 | 11 | 18 | 15 | 23 | 15 | 12 | 21 | - |
| General paralysis | 25 | 2 | 5 | 2 | 2 | 1 | - | 2 | 2 | 2 | 3 | 3 | 1 | - |
| Other forms of mental alienation | 56 | 8 | 11 | 5 | 1 | 5 | 1 | 3 | 2 | 4 | 7 | 5 | 4 | - |
| Epilepsy | 36 | 1 | 5 | 3 | 1 | 1 | 5 | 3 | 1 | 4 | 7 | 1 | 4 | - |
| Eclampsia (non-puerperal) | 5 | - | 1 | 1 | 2 | 1 | - | - | - | - | - | - | - | - |
| Convulsions of children | 71 | 9 | 11 | 7 | 11 | 4 | 4 | 6 | 3 | 4 | 5 | 4 | 3 | - |
| Tetanus | 6 | - | - | - | - | - | - | 1 | 1 | 2 | - | - | 1 | - |
| Chorea | 3 | 1 | - | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Other diseases of nervous system | 60 | 2 | 5 | 3 | 3 | 8 | 6 | 7 | 6 | 5 | 5 | 4 | 6 | - |

TABLE No. 30—Continued.
Deaths from All Causes by Months—1908.

| CAUSES OF DEATH. | Total. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Not stated. |
|--|--------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|-------------|
| Diseases of the ear..... | 5 | - | 1 | - | - | 2 | - | - | 2 | - | - | - | - | - |
| III.—Diseases of the circulatory system | 1,480 | 151 | 108 | 125 | 152 | 138 | 112 | 105 | 105 | 104 | 122 | 133 | 126 | - |
| Pericarditis..... | 7 | - | 1 | 1 | - | 1 | 1 | 3 | - | - | - | - | - | - |
| Acute endocarditis..... | 75 | 9 | 6 | 7 | 6 | 2 | 6 | 5 | 4 | 6 | 8 | 9 | 7 | - |
| Organic diseases of heart..... | 1,099 | 115 | 82 | 87 | 122 | 109 | 84 | 74 | 71 | 77 | 97 | 95 | 86 | - |
| Angina pectoris..... | 103 | 8 | 9 | 10 | 8 | 9 | 9 | 7 | 6 | 11 | 8 | 6 | 12 | - |
| Affections of the arteries (atheroma, aneurism, etc.)..... | 115 | 8 | 6 | 9 | 12 | 12 | 8 | 10 | 12 | 8 | 3 | 15 | 12 | - |
| Embolism and thrombosis..... | 68 | 11 | 2 | 9 | 4 | 3 | 4 | 5 | 10 | 2 | 5 | 6 | 7 | - |
| Affections of the veins, (varices, hem- orrhoids, phlebitis, etc.)..... | 3 | - | - | - | - | - | - | - | 1 | - | - | - | 2 | - |
| Affections of the lymphatic system..... | 2 | - | - | - | 1 | - | - | - | - | - | 1 | - | - | - |
| Hemorrhages..... | 8 | - | 2 | 2 | - | - | - | 1 | 1 | - | - | 2 | - | - |
| IV.—Diseases of the respiratory system | 1,334 | 197 | 149 | 148 | 172 | 155 | 60 | 36 | 38 | 64 | 77 | 100 | 138 | - |
| Diseases of the larynx..... | 11 | - | 4 | - | 2 | - | - | - | - | 3 | - | - | 2 | - |
| Diseases of the thyroid body..... | 3 | - | 1 | - | - | 1 | - | 1 | - | - | - | - | - | - |
| Acute bronchitis..... | 89 | 13 | 3 | 13 | 19 | 15 | 5 | 5 | 1 | 2 | 5 | 4 | 4 | - |
| Chronic bronchitis..... | 65 | 14 | 6 | 7 | 5 | 4 | 4 | 4 | 4 | 4 | 6 | 5 | 2 | - |
| Broncho pneumonia..... | 195 | 31 | 24 | 23 | 26 | 17 | 10 | 6 | 6 | 11 | 5 | 15 | 21 | - |
| Pneumonia..... | 873 | 128 | 104 | 90 | 113 | 102 | 37 | 20 | 20 | 31 | 55 | 68 | 105 | - |
| Pleurisy..... | 10 | 1 | - | - | 1 | 4 | - | - | 1 | 1 | 1 | 1 | - | - |
| Congestion of the lungs..... | 47 | 6 | 5 | 9 | 6 | 5 | 1 | - | 3 | 4 | 3 | 3 | 2 | - |
| Gangrene of the lungs..... | 7 | - | 1 | - | 1 | - | - | - | - | 1 | 1 | 2 | 1 | - |
| Asthma..... | 18 | 2 | 2 | 4 | - | 2 | 1 | - | 5 | 1 | 1 | 1 | - | - |
| Other diseases of the respiratory system | 16 | 2 | - | 1 | - | 5 | 1 | 1 | 2 | 2 | - | 1 | 1 | - |
| V.—Diseases of the digestive system | 1,450 | 81 | 63 | 56 | 58 | 55 | 83 | 146 | 321 | 278 | 160 | 82 | 67 | - |
| Affections of the mouth and its adnexa | 2 | - | - | - | 1 | - | - | - | - | - | 1 | - | - | - |
| Affections of the pharynx..... | 6 | 1 | - | - | 1 | 2 | - | - | 1 | - | 1 | - | - | - |
| Diseases of esophagus..... | 2 | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Ulcer of the stomach..... | 28 | 5 | 2 | 3 | 5 | 1 | 2 | 2 | 2 | 2 | 1 | 1 | 2 | - |
| Other affections of the stomach (cancer excepted)..... | 225 | 24 | 17 | 14 | 14 | 5 | 21 | 16 | 25 | 23 | 26 | 18 | 22 | - |
| Infantile diarrhæa (under two years)..... | 682 | 12 | 6 | 2 | 2 | 9 | 18 | 86 | 224 | 201 | 88 | 23 | 11 | - |
| Diarrhæa and enteritis (two years and over)..... | 126 | 5 | 4 | 2 | 5 | 2 | 3 | 16 | 33 | 30 | 12 | 10 | 4 | - |
| Intestinal parasites..... | 4 | 1 | - | - | - | - | - | 1 | - | 1 | 1 | - | - | - |
| Hernias and other intestinal obstruc- tions..... | 82 | 8 | 6 | 5 | 8 | 13 | 6 | 4 | 5 | 6 | 7 | 10 | 4 | - |
| Other affections of the intestines..... | 19 | - | 1 | 1 | 3 | 3 | 5 | 1 | 2 | - | - | 1 | 2 | - |
| Acute yellow atrophy of liver..... | 7 | 1 | - | 1 | - | - | 2 | 1 | - | - | - | - | 1 | - |
| Cirrhosis of liver..... | 65 | 9 | 6 | 9 | 4 | 4 | 5 | 2 | 8 | 3 | 10 | 2 | 3 | - |
| Biliary calculi..... | 22 | 2 | 1 | 6 | 2 | 1 | 1 | 5 | 1 | 3 | - | 1 | 1 | - |
| Other affections of the liver..... | 55 | 2 | 8 | 4 | 5 | 5 | 7 | 6 | 4 | 2 | 3 | 3 | 6 | - |
| Affections of the spleen..... | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Inflammatory peritonitis (puerperal excepted)..... | 64 | 5 | 6 | 3 | 5 | 8 | 7 | 2 | 9 | 1 | 6 | 7 | 5 | - |
| Other affections of the digestive system (cancer and tuberculosis excepted) | 4 | - | - | - | - | 2 | - | - | 1 | - | - | 1 | - | - |
| Appendicitis and abscess of the iliac fossa..... | 56 | 6 | 5 | 4 | 5 | - | 4 | 6 | 6 | 6 | 4 | 4 | 6 | - |
| VI.—Diseases of the genito-urinary system and its adnexa..... | 822 | 73 | 78 | 60 | 64 | 65 | 70 | 63 | 66 | 71 | 70 | 65 | 77 | - |
| Acute nephritis..... | 89 | 9 | 8 | 7 | 4 | 8 | 6 | 12 | 5 | 10 | 4 | 7 | 9 | - |
| Bright's disease..... | 600 | 54 | 57 | 48 | 47 | 49 | 49 | 36 | 48 | 48 | 55 | 48 | 61 | - |
| Other diseases of the kidneys and their adnexa..... | 21 | 3 | 3 | 2 | 2 | 1 | 1 | 3 | 3 | 1 | 1 | 1 | - | - |
| Calculi of the urinary tract..... | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Diseases of the bladder..... | 37 | 4 | 5 | 2 | 3 | 1 | 7 | 3 | 3 | 3 | - | 3 | 3 | - |
| Diseases of the urethra, urinary abscess etc..... | 4 | 1 | - | - | - | - | - | - | - | - | 1 | - | 2 | - |
| Diseases of the prostate..... | 24 | 1 | 2 | - | 2 | - | 1 | 5 | 2 | 5 | 3 | 2 | 1 | - |

TABLE No. 30—Concluded.
Deaths from All Causes by Months—1908.

| CAUSES OF DEATH. | Total. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Not stated. |
|---|--------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|-------------|
| Non-venereal diseases of the male genital organs | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Metritis | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Uterine hemorrhage (non-puerperal) | 3 | - | - | - | 1 | 1 | - | - | 1 | - | - | - | - | - |
| Uterine tumor (non-cancerous) | 16 | - | 1 | - | 2 | 1 | 2 | 1 | 1 | 1 | 4 | 2 | 1 | - |
| Other diseases of the uterus | 8 | - | 1 | 1 | - | 1 | 2 | 3 | - | - | - | - | - | - |
| Cysts and other tumors of the ovary | 7 | - | 1 | - | 2 | 1 | - | - | 1 | 1 | 1 | - | - | - |
| Other diseases of the female genital organs | 10 | 1 | - | - | 1 | 1 | 1 | - | 2 | 2 | 1 | 1 | - | - |
| VII.—The puerperal state | 83 | 7 | 7 | 8 | 10 | 14 | 5 | 6 | 7 | 6 | 3 | 3 | 7 | - |
| Accidents of pregnancy | 17 | 1 | 1 | 3 | 2 | 2 | 1 | 1 | 1 | 2 | 2 | 2 | 1 | - |
| Puerperal hemorrhage | 7 | - | - | 2 | - | - | - | 2 | 1 | - | 1 | 2 | - | - |
| Other accidents of labor | 5 | 1 | - | 1 | - | 2 | - | 1 | - | - | - | - | - | - |
| Puerperal septicemia | 23 | 3 | 3 | 1 | 3 | 5 | 2 | 2 | 2 | - | - | - | - | - |
| Puerperal albuminuria and convulsions | 20 | 2 | 2 | - | 3 | 4 | 1 | - | 3 | 2 | - | 1 | 2 | - |
| Other puerperal accidents, sudden death | 11 | - | 1 | 1 | 2 | 1 | 1 | - | 1 | 2 | - | - | 2 | - |
| VIII.—Diseases of the skin and cellular tissue | 64 | 8 | 8 | 6 | 7 | 3 | 6 | 4 | 2 | 5 | 7 | 2 | 6 | - |
| Gangrene | 46 | 6 | 6 | 6 | 5 | 1 | 5 | 4 | 2 | 3 | 3 | 1 | 4 | - |
| Furuncle, boil, carbuncle | 4 | - | - | - | - | 2 | 1 | - | - | 1 | - | - | - | - |
| Phlegmon, acute abscess | 8 | 1 | 1 | - | 2 | - | 1 | - | - | - | 3 | - | 1 | - |
| Other diseases of the skin and its annexa | 6 | 1 | 1 | - | - | - | - | - | - | 1 | 1 | 1 | 1 | - |
| IX.—Diseases of the organs of locomotion | 10 | 1 | - | - | - | 1 | 2 | - | 1 | 2 | 2 | 1 | - | - |
| Nontuberculous diseases of the bones | 7 | - | - | - | - | 1 | 1 | - | 1 | 2 | 1 | 1 | - | - |
| Arthritis and other diseases of the joints (tuberculosis and rheumatism excepted) | 2 | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Other diseases of organs of locomotion | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| X.—Malformations | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Malformations, congenital (stillbirths excepted) | 91 | 3 | 4 | 9 | 6 | 8 | 8 | 8 | 9 | 14 | 8 | 7 | 7 | - |
| XI.—Early infancy | 500 | 49 | 53 | 53 | 44 | 43 | 36 | 43 | 35 | 35 | 35 | 45 | 29 | - |
| Congenital icterus, debility and sclerosis | 393 | 41 | 39 | 37 | 33 | 33 | 30 | 35 | 27 | 29 | 28 | 37 | 24 | - |
| Other diseases of early infancy | 35 | 5 | 4 | 6 | 5 | 1 | 3 | 3 | - | 3 | - | 2 | 3 | - |
| Lack of care | 72 | 3 | 10 | 10 | 6 | 9 | 3 | 5 | 8 | 3 | 7 | 6 | 2 | - |
| XII.—Old age | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Senile debility | 523 | 43 | 51 | 43 | 48 | 39 | 35 | 30 | 36 | 52 | 52 | 55 | 39 | - |
| XIII.—Deaths from external causes | 650 | 44 | 40 | 47 | 48 | 51 | 56 | 80 | 47 | 71 | 59 | 60 | 44 | 3 |
| Suicide by poison | 16 | 1 | - | - | 1 | 3 | - | 3 | 2 | 2 | - | - | - | - |
| Suicide by asphyxia | 3 | - | - | - | 1 | 1 | - | - | - | - | - | - | 1 | - |
| Suicide by hanging or strangulation | 41 | 2 | 2 | 4 | 3 | 4 | 5 | 3 | 2 | 8 | 6 | 1 | 1 | - |
| Suicide by drowning | 15 | 1 | - | 3 | 3 | - | 3 | 2 | 2 | 1 | 2 | 1 | - | - |
| Suicide by firearms | 35 | 2 | 1 | 2 | 1 | 6 | 4 | 6 | 4 | 3 | 1 | 1 | 4 | - |
| Suicide by cutting instruments | 111 | 1 | 2 | 1 | - | 1 | 1 | - | 1 | 1 | 2 | 1 | - | - |
| Fractures | 81 | 10 | 5 | 5 | 4 | 8 | 8 | 8 | 5 | 6 | 8 | 8 | 6 | - |
| Dislocation | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Other accidental injuries | 165 | 7 | 9 | 18 | 10 | 11 | 11 | 10 | 10 | 17 | 21 | 21 | 20 | - |
| Burns and scalds | 45 | 4 | 4 | 2 | 2 | 4 | 4 | 1 | 3 | 7 | 6 | 6 | 2 | - |
| Sunstroke | 8 | - | - | - | 1 | - | 1 | 5 | - | 1 | - | - | - | - |
| Freezing | 9 | - | 3 | - | 1 | 1 | - | - | - | - | - | 2 | 2 | 1 |
| Electric shock | 9 | - | - | - | 1 | 1 | 1 | 4 | 1 | - | 1 | - | - | - |
| Accidental drowning | 117 | 10 | 3 | 2 | 11 | 9 | 16 | 25 | 7 | 12 | 4 | 14 | 3 | 1 |
| Inanition (starvation) | 4 | - | 1 | 1 | - | - | - | - | - | 1 | 1 | - | - | - |
| Absorption of deleterious gases (non-suicidal) | 9 | - | 2 | 1 | 3 | - | - | - | - | 2 | - | 1 | - | - |
| Other acute poisonings | 39 | 3 | 3 | 5 | 3 | 2 | - | 8 | 6 | 5 | 1 | 2 | 1 | - |
| Other external violence | 42 | 3 | 4 | 6 | 3 | 2 | 2 | 5 | 4 | 4 | 2 | 2 | 4 | 1 |
| XIV.—Deaths from ill-defined causes | 337 | 30 | 26 | 33 | 30 | 19 | 26 | 18 | 37 | 34 | 36 | 18 | 30 | - |
| Dropsy | 9 | - | 1 | - | - | - | 2 | - | 1 | 1 | - | 2 | 2 | - |
| Sudden death | 38 | 3 | 2 | 3 | 1 | 2 | 4 | 5 | 3 | 4 | 4 | 1 | 6 | - |
| Unspecified or ill-defined causes of death | 290 | 27 | 23 | 30 | 29 | 17 | 20 | 13 | 33 | 29 | 32 | 15 | 22 | - |

TABLE
Deaths from all Causes by

| CAUSES OF DEATH. | Sex. | Totals. | Under 1. | | | | Total under 5. | 5-9. | 10-14. | 15-19. | |
|---|----------------------|---------|----------|---------------|-------|-----|----------------|--------|--------|--------|-------|
| | | | Under 1. | 1 and under 2 | 2. | 3. | | | | | 4. |
| All causes | Totals | 92,131 | 14,534 | 2,419 | 1,117 | 746 | 575 | 19,391 | 1,792 | 1,385 | 2,349 |
| | Males | 47,396 | 8,121 | 1,270 | 579 | 397 | 303 | 10,670 | 961 | 689 | 1,153 |
| | Females | 44,673 | 6,370 | 1,148 | 537 | 349 | 272 | 8,676 | 831 | 696 | 1,196 |
| Typhoid fever | Not stated | 62 | 43 | 1 | 1 | - | - | 45 | - | - | - |
| | Totals | 1,417 | 7 | 8 | 11 | 9 | 15 | 50 | 92 | 102 | 225 |
| | Males | 821 | 1 | 6 | 5 | 4 | 7 | 23 | 41 | 43 | 110 |
| Typhus fever | Females | 596 | 6 | 2 | 6 | 5 | 8 | 27 | 51 | 59 | 115 |
| | Totals | 1 | - | - | - | - | - | - | - | - | - |
| | Males | 1 | - | - | - | - | - | - | - | - | - |
| Intermittent fever and malarial cachexia | Females | - | - | - | - | - | - | - | - | - | - |
| | Totals | 85 | - | - | 1 | - | - | 1 | - | - | - |
| | Males | 83 | - | - | - | - | - | - | - | - | - |
| Smallpox | Females | 2 | - | - | - | - | - | - | - | - | - |
| | Totals | 22 | 4 | - | 1 | - | - | 5 | 2 | - | - |
| | Males | 14 | 4 | - | - | - | - | 4 | 2 | - | - |
| Measles | Females | 8 | - | - | 1 | - | - | - | - | - | - |
| | Totals | 303 | 82 | 66 | 26 | 10 | 3 | 187 | 22 | 12 | 8 |
| | Males | 142 | 47 | 31 | 9 | 6 | 2 | 95 | 12 | 6 | 2 |
| Scarlatina | Females | 160 | 34 | 35 | 17 | 4 | 1 | 91 | 10 | 6 | 6 |
| | Not stated | 1 | - | - | - | - | - | 1 | - | - | - |
| | Totals | 102 | 6 | 9 | 12 | 11 | 14 | 52 | 26 | 17 | 1 |
| Whooping cough | Males | 45 | 1 | 4 | 8 | 4 | 7 | 24 | 12 | 7 | - |
| | Females | 57 | 5 | 5 | 4 | 7 | 7 | 28 | 14 | 10 | 1 |
| | Totals | 542 | 355 | 97 | 36 | 21 | 9 | 518 | 15 | 2 | 2 |
| Diphtheria and croup | Males | 268 | 181 | 45 | 16 | 8 | 3 | 253 | 9 | 1 | 1 |
| | Females | 274 | 174 | 52 | 20 | 13 | 6 | 265 | 6 | 1 | 2 |
| | Totals | 975 | 105 | 100 | 114 | 112 | 96 | 527 | 268 | 93 | 29 |
| Influenza | Males | 520 | 63 | 54 | 67 | 57 | 56 | 297 | 136 | 45 | 13 |
| | Females | 455 | 42 | 46 | 47 | 55 | 40 | 230 | 132 | 48 | 16 |
| | Totals | 1,621 | 198 | 45 | 14 | 14 | 10 | 281 | 31 | 14 | 16 |
| Cholera nostras | Males | 740 | 110 | 19 | 8 | 6 | 5 | 148 | 15 | 3 | 9 |
| | Females | 881 | 88 | 26 | 6 | 8 | 5 | 133 | 16 | 11 | 7 |
| | Totals | 134 | 14 | 2 | 9 | 3 | 5 | 32 | 8 | 4 | - |
| Dysentery | Males | 63 | 9 | - | 3 | 1 | 2 | 15 | 5 | 3 | - |
| | Females | 71 | 5 | 2 | 6 | 2 | 3 | 18 | 3 | 1 | - |
| | Totals | 257 | 46 | 16 | 12 | 14 | 12 | 100 | 10 | 1 | 1 |
| Erysipelas | Males | 116 | 24 | 9 | 4 | 10 | 9 | 56 | 3 | 1 | - |
| | Females | 141 | 22 | 7 | 8 | 4 | 3 | 44 | 7 | - | - |
| | Totals | 179 | 29 | 1 | 1 | - | - | 31 | - | 3 | 3 |
| Other epidemic affec- tions | Males | 93 | 12 | - | - | - | - | 12 | - | 2 | 2 |
| | Females | 86 | 17 | 1 | 1 | - | - | 19 | - | 1 | 1 |
| | Totals | 5 | 1 | 1 | - | 1 | - | 3 | - | - | 1 |
| Purulent and septicemic affections | Males | 3 | - | 1 | - | - | - | 1 | - | - | 1 |
| | Females | 2 | 1 | - | - | 1 | - | 2 | - | - | - |
| | Totals | 345 | 24 | 4 | 1 | 1 | 2 | 32 | 4 | 7 | 15 |
| Glanders and farcy | Males | 197 | 11 | 3 | - | 1 | - | 15 | 3 | 4 | 11 |
| | Females | 148 | 13 | 1 | 1 | - | 2 | 17 | 1 | 3 | 4 |
| | Totals | 3 | - | - | - | - | - | - | - | - | - |
| Malignant pustule and anthrax | Males | 3 | - | - | - | - | - | - | - | - | - |
| | Females | - | - | - | - | - | - | - | - | - | - |
| | Totals | 7 | 1 | - | - | - | - | 1 | - | - | 1 |
| Rabies | Males | 6 | 1 | - | - | - | - | 1 | - | - | - |
| | Females | 1 | - | - | - | - | - | - | - | - | 1 |
| | Totals | 1 | - | - | 1 | - | - | 1 | - | - | - |
| Actinomycosis, trichino- sis, etc | Males | - | - | - | - | - | - | - | - | - | - |
| | Females | 1 | - | - | 1 | - | - | 1 | - | - | - |
| | Totals | 1 | - | - | - | - | - | - | - | - | - |
| Tuberculosis of larynx | Males | 1 | - | - | - | - | - | - | - | - | - |
| | Totals | 90 | - | 1 | - | 1 | - | 2 | - | 2 | 3 |
| | Males | 57 | - | 1 | - | - | - | 1 | - | - | 2 |
| Females | 33 | - | - | 1 | - | 1 | - | 1 | - | 2 | 1 |

DEATHS FROM ALL CAUSES BY AGE-GROUPS.

IOI

No. 31.

Age Groups—1901-1908.

| 20-24. | 25-29. | 30-34. | 35-39. | 40-44. | 45-49. | 50-54. | 55-59. | 60-64. | 65-69. | 70-74. | 75-79. | 80-84. | 85-89. | 90-94. | 95-99. | 100 and over. | Unknown. |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------------|----------|
| 3,181 | 2,970 | 2,795 | 2,514 | 2,898 | 3,251 | 3,792 | 4,489 | 5,511 | 7,076 | 7,721 | 7,934 | 6,316 | 3,942 | 1,485 | 372 | 38 | 629 |
| 1,560 | 1,378 | 1,301 | 1,361 | 1,413 | 1,644 | 1,976 | 2,349 | 2,972 | 3,663 | 4,058 | 4,131 | 3,171 | 1,803 | 601 | 129 | 14 | 399 |
| 1,621 | 1,592 | 1,494 | 1,453 | 1,485 | 1,607 | 1,816 | 2,140 | 2,539 | 3,413 | 3,663 | 3,803 | 3,144 | 2,139 | 884 | 243 | 24 | 214 |
| 252 | 180 | 118 | 100 | 70 | 74 | 39 | 32 | 27 | 20 | 12 | 12 | 2 | 1 | - | - | - | 16 |
| 152 | 121 | 76 | 65 | 44 | 52 | 27 | 16 | 18 | 12 | 7 | 5 | 1 | 1 | - | - | - | 9 |
| 100 | 59 | 42 | 35 | 26 | 22 | 12 | 16 | 9 | 8 | 5 | 7 | 1 | - | - | - | - | 7 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 3 | 3 | 2 | - | - | 1 | 1 | 5 | 24 | 19 | 10 | 6 | 8 | 2 | - | - | - | - |
| - | 3 | - | - | - | - | - | - | 24 | 19 | 10 | 6 | 7 | 2 | - | - | - | - |
| - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - | 1 | 3 | - | 1 | 5 | 1 | 1 | 1 | - | - | - | - | - | - | - | - | 1 |
| - | 2 | 2 | - | 1 | 3 | 2 | 1 | - | - | - | - | - | - | - | - | - | 1 |
| 1 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 8 | 7 | 13 | 8 | 3 | 3 | 7 | 5 | 5 | 6 | 3 | 1 | 2 | - | - | - | - | 2 |
| 1 | 1 | 5 | 3 | 1 | 4 | 4 | 3 | 2 | 3 | 2 | 1 | 1 | - | - | - | - | 1 |
| 7 | 6 | 8 | 5 | 2 | 3 | 3 | 2 | 4 | 3 | 3 | 1 | 1 | 2 | - | - | - | 1 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1 | - | 1 | 2 | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1 | - | 1 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 18 | 10 | 2 | 7 | 5 | 3 | 3 | 2 | 2 | 1 | 1 | 1 | - | - | - | - | - | 2 |
| 11 | 6 | 5 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 1 | 1 | - | - | - | - | - | 1 |
| 7 | 4 | 2 | 5 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | 1 | - | - | - | - | - | 1 |
| 13 | 20 | 21 | 18 | 26 | 34 | 28 | 52 | 71 | 108 | 198 | 245 | 249 | 134 | 44 | 10 | 3 | 5 |
| 6 | 9 | 8 | 8 | 13 | 16 | 15 | 22 | 32 | 48 | 84 | 114 | 116 | 55 | 13 | 1 | 1 | 4 |
| 7 | 11 | 13 | 10 | 13 | 18 | 13 | 30 | 39 | 60 | 114 | 131 | 133 | 79 | 31 | 9 | 2 | 1 |
| 1 | 1 | 1 | 1 | 1 | 3 | 3 | 1 | 6 | 7 | 13 | 21 | 13 | 10 | 2 | 1 | - | 4 |
| - | 1 | - | - | 1 | 2 | 2 | 1 | 4 | - | 3 | 11 | 6 | 5 | 1 | - | - | 3 |
| 1 | 3 | 3 | 4 | 6 | 4 | 4 | 11 | 8 | 13 | 10 | 10 | 7 | 5 | 1 | 1 | - | 1 |
| - | 1 | 1 | 2 | 1 | 1 | 2 | 2 | 6 | 5 | 15 | 25 | 16 | 12 | 9 | - | - | - |
| 1 | 2 | 2 | 5 | 5 | 5 | 2 | 11 | 2 | 8 | 15 | 12 | 12 | 9 | 6 | - | - | - |
| 4 | 3 | 7 | 8 | 10 | 12 | 13 | 8 | 8 | 13 | 16 | 19 | 12 | 6 | 5 | 1 | - | - |
| 2 | 2 | 7 | 4 | 5 | 2 | 6 | 6 | 4 | 10 | 6 | 12 | 8 | 2 | 2 | - | - | - |
| - | 1 | - | 1 | 3 | 8 | 6 | 7 | 4 | 3 | 10 | 7 | 4 | 4 | 3 | 1 | - | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 13 | 19 | 24 | 16 | 17 | 24 | 28 | 19 | 26 | 33 | 26 | 17 | 16 | 4 | 1 | 1 | - | 3 |
| 5 | 6 | 10 | 8 | 11 | 14 | 20 | 9 | 16 | 21 | 16 | 11 | 10 | 2 | 1 | 1 | - | 3 |
| 8 | 13 | 14 | 8 | 6 | 10 | 8 | 10 | 10 | 12 | 10 | 6 | 6 | 2 | - | - | - | - |
| 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 10 | 16 | 11 | 12 | 5 | 6 | 4 | 6 | 5 | 4 | 3 | 1 | - | - | - | - | - | - |
| 5 | 8 | 8 | 9 | 2 | 5 | 3 | 6 | 6 | 2 | 2 | - | - | - | - | - | - | - |
| 5 | 8 | 3 | 3 | 3 | 1 | 1 | - | 1 | 2 | 2 | - | - | - | - | - | - | - |

TABLE
Deaths from all Causes by

| CAUSES OF DEATH. | Sex. | Totals. | Under 1. | 1 and under 2. | 2. | 3. | 4. | Total under 5. | 5-9. | 10-14. | 15-19. |
|---|--------------|---------|----------|----------------|----|----|----|----------------|------|--------|--------|
| | | | | | | | | | | | |
| Scurvy..... | Totals..... | 3 | 2 | - | - | - | - | 2 | - | - | - |
| | Males..... | - | - | - | - | - | - | - | - | - | - |
| Diabetes..... | Females..... | 3 | 2 | - | - | - | - | 2 | - | - | - |
| | Totals..... | 812 | - | 2 | 7 | 5 | 4 | 18 | 21 | 33 | 24 |
| Exophthalmic goiter..... | Males..... | 381 | - | 1 | 5 | 3 | 3 | 12 | 8 | 17 | 17 |
| | Females..... | 431 | - | 1 | 2 | 2 | 1 | 6 | 13 | 16 | 7 |
| Addison's disease..... | Totals..... | 20 | - | - | - | - | - | - | - | - | - |
| | Males..... | 4 | - | - | - | - | - | - | - | - | - |
| Leukemia..... | Females..... | 16 | - | - | - | - | - | - | - | - | 1 |
| | Totals..... | 58 | - | - | 1 | - | - | 1 | - | - | 1 |
| Anemia, chlorosis..... | Males..... | 38 | - | - | 1 | - | - | 1 | - | - | 1 |
| | Females..... | 23 | - | - | 1 | - | - | - | - | - | - |
| Other general diseases..... | Totals..... | 15 | - | - | - | - | - | - | - | - | - |
| | Males..... | 58 | 2 | 2 | 3 | 1 | 1 | 9 | 1 | 1 | 1 |
| Alcoholism, a c u t e, or chronic..... | Females..... | 35 | 1 | 1 | 1 | 1 | 1 | 4 | 1 | - | 1 |
| | Totals..... | 23 | 1 | 1 | 2 | 1 | - | 5 | - | 1 | - |
| Chronic lead poisonings..... | Males..... | 437 | 46 | 11 | 4 | 1 | 2 | 64 | 3 | 10 | 11 |
| | Females..... | 156 | 19 | 3 | 2 | - | - | 25 | 2 | - | 2 |
| Other chronic poisonings..... | Totals..... | 281 | 27 | 8 | 2 | 1 | 1 | 39 | 1 | 10 | 9 |
| | Males..... | 28 | 6 | 1 | - | 3 | - | 10 | 1 | - | 2 |
| Encephalitis..... | Females..... | 11 | 1 | 1 | - | - | - | 5 | - | - | - |
| | Totals..... | 17 | 5 | - | - | - | - | 5 | 1 | - | 2 |
| Simple meningitis..... | Males..... | 212 | - | - | - | - | - | - | - | - | 2 |
| | Females..... | 192 | - | - | - | - | - | - | - | - | 2 |
| Epidemic cerebro-spinal meningitis..... | Totals..... | 20 | - | - | - | - | - | - | - | - | - |
| | Males..... | 7 | - | - | - | 2 | - | 2 | 1 | - | - |
| Progressive locomotor ataxia..... | Females..... | 6 | - | - | - | 1 | - | 1 | 1 | - | - |
| | Totals..... | 1 | - | - | - | 1 | - | 1 | - | - | - |
| Other diseases of the spinal cord..... | Males..... | 27 | - | - | - | - | - | - | - | 1 | - |
| | Females..... | 10 | - | - | - | - | - | - | - | 1 | - |
| Congestion and hemorrhage of brain..... | Totals..... | 17 | - | - | - | - | - | - | - | - | - |
| | Males..... | 109 | 28 | 6 | 4 | 1 | - | 39 | 12 | 4 | 4 |
| Softening of the brain..... | Females..... | 62 | 20 | 4 | 2 | - | - | 26 | 7 | 3 | 1 |
| | Totals..... | 47 | 8 | 2 | 2 | 1 | - | 13 | 5 | 1 | 3 |
| Paralysis without specified cause..... | Males..... | 1,802 | 650 | 213 | 99 | 74 | 52 | 1,088 | 155 | 106 | 74 |
| | Females..... | 968 | 354 | 115 | 48 | 42 | 27 | 586 | 76 | 44 | 39 |
| General paralysis..... | Totals..... | 833 | 295 | 98 | 51 | 32 | 25 | 501 | 79 | 62 | 35 |
| | Males..... | 1 | 1 | - | - | - | - | 1 | - | - | - |
| Other forms of mental alienation..... | Females..... | 77 | 24 | 9 | 7 | 2 | 4 | 46 | 7 | 4 | 6 |
| | Totals..... | 37 | 14 | 2 | 4 | 1 | 2 | 23 | 3 | 1 | 4 |
| Not stated..... | Males..... | 40 | 10 | 7 | 3 | 1 | 2 | 23 | 4 | 3 | 2 |
| | Females..... | 163 | 1 | - | - | - | - | 1 | - | - | - |
| Epidemic cerebro-spinal meningitis..... | Totals..... | 111 | 1 | - | - | - | - | 1 | - | - | - |
| | Males..... | 52 | - | - | - | - | - | - | - | - | - |
| Progressive locomotor ataxia..... | Females..... | 387 | 15 | 7 | 2 | 3 | 1 | 28 | 7 | 6 | 7 |
| | Totals..... | 209 | 8 | 2 | 1 | 3 | - | 14 | 4 | 4 | 4 |
| Softening of the brain..... | Males..... | 178 | 7 | 5 | 1 | 1 | - | 14 | 3 | 2 | 3 |
| | Females..... | 5,791 | 83 | 14 | 5 | 1 | 4 | 107 | 14 | 4 | 22 |
| Paralysis without specified cause..... | Totals..... | 2,860 | 53 | 8 | 2 | 1 | 3 | 67 | 9 | 3 | 11 |
| | Males..... | 2,931 | 30 | 6 | 3 | 1 | - | 40 | 5 | 1 | 11 |
| General paralysis..... | Females..... | 293 | - | - | - | - | - | - | 1 | - | - |
| | Totals..... | 153 | - | - | - | - | - | - | - | - | - |
| Other forms of mental alienation..... | Males..... | 140 | - | - | - | - | - | - | - | - | - |
| | Females..... | 1,833 | 10 | 4 | - | - | - | 14 | 1 | 6 | 6 |
| Not stated..... | Totals..... | 881 | 6 | 1 | - | - | - | 7 | 1 | 3 | 3 |
| | Males..... | 952 | 4 | 3 | - | - | - | 7 | - | 3 | 3 |
| Epidemic cerebro-spinal meningitis..... | Females..... | 191 | - | - | - | - | - | - | - | - | 1 |
| | Totals..... | 114 | - | - | - | - | - | - | - | - | 1 |
| Progressive locomotor ataxia..... | Males..... | 77 | - | - | - | - | - | - | - | - | - |
| | Females..... | 551 | - | - | - | - | - | - | - | 1 | 5 |
| Other forms of mental alienation..... | Totals..... | 281 | - | - | - | - | - | - | - | - | 3 |
| | Males..... | 320 | - | - | - | - | - | - | 1 | - | 2 |

No. 31—Continued.

Age Groups—1901-1908.

| 20-24. | 25-29. | 30-34. | 35-39. | 40-44. | 45-49. | 50-54. | 55-59. | 60-64. | 65-69. | 70-74. | 75-79. | 80-84. | 85-89. | 90-94. | 95-99. | 100 and over. | Unknown. |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------------|----------|
| 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 17 | 29 | 28 | 21 | 40 | 37 | 68 | 69 | 108 | 106 | 96 | 54 | 29 | 11 | 1 | - | - | 1 |
| 4 | 17 | 15 | 12 | 29 | 19 | 33 | 30 | 46 | 34 | 40 | 26 | 17 | 5 | - | - | - | - |
| 13 | 12 | 13 | 9 | 11 | 18 | 35 | 39 | 62 | 72 | 56 | 28 | 12 | 6 | 1 | 1 | - | 1 |
| - | 3 | 3 | 2 | 2 | 3 | 2 | 1 | 1 | 2 | 2 | 1 | - | - | - | - | - | - |
| - | 3 | 2 | 1 | 1 | 1 | 2 | 1 | - | - | - | - | - | - | - | - | - | - |
| 2 | 2 | 4 | 3 | 4 | 9 | 2 | 4 | 2 | 2 | 1 | - | - | - | - | - | - | - |
| 1 | 1 | 1 | 3 | 2 | 5 | 2 | 4 | 1 | 2 | 1 | 1 | - | - | - | - | - | - |
| 1 | 1 | 3 | 2 | 2 | 4 | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| 2 | 6 | 2 | 4 | 2 | 2 | 5 | 9 | 5 | 6 | 3 | - | - | - | - | - | - | - |
| - | 2 | 1 | 2 | 2 | 2 | 4 | 7 | 4 | 2 | 3 | - | - | - | - | - | - | - |
| 2 | 4 | 1 | 2 | 1 | 1 | 1 | 2 | 1 | 4 | - | - | - | - | - | - | - | - |
| 19 | 23 | 24 | 18 | 35 | 29 | 40 | 38 | 50 | 32 | 26 | 23 | 7 | 4 | - | - | - | - |
| 3 | 3 | 5 | 8 | 4 | 11 | 16 | 15 | 15 | 18 | 14 | 9 | 4 | 5 | - | - | - | - |
| 16 | 20 | 19 | 10 | 31 | 18 | 24 | 25 | 15 | 14 | 12 | 14 | 3 | 1 | - | - | - | - |
| - | - | - | 1 | 2 | 1 | 1 | 2 | 3 | 1 | 1 | 3 | 1 | - | - | - | - | - |
| - | - | - | 1 | 2 | 1 | 1 | 2 | 2 | - | 1 | 1 | 1 | - | - | - | - | - |
| 6 | 13 | 24 | 34 | 32 | 34 | 12 | 16 | 16 | 7 | 6 | 2 | 2 | - | - | - | - | 7 |
| 5 | 11 | 23 | 29 | 30 | 28 | 12 | 15 | 15 | 5 | 6 | 1 | 2 | - | - | - | - | 7 |
| 1 | 2 | 1 | 5 | 2 | 6 | - | 1 | 1 | 2 | 6 | 1 | 2 | - | - | - | - | - |
| - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 1 | 1 | - | 4 | 2 | 4 | 1 | 5 | 2 | 2 | 2 | 1 | 1 | - | - | - | - | - |
| 1 | 1 | - | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - |
| - | 1 | - | - | 3 | 5 | 5 | - | 4 | 3 | 6 | 11 | 6 | - | - | - | - | 1 |
| - | 1 | 2 | 4 | 2 | 2 | 3 | 2 | 2 | 2 | 4 | 7 | 3 | - | - | - | - | - |
| 1 | 1 | 2 | 1 | 1 | 4 | 2 | - | 2 | 3 | 4 | 3 | 3 | - | - | - | - | - |
| 43 | 39 | 42 | 20 | 25 | 34 | 35 | 32 | 28 | 21 | 16 | 12 | 13 | 3 | 1 | - | - | 5 |
| 24 | 27 | 22 | 21 | 15 | 12 | 17 | 23 | 22 | 14 | 9 | 6 | 6 | 2 | - | - | - | 3 |
| 19 | 12 | 20 | 9 | 10 | 22 | 18 | 9 | 6 | 7 | 7 | 6 | 7 | 1 | - | - | - | 2 |
| - | 2 | 2 | 3 | - | - | - | 1 | - | 1 | - | 1 | 1 | - | - | - | - | 1 |
| - | 1 | 1 | 1 | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| 2 | 1 | 2 | 2 | 2 | - | - | 1 | - | 1 | - | 1 | 1 | - | - | - | - | 1 |
| 2 | 2 | 2 | 5 | 3 | 13 | 13 | 27 | 26 | 28 | 25 | 10 | 3 | 1 | - | - | - | 2 |
| 1 | 1 | 1 | 3 | 3 | 8 | 8 | 24 | 21 | 15 | 16 | 6 | - | - | 2 | - | - | 2 |
| - | 1 | 1 | 2 | 5 | 5 | 3 | 5 | 5 | 15 | 9 | 4 | 3 | - | - | - | - | - |
| - | 6 | 8 | 13 | 15 | 20 | 16 | 40 | 39 | 62 | 60 | 40 | 16 | 2 | 1 | - | - | 1 |
| - | 3 | 4 | 6 | 6 | 9 | 8 | 24 | 23 | 33 | 35 | 20 | 8 | - | - | - | - | - |
| - | 3 | 4 | 7 | 9 | 11 | 8 | 16 | 29 | 25 | 20 | 8 | 2 | - | - | - | - | - |
| 25 | 30 | 48 | 75 | 130 | 169 | 331 | 414 | 563 | 808 | 917 | 966 | 693 | 340 | - | - | - | - |
| 11 | 17 | 28 | 37 | 72 | 85 | 156 | 221 | 286 | 403 | 467 | 466 | 303 | 167 | 95 | 15 | - | 25 |
| 14 | 13 | 20 | 38 | 58 | 84 | 175 | 193 | 277 | 405 | 450 | 500 | 390 | 173 | 63 | 9 | - | 13 |
| 1 | - | 2 | 4 | 10 | 13 | 12 | 29 | 38 | 52 | 73 | 41 | 13 | 2 | 1 | - | - | 1 |
| 1 | 1 | 1 | - | 8 | 6 | 6 | 16 | 18 | 28 | 24 | 18 | 3 | 2 | 1 | - | - | - |
| - | 8 | 18 | 23 | 39 | 60 | 84 | 110 | 174 | 252 | 303 | 339 | 235 | 111 | 38 | 3 | - | 1 |
| 2 | 4 | 6 | 18 | 20 | 36 | 41 | 46 | 81 | 122 | 144 | 161 | 116 | 49 | 19 | - | - | 2 |
| - | 4 | 12 | 5 | 19 | 24 | 43 | 64 | 93 | 130 | 159 | 178 | 119 | 62 | 19 | 3 | - | 5 |
| - | 1 | 7 | 12 | 8 | 19 | 9 | 18 | 21 | 22 | 22 | 21 | 18 | 9 | 1 | 1 | - | 1 |
| - | 1 | 5 | 8 | 6 | 17 | 7 | 11 | 12 | 10 | 10 | 10 | 10 | 5 | - | - | - | 1 |
| - | 2 | 2 | 4 | 2 | 2 | 2 | 7 | 9 | 12 | 12 | 11 | 8 | 4 | 1 | 1 | - | - |
| 17 | 14 | 40 | 36 | 47 | 50 | 61 | 53 | 47 | 80 | 41 | 32 | 15 | 8 | 2 | 2 | - | 2 |
| 7 | 18 | 19 | 18 | 13 | 22 | 22 | 23 | 23 | 36 | 15 | 14 | 6 | 6 | 1 | - | - | 1 |
| 10 | 8 | 22 | 17 | 29 | 37 | 39 | 30 | 24 | 44 | 26 | 18 | 7 | 2 | 1 | 2 | - | 1 |

TABLE
Deaths from all Causes by

| CAUSES OF DEATH. | | Totals. | Under 1. | 1 and under 2. | 2. | 3. | 4. | Total under 5. | 5-9. | 10-14. | 15-19. |
|---|----------------------|---------|----------|----------------|----|----|----|----------------|------|--------|--------|
| | Sex. | | | | | | | | | | |
| Epilepsy | Totals | 266 | 16 | 3 | 1 | 1 | 5 | 26 | 6 | 5 | 21 |
| | Males | 144 | 5 | 3 | 1 | 1 | 2 | 12 | 4 | 4 | 10 |
| | Females | 122 | 11 | - | - | - | 3 | 14 | 2 | 1 | 11 |
| Eclampsia (non-puerperal) | Totals | 71 | - | - | - | - | - | - | 19 | 7 | 6 |
| | Males | 20 | - | - | - | - | - | - | 7 | 1 | - |
| | Females | 51 | - | - | - | - | - | - | 12 | 6 | 6 |
| Convulsions of children | Totals | 704 | 514 | 100 | 50 | 23 | 15 | 702 | - | - | - |
| | Males | 396 | 294 | 54 | 31 | 9 | 7 | 395 | - | - | - |
| | Females | 308 | 220 | 46 | 19 | 14 | 8 | 307 | - | - | - |
| Tetanus | Totals | 61 | 5 | - | - | - | 2 | 7 | 8 | 7 | 4 |
| | Males | 41 | 4 | - | - | - | 2 | 6 | 6 | 6 | 4 |
| | Females | 20 | 1 | - | - | - | - | 1 | 2 | 1 | - |
| Chorea | Totals | 13 | 1 | - | - | 1 | - | 2 | 1 | 2 | 2 |
| | Males | 3 | 1 | - | - | - | - | 1 | - | - | - |
| | Females | 10 | - | - | - | 1 | - | 1 | 1 | 2 | 2 |
| Other diseases of nervous system | Totals | 618 | 37 | 11 | 3 | 6 | 3 | 60 | 13 | 14 | 19 |
| | Males | 293 | 19 | 8 | - | 2 | - | 29 | 9 | 6 | 11 |
| | Females | 324 | 17 | 3 | 3 | 4 | 3 | 30 | 4 | 8 | 8 |
| | Not stated | 1 | 1 | - | - | - | - | 1 | - | - | - |
| Diseases of the eye and its adnexa | Totals | 5 | - | - | - | - | - | - | - | - | - |
| | Males | 1 | - | - | - | - | - | - | - | - | - |
| | Females | 4 | - | - | - | - | - | - | - | - | - |
| Diseases of the ear | Totals | 26 | 9 | 1 | 4 | - | 1 | 15 | 4 | 2 | - |
| | Males | 16 | 8 | 1 | 1 | - | - | 10 | 3 | 2 | - |
| | Females | 10 | 1 | - | 3 | - | 1 | 5 | 1 | - | - |
| Pericarditis | Totals | 85 | 1 | - | - | - | 1 | 2 | 5 | 6 | 4 |
| | Males | 41 | 1 | - | - | - | 1 | 1 | 2 | 1 | 2 |
| | Females | 44 | - | - | - | - | 1 | 1 | 3 | 5 | 2 |
| Acute endocarditis | Totals | 373 | 4 | - | 1 | 1 | 6 | 10 | 5 | 5 | 11 |
| | Males | 186 | 3 | - | - | 1 | 4 | 4 | 3 | 3 | 6 |
| | Females | 187 | 1 | - | - | - | 2 | 6 | 2 | 2 | 5 |
| Organic diseases of heart | Totals | 8,485 | 123 | 18 | 3 | 4 | 5 | 153 | 32 | 55 | 71 |
| | Males | 4,766 | 74 | 6 | 2 | 3 | 1 | 86 | 12 | 21 | 34 |
| | Females | 3,719 | 49 | 12 | 1 | 1 | 4 | 67 | 20 | 34 | 37 |
| Angina pectoris | Totals | 707 | - | - | - | - | - | - | 1 | - | 3 |
| | Males | 422 | - | - | - | - | - | - | - | - | 1 |
| | Females | 285 | - | - | - | - | - | - | 1 | - | 2 |
| Affections of the arteries (atheroma, aneurism, etc.) | Totals | 459 | 2 | 1 | - | - | - | 3 | - | - | - |
| | Males | 306 | 1 | - | - | - | - | 1 | - | - | - |
| | Females | 153 | 1 | 1 | - | - | - | 2 | - | - | - |
| Embolism and thrombosis | Totals | 377 | 7 | - | - | - | 1 | 8 | 1 | 3 | 8 |
| | Males | 173 | 4 | - | - | - | 1 | 5 | 1 | - | 7 |
| | Females | 204 | 3 | - | - | - | - | 3 | - | 3 | 1 |
| Affections of the veins (varices, hemorrhoids, phlebitis, etc.) | Totals | 26 | 1 | - | - | - | - | 1 | - | - | - |
| | Males | 10 | 1 | - | - | - | - | - | - | - | - |
| | Females | 16 | - | - | - | - | - | - | - | - | - |
| Affections of the lymphatic system | Totals | 5 | 1 | - | - | - | - | 1 | - | - | - |
| | Males | 2 | 1 | - | - | - | - | 1 | - | - | - |
| | Females | 3 | - | - | - | - | - | - | - | - | - |
| Hemorrhages | Totals | 126 | 30 | 4 | 3 | - | 1 | 38 | 6 | 4 | 1 |
| | Males | 59 | 17 | 1 | - | - | 1 | 19 | 5 | 1 | 1 |
| | Females | 67 | 13 | 3 | 3 | - | - | 19 | 1 | 3 | - |
| Other affections of the circulatory system | Totals | 6 | 3 | - | - | - | - | 3 | - | - | - |
| | Males | - | - | - | - | - | - | - | - | - | - |
| | Females | 6 | 3 | - | - | - | - | 3 | - | - | - |
| Diseases of the nasal fossae | Totals | 6 | 2 | 1 | - | - | - | 3 | - | - | 2 |
| | Males | 3 | 1 | - | - | - | - | 1 | - | - | 1 |
| | Females | 3 | 1 | 1 | - | - | - | 2 | - | - | 1 |
| Affections of the larynx | Totals | 120 | 27 | 25 | 13 | 7 | 7 | 79 | 20 | 3 | 3 |
| | Males | 69 | 18 | 16 | 6 | 5 | 2 | 47 | 12 | - | 2 |
| | Females | 51 | 9 | 9 | 7 | 2 | 5 | 32 | 8 | 3 | 1 |

TABLE
Deaths from all Causes by

| CAUSES OF DEATH. | Sex. | Totals. | Under 1. | | | | Total under 5. | 5-9. | 10-14. | 15-19. |
|---|-----------------|---------|----------|----------------|-----|----|----------------|-------|--------|--------|
| | | | Under 1. | 1 and under 2. | 2. | 3. | | | | |
| Affections of the thyroid body..... | Totals..... | 21 | 2 | - | - | 1 | 3 | - | 1 | - |
| | Males..... | 6 | 2 | - | - | - | 2 | - | - | - |
| Acute bronchitis..... | Females..... | 15 | - | - | 1 | 1 | - | - | - | - |
| | Totals..... | 918 | 428 | 102 | 32 | 14 | 7 | 583 | 6 | 3 |
| Chronic bronchitis..... | Males..... | 421 | 232 | 53 | 13 | 9 | 3 | 310 | 1 | 1 |
| | Females..... | 497 | 196 | 49 | 19 | 5 | 4 | 273 | 6 | 2 |
| Broncho-pneumonia..... | Totals..... | 726 | 15 | 6 | 1 | 1 | - | 23 | 4 | 3 |
| | Males..... | 306 | 10 | 2 | 1 | 1 | - | 14 | 4 | 3 |
| Pneumonia..... | Females..... | 420 | 5 | 4 | - | - | - | 9 | - | 3 |
| | Totals..... | 1,294 | 372 | 155 | 66 | 24 | 20 | 637 | 35 | 5 |
| Pleurisy..... | Males..... | 607 | 201 | 81 | 34 | 16 | 7 | 339 | 18 | 2 |
| | Females..... | 686 | 170 | 74 | 32 | 8 | 13 | 297 | 17 | 3 |
| Congestion of the lungs, pulmonary apoplexy..... | Not stated..... | 1 | - | - | - | - | - | 1 | - | - |
| | Totals..... | 6,980 | 960 | 344 | 151 | 85 | 41 | 1,581 | 145 | 81 |
| Gangrene of the lungs..... | Males..... | 3,541 | 527 | 191 | 72 | 39 | 26 | 855 | 86 | 41 |
| | Females..... | 3,434 | 431 | 152 | 79 | 46 | 15 | 723 | 59 | 40 |
| Asthma..... | Not stated..... | 5 | 2 | 1 | - | - | - | 3 | - | - |
| | Totals..... | 155 | 6 | 5 | 1 | 1 | - | 13 | 8 | 1 |
| Empysema of the lungs..... | Males..... | 96 | 3 | 3 | 1 | - | - | 7 | 5 | 1 |
| | Females..... | 59 | 3 | 2 | - | 1 | - | 6 | 3 | - |
| Other diseases of the respiratory system (phthisis excepted)..... | Totals..... | 462 | 101 | 20 | 2 | 5 | 2 | 130 | 10 | - |
| | Males..... | 235 | 58 | 12 | 1 | 3 | 2 | 76 | 5 | - |
| Affecti ons of the mouth and its adnexa..... | Females..... | 227 | 43 | 8 | 1 | 2 | - | 54 | 5 | - |
| | Totals..... | 35 | - | - | - | - | - | - | - | 1 |
| Affecti ons of the pharynx..... | Males..... | 28 | - | - | - | - | - | - | - | 1 |
| | Females..... | 7 | - | - | - | - | - | - | - | 1 |
| Affecti ons of the esophagus..... | Totals..... | 176 | 9 | 6 | 1 | - | - | 16 | 1 | - |
| | Males..... | 95 | 3 | 3 | - | - | - | 6 | - | - |
| Ulcer of the stomach..... | Females..... | 81 | 6 | 3 | 1 | - | - | 10 | - | - |
| | Totals..... | 23 | - | - | - | - | - | - | - | - |
| Other affecti ons of the stomach (cancer excepted)..... | Males..... | 14 | - | - | - | - | - | - | - | - |
| | Females..... | 9 | - | - | - | - | - | - | - | - |
| Infantile diarrhœa (under two years)..... | Totals..... | 197 | 24 | 3 | 1 | - | 1 | 29 | 2 | 4 |
| | Males..... | 110 | 12 | 1 | 1 | - | 1 | 15 | 1 | 2 |
| Diarrhœa and enteritis (two years and over)..... | Females..... | 87 | 12 | 2 | - | - | - | 14 | 2 | 2 |
| | Totals..... | 29 | 18 | - | 2 | - | - | 20 | 1 | - |
| Intestinal parasites..... | Males..... | 19 | 11 | - | 2 | - | - | 13 | 1 | - |
| | Females..... | 10 | 7 | - | - | - | - | 7 | - | - |
| Hernias and other intestinal obstructions..... | Totals..... | 106 | 13 | 4 | 2 | 7 | 6 | 32 | 15 | 5 |
| | Males..... | 58 | 6 | 2 | - | 4 | 4 | 16 | 7 | 3 |
| Intestinal obstructions..... | Females..... | 48 | 7 | 2 | 2 | 3 | 2 | 16 | 8 | 2 |
| | Totals..... | 10 | - | 1 | - | - | - | 1 | - | - |
| Ulcer of the stomach..... | Males..... | 6 | - | - | - | - | - | - | - | - |
| | Females..... | 161 | - | 1 | - | - | - | 1 | - | - |
| Other affecti ons of the stomach (cancer excepted)..... | Totals..... | 67 | 2 | 1 | - | 1 | - | 2 | 1 | - |
| | Males..... | 94 | - | - | - | - | - | 2 | - | - |
| Infantile diarrhœa (under two years)..... | Females..... | 1,282 | 299 | 48 | 13 | 7 | 5 | 372 | 19 | 6 |
| | Totals..... | 639 | 180 | 24 | 10 | 4 | 3 | 221 | 20 | 1 |
| Diarrhœa and enteritis (two years and over)..... | Males..... | 643 | 119 | 24 | 3 | 3 | 2 | 151 | 9 | 5 |
| | Females..... | 3,969 | 3,473 | 489 | - | - | - | 3,962 | - | - |
| Intestinal parasites..... | Totals..... | 2,211 | 1,951 | 257 | - | - | - | 2,208 | - | - |
| | Males..... | 1,757 | 1,522 | 232 | - | - | - | 1,754 | - | - |
| Hernias and other intestinal obstructions..... | Not stated..... | 1 | - | - | - | - | - | - | - | - |
| | Totals..... | 883 | - | 1 | 135 | 62 | 35 | 233 | 47 | 17 |
| Intestinal obstructions..... | Males..... | 415 | - | - | 72 | 40 | 16 | 123 | 20 | 10 |
| | Females..... | 467 | - | 1 | 62 | 22 | 19 | 104 | 27 | 7 |
| Hernias and other intestinal obstructions..... | Not stated..... | 1 | - | - | 1 | - | - | 1 | - | - |
| | Totals..... | 17 | 2 | 5 | 3 | 1 | - | 11 | 6 | - |
| Hernias and other intestinal obstructions..... | Males..... | 11 | 1 | 4 | 3 | - | - | 8 | 3 | - |
| | Females..... | 6 | 1 | 1 | - | 1 | - | 3 | 3 | - |
| Hernias and other intestinal obstructions..... | Totals..... | 629 | 60 | 16 | 5 | 4 | 3 | 88 | 21 | 14 |
| | Males..... | 319 | 39 | 12 | 4 | 1 | - | 56 | 11 | 7 |
| Hernias and other intestinal obstructions..... | Females..... | 310 | 21 | 4 | 1 | 3 | 3 | 32 | 10 | 7 |

No. 31—Continued.

Age Groups—1901-1908.

| 20-24. | 25-29. | 30-34. | 35-39. | 40-44. | 45-49. | 50-54. | 55-59. | 60-64. | 65-69. | 70-74. | 75-79. | 80-84. | 85-89. | 90-94. | 95-99. | 100 and over. | Unknown. |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------------|----------|
| - | 2 | - | 1 | 2 | 1 | 1 | 2 | 5 | - | 2 | - | - | 1 | - | - | - | - |
| - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| 6 | 2 | 2 | - | 2 | 1 | 1 | 2 | 4 | - | 2 | - | - | - | - | - | - | - |
| 3 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 4 | 17 | 34 | 41 | 61 | 63 | 16 | 7 | - | 1 |
| 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 14 | 16 | 16 | 16 | 17 | 23 | 7 | 4 | - | 4 |
| 2 | 4 | 8 | 11 | 5 | 9 | 12 | 36 | 41 | 67 | 113 | 132 | 133 | 68 | 35 | 10 | 1 | 3 |
| 2 | 3 | 3 | 5 | 3 | 4 | 6 | 15 | 21 | 27 | 37 | 58 | 58 | 24 | 16 | 2 | - | 4 |
| 2 | 5 | 6 | 2 | 5 | 6 | 6 | 21 | 20 | 40 | 76 | 74 | 75 | 44 | 19 | 8 | 1 | 2 |
| 11 | 7 | 9 | 16 | 17 | 21 | 23 | 33 | 46 | 53 | 88 | 116 | 84 | 66 | 19 | 3 | - | 2 |
| 7 | 2 | 5 | 10 | 8 | 14 | 15 | 10 | 25 | 16 | 33 | 39 | 31 | 22 | 6 | 2 | - | 2 |
| 4 | 5 | 4 | 6 | 9 | 7 | 8 | 23 | 21 | 37 | 55 | 77 | 53 | 44 | 13 | 1 | - | - |
| 215 | 192 | 205 | 226 | 239 | 272 | 335 | 339 | 415 | 572 | 559 | 592 | 463 | 265 | 82 | 25 | 1 | 28 |
| 133 | 110 | 115 | 129 | 137 | 155 | 182 | 178 | 197 | 261 | 243 | 291 | 186 | 114 | 29 | 8 | 1 | 17 |
| 82 | 82 | 88 | 97 | 102 | 117 | 153 | 161 | 218 | 311 | 316 | 301 | 277 | 151 | 53 | 17 | - | 2 |
| - | 6 | 8 | 5 | 8 | 13 | 10 | 9 | 5 | 7 | 14 | 8 | 11 | 5 | 2 | - | - | - |
| 13 | 5 | 4 | 4 | 6 | 8 | 6 | 7 | 4 | 3 | 9 | 5 | 4 | 2 | 1 | - | - | - |
| 10 | 1 | 4 | 1 | 2 | 5 | 5 | 2 | 2 | 3 | 5 | 3 | 7 | 4 | 1 | - | - | - |
| 3 | 5 | 17 | 12 | 10 | 20 | 9 | 25 | 17 | 29 | 49 | 50 | 22 | 26 | 8 | 2 | 1 | 1 |
| 9 | 1 | 7 | 4 | 5 | 13 | 3 | 14 | 10 | 14 | 23 | 23 | 12 | 11 | 4 | 2 | 1 | 1 |
| 4 | 4 | 10 | 8 | 5 | 7 | 6 | 11 | 7 | 15 | 26 | 27 | 10 | 15 | 4 | 1 | - | - |
| 5 | 1 | 1 | 2 | 1 | - | 1 | 7 | 6 | 5 | 3 | 3 | 1 | 1 | 1 | - | - | - |
| 1 | - | 1 | 2 | 2 | - | 1 | 4 | 6 | 2 | 3 | 3 | 1 | - | 1 | - | - | - |
| 1 | 2 | - | 3 | 12 | 7 | 6 | 12 | 21 | 20 | 29 | 27 | 10 | 2 | 2 | 1 | - | 3 |
| 1 | 2 | - | 3 | 7 | 2 | 4 | 7 | 10 | 11 | 22 | 14 | 5 | 2 | 1 | 1 | - | 2 |
| 1 | 1 | 1 | - | 5 | 5 | 2 | 5 | 11 | 9 | 7 | 13 | 5 | - | 1 | - | - | - |
| 1 | 1 | - | - | - | 1 | 2 | - | 6 | 6 | 2 | 4 | 3 | 1 | 1 | - | - | - |
| 14 | 1 | 5 | 11 | 9 | 11 | 13 | 17 | 15 | 20 | 12 | 7 | 2 | 1 | 1 | - | - | - |
| 5 | 2 | 2 | 5 | 8 | 8 | 8 | 11 | 12 | 12 | 6 | 6 | 2 | 2 | 2 | - | - | - |
| 9 | 5 | 3 | 6 | 1 | 3 | 5 | 6 | 3 | 8 | 6 | 5 | 1 | 3 | 1 | - | - | - |
| 1 | 1 | 1 | - | - | - | 1 | 1 | - | - | 2 | 2 | - | - | - | - | - | - |
| 3 | 2 | 7 | 4 | 4 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - | - |
| 2 | 2 | 6 | 2 | 2 | 1 | - | 2 | 2 | 2 | 4 | 3 | 2 | 2 | 1 | - | - | - |
| 1 | 1 | 1 | 2 | 2 | - | 1 | 1 | - | 3 | 3 | 2 | 2 | - | 2 | - | - | - |
| - | - | - | - | - | - | - | - | - | - | 3 | 2 | - | - | - | - | - | - |
| 6 | 10 | 8 | 7 | 8 | 8 | 1 | 1 | 1 | 1 | 1 | 9 | 12 | 4 | 2 | 1 | - | 1 |
| 1 | 3 | 2 | 2 | 1 | 5 | 5 | 10 | 9 | 4 | 8 | 2 | 8 | 3 | 1 | 1 | - | 1 |
| 5 | 7 | 6 | 5 | 7 | 3 | 5 | 10 | 10 | 11 | 7 | 7 | 4 | 1 | 1 | - | - | 5 |
| 17 | 22 | 27 | 30 | 27 | 29 | 48 | 71 | 78 | 119 | 108 | 128 | 103 | 45 | 17 | 2 | - | 3 |
| 2 | 8 | 9 | 13 | 12 | 9 | 25 | 40 | 37 | 56 | 58 | 60 | 47 | 15 | 8 | 1 | - | 5 |
| 15 | 14 | 18 | 17 | 15 | 20 | 23 | 31 | 41 | 63 | 50 | 68 | 56 | 30 | 9 | 1 | - | 2 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 7 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 3 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 3 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| 9 | 22 | 9 | 18 | 19 | 19 | 30 | 44 | 53 | 64 | 64 | 87 | 77 | 48 | 10 | 4 | - | 3 |
| 4 | 8 | 2 | 6 | 9 | 7 | 12 | 21 | 28 | 35 | 31 | 41 | 30 | 15 | 3 | 1 | - | 1 |
| 5 | 14 | 7 | 12 | 10 | 12 | 18 | 23 | 25 | 29 | 33 | 46 | 47 | 33 | 7 | 3 | - | 2 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 16 | 13 | 14 | 17 | 23 | 29 | 38 | 38 | 57 | 62 | 67 | 48 | 42 | 6 | 1 | - | - | 7 |
| 11 | 8 | 5 | 7 | 7 | 13 | 20 | 16 | 22 | 30 | 34 | 26 | 21 | 12 | 4 | 1 | - | 3 |
| 5 | 5 | 9 | 7 | 16 | 16 | 18 | 22 | 35 | 32 | 33 | 22 | 21 | 2 | 1 | - | - | 4 |

TABLE
Deaths from all Causes by

| CAUSES OF DEATH. | Sex. | Totals. | Under 1. | 1 and under 2. | 2. | 3. | 4. | Total under 5. | 5-9. | 10-14. | 15-19. |
|--|-----------------|---------|----------|----------------|----|----|----|----------------|------|--------|--------|
| | | | | | | | | | | | |
| Other diseases of the uterus..... | Totals..... | 95 | - | - | - | - | - | - | - | - | 7 |
| | Males..... | - | - | - | - | - | - | - | - | - | - |
| | Females..... | 95 | - | - | - | - | - | - | - | - | 7 |
| Cysts and other tumors of ovary..... | Totals..... | 76 | - | - | - | - | - | - | - | - | - |
| | Males..... | - | - | - | - | - | - | - | - | - | - |
| | Females..... | 76 | - | - | - | - | - | - | - | - | - |
| Other diseases of female genital organs..... | Totals..... | 65 | 1 | - | - | - | - | 1 | - | - | 2 |
| | Males..... | - | - | - | - | - | - | - | - | - | - |
| | Females..... | 65 | 1 | - | - | - | - | 1 | - | - | 2 |
| Non-puerperal diseases of the breast (cancer excepted)..... | Totals..... | 2 | 1 | - | - | - | - | 1 | - | - | - |
| | Males..... | 2 | 1 | - | - | - | - | 1 | - | - | - |
| | Females..... | - | - | - | - | - | - | - | - | - | - |
| Accidents of pregnancy..... | Totals..... | 143 | - | - | - | - | - | - | - | - | 7 |
| | Males..... | - | - | - | - | - | - | - | - | - | - |
| | Females..... | 143 | - | - | - | - | - | - | - | - | 7 |
| Puerperal hemorrhage..... | Totals..... | 48 | - | - | - | - | - | - | - | 1 | 2 |
| | Males..... | - | - | - | - | - | - | - | - | - | - |
| | Females..... | 48 | - | - | - | - | - | - | - | 1 | 2 |
| Other accidents of labor..... | Totals..... | 60 | - | - | - | - | - | - | - | - | 4 |
| | Males..... | - | - | - | - | - | - | - | - | - | - |
| | Females..... | 60 | - | - | - | - | - | - | - | - | 4 |
| Puerperal septicemia..... | Totals..... | 231 | - | - | - | - | - | - | - | - | 19 |
| | Males..... | - | - | - | - | - | - | - | - | - | - |
| | Females..... | 231 | - | - | - | - | - | - | - | - | 19 |
| Puerperal albuminuria and eclampsia..... | Totals..... | 139 | - | - | - | - | - | - | - | - | 18 |
| | Males..... | - | - | - | - | - | - | - | - | - | - |
| | Females..... | 139 | - | - | - | - | - | - | - | - | 18 |
| Other puerperal accidents, sudden death..... | Totals..... | 117 | - | - | - | - | - | - | - | - | 7 |
| | Males..... | - | - | - | - | - | - | - | - | - | - |
| | Females..... | 117 | - | - | - | - | - | - | - | - | 7 |
| Gangrene..... | Totals..... | 511 | 9 | - | - | - | 1 | 10 | 1 | 1 | - |
| | Males..... | 310 | 7 | - | - | - | 1 | 8 | - | - | - |
| | Females..... | 201 | 2 | - | - | - | - | 2 | 1 | 1 | - |
| Furuncle (boil, carbuncle)..... | Totals..... | 30 | 1 | - | - | - | - | 1 | - | - | 1 |
| | Males..... | 23 | - | - | - | - | - | - | - | - | - |
| | Females..... | 7 | 1 | - | - | - | - | 1 | - | - | - |
| Phlegmon, acute abscess..... | Totals..... | 59 | 14 | 2 | - | 1 | - | 17 | 2 | 2 | 4 |
| | Males..... | 32 | 7 | 2 | - | - | - | 9 | 1 | 2 | 3 |
| | Females..... | 27 | 7 | - | - | 1 | - | 8 | 1 | - | 1 |
| Other diseases of the skin and its adnexa..... | Totals..... | 42 | 17 | 1 | - | 1 | - | 19 | - | - | - |
| | Males..... | 15 | 5 | 1 | - | - | - | 6 | - | - | - |
| | Females..... | 27 | 12 | - | - | 1 | - | 13 | - | - | - |
| Affections of the bones (non tuberculous)..... | Totals..... | 90 | 15 | 6 | 1 | 1 | 1 | 24 | 8 | 5 | 2 |
| | Males..... | 54 | 10 | 2 | 1 | 1 | 1 | 15 | 4 | 3 | 1 |
| | Females..... | 36 | 5 | 4 | - | - | - | 9 | 4 | 2 | 1 |
| Arthritis and other diseases of the joints (tuberculosis and rheumatism excepted)..... | Totals..... | 8 | 1 | - | - | - | - | 1 | - | 1 | - |
| | Males..... | 5 | 1 | - | - | - | - | - | - | 1 | - |
| | Females..... | 3 | - | - | - | - | - | - | - | - | - |
| Amputation..... | Totals..... | 4 | - | - | - | - | - | - | - | - | - |
| | Males..... | 4 | - | - | - | - | - | - | - | - | - |
| | Females..... | - | - | - | - | - | - | - | - | - | - |
| Other affections of the organs of locomotion..... | Totals..... | 3 | - | - | - | - | - | - | - | - | - |
| | Males..... | 2 | - | - | - | - | - | - | - | - | - |
| | Females..... | 1 | - | - | - | - | - | - | - | - | - |
| Malformations, congenital (stillbirths excepted)..... | Totals..... | 558 | 520 | 18 | 1 | 2 | 2 | 542 | 4 | 4 | 2 |
| | Males..... | 308 | 288 | 10 | - | 1 | 1 | 300 | 4 | 1 | 1 |
| | Females..... | 247 | 229 | 8 | - | 2 | 1 | 240 | - | 3 | 1 |
| | Not stated..... | 3 | 3 | - | - | - | - | 3 | - | - | - |
| Congenital icterus, debility and sclerema..... | Totals..... | 2,985 | 2,817 | - | - | - | - | 2,817 | - | - | - |
| | Males..... | 1,675 | 1,574 | - | - | - | - | 1,574 | - | - | - |
| | Females..... | 1,277 | 1,219 | - | - | - | - | 1,219 | - | - | - |
| | Not stated..... | 33 | 24 | - | - | - | - | 24 | - | - | - |

TABLE
Deaths from all Causes by

| CAUSES OF DEATH. | Sex. | Totals. | Under 1. | | | | Total under 5. | | | 5-9. | 10-14. | 15-19. |
|--|------------|---------|----------|----------------|----|----|----------------|----------------|----|------|--------|--------|
| | | | Under 1. | 1 and under 2. | 2. | 3. | 4. | Total under 5. | | | | |
| Inhalation of deleterious gases (suicide excepted) | Totals | 93 | 3 | 2 | 1 | 3 | 3 | 12 | 10 | 3 | 5 | |
| | Males | 61 | 3 | 2 | - | 1 | 2 | 8 | 8 | 3 | 2 | |
| | Females | 32 | - | - | - | 2 | 1 | 4 | 2 | - | 3 | |
| Other acute poisonings | Totals | 232 | 22 | 32 | 25 | 16 | 8 | 103 | 11 | 7 | 6 | |
| | Males | 133 | 13 | 18 | 12 | 7 | 3 | 53 | 7 | 3 | 3 | |
| | Females | 99 | 9 | 14 | 13 | 9 | 5 | 50 | 4 | 4 | 3 | |
| Other external violence | Totals | 314 | 181 | 4 | 4 | 2 | 1 | 192 | 3 | 8 | 7 | |
| | Males | 196 | 106 | 1 | 1 | - | 1 | 109 | 1 | 5 | 5 | |
| | Females | 118 | 75 | 3 | 3 | 2 | - | 83 | 2 | 3 | 2 | |
| Dropsy | Totals | 203 | 2 | 4 | - | - | 2 | 8 | 2 | 3 | 2 | |
| | Males | 95 | 1 | 2 | - | - | 1 | 4 | 2 | - | 2 | |
| | Females | 108 | 1 | 2 | - | - | 1 | 4 | - | 3 | - | |
| Sudden death | Totals | 254 | 40 | - | - | 2 | 1 | 43 | - | - | 3 | |
| | Males | 156 | 17 | - | - | 1 | - | 18 | - | - | 2 | |
| | Females | 97 | 23 | - | - | 1 | 1 | 25 | - | - | 1 | |
| | Not stated | 1 | - | - | - | - | - | - | - | - | - | |
| Unspecified or ill-defined causes of death | Totals | 3,060 | 1,308 | 89 | 32 | 14 | 14 | 1,457 | 43 | 18 | 32 | |
| | Males | 1,537 | 733 | 48 | 16 | 6 | 7 | 810 | 16 | 7 | 14 | |
| | Females | 1,515 | 569 | 41 | 16 | 8 | 7 | 641 | 27 | 11 | 18 | |
| | Not stated | 8 | 6 | - | - | - | - | 6 | - | - | - | |

No. 31—Concluded.

Age Groups—1901-1908.

| 20-24. | 25-29. | 30-34. | 35-39. | 40-44. | 45-49. | 50-54. | 55-59. | 60-64. | 65-69. | 70-74. | 75-79. | 80-84. | 85-89. | 90-94. | 95-99. | 100 and over. | Unknown. |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------------|----------|
| 3 | 7 | 5 | 6 | 4 | 9 | 4 | 3 | - | - | 7 | 4 | 3 | 3 | 4 | 1 | - | - |
| 1 | 4 | 4 | 5 | 4 | 6 | 3 | 1 | - | - | 4 | 3 | 1 | 1 | - | - | - | - |
| 2 | 3 | 1 | 1 | - | 2 | 1 | 2 | - | - | 1 | 1 | 2 | 2 | - | - | - | - |
| 10 | 7 | 13 | 11 | 9 | 12 | 15 | 5 | 4 | - | 6 | 3 | 4 | 2 | 1 | 1 | - | 2 |
| 3 | 6 | 9 | 4 | 7 | 10 | 12 | 3 | 2 | - | 1 | 3 | 3 | 1 | 1 | - | - | 2 |
| 7 | 1 | 4 | 7 | 2 | 2 | 2 | 2 | 2 | - | 5 | 1 | 1 | 2 | - | - | - | 7 |
| 14 | 14 | 11 | 9 | 5 | 8 | 6 | 7 | 7 | - | 5 | 2 | 6 | - | - | - | - | 4 |
| 8 | 12 | 7 | 8 | 2 | 7 | 5 | 5 | 5 | - | 4 | 2 | 6 | 1 | - | - | - | 4 |
| 6 | 2 | 4 | 1 | 3 | 1 | 1 | 2 | 2 | - | 1 | - | 2 | - | - | - | - | 3 |
| 2 | 3 | 3 | 6 | 1 | 6 | 11 | 11 | 17 | - | 25 | 33 | 41 | 17 | 4 | 1 | - | 1 |
| - | - | - | 2 | - | 6 | 6 | 6 | 7 | - | 11 | 15 | 23 | 6 | 2 | 6 | - | 1 |
| 2 | 3 | 1 | 4 | 1 | 3 | 5 | 5 | 5 | - | 14 | 18 | 18 | 11 | 2 | 3 | - | 1 |
| 8 | 5 | 8 | 10 | 6 | 6 | 12 | 16 | 29 | - | 22 | 31 | 19 | 12 | 2 | 2 | - | 9 |
| 4 | 2 | 6 | 5 | 5 | 5 | 7 | 10 | 20 | - | 22 | 11 | 11 | 13 | - | - | - | 5 |
| 4 | 3 | 2 | 6 | 5 | 1 | 5 | 6 | 9 | - | 17 | 22 | 7 | 10 | - | - | - | 3 |
| - | - | - | 1 | 5 | - | - | - | - | - | 9 | 8 | 5 | 3 | 2 | - | - | 1 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 41 | 36 | 36 | 53 | 59 | 51 | 66 | 80 | 155 | - | 210 | 190 | 225 | 142 | 88 | 31 | 4 | 43 |
| 19 | 12 | 16 | 13 | 24 | 12 | 31 | 46 | 72 | - | 94 | 87 | 109 | 77 | 43 | 9 | 1 | 25 |
| 22 | 24 | 20 | 40 | 35 | 39 | 55 | 34 | 83 | - | 116 | 103 | 116 | 64 | 22 | 3 | - | 17 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 45 | - | - | 1 |

TABLE

Deaths in Each County and City from Special

| THE STATE AND COUNTIES. | Population in 1900. | Measles. | Scarlet fever. | Diphtheria and croup. |
|-------------------------|---------------------|----------|----------------|--------------------------|
| Maine..... | 694,466 | 21 | 17 | 105 |
| Androscoggin..... | 54,242 | 1 | 2 | 19 |
| Aroostook..... | 60,744 | 1 | 2 | 11 |
| Cumberland..... | 100,689 | - | 4 | 19 |
| Franklin..... | 18,444 | 1 | 2 | 2 |
| Hancock..... | 37,241 | - | 1 | 5 |
| Kennebec..... | 59,117 | 10 | 1 | 8 |
| Knox..... | 30,401 | 1 | - | 2 |
| Lincoln..... | 19,669 | - | - | - |
| Oxford..... | 32,235 | 6 | - | 6 |
| Penobscot..... | 76,248 | - | - | 6 |
| Piscataquis..... | 16,949 | - | - | 3 |
| Sagadahoc..... | 20,350 | - | - | 1 |
| Somerset..... | 33,843 | - | 2 | 7 |
| Waldo..... | 24,185 | - | - | 1 |
| Washington..... | 45,232 | - | 1 | 6 |
| York..... | 64,885 | 1 | 1 | 9 |
| CITIES. | | | | |
| Totals..... | 225,022 | 0 | 4 | 51 |
| Auburn..... | 12,951 | - | - | 6 |
| Augusta..... | 11,682 | 2 | - | 2 |
| Bangor..... | 21,850 | - | - | 1 |
| Bath..... | 10,477 | - | - | - |
| Belfast..... | 4,613 | - | - | - |
| Biddeford..... | 16,145 | - | - | 3 |
| Brewer..... | 4,835 | - | - | 2 |
| Calais..... | 7,655 | - | - | - |
| Eastport..... | 5,311 | - | - | 4 |
| Ellsworth..... | 4,297 | - | - | 2 |
| Gardiner..... | 5,501 | - | - | - |
| Hallowell..... | 2,714 | - | - | - |
| Lewiston..... | 23,761 | - | - | 10 |
| Old Town..... | 5,768 | - | - | 1 |
| Portland..... | 50,145 | - | 4 | 11 |
| Rockland..... | 8,150 | - | - | 1 |
| Saco..... | 6,122 | - | - | 1 |
| South Portland..... | 6,287 | - | - | - |
| Waterville..... | 9,477 | 4 | - | 4 |
| Westbrook..... | 7,253 | - | - | 3 |

No. 32.

Causes, Mostly Infectious Diseases.

| Whooping cough. | Typhoid fever. | Erysipelas. | Puerperal septicemia. | Septicemia. | Influenza. | Dysentery. | Diarrhea and enteritis. | Cholera nostras. | Infantile diarrhea. | Tuberculosis of lungs. | Tuberculosis, other forms. | Malarial disease. |
|-----------------|----------------|-------------|-----------------------|-------------|------------|------------|-------------------------|------------------|---------------------|------------------------|----------------------------|-------------------|
| 80 | 151 | 15 | 22 | 49 | 241 | 39 | 126 | 15 | 682 | 893 | 252 | 9 |
| 7 | 12 | - | 1 | 6 | 12 | 3 | 9 | 1 | 75 | 79 | 19 | - |
| 7 | 21 | 1 | 4 | 4 | 30 | - | 10 | 2 | 168 | 86 | 16 | - |
| 10 | 30 | 5 | 2 | 9 | 26 | 4 | 8 | 5 | 79 | 120 | 45 | 3 |
| 6 | 4 | - | - | - | 8 | 1 | 2 | 1 | 7 | 18 | 6 | - |
| 4 | 4 | - | 1 | 10 | 7 | 7 | 7 | - | 18 | 46 | 10 | - |
| 8 | 10 | 1 | 2 | 4 | 16 | 9 | 22 | 1 | 73 | 86 | 21 | - |
| 2 | 4 | 4 | 2 | 3 | 15 | - | 3 | - | 15 | 33 | 12 | 1 |
| 6 | 1 | - | 1 | 1 | 10 | - | 6 | 1 | 3 | 29 | 6 | - |
| 1 | 5 | 2 | 4 | 1 | 16 | 2 | 8 | 1 | 17 | 36 | 15 | - |
| 9 | 21 | - | 2 | 5 | 21 | 4 | 16 | 1 | 53 | 93 | 37 | - |
| - | 6 | - | 1 | 1 | 6 | - | 2 | 1 | 6 | 16 | 4 | - |
| 4 | - | - | - | - | 9 | - | 3 | - | 17 | 27 | 3 | 1 |
| 1 | 7 | 1 | - | 1 | 9 | 3 | 9 | - | 14 | 42 | 7 | - |
| 2 | 1 | - | - | 2 | 8 | - | 2 | - | 2 | 22 | 8 | 1 |
| 10 | 15 | 1 | - | 2 | 18 | 3 | 9 | 3 | 43 | 67 | 16 | 3 |
| 3 | 13 | - | 3 | 10 | 16 | 3 | 10 | - | 92 | 93 | 27 | - |
| 28 | 61 | 6 | 5 | 21 | 53 | 11 | 39 | 4 | 280 | 325 | 115 | 3 |
| 2 | 2 | - | - | - | 6 | 1 | 1 | - | 12 | 15 | 2 | - |
| 1 | 5 | - | - | - | 5 | 5 | 9 | - | 26 | 19 | 5 | - |
| - | 7 | - | 1 | 2 | 3 | - | 4 | - | 7 | 36 | 11 | - |
| 4 | - | - | - | - | 4 | - | - | - | 9 | 12 | 2 | - |
| 1 | - | - | - | - | - | - | - | - | - | 9 | - | 1 |
| - | - | - | 2 | 2 | - | 1 | 4 | - | 38 | 37 | 12 | - |
| 1 | 2 | - | - | - | 2 | - | 2 | 1 | 4 | 3 | 1 | - |
| - | 2 | - | - | 1 | 5 | - | 2 | 1 | 10 | 12 | 1 | - |
| - | - | 1 | - | - | 1 | - | 2 | - | 8 | 4 | 4 | - |
| 4 | - | - | - | - | 1 | - | 3 | - | 6 | 6 | 1 | - |
| - | - | - | - | - | - | - | 1 | - | 3 | 8 | - | - |
| 4 | 8 | - | 1 | 5 | 2 | 2 | 2 | 1 | 54 | 38 | 14 | - |
| 3 | 6 | - | - | 1 | 1 | - | - | - | 12 | 11 | 7 | - |
| 8 | 22 | 4 | 1 | 5 | 11 | 3 | 5 | 1 | 41 | 68 | 36 | 1 |
| - | - | - | - | 2 | 3 | - | - | - | 3 | 10 | 3 | 1 |
| - | - | - | - | 1 | 1 | - | 2 | - | 10 | 4 | 3 | - |
| - | 2 | - | - | 1 | 1 | - | - | - | 5 | 6 | 1 | - |
| - | 3 | - | - | 2 | 1 | - | 1 | - | 22 | 12 | 4 | - |
| - | 1 | 1 | - | - | 3 | 1 | - | - | 10 | 10 | 2 | - |

TABLE

Deaths in Each County and City from Certain

| THE STATE AND COUNTY. | Population in 1900. | Alcoholism. | Rheumatism. | Cancer. | Diabetes. | Diseases of early infancy. | Old age. |
|-----------------------|---------------------|-------------|-------------|---------|-----------|----------------------------|----------|
| Maine..... | 694,466 | 31 | 47 | 710 | 116 | 500 | 523 |
| Androscoggin..... | 54,242 | 2 | 2 | 59 | 9 | 55 | 33 |
| Aroostook..... | 60,744 | 2 | 1 | 25 | 3 | 52 | 39 |
| Cumberland..... | 100,689 | 7 | 7 | 109 | 25 | 87 | 66 |
| Franklin..... | 18,444 | - | 1 | 22 | 9 | 14 | 6 |
| Hancock..... | 37,241 | - | 4 | 42 | 8 | 14 | 24 |
| Kennebec..... | 59,117 | 5 | 3 | 77 | 6 | 34 | 67 |
| Knox..... | 20,406 | - | 2 | 28 | 6 | 16 | 29 |
| Lincoln..... | 19,669 | - | 1 | 30 | 3 | 7 | 10 |
| Oxford..... | 32,228 | 3 | 4 | 26 | 4 | 29 | 36 |
| Penobscot..... | 76,246 | 3 | 12 | 80 | 11 | 52 | 75 |
| Piscataquis..... | 16,943 | 1 | 2 | 15 | 3 | 11 | 14 |
| Sagadahoc..... | 20,330 | 2 | 1 | 18 | 4 | 10 | 13 |
| Somerset..... | 33,849 | 1 | 3 | 27 | 3 | 15 | 20 |
| Waldo..... | 24,135 | 1 | 2 | 19 | 4 | 14 | 23 |
| Washington..... | 45,232 | 2 | 1 | 36 | 5 | 22 | 24 |
| York..... | 64,885 | 2 | 1 | 97 | 16 | 67 | 44 |
| CITIES. | | | | | | | |
| Totals..... | 225,022 | 18 | 16 | 264 | 34 | 129 | 137 |
| Auburn..... | 12,951 | - | - | 12 | 1 | 3 | 11 |
| Augusta..... | 11,683 | 1 | 1 | 8 | - | 2 | 21 |
| Bangor..... | 21,850 | 3 | 5 | 31 | 2 | 6 | 21 |
| Bath..... | 10,477 | 1 | - | 9 | 4 | 4 | 7 |
| Belfast..... | 4,615 | - | - | 3 | 2 | 2 | 3 |
| Biddeford..... | 16,145 | 2 | - | 19 | - | 19 | 8 |
| Brewer..... | 4,835 | - | - | 6 | - | 2 | 2 |
| Calais..... | 7,655 | - | - | 4 | 3 | 2 | 3 |
| Eastport..... | 5,311 | - | - | 5 | - | 2 | 4 |
| Ellsworth..... | 4,297 | - | - | 4 | 1 | 1 | 1 |
| Gardiner..... | 5,501 | - | 1 | 6 | 1 | 2 | 5 |
| Hallowell..... | 2,714 | - | - | 2 | - | - | 2 |
| Lewiston..... | 23,761 | 2 | 1 | 29 | 4 | 26 | 5 |
| Old Town..... | 5,763 | - | 2 | 6 | - | 2 | 2 |
| Portland..... | 50,145 | 7 | 5 | 72 | 12 | 31 | 30 |
| Rockland..... | 8,150 | - | - | 6 | 2 | 3 | 9 |
| Saco..... | 6,122 | - | - | 16 | - | 9 | 6 |
| South Portland..... | 6,287 | - | - | 10 | - | - | 7 |
| Waterville..... | 9,477 | 2 | 1 | 12 | 2 | 4 | 8 |
| Westbrook..... | 7,282 | - | - | 3 | - | 7 | 2 |

No. 33.

Diseases and Groups of Diseases.

| Eucephalitis and simple meningitis. | Apoplexy. | Other diseases of nervous system. | Diseases of heart. | Pneumonia. | Bronchitis. | Other diseases of respiratory system. | Diseases of digestive system. | Acute nephritis. | Bright's disease. | Fatalities of reproduction. | Suicide. | Accidents and other external causes. |
|-------------------------------------|-----------|-----------------------------------|--------------------|------------|-------------|---------------------------------------|-------------------------------|------------------|-------------------|-----------------------------|----------|--------------------------------------|
| 226 | 802 | 591 | 1,284 | 1,068 | 154 | 112 | 642 | 89 | 600 | 60 | 121 | 529 |
| 25 | 72 | 44 | 81 | 85 | 12 | 11 | 46 | 5 | 45 | 3 | 14 | 51 |
| 20 | 31 | 29 | 57 | 104 | 3 | 13 | 46 | 8 | 22 | 8 | 3 | 35 |
| 26 | 126 | 99 | 190 | 173 | 18 | 18 | 95 | 16 | 138 | 9 | 21 | 69 |
| 10 | 34 | 9 | 36 | 42 | 8 | 3 | 25 | 3 | 18 | 2 | 7 | 20 |
| 12 | 24 | 30 | 77 | 45 | 5 | 6 | 41 | 2 | 46 | 3 | 4 | 30 |
| 31 | 88 | 90 | 113 | 74 | 26 | 10 | 56 | 11 | 44 | 5 | 15 | 43 |
| 4 | 42 | 31 | 70 | 30 | 7 | 9 | 14 | 3 | 22 | - | 3 | 18 |
| 6 | 33 | 20 | 48 | 29 | 6 | 3 | 18 | 4 | 22 | 2 | 5 | 8 |
| 11 | 46 | 15 | 67 | 45 | 13 | 2 | 34 | 8 | 31 | 2 | 6 | 29 |
| 20 | 66 | 58 | 138 | 156 | 11 | 10 | 88 | 9 | 49 | 8 | 12 | 65 |
| 6 | 19 | 7 | 22 | 30 | 4 | 2 | 10 | 2 | 11 | 5 | 6 | 23 |
| 2 | 26 | 11 | 66 | 34 | 6 | 6 | 19 | - | 22 | 2 | 1 | 16 |
| 8 | 42 | 35 | 57 | 47 | 8 | 1 | 29 | 3 | 24 | 4 | 8 | 31 |
| 3 | 32 | 20 | 60 | 27 | 8 | 4 | 35 | 2 | 27 | 2 | 6 | 13 |
| 6 | 40 | 26 | 83 | 56 | 4 | 2 | 28 | 5 | 15 | 2 | 5 | 33 |
| 35 | 81 | 67 | 119 | 93 | 15 | 12 | 58 | 8 | 64 | 3 | 5 | 45 |
| 112 | 256 | 240 | 398 | 405 | 45 | 54 | 222 | 26 | 209 | 15 | 45 | 177 |
| 7 | 20 | 10 | 15 | 17 | 3 | 3 | 8 | - | 8 | - | 2 | 11 |
| 4 | 19 | 48 | 24 | 15 | 3 | 2 | 9 | - | 7 | - | 4 | 9 |
| 10 | 25 | 22 | 43 | 54 | 1 | 4 | 30 | 5 | 13 | 3 | 5 | 16 |
| 1 | 11 | 4 | 28 | 15 | 2 | 2 | 8 | - | 8 | - | 1 | 7 |
| 2 | 3 | 7 | 14 | 3 | 2 | 2 | 5 | 1 | 8 | - | 2 | 3 |
| 22 | 11 | 11 | 20 | 24 | 2 | 2 | 14 | - | 8 | - | 2 | 12 |
| 1 | 4 | 4 | 7 | 11 | - | - | 7 | - | 8 | 2 | 1 | 6 |
| 2 | 8 | 5 | 18 | 15 | 2 | 2 | 7 | 1 | 5 | - | - | 8 |
| 1 | 3 | 3 | 7 | 8 | - | - | 1 | - | 1 | - | 2 | 6 |
| 1 | 5 | 3 | 7 | 10 | 1 | 1 | 8 | - | 8 | - | - | 1 |
| 3 | 6 | 2 | 10 | 12 | 5 | - | 5 | 1 | 3 | - | 2 | 5 |
| 1 | 2 | 1 | 6 | 5 | 1 | 1 | 3 | 1 | 2 | - | 1 | 2 |
| 16 | 23 | 22 | 34 | 45 | 7 | 4 | 26 | 3 | 29 | 3 | 7 | 27 |
| 3 | 1 | 3 | 7 | 16 | 1 | - | 12 | - | 3 | - | 1 | 3 |
| 22 | 68 | 48 | 95 | 100 | 7 | 11 | 57 | 10 | 81 | 3 | 13 | 40 |
| 1 | 10 | 11 | 19 | 11 | 1 | 5 | 5 | - | 5 | - | - | 3 |
| 2 | 9 | 10 | 15 | 11 | 1 | 3 | 3 | 1 | 2 | - | - | 2 |
| 2 | 5 | 7 | 10 | 7 | 2 | 2 | 2 | - | 3 | - | - | 2 |
| 12 | 14 | 4 | 10 | 15 | 3 | 6 | 7 | 3 | 10 | 1 | 2 | 7 |
| - | 9 | 11 | 11 | 11 | 1 | 1 | 5 | - | 4 | - | - | 7 |

TABLE
Deaths by Ages, Sex

| COUNTIES. | Under 1. | 1 to 4. | 5 to 9. | 10 to 19. | 20 to 29. | 30 to 39. | 40 to 49. | 50 to 59. | 60 to 69. | 70 to 79. | 80 to 89. | 90 to 99. | 100 and over. | Unknown. |
|--------------------|---------------------|---------|---------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------------|----------|
| | Androscoggin, males | 124 | 36 | 19 | 29 | 33 | 30 | 40 | 47 | 60 | 72 | 34 | 1 | |
| females | 75 | 28 | 8 | 13 | 21 | 28 | 44 | 44 | 56 | 59 | 39 | 8 | - | 3 |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Aroostook, males | 205 | 33 | 17 | 21 | 35 | 21 | 22 | 27 | 48 | 54 | 27 | 6 | - | 3 |
| females | 147 | 40 | 16 | 30 | 34 | 38 | 26 | 27 | 28 | 42 | 23 | 4 | - | 1 |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Cumberland, males | 151 | 30 | 18 | 29 | 49 | 65 | 79 | 114 | 127 | 150 | 76 | 9 | - | 1 |
| females | 116 | 32 | 13 | 31 | 54 | 46 | 87 | 86 | 112 | 177 | 102 | 27 | - | - |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Franklin, males | 18 | 8 | 2 | 5 | 9 | 16 | 7 | 11 | 25 | 43 | 19 | 4 | - | 2 |
| females | 20 | 9 | 5 | 5 | 11 | 6 | 9 | 18 | 24 | 29 | 29 | 4 | - | - |
| not stated | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| Hancock, males | 38 | 15 | 4 | 11 | 22 | 14 | 18 | 29 | 56 | 59 | 29 | 7 | - | - |
| females | 20 | 14 | 5 | 15 | 15 | 19 | 13 | 23 | 36 | 52 | 36 | 7 | - | 2 |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Kennebec, males | 90 | 37 | 12 | 23 | 27 | 46 | 33 | 72 | 87 | 92 | 61 | 13 | - | 2 |
| females | 76 | 29 | 12 | 13 | 30 | 28 | 43 | 50 | 81 | 103 | 71 | 12 | - | 1 |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Knox, males | 30 | 7 | 5 | 9 | 13 | 10 | 20 | 22 | 51 | 52 | 23 | 6 | 1 | - |
| females | 24 | 6 | 3 | 8 | 9 | 11 | 19 | 14 | 31 | 48 | 43 | 8 | - | - |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Lincoln, males | 14 | 6 | 4 | 5 | 5 | 5 | 7 | 22 | 27 | 46 | 19 | 1 | - | 1 |
| females | 10 | 4 | 1 | 5 | 12 | 10 | 12 | 18 | 21 | 48 | 31 | 6 | - | - |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Oxford, males | 47 | 16 | 5 | 10 | 16 | 19 | 29 | 24 | 36 | 45 | 30 | 8 | - | 2 |
| females | 28 | 11 | 4 | 7 | 19 | 13 | 19 | 28 | 40 | 59 | 36 | 9 | - | 1 |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Penobscot, males | 103 | 37 | 8 | 25 | 46 | 49 | 52 | 69 | 88 | 126 | 68 | 10 | - | 3 |
| females | 81 | 24 | 7 | 26 | 54 | 42 | 37 | 46 | 86 | 95 | 82 | 16 | - | 2 |
| not stated | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| Piscataquis, males | 21 | 6 | 2 | 3 | 11 | 9 | 7 | 14 | 20 | 26 | 10 | 2 | - | 3 |
| females | 11 | 4 | - | 7 | 10 | 8 | 6 | 13 | 17 | 23 | 11 | 5 | - | 1 |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Sagadahoc, males | 21 | 12 | 4 | 6 | 9 | 8 | 8 | 11 | 26 | 41 | 27 | 4 | - | - |
| females | 17 | 7 | 2 | 2 | 10 | 7 | 10 | 8 | 23 | 41 | 27 | 4 | - | - |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Somerset, males | 33 | 11 | 8 | 12 | 16 | 19 | 18 | 28 | 43 | 54 | 39 | 6 | - | 2 |
| females | 27 | 11 | 7 | 8 | 11 | 13 | 14 | 22 | 32 | 40 | 34 | 6 | - | 1 |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Waldo, males | 19 | 10 | 3 | 2 | 5 | 4 | 10 | 17 | 29 | 46 | 26 | 6 | 1 | - |
| females | 14 | 5 | 3 | 5 | 6 | 7 | 11 | 17 | 25 | 49 | 42 | 6 | - | - |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Washington, males | 66 | 23 | 8 | 14 | 14 | 26 | 19 | 22 | 43 | 61 | 35 | 5 | - | 1 |
| females | 51 | 18 | 5 | 14 | 19 | 17 | 23 | 22 | 40 | 51 | 39 | 7 | - | - |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| York, males | 118 | 24 | 11 | 18 | 24 | 32 | 39 | 45 | 83 | 91 | 62 | 7 | - | - |
| females | 100 | 34 | 4 | 21 | 30 | 39 | 35 | 55 | 72 | 114 | 66 | 19 | - | - |
| not stated | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Total, males | 1038 | 311 | 130 | 222 | 334 | 373 | 408 | 574 | 849 | 1058 | 585 | 95 | 2 | 21 |
| females | 817 | 276 | 93 | 210 | 343 | 332 | 408 | 491 | 724 | 1039 | 711 | 146 | - | 12 |
| not stated | - | 2 | - | - | - | - | - | - | - | - | - | - | - | - |
| Grand total | 1915 | 589 | 223 | 432 | 677 | 705 | 816 | 1065 | 1573 | 2097 | 1296 | 241 | 2 | 33 |

No. 34.

and Months, by Counties.

| January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Unknown. | Total. | Grand total. |
|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|----------|--------|--------------|
| 50 | 38 | 55 | 44 | 43 | 30 | 45 | 47 | 41 | 39 | 51 | 43 | - | 520 | - |
| 39 | 27 | 40 | 50 | 37 | 23 | 25 | 40 | 36 | 37 | 31 | 41 | - | 420 | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | 952 |
| 51 | 34 | 36 | 37 | 32 | 42 | 41 | 68 | 56 | 49 | 31 | 42 | - | 514 | - |
| 35 | 31 | 31 | 32 | 31 | 39 | 29 | 58 | 62 | 50 | 30 | 25 | - | 456 | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | 975 |
| 74 | 85 | 74 | 86 | 66 | 63 | 77 | 72 | 78 | 79 | 84 | 60 | - | 898 | - |
| 86 | 87 | 80 | 82 | 71 | 48 | 64 | 95 | 86 | 75 | 48 | 61 | - | 882 | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1,781 |
| 17 | 17 | 9 | 17 | 21 | 13 | 8 | 15 | 11 | 14 | 14 | 13 | - | 166 | - |
| 24 | 15 | 21 | 19 | 13 | 10 | 6 | 12 | 17 | 8 | 16 | 12 | - | 167 | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 337 |
| 25 | 31 | 25 | 28 | 35 | 21 | 24 | 16 | 22 | 27 | 27 | 26 | - | 302 | - |
| 25 | 20 | 15 | 16 | 15 | 21 | 24 | 22 | 29 | 23 | 17 | 21 | - | 237 | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | 555 |
| 55 | 51 | 48 | 56 | 46 | 37 | 43 | 65 | 62 | 57 | 42 | 38 | - | 595 | - |
| 53 | 54 | 42 | 39 | 35 | 35 | 47 | 47 | 57 | 50 | 39 | 48 | - | 549 | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1,144 |
| 29 | 19 | 26 | 17 | 22 | 24 | 15 | 19 | 20 | 20 | 17 | 21 | - | 249 | - |
| 19 | 22 | 12 | 22 | 27 | 12 | 14 | 16 | 21 | 21 | 25 | 15 | - | 224 | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | 473 |
| 15 | 9 | 14 | 18 | 16 | 10 | 12 | 13 | 17 | 7 | 23 | 11 | - | 162 | - |
| 17 | 20 | 17 | 14 | 11 | 12 | 14 | 24 | 10 | 17 | 10 | 16 | - | 178 | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | 340 |
| 35 | 38 | 23 | 21 | 28 | 24 | 16 | 16 | 16 | 24 | 22 | 26 | - | 287 | - |
| 22 | 21 | 27 | 36 | 28 | 20 | 16 | 25 | 21 | 20 | 21 | 19 | - | 274 | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | 561 |
| 66 | 53 | 58 | 58 | 62 | 47 | 48 | 51 | 67 | 55 | 57 | 61 | 1 | 684 | - |
| 60 | 47 | 59 | 54 | 44 | 46 | 39 | 34 | 59 | 51 | 59 | 46 | - | 538 | - |
| - | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | 1,283 |
| 14 | 7 | 13 | 12 | 10 | 11 | 10 | 12 | 11 | 14 | 10 | 9 | 1 | 124 | - |
| 14 | 12 | 12 | 7 | 14 | 11 | 5 | 7 | 6 | 7 | 11 | 10 | - | 116 | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | 250 |
| 15 | 18 | 19 | 13 | 9 | 15 | 15 | 11 | 21 | 13 | 18 | 10 | - | 177 | - |
| 19 | 7 | 14 | 17 | 21 | 11 | 6 | 12 | 9 | 9 | 17 | 16 | - | 158 | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | 335 |
| 27 | 26 | 28 | 31 | 33 | 17 | 21 | 17 | 16 | 32 | 19 | 22 | - | 289 | - |
| 26 | 21 | 21 | 21 | 22 | 16 | 11 | 21 | 22 | 18 | 15 | 27 | - | 235 | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | 524 |
| 19 | 14 | 17 | 14 | 12 | 17 | 18 | 12 | 17 | 14 | 11 | 18 | - | 178 | - |
| 18 | 22 | 30 | 16 | 20 | 19 | 8 | 19 | 16 | 14 | 10 | 18 | - | 180 | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | 368 |
| 34 | 25 | 24 | 30 | 25 | 20 | 19 | 29 | 43 | 24 | 37 | 27 | - | 337 | - |
| 24 | 15 | 27 | 35 | 22 | 24 | 16 | 32 | 33 | 25 | 18 | 35 | - | 307 | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | 643 |
| 61 | 45 | 56 | 50 | 33 | 37 | 47 | 45 | 43 | 58 | 32 | 47 | - | 554 | - |
| 62 | 52 | 48 | 53 | 51 | 42 | 42 | 62 | 53 | 42 | 30 | 41 | - | 586 | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1,143 |
| 585 | 510 | 525 | 532 | 492 | 428 | 454 | 506 | 541 | 521 | 489 | 474 | 2 | 6,090 | - |
| 543 | 474 | 476 | 513 | 461 | 390 | 366 | 523 | 538 | 468 | 401 | 445 | - | 5,602 | - |
| - | 1 | - | - | - | - | - | 1 | - | - | - | - | - | 2 | - |
| 1,128 | 985 | 1,001 | 1,045 | 954 | 818 | 820 | 1,033 | 1,079 | 990 | 890 | 919 | 2 | 11,664 | 11,664 |

TABLE No. 35.

Number of Deaths from Several Specified Causes of Each Sex, in Each Month, which were Registered during Seventeen Years, 1892-1908.

| | Measles. | Scarlet fever. | Whooping cough. | Diphtheria and croup. | Typhoid fever. | Consumption. | Infantile diarrhea. | Pneumonia. | Bronchitis. | Apoplexy. |
|-----------------|----------|----------------|-----------------|-----------------------|----------------|--------------|---------------------|------------|-------------|-----------|
| Totals..... | 634 | 469 | 1,145 | 2,672 | 3,395 | 18,042 | 8,975 | 17,202 | 3,724 | 10,414 |
| Males..... | 296 | 226 | 540 | 1,341 | 1,931 | 7,976 | - | 8,541 | 1,724 | 5,070 |
| Females..... | 336 | 243 | 605 | 1,330 | 1,465 | 10,066 | - | 8,755 | 2,000 | 5,344 |
| Not stated..... | 2 | - | - | 1 | 1 | 1 | - | 7 | - | - |
| January..... | 59 | 34 | 104 | 276 | 250 | 1,556 | 122 | 2,535 | 476 | 955 |
| February..... | 50 | 39 | 86 | 234 | 219 | 1,525 | 103 | 2,365 | 431 | 921 |
| March..... | 69 | 61 | 96 | 174 | 280 | 1,830 | 122 | 2,497 | 512 | 931 |
| April..... | 64 | 43 | 94 | 182 | 246 | 1,736 | 129 | 2,200 | 426 | 874 |
| May..... | 75 | 42 | 78 | 193 | 230 | 1,745 | 130 | 1,708 | 359 | 904 |
| June..... | 54 | 40 | 101 | 160 | 185 | 1,517 | 233 | 938 | 245 | 824 |
| July..... | 61 | 23 | 97 | 147 | 161 | 1,432 | 1,191 | 422 | 169 | 766 |
| August..... | 39 | 20 | 116 | 143 | 271 | 1,361 | 2,946 | 352 | 109 | 838 |
| September..... | 26 | 32 | 111 | 192 | 423 | 1,265 | 2,613 | 512 | 161 | 810 |
| October..... | 47 | 38 | 74 | 292 | 472 | 1,383 | 1,033 | 896 | 256 | 835 |
| November..... | 52 | 54 | 84 | 343 | 342 | 1,261 | 219 | 1,202 | 249 | 831 |
| December..... | 38 | 43 | 101 | 333 | 306 | 1,416 | 131 | 1,665 | 325 | 921 |
| Not stated..... | - | - | 3 | 3 | 7 | 15 | 3 | 11 | 6 | 4 |

TABLE No. 36.

Mortality by Months Reduced to a Standard Mean of 100,
Seventeen Years, 1892-1908.

| | Measles. | Scarlet fever. | Whooping cough. | Diphtheria and eroup. | Typhoid fever. | Consumption. | Infantile diarrhœa. | Pneumonia. | Bronchitis. | Apoplexy. |
|----------------|----------|----------------|-----------------|-----------------------|----------------|--------------|---------------------|------------|-------------|-----------|
| January..... | 109.56 | 85.36 | 106.94 | 121.62 | 86.70 | 101.54 | 16.01 | 172.50 | 150.50 | 107.97 |
| February..... | 99.27 | 104.67 | 94.54 | 110.22 | 81.19 | 106.38 | 14.44 | 172.03 | 145.67 | 111.31 |
| March..... | 128.13 | 153.15 | 98.71 | 76.68 | 100.22 | 119.42 | 16.01 | 169.91 | 161.88 | 105.26 |
| April..... | 122.82 | 111.54 | 99.88 | 82.87 | 88.16 | 117.06 | 17.49 | 154.69 | 139.18 | 102.11 |
| May..... | 139.28 | 105.45 | 80.21 | 85.05 | 79.77 | 113.87 | 17.05 | 116.22 | 113.51 | 102.21 |
| June..... | 103.63 | 103.76 | 107.32 | 72.85 | 66.20 | 102.29 | 31.59 | 65.96 | 80.04 | 96.27 |
| July..... | 113.28 | 57.75 | 99.74 | 64.78 | 55.84 | 93.51 | 156.25 | 28.72 | 53.45 | 86.60 |
| August..... | 72.42 | 50.21 | 119.28 | 63.02 | 93.99 | 88.81 | 386.48 | 23.95 | 34.46 | 94.74 |
| September..... | 49.89 | 83.01 | 117.95 | 87.42 | 151.59 | 85.30 | 354.22 | 36.00 | 52.60 | 94.63 |
| October..... | 87.28 | 95.41 | 76.09 | 128.67 | 163.70 | 90.25 | 135.52 | 60.97 | 80.94 | 94.41 |
| November..... | 99.79 | 140.08 | 89.26 | 156.18 | 122.56 | 95.48 | 29.69 | 84.52 | 81.35 | 97.09 |
| December..... | 70.57 | 107.96 | 103.86 | 146.74 | 104.04 | 92.40 | 17.19 | 113.30 | 102.76 | 104.13 |
| Mean..... | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.06 | 100.00 | 100.00 |

NOTES ON DEATHS AND THE CAUSES OF DEATHS.

The number of deaths registered in the year 1908 was 11,664. This was 139 less than for the preceding year, 1907. A glance at the following tabulation will show that the death-rate, based upon the estimated population of all but the census year, 1900, has gradually lessened until last year, when it was the same as in 1894, while this year it was only 16.05.

| YEARS. | Total deaths. | Males. | Females. | Not stated. | Death-rate per 1,000. |
|--------------|---------------|--------|----------|-------------|-----------------------|
| 1892 | 12,147 | 5,939 | 6,175 | 33 | 18.19 |
| 1893 | 11,134 | 5,557 | 5,551 | 26 | 16.59 |
| 1894 | 11,012 | 5,570 | 5,422 | 20 | 16.33 |
| 1895 | 10,464 | 5,226 | 5,228 | 10 | 15.44 |
| 1896 | 10,626 | 5,350 | 5,268 | 8 | 15.60 |
| 1897 | 11,228 | 5,624 | 5,606 | 6 | 16.42 |
| 1898 | 10,956 | 5,506 | 5,447 | 3 | 15.93 |
| 1899 | 11,370 | 5,676 | 5,686 | 8 | 16.45 |
| 1900 | 11,389 | 5,734 | 5,649 | 6 | 16.40 |
| 1901 | 11,133 | 5,604 | 5,523 | 6 | 15.94 |
| 1902 | 10,673 | 5,454 | 5,216 | 3 | 15.19 |
| 1903 | 11,009 | 5,629 | 5,378 | 2 | 15.58 |
| 1904 | 11,346 | 5,868 | 5,468 | 10 | 15.97 |
| 1905 | 11,381 | 5,835 | 5,545 | 1 | 15.92 |
| 1906 | 11,427 | 5,925 | 5,497 | 5 | 15.90 |
| 1907 | 11,803 | 6,100 | 5,700 | 3 | 16.33 |
| 1908 | 11,664 | 6,060 | 5,602 | 2 | 16.05 |
| Average..... | 11,222 | 5,686 | 5,527 | 9 | 16.13 |

By referring to Table No. 3, it will be seen that the lowest death-rate was in Aroostook county, being only 14.00. The counties Aroostook, Hancock, Knox, Piscataquis, Sagadahoc, Somerset, Waldo, and Washington had lower death-rates than

that of the whole State; while the counties Androscoggin, Cumberland, Franklin, Kennebec, Lincoln, Oxford, Penobscot, and York had death-rates larger than that of the State. The highest county death-rate was that of Kennebec, 18.82.

The death-rate in the cities was 17.03 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, 18.36 in 1895, 18.78 in 1896, 20.11 in 1897, 19.74 in 1898, 18.10 in 1899, 18.34 in 1900, 17.90 in 1901, 17.03 in 1902, 17.16 in 1903, 18.00 in 1904, 16.79 in 1905, 17.25 in 1906, and 18.18 in 1907), as compared with that of the rest of the State with the cities omitted, which death-rate was 15.54 (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, 14.77 in 1895, 14.93 in 1896, 15.68 in 1897, 15.24 in 1898, 15.52 in 1899, 15.47 in 1900, 15.13 in 1901, 14.58 in 1902, 13.39 in 1903, 15.54 in 1904, 15.49 in 1905, 14.71 in 1906, and 15.60 in 1907).

Seasons and Mortality.—The largest number of deaths occurred in January, 1,128. The smallest number of deaths in any one month was 818 in June. During the spring months 3,000 deaths occurred; during the summer, 2,671; during the autumn, 2,959; in the winter, 3,032. The following shows the month in which the largest and the smallest number of deaths occurred in the years 1892-1908:

| LARGEST NUMBER. | | | SMALLEST NUMBER. | |
|-----------------|-----------|-------|------------------|-----|
| 1892 | January | 1,577 | November | 790 |
| 1893 | August | 1,080 | November | 796 |
| 1894 | January | 1,266 | November | 761 |
| 1895 | March | 1,053 | June | 715 |
| 1896 | August | 1,079 | November | 667 |
| 1897 | March | 1,259 | June | 769 |
| 1898 | September | 1,147 | June | 791 |
| 1899 | February | 1,049 | June | 768 |
| 1900 | April | 1,196 | November | 769 |
| 1901 | March | 1,132 | June | 789 |
| 1902 | December | 998 | June | 805 |
| 1903 | January | 1,006 | June | 786 |
| 1904 | April | 1,116 | July | 800 |
| 1905 | March | 1,197 | July | 768 |
| 1906 | August | 1,133 | January | 822 |
| 1907 | March | 1,177 | July | 844 |
| 1908 | January | 1,128 | June | 818 |

The following is a tabular statement of the number of deaths in each quarter of the seventeen years 1892-1908:

| | 1st Quarter. | 2d Quarter. | 3d Quarter. | 4th Quarter. |
|--------------|--------------|-------------|-------------|--------------|
| 1892..... | 3,964 | 2,926 | 2,780 | 2,427 |
| 1893..... | 2,653 | 2,825 | 2,878 | 2,750 |
| 1894..... | 3,166 | 2,660 | 2,774 | 2,402 |
| 1895..... | 2,780 | 2,412 | 2,764 | 2,503 |
| 1896..... | 2,728 | 2,717 | 2,836 | 2,339 |
| 1897..... | 3,026 | 2,681 | 2,856 | 2,671 |
| 1898..... | 2,567 | 2,641 | 2,964 | 2,782 |
| 1899..... | 3,416 | 2,632 | 2,767 | 2,544 |
| 1900..... | 2,879 | 3,057 | 2,909 | 2,536 |
| 1901..... | 3,178 | 2,688 | 2,637 | 2,610 |
| 1902..... | 2,787 | 2,503 | 2,585 | 2,774 |
| 1903..... | 2,946 | 2,705 | 2,723 | 2,615 |
| 1904..... | 3,100 | 2,961 | 2,603 | 2,670 |
| 1905..... | 3,187 | 2,810 | 2,786 | 2,581 |
| 1906..... | 2,735 | 2,794 | 3,135 | 2,747 |
| 1907..... | 3,423 | 2,989 | 2,597 | 2,785 |
| 1908..... | 3,114 | 2,817 | 2,932 | 2,799 |
| Average..... | 3,038 | 2,754 | 2,796 | 2,620 |

The following table shows the number of deaths which have occurred in each of the twelve months in each of the years from 1892 to 1908:

DEATHS IN EACH MONTH FOR THE YEARS 1892-1908.

| YEARS. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Not stated. | Total. |
|------------|----------|-----------|--------|--------|--------|--------|--------|---------|------------|----------|-----------|-----------|-------------|---------|
| 1892..... | 1,577 | 1,292 | 1,095 | 1,048 | 1,045 | 833 | 866 | 938 | 976 | 844 | 790 | 793 | 50 | 12,147 |
| 1893..... | 849 | 845 | 959 | 1,037 | 969 | 819 | 823 | 1,080 | 975 | 917 | 796 | 1,037 | 28 | 11,134 |
| 1894..... | 1,266 | 980 | 920 | 993 | 851 | 816 | 865 | 953 | 956 | 821 | 761 | 820 | 10 | 11,012 |
| 1895..... | 906 | 821 | 1,053 | 854 | 843 | 715 | 803 | 938 | 1,023 | 902 | 743 | 858 | 5 | 10,464 |
| 1896..... | 863 | 921 | 944 | 942 | 961 | 814 | 845 | 1,079 | 912 | 833 | 667 | 839 | 6 | 10,626 |
| 1897..... | 916 | 851 | 1,259 | 1,020 | 892 | 769 | 840 | 1,019 | 997 | 999 | 835 | 837 | 2 | 11,236 |
| 1898..... | 887 | 817 | 863 | 915 | 955 | 791 | 814 | 1,003 | 1,147 | 1,034 | 837 | 911 | 2 | 10,956 |
| 1899..... | 1,432 | 1,049 | 935 | 965 | 899 | 768 | 783 | 1,031 | 953 | 882 | 781 | 881 | 11 | 11,370 |
| 1900..... | 903 | 881 | 1,095 | 1,196 | 1,068 | 793 | 839 | 1,033 | 1,037 | 911 | 769 | 856 | 8 | 11,389 |
| 1901..... | 955 | 1,031 | 1,132 | 955 | 944 | 789 | 836 | 831 | 970 | 882 | 831 | 897 | 20 | 11,133 |
| 1902..... | 876 | 900 | 929 | 939 | 919 | 805 | 837 | 861 | 911 | 854 | 820 | 998 | 24 | 10,673 |
| 1903..... | 1,008 | 944 | 996 | 989 | 930 | 786 | 901 | 865 | 957 | 865 | 831 | 919 | 20 | 11,009 |
| 1904..... | 985 | 1,035 | 1,080 | 1,116 | 1,038 | 807 | 809 | 896 | 907 | 909 | 817 | 944 | 12 | 11,346 |
| 1905..... | 981 | 1,009 | 1,197 | 1,023 | 957 | 830 | 768 | 1,006 | 1,012 | 958 | 824 | 799 | 17 | 11,381 |
| 1906..... | 822 | 853 | 1,060 | 985 | 961 | 848 | 885 | 1,133 | 1,117 | 920 | 885 | 942 | 16 | 11,427 |
| 1907..... | 1,118 | 1,128 | 1,177 | 1,069 | 973 | 947 | 844 | 898 | 855 | 932 | 875 | 978 | 9 | 11,803 |
| 1908..... | 1,128 | 985 | 1,001 | 1,045 | 954 | 818 | 820 | 1,033 | 1,079 | 990 | 890 | 919 | 2 | 11,664 |
| Total..... | 17,470 | 16,402 | 17,695 | 17,091 | 16,139 | 13,748 | 14,169 | 16,597 | 16,784 | 15,453 | 13,752 | 15,228 | 242 | 190,770 |

NOTES ON DEATHS AND CAUSES OF DEATHS. 129

Table No. 28 exhibits the total number of deaths which occurred in each month of the years 1901-1908. The number of deaths for 1908 in each month by counties is shown in Table No. 34.

Sex and Mortality.—Of the 11,664 decedents, 6,060 were males and 5,602 were females. The sex of two was unstated.

Among children dying before they were 5 years old, 1,409 were males and 1,093 were females; there were 316 more deaths among boys under 5 years of age than among girls within the same age-period. At the other age-periods, there was also a preponderance of deaths among males. At the age of 100 years and over two men died. See Table No. 34.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

| | | |
|---------------------------|-------|-----------------|
| Under 1 year of age | 1,915 | 16.41 per cent. |
| From 1-5 years of age | 589 | 5.05 per cent. |
| From 5-10 years of age | 223 | 1.91 per cent. |
| From 10-20 years of age | 432 | 3.70 per cent. |
| From 20-30 years of age | 677 | 5.81 per cent. |
| From 30-40 years of age | 705 | 6.04 per cent. |
| From 40-50 years of age | 816 | 7.00 per cent. |
| From 50-60 years of age | 1,065 | 9.13 per cent. |
| From 60-70 years of age | 1,573 | 13.49 per cent. |
| From 70-80 years of age | 2,097 | 17.98 per cent. |
| From 80-90 years of age | 1,296 | 11.11 per cent. |
| From 90-100 years of age | 241 | 2.07 per cent. |
| 100 years of age and over | 2 | 0.02 per cent. |
| Ages not stated | 33 | 0.28 per cent. |

The Causes of Death.—Compared with 1907, among the chief causes of death there were in 1908, 340 more from diarrheal diseases, 27 more from typhoid fever, 9 more from diabetes, 8 more from whooping cough, 4 more from peritonitis, and 3 more from scarlet fever.

On the other hand, there was a smaller number of deaths from the following causes; from nervous diseases, 112 fewer; from diseases of heart, 97; from pneumonia, 85; from tuberculosis, 69; from influenza, 37; from bronchitis, 36; from

nephritis and Bright's disease, 32; from cancer, 27; from diphtheria and croup, 17; and from measles, 12.

The next table gives a cursory view of the relative mortality in 1907 and 1908 from some of the leading causes of death.

DEATHS FROM SOME OF THE LEADING CAUSES.

| DISEASES. | 1907. | 1908. | More in 1907. | More in 1908. |
|-------------------------------------|-------|-------|---------------|---------------|
| Measles..... | 33 | 21 | 12 | - |
| Scarlet fever..... | 14 | 17 | - | 3 |
| Influenza..... | 278 | 241 | 37 | - |
| Whooping cough..... | 72 | 80 | - | 8 |
| Diphtheria and croup..... | 122 | 105 | 17 | - |
| Typhoid fever..... | 124 | 151 | - | 27 |
| Tuberculosis..... | 1,214 | 1,145 | 69 | - |
| Diarrheal diseases..... | 468 | 808 | - | 340 |
| Rheumatism..... | 47 | 47 | - | - |
| Cancer..... | 737 | 710 | 27 | - |
| Diabetes..... | 107 | 116 | - | 9 |
| Diseases of nervous system..... | 1,731 | 1,619 | 112 | - |
| Diseases of heart..... | 1,381 | 1,284 | 97 | - |
| Pneumonia..... | 1,153 | 1,068 | 85 | - |
| Bronchitis..... | 190 | 154 | 36 | - |
| Peritonitis..... | 60 | 64 | - | 4 |
| Nephritis and Bright's disease..... | 721 | 689 | 32 | - |

The following table shows the mortality from ten prominent causes in the seventeen years 1892-1908. The various diseases of the brain have occupied the first place among the causes of death, except in 1892 when pneumonia had the first place, and consumption was the next most prominent cause until 1898 when it was reduced to the third place in the list; and in 1899 and 1900 it occupied the fourth place; in 1901, the third place; in 1902, 1903, 1904, 1905, 1906, and 1907 it occupied the fourth place, which it still keeps this year. Diseases of the heart have the second place, and pneumonia has the third place.

**MORTALITY FROM TEN PROMINENT CAUSES,
1892-1908.**

| YEARS. | Brain disease.* | Heart disease. | Pneumonia. | Consumption. | Old age. | Cancer. | Kidney disease.† | Infantile disease. | Bronchitis. | Diphtheria and croup. |
|----------------|-----------------|----------------|------------|--------------|----------|---------|------------------|--------------------|-------------|-----------------------|
| 1892 | 3d | 4th | 1st | 2d | 5th | 7th | 8th | 6th | 9th | 10th |
| 1893 | 1st | 4th | 3d | 2d | 5th | 7th | 8th | 6th | 9th | 10th |
| 1894 | 1st | 4th | 3d | 2d | 5th | 6th | 8th | 7th | 9th | 10th |
| 1895 | 1st | 3d | 4th | 2d | 5th | 7th | 8th | 6th | 9th | 10th |
| 1896 | 1st | 3d | 4th | 2d | 5th | 7th | 8th | 6th | 10th | 9th |
| 1897 | 1st | 3d | 4th | 2d | 5th | 7th | 8th | 6th | 10th | 9th |
| 1898 | 1st | 2d | 4th | 3d | 6th | 7th | 8th | 5th | 9th | 10th |
| 1899 | 1st | 3d | 2d | 4th | 5th | 7th | 8th | 6th | 9th | 10th |
| 1900 | 1st | 3d | 2d | 4th | 5th | 7th | 8th | 6th | 9th | 10th |
| 1901 | 1st | 2d | 4th | 3d | 5th | 6th | 8th | 7th | 9th | 10th |
| 1902 | 1st | 2d | 3d | 4th | 5th | 6th | 7th | 8th | 9th | 10th |
| 1903 | 1st | 2d | 3d | 4th | 5th | 7th | 6th | 8th | 9th | 10th |
| 1904 | 1st | 2d | 3d | 4th | 5th | 7th | 6th | 8th | 9th | 10th |
| 1905 | 1st | 2d | 3d | 4th | 5th | 6th | 7th | 8th | 9th | 10th |
| 1906 | 1st | 2d | 3d | 4th | 8th | 7th | 5th | 6th | 9th | 10th |
| 1907 | 1st | 2d | 3d | 4th | 7th | 6th | 5th | 8th | 9th | 10th |
| 1908 | 1st | 2d | 3d | 4th | 8th | 5th | 6th | 7th | 9th | 10th |

*Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain, and its membranes, and other brain diseases.

†Including deaths certified as from nephritis, Bright's disease, albuminuria and uremia.

By referring to Table No. 29 it will be noticed that the causes of death are arranged by counties under fourteen classes. The following notes on some of the classes and individual causes of death will be arranged in accordance with the classification shown in this Table No. 29.

Infectious Diseases.—The lists of the infectious diseases usually include smallpox, measles, scarlet fever, typhoid fever, whooping cough, diphtheria and croup. The following table shows the number of deaths which resulted from these diseases in the several counties of the State:

SIX INFECTIOUS DISEASES BY COUNTIES—1908.

| COUNTIES. | Estimated population for 1908. | Aggregate deaths from six infectious diseases—1908. | Infectious death-rate per 10,000—1908. |
|------------------------|--------------------------------|---|--|
| Androscoggin | 58,458 | 42 | 7.18 |
| Aroostook | 69,664 | 42 | 6.02 |
| Cumberland | 108,481 | 63 | 5.81 |
| Franklin | 19,556 | 12 | 6.14 |
| Hancock | 37,241 | 14 | 3.76 |
| Kennebec | 60,797 | 37 | 6.09 |
| Knox | 30,406 | 9 | 2.96 |
| Lincoln | 19,669 | 7 | 3.51 |
| Oxford | 33,558 | 18 | 5.36 |
| Penobscot | 78,993 | 36 | 4.56 |
| Piscataquis | 17,597 | 9 | 5.11 |
| Sagadahoc | 21,034 | 5 | 2.38 |
| Somerset | 34,825 | 17 | 4.88 |
| Waldo | 24,185 | 4 | 1.65 |
| Washington | 45,832 | 32 | 6.98 |
| York | 66,533 | 27 | 4.06 |
| State | 726,829 | 374 | 5.15 |

In the foregoing table the second column shows for each county the whole number of deaths for 1908 from the infectious diseases; the third column shows the infectious death-rate for the same year. The following table makes a similar comparative exhibit for the cities:

SIX INFECTIOUS DISEASES BY CITIES—1908.

| CITIES. | Estimated population for 1908. | Aggregate deaths from six infectious diseases—1908. | Infectious death-rate per 10,000—1908. |
|---------------------|--------------------------------|---|--|
| Auburn..... | 14,311 | 10 | 6.99 |
| Augusta..... | 12,609 | 10 | 7.93 |
| Bangor..... | 24,050 | 8 | 3.33 |
| Bath..... | 11,877 | 4 | 3.37 |
| Belfast..... | 5,250 | 1 | 1.90 |
| Biddeford..... | 17,525 | 3 | 1.71 |
| Brewer..... | 5,347 | 5 | 9.35 |
| Calais..... | 7,946 | 2 | 2.52 |
| Eastport..... | 5,633 | 4 | 7.10 |
| Ellsworth..... | 4,297 | 3 | 6.98 |
| Gardiner..... | 5,509 | 4 | 7.26 |
| Hallowell..... | 2,714 | — | — |
| Lewiston..... | 25,409 | 22 | 8.66 |
| Old Town..... | 6,123 | 10 | 16.33 |
| Portland..... | 57,374 | 45 | 7.84 |
| Rockland..... | 8,150 | 1 | 1.23 |
| Saco..... | 6,161 | 1 | 1.62 |
| South Portland..... | 6,287 | 2 | 3.18 |
| Waterville..... | 11,373 | 11 | 9.67 |
| Westbrook..... | 7,803 | 4 | 5.13 |
| Collectively..... | 245,748 | 150 | 6.10 |

By consulting the following table it will be seen that the number of deaths from typhoid fever, whooping cough, and scarlet fever was larger than in 1907. There was a smaller number of deaths from influenza, diphtheria and croup, measles and tetanus. The number of deaths from malarial disease was the same as in the preceding year.

INFECTIOUS DISEASES—1901-1908.

| DISEASES. | 1901. | 1902. | 1903. | 1904. | 1905. | 1906. | 1907. | 1908. | Total. |
|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| Smallpox..... | — | 12 | 7 | 3 | — | — | — | — | 22 |
| Measles..... | 26 | 28 | 36 | 22 | 32 | 105 | 33 | 21 | 303 |
| Scarlet fever..... | 18 | 13 | 18 | 10 | 7 | 5 | 14 | 17 | 102 |
| Influenza..... | 266 | 122 | 196 | 166 | 243 | 109 | 278 | 241 | 1,621 |
| Whooping cough..... | 28 | 51 | 110 | 54 | 38 | 109 | 72 | 80 | 542 |
| Diphtheria and croup..... | 127 | 115 | 115 | 162 | 110 | 119 | 122 | 105 | 975 |
| Tetanus..... | 5 | 7 | 11 | 14 | 7 | 4 | 7 | 6 | 61 |
| Typhoid fever..... | 224 | 162 | 225 | 242 | 156 | 133 | 124 | 151 | 1,417 |
| Malarial disease..... | 11 | 20 | 9 | 13 | 11 | 3 | 9 | 9 | 85 |

Smallpox.—In 1908, as in 1907, 1906 and 1905, there were no deaths from smallpox. In 1904, smallpox was the cause of 3 deaths; in 1903, 7; in 1902, 12; in 1901, 0; in 1900, 2; in 1899, 3. No deaths were due to this disease from 1892, when our system of registration went into effect, until 1899.

Measles.—This disease caused the death of 21 persons, of whom 7 were males and 14 were females. The deaths from measles were 29 in 1892, 55 in 1893, 21 in 1894, 8 in 1895, 32 in 1896, 22 in 1897, 41 in 1898, 39 in 1899, 84 in 1900, 26 in 1901, 28 in 1902, 36 in 1903, 22 in 1904, 32 in 1905, 105 in 1906, and 33 in 1907.

MEASLES BY COUNTIES, MONTHS, AND AGE-PERIODS—1896-1908.

| By Counties. | By Months. | By Age-periods. |
|----------------------|-------------------|-------------------|
| Androscoggin..... 64 | January..... 45 | Under 1..... 146 |
| Aroostook..... 87 | February..... 44 | 1-5..... 190 |
| Cumberland..... 67 | March..... 49 | 5-10..... 39 |
| Franklin..... 15 | April..... 48 | 10-20..... 35 |
| Hancock..... 23 | May..... 59 | 20-30..... 27 |
| Kennebec..... 41 | June..... 44 | 30-40..... 28 |
| Knox..... 19 | July..... 50 | 40-50..... 18 |
| Lincoln..... 3 | August..... 34 | 50-60..... 11 |
| Oxford..... 32 | September..... 24 | Over 60..... 24 |
| Penobscot..... 44 | October..... 43 | Not stated..... 3 |
| Piscataquis..... 10 | November..... 48 | Total..... 521 |
| Sagadahoc..... 6 | December..... 33 | |
| Somerset..... 37 | Total..... 521 | |
| Waldo..... 13 | | |
| Washington..... 22 | | |
| York..... 38 | | |
| State..... 521 | | |

Scarlet Fever.—The total mortality from this disease was 17 (36 in 1892, 80 in 1893, 29 in 1894, 25 in 1895, 33 in 1896, 38 in 1897, 43 in 1898, 48 in 1899, 35 in 1900, 18 in 1901, 13 in 1902, 18 in 1903, 10 in 1904, 7 in 1905, 5 in 1906, and 14 in 1907) 8 males and 9 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was 3 in the month of February. There were 6 deaths in the first quarter, 5 in the second, 2 in the third, and 4 in the last quarter of the year.

Cumberland county had 4 deaths from scarlet fever; Androscoggin, 3; Aroostook, 2; Franklin, 2; Hancock, 1; Kennebec, 1; Somerset, 2; Washington, 1; and York, 1. Of the 17 deaths from this cause, 4 were in the cities.

The following is the exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the sixteen years 1893-1908.

SCARLET FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1908.

| By Counties. | By Months. | By Age-periods. |
|---------------------------|------------------------|------------------------|
| Androscoggin 32 | January 26 | Under 1 36 |
| Aroostook 68 | February 35 | 1-5 200 |
| Cumberland 50 | March 57 | 5-10 126 |
| Franklin 9 | April 38 | 10-20 52 |
| Hancock 17 | May 38 | 20-30 10 |
| Kennebec 46 | June 37 | 30-40 5 |
| Knox 22 | July 23 | 40-50 1 |
| Lincoln 4 | August 20 | 50-60 2 |
| Oxford 6 | September 31 | Not stated 1 |
| Penobscot 40 | October 36 | Total 433 |
| Piscataquis 10 | November 51 | |
| Sagadahoc 10 | December 41 | |
| Somerset 16 | Total 433 | |
| Waldo 14 | | |
| Washington 22 | | |
| York 67 | | |
| State 433 | | |

The scarlatina death-rate per 10,000 for this State was 0.23; for the cities, 0.16.

Influenza.—During the year for which this report is made, 241 deaths were attributed to influenza. By months the percentage distribution of deaths from this cause was as follows: January, 32.37; February, 19.50; March, 18.26; April, 12.45; May, 8.30; June, 2.90; July, 0.83; August, 0.41; September, 0.83; October, 0.41; November, 1.67; December, 2.07. The following shows the age incidence of deaths reported as having occurred from influenza:

| | | | |
|---------------|----|----------------|----|
| Under 1 year, | 29 | 40-50 years, | 9 |
| 1-5 years, | 10 | 50-60 years, | 14 |
| 5-10 years, | 1 | 60-70 years, | 27 |
| 10-20 years, | 3 | 70-80 years, | 69 |
| 20-30 years, | 2 | Over 80 years, | 69 |
| 30-40 years, | 7 | Not stated, | 1 |

241

The influenza death-rate for the whole State was 3.32 for each 10,000 living population (11.43 in 1892, 2.31 in 1893, 4.46 in 1894, 2.30 in 1895, 1.77 in 1896, 4.45 in 1897, 2.19 in 1898, 5.50 in 1899, 3.40 in 1900, 3.83 in 1901, 1.87 in 1902, 2.82 in 1903, 2.39 in 1904, 3.40 in 1905, 1.52 in 1906, and 3.85 in 1907).

DEATHS FROM INFLUENZA BY COUNTIES AND MONTHS—1908.

| COUNTIES. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Total. |
|-------------------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|--------|
| Androscoggin..... | 2 | — | 6 | 2 | — | — | — | — | — | 1 | 1 | — | 12 |
| Aroostook..... | 7 | 4 | 7 | 4 | 5 | 2 | — | — | — | — | — | 1 | 30 |
| Cumberland..... | 13 | 5 | 3 | 1 | 1 | 1 | — | — | 1 | — | — | 1 | 26 |
| Franklin..... | 7 | 1 | — | — | — | — | — | — | — | — | — | — | 8 |
| Hancock..... | 2 | 3 | 2 | 2 | 1 | — | — | — | — | — | — | — | 10 |
| Kennebec..... | 6 | 5 | 4 | 1 | — | — | — | — | — | — | — | — | 16 |
| Knox..... | 5 | 6 | 2 | 1 | — | 1 | — | — | — | — | — | — | 15 |
| Lincoln..... | 2 | 2 | 3 | 1 | 2 | — | — | — | — | — | — | — | 10 |
| Oxford..... | 3 | 4 | 2 | 3 | 3 | — | 1 | — | — | — | — | — | 16 |
| Penobscot..... | 6 | 1 | 4 | 6 | 2 | 1 | — | — | — | 1 | — | — | 21 |
| Piscataquis..... | — | 2 | 3 | — | — | — | — | — | — | — | — | 1 | 6 |
| Sagadahoc..... | 6 | 2 | — | 1 | — | — | — | — | — | — | — | — | 9 |
| Somerset..... | 4 | 6 | 5 | 3 | — | — | 1 | — | — | — | 1 | — | 20 |
| Waldo..... | 3 | 1 | 1 | — | 1 | 1 | — | — | 1 | — | — | — | 8 |
| Washington..... | 4 | 4 | 1 | 2 | 4 | — | — | 1 | — | 1 | — | 1 | 18 |
| York..... | 8 | 1 | 1 | 3 | 1 | 1 | — | — | — | — | — | 1 | 16 |
| State..... | 78 | 47 | 44 | 30 | 20 | 7 | 2 | 1 | 2 | 1 | 4 | 5 | 241 |

Whooping Cough.—The number of deaths from whooping cough was 80 (54 in 1892, 51 in 1893, 20 in 1894, 82 in 1895, 111 in 1896, 46 in 1897, 44 in 1898, 96 in 1899, 99 in 1900, 28 in 1901, 51 in 1902, 110 in 1903, 54 in 1904, 38 in 1905, 109 in 1906, and 72 in 1907), of which 38 were males and 42 females. The number of deaths in the cities was 28. Fifty-five of the 80 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping cough was 1.10 per 10,000; that of the cities, 1.14.

The following shows the deaths from whooping cough arranged by counties, months, and age-periods:

WHOOPING COUGH BY COUNTIES, MONTHS, AND AGE-PERIODS—1908.

| By Counties. | By Months. | By Age-periods. |
|--------------------------|------------------------|----------------------|
| Androscoggin 7 | January 5 | Under 1 55 |
| Aroostook 7 | February 3 | 1-5 21 |
| Cumberland 10 | March 1 | 5-10 3 |
| Franklin 6 | April 8 | 10-20 - |
| Hancock 4 | May 5 | 20-30 - |
| Kennebec 8 | June 6 | 30-40 - |
| Knox 2 | July 4 | 40-50 - |
| Lincoln 6 | August 12 | 50-60 - |
| Oxford 1 | September 13 | 60-70 1 |
| Penobscot 9 | October 6 | Total 80 |
| Piscataquis - | November 8 | |
| Sagadahoc 4 | December 9 | |
| Somerset 1 | Total 80 | |
| Waldo 2 | | |
| Washington 10 | | |
| York 3 | | |
| State 80 | | |

Diphtheria.—There were for the year 1908, 105 deaths from diphtheria. Of the decedents, 50 were males and 55 were females. Ages: Under 1, 8; 1-5, 38; 5-10, 39; 10-20, 14; 20-30, 3; 30-40, 1; 50-60, 1; 70-80, 1.

Of the 105 deaths, 51 were in the cities, and 54 in other places. The diphtheria death-rate for the State was 1.44, and for the cities, 2.08. The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

DIPHThERIA BY COUNTIES AND MONTHS—1908.

| COUNTIES. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Total. | Death-rate per 10,000. |
|--------------------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|--------|---------------------------|
| Androscoggin | 2 | - | 1 | 1 | 2 | 1 | - | 1 | 4 | 2 | 5 | | 19 | 3.25 |
| Aroostook | 2 | 2 | - | 1 | 2 | - | - | - | 1 | 1 | 1 | 1 | 11 | 1.58 |
| Cumberland | - | 3 | 2 | 1 | 1 | 3 | - | - | 4 | 2 | 2 | 1 | 19 | 1.75 |
| Franklin | - | - | - | - | 1 | - | - | - | - | 1 | - | - | 2 | 1.02 |
| Hancock | 2 | - | - | - | - | - | - | - | - | - | 1 | 2 | 5 | 1.34 |
| Kennebec | - | - | - | 1 | - | 2 | 1 | - | 1 | 2 | 1 | - | 8 | 1.32 |
| Knox | 1 | - | - | - | 1 | - | - | - | - | - | - | - | 2 | 0.66 |
| Lincoln | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Oxford | 2 | 1 | - | 2 | - | 1 | - | - | - | - | - | - | 6 | 1.79 |
| Penobscot | - | - | - | 2 | - | 1 | - | 1 | - | - | 2 | - | 6 | 0.76 |
| Piscataquis | 1 | - | 1 | - | - | - | - | - | - | 1 | - | - | 3 | 1.70 |
| Sagadahoc | - | - | - | - | - | 1 | - | - | - | - | - | - | 1 | 0.48 |
| Somerset | 1 | - | 1 | 1 | 2 | 1 | - | - | - | - | 1 | - | 7 | 2.01 |
| Waldo | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 0.41 |
| Washington | - | - | - | - | - | 2 | - | - | 1 | 3 | - | - | 6 | 1.31 |
| York | - | 1 | 1 | - | 1 | 1 | - | 1 | 2 | 1 | - | 1 | 9 | 1.35 |
| State | 11 | 7 | 6 | 9 | 10 | 13 | 1 | 2 | 10 | 15 | 10 | 11 | 105 | 1.44 |

The following tabulation shows the number of deaths from diphtheria for the sixteen years 1893-1908 arranged by counties, months, and age-periods:

DIPHTHERIA BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1908.

| By Counties. | | By Months. | | By Age-periods. | |
|-------------------|-------|-----------------|-------|-----------------|-------|
| Androscoggin..... | 307 | January..... | 256 | Under 1..... | 329 |
| Aroostook..... | 419 | February..... | 220 | 1-5..... | 1,120 |
| Cumberland..... | 491 | March..... | 162 | 5-10..... | 610 |
| Franklin..... | 42 | April..... | 167 | 10-20..... | 273 |
| Hancock..... | 57 | May..... | 172 | 20-30..... | 57 |
| Kennebec..... | 220 | June..... | 140 | 30-40..... | 26 |
| Knox..... | 103 | July..... | 134 | 40-50..... | 18 |
| Lincoln..... | 28 | August..... | 133 | 50-60..... | 10 |
| Oxford..... | 68 | September..... | 173 | 60-70..... | 6 |
| Penobscot..... | 198 | October..... | 267 | Over 70..... | 5 |
| Piscataquis..... | 20 | November..... | 325 | Not stated..... | 6 |
| Sagadahoc..... | 71 | December..... | 308 | Total..... | 2,460 |
| Somerset..... | 95 | Not stated..... | 3 | | |
| Waldo..... | 31 | Total..... | 2,460 | | |
| Washington..... | 89 | | | | |
| York..... | 221 | | | | |
| State..... | 2,460 | | | | |

The following table shows the number of deaths from diphtheria in each of the cities in each year from 1894 to 1908, the diphtheria death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities:

Deaths and Death-Rates from Diphtheria

| CITIES. | 1894. | | 1895. | | 1896. | | 1897. | | 1898. | | 1899. | | 1900. | |
|-----------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|
| | | Death-rate per 10,000. | | Death-rate per 10,000. | | Death-rate per 10,000. | | Death-rate per 10,000. | | Death-rate per 10,000. | | Death-rate per 10,000. | | Death-rate per 10,000. |
| Auburn..... | 3 | 2.51 | 2 | 1.65 | 1 | 0.81 | 6 | 4.82 | 14 | 11.10 | 3 | 2.35 | 2 | 1.54 |
| Augusta..... | 9 | 8.19 | 3 | 2.70 | - | - | 2 | 1.76 | 1 | 0.87 | 1 | 0.86 | - | - |
| Bangor..... | 2 | 0.99 | 4 | 1.95 | 3 | 1.45 | 4 | 1.90 | 7 | 3.29 | - | - | 2 | 0.92 |
| Bath..... | 2 | 2.12 | 3 | 3.12 | 1 | 1.02 | 4 | 4.02 | 2 | 1.98 | 2 | 1.94 | 2 | 1.91 |
| Belfast..... | 1 | 1.99 | 3 | 6.06 | 1 | 2.05 | 2 | 4.15 | 1 | 2.10 | - | - | - | - |
| Biddeford..... | - | - | 7 | 4.58 | 7 | 4.53 | 2 | 1.28 | 13 | 8.25 | 11 | 6.89 | 8 | 4.96 |
| Brewer..... | 1 | 2.25 | - | - | - | - | 4 | 8.62 | - | - | - | - | 1 | 2.07 |
| Calais..... | - | - | 2 | 2.68 | 9 | 11.98 | - | - | - | - | 1 | 1.31 | 1 | 1.31 |
| Eastport..... | - | - | 1 | 1.96 | - | - | 1 | 1.93 | 3 | 5.74 | - | - | 2 | 3.77 |
| Ellsworth..... | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Gardiner..... | - | - | - | - | 7 | 12.73 | 1 | 1.82 | 1 | 1.82 | 1 | 1.82 | - | - |
| Hallowell..... | - | - | - | - | - | - | 1 | 3.50 | 1 | 3.56 | 1 | 3.62 | - | - |
| Lewiston..... | 9 | 4.00 | 5 | 2.20 | 2 | 0.87 | 32 | 13.83 | 38 | 16.27 | 47 | 19.95 | 17 | 7.15 |
| Old Town..... | 4 | 7.28 | 2 | 3.61 | 2 | 3.58 | 3 | 5.33 | 1 | 1.76 | - | - | - | - |
| Portland*..... | 18 | 3.99 | 28 | 6.09 | 23 | 4.92 | 54 | 11.34 | 31 | 6.40 | 22 | 4.46 | 18 | 3.59 |
| Rockland..... | - | - | 9 | 11.03 | 6 | 7.35 | 4 | 4.90 | - | - | 1 | 1.23 | - | - |
| Saco..... | - | - | - | - | 3 | 4.92 | - | - | 1 | 1.64 | 3 | 4.90 | 2 | 3.27 |
| South Portland†..... | 3 | 4.88 | 2 | 3.17 | 4 | 6.17 | 3 | 4.51 | 1 | 1.45 | - | - | - | - |
| Waterville..... | 15 | 18.62 | 9 | 10.85 | 2 | 2.34 | 5 | 5.70 | - | - | - | - | 1 | 1.06 |
| Westbrook..... | - | - | - | - | 4 | 5.70 | - | - | 2 | 2.80 | 1 | 1.39 | 10 | 13.73 |
| Total..... | 67 | 3.17 | 80 | 3.74 | 75 | 3.47 | 128 | 5.86 | 117 | 5.29 | 94 | 4.21 | 66 | 2.92 |
| State..... | 139 | 2.06 | 197 | 2.91 | 174 | 2.55 | 276 | 4.03 | 240 | 3.49 | 152 | 2.20 | 155 | 2.23 |
| State excluding cities..... | 72 | 1.55 | 117 | 2.52 | 99 | 2.13 | 148 | 3.18 | 123 | 2.64 | 58 | 1.24 | 89 | 1.90 |

*Portland includes Dering.

†South Portland includes Cape Elizabeth.

in the Cities and the State, 1894-1908.

| 1901. | Death-rate per 10,000. | 1902. | Death-rate per 10,000. | 1903. | Death-rate per 10,000. | 1904. | Death-rate per 10,000. | 1905. | Death-rate per 10,000. | 1906. | Death-rate per 10,000. | 1907. | Death-rate per 10,000. | 1908. | Death-rate per 10,000. | Total. | Death-rate per 10,000. |
|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|--------|------------------------|
| 2 | 1.52 | - | - | 2 | 1.49 | 3 | 2.30 | 1 | 0.72 | 4 | 2.86 | 6 | 4.24 | 6 | 4.19 | 55 | 2.80 |
| 2 | 1.70 | 1 | 0.84 | - | - | - | - | 3 | 2.45 | 1 | 0.81 | 4 | 3.20 | 2 | 3.17 | 28 | 1.77 |
| 2 | 0.90 | 4 | 1.79 | - | - | 2 | 1.31 | - | - | 5 | 2.13 | 5 | 2.10 | 1 | 0.42 | 42 | 1.28 |
| 5 | 4.69 | 3 | 2.77 | 7 | 6.36 | 14 | 12.52 | 4 | 3.52 | - | - | 2 | 1.71 | - | - | 51 | 3.18 |
| 2 | 4.22 | - | - | - | - | 1 | 1.95 | - | - | 1 | 1.86 | - | - | - | - | 12 | 1.63 |
| 3 | 1.84 | 5 | 3.05 | 7 | 4.20 | 6 | 3.57 | 9 | 5.29 | 1 | 0.58 | 2 | 1.15 | 3 | 1.71 | 84 | 3.46 |
| - | - | - | - | - | - | 3 | 5.89 | - | - | 2 | 3.83 | - | - | 2 | 3.74 | 13 | 1.76 |
| - | - | 1 | 1.29 | 1 | 1.29 | - | - | - | - | 1 | 1.27 | - | - | - | - | 16 | 1.41 |
| 1 | 1.87 | 1 | 1.85 | - | - | - | - | - | - | - | - | - | - | 4 | 7.10 | 13 | 1.61 |
| 1 | 2.33 | - | - | - | - | 1 | 2.33 | - | - | - | - | - | - | 2 | 4.65 | 4 | 0.62 |
| 4 | 7.27 | - | - | - | 2 | 3.63 | - | - | - | 1 | 1.82 | 1 | 1.82 | - | - | 18 | 2.12 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 3 | 0.71 |
| 7 | 2.92 | 1 | 0.41 | 5 | 2.05 | 7 | 2.85 | 2 | 0.81 | 2 | 0.80 | 6 | 2.38 | 10 | 3.94 | 196 | 5.36 |
| - | - | 3 | 5.13 | 1 | 1.70 | 3 | 5.05 | 4 | 6.68 | 11 | 18.25 | 4 | 6.58 | 1 | 1.63 | 39 | 4.44 |
| 24 | 4.71 | 15 | 2.89 | 9 | 1.71 | 18 | 3.36 | 10 | 1.85 | 13 | 2.36 | 7 | 1.24 | 11 | 1.92 | 301 | 4.06 |
| 1 | 1.23 | 1 | 1.23 | - | - | - | - | - | - | 6 | 7.36 | 6 | 7.36 | 1 | 1.23 | 35 | 2.86 |
| 2 | 3.26 | 1 | 1.63 | 1 | 1.63 | 1 | 1.63 | 1 | 1.62 | - | - | 1 | 1.62 | 1 | 1.62 | 17 | 1.85 |
| - | - | 3 | 3.99 | 3 | 3.90 | 1 | 1.27 | 1 | 1.25 | 1 | 1.22 | 3 | 3.58 | - | - | 25 | 2.36 |
| 1 | 1.03 | 3 | 3.01 | 5 | 4.91 | 5 | 4.80 | 5 | 4.69 | 3 | 2.75 | 7 | 6.29 | 4 | 3.52 | 65 | 4.44 |
| 2 | 2.72 | - | - | 1 | 1.34 | 4 | 5.30 | 2 | 2.63 | 3 | 3.91 | 6 | 7.75 | 3 | 3.84 | 38 | 3.41 |
| 59 | 2.58 | 42 | 1.82 | 44 | 1.88 | 70 | 2.96 | 42 | 1.75 | 55 | 2.27 | 60 | 2.46 | 51 | 2.08 | 1,050 | 3.09 |
| 127 | 1.82 | 115 | 1.64 | 115 | 1.63 | 162 | 2.28 | 110 | 1.54 | 119 | 1.66 | 122 | 1.70 | 105 | 1.44 | 2,308 | 2.18 |
| 68 | 1.45 | 73 | 1.55 | 71 | 1.51 | 92 | 1.95 | 68 | 1.44 | 64 | 1.36 | 62 | 1.31 | 54 | 1.12 | 1,258 | 1.85 |

Typhoid Fever.—There were 151 deaths from typhoid fever. Of these, 87 were males and 64 were females. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value; 80 per cent. died between 10 and 50 years of age.

Ages: 1-5, 10; 5-10, 6; 10-20, 40; 20-30, 43; 30-40, 26; 40-50, 14; 50-60, 5; 60-70, 4; 70-80, 3.

The largest number of deaths, 27, occurred in October, and the smallest number, 3, in July. By quarters, 25 were in the first quarter, 31 in the second, 35 in the third, and 60 in the last quarter of the year.

The typhoid death-rate of 2.48 in the cities is greater than that in the villages and rural towns, which is 1.88. The rate for the State is 2.08.

The following exhibits the number of deaths from typhoid fever in each county, by months, with death-rate in each county:

TYPHOID FEVER—1908.

| COUNTIES. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Total. | Death-rate per 10,000. |
|------------------------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|--------|------------------------|
| Androscoggin | — | — | 2 | 1 | — | 1 | — | 1 | 1 | 2 | 1 | 3 | 12 | 2.05 |
| Aroostook | 1 | — | 2 | 2 | 1 | 1 | — | — | 1 | 8 | 4 | 1 | 21 | 3.01 |
| Cumberland | — | — | 2 | 2 | 1 | 3 | — | 7 | 2 | 6 | 4 | 3 | 30 | 2.77 |
| Franklin | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | 0.51 |
| Hancock | — | — | 1 | — | — | 1 | — | 1 | 1 | — | — | — | 4 | 1.07 |
| Kennebec | 1 | — | 1 | 3 | — | 1 | — | — | 2 | — | 1 | 1 | 10 | 1.64 |
| Knox | — | — | 1 | 1 | — | — | 1 | — | — | 1 | — | — | 4 | 1.31 |
| Lincoln | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | 0.51 |
| Oxford | — | — | 1 | — | — | — | — | 2 | — | 1 | — | 1 | 5 | 1.49 |
| Penobscot | 2 | 3 | — | 3 | 2 | 2 | 1 | — | 2 | 2 | 3 | 1 | 21 | 2.66 |
| Piscataquis | 1 | — | 1 | — | — | 1 | — | 2 | — | — | — | — | 6 | 3.41 |
| Sagadahoc | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Somerset | — | — | 2 | 1 | — | — | 1 | — | — | 1 | 1 | 1 | 7 | 2.01 |
| Waldo | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | 0.41 |
| Washington | — | 2 | — | 1 | — | — | — | 3 | 1 | 1 | 5 | 2 | 15 | 3.27 |
| York | 1 | 1 | — | 1 | 1 | — | — | — | 4 | 5 | — | — | 13 | 1.95 |
| State | 6 | 6 | 13 | 15 | 6 | 10 | 3 | 17 | 15 | 27 | 19 | 14 | 151 | 2.08 |

The following exhibits for the sixteen years 1893-1908 the distribution of deaths from typhoid fever by counties, months, and age-periods:

TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1908.

| By Counties. | By Months. | By Age-periods. |
|-----------------------|--------------------|--------------------|
| Androscoggin..... 287 | January..... 240 | Under 1..... 19 |
| Aroostook..... 281 | February..... 216 | 1-5..... 121 |
| Cumberland..... 437 | March..... 277 | 5-10..... 181 |
| Franklin..... 68 | April..... 242 | 10-20..... 738 |
| Hancock..... 118 | May..... 217 | 20-30..... 973 |
| Kennebec..... 323 | June..... 174 | 30-40..... 459 |
| Knox..... 76 | July..... 153 | 40-50..... 301 |
| Lincoln..... 55 | August..... 256 | 50-60..... 166 |
| Oxford..... 134 | September..... 383 | 60-70..... 114 |
| Penobscot..... 549 | October..... 430 | 70-80..... 72 |
| Piscataquis..... 63 | November..... 303 | Over 80..... 17 |
| Sagadahoc..... 58 | December..... 287 | Not stated..... 24 |
| Somerset..... 103 | Not stated..... 7 | Total..... 3,185 |
| Waldo..... 68 | Total..... 3,185 | |
| Washington..... 169 | | |
| York..... 396 | | |
| State..... 3,185 | | |

The following table shows the number of deaths from typhoid fever in each of the cities in each year from 1894 to 1908, the typhoid death-rate of each city based upon the estimated population of each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Typhoid

| CITIES. | 1894. | | 1895. | | 1896. | | 1897. | | 1898. | | 1899. | | 1900. | |
|---------------------------|--------|------------------------|--------|------------------------|--------|------------------------|--------|------------------------|--------|------------------------|--------|------------------------|--------|------------------------|
| | Deaths | Death-rate per 10,000. | Deaths | Death-rate per 10,000. | Deaths | Death-rate per 10,000. | Deaths | Death-rate per 10,000. | Deaths | Death-rate per 10,000. | Deaths | Death-rate per 10,000. | Deaths | Death-rate per 10,000. |
| Auburn | 3 | 2.51 | 1 | 0.83 | 5 | 4.07 | 1 | 0.80 | 3 | 2.38 | 5 | 3.91 | 4 | 3.09 |
| Augusta | 6 | 5.46 | 5 | 4.50 | 5 | 4.46 | 5 | 4.41 | 19 | 16.59 | 8 | 6.92 | 4 | 3.42 |
| Bangor | 25 | 12.37 | 13 | 6.35 | 8 | 3.86 | 8 | 3.80 | 7 | 3.29 | 15 | 6.95 | 4 | 1.83 |
| Bath | 2 | 2.12 | 1 | 1.04 | 2 | 2.05 | - | - | 1 | 0.99 | - | - | - | 10.95 |
| Belfast | - | - | 1 | 2.02 | 1 | 2.05 | - | - | 1 | 2.10 | 1 | 2.14 | - | - |
| Biddeford | 4 | 2.64 | 12 | 7.85 | 17 | 10.99 | 8 | 5.12 | 6 | 3.80 | 5 | 3.13 | 16 | 9.91 |
| Brewer | 6 | 13.45 | - | - | 2 | 4.37 | 1 | 2.15 | - | - | 4 | 8.38 | 1 | 2.07 |
| Calais | 5 | 6.72 | - | - | 7 | 9.32 | - | - | - | - | 4 | 5.25 | 2 | 2.61 |
| Eastport | 2 | 3.95 | 3 | 5.87 | - | - | 1 | 1.92 | 3 | 5.74 | 1 | 1.90 | - | - |
| Ellsworth | 4 | 8.69 | - | - | 2 | 4.44 | 5 | 11.24 | 3 | 6.82 | - | - | 2 | 4.65 |
| Gardiner | - | - | - | - | 1 | 1.82 | 2 | 3.63 | 2 | 3.64 | 2 | 3.64 | 1 | 1.82 |
| Hallowell | 2 | 6.65 | 1 | 3.39 | 2 | 6.81 | 1 | 3.50 | 1 | 3.56 | - | - | - | - |
| Lewiston | 21 | 9.32 | 9 | 3.96 | 11 | 4.80 | 14 | 6.05 | 17 | 7.25 | 24 | 10.19 | 15 | 6.31 |
| Old Town | 3 | 5.46 | 2 | 3.61 | 2 | 3.58 | 1 | 1.78 | 3 | 5.29 | 2 | 3.50 | 3 | 5.21 |
| Portland* | 21 | 4.65 | 25 | 5.00 | 15 | 3.21 | 12 | 2.52 | 37 | 7.65 | 15 | 2.64 | 19 | 3.79 |
| Rockland | - | - | 2 | 2.45 | - | - | 1 | 1.23 | 5 | 6.15 | 1 | 1.23 | 1 | 1.23 |
| Saco | 1 | 1.64 | 6 | 9.84 | 9 | 14.75 | 3 | 4.91 | 3 | 4.91 | 4 | 6.54 | 6 | 9.80 |
| South Portland† | 1 | 1.65 | 2 | 3.17 | 3 | 4.62 | 6 | 9.01 | 2 | 2.93 | 2 | 2.86 | - | - |
| Waterville | 3 | 3.72 | 1 | 1.21 | - | - | 3 | 3.96 | 2 | 2.22 | 3 | 3.25 | 2 | 2.11 |
| Westbrook | 2 | 2.90 | 3 | 4.31 | 2 | 2.82 | - | - | 4 | 5.59 | 2 | 2.77 | 1 | 1.37 |
| Total | 111 | 5.25 | 85 | 3.98 | 94 | 4.35 | 72 | 3.29 | 119 | 5.38 | 96 | 4.16 | 82 | 3.68 |
| State | 277 | 4.11 | 206 | 3.04 | 204 | 3.06 | 167 | 2.44 | 226 | 3.23 | 205 | 2.98 | 196 | 2.82 |
| State exclusive of cities | 166 | 3.55 | 121 | 2.61 | 110 | 2.37 | 95 | 2.04 | 107 | 2.29 | 110 | 2.42 | 114 | 2.43 |

*Including Deering.

†Including Cape Elizabeth.

Malarial Diseases.—Nine deaths were registered as due to malarial diseases. In four of these cases the disease was contracted outside of this State; in the others, no information could be obtained. Three persons contracted the disease in the war of the rebellion. The decedents were males; their respective ages were 30-40, 1; 60-70, 4; 70-80, 1; 80-90, 3.

Fever in the Cities and the State, 1894-1908.

| 1901. | Death-rate per 10,000. | 1902. | Death-rate per 10,000. | 1903. | Death-rate per 10,000. | 1904. | Death-rate per 10,000. | 1905. | Death-rate per 10,000. | 1906. | Death-rate per 10,000. | 1907. | Death-rate per 10,000. | 1908. | Death-rate per 10,000. | Total. | Death-rate per 10,000. |
|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|--------|------------------------|
| - | - | 1 | 0.75 | 1 | 0.74 | 1 | 0.73 | 2 | 1.45 | - | - | - | - | 2 | 1.40 | 29 | 1.51 |
| 9 | 7.63 | 4 | 3.36 | 29 | 24.11 | 5 | 4.12 | 6 | 4.89 | 7 | 5.66 | 3 | 2.40 | 5 | 3.96 | 120 | 6.79 |
| 24 | 10.85 | 7 | 3.12 | 10 | 4.41 | 39 | 16.99 | 17 | 7.32 | 10 | 4.26 | 7 | 2.94 | 7 | 2.90 | 201 | 6.08 |
| 1 | 0.94 | 2 | 1.85 | 1 | 0.91 | 2 | 1.79 | 1 | 0.88 | - | - | 2 | 1.71 | - | - | 16 | 1.02 |
| - | - | - | - | 1 | 2.00 | 2 | 3.91 | 1 | 1.91 | - | - | - | - | - | - | 8 | 1.08 |
| 19 | 11.65 | 10 | 6.07 | 8 | 4.80 | 10 | 5.94 | 13 | 7.65 | 3 | 1.75 | 3 | 1.73 | - | - | 134 | 5.54 |
| 7 | 14.29 | 1 | 2.01 | - | - | 3 | 5.89 | 1 | 1.94 | 1 | 1.92 | 2 | 3.78 | 2 | 3.74 | 31 | 4.27 |
| 3 | 3.90 | 3 | 3.88 | 2 | 2.58 | - | - | 3 | 3.83 | 4 | 5.08 | 6 | 7.59 | 2 | 2.52 | 41 | 3.55 |
| 2 | 3.74 | 1 | 1.85 | 1 | 1.84 | - | - | - | - | 1 | 1.80 | - | - | - | - | 15 | 1.91 |
| - | - | 2 | 4.65 | 2 | 4.65 | 1 | 2.33 | - | - | - | - | - | - | 1 | 2.33 | 22 | 3.32 |
| 2 | 3.64 | 1 | 1.82 | 1 | 1.82 | - | - | - | - | - | - | - | - | - | - | 12 | 1.46 |
| 4 | 14.73 | 2 | 7.37 | 1 | 3.68 | 1 | 3.68 | - | - | - | - | 2 | 7.35 | - | - | 17 | 4.05 |
| 13 | 5.42 | 2 | 0.83 | 3 | 1.23 | 9 | 3.66 | 8 | 3.23 | 8 | 3.20 | 5 | 1.91 | 8 | 3.15 | 167 | 4.70 |
| 7 | 12.05 | 5 | 8.54 | 9 | 15.26 | 19 | 31.97 | 5 | 8.35 | 6 | 9.94 | 8 | 13.16 | 6 | 9.80 | 81 | 9.17 |
| 15 | 2.94 | 15 | 2.89 | 17 | 3.23 | 16 | 2.99 | 14 | 2.58 | 9 | 1.63 | 11 | 1.96 | 22 | 4.01 | 259 | 3.44 |
| 1 | 1.23 | 1 | 1.23 | 1 | 1.23 | 2 | 2.45 | 1 | 1.25 | 3 | 3.68 | 1 | 1.23 | - | - | 20 | 1.64 |
| 5 | 8.16 | 4 | 6.52 | 5 | 8.15 | 5 | 8.14 | 2 | 3.25 | - | - | - | - | - | - | 53 | 5.77 |
| - | - | 1 | 1.33 | 3 | 3.90 | 1 | 1.27 | 1 | 1.25 | - | - | - | - | 2 | 2.79 | 24 | 2.32 |
| 7 | 7.20 | 7 | 7.03 | 17 | 16.69 | 2 | 1.92 | 2 | 1.87 | - | - | 1 | 0.90 | 3 | 2.64 | 53 | 3.65 |
| 1 | 1.36 | 2 | 2.70 | 3 | 4.01 | 3 | 3.98 | 2 | 2.63 | - | - | - | - | 1 | 1.28 | 26 | 2.38 |
| 120 | 5.25 | 71 | 3.07 | 115 | 4.91 | 121 | 5.11 | 79 | 3.30 | 52 | 2.15 | 51 | 2.08 | 61 | 2.48 | 1,329 | 3.89 |
| 224 | 3.21 | 162 | 2.31 | 225 | 3.18 | 242 | 3.41 | 156 | 2.18 | 133 | 1.85 | 124 | 1.73 | 151 | 2.08 | 2,899 | 2.78 |
| 104 | 2.22 | 91 | 1.94 | 110 | 2.34 | 121 | 2.57 | 77 | 1.63 | 81 | 1.72 | 73 | 1.54 | 90 | 1.88 | 1,570 | 3.27 |

Tuberculosis.—In 1908, tuberculosis in its various forms was the cause of 1,145 deaths (1,513 in 1892, 1,446 in 1893, 1,443 in 1894, 1,397 in 1895, 1,359 in 1896, 1,338 in 1897, 1,239 in 1898, 1,241 in 1899, 1,223 in 1900, 1,250 in 1901, 1,165 in 1902, 1,076 in 1903, 1,217 in 1904, 1,109 in 1905, 1,176 in 1906, and 1,214 in 1907). The death-rate per 10,000 from this cause was 15.75.

The following table shows the number of deaths from tuberculosis in each of the cities in each year from 1894 to 1908, the tuberculosis death-rate of each city based upon the estimated

Deaths and Death-Rates from Tuberculosis

| CITIES. | 1894. | | 1895. | | 1896. | | 1897. | | 1898. | | 1899. | | 1900. | |
|--------------------------------|--------|------------------------|--------|------------------------|--------|------------------------|--------|------------------------|--------|------------------------|--------|------------------------|--------|------------------------|
| | Number | Death-rate per 10,000. | Number | Death-rate per 10,000. | Number | Death-rate per 10,000. | Number | Death-rate per 10,000. | Number | Death-rate per 10,000. | Number | Death-rate per 10,000. | Number | Death-rate per 10,000. |
| Auburn..... | 36 | 30.17 | 24 | 19.83 | 26 | 21.19 | 22 | 17.68 | 24 | 19.03 | 15 | 11.74 | 20 | 15.44 |
| Augusta..... | 31 | 28.21 | 37 | 33.32 | 30 | 26.74 | 19 | 16.76 | 22 | 19.21 | 20 | 17.29 | 21 | 17.97 |
| Bangor..... | 45 | 22.28 | 56 | 27.35 | 43 | 20.72 | 49 | 23.30 | 43 | 20.19 | 50 | 23.17 | 34 | 15.56 |
| Bath..... | 15 | 15.92 | 20 | 20.83 | 14 | 14.32 | 22 | 22.12 | 20 | 19.75 | 11 | 10.68 | 22 | 21.00 |
| Belfast..... | 16 | 31.86 | 11 | 22.20 | 16 | 32.74 | 9 | 18.68 | 5 | 10.52 | 5 | 10.68 | 12 | 26.00 |
| Biddeford..... | 33 | 21.82 | 32 | 20.92 | 34 | 21.99 | 33 | 21.11 | 27 | 17.08 | 34 | 21.28 | 28 | 17.34 |
| Brewer..... | 11 | 24.72 | 17 | 37.66 | 14 | 30.58 | 19 | 40.94 | 10 | 21.24 | 15 | 31.44 | 18 | 37.23 |
| Calais..... | 19 | 25.55 | 26 | 34.79 | 22 | 29.30 | 14 | 18.55 | 11 | 14.51 | 16 | 21.00 | 19 | 24.82 |
| Eastport..... | 20 | 39.46 | 19 | 37.18 | - | - | 10 | 19.27 | 8 | 15.30 | 19 | 36.05 | 13 | 24.48 |
| Ellsworth..... | 7 | 15.21 | 8 | 17.58 | 8 | 17.78 | 12 | 26.97 | 7 | 15.92 | 9 | 20.70 | 5 | 11.64 |
| Gardiner..... | 19 | 34.58 | 13 | 23.65 | 11 | 20.01 | 15 | 27.28 | 5 | 9.09 | 11 | 20.00 | 9 | 16.36 |
| Hallowell..... | 6 | 20.04 | 6 | 20.36 | 7 | 24.13 | 13 | 45.55 | 4 | 14.25 | 7 | 25.35 | 11 | 40.53 |
| Lewiston..... | 48 | 21.31 | 49 | 21.56 | 45 | 19.62 | 75 | 32.41 | 60 | 25.70 | 50 | 21.23 | 45 | 18.94 |
| Old Town..... | 12 | 21.85 | 9 | 16.25 | 16 | 28.66 | 17 | 30.21 | 9 | 15.86 | 9 | 15.74 | 11 | 19.09 |
| Portland*..... | 104 | 23.05 | 125 | 27.20 | 103 | 22.01 | 109 | 22.88 | 113 | 23.31 | 107 | 21.70 | 109 | 21.74 |
| Rockland..... | 21 | 25.72 | 10 | 12.25 | 17 | 20.83 | 18 | 22.07 | 19 | 23.30 | 11 | 13.49 | 18 | 22.09 |
| Saco..... | 14 | 22.97 | 12 | 19.68 | 9 | 14.75 | 13 | 21.28 | 9 | 14.72 | 13 | 21.25 | 9 | 14.70 |
| South Portland†..... | 3 | 4.88 | 12 | 19.00 | 7 | 10.79 | 13 | 19.52 | 9 | 13.18 | 9 | 12.85 | 13 | 18.12 |
| Waterville..... | 21 | 26.07 | 16 | 19.30 | 16 | 18.76 | 28 | 31.94 | 20 | 22.21 | 21 | 22.73 | 15 | 15.83 |
| Westbrook..... | 18 | 26.12 | 12 | 17.25 | 14 | 19.93 | 10 | 14.11 | 19 | 26.56 | 18 | 24.94 | 16 | 21.97 |
| Total..... | 499 | 23.62 | 514 | 24.05 | 452 | 20.91 | 520 | 23.79 | 444 | 20.09 | 450 | 20.14 | 448 | 19.83 |
| State..... | 1443 | 21.40 | 1397 | 20.61 | 1359 | 19.95 | 1338 | 19.55 | 1239 | 18.01 | 1241 | 17.96 | 1223 | 17.61 |
| State exclusive of cities..... | 944 | 20.38 | 883 | 19.03 | 907 | 19.51 | 818 | 17.56 | 795 | 17.03 | 791 | 16.91 | 775 | 16.54 |

*Portland includes Deering.

†South Portland includes Cape Elizabeth.

population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

(all kinds) in the Cities and the State—1894-1908.

| 1901. | Death-rate per 10,000. | 1902. | Death-rate per 10,000. | 1903. | Death-rate per 10,000. | 1904. | Death-rate per 10,000. | 1905. | Death-rate per 10,000. | 1906. | Death-rate per 10,000. [†] | 1907. | Death-rate per 10,000. | 1908. | Death-rate per 10,000. | Total. | Death-rate per 10,000. |
|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|-------------------------------------|-------|------------------------|-------|------------------------|--------|------------------------|
| 21 | 16.00 | 8 | 6.02 | 18 | 13.37 | 20 | 14.67 | 17 | 12.32 | 18 | 12.88 | 28 | 19.80 | 17 | 11.88 | 314 | 16.13 |
| 22 | 18.65 | 18 | 15.11 | 20 | 16.63 | 22 | 18.11 | 22 | 17.94 | 18 | 14.54 | 20 | 16.01 | 24 | 19.03 | 346 | 19.70 |
| 51 | 23.05 | 48 | 21.43 | 37 | 16.31 | 58 | 25.27 | 51 | 21.96 | 48 | 20.43 | 54 | 22.71 | 47 | 19.54 | 714 | 21.55 |
| 31 | 29.10 | 19 | 17.55 | 13 | 11.80 | 15 | 13.42 | 20 | 17.61 | 11 | 9.54 | 9 | 7.69 | 14 | 11.79 | 256 | 16.21 |
| 9 | 18.98 | 11 | 22.60 | 12 | 24.03 | 10 | 19.53 | 8 | 15.25 | 6 | 11.17 | 7 | 12.73 | 9 | 17.14 | 146 | 19.61 |
| 38 | 23.29 | 37 | 22.44 | 37 | 22.21 | 39 | 23.18 | 29 | 17.06 | 45 | 26.21 | 38 | 21.92 | 49 | 27.96 | 533 | 21.72 |
| 15 | 30.62 | 7 | 14.10 | 11 | 21.88 | 16 | 31.42 | 21 | 40.73 | 18 | 34.48 | 14 | 26.50 | 4 | 7.48 | 210 | 28.73 |
| 24 | 31.20 | 12 | 15.52 | 13 | 16.74 | 14 | 17.95 | 17 | 21.69 | 12 | 15.24 | 14 | 17.70 | 13 | 16.36 | 246 | 21.39 |
| 17 | 31.77 | 9 | 16.69 | 10 | 18.41 | 10 | 18.27 | 13 | 23.58 | 13 | 23.41 | 10 | 17.88 | 8 | 14.20 | 179 | 22.40 |
| 8 | 18.62 | 5 | 11.64 | 7 | 16.29 | 3 | 6.98 | 5 | 11.64 | 8 | 18.62 | 3 | 6.98 | 6 | 13.97 | 101 | 15.37 |
| 8 | 14.54 | 11 | 19.99 | 8 | 14.53 | 8 | 14.53 | 7 | 12.71 | 5 | 9.08 | 14 | 25.42 | 12 | 21.78 | 156 | 18.90 |
| 7 | 25.79 | 6 | 22.11 | 8 | 29.48 | 3 | 11.05 | 8 | 29.48 | 9 | 33.16 | 8 | 29.48 | 8 | 29.48 | 111 | 26.68 |
| 35 | 13.77 | 51 | 21.10 | 28 | 11.49 | 41 | 16.68 | 42 | 16.94 | 58 | 23.20 | 57 | 22.62 | 52 | 20.47 | 734 | 20.47 |
| 10 | 17.22 | 14 | 23.92 | 14 | 23.74 | 16 | 26.92 | 19 | 31.72 | 17 | 28.17 | 14 | 23.03 | 18 | 29.40 | 205 | 23.45 |
| 124 | 24.32 | 120 | 23.16 | 98 | 18.61 | 102 | 19.07 | 100 | 18.41 | 101 | 18.31 | 104 | 18.57 | 104 | 18.13 | 1,623 | 21.36 |
| 18 | 22.09 | 15 | 18.40 | 23 | 23.22 | 20 | 24.54 | 18 | 22.09 | 12 | 14.72 | 16 | 19.65 | 13 | 15.95 | 249 | 20.35 |
| 10 | 16.32 | 7 | 11.42 | 8 | 13.04 | 12 | 19.54 | 13 | 21.15 | 8 | 13.01 | 12 | 19.49 | 7 | 11.36 | 156 | 16.98 |
| 11 | 14.97 | 9 | 11.97 | 12 | 15.61 | 15 | 19.08 | 9 | 11.21 | 13 | 15.85 | 11 | 13.14 | 7 | 9.76 | 153 | 14.00 |
| 13 | 13.88 | 9 | 9.04 | 18 | 17.67 | 19 | 18.23 | 16 | 15.01 | 17 | 15.60 | 23 | 20.65 | 16 | 14.07 | 268 | 18.70 |
| 22 | 29.94 | 11 | 14.84 | 10 | 13.37 | 11 | 14.58 | 10 | 13.14 | 12 | 15.64 | 10 | 12.92 | 12 | 15.38 | 205 | 18.71 |
| 492 | 21.52 | 427 | 18.45 | 405 | 17.30 | 454 | 19.17 | 445 | 18.57 | 449 | 18.53 | 466 | 19.01 | 440 | 17.91 | 6,905 | 20.19 |
| 1,250 | 17.90 | 1165 | 16.58 | 1076 | 15.23 | 1217 | 17.13 | 1109 | 15.52 | 1176 | 16.36 | 1214 | 16.91 | 1145 | 15.75 | 18592 | 17.76 |
| 758 | 16.16 | 738 | 15.71 | 671 | 14.27 | 762 | 16.20 | 664 | 14.08 | 727 | 15.40 | 748 | 15.82 | 705 | 14.65 | 11687 | 16.61 |

Cerebral Tuberculosis.—(Tubercular Meningitis.)—The number of deaths was 89; 48 were of males and 41 of females.

The number for the cities was 46. The death-rate for the State was 0.59; for the cities, 1.87.

Ages: Under 1, 18; 1-5, 34; 5-10, 9; 10-20, 13; 20-30, 6; 30-40, 5; 40-50, 3; over 60, 1.

Pulmonary Tuberculosis.—(Consumption.)—From this cause 893 deaths were registered in 1908, which is equivalent to a death-rate of 12.29 per 10,000 of population. The death-rate for the cities was 13.22. The following is a tabular arrangement of the number of deaths in the State from pulmonary tuberculosis in each of the seventeen registration years, together with the death-rate from consumption for each year:

| | Number of Deaths. | Death-rate per 10,000. |
|------------|----------------------|---------------------------|
| 1892 | 1,352 | 20.24 |
| 1893 | 1,299 | 19.35 |
| 1894 | 1,262 | 18.80 |
| 1895 | 1,195 | 17.71 |
| 1896 | 1,172 | 17.21 |
| 1897 | 1,128 | 16.47 |
| 1898 | 1,021 | 14.85 |
| 1899 | 1,015 | 14.69 |
| 1900 | 1,027 | 14.79 |
| 1901 | 1,033 | 14.87 |
| 1902 | 970 | 13.97 |
| 1903 | 901 | 12.97 |
| 1904 | 1,016 | 14.63 |
| 1905 | 894 | 12.50 |
| 1906 | 915 | 12.73 |
| 1907 | 950 | 13.14 |
| 1908 | 893 | 12.29 |

There were in 1908, 459 fewer deaths than in 1892, 406 fewer than in 1893, 369 fewer than in 1894, 302 fewer than in 1895, 279 fewer than in 1896, 235 fewer than in 1897, 128 fewer than in 1898, 122 fewer than in 1899, 134 fewer than in 1900, 140 fewer than in 1901, 77 fewer than in 1902, 8 fewer than in 1903, 123 fewer than in 1904, 1 fewer than in 1905, 22 fewer than in 1906, and 57 fewer than in 1907.

Ages: Under 1, 14; 1-5, 14; 5-10, 6; 10-20, 90; 20-30, 235; 30-40, 177; 40-50, 127; 50-60, 95; 60-70, 70; 70-80, 50; 80 and over, 13, and not stated, 2.

It is thus shown in this report, as it was in the majority of the preceding reports, that the smallest number of deaths occurred at the age-period 5-10 years, and that, of the decedents whose ages were given, 70 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 466 of the decedents, or 52.2 per cent., were males; and 427, or 47.8 per cent., were females.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

CONSUMPTION BY COUNTIES AND MONTHS— 1908.

| COUNTIES. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Total. | Death-rate per 10,000. |
|-------------------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|--------|---------------------------|
| Androscoggin..... | 8 | 7 | 7 | 10 | 7 | 3 | 4 | 6 | 5 | 6 | 10 | 8 | 79 | 13.52 |
| Aroostook..... | 10 | 14 | 4 | 7 | 5 | 8 | 11 | 4 | 4 | 4 | 8 | 7 | 86 | 12.34 |
| Cumberland..... | 9 | 11 | 11 | 14 | 15 | 11 | 9 | 9 | 13 | 11 | 5 | 4 | 120 | 11.06 |
| Franklin..... | 1 | 3 | 3 | 2 | 2 | 1 | 1 | - | 1 | 2 | 1 | 1 | 15 | 9.20 |
| Hancock..... | 2 | 3 | 4 | 2 | 3 | 2 | 4 | 4 | 2 | 7 | 5 | 8 | 46 | 12.35 |
| Kennebec..... | 9 | 6 | 8 | 6 | 5 | 7 | 4 | 9 | 4 | 9 | 7 | 12 | 86 | 14.15 |
| Knox..... | 2 | 2 | 7 | 4 | 2 | 4 | 2 | - | 2 | 1 | 5 | 4 | 33 | 10.85 |
| Lincoln..... | 6 | - | 5 | 5 | 4 | 1 | - | 2 | - | 3 | 1 | 2 | 29 | 14.74 |
| Oxford..... | 6 | 1 | 2 | 4 | 4 | 4 | 2 | 1 | 2 | 4 | 5 | 3 | 36 | 10.73 |
| Penobscot..... | 5 | 7 | 7 | 12 | 7 | 6 | 8 | 4 | 9 | 9 | 10 | 9 | 93 | 11.77 |
| Piscataquis..... | 3 | 1 | 1 | 1 | 1 | 3 | - | - | - | 1 | 5 | - | 16 | 9.09 |
| Sagadahoc..... | 1 | 3 | 2 | 6 | 4 | 2 | 4 | 2 | 1 | 2 | - | - | 27 | 12.84 |
| Somerset..... | 5 | 5 | 4 | 4 | 5 | 2 | 3 | 5 | 1 | 3 | 2 | 3 | 42 | 12.06 |
| Waldo..... | 3 | 3 | - | 4 | - | 3 | - | 5 | 1 | 2 | - | 1 | 22 | 9.10 |
| Washington..... | 2 | 8 | 7 | 7 | 7 | 6 | 4 | 5 | 5 | - | 7 | 9 | 67 | 14.62 |
| York..... | 14 | 11 | 6 | 14 | 7 | 5 | 7 | 8 | 2 | 8 | 5 | 6 | 95 | 13.98 |
| State..... | 86 | 85 | 78 | 102 | 76 | 68 | 63 | 64 | 50 | 72 | 72 | 77 | 893 | 12.29 |

The following table shows the deaths from pulmonary tuberculosis arranged according to sex and age-periods:

CONSUMPTION BY SEX AND AGE-PERIODS—1908.

| SEX. | Under 1. | 1-5. | 5-10. | 10-20. | 20-30. | 30-40. | 40-50. | 50-60. | 60-70. | 70-80. | Over 80. | Not stated. | Total. |
|--------------|----------|------|-------|--------|--------|--------|--------|--------|--------|--------|----------|-------------|--------|
| Males..... | 9 | 11 | 3 | 38 | 111 | 91 | 74 | 56 | 39 | 28 | 5 | 1 | 466 |
| Females..... | 5 | 5 | 3 | 52 | 124 | 86 | 55 | 39 | 31 | 22 | 8 | 1 | 427 |
| Total..... | 14 | 14 | 6 | 90 | 235 | 177 | 127 | 95 | 70 | 50 | 13 | 2 | 893 |

For the sixteen years 1893-1908, the distribution of deaths from pulmonary tuberculosis is shown by counties, months, and age-periods in the following table:

**CONSUMPTION BY COUNTIES, MONTHS, AND
AGE-PERIODS—1893-1908.**

| By Counties. | | By Months. | | By Age-periods. | |
|-------------------|--------|-----------------|--------|-----------------|--------|
| Androscoggin..... | 1,294 | January..... | 1,410 | Under 1..... | 246 |
| Aroostook..... | 1,119 | February..... | 1,418 | 1-5..... | 248 |
| Cumberland..... | 2,428 | March..... | 1,700 | 5-10..... | 156 |
| Franklin..... | 393 | April..... | 1,609 | 10-20..... | 1,979 |
| Hancock..... | 885 | May..... | 1,613 | 20-30..... | 4,852 |
| Kennebec..... | 1,484 | June..... | 1,403 | 30-40..... | 3,157 |
| Knox..... | 834 | July..... | 1,331 | 40-50..... | 1,999 |
| Lincoln..... | 453 | August..... | 1,256 | 50-60..... | 1,514 |
| Oxford..... | 634 | September..... | 1,167 | 60-70..... | 1,308 |
| Penobscot..... | 1,971 | October..... | 1,258 | 70-80..... | 909 |
| Piscataquis..... | 366 | November..... | 1,185 | Over 80..... | 251 |
| Sagadahoc..... | 451 | December..... | 1,325 | Not stated..... | 72 |
| Somerset..... | 852 | Not stated..... | 16 | Total..... | 16,691 |
| Waldo..... | 676 | Total..... | 16,691 | | |
| Washington..... | 1,240 | | | | |
| York..... | 1,611 | | | | |
| State..... | 16,691 | | | | |

The following table shows the number of deaths from pulmonary tuberculosis in each of the cities in each year from 1894 to 1908, the death-rate from this disease for each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Pulmonary Tuberculosis

| CITIES. | 1894. | Death-rate per 10,000. | 1895. | Death-rate per 10,000. | 1896. | Death-rate per 10,000. | 1897. | Death-rate per 10,000. | 1898. | Death-rate per 10,000. | 1899. | Death-rate per 10,000. | 1900. | Death-rate per 10,000. |
|--------------------------------|-------------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|
| | Auburn..... | 29 | 24.31 | 20 | 16.53 | 19 | 15.48 | 21 | 16.88 | 21 | 16.65 | 12 | 9.39 | 17 |
| Augusta..... | 28 | 25.48 | 33 | 29.72 | 25 | 22.28 | 14 | 12.35 | 19 | 16.59 | 16 | 13.83 | 18 | 15.41 |
| Bangor..... | 38 | 18.81 | 47 | 22.95 | 35 | 16.87 | 38 | 18.07 | 32 | 15.02 | 40 | 18.54 | 28 | 12.81 |
| Bath..... | 13 | 13.79 | 20 | 20.83 | 13 | 13.30 | 17 | 17.09 | 18 | 17.78 | 6 | 5.82 | 19 | 18.13 |
| Belfast..... | 15 | 29.87 | 10 | 20.19 | 12 | 24.55 | 8 | 16.60 | 5 | 10.52 | 5 | 10.68 | 11 | 23.84 |
| Biddeford..... | 29 | 19.17 | 28 | 18.31 | 27 | 17.46 | 32 | 20.47 | 24 | 15.19 | 30 | 18.78 | 26 | 16.10 |
| Brewer..... | 9 | 20.22 | 13 | 28.80 | 10 | 21.84 | 16 | 34.47 | 7 | 14.87 | 14 | 29.34 | 12 | 24.82 |
| Calais..... | 16 | 21.52 | 19 | 25.42 | 20 | 26.63 | 10 | 13.25 | 9 | 11.87 | 15 | 19.69 | 14 | 18.29 |
| Eastport..... | 18 | 35.51 | 18 | 35.33 | - | - | 9 | 17.34 | 7 | 13.38 | 17 | 32.25 | 12 | 22.59 |
| Ellsworth..... | 7 | 15.21 | 8 | 17.58 | 7 | 15.56 | 12 | 26.97 | 7 | 15.92 | 8 | 18.40 | 5 | 11.64 |
| Gardiner..... | 19 | 34.58 | 12 | 21.83 | 10 | 18.19 | 12 | 21.83 | 5 | 9.09 | 7 | 12.73 | 8 | 14.54 |
| Hallowell..... | 5 | 16.70 | 4 | 13.57 | 5 | 17.24 | 11 | 38.54 | 3 | 10.69 | 5 | 18.11 | 10 | 36.85 |
| Lewiston..... | 43 | 19.09 | 43 | 18.92 | 36 | 15.70 | 56 | 24.20 | 46 | 19.70 | 34 | 14.43 | 40 | 16.83 |
| Old Town..... | 11 | 20.03 | 8 | 14.45 | 11 | 19.71 | 17 | 30.21 | 7 | 12.34 | 9 | 15.74 | 10 | 17.35 |
| Portland*..... | 80 | 19.06 | 100 | 21.76 | 79 | 16.88 | 82 | 17.21 | 90 | 18.57 | 87 | 17.64 | 82 | 16.35 |
| Rockland..... | 20 | 24.50 | 9 | 11.02 | 15 | 18.38 | 14 | 17.16 | 13 | 15.94 | 6 | 7.30 | 17 | 20.86 |
| Saco..... | 14 | 22.97 | 8 | 13.12 | 7 | 11.47 | 11 | 18.01 | 7 | 11.45 | 10 | 16.35 | 9 | 14.70 |
| South Portland†..... | 9 | 14.65 | 10 | 15.83 | 6 | 9.25 | 10 | 15.02 | 5 | 7.32 | 8 | 11.42 | 9 | 12.55 |
| Waterville..... | 10 | 19.86 | 11 | 13.27 | 9 | 10.55 | 24 | 27.38 | 14 | 15.55 | 19 | 20.56 | 14 | 14.77 |
| Westbrook..... | 14 | 20.31 | 6 | 8.62 | 10 | 14.24 | 10 | 14.11 | 13 | 18.17 | 15 | 20.78 | 14 | 19.22 |
| Total..... | 439 | 20.78 | 427 | 19.98 | 356 | 16.47 | 424 | 19.40 | 352 | 15.93 | 363 | 16.24 | 375 | 16.60 |
| State..... | 1262 | 18.71 | 1195 | 17.63 | 1172 | 17.21 | 1128 | 16.48 | 1021 | 14.84 | 1015 | 14.69 | 1027 | 14.79 |
| State exclusive of cities..... | 823 | 17.77 | 768 | 16.55 | 816 | 17.55 | 704 | 15.11 | 669 | 14.33 | 652 | 13.94 | 652 | 13.92 |

*Portland includes Deering.

†South Portland includes Cape Elizabeth.

in the Cities and the State, 1894-1908.

| 1901. | Death-rate per 10,000. | 1902. | Death-rate per 10,000. | 1903. | Death-rate per 10,000. | 1904. | Death-rate per 10,000. | 1905. | Death-rate per 10,000. | 1906. | Death-rate per 10,000. | 1907. | Death-rate per 10,000. | 1908. | Death-rate per 10,000. | Total. | Death-rate per 10,000. |
|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|--------|------------------------|
| 14 | 10.67 | 7 | 5.27 | 14 | 10.40 | 15 | 9.55 | 12 | 8.69 | 14 | 10.02 | 20 | 14.14 | 15 | 10.48 | 248 | 12.77 |
| 20 | 16.95 | 14 | 11.75 | 16 | 13.30 | 21 | 17.29 | 21 | 17.13 | 15 | 12.12 | 18 | 14.41 | 19 | 15.07 | 297 | 16.91 |
| 36 | 16.27 | 40 | 17.86 | 31 | 13.67 | 47 | 20.48 | 39 | 16.79 | 35 | 14.89 | 40 | 16.82 | 36 | 14.97 | 562 | 16.99 |
| 29 | 27.22 | 13 | 12.01 | 13 | 11.86 | 11 | 9.84 | 19 | 16.73 | 8 | 6.94 | 6 | 5.13 | 12 | 10.16 | 217 | 13.77 |
| 8 | 16.87 | 7 | 14.38 | 10 | 20.02 | 7 | 13.67 | 8 | 15.25 | 4 | 7.44 | 6 | 10.91 | 9 | 17.14 | 125 | 16.80 |
| 34 | 20.84 | 35 | 21.23 | 31 | 18.61 | 36 | 21.40 | 20 | 11.77 | 31 | 18.06 | 31 | 17.88 | 37 | 21.11 | 451 | 18.42 |
| 12 | 29.49 | 5 | 10.07 | 8 | 15.91 | 14 | 27.49 | 16 | 31.06 | 11 | 21.07 | 16 | 18.93 | 3 | 5.61 | 160 | 22.26 |
| 20 | 26.00 | 10 | 12.93 | 9 | 11.56 | 16 | 12.82 | 16 | 20.41 | 12 | 15.24 | 16 | 12.64 | 12 | 15.10 | 202 | 17.49 |
| 15 | 28.02 | 9 | 16.69 | 7 | 12.89 | 7 | 12.79 | 12 | 21.77 | 11 | 19.81 | 10 | 17.88 | 4 | 7.10 | 156 | 19.56 |
| 8 | 18.62 | 5 | 11.64 | 7 | 16.29 | 2 | 4.65 | 4 | 9.31 | 6 | 13.96 | 2 | 6.98 | 5 | 11.64 | 94 | 14.29 |
| 5 | 9.09 | 9 | 16.35 | 7 | 12.72 | 8 | 14.53 | 7 | 12.71 | 3 | 5.45 | 11 | 19.98 | 6 | 10.89 | 129 | 15.63 |
| 7 | 25.79 | 5 | 18.42 | 7 | 25.79 | 3 | 11.05 | 8 | 29.48 | 8 | 29.48 | 7 | 25.79 | 8 | 29.48 | 96 | 23.13 |
| 25 | 10.43 | 46 | 19.03 | 21 | 8.61 | 33 | 13.42 | 31 | 12.51 | 42 | 17.20 | 43 | 17.06 | 38 | 14.96 | 578 | 16.13 |
| 9 | 15.50 | 10 | 17.09 | 10 | 16.95 | 14 | 23.56 | 18 | 30.06 | 13 | 21.54 | 14 | 23.03 | 11 | 17.97 | 172 | 19.70 |
| 101 | 19.81 | 88 | 16.98 | 80 | 15.19 | 82 | 15.33 | 77 | 14.17 | 77 | 13.96 | 78 | 13.93 | 68 | 11.85 | 1,257 | 16.58 |
| 17 | 20.85 | 15 | 18.40 | 20 | 24.54 | 16 | 19.63 | 18 | 22.09 | 10 | 12.27 | 14 | 17.18 | 10 | 12.27 | 214 | 17.50 |
| 7 | 11.42 | 2 | 4.89 | 8 | 13.04 | 10 | 16.28 | 12 | 19.52 | 8 | 13.01 | 11 | 17.87 | 4 | 6.49 | 129 | 14.04 |
| 11 | 14.97 | 8 | 10.64 | 9 | 11.71 | 13 | 16.54 | 2 | 2.49 | 11 | 13.41 | 8 | 9.55 | 6 | 8.36 | 125 | 11.57 |
| 10 | 10.30 | 7 | 7.03 | 16 | 15.70 | 15 | 14.39 | 14 | 13.13 | 15 | 13.76 | 17 | 15.27 | 12 | 10.55 | 213 | 14.80 |
| 17 | 23.14 | 8 | 10.79 | 9 | 12.04 | 11 | 14.58 | 8 | 10.51 | 12 | 15.64 | 8 | 10.34 | 10 | 12.81 | 165 | 15.02 |
| 405 | 17.71 | 344 | 14.87 | 338 | 14.22 | 373 | 15.75 | 362 | 15.11 | 347 | 14.32 | 365 | 14.99 | 325 | 13.22 | 5,590 | 16.37 |
| 1,033 | 14.79 | 976 | 13.81 | 901 | 12.75 | 1016 | 14.30 | 894 | 12.51 | 915 | 12.73 | 950 | 13.14 | 892 | 12.29 | 15,892 | 14.72 |
| 628 | 13.39 | 626 | 13.33 | 568 | 12.08 | 643 | 13.65 | 532 | 11.28 | 568 | 12.03 | 585 | 12.37 | 568 | 11.81 | 9,802 | 13.94 |

Tuberculosis Mesenteric.—There were 63 deaths from this cause, 28 males and 35 females.

Ages: Under 1, 8; 1-5, 3; 5-10, 2; 10-20, 7; 20-40, 18; 40-60, 12; over 60, 13.

Tuberculosis, Other Forms.—Of these deaths, 100 in all, the cause assigned was: Tuberculosis or general tuberculosis, 55; tuberculosis of larynx, 13; tuberculosis of glands, 5; tuberculosis of kidneys, 4; tuberculosis of throat, 2; Pott's disease, 13; white swelling, 4; and others, 4.

There were 15 deaths from erysipelas; 49 from pyemia and septicemia, and 23 from puerperal fever—giving a special death-rate of 1.20. The following shows the distribution of puerperal fever by months and counties:

| | | | |
|-----------------|----|--------------------|----|
| January | 3 | Androscoggin | 1 |
| February | 3 | Aroostook | 4 |
| March | 1 | Cumberland | 2 |
| April | 3 | Franklin | 0 |
| May | 5 | Hancock | 1 |
| June | 2 | Kennebec | 2 |
| July | 2 | Knox | 2 |
| August | 2 | Lincoln | 1 |
| September | 0 | Oxford | 4 |
| October | 0 | Penobscot | 2 |
| November | 0 | Piscataquis | 1 |
| December | 2 | Sagadahoc | 0 |
| | | Somerset | 0 |
| Total | 23 | Waldo | 0 |
| | | Washington | 0 |
| | | York | 3 |
| | | Total | 23 |

Thirty-one deaths were returned under alcoholism. The special death-rate from alcoholism was 0.43.

Rheumatism.—The returns give 47 deaths from this cause, the same as last year (68 in 1892, 46 in 1893, 66 in 1894, 56 in 1895, 44 in 1896, 42 in 1897, 57 in 1898, 56 in 1899, 56 in 1900, 53 in 1901, 45 in 1902, 58 in 1903, 60 in 1904, 60 in 1905, 54 in 1906, and 47 in 1907), 22 males and 25 females. Sixteen of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.65, and that in the cities was the same. The following shows the deaths from this cause arranged by counties, months, and age-groups:

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS—1908.

| By Counties. | By Months. | By Age-periods. | | | |
|-------------------|------------|-----------------|----|--------------|----|
| Androscoggin..... | 2 | January..... | 2 | Under 1..... | 1 |
| Aroostook..... | 1 | February..... | 11 | 1-5..... | 2 |
| Cumberland..... | 7 | March..... | 2 | 5-10..... | 2 |
| Franklin..... | 1 | April..... | 3 | 10-20..... | 4 |
| Hancock..... | 4 | May..... | 4 | 20-30..... | — |
| Kennebec..... | 3 | June..... | 4 | 30-40..... | 7 |
| Knox..... | 2 | July..... | 3 | 40-50..... | 4 |
| Lincoln..... | 1 | August..... | 3 | 50-60..... | 2 |
| Oxford..... | 4 | September..... | 6 | 60-70..... | 5 |
| Penobscot..... | 12 | October..... | 5 | 70-80..... | 15 |
| Piscataquis..... | 2 | November..... | 2 | Over 80..... | 5 |
| Sagadahoc..... | 1 | December..... | 2 | Total..... | 47 |
| Somerset..... | 3 | Total..... | 47 | | |
| Waldo..... | 2 | | | | |
| Washington..... | 1 | | | | |
| York..... | 1 | | | | |
| State..... | 47 | | | | |

The following shows the distribution of deaths from rheumatism by counties, months, and age-groups for the sixteen years 1893-1908:

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1908.

| By Counties. | By Months. | By Age-periods. |
|----------------------|-------------------|-------------------|
| Androscoggin..... 44 | January..... 77 | Under 1..... 3 |
| Aroostook..... 50 | February..... 95 | 1-5..... 16 |
| Cumberland..... 127 | March..... 76 | 5-10..... 28 |
| Franklin..... 16 | April..... 56 | 10-20..... 69 |
| Hancock..... 43 | May..... 83 | 20-30..... 56 |
| Kennebec..... 76 | June..... 47 | 30-40..... 56 |
| Knox..... 42 | July..... 65 | 40-50..... 67 |
| Lincoln..... 28 | August..... 67 | 50-60..... 112 |
| Oxford..... 53 | September..... 52 | 60-70..... 186 |
| Penobscot..... 104 | October..... 61 | 70-80..... 184 |
| Piscataquis..... 25 | November..... 80 | Over 80..... 68 |
| Sagadahoc..... 29 | December..... 86 | Not stated..... 3 |
| Somerset..... 46 | Not stated..... 3 | Total..... 848 |
| Waldo..... 38 | Total..... 848 | |
| Washington..... 44 | | |
| York..... 83 | | |
| State..... 848 | | |

Cancer.—From cancer in its various forms and locations there were 710 deaths (404 in 1892, 433 in 1893, 474 in 1894, 480 in 1895, 518 in 1896, 463 in 1897, 531 in 1898, 541 in 1899, 526 in 1900, 570 in 1901, 615 in 1902, 598 in 1903, 611 in 1904, 662 in 1905, 617 in 1906, and 737 in 1907). Of the decedents, 243 were males and 467 were females. The cancer death-rate for the State was 9.77.

Distributed as to its more frequent locations, there died of cancer of the stomach, 170; intestines, 99; female genital organs, 100; liver, 96; breast, 64; skin, 42; mouth, 30; abdomen, 21; bladder, 16; neck, 8; throat, 7; axilla, 5; pelvis, 4; prostate, 4; glands, 3; groin, 3; hand, 3; penis, 3; head, 2; heart, 2; hip, 2; kidney, 2; lung, 2; spleen, 2; unspecified, 20.

The deaths from cancer, arranged by sex and age-periods of the decedents, are exhibited in the following:

CANCER BY SEX AND AGE-PERIODS—1908.

| SEX. | Under 1. | 1-5. | 5-10. | 10-20. | 20-30. | 30-40. | 40-50. | 50-60. | 60-70. | 70-80. | Over 80. | Not stated. | Total. |
|--------------|------------|------|-------|--------|--------|--------|--------|--------|--------|--------|----------|-------------|--------|
| | Males..... | - | 2 | - | 1 | 2 | 5 | 14 | 35 | 90 | 63 | 31 | - |
| Females..... | 1 | - | - | 2 | 9 | 21 | 71 | 89 | 115 | 113 | 45 | 1 | 467 |
| Total..... | 1 | 2 | - | 3 | 11 | 26 | 85 | 124 | 205 | 176 | 76 | 1 | 710 |

The distribution of cancer by counties and age-groups and the special death-rate for each county are shown in the following for 1908, and for the sixteen years 1893-1908:

CANCER—1908 AND 1893-1908.

| COUNTIES. | 1908. | | 1893-1908. | | AGE-GROUPS. | Number of deaths. | |
|-------------------|-------------------|------------------------|-------------------|-----------------------------|---------------------|-------------------|------------|
| | Number of deaths. | Death-rate per 10,000. | Number of deaths. | Mean death-rate per 10,000. | | 1908. | 1893-1908. |
| Androscoggin..... | 59 | 10.09 | 717 | 8.38 | Under 1 year..... | 1 | 12 |
| Aroostook..... | 25 | 3.59 | 333 | 3.53 | From 1-5 years..... | 2 | 15 |
| Cumberland..... | 109 | 10.05 | 1,592 | 11.31 | " 5-10 "..... | - | 11 |
| Franklin..... | 22 | 11.25 | 290 | 9.95 | " 10-20 "..... | 3 | 37 |
| Hancock..... | 42 | 11.28 | 470 | 7.82 | " 20-30 "..... | 11 | 126 |
| Kennebec..... | 77 | 12.67 | 828 | 8.90 | " 30-40 "..... | 26 | 487 |
| Knox..... | 28 | 9.21 | 435 | 8.84 | " 40-50 "..... | 85 | 1,127 |
| Lincoln..... | 30 | 15.25 | 312 | 9.49 | " 50-60 "..... | 124 | 1,906 |
| Oxford..... | 26 | 7.75 | 412 | 7.61 | " 60-70 "..... | 205 | 2,448 |
| Penobscot..... | 80 | 10.13 | 969 | 7.98 | " 70-80 "..... | 176 | 2,084 |
| Piscataquis..... | 15 | 8.52 | 173 | 6.43 | Over 80 years..... | 76 | 792 |
| Sagadahoc..... | 18 | 8.56 | 275 | 8.51 | Not stated..... | 1 | 41 |
| Somerset..... | 27 | 7.75 | 467 | 8.68 | Total..... | 710 | 9,086 |
| Waldo..... | 19 | 7.86 | 340 | 8.36 | | | |
| Washington..... | 36 | 7.85 | 497 | 6.88 | | | |
| York..... | 97 | 14.58 | 966 | 9.35 | | | |
| State..... | 710 | 9.77 | 9,086 | 8.22 | | | |

Diabetes.—The deaths from this cause numbered 116 (55 in 1892, 65 in 1893, 71 in 1894, 77 in 1895, 67 in 1896, 95 in 1897, 88 in 1898, 95 in 1899, 74 in 1900, 87 in 1901, 83 in 1902, 92 in 1903, 91 in 1904, 115 in 1905, 121 in 1906, and 107 in 1907). The special death-rate from diabetes was, therefore, 1.60 in 1908. Forty-eight of the decedents were males and 68 were females.

Ages: 1-5, 1; 5-10, 2; 10-20, 10; 20-30, 6; 30-40, 8; 40-50, 11; 50-60, 20; 60-70, 25; 70-80, 30; 80-90, 3.

Old Age.—There were registered 523 deaths as due to old age, 226 men and 297 women. Of these decedents, 120 were from 70 to 80 years of age; 284 were from 80 to 90; 118 were from 90 to 100; while 1 was over 100 years of age.

From Table No. 34, however, it will be seen that the whole number of persons who died at the ages between 70 and 100 years or more was 3,636 (3,801 in 1892, 3,147 in 1893, 3,242 in 1894, 2,897 in 1895, 3,045 in 1896, 3,232 in 1897, 3,109 in 1898, 3,378 in 1899, 3,355 in 1900, 3,332 in 1901, 3,289 in 1902, 3,404 in 1903, 3,532 in 1904, 3,611 in 1905, 3,292 in 1906, and 3,731 in 1907), or one death in every three and one-fifth was of a person who was between 70 and 100 years of age or older. Assuming that all these 3,636 died of old age, the death-rate from old age would be 50.03 among every 10,000 living at all ages.

The following shows the number of deaths in each county of persons 70 years of age and over, and the death-rate per 10,000 of the population at all ages.

OLD-AGE—1908.

| COUNTIES. | Deaths. | | COUNTIES. | Deaths. | |
|--------------------|------------------|------------------|-------------------|------------------|------------------|
| | Rate per 10,000. | Rate per 10,000. | | Rate per 10,000. | Rate per 10,000. |
| Androscoggin | 213 | 36.44 | Oxford | 187 | 55.72 |
| Aroostook | 156 | 22.39 | Penobscot | 397 | 50.26 |
| Cumberland | 541 | 49.87 | Piscataquis | 77 | 43.76 |
| Franklin | 126 | 64.43 | Sagadahoc | 144 | 68.46 |
| Hancock | 190 | 51.02 | Somerset | 188 | 53.98 |
| Kennebec | 352 | 57.90 | Waldo | 176 | 72.77 |
| Knox | 181 | 59.53 | Washington | 198 | 43.20 |
| Lincoln | 151 | 76.77 | York | 359 | 53.97 |

Centenarians.—Among the persons whose decease occurred in 1908, two men had exceeded the age of 100 years. Their names, together with a few facts relating to the life history of each, are as follows:

February 23, George Montgomery died at Warren at the age of 101 years, 8 months, and 23 days. He was born in Warren, as was also his father, John Montgomery. His mother, whose maiden name was Julia A. Howard, was born in Waldoboro.

May 12, John Cunningham died at Belfast, at the age of 100 years, 11 months, and 19 days. He was born in Ireland. Birthplace of parents not given.

Diseases of the Nervous System and of Organs of Special Sense.—The number of deaths registered under the causes included in this group was 1,624 (1,459 in 1892, 1,451 in 1893, 1,543 in 1894, 1,585 in 1895, 1,520 in 1896, 1,661 in 1897, 1,607 in 1898, 1,728 in 1899, 1,652 in 1900, 1,615 in 1901, 1,600 in 1902, 1,641 in 1903, 1,578 in 1904, 1,648 in 1905, 1,524 in 1906, and 1,731 in 1907), or 22.34 to every 10,000 of population.

Inflammation of the Brain or Membranes.—The number of deaths was 215 (236 in 1892, 263 in 1893, 286 in 1894, 261 in 1895, 242 in 1896, 327 in 1897, 272 in 1898, 273 in 1899, 251 in 1900, 264 in 1901, 211 in 1902, 243 in 1903, 212 in 1904, 216 in 1905, 159 in 1906, and 282 in 1907), 129 males and 86 females. Of these 112 were in the cities. The death-rate from the several diseases grouped under this head was 2.96.

Ages: Under 1, 84; 1-5, 48; 5-10, 19; 10-20, 21; 20-40, 18; 40-60, 15; over 60, 9, and 1, not stated.

Apoplexy.—From this cause 802 deaths occurred (488 in 1892, 422 in 1893, 408 in 1894, 488 in 1895, 492 in 1896, 555 in 1897, 558 in 1898, 629 in 1899, 583 in 1900, 595 in 1901, 674 in 1902, 712 in 1903, 714 in 1904, 751 in 1905, 718 in 1906, and 825 in 1907), 374 males and 428 females. Of these, 256 were in the cities. The State's death-rate from apoplexy was, therefore, 11.03; that of the cities, 10.41.

The largest number of deaths from apoplexy, 217, occurred in the spring; the largest number in any one month was 81 in January.

In 1894, 1896, 1900, 1905, and 1906, the greatest mortality from this cause occurred in the spring; in 1892, 1893, 1895, 1897, 1899, 1901, 1903, 1904, and 1907, in the winter; in 1898, in the winter and spring; and in 1902, in the summer.

Conversely, the smallest number of deaths, 53, was in July; the smallest number in any one season was 198 in the fall months. Over 76 per cent. of the deaths were of persons 60 years of age and upward.

APOPLEXY BY COUNTIES AND MONTHS—1908.

| COUNTIES. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Total. | Death-rate per 10,000. |
|-------------------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|--------|------------------------|
| Androscoggin..... | 8 | 4 | 8 | 6 | 6 | 4 | 5 | 4 | 4 | 5 | 10 | 8 | 72 | 12.32 |
| Aroostook..... | 2 | 2 | 5 | 2 | 2 | 5 | 2 | 2 | 3 | 1 | 3 | 2 | 31 | 4.45 |
| Cumberland..... | 16 | 14 | 10 | 13 | 6 | 6 | 12 | 7 | 14 | 11 | 9 | 8 | 126 | 11.61 |
| Franklin..... | 2 | 2 | 3 | 4 | 6 | 4 | 1 | 2 | 3 | 3 | 2 | 2 | 34 | 17.39 |
| Hancock..... | 3 | 3 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 3 | 4 | 1 | 24 | 6.44 |
| Kennebec..... | 8 | 9 | 5 | 7 | 11 | 3 | 8 | 5 | 6 | 11 | 8 | 7 | 88 | 14.47 |
| Knox..... | 4 | 1 | 4 | 4 | 6 | 4 | 4 | 6 | 3 | 2 | 1 | 3 | 42 | 13.81 |
| Lincoln..... | 2 | 5 | 2 | 4 | 5 | 1 | 1 | 3 | 3 | 3 | 2 | 2 | 33 | 16.78 |
| Oxford..... | 7 | 6 | 3 | 4 | 4 | 5 | 3 | 2 | 3 | 5 | 2 | 2 | 46 | 13.71 |
| Penobscot..... | 4 | 9 | 7 | 7 | 4 | 5 | 4 | 3 | 7 | 5 | 6 | 5 | 66 | 8.36 |
| Piscataquis..... | 1 | - | 5 | 2 | 3 | 2 | - | 2 | 2 | 2 | - | - | 19 | 10.80 |
| Sagadahoc..... | 4 | 3 | 3 | - | 3 | 2 | - | 2 | 5 | 2 | - | 2 | 26 | 12.36 |
| Somerset..... | 3 | 4 | 4 | 5 | 5 | 5 | 1 | 4 | - | 2 | 5 | 4 | 42 | 12.06 |
| Waldo..... | 3 | 4 | 1 | 2 | 1 | 5 | 1 | 3 | 5 | 3 | - | 4 | 32 | 13.23 |
| Washington..... | 4 | 2 | 3 | 4 | 2 | 4 | 4 | 2 | 3 | 2 | 6 | 4 | 40 | 8.73 |
| York..... | 10 | 3 | 12 | 2 | 7 | 8 | 6 | 6 | 8 | 5 | 5 | 9 | 81 | 12.17 |
| State..... | 81 | 71 | 76 | 68 | 73 | 65 | 53 | 54 | 70 | 65 | 63 | 63 | 802 | 11.03 |

The following is a tabular exhibit by sex and age-groups of the deaths from apoplexy:

APOPLEXY BY SEX AND AGE-PERIODS—1908.

| SEX. | Under 1. | 1-5. | 5-10. | 10-20. | 20-30. | 30-40. | 40-50. | 50-60. | 60-70. | 70-80. | Over 80. | Not stated. | Total. |
|--------------|----------|------|-------|--------|--------|--------|--------|--------|--------|--------|----------|-------------|--------|
| Males..... | 6 | 4 | 2 | 4 | 2 | 10 | 16 | 49 | 87 | 123 | 69 | 2 | 374 |
| Females..... | 5 | - | - | - | 4 | 9 | 21 | 52 | 77 | 159 | 99 | 2 | 428 |
| Total..... | 11 | 4 | 2 | 4 | 6 | 19 | 37 | 101 | 164 | 282 | 168 | 4 | 802 |

APOPLEXY—1908 AND 1893-1908.

| COUNTIES. | 1908. | | 1893-1908. | |
|-------------------|-------------------|------------------------|-------------------|-----------------------------|
| | Number of deaths. | Death-rate per 10,000. | Number of deaths. | Mean death-rate per 10,000. |
| Androscoggin..... | 72 | 12.32 | 839 | 10.62 |
| Aroostook..... | 31 | 4.45 | 267 | 4.12 |
| Cumberland..... | 126 | 11.61 | 1,718 | 11.30 |
| Franklin..... | 34 | 17.39 | 283 | 10.04 |
| Hancock..... | 24 | 6.44 | 408 | 7.06 |
| Kennebec..... | 88 | 14.47 | 1,061 | 12.01 |
| Knox..... | 42 | 13.81 | 488 | 10.80 |
| Lincoln..... | 32 | 16.78 | 305 | 9.73 |
| Oxford..... | 46 | 13.71 | 480 | 9.64 |
| Penobscot..... | 66 | 8.36 | 990 | 8.86 |
| Piscataquis..... | 19 | 10.80 | 188 | 7.83 |
| Sagadahoc..... | 26 | 12.35 | 347 | 10.88 |
| Somerset..... | 42 | 12.06 | 512 | 10.50 |
| Waldo..... | 32 | 13.23 | 393 | 10.66 |
| Washington..... | 40 | 8.73 | 481 | 6.76 |
| York..... | 81 | 12.17 | 1,166 | 11.91 |
| State..... | 802 | 11.03 | 9,926 | 9.50 |

Softening of the Brain.—From cerebral softening there were 36 deaths—those of 17 males and 19 females.

Ages: From 30-40, 1; 40-50, 4; 50-60, 3; 60-70, 7; 70-80, 18; over 80, 3.

Paralysis.—Of the 230 deaths from paralysis, 114 persons were males and 116 were females.

Ages: Under 1, 1; 10-20, 3; 30-40, 7; 40-50, 10; 50-60, 23; 60-70, 50; 70-80, 76; 80-90, 56; over 90, 4.

Epilepsy.—Nineteen males and 17 females died of epilepsy, 36 in all.

Ages: Under 1, 2; 1-5, 2; 10-20, 2; 20-40, 11; 40-60, 9; over 60, 10.

Tetanus.—This disease was the cause of 6 deaths (7 in 1892, 10 in 1893, 6 in 1894, 10 in 1895, 8 in 1896, 2 in 1897, 4 in 1898, 11 in 1899, 7 in 1900, 5 in 1901, 7 in 1902, 11 in 1903, 14 in 1904, 7 in 1905, 4 in 1906, and 7 in 1907). The decedents were 5 males and 1 female.

Ages: Under 1, 1; 5-10, 2; 30-40, 1; 70-80, 1; over 80, 1.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, pericarditis, angina pectoris, and organic diseases of the heart, there were 1,284 deaths (816 in 1892, 875 in 1893, 940 in 1894, 948 in 1895, 1,036 in 1896, 1,062 in 1897, 1,132 in 1898, 1,028 in 1899, 1,045 in 1900, 1,076 in 1901, 1,097 in 1902, 1,153 in 1903, 1,191 in 1904, 1,222 in 1905, 1,246 in 1906, and 1,381 in 1907). The following exhibits the age and sex distribution of each form of disease for the year 1908.

| DISEASES. | Under 1 | 1-10. | 10-20. | 20-40. | 40-60. | Over 60. | Unknown. | Males. | Females. | Total. |
|---------------------------------|---------|-------|--------|--------|--------|----------|----------|--------|----------|--------|
| Pericarditis | 1 | - | 1 | 1 | 2 | 2 | - | 3 | 4 | 7 |
| Endocarditis | 1 | 2 | 2 | 7 | 16 | 46 | 1 | 39 | 36 | 75 |
| Organic diseases of heart | 11 | 12 | 14 | 40 | 188 | 830 | 4 | 609 | 490 | 1,099 |
| Angina pectoris | - | - | - | 5 | 24 | 73 | 1 | 69 | 34 | 103 |
| Total | 13 | 14 | 17 | 53 | 230 | 951 | 6 | 720 | 534 | 1,284 |

For the year 1908, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and county:

| COUNTIES. | Number of deaths. | Rate. | COUNTIES. | Number of deaths. | Rate. |
|-------------------|-------------------|-------|------------------|-------------------|-------|
| Androscoggin..... | 81 | 13.86 | Oxford..... | 67 | 19.97 |
| Aroostook..... | 57 | 8.18 | Penobscot..... | 138 | 17.47 |
| Cumberland..... | 190 | 17.51 | Piscataquis..... | 22 | 12.50 |
| Franklin..... | 36 | 18.41 | Sagadahoc..... | 66 | 31.38 |
| Hancock..... | 77 | 20.68 | Somerset..... | 57 | 16.37 |
| Kennebec..... | 113 | 18.59 | Waldo..... | 60 | 24.81 |
| Knox..... | 70 | 23.02 | Washington..... | 83 | 18.11 |
| Lincoln..... | 48 | 24.40 | York..... | 119 | 17.89 |
| | | | State..... | 1,284 | 17.67 |

As may be noted, Sagadahoc county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 17.67.

The whole number of deaths from diseases of the heart arranged by sex and age-groups was as follows:

**HEART DISEASE BY SEX AND AGE-PERIODS—
1908.**

| SEX. | Under 1. | 1-5. | 5-10. | 10-20. | 20-30. | 30-40. | 40-50. | 50-60. | 60-70. | 70-80. | Over 80. | Not stated. | Total. |
|--------------|----------|------|-------|--------|--------|--------|--------|--------|--------|--------|----------|-------------|--------|
| Males..... | 4 | 1 | 4 | 3 | 8 | 21 | 50 | 98 | 190 | 237 | 102 | 2 | 720 |
| Females..... | 9 | 4 | 5 | 14 | 8 | 16 | 34 | 48 | 124 | 195 | 103 | 4 | 564 |
| Total..... | 13 | 5 | 9 | 17 | 16 | 37 | 84 | 146 | 314 | 432 | 205 | 6 | 1,284 |

Diseases of the Respiratory System.—Without the inclusion of tuberculosis, 1,334 persons died from the various respiratory diseases, as tabulated on page 98 (1,760 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895, 1,141 in 1896, 1,347 in 1897, 1,124 in 1898, 1,455 in 1899, 1,513 in 1900, 1,405 in 1901, 1,380 in 1902, 1,348 in 1903, 1,428 in 1904, 1,391 in 1905, 1,330 in 1906, and 1,497 in 1907). From these diseases there were, therefore, 426 fewer deaths than in 1892, 73 fewer than in 1893, 22 more than in 1894, 169 more than in 1895, 193 more than in 1896, 13 fewer than in 1897, 210 more than in 1898, 121 fewer than in 1899, 179 fewer than in 1900, 71 fewer than in 1901, 46 fewer than in 1902, 14 fewer than in 1903, 94 fewer than in 1904, 57 fewer than in 1905, 4 more than in 1906, and 163 fewer than in 1907.

Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis, and the other respiratory diseases, in 1908 the number of deaths was 885 smaller than in 1892, 479 smaller than in 1893, 347 smaller than in 1894, 133 smaller than in 1895, 86 smaller than in 1896, 248 smaller than in 1897, 82 larger than in 1898, 243 smaller than in 1899, 313 smaller than in 1900, 211 smaller than in 1901, 123 smaller than in 1902, 22 smaller than in 1903, 217 smaller than in 1904, 58 smaller than in 1905, 18 smaller than in 1906, and 220 smaller than in 1907.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1908 was 18.35 in each 10,000 population, as compared with 20.71 in 1907, 18.50 in 1906, 19.46 in 1905, 20.56 in 1904, 19.41 in 1903, 19.87 in 1902, 20.23 in 1901, 21.79 in 1900, 20.91 in 1899, 17.00 in 1898, 20.38 in 1897, 17.26 in 1896, 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, 27.16 in 1892.

Pneumonia.—The number of deaths registered under this cause was 1,068 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894, 812 in 1895, 781 in 1896, 936 in 1897, 769 in 1898, 1,067 in 1899, 1,067 in 1900, 994 in 1901, 987 in 1902, 999 in 1903, 1,050 in 1904, 1,053 in 1905, 970 in 1906, and 1,153 in 1907), of which 566 were males, 501 were females, and one not stated. The death-rate from this disease was, therefore, 14.69 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, 12.28 in 1895, 11.81 in 1896, 14.16 in 1897, 11.62 in 1898, 15.44 in 1899, 15.36 in 1900, 14.31 in 1901, 14.21 in 1902, 14.39 in 1903, 15.12 in 1904, 14.73 in 1905, 13.50 in 1906, and 15.95 in 1907). As 405 of the deaths occurred in the cities, the urban death-rate was 16.48.

The age distribution of pneumonia by sex and age-groups is shown in the following table:

PNEUMONIA BY SEX AND AGE-PERIODS—1908.

| SEX. | Under 1. | 1-5. | 5-10. | 10-20. | 20-30. | 30-40. | 40-50. | 50-60. | 60-70. | 70-80. | Over 80. | Not stated. | Total. |
|----------------------|----------|------|-------|--------|--------|--------|--------|--------|--------|--------|----------|-------------|--------|
| Males | 103 | 61 | 15 | 11 | 41 | 44 | 46 | 49 | 75 | 74 | 43 | 4 | 566 |
| Females | 78 | 52 | 13 | 9 | 20 | 20 | 25 | 43 | 62 | 99 | 78 | 1 | 501 |
| Not stated | - | 1 | - | - | - | - | - | - | - | - | - | - | 1 |
| Total | 181 | 115 | 28 | 20 | 61 | 64 | 71 | 92 | 137 | 173 | 121 | 5 | 1,068 |

**PNEUMONIA BY COUNTIES AND MONTHS WITH
DEATH-RATE PER 10,000—1908.**

| COUNTIES. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Total. | Death-rate per 10,000. |
|------------------------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|--------|------------------------|
| Androscoggin | 14 | 9 | 11 | 17 | 7 | - | - | 2 | 1 | 4 | 9 | 9 | 83 | 14.20 |
| Aroostook | 14 | 7 | 4 | 8 | 12 | 9 | 1 | 1 | 8 | 10 | 9 | 21 | 104 | 14.93 |
| Cumberland | 20 | 25 | 20 | 28 | 16 | 4 | 7 | 7 | 9 | 6 | 16 | 15 | 173 | 15.95 |
| Franklin | 8 | 8 | 7 | 5 | 3 | 1 | - | 1 | - | 1 | 2 | 6 | 42 | 21.48 |
| Hancock | 6 | 11 | 3 | 4 | 2 | 3 | 4 | 2 | 1 | 2 | 2 | 5 | 45 | 12.08 |
| Kennebec | 14 | 18 | 7 | 10 | 7 | - | 2 | - | 2 | 5 | 5 | 4 | 74 | 12.17 |
| Knox | 5 | 5 | 3 | 4 | 2 | 1 | - | - | 3 | - | 4 | 3 | 30 | 9.87 |
| Lincoln | 3 | 3 | 4 | 5 | 4 | 1 | - | 3 | 1 | 2 | - | 3 | 29 | 14.74 |
| Oxford | 9 | 6 | 5 | 4 | 7 | 3 | 1 | - | 1 | 1 | 2 | 6 | 45 | 13.41 |
| Penobscot | 20 | 11 | 16 | 17 | 23 | 8 | 6 | 6 | 9 | 13 | 14 | 13 | 156 | 19.75 |
| Piscataquis | 5 | 3 | 1 | 4 | 7 | 1 | 1 | - | - | 2 | 1 | 5 | 30 | 17.05 |
| Sagadahoc | 4 | 2 | 2 | 5 | 7 | 2 | 1 | - | - | - | 4 | 9 | 34 | 16.16 |
| Somerset | 8 | 1 | 5 | 6 | 7 | 2 | 1 | 2 | - | 3 | 6 | 6 | 47 | 13.50 |
| Waldo | 3 | 4 | 3 | 4 | 2 | 3 | - | - | 2 | 3 | 1 | 2 | 27 | 11.16 |
| Washington | 12 | 4 | 5 | 7 | 7 | 5 | - | 1 | 1 | 1 | 3 | 10 | 56 | 12.22 |
| York | 14 | 11 | 17 | 13 | 6 | 4 | 2 | 1 | 4 | 7 | 5 | 9 | 93 | 13.98 |
| State | 159 | 128 | 113 | 139 | 119 | 47 | 26 | 26 | 42 | 60 | 83 | 126 | 1,068 | 14.69 |

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the sixteen years 1893-1908:

PNEUMONIA—1893-1908.

| By Counties. | | By Months. | | By Age-periods. | |
|-------------------|--------|-----------------|--------|-----------------|--------|
| Androscoggin..... | 1,254 | January..... | 2,169 | Under 1..... | 2,417 |
| Aroostook..... | 948 | February..... | 2,082 | 1-5..... | 1,632 |
| Cumberland..... | 2,551 | March..... | 2,319 | 5-10..... | 331 |
| Franklin..... | 466 | April..... | 2,060 | 10-20..... | 536 |
| Hancock..... | 784 | May..... | 1,572 | 20-30..... | 796 |
| Kennebec..... | 1,442 | June..... | 875 | 30-40..... | 900 |
| Knox..... | 561 | July..... | 398 | 40-50..... | 1,088 |
| Lincoln..... | 402 | August..... | 334 | 50-60..... | 1,363 |
| Oxford..... | 808 | September..... | 480 | 60-70..... | 2,160 |
| Penobscot..... | 1,932 | October..... | 842 | 70-80..... | 2,673 |
| Piscataquis..... | 335 | November..... | 1,137 | Over 80..... | 1,914 |
| Sagadahoc..... | 462 | December..... | 1,593 | Not stated..... | 62 |
| Somerset..... | 751 | Not stated..... | 11 | Total..... | 15,872 |
| Waldo..... | 532 | Total..... | 15,872 | | |
| Washington..... | 947 | | | | |
| York..... | 1,697 | | | | |
| State..... | 15,872 | | | | |

The following table shows the number of deaths from pneumonia in each of the cities in each year from 1894 to 1908, the pneumonia death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Pneumonia

| CITIES. | 1894. | | 1895. | | 1896. | | 1897. | | 1898. | | 1899. | | 1900. | |
|--------------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|
| | | Death-rate per 10,000. | | Death-rate per 10,000. | | Death-rate per 10,000. | | Death-rate per 10,000. | | Death-rate per 10,000. | | Death-rate per 10,000. | | Death-rate per 10,000. |
| Auburn..... | 6 | 5.03 | 15 | 12.40 | 10 | 8.15 | 10 | 8.04 | 5 | 3.96 | 25 | 19.56 | 12 | 9.27 |
| Augusta..... | 18 | 16.38 | 16 | 14.41 | 22 | 19.61 | 20 | 17.64 | 13 | 11.35 | 27 | 23.34 | 16 | 13.70 |
| Bangor..... | 61 | 30.20 | 37 | 18.07 | 27 | 13.01 | 31 | 14.74 | 40 | 18.78 | 38 | 17.61 | 36 | 16.48 |
| Bath..... | 16 | 16.98 | 11 | 11.46 | 4 | 4.09 | 10 | 10.05 | 11 | 10.86 | 11 | 10.68 | 15 | 14.32 |
| Belfast..... | 5 | 9.96 | 4 | 8.07 | 2 | 4.09 | 5 | 10.38 | 9 | 18.94 | 5 | 10.68 | 8 | 17.33 |
| Biddeford..... | 22 | 14.55 | 25 | 16.35 | 26 | 16.81 | 31 | 19.83 | 15 | 9.47 | 44 | 27.54 | 41 | 25.39 |
| Brewer..... | 9 | 20.22 | 13 | 28.70 | 8 | 17.47 | 9 | 19.39 | 13 | 27.62 | 6 | 12.55 | 4 | 8.27 |
| Calais..... | 7 | 9.41 | 15 | 20.07 | 12 | 15.98 | 10 | 13.25 | 7 | 9.23 | 7 | 9.19 | 12 | 15.68 |
| Eastport..... | 8 | 15.78 | 2 | 3.91 | - | - | 9 | 17.34 | 5 | 9.56 | 5 | 5.69 | 14 | 26.36 |
| Ellsworth..... | 12 | 26.08 | 7 | 15.38 | 10 | 22.22 | 10 | 22.48 | 3 | 6.82 | 6 | 13.71 | 8 | 18.62 |
| Gardiner..... | 8 | 14.56 | 8 | 14.56 | 5 | 5.46 | 2 | 3.64 | 5 | 9.09 | 17 | 30.91 | 19 | 34.54 |
| Hallowell..... | - | - | 4 | 13.57 | 4 | 13.79 | 1 | 3.50 | 2 | 7.12 | 4 | 14.49 | 8 | 29.48 |
| Lewiston..... | 27 | 11.99 | 20 | 8.80 | 27 | 11.77 | 25 | 10.80 | 33 | 14.13 | 34 | 14.45 | 40 | 16.83 |
| Old Town..... | 8 | 14.57 | 6 | 10.83 | 7 | 12.54 | 3 | 5.33 | 10 | 17.62 | 19 | 33.22 | 9 | 15.62 |
| Portland*..... | 85 | 18.83 | 79 | 17.19 | 62 | 13.25 | 105 | 22.04 | 75 | 15.47 | 96 | 19.47 | 94 | 18.74 |
| Rockland..... | 12 | 14.70 | 10 | 12.25 | 8 | 9.80 | 10 | 12.26 | 11 | 13.49 | 9 | 11.04 | 10 | 12.27 |
| Saco..... | 9 | 14.77 | 6 | 9.84 | 11 | 18.02 | 11 | 18.01 | 10 | 16.36 | 14 | 22.89 | 16 | 26.14 |
| South Portland†..... | 10 | 16.27 | 8 | 12.66 | 8 | 12.33 | 4 | 6.01 | 7 | 10.25 | 5 | 7.14 | 13 | 18.12 |
| Waterville..... | 13 | 16.14 | 5 | 6.03 | 10 | 11.72 | 10 | 11.41 | 6 | 6.66 | 9 | 9.47 | 14 | 14.77 |
| Westbrook..... | 7 | 10.16 | 2 | 2.87 | 10 | 14.24 | 8 | 11.29 | 7 | 9.78 | 8 | 11.08 | 3 | 4.12 |
| Total..... | 343 | 16.24 | 293 | 13.71 | 271 | 12.54 | 324 | 14.82 | 287 | 12.99 | 387 | 17.32 | 392 | 17.35 |
| State..... | 1023 | 15.17 | 812 | 11.98 | 781 | 11.47 | 936 | 13.68 | 769 | 11.18 | 1067 | 15.44 | 1067 | 15.36 |
| State exclusive of cities..... | 680 | 14.68 | 519 | 11.18 | 510 | 10.97 | 612 | 13.14 | 482 | 10.33 | 680 | 14.54 | 675 | 14.41 |

*Portland includes Deering.

†South Portland includes Cape Elizabeth.

in the Cities and the State—1894-1908.

| 1901. | Death-rate per 10,000. | 1902. | Death-rate per 10,000. | 1903. | Death-rate per 10,000. | 1904. | Death-rate per 10,000. | 1905. | Death-rate per 10,000. | 1906. | Death-rate per 10,000. | 1907. | Death-rate per 10,000. | 1908. | Death-rate per 10,000. | Total. | Death-rate per 10,000. |
|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|--------|------------------------|
| 16 | 12.19 | 12 | 9.03 | 15 | 11.14 | 10 | 7.34 | 22 | 15.94 | 26 | 18.61 | 20 | 14.14 | 17 | 11.88 | 221 | 11.68 |
| 12 | 10.17 | 30 | 25.18 | 16 | 13.30 | 22 | 18.11 | 16 | 13.05 | 19 | 15.35 | 29 | 23.21 | 15 | 11.90 | 291 | 16.45 |
| 37 | 16.72 | 41 | 18.31 | 58 | 25.57 | 60 | 26.15 | 48 | 20.67 | 40 | 17.02 | 50 | 21.03 | 54 | 22.45 | 658 | 18.55 |
| 10 | 9.39 | 14 | 12.93 | 19 | 17.25 | 16 | 14.31 | 20 | 17.61 | 15 | 13.01 | 14 | 11.96 | 15 | 12.63 | 201 | 15.63 |
| 6 | 12.66 | 7 | 14.38 | 7 | 14.02 | 3 | 5.86 | 8 | 15.25 | 5 | 9.31 | 6 | 10.91 | 3 | 5.72 | 83 | 11.17 |
| 21 | 12.87 | 42 | 25.48 | 29 | 17.41 | 40 | 23.77 | 37 | 21.77 | 45 | 26.22 | 35 | 20.19 | 24 | 13.69 | 477 | 19.43 |
| 11 | 22.45 | 6 | 12.09 | 15 | 29.85 | 8 | 15.71 | 13 | 25.21 | 9 | 17.24 | 11 | 20.82 | 11 | 20.57 | 146 | 19.88 |
| 17 | 22.10 | 14 | 18.10 | 9 | 11.59 | 16 | 20.51 | 10 | 12.76 | 13 | 16.51 | 16 | 20.22 | 15 | 18.88 | 180 | 15.57 |
| 12 | 22.43 | 7 | 12.98 | 5 | 9.20 | 6 | 10.96 | 9 | 16.33 | 9 | 16.21 | 11 | 19.67 | 8 | 14.20 | 108 | 13.37 |
| 9 | 30.25 | 13 | 30.25 | 2 | 4.65 | 6 | 13.96 | 25 | 58.18 | 5 | 11.64 | 7 | 16.29 | 10 | 23.27 | 133 | 20.92 |
| 14 | 25.45 | 4 | 7.27 | 12 | 21.80 | 11 | 19.98 | 14 | 25.43 | 3 | 5.27 | 6 | 10.89 | 12 | 21.78 | 138 | 16.71 |
| 4 | 14.74 | 8 | 29.48 | 4 | 14.74 | 4 | 14.74 | 6 | 22.11 | 5 | 18.42 | 7 | 25.79 | 5 | 18.42 | 66 | 16.03 |
| 28 | 11.68 | 42 | 17.37 | 18 | 7.38 | 25 | 10.17 | 49 | 19.77 | 70 | 28.00 | 47 | 18.65 | 45 | 17.71 | 530 | 14.63 |
| 8 | 13.77 | 11 | 18.79 | 16 | 27.12 | 7 | 11.78 | 9 | 15.03 | 21 | 34.80 | 12 | 19.74 | 16 | 26.13 | 162 | 18.46 |
| 68 | 13.34 | 75 | 14.47 | 96 | 18.23 | 77 | 14.39 | 65 | 11.96 | 81 | 14.68 | 120 | 21.43 | 100 | 17.43 | 1,278 | 16.73 |
| 9 | 11.04 | 12 | 14.72 | 10 | 12.27 | 9 | 11.04 | 9 | 11.04 | 10 | 12.27 | 11 | 13.50 | 11 | 13.50 | 151 | 12.35 |
| 11 | 17.95 | 6 | 9.79 | 7 | 11.40 | 7 | 11.40 | 9 | 14.64 | 6 | 9.76 | 6 | 9.75 | 11 | 17.85 | 140 | 15.24 |
| 7 | 9.53 | 6 | 7.98 | 3 | 3.90 | 5 | 6.36 | 3 | 3.73 | 6 | 7.31 | 15 | 20.91 | 7 | 9.76 | 107 | 10.02 |
| 9 | 9.26 | 24 | 24.12 | 11 | 10.80 | 21 | 20.14 | 8 | 7.53 | 17 | 15.60 | 13 | 11.67 | 15 | 13.19 | 185 | 12.57 |
| 9 | 13.31 | 9 | 12.14 | 12 | 16.05 | 7 | 9.28 | 6 | 7.89 | 17 | 22.15 | 14 | 18.09 | 11 | 14.10 | 130 | 11.77 |
| 318 | 13.91 | 388 | 16.55 | 364 | 15.55 | 360 | 15.20 | 386 | 16.11 | 422 | 17.41 | 450 | 18.36 | 405 | 16.48 | 5,385 | 15.64 |
| 994 | 14.23 | 987 | 14.05 | 999 | 14.11 | 1050 | 14.78 | 1053 | 14.72 | 970 | 13.50 | 1153 | 16.06 | 1068 | 14.69 | 14729 | 14.03 |
| 676 | 14.41 | 604 | 12.86 | 635 | 13.50 | 690 | 14.65 | 667 | 14.15 | 548 | 11.61 | 703 | 14.88 | 663 | 13.78 | 9,344 | 13.27 |

Bronchitis.—From this cause, including both acute and chronic bronchitis, 154 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, 225 in 1895, 220 in 1896, 237 in 1897, 210 in 1898, 233 in 1899, 262 in 1900, 222 in 1901, 241 in 1902, 209 in 1903, 223 in 1904, 218 in 1905, 187 in 1906, and 190 in 1907). Among these decedents, 66 were males and 88 were females. Of these 154 deaths, 45 were in the cities. The largest number of deaths in any one month was 27 in January. In August occurred the smallest number of deaths, 5. The largest number of deaths in three consecutive months was 56 in January, February and March; the smallest number in any three consecutive months was 20 in July, August and September. The number of deaths by quarters was 56, 52, 20, and 26.

The bronchitis death-rate of the State was 2.12; of the cities, 1.83.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life.

| | | | | |
|-------|--------------|----|----------------|----|
| Under | 1 year, | 40 | 40-50 years, | 3 |
| | 1-5 years, | 15 | 50-60 years, | 3 |
| | 5-10 years, | 2 | 60-70 years, | 16 |
| | 10-20 years, | 0 | 70-80 years, | 31 |
| | 20-30 years, | 1 | Over 80 years, | 41 |
| | 30-40 years, | 2 | | |

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rate of counties and State:

BRONCHITIS—1908.

| COUNTIES. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. ^z | Total. | Death-rate per 10,000. |
|-------------------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|------------------------|--------|------------------------|
| Androscoggin..... | 1 | 1 | 3 | 1 | 2 | 1 | 1 | - | 1 | - | 1 | - | 12 | 2.05 |
| Aroostook..... | - | - | - | 1 | - | 1 | - | - | - | - | - | 1 | 3 | 0.43 |
| Cumberland..... | 2 | 1 | 2 | 4 | 1 | - | 1 | - | 1 | 3 | 1 | 2 | 18 | 1.66 |
| Franklin..... | 1 | 1 | 1 | 3 | 1 | - | 1 | - | - | - | - | - | 8 | 4.09 |
| Hancock..... | 1 | - | - | 1 | - | - | 1 | - | - | 1 | 1 | - | 5 | 1.35 |
| Kennebec..... | 6 | 2 | 2 | 2 | 1 | 1 | 2 | 1 | 2 | 3 | 2 | - | 26 | 4.28 |
| Knox..... | 2 | 1 | - | 1 | 2 | 1 | - | - | - | - | - | - | 7 | 2.30 |
| Lincoln..... | 1 | 2 | - | - | - | 1 | - | 1 | - | - | - | 1 | 6 | 3.05 |
| Oxford..... | 2 | - | 2 | 3 | 1 | 3 | - | - | - | - | 1 | 1 | 13 | 3.87 |
| Penobscot..... | 1 | 1 | 2 | 3 | 2 | 1 | - | - | - | - | 1 | - | 11 | 1.39 |
| Piscataquis..... | 2 | - | - | - | - | - | - | - | - | 2 | - | - | 4 | 2.27 |
| Sagadahoc..... | 1 | - | 1 | 1 | 2 | - | - | - | 1 | - | - | - | 6 | 2.85 |
| Somerset..... | 2 | - | 1 | 1 | - | - | 1 | 1 | - | 1 | - | 1 | 8 | 2.20 |
| Waldo..... | 2 | - | 1 | - | 2 | - | 1 | 1 | - | - | 1 | - | 8 | 3.31 |
| Washington..... | - | - | 1 | 1 | 1 | - | - | - | 1 | - | - | - | 4 | 0.87 |
| York..... | 3 | - | 4 | 2 | 4 | - | - | 1 | - | 1 | - | - | 15 | 2.25 |
| State..... | 27 | 9 | 20 | 24 | 19 | 9 | 9 | 5 | 6 | 11 | 9 | 6 | 154 | 2.12 |

Pleurisy.—Ten deaths were charged to this disease (18 in 1892, 19 in 1893, 15 in 1894, 19 in 1895, 19 in 1896, 26 in 1897, 17 in 1898, 24 in 1899, 28 in 1900, 24 in 1901, 16 in 1902, 17 in 1903, 24 in 1904, 21 in 1905, 17 in 1906, and 26 in 1907), 5 males and 5 females.

Ages: Under 5, 4; 10-20, 1; 20-30, 1; 40-50, 2; over 70, 2.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 1,450 (659 in 1892, 653 in 1893, 685 in 1894, 693 in 1895, 679 in 1896, 673 in 1897, 651 in 1898, 1,411 in 1899, 1,411 in 1900, 1,202 in 1901, 973 in 1902, 1,087 in 1903, 1,076 in 1904, 1,303 in 1905, 1,366 in 1906, and 1,063 in 1907), or a death-rate of 19.95. The distribution of these under their several causes will be found on page 98.

Diarrheal Diseases.—The total number of deaths caused by the diseases under this group was 862 (662 in 1892, 642 in 1893, 602 in 1894, 635 in 1895, 639 in 1896, 666 in 1897, 854 in 1898, 662 in 1899, 805 in 1900, 684 in 1901, 476 in 1902, 566 in 1903, 514 in 1904, 719 in 1905, 868 in 1906, and 493 in 1907). The death-rate from this group of diseases was 11.86 per 10,000.

Infantile Diarrhea.—This, as synonymous with cholera infantum or including it, was the cause of 682 deaths (546 in 1892, 507 in 1893, 468 in 1894, 523 in 1895, 520 in 1896, 528 in 1897, 669 in 1898, 565 in 1899, 680 in 1900, 567 in 1901, 360 in 1902, 403 in 1903, 369 in 1904, 561 in 1905, 652 in 1906, and 375 in 1907). A reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates, for this cause. There were in the first quarter of the year but 20 deaths from this cause; in the second quarter, 29; in the third quarter, 511; and in the fourth quarter, 122. The largest number of deaths occurred in August, 224.

Of the children dying from this cause, 60 per cent. were less than 6 months old, and another 30 per cent. were less than 1 year of age, making 90 per cent. of deaths within the first year of age.

Ages: Under 3 months, 183; 3-6 months, 224; 6-9 months, 145; 9-12 months, 62; 12-18 months, 50; 18 months-2 years, 18.

In the classification of deaths from diarrheal diseases, only the deaths among children under 2 years of age are included under "infantile diarrhea." The deaths from diarrheal diseases other than those under this cause were: Cholera morbus, 15; dysentery, 39; and diarrhea, 126.

Of the 682 deaths from infantile diarrhea, 280 were returned from the cities. This represents an urban death-rate from this cause of 11.39 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, 13.78 in 1895, 11.43 in 1896, 14.95 in 1897, 15.15 in 1898, 11.77 in 1899, 14.84 in 1900, 10.09 in 1901, 6.89 in 1902, 6.49 in 1903, 6.26 in 1904, 9.96 in 1905, 10.15 in 1906, and 8.21 in 1907). The rate for the villages and rural districts is 8.35 this year (5.33 in 1892, 4.95 in 1893, 4.47 in 1894, 5.44 in 1895, 6.36 in 1896, 5.05 in 1897, 8.00 in 1898, 6.47 in 1899, 7.37 in 1900, 7.24 in 1901, 4.37 in 1902, 5.50 in 1903, 4.86 in 1904, 6.57 in 1905, 8.52 in 1906, and 3.65 in 1907).

INFANTILE DIARRHEA BY COUNTIES AND MONTHS—1908.

| COUNTIES. | January. | February. | March. | April. | May. | June. | July. | August. | September. | October. | November. | December. | Total. | Death-rate per 10,000. |
|-------------------|----------|-----------|--------|--------|------|-------|-------|---------|------------|----------|-----------|-----------|--------|---------------------------|
| Androscoggin..... | 1 | - | - | - | 2 | 4 | 18 | 22 | 17 | 7 | 4 | - | 75 | 12.84 |
| Aroostook..... | 2 | - | - | - | 2 | 2 | 19 | 74 | 50 | 17 | 1 | 1 | 168 | 24.12 |
| Cumberland..... | 1 | - | - | - | - | 1 | 16 | 28 | 22 | 5 | 6 | - | 79 | 7.28 |
| Franklin..... | - | - | - | - | - | - | 1 | 3 | 3 | - | - | - | 7 | 3.58 |
| Hancock..... | - | 1 | 1 | - | - | - | - | 4 | 7 | 3 | 1 | 1 | 18 | 4.83 |
| Kennebec..... | 1 | - | - | 1 | 2 | 4 | 7 | 26 | 19 | 8 | 2 | 3 | 73 | 12.01 |
| Knox..... | - | - | - | - | - | - | 2 | 4 | 7 | 1 | - | 1 | 15 | 4.93 |
| Lincoln..... | - | - | - | - | 1 | - | - | 1 | 1 | - | - | - | 3 | 1.53 |
| Oxford..... | - | - | - | - | - | - | 2 | 5 | 6 | 4 | - | - | 17 | 5.07 |
| Penobscot..... | 1 | 4 | - | - | - | 4 | 2 | 12 | 16 | 10 | 2 | 2 | 53 | 6.71 |
| Piscataquis..... | - | - | - | - | - | - | - | 1 | 4 | 1 | - | - | 6 | 3.41 |
| Sagadahoc..... | 1 | - | - | 1 | - | - | 1 | 4 | 5 | 2 | 3 | - | 17 | 8.08 |
| Somerset..... | - | - | 1 | - | 1 | - | - | 1 | 7 | 4 | - | - | 14 | 4.02 |
| Waldo..... | - | - | - | - | - | - | 1 | 1 | - | - | - | - | 2 | 0.83 |
| Washington..... | 1 | - | - | - | 1 | - | 1 | 9 | 21 | 8 | 1 | 1 | 43 | 9.38 |
| York..... | 4 | 1 | - | - | - | 3 | 16 | 29 | 16 | 18 | 3 | 2 | 92 | 13.83 |
| State..... | 12 | 6 | 2 | 2 | 9 | 18 | 86 | 224 | 201 | 88 | 23 | 11 | 682 | 9.38 |

The preceding table exhibits the number of deaths from infantile diarrhea in 1908, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhea for the sixteen years 1893-1908, by counties, months, and age-groups:

**INFANTILE DIARRHEA BY COUNTIES, MONTHS,
AND AGE-PERIODS—1893-1908.**

| By Counties. | By Months. | By Age-periods. |
|------------------------------|---------------------------|---------------------------|
| Androscoggin 1,045 | January 119 | Under 6 months . . 4,577 |
| Aroostook 1,671 | February 100 | 6-12 months 2,740 |
| Cumberland 1,019 | March 121 | 1-2 years 1,090 |
| Franklin 125 | April 127 | Over 2 years 5 |
| Hancock 227 | May 129 | Unknown 17 |
| Kennebec 812 | June 215 | Total 8,429 |
| Knox 202 | July 1,081 | |
| Lincoln 48 | August 2,751 | |
| Oxford 252 | September 2,461 | |
| Penobscot 819 | October 993 | |
| Piscataquis 100 | November 203 | |
| Sagadahoc 178 | December 126 | |
| Somerset 233 | Not stated 3 | |
| Waldo 86 | Total 8,429 | |
| Washington 525 | | |
| York 1,087 | | |
| State 8,429 | | |

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the eight years 1901-1908:

INFANTILE DIARRHEA IN THE CITIES—1901-1908.

| CITIES. | 1901. | 1902. | 1903. | 1904. | 1905. | 1906. | 1907. | 1908. | Total. |
|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| Auburn..... | 7 | 2 | 4 | 2 | 8 | 15 | 6 | 12 | 57 |
| Augusta..... | 18 | 11 | 12 | 14 | 19 | 16 | 13 | 26 | 129 |
| Bangor..... | 8 | 4 | 16 | 6 | 12 | 12 | 9 | 7 | 75 |
| Bath..... | 4 | 4 | 7 | 2 | 4 | 7 | 10 | 9 | 47 |
| Belfast..... | - | 1 | - | 3 | 1 | 2 | 1 | - | 8 |
| Biddeford..... | 48 | 42 | 19 | 19 | 19 | 37 | 22 | 38 | 244 |
| Brewer..... | 7 | 2 | 4 | 7 | 13 | 3 | 5 | 4 | 45 |
| Calais..... | 12 | 7 | 9 | 1 | 9 | 7 | 8 | 10 | 63 |
| Eastport..... | 15 | - | 3 | 2 | 2 | 6 | 8 | 8 | 44 |
| Ellsworth..... | - | - | 1 | - | - | 5 | - | - | 6 |
| Gardiner..... | 8 | - | - | 1 | 1 | 1 | - | 6 | 17 |
| Hallowell..... | - | - | 1 | 2 | 1 | 1 | 2 | 2 | 10 |
| Lewiston..... | 43 | 26 | 20 | 29 | 55 | 45 | 57 | 54 | 329 |
| Old Town..... | 9 | 11 | 4 | 2 | 20 | 12 | 6 | 12 | 76 |
| Portland..... | 19 | 18 | 24 | 23 | 37 | 44 | 31 | 41 | 237 |
| Rockland..... | 5 | 4 | 6 | 1 | 9 | 1 | 2 | 3 | 31 |
| Saco..... | 3 | 4 | 2 | 3 | 4 | 5 | 4 | 10 | 35 |
| South Portland..... | 1 | 3 | 1 | 2 | 6 | 7 | - | 5 | 25 |
| Waterville..... | 12 | 9 | 10 | 13 | 9 | 16 | 6 | 22 | 97 |
| Westbrook..... | 8 | 6 | 3 | 9 | 10 | 2 | 10 | 10 | 58 |
| Total..... | 227 | 155 | 146 | 141 | 239 | 245 | 200 | 280 | 1,633 |

Peritonitis.—There were 64 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, 125 in 1895, 116 in 1896, 117 in 1897, 102 in 1898, 83 in 1899, 105 in 1900, 99 in 1901, 81 in 1902, 55 in 1903, 63 in 1904, 90 in 1905, 59 in 1906, and 60 in 1907), 29 males and 35 females. Twenty-six of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

PERITONITIS—1908.

| By Counties. | By Months. | By Age-periods. |
|--------------------------|-----------------------|---------------------|
| Androscoggin 6 | January 5 | Under 1 3 |
| Aroostook 6 | February 6 | 1-5 6 |
| Cumberland 8 | March 3 | 5-10 8 |
| Franklin 2 | April 5 | 10-20 8 |
| Hancock 7 | May 8 | 20-30 5 |
| Kennebec 7 | June 7 | 30-40 6 |
| Knox — | July 2 | 40-50 9 |
| Lincoln 1 | August 9 | 50-60 8 |
| Oxford 3 | September 1 | 60-70 4 |
| Penobscot 8 | October 6 | 70-80 4 |
| Piscataquis 1 | November 7 | Over 80 3 |
| Sagadahoc 5 | December 5 | Total 64 |
| Somerset 3 | Total 64 | |
| Waldo — | | |
| Washington 3 | | |
| York 4 | | |
| State 64 | | |

Appendicitis.—Of the deaths classified under this cause, 56 in number, 27 were males and 29 were females. The number of deaths in each month was: January, 6; February, 5; March, 4; April, 5; May, 0; June, 4; July, 6; August, 6; September, 6; October, 4; November, 4; December, 6.

Ages: From 1-5, 3; 5-10, 7; 10-20, 16; 20-30, 8; 30-40, 6; 40-50, 5; 50-60, 4; 60-70, 2; over 70, 5.

Cirrhosis of the Liver.—Sixty-five deaths were ascribed to cirrhosis of the liver—those of 41 men and 24 women. Of these 65 deaths, 17 were in the cities, and 48 in the rural parts of the State. The death-rate in the State from this one cause was 0.89 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, 0.50 in 1895, 0.33 in 1896, 0.45 in 1897, 0.58 in 1898, 0.52 in 1899, 0.79 in 1900, 0.63 in 1901, 0.63 in 1902, 0.92 in 1903, 0.66 in 1904, 0.62 in 1905, 0.60 in 1906, and 0.82 in 1907).

Diseases of the Genito-Urinary System and its Adnexa.—There were 822 deaths referred to the diseases under this group, equivalent to a death-rate of 11.31.

Nephritis.—Acute nephritis caused the death of 89 persons, 42 males and 47 females. The death-rate from nephritis was, therefore, 1.22.

Ages: Under 1, 4; 1-5, 6; 5-10, 3; 10-20, 4; 20-30, 14; 30-40, 15; 40-50, 15; 50-60, 11; 60-70, 11; 70-80, 5; over 80, 1.

* *Bright's Disease*.—This was the cause of 600 deaths (204 in 1892, 217 in 1893, 219 in 1894, 234 in 1895, 282 in 1896, 231 in 1897, 250 in 1898, 262 in 1899, 443 in 1900, 471 in 1901, 523 in 1902, 573 in 1903; 575 in 1904, 599 in 1905, 652 in 1906, and 661 in 1907), 329 males and 271 females. Of these deaths, 209 were in the cities.

The sex and age-group distribution of Bright's disease is as follows:

BRIGHT'S DISEASE BY SEX AND AGE-PERIODS—1908.

| Sex. | Under 1. | 1-5. | 5-10. | 10-20. | 20-30. | 30-40. | 40-50. | 50-60. | 60-70. | 70-80. | Over 80. | Not stated. | Total. |
|--------------|----------|------|-------|--------|--------|--------|--------|--------|--------|--------|----------|-------------|--------|
| Males..... | 2 | - | 2 | 3 | 5 | 19 | 32 | 51 | 77 | 86 | 51 | 1 | 329 |
| Females..... | 3 | 1 | 1 | 4 | 7 | 19 | 39 | 41 | 59 | 72 | 25 | - | 271 |
| Total..... | 5 | 1 | 3 | 7 | 12 | 38 | 71 | 92 | 136 | 158 | 76 | 1 | 600 |

*This title includes: Chronic, albuminous, interstitial, or parenchymatous nephritis; albuminuria; amyloid or fatty degeneration of the kidney; amyloid kidney; steatosis of the kidney; renal sclerosis. Also includes when their precise nature is not indicated: Uremia, uremic eclampsia; uremic delirium; uremic coma.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

| COUNTIES. | Number of deaths. | Rate. | COUNTIES. | Number of deaths. | Rate. |
|-------------------|-------------------|-------|------------------|-------------------|-------|
| Androscoggin..... | 45 | 7.70 | Oxford..... | 31 | 9.24 |
| Aroostook..... | 22 | 3.16 | Penobscot..... | 49 | 6.20 |
| Cumberland..... | 138 | 12.72 | Piscataquis..... | 11 | 6.25 |
| Franklin..... | 18 | 9.20 | Sagadahoc..... | 22 | 10.46 |
| Hancock..... | 46 | 12.35 | Somerset..... | 24 | 6.89 |
| Kennebec..... | 44 | 7.24 | Waldo..... | 27 | 11.16 |
| Knox..... | 22 | 7.24 | Washington..... | 15 | 3.27 |
| Lincoln..... | 22 | 11.19 | York..... | 64 | 9.62 |
| | | | State..... | 600 | 8.26 |

The Puerperal State.—Under this class of accidents and diseases of reproduction, 83 deaths were registered, not including puerperal fever, (69 in 1892, 50 in 1893, 41 in 1894, 36 in 1895, 56 in 1896, 62 in 1897, 51 in 1898, 40 in 1899, 50 in 1900, 52 in 1901, 69 in 1902, 94 in 1903, 72 in 1904, 51 in 1905, 76 in 1906, and 80 in 1907). This is equivalent to a special death-rate of 1.14.

Deaths from External Causes.—Under this class there were 650 deaths.

Fractures caused 81 deaths—fracture of skull, 31; of hip, 14; of thigh, 17; of spine, 7; of neck, 4; of leg, 2; of arms, 2; of rib, 1; and 3, not stated.

Burns and scalds cause 45 deaths—9 were from clothing taking fire; 5, scalded with hot water; 5, by lamp exploding; 3, by using kerosene to light fire; 2, by explosion of oil stove; 2, by overturning lamp; 2, by playing with matches; 1, by playing with paper in stove; 1, by soapstone in bed; 1, by explosion of boiler, and the rest, unspecified.

Sunstroke caused 8 deaths. Nine persons died from exposure to cold.

From accidental drowning, 117 deaths occurred.

Other accidental injuries caused the death of 165 persons; 38 were from falls; 35, from railway injuries; 24, from gunshot wounds; 13, from working in a mill; 10, by electric cars; 6, kicked by a horse; 5, thrown from team; 5, crushed by logs; 3, by falling trees; 3, by runaway horses; 2, by falling timber; 2, by falling derrick; 2, crushed by load of lumber; 2, thrown from automobiles; 1, fell from mowing machine; 1, fell into rock crusher; 1, thrown from horse-rake; 1, run over by ox team; 1, run over by loaded dray; 1, crushed by rock falling into quarry pit; 1, by premature powder blast; the rest were unspecified.

From acute poisoning there were 39 deaths.

Forty-two people met their death from external violence, including 6 murders.

The death-rate in the State under this class was 8.94.

Suicide.—Within the year 121 persons took their own lives (59 in 1892, the same number in 1893, 39 in 1894, 66 in 1895, 81 in 1896, 71 in 1897, 56 in 1898, 93 in 1899, 66 in 1900, 81 in 1901, 73 in 1902, 77 in 1903, 107 in 1904, 84 in 1905, 85 in 1906, and 87 in 1907), 98 males and 23 females. Of the males, the occupation of 32 was farmer; of 20, laborer; of 5, carpenter; of 4, clerk; of 3, weaver; of 2, cook; of 2, mill operative; of 2, teamster; of 1, each, actor, bank teller, blacksmith, broker, butcher, canvasser, fish dealer, gardener, hotel keeper, liveryman, lumberman, mason, mechanic, merchant, optician, painter, pawnbroker, photographer, physician, policeman, poultry raiser, salesman, shoemaker, storekeeper, while of 4, no occupation was given.

Of the females, the occupation of 12 was registered as housewife; and of 2, as clerk, while in 9 cases no occupation was given.

As to the means employed; 35 committed suicide by shooting; 41, by hanging; 16, by poisoning; 15, by drowning; 11, by cutting throat; 3, by asphyxiation.

**SUICIDES BY AGES, MONTHS AND COUNTIES—
1908.**

| AGE-PERIODS. | MONTHS. | COUNTIES. | Rate per 10,000 of population. |
|---------------------|------------------------|---------------------------|-----------------------------------|
| 10-20 1 | January 7 | Androscoggin 14 | 2.39 |
| 20-30 12 | February 5 | Aroostook 3 | 0.43 |
| 30-40 18 | March 7 | Cumberland 21 | 1.94 |
| 40-50 21 | April 9 | Franklin 7 | 3.58 |
| 50-60 27 | May 14 | Hancock 4 | 1.07 |
| 60-70 22 | June 13 | Kennebec 15 | 2.47 |
| 70-80 14 | July 14 | Knox 3 | 0.99 |
| Over 80 6 | August 11 | Lincoln 5 | 2.54 |
| Total 121 | September 16 | Oxford 6 | 1.79 |
| | October 15 | Penobscot 12 | 1.52 |
| | November 4 | Piscataquis 6 | 3.41 |
| | December 6 | Sagadahoc 1 | 0.48 |
| | Total 121 | Somerset 8 | 2.30 |
| | | Waldo 6 | 2.48 |
| | | Washington 5 | 1.09 |
| | | York 5 | 0.75 |
| | | State 121 | 1.66 |

The youngest suicide was a girl of 17 years; the oldest, a man of 88 years. The largest number of suicides was 16 in September. By quarters, the suicides were 19, 36, 41, and 25. The largest number, 21, occurred in Cumberland county. The highest death-rate from suicide was in Franklin county. The rate for the State per 10,000 of population was 1.66.

LIST OF TABLES.

| | PAGE |
|---|-------|
| Table No. 1.—Population in 1890 and 1900 and Estimated Population for 1908..... | 5 |
| Table No. 2.—Births, Marriages and Deaths, 1900-1908..... | 5 |
| Table No. 3.—Estimated Population for 1908, Births, Marriages, and Deaths, with the rate of each to 1,000 of population for the year ending December 31, 1908 | 6 |
| Table.—Summary of Births, Marriages and Deaths..... | 7 |
| Table No. 4.—Births and Deaths in each County..... | 8 |
| Table No. 5.—Births and Deaths in the Cities..... | 9 |
| Table No. 6.—Births, Marriages and Deaths by Counties and Towns | 10-59 |
| Table No. 7.—Births, Marriages and Deaths by Counties..... | 60-61 |
| Table No. 8.—Births and Birth-Rates by Counties, for the years 1901-1908 | 62 |
| Table No. 9.—Births by Counties, showing the proportion of males to females, 1908..... | 63 |
| Table No. 10.—Number of Births in each month of 1901-1908, with Monthly Ratio compared with a Standard of 100..... | 64 |
| Table No. 11.—Births by Sex and Months, by Counties, 1908.. | 65 |
| Table No. 12.—Births in Cities, for 1908, with rate per 1,000 of population | 66 |
| Table No. 13.—Percentage of American and Foreign Births by Counties, 1908..... | 67 |
| Table No. 14.—Percentage of American and Foreign Births by Cities, 1908..... | 68 |
| Table No. 15.—Twin Births by Months and Counties, 1908.... | 69 |
| Table No. 16.—Twin Births by Sex and Parentage, by Counties, 1908..... | 70 |
| Table No. 17.—Stillbirths by Sex and Parentage, by Counties, 1908 | 71 |
| Table No. 18.—Stillbirths by Seasons, 1908..... | 72 |
| Table.—Births in each Month of the seventeen years, 1892-1908 | 75 |
| Table No. 19.—Marriages and Marriage-Rates by Counties for the years 1901-1908..... | 76 |
| Table No. 20.—Marriages by Counties and Nativity, 1908..... | 77 |
| Table No. 21.—Marriages by Months and Counties, 1908..... | 77 |

| | PAGE |
|---|---------|
| Table No. 22.—Number of Marriages in each month of 1901-1908, with Monthly Ratio compared with a Standard of 100..... | 78 |
| Table No. 23.—Marriages by Ages and Counties, 1908..... | 79 |
| Table No. 24.—Interesting Facts in Relation to Marriages.... | 80-81 |
| Table No. 25.—Divorces decreed by the Supreme Court of Maine in the year 1908..... | 84-85 |
| Table No. 26.—Divorces by Causes, Sex of Libellants and the Number of years married, 1908..... | 86 |
| Table No. 27.—Deaths and Death-Rates by Counties, for the years 1901-1908 | 88 |
| Table No. 28.—Number of Deaths in each month of 1901-1908, with Monthly Ratio compared with a Standard of 100..... | 89 |
| Table No. 29.—The number of Deaths in the State, and in each County, arranged by Classes and Counties.. | 90-95 |
| Table No. 30.—Deaths from all Causes, by Months, 1908..... | 96-99 |
| Table No. 31.—Deaths from all Causes, by Age-Groups, 1901-1908 | 100-117 |
| Table No. 32.—Deaths in each County and City from Special Causes, Mostly Infectious Diseases..... | 118-119 |
| Table No. 33.—Deaths in each County and City from Certain Diseases and Groups of Diseases..... | 120-121 |
| Table No. 34.—Deaths by Ages, Sex, and Months, by Counties | 122-123 |
| Table No. 35.—Number of Deaths from several Specified Causes, of each sex, in each month, which were registered during seventeen years, 1892-1908 | 124 |
| Table No. 36.—Mortality by months, reduced to a Standard Mean of 100; Seventeen years, 1892-1908... | 125 |
| Table.—Number of Deaths from 1892-1908, with Death-Rates based upon the Estimated Population..... | 126 |
| Table.—Months in which the Largest and the Smallest Number of Deaths occurred in the years 1892-1908... | 127 |
| Table.—Number of Deaths by Quarters in the seventeen years 1892-1908 | 128 |
| Table.—Deaths in each Month for the years 1892-1908..... | 129 |
| Table.—Deaths from some of the Leading Causes..... | 131 |
| Table.—Mortality from Ten Prominent Causes, 1892-1908..... | 132 |
| Table.—Six Infectious Diseases by Counties, 1908..... | 133 |
| Table.—Six Infectious Diseases by Cities, 1908..... | 134 |
| Table.—Infectious Diseases, 1901-1908..... | 135 |
| Table.—Measles by Counties, Months, and Age-Periods, 1896-1908 | 136 |
| Table.—Scarlet Fever by Counties, Months, and Age-Periods, 1893-1908 | 137 |

LIST OF TABLES.

185

| | PAGE |
|---|---------|
| Table.—Influenza by Counties and Months, 1908..... | 138 |
| Table.—Whooping Cough by Counties, Months, and Age-Periods, 1908 | 139 |
| Table.—Diphtheria by Counties and Months, 1908..... | 140 |
| Table.—Diphtheria by Counties, Months, and Age-Periods, 1893-1908 | 141 |
| Table.—Diphtheria in the Cities and the State, 1894-1908..... | 142-143 |
| Table.—Typhoid Fever by Counties and Months, 1908..... | 144 |
| Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1893-1908 | 145 |
| Table.—Typhoid Fever in the Cities and the State, 1894-1908.. | 146-147 |
| Table.—Tuberculosis (all kinds) in the Cities and the State, 1894-1908 | 148-149 |
| Table.—Consumption by Counties and Months, 1908..... | 152 |
| Table.—Consumption by Sex and Age-Periods, 1908..... | 152 |
| Table.—Consumption by Counties, Months, and Age-Periods, 1893-1908 | 153 |
| Table.—Pulmonary Tuberculosis in the Cities and State, 1894-1908 | 154-155 |
| Table.—Rheumatism by Counties, Months, and Age-Periods, 1908 | 157 |
| Table.—Rheumatism by Counties, Months, and Age-Periods, 1893-1908 | 158 |
| Table.—Cancer by Sex and Age-Periods, 1908..... | 159 |
| Table.—Cancer by Counties and Age-Periods, 1908 and 1893-1908 | 159 |
| Table.—Old Age by Counties, 1908..... | 160 |
| Table.—Apoplexy by Counties and Months, 1908..... | 162 |
| Table.—Apoplexy by Sex and Age-Periods, 1908..... | 163 |
| Table.—Apoplexy, 1908 and 1893-1908..... | 163 |
| Table.—Diseases of the Heart by Ages..... | 164 |
| Table.—Diseases of the Heart by Counties..... | 165 |
| Table.—Heart Disease by Sex and Age-Periods, 1908..... | 165 |
| Table.—Pneumonia by Sex and Age-Periods, 1908..... | 167 |
| Table.—Pneumonia by Counties and Months with Death-Rate per 10,000, 1908 | 168 |
| Table.—Pneumonia by Counties, Months, and Age-Periods, 1893-1908 | 169 |
| Table.—Pneumonia in the Cities and the State, 1894-1908..... | 170-171 |
| Table.—Bronchitis by Counties and Months, 1908..... | 173 |
| Table.—Infantile Diarrhea by Counties and Months, 1908..... | 175 |
| Table.—Infantile Diarrhea by Counties, Months, and Age-Periods, 1893-1908 | 176 |
| Table.—Infantile Diarrhea in the Cities, 1901-1908..... | 177 |
| Table.—Peritonitis by Counties, Months, and Age-Periods, 1908 | 178 |
| Table.—Bright's Diseases by Sex and Age-Periods, 1908..... | 179 |
| Table.—Bright's Disease by Counties, 1908..... | 180 |
| Table.—Suicides by Ages, Months, and Counties, 1908..... | 182 |

INDEX.

| | PAGE |
|---|----------|
| Age and Mortality | 130 |
| Appendicitis | 178 |
| Apoplexy | 161 |
| 1908 and 1893-1908..... | 163 |
| by counties and months..... | 162 |
| by sex and age-periods, 1908..... | 163 |
| Birth-rate | 73 |
| Birth-rates | 6, 7 |
| Births and birth-rates, by counties and years..... | 62 |
| by counties, showing proportion of males to females.... | 63 |
| by seasons | 74 |
| by sex and months, by counties..... | 65 |
| in cities, for 1908, with rate..... | 66 |
| in each month, by years..... | 64 |
| notes on | 73 |
| parentage of | 73 |
| percentage of American and foreign, by cities..... | 68 |
| by counties | 67 |
| relation to deaths..... | 8 |
| twin | 75 |
| by months and counties..... | 60 |
| by sex and parentage..... | 70 |
| marriages and deaths, in each county..... | 60-61 |
| in each town..... | 10-59 |
| Brain or Membranes, inflammation of..... | 161 |
| softening of the..... | 164 |
| Bright's Disease | 179, 180 |
| Bronchitis | 172, 173 |
| Cancer | 158 |
| 1908 and 1893-1908..... | 159 |
| by sex and age-periods, 1908..... | 159 |
| Centenarians | 161 |
| Cirrhosis of the liver | 178 |
| Consumption, by counties and months..... | 152 |
| by counties, months, and age-periods, 1893-1908.. | 153 |
| by sex and age-periods, 1908..... | 152 |

| | PAGE |
|--|----------|
| Deaths, age and mortality..... | 130 |
| causes of | 130 |
| by ages, sex and months, by counties..... | 122-123 |
| months, reduced to a standard mean for seventeen years | 125 |
| in each month, for the years 1892-1908..... | 129 |
| in each county and city, from special causes..... | 118-119 |
| from certain diseases and | |
| groups of diseases..... | 120-121 |
| in the State and Counties, by classes and counties..... | 90-95 |
| from all Causes, by months..... | 96-99 |
| from all Causes by age-groups, 1901-1908..... | 100-117 |
| from several specified causes in seventeen years..... | 124 |
| from some of the leading causes..... | 131 |
| notes on, and the causes of death..... | 126 |
| number in each month, by years..... | 89 |
| seasons and mortality..... | 127 |
| sex and mortality..... | 130 |
| and death-rates, by counties and years..... | 88 |
| Death-rates | 6, 7 |
| compared | 126 |
| Diabetes | 160 |
| Diarrheal Diseases | 174 |
| Digestive System, diseases of the..... | 173 |
| Diphtheria | 139 |
| by counties and months..... | 140 |
| by counties, months, and age-periods, 1893-1908..... | 141 |
| in the cities and in the State, 1894-1908..... | 142, 143 |
| Divorces by causes, sex of libellants, etc..... | 86 |
| decreed in 1908..... | 84, 85 |
| notes on | 87 |
| Epilepsy | 164 |
| External Causes, deaths from..... | 180 |
| Genito-Urinary system and its adnexa, diseases of the..... | 178 |
| Heart, diseases of the..... | 164 |
| Infantile Diarrhea | 174 |
| by counties and months..... | 175 |
| by counties, months, and age-periods, 1893- | |
| 1908 | 176 |
| in cities, 1901-1908..... | 177 |
| Infectious diseases | 133 |
| 1901-1908 | 135 |
| six by cities..... | 134 |
| six by counties..... | 133 |
| Influenza | 137 |
| deaths from, by counties and months..... | 138 |

| | PAGE |
|--|----------|
| Liver, cirrhosis of..... | 178 |
| Marriages, interesting facts relating to..... | 80, 81 |
| rates | 6, 7, 82 |
| ages | 82 |
| and rates, by counties..... | 76 |
| by ages and counties..... | 79 |
| by counties and nativity..... | 77 |
| by months and counties..... | 77 |
| nativity | 82 |
| notes on | 82 |
| number of, in each month, by years..... | 78 |
| seasons | 82 |
| Malarial diseases | 146 |
| Measles | 135 |
| by counties, months, and age-periods, 1896-1908..... | 136 |
| Mortality from ten prominent causes, 1892-1908..... | 132 |
| Nephritis | 179 |
| Nervous system, diseases of the..... | 161 |
| Old Age | 160 |
| Paralysis | 164 |
| Peritonitis | 177 |
| by counties, months, and age-periods, 1908..... | 178 |
| Pleurisy | 173 |
| Pneumonia | 167 |
| 1893-1908 | 169 |
| by counties and months, with death-rates..... | 168 |
| by sex and age-periods, 1908..... | 167 |
| in the cities and the State, 1894-1908..... | 170-171 |
| Population | 4 |
| Puerperal fever, by months and counties, 1908..... | 156 |
| Puerperal state, the..... | 180 |
| Respiratory system, diseases of the..... | 166 |
| Rheumatism | 156 |
| by counties, months, and age-periods, 1908..... | 157 |
| by counties, months, and age-periods, 1893-1908.... | 158 |
| Scarlet fever | 136 |
| by counties, months, and age-periods..... | 137 |
| Sex and mortality..... | 130 |
| Smallpox | 135 |
| Stillbirths | 75 |
| by seasons | 72 |
| by sex and parentage..... | 71 |
| Suicides | 181 |
| by ages, months, and counties, in 1908..... | 182 |
| Tetanus | 164 |
| Triplets | 75 |

| | PAGE |
|---|----------|
| Tuberculosis | 147 |
| cerebral | 150 |
| in the cities and the State, 1894-1908..... | 146, 147 |
| mesenteric | 156 |
| other forms | 156 |
| pulmonary | 150 |
| in the cities and the State, 1894-1908.. | 154, 155 |
| Typhoid fever | 144 |
| by counties and months, 1908..... | 144 |
| by counties, months, and age-periods, 1893-1908.. | 145 |
| in the cities and the State, 1894-1908..... | 146-147 |
| Whooping cough | 138 |
| by counties, months, and age-periods..... | 139 |