

# MAINE STATE LEGISLATURE

The following document is provided by the  
**LAW AND LEGISLATIVE DIGITAL LIBRARY**  
at the Maine State Law and Legislative Reference Library  
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied  
(searchable text may contain some errors and/or omissions)

**PUBLIC DOCUMENTS OF MAINE**

**1912**

**BEING THE**

**ANNUAL REPORTS**

**OF THE VARIOUS**

**DEPARTMENTS AND INSTITUTIONS**

**For the Year 1911**

---

**VOLUME IV**

---

**AUGUSTA**

**WALLACE S. LADD PRINTING COMPANY**

**1912**

**JAN 29 1913**

NINETEENTH ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES  
AND DEATHS

IN THE


STATE OF MAINE

FOR THE

Year Ending December 31, 1910

---

WATERVILLE  
SENTINEL PUBLISHING COMPANY  
1911



DEPARTMENT OF VITAL STATISTICS.

---

OFFICE OF THE REGISTRAR,  
AUGUSTA, MAINE, AUGUST 16, 1911.

*To his Excellency, Frederick W. Plaisted, Governor, and the  
Honorable Executive Council:*

GENTLEMEN:—In accordance with the provisions of the law, I have the honor of submitting to you the Nineteenth Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1910.

Very respectfully,

A. G. YOUNG, M. D.,  
*Registrar of Vital Statistics.*

## REGISTRATION REPORT, 1910.

---

This report presents the results of the registration and tabulation of the births, marriages, divorces, and deaths which occurred in the State of Maine during the year 1910.

The number of births registered in that year is 266 less than in the preceding year. The number of births recorded in each of the registration years 1892-1910 is 14,028, 14,604, 14,607, 15,430, 15,429, 15,142, 15,121, 14,475, 14,709, 14,615, 15,166, 15,130, 15,405, 16,005, 16,585, 16,595, 16,914, 16,735, and 16,469 respectively.

The number of marriages (number of couples married) in 1910 was 5,900, 111 less than in the preceding year. The number of marriages registered in the State in each of the years 1892-1910 is, respectively, 5,726, 5,795, 5,591, 5,729, 5,579, 5,331, 5,144, 5,329, 5,482, 5,735, 5,905, 6,200, 6,208, 6,264, 6,498, 6,380, 5,904, 6,011, and 5,900.

The number of deaths recorded in the State for the same year was 12,439, a number 1,144 more than that of the deaths registered in the preceding year. The number of deaths in each year thus far recorded is: in 1892, 12,147; in 1893, 11,134, in 1894, 11,012; in 1895, 10,464; in 1896, 10,626; in 1897, 11,236; in 1898, 10,956; in 1899, 11,370; in 1900, 11,389; in 1901, 11,133; in 1902, 10,673; in 1903, 11,009; in 1904, 11,346; in 1905, 11,381; in 1906, 11,427; in 1907, 11,803; in 1908, 11,664; in 1909, 11,295; and in 1910, 12,439.

*Bertillon Classification.*—The nomenclature of the causes of death in this report is the revised Bertillon classification adopted by the International Commission which met in Paris in July, 1909.

*Population.*—The population of the State of Maine in 1910, as given by the twelfth census was 742,371. In 1900, the population of the State was 694,466. There was, therefore, a gain of 47,905 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1890, 1900, and the census population in 1910.

**TABLE No. 1.**  
**Population in 1890, 1900 and 1910.**

COUNTIES.	Population in 1890.	Population in 1900.	Population in 1910.
Androscoggin .....	48,968	54,242	59,822
Aroostook .....	49,589	60,744	74,664
Cumberland .....	90,949	100,689	112,014
Franklin .....	17,053	18,444	19,119
Hancock .....	37,312	37,241	35,575
Kennebec .....	57,012	59,117	62,863
Knox .....	31,473	30,406	28,981
Lincoln .....	21,996	19,669	18,216
Oxford .....	30,586	32,238	36,256
Penobscot .....	72,865	76,246	85,285
Piscataquis .....	16,134	16,949	19,887
Sagadahoc .....	19,452	20,330	18,574
Somerset .....	32,627	33,849	36,301
Waldo .....	27,759	24,185	23,383
Washington .....	44,482	45,232	42,905
York .....	62,829	64,885	68,526
Total .....	661,086	694,466	742,371

**TABLE No. 2.**  
**Births, Marriages and Deaths, 1902--1910.**

STATE.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Number of births . . .	14,508	14,453	14,673	15,294	15,878	15,914	16,173	16,060	15,798
Number of marriages	5,905	6,200	6,208	6,264	6,498	6,380	5,904	6,011	5,900
Number of deaths . . .	10,673	11,009	11,346	11,381	11,427	11,803	11,664	11,295	12,439
Birth-rate .....	20.89	20.81	21.13	21.40	22.09	22.02	22.25	21.97	21.28
Marriage-rate .....	8.50	8.93	8.94	8.76	9.04	8.83	8.12	8.22	7.95
Death-rate .....	15.37	15.85	16.34	15.92	15.90	16.33	16.05	15.45	16.62

*Birth, Marriage, and Death-Rates.*—In this report the birth-rates, marriage-rates, and death-rates from all causes are stated as so many among each 1,000 of the population according to the census population for 1910.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

**TABLE No. 3.**

**Population for 1910, Births, Marriages and Deaths with rate of each to 1,000 of Population for the year ending December 31, 1910.**

COUNTIES.	Population for 1910.	Births.	Birth-rate per 1,000.	Marriages.	Marriage-rate per 1,000.	Deaths.	Death-rate per 1,000.
Androscoggin . . . . .	59,822	1,173	19.61	478	7.99	1,132	18.92
Aroostook . . . . .	74,664	2,443	32.72	578	7.75	1,037	13.89
Cumberland . . . . .	112,014	2,201	19.65	861	7.69	1,937	17.29
Franklin . . . . .	19,119	403	21.08	160	8.37	256	13.39
Hancock . . . . .	35,575	693	19.48	310	8.71	547	15.38
Kennebec . . . . .	62,863	1,262	20.08	554	8.81	1,172	18.64
Knox . . . . .	28,981	432	14.91	213	7.35	479	16.53
Lincoln . . . . .	18,216	293	16.08	117	6.42	306	16.80
Oxford . . . . .	36,256	876	24.16	310	8.55	585	16.14
Penobscot . . . . .	85,285	1,671	19.59	751	8.81	1,401	16.43
Piscataquis . . . . .	19,887	381	19.16	182	9.15	275	13.82
Sagadahoc . . . . .	18,574	336	18.09	141	7.59	326	17.55
Somerset . . . . .	36,301	760	20.94	306	8.43	589	16.23
Waldo . . . . .	23,383	394	16.85	186	7.95	421	18.00
Washington . . . . .	42,905	956	22.28	316	7.36	642	14.96
York . . . . .	68,526	1,524	22.24	437	6.38	1,334	19.47
State . . . . .	742,371	15,798	21.28	5,900	7.95	12,439	16.62



The following is a general summary of the births, marriages, and deaths in 1910:

**BIRTHS.**

SEX.		PARENTAGE.	
Males.....	8,044	American.....	9,370
Females.....	7,750	Foreign.....	3,259
Not stated.....	4	One parent foreign.....	2,993
	15,798	Not stated.....	176
			15,798
Whole number of births.....		15,798	
Birth-rate per 1,000.....		21.28	

**MARRIAGES.**

Groom and bride American.....	4,177
Groom and bride foreign.....	552
Groom American, bride foreign.....	484
Groom foreign, bride American.....	667
Not stated.....	20
	5,900
Whole number of marriages.....	5,900
Marriage-rate per 1,000.....	7.95

**DEATHS.**

SEX.		NATIVITY.	
Males.....	6,427	American.....	10,500
Females.....	6,012	Foreign.....	1,782
Not stated.....		Not stated.....	157
	12,439		12,439
Whole number of deaths.....		12,439	
Death-rate per 1,000.....		16.62	

*Relation of Births to Deaths:*—As the total number of births registered in Maine in the year 1910 was 16,469, and the number of deaths was 12,439, the natural increase of births over deaths was 4,030.

The following table shows the number of births and deaths in each county and the preponderance of births over deaths, or vice-versa:

**TABLE No. 4.**

COUNTIES.	Population for 1910.	Births.	Deaths.	Difference.
Androscoggin.....	59,822	1,173	1,132	41 gain
Aroostook.....	74,664	2,443	1,037	1,406 gain
Cumberland.....	112,014	2,201	1,937	264 gain
Franklin.....	19,119	403	256	147 gain
Hancock.....	35,575	693	547	146 gain
Kennebec.....	62,863	1,262	1,172	90 gain
Knox.....	28,981	432	479	47 loss
Lincoln.....	18,216	293	306	13 loss
Oxford.....	36,256	876	585	291 gain
Penobscot.....	85,285	1,671	1,401	270 gain
Piscataquis.....	19,887	381	275	106 gain
Sagadahoc.....	18,574	336	326	10 gain
Somerset.....	36,301	760	589	171 gain
Waldo.....	23,383	394	421	27 loss
Washington.....	42,905	956	642	314 gain
York.....	68,526	1,524	1,334	190 gain
State.....	742,371	15,798	12,439	3,359 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following table, together with the birth-rate and the death-rate per 1,000 of the census population in each city:

TABLE No. 5.

CITIES.	Population in 1900.	Population in 1910.	Births.	Deaths.	Difference.	Birth-rate.	Death-rate.
Auburn.....	12,951	15,064	227	229	2 loss	15.07	15.20
Augusta.....	11,683	13,211	283	331	48 loss	21.42	*16.20
Bangor.....	21,850	24,803	397	501	104 loss	16.01	*16.61
Bath.....	10,477	9,396	178	181	3 loss	18.94	19.26
Belfast.....	4,615	4,618	83	92	9 loss	17.97	19.92
Biddeford.....	16,145	17,079	549	407	142 gain	32.14	23.83
Brewer.....	4,835	5,667	151	90	61 gain	26.67	15.88
Calais.....	7,655	6,116	127	114	13 gain	20.77	18.64
Eastport.....	5,311	4,961	111	78	33 gain	22.37	15.72
Ellsworth.....	4,297	3,549	48	66	18 loss	13.52	18.60
Gardiner.....	5,501	5,311	95	92	3 gain	17.89	17.32
Hallowell.....	2,714	2,864	49	44	5 gain	17.11	15.36
Lewiston.....	23,761	26,247	578	571	7 gain	22.02	*18.94
Old Town.....	5,763	6,317	141	118	23 gain	22.32	18.68
Portland.....	50,145	58,571	1,162	1,080	82 gain	19.84	*19.80
Rockland.....	8,150	8,174	140	135	5 gain	17.13	16.52
Saco.....	6,122	6,583	111	132	21 loss	16.86	20.05
South Portland.....	6,287	7,471	156	109	47 gain	20.88	14.59
Waterville.....	9,477	11,458	330	200	130 gain	28.80	17.46
Westbrook.....	7,283	8,281	214	132	82 gain	25.84	15.94
Total.....	225,022	245,741	5,130	4,702	428 gain	20.88	19.13

\* Deaths of non-residents in public institutions: Augusta, 117; Bangor, 89; Lewiston, 74; Portland, 87; deducted from total in estimating death-rate.

## TABLE

### Births, Marriages and Deaths

ANDROSCOGGIN

TOWNS.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn.....	15,064	126	101	-	227	15.07	98	77	23	25	4
Durham.....	1,625	15	15	-	30	18.46	16	9	2	3	-
East Livermore....	2,641	39	33	-	72	27.26	39	18	9	6	-
Greene.....	773	10	7	-	17	21.99	9	3	2	2	1
Leeds.....	990	8	18	-	26	26.26	24	1	-	1	-
Lewiston.....	26,247	282	296	-	578	22.02	122	297	88	66	5
Lisbon.....	4,116	45	53	-	98	23.81	39	34	13	12	-
Livermore.....	1,100	14	9	-	23	20.91	15	4	2	2	-
Mechanic Falls....	1,678	7	14	-	21	12.51	15	1	3	2	-
Minot.....	786	8	4	-	12	15.27	7	1	-	4	-
Poland.....	1,382	9	12	-	21	15.20	16	1	1	3	-
Turner.....	1,708	14	12	-	26	15.22	22	-	3	1	-
Wales.....	499	5	2	-	7	14.03	5	-	2	-	-
Webster.....	1,213	9	6	-	15	12.37	12	-	1	2	-
Total.....	59,822	591	582	-	1,173	19.61	439	446	149	129	10

**No. 6.**  
**for the year 1910.**  
COUNTY

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
94	15	10	11	1	131	111	118	-	229	204	23	2	15.20
7	-	-	3	-	10	17	19	-	36	26	10	-	22.15
11	3	1	5	-	20	19	17	-	36	32	3	1	13.63
4	-	-	-	-	4	10	9	-	19	17	2	-	24.58
4	-	-	-	-	4	7	16	-	23	21	2	-	23.23
89	59	30	43	-	221	306	265	-	571	391	170	10	21.75
18	4	3	8	-	33	22	41	-	63	44	17	2	15.31
6	1	-	1	-	8	10	8	-	18	16	2	-	16.36
11	-	2	3	-	16	22	17	-	39	35	4	-	23.24
4	1	-	-	-	5	9	5	-	14	14	-	-	17.81
6	1	2	1	-	10	11	18	-	29	29	-	-	20.98
8	-	-	1	-	9	19	13	-	32	32	-	-	18.74
-	-	1	-	-	1	3	5	-	8	8	-	-	16.03
5	-	1	-	-	6	7	8	-	15	13	1	1	12.37
267	84	50	76	1	478	573	559	-	1,132	882	234	16	18.92

**TABLE**  
**Births, Marriages and Deaths**

AROOSTOOK

TOWNS.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity.....	375	5	7	-	12	32.00	9	-	2	1	-
Ashland.....	2,173	29	23	-	52	23.93	39	1	11	1	-
Bancroft.....	344	3	8	-	11	31.98	4	3	3	1	-
Benedicta.....	292	4	5	-	9	30.82	7	1	-	-	1
Blaine.....	1,013	19	14	-	33	32.58	11	3	9	10	-
Bridgewater.....	1,238	12	19	-	31	25.04	12	6	6	5	2
Caribou.....	5,377	104	110	-	214	39.80	105	41	37	31	-
Castle Hill.....	532	5	8	-	13	24.44	9	-	1	3	-
Crystal.....	502	11	8	-	19	37.85	14	-	-	4	1
Dyer Brook.....	281	1	3	-	4	14.24	2	-	2	-	-
Easton.....	1,300	17	19	-	36	27.69	16	7	7	5	1
Fort Fairfield.....	4,381	67	81	-	148	33.78	58	22	27	35	6
Fort Kent.....	3,710	98	95	-	193	52.02	136	13	24	20	-
Frenchville.....	1,414	33	37	-	70	49.50	68	1	1	-	-
Grand Isle.....	1,317	20	18	-	38	28.85	22	4	4	8	-
Haynesville.....	272	5	2	-	7	25.73	5	-	2	-	-
Hersey.....	186	2	1	-	3	16.13	3	-	-	-	-
Hodgdon.....	1,153	17	16	-	33	28.62	13	2	12	6	-
Houlton.....	5,845	66	55	-	121	20.71	35	37	18	29	2
Island Falls.....	1,686	19	25	-	44	26.10	16	10	14	2	2
Limestone.....	1,293	38	32	-	70	54.14	23	18	10	18	1
Linneus.....	809	13	13	-	26	32.14	19	2	2	2	1
Littleton.....	1,026	14	19	-	33	32.16	11	6	5	10	1
Ludlow.....	412	4	5	-	9	21.84	7	-	1	1	-
Madawaska.....	1,831	35	29	-	64	34.94	57	-	-	7	-
Mapleton.....	1,120	8	5	-	13	11.61	9	2	1	-	1

**No. 6—Continued.**  
**for the year 1910.**

COUNTY

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
1	1	-	-	-	2	3	1	-	4	2	2	-	10.67
10	-	3	1	-	14	5	3	-	8	6	2	-	3.68
-	-	-	1	-	1	2	-	-	2	1	1	-	5.81
3	-	-	-	-	3	5	1	-	6	5	1	-	20.55
5	-	4	1	-	10	5	4	-	9	7	2	-	8.88
2	-	2	2	-	6	1	10	-	11	7	4	-	8.89
31	6	8	12	-	57	44	53	-	97	83	14	-	18.04
4	-	-	2	-	6	3	6	-	9	8	1	-	16.92
1	1	-	-	-	2	1	3	-	4	3	-	1	7.97
3	-	-	-	-	3	2	2	-	4	2	2	-	14.24
3	2	3	3	-	11	5	4	-	9	6	3	-	6.92
6	5	7	8	1	27	16	15	-	31	18	12	1	7.08
17	-	1	4	-	22	26	27	-	53	47	4	2	14.29
5	-	-	2	-	7	13	14	-	27	24	3	-	19.09
7	3	-	-	-	10	16	16	-	32	24	8	-	24.30
1	-	-	-	-	1	2	1	-	3	3	-	-	11.03
-	-	-	-	-	-	2	2	-	4	4	-	-	21.51
6	2	-	1	-	9	2	6	-	8	4	4	-	6.94
21	5	10	15	-	51	40	52	-	92	55	36	1	15.74
7	1	3	1	-	12	9	11	-	20	15	5	-	11.86
10	1	1	2	-	14	12	14	-	26	23	3	-	20.11
3	1	1	1	-	6	3	6	-	9	8	1	-	11.12
3	1	1	2	-	7	5	7	-	12	8	4	-	11.70
-	-	-	-	-	-	1	1	-	2	2	-	-	4.85
10	-	-	2	-	12	14	9	-	23	21	2	-	12.56
2	2	-	1	1	6	9	9	-	18	13	4	1	16.07

## TABLE

### Births, Marriages and Deaths

AROOSTOOK

TOWNS.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Mars Hill.....	1,511	21	28	-	49	32.43	24	10	7	8	-
Masardis.....	650	7	13	-	20	30.77	15	2	1	2	-
Monticello.....	1,297	21	20	-	41	31.61	13	12	6	9	1
New Limerick.....	481	5	3	-	8	16.63	4	1	1	2	-
New Sweden.....	905	19	11	-	30	33.15	7	14	4	5	-
Oakfield.....	928	19	13	-	32	34.48	22	2	4	4	-
Orient.....	187	2	3	-	5	26.74	2	1	2	-	-
Perham.....	785	5	9	-	14	17.83	10	1	1	2	-
Portage Lake.....	500	8	6	-	14	28.00	8	-	5	1	-
Presque Isle.....	5,179	68	49	-	117	22.59	56	20	20	18	3
St. Agatha.....	1,533	40	46	-	86	56.10	81	-	2	3	-
Sherman.....	1,053	21	22	-	43	40.84	30	4	7	2	-
Smyrna.....	411	8	9	-	17	41.36	8	5	3	1	-
Van Buren.....	3,065	56	78	-	134	43.72	68	18	27	20	1
Washburn.....	1,582	24	33	-	57	36.03	34	6	10	7	-
Westfield.....	689	11	10	-	21	30.48	10	4	3	3	1
Weston.....	390	7	8	-	15	38.47	10	-	3	2	-
Woodland.....	1,161	18	22	-	40	34.45	22	4	9	4	1
Allagash Pl.....	245	-	-	-	-	-	-	-	-	-	-
Cary Pl.....	340	2	9	-	11	32.35	7	-	2	2	-
Caswell Pl.....	529	11	6	-	17	32.14	6	3	2	6	-
Chapman Pl.....	426	12	2	-	14	32.86	7	2	4	1	-
Connor Pl.....	609	5	13	-	18	29.56	11	7	-	-	-
Cyr Pl.....	531	4	13	-	17	32.02	9	3	2	3	-
E Pl.....	126	1	2	-	3	23.81	2	-	-	1	-
Eagle Lake Pl.....	1,421	48	29	-	77	54.19	49	9	13	6	-



**No. 6—Continued.**  
**for the year 1910.**

COUNTY—CONTINUED

MARRIAGES.						DEATHS.							
						SEX.			NATIVITY.			Death-rate per 1,000.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
7	2	-	3	1	13	12	17	-	29	14	15	-	19.19
2	-	-	4	-	6	3	4	-	7	3	4	-	10.77
7	5	-	1	-	13	5	6	-	11	9	2	-	8.48
2	-	1	2	-	5	3	2	-	5	3	2	-	10.40
-	2	1	3	-	6	11	13	-	24	9	15	-	26.52
2	-	3	-	-	5	2	5	-	7	6	1	-	7.54
-	-	1	-	-	1	-	2	-	2	1	1	-	10.70
1	-	4	3	1	9	2	4	-	6	4	1	1	7.64
2	-	-	-	-	2	2	2	-	4	3	1	-	8.00
21	4	6	10	-	41	39	29	-	68	47	18	3	13.13
12	-	1	2	-	15	25	21	-	46	43	3	-	30.01
7	-	1	1	-	9	2	1	-	3	2	1	-	2.85
3	1	-	2	1	7	6	3	-	9	6	3	-	21.90
11	-	6	6	-	23	34	29	-	63	55	8	-	20.55
9	2	-	3	-	14	10	6	-	16	12	3	1	10.11
2	2	-	-	-	4	5	7	-	12	9	3	-	17.42
2	-	-	2	-	4	1	-	-	1	1	-	-	2.56
1	-	-	2	-	3	11	10	-	21	15	6	-	18.09
2	-	-	-	-	2	-	-	-	-	-	-	-	-
1	1	-	-	-	2	4	2	-	6	5	1	-	17.65
1	-	-	2	-	3	6	3	-	9	9	-	-	17.01
1	-	-	1	-	2	5	2	-	7	6	1	-	16.43
9	-	-	2	-	11	5	9	-	14	11	2	1	22.99
2	-	-	2	-	4	1	1	-	2	2	-	-	3.77
2	-	-	-	-	2	1	1	-	2	1	1	-	15.87
10	-	-	2	-	12	14	9	-	23	20	2	1	16.19

**TABLE**  
**Births, Marriages and Deaths**

AROOSTOOK

TOWNS.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Garfield Pl. ....	121	1	2	-	3	24.79	1	-	2	-	-
Glenwood Pl. ....	128	3	-	-	3	23.44	1	-	1	-	1
Hamlin Pl. ....	657	11	11	-	22	31.96	12	-	9	1	-
Hammond Pl. ....	115	1	1	-	2	17.39	1	-	-	1	-
Macwahoc Pl. ....	147	1	2	-	3	20.41	2	-	1	-	-
Merrill Pl. ....	393	6	3	-	9	22.90	5	2	1	1	-
Moro Pl. ....	215	4	3	-	7	32.56	6	-	1	-	-
New Canada Pl. ....	590	6	9	-	15	25.42	9	1	2	3	-
Oxbow Pl. ....	181	3	2	-	5	27.62	4	-	-	1	-
Reed Pl. ....	537	9	11	-	20	37.24	8	4	6	2	-
St. Francis Pl. ....	918	15	18	-	33	35.95	25	2	5	1	-
St. John Pl. ....	571	11	9	-	20	35.03	14	-	1	5	-
Silver Ridge Pl. ....	155	1	1	-	2	12.90	1	-	1	-	-
Stockholm Pl. ....	715	13	20	-	33	46.15	19	8	3	3	-
Wade Pl. ....	318	8	6	-	14	44.03	10	1	2	1	-
Wallagrass Pl. ....	1,004	18	13	-	31	30.88	25	-	-	4	2
Westmanland Pl. ....	104	-	-	-	-	-	-	-	-	-	-
Winterville Pl. ....	267	6	9	-	15	56.14	8	-	5	2	-
Total. ....	*73,552	1,209	1,234	-	2,443	33.21	1,376	325	377	336	29

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**No. 6—Continued.  
for the year 1910.**

COUNTY—CONCLUDED

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	-	1	-	1	-	1	-	8.26
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	9	2	-	11	10	1	-	15.98
-	-	-	1	-	1	1	-	-	1	1	-	-	8.69
1	-	-	-	-	1	-	1	-	1	-	1	-	6.80
3	-	-	-	-	3	2	4	-	6	4	2	-	15.27
6	-	-	-	-	6	1	3	-	4	3	-	1	18.60
5	-	1	1	-	7	10	11	-	21	20	-	1	35.59
2	-	-	1	-	3	-	1	-	1	1	-	-	5.52
2	-	-	2	-	4	4	2	-	6	6	-	-	11.17
7	-	3	2	-	12	7	5	-	12	7	5	-	13.07
5	-	-	1	-	6	3	3	-	6	3	3	-	10.51
1	-	-	-	-	1	1	3	-	4	3	1	-	25.80
-	-	2	1	-	3	5	7	-	12	11	1	-	16.78
-	-	-	-	-	-	4	2	-	6	4	1	1	18.87
10	-	-	-	-	10	8	12	-	20	17	3	-	19.92
-	-	-	-	-	-	1	-	-	1	1	-	-	9.61
1	-	-	1	-	2	3	1	-	4	4	-	-	14.98
325	50	74	124	5	578	514	523	-	1,037	790	231	16	14.10

**TABLE**  
**Births, Marriages and Deaths**

CUMBERLAND

TOWNS.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGX.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin.....	791	10	14	-	24	30.34	20	1	1	2	-
Bridgton.....	2,660	21	19	-	40	15.04	35	2	2	1	-
Brunswick.....	6,621	67	82	-	149	22.50	46	56	21	24	2
Cape Elizabeth....	1,857	16	9	-	25	13.46	18	2	2	2	1
Casco.....	688	10	5	-	15	21.80	15	-	-	-	-
Cumberland.....	1,403	14	14	-	28	19.96	22	3	2	1	-
Falmouth.....	1,488	11	6	-	17	11.42	7	5	3	1	1
Freeport.....	2,460	16	13	-	29	11.79	25	1	2	1	-
Gorham.....	2,822	22	19	-	41	14.53	38	1	1	1	-
Gray.....	1,270	11	7	-	18	14.17	16	1	1	-	-
Harpwell.....	1,650	17	20	-	37	22.42	31	-	4	2	-
Harrison.....	967	7	5	-	12	12.41	12	-	-	-	-
Naples.....	736	6	7	-	13	17.66	12	-	1	-	-
New Gloucester....	1,228	13	11	-	24	19.54	20	1	-	2	1
North Yarmouth...	686	10	4	-	14	20.41	11	2	-	1	-
Otisfield.....	632	8	9	-	17	26.90	13	1	1	2	-
Portland.....	58,571	596	566	-	1,162	19.84	535	407	89	114	17
Pownal.....	625	6	3	-	9	14.40	9	-	-	-	-
Raymond.....	677	6	7	-	13	19.20	12	-	-	-	1
Scarboro.....	1,945	20	14	-	34	17.48	27	3	2	2	-
Sebago.....	536	4	5	-	9	16.79	8	-	1	-	-
South Portland....	7,471	89	67	-	156	20.88	106	16	17	15	2
Standish.....	1,637	15	19	-	34	20.77	29	4	-	1	-
Westbrook.....	8,281	117	97	-	214	25.84	104	48	32	29	1
Windham.....	1,954	12	16	-	28	14.33	24	-	1	2	1
Yarmouth.....	2,358	21	18	-	39	16.54	23	9	1	6	-
Total.....	112,014	1,145	1,056	-	2,201	19.65	1,218	563	184	209	27

**No. 6—Continued.**  
**for the Year 1910.**  
 COUNTY

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
6	-	-	-	-	6	4	3	-	7	7	-	-	8.85
22	-	1	-	-	23	21	27	-	48	47	1	-	18.05
27	9	7	10	1	54	55	46	-	101	82	19	-	15.25
7	-	-	-	-	7	14	4	-	18	17	1	-	9.69
6	-	-	-	-	6	5	6	-	11	11	-	-	15.99
6	1	-	3	-	10	17	12	-	29	27	1	1	20.67
6	-	-	-	-	6	14	9	-	23	20	3	-	15.46
12	-	1	-	-	13	19	22	-	41	39	2	-	16.67
20	-	2	2	-	24	23	26	-	49	47	2	-	17.36
6	-	1	-	-	7	11	14	-	25	23	2	-	19.69
12	-	1	-	-	13	11	12	-	23	20	3	-	13.94
8	-	1	-	-	9	11	12	-	23	23	-	-	23.78
2	-	-	-	-	2	2	5	-	7	7	-	-	9.51
5	2	-	-	-	7	9	11	-	20	20	-	-	16.28
1	-	-	-	-	1	3	7	-	10	10	-	-	14.58
5	-	-	-	-	5	10	3	-	13	13	-	-	20.57
301	92	43	46	-	482	554	526	-	1,080	800	251	29	18.44
2	-	-	-	-	2	6	2	-	8	8	-	-	12.80
7	-	-	-	-	7	4	13	-	17	17	-	-	25.11
8	1	-	1	-	10	16	17	-	33	27	5	1	16.97
4	-	-	1	-	5	7	3	-	10	10	-	-	18.66
37	3	5	3	1	49	48	61	-	109	90	19	-	14.59
18	-	-	-	-	18	18	15	-	33	32	1	-	20.16
38	7	7	13	-	65	61	71	-	132	99	33	-	15.94
13	-	1	2	-	16	16	13	-	29	29	-	-	14.84
9	3	2	-	-	14	23	15	-	38	33	5	-	16.12
588	118	72	81	2	861	982	955	-	1,937	1,558	348	31	17.29

## TABLE Births, Marriages and Deaths

FRANKLIN

TOWNS.	Population in 1910.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Avon.....	380	8	1	-	9	23.68	8	-	1	-	-
Carthage.....	292	3	1	-	4	13.70	4	-	-	-	-
Chesterville.....	627	11	2	-	13	20.73	8	2	1	-	2
Eustis.....	508	7	3	-	10	19.69	7	2	-	-	1
Farmington.....	3,210	25	27	-	52	16.20	44	1	3	4	-
Freeman.....	334	2	4	-	6	17.96	5	-	-	1	-
Industry.....	465	6	3	-	9	19.35	6	-	1	2	-
Jay.....	2,987	57	37	-	94	31.47	24	56	10	3	1
Kingfield.....	927	4	11	-	15	16.18	14	-	1	-	-
Madrid.....	264	2	1	-	3	11.36	3	-	-	-	-
New Sharon.....	955	8	7	-	15	15.71	13	1	1	-	-
New Vineyard.....	543	5	3	-	8	14.73	6	-	2	-	-
Phillips.....	1,423	24	15	-	39	27.29	36	-	3	-	-
Rangeley.....	1,154	15	15	-	30	26.00	25	2	2	1	-
Salem.....	181	4	5	-	9	49.72	9	-	-	-	-
Strong.....	720	7	10	-	17	23.61	12	1	3	1	-
Temple.....	403	6	2	-	8	19.85	8	-	-	-	-
Weld.....	574	7	5	-	12	20.91	11	-	-	-	1
Wilton.....	2,143	21	15	-	36	16.80	32	2	1	1	-
Coplin Pl.....	81	-	1	-	1	12.35	1	-	-	-	-
Dallas Pl.....	166	3	2	-	5	30.12	4	1	-	-	-
Lang Pl.....	62	-	-	-	-	-	-	-	-	-	-
Rangeley Pl.....	190	4	-	-	4	21.05	3	1	-	-	-
Sandy River Pl....	78	2	-	-	2	25.64	2	-	-	-	-
Perkins.....	67	-	-	-	-	-	-	-	-	-	-
No. 4, R. 3.....	48	2	-	-	2	41.67	2	-	-	-	-
Total.....	*18,782	233	170	-	403	21.46	287	69	29	13	5

\* Population of county, omitting that of unorganized townships, and other places

**No. 6—Continued.**

**for the Year 1910.**

COUNTY

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	1	1	-	2	2	-	-	5.26
4	-	1	-	-	5	2	4	-	6	5	1	-	20.55
1	-	1	-	-	2	3	7	-	10	10	-	-	15.95
4	-	2	1	-	7	3	2	-	5	4	1	-	9.84
23	-	-	1	-	24	27	20	-	47	44	2	1	14.64
2	-	-	-	-	2	4	2	-	6	5	-	-	17.96
2	-	-	-	-	2	2	3	-	5	5	-	-	10.75
9	1	-	10	-	20	26	17	-	43	38	5	-	14.40
7	1	-	2	-	10	3	7	-	10	10	-	-	10.79
1	-	-	-	-	1	2	2	-	4	3	1	-	15.15
8	-	-	-	-	8	4	10	-	14	14	-	-	14.66
1	-	-	-	-	1	1	5	-	6	6	-	-	11.05
19	-	-	2	-	21	17	12	-	29	29	-	-	20.38
16	-	-	1	-	17	12	4	-	16	13	2	1	13.86
3	-	-	-	-	3	1	-	-	1	1	-	-	5.52
7	-	1	-	-	8	6	8	-	14	13	1	-	19.44
2	-	-	-	-	2	4	1	-	5	5	-	-	12.41
2	-	-	-	-	2	5	1	-	6	6	-	-	10.45
14	1	-	-	-	15	11	9	-	20	18	2	-	9.33
2	-	-	-	-	2	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	2	-	2	2	-	-	12.05
1	-	-	-	-	1	2	-	-	2	2	-	-	32.26
-	-	-	-	-	-	1	-	-	1	1	-	-	5.26
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-	14.93
2	-	-	-	-	2	1	-	-	1	1	-	-	20.83
135	3	5	17	-	160	138	118	-	256	238	15	3	13.63

not represented in this tabulation. See Table No. 1.

## TABLE

### Births, Marriages and Deaths

HANCOCK

TOWNS.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst . . . . .	275	5	2	-	7	25.45	7	-	-	-	-
Aurora . . . . .	114	2	3	-	5	43.86	4	-	1	-	-
Bluehill . . . . .	1,462	13	17	-	30	20.52	26	-	4	-	-
Brooklin . . . . .	936	12	14	-	26	27.78	24	-	1	1	-
Brooksville . . . . .	1,176	13	16	-	29	24.66	24	3	1	-	1
Bucksport . . . . .	2,216	20	18	-	38	17.15	34	-	4	-	-
Castine . . . . .	933	8	10	-	18	19.29	17	-	-	1	-
Cranberry Isles . . . . .	399	6	4	-	10	25.06	7	-	-	3	-
Dedham . . . . .	353	1	3	-	4	11.33	3	-	-	1	-
Deer Isle . . . . .	1,946	17	29	-	46	23.64	42	1	1	1	1
Eastbrook . . . . .	213	1	3	-	4	18.78	4	-	-	-	-
Eden . . . . .	4,441	31	46	-	77	17.34	60	7	6	3	1
Ellsworth . . . . .	3,549	26	22	-	48	13.52	44	-	-	3	1
Franklin . . . . .	1,161	16	13	-	29	24.98	27	-	-	2	-
Gouldsboro . . . . .	1,349	15	15	-	30	22.24	26	2	-	2	-
Hancock . . . . .	843	6	5	-	11	13.05	9	-	1	-	1
Isle au Haut . . . . .	160	-	3	-	3	18.75	3	-	-	-	-
Lamoine . . . . .	482	1	4	-	5	10.37	4	1	-	-	-
Mariaville . . . . .	171	3	1	-	4	23.39	3	-	-	-	1
Mt. Desert . . . . .	1,569	18	16	-	34	21.67	31	-	1	2	-
Orland . . . . .	1,224	8	12	-	20	16.34	19	-	-	1	-
Otis . . . . .	115	3	1	-	4	34.78	4	-	-	-	-
Penobscot . . . . .	985	3	7	-	10	10.15	10	-	-	-	-
Sedgwick . . . . .	909	2	12	-	14	15.40	14	-	-	-	-
Sorrento . . . . .	147	1	3	-	4	27.21	4	-	-	-	-
Southwest Harbor . . . . .	888	5	11	-	16	18.02	13	2	1	-	-



**No. 6—Continued.**  
**for the year 1910.**

COUNTY

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
1	-	-	-	-	1	4	3	-	7	6	1	-	25.45
1	-	-	-	-	1	1	1	-	2	2	-	-	17.54
10	-	-	-	-	10	14	10	-	24	23	1	-	16.42
7	-	-	-	-	7	9	5	-	14	13	1	-	14.96
12	-	-	1	-	13	7	14	-	21	21	-	-	17.86
0	-	1	1	-	22	21	21	-	42	36	4	2	18.95
7	-	-	-	-	7	6	8	-	14	12	2	-	15.01
1	-	1	-	-	2	3	5	-	8	8	-	-	20.05
3	-	-	-	-	3	5	-	-	5	5	-	-	14.16
21	-	-	-	-	21	11	15	-	26	26	-	-	13.36
2	-	-	-	-	2	4	-	-	4	3	1	-	18.78
34	5	3	5	-	47	28	25	-	53	46	7	-	11.93
36	1	-	1	-	38	32	34	-	66	58	8	-	18.60
4	-	1	-	-	5	6	6	-	12	12	-	-	10.34
16	-	-	-	-	16	14	7	-	21	20	1	-	15.57
7	-	1	-	-	8	6	10	-	16	16	-	-	18.98
-	-	-	-	-	-	2	-	-	2	2	-	-	12.50
3	-	-	1	-	4	3	3	-	6	5	1	-	12.45
2	-	-	-	-	2	2	-	-	2	2	-	-	11.70
13	-	-	-	-	13	10	7	-	17	16	-	1	10.83
4	-	-	-	-	4	11	11	-	22	22	-	-	17.97
1	-	-	-	-	1	1	2	-	3	3	-	-	26.09
3	-	-	-	-	3	9	6	-	15	15	-	-	15.22
9	-	1	-	-	10	6	5	-	11	11	-	-	12.10
2	-	-	-	-	2	2	-	-	2	2	-	-	13.61
7	-	1	1	-	9	9	7	-	16	15	1	-	18.02

**TABLE**  
**Births, Marriages and Deaths**

HANCOCK

TOWNS.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Stonington.....	2,038	28	27	-	55	26.99	36	12	4	3	-
Sullivan.....	1,132	9	17	-	26	22.97	23	1	1	1	-
Surry.....	734	7	5	-	12	16.35	8	-	1	3	-
Swan's Island.....	749	6	7	-	13	17.36	12	1	-	-	-
Tremont.....	1,116	13	14	-	27	24.19	27	-	-	-	-
Trenton.....	354	5	1	-	6	16.95	5	-	-	1	-
Verona.....	229	3	3	-	6	26.20	4	-	1	1	-
Waltham.....	182	2	2	-	4	21.98	4	-	-	-	-
Winter Harbor.....	590	7	6	-	13	22.03	12	-	-	1	-
Long Island Pl.....	197	3	-	-	3	15.23	2	-	1	-	-
No. 8 Pl.....	19	-	1	-	1	52.63	1	-	-	-	-
No. 21 Pl.....	39	-	1	-	1	25.64	1	-	-	-	-
Total.....	*35,395	319	374	-	693	19.58	598	30	29	30	6

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**No. 6—Continued.**  
**for the year 1910.**

COUNTY—CONCLUDED

MARRIAGES.							DEATHS.							Death-rate per 1,000.
							SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
6	-	-	1	-	7	10	11	-	21	20	1	-	10.30	
8	-	-	-	-	8	9	14	-	23	20	2	1	20.32	
10	-	-	-	-	10	9	4	-	13	13	-	-	17.71	
8	-	-	-	-	8	6	6	-	12	12	-	-	16.02	
11	-	-	-	-	11	6	9	-	15	15	-	-	13.44	
2	-	1	-	-	3	4	5	-	9	8	1	-	25.42	
1	-	-	-	-	1	1	3	-	4	4	-	-	17.47	
1	-	-	-	-	1	3	1	-	4	4	-	-	21.98	
6	-	-	-	-	6	5	6	-	11	11	-	-	18.64	
4	-	-	-	-	4	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	2	-	3	3	-	-	157.89	
-	-	-	-	-	-	1	-	-	1	-	1	-	25.64	
283	6	10	11	-	310	281	266	-	547	510	33	4	15.45	

## TABLE Births, Marriages and Deaths

KENNEBEC

Towns.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion.....	922	10	6	-	16	17.35	15	-	-	1	-
Augusta.....	13,211	118	165	-	283	21.42	153	69	32	24	5
Belgrade.....	1,037	8	7	-	15	14.46	14	-	-	-	1
Benton.....	1,194	20	14	-	34	28.47	30	-	1	3	-
Chelsea.....	3,216	6	5	-	11	3.42	10	-	1	-	-
China.....	1,297	14	14	-	28	21.59	27	-	1	-	-
Clinton.....	1,268	8	13	-	21	16.56	19	-	-	2	-
Farmingdale.....	823	3	6	-	9	10.94	7	1	1	-	-
Fayette.....	533	5	2	-	7	13.13	7	-	-	-	-
Gardiner.....	5,311	49	46	-	95	17.89	65	6	8	15	1
Hallowell.....	2,864	25	24	-	49	17.11	36	4	2	7	-
Litchfield.....	964	6	5	-	11	11.41	8	1	2	-	-
Manchester.....	601	3	4	-	7	11.65	6	-	-	1	-
Monmouth.....	1,386	15	5	-	20	14.43	12	7	1	-	-
Mount Vernon.....	898	6	13	-	19	21.16	17	2	-	-	-
Oakland.....	2,257	23	23	-	46	20.38	38	2	3	3	-
Pittston.....	954	3	4	-	7	7.34	7	-	-	-	-
Randolph.....	1,017	7	15	-	22	21.63	12	5	2	3	-
Readfield.....	996	8	9	-	17	17.07	15	-	-	2	-
Rome.....	440	4	7	-	11	25.00	9	-	-	1	1
Sidney.....	927	9	4	-	13	14.02	10	2	-	1	-
Vassalboro.....	2,077	16	15	-	31	14.93	17	7	3	3	1
Vienna.....	403	3	5	-	8	19.85	8	-	-	-	-

**No. 6—Continued.**  
**for the year 1910.**

COUNTY

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	9	7	-	16	14	-	2	17.35
86	14	15	15	2	132	167	164	-	331	260	57	14	25.05
7	-	-	1	-	8	11	11	-	22	21	-	1	21.22
9	-	3	-	-	12	15	12	-	27	26	1	-	22.61
4	-	-	-	1	5	7	7	-	14	14	-	-	4.35
5	-	-	2	-	7	15	13	-	28	26	2	-	21.59
8	-	-	-	-	8	18	15	-	33	31	-	2	26.03
2	1	-	-	-	3	7	7	-	14	13	1	-	17.01
1	-	-	-	-	1	2	5	-	7	7	-	-	13.13
48	2	7	4	-	61	49	43	-	92	84	8	-	17.32
24	-	-	2	-	26	22	22	-	44	40	4	-	15.36
2	-	-	-	-	2	10	7	-	17	15	2	-	17.63
10	-	-	-	-	10	3	6	-	9	9	-	-	14.98
12	-	-	2	-	14	11	10	-	21	21	-	-	15.15
5	-	-	1	-	6	7	7	-	14	14	-	-	15.59
24	-	1	1	-	26	16	16	-	32	31	1	-	14.18
7	-	-	-	-	7	7	8	-	15	14	1	-	15.72
5	-	-	1	-	6	6	5	-	11	10	1	-	10.81
3	1	-	1	-	5	10	15	-	25	24	1	-	25.10
3	-	-	-	-	3	1	3	-	4	4	-	-	9.09
7	-	1	-	-	8	9	12	-	21	19	2	-	22.65
22	1	1	5	-	29	16	24	-	40	37	3	-	19.26
1	-	-	-	-	1	3	3	-	6	6	-	-	14.89

## TABLE

### Births, Marriages and Deaths

KENNEBEC

TOWNS.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Waterville . . . . .	11,458	167	163	-	330	28.80	125	102	59	42	2
Wayne . . . . .	595	7	2	-	9	15.13	9	-	-	-	-
West Gardiner . . . . .	629	2	2	-	4	6.36	4	-	-	-	-
Windsor . . . . .	706	5	4	-	9	12.75	7	-	1	1	-
Winslow . . . . .	2,709	47	36	-	83	30.64	21	54	4	4	-
Winthrop . . . . .	2,114	26	21	-	47	22.23	30	8	2	6	1
Unity Pl. . . . .	56	-	-	-	-	-	-	-	-	-	-
Togus . . . . .	-	-	-	-	-	-	-	-	-	-	-
Total . . . . .	62,863	623	639	-	1,262	20.08	738	270	123	119	12

**No. 6.—Continued.**  
**for the year 1910.**

COUNTY—CONCLUDED

MARRIAGES.							DEATHS.							Death-rate per 1,000.
							SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
.66	24	7	18	-	115	108	92	-	200	152	46	2	17.46	
4	7	-	-	-	4	7	3	-	10	10	-	-	16.81	
2	-	-	-	-	2	3	16	-	19	18	1	-	30.21	
2	-	1	1	-	4	6	3	-	9	8	1	-	12.75	
17	12	2	-	-	31	26	21	-	47	41	6	-	16.98	
13	-	-	-	-	13	17	15	-	32	29	2	1	15.14	
-	-	-	-	-	-	-	2	-	2	2	-	-	35.71	
1	-	-	-	-	1	8	2	-	10	9	-	1	-	
404	55	38	54	3	554	596	576	-	1,172	1,009	140	23	18.64	

**TABLE**  
**Births, Marriages and Deaths**

KNOX

TOWNS.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton.....	842	11	8	-	19	22.57	18	-	-	1	-
Camden.....	3,015	30	20	-	50	16.58	41	2	2	5	-
Cushing.....	535	1	5	-	6	11.21	6	-	-	-	-
Friendship.....	776	5	4	-	9	11.60	7	1	-	1	-
Hope.....	497	3	3	-	6	12.07	5	-	1	-	-
Hurricane Isle.....	256	3	2	-	5	19.53	2	3	-	-	-
North Haven.....	535	4	2	-	6	11.21	6	-	-	-	-
Rockland.....	8,174	63	77	-	140	17.13	104	25	6	4	1
Rockport.....	2,022	16	9	-	25	12.36	19	4	1	1	-
St. George.....	2,201	19	13	-	32	14.54	20	6	4	2	-
South Thomaston..	1,438	10	8	-	18	12.52	15	1	1	1	-
Thomaston.....	2,205	7	12	-	19	8.62	14	2	-	2	1
Union.....	1,233	8	8	-	16	12.98	15	-	-	1	-
Vinalhaven.....	2,334	21	19	-	40	17.14	28	5	5	1	1
Warren.....	1,812	11	13	-	24	13.25	20	2	-	2	-
Washington.....	814	4	13	-	17	20.88	16	-	-	-	1
Criehaven Pl.....	46	-	-	-	-	-	-	-	-	-	-
Matinicus Isle Pl..	179	-	-	-	-	-	-	-	-	-	-
Total.....	*28,914	216	216	-	432	14.94	336	51	20	21	4

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.



**No. 6—Continued.**  
**for the year 1910.**

COUNTY

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.			NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	-	-	-	-	7	8	9	-	17	17	-	-	20.19
24	-	2	4	-	30	22	18	-	40	35	5	-	13.27
-	-	-	-	-	-	1	5	-	6	5	1	-	11.21
6	-	1	-	-	7	3	6	-	9	9	-	-	11.60
5	-	-	1	-	6	1	5	-	6	6	-	-	12.07
1	2	-	-	-	3	1	2	-	3	1	2	-	11.72
2	-	-	-	-	2	4	3	-	7	7	-	-	13.08
58	6	5	4	-	73	74	61	-	135	116	19	-	16.52
13	-	-	-	-	13	16	13	-	29	26	1	2	14.34
10	2	-	2	-	14	23	14	-	37	24	11	2	16.81
4	-	-	-	-	4	10	8	-	18	17	1	-	12.52
9	-	1	1	-	11	25	22	-	47	45	1	1	21.31
5	-	-	-	-	5	15	10	-	25	24	1	-	20.28
17	1	1	1	-	20	33	15	-	48	46	2	-	20.57
10	-	1	-	-	11	12	15	-	27	27	-	-	14.90
4	-	-	-	-	4	11	10	-	21	21	-	-	11.59
-	-	-	-	-	-	-	1	-	1	1	-	-	21.74
3	-	-	-	-	3	1	2	-	3	3	-	-	16.75
178	11	11	13	-	213	260	219	-	479	430	44	5	16.57

## TABLE Births, Marriages and Deaths

LINCOLN

Towns.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna.....	457	8	5	-	13	28.45	12	-	-	1	-
Boothbay.....	1,700	12	17	-	29	17.59	26	1	2	-	-
Boothbay Harbor..	2,021	22	14	-	36	17.81	34	-	1	1	-
Bremen.....	550	3	7	-	10	18.18	8	-	-	1	1
Bristol.....	2,415	29	26	-	55	22.77	54	1	-	-	-
Damariscotta.....	771	4	4	-	8	10.38	8	-	-	-	-
Dresden.....	815	8	1	-	9	11.04	9	-	-	-	-
Edgecomb.....	513	-	2	-	2	3.90	1	1	-	-	-
Jefferson.....	1,030	7	6	-	13	12.62	12	-	-	-	1
Newcastle.....	1,066	12	7	-	19	17.82	19	-	-	-	-
Nobleboro.....	775	4	4	-	8	10.32	7	-	-	-	1
Somerville.....	291	1	3	-	4	13.75	4	-	-	-	-
Southport.....	409	3	1	-	4	9.78	4	-	-	-	-
Waldoboro.....	2,656	17	22	-	39	14.68	37	-	1	-	1
Westport.....	284	3	1	-	4	14.08	4	-	-	-	-
Whitefield.....	1,056	8	4	-	12	11.36	11	1	-	-	-
Wiscasset.....	1,287	18	10	-	28	21.76	22	2	1	3	-
Monhegan Pl. ....	120	-	-	-	-	-	-	-	-	-	-
Total.....	18,216	159	134	-	293	16.08	272	6	5	6	4

**No. 6—Continued.  
for the year 1910.**

COUNTY

MARRIAGES.						DEATHS.							Death-rate per 1,000
						SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	-	-	3	5	8	-	13	13	-	-	28.45
9	-	1	-	-	10	12	7	-	19	19	-	-	11.18
8	-	-	1	-	9	18	18	-	36	33	3	-	17.81
8	-	-	-	-	8	3	3	-	6	6	-	-	10.91
13	-	-	2	-	15	19	15	-	34	31	2	1	14.08
4	-	-	-	-	4	7	8	-	15	15	-	-	19.46
5	-	1	-	-	6	5	7	-	12	12	-	-	14.72
2	-	-	1	-	3	6	9	-	15	14	1	-	29.24
8	-	1	-	-	9	7	9	-	16	16	-	-	15.53
4	-	1	-	-	5	14	16	-	30	29	1	-	28.14
4	-	1	-	-	5	7	3	-	10	9	1	-	12.90
5	-	-	1	-	6	2	2	-	4	3	1	-	13.75
4	-	-	-	-	4	4	5	-	9	9	-	-	22.00
17	-	1	-	-	18	24	17	-	41	40	1	-	15.44
-	-	-	-	-	-	3	2	-	5	5	-	-	17.61
6	-	-	1	-	7	11	8	-	19	19	-	-	17.99
4	-	-	-	-	4	10	12	-	22	20	2	-	17.09
1	-	-	-	-	1	-	-	-	-	-	-	-	-
105	-	6	6	-	117	157	149	-	306	293	12	-	116.80

**TABLE**  
**Births, Marriages and Deaths**

OXFORD

TOWNS.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGX.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany . . . . .	410	4	6	-	10	24.39	10	-	-	-	-
Andover . . . . .	757	6	10	-	16	21.14	12	1	1	2	-
Bethel . . . . .	1,930	11	18	-	29	15.03	23	1	4	1	-
Brownfield . . . . .	933	12	14	-	26	27.87	24	-	1	1	-
Buckfield . . . . .	1,087	8	9	-	17	15.64	15	-	-	1	1
Byron . . . . .	187	6	3	-	9	48.13	4	1	2	2	-
Canton . . . . .	1,013	19	13	-	32	31.59	20	10	1	1	-
Denmark . . . . .	596	6	10	-	16	26.85	11	1	4	-	-
Dixfield . . . . .	1,056	17	6	-	23	21.78	20	-	2	1	-
Fryeburg . . . . .	1,282	10	5	-	15	11.70	13	1	-	1	-
Gilead . . . . .	233	3	3	-	6	25.75	4	-	-	2	-
Grafton . . . . .	64	1	-	-	1	15.62	1	-	-	-	-
Greenwood . . . . .	664	4	8	-	12	18.07	9	2	-	1	-
Hanover . . . . .	196	-	2	-	2	10.20	2	-	-	-	-
Hartford . . . . .	592	9	2	-	11	18.58	10	-	-	1	-
Hebron . . . . .	603	6	6	-	12	19.90	6	1	1	4	-
Hiram . . . . .	945	8	12	-	20	21.16	19	-	-	-	1
Lovell . . . . .	668	2	5	-	7	10.48	7	-	-	-	-
Mason . . . . .	60	3	2	-	5	83.33	3	-	1	1	-
Mexico . . . . .	2,065	44	34	-	78	37.77	34	31	8	4	1
Newry . . . . .	271	1	3	-	4	14.76	2	-	1	1	-
Norway . . . . .	3,002	22	37	-	59	19.65	42	6	7	4	-

**No. 6—Continued.**  
**for the year 1910.**

COUNTY

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
2	-	-	-	-	2	2	3	-	5	5	-	-	12.20
10	-	-	1	-	11	5	6	-	11	10	1	-	14.53
13	-	-	3	-	16	20	12	-	32	31	1	-	16.58
2	-	-	-	-	2	6	8	-	14	14	-	-	15.01
9	-	-	-	-	9	9	8	-	17	15	1	1	15.64
1	-	-	-	-	1	3	1	-	4	4	-	-	21.39
3	-	-	-	-	3	6	11	-	17	17	-	-	16.78
2	-	-	-	-	2	7	5	-	12	11	1	-	20.13
19	-	-	1	-	20	12	5	-	17	17	-	-	16.10
7	-	-	-	-	7	8	8	-	16	15	1	-	12.48
-	-	-	1	-	1	2	4	-	6	6	-	-	25.75
-	-	-	-	-	-	1	-	-	1	1	-	-	15.62
2	-	-	1	-	3	7	7	-	14	12	2	-	21.08
1	-	-	-	-	1	3	-	-	3	3	-	-	15.31
-	-	-	-	-	-	5	4	-	9	9	-	-	15.20
4	-	-	-	-	4	11	2	-	13	12	1	-	21.56
9	-	-	-	-	9	15	14	-	29	29	-	-	30.69
4	-	-	1	-	5	9	3	-	12	10	2	-	17.96
-	-	-	-	-	-	1	2	-	3	3	-	-	50.00
7	5	1	3	1	17	13	8	-	21	19	2	-	10.17
2	-	-	1	-	3	2	4	-	6	5	1	-	22.14
25	4	3	1	-	33	32	21	-	53	51	2	-	17.65

**TABLE**  
**Births, Marriages and Deaths**  
OXFORD

TOWNS.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Oxford.....	1,221	5	5	-	10	8.19	8	1	-	1	-
Paris.....	3,436	41	39	-	80	23.28	54	15	3	8	-
Peru.....	746	11	4	-	15	20.11	14	1	-	-	-
Porter.....	864	6	8	-	14	16.20	14	-	-	-	-
Roxbury.....	311	6	3	-	9	28.94	6	-	3	-	-
Rumford.....	6,777	138	125	-	263	38.81	41	196	14	11	1
Stoneham.....	253	1	6	-	7	27.67	6	-	1	-	-
Stow.....	224	1	4	-	5	22.32	5	-	-	-	-
Sumner.....	762	4	9	-	13	17.06	12	1	-	-	-
Sweden.....	266	3	2	-	5	18.80	4	1	-	-	-
Upton.....	306	2	1	-	3	9.80	2	-	1	-	-
Waterford.....	934	9	14	-	23	24.63	20	1	2	-	-
Woodstock.....	808	3	5	-	8	9.90	7	1	-	-	-
Lincoln Pl.....	307	1	5	-	6	19.54	5	1	-	-	-
Magalloway Pl.....	97	2	1	-	3	30.93	2	-	-	1	-
Milton Pl.....	204	-	-	-	-	-	-	-	-	-	-
Batchelder's Grant.	49	1	1	-	2	40.82	1	1	-	-	-
Total.....	*36,179	436	440	-	876	24.21	492	274	57	49	4

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**No. 6—Continued.  
for the year 1910.**

COUNTY—CONCLUDED

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
6	-	-	-	-	6	15	8	-	23	20	2	1	18.84
18	10	1	-	-	29	36	24	-	60	56	4	-	17.46
6	-	1	1	-	8	6	6	-	12	12	-	-	16.09
5	-	-	1	-	6	5	4	-	9	9	-	-	10.42
2	-	-	-	-	2	3	2	-	5	4	1	-	16.08
29	35	9	11	-	84	48	32	-	80	64	15	1	11.80
1	-	-	-	-	1	5	-	-	5	5	-	-	19.76
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	1	-	3	8	9	-	17	17	-	-	22.31
2	-	-	-	-	2	3	3	-	6	6	-	-	22.56
1	-	-	-	-	1	-	-	-	-	-	-	-	-
7	-	-	2	-	9	8	14	-	22	22	-	-	23.55
8	-	-	-	-	8	14	6	-	20	19	1	-	24.75
-	-	-	-	-	-	4	1	-	5	1	4	-	16.29
-	-	-	-	-	-	1	1	-	2	2	-	-	20.62
1	-	-	1	-	2	2	2	-	4	4	-	-	19.61
-	-	-	-	-	-	-	-	-	-	-	-	-	-
210	54	15	30	1	310	337	248	-	585	540	42	3	16.17

## TABLE Births, Marriages and Deaths

PENOBSCOT

Towns.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated
Alton.....	259	2	1	-	3	11.58	1	-	2	-	-
Argyle.....	233	2	1	-	3	12.92	2	-	-	-	1
Bangor.....	24,803	191	205	1	397	16.01	206	96	33	53	9
Bradford.....	930	4	5	-	9	9.68	9	-	-	-	-
Bradley.....	634	9	9	-	18	28.39	15	-	3	-	-
Brewer.....	5,667	89	62	-	151	26.67	76	36	22	15	2
Burlington.....	370	5	9	-	14	37.84	10	-	-	4	-
Carmel.....	1,050	5	11	-	16	15.24	15	-	1	-	-
Carroll.....	472	3	5	-	8	16.95	7	-	1	-	-
Charleston.....	864	6	3	-	9	10.42	8	1	-	-	-
Chester.....	349	-	5	-	5	14.33	4	1	-	-	-
Clifton.....	217	2	1	-	3	13.82	3	-	-	-	-
Corinna.....	1,237	9	11	-	20	16.17	18	-	-	1	1
Corinth.....	1,034	9	8	-	17	16.44	17	-	-	-	-
Dexter.....	3,530	33	45	-	78	22.09	51	12	9	6	-
Dixmont.....	757	5	10	-	15	19.82	14	-	1	-	-
East Millinocket...	923	17	16	-	33	35.75	13	8	6	6	-
Eddington.....	611	6	4	-	10	16.37	7	2	1	-	-
Enfield.....	970	7	16	-	23	23.71	17	1	3	2	-
Etna.....	523	1	6	-	7	13.38	6	-	1	-	-
Exeter.....	888	6	9	-	15	16.89	13	-	2	-	-
Garland.....	817	5	5	-	10	12.24	10	-	-	-	-
Glenburn.....	457	2	2	-	4	8.75	4	-	-	-	-
Greenbush.....	485	3	8	-	11	22.68	10	-	1	-	-
Greenfield.....	195	-	-	-	-	-	-	-	-	-	-
Hampden.....	2,380	20	21	-	41	17.23	32	5	2	2	-



**No. 6—Continued.**  
**for the Year 1910.**

COUNTY

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	1	-	5	1	-	-	1	-	-	1	3.82
1	-	-	-	-	1	3	3	-	6	6	-	-	25.84
143	25	21	24	-	213	263	238	-	501	384	102	15	26.65
7	-	-	-	-	7	4	4	-	8	8	-	-	8.60
6	-	1	1	-	8	3	5	-	8	7	1	-	12.52
29	6	2	7	-	44	52	38	-	90	79	10	1	15.88
4	-	-	-	-	4	4	6	-	10	10	-	-	27.03
3	-	2	-	-	5	6	8	-	14	12	2	-	13.33
8	-	1	1	-	10	4	1	-	5	5	-	-	10.59
9	-	-	1	-	10	7	9	-	16	16	-	-	18.52
4	-	1	2	-	7	1	2	-	3	3	-	-	8.60
-	-	-	-	-	-	3	2	-	5	5	-	-	23.04
13	-	-	-	-	13	8	5	-	13	13	-	-	10.51
4	-	-	-	-	4	6	8	-	14	13	-	1	13.54
27	2	1	3	-	33	25	27	-	52	47	5	-	14.73
5	-	-	-	-	5	8	11	-	19	19	-	-	25.10
3	1	-	5	-	9	7	2	-	9	9	-	-	9.75
5	-	-	-	-	5	6	10	-	16	16	-	-	26.19
5	-	1	2	-	8	10	10	-	20	18	2	-	20.62
5	-	1	1	-	7	1	3	-	4	4	-	-	7.65
6	-	-	1	-	7	7	5	-	12	12	-	-	13.51
1	-	-	-	-	1	7	5	-	12	12	-	-	14.69
2	-	-	-	-	2	4	2	-	6	5	1	-	13.13
3	-	-	-	-	3	9	2	-	11	10	1	-	22.68
1	-	-	-	-	1	-	2	-	2	2	-	-	10.26
23	1	1	-	-	25	13	17	-	30	26	4	-	12.60

## TABLE Births, Marriages and Deaths

PENOBSCOT

TOWNS.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Hermon.....	1,210	11	11	-	22	18.18	19	1	1	1	-
Holden.....	609	6	6	-	12	19.70	6	2	2	2	-
Howland.....	494	5	4	-	9	18.22	6	1	2	-	-
Hudson.....	403	2	6	-	8	19.85	6	-	2	-	-
Kenduskeag.....	481	2	4	-	6	12.47	3	1	2	-	-
Kingman.....	741	9	14	-	23	31.04	12	2	5	2	2
Lagrange.....	590	11	8	-	19	32.19	16	-	1	2	-
Lee.....	748	14	7	-	21	28.07	20	-	1	-	-
Levant.....	707	8	7	-	15	21.22	13	-	2	-	-
Lincoln.....	1,988	17	19	-	36	18.11	27	3	3	2	1
Lowell.....	259	2	3	-	5	19.31	5	-	-	-	-
Mattamiscontis...	12	-	1	-	1	83.34	-	-	1	-	-
Mattawamkeag...	517	8	2	-	10	19.38	8	-	1	1	-
Maxfield.....	79	2	1	-	3	37.97	1	-	1	1	-
Medway.....	489	7	6	-	13	26.58	12	-	1	-	-
Milford.....	967	7	8	-	15	15.51	8	2	5	-	-
Millinocket.....	3,368	54	61	-	115	34.14	28	54	18	12	3
Mt. Chase.....	227	7	2	-	9	39.65	9	-	-	-	-
Newburg.....	694	3	4	-	7	10.09	7	-	-	-	-
Newport.....	1,747	8	10	-	18	10.30	15	-	-	3	-
Old Town.....	6,317	81	60	-	141	22.32	63	37	23	17	1
Orono.....	3,555	46	46	-	92	25.88	36	33	11	11	1
Orrington.....	1,219	10	9	-	19	15.59	17	-	1	1	-
Passadumkeag....	445	5	9	-	14	31.26	13	-	1	-	-
Patten.....	1,406	14	16	-	30	21.34	16	2	4	6	2
Plymouth.....	590	3	5	-	8	13.56	8	-	-	-	-

**No. 6--Continued.**  
**for the Year 1910.**

COUNTY

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
5	-	-	-	-	5	10	7	-	17	15	2	-	14.05
3	-	-	-	-	3	6	2	-	8	7	1	-	13.14
2	2	1	1	-	6	6	2	-	8	7	1	-	16.15
4	-	-	-	-	4	6	5	-	11	11	-	-	27.30
3	1	1	-	-	5	5	2	-	7	6	1	-	14.55
9	-	-	-	-	9	7	7	-	14	9	4	1	18.89
6	-	2	-	-	8	2	-	-	2	2	-	-	3.39
5	-	-	-	-	5	7	5	-	12	11	1	-	16.04
7	-	1	1	-	9	8	3	-	11	11	-	-	15.56
16	2	1	2	-	21	15	9	-	24	18	6	-	12.07
1	-	-	-	-	1	-	3	-	3	3	-	-	11.58
-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	3	5	1	-	6	6	-	-	11.60
1	-	-	-	-	1	-	-	-	-	-	-	-	-
5	-	1	1	-	7	1	2	-	3	3	-	-	6.13
7	-	-	2	-	9	6	8	-	14	14	-	-	14.48
14	11	4	8	2	39	33	17	-	50	33	11	6	14.85
4	-	-	-	-	4	1	1	-	2	1	-	1	8.81
11	-	-	1	1	13	9	5	-	14	13	1	-	21.18
17	-	1	2	-	20	13	11	-	24	21	2	1	13.74
31	5	11	10	-	57	58	60	-	118	98	18	2	18.68
12	3	4	4	-	23	32	25	-	57	39	18	-	16.03
5	-	1	1	-	7	11	10	-	21	21	-	-	17.23
3	-	-	2	-	5	3	4	-	7	7	-	-	15.63
12	1	1	3	-	17	16	4	-	20	16	4	-	14.23
3	-	-	-	-	3	8	6	-	14	13	1	-	23.73

## TABLE

### Births, Marriages and Deaths

PENOBSCOT

TOWNS.	Population in 1910.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Prentiss.....	472	4	9	-	13	27.54	10	-	1	2	-
Springfield.....	459	7	2	-	9	19.61	9	-	-	-	-
Stetson.....	480	1	7	-	8	16.67	8	-	-	-	-
Veazie.....	557	3	6	-	9	16.16	8	-	-	1	-
Winn.....	655	3	4	-	7	10.69	4	1	1	-	1
Woodville.....	125	1	2	-	3	24.00	2	-	-	1	-
Drew Pl.....	247	2	2	-	4	16.19	2	2	-	-	-
Lakeville Pl.....	96	2	-	-	2	20.83	1	-	1	-	-
Seboeis Pl.....	86	1	-	-	1	11.63	-	1	-	-	-
Stacyville Pl.....	577	13	8	-	21	36.34	11	3	5	2	-
Webster Pl.....	103	1	-	-	1	9.71	-	-	1	-	-
Indian Township...	44	1	-	-	1	22.73	-	1	-	-	-
No. 1, R. 7.....	40	-	-	-	-	-	-	-	-	-	-
No. 2, R. 6.....	208	-	1	-	1	48.08	1	-	-	-	-
Total.....	*84,666	822	848	1	1,671	19.73	998	308	185	156	24

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**No. 6—Continued.**  
**for the year 1910.**

COUNTY—CONCLUDED

MARRIAGES.							DEATHS.						
							SEX.			NATIVITY.			Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.*	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	-	3	-	3	3	-	-	6.36
3	-	-	-	-	3	4	2	-	6	6	-	-	13.07
4	-	-	-	-	4	6	6	-	12	11	1	-	25.00
3	-	-	-	-	3	4	2	-	6	3	3	-	10.77
2	-	1	-	-	3	7	1	-	8	5	2	1	12.21
-	-	-	1	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	3	-	-	3	2	1	-	12.15
4	-	-	-	-	4	-	1	-	1	1	-	-	10.42
1	-	-	-	-	1	-	-	-	-	-	-	-	-
4	-	-	2	-	6	3	3	-	6	6	-	-	10.40
1	-	-	-	-	1	1	-	-	1	1	-	-	9.71
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	1	-	-	1	-	1	-	25.00
-	-	-	-	-	-	-	-	-	-	-	-	-	-
535	60	62	91	3	751	759	642	-	1,401	1,164	207	30	16.54

**TABLE**  
**Births, Marriages and Deaths**  
PISCATAQUIS

TOWNS.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbot.....	705	10	7	-	17	24.11	13	-	2	2	-
Atkinson.....	528	4	9	-	13	24.62	11	2	-	-	-
Blanchard.....	175	2	2	-	4	22.85	2	1	1	-	-
Bowerbank.....	76	-	1	-	1	13.16	1	-	-	-	-
Brownville.....	1,808	21	21	-	42	23.23	15	15	2	10	-
Dover.....	2,091	22	21	-	43	20.56	35	2	2	2	2
Foxcroft.....	1,867	12	11	-	23	12.32	15	5	2	1	-
Greenville.....	1,474	30	27	-	57	38.67	20	16	16	3	2
Guilford.....	1,680	12	18	-	30	17.86	23	1	2	4	-
Medford.....	262	7	4	-	11	41.98	7	-	2	2	-
Milo.....	2,556	16	37	1	54	21.13	38	6	4	6	-
Monson.....	1,243	1	13	-	14	11.26	6	6	2	-	-
Orneville.....	350	5	5	-	10	28.57	9	-	-	1	-
Parkman.....	646	4	7	-	11	17.03	11	-	-	-	-
Sangerville.....	1,319	7	9	-	16	12.13	11	3	-	1	1
Sebec.....	549	2	-	-	2	3.64	2	-	-	-	-
Shirley.....	334	6	1	-	7	20.96	4	2	-	1	-
Wellington.....	393	2	5	-	7	17.81	6	-	-	1	-
Williamsburg.....	138	3	1	-	4	28.98	1	-	3	-	-
Willimantic.....	271	3	1	-	4	14.76	4	-	-	-	-
Barnard Pl.....	101	-	-	-	-	-	-	-	-	-	-
Elliottville Pl.....	120	1	-	-	1	8.33	-	1	-	-	-
Kingsbury Pl.....	103	-	2	-	2	18.52	1	-	1	-	-
Lake View Pl.....	245	5	2	-	7	28.57	4	1	1	1	-
Katahdin Iron Works.....	75	1	-	-	1	13.33	1	-	-	-	-
Total.....	*19,114	176	204	1	381	19.93	240	61	40	35	5

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**No. 6—Continued.**  
**for the year 1910.**  
 COUNTY

MARRIAGES.							DEATHS.						
							SEX.			NATIVITY.			Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	4	7	-	11	11	-	-	15.60
6	-	-	1	-	7	1	4	-	5	5	-	-	9.47
2	-	-	-	-	2	2	3	-	5	5	-	-	28.57
-	-	-	-	-	-	3	-	-	3	3	-	-	39.47
7	-	1	5	-	13	8	8	-	16	14	2	-	8.85
19	-	-	1	-	20	16	16	-	32	30	2	-	15.30
15	1	2	2	-	20	14	15	-	29	28	1	-	15.53
6	4	2	3	-	15	21	7	-	28	19	8	1	19.00
11	-	-	1	-	12	14	14	-	28	24	4	-	16.67
5	-	1	1	-	7	4	1	-	5	5	-	-	19.08
23	1	1	7	-	32	13	16	-	29	26	3	-	11.35
6	1	-	-	-	7	10	9	-	19	12	7	-	15.28
5	-	1	-	-	6	12	3	-	15	15	-	-	42.86
4	-	-	-	-	4	3	5	-	8	7	1	-	12.38
8	-	2	-	-	10	9	8	-	17	17	-	-	12.89
6	-	-	-	-	6	8	4	-	12	12	-	-	21.86
4	-	1	-	-	5	2	1	-	3	3	-	-	8.74
4	-	-	-	-	4	2	1	-	3	3	-	-	7.63
-	-	-	-	-	-	1	-	-	1	1	-	-	7.24
2	-	-	1	-	3	-	2	-	2	2	-	-	7.38
1	-	-	-	-	1	1	-	-	1	1	-	-	9.90
-	-	-	-	-	-	1	-	-	1	1	-	-	8.33
1	-	-	-	-	1	-	1	-	1	1	-	-	9.26
2	-	-	-	-	2	-	1	-	1	1	-	-	4.08
1	-	-	-	-	1	-	-	-	-	-	-	-	-
142	7	11	22	-	182	149	126	-	275	246	28	1	14.39

**TABLE**  
**Births, Marriages and Deaths**

SAGADAHOC

TOWNS.	Population in 1910.	BIRTHS.											
		SEX.					PARENTAGE.						
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.		
Arrowsic.....	147	-	-	-	-	-	-	-	-	-	-	-	-
Bath.....	9,396	97	81	-	178	18.94	96	41	21	17	3	-	
Bowdoin.....	814	6	4	-	10	12.28	7	1	-	2	-	-	
Bowdoinham.....	1,385	6	13	-	19	13.72	12	1	4	1	1	-	
Georgetown.....	742	4	3	-	7	9.43	7	-	-	-	-	-	
Perkins.....	39	1	-	-	1	25.64	1	-	-	-	-	-	
Phippsburg.....	1,079	12	7	-	19	17.61	18	1	-	-	-	-	
Richmond.....	1,858	17	16	-	33	17.76	23	2	1	7	-	-	
Topsham.....	2,016	13	28	-	41	20.34	20	14	4	3	-	-	
West Bath.....	230	6	1	-	7	30.43	5	1	-	1	-	-	
Woolwich.....	868	8	13	-	21	24.19	18	1	1	1	-	-	
Total.....	18,574	170	166	-	336	18.09	207	62	31	32	4	-	



**No. 6—Continued.**  
**for the year 1910.**

COUNTY

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.			NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	1	-	-	1	1	-	-	6.80
49	5	8	7	-	69	90	91	-	181	150	31	-	19.26
3	-	-	-	-	3	9	3	-	12	12	-	-	14.74
9	-	-	1	-	10	12	10	-	22	21	1	-	15.88
2	-	-	-	-	2	5	9	-	14	14	-	-	18.86
-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	-	-	8	8	9	-	17	15	2	-	15.76
15	2	1	2	-	20	23	16	-	39	35	4	-	20.99
12	2	3	2	-	19	12	11	-	23	23	-	-	11.41
-	-	-	-	-	-	2	1	-	3	3	-	-	13.04
6	-	-	-	-	6	7	7	-	14	12	2	-	16.13
108	9	12	12	-	141	169	157	-	326	286	40	-	17.55

## TABLE Births, Marriages, and Deaths

SOMERSET

Towns.	Population in 1910.	BIRTHS.									
		Sex.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson.....	2,209	30	31	—	61	27.61	38	13	5	3	2
Athens.....	914	3	5	—	8	8.75	7	—	1	—	—
Bingham.....	775	16	10	—	26	33.55	19	5	2	—	—
Cambridge.....	369	4	5	—	9	24.39	9	—	—	—	—
Canaan.....	874	6	8	—	14	16.02	14	—	—	—	—
Concord.....	256	1	1	—	2	7.81	2	—	—	—	—
Cornville.....	720	6	4	—	10	13.89	10	—	—	—	—
Detroit.....	461	3	2	—	5	10.85	5	—	—	—	—
Embden.....	529	5	6	—	11	20.79	11	—	—	—	—
Fairfield.....	4,435	47	46	—	93	20.95	44	24	14	8	3
Harmony.....	730	8	8	—	16	21.92	15	—	—	1	—
Hartland.....	1,176	8	9	—	17	14.46	13	2	1	1	—
Madison.....	3,379	50	43	—	93	27.52	46	29	9	8	1
Mercer.....	441	4	2	—	6	13.61	6	—	—	—	—
Moscow.....	518	7	3	—	10	19.30	5	—	2	1	2
New Portland.....	882	6	9	—	15	17.01	12	—	—	3	—
Norridgewock.....	1,608	15	10	—	25	15.55	16	4	3	2	—
Palmyra.....	960	7	9	—	16	16.67	13	—	1	—	2
Pittsfield.....	2,891	29	24	—	53	18.35	43	4	2	3	1
Ripley.....	434	2	2	—	4	9.22	4	—	—	—	—
St. Albans.....	1,027	8	7	—	15	14.60	15	—	—	—	—
Skowhegan.....	5,341	79	59	—	138	25.84	91	15	16	15	1
Smithfield.....	427	2	2	—	4	9.37	4	—	—	—	—
Solon.....	1,034	12	11	—	23	22.24	23	—	—	—	—
Stark.....	549	8	2	—	10	18.21	10	—	—	—	—

**No. 6—Continued.  
for the year 1910.**

COUNTY

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
16	-	-	3	-	19	25	22	-	47	42	5	-	21.28
3	-	-	1	-	4	8	6	-	14	14	-	-	15.32
11	-	-	3	-	14	5	4	-	9	5	4	-	11.61
1	-	-	-	-	1	6	5	-	11	11	-	-	29.81
9	-	-	1	-	10	3	8	-	11	10	-	1	12.58
1	-	-	-	-	1	2	2	-	4	2	1	1	15.62
3	-	-	-	-	3	3	5	-	8	7	1	-	11.11
3	-	-	-	-	3	6	3	-	9	9	-	-	19.52
5	-	-	-	-	5	2	6	-	8	8	-	-	15.12
29	2	4	6	-	41	32	43	-	75	65	10	-	16.91
6	-	-	-	-	6	6	7	-	13	11	2	-	17.81
10	-	1	1	-	12	10	6	-	16	16	-	-	13.61
12	3	6	9	-	30	26	28	-	54	48	6	-	15.98
5	-	-	-	-	5	3	-	-	3	2	1	-	6.80
3	-	-	-	-	3	3	7	-	10	9	1	-	19.30
5	-	-	-	-	5	14	11	-	25	24	1	-	28.34
8	1	-	-	-	9	17	19	-	36	32	4	-	22.39
8	-	-	-	-	8	9	4	-	13	12	1	-	13.54
24	-	5	1	-	30	17	22	-	39	38	1	-	13.49
6	-	-	-	-	6	3	4	-	7	7	-	-	16.13
5	-	1	1	-	7	7	7	-	14	14	-	-	13.63
30	3	5	9	-	47	48	49	-	97	83	12	2	18.16
3	-	1	-	-	4	1	2	-	3	2	1	-	7.03
6	-	1	-	-	7	6	5	-	11	9	2	-	10.64
3	-	-	-	-	3	2	4	-	6	5	1	-	10.93

## TABLE Births, Marriages and Deaths

SOMERSET

TOWNS.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Bigelow Pl. ....	54	1	1	-	2	37.04	1	-	1	-	-
Brighton Pl. ....	274	3	2	-	5	18.25	5	-	-	-	-
Caratunk Pl. ....	235	4	1	-	5	21.28	3	-	1	1	-
Dead River Pl. ....	94	1	1	-	1	10.64	1	-	-	-	-
Dennistown Pl. ....	99	-	-	-	-	-	-	-	-	-	-
Flagstaff Pl. ....	149	1	2	-	3	20.13	2	-	-	1	-
Highland Pl. ....	68	-	1	-	1	14.71	1	-	-	-	-
Jackman Pl. ....	667	18	20	-	38	56.91	2	26	7	3	-
Lexington Pl. ....	237	2	3	-	5	21.10	4	1	-	-	-
Mayfield Pl. ....	67	1	-	-	1	14.93	1	-	-	-	-
Moose River Pl. ....	251	8	1	-	9	35.86	3	5	1	-	-
Pleasant Ridge Pl.	92	1	-	-	1	10.87	1	-	-	-	-
The Forks Pl. ....	169	2	1	-	3	17.75	-	-	2	1	-
West Forks Pl. ....	138	-	2	-	2	14.49	1	-	1	-	-
Total. ....	*35,533	407	353	-	760	21.39	500	128	70	50	12

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**No. 6—Continued.**  
**for the Year 1910.**

COUNTY—CONCLUDED

MARRIAGES.							DEATHS.						
							SEX.			NATIVITY.			Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	1	2	-	3	3	-	-	55.56
2	-	-	-	-	2	4	2	-	6	6	-	-	21.90
1	-	-	-	-	1	1	2	-	3	3	-	-	12.77
-	-	1	-	-	1	2	-	-	2	2	-	-	21.28
-	-	-	-	-	-	-	1	-	1	1	-	-	10.10
-	-	-	-	-	-	-	1	-	1	-	-	1	6.71
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	5	2	3	-	12	13	6	-	19	14	4	-	28.45
2	-	-	-	-	2	2	-	-	2	1	1	-	8.44
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	1	2	-	-	2	2	-	-	7.97
1	-	-	-	-	1	-	1	-	1	1	-	-	10.87
1	-	-	-	-	1	-	2	-	2	1	1	-	11.84
1	-	-	-	-	1	3	1	-	4	2	2	-	28.98
226	14	28	38	-	306	292	297	-	589	521	62	6	16.58

## TABLE

### Births, Marriages and Deaths

WALDO

TOWNS.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast.....	4,618	52	31	-	83	17.97	73	2	2	5	1
Belmont.....	335	3	1	-	4	11.94	4	-	-	-	-
Brooks.....	704	9	7	-	16	22.73	16	-	-	-	-
Burnham.....	733	7	1	-	8	10.91	7	-	1	-	-
Frankfort.....	1,157	15	15	-	30	25.93	16	10	3	1	-
Freedom.....	480	3	3	-	6	12.50	5	1	-	-	-
Islesboro.....	877	9	6	-	15	17.10	15	-	-	-	-
Jackson.....	416	3	3	-	6	14.42	4	-	2	-	-
Knox.....	511	5	7	-	12	23.48	12	-	-	-	-
Liberty.....	650	2	9	-	11	16.92	11	-	-	-	-
Lincolnvill.....	1,020	11	5	-	16	15.69	14	-	2	-	-
Monroe.....	872	11	11	-	22	25.23	22	-	-	-	-
Montville.....	850	11	8	-	19	22.35	19	-	-	-	-
Morrill.....	353	1	2	-	3	8.50	2	-	-	1	-
Northport.....	518	2	2	-	4	7.72	4	-	-	-	-
Palermo.....	690	8	5	-	13	18.84	12	-	-	1	-
Prospect.....	597	2	3	-	5	8.38	5	-	-	-	-
Searsmont.....	828	9	9	-	18	21.74	17	-	1	-	-
Searsport.....	1,444	12	10	-	22	15.24	18	3	1	-	-
Stockton Springs...	1,103	11	3	-	14	12.69	12	2	-	-	-
Swanville.....	467	5	5	-	10	21.41	10	-	-	-	-
Thorndike.....	525	2	5	-	7	13.33	7	-	-	-	-
Troy.....	768	6	6	-	12	15.62	12	-	-	-	-
Unity.....	899	7	4	-	11	12.24	11	-	-	-	-
Waldo.....	386	3	5	-	8	20.73	8	-	-	-	-
Winterport.....	1,582	9	10	-	19	12.01	18	-	1	-	-
Total.....	23,383	218	176	-	394	16.85	354	18	13	8	1

**No. 6—Continued.**  
**for the year 1910.**

COUNTY

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.			NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
53	-	1	1	-	55	52	40	-	92	89	3	-	19.92
-	-	-	-	-	-	6	1	-	7	7	-	-	20.90
7	-	-	-	-	7	9	7	-	16	16	-	-	22.73
7	-	-	-	-	7	9	6	-	15	14	1	-	20.46
2	1	1	2	-	6	7	7	-	14	12	2	-	12.10
2	-	-	-	-	2	4	5	-	9	9	-	-	18.75
2	-	2	-	-	4	5	3	-	8	8	-	-	9.12
2	-	-	-	-	2	6	13	-	19	17	2	-	45.67
7	-	-	-	-	7	6	6	-	12	11	-	1	23.48
9	-	-	-	-	9	6	6	-	12	12	-	-	18.46
9	-	-	-	-	9	9	5	-	14	14	-	-	13.73
3	-	-	-	-	3	13	7	-	20	19	1	-	22.94
1	-	-	-	-	1	10	6	-	16	15	1	-	18.82
3	-	-	-	-	3	3	4	-	7	7	-	-	19.83
2	-	-	-	-	2	4	8	-	12	12	-	-	23.17
5	-	-	-	-	5	8	2	-	10	10	-	-	14.49
3	-	-	-	-	3	1	7	-	8	8	-	-	13.40
8	-	-	-	-	8	7	10	-	17	17	-	-	20.53
9	-	-	-	-	9	16	9	-	25	24	1	-	17.31
9	-	2	1	-	12	7	11	-	18	17	1	-	16.31
2	-	-	-	1	3	6	4	-	10	10	-	-	21.41
5	-	-	-	-	5	1	5	-	6	6	-	-	11.43
4	-	1	-	-	5	9	5	-	14	14	-	-	18.25
5	-	1	-	-	6	8	1	-	9	9	-	-	10.01
2	-	-	-	-	2	3	2	-	5	5	-	-	12.95
11	-	-	-	-	11	14	12	-	26	23	3	-	16.43
172	1	8	4	1	186	229	192	-	421	405	15	1	18.00

## TABLE

### Births, Marriages and Deaths

WASHINGTON

Towns.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison .....	985	7	1	-	8	8.12	8	-	-	-	-
Alexander .....	374	5	3	-	8	21.39	6	1	-	1	-
Baileyville .....	1,137	18	27	-	45	39.58	14	16	10	4	1
Baring .....	228	2	2	-	4	17.54	2	1	1	-	-
Brookton .....	237	5	3	-	8	33.76	7	-	-	1	-
Calais .....	6,116	61	66	-	127	20.77	46	18	20	36	7
Centerville .....	91	1	2	-	3	32.97	3	-	-	-	-
Charlotte .....	290	3	4	-	7	24.14	6	-	1	-	-
Cherryfield .....	1,499	12	13	-	25	16.68	23	-	-	2	-
Columbia .....	564	7	11	-	18	31.91	18	-	-	-	-
Columbia Falls .....	663	7	9	-	16	24.13	13	-	2	-	1
Cooper .....	190	4	1	-	5	26.32	5	-	-	-	-
Crawford .....	114	2	-	-	2	17.54	2	-	-	-	-
Cutler .....	585	4	4	-	8	13.68	7	-	1	-	-
Danforth .....	1,295	19	15	-	34	26.25	16	2	11	4	1
Deblois .....	69	1	1	-	2	28.99	1	-	-	1	-
Dennysville .....	459	10	8	-	18	39.22	18	-	-	-	-
East Machias .....	1,392	10	13	-	23	16.52	19	2	2	-	-
Eastport .....	4,961	56	55	-	111	22.37	54	19	15	22	1
Edmunds .....	616	8	10	-	18	29.22	14	1	1	2	-
Forest City .....	79	2	-	-	2	25.32	-	-	-	2	-
Harrington .....	1,020	10	7	1	18	17.65	15	-	2	1	-
Jonesboro .....	519	10	5	-	15	28.90	15	-	-	-	-
Jonesport .....	2,074	23	22	-	45	21.70	44	1	-	-	-
Lubec .....	3,363	50	38	-	88	26.17	42	14	17	15	-
Machias .....	2,089	28	27	-	55	26.33	43	1	3	6	2
Machiasport .....	1,218	11	10	-	21	17.24	18	-	2	1	-



**No. 6—Continued.**  
**for the year 1910.**

COUNTY

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
8	-	-	1	-	9	6	5	-	11	11	-	-	11.17
2	-	-	-	-	2	-	2	-	2	1	1	-	5.35
4	1	2	2	-	9	10	1	-	11	9	2	-	9.68
1	-	-	-	1	2	1	2	-	3	3	-	-	13.16
-	-	-	-	-	-	-	1	-	1	1	-	-	4.22
18	2	10	9	-	39	51	63	-	114	71	43	-	20.77
3	-	-	-	-	3	2	1	-	3	3	-	-	32.97
2	-	-	-	-	2	2	2	-	4	4	-	-	13.79
21	-	-	-	-	21	8	9	-	17	16	1	-	11.34
3	-	-	-	-	3	7	1	-	8	8	-	-	14.19
5	-	-	2	-	7	5	9	-	14	14	-	-	21.12
1	-	-	-	-	1	2	2	-	4	4	-	-	21.05
1	-	-	-	-	1	3	-	-	3	3	-	-	26.32
4	-	-	-	-	4	6	3	-	9	9	-	-	15.38
5	2	2	3	-	12	7	3	-	10	7	3	-	7.72
-	-	-	-	-	-	1	-	-	1	1	-	-	14.49
2	-	-	-	-	2	3	3	-	6	6	-	-	13.07
6	1	-	1	-	8	7	13	-	20	19	1	-	14.37
28	2	4	6	-	40	41	37	-	78	45	32	1	15.72
5	-	-	-	-	5	5	7	-	12	12	-	-	19.48
-	-	-	-	-	-	1	1	-	2	-	2	-	25.32
6	-	-	1	-	7	11	6	-	17	16	1	-	16.67
2	-	-	-	-	2	1	4	-	5	5	-	-	9.63
17	-	1	-	-	18	18	20	-	38	38	-	-	18.32
7	3	6	10	-	26	36	25	-	61	46	15	-	18.14
15	-	-	-	-	15	14	21	-	35	34	-	1	16.75
4	-	-	-	-	4	8	4	-	12	10	2	-	9.85

**TABLE**  
**Births, Marriages and Deaths**  
WASHINGTON

TOWNS.	Population in 1910.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated
Marion . . . . .	114	2	1	-	3	26.32	3	-	-	-	-
Marshfield . . . . .	178	3	1	-	4	22.47	4	-	-	-	-
Meddybemps . . . . .	124	1	2	-	3	24.19	3	-	-	-	-
Milbridge . . . . .	1,550	13	16	-	29	18.71	27	-	2	-	-
Northfield . . . . .	81	2	2	-	4	49.38	3	-	1	-	-
Pembroke . . . . .	1,378	15	9	-	24	17.42	18	1	2	3	-
Perry . . . . .	1,153	9	13	-	22	19.08	15	-	4	1	2
Princeton . . . . .	1,091	14	7	-	21	19.25	18	-	1	-	2
Robbinston . . . . .	691	5	4	-	9	13.02	8	-	1	-	-
Roque Bluffs . . . . .	105	-	-	-	-	-	-	-	-	-	-
Steuben . . . . .	890	11	9	-	20	22.47	20	-	-	-	-
Talmage . . . . .	100	1	4	-	5	50.00	4	-	1	-	-
Topsfield . . . . .	259	4	7	-	11	42.47	11	-	-	-	-
Trescott . . . . .	461	7	5	-	12	26.03	8	1	2	1	-
Vanceboro . . . . .	623	14	8	-	22	35.31	8	9	1	4	-
Waite . . . . .	162	2	1	-	3	18.52	2	-	-	1	-
Wesley . . . . .	172	2	1	-	3	17.44	2	-	1	-	-
Whiting . . . . .	368	2	3	-	5	13.59	4	-	-	1	-
Whitneyville . . . . .	258	4	-	-	4	15.50	3	-	1	-	-
Codyville Pl. . . . .	69	1	1	-	2	28.99	1	1	-	-	-
Grand Lake Stream Pl. . . . .	290	4	4	-	8	27.58	5	-	2	-	1
Kossuth Pl. . . . .	44	-	-	-	-	-	-	-	-	-	-
Lambert Lake Pl. . . . .	104	2	3	-	5	48.08	3	1	1	-	-
No. 14 Pl. . . . .	82	1	1	-	2	24.39	2	-	-	-	-
No. 21 Pl. . . . .	81	1	-	-	1	12.35	1	-	-	-	-
Total . . . . .	*42,655	496	459	1	956	22.41	632	89	108	109	18

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**No. 6—Continued.**  
**for the year 1910.**  
 COUNTY—CONCLUDED

MARRIAGES.						DEATHS.							Death-rate per 1,000
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	-	1	-	1	1	-	-	8.77
3	-	-	-	-	3	2	2	-	4	4	-	-	22.47
1	-	-	-	-	1	1	-	-	1	1	-	-	8.06
10	-	-	1	-	11	14	10	-	24	24	-	-	15.48
2	-	-	-	-	2	3	1	-	4	4	-	-	49.38
5	-	2	1	-	8	3	12	-	15	10	5	-	10.89
8	-	2	-	-	10	6	5	-	11	8	3	-	9.54
10	-	1	1	-	12	9	8	-	17	11	6	-	15.58
4	-	1	1	-	6	5	2	-	7	6	1	-	10.13
-	-	-	-	-	-	-	1	-	1	1	-	-	9.52
3	-	-	-	-	3	6	4	-	10	10	-	-	11.23
-	-	-	1	-	1	-	1	-	1	1	-	-	10.00
3	-	-	-	-	3	2	1	-	3	3	-	-	11.58
-	-	1	1	-	2	2	4	-	6	6	-	-	13.01
1	1	-	-	-	2	3	2	-	5	2	3	-	8.03
2	-	-	-	-	2	-	2	-	2	1	1	-	12.52
-	-	-	-	-	-	1	3	-	4	4	-	-	23.26
3	-	-	-	-	3	2	3	-	5	5	-	-	13.59
-	-	-	-	-	-	6	1	-	7	5	2	-	27.13
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	3	4	-	7	6	1	-	24.14
-	-	-	-	-	-	2	-	-	2	2	-	-	45.45
-	-	-	-	-	-	-	1	-	1	-	1	-	9.61
-	-	-	-	-	-	2	-	-	2	2	-	-	24.39
-	-	-	-	-	-	-	1	-	1	1	-	-	12.35
230	12	32	41	1	316	328	314	-	642	514	126	2	15.05

**TABLE**  
**Births, Marriages, and Deaths**  
YORK

Towns.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton .....	603	5	3	-	8	13.27	7	-	-	1	-
Alfred .....	890	9	9	-	18	20.22	14	2	1	1	-
Berwick .....	2,098	26	20	-	46	21.93	30	8	5	3	-
Biddeford .....	17,079	314	235	-	549	32.14	88	336	63	58	4
Buxton .....	1,675	15	11	-	26	15.52	24	-	1	1	-
Cornish .....	954	10	6	-	16	16.77	16	-	-	-	-
Dayton .....	395	3	1	-	4	10.13	4	-	-	-	-
Eliot .....	1,530	15	10	-	25	16.34	21	2	1	1	-
Hollis .....	1,284	10	8	-	18	14.02	18	-	-	-	-
Kennebunk .....	3,099	20	24	-	44	14.20	34	4	2	4	-
Kennebunkport .....	2,130	5	18	-	23	10.80	14	2	2	5	-
Kittery .....	3,533	38	25	-	63	17.83	47	3	4	8	1
Lebanon .....	1,316	12	14	1	27	20.52	19	2	1	4	1
Limerick .....	965	9	11	-	20	20.73	13	6	1	-	-
Limington .....	980	9	9	-	18	18.37	12	5	-	1	-
Lyman .....	615	4	5	-	9	14.63	7	-	-	2	-
Newfield .....	620	7	8	-	15	24.19	14	-	1	-	-
North Berwick .....	1,777	13	10	-	23	12.94	22	-	1	-	-
Old Orchard .....	961	11	7	-	18	18.73	16	2	-	-	-
Parsonsfield .....	1,057	7	7	-	14	13.25	14	-	-	-	-
Saco .....	6,583	52	59	-	111	16.86	62	24	4	19	2
Sanford .....	9,049	129	108	-	237	26.19	54	134	23	25	1
Shapleigh .....	691	7	7	-	14	20.26	13	-	-	1	-
South Berwick .....	2,935	27	36	-	63	21.47	28	22	7	6	-
Waterboro .....	997	13	11	-	24	24.07	22	-	1	1	-
Wells .....	1,908	16	12	-	28	14.68	25	1	-	1	1
York .....	2,802	38	25	-	63	22.48	45	6	5	6	1
Total .....	68,526	824	699	1	1,524	22.24	683	559	123	148	11

**No. 6—Concluded.**  
**for the Year 1910.**  
 COUNTY

Both American.	MARRIAGES.					DEATHS.							Death-rate per 1,000.
	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	4	6	-	10	8	2	-	16.58
6	-	-	-	-	6	6	9	-	15	15	-	-	16.85
7	1	-	-	1	9	19	17	-	36	32	3	-	17.16
49	38	18	26	2	133	203	204	-	407	295	109	-	23.83
11	-	-	-	-	11	17	13	-	30	27	2	-	17.91
6	-	-	-	-	6	7	9	-	16	16	-	-	16.77
2	-	-	-	-	2	4	8	-	12	12	-	-	30.39
2	1	1	-	-	4	12	16	-	28	27	1	-	18.31
5	-	-	-	-	5	17	15	-	32	30	2	-	24.92
11	-	1	1	-	13	21	20	-	41	37	2	-	13.23
10	1	1	1	-	13	16	15	-	31	28	2	-	14.55
18	-	1	-	-	19	25	29	-	54	52	1	-	15.28
6	-	1	-	-	7	10	11	-	21	18	2	-	15.96
4	2	2	1	-	9	8	6	-	14	13	1	-	14.51
7	-	-	-	-	7	8	8	-	16	15	1	-	16.33
2	-	-	-	-	2	6	6	-	12	11	1	-	19.51
3	-	-	-	-	3	5	8	-	13	13	-	-	20.97
10	-	-	-	-	10	16	10	-	26	23	1	-	14.63
2	1	1	2	-	6	7	12	-	19	19	-	-	19.77
3	-	-	-	-	3	13	6	-	19	19	-	-	17.98
35	5	9	5	-	54	58	74	-	132	109	21	-	20.05
31	16	6	6	-	59	85	80	-	165	125	40	-	18.23
6	-	-	-	-	6	7	3	-	10	9	-	-	14.47
11	3	5	3	-	22	28	29	-	57	48	9	-	19.42
8	-	-	-	-	8	12	4	-	16	16	-	-	16.05
7	-	1	-	-	8	25	20	-	45	44	1	-	23.58
6	-	3	2	-	11	24	33	-	57	53	4	-	20.34
269	68	50	47	3	437	663	671	-	1,334	1,114	205	15	19.47

**TABLE**  
**Recapitulation**

TOWNS.	Population in 1910.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin.....	59,822	591	582	—	1,173	19.61	439	446	149	129	10
Aroostook.....	*73,552	1,209	1,234	—	2,443	33.21	1,376	325	377	336	29
Cumberland.....	112,014	1,145	1,056	—	2,201	19.65	1,218	563	184	209	27
Franklin.....	*18,782	233	170	—	403	21.46	287	69	29	13	5
Hancock.....	*35,395	319	374	—	693	17.59	598	30	29	30	6
Kennebec.....	62,863	623	639	—	1,262	20.08	738	270	123	119	12
Knox.....	*28,914	216	216	—	432	14.94	336	51	20	21	4
Lincoln.....	18,216	159	134	—	293	16.08	272	6	5	6	4
Oxford.....	*36,179	436	440	—	876	24.21	492	274	57	49	4
Penobscot.....	*84,666	822	848	1	1,671	19.73	998	308	185	156	24
Piscataquis.....	*19,114	176	204	1	381	19.93	240	61	40	35	5
Sagadahoc.....	18,574	170	166	—	336	18.09	207	62	31	32	4
Somerset.....	*35,533	407	353	—	760	21.39	500	128	70	50	12
Waldo.....	23,383	218	176	—	394	16.85	354	18	13	8	1
Washington.....	*42,655	496	459	1	956	22.41	632	89	108	109	18
York.....	68,526	824	699	1	1,524	22.24	683	559	123	148	11
Total.....	*738,188	8,044	7,750	4	15,798	21.40	9,370	3,259	1,543	1,450	176

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**No. 7.**  
**by Counties.**

MARRIAGES.						DEATHS.							
						SEX.			NATIVITY.			Death-rate per 1,000.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
267	84	50	76	1	478	573	559	-	1,132	882	234	16	18.92
325	50	74	124	5	578	514	523	-	1,037	790	231	16	14.10
588	118	72	81	2	861	982	955	-	1,937	1,558	348	31	17.29
135	3	5	17	-	160	138	118	-	256	238	15	3	13.63
283	6	10	11	-	310	281	266	-	547	510	33	4	15.45
404	55	38	54	3	554	596	576	-	1,172	1,009	140	23	18.64
178	11	11	13	-	213	260	219	-	479	430	44	5	16.57
105	-	6	6	-	117	157	149	-	306	293	12	1	16.80
210	54	15	30	1	310	337	248	-	585	540	42	3	16.17
535	60	62	91	3	751	759	642	-	1,401	1,164	207	30	16.54
142	7	11	22	-	182	149	126	-	275	246	28	1	14.39
108	9	12	12	-	141	169	157	-	326	286	40	-	17.55
226	14	28	38	-	306	292	297	-	589	521	62	6	16.58
172	1	8	4	1	186	229	192	-	421	405	15	1	18.00
230	12	32	41	1	316	328	314	-	642	514	126	2	15.05
269	68	50	47	3	437	663	671	-	1,334	1,114	205	15	19.47
4,177	552	484	667	20	5,900	6,427	6,012	-	12,439	10,500	1,782	157	18.85

**TABLE No. 8.**  
**Births and Birth-Rates by Counties for the Years 1903-1910.**

	1903.		1904.		1905.		1906.		1907.		1908.		1909.		1910.	
	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.
State .....	14,453	20.81	14,673	21.13	15,294	21.40	15,878	22.09	15,914	22.02	16,173	22.25	16,060	21.97	15,798	21.28
Androscoggin .....	1,050	19.36	1,059	19.52	1,164	20.47	1,175	20.47	1,088	18.78	1,124	19.23	1,205	20.43	1,173	19.61
Aroostook .....	2,095	35.45	2,223	37.27	2,241	34.60	2,323	34.45	2,413	35.20	2,429	34.87	2,374	33.54	2,443	32.72
Cumberland .....	2,029	20.15	2,011	19.97	2,066	19.03	2,179	20.45	2,163	20.12	2,254	20.78	2,263	20.68	2,201	19.65
Franklin .....	383	21.20	376	20.60	432	22.60	404	20.96	442	22.76	402	20.56	418	21.22	403	21.08
Hancock .....	676	18.27	695	18.76	733	19.05	768	20.62	757	20.33	753	20.22	740	19.87	693	19.48
Kennebec .....	1,084	18.34	1,174	19.86	1,177	19.14	1,225	20.72	1,257	20.75	1,236	20.33	1,259	20.64	1,262	20.08
Knox .....	450	14.86	452	14.92	465	15.32	531	17.53	444	14.60	454	14.93	438	14.40	432	14.91
Lincoln .....	303	15.40	288	14.64	345	17.42	310	15.76	323	16.42	321	16.32	314	15.96	293	16.08
Oxford .....	729	22.85	730	22.88	792	23.36	880	26.48	787	23.57	906	27.00	864	25.62	876	24.16
Penobscot .....	1,598	21.09	1,541	20.34	1,578	20.04	1,722	22.00	1,772	22.54	1,781	22.55	1,770	22.31	1,671	19.59
Piscataquis .....	351	21.30	343	20.64	353	20.29	364	20.87	404	23.06	409	23.24	383	21.67	381	19.16
Sagadahoc .....	352	17.31	399	19.63	344	15.95	366	17.54	340	16.23	347	16.50	360	17.04	336	18.09
Somerset .....	591	17.60	634	18.88	698	19.95	692	20.01	703	20.26	749	21.51	735	21.03	760	20.94
Waldo .....	272	11.25	319	13.19	352	14.52	365	15.09	385	15.92	380	15.71	366	15.13	394	16.85
Washington .....	1,031	22.99	988	22.03	1,013	21.87	1,023	22.39	1,030	22.51	1,051	22.93	999	21.76	956	22.28
York .....	1,459	22.49	1,441	22.21	1,541	23.03	1,551	23.46	1,606	24.21	1,577	23.70	1,572	23.55	1,524	22.24



**TABLE No. 9.**  
**Births by Counties, Showing Proportion of Males to Females, 1910.**

COUNTIES.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin.....	591	582	-	1,173	9	-	101.5
Aroostook.....	1,209	1,234	-	2,443	-	25	98.0
Cumberland.....	1,145	1,056	-	2,201	89	-	108.4
Franklin.....	233	170	-	403	63	-	137.1
Hancock.....	319	374	-	693	-	55	85.3
Kennebec.....	623	639	-	1,262	-	16	97.5
Knox.....	216	216	-	432	-	-	100.0
Lincoln.....	159	134	-	293	25	-	118.7
Oxford.....	436	440	-	876	-	4	99.1
Penobscot.....	822	848	1	1,671	-	26	96.9
Piscataquis.....	176	204	1	381	-	28	86.3
Sagadahoc.....	170	166	-	336	4	-	102.4
Somerset.....	407	353	-	760	54	-	115.3
Waldo.....	218	176	-	394	42	-	123.9
Washington.....	496	459	1	956	37	-	108.1
York.....	824	699	1	1,524	125	-	117.9
Total.....	8,044	7,750	4	15,798	448	154	103.8

TABLE No. 10.

## Number of Births in Each Month of 1903-1910, with a Monthly Ratio Compared with a Standard of 100.

MONTHS.	1903.		1904.		1905.		1906.		1907.		1908.		1909.		1910.	
	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January.....	1,210	98.6	1,219	97.8	1,178	90.8	1,173	87.0	1,301	96.3	1,296	94.3	1,306	95.9	1,308	97.5
February.....	1,151	103.9	1,207	107.2	1,180	100.6	1,206	99.0	1,288	105.0	1,312	102.2	1,276	103.7	1,252	103.3
March.....	1,353	110.3	1,367	109.7	1,463	112.7	1,333	102.1	1,431	105.9	1,551	112.9	1,475	108.3	1,506	112.2
April.....	1,364	114.9	1,325	109.9	1,340	106.6	1,385	106.1	1,397	106.8	1,345	101.2	1,392	105.6	1,424	109.7
May.....	1,326	108.1	1,336	107.2	1,365	105.2	1,335	99.0	1,455	107.4	1,464	106.6	1,453	106.7	1,393	103.8
June.....	1,247	105.1	1,186	98.3	1,375	109.4	1,310	100.3	1,424	108.9	1,430	107.5	1,309	99.1	1,379	106.2
July.....	1,215	99.0	1,297	104.1	1,439	110.9	1,454	107.8	1,360	100.6	1,361	99.1	1,353	99.2	1,330	99.1
August.....	1,223	99.7	1,216	97.6	1,328	102.3	1,450	107.5	1,293	95.7	1,438	104.7	1,437	105.4	1,348	100.5
September.....	1,205	101.5	1,203	99.8	1,259	100.2	1,364	104.5	1,336	102.1	1,246	93.7	1,351	102.3	1,263	97.3
October.....	1,134	92.4	1,217	97.7	1,163	89.6	1,280	94.9	1,264	93.5	1,216	88.5	1,251	91.7	1,256	93.7
November.....	1,026	86.4	1,037	85.9	1,057	84.1	1,260	96.5	1,129	86.3	1,212	91.1	1,221	92.5	1,131	87.1
December.....	990	80.6	1,057	84.8	1,143	88.1	1,325	98.2	1,231	91.1	1,299	94.6	1,231	90.2	1,207	90.0
Unknown.....	9	-	6	-	4	-	3	-	5	-	3	-	5	-	1	-

\* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 11.

Births, by Sex and Months, by Counties, 1910.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males	51	53	51	45	65	43	58	52	44	44	46	39	-	591	-
females	50	46	47	48	57	41	55	48	50	51	42	47	-	582	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,173
Aroostook, males	86	99	122	134	107	125	102	93	84	90	75	92	-	1,209	-
females	103	83	125	135	128	131	91	92	107	81	70	88	-	1,234	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,443
Cumberland, males	92	83	92	98	86	112	104	110	85	105	82	96	-	1,145	-
females	98	86	101	90	80	87	97	82	85	86	83	81	-	1,056	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,201
Franklin, males	22	18	22	12	23	19	24	17	18	18	18	22	-	233	-
females	17	10	19	11	24	21	12	14	12	15	11	4	-	170	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	403
Hancock, males	23	22	25	27	35	36	22	31	25	32	15	26	-	319	-
females	31	28	42	23	36	35	32	36	26	34	28	29	-	374	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	693
Kennebec, males	54	48	60	53	54	44	54	50	56	47	52	50	1	623	-
females	47	58	63	46	54	47	53	52	59	58	50	52	-	639	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,262
Knox, males	15	25	19	15	14	16	12	23	20	16	18	23	-	216	-
females	17	12	35	24	13	16	19	11	14	23	19	13	-	216	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	432
Lincoln, males	8	12	10	17	16	16	13	16	15	14	16	6	-	159	-
females	17	9	15	13	11	15	13	5	8	7	7	14	-	134	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	293
Oxford, males	43	34	42	40	39	36	33	30	35	32	25	47	-	436	-
females	35	41	47	36	32	32	34	41	25	39	32	46	-	440	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	876
Penobscot, males	68	61	79	88	78	75	56	70	62	69	55	61	-	822	-
females	69	66	88	79	70	60	65	86	64	71	70	60	-	848	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,671
Piscataquis, males	14	11	13	18	15	17	15	22	10	16	14	11	-	176	-
females	19	16	17	18	16	18	13	19	21	15	15	17	-	204	-
not stated	-	-	-	1	-	-	-	-	-	-	-	-	-	1	381
Sagadahoc, males	11	12	16	14	22	21	17	12	15	11	5	14	-	170	-
females	9	17	14	21	13	12	12	18	14	12	15	9	-	166	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	336
Somerset, males	35	33	43	40	26	36	30	43	37	30	26	28	-	407	-
females	37	23	25	26	26	38	30	33	28	23	27	24	-	353	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	760
Waldo, males	16	14	24	19	17	8	25	19	24	19	14	19	-	218	-
females	10	17	11	19	15	19	13	12	12	18	16	14	-	176	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	394
Washington, males	44	40	46	48	47	41	55	43	26	24	44	38	-	496	-
females	37	31	48	39	39	34	47	40	43	42	26	33	-	459	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	1	956
York, males	67	73	86	62	77	70	63	67	81	54	70	54	-	824	-
females	63	64	59	65	57	58	61	64	59	55	45	49	-	699	-
not stated	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1,524
Total, males	649	638	750	730	721	715	683	698	637	621	575	626	1	8,044	-
females	659	613	756	693	671	664	647	650	626	635	556	580	-	7,750	-
not stated	-	1	-	1	-	-	-	-	-	-	-	-	-	4	-
Grand total	1308	1252	1506	1424	1393	1379	1330	1348	1263	1256	1131	1207	1	15798	15798

**TABLE No. 12.**  
**Births in Cities for 1910, with Rate per 1,000 of**  
**Population.**

CITIES.	Population for 1910.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn.....	15,064	126	101	-	227	15.07	124.8
Augusta.....	13,211	118	165	-	283	21.42	71.5
Bangor.....	24,803	191	205	1	397	16.00	93.2
Bath.....	9,396	97	81	-	178	18.94	119.8
Belfast.....	4,618	52	31	-	83	17.97	167.7
Biddeford.....	17,079	314	235	-	549	32.14	133.6
Brewer.....	5,667	89	62	-	151	26.65	143.5
Calais.....	6,116	61	66	-	127	20.77	92.4
Eastport.....	4,961	56	55	-	111	22.37	101.8
Ellsworth.....	3,549	26	22	-	48	13.52	118.2
Gardiner.....	5,311	49	46	-	95	17.89	106.5
Hallowell.....	2,864	25	24	-	49	17.11	104.2
Lewiston.....	26,247	282	296	-	578	22.02	95.3
Old Town.....	6,317	81	60	-	141	22.32	135.0
Portland.....	58,571	596	566	-	1,162	19.84	105.3
Rockland.....	8,174	63	77	-	140	17.13	81.8
Saco.....	6,583	52	59	-	111	16.86	88.1
South Portland.....	7,471	89	67	-	156	20.89	132.8
Waterville.....	11,458	167	163	-	330	28.80	102.5
Westbrook.....	8,281	117	97	-	214	25.84	120.6
Total.....	245,741	2,651	2,478	1	5,130	20.88	107.0

**TABLE No. 13.**  
**Percentage of American and Foreign Births by Counties,**  
**1910.**

COUNTIES.	Parents.			Births with percentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin .....	37.43	38.02	23.70	0.85
Aroostook .....	56.32	13.30	29.19	1.19
Cumberland .....	55.34	25.57	17.86	1.23
Franklin .....	71.22	17.12	10.42	1.24
Hancock .....	86.29	4.33	8.51	0.87
Kennebec .....	58.48	21.39	19.18	0.95
Knox .....	77.77	11.81	9.49	0.93
Lincoln .....	92.83	2.05	3.75	1.37
Oxford .....	56.16	31.28	12.10	0.46
Penobscot .....	59.72	18.43	20.41	1.44
Piscataquis .....	62.99	16.01	19.69	1.31
Sagadahoc .....	61.61	18.45	18.75	1.19
Somerset .....	65.80	16.84	15.79	1.57
Waldo .....	89.85	4.57	5.33	0.25
Washington .....	66.11	9.31	22.70	1.88
York .....	44.82	36.68	17.78	0.72
State .....	59.31	20.63	18.95	1.11

**TABLE No. 14.**  
**Percentage of American and Foreign Births by Cities,**  
**1910.**

CITIES.	Parents.			Births with percentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Auburn.....	43.17	33.92	21.15	1.76
Augusta.....	54.06	24.38	19.79	1.77
Bangor.....	51.89	24.18	21.66	2.27
Bath.....	53.93	23.03	21.35	1.69
Belfast.....	87.95	2.41	8.44	1.20
Biddeford.....	16.03	61.20	22.04	0.73
Brewer.....	50.33	23.84	24.51	1.32
Calais.....	36.23	14.17	44.09	5.51
Eastport.....	48.65	17.12	33.33	0.90
Ellsworth.....	91.67	-	6.25	2.08
Gardiner.....	68.42	6.32	24.21	1.05
Hallowell.....	73.47	12.24	14.29	-
Lewiston.....	21.11	51.38	26.64	0.87
Old Town.....	44.68	26.24	28.37	0.71
Portland.....	46.04	35.03	17.47	1.46
Rockland.....	74.29	17.86	7.14	0.71
Saco.....	55.86	21.62	20.72	1.80
South Portland.....	67.95	10.26	20.51	1.28
Waterville.....	37.88	30.91	30.61	0.60
Westbrook.....	48.60	22.43	28.50	0.47
Collectively.....	43.98	32.36	22.31	1.35

**TABLE No. 15.**  
**Twin Births by Months and Counties, 1901.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin.....	1	1	1	2	2	-	3	-	1	2	-	1	14
Aroostook.....	2	3	5	2	8	1	3	2	1	5	2	1	35
Cumberland.....	1	2	-	-	-	-	1	3	2	1	1	-	11
Franklin.....	2	1	-	-	-	1	1	-	-	-	-	-	5
Hancock.....	1	-	1	-	-	-	-	-	-	-	-	-	2
Kennebec.....	-	1	1	1	-	1	1	-	1	-	1	2	9
Knox.....	1	-	-	1	1	-	-	-	-	-	-	-	3
Lincoln.....	-	-	-	-	1	-	-	-	1	-	-	-	2
Oxford.....	1	-	2	2	-	1	2	1	1	1	1	2	14
Penobscot.....	2	2	2	1	3	4	1	3	2	1	1	1	23
Piscataquis.....	-	2	-	-	-	2	-	-	1	-	1	-	6
Sagadahoc.....	-	-	-	2	-	-	2	1	1	-	-	-	6
Somerset.....	-	2	2	-	-	3	1	1	-	-	1	-	10
Waldo.....	-	-	-	-	-	-	-	-	-	1	-	-	1
Washington.....	1	2	2	2	-	1	-	1	1	1	2	1	14
York.....	-	2	3	1	-	1	1	1	3	-	-	-	12
Total.....	12	18	19	14	15	15	16	13	15	12	10	8	167

**TABLE No. 16.**  
**Twin Births by Sex and Parentage, by Counties, 1910.**

COUNTIES.	Sex.				Parentage.							Living children.	Stillborn children.	Total.
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	Total.				
Androscoggin.....	3	5	6	-	2	7	1	4	-	14	24	4	28	
Aroostook.....	15	12	8	-	16	4	7	8	-	35	66	4	70	
Cumberland.....	4	3	4	-	2	6	2	1	-	11	19	3	22	
Franklin.....	2	1	2	-	3	-	1	1	-	5	10	-	10	
Hancock.....	-	1	1	-	2	-	-	-	-	2	4	-	4	
Kennebec.....	2	5	2	-	1	3	2	3	-	9	14	4	18	
Knox.....	1	1	1	-	3	-	-	-	-	3	5	1	6	
Lincoln.....	-	-	2	-	2	-	-	-	-	2	3	1	4	
Oxford.....	6	2	6	-	10	4	-	-	-	14	25	3	28	
Penobscot.....	8	5	10	-	14	1	4	3	1	23	43	3	46	
Piscataquis.....	3	3	-	-	4	1	1	-	-	6	12	-	12	
Sagadahoc.....	2	1	3	-	2	2	1	1	-	6	9	3	12	
Somerset.....	4	2	4	-	6	3	-	1	-	10	19	1	20	
Waldo.....	-	-	1	-	1	-	-	-	-	1	2	-	2	
Washington.....	3	5	6	-	13	-	-	1	-	14	24	4	28	
York.....	4	4	4	-	8	3	1	-	-	12	24	-	24	
Total.....	57	50	60	-	89	34	20	23	1	167	303	31	334	



**TABLE No. 17.**  
**Stillbirths by Sex and Parentage, by Counties, 1910.**

COUNTIES.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin.....	22	26	-	48	23	25	-
Aroostook.....	63	38	7	108	76	32	-
Cumberland.....	57	38	-	95	63	31	1
Franklin.....	7	5	-	12	10	2	-
Hancock.....	13	9	1	23	21	2	-
Kennebec.....	28	28	2	58	47	10	1
Knox.....	10	4	-	14	12	1	1
Lincoln.....	11	2	-	13	13	-	-
Oxford.....	19	9	-	28	18	10	-
Penobscot.....	26	40	1	67	53	14	-
Piscataquis.....	11	7	-	18	15	2	1
Sagadahoc.....	5	10	-	15	10	5	-
Somerset.....	22	14	-	36	26	10	-
Waldo.....	12	8	-	20	18	2	-
Washington.....	30	13	1	44	35	9	-
York.....	49	23	-	72	35	37	-
Total.....	385	274	12	671	475	192	4

**TABLE No. 18.**  
**Stillbirths by Seasons, 1910.**

MONTHS.		
January .....	60	
February .....	44	
March .....	68	Total for first quarter..... 172
April .....	71	
May .....	52	
June .....	52	Total for second quarter..... 175
July .....	38	
August .....	57	
September .....	55	Total for third quarter..... 150
October .....	43	
November .....	77	
December .....	52	Total for fourth quarter..... 172
Not stated .....	2	Not stated..... 2
Total .....	671	671

## NOTES ON BIRTHS.

In the year 1910, 16,469 births were registered in the State, including stillbirths, (14,082 in 1892, 14,604 in 1893, 14,607 in 1894, 15,430 in 1895, 15,429 in 1896, 15,142 in 1897, 15,121 in 1898, 14,475 in 1899, 14,709 in 1900, 14,615 in 1901, 15,166 in 1902, 15,130 in 1903, 15,405 in 1904, 16,005 in 1905, 16,585 in 1906, 16,595 in 1907, 16,914 in 1908 and 16,735 in 1909).

The number of living children born was 15,798, and the number of stillbirths was 671.

Of the whole number of living children of which the sex was certified, 8,044 were males and 7,750 were females. In 4 births, the sex was not stated. For each 100 girls born there were 103.8 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, 106.4 in 1895, 105.3 in 1896, 102.3 in 1897, 106 in 1898, 104.4 in 1899, 103.2 in 1900, 105.6 in 1901, 105 in 1902, 105.3 in 1903, 104.2 in 1904, 104.1 in 1905, 106 in 1906, 104.3 in 1907, 107.2 in 1908, and 104.7 in 1909).

*Birth-rate.*—The birth-rate of living children for the State was 21.28 for each 1,000 of population.

Table No. 12 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 population was 20.88 as compared with 21.49 the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. As it invariably has been every year since the registration began, it was the highest in Aroostook, 32.72, and the lowest in Knox, 14.91. In four counties, Aroostook, Oxford, Washington, and York, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 3 and 7.

*Parentage.*—Of the total births in the State, 59.31 per cent. were of native parents, 20.63 per cent. were of foreign parentage; 18.95 per cent. were of parents one of whom was foreign; while in 1.11 per cent. the nationality was not stated.

Lincoln county had the largest percentage of native-born parents, to wit, 92.83 per cent., and only 2.05 per cent. in which both parents were foreign-born. Waldo followed with 89.85 per cent. of native parentage, and only 4.57 per cent. in which both parents were foreign-born.

In Hancock county in 86.29 per cent. of the births the parents were native-born, and in 4.33 per cent., foreign-born.

In Knox the percentage of native-born parents was 77.77; in Franklin, 71.22; in Washington, 66.11; in Somerset, 65.80; in Piscataquis, 62.99; and in Sagadahoc, 61.61.

Comparatively high percentages of foreign-born parents are found in Androscoggin county, 38.02; in York, 36.68; in Oxford, 31.28; in Cumberland, 25.57; and in Kennebec, 21.39.

The percentages of parentage, whether American-born or foreign-born, may be found for the other counties in Table No. 13.

Comparing the percentage of the births in our twenty cities with that of the rest of the State, we find that in the cities 43.98 per cent. of the births were of American parentage, while in the rural parts of the State the percentage of American-born children was 66.68.

The largest percentage of foreign-born parents was in Biddeford, 61.20; and in Lewiston 51.38.

In Ellsworth there were not any births in which both parents were foreign-born; and in Belfast the percentage of such births was only 2.41. For further comparisons see Table No. 14.

*Seasons and Births.*—The largest number of births in any one month in 1910 was 1,506 in March; the smallest was 1,131 in November; the largest quarterly total was 4,196 in the second quarter; the smallest, 3,594 in the last quarter. The three consecutive months in which the largest number of births occurred were March, April, and May, 4,323.

The following is a tabular statement of the number of births in each month of the nineteen years 1892-1910:

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892.....	1,016	1,113	1,345	1,275	1,323	1,176	1,222	1,191	1,144	1,047	1,002	1,111	63	14,028
1893.....	1,151	1,082	1,162	1,259	1,273	1,162	1,176	1,213	1,115	1,126	1,032	1,109	48	13,908
1894.....	962	980	1,335	1,324	1,255	1,200	1,286	1,213	1,168	1,064	980	1,164	9	13,940
1895.....	1,132	1,082	1,329	1,287	1,308	1,236	1,290	1,312	1,233	1,189	1,115	1,193	6	14,762
1896.....	1,149	1,227	1,350	1,318	1,379	1,190	1,207	1,246	1,257	1,220	1,091	1,069	10	14,693
1897.....	1,126	1,128	1,390	1,260	1,288	1,250	1,274	1,303	1,205	1,138	984	1,077	12	14,473
1898.....	1,148	1,176	1,323	1,269	1,322	1,229	1,226	1,219	1,182	1,198	1,028	1,149	6	14,430
1899.....	1,093	1,104	1,237	1,295	1,224	1,201	1,239	1,197	1,163	1,058	979	1,098	7	13,895
1900.....	1,167	1,083	1,260	1,245	1,276	1,146	1,284	1,255	1,213	1,070	1,055	1,036	6	14,905
1901.....	1,123	1,128	1,303	1,270	1,290	1,190	1,178	1,199	1,252	1,051	983	1,048	6	14,021
1902.....	1,143	1,111	1,401	1,250	1,338	1,244	1,237	1,252	1,207	1,137	1,064	1,119	10	14,508
1903.....	1,210	1,151	1,353	1,304	1,326	1,247	1,215	1,252	1,205	1,134	1,026	990	9	14,453
1904.....	1,219	1,207	1,367	1,325	1,336	1,186	1,297	1,216	1,203	1,217	1,037	1,057	6	14,673
1905.....	1,178	1,180	1,463	1,340	1,365	1,375	1,430	1,328	1,259	1,163	1,057	1,143	4	15,294
1906.....	1,173	1,206	1,333	1,385	1,325	1,310	1,454	1,450	1,364	1,280	1,260	1,325	3	15,878
1907.....	1,301	1,288	1,431	1,397	1,455	1,424	1,360	1,293	1,336	1,264	1,129	1,231	5	15,914
1908.....	1,296	1,312	1,551	1,345	1,464	1,430	1,361	1,438	1,246	1,216	1,212	1,209	9	16,173
1909.....	1,306	1,276	1,475	1,392	1,453	1,308	1,349	1,434	1,347	1,249	1,218	1,229	5	16,041
1910.....	1,308	1,252	1,506	1,424	1,393	1,379	1,330	1,348	1,263	1,256	1,131	1,207	1	15,798

*Twin-births.*—In 1910, 167 twin-births occurred; in 57 instances twins were both boys; in 50, both girls; in 60, a boy and a girl. In 89 cases the parentage was American; in 34, foreign; in 43 instances the parentage was mixed; and in 1, it was not stated. Of the 334 children, 303 were born alive, and 31 were stillborn.

*Triplets.*—Triple births occurred in Fort Fairfield, Mexico, and Portland. They were all living children.

*Stillbirths.*—Of the 671 stillborn children, 385 were males and 274 were females. In 12 the sex was not stated. With the exception of 4 stillbirths as to which the nativity of the mother was not stated, 475 were of American mothers, and 192 were of foreign mothers.

The largest number of stillbirths occurred in Aroostook county, 108; while the minimum number, 12, was reported in Franklin county.

The largest number of stillbirths, 77, was returned in November; the smallest number was 38 in July. See Tables No. 17 and 18 for other details.

**TABLE No. 19.**  
**Marriages and Marriage-Rates by Counties for the Years 1903-1910.**

	1903.		1904.		1905.		1906.		1907.		1908.		1909.		1910.	
	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.
State.....	6,200	8.93	6,208	8.94	6,264	8.76	6,498	9.04	6,380	8.83	5,904	8.12	6,011	8.22	5,900	7.95
Androscoggin.....	485	8.94	465	8.57	500	8.79	536	9.34	475	8.20	465	7.95	451	7.65	478	7.99
Aroostook.....	617	10.16	623	10.26	564	8.70	664	9.35	592	8.64	580	8.33	646	9.13	578	7.75
Cumberland.....	903	8.97	843	8.42	876	8.07	918	8.62	963	8.96	854	7.87	916	8.37	861	7.68
Franklin.....	172	9.33	167	9.05	177	9.31	184	9.54	194	10.00	183	9.36	179	9.09	160	8.37
Hancock.....	323	8.67	333	8.94	337	8.75	319	8.57	329	8.53	326	8.75	265	7.12	310	8.71
Kennebec.....	508	8.59	554	9.37	529	8.70	541	8.96	560	9.24	519	8.54	545	8.94	554	8.81
Knox.....	280	9.21	261	8.58	282	9.29	269	8.84	251	8.25	203	6.67	225	7.40	213	7.35
Lincoln.....	132	6.71	166	8.44	117	5.91	150	7.63	145	7.37	137	6.97	138	7.02	117	6.43
Oxford.....	345	10.70	317	9.83	371	10.94	366	11.01	367	10.99	350	10.42	325	9.64	310	8.55
Penobscot.....	705	9.25	754	9.89	732	9.29	812	10.37	809	10.29	761	9.63	718	9.05	751	8.81
Piscataquis.....	165	9.74	171	10.09	157	9.03	170	9.75	176	10.05	170	9.66	153	8.65	182	9.15
Sagadahoc.....	152	7.48	183	9.00	152	7.05	151	7.24	148	7.07	104	4.94	139	6.58	141	7.59
Somerset.....	349	10.31	337	9.96	350	10.00	331	9.57	354	10.20	326	9.36	323	9.24	306	8.43
Waldo.....	182	7.53	154	6.37	206	8.50	223	9.43	207	8.56	185	7.65	186	7.69	186	7.95
Washington.....	360	7.96	332	7.34	368	7.95	362	7.92	306	6.69	315	6.87	310	6.75	316	7.36
York.....	522	8.05	543	8.37	546	8.16	497	7.52	504	7.60	426	6.40	492	7.37	437	6.38

REGISTRATION REPORT.

**TABLE No. 20.**  
**Marriages by Counties and Nativity, 1910.**

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin . . . . .	267	84	50	76	1	478
Aroostook . . . . .	325	50	74	124	5	578
Cumberland . . . . .	588	118	72	81	2	861
Franklin . . . . .	135	3	5	17		160
Hancock . . . . .	283	6		11		310
Kennebec . . . . .	404	55	38	54	3	554
Knox . . . . .	178	11	11	13		213
Lincoln . . . . .	105		6	6		117
Oxford . . . . .	210	54	15	30		310
Penobscot . . . . .	535	60	62	91	3	751
Piscataquis . . . . .	142	7	11	22		182
Sagadahoc . . . . .	108	9	12	13		141
Somerset . . . . .	226	14	28	38		306
Waldo . . . . .	172				1	186
Washington . . . . .	230	12	32	41	1	316
York . . . . .	269	68	50	47	3	437
Total . . . . .	4,177	552	484	667	20	5,900

**TABLE No. 21.**  
**Marriages by Months and Counties, 1910.**

COUNTIES.	January	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin . . . . .	30	17	20	36	34	78	40	39	51	59	52	22	—	478
Aroostook . . . . .	40	36	36	55	33	33	65	54	43	61	45	42	—	578
Cumberland . . . . .	69	36	45	48	67	134	17	68	102	104	69	54	—	861
Franklin . . . . .	12	3	9	14	12	14	14	18	14	20	21	16	—	160
Hancock . . . . .	22	20	20	20	17	28	41	25	50	48	41	33	—	310
Kennebec . . . . .	39	25	29	60	47	83	41	46	56	50	41	27	—	554
Knox . . . . .	17	15	17	18	12	24	11	15	17	21	20	26	—	213
Lincoln . . . . .	8	8	8	10	6	10	7	5	14	15	13	21	—	117
Oxford . . . . .	25	17	15	25	23	37	15	24	32	38	32	27	—	310
Penobscot . . . . .	44	35	43	59	48	109	55	54	75	85	78	60	—	751
Piscataquis . . . . .	14	12	10	14	11	20	11	21	17	11	19	22	—	182
Sagadahoc . . . . .	12	6	5	5	4	9	2	6	11	11	14	13	—	141
Somerset . . . . .	23	14	19	31	26	33	30	18	31	30	31	20	—	306
Waldo . . . . .	14	11	12	4	13	22	18	15	15	20	25	19	—	186
Washington . . . . .	20	12	20	23	21	34	22	32	32	37	28	36	—	316
York . . . . .	38	17	24	28	26	67	27	31	50	62	42	25	—	437
Total . . . . .	427	284	332	456	405	803	413	473	585	673	576	473	—	5,900

TABLE No. 22.

Number of Marriages in Each Month of 1903-1910, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1903.		1904.		1905.		1906.		1907.		1908.		1909.		1910.	
	Marriages.	Ratio.*	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.
January.....	407	77.4	439	83.3	423	79.5	487	87.9	409	75.6	437	86.7	383	71.5	427	85.2
February.....	331	69.7	352	73.9	325	67.7	394	78.8	382	78.1	366	80.8	361	78.3	284	62.7
March.....	327	62.2	331	62.8	347	65.2	336	60.7	282	52.1	332	65.9	286	56.0	332	66.3
April.....	437	85.9	463	90.8	357	69.5	450	84.0	503	96.0	405	83.5	451	91.3	456	94.0
May.....	401	76.2	404	76.7	427	80.3	453	81.8	411	76.0	398	79.0	420	82.3	405	80.8
June.....	813	159.7	829	162.5	796	154.9	873	163.5	866	165.3	779	160.6	789	159.8	803	165.6
July.....	408	77.6	390	74.0	449	84.4	467	84.3	497	91.9	405	80.4	456	89.3	413	82.4
August.....	500	95.1	449	85.2	500	94.0	494	89.2	471	87.1	474	94.0	489	95.8	473	94.4
September.....	630	123.8	644	126.2	696	135.4	665	124.1	668	127.5	589	121.4	619	125.3	585	120.6
October.....	670	127.4	675	128.1	698	131.2	696	125.7	706	130.5	641	127.2	625	122.4	673	134.3
November.....	690	135.6	663	130.0	677	131.7	646	120.5	663	126.5	591	121.9	637	128.9	576	118.8
December.....	585	111.2	568	107.8	567	106.6	537	97.3	520	96.1	487	96.6	495	97.0	473	94.4
Unknown.....	1	-	1	-	2	-	-	-	2	-	-	-	-	-	-	-

\* In this column the inaccuracies due to the unequal lengths of the months are eliminated.



**TABLE No. 23.**  
**Marriages by Ages and Counties, 1910.**

COUNTIES.		Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscoggin . . . . .	males . . . . .	-	31	196	118	52	24	17	9	12	6	9	4	-	-	478
	females . . . . .	-	120	194	75	41	14	7	12	5	4	5	1	-	-	478
Aroostook . . . . .	males . . . . .	-	24	230	181	46	38	22	11	14	5	4	2	-	1	578
	females . . . . .	4	224	201	73	32	20	9	6	6	1	2	-	-	-	578
Cumberland . . . . .	males . . . . .	-	25	294	238	125	67	43	19	18	15	12	4	-	1	861
	females . . . . .	-	173	314	170	93	38	39	14	9	5	4	1	-	1	861
Franklin . . . . .	males . . . . .	-	9	50	42	21	12	8	6	4	4	1	3	-	-	160
	females . . . . .	-	50	56	24	14	4	6	2	1	-	2	1	-	-	160
Hancock . . . . .	males . . . . .	-	19	107	77	44	19	16	8	4	8	7	1	-	-	310
	females . . . . .	1	83	106	52	24	14	12	7	7	2	1	1	-	-	310
Kennebec . . . . .	males . . . . .	-	31	221	124	71	36	21	17	14	10	8	1	-	-	554
	females . . . . .	-	135	204	107	35	24	21	10	6	6	6	-	-	-	554
Knox . . . . .	males . . . . .	-	6	65	37	38	23	15	5	8	8	6	2	-	-	213
	females . . . . .	-	54	62	39	16	12	18	6	3	-	1	2	-	-	213
Lincoln . . . . .	males . . . . .	-	11	41	29	15	5	6	2	1	4	2	1	-	-	117
	females . . . . .	-	43	40	15	8	-	3	4	1	2	1	-	-	-	117
Oxford . . . . .	males . . . . .	-	11	123	77	42	20	11	8	4	3	8	3	-	-	310
	females . . . . .	1	91	109	43	24	14	12	6	5	2	3	3	-	-	310
Penobscot . . . . .	males . . . . .	-	28	273	198	116	57	26	27	9	9	7	1	-	-	751
	females . . . . .	3	228	256	116	60	32	21	19	6	4	6	-	-	-	751
Piscataquis . . . . .	males . . . . .	-	5	76	42	19	10	8	13	3	3	2	1	-	-	182
	females . . . . .	-	57	64	21	12	9	8	4	2	3	2	-	-	-	182
Sagadahoc . . . . .	males . . . . .	-	6	44	36	21	14	8	5	3	3	1	-	-	-	141
	females . . . . .	1	31	49	27	12	8	6	3	1	2	1	-	-	-	141
Somerset . . . . .	males . . . . .	-	25	103	79	24	29	11	13	12	3	3	4	-	-	306
	females . . . . .	3	100	91	46	25	12	10	6	9	1	2	1	-	-	306
Waldo . . . . .	males . . . . .	-	15	61	47	24	14	7	3	6	2	5	2	-	-	186
	females . . . . .	-	57	56	33	13	8	2	6	4	2	4	1	-	-	186
Washington . . . . .	males . . . . .	-	19	114	96	29	19	12	11	4	5	5	2	-	-	316
	females . . . . .	-	117	104	45	18	9	6	10	-	4	2	1	-	-	316
York . . . . .	males . . . . .	-	27	182	99	47	29	15	8	17	6	5	2	-	-	437
	females . . . . .	1	116	102	78	27	19	10	8	11	2	3	3	-	-	437
Total . . . . .	males . . . . .	-	292	2,180	1,520	734	416	246	165	133	94	85	33	-	2	5,900
	females . . . . .	14	1,679	2,068	964	454	237	190	123	76	40	45	9	-	1	5,900
Grand total . . . . .		14	1,971	4,248	2,484	1,188	653	436	288	209	134	130	42	-	3	11,800

**TABLE**  
**Some Interesting Facts in**

COUNTIES.	Instances in which the age of the bride exceeded that of the groom.	Widowers.	Widows.	Divorced.		First marriage.		Second marriage.		Third marriage.	
				M.	F.	M.	F.	M.	F.	M.	F.
Androscoggin.....	90	49	39	18	22	410	416	60	57	5	4
Aroostook.....	69	62	57	22	10	494	511	72	64	12	2
Cumberland.....	146	84	65	41	45	734	749	119	103	6	7
Franklin.....	22	22	12	8	20	130	128	23	30	6	2
Hancock.....	55	42	35	10	15	258	260	43	42	9	6
Kennebec.....	112	74	54	47	51	433	449	99	88	18	15
Knox.....	33	28	22	22	32	163	159	45	47	5	7
Lincoln.....	23	11	9	4	6	102	102	14	13	1	2
Oxford.....	44	31	36	16	28	263	246	39	57	7	6
Penobscot.....	116	83	75	37	50	631	626	109	121	10	4
Piscataquis.....	25	21	14	16	20	145	148	34	29	2	5
Sagadahoc.....	33	17	8	6	14	117	118	21	21	2	1
Somerset.....	50	37	32	24	27	245	247	52	47	9	11
Waldo.....	35	24	20	13	15	149	151	28	30	9	4
Washington.....	45	41	24	14	17	261	275	48	36	6	5
York.....	85	42	40	23	21	372	376	60	56	4	5
Total.....	983	668	542	321	393	4,907	4,961	866	841	111	86

No. 24.

Relation to Marriages.

Fourth marriage.		Fifth marriage.		Sixth marriage.		Number of marriage not stated.		Total number of persons married.	Oldest.		Youngest.		Oldest couple.		Youngest couple.	
M.	F.	M.	F.	M.	F.	M.	F.		M.	F.	M.	F.	M.	F.	M.	F.
1	-	1	-	-	-	1	1	956	76	70	17	16	74	69	18	16
-	-	-	-	-	1	-	-	1,156	72	63	17	14	71	61	17	15
-	-	-	-	-	-	2	2	1,722	78	70	17	15	70	70	17	17
1	-	-	-	-	-	-	-	320	73	71	18	15	70	71	19	16
-	2	-	-	-	-	-	-	620	76	74	17	14	76	74	18	16
4	2	-	-	-	-	-	-	1,108	75	67	17	15	69	67	19	15
-	-	-	-	-	-	-	-	426	74	72	16	15	74	72	16	17
-	-	-	-	-	-	-	-	234	73	60	18	15	65	60	19	16
1	1	-	-	-	-	-	-	620	72	68	18	14	72	68	18	16
1	-	-	-	-	-	-	-	1,502	71	66	16	14	66	60	17	16
-	-	1	-	-	-	-	-	364	73	68	19	15	69	68	19	17
-	-	-	-	-	1	1	-	282	61	61	18	14	61	58	18	18
-	1	-	-	-	-	-	-	612	76	72	17	14	73	72	19	14
-	1	-	-	-	-	-	-	372	73	73	16	15	67	73	17	15
1	-	-	-	-	-	-	-	632	76	72	18	15	76	72	18	17
1	-	-	-	-	-	-	-	874	79	68	16	14	67	68	17	16
10	7	2	-	-	1	4	4	11,800								

## NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1910 was 5,900 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, 5,729 in 1895, 5,579 in 1896, 5,331 in 1897, 5,144 in 1898, 5,329 in 1899, 5,482 in 1900, 5,735 in 1901, 5,905 in 1902, 6,200 in 1903, 6,208 in 1904, 6,264 in 1905, 6,498 in 1906, 6,380 in 1907, 5,904 in 1908, and 6,011 in 1909). We have therefore for the year 1910, a marriage-rate of 15.90 (persons married) to every 1,000 of population, or at the rate of 7.95 marriages per 1,000 persons.

*Marriage-rates.*—The marriage-rate was higher in Piscataquis county than elsewhere in the State, it being for that county 9.15 per 1,000. The lowest marriage-rate, that of 6.42 per 1,000, was in Lincoln county. See Table No. 3.

*Nativity.*—Of the 5,880 records of marriage in which there was a statement of birthplace, in 71 per cent. the groom and bride were both American; in 9 per cent. both were of foreign birth; in 8 per cent. the groom was American and the bride of foreign birth; while in 12 per cent. a foreign groom and American bride were united.

*Seasons.*—The largest number of marriages, 803, was solemnized in June, while the smallest number in any one month, 284, occurred in March. See Table No. 21.

*Ages of the Married.*—The largest number, both of grooms and brides, was between 20 and 25 years of age. While still under 15 years of age, 14 brides were married; in the age-period 15-20 years there were 292 grooms and 1,679 brides; in the period 20-25 years, 2,180 men and 2,068 women were married; from 25-30, 1,520 men and 964 women; from 30-35, 734 men and 454 women; from 35-40, 416 men and 237 women; from 40-45, 246 men and 190 women; from 45-50, 165 men and 123 women; from 50-55, 133 men and 76 women; from 55-60, 94 men and 40 women; from 60-70, 85 men and 45 women; from 70-80, 33 men and 9 women. The ages of 2 grooms and 1 bride were not stated. See Table No. 23.

In 4,917 marriages the groom was older than the bride; while in 983 the bride was the elder; 668 widowers and 542 widows were remarried; 321 men and 393 women were remarried after having been divorced from a former marriage.

Table No. 24 exhibits the fact that 4,907 men and 4,961 women were married for the first time; that 866 men and 841 women were married for the second time; that 111 men and 86 women were united in the third marriage; that 10 men and 7 women contracted marriage a fourth time; and 2 men were married a fifth time and one woman was married the sixth time. The oldest groom was 79 years of age, and the oldest bride was 74. The youngest groom was 16 years of age, and the youngest bride was 14.

At the age of 16 years 5 grooms were married; at 17 years, 20; at 18 years, 85; and at 19 years, 182. At the age of 14 years 14 brides were married; at 15 years, 50; at 16 years, 178; at 17 years, 300; at 18 years, 609 and at 19 years, 542.

In one marriage the groom was 75, and the bride 19 years of age. In another case in which the groom was 29, and the bride 48, it was the groom's second marriage, and the bride's sixth. Three grooms were married for the first time at the ages of 70, 65, and 63, respectively. One groom who had been divorced was married for the second time at the age of 19.

At 17 years of age one bride was married a second time after having been divorced; and at 18 years, two. One woman contracted marriage for the first time at the age of 66 years.

**TABLE**

**Divorces Decreed by the Supreme Court of Maine for the**

COUNTIES.									
	Libellant wife.	Libellant husband.	Adultery.	Cruel and abusive treatment.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment, extreme cruelty and intoxication.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Cruel and abusive treatment and utter desertion.
Androscoggin .....	52	18	9	29	-	-	-	3	-
Aroostook .....	25	6	7	13	-	-	-	-	-
Cumberland .....	91	38	16	32	2	-	3	7	1
Franklin .....	24	8	9	11	3	-	-	-	-
Hancock .....	20	11	6	7	-	-	-	-	-
Kennebec .....	115	41	20	-	-	-	-	-	-
Knox .....	35	14	7	21	-	-	-	1	-
Lincoln .....	9	-	-	6	-	-	-	-	-
Oxford .....	38	17	2	30	-	-	-	-	-
Penobscot .....	56	25	16	18	2	-	-	2	-
Piscataquis .....	33	6	7	13	-	-	-	2	-
Sagadahoc .....	24	5	3	7	-	-	1	-	-
Somerset .....	32	17	9	19	2	1	1	3	-
Waldo .....	22	3	2	15	-	-	-	1	-
Washington .....	31	9	4	16	-	-	-	-	-
York .....	63	23	13	32	-	-	-	-	-
Total .....	670	241	130	269	9	1	5	19	1



**TABLE No. 26.**  
**Divorces by Causes, Sex of Libellants, and the Number of Years Married, 1910.**

CAUSES.	Libellants.		Number of Years Married.							
	Number.	SEX.	Under 6 months.	Under one year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown.
Adultery.....	130	Males.....	71	2	3	18	31	12	5	-
		Females.....	59	2	14	16	16	20	6	1
Cruel and abusive treatment.....	269	Males.....	51	3	13	17	13	4	1	-
		Females.....	218	8	67	69	58	13	3	-
Cruel and abusive treatment and extreme cruelty.....	9	Males.....	2	-	-	1	1	-	-	-
		Females.....	7	-	-	5	1	1	-	-
Cruel and abusive treatment, extreme cruelty and intoxication.....	1	Males.....	1	-	-	-	1	-	-	-
		Females.....	1	-	-	-	-	-	-	-
Cruel and abusive treatment and failure to support.....	5	Males.....	5	-	-	1	1	-	1	1
		Females.....	5	-	-	-	-	-	-	-
Cruel and abusive treatment and intoxication.....	19	Males.....	19	-	-	6	7	4	2	-
		Females.....	19	-	-	-	-	-	-	-
Cruel and abusive treatment and utter desertion.....	1	Males.....	1	-	-	1	-	-	-	-
		Females.....	12	-	-	3	5	2	1	1
Cruelty.....	51	Males.....	39	-	-	15	9	11	2	2
		Females.....	16	-	-	7	4	4	1	-
Extreme cruelty.....	16	Males.....	16	-	-	7	4	4	1	-
		Females.....	16	-	-	-	-	-	-	-
Failure to support.....	34	Males.....	34	-	-	19	8	7	-	-
		Females.....	34	-	-	-	-	-	-	-
Failure to support and extreme cruelty.....	1	Males.....	1	1	-	-	-	-	-	-
		Females.....	6	-	-	2	1	2	1	-
Intoxication.....	128	Males.....	122	3	27	30	44	13	4	1
		Females.....	122	3	27	30	44	13	4	1
Intoxication and adultery.....	1	Males.....	1	-	-	-	-	1	-	-
		Females.....	1	-	-	-	-	-	-	-
Intoxication and extreme cruelty..	3	Males.....	3	-	-	1	1	1	-	-
		Females.....	3	-	-	-	-	-	-	-
Intoxication and failure to support	4	Males.....	4	-	-	1	2	1	-	-
		Females.....	4	-	-	1	2	1	-	-
Utter desertion.....	232	Males.....	97	-	-	14	30	38	10	4
		Females.....	135	-	-	17	42	41	23	10
Refusing to provide suitable maintenance.....	4	Males.....	4	-	-	2	1	1	-	-
		Females.....	4	-	-	-	-	-	-	-
Gross and cruel neglect and refusal to provide support.....	1	Males.....	1	-	-	1	-	-	-	-
		Females.....	1	-	-	1	-	-	-	-
Impotence.....	1	Males.....	1	-	-	-	-	-	-	-
		Females.....	1	-	-	-	-	-	-	-
Bigamy.....	1	Males.....	1	1	-	-	-	-	-	-
		Females.....	1	1	-	-	-	-	-	-
Total.....	911	Males.....	241	2	7	53	84	67	21	6
		Females.....	670	13	183	193	193	195	62	21



## NOTES ON DIVORCES.

Nine hundred and eleven divorces were decreed in the year 1910 (552 in 1892, 627 in 1893, 674 in 1894, 681 in 1895, 668 in 1896, 722 in 1897, 764 in 1898, 790 in 1899, 801 in 1900, 808 in 1901, 905 in 1902, 946 in 1903, 906 in 1904, 848 in 1905, 787 in 1906, 887 in 1907, 904 in 1908, and 957 in 1909.) In 1910, there was decreed in Maine one divorce for every 6.4 marriages solemnized.

Some of the causes for which divorces were granted are: Adultery, 130, or 14.2 per cent. of the whole number; cruelty, 50, or 5.5 per cent.; desertion 232 or 25.5 per cent.; intoxication, 128, or 14.1 per cent.; cruel and abusive treatment, 269, or 29.5 per cent.; failure to support, 34, or 3.7 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 670 divorces, and the husband in 241.

In the divorces granted for adultery, the husband was the libellant 71 times, and the wife 59 times.

On account of cruelty, the wife was the libellant in 40 cases, and the husband in 10 cases.

For desertion, the husband was the libellant 97 times, and the wife 135.

For intoxication, the husband was the libellant in 6 cases, and the wife in 122.

For cruel and abusive treatment, the husband was the libellant in 51 instances, and the wife in 218.

For failure to support, the wife was the libellant in the 34 divorces decreed for that cause.

Two divorces were granted before the marriage life had lasted six months; 20 before one year's marriage; 237 after from 1 to 5 years' marriage; 276 after 5 to 10 years; 262 after 10 to 20 years; 83 after 20 to 30 years; 27 after more than 30 years of married life; while in 4 cases it was not stated how many years they had been married. Tables No. 25 and No. 26 may be consulted for more detailed statements.

**TABLE No. 27.**  
**Deaths and Death-Rates by Counties for the Years 1903-1910.**

	1903.		1904.		1905.		1906.		1907.		1908.		1909.		1910.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State.....	11,009	15.85	11,346	16.34	11,381	15.92	11,427	15.90	11,802	16.33	11,664	16.05	11,295	15.45	12,439	16.62
Androscoggin.....	745	13.73	833	15.36	900	15.83	1,054	18.36	1,046	18.06	952	16.29	899	15.24	1,132	18.92
Aroostook.....	773	13.08	805	13.50	802	12.38	1,013	15.02	840	12.25	975	14.00	926	13.08	1,037	13.89
Cumberland.....	1,712	17.00	1,810	17.98	1,788	16.47	1,702	15.98	1,884	17.52	1,781	16.42	1,790	16.35	1,937	17.29
Franklin.....	277	15.33	306	16.77	283	14.80	293	15.20	316	16.27	337	17.23	272	13.81	256	13.39
Hancock.....	531	14.35	492	13.28	544	14.14	469	12.66	545	14.63	555	14.90	529	14.21	547	15.38
Kennebec.....	1,092	18.47	1,086	18.37	1,115	18.13	965	15.98	1,136	18.75	1,144	18.82	1,088	17.83	1,172	18.64
Knox.....	483	15.95	487	16.08	478	15.75	460	15.19	489	16.08	473	15.56	464	15.26	479	16.53
Lincoln.....	327	16.63	319	16.22	269	13.58	249	12.66	288	14.64	340	17.29	303	15.40	306	16.80
Oxford.....	541	16.99	572	17.93	506	14.92	580	17.45	573	17.16	561	16.72	540	16.01	585	16.17
Penobscot.....	1,282	16.93	1,361	17.96	1,305	16.57	1,397	17.85	1,430	18.19	1,283	16.24	1,309	16.50	1,401	16.43
Piscataquis.....	214	12.99	252	15.17	270	15.52	237	13.59	218	12.45	250	14.21	272	15.39	275	13.82
Sagadahoc.....	339	16.67	312	15.35	322	14.93	296	14.19	288	13.75	335	15.93	290	13.73	326	17.55
Somerset.....	547	16.29	560	16.68	561	16.03	471	13.62	532	15.33	524	15.05	471	13.48	589	16.23
Waldo.....	358	14.80	394	16.29	407	16.79	395	16.33	385	15.92	368	15.22	386	15.96	421	18.00
Washington.....	611	13.63	581	12.96	673	14.53	653	14.29	604	13.20	643	14.03	630	13.72	642	14.96
York.....	1,177	18.14	1,176	18.12	1,158	17.30	1,193	18.04	1,228	18.51	1,143	17.17	1,126	16.87	1,334	19.47

**TABLE No. 28.**

**Number of Deaths in Each Month of 1903-1910, with Monthly Ratio Compared with a Standard of 100.**

MONTHS.	1903.		1904.		1905.		1906.		1907.		1908.		1909.		1910.	
	Deaths.	Ratio.*	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January .....	1,066	107.6	985	102.2	981	101.4	822	84.7	1,118	111.5	1,128	113.8	985	102.6	1,101	104.2
February .....	944	111.8	1,035	118.9	1,009	115.6	853	97.2	1,128	124.6	985	106.4	887	102.0	1,036	108.5
March .....	996	106.5	1,080	117.8	1,197	123.8	1,060	109.2	1,177	117.3	1,001	101.0	1,178	122.8	1,149	108.7
April .....	989	109.3	1,116	119.7	1,023	109.4	985	104.8	1,069	110.2	1,045	109.1	1,022	110.1	1,103	108.0
May .....	930	99.5	1,038	107.7	957	99.0	961	99.0	973	97.0	954	96.3	960	101.1	1,015	96.1
June .....	786	86.9	807	86.5	830	88.8	848	90.2	947	97.6	818	85.4	838	90.3	844	82.5
July .....	901	96.4	800	83.0	768	79.4	885	91.2	844	84.1	820	82.7	831	86.6	913	86.4
August .....	865	92.4	896	93.0	1,006	104.0	1,133	116.8	898	89.5	1,033	104.2	886	92.4	1,120	106.0
September .....	957	105.7	907	97.2	1,012	108.2	1,117	118.9	855	88.1	1,079	112.6	912	98.2	1,084	106.0
October .....	865	92.5	909	94.3	958	99.1	920	94.8	931	92.8	990	99.9	979	102.1	1,034	97.9
November .....	831	91.8	817	87.6	824	88.1	885	94.2	875	90.2	890	92.9	872	93.9	1,013	99.1
December .....	919	98.3	944	97.9	799	82.6	942	97.2	978	97.6	919	92.7	945	98.5	1,027	97.2
Unknown .....	20	-	12	-	17	-	16	-	9	-	2	-	-	-	-	-

\* In this column the inaccuracies due to unequal lengths of the months are eliminated.

NUMBER OF DEATHS IN EACH MONTH.

**TABLE**

**Showing the Number of Deaths in the State, and in**

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.
All causes (including premature births).....	12,700	1,154	1,066
I. General diseases.....	2,955	264	239
II. Diseases of the nervous system, and the organs of special sense.....	1,672	145	84
III. Diseases of the circulatory system.....	1,654	132	64
IV. Diseases of the respiratory system.....	1,664	158	124
V. Diseases of the digestive system.....	1,420	166	240
VI. Nonvenereal diseases of the genitourinary system and its annexa.....	918	95	43
VII. The puerperal state.....	113	16	19
VIII. Diseases of the skin and cellular tissue.....	82	12	5
IX. Diseases of the bones and of the organs of locomotion	13	1	1
X. Malformations.....	57	5	3
XI. Diseases of early infancy.....	486	48	63
XII. Old age.....	662	39	60
XIII. Affections produced by external causes.....	666	57	45
XIV. Ill defined diseases.....	338	16	76

## No. 29.

## Each County Arranged by Classes and Counties.

Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
1,977	262	566	1,193	486	309	605	1,431	279	331	602	423	659	1,357
460	64	122	263	124	60	128	354	82	70	149	88	177	311
259	48	89	203	70	51	72	173	31	54	72	63	80	178
280	33	89	178	96	59	92	171	30	57	63	78	87	145
267	29	72	141	47	37	103	174	29	40	97	46	84	216
192	28	39	116	34	16	45	161	20	17	53	34	68	191
154	19	45	72	38	37	44	83	21	33	36	46	41	111
12	3	1	12	2	2	5	13	3	3	7	3	4	8
9	2	5	11	2	2	4	5	2	3	4	1	8	7
4	-	1	1	-	-	1	3	-	-	-	-	1	-
8	2	2	3	-	-	5	8	3	2	3	2	1	10
73	12	22	42	12	6	28	50	10	8	28	8	25	51
101	8	40	60	31	20	34	80	22	19	43	24	39	42
120	13	27	64	20	14	36	89	21	20	26	20	30	64
38	1	12	27	10	5	8	67	5	5	21	10	14	23

**TABLE No. 29—Continued.**  
**Deaths by Classes and Counties.**

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
I.—General diseases . . . . .	2,955	264	239	460	64	122	263	124	60	128	354	82	70	149	88	177	311
Typhoid fever . . . . .	149	13	13	40	3	6	16	3	2	4	19	1	2	4	4	6	13
Measles . . . . .	95	12	14	7	3	—	6	—	—	5	19	1	—	9	—	5	14
Scarlet fever . . . . .	40	8	6	2	1	—	—	—	1	—	1	1	—	—	—	—	20
Whooping cough . . . . .	104	11	22	5	1	—	5	2	2	7	16	1	—	21	1	3	6
Diphtheria and croup . . . . .	99	12	17	10	1	3	7	—	3	4	4	3	—	5	1	13	13
Influenza . . . . .	125	7	13	14	2	8	9	5	2	10	11	3	5	5	14	14	10
Cholera nostras . . . . .	4	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery . . . . .	27	4	3	4	—	1	3	1	—	1	2	1	—	1	—	—	4
Erysipelas . . . . .	27	2	2	4	—	2	4	—	1	1	4	—	1	—	—	—	4
Other epidemic diseases . . . . .	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Purulent infection and septicemia . . . . .	34	2	2	6	—	—	2	2	—	2	7	1	1	2	2	1	4
Anthrax . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Tetanus . . . . .	11	1	1	4	—	—	1	—	—	—	1	1	—	—	1	—	1
Mycoses . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of the lungs . . . . .	889	77	78	129	15	35	96	45	16	34	111	28	23	38	28	67	69
Acute military tuberculosis . . . . .	11	—	2	2	—	—	—	—	—	—	1	—	—	—	—	—	—
Tuberculous meningitis . . . . .	89	11	6	19	1	5	5	4	—	3	11	1	1	2	3	5	3
Abdominal tuberculosis . . . . .	60	3	1	5	1	2	5	3	—	2	14	4	3	2	3	8	12
Pott's disease . . . . .	9	2	—	3	—	1	—	—	—	—	1	—	—	—	—	—	2
White swellings . . . . .	7	2	1	1	—	—	—	—	—	—	1	—	—	—	—	—	1
Tuberculosis of other organs . . . . .	15	—	1	2	—	1	1	—	1	1	2	—	—	—	1	1	1
Disseminated tuberculosis . . . . .	37	5	—	4	1	2	—	3	—	13	2	—	—	2	2	2	3
Rickets . . . . .	5	—	—	2	—	—	—	—	—	1	—	—	—	1	—	—	1
Syphilis . . . . .	9	—	1	4	—	—	1	—	—	2	—	—	—	—	—	—	—
Gonococcus infection . . . . .	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Cancer and other malignant tumors of the buccal cavity . . . . .	29	1	1	4	2	2	3	—	2	1	5	—	1	1	1	2	3
Cancer and other malignant tumors of the stomach and liver . . . . .	288	19	15	50	7	16	26	18	7	15	32	9	5	14	12	11	32
Cancer and other malignant tumors of the peritoneum intestines and rectum . . . . .	109	7	2	23	2	4	13	4	4	8	11	4	2	1	4	4	16
Cancer and other malignant tumors of the female genital organs . . . . .	105	7	5	13	3	4	14	2	2	2	17	5	3	10	2	10	6
Cancer and other malignant tumors of the breast . . . . .	77	5	4	16	1	4	10	4	3	4	4	2	4	2	1	2	11
Cancer and other malignant tumors of the skin . . . . .	38	8	—	4	1	3	1	1	—	1	2	—	—	2	1	5	9
Cancer and other malignant tumors of other or unspecified organs . . . . .	116	8	4	31	4	5	7	7	1	1	11	7	4	6	4	6	10
Other tumors . . . . .	18	2	2	—	—	2	1	—	—	3	—	2	—	—	—	2	4
Acute articular rheumatism . . . . .	44	6	3	5	—	4	2	3	3	4	2	—	—	4	1	1	6
Chronic rheumatism and gout . . . . .	12	1	—	1	2	—	—	—	3	1	1	—	—	—	—	—	2
Diabetes . . . . .	127	13	7	18	7	11	11	6	4	6	6	4	4	4	8	4	14
Exophthalmic goitre . . . . .	9	1	—	4	1	—	—	—	—	—	2	—	—	—	—	—	1
Addison's disease . . . . .	4	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—
Leukemia . . . . .	11	1	2	—	1	—	1	2	—	—	2	—	—	—	—	—	1
Anemia, chlorosis . . . . .	59	7	5	12	3	5	3	2	—	5	5	1	1	2	2	—	6
Other general diseases . . . . .	17	1	1	2	—	2	1	1	1	2	1	—	—	1	—	—	4
Alcoholism (acute or chronic) . . . . .	29	3	3	7	—	3	2	2	2	3	3	—	—	1	—	1	1
Chronic lead poisoning . . . . .	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Other chronic poisonings . . . . .	11	1	1	2	—	—	1	1	—	—	3	—	—	—	—	1	1
II.—Diseases of the nervous system and of the organs of special sense . . . . .	1,672	145	84	259	48	89	203	70	51	72	173	31	54	72	63	80	178
Encephalitis . . . . .	22	—	3	5	—	—	3	1	—	—	6	2	—	—	—	—	1
Meningitis . . . . .	127	7	10	12	4	6	14	1	2	5	15	2	2	7	3	11	26
Cerebro-spinal fever . . . . .	35	7	5	2	1	3	8	—	2	2	1	—	—	2	1	—	1

**TABLE No. 29—Continued.**  
**Deaths by Classes and Counties.**

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
Infantile paralysis . . . . .	35	6	2	3	-	4	4	1	1	3	2	-	-	1	1	-	5
Locomotor ataxia . . . . .	22	5	-	7	-	-	3	-	-	2	2	-	-	1	1	1	2
Other diseases of the spinal cord . . . . .	64	3	2	11	2	2	9	4	3	2	7	-	2	3	4	2	8
Cerebral hemorrhage, apoplexy . . . . .	887	84	38	159	33	51	79	44	32	39	90	21	33	43	32	34	75
Softening of the brain . . . . .	30	5	2	1	-	1	2	2	2	3	3	-	-	1	3	-	5
Paralysis without specified cause . . . . .	196	15	5	29	1	11	21	10	5	10	9	1	11	5	10	14	39
General paralysis of the insane . . . . .	34	-	-	3	-	1	13	2	-	1	14	-	-	-	-	-	-
Other forms of mental alienation . . . . .	71	1	1	3	-	1	33	1	-	4	10	1	1	3	1	6	5
Epilepsy . . . . .	34	2	1	3	2	2	8	2	-	2	1	2	1	1	3	3	2
Convulsions (nonpuerperal) . . . . .	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Convulsions of infants . . . . .	53	4	7	10	3	-	2	1	2	-	9	1	-	3	2	5	4
Neuralgia and neuritis . . . . .	7	-	-	2	-	2	1	1	-	-	1	-	-	-	-	-	-
Other diseases of the nervous system . . . . .	41	5	4	7	2	4	3	-	1	1	2	-	3	2	2	1	4
Diseases of the ears . . . . .	10	1	4	1	-	-	-	-	-	1	2	-	-	-	-	1	-
III.—Diseases of the circulatory system . . . . .	1,654	132	64	280	33	89	178	96	59	92	171	30	57	63	78	87	145
Pericarditis . . . . .	45	2	5	4	1	4	1	3	5	4	1	-	1	4	2	4	4
Acute endocarditis . . . . .	37	2	4	3	-	2	3	1	2	2	2	-	1	2	-	4	4
Organic diseases of the heart . . . . .	1,195	95	52	211	22	59	132	74	44	66	113	16	45	50	48	62	106
Angina pectoris . . . . .	103	11	-	17	3	8	9	3	5	7	12	2	3	2	7	12	12
Diseases of the arteries, atheroma, aneurysm, etc. . . . .	209	19	3	29	4	18	26	7	3	11	27	8	6	6	21	10	11
Embolism and thrombosis . . . . .	55	2	-	9	-	1	4	8	2	1	11	3	3	1	3	2	5
Diseases of the veins (varices, hemorrhoids, phlebitis, etc.) . . . . .	7	1	-	-	-	-	-	2	-	-	2	-	-	-	-	-	2
Diseases of the lymphatic system . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Hemorrhage, other diseases of the circulatory system . . . . .	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.—Diseases of the respiratory system . . . . .	1,664	158	124	267	29	72	141	47	37	103	174	29	40	97	46	84	216
Diseases of the nasal fossae . . . . .	3	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the larynx . . . . .	17	1	-	3	-	1	-	-	1	2	-	-	1	1	-	-	7
Diseases of the thyroid body . . . . .	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis . . . . .	139	9	11	29	4	2	11	2	2	4	17	1	4	18	6	7	12
Chronic bronchitis . . . . .	90	8	7	9	2	5	5	7	1	9	6	3	5	5	5	7	6
Bronchopneumonia . . . . .	252	41	16	26	5	8	33	7	6	22	32	2	5	12	7	10	20
Pneumonia . . . . .	994	84	80	156	18	50	78	27	21	62	100	17	23	51	26	51	150
Pleurisy . . . . .	21	2	1	2	-	1	1	1	-	1	3	3	-	1	-	4	1
Pulmonary congestion, pulmonary apoplexy . . . . .	106	12	4	36	-	4	10	1	1	2	13	2	-	7	1	1	12
Gangrene of the lung . . . . .	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Asthma . . . . .	13	-	1	1	-	1	1	1	2	-	2	-	-	1	-	-	3
Pulmonary emphysema . . . . .	6	1	-	-	-	-	1	-	1	-	-	-	-	1	-	1	1
Other diseases of the respiratory system (tuberculosis excepted) . . . . .	20	-	2	3	-	-	-	1	2	1	1	-	2	-	1	3	4
V.—Diseases of the digestive system . . . . .	1,420	166	240	192	28	39	116	34	16	45	161	20	17	53	34	68	191
Diseases of the mouth and annæa . . . . .	9	-	-	-	1	-	1	-	-	-	2	-	-	1	2	1	1
Diseases of the pharynx . . . . .	13	1	-	-	-	3	1	-	-	1	2	-	-	2	-	-	3
Ulcer of the stomach . . . . .	25	3	-	5	-	1	4	-	1	-	4	-	1	-	1	2	3
Other diseases of the stomach (cancer excepted) . . . . .	149	12	10	15	6	12	15	4	4	6	14	4	2	3	3	9	30

**TABLE No. 29—Continued.**  
**Deaths by Classes and Counties.**

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
Diarrhea and enteritis (under 2 years) . . . . .	693	100	196	77	10	8	50	10	-	24	49	6	8	25	5	25	100
Diarrhea and enteritis (2 years and over) . . . . .	127	9	11	12	3	5	14	2	2	1	25	5	-	5	8	7	18
Intestinal parasites . . . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and typhlitis . . . . .	97	12	7	23	2	1	6	2	2	1	19	-	1	5	2	5	9
Hernia, intestinal obstruction . . . . .	94	12	5	27	2	2	6	4	2	4	12	1	-	2	6	4	5
Other diseases of the intestines . . . . .	27	2	5	3	1	3	2	3	-	1	1	-	-	1	1	2	2
Cirrhosis of the liver . . . . .	59	3	1	8	1	3	6	2	3	3	8	2	1	2	6	5	5
Biliary calculi . . . . .	23	2	2	4	-	1	-	-	1	3	3	-	1	-	-	-	3
Other diseases of the liver . . . . .	38	6	1	4	1	2	3	2	-	1	10	-	-	2	-	2	4
Diseases of the spleen . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Simple peritonitis (non-puerperal) . . . . .	62	4	1	13	1	1	6	1	1	-	11	2	3	5	-	6	7
Other diseases of the digestive system (cancer and tuberculosis excepted) . . . . .	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
VI.—Nonvenereal diseases of the genitourinary system and annexa . . . . .	918	95	43	154	19	45	72	38	37	44	83	21	33	36	46	41	111
Acute nephritis . . . . .	64	5	1	14	1	1	3	2	-	2	8	1	4	4	4	3	11
Bright's disease . . . . .	714	77	36	114	17	36	51	32	32	31	62	18	26	27	35	30	90
Other diseases of the kidneys and annexa . . . . .	16	1	1	4	-	2	1	-	2	-	-	-	-	1	-	3	1
Calculi of the urinary passages . . . . .	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Diseases of the bladder . . . . .	42	5	1	7	-	3	6	1	-	3	5	1	1	2	-	4	3
Diseases of the urethra, urinary abscess, etc. . . . .	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of the prostate . . . . .	34	1	1	4	1	-	4	2	-	6	3	1	2	2	5	-	2
Nonvenereal diseases of the male genital organs . . . . .	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Uterine hemorrhage (non-puerperal) . . . . .	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Uterine tumor (non-cancerous) . . . . .	5	-	2	1	-	-	-	-	1	1	-	-	-	-	-	-	1
Other diseases of the uterus . . . . .	22	3	1	5	-	1	4	1	1	1	2	-	-	-	-	1	2
Cysts and other tumors of the ovary . . . . .	6	1	-	1	-	1	-	-	1	-	1	-	-	-	1	-	-
Salpingitis and other diseases of the female genital organs . . . . .	7	1	-	2	-	-	1	-	-	-	1	-	-	-	1	-	1
Nonpuerperal diseases of the breast (cancer excepted) . . . . .	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
VII.—The puerperal state . . . . .	113	16	19	12	3	1	12	2	2	5	13	3	3	7	3	4	8
Accidents of pregnancy . . . . .	9	1	2	2	1	-	-	-	-	1	-	-	1	1	-	1	-
Puerperal hemorrhage . . . . .	6	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	3
Other accidents of labor . . . . .	18	3	5	-	-	-	2	1	-	1	-	1	2	1	-	2	2
Puerperal septicemia . . . . .	50	11	4	7	1	-	4	1	2	1	9	3	2	3	-	1	1
Puerperal albuminuria and convulsions . . . . .	27	1	6	3	-	1	6	-	-	1	3	-	-	1	2	1	2
Puerperal phlegmasia, alba dolens, embolus, sudden death . . . . .	3	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
VIII.—Diseases of the skin and cellular tissue . . . . .	82	12	5	9	2	5	11	2	2	4	5	2	3	4	1	8	7
Gangrene . . . . .	57	11	2	7	1	2	6	2	2	3	3	2	2	2	1	6	5
Furuncle . . . . .	5	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-
Acute abscess . . . . .	12	-	3	1	-	1	4	-	-	-	-	-	1	1	-	1	1
Other diseases of the skin and annexa . . . . .	8	1	-	1	1	1	-	-	-	1	-	-	-	1	-	1	1



**TABLE No. 29—Concluded.**  
**Deaths by Classes and Counties.**

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
X.—Diseases of the bones and of the organs of locomotion . . . . .	13	1	1	4	-	1	1	-	-	1	3	-	-	-	-	1	-
Diseases of the bones (tuberculosis excepted) . . . . .	10	1	1	3	-	1	1	-	-	1	2	-	-	-	-	-	-
Diseases of the joints (tuberculosis and rheumatism excepted) . . . . .	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Amputations . . . . .	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
X.—Malformations . . . . .	57	5	3	8	2	2	3	-	-	5	8	3	2	3	2	1	10
Congenital malformations (stillbirths not included) . . . . .	57	5	3	8	2	2	3	-	-	5	8	3	2	3	2	1	10
XI.—Diseases of early infancy . . . . .	486	48	63	73	12	22	42	12	6	28	50	10	8	28	8	25	51
Congenital debility, icterus and sclerema . . . . .	372	35	50	55	10	19	28	8	5	24	41	7	7	20	4	22	37
Other diseases peculiar to early infancy . . . . .	114	13	13	18	2	3	14	4	1	4	9	3	1	8	4	3	14
XII.—Old age . . . . .	662	39	60	101	8	40	60	31	20	34	80	22	19	43	24	39	42
Senility . . . . .	662	39	60	101	8	40	60	31	20	34	80	22	19	43	24	39	42
XIII.—Affections produced by external causes . . . . .	666	57	45	120	13	27	64	20	14	36	89	21	20	26	20	30	64
Suicide by poison . . . . .	11	-	2	3	1	-	1	-	-	-	-	-	-	-	-	-	2
Suicide by asphyxia . . . . .	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Suicide by hanging or strangulation . . . . .	19	1	1	1	1	1	1	1	-	2	2	1	-	3	1	-	3
Suicide by drowning . . . . .	7	1	-	-	-	1	-	-	1	1	-	-	-	-	1	-	2
Suicide by firearms . . . . .	32	3	1	5	1	3	2	1	2	3	2	1	-	2	1	-	5
Suicide by cutting or piercing instruments . . . . .	4	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	2
Suicide by jumping from high places . . . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Other suicides . . . . .	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Other acute poisonings . . . . .	17	3	-	3	-	-	-	1	1	1	3	-	3	-	-	-	2
Conflagration . . . . .	6	-	-	2	-	-	1	-	-	1	1	-	-	1	-	-	1
Burns (includes scalding) . . . . .	40	4	3	5	1	3	5	-	1	-	7	1	2	-	1	2	5
Absorption of deleterious gases (conflagration excepted) . . . . .	13	2	-	5	-	1	-	-	-	1	-	-	2	-	1	1	-
Accidental drowning . . . . .	123	12	9	21	3	6	14	5	4	2	17	5	3	3	3	9	7
Traumatism by firearms . . . . .	25	-	2	5	-	1	2	3	-	3	5	1	-	-	2	-	1
Traumatism by cutting or piercing instruments . . . . .	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Traumatism by fall . . . . .	77	7	3	15	1	3	12	4	3	5	5	1	5	1	2	3	7
Traumatism in mines and quarries . . . . .	4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Traumatism by machines . . . . .	13	-	1	3	-	1	1	-	-	2	3	1	-	1	-	-	-
Traumatism by other crushing . . . . .	104	11	8	16	4	1	12	2	-	4	17	4	1	6	3	3	12
Injuries by animals . . . . .	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Inanition . . . . .	99	5	11	25	1	2	4	2	2	6	13	4	4	5	2	6	7
Excessive cold . . . . .	7	2	-	1	-	1	1	-	-	1	1	-	-	-	-	1	-
Excessive heat . . . . .	5	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Lightning . . . . .	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Electricity . . . . .	9	-	-	2	-	-	2	-	-	-	2	-	-	-	-	-	3
Homicide by firearms . . . . .	6	-	-	2	-	-	-	-	-	1	3	-	-	-	-	-	-
Homicide by cutting or piercing instruments . . . . .	3	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-
Fractures (cause not specified) . . . . .	11	1	-	3	-	1	1	-	-	-	2	-	-	1	1	-	1
Other external violence . . . . .	15	1	1	1	-	1	2	-	-	1	4	-	-	2	1	1	-
XIV.—Ill defined diseases . . . . .	338	16	76	98	1	12	27	10	5	8	67	5	5	21	10	14	23
Ill defined organic diseases . . . . .	13	-	2	2	1	-	3	-	-	-	2	-	1	2	-	-	-
Sudden death . . . . .	23	-	-	-	-	-	-	-	-	-	15	1	-	1	3	2	1
Cause of death not specified or ill defined . . . . .	302	16	74	36	-	12	24	10	5	8	50	4	4	18	7	12	22

**TABLE**  
**Deaths from all Causes**

CAUSES OF DEATH.	Total.	January.	February.	March.
All causes (including premature births) . . . . .	12,700	1,123	1,068	1,169
I. General diseases . . . . .	2,955	273	240	258
II. Diseases of the nervous system and the organs of special sense . . . . .	1,672	151	140	142
III. Diseases of the circulatory system . . . . .	1,654	168	136	136
IV. Diseases of the respiratory system . . . . .	1,664	211	191	248
V. Diseases of the digestive system . . . . .	1,420	56	65	92
VI. Nonvenereal diseases of the genitourinary system and its annexa . . . . .	918	78	89	84
VII. The puerperal state . . . . .	113	7	13	15
VIII. Diseases of the skin and cellular tissue . . . . .	82	9	5	6
IX. Diseases of the bones and of the organs of locomotion . . . . .	13	3	1	4
X. Malformations . . . . .	57	5	4	9
XI. Diseases of early infancy . . . . .	486	45	53	58
XII. Old age . . . . .	662	60	59	47
XIII. Affections produced by external causes . . . . .	666	32	40	45
XIV. Ill defined diseases . . . . .	338	25	32	25

## No. 30.

## by Months, 1910.

April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
1,123	1,024	875	931	1,143	1,108	1,061	1,022	1,052	1
313	271	232	249	225	233	211	208	241	1
141	136	117	121	161	138	146	133	146	-
143	137	116	119	132	149	135	150	133	-
164	125	75	50	60	86	110	167	177	-
69	59	62	134	318	237	182	84	62	-
83	90	65	58	48	69	73	84	97	-
15	14	9	7	8	7	4	5	9	-
10	8	5	2	11	10	4	2	10	-
1	1	-	1	1	-	-	-	1	-
2	7	6	5	5	4	6	2	2	-
43	31	47	37	39	26	41	26	40	-
68	59	49	31	37	54	52	77	69	-
48	54	67	87	77	63	59	55	39	-
23	32	25	30	21	32	38	29	26	-

**TABLE No. 30—Continued.**  
**Deaths from All Causes by Months, 1910.**

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
I.—General diseases	2,955	273	240	258	313	271	232	249	225	233	211	208	241	1
Typhoid fever	149	14	2	8	13	9	6	12	16	25	17	16	11	-
Measles	95	11	23	12	16	14	9	1	4	3	1	2	2	-
Scarlet fever	40	3	3	3	5	2	3	2	2	5	4	5	2	-
Whooping cough	104	9	10	13	10	13	8	12	9	7	5	7	6	-
Diphtheria and croup	99	19	8	3	5	5	4	4	8	9	9	9	14	-
Influenza	125	15	17	28	24	10	4	4	2	2	3	3	13	-
Cholera nostras	4	-	-	-	-	-	-	1	1	1	1	1	-	-
Dysentery	27	1	-	-	1	-	-	2	12	5	3	2	1	-
Erysipelas	27	3	2	1	3	5	-	4	1	1	-	1	6	-
Other epidemic diseases	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Purulent infection and septicemia	34	3	2	1	3	5	6	2	2	3	1	3	3	-
Anthrax	1	-	-	-	-	-	-	-	-	-	2	1	2	-
Tetanus	11	1	-	-	-	1	1	2	1	-	-	-	-	-
Mycoses	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the lungs	889	76	65	79	102	79	74	92	73	52	61	65	70	1
Acute miliary tuberculosis	11	2	1	-	4	1	-	-	-	-	2	2	-	-
Tuberculosis meningitis	89	4	7	14	12	7	11	7	6	7	5	5	4	-
Abdominal tuberculosis	60	3	3	6	3	9	8	5	2	5	3	7	6	-
Pott's disease	9	4	1	-	-	2	-	-	-	-	1	1	-	-
White swellings	7	1	1	1	-	-	-	-	1	1	1	1	-	-
Tuberculosis of other organs	15	1	1	2	1	1	-	2	1	1	2	2	2	-
Disseminated tuberculosis	37	2	5	2	5	5	-	4	1	6	2	2	3	-
Rickets	5	-	1	-	2	2	1	-	-	1	-	-	-	-
Syphilis	9	-	-	-	2	2	1	1	2	-	-	1	-	-
Gonococcus infection	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Cancer and other malignant tumors of the buccal cavity	29	2	4	1	1	2	2	1	6	3	1	4	2	-
Cancer and other malignant tumors of the stomach and liver	288	34	21	29	26	25	20	30	22	21	17	24	19	-
Cancer and other malignant tumors of the peritoneum, intestines and rectum	109	5	9	8	11	9	13	8	9	11	7	8	11	-
Cancer and other malignant tumors of the female genital organs	105	7	6	10	7	9	8	6	6	9	18	5	14	-
Cancer and other malignant tumors of the breast	77	6	8	3	6	10	5	8	10	8	4	3	6	-
Cancer and other malignant tumors of the skin	38	3	4	4	2	2	5	4	1	6	2	2	3	-
Cancer and other malignant tumors of other or unspecified organs	116	10	7	7	14	10	10	7	14	8	9	10	-	-
Other tumors	18	2	1	2	2	2	3	-	2	1	3	-	-	-
Acute articular rheumatism	44	5	5	1	5	5	4	6	1	2	4	2	4	-
Chronic rheumatism and gout	12	-	2	1	2	2	-	-	1	1	-	2	-	-
Diabetes	127	15	8	8	12	9	15	8	10	15	13	-	14	-
Exophthalmic goitre	9	1	-	1	1	-	2	-	2	1	1	-	-	-
Addison's disease	4	-	-	2	-	-	-	-	-	-	1	1	-	-
Leukemia	11	1	2	1	1	-	-	-	1	2	1	1	1	-
Anemia, chlorosis	59	7	3	5	10	8	4	3	1	7	3	4	4	-
Other general diseases	17	2	3	-	1	1	3	2	-	1	1	2	1	-
Alcoholism (acute or chronic)	29	1	2	-	2	3	2	2	1	2	5	3	6	-
Chronic lead poisoning	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Other chronic poisonings	11	-	-	2	1	2	1	4	-	-	1	-	-	-
II.—Diseases of the nervous system and of the organs of special sense	1,672	151	140	142	141	136	117	121	161	138	146	133	146	-
Encephalitis	22	1	3	3	-	-	2	1	3	5	2	1	1	-
Meningitis	127	9	16	16	14	10	6	13	14	10	8	2	9	-
Cerebrospinal fever	35	2	4	2	5	6	2	2	4	4	1	1	2	-
Infantile paralysis	35	-	1	1	-	-	1	5	7	4	8	4	4	-
Locomotor ataxia	22	1	1	2	3	3	2	2	2	3	-	2	1	-

**TABLE No. 30—Continued.**  
**Deaths from All Causes by Months, 1910.**

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
Other diseases of the spinal cord . . . . .	64	3	6	6	4	6	8	6	6	5	2	5	7	-
Cerebral hemorrhage, apoplexy . . . . .	887	100	77	69	72	72	67	60	76	71	76	76	71	-
Softening of the brain . . . . .	30	3	-	3	3	2	3	2	5	1	2	3	3	-
Paralysis without specified cause . . . . .	196	18	15	17	18	14	13	16	21	11	19	12	22	-
General paralysis of the insane . . . . .	34	3	4	1	1	3	1	1	1	3	3	7	5	-
Other forms of mental alienation . . . . .	71	3	4	5	4	4	6	3	7	11	10	6	8	-
Epilepsy . . . . .	34	2	2	5	3	3	1	2	3	5	4	1	6	-
Convulsions (nonpuerperal) . . . . .	4	-	-	-	-	1	-	-	-	-	2	1	1	-
Convulsions of infants . . . . .	53	4	5	6	5	8	2	1	3	3	6	8	2	-
Neuralgia and neuritis . . . . .	7	-	3	3	1	1	-	-	-	-	-	-	-	-
Other diseases of the nervous system . . . . .	41	2	2	2	4	5	3	5	7	2	2	3	4	-
Diseases of the ears . . . . .	10	-	1	1	2	1	-	-	-	-	1	2	-	-
III.—Diseases of the circulatory system . . . . .	1,654	168	136	136	143	137	116	119	132	149	135	150	133	-
Pericarditis . . . . .	45	5	5	2	4	6	3	2	2	3	3	5	5	-
Acute endocarditis . . . . .	37	3	5	2	2	2	2	1	2	2	4	5	4	-
Organic diseases of the heart . . . . .	1,195	120	100	108	104	92	86	87	93	103	90	114	93	-
Angina pectoris . . . . .	103	11	8	5	10	10	10	5	6	6	12	7	11	-
Diseases of the arteries, atheroma, aneurysm, etc . . . . .	209	24	14	15	16	21	14	17	21	16	19	15	17	-
Embolism and thrombosis . . . . .	55	5	4	4	7	5	3	5	7	6	4	4	1	-
Diseases of the veins, (varices, hemorrhoids, phlebitis, etc) . . . . .	7	-	-	-	-	1	2	1	1	-	1	1	-	-
Diseases of the lymphatic system . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Hemorrhage; other diseases of the circulatory system . . . . .	2	-	-	-	-	-	1	-	-	-	1	-	-	-
IV.—Diseases of the respiratory system . . . . .	1,664	211	191	248	164	125	75	50	60	86	110	167	177	-
Diseases of the nasal fossae . . . . .	3	1	-	1	1	-	1	-	-	-	-	-	-	-
Diseases of the larynx . . . . .	17	4	1	4	1	2	1	-	1	1	1	-	-	-
Diseases of the thyroid body . . . . .	2	-	-	1	-	-	-	-	-	1	-	-	-	-
Acute bronchitis . . . . .	139	12	22	14	17	10	6	1	2	8	9	21	17	-
Chronic bronchitis . . . . .	90	7	12	5	4	8	7	6	3	7	9	10	12	-
Bronchopneumonia . . . . .	252	37	30	35	32	16	5	9	7	14	15	35	17	-
Pneumonia . . . . .	994	130	113	169	100	72	46	27	35	44	61	83	114	-
Pleurisy . . . . .	21	4	2	1	3	7	-	1	1	-	-	1	1	-
Pulmonary congestion, pulmonary apoplexy . . . . .	106	12	9	15	3	6	7	3	7	9	14	11	10	-
Gangrene of the lung . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma . . . . .	13	2	-	1	2	-	1	2	2	1	-	1	1	-
Pulmonary emphysema . . . . .	6	1	-	-	1	-	-	-	1	-	1	1	1	-
Other diseases of the respiratory system (tuberculosis excepted) . . . . .	20	1	2	3	1	3	1	1	1	1	-	3	3	-
V.—Diseases of the digestive system . . . . .	1,420	56	65	92	69	59	62	134	318	237	182	84	62	-
Diseases of the mouth and annexa . . . . .	9	-	-	-	-	-	1	1	2	-	-	-	1	-
Diseases of the pharynx . . . . .	13	1	-	1	-	2	-	-	1	2	2	1	1	-
Ulcer of the stomach . . . . .	25	2	3	2	1	-	2	2	2	3	4	3	1	-
Other diseases of the stomach (cancer excepted) . . . . .	149	14	13	19	8	11	6	7	14	12	19	15	11	-
Diarrhea and enteritis (under 2 years) . . . . .	693	8	11	15	14	15	16	75	220	166	105	31	17	-
Diarrhea and enteritis (2 years and over) . . . . .	127	4	4	12	6	5	4	16	29	18	14	6	9	-
Intestinal parasites . . . . .	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and typhlitis . . . . .	97	8	9	16	7	10	5	6	10	9	8	7	2	-
Hernia, intestinal obstruction . . . . .	94	7	6	10	8	3	10	7	12	8	10	9	4	-
Other diseases of the intestines . . . . .	27	2	3	-	3	1	2	2	7	2	1	3	4	-
Cirrhosis of the liver . . . . .	59	1	7	6	7	3	4	4	5	7	8	3	4	-
Biliary calculi . . . . .	23	1	1	1	5	-	4	4	1	-	4	-	2	-
Other diseases of the liver . . . . .	38	3	2	4	4	5	3	3	7	2	1	2	2	-
Diseases of the spleen . . . . .	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Simple peritonitis (nonpuerperal) . . . . .	62	4	6	6	5	3	4	6	7	8	6	2	5	-

**TABLE No. 30—Continued.**  
**Deaths from All Causes by Months, 1910.**

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
Other diseases of the digestive system (cancer and tuberculosis excepted) . . . . .	2	1	-	-	-	1	-	-	-	-	-	-	-	-
VI.—Nonvenereal diseases of the genitourinary system and annexa . . . . .	918	78	89	84	83	90	65	58	48	69	73	84	97	-
Acute nephritis . . . . .	64	7	9	2	4	4	3	3	4	9	6	6	7	-
Bright's disease . . . . .	714	58	60	70	67	72	53	44	38	55	54	68	75	-
Other diseases of the kidneys and annexa . . . . .	16	3	4	1	-	1	1	-	-	-	3	-	3	-
Calculi of the urinary passages . . . . .	2	-	-	1	-	1	-	-	-	-	-	-	-	-
Diseases of the bladder . . . . .	42	4	7	4	4	4	2	4	-	2	4	3	4	-
Diseases of the urethra, urinary abscess, etc. . . . .	3	-	1	1	-	-	-	-	-	-	-	-	1	-
Diseases of the prostate . . . . .	34	2	3	1	3	1	4	2	1	2	6	4	5	-
Nonvenereal diseases of the male genital organs . . . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Uterine hemorrhage (nonpuerperal) . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine tumor (noncancerous) . . . . .	5	-	1	-	-	1	-	1	1	-	-	-	1	-
Other diseases of the uterus . . . . .	22	3	2	5	1	3	-	2	3	1	-	2	-	-
Cysts and other tumors of the ovary . . . . .	6	-	-	-	-	1	2	-	-	-	-	1	1	-
Salpingitis and other diseases of the female genital organs . . . . .	7	1	1	-	2	2	-	1	-	-	-	-	-	-
Nonpuerperal diseases of the breast (cancer excepted) . . . . .	1	-	-	-	-	1	-	-	-	-	-	-	-	-
VII.—The puerperal state . . . . .	113	7	13	15	15	14	9	7	8	7	4	5	9	-
Accidents of pregnancy . . . . .	9	-	-	-	2	2	2	-	1	2	-	-	-	-
Puerperal hemorrhage . . . . .	6	-	-	1	1	-	-	-	-	1	2	-	1	-
Other accidents of labor . . . . .	18	3	2	4	1	2	3	-	2	-	-	1	-	-
Puerperal septicemia . . . . .	50	3	9	5	10	3	1	4	3	2	2	2	8	-
Puerperal albuminuria and convulsions . . . . .	27	2	2	4	-	7	3	2	3	2	-	2	-	-
Puerperal phlegmasia, alba dolens, embolus, sudden death . . . . .	3	-	-	1	1	-	-	1	-	-	-	-	-	-
VIII.—Diseases of the skin and cellular tissue . . . . .	82	9	5	6	10	8	5	2	11	10	4	2	10	-
Gangrene . . . . .	57	8	2	3	9	3	2	1	8	8	2	2	9	-
Furuncle . . . . .	5	1	1	1	-	1	-	-	-	1	-	-	-	-
Acute abscess . . . . .	12	-	1	1	1	2	1	-	2	1	2	-	1	-
Other diseases of the skin and annexa . . . . .	8	-	1	1	-	2	2	1	1	-	-	-	-	-
IX.—Diseases of the bones and of the organs of locomotion . . . . .	13	3	1	4	1	1	-	1	1	-	-	-	1	-
Diseases of the bones (tuberculosis excepted) . . . . .	10	3	1	2	1	1	-	1	1	-	-	-	-	-
Diseases of the joints (tuberculosis and rheumatism excepted) . . . . .	2	-	-	2	-	-	-	-	-	-	-	-	-	-
Amputations . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	1	-
X.—Malformations . . . . .	57	5	4	9	2	7	6	5	5	4	6	2	2	-
Congenital malformations (stillbirths excepted) . . . . .	57	5	4	9	2	7	6	5	5	4	6	2	2	-
XI.—Diseases of early infancy . . . . .	436	45	53	58	43	31	47	37	39	26	41	26	40	-
Congenital debility, icterus and sclerema . . . . .	372	35	43	43	31	20	36	27	29	20	35	21	32	-
Other diseases peculiar to early infancy . . . . .	114	10	10	15	12	11	11	10	10	6	6	5	8	-
XII.—Old age . . . . .	662	60	59	47	68	59	49	31	37	54	52	77	69	-
Senility . . . . .	662	60	59	47	68	59	49	31	37	54	52	77	69	-
XIII.—Affections produced by external causes . . . . .	666	32	40	45	48	54	67	87	77	63	59	55	39	-
Suicide by poison . . . . .	11	1	3	1	-	-	-	1	1	3	-	1	-	-
Suicide by asphyxia . . . . .	2	-	-	-	-	-	1	-	1	-	-	-	-	-
Suicide by hanging or strangulation . . . . .	19	1	1	1	1	3	3	3	-	3	1	2	-	-
Suicide by drowning . . . . .	7	-	-	-	1	-	-	1	2	-	2	1	-	-
Suicide by firearms . . . . .	32	2	1	2	3	5	2	4	2	2	3	3	3	-

**TABLE No. 30—Concluded.**  
**Deaths from All Causes by Months, 1910.**

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
Suicide by cutting or piercing instruments . . . . .	4	-	1	-	-	-	-	1	1	-	-	-	1	-
Suicide by jumping from high places . . . . .	2	-	-	-	-	-	-	-	-	-	1	-	1	-
Other suicides . . . . .	2	-	-	1	1	-	-	-	-	-	-	-	-	-
Other acute poisonings . . . . .	17	2	1	2	3	1	2	3	-	1	1	3	-	-
Conflagration . . . . .	6	-	2	-	-	1	1	1	-	-	-	-	1	-
Burns (includes scalding) . . . . .	40	2	4	4	3	3	2	5	4	3	2	7	1	-
Absorption of deleterious gases (conflagration excepted) . . . . .	13	-	2	3	-	-	1	-	-	1	1	1	4	-
Accidental drowning . . . . .	123	4	2	5	11	5	24	30	20	13	3	2	4	-
Traumatism by firearms . . . . .	25	3	-	1	3	3	2	1	1	-	5	5	1	-
Traumatism by cutting or piercing instruments . . . . .	4	-	1	-	-	-	1	1	-	-	-	1	-	-
Traumatism by fall . . . . .	77	1	5	7	9	6	5	12	6	3	9	8	6	-
Traumatism in mines and quarries . . . . .	4	-	1	-	-	1	-	-	-	1	-	1	-	-
Traumatism by machines . . . . .	13	-	2	1	1	2	2	1	-	2	-	1	1	-
Traumatism by other crushing . . . . .	104	9	4	5	6	7	11	9	8	10	14	18	3	-
Injuries by animals . . . . .	4	-	-	-	-	3	1	-	-	-	-	-	-	-
Starvation . . . . .	99	4	6	7	2	9	5	8	18	17	12	1	10	-
Excessive cold (freezing) . . . . .	7	-	2	1	2	1	-	-	-	-	-	-	1	-
Excessive heat (sunstroke) . . . . .	5	-	-	-	-	-	-	2	3	-	-	-	-	-
Lightning . . . . .	2	-	-	-	-	-	-	1	1	-	-	-	-	-
Electricity . . . . .	9	1	2	-	-	-	-	1	3	1	-	-	1	-
Homicide by firearms . . . . .	6	-	-	1	-	-	3	-	-	1	1	-	-	-
Homicide by cutting or piercing instruments . . . . .	3	-	1	-	-	-	1	-	1	-	-	-	-	-
Fractures (cause not specified) . . . . .	11	1	-	1	-	3	-	2	2	1	-	-	1	-
Other external violence . . . . .	15	1	1	2	2	1	-	3	1	4	-	-	-	-
XIV.—Ill defined diseases . . . . .	338	25	32	25	23	32	25	30	21	32	38	29	26	-
Ill defined organic diseases . . . . .	13	-	-	1	-	2	-	3	1	4	1	-	1	-
Sudden death . . . . .	23	3	1	3	1	2	2	2	-	2	2	2	3	-
Cause of death not specified or ill defined . . . . .	302	22	31	21	22	28	23	25	20	26	35	27	22	-

**TABLE**  
**Deaths from all Causes**

CAUSES OF DEATH.	Sex.	Totals.	Under 1.				Total under 5.	
			1 and under 2.	2.	3.	4.		
All causes.....	Totals.....	12,700	2,098	380	145	113	81	2,817
	Males.....	6,568	1,154	210	74	55	31	1,524
	Females.....	6,132	944	170	71	58	50	1,293
Typhoid fever.....	Totals.....	149	1	2	1	1	1	6
	Males.....	92	1	2	1	-	-	4
	Females.....	57	-	-	-	1	1	2
Measles.....	Totals.....	95	29	32	6	1	3	71
	Males.....	47	13	20	1	1	2	37
	Females.....	48	16	12	5	-	1	34
Scarlet fever.....	Totals.....	40	2	2	2	13	7	26
	Males.....	14	2	1	1	5	1	10
	Females.....	26	-	1	1	8	6	16
Whooping cough.....	Totals.....	104	59	24	11	4	4	102
	Males.....	49	33	8	6	-	2	49
	Females.....	55	26	16	5	4	2	53
Diphtheria and croup.....	Totals.....	99	4	14	11	15	9	53
	Males.....	50	3	10	5	6	5	29
	Females.....	49	1	4	6	9	4	24
Influenza.....	Totals.....	125	15	5	2	-	1	23
	Males.....	59	7	2	-	-	-	9
	Females.....	66	8	3	-	-	1	14
Cholera nostras.....	Totals.....	4	-	-	1	-	-	1
	Males.....	1	-	-	1	-	-	1
	Females.....	3	-	-	-	-	-	-
Dysentery.....	Totals.....	27	5	1	1	-	-	7
	Males.....	18	3	-	1	-	-	4
	Females.....	9	2	1	-	-	-	3
Erysipelas.....	Totals.....	27	5	-	-	-	1	6
	Males.....	11	2	-	-	-	1	3
	Females.....	16	3	-	-	-	-	3
Other epidemic affections.....	Totals.....	2	1	-	-	-	-	1
	Males.....	2	1	-	-	-	-	1
	Females.....	-	-	-	-	-	-	-
Purulent infection and septicemia.....	Totals.....	34	1	1	-	-	1	3
	Males.....	20	1	1	-	-	1	3
	Females.....	14	-	-	-	-	-	-
Anthrax.....	Totals.....	1	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Tetanus.....	Totals.....	11	3	-	-	-	-	3
	Males.....	8	3	-	-	-	-	3
	Females.....	3	-	-	-	-	-	-
Mycoses.....	Totals.....	1	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Tuberculosis of lungs.....	Totals.....	889	8	3	1	-	3	15
	Males.....	450	7	3	1	-	1	12
	Females.....	439	1	-	-	-	2	3
Acute miliary tuberculosis.....	Totals.....	11	1	1	-	-	-	2
	Males.....	6	1	1	-	-	-	1
	Females.....	5	-	-	-	-	-	1
Tuberculous meningitis.....	Totals.....	89	21	9	8	7	3	48
	Males.....	42	11	4	6	6	-	27
	Females.....	47	10	5	2	1	3	21
Abdominal tuberculosis.....	Totals.....	60	3	2	-	-	-	5
	Males.....	23	2	1	-	-	-	3
	Females.....	37	1	1	-	-	-	2
Pott's disease.....	Totals.....	9	1	-	-	-	-	1
	Males.....	5	-	-	-	-	-	-
	Females.....	4	1	-	-	-	-	1
White swellings.....	Totals.....	7	-	-	-	-	-	-
	Males.....	4	-	-	-	-	-	-
	Females.....	3	-	-	-	-	-	-
Tuberculosis of other organs.....	Totals.....	15	2	1	-	-	-	3
	Males.....	10	1	1	-	-	-	2
	Females.....	5	1	-	-	-	-	1





**TABLE**  
**Death from all Causes**

CAUSES OF DEATH.	Sex.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Disseminated tuberculosis.....	Totals.....	37	2	1	-	-	1	4
	Males.....	20	2	1	-	-	-	3
	Females.....	17	-	-	-	-	1	1
Rickets.....	Totals.....	5	1	2	-	1	-	4
	Males.....	2	-	2	-	-	-	2
	Females.....	3	1	-	-	1	-	2
Syphilis.....	Totals.....	9	3	2	-	-	-	5
	Males.....	7	2	2	-	-	-	4
	Females.....	2	1	-	-	-	-	1
Gonococcus infection.....	Totals.....	1	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Cancer and other malignant tumors of the buccal cavity.....	Totals.....	29	-	-	-	-	-	-
	Males.....	25	-	-	-	-	-	-
	Females.....	4	-	-	-	-	-	-
Cancer and other malignant tumors of the stomach and liver.....	Totals.....	288	-	-	-	-	-	-
	Males.....	130	-	-	-	-	-	-
	Females.....	158	-	-	-	-	-	-
Cancer and other malignant tumors of the peritoneum, intestines and rectum.....	Totals.....	109	-	-	-	-	-	-
	Males.....	37	-	-	-	-	-	-
	Females.....	72	-	-	-	-	-	-
Cancer and other malignant tumors of the female genital organs.....	Totals.....	105	-	-	-	-	-	-
	Males.....	105	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Cancer and other malignant tumors of the breast.....	Totals.....	77	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	77	-	-	-	-	-	-
Cancer and other malignant tumors of the skin.....	Totals.....	38	-	-	-	-	-	-
	Males.....	23	-	-	-	-	-	-
	Females.....	15	-	-	-	-	-	-
Cancer and other malignant tumors of other or unspecified organs.....	Totals.....	116	-	1	-	-	-	1
	Males.....	45	-	1	-	-	-	1
	Females.....	71	-	-	-	-	-	-
Other tumors.....	Totals.....	18	-	-	-	-	-	-
	Males.....	3	-	-	-	-	-	-
	Females.....	15	-	-	-	-	-	-
Acute articular rheumatism.....	Totals.....	44	1	1	-	-	-	2
	Males.....	22	1	1	-	-	-	2
	Females.....	22	-	-	-	-	-	-
Chronic rheumatism and gout.....	Totals.....	12	-	-	-	-	-	-
	Males.....	4	-	-	-	-	-	-
	Females.....	8	-	-	-	-	-	-
Diabetes.....	Totals.....	127	1	-	2	-	-	3
	Males.....	60	-	-	2	-	-	2
	Females.....	67	1	-	-	-	-	1
Exophthalmic goitre.....	Totals.....	9	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	9	-	-	-	-	-	-
Addison's disease.....	Totals.....	4	-	-	-	-	-	-
	Males.....	4	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Leukemia.....	Totals.....	11	-	1	-	-	-	1
	Males.....	7	-	1	-	-	-	1
	Females.....	4	-	-	-	-	-	-
Anemia, chlorosis.....	Totals.....	59	11	2	-	-	-	13
	Males.....	19	1	-	-	-	-	1
	Females.....	40	10	2	-	-	-	12
Other general diseases.....	Totals.....	17	6	4	-	1	1	12
	Males.....	8	2	4	-	-	1	7
	Females.....	9	4	-	-	-	-	5
Alcoholism, acute or chronic.....	Totals.....	29	-	-	-	-	-	-
	Males.....	24	-	-	-	-	-	-
	Females.....	5	-	-	-	-	-	-



**TABLE**  
**Deaths from all Causes**

CAUSES OF DEATH.	Sex.	Totals.					Total under 5.
			Under 1.	1 and under 2.	2.	3.	
Chronic lead poisoning.....	Totals.....	1	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females.....	1	-	-	-	-	-
Other chronic poisonings.....	Totals.....	11	1	-	-	-	1
	Males.....	2	-	-	-	-	-
	Females.....	9	1	-	-	-	1
Encephalitis.....	Totals.....	22	2	2	-	-	4
	Males.....	15	1	1	-	-	2
	Females.....	7	1	1	-	-	2
Simple meningitis.....	Totals.....	127	56	11	12	4	87
	Males.....	65	29	7	5	2	44
	Females.....	62	27	4	7	2	43
Cerebrospinal fever.....	Totals.....	35	9	5	3	1	18
	Males.....	17	7	3	1	-	11
	Females.....	18	2	2	2	1	7
Infantile paralysis.....	Totals.....	35	6	3	3	2	15
	Males.....	24	4	1	3	2	10
	Females.....	11	2	2	-	1	5
Locomotor ataxia.....	Totals.....	22	-	-	-	-	-
	Males.....	14	-	-	-	-	-
	Females.....	8	-	-	-	-	-
Other diseases of the spinal cord.....	Totals.....	64	5	1	1	1	10
	Males.....	35	1	1	1	1	5
	Females.....	29	4	-	-	1	5
Cerebral hemorrhage, apoplexy.....	Totals.....	887	8	1	-	1	10
	Males.....	437	4	1	-	1	6
	Females.....	450	4	-	-	-	4
Softening of the brain.....	Totals.....	30	-	-	-	-	-
	Males.....	18	-	-	-	-	-
	Females.....	12	-	-	-	-	-
Paralysis without specified cause.....	Totals.....	196	-	-	-	-	-
	Males.....	86	-	-	-	-	-
	Females.....	110	-	-	-	-	-
General paralysis of the insane.....	Totals.....	34	-	-	-	-	-
	Males.....	23	-	-	-	-	-
	Females.....	11	-	-	-	-	-
Other forms of mental alienation.....	Totals.....	71	-	-	-	-	-
	Males.....	25	-	-	-	-	-
	Females.....	46	-	-	-	-	-
Epilepsy.....	Totals.....	34	2	2	-	1	5
	Males.....	17	1	1	-	1	2
	Females.....	17	2	1	-	-	3
Convulsions (nonpuerperal).....	Totals.....	4	-	-	-	-	-
	Males.....	3	-	-	-	-	-
	Females.....	1	-	-	-	-	-
Convulsions of infants.....	Totals.....	53	42	6	3	1	53
	Males.....	23	18	3	1	1	23
	Females.....	30	24	3	2	-	30
Neuralgia and neuritis.....	Totals.....	7	-	-	-	-	-
	Males.....	2	-	-	-	-	-
	Females.....	5	-	-	-	-	-
Other diseases of the nervous system.....	Totals.....	41	1	-	-	-	1
	Males.....	14	-	-	-	-	-
	Females.....	27	1	-	-	-	1
Diseases of the ears.....	Totals.....	10	2	1	-	1	4
	Males.....	4	1	-	-	-	1
	Females.....	6	1	1	-	1	3
Pericarditis.....	Totals.....	45	-	-	-	-	-
	Males.....	27	-	-	-	-	-
	Females.....	18	-	-	-	-	-
Acute endocarditis.....	Totals.....	37	1	-	-	1	2
	Males.....	23	1	-	-	-	2
	Females.....	14	-	-	-	-	-



**TABLE**  
**Deaths from all Causes**

CAUSES OF DEATH.	Sex.	Totals.					Total under 5.	
			Under 1.	1 and under 2.	2.	3.		4.
Organic diseases of the heart.....	Totals.....	1,195	14	4	1	-	1	20
	Males.....	690	7	2	-	-	1	10
	Females.....	505	7	2	1	-	-	10
Angina pectoris.....	Totals.....	103	1	-	-	-	-	1
	Males.....	59	1	-	-	-	-	1
	Females.....	44	-	-	-	-	-	-
Diseases of the arteries, atheroma, aneurysm, etc.....	Totals.....	209	-	-	-	-	-	-
	Males.....	136	-	-	-	-	-	-
	Females.....	73	-	-	-	-	-	-
Embolism and thrombosis.....	Totals.....	55	-	-	-	-	-	-
	Males.....	26	-	-	-	-	-	-
	Females.....	29	-	-	-	-	-	-
Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	Totals.....	7	-	-	-	-	-	-
	Males.....	5	-	-	-	-	-	-
	Females.....	2	-	-	-	-	-	-
Diseases of the lymphatic system.....	Totals.....	1	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Hemorrhage; other diseases of the circulatory system.....	Totals.....	2	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	2	-	-	-	-	-	-
Diseases of the nasal fossae.....	Totals.....	3	1	-	-	1	-	2
	Males.....	1	-	-	-	-	-	-
	Females.....	2	1	-	-	-1	-	2
Diseases of the larynx.....	Totals.....	17	4	3	1	1	1	10
	Males.....	9	3	1	1	1	-	7
	Females.....	8	1	2	-	-	-	3
Diseases of the thyroid body.....	Totals.....	2	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	2	-	-	-	-	-	-
Acute bronchitis.....	Totals.....	139	50	14	3	2	-	69
	Males.....	64	25	7	1	-	-	33
	Females.....	75	25	7	2	2	-	36
Chronic bronchitis.....	Totals.....	90	2	-	-	-	-	2
	Males.....	46	1	-	-	-	-	1
	Females.....	44	1	-	-	-	-	1
Bronchopneumonia.....	Totals.....	252	74	25	9	8	4	120
	Males.....	110	40	12	5	4	1	62
	Females.....	142	34	13	4	4	3	58
Pneumonia.....	Totals.....	994	147	58	21	11	3	240
	Males.....	501	83	30	11	5	-	129
	Females.....	493	64	28	10	6	3	111
Pleurisy.....	Totals.....	21	-	-	-	-	-	-
	Males.....	12	-	-	-	-	-	-
	Females.....	9	-	-	-	-	-	-
Pulmonary congestion, pulmonary apoplexy.....	Totals.....	106	13	5	1	-	-	19
	Males.....	56	10	3	-	-	-	13
	Females.....	50	3	2	1	-	-	6
Gangrene of the lungs.....	Totals.....	1	-	1	-	-	-	1
	Males.....	-	-	-	-	-	-	-
	Females.....	1	-	1	-	-	-	1
Asthma.....	Totals.....	13	-	-	-	-	-	-
	Males.....	6	-	-	-	-	-	-
	Females.....	7	-	-	-	-	-	-
Pulmonary emphysema.....	Totals.....	6	-	-	-	-	-	-
	Males.....	2	-	-	-	-	-	-
	Females.....	4	-	-	-	-	-	-
Other diseases of the respiratory system (tuberculosis excepted).....	Totals.....	20	-	-	-	-	-	-
	Males.....	16	-	-	-	-	-	-
	Females.....	4	-	-	-	-	-	-
Diseases of the mouth and annexa.....	Totals.....	9	5	1	-	-	-	6
	Males.....	5	2	1	-	-	-	3
	Females.....	4	3	-	-	-	-	3



**TABLE**  
**Deaths from all Causes**

CAUSES OF DEATH.	Sex.	Totals.	Under 1.				Total under 5.
			1 and under 2.	2.	3.	4.	
Diseases of the pharynx . . . . .	Totals . . . . .	13	2	-	-	1	2
	Males . . . . .	7	1	-	-	1	1
	Females . . . . .	6	1	-	-	-	1
Ulcer of the stomach . . . . .	Totals . . . . .	25	-	-	-	-	-
	Males . . . . .	13	-	-	-	-	-
	Females . . . . .	12	-	-	-	-	-
Other diseases of the stomach (cancer ex- cepted) . . . . .	Totals . . . . .	149	12	2	1	4	1
	Males . . . . .	75	6	1	1	4	1
	Females . . . . .	74	6	1	-	-	-
Diarrhea and enteritis (under 2 years) . . . . .	Totals . . . . .	693	603	90	-	-	-
	Males . . . . .	395	343	52	-	-	-
	Females . . . . .	298	260	38	-	-	-
Diarrhea and enteritis (2 years and over) . . . . .	Totals . . . . .	127	-	-	23	10	6
	Males . . . . .	66	-	-	10	6	2
	Females . . . . .	61	-	-	13	4	4
Intestinal parasites . . . . .	Totals . . . . .	1	-	-	1	-	-
	Males . . . . .	-	-	-	-	-	-
	Females . . . . .	1	-	-	1	-	-
Appendicitis and typhlitis . . . . .	Totals . . . . .	97	-	1	-	-	-
	Males . . . . .	53	-	1	-	-	-
	Females . . . . .	44	-	-	-	-	-
Hernia, intestinal obstruction . . . . .	Totals . . . . .	94	11	2	1	-	-
	Males . . . . .	50	8	1	-	-	-
	Females . . . . .	44	3	2	1	-	-
Other diseases of the intestines . . . . .	Totals . . . . .	27	7	1	2	-	-
	Males . . . . .	9	3	1	1	-	-
	Females . . . . .	18	4	-	1	-	-
Cirrhosis of the liver . . . . .	Totals . . . . .	59	-	-	-	-	-
	Males . . . . .	34	-	-	-	-	-
	Females . . . . .	25	-	-	-	-	-
Biliary calculi . . . . .	Totals . . . . .	23	-	-	-	-	-
	Males . . . . .	7	-	-	-	-	-
	Females . . . . .	16	-	-	-	-	-
Other diseases of the liver . . . . .	Totals . . . . .	38	2	-	-	-	2
	Males . . . . .	13	1	-	-	-	1
	Females . . . . .	25	1	-	-	-	1
Diseases of the spleen . . . . .	Totals . . . . .	1	-	-	-	-	-
	Males . . . . .	-	-	-	-	-	-
	Females . . . . .	1	-	-	-	-	-
Simple peritonitis (nonpuerperal) . . . . .	Totals . . . . .	62	3	2	1	-	1
	Males . . . . .	35	3	2	-	-	-
	Females . . . . .	27	-	-	1	-	1
Other diseases of the digestive system (can- cer and tuberculosis excepted) . . . . .	Totals . . . . .	2	-	-	-	-	-
	Males . . . . .	1	-	-	-	-	-
	Females . . . . .	1	-	-	-	-	-
Acute nephritis . . . . .	Totals . . . . .	64	6	-	2	1	1
	Males . . . . .	34	3	-	-	-	-
	Females . . . . .	30	3	-	2	1	1
Bright's disease . . . . .	Totals . . . . .	714	1	-	2	1	-
	Males . . . . .	408	1	-	2	-	-
	Females . . . . .	306	-	-	-	1	-
Other diseases of the kidneys and annexa . . . . .	Totals . . . . .	16	-	-	-	-	-
	Males . . . . .	6	-	-	-	-	-
	Females . . . . .	10	-	-	-	-	-
Calculi of the urinary passages . . . . .	Totals . . . . .	2	-	-	-	-	-
	Males . . . . .	1	-	-	-	-	-
	Females . . . . .	1	-	-	-	-	-
Diseases of the bladder . . . . .	Totals . . . . .	42	1	-	-	-	-
	Males . . . . .	31	-	-	-	-	-
	Females . . . . .	11	1	-	-	-	-
Diseases of the urethra, urinary abscess, etc. . . . .	Totals . . . . .	3	-	-	-	-	-
	Males . . . . .	3	-	-	-	-	-
	Females . . . . .	-	-	-	-	-	-





**TABLE**  
**Deaths from all Causes**

CAUSES OF DEATH.	Sex.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Diseases of the prostate . . . . .	Totals . . . . .	34	-	-	-	-	-	-
	Males . . . . .	34	-	-	-	-	-	-
	Females . . . . .	-	-	-	-	-	-	-
Nonvenereal diseases of the male genital organs . . . . .	Totals . . . . .	1	1	-	-	-	-	1
	Males . . . . .	1	1	-	-	-	-	1
	Females . . . . .	-	-	-	-	-	-	-
Uterine hemorrhage (nonpuerperal) . . . . .	Totals . . . . .	1	-	-	-	-	-	-
	Males . . . . .	1	-	-	-	-	-	-
	Females . . . . .	-	-	-	-	-	-	-
Uterine tumor (noncancerous) . . . . .	Totals . . . . .	5	-	-	-	-	-	-
	Males . . . . .	5	-	-	-	-	-	-
	Females . . . . .	-	-	-	-	-	-	-
Other diseases of the uterus . . . . .	Totals . . . . .	22	-	-	-	-	-	-
	Males . . . . .	22	-	-	-	-	-	-
	Females . . . . .	-	-	-	-	-	-	-
Cysts and other tumors of the ovary . . . . .	Totals . . . . .	6	-	-	-	-	-	-
	Males . . . . .	6	-	-	-	-	-	-
	Females . . . . .	-	-	-	-	-	-	-
Salpingitis and other diseases of the female genital organs . . . . .	Totals . . . . .	7	-	-	-	-	-	-
	Males . . . . .	7	-	-	-	-	-	-
	Females . . . . .	-	-	-	-	-	-	-
Nonpuerperal diseases of the breast (cancer excepted) . . . . .	Totals . . . . .	1	-	-	-	-	-	-
	Males . . . . .	1	-	-	-	-	-	-
	Females . . . . .	-	-	-	-	-	-	-
Accidents of pregnancy . . . . .	Totals . . . . .	9	-	-	-	-	-	-
	Males . . . . .	9	-	-	-	-	-	-
	Females . . . . .	-	-	-	-	-	-	-
Puerperal hemorrhage . . . . .	Totals . . . . .	6	-	-	-	-	-	-
	Males . . . . .	6	-	-	-	-	-	-
	Females . . . . .	-	-	-	-	-	-	-
Other accidents of labor . . . . .	Totals . . . . .	18	-	-	-	-	-	-
	Males . . . . .	18	-	-	-	-	-	-
	Females . . . . .	-	-	-	-	-	-	-
Puerperal septicemia . . . . .	Totals . . . . .	50	-	-	-	-	-	-
	Males . . . . .	50	-	-	-	-	-	-
	Females . . . . .	-	-	-	-	-	-	-
Puerperal albuminuria and convulsions . . . . .	Totals . . . . .	27	-	-	-	-	-	-
	Males . . . . .	27	-	-	-	-	-	-
	Females . . . . .	-	-	-	-	-	-	-
Puerperal phlegmasia, alba dolens, embolus, sudden death . . . . .	Totals . . . . .	3	-	-	-	-	-	-
	Males . . . . .	3	-	-	-	-	-	-
	Females . . . . .	-	-	-	-	-	-	-
Gangrene . . . . .	Totals . . . . .	57	-	-	-	-	-	-
	Males . . . . .	41	-	-	-	-	-	-
	Females . . . . .	16	-	-	-	-	-	-
Furuncle . . . . .	Totals . . . . .	5	-	-	-	-	-	-
	Males . . . . .	2	-	-	-	-	-	-
	Females . . . . .	3	-	-	-	-	-	-
Acute abscess . . . . .	Totals . . . . .	12	2	-	-	-	-	2
	Males . . . . .	6	2	-	-	-	-	2
	Females . . . . .	6	-	-	-	-	-	-
Other diseases of the skin and annexa . . . . .	Totals . . . . .	8	3	-	-	-	-	3
	Males . . . . .	3	3	-	-	-	-	3
	Females . . . . .	5	-	-	-	-	-	-
Diseases of the bones (tuberculosis excepted) . . . . .	Totals . . . . .	10	4	-	-	-	-	4
	Males . . . . .	7	3	-	-	-	-	3
	Females . . . . .	3	1	-	-	-	-	1
Diseases of the joints (tuberculosis and rheumatism excepted) . . . . .	Totals . . . . .	2	-	1	-	-	-	1
	Males . . . . .	2	-	1	-	-	-	1
	Females . . . . .	-	-	-	-	-	-	-
Amputations . . . . .	Totals . . . . .	1	-	-	-	-	-	-
	Males . . . . .	1	-	-	-	-	-	-
	Females . . . . .	-	-	-	-	-	-	-



**TABLE**  
**Deaths from all Causes**

CAUSES OF DEATH.	Sex.	Totals.					Total under 5.
			Under 1.	1 and under 2.	2.	3.	
Congenital malformations (stillbirths not included)	Totals	57	54	-	1	-	55
	Males	36	34	-	-	-	34
	Females	21	20	-	1	-	21
Congenital debility, icterus and sclerema	Totals	372	372	-	-	-	372
	Males	198	198	-	-	-	198
	Females	174	174	-	-	-	174
Other diseases peculiar to early infancy	Totals	114	114	-	-	-	114
	Males	75	75	-	-	-	75
	Females	39	39	-	-	-	39
Senility	Totals	662	-	-	-	-	-
	Males	289	-	-	-	-	-
	Females	373	-	-	-	-	-
Suicide by poison	Totals	11	-	-	-	-	-
	Males	6	-	-	-	-	-
	Females	5	-	-	-	-	-
Suicide by asphyxia	Totals	2	-	-	-	-	-
	Males	-	-	-	-	-	-
	Females	2	-	-	-	-	-
Suicide by hanging or strangulation	Totals	19	-	-	-	-	-
	Males	16	-	-	-	-	-
	Females	3	-	-	-	-	-
Suicide by drowning	Totals	7	-	-	-	-	-
	Males	2	-	-	-	-	-
	Females	5	-	-	-	-	-
Suicide by firearms	Totals	32	-	-	-	-	-
	Males	30	-	-	-	-	-
	Females	2	-	-	-	-	-
Suicide by cutting or piercing instruments	Totals	4	-	-	-	-	-
	Males	3	-	-	-	-	-
	Females	1	-	-	-	-	-
Suicide by jumping from high places	Totals	2	-	-	-	-	-
	Males	-	-	-	-	-	-
	Females	2	-	-	-	-	-
Other suicides	Totals	2	-	-	-	-	-
	Males	2	-	-	-	-	-
	Females	-	-	-	-	-	-
Other acute poisonings	Totals	17	-	1	-	1	2
	Males	10	-	-	-	-	-
	Females	7	-	1	-	1	2
Conflagration	Totals	6	1	-	-	1	2
	Males	2	-	-	-	-	-
	Females	4	1	-	-	1	2
Burns (includes scalding)	Totals	40	4	2	6	5	17
	Males	13	2	2	2	1	7
	Females	27	2	-	4	4	10
Absorption of deleterious gases (conflagration excepted)	Totals	13	5	-	1	-	6
	Males	6	2	-	-	-	2
	Females	7	3	-	1	-	4
Accidental drowning	Totals	123	1	2	1	1	5
	Males	114	-	2	1	-	4
	Females	9	1	-	-	-	1
Traumatism by firearms	Totals	25	-	-	1	-	1
	Males	22	-	-	-	-	-
	Females	3	-	-	1	-	1
Traumatism by cutting or piercing instruments	Totals	4	-	-	-	-	-
	Males	4	-	-	-	-	-
	Females	-	-	-	-	-	-
Traumatism by fall	Totals	77	-	3	-	1	4
	Males	41	-	1	-	-	1
	Females	36	-	2	-	1	3
Traumatism in mines and quarries	Totals	4	-	-	-	-	-
	Males	4	-	-	-	-	-
	Females	-	-	-	-	-	-



**TABLE**  
**Deaths from all Causes**

CAUSES OF DEATH.	Sex.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Traumatism by machines . . . . .	Totals . . . . .	13	-	-	-	-	-	-
	Males . . . . .	13	-	-	-	-	-	-
Traumatism by other crushing . . . . .	Totals . . . . .	104	-	2	1	2	3	8
	Males . . . . .	97	-	2	1	1	2	6
Injuries by animals . . . . .	Totals . . . . .	7	-	-	1	1	-	2
	Males . . . . .	4	-	-	1	1	-	1
Inanition . . . . .	Totals . . . . .	4	-	-	-	-	-	1
	Males . . . . .	4	-	-	-	-	-	1
Excessive cold (freezing) . . . . .	Totals . . . . .	-	-	-	-	-	-	-
	Males . . . . .	99	92	4	-	-	-	96
Excessive heat (sunstroke) . . . . .	Totals . . . . .	43	40	2	-	-	-	42
	Males . . . . .	56	52	2	-	-	-	54
Lightning . . . . .	Totals . . . . .	7	-	-	-	1	-	1
	Males . . . . .	7	-	-	-	1	-	1
Electricity . . . . .	Totals . . . . .	5	-	1	-	-	-	1
	Males . . . . .	3	-	-	-	-	-	-
Homicide by firearms . . . . .	Totals . . . . .	2	-	1	-	-	-	1
	Males . . . . .	2	-	1	-	-	-	1
Homicide by cutting or piercing instruments . . . . .	Totals . . . . .	1	-	-	1	-	-	1
	Males . . . . .	1	-	-	1	-	-	1
Fractures . . . . .	Totals . . . . .	9	-	-	-	-	-	-
	Males . . . . .	5	-	-	-	-	-	-
Other external violence . . . . .	Totals . . . . .	4	-	-	-	-	-	-
	Males . . . . .	6	-	-	-	-	-	-
Ill defined organic diseases . . . . .	Totals . . . . .	3	-	-	-	-	-	-
	Males . . . . .	2	-	-	-	-	-	-
Sudden death . . . . .	Totals . . . . .	11	-	-	-	-	-	-
	Males . . . . .	4	-	-	-	-	-	-
Cause of death not specified or ill defined . . . . .	Totals . . . . .	7	-	-	-	-	-	-
	Males . . . . .	15	1	2	-	-	1	4
Cause of death not specified or ill defined . . . . .	Totals . . . . .	13	1	1	-	-	1	3
	Males . . . . .	13	-	1	-	-	-	1
Cause of death not specified or ill defined . . . . .	Totals . . . . .	2	-	-	-	-	-	-
	Males . . . . .	13	3	-	-	-	-	3
Cause of death not specified or ill defined . . . . .	Totals . . . . .	5	2	-	-	-	-	2
	Males . . . . .	8	1	-	-	-	-	1
Cause of death not specified or ill defined . . . . .	Totals . . . . .	23	6	1	-	-	1	8
	Males . . . . .	17	5	-	-	-	-	5
Cause of death not specified or ill defined . . . . .	Totals . . . . .	6	1	1	-	-	1	3
	Males . . . . .	302	160	10	2	4	3	179
Cause of death not specified or ill defined . . . . .	Totals . . . . .	169	89	6	1	2	1	99
	Males . . . . .	133	71	4	1	2	2	80



**TABLE**

**Deaths in Each County and City from Special**

THE STATE AND COUNTY.	Population in 1910.	Measles.	Scarlet fever.	Diphtheria and croup.
Maine.....	742,371	95	40	99
Androscoggin.....	59,822	12	8	12
Aroostook.....	74,664	14	6	17
Cumberland.....	112,014	7	2	10
Franklin.....	19,119	3	1	1
Hancock.....	35,575	-	-	13
Kennebec.....	62,863	6	-	7
Knox.....	28,981	-	-	-
Lincoln.....	18,216	-	1	3
Oxford.....	36,256	5	-	14
Penobscot.....	85,285	19	1	4
Piscataquis.....	19,887	1	1	3
Sagadahoc.....	18,574	-	-	5
Somerset.....	36,301	9	-	3
Waldo.....	23,383	-	-	1
Washington.....	42,905	5	-	13
York.....	68,526	14	20	13
<b>CITIES.</b>				
Totals.....	245,741	37	31	49
Auburn.....	15,064	8	3	2
Augusta.....	13,211	2	-	-
Bangor.....	24,803	4	-	1
Bath.....	9,396	-	-	5
Belfast.....	4,618	-	-	1
Biddeford.....	17,079	6	15	8
Brewer.....	5,667	1	-	-
Calais.....	6,116	-	-	2
Eastport.....	4,961	1	-	4
Ellsworth.....	3,549	-	-	-
Gardiner.....	5,311	-	-	-
Hallowell.....	2,864	-	-	1
Lewiston.....	26,247	4	5	10
Old Town.....	6,317	5	1	1
Portland.....	58,571	5	2	9
Rockland.....	8,174	-	-	-
Saco.....	6,583	1	5	1
South Portland.....	7,471	-	-	-
Waterville.....	11,458	-	-	3
Westbrook.....	8,281	-	-	1



No. 32.

Causes, Mostly Infectious Diseases.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis (2 years and over).	Cholera nostras.	Diarrhea and enteritis (under 2 years).	Tuberculosis of lungs.	Tuberculosis, other forms.
104	149	27	50	34	125	27	127	4	693	889	228
11	13	2	11	2	7	4	9	-	100	77	23
22	13	2	4	2	13	3	11	-	196	78	11
5	40	4	7	6	14	4	12	-	77	129	36
1	3	-	1	-	2	-	3	-	10	15	3
-	6	-	-	-	8	1	5	1	8	35	11
5	16	2	4	2	9	3	14	-	50	96	11
2	3	-	1	2	5	1	2	-	10	45	12
1	2	1	-	-	2	-	2	-	-	16	1
7	4	4	1	2	10	1	1	-	24	34	6
16	19	1	9	7	11	2	25	-	49	111	44
-	1	-	3	1	3	1	5	-	6	28	7
3	2	1	2	1	5	-	-	-	8	23	4
21	4	1	3	2	9	1	5	-	25	38	12
1	4	-	-	2	2	-	8	3	5	28	7
3	6	-	-	1	1	-	7	-	25	67	15
6	13	4	1	4	14	4	18	-	100	69	25
27	70	13	19	15	33	9	48	-	256	355	93
-	3	-	-	-	2	1	-	-	11	15	4
-	4	3	-	-	1	1	5	-	13	28	4
-	8	2	1	4	1	2	13	-	8	41	14
1	1	-	-	1	2	-	-	-	7	12	2
-	2	-	-	-	-	-	1	-	1	8	2
4	3	3	-	2	2	-	2	-	44	34	8
-	2	2	1	1	-	-	2	-	6	11	1
-	-	-	-	-	4	-	2	-	4	12	3
2	-	-	-	-	1	-	-	-	5	15	2
-	1	-	-	-	2	-	-	-	-	3	2
-	-	-	-	-	1	-	-	-	6	6	1
-	-	-	-	-	-	-	3	-	1	4	-
3	2	2	7	1	5	2	1	-	1	69	13
7	3	-	1	-	1	-	4	-	5	8	4
2	31	2	6	4	8	2	5	-	42	63	13
-	-	-	-	-	-	1	-	-	3	6	2
1	-	-	-	1	-	-	4	-	7	2	5
-	2	-	-	-	1	-	1	-	2	13	6
-	6	1	-	-	-	-	2	-	15	24	3
3	2	-	1	1	-	-	3	-	7	11	4

**TABLE**

**Deaths in Each County and City from Certain**

THE STATE AND COUNTY.	Population in 1910.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Maine.....	742,371	29	56	762	127	486	662
Androscoggin.....	59,822	3	7	55	13	48	39
Aroostook.....	74,664	3	3	31	7	63	60
Cumberland.....	112,014	7	9	141	18	73	101
Franklin.....	19,119	2	2	20	7	12	8
Hancock.....	35,575	1	1	38	11	22	40
Kennebec.....	62,863	3	4	74	11	42	31
Knox.....	28,981	2	2	36	6	12	20
Lincoln.....	13,216	3	6	19	4	6	34
Oxford.....	36,256	3	4	32	6	28	34
Penobscot.....	85,825	3	4	27	6	50	80
Piscataquis.....	19,887	2	2	4	4	10	22
Sagadahoc.....	18,574	1	4	19	4	8	19
Somerset.....	36,301	1	4	36	4	28	43
Waldo.....	23,383	1	1	25	8	8	24
Washington.....	42,905	1	2	40	4	25	39
York.....	68,526	1	8	87	14	51	42
<b>CITIES.</b>							
Totals.....	245,741	13	22	272	39	187	178
Auburn.....	15,064	1	1	6	3	11	11
Augusta.....	13,211	1	1	13	1	8	13
Bangor.....	24,803	2	1	27	3	10	22
Bath.....	9,396	1	1	11	1	3	7
Belfast.....	4,618	1	1	2	1	3	2
Biddeford.....	17,079	1	3	17	4	21	8
Brewer.....	5,667	1	1	7	1	5	1
Calais.....	6,116	2	2	10	1	7	8
Eastport.....	4,961	1	1	6	1	1	5
Ellsworth.....	3,549	1	1	3	2	1	6
Gardiner.....	5,311	1	1	10	1	2	3
Hallowell.....	2,864	1	1	1	1	1	1
Lewiston.....	26,247	3	4	23	4	25	10
Old Town.....	6,317	1	1	3	1	9	8
Portland.....	58,571	5	5	75	11	37	38
Rockland.....	8,174	1	1	14	2	4	11
Saco.....	6,583	1	1	9	2	5	5
South Portland.....	7,471	1	1	13	1	7	4
Waterville.....	11,458	1	1	13	1	16	4
Westbrook.....	8,281	1	1	10	3	12	11



TABLE  
Deaths by Ages, Sex and

COUNTIES.															100 and over. Unknown.
	Under 1.	1 to 4.	5 to 9.	10 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.			
Androscoggin, males . . .	98	50	19	28	35	30	38	51	78	83	53	8	-	2	
females . . .	93	49	14	20	40	43	35	49	72	83	57	4	-	-	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Aroostook, males . . .	173	58	16	34	31	21	21	33	37	50	36	4	-	-	
females . . .	179	59	11	25	37	30	29	25	33	44	44	6	-	1	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cumberland, males . . .	142	36	17	45	69	69	81	108	133	195	77	10	-	-	
females . . .	113	35	12	26	58	66	80	92	140	179	124	29	-	1	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Franklin, males . . .	20	7	4	4	5	2	7	10	25	30	21	3	-	-	
females . . .	12	7	1	3	7	6	10	15	15	27	12	3	-	-	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hancock, males . . .	24	13	2	11	12	9	14	36	43	60	51	6	-	-	
females . . .	17	7	4	7	9	21	16	21	46	68	40	10	-	-	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kennebec, males . . .	81	29	7	20	37	45	43	70	84	113	54	11	-	2	
females . . .	61	21	6	20	38	30	48	44	89	120	80	18	-	1	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Knox, males . . .	24	5	3	6	14	20	20	29	42	56	35	6	-	-	
females . . .	18	4	3	6	10	14	20	21	18	58	34	13	-	-	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lincoln, males . . .	11	3	1	3	5	8	8	18	30	36	26	8	-	-	
females . . .	8	-	3	2	8	8	7	13	28	28	36	8	-	-	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Oxford, males . . .	54	23	6	6	15	13	22	33	66	52	39	7	-	1	
females . . .	31	18	4	6	10	16	14	23	32	49	34	11	-	-	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Penobscot, males . . .	101	41	14	33	53	53	64	82	109	123	77	7	-	2	
females . . .	80	47	18	15	51	40	45	61	86	108	76	14	-	1	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Piscataquis, males . . .	20	7	1	5	9	7	9	17	17	32	22	1	-	2	
females . . .	15	4	-	-	9	6	7	15	19	23	16	2	-	-	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sagadahoc, males . . .	17	3	6	4	5	6	2	19	36	35	29	7	-	-	
females . . .	13	3	6	3	10	8	14	16	17	44	16	7	-	-	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Somerset, males . . .	53	20	3	10	9	12	28	18	36	58	41	2	-	2	
females . . .	40	21	4	7	18	18	25	26	41	42	45	9	-	1	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Waldo, males . . .	18	2	2	7	10	10	14	21	46	64	30	5	-	-	
females . . .	11	7	3	5	11	11	10	19	24	43	33	15	-	-	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Washington, males . . .	50	19	9	17	18	15	22	31	45	53	45	4	-	-	
females . . .	36	17	8	21	20	22	25	24	36	50	42	12	-	1	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
York, males . . .	135	53	26	16	24	27	22	64	88	127	74	6	-	1	
females . . .	102	50	15	24	34	29	51	57	79	131	85	14	-	-	
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total, males . . .	1,021	369	136	249	351	347	415	640	915	1,167	710	95	-	12	
females . . .	829	349	112	199	371	368	436	521	775	1,097	774	175	-	3	
Grand total . . . . .	1,850	718	248	448	722	715	851	1,161	1,690	2,264	1,484	270	-	315	

## No. 34.

## Months, by Counties, 1910.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Grand total.
69	45	40	45	45	34	51	59	49	41	40	46	573	-
39	50	52	48	58	36	36	48	51	54	47	40	559	-
36	35	39	35	40	34	34	72	66	43	48	32	514	1,132
36	42	36	53	48	29	37	64	68	34	49	27	523	-
87	84	89	81	62	73	79	89	97	72	88	81	982	1,037
84	85	77	84	69	61	66	86	86	94	80	83	955	-
16	7	12	10	15	10	10	13	12	11	9	13	138	1,937
11	13	9	13	13	8	3	9	12	12	7	8	118	-
24	26	29	20	23	25	21	22	21	22	23	25	281	256
22	24	19	27	19	19	26	19	16	32	23	20	266	-
47	53	48	44	42	29	58	49	56	52	64	54	596	547
59	52	66	52	45	34	30	55	46	57	32	48	576	-
28	22	25	18	20	21	19	22	17	24	18	26	260	1,172
22	14	16	16	19	19	22	23	14	13	18	23	219	-
14	12	17	16	15	8	16	13	10	8	16	12	157	479
16	14	17	13	14	8	19	14	8	6	12	8	149	-
28	44	37	28	26	24	19	22	25	26	26	32	337	306
18	21	14	29	22	19	19	22	23	24	16	21	248	-
82	50	68	76	70	56	49	65	53	65	63	62	759	585
51	45	74	61	49	53	41	52	52	49	60	55	642	-
15	11	8	19	12	11	8	14	15	14	11	11	149	1,401
7	17	13	11	14	12	6	10	5	11	7	13	126	-
16	12	12	15	12	12	12	15	13	18	14	18	169	275
12	13	16	13	18	13	16	12	11	15	11	7	157	-
21	27	29	22	31	19	17	29	24	23	23	27	292	326
22	30	34	34	30	14	10	22	26	32	18	25	297	-
25	15	20	25	15	13	18	12	22	16	22	26	229	589
20	19	21	19	14	14	12	15	20	14	12	12	192	-
35	30	26	25	19	20	31	23	30	26	27	36	328	421
24	22	32	38	32	26	14	23	20	30	22	31	314	-
50	59	75	56	53	54	57	59	54	44	52	50	663	642
65	43	79	57	51	36	57	68	62	52	46	55	671	-
593	532	574	535	500	443	499	578	564	505	553	551	6,427	-
508	504	575	568	515	401	414	542	520	529	460	476	6,012	-
1,101	1,036	1,149	1,103	1,015	844	913	1,120	1,084	1,034	1,013	1,027	12,439	12,439

**TABLE**  
**Deaths by Ages, Sex and**

CITIES.		Under 1.	1 to 4.	5 to 9.	10 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
Auburn,	males . . .	18	10	5	4	12	-	5	6	20	17	10	4	-	-
	females . . .	22	10	4	4	5	8	4	10	17	18	15	1	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Augusta,	males . . .	21	8	-	1	13	17	17	28	16	33	10	2	1	-
	females . . .	14	6	-	7	10	11	18	17	28	26	23	3	1	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bangor,	males . . .	30	9	4	15	15	26	39	31	36	34	20	3	1	-
	females . . .	19	9	6	4	22	16	22	22	33	43	35	7	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bath,	males . . .	11	2	4	1	1	5	2	11	21	17	14	1	-	-
	females . . .	9	1	2	1	6	6	7	9	10	27	9	4	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belfast,	males . . .	7	-	-	2	2	4	3	7	9	12	5	1	-	-
	females . . .	3	2	-	-	3	3	2	4	4	7	6	6	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Biddeford,	males . . .	62	26	12	6	7	9	6	21	25	23	4	1	1	-
	females . . .	47	33	6	12	14	13	16	15	18	18	11	1	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brewer,	males . . .	13	7	1	3	3	3	3	5	5	6	3	6	-	-
	females . . .	6	2	-	1	1	4	7	3	4	3	6	1	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calais,	males . . .	13	4	1	-	2	4	5	3	8	8	3	-	-	-
	females . . .	2	4	2	6	3	-	5	5	12	15	6	3	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eastport,	males . . .	4	-	1	3	2	1	4	4	7	8	5	2	-	-
	females . . .	5	4	-	3	2	1	5	2	6	3	6	-	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ellsworth,	males . . .	2	3	-	-	1	-	1	4	4	7	9	1	-	-
	females . . .	1	2	-	-	-	4	1	4	3	12	5	2	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gardiner,	males . . .	12	1	-	1	4	7	3	6	4	5	4	2	-	-
	females . . .	3	-	-	2	1	2	5	2	8	13	7	-	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hallowell,	males . . .	-	2	2	-	2	1	2	3	3	3	3	1	-	-
	females . . .	4	-	-	-	1	-	3	3	2	8	1	-	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewiston,	males . . .	60	31	12	18	17	22	26	33	36	36	15	-	-	-
	females . . .	52	30	9	11	23	23	21	20	31	32	13	-	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Town,	males . . .	13	8	1	1	4	3	5	4	7	6	6	-	-	-
	females . . .	7	16	2	1	5	4	2	10	4	3	6	-	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland,	males . . .	85	21	10	25	40	48	66	70	70	81	32	6	-	-
	females . . .	62	19	10	19	35	45	58	47	79	87	55	10	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rockland,	males . . .	7	1	-	-	6	7	6	9	11	21	6	-	-	-
	females . . .	2	1	1	1	1	5	6	8	6	18	6	6	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Saco,	males . . .	12	5	1	2	1	1	1	3	9	18	5	-	-	-
	females . . .	6	5	5	3	3	1	10	3	8	17	10	3	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
So. Portland,	males . . .	3	3	1	4	8	-	1	5	12	10	1	-	-	-
	females . . .	11	-	1	2	4	3	2	7	6	16	8	1	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waterville,	males . . .	20	8	3	6	7	6	9	13	16	13	5	1	1	-
	females . . .	21	8	2	3	12	7	8	8	9	8	4	2	-	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Westbrook,	males . . .	19	4	1	3	2	5	5	5	8	5	4	-	-	-
	females . . .	10	8	1	2	6	5	3	3	10	13	6	3	1	-
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total,	males . . .	412	153	59	95	149	169	209	271	327	363	164	25	4	-
	females . . .	306	160	51	82	157	161	205	202	298	387	238	53	1	1
	not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Grand total . . . . .		718	313	110	177	306	330	414	473	625	750	402	78	1	5

No. 35.

Months, by Cities, 1910.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Grand total.
13	15	7	7	14	8	11	10	5	7	8	6	111	-
9	15	9	12	14	3	3	13	11	13	8	8	118	-
-	-	-	-	-	-	-	-	-	-	-	-	-	229
11	17	15	21	12	4	16	12	14	12	17	16	167	-
12	10	14	22	16	8	5	14	16	20	13	14	164	-
-	-	-	-	-	-	-	-	-	-	-	-	-	331
23	16	28	24	21	17	25	23	20	24	25	17	263	-
24	10	32	19	15	22	13	19	20	19	28	17	238	-
-	-	-	-	-	-	-	-	-	-	-	-	-	501
6	9	8	7	4	6	6	6	9	8	10	11	90	-
8	7	10	7	9	8	10	7	6	9	6	4	91	-
-	-	-	-	-	-	-	-	-	-	-	-	-	181
9	3	2	5	3	2	4	5	2	4	6	7	52	-
-	8	4	8	2	1	2	1	4	4	3	3	40	-
-	-	-	-	-	-	-	-	-	-	-	-	-	92
11	24	29	13	18	14	20	19	17	8	18	12	203	-
18	16	30	8	15	11	21	20	16	23	12	14	204	-
-	-	-	-	-	-	-	-	-	-	-	-	-	407
8	4	5	5	4	4	2	5	3	4	4	4	52	-
6	4	3	4	5	-	2	3	4	1	5	1	38	-
-	-	-	-	-	-	-	-	-	-	-	-	-	90
7	2	6	4	5	2	5	2	8	1	7	6	51	-
8	4	8	4	4	3	3	4	5	8	4	8	63	-
-	-	-	-	-	-	-	-	-	-	-	-	-	114
4	3	3	2	2	1	4	3	3	4	3	9	41	-
3	-	3	7	3	4	2	4	2	2	4	3	37	-
-	-	-	-	-	-	-	-	-	-	-	-	-	78
5	2	4	2	2	6	1	2	3	3	1	3	32	-
2	5	6	2	4	2	4	1	1	4	1	2	34	-
-	-	-	-	-	-	-	-	-	-	-	-	-	66
6	3	3	2	1	3	2	7	5	7	5	5	49	-
6	3	4	3	4	-	5	3	5	3	3	4	43	-
-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	4	3	-	3	1	2	2	2	1	2	2	22	-
-	2	1	-	2	1	1	4	3	2	1	1	22	-
-	-	-	-	-	-	-	-	-	-	-	-	-	44
34	15	25	21	22	17	21	41	36	21	26	27	306	-
13	28	27	23	25	19	20	27	24	22	19	18	265	-
-	-	-	-	-	-	-	-	-	-	-	-	-	571
7	-	6	6	8	4	4	3	3	3	7	7	58	-
6	2	4	11	3	1	3	5	5	5	8	7	60	-
-	-	-	-	-	-	-	-	-	-	-	-	-	118
54	43	47	43	39	43	45	59	51	33	50	47	554	-
54	40	39	49	31	35	39	55	47	56	35	46	526	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1,080
7	3	10	4	7	5	4	5	5	6	6	11	74	-
3	6	3	3	4	6	4	5	4	3	10	6	61	-
-	-	-	-	-	-	-	-	-	-	-	-	-	135
6	9	8	4	8	4	2	3	3	5	4	2	58	-
9	4	10	6	8	6	4	4	8	3	8	4	74	-
-	-	-	-	-	-	-	-	-	-	-	-	-	132
5	6	6	3	2	4	4	5	3	5	2	3	48	-
4	7	3	6	7	4	4	5	4	4	10	3	61	-
-	-	-	-	-	-	-	-	-	-	-	-	-	109
8	10	10	5	9	4	11	8	11	9	14	9	108	-
14	10	11	8	4	5	5	8	10	4	4	9	92	-
-	-	-	-	-	-	-	-	-	-	-	-	-	200
5	7	5	2	1	3	6	5	6	5	7	3	61	-
8	10	11	8	9	4	1	3	9	5	4	5	71	-
-	-	-	-	-	-	-	-	-	-	-	-	-	132
230	195	230	182	183	152	195	225	209	170	222	207	2,400	-
215	191	232	204	184	143	151	205	204	210	186	177	2,302	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
445	386	462	386	367	295	346	430	413	380	408	384	4,702	4,702

TABLE No. 36.

Number of Deaths from Several Specified Causes of Each Sex, in Each Month, which were Registered during Nineteen Years, 1892-1910.

	Messles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Typhoid fever.	Consumption.	Diarrhea and enteritis (under 2 years).	Pneumonia.	Bronchitis.	Apoplexy.
Totals .....	765	541	1,307	2,883	3,654	19,762	10,151	19,669	4,167	12,118
Males .....	358	255	618	1,444	2,080	8,804	-	9,703	1,925	5,914
Females .....	405	286	689	1,438	1,573	10,957	-	9,959	2,242	6,204
Not stated .....	2	-	-	1	1	1	-	7	-	-
January .....	75	40	123	307	273	1,699	135	2,833	511	1,127
February .....	76	44	102	250	231	1,654	117	2,641	483	1,071
March .....	83	70	114	184	304	1,988	150	2,894	559	1,078
April .....	81	55	108	190	266	1,929	150	2,485	473	1,008
May .....	93	46	94	207	243	1,902	154	1,898	400	1,064
June .....	65	45	111	173	195	1,663	260	1,050	279	956
July .....	67	25	111	159	180	1,590	1,314	490	183	890
August .....	46	23	130	159	294	1,484	3,298	427	125	967
September .....	28	38	119	206	457	1,367	2,919	604	183	949
October .....	50	44	83	313	511	1,505	1,229	1,035	284	978
November .....	57	64	95	372	372	1,391	266	1,395	294	974
December .....	44	47	114	363	321	1,574	156	1,906	387	1,052
Not stated .....	-	-	3	-	7	16	3	11	6	4





## NOTES ON DEATHS AND THE CAUSES OF DEATHS.

The number of deaths registered in the year 1910 was 12,439. This was 1,144 more than for the preceding year, 1909. A glance at the following tabulation will show that the death-rate, based upon the estimated population of all but the census year, 1910, has, upon the whole, lessened considerably. In this year for which this report is made the death-rate has been somewhat higher than it has been for several years, namely, 16.62.

YEARS.	Total deaths.	Males.	Females.	Not stated.	Death-rate per 1,000.
1892.....	12,147	5,939	6,175	33	18.19
1893.....	11,134	5,557	5,551	26	16.59
1894.....	11,012	5,570	5,422	20	16.33
1895.....	10,464	5,226	5,228	10	15.44
1896.....	10,626	5,350	5,268	8	15.60
1897.....	11,236	5,624	5,606	6	16.42
1898.....	10,956	5,506	5,447	3	15.93
1899.....	11,370	5,676	5,686	8	16.45
1900.....	11,389	5,734	5,649	6	16.40
1901.....	11,133	5,604	5,523	6	15.94
1902.....	10,673	5,454	5,216	3	15.19
1903.....	11,009	5,629	5,378	2	15.58
1904.....	11,346	5,868	5,468	10	15.97
1905.....	11,381	5,835	5,545	1	15.92
1906.....	11,427	5,925	5,497	5	15.90
1907.....	11,803	6,100	5,700	3	16.33
1908.....	11,664	6,060	5,602	2	16.05
1909.....	11,295	5,743	5,551	1	15.45
1910.....	12,439	6,427	6,012	-	16.62
Average.....	11,290	5,728	5,554	8	16.12

By referring to Table No. 3, it will be seen that the lowest death-rate was in Franklin county, being only 13.39. The counties Aroostook, Hancock, Knox, Oxford, Penobscot, Piscataquis, Somerset, and Washington had lower death-rates than that of the whole State; while the counties Androscoggin, Cumberland, Kennebec, Lincoln, Sagadahoc, Waldo, and York had death-

rates larger than that of the State. The highest county death-rate was that of York, 19.47.

The death-rate in the cities was 19.13 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, 18.36 in 1895, 18.78 in 1896, 20.11 in 1897, 19.74 in 1898, 18.10 in 1899, 18.34 in 1900, 17.90 in 1901, 17.03 in 1902, 17.16 in 1903, 18.00 in 1904, 16.79 in 1905, 17.25 in 1906, 18.18 in 1907, 17.03 in 1908, and 16.63 in 1909), as compared with that of the rest of the State with the cities omitted, which death-rate was 14.96 (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, 14.77 in 1895, 14.93 in 1896, 15.68 in 1897, 15.24 in 1898, 15.52 in 1899, 15.47 in 1900, 15.13 in 1901, 14.58 in 1902, 13.39 in 1903, 15.54 in 1904, 15.49 in 1905, 14.71 in 1906, 15.60 in 1907, 15.54 in 1908, and 14.85 in 1909).

*Seasons and Mortality.*—The largest number of deaths occurred in March 1,149. The smallest number of deaths in any one month was 844 in June. During the spring months 3,267 deaths occurred; during the summer, 2,877; during the autumn, 3,131; in the winter, 3,164. The following shows the month in which the largest and the smallest number of deaths occurred in the years 1892-1910.

LARGEST NUMBER.			SMALLEST NUMBER.	
1892	January	1,577	November	790
1893	August	1,080	November	796
1894	January	1,266	November	761
1895	March	1,053	June	715
1896	August	1,079	November	667
1897	March	1,259	June	769
1898	September	1,147	June	791
1899	February	1,049	June	768
1900	April	1,196	November	769
1901	March	1,132	June	789
1902	December	998	June	805
1903	January	1,006	June	786
1904	April	1,116	July	800
1905	March	1,197	July	768
1906	August	1,133	January	822
1907	March	1,177	July	844
1908	January	1,128	June	818
1909	March	1,178	July	831
1910	March	1,149	June	844

The following is a tabular statement of the number of deaths in each quarter of the nineteen years 1892-1910:

	1st Quarter.	2d Quarter.	3d Quarter.	4th Quarter.
1892.....	3,964	2,926	2,780	2,427
1893.....	2,653	2,825	2,878	2,750
1894.....	3,166	2,660	2,774	2,402
1895.....	2,780	2,412	2,764	2,503
1896.....	2,728	2,717	2,836	2,339
1897.....	3,026	2,681	2,856	2,671
1898.....	2,567	2,641	2,964	2,782
1899.....	3,416	2,632	2,767	2,544
1900.....	2,879	3,057	2,909	2,536
1901.....	3,178	2,688	2,637	2,610
1902.....	2,787	2,503	2,585	2,774
1903.....	2,946	2,705	2,723	2,615
1904.....	3,100	2,961	2,603	2,670
1905.....	3,187	2,810	2,786	2,581
1906.....	2,735	2,794	3,135	2,747
1907.....	3,423	2,989	2,597	2,785
1908.....	3,114	2,817	2,932	2,799
1909.....	3,050	2,820	2,629	2,796
1910.....	3,286	2,962	3,117	3,074
Average.....	3,052	2,768	2,804	2,653

The following table shows the number of deaths which have occurred in each of the twelve months in each of the years from 1892 to 1910:

## DEATHS IN EACH MONTH FOR THE YEARS 1892—1910.

YEARS.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892 .....	1,577	1,292	1,095	1,048	1,045	833	866	938	976	844	790	793	50	12,147
1893 .....	849	845	959	1,037	969	819	823	1,080	975	917	796	1,037	28	11,134
1894 .....	1,266	980	920	993	851	816	865	953	956	821	761	820	10	11,012
1895 .....	906	821	1,053	854	843	715	803	938	1,023	902	743	858	5	10,464
1896 .....	863	921	944	942	961	814	845	1,079	912	833	667	839	6	10,626
1897 .....	916	851	1,259	1,020	892	769	840	1,019	997	999	835	837	2	11,236
1898 .....	887	817	863	915	935	791	814	1,003	1,147	1,034	837	911	2	10,956
1899 .....	1,432	1,049	935	965	899	768	783	1,031	953	882	781	881	11	11,370
1900 .....	903	881	1,095	1,196	1,068	793	839	1,033	1,037	911	769	856	8	11,389
1901 .....	955	1,091	1,132	955	944	789	836	831	970	882	831	897	20	11,133
1902 .....	876	900	929	939	919	805	837	861	911	854	820	998	24	10,673
1903 .....	1,006	944	996	989	930	786	901	865	957	865	831	919	20	11,009
1904 .....	985	1,035	1,080	1,116	1,038	807	800	896	907	909	817	944	12	11,346
1905 .....	981	1,009	1,197	1,023	957	830	768	1,006	1,012	958	824	799	17	11,381
1906 .....	822	853	1,060	985	961	848	885	1,133	1,117	920	885	942	16	11,427
1907 .....	1,118	1,128	1,177	1,069	973	947	844	898	855	932	875	978	9	11,803
1908 .....	1,128	985	1,001	1,045	954	818	820	1,033	1,079	990	890	919	2	11,664
1909 .....	985	887	1,178	1,022	960	838	831	886	912	979	872	945	-	11,295
1910 .....	1,101	1,036	1,149	1,103	1,015	844	913	1,120	1,084	1,034	1,013	1,027	-	12,439
Total .....	19,556	18,325	20,022	19,216	18,114	15,430	15,913	18,603	18,780	17,466	15,637	17,200	242	214,504

## DEATHS IN EACH MONTH FOR THE YEARS 1892-1910.

Table No. 27 exhibits the total number of deaths which occurred in each month of the years 1903-1910. The number of deaths for 1910 in each month by counties is shown in Table No. 34.

*Sex and Mortality.*—Of the 12,439 decedents, 6,427 were males and 6,012 were females.

Among children dying before they were 5 years old, 1,390 were males and 1,178 were females; there were 212 more deaths among boys under 5 years of age than among girls within the same age-period. At the age-periods from 5 to 80 years, there was also a preponderance of deaths among males, but from 80 to 100, more among females. At the age of 100 years and over three women died. See Table No. 34.

*Age and Mortality.*—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under	1 year of age	1,850	14.87 per cent.
From	1-5 years of age	718	5.77 per cent.
From	5-10 years of age	248	1.99 per cent.
From	10-20 years of age	448	3.61 per cent.
From	20-30 years of age	722	5.80 per cent.
From	30-40 years of age	715	5.75 per cent.
From	40-50 years of age	851	6.84 per cent.
From	50-60 years of age	1,161	9.33 per cent.
From	60-70 years of age	1,690	13.59 per cent.
From	70-80 years of age	2,264	18.21 per cent.
From	80-90 years of age	1,484	11.93 per cent.
From	90-100 years of age	270	2.17 per cent.
100 years of age and over		3	0.02 per cent.
Ages not stated		15	0.12 per cent.

*The Causes of Death.*—Compared with 1909, among the chief causes of death there were in 1910, 272 more from diarrheal diseases, 126 more from pneumonia, 124 more from diseases of nervous system, 101 more from nephritis and Bright's disease, 59 more from measles, 56 more from tuberculosis (all kinds), 50 more from diseases of heart, 46 more from whooping cough, 39 more from typhoid fever, 35 more from cancer, 15 more

from bronchitis, 11 more from rheumatism, 8 more from scarlet fever, and 3 more from peritonitis.

On the other hand there was 45 less from influenza, 13 less from diphtheria and croup, and 2 less from diabetes.

The next table gives a cursory view of the relative mortality in 1909 and 1910 from some of the leading causes of death.

### DEATHS FROM SOME OF THE LEADING CAUSES.

DISEASES.	1909.	1910.	More in 1909.	More in 1910.
Measles.....	36	95	-	59
Scarlet fever.....	32	40	-	8
Influenza.....	170	125	45	-
Whooping cough.....	58	104	-	46
Diphtheria and croup.....	112	99	13	-
Typhoid fever.....	110	149	-	39
Tuberculosis.....	1,059	1,117	-	56
Diarrheal diseases.....	579	851	-	272
Rheumatism.....	45	56	-	11
Cancer.....	727	762	-	35
Diabetes.....	129	127	2	-
Diseases of nervous system.....	1,538	1,662	-	124
Diseases of heart.....	1,330	1,380	-	50
Pneumonia.....	1,120	1,246	-	126
Bronchitis.....	214	229	-	15
Peritonitis.....	59	62	-	
Nephritis and Bright's disease.....	677	778	-	101

The following table shows the mortality from ten prominent causes in the nineteen years 1892-1910. The various diseases of the brain have occupied the first place among the causes of death, except in 1892, when pneumonia had the first place, and consumption was the next most prominent cause until 1898 when it was reduced to the third place in the list; and in 1899 and 1900 it occupied the fourth place; in 1901, the third place; in 1902, 1903, 1904, 1905, 1906, 1907, 1908, and 1909 it occupied the fourth place, which it still keeps this year. Diseases of the heart have the second place, and pneumonia has the third place.

## MORTALITY FROM TEN PROMINENT CAUSES, 1892—1910.

YEARS.	Brain disease.*	Heart disease.	Pneumonia.	Consumption.	Kidney disease.†	Cancer.	Diarrhea and enteritis, (under two years).	Old age.	Bronchitis.	Diphtheria and croup.
1892.....	3d.	4th	1st	2d	8th	7th	6th	5th	9th	10th
1893.....	1st	4th	3d	2d	8th	7th	6th	5th	9th	10th
1894.....	1st	4th	3d	2d	8th	6th	7th	5th	9th	10th
1895.....	1st	3d	4th	2d	8th	7th	6th	5th	9th	10th
1896.....	1st	3d	4th	2d	8th	7th	6th	5th	10th	9th
1897.....	1st	3d	4th	2d	8th	7th	6th	5th	10th	9th
1898.....	1st	2d	4th	3d	8th	7th	5th	6th	9th	10th
1899.....	1st	3d	2d	4th	8th	7th	6th	5th	9th	10th
1900.....	1st	3d	2d	4th	8th	7th	6th	5th	9th	10th
1901.....	1st	2d	4th	3d	8th	6th	7th	5th	9th	10th
1902.....	1st	2d	3d	4th	7th	6th	8th	5th	9th	10th
1903.....	1st	2d	3d	4th	6th	7th	8th	5th	9th	10th
1904.....	1st	2d	3d	4th	6th	7th	8th	5th	9th	10th
1905.....	1st	2d	3d	4th	7th	6th	8th	5th	9th	10th
1906.....	1st	2d	3d	4th	5th	7th	6th	8th	9th	10th
1907.....	1st	2d	3d	4th	5th	6th	8th	7th	9th	10th
1908.....	1st	2d	3d	4th	6th	5th	7th	8th	9th	10th
1909.....	1st	2d	3d	4th	6th	5th	8th	7th	9th	10th
1910.....	1st	2d	3d	4th	5th	6th	7th	8th	9th	10th

\* Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain, and its membranes, and other brain diseases.

† Including deaths certified as from nephritis and Bright's disease.

By referring to Table No. 29 it will be noticed that the causes of death are arranged by counties under fourteen classes. The following notes on some of the classes and individual causes of death will be arranged in accordance with the classification shown in this Table No. 29.



*Infectious Diseases.*—The lists of the infectious diseases usually include smallpox, measles, scarlet fever, typhoid fever, whooping cough, diphtheria and croup. The following table shows the number of deaths which resulted from these diseases in the several counties of the State:

### SIX INFECTIOUS DISEASES BY COUNTIES—1910.

COUNTIES.	Population for 1910.	Aggregate deaths from six infectious diseases—1910.	Infectious death-rate per 10,000—1910.
Androscoggin.....	59,822	56	9.36
Aroostook.....	74,664	72	9.64
Cumberland.....	112,014	64	5.71
Franklin.....	19,119	9	4.71
Hancock.....	35,575	9	2.53
Kennebec.....	62,863	34	5.41
Knox.....	28,981	5	1.73
Lincoln.....	18,216	7	3.84
Oxford.....	36,256	20	5.52
Penobscot.....	85,285	59	6.92
Piscataquis.....	19,887	6	3.02
Sagadahoc.....	18,574	10	5.39
Somerset.....	36,301	37	10.19
Waldo.....	23,383	6	2.57
Washington.....	42,905	27	6.29
York.....	68,526	66	9.63
State.....	742,371	487	6.56

In the foregoing table the second column shows for each county the whole number of deaths for 1910 from the infectious diseases; the third column shows the infectious death-rate for the same year. The following table makes a similar comparative exhibit for the cities:

## SIX INFECTIOUS DISEASES BY CITIES—1910,

CITIES.	Population for 1910.	Aggregate deaths from six infectious diseases—1910.	Infectious death-rate per 10,000—1910.
Auburn.....	15,064	20	13.28
Augusta.....	13,211	6	4.54
Bangor.....	24,803	13	5.24
Bath.....	9,396	7	7.45
Belfast.....	4,618	3	6.50
Biddeford.....	17,079	36	2.11
Brewer.....	5,667	3	5.29
Calais.....	6,116	2	3.27
Eastport.....	4,961	7	14.11
Ellsworth.....	3,549	1	2.82
Gardiner.....	5,311	—	—
Hallowell.....	2,864	1	3.49
Lewiston.....	26,247	24	9.14
Old Town.....	6,317	17	26.91
Portland.....	58,571	49	8.36
Rockland.....	8,174	—	—
Saco.....	6,583	8	12.15
South Portland.....	7,471	2	2.68
Waterville.....	11,458	12	1.75
Westbrook.....	8,281	3	3.62
Collectively.....	245,741	214	8.71

By consulting the following table it will be seen that the number of deaths from typhoid fever, whooping cough, measles, scarlet fever and tetanus was larger than in 1909. There was a smaller number of deaths from influenza and diphtheria and croup.

## INFECTIOUS DISEASES—1903-1910.

Diseases.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	Total.
Smallpox.....	7	3	-	-	-	-	-	-	10
Measles.....	36	22	32	105	33	21	36	95	380
Scarlet fever.....	18	10	7	5	14	17	32	40	143
Influenza.....	196	166	243	109	278	241	170	125	1,528
Whooping cough....	110	54	38	109	72	80	58	104	625
Diphtheria and croup	115	162	110	119	122	105	112	99	944
Tetanus.....	11	14	7	4	7	6	5	11	65
Typhoid fever.....	225	242	156	133	124	151	110	149	1,290

*Smallpox.*—In 1910, as in 1909, 1908, 1907, 1906 and 1905, there were no deaths from smallpox. In 1904, smallpox was the cause of 3 deaths; in 1903, 7; in 1902, 12; in 1901, 0; in 1900, 2; in 1899, 3. No deaths were due to this disease from 1892, when our system of registration went into effect, until 1899.

*Measles.*—This disease caused the death of 95 persons, of whom 47 were males and 48 were females. The deaths from measles were 29 in 1892, 55 in 1893, 21 in 1894, 8 in 1895, 32 in 1896, 22 in 1897, 41 in 1898, 39 in 1899, 84 in 1900, 26 in 1901, 28 in 1902, 36 in 1903, 22 in 1904, 32 in 1905, 105 in 1906, 33 in 1907, 21 in 1908, and 36 in 1909.

## MEASLES BY COUNTIES, MONTHS, AND AGE-PERIODS—1896-1910.

By Counties.	By Months.	By Age-periods.
Androscoggin..... 76	January..... 61	Under 1..... 183
Aroostook..... 104	February..... 70	1-5..... 244
Cumberland..... 78	March..... 63	5-10..... 48
Franklin..... 21	April..... 65	10-20..... 43
Hancock..... 23	May..... 77	20-30..... 32
Kennebec..... 48	June..... 55	30-40..... 32
Knox..... 23	July..... 56	40-50..... 22
Lincoln..... 6	August..... 41	50-60..... 14
Oxford..... 38	September..... 26	Over 60..... 31
Penobscot..... 67	October..... 46	Not stated..... 3
Piscataquis..... 12	November..... 53	Total..... 652
Sagadahoc..... 8	December..... 39	
omerset..... 52	Total..... 652	
Waldo..... 13		
Washington..... 30		
York..... 53		
State..... 652		

*Scarlet Fever.*—The total mortality from this disease was 40 (36 in 1892, 80 in 1893, 29 in 1894, 25 in 1895, 33 in 1896, 38 in 1897, 43 in 1898, 48 in 1899, 35 in 1900, 18 in 1901, 13 in 1902, 18 in 1903, 10 in 1904, 7 in 1905, 5 in 1906, 14 in 1907, 17 in 1908, and 32 in 1909) 14 males and 26 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was 5 in the months of April, September and November, respectively. There were 9 deaths in the first quarter, 10 in the second, 10 in the third, and 11 in the last quarter of the year.

York county had 20 deaths from scarlet fever; Androscoggin, 8; Aroostook, 6; Cumberland, 2; Franklin, 1; Lincoln, 1; Penobscot, 1; and Piscataquis, 1. Of the 40 deaths from this cause 31 were in the cities.

The following is the exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the eighteen years 1893-1910.

**SCARLET FEVER BY COUNTIES, MONTHS, AND AGE PERIODS, 1893-1910.**

By Counties.	By Months.	By Age-periods.
Androscoggin..... 45	January..... 32	Under 1..... 41
Aroostook..... 76	February..... 40	1-5..... 239
Cumberland..... 56	March..... 66	5-10..... 145
Franklin..... 10	April..... 50	10-20..... 58
Hancock..... 17	May..... 42	20-30..... 13
Kennebec..... 46	June..... 42	30-40..... 5
Knox..... 28	July..... 25	40-50..... 1
Lincoln..... 5	August..... 23	50-60..... 2
Oxford..... 7	September..... 37	Not stated..... 1
Penobscot..... 46	October..... 42	Total..... 505
Piscataquis..... 11	November..... 61	
Sagadahoc..... 15	December..... 45	
Somerset..... 16	Total..... 505	
Waldo..... 14		
Washington..... 23		
York..... 90		
State..... 505		

The scarlatina death-rate per 10,000 for this State was 0.54; for the cities, 1.26.

*Influenza.*—During the year for which this report is made, 125 deaths were attributed to influenza. By months the percentage distribution of deaths from this cause was as follows: January, 12.00; February, 13.60; March, 22.40; April, 19.20; May, 8.00; June, 3.20; July, 3.20; August, 1.60; September, 1.60; October, 2.40; November, 2.40; December, 10.40. The following shows the age incidence of deaths reported as having occurred from influenza:

Under	1 year,	15	40-50 years,	3
	1-5 years,	8	50-60 years,	8
	5-10 years,	2	60-70 years,	22
	10-20 years,	0	70-80 years,	25
	20-30 years,	0	Over 80 years,	40
	30-40 years,	2		

The influenza death-rate for the whole State was 1.68 for each 10,000 living population (11.43 in 1892, 2.31 in 1893, 4.46 in 1894, 2.30 in 1895, 1.77 in 1896, 4.45 in 1897, 2.19 in 1898, 5.50 in 1899, 3.40 in 1900, 3.83 in 1901, 1.87 in 1902, 2.82 in 1903, 2.39 in 1904, 3.40 in 1905, 1.52 in 1906, 3.85 in 1907, 3.32 in 1908, and 2.33 in 1909).

## DEATHS FROM INFUENZA BY COUNTIES AND MONTHS, 1910.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin.....	-	2	1	2	-	-	-	1	-	-	-	1	7
Aroostook.....	1	-	4	2	4	2	-	-	-	-	-	-	13
Cumberland.....	1	2	4	4	1	-	1	-	-	-	-	1	14
Franklin.....	1	-	-	-	-	-	-	-	-	-	-	1	2
Hancock.....	1	2	3	1	-	-	-	-	-	1	-	-	8
Kennebec.....	1	-	3	1	-	-	1	-	-	1	1	1	9
Knox.....	-	-	-	-	-	-	1	-	-	1	1	2	5
Lincoln.....	-	-	-	-	1	-	1	-	-	-	-	-	2
Oxford.....	-	4	1	4	1	-	-	-	-	-	-	-	10
Penobscot.....	1	3	3	2	-	1	-	-	-	-	-	1	11
Piscataquis.....	-	1	-	2	-	-	-	-	-	-	-	-	3
Sagadahoc.....	2	-	2	1	-	-	-	-	-	-	-	-	5
Somerset.....	1	2	1	2	-	1	-	-	1	-	-	1	9
Waldo.....	-	1	1	1	-	-	-	-	-	-	-	-	3
Washington.....	5	-	-	1	2	-	-	1	1	-	1	3	14
York.....	1	-	5	1	1	-	-	-	-	-	-	2	10
State.....	15	17	28	24	10	4	4	2	2	3	3	13	125

*Whooping Cough.*—The number of deaths from whooping cough was 104 (54 in 1892, 51 in 1893, 20 in 1894, 82 in 1895, 111 in 1896, 46 in 1897, 44 in 1898, 96 in 1899, 99 in 1900, 28 in 1901, 51 in 1902, 110 in 1903, 54 in 1904, 38 in 1905, 109 in 1906, 72 in 1907, 80 in 1908, and 58 in 1909), of which 49 were males and 55 females. The number of deaths in the cities was 27. Fifty-nine of the 104 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping cough was 1.40 per 10,000; that of the cities, 1.10.

The following shows the deaths from whooping cough arranged by counties, months, and age-periods.

**WHOOPING COUGH BY COUNTIES, MONTHS, AND AGE PERIODS, 1910.**

By Counties.	By Months.	By Age-periods.
Androscoggin..... 11	January..... 9	Under 1..... 59
Aroostook..... 22	February..... 10	1-5..... 43
Cumberland..... 5	March..... 13	5-10..... 1
Franklin..... 1	April..... 10	10-20..... 1
Hancock..... -	May..... 13	Total..... 104
Kennebec..... 5	June..... 3	
Knox..... 2	July..... 12	
Lincoln..... 1	August..... 9	
Oxford..... 7	September..... 7	
Penobscot..... 16	October..... 5	
Piscataquis..... -	November..... 7	
Sagadahoc..... 3	December..... 6	
Somerset..... 21	Total..... 104	
Waldo..... 1		
Washington..... 3		
York..... 6		
State..... 104		

*Diphtheria.*—There were for the year 1910, 99 deaths from diphtheria. Of the decedents, 50 were males and 49 were females. Ages: Under 1, 4; 1-5, 49; 5-10, 29; 10-20, 13; 20-30, 2; 30-40, 1; over 70, 1.

Of the 99 deaths, 49 were in the cities, and 50 in other places. The diphtheria death-rate for the State was 1.33, and for the cities, 1.99. The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

## DIPHTHERIA BY COUNTIES AND MONTHS, 1910.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin...	2	2	1	-	2	1	-	-	2	-	1	1	12	2.01
Aroostook.....	1	1	-	1	1	1	-	2	1	1	2	6	17	2.28
Cumberland....	2	1	-	-	-	-	1	2	1	1	-	2	10	0.89
Franklin.....	-	-	1	-	-	-	-	-	-	-	-	-	1	0.52
Hancock.....	-	-	-	-	-	1	-	-	1	1	-	-	3	0.84
Kennebec.....	2	1	1	-	-	-	-	1	-	-	2	-	7	1.11
Knox.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln.....	-	1	-	-	-	-	-	-	1	1	-	-	3	1.65
Oxford.....	2	-	-	-	1	-	1	-	-	-	-	-	4	1.10
Penobscot....	1	-	-	-	-	1	-	-	-	1	-	1	4	0.47
Piscataquis...	-	-	-	-	-	-	-	1	-	-	-	2	3	1.51
Sagadahoc....	1	-	-	1	-	1	-	2	-	-	-	-	5	2.69
Somerset.....	1	1	-	-	-	-	-	-	-	1	-	-	3	0.83
Waldo.....	1	-	-	-	-	-	-	-	-	-	-	-	1	0.43
Washington...	3	-	-	2	-	-	1	-	1	1	3	2	13	3.03
York.....	3	1	-	1	1	3	1	-	-	2	1	-	13	1.90
State.....	19	8	3	5	5	8	4	8	7	9	9	14	99	1.33



The following tabulation shows the number of deaths from diphtheria for the eighteen years 1893-1910 arranged by counties, months, and age-periods.

**DIPHTHERIA BY COUNTIES, MONTHS, AND AGE PERIODS, 1893-1910.**

By Counties.		By Months.		By Age-periods.	
Androscoggin.....	328	January.....	287	Under 1.....	344
Aroostook.....	450	February.....	236	1-5.....	1,209
Cumberland.....	519	March.....	172	5-10.....	678
Franklin.....	44	April.....	175	10-20.....	304
Hancock.....	60	May.....	181	20-30.....	62
Kennebec.....	236	June.....	157	30-40.....	27
Knox.....	108	July.....	146	40-50.....	18
Lincoln.....	33	August.....	149	50-60.....	11
Oxford.....	78	September.....	185	60-70.....	6
Penobscot.....	210	October.....	288	Over 70.....	6
Piscataquis.....	26	November.....	354	Not stated.....	6
Sagadahoc.....	77	December.....	388	Total.....	2,671
Somerset.....	101	Not stated.....	3		
Waldo.....	33	Total.....	2,671		
Washington.....	113				
York.....	255				
State.....	2,671				

The following table shows the number of deaths from diphtheria in each of the cities in each year from 1896 to 1910; the diphtheria death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

## Deaths and Death-Rates from Diphtheria.

CITIES.	1896.		1897.		1898.		1899.		1900.		1901.		1902.	
		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.
Auburn.....	1	0.81	6	4.82	14	11.10	3	2.35	2	1.54	2	1.52	-	-
Augusta.....	-	-	2	1.76	1	0.87	1	0.86	-	-	2	1.70	1	0.84
Bangor.....	3	1.45	4	1.90	7	3.29	-	-	2	0.92	2	0.90	4	1.79
Bath.....	1	1.02	4	4.02	2	1.98	2	1.94	2	1.91	5	4.69	3	2.77
Belfast.....	1	2.05	2	4.15	1	2.10	-	-	-	-	2	4.22	-	-
Biddeford.....	7	4.53	2	1.28	13	8.23	11	6.89	8	4.96	3	1.84	5	3.03
Brewer.....	-	-	4	8.62	-	-	-	-	1	2.07	-	-	-	-
Calais.....	9	11.98	-	-	-	-	1	1.31	1	1.31	-	-	1	1.29
Eastport.....	-	-	1	1.93	3	5.74	-	-	2	3.77	1	1.87	1	1.85
Ellsworth.....	-	-	-	-	-	-	-	-	-	-	1	2.33	-	-
Gardiner.....	7	12.73	1	1.82	1	1.82	1	1.82	-	-	4	7.27	-	-
Hallowell.....	-	-	1	3.50	1	3.56	1	3.62	-	-	-	-	-	-
Lewiston.....	2	0.87	32	13.83	38	16.27	47	19.95	17	7.15	7	2.92	1	0.41
Old Town.....	2	3.58	3	5.33	1	1.76	-	-	-	-	-	-	3	5.13
*Port and.....	23	4.92	54	11.34	31	6.40	22	4.46	18	3.59	24	4.71	15	2.89
Rockland.....	6	7.35	4	4.90	-	-	1	1.23	-	-	1	1.23	1	1.23
Saco.....	3	4.92	-	-	1	1.64	3	4.90	2	3.27	2	3.26	1	1.63
South Portland.....	4	6.17	3	4.51	1	1.46	-	-	-	-	-	-	3	3.99
Waterville.....	2	2.34	5	5.70	-	-	-	-	1	1.06	1	1.03	3	3.01
Westbrook.....	4	5.70	-	-	2	2.80	1	1.39	10	13.73	2	2.72	-	-
Total.....	75	3.47	128	5.86	117	5.29	94	4.21	66	2.92	59	2.58	42	1.82
State.....	174	2.55	276	4.03	240	3.49	152	2.20	155	2.23	127	1.82	115	1.64
State exclusive of cities.....	99	2.13	148	3.18	123	2.64	58	1.24	89	1.90	68	1.45	73	1.55

\* Portland includes Deering.

in the Cities and the State, 1896-1910.

	1903.	Death-rate per 10,000.	1904	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
2	1.49	3	2.30	1	0.72	4	2.86	6	4.24	6	4.19	2	1.38	2	1.33	54	2.71	
-	-	-	-	3	2.45	1	0.81	4	3.20	2	3.17	2	1.57	-	-	19	1.15	
-	-	3	1.31	-	-	5	2.13	5	2.10	1	0.42	1	0.41	1	0.40	38	1.13	
7	6.36	14	12.52	4	3.52	-	-	2	1.71	-	-	-	-	5	5.32	51	3.18	
-	-	1	1.95	-	-	1	1.86	-	-	-	-	1	1.90	1	2.16	10	1.36	
7	4.20	6	3.57	9	5.29	1	0.58	2	1.15	3	1.71	15	8.35	8	4.68	100	4.02	
-	-	3	5.89	-	-	2	3.83	-	-	2	3.74	-	-	-	-	12	1.61	
1	1.29	-	-	-	-	1	1.27	-	-	-	-	1	1.25	2	3.27	17	1.53	
-	-	-	-	-	-	-	-	-	-	4	7.10	4	7.05	4	8.06	20	2.49	
-	-	1	2.33	-	-	-	-	-	-	2	4.65	-	-	-	-	4	0.62	
2	3.63	-	-	-	-	1	1.82	1	1.82	-	-	2	3.63	-	-	20	2.42	
-	-	-	-	-	-	-	-	-	-	-	-	3	1.11	1	3.49	7	1.02	
5	2.05	7	2.85	2	0.81	2	0.80	6	2.38	10	3.94	6	2.34	10	3.81	192	5.36	
1	1.70	3	5.05	4	6.68	11	18.23	4	6.58	1	1.63	-	-	1	1.58	34	3.82	
9	1.71	18	3.36	10	1.85	13	2.36	7	1.24	11	1.92	13	2.23	9	1.54	277	3.63	
-	-	-	-	-	-	6	7.36	6	7.36	1	1.23	3	3.68	-	-	29	2.37	
1	1.63	1	1.63	1	1.63	-	-	1	1.62	1	1.62	1	1.62	1	1.52	19	2.06	
3	3.90	1	1.27	1	1.25	1	1.22	3	3.58	-	-	-	-	-	-	20	1.82	
5	4.91	5	4.80	5	4.69	3	2.75	7	6.29	4	3.52	2	1.74	3	2.62	46	2.96	
1	1.34	4	5.30	2	2.63	3	3.91	6	7.75	3	3.84	2	2.54	1	1.21	41	3.66	
44	1.88	70	2.96	42	1.75	55	2.27	60	2.46	51	2.08	58	2.34	49	1.99	1,010	2.93	
115	1.63	162	2.28	110	1.54	119	1.66	122	1.70	105	1.44	112	1.53	99	1.33	2,183	2.07	
71	1.51	92	1.95	68	1.44	64	1.36	62	1.31	54	1.12	54	1.12	50	1.01	1,173	1.66	

*Typhoid Fever.*—There were 149 deaths from typhoid fever. Of these, 92 were males and 57 were females. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value; 72 per cent. died between 10 and 50 years of age.

Ages: 1-5, 6; 5-10, 7; 10-20, 28; 20-30, 37; 30-40, 29; 40-50, 14; 50-60, 17; 60-70, 6; 70-80, 4; over 80, 1.

The largest number of deaths, 25, occurred in September, and the smallest number, 2, in February. By quarters, 24 were in the first quarter, 28 in the second, 54 in the third, and 43 in the last quarter of the year.

The typhoid death-rate of 2.85 in the cities is much greater than that in the villages and rural towns, which is 1.60. The rate for the State is 2.01.

The following exhibits the number of deaths from typhoid fever in each county, by months, with death-rate in each county:

### TYPHOID FEVER, 1910.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin...	3	—	1	1	—	1	1	1	2	1	1	1	13	2.17
Aroostook.....	—	1	1	—	—	1	—	—	3	2	5	—	13	1.74
Cumberland...	3	—	2	5	4	—	1	6	8	4	3	4	40	3.57
Franklin.....	—	—	—	1	—	—	—	—	—	—	1	1	3	1.57
Hancock.....	2	—	1	1	—	—	—	—	1	—	1	—	6	1.69
Kennebec.....	1	—	—	1	—	1	1	3	—	6	2	1	16	2.55
Knox.....	—	—	—	—	—	1	2	—	—	—	—	—	3	1.04
Lincoln.....	—	—	—	—	—	—	—	1	1	—	—	—	2	1.10
xford.....	1	1	—	1	—	—	—	—	1	—	—	—	4	1.10
Penobscot.....	2	—	1	2	3	1	2	3	3	—	—	2	19	2.23
Pscataquis....	—	—	1	—	—	—	—	—	—	—	—	—	1	0.50
Sagadahoc.....	—	—	1	—	—	—	—	—	1	—	—	—	2	1.08
Somerset.....	—	—	—	—	—	—	—	2	—	1	—	1	4	1.10
Waldo.....	1	—	—	—	—	—	1	—	1	—	1	—	4	1.71
Washington...	—	—	—	1	—	—	2	1	—	2	—	—	6	1.40
York.....	1	—	—	—	2	1	2	—	4	1	1	1	13	1.90
State.....	14	2	8	13	9	6	12	17	25	17	15	11	149	2.01

The following exhibits for the eighteen years 1893-1910 the distribution of deaths from typhoid fever by counties, months, and age-periods:

### TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1910.

By Counties.		By Months.		By Age-periods.	
Androscoggin.....	302	January.....	263	Under 1.....	21
Aroostook.....	306	February.....	228	1-5.....	130
Cumberland.....	494	March.....	292	5-10.....	195
Franklin.....	75	April.....	262	10-20.....	788
Hancock.....	134	May.....	230	20-30.....	1,037
Kennebec.....	346	June.....	184	30-40.....	512
Knox.....	85	July.....	172	40-50.....	328
Lincoln.....	58	August.....	279	50-60.....	189
Oxford.....	143	September.....	417	60-70.....	123
Penobscot.....	586	October.....	469	70-80.....	79
Piscataquis.....	66	November.....	333	Over 80.....	18
Sagadahoc.....	60	December.....	308	Not stated.....	24
Somerset.....	114	Not stated.....	7	Total.....	3,444
Waldo.....	73	Total.....	3,444		
Washington.....	185				
York.....	417				
State.....	3,444				

The following table shows the number of deaths from typhoid fever in each of the cities in each year from 1896 to 1910, the typhoid death-rate of each city based upon the estimated population of each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

## Deaths and Death-Rates From Typhoid

CITIES.	1896.		1897.		1898.		1899.		1900.		1901.		1902.	
	Number	Death-rate per 10,000.	Number	Death-rate per 10,000.	Number	Death-rate per 10,000.	Number	Death-rate per 10,000.	Number	Death-rate per 10,000.	Number	Death-rate per 10,000.	Number	Death-rate per 10,000.
Auburn.....	5	4.07	1	0.80	3	2.38	5	3.91	4	3.09	-	-	1	0.75
Augusta.....	5	4.46	5	4.41	19	16.59	8	6.92	4	3.42	9	7.63	4	3.36
Bangor.....	8	3.86	8	3.80	7	3.29	15	6.95	4	1.83	24	10.85	7	3.12
Bath.....	2	2.05	-	-	1	0.99	-	-	1	0.95	1	0.94	2	1.85
Belfast.....	1	2.05	-	-	1	2.10	1	2.14	-	-	-	-	-	-
Biddeford.....	17	10.99	8	5.12	6	3.80	5	3.13	16	9.91	19	11.65	10	6.07
Brewer.....	2	4.37	1	2.15	-	-	4	8.38	1	2.07	7	14.29	1	2.01
Calais.....	7	9.32	-	-	-	-	4	5.25	2	2.61	3	3.90	3	3.88
Eastport.....	-	-	1	1.92	3	5.74	1	1.90	-	-	2	3.74	1	1.85
Ellsworth.....	2	4.44	5	11.24	3	6.82	-	-	2	4.65	-	-	2	4.65
Gardiner.....	1	1.82	2	3.63	2	3.64	2	3.64	1	1.82	2	3.64	1	1.82
Hallowell.....	2	6.81	1	3.50	1	3.56	-	-	-	-	4	14.73	2	7.37
Lewiston.....	11	4.80	14	6.05	17	7.28	24	10.19	15	6.31	13	5.42	2	0.83
Old Town.....	2	3.58	1	1.78	3	5.29	2	3.50	3	5.21	7	12.05	5	8.54
* Portland.....	15	3.21	12	2.52	37	7.63	13	2.64	19	3.79	15	2.94	15	2.89
Rockland.....	-	-	1	1.23	5	6.13	1	1.23	1	1.23	1	1.23	1	1.23
Saco.....	9	14.75	3	4.91	3	4.91	4	6.54	6	9.80	5	8.16	4	6.52
South Portland....	3	4.62	6	9.01	2	2.93	2	2.86	-	-	-	-	1	1.33
Waterville.....	-	-	3	3.96	2	2.22	3	3.25	2	2.11	7	7.20	7	7.03
Westbrook.....	2	2.82	-	-	4	5.59	2	2.77	1	1.37	1	1.36	2	2.70
Total.....	94	4.35	72	3.29	119	5.38	96	4.16	82	3.68	120	5.25	71	3.07
State.....	204	3.00	167	2.44	226	3.29	206	2.98	196	2.82	224	3.21	162	2.31
State exclusive of cities.....	110	2.37	95	2.04	107	2.29	110	2.42	114	2.43	104	2.22	91	1.94

\* Portland includes Deering.

*Malarial Diseases.*—Hitherto every year a few deaths have been reported to the department as having been caused by malaria, or malarial disease. Almost without exception when there was good reason to believe that the deaths had malarial cause, the infection was contracted outside the State. For the year 1910, no deaths were reported as having been caused by malaria.

## Fever in the Cities and the State, 1896-1910.

1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
1	0.74	1	0.73	2	1.45	-	-	-	-	2	1.40	-	-	3	1.99	28	1.42
29	24.11	5	4.12	6	4.89	7	5.66	3	2.40	5	3.96	3	2.35	4	3.03	116	6.49
10	4.41	39	16.99	17	7.32	10	4.26	7	2.94	7	2.90	9	3.70	8	3.23	180	5.30
1	0.91	2	1.79	1	0.88	-	-	2	1.71	-	-	-	-	1	1.06	14	0.87
1	2.00	2	3.91	1	1.91	-	-	-	-	-	-	1	1.90	2	4.33	10	1.09
8	4.80	10	5.94	13	7.65	3	1.75	3	1.73	-	-	4	2.26	3	1.86	125	5.11
-	-	3	5.89	1	1.94	1	1.92	2	3.78	2	3.74	1	1.85	2	4.14	28	3.77
2	2.58	-	-	3	3.83	4	5.08	6	7.59	2	2.52	3	3.76	-	-	39	3.35
1	1.84	-	-	-	-	1	1.80	-	-	-	-	-	-	-	-	10	1.25
2	4.65	1	2.33	-	-	-	-	-	-	1	2.33	2	4.65	1	2.82	21	3.24
1	1.82	-	-	-	-	-	-	-	-	-	-	1	1.82	-	-	13	1.58
1	3.68	1	3.68	-	-	-	-	2	7.36	-	-	1	3.68	-	-	15	3.62
3	1.23	9	3.66	8	3.23	8	3.20	5	1.91	8	3.15	1	0.39	2	0.76	140	3.89
9	15.26	19	31.97	5	8.35	6	9.94	8	13.16	6	9.80	3	4.86	3	4.75	82	9.20
17	3.23	16	2.99	14	2.58	9	1.63	11	1.96	22	4.01	15	2.58	31	5.29	261	3.33
1	1.23	2	2.45	1	1.23	3	3.68	1	1.23	-	-	3	3.67	-	-	21	1.80
5	8.15	5	8.14	2	3.25	-	-	-	-	-	-	-	-	-	-	46	5.01
3	3.90	1	1.27	1	1.25	-	-	-	-	2	2.79	-	-	2	2.68	23	2.11
17	16.69	2	1.92	2	1.87	-	-	1	0.90	3	2.64	1	0.87	6	5.24	56	3.73
3	4.01	3	3.98	2	2.63	-	-	-	-	1	1.28	-	-	2	2.42	23	2.06
115	4.91	121	5.11	79	3.30	52	2.15	51	2.08	61	2.48	48	1.93	70	2.85	1,251	3.60
225	3.18	242	3.41	156	2.18	133	1.85	124	1.73	151	2.08	110	1.51	149	2.01	2,675	2.53
110	2.34	121	2.57	77	1.63	81	1.72	73	1.54	90	1.88	62	1.28	79	1.60	1,424	2.02

*Tuberculosis.*—In 1910, tuberculosis in its various forms was the cause of 1,117 deaths (1,513 in 1892, 1,446 in 1893, 1,443 in 1894, 1,397 in 1895, 1,359 in 1896, 1,338 in 1897, 1,239 in 1898, 1,241 in 1899, 1,223 in 1900, 1,250 in 1901, 1,165 in 1902, 1,076 in 1903, 1,217 in 1904, 1,109 in 1905, 1,176 in 1906, 1,214 in 1907, 1,145 in 1908, and 1,059 in 1909). The death-rate per 10,000 from this cause was 15.05.

The following table shows the number of deaths from tuberculosis in each of the cities in each year from 1896 to 1910, the tuberculosis death-rate of each city based upon the estimated

### Deaths and Death-Rates from Tuberculosis

CITIES.	1896.	Death-rate per 10,000.	1897.	Death-rate per 10,000.	1898.	Death-rate per 10,000.	1899.	Death-rate per 10,000.	1900.	Death-rate per 10,000.	1901.	Death-rate per 10,000.	1902.	Death-rate per 10,000.
	Auburn.....	26	21.19	22	17.68	24	19.03	15	11.74	20	15.44	21	16.00	8
Augusta.....	30	26.74	19	16.76	22	19.21	20	17.29	21	17.97	22	18.65	18	15.11
Bangor.....	43	20.72	49	23.30	43	20.19	50	23.17	34	15.56	51	23.05	48	21.43
Bath.....	14	14.32	22	22.12	20	19.75	11	10.68	22	21.00	31	29.10	19	17.55
Belfast.....	16	32.74	9	18.68	5	10.52	5	10.68	12	26.00	9	18.98	11	22.60
Biddeford.....	34	21.99	33	21.11	27	17.08	34	21.28	28	17.34	38	23.29	37	22.44
Brewer.....	14	30.58	19	40.94	10	21.24	15	31.44	18	37.23	15	30.62	7	14.10
Calais.....	22	29.30	14	18.55	11	14.51	16	21.00	19	24.82	24	31.20	12	15.52
Eastport.....	-	-	10	19.27	8	15.30	19	36.05	13	24.48	17	31.77	9	16.69
Ellsworth.....	8	17.78	12	26.97	7	15.92	9	20.70	5	11.64	8	18.62	5	11.64
Gardiner.....	11	20.01	15	27.28	5	9.09	11	20.00	9	16.36	8	14.54	11	19.99
Hallowell.....	7	24.13	13	45.55	4	14.25	7	25.35	11	40.53	7	25.79	6	22.11
Lewiston.....	45	19.62	75	32.41	60	25.70	50	21.23	45	18.94	33	13.77	51	21.10
Old Town.....	16	28.66	17	30.21	9	15.86	9	15.74	11	19.09	10	17.22	14	23.92
*Portland.....	103	22.01	109	22.88	113	23.31	107	21.70	109	21.74	124	24.32	120	23.16
Rockland.....	17	20.83	18	22.07	19	23.30	11	13.49	18	22.09	18	22.09	15	18.40
Saco.....	9	14.75	13	21.28	9	14.72	13	21.25	9	14.70	10	16.32	7	11.42
South Portland.....	7	10.79	13	19.52	9	13.18	9	12.85	13	18.12	11	14.97	9	11.97
Waterville.....	16	18.76	28	31.94	20	22.21	21	22.73	15	15.83	13	13.38	9	9.04
Westbrook.....	14	19.93	10	14.11	19	26.56	18	24.94	16	21.97	22	29.94	11	14.84
Total.....	452	20.91	520	23.79	444	20.09	450	20.14	448	19.83	492	21.52	427	18.45
State.....	1359	19.95	1338	19.55	1239	18.01	1241	17.96	1223	17.61	1250	17.90	1165	16.58
State exclusive of cities.....	907	19.51	818	17.56	795	17.03	791	16.91	775	16.54	758	16.16	738	15.71

\* Portland includes Deering.



population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

(all kinds) in the Cities and the State, 1896-1910.

1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
18	13.37	20	14.67	17	12.32	18	12.88	28	19.80	17	11.88	21	14.51	19	12.61	294	14.61
20	16.63	22	18.11	22	17.94	18	14.54	20	16.01	24	19.03	33	25.83	32	24.22	343	18.94
37	16.31	58	25.27	51	21.96	48	20.43	54	22.71	47	19.54	60	24.67	55	22.17	728	21.37
13	11.80	15	13.42	20	17.61	11	9.54	9	7.69	14	11.79	10	8.29	14	14.90	245	15.30
12	24.03	10	19.53	8	15.25	6	11.17	7	12.73	9	17.14	5	9.52	10	21.65	134	18.08
37	22.21	39	23.18	29	17.06	45	26.21	38	21.92	49	27.96	34	19.19	42	24.59	544	21.79
11	21.88	16	31.42	21	40.73	18	34.48	14	26.50	4	7.48	10	18.48	12	21.18	204	27.22
13	16.74	14	17.95	17	21.69	12	15.24	14	17.70	13	16.36	10	12.53	15	24.53	226	19.84
10	18.41	10	18.27	13	23.58	13	23.41	10	17.88	8	14.20	17	29.97	17	34.27	174	21.57
7	16.29	3	6.98	5	11.64	8	18.62	3	6.98	6	13.97	7	12.34	5	14.09	98	14.95
8	14.53	8	14.53	7	12.71	5	9.08	14	25.42	12	21.78	11	19.96	7	13.18	142	17.23
8	29.48	3	11.05	8	29.48	9	33.16	8	29.48	8	29.48	6	22.11	4	13.97	109	26.39
28	11.49	41	16.68	42	16.94	58	23.20	57	22.62	52	20.47	36	14.05	52	19.81	725	19.87
14	23.74	16	26.92	19	31.72	17	28.17	14	23.03	18	29.40	11	17.83	12	19.00	207	23.37
98	18.61	102	19.07	100	18.41	101	18.31	104	18.57	104	18.13	105	18.04	76	12.98	1,575	20.08
23	28.22	20	24.54	18	22.09	12	14.72	16	19.63	13	15.95	7	8.59	8	9.79	233	19.05
8	13.04	12	19.54	13	21.15	8	13.01	12	19.49	7	11.36	6	9.73	7	10.63	143	15.49
12	15.61	15	19.08	9	11.21	13	15.85	11	13.14	7	9.76	7	11.13	19	25.43	164	14.84
18	17.67	19	18.23	16	15.01	17	15.60	23	20.65	16	14.07	15	13.03	27	23.56	273	18.11
10	13.37	11	14.58	10	13.14	12	15.64	10	12.92	12	15.38	10	12.71	15	18.11	200	17.88
405	17.30	454	19.17	445	18.57	449	18.53	466	19.01	440	17.91	421	16.96	448	18.24	6,761	19.36
1076	15.23	1217	17.13	1109	15.52	1176	16.36	1214	16.91	1145	15.75	1059	14.49	1117	15.05	17928	16.93
671	14.27	763	16.20	664	14.08	727	15.40	748	15.82	705	14.65	638	13.22	669	13.47	11167	15.77

*Cerebral Tuberculosis.*—(Tubercular Meningitis.)—The number of deaths was 89; 42 were of males and 47 of females.

The number for the cities was 35. The death-rate for the State was 1.20; for the cities, 1.42.

Ages: Under 1, 21; 1-5, 27; 5-10, 15; 10-20, 10; 20-30, 8; 30-40, 2; 40-50, 0; 50-60, 4; over 60, 2.

*Pulmonary Tuberculosis.*—(Consumption.)—From this cause 889 deaths were registered in 1910, which is equivalent to a death-rate of 11.98 per 10,000 of population. The death-rate for the cities was 14.45. The following is a tabular arrangement of the number of deaths in the State from pulmonary tuberculosis in each of the nineteen registration years, together with the death-rate from consumption for each year:

	Number of Deaths.	Death-rate per 10,000
1892 .....	1,352 .....	20.24
1893 .....	1,299 .....	19.35
1894 .....	1,262 .....	18.80
1895 .....	1,195 .....	17.71
1896 .....	1,172 .....	17.21
1897 .....	1,128 .....	16.47
1898 .....	1,021 .....	14.85
1899 .....	1,015 .....	14.69
1900 .....	1,027 .....	14.79
1901 .....	1,033 .....	14.87
1902 .....	970 .....	13.97
1903 .....	901 .....	12.97
1904 .....	1,016 .....	14.63
1905 .....	894 .....	12.50
1906 .....	915 .....	12.73
1907 .....	950 .....	13.14
1908 .....	893 .....	12.29
1909 .....	830 .....	11.36
1910 .....	889 .....	11.98

There were in 1910, 463 fewer deaths than in 1892, 410 fewer than in 1893, 373 fewer than in 1894, 306 fewer than in 1895, 283 fewer than in 1896, 239 fewer than in 1897, 132 fewer than in 1898, 126 fewer than in 1899, 138 fewer than in 1900, 144 fewer than in 1901, 81 fewer than in 1902, 12 fewer than in 1903, 127 fewer than in 1904, 5 fewer than in 1905, 26 fewer than in 1906, 61 fewer than in 1907, 4 fewer than in 1908, and 59 more than in 1909.

Ages: Under 1, 8; 1-5, 7; 5-10, 6; 10-20, 91; 20-30, 237; 30-40, 174; 40-50, 136; 50-60, 112; 60-70, 64; 70-80, 42; 80 and over, 12.

It is thus shown in this report, as it was in the majority of the preceding reports, that the smallest number of deaths occurred at the age-period 5-10 years, and that, of the decedents whose ages were given, 72 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 450 of the decedents, or 50.6 per cent., were males; and 439, or 49.4 per cent., were females.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

**CONSUMPTION BY COUNTIES AND MONTHS, 1910.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin . . . . .	10	3	7	10	6	6	8	8	4	2	8	5	-	77	12.87
Aroostook . . . . .	6	5	3	7	7	5	6	8	5	7	9	10	-	78	10.45
Cumberland . . . . .	10	13	11	17	6	10	13	9	6	10	11	13	-	129	11.52
Franklin . . . . .	2	1	1	1	3	1	-	1	3	1	-	-	1	15	7.85
Hancock . . . . .	6	1	3	2	3	4	7	3	-	3	1	2	-	35	9.84
Kennebec . . . . .	9	9	7	10	11	8	14	3	7	6	6	6	-	96	15.27
Knox . . . . .	6	6	2	3	7	4	4	2	3	3	2	3	-	45	15.53
Lincoln . . . . .	1	-	1	3	3	-	2	1	-	-	3	2	-	16	8.78
Oxford . . . . .	1	2	-	4	2	6	2	2	2	2	5	6	-	34	9.38
Penobscot . . . . .	10	7	16	16	7	12	11	9	3	8	8	4	-	111	13.02
Piscataquis . . . . .	5	3	3	1	1	2	2	3	2	1	4	1	-	28	14.08
Sagadahoc . . . . .	3	2	2	1	4	2	2	2	-	2	1	2	-	23	12.38
Somerset . . . . .	2	1	6	6	6	2	2	3	5	2	1	2	-	38	10.47
Waldo . . . . .	1	1	3	6	-	3	5	5	1	1	1	1	-	28	11.97
Washington . . . . .	3	5	7	12	6	4	8	5	5	7	-	5	-	67	15.62
York . . . . .	1	6	7	3	7	5	6	9	6	6	5	8	-	69	10.07
State . . . . .	76	65	79	102	79	74	92	73	52	61	65	70	1	889	11.98

The following table shows the deaths from pulmonary tuberculosis arranged according to sex and age-periods:

**CONSUMPTION BY SEX AND AGE-PERIODS, 1910.**

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Total.
Males . . . . .	7	5	2	42	111	78	69	67	32	33	4	450
Females . . . . .	1	2	4	49	126	96	67	45	32	9	8	439
Total . . . . .	8	7	6	91	237	174	136	112	64	42	12	889

For the eighteen years 1893-1910, the distribution of deaths from pulmonary tuberculosis is shown by counties, months, and age-periods in the following table:

### CONSUMPTION BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1910.

By Counties.	By Months.	By Age-periods.
Androscoggin . . . . . 1,430	January . . . . . 1,553	Under 1 . . . . . 269
Aroostook . . . . . 1,260	February . . . . . 1,547	1-5 . . . . . 265
Cumberland . . . . . 2,687	March . . . . . 1,858	5-10 . . . . . 165
Franklin . . . . . 420	April . . . . . 1,802	10-20 . . . . . 2,168
Hancock . . . . . 966	May . . . . . 1,770	20-30 . . . . . 5,303
Kennebec . . . . . 1,671	June . . . . . 1,549	30-40 . . . . . 3,499
Knox . . . . . 907	July . . . . . 1,488	40-50 . . . . . 2,233
Lincoln . . . . . 489	August . . . . . 1,379	50-60 . . . . . 1,711
Oxford . . . . . 694	September . . . . . 1,269	60-70 . . . . . 1,449
Penobscot . . . . . 2,198	October . . . . . 1,380	70-80 . . . . . 1,001
Piscataquis . . . . . 417	November . . . . . 1,315	Over 80 . . . . . 274
Sagadahoc . . . . . 496	December . . . . . 1,483	Not stated . . . . . 73
Somerset . . . . . 920	Not stated . . . . . 17	Total . . . . . 18,410
Waldo . . . . . 729	Total . . . . . 18,410	
Washington . . . . . 1,368		
York . . . . . 1,758		
State . . . . . 18,410		

The following table shows the number of deaths from pulmonary tuberculosis in each of the cities in each year from 1896 to 1910, the death-rate from this disease for each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

## Deaths, and Death-Rates from Pulmonary Tuberculosis

CITIES.	1896.		1897.		1898.		1899.		1900.		1901.		1902.	
	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.
Auburn.....	19	15.48	21	16.88	21	16.65	12	9.39	17	13.13	14	10.67	7	5.27
Augusta.....	25	22.28	14	12.35	19	16.59	16	13.83	18	15.41	20	16.95	14	11.75
Bangor.....	35	16.87	38	18.07	32	15.02	40	18.54	28	12.81	36	16.27	40	17.86
Bath.....	13	13.30	17	17.09	18	17.78	6	5.82	19	18.13	29	27.22	13	12.01
Belfast.....	12	24.55	8	16.60	5	10.52	5	10.68	11	23.84	8	16.87	7	14.38
Biddeford.....	27	17.46	32	20.47	24	15.19	30	18.78	26	16.10	34	20.84	35	21.23
Brewer.....	10	21.84	16	34.47	7	14.87	14	29.34	12	24.82	12	29.49	5	10.07
Calais.....	20	26.63	10	13.25	9	11.87	15	19.69	14	18.29	20	26.00	10	12.93
Eastport.....	-	-	9	17.34	7	13.38	17	32.25	12	22.59	15	28.03	9	16.69
Ellsworth.....	7	15.56	12	26.97	7	15.92	8	18.40	5	11.64	8	18.62	5	11.64
Gardiner.....	10	18.19	12	21.83	5	9.09	7	12.73	8	14.54	5	9.09	9	16.35
Hallowell.....	5	17.24	11	38.54	3	10.69	5	18.11	10	36.85	7	25.79	5	18.42
Lewiston.....	36	15.70	56	24.20	46	19.70	34	14.43	40	16.83	25	10.43	46	19.03
Old Town.....	11	19.71	17	30.21	7	12.34	9	15.74	10	17.35	9	15.50	10	17.09
*Portland.....	79	16.88	82	17.21	90	18.57	87	17.64	82	16.35	101	19.81	88	16.98
Rockland.....	15	18.38	14	17.16	13	15.94	6	7.36	17	20.86	17	20.85	15	18.40
Saco.....	7	11.47	11	18.01	7	11.45	10	16.35	9	14.70	7	11.42	3	4.89
South Portland....	6	9.25	10	15.02	5	7.32	8	11.42	9	12.55	11	14.97	8	10.64
Waterville.....	9	10.55	24	27.38	14	15.55	19	20.56	14	14.77	10	10.30	7	7.03
Westbrook.....	10	14.24	10	14.11	13	18.17	15	20.78	14	19.22	17	23.14	8	10.79
Total.....	356	16.47	424	19.40	352	15.93	363	16.24	375	16.60	405	17.71	344	14.87
State.....	1172	17.21	1128	16.48	1021	14.84	1015	14.69	1027	14.79	1033	14.71	970	13.81
State exclusive of cities.....	816	17.55	704	15.11	669	14.33	652	13.94	652	13.92	628	13.39	626	13.33

\* Portland includes Deering.

**in the Cities and in the State, 1896-1910.**

1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
14	10.40	13	9.53	12	8.69	14	10.02	20	14.14	15	10.48	17	11.74	15	9.96	231	11.49
16	13.30	21	17.29	21	17.13	15	12.12	18	14.41	19	15.07	30	23.48	28	21.19	294	16.21
31	13.67	47	20.48	39	16.79	35	14.89	40	16.82	36	14.97	45	18.50	41	16.53	563	16.54
13	11.80	11	9.84	19	16.73	8	6.94	6	5.13	12	10.10	9	7.47	12	12.77	205	12.81
10	20.02	7	13.67	8	15.25	4	7.44	6	10.91	9	17.14	4	7.62	8	17.32	112	14.17
31	18.61	36	21.40	20	11.77	31	18.06	31	17.88	37	21.11	26	14.68	34	19.91	454	18.23
8	15.91	14	27.49	16	31.03	11	21.07	10	18.93	3	5.61	8	14.78	11	19.41	157	21.28
9	11.59	10	12.82	16	20.41	12	15.24	10	12.64	12	15.10	9	11.28	12	19.62	188	16.49
7	12.89	7	12.79	12	21.77	11	19.81	10	17.88	4	7.10	14	24.68	15	30.24	149	18.50
7	16.20	2	4.65	4	9.31	6	13.96	3	6.98	5	11.64	5	11.64	3	8.45	87	13.44
7	12.72	8	14.53	7	12.71	3	5.45	11	19.98	6	10.89	9	16.33	6	11.30	113	13.72
7	25.79	3	11.05	8	29.48	8	29.48	7	25.79	8	29.48	5	18.42	4	13.97	96	23.27
21	8.61	33	13.42	31	12.51	43	17.20	43	17.06	38	14.96	26	10.15	39	14.86	557	15.27
10	16.95	14	23.56	18	30.06	13	21.54	14	23.03	11	17.97	9	14.59	8	12.66	170	19.22
80	15.19	82	15.33	77	14.17	77	13.96	78	13.93	68	11.85	78	13.40	63	12.56	1,212	15.59
20	24.54	16	19.63	18	22.09	10	12.27	14	17.18	10	12.27	3	3.68	6	7.34	194	15.86
8	13.04	10	16.28	12	19.52	8	13.01	11	17.87	4	6.49	5	8.11	2	3.04	114	12.38
9	11.71	13	16.54	2	2.49	11	13.41	8	9.55	6	8.36	4	6.36	13	17.40	123	11.13
16	15.70	15	14.39	14	13.13	15	13.76	17	15.27	12	10.55	12	10.43	24	20.95	222	14.69
9	12.04	11	14.58	8	10.51	12	15.64	8	10.34	10	12.81	9	11.44	11	13.28	165	14.61
333	14.22	373	15.75	362	15.11	347	14.32	365	14.99	325	13.22	327	13.18	355	14.45	5,406	15.50
901	12.75	1016	14.30	894	12.51	915	12.73	950	13.14	893	12.29	830	11.36	889	11.98	14,654	13.84
568	12.08	643	13.65	532	11.28	568	12.03	585	12.37	568	11.81	503	10.42	534	10.75	9,248	13.06

*Tuberculosis Mesenteric.*—There were 60 deaths from this cause, 23 males and 37 females.

Ages: Under 1, 3; 1-5, 2; 5-10, 3; 10-20, 6; 20-40, 20; 40-60, 16; over 60, 10.

*Acute Miliary Tuberculosis.*—There were 11 deaths from this cause, 6 males and 5 females.

Ages: Under 1, 1; 1-5, 1; 20-30, 4; 30-40, 3; over 40, 2.

*Tuberculosis, Other Forms.*—Of these deaths, 68 in all, the cause assigned was: General tuberculosis, 40; tuberculosis of kidneys, 3; tuberculosis of bladder, 2; tuberculosis of bones, 2; tuberculosis of glands, 2; tuberculosis of hip, 2; tuberculosis of thigh, 1; Pott's disease, 9; white swelling, 7.

There were 27 deaths from erysipelas; 34 from pyemia and septicemia, and 50 from puerperal fever—giving a special death-rate of 1.50. The following shows the distribution of puerperal fever by months and counties:

January	2	Androscoggin	11
February	9	Aroostook	4
March	5	Cumberland	7
April	10	Franklin	1
May	3	Hancock	0
June	1	Kennebec	4
July	4	Knox	1
August	2	Lincoln	2
September	2	Oxford	1
October	2	Penobscot	9
November	2	Piscataquis	3
December	8	Sagadahoc	2
		Somerset	3
Total	50	Waldo	0
		Washington	1
		York	1
		Total	50

Twenty-nine deaths were returned under alcoholism. The special death-rate from alcoholism was 0.39.

*Rheumatism.*—The returns give 56 deaths from this cause, (68 in 1892, 46 in 1893, 66 in 1894, 56 in 1895, 44 in 1896, 42 in 1897, 57 in 1898, 56 in 1899, 56 in 1900, 53 in 1901, 45 in 1902, 58 in 1903, 60 in 1904, 60 in 1905, 54 in 1906, 47 in 1907, 47 in 1908, and 45 in 1909), 26 males and 30 females. Twenty-two of these deaths were in the cities. The special death-rate



for this disease was, therefore, 0.75, and that in the cities was 0.90. The following shows the deaths from this cause arranged by counties, months, and age-groups:

### RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS, 1910.

By Counties.	By Months.	By Age-periods.
Androscoggin..... 7	January..... 5	Under 1..... 1
Aroostook..... 3	February..... 7	1-5..... 1
Cumberland..... 6	March..... 2	5-10..... 2
Franklin..... 2	April..... 7	10-20..... 8
Hancock..... -	May..... 7	20-30..... 1
Kennebec..... 4	June..... 4	30-40..... 2
Knox..... 2	July..... 7	40-50..... 6
Lincoln..... 6	August..... 2	50-60..... 12
Oxford..... 4	September..... 3	60-70..... 3
Penobscot..... 5	October..... 4	70-80..... 13
Piscataquis..... 2	November..... 4	Over 80..... 7
Sagadahoc..... -	December..... 4	Total..... 56
Somerset..... 4	Total..... 56	
Waldo..... 1		
Washington..... 2		
York..... 8		
State..... 56		

The following shows the distribution of deaths from rheumatism by counties, months, and age-groups for the eighteen years, 1893-1910:

## RHEUMATISM BY COUNTIES, MONTHS, AND AGE PERIODS, 1893-1910.

By Counties.	By Months.	By Age-periods.
Androscoggin . . . . . 54	January . . . . . 90	Under 1 . . . . . 5
Aroostook . . . . . 57	February . . . . . 105	1-5 . . . . . 18
Cumberland . . . . . 139	March . . . . . 80	5-10 . . . . . 32
Franklin . . . . . 21	April . . . . . 66	10-20 . . . . . 80
Hancock . . . . . 44	May . . . . . 95	20-30 . . . . . 57
Kennebec . . . . . 84	June . . . . . 52	30-40 . . . . . 63
Knox . . . . . 46	July . . . . . 77	40-50 . . . . . 79
Lincoln . . . . . 34	August . . . . . 73	50-60 . . . . . 128
Oxford . . . . . 58	September . . . . . 59	60-70 . . . . . 197
Penobscot . . . . . 113	October . . . . . 65	70-80 . . . . . 207
Piscataquis . . . . . 32	November . . . . . 90	Over 80 . . . . . 80
Sagadahoc . . . . . 30	December . . . . . 94	Not stated . . . . . 3
Somerset . . . . . 54	Not stated . . . . . 3	Total . . . . . 949
Waldo . . . . . 40	Total . . . . . 949	
Washington . . . . . 50		
York . . . . . 93		
State . . . . . 949		

*Cancer.*—From cancer in its various forms and locations there were 762 deaths (404 in 1892, 433 in 1893, 474 in 1894, 480 in 1895, 518 in 1896, 463 in 1897, 531 in 1898, 541 in 1899, 526 in 1900, 570 in 1901, 615 in 1902, 598 in 1903, 611 in 1904, 662 in 1905, 617 in 1906, 737 in 1907, 710 in 1908, and 727 in 1909). Of the decedents, 260 were males and 502 were females. The cancer death-rate for the State was 10.26.

Distributed as to its more frequent locations, there died of cancer of the stomach, 188; peritoneum and intestines, 109; female genital organs, 105; liver, 100; breast, 77; skin, 38; buccal cavity, 20; abdomen, 17; neck, 10; pelvis, 7; kidneys, 6; bladder, 5; lungs, 5; pancreas, 5; prostate, 4; throat, 4; groin, 3; shoulder, 3; thigh, 3; chest, 3; arm, 3; glands, 3; eye, 2; heart, 2; hip, 2; larynx, 2; spine, 2; spleen, 2; unspecified, 23.

The deaths from cancer, arranged by sex and age-periods of the decedents, are exhibited in the following:

**CANCER BY SEX AND AGE PERIODS, 1910.**

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Total.
Males.....	1	-	-	2	4	5	25	51	68	78	26	260
Females.....	-	-	-	1	8	29	81	98	116	125	44	502
Total.....	1	-	-	3	12	34	106	149	184	203	70	762

The distribution of cancer by counties and age-groups and the special death-rate for each county are shown in the following for 1910, and for the eighteen years, 1893-1910:

**CANCER, 1910 AND 1893-1910.**

COUNTIES.	1910.		1893-1910.		AGE-GROUPS.	Number of deaths.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.		1910.	1893-1910.
Androscoggin.....	55	9.19	820	7.62	Under 1 year.....	1	13
Aroostook.....	31	4.15	397	2.96	From 1-5 years ..	-	16
Cumberland.....	141	12.59	1,870	9.28	“ 5-10 “ ..	-	12
Franklin.....	20	10.46	325	9.44	“ 10-20 “ ..	3	42
Hancock.....	38	10.68	539	8.42	“ 20-30 “ ..	12	145
Kennebec.....	74	11.77	978	8.64	“ 30-40 “ ..	34	549
Knox.....	36	12.42	511	9.80	“ 40-50 “ ..	106	1,324
Lincoln.....	19	10.43	352	10.74	“ 50-60 “ ..	149	2,205
Oxford.....	32	8.83	488	7.48	“ 60-70 “ ..	184	2,820
Penobscot.....	82	9.55	1,135	7.39	“ 70-80 “ ..	203	2,477
Piscataquis.....	27	13.58	223	6.67	Over 80 years.....	70	928
Sagadahoc.....	19	10.23	317	9.48	Not stated.....	-	44
Somerset.....	36	9.92	533	8.16	Total.....	762	10,575
Waldo.....	25	10.69	390	9.27			
Washington.....	40	9.32	574	7.43			
York.....	87	12.70	1,123	9.10			
State.....	762	10.26	10,575	7.91			

**CANCER, 1900-1910.**

	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	Total.
Cancer of buccal cavity.	14	20	19	19	29	25	29	28	30	28	29	270
Cancer of stomach and liver.	208	206	249	220	238	273	215	288	266	286	288	2,737
Cancer of the peritoneum, intestines and rectum.	56	64	61	75	76	76	101	101	99	97	109	915
Cancer of female genital organs.	74	91	98	91	78	100	92	116	100	108	105	1,053
Cancer of breast.	45	49	63	54	57	51	49	70	64	62	77	641
Cancer of skin.	18	31	31	21	27	24	30	33	42	39	38	334
Cancer of other organs, and of organs not specified.	111	109	94	118	106	113	101	101	109	107	116	1,185
Cancer totals.	526	570	615	598	611	662	617	737	710	727	762	7,135

*Diabetes.*—The deaths from this cause numbered 127 (55 in 1892, 65 in 1893, 71 in 1894, 77 in 1895, 67 in 1896, 95 in 1897, 88 in 1898, 95 in 1899, 74 in 1900, 87 in 1901, 83 in 1902, 92 in 1903, 91 in 1904, 115 in 1905, 121 in 1906, 107 in 1907, 116 in 1908, and 129 in 1909). The special death-rate from diabetes was, therefore, 1.72 in 1910. Sixty of the decedents were males and 67 were females.

*Ages:* 1-5, 3; 5-10, 4; 10-20, 4; 20-30, 9; 30-40, 8; 40-50, 8; 50-60, 22; 60-70, 35; 70-80, 32; 80-90, 2.

*Old Age.*—There were registered 662 deaths as due to old age, 289 men and 373 women, the old age limit not including any persons who died at an age lower than 60 years. Of these decedents, 13 were from 60 to 70 years of age; 161 were from 70 to 80; 359 were from 80 to 90; 125 were from 90 to 100; while 3 were over 100 years of age, and 1 was not stated.

From Table No. 34, however, it will be seen that the whole number of persons who died at the ages between 60 and 100 years or more was 5,711, or one death in every four and one-half was of a person who was between 60 and 100 years of age or older.

The following shows the number of deaths in each county of persons 60 years of age and over, and the death-rate per 10,000 of the population at all ages.

COUNTIES.	Deaths.	Rate per 10,000.	COUNTIES.	Deaths.	Rate per 10,000.
Androscoggin .....	438	73.22	Oxford.....	290	79.99
Aroostook .....	254	34.02	Penobscot.....	601	70.47
Cumberland.....	888	79.28	Piscataquis.....	132	66.38
Franklin.....	136	71.13	Sagadahoc.....	191	102.83
Hancock.....	324	91.08	Somerset.....	275	75.76
Kennebec.....	569	90.51	Waldo.....	260	111.19
Knox.....	262	90.40	Washington.....	287	66.89
Lincoln.....	200	109.79	York.....	604	88.14

*Centenarians.*—Among the persons whose decease occurred in 1910, three women had exceeded the age of 100 years. Their names, together with a few facts relating to the life history of each, are as follows:

May 5, Mary McKeague died at Westbrook, at the age of 103 years, 9 months, and 21 days. She was born in Londonderry, Ireland. Her father, whose name was Gordon and her mother, whose maiden name was Thomas, were both natives of Ireland.

May 5, Mary Sawyer died at Skowhegan, at the age of 100 years, 1 month and 21 days. She was born at Madison. Her father's name was Isaac Robbins. Maiden name of mother was not known. Birthplace of parents not given.

March 18, Lucinda Ayer died at Milford, at the age of 100 years. She was born at Argyle. Her father, whose name was John Spencer was a native of Argyle. No information received about her mother.

*Diseases of the Nervous System and of Organs of Special Sense.*—The number of deaths registered under the causes included in this group was 1,672 (1,459 in 1892, 1,451 in 1893, 1,543 in 1894, 1,585 in 1895, 1,520 in 1896, 1,661 in 1897, 1,607 in 1898, 1,728 in 1899, 1,652 in 1900, 1,615 in 1901, 1,600 in 1902, 1,641 in 1903, 1,578 in 1904, 1,648 in 1905, 1,524 in 1906, 1,731 in 1907, 1,624 in 1908, and 1,543 in 1909), or 22.52 to every 10,000 of population.

*Inflammation of the Brain or Membranes.*—The number of deaths was 149 (236 in 1892, 263 in 1893, 286 in 1894, 261 in 1895, 242 in 1896, 327 in 1897, 272 in 1898, 273 in 1899, 251 in 1900, 264 in 1901, 211 in 1902, 243 in 1903, 212 in 1904, 216 in 1905, 159 in 1906, 282 in 1907, 215 in 1908, and 153 in 1909), 69 males and 80 females. Of these 72 were in the cities. The death-rate from the several diseases grouped under this head was 2.01.

Ages: Under 1, 58; 1-5, 33; 5-10, 12; 10-20, 11; 20-40, 16; 40-60, 11; over 60, 8.

*Apoplexy.*—From this cause 887 deaths occurred (488 in 1892, 422 in 1893, 408 in 1894, 488 in 1895, 492 in 1896, 555 in 1897, 558 in 1898, 629 in 1899, 583 in 1900, 595 in 1901, 674 in 1902, 712 in 1903, 714 in 1904, 751 in 1905, 718 in 1906, 825 in 1907, 802 in 1908, and 817 in 1909), 437 males and 450 females. Of these, 308 were in the cities. The State's death-rate from apoplexy was, therefore, 11.95; that of the cities, 12.53.

The largest number of deaths from apoplexy, 248 occurred in the winter; the largest number in any one month was 100 in January.

In 1894, 1896, 1900, 1905, 1906, 1908, and 1909, the greatest mortality from this cause occurred in the spring; in 1892, 1893, 1895, 1897, 1899, 1901, 1903, 1904, 1907, and 1909, in the winter; in 1898, in the winter and spring; and in 1902, in the summer.

Conversely, the smallest number of deaths, 60, was in July; the smallest number in any one season was 203 in the spring months. Over 79 per cent. of the deaths were of persons 60 years of age and upward.

**APOPLEXY BY COUNTIES AND MONTHS, 1910.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	11	8	3	6	11	3	5	2	5	7	10	13	84	14.04
Aroostook...	3	2	4	4	4	1	2	3	1	4	7	3	38	5.09
Cumberland.	16	18	14	13	8	16	14	14	9	10	16	11	159	14.19
Franklin....	6	3	2	2	2	4	-	1	4	3	3	3	33	17.26
Hancock....	6	3	2	4	3	8	4	5	4	5	4	3	51	14.34
Kennebec....	10	10	4	7	11	2	9	6	6	10	1	3	79	12.57
Knox.....	5	3	5	3	2	2	5	4	4	3	4	4	44	15.18
Lincoln.....	5	4	3	2	1	3	2	5	1	1	3	2	32	17.57
Oxford.....	2	6	5	2	3	3	3	3	7	2	1	2	39	10.76
Penobscot...	14	4	4	7	11	5	7	7	8	10	8	5	90	10.55
Piscataquis..	1	2	2	2	1	3	1	1	2	5	-	1	21	10.56
Sagadahoc..	5	4	1	4	1	4	3	2	4	1	3	1	33	17.77
Somerset....	2	1	6	5	2	2	1	7	7	3	1	6	43	11.85
Waldo.....	4	4	5	2	2	1	-	4	1	3	2	4	32	13.69
Washington.	4	2	-	2	2	3	2	5	-	4	7	3	34	7.92
York.....	6	3	9	7	8	7	2	7	8	5	6	7	75	10.94
State...	100	77	69	72	72	67	60	76	71	76	76	71	887	11.95

The following is a tabular exhibit by sex and age-groups of the deaths from apoplexy:

**APOPLEXY BY SEX AND AGE PERIODS, 1910.**

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Total.
Males.....	4	2	1	4	-	8	18	56	114	143	87	437
Females.....	4	-	-	1	1	8	21	54	99	157	105	450
Total.....	8	2	1	5	1	16	39	110	213	300	192	887

## APOPLEXY, 1910 AND 1893-1910.

COUNTIES.	1910.		1893-1910.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.
Androscoggin.....	84	14.04	981	9.11
Aroostook.....	38	5.09	339	4.54
Cumberland.....	159	14.19	2,023	10.03
Franklin.....	33	17.26	343	9.97
Hancock.....	51	14.34	495	7.73
Kennebec.....	79	12.57	1,232	10.89
Knox.....	44	15.18	573	10.98
Lincoln.....	32	17.57	370	11.28
Oxford.....	39	10.76	553	8.47
Penobscot.....	90	10.55	1,161	7.51
Piscataquis.....	21	10.56	224	6.26
Sagadahoc.....	33	17.77	406	12.14
Somerset.....	43	11.85	595	9.11
Waldo.....	32	13.69	458	10.88
Washington.....	34	7.92	561	7.26
York.....	75	10.94	1,316	10.67
State.....	887	11.95	11,630	8.70

*Softening of the Brain.*—From cerebral softening there were 30 deaths—those of 18 males and 12 females.

Ages: From 40-50, 1; 50-60, 2; 60-70, 10; 70-80, 11; over 80, 6.

*Paralysis.*—Of the 196 deaths from paralysis, 86 persons were males and 110 were females.

Ages: 10-20, 1; 20-30, 3; 30-40, 2; 40-50, 11; 50-60, 17; 60-70, 42; 70-80, 71; 80-90, 43; over 90, 6.



*Epilepsy.*—Seventeen males and 17 females died of epilepsy, 34 in all.

Ages: Under 1, 2; 1-5, 3; 5-10, 1; 10-20, 4; 20-40, 12; 40-60, 10; over 60, 2.

*Tetanus.*—This disease was the cause of 11 deaths (7 in 1892, 10 in 1893, 6 in 1894, 10 in 1895, 8 in 1896, 2 in 1897, 4 in 1898, 11 in 1899, 7 in 1900, 5 in 1901, 7 in 1902, 11 in 1903, 14 in 1904, 7 in 1905, 4 in 1906, 7 in 1907, 6 in 1908, and 5 in 1909). The decedents were 8 males and 3 females.

Ages: Under 1, 3; 10-20, 4; 30-40, 2; 40-50, 1; 50-60, 1.

*Diseases of the Heart.*—From diseases of the heart, including those from endocarditis, pericarditis, angina pectoris, and organic diseases of the heart, there were 1,380 deaths (816 in 1892, 875 in 1893, 940 in 1894, 948 in 1895, 1,036 in 1896, 1,062 in 1897, 1,132 in 1898, 1,028 in 1899, 1,045 in 1900, 1,076 in 1901, 1,097 in 1902, 1,153 in 1903, 1,191 in 1904, 1,222 in 1905, 1,246 in 1906, 1,381 in 1907, 1,284 in 1908, and 1,330 in 1909). The following exhibits the age and sex distribution of each form of disease for the year 1910.

DISEASES	Under 1.	1-10.	10-20.	20-40.	40-60.	Over 60.	Males.	Females.	Total
Pericarditis .....	—	1	1	3	6	34	27	18	45
Endocarditis .....	1	2	2	14	12	6	23	14	37
Organic diseases of heart .....	14	10	15	49	199	908	690	505	1,195
Angina pectoris .....	1	—	—	5	18	79	59	44	103
Total .....	16	13	18	71	235	1027	799	581	1,380

For the year 1910, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and county:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin.....	110	18.39	Oxford.....	80	22.07
Aroostook.....	61	8.17	Penobscot.....	131	15.36
Cumberland.....	240	21.43	Piscataquis.....	19	9.55
Franklin.....	29	15.17	Sagadahoc.....	48	25.84
Hancock.....	70	19.68	Somerset.....	56	15.43
Kennebec.....	148	23.54	Waldo.....	54	23.09
Knox.....	79	27.26	Washington.....	75	17.48
Lincoln.....	54	29.64	York.....	126	18.39
			State.....	1,380	18.58

As may be noted, Lincoln county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 18.58.

The whole number of deaths from diseases of the heart arranged by sex and age-groups was as follows:

### HEART DISEASE, BY SEX AND AGE-PERIODS, 1910.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80	Total.
Males.....	9	4	2	11	5	31	41	103	230	239	124	799
Females.....	7	3	4	7	13	22	33	58	154	185	95	581
Total.....	16	7	6	18	18	53	74	161	384	424	219	1,380

*Diseases of the Respiratory System.*—Without the inclusion of tuberculosis, 1,664 persons died from the various respiratory diseases as tabulated on page 93 (1,760 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895, 1,141 in 1896, 1,347 in 1897, 1,124 in 1898, 1,455 in 1899, 1,513 in 1900, 1,405 in 1901, 1,380 in 1902, 1,348 in 1903, 1,428 in 1904, 1,391 in 1905, 1,330 in 1906,

1,497 in 1907, 1,334 in 1908, and 1,509 in 1909). From these diseases there were, therefore, 96 fewer deaths than in 1892, 257 more than in 1893, 352 more than in 1894, 499 more than in 1895, 523 more than in 1896, 317 more than in 1897, 540 more than in 1898, 209 more than in 1899, 151 more than in 1900, 259 more than in 1901, 284 more than in 1902, 316 more than in 1903, 236 more than in 1904, 273 more than in 1905, 334 more than in 1906, 167 more than in 1907, 330 more than in 1908, and 155 more than in 1909.

Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis, and the other respiratory diseases, in 1910 the number of deaths was 559 smaller than in 1892, 153 smaller than in 1893, 21 smaller than in 1894, 193 larger than in 1895; 240 larger than in 1896, 78 larger than in 1897, 408 larger than in 1898, 83 larger than in 1899, 13 larger than in 1900, 115 larger than in 1901, 203 larger than in 1902, 304 larger than in 1903, 109 larger than in 1904, 268 larger than in 1905, 308 larger than in 1906, 106 larger than in 1907, 326 larger than in 1908, and 214 larger than in 1909.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1910 was 22.41 in each 10,000 population, as compared with 20.65 in 1909, 18.35 in 1908, 20.71 in 1907, 18.50 in 1906, 19.46 in 1905, 20.56 in 1904, 19.41 in 1903, 19.87 in 1902, 20.23 in 1901, 21.79 in 1900, 20.91 in 1899, 17.00 in 1898, 20.38 in 1897, 17.26 in 1896, 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, and 27.16 in 1892.

*Pneumonia.*—The number of deaths registered under this cause was 1,246 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894, 812 in 1895, 781 in 1896, 936 in 1897, 769 in 1898, 1,067 in 1899, 1,067 in 1900, 994 in 1901, 987 in 1902, 999 in 1903, 1,050 in 1904, 1,053 in 1905, 970 in 1906, 1,153 in 1907, 1,068 in 1908, and 1,120 in 1909), of which 611 were males and 635 were females. The death-rate from this disease was, therefore, 16.78 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, 12.28 in 1895, 11.81 in 1896, 14.16 in 1897, 11.62 in 1898, 15.44 in 1899, 15.36 in 1900, 14.31 in 1901, 14.21 in 1902, 14.39 in 1903, 15.12 in 1904, 14.73 in 1905, 13.50 in 1906, 15.95 in 1907, 14.69 in 1908, and 15.32 in 1909). As 462 of the deaths occurred in the cities, the urban death-rate was 18.80.

The age distribution of pneumonia by sex and age-groups is shown in the following table:

### PNEUMONIA BY SEX AND AGE-PERIODS, 1910.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total
Males.....	123	68	20	31	20	25	40	51	62	104	65	2	611
Females.....	98	71	17	15	18	32	32	47	58	142	104	1	635
Totals.....	221	139	37	46	38	57	72	98	120	246	169	3	1,246

### PNEUMONIA BY COUNTIES, AND MONTHS WITH DEATH-RATE PER 10,000-1910.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	15	12	20	15	13	5	5	3	4	12	14	7	125	20.90
Aroostook...	3	14	16	10	5	6	3	4	7	6	19	3	96	12.86
Cumberland.	31	26	31	10	6	6	6	10	8	7	23	18	182	16.25
Franklin.....	6	1	2	-	2	2	2	1	-	4	-	3	23	12.03
Hancock.....	6	10	10	7	4	1	-	2	2	3	7	6	58	16.30
Kennebec....	20	14	19	13	4	3	3	3	6	6	12	8	111	17.66
Knox.....	8	3	7	4	1	1	2	-	1	2	2	3	34	11.73
Lincoln.....	3	4	5	4	4	-	1	-	1	1	-	4	27	14.82
Oxford.....	8	11	11	8	9	4	2	2	4	5	4	16	84	23.17
Penobscot....	18	10	18	16	9	6	2	4	8	10	14	17	132	15.48
Piscataquis..	3	-	1	3	4	1	-	-	-	-	3	4	19	9.55
Sagadahoc...	2	2	5	1	1	-	-	2	2	3	3	7	28	15.07
Somerset....	8	5	12	5	8	3	1	1	1	7	6	6	63	17.35
Waldo.....	5	6	2	5	2	2	1	-	3	2	1	4	33	14.11
Washington..	9	6	9	9	3	2	4	3	3	3	3	7	61	14.22
York.....	22	19	36	22	13	9	4	7	8	5	7	18	170	24.81
State....	167	143	204	132	88	51	36	42	58	76	118	131	1246	16.78

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the eighteen years 1893-1910:

**PNEUMONIA, 1893-1910.**

By Counties.	By Months.	By Age-periods.
Androscoggin..... 1,480	January..... 2,467	Under 1..... 2,865
Aroostook..... 1,133	February..... 2,358	1-5..... 1,862
Cumberland..... 2,921	March..... 2,716	5-10..... 386
Franklin..... 518	April..... 2,345	10-20..... 612
Hancock..... 889	May..... 1,762	20-30..... 877
Kennebec..... 1,644	June..... 987	30-40..... 1,021
Knox..... 623	July..... 466	40-50..... 1,231
Lincoln..... 453	August..... 409	50-60..... 1,562
Oxford..... 951	September..... 572	60-70..... 2,420
Penobscot..... 2,203	October..... 981	70-80..... 3,131
Piscataquis..... 383	November..... 1,330	Over 80..... 2,203
Sagadahoc..... 517	December..... 1,834	Not stated..... 68
Somerset..... 863	Not stated..... 11	Total..... 18,238
Waldo..... 595	Total..... 18,238	
Washington..... 1,069		
York..... 1,996		
State..... 18,238		

The following table shows the number of deaths from pneumonia in each of the cities in each year from 1896 to 1910, the pneumonia death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

## Deaths and Death-Rates from Pneumonia

CITIES.	1896.		1897.		1898.		1899.		1900.		1901.		1902.	
		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.
Auburn.....	10	8.15	10	8.04	5	3.96	25	19.56	12	9.27	16	12.19	12	9.03
Augusta.....	22	19.61	20	17.64	13	11.35	27	23.34	16	13.70	12	10.17	30	25.18
Bangor.....	27	13.01	31	14.74	40	18.78	38	17.61	36	16.48	37	6.72	41	18.31
Bath.....	4	4.09	10	10.05	11	10.86	11	10.68	15	14.32	10	9.39	14	12.93
Belfast.....	2	4.09	5	10.38	9	18.94	5	10.68	8	17.33	6	12.66	7	14.38
Biddeford.....	26	16.81	31	19.83	15	9.47	44	27.54	41	25.39	21	12.87	42	25.48
Brewer.....	8	17.47	9	19.39	13	27.62	6	12.55	4	8.27	11	22.45	6	12.09
Calais.....	12	15.98	10	13.25	7	9.23	7	9.19	12	15.68	17	22.10	14	18.10
Eastport.....	-	-	9	17.34	5	9.56	3	5.69	14	26.36	12	22.43	7	12.98
Ellsworth.....	10	22.22	10	22.48	3	6.82	6	13.71	8	18.62	9	20.94	13	30.25
Gardiner.....	3	5.46	2	3.64	5	9.09	17	30.91	19	34.54	14	25.45	4	7.27
Hallowell.....	4	13.79	1	3.50	2	7.12	4	14.49	8	29.48	4	14.74	8	29.48
Lewiston.....	27	11.77	25	10.80	33	14.13	34	14.43	40	16.83	28	11.68	42	17.37
Old Town.....	7	12.54	3	5.33	10	17.62	19	33.22	9	15.62	8	13.77	11	18.79
*Portland.....	62	13.25	105	22.04	75	15.47	96	19.47	94	18.74	68	13.34	75	14.47
Rockland.....	8	9.80	10	12.26	11	13.49	9	11.04	10	12.27	9	11.04	12	14.72
Saco.....	11	18.02	11	18.01	10	16.36	14	22.89	16	26.14	11	17.95	6	9.79
South Portland...	8	12.33	4	6.01	7	10.25	5	7.14	13	18.12	7	9.53	6	7.98
Waterville.....	10	11.72	10	11.41	6	6.66	9	9.47	14	14.77	9	9.26	24	24.12
Westbrook.....	10	14.24	8	11.29	7	9.78	8	11.08	3	4.12	9	13.31	9	12.14
Total.....	271	12.54	324	14.82	287	12.99	387	17.32	392	17.35	318	13.91	383	16.55
State.....	781	11.47	936	13.68	769	11.18	1067	15.44	1067	15.36	994	14.23	987	14.05
State exclusive of cities.....	510	10.97	612	13.14	482	10.33	680	14.54	675	14.41	676	14.41	604	12.86

\* Portland includes Deering.

## in the Cities and the State, 1896-1910.

	1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
15	11.14	10	7.34	22	15.94	26	18.61	20	14.14	17	11.88	19	13.12	27	17.92	246	12.02	
16	13.30	22	18.11	16	13.05	19	15.35	29	23.21	15	11.90	28	21.92	39	29.52	324	17.82	
58	25.57	60	26.15	48	20.67	40	17.02	50	21.03	54	22.45	49	20.14	40	16.13	649	18.32	
19	17.25	16	14.31	20	17.61	15	13.01	14	11.96	15	12.63	13	10.79	16	17.03	203	12.46	
7	14.02	3	5.86	8	15.25	5	9.31	6	10.91	3	5.72	7	13.33	2	4.33	83	13.93	
29	17.41	40	23.77	37	21.77	45	26.22	35	20.19	24	13.69	50	28.22	66	38.65	546	21.82	
15	29.83	8	15.71	13	25.21	9	17.24	11	20.82	11	20.57	10	18.48	10	20.68	144	19.23	
9	11.59	16	20.51	10	12.76	13	16.51	16	20.23	15	18.88	12	15.03	9	14.72	179	15.58	
5	9.20	6	10.96	9	16.33	9	16.21	11	19.67	8	14.20	5	8.81	6	12.09	109	13.46	
2	4.65	6	13.96	25	58.18	5	11.64	7	16.29	10	23.27	8	18.62	14	32.58	136	21.57	
12	21.80	11	19.98	14	25.43	3	5.27	6	10.89	12	21.78	4	7.26	11	20.00	137	16.58	
4	14.74	4	14.74	6	22.11	5	18.42	7	25.79	5	18.42	1	3.68	8	29.47	71	17.33	
18	7.38	25	10.17	49	19.77	70	28.00	47	18.65	45	17.71	61	23.81	61	25.63	605	16.54	
16	27.12	7	11.78	9	15.03	21	34.80	12	19.74	16	26.13	12	19.46	8	13.88	168	18.99	
96	18.23	77	14.39	65	11.96	81	14.68	120	21.43	100	17.43	104	17.87	97	19.34	1,315	16.81	
10	12.27	9	11.04	9	11.04	10	12.27	11	13.50	11	13.50	7	8.59	6	7.36	142	11.61	
7	11.40	7	11.40	9	14.64	6	9.76	6	9.75	11	17.85	9	14.60	10	16.33	144	15.66	
3	3.90	5	6.36	3	3.73	6	7.31	15	20.91	7	9.76	6	9.54	8	12.72	103	9.71	
11	10.80	21	20.14	8	7.53	17	15.60	13	11.67	15	13.19	17	14.77	11	11.61	195	12.85	
12	16.05	7	9.28	6	7.89	17	22.15	14	18.09	11	14.10	19	24.15	13	17.85	153	13.70	
364	15.55	360	15.20	386	16.11	422	17.41	450	18.36	405	16.48	441	17.78	462	18.80	5,652	16.08	
999	14.11	1050	14.78	1053	14.72	970	13.50	1153	16.06	1068	14.69	1120	15.32	1246	16.78	15280	14.36	
635	13.50	690	14.65	667	14.15	548	11.61	703	14.88	663	13.78	679	14.07	784	15.79	9,608	13.54	

*Bronchitis*.—From this cause, including both acute and chronic bronchitis, 229 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, 225 in 1895, 220 in 1896, 237 in 1897, 210 in 1898, 233 in 1899, 262 in 1900, 222 in 1901, 241 in 1902, 209 in 1903, 223 in 1904, 218 in 1905, 187 in 1906, 190 in 1907, 154 in 1908, and 214 in 1909). Among these decedents, 110 were males and 119 were females. Of these 229 deaths, 83 were in the cities. The largest number of deaths in any one month was 34 in February. The smallest number of deaths in any month, 5, occurred in August. The largest number of deaths in three consecutive months was 78 in October, November, and December; the smallest number in any three consecutive months was 25 in July, August and September. The number of deaths by quarters was 72, 52, 27, and 78.

The bronchitis death-rate of the State was 3.08; of the cities, 3.38.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life.

Under	1 year,	52	40-50 years,	2
	1-5 years,	19	50-60 years,	5
	5-10 years,	5	60-70 years,	15
	10-20 years,	2	70-80 years,	54
	20-30 years,	0	Over 80 years,	74
	30-40 years,	1		

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rate of counties and State:



## BRONCHITIS, 1910.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.	
Androscoggin...	1	3	-	-	2	2	-	-	-	2	5	2	17	.84	
Aroostook.....	2	4	-	1	1	1	-	-	2	-	5	2	18	2.41	
Cumberland....	2	8	1	4	3	1	1	1	4	3	8	2	38	3.39	
Franklin.....	1	1	-	-	1	1	-	-	-	-	1	1	6	3.14	
Hancock.....	1	1	-	-	-	3	1	-	-	1	-	-	7	1.97	
Kennebec.....	-	2	-	1	1	-	-	-	1	2	4	5	16	2.55	
Knox.....	-	-	1	-	-	1	-	-	2	1	1	3	9	3.11	
Lincoln.....	-	-	1	-	1	-	-	-	-	1	-	-	3	1.65	
Oxford.....	1	1	2	-	-	1	1	1	-	1	-	5	13	3.58	
Penobscot.....	5	1	1	5	2	-	1	1	2	2	3	-	23	2.70	
Piscataquis...	-	-	-	2	-	-	-	1	-	-	-	-	1	4	2.01
Sagadahoc.....	-	1	-	1	2	-	1	1	-	1	1	1	9	4.85	
Somerset.....	2	5	5	4	1	1	-	-	-	1	1	3	23	6.34	
Waldo.....	1	1	2	2	2	-	-	-	-	1	1	1	11	4.70	
Washington....	1	2	1	-	1	1	2	-	3	1	-	2	14	3.26	
York.....	2	4	5	1	1	1	-	-	1	1	1	1	18	2.63	
State.....	19	34	19	21	18	13	7	5	15	18	31	29	229	3.08	

*Pleurisy.*—Twenty-one deaths were charged to this disease (18 in 1892, 19 in 1893, 15 in 1894, 19 in 1895, 19 in 1896, 26 in 1897, 17 in 1898, 24 in 1899, 28 in 1900, 24 in 1901, 16 in 1902, 17 in 1903, 24 in 1904, 21 in 1905, 17 in 1906, 26 in 1907, 10 in 1908, and 32 in 1909), 12 males and 9 females.

Ages: 5-10, 3; 10-20, 1; 20-30, 0; 30-40, 1; 40-50, 2; 50-60, 4; 60-70, 4; over 70, 5; and 1, not stated.

*Diseases of the Digestive System.*—The combined mortality from this group of diseases was 1,420 (659 in 1892, 653 in 1893, 685 in 1894, 693 in 1895, 679 in 1896, 673 in 1897, 651 in 1898, 1,411 in 1899, 1,411 in 1900, 1,202 in 1901, 973 in 1902, 1,087 in 1903, 1,076 in 1904, 1,303 in 1905, 1,366 in 1906, 1,063 in 1907, 1,450 in 1908, and 1,215 in 1909), or a death-rate of 19.13. The distribution of these under their several causes will be found on page 93.

*Diarrheal Diseases.*—The total number of deaths caused by the diseases under this group was 851 (662 in 1892, 642 in 1893, 602 in 1894, 635 in 1895, 639 in 1896, 666 in 1897, 854 in 1898, 662 in 1899, 805 in 1900, 684 in 1901, 476 in 1902, 566 in 1903, 514 in 1904, 719 in 1905, 868 in 1906, 493 in 1907, 862 in 1908, and 601 in 1909). The death-rate from this group of diseases was 11.46 per 10,000.

*Infantile Diarrhea.*—This, as synonymous with diarrhea and enteritis (under 2 years) was the cause of 693 deaths (546 in 1892, 507 in 1893, 468 in 1894, 523 in 1895, 520 in 1896, 528 in 1897, 669 in 1898, 565 in 1899, 680 in 1900, 567 in 1901, 360 in 1902, 403 in 1903, 369 in 1904, 561 in 1905, 652 in 1906, 375 in 1907, 682 in 1908, and 483 in 1909). A reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates, for this cause. There were in the first quarter of the year but 34 deaths from this cause; in the second quarter, 45; in the third quarter, 461; and in the fourth quarter, 153. The largest number of deaths occurred in August, 220.

Of the children dying from this cause, 56 per cent. were less than 6 months old, and another 31 per cent. were less than 1 year of age, making 87 per cent. of deaths within the first year of age.

Ages: Under 3 months, 174; 3-6 months, 214; 6-9 months, 145; 9-12 months, 71; 12-18 months, 65; 18 months-2 years, 24.

In the classification of deaths from diarrheal diseases, only the deaths among children under 2 years of age are included under "infantile diarrhea." The deaths from diarrheal diseases other than those under this cause were: Cholera morbus, 4; dysentery, 27; and diarrhea, 127.

Of the 693 deaths from infantile diarrhea, 256 were returned from the cities. This represents an urban death-rate from this cause of 10.42 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, 13.78 in 1895, 11.43 in 1896, 14.95 in 1897, 15.15 in 1898, 11.77 in 1899, 14.84 in 1900, 10.09 in 1901, 6.89 in 1902, 6.49 in 1903, 6.26 in 1904, 9.96 in 1905, 10.15 in 1906, 8.21 in 1907, 11.39 in 1908, and 7.66 in 1909). The rate for the villages and rural districts is 8.80 this year (5.33 in 1892, 4.95 in 1893, 4.47 in 1894, 5.44 in 1895, 6.36 in 1896, 5.05 in 1897, 8.00 in 1898, 6.47

in 1899, 7.37 in 1900, 7.24 in 1901, 4.37 in 1902, 5.50 in 1903, 4.86 in 1904, 6.57 in 1905, 8.52 in 1906, 3.65 in 1907, 8.35 in 1908, and 6.67 in 1909).

### DIARRHEA AND ENTERITIS (UNDER 2 YEARS) BY COUNTIES AND MONTHS, 1910.

COUNTIES.	January.	February.	March.	April.	May.	Jun <sup>y</sup> .	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	1	-	-	1	2	4	10	30	24	23	3	2	100	16.72
Aroostook...	1	1	2	3	4	7	11	75	59	23	7	3	196	26.25
Cumberland	1	2	1	1	1	-	12	26	17	8	6	2	77	6.87
Franklin	-	-	2	1	-	-	2	1	1	3	-	-	10	5.23
Hancock	-	-	-	-	-	1	1	2	-	2	1	1	8	2.25
Kennebec	1	-	1	-	2	-	3	19	11	10	1	2	50	7.95
Knox	-	-	-	-	2	-	3	2	3	-	-	-	10	3.45
Lincoln	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	-	2	3	1	-	-	3	6	3	5	-	1	24	6.62
Penobscot	1	-	-	3	-	1	3	16	11	10	2	2	49	5.75
Piscataquis	-	-	-	-	-	-	-	1	2	3	-	-	6	3.02
Sagadahoc	-	-	-	1	-	-	-	3	3	-	1	-	8	4.31
Somerset	1	-	2	-	2	-	2	7	4	5	1	1	25	6.89
Waldo	1	-	-	-	-	-	1	1	2	-	-	-	5	2.14
Washington	-	4	-	1	1	1	-	5	8	1	2	2	25	5.83
York	1	2	4	2	1	2	24	26	18	12	7	1	100	13.47
State	8	11	15	14	15	16	75	220	166	105	31	17	693	9.34

The preceding table exhibits the number of deaths from infantile diarrhea in 1910, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhea for the eighteen years 1893-1910, by counties, month, and age-groups:

## DIARRHEA AND ENTERITIS (UNDER 2 YEARS) BY COUNTIES, MONTHS AND AGE-PERIODS, 1893-1910.

By Counties.	By Months.	By Age-periods.
Androscoggin..... 1,214	January..... 132	Under 6 months... 5,261
Aroostook..... 2,015	February..... 114	6-12 months..... 3,101
Cumberland..... 1,142	March..... 149	1-2 years..... 1,220
Franklin..... 143	April..... 148	Over 2 years..... 5
Hancock..... 243	May..... 153	Unknown..... 18
Kennebec..... 895	June..... 242	Total..... 9,605
Knox..... 216	July..... 1,204	
Lincoln..... 51	August..... 3,103	
Oxford..... 288	September..... 2,767	
Penobscot..... 914	October..... 1,189	
Piscataquis..... 111	November..... 250	
Sagadahoc..... 197	December..... 151	
Somerset..... 270	Not stated..... 3	
Waldo..... 93	Total..... 9,605	
Washington..... 580		
York..... 1,233		
State..... 9,605		

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the eight years 1903-1910.

**DIARRHEA AND ENTERITIS (UNDER 2 YEARS)  
IN THE CITIES, 1903-1910.**

CITIES.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	Total.
Auburn.....	4	2	8	.15	6	12	13	11	71
Augusta.....	12	14	19	16	13	26	10	13	123
Bangor.....	16	6	12	13	9	7	8	8	79
Bath.....	7	2	4	7	10	9	7	7	53
Belfast.....	-	3	1	2	1	-	-	1	8
Biddeford.....	19	19	19	37	22	38	23	44	221
Brewer.....	4	7	13	3	5	4	2	6	44
Calais.....	9	1	9	7	8	10	2	4	50
Eastport.....	3	2	2	6	8	8	7	5	41
Ellsworth.....	1	-	-	5	-	-	2	-	8
Gardiner.....	-	1	1	1	-	6	-	6	15
Hallowell.....	1	2	1	1	2	3	1	1	12
Lewiston.....	20	29	55	45	57	54	49	69	378
Old Town.....	4	2	20	12	6	12	5	5	66
Portland.....	24	23	37	44	31	41	36	42	278
Rockland.....	6	1	9	1	2	3	1	3	26
Saco.....	2	3	4	5	4	10	4	7	39
South Portland.....	1	2	6	7	-	5	3	2	26
Waterville.....	10	13	9	16	6	22	13	15	104
Westbrook.....	3	9	10	2	10	10	4	7	55
Total.....	146	141	239	245	200	280	190	256	1,697

*Peritonitis.*—There were 62 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, 125 in 1895, 116 in 1896, 117 in 1897, 102 in 1898, 83 in 1899, 105 in 1900, 99 in 1901, 81 in 1902, 55 in 1903, 63 in 1904, 90 in 1905, 59 in 1906, 60 in 1907, 64 in 1908, and 59 in 1909), 35 males and 27 females. Twenty-five of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

### PERITONITIS, 1910.

By Counties.	By Months.	By Age-periods.
Androscoggin..... 4	January..... 4	Under 1..... 3
Aroostook..... 1	February..... 6	1-5..... 4
Cumberland..... 13	March..... 6	5-10..... 3
Franklin..... 1	April..... 5	10-20..... 10
Hancock..... 1	May..... 3	20-30..... 11
Kennebec..... 6	June..... 4	30-40..... 4
Knox..... 1	July..... 6	40-50..... 6
Lincoln..... 1	August..... 7	50-60..... 4
Oxford..... -	September..... 8	60-70..... 8
Penobscot..... 11	October..... 6	70-80..... 6
Piscataquis..... 2	November..... 2	Over 80..... 3
Sagadahoc..... 3	December..... 5	Total..... 62
Somerset..... 5	Total..... 62	
Waldo..... -		
Washington..... 6		
York..... 7		
State..... 62		

*Appendicitis.*—Of the deaths classified under this cause, 97 in number, 53 were males and 44 were females. The number of deaths in each month was: January, 8; February, 9; March, 16; April, 7; May 10; June, 5; July, 6; August, 10; September, 9; October, 8; November, 7; December, 2.

Ages: From 1-5, 1; 5-10, 10; 10-20, 29; 20-30, 14; 30-40, 14; 40-50, 11; 50-60, 12; 60-70, 3; over 70, 3.

*Cirrhosis of the Liver.*—Fifty-nine deaths were ascribed to cirrhosis of the liver—those of 34 men and 25 women. Of these 59 deaths, 19 were in the cities, and 40 in the rural parts

of the State. The death-rate in the State from this one cause was 0.79 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, 0.50 in 1895, 0.33 in 1896, 0.45 in 1897, 0.58 in 1898, 0.52 in 1899, 0.79 in 1900, 0.63 in 1901, 0.63 in 1902, 0.92 in 1903, 0.66 in 1904, 0.62 in 1905, 0.60 in 1906, 0.82 in 1907, 0.89 in 1908, and 0.75 in 1909).

*Nonvenereal Diseases of the Genitourinary System and Annexa.*—There were 918 deaths referred to the diseases under this group, equivalent to a death-rate of 12.37.

*Nephritis.*—Acute nephritis caused the death of 64 persons, 34 males and 30 females. The death-rate from nephritis was, therefore, 0.86.

Ages: Under 1, 6; 1-5, 4; 5-10, 4; 10-20, 1; 20-30, 5; 30-40, 10; 40-50, 3; 50-60, 7; 60-70, 15; 70-80, 6; over 80, 3.

\* *Bright's Disease.*—This was the cause of 714 deaths (204 in 1892, 217 in 1893, 219 in 1894, 234 in 1895, 282 in 1896, 231 in 1897, 250 in 1898, 262 in 1899, 443 in 1900, 471 in 1901, 523 in 1902, 573 in 1903, 575 in 1904, 599 in 1905, 652 in 1906, 661 in 1907, 600 in 1908, and 595 in 1909), 408 males and 306 females. Of these deaths, 254 were in the cities.

The sex and age-group distribution of Bright's disease is as follows:

**BRIGHT'S DISEASE BY SEX AND AGE-PERIODS,  
1910.**

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Total.
Males .....	1	2	3	4	8	10	34	77	104	107	58	408
Females .....	-	1	1	4	17	23	33	44	63	79	41	306
Total .....	1	3	4	8	25	33	67	121	167	186	99	714

\* This title includes: Chronic, albuminous, interstitial, or parenchymatous nephritis; albuminuria; amyloid or fatty degeneration of the kidney; amyloid kidney; steatosis of the kidney; renal sclerosis. Also includes when their precise nature is not indicated: Uremia, uremic eclampsia; uremic delirium; uremic coma.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin .....	77	12.87	Oxford .....	31	8.55
Aroostook .....	36	4.82	Penobscot .....	62	7.27
Cumberland .....	114	10.18	Piscataquis .....	18	9.05
Franklin .....	17	8.89	Sagadahoc .....	26	13.07
Hancock .....	36	10.12	Somerset .....	27	7.44
Kennebec .....	51	8.11	Waldo .....	35	14.97
Knox .....	32	11.04	Washington .....	30	6.99
Lincoln .....	32	17.57	York .....	90	13.13
			State .....	714	9.61

*The Puerperal State.*—Under this class of accidents and diseases of reproduction, 63 deaths were registered, not including puerperal fever, (69 in 1892, 50 in 1893, 41 in 1894, 36 in 1895, 56 in 1896, 62 in 1897, 51 in 1898, 40 in 1899, 50 in 1900, 52 in 1901, 69 in 1902, 94 in 1903, 72 in 1904, 51 in 1905, 76 in 1906, 80 in 1907, 66 in 1908, and 56 in 1909). This is equivalent to a special death-rate of 0.85.

*Deaths from External Causes.*—Under this class there were 666 deaths.

Absorption of deleterious gases (conflagration excepted) caused 13 deaths.

Accidental drowning caused 123 deaths.

Burns and scalds caused 40 deaths—8 were from clothing taking fire; 8, scalded with hot water; 5, from overturning lamp; 5, by lighting fire with kerosene; 1, by drying bed by fire after cleansing with gasoline; 1, by playing with matches, and the rest, unspecified.

Conflagration caused 6 deaths.

Electricity caused 9 deaths.

Excessive cold caused 7 deaths.

Five persons died from excessive heat.



Fractures (cause not specified) caused 11 deaths.

Inanition was the cause of 99 deaths.

Injuries by animals caused 4 deaths.

There were 9 homicides in the State.

Lightning caused 2 deaths.

From acute poisoning, there were 17 deaths.

Other external violence (accident or traumatism unqualified) caused 15 deaths.

Traumatism by fall caused 77 deaths; by firearms, 25; by cutting or piercing instruments, 4; by machines, 13; by other crushing (vehicles, railroads, and landslides), 104; in mines and quarries, 4.

The death-rate in the State under this class was 8.97.

*Suicide.*—Within the year 79 persons took their own lives (59 in 1892, the same number in 1893, 39 in 1894, 66 in 1895, 81 in 1896, 71 in 1897, 56 in 1898, 93 in 1899, 66 in 1900, 81 in 1901, 73 in 1902, 77 in 1903, 107 in 1904, 84 in 1905, 85 in 1906, 87 in 1907, 121 in 1908, and 94 in 1909), 59 males and 20 females. Of the males, the occupation of 15 was farmer; of 5, laborer; of 4, carpenter; of 2, physician; of 2, painter; of 2, blacksmith; of 1, each, artillery man, artist, butcher, candy manufacturer, clerk, cooper, electrician, engineer, fisherman, janitor, livery stable owner, lumberman, machine operator, mechanic, merchant, miller, paving cutter, railroad employes, shoemaker, tailor, teamster, telegraph operator, trader, weaver; while of 5, no occupation was given.

Of the females, the occupation of 8 was registered as housewife; of 4 as housework; of 3, as housekeeper, while in 5 cases, no occupation was given.

As to the means employed; 32 committed suicide by shooting; 19 by hanging; 11 by poisoning; 7, by drowning; 4, by cutting throat; 2, by asphyxiation; 2, by jumping from high places, and 2, not stated.

## SUICIDE BY AGES, MONTHS, AND COUNTIES, 1910.

AGE-PERIODS.	MONTHS.	COUNTIES.	Rate per 10,000 of population.
10-20 .....	3 January .....	4 Androscoggin .....	6 1.00
20-30 .....	8 February .....	6 Aroostook .....	4 0.54
30-40 .....	9 March .....	5 Cumberland .....	9 0.80
40-50 .....	11 April .....	6 Franklin .....	3 1.56
50-60 .....	15 May .....	8 Hancock .....	6 1.69
60-70 .....	19 June .....	6 Kennebec .....	6 0.95
70-80 .....	9 July .....	10 Knox .....	2 0.69
Over 80 .....	5 August .....	7 Lincoln .....	3 1.65
Total .....	79 September .....	8 Oxford .....	6 1.65
	October .....	7 Penobscot .....	6 0.70
	November .....	7 Piscataquis .....	2 1.01
	December .....	5 Sagadahoc .....	— —
	Total .....	79 Somerset .....	5 1.38
		Waldo .....	3 1.28
		Washington .....	2 0.47
		York .....	16 2.34
		State .....	79 1.06

The youngest suicide was a girl aged 15 years and 10 months; the oldest, a man 87 years. The largest number of suicides was 10 in July. By quarters, the suicides were 15, 20, 25, and 19. The largest number, 16, occurred in York county. The highest death-rate from suicide was in York county. The rate for the State per 10,000 of population was 1.06.

## TABLE OF INFANTILE MORTALITY, 1910.

AGE-PERIODS.	Number of deaths.	*Rate of mortality.
Under 1 day .....	46	2.9
Under 1 week .....	229	14.5
Under 2 weeks .....	83	5.3
Under 3 weeks .....	73	4.6
Under 4 weeks .....	50	3.2
Under 2 months .....	204	12.9
Under 3 months .....	228	14.4
Under 4 months .....	184	11.6
Under 5 months .....	121	7.7
Under 6 months .....	140	8.9
Under 9 months .....	292	18.5
Under 1 year .....	200	12.7
Total .....	1,850	117.1

\* The infant mortality rates in this table are based upon the total number of births in 1910. The number was 15,798.

## LIST OF TABLES.

	PAGE
Table No. 1.—Population in 1890, 1900 and 1910.....	5
Table No. 2.—Births, Marriages and Deaths, 1902-1910.....	5
Table No. 3.—Population for 1910, Births, Marriages, and Deaths, with the rate of each to 1,000 of population for the year ending December 31, 1910 .....	6
Table.—Summary of Births, Marriages and Deaths.....	7
Table No. 4.—Births and Deaths in each County.....	8
Table No. 5.—Births and Deaths in the Cities.....	9
Table No. 6.—Births, Marriages and Deaths by Counties and Towns .....	10-59
Table No. 7.—Births, Marriages and Deaths by Counties....	60-61
Table No. 8.—Births and Birth-Rates by Counties, for the years 1903-1910 .....	62
Table No. 9.—Births by Counties, showing the proportion of males to females, 1910.....	63
Table No. 10.—Number of Births in each month of 1903-1910, with Monthly Ratio compared with a Standard of 100 .....	64
Table No. 11.—Births by Sex and Months, by Counties, 1910.	65
Table No. 12.—Births in Cities, for 1910, with rate per 1,000 of population .....	66
Table No. 13.—Percentage of American and Foreign Births by Counties, 1910 .....	67
Table No. 14.—Percentage of American and Foreign Births by Cities, 1910 .....	68
Table No. 15.—Twin Births by Months and Counties, 1910..	69
Table No. 16.—Twin Births by Sex and Parentage, by Coun- ties, 1910 .....	70
Table No. 17.—Stillbirths by Sex and Parentage, by Counties, 1910 .....	71
Table No. 18.—Stillbirths by Seasons, 1910.....	72
Table.—Births in each Month of the nineteen years, 1892-1910	75
Table No. 19.—Marriages and Marriage-Rates by Counties for the years 1903-1910 .....	76
Table No. 20.—Marriages by Counties and Nativity, 1910....	77
Table No. 21.—Marriages by Months and Counties, 1910....	77
Table No. 22.—Number of Marriages in each month of 1903- 1910, with Monthly Ratio compared with a Standard of 100 .....	78
Table No. 23.—Marriages by Ages and Counties, 1910.....	79
Table No. 24.—Interesting Facts in Relation to Marriages...	80-81

LIST OF TABLES.

187

	PAGE
Table No. 25.—Divorces decreed by the Supreme Court of Maine in the year 1910.....	84-85
Table No. 26.—Divorces by Causes, Sex of Libellants and the Number of years married, 1910.....	86
Table No. 27.—Deaths and Death-Rates by Counties, for the years 1903-1910 .....	88
Table No. 28.—Number of Deaths in each month of 1903-1910, with Monthly Ratio compared with a Standard of 100 .....	89
Table No. 29.—The number of Deaths in the State, and in each County, arranged by Classes and Counties .....	90-95
Table No. 30.—Deaths from all Causes, by Months, 1910.....	96-101
Table No. 31.—Deaths from all Causes, by Age-Groups, 1910	102-117
Table No. 32.—Deaths in each County and City from Special Causes, Mostly Infectious Diseases.....	118-119
Table No. 33.—Deaths in each County and City from Certain Diseases and Groups of Diseases.....	120-121
Table No. 34.—Deaths by Ages, Sex, and Months, by Counties	122-123
Table No. 35.—Deaths by Ages, Sex, and Months, by Cities..	124-125
Table No. 36.—Number of Deaths from several Specified Causes, of each sex, in each month, which were registered during nineteen years, 1892-1910 .....	126
Table No. 37.—Mortality by months, reduced to a Standard Mean of 100; Nineteen years, 1892-1910...	127
Table.—Number of Deaths from 1892-1910, with Death-Rates	128
Table.—Months in which the largest and the Smallest Number of Deaths occurred in the years 1892-1910	129
Table.—Number of Deaths by Quarters in the nineteen years, 1892-1910 .....	130
Table.—Deaths in each month for the years 1892-1910.....	131
Table.—Deaths from some of the Leading Causes.....	133
Table.—Mortality from Ten Prominent Causes, 1892-1910....	134
Table.—Six Infectious Diseases by Counties, 1910.....	135
Table.—Six Infectious Diseases by Cities, 1910.....	136
Table.—Infectious Diseases, 1903-1910.....	137
Table.—Measles by Counties, Months, and Age-Periods, 1896-1910 .....	138
Table.—Scarlet Fever by Counties, Months, and Age-Periods, 1893-1910 .....	139
Table.—Influenza by Counties and Months, 1910.....	140
Table.—Whooping Cough by Counties, Months, and Age-Periods, 1910 .....	141
Table.—Diphtheria by Counties and Months, 1910.....	142
Table.—Diphtheria by Counties, Months, and Age-Periods, 1893-1910 .....	143

	PAGE
Table.—Diphtheria in the Cities and the State, 1896-1910.....	144-145
Table.—Typhoid Fever by Counties and Months, 1910.....	146
Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1893-1910 .....	147
Table.—Typhoid Fever in the Cities and the State, 1896-1910	148-149
Table.—Tuberculosis (all kinds) in the Cities and the State, 1896-1910 .....	150-151
Table.—Consumption by Counties and Months, 1910.....	154
Table.—Consumption by Sex and Age-Periods; 1910.....	154
Table.—Consumption by Counties, Months, and Age-Periods, 1893-1910 .....	155
Table.—Pulmonary Tuberculosis in the Cities and State, 1896- 1910 .....	156-157
Table.—Rheumatism by Counties, Months, and Age-Periods, 1910 .....	159
Table.—Rheumatism by Counties, Months, and Age-Periods, 1893-1910 .....	160
Table.—Cancer by Sex and Age-Periods, 1910.....	161
Table.—Cancer by Counties and Age-Periods, 1910 and 1893- 1910 .....	161
Table.—Cancer, 1900-1910 .....	162
Table.—Deaths over 60 years by Counties, 1910 .....	163
Table.—Apoplexy by Counties and Months, 1910 .....	165
Table.—Apoplexy by Sex and Age-Periods, 1910.....	165
Table.—Apoplexy, 1910 and 1893-1910.....	166
Table.—Diseases of the Heart by Ages, 1910.....	167
Table.—Diseases of the Heart by Counties, 1910.....	168
Table.—Heart Disease by Sex and Age-Periods, 1910.....	168
Table.—Pneumonia by Sex and Age-Periods, 1910.....	170
Table.—Pneumonia by Counties and Months with Death-Rate per 10,000, 1910 .....	170
Table.—Pneumonia by Counties, Months, and Age-Periods, 1893-1910 .....	171
Table.—Pneumonia in the Cities and the State, 1896-1910.....	172-173
Table.—Bronchitis by Counties and Months, 1910.....	175
Table.—Diarrhea and Enteritis (under 2 years) by Counties, and Months, 1910 .....	177
Table.—Diarrhea and Enteritis (under 2 years) by Counties, Months, and Age-Periods, 1893-1910.....	178
Table.—Diarrhea and Enteritis (under 2 years) in the Cities, 1903-1910 .....	179
Table.—Peritonitis by Counties, Months, and Age-Periods, 1910 .....	180
Table.—Bright's Disease by Sex and Age-Periods, 1910.....	181
Table.—Bright's Disease by Counties, 1910 .....	182
Table.—Suicides by Ages, Months, and Counties, 1910.....	184
Table.—Infantile Mortality, 1910 .....	185

## INDEX.

---

	PAGE
Age and Mortality .....	132
Appendicitis .....	180
Apoplexy .....	164
1910 and 1893-1910 .....	166
by counties and months .....	165
by sex and age-periods, 1910 .....	165
Birth-rate .....	73
Birth-rates .....	6, 7
Births and birth-rates, by counties and years.....	62
by counties, showing proportion of males to females...	63
by seasons .....	74
by sex and months, by counties .....	65
in cities, for 1910, with rate .....	66
in each month, by years .....	64
notes on .....	73
parentage of .....	73
percentage of American and foreign, by cities.....	68
by counties.....	67
relation to deaths .....	8
twin .....	75
by months and counties .....	69
by sex and parentage .....	70
marriages and deaths, in each county .....	60-61
in each town .....	10-59
Brain or Membranes, inflammation of .....	164
softening of the .....	166
Bright's Disease .....	181, 182
Bronchitis .....	174, 175
Cancer .....	160
1910 and 1893-1910 .....	161
by sex and age-periods, 1910 .....	161
1900-1910 .....	162
Centenarians .....	163
Cirrhosis of the liver .....	180
Consumption by counties and months .....	154
by counties, months, and age-periods, 1893-1910..	155
by sex and age-periods, 1910 .....	155

	PAGE
Deaths, age and mortality .....	132
causes of .....	132
by ages, sex and months, by cities .....	124-125
by ages, sex and months, by counties .....	122-123
by months, reduced to a standard mean for nineteen years .....	127
in each month, for the years 1893-1910 .....	131
in each county and city, from special causes.....	118-119
from certain diseases and groups of diseases .....	120-121
in the State and Counties, by classes and counties,...	90-95
from all causes, by months .....	96-101
from all causes, by age-groups, 1910 .....	102-117
from several specified causes in nineteen years.....	126
from some of the leading causes .....	133
notes on, and the causes of death.....	128
number in each month, by years .....	89
seasons and mortality .....	129
sex and mortality .....	132
and death-rates, by counties and years .....	88
Death-rates .....	6, 7
compared .....	128
Diabetes .....	162
Diarrheal Diseases .....	176
Diarrhea and Enteritis (under 2 years) by counties and months by counties, months, and age-periods, 1893-1910..	177
in cities, 1903-1910.....	178
Digestive System, diseases of the .....	175
Diphtheria .....	141
by counties and months .....	142
by counties, months, and age-periods, 1893-1910...	143
in the cities and in the State, 1896-1910.....	144, 145
Divorces by causes, sex of libellants, etc. ....	86
decreed in 1910 .....	84, 85
notes on .....	87
Epilepsy .....	167
External causes, deaths from .....	182
Genitourinary system and its annexa, diseases of the.....	181
Heart, diseases of the .....	167
Infantile Diarrhea .....	176
Infantile mortality .....	185
Infectious diseases .....	135
1903-1910 .....	137
six by cities .....	136
six by counties .....	135



	PAGE
Influenza .....	139
deaths from, by counties and months .....	140
Liver, cirrhosis of .....	180
Marriages, interesting facts relating to .....	80, 81
rates .....	6, 7, 82
ages .....	82
and rates, by counties .....	76
by ages and counties .....	79
by counties and nativity .....	77
by months and counties .....	77
nativity .....	82
notes on .....	82
number of, in each month, by years .....	78
seasons .....	82
Malarial diseases .....	148
Measles .....	137
by counties, months, and age-periods, 1896-1910.....	138
Mortality from ten prominent causes, 1892-1910.....	134
Nephritis .....	181
Nervous system, diseases of the .....	163
Old age .....	162
Paralysis .....	166
Peritonitis .....	180
by counties, months, and age-periods, 1910.....	180
Pleurisy .....	175
Pneumonia .....	169
1893-1910 .....	171
by counties and months, with death-rates.....	170
by sex and age-periods, 1910 .....	170
in the cities and the State, 1896-1910.....	172-173
Population .....	4
Puerperal fever, by months and counties, 1910.....	158
Puerperal state, the .....	182
Respiratory system, diseases of the .....	168
Rheumatism .....	158
by counties, months, and age-periods, 1910.....	159
by counties, months, and age-periods, 1893-1910..	160
Scarlet fever .....	138
by counties, months, and age-periods.....	139
Sex and mortality .....	132
Smallpox .....	137
Stillbirths .....	75
by seasons .....	72
by sex and parentage .....	71
Suicides .....	183
by ages, months, and counties, in 1910.....	184
Tetanus .....	167

	PAGE
Triplets .....	75
Tuberculosis .....	149
acute miliary .....	158
cerebral .....	152
in the cities and the State, 1896-1910.....	150-151
mesenteric .....	158
other forms .....	158
pulmonary .....	152
in the cities and the State, 1896-1910	156-157
Typhoid fever .....	146
by counties and months, 1910.....	146
by counties, months, and age-periods, 1893- 1910 .....	147
in the cities and the State, 1896-1910.....	148-149
Whooping cough .....	140
by counties, months, and age-periods.....	141