

# MAINE STATE LEGISLATURE

The following document is provided by the  
**LAW AND LEGISLATIVE DIGITAL LIBRARY**  
at the Maine State Law and Legislative Reference Library  
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied  
(searchable text may contain some errors and/or omissions)

# PUBLIC DOCUMENTS OF MAINE

1913

BEING THE

## ANNUAL REPORTS

OF THE VARIOUS

# DEPARTMENTS AND INSTITUTIONS


For the Year 1912

---

VOLUME IV

---

WATERVILLE  
SENTINEL PUBLISHING COMPANY  
1914



MAR 19 1914

TWENTIETH ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES  
AND DEATHS

IN THE

STATE OF MAINE

FOR THE

Year Ending December 31, 1911



WATERVILLE  
SENTINEL PUBLISHING COMPANY  
1912





DEPARTMENT OF VITAL STATISTICS.

---

OFFICE OF THE REGISTRAR,  
AUGUSTA, MAINE, JULY 23, 1912.

*To his Excellency, Frederick W. Plaisted, Governor, and the  
Honorable Executive Council:*

GENTLEMEN:—In accordance with the provisions of the law, I have the honor of submitting to you the Twentieth Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1911.

Very respectfully,

A. G. YOUNG, M. D.,  
*Registrar of Vital Statistics.*

## REGISTRATION REPORT, 1911.

---

This report presents the results of the registration and tabulation of the births, marriages, divorces, and deaths which occurred in the State of Maine during the year 1911.

The number of births registered in that year is 169 less than in the preceding year. The number of births recorded in each of the registration years 1892-1911 is 14,028, 14,604, 14,607, 15,430, 15,429, 15,142, 15,121, 14,475, 14,709, 14,615, 15,166, 15,130, 15,405, 16,005, 16,585, 16,595, 16,914, 16,735, 16,469, and 16,300 respectively.

The number of marriages (number of couples married) in 1911 was 5,878, 22 less than in the preceding year. The number of marriages registered in the State in each of the years 1892-1911 is, respectively, 5,726, 5,795, 5,591, 5,729, 5,579, 5,331, 5,144, 5,329, 5,482, 5,735, 5,905, 6,200, 6,208, 6,264, 6,498, 6,380, 5,904, 6,011, 5,900, and 5,878.

The number of deaths recorded in the State for the same year was 11,731, a number 708 less than that of the deaths registered in the preceding year. The number of deaths in each year thus far recorded is: in 1892, 12,147; in 1893, 11,134; in 1894, 11,012; in 1895, 10,464; in 1896, 10,626; in 1897, 11,236; in 1898, 10,956; in 1899, 11,370; in 1900, 11,389; in 1901, 11,133; in 1902, 10,673; in 1903, 11,009; in 1904, 11,346; in 1905, 11,381; in 1906, 11,427; in 1907, 11,803; in 1908, 11,664; in 1909, 11,295; in 1910, 12,439, and in 1911, 11,731.

*Bertillon Classification.*—The nomenclature of the causes of death in this report is the revised Bertillon classification adopted by the International Commission which met in Paris in July, 1909.

*Population.*—The population of the State of Maine in 1910, as given by the twelfth census was 742,371. In 1900, the population of the State was 694,466. There was, therefore, a gain of 47,905 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1890, 1900, 1910, and the estimated population in 1911.

**TABLE No. 1.**  
**Population in 1890, 1900, 1910, and Estimated Popu-  
 lation in 1911.**

COUNTIES.	Population in 1890.	Population in 1900.	Population in 1910.	Estimated population in 1911.
Androscoggin.....	48,968	54,242	59,822	60,350
Aroostook.....	49,589	60,744	74,664	76,166
Cumberland.....	90,949	100,689	112,014	113,015
Franklin.....	17,053	18,444	19,119	19,176
Hancock.....	37,312	37,241	35,575	35,360
Kennebec.....	57,012	59,117	62,863	63,251
Knox.....	31,473	30,406	28,981	29,442
Lincoln.....	21,996	19,669	18,216	18,114
Oxford.....	30,586	32,238	36,256	36,648
Penobscot.....	72,865	76,246	85,285	85,834
Piscataquis.....	16,134	16,949	19,887	20,323
Sagadahoc.....	19,452	20,330	18,574	19,664
Somerset.....	32,627	33,849	36,301	36,496
Waldo.....	27,759	24,185	23,383	23,300
Washington.....	44,482	45,232	42,905	42,238
York.....	62,829	64,885	68,526	68,955
Total.....	661,086	694,466	742,371	748,332

**TABLE No. 2.**  
**Births, Marriages and Deaths, 1903—1911.**

STATE.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.
Number of births...	14,453	14,673	15,294	15,878	15,914	16,173	16,060	15,798	15,635
Number of marriages	6,200	6,208	6,264	6,498	6,380	5,904	6,011	5,900	5,878
Number of deaths...	11,009	11,346	11,381	11,427	11,803	11,664	11,295	12,439	11,731
Birth-rate.....	20.81	21.13	21.40	22.09	22.02	22.25	21.97	21.28	20.89
Marriage-rate.....	8.93	8.94	8.76	9.04	8.83	8.12	8.22	7.95	7.85
Death-rate.....	15.85	16.34	11.92	15.90	16.33	16.05	15.45	16.62	15.68

*Birth, Marriage, and Death-Rates.*—In this report the birth-rates, marriage-rates, and death-rates from all causes are stated as so many among each 1,000 of the population according to the estimated population for 1911.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

**TABLE No. 3.**

**Estimated Population for 1911, Births, Marriages and Deaths with rate of each to 1,000 of Population for the year ending December 31, 1911.**

COUNTIES.	Estimated population in 1911.	Births.	Birth-rate per 1,000.	Marriages.	Marriage-rate per 1,000.	Deaths.	Death-rate per 1,000.
Androscoggin . . . . .	60,350	1,260	20.87	454	7.52	951	15.76
Aroostook . . . . .	76,166	2,385	31.76	567	7.44	881	11.73
Cumberland . . . . .	113,015	2,265	20.04	884	7.82	1,858	16.44
Franklin . . . . .	19,176	354	18.84	166	8.66	248	13.20
Hancock . . . . .	35,360	683	19.42	295	8.34	537	15.27
Kennebec . . . . .	63,251	1,141	18.04	527	8.33	1,094	17.30
Knox . . . . .	29,442	435	14.81	241	8.18	554	18.86
Lincoln . . . . .	18,114	307	16.95	124	6.85	342	18.88
Oxford . . . . .	36,648	741	20.26	324	8.84	582	15.91
Penobscot . . . . .	85,834	1,800	21.10	712	8.29	1,435	16.82
Piscataquis . . . . .	20,323	403	20.61	159	7.82	269	13.76
Sagadahoc . . . . .	19,664	306	15.56	121	6.15	297	15.10
Somerset . . . . .	36,496	672	18.87	320	8.77	526	14.77
Waldo . . . . .	23,300	396	17.00	199	8.54	431	18.50
Washington . . . . .	42,238	945	22.48	320	7.57	596	14.17
York . . . . .	68,955	1,542	22.36	465	6.74	1,130	16.39
State . . . . .	748,332	15,635	20.89	5,878	7.85	11,731	15.68

The following is a general summary of the births, marriages, and deaths in 1911:

**BIRTHS.**

SEX.		PARENTAGE.	
Males .....	8,024	American .....	9,340
Females .....	7,605	Foreign .....	3,158
Not stated .....	6	One parent foreign .....	2,929
	<u>15,635</u>	Not stated .....	<u>208</u>
			15,635
Whole number of births .....			15,635
Birth-rate per 1,000 .....			20.89

**MARRIAGES.**

Groom and bride American .....	4,166
Groom and bride foreign .....	562
Groom American, bride foreign .....	518
Groom foreign, bride American .....	601
Not stated .....	<u>31</u>
	5,878
Whole number of marriages .....	5,878
Marriage-rate per 1,000 .....	7.85

**DEATHS.**

SEX.		NATIVITY.	
Males .....	6,119	American .....	9,871
Females .....	5,612	Foreign .....	1,699
Not stated .....	-	Not stated .....	<u>161</u>
	<u>11,731</u>		11,731
Whole number of deaths .....			11,731
Death-rate per 1,000 .....			15.68

*Relation of Births to Deaths.*—As the total number of births registered in Maine in the year 1911 was 16,300, and the number of deaths was 11,731, the natural increase of births over deaths was 4,569.

The following table shows the number of births and deaths in each county and the preponderance of births over deaths, or vice versa:

**TABLE No. 4.**

COUNTIES.	Estimated population in 1911.	Births.	Death.	Difference.
Androscoggin.....	60,350	1,260	951	309 gain
Aroostook.....	76,166	2,385	881	1,504 gain
Cumberland.....	113,015	2,265	1,858	407 gain
Franklin.....	19,176	354	248	106 gain
Hancock.....	35,360	683	537	146 gain
Kennebec.....	63,251	1,141	1,094	47 gain
Knox.....	29,442	435	554	119 loss
Lincoln.....	18,114	307	342	35 loss
Oxford.....	36,648	741	582	159 gain
Penobscot.....	85,834	1,800	1,435	365 gain
Piscataquis.....	20,323	403	269	134 gain
Sagadahoc.....	19,664	306	297	9 gain
Somerset.....	36,496	672	526	146 gain
Waldo.....	23,300	396	431	35 loss
Washington.....	42,238	945	596	349 gain
York.....	68,955	1,542	1,130	412 gain
State.....	748,332	15,635	11,731	3,904 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following table, together with the birth-rate and the death-rate per 1,000 of the estimated population in 1911 in each city:

TABLE No. 5.

CITIES.	Population in 1910.	Estimated population in 1911.	Births.	Deaths.	Difference.	Birth-rate.	Death-rate.
Auburn.....	15,064	15,277	261	200	61 gain	17.08	13.13
Augusta.....	13,211	13,364	273	334	61 loss	20.43	*16.31
Bangor.....	24,803	25,098	379	509	130 loss	15.11	*16.45
Bath.....	9,396	10,552	145	131	14 gain	13.74	12.41
Belfast.....	4,618	4,618	75	109	34 loss	16.24	23.60
Biddeford.....	17,079	17,172	484	312	172 gain	28.19	18.17
Brewer.....	5,667	5,750	153	72	81 gain	26.61	12.52
Calais.....	6,116	5,962	139	97	42 gain	23.31	16.27
Eastport.....	4,961	4,926	106	84	22 gain	21.52	17.05
Ellsworth.....	3,549	3,474	61	70	9 loss	17.56	20.15
Gardiner.....	5,311	5,300	81	102	21 loss	15.28	19.25
Hallowell.....	2,864	2,879	34	45	11 loss	11.81	15.63
Lewiston.....	26,247	26,495	606	494	112 gain	22.87	*16.68
Old Town.....	6,317	6,372	189	122	67 gain	29.67	19.15
Portland.....	58,571	59,414	1,243	1,033	210 gain	20.92	*15.77
Rockland.....	8,174	8,176	130	169	39 loss	15.90	20.67
Saco.....	6,583	6,629	111	111	-	16.74	16.74
South Portland.....	7,471	7,471	185	105	80 gain	24.76	14.05
Waterville.....	11,458	11,656	297	153	144 gain	25.48	13.13
Westbrook.....	8,281	8,381	197	116	81 gain	23.51	13.84
Total.....	245,741	248,966	5,149	4,368	781 gain	20.68	17.78

\* Deaths of non-residents in public institutions: Augusta, 136; Bangor, 101; Lewiston, 52; Portland, 96; deducted from total in estimating death-rate.

## TABLE

### Births, Marriages and Deaths

ANDROSCOGGIN

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn.....	15,277	129	132	—	261	17.08	122	75	35	26	3
Durham.....	1,665	8	15	—	23	13.81	14	4	4	1	—
East Livermore....	2,692	34	41	—	75	27.82	30	25	15	4	1
Greene.....	728	7	9	—	16	21.98	12	1	3	—	—
Leeds.....	997	13	10	—	23	23.07	22	—	—	1	—
Lewiston.....	26,495	304	301	1	606	22.87	157	287	86	69	7
Lisbon.....	4,167	47	53	—	100	24.00	50	32	9	9	—
Livermore.....	1,100	12	23	—	35	31.81	33	1	1	—	—
Mechanic Falls....	1,678	10	10	—	20	11.92	10	2	5	3	—
Minot.....	786	11	8	—	19	24.17	14	2	2	1	—
Poland.....	1,356	15	14	—	29	21.39	22	3	3	1	—
Turner.....	1,695	4	14	—	18	10.62	14	—	1	3	—
Wales.....	493	6	6	—	12	24.34	8	1	2	1	—
Webster.....	1,221	14	9	—	23	18.84	12	3	2	4	2
Total.....	60,350	614	645	1	1,260	20.87	520	436	168	123	13



## No. 6.

## for the year 1911.

COUNTY.

MARRIAGES.							DEATHS.						
							SEX.			NATIVITY.			Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
93	12	11	17	-	133	93	107	-	200	172	28	-	13.13
3	1	-	-	-	4	7	5	-	12	12	-	-	7.21
16	2	2	2	-	22	10	14	-	24	23	-	1	8.54
3	-	1	1	-	5	7	3	-	10	8	2	-	13.74
10	-	-	-	-	10	11	11	-	22	22	-	-	22.07
77	60	24	34	2	197	249	245	-	494	324	164	6	18.65
16	5	3	6	-	30	29	24	-	53	43	10	-	12.72
2	-	1	1	-	4	7	7	-	14	14	-	-	12.73
10	-	-	1	-	11	19	12	-	31	29	2	-	18.47
6	-	-	1	-	7	8	9	-	17	16	1	-	21.63
8	-	-	1	-	9	17	10	-	27	26	1	-	12.91
9	1	-	1	-	11	12	13	-	25	23	1	1	14.75
1	-	-	1	-	2	3	2	-	5	5	-	-	10.14
6	1	-	1	1	9	10	7	-	17	14	3	-	13.92
260	82	42	67	3	454	482	469	-	951	731	212	8	15.76

**TABLE**  
**Births, Marriages and Deaths**

AROOSTOOK

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity.....	372	4	6	-	10	26.88	6	-	2	2	-
Ashland.....	2,282	44	30	-	74	32.43	46	7	11	10	-
Bancroft.....	346	4	3	-	7	20.23	3	2	2	-	-
Benedicta.....	286	7	4	-	11	38.46	9	-	1	1	-
Blaine.....	1,019	10	16	-	26	25.52	13	1	5	7	-
Bridgewater.....	1,244	12	13	-	25	20.10	7	7	3	8	-
Caribou.....	5,439	102	81	-	183	33.65	87	32	40	19	5
Castle Hill.....	529	9	11	-	20	37.81	15	-	3	1	1
Crystal.....	515	11	8	-	19	36.89	5	2	5	6	1
Dyer Brook.....	281	5	4	-	9	32.03	6	-	2	1	-
Eagle Lake.....	1,521	33	49	-	82	53.91	59	8	13	2	-
Easton.....	1,308	15	12	-	27	20.64	10	2	7	7	1
Fort Fairfield.....	4,401	73	72	-	145	32.95	64	28	18	31	4
Fort Kent.....	3,828	74	87	-	161	42.06	113	13	19	16	-
Frenchville.....	1,424	46	35	-	81	56.88	78	1	1	1	-
Grand Isle.....	1,338	46	34	-	80	59.79	55	8	12	5	-
Haynesville.....	268	5	5	-	10	37.31	5	-	4	1	-
Hersey.....	186	2	3	-	5	26.88	4	-	-	1	-
Hodgdon.....	1,155	14	14	-	28	24.24	17	3	-	7	1
Houlton.....	6,061	63	72	-	135	22.27	45	41	25	22	2
Island Falls.....	1,758	26	13	-	39	22.18	14	9	12	3	1
Limestone.....	1,309	35	19	-	54	41.25	24	12	10	8	-
Linneus.....	807	11	14	-	25	30.98	15	3	5	2	-
Littleton.....	1,033	14	8	-	22	21.30	13	3	4	2	-
Ludlow.....	412	3	3	-	6	14.56	2	1	2	1	-
Madawaska.....	1,844	34	34	-	68	36.88	61	-	2	5	-

**No. 6—Continued.**  
**for the year 1911.**

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	2	-	-	2	2	-	-	5.37
12	1	4	8	-	25	5	7	-	12	12	-	-	5.26
4	-	-	-	-	4	3	2	-	5	3	2	-	14.45
5	-	-	-	-	5	1	1	-	2	2	-	-	6.99
4	-	1	2	-	7	6	7	-	13	9	4	-	12.76
2	1	3	1	-	7	9	9	-	18	9	9	-	14.47
22	3	12	13	-	50	31	29	-	60	47	13	-	11.03
4	-	1	1	-	6	2	6	-	8	7	1	-	15.12
4	-	-	-	-	4	2	2	-	4	3	1	-	7.77
1	-	-	1	-	2	2	-	-	2	2	-	-	7.12
13	1	1	3	-	18	11	8	-	19	13	5	1	12.49
5	1	1	5	-	12	7	8	-	15	12	3	-	11.47
12	4	2	3	-	21	11	8	-	19	11	8	-	4.32
15	1	3	4	-	23	25	13	-	38	34	4	-	9.93
12	-	2	2	-	16	9	12	-	21	20	1	-	14.75
12	1	-	2	-	15	22	22	-	44	39	5	-	32.88
5	-	-	-	-	5	-	1	-	1	1	-	-	3.73
1	-	-	1	-	2	1	-	-	1	-	1	-	5.38
8	-	-	1	-	9	4	8	-	12	8	4	-	10.38
17	5	7	11	1	41	37	38	-	75	52	23	-	12.37
3	2	2	1	-	8	11	10	-	21	11	10	-	11.94
4	2	1	3	-	10	19	5	-	24	19	5	-	18.33
3	-	3	-	-	6	5	4	-	9	4	5	-	11.15
1	-	1	-	-	2	7	4	-	11	8	3	-	10.65
3	-	-	1	-	4	3	2	-	5	5	-	-	12.14
8	-	-	-	-	8	13	11	-	24	23	1	-	1301

## TABLE

### Births, Marriages and Deaths

ARROOSTOOK

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Mapleton . . . . .	1,147	20	13	-	33	28.77	23	1	4	5	-
Mars Hill . . . . .	1,544	16	20	-	36	23.32	13	7	8	8	-
Masardis . . . . .	671	16	8	-	24	35.77	16	3	4	1	-
Merrill . . . . .	403	6	6	-	12	29.78	7	3	2	-	-
Monticello . . . . .	1,294	15	20	-	35	27.05	16	2	10	7	-
New Limerick . . . . .	470	2	3	-	5	10.64	3	2	-	-	-
New Sweden . . . . .	909	9	11	-	20	22.00	2	8	4	6	-
Oakfield . . . . .	937	14	7	-	21	22.41	12	1	5	3	-
Orient . . . . .	185	3	7	-	10	54.05	4	1	2	3	-
Perham . . . . .	805	9	5	-	14	17.39	11	2	1	-	-
Portage Lake . . . . .	526	5	8	-	13	24.71	9	2	2	-	-
Presque Isle . . . . .	5,316	58	53	1	112	21.07	53	22	21	13	3
St. Agatha . . . . .	1,546	45	40	-	85	54.98	84	-	-	1	-
Sherman . . . . .	1,060	22	7	-	29	27.36	18	1	8	2	-
Smyrna . . . . .	411	7	5	-	12	29.20	5	1	4	1	1
Stockholm . . . . .	767	24	14	-	38	49.54	23	9	3	2	1
Van Buren . . . . .	3,184	73	61	-	134	42.09	65	25	18	25	1
Washburn . . . . .	1,618	23	25	-	48	29.67	35	4	2	5	2
Westfield . . . . .	732	10	12	-	22	30.05	9	6	4	3	-
Weston . . . . .	392	5	3	-	8	20.41	4	1	2	1	-
Woodland . . . . .	1,161	27	7	-	34	29.29	14	4	10	6	-
Allagash Pl. . . . .	245	-	-	-	-	-	-	-	-	-	-
Cary Pl. . . . .	334	4	6	-	10	29.94	7	1	-	2	-
Caswell Pl. . . . .	545	11	8	-	19	34.86	7	2	6	4	-
Chapman Pl. . . . .	440	6	7	-	13	29.55	9	-	2	2	-
Connor Pl. . . . .	625	8	6	-	14	22.40	11	2	1	-	-

**No. 6—Continued.**  
**for the year 1911.**

COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							
						SEX.			NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
4	-	-	-	-	4	5	8	-	13	9	3	1	11.33
7	2	3	6	-	18	12	8	-	20	14	6	-	12.95
3	1	-	2	-	6	3	3	-	6	6	-	-	8.94
2	-	2	1	-	5	2	3	-	5	4	1	-	12.41
6	-	2	1	-	9	8	7	-	15	7	8	-	11.59
2	1	-	1	-	4	4	6	-	10	5	5	-	21.28
1	1	-	-	3	5	9	6	-	15	12	3	-	16.50
1	-	1	2	-	4	2	3	-	5	5	-	-	5.34
1	-	1	-	-	2	2	2	-	4	3	1	-	21.65
8	1	1	3	-	13	6	5	-	11	7	4	-	13.66
5	-	1	-	-	6	1	-	-	1	1	-	-	1.90
29	7	4	10	-	50	33	23	-	56	41	15	-	10.54
14	-	1	-	-	15	17	10	-	27	25	2	-	17.46
5	-	-	-	-	5	8	2	-	10	8	2	-	9.43
-	-	-	3	-	3	4	4	-	8	6	2	-	19.46
5	-	-	2	-	7	6	3	-	9	9	-	-	11.73
13	1	4	2	-	20	26	27	-	53	45	8	-	16.65
4	-	1	8	-	13	6	10	-	16	14	2	-	9.89
2	-	1	-	-	3	9	3	-	12	9	3	-	16.39
1	1	-	-	-	2	4	2	-	6	3	3	-	15.30
6	1	1	3	-	11	6	1	-	7	4	3	-	6.03
1	-	-	-	-	1	1	-	-	1	1	-	-	4.07
1	1	-	2	-	4	-	1	-	1	1	-	-	2.99
1	-	-	-	-	1	4	3	-	7	4	3	-	12.84
-	1	-	-	-	1	6	1	-	7	7	-	-	15.91
1	-	-	-	-	1	3	7	-	10	9	1	-	16.00

**TABLE**  
**Births, Marriages and Deaths**

AROOSTOOK

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Cyr Pl. ....	534	11	8	-	19	35.58	13	1	2	3	-
E Pl. ....	126	-	3	-	3	23.81	1	-	1	1	-
Garfield Pl. ....	121	2	1	-	3	24.79	3	-	-	-	-
Glenwood Pl. ....	123	2	-	-	2	16.26	1	-	-	1	-
Hamlin Pl. ....	665	9	9	-	18	27.07	6	3	3	6	-
Hammond Pl. ....	115	-	1	-	1	8.70	-	-	-	1	-
Macwahoc Pl. ....	147	3	1	-	4	27.21	3	-	-	1	-
Moro Pl. ....	215	6	3	-	9	41.86	6	-	-	3	-
Nashville Pl. ....	27	1	-	-	1	37.03	1	-	-	-	-
New Canada Pl. ....	607	14	15	-	29	47.78	17	1	3	7	1
Oxbow Pl. ....	183	-	1	-	1	5.47	1	-	-	-	-
Reed Pl. ....	551	8	10	-	18	32.67	10	4	2	2	-
St. Francis Pl. ....	953	18	27	-	45	45.22	23	7	9	5	1
St. John Pl. ....	591	2	2	-	4	6.77	2	-	1	1	-
Silver Ridge Pl. ....	156	1	1	-	2	12.82	-	-	1	1	-
Wade Pl. ....	323	6	3	-	9	27.86	5	1	3	-	-
Wallagrass Pl. ....	1,026	24	15	-	39	38.01	34	-	4	1	-
Westmanland Pl. ....	104	2	3	-	5	48.08	1	3	-	1	-
Winterville Pl. ....	281	7	9	-	16	56.94	12	1	-	3	-
No. 7, R. 5. ....	-	2	-	-	2	-	2	-	-	-	-
No. 9, R. 3. ....	-	2	-	-	2	-	1	-	-	1	-
Total. ....	*75,081	1,260	1,124	1	2,385	31.76	1,378	314	360	307	26

\* Population of county, omitting that of unorganized townships, and other places not represented in this tabulation. See Table No. 1.

**No. 6—Continued.  
for the year 1911.**

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
3	-	-	-	-	3	5	5	-	10	7	3	-	18.73
-	-	-	-	-	-	1	-	-	1	1	-	-	7.90
2	-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	2	-	3	2	1	-	24.39
1	-	-	1	-	2	8	3	-	11	11	-	-	16.54
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	1	-	1	1	-	-	6.80
2	-	-	-	-	2	1	2	-	3	3	-	-	13.95
-	-	-	-	-	-	-	1	-	1	1	-	-	37.03
2	-	-	-	-	2	2	5	-	7	6	-	1	11.53
1	-	-	-	-	1	-	-	-	-	-	-	-	-
5	-	-	1	-	6	1	3	-	4	4	-	-	7.26
2	-	1	-	-	3	2	6	-	8	8	-	-	8.39
2	-	1	-	-	3	4	3	-	7	7	-	-	11.84
1	-	-	-	-	1	1	2	-	3	1	1	1	19.23
1	-	-	-	1	2	2	1	-	3	2	1	-	9.29
8	-	-	-	-	8	8	4	-	12	11	1	-	11.70
-	-	-	1	-	1	-	-	-	-	-	-	-	-
5	-	-	-	-	5	4	3	-	7	5	1	1	21.35
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
341	40	69	112	5	567	475	406	-	881	685	191	5	11.73

## TABLE

### Births, Marriages and Deaths

CUMBERLAND

Towns.	Estimated population in 1911.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin.....	794	8	6	-	14	17.63	11	-	-	2	1
Bridgton.....	2,639	23	18	-	41	15.54	32	2	2	5	-
Brunswick.....	6,603	89	76	-	165	24.99	64	59	25	17	-
Cape Elizabeth....	1,857	9	10	-	19	10.23	13	3	1	3	-
Casco.....	680	5	9	-	14	20.58	14	-	-	-	-
Cumberland.....	1,403	10	9	-	19	13.54	17	-	-	2	-
Falmouth.....	1,486	5	7	-	12	8.08	7	4	1	-	-
Freeport.....	2,472	14	15	-	29	11.73	25	2	-	2	-
Gorham.....	2,850	19	16	-	35	12.28	32	1	2	-	-
Gray.....	1,258	8	10	-	18	14.31	18	-	-	-	-
Harpwell.....	1,642	11	12	-	23	14.01	21	-	2	-	-
Harrison.....	967	8	9	-	17	17.58	17	-	-	-	-
Naples.....	806	5	6	-	11	13.65	8	-	2	1	-
New Gloucester....	1,235	10	7	-	17	13.77	15	-	1	-	1
North Yarmouth...	690	11	4	-	15	21.74	12	2	-	1	-
Otisfield.....	622	4	9	-	13	20.90	12	1	-	-	-
Portland.....	59,414	613	630	-	1,243	20.92	535	452	111	120	25
Pownal.....	628	5	7	-	12	19.11	11	-	-	1	-
Raymond.....	662	5	5	-	10	15.11	10	-	-	-	-
Scarboro.....	1,953	20	21	-	41	20.53	24	9	2	6	-
Sebago.....	532	5	2	-	7	13.16	6	1	-	-	-
South Portland....	7,471	99	86	-	185	24.76	116	31	18	12	8
Standish.....	1,650	13	16	-	29	17.58	28	1	-	-	-
Westbrook.....	8,381	95	101	1	197	23.51	96	53	23	21	4
Windham.....	1,954	22	12	-	34	17.40	28	4	1	1	-
Yarmouth.....	2,366	21	24	-	45	19.02	24	10	2	8	1
Total.....	113,015	1,137	1,127	1	2,265	20.04	1,196	635	192	202	40



**No. 6—Continued.**  
**for the year 1911.**  
 COUNTY.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
1	-	-	-	-	1	5	8	-	13	12	1	-	16.37	
7	-	-	1	-	8	23	23	-	46	43	3	-	17.43	
26	9	8	4	-	47	41	51	-	92	73	19	-	13.93	
6	-	-	-	-	6	10	3	-	13	13	-	-	7.00	
2	-	1	-	-	3	10	8	-	18	18	-	-	26.47	
9	-	1	1	-	11	7	7	-	14	13	1	-	9.27	
10	-	-	1	-	11	13	16	-	29	25	4	-	19.52	
11	-	2	1	-	14	19	25	-	44	41	3	-	17.80	
4	-	-	-	-	4	23	24	-	47	45	2	-	16.49	
2	-	-	-	-	2	8	9	-	17	15	1	1	13.51	
14	-	1	-	-	15	6	10	-	16	15	1	-	9.75	
4	-	-	-	-	4	7	7	-	14	14	-	-	14.48	
2	-	-	-	-	2	12	9	-	21	21	-	-	26.05	
4	-	1	-	1	6	18	13	-	31	31	-	-	24.29	
4	-	1	1	-	6	5	4	-	9	7	2	-	13.04	
6	-	-	-	-	6	2	5	-	7	7	-	-	11.25	
315	115	64	52	1	547	568	465	-	1,033	758	244	31	17.39	
2	-	-	-	-	2	4	7	-	11	10	1	-	17.52	
4	-	1	-	-	5	7	3	-	10	10	-	-	15.11	
8	-	1	1	-	10	18	18	-	36	30	5	1	18.43	
3	-	-	-	-	3	5	4	-	9	8	-	1	16.92	
41	-	5	4	-	50	50	55	-	105	80	21	4	14.05	
6	-	-	-	-	6	18	16	-	34	32	1	1	20.61	
49	14	13	11	-	87	54	62	-	116	94	21	1	13.84	
14	-	1	-	-	15	25	18	-	43	42	1	-	22.01	
11	-	1	1	-	13	20	10	-	30	22	8	-	13.10	
565	138	101	78	2	884	978	880	-	1,858	1,479	339	40	16.44	

## TABLE

### Births, Marriages and Deaths

FRANKLIN

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Avon.....	373	2	2	-	4	10.72	4	-	-	-	-
Carthage.....	288	6	1	-	7	24.31	6	-	-	1	-
Chesterville.....	619	6	3	-	9	14.54	8	-	1	-	-
Eustis.....	443	4	4	-	8	18.06	7	-	-	-	1
Farmington.....	3,202	23	12	-	35	10.93	28	2	4	1	-
Freeman.....	329	4	1	-	5	15.20	5	-	-	-	-
Industry.....	457	1	3	-	4	8.75	4	-	-	-	-
Jay.....	3,017	49	47	-	96	31.82	24	57	12	3	-
Kingfield.....	950	8	6	-	14	14.74	11	1	1	1	-
Madrid.....	258	2	3	-	5	19.38	5	-	-	-	-
New Sharon.....	955	7	7	-	14	14.66	13	-	1	-	-
New Vineyard.....	539	3	5	-	8	14.84	8	-	-	-	-
Phillips.....	1,425	15	15	-	30	21.05	24	1	4	1	-
Rangeley.....	1,173	21	12	-	33	28.13	26	1	3	3	-
Salem.....	181	1	1	-	2	11.05	2	-	-	-	-
Strong.....	728	9	7	-	16	21.98	14	-	1	1	-
Temple.....	403	5	1	-	6	14.89	6	-	-	-	-
Weld.....	558	5	4	-	9	16.13	7	-	2	-	-
Wilton.....	2,193	23	12	-	35	15.96	30	2	1	2	-
Coplin Pl.....	82	1	-	-	1	12.20	1	-	-	-	-
Dallas Pl.....	166	4	-	-	4	24.10	4	-	-	-	-
Lang Pl.....	60	-	2	-	2	33.33	2	-	-	-	-
Rangeley Pl.....	199	2	1	-	3	15.08	2	1	-	-	-
Sandy River Pl....	78	-	1	-	1	12.82	1	-	-	-	-
No. 4, R. 3.....	48	-	1	-	1	20.83	-	-	1	-	-
Perkins.....	67	1	1	-	2	29.85	2	-	-	-	-
Total.....	*18,791	202	152	-	354	18.84	244	65	31	13	1

\* Population of county, omitting that of unorganized townships, and other places not represented in this tabulation. See Table No. 1.

**No. 6—Continued.**  
**for the year 1911.**

COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
3	-	-	-	-	3	6	3	-	9	9	-	-	24.13
1	-	-	-	-	1	1	2	-	3	3	-	-	10.42
2	-	-	-	-	2	7	4	-	11	11	-	-	17.77
8	-	-	-	-	8	5	4	-	9	6	1	2	20.32
30	-	1	1	-	32	26	22	-	48	48	-	-	14.99
3	-	-	-	-	3	2	4	-	6	6	-	-	18.24
3	-	-	-	-	3	4	1	-	5	5	-	-	10.94
15	8	3	3	-	29	13	12	-	25	19	6	-	8.29
6	-	-	1	-	7	8	6	-	14	14	-	-	14.74
1	-	-	-	-	1	-	1	-	1	1	-	-	3.88
10	-	-	-	-	10	9	8	-	17	16	1	-	17.80
5	-	-	2	-	7	4	3	-	7	7	-	-	12.99
12	-	-	-	-	12	9	14	-	23	23	-	-	16.14
10	-	2	1	-	13	8	5	-	13	11	1	1	11.08
2	-	-	-	-	2	-	-	-	-	-	-	-	-
9	-	-	1	-	10	5	5	-	10	10	-	-	13.74
1	-	-	-	-	1	2	1	-	3	3	-	-	7.44
5	-	-	-	-	5	1	2	-	3	3	-	-	5.38
13	-	-	2	-	15	16	20	-	36	35	1	-	16.42
-	-	-	-	-	-	2	-	-	2	2	-	-	24.39
-	-	-	-	-	-	2	-	-	2	2	-	-	12.05
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	1	-	-	1	-	1	-	14.93
141	8	6	11	-	166	131	117	-	248	234	11	3	13.20

## TABLE

### Births, Marriages and Deaths

HANCOCK

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both Foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst.....	266	2	2	-	4	15.04	4	-	-	-	-
Aurora.....	110	-	1	-	1	9.09	1	-	-	-	-
Bluehill.....	1,425	19	17	-	36	25.26	33	-	3	-	-
Brooklin.....	936	14	11	-	25	26.71	21	1	1	1	1
Brooksville.....	1,176	11	14	-	25	21.26	21	1	1	2	-
Bucksport.....	2,204	14	19	-	33	14.97	29	3	-	1	-
Castine.....	933	6	9	-	15	16.07	15	-	-	-	-
Cranberry Isles.....	401	6	6	-	12	29.92	10	-	1	1	-
Dedham.....	356	2	2	-	4	11.24	3	-	1	-	-
Deer Isle.....	1,936	22	26	-	48	24.79	44	-	3	-	1
Eastbrook.....	210	4	2	-	6	28.57	6	-	-	-	-
Eden.....	4,447	33	38	1	72	16.19	55	4	7	3	3
Ellsworth.....	3,474	33	28	-	61	17.56	56	1	2	1	1
Franklin.....	1,157	13	15	-	28	24.21	24	1	1	-	2
Gouldsboro.....	1,358	8	15	-	23	16.95	19	1	2	1	-
Hancock.....	838	7	8	-	15	17.90	10	1	2	-	2
Isle au Haut.....	158	-	2	-	2	12.66	2	-	-	-	-
Lamoine.....	471	6	4	-	10	21.23	8	-	1	1	-
Mariaville.....	166	1	-	-	1	6.02	-	-	-	1	-
Mount Desert.....	1,566	23	14	-	37	23.63	34	1	-	2	-
Orland.....	1,221	8	15	-	23	18.84	22	1	-	-	-
Otis.....	111	1	-	-	1	9.01	1	-	-	-	-
Penobscot.....	968	13	12	-	25	25.82	24	-	1	-	-
Sedgwick.....	909	9	10	-	19	20.90	18	-	-	1	-
Sorrento.....	150	1	3	-	4	26.66	4	-	-	-	-
Southwest Harbor..	888	6	10	-	16	18.02	16	-	-	-	-

**No. 6—Continued.  
for the year 1911.**

COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
2	-	-	-	-	2	1	2	-	3	3	-	-	11.28
2	-	-	-	-	2	2	2	-	4	4	-	-	36.36
12	-	-	-	1	13	10	13	-	23	23	-	-	16.14
9	-	-	-	-	9	13	9	-	22	21	1	-	23.50
9	-	1	1	-	11	5	10	-	15	14	1	-	12.76
17	-	1	1	-	19	19	16	-	35	30	4	1	15.88
7	-	1	-	-	8	7	4	-	11	11	-	-	11.79
6	-	-	1	-	7	8	2	-	10	10	-	-	24.94
3	1	-	-	1	5	5	2	-	7	7	-	-	19.66
12	-	1	-	1	14	11	13	-	24	23	-	1	12.39
-	-	-	-	-	-	3	1	-	4	4	-	-	19.05
35	2	3	5	-	45	28	26	-	54	47	7	-	12.14
29	-	1	-	-	30	46	24	-	70	64	5	1	20.15
9	-	-	1	-	10	10	8	-	18	17	1	-	15.56
9	-	-	1	-	10	12	7	-	19	17	1	1	13.99
8	-	1	-	-	9	2	5	-	7	7	-	-	8.35
2	-	-	-	-	2	-	1	-	1	1	-	-	6.33
4	-	1	-	-	5	4	5	-	9	9	-	-	19.11
-	-	-	-	-	-	1	2	-	3	2	1	-	18.06
8	-	3	-	-	11	14	7	-	21	19	2	-	13.41
13	-	2	-	-	15	10	11	-	21	20	1	-	17.20
2	-	-	-	-	2	-	-	-	-	-	-	-	-
8	-	-	-	-	8	4	11	-	15	15	-	-	15.50
6	-	-	-	-	6	11	6	-	17	17	-	-	18.70
1	-	-	-	-	1	1	-	-	1	1	-	-	6.66
6	-	1	1	-	8	7	6	-	13	13	-	-	14.64

## TABLE

### Births, Marriages and Deaths

HANCOCK

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Stonington.....	2,077	18	20	-	38	18.29	28	6	3	1	-
Sullivan.....	1,142	12	10	-	22	10.51	18	-	-	4	-
Surry.....	718	4	5	-	9	12.53	9	-	-	-	-
Swan's Island.....	749	8	5	-	13	17.36	11	-	2	-	-
Tremont.....	1,027	14	10	-	24	23.37	24	-	-	-	-
Trenton.....	344	4	2	-	6	17.44	6	-	-	-	-
Verona.....	229	1	1	-	2	8.73	2	-	-	-	-
Waltham.....	182	1	-	-	1	5.49	1	-	-	-	-
Winter Harbor.....	591	9	8	-	17	28.76	13	1	1	1	1
Long Island Pl.....	199	1	2	-	3	15.08	3	-	-	-	-
No. 33 Pl.....	82	-	2	-	2	24.39	2	-	-	-	-
Total.....	*35,175	334	348	1	683	19.42	597	22	32	21	11

\* Population of county, omitting that of unorganized townships, and other places not represented in this tabulation. See Table No. 1.

**No. 6—Continued.**  
**for the year 1911.**

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
11	-	-	1	-	12	17	15	-	32	29	3	-	15.41
10	-	-	1	-	11	8	8	-	16	14	2	-	14.01
5	-	-	-	1	6	4	9	-	13	13	-	-	18.11
2	-	-	-	-	2	4	5	-	9	9	-	-	12.02
3	-	-	-	-	3	6	4	-	10	10	-	-	9.74
2	-	-	-	-	2	3	5	-	8	8	-	-	23.26
1	-	-	-	-	1	2	2	-	4	4	-	-	17.46
1	-	-	-	-	1	4	1	-	5	4	1	-	27.45
5	-	-	-	-	5	6	7	-	13	13	-	-	22.00
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
259	3	16	13	4	295	288	249	-	537	503	30	4	15.27

**TABLE**  
**Births, Marriages and Deaths**

KENNEBEC

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion.....	926	6	3	-	9	9.72	9	-	-	-	-
Augusta.....	13,364	133	140	-	273	20.43	133	83	30	21	6
Belgrade.....	1,037	12	5	-	17	16.39	16	-	1	-	-
Benton.....	1,205	10	8	-	18	14.94	14	-	1	2	1
Chelsea.....	3,229	5	4	-	9	27.87	8	-	1	-	-
China.....	1,289	7	14	-	21	16.29	17	1	3	-	-
Clinton.....	1,255	11	11	-	22	17.53	19	-	-	3	-
Farmingdale.....	821	3	5	-	8	9.74	8	-	-	-	-
Fayette.....	530	6	6	-	12	22.64	12	-	-	-	-
Gardiner.....	5,300	46	35	-	81	15.28	61	1	4	15	-
Hallowell.....	2,879	18	16	-	34	11.81	26	4	2	2	-
Litchfield.....	955	6	11	-	17	17.71	13	-	-	3	1
Manchester.....	609	5	8	-	13	21.35	9	-	-	4	-
Monmouth.....	1,401	10	8	-	18	12.85	10	4	3	1	-
Mount Vernon.....	898	5	4	-	9	10.02	8	-	1	-	-
Oakland.....	2,291	18	19	-	37	16.15	32	1	4	-	-
Pittston.....	932	14	13	-	27	28.97	23	-	3	1	-
Randolph.....	1,011	4	10	-	14	13.85	10	1	2	1	-
Readfield.....	996	10	3	-	13	13.05	11	1	1	-	-
Rome.....	442	7	3	-	10	22.62	9	-	-	-	1
Sidney.....	913	7	10	-	17	18.62	14	1	1	1	-
Vassalboro.....	2,077	21	20	-	41	19.74	23	9	5	3	1
Vienna.....	403	4	8	-	12	29.79	12	-	-	-	-



**No. 6—Continued.**  
**for the year 1911.**

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	12	11	-	23	21	1	1	24.84
89	20	12	7	3	131	175	159	-	334	265	55	14	24.99
6	-	-	-	-	6	13	9	-	22	18	2	2	21.22
10	-	-	-	-	10	8	9	-	17	14	1	2	14.11
2	-	-	-	-	2	8	7	-	15	13	2	-	46.45
5	-	2	-	-	7	11	8	-	19	19	-	-	14.74
7	-	1	-	-	8	8	10	-	18	16	2	-	14.34
3	-	-	1	-	4	3	3	-	6	6	-	-	7.31
5	-	-	-	-	5	6	4	-	10	9	1	-	18.87
40	-	5	3	-	48	57	45	-	102	86	16	-	19.25
11	1	4	2	-	18	15	30	-	45	37	7	1	15.63
8	1	-	-	-	9	15	11	-	26	26	-	-	27.22
3	-	1	-	-	4	7	3	-	10	8	1	1	16.42
12	-	1	-	-	13	4	16	-	20	20	-	-	14.26
7	-	-	-	-	7	7	11	-	18	18	-	-	20.04
18	-	-	3	-	21	18	20	-	38	36	2	-	16.59
9	-	-	-	-	9	12	5	-	17	15	2	-	18.24
3	1	-	1	-	5	7	6	-	13	12	1	-	12.86
6	-	-	1	-	7	5	7	-	12	12	-	-	12.05
1	-	-	-	-	1	3	3	-	6	6	-	-	13.57
8	1	-	-	-	9	5	5	-	10	9	1	-	10.95
5	-	2	3	-	10	20	20	-	40	38	2	-	19.26
2	-	-	-	-	2	1	1	-	2	2	-	-	4.96

**TABLE**  
**Births, Marriages and Deaths**

KENNEBEC

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Waterville.....	11,656	156	141	-	297	25.48	107	111	43	30	6
Wayne.....	584	2	4	-	6	10.27	6	-	-	-	-
West Gardiner.....	623	-	5	-	5	8.03	5	-	-	-	-
Windsor.....	700	6	4	-	10	14.29	8	1	-	-	1
Winslow.....	2,752	34	34	-	68	24.71	11	48	6	1	2
Winthrop.....	2,117	13	8	-	21	9.92	7	10	2	2	-
Unity Pl.....	56	-	1	-	1	17.86	1	-	-	-	-
Togus.....	-	1	-	-	1	-	1	-	-	-	-
Total.....	63,251	580	561	-	1,141	18.04	643	276	113	90	19

**No. 6—Continued.**  
**for the year 1911.**

COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
							SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
75	23	20	21	-	139	90	63	-	153	117	35	1	13.13	
4	-	1	-	-	5	3	8	-	11	11	-	-	18.84	
1	-	-	-	-	1	8	5	-	13	12	1	-	20.87	
4	-	1	-	-	5	9	8	-	17	16	1	-	24.29	
13	9	2	1	-	25	29	9	-	38	31	7	-	13.81	
9	-	-	-	-	9	10	17	-	27	24	1	2	12.75	
-	-	-	-	-	-	-	1	-	1	1	-	-	17.86	
2	-	-	1	-	3	9	2	-	11	9	2	-	-	
372	56	52	44	3	527	578	516	-	1,094	927	143	24	17.30	

## TABLE

### Births, Marriages and Deaths

KNOX

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton.....	829	8	10	-	18	21.71	16	1	-	1	1
Camden.....	3,034	14	19	-	33	10.88	29	-	3	1	-
Cushing.....	528	6	4	-	10	18.94	8	-	1	1	-
Friendship.....	772	7	6	-	13	16.84	11	-	2	-	-
Hope.....	507	4	10	-	14	27.61	12	1	-	1	-
Hurricane Isle.....	256	5	4	-	9	35.16	5	4	-	-	-
North Haven.....	535	10	4	-	14	26.17	13	1	-	-	-
Rockland.....	8,176	72	58	-	130	15.90	97	26	5	2	-
Rockport.....	1,993	18	11	-	29	14.55	24	3	1	-	1
St. George.....	2,201	19	15	-	34	15.45	22	8	3	1	-
South Thomaston..	1,439	13	11	-	24	16.68	19	5	-	-	-
Thomaston.....	2,736	13	10	-	23	8.41	17	2	1	3	-
Union.....	1,232	<sup>8</sup> 6	8	-	14	11.36	14	-	-	-	-
Vinalhaven.....	2,332	17	12	-	29	12.44	21	4	4	-	-
Warren.....	1,786	14	10	-	24	13.44	21	-	1	1	1
Washington.....	794	11	6	-	17	21.41	17	-	-	-	-
Criehaven Pl.....	46	-	-	-	-	-	-	-	-	-	-
Matinicus Isle Pl..	179	-	-	-	-	-	-	-	-	-	-
Total.....	*29,375	237	198	-	435	14.81	346	54	21	11	3

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**No. 6—Continued**  
**for the year 1911.**  
 COUNTY.

MARRIAGES.						DEATHS.							
						SEX.			NATIVITY.			Death-rate per 1,000.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
7	-	-	-	-	7	11	10	-	21	20	1	-	25.33
21	-	1	2	-	24	24	27	-	51	49	2	-	16.81
6	-	-	-	-	6	5	9	-	14	14	-	-	26.52
8	-	-	-	-	8	7	7	-	14	14	-	-	18.13
1	-	-	1	-	2	6	6	-	12	11	1	-	23.67
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	1	-	-	3	6	3	-	9	8	1	-	16.82
66	9	5	7	-	87	84	85	-	169	149	19	1	20.67
13	1	-	-	-	14	15	13	-	28	27	1	-	14.05
11	2	-	1	-	14	19	15	-	34	26	8	-	15.45
12	1	-	-	-	13	13	16	-	29	20	8	1	20.15
13	-	2	-	-	15	28	13	-	41	39	2	-	14.99
6	-	-	1	-	7	8	22	-	30	30	-	-	24.35
14	2	1	1	-	18	32	15	-	47	44	3	-	20.15
12	-	-	-	-	12	15	19	-	34	33	1	-	19.04
9	-	1	-	-	10	8	9	-	17	16	1	-	21.41
-	-	-	-	-	-	1	-	-	1	1	-	-	21.74
1	-	-	-	-	1	2	1	-	3	3	-	-	16.76
202	15	11	13	-	241	284	270	-	554	504	48	2	18.86

**TABLE**  
**Births, Marriages and Deaths**

LINCOLN

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna .....	458	6	5	-	11	24.02	10	-	-	1	-
Boothbay .....	1,694	20	20	-	40	23.62	38	1	-	1	-
Boothbay Harbor ..	2,030	23	18	-	41	20.20	34	1	2	4	-
Bremen .....	546	4	5	-	9	16.48	9	-	-	-	-
Bristol .....	2,431	29	22	-	51	20.98	48	-	2	1	-
Damariscotta .....	761	2	4	-	6	7.89	6	-	-	-	-
Dresden .....	808	7	4	-	11	13.61	8	1	1	1	-
Edgecomb .....	504	5	4	-	9	17.86	6	2	-	1	-
Jefferson .....	1,018	5	8	-	13	12.77	12	-	-	1	-
Newcastle .....	1,066	9	10	-	19	17.82	18	-	-	1	-
Nobleboro .....	772	8	5	-	13	16.84	10	1	-	2	-
Somerville .....	283	4	2	-	6	21.20	5	-	-	1	-
Southport .....	400	3	2	-	5	12.50	5	-	-	-	-
Waldoboro .....	2,607	16	15	-	31	11.89	26	-	1	2	2
Westport .....	279	3	2	-	5	17.92	4	-	-	1	-
Whitefield .....	1,046	13	11	-	24	22.94	19	1	-	3	1
Wiscasset .....	1,288	7	6	-	13	10.09	11	-	-	2	-
Monhegan Pl. ....	123	-	-	-	-	-	-	-	-	-	-
Total .....	18,114	164	143	-	307	16.95	269	7	6	22	3

**No. 6—Continued.**  
**for the year 1911.**

COUNTY.

MARRIAGES.							DEATHS.						
							SEX.			NATIVITY.			Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	3	4	-	7	7	-	-	15.28
9	-	-	-	-	9	12	14	-	26	23	3	-	15.35
12	-	1	2	-	15	15	7	-	22	20	2	-	10.84
6	-	-	-	-	6	5	5	-	10	10	-	-	18.32
14	-	-	1	-	15	20	25	-	51	47	4	-	20.98
7	-	1	-	-	8	6	10	-	16	16	-	-	21.02
3	-	-	-	-	3	9	6	-	15	15	-	-	18.56
4	1	-	-	-	5	8	7	-	15	14	1	-	29.76
7	-	1	-	-	8	10	12	-	22	22	-	-	21.61
7	-	-	-	-	7	13	15	-	28	28	-	-	26.27
5	-	-	-	-	5	6	7	-	13	12	1	-	16.84
4	-	-	-	-	4	4	1	-	5	5	-	-	17.67
3	-	-	-	-	3	1	4	-	5	5	-	-	12.50
12	-	1	-	-	13	13	28	-	41	40	1	-	15.73
1	-	-	-	-	1	4	6	-	10	10	-	-	35.84
10	-	-	-	-	10	17	11	-	28	26	1	1	26.77
4	-	1	1	1	7	15	13	-	28	28	-	-	21.74
1	-	-	-	-	1	-	-	-	-	-	-	-	-
113	1	5	4	1	124	167	175	-	342	328	13	1	18.88

## TABLE

### Births, Marriages and Deaths

OXFORD

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany .....	397	4	1	-	5	12.59	4	-	-	1	-
Andover .....	760	7	10	-	17	22.36	13	-	3	-	1
Bethel .....	1,939	16	13	-	29	14.96	21	5	1	2	-
Brownfield .....	924	5	5	-	10	10.82	8	-	1	1	-
Buckfield .....	1,082	7	9	-	16	14.79	15	-	1	-	-
Byron .....	185	2	1	-	3	16.22	1	-	-	2	-
Canton .....	1,020	6	11	-	17	16.67	8	6	3	-	-
Denmark .....	592	2	1	-	3	5.07	2	1	-	-	-
Dixfield .....	1,056	15	11	-	26	24.62	22	-	2	2	-
Fryeburg .....	1,273	14	7	-	21	16.50	21	-	-	-	-
Gilead .....	222	1	5	-	6	27.03	3	2	1	-	-
Grafton .....	62	1	-	-	1	16.13	-	-	1	-	-
Greenwood .....	656	13	7	-	20	30.49	15	4	1	-	-
Hanover .....	194	2	1	-	3	15.46	2	-	-	1	-
Hartford .....	587	1	9	-	10	17.04	7	-	2	1	-
Hebron .....	613	8	4	-	12	19.58	11	-	-	1	-
Hiram .....	928	10	4	-	14	15.09	14	-	-	-	-
Lovell .....	666	5	1	-	6	9.01	6	-	-	-	-
Mason .....	60	-	1	-	1	16.67	-	-	-	1	-
Mexico .....	2,190	30	31	-	61	27.85	21	27	9	3	1
Newry .....	270	3	3	-	6	22.23	3	2	-	1	-
Norway .....	3,012	26	27	-	53	17.60	41	3	5	2	2



**No. 6—Continued.**  
**for the year 1911.**  
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.			NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	4	2	-	6	6	-	-	15.11
1	-	-	-	-	1	7	5	-	12	11	1	-	15.79
14	-	3	1	-	18	14	18	-	32	31	1	-	16.50
5	-	-	-	-	5	10	9	-	19	18	1	-	20.56
13	-	-	2	-	15	7	13	-	20	20	-	-	18.48
1	-	-	-	-	1	1	1	-	2	-	1	1	10.81
7	-	-	-	-	7	4	8	-	12	11	1	-	11.76
1	-	-	-	-	1	7	5	-	12	12	-	-	20.28
4	-	1	-	-	5	10	5	-	15	15	-	-	14.20
6	-	1	-	-	7	11	12	-	23	22	1	-	18.07
2	-	-	-	-	2	2	1	-	3	2	1	-	13.51
1	-	-	-	-	1	-	-	-	-	-	-	-	-
9	-	1	-	-	10	7	5	-	12	10	2	-	18.29
-	-	1	-	-	1	5	3	-	8	7	1	-	41.24
2	-	1	-	-	3	3	5	-	8	7	1	-	13.63
4	-	1	-	1	6	4	6	-	10	10	-	-	16.31
7	-	-	-	-	7	13	10	-	23	23	-	-	24.78
9	-	-	-	-	9	11	3	-	14	14	-	-	21.02
-	-	-	-	-	-	1	1	-	2	2	-	-	33.34
9	1	2	3	-	15	13	13	-	26	23	3	-	11.87
-	-	1	-	-	1	-	1	-	1	1	-	-	3.70
20	1	3	-	-	24	23	24	-	47	42	3	2	15.60

**TABLE**  
**Births, Marriages and Deaths**  
OXFORD

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Oxford.....	1,210	7	11	-	18	14.88	13	1	2	1	1
Paris.....	3,457	27	31	-	58	16.78	45	11	1	1	-
Peru.....	743	5	9	-	14	18.84	13	1	-	-	-
Porter.....	862	7	3	-	10	11.60	9	-	-	1	-
Roxbury.....	318	2	2	-	4	12.58	3	-	1	-	-
Rumford.....	7,078	118	118	-	236	33.34	38	161	21	14	2
Stoneham.....	250	2	2	-	4	16.00	4	-	-	-	-
Stow.....	219	1	1	-	2	9.13	2	-	-	-	-
Sumner.....	758	11	4	-	15	19.79	13	-	-	2	-
Sweden.....	263	2	1	-	3	11.41	3	-	-	-	-
Upton.....	312	3	-	-	3	9.61	1	2	-	-	-
Waterford.....	936	4	8	-	12	12.82	11	1	-	-	-
Woodstock.....	808	5	10	-	15	18.56	10	1	1	3	-
Lincoln Pl.....	330	1	-	-	1	3.03	1	-	-	-	-
Magalloway Pl.....	99	-	1	-	1	10.10	1	-	-	-	-
Milton Pl.....	204	2	1	-	3	14.71	3	-	-	-	-
Batchelder's Grant.	36	2	-	-	2	55.55	-	2	-	-	-
Total.....	*36,571	377	364	-	741	20.26	408	230	56	40	7

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1

**No. 6—Continued.**  
**for the Year 1911.**

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.			NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
9	-	-	-	-	9	17	16	-	33	31	1	1	27.27
21	9	1	1	1	33	31	24	-	55	53	2	-	15.91
4	-	-	-	-	4	11	3	-	14	14	-	-	18.84
11	-	-	-	-	11	4	8	-	12	12	-	-	13.92
1	-	-	-	-	1	-	1	-	1	1	-	-	3.14
24	30	12	21	-	87	59	47	-	106	77	28	1	14.98
6	-	-	-	-	6	-	3	-	3	3	-	-	12.00
3	-	-	-	-	3	1	2	-	3	3	-	-	13.70
8	-	-	-	-	8	2	7	-	9	9	-	-	11.87
1	-	-	-	-	1	1	1	-	2	2	-	-	7.60
-	-	-	-	-	-	1	-	-	1	1	-	-	3.20
7	-	-	-	-	7	8	12	-	20	19	1	-	21.37
9	1	1	-	-	11	4	7	-	11	11	-	-	13.61
1	-	-	-	-	1	-	1	-	1	-	1	-	3.03
-	-	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	4.90
-	-	-	-	-	-	1	2	-	3	2	1	-	83.33
222	42	29	29	2	324	298	284	-	582	526	51	5	15.91

**TABLE**  
**Births, Marriages and Deaths**

PENOBSCOT

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alton.....	253	4	4	-	8	31.62	7	-	1	-	-
Argyle.....	224	2	5	-	7	31.25	5	2	-	-	-
Bangor.....	25,098	194	185	-	379	15.11	189	83	39	46	22
Bradford.....	928	8	8	-	16	17.24	14	-	2	-	-
Bradley.....	629	8	6	-	14	22.26	11	-	2	1	-
Brewer.....	5,750	80	73	-	153	26.61	77	41	16	18	1
Burlington.....	368	4	1	-	5	13.59	4	-	-	1	-
Carmel.....	1,038	6	6	-	12	11.56	11	-	-	1	-
Carroll.....	470	5	4	-	9	19.15	8	-	1	-	-
Charleston.....	866	3	7	-	10	11.55	10	-	-	-	-
Chester.....	348	5	2	-	7	20.11	7	-	-	-	-
Clifton.....	215	1	2	-	3	13.95	3	-	-	-	-
Corinna.....	1,243	11	10	-	21	16.89	16	2	2	-	1
Corinth.....	1,034	7	6	-	13	12.57	11	-	-	2	-
Dexter.....	3,589	37	38	-	75	20.90	46	10	7	12	-
Dixmont.....	750	5	7	-	12	16.00	11	-	1	-	-
East Millinocket...	923	19	14	-	33	35.75	17	13	3	-	-
Eddington.....	606	3	4	-	7	11.55	2	3	1	1	-
Edinburg.....	45	-	2	-	2	44.44	1	-	-	1	-
Enfield.....	961	18	9	-	27	28.10	12	5	6	4	-
Etna.....	523	4	4	-	8	15.30	8	-	-	-	-
Exeter.....	888	5	6	-	11	12.39	11	-	-	-	-
Garland.....	813	3	7	-	10	12.30	9	-	-	1	-
Glenburn.....	457	7	2	-	9	19.47	5	-	1	3	-
Greenbush.....	475	7	3	-	10	21.05	10	-	-	-	-
Greenfield.....	195	2	2	-	4	20.51	3	-	-	1	-

**No. 6—Continued.**  
**for the year 1911.**  
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.			NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	2	1	-	3	2	1	-	11.86
2	-	-	-	-	2	1	-	-	1	1	-	-	4.46
142	24	25	27	1	219	278	231	-	509	382	114	13	20.28
3	-	-	-	-	3	10	13	-	23	22	1	-	24.78
3	-	1	-	-	4	2	11	-	13	12	1	-	20.67
31	9	7	10	-	57	37	35	-	72	56	15	1	12.52
2	-	-	-	-	2	8	1	-	9	9	-	-	24.46
5	-	-	-	-	5	11	7	-	18	18	-	-	17.34
3	-	-	-	-	3	1	4	-	5	5	-	-	10.64
3	-	-	1	-	4	6	6	-	12	12	-	-	13.86
2	-	-	-	-	2	2	4	-	6	5	1	-	17.24
-	-	-	1	-	1	5	4	-	9	9	-	-	41.85
6	-	1	-	-	7	17	11	-	28	25	1	2	22.53
6	-	-	-	-	6	9	9	-	18	18	-	-	17.41
20	1	3	2	-	26	25	24	-	49	45	4	-	13.65
5	-	-	-	-	5	5	8	-	13	12	1	-	17.33
2	1	-	1	-	4	4	-	-	4	3	1	-	4.33
3	-	-	-	-	3	4	3	-	7	7	-	-	11.55
1	-	-	-	-	1	1	-	-	1	-	-	1	22.22
9	-	1	1	-	11	10	5	-	15	13	2	-	15.61
5	-	-	-	-	5	8	5	-	13	13	-	-	24.86
7	-	-	-	-	7	7	8	-	15	15	-	-	16.90
4	-	-	1	-	5	5	6	-	11	11	-	-	13.53
1	-	-	2	-	3	4	2	-	6	5	1	-	13.13
7	-	1	1	-	9	3	3	-	6	5	1	-	12.63
-	-	-	-	-	-	2	-	-	2	2	-	-	10.75

**TABLE**  
**Births, Marriages and Deaths**

PENOBSCOT

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Hampden.....	2,400	21	22	-	43	17.92	33	5	2	3	-
Hermon.....	1,213	14	15	-	29	23.91	23	4	-	1	1
Holden.....	609	4	6	-	10	16.42	7	-	2	1	-
Howland.....	492	4	7	-	11	22.36	5	2	1	3	-
Hudson.....	400	6	7	-	13	32.50	13	-	-	-	-
Kenduskeag.....	487	3	5	-	8	16.43	7	-	-	1	-
Kingman.....	722	11	14	-	25	34.63	18	1	6	-	-
Lagrange.....	588	6	4	-	10	17.01	8	-	1	1	-
Lee.....	743	15	8	-	23	30.96	22	-	1	-	-
Levant.....	699	4	7	-	11	15.74	10	-	1	-	-
Lincoln.....	2,014	30	17	-	47	23.34	30	8	5	4	-
Lowell.....	255	2	4	-	6	23.52	4	-	-	2	-
Mattawamkeag.....	516	2	6	-	8	15.50	6	1	1	-	-
Maxfield.....	75	1	-	-	1	13.33	-	-	1	-	-
Medway.....	508	6	9	-	15	29.51	12	-	3	-	-
Milford.....	980	4	6	-	10	10.20	4	2	3	1	-
Millinocket.....	3,368	95	69	-	164	48.69	49	73	29	12	1
Mt. Chase.....	220	7	4	-	11	50.00	10	-	1	-	-
Newburg.....	690	6	9	-	15	21.74	14	-	1	-	-
Newport.....	1,768	9	12	-	21	11.88	19	-	1	-	1
Old Town.....	6,372	111	78	-	189	29.67	86	49	30	22	2
Orono.....	3,585	55	40	-	95	26.50	30	37	14	12	2
Orrington.....	1,214	11	12	-	23	18.95	16	-	3	4	-
Passadumkeag.....	441	5	3	-	8	18.14	5	-	3	-	-
Patten.....	1,430	20	21	-	41	28.67	29	-	9	3	-
Plymouth.....	597	6	4	-	10	11.19	9	-	-	1	-

**No. 6—Continued.**  
**for the year 1911.**

COUNTY—CONTINUED.

MARRIAGES.							DEATHS.						
							SEX.			NATIVITY.			Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
12	-	1	1	-	14	29	16	-	45	36	8	1	18.75
8	-	-	-	-	8	3	13	-	16	16	-	-	13.19
3	-	-	-	-	3	2	7	-	9	9	-	-	14.78
3	-	-	-	-	3	3	6	-	9	6	2	1	18.29
2	-	-	-	-	2	5	6	-	11	10	1	-	27.50
4	-	-	1	-	5	4	7	-	11	11	-	-	22.59
4	1	1	1	-	7	7	5	-	12	8	4	-	16.62
6	-	-	-	-	6	10	3	-	13	10	2	1	22.11
6	-	-	-	-	6	7	4	-	11	10	1	-	14.80
5	-	-	2	-	7	7	5	-	12	10	2	-	17.17
19	-	2	1	-	22	9	10	-	19	16	3	-	9.43
2	-	-	-	-	2	1	3	-	4	3	1	-	15.69
-	-	-	1	-	1	3	-	-	3	1	2	-	5.81
-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	1	-	4	4	1	-	5	3	-	2	9.84
4	-	-	1	-	5	10	6	-	16	13	3	-	16.33
13	8	4	12	-	37	32	18	-	50	32	12	6	14.85
1	-	-	-	-	1	2	2	-	4	2	2	-	18.18
7	-	-	-	-	7	9	8	-	17	17	-	-	24.64
15	-	2	2	-	19	10	14	-	24	21	3	-	13.57
41	3	7	12	-	63	66	56	-	122	100	20	2	19.15
10	1	5	1	-	17	23	21	-	44	28	16	-	12.27
5	-	-	-	-	5	6	9	-	15	13	1	1	12.36
6	-	-	-	-	6	1	3	-	4	4	-	-	9.07
15	-	-	2	1	18	7	9	-	16	11	3	2	11.19
9	-	1	-	-	10	5	5	-	10	10	-	-	11.19

**TABLE**  
**Births, Marriages and Deaths**

PENOBSCOT

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Prentiss.....	475	4	5	-	9	18.95	9	-	-	-	-
Springfield.....	452	6	5	-	11	24.34	10	-	1	-	-
Stetson.....	478	2	2	-	4	8.37	4	-	-	-	-
Veazie.....	557	5	6	-	11	19.75	9	-	-	2	-
Winn.....	658	7	3	-	10	15.20	6	-	1	2	1
Woodville.....	122	2	2	-	4	32.79	4	-	-	-	-
Drew Pl.....	258	1	5	-	6	23.25	5	1	-	-	-
Grand Falls Pl.....	52	-	-	-	-	-	-	-	-	-	-
Lakeville Pl.....	93	1	1	-	2	21.50	2	-	-	-	-
Seboeis Pl.....	85	4	1	-	5	58.82	4	-	1	-	-
Stacyville Pl.....	600	6	5	-	11	18.33	6	-	3	2	-
Webster Pl.....	101	2	5	-	7	69.31	6	1	-	-	-
Indian Twp. No. 3.	44	2	2	-	4	90.91	2	-	1	-	1
No. 1, R. 7.....	40	2	-	-	2	50.00	1	-	-	1	-
No. 2, R. 6.....	208	1	1	-	2	9.62	-	-	-	1	1
Total.....	*85,298	951	849	-	1,800	21.10	1,045	343	207	171	34

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.



**No. 6—Continued.**  
**for the year 1911.**

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.			NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	-	-	3	1	4	-	5	5	-	-	10.53
5	-	-	1	-	6	4	3	-	7	7	-	-	15.49
6	-	-	-	-	6	4	7	-	11	10	1	-	23.01
2	-	-	-	-	2	6	5	-	11	8	2	1	19.75
6	-	2	-	-	8	1	1	-	2	1	1	-	3.04
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	-	2	2	1	-	3	2	1	-	11.63
1	-	-	-	-	1	1	-	-	1	1	-	-	19.23
-	-	-	-	-	-	1	-	-	1	-	1	-	10.75
1	-	-	-	-	1	2	3	-	5	4	1	-	58.82
4	-	-	1	-	5	2	-	-	2	2	-	-	3.33
-	-	-	-	-	-	1	2	-	3	3	-	-	29.70
1	-	-	-	-	1	1	2	-	3	2	1	-	68.18
-	-	-	-	-	-	9	-	-	9	5	4	-	225.00
1	-	-	-	-	1	2	-	-	2	2	-	-	9.62
509	48	65	88	2	712	769	666	-	1,435	1,159	242	34	16.82

## TABLE Births, Marriages and Deaths

PISCATAQUIS

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbot.....	704	12	1	-	13	18.47	9	1	2	-	1
Atkinson.....	531	7	4	-	11	20.72	9	-	1	1	-
Blanchard.....	168	2	1	-	3	17.86	3	-	-	-	-
Bowerbank.....	76	-	-	-	-	-	-	-	-	-	-
Brownville.....	1,832	12	18	-	30	16.38	12	10	4	4	-
Dover.....	2,111	16	22	-	38	18.00	28	3	4	3	-
Foxcroft.....	1,891	13	19	-	32	16.92	26	-	5	1	-
Greenville.....	1,510	19	31	-	50	33.11	17	17	8	8	-
Guilford.....	1,694	13	13	-	26	15.35	20	1	2	3	-
Medford.....	260	6	2	-	8	30.77	6	-	2	-	-
Milo.....	2,697	34	32	-	66	24.47	43	7	7	7	2
Monson.....	1,256	23	16	-	39	31.06	20	12	2	4	1
Orneville.....	352	3	9	-	12	34.09	9	-	2	1	-
Parkman.....	639	10	3	-	13	20.34	13	-	-	-	-
Sangerville.....	1,321	8	8	-	16	12.11	9	1	3	-	3
Sebec.....	545	4	3	-	7	12.84	6	1	-	-	-
Shirley.....	343	4	2	-	6	17.49	3	-	3	-	-
Wellington.....	391	5	3	-	8	20.46	7	-	1	-	-
Williamsburg.....	140	1	1	-	2	14.29	-	-	2	-	-
Willimantic.....	434	2	4	-	6	13.82	6	-	-	-	-
Barnard Pl.....	101	1	4	-	5	49.50	4	-	1	-	-
Elliottsville Pl.....	123	-	2	-	2	16.26	1	1	-	-	-
Kingsbury Pl.....	108	2	1	-	3	27.78	3	-	-	-	-
Lake View Pl.....	252	2	2	-	4	15.87	2	-	2	-	-
Katahdin Iron W'ks	71	2	1	-	3	42.25	3	-	-	-	-
Total.....	*19,550	201	202	-	403	20.61	259	54	51	32	7

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**No. 6—Continued.**  
**for the year 1911.**  
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.			NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
6	-	-	1	-	7	12	3	-	15	13	2	-	21.31
3	-	-	-	-	3	2	4	-	6	6	-	-	11.30
2	-	-	-	-	2	2	-	-	2	2	-	-	11.90
1	-	-	-	-	1	-	1	-	1	1	-	-	13.16
4	1	1	1	-	7	9	8	-	17	13	4	-	9.27
16	-	3	1	-	20	13	16	-	29	25	2	2	13.74
11	1	1	2	-	15	13	20	-	33	29	3	1	12.16
5	2	6	3	-	16	11	10	-	21	15	5	1	13.91
16	-	1	3	-	20	9	14	-	23	21	2	-	13.58
1	-	-	-	-	1	2	1	-	3	3	-	-	11.54
19	1	2	4	-	26	19	15	-	34	31	3	-	12.61
4	1	1	-	-	6	6	7	-	13	11	2	-	10.35
2	-	-	-	-	2	4	2	-	6	6	-	-	17.04
4	-	-	-	-	4	4	7	-	11	10	1	-	17.21
10	-	1	-	-	11	12	3	-	15	15	-	-	11.35
2	-	1	-	-	3	5	3	-	8	7	1	-	14.68
2	-	-	-	-	2	4	1	-	5	5	-	-	14.58
3	-	-	-	-	3	2	7	-	9	9	-	-	23.02
-	-	-	-	-	-	1	-	-	1	1	-	-	7.14
1	-	-	-	-	1	3	1	-	4	4	-	-	9.22
2	-	1	1	-	4	1	1	-	2	1	-	1	18.20
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	3	2	-	5	5	-	-	46.30
3	1	-	-	-	4	3	1	-	4	2	2	-	15.87
-	-	1	-	-	1	1	1	-	2	2	-	-	28.16
117	7	19	16	-	159	141	128	-	269	237	27	5	13.76

**TABLE**  
**Births, Marriages and Deaths**

SAGADAHOC

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Arrowsic.....	144	2	3	-	5	34.72	4	-	-	-	1
Bath.....	10,552	75	70	-	145	13.74	84	23	16	19	3
Bowdoin.....	802	10	7	-	17	21.20	15	-	1	1	-
Bowdoinham.....	1,393	13	10	-	23	16.51	20	1	2	-	-
Georgetown.....	736	5	8	-	13	17.66	11	-	-	2	-
Perkins.....	37	-	1	-	1	27.03	1	-	-	-	-
Phippsburg.....	1,062	11	16	-	27	25.42	24	1	1	1	-
Richmond.....	1,839	13	16	-	29	15.77	26	-	-	2	1
Topham.....	2,008	19	15	-	34	16.93	20	11	1	2	-
West Bath.....	224	-	1	-	1	4.46	1	-	-	-	-
Woolwich.....	867	5	6	-	11	12.69	9	-	-	2	-
<b>Total.....</b>	<b>19,664</b>	<b>153</b>	<b>153</b>	<b>-</b>	<b>306</b>	<b>15.56</b>	<b>215</b>	<b>36</b>	<b>21</b>	<b>29</b>	<b>5</b>

**No. 6—Continued.  
for the year 1911.**

COUNTY.

MARRIAGES.							DEATHS.						
							SEX.				NATIVITY.		
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	1	1	-	2	2	-	-	13.89
52	3	4	9	-	68	66	65	-	131	110	21	-	12.41
2	-	-	-	-	2	7	8	-	15	14	1	-	18.70
7	-	1	-	-	8	15	9	-	24	24	-	-	17.23
5	-	-	-	-	5	6	4	-	10	10	-	-	13.59
-	-	-	-	-	-	2	-	-	2	1	1	-	54.05
4	-	-	-	-	4	5	5	-	10	9	1	-	9.42
7	-	3	-	-	10	25	29	-	54	49	4	1	29.36
13	-	1	2	-	16	11	17	-	28	25	3	-	13.94
1	-	-	-	-	1	3	5	-	8	8	-	-	35.71
5	-	-	2	-	7	7	6	-	13	13	-	-	14.99
96	3	9	13	-	121	148	149	-	297	265	31	1	15.10

## TABLE Births, Marriages and Deaths

SOMERSET

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson .....	2,236	25	25	-	50	22.36	27	12	4	7	-
Athens .....	916	5	8	-	13	14.19	12	1	-	-	-
Bingham .....	768	4	8	-	12	15.57	7	1	1	2	1
Cambridge .....	369	1	7	-	8	21.68	6	2	-	-	-
Canaan .....	864	2	8	-	10	11.57	10	-	-	-	-
Concord .....	253	1	2	-	3	11.86	3	-	-	-	-
Cornville .....	723	7	9	-	16	22.13	15	1	-	-	-
Detroit .....	454	2	4	-	6	13.22	4	-	-	2	-
Embden .....	525	3	7	-	10	19.05	7	1	1	1	-
Fairfield .....	4,491	49	48	-	97	21.60	48	25	13	7	4
Harmony .....	746	7	5	-	12	16.09	8	-	2	2	-
Hartland .....	1,182	14	14	-	28	23.69	25	1	-	2	-
Madison .....	3,440	55	25	-	80	23.26	39	27	8	5	1
Mercer .....	436	2	5	-	7	16.06	7	-	-	-	-
Moscow .....	532	4	3	-	7	13.16	6	-	-	-	1
New Portland .....	879	8	6	-	14	15.93	14	-	-	-	-
Norridgewock .....	1,619	14	11	-	25	15.44	19	4	1	1	-
Palmyra .....	964	7	5	-	12	12.45	10	1	-	-	1
Pittsfield .....	2,891	24	22	-	46	15.91	41	1	1	-	3
Ripley .....	435	4	7	-	11	25.29	10	1	-	-	-
St. Albans .....	1,026	5	7	-	12	11.70	11	-	-	1	-
Skowhegan .....	5,357	48	56	-	104	19.41	56	14	19	13	2
Smithfield .....	425	5	3	-	8	18.82	5	-	1	2	-
Solon .....	1,038	4	12	-	16	15.41	13	-	2	1	-
Stark .....	540	4	5	-	9	16.67	7	-	-	2	-

**No. 6—Continued.**  
**for the year 1911.**  
 COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
11	2	-	2	-	15	17	15	-	32	30	2	-	14.31
5	-	-	1	-	6	12	3	-	15	15	-	-	16.38
13	-	-	-	1	14	11	11	-	22	18	1	3	28.65
1	-	-	-	-	1	2	3	-	5	4	1	-	13.55
5	-	-	-	-	5	8	6	-	14	11	2	1	16.20
1	-	1	-	-	2	2	1	-	3	3	-	-	11.86
5	-	-	-	-	5	5	4	-	9	8	1	-	12.45
4	-	-	1	-	5	4	6	-	10	8	1	1	22.03
5	-	-	1	-	6	1	4	-	5	5	-	-	9.52
34	2	2	3	3	44	31	31	-	62	53	9	-	13.81
6	-	-	-	-	6	5	1	-	6	6	-	-	8.04
6	1	-	-	-	7	7	9	-	16	14	2	-	13.54
22	4	4	1	-	31	26	15	-	41	33	6	2	11.92
1	-	2	-	-	3	-	3	-	3	3	-	-	6.88
4	-	-	-	-	4	-	4	-	4	3	-	1	7.52
8	-	1	-	-	9	7	9	-	16	16	-	-	18.20
13	-	-	-	-	13	19	10	-	29	26	2	1	17.91
7	-	1	-	-	8	4	8	-	12	10	2	-	12.45
28	-	-	-	-	28	15	14	-	29	26	3	-	10.03
1	-	-	-	-	1	6	2	-	8	8	-	-	18.39
8	1	-	-	-	9	10	12	-	22	22	-	-	21.44
35	2	1	4	1	43	50	38	-	88	71	14	3	16.43
3	-	-	-	-	3	1	3	-	4	4	-	-	9.41
8	-	-	-	-	8	12	10	-	22	21	1	-	21.19
4	-	-	-	-	4	3	2	-	5	5	-	-	9.26

**TABLE**  
**Births, Marriages and Deaths**

SOMERSET

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Brighton Pl. ....	265	1	3	-	4	15.09	4	-	-	-	-
Caratunk Pl. ....	237	3	2	-	5	21.10	4	-	-	1	-
Dead River Pl. ....	94	1	2	-	3	31.91	3	-	-	-	-
Dennistown Pl. ....	99	1	1	-	2	20.20	-	1	-	1	-
Flagstaff Pl. ....	152	-	2	-	2	13.16	2	-	-	-	-
Highland Pl. ....	68	2	3	-	5	73.53	5	-	-	-	-
Jackman Pl. ....	698	9	10	-	19	27.22	2	12	3	2	-
Lexington Pl. ....	237	4	3	-	7	29.54	7	-	-	-	-
Moose River Pl. ....	252	2	1	-	3	11.90	3	-	-	-	-
Pleasant Ridge Pl. ....	90	-	1	-	1	11.11	1	-	-	-	-
The Forks Pl. ....	170	2	1	-	3	17.65	2	1	-	-	-
West Forks Pl. ....	136	2	-	-	2	14.71	1	1	-	-	-
Total. ....	*35,607 #	331	341	-	672	18.87	444	107	56	52	13

\*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.



**No. 6—Continued.**  
**for the year 1911.**

COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
							SEX.			NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
6	-	-	-	-	6	3	2	-	5	5	-	-	18.87	
2	-	-	-	-	2	3	1	-	4	4	-	-	16.87	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	-	2	2	1	-	3	2	1	-	30.30	
-	-	-	-	-	-	-	3	-	3	2	-	-	19.73	
1	-	-	-	-	1	1	1	-	2	2	-	-	29.41	
4	3	3	7	1	18	8	7	-	15	7	7	1	21.49	
1	-	-	-	-	1	1	3	-	4	4	-	-	16.88	
2	-	1	1	-	4	1	-	-	1	1	-	-	3.96	
1	-	-	-	-	1	1	-	-	1	1	-	-	11.11	
1	-	-	3	-	4	4	-	-	4	2	2	-	23.53	
1	-	-	-	-	1	1	1	-	2	2	-	-	14.71	
258	16	16	24	6	320	283	243	-	526	455	57	14	14.77	

## TABLE

### Births, Marriages and Deaths

- WALDO

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast.....	4,618	30	45	-	75	16.24	71	1	2	1	-
Belmont.....	334	1	3	-	4	11.98	4	-	-	-	-
Brooks.....	707	9	5	-	14	19.80	14	-	-	-	-
Burnham.....	730	8	7	-	15	20.55	14	-	1	-	-
Frankfort.....	1,152	19	8	-	27	23.44	18	7	2	-	-
Freedom.....	480	2	7	-	9	18.75	9	-	-	-	-
Islesboro.....	873	4	4	-	8	9.16	6	-	1	1	-
Jackson.....	414	3	3	-	6	14.49	4	-	-	2	-
Knox.....	506	6	7	-	13	25.69	11	-	1	1	-
Liberty.....	642	5	7	-	12	18.69	11	-	-	1	-
Lincolnville.....	1,000	2	9	-	11	11.00	9	1	1	-	-
Monroe.....	863	9	8	-	17	19.70	16	-	-	1	-
Montville.....	837	9	7	-	16	19.12	15	-	-	1	-
Morrill.....	346	2	4	-	6	17.34	4	-	-	2	-
Northport.....	515	6	2	-	8	15.53	8	-	-	-	-
Palermo.....	683	2	7	-	9	13.18	8	-	-	1	-
Prospect.....	592	4	7	-	11	18.58	8	2	1	-	-
Searsmont.....	816	9	7	-	16	19.61	15	-	1	-	-
Searsport.....	1,453	12	13	-	25	17.21	23	1	1	-	-
Stockton Springs...	1,126	9	6	-	15	13.32	12	2	-	1	-
Swanville.....	464	3	3	-	6	12.93	5	-	-	1	-
Thorndike.....	528	4	5	-	9	17.05	8	-	-	1	-
Troy.....	768	9	7	-	16	20.83	16	-	-	-	-
Unity.....	901	3	8	-	11	12.21	10	-	1	-	-
Waldo.....	374	3	4	-	7	18.72	6	-	1	-	-
Winterport.....	1,578	13	17	-	30	19.01	26	-	2	2	-
Total.....	23,300	186	210	-	396	17.00	351	14	15	16	-

**No. 6—Continued.**  
**for the year 1911.**  
 COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
43	-	1	3	-	47	54	55	-	109	105	4	-	23.60
-	-	-	-	-	-	6	3	-	9	9	-	-	26.95
5	-	-	-	-	5	7	7	-	14	14	-	-	19.80
7	-	-	-	-	7	5	10	-	15	12	3	-	20.55
4	2	-	-	-	6	6	5	-	11	8	3	-	9.55
2	-	-	-	-	2	4	2	-	6	5	-	1	12.50
9	-	-	-	-	9	7	5	-	12	12	-	-	13.75
4	-	-	-	-	4	2	2	-	4	4	-	-	9.66
9	-	-	1	-	10	6	4	-	10	10	-	-	19.76
4	-	-	-	-	4	9	11	-	20	19	1	-	31.15
7	-	-	-	-	7	7	6	-	13	12	1	-	13.00
8	-	-	-	-	8	6	7	-	13	13	-	-	15.06
8	-	-	-	-	8	14	11	-	25	25	-	-	29.87
2	-	-	-	-	2	1	3	-	4	4	-	-	11.56
2	-	-	-	-	2	8	7	-	15	14	1	-	29.13
5	-	-	-	-	5	9	10	-	19	18	-	1	27.82
4	-	-	-	-	4	8	3	-	11	11	-	-	18.58
6	-	-	-	-	6	9	5	-	14	14	-	-	17.16
13	-	-	2	-	15	13	9	-	22	21	1	-	15.14
10	-	1	2	-	13	7	8	-	15	14	1	-	13.32
-	-	-	-	-	-	7	5	-	12	11	-	1	25.86
6	-	-	-	-	6	7	4	-	11	10	-	1	20.83
2	-	-	-	-	2	4	7	-	11	11	-	-	14.32
13	-	1	-	-	14	4	4	-	8	7	-	1	8.88
1	-	-	-	-	1	1	3	-	4	4	-	-	10.70
12	-	-	-	-	12	8	16	-	24	22	2	-	15.21
186	2	3	8	-	199	219	212	-	431	409	17	5	18.50

## TABLE

### Births, Marriages and Deaths

WASHINGTON

Towns.	Estimated population in 1911.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison.....	974	14	7	-	21	21.56	20	-	1	-	-
Alexander.....	370	8	7	-	15	40.54	13	1	-	-	1
Baileyville.....	1,229	24	26	-	50	40.68	12	16	11	10	1
Baring.....	228	3	4	-	7	30.70	5	1	-	1	-
Beddington.....	58	-	1	-	1	17.24	1	-	-	-	-
Brookton.....	232	3	2	-	5	21.55	2	1	2	-	-
Calais.....	5,962	73	66	-	139	23.31	58	23	17	36	5
Centerville.....	91	3	-	-	3	32.97	3	-	-	-	-
Charlotte.....	288	2	1	-	3	10.42	2	-	-	1	-
Cherryfield.....	1,463	15	16	-	31	21.19	30	-	-	-	1
Columbia.....	569	8	3	-	11	19.51	10	-	-	-	1
Columbia Falls.....	672	8	5	-	13	19.35	12	1	-	-	-
Cooper.....	188	-	4	-	4	21.28	3	-	1	-	-
Crawford.....	114	2	-	-	2	17.54	2	-	-	-	-
Cutler.....	587	7	2	-	9	15.33	8	-	-	1	-
Danforth.....	1,315	16	5	-	21	15.21	9	5	5	2	-
Deblois.....	69	1	1	-	2	28.99	2	-	-	-	-
Dennysville.....	457	6	4	-	10	21.88	9	-	1	-	-
East Machias.....	1,379	14	13	1	28	20.30	25	-	-	2	1
Eastport.....	4,926	54	52	-	106	21.52	49	14	24	19	-
Edmunds.....	628	8	9	-	17	27.07	13	2	1	1	-
Forest City.....	73	1	2	-	3	41.10	-	-	1	2	-
Harrington.....	1,006	8	9	-	17	16.90	15	-	2	-	-
Jonesboro.....	510	11	2	-	13	25.49	13	-	-	-	-
Jonesport.....	2,069	32	20	1	53	25.61	49	-	-	4	-
Lubec.....	2,969	46	39	-	85	28.60	35	18	16	16	-
Machias.....	2,089	23	15	-	38	18.19	33	2	1	-	2
Machiasport.....	1,218	9	14	-	23	18.88	21	-	-	2	-

**No. 6—Continued.**  
**for the year 1911.**  
 COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
5	-	-	1	1	7	5	5	-	10	10	-	-	10.27
2	-	-	-	-	2	3	1	-	4	2	1	1	10.81
3	1	-	1	-	5	4	3	-	7	7	-	-	5.70
1	-	-	-	-	1	1	4	-	5	4	1	-	21.93
-	-	-	-	-	-	1	-	-	1	1	-	-	17.24
-	1	1	-	-	2	-	-	-	-	-	-	-	-
12	6	10	10	-	38	50	47	-	97	64	33	-	16.27
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	1	2	2	4	-	6	6	-	-	21.84
20	-	-	1	-	21	11	10	-	21	19	2	-	14.35
1	-	-	-	-	1	3	4	-	7	7	-	-	12.30
2	-	1	-	-	3	7	5	-	12	12	-	-	17.86
-	-	-	-	-	-	2	1	-	3	3	-	-	15.96
-	-	-	-	-	-	-	1	-	1	1	-	-	8.77
2	-	-	-	-	2	2	2	-	4	3	1	-	6.81
5	1	-	-	-	6	10	8	-	18	12	5	1	13.69
-	-	-	-	-	-	1	1	-	2	2	-	-	28.99
6	-	-	-	-	6	2	4	-	6	4	2	-	13.13
8	-	-	-	-	8	8	14	-	22	21	1	-	15.95
13	3	3	9	-	28	42	42	-	84	52	32	-	17.05
3	-	-	2	-	5	6	6	-	12	12	-	-	19.11
1	-	1	-	-	2	-	-	-	-	-	-	-	-
9	-	-	-	-	9	6	6	-	12	12	-	-	11.93
6	-	-	-	-	6	2	6	-	8	8	-	-	15.69
20	1	1	2	-	24	12	18	-	30	29	1	-	14.50
11	6	1	5	-	23	26	19	-	45	25	20	-	15.16
21	-	1	-	-	22	14	13	-	27	25	2	-	12.92
5	-	1	1	-	7	8	9	-	17	17	-	-	13.96

## TABLE Births, Marriages and Deaths

WASHINGTON

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Marion.....	116	5	1	-	6	51.72	5	-	-	1	-
Marshfield.....	173	1	1	-	2	11.56	2	-	-	-	-
Meddybemps.....	121	-	-	-	-	-	-	-	-	-	-
Milbridge.....	1,513	13	16	-	29	19.17	28	-	-	1	-
Northfield.....	77	1	1	-	2	25.97	2	-	-	-	-
Pembroke.....	1,351	12	9	-	21	15.54	18	-	-	1	2
Perry.....	1,144	8	8	-	16	13.99	13	-	2	1	-
Princeton.....	1,091	16	18	-	34	11.36	24	-	2	8	-
Robbinston.....	676	7	12	-	19	28.11	14	1	3	1	-
Roque Bluffs.....	99	-	1	-	1	10.10	1	-	-	-	-
Steuben.....	890	7	8	-	15	16.85	13	-	1	1	-
Talmage.....	100	3	1	-	4	40.00	2	-	1	1	-
Topsfield.....	257	1	3	-	4	15.56	2	-	2	-	-
Trescott.....	461	2	2	-	4	8.68	3	-	-	1	-
Vanceboro.....	630	7	8	-	15	23.81	5	4	6	-	-
Waite.....	164	1	1	-	2	12.19	2	-	-	-	-
Wesley.....	170	2	1	-	3	17.65	3	-	-	-	-
Whiting.....	365	5	5	-	10	27.40	9	-	-	1	-
Whitneyville.....	242	5	-	-	5	20.66	5	-	-	-	-
Codyville Pl.....	69	3	1	-	4	57.97	3	-	1	-	-
Grand Lake Stream Pl.....	293	4	6	-	10	34.13	9	-	1	-	-
No. 14 Pl.....	82	-	1	-	1	12.19	1	-	-	-	-
No. 21 Pl.....	81	2	1	-	3	37.03	2	-	-	1	-
Kossuth.....	44	1	2	-	3	6.82	3	-	-	-	-
Lambert Lake.....	104	1	1	-	2	19.23	2	-	-	-	-
Total.....	*42,046	506	437	2	945	22.48	625	89	102	115	14

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**No. 6—Continued.**  
**for the Year 1911.**

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
1	-	-	-	-	1	2	1	-	3	2	-	1	25.86
-	-	-	-	-	-	2	3	-	5	5	-	-	28.90
-	-	-	-	-	-	3	1	-	4	4	-	-	33.05
17	-	-	1	-	18	12	11	-	23	20	1	2	15.20
1	-	-	-	-	1	-	1	-	1	1	-	-	12.98
7	-	1	1	-	9	5	6	-	11	11	-	-	8.14
7	-	1	1	-	9	7	6	-	13	9	4	-	11.36
11	-	-	1	-	12	6	8	-	14	11	3	-	12.83
5	-	1	-	-	6	8	4	-	12	11	1	-	17.75
-	-	-	-	-	-	1	1	-	2	2	-	-	20.20
6	-	-	1	-	7	11	10	-	21	19	2	-	23.60
1	-	1	-	-	2	1	-	-	1	1	-	-	10.00
1	-	-	-	-	1	3	-	-	3	3	-	-	11.67
2	-	1	-	-	3	2	1	-	3	2	1	-	6.51
1	1	1	1	-	4	3	4	-	7	3	4	-	11.11
2	-	-	-	-	2	2	2	-	4	2	2	-	24.38
4	-	-	-	-	4	-	-	-	-	-	-	-	-
3	-	1	-	-	4	-	-	-	-	-	-	-	-
2	-	-	-	-	2	-	5	-	5	5	-	-	20.66
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	1	-	3	3	-	-	10.23
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
3	-	-	-	-	3	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
233	20	27	38	2	320	298	298	-	596	472	119	5	14.17

**TABLE**  
**Births, Marriages and Deaths**

YORK

TOWNS.	Estimated population in 1911.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton.....	586	6	6	-	12	20.48	10	-	2	-	-
Alfred.....	885	5	8	-	13	14.69	8	3	1	1	-
Berwick.....	2,079	23	14	-	37	17.80	24	8	3	2	-
Biddeford.....	17,172	248	236	-	484	28.19	94	287	51	48	4
Buxton.....	1,659	20	18	-	38	22.91	35	-	2	-	1
Cornish.....	951	8	7	-	15	15.77	12	1	1	1	-
Dayton.....	388	1	1	-	2	5.15	2	-	-	-	-
Eliot.....	1,536	18	21	-	39	25.39	30	3	1	4	1
Hollis.....	1,284	6	9	-	15	11.68	14	-	1	-	-
Kennebunk.....	3,086	33	25	-	58	18.79	48	3	1	5	1
Kennebunkport....	2,130	27	21	-	48	22.54	34	3	5	6	-
Kittery.....	3,600	31	39	-	70	19.44	58	4	4	4	-
Lebanon.....	1,318	7	13	-	20	15.17	18	-	1	1	-
Limerick.....	974	7	11	-	18	18.48	13	1	-	4	-
Limington.....	982	11	10	-	21	21.38	18	2	-	1	-
Lyman.....	608	4	4	-	8	13.16	5	3	-	-	-
Newfield.....	671	8	10	-	18	26.83	16	-	-	1	1
North Berwick.....	1,780	25	12	-	37	20.79	37	-	-	-	-
Old Orchard.....	961	6	5	-	11	11.44	10	-	-	1	-
Parsonsfield.....	1,050	8	9	-	17	16.19	16	1	-	-	-
Saco.....	6,629	57	54	-	111	16.74	68	20	12	9	2
Sanford.....	9,346	134	128	-	262	28.03	87	116	33	26	-
Shapleigh.....	675	4	5	-	9	13.33	9	-	-	-	-
South Berwick.....	2,910	30	32	-	62	21.31	38	17	3	4	-
Waterboro.....	980	8	8	-	16	16.33	16	-	-	-	-
Wells.....	1,900	20	19	-	39	20.53	33	-	2	4	-
York.....	2,815	36	26	-	62	22.03	47	4	6	3	2
Total.....	68,955	791	751	-	1,542	22.36	800	476	129	125	12



**No. 6—Concluded.**  
**for the year 1911.**  
 COUNTY.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
9	-	-	1	-	10	4	5	-	9	8	1	-	15.36	
5	-	-	-	-	5	6	14	-	20	19	1	-	22.60	
13	-	-	-	-	13	19	18	-	37	36	1	-	17.80	
51	43	27	18	-	139	163	149	-	312	233	79	-	18.17	
13	-	-	1	-	14	20	15	-	35	34	1	-	21.10	
9	-	-	-	-	9	9	14	-	23	22	1	-	24.19	
1	-	-	-	1	2	6	2	-	8	8	-	-	20.61	
5	-	-	-	-	5	9	7	-	16	16	-	-	10.42	
7	-	-	-	-	7	5	8	-	13	13	-	-	10.12	
18	2	4	1	-	25	29	17	-	46	42	3	1	14.90	
14	1	1	1	-	17	14	12	-	26	24	2	-	12.21	
8	1	-	-	-	9	22	24	-	46	42	2	2	11.67	
6	-	-	-	-	6	7	7	-	14	14	-	-	10.62	
5	2	1	-	-	8	13	6	-	19	16	3	-	19.51	
2	-	-	-	-	2	6	11	-	17	15	2	-	17.31	
4	-	-	-	-	4	5	7	-	12	12	-	-	19.75	
-	-	-	-	-	-	3	2	-	5	5	-	-	7.45	
9	-	-	-	-	9	16	7	-	23	21	2	-	12.92	
6	-	-	-	-	6	7	11	-	18	17	1	-	18.73	
7	-	-	-	-	7	4	8	-	12	11	1	-	11.43	
35	6	3	4	-	48	56	55	-	111	99	12	-	16.74	
12	22	8	12	-	54	63	49	-	112	77	35	-	11.98	
6	-	-	1	-	7	10	5	-	15	15	-	-	22.22	
11	3	1	2	-	17	30	29	-	59	46	13	-	20.28	
5	-	-	-	-	5	12	21	-	33	30	2	1	33.67	
12	-	1	-	-	13	25	17	-	42	38	4	-	22.11	
19	1	2	2	-	24	17	30	-	47	44	2	1	16.70	
292	81	48	43	1	465	580	550	-	1,130	957	168	5	16.39	

**TABLE**  
**Recapitulation**

COUNTIES.	Estimated population in 1911.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin.....	60,350	614	645	1	1,260	20.87	520	436	168	123	13
Aroostook.....	*75,081	1,260	1,124	1	2,385	31.76	1,378	314	360	307	26
Cumberland.....	113,015	1,137	1,127	1	2,265	20.04	1,196	635	192	202	40
Franklin.....	*18,791	202	152	-	354	18.84	244	65	31	13	1
Hancock.....	*35,175	334	348	1	683	19.42	597	22	32	21	11
Kennebec.....	63,251	580	561	-	1,141	18.04	643	276	113	90	19
Knox.....	*29,375	237	198	-	435	14.81	346	54	21	11	3
Lincoln.....	18,114	164	143	-	307	16.95	269	7	6	22	3
Oxford.....	*36,571	377	364	-	741	20.26	408	230	56	40	7
Penobscot.....	*85,298	951	849	-	1,800	21.10	1,045	343	207	171	34
Piscataquis.....	*19,550	201	202	-	403	20.61	259	54	51	32	7
Sagadahoc.....	19,664	153	153	-	306	15.56	215	36	21	29	5
Somerset.....	*35,607	331	341	-	672	18.87	444	107	56	52	13
Waldo.....	23,300	186	210	-	396	17.00	351	14	15	16	-
Washington.....	*42,046	506	437	2	945	22.48	625	89	102	115	14
York.....	68,955	791	751	-	1,542	22.36	800	476	129	125	12
Total.....	*744,143	8,024	7,605	6	15,635	21.01	9,340	3,158	1,560	1,369	208

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**No. 7.**  
**by Counties.**

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
260	82	42	67	3	454	482	469	-	951	731	212	8	15.76
341	40	69	112	5	567	475	406	-	881	685	191	5	11.73
565	138	101	78	2	884	978	880	-	1,858	1,479	339	40	16.44
141	8	6	11	-	166	131	117	-	248	234	11	3	13.20
259	3	16	13	4	295	288	249	-	537	503	30	4	15.27
372	56	52	44	3	527	578	516	-	1,094	927	143	24	17.30
202	15	11	13	-	241	284	270	-	554	504	48	2	18.86
113	1	5	4	1	124	167	175	-	342	328	13	1	18.88
222	42	29	29	2	324	298	284	-	582	526	51	5	15.91
509	48	65	88	2	712	769	666	-	1,435	1,159	242	34	16.82
117	7	19	16	-	159	141	128	-	269	237	27	5	13.76
96	3	9	13	-	121	148	149	-	297	265	31	1	15.10
258	16	16	24	6	320	283	243	-	526	455	57	14	14.77
186	2	3	8	-	199	219	212	-	431	409	17	5	18.50
233	20	27	38	2	320	298	298	-	596	472	119	5	14.17
292	81	48	43	1	465	580	550	-	1,130	957	168	5	16.39
4,166	562	518	601	31	5,878	6,119	5,612	-	11,731	9,871	1,699	161	15.76

**TABLE No. 8.**  
**Births and Birth-Rates by Counties for the Years 1904-1911.**

MONTHS.	1904.		1905.		1906.		1907.		1908.		1909.		1910.		1911.	
	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.
State.....	14,673	21.13	15,294	21.40	15,878	22.09	15,914	22.02	16,173	22.25	16,060	21.97	15,798	21.28	15,635	21.01
Androscoggin.....	1,059	19.52	1,164	20.47	1,175	20.47	1,088	18.78	1,124	19.23	1,205	20.43	1,173	19.61	1,260	20.87
Aroostook.....	2,223	37.27	2,241	34.60	2,323	34.45	2,413	35.20	2,429	34.87	2,374	33.54	2,443	32.72	2,385	31.76
Cumberland.....	2,011	19.97	2,066	19.03	2,179	20.45	2,163	20.12	2,254	20.78	2,263	20.68	2,201	19.65	2,265	20.04
Franklin.....	376	20.60	432	22.60	404	20.96	442	22.76	402	20.56	418	21.22	403	21.08	354	18.84
Hancock.....	695	18.76	733	19.05	768	20.62	757	20.33	753	20.22	740	19.87	693	19.48	683	19.42
Kennebec.....	1,174	19.86	1,177	19.14	1,225	20.72	1,257	20.75	1,236	20.33	1,259	20.64	1,262	20.08	1,141	18.04
Knox.....	452	14.92	465	15.32	531	17.53	444	14.60	454	14.93	438	14.40	432	14.91	435	14.81
Lincoln.....	288	14.64	345	17.42	310	15.76	323	16.42	321	16.32	314	15.96	293	16.08	307	16.95
Oxford.....	730	22.88	792	23.36	880	26.48	787	23.57	906	27.00	864	25.62	876	24.16	741	20.26
Penobscot.....	1,541	20.34	1,578	20.04	1,722	22.00	1,772	22.54	1,781	22.55	1,770	22.31	1,671	19.59	1,800	21.10
Piscataquis.....	343	20.64	353	20.29	364	20.87	404	23.06	409	23.24	383	21.67	381	19.16	403	20.61
Sagadahoc.....	399	19.63	344	15.95	366	17.54	340	16.23	347	16.50	360	17.04	336	18.09	306	15.56
Somerset.....	634	18.88	698	19.95	692	20.01	703	20.26	749	21.51	735	21.03	760	20.94	672	18.87
Waldo.....	319	13.19	352	14.52	365	15.09	385	15.92	380	15.71	366	15.13	394	16.85	396	17.00
Washington.....	988	22.03	1,013	21.87	1,023	22.39	1,030	22.51	1,051	22.93	999	21.76	956	22.28	945	22.48
York.....	1,441	22.21	1,541	23.03	1,551	23.46	1,606	24.21	1,577	23.70	1,572	23.55	1,524	22.24	1,542	22.36

TABLE No. 9.

Births by Counties, Showing Proportion of Males to Females, 1911.

COUNTIES.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin.....	614	645	1	1,260	-	31	95.2
Aroostook.....	1,260	1,124	1	2,385	136	-	112.1
Cumberland.....	1,137	1,127	1	2,265	10	-	100.9
Franklin.....	202	152	-	354	50	-	132.9
Hancock.....	334	348	1	683	-	14	96.0
Kennebec.....	580	561	-	1,141	19	-	103.4
Knox.....	237	198	-	435	39	-	119.7
Lincoln.....	164	143	-	307	21	-	114.7
Oxford.....	377	364	-	741	13	-	103.6
Penobscot.....	951	849	-	1,800	102	-	112.0
Piscataquis.....	201	202	-	403	-	1	99.5
Sagadahoc.....	153	153	-	306	-	-	100.0
Somerset.....	331	341	-	672	-	10	97.1
Waldo.....	186	210	-	396	-	24	88.6
Washington.....	506	437	2	945	69	-	115.8
York.....	791	751	-	1,542	40	-	105.3
Total.....	8,024	7,605	6	15,635	499	80	105.5

TABLE No. 10.

Number of Births in Each Month of 1904-1911, with a Monthly Ratio Compared with a Standard of 100.

MONTHS.	1904.		1905.		1906.		1907.		1908.		1909.		1910.		1911.	
	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January.....	1,219	97.8	1,178	90.8	1,173	87.0	1,301	96.3	1,296	94.3	1,306	95.9	1,308	97.5	1,261	95.0
February.....	1,207	107.2	1,180	100.6	1,206	99.0	1,288	105.0	1,312	102.2	1,276	103.7	1,252	103.3	1,224	98.6
March.....	1,367	109.7	1,463	112.7	1,333	102.1	1,431	105.9	1,551	112.9	1,475	108.3	1,506	112.2	1,463	110.2
April.....	1,325	109.9	1,340	106.6	1,385	106.1	1,397	106.8	1,345	101.2	1,392	105.6	1,424	109.7	1,426	111.0
May.....	1,336	107.2	1,365	105.2	1,335	99.0	1,455	107.4	1,464	106.6	1,453	106.7	1,393	103.8	1,371	103.2
June.....	1,186	98.3	1,375	109.4	1,310	100.3	1,424	108.9	1,430	107.5	1,309	99.1	1,379	106.2	1,355	105.4
July.....	1,297	104.1	1,439	110.9	1,454	107.8	1,360	100.6	1,361	99.1	1,353	99.2	1,330	99.1	1,380	103.9
August.....	1,216	97.6	1,328	102.3	1,450	107.5	1,293	95.7	1,438	104.7	1,437	105.4	1,348	100.5	1,331	100.2
September.....	1,203	99.8	1,259	100.2	1,364	104.5	1,336	102.1	1,246	93.7	1,351	102.3	1,263	97.3	1,294	100.7
October.....	1,217	97.7	1,163	89.6	1,280	94.9	1,264	93.5	1,216	88.5	1,251	91.7	1,256	93.7	1,172	88.3
November.....	1,037	85.9	1,057	84.1	1,260	96.5	1,129	86.3	1,212	91.1	1,221	92.5	1,131	87.1	1,153	89.7
December.....	1,057	84.8	1,143	88.1	1,325	98.2	1,231	91.1	1,299	94.6	1,231	90.2	1,207	90.0	1,202	90.5
Unknown.....	6	-	4	-	3	-	5	-	3	-	5	-	1	-	3	-

\* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 11.

## Births, by Sex and Months, by Counties, 1911.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males . . . . .	65	47	68	53	53	57	54	52	47	50	41	27	-	614	-
females . . . . .	36	45	40	65	56	64	63	57	54	48	60	57	-	645	-
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,260
Aroostook, males . . . . .	86	98	118	124	117	128	127	107	95	83	86	90	1	1,260	-
females . . . . .	72	92	128	123	93	107	91	95	81	76	79	87	-	1,124	-
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,385
Cumberland, males . . . . .	91	104	118	93	100	79	100	93	100	84	88	87	-	1,137	-
females . . . . .	104	96	86	80	103	92	87	99	106	82	85	107	-	1,127	-
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,265
Franklin, males . . . . .	13	19	27	22	16	15	19	12	13	17	15	14	-	202	-
females . . . . .	14	15	16	16	11	13	18	10	15	10	5	9	-	152	-
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	354
Hancock, males . . . . .	31	26	39	25	31	21	34	29	26	31	19	22	-	334	-
females . . . . .	36	14	34	31	26	36	31	31	35	28	32	14	-	348	-
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Kennebec, males . . . . .	49	39	46	53	51	63	36	42	55	49	50	47	-	580	-
females . . . . .	51	45	50	54	36	43	50	39	61	48	37	47	-	561	-
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,141
Knox, males . . . . .	23	12	20	22	19	24	22	27	20	11	24	13	-	237	-
females . . . . .	12	12	25	24	21	17	18	25	7	14	11	12	-	198	-
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	435
Lincoln, males . . . . .	12	6	12	13	15	17	13	12	20	13	10	21	-	164	-
females . . . . .	11	13	14	13	16	11	17	11	9	10	9	9	-	143	-
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	307
Oxford, males . . . . .	31	26	37	31	35	36	48	30	28	23	24	28	-	377	-
females . . . . .	30	29	33	23	39	26	38	33	31	31	28	23	-	364	-
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	741
Penobscot, males . . . . .	78	74	70	87	99	79	99	73	76	73	67	75	1	951	-
females . . . . .	67	55	85	81	65	80	70	72	59	79	60	75	1	849	-
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,800
Piscataquis, males . . . . .	19	19	14	23	19	13	15	23	18	17	12	9	-	201	-
females . . . . .	16	15	16	16	13	15	13	20	20	16	21	21	-	202	-
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	403
Sagadahoc, males . . . . .	12	12	10	15	16	17	7	14	10	8	11	21	-	153	-
females . . . . .	13	10	9	18	10	17	14	21	11	11	6	13	-	153	-
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	306
Somerset, males . . . . .	24	32	25	36	24	35	21	26	33	33	20	22	-	331	-
females . . . . .	30	27	37	29	33	33	22	30	24	21	26	29	-	341	-
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	672
Waldo, males . . . . .	14	20	21	14	17	10	14	13	9	25	19	10	-	186	-
females . . . . .	18	16	22	22	17	16	16	19	13	19	14	18	-	210	-
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	396
Washington, males . . . . .	35	41	54	36	51	37	49	58	42	30	34	39	-	506	-
females . . . . .	34	35	36	53	29	39	39	39	38	24	41	30	-	437	-
not stated . . . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	2	945
York, males . . . . .	60	72	85	66	61	59	67	67	81	56	53	64	-	791	-
females . . . . .	73	58	68	64	79	56	66	52	57	52	65	61	-	751	-
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,542
Total, males . . . . .	643	647	764	713	724	690	725	678	673	603	573	589	2	8,024	-
females . . . . .	617	577	699	712	647	665	653	653	621	569	579	612	1	7,605	-
not stated . . . . .	1	-	-	1	-	-	2	-	-	-	1	1	-	6	-
Grand total . . . . .	1261	1224	1463	1426	1371	1355	1380	1331	1294	1172	1153	1202	3	15635	15635

**TABLE No. 12.**  
**Births in Cities for 1911, with Rate per 1,000 of Population.**

CITIES.	Estimated population in 1911.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn .....	15,277	129	132	—	261	17.08	97.7
Augusta .....	13,364	133	140	—	273	20.43	95.0
Bangor .....	25,098	194	185	—	379	15.11	104.9
Bath .....	10,552	75	70	—	145	13.74	107.1
Belfast .....	4,618	30	45	—	75	16.24	66.7
Biddeford .....	17,172	248	236	—	484	28.19	105.1
Brewer .....	5,750	80	73	—	153	26.61	109.6
Calais .....	5,962	73	66	—	139	23.31	110.6
Eastport .....	4,926	54	52	—	106	21.52	103.8
Ellsworth .....	3,474	33	28	—	61	17.56	117.9
Gardiner .....	5,300	46	35	—	81	15.28	131.4
Hallowell .....	2,879	18	16	—	34	11.81	112.5
Lewiston .....	26,495	304	301	1	606	22.87	101.0
Old Town .....	6,372	111	78	—	189	29.67	142.3
Portland .....	59,414	613	630	—	1,243	20.92	97.3
Rockland .....	8,176	72	58	—	130	15.90	124.1
Saco .....	6,629	57	54	—	111	16.74	105.6
South Portland .....	7,471	99	86	—	185	24.76	115.1
Waterville .....	11,656	156	141	—	297	25.48	110.6
Westbrook .....	8,381	95	101	1	197	23.51	94.1
Total .....	248,966	2,620	2,527	2	5,149	20.68	103.7



**TABLE No. 13.**  
**Percentage of American and Foreign Births by Counties,**  
**1911.**

COUNTIES.	PARENTS.			Births with percentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin.....	41.27	34.60	23.10	1.03
Aroostook.....	57.77	13.17	27.97	1.09
Cumberland.....	52.80	28.04	17.40	1.76
Franklin.....	68.93	18.36	12.43	0.28
Hancock.....	87.41	3.22	7.76	1.61
Kennebec.....	56.35	24.19	17.79	1.67
Knox.....	79.54	12.41	7.36	0.69
Lincoln.....	87.62	2.28	9.12	0.98
Oxford.....	55.06	31.04	12.96	0.94
Penobscot.....	58.06	19.06	21.00	1.88
Piscataquis.....	64.27	13.40	20.60	1.73
Sagadahoc.....	70.26	11.76	16.34	1.64
Somerset.....	66.08	15.92	16.07	1.93
Waldo.....	88.64	3.54	7.82	-
Washington.....	66.14	9.42	22.96	1.48
York.....	51.88	30.87	16.47	0.78
State.....	59.74	20.20	18.73	1.33

**TABLE No. 14.**  
**Percentage of American and Foreign Births by Cities,**  
**1911.**

CITIES.	PARENTS.			Births with percentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Auburn.....	46.74	28.74	23.37	1.15
Augusta.....	48.72	30.40	18.68	2.20
Bangor.....	49.87	21.90	22.43	5.80
Bath.....	57.93	15.86	24.14	2.07
Belfast.....	94.67	1.33	4.00	-
Biddeford.....	19.42	59.30	20.45	0.83
Brewer.....	50.33	26.80	22.22	0.65
Calais.....	41.73	16.55	38.12	3.60
Eastport.....	46.23	13.21	40.56	-
Ellsworth.....	91.80	1.64	4.92	1.64
Gardiner.....	75.31	1.24	23.45	-
Hallowell.....	76.47	11.76	11.77	-
Lewiston.....	25.91	47.36	25.58	1.15
Old Town.....	45.50	25.93	27.51	1.06
Portland.....	43.04	36.36	18.58	2.02
Rockland.....	74.62	20.00	5.38	-
Saco.....	61.26	18.02	18.92	1.80
South Portland.....	62.70	16.76	16.22	4.32
Waterville.....	36.03	37.37	24.58	2.02
Westbrook.....	48.73	26.90	22.33	2.04
Collectively.....	44.32	32.34	21.42	1.92

**TABLE No. 15.**  
**Twin Births By Months and Counties, 1911.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin.....	2	2	1	2	3	1	-	1	1	3	1	2	19
Aroostook.....	1	4	4	2	1	3	2	1	2	-	2	1	23
Cumberland.....	4	-	2	1	3	1	7	1	1	5	1	4	30
Franklin.....	-	-	-	-	-	-	-	-	1	-	-	-	1
Hancock.....	2	-	1	1	-	-	-	-	3	-	-	-	7
Kennebec.....	3	1	-	4	-	1	-	1	3	1	2	1	17
Knox.....	1	-	2	2	-	-	1	2	-	1	-	-	9
Lincoln.....	-	-	-	-	-	-	1	-	1	-	-	-	2
Oxford.....	-	-	1	-	1	1	3	2	1	1	-	-	10
Penobscot.....	2	2	-	4	5	1	2	-	1	2	-	2	21
Piscataquis.....	2	-	-	2	-	-	-	-	-	-	-	1	5
Sagadahoc.....	1	-	-	-	1	1	-	1	1	-	-	1	6
Somerset.....	-	1	-	-	1	2	-	-	1	2	-	1	8
Waldo.....	-	1	1	-	1	1	-	1	-	-	-	-	5
Washington.....	-	-	1	2	-	-	2	1	-	-	-	1	7
York.....	2	1	4	2	3	-	1	2	2	-	1	1	19
Total.....	20	12	17	22	19	12	19	13	18	15	7	15	189

TABLE No. 16.

## Twin Births by Sex and Parentage, by Counties, 1911

COUNTIES.	SEX.				PARENTAGE.							Total.	Living children.	Stillborn children.	Total.
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.						
Androscoggin.....	6	6	7	-	6	8	1	4	-	19	38	-	38		
Aroostook.....	5	9	9	-	15	3	2	3	-	23	42	4	46		
Cumberland.....	12	7	11	-	13	11	5	1	-	30	52	8	60		
Franklin.....	1	-	-	-	-	-	-	1	-	1	-	2	2		
Hancock.....	-	3	4	-	5	-	1	1	-	7	14	-	14		
Kennebec.....	6	5	6	-	6	7	1	3	-	17	33	1	34		
Knox.....	5	3	1	-	5	3	1	-	-	9	17	1	18		
Lincoln.....	1	-	1	-	2	-	-	-	-	2	4	-	4		
Oxford.....	2	4	4	-	2	7	-	1	-	10	20	-	20		
Penobscot.....	6	7	8	-	15	2	2	1	1	21	41	1	42		
Piscataquis.....	2	1	2	-	3	2	-	-	-	5	9	1	10		
Sagadahoc.....	3	2	1	-	4	-	2	-	-	6	8	4	12		
Somerset.....	3	1	4	-	6	1	-	1	-	8	14	2	16		
Waldo.....	1	3	1	-	5	-	-	-	-	5	10	-	10		
Washington.....	2	3	2	-	4	1	2	-	-	7	12	2	14		
York.....	5	2	12	-	7	8	2	2	-	19	34	4	38		
Total.....	60	56	73	-	98	53	19	18	1	189	348	30	378		

**TABLE No. 17.**  
**Stillbirths by Sex and Parentage, by Counties, 1911.**

COUNTIES.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin . . . . .	17	13	1	31	18	13	-
Aroostook . . . . .	75	35	5	115	77	38	-
Cumberland . . . . .	67	45	1	113	70	43	-
Franklin . . . . .	8	10	-	18	12	6	-
Hancock . . . . .	13	14	1	28	25	3	-
Kennebec . . . . .	19	14	2	35	25	10	-
Knox . . . . .	8	8	1	17	10	6	1
Lincoln . . . . .	6	3	-	9	8	1	-
Oxford . . . . .	23	9	-	32	17	15	-
Penobscot . . . . .	43	22	1	66	48	16	2
Piscataquis . . . . .	13	3	-	16	10	6	-
Sagadahoc . . . . .	12	6	-	18	15	3	-
Somerset . . . . .	14	14	-	28	21	7	-
Waldo . . . . .	7	5	-	12	10	2	-
Washington . . . . .	22	22	-	44	35	9	-
York . . . . .	55	28	-	83	35	47	1
Total . . . . .	402	251	12	665	436	225	4

**TABLE No. 18.**  
**Stillbirths by Seasons, 1911.**

MONTHS.		
January.....	51	
February.....	59	
March.....	64	Total for first quarter.....
April.....	57	174
May.....	45	
June.....	55	Total for second quarter.....
July.....	52	157
August.....	62	
September.....	45	Total for third quarter.....
October.....	49	159
November.....	66	
December.....	60	Total for fourth quarter.....
Total.....	665	175
		665

## NOTES ON BIRTHS.

In the year 1911, 16,300 births were registered in the State, including stillbirths, (14,082 in 1892, 14,604 in 1893, 14,607 in 1894, 15,430 in 1895, 15,429 in 1896, 15,142 in 1897, 15,121 in 1898, 14,475 in 1889, 14,709 in 1900, 14,615 in 1901, 15,166 in 1902, 15,130 in 1903, 15,405 in 1904, 16,005 in 1905, 16,585 in 1906, 16,595 in 1907, 16,914 in 1908, 16,735 in 1909 and 16,469 in 1910).

The number of living children born was 15,635, and the number of stillbirths was 665.

Of the whole number of living children of which the sex was certified, 8,024 were males and 7,605 were females. In 6 births, the sex was not stated. For each 100 girls born there were 105.5 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, 106.4 in 1895, 105.3 in 1896, 102.3 in 1897, 106 in 1898, 104.4 in 1899, 103.2 in 1900, 105.6 in 1901, 105 in 1902, 105.3 in 1903, 104.2 in 1904, 104.1 in 1905, 106 in 1906, 104.3 in 1907, 107.2 in 1908, 104.7 in 1909, and 103.8 in 1910).

*Birth-rate.*—The birth-rate of living children for the State was 20.89 for each 1,000 of population.

Table No. 12 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 population was 20.68 as compared with 20.91, the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. As it invariably has been every year since the registration began, it was the highest in Aroostook, 31.76, and the lowest in Knox, 14.81. In four counties, Aroostook, Penobscot, Washington, and York, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 3 and 7.

*Parentage.*—Of the total births in the State, 59.74 per cent. were of native parents, 20.20 per cent. were of foreign parentage; 18.73 per cent. were of parents one of whom was foreign; while in 1.33 per cent., the nationality was not stated.

Waldo county had the largest percentage of native-born parents, to wit, 88.64 per cent., and only 3.54 per cent. in which both parents were foreign-born. Lincoln followed with 87.62 per cent. of native parentage, and only 2.28 per cent. in which both parents were foreign-born.

In Hancock county in 87.41 per cent. of the births the parents were native-born, and in 3.22 per cent., foreign-born.

In Knox the percentage of native-born parents was 79.54; in Sagadahoc, 70.26; in Franklin, 68.93; in Washington, 66.14; in Somerset, 66.08; and in Piscataquis, 64.27.

Comparatively high percentages of foreign-born parents are found in Androscoggin county, 34.60; in Oxford, 31.04; in York, 30.87; in Cumberland, 28.04; and in Kennebec, 24.19.

The percentages of parentage, whether American-born or foreign-born, may be found for the other counties in Table No. 13.

Comparing the percentage of the births in our twenty cities with that of the rest of the State, we find that in the cities 44.32 per cent. of the births were of American parentage, while in the rural parts of the State the percentage of American-born children was 67.31.

The largest percentage of foreign-born parents was in Biddeford, 59.30; and in Lewiston 47.36.

The percentage of births in which both parents were foreign-born was only 1.24 in Gardiner; 1.33 in Belfast, and 1.64 in Ellsworth. For further comparisons see Table No 14.

*Seasons and Births.*—The largest number of births in any one month in 1911 was 1,463 in March; the smallest was 1,153 in November; the largest quarterly total was 4,152 in the second quarter; the smallest, 3,527 in the last quarter. The three consecutive months in which the largest number of births occurred were April, May and June, 4,152.



The following is a tabular statement of the number of births in each month of the twenty years 1892-1911:

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892 . . . . .	1,016	1,113	1,345	1,275	1,323	1,176	1,222	1,191	1,144	1,047	1,002	1,111	63	14,028.
1893 . . . . .	1,151	1,082	1,162	1,259	1,273	1,162	1,176	1,213	1,115	1,126	1,032	1,109	48	13,908
1894 . . . . .	962	980	1,335	1,324	1,255	1,200	1,286	1,213	1,168	1,064	980	1,164	9	13,940.
1895 . . . . .	1,182	1,082	1,329	1,287	1,308	1,236	1,290	1,312	1,233	1,189	1,115	1,193	6	14,762
1896 . . . . .	1,149	1,227	1,330	1,318	1,379	1,190	1,207	1,246	1,257	1,220	1,091	1,069	10	14,693
1897 . . . . .	1,126	1,123	1,390	1,260	1,288	1,250	1,274	1,303	1,205	1,138	984	1,077	12	14,430.
1898 . . . . .	1,148	1,176	1,323	1,269	1,322	1,229	1,226	1,219	1,182	1,196	1,028	1,149	6	14,473
1899 . . . . .	1,093	1,104	1,237	1,295	1,224	1,201	1,239	1,197	1,163	1,058	979	1,098	7	13,895
1900 . . . . .	1,167	1,083	1,260	1,245	1,276	1,146	1,284	1,255	1,213	1,070	1,055	1,035	6	14,905
1901 . . . . .	1,123	1,128	1,303	1,270	1,290	1,190	1,178	1,199	1,252	1,051	983	1,048	6	14,021
1902 . . . . .	1,143	1,111	1,401	1,250	1,333	1,244	1,237	1,252	1,207	1,137	1,064	1,119	10	14,508.
1903 . . . . .	1,210	1,151	1,353	1,304	1,326	1,247	1,215	1,223	1,205	1,134	1,026	990	9	14,453
1904 . . . . .	1,219	1,207	1,367	1,325	1,336	1,186	1,297	1,216	1,203	1,177	1,037	1,057	6	14,673
1905 . . . . .	1,178	1,180	1,463	1,340	1,365	1,375	1,439	1,328	1,259	1,163	1,057	1,143	4	15,294
1906 . . . . .	1,173	1,206	1,333	1,385	1,335	1,310	1,454	1,450	1,364	1,280	1,260	1,325	3	15,878
1907 . . . . .	1,301	1,288	1,431	1,397	1,455	1,424	1,360	1,293	1,336	1,264	1,129	1,231	5	15,914
1908 . . . . .	1,296	1,312	1,551	1,345	1,464	1,430	1,361	1,438	1,246	1,216	1,212	1,299	3	16,173
1909 . . . . .	1,306	1,276	1,475	1,392	1,453	1,308	1,349	1,434	1,347	1,249	1,218	1,229	5	16,041
1910 . . . . .	1,308	1,252	1,506	1,424	1,393	1,379	1,330	1,348	1,263	1,256	1,131	1,207	1	15,798
1911 . . . . .	1,261	1,224	1,463	1,426	1,371	1,355	1,380	1,331	1,294	1,172	1,153	1,202	3	15,635.

*Twin-births.*—In 1911, 189 twin-births occurred; in 60 instances twins were both boys; in 56, both girls; in 73, a boy and a girl. In 98 cases the parentage was American; in 53, foreign; in 37 instances the parentage was mixed; and in 1, it was not stated. Of the 378 children, 348 were born alive, and 30 were stillborn.

*Triplets.*—Triple births occurred in Sanford and Lubec. They were all living children.

*Stillbirths.*—Of the 665 stillborn children, 436 were males and 225 were females. In 4 the sex was not stated. With the exception of 4 stillbirths as to which the nativity of the mother was not stated, 436 were of American mothers, and 225 were of foreign mothers.

The largest number of stillbirths occurred in Aroostook county, 115; while the minimum number, 9, was reported in Lincoln county.

The largest number of stillbirths, 66, was returned in November; the smallest number was 45 in May and September, respectively. See Tables No. 17 and 18 for other details.

**TABLE No. 19.**  
**Marriages and Marriage-Rates by Counties for the Years 1904-1911.**

MONTHS.	1904.		1905.		1906.		1907.		1908.		1909.		1910.		1911.	
	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.
State.....	6,208	8.94	6,264	8.76	6,498	9.04	6,380	8.83	5,904	8.12	6,011	8.22	5,900	7.95	5,878	7.85
Androscoggin.....	465	8.57	500	8.79	536	9.34	475	8.20	465	7.95	451	7.65	478	7.99	454	7.52
Aroostook.....	623	10.26	564	8.70	664	9.85	592	8.64	580	8.33	646	9.13	578	7.75	567	7.44
Cumberland.....	848	8.42	876	8.07	918	8.62	963	8.96	854	7.87	916	8.37	861	7.69	884	7.82
Franklin.....	167	9.05	177	9.31	184	9.54	194	10.00	183	9.36	179	9.09	160	8.37	166	8.66
Hancock.....	333	8.94	337	8.75	319	8.57	329	8.83	326	8.75	265	7.12	310	8.71	295	8.34
Kennebec.....	554	9.37	529	8.70	541	8.96	560	9.24	519	8.54	545	8.94	554	8.81	527	8.33
Knox.....	261	8.58	282	9.29	269	8.84	251	8.25	203	6.67	225	7.40	213	7.35	241	8.18
Lincoln.....	166	8.44	117	5.91	150	7.63	145	7.37	137	6.97	138	7.02	117	6.42	124	6.85
Oxford.....	317	9.83	371	10.94	366	11.01	367	10.99	350	10.42	325	9.64	310	8.55	324	8.84
Penobscot.....	754	9.89	732	9.29	812	10.37	809	10.29	761	9.63	718	9.05	751	8.81	712	8.29
Piscataquis.....	171	10.09	157	9.03	170	9.75	176	10.05	170	9.66	153	8.65	182	9.15	159	7.82
Sagadahoc.....	183	9.00	152	7.05	151	7.24	148	7.07	104	4.94	139	6.58	141	7.59	121	6.15
Somerset.....	337	9.96	350	10.00	331	9.57	354	10.20	326	9.36	323	9.24	306	8.43	320	8.77
Waldo.....	154	6.37	206	8.50	228	9.43	207	8.56	185	7.65	186	7.69	186	7.95	199	8.54
Washington.....	332	7.34	368	7.95	362	7.92	306	6.69	315	6.87	310	6.75	316	7.36	320	7.57
York.....	543	8.37	546	8.16	497	7.52	504	7.60	426	6.40	492	7.37	437	6.38	465	6.74

**TABLE No. 20.**  
**Marriages by Counties and Nativity, 1911.**

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin.....	260	82	42	67	3	454
Aroostook.....	341	40	69	112	5	567
Cumberland.....	565	138	101	78	2	884
Franklin.....	141	8	6	11	-	166
Hancock.....	259	3	16	13	4	295
Kennebec.....	372	56	52	44	3	527
Knox.....	202	15	11	13	-	241
Lincoln.....	113	1	5	4	1	124
Oxford.....	222	42	29	29	2	324
Penobscot.....	509	48	65	88	2	712
Piscataquis.....	117	7	19	16	-	159
Sagadahoc.....	96	3	9	13	-	121
Somerset.....	258	16	16	24	6	320
Waldo.....	186	2	3	8	-	199
Washington.....	233	20	27	38	2	320
York.....	292	81	48	43	1	465
Total.....	4,166	562	518	601	31	5,878

**TABLE No. 21.**  
**Marriages by Months and Counties, 1911.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin.....	28	26	17	26	34	67	57	34	41	39	56	29	454
Aroostook.....	36	42	17	37	31	77	56	34	46	75	64	52	567
Cumberland.....	56	50	42	67	55	142	49	69	102	107	97	48	884
Franklin.....	5	11	8	12	13	20	7	14	17	19	23	17	166
Hancock.....	17	12	17	13	11	36	20	28	27	38	44	32	295
Kennebec.....	43	22	26	34	36	70	40	46	51	68	45	46	527
Knox.....	13	14	7	18	14	24	14	20	26	32	28	31	241
Lincoln.....	8	5	8	8	4	17	12	6	11	18	12	15	124
Oxford.....	20	18	8	27	21	46	22	26	30	48	29	29	324
Penobscot.....	48	36	36	51	53	80	64	66	79	82	64	53	712
Piscataquis.....	16	3	10	11	6	13	12	14	14	20	23	17	159
Sagadahoc.....	11	4	6	5	9	11	12	12	14	18	10	9	121
Somerset.....	24	15	17	28	31	31	27	19	29	38	31	30	320
Waldo.....	17	10	14	14	22	15	19	10	20	15	20	23	199
Washington.....	14	19	18	19	23	37	20	20	35	39	45	31	320
York.....	25	31	20	29	39	48	37	35	47	58	44	52	465
Total.....	381	318	271	399	402	734	468	453	589	714	635	514	5878

**TABLE No. 22.**  
**Number of Marriages in Each Month of 1904-1911, with Monthly Ratio Compared with a Standard of 100.**

MONTHS.	1904.		1905.		1906.		1907.		1908.		1909.		1910.		1911.	
	Marriages.	Ratio.*	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.
January.....	439	83.3	423	79.5	487	87.9	409	75.6	437	86.7	383	71.5	427	85.2	381	76.4
February.....	352	73.9	325	67.7	394	78.8	382	78.1	366	80.8	361	78.3	284	62.7	318	70.5
March.....	331	62.8	347	65.2	336	60.7	282	52.1	332	65.9	286	56.0	332	66.3	271	54.3
April.....	463	90.8	357	69.5	450	84.0	503	96.0	405	83.5	451	91.3	456	94.0	399	82.6
May.....	404	76.7	427	80.3	453	81.8	411	76.0	398	79.0	420	82.3	405	80.8	402	80.6
June.....	829	162.5	796	154.9	873	163.5	866	165.3	779	160.6	789	159.8	803	165.6	734	152.0
July.....	390	74.0	449	84.4	467	84.3	497	91.9	405	80.4	456	89.3	413	82.4	468	93.8
August.....	449	85.2	500	94.0	494	89.2	471	87.1	474	94.0	489	95.8	473	94.4	453	90.8
September.....	644	126.2	696	135.4	665	124.1	668	127.5	589	121.4	619	125.3	585	120.6	589	121.9
October.....	675	128.1	698	131.2	696	125.7	706	130.5	641	127.2	625	122.4	673	134.3	714	143.1
November.....	663	130.0	677	131.7	646	120.5	663	126.5	591	121.9	637	128.9	576	118.8	635	131.5
December.....	568	107.8	567	106.6	537	97.3	520	96.1	487	96.6	495	97.0	473	94.4	514	103.0
Unknown.....	1	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-

\* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

**TABLE No. 23.**  
**Marriages by Ages and Counties, 1911.**

COUNTIES.		Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscoggin.....	males...	-	25	188	121	38	27	19	9	9	7	8	2	-	1	454
	females.	-	117	180	67	36	23	9	5	3	4	4	-	-	-	454
Aroostook.....	males...	-	31	244	142	65	32	14	10	16	5	6	1	1	-	567
	females.	2	228	201	68	29	13	5	8	5	4	2	2	-	-	567
Cumberland.....	males...	-	22	312	275	111	61	46	20	16	9	12	-	-	-	884
	females.	-	157	336	214	78	46	29	9	5	5	5	-	-	-	884
Franklin.....	males...	-	3	55	43	24	16	5	5	6	1	4	-	-	-	166
	females.	1	40	64	28	10	12	2	4	1	1	-	3	-	-	166
Hancock.....	males...	-	21	103	69	36	14	17	9	3	7	12	3	1	-	295
	females.	-	89	104	38	18	19	12	3	3	5	3	1	-	-	295
Kennebec.....	males...	-	21	191	136	65	36	20	17	19	3	11	7	-	1	527
	females.	3	131	177	89	44	35	14	19	2	6	5	1	-	1	527
Knox.....	males...	-	10	80	57	36	19	9	8	11	5	4	2	-	-	241
	females.	1	61	78	43	25	18	5	2	2	4	2	-	-	-	241
Lincoln.....	males...	-	9	44	30	14	11	6	3	6	-	1	-	-	-	124
	females.	-	39	44	16	6	8	3	6	2	-	-	-	-	-	124
Oxford.....	males...	-	13	126	96	29	22	9	9	3	3	11	2	-	1	324
	females.	-	84	128	56	16	17	9	4	4	1	4	-	-	1	324
Penobscot.....	males...	-	29	271	174	96	54	29	18	19	8	8	5	-	1	712
	females.	3	209	242	122	51	32	18	16	10	4	2	1	-	2	712
Piscataquis.....	males...	-	14	50	37	20	12	8	6	3	4	5	-	-	-	159
	females.	-	54	54	18	12	6	7	3	-	3	2	-	-	-	159
Sagadahoc.....	males...	-	4	47	35	13	14	2	-	2	1	3	-	-	-	121
	females.	-	35	37	28	12	1	4	1	1	-	2	-	-	-	121
Somerset.....	males...	-	18	119	74	42	21	16	10	7	2	9	2	-	-	320
	females.	1	115	96	38	24	13	15	5	4	4	4	1	-	-	320
Waldo.....	males...	-	18	74	39	19	16	8	4	7	7	5	2	-	-	199
	females.	-	72	58	30	10	9	7	3	6	1	3	-	-	-	199
Washington.....	males...	-	24	123	77	33	23	12	10	7	4	6	1	-	-	320
	females.	-	125	97	43	22	9	6	6	5	2	5	-	-	-	320
York.....	males...	-	17	208	121	36	20	17	10	12	5	14	4	-	1	465
	females.	-	117	181	83	25	21	8	12	8	4	4	2	-	-	465
Total.....	males...	-	279	2,235	1,526	677	398	237	148	146	71	119	35	2	5	5,878
	females.	11	1,673	2,077	981	418	282	153	110	63	47	47	11	-	5	5,878
Grand total.....		11	1,952	4,312	2,507	1,095	680	390	258	209	118	166	46	2	10	11,756

**TABLE**  
**Some Interesting Facts in**

COUNTIES.	Instances in which the age of the bride exceeded that of the groom.	Widowers.	Widows.	Divorced.		First marriage.		Second marriage.		Third marriage.	
				M.	F.	M.	F.	M.	F.	M.	F.
Androscoggin . . .	86	52	35	27	31	374	387	68	61	10	5
Aroostook . . . . .	68	80	47	13	28	474	492	81	71	12	3
Cumberland . . . . .	180	78	62	33	59	772	762	106	116	5	5
Franklin . . . . .	26	24	17	15	22	127	127	32	33	4	6
Hancock . . . . .	44	40	31	11	24	244	240	44	47	7	8
Kennebec . . . . .	97	81	54	33	50	413	423	99	87	15	15
Knox . . . . .	39	28	22	20	33	193	186	42	50	6	4
Lincoln . . . . .	17	12	9	6	10	106	105	16	17	2	2
Oxford . . . . .	49	34	38	20	21	269	264	44	50	8	9
Penobscot . . . . .	118	72	68	37	56	601	586	102	116	7	8
Piscataquis . . . . .	26	22	13	11	15	126	131	30	19	3	9
Sagadahoc . . . . .	15	7	12	5	1	109	108	11	13	1	-
Somerset . . . . .	58	37	25	28	34	255	261	56	49	8	8
Waldo . . . . .	32	36	19	18	22	145	158	46	40	8	1
Washington . . . . .	48	48	30	11	16	261	274	52	40	6	6
York . . . . .	88	53	35	24	20	388	410	71	52	5	3
Total . . . . .	991	704	517	312	442	4,857	4,914	900	861	107	92



## NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1911 was 5,878 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, 5,729 in 1895, 5,579 in 1896, 5,331 in 1897, 5,144 in 1898, 5,329 in 1899, 5,482 in 1900, 5,735 in 1901, 5,905 in 1902, 6,200 in 1903, 6,208 in 1904, 6,264 in 1905, 6,498 in 1906, 6,380 in 1907, 5,904 in 1908, 6,011 in 1909, and 5,900 in 1910). We have therefore for the year 1911, a marriage-rate of 15.70 (persons married) to every 1,000 of population, or at the rate of 7.85 marriages per 1,000 persons.

*Marriage-rates.*—The marriage-rate was higher in Oxford County than elsewhere in the State, it being for that county 8.84 per 1,000. The lowest marriage-rate, that of 6.15 per 1,000, was in Lincoln county. See Table No. 3.

*Nativity.*—Of the 5,847 records of marriage in which there was a statement of birthplace, in 72 per cent. the groom and bride were both American; in 9 per cent. both were of foreign birth; in 9 per cent. the groom was American and the bride of foreign birth; while in 10 per cent. a foreign groom and American bride were united.

*Seasons.*—The largest number of marriages, 734 was solemnized in June, while the smallest number in any one month, 271, occurred in March. See Table No. 21.

*Ages of the Married.*—The largest number, both of grooms and brides, was between 20 and 25 years of age. While still under 15 years of age, 11 brides were married; in the age-period 15-20 years there were 279 grooms and 1,673 brides; in the period 20-25 years, 2,235 men and 2,077 women were married; from 25-30, 1,526 men and 981 women; from 30-35, 677 men and 418 women; from 35-40, 398 men and 282 women; from 40-45, 237 men and 153 women; from 45-50, 148 men and 110 women; from 50-55, 146 men and 63 women; from 55-60, 71 men and 47 women; from 60-70, 119 men and 47 women;



from 70-80, 35 men and 11 women; from 80-90, 2 men. The ages of 5 grooms and 5 brides were not stated. See Table No. 23.

In 4,887 marriages the groom was older than the bride; while in 991 the bride was the elder; 704 widowers and 517 widows were remarried; 312 men and 442 women were remarried after having been divorced from a former marriage.

Table No. 24 exhibits the fact that 4,857 men and 4,914 women were married for the first time; that 900 men and 861 women were married for the second time; that 107 men and 92 women were united in the third marriage; that 8 men and 4 women contracted marriage a fourth time; and 1 man and 2 women were married a fifth time. The oldest groom was 85 years of age, and the oldest bride was 76. The youngest groom was 16 years of age, and the youngest bride was 12.

At the age of 16 years 5 grooms were married; at 17 years, 17; at 18 years, 75; and at 19 years, 182. At the age of 12, 1 bride was married; at 13 years, 1; at 14 years, 9; at 15 years, 56; at 16 years, 151; at 17 years, 320; at 18 years, 649 and at 19 years 497.

In one marriage the groom was 62 and the bride 14 years of age; it was the first marriage of each. In another case in which the groom was 27 and the bride 72, it was also the first marriage of each. Two grooms, aged 71 and 70 years were married for the first time.

At 17 years of age, 3 brides were married for a second time; 5 at 18 years, and 5 at 19. One bride was married for the third time at 19 years of age, one for the fourth time at 29, and one for the fifth time at 36.

Two women contracted marriage at the ages of 72 and 70 for the first time.

**TABLE**

**Divorces Decreed by the Supreme Court of Maine for the**

COUNTIES.	Libellant wife.	Libellant husband.	Adultery.	Cruel and abusive treatment.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment, extreme cruelty and intoxication.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Cruel and abusive treatment, failure to support and intoxication.
Androscoggin.....	57	24	13	30	1	-	-	1	-
Aroostook.....	46	19	4	24	2	-	2	4	-
Cumberland.....	106	35	23	36	-	-	-	3	1
Franklin.....	13	8	6	7	1	-	-	-	-
Hancock.....	32	15	5	8	-	-	-	-	-
Kennebec.....	99	30	16	-	-	-	-	-	-
Knox.....	53	6	7	26	-	-	1	3	1
Lincoln.....	10	3	1	7	-	-	-	1	-
Oxford.....	42	21	5	28	-	-	1	-	-
Penobscot.....	78	18	11	26	2	-	-	1	-
Piscataquis.....	21	13	3	11	2	-	-	-	-
Sagadahoc.....	22	5	2	9	-	-	-	-	-
Somerset.....	42	16	14	13	5	1	-	3	-
Waldo.....	26	10	5	13	-	-	1	-	-
Washington.....	32	8	6	13	-	-	-	-	-
York.....	51	24	8	17	-	-	-	1	-
Total.....	730	255	129	268	13	1	5	17	2

No. 25.

Year, 1911, as returned by Clerks of the Several Counties.

Cruelty.	Desertion.	Extreme cruelty.	Failure to support.	Impotence.	Intoxication.	Intoxication and adultery.	Intoxication, cruel, abusive treatment and adultery.	Intoxication and extreme cruelty.	Intoxication and failure to support.	Marriage annulled.	Total.
-	24	-	-	-	12	-	-	-	-	-	81
-	23	-	1	-	5	-	-	-	-	-	65
-	52	5	2	1	15	-	1	-	1	1	141
-	4	1	-	-	2	-	-	-	-	-	21
-	25	6	-	-	3	-	-	-	-	-	47
39	24	-	23	2	25	-	-	-	-	-	129
-	8	1	1	-	8	1	-	1	1	-	59
-	2	-	-	-	2	-	-	-	-	-	13
-	17	-	1	-	11	-	-	-	-	-	63
-	33	2	1	-	20	-	-	-	-	-	96
-	12	-	-	-	6	-	-	-	-	-	34
-	6	6	1	-	3	-	-	-	-	-	27
-	13	1	3	-	5	-	-	-	-	-	58
-	10	1	2	-	3	1	-	-	-	-	36
-	14	-	2	-	5	-	-	-	-	-	40
-	32	1	6	-	10	-	-	-	-	-	75
39	299	24	43	3	135	2	1	1	2	1	985

**TABLE No. 26.**  
**Divorces by Causes, Sex of Libellants, and the Number**  
**of Years Married, 1911.**

CAUSES.	LIBELLANTS.		NUMBER OF YEARS MARRIED.							
	Number.	SEX.	Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown.
Adultery.....	129	Males...	74	1	18	22	15	15	3	-
		Females...	55	1	14	17	10	6	4	2
Cruel and abusive treatment.....	268	Males...	43	1	17	10	10	3	1	-
		Females...	225	2	70	63	53	30	6	1
Cruel and abusive treatment and extreme cruelty.....	13	Males...	-	-	-	-	-	-	-	-
		Females...	13	-	7	3	3	-	-	-
Cruel and abusive treatment, extreme cruelty and intoxication.....	1	Males...	-	-	-	-	-	-	-	-
		Females...	1	-	-	-	-	1	-	-
Cruel and abusive treatment and failure to support.....	5	Males...	-	-	-	-	-	-	-	-
		Females...	5	-	2	1	1	1	-	-
Cruel and abusive treatment and intoxication.....	17	Males...	-	-	-	-	-	-	-	-
		Females...	17	-	1	9	4	2	1	-
Cruel and abusive treatment, failure to support and intoxication.....	2	Males...	-	-	-	-	-	-	-	-
		Females...	2	-	1	1	-	-	-	-
Cruelty.....	39	Males...	10	-	3	1	6	-	-	-
		Females...	29	1	7	9	9	1	2	-
Desertion.....	299	Males...	114	1	20	35	41	14	3	-
		Females...	185	-	16	57	68	33	10	1
Extreme cruelty.....	24	Males...	3	-	-	-	-	-	-	-
		Females...	21	1	8	4	8	-	-	-
Failure to support.....	43	Males...	-	-	14	14	8	4	1	-
		Females...	43	1	2	-	-	-	-	-
Impotence.....	3	Males...	1	-	-	-	-	-	-	-
		Females...	2	1	1	-	-	-	-	-
Intoxication.....	135	Males...	7	1	1	2	2	1	-	-
		Females...	128	3	25	48	32	14	3	2
Intoxication and adultery.....	2	Males...	1	-	-	-	-	-	-	-
		Females...	1	-	-	-	-	1	-	-
Intoxication, cruel and abusive treatment and cruelty.....	1	Males...	-	-	-	-	-	-	-	-
		Females...	1	-	-	-	-	-	-	-
Intoxication and extreme cruelty.....	1	Males...	-	-	-	-	-	-	-	-
		Females...	1	-	-	1	-	-	-	-
Intoxication and failure to support.....	2	Males...	-	-	-	-	-	-	-	-
		Females...	2	-	1	-	1	-	-	-
Marriage annulled.....	1	Males...	-	-	1	-	-	-	-	-
		Females...	-	-	-	-	-	-	-	-
Total.....	985	Males...	255	2	54	71	69	31	8	-
		Females...	730	5	78	160	217	174	68	23

## NOTES ON DIVORCES.

Nine hundred and eighty-five divorces were decreed in the year 1911 (552 in 1892, 627 in 1893, 674 in 1894, 681 in 1895, 668 in 1896, 722 in 1897, 764 in 1898, 790 in 1899, 801 in 1900, 808 in 1901, 905 in 1902, 946 in 1903, 906 in 1904, 848 in 1905, 787 in 1906, 887 in 1907, 904 in 1908, 957 in 1909, and 911 in 1910.) In 1911, there was decreed in Maine one divorce for every 6 marriages solemnized.

Some of the causes for which divorces were granted are: Adultery, 129, or 13.1 per cent. of the whole number; cruelty, 39, or 4. per cent.; desertion, 299, or 30.4 per cent.; intoxication, 135, or 13.7 per cent.; cruel and abusive treatment, 268, or 27.2 per cent.; failure to support, 43, or 4.4 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 730 divorces, and the husband in 253.

In the divorces granted for adultery, the husband was the libellant 74 times, and the wife 55 times.

On account of cruelty, the wife was the libellant in 29 cases, and the husband in 10 cases.

For desertion, the husband was the libellant 114 times, and the wife 185.

For intoxication, the husband was the libellant in 7 cases, and the wife in 128.

For cruel and abusive treatment, the husband was the libellant in 43 instances, and the wife in 225.

For failure to support, the wife was the libellant in the 43 divorces decreed for that cause.

Seven divorces were granted before the marriage life had lasted six months; 98 before one year's marriage; 214 after from 1 to 5 years' marriage; 288 after 5 to 10 years; 243 after 10 to 20 years; 99 after 20 to 30 years; 31 after more than 30 years of married life; while in 5 cases it was not stated how many years they had been married. Tables No. 25 and No. 26 may be consulted for more detailed statements.

**TABLE No. 27.**  
**Deaths and Death-Rates by Counties for the Years 1904-1911.**

	1904.		1905.		1906.		1907.		1908.		1909.		1910.		1911.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State.....	11,346	16.34	11,381	15.92	11,427	15.90	11,802	16.33	11,664	16.05	11,295	15.45	12,439	16.62	11,731	15.68
Androscoggin.....	833	15.36	900	15.83	1,054	18.36	1,046	18.06	952	16.29	899	15.24	1,132	18.92	951	15.76
Aroostook.....	805	13.50	802	12.38	1,013	15.02	840	12.25	975	14.00	926	13.08	1,037	13.89	881	11.73
Cumberland.....	1,810	17.98	1,788	16.47	1,702	15.98	1,884	17.52	1,781	16.42	1,790	16.35	1,937	17.29	1,858	16.44
Franklin.....	306	16.77	283	14.80	293	15.20	316	16.27	337	17.23	272	13.81	256	13.39	248	13.20
Hancock.....	492	13.28	544	14.14	469	12.66	545	14.63	555	14.90	529	14.21	547	15.38	537	15.27
Kennebec.....	1,086	18.37	1,115	18.13	965	15.98	1,136	18.75	1,144	18.82	1,088	17.83	1,172	18.64	1,094	17.30
Knox.....	487	16.08	478	15.75	460	15.19	489	16.08	473	15.56	464	15.26	479	16.53	554	18.86
Lincoln.....	319	16.22	269	13.58	249	12.66	288	14.64	340	17.29	303	15.40	306	16.80	342	18.88
Oxford.....	572	17.93	506	14.92	580	17.45	573	17.16	561	16.72	540	16.01	585	16.17	582	15.91
Penobscot.....	1,361	17.96	1,305	16.57	1,397	17.85	1,430	18.19	1,283	16.24	1,309	16.50	1,401	16.43	1,435	16.82
Piscataquis.....	252	15.17	270	15.52	237	13.59	218	12.45	250	14.21	272	15.39	275	13.82	269	13.76
Sagadahoc.....	312	15.35	322	14.93	296	14.19	288	13.75	335	15.93	290	13.73	326	17.55	297	15.10
Somerset.....	560	16.68	561	16.03	471	13.62	532	15.33	524	15.05	471	13.48	589	16.23	526	14.77
Waldo.....	394	16.29	407	16.79	395	16.33	385	15.92	368	15.22	386	15.96	421	18.00	431	18.50
Washington.....	581	12.96	673	14.53	653	14.29	604	13.20	643	14.03	630	13.72	642	14.96	596	14.17
York.....	1,176	18.12	1,158	17.30	1,193	18.04	1,228	18.51	1,143	17.17	1,126	16.87	1,334	19.47	1,130	16.39

**TABLE No. 28.**

**Number of Deaths in Each Month of 1904-1911, with Monthly Ratio Compared with a Standard of 100.**

MONTHS.	1904.		1905.		1906.		1907.		1908.		1909.		1910.		1911.	
	Deaths.	Ratio.*	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January .....	985	102.2	981	101.4	822	84.7	1,118	111.5	1,128	113.8	985	102.6	1,101	104.2	1,094	109.7
February .....	1,035	118.9	1,009	115.6	853	97.2	1,128	124.6	985	106.4	887	102.0	1,036	108.5	1,085	120.6
March .....	1,080	117.8	1,197	123.8	1,060	109.2	1,177	117.3	1,001	101.0	1,178	122.8	1,149	108.7	1,223	122.8
April .....	1,116	119.7	1,023	109.4	985	104.8	1,069	110.2	1,045	109.1	1,022	110.1	1,103	108.0	1,057	109.6
May .....	1,038	107.7	957	99.0	961	99.0	973	97.0	954	96.3	960	101.1	1,015	96.1	1,025	102.9
June .....	807	86.5	830	88.8	848	90.2	947	97.6	818	85.4	838	90.3	844	82.5	791	82.0
July .....	800	83.0	768	79.4	885	91.2	844	84.1	820	82.7	831	86.6	913	86.4	951	95.4
August .....	896	93.0	1,006	104.0	1,133	116.8	898	89.5	1,033	104.2	886	92.4	1,120	106.0	964	96.7
September .....	907	97.2	1,012	108.2	1,117	118.9	855	88.1	1,079	112.6	912	98.2	1,084	106.0	886	91.9
October .....	909	94.3	958	99.1	920	94.8	931	92.8	990	99.9	979	102.1	1,034	97.9	890	89.3
November .....	817	87.6	824	88.1	885	94.2	875	90.2	890	92.9	872	93.9	1,013	99.1	823	85.4
December .....	944	97.9	977	82.6	942	97.2	978	97.6	919	92.7	945	98.5	1,027	97.2	938	94.1
Unknown .....	12	-	17	-	16	-	9	-	2	-	-	-	-	-	4	-

\* In this column the inaccuracies due to unequal lengths of the months are eliminated.

NUMBER OF DEATHS IN EACH MONTH.

**TABLE**

**Showing the Number of Deaths in the State, and in**

CAUSES OF DEATH.	State.	Androscoquin.	Aroostook.
All causes (including premature births).....	11,990	968	913
I. General diseases.....	2,830	212	204
II. Diseases of the nervous system, and the organs of special sense.....	1,540	125	69
III. Diseases of the circulatory system.....	1,694	121	67
IV. Diseases of the respiratory system.....	1,421	127	91
V. Diseases of the digestive system.....	1,190	126	206
VI. Nonvenereal diseases of the genitourinary system and its annexa.....	975	95	49
VII. The puerperal state.....	99	11	11
VIII. Diseases of the skin and cellular tissue.....	96	8	6
IX. Diseases of the bones and of the organs of locomotion..	10	1	1
X. Malformation.....	55	3	2
XI. Diseases of early infancy.....	556	37	66
XII. Old age.....	603	31	37
XIII. Affections produced by external causes.....	688	60	42
XIV. Ill defined diseases.....	233	11	62



## No. 29.

## Each County Arranged by Classes and Counties.

Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
1,896	259	549	1,116	561	344	602	1,466	276	298	536	437	620	1,149
460	44	142	222	147	97	137	361	75	61	113	104	156	295
232	38	53	210	75	62	67	162	36	44	68	62	83	154
289	27	88	178	101	53	93	209	30	60	74	75	90	139
214	40	73	140	51	27	72	163	28	37	74	50	85	149
161	30	48	96	34	18	52	151	28	11	62	18	51	98
178	27	54	68	49	39	51	99	16	28	29	42	47	104
9	1	3	9	5	2	4	14	3	3	9	4	5	6
11	1	4	9	6	6	7	19	-	4	4	1	8	2
5	-	1	-	1	-	-	-	-	-	-	-	-	1
5	2	4	2	4	2	3	12	3	1	3	1	1	7
96	18	22	40	15	4	31	72	21	7	13	15	34	65
111	9	21	63	27	19	36	70	13	15	37	39	28	47
107	16	28	63	37	11	43	97	20	21	40	19	20	64
18	6	8	16	9	4	6	37	3	6	10	7	12	18

TABLE No. 29—Continued.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
I.—General diseases . . . . .	2,830	212	204	460	44	142	222	147	97	137	361	75	61	113	104	156	295
Typhoid fever . . . . .	135	5	13	26	—	—	7	4	5	6	26	—	3	5	1	7	16
Malaria . . . . .	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Measles . . . . .	29	3	—	8	—	—	7	—	—	—	—	—	—	—	—	—	7
Scarlet fever . . . . .	15	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	5
Whooping cough . . . . .	77	6	20	10	1	—	—	1	—	1	5	6	—	—	—	3	11
Diphtheria and croup . . . . .	77	10	16	12	1	2	2	1	—	3	10	4	—	—	2	3	7
Influenza . . . . .	200	12	12	22	2	19	10	11	14	16	16	4	9	13	8	12	20
Cholera nostras . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery . . . . .	35	9	3	1	—	—	—	—	1	5	4	1	1	1	1	1	5
Erysipelas . . . . .	29	4	4	5	—	—	1	3	1	1	5	1	—	1	2	—	—
Purulent infection and septi- cemia . . . . .	16	2	1	1	—	—	—	—	—	—	3	—	1	4	1	1	2
Anthrax . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus . . . . .	9	—	—	1	—	—	1	—	—	—	3	—	—	—	2	—	2
Pellagra . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of the lungs . . . . .	842	66	63	135	15	41	82	58	23	28	95	16	16	29	30	62	83
Acute miliary tuberculosis . . . . .	11	2	—	2	—	—	1	—	—	—	1	—	—	1	1	1	1
Tuberculous meningitis . . . . .	80	3	6	17	—	2	6	1	2	5	11	7	—	4	2	7	7
Abdominal tuberculosis . . . . .	54	7	6	6	1	1	5	—	1	1	6	2	1	2	4	4	7
Pott's disease . . . . .	7	—	—	3	—	—	—	1	—	—	—	—	—	—	1	1	1
White swellings . . . . .	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Tuberculosis of other organs . . . . .	24	2	3	4	1	1	2	2	1	4	1	—	—	1	1	—	—
Disseminated tuberculosis . . . . .	35	3	1	4	—	3	3	1	—	5	8	2	—	1	1	1	2
Rickets . . . . .	8	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	2
Syphilis . . . . .	18	—	—	3	—	1	2	—	—	1	5	—	—	3	—	1	—
Gonococcus infection . . . . .	3	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—
Cancer and other malignant tumors of the buccal cavity . . . . .	23	1	1	2	—	2	1	1	2	2	4	1	1	—	1	1	3
Cancer and other malignant tumors of the stomach and liver . . . . .	289	18	12	48	7	17	20	15	15	14	29	6	4	16	9	18	41
Cancer and other malignant tumors of the perito- neum, intestines and rec- tum . . . . .	117	9	1	27	2	3	11	6	8	6	15	2	3	4	5	3	12
Cancer and other malignant tumors of the female genital organs . . . . .	121	14	5	21	2	7	10	4	2	5	22	5	3	6	2	3	10
Cancer and other malignant tumors of the breast . . . . .	65	3	4	9	—	4	4	4	1	7	9	1	2	4	6	5	2
Cancer and other malignant tumors of the skin . . . . .	22	1	—	1	1	1	4	—	2	2	3	—	—	2	2	1	2
Cancer and other malignant tumors of other organs, or of organs not specified Other tumors (tumors of the female genital organs excepted) . . . . .	101	9	5	20	2	8	6	8	6	2	14	2	3	1	5	4	6
Acute articular rheumatism . . . . .	6	—	1	—	—	—	1	1	—	—	2	—	—	—	—	—	1
Chronic rheumatism and gout . . . . .	36	—	6	7	—	3	2	—	—	3	5	2	2	2	—	1	3
Scurvy . . . . .	22	—	4	2	2	—	3	—	1	2	4	—	—	1	—	—	3
Diabetes . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Exophthalmic goitre . . . . .	174	15	8	30	2	8	15	9	11	11	19	4	3	5	14	3	17
Addison's disease . . . . .	6	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	1
Leukemia . . . . .	4	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—
Anemia, chlorosis . . . . .	11	1	—	1	2	2	1	—	—	2	1	—	—	—	—	—	1
Other general diseases . . . . .	56	4	3	7	1	2	6	1	2	4	12	1	4	2	1	2	4
Alcoholism, (acute or chronic) . . . . .	24	—	2	5	—	—	1	—	—	1	6	—	—	—	1	3	3
Chronic lead poisoning . . . . .	37	2	—	12	—	1	5	3	—	1	6	—	—	1	—	—	6
Other chronic poisonings . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
II.—Diseases of the nerv- ous system and of the organs of special sense . . . . .	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
	1,540	125	69	232	38	53	210	75	62	67	162	36	44	68	62	83	154

TABLE No. 29—Continued.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
Encephalitis . . . . .	16	3	2	1	-	-	1	2	1	-	1	1	-	1	1	2	-
Simple meningitis . . . . .	72	11	3	13	1	2	7	-	2	3	5	1	1	6	2	3	9
Cerebro-spinal meningitis . . . . .	25	4	1	2	1	-	3	-	-	2	8	1	1	1	1	1	1
Infantile paralysis . . . . .	13	2	1	-	-	-	1	2	1	1	1	2	2	1	-	-	-
Locomotor ataxia . . . . .	20	1	1	3	2	-	1	1	1	1	2	1	-	1	1	2	2
Other diseases of the spinal cord . . . . .	73	4	1	9	3	4	9	4	4	4	11	1	2	1	2	7	7
Cerebral hemorrhage, apoplexy . . . . .	860	76	38	150	24	35	77	46	39	39	83	22	25	41	25	49	91
Softening of the brain . . . . .	41	3	-	10	-	-	7	2	3	3	1	1	2	1	4	1	3
Paralysis without specified cause . . . . .	165	9	10	19	1	5	17	13	7	5	15	-	8	7	14	9	26
General paralysis of the insane . . . . .	39	-	-	2	-	-	16	-	-	1	16	1	-	-	2	1	-
Other forms of mental alienation . . . . .	83	4	1	4	2	2	54	3	1	-	7	1	-	2	1	-	1
Epilepsy . . . . .	35	1	1	6	-	1	9	-	-	2	2	-	2	3	1	4	3
Convulsions (nonpuerperal) . . . . .	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Convulsions of infants . . . . .	38	2	2	7	2	2	2	1	1	4	3	1	1	-	4	2	4
Chorea . . . . .	5	1	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-
Neuralgia and neuritis . . . . .	19	1	1	-	2	1	3	1	2	-	2	1	-	-	1	1	3
Other diseases of the nervous system . . . . .	25	3	3	4	-	-	2	-	-	2	3	2	-	-	2	1	3
Diseases of the eyes and their annexa . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of the ears . . . . .	8	-	3	1	-	-	1	-	-	-	2	-	-	1	-	-	-
III.—Diseases of the circulatory system . . . . .	1,694	121	67	289	27	88	178	101	53	93	209	30	60	74	75	90	139
Pericarditis . . . . .	10	-	-	-	-	1	1	-	1	1	3	-	-	-	-	-	2
Acute endocarditis . . . . .	39	7	1	9	-	1	6	3	2	-	6	-	-	1	1	1	1
Organic diseases of the heart . . . . .	1,175	79	49	202	20	63	112	70	31	68	133	20	48	55	53	61	111
Angina pectoris . . . . .	124	15	5	19	2	5	11	10	8	10	11	3	1	4	6	4	10
Diseases of the arteries, atheroma, aneurysm, etc. . . . .	279	15	10	45	4	17	43	10	8	11	47	6	7	11	13	23	9
Embolism and thrombosis . . . . .	62	3	2	13	1	1	5	7	3	3	9	1	4	2	2	1	5
Diseases of the veins (varices, hemorrhoids, phlebitis, etc) . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diseases of the lymphatic system . . . . .	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Hemorrhage; other diseases of the circulatory system . . . . .	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.—Diseases of the respiratory system . . . . .	1,421	127	91	214	40	73	140	51	27	72	163	28	37	74	50	85	149
Diseases of the nasal fossae . . . . .	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the larynx . . . . .	9	2	-	2	-	1	-	-	-	-	3	-	-	-	-	1	-
Diseases of the thyroid body . . . . .	7	-	-	2	-	-	-	1	-	1	1	-	-	1	-	-	1
Acute bronchitis . . . . .	138	6	10	23	7	11	15	3	3	4	16	1	2	7	5	7	18
Chronic bronchitis . . . . .	66	11	4	6	3	3	11	2	2	2	6	-	2	3	1	5	5
Bronchopneumonia . . . . .	232	29	6	46	6	17	25	9	4	9	28	6	12	5	4	13	13
Pneumonia . . . . .	839	70	59	121	24	36	74	33	17	49	86	19	20	43	33	54	96
Pleurisy . . . . .	22	1	1	-	-	1	2	-	1	1	6	1	-	3	-	2	3
Pulmonary congestion, pulmonary apoplexy . . . . .	74	7	6	10	-	3	8	3	-	5	13	-	-	4	5	1	9
Gangrene of the lungs . . . . .	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Asthma . . . . .	14	-	3	2	-	-	3	-	-	-	2	1	1	1	-	-	1
Pulmonary emphysema . . . . .	3	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-
Other diseases of the respiratory system (tuberculosis excepted) . . . . .	15	-	2	2	-	-	1	-	-	-	2	-	-	1	2	2	3
V.—Diseases of the digestive system . . . . .	1,190	126	206	161	30	48	96	34	18	52	151	28	11	62	18	51	98
Diseases of the mouth and annexa . . . . .	6	-	1	-	-	-	-	-	-	-	2	-	1	-	-	1	1
Diseases of the pharynx . . . . .	9	1	-	2	-	-	-	2	-	4	-	-	-	-	-	-	-

TABLE No. 29—Continued.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
Diseases of the esophagus	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Ulcer of the stomach	21	4	1	3	-	-	1	1	1	3	3	1	-	-	1	1	-
Other diseases of the stomach (cancer excepted)	235	11	7	33	9	21	25	7	6	11	35	13	1	14	7	8	27
Diarrhea and enteritis (under 2 years)	451	63	160	46	8	9	40	3	-	17	35	4	1	14	3	19	29
Diarrhea and enteritis (2 years and over)	98	8	11	13	3	5	5	1	3	4	13	2	-	11	1	3	15
Intestinal parasites	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and typhlitis	99	11	9	22	1	-	10	6	-	4	21	1	2	6	-	1	5
Hernia, intestinal obstruction	84	2	5	17	3	4	8	6	3	3	12	3	2	5	2	4	5
Other diseases of the intestines	20	3	1	2	-	2	1	1	-	-	5	-	-	2	-	3	-
Acute yellow atrophy of the liver	3	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-
Cirrhosis of the liver	38	4	1	4	3	1	2	2	1	-	4	-	2	5	2	3	4
Biliary calculi	26	2	-	7	-	2	1	2	-	-	8	-	-	1	1	1	2
Other diseases of the liver	47	8	5	6	-	1	1	2	3	2	6	1	-	3	-	2	7
Diseases of the spleen	1	1	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-
Simple peritonitis (non-puerperal)	36	5	1	5	2	3	-	1	1	3	4	3	2	-	2	2	2
Other diseases of the digestive system (cancer and tuberculosis excepted)	11	3	1	1	-	-	1	-	-	-	2	-	-	-	-	2	1
VI.—Nonvenereal diseases of the genitourinary system and annexa	975	95	49	178	27	54	68	49	39	51	99	16	28	29	42	47	104
Acute nephritis	62	7	2	13	2	6	3	4	1	2	6	1	1	-	2	5	7
Bright's disease	768	76	41	144	21	41	55	34	33	42	75	13	19	17	38	36	88
Other diseases of the kidneys and annexa	14	1	2	5	-	-	1	1	1	-	1	-	2	-	-	-	-
Calculi of the urinary passages	7	-	-	1	1	-	-	2	1	-	1	-	-	-	-	1	-
Diseases of the bladder	36	2	-	4	1	2	3	5	2	2	4	1	1	4	-	2	3
Diseases of the urethra, urinary abscess, etc.	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the prostate	36	2	1	4	-	2	1	2	1	1	6	-	1	4	2	3	6
Uterine hemorrhage (non-puerperal)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine tumor (noncancerous)	13	2	-	2	1	-	4	-	-	-	-	-	3	1	-	-	-
Other diseases of the uterus	19	3	-	4	-	-	1	1	-	1	3	1	1	1	-	-	3
Cysts and other tumors of the ovary	10	-	1	-	1	2	-	-	-	2	2	-	-	2	-	-	-
Salpingitis and other diseases of the female genital organs	8	2	1	1	-	-	-	-	-	1	1	-	-	-	-	-	2
VII.—The puerperal state	99	11	11	9	1	3	9	4	2	5	14	3	3	9	4	5	6
Accidents of pregnancy	19	-	-	2	-	-	1	1	-	1	5	-	2	3	-	1	3
Puerperal hemorrhage	16	1	1	3	-	-	2	-	1	2	-	-	-	1	2	2	1
Other accidents of labor	7	1	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal septicemia	23	4	2	2	-	-	4	2	-	-	5	1	-	3	-	-	-
Puerperal albuminuria and convulsions	24	2	1	2	-	3	1	1	1	1	3	1	1	2	1	2	2
Puerperal phlegmasia, alba dolens, embolus, sudden death	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Following childbirth (not otherwise defined)	8	3	1	-	1	-	-	-	-	1	-	1	-	-	1	-	-
VIII.—Diseases of the skin and cellular tissue	96	8	6	11	1	4	9	6	6	7	19	-	4	4	1	8	2
Gangrene	72	6	3	5	-	2	8	5	5	7	16	-	3	3	1	6	2
Furuncle	4	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Acute abscess	5	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-
Other diseases of the skin and annexa	15	1	2	4	1	1	-	-	1	-	2	-	1	1	-	1	-

TABLE No. 29—Concluded.

CAUSES OF DEATH.	State.	Androscoegin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
IX.—Diseases of the bones and of the organs of locomotion	10	1	1	5	-	1	-	1	-	-	-	-	-	-	-	-	1
Diseases of the bones (tuberculosis excepted)	6	-	1	3	-	-	-	1	-	-	-	-	-	-	-	-	1
Diseases of the joints (tuberculosis and rheumatism excepted)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Amputations	3	1	-	5	2	4	2	4	2	3	12	3	1	3	1	1	7
X.—Malformations	55	3	2	5	2	4	2	4	2	3	12	3	1	3	1	1	7
Congenital malformations (stillbirths not included)	55	3	2	5	2	4	2	4	2	3	12	3	1	3	1	1	7
XI.—Diseases of early infancy	556	37	66	96	18	22	40	15	4	31	72	21	7	13	15	34	65
Congenital debility, icterus and sclerema	445	30	55	71	17	18	28	10	3	30	56	16	4	12	11	33	51
Other diseases peculiar to early infancy	109	7	11	24	1	4	12	5	1	1	16	5	2	1	4	1	14
Lack of care	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
XII.—Old age	603	31	37	111	9	21	63	27	19	36	70	13	15	37	39	28	47
Senility	603	31	37	111	9	21	63	27	19	36	70	13	15	37	39	28	47
XIII.—Affections produced by external causes	688	60	42	107	16	28	63	37	11	43	97	20	21	40	19	20	64
Suicide by poison	17	1	-	4	-	1	1	2	-	-	4	1	-	2	1	-	1
Suicide by asphyxia	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Suicide by hanging or strangulation	26	3	3	1	1	1	5	1	2	3	3	-	-	2	1	-	-
Suicide by drowning	12	3	-	1	-	1	1	2	-	1	1	1	1	-	-	-	1
Suicide by firearms	30	-	2	5	1	2	5	-	1	2	4	1	-	2	-	1	4
Suicide by cutting or piercing instruments	9	-	-	-	-	2	1	2	1	1	1	1	-	-	-	-	-
Suicide by crushing	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Other suicides	2	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	4
Other acute poisonings	17	2	-	3	2	1	1	-	-	-	2	1	-	1	-	-	2
Conflagration	17	1	1	4	-	1	1	-	-	2	2	1	1	-	-	1	2
Burns (includes scalding)	46	5	3	7	-	1	8	2	2	3	6	-	1	5	1	-	2
Absorption of deleterious gases (conflagration excepted)	14	2	-	4	-	1	1	-	-	-	1	-	1	-	2	2	5
Accidental drowning	128	9	11	15	2	7	8	9	1	8	2	1	8	3	8	5	14
Traumatism by firearms	25	1	4	-	1	1	3	-	-	2	-	-	-	2	2	5	3
Traumatism by cutting or piercing instruments	5	-	1	-	-	-	1	-	1	-	1	-	1	-	-	-	-
Traumatism by fall	101	9	2	18	4	7	4	6	1	10	15	2	3	5	4	4	7
Traumatism in mines and quarries	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Traumatism by machines	13	1	-	2	-	-	1	-	-	2	3	-	2	1	-	-	1
Traumatism by other crushing (vehicles, railroads, landslides, etc.)	108	12	9	18	1	1	7	3	1	4	30	3	4	4	3	-	8
Injuries by animals	5	1	-	-	-	1	1	-	1	1	-	-	1	1	-	1	-
Inanition	19	-	8	-	1	3	1	1	1	-	1	1	1	1	-	1	-
Excessive cold	6	-	1	-	-	1	1	-	-	-	2	-	-	-	-	-	1
Effects of heat	41	8	-	7	1	-	5	-	-	-	2	-	-	1	4	-	13
Lightning	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Electricity	1	-	2	1	-	-	-	-	-	-	-	-	-	1	-	-	1
Homicide by firearms	9	-	-	2	2	-	2	-	-	2	-	-	1	-	-	-	-
Homicide by cutting or piercing instruments	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Homicide by other means	7	-	-	1	-	-	1	4	-	-	-	-	1	-	-	-	-
Fractures (cause not specified)	11	1	3	2	-	1	-	1	-	-	1	1	-	1	-	-	1
Other external violence	6	-	3	-	-	1	-	-	-	1	-	-	-	-	-	-	1
XIV.—Ill defined diseases	233	11	62	18	6	8	16	9	4	6	37	3	6	10	7	12	18
Ill defined organic disease	14	-	5	-	-	2	1	1	-	2	-	-	1	1	-	1	1
Sudden death	44	4	4	6	2	2	1	-	1	-	16	-	-	2	2	1	3
Cause of death not specified or ill defined	175	7	53	12	4	6	13	8	2	6	19	3	5	7	5	11	14

**TABLE**  
**Deaths from all Causes**

CAUSES OF DEATH.	Total.	January.	February.	March.
All causes (including premature births) . . . . .	11,990	1,114	1,122	1,238
I.—General diseases . . . . .	2,830	264	283	313
II. Diseases of the nervous system and the organs of special sense . . . . .	1,540	148	125	140
III. Diseases of the circulatory system . . . . .	1,694	147	155	172
IV. Diseases of the respiratory system . . . . .	1,421	185	216	241
V. Diseases of the digestive system . . . . .	1,190	64	55	67
VI. Nonvenereal diseases of the genitourinary system and its annexa . . . . .	975	88	87	98
VII. The puerperal state . . . . .	99	9	9	14
VIII. Diseases of the skin and cellular tissue . . . . .	96	6	4	11
IX. Diseases of the bones and of the organs of locomotion . . . . .	10	1	—	1
X. Malformations . . . . .	55	7	3	6
XI. Diseases of early infancy . . . . .	556	51	67	40
XII. Old age . . . . .	603	64	50	66
XIII. Affections produced by external causes . . . . .	688	49	44	51
XIV. Ill defined diseases . . . . .	233	31	24	18

**No. 30.**  
**by Months, 1911.**

April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
1,084	1,051	820	966	981	901	906	840	963	4
252	264	206	206	219	214	199	196	214	-
155	125	108	141	126	118	124	120	110	-
153	152	119	112	118	121	137	135	173	-
164	122	62	44	35	50	85	89	128	-
71	87	52	148	230	172	94	71	79	-
79	96	68	70	78	68	91	74	78	-
12	8	12	6	7	4	5	4	9	-
8	11	11	9	8	5	8	6	9	-
-	-	1	1	-	-	3	2	1	-
1	8	2	6	3	4	5	5	5	-
56	49	52	42	37	44	38	36	44	-
68	55	50	43	38	41	51	33	44	-
42	58	55	121	63	50	53	52	48	2
23	16	22	17	19	10	13	17	21	2

TABLE No. 30—Continued.

CAUSES OF DEATH.	Total.	CAUSES OF DEATH.												
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
I.—General diseases . . . . .	2,830	264	283	313	252	264	206	206	219	214	199	196	214	-
Typhoid fever . . . . .	135	10	11	13	12	9	8	9	11	14	12	12	14	-
Malaria . . . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles . . . . .	29	2	2	2	3	6	3	3	1	-	1	1	5	-
Scarlet fever . . . . .	15	5	2	4	-	2	-	-	-	-	1	1	-	-
Whooping cough . . . . .	77	12	5	7	5	7	5	5	7	13	5	4	2	-
Diphtheria and croup . . . . .	77	12	6	5	3	4	4	2	8	8	9	6	10	-
Influenza . . . . .	200	19	45	67	32	15	4	2	-	-	2	4	10	-
Cholera nostras . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery . . . . .	35	2	-	1	1	2	-	10	1	5	2	1	-	-
Erysipelas . . . . .	29	2	6	5	6	5	1	1	2	2	1	-	-	-
Purulent infection and septicemia . . . . .	16	-	2	3	1	2	1	2	2	1	1	-	1	-
Anthrax . . . . .	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Tetanus . . . . .	9	-	-	-	-	1	1	2	1	1	-	1	2	-
Pellagra . . . . .	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis of the lungs . . . . .	842	79	75	84	73	86	73	58	60	64	56	62	72	-
Acute military tuberculosis . . . . .	11	2	1	1	2	1	1	1	1	-	1	1	1	-
Tuberculous meningitis . . . . .	80	10	5	8	9	9	8	9	5	5	5	3	4	-
Abdominal tuberculosis . . . . .	54	9	5	4	4	2	4	2	5	7	7	6	2	-
Pott's disease . . . . .	7	-	1	2	-	2	-	-	1	1	-	-	2	-
White swellings . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other organs . . . . .	24	3	1	2	4	4	-	1	4	1	2	1	-	-
Disseminated tuberculosis . . . . .	35	2	3	2	4	5	6	6	-	2	3	-	2	-
Rickets . . . . .	8	1	-	-	1	2	1	-	2	-	-	-	1	-
Syphilis . . . . .	18	1	1	1	1	2	1	4	-	-	4	1	2	-
Gonococcus infection . . . . .	3	-	1	-	-	1	-	-	-	1	-	-	-	-
Cancer and other malignant tumors of the buccal cavity . . . . .	23	2	1	2	1	3	2	1	2	3	2	4	-	-
Cancer and other malignant tumors of the stomach and liver . . . . .	289	15	25	22	17	25	24	26	35	28	30	19	23	-
Cancer and other malignant tumors of the peritoneum, intestines and rectum . . . . .	117	9	14	10	12	7	9	12	8	9	7	12	8	-
Cancer and other malignant tumors of the female genital organs . . . . .	121	7	8	11	9	9	7	13	15	12	7	9	14	-
Cancer and other malignant tumors of the breast . . . . .	65	7	5	5	7	8	4	2	5	5	4	10	3	-
Cancer and other malignant tumors of the skin . . . . .	22	2	-	-	2	4	2	6	-	2	1	2	1	-
Cancer and other malignant tumors of other organs or of organs not specified . . . . .	101	12	8	12	9	14	8	5	4	5	8	9	7	-
Other tumors (tumors of the female genital organs excepted) . . . . .	6	-	-	-	1	1	-	-	-	-	2	1	1	-
Acute articular rheumatism . . . . .	36	4	5	1	2	4	2	5	3	5	2	2	1	-
Chronic rheumatism and gout . . . . .	22	3	2	1	2	-	2	-	4	2	3	3	-	-
Scurvy . . . . .	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Diabetes . . . . .	174	24	23	19	14	10	12	6	16	22	15	11	16	-
Exophthalmic goitre . . . . .	6	-	-	2	1	-	-	-	2	2	-	-	-	-
Addison's disease . . . . .	4	-	-	-	-	-	2	-	-	-	-	-	-	-
Leukemia . . . . .	11	2	3	3	2	-	-	-	1	-	-	-	-	-
Anemia, chlorosis . . . . .	56	4	12	7	6	5	4	1	4	4	3	3	3	-
Other general diseases . . . . .	24	1	3	3	2	2	1	1	2	2	2	2	2	-
Alcoholism (acute or chronic) . . . . .	37	1	2	4	1	4	5	6	-	3	2	4	3	-
Chronic lead poisoning . . . . .	2	-	-	-	1	1	-	-	-	-	-	-	-	-
Other chronic poisonings . . . . .	2	-	-	-	-	-	-	-	1	-	1	-	-	-
II.—Diseases of the nervous system, and of the organs of special sense . . . . .	1,540	148	125	140	155	125	108	141	126	118	124	120	110	-



TABLE No. 30—Continued.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
Encephalitis . . . . .	16	1	-	4	3	1	2	1	2	-	2	-	-	-
Simple meningitis . . . . .	72	10	7	6	3	8	6	5	5	4	4	7	7	-
Cerebro spinal meningitis . . . . .	25	1	1	1	5	2	5	-	4	1	1	3	1	-
Infantile paralysis . . . . .	13	1	-	2	-	-	-	-	2	2	2	2	2	-
Locomotor ataxia . . . . .	20	1	2	1	2	1	1	2	2	1	-	4	3	-
Other diseases of the spinal cord . . . . .	73	10	6	7	7	4	8	6	5	4	8	3	5	-
Cerebral hemorrhage, apoplexy . . . . .	860	87	69	84	84	65	55	70	66	67	80	64	69	-
Softening of the brain . . . . .	41	3	3	1	2	6	3	5	5	3	5	5	5	-
Paralysis without specified cause . . . . .	165	14	12	13	20	21	9	19	15	15	8	11	8	-
General paralysis of the insane . . . . .	39	1	3	4	4	2	3	9	3	1	2	4	3	-
Other forms of mental alienation . . . . .	83	5	8	10	7	6	7	9	7	10	4	6	4	-
Epilepsy . . . . .	35	2	5	2	6	1	-	5	4	2	1	5	2	-
Convulsions (nonpuerperal) . . . . .	2	-	-	-	1	1	-	-	-	-	-	-	-	-
Convulsions of infants . . . . .	38	4	3	2	8	3	2	5	1	1	1	4	4	-
Chorea . . . . .	5	-	1	1	-	-	-	1	-	2	-	-	-	-
Neuralgia and neuritis . . . . .	19	3	1	-	2	1	4	2	1	2	1	-	2	-
Other diseases of the nervous system . . . . .	25	5	2	1	1	2	2	-	3	1	4	2	2	-
Diseases of the eyes and their annexa . . . . .	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the ears . . . . .	8	-	2	1	1	1	-	-	1	2	-	-	-	-
III.—Diseases of the circulatory system . . . . .	1,694	147	155	172	153	152	119	112	118	121	137	135	173	-
Pericarditis . . . . .	10	1	-	1	2	-	-	-	1	2	-	-	3	-
Acute endocarditis . . . . .	39	5	4	2	2	3	2	3	2	3	2	8	3	-
Organic diseases of the heart . . . . .	1,175	104	105	118	112	116	85	77	77	75	100	90	116	-
Angina pectoris . . . . .	124	17	6	16	14	8	8	11	8	9	8	10	9	-
Diseases of the arteries, atheroma, aneurysm, etc. . . . .	279	17	33	28	20	16	16	17	24	24	24	25	35	-
Embolism and thrombosis . . . . .	62	3	5	7	2	9	8	4	6	7	3	1	7	-
Diseases of the veins, varices, hemorrhoids, phlebitis, etc. . . . .	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of the lymphatic system . . . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Hemorrhage, other diseases of the circulatory system . . . . .	3	-	1	-	1	-	-	-	-	-	-	1	-	-
IV.—Diseases of the respiratory system . . . . .	1,421	185	216	241	164	122	62	44	35	50	85	89	128	-
Diseases of the nasal fossae . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of the larynx . . . . .	9	1	2	-	1	1	-	-	1	1	1	2	-	-
Diseases of the thyroid body . . . . .	7	-	2	-	1	-	1	-	1	1	-	1	-	-
Acute bronchitis . . . . .	138	16	26	23	14	7	4	5	5	4	13	12	9	-
Chronic bronchitis . . . . .	66	8	6	7	12	5	4	2	-	4	4	9	5	-
Bronchopneumonia . . . . .	232	35	36	43	28	16	9	7	2	13	12	9	22	-
Pneumonia . . . . .	839	108	137	154	100	86	34	15	18	18	48	44	77	-
Pleurisy . . . . .	22	3	-	2	3	2	2	2	2	2	1	1	2	-
Pulmonary congestion, pulmonary apoplexy . . . . .	74	10	7	9	2	4	2	10	5	4	3	8	10	-
Gangrene of the lungs . . . . .	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Asthma . . . . .	14	1	-	-	1	1	3	1	-	3	1	2	1	-
Pulmonary emphysema . . . . .	3	1	-	1	-	-	-	-	-	-	-	1	-	-
Other diseases of the respiratory system (tuberculosis excepted) . . . . .	15	2	-	2	2	-	3	2	2	-	1	-	1	-
V.—Diseases of the digestive system . . . . .	1,190	64	55	67	71	87	52	148	230	172	94	71	79	-
Diseases of the mouth and annexa . . . . .	6	1	-	1	-	1	-	-	1	2	-	-	1	-
Diseases of the pharynx . . . . .	9	-	-	2	-	1	-	1	1	-	1	2	1	-
Diseases of the esophagus . . . . .	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Ulcer of the stomach . . . . .	21	1	4	3	1	2	-	2	1	2	3	-	2	-
Other diseases of the stomach (cancer excepted) . . . . .	235	14	15	18	19	33	13	22	23	13	25	21	19	-



TABLE No. 30—Concluded.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
Congenital malformations (stillbirths excepted)	55	7	3	6	1	8	2	6	3	4	5	5	5	-
XI.—Diseases of early infancy	556	51	67	40	56	49	52	42	37	44	38	36	44	-
Congenital debility, icterus and sclerema	445	40	52	34	45	39	45	32	29	32	27	29	41	-
Other diseases peculiar to early infancy	109	11	15	6	11	9	7	10	7	12	11	7	3	-
Lack of care	2	-	-	-	1	-	-	1	-	-	-	-	-	-
XII.—Old age	603	64	50	66	68	55	50	43	38	41	51	33	44	-
Senility	603	64	50	66	68	55	50	43	38	41	51	33	44	-
XIII.—Affections produced by external causes	688	49	44	51	42	58	55	121	63	50	53	52	48	2
Suicide by poison	17	-	2	2	-	-	1	1	-	-	-	-	1	-
Suicide by asphyxia	3	-	-	-	-	-	-	-	-	-	1	-	2	-
Suicide by hanging or strangulation	26	3	-	1	1	5	6	4	3	1	-	1	-	1
Suicide by drowning	12	2	-	-	1	3	2	1	1	1	1	-	-	-
Suicide by firearms	20	-	4	1	3	1	5	3	3	2	1	2	5	-
Suicide by cutting or piercing instruments	9	-	1	1	-	2	-	1	-	-	1	2	1	-
Suicide by crushing	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Other suicides	2	-	1	-	-	-	-	-	1	-	-	-	-	-
Other acute poisonings	17	1	2	-	-	-	2	2	2	5	2	1	-	-
Conflagration	17	2	-	5	3	1	1	2	-	-	1	2	-	-
Burns (includes scalding)	46	5	3	5	6	4	1	7	2	-	3	5	5	-
Absorption of deleterious gases (conflagration excepted)	14	1	2	1	1	1	1	1	-	1	2	1	2	-
Accidental drowning	128	6	3	4	6	17	17	33	18	8	1	10	5	-
Traumatism by firearms	25	3	-	1	1	-	1	1	2	-	6	7	3	-
Traumatism by cutting or piercing instruments	5	1	1	-	-	-	-	1	-	1	-	-	-	-
Traumatism by fall	101	11	9	15	7	4	7	6	7	11	8	6	10	-
Traumatism in mines and quarries	2	-	-	1	-	-	-	1	-	-	-	-	-	-
Traumatism by machines	13	2	-	3	1	-	-	2	1	1	3	-	-	-
Traumatism by other crushing (vehicles, railroads, landslides, etc.)	108	7	8	6	5	8	5	15	11	8	14	10	11	-
Injuries by animals	5	1	2	-	-	-	-	-	1	-	-	-	-	1
Inanition	19	-	1	1	1	1	2	2	5	3	1	1	1	-
Excessive cold	6	1	3	1	-	-	-	-	-	-	-	1	-	-
Effects of heat	41	-	-	-	-	4	-	36	-	1	-	-	-	-
Lightning	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Electricity	5	1	-	-	-	1	2	1	-	-	-	-	-	-
Homicide by firearms	9	2	1	-	-	4	-	-	1	1	-	-	-	-
Homicide by cutting or piercing instruments	2	-	-	-	-	1	-	-	-	-	1	-	-	-
Homicide by other means	7	-	-	-	-	-	1	1	3	-	1	-	1	-
Fractures (cause not specified)	11	-	-	1	3	1	-	1	2	-	1	2	-	-
Other external violence	6	-	1	3	-	-	-	-	-	1	1	-	-	-
XIV.—Ill defined diseases	233	31	24	18	23	16	22	17	19	10	13	17	21	2
Ill defined organic disease	14	1	1	-	2	3	2	2	2	1	-	-	-	-
Sudden death	44	8	7	2	2	5	3	3	2	3	2	6	1	-
Cause of death not specified or ill defined	175	22	16	16	19	8	17	12	15	6	11	11	20	2

**TABLE**  
**Deaths from all Causes**

CAUSES OF DEATH.	SEX.	Totals.	Under 1.					Total under 5.
			1 and under 2.	2.	3.	4.		
All causes.....	Totals.....	24,690	3,777	655	267	194	139	5,032
	Males.....	12,828	2,129	356	145	102	64	2,796
	Females.....	11,862	1,648	299	122	92	75	2,236
Typhoid fever.....	Totals.....	284	1	3	2	3	2	11
	Males.....	178	1	3	1	2	1	7
	Females.....	106	-	-	-	1	1	4
Malaria.....	Totals.....	2	-	-	-	-	-	-
	Males.....	2	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Measles.....	Totals.....	124	35	44	8	3	4	94
	Males.....	59	17	24	1	2	3	47
	Females.....	65	18	20	7	1	1	47
Scarlet fever.....	Totals.....	55	3	2	3	15	9	32
	Males.....	20	2	1	2	5	2	12
	Females.....	35	1	1	1	10	7	20
Whooping cough.....	Totals.....	181	106	45	17	6	4	178
	Males.....	89	55	20	9	2	2	88
	Females.....	92	51	25	8	4	2	90
Diphtheria and croup.....	Totals.....	176	11	23	20	24	17	95
	Males.....	86	7	13	10	9	9	48
	Females.....	90	4	10	10	15	8	47
Influenza.....	Totals.....	325	29	9	2	-	2	42
	Males.....	136	15	2	-	-	-	17
	Females.....	189	14	7	2	-	2	25
Cholera nostras.....	Totals.....	5	-	-	1	-	-	1
	Males.....	2	-	-	1	-	-	1
	Females.....	3	-	-	-	-	-	-
Dysentery.....	Totals.....	62	13	3	4	3	3	26
	Males.....	37	9	1	3	1	1	15
	Females.....	25	4	2	1	2	2	11
Erysipelas.....	Totals.....	56	9	-	-	-	1	10
	Males.....	23	4	-	-	-	1	5
	Females.....	33	5	-	-	-	-	5
Other epidemic diseases.....	Totals.....	2	1	-	-	-	-	1
	Males.....	2	1	-	-	-	-	1
	Females.....	-	-	-	-	-	-	-
Purulent infection and septicemia.....	Totals.....	50	1	1	-	-	1	3
	Males.....	29	1	1	-	-	1	3
	Females.....	21	-	-	-	-	-	-
Anthrax.....	Totals.....	2	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	1	-	-	-	-	-	-
Tetanus.....	Totals.....	20	3	-	-	1	-	4
	Males.....	15	3	-	-	1	-	4
	Females.....	5	-	-	-	-	-	-
Mycoses.....	Totals.....	1	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Pellagra.....	Totals.....	1	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Tuberculosis of the lungs.....	Totals.....	1,731	17	7	7	2	5	38
	Males.....	886	14	7	3	2	2	28
	Females.....	845	3	-	4	-	3	10
Acute miliary tuberculosis.....	Totals.....	22	1	1	-	-	-	2
	Males.....	12	-	1	-	-	-	1
	Females.....	10	1	-	-	-	-	1
Tuberculous meningitis.....	Totals.....	169	37	19	19	9	9	93
	Males.....	90	23	9	13	6	3	54
	Females.....	79	14	10	6	3	6	39
Abdominal tuberculosis.....	Totals.....	114	9	4	1	-	1	15
	Males.....	46	7	2	1	-	1	11
	Females.....	68	2	2	-	-	-	4

No. 31.

by Age Groups, 1910-1911.

	5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
427	317	525	696	715	668	772	796	873	1,085	1,265	1,506	1,959	2,199	2,327	1,882	1,068	401	123	12	42	
229	180	290	371	327	337	381	386	452	599	684	798	1,053	1,115	1,184	884	511	166	48	2	35	
198	137	235	325	388	331	391	410	421	486	581	708	906	1,084	1,143	998	557	235	75	10	7	
14	20	27	49	30	34	24	14	7	23	7	10	5	5	2	1	1	1	1	1	1	
7	11	10	34	19	23	18	11	5	15	5	6	3	1	1	1	1	1	1	1	1	
7	9	17	15	11	11	6	3	2	2	1	1	2	2	4	1	1	1	1	1	1	
	8	2	3	1	2		3	2	1	2	1	1	1	1	2	1	1				
	2	2	1	1				1	1	1	1										
	6	2	1	1			3	1		1											
	16	2	2	1		1						1									
	7																				
	9	2	2	1		1															
	2		1																		
	1																				
	1																				
	49	20	4	1	1	1	2			1				1		1					
	21	10	3	1	1	1								1							
	28	10	1			1	1			1											
	2	1		1	4	3	6	6	3	10	14	29	41	54	46	33	13	6		1	
	2	1		1	3	2	2	6	2	4	3	4	12	16	28	13	16	8	3	1	
	1		1	3	2	2	2	6	2	6	5	10	17	25	26	33	17	5	3		
	1		1												1						
	1															1					
	3		1			1	1	1	1	1	2	3	5	2	8	4	3				
	3		1			1	1	1	1	1			2	1	1	1	3				
		1											2	2	3	3	3				
		1											5	3	5	3	3				
		1											2	2	2	2	2				
													1	6	4	2	3				
	1																				
	1																				
	3																				
	2																				
	2																				
	1																				
	1																				
	8	32	138	229	221	194	171	144	111	113	88	74	61	50	33	19	5			2	
	2	10	61	120	103	98	74	71	57	79	48	39	34	28	22	9	1			2	
	6	22	77	109	118	96	97	73	54	34	40	35	27	22	11	10	4				
	1	1	3	4	3	2	2	2	2												
	1	1	3	4	3	1	1	1	1												
	1	1	1	1																	
	22	10	10	12	4	1	1	3	3	3	3	1	1	1							
	10	6	6	6	2			2	1	3	3										
	12	4	4	6	2	1	3	1	1	1	1	1	1	1							
	3	5	8	11	10	7	10	10	7	5	6	2	4	7	4						
	3	3	3	3	3	4	3	2	2	2	2	2	2	2	1						
	4	5	8	7	7	3	7	8	3	3	4	2	2	5	3						

**TABLE**  
**Deaths from all Causes**

CAUSES OF DEATH.	SEX.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Pott's disease . . . . .	Totals . . . . .	16	1	-	-	-	-	1
	Males . . . . .	10	-	-	-	-	-	-
White swellings . . . . .	Females . . . . .	6	1	-	-	-	-	1
	Totals . . . . .	8	-	-	-	-	-	-
Tuberculosis of other organs . . . . .	Males . . . . .	5	-	-	-	-	-	-
	Females . . . . .	3	-	-	-	-	-	-
Disseminated tuberculosis . . . . .	Totals . . . . .	39	3	2	-	1	-	6
	Males . . . . .	22	1	2	-	1	-	5
Rickets . . . . .	Females . . . . .	17	1	2	-	-	-	3
	Totals . . . . .	72	5	2	-	-	1	8
Syphilis . . . . .	Males . . . . .	41	3	2	-	-	-	5
	Females . . . . .	31	2	-	-	-	-	3
Gonococcus infection . . . . .	Totals . . . . .	13	4	6	1	1	-	12
	Males . . . . .	4	-	3	1	-	-	4
Cancer and other malignant tumors of the buccal cavity . . . . .	Females . . . . .	9	4	3	-	1	-	8
	Totals . . . . .	27	12	-	-	-	-	12
Cancer and other malignant tumors of the stomach and liver . . . . .	Males . . . . .	19	10	-	-	-	-	10
	Females . . . . .	8	2	-	-	-	-	2
Cancer and other malignant tumors of the peritoneum, intestines and rectum . . . . .	Totals . . . . .	4	2	-	-	-	-	2
	Males . . . . .	1	-	-	-	-	-	-
Cancer and other malignant tumors of female genital organs . . . . .	Females . . . . .	3	2	-	-	-	-	2
	Totals . . . . .	52	-	-	-	-	-	-
Cancer and other malignant tumors of the breast . . . . .	Males . . . . .	46	-	-	-	-	-	-
	Females . . . . .	6	-	-	-	-	-	-
Cancer and other malignant tumors of the skin . . . . .	Totals . . . . .	577	1	-	-	-	-	1
	Males . . . . .	258	-	-	-	-	-	-
Cancer and other malignant tumors of other organs, and of organs not specified . . . . .	Females . . . . .	319	1	-	-	-	-	1
	Totals . . . . .	226	-	-	-	-	-	-
Other tumors (tumors of female genital organs excepted) . . . . .	Males . . . . .	80	-	-	-	-	-	-
	Females . . . . .	146	-	-	-	-	-	-
Acute articular rheumatism . . . . .	Totals . . . . .	226	-	-	-	-	-	-
	Males . . . . .	142	-	-	-	-	-	-
Chronic rheumatism and gout . . . . .	Females . . . . .	142	-	-	-	-	-	-
	Totals . . . . .	60	-	-	1	1	-	2
Scurvy . . . . .	Males . . . . .	39	-	-	1	1	-	2
	Females . . . . .	21	-	-	-	-	-	-
Diabetes . . . . .	Totals . . . . .	217	-	-	-	-	-	-
	Males . . . . .	91	-	-	-	-	-	-
Exophthalmic goitre . . . . .	Females . . . . .	126	-	-	-	-	-	-
	Totals . . . . .	24	-	-	-	-	-	-
Addison's disease . . . . .	Males . . . . .	5	-	-	-	-	-	-
	Females . . . . .	19	-	-	-	-	-	-
Scrophulous disease . . . . .	Totals . . . . .	80	2	1	-	-	-	3
	Males . . . . .	40	2	1	-	-	-	3
Chronic rheumatism and gout . . . . .	Females . . . . .	40	-	-	-	-	-	-
	Totals . . . . .	24	-	-	-	-	-	-
Scurvy . . . . .	Males . . . . .	15	-	-	-	-	-	-
	Females . . . . .	19	-	-	-	-	-	-
Diabetes . . . . .	Totals . . . . .	2	-	-	-	-	-	-
	Males . . . . .	2	-	-	-	-	-	-
Exophthalmic goitre . . . . .	Females . . . . .	301	1	2	3	1	-	7
	Totals . . . . .	142	1	1	3	1	-	4
Addison's disease . . . . .	Males . . . . .	159	1	1	-	-	1	3
	Females . . . . .	15	-	-	-	-	-	-
Scrophulous disease . . . . .	Totals . . . . .	15	-	-	-	-	-	-
	Males . . . . .	8	-	-	-	-	-	-
Chronic rheumatism and gout . . . . .	Females . . . . .	6	-	-	-	-	-	-
	Totals . . . . .	2	-	-	-	-	-	-



**TABLE**  
**Deaths from all Causes**

CAUSES OF DEATH.	SEX.	Totals.					Total under 5.	
			Under 1.	1 and under 2.	2.	3.		4.
Leukemia . . . . .	Totals . . . . .	22	-	3	-	-	1	4
	Males . . . . .	12	-	1	-	-	-	2
	Females . . . . .	10	-	2	-	-	1	2
Anemia, chlorosis . . . . .	Totals . . . . .	115	13	33	-	-	-	16
	Males . . . . .	44	3	1	-	-	-	4
	Females . . . . .	71	10	32	-	-	-	12
Other general diseases . . . . .	Totals . . . . .	41	11	5	1	2	3	22
	Males . . . . .	17	5	4	1	-	1	11
	Females . . . . .	24	6	1	-	2	2	11
Alcoholism (acute or chronic) . . . . .	Totals . . . . .	66	-	-	-	-	-	-
	Males . . . . .	60	-	-	-	-	-	-
	Females . . . . .	6	-	-	-	-	-	-
Chronic lead poisoning . . . . .	Totals . . . . .	3	-	-	-	-	-	-
	Males . . . . .	2	-	-	-	-	-	-
	Females . . . . .	1	-	-	-	-	-	-
Other chronic poisonings . . . . .	Totals . . . . .	13	1	-	-	-	-	1
	Males . . . . .	2	-	-	-	-	-	-
	Females . . . . .	11	1	-	-	-	-	1
Encephalitis . . . . .	Totals . . . . .	38	2	2	-	1	-	5
	Males . . . . .	22	1	1	-	-	-	2
	Females . . . . .	16	1	1	-	1	-	3
Simple meningitis . . . . .	Totals . . . . .	199	75	25	19	8	6	133
	Males . . . . .	109	40	19	8	6	2	75
	Females . . . . .	90	35	6	11	2	4	58
Cerebrospinal meningitis . . . . .	Totals . . . . .	60	14	8	6	2	1	31
	Males . . . . .	34	10	4	4	1	1	20
	Females . . . . .	26	4	4	2	1	-	11
Infantile paralysis . . . . .	Totals . . . . .	48	8	6	3	5	2	24
	Males . . . . .	29	4	3	3	3	1	14
	Females . . . . .	19	4	3	-	2	1	10
Locomotor ataxia . . . . .	Totals . . . . .	42	-	-	-	-	-	-
	Males . . . . .	29	-	-	-	-	-	-
	Females . . . . .	13	-	-	-	-	-	-
Other diseases of the spinal cord . . . . .	Totals . . . . .	137	6	1	1	1	2	11
	Males . . . . .	72	2	1	1	1	1	6
	Females . . . . .	65	4	-	-	-	1	5
Cerebral hemorrhage, apoplexy . . . . .	Totals . . . . .	1,747	14	3	-	1	1	19
	Males . . . . .	853	7	2	-	1	-	10
	Females . . . . .	894	7	1	-	-	1	9
Softening of the brain . . . . .	Totals . . . . .	71	-	-	-	-	-	-
	Males . . . . .	40	-	-	-	-	-	-
	Females . . . . .	31	-	-	-	-	-	-
Paralysis without specified cause . . . . .	Totals . . . . .	361	3	-	-	-	-	3
	Males . . . . .	159	1	-	-	-	-	1
	Females . . . . .	202	2	-	-	-	-	2
General paralysis of the insane . . . . .	Totals . . . . .	73	-	-	-	-	-	-
	Males . . . . .	49	-	-	-	-	-	-
	Females . . . . .	24	-	-	-	-	-	-
Other forms of mental alienation . . . . .	Totals . . . . .	154	-	-	-	-	-	-
	Males . . . . .	44	-	-	-	-	-	-
	Females . . . . .	110	-	-	-	-	-	-
Epilepsy . . . . .	Totals . . . . .	69	3	2	-	1	-	6
	Males . . . . .	32	1	1	-	1	-	3
	Females . . . . .	37	2	1	-	-	-	3
Convulsions (nonpuerperal) . . . . .	Totals . . . . .	6	-	-	-	-	-	-
	Males . . . . .	3	-	-	-	-	-	-
	Females . . . . .	3	-	-	-	-	-	-
Convulsions of infants . . . . .	Totals . . . . .	91	68	13	5	3	2	91
	Males . . . . .	43	35	6	1	1	-	43
	Females . . . . .	48	33	7	4	2	2	48
Chorea . . . . .	Totals . . . . .	5	-	-	-	-	-	-
	Males . . . . .	1	-	-	-	-	-	-
	Females . . . . .	4	-	-	-	-	-	-





**TABLE**  
**Deaths from all Causes**

CAUSES OF DEATH.	SEX.	Totals.					Total under 5.
			Under 1.	1 and under 2.	2.	3.	
Neuralgia and neuritis . . . . .	Totals . . . . .	26	-	-	-	-	-
	Males . . . . .	13	-	-	-	-	-
	Females . . . . .	13	-	-	-	-	-
Other diseases of the nervous system . . . . .	Totals . . . . .	66	1	-	-	-	1
	Males . . . . .	25	-	-	-	-	-
	Females . . . . .	41	1	-	-	-	1
Diseases of the eyes and their annexa . . . . .	Totals . . . . .	1	1	-	-	-	1
	Males . . . . .	-	-	-	-	-	-
	Females . . . . .	1	1	-	-	-	1
Diseases of the ears . . . . .	Totals . . . . .	18	5	1	-	1	7
	Males . . . . .	10	3	-	-	-	3
	Females . . . . .	8	2	1	-	1	4
Pericarditis . . . . .	Totals . . . . .	55	-	-	-	-	-
	Males . . . . .	35	-	-	-	-	-
	Females . . . . .	20	-	-	-	-	-
Acute endocarditis . . . . .	Totals . . . . .	76	1	-	1	1	3
	Males . . . . .	47	1	-	1	1	3
	Females . . . . .	29	-	-	-	-	-
Organic diseases of the heart . . . . .	Totals . . . . .	2,370	23	4	3	1	32
	Males . . . . .	1,347	12	2	1	1	17
	Females . . . . .	1,023	11	2	2	-	15
Angina pectoris . . . . .	Totals . . . . .	227	1	-	-	-	1
	Males . . . . .	141	1	-	-	-	1
	Females . . . . .	86	-	-	-	-	-
Diseases of the arteries, atheroma, aneurysm, etc. . . . .	Totals . . . . .	488	-	-	-	-	-
	Males . . . . .	319	-	-	-	-	-
	Females . . . . .	169	-	-	-	-	-
Embolism and thrombosis . . . . .	Totals . . . . .	117	3	-	-	-	3
	Males . . . . .	53	2	-	-	-	2
	Females . . . . .	64	1	-	-	-	1
Diseases of the veins (varices, hemorrhoids, phlebitis, etc.) . . . . .	Totals . . . . .	8	-	-	-	-	-
	Males . . . . .	6	-	-	-	-	-
	Females . . . . .	2	-	-	-	-	-
Diseases of the lymphatic system . . . . .	Totals . . . . .	2	-	-	-	-	-
	Males . . . . .	1	-	-	-	-	-
	Females . . . . .	1	-	-	-	-	-
Hemorrhage; other diseases of the circulatory system . . . . .	Totals . . . . .	5	-	-	-	-	-
	Males . . . . .	2	-	-	-	-	-
	Females . . . . .	3	-	-	-	-	-
Diseases of the nasal fossae . . . . .	Totals . . . . .	4	2	-	-	1	3
	Males . . . . .	1	-	-	-	-	-
	Females . . . . .	3	2	-	-	1	3
Diseases of the larynx . . . . .	Totals . . . . .	26	6	4	4	2	17
	Males . . . . .	16	5	2	4	1	13
	Females . . . . .	10	1	2	-	1	4
Diseases of the thyroid body . . . . .	Totals . . . . .	9	1	-	-	-	1
	Males . . . . .	1	-	-	-	-	-
	Females . . . . .	8	1	-	-	-	1
Acute bronchitis . . . . .	Totals . . . . .	277	92	20	7	3	122
	Males . . . . .	129	54	13	4	-	71
	Females . . . . .	148	38	7	3	3	51
Chronic bronchitis . . . . .	Totals . . . . .	156	4	-	-	-	4
	Males . . . . .	72	3	-	-	-	3
	Females . . . . .	84	1	-	-	-	1
Bronchopneumonia . . . . .	Totals . . . . .	484	134	46	14	9	209
	Males . . . . .	213	77	21	9	5	114
	Females . . . . .	271	57	25	5	4	95
Pneumonia . . . . .	Totals . . . . .	1,833	253	96	33	20	410
	Males . . . . .	931	145	51	15	12	227
	Females . . . . .	902	108	45	18	8	183

No. 31—Continued.  
by Age Groups, 1910-1911.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	2	6	1	2	1	9	1	1	3	3	1	1	5	1	2	1	1	1	1
1	-	2	5	1	1	3	3	7	5	2	4	4	2	2	1	2	1	1	1	1
-	1	1	1	2	1	1	2	3	2	2	2	2	1	1	3	3	1	1	1	1
1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	2	2	3	3	3	3
2	4	4	6	4	4	7	8	5	7	11	2	2	2	6	4	1	1	1	1	1
2	3	3	5	2	2	3	4	6	2	7	4	2	2	4	2	3	3	3	3	3
5	10	20	20	17	21	32	42	67	119	158	247	372	366	367	258	132	26	5	4	4
1	12	12	6	4	20	23	28	45	73	93	137	240	206	202	136	78	14	1	1	1
4	2	8	4	2	12	19	33	55	46	65	110	132	160	165	122	54	12	3	3	3
-	-	-	1	-	2	3	4	1	7	10	15	21	27	35	32	24	19	14	5	2
-	-	-	1	-	1	1	2	2	5	8	11	15	18	27	24	19	14	4	2	2
-	-	-	-	-	1	1	2	2	10	14	23	34	64	96	98	13	10	1	1	1
-	-	-	-	-	5	4	4	3	8	14	23	34	64	96	98	49	17	7	2	2
-	-	-	-	-	1	1	3	3	2	5	11	17	32	37	33	17	9	5	5	5
-	-	-	-	-	3	3	3	4	2	6	10	17	32	37	33	17	9	5	5	5
-	-	-	-	-	-	-	-	-	2	2	4	8	12	8	15	6	4	4	4	4
-	-	-	-	-	-	-	-	-	4	4	2	2	4	4	4	1	1	1	1	1
-	-	-	-	-	-	-	-	-	2	2	1	1	1	1	1	1	1	1	1	1
-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1
-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1
-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1
-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1
-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1
-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1
5	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	1	3	2	4	5	5	8	8	3	10	11	23	37	37	63	43	29	8	2	2
6	1	1	2	1	1	1	2	2	3	4	5	8	12	18	16	8	5	2	1	1
7	1	2	1	2	4	4	3	6	7	7	6	15	25	29	30	15	6	1	1	1
39	22	48	39	35	40	67	63	72	75	97	84	141	160	173	140	85	27	10	1	5
20	33	28	13	24	35	37	46	46	40	52	45	75	70	71	50	38	7	5	3	3
19	10	15	11	16	32	26	26	26	35	45	39	66	90	102	90	47	20	5	1	2

**TABLE**  
**Deaths from all Causes**

CAUSES OF DEATH.	SEX.	Totals.	Under 1.					Total under 5.
				1 and under 2.	2.	3.	4.	
Pleurisy	Totals	43	-	-	-	-	-	-
	Males	25	-	-	-	-	-	-
	Females	18	-	-	-	-	-	-
Pulmonary congestion (pulmonary apoplexy)	Totals	180	22	8	3	1	-	34
	Males	92	16	4	1	1	-	22
	Females	88	6	4	2	-	-	12
Gangrene of the lungs	Totals	2	-	1	-	-	-	1
	Males	1	-	-	-	-	-	-
	Females	1	-	1	-	-	-	1
Asthma	Totals	27	1	-	-	-	-	1
	Males	14	1	-	-	-	-	1
	Females	13	-	-	-	-	-	-
Pulmonary emphysema	Totals	9	-	-	-	-	-	-
	Males	4	-	-	-	-	-	-
	Females	5	-	-	-	-	-	-
Other diseases of the respiratory system (tuberculosis excepted)	Totals	35	-	-	-	-	-	-
	Males	25	-	-	-	-	-	-
	Females	10	-	-	-	-	-	-
Diseases of the mouth and annexa	Totals	15	9	2	-	-	-	11
	Males	7	3	1	-	-	-	4
	Females	8	6	1	-	-	-	7
Diseases of the pharynx	Totals	22	2	1	-	2	2	7
	Males	11	1	1	-	1	1	4
	Females	11	1	-	-	1	1	3
Diseases of the esophagus	Totals	2	-	-	-	-	-	-
	Males	2	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Ulcer of the stomach	Totals	46	-	-	-	-	-	-
	Males	23	-	-	-	-	-	-
	Females	23	-	-	-	-	-	-
Other diseases of the stomach (cancer excepted)	Totals	384	86	8	5	4	1	104
	Males	191	49	4	2	4	1	60
	Females	193	37	4	3	-	-	44
Diarrhea and enteritis (under 2 years)	Totals	1,144	987	157	-	-	-	1,144
	Males	652	564	88	-	-	-	652
	Females	492	423	69	-	-	-	492
Diarrhea and enteritis (2 years and over)	Totals	225	-	-	35	16	13	64
	Males	118	-	-	19	8	6	33
	Females	107	-	-	16	8	7	31
Intestinal parasites	Totals	4	2	1	1	-	-	4
	Males	2	1	1	-	-	-	2
	Females	2	1	-	-	-	-	2
Appendicitis and typhlitis	Totals	196	-	2	2	3	1	8
	Males	121	-	2	1	2	1	6
	Females	75	-	1	1	1	-	2
Hernia, intestinal obstruction	Totals	178	17	4	2	-	-	23
	Males	95	12	1	1	-	-	13
	Females	83	5	4	1	-	-	10
Other diseases of the intestines	Totals	47	13	2	2	-	-	17
	Males	20	6	2	1	-	-	9
	Females	27	7	1	1	-	-	8
Acute yellow atrophy of the liver	Totals	3	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	3	-	-	-	-	-	-
Cirrhosis of the liver	Totals	97	-	-	-	-	-	-
	Males	60	-	-	-	-	-	-
	Females	37	-	-	-	-	-	-
Biliary calculi	Totals	49	-	-	1	-	-	1
	Males	12	-	-	1	-	-	1
	Females	37	-	-	-	-	-	-



**TABLE**  
**Deaths from all Causes**

CAUSES OF DEATH.	SEX.	Totals.					Total under 5.
			Under 1.	1 and under 2.	2.	3.	
Other diseases of the liver.....	Totals.....	85	5	1	-	-	6
	Males.....	31	3	-	-	-	3
	Females.....	54	2	1	-	-	3
Diseases of the spleen.....	Totals.....	2	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females.....	2	-	-	-	-	-
Simple peritonitis (nonpuerperal).....	Totals.....	98	5	3	1	1	10
	Males.....	59	4	3	-	-	7
	Females.....	39	1	-	1	1	3
Other diseases of the digestive system (cancer and tuberculosis excepted).....	Totals.....	13	-	1	-	-	1
	Males.....	7	-	1	-	-	1
	Females.....	6	-	-	-	-	-
Acute nephritis.....	Totals.....	126	9	1	3	1	2
	Males.....	60	6	-	-	-	1
	Females.....	66	3	1	3	1	1
Bright's disease.....	Totals.....	1,482	3	3	3	2	1
	Males.....	855	3	-	3	1	1
	Females.....	627	-	3	3	1	1
Other diseases of the kidneys and annexa.....	Totals.....	30	1	-	1	-	2
	Males.....	14	1	-	1	-	2
	Females.....	16	-	-	-	-	-
Calculi of the urinary passages.....	Totals.....	9	-	-	-	-	-
	Males.....	5	-	-	-	-	-
	Females.....	4	-	-	-	-	-
Diseases of the bladder.....	Totals.....	78	1	-	-	-	1
	Males.....	60	-	-	-	-	-
	Females.....	18	1	-	-	-	1
Diseases of the urethra, urinary abscess, etc.....	Totals.....	4	-	-	-	-	-
	Males.....	4	-	-	-	-	-
	Females.....	-	-	-	-	-	-
Diseases of the prostate.....	Totals.....	70	-	-	-	-	-
	Males.....	70	-	-	-	-	-
	Females.....	-	-	-	-	-	-
Nonvenereal diseases of the male genital organs.....	Totals.....	1	1	-	-	-	1
	Males.....	1	1	-	-	-	1
	Females.....	-	-	-	-	-	-
Uterine hemorrhage (nonpuerperal).....	Totals.....	2	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females.....	2	-	-	-	-	-
Uterine tumor (noncancerous).....	Totals.....	18	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females.....	18	-	-	-	-	-
Other diseases of the uterus.....	Totals.....	41	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females.....	41	-	-	-	-	-
Cysts and other tumors of the ovary.....	Totals.....	16	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females.....	16	-	-	-	-	-
Salpingitis and other diseases of the female genital organs.....	Totals.....	15	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females.....	15	-	-	-	-	-
Nonpuerperal diseases of the breast (can- cer excepted).....	Totals.....	1	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females.....	1	-	-	-	-	-
Accidents of pregnancy.....	Totals.....	28	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females.....	28	-	-	-	-	-
Puerperal hemorrhage.....	Totals.....	22	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females.....	22	-	-	-	-	-



**TABLE**  
**Deaths from all Causes**

CAUSES OF DEATH.	SEX.	Totals.					Total under 5.
			Under 1.	1 and under 2.	2.	3.	
Other accidents of labor .....	Totals .....	25	-	-	-	-	-
	Males .....	-	-	-	-	-	-
Puerperal septicemia .....	Females .....	25	-	-	-	-	-
	Totals .....	73	-	-	-	-	-
Puerperal albuminuria and convulsions ..	Males .....	73	-	-	-	-	-
	Females .....	51	-	-	-	-	-
Puerperal phlegmasia, alba dolens, embolus, sudden death .....	Totals .....	5	-	-	-	-	-
	Males .....	5	-	-	-	-	-
Following childbirth (not otherwise defined) .....	Females .....	8	-	-	-	-	-
	Totals .....	8	-	-	-	-	-
Gangrene .....	Males .....	8	-	-	-	-	-
	Females .....	129	-	-	-	-	-
Furuncle .....	Totals .....	84	-	-	-	-	-
	Males .....	45	-	-	-	-	-
Acute abscess .....	Females .....	9	1	-	-	-	1
	Totals .....	4	1	-	-	-	1
Other diseases of the skin and annexa ..	Males .....	5	-	-	-	-	-
	Females .....	17	4	-	-	-	4
Diseases of the bones (tuberculosis excepted) .....	Totals .....	9	1	-	-	-	1
	Males .....	8	3	-	-	-	3
Other diseases peculiar to early infancy ..	Females .....	23	6	-	1	-	7
	Totals .....	12	3	-	1	-	4
Diseases of the joints (tuberculosis and rheumatism excepted) .....	Males .....	11	3	-	-	-	3
	Females .....	16	5	1	-	-	6
Amputations .....	Totals .....	11	4	-	-	-	4
	Males .....	5	1	1	-	-	2
Congenital malformations (stillbirths not included) .....	Females .....	3	-	-	-	-	1
	Totals .....	3	-	-	-	-	1
Congenital debility, icterus and sclerema ..	Males .....	2	-	1	-	-	1
	Females .....	4	-	-	-	-	-
Lack of care .....	Totals .....	3	-	-	-	-	-
	Males .....	1	-	-	-	-	-
Senility .....	Females .....	1	1	-	-	-	1
	Totals .....	1,265	-	-	-	-	-
Suicide by poison .....	Males .....	548	-	-	-	-	-
	Females .....	717	-	-	-	-	-
Suicide by asphyxia .....	Totals .....	28	-	-	-	-	-
	Males .....	14	-	-	-	-	-
Suicide by hanging or strangulation .....	Females .....	14	-	-	-	-	-
	Totals .....	5	-	-	-	-	-
Suicide by hanging or strangulation .....	Males .....	1	-	-	-	-	-
	Females .....	4	-	-	-	-	-
Suicide by hanging or strangulation .....	Totals .....	45	-	-	-	-	-
	Males .....	36	-	-	-	-	-
Suicide by hanging or strangulation .....	Females .....	9	-	-	-	-	-





**TABLE**  
**Deaths from all Causes**

CAUSES OF DEATH.	SEX.	Totals.	Under 1.	1 and under 2.				Total under 5.
				2.	3.	4.		
Suicide by drowning.....	Totals.....	19	-	-	-	-	-	-
	Males.....	10	-	-	-	-	-	-
Suicide by firearms.....	Females.....	9	-	-	-	-	-	-
	Totals.....	62	-	-	-	-	-	-
Suicide by cutting or piercing instruments	Males.....	57	-	-	-	-	-	-
	Females.....	5	-	-	-	-	-	-
Suicide by jumping from high places.....	Totals.....	13	-	-	-	-	-	-
	Males.....	11	-	-	-	-	-	-
Suicide by crushing.....	Females.....	2	-	-	-	-	-	-
	Totals.....	2	-	-	-	-	-	-
Suicide by crushing.....	Males.....	2	-	-	-	-	-	-
	Females.....	1	-	-	-	-	-	-
Other suicides.....	Totals.....	4	-	-	-	-	-	-
	Males.....	4	-	-	-	-	-	-
Other acute poisonings.....	Females.....	-	-	-	-	-	-	-
	Totals.....	34	-	4	1	5	-	10
Conflagration.....	Males.....	19	-	1	1	3	-	4
	Females.....	15	-	3	1	2	-	6
Burns (includes scalding).....	Totals.....	23	1	1	3	-	2	7
	Males.....	14	-	1	2	-	1	4
Absorption of deleterious gases (conflagration excepted).....	Females.....	9	1	1	1	-	1	3
	Totals.....	86	1	6	7	8	6	28
Accidental drowning.....	Males.....	30	-	3	7	3	2	15
	Females.....	56	-	1	3	5	4	13
Traumatism by firearms.....	Totals.....	27	11	-	-	-	-	12
	Males.....	14	4	-	-	-	-	4
Traumatism by cutting or piercing instruments.....	Females.....	13	7	-	-	1	-	8
	Totals.....	251	1	2	1	3	1	8
Traumatism by fall.....	Males.....	230	2	1	3	1	-	7
	Females.....	21	1	-	-	-	-	1
Traumatism by machines.....	Totals.....	50	-	-	-	2	1	3
	Males.....	45	-	-	-	1	1	2
Traumatism in mines and quarries.....	Females.....	5	-	-	-	-	-	1
	Totals.....	9	-	-	-	1	-	1
Traumatism by other crushings (vehicles, railroad, landslides, etc.).....	Males.....	6	-	-	-	-	-	-
	Females.....	3	-	-	-	1	-	1
Injuries by animals.....	Totals.....	178	2	4	-	2	1	9
	Males.....	101	1	1	-	2	-	3
Inanition.....	Females.....	77	2	3	-	-	1	6
	Totals.....	6	-	-	-	-	-	-
Excessive cold.....	Males.....	6	-	-	-	-	-	-
	Females.....	6	-	-	-	-	-	-
Injuries by animals.....	Totals.....	26	-	-	-	-	-	-
	Males.....	26	-	-	-	-	-	-
Injuries by animals.....	Females.....	2	-	-	-	-	-	-
	Totals.....	212	1	2	1	2	4	10
Injuries by animals.....	Males.....	194	-	2	1	1	3	7
	Females.....	18	1	-	-	1	1	3
Injuries by animals.....	Totals.....	9	-	-	-	1	-	1
	Males.....	7	-	-	-	1	-	1
Injuries by animals.....	Females.....	2	-	-	-	-	-	-
	Totals.....	118	104	7	-	-	-	111
Injuries by animals.....	Males.....	49	43	4	-	-	-	47
	Females.....	69	61	3	-	-	-	64
Injuries by animals.....	Totals.....	13	-	-	-	1	-	1
	Males.....	13	-	-	-	-	1	1
Injuries by animals.....	Females.....	-	-	-	-	-	-	-



**TABLE**  
**Deaths from all Causes**

CAUSES OF DEATH.	SEX.	Totals.					Total under 5.
			Under 1.	1 and under 2.	2.	3.	
Effects of heat.....	Totals.....	46	7	2	1	-	10
	Males.....	27	4	1	1	-	6
	Females.....	19	3	1	-	-	4
Lightning.....	Totals.....	3	-	-	1	-	1
	Males.....	2	-	-	-	-	-
	Females.....	1	-	-	1	-	1
Electricity.....	Totals.....	14	-	-	-	-	-
	Males.....	10	-	-	-	-	-
	Females.....	4	-	-	-	-	-
Homicide by firearms.....	Totals.....	15	-	-	-	-	-
	Males.....	9	-	-	-	-	-
	Females.....	6	-	-	-	-	-
Homicide by cutting or piercing instruments.....	Totals.....	5	-	-	-	-	-
	Males.....	3	-	-	-	-	-
	Females.....	2	-	-	-	-	-
Homicide by other means.....	Totals.....	7	1	-	2	-	3
	Males.....	5	1	-	1	-	2
	Females.....	2	-	-	1	-	1
Fractures (cause not specified).....	Totals.....	22	-	1	-	-	1
	Males.....	11	-	-	-	-	-
	Females.....	11	-	1	-	-	1
Other external violence.....	Totals.....	21	1	3	3	1	8
	Males.....	17	1	2	2	1	6
	Females.....	4	-	1	1	-	2
Ill defined organic disease.....	Totals.....	27	3	-	-	-	3
	Males.....	13	2	-	-	-	2
	Females.....	14	1	-	-	-	1
Sudden death.....	Totals.....	67	10	1	-	1	12
	Males.....	48	9	-	-	-	9
	Females.....	19	1	1	-	1	3
Cause of death not specified or ill defined	Totals.....	477	258	13	2	7	284
	Males.....	271	150	7	1	3	163
	Females.....	206	108	6	1	4	121



**TABLE**  
**Deaths in Each Town from Special**

THE STATE AND COUNTIES.	Estimated population in 1911.	Measles.	Scarlet fever.	Diphtheria and croup.
<b>MAINE</b> .....	748,332	29	15	77
Androscoggin.....	60,350	3	-	10
Aroostook.....	76,166	-	2	16
Cumberland.....	113,015	8	1	12
Franklin.....	19,176	-	-	1
Hancock.....	35,360	-	4	2
Kennebec.....	63,251	7	-	2
Knox.....	29,442	-	1	1
Lincoln.....	18,114	-	-	-
Oxford.....	36,648	2	-	3
Penobscot.....	85,834	2	1	10
Piscataquis.....	20,323	-	-	4
Sagadahoc.....	19,664	-	1	-
Somerset.....	36,496	-	-	1
Waldo.....	23,300	-	-	-
Washington.....	42,238	-	-	8
York.....	68,955	7	5	7
<b>ANDROSCOGGIN COUNTY</b> .....	60,350	3	-	10
Auburn.....	15,277	2	-	4
Durham.....	1,665	-	-	-
East Livermore.....	2,692	-	-	-
Greene.....	728	-	-	-
Leeds.....	997	-	-	-
Lewiston.....	26,495	1	-	5
Lisbon.....	4,167	-	-	-
Livermore.....	1,100	-	-	1
Mechanic Falls.....	1,678	-	-	-
Mino.....	786	-	-	-
Poland.....	1,356	-	-	-
Turner.....	1,695	-	-	-
Wales.....	493	-	-	-
Webster.....	1,221	-	-	-
<b>AROOSTOOK COUNTY</b> .....	*75,081	-	2	16
Amity.....	372	-	-	-
Ashland.....	2,282	-	-	-
Bancroft.....	346	-	-	-
Benedicta.....	286	-	-	-
Blaine.....	1,019	-	-	-
Bridgewater.....	1,244	-	-	-
Caribou.....	5,439	-	-	2
Castle Hill.....	529	-	1	-
Crystal.....	515	-	-	-
Dyer Brook.....	281	-	-	-
Eagle Lake.....	1,521	-	-	-
Easton.....	1,308	-	-	1
Ft. Fairfield.....	4,401	-	-	-
Fort Kent.....	3,828	-	-	3
Frenchville.....	1,424	-	-	1

\* Population of county, omitting that of unorganized townships, and other places not represented in this table—See Table "State and counties".

No. 32.

Causes, Mostly Infectious Diseases.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicæmia.	Septicæmia.	Influenza.	Dysentery.	Diarrhea and enteritis (2 years and over.)	Cholera nostras.	Diarrhea and enteritis (under 2 years.)	Tuberculosis of the lungs.	Tuberculosis, other forms.
77	135	29	23	16	200	35	98	1	451	842	212
6	5	4	4	2	12	9	8	-	63	66	17
20	13	4	2	1	12	3	11	-	160	63	18
10	26	5	2	1	22	1	13	-	46	135	36
1	2	-	-	-	2	-	2	-	8	15	2
1	2	1	-	-	19	-	3	-	9	41	7
2	4	3	4	-	10	2	5	1	8	15	2
6	7	1	2	-	11	-	5	-	40	41	7
-	4	1	-	-	11	-	5	-	3	52	13
1	5	5	-	-	14	1	3	-	3	52	1
5	6	1	-	-	16	5	4	-	17	28	3
1	26	5	5	3	16	4	4	-	35	95	12
3	7	1	1	-	4	1	15	-	4	30	30
6	3	-	-	1	9	1	2	-	1	16	12
3	7	-	-	1	4	1	1	-	4	16	1
-	3	-	-	4	13	1	11	-	14	29	9
2	1	1	3	1	8	1	3	-	3	30	1
3	5	2	-	1	1	1	1	-	19	62	10
3	7	-	-	1	12	1	3	-	29	14	14
11	16	-	-	2	20	5	15	-	29	83	18
6	5	4	4	2	12	9	8	-	63	66	17
1	1	1	-	-	5	7	2	-	11	12	1
-	-	-	-	-	-	-	-	-	1	-	1
-	-	-	-	-	-	-	-	-	-	4	-
4	3	3	4	2	5	2	5	-	46	34	11
-	-	-	-	-	-	-	-	-	5	5	2
-	1	-	-	1	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	2	-
-	-	-	-	-	-	-	-	-	-	1	-
1	-	-	-	-	-	-	1	-	-	4	1
-	-	-	-	-	1	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-
20	13	4	2	1	12	3	11	-	160	63	18
-	-	-	-	-	-	1	-	-	-	1	-
-	1	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-
1	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	1	-	-	10	3	1
-	-	-	-	-	-	-	-	-	2	-	1
-	-	-	-	-	-	-	-	-	1	-	1
-	1	-	-	-	-	-	-	-	6	-	1
-	1	-	-	-	-	-	-	-	5	-	-
4	-	-	-	-	-	-	2	-	10	2	2
-	-	-	-	-	-	-	-	-	5	1	-

**TABLE**  
**Deaths in Each Town from Special**

COUNTY AND TOWNS.	Estimated popula- tion in 1911.	Measles.	Scarlet fever.	Diphtheria and croup.
Grand Isle.....	1,338	-	-	1
Haynesville.....	268	-	-	-
Hersey.....	186	-	-	-
Hodgdon.....	1,155	-	-	-
Houlton.....	6,061	-	1	-
Island Falls.....	1,758	-	-	-
Limestone.....	1,309	-	-	-
Linneus.....	807	-	-	-
Littleton.....	1,033	-	-	-
Ludlow.....	412	-	-	-
Madawaska.....	1,844	-	-	2
Mapleton.....	1,147	-	-	-
Mars Hill.....	1,544	-	-	-
Masardis.....	671	-	-	-
Merrill.....	403	-	-	-
Monticello.....	1,294	-	-	-
New Limerick.....	470	-	-	-
New Sweden.....	909	-	-	-
Oakfield.....	937	-	-	-
Orient.....	185	-	-	-
Perham.....	805	-	-	1
Portage Lake.....	526	-	-	-
Presque Isle.....	5,316	-	-	-
St. Agatha.....	1,546	-	-	-
Sherman.....	1,060	-	-	-
Smyrna.....	411	-	-	-
Stockholm.....	767	-	-	1
Van Buren.....	3,184	-	-	-
Washburn.....	1,618	-	-	-
Westfield.....	732	-	-	-
Weston.....	392	-	-	1
Woodland.....	1,161	-	-	-
Allagash Pl.....	245	-	-	-
Cary Pl.....	334	-	-	-
Caswell Pl.....	545	-	-	-
Chapman Pl.....	440	-	-	-
Connor Pl.....	625	-	-	-
Cyr Pl.....	534	-	-	1
E Pl.....	126	-	-	-
Garfield Pl.....	121	-	-	-
Glenwood Pl.....	123	-	-	-
Hamlin Pl.....	665	-	-	-
Hammond Pl.....	115	-	-	-
Macwahoc Pl.....	147	-	-	-
Moro Pl.....	215	-	-	-
Nashville Pl.....	27	-	-	-
New Canada Pl.....	607	-	-	1
Oxbow Pl.....	183	-	-	-
Reed Pl.....	551	-	-	-
St. Francis Pl.....	953	-	-	-
St. John Pl.....	591	-	-	-
Silver Ridge Pl.....	156	-	-	-
Wade Pl.....	323	-	-	1
Wallagrass Pl.....	1,026	-	-	-
Westmanland Pl.....	104	-	-	-
Winterville Pl.....	281	-	-	-
No. 7, R. 5.....	-	-	-	-
No. 9, R. 3.....	-	-	-	-





**TABLE**  
**Deaths in Each Town from Special**

COUNTY AND TOWNS.	Estimated popula- tion in 1911.	Measles.	Scarlet fever.	Diphtheria and croup.
CUMBERLAND COUNTY.....	113,015	8	1	12
Baldwin.....	794	1	-	-
Bridgton.....	2,639	-	-	-
Brunswick.....	6,603	-	-	1
Cape Elizabeth.....	1,857	-	-	-
Casco.....	680	-	-	-
Cumberland.....	1,403	-	-	-
Falmouth.....	1,486	-	-	-
Freeport.....	2,472	-	-	-
Gorham.....	2,850	-	-	-
Gray.....	1,258	-	-	-
Harpswell.....	1,642	-	-	-
Harrison.....	967	-	-	-
Naples.....	806	-	-	-
New Gloucester.....	1,235	1	-	-
North Yarmouth.....	690	-	-	-
Ottsfield.....	622	-	-	-
Portland.....	59,414	0	-	7
Pownal.....	628	-	-	-
Raymond.....	662	-	-	-
Scarboro.....	1,953	-	-	-
Sebago.....	532	-	-	-
South Portland.....	7,471	-	1	-
Standish.....	1,650	-	-	-
Westbrook.....	8,381	-	-	3
Windham.....	1,954	-	-	1
Yarmouth.....	2,366	-	-	-
FRANKLIN COUNTY.....	*18,791	-	-	1
Avon.....	373	-	-	-
Carthage.....	288	-	-	-
Chester ville.....	619	-	-	-
Eustis.....	443	-	-	-
Farmington.....	3,202	-	-	-
Freeman.....	329	-	-	-
Industry.....	457	-	-	-
Jay.....	3,017	-	-	-
Kingfield.....	950	-	-	-
Madrid.....	258	-	-	-
New Sharon.....	955	-	-	-
New Vineyard.....	539	-	-	-
Phillips.....	1,425	-	-	-
Rangeley.....	1,173	-	-	-
Salem.....	181	-	-	-
Strong.....	728	-	-	-
Temple.....	403	-	-	-
Weld.....	558	-	-	-
Wilton.....	2,193	-	-	1
Coplin Pl.....	82	-	-	-
Dallas Pl.....	166	-	-	-
Lang Pl.....	60	-	-	-
Rangeley Pl.....	199	-	-	-
Sandy River Pl.....	78	-	-	-
No. 4, R. 3.....	48	-	-	-
Perkins.....	67	-	-	-

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties".



**TABLE**  
**Deaths in Each Town from Special**

COUNTY AND TOWNS.	Estimated popula- tion in 1911.	Measles.	Scarlet fever.	Diphtheria and croup.
<b>HANCOCK COUNTY</b> .....	*35,175	-	4	2
Amherst.....	266	-	-	-
Aurora.....	110	-	-	-
Bluehill.....	1,425	-	-	-
Brooklin.....	936	-	-	-
Brooksville.....	1,176	-	-	-
Bucksport.....	2,204	-	-	-
Castine.....	933	-	-	-
Cranberry Isles.....	401	-	-	-
Dedham.....	356	-	-	-
Deer Isle.....	1,936	-	-	2
Eastbrook.....	210	-	-	-
Eden.....	4,447	-	4	-
Ellsworth.....	3,474	-	-	-
Franklin.....	1,157	-	-	-
Gouldsboro.....	1,358	-	-	-
Hancock.....	838	-	-	-
Isle au Haut.....	158	-	-	-
Lamoine.....	471	-	-	-
Mariaville.....	166	-	-	-
Mount Desert.....	1,566	-	-	-
Orland.....	1,221	-	-	-
Otis.....	111	-	-	-
Penobscot.....	968	-	-	-
Sedgwick.....	909	-	-	-
Sorrento.....	150	-	-	-
Southwest Harbor.....	888	-	-	-
Stonington.....	2,077	-	-	-
Sullivan.....	1,142	-	-	-
Surry.....	718	-	-	-
Swan's Island.....	749	-	-	-
Tremont.....	1,027	-	-	-
Trenton.....	344	-	-	-
Verona.....	229	-	-	-
Waltham.....	182	-	-	-
Winter Harbor.....	591	-	-	-
Long Island Pl.....	199	-	-	-
No. 33 Pl.....	82	-	-	-
<b>KENNEBEC COUNTY</b> .....	63,251	7	-	2
Albion.....	926	-	-	-
Augusta.....	13,364	2	-	-
Belgrade.....	1,037	-	-	-
Benton.....	1,205	-	-	-
Chelsea.....	3,229	-	-	-
China.....	1,289	-	-	-
Clinton.....	1,255	-	-	-
Farmingdale.....	821	-	-	-
Fayette.....	530	-	-	-
Gardiner.....	5,300	-	-	-
Hallowell.....	2,879	-	-	-
Litchfield.....	955	-	-	-

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties".



**TABLE**  
**Deaths in Each Town from Special**

COUNTY AND TOWNS.	Estimated popula- tion in 1911.	Measles.	Scarlet fever.	Diphtheria and croup.
Manchester.....	609	-	-	-
Monmouth.....	1,401	-	-	-
Mount Vernon.....	898	-	-	-
Oakland.....	2,291	-	-	-
Pittston.....	932	-	-	-
Randolph.....	1,011	-	-	-
Readfield.....	996	-	-	-
Rome.....	442	-	-	-
Sidney.....	913	-	-	-
Vassalboro.....	2,077	-	-	2
Vienna.....	403	-	-	-
Waterville.....	11,656	4	-	-
Wayne.....	584	-	-	-
West Gardiner.....	623	-	-	-
Windsor.....	700	-	-	-
Winslow.....	2,752	1	-	-
Winthrop.....	2,117	-	-	-
Unity Pl.....	56	-	-	-
Togus.....	-	-	-	-
<b>KNOX COUNTY.....</b>	<b>*29,375</b>	<b>-</b>	<b>1</b>	<b>1</b>
Appleton.....	829	-	-	-
Camden.....	3,034	-	-	-
Cushing.....	528	-	-	-
Friendship.....	772	-	-	-
Hope.....	507	-	-	-
Hurricane Isle.....	256	-	-	-
North Haven.....	535	-	-	-
Rockland.....	8,176	-	1	-
Rockport.....	1,993	-	-	-
St. George.....	2,201	-	-	-
South Thomaston.....	1,439	-	-	-
Thomaston.....	2,736	-	-	-
Union.....	1,232	-	-	-
Vinalhaven.....	2,332	-	-	-
Warren.....	1,786	-	-	-
Washington.....	794	-	-	1
Criehaven Pl.....	46	-	-	-
Matineicus Isle Pl.....	179	-	-	-
<b>LINCOLN COUNTY.....</b>	<b>18,114</b>	<b>-</b>	<b>-</b>	<b>-</b>
Alna.....	458	-	-	-
Boothbay.....	1,694	-	-	-
Boothbay Harbor.....	2,030	-	-	-
Bremen.....	546	-	-	-
Bristol.....	2,431	-	-	-
Damariscotta.....	761	-	-	-
Dresden.....	808	-	-	-
Edgecomb.....	504	-	-	-
Jefferson.....	1,018	-	-	-
Newcastle.....	1,066	-	-	-
Nobleboro.....	772	-	-	-

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties".



**TABLE**  
**Deaths in Each Town from Special**

COUNTY AND TOWNS.	Estimated popula- tion in 1911.	Measles.	Scarlet fever.	Diphtheria and croup.
Somerville.....	283	-	-	-
Southport.....	400	-	-	-
Waldoboro.....	2,607	-	-	-
Westport.....	279	-	-	-
Whitefield.....	1,046	-	-	-
Wiscasset.....	1,288	-	-	-
Monhegan Pl.....	123	-	-	-
<b>OXFORD COUNTY.....</b>	<b>*36,571</b>	<b>2</b>	<b>-</b>	<b>3</b>
Albany.....	397	-	-	-
Andover.....	760	-	-	-
Bethel.....	1,939	-	-	-
Brownfield.....	924	-	-	-
Buckfield.....	1,082	-	-	-
Byron.....	185	-	-	-
Canton.....	1,020	-	-	-
Denmark.....	592	-	-	-
Dixfield.....	1,056	-	-	-
Fryeburg.....	1,273	-	-	-
Gilead.....	222	-	-	-
Grafton.....	62	-	-	-
Greenwood.....	656	-	-	-
Hanover.....	194	-	-	-
Hartford.....	587	-	-	-
Hebron.....	613	-	-	-
Hiram.....	928	-	-	-
Lovell.....	666	-	-	-
Mason.....	60	-	-	-
Mexico.....	2,190	1	-	1
Newry.....	270	-	-	-
Norway.....	3,012	1	-	1
Oxford.....	1,210	-	-	-
Paris.....	3,457	-	-	-
Peru.....	743	-	-	-
Porter.....	862	-	-	-
Roxbury.....	318	-	-	-
Rumford.....	7,078	-	-	-
Stoneham.....	250	-	-	-
Stow.....	219	-	-	-
Sumner.....	758	-	-	-
Sweden.....	263	-	-	-
Upton.....	312	-	-	-
Waterford.....	936	-	-	-
Woodstock.....	808	-	-	1
Lincoln Pl.....	330	-	-	-
Magalloway Pl.....	99	-	-	-
Milton Pl.....	204	-	-	-
Batchelder's Grant.....	36	-	-	-
<b>PENOBSCOT COUNTY.....</b>	<b>*85,298</b>	<b>2</b>	<b>1</b>	<b>10</b>
Alton.....	253	-	-	-
Argyle.....	224	-	-	-
Bangor.....	25,098	1	-	2

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties".



No. 32—Continued.

Causes, Mostly Infectious Diseases.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicæmia.	Septicæmia.	Influenza.	Dysentery.	Diarrhea and enteritis (2 years and over.)	Cholera nostras.	Diarrhea and enteritis (under 2 years.)	Tuberculosis of the lungs.	Tuberculosis, other forms.
1	6	1	-	-	16	5	4	-	17	28	12
1	-	-	-	-	1	-	-	-	-	3	1
-	1	-	-	-	1	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	1	-
-	1	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	1	-	-	-	-	1	-
-	1	-	-	-	-	-	-	-	-	2	1
-	-	-	-	-	1	-	-	-	-	1	-
-	-	-	-	-	-	-	1	-	3	2	3
-	1	1	-	-	3	-	1	-	1	3	1
-	1	-	-	-	3	-	-	-	1	1	-
-	-	-	-	-	1	-	-	-	-	4	-
-	1	-	-	-	-	-	-	-	1	1	-
-	1	-	-	-	4	5	1	-	12	6	2
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	1	-	1	1	1
-	-	-	-	-	-	-	-	-	-	1	-
5	26	5	5	3	16	4	13	-	35	95	30
2	21	2	4	2	1	1	6	-	7	37	8

**TABLE**  
**Deaths in Each Town from Special**

COUNTY AND TOWNS.	Estimated popula- tion in 1911.	Measles.	Scarlet fever.	Diphtheria and croup.
Bradford.....	928	-	-	-
Bradley.....	629	-	-	-
Brewer.....	5,750	-	-	-
Burlington.....	368	-	-	-
Carmel.....	1,038	-	-	-
Carroll.....	470	-	-	1
Charleston.....	866	-	-	-
Chester.....	348	-	-	-
Clifton.....	215	-	-	-
Corinna.....	1,243	-	-	-
Corinth.....	1,034	-	-	-
Dexter.....	3,589	-	-	-
Dixmont.....	750	-	-	-
East Millinocket.....	923	-	-	1
Eddington.....	606	-	-	-
Edinburg.....	45	-	-	-
Enfield.....	961	1	-	-
Etna.....	523	-	-	-
Exeter.....	888	-	-	-
Garland.....	813	-	-	-
Glenburn.....	457	-	-	-
Greenbush.....	475	-	-	-
Greenfield.....	195	-	-	-
Hampden.....	2,400	-	-	-
Hermon.....	1,213	-	-	-
Holden.....	609	-	-	-
Howland.....	492	-	-	-
Hudson.....	400	-	-	-
Kenduskeag.....	487	-	-	-
Kingman.....	722	-	-	-
Lagrange.....	588	-	-	-
Lee.....	743	-	-	-
Levant.....	699	-	-	-
Lincoln.....	2,014	-	-	-
Lowell.....	255	-	-	-
Mattawamkeag.....	516	-	-	-
Maxfield.....	75	-	-	-
Medway.....	508	-	-	-
Millford.....	980	-	1	1
Millinocket.....	3,368	-	-	3
Mt. Chase.....	220	-	-	-
Newburg.....	690	-	-	-
Newport.....	1,768	-	-	-
Old Town.....	6,372	-	-	-
Orono.....	3,585	-	-	1
Orrington.....	1,214	-	-	-
Passadumkeag.....	441	-	-	-
Patten.....	1,430	-	-	-
Plymouth.....	597	-	-	-
Prentiss.....	475	-	-	-
Springfield.....	452	-	-	-
Stetson.....	478	-	-	-
Veazie.....	557	-	-	-
Winn.....	658	-	-	-
Woodville.....	122	-	-	-
Drew Pl.....	258	-	-	-
Grand Falls Pl.....	52	-	-	-
Lakeville Pl.....	93	-	-	-
Seboeis Pl.....	85	-	-	-
Stacyville Pl.....	600	-	-	-
Webster Pl.....	101	-	-	-
Indian Township, No. 3.....	44	-	-	-
No. 1, R. 7.....	40	-	-	-
No. 2, R. 6.....	208	-	-	-



**TABLE**  
**Deaths in Each Town from Special**

COUNTY AND TOWNS.	Estimated popula- tion in 1911.	Measles.	Scarlet fever.	Diphtheria and croup.
<b>PISCATAQUIS COUNTY</b> .....	*19,550	-	-	4
Abbot.....	704	-	-	-
Atkinson.....	531	-	-	-
Blanchard.....	168	-	-	-
Bowerbank.....	76	-	-	-
Brownville.....	1,832	-	-	-
Dover.....	2,111	-	-	-
Foxcroft.....	1,891	-	-	1
Greenville.....	1,510	-	-	-
Guilford.....	1,694	-	-	-
Medford.....	260	-	-	-
Milo.....	2,697	-	-	-
Monson.....	1,256	-	-	1
Orneville.....	352	-	-	-
Parkman.....	639	-	-	1
Sangerville.....	1,321	-	-	-
Sebec.....	545	-	-	1
Shirley.....	343	-	-	-
Wellington.....	391	-	-	-
Williamsburg.....	140	-	-	-
Willimantic.....	434	-	-	-
Barnard Pl.....	101	-	-	-
Elliottsville Pl.....	123	-	-	-
Kingsbury Pl.....	108	-	-	-
Lake View Pl.....	252	-	-	-
Katahdin Iron Works.....	71	-	-	-
<b>SAGADAHOE COUNTY</b> .....	19,664	-	1	-
Arrowsic.....	144	-	-	-
Bath.....	10,552	-	-	-
Bowdoin.....	802	-	-	-
Bowdoinham.....	1,393	-	-	-
Georgetown.....	736	-	-	-
Perkins.....	37	-	-	-
Phippsburg.....	1,062	-	-	-
Richmond.....	1,839	-	-	-
Topsham.....	2,008	-	1	-
West Bath.....	224	-	-	-
Woolwich.....	867	-	-	-
<b>SOMERSET COUNTY</b> .....	*35,607	-	-	1
Anson.....	2,236	-	-	-
Athens.....	916	-	-	-
Bingham.....	768	-	-	-
Cambridge.....	389	-	-	-
Canaan.....	864	-	-	-
Concord.....	253	-	-	-
Cornville.....	723	-	-	-
Detroit.....	454	-	-	-

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties".

No 32—Continued.  
Causes, Mostly Infectious Diseases.

	Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis (2 years and over).	Cholera nostras.	Diarrhea and enteritis (under 2 years.)	Tuberculosis of the lungs.	Tuberculosis, other forms.
	6	7	1	1	-	4	1	2	-	4	16	12
	4			1	-	-	-	-	-	-	1	1
				-	-	1	1	1	-	-	1	-
	1	1		-	-	1	-	-	-	2	1	-
	1	1	1	-	-	1	-	-	-	1	1	-
		1	1	1	-	1	-	-	-	1	1	-
		1	1	1	-	1	-	-	-	1	1	-
		1	1	1	-	1	-	-	-	1	1	-
		1	1	-	-	1	-	-	-	1	1	-
		1	1	1	-	1	-	-	-	1	1	-
		1	1	1	-	1	-	-	-	1	1	-
		1	1	1	-	1	-	-	-	1	1	-
		1	1	1	-	1	-	-	-	1	1	-
	8	3	-	-	1	9	1	-	-	1	5	1
				-	-	1	-	-	-	1	1	-
				-	-	1	-	-	-	1	1	-
				-	-	1	-	-	-	1	1	-
				-	-	3	1	-	-	1	1	-
				-	-	3	-	-	-	2	2	-
		5		1	4	13	1	11	-	14	29	0
				3	1	1	-	2	-	2	2	3
				1	-	1	-	1	-	1	1	1
				-	-	1	-	1	-	1	1	1
				-	-	1	-	1	-	1	1	1
				-	-	1	-	1	-	1	1	1
				-	-	1	-	1	-	1	1	1

**TABLE**  
**Deaths in Each Town from Special**

COUNTY AND TOWNS.	Estimated popula- tion in 1911.	Measles.	Scarlet fever.	Diphtheria and croup.
Embden.....	525	-	-	-
Fairfield.....	4,491	-	-	-
Harmony.....	746	-	-	-
Hartland.....	1,182	-	-	-
Madison.....	3,440	-	-	-
Mercer.....	436	-	-	-
Moscow.....	532	-	-	-
New Portland.....	879	-	-	-
Norridgewock.....	1,619	-	-	1
Palmyra.....	964	-	-	-
Pittsfield.....	2,891	-	-	-
Ripley.....	435	-	-	-
St. Albans.....	1,026	-	-	-
Skowhegan.....	5,357	-	-	-
Smithfield.....	425	-	-	-
Solon.....	1,038	-	-	-
Stark.....	540	-	-	-
Brighton Pl.....	265	-	-	-
Caratunk Pl.....	237	-	-	-
Dead River Pl.....	94	-	-	-
Dennistown Pl.....	99	-	-	-
Flagstaff Pl.....	152	-	-	-
Highland Pl.....	68	-	-	-
Jackman Pl.....	698	-	-	-
Lexington Pl.....	237	-	-	-
Moose River Pl.....	252	-	-	-
Pleasant Ridge Pl.....	90	-	-	-
The Forks Pl.....	170	-	-	-
West Forks Pl.....	136	-	-	-
<b>WALDO COUNTY.....</b>	<b>23,300</b>	<b>-</b>	<b>-</b>	<b>-</b>
Belfast.....	4,618	-	-	-
Belmont.....	334	-	-	-
Brooks.....	707	-	-	-
Burnham.....	730	-	-	-
Frankfort.....	1,152	-	-	-
Freedom.....	480	-	-	-
Islesboro.....	873	-	-	-
Jackson.....	414	-	-	-
Knox.....	506	-	-	-
Liberty.....	642	-	-	-
Lincolnton.....	1,000	-	-	-
Monroe.....	863	-	-	-
Montville.....	837	-	-	-
Morrill.....	346	-	-	-
Northport.....	515	-	-	-
Palermo.....	683	-	-	-
Prospect.....	592	-	-	-
Searsmont.....	816	-	-	-
Searsport.....	1,453	-	-	-
Stockton Springs.....	1,126	-	-	-
Swanville.....	464	-	-	-
Thorndike.....	528	-	-	-
Troy.....	768	-	-	-
Unity.....	901	-	-	-
Waldo.....	374	-	-	-
Winterport.....	1,578	-	-	-



**TABLE**  
**Deaths in Each Town from Special**

COUNTY AND TOWNS.	Estimated popula- tion in 1911.	Measles.	Scarlet fever.	Diphtheria and croup.
WASHINGTON COUNTY.....	*42,046	-	-	8
Addison.....	974	-	-	-
Alexander.....	370	-	-	-
Baileyville.....	1,229	-	-	-
Baring.....	228	-	-	-
Beddington.....	58	-	-	-
Brookton.....	232	-	-	-
Calais.....	5,962	-	-	1
Centerville.....	91	-	-	-
Charlotte.....	288	-	-	-
Cherryfield.....	1,463	-	-	-
Columbia.....	569	-	-	-
Columbia Falls.....	672	-	-	-
Cooper.....	188	-	-	-
Crawford.....	114	-	-	-
Cutler.....	587	-	-	-
Danforth.....	1,315	-	-	1
Deblois.....	69	-	-	-
Dennysville.....	457	-	-	-
East Machias.....	1,379	-	-	-
Eastport.....	4,926	-	-	1
Edmunds.....	628	-	-	2
Forest City.....	73	-	-	-
Harrington.....	1,006	-	-	-
Jonesboro.....	510	-	-	-
Jonesport.....	2,069	-	-	1
Lubec.....	2,369	-	-	-
Machias.....	2,089	-	-	-
Machiasport.....	1,218	-	-	-
Marion.....	116	-	-	-
Marshfield.....	173	-	-	-
Meddybemps.....	121	-	-	-
Milbridge.....	1,513	-	-	-
Northfield.....	77	-	-	-
Pembroke.....	1,351	-	-	-
Perry.....	1,144	-	-	-
Princeton.....	1,091	-	-	-
Robbinston.....	676	-	-	1
Roque Bluffs.....	99	-	-	-
Steuben.....	890	-	-	-
Talmage.....	100	-	-	-
Topsfield.....	257	-	-	-
Trescott.....	461	-	-	-
Vanceboro.....	630	-	-	1
Waite.....	164	-	-	-
Wesley.....	170	-	-	-
Whiting.....	365	-	-	-
Whitneyville.....	242	-	-	-
Codyville Pl.....	69	-	-	-
Grand Lake Stream Pl.....	293	-	-	-
No. 14 Pl.....	82	-	-	-
No. 21 Pl.....	81	-	-	-
Kossuth.....	44	-	-	-
Lambert Lake.....	104	-	-	-

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties".



**No. 32—Continued.  
Causes, Mostly Infectious Diseases.**

Whooping cough.	3	7	-	-	1	12	1	3	-	19	62	14
Typhoid fever.	-	1	-	-	-	1	-	-	-	1	1	-
Erysipelas.	-	-	-	-	-	-	-	-	-	1	1	-
Puerperal septicemia.	-	-	-	-	-	-	-	-	-	1	1	-
Septicemia.	-	-	-	-	1	-	-	1	-	1	1	-
Influenza.	-	-	-	-	-	1	1	1	-	1	1	-
Dysentery.	-	-	-	-	-	-	1	-	-	1	1	-
Diarrhea and enteritis (2 years and over).	-	-	-	-	-	-	1	2	-	1	1	-
Cholera nostras.	-	-	-	-	-	-	-	1	-	1	1	-
Diarrhea and enteritis (under 2 years.)	-	-	-	-	-	-	1	1	-	1	1	-
Tuberculosis of the lungs.	-	-	-	-	-	-	-	1	-	1	1	-
Tuberculosis, other forms.	-	-	-	-	-	-	-	1	-	1	1	-

**TABLE**  
**Deaths in Each Town from Special**

COUNTY AND TOWNS.	Estimated popula- tion in 1911.	Measles.	Scarlet fever.	Diphtheria and croup.
YORK COUNTY.....	68,955	7	5	7
Acton.....	586	-	-	-
Alfred.....	885	-	-	-
Berwick.....	2,079	-	-	-
Biddeford.....	17,172	2	4	4
Buxton.....	1,659	3	-	-
Cornish.....	951	-	-	-
Dayton.....	388	-	-	-
Eliot.....	1,536	1	-	-
Hollis.....	1,284	-	-	-
Kennebunk.....	3,086	-	-	-
Kennebunkport.....	2,130	1	-	-
Kittery.....	3,600	-	-	-
Lebanon.....	1,318	-	-	-
Limerick.....	974	-	-	-
Limington.....	982	-	-	-
Lyman.....	608	-	-	-
Newfield.....	671	-	-	-
North Berwick.....	1,780	-	-	-
Old Orchard.....	961	-	-	-
Parsonsfield.....	1,050	-	-	-
Saco.....	6,629	-	1	1
Sanford.....	9,346	-	-	-
Shapleigh.....	675	-	-	1
South Berwick.....	2,910	-	-	1
Waterboro.....	980	-	-	-
Wells.....	1,900	-	-	-
York.....	2,815	-	-	-



**TABLE**

**Deaths in Each Town from Certain**

THE STATE AND COUNTIES.	Estimated popu- lation in 1911.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
MAINE.....	748,332	37	58	738	174	556	603
Androscoggin.....	60,350	2	—	55	15	37	31
Aroostook.....	76,166	—	10	28	8	66	37
Cumberland.....	113,015	12	9	128	30	96	111
Franklin.....	19,176	—	2	14	2	18	9
Hancock.....	35,360	1	3	42	8	22	21
Kennebec.....	63,251	5	5	56	15	40	63
Knox.....	29,442	3	—	38	9	15	27
Lincoln.....	18,114	—	1	36	11	4	19
Oxford.....	36,648	1	5	38	11	31	36
Penobscot.....	85,834	6	9	96	19	72	70
Piscataquis.....	20,323	—	2	17	4	21	13
Sagadahoc.....	19,664	—	2	16	3	7	15
Somerset.....	36,496	1	3	33	5	13	37
Waldo.....	23,300	—	—	30	14	15	39
Washington.....	42,238	—	1	35	3	34	28
York.....	68,955	6	6	76	17	65	47
ANDROSCOGGIN COUNTY.....	60,350	2	—	55	15	37	31
Auburn.....	15,277	—	—	12	4	11	7
Durham.....	1,665	—	—	3	—	—	1
East Livermore.....	2,692	—	—	3	—	—	2
Greene.....	728	—	—	—	—	1	1
Leeds.....	997	—	—	2	—	—	2
Lewiston.....	26,495	1	—	29	8	19	6
Lisbon.....	4,167	—	—	1	1	—	5
Livermore.....	1,100	—	—	1	—	1	1
Mechanic Falls.....	1,678	—	—	2	1	1	1
Minot.....	786	—	—	1	—	—	1
Poland.....	1,356	—	—	1	—	1	2
Turner.....	1,695	—	—	—	1	—	1
Wales.....	493	—	—	—	—	—	1
Webster.....	1,221	1	—	—	—	1	—
AROOSTOOK COUNTY.....	*75,081	—	10	28	8	66	37
Amity.....	372	—	—	—	—	—	—
Ashland.....	2,282	—	—	2	—	—	1
Bancroft.....	346	—	—	—	—	1	—
Benedicta.....	286	—	—	—	—	—	—
Blaine.....	1,019	—	—	—	—	2	1
Bridgewater.....	1,244	—	—	1	—	—	1
Caribou.....	5,439	—	1	6	—	6	4
Castle Hill.....	529	—	—	1	—	—	—
Crystal.....	515	—	—	—	—	—	—
Dyer Brook.....	281	—	—	—	—	—	—
Eagle Lake.....	1,521	—	—	—	—	1	1
Easton.....	1,308	—	—	—	1	2	—
Fort Fairfield.....	4,401	—	1	1	—	—	1
Fort Kent.....	3,828	—	1	—	—	3	2
Frenchville.....	1,424	—	—	—	—	—	2
Grand Isle.....	1,338	—	—	—	—	—	2

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

No. 33.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Infantile paralysis.	Cerebral hemorrhage, apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
88	13	860	670	1,348	1,071	204	146	641	62	768	99	100	588
14	2	76	33	101	99	17	11	55	7	76	11	8	52
5	1	38	22	55	65	14	12	35	2	41	11	5	37
14	-	150	67	230	167	29	102	19	13	144	9	12	95
1	-	24	13	22	30	10	6	34	2	21	1	2	14
2	-	35	16	70	53	14	5	51	6	41	3	6	22
2	-	77	123	130	99	26	15	30	3	55	9	14	49
2	1	46	25	83	42	5	4	30	4	34	4	7	30
2	2	39	19	42	21	5	1	15	4	33	2	4	7
2	1	39	24	79	58	6	8	31	2	42	5	7	36
2	-	83	68	153	114	22	27	103	6	75	14	15	82
2	-	22	10	23	25	1	2	22	1	13	3	3	17
1	-	25	16	49	32	4	1	10	1	19	3	1	20
7	1	41	18	61	53	10	11	37	-	17	9	6	34
3	-	25	34	60	37	6	7	14	2	38	4	2	17
5	-	49	29	66	67	12	6	29	5	36	5	1	19
9	-	91	53	124	109	23	17	54	7	83	6	7	57
14	2	76	33	101	99	17	11	55	7	76	11	8	52
2	-	19	8	25	16	4	1	5	3	17	2	1	10
1	-	3	1	1	1	1	-	2	-	1	-	1	1
10	2	29	21	41	48	8	9	32	2	41	9	5	31
1	-	4	2	10	4	1	3	3	2	2	1	1	3
1	-	3	-	3	5	-	2	-	1	4	-	-	1
1	-	2	-	4	1	-	1	-	-	1	-	-	-
1	-	6	1	1	8	-	-	3	1	-	-	-	-
1	-	1	-	7	3	-	-	3	-	2	-	-	2
1	-	2	-	3	1	2	-	1	-	1	-	-	1
5	1	38	22	55	65	14	12	35	2	41	11	5	37
1	-	1	2	1	-	-	1	-	-	1	-	-	-
1	-	1	-	1	1	-	-	1	-	2	-	-	1
1	-	1	1	1	2	-	-	2	-	3	-	-	1
1	-	3	1	3	3	1	1	3	-	1	1	1	2
1	-	1	-	-	-	-	-	-	-	3	-	-	-
1	-	1	-	2	2	1	-	1	-	1	1	-	1
1	-	1	-	1	1	2	-	3	-	1	-	-	3
1	-	1	-	1	1	-	-	-	-	1	-	-	2
1	-	1	-	4	2	-	-	1	-	-	-	-	1
1	-	1	-	1	1	-	-	3	-	-	1	-	1

**TABLE**  
**Deaths in Each Town from Certain**

COUNTY AND TOWNS.	Estimated popu- lation in 1911.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old Age.
Haynesville.....	268	-	-	-	-	-	-
Hershey.....	186	-	-	-	-	-	-
Hodgdon.....	1,155	-	-	3	1	7	2
Houlton.....	6,061	-	-	1	-	-	-
Island Falls.....	1,758	-	2	-	-	1	1
Limestone.....	1,309	-	-	-	-	-	-
Linneus.....	807	-	-	1	1	1	-
Littleton.....	1,033	-	-	-	1	-	-
Ludlow.....	412	-	-	-	-	-	-
Madawaska.....	1,844	-	-	-	-	-	4
Mapleton.....	1,147	-	-	-	-	-	-
Mars Hill.....	1,544	-	-	-	-	3	-
Masardis.....	671	-	-	1	-	-	-
Merrill.....	403	-	-	-	-	-	-
Monticello.....	1,294	-	-	-	-	-	-
New Limerick.....	470	-	-	1	-	1	-
New Sweden.....	909	-	1	1	-	1	1
Oakfield.....	937	-	-	-	-	-	-
Orient.....	185	-	-	1	-	-	-
Perham.....	805	-	-	-	1	2	-
Portage Lake.....	526	-	-	-	-	-	-
Presque Isle.....	5,316	-	-	1	1	6	2
St. Agatha.....	1,546	-	1	-	-	5	-
Sherman.....	1,060	-	-	-	-	-	-
Smyrna.....	411	-	-	-	-	1	-
Stockholm.....	767	-	-	-	-	1	-
Van Buren.....	3,184	-	-	-	-	5	1
Washburn.....	1,618	-	-	1	-	8	-
Westfield.....	732	-	-	-	-	1	-
Weston.....	392	-	-	2	1	-	2
Woodland.....	1,161	-	-	1	-	1	2
Allagash Pl.....	245	-	-	-	-	-	-
Cary Pl.....	334	-	-	-	-	1	-
Caswell Pl.....	545	-	-	-	-	1	1
Chapman Pl.....	440	-	-	-	-	-	-
Connor Pl.....	625	-	-	-	-	-	1
Cyr Pl.....	534	-	1	1	-	1	1
E Pl.....	126	-	-	-	-	-	-
Garfield Pl.....	121	-	-	-	-	-	-
Glenwood Pl.....	123	-	1	-	1	1	1
Hamlin Pl.....	665	-	-	1	-	-	-
Hammond Pl.....	115	-	-	-	-	-	-
Macwahoc Pl.....	147	-	-	-	-	-	-
Moro Pl.....	215	-	-	1	-	-	-
Nashville Pl.....	27	-	-	-	-	-	-
New Canada Pl.....	607	-	-	-	-	-	-
Oxbow Pl.....	183	-	-	-	-	-	-
Reed Pl.....	551	-	-	-	-	-	-
St. Francis Pl.....	953	-	-	-	-	-	-
St. John Pl.....	591	-	-	-	-	-	2
Silver Ridge Pl.....	156	-	-	-	-	-	1
Wade Pl.....	323	-	-	-	-	-	-
Wallagrass Pl.....	1,026	-	-	-	-	2	-
Westmanland Pl.....	104	-	-	-	-	-	-
Winterville Pl.....	281	-	1	-	-	-	-
No. 7, R. 5.....	-	-	-	-	-	-	-
No. 9, R. 3.....	-	-	-	-	-	-	-

**No. 33—Continued.  
Diseases and Groups of Diseases.**

Encephalitis and simple meningitis.	1																					
Infantile paralysis.	1																					
Cerebral hemorrhage, apoplexy.	1	6	2	1	3	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of nervous system.		2	2	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1
Diseases of heart.		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Pneumonia.		13	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Bronchitis.		1	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of respiratory system.		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diseases of digestive system.		2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Acute nephritis.																						
Bright's disease.		4	2	1	4	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1
Fatalities of repro- duction.		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Suicide.		1																				
Accidents and other external causes.	4	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

**TABLE**  
**Deaths in Each Town from Certain**

COUNTY AND TOWNS.	Estimated population in 1911.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
CUMBERLAND COUNTY.....	113,015	12	9	128	30	96	111
Baldwin.....	794	-	-	1	1	-	1
Bridgton.....	2,639	-	-	3	-	3	3
Brunswick.....	6,603	-	-	6	2	3	9
Cape Elizabeth.....	1,857	-	-	1	1	-	1
Casco.....	680	-	-	2	1	-	3
Cumberland.....	1,403	-	-	2	-	-	2
Falmouth.....	1,486	1	1	2	2	-	4
Freeport.....	2,472	-	-	5	1	1	5
Gorham.....	2,850	-	1	2	1	-	4
Gray.....	1,258	-	-	1	-	-	1
Harpwell.....	1,642	-	1	2	1	1	-
Harrison.....	967	-	-	2	-	-	-
Naples.....	806	-	-	1	-	-	1
New Gloucester.....	1,235	-	-	-	-	2	1
North Yarmouth.....	690	-	1	1	-	-	-
Otisfield.....	622	-	-	-	-	1	-
Portland.....	59,414	10	5	65	13	65	34
Pownal.....	628	-	-	-	1	-	-
Raymond.....	662	-	-	-	-	1	3
Scarboro.....	1,953	-	-	3	-	1	7
Sebago.....	532	1	-	1	-	-	-
South Portland.....	7,471	-	-	7	1	5	15
Standish.....	1,650	-	-	1	-	3	2
Westbrook.....	8,381	-	-	12	2	8	9
Windham.....	1,954	-	-	4	2	2	3
Yarmouth.....	2,366	-	-	3	1	-	3
FRANKLIN COUNTY.....	*18,791	-	2	14	2	18	9
Avon.....	373	-	-	-	-	2	-
Carthage.....	288	-	-	-	-	-	-
Chester ville.....	619	-	-	1	-	1	-
Eustis.....	443	-	-	-	-	-	-
Farmington.....	3,202	-	1	1	2	3	6
Freeman.....	329	-	-	1	-	1	-
In dustry.....	457	-	-	-	-	-	-
Jay.....	3,017	-	-	3	-	5	-
Kingfield.....	950	-	-	1	-	1	-
Madrid.....	258	-	-	1	-	-	-
New Sharon.....	955	-	1	1	-	-	2
New Vineyard.....	539	-	-	2	-	1	-
Phillips.....	1,425	-	-	1	-	-	1
Rangeley.....	1,173	-	-	-	-	2	-
Salem.....	181	-	-	-	-	-	-
Strong.....	728	-	-	-	-	-	-
Temple.....	403	-	-	-	-	-	-
Weld.....	558	-	-	-	-	-	-
Wilton.....	2,193	-	-	3	-	2	-
Coplin Pl.....	82	-	-	-	-	-	-
Dallas Pl.....	166	-	-	-	-	-	-
Lang Pl.....	60	-	-	-	-	-	-
Rangeley Pl.....	199	-	-	-	-	-	-
Sandy River Pl.....	78	-	-	-	-	-	-
No. 4, R. 3.....	48	-	-	-	-	-	-
Perkins.....	67	-	-	-	-	-	-

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."



No. 33—Continued.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Infantile paralysis.	Cerebral hemorrhage, apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
14	-	150	67	230	167	29	18	102	13	144	9	12	95
-	-	2	-	1	2	-	-	2	-	2	-	-	-
2	-	2	3	6	4	4	-	1	-	5	-	3	2
-	-	2	-	15	12	1	-	7	-	4	-	3	4
-	-	2	-	1	1	1	-	-	-	-	-	-	-
-	-	2	-	5	1	1	-	-	-	-	-	-	2
-	-	2	-	2	-	-	-	1	-	-	-	-	-
-	-	2	3	1	2	-	-	-	-	4	-	-	2
1	-	2	3	7	5	1	-	1	-	1	-	-	1
-	-	2	-	2	5	-	-	1	-	5	1	-	1
-	-	2	3	8	5	-	1	1	-	4	-	-	1
-	-	2	-	2	-	-	-	1	-	5	-	-	1
-	-	2	-	1	1	-	-	-	-	4	-	-	1
1	-	2	3	4	4	-	-	-	-	3	-	-	2
-	-	2	-	3	-	-	-	-	-	-	-	-	1
-	-	2	5	6	1	5	-	2	-	1	-	-	1
-	-	2	-	4	1	1	-	1	-	1	-	-	1
-	-	2	3	4	-	-	-	3	-	1	-	-	1
1	-	2	3	4	6	-	-	3	2	1	-	-	1
-	-	2	5	5	1	2	-	5	-	7	1	-	5
-	-	2	2	6	8	5	-	5	1	7	-	1	8
-	-	2	2	2	1	1	-	1	-	4	-	-	1
-	-	2	2	5	3	-	-	2	-	7	-	1	1
-	-	2	-	4	3	1	-	2	-	4	-	-	1
1	-	24	13	22	30	10	-	19	2	21	1	2	14
-	-	1	1	-	3	1	-	-	-	1	-	-	-
-	-	1	-	1	-	-	-	1	-	-	-	-	-
-	-	3	5	8	4	1	-	2	-	4	-	-	1
-	-	2	-	1	2	-	-	1	1	2	-	-	1
-	-	1	-	1	2	2	-	-	-	-	-	-	2
-	-	2	1	2	3	5	-	1	1	-	-	-	1
-	-	2	-	-	5	2	-	-	3	-	-	-	-
-	-	1	-	-	3	-	-	-	-	-	-	-	-
-	-	4	3	-	2	1	-	2	-	5	1	1	5
-	-	1	1	-	-	-	-	-	1	1	-	1	-
-	-	-	1	-	1	-	-	1	-	1	-	-	1
-	-	2	-	5	-	3	-	3	-	5	-	-	2
-	-	1	-	-	-	-	-	1	-	-	-	-	1

**TABLE**  
**Deaths in Each Town from Certain**

COUNTY AND TOWNS.	Estimated popu- lation in 1911.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
HANCOCK COUNTY.....	*35,175	1	3	42	8	22	21
Amherst.....	266	-	-	-	-	-	1
Aurora.....	110	-	-	1	-	-	1
Bluehill.....	1,425	-	-	2	-	-	-
Brooklin.....	936	-	-	2	-	1	-
Bucksport.....	1,176	-	-	2	-	-	1
Bucksport.....	2,204	-	-	1	1	1	1
Castine.....	933	-	-	1	1	2	-
Cranberry Isles.....	401	-	-	1	-	-	-
Dedham.....	356	-	-	2	-	-	-
Deer Isle.....	1,936	-	1	1	1	2	1
Eastbrook.....	210	-	-	-	-	-	-
Eden.....	4,447	-	-	7	2	-	2
Ellsworth.....	3,474	-	-	1	1	2	1
Franklin.....	1,157	-	1	1	-	4	2
Gouldsboro.....	1,358	-	-	1	-	-	2
Hancock.....	1,338	-	-	-	-	-	2
Isle au Haut.....	158	-	-	-	-	-	-
Lamoine.....	471	-	-	3	-	-	-
Mariaville.....	166	-	-	-	-	-	1
Mount Desert.....	1,566	-	-	2	-	-	1
Orland.....	1,221	-	-	2	-	1	-
Otis.....	111	-	-	-	-	-	-
Penobscot.....	968	-	-	1	1	2	2
Sedgwick.....	909	-	-	1	-	-	-
Sorrento.....	150	-	-	-	-	1	-
South West Harbor.....	888	-	-	1	-	2	1
Stonington.....	2,077	1	-	4	-	2	1
Sullivan.....	1,142	-	-	2	-	1	1
Surry.....	718	-	-	1	1	-	-
Swan's Island.....	749	-	-	-	-	-	2
Tremont.....	1,027	-	-	2	-	-	-
Trenton.....	344	-	-	-	-	-	-
Verona.....	229	-	-	1	-	-	-
Waltham.....	182	-	1	-	-	-	-
Winter Harbor.....	591	-	-	-	-	1	-
Long Island Pl.....	199	-	-	-	-	-	-
No. 33 Pl.....	82	-	-	-	-	-	-
KENNEBEC COUNTY.....	63,251	5	5	56	15	40	63
Albion.....	926	-	-	2	-	-	1
Augusta.....	13,364	3	3	7	5	11	18
Belgrade.....	1,037	-	1	2	-	2	-
Benton.....	1,205	-	-	2	-	-	5
Chelsea.....	3,229	-	-	-	1	-	1
China.....	1,289	-	-	1	-	3	3
Clinton.....	1,255	-	-	2	-	-	1
Farmingdale.....	821	-	-	-	-	-	-
Fayette.....	530	-	-	1	1	-	1
Gardiner.....	5,300	1	-	5	1	2	10
Hallowell.....	2,879	-	-	-	2	1	3
Litchfield.....	955	-	-	1	1	-	-

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties".

No. 33—Continued.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Infantile paralysis.	Cerebral hemorrhage, apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
2	-	35	16	70	53	14	6	34	6	41	3	6	22
-	-	-	-	-	-	-	-	-	-	1	-	-	1
-	-	1	2	5	2	-	-	1	-	-	1	-	3
-	-	3	1	5	1	-	-	1	-	-	-	-	-
-	-	1	-	4	4	-	-	1	-	-	-	-	-
-	-	4	1	1	4	3	-	2	1	2	-	1	3
-	-	1	-	1	1	-	-	2	-	1	-	-	1
-	-	1	-	1	1	1	-	1	-	-	-	-	-
-	-	1	-	1	1	-	-	1	-	-	-	-	-
-	-	1	-	1	3	-	-	1	-	-	1	-	-
1	-	-	3	4	3	-	1	2	-	-	-	-	3
1	-	5	1	9	13	1	1	8	1	2	9	1	5
-	-	3	-	4	3	-	1	1	-	2	-	-	1
-	-	2	-	2	1	-	-	2	-	4	1	1	1
-	-	-	-	1	-	1	-	2	-	-	-	-	-
-	-	-	-	1	-	-	-	1	-	-	-	-	-
-	-	2	-	1	2	-	-	1	-	-	-	-	-
-	-	2	-	1	2	1	-	2	-	3	-	-	-
-	-	-	3	2	2	-	-	-	-	2	-	-	-
-	-	-	-	3	1	-	-	-	-	2	-	-	-
-	-	-	1	3	-	2	-	-	-	-	-	-	-
-	-	1	1	-	-	-	-	2	1	1	-	-	1
-	-	3	-	4	4	-	-	2	-	2	-	-	2
-	-	3	-	2	3	-	-	1	-	1	-	-	1
-	-	1	1	1	2	1	-	2	-	1	-	-	1
-	-	1	-	1	1	-	-	-	-	1	-	1	1
-	-	-	-	2	1	-	-	-	-	1	-	1	1
-	-	-	2	2	-	-	1	3	-	1	-	-	-
8	1	77	123	130	99	26	15	51	3	55	9	14	49
1	-	-	2	2	4	1	-	4	-	2	-	-	2
1	-	12	83	36	26	6	6	11	3	14	2	4	13
-	-	2	-	5	2	-	-	-	-	1	1	2	1
-	-	-	3	-	-	1	-	2	-	-	-	-	1
-	-	2	-	1	1	-	-	2	-	2	-	1	1
-	1	-	-	3	-	-	1	-	-	-	-	-	-
-	-	1	-	1	1	-	-	2	-	-	-	-	-
-	-	4	2	1	3	-	-	1	-	-	-	-	-
-	-	1	2	1	3	-	-	2	-	-	-	-	-
-	-	-	-	-	1	-	-	1	-	-	-	1	-
-	-	-	-	1	1	1	1	1	-	1	2	-	2
-	-	3	9	13	5	1	4	4	-	6	-	-	3
-	-	3	3	10	5	-	2	2	-	-	-	1	3
-	-	2	2	6	5	-	1	1	-	3	-	-	1

**TABLE**  
**Deaths in Each Town from Certain**

COUNTY AND TOWNS.	Estimated population in 1911.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Manchester.....	609	—	—	1	—	—	1
Monmouth.....	1,401	—	—	2	1	—	1
Mount Vernon.....	898	—	—	2	—	—	2
Oakland.....	2,291	—	1	3	—	1	4
Pittston.....	932	—	—	—	—	1	—
Randolph.....	1,011	—	—	1	—	—	—
Readfield.....	996	—	—	2	—	—	1
Rome.....	442	—	—	—	—	—	—
Sidney.....	913	—	—	3	—	—	1
Vassalboro.....	2,077	—	—	1	—	4	5
Vienna.....	403	—	—	1	—	—	—
Waterville.....	11,656	1	—	4	1	7	—
Wayne.....	584	—	—	2	—	—	—
West Gardiner.....	623	—	—	4	—	—	1
Windsor.....	700	—	—	—	—	—	—
Winslow.....	2,752	—	—	3	2	5	1
Winthrop.....	2,117	—	—	2	—	3	3
Unity Pl.....	56	—	—	—	—	—	—
Togus.....	—	—	—	2	—	—	—
<b>KNOX COUNTY.....</b>	<b>*29,375</b>	<b>3</b>	<b>—</b>	<b>38</b>	<b>9</b>	<b>15</b>	<b>27</b>
Appleton.....	829	—	—	1	—	1	1
Camden.....	3,034	2	—	4	1	—	—
Cushing.....	528	—	—	3	1	1	—
Friendship.....	772	—	—	1	—	—	—
Hope.....	507	—	—	1	—	—	1
Hurricane Isle.....	256	—	—	—	—	—	—
North Haven.....	535	—	—	—	—	—	1
Rockland.....	8,176	1	—	9	4	8	12
Rockport.....	1,993	—	—	3	1	—	1
St. George.....	2,201	—	—	3	—	2	3
South Thomaston.....	1,439	—	—	3	—	1	1
Thomaston.....	2,736	—	—	1	1	2	1
Union.....	1,232	—	—	2	1	—	1
Vinalhaven.....	2,332	—	—	3	—	—	—
Warren.....	1,786	—	—	3	—	—	5
Washington.....	794	—	—	1	—	—	—
Criehaven Pl.....	46	—	—	—	—	—	—
Matinicus Isle Pl.....	179	—	—	—	—	—	—
<b>LINCOLN COUNTY.....</b>	<b>18,114</b>	<b>—</b>	<b>1</b>	<b>36</b>	<b>11</b>	<b>4</b>	<b>19</b>
Alna.....	458	—	—	2	—	—	1
Boothbay.....	1,694	—	—	5	2	2	—
Boothbay Harbor.....	2,030	—	—	4	1	—	1
Bremen.....	546	—	—	1	1	1	1
Bristol.....	2,431	—	—	6	—	—	7
Damariscotta.....	761	—	—	1	—	—	2
Dresden.....	808	—	—	1	—	—	—
Edgecomb.....	5,4	—	—	1	—	1	—
Jefferson.....	1,018	—	—	1	1	—	1
Newcastle.....	1,066	—	—	2	2	—	—

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

No. 33—Continued.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Infantile paralysis.	Cerebral hemorrhage, apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	1	-	1	-	-	-	-	-	-	-	-	1
-	-	1	1	4	1	1	-	-	-	-	-	1	-
-	-	4	1	1	-	1	-	-	-	-	-	1	-
-	-	1	1	1	6	2	1	2	2	2	-	1	3
-	-	3	1	1	4	4	1	1	1	2	1	1	1
-	-	3	1	1	-	-	-	-	-	-	-	1	1
1	-	1	2	1	2	2	-	-	-	-	-	-	1
-	-	-	1	1	2	2	-	-	-	-	-	-	2
-	-	1	-	-	3	-	-	-	-	-	-	-	1
-	-	-	-	-	2	1	-	-	-	-	-	-	1
-	-	6	-	3	-	-	-	-	-	-	-	-	3
1	-	-	-	1	2	2	-	-	-	-	-	-	1
-	-	13	4	13	24	4	5	9	-	8	2	2	7
-	-	3	-	3	3	-	-	-	-	-	-	-	1
-	-	2	-	1	2	-	-	1	-	-	3	-	1
-	-	3	-	3	3	-	-	3	-	-	2	-	2
-	-	6	4	3	-	1	1	3	-	-	1	-	-
-	-	3	-	1	1	-	-	1	-	-	-	-	-
2	2	46	25	83	42	5	4	30	4	34	4	7	30
-	-	2	-	5	2	-	-	1	1	1	-	-	1
-	-	2	4	11	5	-	-	3	-	4	-	-	1
-	-	-	-	1	1	-	-	1	-	3	-	-	1
-	-	1	-	4	-	-	-	-	-	1	-	-	-
-	-	-	-	3	1	-	-	-	-	-	-	-	-
-	-	-	-	3	1	-	-	-	-	-	-	-	-
2	2	21	9	24	12	2	1	11	1	15	3	1	2
-	-	2	-	6	1	-	-	1	-	3	-	-	6
-	-	2	-	1	3	1	-	1	-	2	-	-	3
-	-	-	-	4	4	-	-	-	-	1	-	-	4
-	-	2	2	8	1	-	-	3	-	-	-	-	1
-	-	2	3	3	5	1	-	1	-	-	-	-	-
-	-	4	3	6	5	-	-	3	-	3	-	-	6
-	-	4	4	5	-	-	1	2	-	1	-	-	1
-	-	-	-	3	1	-	-	1	-	-	-	-	1
3	1	39	19	42	21	5	1	15	1	33	2	4	7
-	-	-	-	3	-	-	-	-	-	-	-	-	-
-	-	6	3	2	-	1	-	-	-	2	-	-	-
-	-	3	-	4	-	-	-	1	-	4	1	-	-
1	-	-	1	1	1	-	-	-	1	1	-	-	3
-	-	5	1	2	2	-	-	3	-	9	-	1	2
-	-	2	2	3	1	1	-	-	-	-	-	-	-
-	-	3	-	3	1	-	-	-	-	-	-	-	-
-	-	1	2	1	4	-	-	2	-	-	-	-	-
-	-	2	-	3	1	-	-	1	-	-	-	-	-
-	-	4	-	2	1	1	-	3	-	4	-	-	-

**TABLE**  
**Deaths in Each Town from Certain**

COUNTY AND TOWNS.	Estimated popu- lation in 1911.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old Age.
Nobleboro.....	772	—	—	—	—	—	2
Somerville.....	283	—	—	—	—	—	—
Southport.....	400	—	—	—	—	—	—
Waldoboro.....	2,607	—	1	6	2	—	1
Westport.....	279	—	—	3	—	—	—
Whitefield.....	1,046	—	—	2	1	—	3
Wiscasset.....	1,288	—	—	1	1	—	—
Monhegan Pl.....	123	—	—	—	—	—	—
<b>OXFORD COUNTY.....</b>	<b>*36,571</b>	<b>1</b>	<b>5</b>	<b>38</b>	<b>11</b>	<b>31</b>	<b>36</b>
Albany.....	397	—	—	1	—	—	1
Andover.....	760	—	—	—	1	—	3
Bethel.....	1,939	—	—	4	—	—	1
Brownfield.....	924	—	—	4	1	—	—
Buckfield.....	1,082	—	1	2	2	1	3
Byron.....	185	—	—	—	—	—	1
Canton.....	1,020	—	—	2	1	1	1
Denmark.....	592	—	—	2	—	1	1
Dixfield.....	1,056	—	—	2	—	—	1
Fryeburg.....	1,273	—	—	1	—	—	3
Gilead.....	222	—	—	—	—	—	—
Grafton.....	62	—	—	—	—	—	—
Greenwood.....	656	—	1	1	—	—	—
Hanover.....	194	—	—	—	—	—	—
Hartford.....	537	—	—	—	—	1	2
Hebron.....	613	—	—	—	—	1	—
Hiram.....	928	—	—	—	—	1	1
Lovell.....	666	—	—	1	1	1	1
Mason.....	60	—	—	—	—	—	—
Mexico.....	2,190	—	1	2	—	2	1
Newry.....	270	—	—	—	—	—	—
Norway.....	3,012	—	—	2	2	4	3
Oxford.....	1,210	—	—	—	—	—	3
Paris.....	3,457	—	2	4	—	1	3
Peru.....	743	—	—	1	—	—	—
Porter.....	862	—	—	1	1	—	1
Roxbury.....	318	—	—	—	—	—	—
Rumford.....	7,078	1	—	5	—	12	5
Stoneham.....	250	—	—	1	—	—	—
Stow.....	219	—	—	—	—	1	—
Sumner.....	758	—	—	2	—	—	—
Sweden.....	263	—	—	—	—	—	—
Upton.....	312	—	—	—	—	—	—
Waterford.....	936	—	—	1	1	1	1
Woodstock.....	808	—	—	—	—	2	—
Lincoln Pl.....	330	—	—	—	—	—	—
Magalloway Pl.....	99	—	—	—	—	—	—
Milton Pl.....	204	—	—	—	—	—	—
Batchelder's Grant.....	36	—	—	—	—	1	—
<b>PENOBSCOT COUNTY.....</b>	<b>*85,298</b>	<b>6</b>	<b>9</b>	<b>96</b>	<b>19</b>	<b>72</b>	<b>70</b>
Alton.....	253	—	—	—	—	—	—
Argyle.....	224	—	—	—	—	—	—

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

## No. 33—Continued.

## Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Infantile paralysis.	Cerebral hemorrhage, apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	1	1	1	2	-	-	1	-	1	-	1	-
-	-	2	-	2	1	-	-	-	-	-	-	-	-
-	1	2	1	5	1	1	-	1	-	5	-	-	2
-	-	1	-	1	1	-	1	1	-	-	-	1	-
-	-	1	2	5	3	3	-	2	-	-	-	1	-
-	-	6	-	3	4	1	-	-	-	3	-	-	-
3	1	39	24	79	58	6	8	31	2	42	5	7	36
-	-	1	-	2	1	-	-	-	-	1	-	-	-
-	-	2	1	4	4	-	2	1	-	3	-	-	1
-	-	4	-	1	2	-	-	1	-	4	-	-	-
-	-	1	-	3	1	1	-	1	-	1	-	-	2
-	-	2	-	-	1	-	-	2	-	-	-	-	-
-	-	2	-	1	1	-	1	3	-	3	-	-	-
-	-	4	1	3	4	-	-	1	-	1	-	1	2
-	-	1	-	4	1	1	-	1	-	4	-	-	2
-	-	-	-	-	1	-	-	-	-	-	-	-	1
-	-	-	-	1	1	-	-	1	-	-	-	-	-
-	-	1	3	-	3	-	1	-	-	-	-	-	-
-	-	1	1	2	-	-	-	1	-	-	-	-	1
-	-	1	1	3	2	-	-	3	-	10	-	-	-
1	-	2	1	6	1	1	-	1	-	-	-	-	-
-	-	1	-	2	1	1	-	-	1	1	-	-	-
1	-	1	3	11	5	-	1	3	-	1	1	-	2
-	-	4	6	6	3	-	-	2	-	2	-	1	1
-	-	3	1	11	5	2	-	2	-	2	-	2	6
-	-	1	1	2	2	-	-	4	1	1	-	-	1
-	1	1	1	2	1	-	-	-	-	3	-	-	-
-	-	3	7	4	11	-	2	4	-	4	3	2	11
-	-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	1	-	1	-	-	-	-	2
-	-	-	-	1	-	-	-	-	-	-	-	-	2
-	-	2	-	-	1	-	-	-	-	-	-	-	-
-	-	3	2	4	4	1	-	1	-	1	-	-	-
-	-	-	-	1	1	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	2
9	-	83	68	153	114	22	27	103	6	75	14	15	82
-	-	-	-	-	-	-	-	1	-	-	-	-	1

**TABLE**  
**Deaths in Each Town from Certain**

COUNTY AND TOWNS.	Estimated population in 1911.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Bangor	25,098	1	4	32	6	27	17
Bradford	928	-	-	1	1	2	-
Bradley	629	-	-	3	-	-	1
Brewer	5,750	1	-	6	1	4	1
Burlington	368	-	-	-	-	-	-
Carmel	1,038	-	-	-	-	-	-
Carroll	470	-	-	-	-	-	-
Charleston	866	-	-	-	-	-	-
Chester	348	-	-	-	1	-	1
Clifton	215	-	-	1	1	-	-
Corinna	1,242	-	-	1	-	1	7
Corinth	1,034	-	-	1	-	1	2
Dexter	3,589	-	-	4	-	4	4
Dixmont	750	-	-	3	2	-	1
East Millinocket	923	-	-	-	-	-	-
Eddington	606	-	1	1	-	-	-
Edinburg	45	-	-	-	-	-	-
Enfield	961	-	-	-	-	2	1
Enna	523	-	-	1	-	-	2
Exeter	888	-	-	2	2	-	1
Garland	815	-	-	1	-	-	1
Glenburn	457	-	1	1	-	-	-
Greenbush	475	-	-	1	-	1	-
Greenfield	195	-	-	-	-	-	-
Hampden	2,400	-	1	6	-	-	2
Hermon	1,215	-	-	1	-	1	-
Holden	609	-	-	-	1	-	-
Howland	492	-	-	1	-	1	-
Hudson	400	2	-	1	-	-	-
Kenduskeag	487	-	-	3	-	1	-
Kingman	722	-	-	1	-	1	1
Lagrange	588	-	-	-	-	-	-
Lee	745	-	1	-	-	-	1
Levant	699	-	-	-	-	1	1
Lincoln	2,014	-	-	1	-	-	1
Lowell	255	-	-	-	-	1	-
Mattawamkeag	516	-	-	-	-	-	-
Maxfield	75	-	-	-	-	-	-
Medway	508	-	-	1	-	-	1
Milford	980	-	-	-	-	1	2
Millinocket	3,368	-	-	1	-	8	1
Mt. Chase	220	-	-	1	-	-	-
Newburg	690	-	1	-	-	1	-
Newport	1,768	1	-	3	-	-	1
Old Town	6,372	-	-	8	2	7	15
Orono	3,585	-	-	2	1	4	2
Orrington	1,214	-	-	-	1	-	1
Passadumkeag	441	-	-	-	-	-	-
Patten	1,430	-	-	1	-	-	-
Plymouth	597	1	-	-	-	1	-
Prentiss	475	-	-	-	-	-	-
Springfield	452	-	-	1	-	-	-
Stetson	478	-	-	1	-	2	-
Veazie	557	-	-	3	-	-	1
Winn	658	-	-	1	-	-	-
Woodville	122	-	-	-	-	-	-
Drew Pl.	258	-	-	-	-	-	1
Grand Falls Pl.	52	-	-	-	-	-	-
Lakeville Pl.	93	-	-	-	-	-	-
Seboeis Pl.	85	-	-	-	-	-	-





**TABLE**  
**Deaths in Each Town from Certain**

COUNTY AND TOWNS.	Estimated popu- lation in 1911.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Stacyville Pl. ....	600	-	-	-	-	-	-
Webster Pl. ....	101	-	-	-	-	-	-
Indian Township No. 3. ....	44	-	-	-	-	-	-
No. 1, R. 7. ....	40	-	-	-	-	-	-
No. 2, R. 6. ....	208	-	-	-	-	-	-
<b>PISCATAQUIS COUNTY. ....</b>	<b>*19,550</b>	<b>-</b>	<b>2</b>	<b>17</b>	<b>4</b>	<b>21</b>	<b>13</b>
Abbot. ....	704	-	-	2	-	-	-
Atkinson. ....	531	-	-	-	-	-	1
Blanchard. ....	168	-	-	-	-	-	-
Bowerbank. ....	76	-	-	-	-	-	-
Brownville. ....	1,832	-	-	-	-	3	-
Dover. ....	2,111	-	-	3	-	-	2
Foxcroft. ....	1,891	-	1	2	-	2	1
Greenville. ....	1,510	-	-	2	1	5	1
Guilford. ....	1,694	-	-	-	2	1	1
Medford. ....	260	-	-	-	-	-	-
Milo. ....	2,697	-	-	3	-	5	-
Monson. ....	1,256	-	-	2	-	-	-
Orneville. ....	352	-	-	-	1	-	1
Parkman. ....	639	-	-	-	-	1	1
Sangerville. ....	1,321	-	-	1	-	-	1
Sebec. ....	545	-	-	-	-	-	1
Shirley. ....	343	-	-	-	-	-	1
Wellington. ....	391	-	-	2	-	-	-
Williamsburg. ....	140	-	-	-	-	-	-
Willimantic. ....	434	-	-	-	-	-	1
Barnard Pl. ....	101	-	-	-	-	-	-
Elliottsville Pl. ....	123	-	-	-	-	-	-
Kingsbury Pl. ....	108	-	1	-	-	1	-
Lake View Pl. ....	252	-	-	-	-	1	1
Katahdin Iron Works. ....	71	-	-	-	-	2	-
<b>SAGADAHOC COUNTY. ....</b>	<b>19,664</b>	<b>-</b>	<b>2</b>	<b>16</b>	<b>3</b>	<b>7</b>	<b>15</b>
Arrowsic. ....	144	-	-	-	-	-	-
Bath. ....	10,552	-	2	5	1	5	6
Bowdoin. ....	802	-	-	-	-	-	1
Bowdoinham. ....	1,393	-	-	-	-	1	-
Georgetown. ....	736	-	-	2	-	-	-
Perkins. ....	37	-	-	-	-	-	-
Phippsburg. ....	1,062	-	-	3	-	-	-
Richmond. ....	1,839	-	-	4	1	1	2
Topsham. ....	2,008	-	-	1	-	-	3
West Bath. ....	224	-	-	-	-	-	1
Woolwich. ....	867	-	-	1	1	-	2
<b>SOMERSET COUNTY. ....</b>	<b>*35,607</b>	<b>1</b>	<b>3</b>	<b>33</b>	<b>5</b>	<b>13</b>	<b>37</b>
Anson. ....	2,236	-	-	3	-	1	-
Athens. ....	916	-	-	-	-	-	-
Bingham. ....	768	-	-	-	-	-	1
Cambridge. ....	369	-	-	-	-	-	-
Canaan. ....	864	-	-	2	-	-	2

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

No. 33—Continued.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Infantile paralysis.	Cerebral hemorrhage, apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	2	22	10	23	25	1	2	22	1	13	3	3	17
-	-	1	-	-	1	1	-	1	-	-	-	1	1
-	-	-	1	-	-	-	-	2	-	-	-	-	-
-	-	1	1	1	1	-	1	-	-	1	-	-	-
-	-	6	-	1	3	-	-	2	-	-	-	-	1
-	-	1	2	6	1	-	-	2	-	2	-	-	2
-	-	1	-	1	1	-	-	1	-	1	1	-	2
-	1	4	1	2	2	-	-	4	-	-	2	-	6
-	-	-	3	4	5	-	-	1	1	-	-	-	1
-	1	2	-	4	1	-	-	4	-	-	-	-	2
-	-	1	-	4	1	-	-	-	-	-	-	-	-
-	-	2	-	2	3	-	-	-	-	-	-	-	-
-	-	2	1	2	-	-	-	1	-	3	-	-	-
-	-	1	-	1	1	-	-	4	-	1	-	-	-
-	-	-	-	1	-	-	-	1	-	-	-	-	-
-	1	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	2	-	-	-	-	-	-	-	-	-	-	-	-
-	1	11	10	17	13	-	-	7	-	-	3	-	9
-	-	2	2	3	3	-	-	1	-	2	-	-	3
-	-	-	-	6	4	-	-	-	-	-	-	-	-
-	-	-	-	2	2	1	-	-	-	-	-	-	-
-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-	-
-	-	5	-	8	4	-	-	-	-	1	-	-	7
-	-	3	1	2	-	-	-	-	-	-	-	-	1
-	-	1	-	7	4	-	-	-	-	1	-	-	-
-	-	-	-	3	1	-	-	1	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
7	1	41	18	61	53	10	11	37	-	17	9	6	34
-	-	4	-	4	2	-	1	1	-	2	-	3	3
-	-	4	-	-	2	-	-	2	-	-	2	-	2
-	-	-	-	-	8	-	-	-	-	-	-	-	-
-	-	-	-	2	-	1	-	-	-	-	-	-	-
-	-	1	1	3	1	-	-	-	-	1	1	-	1

**TABLE**  
**Deaths in Each Town from Certain**

COUNTY AND TOWNS.	Estimated popu- lation in 1911.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Concord.....	253	-	-	-	-	-	-
Cornville.....	723	-	-	-	-	1	-
Detroit.....	454	-	-	2	-	-	2
Embsen.....	525	-	-	-	-	-	1
Fairfield.....	4,491	-	1	4	1	3	3
Harmony.....	746	-	-	2	-	-	-
Hartland.....	1,182	-	-	-	-	-	1
Madison.....	3,440	-	1	1	-	2	3
Mercer.....	436	-	-	-	-	-	-
Moscow.....	532	-	-	-	-	-	-
New Portland.....	879	-	-	1	-	-	1
Norridgewock.....	1,619	-	-	1	-	-	-
Palmyra.....	964	-	-	1	-	-	1
Pittsfield.....	2,891	-	-	3	-	1	5
Ripley.....	435	-	-	1	1	-	1
St. Albans.....	1,026	-	-	1	1	-	2
Skowhegan.....	5,357	1	-	8	2	1	10
Smithfield.....	425	-	-	-	-	-	1
Solon.....	1,038	-	-	-	-	1	-
Stark.....	540	-	1	-	-	-	1
Brighton Pl.....	265	-	-	-	-	1	-
Caratunk Pl.....	237	-	-	-	-	-	-
Dead River Pl.....	94	-	-	-	-	-	-
Dennistown Pl.....	99	-	-	-	-	-	-
Flagstaff Pl.....	152	-	-	1	-	-	1
Highland Pl.....	68	-	-	-	-	-	-
Jackman Pl.....	698	-	-	-	-	1	1
Lexington Pl.....	237	-	-	1	-	-	-
Moose River Pl.....	252	-	-	-	-	-	-
Pleasant Ridge Pl.....	90	-	-	-	-	-	-
The Forks Pl.....	170	-	-	1	-	-	-
West Forks Pl.....	136	-	-	-	-	-	-
<b>WALDO COUNTY.....</b>	<b>23,300</b>	<b>-</b>	<b>-</b>	<b>30</b>	<b>14</b>	<b>15</b>	<b>39</b>
Belfast.....	4,618	-	-	9	3	3	8
Belmont.....	334	-	-	-	1	-	1
Brooks.....	707	-	-	1	1	-	-
Burnham.....	730	-	-	1	-	-	3
Frankfort.....	1,152	-	-	3	-	2	1
Freedom.....	480	-	-	-	2	-	1
Islesboro.....	873	-	-	2	-	1	1
Jackson.....	414	-	-	-	-	-	-
Knox.....	506	-	-	1	-	-	3
Liberty.....	642	-	-	-	-	-	2
Lincolntown.....	1,000	-	-	2	1	-	2
Monroe.....	863	-	-	1	-	1	1
Montville.....	837	-	-	3	1	1	2
Morrill.....	346	-	-	-	-	1	1
Northport.....	515	-	-	1	-	1	2
Palermo.....	683	-	-	1	-	-	1
Prospect.....	592	-	-	1	1	-	1
Searsmont.....	816	-	-	-	-	1	2
Searsport.....	1,453	-	-	-	-	1	2
Stockton Springs.....	1,126	-	-	2	1	-	1
Swanville.....	464	-	-	-	-	-	2
Thorndike.....	528	-	-	1	-	-	-
Troy.....	788	-	-	1	2	-	-
Unity.....	901	-	-	-	-	2	-
Waldo.....	374	-	-	-	-	-	-
Winterport.....	1,378	-	-	-	1	1	2

No. 33—Continued.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Infantile paralysis.	Cerebral hemorrhage, apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	2	-	1	1	-	-	1	-	-	-	-	1
-	-	1	-	-	-	-	1	1	-	1	-	-	1
1	-	3	5	9	4	1	-	4	-	-	2	-	3
-	-	1	-	2	-	-	-	2	-	-	-	-	-
-	-	3	1	3	-	-	1	4	-	-	-	-	-
-	-	3	1	3	-	-	2	4	-	-	-	-	-
-	-	-	-	1	-	-	-	5	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	3	-	1	-
-	-	2	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	6	-	1	-	-	-	1	-	-	1
-	-	1	-	2	-	-	-	-	-	2	1	-	2
-	-	1	-	5	-	-	-	-	-	-	-	-	3
-	-	1	-	2	-	-	-	-	-	2	-	-	3
-	-	5	-	1	-	-	-	-	-	-	-	1	-
-	-	9	5	4	-	-	1	-	-	-	-	-	3
-	-	1	1	7	-	5	-	7	-	3	-	1	3
3	-	9	1	1	-	-	1	1	-	-	-	-	-
1	-	1	1	2	-	-	-	1	-	-	-	-	-
-	-	1	1	2	-	-	-	2	-	-	-	-	-
1	-	1	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	1	-	-	2
-	-	-	-	2	-	-	-	-	-	-	1	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	25	34	60	37	6	7	14	2	38	4	2	17
1	-	10	10	13	8	3	-	3	-	6	1	1	6
-	-	1	-	2	1	-	-	-	-	3	-	-	-
1	-	-	1	2	2	-	-	-	-	-	1	-	1
-	-	-	-	1	1	-	-	-	-	-	-	-	1
-	-	-	2	2	1	-	-	-	-	-	1	-	-
-	-	1	-	1	1	-	-	-	-	3	-	-	-
-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	2	4	2	-	-	2	-	1	-	-	-
-	-	-	-	2	1	-	-	1	-	4	-	-	-
-	-	1	3	2	1	-	-	1	-	-	-	-	-
-	-	1	3	2	1	-	1	1	-	2	-	-	1
-	-	1	3	2	3	-	2	1	-	1	-	-	-
-	-	-	-	3	-	-	-	-	-	-	-	-	-
-	-	-	2	7	1	-	1	-	1	-	-	-	1
-	-	-	1	2	-	-	-	-	-	-	-	-	1
-	-	-	1	1	2	-	-	-	-	-	-	-	1
-	-	-	3	3	6	-	-	1	-	-	-	-	4
-	-	1	-	3	3	-	-	-	-	-	-	-	-
-	-	2	-	1	1	-	-	-	-	5	-	-	-
-	-	1	-	1	1	-	-	-	-	-	-	-	-
-	-	1	-	2	2	-	-	-	-	1	-	-	-
-	-	1	-	2	1	-	-	-	-	-	-	-	-
-	-	1	-	2	1	-	-	-	-	-	-	-	-
-	-	1	-	2	2	-	-	-	-	-	-	-	-
-	-	2	-	5	1	-	-	-	-	5	-	-	-

**TABLE**  
**Deaths in Each Town from Certain**

COUNTY AND TOWNS.	Estimated popu- lation in 1911.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
WASHINGTON COUNTY.....	*42,046	-	1	35	3	34	28
Addison.....	974	-	-	1	-	1	-
Alexander.....	370	-	-	-	-	1	2
Baileyville.....	1,229	-	-	1	-	4	1
Baring.....	228	-	-	1	-	-	-
Beddington.....	58	-	-	-	-	-	-
Brookton.....	232	-	-	-	-	-	-
Calais.....	5,962	-	-	4	-	7	8
Centerville.....	91	-	-	-	-	-	-
Charlotte.....	288	-	-	-	-	-	-
Cherryfield.....	1,463	-	-	1	-	-	-
Columbia.....	569	-	-	-	-	-	-
Columbia Falls.....	672	-	-	-	-	-	2
Cooper.....	188	-	-	-	-	-	-
Crawford.....	114	-	-	-	-	-	-
Cutler.....	587	-	-	-	-	2	-
Danforth.....	1,315	-	-	3	-	4	-
Deblois.....	69	-	-	-	-	-	-
Dennysville.....	457	-	-	-	-	-	-
East Machias.....	1,379	-	-	-	-	-	-
Eastport.....	4,926	-	1	5	-	2	1
Edmunds.....	628	-	-	1	-	-	1
Forest City.....	73	-	-	-	-	-	-
Harrington.....	1,006	-	-	1	-	-	1
Jonesboro.....	510	-	-	1	-	-	1
Jonesport.....	2,069	-	-	4	-	-	1
Lubec.....	2,969	-	-	1	1	4	1
Machias.....	2,089	-	-	1	-	1	2
Machiasport.....	1,218	-	-	1	-	-	1
Marion.....	116	-	-	-	-	1	-
Marshfield.....	173	-	-	1	-	-	-
Meddybemps.....	121	-	-	1	-	-	1
Milbridge.....	1,513	-	-	-	-	-	-
Northfield.....	77	-	-	-	-	-	-
Pembroke.....	1,351	-	-	1	-	1	-
Perry.....	1,144	-	-	1	-	1	1
Princeton.....	1,091	-	-	1	1	-	-
Robbinston.....	676	-	-	-	-	-	1
Roque Bluffs.....	99	-	-	-	-	-	-
Steuben.....	890	-	-	3	-	-	1
Talmage.....	100	-	-	-	-	-	-
Topsfield.....	257	-	-	-	-	-	-
Trescott.....	461	-	-	-	-	1	-
Vanceboro.....	630	-	-	-	-	-	1
Waite.....	164	-	-	-	-	-	-
Wesley.....	170	-	-	-	-	-	-
Whiting.....	365	-	-	-	-	2	-
Whitneyville.....	242	-	-	-	1	-	1
Codyville Pl.....	69	-	-	-	-	-	-
Grand Lake Stream Pl.....	293	-	-	-	-	2	-
No. 14 Pl.....	82	-	-	-	-	-	-
No. 21 Pl.....	81	-	-	-	-	-	-
Kossuth.....	44	-	-	-	-	-	-
Lambert Lake.....	104	-	-	-	-	-	-

\* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

## No. 33—Continued.

## Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	5	-	49	29	66	67	12	6	29	5	36	5	1	19
Infantile paralysis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hemorrhage, apoplexy.	-	-	1	1	1	3	1	1	1	1	1	1	1	1
Other diseases of nervous system.	-	-	5	2	3	6	4	3	10	1	6	2	-	1
Diseases of heart.	-	-	1	1	1	1	1	1	1	1	3	-	-	1
Pneumonia.	-	-	2	2	1	3	1	3	1	1	1	-	-	1
Bronchitis.	-	-	1	1	1	2	1	1	1	1	1	-	-	1
Other diseases of respiratory system.	-	-	1	1	1	1	1	1	1	1	1	1	1	1
Diseases of digestive system.	-	-	1	1	1	1	1	1	1	1	1	1	1	1
Acute nephritis.	-	-	1	1	1	1	1	1	1	1	1	1	1	1
Bright's disease.	-	-	1	1	1	1	1	1	1	1	1	1	1	1
Fatalities of reproduction.	-	-	1	1	1	1	1	1	1	1	1	1	1	1
Suicide.	-	-	1	1	1	1	1	1	1	1	1	1	1	1
Accidents and other external causes.	-	-	1	1	1	1	1	1	1	1	1	1	1	1

**TABLE**

**Deaths in Each Town from Certain**

COUNTY AND TOWNS.	Estimated population in 1911.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old Age.
YORK COUNTY.....	68,955	6	6	76	17	65	47
Acton.....	586	-	-	-	-	-	1
Alfred.....	885	-	1	2	1	-	-
Berwick.....	2,079	-	-	5	1	1	1
Biddeford.....	17,172	1	1	11	3	26	7
Buxton.....	1,659	-	-	5	-	-	3
Cornish.....	951	-	1	4	1	-	3
Dayton.....	388	-	-	1	-	-	1
Eliot.....	1,536	-	-	2	1	1	1
Hollis.....	1,284	-	-	2	1	-	-
Kennebunk.....	3,086	-	-	1	-	1	6
Kennebunkport.....	2,130	-	-	2	1	3	2
Kittery.....	3,600	2	-	2	-	2	1
Lebanon.....	1,318	-	-	2	-	-	-
Limerick.....	974	-	-	2	-	3	-
Limington.....	982	-	-	2	-	-	-
Lyman.....	608	-	-	-	-	-	-
Newfield.....	671	-	-	-	-	-	-
North Berwick.....	1,780	-	-	1	1	1	-
Old Orchard.....	961	-	-	1	2	-	2
Parsonsfield.....	1,050	-	-	1	-	-	1
Saco.....	6,629	2	1	9	1	5	4
Sanford.....	9,346	-	1	3	2	14	4
Shapleigh.....	675	-	-	2	-	-	-
South Berwick.....	2,810	1	1	-	1	1	2
Waterboro.....	980	-	-	5	-	-	4
Wells.....	1,900	-	-	6	1	1	1
York.....	2,815	-	-	-	-	5	3



No. 33—Concluded.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Infantile paralysis.	Cerebral hemorrhage, apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
9	-	91	53	124	109	23	17	54	7	83	6	7	57
-	-	1	-	1	1	-	-	1	-	-	-	-	1
-	-	5	1	2	2	1	-	1	-	-	-	-	-
-	-	6	4	4	1	1	2	1	-	3	-	1	1
6	-	17	12	22	44	4	4	18	3	16	1	1	17
-	-	5	1	3	-	2	1	4	-	2	-	-	1
-	-	1	-	1	1	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	3	-	-	-	-	-
-	-	2	1	2	1	1	-	1	-	1	-	-	1
-	-	1	1	1	-	-	-	2	-	-	-	-	-
-	-	3	2	10	3	3	1	1	-	1	-	1	1
-	-	3	2	2	2	-	-	1	-	-	-	-	2
-	-	6	-	4	1	2	1	1	1	5	1	1	2
-	-	-	3	1	-	-	-	1	-	-	1	-	-
1	-	3	4	1	-	-	1	1	-	1	1	1	-
-	-	1	-	2	2	2	-	1	-	3	-	-	2
-	-	1	1	3	1	1	-	1	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-	2
-	-	6	1	-	-	-	-	-	1	2	-	-	1
-	-	-	1	3	3	-	-	-	-	2	-	-	4
-	-	1	7	1	4	-	-	1	-	5	1	-	-
1	-	9	15	13	13	2	-	5	1	5	-	3	11
-	-	11	10	12	5	5	5	4	-	13	1	-	4
-	-	-	2	3	1	-	-	1	-	2	-	-	-
-	-	9	1	3	1	1	-	1	-	2	-	-	3
1	-	-	2	5	2	1	-	1	-	2	-	-	4
-	-	2	1	3	5	1	1	1	-	5	1	-	2
-	-	1	3	10	7	1	1	3	-	2	-	-	2

**TABLE**  
**Deaths by Ages, Sex and**

COUNTIES.														Unknown.
	Under 1.	1 to 4.	5 to 9.	10 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	
Androscoggin, males.....	75	31	9	22	25	32	39	61	60	68	44	12	-	4
females.....	59	19	10	14	29	34	46	46	80	77	42	13	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aroostook, males.....	146	41	8	21	28	28	30	31	46	59	30	7	-	-
females.....	118	38	4	17	35	23	31	37	31	36	29	7	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cumberland, males.....	137	43	14	37	64	80	71	101	150	150	110	19	-	2
females.....	88	31	16	24	59	62	60	91	145	167	110	25	2	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Franklin, males.....	21	6	-	4	2	7	9	16	19	29	14	4	-	-
females.....	11	10	2	2	9	2	8	13	13	28	17	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock, males.....	27	10	5	10	13	18	18	28	52	67	32	7	-	1
females.....	18	8	2	5	15	17	15	23	35	64	40	5	-	2
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec, males.....	70	28	6	16	29	34	44	67	100	103	66	13	-	2
females.....	33	23	2	18	31	32	42	59	88	111	62	13	1	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Knox, males.....	15	6	2	9	16	20	20	27	55	71	36	5	1	1
females.....	15	7	5	8	16	25	20	22	41	59	47	5	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln, males.....	6	-	2	2	9	4	11	15	41	41	32	4	-	-
females.....	7	2	3	7	5	8	8	14	36	44	38	2	1	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford, males.....	41	7	4	8	16	17	25	20	54	59	45	1	-	1
females.....	21	16	7	8	16	19	18	26	36	59	50	8	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot, males.....	99	38	10	27	63	44	58	90	116	123	74	19	-	8
females.....	63	15	8	30	50	48	56	62	105	140	81	8	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Piscataquis, males.....	18	10	2	5	8	7	7	16	15	33	17	1	1	1
females.....	18	9	4	1	6	7	8	10	23	24	14	4	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc, males.....	14	7	2	5	7	9	7	16	25	33	18	5	-	-
females.....	7	7	2	4	9	7	15	13	24	23	36	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset, males.....	30	6	3	15	10	9	18	39	41	58	47	7	-	-
females.....	20	7	5	7	13	8	19	32	39	42	42	8	1	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waldo, males.....	14	6	2	5	8	10	8	26	45	56	33	4	-	2
females.....	12	4	1	3	9	13	3	20	34	53	45	14	1	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington, males.....	42	20	4	14	14	17	17	27	43	69	27	3	-	1
females.....	27	17	7	11	13	21	12	25	33	76	50	4	1	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York, males.....	82	35	12	23	30	36	40	66	75	113	59	8	-	1
females.....	66	29	7	13	26	29	35	52	76	125	77	14	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total, males.....	837	294	85	223	342	372	422	646	937	1132	684	119	2	24
females.....	583	242	85	172	341	355	396	545	839	1128	780	134	7	5
Grand total.....	1420	536	170	395	683	727	818	1191	1776	2260	1464	253	9	29

No. 34.

Months by Counties, 1911.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
47	45	46	51	35	22	54	47	25	42	29	39	-	482	-
45	44	66	44	27	34	37	36	35	33	34	34	-	469	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	951
43	43	33	39	41	35	41	66	49	38	26	20	1	475	-
34	27	25	32	40	22	46	60	42	27	25	26	-	406	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	881
78	85	98	93	93	74	86	85	67	65	59	95	-	978	-
80	86	95	78	67	68	75	89	70	52	58	62	-	880	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,858
15	12	11	10	20	9	12	7	8	9	6	12	-	131	-
16	14	9	10	15	3	3	11	6	10	6	14	-	117	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	248
22	32	33	25	21	25	26	21	20	14	25	24	-	288	-
31	16	34	20	16	19	24	12	20	17	17	23	-	249	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	537
54	63	56	59	53	41	35	41	42	43	42	49	-	578	-
47	61	61	36	38	42	30	33	47	43	28	50	-	516	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,094
27	27	33	34	34	13	19	30	16	17	15	19	-	284	-
31	28	29	23	27	15	15	21	15	26	24	16	-	270	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	554
18	14	22	10	13	12	12	15	11	13	14	13	-	167	-
13	18	23	18	27	13	12	9	11	11	7	13	-	175	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	342
37	28	29	21	21	21	27	22	15	30	26	21	-	298	-
29	19	30	23	21	27	16	27	22	26	15	29	-	284	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	582
58	51	76	62	80	65	77	53	62	69	64	52	-	709	-
64	60	70	63	64	38	53	47	39	63	51	54	-	666	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,435
10	14	14	11	17	10	8	12	14	9	11	11	-	141	-
9	17	9	13	8	7	9	12	10	11	10	13	-	128	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	269
17	15	20	16	6	9	10	8	16	8	6	17	-	148	-
14	14	15	14	16	13	11	11	12	12	7	10	-	149	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	297
25	27	23	30	27	16	23	21	25	26	21	16	3	283	-
30	21	23	24	16	20	21	14	20	14	23	17	-	243	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	526
20	16	33	10	19	18	12	17	14	15	17	28	-	219	-
22	32	27	21	20	13	11	14	15	15	9	13	-	212	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	431
26	28	30	29	35	15	23	20	26	18	29	19	-	298	-
27	33	29	35	26	13	20	23	22	17	28	25	-	298	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	596
53	53	62	57	45	29	48	28	52	56	48	49	-	580	-
52	42	59	46	37	30	55	52	38	41	43	55	-	550	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,130
550	553	619	557	560	414	513	493	462	472	438	484	4	6,119	-
544	532	604	500	465	377	438	471	424	418	385	454	-	5,612	-
1,094	1,085	1,223	1,057	1,025	791	951	964	886	890	823	938	4	11,731	11,731

**TABLE**  
**Deaths by Ages, Sex and**

CITIES.	Under 1.	1 to 4.	5 to 9.	10 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
Auburn, males.	19	6	4	3	3	3	6	14	17	8	8	2	-	-
females	12	7	2	6	3	4	14	12	21	18	7	1	-	-
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Augusta, males.	11	7	3	3	11	16	18	33	31	25	14	2	-	1
females	11	3	-	6	6	21	18	18	25	34	13	3	-	1
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bangor, males.	32	7	1	12	28	26	28	36	47	36	16	4	-	5
females	20	2	1	16	23	22	22	25	39	39	20	2	-	-
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bath, males.	9	5	-	5	1	4	-	9	12	12	7	2	-	-
females	5	3	2	3	4	2	9	7	11	6	12	1	-	-
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belfast, males.	5	-	1	2	5	4	2	6	11	13	5	-	-	-
females	5	-	-	3	2	2	-	6	10	15	8	4	-	-
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Biddeford, males.	37	17	5	11	8	16	8	14	18	23	6	-	-	-
females	35	16	2	6	6	11	12	6	19	21	15	-	-	-
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brewer, males.	6	1	-	1	1	2	3	6	8	7	2	-	-	-
females	2	-	1	-	-	3	5	6	3	12	3	-	-	-
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calais, males.	9	1	-	1	4	5	2	4	5	13	5	1	-	-
females	7	1	-	-	3	7	1	6	3	15	3	1	-	-
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eastport, males.	5	2	1	2	3	2	4	6	5	10	2	-	-	-
females	7	5	-	2	2	3	3	3	4	6	8	1	-	1
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ellsworth, males.	4	-	-	3	3	1	5	4	7	10	7	2	-	-
females	1	-	-	1	2	1	1	1	4	9	5	-	-	-
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gardiner, males.	7	-	-	2	3	3	2	9	8	10	11	2	-	-
females	-	5	-	2	2	2	4	12	4	12	4	2	-	-
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hallowell, males.	1	1	-	-	1	-	2	2	2	3	3	-	-	-
females	2	2	-	1	1	2	2	2	7	6	4	-	-	1
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewiston, males.	43	22	4	14	16	26	29	32	18	28	12	2	-	3
females	39	10	6	6	21	28	26	23	33	36	15	2	-	-
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Town, males.	14	7	3	1	2	3	6	5	7	9	8	1	-	-
females	5	1	1	1	2	7	5	1	9	13	10	1	-	-
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, males.	98	22	10	17	42	60	54	66	84	70	36	9	-	-
females	60	25	8	15	33	35	38	55	69	70	45	12	-	-
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rockland, males.	4	1	1	2	3	7	9	10	19	19	11	1	-	-
females	5	3	3	4	8	4	4	11	11	19	13	-	-	-
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Saco, males.	9	2	2	1	5	3	4	9	7	7	6	1	-	-
females	2	1	1	-	1	2	5	10	7	15	9	2	-	-
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Portland, males.	4	4	-	4	2	4	1	4	10	9	7	1	-	-
females	3	-	-	3	3	6	3	4	8	14	11	-	-	-
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waterville, males.	24	11	2	1	4	5	6	7	14	9	7	-	-	-
females	8	6	1	3	10	4	6	7	7	6	3	2	-	-
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Westbrook, males.	13	3	-	4	2	5	1	6	9	7	3	1	-	-
females	8	3	1	1	10	3	3	3	13	14	2	1	-	-
not stated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Totals, males.	354	119	37	89	147	195	190	282	339	325	176	31	-	9
females	237	93	29	76	141	167	179	210	315	380	210	35	-	2
Grand total.	591	212	66	165	288	362	369	492	654	705	386	66	2	10

## No. 35.

## Months by Cities, 1911.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Grand total.
9	7	8	6	7	3	9	10	6	10	6	12	93	-
9	13	16	8	8	7	10	8	4	9	11	4	107	-
22	20	18	16	17	11	12	7	11	15	14	12	175	200
17	15	16	9	6	15	8	16	19	14	10	14	159	-
16	14	32	24	30	18	30	21	23	29	27	14	278	334
17	20	17	17	21	12	22	24	13	32	14	22	231	-
6	4	9	6	3	4	5	5	8	3	3	10	66	509
6	5	4	6	10	5	6	3	6	6	3	5	65	-
7	4	10	2	5	6	1	6	1	3	2	7	54	131
7	9	8	4	8	5	2	4	3	1	2	2	55	-
15	15	18	19	11	18	6	18	6	11	13	15	163	109
14	9	19	10	9	13	15	15	18	8	11	12	149	-
3	3	1	3	4	3	2	3	2	4	3	6	37	312
2	3	3	5	4	1	3	3	3	1	5	2	35	-
3	4	5	4	5	5	1	7	7	4	4	5	50	72
5	5	4	2	2	2	3	6	4	4	6	4	47	-
1	2	6	4	4	7	2	2	4	1	8	3	42	97
7	4	2	6	3	1	3	3	2	2	5	4	42	-
4	5	6	4	4	7	1	2	3	3	5	5	46	84
1	3	4	4	1	5	3	3	1	2	1	3	24	-
5	7	6	6	6	6	2	4	3	4	7	7	57	70
2	8	4	3	4	1	6	1	5	1	3	7	45	-
1	2	2	1	1	2	3	1	2	2	1	2	15	102
4	5	3	2	3	2	3	1	4	4	1	2	30	-
25	25	20	29	15	11	28	29	14	17	21	15	249	45
29	23	30	23	15	15	15	20	20	19	16	20	245	-
6	4	11	8	4	10	8	4	1	4	4	2	66	494
3	3	8	8	4	4	3	5	1	5	4	8	56	-
47	45	55	61	57	43	51	44	38	36	31	60	568	122
34	46	52	38	39	36	46	47	36	28	31	32	465	-
4	8	8	7	12	5	7	9	6	9	6	3	84	1,033
12	7	4	9	10	5	7	7	4	8	8	4	85	-
7	8	3	4	5	5	5	3	5	5	3	8	56	169
2	5	6	11	1	2	7	3	3	6	3	6	55	-
7	4	2	4	2	2	5	6	4	2	5	5	50	111
7	6	4	4	8	3	3	4	7	3	4	2	55	-
11	7	4	9	10	4	7	7	7	4	9	11	90	105
4	6	11	3	5	5	4	5	5	4	4	7	63	-
4	3	4	6	6	3	4	6	3	3	3	9	54	153
9	7	8	9	2	6	2	7	3	4	3	2	62	-
198	189	229	225	208	147	203	182	161	169	171	211	2,293	-
191	202	223	177	163	140	173	188	150	161	145	162	2,075	-
389	391	452	402	371	287	376	370	311	330	316	373	-	4,368

TABLE No. 36.

Number of Deaths from Several Specified Causes of Each Sex, in Each Month, which were Registered during Twenty Years, 1892-1911.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Typhoid fever.	Consumption.	Diarrhea and enteritis (under 2 years).	Pneumonia.	Bronchitis.	Cerebral hemorrhage, apoplexy.
Totals.....	794	556	1,384	2,960	3,789	20,604	10,601	20,740	4,371	12,978
Males.....	370	261	658	1,480	2,166	9,240	-	10,236	2,016	6,330
Females.....	422	295	726	1,479	1,622	11,363	-	10,497	2,355	6,648
Not stated.....	2	-	-	1	1	1	-	7	-	-
January.....	77	45	135	319	283	1,778	146	2,976	535	1,214
February.....	78	46	107	256	242	1,729	125	2,814	515	1,140
March.....	85	74	121	189	317	2,072	161	3,091	589	1,162
April.....	84	55	113	193	278	2,002	158	2,613	499	1,092
May.....	99	48	101	211	252	1,988	166	2,000	412	1,129
June.....	68	45	116	177	203	1,736	273	1,093	287	1,011
July.....	70	25	116	161	189	1,648	1,391	512	190	960
August.....	47	23	137	167	305	1,544	3,460	447	130	1,033
September.....	28	38	132	214	471	1,431	3,023	635	191	1,016
October.....	51	45	88	322	523	1,561	1,251	1,095	301	1,058
November.....	58	65	99	378	384	1,453	277	1,448	315	1,038
December.....	49	47	116	373	335	1,646	167	2,005	401	1,121
Not stated.....	-	-	3	-	7	16	3	11	6	4



## NOTES ON DEATHS AND THE CAUSES OF DEATHS.

The number of deaths registered in the year 1911 was 11,731. This was 708 less than for the preceding year, 1910. A glance at the following tabulation will show that the death-rate, based upon the estimated population of all but the census year, 1910, has, upon the whole, lessened considerably. In the year for which this report is made the death-rate is much less than for the preceding year, namely, 15.68.

YEARS.	Total deaths.	Males.	Females.	Not stated.	Death-rate per 1,000.
1892.....	12,147	5,939	6,175	33	18.19
1893.....	11,134	5,557	5,551	26	16.59
1894.....	11,012	5,570	5,422	20	16.33
1895.....	10,464	5,226	5,228	10	15.44
1896.....	10,626	5,350	5,268	8	15.60
1897.....	11,236	5,624	5,606	6	16.42
1898.....	10,956	5,506	5,447	3	15.93
1899.....	11,370	5,676	5,686	8	16.45
1900.....	11,389	5,734	5,649	6	16.40
1901.....	11,133	5,604	5,523	6	15.94
1902.....	10,673	5,454	5,216	3	15.19
1903.....	11,009	5,629	5,378	2	15.58
1904.....	11,346	5,868	5,468	10	15.97
1905.....	11,381	5,835	5,545	1	15.92
1906.....	11,427	5,925	5,497	5	15.90
1907.....	11,803	6,100	5,700	3	16.33
1908.....	11,664	6,060	5,602	2	16.05
1909.....	11,295	5,743	5,551	1	15.45
1910.....	12,439	6,427	6,012	-	16.62
1911.....	11,731	6,119	5,612	-	15.68
Average.....	11,312	5,747	5,556	9	16.10

By referring to Table No. 3, it will be seen that the lowest death-rate was in Aroostook County, being only 11.73. The counties Franklin, Hancock, Piscataquis, Sagadahoc, Somerset, and Washington had lower death-rates than that of the whole



State; while the counties Androscoggin, Cumberland, Kennebec, Knox, Lincoln, Oxford, Penobscot, Waldo, and York had death-rates larger than that of the State. The highest county death-rate was that of Lincoln, 18.88.

The death-rate in the cities was 17.78 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, 18.36 in 1895, 18.78 in 1896, 20.11 in 1897, 19.74 in 1898, 18.10 in 1899, 18.34 in 1900, 17.90 in 1901, 17.03 in 1902, 17.16 in 1903, 18.00 in 1904, 16.79 in 1905, 17.25 in 1906, 18.18 in 1907, 17.03 in 1908, 16.63 in 1909, and 19.13 in 1910), as compared with that of the rest of the State with the cities omitted, which death-rate was 14.74 (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, 14.77 in 1895, 14.93 in 1896, 15.68 in 1897, 15.24 in 1898, 15.52 in 1899, 15.47 in 1900, 15.13 in 1901, 14.58 in 1902, 13.39 in 1903, 15.54 in 1904, 15.49 in 1905, 14.71 in 1906, 15.60 in 1907, 15.54 in 1908, 14.85 in 1909, and 14.96 in 1910).

LARGEST NUMBER.		SMALLEST NUMBER.		
1892	January.....	1,577	November.....	790
1893	August.....	1,080	November.....	796
1894	January.....	1,266	November.....	761
1895	March.....	1,053	June.....	715
1896	August.....	1,079	November.....	667
1897	March.....	1,259	June.....	769
1898	September.....	1,147	June.....	791
1899	February.....	1,049	June.....	768
1900	April.....	1,196	November.....	769
1901	March.....	1,132	June.....	789
1902	December.....	998	June.....	805
1903	January.....	1,006	June.....	786
1904	April.....	1,116	July.....	800
1905	March.....	1,197	July.....	768
1906	August.....	1,133	January.....	822
1907	March.....	1,177	July.....	844
1908	January.....	1,128	June.....	818
1909	March.....	1,178	July.....	831
1910	March.....	1,149	June.....	844
1911	March.....	1,223	June.....	791

*Seasons and Mortality.*—The largest number of deaths occurred in March 1, 223. The smallest number of deaths in any one month was 791 in June. During the spring months 3,305 deaths occurred; during the summer, 2,706; during the autumn, 2,599; in the winter, 3,117. The table on page 171 shows the month in which the largest and the smallest number of deaths occurred in the years 1892-1911.

The following is a tabular statement of the number of deaths in each quarter of the twenty years 1892-1911:

	1st Quarter.	2d Quarter.	3d Quarter.	4th Quarter.
1892.....	3,964	2,926	2,780	2,427
1893.....	2,653	2,825	2,878	2,750
1894.....	3,166	2,660	2,774	2,402
1895.....	2,780	2,412	2,764	2,503
1896.....	2,728	2,717	2,836	2,339
1897.....	3,026	2,681	2,856	2,671
1898.....	2,567	2,641	2,964	2,782
1899.....	3,416	2,632	2,767	2,544
1900.....	2,879	3,057	2,909	2,536
1901.....	3,178	2,688	2,637	2,610
1902.....	2,787	2,503	2,585	2,774
1903.....	2,946	2,705	2,723	2,615
1904.....	3,100	2,961	2,603	2,670
1905.....	3,187	2,810	2,786	2,581
1906.....	2,735	2,794	3,135	2,747
1907.....	3,423	2,989	2,597	2,785
1908.....	3,114	2,817	2,932	2,799
1909.....	3,050	2,820	2,629	2,796
1910.....	3,286	2,962	3,117	3,074
1911.....	3,402	2,873	2,801	2,651
Average.....	3,069	2,774	2,804	2,653

The following table shows the number of deaths which have occurred in each of the twelve months in each of the years from 1892 to 1911:

## DEATHS IN EACH MONTH FOR THE YEARS—1892-1911.

YEARS.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892.....	1,577	1,292	1,095	1,048	1,045	833	866	938	976	844	790	793	50	12,147
1893.....	849	845	959	1,037	969	819	823	1,080	975	917	796	1,037	28	11,134
1894.....	1,266	980	920	993	851	816	865	953	956	821	761	820	10	11,012
1895.....	906	821	1,053	854	843	715	803	938	1,023	902	743	858	5	10,464
1896.....	863	921	944	942	961	814	845	1,079	912	833	667	839	6	10,626
1897.....	916	851	1,259	1,020	892	769	840	1,019	997	999	835	837	2	11,236
1898.....	887	817	863	915	935	791	814	1,003	1,147	1,034	837	911	2	10,956
1899.....	1,432	1,049	935	965	899	768	783	1,031	953	882	781	881	11	11,370
1900.....	903	881	1,095	1,196	1,068	793	839	1,033	1,037	911	769	856	8	11,389
1901.....	955	1,091	1,132	955	944	789	836	831	970	882	831	897	20	11,133
1902.....	876	900	929	939	919	805	837	861	911	854	820	998	24	10,673
1903.....	1,006	944	996	989	930	786	901	865	957	865	831	919	20	11,009
1904.....	985	1,035	1,080	1,116	1,038	807	800	896	907	909	817	944	12	11,346
1905.....	981	1,009	1,197	1,023	957	830	768	1,006	1,012	958	824	799	17	11,381
1906.....	822	853	1,060	985	961	848	885	1,133	1,117	920	885	942	16	11,427
1907.....	1,118	1,128	1,177	1,069	973	947	844	898	855	932	875	978	9	11,803
1908.....	1,128	985	1,001	1,045	954	818	820	1,033	1,079	990	890	919	2	11,664
1909.....	985	887	1,178	1,022	960	838	831	886	912	979	872	945	-	11,295
1910.....	1,101	1,036	1,149	1,103	1,015	844	913	1,120	1,084	1,034	1,013	1,027	-	12,439
1911.....	1,094	1,085	1,223	1,057	1,025	791	951	964	886	890	823	938	4	11,731
Total.....	20,650	19,410	21,245	20,273	19,139	16,221	16,864	19,567	19,666	18,356	16,460	18,138	246	226,235

NOTES ON DEATHS AND CAUSES OF DEATHS.

Table No. 27 exhibits the total number of deaths which occurred in each month of the years 1904-1911. The number of deaths for 1911 in each month by counties is shown in Table No. 34.

*Sex and Mortality.*—Of the 11,731 decedents, 6,119 were males and 5,612 were females.

Among children dying before they were 5 years old, 1,131 were males and 825 were females; there were 306 more deaths among boys under 5 years of age than among girls within the same age-period. At the age-periods from 5 to 80 years, there was also a preponderance of deaths among males, but from 80 to 100, more among females. At the age of 100 years and over, two men and seven women died. See table No. 34.

*Age and Mortality.*—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under 1 year of age	1,420	12.10 per cent.
From 1-5 years of age	536	4.58 per cent.
From 5-10 years of age	170	1.45 per cent.
From 10-20 years of age	395	3.47 per cent.
From 20-30 years of age	683	5.82 per cent.
From 30-40 years of age	727	6.20 per cent.
From 40-50 years of age	818	6.96 per cent.
From 50-60 years of age	1,191	10.15 per cent.
From 60-70 years of age	1,776	15.14 per cent.
From 70-80 years of age	2,260	19.26 per cent.
From 80-90 years of age	1,464	12.39 per cent.
From 90-100 years of age	253	2.15 per cent.
100 years of age and over	9	0.08 per cent.
Ages not stated	29	0.25 per cent.

*The Causes of Death.*—Compared with 1910, among the chief causes of death there were in 1911, 75 more from influenza, 52 more from nephritis and Bright's disease, 47 more from diabetes, and 2 more from rheumatism.

On the other hand there were 266 less from diarrheal diseases, 175 less from pneumonia, 131 less from diseases of nervous system, 66 less from measles, 63 less from tuberculosis

(all kinds), 32 less from diseases of heart, 27 less from whooping cough, 26 less from peritonitis, 25 less from bronchitis, 25 less from scarlet fever, 24 less from cancer, 22 less from diphtheria and croup, and 14 less from typhoid fever.

The next table gives a cursory view of the relative mortality in 1910 and 1911 from some of the leading causes of death.

### DEATHS FROM SOME OF THE LEADING CAUSES.

DISEASES.	1910.	1911.	More in 1910.	More in 1911.
Measles.....	95	29	66	-
Scarlet fever.....	40	15	25	-
Influenza.....	125	200	-	75
Whooping cough.....	104	77	27	-
Diphtheria and croup.....	99	77	22	-
Typhoid fever.....	149	135	14	-
Tuberculosis.....	1,117	1,054	63	-
Diarrheal diseases.....	851	585	266	-
Rheumatism.....	56	58	-	2
Cancer.....	762	738	24	-
Diabetes.....	127	174	-	47
Diseases of nervous system.....	1,662	1,531	131	-
Diseases of heart.....	1,380	1,348	32	-
Pneumonia.....	1,246	1,071	175	-
Bronchitis.....	229	204	25	-
Peritonitis.....	62	36	26	-
Nephritis and Bright's disease.....	778	830	-	52

The following table shows the mortality from ten prominent causes in the twenty years 1892-1911. The various diseases of the brain have occupied the first place among the causes of death, except in 1892, when pneumonia had the first place, and consumption was the next most prominent cause until 1898 when it was reduced to the third place in the list; and in 1899 and 1900 it occupied the fourth place; in 1901, the third place; in 1902, 1903, 1904, 1905, 1906, 1907, 1908, 1909, and 1910 it occupied the fourth place, which it still keeps this year. Diseases of the heart have the second place, and pneumonia has the third place.

## MORTALITY FROM TEN PROMINENT CAUSES, 1892-1911.

YEARS.	Brain disease.*	Heart disease.	Pneumonia.	Consumption.	Kidney disease.†	Cancer.	Old age.	Diarrhea and enteritis (under 2 years).	Bronchitis.	Diphtheria and croup.
1892.....	3d	4th	1st	2d	8th	7th	5th	6th	9th	10th
1893.....	1st	4th	3d	2d	8th	7th	5th	6th	9th	10th
1894.....	1st	4th	3d	2d	8th	6th	5th	7th	9th	10th
1895.....	1st	3d	4th	2d	8th	7th	5th	6th	9th	10th
1896.....	1st	3d	4th	2d	8th	7th	5th	6th	10th	9th
1897.....	1st	3d	4th	2d	8th	7th	5th	6th	10th	9th
1898.....	1st	2d	4th	3d	8th	7th	6th	5th	9th	10th
1899.....	1st	3d	2d	4th	8th	7th	5th	6th	9th	10th
1900.....	1st	3d	2d	4th	8th	7th	5th	6th	9th	10th
1901.....	1st	2d	4th	3d	8th	6th	5th	7th	9th	10th
1902.....	1st	2d	3d	4th	7th	6th	5th	8th	9th	10th
1903.....	1st	2d	3d	4th	6th	7th	5th	8th	9th	10th
1904.....	1st	2d	3d	4th	6th	7th	5th	8th	9th	10th
1905.....	1st	2d	3d	4th	7th	6th	5th	8th	9th	10th
1906.....	1st	2d	3d	4th	5th	7th	8th	6th	9th	10th
1907.....	1st	2d	3d	4th	5th	6th	7th	8th	9th	10th
1908.....	1st	2d	3d	4th	6th	5th	8th	7th	9th	10th
1909.....	1st	2d	3d	4th	6th	5th	7th	8th	9th	10th
1910.....	1st	2d	3d	4th	5th	6th	8th	7th	9th	10th
1911.....	1st	2d	3d	4th	5th	6th	7th	8th	9th	10th

\* Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain, and its membranes, and other brain diseases.

† Including deaths certified as from nephritis and Bright's disease.

By referring to Table No. 29 it will be noticed that the causes of death are arranged by counties under fourteen classes. The following notes on some of the classes and individual causes of death will be arranged in accordance with the classification shown in this Table No. 29.

*Infectious Diseases.*—The lists of the infectious diseases usually include smallpox, measles, scarlet fever, typhoid fever, whooping cough, diphtheria and croup. The following table shows the number of deaths which resulted from these diseases in the several counties of the State:

### SIX INFECTIOUS DISEASES BY COUNTIES—1911.

COUNTIES.	Estimated population in 1911.	Aggregate deaths from six infectious diseases—1911.	Infectious death-rate per 10,000—1911.
Androscoggin.....	60,350	24	3.98
Aroostook.....	76,166	51	6.69
Cumberland.....	113,015	57	5.04
Franklin.....	19,176	4	2.09
Hancock.....	35,360	9	2.55
Kennebec.....	63,251	18	2.85
Knox.....	29,442	12	4.08
Lincoln.....	18,114	5	2.76
Oxford.....	36,648	12	3.27
Penobscot.....	85,834	44	5.13
Piscataquis.....	20,323	17	8.36
Sagadahoc.....	19,664	7	3.56
Somerset.....	36,496	6	1.64
Waldo.....	23,300	3	1.29
Washington.....	42,238	18	4.26
York.....	68,955	46	6.67
State.....	748,332	333	4.45

In the foregoing table the second column shows for each county the whole number of deaths for 1911 from the infectious diseases; the third column shows the infectious death-rate for the same year. The following table makes a similar comparative exhibit for the cities:

## SIX INFECTIOUS DISEASES BY CITIES—1911.

CITIES.	Estimated population in 1911.	Aggregate deaths from six infectious diseases—1911.	Infectious death-rate per 10,000—1911.
Auburn.....	15,277	8	5.24
Augusta.....	13,364	5	3.74
Bangor.....	25,098	26	10.36
Bath.....	10,552	6	5.70
Belfast.....	4,618	1	2.17
Biddeford.....	17,172	17	9.90
Brewer.....	5,750	—	—
Calais.....	5,962	1	1.68
Eastport.....	4,926	4	8.12
Ellsworth.....	3,474	—	—
Gardiner.....	5,300	—	—
Hallowell.....	2,879	—	—
Lewiston.....	26,495	13	4.91
Old Town.....	6,372	4	6.28
Portland.....	59,414	42	7.07
Rockland.....	8,176	5	6.12
Saco.....	6,629	5	7.54
South Portland.....	7,471	3	4.01
Waterville.....	11,656	5	4.28
Westbrook.....	8,381	4	4.77
Collectively.....	248,966	149	5.98

By consulting the following table it will be seen that the number of deaths from influenza was larger than in 1910. There was a smaller number of deaths from the other diseases included in this table.



**INFECTIOUS DISEASES—1904-1911.**

DISEASES.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	Total.
Smallpox.....	3	—	—	—	—	—	—	—	3
Measles.....	22	32	105	33	21	36	95	29	373
Scarlet fever.....	10	7	5	14	17	32	40	15	140
Influenza.....	166	243	109	278	241	170	125	200	1,532
Whooping cough....	54	38	109	72	80	58	104	77	592
Diphtheria and croup	162	110	119	122	105	112	99	77	906
Tetanus.....	14	7	4	7	6	5	11	9	63
Typhoid fever.....	242	156	133	124	151	110	149	135	1,200

*Smallpox.*—In 1911, as in 1910, 1909, 1908, 1907, 1906, and 1905, there were no deaths from smallpox. In 1904, smallpox was the cause of 3 deaths; in 1903, 7; in 1902, 12; in 1901, 0; in 1900, 2; in 1899, 3. No deaths were due to this disease from 1892, when our system of registration went into effect, until 1899.

*Measles.*—This disease caused the death of 29 persons, of whom 12 were males and 17 were females. The deaths from measles were 29 in 1892, 55 in 1893, 21 in 1894, 8 in 1895, 32 in 1896, 22 in 1897, 41 in 1898, 39 in 1899, 84 in 1900, 26 in 1901, 28 in 1902, 36 in 1903, 22 in 1904, 32 in 1905, 105 in 1906, 33 in 1907, 21 in 1908, 36 in 1909, and 95 in 1910.

## MEASLES BY COUNTIES, MONTHS, AND AGE-PERIODS—1896-1911.

By Counties.	By Months.	By Age-periods.
Androscoggin..... 79	January..... 63	Under 1..... 189
Aroostook..... 104	February..... 72	1-5..... 261
Cumberland..... 86	March..... 65	5-10..... 49
Franklin..... 21	April..... 68	10-20..... 46
Hancock..... 23	May..... 83	20-30..... 32
Kennebec..... 55	June..... 58	30-40..... 33
Knox..... 23	July..... 59	40-50..... 22
Lincoln..... 6	August..... 42	50-60..... 14
Oxford..... 40	September..... 26	Over 60..... 32
Penobscot..... 69	October..... 47	Not stated..... 3
Piscataquis..... 12	November..... 54	Total..... 681
Sagadahoc..... 8	December..... 44	
Somerset..... 52	Total..... 681	
Waldo..... 13		
Washington..... 30		
York..... 60		
State..... 681		

*Scarlet Fever.*—The total mortality from this disease was 15 (36 in 1892, 80 in 1893, 29 in 1894, 25 in 1895, 33 in 1896, 38 in 1897, 43 in 1898, 48 in 1899, 35 in 1900, 18 in 1901, 13 in 1902, 18 in 1903, 10 in 1904, 7 in 1905, 5 in 1906, 14 in 1907, 17 in 1908, 32 in 1909, and 40 in 1910) 6 males and 9 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was 5 in the month of January. There were 11 deaths in the first quarter, 2 in the second, and 2 in the last quarter of the year.

York county had 5 deaths from scarlet fever; Hancock, 4; Aroostook, 2; Cumberland, 1; Knox, 1; Penobscot, 1; and Sagadahoc, 1. Of the 15 deaths from this cause 7 were in the cities.

The following is the exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the nineteen years 1893-1911.

## SCARLET FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1911.

By Counties.		By Months.		By Age-periods.	
Androscoggin.....	45	January.....	37	Under 1.....	42
Aroostook.....	78	February.....	42	1-5.....	244
Cumberland.....	57	March.....	70	5-10.....	150
Franklin.....	10	April.....	50	10-20.....	59
Hancock.....	21	May.....	44	20-30.....	14
Kennebec.....	46	June.....	42	30-40.....	7
Knox.....	29	July.....	25	40-50.....	1
Lincoln.....	5	August.....	23	50-60.....	2
Oxford.....	7	September.....	37	Not stated.....	1
Penobscot.....	47	October.....	43	Total.....	520
Piscataquis.....	11	November.....	62		
Sagadahoc.....	16	December.....	45		
Somerset.....	16	Total.....	520		
Waldo.....	14				
Washington.....	23				
York.....	95				
State.....	520				

The scarlatina death-rate per 10,000 for this State was 0.20; for the cities, 0.28.

*Influenza.*—During the year for which this report is made, 200 deaths were attributed to influenza. By months the percentage distribution of deaths from this cause was as follows: January, 9.50; February, 22.50; March, 33.50; April, 16.00; May, 7.50; June, 2.00; July, 1.00; October, 1.00; November, 2.00; December, 5.00. The following shows the age incidence of deaths reported as having occurred from influenza:

Under	1 year,	14	40-50 years,	8
	1-5 years,	5	50-60 years,	10
	5-10 years,	0	60-70 years,	21
	10-20 years,	1	70-80 years,	70
	20-30 years,	5	Over 80 years,	59
	30-40 years,	7		

200

The influenza death-rate for the whole State was 2.67 for each 10,000 living population (11.43 in 1892, 2.31 in 1893, 4.46

in 1894, 2.30 in 1895, 1.77 in 1896, 4.45 in 1897. 2.19 in 1898, 5.50 in 1899, 3.40 in 1900, 3.83 in 1901, 1.87 in 1902, 2.82 in 1903, 2.39 in 1904, 3.40 in 1905, 1.52 in 1906, 3.85 in 1907, 3.32 in 1908, 2.33 in 1909, and 1.68 in 1910).

### DEATHS FROM INFLUENZA BY COUNTIES AND MONTHS, 1911.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin.....	2	5	3	-	-	1	-	-	-	-	-	1	12
Aroostook.....	1	5	1	1	3	-	-	-	-	-	-	1	12
Cumberland.....	-	5	9	4	1	-	-	-	-	1	1	1	22
Franklin.....	-	-	2	-	-	-	-	-	-	-	-	-	2
Hancock.....	4	1	5	5	2	-	1	-	-	-	1	-	19
Kennebec.....	2	2	4	1	-	-	-	-	-	-	-	1	10
Knox.....	-	1	3	4	-	-	1	-	-	-	-	2	11
Lincoln.....	1	8	2	1	-	-	-	-	-	1	-	1	14
Oxford.....	2	3	5	4	-	1	-	-	-	-	1	-	16
Penobscot.....	2	1	4	5	3	-	-	-	-	-	1	-	16
Piscataquis.....	-	-	1	-	3	-	-	-	-	-	-	-	4
Sagadahoc.....	-	1	5	1	-	1	-	-	-	-	-	1	9
Somerset.....	3	2	5	2	1	-	-	-	-	-	-	-	13
Waldo.....	-	3	2	2	-	1	-	-	-	-	-	-	8
Washington.....	1	3	5	1	2	-	-	-	-	-	-	-	12
York.....	1	5	11	1	-	-	-	-	-	-	-	2	20
State.....	19	45	67	32	15	4	2	-	-	2	4	10	200

*Whooping Cough.*—The number of deaths from whooping cough was 77 (54 in 1892, 51 in 1893, 20 in 1894, 82 in 1895, 111 in 1896, 46 in 1897, 44 in 1898, 96 in 1899, 99 in 1900, 28 in 1901, 51 in 1902, 110 in 1903, 54 in 1904, 38 in 1905, 109 in 1906, 72 in 1907, 80 in 1908, 58 in 1909, and 104 in 1910), of which 40 were males and 37 females. The number of deaths in the cities was 31. Forty-seven of the 77 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping cough was 1.03 per 10,000; that of the cities, 1.25.

The following shows the deaths from whooping cough arranged by counties, months, and age-periods.

### WHOOPING COUGH BY COUNTIES, MONTHS, AND AGE-PERIODS, 1911.

By Counties.		By Months.		By Age-periods.	
Androscoggin.....	6	January.....	12	Under 1.....	47
Aroostook.....	20	February.....	5	1-5.....	29
Cumberland.....	10	March.....	7	5-10.....	1
Franklin.....	1	April.....	5	Total.....	77
Hancock.....	1	May.....	7		
Kennebec.....	2	June.....	5		
Knox.....	6	July.....	5		
Lincoln.....	-	August.....	7		
Oxford.....	1	September.....	13		
Penobscot.....	5	October.....	5		
Piscataquis.....	6	November.....	4		
Sagadahoc.....	3	December.....	2		
Somerset.....	-	Total.....	77		
Waldo.....	2				
Washington.....	3				
York.....	11				
State.....	77				

*Diphtheria.*—There were for the year 1911, 77 deaths from diphtheria. Of the decedents, 36 were males and 41 were females. Ages: Under 1, 7; 1-5, 35; 5-10, 20; 10-20, 11; 30-40, 2; 50-60, 1; over 70, 1.

Of the 77 deaths, 29 were in the cities, and 48 in other places. The diphtheria death-rate for the State was 1.03, and for the cities, 1.16. The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

### DIPHTHERIA BY COUNTIES AND MONTHS, 1911.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin..	-	1	1	-	-	1	-	-	1	2	2	2	10	1.66
Aroostook.....	4	1	1	-	1	1	-	-	2	3	-	3	16	2.10
Cumberland...	4	1	1	-	-	-	1	2	1	-	2	-	12	1.07
Franklin.....	-	-	-	-	-	-	-	1	-	-	-	-	1	0.52
Hancock.....	2	-	-	-	-	-	-	-	-	-	-	-	2	0.57
Kennebec.....	1	-	-	-	-	-	-	-	-	1	-	-	2	0.32
Knox.....	-	-	-	-	-	-	-	1	-	-	-	-	1	0.34
Lincoln.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford.....	-	-	-	-	-	1	-	-	1	-	-	1	3	1.66
Penobscot.....	1	1	-	-	1	1	-	1	3	1	-	1	10	1.17
Piscataquis....	-	-	1	1	-	-	-	-	-	1	1	-	4	1.97
Sagadahoc.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset.....	-	-	-	1	-	-	-	-	-	-	-	-	1	0.27
Waldo.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington...	-	2	-	-	2	-	-	2	-	-	1	1	8	1.89
York.....	-	-	1	1	-	-	1	1	-	1	-	2	7	1.02
State.....	12	6	5	3	4	4	2	8	8	9	6	10	77	1.03

The following tabulation shows the number of deaths from diphtheria for the nineteen years 1893-1911 arranged by counties, months, and age-periods.

## DIPHTHERIA BY COUNTIES, MONTHS, AND AGE PERIODS, 1893-1911.

By Counties.	By Months.	By Age-periods.
Androscoggin..... 338	January..... 299	Under 1..... 351
Aroostook..... 466	February..... 242	1-5..... 1,244
Cumberland..... 531	March..... 177	5-10..... 698
Franklin..... 45	April..... 178	10-20..... 315
Hancock..... 62	May..... 185	20-30..... 62
Kennebec..... 238	June..... 161	30-40..... 29
Knox..... 109	July..... 148	40-50..... 18
Lincoln..... 33	August..... 157	50-60..... 12
Oxford..... 81	September..... 193	60-70..... 6
Penobscot..... 220	October..... 297	Over 70..... 7
Piscataquis..... 30	November..... 360	Not stated..... 6
Sagadahoc..... 77	December..... 348	Total..... 2,748
Somerset..... 102	Not stated..... 3	
Waldo..... 33	Total..... 2,748	
Washington..... 121		
York..... 262		
State..... 2,748		

The following table shows the number of deaths from diphtheria in each of the cities in each year from 1897 to 1911; the diphtheria death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

## Deaths and Death-Rates from Diphtheria

CITIES.	1897.		1898.		1899.		1900.		1901.		1902.		1903.	
	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.
Auburn.....	6	4.82	14	11.10	3	2.35	2	1.54	2	1.52	-	-	2	1.49
Augusta.....	2	1.76	1	0.87	1	0.86	-	-	2	1.70	1	0.84	-	-
Bangor.....	4	1.90	7	3.29	-	-	2	0.92	2	0.90	4	1.79	-	-
Bath.....	4	4.02	2	1.98	2	1.94	2	1.91	5	4.69	3	2.77	7	6.36
Belfast.....	2	4.15	1	2.10	-	-	-	-	2	4.22	-	-	-	-
Biddeford.....	2	1.28	13	8.23	11	6.89	8	4.96	3	1.84	5	3.03	7	4.20
Brewer.....	4	8.62	-	-	-	-	1	2.07	-	-	-	-	-	-
Calais.....	-	-	-	-	1	1.31	1	1.31	-	-	1	1.29	1	1.29
Eastport.....	1	1.93	3	5.74	-	-	2	3.77	1	1.87	1	1.85	-	-
Ellsworth.....	-	-	-	-	-	-	-	-	1	2.33	-	-	-	-
Gardiner.....	1	1.82	1	1.82	1	1.82	-	-	4	7.27	-	-	2	3.63
Hallowell.....	1	3.50	1	3.56	1	3.62	-	-	-	-	-	-	-	-
Lewiston.....	32	13.83	38	16.27	47	19.95	17	7.15	7	2.92	1	0.41	5	2.05
Old Town.....	3	5.33	1	1.76	-	-	-	-	-	-	3	5.13	1	1.70
Portland.....	54	11.34	31	6.40	22	4.46	18	3.59	24	4.71	15	2.89	9	1.71
Rockland.....	4	4.90	-	-	1	1.23	-	-	1	1.23	1	1.23	-	-
Saco.....	-	-	1	1.64	3	4.90	2	3.27	2	3.26	1	1.63	1	1.63
South Portland....	3	4.51	1	1.46	-	-	-	-	-	-	3	3.99	3	3.90
Waterville.....	5	5.70	-	-	-	-	1	1.06	1	1.03	3	3.01	5	4.91
Westbrook.....	-	-	2	2.80	1	1.39	10	13.73	2	2.72	-	-	1	1.34
Total.....	128	5.86	117	5.29	94	4.21	66	2.92	59	2.58	42	1.82	44	1.88
State.....	276	4.03	240	3.49	152	2.20	155	2.23	127	1.82	115	1.64	115	1.63
State exclusive of cities.....	148	3.18	123	2.64	58	1.24	89	1.90	68	1.45	73	1.55	71	1.51



**in the Cities and the State, 1897-1911.**

1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
3	2.30	1	0.72	4	2.86	6	4.24	6	4.19	2	1.38	2	1.33	4	2.62	57	2.49
-	-	3	2.45	1	0.81	4	3.20	2	3.17	2	1.57	-	-	-	-	19	0.95
3	1.31	-	-	5	2.13	5	2.10	1	0.42	1	0.41	1	0.40	2	0.80	37	0.98
14	12.52	4	3.52	-	-	2	1.71	-	-	-	-	5	5.32	-	-	50	3.16
1	1.95	-	-	1	1.86	-	-	-	-	1	1.90	1	2.16	-	-	9	1.30
6	3.57	9	5.29	1	0.58	2	1.15	3	1.71	15	8.35	8	4.68	4	2.33	97	3.77
3	5.89	-	-	2	3.83	-	-	2	3.74	-	-	-	-	-	-	12	1.39
-	-	-	-	1	1.27	-	-	-	-	1	1.25	2	3.27	1	1.64	9	1.01
-	-	-	-	-	-	-	-	4	7.10	4	7.05	4	8.06	1	2.02	21	2.84
1	2.33	-	-	-	-	-	-	2	4.65	-	-	-	-	-	-	4	0.77
-	-	-	-	1	1.82	1	1.82	-	-	2	3.63	-	-	-	-	13	1.63
-	-	-	-	-	-	-	-	-	-	3	1.11	1	3.49	-	-	7	1.62
7	2.85	2	0.81	2	0.80	6	2.38	10	3.94	6	2.34	10	3.81	5	1.89	195	4.91
3	5.05	4	6.68	11	18.23	4	6.58	1	1.63	-	-	1	1.58	1	1.57	33	3.52
18	3.36	10	1.85	13	2.36	7	1.24	11	1.92	13	2.23	9	1.54	7	1.18	261	2.93
-	-	-	-	6	7.36	6	7.36	1	1.23	3	3.68	-	-	-	-	23	1.88
1	1.63	1	1.63	-	-	1	1.62	1	1.62	1	1.62	1	1.52	1	1.51	17	1.71
1	1.27	1	1.25	1	1.22	3	3.58	-	-	-	-	-	-	-	-	16	1.43
5	4.80	5	4.69	3	2.75	7	6.29	4	3.52	2	1.74	3	2.62	-	-	44	2.52
4	5.30	2	2.63	3	3.91	6	7.75	3	3.84	2	2.54	1	1.21	3	3.57	40	3.18
70	2.96	42	1.75	55	2.27	60	2.46	51	2.08	58	2.34	49	1.99	29	1.16	964	2.58
162	2.28	110	1.54	119	1.66	122	1.70	105	1.44	112	1.53	99	1.33	77	1.03	2086	1.86
92	1.95	68	1.44	64	1.36	62	1.31	54	1.12	54	1.12	50	1.01	48	0.96	1122	1.50

*Typhoid Fever.*—There were 135 deaths from typhoid fever. Of these, 86 were males and 49 were females. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value; 72 per cent. died between 10 and 50 years of age.

Ages: 1-5, 5; 5-10, 7; 10-20, 19; 20-30, 42; 30-40, 29; 40-50, 7; 50-60, 13; 60-70, 9; 70-80, 3; unknown, 1.

The largest number of deaths, 14, occurred in September and December respectively, and the smallest number, 8, in June. By quarters, 34 were in the first quarter, 29 in the second, 34 in the third, and 38 in the last quarter of the year.

The typhoid death-rate of 2.57 in the cities is much greater than that in the villages and rural towns, which is 1.80. The rate for the State is 1.42.

The following exhibits the number of deaths from typhoid fever in each county, by months, with death-rate in each county:

### TYPHOID FEVER, 1911.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin..	1	-	-	1	-	-	2	1	-	-	-	-	50.83	
Aroostook.....	-	-	2	1	-	-	1	2	4	1	1	1	131.71	
Cumberland...	3	2	3	2	1	-	2	3	3	1	2	4	262.31	
Franklin.....	-	-	-	-	-	-	-	1	-	-	1	-	21.04	
Hancock.....	-	-	-	-	-	-	-	-	-	1	1	-	20.57	
Kennebec.....	2	-	-	1	-	-	1	1	1	-	-	1	71.11	
Knox.....	-	-	-	-	-	1	-	-	-	1	2	-	41.36	
Lincoln.....	-	2	1	1	-	1	-	-	-	-	-	-	52.76	
Oxford.....	2	-	-	-	1	1	-	1	-	1	-	-	61.64	
Penobscot.....	1	2	4	-	6	3	1	-	2	3	3	1	263.03	
Piscataquis...	-	4	-	-	-	-	-	-	1	-	-	2	73.44	
Sagadahoc.....	1	-	-	-	-	-	-	1	-	-	-	1	31.53	
Somerset.....	-	-	1	1	1	1	-	-	-	-	-	1	51.37	
Waldo.....	-	-	-	-	-	-	-	-	-	-	-	1	10.43	
Washington...	-	-	-	1	-	-	1	-	2	2	1	-	71.66	
York.....	-	1	2	4	-	1	1	1	1	2	1	2	162.32	
State.....	10	11	13	12	9	8	9	11	14	12	12	14	1351.80	

The following exhibits for the nineteen years 1893-1911 the distribution of deaths from typhoid fever by counties, months, and age-periods:

### TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1911.

By Counties.		By Months.		By Age-periods.	
Androscoggin.....	307	January.....	273	Under 1.....	21
Aroostook.....	319	February.....	239	1-5.....	135
Cumberland.....	520	March.....	305	5-10.....	202
Franklin.....	77	April.....	274	10-20.....	807
Hancock.....	136	May.....	239	20-30.....	1,079
Kennebec.....	353	June.....	192	30-40.....	541
Knox.....	89	July.....	181	40-50.....	335
Lincoln.....	63	August.....	290	50-60.....	202
Oxford.....	149	September.....	431	60-70.....	132
Penobscot.....	612	October.....	481	70-80.....	82
Piscataquis.....	73	November.....	345	Over 80.....	18
Sagadahoc.....	63	December.....	322	Not stated.....	25
Somerset.....	119	Not stated.....	7	Total.....	3,579
Waldo.....	74	Total.....	3,579		
Washington.....	192				
York.....	433				
State.....	3,579				

The following table shows the number of deaths from typhoid fever in each of the cities in each year from 1897 to 1911, the typhoid death-rate of each city based upon the estimated population of each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

## Deaths and Death-Rates From Typhoid

CITIES.	1897.		Death-rate per 10,000.		1898.		Death-rate per 10,000.		1899.		Death-rate per 10,000.		1900.		Death-rate per 10,000.		1901.		Death-rate per 10,000.		1902.		Death-rate per 10,000.		1903.		Death-rate per 10,000.		
Auburn.....	1	0.80	3	2.38	5	3.91	4	3.09	-	-	1	0.75	1	0.74															
Augusta.....	5	4.41	19	16.59	8	6.92	4	3.42	9	7.63	4	3.36	29	24.11															
Bangor.....	8	3.80	7	3.29	15	6.95	4	1.83	24	10.85	7	3.12	10	4.41															
Bath.....	-	-	1	0.99	-	-	1	0.95	1	0.94	2	1.85	1	0.91															
Belfast.....	-	-	1	2.10	1	2.14	-	-	-	-	-	-	1	2.00															
Biddeford.....	8	5.12	6	3.80	5	3.13	16	9.91	19	11.65	10	6.07	8	4.80															
Brewer.....	1	2.15	-	-	4	8.38	1	2.07	7	14.29	1	2.01	-	-															
Calais.....	-	-	-	-	4	5.25	2	2.61	3	3.90	3	3.88	2	2.58															
Eastport.....	1	1.92	3	5.74	1	1.90	-	-	2	3.74	1	1.85	1	1.84															
Ellsworth.....	5	11.24	3	6.82	-	-	2	4.65	-	-	2	4.65	2	4.65															
Gardiner.....	2	3.63	2	3.64	2	3.64	1	1.82	2	3.64	1	1.82	1	1.82															
Hallowell.....	1	3.50	1	3.56	-	-	-	-	4	14.73	2	7.37	1	3.68															
Lewiston.....	14	6.05	17	7.28	24	10.19	15	6.31	13	5.42	2	0.83	3	1.23															
Old Town.....	1	1.78	3	5.29	2	3.50	3	5.21	7	12.05	5	8.54	9	15.26															
Portland.....	12	2.52	37	7.63	13	2.64	19	3.79	15	2.94	15	2.89	17	3.23															
Rockland.....	1	1.23	5	6.13	1	1.23	1	1.23	1	1.23	1	1.23	1	1.23															
Saco.....	3	4.91	3	4.91	4	6.54	6	9.80	5	8.16	4	6.52	5	8.15															
South Portland...	6	9.01	2	2.93	2	2.86	-	-	-	-	1	1.33	3	3.90															
Waterville.....	3	3.96	2	2.22	3	3.25	2	2.11	7	7.20	7	7.03	17	16.69															
Westbrook.....	-	-	4	5.59	2	2.77	1	1.37	1	1.36	2	2.70	3	4.01															
Total.....	72	3.29	119	5.38	96	4.16	82	3.68	120	5.25	71	3.07	115	4.91															
State.....	167	2.44	226	3.29	206	2.98	96	2.82	224	3.21	162	2.31	225	3.18															
State exclusive of cities.....	95	2.04	107	2.29	110	2.42	114	2.43	104	2.22	91	1.94	110	2.34															

*Malarial Diseases.*—About every year a few deaths have been reported to the department as having been caused by malaria, or malarial disease. Almost without exception when there was good reason to believe that the deaths had malarial cause, the infection was contracted outside the State. For the year 1910, no deaths were reported as having been caused by malaria, and for this year there were only 2 reported.

**Fever in the Cities and the State, 1897-1911.**

1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
1	0.73	2	1.45	-	-	-	-	2	1.40	-	-	3	1.99	1	0.65	24	1.05
5	4.12	6	4.89	7	5.66	3	2.40	5	3.96	3	2.35	4	3.03	3	2.24	114	5.36
39	16.99	17	7.32	10	4.26	7	2.94	7	2.90	9	2.70	8	3.23	21	8.37	193	5.13
2	1.79	1	0.88	-	-	2	1.71	-	-	-	-	1	1.06	3	2.84	15	1.42
2	3.91	1	1.91	-	-	-	-	-	-	1	1.90	2	4.33	-	-	9	1.30
10	5.94	13	7.65	3	1.75	3	1.73	-	-	4	2.26	3	1.86	2	1.16	110	4.27
3	5.89	1	1.94	1	1.92	2	3.78	2	3.74	1	1.85	2	4.14	-	-	26	3.01
-	-	3	3.83	4	5.08	6	7.59	2	2.52	3	3.76	-	-	-	-	32	3.58
-	-	-	-	1	1.80	-	-	-	-	-	-	-	-	1	2.03	11	1.49
1	2.33	-	-	-	-	-	-	1	2.33	2	4.65	1	2.82	-	-	19	3.65
-	-	-	-	-	-	-	-	-	-	1	1.82	-	-	-	-	12	1.51
1	3.68	-	-	-	-	2	7.36	-	-	1	3.68	-	-	-	-	13	3.01
9	3.66	8	3.23	8	3.20	5	1.91	8	3.15	1	0.39	2	0.76	3	1.13	132	3.32
19	31.97	5	8.35	6	9.94	8	13.16	6	9.80	3	4.86	3	4.75	2	3.77	82	8.58
16	2.99	14	2.58	9	1.63	11	1.96	22	4.01	15	2.58	31	5.29	21	3.53	267	3.00
2	2.45	1	1.23	3	3.68	1	1.23	-	-	3	3.67	-	-	2	2.45	23	1.88
5	8.14	2	3.25	-	-	-	-	-	-	-	-	-	-	2	3.02	39	3.92
1	1.27	1	1.25	-	-	-	-	2	2.79	-	-	2	2.68	1	1.34	21	1.87
2	1.92	2	1.87	-	-	1	0.90	3	2.64	1	0.87	6	5.24	1	0.86	57	3.26
3	3.98	2	2.63	-	-	-	-	1	1.28	-	-	2	2.42	1	1.19	22	1.75
121	5.11	79	3.30	52	2.15	51	2.08	61	2.48	48	1.93	70	2.85	64	2.57	1221	3.27
242	3.41	156	2.18	133	1.85	124	1.73	151	2.08	110	1.51	149	2.01	135	1.80	2606	2.32
121	2.57	77	1.63	81	1.72	73	1.54	90	1.88	62	1.28	79	1.60	71	1.42	1385	1.85

*Tuberculosis.*—In 1911, tuberculosis in its various forms was the cause of 1,054 deaths (1,513 in 1892, 1,446 in 1893, 1,443 in 1894, 1,397 in 1895, 1,359 in 1896, 1,338 in 1897, 1,239 in 1898, 1,241 in 1899, 1,223 in 1900, 1,250 in 1901, 1,165, in 1902, 1,076 in 1903, 1,217 in 1904, 1,109 in 1905, 1,176 in 1906, 1,214 in 1907, 1,145 in 1908, 1,059 in 1909, and 1,117 in 1910). The death-rate per 10,000 from this cause was 14.09.

The following table shows the number of deaths from tuberculosis in each of the cities in each year from 1897 to 1911, the tuberculosis death-rate of each city based upon the estimated

### Deaths and Death-Rates from Tuberculosis

CITIES.	1897.	Death-rate per 10,000.	1898.	Death-rate per 10,000.	1899.	Death-rate per 10,000.	1900.	Death-rate per 10,000.	1901.	Death-rate per 10,000.	1902.	Death-rate per 10,000.	1903.	Death-rate per 10,000.
	Auburn . . . . .	22	17.68	24	19.03	15	11.74	20	15.44	21	16.00	8	6.02	18
Augusta . . . . .	19	16.76	22	19.21	20	17.29	21	17.97	22	18.65	18	15.11	20	16.63
Bangor . . . . .	49	23.30	43	20.19	50	23.17	34	15.56	51	23.05	48	21.43	37	16.31
Bath . . . . .	22	22.12	20	19.75	11	10.68	22	21.00	31	29.10	19	17.55	13	11.80
Belfast . . . . .	9	18.68	5	10.52	5	10.68	12	26.00	9	18.98	11	22.60	12	24.03
Biddeford . . . . .	33	21.11	27	17.08	34	21.28	28	17.34	38	23.29	37	22.44	37	22.21
Brewer . . . . .	19	40.94	10	21.24	15	31.44	18	37.23	15	30.62	7	14.10	11	21.88
Calais . . . . .	14	18.55	11	14.51	16	21.00	19	24.82	24	31.20	12	15.52	13	16.74
Eastport . . . . .	10	19.27	8	15.30	19	36.05	13	24.48	17	31.77	9	16.69	10	18.41
Ellsworth . . . . .	12	26.97	7	15.92	9	20.70	5	11.64	8	18.62	5	11.64	7	16.29
Gardiner . . . . .	15	27.28	5	9.09	11	20.00	9	16.36	8	14.54	11	19.99	8	14.53
Hallowell . . . . .	13	45.55	4	14.25	7	25.35	11	40.53	7	25.79	6	22.11	8	29.48
Lewiston . . . . .	75	32.41	60	25.70	50	21.23	45	18.94	33	13.77	51	21.10	28	11.49
Old Town . . . . .	17	30.21	9	15.86	9	15.74	11	19.09	10	17.22	14	23.92	14	23.74
Portland . . . . .	109	22.88	113	23.31	107	21.70	109	21.74	124	24.32	120	23.16	98	18.61
Rockland . . . . .	18	22.07	19	23.30	11	13.49	18	22.09	18	22.09	15	18.40	23	28.22
Saco . . . . .	13	21.28	9	14.72	13	21.25	9	14.70	10	16.32	7	11.42	8	13.04
South Portland . . . . .	13	19.52	9	13.18	9	12.85	13	18.12	11	14.97	9	11.97	12	15.61
Waterville . . . . .	28	31.94	20	22.21	21	22.73	15	15.83	13	13.38	9	9.04	18	17.67
Westbrook . . . . .	10	14.11	19	26.56	18	24.94	16	21.97	22	29.94	11	14.84	10	13.37
Total . . . . .	520	23.79	444	20.09	450	20.14	448	19.83	492	21.52	427	18.45	405	17.30
State . . . . .	1338	19.55	1239	18.01	1241	17.96	1223	17.61	1250	17.90	1165	16.58	1076	15.23
State exclusive of cities . . . . .	818	17.56	795	17.03	791	16.91	775	16.54	758	16.16	738	15.71	671	14.27

population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

**(all kinds) in the Cities and the State, 1897-1911.**

1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	Total.	Death-rate per 10,000
20	14.67	17	12.32	18	12.88	28	19.80	17	11.88	21	14.51	19	12.61	13	8.51	281	12.26
22	18.11	22	17.94	18	14.54	20	16.01	24	19.03	33	25.83	32	24.22	25	18.71	338	16.86
58	25.27	51	21.96	48	20.43	54	22.71	47	19.54	60	24.67	55	22.17	45	17.93	730	19.39
15	13.42	20	17.61	11	9.54	9	7.69	14	11.79	10	8.29	14	14.90	5	4.74	236	14.91
10	19.53	8	15.25	6	11.17	7	12.73	9	17.14	5	9.52	10	21.65	15	32.48	133	19.20
39	23.18	29	17.06	45	26.21	38	21.92	49	27.96	34	19.19	42	24.59	38	22.13	548	21.27
16	31.42	21	40.73	18	34.48	14	26.50	4	7.48	10	18.48	12	21.18	7	11.74	197	22.84
14	17.95	17	21.69	12	15.24	14	17.70	13	16.36	10	12.53	15	24.53	18	30.19	222	24.82
10	18.27	13	23.58	13	23.41	10	17.88	8	14.20	17	29.97	17	34.27	9	18.27	183	24.77
3	6.98	5	11.64	8	18.62	3	6.98	6	13.97	7	12.34	5	14.09	3	8.63	93	17.89
8	14.53	7	12.71	5	9.08	14	25.42	12	21.78	11	19.96	7	13.18	15	28.30	146	18.36
3	11.05	8	29.48	9	33.16	8	29.48	8	29.48	6	22.11	4	13.97	5	17.37	107	24.78
41	16.68	42	16.94	58	23.20	57	22.62	52	20.47	36	14.05	52	19.81	45	16.99	725	18.24
16	26.92	19	31.72	17	28.17	14	23.03	18	29.40	11	17.83	12	19.00	8	12.55	199	20.82
102	19.07	100	18.41	101	18.31	104	18.57	104	18.13	105	18.04	76	12.98	100	16.83	1572	17.64
20	24.54	18	22.09	12	14.72	16	19.63	13	15.95	7	8.59	8	9.79	15	18.35	231	18.84
12	19.54	13	21.15	8	13.01	12	19.49	7	11.36	6	9.73	7	10.63	6	9.05	140	14.13
15	19.08	9	11.21	13	15.85	11	13.14	7	9.76	7	11.13	19	25.43	10	13.39	167	14.90
19	18.23	16	15.01	17	15.60	23	20.65	16	14.07	15	13.03	27	23.56	20	17.16	277	15.84
11	14.58	10	13.14	12	15.64	10	12.92	12	15.38	10	12.71	15	18.11	11	13.11	197	15.67
454	19.17	445	18.57	449	18.53	466	19.01	440	17.91	421	16.96	448	18.24	413	16.58	6722	18.00
1217	17.13	1109	15.52	1176	16.36	1214	16.91	1145	15.75	1059	14.49	1117	15.05	1054	14.09	17623	15.70
763	16.20	664	14.08	727	15.40	748	15.82	705	14.65	638	13.22	669	13.47	641	12.84	10901	14.55

*Cerebral Tuberculosis.*—(Tubercular Meningitis.)—The number of deaths was 80; 48 were of males and 32 of females.

The number for the cities was 27. The death-rate for the State was 1.07; for the cities, 1.08.

Ages: Under 1, 16; 1-5, 29; 5-10, 7; 10-20, 10; 20-30, 8; 30-40, 2; 40-50, 5; 50-60, 2; over 60, 1.

*Pulmonary Tuberculosis.*—(Consumption.)—from this cause 842 deaths were registered in 1911, which is equivalent to a death-rate of 11.25 per 10,000 of population. The death-rate for the cities was 13.21. The following is a tabular arrangement of the number of deaths in the State from pulmonary tuberculosis in each of the twenty registration years, together with the death-rate from consumption for each year:

	Number of Deaths.	Death-rate per 10,000.
1892 .....	1,352 .....	20.24
1893 .....	1,299 .....	19.35
1894 .....	1,262 .....	18.80
1895 .....	1,195 .....	17.71
1896 .....	1,172 .....	17.21
1897 .....	1,128 .....	16.47
1898 .....	1,021 .....	14.85
1899 .....	1,015 .....	14.69
1900 .....	1,027 .....	14.79
1901 .....	1,033 .....	14.87
1902 .....	970 .....	13.97
1903 .....	901 .....	12.97
1904 .....	1,016 .....	14.63
1905 .....	894 .....	12.50
1906 .....	915 .....	12.73
1907 .....	950 .....	13.14
1908 .....	893 .....	12.29
1909 .....	830 .....	11.36
1910 .....	889 .....	11.98
1911 .....	842 .....	11.25



There were in 1911, 510 fewer deaths than in 1892, 457 fewer than in 1893, 420 fewer than in 1894, 353 fewer than in 1895, 330 fewer than in 1896, 286 fewer than in 1897, 179 fewer than in 1898, 173 fewer than in 1899, 185 fewer than in 1900, 191 fewer than in 1901, 128 fewer than in 1902, 59 fewer than in 1903, 174 fewer than in 1904, 52 fewer than in 1905, 73 fewer than in 1906, 108 fewer than in 1907, 51 fewer than in 1908, 12 more than in 1909, and 47 fewer than in 1910.

Ages: Under 1, 9; 1-5, 14; 5-10, 2; 10-20, 79; 20-30, 213; 30-40, 191; 40-50, 119; 50-60, 89; 60-70, 71; 70-80, 41; 80 and over, 12; unknown, 2.

It is thus shown in this report, as it was in the majority of the preceding reports, that the smallest number of deaths occurred at the age-period 5-10 years, and that, of the decedents whose ages were given, 71 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 436 of the decedents, or 51.8 per cent., were males; and 406, or 48.2 per cent., were females.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

**CONSUMPTION BY COUNTIES AND MONTHS, 1911.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	9	7	8	7	5	5	4	4	6	4	3	4	66	10.93
Aroostook....	8	5	5	7	6	5	7	4	3	4	5	4	63	8.27
Cumberland..	11	10	11	13	14	17	3	13	12	8	10	13	135	11.94
Franklin.....	-	3	-	2	1	1	3	-	1	1	-	3	15	7.82
Hancock.....	4	5	8	4	2	6	3	2	-	1	2	4	41	11.60
Kennebec....	4	12	11	7	9	9	4	5	6	9	3	3	82	12.96
Knox.....	8	6	9	5	5	2	4	3	4	4	5	3	58	19.70
Lincoln.....	4	1	-	4	3	5	1	2	1	-	-	2	23	12.70
Oxford.....	2	2	-	-	2	2	3	3	3	3	3	5	28	7.64
Penobscot....	7	8	8	7	9	7	10	8	6	9	7	9	95	11.07
Piscataquis..	-	-	-	2	1	-	3	2	2	2	2	2	16	7.87
Sagadahoc....	2	1	-	2	2	1	-	3	4	-	-	1	16	8.14
Somerset.....	1	2	4	4	3	2	2	3	2	3	2	1	29	7.95
Waldo.....	2	3	6	1	6	2	1	4	2	-	-	3	30	12.88
Washington...	8	6	5	3	9	1	3	2	6	1	11	7	62	14.68
York.....	9	4	9	5	9	8	7	2	6	7	9	8	83	12.04
State....	79	75	84	73	86	73	58	60	64	56	62	72	842	11.25

The following table shows the deaths from pulmonary tuberculosis arranged according to sex and age-periods:

**CONSUMPTION BY SEX AND AGE-PERIODS, 1911.**

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	7	9	-	29	112	94	59	60	41	17	6	2	436
Females.....	2	5	2	50	101	97	60	29	30	24	6	-	406
Total.....	9	14	2	79	213	191	119	89	71	41	12	2	842

For the nineteen years 1893-1911, the distribution of deaths from pulmonary tuberculosis is shown by counties, months, and age-periods in the following table:

### CONSUMPTION BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1911.

By Counties.	By Months.	By Age-periods.
Androscoggin..... 1,496	January..... 1,632	Under 1..... 278
Aroostook..... 1,323	February..... 1,622	1-5..... 279
Cumberland..... 2,822	March..... 1,942	5-10..... 167
Franklin..... 435	April..... 1,875	10-20..... 2,247
Hancock..... 1,007	May..... 1,856	20-30..... 5,516
Kennebec..... 1,753	June..... 1,622	30-40..... 3,690
Knox..... 965	July..... 1,546	40-50..... 2,352
Lincoln..... 512	August..... 1,439	50-60..... 1,800
Oxford..... 722	September..... 1,333	60-70..... 1,520
Penobscot..... 2,293	October..... 1,436	70-80..... 1,042
Piscataquis..... 433	November..... 1,377	Over 80..... 286
Sagadahoc..... 512	December..... 1,555	Not stated..... 75
Somerset..... 949	Not stated..... 17	Total..... 19,252
Waldo..... 759	Total..... 19,252	
Washington..... 1,430		
York..... 1,841		
State..... 19,252		

The following table shows the number of deaths from pulmonary tuberculosis in each of the cities in each year from 1897 to 1911, the death-rate from this disease for each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

## Deaths, and Death-Rates from Pulmonary Tuberculosis

CITIES.	1897.		1898.		1899.		1900.		1901.		1902.		1903.	
	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.
Auburn.....	21	16.88	21	16.65	12	9.39	17	13.13	14	10.67	7	5.27	14	10.40
Augusta.....	14	12.35	19	16.59	16	13.83	18	15.41	20	16.95	14	11.75	16	13.30
Bangor.....	38	18.07	32	15.02	40	18.54	28	12.81	36	16.27	40	17.86	31	13.67
Bath.....	17	17.09	18	17.78	6	5.82	19	18.13	29	27.22	13	12.01	13	11.80
Belfast.....	8	16.60	5	10.52	5	10.68	11	23.84	8	16.87	7	14.38	10	20.02
Biddeford.....	32	20.47	24	15.19	30	18.78	26	16.10	34	20.84	35	21.23	31	18.61
Brewer.....	16	34.47	7	14.87	14	29.34	12	24.82	12	29.49	5	10.07	8	15.91
Calais.....	10	13.25	9	11.87	15	19.69	14	18.29	20	26.00	10	12.93	9	11.59
Eastport.....	9	17.34	7	13.38	17	32.25	12	22.59	15	28.03	9	16.69	7	12.89
Ellsworth.....	12	26.97	7	15.92	8	18.40	5	11.64	8	18.62	5	11.64	7	16.29
Gardiner.....	12	21.83	5	9.09	7	12.73	8	14.54	5	9.09	9	16.35	7	12.72
Hallowell.....	11	38.54	3	10.69	5	18.11	10	36.85	7	25.79	5	18.42	7	25.79
Lewiston.....	56	24.20	46	19.70	34	14.43	40	16.83	25	10.43	46	19.03	21	8.61
Old Town.....	17	30.21	7	12.34	9	15.74	10	17.35	9	15.50	10	17.09	10	16.95
Portland.....	82	17.21	90	18.57	87	17.64	82	16.35	101	19.81	88	16.98	80	15.19
Rockland.....	14	17.16	13	15.94	6	7.36	17	20.86	17	20.85	15	18.40	20	24.54
Saco.....	11	18.01	7	11.45	10	16.35	9	14.70	7	11.42	3	4.89	8	13.04
South Portland....	10	15.02	5	7.32	8	11.42	9	12.55	11	14.97	8	10.64	9	11.71
Waterville.....	24	27.38	14	15.55	19	20.56	14	14.77	10	10.30	7	7.03	16	15.70
Westbrook.....	10	14.11	13	18.17	15	20.78	14	19.22	17	23.14	8	10.79	9	12.04
Total.....	424	19.40	352	15.93	363	16.24	375	16.60	405	17.71	344	14.87	333	14.22
State.....	1128	16.48	1021	14.84	1015	14.69	1027	14.79	1033	14.71	970	13.81	901	12.75
State exclusive of cities.....	704	15.11	669	14.33	652	13.94	652	13.92	628	13.39	626	13.33	568	12.08

## in the Cities and in the State, 1897-1911.

1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
13	9.53	12	8.69	14	10.02	20	14.14	15	10.48	17	11.74	15	9.96	12	7.85	224	9.78
21	17.29	21	17.13	15	12.12	18	14.41	19	15.07	30	23.48	28	21.19	20	14.97	289	14.40
47	20.48	39	16.79	35	14.89	40	16.82	36	14.97	45	18.50	41	16.53	37	14.74	565	15.01
11	9.84	19	16.73	8	6.94	6	5.13	12	10.10	9	7.47	12	12.77	5	4.74	197	12.46
7	13.67	8	15.25	4	7.44	6	10.91	9	17.14	4	7.62	8	17.32	11	23.82	111	16.02
36	21.40	20	11.77	31	18.06	31	17.88	37	21.11	26	14.68	34	19.91	30	17.47	457	17.76
14	27.49	16	31.03	11	21.07	10	18.93	3	5.61	8	14.78	11	19.41	5	8.70	152	17.62
10	12.82	16	20.41	12	15.24	10	12.64	12	15.10	9	11.28	12	19.62	15	25.16	183	15.95
7	12.79	12	21.77	11	19.81	10	17.88	4	7.10	14	24.68	15	30.24	7	14.21	156	21.11
2	4.65	4	9.31	6	13.96	3	6.98	5	11.64	5	11.64	3	8.45	2	5.76	82	12.42
8	14.53	7	12.71	3	5.45	11	19.98	6	10.89	9	16.33	6	11.30	12	22.64	115	14.46
3	11.05	8	29.48	8	29.48	7	25.79	8	29.48	5	18.42	4	13.97	5	17.37	96	23.11
33	13.42	31	12.51	43	17.20	43	17.06	38	14.96	26	10.15	39	14.86	34	12.83	555	13.97
14	23.56	18	30.06	13	21.54	14	23.03	11	17.97	9	14.59	8	12.66	7	10.99	166	18.41
82	15.33	77	14.17	77	13.96	78	13.93	68	11.85	78	13.40	63	12.56	73	12.29	1206	13.58
16	19.63	18	22.09	10	12.27	14	17.18	10	12.27	3	3.68	6	7.34	10	12.23	189	15.41
10	16.28	12	19.52	8	13.01	11	17.87	4	6.49	5	8.11	2	3.04	6	9.05	113	12.17
13	16.54	2	2.49	11	13.41	8	9.55	6	8.36	4	6.36	13	17.40	10	13.39	127	11.33
15	14.39	14	13.13	15	13.76	17	15.27	12	10.55	12	10.43	24	20.95	18	15.44	231	14.47
11	14.58	8	10.51	12	15.64	8	10.34	10	12.81	9	11.44	11	13.28	10	11.93	165	14.73
373	15.75	362	15.11	347	14.32	365	14.99	325	13.22	327	13.18	355	14.45	329	13.21	5379	14.35
1016	14.30	894	12.51	915	12.73	950	13.14	893	12.29	830	11.36	889	11.98	842	11.25	14324	12.77
643	13.65	532	11.28	568	12.03	585	12.37	568	11.81	503	10.42	534	10.75	513	10.27	8945	11.95

*Abdominal Tuberculosis.*—There were 54 deaths from this cause, 23 males and 31 females.

Ages: Under 1, 6; 1-5, 4; 10-20, 7; 20-40, 18; 40-60, 12; over 60, 7.

*Acute Miliary Tuberculosis.*—There were 11 deaths from this cause, 6 males and 5 females.

Ages: 5-10, 1; 10-20, 4; 20-30, 3; 30-40, 1; over 40, 2.

*Tuberculosis, Other Forms.*—Of these deaths, 67 in all, the cause assigned was: Disseminated tuberculosis, 35; tuberculosis of kidneys, 8; tuberculosis of bones, 5; tuberculosis of glands, 4; tubercular abscess, 3; tuberculosis of bladder, 1; scrofulosis, 2; lupus, 1; Pott's disease, 7; white swelling, 1.

There were 29 deaths from erysipelas; 16 from pyemia and septicemia, and 23 from puerperal fever—giving a special death-rate of 0.31. The following shows the distribution of puerperal fever by months and counties:

January	.....	1	Androscoggin	.....	4
February	.....	5	Aroostook	.....	2
March	.....	2	Cumberland	.....	2
April	.....	4	Franklin	.....	0
May	.....	0	Hancock	.....	0
June	.....	3	Kennebec	.....	4
July	.....	2	Knox	.....	2
August	.....	1	Lincoln	.....	0
September	.....	1	Oxford	.....	0
October	.....	0	Penobscot	.....	5
November	.....	2	Piscataquis	.....	1
December	.....	2	Sagadahoc	.....	0
			Somerset	.....	3
Total	.....	23	Waldo	.....	0
			Washington	.....	0
			York	.....	0
			Total	.....	23

Thirty-seven deaths were returned under alcoholism. The special death-rate from alcoholism was 0.49.

*Rheumatism.*—The returns give 58 deaths from this cause, (68 in 1892, 46 in 1893, 66 in 1894, 56 in 1895, 44 in 1896, 42 in 1897, 57 in 1898, 56 in 1899, 56 in 1900, 53 in 1901, 45 in 1902, 58 in 1903, 60 in 1904, 60 in 1905, 54 in 1906, 47 in 1907, 47 in 1908, 45 in 1909, and 56 in 1910), 29 males and 29 females. Seventeen of these deaths were in the cities. The special death-

rate for this disease was, therefore, 0.77, and that in the cities was 0.68. The following shows the deaths from this cause arranged by counties, months, and age-groups:

### RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS, 1911.

By Counties.	By Months.	By Age-periods.
Androscoggin . . . . . -	January . . . . . 7	Under 1 . . . . . 1
Aroostook . . . . . 10	February . . . . . 7	1-5 . . . . . -
Cumberland . . . . . 9	March . . . . . 2	5-10 . . . . . 4
Franklin . . . . . 2	April . . . . . 4	10-20 . . . . . 4
Hancock . . . . . 3	May . . . . . 4	20-30 . . . . . 5
Kennebec . . . . . 5	June . . . . . 4	30-40 . . . . . 2
Knox . . . . . -	July . . . . . 5	40-50 . . . . . 3
Lincoln . . . . . 1	August . . . . . 7	50-60 . . . . . 6
Oxford . . . . . 5	September . . . . . 7	60-70 . . . . . 10
Penobscot . . . . . 9	October . . . . . 5	70-80 . . . . . 20
Piscataquis . . . . . 2	November . . . . . 5	Over 80 . . . . . 3
Sagadahoc . . . . . 2	December . . . . . 1	Total . . . . . 58
Somerset . . . . . 3	Total . . . . . 58	
Waldo . . . . . -		
Washington . . . . . 1		
York . . . . . 6		
State . . . . . 58		

The following shows the distribution of deaths from rheumatism by counties, months, and age-groups for the nineteen years, 1893-1911:

## RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1911.

By Counties.		By Months.		By Age-periods.	
Androscoggin.....	54	January.....	97	Under 1.....	6
Aroostook.....	67	February.....	112	1-5.....	18
Cumberland.....	148	March.....	82	5-10.....	36
Franklin.....	23	April.....	70	10-20.....	84
Hancock.....	47	May.....	99	20-30.....	62
Kennebec.....	89	June.....	56	30-40.....	65
Knox.....	46	July.....	82	40-50.....	82
Lincoln.....	35	August.....	80	50-60.....	134
Oxford.....	63	September.....	66	60-70.....	207
Penobscot.....	122	October.....	70	70-80.....	227
Piscataquis.....	34	November.....	95	Over 80.....	83
Sagadahoc.....	32	December.....	95	Not stated.....	3
Somerset.....	57	Not stated.....	3	Total.....	1,007
Waldo.....	40	Total.....	1,007		
Washington.....	51				
York.....	99				
State.....	1,007				

*Cancer.*—From cancer in its various forms and locations there were 738 deaths (404 in 1892, 433 in 1893, 474 in 1894, 480 in 1895, 518 in 1896, 463 in 1897, 531 in 1898, 541 in 1899, 526 in 1900, 570 in 1901, 615 in 1902, 598 in 1903, 611 in 1904, 662 in 1905, 617 in 1906, 737 in 1907, 710 in 1908, 727 in 1909, and 762 in 1910). Of the decedents, 254 were males and 484 were females. The cancer death-rate for the State was 9.86.

Distributed as to its more frequent locations, there died of cancer of the stomach, 171; female genital organs, 121; liver, 118; peritoneum and intestines, 117; breast, 65; buccal cavity, 23; skin, 22; neck, 11; throat, 10; bladder, 8; kidney, 6; prostate, 6; pancreas, 5; spleen, 5; larynx, 5; arm, 4; glands, 4; pelvis, 4; groin, 4; eye, 3; heart, 3; lungs, 3; leg, 2; shoulder, 2; spine, 2; various, 6; unspecified, 8.

The deaths from cancer, arranged by sex and age-periods of the decedents, are exhibited in the following:



**CANCER BY SEX AND AGE-PERIODS, 1911.**

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	-	1	-	1	4	10	23	45	63	83	23	1	254
Females.....	1	-	-	3	4	22	65	104	140	115	30	-	484
Total.....	1	1	-	4	8	32	88	149	203	198	53	1	738

The distribution of cancer by counties and age-groups and the special death-rate for each county are shown in the following for 1911, and for the nineteen years, 1893-1911:

**CANCER, 1911 AND 1893-1911.**

COUNTIES.	1911.		1893-1911.		AGE-GROUPS.	Number of deaths.	
	Number of deaths.	Death-rate per 10,000	Number of deaths.	Mean death-rate per 10,000		1911.	1893-1911.
Androscoggin.....	55	9.11	875	7.63	Under 1 year.....	1	14
Aroostook.....	28	3.68	425	2.93	From 1-5 years....	1	17
Cumberland.....	128	11.32	1,998	9.30	“ 5-10 “.....	-	12
Franklin.....	14	7.30	339	9.30	“ 10-20 “.....	4	46
Hancock.....	42	11.88	581	8.65	“ 20-30 “.....	8	153
Kennebec.....	56	8.85	1,034	8.60	“ 30-40 “.....	32	581
Knox.....	38	12.91	549	9.81	“ 40-50 “.....	88	1,412
Lincoln.....	36	19.87	388	11.27	“ 50-60 “.....	149	2,354
Oxford.....	38	10.37	526	7.55	“ 60-70 “.....	203	3,023
Penobscot.....	96	11.18	1,231	7.55	“ 70-80 “.....	198	2,675
Piscataquis.....	17	8.36	240	6.22	Over 80 years.....	53	981
Sagadahoc.....	16	8.14	333	8.91	Not stated.....	1	45
Somerset.....	33	9.04	566	8.16	Total.....	738	11,313
Waldo.....	30	12.87	420	9.49			
Washington.....	35	8.29	609	7.59			
York.....	76	11.02	1,199	9.15			
State.....	738	9.86	11,313	7.96			

### CANCER, 1901-1911.

	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	Total.
Cancer of buccal cavity	20	19	19	29	25	29	28	30	28	29	23	279
Cancer of stomach and liver.....	206	249	220	238	273	215	288	266	286	288	289	2,818
Cancer of the peritoneum, intestines and rectum.....	64	61	75	76	76	101	101	99	97	109	117	976
Cancer of female genital organs.....	91	98	91	78	100	92	116	100	108	105	121	1,100
Cancer of breast.....	49	63	54	57	51	49	70	64	62	77	65	661
Cancer of skin.....	31	31	21	27	24	30	33	42	39	38	22	338
Cancer of other organs, and of organs not specified.....	109	94	118	106	113	101	101	109	107	116	101	1,175
Cancer totals.....	570	615	598	611	662	617	737	710	727	762	738	7,347

*Diabetes.*—The deaths from this cause numbered 174 (55 in 1892, 65 in 1893, 71 in 1894, 77 in 1895, 67 in 1896, 95 in 1897, 88 in 1898, 95 in 1899, 74 in 1900, 87 in 1901, 83 in 1902, 92 in 1903, 91 in 1904, 115 in 1905, 121 in 1906, 107 in 1907, 116 in 1908, 129 in 1909, and 127 in 1910). The special death-rate from diabetes was, therefore, 2.32 in 1911. Eighty-two of the decedents were males and 92 were females.

Ages: 1-5, 4; 5-10, 4; 10-20, 11; 20-30, 11; 30-40, 8; 40-50, 17; 50-60, 32; 60-70, 40; 70-80, 36; 80-90, 11.

*Old Age.*—There were registered 603 deaths as due to old age, 259 men and 344 women, the old age limit not including any persons who died at an age lower than 60 years. Of these decedents, 17 were from 60 to 70 years of age; 156 were from 70 to 80; 309 were from 80 to 90; 116 were from 90 to 100; while 5 were over 100 years of age.

From Table No. 34, however, it will be seen that the whole number of persons who died at the ages between 60 and 100 years or more was 5,762, or one death in every four and nine-tenths was of a person who was between 60 and 100 years of age or older.

The following shows the number of deaths in each county of persons 60 years of age and over, and the death-rate per 10,000 of the population at all ages.

COUNTIES.	Deaths.	Rate per 10,000.	COUNTIES.	Deaths.	Rate per 10,000.
Androscoggin.....	396	65.62	Oxford.....	312	85.13
Aroostook.....	245	32.17	Penobscot.....	666	77.59
Cumberland.....	878	77.69	Piscataquis.....	132	64.95
Franklin.....	126	65.71	Sagadahoc.....	166	84.42
Hancock.....	302	85.41	Somerset.....	285	78.09
Kennebec.....	557	88.06	Waldo.....	285	122.32
Knox.....	320	108.69	Washington.....	306	72.45
Lincoln.....	239	131.94	York.....	547	79.33

*Centenarians.*—Among the persons whose decease occurred in 1911, two men and seven women had exceeded the age of 100 years. Their names, together with a few facts relating to the life history of each are as follows:

January 12, Abner Dunton died in Hope at the age of 103 years, 5 months and 12 days. He was a native of Hope. His father, Abner Dunton, and his mother whose maiden name was Chloe Robbins, were both American born.

June 14, Mary Ann Smith died in Casco at the age of 102 years, 3 months and 25 days. She was a native of Poland, Maine. Her father, Curtis Walker, and her mother whose maiden name was Sally Pooler, were both natives of Maine.

July 11, Betsey Decker died in Wiscasset at the age of 101 years, 10 months, and 11 days. She was born at Wiscasset. Her father, Daniel Baker, and her mother, whose maiden name was Harriet Hughes, were born in Wiscasset also.

July 13, Moses Carr died in Sangerville at the age of 101 years, 2 months and 20 days. His father, James Carr and his mother, whose maiden name was Rebecca Stain, were both born in New Hampshire.

April 24, Mary A. Anthony died in Eastport at the age of 100 years, 7 months and 4 days. She was a native of Pembroke. Her father, Joseph Dudley was born in Dennysville. Her mother, whose name was not given, was born in Pembroke.

February 27, Margurett Overlock died in Liberty at the age of 100 years, 5 months and 20 days. She was a native of Warren. Her father, Harvey Robbins, was born at Union. Her mother, whose maiden name was Brazier, was born at Warren.

June 19, Sarah Jane Cameron died in Palmyra, at the age of 100 years and 26 days. She was born in Gagetown, N. B. Her father, George Black, and her mother, whose maiden name was Jane Peers, were natives of Gagetown.

March 1, Margaret O'Rourke died in Hallowell at the age of 100 years. She was born in Ireland. Her parents, Patrick McCarthy and Catherine O'Neil were also born in Ireland.

April 3, Eliza Gustin died in Scarboro at the age of 100 years. She was born in Westbrook. No information was given about her parents.

*Diseases of the Nervous System and of Organs of Special Sense.*—The number of deaths registered under the causes included in this group was 1,540 (1,459 in 1892, 1,451 in 1893, 1,543 in 1894, 1,585 in 1895, 1,520 in 1896, 1,661 in 1897, 1,607 in 1898, 1,728 in 1899, 1,652 in 1900, 1,615 in 1901, 1,600 in 1902, 1,641 in 1903, 1,578 in 1904, 1,648 in 1905, 1,524 in 1906, 1,731 in 1907, 1,624 in 1908, 1,543 in 1909, and 1,672 in 1910), or 22.34 to every 10,000 of population.

*Inflammation of the Brain or Membranes.*—The number of deaths was 113 (236 in 1892, 263 in 1893, 286 in 1894, 261 in 1895, 242 in 1896, 327 in 1897, 272 in 1898, 273 in 1899, 251 in 1900, 264 in 1901, 211 in 1902, 243 in 1903, 212 in 1904, 216 in 1905, 159 in 1906, 282 in 1907, 215 in 1908, 153 in 1909, and 149 in 1910), 68 males and 45 females. Of these, 54 were in the cities. The death-rate from the several diseases grouped under this head was 1.51.

Ages: Under 1, 24; 1-5, 36; 5-10, 10; 10-20, 7; 20-40, 17; 40-60, 9; over 60, 10.

*Apoplexy.*—From this cause 860 deaths occurred (488 in 1892, 422 in 1893, 408 in 1894, 488 in 1895, 492 in 1896, 555 in 1897, 558 in 1898, 629 in 1899, 583 in 1900, 595 in 1901, 674 in 1902, 712 in 1903, 714 in 1904, 751 in 1905, 718 in 1906, 825 in 1907, 802 in 1908, 817 in 1909, and 887 in 1910), 416 males and 444 females. Of these, 282 were in the cities. The State's death-rate from apoplexy was, therefore, 11.49; that of the cities, 11.34.

The largest number of deaths from apoplexy, 233, occurred in the spring; the largest number in any one month was 87 in January.

In 1894, 1896, 1900, 1905, 1906, 1908, and 1909, the greatest mortality from this cause occurred in the spring; in 1892, 1893, 1895, 1897, 1899, 1901, 1903, 1904, 1907, 1909, and 1910, in the winter; in 1898, in the winter and spring; and in 1902, in the summer.

Conversely, the smallest number of deaths, 55 was in June; the smallest number in any one season was 191 in the summer months. Over 79 per cent. of the deaths were of persons 60 years of age and upward.

**APOPLEXY BY COUNTIES AND MONTHS, 1911.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	4	6	12	11	3	2	5	5	7	11	6	4	76	12.59
Aroostook....	2	2	5	6	7	2	1	3	1	5	2	2	38	4.99
Cumberland..	10	16	19	16	10	11	19	12	6	8	10	13	150	13.27
Franklin.....	3	-	-	1	3	1	1	3	1	4	2	5	24	12.52
Hancock.....	7	2	5	3	-	3	3	2	3	3	1	3	35	9.89
Kennebec....	6	8	5	7	6	5	5	5	7	10	8	5	77	12.17
Knox.....	3	2	5	4	4	3	3	3	4	4	7	4	46	15.62
Lincoln.....	6	5	4	3	2	2	6	3	2	3	1	2	39	21.53
Oxford.....	3	2	2	3	4	3	6	4	1	2	6	3	39	10.64
Penobscot....	8	5	7	8	9	7	6	5	7	11	3	7	83	9.67
Piscataquis..	2	2	-	3	-	-	1	6	3	2	1	2	22	10.83
Sagadahoc....	1	2	3	1	2	-	4	1	4	3	2	2	25	12.71
Somerset.....	9	3	4	2	3	4	2	1	5	3	2	3	41	11.23
Waldo.....	6	3	1	-	3	3	-	2	2	1	2	2	25	10.73
Washington...	5	6	4	6	6	2	3	4	7	-	4	2	49	11.60
York.....	12	5	8	10	3	7	5	7	7	10	7	10	91	13.20
State.....	87	69	84	84	65	55	70	66	67	80	64	69	860	11.49

The following is a tabular exhibit by sex and age-groups of the deaths from apoplexy:

**APOPLEXY BY SEX AND AGE-PERIODS, 1911.**

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	3	1	-	2	3	3	19	55	101	153	74	2	416
Females.....	3	2	-	2	3	8	25	46	103	140	112	-	444
Total.....	6	3	-	4	6	11	44	101	204	293	186	2	860

**APOPLEXY, 1911 AND 1893-1911.**

COUNTIES.	1911.		1893-1911.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.
Androscoggin.....	76	12.59	1,057	9.22
Aroostook.....	38	4.99	377	2.60
Cumberland.....	150	13.27	2,173	10.12
Franklin.....	24	12.52	367	10.07
Hancock.....	35	9.89	530	7.89
Kennebec.....	77	12.17	1,309	10.89
Knox.....	46	15.62	619	11.07
Lincoln.....	39	21.53	409	11.88
Oxford.....	39	10.64	592	8.50
Penobscot.....	83	9.67	1,244	7.63
Piscataquis.....	22	10.83	246	6.37
Sagadahoc.....	25	12.71	431	11.54
Somerset.....	41	11.23	636	9.17
Waldo.....	25	10.73	483	10.91
Washington.....	49	11.60	610	7.60
York.....	91	13.20	1,407	10.74
State.....	860	11.49	12,490	8.78

*Softening of the Brain.*—From cerebral softening there were 41 deaths—those of 22 males and 19 females.

Ages: From 30-40, 2; 50-60, 5; 60-70, 10; 70-80, 16; over 80, 8.

*Paralysis.*—Of the 165 deaths from paralysis, 73 persons were males and 92 were females.

Ages: 10-20, 3; 20-30, 3; 30-40, 1; 40-50, 8; 50-60, 17; 60-70, 47; 70-80, 54; 80-90, 31; unknown, 1.

*Epilepsy.*—Fifteen males and 20 females died of epilepsy, 35 in all.

Ages: Under 1, 1; 5-10, 1; 10-20, 5; 20-40, 11; 40-60, 8; over 60, 9.

*Tetanus.*—This disease was the cause of 9 deaths (7 in 1892, 10 in 1893, 6 in 1894, 10 in 1895, 8 in 1896, 2 in 1897, 4 in 1898, 11 in 1899, 7 in 1900, 5 in 1901, 7 in 1902, 11 in 1903, 14 in 1904, 7 in 1905, 4 in 1906, 7 in 1907, 6 in 1908, 5 in 1909, and 11 in 1910). The decedents were 7 males and 2 females.

Ages: Under 5, 1; 5-10, 2; 10-20, 1; 20-40, 3; 50-60, 2.

*Diseases of the Heart.*—From diseases of the heart, including those from endocarditis, pericarditis, angina pectoris, and organic diseases of the heart, there were 1,348 deaths (816 in 1892, 875 in 1893, 940 in 1894, 948 in 1895, 1,036 in 1896, 1,062 in 1897, 1,132 in 1898, 1,028 in 1899, 1,045 in 1900, 1,076 in 1901, 1,097 in 1902, 1,153 in 1903, 1,191 in 1904, 1,222 in 1905, 1,246 in 1906, 1,381 in 1907, 1,284 in 1908, 1,330 in 1909, and 1,380 in 1910). The following exhibits the age and sex distribution of each form of disease for the year 1911.

DISEASES.	Under 1.	1-10.	10-20.	20-40.	40-60.	Over 60.	Not stated.	Males.	Females.	Total.
Pericarditis . . . . .	-	-	-	1	4	5	-	8	2	10
Endocarditis . . . . .	-	2	6	11	16	4	-	24	15	39
Organic diseases of heart . . . . .	9	4	17	52	224	865	4	657	518	1,175
Angina pectoris . . . . .	-	-	-	3	22	99	-	82	42	124
Total . . . . .	9	6	23	67	266	973	4	771	577	1,348

For the year 1911, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and county:



COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin.....	101	16.74	Oxford.....	79	21.56
Aroostook.....	55	7.22	Penobscot.....	153	17.83
Cumberland.....	230	20.35	Piscataquis.....	23	11.32
Franklin.....	22	11.47	Sagadahoc.....	49	24.92
Hancock.....	70	19.80	Somerset.....	61	16.71
Kennebec.....	130	20.55	Waldo.....	60	25.75
Knox.....	83	28.19	Washington.....	66	15.63
Lincoln.....	42	23.19	York.....	124	17.98
			State.....	1,348	18.01

As may be noted, Knox county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 18.01.

The whole number of deaths from diseases of the heart arranged by sex and age-groups was as follows:

**HEART DISEASE BY SEX AND AGE-PERIODS,  
1911.**

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	5	3	-	17	7	24	52	94	203	233	131	2	771
Females.....	4	1	2	6	15	21	49	71	125	171	110	2	577
Total.....	9	4	2	23	22	45	101	165	328	404	241	4	1348

*Diseases of the Respiratory System.*—Without the inclusion of tuberculosis, 1,421 persons died from the various respiratory diseases as tabulated on page 93 (1,760 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895, 1,141 in 1896, 1,347 in 1897, 1,124 in 1898, 1,455 in 1899, 1,513 in 1900, 1,405 in 1901, 1,380 in 1902, 1,348 in 1903, 1,428 in 1904, 1,391 in 1905, 1,330 in 1906, 1,497 in 1907, 1,334 in 1908, 1,509 in 1909, and 1,664 in 1910). From these diseases there were, therefore, 339 fewer deaths than in 1892, 14 more than in 1893, 109 more than in 1894, 256 more than in 1895, 280 more than in 1896, 74 more than in 1897, 297 more than in 1898, 34 fewer than in 1899, 92 fewer than in 1900, 16 more than in 1901, 41 more than in 1902, 73 more than in 1903, 7 fewer than in 1904, 30 more than in 1905, 91 more than in 1906, 76 more than in 1907, 87 more than in 1908, 88 fewer than in 1909, and 243 fewer than in 1910.

Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis, and the other respiratory diseases, in 1911, the number of deaths was 869 smaller than in 1892, 463 smaller than in 1893, 331 smaller than in 1894, 117 smaller than in 1895, 70 smaller than in 1896, 232 smaller than in 1897, 98 larger than in 1898, 227 smaller than in 1899, 297 smaller than in 1900, 195 smaller than in 1901, 107 smaller than in 1902, 6 smaller than in 1903, 201 smaller than in 1904, 42 smaller than in 1905, 2 smaller than in 1906, 204 smaller than in 1907, 16 larger than in 1908, 96 smaller than in 1909, and 310 smaller than in 1910.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1911 was 18.98 in each 10,000 population, as compared with 22.41 in 1910, 20.65 in 1909, 18.35 in 1908, 20.71 in 1907, 18.50 in 1906, 19.46 in 1905, 20.56 in 1904, 19.41 in 1903, 19.87 in 1902, 20.23 in 1901, 21.79 in 1900, 20.91 in 1899, 17.00 in 1898, 20.38 in 1897, 17.26 in 1896, 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, and 27.16 in 1892.

*Pneumonia.*—The number of deaths registered under this cause was 1,071 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894, 812 in 1895, 781 in 1896, 936 in 1897, 769 in 1898, 1,067 in 1899, 1,067 in 1900, 994 in 1901, 987 in 1902, 999 in 1903, 1,050 in 1904, 1,053 in 1905, 970 in 1906, 1,153 in 1907, 1,068 in 1908, 1,120 in 1909, and 1,246 in 1910), of which 533 were males and

538 were females. The death-rate from this disease was, therefore, 14.31 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, 12.28 in 1895, 11.81 in 1896, 14.16 in 1897, 11.62 in 1898, 15.44 in 1899, 15.36 in 1900, 14.31 in 1901, 14.21 in 1902, 14.39 in 1903, 15.12 in 1904, 14.73 in 1905, 13.50 in 1906, 15.95 in 1907, 14.69 in 1908, 15.32 in 1909, and 16.78 in 1910). As 424 of the deaths occurred in the cities, the urban death-rate was 17.04.

The age distribution of pneumonia by sex and age-groups is shown in the following table:

### PNEUMONIA BY SEX AND AGE-PERIODS, 1911.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males .....	99	51	6	15	24	35	47	46	71	73	65	1	533
Females .....	67	42	9	13	18	20	29	46	68	114	111	1	538
Totals .....	166	93	15	28	42	55	76	92	139	187	176	2	1071

## PNEUMONIA BY COUNTIES AND MONTHS WITH DEATH-RATE PER 10,000—1911.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	12	13	25	17	6	2	2	2	3	5	5	7	99	16.40
Aroostook....	6	6	6	9	10	2	2	4	-	7	7	6	65	8.53
Cumberland..	19	29	30	23	17	11	2	-	7	8	4	17	167	14.78
Franklin.....	6	2	7	3	5	1	-	-	1	2	-	3	30	15.64
Hancock.....	7	4	15	8	2	2	3	-	2	1	4	5	53	14.99
Kennebec....	15	15	18	9	10	2	1	1	1	5	6	16	99	15.65
Knox.....	4	11	10	3	4	1	-	1	1	3	2	2	42	14.27
Lincoln.....	-	1	4	3	7	-	-	-	1	-	2	3	21	11.59
Oxford.....	10	7	16	4	1	4	-	3	2	4	3	4	58	15.83
Penobscot....	18	17	18	12	11	4	5	2	4	8	3	12	114	13.28
Piscataquis..	1	6	3	3	4	2	-	-	2	-	1	3	25	12.30
Sagadahoc....	5	11	3	3	2	3	-	-	1	1	-	3	32	16.27
Somerset.....	10	12	7	9	5	1	2	-	-	2	3	2	53	14.52
Waldo.....	6	6	7	4	4	2	1	-	1	4	-	2	37	15.88
Washington...	10	13	11	6	6	2	2	3	-	5	4	5	67	15.86
York.....	14	20	17	12	8	4	2	4	5	5	9	9	109	15.81
State....	143	173	197	128	102	43	22	20	31	60	53	99	1071	14.31

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the nineteen years 1893-1911:

### PNEUMONIA, 1893-1911.

By Counties.	By Months.	By Age-periods.
Androscoggin..... 1,579	January..... 2,610	Under 1..... 3,031
Aroostook..... 1,198	February..... 2,531	1-5..... 1,955
Cumberland..... 3,088	March..... 2,913	5-10..... 401
Franklin..... 548	April..... 2,473	10-20..... 640
Hancock..... 942	May..... 1,864	20-30..... 919
Kennebec..... 1,743	June..... 1,030	30-40..... 1,076
Knox..... 665	July..... 488	40-50..... 1,307
Lincoln..... 474	August..... 429	50-60..... 1,654
Oxford..... 1,009	September..... 603	60-70..... 2,559
Penobscot..... 2,317	October..... 1,041	70-80..... 3,318
Piscataquis..... 408	November..... 1,383	Over 80..... 2,379
Sagadahoc..... 549	December..... 1,933	Not stated..... 70
Somerset..... 916	Not stated..... 11	Total..... 19,309
Waldo..... 632	Total..... 19,309	
Washington..... 1,136		
York..... 2,105		
State..... 19,309		

The following table shows the number of deaths from pneumonia in each of the cities in each year from 1897 to 1911, the pneumonia death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

## Deaths and Death-Rates from Pneumonia

CITIES.	1897.		1898.		1899.		1900.		1901.		1902.		1903.	
		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.
Auburn.....	10	8.04	5	3.96	25	19.56	12	9.27	16	12.19	12	9.03	15	11.14
Augusta.....	20	17.64	13	11.35	27	23.34	16	13.70	12	10.17	30	25.18	16	13.80
Bangor.....	31	14.74	40	18.78	38	17.61	36	16.48	37	6.72	41	18.31	58	25.57
Bath.....	10	10.05	11	10.86	11	10.68	15	14.32	10	9.39	14	12.93	19	17.25
Belfast.....	5	10.38	9	18.94	5	10.68	8	17.33	6	12.66	7	14.38	7	14.02
Biddeford.....	31	19.83	15	9.47	44	27.54	41	25.39	21	12.87	42	25.48	29	17.41
Brewer.....	9	19.39	13	27.62	6	12.55	4	8.27	11	22.45	6	12.09	15	29.83
Calais.....	10	13.25	7	9.23	7	9.19	12	15.68	17	22.10	14	18.10	9	11.59
Eastport.....	9	17.34	5	9.56	3	5.69	14	26.36	12	22.43	7	12.98	5	9.20
Ellsworth.....	10	22.48	3	6.82	6	13.71	8	18.62	9	30.25	13	30.25	2	4.65
Gardiner.....	2	3.64	5	9.09	17	30.91	19	34.54	14	25.45	4	7.27	12	21.80
Hallowell.....	1	3.50	2	7.12	4	14.49	8	29.48	4	14.74	8	29.48	4	14.74
Lewiston.....	25	10.80	33	14.13	34	14.43	40	16.83	28	11.68	42	17.37	18	7.38
Old Town.....	3	5.33	10	17.62	19	33.22	9	15.62	8	13.77	11	18.79	16	27.12
Portland.....	105	22.04	75	15.47	96	19.47	94	18.74	68	13.34	75	14.47	96	18.23
Rockland.....	10	12.26	11	13.49	9	11.04	10	12.27	9	11.04	12	14.72	10	12.27
Saco.....	11	18.01	10	16.36	14	22.89	16	26.14	11	17.95	6	9.79	7	11.40
South Portland....	4	6.01	7	10.25	5	7.14	13	18.12	7	9.53	6	7.98	3	3.90
Waterville.....	10	11.41	6	6.66	9	9.47	14	14.77	9	9.26	24	24.12	11	10.80
Westbrook.....	8	11.29	7	9.78	8	11.08	3	4.12	9	13.31	9	12.14	12	16.05
Total.....	324	14.82	287	12.99	387	17.32	392	17.35	318	13.91	383	16.55	364	15.55
State.....	936	13.68	769	11.18	1067	15.44	1067	15.44	994	14.23	987	14.05	999	14.11
State exclusive of cities.....	612	13.14	482	10.33	680	14.54	675	14.54	676	14.41	604	12.86	635	13.50

## in the Cities and the State, 1897-1911.

1904.	Death-rate per 10,000.	1905	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
10	7.34	22	15.94	26	18.61	20	14.14	17	11.88	19	13.12	27	17.92	16	10.47	252	10.11
22	18.11	16	13.05	19	15.35	29	23.21	15	11.90	28	21.92	39	29.52	26	19.46	328	16.36
60	26.15	48	20.67	40	17.02	50	21.03	54	22.45	49	20.14	40	16.13	42	16.74	664	17.64
16	14.31	20	17.61	15	13.01	14	11.96	15	12.63	13	10.79	16	17.03	13	12.32	212	16.74
3	5.86	8	15.25	5	9.31	6	10.91	3	5.72	7	13.33	2	4.33	8	17.32	89	12.85
40	23.77	37	21.77	45	26.22	35	20.19	24	13.69	50	28.22	66	38.65	44	25.62	564	21.90
8	15.71	13	25.21	9	17.24	11	20.82	11	20.57	10	18.48	10	20.68	9	15.65	145	16.81
16	20.51	10	12.76	13	16.51	16	20.23	15	18.88	12	15.03	9	14.72	6	10.06	173	19.34
6	10.96	9	16.33	9	16.21	11	19.67	8	14.20	5	8.81	6	12.09	15	30.45	124	16.78
6	13.96	25	58.18	5	11.64	7	16.29	10	23.27	8	18.62	14	32.58	13	37.41	139	26.67
11	19.98	14	25.43	3	5.27	6	10.89	12	21.78	4	7.26	11	20.00	5	9.43	139	17.48
4	14.74	6	22.11	5	18.42	7	25.79	5	18.42	1	3.68	8	29.47	5	17.37	72	16.67
25	10.17	49	19.77	70	28.00	47	18.65	45	17.71	61	23.81	61	25.63	48	18.12	626	15.75
7	11.78	9	15.03	21	34.80	12	19.74	16	26.13	12	19.46	8	13.88	7	10.99	168	26.36
77	14.39	65	11.96	81	14.68	120	21.43	100	17.43	104	17.87	97	19.34	103	17.34	1356	15.21
9	11.04	9	11.04	10	12.27	11	13.50	11	13.50	7	8.59	6	7.36	12	14.68	146	11.90
7	11.40	9	14.64	6	9.76	6	9.75	11	17.85	9	14.60	10	16.33	13	19.61	146	14.68
5	6.36	3	3.73	6	7.31	15	20.91	7	9.76	6	9.54	8	12.72	7	9.37	102	9.10
21	20.14	8	7.53	17	15.60	13	11.67	15	13.19	17	14.77	11	11.61	24	20.59	209	11.95
7	9.28	6	7.89	17	22.15	14	18.09	11	14.10	19	24.15	13	17.85	8	9.54	151	12.01
360	15.20	386	16.11	422	17.41	450	18.36	405	16.48	441	17.78	462	18.80	424	17.04	5805	15.61
1050	14.78	1053	14.72	970	13.50	1153	16.06	1068	14.69	1120	15.32	1246	16.78	1071	14.31	15550	13.85
690	14.65	667	14.15	548	11.61	703	14.88	663	13.78	679	14.07	784	15.79	647	12.96	9745	13.01

*Bronchitis*.—From this cause, including both acute and chronic bronchitis, 204 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, 225 in 1895, 220 in 1896, 237 in 1897, 210 in 1898, 233 in 1899, 262 in 1900, 222 in 1901, 241 in 1902, 209 in 1903, 223 in 1904, 218 in 1905, 187 in 1906, 190 in 1907, 154 in 1908, 214 in 1909, and 229 in 1910). Among these decedents, 91 were males and 113 were females. Of these 204 deaths, 74 were in the cities. The largest number of deaths in any one month was 32 in February. The smallest number of deaths in any month, 5, occurred in August. The largest number of deaths in three consecutive months was 88 in February, March and April; the smallest number in any three consecutive months was 20 in July, August and September. The number of deaths by quarters was 86, 46, 20, and 52.

The bronchitis death-rate of the State was 2.73; of the cities, 2.97.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life.

Under	1 year, 44	40-50 years, 3
	1-5 years, 11	50-60 years, 10
	5-10 years, 1	60-70 years, 23
	10-20 years, 1	70-80 years, 47
	20-30 years, 1	Over 80 years, 63
	30-40 years, 0	

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rate of counties and State:



## BRONCHITIS, 1911.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	1	3	3	4	2	1	1	-	-	1	1	-	17	2.82
Aroostook....	-	5	1	2	2	1	1	-	1	1	-	-	14	1.84
Cumberland..	3	2	5	4	1	1	2	1	-	2	3	5	29	2.57
Franklin.....	4	-	-	2	-	-	-	2	-	-	1	1	10	5.21
Hancock.....	1	3	3	-	1	-	1	-	-	1	2	2	14	3.96
Kennebec....	8	3	4	1	2	2	-	-	-	1	3	2	26	4.11
Knox.....	-	2	-	1	-	-	2	-	-	-	-	-	5	1.70
Lincoln.....	1	1	1	1	-	-	-	-	-	1	-	-	5	2.76
Oxford.....	1	1	3	-	-	1	-	-	-	-	-	-	6	1.64
Penobscot....	-	7	2	5	2	1	-	-	3	1	-	1	22	2.56
Piscataquis..	-	-	-	-	1	-	-	-	-	-	-	-	1	0.49
Sagadahoc....	1	-	-	2	-	-	-	-	-	-	1	-	4	2.03
Somerset.....	-	1	2	-	-	-	-	1	1	2	3	-	10	2.74
Waldo.....	1	2	2	-	-	-	-	-	1	-	-	-	6	2.58
Washington...	-	1	1	3	-	-	-	-	1	1	3	2	12	2.84
York.....	3	1	3	1	1	1	-	1	1	6	4	1	23	3.34
State.....	24	32	30	26	12	8	7	5	8	17	21	14	204	2.73

*Pleurisy.*—Twenty-two deaths were charged to this disease (18 in 1892, 19 in 1893, 15 in 1894, 19 in 1895, 19 in 1896, 26 in 1897, 17 in 1898, 24 in 1899, 28 in 1900, 24 in 1901, 16 in 1902, 17 in 1903, 24 in 1904, 21 in 1905, 17 in 1906, 26 in 1907, 10 in 1908, 32 in 1909, and 22 in 1910), 13 males and 9 females.

Ages: 5-10, 3; 10-20, 2; 20-30, 3; 30-40, 1; 50-60, 8; 60-70, 2; over 70, 3.

*Diseases of the Digestive System.*—The combined mortality from this group of diseases was 1,190 (659 in 1892, 653 in 1893, 685 in 1894, 693 in 1895, 679 in 1896, 673 in 1897, 651 in 1898, 1,411 in 1899, 1,411 in 1900, 1,202 in 1901, 973 in 1902, 1,087 in 1903, 1,076 in 1904, 1,303 in 1905, 1,366 in 1906, 1,063 in 1907, 1,450 in 1908, 1,215 in 1909, and 1,420 in 1910), or a death-rate of 15.90. The distribution of these under their several causes will be found on page 93.

*Diarrheal Diseases.*—The total number of deaths caused by the diseases under this group was 585 (662 in 1892, 642 in 1893, 602 in 1894, 635 in 1895, 639 in 1896, 666 in 1897, 854 in 1898, 662 in 1899, 805 in 1900, 684 in 1901, 476 in 1902, 566 in 1903, 514 in 1904, 719 in 1905, 868 in 1906, 493 in 1907, 862 in 1908, 601 in 1909, and 851 in 1910). The death-rate from this group of diseases was 7.82 per 10,000.

*Infantile Diarrhea.*—This, as synonymous with diarrhea and enteritis (under 2 years) was the cause of 451 deaths (546 in 1892, 507 in 1893, 468 in 1894, 523 in 1895, 520 in 1896, 528 in 1897, 669 in 1898, 565 in 1899, 680 in 1900, 567 in 1901, 360 in 1902, 403 in 1903, 369 in 1904, 561 in 1905, 652 in 1906, 375 in 1907, 682 in 1908, 483 in 1909, and 693 in 1910). A reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates, for this cause. There were in the first quarter of the year but 30 deaths from this cause; in the second quarter, 33; in the third quarter, 344; and in the fourth quarter, 44. The largest number of deaths occurred in August, 163.

Of the children dying from this cause, 60 per cent. were less than 6 months old, and another 25 per cent. were less than 1 year of age, making 85 per cent. of deaths within the first year of age.

Ages: Under 3 months, 110; 3-6 months, 160; 6-9 months, 73; 9-12 months, 41; 12-18 months, 46; 18 months-2 years, 21.

In the classification of deaths from diarrheal diseases, only the deaths among children under 2 years of age are included under "infantile diarrhea." The deaths from diarrheal diseases other than those under this cause were: Cholera morbus, 1; dysentery, 35; and diarrhea and enteritis (2 years and over), 98.

Of the 451 deaths from infantile diarrhea, 175 were returned from the cities. This represents an urban death-rate from this cause of 7.03 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, 13.78 in 1895, 11.43 in 1896, 14.95 in 1897, 15.15 in 1898, 11.77 in 1899, 14.84 in 1900, 10.09 in 1901, 6.89 in 1902, 6.49 in 1903, 6.26 in 1904, 9.96 in 1905, 10.15 in 1906, 8.21 in 1907, 11.39 in 1908, 7.66 in 1909, and 10.42 in 1910). The rate for the villages and rural districts is 5.53 this year (5.33 in 1892, 4.95 in

1893, 4.47 in 1894, 5.44 in 1895, 6.36 in 1896, 5.05 in 1897, 8.00 in 1898, 6.47 in 1899, 7.37 in 1900, 7.24 in 1901, 4.37 in 1902, 5.50 in 1903, 4.86 in 1904, 6.57 in 1905, 8.52 in 1906, 3.65 in 1907, 8.35 in 1908, 6.67 in 1909, and 8.80 in 1910).

### DIARRHEA AND ENTERITIS (UNDER 2 YEARS) BY COUNTIES AND MONTHS, 1911.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	5	1	1	1	-	3	15	26	4	3	2	2	63	10.44
Aroostook....	2	1	-	1	3	4	30	73	42	3	1	-	160	21.01
Cumberland..	1	1	-	3	3	-	8	19	7	2	-	2	46	4.07
Franklin.....	1	-	-	-	3	1	-	1	1	1	-	-	8	4.17
Hancock.....	-	1	1	-	-	2	2	-	2	-	1	-	9	2.55
Kennebec....	-	2	1	1	3	-	3	11	12	4	3	-	40	6.32
Knox.....	-	-	-	1	-	-	-	2	-	-	-	-	3	1.02
Lincoln.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford.....	1	-	1	-	-	-	4	6	3	-	2	-	17	4.64
Penobscot....	-	-	3	-	-	-	7	5	14	3	-	3	35	4.08
Piscataquis...	-	-	-	-	-	-	1	2	-	1	-	-	4	1.97
Sagadahoc....	-	-	-	-	-	-	-	-	1	-	-	-	1	0.51
Somerset.....	1	-	-	-	-	1	1	3	6	-	-	2	14	3.84
Waldo.....	-	-	-	-	-	-	-	-	3	-	-	-	3	1.29
Washington...	-	-	-	-	-	-	1	8	6	3	-	1	19	4.50
York.....	-	2	4	1	-	2	5	7	3	2	2	1	29	4.21
State.....	11	8	11	8	12	13	77	163	104	22	11	11	451	6.03

The preceding table exhibits the number of deaths from infantile diarrhœa in 1911, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhœa for the nineteen years 1893-1911, by counties, months, and age-groups:

## DIARRHEA AND ENTERITIS (UNDER 2 YEARS) BY COUNTIES, MONTHS AND AGE-PERIODS, 1893-1911.

By Counties.	By Months.	By Age-periods.
Androscoggin..... 1,277	January..... 143	Under 6 months... 5,531
Aroostook..... 2,175	February..... 122	6-12 months..... 3,215
Cumberland..... 1,188	March..... 160	1-2 years..... 1,287
Franklin..... 151	April..... 156	Over 2 years..... 5
Hancock..... 252	May..... 165	Unknown..... 18
Kennebec..... 935	June..... 255	Total.....10,056
Knox..... 219	July..... 1,281	
Lincoln..... 51	August..... 3,266	
Oxford..... 305	September..... 2,871	
Penobscot..... 949	October..... 1,211	
Piscataquis..... 115	November..... 261	
Sagadahoc..... 198	December..... 162	
Somerset..... 284	Not stated..... 3	
Waldo..... 96	Total.....10,056	
Washington..... 599		
York..... 1,262		
State.....10,056		

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the eight years 1904-1911.

**DIARRHEA AND ENTERITIS (UNDER 2 YEARS)  
IN THE CITIES, 1904-1911.**

CITIES.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	Total.
Auburn.....	2	8	15	6	12	13	11	11	78
Augusta.....	14	19	16	13	26	10	13	14	125
Bangor.....	6	12	13	9	7	8	8	7	70
Bath.....	2	4	7	10	9	7	7	1	47
Belfast.....	3	1	2	1	-	-	1	1	9
Biddeford.....	19	19	37	22	38	23	44	20	222
Brewer.....	7	13	3	5	4	2	6	3	43
Calais.....	1	9	7	8	10	2	4	7	48
Eastport.....	2	2	6	8	8	7	5	1	39
Ellsworth.....	-	-	5	-	-	2	-	-	7
Gardiner.....	1	1	1	-	6	-	6	3	18
Hallowell.....	2	1	1	2	3	1	1	-	11
Lewiston.....	29	55	45	57	54	49	69	46	404
Old Town.....	2	20	12	6	12	5	5	6	68
Portland.....	23	37	44	31	41	36	42	30	284
Rockland.....	1	9	1	2	3	1	3	1	21
Saco.....	3	4	5	4	10	4	7	1	38
South Portland.....	2	6	7	-	5	3	2	3	28
Waterville.....	13	9	16	6	22	13	15	12	106
Westbrook.....	9	10	2	10	10	4	7	8	60
Total.....	141	239	245	200	280	190	256	175	1,726

*Peritonitis.*—There were 36 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, 125 in 1895, 116 in 1896, 117 in 1897, 102 in 1898, 83 in 1899, 105 in 1900, 99 in 1901, 81 in 1902, 55 in 1903, 63 in 1904, 90 in 1905, 59 in 1906, 60 in 1907, 64 in 1908, 59 in 1909, and 62 in 1910), 24 males and 12 females. Fifteen of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

### PERITONITIS, 1911.

By Counties.		By Months.		By Age-periods.	
Androscoggin.....	5	January.....	4	Under 1.....	2
Aroostook.....	1	February.....	5	1-5.....	1
Cumberland.....	5	March.....	3	5-10.....	-
Franklin.....	2	April.....	5	10-20.....	8
Hancock.....	3	May.....	1	20-30.....	4
Kennebec.....	-	June.....	4	30-40.....	4
Knox.....	1	July.....	4	40-50.....	4
Lincoln.....	1	August.....	1	50-60.....	2
Oxford.....	3	September.....	3	60-70.....	4
Penobscot.....	4	October.....	1	70-80.....	5
Piscataquis.....	3	November.....	-	Over 80.....	2
Sagadahoc.....	2	December.....	5	Total.....	36
Somerset.....	-	Total.....	36		
Waldo.....	2				
Washington.....	2				
York.....	2				
State.....	36				

*Appendicitis.*—Of the deaths classified under this cause, 99 in number, 68 were males and 31 were females. The number of deaths in each month was: January, 8; February, 6; March, 7; April, 8; May, 14; June, 3; July 12; August, 5; September, 10; October, 8; November, 9; December, 9.

Ages: From 1-5, 7; 5-10, 7; 10-20, 32; 20-30, 13; 30-40, 14; 40-50, 11; 50-60, 10; 60-70, 2; over 70, 3.

*Cirrhosis of the Liver.*—Thirty-eight deaths were ascribed to cirrhosis of the liver—those of 26 men and 12 women. Of these 38 deaths, 7 were in the cities, and 31 in the rural parts

of the State. The death-rate in the State from this one cause was 0.41 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, 0.50 in 1895, 0.33 in 1896, 0.45 in 1897, 0.58 in 1898, 0.52 in 1899, 0.79 in 1900, 0.63 in 1901, 0.63 in 1902, 0.92 in 1903, 0.66 in 1904, 0.62 in 1905, 0.60 in 1906, 0.82 in 1907, 0.89 in 1908, 0.75 in 1909, and 0.79 in 1910).

*Nonvenereal Diseases of the Genitourinary System and Annexa.*—There were 975 deaths referred to the diseases under this group, equivalent to a death-rate of 13.03.

*Nephritis.*—Acute nephritis caused the death of 62 persons, 26 males and 36 females. The death-rate from nephritis was, therefore, 0.83.

Ages: Under 1, 3; 1-5, 3; 5-10, 2; 10-20, 6; 20-30, 3; 30-40, 2; 40-50, 13; 50-60, 8; 60-70, 5; 70-80, 14; over 80, 3.

\* *Bright's Disease.*—This was the cause of 768 deaths (204 in 1892, 217 in 1893, 219 in 1894, 234 in 1895, 282 in 1896, 231 in 1897, 250 in 1898, 262 in 1899, 443 in 1900, 471 in 1901, 523 in 1902, 573 in 1903, 575 in 1904, 599 in 1905, 652 in 1906, 661 in 1907, 600 in 1908, 595 in 1909, and 714 in 1910), 447 males and 321 females. Of these deaths, 288 were in the cities.

The sex and age-group distribution of Bright's disease is as follows:

### BRIGHT'S DISEASE BY SEX AND AGE-PERIODS, 1911.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	2	2	1	2	7	24	31	77	120	112	66	3	447
Females.....	-	1	1	3	11	20	23	45	85	98	34	-	321
Total.....	2	3	2	5	18	44	54	122	205	210	100	3	768

\*This title includes: Chronic, albuminous, interstitial, or parenchymatous nephritis; albuminuria; amyloid or fatty degeneration of the kidney; amyloid kidney; steatosis of the kidney; renal sclerosis. Also includes when their precise nature is not indicated: Uremia, uremic eclampsia; uremic delirium; uremic coma.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin.....	76	12.59	Oxford.....	42	11.46
Aroostook.....	41	5.38	Penobscot.....	75	8.74
Cumberland.....	144	12.74	Piscataquis.....	13	6.40
Franklin.....	21	10.95	Sagadahoc.....	19	9.66
Hancock.....	41	11.60	Somerset.....	17	4.66
Kennebec.....	55	8.70	Waldo.....	38	16.31
Knox.....	34	11.55	Washington.....	36	8.52
Lincoln.....	33	18.22	York.....	83	12.04
			State.....	768	10.26

*The Puerperal State.*—Under this class of accidents and diseases of reproduction, 99 deaths were registered, not including puerperal fever, (69 in 1892, 50 in 1893, 41 in 1894, 36 in 1895, 56 in 1896, 62 in 1897, 51 in 1898, 40 in 1899, 50 in 1900, 52 in 1901, 69 in 1902, 94 in 1903, 72 in 1904, 51 in 1905, 76 in 1906, 80 in 1907, 66 in 1908, 56 in 1909, and 63 in 1910). This is equivalent to a special death-rate of 1.32.

*Deaths from External Causes.*—Under this class there were 688 deaths.

Absorption of deleterious gases (conflagration excepted) caused 14 deaths.

Accidental drowning caused 128 deaths.

Acute poisoning caused 17 deaths.

Burns and scalds caused 46 deaths—11 were from clothing taking fire; 8, scalded with hot water; 5, from playing with matches; 4, from overturning kerosene lamp; 2, from explosion of kerosene; 2, from explosion of gasoline; 1, from exhaustion of alcohol lamp; 1, by mistaking denatured alcohol for oil and starting a fire with it; 1, by turning kerosene oil into a stove containing live coals, and the rest were unspecified.

Conflagration caused 17 deaths.



Electricity caused 5 deaths.

Excessive cold caused 6 deaths.

Forty-one persons died from excessive heat.

Fractures (cause not specified) caused 11 deaths.

Inanition was the cause of 19 deaths.

Injuries by animals caused 5 deaths.

Lightning caused only 1 death.

There were 18 homicides in this State.

Other external violence (accident or traumatism unqualified) caused 6 deaths.

Traumatism by cutting or piercing instruments caused 5 deaths; by fall, 101; by firearms, 25; by machines, 13; by other crushing (vehicles, railroads, landslides, etc.), 108; in mines and quarries, 2.

The death-rate in the State under this class was 9.18.

*Suicide.*—Within the year 100 persons took their own lives (59 in 1892, the same number in 1893, 39 in 1894, 66 in 1895, 81 in 1896, 71 in 1897, 56 in 1898, 93 in 1899, 66 in 1900, 81 in 1901, 73 in 1902, 77 in 1903, 107 in 1904, 84 in 1905, 85 in 1906, 87 in 1907, 121 in 1908, 94 in 1909, and 79 in 1910), 74 males and 26 females. Of the males, the occupation of 22 was farmer; of 8, laborer; of 4, merchant; of 2, clerk; of 2, soldier; of 1 each, attorney-at-law, barber, blacksmith, boot and shoe dealer, cabinet maker, carriage maker, cigar maker, druggist, fisherman, hotel proprietor, machinist and inventor, marble worker, mason, mason tender, mill operative, plumber, potato buyer, professor at college, railroad section hand, sailor, sash maker, shoemaker, spool maker, stone cutter, student, teacher of penmanship, teamster, weaver; while of 8, no occupation was given.

Of the females, the occupation of 13 was given as housewife; of 2, as housekeeper; of 2, as housework; of 1, each, domestic, pupil and waitress. In 6 cases, no occupation was given.

As to the means employed, 30 committed suicide by shooting; 26, by hanging; 17, by poisoning; 12, by drowning; 9, by cutting throat; 3, by gas asphyxiation; 1, by jumping in front of train; and 2, not stated.

## SUICIDES BY AGES, MONTHS, AND COUNTIES, 1911.

AGE-PERIODS.	MONTHS.	COUNTIES.	Rate per 10,000 of population.
10-20..... 7	January..... 5	Androscoggin.... 8	1.33
20-30..... 8	February..... 8	Aroostook..... 5	0.66
30-40..... 16	March..... 5	Cumberland..... 12	1.06
40-50..... 19	April..... 7	Franklin..... 2	1.04
50-60..... 19	May..... 11	Hancock..... 6	1.70
60-70..... 19	June..... 15	Kennebec..... 14	2.21
70-80..... 10	July..... 10	Knox..... 7	2.38
Over 80..... 2	August..... 7	Lincoln..... 4	2.21
Total..... 100	September..... 8	Oxford..... 7	1.91
	October..... 8	Penobscot..... 15	1.75
	November..... 6	Piscataquis..... 3	1.48
	December..... 9	Sagadahoc..... 1	0.51
	Not stated..... 1	Somerset..... 6	1.64
	Total..... 100	Waldo..... 2	0.86
		Washington..... 1	0.24
		York..... 7	1.02
		State..... 100	1.34

The youngest suicide was a boy aged 14 years; the oldest, a man 84 years. The largest number of suicides was 15 in June. By quarters, the suicides were 18, 33, 25, 23, and 1, not stated. The largest number, 15, occurred in Penobscot county. The highest death-rate from suicide was in Knox county. The rate for the State per 10,000 of population was 1.34.

## TABLE OF INFANTILE MORTALITY, 1911.

AGE-PERIODS.	Number of deaths.	*Rate of mortality.
Under 1 day.....	39	2.5
Under 1 week.....	222	14.2
Under 2 weeks.....	60	3.8
Under 3 weeks.....	52	3.3
Under 4 weeks.....	41	2.6
Under 2 months.....	165	10.6
Under 3 months.....	159	10.2
Under 4 months.....	146	9.3
Under 5 months.....	127	8.1
Under 6 months.....	90	5.8
Under 9 months.....	183	11.7
Under 1 year.....	136	8.7
Total.....	1,420	90.8

\* The infant mortality rates in this table are based upon the total number of births in 1911. The number was 15,635.

## LIST OF TABLES.

	PAGE
Table No. 1.—Population in 1890, 1900, 1910 and Estimated Population in 1911.....	5
Table No. 2.—Births, Marriages and Deaths, 1903-1911.....	5
Table No. 3.—Estimated Population for 1911, Births, Marriages, and Deaths, with the rate of each to 1,000 of population for the year ending December 31, 1911 .....	6
Table.—Summary of Births, Marriages and Deaths.....	7
Table No. 4.—Births and Deaths in each County.....	8
Table No. 5.—Births and Deaths in the Cities.....	9
Table No. 6.—Births, Marriages and Deaths by Counties and Towns .....	10-59
Table No. 7.—Births, Marriages and Deaths by Counties.. .	60-61
Table No. 8.—Births and Birth-Rates by Counties, for the years 1904-1911 .....	62
Table No. 9.—Births by Counties, showing the proportion of males to females, 1911.....	63
Table No. 10.—Number of Births in each month of 1904-1911, with Monthly Ratio compared with a Standard of 100 .....	64
Table No. 11.—Births by Sex and Months, by Counties, 1911..	65
Table No. 12.—Births in Cities, for 1911, with rate per 1,000 of population .....	66
Table No. 13.—Percentage of American and Foreign Births by Counties, 1911 .....	67
Table No. 14.—Percentage of American and Foreign Births by Cities, 1911 .....	68
Table No. 15.—Twin Births by Months and Counties, 1911....	69
Table No. 16.—Twin Births by Sex and Parentage, by Counties, 1911 .....	70
Table No. 17.—Stillbirths by Sex and Parentage, by Counties, 1911 .....	71
Table No. 18.—Stillbirths by Seasons, 1911.....	72
Table.—Births in each Month of the twenty years, 1892-1911....	75
Table No. 19.—Marriages and Marriage-Rates by Counties for the years 1904-1911 .....	76
Table No. 20.—Marriages by Counties and Nativity, 1911.....	77
Table No. 21.—Marriages by Months and Counties, 1911.....	77

Table No. 22.—Number of Marriages in each month of 1904-1911, with Monthly Ratio compared with a Standard of 100 .....	78
Table No. 23.—Marriages by Ages and Counties, 1911.....	79
Table No. 24.—Interesting Facts in Relation to Marriages.....	80-81
Table No. 25.—Divorces decreed by the Supreme Court of Maine in the year 1911.....	84-85
Table No. 26.—Divorces by Causes, Sex of Libellants and the Number of years married, 1911.....	86
Table No. 27.—Deaths and Death-Rates by Counties, for the years 1904-1911 .....	88
Table No. 28.—Number of Deaths in each month of 1904-1911, with Monthly Ratio compared with a Standard of 100 .....	89
Table No. 29.—The number of Deaths in the State, and in each County, arranged by Classes and Counties ....	90-95
Table No. 30.—Deaths from all Causes, by Months, 1911.....	96-101
Table No. 31.—Deaths from all Causes, by Age-Groups, 1910-1911 .....	102-119
Table No. 32.—Deaths in each Town from Special Causes, Mostly Infectious Diseases .....	120-141
Table No. 33.—Deaths in each Town from Certain Diseases and Groups of Diseases .....	142-163
Table No. 34.—Deaths by Ages, Sex, and Months, by Counties..	164-165
Table No. 35.—Deaths by Ages, Sex, and Months, by Cities...	166-167
Table No. 36.—Number of Deaths from several Specified Causes, of each sex, in each month, which were registered during twenty years, 1892-1911	168
Table No. 37.—Mortality by months, reduced to a Standard Mean of 100; Twenty years, 1892-1911.....	169
Table.—Number of Deaths from 1892-1911, with Death-Rate...	170
Table.—Months in which the largest and the Smallest Number of Deaths occurred in the years 1892-1911.....	171
Table.—Number of Deaths by Quarters in the twenty years, 1892-1911 .....	172
Table.—Deaths in each month for the years 1892-1911.....	173
Table.—Deaths from some of the Leading Causes.....	175
Table.—Mortality from Ten Prominent Causes, 1892-1911.....	176
Table.—Six Infectious Diseases by Counties, 1911.....	177
Table.—Six Infectious Diseases by Cities, 1911.....	178
Table.—Infectious Diseases, 1904-1911.....	179
Table.—Measles by Counties, Months, and Age-Periods, 1896-1911 .....	180
Table.—Scarlet Fever by Counties, Months, and Age-Periods, 1893-1911 .....	181
Table.—Influenza by Counties and Months, 1911.....	182
Table.—Whooping Cough by Counties, Months, and Age-Periods, 1911 .....	183

	PAGE
Table.—Diphtheria by Counties and Months, 1911.....	184
Table.—Diphtheria by Counties, Months, and Age-Periods, 1893-1911 .....	185
Table.—Diphtheria in the Cities and the State, 1897-1911.....	186-187
Table.—Typhoid Fever by Counties and Months, 1911.....	188
Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1893-1911 .....	189
Table.—Typhoid Fever in the Cities and the State, 1897-1911...	190-191
Table.—Tuberculosis (all kinds) in the Cities and the State, 1897-1911 .....	192-193
Table.—Consumption by Counties and Months, 1911.....	196
Table.—Consumption by Sex and Age-Periods, 1911.....	196
Table.—Consumption by Counties, Months, and Age-Periods, 1893-1911 .....	197
Table.—Pulmonary Tuberculosis in the Cities and State 1897-1911 .....	198-199
Table.—Rheumatism by Counties, Months, and Age-Periods, 1911	201
Table.—Rheumatism by Counties, Months, and Age-Periods, 1893-1911 .....	202
Table.—Cancer by Sex and Age-Periods, 1911.....	203
Table.—Cancer by Counties and Age-Periods, 1911 and 1893-1911 .....	203
Table.—Cancer, 1901-1911 .....	204
Table.—Deaths over 60-years by Counties, 1911 .....	205
Table.—Apoplexy by Counties and Months, 1911.....	208
Table.—Apoplexy by Sex and Age-Periods, 1911.....	208
Table.—Apoplexy, 1911 and 1893-1911.....	209
Table.—Diseases of the Heart by Ages, 1911.....	210
Table.—Diseases of the Heart by Counties, 1911.....	211
Table.—Heart Disease by Sex and Age-Periods, 1911.....	211
Table.—Pneumonia by Sex and Age-Periods, 1911.....	213
Table.—Pneumonia by Counties and Months with Death-Rate per 10,000, 1911 .....	214
Table.—Pneumonia by Counties, Months, and Age-Periods, 1893-1911 .....	215
Table.—Pneumonia in the Cities and the State, 1897-1911.....	216-217
Table.—Bronchitis by Counties and Months, 1911.....	219
Table.—Diarrhea and Enteritis (under 2 years) by Counties and Months, 1911 .....	221
Table.—Diarrhea and Enteritis (under 2 years) by Counties, Months, and Age-Periods, 1893-1911.....	222
Table.—Diarrhea and Enteritis (under 2 years) in the Cities, 1904-1911 .....	223
Table.—Peritonitis by Counties, Months, and Age-Periods, 1911	224
Table.—Bright's Disease by Sex and Age-Periods, 1911.....	225
Table.—Bright's Disease by Counties, 1911.....	226
Table.—Suicides by Ages, Months, and Counties, 1911.....	228
Table.—Infantile Mortality, 1911.....	229

## INDEX.

---

	PAGE
Age and Mortality .....	174
Appendicitis .....	224
Apoplexy .....	206
1911 and 1893-1911 .....	209
by counties and months .....	208
by sex and age-periods, 1911.....	208
Birth-rate .....	73
Birth-rates .....	6, 7
Births and birth-rates, by counties and years.....	62
by counties, showing proportion of males to females....	63
by seasons .....	74
by sex and months, by counties.....	65
in cities, for 1911, with rate .....	66
in each month, by years.....	64
notes on .....	73
percentage of .....	73
percentage of American and foreign, by cities.....	68
by counties.....	67
relation to deaths .....	8
twin .....	75
by months and counties .....	69
by sex and parentage .....	70
marriages and deaths, in each county.....	60-61
in each town .....	10-59
Brain or Membranes, inflammation of .....	206
softening of the .....	209
Bright's Disease .....	225, 226
Bronchitis .....	218
Cancer .....	202
1911 and 1893-1911 .....	203
by sex and age-periods, 1911.....	203
1901-1911 .....	204
Centenarians .....	205
Cirrhosis of the liver .....	224
Consumption by counties and months.....	196
by counties, months, and age-periods, 1893-1911..	197
by sex and age-periods, 1911.....	196

	PAGE
Deaths, age and mortality .....	174
causes of .....	174
by ages, sex and months, by cities, 1911.....	166-167
by ages, sex and months, by counties, 1911.....	164-165
by months, reduced to a standard mean for twenty years	169
in each month, for the years 1893-1911.....	173
in each town, from special causes.....	120-141
from certain disease and groups of dis-	
eases .....	142-163
in the State and Counties, by classes and counties.....	90-95
from all causes, by months .....	96-101
from all causes, by age-groups, 1910-1911.....	102-119
from several specified causes in twenty years.....	168
from some of the leading causes.....	175
notes on, and the causes of death.....	170
number in each month, by years.....	89
seasons and mortality .....	172
sex and mortality .....	174
and death-rates, by counties and years.....	88
Death-rates .....	6, 7
compared .....	170
Diabetes .....	204
Diarrheal Diseases .....	220
Diarrhea and Enteritis (under 2 years) by counties and months	221
by counties, months, and	
age-periods, 1893-1911	222
in cities, 1903-1911.....	223
Digestive System, diseases of the.....	219
Diphtheria .....	183
by counties and months.....	184
by counties, months, and age-periods, 1893-1911.....	185
in the cities and in the State, 1897-1911.....	186, 187
Divorces by causes, sex of libellants, etc.....	86
decreed in 1911 .....	84, 85
notes on .....	87
Epilepsy .....	209
External causes, deaths from.....	226
Genitourinary system and its annexa, diseases of the.....	225
Heart, diseases of the.....	209
Infantile Diarrhea .....	220
Infantile mortality .....	229
Infectious diseases .....	177
1904-1911 .....	179
six by cities .....	178
six by counties .....	177
Influenza .....	181
deaths from, by counties and months.....	182
Liver, cirrhosis of .....	224



	PAGE
Marriages, interesting facts relating to.....	80, 81
rates .....	6, 7, 82
ages .....	82
and rates, by counties.....	76
by ages and counties .....	79
by counties and nativity.....	77
by months and counties.....	77
nativity .....	82
notes on .....	82
number of, in each month, by years.....	78
seasons .....	82
Malarial diseases .....	190
Measles .....	179
by counties, months, and age-periods, 1896-1911.....	180
Mortality from ten prominent causes, 1892-1911.....	176
Nephritis .....	225
Nervous system, diseases of the.....	206
Old age .....	204
Paralysis .....	209
Peritonitis .....	224
by counties, months, and age-periods, 1911.....	224
Pleurisy .....	219
Pneumonia .....	212
1893-1911 .....	215
by counties and months, with death-rates.....	214
by sex and age-periods, 1911.....	214
in the cities and the State, 1897-1911.....	216-217
Population .....	4
Puerperal fever, by months and counties, 1911.....	200
Puerperal state, the .....	226
Respiratory system, diseases of the.....	212
Rheumatism .....	200
by counties, months, and age-periods, 1911.....	201
by counties, months, and age-periods, 1893-1911...	202
Scarlet fever .....	180
by counties, months, and age-periods, 1893-1911...	181
Sex and mortality .....	174
Smallpox .....	179
Stillbirths .....	75
by seasons .....	72
by sex and parentage .....	71
Suicides .....	227
by ages, months, and counties, 1911.....	228
Tetanus .....	210
Triplets .....	75

	PAGE
Tuberculosis .....	191
<b>abdominal</b> .....	200
acute miliary .....	200
cerebral .....	194
in the cities and the State, 1897-1911.....	192-193
other forms .....	200
pulmonary .....	194
in the cities and the State, 1897-1911..	198-199
Typhoid fever .....	188
by counties and months, 1911.....	188
by counties, months, and age-periods, 1893-1911.	189
in the cities and the State, 1897-1911.....	190-191
Whooping Cough .....	182
by counties, months, and age-periods, 1911...	183