

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

PUBLIC DOCUMENTS

OF THE

STATE OF MAINE

BEING THE

REPORTS

OF THE VARIOUS

PUBLIC OFFICERS, DEPARTMENTS
AND INSTITUTIONS

FOR THE YEAR 1914

VOLUME IV.

TWENTY-THIRD ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES
AND DEATHS

IN THE

STATE OF MAINE

FOR THE

Year Ending December 31, 1914.



WATERVILLE
SENTINEL PUBLISHING COMPANY

1915

DEPARTMENT OF VITAL STATISTICS.

OFFICE OF THE REGISTRAR.

AUGUSTA, MAINE, August 24, 1915.

*To his Excellency, Oakley C. Curtis, Governor, and the Hon.
Executive Council:*

GENTLEMEN:—In accordance with the provisions of the law, I have the honor of submitting to you the Twenty-Third Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1914.

Very respectfully,

A. G. YOUNG, M. D.,

Registrar of Vital Statistics.

REGISTRATION REPORT, 1914.

This report presents the results of the registration and tabulation of the births, marriages, divorces, and deaths which occurred in the State of Maine during the year 1914.

The number of births registered in that year is 323 more than in the preceding year. The number of births recorded in each of the registration years 1892-1914 is 14,028, 14,604, 14,607, 15,430, 15,429, 15,142, 15,121, 14,475, 14,709, 14,615, 15,166, 15,130, 15,405, 16,005, 16,585, 16,595, 16,914, 16,735, 16,469, 16,300, 16,583, 16,408, and 16,731 respectively.

The number of marriages (number of couples married) in 1914 was 6,707, 85 more than in the preceding year. The number of marriages registered in the State in each of the years 1892-1914 is, respectively, 5,726, 5,795, 5,591, 5,729, 5,579, 5,331, 5,144, 5,329, 5,482, 5,735, 5,905, 6,200, 6,208, 6,264, 6,408, 6,380, 5,904, 6,011, 5,900, 5,878, 6,550, 6,622, and 6,707.

The number of deaths recorded in the State for the same year was 11,648, a number 96 more than that of the deaths registered in the preceding year. The number of deaths in each year thus far recorded is: in 1892, 12,147; in 1893, 11,134; in 1894, 11,012; in 1895, 10,464; in 1896, 10,626; in 1897, 11,236; in 1898, 10,956; in 1899, 11,370; in 1900, 11,389; in 1901, 11,133; in 1902, 10,673; in 1903, 11,009; in 1904, 11,346; in 1905, 11,381; in 1906, 11,427; in 1907, 11,803; in 1908, 11,664; in 1909, 11,295; in 1910, 12,439; in 1911, 11,731; in 1912, 11,390; in 1913, 11,552; and in 1914, 11,648.

Bertillon Classification.—The nomenclature of the causes of death in this report is the revised Bertillon classification adopted by the International Commission which met in Paris in July, 1909.

Population.—The population of the State of Maine in 1910, as given by the twelfth census was 742,371. In 1900, the population of the State was 694,466. There was, therefore, a gain of 47,905 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1890, 1900, 1910, and the estimated population in 1914.

TABLE No. 1.
**Population in 1890, 1900, 1910, and Estimated Popu-
 lation in 1914.**

COUNTIES.	Population in 1890.	Population in 1900.	Population in 1910.	Estimated population in 1914.
Androscoggin.....	48,968	54,242	59,822	62,278
Aroostook.....	49,589	60,744	74,664	80,232
Cumberland.....	90,949	100,689	112,014	116,991
Franklin.....	17,053	18,444	19,119	19,391
Hancock.....	37,312	37,241	35,575	36,239
Kennebec.....	57,012	59,117	62,863	64,991
Knox.....	31,473	30,406	28,981	29,218
Lincoln.....	21,996	19,669	18,216	18,234
Oxford.....	30,586	32,238	36,256	38,414
Penobscot.....	72,865	76,246	85,285	88,801
Piscataquis.....	16,134	16,949	19,887	21,057
Sagadahoc.....	19,452	20,330	18,574	18,581
Somerset.....	32,627	33,849	36,301	37,281
Waldo.....	27,759	24,185	23,383	23,545
Washington.....	44,482	45,232	42,905	43,837
York.....	62,829	64,885	68,526	70,669
Total.....	661,086	694,466	742,371	769,759

TABLE No. 2.
Births, Marriages and Deaths, 1906-1914.

STATE.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.
Number of births . . .	15,878	15,914	16,173	16,060	15,798	15,635	15,869	15,719	15,980
Number of marriages	6,498	6,380	5,904	6,011	5,900	5,878	6,550	6,622	6,707
Number of deaths . . .	11,427	11,803	11,664	11,295	12,439	11,731	11,390	11,552	11,648
Birth-rate	22.09	22.02	22.25	21.97	21.28	20.89	21.27	20.89	20.91
Marriage-rate	9.04	8.83	8.12	8.22	7.95	7.85	8.71	8.80	8.71
Death-rate	15.90	16.33	16.05	15.45	16.62	15.68	15.27	15.35	15.24

Birth, Marriage, and Death-rate.—In this report the birth-rates, marriage-rates, and death-rates from all causes are stated as so many among each 1,000 of the population according to the estimated population for 1914.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 3.

Estimated Population for 1914, Births, Marriages and Deaths with rate of each to 1,000 of Population for the year ending December 31, 1914.

COUNTIES.	Estimated population for 1914.	Births.	Birth-rate per 1,000.	Marriages.	Marriage-rate per 1,000.	Deaths.	Death-rate per 1,000.
Androscoggin.....	62,278	1,378	22.13	669	10.74	1,041	16.72
Aroostook.....	80,232	2,497	31.50	604	7.52	1,034	13.05
Cumberland.....	116,991	2,422	20.70	1,091	9.32	1,822	15.57
Franklin.....	19,391	381	20.00	161	8.30	274	14.38
Hancock.....	36,239	581	16.30	236	6.51	507	14.25
Kennebec.....	64,991	1,261	19.42	602	9.26	1,097	16.89
Knox.....	29,218	426	14.63	242	8.28	489	16.79
Lincoln.....	18,234	273	15.04	121	6.63	326	17.97
Oxford.....	38,414	829	21.68	396	10.33	527	13.79
Penobscot.....	88,801	1,801	20.61	788	8.87	1,389	15.93
Piscataquis.....	21,057	395	19.43	180	8.55	242	11.91
Sagadahoc.....	18,581	309	16.63	166	8.93	321	17.27
Somerset.....	37,281	724	19.63	344	9.22	497	13.48
Waldo.....	23,545	357	15.16	208	8.83	372	15.79
Washington.....	43,837	950	21.92	318	7.25	613	14.14
York.....	70,669	1,396	19.75	581	8.22	1,097	15.52
State.....	769,759	15,980	20.91	6,707	8.71	11,648	15.24

The following is a general summary of the births, marriages, and deaths in 1914.

BIRTHS.

SEX.		PARENTAGE.	
Males	8,160	American.....	9,637
Females	7,813	Foreign	3,175
Not stated.....	7	One parent foreign.....	2,941
	15,980	Not stated.....	227
			15,980
Whole number of births.....			15,980
Birth-rate per 1,000.....			20.91

MARRIAGES.

Groom and bride American.....	4,818
Groom and bride foreign.....	649
Groom American and bride foreign.....	563
Groom foreign and bride American.....	664
Not stated.....	13
	6,707
Whole number of marriages.....	6,707
Marriage-rate per 1,000.....	8.71

DEATHS.

SEX.		NATIVITY.	
Males	6,161	American.....	9,734
Females	5,487	Foreign	1,784
Not stated.....	-	Not stated.....	130
	11,648		11,648
Whole number of deaths.....			11,648
Death-rate per 1,000.....			15.24

Relation of Births to Deaths.—As the total number of births registered in Maine in the year 1914 was 16,731, and the number of deaths was 11,648, the natural increase of births over deaths was 5,083.

The following table shows the number of births and deaths in each county and the preponderance of births over deaths, or vice versa :

TABLE No. 4.

COUNTIES.	Estimated population for 1914.	Births.	Deaths.	Difference.
Androscoggin.....	62,278	1,378	1,041	337 gain
Aroostook.....	80,232	2,497	1,034	1,463 gain
Cumberland.....	116,991	2,422	1,822	600 gain
Franklin.....	19,391	381	274	107 gain
Hancock.....	36,239	581	507	74 gain
Kennebec.....	64,991	1,261	1,097	164 gain
Knox.....	29,218	426	489	63 loss
Lincoln.....	18,234	273	326	53 loss
Oxford.....	38,414	829	527	302 gain
Penobscot.....	88,801	1,801	1,389	512 gain
Piscataquis.....	21,057	395	242	153 gain
Sagadahoc.....	18,581	309	321	12 loss
Somerset.....	37,281	724	497	227 gain
Waldo.....	23,545	357	372	15 loss
Washington.....	43,837	950	613	337 gain
York.....	70,669	1,396	1,097	299 gain
State.....	769,759	15,980	11,648	4,332 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following table, together with the birth-rate and the death-rate per 1,000 of the estimated population in 1914 in each city:

TABLE No. 5.

CITIES.	Population in 1910.	Estimated population in 1914.	Births.	Deaths.	Difference.	Birth-rate.	Death-rate.
Auburn.....	15,064	15,908	269	230	39 gain	16.91	14.46
Augusta.....	13,211	13,823	319	294	25 gain	23.08	*13.96
Bangor.....	24,803	25,983	453	575	122 loss	17.43	*17.39
Bath.....	9,396	9,396	160	147	13 gain	17.03	15.65
Belfast.....	4,618	4,619	73	93	20 loss	15.80	*19.27
Biddeford.....	17,079	17,451	486	277	209 gain	27.85	*15.01
Brewer.....	5,667	5,999	146	77	69 gain	24.34	*12.33
Calais.....	6,116	6,116	98	83	15 gain	16.02	13.57
Eastport.....	4,961	4,961	87	81	6 gain	17.54	16.32
Ellsworth.....	3,549	3,549	53	62	9 loss	14.93	17.47
Gardiner.....	5,311	5,311	96	89	7 gain	18.08	16.76
Hallowell.....	2,864	2,924	48	39	9 gain	16.42	13.34
Lewiston.....	26,247	27,239	721	544	177 gain	26.47	*17.29
Old Town.....	6,317	6,537	162	107	55 gain	24.78	16.37
Portland.....	58,571	61,943	1,326	1,007	319 gain	21.41	*15.28
Rockland.....	8,174	8,182	134	166	32 loss	16.37	*18.94
Saco.....	6,583	6,767	88	120	32 loss	13.00	17.73
South Portland.....	7,471	7,943	202	101	101 gain	25.43	12.72
Waterville.....	11,458	12,250	334	193	141 gain	27.27	*15.10
Westbrook.....	8,281	8,681	201	129	72 gain	23.15	14.86
Total.....	245,741	255,582	5,456	4,414	1,042 gain	21.34	17.25

* Deaths of non-residents in public institutions; Augusta, 101; Bangor, 123; Belfast, 4; Biddeford, 15; Brewer, 3; Lewiston, 73; Portland, 60; Rockland, 11; Waterville, 8; deducted from total in estimating death-rate.

TABLE
Births, Marriages and Deaths

ANDROSCOGGIN

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn.....	15,908	146	123	-	269	16.91	148	55	36	22	8
Durham.....	1,785	11	21	-	32	17.93	19	7	3	2	1
East Livermore...	2,841	38	37	-	75	26.40	32	26	7	8	2
Greene.....	773	5	9	-	14	18.11	13	1	-	-	-
Leeds.....	990	18	5	-	23	23.23	22	-	-	1	-
Lewiston.....	27,239	361	360	-	721	26.47	208	330	104	73	6
Lisbon.....	4,320	49	51	-	100	23.15	47	37	7	9	-
Livermore.....	1,100	17	12	-	29	26.36	23	3	1	1	1
Mechanic Falls....	1,678	21	9	-	30	17.88	25	-	2	3	-
Minot.....	786	11	5	-	16	20.36	14	2	-	-	-
Poland.....	1,382	9	19	-	28	20.26	21	3	4	-	-
Turner.....	1,708	14	8	-	22	12.88	20	1	-	1	-
Wales.....	523	4	2	-	6	11.47	6	-	-	-	-
Webster.....	1,245	4	9	-	13	10.44	9	2	-	1	1
Total.....	62,278	708	670	-	1,378	22.13	607	467	164	121	19

No. 6.
for the year 1914.
COUNTY.

MARRIAGES.						DEATHS.							
						SEX.				NATIVITY.			Death-rate per 1,000
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
115	12	19	12	-	158	115	115	-	230	193	37	-	14.46
3	3	-	1	-	7	7	16	-	23	17	5	1	12.89
19	3	3	3	-	28	17	18	-	35	31	3	1	12.32
11	-	2	1	-	14	11	2	-	13	12	1	-	16.82
8	-	-	-	-	8	8	13	-	21	21	-	-	21.21
161	74	52	43	-	330	243	301	-	544	381	160	3	19.97
28	7	4	6	-	45	23	31	-	54	38	15	1	12.50
7	-	1	1	-	9	8	7	-	15	14	1	-	13.64
19	-	2	-	-	21	15	11	-	26	25	1	-	15.49
7	-	-	-	-	7	4	1	-	5	4	1	-	6.36
15	-	-	3	-	18	13	12	-	25	21	4	-	18.09
5	-	1	1	-	7	14	14	-	28	28	-	-	16.04
2	-	-	1	1	4	5	1	-	6	6	-	-	11.47
10	-	1	2	-	13	8	8	-	16	12	4	-	12.85
410	99	83	76	1	669	491	550	-	1,041	803	232	6	16.72

TABLE
Births, Marriages and Deaths

AROOSTOOK

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity.....	375	8	9	-	17	45.33	12	1	2	2	-
Ashland.....	2,437	42	38	-	80	32.83	52	7	10	10	1
Bancroft.....	355	5	3	-	8	22.54	4	1	2	1	-
Benedicta.....	292	3	6	-	9	30.82	9	-	-	-	-
Blaine.....	1,037	18	12	-	30	28.93	13	4	4	7	2
Bridgewater.....	1,262	15	14	-	29	22.98	13	4	7	5	-
Caribou.....	5,625	91	108	-	199	35.38	110	22	36	29	2
Castle Hill.....	532	9	6	-	15	28.20	9	-	2	4	-
Connor.....	671	10	14	-	24	35.77	17	6	1	-	-
Crystal.....	554	11	6	-	17	30.69	8	3	4	2	-
Dyer Brook.....	281	3	4	-	7	24.91	4	-	2	1	-
Eagle Lake.....	1,827	39	35	-	74	40.50	48	4	18	4	-
Easton.....	1,334	14	11	-	25	18.74	9	7	4	5	-
Fort Fairfield.....	4,461	81	80	-	161	36.09	57	29	37	33	5
Fort Kent.....	4,182	92	81	-	173	41.37	118	19	23	11	2
Frenchville.....	1,454	25	34	-	59	40.58	49	4	3	3	-
Grand Isle.....	1,402	32	29	-	61	43.51	41	3	7	10	-
Haynesville.....	272	7	3	-	10	36.76	8	-	2	-	-
Hersey.....	186	-	5	-	5	26.88	4	-	-	-	1
Hodgdon.....	1,162	13	17	-	30	25.82	22	1	4	3	-
Houlton.....	6,309	61	59	-	120	19.02	46	30	21	22	1
Island Falls.....	1,935	30	30	-	60	31.01	23	13	13	10	1
Limestone.....	1,358	30	26	-	56	41.24	23	10	7	16	-
Linneus.....	809	10	11	-	21	25.96	14	1	2	4	-
Littleton.....	1,054	8	11	-	19	18.02	9	-	5	5	-
Ludlow.....	419	4	4	-	8	19.09	3	1	-	4	-
Madawaska.....	1,884	48	33	-	81	42.99	76	-	3	1	1

No. 6—Continued.
for the year 1914.

COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			Death-rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	2	4	-	6	6	-	-	16.00
13	2	1	7	-	23	6	11	-	17	17	-	-	6.98
2	-	-	-	-	2	2	1	-	3	3	-	-	8.45
2	-	-	-	-	2	1	-	-	1	-	1	-	3.42
6	1	1	3	-	11	10	8	-	18	11	6	1	17.36
1	-	2	3	-	6	5	7	-	12	7	5	-	9.51
40	6	13	15	-	74	45	38	-	83	62	21	-	14.76
4	-	-	1	-	5	5	1	-	6	5	1	-	11.28
4	-	-	-	-	4	3	3	-	6	6	-	-	8.94
4	-	-	-	-	4	-	3	-	3	2	1	-	5.42
7	-	2	-	-	9	2	1	-	3	2	1	-	10.68
2	-	1	1	-	4	18	19	-	37	32	5	-	20.25
7	-	2	-	-	9	7	3	-	10	5	4	1	7.50
10	2	10	5	1	28	23	27	-	50	36	13	1	11.21
17	1	1	3	-	22	23	20	-	43	40	3	-	10.28
13	-	2	-	-	15	5	1	-	6	4	2	-	4.13
6	-	-	1	-	7	9	10	-	19	18	1	-	13.55
-	-	-	-	-	-	2	1	-	3	1	2	-	11.03
2	-	-	-	-	2	-	1	-	1	-	1	-	5.38
6	-	1	-	-	7	7	7	-	14	9	3	2	12.05
19	4	6	7	-	36	58	58	-	116	57	58	1	18.39
8	1	-	3	-	12	11	8	-	19	15	4	-	9.82
12	-	1	3	-	16	7	17	-	24	21	3	-	17.67
6	-	1	1	-	8	6	5	-	11	6	5	-	13.60
1	-	-	1	1	3	8	4	-	12	7	5	-	11.39
-	1	-	-	-	1	1	3	-	4	1	3	-	9.54
7	-	-	-	-	7	13	14	-	27	25	2	-	14.33

TABLE
Births, Marriages and Deaths

AROOSTOOK

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.				Rate per 1,000.	PARENTAGE.				
		Male.	Female.	Not stated.	Total.		Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Mapleton	1,227	19	16	-	35	28.52	27	1	3	4	-
Mars Hill	1,642	16	23	-	39	23.75	16	11	6	6	-
Masa. dis.	735	9	8	-	17	23.13	10	2	3	1	1
Merrill	431	8	3	-	11	25.52	6	-	3	2	-
Monticello	1,297	21	28	-	49	37.78	18	9	11	10	1
New Limerick	481	1	3	-	4	8.32	4	-	-	-	-
New Sweden	920	9	12	-	21	22.83	5	8	6	2	-
Oakfield	956	21	14	-	35	36.61	27	2	6	-	-
Orient	187	1	3	-	4	21.39	3	-	-	1	-
Perham	867	4	9	-	13	14.99	11	-	1	1	-
Portage Lake	604	9	8	-	17	28.14	12	1	4	-	-
Presque Isle	5,729	74	69	-	143	24.94	70	25	25	21	2
St. Agatha	1,588	30	32	-	62	39.04	61	-	-	1	-
Sherman	1,082	10	15	-	25	23.11	20	1	4	-	-
Smyrna	411	13	7	-	20	48.66	9	4	4	3	-
Stockholm	924	12	12	-	24	25.97	11	5	5	3	-
Van Buren	3,539	99	90	-	189	53.40	102	30	21	35	1
Wade	337	9	9	-	18	53.41	12	-	4	1	1
Washburn	1,726	29	23	-	52	30.13	36	4	7	4	1
Westfield	861	15	9	-	24	27.87	11	6	2	5	-
Weston	402	3	4	-	7	17.41	4	-	1	2	-
Woodland	1,187	13	9	-	22	18.53	7	3	5	7	-
Allagash Pl.	267	-	-	-	-	-	-	-	-	-	-
Cary Pl.	340	8	5	-	13	38.24	8	1	2	1	1
Caswell Pl.	593	13	7	-	20	33.73	9	4	2	5	-
Chapman Pl.	468	9	7	-	16	34.19	11	-	4	1	-
Cyr Pl.	543	5	8	-	13	23.94	6	2	2	3	-

No. 6—Continued.
for the year 1914.

COUNTY—CONTINUED.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			Death-rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	-	-	-	-	7	12	6	-	18	14	3	1	14.67
10	3	4	4	-	21	14	10	-	24	17	7	-	14.62
4	1	-	-	-	5	-	2	-	2	2	-	-	2.72
-	-	-	-	-	-	1	1	-	2	1	1	-	4.64
5	3	1	1	-	10	7	8	-	15	11	4	-	11.57
-	-	-	-	-	-	3	2	-	5	3	2	-	10.40
1	1	1	4	-	7	9	6	-	15	4	11	-	16.30
5	-	2	-	-	7	9	1	-	10	7	2	1	10.46
2	1	-	-	-	3	-	3	-	3	2	1	-	16.04
3	-	-	2	-	5	3	3	-	6	5	1	-	6.92
3	-	-	-	-	3	2	-	-	2	1	1	-	3.31
31	4	4	18	-	57	53	26	-	79	52	25	2	13.79
11	-	-	-	-	11	17	13	-	30	28	2	-	18.89
7	-	-	-	-	7	10	5	-	15	15	-	-	13.86
1	-	-	-	-	1	3	1	-	4	3	1	-	9.73
3	2	1	2	-	8	4	5	-	9	-	7	2	9.74
15	-	3	5	1	24	35	34	-	69	61	8	-	19.50
1	-	-	1	-	2	5	-	-	5	3	2	-	14.84
11	-	4	1	-	16	13	14	-	27	19	7	1	15.64
5	1	1	2	-	9	7	3	-	10	5	5	-	11.61
2	-	-	-	-	2	1	4	-	5	4	1	-	12.44
7	2	-	2	-	11	9	10	-	19	13	6	-	16.01
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	6	1	-	7	6	1	-	20.59
5	-	1	1	-	7	4	2	-	6	4	2	-	10.12
6	-	-	-	-	6	-	2	-	2	2	-	-	4.27
5	1	-	2	-	8	2	1	-	3	2	1	-	5.52

TABLE Births, Marriages and Deaths

AROSTOOK

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
E Pl.	159	2	3	-	5	31.45	-	-	2	3	-
Garfield Pl.	125	1	1	-	2	16.00	1	1	-	-	-
Glenwood Pl.	128	-	1	-	1	7.81	1	-	-	-	-
Hamlin Pl.	690	7	5	-	12	17.39	6	1	-	5	-
Hammond Pl.	115	1	-	-	1	8.70	1	-	-	-	-
Macwahoc Pl.	147	1	1	-	2	13.61	1	-	1	-	-
Moro Pl.	215	-	2	-	2	9.30	2	-	-	-	-
Nashville Pl.	27	1	-	-	1	37.04	1	-	-	-	-
New Canada Pl.	658	14	23	-	37	56.23	26	3	3	5	-
Oxbow Pl.	192	2	2	-	4	20.83	4	-	-	-	-
Reed Pl.	592	10	7	-	17	28.72	8	3	2	4	-
St. Francis Pl.	1,058	18	20	-	38	35.92	28	2	3	5	-
St. John Pl.	651	4	8	-	12	18.43	8	1	2	1	-
Silver Ridge Pl.	155	3	3	-	6	38.71	4	1	-	-	1
Wallagrass Pl.	1,092	25	20	-	45	41.21	38	3	1	3	-
Westmanland Pl.	120	1	-	-	1	8.33	1	-	-	-	-
Winterville Pl.	324	8	8	-	16	49.38	9	1	4	2	-
No. 9, R. 3.	-	-	4	-	4	-	3	-	-	1	-
Total.	*79,261	1,267	1,230	-	2,497	31.50	1,459	305	368	340	25

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**No. 6—Continued.
for the year 1914.**

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			Death-rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	1	-	-	1	1	-	-	6.29
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	2	2	-	-	15.62
2	1	-	1	-	4	5	1	-	6	6	-	-	8.70
-	-	-	-	-	-	1	-	-	1	1	-	-	8.70
3	-	-	-	-	3	-	2	-	2	2	-	-	13.61
2	-	-	-	-	2	2	-	-	2	1	1	-	9.30
-	-	-	1	-	1	-	-	-	-	-	-	-	-
4	-	-	-	-	4	4	6	-	10	10	-	-	15.20
-	-	-	-	-	-	1	-	-	1	1	-	-	5.21
3	-	-	-	-	3	1	4	-	5	2	2	1	8.45
5	-	3	-	-	8	9	4	-	13	11	2	-	12.29
2	-	1	1	-	4	-	3	-	3	1	2	-	4.61
1	-	-	-	-	1	2	4	-	6	5	1	-	38.71
9	-	1	1	-	11	14	11	-	25	20	5	-	22.89
2	-	-	-	-	2	-	-	-	-	-	-	-	-
3	-	-	-	-	3	6	4	-	10	10	-	-	30.86
-	-	-	-	-	-	-	1	-	1	1	-	-	-
388	39	71	103	3	604	554	480	-	1,034	763	259	12	13.05

TABLE
Births, Marriages and Deaths

CUMBERLAND

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin	791	10	8	-	18	22.61	16	-	1	1	-
Bridgton	2,660	24	24	-	48	18.05	38	3	3	4	-
Brunswick	6,621	80	83	-	163	24.62	65	48	28	20	2
Cape Elizabeth	2,245	10	5	-	15	6.68	13	-	1	1	-
Casco	688	10	4	-	14	20.35	13	-	-	1	-
Cumberland	1,403	12	8	-	20	14.25	16	1	3	-	-
Falmouth	1,488	11	8	-	19	12.77	14	2	-	2	1
Freeport	2,508	21	19	-	40	15.95	36	-	2	2	-
Gorham	2,934	28	21	-	49	16.70	42	4	3	-	-
Gray	1,270	12	10	-	22	17.32	17	-	3	2	-
Harpswell	1,650	21	13	-	34	20.61	31	-	2	1	-
Harrison	968	8	8	-	16	16.53	13	3	-	-	-
Naples	736	5	7	-	12	16.30	11	1	-	-	-
New Gloucester	1,256	12	6	-	18	14.33	18	-	-	-	-
North Yarmouth	702	6	3	-	9	12.82	7	1	1	-	-
Otisfield	632	8	7	-	15	23.73	14	1	-	-	-
Portland	61,943	677	649	-	1,326	21.41	592	498	112	107	17
Pownal	637	5	3	-	8	12.56	8	-	-	-	-
Raymond	677	6	6	-	12	17.73	12	-	-	-	-
Scarboro	1,977	16	25	-	41	20.74	27	7	1	4	2
Sebago	536	11	4	-	15	28.00	15	-	-	-	-
South Portland	7,943	103	99	-	202	25.43	145	30	8	19	-
Standish	1,689	23	20	-	43	25.46	37	2	2	2	-
Westbrook	8,681	94	107	-	201	23.15	96	52	30	21	2
Windham	1,966	12	16	-	28	14.24	25	1	2	-	-
Yarmouth	2,390	17	17	-	34	14.23	18	13	1	2	-
Total	116,991	1,242	1,180	-	2,422	20.70	1,339	667	203	189	24

No. 6—Continued.
for the year 1914.
 COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			Death-rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	12	5	-	17	17	-	-	22.75
24	1	1	-	-	26	30	27	-	57	52	5	-	21.43
37	8	8	9	-	62	54	57	-	111	93	16	2	16.76
9	1	1	1	-	12	13	4	-	17	16	1	-	7.57
5	-	-	-	-	5	5	1	-	6	6	-	-	8.72
11	-	1	-	-	12	8	5	-	13	10	3	-	9.27
6	-	-	1	-	7	16	12	-	28	25	3	-	18.82
14	1	1	2	-	18	18	21	-	39	38	1	-	15.75
26	-	-	1	-	27	22	23	-	45	40	5	-	15.34
2	-	1	-	-	3	9	8	-	17	16	1	-	13.38
13	-	3	1	-	17	17	8	-	25	22	3	-	15.15
5	1	1	-	-	7	8	7	-	15	14	-	1	15.50
8	-	-	-	-	8	9	4	-	13	13	-	-	17.66
6	-	-	1	1	8	18	3	-	21	21	-	-	16.72
5	-	-	1	-	6	2	4	-	6	6	-	-	8.55
4	-	-	-	-	4	7	10	-	17	15	2	-	26.89
401	121	69	73	-	664	528	479	-	1,007	732	254	21	16.26
2	-	-	-	-	2	4	4	-	8	8	-	-	12.56
9	-	-	-	-	9	6	5	-	11	11	-	-	16.25
12	-	1	1	-	14	12	13	-	25	22	3	-	12.65
6	-	-	-	-	6	7	3	-	10	9	-	1	18.65
42	4	7	3	-	56	42	59	-	101	86	15	-	12.72
15	-	1	-	-	16	17	9	-	26	24	1	1	15.39
42	9	8	11	-	70	77	52	-	129	94	35	-	14.86
14	-	-	-	-	14	13	13	-	26	23	2	1	13.22
9	2	-	3	-	14	16	16	-	32	26	6	-	13.39
731	148	103	108	1	1,091	970	852	-	1,822	1,439	356	27	15.57

TABLE Births, Marriages and Deaths

FRANKLIN

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.				Rate per 1,000.	PARENTAGE.				
		Male.	Female.	Not stated.	Total.		Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Avon.....	380	2	3	-	5	13.16	5	-	-	-	-
Carthage.....	292	5	3	-	8	27.40	8	-	-	-	-
Chesterville.....	627	13	5	-	18	28.71	16	1	-	1	-
Eustis.....	536	4	5	-	9	16.79	7	-	-	2	-
Farmington.....	3,210	20	28	-	48	14.95	43	-	3	2	-
Freeman.....	334	2	7	-	9	26.95	7	1	-	1	-
Industry.....	465	2	2	-	4	8.60	3	-	1	-	-
Jay.....	3,079	46	53	-	99	32.15	31	48	16	4	-
Kingfield.....	1,019	9	6	-	15	14.72	14	-	-	1	-
Madrid.....	264	3	1	-	4	15.15	4	-	-	-	-
New Sharon.....	959	5	8	-	13	13.56	9	2	1	-	1
New Vineyard.....	543	4	5	-	9	16.57	8	1	-	-	-
Phillips.....	1,431	12	21	-	33	23.06	31	-	2	-	-
Rangeley.....	1,230	8	19	-	27	21.95	21	1	1	3	1
Salem.....	181	2	-	-	2	11.05	2	-	-	-	-
Strong.....	752	4	9	-	13	17.29	11	1	-	-	1
Temple.....	407	-	2	-	2	4.91	2	-	-	-	-
Weld.....	574	3	6	-	9	15.68	9	-	-	-	-
Wilton.....	2,343	21	24	-	45	19.21	31	7	3	2	2
Coplin Pl.....	85	1	2	-	3	35.29	1	-	-	2	-
Dallas Pl.....	166	1	-	-	1	6.02	-	1	-	-	-
Lang Pl.....	62	1	-	-	1	16.13	1	-	-	-	-
Sandy River Pl...	112	2	2	-	4	35.71	2	1	-	1	-
	*19,051	170	211	-	381	20.00	265	64	27	19	5

* Population of county, omitting that of unorganized townships, and other places not represented in this tabulation. See table No. 1.

No. 6—Continued.
for the year 1914.

COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
2	-	1	-	-	3	1	1	-	2	2	-	-	5.26
2	-	-	-	-	2	2	-	-	2	2	-	-	6.85
1	-	-	-	-	1	6	3	-	9	9	-	-	14.35
2	-	1	-	-	3	2	2	-	4	3	-	1	7.46
20	-	2	1	-	23	26	41	-	67	64	2	1	20.87
3	-	-	-	-	3	1	1	-	2	2	-	-	5.99
-	-	1	-	-	1	2	4	-	6	5	1	-	12.90
14	6	1	1	-	22	17	22	-	39	31	8	-	12.67
11	-	-	-	-	11	11	3	-	14	14	-	-	13.74
4	-	-	-	-	4	2	1	-	3	3	-	-	11.36
7	-	-	-	-	7	8	11	-	19	18	1	-	19.81
3	-	-	-	-	3	5	4	-	9	9	-	-	16.57
17	-	-	2	-	19	7	13	-	20	20	-	-	13.98
7	-	-	3	-	10	8	4	-	12	11	1	-	9.76
2	-	-	-	-	2	-	2	-	2	2	-	-	11.05
10	-	-	-	-	10	6	6	-	12	12	-	-	15.96
2	1	-	-	-	3	2	2	-	4	4	-	-	9.83
8	-	-	-	-	8	5	2	-	7	7	-	-	12.20
20	3	-	1	-	24	20	15	-	35	34	1	-	14.94
1	-	-	-	-	1	-	1	-	1	1	-	-	11.76
1	-	-	-	-	1	1	1	-	2	1	1	-	12.05
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	1	-	3	3	-	-	26.79
37	10	6	8	-	161	134	140	-	274	257	15	2	14.38

TABLE
Births, Marriages and Deaths

HANCOCK

TOWNS.	Estimated population in 1914.	BIRTHS.											
		SEX.					PARENTAGE.						
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.		
Amherst.....	275	1	-	-	1	3.64	1	-	-	-	-	-	-
Aurora.....	114	-	-	-	-	-	-	-	-	-	-	-	-
Bluehill.....	1,462	8	15	-	23	15.73	23	-	-	-	-	-	-
Brooklin.....	936	8	12	-	20	21.37	20	-	-	-	-	-	-
Brooksville.....	1,176	7	9	-	16	13.60	15	-	-	-	1	-	-
Bucksport.....	2,216	18	11	-	29	13.08	27	-	1	-	1	-	-
Castine.....	934	6	4	-	10	10.71	10	-	-	-	-	-	-
Cranberry Isles....	411	6	2	-	8	19.46	8	-	-	-	-	-	-
Dedham.....	365	3	2	-	5	13.69	5	-	-	-	-	-	-
Deer Isle.....	1,946	25	16	-	41	21.07	40	-	1	-	-	-	-
Eastbrook.....	213	2	2	-	4	18.78	4	-	-	-	-	-	-
Eden.....	4,465	20	29	7	56	12.54	38	5	3	5	5	5	5
Ellsworth.....	3,549	24	29	-	53	14.93	48	1	1	2	1	2	1
Franklin.....	1,161	17	7	-	24	20.67	22	-	-	1	1	1	1
Gouldsboro.....	1,385	19	8	-	27	19.49	20	2	3	2	-	-	-
Hancock.....	843	7	9	-	16	18.98	15	1	-	-	-	-	-
Lamoine.....	482	3	3	-	6	12.45	5	-	-	1	-	-	-
Mariaville.....	171	1	1	-	2	11.69	2	-	-	-	-	-	-
Mount Desert.....	1,569	16	9	-	25	15.93	20	2	-	3	-	-	-
Orland.....	1,224	8	14	-	22	17.97	22	-	-	-	-	-	-
Otis.....	115	1	1	-	2	17.39	2	-	-	-	-	-	-
Penobscot.....	985	9	6	-	15	15.22	15	-	-	-	-	-	-
Sedgwick.....	910	10	10	-	20	21.98	19	-	1	-	-	-	-
Sorrento.....	159	2	1	-	3	18.87	3	-	-	-	-	-	-
Southwest Harbor..	888	5	7	-	12	13.51	12	-	-	-	-	-	-

No. 6—Continued.
for the year 1914.
 COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			Death-rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	4	1	-	5	4	1	-	18.14
2	-	-	-	-	2	1	-	-	1	1	-	-	8.77
10	-	1	-	-	11	9	7	-	16	14	2	-	10.94
5	-	-	1	-	6	6	5	-	11	11	-	-	11.75
9	-	-	-	-	9	10	5	-	15	15	-	-	12.75
10	-	1	-	-	11	28	25	-	53	51	1	1	23.91
6	-	-	-	-	6	2	3	-	5	5	-	-	5.35
5	-	-	-	-	5	5	1	-	6	5	1	-	14.59
-	-	2	-	-	2	7	1	-	8	7	1	-	21.91
6	-	-	-	-	6	12	13	-	25	24	-	1	12.84
1	-	-	-	-	1	2	3	-	5	5	-	-	23.47
27	2	3	3	-	35	31	24	-	55	52	3	-	12.31
17	-	1	1	-	19	31	31	-	62	58	4	-	17.47
4	-	-	-	-	4	7	9	-	16	15	1	-	13.78
8	-	1	1	-	10	8	7	-	15	15	-	-	10.83
4	-	1	-	-	5	6	7	-	13	12	1	-	15.42
3	-	-	-	-	3	5	3	-	8	7	1	-	16.56
2	-	-	-	-	2	-	2	-	2	2	-	-	11.69
12	-	1	-	-	13	8	9	-	17	17	-	-	10.83
5	-	-	-	-	5	12	16	-	28	26	2	-	22.88
-	-	-	-	-	-	1	2	-	3	3	-	-	26.08
5	-	3	-	-	8	9	8	-	17	17	-	-	17.26
7	-	-	-	-	7	10	4	-	14	14	-	-	15.38
2	-	-	-	-	2	-	-	-	-	-	-	-	-
6	-	-	1	-	7	8	2	-	10	9	1	-	11.26

TABLE
Births, Marriages and Deaths

HANCOCK

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Stonington.....	2,194	14	24	-	38	17.32	27	8	2	-	1
Sullivan.....	1,172	6	8	-	14	11.94	11	-	2	1	-
Surry.....	734	7	6	-	13	17.70	12	-	-	1	-
Swan's Island.....	749	5	15	-	20	26.70	20	-	-	-	-
Tremont.....	1,116	10	12	-	22	19.71	20	1	-	-	1
Trenton.....	354	5	2	-	7	19.77	6	-	-	1	-
Verona.....	229	2	3	-	5	21.84	4	-	1	-	-
Waltham.....	182	2	1	-	3	16.48	3	-	-	-	-
Winter Harbor.....	598	3	11	-	14	25.08	14	-	-	-	-
Long Island Pl....	207	2	2	-	4	19.32	3	-	1	-	-
No. 21 Pl.....	39	-	-	-	-	-	-	-	-	-	-
No. 33 Pl.....	54	1	-	-	1	18.52	1	-	-	-	-
Total.....	*35,582	283	291	7	581	16.30	517	20	16	19	9

* Population not including that of unorganized townships, and other places not represented in this tabulation. See table No. 1.

**No. 6—Continued.
for the year 1914.**

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
						SEX.				NATIVITY.			Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
13	-	1	1	-	15	7	7	-	14	14	-	-	6.38
7	1	-	2	-	10	10	6	-	16	15	1	-	13.65
4	-	1	-	-	5	13	8	-	21	19	1	1	28.61
5	-	-	-	-	5	4	3	-	7	7	-	-	9.34
9	-	1	1	-	11	5	6	-	11	10	1	-	9.85
-	-	-	-	-	-	4	3	-	7	7	-	-	19.77
4	-	-	-	-	4	3	3	-	6	6	-	-	26.20
2	-	-	-	-	2	2	1	-	3	3	-	-	16.48
2	-	-	-	-	2	6	4	-	10	10	-	-	16.72
-	-	-	-	-	-	1	-	-	1	1	-	-	4.83
-	-	-	-	-	-	1	-	-	1	1	-	-	25.64
1	-	-	-	-	1	-	-	-	-	-	-	-	-
205	3	17	11	-	236	278	229	-	507	482	22	3	14.25

TABLE Births, Marriages and Deaths

KENNEBEC

Towns.	Estimated population in 1914.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion.....	940	10	5	-	15	15.96	15	-	-	-	-
Augusta.....	13,823	169	150	-	319	23.08	149	97	24	43	6
Belgrade.....	1,037	3	10	-	13	12.54	9	-	2	1	1
Benton.....	1,234	10	11	-	21	17.02	17	-	4	-	-
Chelsea.....	3,264	5	10	-	15	4.60	9	2	2	2	-
China.....	1,297	8	9	-	17	13.11	13	-	2	2	-
Clinton.....	1,268	17	14	-	31	24.45	26	-	1	4	-
Farmingdale.....	817	3	8	-	11	13.46	8	-	1	2	-
Fayette.....	533	1	4	-	5	9.38	4	1	-	-	-
Gardiner.....	5,311	40	56	-	96	18.08	73	5	7	8	3
Hallowell.....	2,924	21	27	-	48	16.42	33	6	7	2	-
Litchfield.....	964	9	6	-	15	15.56	13	-	1	1	-
Manchester.....	633	2	5	-	7	11.06	4	-	2	1	-
Monmouth.....	1,446	16	9	-	25	17.28	19	3	1	2	-
Mount Vernon.....	898	8	4	-	12	13.36	11	-	1	-	-
Oakland.....	2,393	25	18	-	43	17.97	37	1	1	3	1
Pittston.....	954	8	9	-	17	17.82	17	-	-	-	-
Randolph.....	1,017	11	8	-	19	18.68	11	3	4	1	-
Readfield.....	997	8	5	-	13	13.04	12	1	-	-	-
Rome.....	448	3	4	-	7	15.62	6	-	-	-	1
Sidney.....	927	7	12	-	19	20.50	19	-	-	-	-
Vassalboro.....	2,081	13	18	-	31	14.90	21	4	2	4	-
Vienna.....	403	2	2	-	4	9.93	4	-	-	-	-

No. 6—Continued.
for the year 1914.
 COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			Death-rate Per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	1	1	-	4	10	11	-	21	19	-	2	22.34
94	13	18	14	-	139	158	136	-	294	236	55	3	21.27
9	-	-	-	-	9	8	4	-	12	11	1	-	11.57
10	1	-	3	-	14	11	8	-	19	17	2	-	15.40
8	-	-	-	-	8	5	9	-	14	12	1	1	4.29
6	-	1	-	-	7	7	7	-	14	13	-	1	10.79
9	-	2	-	-	11	11	9	-	20	19	-	1	15.77
1	-	-	1	-	2	11	6	-	17	16	1	-	20.81
3	-	1	-	-	4	5	3	-	8	7	1	-	15.01
40	5	7	11	-	63	47	42	-	89	74	15	-	16.76
17	2	-	2	-	21	20	19	-	39	32	7	-	13.34
7	-	1	-	-	8	10	12	-	22	22	-	-	22.82
1	-	-	-	-	1	4	4	-	8	7	1	-	12.64
12	2	1	1	-	16	10	13	-	23	22	1	-	15.91
7	-	1	-	-	8	7	3	-	10	10	-	-	11.14
18	1	3	1	-	23	23	17	-	40	37	3	-	16.72
3	-	1	1	-	5	8	9	-	17	17	-	-	17.82
4	1	-	1	-	6	10	6	-	16	15	1	-	15.73
2	-	-	-	-	2	14	9	-	23	21	2	-	23.07
2	-	-	-	-	2	4	2	-	6	6	-	-	13.39
5	1	2	-	-	8	11	9	-	20	20	-	-	21.57
12	-	1	-	-	13	21	16	-	37	31	6	-	17.78
2	-	-	-	-	2	3	5	-	8	8	-	-	19.85

TABLE

Births, Marriages and Deaths

KENNEBEC

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Waterville.....	12,250	177	157	-	334	27.27	150	96	52	30	6
Wayne.....	595	5	2	-	7	11.76	7	-	-	-	-
West Gardiner.....	629	4	1	-	5	7.95	5	-	-	-	-
Windsor.....	706	3	4	-	7	9.92	5	-	-	1	1
Winslow.....	2,981	47	46	-	93	31.20	28	51	9	5	-
Winthrop.....	2,166	4	8	-	12	5.54	9	3	-	-	-
Togus.....	-	-	-	-	-	-	-	-	-	-	-
Total.....	*64,936	639	622	-	1,261	19.42	734	273	123	112	19

* Population not including that of unorganized townships, and other places not represented in this tabulation. See table No. 1.

No. 6—Continued.
for the year 1914.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
						SEX.				NATIVITY.			Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
100	17	9	9	-	135	107	86	-	193	143	50	-	15.76
5	-	-	4	-	9	9	5	-	14	12	2	-	23.53
7	-	-	1	-	8	7	6	-	13	13	-	-	20.67
5	-	2	-	-	7	5	2	-	7	7	-	-	9.92
12	19	2	4	-	37	19	21	-	40	32	8	-	13.42
14	2	2	2	-	20	21	18	-	39	32	6	1	18.00
7	-	2	1	-	10	14	-	-	14	9	5	-	-
424	64	57	57	-	602	600	497	-	1,097	920	168	9	16.89

TABLE Births, Marriages and Deaths

KNOX

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton.....	842	8	3	-	11	13.06	11	-	-	-	-
Camden.....	3,091	13	23	-	36	11.65	33	1	2	-	-
Cushing.....	535	5	4	-	9	16.82	9	-	-	-	-
Friendship.....	776	6	6	-	12	15.46	11	1	-	-	-
Hope.....	497	4	4	-	8	16.09	6	1	-	1	-
Hurricane Isle.....	256	1	-	-	1	3.91	-	1	-	-	-
Isle au Haut.....	160	1	-	-	1	6.25	1	-	-	-	-
North Haven.....	535	4	4	-	8	14.96	7	-	-	-	1
Rockland.....	8,182	55	79	-	134	16.37	96	16	14	6	2
Rockport.....	2,022	21	17	-	39	18.79	32	4	1	1	-
St. George.....	2,201	13	14	-	27	12.27	19	7	1	-	-
South Thomaston..	1,442	10	16	-	26	18.03	18	3	2	2	1
Thomaston.....	2,205	9	11	-	20	9.07	20	-	-	-	-
Union.....	1,233	10	6	-	16	13.79	16	-	-	-	-
Vinalhaven.....	2,334	23	21	-	44	18.72	30	8	5	1	-
Warren.....	1,812	10	5	-	15	8.28	14	-	1	-	-
Washington.....	814	12	7	-	19	23.34	18	-	1	-	-
Matinicus Isle Pl..	179	1	-	-	1	5.59	1	-	-	-	-
Total.....	*29,116	206	220	-	426	14.63	342	42	27	11	4

* Population not including that of unorganized townships, and other places not represented in this tabulation. See table No. 1.

No. 6—Continued.
for the year 1914.
 COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
5	-	-	-	-	5	8	5	-	13	11	2	-	15.44
24	-	6	-	-	30	22	28	-	50	46	1	3	16.17
3	-	-	-	-	3	7	1	-	8	7	1	-	14.95
5	-	1	-	-	6	8	7	-	15	15	-	-	19.33
3	-	-	-	-	3	-	7	-	7	7	-	-	14.08
1	-	-	-	-	1	-	1	-	1	-	1	-	3.91
-	-	-	-	-	-	1	-	-	1	1	-	-	6.25
3	-	-	-	-	3	5	3	-	8	7	1	-	14.96
63	7	1	3	-	74	99	67	-	166	150	15	1	20.29
26	1	-	-	-	27	18	9	-	27	24	3	-	13.35
8	-	1	1	-	10	16	26	-	42	36	6	-	19.08
9	-	1	1	-	11	8	12	-	20	19	1	-	13.86
14	-	-	2	-	16	23	13	-	36	33	3	-	16.33
11	-	-	-	-	11	9	10	-	19	19	-	-	15.41
17	2	2	2	-	23	24	17	-	41	33	8	-	17.57
12	-	-	1	-	13	10	13	-	23	23	-	-	12.69
4	-	-	-	-	4	5	6	-	11	11	-	-	13.51
2	-	-	-	-	2	1	-	-	1	1	-	-	5.59
210	10	12	10	-	242	264	225	-	489	443	42	4	16.79

TABLE

Births, Marriages and Deaths

LINCOLN

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna.....	461	3	6	-	9	19.30	8	-	-	1	-
Boothbay.....	1,700	10	18	-	28	16.41	27	1	-	-	-
Boothbay Harbor..	2,057	9	13	-	22	10.69	18	-	1	3	-
Bremen.....	550	7	5	-	12	21.82	8	1	1	1	1
Bristol.....	2,415	26	11	-	37	15.32	35	-	1	1	-
Damariscotta.....	771	3	6	-	9	11.66	9	-	-	-	-
Dresden.....	815	6	3	-	9	11.04	7	-	1	1	-
Edgecomb.....	513	4	6	-	10	19.49	8	1	-	1	-
Jefferson.....	1,030	12	10	-	22	21.36	18	-	3	1	-
Newcastle.....	1,066	2	10	-	12	11.26	11	1	-	-	-
Nobleboro.....	775	6	10	-	16	20.64	13	-	-	3	-
Somerville.....	291	6	2	-	8	27.49	7	-	-	1	-
Southport.....	409	4	3	-	7	16.87	6	-	1	-	-
Waldoboro.....	2,656	15	19	-	34	12.80	31	1	1	-	1
Westport.....	284	3	1	-	4	14.08	3	-	1	-	-
Whitefield.....	1,056	9	12	-	21	19.89	18	-	1	2	-
Wiscasset.....	1,295	9	4	-	13	10.89	8	-	2	3	-
Total.....	*18,144	134	139	-	273	15.04	235	5	13	18	2

* Population not including that of unorganized townships, and other places not represented in this tabulation. See table No. 1.

No. 6—Continued.
for the year 1914.
 COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			Death-rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	3	6	-	9	9	-	-	19.30
20	-	2	-	-	22	15	13	-	28	27	1	-	16.41
11	-	1	1	-	13	9	7	-	16	14	1	1	7.77
2	-	-	-	-	2	6	5	-	11	11	-	-	20.00
11	-	-	-	-	11	21	17	-	38	38	-	-	15.73
7	-	-	-	-	7	8	4	-	12	11	1	-	15.56
2	-	1	-	-	3	7	4	-	11	10	1	-	13.49
3	-	-	-	-	3	5	4	-	9	9	-	-	17.54
7	-	-	-	-	7	12	9	-	21	20	-	1	20.39
5	-	-	-	-	5	13	12	-	25	23	2	-	23.45
4	-	-	-	-	4	17	9	-	26	26	-	-	33.55
3	1	-	-	-	4	2	2	-	4	4	-	-	13.74
2	-	-	-	-	2	6	5	-	11	10	1	-	26.90
12	1	-	-	-	13	33	26	-	59	57	2	-	22.21
1	-	-	-	-	1	1	-	-	1	1	-	-	3.52
9	-	1	-	-	10	15	4	-	19	18	1	-	17.99
12	-	-	-	-	12	11	15	-	26	25	1	-	21.78
113	2	5	1	-	121	184	142	-	326	313	11	2	17.97

TABLE
Births, Marriages and Deaths

OXFORD

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.				Rate per 1,000.	PARENTAGE.				
		Male.	Female.	Not stated.	Total.		Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany.....	410	4	1	-	5	12.20	4	-	1	-	-
Andover.....	769	11	6	-	17	22.11	10	5	1	-	1
Bethel.....	1,968	19	23	-	42	21.34	27	6	2	7	-
Brownfield.....	933	7	4	-	11	11.79	9	-	1	1	-
Buckfield.....	1,087	6	4	-	10	9.20	9	-	-	1	-
Byron.....	187	-	-	-	-	-	-	-	-	-	-
Canton.....	1,040	8	6	-	14	13.46	9	3	2	-	-
Denmark.....	596	6	2	-	8	13.42	4	4	-	-	-
Dixfield.....	1,056	9	7	-	16	15.15	16	-	-	-	-
Fryeburg.....	1,282	7	14	-	21	16.38	20	-	1	-	-
Gilead.....	233	3	2	-	5	21.46	1	2	-	1	1
Grafton.....	64	1	-	-	1	15.62	-	-	1	-	-
Greenwood.....	664	10	12	-	22	33.13	15	6	-	1	-
Hanover.....	196	1	2	-	3	15.31	3	-	-	-	-
Hartford.....	592	2	5	-	7	11.82	6	-	1	-	-
Hebron.....	646	9	3	-	12	18.58	11	-	-	1	-
Hiram.....	945	5	7	-	12	12.70	12	-	-	-	-
Lovell.....	668	3	2	-	5	7.49	5	-	-	-	-
Mason.....	60	2	-	-	2	33.33	1	-	1	-	-
Mexico.....	2,565	31	45	-	76	29.63	27	32	4	13	-
Newry.....	271	4	1	-	5	18.45	3	-	1	1	-
Norway.....	3,042	35	19	-	54	17.75	44	6	1	3	-

No. 6—Continued.
for the year 1914.
 COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			Death-rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	1	-	1	1	2	-	3	3	-	-	7.32
5	1	-	1	-	7	3	5	-	8	7	1	-	10.40
28	-	1	1	-	30	11	20	-	31	29	2	-	15.75
12	-	1	-	-	13	13	11	-	24	22	2	-	25.72
13	-	-	-	-	13	8	11	-	19	19	-	-	17.48
-	-	-	-	-	-	-	1	-	1	1	-	-	5.35
8	1	-	1	1	11	7	9	-	16	15	1	-	15.38
4	-	-	-	-	4	3	5	-	8	8	-	-	13.42
7	-	-	1	-	8	11	8	-	19	17	2	-	17.99
11	-	-	-	-	11	6	8	-	14	14	-	-	10.92
1	-	-	-	-	1	1	3	-	4	4	-	-	17.17
2	-	-	-	-	2	-	-	-	-	-	-	-	-
8	-	-	-	-	8	4	4	-	8	7	1	-	12.05
1	-	-	-	-	1	2	1	-	3	3	-	-	15.31
5	-	-	-	-	5	6	6	-	12	10	1	1	20.27
7	-	-	-	-	7	4	7	-	11	9	2	-	17.03
9	-	-	-	-	9	7	2	-	9	9	-	-	9.52
8	-	1	-	-	9	4	8	-	12	12	-	-	17.96
-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	3	2	7	-	26	16	18	-	34	26	7	1	13.26
1	-	-	-	-	1	1	-	-	1	1	-	-	3.69
21	1	2	-	-	24	17	25	-	42	39	3	-	13.81

TABLE
Births, Marriages and Deaths

OXFORD

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Oxford.....	1,221	7	9	-	16	13.10	15	-	1	-	-
Paris.....	3,520	41	22	-	63	17.90	35	22	1	4	1
Peru.....	746	7	2	-	9	12.06	8	-	1	-	-
Porter.....	864	8	6	-	14	16.20	12	1	-	1	-
Roxbury.....	340	2	5	-	7	20.59	6	-	1	-	-
Rumford.....	7,980	167	151	-	318	39.85	56	207	33	20	2
Stoneham.....	253	1	7	-	8	31.62	8	-	-	-	-
Stow.....	224	1	1	-	2	8.93	2	-	-	-	-
Sumner.....	762	4	4	-	8	10.50	5	1	-	2	-
Sweden.....	266	1	3	-	4	15.04	3	-	-	-	1
Upton.....	331	-	1	-	1	3.02	-	-	1	-	-
Waterford.....	941	9	5	-	14	14.88	12	1	1	-	-
Woodstock.....	808	8	5	-	13	16.09	11	1	-	1	-
Lincoln Pl.....	400	3	-	-	3	7.50	3	-	-	-	-
Magalloway Pl....	105	-	-	-	-	-	-	-	-	-	-
Milton Pl.....	206	-	1	-	1	4.85	1	-	-	-	-
Total.....	*38,241	442	387	-	829	21.68	413	297	56	57	6

* Population not including that of unorganized townships, and other places not represented in this tabulation. See table No. 1.

**No. 6—Continued.
for the year 1914.**

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			Death-rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	-	1	-	-	8	9	15	-	24	22	2	-	19.66
24	10	2	-	-	36	29	19	-	48	46	2	-	13.64
8	-	-	-	-	8	5	4	-	9	7	1	1	12.06
12	-	-	-	-	12	10	10	-	20	18	2	-	23.15
2	-	-	-	-	2	-	1	-	1	1	-	-	2.94
27	53	11	13	-	104	53	42	-	95	71	23	1	11.90
1	-	-	-	-	1	1	2	-	3	3	-	-	11.86
-	-	-	1	-	1	1	2	-	3	3	-	-	13.39
4	-	-	-	-	4	6	1	-	7	6	-	1	9.19
-	-	-	-	-	-	7	1	-	8	8	-	-	30.08
2	-	-	1	-	3	-	-	-	-	-	-	-	-
7	-	-	-	-	7	6	9	-	15	14	-	1	15.94
13	1	-	-	-	14	5	8	-	13	13	-	-	16.09
1	-	-	-	-	1	1	-	-	1	1	-	-	2.50
1	-	-	-	-	1	-	-	-	-	-	-	-	-
3	-	-	-	-	3	1	-	-	1	1	-	-	4.85
277	70	21	27	1	396	259	268	-	527	469	52	6	13.79

No. 6—Continued.
for the year 1914.

COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			Death-rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	2	1	1	-	8.50
181	17	18	37	-	253	336	239	-	575	429	135	11	22.13
3	-	-	-	-	3	6	7	-	13	13	-	-	13.97
3	-	-	-	-	3	11	7	-	18	17	1	-	28.39
35	6	3	8	-	52	35	42	-	77	61	16	-	12.83
2	-	-	-	-	2	3	2	-	5	5	-	-	13.51
5	-	-	-	-	5	3	6	-	9	8	1	-	8.19
2	-	-	-	-	2	3	3	-	6	6	-	-	12.50
7	-	-	-	-	7	7	7	-	14	12	2	-	16.05
7	-	-	-	-	7	2	-	-	2	2	-	-	5.73
2	-	-	-	-	2	4	-	-	4	4	-	-	18.43
7	-	-	1	-	8	8	8	-	16	15	-	1	12.65
9	-	1	1	-	11	7	7	-	14	14	-	-	13.54
30	-	2	-	-	32	31	29	-	60	56	3	1	16.99
4	-	-	-	-	4	1	1	-	2	2	-	-	2.64
2	6	2	1	-	11	-	1	-	1	1	-	-	1.08
1	1	-	-	-	2	5	7	-	12	12	-	-	19.64
-	-	-	-	-	-	1	1	-	2	2	-	-	44.44
7	-	-	-	-	7	10	4	-	14	13	1	-	14.43
4	-	-	-	-	4	5	3	-	8	7	-	1	15.30
7	-	-	1	-	8	6	10	-	16	15	1	-	17.94
5	-	-	-	-	5	3	2	-	5	5	-	-	6.12
1	1	-	-	-	2	2	-	-	2	1	1	-	4.37
-	-	1	-	-	1	2	3	-	5	5	-	-	10.31
3	-	1	-	-	4	1	1	-	2	1	-	1	9.66

TABLE
Births, Marriages and Deaths

PENOBSCOT

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Hampden.....	2,460	15	16	-	31	12.60	24	2	2	2	1
Hermon.....	1,222	14	6	-	20	16.36	18	1	1	-	-
Holden.....	613	6	2	-	8	13.05	3	2	2	1	-
Howland.....	494	4	9	-	13	26.31	8	2	3	-	-
Hudson.....	403	7	4	-	11	27.29	11	-	-	-	-
Kenduskeag.....	505	8	1	-	9	17.82	7	-	2	-	-
Kingman.....	741	20	7	-	27	36.44	16	4	6	1	-
Lagrange.....	598	9	3	-	12	20.07	9	1	1	-	1
Lee.....	748	9	12	-	21	28.07	16	1	1	2	1
Levant.....	707	7	3	-	10	14.14	8	-	1	1	-
Lincoln.....	2,092	33	13	-	46	21.98	35	6	2	3	-
Lowell.....	259	7	2	-	9	34.75	7	-	-	2	-
Mattawamkeag....	517	8	6	-	14	27.08	11	-	1	2	-
Maxfield.....	79	-	1	-	1	12.65	-	-	-	1	-
Medway.....	565	6	12	-	18	31.86	15	1	2	-	-
Milford.....	1,019	9	12	-	21	20.61	17	1	1	2	-
Millinocket.....	3,368	84	81	-	165	48.99	46	84	23	12	-
Mt. Chase.....	227	4	2	-	6	26.43	6	-	-	-	-
Newburg.....	694	4	8	-	12	17.29	9	1	1	1	-
Newport.....	1,831	13	8	-	21	11.47	18	-	2	1	-
Old Town.....	6,537	82	80	-	162	24.78	79	34	25	22	2
Orono.....	3,675	41	36	-	77	20.95	36	21	8	10	2
Orrington.....	1,219	14	8	-	22	18.05	16	2	1	3	-
Passadumkeag....	461	6	5	-	11	23.86	10	1	-	-	-
Patten.....	1,498	14	16	-	30	20.03	25	-	3	1	1
Plymouth.....	590	2	3	-	5	8.47	4	-	-	1	-

No. 6—Continued.
for the year 1914.

COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			Death-rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
15	-	2	-	-	17	20	16	-	36	32	4	-	14.63
9	-	-	1	-	10	8	5	-	13	13	-	-	10.64
2	-	-	-	-	2	3	3	-	6	2	4	-	9.79
3	-	1	-	-	4	1	5	-	6	6	-	-	12.15
3	-	-	-	-	3	2	1	-	3	2	-	1	7.44
3	-	-	-	-	3	5	3	-	8	8	-	-	15.84
3	1	2	3	-	9	4	3	-	7	5	2	-	9.45
8	-	1	-	-	9	4	3	-	7	6	1	-	11.70
7	-	-	1	-	8	3	8	-	11	10	1	-	14.71
7	-	-	-	-	7	9	4	-	13	11	1	1	18.39
19	1	-	2	-	22	12	11	-	23	20	2	1	10.99
1	-	-	-	-	1	3	2	-	5	5	-	-	19.31
6	-	1	-	-	7	3	3	-	6	4	2	-	11.61
-	-	-	-	-	-	2	1	-	3	3	-	-	37.95
5	-	-	-	1	6	1	1	-	2	1	1	-	3.54
2	4	-	1	-	4	4	9	-	13	13	-	-	12.75
23	7	3	10	-	43	20	19	-	39	26	8	5	11.58
3	-	-	1	-	4	2	1	-	3	2	-	1	13.21
12	-	-	-	-	12	4	5	-	9	8	1	-	12.97
15	-	2	-	-	17	13	13	-	26	24	2	-	14.20
51	5	2	11	-	69	66	41	-	107	88	18	1	16.37
19	5	2	5	-	31	24	20	-	44	34	10	-	11.97
3	-	1	-	-	4	11	5	-	16	13	3	-	13.13
2	-	-	-	-	2	7	4	-	11	6	5	-	23.86
7	-	1	2	-	10	10	4	-	14	8	4	2	9.34
3	-	-	-	-	3	6	3	-	9	9	-	-	15.25

TABLE
Births, Marriages and Deaths

PENOBSCOT

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Prentiss.....	472	5	5	-	10	21.19	7	-	2	1	-
Springfield.....	459	11	8	-	19	41.39	17	-	2	-	-
Stetson.....	480	8	5	-	13	27.08	11	-	-	2	-
Veazie.....	557	3	4	-	7	12.57	6	1	-	-	-
Winn.....	655	6	12	-	18	27.48	16	-	1	-	1
Woodville.....	125	3	2	-	5	40.00	4	1	-	-	-
Drew Pl.....	299	5	2	-	7	23.41	6	1	-	-	-
Grand Falls Pl....	50	-	-	-	-	-	-	-	-	-	-
Lakeville Pl.....	96	1	1	-	2	20.83	2	-	-	-	-
Seboeis Pl.....	86	1	-	-	1	11.63	1	-	-	-	-
Stacyville Pl.....	669	12	8	-	20	29.89	12	1	4	3	-
Webster Pl.....	103	2	3	-	5	48.54	3	1	-	1	-
Indian Twp. No. 3.	44	-	1	-	1	22.73	-	-	-	1	-
No. 1, R. 7.....	40	1	1	-	2	50.00	2	-	-	-	-
No. 2, R. 6.....	208	-	-	-	-	-	-	-	-	-	-
Total.....	*87,405	951	850	-	1,801	20.61	1,117	316	182	147	39

* Population of county not including that of unorganized townships, and other places not represented in this tabulation. See table No. 1.

No. 6—Continued.
for the year 1914.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			Death-rate per 1,000]
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
6	-	-	-	-	6	3	3	-	6	5	1	-	12.71
3	-	-	-	-	3	3	2	-	5	4	1	-	10.89
6	-	-	-	-	6	6	4	-	10	10	-	-	20.83
4	-	-	-	-	4	6	9	-	15	14	1	-	26.93
3	1	2	-	-	6	4	3	-	7	7	-	-	10.68
2	-	-	-	-	2	-	1	-	1	1	-	-	8.00
2	-	-	-	-	2	2	2	-	4	3	1	-	13.37
2	-	-	-	-	2	5	-	-	5	3	1	1	100.00
-	-	-	-	-	-	1	-	-	1	1	-	-	10.41
1	-	-	-	-	1	1	1	-	2	1	1	-	23.26
3	2	1	1	-	7	-	2	-	2	2	-	-	2.99
2	-	1	-	-	3	-	2	-	2	2	-	-	19.41
-	-	-	-	-	-	1	-	-	1	1	-	-	22.73
-	-	-	-	-	-	2	1	-	3	2	1	-	75.00
2	-	-	-	-	2	-	1	-	1	1	-	-	4.80
596	54	50	87	1	788	773	616	-	1,389	1,123	239	28	15.93

TABLE

Births, Marriages and Deaths

PISCATAQUIS

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbott.....	705	-	-	-	-	-	-	-	-	-	-
Atkinson.....	540	5	6	-	11	20.37	9	1	1	-	-
Blanchard.....	175	1	1	-	2	12.00	2	-	-	-	-
Bowerbank.....	80	-	1	-	1	12.50	-	-	1	-	-
Brownville.....	1,904	30	15	-	45	23.63	21	14	4	6	-
Dover.....	2,171	17	11	-	28	12.89	24	1	1	1	1
Foxcroft.....	1,963	7	7	-	14	7.13	10	2	-	2	-
Greenville.....	1,618	26	31	-	57	35.22	23	18	9	7	-
Guilford.....	1,736	9	17	-	26	14.97	24	-	2	-	-
Medford.....	262	5	2	-	7	26.72	6	1	-	-	-
Milo.....	3,120	33	41	-	74	23.39	56	6	6	2	4
Monson.....	1,295	9	10	-	19	14.67	7	9	3	-	-
Orneville.....	359	4	-	-	4	11.14	4	-	-	-	-
Parkman.....	646	5	10	-	15	23.22	13	-	-	2	-
Sangerville.....	1,327	16	18	-	34	25.62	27	-	6	-	1
Sebec.....	549	8	5	-	13	23.67	12	-	-	1	-
Shirley.....	370	5	4	-	9	24.33	8	-	1	-	-
Wellington.....	393	6	7	-	13	33.08	9	3	-	1	-
Williamsburg.....	146	2	-	-	2	13.70	-	-	2	-	-
Willimantic.....	271	3	1	-	4	14.76	4	-	-	-	-
Barnard Pl.....	102	2	2	-	4	39.21	3	-	-	1	-
Elliottsville Pl.....	132	-	1	-	1	7.57	1	-	-	-	-
Kingsbury Pl.....	108	-	2	-	2	18.52	2	-	-	-	-
Lake View Pl.....	273	3	7	-	10	36.63	4	-	4	2	-
Katahdin Iron W'ks	75	-	-	-	-	-	-	-	-	-	-
Total.....	*20,320	196	199	-	395	19.43	269	55	40	25	6

* Population not including that of unorganized townships, and other places not represented in this tabulation. See table No. 1.

No. 6—Continued.
for the year 1914.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
5	-	-	-	-	5	-	1	-	1	1	-	-	1.42
2	-	-	1	-	3	3	-	-	8	6	2	-	14.81
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	2	2	-	-	25.00
7	-	-	5	-	12	6	5	-	11	9	2	-	5.77
21	-	-	1	-	22	21	5	-	26	24	2	-	11.97
15	2	1	-	-	18	8	15	-	23	21	1	1	11.72
11	3	1	7	-	22	28	5	-	33	19	13	1	20.40
15	1	-	-	-	16	16	11	-	27	27	-	-	15.55
1	-	-	-	-	1	3	1	-	4	3	1	-	15.27
14	1	-	5	-	20	12	18	-	30	27	1	2	9.61
8	-	2	2	-	12	11	6	-	17	11	6	-	13.12
6	-	-	-	-	6	5	2	-	7	7	-	-	19.50
8	-	1	-	-	9	4	3	-	7	7	-	-	10.84
9	-	1	1	-	11	4	4	-	8	7	1	-	6.03
2	-	-	-	-	2	3	6	-	9	7	2	-	16.40
4	-	-	-	-	4	4	2	-	6	4	2	-	16.22
5	-	1	-	-	6	6	3	-	9	9	-	-	22.90
-	-	-	-	-	-	4	-	-	4	3	1	-	27.38
5	-	-	-	-	5	2	3	-	5	4	1	-	18.45
-	-	-	-	-	-	1	1	-	2	2	-	-	19.60
-	-	-	-	-	-	-	1	-	1	1	-	-	7.57
1	-	-	-	-	1	-	-	-	-	-	-	-	-
2	-	1	1	-	4	-	1	-	1	1	-	-	3.66
-	-	-	-	-	-	1	-	-	1	-	1	-	13.33
142	7	8	23	-	180	143	99	-	242	202	36	4	11.91

TABLE

Births, Marriages and Deaths

SAGADAHOC

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Arrowsic.....	147	-	1	-	1	6.80	1	-	-	-	-
Bath.....	9,396	86	74	-	160	17.03	93	28	22	17	-
Bowdoin.....	814	8	7	-	15	18.43	9	2	4	-	-
Bowdoinham.....	1,392	7	11	-	18	12.93	16	1	1	-	-
Georgetown.....	742	3	5	-	8	10.69	8	-	-	-	-
Perkins.....	39	-	-	-	-	-	-	-	-	-	-
Phippsburg.....	1,079	12	14	-	26	24.09	23	-	3	-	-
Richmond.....	1,858	16	16	-	32	17.22	27	3	-	2	-
Topsham.....	2,016	20	12	-	32	15.87	18	12	-	2	-
West Bath.....	230	-	4	-	4	17.39	4	-	-	-	-
Woolwich.....	868	4	9	-	13	14.98	12	-	1	-	-
Total.....	18,581	156	153	-	309	16.63	211	46	31	21	-

No. 6—Continued.
for the year 1914.
 COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			Death-rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	2	3	-	5	5	-	-	34.00
74	11	5	10	-	100	65	82	-	147	121	25	1	15.65.
5	-	-	2	-	7	13	7	-	20	20	-	-	24.57
10	-	-	-	-	10	15	13	-	28	25	2	1	20.11
1	-	-	-	-	1	11	7	-	18	18	-	-	24.06
-	-	-	-	-	-	1	1	-	2	2	-	-	51.31
12	-	-	-	-	12	12	6	-	18	16	2	-	16.68
13	-	1	3	-	17	24	18	-	42	39	3	-	22.60
6	1	2	1	-	10	11	15	-	26	24	2	-	12.89
1	-	-	-	-	1	4	2	-	6	5	1	-	26.08
8	-	-	-	-	8	5	4	-	9	8	1	-	10.36
130	12	8	16	-	166	163	158	-	321	283	36	2	17.27

TABLE

Births, Marriages and Deaths

SOMERSET

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson.....	2,361	37	26	-	63	26.68	31	15	8	8	1
Athens.....	921	6	13	-	19	20.63	14	3	-	1	1
Bingham.....	775	7	5	-	12	15.48	9	1	2	-	-
Cambridge.....	369	3	3	-	6	16.26	4	2	-	-	-
Canaan.....	874	9	4	-	13	14.87	12	-	-	1	-
Concord.....	256	6	1	-	7	27.34	6	1	-	-	-
Cornville.....	732	6	6	-	12	16.39	12	-	-	-	-
Detroit.....	461	6	3	-	9	19.52	7	-	-	2	-
Embden.....	529	1	5	-	6	11.34	5	-	1	-	-
Fairfield.....	4,658	59	55	-	114	24.47	63	24	11	13	3
Harmony.....	794	11	14	-	25	31.49	23	-	1	1	-
Hartland.....	1,200	12	12	-	24	20.00	23	1	-	-	-
Madison.....	3,625	57	47	-	104	28.69	44	41	14	5	-
Mercer.....	441	3	4	-	7	15.87	7	-	-	-	-
Moscow.....	574	4	5	-	9	15.68	6	1	1	-	1
New Portland.....	882	4	5	-	9	10.20	7	-	1	1	-
Norridgewock.....	1,653	11	11	-	22	13.31	14	4	1	3	-
Palmyra.....	978	5	7	-	12	12.27	10	-	2	-	-
Pittsfield.....	2,891	16	20	-	36	12.45	29	6	1	-	-
Ripley.....	434	3	4	-	7	16.13	5	1	1	-	-
St. Albans.....	1,027	6	10	-	16	15.58	14	-	-	1	1
Skowhegan.....	5,405	62	39	-	101	18.69	68	11	9	10	3
Smithfield.....	427	2	3	-	5	11.71	3	-	2	-	-
Solon.....	1,049	15	13	-	28	26.69	23	-	2	2	1
Stark.....	549	5	3	-	8	14.57	7	1	-	-	-

No. 6—Continued.
for the year 1914.
 COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			Death-rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
15	2	2	4	-	23	11	8	-	19	15	4	-	8.05
2	-	-	-	-	2	7	5	-	12	11	1	-	13.03
9	-	-	2	-	11	5	6	-	11	8	2	1	14.19
5	-	-	-	-	5	4	3	-	7	5	2	-	18.97
6	-	2	1	-	9	10	4	-	14	14	-	-	16.02
2	-	-	-	-	2	3	3	-	6	6	-	-	23.44
2	-	-	-	-	2	3	6	-	9	8	1	-	12.30
4	-	-	-	-	4	2	5	-	7	6	-	1	15.18
2	-	-	-	-	2	1	3	-	4	4	-	-	7.56
24	8	3	3	-	38	23	24	-	47	38	8	1	10.09
7	-	-	2	-	9	5	5	-	10	9	1	-	12.59
10	-	-	1	-	11	5	16	-	21	20	1	-	19.50
17	8	4	11	-	40	32	25	-	57	54	3	-	15.72
5	-	-	-	1	6	4	1	-	5	5	-	-	11.34
2	-	-	-	-	2	9	6	-	15	11	4	-	26.13
9	-	-	-	-	9	13	4	-	17	16	-	1	19.27
18	-	2	2	-	22	17	17	-	34	33	1	-	20.56
12	-	1	-	-	13	1	6	-	7	7	-	-	7.16
38	1	-	2	-	41	22	14	-	36	33	3	-	12.45
4	-	-	-	-	4	3	2	-	5	5	-	-	11.52
11	-	-	-	-	11	7	7	-	14	14	-	-	13.63
30	3	5	6	1	45	35	46	-	81	69	10	2	14.99
4	-	1	-	-	5	4	4	-	8	8	-	-	18.74
6	-	-	-	-	6	7	7	-	14	12	1	1	13.35
3	-	-	-	-	3	8	2	-	10	10	-	-	18.21

TABLE Births, Marriages and Deaths

SOMERSET

Towns.	Estimated population in 1914.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Bigelow Pl.	54	-	-	-	-	-	-	-	-	-	
Brighton Pl.	274	3	3	-	6	21.90	5	-	-	1	
Caratunk Pl.	242	3	-	-	3	12.39	2	-	1	-	
Dead River Pl.	94	1	-	-	1	10.64	1	-	-	-	
Dennistown Pl.	99	-	2	-	2	20.20	-	1	1	-	
Flagstaff Pl.	162	-	3	-	3	18.52	2	-	-	1	
Highland Pl.	68	-	-	-	-	-	-	-	-	-	
Jackman Pl.	793	3	3	-	6	7.57	-	5	-	1	
Lexington Pl.	237	2	1	-	3	12.66	3	-	-	-	
Long Pond Pl.	265	8	2	-	10	37.74	-	6	3	1	
Mayfield Pl.	67	1	-	-	1	14.93	1	-	-	-	
Moose River Pl.	255	2	5	-	7	27.45	2	2	2	1	
Pleasant Ridge Pl.	92	1	-	-	1	10.87	1	-	-	-	
The Forks Pl.	174	1	2	-	3	17.24	2	-	1	-	
West Forks Pl.	138	3	1	-	4	28.99	4	-	-	-	
Total.	*36,879	384	340	-	724	19.63	469	126	65	51	13

* Population of county, not including that of unorganized townships and other places not represented in this tabulation. See table No. 1.

**No. 6—Continued.
for the year 1914.**

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
						SEX.				NATIVITY.			Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	2	3	-	5	5	-	-	18.25
2	-	-	-	-	2	-	-	-	-	-	-	-	-
1	-	-	-	-	1	1	-	-	1	1	-	-	10.64
1	-	-	1	-	2	-	2	-	2	2	-	-	20.20
-	-	-	-	-	-	1	-	-	1	1	-	-	6.17
1	-	-	-	-	1	2	2	-	4	4	-	-	58.82
1	1	-	2	-	4	5	1	-	6	4	2	-	7.57
-	-	-	-	-	-	1	1	-	2	2	-	-	8.44
1	-	-	-	-	1	1	2	-	3	3	-	-	11.32
2	-	-	-	-	2	2	-	-	2	2	-	-	29.85
1	-	-	-	-	1	-	1	-	1	1	-	-	3.92
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	1	-	1	-	-	-	-	-	-	-	-
261	23	20	38	2	344	256	241	-	497	446	44	7	13.48

TABLE Births, Marriages and Deaths

WALDO

Towns.	Estimated population in 1914.	BIRTHS.										
		SEX.					PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	
Belfast.....	4,619	38	35	-	73	15.80	66	1	3	-	2	1
Belmont.....	335	5	1	-	6	17.91	6	-	-	-	-	-
Brooks.....	716	6	8	-	14	19.55	13	-	1	-	-	-
Burnham.....	733	6	7	-	13	17.73	12	-	1	-	-	-
Frankfort.....	1,157	5	8	-	13	11.23	11	2	-	-	-	-
Freedom.....	480	2	2	-	4	8.33	4	-	-	-	-	-
Islesboro.....	877	7	12	-	19	21.67	15	-	3	-	-	1
Jackson.....	416	2	6	-	8	19.23	8	-	-	-	-	-
Knox.....	511	3	2	-	5	9.78	4	-	-	-	-	1
Liberty.....	650	4	6	-	10	15.38	9	-	-	-	1	-
Lincolnvile.....	1,020	6	4	-	10	9.80	8	-	2	-	-	-
Monroe.....	872	10	6	-	16	18.35	14	-	1	-	1	-
Montville.....	850	5	9	-	14	16.47	13	-	-	-	-	1
Morrill.....	353	3	-	-	3	8.49	3	-	-	-	-	-
Northport.....	518	4	2	-	6	11.58	5	-	-	-	1	-
Palermo.....	690	2	8	-	10	15.94	9	-	-	-	1	-
Prospect.....	597	6	4	-	10	16.75	8	-	-	-	1	1
Searsmont.....	828	6	4	-	10	12.07	10	-	-	-	-	-
Searsport.....	1,480	16	19	-	35	23.51	32	1	2	-	-	-
Stockton Springs..	1,196	7	11	-	18	15.05	13	1	2	-	2	-
Swanville.....	467	6	4	-	10	21.41	9	-	-	-	1	-
Thorndike.....	537	5	3	-	8	14.89	6	-	-	-	2	-
Troy.....	768	5	5	-	10	13.02	10	-	-	-	-	-
Unity.....	907	4	4	-	8	8.82	5	1	1	-	1	-
Waldo.....	386	3	4	-	7	18.13	6	-	-	-	-	1
Winterport.....	1,582	7	10	-	17	10.74	16	-	1	-	-	-
Total.....	23,545	173	184	-	357	15.16	315	6	17	-	13	6

No. 6—Continued.
for the year 1914.
 COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			Death-rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
50	1	6	2	-	59	46	47	-	93	89	4	-	20.13
3	-	-	-	-	3	2	6	-	8	8	-	-	23.88
6	-	-	-	-	6	8	5	-	13	12	1	-	18.15
6	-	-	-	-	6	8	9	-	17	17	-	-	23.19
7	1	-	-	-	8	8	3	-	11	8	1	2	9.51
4	-	-	-	-	4	3	1	-	4	4	-	-	8.33
3	-	-	-	-	3	7	4	-	11	11	-	-	12.54
3	-	-	-	-	3	5	1	-	6	6	-	-	14.42
4	-	-	-	1	5	7	4	-	11	11	-	-	21.52
4	-	-	-	-	4	3	1	-	4	4	-	-	6.15
9	-	-	-	-	9	7	6	-	13	12	-	1	12.74
6	-	-	1	-	7	13	6	-	19	19	-	-	21.79
6	-	-	-	-	6	9	4	-	13	13	-	-	15.29
2	-	-	-	-	2	3	3	-	6	6	-	-	16.98
1	-	-	1	-	2	4	2	-	6	6	-	-	11.58
8	-	-	-	-	8	7	3	-	10	9	1	-	14.50
5	1	-	-	-	6	5	3	-	8	8	-	-	13.40
6	-	-	-	-	6	7	9	-	16	16	-	-	19.32
11	-	1	2	-	14	7	16	-	23	21	2	-	16.22
7	1	1	-	-	9	7	2	-	9	9	-	-	7.52
1	-	1	-	1	3	3	4	-	7	7	-	-	14.99
5	-	-	1	-	6	3	2	-	5	5	-	-	9.31
5	-	1	-	-	6	9	7	-	16	16	-	-	20.83
6	-	1	-	-	7	5	4	-	9	8	-	1	9.92
7	-	-	-	-	7	6	3	-	9	9	-	-	23.32
8	-	1	-	-	9	11	14	-	25	25	-	-	15.80
183	4	12	7	2	208	203	169	-	372	359	9	4	15.79

TABLE
Births, Marriages and Deaths

WASHINGTON

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison	985	11	6	-	17	17.26	15	-	1	-	1
Alexander	390	10	2	-	12	30.77	10	-	-	1	1
Baileyville	1,506	39	28	-	67	44.48	22	23	8	12	2
Baring	228	2	2	-	4	17.54	2	-	1	1	-
Brookton	237	2	1	-	3	12.66	2	-	1	-	-
Calais	6,116	55	43	-	98	16.02	36	18	11	29	4
Centerville	91	2	2	-	4	4.39	4	-	-	-	-
Charlotte	290	3	1	-	4	13.79	4	-	-	-	-
Cherryfield	1,499	14	19	-	33	22.01	30	1	-	2	-
Columbia	583	9	9	-	18	30.87	17	-	1	-	-
Columbia Falls	700	12	7	-	19	27.14	17	-	2	-	-
Cooper	190	-	3	-	3	15.79	3	-	-	-	-
Crawford	114	1	1	-	2	17.54	2	-	-	-	-
Cutler	593	6	5	-	11	18.55	8	1	2	-	-
Danforth	1,376	11	18	-	29	21.08	19	4	2	3	1
Deblois	69	2	1	-	3	4.35	3	-	-	-	-
Dennysville	459	5	7	-	12	26.14	11	-	-	-	1
East Machias	1,392	11	14	-	25	17.89	23	-	1	-	1
Eastport	4,961	44	43	-	87	17.54	42	9	15	19	2
Edmunds	665	14	8	-	22	33.08	15	-	1	4	2
Forest City	79	-	1	-	1	12.66	1	-	-	-	-
Harrington	1,020	10	9	-	19	18.62	19	-	-	-	-
Jonesboro	519	5	-	-	5	9.63	5	-	-	-	-
Jonesport	2,074	34	37	-	71	34.23	65	-	3	1	2
Lubec	3,506	46	43	-	89	25.38	41	11	18	17	2
Machias	2,089	31	30	-	61	29.20	54	2	3	1	1
Machiasport	1,218	8	14	-	22	18.06	19	-	1	2	-

**No. 6—Continued.
for the year 1914.**

COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			Death-rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
8	-	-	1	-	9	9	5	-	14	13	1	-	14.21
1	-	-	-	-	1	6	-	-	6	5	1	-	15.38
13	9	3	2	-	27	10	15	-	25	21	4	-	16.60
2	-	1	-	-	3	1	3	-	4	4	-	-	17.54
-	-	-	-	-	-	1	-	-	1	-	1	-	4.22
15	5	6	15	-	41	39	44	-	83	52	30	1	13.57
2	-	-	-	-	2	-	1	-	1	1	-	-	1.10
1	-	-	1	-	2	6	-	-	6	6	-	-	20.69
10	-	-	-	-	10	18	11	-	29	27	2	-	19.34
7	-	-	-	-	7	5	7	-	12	12	-	-	20.58
12	-	-	-	-	12	7	5	-	12	12	-	-	17.14
-	-	-	-	-	-	3	2	-	5	4	1	-	26.32
-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	-	-	-	-	9	1	1	-	2	1	1	-	3.37
2	-	-	-	-	2	7	2	-	9	7	2	-	6.54
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	6	6	-	12	10	2	-	26.14
10	-	-	-	-	10	11	13	-	24	23	1	-	17.24
14	2	2	3	-	21	50	31	-	81	57	24	-	16.32
7	-	-	1	-	8	2	2	-	4	3	1	-	6.02
-	-	-	1	-	1	-	-	-	-	-	-	-	-
9	-	-	1	-	10	9	9	-	18	18	-	-	17.64
2	-	-	1	-	3	2	-	-	2	2	-	-	3.85
21	-	1	2	-	24	14	9	-	23	20	3	-	11.09
5	2	4	5	-	16	21	22	-	43	33	10	-	12.26
15	-	-	-	-	15	12	14	-	26	24	2	-	12.44
13	-	-	1	-	14	5	7	-	12	12	-	-	9.85

TABLE

Births, Marriages and Deaths

WASHINGTON

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.				Rate per 1,000.	PARENTAGE.				
		Male.	Female.	Not stated.	Total.		Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Marion	121	4	2	-	6	49.58	4	-	1	1	-
Marshfield	178	1	5	-	6	33.70	6	-	-	-	-
Meddybemps	124	3	3	-	6	4.84	4	2	-	-	-
Milbridge	1,550	13	9	-	22	14.19	21	-	1	-	-
Northfield	81	-	1	-	1	12.34	1	-	-	-	-
Pembroke	1,378	10	12	-	22	15.96	18	-	1	2	1
Perry	1,153	9	6	-	15	13.01	12	-	3	-	-
Princeton	1,091	18	9	-	27	24.75	22	-	2	2	1
Robbinston	691	5	2	-	7	10.13	6	-	1	-	-
Roque Bluffs	105	-	-	-	-	-	-	-	-	-	-
Steuben	890	5	9	-	14	15.73	12	-	1	-	1
Talmage	100	-	1	-	1	10.00	1	-	-	-	-
Topsfield	259	6	4	-	10	38.61	10	-	-	-	-
Trescott	461	4	4	-	8	17.35	7	-	-	-	1
Vanceboro	652	9	13	-	22	33.74	10	3	5	4	-
Waite	173	2	4	-	6	34.68	3	-	2	1	-
Wesley	172	4	3	-	7	40.70	7	-	-	-	-
Whiting	368	4	6	-	10	27.17	10	-	-	-	-
Whitneyville	258	1	3	-	4	15.50	4	-	-	-	-
Codyville Pl.	69	1	3	-	4	57.97	1	1	1	-	1
Grand Lake Stream Pl.	317	4	3	-	7	22.08	7	-	-	-	-
No. 14 Pl.	82	-	1	-	1	12.20	1	-	-	-	-
No. 21 Pl.	81	1	2	-	3	37.04	2	-	-	1	-
Kossuth	44	-	-	-	-	-	-	-	-	-	-
Total	*43,347	491	459	-	950	21.92	658	75	89	103	25

* Population of county, omitting that of unorganized townships, and other places not represented in this tabulation. See table No. 1.

**No. 6—Continued.
for the year 1914.**

COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			Death-rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	3	2	-	5	4	-	-	141.32
2	-	-	-	-	2	-	2	-	2	2	-	-	11.23
-	-	-	-	-	-	2	2	-	4	3	1	-	3.23
7	-	1	1	-	9	18	11	-	29	26	3	-	18.71
2	-	-	-	-	2	-	1	-	1	1	-	-	12.34
7	-	-	-	-	7	13	10	-	23	20	2	1	16.69
6	-	-	1	-	7	14	7	-	21	20	1	-	18.21
7	-	-	-	-	7	7	7	-	14	12	2	-	12.83
1	-	-	-	-	1	3	2	-	5	4	1	-	7.24
1	-	-	-	-	1	-	-	-	-	-	-	-	-
7	-	-	-	-	7	6	12	-	18	18	-	-	20.22
-	-	-	-	-	-	-	1	-	1	1	-	-	10.00
1	-	-	-	-	1	2	1	-	3	2	1	-	11.58
3	-	1	-	-	4	2	4	-	6	6	-	-	13.02
1	1	-	1	-	3	4	6	-	10	6	4	-	15.34
1	-	-	-	-	1	1	2	-	3	2	-	1	17.34
5	-	-	-	-	5	2	-	-	2	2	-	-	11.62
2	-	-	-	-	2	4	1	-	5	5	-	-	13.59
-	-	-	-	-	-	1	-	-	1	1	-	-	3.87
-	-	-	-	1	1	-	-	-	-	-	-	-	-
5	-	-	-	-	5	1	3	-	4	4	-	-	12.61
2	-	-	-	-	2	-	1	-	1	1	-	-	12.20
2	-	-	-	-	2	-	1	-	1	1	-	-	12.34
1	-	-	-	-	1	-	-	-	-	-	-	-	-
242	19	19	37	1	318	328	285	-	613	508	101	4	14.14

TABLE Births, Marriages and Deaths

YORK

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton.....	603	2	8	-	10	16.58	9	-	1	-	-
Alfred.....	890	8	9	-	17	19.10	13	-	2	-	2
Berwick.....	2,098	14	11	-	25	11.92	15	8	1	-	1
Biddeford.....	17,451	249	237	-	486	27.85	112	247	68	53	6
Buxton.....	1,675	15	12	-	27	16.12	27	-	-	-	-
Cornish.....	954	3	6	-	9	9.43	8	-	1	-	-
Dayton.....	395	3	1	-	4	10.13	4	-	-	-	-
Eliot.....	1,558	15	13	-	28	17.97	23	2	2	1	-
Hollis.....	1,288	5	10	-	15	11.65	13	1	1	-	-
Kennebunk.....	3,099	28	21	-	49	15.81	39	2	1	6	1
Kennebunkport.....	2,133	20	12	-	32	15.00	24	2	3	2	1
Kittery.....	3,797	30	28	-	58	15.28	41	2	8	4	3
Lebanon.....	1,316	11	17	-	28	21.28	21	1	3	2	1
Limerick.....	1,001	9	4	-	13	12.99	7	3	1	1	1
Limington.....	980	11	7	-	18	18.37	15	-	2	1	-
Lyman.....	615	3	-	-	3	4.88	3	-	-	-	-
Newfield.....	620	6	6	-	12	19.35	12	-	-	-	-
North Berwick.....	1,789	24	22	-	46	25.71	39	1	2	3	1
Old Orchard.....	961	5	8	-	13	13.53	10	-	1	1	1
Parsonsfeld.....	1,057	9	5	-	14	13.25	14	-	-	-	-
Saco.....	6,767	40	48	-	88	13.00	46	21	7	11	3
Sanford.....	10,237	127	130	-	257	25.11	88	105	30	33	1
Shapleigh.....	691	2	4	-	6	8.68	6	-	-	-	-
South Berwick.....	2,935	21	21	-	42	14.31	21	10	3	8	-
Waterboro.....	997	7	9	-	16	16.05	13	-	-	3	-
Wells.....	1,908	16	11	-	27	14.15	23	2	1	-	1
York.....	2,854	35	18	-	53	18.57	40	4	2	5	2
Total.....	70,669	718	678	-	1,396	19.75	686	411	140	134	25

No. 6—Concluded.
for the year 1914.
 COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
5	-	1	-	-	6	4	3	-	7	7	-	-	11.61
4	-	-	-	-	4	5	3	-	8	8	-	-	8.99
18	-	1	-	-	19	20	20	-	40	34	5	1	19.07
59	44	24	25	-	152	142	135	-	277	189	85	3	15.87
10	1	-	1	-	12	15	11	-	26	26	-	-	15.52
4	-	-	-	-	4	9	8	-	17	14	1	2	17.82
4	-	-	1	-	5	6	4	-	10	9	1	-	25.32
6	-	1	-	-	7	8	14	-	22	21	1	-	14.12
11	-	-	-	-	11	8	8	-	16	16	-	-	12.42
25	1	1	2	-	29	17	26	-	43	36	7	-	13.88
12	-	-	1	-	13	17	24	-	41	35	6	-	19.22
18	1	4	-	-	23	31	15	-	46	45	1	-	12.11
9	-	1	1	-	11	10	9	-	19	17	1	1	14.44
8	-	1	1	-	10	9	6	-	15	15	-	-	14.99
5	-	-	2	-	7	8	10	-	18	16	1	1	18.37
3	-	-	-	1	4	8	6	-	14	13	1	-	22.76
5	-	-	-	-	5	4	3	-	7	7	-	-	11.29
7	-	-	-	-	7	10	10	-	20	19	1	-	11.18
14	-	1	2	-	17	13	18	-	31	26	4	1	32.26
5	-	-	-	-	5	6	8	-	14	14	-	-	13.25
29	6	10	2	-	47	52	68	-	120	105	14	1	17.73
46	31	23	10	-	110	66	58	-	124	99	25	-	12.11
3	-	1	-	-	4	10	5	-	15	15	-	-	21.71
16	1	-	1	-	18	30	21	-	51	45	6	-	17.38
7	-	-	-	-	7	6	8	-	14	14	-	-	14.04
18	-	-	3	-	21	20	18	-	38	37	1	-	19.92
18	-	2	3	-	23	27	17	-	44	42	2	-	15.42
369	85	71	55	1	581	561	536	-	1,097	924	163	10	15.52

TABLE
Recapitulation

TOWNS.	Estimated population in 1914.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin.....	62,278	708	670	-	1,378	22.13	607	467	164	121	19
Aroostook.....	*79,261	1,267	1,230	-	2,497	31.50	1,459	305	368	340	25
Cumberland.....	116,991	1,242	1,180	-	2,422	20.70	1,339	667	203	189	24
Franklin.....	*19,051	170	211	-	381	20.00	266	64	27	19	5
Hancock.....	*35,582	283	291	7	581	16.30	517	20	16	19	9
Kennebec.....	*64,936	639	622	-	1,261	19.42	734	273	123	112	19
Knox.....	*29,116	206	220	-	426	14.63	342	42	27	11	4
Lincoln.....	*18,144	134	139	-	273	15.04	235	5	13	18	2
Oxford.....	*38,241	442	387	-	829	21.68	413	297	56	57	6
Penobscot.....	*87,405	951	850	-	1,801	20.61	1,117	316	182	147	39
Piscataquis.....	*20,320	196	198	-	395	19.43	269	55	40	25	6
Sagadahoc.....	18,581	156	153	-	309	16.63	211	46	31	21	-
Somerset.....	*36,879	384	340	-	724	19.63	469	126	65	51	13
Waldo.....	23,545	173	184	-	357	15.16	315	6	17	13	6
Washington.....	*43,347	491	459	-	950	21.92	658	75	89	103	25
York.....	70,669	718	678	-	1,396	19.75	686	411	140	134	25
Total.....	*764,346	8,160	7,813	7	15,980	20.91	9,637	3,175	1,561	1,380	227

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See table No. 1.

No. 7.
by Counties.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.				NATIVITY.			Death-rate per 1,000.
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
410	99	83	76	1	669	491	550	-	1,041	803	232	6	16.72
388	39	71	103	3	604	554	480	-	1,034	763	259	12	13.05
731	148	103	108	1	1,091	970	852	-	1,822	1,439	356	27	15.57
137	10	6	8	-	161	134	140	-	274	257	15	2	14.38
205	3	17	11	-	236	278	229	-	507	482	22	3	14.25
424	64	57	57	-	602	600	497	-	1,097	920	168	9	16.89
210	10	12	10	-	242	264	225	-	489	443	42	4	16.79
113	2	5	1	-	121	184	142	-	326	313	11	2	17.97
277	70	21	27	1	396	259	268	-	527	469	52	6	13.79
596	54	50	87	1	788	773	616	-	1,389	1,123	238	28	15.93
142	7	8	23	-	180	143	99	-	242	202	36	4	11.91
130	12	8	16	-	166	163	158	-	321	283	36	2	17.27
261	23	20	38	2	344	256	241	-	497	446	44	7	13.48
183	4	12	7	2	208	203	169	-	372	359	9	4	15.79
242	19	19	37	1	318	328	285	-	613	508	101	4	14.14
369	85	71	55	1	581	561	536	-	1,097	924	163	10	15.52
4,818	649	563	664	13	6,707	6,161	5,487	-	11,648	9,734	1,784	130	15.24

TABLE No. 8.
Births and Birth-Rates by Counties for the Years 1907-1914.

COUNTIES.	1907.		1908.		1909.		1910.		1911.		1912.		1913.		1914.	
	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.
State.....	15,914	22.02	16,173	22.25	16,060	21.97	15,798	21.28	15,635	21.01	15,869	21.27	15,719	20.89	15,980	20.91
Androscoggin.....	1,088	18.78	1,124	19.23	1,205	20.43	1,173	19.61	1,260	20.87	1,217	19.96	1,272	20.64	1,378	22.13
Aroostook.....	413	35.20	429	34.87	374	33.54	2,443	32.72	2,385	31.76	2,411	31.94	2,505	32.39	2,497	31.50
Cumberland.....	163	20.12	254	20.78	263	20.68	2,201	19.65	2,265	20.04	2,423	21.20	2,321	20.06	2,422	20.70
Franklin.....	442	22.76	402	20.56	418	21.22	403	21.08	354	18.84	380	20.13	419	22.11	381	20.00
Hancock.....	757	20.33	753	20.22	740	19.87	693	19.48	683	19.42	675	19.45	625	18.00	581	16.30
Kennebec.....	1,257	20.75	1,236	20.33	1,259	20.64	1,262	20.08	1,141	18.04	1,173	18.42	1,192	18.62	1,261	19.42
Knox.....	444	14.60	454	14.93	438	14.40	432	14.91	435	14.81	436	15.20	445	15.57	426	14.63
Lincoln.....	323	16.42	321	16.32	314	15.96	293	16.08	307	16.95	306	17.05	293	16.43	273	15.04
Oxford.....	787	23.57	906	27.00	864	25.62	876	24.16	741	20.26	813	21.93	815	21.79	829	21.68
Penobscot.....	1,772	22.54	1,781	22.55	1,770	22.31	1,671	19.59	1,800	21.10	1,703	19.89	1,719	19.84	1,801	20.61
Piscataquis.....	404	23.06	409	23.24	383	21.67	381	19.16	403	20.61	368	18.75	365	18.35	395	19.43
Sagadahoc.....	340	16.23	347	16.50	360	17.04	336	18.09	306	15.56	311	17.06	301	16.66	309	16.63
Somerset.....	703	20.26	749	21.51	735	21.03	760	20.94	672	18.87	806	22.24	728	19.76	724	19.63
Waldo.....	385	15.92	380	15.71	366	15.13	394	16.85	396	17.00	396	17.11	384	16.61	357	15.16
Washington.....	1,030	22.51	1,051	22.93	999	21.76	956	22.28	945	22.48	991	21.10	933	22.23	950	21.92
York.....	1,606	24.21	1,577	23.70	1,572	23.55	1,524	22.24	1,542	22.36	1,460	21.07	1,402	20.16	1,396	19.75

TABLE No. 9.
Births by Counties, Showing Proportion of Males to
Females, 1914.

COUNTIES.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin	708	670	-	1,378	38	-	105.67
Aroostook	1,267	1,230	-	2,497	37	-	103.00
Cumberland	1,242	1,180	-	2,422	62	-	105.25
Franklin	170	211	-	381	-	41	80.57
Hancock	283	291	7	581	-	8	97.25
Kennebec,	639	622	-	1,261	17	-	102.73
Knox	206	220	-	426	-	14	93.64
Lincoln	134	139	-	273	-	5	96.40
Oxford	442	387	-	829	55	-	114.21
Penobscot	951	850	-	1,801	101	-	111.88
Piscataquis	196	199	-	395	-	3	98.49
Sagadahoc	156	153	-	309	3	-	101.96
Somerset	384	340	-	724	44	-	112.91
Waldo	173	184	-	357	-	11	94.02
Washington	491	459	-	950	32	-	106.97
York	718	678	-	1,396	40	-	105.90
Total	8,160	7,813	7	15,980	339	82	104.44

TABLE No. 10.

Number of Births in Each Month of 1907-1914, with a Monthly Ratio Compared with a Standard of 100.

MONTHS.	1907.		1908.		1909.		1910.		1911.		1912.		1913.		1914.	
	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January.....	1,301	96.3	1,296	94.3	1,306	95.9	1,308	97.5	1,261	95.0	1,253	92.9	1,299	97.3	1,234	90.9
February.....	1,288	105.0	1,312	102.2	1,276	103.7	1,252	103.3	1,224	98.6	1,267	104.1	1,185	98.2	1,305	106.4
March.....	1,431	105.9	1,551	112.9	1,475	108.3	1,506	112.2	1,463	110.2	1,415	105.0	1,467	109.9	1,442	106.3
April.....	1,397	106.8	1,345	101.2	1,392	105.6	1,424	109.7	1,426	111.0	1,357	104.0	1,425	110.2	1,430	108.9
May.....	1,455	107.4	1,464	106.6	1,453	106.7	1,393	103.8	1,371	103.2	1,451	107.6	1,400	104.9	1,419	104.5
June.....	1,424	108.9	1,430	107.5	1,309	99.1	1,379	106.2	1,355	105.4	1,337	102.5	1,378	106.7	1,333	101.5
July.....	1,360	100.6	1,361	99.1	1,353	99.2	1,330	99.1	1,380	103.9	1,442	107.0	1,397	104.7	1,361	100.3
August.....	1,293	95.7	1,438	104.7	1,427	105.4	1,348	100.5	1,331	100.2	1,439	106.8	1,316	98.5	1,298	95.7
September.....	1,336	102.1	1,246	93.7	1,351	102.3	1,263	97.3	1,294	100.7	1,318	101.1	1,245	96.3	1,345	102.4
October.....	1,264	93.5	1,216	88.5	1,251	91.7	1,256	93.7	1,172	88.3	1,229	91.2	1,264	94.7	1,323	97.5
November.....	1,129	86.3	1,212	91.1	1,221	92.5	1,131	87.1	1,153	89.7	1,182	97.1	1,131	87.5	1,230	93.7
December.....	1,231	91.1	1,299	94.6	1,231	90.2	1,207	90.0	1,202	90.5	1,179	87.4	1,210	90.6	1,260	92.8
Unknown.....	5	-	3	-	5	-	1	-	3	-	-	-	1	-	-	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 11.
Births, by Sex and Months, by Counties, 1914.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males...	43	50	59	60	70	61	66	67	60	68	55	49	-	708	-
females...	65	44	46	66	73	57	69	46	55	58	46	45	-	670	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,378
Aroostook, males...	105	112	134	105	109	116	107	100	96	109	80	94	-	1,267	-
females...	94	103	115	114	118	117	105	103	95	86	76	104	-	1,230	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,497
Cumberland, males...	89	107	104	119	126	109	108	94	97	93	96	100	-	1,242	-
females...	98	97	108	106	101	84	98	104	95	105	101	83	-	1,180	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,422
Franklin, males...	13	12	10	13	16	15	13	19	13	14	18	14	-	170	-
females...	11	16	21	25	19	18	15	21	14	10	21	20	-	211	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	381
Hancock, males...	24	17	37	23	21	23	25	23	23	29	23	15	-	283	-
females...	15	27	19	30	27	16	34	27	29	20	20	27	-	291	-
not stated	1	-	2	2	-	-	1	-	-	-	-	-	-	7	581
Kennebec, males...	36	48	63	47	52	61	58	67	50	62	47	43	-	639	-
females...	50	51	51	53	58	56	58	51	55	43	51	45	-	622	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,261
Knox, males...	16	21	17	16	20	16	10	12	14	20	24	20	-	206	-
females...	26	26	6	16	16	20	20	20	12	20	20	18	-	220	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	426
Lincoln, males...	4	8	10	16	14	14	10	7	11	10	24	6	-	134	-
females...	12	17	16	13	7	16	9	8	14	9	10	8	-	139	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	273
Oxford, males...	40	34	36	39	39	29	46	28	34	45	38	34	-	442	-
females...	29	30	26	44	28	29	45	30	34	35	23	34	-	387	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	829
Penobscot, males...	75	71	102	97	86	70	80	70	85	60	85	70	-	951	-
females...	63	69	83	69	70	70	77	76	87	68	54	64	-	850	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,801
Piscataquis, males...	11	12	17	17	25	21	8	17	16	13	22	17	-	196	-
females...	17	25	20	16	17	11	20	13	17	13	10	20	-	199	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	395
Sagadahoc, males...	14	8	11	11	16	13	12	14	14	19	11	13	-	156	-
females...	13	14	17	18	16	12	9	12	8	10	9	15	-	153	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	309
Somerset, males...	27	37	40	33	28	32	31	32	30	29	36	29	-	384	-
females...	30	34	21	36	24	29	23	29	36	30	20	28	-	340	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	724
Waldo, males...	8	12	20	17	11	12	14	15	13	19	14	18	-	173	-
females...	15	10	22	18	11	16	13	12	12	19	20	16	-	184	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	357
Washington, males...	50	43	42	34	40	45	43	30	46	32	43	43	-	491	-
females...	38	37	39	37	43	39	36	32	41	43	33	41	-	459	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	950
York, males...	53	60	62	55	65	59	50	62	63	70	52	67	-	718	-
females...	49	52	66	65	53	47	48	57	76	62	48	55	-	678	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,396
Total, males...	608	652	764	702	738	696	681	657	665	692	668	637	-	8,160	-
females...	625	652	676	726	681	637	679	641	680	631	562	623	-	7,813	-
not stated	1	1	2	2	-	-	1	-	-	-	-	-	-	7	-
Grand total...	1234	1305	1442	1430	1419	1333	1361	1298	1345	1323	1230	1260	-	15980	15980

TABLE No. 12.
Births in Cities for 1914 with Rate per 1,000 of Population.

CITIES.	Estimated population in 1914.	Males born.	Females born.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn.....	15,908	146	123	269	16.91	118.69
Augusta.....	13,823	169	150	319	23.08	112.67
Bangor.....	25,983	244	209	453	17.43	116.74
Bath.....	9,396	86	74	160	17.03	116.21
Belfast.....	4,619	38	35	73	15.80	108.57
Biddeford.....	17,451	249	237	486	27.85	105.06
Brewer.....	5,999	79	67	146	24.34	117.91
Calais.....	6,116	55	42	98	16.02	127.90
Eastport.....	4,961	44	43	87	17.54	102.32
Ellsworth.....	3,549	24	29	53	14.93	82.76
Gardiner.....	5,311	40	56	96	18.08	71.43
Hallowell.....	2,924	21	27	48	16.42	77.77
Lewiston.....	27,239	361	360	721	26.47	100.27
Old Town.....	6,537	82	80	162	24.78	102.50
Portland.....	61,943	677	649	1,326	21.41	104.31
Rockland.....	8,182	55	79	134	16.37	69.62
Saco.....	6,767	40	48	88	13.00	83.33
South Portland.....	7,943	103	99	202	25.43	104.04
Waterville.....	12,250	177	157	334	27.27	112.74
Westbrook.....	8,681	94	107	201	23.15	87.85
Total.....	255,582	2,784	2,672	5,456	21.34	104.19

TABLE No. 13.
Percentage of American and Foreign Births by Counties,
1914.

COUNTIES.	PARENTS.			Births with percentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin.....	44.05	33.89	20.68	1.38
Aroostook.....	58.43	12.21	28.35	1.01
Cumberland.....	55.29	27.54	16.18	0.99
Franklin.....	69.82	16.80	12.07	1.31
Hancock.....	88.99	3.44	6.02	1.55
Kennebec.....	58.21	21.65	18.63	1.51
Knox.....	80.28	9.86	8.92	0.94
Lincoln.....	86.08	1.83	11.36	0.73
Oxford.....	49.82	35.83	13.63	0.72
Penobscot.....	62.02	17.55	18.27	2.16
Piscataquis.....	68.10	13.92	16.46	1.52
Sagadahoc.....	68.28	14.89	16.83	-
Somerset.....	64.78	17.40	16.02	1.80
Waldo.....	88.24	1.68	8.40	1.68
Washington.....	69.26	7.90	20.21	2.63
York.....	49.14	29.44	19.63	1.79
State.....	60.31	19.87	18.40	1.42

TABLE No. 14.
Percentage of American and Foreign Births by Cities,
1914.

CITIES.	PARENTS.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Auburn.....	55.02	20.44	21.56	2.98
Augusta.....	46.71	30.41	21.00	1.88
Bangor.....	55.62	20.09	19.21	5.08
Bath.....	58.13	17.50	24.37	-
Belfast.....	90.41	1.37	6.85	1.37
Biddeford.....	23.05	50.82	24.89	1.24
Brewer.....	56.17	21.92	19.86	2.05
Calais.....	36.73	18.37	40.82	4.08
Eastport.....	48.27	10.35	39.08	2.30
Ellsworth.....	90.57	1.88	5.66	1.88
Gardiner.....	76.04	5.21	15.63	3.12
Hallowell.....	68.75	12.50	18.75	-
Lewiston.....	28.85	45.77	24.55	0.83
Old Town.....	48.76	20.99	29.01	1.24
Portland.....	44.64	37.56	16.52	1.28
Rockland.....	71.64	11.94	14.93	1.49
Saco.....	52.28	23.86	20.45	3.41
South Portland.....	71.78	14.85	13.37	-
Waterville.....	44.91	28.75	24.55	1.79
Westbrook.....	47.76	25.87	25.37	1.00
Collectively.....	46.67	30.55	21.04	1.74

TABLE No. 15.
Twin Births by Months and Counties, 1914.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin.....	1	-	1	1	-	3	-	2	1	2	-	2	13
Aroostook.....	4	9	2	1	2	5	2	2	6	3	3	5	44
Cumberland.....	2	3	1	6	5	2	5	-	2	1	-	1	28
Franklin.....	-	2	-	1	-	-	1	-	2	-	1	-	7
Hancock.....	1	-	1	-	1	2	2	1	1	-	-	1	10
Kennebec.....	-	1	3	2	1	-	-	-	1	-	4	3	15
Knox.....	-	-	-	1	-	1	1	-	1	-	-	1	5
Lincoln.....	-	-	1	-	-	-	-	-	-	-	-	-	1
Oxford.....	2	3	1	-	3	-	1	2	-	-	-	-	12
Penobscot.....	-	2	1	2	1	2	-	1	1	3	2	1	16
Piscataquis.....	1	-	1	-	1	1	1	-	1	1	3	1	11
Sagadahoc.....	-	-	-	-	1	-	-	-	-	-	-	-	1
Somerset.....	2	2	1	-	-	1	-	-	-	1	2	-	9
Waldo.....	-	-	1	-	-	1	-	-	-	-	-	-	2
Washington.....	-	1	-	-	1	-	1	-	1	2	2	2	10
York.....	1	2	3	2	4	3	1	-	1	3	-	2	22
Total.....	14	25	17	16	20	21	15	8	18	16	17	19	206

TABLE No. 16.
Twin Births by Sex and Parentage, by Counties, 1914.

COUNTIES.	SEX.				PARENTAGE.								
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	Total.	Living children.	Stillborn children.	Total.
Androscoggin.....	4	3	6	-	5	6	1	1	-	13	23	3	26
Aroostook.....	16	10	18	-	21	8	8	7	-	44	83	5	88
Cumberland.....	9	8	11	-	16	9	1	1	1	28	49	7	56
Franklin.....	2	3	2	-	4	2	1	-	-	7	11	3	14
Hancock.....	4	3	3	-	9	-	-	1	-	10	17	3	20
Kennebec.....	8	4	3	-	8	2	3	1	1	15	24	6	30
Knox.....	2	1	2	-	2	3	-	-	-	5	9	1	10
Lincoln.....	-	-	1	-	1	-	-	-	-	1	2	-	2
Oxford.....	5	5	2	-	4	4	1	3	-	12	23	1	24
Penobscot.....	4	6	6	-	11	3	1	1	-	16	29	3	32
Piscataquis.....	1	2	8	-	6	1	2	2	-	11	19	3	22
Sagadahoc.....	1	-	-	-	1	-	-	-	-	1	2	-	2
Somerset.....	1	2	6	-	7	1	1	-	-	9	18	-	18
Waldo.....	1	1	-	-	2	-	-	-	-	2	4	-	4
Washington.....	4	3	3	-	7	2	-	1	-	10	16	4	20
York.....	11	3	8	-	11	6	2	2	1	22	42	2	44
Total.....	73	54	79	-	115	47	21	20	3	206	371	41	412

TABLE No. 17.
Stillbirths by Sex and Parentage, by Counties, 1914.

COUNTIES.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin	34	24	-	58	31	27	-
Aroostook	62	44	1	107	73	33	1
Cumberland	62	55	1	118	76	42	-
Franklin	5	5	-	10	9	1	-
Hancock	22	8	1	31	29	2	-
Kennebec	33	27	1	61	42	19	-
Knox	17	5	1	23	19	4	-
Lincoln	1	4	-	5	5	-	-
Oxford	24	20	-	44	30	14	-
Penobscot	58	34	1	93	77	15	1
Piscataquis	17	9	2	28	23	4	1
Sagadahoc	8	6	-	14	12	2	-
Somerset	15	10	-	25	21	4	-
Waldo	7	11	-	18	17	1	-
Washington	19	20	-	39	27	11	1
York	44	33	-	77	40	37	-
Total	428	315	8	751	531	216	4

TABLE No. 18.
Stillbirths by Seasons, 1914.

MONTHS.		
January.....	64	
February.....	67	
March.....	82	Total for first quarter.....
April.....	64	213
May.....	62	
June.....	61	Total for second quarter.....
July.....	64	187
August.....	54	
September.....	49	Total for third quarter.....
October.....	55	167
November.....	60	
December.....	69	Total for fourth quarter.....
Total.....	751	184
		751

NOTES ON BIRTHS.

In the year 1914, 16,731 births were registered in the State, including stillbirths, (14,082 in 1892, 14,604 in 1893, 14,607 in 1894, 15,430 in 1895, 15,429 in 1896, 15,142 in 1897, 15,121 in 1898, 14,475 in 1899, 14,709 in 1900, 14,615 in 1901, 15,166 in 1902, 15,130 in 1903, 15,405 in 1904, 16,005 in 1905, 16,585 in 1906, 16,595 in 1907, 16,914 in 1908, 16,735 in 1909, 16,469 in 1910, 16,300 in 1911, 16,583 in 1912, and 16,408 in 1913).

The number of living children born was 15,980, and the number of stillbirths was 751.

Of the whole number of living children of which the sex was certified 8,160 were males and 7,813 were females. In 7 births the sex was not stated. For each 100 girls born 104.44 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, 106.4 in 1895, 105.3 in 1896, 102.3 in 1897, 106 in 1898, 104.4 in 1899, 103.2 in 1900, 105.6 in 1901, 105 in 1902, 105.3 in 1903, 104.2 in 1904, 104.1 in 1905, 106 in 1906, 104.3 in 1907, 107.2 in 1908, 104.7 in 1909, 103.8 in 1910, 105.5 in 1911, 106.9 in 1912 and 104.0 in 1913).

Birth-rate.—The birth-rate of living children for the State was 20.91 for each 1,000 of population.

Table No. 12 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 population was 21.34 as compared with 20.68 the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. As it invariably has been every year since the registration began, it was the highest in Aroostook, 31.50, and the lowest in Knox, 14.63. In four counties, Androscoggin, Aroostook, Oxford, and Washington, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 3 and 7.

Parentage.—Of the total births in the State, 60.31 per cent. were of native parents; 19.87 per cent. were of foreign parent-

age; 18.40 per cent. were of parents one of whom was foreign; while in 1.42 per cent. the nationality was not stated.

Hancock county had the largest percentage of native-born parents, to wit, 88.99 per cent., and only 3.44 per cent. in which both parents were foreign-born. Waldo followed with 88.24 per cent. of native parentage, and only 1.68 per cent. in which both parents were foreign-born.

In Lincoln county in 86.08 per cent. of the births the parents were native-born, and in 1.83 per cent., foreign-born.

In Knox county the percentage of native-born parents was 80.28; in Franklin, 69.82; in Washington, 69.26; in Sagadahoc, 68.28; in Piscataquis, 68.10; and in Somerset, 64.78.

Comparatively high percentages of foreign-born parents are found in Oxford county, 35.83; in Androscoggin, 32.89; in York, 29.44; and in Cumberland, 27.54.

The percentages of parentage, whether American-born or foreign-born, may be found for the other counties in Table No. 13.

Comparing the percentage of the births in our twenty cities with that of the rest of the State, we find that in the cities 46.67 per cent. of the births were of American parentage, while in the rural parts of the State the percentage of American-born children was 67.33.

The largest percentage of foreign-born parents was in Biddeford, 50.82 and in Lewiston 45.77. For further comparisons see Table No. 14.

Seasons and Births.—The largest number of births in any one month in 1914 was 1,442 in March; the smallest was 1,230 in November; the largest quarterly total was 4,182 in the second quarter; the smallest 3,813 in the last quarter. The three consecutive months in which the largest number of births occurred were March, April and May, 4,291.

The following is a tabular statement of the number of births in each month of the twenty-three years, 1892-1914.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892.....	1,016	1,113	1,345	1,275	1,323	1,176	1,222	1,191	1,144	1,047	1,002	1,111	63	14,028
1893.....	1,151	1,082	1,162	1,259	1,273	1,162	1,176	1,213	1,115	1,126	1,032	1,109	48	13,908
1894.....	962	980	1,335	1,324	1,255	1,200	1,286	1,213	1,168	1,064	980	1,164	9	13,940
1895.....	1,182	1,082	1,329	1,287	1,308	1,236	1,280	1,312	1,233	1,189	1,115	1,193	6	14,762
1896.....	1,149	1,227	1,330	1,318	1,379	1,190	1,207	1,246	1,257	1,220	1,091	1,069	10	14,693
1897.....	1,126	1,123	1,390	1,260	1,288	1,250	1,274	1,303	1,205	1,138	984	1,097	12	14,430
1898.....	1,148	1,176	1,323	1,269	1,322	1,229	1,226	1,219	1,182	1,196	1,028	1,149	6	14,473
1899.....	1,093	1,104	1,237	1,295	1,224	1,201	1,239	1,197	1,163	1,058	979	1,098	7	13,895
1900.....	1,167	1,083	1,260	1,245	1,276	1,146	1,284	1,255	1,213	1,070	1,055	1,035	6	14,805
1901.....	1,123	1,128	1,303	1,270	1,290	1,190	1,178	1,199	1,252	1,051	983	1,048	6	14,021
1902.....	1,143	1,111	1,401	1,250	1,333	1,244	1,237	1,252	1,207	1,137	1,064	1,119	10	14,508
1903.....	1,210	1,151	1,353	1,304	1,326	1,247	1,215	1,223	1,205	1,134	1,026	990	9	14,453
1904.....	1,219	1,207	1,367	1,325	1,336	1,186	1,297	1,216	1,203	1,217	1,037	1,057	6	14,673
1905.....	1,178	1,180	1,463	1,340	1,365	1,375	1,439	1,328	1,259	1,163	1,057	1,143	4	15,294
1906.....	1,173	1,206	1,333	1,385	1,335	1,310	1,454	1,450	1,364	1,280	1,260	1,325	3	15,878
1907.....	1,301	1,288	1,431	1,397	1,455	1,424	1,360	1,293	1,336	1,264	1,129	1,231	5	15,914
1908.....	1,296	1,312	1,551	1,345	1,464	1,430	1,361	1,438	1,246	1,216	1,212	1,299	3	16,173
1909.....	1,306	1,276	1,475	1,392	1,453	1,308	1,349	1,434	1,347	1,249	1,218	1,229	5	16,041
1910.....	1,308	1,252	1,506	1,424	1,393	1,379	1,330	1,331	1,263	1,256	1,131	1,207	1	15,798
1911.....	1,261	1,224	1,463	1,426	1,371	1,355	1,380	1,348	1,294	1,172	1,153	1,202	3	15,635
1912.....	1,253	1,267	1,415	1,357	1,451	1,337	1,442	1,439	1,318	1,229	1,182	1,179	-	15,869
1913.....	1,299	1,185	1,467	1,425	1,400	1,378	1,397	1,316	1,245	1,264	1,131	1,210	1	15,719
1914.....	1,234	1,305	1,442	1,430	1,419	1,333	1,361	1,298	1,345	1,322	1,230	1,260	-	15,980

Twin-births.—In 1914, 206 twin-births occurred; in 73 instances twins were both boys; in 54, both girls; and in 79, a boy and a girl. In 115 cases the parentage was American; in 47, foreign; in 41 instances the parentage was mixed; and in three it was not stated. Of the 412 children 371 were born alive, and 41 stillborn.

A triple birth occurred in Biddeford. They were all living children.

Stillbirths.—Of the 751 stillborn children, 428 were males and 315 were females. In 8 the sex was not stated. With the exception of 4 stillbirths as to which the nativity of the mother was not stated 531 were of American mothers, and 216 of foreign mothers.

The largest number of stillbirths occurred in Cumberland county, 118; while the minimum number, 5, was reported in Lincoln county.

The largest number of stillbirths, 82, was returned in March; the smallest number, 49, in September. See Tables No. 17 and 18 for other details.

TABLE No. 19.
Marriages and Marriage-Rates by Counties for the Years 1907-1914.

COUNTIES.	1907.		1908.		1909.		1910.		1911.		1912.		1913.		1914.	
	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.
State.....	6,380	8.83	5,904	8.12	6,011	8.22	5,900	7.95	5,878	7.85	6,550	8.71	6,622	8.74	6,707	8.71
Androscoggin.....	475	8.20	465	7.95	451	7.65	478	7.99	454	7.52	581	9.53	652	10.58	669	10.74
Aroostook.....	592	8.64	580	8.33	646	9.13	573	7.75	567	7.44	655	8.46	588	7.46	604	7.52
Cumberland.....	963	8.96	854	7.87	916	9.37	861	7.69	884	7.82	1,022	8.94	1,044	8.02	1,091	9.32
Franklin.....	194	10.00	183	9.36	179	9.09	160	8.37	166	8.66	198	10.23	169	8.23	161	8.30
Hancock.....	329	8.83	326	8.75	265	7.12	310	8.71	295	8.34	321	9.11	267	7.62	236	6.51
Kennebec.....	560	9.24	519	8.54	545	8.94	554	8.81	527	8.33	576	9.05	624	9.77	602	9.26
Knox.....	251	8.25	203	6.67	225	7.40	213	7.35	241	8.18	257	8.96	276	9.66	242	8.28
Lincoln.....	145	7.37	137	6.97	138	7.02	117	6.42	124	6.85	132	7.36	149	8.35	121	6.63
Oxford.....	367	10.99	350	10.42	325	9.64	310	8.55	324	8.84	350	9.44	333	8.92	396	10.33
Penobscot.....	809	10.29	761	9.63	718	9.05	751	8.81	712	8.29	740	8.49	768	8.73	788	8.87
Piscataquis.....	176	10.05	170	9.66	153	8.65	182	9.15	159	7.82	162	7.91	224	10.79	180	8.55
Sagadahoc.....	149	7.07	104	4.94	139	6.58	141	7.59	121	6.15	136	7.46	168	9.30	166	8.93
Somerset.....	354	10.20	326	9.36	323	9.24	306	8.43	320	8.77	353	9.59	309	8.32	344	9.22
Waldo.....	207	8.56	185	7.65	186	7.69	186	7.95	199	8.54	227	9.77	207	8.96	208	8.83
Washington.....	306	6.69	315	6.87	310	6.75	316	7.36	320	7.57	329	7.75	321	7.59	318	7.25
York.....	504	7.60	426	6.40	492	7.37	437	6.38	465	6.74	511	7.38	523	7.52	581	8.22

TABLE No. 20.
Marriages by Counties and Nativity, 1914.

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin.....	410	99	83	76	1	669
Aroostook.....	388	39	71	103	3	604
Cumberland.....	731	148	103	108	1	1,091
Franklin.....	137	10	6	8	-	161
Hancock.....	205	3	17	11	-	236
Kennebec.....	424	64	57	57	-	602
Knox.....	210	10	12	10	-	242
Lincoln.....	113	2	5	1	-	121
Oxford.....	277	70	21	27	1	396
Penobscot.....	596	54	50	87	1	788
Piscataquis.....	142	7	8	23	-	180
Sagadahoc.....	130	12	8	16	-	166
Somerset.....	261	23	20	38	2	344
Waldo.....	183	4	12	7	2	208
Washington.....	242	19	19	37	1	318
York.....	369	85	71	55	1	581
Total.....	4,818	649	563	664	13	6,707

TABLE No. 21.
Marriages by Months and Counties, 1914.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin..	54	38	28	51	58	91	37	70	59	73	65	45	-	669
Aroostook.....	40	42	26	57	34	87	37	48	51	62	70	50	-	604
Cumberland...	85	65	44	56	60	159	71	93	143	131	102	82	-	1,091
Franklin.....	13	5	7	10	13	23	11	6	17	16	18	22	-	161
Hancock.....	18	15	14	19	15	25	14	18	23	26	17	32	-	236
Kennebec.....	58	37	29	41	35	90	39	46	58	72	57	39	1	602
Knox.....	22	9	17	14	21	31	12	17	29	33	19	18	-	242
Lincoln.....	13	4	7	6	5	19	3	8	14	10	19	13	-	121
Oxford.....	16	14	32	22	28	56	35	29	38	49	46	31	-	396
Penobscot....	50	38	36	54	63	108	63	73	90	77	79	57	-	788
Piscataquis..	8	9	7	22	10	17	9	20	15	20	24	10	-	180
Sagadahoc....	16	8	7	14	12	15	9	22	22	14	14	13	-	166
Somerset.....	31	20	18	25	33	34	27	25	31	30	37	33	-	344
Waldo.....	21	17	15	9	21	26	5	11	20	17	21	25	-	208
Washington...	30	19	24	14	23	32	26	28	29	22	33	38	-	318
York.....	41	37	18	49	39	77	33	47	76	68	52	44	-	581
Total.....	516	377	329	463	470	890	431	561	715	720	673	561	1	6,707

TABLE No. 22.
Number of Marriages in Each Month of 1907-1914, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1907.		1908.		1909.		1910.		1911.		1912.		1913.		1914.	
	Marriages.	Ratio.*	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.
January.....	409	75.6	437	86.7	383	71.5	427	85.2	381	76.4	445	79.9	472	83.6	516	90.5
February.....	382	78.1	366	80.8	361	78.3	284	62.7	318	70.5	407	81.0	316	62.2	377	73.2
March.....	282	52.1	332	65.9	286	56.0	332	66.3	271	54.3	309	55.6	370	66.5	329	57.7
April.....	503	96.0	405	83.5	451	91.3	456	94.0	399	82.6	551	102.4	516	94.8	463	84.0
May.....	411	76.0	398	79.0	420	82.3	405	80.8	402	80.6	438	78.7	471	84.9	470	82.5
June.....	866	165.3	779	160.6	789	159.8	803	165.6	734	152.0	820	152.4	882	162.5	890	161.5
July.....	497	91.9	405	80.4	456	89.3	413	82.4	468	93.8	479	86.1	482	85.4	431	75.6
August.....	471	87.1	474	94.0	489	95.8	473	94.4	453	90.8	489	87.9	551	97.6	561	98.4
September.....	668	127.5	589	121.4	619	125.3	585	120.6	589	121.9	641	119.1	690	126.7	715	129.8
October.....	706	130.5	641	127.2	625	122.4	673	134.3	714	143.1	714	128.3	666	118.7	720	126.3
November.....	663	126.5	591	121.9	637	128.9	576	118.8	635	131.5	744	138.2	715	131.3	673	122.1
December.....	520	96.1	487	96.6	495	97.0	473	94.4	514	103.0	512	92.0	491	87.0	561	98.4
Unknown.....	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 23.
Marriages by Ages and Counties, 1914.

COUNTIES.		Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscoggin.....	males..	-	38	266	176	56	44	34	18	15	9	11	2	-	-	669
	females.	3	178	234	127	37	33	23	12	8	7	7	-	-	-	669
Aroostook.....	males..	-	42	265	148	65	33	20	9	10	8	3	1	-	-	604
	females.	2	225	225	75	30	15	14	6	5	4	1	1	-	1	604
Cumberland.....	males..	-	47	404	326	125	73	41	25	13	17	17	2	1	-	1,091
	females.	1	257	418	208	84	46	36	18	10	9	4	-	-	-	1,091
Franklin.....	males..	-	6	44	46	15	15	13	9	1	2	10	-	-	-	161
	females.	3	48	49	21	10	8	9	4	4	1	-	-	-	-	161
Hancock.....	males..	-	19	84	66	20	13	11	7	5	5	6	-	-	-	236
	females.	2	64	80	47	13	13	4	6	2	1	3	1	-	-	236
Kennebec.....	males..	-	24	227	163	69	33	24	10	16	13	14	8	-	1	602
	females.	1	158	221	103	31	27	19	12	13	8	5	3	-	1	602
Knox.....	males..	-	14	77	62	32	22	14	4	7	4	4	1	1	-	242
	females.	-	54	84	54	20	14	4	4	1	3	4	-	-	-	242
Lincoln.....	males..	-	5	46	29	19	8	1	6	4	2	1	-	-	-	121
	females.	1	39	47	13	10	5	2	2	2	-	-	-	-	-	121
Oxford.....	males..	-	16	152	106	45	23	13	10	15	10	3	2	1	-	396
	females.	2	135	135	53	23	12	15	7	7	4	3	-	-	-	396
Penobscot.....	males..	-	42	270	212	89	63	35	22	24	16	12	2	1	-	788
	females.	3	230	265	117	62	38	21	24	14	7	7	-	-	-	788
Piscataquis.....	males..	-	11	78	38	23	11	8	4	2	-	4	1	-	-	180
	females.	1	53	66	25	16	5	5	5	1	2	1	-	-	-	180
Sagadahoc.....	males..	-	11	63	43	11	19	2	4	6	5	2	-	-	-	166
	females.	-	49	56	26	10	9	8	1	7	-	-	-	-	-	166
Somerset.....	males..	-	28	131	73	40	24	21	8	7	3	6	2	-	1	344
	females.	2	122	123	36	21	9	14	8	3	1	3	1	-	1	344
Waldo.....	males..	-	13	68	48	23	14	14	6	5	3	10	3	1	-	208
	females.	1	65	63	21	17	11	9	8	7	2	3	1	-	-	208
Washington.....	males..	-	24	146	65	28	16	15	7	3	3	4	6	-	1	318
	females.	-	112	120	30	26	11	4	2	4	4	4	-	-	1	318
York.....	males..	-	38	216	155	60	31	22	18	7	17	11	6	-	-	581
	females.	-	147	223	96	38	25	16	17	7	7	5	-	-	-	581
Total.....	males..	-	378	2,537	1,756	720	442	288	167	140	117	118	36	5	3	6,707
	females.	22	1,936	2,409	1,052	448	281	203	136	95	63	51	7	1	3	6,707
Grand total.....		22	2,314	4,946	2,808	1,168	723	491	303	235	180	169	43	6	6	13,414

TABLE
Some Interesting Facts in

COUNTIES.	Instances in which the age of the bride exceeded that of the groom.	Widowers.	Widows.	Divorced.		First marriage.		Second marriage.		Third marriage.	
				M.	F.	M.	F.	M.	F.	M.	F.
				Androscoggin..	135	67	52	38	43	564	574
Aroostook....	81	66	42	15	33	523	528	71	70	9	5
Cumberland...	237	94	74	60	76	937	941	142	141	10	8
Franklin.....	21	24	19	21	23	116	119	41	31	3	9
Hancock.....	59	32	19	13	20	191	197	41	36	4	3
Kennebec.....	115	81	64	39	48	482	490	106	94	11	12
Knox.....	49	27	17	23	30	192	195	44	42	5	5
Lincoln.....	15	7	8	8	10	106	103	14	17	1	1
Oxford.....	59	50	40	21	36	325	320	62	63	8	12
Penobscot....	135	88	72	56	77	643	638	132	134	11	12
Piscataquis...	30	11	15	14	19	155	146	19	28	6	6
Sagadahoc....	26	16	11	9	17	141	138	22	26	3	2
Somerset.....	57	37	29	29	32	277	282	61	53	5	8
Waldo.....	39	27	26	27	24	154	158	45	45	8	4
Washington...	44	35	30	14	22	269	266	46	48	3	4
York.....	104	66	47	31	47	484	487	87	84	10	10
Total.....	1,200	728	565	418	557	5,559	5,582	1,026	1,004	108	104

NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1914 was 6,707 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, 5,729 in 1895, 5,579 in 1896, 5,331 in 1897, 5,144 in 1898, 5,329 in 1899, 5,482 in 1900, 5,735 in 1901, 5,905 in 1902, 6,200 in 1903, 6,208 in 1904, 6,264 in 1905, 6,498 in 1906, 6,380 in 1907, 5,904 in 1908, 6,011 in 1909, 5,900 in 1910, 5,878 in 1911, 6,550 in 1912, and 6,622 in 1913). We have therefore for the year 1914 a marriage-rate of 17.42 (persons married) to every 1,000 of population, or at the rate of 8.71 marriages per 1,000 persons.

Marriage-rates.—The marriage-rate was higher in Androscoggin county than elsewhere in the State, it being for that county 10.74 per 1,000. The lowest marriage-rate, that of 6.51 per 1,000, was in Hancock county. See Table No. 3.

Nativity.—Of the 6,707 records of marriage in which there was a statement of birthplace, in 71.84 per cent. the groom and bride were both American; in 9.52 per cent. both were of foreign birth; in 8.39 per cent. the groom was American and the bride of foreign birth; while in 9.91 per cent. a foreign groom and American bride were united.

Seasons.—The largest number of marriages, 890, was solemnized in June, while the smallest number in any one month, 329 occurred in March. See Table No. 21.

Ages of the Married.—The largest number, both of grooms and brides was between 20 and 25 years of age. While still under 15 years of age, 22 brides were married; in the age-period, 15-20 years, there were 378 grooms and 1,936 brides; in the period 20-25 years, 2,537 men and 2,409 women were married; from 25-30, 1,756 men and 1,052 women; from 30-35, 720 men and 448 women; from 35-40, 442 men and 281 women; from 40-45, 288 men and 203 women; from 45-50, 167 men and 136 women; from 50-55, 140 men and 95 women; from 55-60, 117 men and 63 women; from 60-70, 118 men and 51 women; from 70-80, 36 men and 7 women; 80 and over, 5 men and 1 woman.

The ages of 3 grooms and 3 brides were not stated. See Table No. 23. In 5,507 marriages the groom was older than the bride; while in 1,200 the bride was the older; 728 widowers and 565 widows were remarried; 418 men and 557 women were remarried after having been divorced from a former marriage.

Table No. 24 exhibits the fact that 5,559 men and 5,582 women were married for the first time; that 1,026 men and 1,004 women were married for the second time; that 108 men and 104 women were united in the third marriage; that 11 men and 12 women contracted marriage a fourth time, and 1 man and 2 women were married for the fifth time. The oldest groom was 85 years of age, and the oldest bride was 80. The youngest groom was 16 years of age, and the youngest bride was 12.

At the age of 16 years 5 grooms were married; at 17 years, 33; at 18 years 111; and at 19 years, 229. At the age of 12, 2 brides were married; at 13 years 1; at 14 years 19; at 15 years 57; at 16 years, 203; at 17 years, 331; at 18 years, 700; and at 19 years, 645.

At 18 years of age, 8 brides were married for a second time, and 4 at 19. One bride was married for the third time at 20, two for the fourth time at 36, and one for the fifth time at 45.

Two men contracted marriage for the first time at the ages of 74 and 62. One bride contracted marriage for the first time at 69.

TABLE

Divorces Decreed by the Supreme Court of Maine for the

COUNTIES.	Libellant wife.	Libellant husband.	Adultery.	Adultery, cruel and abusive treatment.	Cruel and abusive treatment.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment and intoxication.	Cruel and abusive treatment and utter desertion.	Cruelty and non-support.	Cruelty and intoxication.
Androscoggin	52	20	15	-	17	-	-	-	2	1
Aroostook	62	26	16	-	28	-	-	-	-	-
Cumberland	78	33	16	-	44	-	4	1	-	-
Franklin	29	16	9	-	20	-	-	-	-	-
Hancock	23	8	3	-	10	-	-	-	-	-
Kennebec	82	17	9	-	50	-	-	-	-	-
Knox	41	8	3	-	26	-	-	-	-	-
Lincoln	10	6	2	-	4	-	-	-	-	-
Oxford	33	19	9	-	46	-	-	-	-	-
Penobscot	113	45	25	1	61	1	3	-	-	-
Piscataquis	19	11	4	-	15	-	-	-	-	-
Sagadahoc	19	13	4	-	10	-	-	-	-	-
Somerset	54	18	20	-	16	17	2	-	-	-
Waldo	32	9	8	-	17	-	-	-	-	-
Washington	25	13	3	-	15	-	-	-	-	-
York	66	30	9	-	45	-	-	-	-	-
Total	738	292	155	1	394	18	9	1	2	1

No. 25.

Year 1914, as returned by Clerks of the Several Counties.

Extremc cruelty.	Desertion.	Utter desertion.	Utter desertion and gross and confirmed habits of intoxication.	Intoxication.	Gross and confirmed habits of intoxication.	Habits of intoxication.	Non-support and cruel and abusive treatment.	Non-support.	Impotence.	Insanity.	Marriage annulled.	Total.
4	22	-	-	7	1	-	-	3	-	-	-	72
1	34	-	-	3	-	-	-	5	-	1	-	88
1	-	34	1	-	7	-	1	-	1	-	1	111
-	9	-	-	4	1	-	-	2	-	-	-	45
1	-	14	-	2	-	-	-	1	-	-	-	31
-	17	-	-	22	-	-	-	1	-	-	-	99
2	2	10	-	-	5	-	-	1	-	-	-	49
1	3	5	-	-	-	-	-	1	-	-	-	16
2	15	-	-	-	2	6	-	2	-	-	-	52
-	-	46	-	13	4	-	1	2	1	-	-	158
-	-	10	-	-	1	-	-	-	-	-	-	30
-	-	14	-	-	4	-	-	-	-	-	-	32
-	-	9	-	-	6	-	1	1	-	-	-	72
-	-	10	-	2	1	-	-	3	-	-	-	41
1	18	-	-	-	-	-	-	1	-	-	-	38
1	20	-	-	14	-	-	-	6	1	-	-	96
14	140	152	1	67	32	6	3	29	3	1	1	1,030

TABLE No. 26.
Divorces by Causes, Sex of Libellants, and the Number
of Years Married, 1914.

CAUSES.	LIBELLANTS.		NUMBER OF YEARS MARRIED.							
	Number.	SEX.	Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown.
Adultery.....	155	Males... 93 Females... 62	-	3	28	31	24	6	-	1
Adultery, cruel and abusive treatment....	1	Males... 1 Females... 74	-	-	-	1	-	-	-	-
Cruel and abusive treatment.....	394	Males... 320 Females... 3	-	9	98	109	64	34	4	2
Cruel and abusive treatment and extreme cruelty.....	18	Males... 15 Females... 3	-	1	3	3	4	4	1	-
Cruel and abusive treatment and intoxication.....	9	Males... 9 Females... -	-	-	2	2	4	1	-	-
Cruel and abusive treatment and utter desertion.....	1	Males... 1 Females... -	-	-	-	-	-	1	-	-
Cruelty and non-support.....	2	Males... 2 Females... -	-	-	1	1	-	-	-	-
Cruelty and intoxication.....	1	Males... 1 Females... -	-	-	-	1	-	-	-	-
Extreme cruelty.....	14	Males... 13 Females... 63	-	-	6	2	3	1	1	-
Desertion.....	140	Males... 77 Females... 47	-	-	8	19	23	9	3	1
Utter desertion.....	152	Males... 105 Females... -	-	-	3	21	10	8	5	-
Utter desertion and gross and confirmed habits of intoxication.....	1	Males... 1 Females... -	-	-	12	30	35	22	6	-
Intoxication.....	67	Males... 5 Females... 62	-	-	-	2	2	1	-	-
Gross and confirmed habits of intoxication.....	32	Males... 4 Females... 28	-	-	19	17	18	7	1	-
Habits of intoxication.....	6	Males... 2 Females... 6	-	-	2	1	3	-	-	-
Non-support and cruel and abusive treatment.....	3	Males... 3 Females... -	-	-	1	10	7	7	3	-
Non-support.....	29	Males... 29 Females... -	-	-	2	1	3	-	-	-
Impotence.....	3	Males... 3 Females... -	-	-	2	-	1	-	-	-
Insanity.....	1	Males... 1 Females... -	-	-	-	-	-	-	-	1
Marriage annulled.....	1	Males... 1 Females... -	-	-	-	1	-	-	-	-
Total.....	1,030	Males... 291 Females... 739	-	5	64	100	76	33	10	3

NOTES ON DIVORCES.

One thousand and thirty divorces were decreed in the year 1914 (552 in 1892, 627 in 1893, 674 in 1894, 681 in 1895, 668 in 1896, 722 in 1897, 764 in 1898, 790 in 1899, 801 in 1900, 808 in 1901, 905 in 1902, 946 in 1903, 906 in 1904, 848 in 1905, 787 in 1906, 887 in 1907, 904 in 1908, 957 in 1909, 911 in 1910, 985 in 1911, 1,081 in 1912, and 1,092 in 1913). In 1914 there was decreed in Maine one divorce for every 6 marriages solemnized.

Some of the causes for which divorces were granted are: Adultery, 155, or 15.0 per cent. of the whole number; desertion, 140, or 13.6 per cent.; intoxication, 106, or 9.8 per cent.; cruel and abusive treatment, 394 or 38.2 per cent.; nonsupport, 29, or 2.8 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 738 divorces, and the husband in 292.

In the divorces granted for adultery, the husband was the libellant 93 times, and the wife 62 times.

For desertion, the husband was the libellant 63 times, and the wife 77.

For intoxication, the husband was the libellant in 9 cases, and the wife in 90.

For cruel and abusive treatment, the husband was the libellant in 74 instances, and the wife in 320.

For nonsupport, the wife was the libellant in the 29 divorces decreed for that cause.

Seventeen divorces were granted before one year's marriage; 263 after from 1 to 5 years' marriage; 325 after 5 to 10 years; 269 after 10 to 20 years; 123 after 20 to 30 years; 27 after more than 30 years of married life; while in 6 cases it was not stated how many years they had been married. Tables No. 25 and No. 26 may be consulted for more detailed statements.

TABLE No. 27.
Deaths and Death-Rates by Counties for the Years 1907-1914.

COUNTIES.	1907.		1908.		1909.		1910.		1911.		1912.		1913.		1914.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State.....	11,802	16.33	11,664	16.05	11,295	15.45	12,439	16.62	11,731	15.68	11,390	15.27	11,552	15.35	11,648	15.24
Androscoggin.....	1,046	18.06	952	16.29	899	15.24	1,132	18.92	951	15.76	999	16.39	1,016	16.47	1,041	16.72
Aroostook.....	840	12.25	975	14.00	926	13.08	1,037	13.89	881	11.73	807	10.69	973	12.59	1,034	13.05
Cumberland.....	1,884	17.52	1,781	16.42	1,790	16.35	1,937	17.29	1,858	16.44	1,820	15.93	1,908	16.49	1,822	15.57
Franklin.....	316	16.27	337	17.23	272	13.81	256	13.39	248	13.20	280	14.83	292	15.41	274	14.33
Hancock.....	545	14.63	555	14.90	529	14.21	547	15.35	537	15.27	535	15.41	526	15.15	507	14.25
Kennebec.....	1,136	18.75	1,144	18.82	1,088	17.83	1,172	18.64	1,094	17.30	1,167	18.33	1,099	17.17	1,097	16.89
Knox.....	489	16.08	473	15.56	464	15.26	479	16.53	554	18.86	475	16.57	508	17.77	489	16.79
Lincoln.....	288	14.64	340	17.29	303	15.40	306	16.80	342	18.88	257	14.32	226	12.67	326	17.97
Oxford.....	573	17.16	561	16.72	540	16.01	585	16.17	582	15.91	510	13.76	544	14.55	527	13.79
Penobscot.....	1,430	18.19	1,283	16.24	1,307	16.50	1,401	16.43	1,435	16.82	1,379	16.10	1,306	15.07	1,389	15.93
Piscataquis.....	218	12.45	250	14.21	272	15.39	275	13.82	269	13.76	255	12.99	262	13.17	242	11.91
Sagadahoc.....	288	13.75	335	15.93	290	13.73	326	17.55	297	15.10	303	16.07	315	17.44	321	17.27
Somerset.....	532	15.33	524	15.05	471	13.48	589	16.23	526	14.77	537	14.84	505	13.71	497	13.48
Waldo.....	385	15.92	368	15.22	386	15.96	421	18.50	431	18.50	380	16.42	374	16.18	372	15.79
Washington.....	604	13.20	643	14.03	630	13.72	642	14.96	596	14.17	559	13.24	556	13.25	613	14.14
York.....	1,228	18.51	1,143	17.17	1,126	16.87	1,334	19.47	1,130	16.39	1,127	16.27	1,137	16.37	1,097	15.52

TABLE No. 28.

Number of Deaths in Each Month of 1907-1914, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1907.		1908.		1909.		1910.		1911.		1912.		1913.		1914.	
	Deaths.	Ratio.*	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January.....	1,118	111.5	1,128	113.8	985	102.6	1,101	104.2	1,094	109.7	1,052	109.9	1,099	112.2	1,055	106.7
February.....	1,128	124.6	985	106.4	887	102.0	1,036	108.5	1,085	120.6	1,034	114.3	1,064	120.0	997	89.4
March.....	1,177	117.3	1,001	101.0	1,178	122.8	1,149	108.7	1,223	122.8	1,047	109.0	1,180	120.5	1,105	111.7
April.....	1,069	110.2	1,045	109.1	1,022	110.1	1,103	108.0	1,057	109.6	1,014	108.7	982	103.4	1,065	111.3
May.....	973	97.0	954	96.3	960	101.1	1,015	98.1	1,025	102.9	980	102.4	991	101.2	1,065	107.7
June.....	947	97.6	818	85.4	838	90.3	844	82.5	791	82.0	841	90.1	827	87.1	817	85.4
July.....	844	84.1	820	82.7	831	86.6	913	86.4	951	95.4	881	92.1	791	80.8	832	84.1
August.....	898	89.5	1,033	104.2	886	92.4	1,120	106.0	964	96.7	873	91.2	1,030	105.2	874	88.4
September.....	855	88.1	1,079	112.6	912	98.2	1,084	106.0	886	91.9	903	96.8	976	102.7	986	103.0
October.....	931	92.8	990	99.9	979	102.1	1,034	97.9	890	89.3	907	94.8	857	87.5	988	99.9
November.....	875	90.2	890	92.9	872	93.9	1,013	99.1	823	85.4	836	84.2	823	86.6	920	96.1
December.....	978	97.6	919	92.7	945	98.5	1,027	97.2	938	94.1	1,022	106.7	931	95.1	938	94.8
Unknown.....	9	-	2	-	1	-	-	-	4	-	2	-	1	-	6	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

NUMBER OF DEATHS IN EACH MONTH.

TABLE
Deaths by Months

MONTHS.	Total.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
January.....	1,055	119	26	13	3	8	169
February.....	997	112	24	17	10	5	168
March.....	1,105	112	28	14	5	7	166
April.....	1,065	127	18	12	9	4	170
May.....	1,065	140	20	9	4	7	180
June.....	817	64	16	11	6	1	98
July.....	832	74	13	5	-	4	96
August.....	874	140	25	5	5	3	178
September.....	986	204	31	12	6	4	257
October.....	988	138	28	12	7	9	194
November.....	920	100	15	17	11	4	147
December.....	938	97	14	11	9	2	133
Unknown.....	6	1	-	-	-	-	1
Total.....	11,648	1,428	258	138	75	58	1,957

No. 29.
and Age-Groups—1914.

	5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
17	15	16	23	25	30	36	33	37	41	71	66	109	86	129	75	57	14	3	-	3	
14	10	17	15	29	32	26	40	36	49	63	44	90	99	111	92	43	15	4	-	-	
17	10	21	37	23	30	43	33	55	53	63	75	98	104	128	80	41	21	5	-	2	
11	13	23	26	31	32	30	37	37	46	53	79	90	119	109	90	46	15	4	1	3	
15	16	25	36	31	27	34	40	41	47	60	64	91	97	103	73	53	20	4	2	6	
18	16	16	24	26	22	32	28	30	44	43	61	71	85	91	56	34	17	2	-	3	
15	10	12	27	29	33	27	39	40	32	43	60	68	90	84	57	42	16	10	1	1	
22	11	14	23	27	22	26	24	35	40	40	49	69	90	86	61	37	13	4	-	3	
24	9	19	27	19	32	31	23	30	29	50	67	84	82	80	55	45	16	2	-	5	
26	15	22	29	23	26	28	30	34	42	58	73	87	105	76	69	40	8	1	-	2	
21	10	20	33	23	21	31	24	33	43	39	69	77	80	105	72	41	25	3	-	3	
14	6	23	22	23	21	26	26	36	50	62	76	82	93	100	74	51	15	3	-	2	
-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	2	
214	141	228	322	310	328	370	378	444	516	645	783	1,016	1,130	1,202	855	530	195	45	4	35	

TABLE
Deaths by Ages, Sex and

COUNTIES.			Under 1.	1 to 4.	5 to 9.	10 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	males..	females.														
Androscoggin.....	males..	81	23	7	15	24	31	42	50	87	81	42	7	-	1	
	females.	82	22	4	23	50	44	46	65	87	79	40	6	-	2	
Aroostook.....	males..	173	54	9	27	24	31	29	38	60	54	43	9	1	2	
	females.	132	46	15	21	37	29	32	35	43	45	36	7	-	2	
Cumberland.....	males..	100	38	18	40	54	58	84	116	149	211	91	9	-	2	
	females.	88	25	20	25	38	59	68	87	120	195	117	12	-	-	
Franklin.....	males..	11	7	3	5	6	9	10	12	19	31	18	3	-	-	
	females.	12	5	2	6	5	5	7	12	29	34	18	5	-	-	
Hancock.....	males..	21	10	4	10	11	9	7	39	62	74	27	3	-	1	
	females.	12	1	2	9	15	15	10	19	46	46	48	5	-	1	
Kennebec.....	males..	67	33	12	15	22	38	42	64	104	117	74	7	1	4	
	females.	39	20	7	16	32	38	35	50	84	92	74	10	-	-	
Knox.....	males..	15	8	4	6	7	16	21	35	48	67	28	9	-	-	
	females.	10	3	2	6	7	12	15	24	43	57	32	14	-	-	
Lincoln.....	males..	7	4	2	5	6	1	6	13	38	55	39	7	-	1	
	females.	13	6	2	1	3	8	7	12	23	31	26	10	-	-	
Oxford.....	males..	35	13	6	5	6	16	20	21	40	52	38	5	-	2	
	females.	21	17	3	7	17	17	11	25	43	60	42	5	-	-	
Penobscot.....	males..	94	33	14	28	55	62	72	74	119	137	63	15	1	6	
	females.	64	25	11	22	47	37	50	64	80	124	76	15	-	1	
Piscataquis.....	males..	14	3	3	3	10	20	16	17	20	19	14	2	-	2	
	females.	7	5	3	5	7	7	7	17	12	18	11	1	-	-	
Sagadahoc.....	males..	13	6	3	4	3	8	14	19	31	37	22	3	-	-	
	females.	7	7	6	6	9	10	10	16	20	31	28	12	-	-	
Somerset.....	males..	27	6	3	4	13	10	18	17	51	66	33	6	-	2	
	females.	24	10	5	7	8	11	11	22	33	65	40	5	-	-	
Waldo.....	males..	12	6	1	8	11	6	8	20	30	59	34	7	-	1	
	females.	7	6	-	3	5	11	19	14	29	42	27	6	-	-	
Washington.....	males..	40	22	11	8	23	15	21	32	44	61	43	6	-	2	
	females.	44	13	7	6	18	15	13	25	39	65	33	6	-	1	
York.....	males..	98	29	14	11	34	24	29	55	85	115	59	7	-	1	
	females.	60	23	11	12	28	27	42	53	81	112	69	16	1	1	
Total.....	males..	808	295	114	194	309	354	439	622	987	1,236	668	105	3	27	
	females.	620	234	100	176	323	344	383	539	812	1,096	717	135	1	8	
Grand total.....		1,428	529	214	369	632	698	822	1,161	1,799	2,332	1,385	240	4	35	

No. 30.

Months by Counties, 1914.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
46	40	56	41	42	37	38	40	45	39	33	34	-	491	-
54	64	55	49	46	20	46	41	51	40	50	34	-	550	1,041
36	61	32	44	36	41	35	59	65	52	49	44	-	554	-
34	38	37	37	37	38	29	39	62	45	47	37	-	480	1,034
90	78	90	84	95	59	61	89	67	82	90	83	2	970	-
93	73	71	92	70	57	67	70	57	77	57	68	-	852	1,822
11	17	17	8	16	11	3	8	9	12	13	9	-	134	-
12	10	15	14	13	11	6	8	14	11	12	14	-	140	274
22	25	31	26	20	20	18	24	18	23	19	32	-	278	-
18	18	18	21	26	15	19	17	23	21	12	21	-	229	507
52	48	59	55	63	40	41	41	5	52	45	47	-	600	-
42	42	44	34	52	33	43	38	41	45	43	40	-	497	1,097
28	19	31	27	21	23	17	19	20	21	21	17	-	264	-
15	22	22	24	18	25	10	16	22	17	18	16	-	225	489
15	19	15	11	14	18	17	20	11	16	10	18	-	184	-
11	16	16	7	15	7	11	12	16	14	9	7	1	142	326
20	18	19	32	26	16	26	24	13	22	17	26	-	259	-
33	23	19	28	21	21	20	18	22	27	19	17	-	268	527
73	53	76	88	78	46	45	47	66	76	57	65	2	773	-
43	53	56	47	63	51	47	34	63	54	49	56	-	616	1,389
12	7	21	12	18	12	6	10	5	12	14	14	-	143	-
8	7	7	6	7	4	10	6	12	15	7	10	-	99	242
18	16	16	15	18	11	14	11	11	7	16	10	-	163	-
10	15	17	21	13	13	9	11	9	15	12	13	-	158	321
28	28	36	22	16	19	14	13	25	15	23	17	-	256	-
26	26	35	25	9	18	18	7	18	21	14	24	-	241	497
23	8	17	18	20	16	21	24	18	9	12	16	1	203	-
15	11	16	17	18	11	17	9	14	15	17	9	-	169	372
35	34	31	33	22	23	25	22	23	24	26	30	-	328	-
28	29	32	28	26	21	21	13	16	27	19	25	-	285	613
57	39	53	53	64	40	45	47	42	44	39	38	-	561	-
47	40	45	47	62	40	33	37	49	38	51	47	-	536	1,097
566	510	600	568	569	432	426	498	497	506	484	500	5	6,161	-
489	487	505	497	496	385	406	376	489	482	436	438	1	5,487	-
1,055	997	1,105	1,065	1,065	817	832	874	986	988	920	938	6	11,648	11,648

TABLE
Deaths by Ages, Sex and

CITIES.		Under 1.	1 to 4.	5 to 9.	10 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
Auburn.....	males..	20	6	2	2	2	4	3	16	21	27	11	1	-	-
	females.	10	2	2	3	6	13	9	13	17	29	10	1	-	-
Augusta.....	males..	20	9	5	5	7	14	16	23	27	13	17	1	-	1
	females.	9	7	1	4	10	12	8	19	16	23	23	4	-	-
Bangor.....	males..	23	8	7	11	29	40	41	44	58	49	17	6	-	3
	females.	20	8	5	6	17	21	24	28	33	48	21	7	-	1
Bath.....	males..	5	6	2	2	1	3	8	9	11	13	4	1	-	-
	females.	4	5	6	3	3	5	2	5	10	18	14	7	-	-
Belfast.....	males..	6	3	1	3	6	1	4	1	4	10	6	-	-	1
	females.	1	4	-	1	3	5	4	2	8	7	11	1	-	-
Biddeford.....	males..	43	12	3	1	13	8	11	10	17	16	6	1	-	-
	females.	29	11	6	4	10	7	13	9	12	18	15	3	-	-
Brewer.....	males..	9	3	-	2	-	1	3	1	4	10	2	-	-	-
	females.	6	1	1	1	4	1	2	6	6	8	5	1	-	-
Calais.....	males..	6	2	1	2	3	2	1	7	4	8	1	2	-	-
	females.	5	1	-	1	1	2	1	6	4	14	9	-	-	-
Eastport.....	males..	8	1	-	1	8	3	3	4	8	6	8	-	-	-
	females.	6	2	1	1	3	1	-	-	6	5	5	1	-	-
Ellsworth.....	males..	-	1	1	1	1	1	-	4	10	7	5	-	-	-
	females.	-	-	-	1	2	2	1	2	6	9	7	1	-	-
Gardiner.....	males..	3	-	-	-	-	1	7	4	9	14	8	1	-	-
	females.	2	2	-	-	1	1	4	2	9	9	11	1	-	-
Hallowell.....	males..	4	1	1	-	1	1	2	1	5	2	2	-	-	-
	females.	2	1	-	1	-	1	2	1	4	2	5	-	-	-
Lewiston.....	males..	47	15	4	9	19	17	31	23	36	24	15	2	-	1
	females.	56	15	1	10	32	27	26	39	46	30	15	2	-	2
Old Town.....	males..	17	8	1	2	4	5	3	7	5	6	6	1	-	1
	females.	6	2	-	2	3	-	3	3	8	5	7	2	-	-
Portland.....	males..	61	21	8	16	43	43	66	65	61	103	38	2	-	1
	females.	56	20	9	13	21	35	42	54	69	113	45	2	-	-
Rockland.....	males..	8	5	3	2	4	5	11	14	18	18	8	3	-	-
	females.	7	2	2	4	3	6	4	4	13	14	4	4	-	-
Saco.....	males..	11	2	1	2	2	4	-	4	7	11	7	1	-	-
	females.	8	2	2	3	2	2	2	8	12	16	9	2	-	-
South Portland.....	males..	4	-	-	5	2	2	2	4	11	9	1	2	-	-
	females.	4	1	2	1	2	1	6	2	12	16	10	2	-	-
Waterville.....	males..	18	13	3	6	5	11	11	11	14	10	5	-	-	-
	females.	13	1	2	5	12	9	7	10	13	9	5	-	-	-
Westbrook.....	males..	14	2	-	6	2	7	4	13	12	8	9	-	-	-
	females.	8	-	-	3	1	3	4	9	5	8	11	-	-	-
Total.....	males..	327	119	43	78	152	173	227	265	342	364	176	24	1	7
	females.	252	87	40	67	134	154	164	222	309	401	242	41	-	3
Grand total.....		579	206	83	145	286	327	391	487	651	765	418	65	1	10

No. 31.

Months by Cities, 1914.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
7	10	16	13	9	7	11	5	11	10	9	7	-	115	-
12	9	17	12	11	11	3	12	11	5	9	6	-	115	230
5	13	12	17	15	10	14	12	18	11	13	18	-	158	-
13	10	10	11	12	6	16	13	10	14	11	10	-	136	294
28	22	31	45	35	15	22	23	29	29	26	31	-	336	-
14	16	19	19	21	20	23	17	27	19	22	22	-	239	575
6	6	6	9	8	6	2	2	7	4	5	4	-	65	-
6	6	11	10	7	5	5	6	6	9	6	5	-	82	147
3	2	6	4	5	2	4	7	3	3	1	6	-	46	-
4	1	5	6	5	-	4	3	6	5	5	3	-	47	93
14	6	21	11	19	7	8	7	12	13	12	12	-	142	-
10	6	13	16	20	10	7	13	16	8	7	9	-	135	277
2	2	6	-	4	3	3	1	2	8	2	2	-	35	-
2	2	5	3	5	4	1	4	4	4	3	5	-	42	77
3	6	3	4	3	-	3	2	4	3	1	7	-	39	-
3	7	8	3	1	3	2	1	2	8	2	4	-	44	83
4	5	4	3	3	4	4	8	2	2	6	5	-	50	-
7	4	3	3	2	-	1	1	3	3	1	3	-	31	81
-	2	7	-	1	4	2	4	2	3	-	6	-	31	-
4	5	1	1	5	2	3	2	3	2	2	1	-	31	62
8	3	5	3	5	3	4	1	2	6	5	2	-	47	-
5	3	7	3	3	2	3	2	3	5	1	5	-	42	89
4	1	4	3	1	-	2	-	1	1	1	-	-	20	-
1	3	4	2	4	-	1	-	1	1	-	2	-	19	39
26	21	28	19	22	17	12	23	26	17	12	20	-	243	-
29	35	25	20	25	12	24	23	34	23	31	20	-	301	544
9	1	6	9	7	6	4	6	6	3	6	3	-	66	-
3	5	5	2	5	5	1	-	5	3	5	2	-	41	107
53	44	50	42	47	36	33	48	39	43	49	43	1	528	-
54	43	31	54	36	36	30	47	31	46	35	36	-	479	1,007
11	8	15	14	5	7	7	5	3	6	10	8	-	99	-
6	6	9	9	6	6	1	5	5	2	7	5	-	67	166
4	4	3	6	5	4	4	8	3	6	4	1	-	52	-
5	6	7	8	9	4	6	2	3	2	12	4	-	68	120
4	6	3	4	7	1	1	3	2	4	6	1	-	42	-
6	4	7	4	6	2	7	1	4	6	5	7	-	59	101
12	11	15	8	10	8	6	7	10	10	6	4	-	107	-
10	9	6	6	6	6	5	8	5	11	6	8	-	86	193
5	5	8	9	7	4	6	8	6	7	5	7	-	77	-
6	1	5	6	5	2	11	5	3	3	2	3	-	52	129
208	178	249	223	218	144	152	181	189	189	179	187	1	2,299	-
200	181	198	198	194	128	163	164	179	179	172	160	-	2,115	-
408	359	447	421	412	272	315	345	368	368	351	347	1	4,414	4,414

TABLE

Showing the Number of Deaths in the State, and in

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.
All causes (including premature birth).....	11,909	1,065	1,066
I. General diseases	2,663	256	236
II. Diseases of the nervous system and the organs of special sense.....	1,469	116	89
III. Diseases of the circulatory system.....	1,892	139	88
IV. Diseases of the respiratory system.....	1,455	135	133
V. Diseases of the digestive system.....	1,138	132	183
VI. Nonvenereal diseases of the genitourinary system and its annexa.....	1,007	113	58
VII. The puerperal state.....	90	14	16
VIII. Diseases of the skin and cellular tissue.....	67	1	4
IX. Diseases of the bones and of the organs of locomotion...	13	1	1
X. Malformations.....	75	9	13
XI. Diseases of early infancy.....	641	61	84
XII. Old age.....	539	26	53
XIII. Affections produced by external causes.....	664	49	58
XIV. Ill defined diseases.....	196	13	50

No. 32.

Each County Arranged by Classes and Counties.

Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
1,869	282	512	1,128	488	328	548	1,416	249	330	505	376	625	1,122
402	63	103	226	102	78	106	355	60	71	115	68	176	246
220	43	62	149	84	48	75	166	26	47	70	66	67	141
311	34	108	200	87	70	91	207	39	67	71	83	122	175
210	26	62	155	59	35	74	206	30	29	65	38	65	133
146	26	45	114	36	27	41	108	12	15	42	26	56	129
203	27	48	76	41	18	44	92	22	28	50	38	37	112
15	-	3	9	1	2	2	8	1	1	4	2	5	7
9	1	3	10	4	4	4	2	1	6	4	3	2	9
6	1	-	-	1	-	-	1	-	1	1	-	-	-
9	-	5	5	-	-	5	16	1	-	1	-	4	7
118	17	15	60	6	3	39	71	14	17	21	13	28	74
103	16	23	52	26	21	24	62	12	22	18	17	28	36
94	23	26	66	30	19	31	97	27	24	34	18	25	43
23	5	9	6	11	3	12	25	4	2	9	4	10	10

TABLE No. 32—Continued.

CAUSES OF DEATH.	State.	Androscogin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
II.—Diseases of the nervous system and of the organs of special sense . . .																	
Encephalitis	1,469	116	89	220	43	62	149	84	48	75	166	26	47	70	66	67	141
Simple meningitis	11	1	2	1	-	1	1	1	1	1	1	1	-	1	1	1	-
Locomotor ataxia	85	12	15	8	-	1	9	3	1	4	9	1	-	3	1	6	10
Other diseases of the spinal cord	26	1	2	1	1	3	4	2	1	2	5	1	1	-	1	-	1
Cerebral hemorrhage, apoplexy	73	5	2	14	-	4	5	5	4	7	6	2	2	1	5	5	6
Softening of the brain	926	79	42	149	36	35	90	63	31	48	89	14	36	48	47	32	87
Paralysis without specified cause	26	-	-	3	-	2	5	-	2	2	5	1	1	1	-	-	4
General paralysis of the insane	107	8	10	20	1	5	8	1	4	4	11	1	3	7	4	9	11
Other forms of mental alienation	41	1	-	4	-	1	8	1	-	13	1	3	2	-	-	4	3
Epilepsy	37	3	3	3	2	4	6	3	2	1	6	-	-	-	-	1	3
Convulsions (non-puerperal)	33	2	4	5	1	1	4	-	1	3	5	1	-	1	1	2	2
Convulsions of infants	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Chorea	32	1	3	3	1	2	3	2	-	1	3	-	1	4	3	3	2
Neuralgia and neuritis	3	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Other diseases of the nervous system	8	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	4
Diseases of the ears	56	2	4	7	1	4	5	2	-	2	11	1	-	2	3	4	8
III.—Diseases of the circulatory system																	
Pericarditis	1,892	139	88	311	34	108	200	87	70	91	207	39	67	71	83	122	175
Acute endocarditis	11	2	2	2	-	2	-	-	-	-	1	-	-	1	-	-	1
Organic diseases of the heart	45	4	3	12	2	2	2	1	-	2	3	-	3	2	1	5	3
Angina pectoris	1,312	96	67	203	24	68	141	63	52	66	137	28	43	51	61	81	131
Diseases of the arteries, atheroma, aneurysm, etc.	116	9	2	18	3	3	10	10	5	6	11	3	7	4	5	8	12
Embolism and thrombosis	316	21	6	57	5	28	35	9	8	13	44	5	9	14	15	22	25
Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	80	6	5	19	-	5	8	2	5	4	12	2	4	-	-	6	2
Diseases of the lymphatic system (lymphangitis, etc.)	4	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Hemorrhage; other diseases of the circulatory system	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
IV.—Diseases of the respiratory system																	
Diseases of the nasal fossae	1,455	135	133	210	26	62	155	59	35	74	206	30	29	65	38	65	133
Diseases of the larynx	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Diseases of the thyroid body	17	1	1	1	-	1	1	-	-	1	4	-	2	1	1	1	2
Acute bronchitis	4	1	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-
Chronic bronchitis	101	4	3	18	3	8	11	5	3	3	11	4	3	5	6	6	8
Bronchopneumonia	63	4	6	8	1	3	13	5	2	2	8	-	1	3	2	-	5
Pneumonia	334	33	24	52	5	4	55	7	3	17	41	6	14	12	6	12	43
Pleurisy	814	80	83	115	13	43	69	37	21	48	116	18	8	37	19	42	65
Pulmonary congestion, pulmonary apoplexy	21	1	5	2	2	-	1	1	1	1	3	-	-	2	-	1	1
Gangrene of the lung	58	6	3	5	1	2	5	2	4	1	16	1	-	2	4	1	5
Asthma	3	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Pulmonary emphysema	14	2	4	2	-	-	-	-	1	-	3	-	-	1	-	-	1
Other diseases of the respiratory system (tuberculosis excepted)	6	1	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-
V.—Diseases of the digestive system																	
Diseases of the mouth and annæa	18	1	4	5	-	1	-	1	-	1	-	-	-	-	-	2	3
Diseases of the pharynx	1,138	132	183	146	26	45	114	36	27	41	108	12	15	42	26	56	129
Diseases of the mouth and annæa	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Diseases of the pharynx	14	-	1	2	2	-	4	-	-	1	-	-	-	1	-	-	3

TABLE No. 32—Continued.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
Diseases of the oesophagus	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of the stomach	24	1	1	3	4	3	2	1	1	1	1	1	2	1	1	3	-
Other diseases of the stomach (cancer excepted)	174	19	8	19	7	13	18	2	7	7	21	2	1	13	3	9	25
Diarrhea and enteritis, (under two years)	395	52	133	43	5	5	35	5	2	12	25	2	5	9	4	18	40
Diarrhea and enteritis, (two years and over)	118	5	15	14	1	2	17	5	6	4	17	2	3	6	3	6	12
Intestinal parasites	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and typhlitis	118	23	9	13	2	7	10	6	1	3	15	2	2	2	3	8	12
Hernia and intestinal obstruction	107	9	4	22	4	2	13	9	2	3	9	3	1	6	5	4	11
Other diseases of the intestines	16	4	-	4	-	2	3	1	-	1	-	-	-	-	-	-	1
Acute yellow atrophy of the liver	3	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Cirrhosis of the liver	52	7	3	6	1	3	3	2	5	2	3	-	1	1	1	2	12
Biliary calculi	16	3	1	5	-	1	-	-	-	1	2	-	-	-	-	1	2
Other diseases of the liver (non-puerperal)	52	4	2	9	-	5	4	2	3	3	5	1	-	1	2	3	8
Other diseases of the digestive system (cancer and tuberculosis excepted)	40	4	5	4	-	2	5	3	-	3	7	-	-	1	2	2	2
VI.—Nonvenereal diseases of the genitourinary system and annexa	1,007	113	58	203	26	48	76	41	18	44	92	22	28	50	38	37	112
Acute nephritis	80	11	6	16	2	3	6	2	-	3	9	3	1	2	2	2	12
Bright's disease	780	75	39	165	19	41	54	37	15	34	71	15	24	42	29	32	88
Other diseases of the kidneys and annexa	28	2	5	6	-	2	-	-	-	1	4	1	1	2	2	1	1
Calculi of the urinary passages	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diseases of the bladder	35	3	1	7	1	2	5	1	-	3	-	1	1	2	2	2	4
Diseases of the urethra, urinary abscess, etc.	4	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-
Diseases of the prostate	29	3	3	4	3	-	4	1	3	2	2	-	-	2	1	-	1
Nonvenereal diseases of the male genital organs	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Uterine hemorrhage (non-puerperal)	4	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
Uterine tumor (non-cancerous)	18	8	1	3	1	-	3	-	-	-	2	-	-	-	-	-	-
Other diseases of the uterus	7	1	-	1	-	1	-	-	-	-	1	1	-	-	1	-	1
Cysts and other tumors of the ovary	4	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2
Salpingitis and other diseases of the female genital organs	14	9	2	-	-	-	-	-	-	-	-	-	1	-	-	-	2
VII.—The puerperal state	90	14	16	15	-	3	9	1	2	2	8	1	1	4	2	5	7
Accidents of pregnancy	8	1	1	1	-	1	3	-	-	-	-	-	-	1	-	-	-
Puerperal hemorrhage	10	-	1	4	-	-	1	-	-	-	1	-	-	-	1	1	1
Other accidents of labor	7	-	3	2	-	-	-	-	-	1	-	-	-	-	-	1	-
Puerperal septicemia	20	5	6	4	-	1	2	-	-	1	5	-	1	3	-	-	2
Puerperal albuminuria and convulsions	29	7	5	3	-	1	3	-	2	-	2	1	-	-	-	3	2
Puerperal phlegmasia, albadolens, embolus, sudden death	6	1	-	1	-	-	-	1	-	-	-	-	-	-	1	-	2
VIII.—Diseases of the skin and of the cellular tissue	67	1	4	9	1	3	10	4	4	4	2	1	6	4	3	2	9
Gangrene	52	-	4	7	1	3	9	3	3	3	2	1	3	3	3	2	5
Furuncle	7	1	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-
Acute abscess	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other diseases of the skin and annexa	6	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	2

TABLE No. 32—Concluded.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
IX.—Diseases of the bones and of the organs of locomotion.....	13	1	1	6	1	-	-	1	-	-	1	-	1	1	-	-	-
Diseases of the bones (tuberculosis excepted).....	11	1	1	6	1	-	-	1	-	-	1	-	-	-	-	-	-
Diseases of the joints (tuberculosis and rheumatism excepted).....	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
X.—Malformations.....	75	9	13	9	-	5	5	-	-	5	16	1	-	1	-	4	7
Congenital malformations (stillbirths not included).....	75	9	13	9	-	5	5	-	-	5	16	1	-	1	-	4	7
XI.—Early infancy.....	641	61	84	118	17	15	60	6	3	39	71	14	17	21	13	28	74
Congenital debility, icterus, and sclerema.....	544	52	74	91	15	13	51	3	2	35	57	13	15	19	11	28	65
Other causes peculiar to early infancy.....	95	9	10	27	2	2	9	3	1	4	13	1	2	1	2	-	9
Lack of care.....	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
XII.—Old age.....	539	26	53	103	16	23	52	26	21	24	62	12	22	18	17	28	36
Senility.....	539	26	53	103	16	23	52	26	21	24	62	12	22	18	17	28	36
XIII.—External causes.....	664	49	58	94	23	26	66	30	19	31	97	27	24	34	18	25	43
Suicide by poison.....	13	4	-	1	-	-	2	-	-	1	1	-	-	2	1	1	-
Suicide by asphyxia.....	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Suicide by hanging or strangulation.....	19	2	-	3	-	-	2	-	2	1	-	1	-	-	4	-	4
Suicide by drowning.....	16	1	1	2	1	-	3	1	-	2	-	1	-	-	-	1	1
Suicide by firearms.....	48	3	5	6	5	3	1	1	1	2	5	3	2	6	1	4	3
Suicide by cutting or piercing instruments.....	9	-	-	3	-	-	1	-	-	-	1	-	-	1	1	-	-
Suicide by crushing.....	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Other suicides.....	3	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Poisoning by food.....	5	1	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-
Other acute poisonings.....	16	4	1	2	-	1	3	1	1	-	-	1	-	1	-	1	-
Conflagration.....	21	-	5	-	2	-	-	-	1	-	4	-	3	2	1	2	1
Burns (conflagration excepted).....	51	2	2	4	3	2	3	2	-	5	9	4	5	1	2	4	3
Absorption of deleterious gases (conflagration excepted).....	11	4	-	-	-	1	4	-	1	-	1	-	-	-	-	-	-
Accidental drowning.....	118	6	7	17	3	4	13	9	5	3	26	2	5	7	2	4	5
Traumatism by firearms.....	25	1	6	1	-	1	3	-	2	1	3	1	-	1	-	2	3
Traumatism by cutting or piercing instruments.....	6	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-
Traumatism by fall.....	95	5	4	20	3	2	11	8	2	7	12	1	3	7	1	1	2
Traumatism in mines and quarries.....	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
Traumatism by machines.....	8	2	1	2	-	1	2	-	-	-	-	-	-	-	-	-	-
Traumatism by other crushing (vehicles, railways, landslides, etc.).....	110	6	11	18	2	6	13	3	-	4	20	7	4	4	2	2	8
Injuries by animals.....	9	-	2	1	-	-	1	-	-	1	-	1	-	1	2	-	-
Starvation.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Excessive cold.....	5	-	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Effects of heat.....	3	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1
Lightning.....	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Electricity (lightning excepted).....	12	-	1	4	-	-	-	-	2	2	1	-	-	-	-	-	-
Homicide by firearms.....	8	-	1	2	-	-	-	-	-	2	-	-	1	1	1	-	2
Homicide by cutting or piercing instruments.....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Homicide by other means.....	5	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (cause not specified).....	11	2	-	4	-	-	1	-	-	-	2	1	-	-	-	1	-
Other external violence.....	26	2	3	1	2	3	1	-	-	-	2	6	4	-	-	1	-
XIV.—Ill defined diseases.....	196	13	50	23	5	9	6	11	3	12	25	4	2	9	4	10	1
Ill defined organic diseases.....	6	1	2	-	-	-	1	2	-	-	-	-	-	-	-	-	1
Sudden death.....	33	5	5	4	-	3	1	1	-	3	7	1	1	1	-	1	-
Cause of death not specified or ill defined.....	157	7	43	19	5	6	4	8	3	9	18	3	1	8	4	9	10

TABLE
Deaths from all Causes

CAUSES OF DEATH.	Total.	January.	February.	March.
All causes (including premature birth)	11,909	1,079	1,033	1,134
I. General diseases	2,663	227	204	282
II. Diseases of the nervous system and the organs of special sense	1,469	114	149	129
III. Diseases of the circulatory system	1,892	176	149	175
IV. Diseases of the respiratory system	1,455	195	181	195
V. Diseases of the digestive system	1,138	58	60	67
VI. Nonvenereal diseases of the genitourinary system and its annexa	1,007	98	89	84
VII. The puerperal state	90	9	8	5
VIII. Diseases of the skin and cellular tissue	67	3	3	8
IX. Diseases of the bones and of the organs of locomotion	13	-	1	3
X. Malformation	75	8	8	7
XI. Diseases of early infancy	641	62	74	59
XII. Old age	539	56	47	47
XIII. Affections produced by external causes	664	57	47	53
XIV. Ill defined diseases	196	16	13	20

No. 33.

by Months, 1914.

April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
1,087	1,091	833	859	892	1,002	1,004	938	950	7
255	248	195	200	208	201	228	206	209	-
124	121	115	118	117	102	133	116	131	-
172	159	157	153	141	141	145	162	161	1
175	173	61	57	41	59	76	97	145	-
69	70	74	71	151	234	143	86	55	-
98	78	74	76	72	85	83	89	81	-
11	7	6	10	3	4	12	10	5	-
7	10	3	4	4	9	5	2	9	-
3	2	1	-	-	1	-	2	-	-
5	13	2	1	3	9	3	6	10	-
62	68	43	47	43	54	47	43	39	-
44	53	34	45	36	41	41	45	50	-
42	67	56	64	57	46	70	60	40	5
20	22	12	13	16	16	18	14	15	1

TABLE No. 33—Continued.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
I.—General diseases	2,663	227	204	282	255	248	195	200	208	201	228	206	209	-
Typhoid fever	121	9	10	6	9	12	8	6	8	9	20	17	7	-
Malaria	5	-	-	-	1	-	2	1	-	1	-	-	-	-
Smallpox	2	-	-	1	1	-	-	-	-	-	-	-	-	-
Measles	40	9	2	7	9	3	4	1	-	2	1	1	1	-
Scarlet fever	16	1	-	2	2	2	4	2	1	-	1	1	3	-
Whooping cough	85	7	7	4	8	7	7	6	10	5	8	6	10	-
Diphtheria and croup	91	6	8	5	8	5	5	2	4	9	15	17	7	-
Influenza	88	9	8	13	19	15	3	2	-	4	4	9	6	-
Cholera nostras	6	-	-	-	-	-	-	-	1	4	-	1	-	-
Dysentery	22	1	1	2	-	-	-	-	3	6	8	1	-	-
Erysipelas	23	2	3	2	1	3	3	2	-	1	1	1	4	-
Other epidemic diseases	3	-	-	-	1	1	-	-	-	-	-	-	-	-
Purulent infection and septicæmia	33	3	3	4	5	2	1	1	1	3	3	2	5	-
Glanders	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Tetanus	7	-	-	-	-	1	-	2	2	-	-	2	-	-
Mycosis	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Pellagra	10	-	-	-	-	-	-	2	-	2	1	3	2	-
Tuberculosis of the lungs	712	63	59	81	85	74	46	53	53	59	45	39	55	-
Acute miliary tuberculosis	15	2	-	2	-	1	1	1	1	1	1	1	4	-
Tuberculous meningitis	87	6	10	14	14	6	4	8	6	4	6	2	7	-
Abdominal tuberculosis	65	2	5	7	9	11	4	7	3	2	1	6	2	-
Pott's disease	4	-	1	-	-	2	-	1	-	-	-	-	-	-
White swellings	4	-	2	-	-	-	2	-	-	-	2	-	-	-
Tuberculosis of other organs	18	-	2	-	-	3	1	4	2	2	2	2	2	-
Disseminated tuberculosis	26	2	1	4	5	1	2	-	3	3	2	1	2	-
Rickets	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Syphilis	21	4	1	2	-	1	1	1	2	1	2	3	1	-
Gonococcus infection	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Cancer and other malignant tumors of the buccal cavity	31	3	2	1	3	2	1	4	3	3	4	-	5	-
Cancer and other malignant tumors of the stomach and liver	306	27	23	34	27	24	25	23	34	22	22	20	25	-
Cancer and other malignant tumors of the peritoneum, intestines and rectum	131	16	15	10	9	9	13	10	9	7	9	14	10	-
Cancer and other malignant tumors of the female genital organs	136	13	7	15	6	10	10	18	11	10	14	11	11	-
Cancer and other malignant tumors of the breast	77	5	4	9	7	8	5	6	5	8	8	8	4	-
Cancer and other malignant tumors of the skin	26	1	2	4	-	5	3	-	2	1	2	4	2	-
Cancer and other malignant tumors of other organs or of organs not specified	116	6	5	11	6	10	13	12	17	7	13	8	8	-
Other tumors (tumors of the female genital organs excepted)	7	-	2	-	1	-	-	2	-	-	-	1	1	-
Acute articular rheumatism	31	2	3	2	3	4	1	1	6	3	4	2	-	-
Chronic rheumatism and gout	11	-	1	2	-	1	-	1	1	1	-	2	2	-
Diabetes	147	13	11	21	11	13	13	13	6	12	9	10	15	-
Exophthalmic goitre	6	1	1	-	-	1	1	1	-	-	-	-	-	-
Addison's disease	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Leucaemia	12	1	-	-	1	-	2	1	-	-	1	5	1	-
Anaemia, chlorosis	61	4	4	10	2	6	5	4	6	9	6	1	4	-
Other general diseases	17	7	-	1	-	-	1	-	1	1	3	2	1	-
Alcoholism (acute or chronic)	25	2	-	4	1	2	3	-	3	3	3	2	2	-
Chronic lead poisoning	5	-	-	2	-	1	-	-	-	-	-	-	-	-
Other chronic poisonings	5	-	-	-	2	-	1	1	-	-	-	-	1	-

TABLE No. 33—Continued.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
II.—Diseases of the nervous system and of the organs of special sense . . .	1,469	114	149	129	124	121	115	118	117	102	133	116	131	-
Encephalitis	11	-	1	2	-	1	-	1	-	3	-	2	1	-
Simple meningitis	85	6	15	3	4	4	5	7	9	7	10	8	7	-
Locomotor ataxia	26	3	1	1	2	3	-	3	3	2	3	3	2	-
Other diseases of the spinal cord	73	4	6	5	6	8	6	9	7	4	8	5	5	-
Cerebral hemorrhage, apoplexy	926	76	93	86	73	75	81	65	70	66	82	72	87	-
Softening of the brain	26	2	1	2	7	4	3	3	2	1	1	1	1	-
Paralysis without specified cause	107	8	13	14	14	7	7	7	10	6	5	8	8	-
General paralysis of the insane	41	1	4	4	3	2	2	3	2	3	7	3	7	-
Other forms of mental alienation	37	5	2	2	6	1	2	5	2	3	2	4	1	-
Epilepsy	33	2	3	5	2	5	4	3	2	4	2	2	1	-
Convulsions (non puerperal)	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions of infants	32	2	3	1	2	4	1	7	2	1	5	2	2	-
Chorea	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Neuralgia and neuritis	8	-	1	-	-	1	1	1	1	1	1	2	2	-
Other diseases of the nervous system	56	4	5	4	4	5	3	4	5	4	6	4	8	-
Diseases of the ears	4	-	1	-	1	-	-	1	-	-	-	-	-	-
III.—Diseases of the circulatory system	1,892	176	149	175	172	159	157	153	141	141	145	162	161	1
Pericarditis	11	2	1	1	-	5	-	4	-	-	1	1	1	-
Acute endocarditis	45	7	1	2	3	2	5	4	4	1	4	5	7	-
Organic diseases of the heart	1,312	121	108	127	117	104	104	103	96	98	106	111	117	-
Angina pectoris	116	11	14	12	7	11	11	10	9	6	7	8	10	-
Diseases of the arteries, atheroma aneurysm, etc.	316	23	17	24	36	28	29	30	25	28	24	31	20	1
Embolism and thrombosis	80	12	8	8	9	7	5	6	6	7	2	5	5	-
Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	4	-	-	-	-	2	1	-	-	-	-	-	1	-
Diseases of the lymphatic system (lymphangitis, etc.)	2	-	-	-	-	-	-	-	-	-	1	-	1	-
Hemorrhage; other diseases of the circulatory system	6	-	-	1	-	-	2	-	1	1	-	1	-	-
IV.—Diseases of the respiratory system	1,455	195	181	195	175	173	61	57	41	59	76	97	145	-
Diseases of nasal fossae	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Diseases of the larynx	17	-	1	3	2	3	-	1	-	4	1	2	1	-
Diseases of the thyroid body	4	-	1	-	1	-	-	-	-	-	-	-	-	-
Acute bronchitis	101	11	12	14	16	12	3	6	3	4	4	10	6	-
Chronic bronchitis	63	10	10	1	7	4	3	2	4	4	5	2	11	-
Bronchopneumonia	334	42	46	51	49	35	13	7	13	9	19	23	27	-
Pneumonia	814	117	105	117	89	109	30	30	15	26	39	50	87	-
Pleurisy	21	-	1	4	1	2	2	3	-	2	1	4	1	-
Pulmonary congestion, pulmonary apoplexy	58	9	2	3	8	5	6	5	3	6	3	2	6	-
Gangrene of the lung	3	1	-	-	1	-	-	-	1	-	-	-	-	-
Asthma	14	3	2	-	-	-	-	1	1	-	1	3	3	-
Pulmonary emphysema	6	1	-	1	1	-	-	-	1	1	-	-	1	-
Other diseases of the respiratory system (tuberculosis excepted)	18	1	1	1	-	3	3	2	-	3	2	1	1	-
V.—Diseases of the digestive system	1,138	58	60	67	69	70	74	71	151	234	143	86	55	-
Diseases of the mouth and annexa	2	1	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of the pharynx	14	2	2	1	-	-	-	1	2	3	-	1	1	-
Diseases of the oesophagus	2	-	-	-	-	2	-	-	-	-	-	-	-	-
Ulcer of the stomach	24	1	1	1	3	3	3	2	3	2	1	3	1	-
Other diseases of the stomach (cancer excepted)	174	12	14	16	20	17	11	11	10	22	15	13	13	-
Diarrhea and enteritis, (under 2 years)	395	9	5	11	9	7	10	15	87	143	73	19	7	-

TABLE No. 33—Continued.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
Diarrhea and enteritis, (2 years and over)	118	1	6	4	9	11	5	11	15	22	20	9	5	-
Intestinal parasites	1	-	-	-	-	-	-	-	-	1	1	-	-	-
Appendicitis and typhlitis	118	8	9	10	6	7	16	10	10	10	13	11	8	-
Hernia, intestinal obstruction	107	9	9	9	9	11	13	7	4	10	8	9	9	-
Other diseases of the intestines	16	2	1	-	2	1	1	1	4	2	1	1	-	-
Acute yellow atrophy of the liver	3	1	1	-	-	-	-	-	-	-	-	1	-	-
Cirrhosis of the liver	52	3	2	5	7	5	6	4	4	2	6	7	1	-
Biliary calculi	16	1	2	2	1	1	-	1	4	3	1	-	-	-
Other diseases of the liver	52	4	5	4	1	2	2	4	3	9	4	7	7	-
Simple peritonitis (non puerperal)	40	4	2	4	2	2	5	4	5	5	5	5	2	-
Other diseases of the digestive system (cancer and tuberculosis excepted)	4	-	1	-	-	-	1	-	-	1	-	1	-	-
VI.—Nonvenereal diseases of the genitourinary system and annexa	1,007	98	89	84	98	78	74	76	72	85	83	89	81	-
Acute nephritis	80	8	6	8	5	6	7	3	6	9	3	8	11	-
Bright's disease	780	76	68	63	84	56	57	61	59	67	68	63	58	-
Other diseases of the kidneys and annexa	28	4	3	3	-	2	2	3	1	3	3	2	2	-
Calculi of the urinary passages	3	3	1	-	-	-	-	-	-	-	-	1	-	-
Diseases of the bladder	35	2	6	1	3	5	2	2	1	3	3	4	3	-
Diseases of the urethra urinary abscess, etc.	4	-	-	1	-	-	-	-	-	2	2	-	1	-
Diseases of the prostate	29	2	1	-	2	2	4	5	2	2	1	4	4	-
Nonvenereal diseases of the male genital organs	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Uterine hemorrhage (non puerperal)	4	1	-	2	-	-	-	-	-	-	-	2	-	-
Uterine tumor (noncancerous)	18	1	4	2	2	4	1	-	2	-	1	1	-	-
Other diseases of the uterus	7	-	-	1	-	-	-	1	-	1	1	1	2	-
Cysts and other tumors of the ovary	4	-	-	-	-	1	1	1	-	-	-	1	-	-
Salpingitis and other diseases of the female genital organs	14	4	-	3	2	1	-	-	1	-	1	2	-	-
VII.—The puerperal state	90	9	8	5	11	7	6	10	3	4	12	10	5	-
Accidents of pregnancy	8	1	2	1	-	1	1	-	-	-	2	-	-	-
Puerperal hemorrhage	10	1	2	1	3	-	-	-	-	-	1	2	-	-
Other accidents of labor	7	-	2	2	-	1	2	-	-	-	-	-	-	-
Puerperal septicemia	30	3	3	1	4	2	2	3	1	1	3	4	3	-
Puerperal albuminuria and convulsions	29	2	-	-	4	1	2	4	1	3	6	4	2	-
Puerperal phlegmasia, alba dolens, embolus, sudden death	6	3	-	1	-	-	-	1	1	-	-	-	-	-
VIII.—Diseases of the skin and of the cellular tissue	67	3	3	8	7	10	3	4	4	9	5	2	9	-
Gangrene	52	3	2	7	6	5	3	4	2	7	4	2	7	-
Furuncle	7	-	-	-	2	-	-	-	2	1	1	-	1	-
Acute abscess	2	-	1	-	-	1	-	-	-	-	-	-	-	-
Other diseases of the skin and annexa	6	-	-	1	1	2	-	-	-	1	-	-	1	-
IX.—Diseases of the bones and of the organs of locomotion	13	-	1	3	3	2	1	-	-	1	-	2	-	-
Diseases of the bones (tuberculosis excepted)	11	-	1	2	3	2	-	-	-	1	-	2	-	-
Diseases of the joints (tuberculosis and rheumatism excepted)	2	-	-	1	-	-	1	-	-	-	-	-	-	-
X.—Malformations	75	8	8	7	5	13	2	1	3	9	3	6	10	-
Congenital malformations (stillbirths not included)	75	8	8	7	5	13	2	1	3	9	3	6	10	-
XI.—Early infancy	641	62	74	59	62	68	43	47	43	54	47	43	39	-
Congenital debility, icterus and sclerema	544	48	62	53	53	59	36	37	36	50	39	38	33	-
Other diseases peculiar to early infancy	95	14	12	5	9	9	7	10	7	4	8	5	5	-
Lack of care	2	-	-	1	-	-	-	-	-	-	-	-	1	-
XII.—Old age	539	56	47	47	44	53	34	45	36	41	41	45	50	-
Senility	539	56	47	47	44	53	34	45	36	41	41	45	50	-

TABLE No. 33—Concluded.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
XIII.—External causes	664	57	47	53	42	67	56	64	57	46	70	60	40	5
Suicide by poison	13	1	—	4	1	1	1	2	1	—	—	1	1	—
Suicide by asphyxia	3	—	—	—	1	—	1	—	1	—	—	—	—	—
Suicide by hanging or strangulation	19	1	—	2	4	3	—	1	1	3	2	1	1	—
Suicide by drowning	16	1	2	—	2	—	2	1	—	4	2	1	—	—
Suicide by firearms	48	5	3	5	1	9	3	4	4	3	3	2	6	1
Suicide by cutting or piercing instruments	9	2	—	—	—	1	—	1	—	—	1	1	2	—
Suicide by crushing	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Other suicides	3	—	—	—	—	2	—	—	1	—	—	—	—	—
Poisoning by food	5	—	—	2	1	1	—	—	—	—	1	—	—	—
Other acute poisonings	16	—	5	—	2	—	1	2	1	—	2	2	1	—
Conflagration	21	4	6	—	2	4	—	1	—	1	4	—	1	—
Burns (includes scalding)	51	9	8	5	3	—	4	3	2	2	3	6	6	—
Absorption of deleterious gases, (conflagration excepted)	11	1	1	—	—	2	1	—	2	1	—	2	—	1
Accidental drowning	118	3	2	5	15	15	16	12	15	10	12	6	5	2
Traumatism by firearms	25	—	2	3	—	—	—	3	2	1	—	5	4	—
Traumatism by cutting or piercing instruments	6	1	—	—	—	2	1	—	—	—	1	—	—	1
Traumatism by fall	95	11	7	9	5	5	7	5	7	6	15	14	4	—
Traumatism in mines and quarries	3	—	—	—	1	—	—	—	—	—	—	1	—	—
Traumatism by machines	8	2	—	2	1	2	—	—	—	—	—	1	—	—
Traumatism by other crushing (vehicles, railways, landslides, etc.)	110	12	6	14	2	6	8	15	12	7	13	10	4	1
Injuries by animals	9	—	—	—	2	1	2	3	—	1	—	—	—	—
Starvation	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Excessive cold	5	—	1	—	—	1	—	—	—	—	—	2	1	—
Effects of heat	3	—	—	—	—	—	—	—	—	—	—	1	—	—
Lightning	3	—	—	—	—	—	—	2	—	1	—	—	—	—
Electricity (lightning excepted)	12	1	—	1	—	2	—	2	—	3	1	1	1	—
Homicide by firearms	8	—	1	—	—	1	1	1	1	2	—	—	—	—
Homicide by cutting or piercing instruments	1	—	—	—	—	—	—	—	—	—	—	1	—	—
Homicide by other means	5	—	—	—	—	—	2	—	—	1	1	—	1	—
Fractures (cause not specified)	11	—	1	—	1	3	—	4	2	—	—	—	—	—
Other external violence	26	3	2	1	—	6	3	2	4	1	3	1	—	—
XIV.—Ill defined diseases	196	16	13	20	20	22	12	13	16	16	18	14	15	1
Ill defined organic diseases	6	—	1	1	—	—	—	—	2	1	1	—	—	—
Sudden death	33	3	2	2	7	1	1	2	5	3	3	1	3	—
Cause of death not specified or ill defined	157	13	10	17	13	21	11	11	9	12	14	13	12	1

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
All causes.	Totals.	60,069	8,967	1429	645	415	314	11770
	Males.	31,309	5,069	764	359	219	154	6,565
	Females.	28,757	3,897	665	286	196	160	5,204
Typhoid fever.	Not stated.	3	1	-	-	-	-	1
	Totals.	600	3	4	6	7	5	25
	Males.	376	2	4	4	3	-	13
Malaria.	Females.	224	1	-	2	4	5	12
	Totals.	14	-	-	-	-	-	-
	Males.	14	-	-	-	-	-	-
Smallpox.	Females.	-	-	-	-	-	-	-
	Totals.	8	6	-	-	-	-	6
	Males.	5	3	-	-	-	-	3
Measles.	Females.	3	3	-	-	-	-	3
	Totals.	288	92	77	23	12	7	211
	Males.	144	50	38	8	7	6	109
Scarlet fever.	Females.	144	42	39	15	5	1	102
	Totals.	104	14	9	7	20	11	61
	Males.	44	7	5	3	9	4	28
Whooping cough.	Females.	60	7	4	4	11	7	33
	Totals.	355	218	74	31	9	10	342
	Males.	176	111	36	14	4	5	170
Diphtheria and croup.	Females.	179	107	38	17	5	5	172
	Totals.	453	39	55	56	54	40	244
	Males.	227	27	28	29	23	21	128
Influenza.	Females.	226	12	27	27	31	19	116
	Totals.	692	76	21	9	3	2	111
	Males.	299	41	8	4	3	-	56
Cholera nostras.	Females.	393	35	13	5	-	2	55
	Totals.	27	4	-	1	1	1	7
	Males.	15	2	-	1	-	1	4
Dysentery.	Females.	12	2	-	-	1	-	3
	Totals.	124	25	5	8	6	4	48
	Males.	64	16	2	6	2	1	27
Erysipelas.	Females.	60	9	3	2	4	3	21
	Totals.	120	18	-	-	-	-	19
	Males.	60	7	-	-	-	1	8
Other epidemic diseases.	Females.	60	11	-	-	-	-	11
	Totals.	7	1	-	-	2	-	3
	Males.	4	1	-	-	1	-	2
Purulent infection and septicemia.	Females.	3	-	-	-	1	-	1
	Totals.	142	4	1	-	-	2	7
	Males.	81	3	1	-	-	1	5
Glanders.	Females.	61	1	-	-	-	-	1
	Totals.	2	-	-	-	-	-	2
	Males.	2	-	-	-	-	-	-
Anthrax.	Females.	-	-	-	-	-	-	-
	Totals.	2	-	-	-	-	-	-
	Males.	1	-	-	-	-	-	-
Tetanus.	Females.	1	-	-	-	-	-	-
	Totals.	32	3	-	2	1	-	6
	Males.	24	3	-	1	1	-	5
Mycoses.	Females.	8	-	-	1	-	-	1
	Totals.	2	-	-	-	-	-	-
	Males.	2	-	-	-	-	-	-
Pellagra.	Females.	-	-	-	-	-	-	-
	Totals.	25	-	-	-	-	-	-
	Males.	7	-	-	-	-	-	-
Tuberculosis of the lungs.	Females.	18	-	-	-	-	-	-
	Totals.	3,959	46	21	13	2	9	91
	Males.	2,034	33	14	6	2	3	58
	Females.	1,925	13	7	7	-	6	33

No. 34.
by Age Groups, 1910-1914.

	5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
1,028	71	1252	1631	1686	1662	1857	1853	2180	2677	3194	3802	4990	5508	5715	4470	2609	1023	236	25	130	
559	417	672	853	801	849	908	953	1094	1455	1723	2072	2643	2816	2973	2122	1219	417	91	6	101	
469	354	580	777	885	813	949	900	1086	1222	1471	1730	2347	2692	2742	2348	1390	606	145	19	128	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31	41	65	103	65	68	45	36	28	40	16	13	12	7	3	-	-	-	-	-	-	
17	24	34	62	44	49	34	25	19	25	11	8	6	1	1	1	-	-	-	-	-	
14	17	31	41	21	19	11	11	9	15	5	5	6	5	2	2	-	-	-	-	-	
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22	8	5	5	6	-	5	-	6	3	4	-	1	2	1	1	2	1	-	-	-	
7	7	5	3	5	-	-	-	2	1	1	3	-	-	-	-	-	-	-	-	-	
15	3	2	2	1	-	5	-	4	2	1	3	1	-	-	-	-	-	-	-	-	
27	4	3	3	2	3	1	-	4	1	1	3	1	-	-	-	-	-	-	-	-	
13	1	1	3	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14	1	3	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10	1	1	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
142	38	11	3	3	2	3	1	1	2	-	-	1	2	-	-	-	-	-	-	-	
67	19	6	2	2	1	2	2	1	1	1	-	-	1	1	-	-	-	-	-	-	
75	19	6	2	2	7	12	10	14	21	16	25	58	87	110	99	63	25	10	1	1	
5	4	4	2	2	6	9	9	7	9	8	11	20	34	49	36	30	11	6	4	4	
5	5	2	2	2	7	12	10	14	21	16	25	58	87	110	99	63	25	10	1	1	
3	3	3	3	5	5	3	8	7	7	8	14	38	53	61	63	33	14	4	1	1	
2	2	2	2	5	5	3	8	7	7	8	14	38	53	61	63	33	14	4	1	1	
2	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	1	3	2	2	1	1	3	3	3	4	5	10	7	11	10	3	2	1	1	1	
4	1	3	2	2	1	1	2	2	2	4	5	10	7	11	10	3	2	1	1	1	
4	1	3	2	2	1	1	2	2	2	4	5	10	7	11	10	3	2	1	1	1	
1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
8	11	9	7	7	11	8	5	9	10	10	5	11	10	9	4	4	2	-	-	-	
4	6	6	3	3	5	2	4	8	7	5	2	6	7	7	4	2	-	-	-	-	
4	6	6	3	3	5	2	4	8	7	5	2	6	7	7	4	2	-	-	-	-	
4	5	3	4	4	6	6	1	1	3	1	3	5	3	3	6	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	5	1	3	3	1	3	-	1	1	3	1	-	-	1	-	-	-	-	-	-	
4	4	1	-	-	-	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-	
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20	77	335	533	520	423	385	289	266	216	203	179	162	123	76	43	13	-	-	-	5	
7	21	146	266	251	217	177	153	141	142	116	108	90	71	43	20	3	-	-	-	4	
13	56	189	267	269	206	208	136	125	74	87	71	72	52	33	23	10	-	-	-	1	

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Acute miliary tuberculosis	Totals	57	3	1	-	-	-	4
	Males	29	2	1	-	-	-	3
	Females	28	1	-	-	-	-	1
Tuberculous meningitis	Totals	421	84	55	44	19	18	220
	Males	215	51	26	27	7	7	118
	Females	206	33	29	17	12	11	102
Abdominal tuberculosis	Totals	303	20	6	4	-	2	32
	Males	133	15	4	4	-	1	24
	Females	170	5	2	-	1	8	
Pott's disease	Totals	45	2	-	-	1	-	3
	Males	20	1	-	-	-	-	1
	Females	25	1	-	-	1	-	2
White swellings	Totals	18	-	-	-	-	-	-
	Males	12	-	-	-	-	-	-
	Females	6	-	-	-	-	-	-
Tuberculosis of other organs	Totals	110	11	2	1	3	-	17
	Males	65	5	2	1	2	-	10
	Females	45	6	-	-	1	-	7
Disseminated tuberculosis	Totals	161	10	6	4	-	2	22
	Males	84	3	4	3	-	-	10
	Females	77	7	2	1	-	2	12
Rickets	Totals	33	17	11	1	2	1	32
	Males	18	9	6	1	1	1	18
	Females	15	8	5	-	1	-	14
Syphilis	Totals	85	39	1	-	-	-	40
	Males	52	27	1	-	-	-	28
	Females	33	12	-	-	-	-	12
Gonococcus infection	Totals	9	3	-	-	-	-	3
	Males	3	1	-	-	-	-	1
	Females	6	2	-	-	-	-	2
Cancer and other malignant tumors of the buccal cavity	Totals	129	-	-	-	-	-	-
	Males	104	-	-	-	-	-	-
	Females	25	-	-	-	-	-	-
Cancer and other malignant tumors of the stomach and liver	Totals	1,488	1	-	1	1	-	3
	Males	649	-	-	-	-	-	-
	Females	839	1	-	1	1	-	3
Cancer and other malignant tumors of the peritoneum, intestines and rectum	Totals	686	-	-	-	-	-	-
	Males	251	-	-	-	-	-	-
	Females	435	-	-	-	-	-	-
Cancer and other malignant tumors of the female genital organs	Totals	606	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	606	-	-	-	-	-	-
Cancer and other malignant tumors of the breast	Totals	359	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	359	-	-	-	-	-	-
Cancer and other malignant tumors of the skin	Totals	147	-	-	-	1	-	1
	Males	94	-	-	-	1	-	1
	Females	53	-	-	-	-	-	-
Cancer and other malignant tumors of other organs or of organs not specified	Totals	574	2	1	3	1	1	8
	Males	254	-	-	2	-	1	3
	Females	320	2	1	1	-	5	
Other tumors (tumors of female genital organs excepted)	Totals	46	1	-	-	-	-	1
	Males	10	1	-	-	-	-	1
	Females	36	-	-	-	-	-	-
Acute articular rheumatism	Totals	189	4	-	2	1	1	8
	Males	91	3	-	1	1	1	6
	Females	98	1	-	1	-	-	2
Chronic rheumatism and gout	Totals	82	-	-	-	-	-	-
	Males	27	-	-	-	-	-	-
	Females	55	-	-	-	-	-	-

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.					Total under 5.	
			Under 1.	1 and under 2.	2.	3.		4.
Scurvy	Totals	5	1	1	-	-	-	2
	Males	5	1	1	-	-	-	2
Diabetes	Females	-	-	-	-	-	-	-
	Totals	725	3	3	1	4	3	14
Exophthalmic goitre	Males	342	2	2	-	4	-	8
	Females	383	1	1	1	-	3	6
Addison's disease	Totals	36	-	-	-	-	-	-
	Males	3	-	-	-	-	-	-
Leukemia	Females	33	-	-	-	-	-	-
	Totals	19	-	-	-	-	-	-
Anemia, chlorosis	Males	11	-	-	-	-	-	-
	Females	8	-	-	-	-	-	-
Other general diseases	Totals	56	1	4	-	3	1	9
	Males	27	1	1	-	3	1	6
Alcoholism (acute or chronic)	Females	29	-	3	-	-	-	3
	Totals	322	27	4	1	1	-	33
Chronic lead poisoning	Males	123	11	2	1	-	-	14
	Females	199	16	2	-	1	-	19
Other chronic poisonings	Totals	84	23	5	2	3	3	36
	Males	40	12	4	1	-	-	18
Alcoholism (acute or chronic)	Females	44	11	1	1	3	2	18
	Totals	161	-	-	-	-	-	-
Chronic lead poisoning	Males	148	-	-	-	-	-	-
	Females	13	-	-	-	-	-	-
Other chronic poisonings	Totals	12	-	-	-	-	-	-
	Males	9	-	-	-	-	-	-
Encephalitis	Females	3	-	-	-	-	-	-
	Totals	23	1	-	-	-	-	1
Simple meningitis	Males	9	-	-	-	-	-	-
	Females	14	1	-	-	-	-	1
Cerebrospinal meningitis	Totals	82	8	4	1	2	2	17
	Males	42	6	2	-	1	-	9
Infantile paralysis	Females	40	2	2	1	2	1	8
	Totals	448	163	57	36	16	11	283
Locomotor ataxia	Males	235	89	35	21	10	4	159
	Females	213	74	22	15	6	7	124
Other diseases of the spinal cord	Totals	78	19	9	11	2	1	42
	Males	45	13	5	5	1	1	25
Cerebral hemorrhage, apoplexy	Females	33	6	4	6	1	-	17
	Totals	83	14	7	6	7	3	37
Softening of the brain	Males	50	9	4	4	4	2	23
	Females	33	5	3	2	3	1	14
Paralysis without specified cause	Totals	121	-	-	-	-	-	-
	Males	84	-	-	-	-	-	-
General paralysis of the insane	Females	37	-	-	-	-	-	-
	Totals	309	6	1	2	1	2	12
Other diseases of the spinal cord	Males	158	2	1	1	1	1	6
	Females	151	4	-	1	-	1	6
Cerebral hemorrhage, apoplexy	Totals	4,454	35	5	1	1	1	43
	Males	2,142	19	3	-	1	-	23
Softening of the brain	Females	2,312	16	2	1	-	1	20
	Totals	147	-	-	-	-	-	-
Paralysis without specified cause	Males	81	-	-	-	-	-	-
	Females	66	-	-	-	-	-	-
General paralysis of the insane	Totals	782	3	2	-	1	-	6
	Males	355	1	-	-	1	-	2
Other diseases of the spinal cord	Females	427	2	2	-	-	-	4
	Totals	160	-	-	-	-	-	-
Softening of the brain	Males	103	-	-	-	-	-	-
	Females	57	-	-	-	-	-	-

No. 34—Continued.
by Age Groups, 1910-1914.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.	
-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
18	22	19	12	28	18	20	27	27	48	70	92	104	94	80	23	8	1	-	-	-	
8	8	10	6	13	6	10	19	15	20	36	53	32	40	40	14	2	-	-	-	-	
10	14	9	4	15	12	10	8	12	28	34	39	72	54	40	9	6	-	-	-	-	
-	-	3	2	5	6	3	4	2	3	2	1	-	-	2	3	-	-	-	-	-	
-	-	3	2	5	5	3	2	2	3	2	1	3	2	2	3	-	-	-	-	-	
-	-	1	-	-	2	3	1	1	1	5	1	1	-	1	-	-	-	-	-	-	
-	-	1	-	-	1	1	1	1	1	2	2	2	-	1	-	-	-	-	-	-	
2	1	1	1	3	3	3	5	5	4	5	1	3	5	2	3	-	-	-	-	-	
1	1	1	1	2	1	3	1	2	2	2	-	2	2	2	7	-	-	-	-	-	
3	1	1	1	1	1	3	4	3	3	3	1	1	3	3	4	-	-	-	-	-	
1	2	10	10	14	20	18	12	16	23	28	40	39	25	21	6	2	-	-	-	-	
1	2	4	2	3	3	7	6	7	12	10	20	17	10	5	2	-	-	-	-	-	
3	4	6	2	2	4	4	1	2	3	3	2	2	3	3	1	-	-	-	-	-	
4	2	3	2	3	3	5	4	1	1	1	1	2	2	2	1	-	-	-	-	-	
1	2	3	3	3	3	1	1	2	3	2	1	1	1	2	3	-	-	-	-	-	
-	-	2	2	5	21	20	16	22	23	22	8	5	6	2	2	-	-	-	-	-	
-	-	2	4	6	20	17	14	19	23	20	8	5	5	3	3	-	-	-	-	-	
-	-	-	1	1	1	3	2	3	3	2	2	1	1	1	1	-	-	-	-	-	
1	-	-	-	-	-	-	1	-	-	4	2	1	1	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	1	1	2	2	4	1	1	3	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	2	1	4	5	1	1	2	1	-	-	-	-	-	
8	2	4	6	5	3	3	7	4	2	4	1	5	4	4	6	1	-	-	-	-	
4	2	2	3	3	2	3	4	1	1	1	-	-	-	2	3	-	-	-	-	-	
4	2	3	2	2	-	3	3	3	1	3	1	3	3	2	3	1	-	-	-	-	
37	25	15	8	12	10	6	6	8	4	9	1	3	5	4	3	1	-	-	-	-	
20	11	6	2	4	6	5	5	3	2	4	3	4	3	1	2	-	-	-	-	-	
17	14	9	6	4	6	5	3	6	6	6	1	5	2	3	1	-	-	-	-	-	
10	7	3	1	4	1	3	3	2	1	-	-	-	1	1	-	-	-	-	-	-	
7	3	1	1	2	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	
3	2	3	3	2	2	2	2	1	1	-	-	-	1	-	1	-	-	-	-	-	
15	5	6	6	5	2	1	1	1	2	-	2	-	1	-	-	-	-	-	-	-	
10	2	5	3	3	2	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	
5	3	-	1	2	4	5	4	8	24	17	14	14	19	10	2	-	-	-	-	-	
-	-	-	-	-	4	4	4	6	18	11	11	8	11	7	1	-	-	-	-	-	
-	-	-	-	-	2	2	2	2	6	6	3	6	8	3	1	-	-	-	-	-	
2	2	13	4	3	6	10	8	18	23	30	40	47	36	3	11	7	-	-	-	-	
2	2	11	3	3	4	5	3	7	12	15	23	22	17	5	3	-	-	-	-	-	
2	2	2	1	1	2	5	5	11	11	15	17	25	19	20	6	4	-	-	-	-	
2	3	8	7	18	26	36	68	123	218	347	435	658	749	763	597	256	71	17	2	7	
2	2	5	4	7	10	12	30	59	127	173	238	313	371	363	260	111	19	6	-	7	
-	1	3	3	11	16	24	38	64	91	174	197	345	378	400	337	145	52	11	2	-	
-	-	-	-	-	3	1	1	1	1	3	7	19	13	20	10	4	1	-	-	-	-
-	-	-	-	-	2	2	1	1	1	5	6	9	12	13	5	-	-	-	-	-	-
-	2	4	6	8	4	7	11	25	32	61	68	120	127	139	90	49	18	3	1	1	
-	1	3	5	4	3	1	2	18	14	31	38	57	52	66	34	16	7	-	-	-	
-	1	1	4	1	1	6	9	7	18	30	30	63	75	73	56	33	11	3	1	-	
-	-	-	-	-	3	11	18	25	19	17	17	11	10	13	9	3	3	1	-	-	
-	-	-	-	-	5	15	21	12	10	10	10	5	9	5	-	-	-	-	-	-	
-	-	-	-	-	6	3	4	7	7	7	1	5	4	4	3	3	1	-	-	-	-

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.						Total under 5.
			Under 1.	1 and under 2.	2.	3.	4.	
Other forms of mental alienation.....	Totals.....	296	-	-	-	-	-	-
	Males.....	100	-	-	-	-	-	-
	Females.....	196	-	-	-	-	-	-
Epilepsy.....	Totals.....	163	5	5	-	2	1	13
	Males.....	88	2	1	-	2	1	6
	Females.....	75	3	4	-	-	-	7
Convulsions (nonpuerperal).....	Totals.....	13	-	-	-	-	-	-
	Males.....	7	-	-	-	-	-	-
	Females.....	6	-	-	-	-	-	-
Convulsions of infants.....	Totals.....	187	146	26	6	3	6	187
	Males.....	99	80	15	1	1	2	99
	Females.....	88	66	11	5	2	4	88
Chorea.....	Totals.....	15	2	-	-	-	-	2
	Males.....	4	1	-	-	-	-	1
	Females.....	11	1	-	-	-	-	1
Neuralgia and neuritis.....	Totals.....	49	-	-	-	-	-	-
	Males.....	26	-	-	-	-	-	-
	Females.....	23	-	-	-	-	-	-
Other diseases of the nervous system.....	Totals.....	219	8	1	1	-	-	10
	Males.....	93	3	1	1	-	-	4
	Females.....	126	5	1	-	-	-	6
Diseases of the eyes and their annexa.....	Totals.....	1	-	-	-	-	-	1
	Males.....	-	-	-	-	-	-	-
	Females.....	1	-	-	-	-	-	1
Diseases of the ears.....	Totals.....	33	9	1	2	1	-	13
	Males.....	17	7	1	1	-	-	8
	Females.....	16	2	1	1	-	-	5
Pericarditis.....	Totals.....	87	-	-	-	-	-	-
	Males.....	51	-	-	-	-	-	-
	Females.....	36	-	-	-	-	-	-
Acute endocarditis.....	Totals.....	189	6	-	1	1	1	9
	Males.....	108	4	-	1	1	1	7
	Females.....	81	2	-	-	-	-	2
Organic diseases of the heart.....	Totals.....	6,143	38	7	7	1	2	55
	Males.....	3,450	15	3	2	1	2	23
	Females.....	2,693	23	4	5	-	-	32
Angina pectoris.....	Totals.....	527	3	-	-	-	-	3
	Males.....	308	1	-	-	-	-	1
	Females.....	219	2	-	-	-	-	2
Diseases of the arteries, atheroma, aneurysm, etc.....	Totals.....	1,390	2	-	-	-	-	2
	Males.....	914	1	-	-	-	-	1
	Females.....	476	1	-	-	-	-	1
Embolism and thrombosis.....	Totals.....	318	8	1	-	-	-	9
	Males.....	145	4	-	-	-	-	4
	Females.....	173	4	1	-	-	-	5
Diseases of the veins, varices, hemorrhoids phlebitis, etc.....	Totals.....	15	-	-	-	-	-	-
	Males.....	9	-	-	-	-	-	-
	Females.....	6	-	-	-	-	-	-
Diseases of the lymphatic system.....	Totals.....	8	3	1	-	-	-	4
	Males.....	5	3	1	-	-	-	4
	Females.....	3	-	-	-	-	-	-
Hemorrhage other diseases of the circulatory system.....	Totals.....	25	-	1	-	-	-	1
	Males.....	15	-	1	-	-	-	1
	Females.....	10	-	-	-	-	-	-
Diseases of the nasal fossae.....	Totals.....	7	3	-	-	1	-	4
	Males.....	3	1	-	-	-	-	1
	Females.....	4	2	-	-	1	-	3
Diseases of the larynx.....	Totals.....	68	14	9	8	3	4	38
	Males.....	42	10	5	7	1	1	24
	Females.....	26	4	4	1	2	3	14
Diseases of the thyroid body.....	Totals.....	16	1	-	-	-	-	1
	Males.....	1	-	-	-	-	-	-
	Females.....	15	1	-	-	-	-	1
Acute bronchitis.....	Totals.....	630	228	39	14	9	1	291
	Males.....	279	135	23	9	1	-	168
	Females.....	351	93	16	5	8	1	123

No. 34—Continued.
by Age Groups, 1910-1914.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
3	10	12	17	17	16	23	18	25	22	30	38	43	33	16	11	6	1			
1	4	4	7	7	7	8	8	4	4	11	11	17	12	6	6	5				
2	6	4	13	7	4	15	16	21	15	19	24	26	21	19	10	6				
4	4	8	4	4	4	5	7	7	6	10	10	3	3	2	3	5				
5	1	1	1	1	2	2	9	4	4	6	5	2	6	1	1	1				
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
4	4	2	2	2	1	2	3	2	5	7	6	1	1	1	3					
1	2	2	2	2	2	2	1	2	2	1	1	1	1	1	1					
3	2	2	2	2	1	3	1	2	5	7	4	1	1	1	1					
2	2	1	3	3	5	4	6	11	15	11	17	7	6	14	9					
2	1	3	1	3	5	4	6	11	15	11	17	7	6	14	9					
2	2	2	2	2	1	1	1	1	2	3	1	1	1	1	1					
2	2	2	2	2	2	2	1	1	2	1	1	1	1	1	1					
3	4	1	1	1	3	3	3	3	2	5	3	13	18	11	4	3				
2	4	1	1	1	3	3	2	2	3	1	2	5	8	3	3	3				
10	9	11	9	15	23	14	16	16	16	26	4	5	3	8	4	2				
6	5	2	8	6	10	4	4	4	10	4	3	4	1	2	2	1				
21	39	54	55	104	149	203	203	315	401	634	923	1003	1031	662	312	76				
8	23	16	36	54	80	108	80	157	244	357	577	547	585	356	173	11				
13	14	21	38	50	69	95	69	125	157	277	346	456	446	312	139	45				
2	2	1	4	1	14	5	5	17	23	40	51	77	113	38	30	6				
1	1	1	3	7	7	7	8	6	7	15	19	34	44	37	22	15				
1	1	1	1	1	3	4	6	6	29	45	98	160	258	294	260	158				
1	1	1	1	1	2	3	6	5	25	72	110	177	195	162	92	25				
1	1	1	1	1	2	3	2	1	4	16	26	59	81	99	98	66				
1	1	1	8	13	10	11	11	19	14	24	36	31	37	41	31	10				
1	1	1	3	2	7	7	1	6	6	14	14	16	24	24	13	3				
1	1	1	5	11	3	16	1	1	3	1	1	1	1	2	4	2				
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1				
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
7	1	1	1	1	1	2	1	1	2	2	1	2	1	3	1	2				
2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1				
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
7	1	1	1	1	1	2	1	1	3	1	1	1	1	1	1	1				
3	1	3	3	4	3	1	1	3	3	11	8	17	40	58	86	59				
4	3	3	4	3	3	1	1	2	3	11	6	13	21	28	22	27				
4	3	3	4	3	3	1	1	2	3	10	7	11	27	37	61	16				

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.	Under 1.				Total under 5.
			Under 1.	1 and under 2.	2.	3.	
Chronic bronchitis	Totals	333	6	1	1	-	8
	Males	152	4	1	1	-	6
	Females	181	2	-	-	-	2
Bronchopneumonia	Totals	1,397	443	143	46	23	679
	Males	640	251	70	27	12	369
	Females	757	192	73	19	16	310
Pneumonia	Totals	4,319	556	222	73	44	922
	Males	2,231	314	118	39	26	512
	Females	2,088	242	104	34	18	410
Pleurisy	Totals	114	4	1	1	3	10
	Males	64	3	-	1	3	8
	Females	50	1	1	-	-	2
Pulmonary congestion (pulmonary apoplexy)	Totals	366	59	10	5	1	75
	Males	183	33	5	2	1	41
	Females	183	26	5	3	-	34
Gangrene of the lungs	Totals	7	-	1	-	-	1
	Males	2	-	-	-	-	-
	Females	5	-	1	-	-	1
Asthma	Totals	72	3	-	1	-	5
	Males	37	3	-	-	-	3
	Females	35	-	-	1	-	2
Pulmonary emphysema	Totals	16	-	-	-	-	-
	Males	7	-	-	-	-	-
	Females	9	-	-	-	-	-
Other diseases of the respiratory system (tuberculosis excepted)	Totals	90	3	-	1	1	6
	Males	60	3	-	1	1	4
	Females	30	-	-	-	-	2
Diseases of the mouth and annexa	Totals	21	9	3	-	-	12
	Males	11	3	2	-	-	5
	Females	10	6	1	-	-	7
Diseases of the pharynx	Totals	57	5	5	1	2	17
	Males	30	3	5	1	1	12
	Females	27	2	-	-	1	5
Diseases of the esophagus	Totals	7	-	-	-	-	-
	Males	4	-	-	-	-	-
	Females	3	-	-	-	-	-
Ulcer of the stomach	Totals	135	-	-	-	1	1
	Males	76	-	-	-	-	-
	Females	59	-	-	-	1	-
Other diseases of the stomach (cancer excepted)	Totals	962	228	22	13	9	1,273
	Males	481	124	12	5	7	1,149
	Females	481	104	10	8	2	1,224
Diarrhea and enteritis (under 2 years)	Totals	2,329	2,019	309	1	-	2,329
	Males	1,307	1,132	174	1	-	1,307
	Females	1,022	887	135	-	-	1,022
Diarrhea and enteritis (2 years and over)	Totals	535	-	-	86	43	26
	Males	265	-	-	49	24	14
	Females	270	-	-	37	19	12
Intestinal parasites	Totals	7	2	4	1	-	7
	Males	4	1	3	-	-	4
	Females	3	1	1	-	-	3
Appendicitis and typhilitis	Totals	479	2	3	6	7	5
	Males	281	1	3	3	3	13
	Females	198	1	-	3	4	2
Hernia, intestinal obstruction	Totals	452	44	11	5	1	64
	Males	220	25	6	4	1	38
	Females	232	19	5	1	-	26
Other diseases of the intestines	Totals	108	23	2	4	-	29
	Males	55	12	2	3	-	17
	Females	53	11	-	1	-	12
Acute yellow atrophy of the liver	Totals	12	-	-	-	-	-
	Males	2	-	-	-	-	-
	Females	10	-	-	-	-	-

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.					Total under 5.
			Under 1.	1 and under 2.	2.	3.	
Cirrhosis of the liver	Totals	255	-	-	-	-	-
	Males	156	-	-	-	-	-
	Females	99	-	-	-	-	-
Biliary calculi	Totals	110	-	-	1	-	1
	Males	27	-	-	1	-	1
	Females	83	-	-	-	-	-
Other diseases of the liver	Totals	251	27	3	-	-	30
	Males	103	14	-	-	-	14
	Females	148	13	3	-	-	16
Diseases of the spleen	Totals	11	-	1	-	-	2
	Males	2	-	-	-	-	-
	Females	9	-	1	-	-	2
Simple peritonitis (nonpuerperal)	Totals	196	7	5	1	1	14
	Males	103	6	3	-	1	12
	Females	93	1	2	1	2	6
Other diseases of the digestive system (cancer and tuberculosis excepted)	Totals	24	-	1	-	-	1
	Males	10	-	1	-	-	1
	Females	14	-	-	-	-	-
Acute nephritis	Totals	362	21	7	3	1	4
	Males	164	14	3	-	-	3
	Females	198	7	4	3	1	1
Bright's disease	Totals	3,641	15	4	3	4	2
	Males	2,152	10	4	3	3	1
	Females	1,489	5	-	-	1	1
Other diseases of the kidneys and annexa	Totals	100	5	-	1	-	6
	Males	60	4	-	1	-	5
	Females	40	1	-	-	-	1
Calculi of the urinary passages	Totals	14	-	-	-	-	-
	Males	10	-	-	-	-	-
	Females	4	-	-	-	-	-
Diseases of the bladder	Totals	181	1	-	-	-	1
	Males	149	-	-	-	-	-
	Females	32	1	-	-	-	1
Diseases of the urethra, urinary abscess, etc.	Totals	12	-	-	-	-	-
	Males	12	-	-	-	-	-
	Females	-	-	-	-	-	-
Diseases of the prostate	Totals	153	-	-	-	-	-
	Males	153	-	-	-	-	-
	Females	-	-	-	-	-	-
Nonvenereal diseases of the male genital organs	Totals	2	1	-	-	-	1
	Males	2	1	-	-	-	1
	Females	-	-	-	-	-	-
Uterine hemorrhage (nonpuerperal)	Totals	7	-	-	-	-	-
	Males	-	-	-	-	-	-
	Females	7	-	-	-	-	-
Uterine tumors (noncancerous)	Totals	59	-	-	-	-	-
	Males	-	-	-	-	-	-
	Females	59	-	-	-	-	-
Other diseases of the uterus	Totals	77	-	-	-	-	-
	Males	-	-	-	-	-	-
	Females	77	-	-	-	-	-
Cysts and other tumors of the ovary	Totals	32	-	-	-	-	-
	Males	-	-	-	-	-	-
	Females	32	-	-	-	-	-
Salpingitis and other diseases of the female genital organs	Totals	49	-	-	-	-	-
	Males	-	-	-	-	-	-
	Females	49	-	-	-	-	-
Nonpuerperal diseases of the breast (can- cer excepted)	Totals	1	-	-	-	-	-
	Males	-	-	-	-	-	-
	Females	1	-	-	-	-	-
Accidents of pregnancy	Totals	73	-	-	-	-	-
	Males	-	-	-	-	-	-
	Females	73	-	-	-	-	-
Puerperal hemorrhage	Totals	59	-	-	-	-	-
	Males	-	-	-	-	-	-
	Females	59	-	-	-	-	-

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Other accidents of labor	Totals	49	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
Puerperal septicemia	Females	49	-	-	-	-	-	-
	Totals	141	-	-	-	-	-	-
Puerperal albuminuria and convulsions	Males	141	-	-	-	-	-	-
	Females	121	-	-	-	-	-	-
Puerperal phlegmasia, alba dolens, embolus, sudden death	Totals	19	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
Following childbirth (not otherwise defined)	Females	19	-	-	-	-	-	-
	Totals	15	-	-	-	-	-	-
Gangrene	Males	15	-	-	-	-	-	-
	Females	202	-	-	-	-	-	-
Furuncle	Totals	163	-	-	-	-	-	-
	Males	99	-	-	-	-	-	-
Acute abscess	Females	29	2	-	-	-	-	2
	Totals	23	2	-	-	-	-	2
Other diseases of the skin and annexa	Males	6	-	-	-	-	-	-
	Females	36	8	1	-	-	-	9
Diseases of the bones (tuberculosis excepted)	Totals	17	2	-	-	-	-	2
	Males	19	6	1	-	-	-	7
Diseases of the joints, (tuberculosis and rheumatism excepted)	Females	42	16	1	-	-	-	17
	Totals	20	8	1	-	-	-	9
Amputations	Males	22	8	-	-	-	-	8
	Females	53	8	2	1	-	-	11
Congenital malformations, (stillbirths not included)	Totals	38	6	2	1	-	-	7
	Males	15	2	2	-	-	-	4
Congenital debility, icterus and sclerema	Females	9	-	1	-	-	-	1
	Totals	6	-	-	-	-	-	-
Other causes peculiar to early infancy	Males	3	-	1	-	-	-	1
	Females	5	-	-	-	-	-	-
Lack of care	Totals	3	-	-	-	-	-	-
	Males	2	-	-	-	-	-	-
Senility	Females	357	337	7	3	1	1	349
	Totals	219	207	4	1	1	1	214
Suicide by poison	Males	138	130	3	2	-	-	135
	Females	2,474	2,468	2	-	-	-	2,470
Suicide by asphyxia	Totals	1,411	1,408	-	-	-	-	1,408
	Males	1,062	1,059	2	-	-	-	1,061
Suicide by hanging or strangulation	Females	1	1	-	-	-	-	1
	Not stated	1	1	-	-	-	-	1
Suicide by drowning	Totals	512	512	-	-	-	-	512
	Males	291	291	-	-	-	-	291
Other causes peculiar to early infancy	Females	221	221	-	-	-	-	221
	Totals	14	14	-	-	-	-	14
Lack of care	Males	10	10	-	-	-	-	10
	Females	4	4	-	-	-	-	4
Senility	Totals	2,923	-	-	-	-	-	-
	Males	1,296	-	-	-	-	-	-
Suicide by poison	Females	1,627	-	-	-	-	-	-
	Totals	67	-	-	-	-	-	-
Suicide by asphyxia	Males	35	-	-	-	-	-	-
	Females	32	-	-	-	-	-	-
Suicide by hanging or strangulation	Totals	10	-	-	-	-	-	-
	Males	5	-	-	-	-	-	-
Suicide by drowning	Females	5	-	-	-	-	-	-
	Totals	132	-	-	-	-	-	-
Other causes peculiar to early infancy	Males	104	-	-	-	-	-	-
	Females	28	-	-	-	-	-	-
Lack of care	Totals	66	-	-	-	-	-	-
	Males	37	-	-	-	-	-	-
Senility	Females	29	-	-	-	-	-	-

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.					Total under 5.	
			Under 1.	1 and under 2.	2.	3.		4.
Suicide by firearms.....	Totals.....	164	-	-	-	-	-	-
	Males.....	150	-	-	-	-	-	-
Suicide by cutting or piercing instruments.....	Females.....	14	-	-	-	-	-	-
	Totals.....	45	-	-	-	-	-	-
Suicide by jumping from high places.....	Males.....	37	-	-	-	-	-	-
	Females.....	8	-	-	-	-	-	-
Suicide by crushing.....	Totals.....	4	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
Other suicides.....	Females.....	3	-	-	-	-	-	-
	Totals.....	2	-	-	-	-	-	-
Poisoning by food.....	Males.....	1	-	-	-	-	-	-
	Females.....	1	-	-	-	-	-	-
Other acute poisonings.....	Totals.....	10	-	-	-	-	-	-
	Males.....	8	-	-	-	-	-	-
Conflagration.....	Females.....	2	-	-	-	-	-	-
	Totals.....	22	1	1	1	1	2	6
Burns (includes scalding).....	Males.....	11	-	-	-	-	-	-
	Females.....	11	1	1	1	2	2	5
Absorption of deleterious gases (conflagration excepted).....	Totals.....	105	4	18	8	5	2	37
	Males.....	57	2	6	4	3	2	15
Accidental drowning.....	Females.....	48	2	12	4	2	2	22
	Totals.....	65	2	2	5	2	3	14
Traumatism by firearms.....	Males.....	39	1	1	3	1	1	7
	Females.....	26	1	1	2	1	2	7
Traumatism by cutting or piercing instruments.....	Totals.....	218	5	22	25	10	17	79
	Males.....	88	2	10	19	3	7	41
Traumatism by machines.....	Females.....	130	3	12	6	7	10	38
	Totals.....	58	24	1	-	1	-	26
Traumatism by other crushing (vehicles, railways, landslides, etc.).....	Males.....	29	8	1	-	-	-	9
	Females.....	29	16	-	-	-	-	17
Injuries by animals.....	Totals.....	597	1	3	7	12	5	28
	Males.....	540	-	3	5	11	4	23
Injuries by machines.....	Females.....	56	1	2	2	1	1	5
	Not stated.....	1	-	-	-	-	-	-
Traumatism by fall.....	Totals.....	137	-	-	1	3	1	5
	Males.....	129	-	-	-	2	1	3
Traumatism in mines and quarries.....	Females.....	8	-	-	1	1	-	2
	Totals.....	29	-	1	-	2	-	3
Traumatism by other crushing (vehicles, railways, landslides, etc.).....	Males.....	22	-	-	-	-	-	-
	Females.....	7	-	1	-	2	-	3
Injuries by animals.....	Totals.....	494	3	6	3	4	2	18
	Males.....	274	1	2	1	2	-	6
Injuries by machines.....	Females.....	220	2	4	2	2	2	12
	Totals.....	14	-	-	-	-	-	-
Injuries by machines.....	Males.....	14	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Injuries by machines.....	Totals.....	79	-	-	-	-	-	-
	Males.....	79	-	-	-	-	-	-
Injuries by machines.....	Females.....	-	-	-	-	-	-	-
	Totals.....	549	1	5	3	5	8	22
Injuries by machines.....	Males.....	487	5	3	3	5	5	16
	Females.....	62	1	-	-	2	3	6
Injuries by machines.....	Totals.....	31	-	1	-	1	1	3
	Males.....	24	-	1	-	1	1	3
Injuries by machines.....	Females.....	7	-	-	-	-	-	-
	Totals.....	125	104	7	-	-	-	111
Injuries by machines.....	Males.....	53	43	4	-	-	-	47
	Females.....	72	61	3	-	-	-	64
Injuries by machines.....	Totals.....	31	1	-	-	-	1	2
	Males.....	27	-	-	-	-	1	1
Injuries by machines.....	Females.....	4	1	-	-	-	-	1
	Totals.....	66	9	3	2	-	-	14
Injuries by machines.....	Males.....	38	5	2	2	-	-	9
	Females.....	28	4	1	-	-	-	5

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.					Total under 5.
			Under 1.	1 and under 2.	2.	3.	
Lightning	Totals	7	-	-	1	-	1
	Males	6	-	-	-	-	-
Electricity (lightning excepted)	Females	1	-	-	1	-	1
	Totals	37	-	-	-	-	-
Homicide by firearms	Males	33	-	-	-	-	-
	Females	4	-	-	-	-	-
Homicide by cutting or piercing instruments	Totals	38	-	-	-	-	-
	Males	26	-	-	-	-	-
Homicide by other means	Females	12	-	-	-	-	-
	Totals	11	-	-	-	-	-
Fractures (cause not specified)	Males	8	-	-	-	-	-
	Females	3	-	-	-	-	-
Other external violence	Totals	18	1	-	2	-	4
	Males	12	1	-	1	-	3
Ill defined organic disease	Females	6	-	-	1	-	1
	Totals	51	-	2	-	-	2
Sudden death	Males	27	-	1	-	-	1
	Females	24	-	-	-	-	1
Cause of death not specified or ill defined	Totals	85	6	7	4	3	20
	Males	74	5	6	2	2	15
Cause of death not specified or ill defined	Females	11	1	1	2	1	5
	Totals	40	4	-	-	-	4
Cause of death not specified or ill defined	Males	18	3	-	-	-	3
	Females	22	1	-	-	-	1
Cause of death not specified or ill defined	Totals	165	23	3	1	1	28
	Males	112	16	1	-	-	17
Cause of death not specified or ill defined	Females	53	7	2	1	1	11
	Totals	938	402	34	7	15	7
Cause of death not specified or ill defined	Males	526	230	17	5	10	4
	Females	412	172	17	2	5	3

No. 34—Concluded.
by Age Groups, 1910-1914.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
-	-	1	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
-	1	1	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
2	2	5	7	4	5	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-
1	2	5	7	4	4	3	2	1	-	3	-	-	-	-	-	-	-	-	-	-
-	1	3	3	4	1	7	7	4	1	3	-	-	-	-	-	-	-	-	-	3
-	1	1	2	2	2	6	3	2	1	2	-	-	-	-	-	-	-	-	-	3
-	1	2	1	1	1	1	4	1	-	1	-	-	-	-	-	-	-	-	-	-
-	1	2	2	2	2	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	1	1	2	2	4	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-
3	1	2	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
2	1	-	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
1	1	2	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
1	1	1	3	3	3	3	3	1	2	2	2	1	5	7	7	5	4	-	-	1
-	1	1	1	1	3	-	-	-	1	2	2	1	3	4	4	5	1	-	-	1
1	3	3	6	5	8	3	7	6	9	1	1	-	4	4	6	5	3	-	-	1
1	2	3	5	5	7	3	7	6	9	1	1	-	3	4	4	5	3	-	-	-
-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	1	8	7	3	7	2	3	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	3	3	3	4	2	1	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	5	4	3	3	2	1	1	-	-	-
1	1	1	1	1	3	8	3	1	-	6	18	18	19	10	7	2	1	-	-	3
-	1	1	3	3	2	3	12	3	6	15	15	18	19	10	7	1	1	-	-	2
1	1	1	3	3	6	6	3	12	4	15	11	12	10	6	5	2	1	-	-	1
1	1	-	4	4	2	2	-	-	2	3	4	6	9	4	2	-	1	-	-	2
11	13	12	13	15	16	20	31	26	28	32	33	63	54	44	29	15	7	1	-	10
6	6	6	5	6	8	10	19	13	11	17	18	36	36	27	19	9	1	-	-	7
5	7	6	8	9	8	10	12	13	17	15	15	27	18	17	10	6	6	1	-	3

TABLE

Deaths in Each Town from Special

THE STATE AND COUNTIES.	Estimated popula- tion in 1914.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
MAINE.....	769,759	2	40	16	91
Androscoggin.....	62,278	-	3	-	5
Aroostook.....	80,232	-	10	-	20
Cumberland.....	116,991	-	2	3	14
Franklin.....	19,391	-	-	-	-
Hancock.....	36,239	-	-	-	2
Kennebec.....	64,991	-	2	3	7
Knox.....	29,218	-	-	-	1
Lincoln.....	18,234	-	1	-	1
Oxford.....	38,414	-	2	1	3
Penobscot.....	88,801	-	6	5	8
Piscataquis.....	21,057	-	-	-	-
Sagadahoc.....	18,581	-	-	-	8
Somerset.....	37,281	-	-	-	2
Waldo.....	23,545	-	-	-	-
Washington.....	43,837	-	9	-	1
York.....	70,669	2	5	2	19
ANDROSCOGGIN COUNTY.....	*59,291	-	3	-	5
Auburn.....	15,908	-	-	-	3
Durham.....	1,785	-	-	-	-
East Livermore.....	2,841	-	-	-	-
Greene.....	773	-	-	-	-
Leeds.....	960	-	-	-	-
Lewiston.....	27,239	-	3	-	1
Lisbon.....	4,320	-	-	-	1
Livermore.....	1,100	-	-	-	-
Poland.....	1,382	-	-	-	-
Turner.....	1,708	-	-	-	-
Webster.....	1,245	-	-	-	-
AROOSTOOK COUNTY.....	†72,502	-	10	2	20
Amity.....	375	-	-	-	-
Ashland.....	2,437	-	-	-	-
Bancroft.....	355	-	-	-	-
Blaine.....	1,037	-	-	-	1
Bridgewater.....	1,262	-	-	-	-
Caribou.....	5,625	-	-	-	1
Castle Hill.....	532	-	-	-	-
Connor.....	671	-	-	-	-
Crystal.....	554	-	-	-	-
Eagle Lake.....	1,827	-	1	-	4
Easton.....	1,334	-	-	-	-
Fort Fairfield.....	4,467	-	1	-	-
Fort Kent.....	4,182	-	1	-	5

* Population of county, omitting that of towns not represented in this tabulation. See Table "State and Counties."

† Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

No. 35.

Causes, Mostly Infectious Diseases.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Cholera nostras.	Diarrhea and enteritis (2 years and over.)	Diarrhea and enteritis (under 2 years.)	Tuberculosis of the lungs.	Tuberculosis, other forms.
85	121	23	30	33	88	22	6	118	395	712	219
5	7	2	5	2	7	4	-	5	52	74	20
15	25	-	6	4	22	1	-	15	133	49	17
16	24	2	4	2	10	3	2	14	43	110	31
1	2	1	-	1	1	4	-	1	5	22	2
-	2	1	1	1	6	-	1	2	5	28	12
4	6	2	2	6	6	5	2	17	35	72	11
1	4	-	-	2	6	1	-	5	5	29	9
7	1	1	-	1	2	-	-	6	2	9	7
4	3	8	1	-	6	2	-	4	12	23	10
9	18	1	5	7	6	-	-	17	25	88	38
-	7	2	-	-	1	-	-	2	2	16	5
1	2	-	1	4	1	-	-	3	5	20	3
3	1	-	3	1	7	1	-	6	9	32	10
-	6	-	-	-	-	1	-	3	4	17	7
15	3	-	-	2	2	-	-	6	18	54	19
4	10	3	2	-	5	-	1	12	40	69	18
5	7	2	5	2	7	4	-	5	52	74	20
1	-	-	2	-	1	-	-	1	8	12	6
-	-	-	-	-	-	-	-	-	-	3	-
2	1	-	-	-	-	-	-	-	2	3	2
-	-	-	-	-	-	-	-	-	1	2	-
-	-	-	-	-	-	-	-	-	1	1	1
2	2	1	3	2	2	4	-	4	39	40	7
-	2	-	-	-	2	-	-	-	1	5	4
-	1	-	-	-	-	-	-	-	-	1	-
-	-	1	-	-	1	-	-	-	1	2	-
-	-	-	-	-	1	-	-	-	-	4	-
-	-	-	-	-	-	-	-	-	-	1	-
15	25	-	6	4	22	1	2	15	133	49	17
2	-	-	-	-	-	-	-	-	1	-	-
3	-	-	-	-	-	-	-	-	4	1	-
-	-	-	-	-	-	-	-	-	-	2	-
-	-	-	-	-	-	-	-	-	3	2	-
-	-	-	-	-	-	-	-	-	1	1	1
1	-	-	-	-	-	-	-	-	9	2	3
1	5	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	5	-	-
-	-	-	-	-	-	-	-	-	-	-	-
1	3	-	1	-	-	-	-	-	11	-	-
-	-	-	-	-	-	-	-	-	-	1	-
-	1	-	1	1	-	-	-	2	3	2	-
-	1	-	-	-	2	-	-	-	10	3	-

TABLE
Deaths in Each Town from Special

COUNTY AND TOWNS.	Estimated popula- tion in 1914.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Grand Isle	1,402	-	1	-	1
Hodgdon	1,162	-	-	-	-
Houlton	6,309	-	2	-	1
Island Falls	1,935	-	-	-	-
Limestone	1,358	-	-	-	-
Linneus	809	-	-	-	-
Littleton	1,054	-	-	-	-
Madawaska	1,834	-	-	-	-
Mapleton	1,227	-	-	-	-
Mars Hill	1,642	-	-	-	-
Merrill	431	-	1	-	-
Monticello	1,297	-	1	-	1
New Limerick	481	-	-	-	-
New Sweden	920	-	-	1	-
Oakfield	956	-	-	-	-
Perham	867	-	-	-	-
Presque Isle	5,729	-	-	-	-
St. Agatha	1,588	-	-	-	-
Sherman	1,082	-	-	-	-
Smyrna	411	-	-	-	-
Stockholm	924	-	-	-	-
Van Buren	3,539	-	1	-	2
Washburn	1,426	-	1	-	-
Westfield	861	-	-	-	-
Woodland	1,187	-	-	1	1
Caswell Pl.	593	-	-	-	1
Chapman Pl.	468	-	-	-	-
Cyr Pl.	543	-	-	-	-
Hamlin Pl.	690	-	-	-	-
New Canada Pl.	658	-	-	-	-
Reed Pl.	592	-	-	-	-
St. Francis Pl.	1,058	-	-	-	-
St. John Pl.	651	-	-	-	-
Silver Ridge Pl.	155	-	-	-	-
Wallagrass Pl.	1,092	-	-	-	1
Winterville Pl.	324	-	-	-	1
CUMBERLAND COUNTY.....	*112,738	-	2	3	14
Baldwin	791	-	-	-	-
Bridgton	2,660	-	-	-	-
Brunswick	6,621	-	1	-	1
Cape Elizabeth	2,245	-	-	-	2
Casco	688	-	-	-	-
Cumberland	1,403	-	-	-	-
Falmouth	1,488	-	-	-	-
Freeport	2,508	-	-	-	1
Gorham	2,934	-	-	-	-
Gray	1,270	-	-	-	-
Harrison	963	-	-	-	-
Naples	736	-	-	-	-
New Gloucester	1,256	-	-	-	-
North Yarmouth	702	-	-	-	-
Otisfield	632	-	-	-	-
Portland	61,943	-	-	3	-
Raymond	677	-	-	-	10

* Population of county, omitting that of towns not represented in this tabulation.
See Table "State and Counties."

TABLE
Deaths in Each Town from Special

COUNTY AND TOWNS.	Estimated popula- tion in 1914.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Scarboro.....	1,977	-	-	-	-
Setago.....	536	-	-	-	-
South Portland.....	7,943	-	-	-	-
Standish.....	1,689	-	-	-	-
Westbrook.....	8,681	-	-	-	-
Yarmouth.....	2,390	-	1	-	-
FRANKLIN COUNTY.....	*14,709	-	-	-	-
Eustis.....	536	-	-	-	-
Farmington.....	3,210	-	-	-	-
Industry.....	465	-	-	-	-
Jay.....	3,079	-	-	-	-
Kingfield.....	1,019	-	-	-	-
New Sharon.....	959	-	-	-	-
New Vineyard.....	543	-	-	-	-
Rangeley.....	1,230	-	-	-	-
Strong.....	752	-	-	-	-
Temple.....	407	-	-	-	-
Wilton.....	2,343	-	-	-	-
Dallas Pl.....	166	-	-	-	-
HANCOCK COUNTY.....	*30,966	-	-	-	2
Bluehill.....	1,462	-	-	-	-
Brooksville.....	1,176	-	-	-	-
Bucksport.....	2,216	-	-	-	-
Castine.....	934	-	-	-	-
Dedham.....	365	-	-	-	1
Deer Isle.....	1,946	-	-	-	-
Eastbrook.....	213	-	-	-	-
Eden.....	4,465	-	-	-	-
Ellsworth.....	3,546	-	-	-	-
Franklin.....	1,161	-	-	-	-
Gouldsboro.....	1,355	-	-	-	-
Hancock.....	843	-	-	-	-
Lamoire.....	482	-	-	-	-
Mount Desert.....	1,569	-	-	-	-
Orland.....	1,224	-	-	-	-
Peabscot.....	985	-	-	-	-
Southwest Harbor.....	888	-	-	-	1
Stonington.....	2,194	-	-	-	-
Sullivan.....	1,172	-	-	-	-
Surry.....	734	-	-	-	-
Tremont.....	1,116	-	-	-	-
Verona.....	229	-	-	-	-
Winter Harbor.....	598	-	-	-	-
KENNEBEC COUNTY.....	†61,387	-	2	3	7
Albion.....	940	-	-	-	-
Augusta.....	13,823	-	1	3	3
Belgrade.....	1,037	-	-	-	-

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

† Population of county, omitting that of towns not represented in this tabulation. See Table "State and Counties."

TABLE
Deaths in Each Town from Special

COUNTY AND TOWNS.	Estimated popula- tion in 1914.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Benton	1,234	-	-	-	-
Chelsea	3,264	-	-	-	-
China	1,297	-	-	-	-
Clinton	1,268	-	-	-	-
Farmingdale	817	-	-	-	-
Gardiner	5,311	-	-	-	-
Hallowell	2,924	-	-	-	-
Manchester	633	-	-	-	-
Monmouth	1,446	-	-	-	-
Oakland	2,393	-	-	-	1
Pittston	954	-	-	-	-
Randolph	1,017	-	-	-	-
Readfield	997	-	-	-	-
Sidney	927	-	-	-	-
Vassalboro	2,081	-	-	-	-
Vienna	403	-	-	-	-
Waterville	12,250	-	-	-	1
Wayne	595	-	-	-	-
West Gardiner	629	-	-	-	2
Winslow	2,981	-	1	-	-
Winthrop	2,166	-	-	-	-
KNOX COUNTY	*28,521	-	-	-	1
Appleton	842	-	-	-	1
Camden	3,091	-	-	-	-
Cushing	535	-	-	-	-
Friendship	776	-	-	-	-
Hope	497	-	-	-	-
North Haven	535	-	-	-	-
Rockland	8,182	-	-	-	-
Rockport	2,022	-	-	-	-
St. George	2,201	-	-	-	-
South Thomaston	1,442	-	-	-	-
Thomaston	2,205	-	-	-	-
Union	1,233	-	-	-	-
Vinalhaven	2,334	-	-	-	-
Warren	1,812	-	-	-	-
Washington	814	-	-	-	-
LINCOLN COUNTY	*16,797	-	1	-	1
Alna	461	-	-	-	-
Boothbay	1,700	-	-	-	-
Boothbay Harbor	2,057	-	-	-	-
Bristol	2,415	-	-	-	1
Damariscotta	771	-	-	-	-
Dresden	815	-	-	-	-
Jefferson	1,030	-	-	-	-
Newcastle	1,066	-	-	-	-
Nobleboro	775	-	1	-	-
Somerville	291	-	-	-	-
Southport	409	-	-	-	-
Waldoboro	2,656	-	-	-	-
Whitefield	1,056	-	-	-	-
Wiscasset	1,295	-	-	-	-

* Population of county, omitting that of towns not represented in this tabulation.
See Table "State and Counties."

TABLE
Deaths in Each Town from Special

COUNTY AND TOWNS.	Estimated popula- tion in 1914.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
OXFORD COUNTY.....	*31,220	-	2	1	3
Bethel.....	1,968	-	-	-	-
Brownfield.....	933	-	-	-	-
Buckfield.....	1,087	-	-	-	-
Byron.....	187	-	1	-	-
Canton.....	1,040	-	-	-	-
Dixfield.....	1,056	-	-	-	-
Fryeburg.....	1,282	-	-	-	-
Gilead.....	233	-	-	-	-
Greenwood.....	664	-	-	-	-
Hartford.....	592	-	-	-	-
Hebron.....	646	-	-	-	-
Mexico.....	2,565	-	-	-	1
Norway.....	3,042	-	1	-	-
Paris.....	3,520	-	-	-	-
Porter.....	864	-	-	1	-
Rumford.....	7,980	-	-	-	2
Stow.....	224	-	-	-	-
Sumner.....	762	-	-	-	-
Sweden.....	266	-	-	-	-
Waterford.....	941	-	-	-	-
Woodstock.....	808	-	-	-	-
PENOBSCOT COUNTY.....	*79,904	-	6	5	8
Argyle.....	233	-	-	-	-
Bangor.....	25,983	-	-	3	3
Bradford.....	930	-	-	-	-
Bradley.....	634	-	1	-	-
Brewer.....	5,999	-	-	1	1
Burlington.....	370	-	-	-	-
Charleston.....	872	-	-	-	-
Clifton.....	217	-	-	-	-
Corinna.....	1,265	-	-	-	-
Corinth.....	1,034	-	-	-	-
Dexter.....	3,530	-	-	-	3
Dixmont.....	757	-	-	-	-
Eddington.....	611	-	-	-	-
Enfield.....	970	-	-	-	-
Etna.....	523	-	-	-	-
Exeter.....	892	-	-	-	-
Garland.....	817	-	-	-	-
Greenbush.....	485	-	-	-	-
Greenfield.....	207	-	-	-	-
Hampden.....	2,460	-	-	-	-
Hermon.....	1,222	-	-	-	-
Howland.....	494	-	-	-	-
Kenduskeag.....	505	-	-	-	-
Lagrange.....	598	-	-	-	-
Lee.....	748	-	-	-	-
Levant.....	707	-	-	-	-
Lincoln.....	2,092	-	-	-	-
Lowell.....	259	-	-	-	-

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

TABLE

Deaths in Each Town from Special

COUNTY AND TOWNS.	Estimated popula- tion in 1914.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Mattawamkeag.....	517	-	-	-	-
Maxfield.....	79	-	-	-	-
Medway.....	565	-	2	-	-
Milford.....	1,019	-	-	-	-
Millinocket.....	3,368	-	-	-	-
Newburg.....	694	-	-	-	-
Newport.....	1,831	-	-	-	-
Old Town.....	6,537	-	3	-	-
Orono.....	3,675	-	-	-	-
Orrington.....	1,219	-	-	-	-
Patten.....	1,498	-	-	-	-
Plymouth.....	590	-	-	-	-
Prentiss.....	472	-	-	-	-
Stetson.....	480	-	-	-	-
Veazie.....	557	-	-	-	-
Winn.....	655	-	-	-	-
Drew Pl.....	299	-	-	-	-
Grand Falls Pl.....	50	-	-	1	-
Seboeis Pl.....	86	-	-	-	-
No. 1 R. 7.....	40	-	-	-	-
PISCATAQUIS COUNTY.....	*16,454	-	-	-	-
Brownville.....	1,904	-	-	-	-
Dover.....	2,171	-	-	-	-
Foxcroft.....	1,963	-	-	-	-
Greenville.....	1,618	-	-	-	-
Guilford.....	1,736	-	-	-	-
Milo.....	3,120	-	-	-	-
Monson.....	1,295	-	-	-	-
Orneville.....	359	-	-	-	-
Parkman.....	646	-	-	-	-
Sebec.....	549	-	-	-	-
Wellington.....	393	-	-	-	-
Williamsburg.....	146	-	-	-	-
Willimantic.....	271	-	-	-	-
SAGadahoc COUNTY.....	†18,165	-	-	-	8
Bath.....	9,396	-	-	-	6
Bowdoin.....	814	-	-	-	-
Bowdoinham.....	1,392	-	-	-	1
Georgetown.....	742	-	-	-	1
Phippsburg.....	1,079	-	-	-	-
Richmond.....	1,858	-	-	-	-
Topsham.....	2,016	-	-	-	-
Woolwich.....	868	-	-	-	-

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

† Population of county, omitting that of towns not represented in this tabulation. See Table "State and Counties."

TABLE

Deaths in Each Town from Special

COUNTY AND TOWNS.	Estimated popula- tion in 1914.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
SOMERSET COUNTY.....	*31,305	-	-	-	2
Anson.....	2,361	-	-	-	1
Athens.....	921	-	-	-	-
Cambridge.....	369	-	-	-	-
Canaan.....	874	-	-	-	-
Concord.....	256	-	-	-	-
Detroit.....	461	-	-	-	-
Embden.....	529	-	-	-	-
Fairfield.....	4,658	-	-	-	-
Harmony.....	794	-	-	-	-
Hartland.....	1,200	-	-	-	-
Madison.....	3,625	-	-	-	-
Mercer.....	441	-	-	-	-
Moscow.....	574	-	-	-	-
Norridgewock.....	1,653	-	-	-	-
Palmyra.....	978	-	-	-	-
Pittsfield.....	2,891	-	-	-	1
St. Albans.....	1,027	-	-	-	-
Skowhegan.....	5,405	-	-	-	-
Smithfield.....	427	-	-	-	-
Solon.....	1,049	-	-	-	-
Dennistown Pl.....	99	-	-	-	-
Mayfield Pl.....	67	-	-	-	-
WALDO COUNTY.....	†17,833	-	-	-	-
Belfast.....	4,619	-	-	-	-
Belmont.....	335	-	-	-	-
Brooks.....	716	-	-	-	-
Burnham.....	733	-	-	-	-
Frankfort.....	1,157	-	-	-	-
Freedom.....	480	-	-	-	-
Islesboro.....	377	-	-	-	-
Lincolnton.....	1,020	-	-	-	-
Monroe.....	872	-	-	-	-
Montville.....	350	-	-	-	-
Northport.....	518	-	-	-	-
Palermo.....	690	-	-	-	-
Prospect.....	597	-	-	-	-
Searsmont.....	828	-	-	-	-
Searsport.....	1,480	-	-	-	-
Troy.....	768	-	-	-	-
Unity.....	907	-	-	-	-
Waldo.....	386	-	-	-	-
WASHINGTON COUNTY.....	*40,593	-	9	-	1
Addison.....	985	-	-	-	-
Alexander.....	390	-	1	-	-
Baileysville.....	1,506	-	1	-	-

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

† Population of county, omitting that of towns not represented in this tabulation. See Table "State and Counties."

No. 35—Continued.

Causes, Mostly Infectious Diseases.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicæmia.	Septicæmia.	Influenza.	Dysentery.	Cholera nostras.	Diarrhea and enteritis (2 years and over.)	Diarrhea and enteritis (under 2 years.)	Tuberculosis of the lungs.	Tuberculosis, other forms.
3	1	-	3	1	7	1	-	6	9	32	10
1	-	-	-	-	1	-	-	1	1	2	-
-	-	-	-	-	-	-	-	-	-	1	1
-	-	-	1	-	-	-	-	1	1	1	-
1	-	-	1	-	1	-	-	1	2	3	1
1	1	-	-	1	1	-	-	1	1	1	1
-	-	-	1	-	3	-	-	1	-	2	2
-	-	-	-	-	1	-	-	1	2	2	1
-	-	-	-	-	-	1	-	-	2	5	2
-	-	-	-	-	-	-	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-
-	6	-	-	-	-	1	-	3	4	17	7
-	5	-	-	-	-	-	-	-	1	6	3
-	-	-	-	-	-	1	-	-	-	1	1
-	-	-	-	-	-	-	-	-	1	1	1
-	-	-	-	-	-	-	-	1	1	1	-
-	-	-	-	-	-	-	-	1	-	3	-
-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	1	1	1
-	1	-	-	-	-	-	-	1	-	1	1
-	-	-	-	-	-	-	-	-	-	1	-
15	3	-	-	2	2	-	-	6	18	54	19
-	-	-	-	-	-	-	-	-	-	1	-
3	-	-	-	-	-	-	-	-	3	1	-

TABLE
Deaths in Each Town from Special

COUNTY AND TOWNS.	Estimated popula- tion in 1914.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Calais	6,116	-	1	-	-
Charlotte	290	-	1	-	-
Cherryfield	1,499	-	-	-	-
Columbia	583	-	-	-	-
Columbia Falls	700	-	-	-	-
Cooper	190	-	-	-	-
Danforth	1,376	-	-	-	-
Dennysville	459	-	-	-	-
East Machias	1,392	-	-	-	-
Eastport	4,961	-	-	-	-
Edmunds	665	-	-	-	1
Harrington	1,020	-	-	-	-
Jonesboro	519	-	-	-	-
Jonesport	2,074	-	-	-	-
Lubec	3,506	-	2	-	-
Machias	2,089	-	1	-	-
Machiasport	1,218	-	1	-	-
Marshfield	178	-	-	-	-
Milbridge	1,550	-	-	-	-
Pembroke	1,378	-	-	-	-
Perry	1,153	-	-	-	-
Princeton	1,091	-	-	-	-
Robbinston	691	-	-	-	-
Steuben	890	-	-	-	-
Talmage	100	-	-	-	-
Trescott	461	-	-	-	-
Vanceboro	652	-	-	-	-
Waite	173	-	-	-	-
Grand Lake Stream Pl.	317	-	1	-	-
YORK COUNTY	*69,052	2	5	2	19
Acton	603	-	-	-	1
Alfred	890	-	-	-	-
Berwick	2,098	-	-	-	-
Biddeford	17,451	1	2	1	7
Buxton	1,675	-	-	-	-
Cornish	954	-	-	-	-
Dayton	395	-	-	-	-
Eliot	1,558	-	-	1	-
Hollis	1,288	-	-	-	1
Kennebunk	3,099	-	-	-	-
Kennebunkport	2,133	-	-	-	-
Kittery	3,797	-	-	-	-
Lebanon	1,316	-	-	-	-
Limerick	1,001	-	-	-	-
Limington	980	-	-	-	-
Lyman	615	-	-	-	-
North Berwick	1,789	-	-	-	-
Old Orchard	961	-	-	-	-
Parsonsfield	1,057	-	-	-	-
Saco	6,767	1	1	-	3
Sanford	10,237	-	2	-	6
Shapleigh	691	-	-	-	-
South Berwick	2,935	-	-	-	-
Wells	1,908	-	-	-	-
York	2,854	-	-	-	1

* Population of county, omitting that of towns not represented in this tabulation. See Table "State and Counties."

No. 35—Concluded.

Causes, Mostly Infectious Diseases.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Cholera nostras.	Diarrhea and enteritis (2 years and over.)	Diarrhea and enteritis (under 2 years.)	Tuberculosis of the lungs.	Tuberculosis, other forms.
-	-	-	-	-	-	-	-	1	6	11	3
-	-	-	-	-	-	-	-	-	-	4	3
1	-	-	-	-	-	-	-	-	-	1	1
1	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	-	-	-	-	-	-	1	1
1	2	-	-	-	1	-	-	-	5	10	-
-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	2	2
-	-	-	-	1	-	-	-	-	-	2	1
-	-	-	-	-	-	-	-	2	2	4	1
2	-	-	-	-	-	-	-	-	-	4	3
-	-	-	-	-	-	-	-	-	-	4	-
-	-	-	-	-	-	-	-	-	-	2	2
-	-	-	-	-	1	-	-	-	1	2	1
3	-	-	-	-	-	-	-	-	-	2	1
1	-	-	-	1	-	-	-	1	-	-	1
-	-	-	-	-	-	-	-	-	-	2	-
-	-	-	-	-	-	-	-	-	-	2	-
-	-	-	-	-	-	-	-	-	-	3	-
-	-	-	-	-	-	-	-	-	-	3	-
-	-	-	-	-	-	-	-	-	-	1	-
1	-	-	-	-	-	-	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	2	-
4	10	3	2	-	5	-	1	12	40	69	18
-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	1	-	5	-
-	-	-	-	-	-	-	1	3	20	18	5
-	-	1	-	-	-	-	-	1	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	1	-	-	-	-	2	1	1	1
-	-	-	-	-	-	-	-	1	-	1	1
1	-	-	-	-	-	-	-	-	-	2	-
2	1	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	2	-	-	-	1	1	-
-	-	-	-	-	1	-	-	1	-	1	-
-	-	-	1	-	-	-	-	-	-	1	1
-	-	-	-	-	-	-	-	-	-	2	-
-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	1	3	-
-	-	-	-	-	-	-	-	-	8	4	4
-	-	-	-	-	1	-	-	2	4	11	2
-	-	-	1	-	1	-	-	1	-	3	1
-	-	-	-	-	-	-	-	-	-	3	-
-	-	-	-	-	-	-	-	-	-	3	1
-	-	-	-	-	-	-	-	-	2	4	-

TABLE
Deaths in Each Town from Certain

THE STATE AND COUNTIES.	Estimated population in 1914.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
MAINE.	769,759	25	42	823	147	641	539
Androscoggin.....	62,278	3	5	87	12	61	26
Aroostook.....	80,232	2	2	48	8	84	53
Cumberland.....	116,991	1	11	126	28	118	103
Franklin.....	19,361	-	1	20	4	17	16
Hancock.....	36,239	-	1	39	4	15	23
Kennebec.....	64,991	2	2	75	7	60	52
Knox.....	23,216	3	1	33	4	6	26
Lincoln.....	18,234	-	-	40	3	3	21
Oxford.....	38,414	-	2	29	7	39	24
Penobscot.....	88,501	5	7	100	21	71	62
Piscataquis.....	21,657	1	1	17	5	14	12
Sagadahoc.....	18,581	1	-	19	8	17	22
Somerset.....	37,281	1	-	43	8	21	18
Waldo.....	23,545	-	3	18	8	13	17
Washington.....	43,837	1	3	56	6	28	28
York.....	70,669	5	3	73	14	74	36
ANDROSCOGGIN COUNTY	62,278	3	5	87	12	61	26
Auburn.....	15,908	-	1	22	3	11	8
Durham.....	1,785	-	-	3	-	2	3
East Livermore.....	2,841	-	-	3	-	4	-
Greene.....	773	-	-	-	-	-	1
Leeds.....	990	-	-	1	-	3	-
Lewiston.....	27,239	3	3	41	7	35	8
Lisbon.....	4,320	-	1	7	-	2	2
Livermore.....	1,100	-	-	1	-	-	2
Mechanic Falls.....	1,678	-	-	4	-	-	-
Minot.....	786	-	-	-	-	-	1
Poland.....	1,382	-	-	4	-	2	-
Turner.....	1,708	-	-	-	2	1	1
Wales.....	523	-	-	1	-	-	-
Webster.....	1,245	-	-	1	-	1	-
AROOSTOOK COUNTY	*60,277	2	2	48	8	84	53
Amity.....	375	-	-	-	-	3	1
Ashland.....	2,437	-	-	2	-	3	-
Bancroft.....	355	-	-	-	-	-	-
Benedicta.....	292	-	-	-	-	-	-
Blaine.....	1,037	-	-	2	-	-	2
Bridgewater.....	1,262	-	-	2	1	2	-
Caribou.....	5,625	-	-	4	-	9	7
Castle Hill.....	532	-	-	-	-	1	-
Connor.....	671	-	-	-	-	-	-
Crystal.....	554	-	-	-	-	-	-
Dyer Brook.....	281	-	-	-	-	-	-
Eagle Lake.....	1,827	-	-	1	-	1	-
Easton.....	1,334	-	-	-	-	-	-
Fort Fairfield.....	4,467	-	1	2	-	11	2
Fort Kent.....	4,182	-	-	-	-	-	-

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

No. 36.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Infantile paralysis.	Cerebral hemorrhage, apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatilities of reproduction.	Suicide.	Accidents and other external causes.
96	9	926	434	1,484	1,148	164	143	625	80	780	60	112	552
13	-	79	24	111	113	8	14	75	11	75	9	13	36
17	-	42	29	74	107	9	17	35	6	39	10	6	52
9	2	149	60	235	167	26	17	89	16	165	11	16	78
-	-	36	7	29	18	4	4	20	2	19	-	6	17
1	-	35	26	75	47	11	4	38	3	41	2	3	23
10	1	90	45	153	124	24	7	62	6	54	7	9	57
3	-	63	17	74	44	10	5	26	2	37	1	3	27
2	1	31	14	57	24	5	6	19	1	15	2	4	15
4	3	48	19	74	65	5	4	25	3	34	1	4	27
10	1	89	65	151	157	19	30	66	9	71	3	10	87
5	-	14	7	32	24	4	2	8	3	15	1	4	23
-	-	36	11	53	22	4	3	7	1	24	-	3	21
4	-	45	18	57	49	8	8	27	2	42	1	9	25
1	-	47	18	68	25	8	5	19	2	29	2	7	11
7	-	32	28	94	54	6	5	32	2	32	5	6	19
10	1	87	43	147	108	13	12	77	12	88	5	9	34
13	-	79	24	111	113	8	14	75	11	75	9	13	36
-	-	21	7	33	20	1	2	14	2	28	1	3	3
1	-	1	2	2	1	-	1	3	-	1	-	-	-
-	-	1	-	4	6	-	-	2	-	1	-	-	1
-	-	3	-	3	2	1	-	1	-	-	1	-	-
1	-	2	1	2	2	1	1	-	2	-	1	-	-
10	-	33	12	42	64	2	8	48	7	34	6	4	26
-	-	7	5	5	5	-	1	3	-	-	-	1	2
-	-	-	1	2	2	1	1	1	-	-	-	1	1
-	-	-	-	1	5	-	-	-	-	3	-	-	-
-	-	6	-	1	-	1	-	1	-	1	-	-	-
-	-	2	1	4	1	1	-	-	-	2	-	-	1
1	-	3	-	6	2	-	-	1	-	2	-	2	1
-	-	-	-	2	1	-	-	-	-	1	-	-	-
-	-	-	-	5	2	1	-	-	-	1	-	-	-
17	-	42	29	74	107	9	17	35	6	39	10	6	52
-	-	-	-	-	1	-	-	-	-	-	-	-	1
-	-	1	1	-	1	-	1	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	2	2	2	-	-	-	-	1	-	1	-
3	-	4	3	3	11	1	3	5	-	1	-	1	5
-	-	-	1	-	1	-	-	1	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	1	3	-	-	1	-	-	-	-	6
1	-	-	-	1	1	2	-	1	-	1	-	-	2
1	-	-	4	4	10	-	1	-	-	-	1	-	2
1	-	2	1	-	-	-	1	-	-	2	1	-	-

TABLE
Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1914.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Frenchville.....	1,454	-	-	1	-	-	2
Grand Isle.....	1,402	-	-	-	-	-	2
Haynesville.....	272	-	-	-	1	-	-
Hersey.....	1,186	-	-	-	-	-	1
Hodgdon.....	1,162	-	-	2	-	-	1
Houlton.....	6,309	2	-	8	2	6	3
Island Falls.....	1,935	-	-	-	-	1	-
Limestone.....	1,358	-	-	2	-	-	1
Linneus.....	809	-	-	-	-	-	1
Littleton.....	1,054	-	-	1	-	1	-
Ludlow.....	419	-	-	-	1	-	1
Madawaska.....	1,884	-	-	-	-	3	2
Mapleton.....	1,227	-	-	2	-	1	1
Mars Hill.....	1,642	-	-	-	1	3	1
Masardis.....	735	-	-	-	-	1	-
Merrill.....	431	-	-	-	-	2	-
Monticello.....	1,297	-	-	-	-	1	-
New Limerick.....	481	-	-	-	-	-	2
New Sweden.....	920	-	-	4	-	-	-
Oakfield.....	956	-	-	1	-	1	2
Orient.....	187	-	-	-	-	-	-
Perham.....	867	-	-	-	-	4	1
Portage Lake.....	604	-	-	-	-	-	-
Presque Isle.....	5,729	-	-	3	2	4	3
St. Agatha.....	1,588	-	-	-	-	-	2
Sherman.....	1,082	-	-	-	-	-	-
Smyrna.....	411	-	-	-	-	-	-
Stockholm.....	924	-	-	-	-	2	-
Van Buren.....	3,539	-	-	2	-	13	1
Wade.....	337	-	-	1	-	-	-
Washburn.....	1,726	-	-	3	-	1	1
Westfield.....	861	-	-	-	-	1	-
Weston.....	402	-	-	-	-	-	2
Woodland.....	1,187	-	-	1	-	2	1
Cary Pl.....	340	-	-	-	-	-	2
Caswell Pl.....	593	-	-	-	-	-	-
Chapman Pl.....	468	-	-	-	-	-	-
Cyr Pl.....	543	-	1	-	-	-	-
E Pl.....	159	-	-	-	-	-	-
Glenwood Pl.....	128	-	-	-	-	-	-
Hammond Pl.....	115	-	-	-	-	-	-
Macwahoc Pl.....	147	-	-	1	-	-	-
Moro Pl.....	215	-	-	-	-	-	-
New Canada Pl.....	658	-	-	-	-	-	-
Oxbow Pl.....	192	-	-	-	-	-	-
Reed Pl.....	592	-	-	1	-	-	1
St. Francis Pl.....	1,058	-	-	1	-	-	-
St. John Pl.....	651	-	-	-	-	-	2
Silver Ridge Pl.....	155	-	-	-	-	-	-
Wallagrass Pl.....	1,092	-	-	1	-	4	3
Winterville Pl.....	324	-	-	-	-	2	-
No. 9, R. 3.....	-	-	-	-	-	1	-
CUMBERLAND COUNTY.....	116,991	1	11	126	28	118	103
Baldwin.....	791	-	-	-	-	-	1
Bridgton.....	2,660	-	-	7	1	2	3
Brunswick.....	6,621	-	-	10	2	9	2

TABLE
Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated population in 1914.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Cape Elizabeth	2,245	-	-	2	-	-	1
Casco	688	-	-	-	-	-	3
Cumberland	1,403	-	-	1	-	-	6
Falmouth	1,488	-	-	3	1	-	7
Freeport	2,508	-	-	2	-	5	4
Gorham	2,934	-	1	4	1	1	1
Gray	1,270	-	-	2	-	-	1
Harpwell	1,650	-	-	-	1	2	-
Harrison	968	-	-	1	-	-	-
Naples	736	-	-	2	-	-	-
New Gloucester	1,256	-	-	-	1	-	1
North Yarmouth	702	-	-	-	-	1	1
Otisfield	632	-	-	1	-	-	-
Portland	61,943	1	7	65	17	67	42
Pownal	637	-	-	2	-	-	1
Raymond	677	-	-	1	-	-	2
Scarboro	1,977	-	-	3	-	2	1
Sebago	536	-	-	-	-	1	-
South Portland	7,943	-	1	11	1	9	7
Standish	1,689	-	-	1	1	4	3
Westbrook	8,681	-	2	6	2	13	14
Windham	1,966	-	-	2	-	-	3
Yarmouth	2,390	-	-	-	-	2	1
FRANKLIN COUNTY	*18,989	-	1	20	4	15	17
Avon	380	-	-	-	-	-	-
Carthage	292	-	-	-	-	-	2
Chesterville	627	-	-	-	-	1	1
Eustis	536	-	-	-	-	1	1
Farmington	3,210	-	-	9	2	2	4
Freeman	334	-	-	-	-	1	-
Industry	465	-	-	1	-	-	-
Jay	3,079	-	1	2	-	6	2
Kingfield	1,019	-	-	-	-	2	-
Madrid	264	-	-	-	-	-	-
New Sharon	959	-	-	1	-	-	1
New Vineyard	543	-	-	1	-	-	-
Phillips	1,431	-	-	2	1	1	2
Rangeley	1,230	-	-	-	-	1	-
Salem	181	-	-	-	-	-	2
Strong	752	-	-	-	-	-	-
Temple	407	-	-	1	-	-	1
Weld	574	-	-	-	-	-	-
Wilton	2,343	-	-	3	1	2	2
Coplin Pl.	85	-	-	-	-	-	-
Dallas Pl.	166	-	-	-	-	-	-
Sandy River Pl.	112	-	-	-	-	-	-
HANCOCK COUNTY	*35,255	-	1	39	4	15	23
Amherst	275	-	-	-	-	-	1
Bluehill	1,462	-	-	1	-	-	-
Brooklin	936	-	-	-	-	-	1

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

No. 36—Continued.

Diseases and Groups of Diseases.

Enecephalitis and simple meningitis.	Infantile paralysis.	Cerebral hemorrhage, apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	1	1	1	1	-	-	-	-	-	-	1	2
-	-	1	1	1	3	-	-	-	-	-	-	-	-
-	-	2	3	3	1	-	-	-	-	-	-	-	2
-	-	6	3	3	2	1	-	-	-	-	-	-	-
-	-	7	1	4	3	2	-	-	-	-	-	1	1
-	-	3	1	1	3	2	-	-	-	-	-	-	1
-	-	5	1	2	3	3	-	-	-	-	-	-	1
-	-	5	1	3	2	1	-	-	-	-	-	-	1
-	-	1	1	2	2	-	-	-	-	-	-	1	1
-	-	1	1	2	2	-	-	-	-	-	-	1	1
-	-	1	6	2	2	-	-	-	-	-	-	1	1
-	-	1	1	1	1	-	-	-	-	-	-	-	-
-	-	1	29	106	95	14	10	51	13	104	5	8	54
4	1	71	29	106	95	14	10	51	13	104	5	8	54
-	-	1	-	1	1	-	-	1	-	1	-	-	1
-	-	2	-	3	3	-	-	1	-	1	-	-	1
-	-	2	-	6	6	-	-	1	-	1	-	-	1
-	-	1	-	3	3	-	-	1	-	1	-	-	1
-	-	12	2	18	11	1	2	5	1	5	1	-	5
-	-	1	4	4	2	-	-	2	-	3	-	-	1
-	-	9	3	12	15	2	1	5	-	13	-	1	3
-	-	6	3	3	3	1	-	-	-	2	-	-	1
-	-	5	2	2	2	-	2	1	-	1	-	-	1
-	-	36	7	29	18	4	4	20	2	19	-	6	17
-	-	1	-	-	-	-	-	-	-	-	-	-	1
-	-	1	-	1	1	-	1	1	-	1	-	-	1
-	-	1	-	-	-	1	-	-	-	-	-	-	-
-	-	8	-	9	4	-	1	3	-	6	-	-	1
-	-	1	2	-	-	-	-	-	1	-	-	-	1
-	-	1	-	2	4	-	-	2	-	3	-	1	6
-	-	1	-	1	1	-	-	1	-	1	-	-	1
-	-	5	2	1	2	-	-	1	-	-	-	-	-
-	-	1	1	1	2	-	1	2	-	-	-	2	-
-	-	9	-	2	-	-	-	1	1	3	-	-	4
-	-	1	-	3	1	1	1	1	-	1	-	1	-
-	-	1	1	1	1	-	1	-	-	1	-	-	-
-	-	2	1	7	1	-	1	3	-	1	-	2	1
-	-	1	-	1	-	-	-	-	-	-	-	-	1
1	-	35	26	75	47	11	4	38	3	41	2	3	23
-	-	1	-	-	3	-	-	1	-	-	-	-	-
-	-	2	-	1	2	-	2	-	-	2	-	-	2
1	-	-	-	1	-	2	-	-	-	-	1	-	-

TABLE

Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated population in 1914.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Brooksville.....	1,176	-	-	2	-	1	-
Bucksport.....	2,216	-	-	2	1	1	-
Castine.....	934	-	-	-	-	-	1
Cranberry Isles.....	411	-	-	1	-	-	1
Dedham.....	365	-	-	-	-	-	1
Deer Isle.....	1,946	-	-	3	-	2	3
Eastbrook.....	213	-	-	1	-	-	-
Eden.....	4,465	-	1	9	2	-	2
Ellsworth.....	3,549	-	-	4	-	-	4
Franklin.....	1,161	-	-	2	-	1	1
Gouldsboro.....	1,385	-	-	1	-	2	-
Hancock.....	843	-	-	-	-	2	2
Lamoine.....	482	-	-	-	-	-	-
Mariaville.....	171	-	-	1	-	-	-
Mount Desert.....	1,569	-	-	-	-	-	-
Orland.....	1,224	-	-	3	-	5	1
Otis.....	115	-	-	-	-	-	-
Penobscot.....	985	-	-	2	-	-	1
Sedgwick.....	910	-	-	2	-	-	-
Southwest Harbor.....	888	-	-	-	-	-	-
Stonington.....	2,194	-	-	-	-	1	1
Sullivan.....	1,172	-	-	-	-	1	1
Surry.....	734	-	-	3	-	1	1
Swans Island.....	749	-	-	-	-	1	-
Tremont.....	1,116	-	-	1	1	-	-
Trenton.....	354	-	-	-	-	-	-
Verona.....	229	-	-	-	-	-	1
Waltham.....	182	-	-	-	-	-	-
Winter Harbor.....	598	-	-	1	-	-	-
Long Island Pl.....	207	-	-	-	-	-	1
No. 21 Pl.....	39	-	-	-	-	-	-
KENNEBEC COUNTY.....	*64,936	2	2	75	7	60	52
Albion.....	940	-	-	2	-	1	1
Augusta.....	13,823	-	-	16	2	10	7
Belgrade.....	1,037	-	-	-	-	-	1
Benton.....	1,234	-	-	-	-	-	1
Chelsea.....	3,264	-	-	2	-	3	1
China.....	1,297	-	-	1	-	1	-
Clinton.....	1,268	-	-	2	-	1	1
Farmingdale.....	817	-	-	1	-	2	1
Fayette.....	533	-	-	2	-	7	-
Gardiner.....	5,311	-	-	7	1	7	6
Hallowell.....	2,924	-	-	1	1	4	1
Litchfield.....	964	-	-	1	-	-	1
Manchester.....	633	-	-	-	-	-	1
Monmouth.....	1,446	1	-	4	-	-	-
Mount Vernon.....	898	-	-	-	-	1	2
Oakland.....	2,393	-	-	3	-	2	1
Pittston.....	954	-	-	5	-	-	2
Randolph.....	1,017	1	-	1	-	4	3
Readfield.....	997	-	-	-	-	-	1
Rome.....	448	-	-	2	-	-	1

*Population of county, omitting that of towns and plantations not represented in this tabulation. See Table "State and Counties."

TABLE
Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1914.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Sidney.....	927	-	-	2	1	-	3
Vassalboro.....	2,081	-	1	4	-	1	2
Vienna.....	403	-	-	1	-	1	-
Waterville.....	12,250	-	1	13	2	18	5
Wayne.....	595	-	-	-	-	-	2
West Gardiner.....	629	-	-	1	-	-	1
Windsor.....	706	-	-	-	-	-	1
Winslow.....	2,981	-	-	4	-	4	2
Winthrop.....	2,166	-	-	-	-	-	4
KNOX COUNTY	29,116	3	1	33	4	6	26
Appleton.....	842	1	-	-	-	-	-
Camden.....	3,091	-	-	6	-	-	1
Cushing.....	535	-	-	1	-	-	-
Friendship.....	776	-	-	1	-	1	1
Hope.....	497	-	-	2	-	-	-
Hurricane Isle.....	256	-	-	-	-	-	-
Isle au Haut.....	160	-	-	-	-	-	1
North Haven.....	535	-	-	-	-	-	-
Rockland.....	8,182	1	-	10	2	3	11
Rockport.....	2,022	-	1	2	-	1	2
Rockport.....	2,021	-	-	3	-	-	-
St. George.....	1,442	-	-	1	1	-	2
South Thomaston.....	2,205	-	-	4	1	-	4
Thomaston.....	1,233	-	-	1	-	1	-
Union.....	2,334	1	-	1	-	-	1
Vinalhaven.....	1,812	-	-	1	-	-	3
Warren.....	814	-	-	-	-	-	-
Washington.....	179	-	-	-	-	-	-
Matineus Isle Pl.....		-	-	-	-	-	-
LINCOLN COUNTY	18,144	-	-	40	3	3	21
Alna.....	461	-	-	3	-	-	1
Boothbay.....	1,700	-	-	4	1	-	1
Boothbay Harbor.....	2,057	-	-	1	-	-	1
Bremen.....	550	-	-	3	-	-	-
Bristol.....	2,415	-	-	6	-	-	4
Damariscotta.....	771	-	-	2	-	-	1
Dresden.....	815	-	-	3	-	-	1
Edgecomb.....	513	-	-	2	-	1	-
Jefferson.....	1,030	-	-	-	-	1	1
New Castle.....	1,066	-	-	3	-	1	2
Nobleboro.....	775	-	-	2	-	-	1
Somerville.....	291	-	-	-	-	-	-
Southport.....	409	-	-	1	-	-	1
Waldoboro.....	2,656	-	-	7	1	-	6
Westport.....	284	-	-	-	-	-	-
Whitefield.....	1,056	-	-	-	-	-	-
Wiscasset.....	1,295	-	-	3	1	-	1

No. 36—Continued.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Infantile paralysis.	Cerebral hemorrhage, apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
-	-	1	5	2	3	1	-	-	-	-	-	-	-
-	-	3	-	8	1	-	-	1	-	-	-	-	1
-	-	11	1	1	1	1	-	-	-	3	-	-	1
4	-	2	-	21	31	-	2	14	-	9	-	-	17
-	-	2	-	2	-	1	-	1	-	2	-	-	1
-	-	1	1	1	3	-	-	-	-	2	-	-	-
1	-	5	-	1	-	-	-	-	-	1	-	-	2
1	-	4	-	5	3	2	1	3	1	3	-	-	4
-	-	-	-	3	-	-	-	-	-	-	-	-	-
3	-	63	17	74	44	10	5	26	2	37	1	3	27
-	-	3	-	3	-	-	-	1	-	2	-	-	-
1	-	8	-	12	2	-	-	1	-	2	-	-	2
-	-	1	2	1	-	1	-	1	-	2	-	1	1
-	-	2	1	1	-	-	2	-	-	-	-	-	2
-	-	3	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	1	-	-	-	1	-	-	-	-	-
1	-	19	5	18	19	3	1	10	2	18	-	1	12
-	-	3	1	4	3	1	1	2	-	1	-	-	1
1	-	4	-	10	5	2	-	-	-	2	-	-	2
-	-	2	3	5	3	-	1	-	-	1	1	-	3
-	-	4	-	6	-	1	-	1	-	-	-	-	1
-	-	6	-	1	4	1	-	1	-	3	-	1	3
-	-	6	-	6	-	-	-	4	2	-	-	-	2
-	-	5	-	5	4	-	-	-	-	-	-	-	-
-	-	2	1	1	2	-	-	2	-	2	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	31	14	57	24	5	6	19	-	15	2	4	15
-	-	-	-	2	-	-	1	1	-	-	-	-	-
-	-	3	-	-	1	-	-	3	-	2	-	-	1
-	-	3	1	2	-	-	1	-	-	-	-	1	2
1	-	1	-	2	1	-	-	1	-	1	-	-	1
-	-	3	-	3	3	1	-	3	-	4	-	1	2
-	-	-	1	-	2	-	-	-	-	-	-	-	-
-	-	1	-	3	1	-	-	-	-	-	-	-	1
-	-	-	-	3	-	-	-	-	-	-	-	-	2
-	-	3	1	2	2	1	-	-	-	-	-	-	1
-	-	3	-	7	1	-	3	-	-	-	-	-	1
1	-	3	2	5	2	1	-	-	2	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	1	1	-	-	3	-	-	-	-	1
-	-	8	4	11	7	-	-	1	-	4	1	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	11	1	-	-	1	-	-	-	-	1
-	-	1	-	5	3	-	1	4	-	4	-	-	-

TABLE
Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1914.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
OXFORD COUNTY.....	*37,714	-	2	29	7	39	24
Albany.....	410	-	-	-	-	-	-
Andover.....	769	-	-	-	-	-	-
Bethel.....	1,968	-	1	-	1	-	-
Brownfield.....	933	-	-	-	-	3	-
Buckfield.....	1,087	-	-	3	1	-	4
Canton.....	1,040	-	-	2	-	-	-
Denmark.....	596	-	-	1	-	-	-
Dixfield.....	1,056	-	-	2	-	1	-
Fryeburg.....	1,282	-	-	2	-	-	2
Gilead.....	233	-	-	-	-	-	-
Greenwood.....	664	-	-	-	-	1	-
Hanover.....	196	-	-	1	-	-	-
Hartford.....	592	-	-	-	1	-	1
Hebron.....	646	-	-	-	-	-	-
Hiram.....	945	-	-	1	-	1	1
Lovell.....	668	-	-	-	-	-	2
Mexico.....	2,565	-	-	2	-	2	-
Newry.....	271	-	-	-	-	-	-
Norway.....	3,042	-	-	2	-	3	1
Oxford.....	1,221	-	-	5	1	3	-
Paris.....	3,520	-	-	3	1	7	1
Peru.....	746	-	-	-	-	2	-
Porter.....	864	-	-	-	1	-	1
Rumford.....	7,980	-	1	1	1	16	6
Stoneham.....	253	-	-	-	-	-	1
Stow.....	224	-	-	-	-	-	-
Sumner.....	762	-	-	1	-	-	1
Sweden.....	266	-	-	-	-	-	-
Waterford.....	941	-	-	1	-	-	1
Woodstock.....	808	-	-	1	-	-	1
Lincoln Pl.....	400	-	-	1	-	-	-
Milton Pl.....	206	-	-	-	-	-	1
PENOBSCOT COUNTY.....	*87,099	5	7	100	21	89	62
Alton.....	259	-	-	-	-	1	-
Argyle.....	233	-	-	1	-	-	-
Bangor.....	25,983	2	3	42	7	22	19
Bradford.....	930	-	-	1	-	-	1
Bradley.....	634	-	-	1	-	-	-
Brewer.....	5,999	-	-	7	3	4	1
Burlington.....	370	-	-	1	-	-	-
Carmel.....	1,098	-	-	2	-	2	-
Carroll.....	480	-	-	1	-	-	-
Charleston.....	872	-	-	1	1	1	-
Chester.....	349	-	-	-	-	1	-
Clifton.....	217	-	-	-	-	-	-
Corinna.....	1,265	-	-	-	-	-	2
Corinth.....	1,034	-	-	2	-	-	-
Dexter.....	3,530	-	-	2	1	-	4
Dixmont.....	757	-	-	-	-	-	-
East Millinocket.....	923	-	-	-	-	3	-

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

No. 36—Continued.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Infantile paralysis.	Cerebral hemorrhage, apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
4	3	48	19	74	65	5	4	25	3	34	1	4	27
-	-	1	-	3	1	-	-	-	-	-	-	1	-
-	-	4	-	4	5	-	-	-	-	-	-	-	1
-	-	2	1	6	1	1	-	2	-	-	-	-	1
-	-	2	-	5	1	-	-	1	-	-	-	-	1
-	-	3	2	3	4	-	-	-	-	-	-	-	2
-	-	4	1	2	1	-	-	-	-	-	-	-	1
-	-	4	1	4	1	-	1	-	-	1	1	-	1
-	-	4	1	4	-	-	-	-	-	1	-	-	1
-	-	2	-	-	-	-	-	1	-	-	-	-	1
-	-	1	1	1	3	-	-	-	1	-	-	-	-
-	-	1	-	1	1	-	-	-	-	2	-	-	-
-	-	3	-	2	1	-	-	3	-	1	-	-	-
-	-	1	1	2	1	-	-	2	-	3	-	-	1
-	2	4	2	11	1	-	-	1	-	-	-	-	3
-	1	3	1	8	3	-	1	2	-	4	-	-	1
-	-	1	-	7	3	-	-	1	-	-	-	-	1
-	-	2	1	1	1	1	-	1	-	2	-	2	1
-	-	5	3	3	2	-	-	11	-	4	-	-	1
-	-	1	1	4	13	-	-	5	-	5	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	-	-	-	-	-	-	-	-	1
-	-	1	-	2	-	1	-	-	-	3	-	-	1
-	-	-	-	4	-	-	-	-	-	1	-	-	1
-	-	-	-	1	-	-	-	-	-	-	-	-	1
10	1	89	65	151	157	19	30	66	9	71	3	10	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	-	26	35	52	79	4	13	31	5	28	1	2	28
-	-	-	1	3	1	1	-	-	-	-	-	-	1
1	-	10	3	2	1	1	-	-	-	1	-	-	1
-	-	-	2	8	6	1	2	3	-	6	-	-	1
-	-	-	-	1	2	-	-	1	-	-	-	-	3
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	3	-	-	-	-	-	-	-	-	-
-	-	-	-	2	3	-	-	-	-	1	-	-	-
-	-	-	3	1	1	-	-	-	-	2	-	-	-
-	-	-	2	2	2	-	1	1	-	1	-	-	-
-	-	-	4	12	1	-	2	2	-	2	1	-	2
-	-	-	1	-	-	-	1	-	-	-	-	3	-

TABLE
Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1914.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Eddington.....	611	-	-	1	-	-	-
Edinburg.....	45	-	-	2	-	-	-
Enfield.....	970	-	-	1	-	-	1
Etna.....	523	-	-	-	-	-	-
Exeter.....	892	-	-	3	1	-	-
Garland.....	817	-	-	1	-	-	-
Glenburn.....	457	-	-	-	-	-	1
Greenbush.....	485	-	-	-	-	-	-
Greenfield.....	207	-	-	-	-	-	-
Hampden.....	2,460	-	-	5	1	1	2
Hermon.....	1,222	-	-	1	-	-	1
Holden.....	613	-	-	-	-	-	-
Howland.....	494	-	-	1	-	1	-
Hudson.....	403	-	-	-	1	1	-
Kenduskeag.....	505	-	-	-	-	1	1
Kingman.....	741	-	-	1	1	-	-
Lagrange.....	598	-	-	-	1	-	-
Lee.....	748	-	-	-	1	-	1
Levant.....	707	-	-	1	-	1	1
Lincoln.....	2,092	2	-	1	-	-	2
Lowell.....	259	-	-	-	-	1	-
Mattawamkeag.....	517	-	-	2	-	-	1
Maxfield.....	79	-	-	1	-	-	-
Milford.....	1,019	-	-	-	-	-	1
Millinocket.....	3,368	-	-	1	-	9	-
Mt. Chase.....	227	-	-	-	-	-	-
Newburg.....	694	-	-	-	-	-	-
Newport.....	1,831	-	-	3	-	-	1
Old Town.....	6,537	-	2	4	-	11	12
Orono.....	3,675	1	-	5	2	5	1
Orrington.....	1,219	-	-	-	-	-	1
Passadumkeag.....	461	-	-	-	-	2	1
Patten.....	1,498	-	-	-	1	-	1
Plymouth.....	590	-	-	1	-	1	1
Prentiss.....	472	-	1	-	-	-	1
Springfield.....	459	-	1	-	-	-	1
Stetson.....	480	-	-	1	-	1	1
Veazie.....	557	-	-	2	-	1	1
Winn.....	655	-	-	1	-	1	1
Woodville.....	125	-	-	-	-	-	-
Drew Pl.....	299	-	-	-	-	-	-
Grand Falls Pl.....	50	-	-	-	-	-	-
Lakeville Pl.....	96	-	-	-	-	-	-
Seboeis Pl.....	86	-	-	-	-	-	-
Stacyville Pl.....	669	-	-	-	-	-	-
Webster Pl.....	103	-	-	-	-	-	-
Indian Twp. No. 3.....	44	-	-	-	-	-	-
No. 1, R. 7.....	40	-	-	-	-	-	-
No. 2, R. 6.....	208	-	-	-	-	-	-
PISCATAQUIS COUNTY.....	*20,047	1	1	17	5	14	12
Abbot.....	705	-	-	-	-	-	-
Atkinson.....	540	-	-	-	-	-	1
Bowerbank.....	80	-	-	-	-	-	-

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

TABLE
Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1914.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Brownville	1,904	-	-	-	-	-	-
Dover	2,171	-	-	3	-	1	1
Foxcroft	1,963	-	-	2	1	1	-
Greenville	1,618	1	-	2	-	3	5
Guilford	1,736	-	1	2	-	1	-
Medford	262	-	-	1	-	-	1
Milo	3,120	-	-	4	1	-	-
Monson	1,295	-	-	2	1	2	-
Orneville	359	-	-	-	-	-	-
Parkman	646	-	-	1	1	2	1
Sangerville	1,327	-	-	-	-	3	-
Sebec	549	-	-	-	-	1	-
Shirley	370	-	-	-	-	1	-
Wellington	393	-	-	-	1	-	1
Williamsburg	146	-	-	-	-	-	-
Willimantic	271	-	-	-	-	-	1
Barnard Pl.	102	-	-	-	-	-	-
Elliottsville Pl.	132	-	-	-	-	-	-
Katahdin Iron Works	75	-	-	-	-	-	1
SAGADAHOC COUNTY.....	18,581	1	-	19	8	17	22
Arrowsic	147	-	-	-	-	-	-
Bath	9,396	-	-	7	2	10	3
Bowdoin	814	-	-	3	-	-	3
Bowdoinham	1,392	-	-	2	1	1	5
Georgetown	742	-	-	-	1	1	1
Perkins	39	-	-	-	-	-	-
Phippsburg	1,079	-	-	2	-	1	3
Richmond	1,858	1	-	3	1	2	3
Topsham	2,016	-	-	2	2	2	2
West Bath	230	-	-	-	-	-	-
Woolwich	868	-	-	-	1	-	2
SOMERSET COUNTY.....	*36,572	1	-	43	8	21	18
Anson	2,361	-	-	1	-	1	1
Athens	921	-	-	1	-	2	-
Bingham	775	-	-	-	1	2	-
Cambridge	369	-	-	1	-	-	-
Canaan	874	-	-	4	-	-	-
Concord	256	-	-	1	-	2	-
Cornville	732	-	-	-	-	-	1
Detroit	461	-	-	1	-	1	-
Embden	529	-	-	1	-	-	-
Fairfield	4,658	-	-	5	-	5	-
Harmony	794	-	-	-	1	-	-
Hartland	1,200	-	-	2	-	1	1
Madison	3,625	-	-	4	2	2	-
Mercer	441	-	-	-	-	1	-
Moscow	574	-	-	1	-	-	-
New Portland	882	-	-	2	1	-	3
Norridgewock	1,653	-	-	3	1	1	2

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

TABLE
Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated population in 1914.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Palmyra	978	-	-	-	-	-	-
Pittsfield	2,891	-	-	1	-	-	3
Ripley	434	-	-	-	-	-	-
St. Albans	1,027	-	-	-	1	-	-
Skowhegan	5,405	1	-	10	1	-	6
Smithfield	427	-	-	-	-	-	-
Solon	1,049	-	-	-	-	1	-
Stark	549	-	-	2	-	-	-
Brighton Pl.	274	-	-	1	-	-	-
Dead River Pl.	94	-	-	-	-	-	1
Dennistown Pl.	99	-	-	-	-	1	-
Flagstaff Pl.	162	-	-	-	-	-	-
Highland Pl.	68	-	-	1	-	1	-
Jackman Pl.	793	-	-	-	-	-	-
Lexington Pl.	237	-	-	1	-	-	-
Long Pond Pl.	265	-	-	-	-	-	-
Mayfield Pl.	67	-	-	-	-	-	-
WALDO COUNTY	23,545	-	3	18	8	13	17
Belfast	4,619	-	2	4	-	5	1
Belmont	335	-	-	-	-	1	-
Brooks	716	-	1	-	-	-	1
Burnham	733	-	-	-	-	-	1
Frankfort	1,157	-	-	1	1	-	-
Freedom	480	-	-	-	-	2	-
Islesboro	877	-	-	1	-	-	-
Jackson	416	-	-	-	-	-	-
Knox	511	-	-	-	2	-	-
Liberty	650	-	-	-	-	-	1
Lincolnville	1,020	-	-	-	-	1	2
Monroe	872	-	-	2	-	1	-
Montville	850	-	-	-	-	-	-
Morrill	353	-	-	1	1	-	-
Northport	518	-	-	-	-	-	1
Palermo	690	-	-	-	-	-	-
Prospect	597	-	-	1	-	-	2
Searsmont	828	-	-	1	-	1	1
Searsport	1,480	-	-	1	-	1	1
Stockton Springs	1,196	-	-	-	1	-	1
Swanville	467	-	-	-	-	1	-
Thorndike	537	-	-	-	-	-	1
Troy	768	-	-	1	-	-	1
Unity	907	-	-	-	-	-	-
Waldo	386	-	-	-	-	-	1
Winterport	1,582	-	-	3	3	-	2
WASHINGTON COUNTY	*42,545	1	3	56	6	28	28
Addison	985	-	-	3	-	-	-
Alexander	390	-	-	-	-	-	-
Baileyville	1,506	-	-	3	1	2	-

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

TABLE
Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1914.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Baring.....	228	-	-	1	-	1	-
Brookton.....	237	-	-	-	-	-	-
Calais.....	6,116	-	-	7	1	3	4
Centerville.....	91	-	-	-	-	1	-
Charlotte.....	290	-	-	2	-	-	-
Cherryfield.....	1,499	-	-	-	-	2	3
Columbia.....	583	-	-	1	-	-	2
Columbia Falls.....	700	-	-	-	-	-	2
Cooper.....	190	-	-	-	-	-	1
Cutler.....	593	-	-	1	-	-	1
Danforth.....	1,376	-	-	-	-	-	-
Dennysville.....	459	-	-	1	-	1	-
East Machias.....	1,392	-	-	4	-	1	1
Eastport.....	4,961	1	1	5	-	3	5
Edmunds.....	665	-	-	-	-	-	-
Harrington.....	1,020	-	-	-	2	-	-
Jonesport.....	2,074	-	-	6	2	-	2
Lubec.....	3,506	-	-	3	-	5	-
Machias.....	2,089	-	-	2	-	-	-
Machiasport.....	1,218	-	-	2	-	1	-
Marion.....	121	-	-	1	-	1	-
Marshfield.....	178	-	-	-	-	-	-
Meddybemps.....	124	-	-	1	-	2	-
Milbridge.....	1,550	-	1	4	-	-	-
Northfield.....	81	-	-	2	-	-	-
Pembroke.....	1,378	-	-	-	-	-	-
Perry.....	1,153	-	-	-	-	-	-
Princeton.....	1,091	-	-	3	-	-	-
Robbinston.....	691	-	-	1	-	2	2
Steuben.....	890	-	-	2	-	-	1
Topsfield.....	259	-	-	-	-	-	1
Trescott.....	461	-	-	1	-	-	-
Vancebono.....	652	-	1	-	-	1	1
Waite.....	173	-	-	-	-	1	-
Wesley.....	172	-	-	-	-	-	-
Whiting.....	368	-	-	-	-	-	1
Whitneyville.....	258	-	-	-	-	-	-
Grand Lake Stream Pl.....	317	-	-	-	-	-	1
No. 14 Pl.....	82	-	-	-	-	-	-
No. 21 Pl.....	81	-	-	-	-	-	-
YORK COUNTY.....	70,669	5	3	73	14	74	36
Acton.....	603	-	-	1	-	-	-
Alfred.....	890	-	-	-	-	-	-
Berwick.....	2,098	-	-	2	1	-	1
Biddeford.....	17,451	-	-	12	3	26	3
Buxton.....	1,675	2	-	5	-	1	1
Cornish.....	954	-	-	1	2	-	-
Dayton.....	395	-	-	1	-	-	-
Eliot.....	1,558	1	-	3	1	1	-
Hollis.....	1,288	-	-	2	-	-	-
Kennebunk.....	3,099	-	-	3	1	3	2
Kennebunkport.....	2,133	-	-	3	1	1	3
Kittery.....	3,797	-	-	3	-	1	1
Lebanon.....	1,316	-	-	3	-	-	-

TABLE

Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1914.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Limerick.....	1,001	-	-	4	-	1	-
Limington.....	980	-	-	3	-	-	-
Lyman.....	615	-	-	1	-	-	3
Newfield.....	620	-	-	-	-	-	-
North Berwick.....	1,789	-	-	3	-	-	-
Old Orchard.....	961	-	-	-	1	-	-
Parsonsfield.....	1,057	-	-	1	-	-	-
Saco.....	6,767	-	1	6	-	10	7
Sanford.....	10,237	1	2	4	-	18	1
Shapleigh.....	691	-	-	-	1	-	1
South Berwick.....	2,935	1	-	2	-	4	3
Waterboro.....	997	-	-	1	2	-	4
Wells.....	1,908	-	-	4	-	1	6
York.....	2,854	-	-	3	1	7	-

TABLE No. 37.
Number of Deaths from Several Specified Causes of Each Sex, in Each Month, which were Registered during Twenty-three years, 1892-1914.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Typhoid fever.	Consumption.	Diarrhea and enteritis, (under 2 years.)	Pneumonia.	Bronchitis.	Cerebral hemorrhage, apoplexy.
Totals.....	958	605	1,558	3,237	4,105	22,832	11,786	23,805	4,901	15,695
Males.....	456	285	745	1,621	2,364	10,388	-	11,815	2,246	7,629
Females.....	500	320	813	1,615	1,740	12,443	-	11,983	2,655	8,066
Not stated.....	2	-	-	1	1	1	-	7	-	-
January.....	90	50	155	345	313	1,983	179	3,410	609	1,449
February.....	83	52	128	280	265	1,922	146	3,265	588	1,393
March.....	101	80	133	212	337	2,313	184	3,536	653	1,392
April.....	115	60	127	209	302	2,247	186	2,938	556	1,312
May.....	120	50	116	231	281	2,217	199	2,338	452	1,355
June.....	98	51	129	186	226	1,897	300	1,250	316	1,233
July.....	96	27	126	174	203	1,807	1,478	604	220	1,145
August.....	52	26	156	187	324	1,723	3,782	524	154	1,228
September.....	33	38	146	232	508	1,606	3,388	742	207	1,247
October.....	54	49	98	352	564	1,715	1,419	1,247	331	1,286
November.....	64	69	113	424	421	1,585	324	1,623	354	1,264
December.....	52	53	128	405	354	1,801	198	2,317	455	1,387
Not stated.....	-	-	3	-	7	16	3	11	6	4

NOTES ON DEATHS AND THE CAUSES OF DEATHS.

The number of deaths registered in the year 1914, was 11,648. This was 96 more than for the preceding year, 1913. A glance at the following tabulation will show that the death-rate, based upon the estimated population of all but the census year, 1910, has, upon the whole, lessened considerably. In the year for which this report is made the death-rate is lower than for the preceding year, namely, 15.24.

YEARS.	Total deaths.	Males.	Females.	Not stated.	Death-rate per 1,000.
1892.....	12,147	5,939	6,175	33	18.19
1893.....	11,134	5,557	5,551	26	16.59
1894.....	11,012	5,570	5,422	20	16.33
1895.....	10,464	5,226	5,228	10	15.44
1896.....	10,626	5,350	5,268	8	15.60
1897.....	11,236	5,624	5,606	6	16.42
1898.....	10,956	5,506	5,447	3	15.93
1899.....	11,370	5,676	5,686	8	16.45
1900.....	11,389	5,734	5,649	6	16.40
1901.....	11,133	5,604	5,523	6	15.94
1902.....	10,673	5,454	5,216	3	15.19
1903.....	11,009	5,629	5,378	2	15.58
1904.....	11,346	5,868	5,468	10	15.97
1905.....	11,381	5,835	5,545	1	15.92
1906.....	11,427	5,925	5,497	5	15.90
1907.....	11,803	6,100	5,700	3	16.33
1908.....	11,664	6,060	5,602	2	16.05
1909.....	11,295	5,743	5,551	1	15.45
1910.....	12,439	6,427	6,012	-	16.62
1911.....	11,731	6,119	5,612	-	15.68
1912.....	11,390	5,865	5,523	2	15.27
1913.....	11,522	6,003	5,549	-	15.35
1914.....	11,648	6,161	5,487	-	15.24
Average.....	11,340	5,782	5,551	7	15.90

By referring to Table No. 3, it will be seen that the lowest death-rate was in Piscataquis County, being only 11.91. The counties Aroostook, Franklin, Hancock, Oxford, Piscataquis, Somerset, and Washington had lower death-rates than that of

the whole State; while the counties Androscoggin, Cumberland, Kennebec, Knox, Penobscot, Sagadahoc, Waldo, and York had death-rates larger than that of the State. The highest county death-rate was that of Lincoln, 17.97.

The death-rate in the cities was 17.25 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, 18.36 in 1895, 18.78 in 1896, 20.11 in 1897, 19.74 in 1898, 18.10 in 1899, 18.34 in 1900, 17.90 in 1901, 17.03 in 1902, 17.16 in 1903, 18.00 in 1904, 16.79 in 1905, 17.25 in 1906, 18.18 in 1907, 17.03 in 1908, 16.63 in 1909, 19.13 in 1910, 17.78 in 1911, 17.79 in 1912, and 17.52 in 1913), as compared with that of the rest of the State with the cities omitted, which death-rate was 14.06, (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, 14.77 in 1895, 14.93 in 1896, 15.68 in 1897, 15.24 in 1898, 15.52 in 1899, 15.47 in 1900, 15.13 in 1901, 14.58 in 1902, 13.39 in 1903, 15.54 in 1904, 15.49 in 1905, 14.71 in 1906, 15.60 in 1907, 15.54 in 1908, 14.85 in 1909, 14.96 in 1910, 14.74 in 1911, 13.83 in 1912, and 14.11 in 1913).

LARGEST NUMBER.		SMALLEST NUMBER.	
1892	January	1,577	November 790
1893	August	1,080	November 796
1894	January	1,266	November 761
1895	March	1,053	June 715
1896	August	1,079	November 667
1897	March	1,259	June 769
1898	September	1,147	June 791
1899	February	1,049	June 768
1900	April	1,196	November 769
1901	March	1,132	June 789
1902	December	998	June 805
1903	January	1,006	June 786
1904	April	1,116	July 800
1905	March	1,197	July 768
1906	August	1,133	January 822
1907	March	1,177	July 844
1908	January	1,128	June 818
1909	March	1,178	July 831
1910	March	1,149	June 844
1911	March	1,223	June 791
1912	January	1,052	November 836
1913	March	1,180	July 791
1914	March	1,105	June 817

Seasons and Mortality.—The largest number of deaths occurred in March, 1,104. The smallest number of deaths in any one month was 817 in June. During the spring months 3,235 deaths occurred; during the summer, 2,523; during the autumn, 2,894; in the winter, 2,990. The table on page 169 shows the month in which the largest and the smallest number of deaths occurred in the years 1892-1914.

The following is a tabular statement of the number of deaths in each quarter of the twenty-three years 1892-1914.

	1st Quarter.	2d Quarter.	3d Quarter.	4th Quarter.
1892.....	3,964	2,926	2,780	2,427
1893.....	2,653	2,825	2,878	2,750
1894.....	3,166	2,660	2,774	2,402
1895.....	2,780	2,412	2,764	2,503
1896.....	2,728	2,717	2,836	2,339
1897.....	3,026	2,681	2,856	2,671
1898.....	2,567	2,641	2,964	2,782
1899.....	3,416	2,632	2,767	2,544
1900.....	2,879	3,057	2,909	2,536
1901.....	3,178	2,688	2,637	2,610
1902.....	2,787	2,503	2,585	2,774
1903.....	2,946	2,705	2,723	2,615
1904.....	3,100	2,961	2,603	2,670
1905.....	3,187	2,810	2,786	2,581
1906.....	2,735	2,794	3,135	2,747
1907.....	3,423	2,989	2,597	2,785
1908.....	3,114	2,817	2,932	2,799
1909.....	3,050	2,820	2,629	2,796
1910.....	3,286	2,962	3,117	3,074
1911.....	3,402	2,873	2,801	2,651
1912.....	3,133	2,835	2,657	2,657
1913.....	3,343	2,800	2,797	2,611
1914.....	3,157	2,947	2,692	2,846
Average.....	3,087	2,785	2,792	2,660

The following table shows the number of deaths which have occurred in each of the twelve months in each of the years from 1892 to 1914:

DEATHS IN EACH MONTH FOR THE YEARS 1892-1914.

YEAR.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892.....	1,577	1,292	1,095	1,048	1,045	833	866	938	976	844	790	793	50	12,147
1893.....	849	845	959	1,037	969	819	823	1,080	975	917	796	1,037	28	11,134
1894.....	1,266	980	920	993	851	816	865	953	956	821	761	820	10	11,012
1895.....	906	821	1,053	854	843	715	803	938	1,023	902	743	858	5	10,464
1896.....	863	921	944	942	961	814	845	1,079	912	833	667	839	6	10,626
1897.....	916	851	1,259	1,020	892	769	840	1,019	997	999	835	837	2	11,236
1898.....	887	817	863	915	935	791	814	1,003	1,147	1,034	837	911	2	10,956
1899.....	1,432	1,049	935	965	899	768	783	1,031	953	882	781	881	11	11,370
1900.....	903	881	1,095	1,196	1,068	793	839	1,033	1,037	911	769	856	8	11,389
1901.....	955	1,091	1,132	955	944	789	836	831	970	882	831	897	20	11,133
1902.....	876	900	929	939	919	805	837	861	911	854	820	998	24	10,673
1903.....	1,006	944	996	989	930	786	901	865	957	865	831	919	20	11,009
1904.....	985	1,035	1,080	1,116	1,038	807	800	896	907	909	817	944	12	11,346
1905.....	981	1,009	1,197	1,023	957	830	768	1,006	1,012	958	824	799	17	11,381
1906.....	822	853	1,060	985	961	848	885	1,133	1,117	920	885	942	16	11,427
1907.....	1,118	1,128	1,177	1,069	973	947	844	898	855	932	875	978	9	11,803
1908.....	1,128	985	1,001	1,045	954	818	820	1,033	1,079	990	890	919	2	11,664
1909.....	985	887	1,178	1,022	960	838	831	886	912	979	872	945	-	11,295
1910.....	1,101	1,036	1,149	1,103	1,015	844	913	1,120	1,084	1,034	1,013	1,027	-	12,439
1911.....	1,094	1,085	1,223	1,057	1,025	791	951	964	886	890	823	938	4	11,731
1912.....	1,052	1,034	1,047	1,014	980	841	881	873	903	907	836	1,022	-	11,390
1913.....	1,099	1,064	1,180	982	991	827	791	1,030	976	857	823	931	1	11,552
1914.....	1,055	997	1,105	1,065	1,065	817	832	874	986	988	920	938	6	11,648
Total.....	23,856	22,505	24,577	23,334	22,175	18,706	19,368	22,344	22,531	21,108	19,039	21,029	253	260,825

NOTES ON DEATHS AND CAUSES OF DEATHS.

Table No. 27 exhibits the total number of deaths which occurred in each month of the years 1907-1914. The number of deaths for 1914 in each month by counties is shown in Table No. 30.

Sex and Mortality.—Of the 11,648 decedents, 6,161 were males and 5,487 were females.

Among children dying before they were 5 years old, 1,103 were males and 854 were females; there were 249 more deaths among boys under 5 years of age than among girls within the same age-period. At the age-periods from 5 to 80 years, there was also a preponderance of deaths among males, but from 80 to 100, more among females. At the age of 100 years and over three males and one female died. See Table No. 30.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under	1 year of age	1,428	12.26 per cent.
From	1-5 years of age	529	4.55 per cent.
From	5-10 years of age	214	1.83 per cent.
From	10-20 years of age	369	3.17 per cent.
From	20-30 years of age	632	5.42 per cent.
From	30-40 years of age	698	5.99 per cent.
From	40-50 years of age	822	7.06 per cent.
From	50-60 years of age	1,161	9.96 per cent.
From	60-70 years of age	1,799	15.44 per cent.
From	70-80 years of age	2,332	20.02 per cent.
From	80-90 years of age	1,385	11.89 per cent.
From	90-100 years of age	240	2.07 per cent.
	100 years of age and over	4	0.03 per cent.
	Ages not stated	35	0.31 per cent.

The Causes of Death.—Compared with 1913, among the chief causes of death there were in 1914, 2 more from pneumonia, 2 more from diphtheria and croup, 3 more from bronchitis, 19 more from diabetes, 28 more from typhoid fever, 42 more from diseases of heart, 50 more from whooping cough, 58 more from diseases of nervous system, and 82 more from nephritis and Bright's disease.

On the other hand there were 98 less from influenza, 92 less from diarrheal diseases, 46 less from tuberculosis, 25 less from

measles, 15 less from cancer, 8 less from rheumatism, and 1 less from scarlet fever.

The next table gives a cursory view of the relative mortality in 1913 and 1914 from some of the leading causes of death.

DEATHS FROM SOME OF THE LEADING CAUSES.

DISEASES.	1913.	1914.	More in 1913.	More in 1914.
Measles.....	65	40	25	-
Scarlet fever.....	17	16	1	-
Influenza.....	186	88	98	-
Whooping cough.....	35	85	-	50
Diphtheria and croup.....	89	91	-	2
Typhoid fever.....	93	121	-	28
Tuberculosis.....	977	931	46	-
Diarrheal diseases.....	633	541	92	-
Rheumatism.....	50	42	8	-
Cancer.....	838	823	15	-
Diabetes.....	128	147	-	19
Diseases of nervous system.....	1,407	1,465	-	58
Diseases of heart.....	1,442	1,484	-	42
Pneumonia.....	1,146	1,148	-	2
Bronchitis.....	161	164	-	3
Nephritis and Bright's disease.....	778	860	-	82

The following table shows the mortality from ten prominent causes in the twenty-three years 1892-1914. Again this year diseases of the heart occupy first place. The various diseases of the brain have occupied the first place among the causes of death except in 1892, when pneumonia had the first place, until 1913 when it took second place, and again occupies it this year.

Pulmonary tuberculosis was the next most prominent cause until 1898 when it was reduced to the third place in the list; in 1899 and 1900 it occupied the fourth place; in 1901, the third place; in 1902, 1903, 1904, 1905, 1906, 1907, 1908, 1909, 1910, and 1911 it occupied the fourth place; in 1912 it had fifth place; in 1913 it declined to the sixth place, and holds that again this year. Pneumonia has the third place.

MORTALITY FROM TEN PROMINENT CAUSES, 1892-1914.

YEARS.	Brain disease.*	Heart disease.	Pneumonia.	Pulmonary tuberculosis.	Kidney disease.†	Cancer.	Old age.	Diarrhea and enteritis (under 2 years.)	Bronchitis.	Diphtheria and croup.
1892.....	3d	4th	1st	2d	8th	7th	5th	6th	9th	10th
1893.....	1st	4th	3d	2d	8th	7th	5th	6th	9th	10th
1894.....	1st	4th	3d	2d	8th	6th	5th	7th	9th	10th
1895.....	1st	3d	4th	2d	8th	7th	5th	6th	9th	10th
1896.....	1st	3d	4th	2d	8th	7th	5th	6th	10th	9th
1897.....	1st	3d	4th	2d	8th	7th	5th	6th	10th	9th
1898.....	1st	2d	4th	3d	8th	7th	6th	5th	9th	10th
1899.....	1st	3d	2d	4th	8th	7th	5th	6th	9th	10th
1900.....	1st	3d	2d	4th	8th	7th	5th	6th	9th	10th
1901.....	1st	2d	4th	3d	8th	6th	5th	7th	9th	10th
1902.....	1st	2d	3d	4th	7th	6th	5th	8th	9th	10th
1903.....	1st	2d	3d	4th	6th	7th	5th	8th	9th	10th
1904.....	1st	2d	3d	4th	6th	7th	5th	8th	9th	10th
1905.....	1st	2d	3d	4th	7th	6th	5th	8th	9th	10th
1906.....	1st	2d	3d	4th	5th	7th	8th	6th	9th	10th
1907.....	1st	2d	3d	4th	5th	6th	7th	8th	9th	10th
1908.....	1st	2d	3d	4th	6th	5th	8th	7th	9th	10th
1909.....	1st	2d	3d	4th	6th	5th	7th	8th	9th	10th
1910.....	1st	2d	3d	4th	5th	6th	8th	7th	9th	10th
1911.....	1st	2d	3d	4th	5th	6th	7th	8th	9th	10th
1912.....	1st	2d	3d	5th	6th	4th	7th	8th	9th	10th
1913.....	2d	1st	3d	6th	5th	4th	7th	8th	9th	10th
1914.....	2d	1st	3d	6th	4th	5th	7th	8th	9th	10th

* Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain and its membranes, and other brain diseases.

† Including deaths certified as from nephritis and Bright's disease.

By referring to Table No. 32 it will be noticed that the causes of death are arranged by counties under fourteen classes. The following notes on some of the classes and individual causes of death will be arranged in accordance with the classification shown in this Table No. 32.

Infectious Diseases.—The lists of the infectious diseases usually include smallpox, measles, scarlet fever, typhoid fever, whooping cough, diphtheria and croup. The following table shows the number of deaths which resulted from these diseases in the several counties of the State.

SIX INFECTIOUS DISEASES BY COUNTIES—1914.

COUNTIES.	Estimated population in 1914.	Aggregate deaths from six infectious diseases—1914.	Infectious death-rate per 10,000—1914.
Androscoggin	62,278	20	3.21
Aroostook	80,232	72	8.97
Cumberland	116,991	59	5.04
Franklin	19,391	3	1.55
Hancock	36,239	4	1.10
Kennebec	64,991	22	3.39
Knox	29,218	6	2.05
Lincoln	18,234	10	5.48
Oxford	38,414	13	3.38
Penobscot	88,801	46	5.18
Piscataquis	21,057	7	3.32
Sagadahoc	18,581	11	5.92
Somerset	37,281	6	1.61
Waldo	23,545	6	2.54
Washington	43,837	28	6.39
York	70,669	42	5.94
State	769,759	255	4.61

In the foregoing table the second column shows for each county the whole number of deaths for 1914 from the infectious diseases; the third column shows the infectious death-rate for the same year. The following table makes a similar comparative exhibit for the cities:

SIX INFECTIOUS DISEASES BY CITIES—1914.

CITIES.	Estimated population in 1914.	Aggregate deaths from six infectious diseases—1914.	Infectious death-rate per 10,000—1914.
Auburn.....	15,908	4	2.51
Augusta.....	13,823	8	5.79
Bangor.....	25,983	18	6.92
Bath.....	9,396	8	8.51
Belfast.....	4,619	5	10.82
Biddeford.....	17,451	13	7.45
Brewer.....	5,999	5	8.33
Calais.....	6,116	1	1.63
Eastport.....	4,961	3	6.04
Ellsworth.....	3,549	-	-
Gardiner.....	5,311	-	-
Hallowell.....	2,924	1	3.42
Lewiston.....	27,239	9	3.30
Old Town.....	6,537	8	12.19
Portland.....	61,943	43	7.94
Rockland.....	8,182	3	3.67
Saco.....	6,767	5	7.40
South Portland.....	7,943	1	1.25
Waterville.....	12,250	4	3.26
Westbrook.....	8,681	2	2.30
Collectively.....	255,582	141	5.51

By consulting the following table it will be seen that the number of deaths from whooping cough, diphtheria and croup, typhoid fever and tetanus was larger than in 1913.

There was a smaller number of deaths from measles, scarlet fever and influenza, while the number of deaths from smallpox remained the same as in 1913.

INFECTIOUS DISEASES 1907-1914.

DISEASES.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	Total.
Smallpox.....	-	-	-	-	-	4	2	2	8
Measles.....	33	21	36	95	29	59	65	40	378
Scarlet fever.....	14	17	32	40	15	16	17	16	167
Influenza.....	278	241	170	125	200	93	186	88	1,331
Whooping cough.....	72	80	58	104	77	54	35	85	565
Diphtheria and croup	122	105	112	99	77	97	89	91	792
Tetanus.....	7	6	5	11	9	2	2	7	50
Typhoid fever.....	124	151	110	149	135	102	93	121	985

Smallpox.—No deaths were due to this disease from 1892, when our system of registration went into effect until 1899, when there were three deaths; in 1900, 2; in 1902, 12; in 1903, 7; and in 1904, 3. In 1911, as in 1910, 1909, 1908, 1907, 1906, 1905, and 1901, there were no deaths from smallpox. In 1912 there were 4 deaths from this cause, all children, in 1913, 2 deaths occurred, and in 1914, 2 again, one of which was a man 44 years, the other an infant.

Measles.—This disease caused the death of 40 persons of whom 20 were males and 20 females. The deaths from measles were 29 in 1892, 55 in 1893, 21 in 1894, 8 in 1895, 32 in 1896, 22 in 1897, 41 in 1898, 39 in 1899, 84 in 1900, 26 in 1901, 28 in 1902, 36 in 1903, 22 in 1904, 32 in 1905, 105 in 1906, 33 in 1907, 21 in 1908, 36 in 1909, 95 in 1910, 29 in 1911, 59 in 1912, and 65 in 1913.

The death-rate for the state was 0.52, and for the cities 0.39.

MEASLES BY COUNTIES, MONTHS, AND AGE-PERIODS 1896-1914.

By Counties.	By Months.	By Age-Periods.
Androscoggin..... 97	January..... 76	Under 1..... 246
Aroostook..... 141	February..... 77	1-5..... 321
Cumberland..... 117	March..... 81	5-10..... 63
Franklin..... 21	April..... 99	10-20..... 56
Hancock..... 24	May..... 104	20-30..... 40
Kennebec..... 67	June..... 88	30-40..... 35
Knox..... 26	July..... 85	40-50..... 28
Lincoln..... 8	August..... 47	50-60..... 18
Oxford..... 45	September..... 31	Over 60..... 35
Penobscot..... 82	October..... 50	Not stated..... 3
Piscataquis..... 13	November..... 60	Total..... 845
Sagadahoc..... 8	December..... 47	
Somerset..... 63	Total..... 845	
Waldo..... 17		
Washington..... 43		
York..... 73		
State..... 845		

Scarlet Fever.—The total mortality from this disease was 16 (36 in 1892, 80 in 1893, 29 in 1894, 25 in 1895, 33 in 1896, 38 in 1897, 43 in 1898, 48 in 1899, 35 in 1900, 18 in 1901, 13 in 1902, 18 in 1903, 10 in 1904, 7 in 1905, 5 in 1906, 14 in 1907, 17 in 1908, 32 in 1909, 40 in 1910, 15 in 1911, 16 in 1912, and 17 in 1913. Ten males and 6 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was in the month of June, 4 deaths having occurred. There were 3 deaths in the first quarter, 6 in the second, 3 in the third, and 4 in the last quarter of the year.

Aroostook county had 2 deaths from scarlet fever; Cumberland, 3; Kennebec, 3; Oxford, 1; Penobscot, 5; and York, 2. Of the 16 deaths from this cause, 11 were in the cities.

The following is the exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the twenty-two years, 1893-1914.

SCARLET FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1914.

By Counties.	By Months.	By Age-Periods.
Androscoggin 52	January 42	Under 1 53
Aroostook 85	February 48	1-5 262
Cumberland 62	March 76	5-10 161
Franklin 10	April 55	10-20 62
Hancock 25	May 46	20-30 19
Kennebec 49	June 48	30-40 8
Knox 29	July 27	40-50 1
Lincoln 5	August 26	50-60 2
Oxford 9	September 37	Not stated 1
Penobscot 59	October 47	Total 569
Piscataquis 11	November 66	
Sagadahoc 16	December 51	
Somerset 18	Total 569	
Waldo 14		
Washington 23		
York 102		
State 569		

The scarlatinal death-rate per 10,000 for this State was 0.21; for the cities, 0.43.

Influenza.—During the year for which this report is made, 88 deaths were attributed to influenza. By months the percentage distribution of deaths from this cause was as follows: January, 10.21; February, 9.09; March, 14.77; April, 21.59; May, 17.05; June, 3.41; July, 2.28; October, 4.55; November, 10.23; December, 6.82. The following shows the age incidence of deaths reported as having occurred from influenza:

Under 1 year, 17	30-40 years, 2
1-5 years, 8	40-50 years, 2
5-10 years, 3	50-60 years, 4
10-20 years, 1	60-70 years, 8
20-30 years, 0	70-80 years, 24
	Over 80 years, 19

The influenza death-rate for the whole State was 1.14 for each 10,000 living population (11.43 in 1892, 2.31 in 1893, 4.46 in 1894, 2.30 in 1895, 1.77 in 1896, 4.45 in 1897, 2.19 in 1898, 5.50 in 1899, 3.40 in 1900, 3.83 in 1901, 1.87 in 1902, 2.82 in 1903, 2.39 in 1904, 3.40 in 1905, 1.52 in 1906, 3.85 in 1907, 3.32 in 1908, 2.33 in 1909, 1.68 in 1910, 2.67 in 1911, 1.24 in 1912, and 2.47 in 1913).

DEATHS FROM INFLUENZA BY COUNTIES AND MONTHS, 1914.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin.....	1	-	1	2	1	-	-	-	-	-	2	-	7
Aroostook.....	1	2	2	6	4	-	-	-	-	2	4	1	22
Cumberland.....	3	-	3	3	-	-	-	-	-	-	-	1	10
Franklin.....	-	-	-	-	1	-	-	-	-	-	-	-	1
Hancock.....	-	1	-	1	2	1	-	-	-	1	-	-	6
Kennebec.....	1	-	1	1	-	1	-	-	-	-	1	1	6
Knox.....	2	-	2	-	-	-	-	-	-	-	-	2	6
Lincoln.....	-	-	1	-	1	-	-	-	-	-	-	-	2
Oxford.....	-	3	-	2	-	-	1	-	-	-	-	-	6
Penobscot.....	-	-	-	1	2	1	-	-	-	1	-	1	6
Piscataquis.....	-	-	-	-	1	-	-	-	-	-	-	-	1
Sagadahoc.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Somerset.....	-	1	1	3	1	-	-	-	-	-	1	-	7
Waldo.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington.....	-	-	1	-	-	-	1	-	-	-	-	-	2
York.....	-	1	1	-	2	-	-	-	-	-	1	-	5
State.....	9	8	13	19	15	3	2	-	-	4	9	6	88

Whooping Cough.—The number of deaths from whooping cough was 85 (54 in 1892, 51 in 1893, 20 in 1894, 82 in 1895, 111 in 1896, 46 in 1897, 44 in 1898, 96 in 1899, 99 in 1900, 28 in 1901, 51 in 1902, 110 in 1903, 54 in 1904, 38 in 1905, 109 in 1906, 72 in 1907, 80 in 1908, 58 in 1909, 104 in 1910, 77 in 1911, 54 in 1912, and 35 in 1913,) of which 46 were males and 39 females. The number of deaths in the cities was 22. Fifty-five of the 85 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping cough was 1.10 per 10,000; that of the cities, 0.86.

The following shows the deaths from whooping cough arranged by counties, months, and age-periods.

WHOOPING COUGH BY COUNTIES, MONTHS, AND AGE-PERIODS, 1914.

By Counties.	By Months.	By Age-Periods.
Androscoggin..... 5	January..... 7	Under 1..... 55
Aroostook..... 15	February..... 7	1-5..... 25
Cumberland..... 16	March..... 4	5-10..... 4
Franklin..... 1	April..... 8	Over 10..... 1
Hancock..... -	May..... 7	Total..... 85
Kennebec..... 4	June..... 7	
Knox..... 1	July..... 6	
Lincoln..... 7	August..... 10	
Oxford..... 4	September..... 5	
Penobscot..... 9	October..... 8	
Piscataquis..... -	November..... 6	
Sagadahoc..... 1	December..... 10	
Somerset..... 3	Total..... 85	
Waldo..... -		
Washington..... 15		
York..... 4		
State..... 85		

Diphtheria.—There were for the year 1914, 91 deaths from diphtheria. Of the decedents, 52 were males and 39 were females. Ages: Under 1, 9; 1-5, 40; 5-10, 31; 10-20, 6; 20-30, 2; 30-40, 2; 70-80, 1.

Of the 91 deaths, 39 were in the cities, and 52 in other places. The diphtheria death-rate for the State was 1.18, and for the cities, 1.52. The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

DIPHTHERIA BY COUNTIES AND MONTHS, 1914.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin...	1	1	-	-	-	-	-	-	1	1	1	1	5	0.80
Aroostook.....	-	3	2	1	2	2	-	3	1	4	2	-	20	2.49
Cumberland....	-	1	-	1	1	-	-	-	2	4	4	1	14	1.19
Franklin.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock.....	-	-	-	-	-	-	-	-	-	-	1	1	2	0.55
Kennebec.....	1	1	-	-	1	-	-	-	1	1	1	1	7	1.07
Knox.....	-	-	-	-	-	-	1	-	-	-	-	-	1	0.34
Lincoln.....	-	-	-	-	-	-	-	1	-	-	-	-	1	0.54
Oxford.....	1	1	1	-	-	-	-	-	-	-	-	-	3	0.78
Penobscot.....	-	-	-	1	-	-	-	-	1	2	4	-	8	0.90
Piscataquis....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc.....	-	-	1	3	-	3	-	-	-	-	-	1	8	4.30
Somerset.....	-	-	-	-	-	-	-	-	1	-	1	-	2	0.53
Waldo.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington....	-	-	1	-	-	-	-	-	-	-	-	-	1	0.22
York.....	3	1	-	2	1	-	1	-	2	3	3	3	19	2.68
State.....	6	8	5	8	5	5	2	4	9	15	17	7	91	1.18

The following tabulation shows the number of deaths from diphtheria for the twenty-two years 1893-1914 arranged by counties, months, and age-periods:

DIPHTHERIA BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1914.

By Counties.		By Months.		By Age-Periods.	
Androscoggin.....	366	January.....	325	Under 1.....	379
Aroostook.....	531	February.....	266	1-5.....	1,365
Cumberland.....	569	March.....	200	5-10.....	791
Franklin.....	48	April.....	194	10-20.....	340
Hancock.....	70	May.....	205	20-30.....	66
Kennebec.....	265	June.....	170	30-40.....	31
Knox.....	111	July.....	161	40-50.....	20
Lincoln.....	38	August.....	177	50-60.....	13
Oxford.....	93	September.....	211	60-70.....	6
Penobscot.....	235	October.....	327	Over 70.....	8
Piscataquis.....	32	November.....	406	Not stated.....	6
Sagadahoc.....	90	December.....	380	Total.....	3,025
Somerset.....	108	Not stated.....	3		
Waldo.....	35	Total.....	3,025		
Washington.....	129				
York.....	305				
State.....	3,025				

The following table shows the number of deaths from diphtheria in each of the cities in each year from 1900 to 1914; the diphtheria death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Diphtheria

CITIES.	1900.		1901.		1902.		1903.		1904.		1905.		1906.	
		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.
Auburn.....	2	1.54	2	1.52	-	-	2	1.49	3	2.30	1	0.72	4	2.86
Augusta.....	-	-	2	1.70	1	0.84	-	-	-	-	3	2.45	1	0.81
Bangor.....	2	0.92	2	0.90	4	1.79	-	-	3	1.31	-	-	5	2.13
Bath.....	2	1.91	5	4.69	3	2.77	7	6.36	14	1.52	4	3.52	-	-
Belfast.....	-	-	2	4.22	-	-	-	-	1	1.95	-	-	1	1.86
Biddeford.....	8	4.96	3	1.84	5	3.03	7	4.20	6	3.57	9	5.29	1	0.58
Brewer.....	1	2.07	-	-	-	-	-	-	3	5.89	-	-	2	3.83
Calais.....	1	1.31	-	-	1	1.29	1	1.29	-	-	-	-	1	1.27
Eastport.....	2	3.77	1	1.87	1	1.85	-	-	-	-	-	-	-	-
Ellsworth.....	-	-	1	2.33	-	-	-	-	1	2.33	-	-	-	-
Gardiner.....	-	-	4	7.27	-	-	2	3.63	-	-	-	-	1	1.82
Hallowell.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewiston.....	17	7.15	7	2.92	1	0.41	5	2.05	7	2.85	2	0.81	2	0.80
Old Town.....	-	-	-	-	3	5.13	1	1.70	3	5.05	4	6.68	11	18.23
Portland.....	18	3.59	24	4.71	15	2.89	9	1.71	18	3.36	10	1.85	13	2.36
Rockland.....	-	-	1	1.23	1	1.23	-	-	-	-	-	-	6	7.36
Saco.....	2	3.27	2	3.26	1	1.63	1	1.63	1	1.63	1	1.63	-	-
South Portland.....	-	-	-	-	3	3.99	3	3.90	1	1.27	1	1.25	1	1.22
Waterville.....	1	1.06	1	1.03	3	3.01	5	4.91	5	4.80	5	4.69	3	2.75
Westbrook.....	10	13.73	2	2.72	-	-	1	1.34	4	5.30	2	2.63	3	3.91
Total.....	66	2.92	59	2.58	42	1.82	44	1.88	70	2.96	42	1.75	55	2.27
State.....	155	2.23	127	1.82	115	1.64	115	1.63	162	2.28	110	1.54	119	1.66
State exclusive of cities.....	89	1.90	68	1.45	73	1.55	71	1.51	92	1.95	68	1.44	64	1.36

in the Cities and the State, 1900-1914.

1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	1912.	Death-rate per 10,000.	1913.	Death-rate per 10,000.	1914.	Death-rate per 10,000.	Total.	Death-rate per 10,000
6	4.24	6	4.19	2	1.38	2	1.33	4	2.62	4	2.58	6	3.81	3	1.88	47	2.16
4	3.20	2	3.17	2	1.57	-	-	-	-	-	-	1	0.73	3	2.17	19	1.07
5	2.10	1	0.42	1	0.41	1	0.40	2	0.80	6	2.36	-	-	3	1.15	35	0.97
2	1.71	-	-	-	-	5	5.32	-	-	2	2.18	1	1.10	6	6.38	51	2.49
-	-	-	-	1	1.90	1	2.16	-	-	-	-	-	-	-	-	6	0.80
2	1.15	3	1.71	15	8.35	8	4.68	4	2.33	8	4.63	3	1.72	7	4.01	89	3.47
-	-	2	3.74	-	-	-	-	-	-	-	-	-	-	1	1.66	9	1.14
-	-	-	-	1	1.25	2	3.27	1	1.64	-	-	-	-	-	-	8	0.75
-	-	4	7.10	4	7.05	4	8.06	1	2.02	1	2.04	1	2.03	-	-	19	2.38
-	-	2	4.05	-	-	-	-	-	-	-	-	-	-	-	-	4	0.58
1	1.82	-	-	2	3.63	-	-	-	-	-	-	3	5.73	-	-	13	1.59
-	-	-	-	3	1.11	1	3.49	-	-	-	-	-	-	-	-	4	0.31
6	2.38	10	3.94	6	2.34	10	3.81	5	1.89	6	2.24	3	1.11	1	0.36	88	2.34
4	6.58	1	1.63	-	-	1	1.58	1	1.57	-	-	1	1.52	1	1.53	31	3.41
7	1.24	11	1.92	13	2.23	9	1.54	7	1.18	5	0.83	6	0.98	10	1.61	175	2.13
6	7.36	1	1.23	3	3.68	-	-	-	-	-	-	1	1.22	-	-	19	1.55
1	1.62	1	1.62	1	1.62	1	1.52	1	1.51	1	1.50	5	7.48	3	4.43	22	2.29
3	3.58	-	-	-	-	-	-	-	-	2	2.60	1	1.28	-	-	15	1.27
7	6.29	4	3.52	2	1.74	3	2.62	-	-	5	4.22	2	1.65	1	0.81	47	2.87
6	7.75	3	3.84	2	2.54	1	1.21	3	3.57	-	-	2	2.32	-	-	39	3.39
60	2.46	51	2.08	58	2.34	49	1.99	29	1.16	40	1.61	36	1.42	39	1.52	740	2.03
122	1.70	105	1.44	112	1.53	99	1.33	77	1.03	97	1.29	89	1.04	91	1.18	1,695	1.56
62	1.31	54	1.12	54	1.12	50	1.01	48	0.96	57	1.14	53	1.05	52	1.01	955	1.32

Typhoid Fever.—There were 121 deaths from typhoid fever. Of these 77 were males and 44 were females. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value; 76 per cent. died between 10 and 50 years of age. Ages: 1-5, 7; 5-10, 7; 10-20, 17; 20-30, 35; 30-40, 27; 40-50, 14; 50-60, 11; 60-70, 2; 70-80, 1.

The largest number of deaths, 20, occurred in October, while the months of March and July each had 6, the smallest number. By quarters, 25 were in the first quarter, 29 in the second, 23 in the third, and 44 in the last quarter of the year.

The typhoid death-rate of 2.19 in the cities is much greater than that in the villages and rural towns, which is 1.26. The rate for the State is 1.57.

The following exhibits the number of deaths from typhoid fever in each county, by months, with death-rate in each county.

TYPHOID FEVER, 1914.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	-	-	1	-	3	2	-	-	-	1	-	-	7	1.12
Aroostook	4	4	-	4	-	3	1	1	-	5	3	-	25	3.12
Cumberland	1	-	2	1	2	1	1	-	4	4	5	3	24	2.05
Franklin	-	1	-	-	-	-	-	-	-	-	1	-	2	1.03
Hancock	-	-	-	-	-	-	1	-	-	1	-	-	2	0.55
Kennebec	-	1	-	-	1	-	-	-	-	2	2	-	6	0.92
Knox	-	-	-	-	-	-	-	-	1	1	2	-	4	1.37
Lincoln	-	-	-	-	-	-	-	-	-	-	1	-	1	0.54
Oxford	-	-	-	-	-	-	-	-	1	1	-	1	3	0.78
Penobscot	2	3	-	2	3	-	2	1	1	2	1	1	18	2.03
Piscataquis	-	-	3	2	-	1	-	-	-	1	-	-	7	3.32
Sagadahoc	1	-	-	-	-	-	1	-	-	-	-	-	2	1.07
Somerset	-	-	-	-	-	-	-	-	-	-	-	1	1	0.27
Waldo	1	-	-	-	1	1	-	3	-	-	-	-	6	2.51
Washington	-	-	-	-	1	-	-	-	-	-	2	-	3	0.68
York	-	1	-	-	1	-	-	3	2	2	-	1	10	1.41
State	9	10	6	9	12	8	6	8	9	20	17	7	121	1.57

The following exhibits for the twenty-two years, 1893-1914 the distribution of deaths from typhoid fever by counties, months and age-periods:

TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1914.

By Counties.		By Months.		By Age-Periods.	
Androscoggin.....	326	January.....	303	Under 1.....	23
Aroostook.....	355	February.....	262	1-5.....	147
Cumberland.....	586	March.....	325	5-10.....	219
Franklin.....	82	April.....	298	10-20.....	866
Hancock.....	145	May.....	268	20-30.....	1,168
Kennebec.....	372	June.....	215	30-40.....	596
Knox.....	102	July.....	195	40-50.....	378
Lincoln.....	68	August.....	309	50-60.....	228
Oxford.....	161	September.....	468	60-70.....	142
Penobscot.....	666	October.....	522	70-80.....	85
Piscataquis.....	87	November.....	382	Over 80.....	18
Sagadahoc.....	69	December.....	341	Not stated.....	25
Somerset.....	131	Not stated.....	7	Total.....	3,895
Waldo.....	87	Total.....	3,895		
Washington.....	198				
York.....	460				
State.....	3,895				

The following table shows the number of deaths from typhoid fever in each of the cities in each year from 1900 to 1914, the typhoid death-rate of each city based upon the estimated population of each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Typhoid Fever

CITIES.	1900.		1901.		1902.		1903.		1904.		1905.		1906.	
		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.
Auburn.....	4	3.09	-	-	1	0.75	1	0.74	1	0.73	2	1.45	-	-
Augusta.....	4	3.42	9	7.63	4	3.36	29	24.11	5	4.12	6	4.89	7	5.66
Bangor.....	4	1.83	24	10.85	7	3.12	10	4.41	39	16.99	17	7.32	10	4.26
Bath.....	1	0.95	1	0.94	2	1.85	1	0.91	2	1.79	1	0.88	-	-
Belfast.....	-	-	-	-	-	-	1	2.00	2	3.91	1	1.91	-	-
Biddeford.....	16	9.91	19	11.65	10	6.07	8	4.80	10	5.94	13	7.65	3	1.75
Brewer.....	1	2.07	7	14.29	1	2.01	-	-	3	5.89	1	1.94	1	1.92
Calais.....	2	2.61	3	3.90	3	3.88	2	2.58	-	-	3	3.83	4	5.08
Eastport.....	-	-	2	3.74	1	1.85	1	1.84	-	-	-	-	1	1.80
Ellsworth.....	2	4.65	-	-	2	4.65	2	4.65	1	2.33	-	-	-	-
Gardiner.....	1	1.82	2	3.64	1	1.82	1	1.82	-	-	-	-	-	-
Hallowell.....	-	-	4	14.73	2	7.37	1	3.68	1	3.68	-	-	-	-
Lewiston.....	15	6.31	13	5.42	2	0.83	3	1.23	9	3.66	8	3.23	8	3.20
Old Town.....	3	5.21	7	12.05	5	8.54	9	15.26	19	31.97	5	8.35	6	9.94
Portland.....	19	3.79	15	2.94	15	2.89	17	3.23	16	2.99	14	2.58	9	1.63
Rockland.....	1	1.23	1	1.23	1	1.23	1	1.23	2	2.45	1	1.23	3	3.68
Saco.....	6	9.80	5	8.16	4	6.52	5	8.15	5	8.14	2	3.25	-	-
South Portland.....	-	-	-	-	1	1.33	3	3.90	1	1.27	1	1.25	-	-
Waterville.....	2	2.11	7	7.20	7	7.03	17	16.69	2	1.92	2	1.87	-	-
Westbrook.....	1	1.37	1	1.36	2	2.70	3	4.01	3	3.98	2	2.63	-	-
Total.....	82	3.68	120	5.25	71	3.07	115	4.91	121	5.11	79	3.30	52	2.15
State.....	196	2.82	224	3.21	162	2.31	225	3.18	242	3.41	156	2.18	133	1.85
State, exclusive of cities.....	114	2.43	104	2.22	91	1.94	110	2.34	121	2.57	77	1.63	81	1.72

Malarial Diseases.—About every year a few deaths have been reported to the department as having been caused by malaria, or malarial disease. Almost without exception when there was good reason to believe that the deaths had malarial cause, the infection was contracted outside the State. For the year 1910, no deaths were reported as having been caused by malaria, for 1911 only 3, for 1912, 2; for 1913, 4; and for 1914, 5.

in the Cities and the State, 1900-1914.

1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	1912.	Death-rate per 10,000.	1913.	Death-rate per 10,000.	1914.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
-	-	2	1.40	-	-	3	1.99	1	0.65	2	1.29	1	0.66	-	-	18	0.85
3	2.40	5	3.96	3	2.35	4	3.03	3	2.24	3	2.22	1	0.75	-	-	86	4.67
7	2.94	7	2.90	9	2.70	8	2.23	21	8.57	7	2.76	10	4.03	12	4.61	192	5.35
2	1.71	-	-	-	-	1	1.06	3	2.84	1	1.08	1	1.06	1	1.07	17	1.08
-	-	-	-	1	1.90	2	4.33	-	-	1	2.17	1	2.17	5	10.82	14	1.95
3	1.73	-	-	4	2.26	3	1.86	2	1.16	2	1.16	1	0.58	2	1.14	96	3.84
2	3.78	2	3.74	1	1.85	2	4.14	-	-	-	-	1	1.77	-	-	22	2.89
6	7.59	2	2.52	3	3.76	-	-	-	-	-	-	1	1.63	-	-	29	2.49
-	-	-	-	-	-	-	-	1	2.03	-	-	-	-	2	4.03	8	1.02
-	-	1	2.33	2	4.65	1	2.82	-	-	1	2.94	2	6.01	-	-	14	2.34
-	-	-	-	1	1.82	-	-	-	-	-	-	-	-	-	-	6	0.73
2	7.36	-	-	1	3.68	-	-	-	-	-	-	-	-	-	-	11	2.70
5	1.91	8	3.15	1	0.39	2	0.76	3	1.13	2	0.75	4	1.48	3	1.10	86	2.30
8	13.16	6	9.80	3	4.86	3	4.75	2	3.77	2	3.11	2	3.04	4	6.12	84	9.33
11	1.96	22	4.01	15	2.58	31	5.29	21	3.53	23	3.82	9	1.47	21	3.39	258	3.08
1	1.23	-	-	3	3.67	-	-	2	2.45	2	2.44	5	6.11	2	2.45	25	2.04
-	-	-	-	-	-	-	-	2	3.02	-	-	-	-	-	-	29	3.14
-	-	2	2.79	-	-	2	2.68	1	1.34	1	1.30	-	-	-	-	12	1.06
1	0.90	3	2.64	1	0.87	6	5.24	1	0.86	-	-	3	2.48	3	2.45	55	3.48
-	-	1	1.28	-	-	2	2.42	1	1.19	-	-	-	-	1	1.15	17	1.47
51	2.08	61	2.48	48	1.93	70	2.85	64	2.57	47	1.88	42	1.66	56	2.19	1,079	3.01
124	1.73	151	2.08	110	1.51	149	2.01	135	1.80	102	1.36	93	1.23	121	1.57	2,323	2.15
73	1.54	90	1.88	62	1.28	79	1.60	71	1.42	55	1.10	51	1.01	65	1.26	1,244	1.73

Tuberculosis.—In 1914 tuberculosis in its various forms was the cause of 931 deaths (1,513 in 1892, 1,446 in 1893, 1,443 in 1894, 1,397 in 1895, 1,359 in 1896, 1,338 in 1897, 1,239 in 1898, 1,241 in 1899, 1,223 in 1900, 1,250 in 1901, 1,165 in 1902, 1,076 in 1903, 1,217 in 1904, 1,109 in 1905, 1,176 in 1906, 1,214 in 1907, 1,145 in 1908, 1,059 in 1909, 1,117 in 1910, 1,054 in 1911, 995 in 1912, and 977 in 1913.) The death-rate per 10,000 from this cause was 12.09.

The following table shows the number of deaths from tuberculosis (all kinds) in each county by months, with the death-rate in each county.

TUBERCULOSIS (ALL KINDS) BY COUNTIES AND MONTHS, 1914.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death rate per 10,000.
Androscoggin.	6	9	10	10	9	7	9	3	14	7	5	5	94	15.09
Aroostook....	4	7	6	6	8	7	4	8	5	1	5	5	66	8.22
Cumberland..	18	7	14	20	11	8	14	14	5	12	12	6	141	12.05
Franklin.....	1	5	4	3	1	1	-	3	3	2	-	1	24	12.37
Hancock.....	5	3	9	4	5	-	3	2	1	3	1	4	40	11.03
Kennebec.....	4	10	7	13	4	4	5	8	5	8	4	11	83	12.77
Knox.....	2	1	6	3	3	5	4	1	5	4	2	2	38	13.00
Lincoln.....	-	3	3	-	4	-	1	2	-	-	2	1	16	8.77
Oxford.....	3	1	3	6	5	1	3	-	5	-	3	3	33	8.59
Penobscot....	9	7	18	17	13	12	11	6	9	9	3	12	126	14.19
Piscataquis...	1	3	5	3	1	1	1	2	2	2	-	-	21	9.97
Sagadahoc....	3	2	1	3	4	2	1	2	1	2	2	-	23	12.37
Somerset.....	4	4	8	3	3	3	4	5	1	1	1	5	42	11.26
Waldo.....	3	-	-	2	8	2	3	2	4	-	-	-	24	10.19
Washington...	6	10	7	11	5	3	3	5	5	8	3	7	73	16.65
York.....	6	6	7	9	15	4	8	4	6	6	8	8	87	12.33
State.....	75	78	108	113	99	60	74	67	71	65	51	70	931	12.09

The following table shows the deaths from tuberculosis (all kinds) arranged according to sex and age-periods.

TUBERCULOSIS (ALL KINDS) BY SEX AND AGE-PERIODS, 1914.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	19	17	14	40	115	84	68	49	51	25	2	1	485
Females.....	13	17	12	66	118	84	53	38	25	14	5	1	446
Total.....	32	34	26	106	233	168	121	87	76	39	7	2	931

The following table shows the number of deaths from tuberculosis in each of the cities in each year from 1900 to 1914, the tuberculosis death-rate of each city based upon the estimated

Deaths and Death-Rates from Tuberculosis

CITIES.	1900.		1901.		1902.		1903.		1904.		1905.		1906.	
	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.
Auburn.....	20	15.44	21	16.00	8	6.02	18	13.37	20	14.67	17	12.32	18	12.88
Augusta.....	21	17.97	22	18.65	18	15.11	20	16.63	22	18.11	22	17.94	18	14.54
Bangor.....	34	15.56	51	23.05	48	21.43	37	16.31	58	25.27	51	21.96	48	20.43
Bath.....	22	21.00	31	29.10	19	17.55	13	11.80	15	13.42	20	17.61	11	9.54
Belfast.....	12	26.00	9	18.98	11	22.60	12	24.03	10	19.53	8	15.25	6	11.17
Biddeford.....	28	17.34	38	23.29	37	22.44	37	22.21	39	23.18	29	17.06	45	26.21
Brewer.....	18	37.23	15	30.62	7	14.10	11	21.88	16	31.42	21	40.73	18	34.48
Calais.....	19	24.82	24	31.20	12	15.52	13	16.74	14	17.95	17	21.69	12	15.24
Eastport.....	13	24.48	17	31.77	9	16.69	10	18.41	10	18.27	13	23.58	13	23.41
Ellsworth.....	5	11.64	8	18.62	5	11.64	7	16.29	3	6.98	5	11.64	8	18.62
Gardiner.....	9	16.36	8	14.54	11	19.99	8	14.53	8	14.53	7	12.71	5	9.08
Hallowell.....	11	40.53	7	25.79	6	22.11	8	29.48	3	11.05	8	29.48	9	33.16
Lewiston.....	45	18.94	33	13.77	51	21.10	28	11.49	41	16.68	42	16.94	58	23.20
Old Town.....	11	19.09	10	17.22	14	23.92	14	23.74	16	26.92	19	31.72	17	28.17
Portland.....	109	21.74	124	24.32	120	23.16	98	18.61	102	19.07	100	18.41	101	18.31
Rockland.....	18	22.09	18	22.09	15	18.40	23	28.22	20	24.54	18	22.09	12	14.72
Saco.....	9	14.70	10	16.32	7	11.42	8	13.04	12	19.54	13	21.15	8	13.01
South Portland.....	13	18.12	11	14.97	9	11.97	12	15.61	15	19.08	9	11.21	13	15.85
Waterville.....	15	15.83	13	13.38	9	9.04	18	17.67	19	18.23	16	15.01	17	15.60
Westbrook.....	16	21.97	22	29.94	11	14.84	10	13.37	11	14.58	10	13.14	12	15.64
Total.....	448	19.83	492	21.52	427	18.45	405	17.30	454	19.17	445	18.57	449	18.53
State.....	1223	17.61	1250	17.90	1165	16.58	1076	15.23	1217	17.13	1109	15.52	1176	16.36
State exclusive of cities.....	775	16.54	758	16.16	738	15.71	671	14.27	763	16.20	664	14.08	727	12.40

population for each of these years, the same facts for the State, as a whole, and for the State exclusive of the cities :

(all kinds) in the Cities and the State, 1900-1914.

1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	1912.	Death-rate per 10,000.	1913.	Death-rate per 10,000.	1914.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
28	19.80	17	11.88	21	14.51	19	12.61	13	8.51	22	14.20	22	13.97	18	11.31	282	13.16
20	16.01	24	19.03	33	25.83	32	24.22	25	18.71	23	17.02	30	21.90	21	15.19	351	18.46
54	22.71	47	19.54	60	24.67	55	22.17	45	17.93	50	19.69	45	17.46	48	18.47	731	20.44
9	7.69	14	11.79	10	8.29	14	14.90	5	4.74	16	17.43	7	7.72	12	12.77	218	24.06
7	12.73	9	17.14	5	9.52	10	21.65	15	32.48	7	15.16	9	19.45	9	19.48	139	19.01
38	21.92	49	27.96	34	19.19	42	24.59	38	22.13	33	19.11	36	20.71	23	13.18	546	21.36
14	26.50	4	7.48	10	18.48	12	21.18	7	11.74	14	24.00	8	13.52	5	8.33	180	23.14
14	17.70	13	16.36	10	12.53	15	24.53	18	30.19	10	17.22	18	31.84	14	22.89	223	21.09
10	17.88	8	14.20	17	29.97	17	34.27	9	18.27	4	8.18	6	12.18	10	20.16	166	20.78
3	6.98	6	13.97	7	12.34	5	14.09	3	8.63	3	8.83	7	21.05	7	19.72	82	13.40
14	25.42	12	21.78	11	19.96	7	13.18	15	28.30	6	11.38	9	17.19	5	9.41	135	16.56
8	29.48	8	29.48	6	22.11	4	13.97	5	17.37	8	27.64	6	20.73	5	17.10	102	24.63
57	22.62	52	20.47	36	14.05	52	19.81	45	16.99	50	18.70	53	19.22	47	17.25	690	18.08
14	23.03	18	29.40	11	17.83	12	19.00	8	12.55	20	31.12	8	12.15	8	12.23	200	21.87
104	18.57	104	18.13	105	18.04	76	12.98	100	16.83	100	16.60	98	13.05	85	13.72	1,526	18.10
16	19.63	13	15.95	7	8.59	8	9.79	15	18.35	10	12.23	16	19.56	12	14.66	221	18.06
12	19.49	7	11.36	6	9.73	7	10.63	6	9.05	5	7.49	5	7.44	10	14.77	125	13.28
11	13.14	7	9.76	7	11.13	19	25.43	10	13.39	-	-	8	10.22	6	7.55	150	13.16
23	20.65	16	14.07	15	13.03	27	23.56	20	17.16	14	11.81	17	14.05	12	9.79	251	15.26
10	12.92	12	15.38	10	12.71	15	18.11	11	13.11	15	17.69	13	15.11	13	14.97	191	16.36
466	19.01	440	17.91	421	16.96	448	18.24	413	16.58	410	16.41	421	16.67	370	14.47	6,509	17.97
1214	16.91	1145	15.75	1059	14.49	1117	15.05	1054	14.09	995	13.23	977	12.91	931	12.09	16708	15.38
748	15.82	705	14.65	638	13.22	669	13.47	641	12.84	585	11.65	556	11.02	561	10.91	10199	13.93

Cerebral Tuberculosis.—(Tubercular Meningitis.)—The number of deaths was 87; 49 were of males and 38 of females.

The number for the cities was 37. The death-rate for the State was 1.13; for the cities, 1.45.

Ages: Under 1, 13; 1-5, 24; 5-10, 19; 10-20, 7; 20-30, 7; 30-40, 4; 40-50, 4; 50-60, 7; 60-70, 2.

Pulmonary Tuberculosis.—(Consumption.)—From this cause 712 deaths were registered in 1914, which is equivalent to a death-rate of 9.25 per 10,000 of population. The death-rate for the cities was 11.23. The following is a tabular arrangement of the number of deaths in the State from pulmonary tuberculosis in each of the twenty-three registration years, together with the death-rate from consumption for each year:

	Number of deaths.	Death-rate per 10,000.
1892	1,352	20.24
1893	1,299	19.35
1894	1,262	18.80
1895	1,195	17.71
1896	1,172	17.21
1897	1,128	16.47
1898	1,021	14.85
1899	1,015	14.69
1900	1,027	14.79
1901	1,033	14.87
1902	970	13.97
1903	901	12.97
1904	1,016	14.63
1905	894	12.50
1906	915	12.73
1907	950	13.14
1908	893	12.29
1909	830	11.36
1910	889	11.98
1911	842	11.25
1912	780	10.37
1913	736	9.72
1914	712	9.25

There were in 1914, 640 fewer deaths than in 1892, 587 fewer than in 1893, 550 fewer than in 1894, 483 fewer than in 1895, 460 fewer than in 1896, 416 fewer than in 1897, 309 fewer than in 1898, 303 fewer than in 1899, 315 fewer than in 1900, 321 fewer than in 1901, 258 fewer than in 1902, 189 fewer than in 1903, 304 fewer than in 1904, 182 fewer than in 1905, 203 fewer than in 1906, 238 fewer than in 1907, 181 fewer than in 1908, 118 fewer than in 1909, 177 fewer than in 1910, 130 fewer than in 1911, 68 fewer than in 1912, and 24 fewer than in 1913.

Ages: Under 1, 9; 1-5, 4; 5-10, 4; 10-20, 76; 20-30, 199; 30-40, 143; 40-50, 100; 50-60, 70; 60-70, 66; 70-80, 33; 80 and over, 6.

It is thus shown in this report, that the smallest number of deaths occurred at the age periods 1-5 and 5-10 years, and that of the decedents, 80 per cent died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 373 of the decedents, or 52.39 per cent. were males; and 339, or 47.61 per cent., were females.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

PULMONARY TUBERCULOSIS BY COUNTIES AND MONTHS, 1914.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	6	8	7	7	7	5	7	2	13	7	2	3	74	11.88
Aroostook....	3	4	5	3	6	6	1	8	5	1	4	3	49	6.10
Cumberland..	14	5	12	16	7	7	10	10	5	9	11	4	110	9.40
Franklin.....	1	4	3	3	1	1	-	3	3	2	-	1	22	11.38
Hancock.....	4	2	7	4	1	-	2	2	1	1	-	4	28	7.72
Kennebec.....	4	9	4	12	4	4	4	7	4	6	3	11	72	11.07
Knox.....	2	1	5	3	2	3	3	1	3	3	2	1	29	9.92
Lincoln.....	-	2	2	-	2	-	-	1	-	-	1	1	9	4.93
Oxford.....	3	1	1	3	4	1	3	-	3	-	3	1	23	5.98
Penobscot....	8	5	10	11	10	8	7	6	6	3	3	11	88	9.90
Piscataquis..	1	3	4	2	1	-	1	1	1	2	-	-	16	7.55
Sagadahoc....	2	2	1	3	3	1	1	2	1	2	2	-	20	10.76
Somerset.....	2	2	7	2	2	3	3	4	-	1	1	5	32	8.59
Waldo.....	3	-	-	-	6	2	2	-	4	-	-	-	17	7.22
Washington...	6	5	6	8	5	3	3	3	5	4	2	4	54	12.31
York.....	4	6	7	8	13	2	6	2	6	4	5	6	69	9.76
State.....	63	59	81	85	74	46	53	52	60	45	39	55	712	9.25

The following table shows the deaths from pulmonary tuberculosis arranged according to sex and age-periods:

PULMONARY TUBERCULOSIS BY SEX AND AGE-PERIODS, 1914.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	6	2	-	27	100	71	56	41	45	22	2	1	373
Females.....	3	2	4	49	99	72	44	29	21	11	4	1	339
Total.....	9	4	4	76	199	143	100	70	66	33	6	2	712

For the twenty-two years, 1893-1914, the distribution of deaths from pulmonary tuberculosis is shown by counties, months, and age-periods in the following table:

**PULMONARY TUBERCULOSIS BY COUNTIES,
MONTHS AND AGE-PERIODS, 1893-1914.**

By Counties.	By Months.	By Age-periods.
Androscoggin 1,709	January 1,837	Under 1 307
Aroostook 1,494	February 1,815	1-5 303
Cumberland 3,167	March 2,183	5-10 179
Franklin 482	April 2,120	10-20 2,489
Hancock 1,098	May 2,085	20-30 6,119
Kennebec 1,967	June 1,783	30-40 4,133
Knox 1,063	July 1,705	40-50 2,652
Lincoln 553	August 1,618	50-60 2,018
Oxford 818	September 1,508	60-70 1,726
Penobscot 2,574	October 1,590	70-80 1,158
Piscataquis 477	November 1,569	Over 80 318
Sagadahoc 574	December 1,710	Not stated 78
Somerset 1,046	Not stated 17	Total 21,480
Waldo 832	Total 21,480	
Washington 1,576		
York 2,050		
State 21,480		

The following table shows the number of deaths from pulmonary tuberculosis in each of the cities in each year from 1900 to 1914, the death-rate from this disease for each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Pulmonary Tuberculosis

CITIES.	1900.		1901.		1902.		1903.		1904.		1905.		1906.	
		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.
Auburn.....	17	13.13	14	10.67	7	5.27	14	10.40	13	9.53	12	8.69	14	10.02
Augusta.....	18	15.41	20	16.95	14	11.75	16	13.30	21	17.29	21	17.13	15	12.12
Bangor.....	28	12.81	36	16.27	40	17.86	31	13.67	47	20.48	39	16.79	35	14.89
Bath.....	19	18.13	29	27.22	13	12.01	13	11.80	11	9.84	19	16.73	8	6.94
Belfast.....	11	23.84	8	16.87	7	14.38	10	20.02	7	13.67	8	15.25	4	7.44
Biddeford.....	26	16.10	34	20.84	35	21.23	31	18.61	36	21.40	20	11.77	31	18.06
Brewer.....	12	24.82	12	29.49	5	10.07	8	15.91	14	27.49	16	31.03	11	21.07
Calais.....	14	18.29	20	26.00	10	12.93	9	11.59	10	12.82	16	20.41	12	15.24
Eastport.....	12	22.59	15	28.03	9	16.69	7	12.89	7	12.79	12	21.77	11	19.81
Ellsworth.....	5	11.64	8	18.62	5	11.64	7	16.29	2	4.65	4	9.31	6	13.96
Gardiner.....	8	14.54	5	9.09	9	16.35	7	12.72	8	14.53	7	12.71	3	5.45
Hallowell.....	10	36.85	7	25.79	5	18.42	7	25.79	3	11.05	8	29.48	8	29.48
Lewiston.....	40	16.83	25	10.43	46	19.03	21	8.61	33	13.42	31	12.51	43	17.20
Old Town.....	10	17.35	9	15.50	10	17.09	10	16.95	14	23.56	18	30.06	13	21.54
Portland.....	82	16.35	101	19.81	88	16.98	80	15.19	82	15.33	77	14.17	77	13.96
Rockland.....	17	20.86	17	20.85	15	18.40	20	24.54	16	19.63	18	22.09	10	12.27
Saco.....	9	14.70	7	11.42	3	4.89	8	13.04	10	16.28	12	19.52	8	13.01
South Portland....	9	12.55	11	14.97	8	10.64	9	11.71	13	16.54	2	2.49	11	13.41
Waterville.....	14	14.77	10	10.30	7	7.03	16	15.70	15	14.39	14	13.13	15	13.76
Westbrook.....	14	19.22	17	23.14	8	10.79	9	12.04	11	14.58	8	10.51	12	15.64
Total.....	375	16.60	405	17.71	344	14.87	333	14.22	373	15.75	362	15.11	347	14.32
State.....	1027	14.79	1033	14.71	970	13.81	901	12.75	1016	14.30	894	12.51	915	12.73
State exclusive of cities.....	652	13.92	628	13.39	626	13.33	568	12.08	643	13.65	532	11.28	568	12.03

in the Cities and in the State, 1900-1914.

	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	1912.	Death-rate per 10,000.	1913.	Death-rate per 10,000.	1914.	Death-rate per 10,000.	Total.	Death-rate, per 10,000.
20	14.14	15	10.48	17	11.74	15	9.96	12	7.85	18	11.62	16	10.16	12	7.54	216	10.08	
18	14.41	19	15.07	30	23.48	28	21.19	20	14.97	16	11.84	24	17.51	20	14.47	300	15.79	
40	16.82	36	14.97	45	18.50	41	16.53	37	14.74	40	14.97	32	12.42	33	12.69	560	15.63	
6	5.13	12	10.10	9	7.47	12	12.77	5	4.74	11	11.98	5	5.51	10	10.64	173	11.40	
6	10.91	9	17.14	4	7.62	8	17.32	11	23.82	2	4.34	8	17.32	6	12.99	109	14.66	
31	17.88	37	21.11	26	14.68	34	19.91	30	17.47	29	17.38	27	16.11	18	10.31	445	17.52	
10	18.93	3	5.61	8	14.78	11	19.41	5	8.70	11	18.85	4	6.76	3	5.00	133	17.19	
10	12.64	12	15.10	9	11.28	12	19.62	15	25.16	8	13.78	15	26.53	11	17.98	183	17.29	
10	17.88	4	7.10	14	24.68	15	30.24	7	14.21	3	6.55	6	12.18	10	20.15	142	17.84	
3	6.98	5	11.64	5	11.64	3	8.45	2	5.76	3	8.83	4	12.03	4	11.27	105	10.85	
11	19.98	6	10.89	9	16.33	6	11.30	12	22.64	4	7.58	6	11.46	4	7.53	105	12.87	
7	25.79	8	29.48	5	18.42	4	13.97	5	17.37	8	27.64	4	13.82	5	17.09	94	22.69	
43	17.06	38	14.96	26	10.15	39	14.86	34	12.83	42	15.70	39	14.42	40	14.69	540	14.18	
14	23.03	11	17.97	9	14.59	8	12.66	7	10.99	16	26.45	4	6.08	5	7.65	158	17.43	
78	13.93	68	11.85	78	13.40	63	12.56	73	12.29	78	12.94	74	12.07	67	10.81	1,166	14.10	
14	17.18	10	12.27	3	3.68	6	7.34	10	12.23	10	12.23	14	17.11	8	9.77	188	15.36	
11	17.87	4	6.49	5	8.11	2	3.04	6	9.05	4	5.99	3	4.46	6	8.86	98	10.45	
8	9.55	6	8.36	4	6.36	13	17.40	10	13.39	-	-	3	3.83	4	5.03	111	9.75	
17	15.27	12	10.55	12	10.43	24	20.95	18	15.44	11	9.28	15	12.40	9	7.34	209	12.71	
8	10.34	10	12.81	9	11.44	11	13.28	10	11.93	10	11.79	10	11.63	12	13.38	159	13.50	
365	14.99	325	13.22	327	13.18	355	14.45	329	13.21	324	12.97	313	12.39	287	11.23	5,164	14.28	
950	13.14	893	12.29	830	11.36	889	11.98	842	11.25	780	10.37	736	9.72	712	9.25	13388	12.33	
585	12.37	568	11.81	503	10.42	534	10.75	513	10.27	456	9.08	423	8.38	425	8.26	8,224	11.40	

Abdominal Tuberculosis.—There were 65 deaths from this cause, 30 males and 35 females.

Ages: Under 1, 4; 1-5, 3; 5-10, 3; 10-20, 11; 20-30, 13; 30-40, 10; 40-50, 9; 50-60, 6; over 60, 6.

Acute Miliary Tuberculosis.—There were 15 deaths from this cause, 8 males and 7 females.

Ages: 10-20, 4; 20-30, 4; 30-40, 3; over 40, 4.

Tuberculosis, Other Forms.—Of these deaths, 52 in all, the cause assigned was: Disseminated tuberculosis, 26; tuberculosis of kidneys, 6; tuberculosis of bones, 1; tuberculosis of glands, 2; tuberculosis of bladder, 2; scrofulosis, 2; Pott's disease, 14; white swellings, 4; lupus, 2; tuberculosis of liver, 3.

There were 23 deaths from erysipelas; 33 from pyemia and septicemia, and 30 from puerperal fever—giving a special death-rate of 0.39. The following shows the distribution of puerperal fever by months and counties:

January	3	Androscoggin	5
February	3	Aroostook	6
March	1	Cumberland	4
April	4	Franklin	0
May	2	Hancock	1
June	2	Kennebec	2
July	3	Knox	0
August	1	Lincoln	0
September	1	Oxford	1
October	3	Penobscot	5
November	4	Piscataquis	0
December	3	Sagadahoc	1
		— Somerset	3
Total	30	Waldo	0
		Washington	0
		York	2
		—————	
		Total	30

Twenty-five deaths were returned under alcoholism. The special death-rate from alcoholism was 0.32.

Rheumatism.—The returns give 42 deaths from this cause, (68 in 1892, 46 in 1893, 66 in 1894, 56 in 1895, 44 in 1896, 42 in 1897, 57 in 1898, 56 in 1899, 56 in 1900, 53 in 1901, 45 in 1902, 58 in 1903, 60 in 1904, 60 in 1905, 54 in 1906, 47 in 1907, 47 in 1908, 45 in 1909, 56 in 1910, 58 in 1911, 65 in 1912, and 50 in 1913), 13 were males and 29 females. Twenty-four of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.54, and that in the cities was 0.94. The following shows the deaths from this cause arranged by counties, months, and age-groups:

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS, 1914.

By Counties.		By Months.		By Age-periods.	
Androscoggin.....	5	January.....	2	Under 1.....	1
Aroostook.....	2	February.....	4	1-5.....	2
Cumberland.....	11	March.....	4	5-10.....	3
Franklin.....	1	April.....	3	10-20.....	2
Hancock.....	1	May.....	5	20-30.....	5
Kennebec.....	2	June.....	1	30-40.....	1
Knox.....	1	July.....	2	40-50.....	4
Lincoln.....	-	August.....	7	50-60.....	5
Oxford.....	2	September.....	4	60-70.....	8
Penobscot.....	7	October.....	4	70-80.....	7
Piscataquis.....	1	November.....	4	Over 80.....	4
Sagadahoc.....	-	December.....	2	To al.....	42
Somerset.....	-	Total.....	42		
Waldo.....	3				
Washington.....	3				
York.....	3				
State.....	42				

The following shows the distribution of deaths from rheumatism by counties, months, and age-periods for the twenty-two years, 1893-1914.

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1914.

By Counties.		By Months.		By Age-periods.	
Androscoggin.....	66	January.....	114	Under 1.....	8
Aroostook.....	83	February.....	129	1-5.....	21
Cumberland.....	174	March.....	96	5-10.....	44
Franklin.....	25	April.....	86	10-20.....	99
Hancock.....	54	May.....	109	20-30.....	73
Kennebec.....	99	June.....	64	30-40.....	75
Knox.....	53	July.....	95	40-50.....	91
Lincoln.....	38	August.....	98	50-60.....	154
Oxford.....	71	September.....	79	60-70.....	236
Penobscot.....	139	October.....	80	70-80.....	259
Piscataquis.....	38	November.....	105	Over 80.....	101
Sagadahoc.....	35	December.....	106	Not stated.....	3
Somerset.....	63	Not stated.....	3	Total.....	1,164
Waldo.....	54	Total.....	1,164		
Washington.....	60				
York.....	112				
State.....	1,164				

Cancer.—From cancer in its various forms and locations there were 823 deaths (404 in 1892, 433 in 1893, 474 in 1894, 480 in 1895, 518 in 1896, 463 in 1897, 531 in 1898, 541 in 1899, 526 in 1900, 570 in 1901, 615 in 1902, 598 in 1903, 611 in 1904, 662 in 1905, 617 in 1906, 737 in 1907, 710 in 1908, 727 in 1909, 762 in 1910, 738 in 1911, 828 in 1912, and 838 in 1913). Of the decedents, 286 were males and 537 were females. The cancer death-rate for the State was 10.60.

Distributed as to its more frequent locations, there died of cancer of the stomach, 186; peritoneum and intestines, 131; female genital organs, 136; liver, 120; breast, 77; skin, 26; buccal cavity, 19; abdomen, 10; neck, 7; kidney, 5; prostate, 8; bladder, 12; glands, 9; pelvis, 7; lungs, 6; eye, 3; larynx, 1; hand, 3; arm, 1; throat, 7; jaw, 9; brain, 3; leg, 1; hip, 2; chest, 3; spleen, 4; pancreas, 10; shoulder, 1; various, 5; unspecified, 11.

The deaths from cancer, arranged by sex and age-periods of the decedents, are exhibited in the following:

CANCER BY SEX AND AGE-PERIODS, 1914.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	-	-	-	1	2	5	21	46	92	81	37	1	286
Females.....	-	3	-	1	8	30	80	114	142	112	46	1	537
Total.....	-	3	-	2	10	35	101	160	234	193	83	2	823

The distribution of cancer by counties and age-groups and the special death-rate for each county are shown in the following for 1914, and for the twenty-two years, 1893-1914:

CANCER, 1914 AND 1893-1914.

COUNTIES.	1914.		1893-1914.		AGE-GROUPS.	Number of deaths.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.		1914.	1893-1914.
Androscoggin.....	87	13.96	1,100	8.95	Under 1.....	-	16
Aroostook.....	48	5.98	564	3.94	1-5.....	3	24
Cumberland.....	126	10.77	2,417	10.62	5-10.....	-	13
Franklin.....	20	10.31	407	9.54	10-20.....	2	53
Hancock.....	39	10.76	703	8.70	20-30.....	10	178
Kennebec.....	75	11.54	1,264	9.53	30-40.....	35	686
Knox.....	33	11.29	657	9.88	40-50.....	101	1,710
Lincoln.....	40	21.93	479	11.06	50-60.....	160	2,893
Oxford.....	29	7.54	623	4.89	60-70.....	234	3,715
Penobscot.....	100	11.26	1,525	8.75	70-80.....	193	3,259
Piscataquis.....	17	8.07	283	7.20	Over 80 years.....	83	1,205
Sagadahoc.....	19	10.22	406	9.34	Not stated.....	2	50
Somerset.....	43	11.53	679	8.95	Total.....	823	13,802
Waldo.....	18	7.64	497	9.13			
Washington.....	56	12.77	753	7.70			
York.....	73	10.33	1,445	9.56			
State.....	823	10.69	13,802	8.84			

CANCER, 1904-1914.

	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.
Cancer of buccal cavity.....	29	25	29	28	30	28	29	23	26	20	31
Cancer of stomach and liver...	238	273	215	288	266	286	288	289	325	280	306
Cancer of peritoneum intestines and rectum.....	76	76	101	101	99	97	109	117	151	178	131
Cancer of female genital organs	78	100	92	116	100	108	105	121	120	124	136
Cancer of breast.....	57	51	49	70	64	62	77	65	61	79	77
Cancer of skin.....	27	24	30	33	42	39	38	22	30	31	26
Cancer of other organs and of organs not specified.....	106	113	101	101	109	107	116	101	115	126	116
Cancer totals.....	611	662	617	737	710	727	762	738	828	838	823

Diabetes.—The deaths from this cause numbered 147 (55 in 1892, 65 in 1893, 71 in 1894, 77 in 1895, 67 in 1896, 95 in 1897, 88 in 1898, 95 in 1899, 74 in 1900, 87 in 1901, 83 in 1902, 92 in 1903, 91 in 1904, 115 in 1905, 121 in 1906, 107 in 1907, 116 in 1908, 129 in 1909, 127 in 1910, 174 in 1911, 149 in 1912, and 128 in 1913). The special death-rate from diabetes was, therefore 1.99 in 1914. Seventy-five of the decedents were males and 72 were females.

Ages: Under 1, 1; 1-5, 1; 10-20, 6; 20-30, 6; 30-40, 8; 40-50, 14; 50-60, 23; 60-70, 42; 70-80, 42; 80-90, 4.

Old Age.—There were registered 539 deaths as due to old age, 250 men and 289 women, the old age limit not including any persons who died at an age lower than 60 years. Of these decedents, 23 were from 60 to 70 years of age; 125 were from 70 to 80; 288 were from 80 to 90; 99 were from 90 to 100, while 4 were over 100 years of age.

From Table No. 30, however, it will be seen that the whole number of persons who died at the ages between 60 and 100 years or more was 5,760, or one death in every four and eight-tenths was of a person who was between 60 and 100 years of age or older.

The following shows the number of deaths in each county of persons 60 years of age and over, and the death-rate per 10,000 of the population at all ages.

OLD AGE.

COUNTIES.	Deaths.	Rate per 10,000.	COUNTIES.	Deaths.	Rate per 10,000.
Androscoggin	429	68.88	Oxford	285	74.19
Aroostook	298	37.14	Penobscot	630	70.33
Cumberland	904	77.27	Piscataquis	97	46.06
Franklin	157	80.96	Sagadahoc	184	99.02
Hancock	311	85.81	Somerset	299	80.20
Kennebec	563	86.62	Waldo	234	99.38
Knox	298	101.99	Washington	297	67.75
Lincoln	229	125.59	York	545	77.12

Centenarians.—Among the persons whose decease occurred in 1914, three men and one woman had exceeded the age of 100 years. Their names, together with a few facts relating to their life history is as follows:

Peleg F. Pike of Wayne died May 14, at the age of 100 years, 5 months, and 3 days. He was a farmer, born in Fayette, the son of Benjamin Pike who was born in New Hampshire, while his mother, Susannah Ford was a native of Maine.

Tenster Rance of Old Town (Indian Island) died May 30, aged 101 years. He was born in St. Francis, Province of Quebec, son of Peter Rance and Margaret Main, who were also born in St. Francis.

Joshua Wright of Woodland, died July 24, having reached the age of 103 years, 3 months, and 14 days. He was born in New Brunswick of foreign parentage.

Apoline Eberre Porell, of Sanford died April 11, aged 100 years, 7 months, and 11 days. She was born in New Brunswick, daughter of Joseph Herbert Eberre and Arnestine Cormier, both born in Canada. Cause of death, paralysis.

Diseases of the Nervous System and of Organs of Special Sense.—The number of deaths registered under the causes included in this group was 1,465 (1,459 in 1892, 1,451 in 1893, 1,543 in 1894, 1,585 in 1895, 1,520 in 1896, 1,661 in 1897, 1,607 in 1898, 1,728 in 1899, 1,652 in 1900, 1,615 in 1901, 1,600 in

1902, 1,641 in 1903, 1,578 in 1904, 1,648 in 1905, 1,524 in 1906, 1,731 in 1907, 1,624 in 1908, 1,543 in 1909, 1,672 in 1910, 1,540 in 1911, 1,548 in 1912, and 1,465 in 1913), or 18.98 to every 10,000 of population.

Inflammation of the Brain or Membranes.—The number of deaths was 96 (236 in 1892, 263 in 1893, 286 in 1894, 261 in 1895, 242 in 1896, 327 in 1897, 272 in 1898, 273 in 1899, 251 in 1900, 264 in 1901, 211 in 1902, 243 in 1903, 212 in 1904, 216 in 1905, 159 in 1906, 282 in 1907, 215 in 1908, 153 in 1909, 149 in 1910, 113 in 1911, 108 in 1912, and 107 in 1913), 54 males and 42 females. Of these 35 were in the cities. The death-rate from the several diseases grouped under this head was 1.85.

Ages: Under 1, 33; 1-5, 23; 5-10, 12; 10-20, 8; 20-40, 5; 40-60, 11; over 60, 4.

Apoplexy.—From this cause 926 deaths occurred (488 in 1892, 422 in 1893, 408 in 1894, 488 in 1895, 492 in 1896, 555 in 1897, 558 in 1898, 629 in 1899, 583 in 1900, 595 in 1901, 674 in 1902, 712 in 1903, 714 in 1904, 751 in 1905, 718 in 1906, 825 in 1907, 802 in 1908, 817 in 1909, 887 in 1910, 860 in 1911, 930 in 1912, and 851 in 1913), 461 males and 465 females. Of these 316 were in the cities. The State's death-rate from apoplexy was, therefore, 12.02; that of the cities, 12.36.

The largest number of deaths from apoplexy, 256 occurred in the winter; the largest number in any one month was 93 in February.

In 1894, 1896, 1900, 1905, 1906, 1908, 1909, and 1911, the greatest mortality from this cause occurred in the spring; in 1892, 1893, 1895, 1897, 1899, 1901, 1903, 1904, 1907, 1910, 1912, and 1913 in the winter; in 1898 in the winter and spring; and in 1902 in the summer.

Conversely, the smallest number of deaths, 65 was in July; the smallest number in any one season was 216 in the summer months. Over 81 per cent. of the deaths were of persons 60 years of age and upward.

APOPLEXY BY COUNTIES AND MONTHS, 1914.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	7	9	8	8	7	9	6	4	3	5	5	8	79	12.69
Aroostook....	1	5	2	-	1	3	4	9	4	3	4	6	42	5.23
Cumberland..	13	20	11	12	8	10	10	13	10	15	15	12	149	12.74
Franklin.....	-	4	5	3	3	1	2	4	3	3	5	3	36	18.56
Hancock.....	1	2	9	3	3	2	4	3	-	2	3	3	35	9.66
Kennebec....	4	10	9	6	11	6	8	3	9	9	7	8	90	13.84
Knox.....	7	10	7	6	3	5	2	4	4	5	4	6	63	21.56
Lincoln.....	7	4	3	-	4	1	2	1	1	5	1	2	31	17.00
Oxford.....	3	3	1	-	6	7	5	5	4	5	3	6	48	12.49
Penobscot....	7	8	8	9	10	11	5	1	7	11	5	7	89	10.02
Piscataquis..	2	-	-	1	-	2	-	1	-	1	1	6	14	6.65
Sagadahoc....	2	1	6	3	3	2	2	3	5	-	2	7	36	19.37
Somerset.....	4	3	7	4	2	6	4	6	3	1	3	5	48	12.87
Waldo.....	6	2	3	5	5	6	3	1	4	6	5	1	47	19.96
Washington...	2	3	2	5	4	1	3	2	5	2	1	2	32	7.29
York.....	10	9	5	8	5	9	5	10	4	9	8	5	87	12.31
State.....	76	93	86	73	75	81	65	70	66	82	72	87	926	12.02

The following is a tabular exhibit by sex and age-groups of the deaths from apoplexy:

APOPLEXY BY SEX AND AGE-PERIODS, 1914.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	5	-	1	-	2	2	17	70	117	169	76	2	461
Females.....	2	-	-	-	4	1	14	57	119	165	103	-	465
Total.....	7	-	1	-	6	3	31	127	236	334	179	2	926

APOPLEXY, 1914 and 1896-1914.

COUNTIES.	1914.		1893-1914.	1896-1914.
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.
Androscoggin.....	79	12.69	1,269	10.99
Aroostook.....	42	5.23	491	3.60
Cumberland.....	149	12.74	2,584	11.75
Franklin.....	36	18.56	470	11.96
Hancock.....	35	9.66	670	8.69
Kennebec.....	90	13.84	1,568	12.43
Knox.....	63	21.56	791	12.86
Lincoln.....	31	17.00	480	11.67
Oxford.....	48	12.49	732	10.21
Penobscot.....	89	10.02	1,522	9.33
Piscataquis.....	14	6.65	304	8.40
Sagadahoc.....	36	19.37	523	12.34
Somerset.....	48	12.87	786	11.13
Waldo.....	47	19.96	592	11.76
Washington.....	32	7.29	735	7.72
York.....	87	12.31	1,680	12.07
State.....	926	12.02	15,197	10.20

Softening of the Brain.—From cerebral softening there were 26 deaths—those of 15 males and 11 females.

Ages: From 30-40, 1; 40-50, 1; 60-70, 7; 70-80, 10; over 80, 5.

Paralysis.—Of the 107 deaths from paralysis, 55 persons were males and 52 females.

Ages: 10-20, 2; 20-30, 1; 30-40, 1; 40-50, 5; 50-60, 12; 60-70, 23; 70-80, 41; 80-90, 17; over 90, 5.

Epilepsy.—Eighteen males and 15 females died of epilepsy, 33 in all.

Ages: 1-5, 1; 5-10, 1; 10-20, 6; 20-40, 11; 40-60, 7; over 60, 6; and 1 not stated.

Tetanus.—This disease was the cause of 7 deaths (7 in 1892, 10 in 1893, 6 in 1894, 10 in 1895, 8 in 1896, 2 in 1897, 4 in 1898, 11 in 1899, 7 in 1900, 5 in 1901, 7 in 1902, 11 in 1903, 14 in 1904, 7 in 1905, 4 in 1906, 7 in 1907, 6 in 1908, 5 in 1909, 11 in 1910, 9 in 1911, 2 in 1912, and 3 in 1913). The decedents were all males.

Ages: 5-10, 2; 10-20, 1; 20-30, 1; 30-40, 1; 50-60, 1; 60-70, 1.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, pericarditis, angina pectoris, and organic diseases of the heart, there were 1,484 deaths (816 in 1892, 875 in 1893, 940 in 1894, 948 in 1895, 1,036 in 1896, 1,062 in 1897, 1,132 in 1898, 1,028 in 1899, 1,045 in 1900, 1,076 in 1901, 1,097 in 1902, 1,153 in 1903, 1,191 in 1904, 1,222 in 1905, 1,246 in 1906, 1,381 in 1907, 1,284 in 1908, 1,330 in 1909, 1,380 in 1910, 1,348 in 1911, 1,292 in 1912, and 1,442 in 1913). The following exhibits the age and sex distribution of each form of disease for the year 1914.

DISEASES.	Under 1.	1-10.	10-20.	20-40.	40-60.	Over 60.	Not stated.	Males.	Females.	Total.
Pericarditis.....	-	-	1	2	-	8	-	4	7	11
Endocarditis.....	-	4	2	16	17	6	-	22	23	45
Organic diseases of heart.....	4	7	16	53	218	1011	3	710	602	1312
Angina pectoris.....	1	-	2	8	19	86	-	64	52	116
Total.....	5	11	21	79	254	1111	3	800	684	1484

For the year 1914, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and county:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin.....	111	17.82	Oxford.....	74	19.27
Aroostook.....	74	9.22	Penobscot.....	151	17.12
Cumberland.....	235	20.08	Piscataquis.....	32	15.19
Franklin.....	29	14.95	Sagadahoc.....	53	28.52
Hancock.....	75	20.69	Somerset.....	57	15.28
Kennebec.....	153	21.88	Waldo.....	68	28.88
Knox.....	74	25.32	Washington.....	94	21.44
Lincoln.....	57	31.26	York.....	147	20.80
			State.....	1,484	19.28

As may be noted, Lincoln county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 19.28.

The whole number of deaths from disease of the heart arranged by sex and age-groups was as follows:

HEART DISEASE BY SEX AND AGE-PERIODS 1914.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	-	1	4	8	9	23	46	106	199	286	115	3	800
Females.....	5	1	5	13	13	34	38	64	159	234	118	-	684
Total.....	5	2	9	21	22	57	84	170	358	520	233	3	1484

Diseases of the Respiratory System.—Without the inclusion of tuberculosis, 1,455 persons died from the various respiratory diseases as tabulated on page 107 (1,760 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895, 1,141 in 1896, 1,347 in 1897, 1,124 in 1898, 1,455 in 1899, 1,513 in 1900, 1,405 in 1901, 1,380 in 1902, 1,348 in 1903, 1,428 in 1904, 1,391 in 1905, 1,330 in 1906, 1,497 in 1907, 1,334 in 1908, 1,509 in 1909, 1,664 in 1910, 1,421 in 1911, 1,452 in 1912, and 1,443 in 1913). From these diseases there were therefore, 305 fewer than in 1892, 48 more than in 1893, 143 more than in 1894, 290 more than in 1895, 314 more than in 1896, 108 more than in 1897, 331 more than in 1898, no change in 1899, 58 fewer than in 1900, 50 more than in 1901, 75 more than in 1902, 107 more than in 1903, 27 more than in 1904, 64 more than in 1905, 125 more than in 1906, 42 fewer than in 1907, 121 more than in 1908, 54 fewer than in 1909, 209 fewer than in 1910, 34 more than in 1911, 3 more than in 1912, and 12 more than in 1913.

Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis, and other respiratory diseases in 1914, the number of deaths was 981 smaller than in 1892, 575 smaller than in 1893, 443 smaller than in 1894, 229 smaller than in 1895, 182 smaller than in 1896, 344 smaller than in 1897, 22 larger than in 1898, 239 smaller than in 1899, 409 smaller than in 1900, 307 smaller than in 1901, 219 smaller than in 1902, 118 smaller than in 1903, 313 smaller than in 1904, 154 smaller than in 1905, 114 smaller than in 1906, 316 smaller than in 1907, 96 smaller than in 1908, 208 smaller than in 1909, 422 smaller than in 1910, 132 smaller than in 1911, 65 smaller than in 1912, and 12 smaller than in 1913.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1914 was 18.90 in each 10,000 population, as compared with 19.05 in 1913, 19.32 in 1912, 18.98 in 1911, 22.41 in 1910, 20.65 in 1909, 18.35 in 1908, 20.71 in 1907, 18.50 in 1906, 19.46 in 1905, 20.56 in 1904, 19.41 in 1903, 19.87 in 1902, 20.23 in 1901, 21.79 in 1900, 20.91 in 1899, 17.00 in 1898, 20.38 in 1897, 17.26 in 1896, 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, and 27.16 in 1892.

Pneumonia.—The number of deaths registered under this cause was 1,148 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894,

812 in 1895, 781 in 1896, 936 in 1897, 769 in 1898, 1,067 in 1899, 1,067 in 1900, 994 in 1901, 987 in 1902, 999 in 1903, 1,050 in 1904, 1,053 in 1905, 970 in 1906, 1,153 in 1907, 1,068 in 1908, 1,120 in 1909, 1,246 in 1910, 1,071 in 1911, 1,105 in 1912, and 1,146 in 1913), of which 599 were males and 549 were females. The death-rate from this disease was, therefore, 14.92 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, 12.28 in 1895, 11.81 in 1896, 14.16 in 1897, 11.62 in 1898, 15.44 in 1899, 15.36 in 1900, 14.31 in 1901, 14.21 in 1902, 14.39 in 1903, 15.12 in 1904, 14.73 in 1905, 13.50 in 1906, 15.95 in 1907, 14.69 in 1908, 15.32 in 1909, 16.78 in 1910, 14.31 in 1911, 14.70 in 1912, and 15.13 in 1913. As 516 of the deaths occurred in the cities, the urban death-rate was 20.19.

The age distribution of pneumonia by sex and age-groups is shown in the following table.

PNEUMONIA BY SEX AND AGE-PERIODS, 1914.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	112	76	9	12	20	36	51	58	75	94	54	2	599
Females.....	92	59	11	8	20	24	26	40	64	103	100	2	549
Totals.....	204	135	20	20	40	60	77	98	139	197	154	4	1148

PNEUMONIA BY COUNTIES AND MONTHS WITH DEATH-RATE PER 10,000, 1914.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	16	21	21	10	11	2	5	5	2	5	8	7	113	18.14
Aroostook....	13	16	9	10	11	7	3	1	4	9	8	16	107	13.34
Cumberland..	30	22	24	19	14	4	7	8	5	8	13	13	167	14.21
Franklin.....	1	2	3	2	2	-	-	1	-	-	2	5	18	9.28
Hancock.....	4	6	6	7	6	6	1	-	1	3	2	5	47	12.97
Kennebec....	16	12	21	17	17	5	1	3	9	6	6	11	124	19.08
Knox.....	4	5	12	6	6	-	2	1	2	1	1	4	44	15.06
Lincoln.....	3	7	2	2	2	2	1	-	-	1	1	3	24	13.16
Oxford.....	13	6	7	5	11	-	1	-	1	7	3	11	65	16.92
Penobscot....	16	17	23	22	24	7	8	4	4	8	12	12	157	17.68
Piscataquis..	3	2	3	2	5	1	-	1	-	2	2	3	24	11.39
Sagadahoc....	3	2	3	3	4	-	1	-	1	-	3	2	22	11.84
Somerset.....	13	9	12	5	1	-	1	-	2	2	1	3	49	13.14
Waldo.....	2	3	3	6	5	-	1	-	-	-	2	3	25	10.62
Washington...	10	9	8	9	5	3	4	1	1	2	1	1	54	12.31
York.....	12	12	11	13	20	6	1	3	3	4	8	15	108	15.28
State.....	159	151	168	138	144	43	37	28	35	58	73	114	1148	14.91

The following table shows the number of deaths from pneumonia in each of the cities in each year from 1900 to 1914, the pneumonia death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Pneumonia

CITIES.	1900.		1901.		1902.		1903.		1904.		1905.		1906.	
	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.	Death-rate per 10,000.
Auburn.....	12	9.27	16	12.19	12	9.03	15	11.14	10	7.34	22	15.94	26	18.61
Augusta.....	16	13.70	12	10.17	30	25.18	16	13.30	22	18.11	16	13.05	19	15.35
Bangor.....	36	16.48	37	16.72	41	18.31	58	25.57	60	26.15	48	20.67	40	17.02
Bath.....	15	14.32	10	9.39	14	12.93	19	17.25	16	14.31	20	17.61	15	13.01
Belfast.....	8	17.33	6	12.66	7	14.38	7	14.02	3	5.86	8	15.25	5	9.31
Biddeford.....	41	25.39	21	12.87	42	25.48	29	17.41	40	23.77	37	21.77	45	26.22
B.ewer.....	4	8.27	11	22.45	6	12.09	15	29.83	8	15.71	13	25.21	9	17.24
Calais.....	12	15.68	17	22.10	14	18.10	9	11.59	16	20.51	10	12.76	13	16.51
Eastport.....	14	26.36	12	22.43	7	12.98	5	9.20	6	10.96	9	16.33	9	16.21
Ellsworth.....	8	18.62	9	30.25	13	30.25	2	4.65	6	13.96	25	58.18	5	11.64
Gardiner.....	19	34.54	14	25.45	4	7.27	12	21.80	11	19.98	14	25.43	3	5.27
Hallowell.....	8	29.48	4	14.74	8	29.48	4	14.74	4	14.74	6	22.11	5	18.42
Lewiston.....	40	16.83	28	11.68	42	17.37	18	7.38	25	10.17	49	19.77	70	28.00
Old Town.....	9	15.62	8	13.77	11	18.79	16	27.12	7	11.78	9	15.03	21	34.80
Portland.....	94	18.74	68	13.34	75	14.47	96	18.23	77	14.39	65	11.96	81	14.68
Rockland.....	10	12.27	9	11.04	12	14.72	10	12.27	9	11.04	9	11.04	10	12.27
Saco.....	16	26.14	11	17.95	6	9.79	7	11.40	7	11.40	9	14.64	6	9.76
South Portland.....	13	18.12	7	9.53	6	7.98	3	3.90	5	6.36	3	3.73	6	7.31
Waterville.....	14	14.77	9	9.26	24	24.12	11	10.80	21	20.14	8	7.53	17	15.60
Westbrook.....	3	4.12	9	13.31	9	12.14	12	16.05	7	9.28	6	7.89	17	22.15
Total.....	392	17.35	318	13.91	383	16.55	364	15.55	360	15.20	386	16.11	422	17.41
State.....	1067	15.44	994	14.23	987	14.05	999	14.11	1050	14.78	1053	14.72	970	13.50
State exclusive of cities.....	675	14.54	676	14.41	604	12.86	635	13.50	690	14.65	667	14.15	548	11.61

in the Cities and the State, 1900-1914.

	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	1912.	Death-rate per 10,000.	1913.	Death-rate per 10,000.	1914.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
20	14.14	17	11.88	19	13.12	27	17.92	16	10.47	18	11.62	15	9.52	20	12.57	265	12.32	
29	23.21	15	11.90	28	21.92	39	29.52	26	19.46	30	22.20	49	35.75	50	36.17	397	20.60	
50	21.03	54	22.45	49	20.14	40	16.13	42	16.74	74	29.14	69	26.79	79	30.40	777	21.58	
14	11.96	15	12.63	13	10.79	16	17.03	13	12.32	16	17.43	15	16.54	11	11.71	222	13.89	
6	10.91	3	5.72	7	13.33	2	4.33	8	17.32	4	8.66	13	28.15	6	12.99	93	12.68	
35	20.19	24	13.69	50	28.22	66	38.65	44	25.62	36	20.85	42	24.16	45	25.79	597	23.34	
11	20.82	11	20.57	10	18.48	10	20.68	9	15.65	17	29.14	9	15.22	6	10.00	149	18.76	
16	20.23	15	18.88	12	15.03	9	14.72	6	10.06	7	12.05	19	33.60	6	9.81	181	16.78	
11	19.67	8	14.20	5	8.81	6	12.09	15	30.45	2	4.08	9	18.21	13	26.20	131	16.55	
7	16.29	10	23.27	8	18.62	14	32.58	13	37.41	8	23.54	8	24.06	9	25.36	145	24.58	
6	10.89	12	21.78	4	7.26	11	20.00	5	9.43	9	17.07	16	30.56	8	15.06	148	18.12	
7	25.79	5	18.42	1	3.68	8	29.47	5	17.37	5	17.28	4	13.82	3	10.26	77	18.65	
47	18.65	45	17.71	61	23.81	61	25.63	48	18.12	54	20.19	73	26.98	64	23.50	725	19.05	
12	19.74	16	26.13	12	19.46	8	13.88	7	10.99	13	20.23	6	9.12	13	19.84	168	18.42	
120	21.43	100	17.43	104	17.87	97	19.34	103	17.34	92	15.27	120	19.57	95	15.34	1,387	16.63	
11	13.50	11	13.50	7	8.59	6	7.36	12	14.68	12	14.68	9	11.02	19	23.22	156	12.75	
6	9.75	11	17.85	9	14.60	10	16.33	13	19.61	8	11.98	5	7.44	12	17.73	136	14.42	
15	20.91	7	9.76	6	9.54	8	12.72	7	9.37	5	6.49	7	8.94	11	13.85	109	9.90	
13	11.67	15	13.19	17	14.77	11	11.61	24	20.59	33	27.84	18	14.88	31	25.30	266	16.14	
14	18.09	11	14.10	19	24.15	13	17.85	8	9.54	9	7.59	7	8.13	15	17.28	159	13.44	
450	18.36	405	16.48	441	17.78	462	18.80	424	17.04	448	17.93	513	20.31	516	20.19	6,284	17.26	
1153	16.06	1068	14.69	1120	15.32	1246	16.78	1071	14.31	1105	14.70	1146	15.13	1148	14.92	16177	14.85	
703	14.88	663	13.78	679	14.07	784	15.79	647	12.96	657	13.09	633	10.56	632	12.27	9,893	13.54	

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the twenty-two years 1893 to 1914.

PNEUMONIA, 1893-1914.

By Counties.	By Months.	By Age-Periods.
Androscoggin..... 1,924	January..... 3,086	Under 1..... 3,643
Aroostook..... 1,470	February..... 3,028	1-5..... 2,325
Cumberland..... 3,615	March..... 3,409	5-10..... 453
Franklin..... 636	April..... 2,847	10-20..... 709
Hancock..... 1,081	May..... 2,237	20-30..... 1,032
Kennebec..... 2,115	June..... 1,200	30-40..... 1,262
Knox..... 769	July..... 587	40-50..... 1,521
Lincoln..... 532	August..... 519	50-60..... 1,943
Oxford..... 1,166	September..... 719	60-70..... 3,015
Penobscot..... 2,809	October..... 1,212	70-80..... 3,893
Piscataquis..... 471	November..... 1,581	Over 80..... 2,833
Sagadahoc..... 636	December..... 2,272	Not stated..... 79
Somerset..... 1,058	Not stated..... 11	Total..... 22,708
Waldo..... 709	Total..... 22,708	
Washington..... 1,289		
York..... 2,428		
State..... 22,708		

Bronchitis.—From this cause, including both acute and chronic bronchitis, 164 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, 225 in 1895, 220 in 1896, 237 in 1897, 210 in 1898, 233 in 1899, 262 in 1900, 222 in 1901, 241 in 1902, 209 in 1903, 223 in 1904, 218 in 1905, 187 in 1906, 190 in 1907, 154 in 1908, 214 in 1909, 229 in 1910, 204 in 1911, 205 in 1912, and 161 in 1913.) Among these decedents 77 were males and 87 were females. Of these 164 deaths, 54 were in the cities. The largest number of deaths in any one month was 23 in April. The smallest number of deaths in any month, 6, occurred in June. The largest number of deaths in three consecutive months was 58 in January, February and March; the smallest number in any three consecutive months was 21 in June, July and August. The number of deaths by quarters was 58, 45, 23 and 38.

The bronchitis death-rate of the State was 2.13; of the cities, 2.11.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life.

Under 1 year, 35	40-50 years, 1
1-5 years, 12	50-60 years, 5
5-10 years, 1	60-70 years, 15
10-20 years, 0	70-80 years, 40
20-30 years, 0	Over 80 years, 52
30-40 years, 2	Unknown 1

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rate of counties and State:

BRONCHITIS, 1914.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	3	1	1	-	1	-	-	1	-	-	-	1	8	1.12
Aroostook.	-	1	-	1	2	1	-	1	1	1	-	1	9	1.12
Cumberland.	2	4	3	5	2	1	2	1	1	1	2	2	26	2.22
Franklin.	-	-	1	2	-	-	-	-	-	1	-	-	4	2.06
Hancock.	1	-	-	1	3	1	-	1	2	1	1	-	11	3.04
Kennebec.	6	4	4	-	1	-	1	1	-	-	2	5	24	3.69
Knox.	1	1	2	2	2	-	-	-	-	1	-	1	10	3.42
Lincoln.	-	1	1	1	-	-	-	-	-	1	-	1	5	2.74
Oxford.	-	-	-	2	-	1	-	1	-	-	-	1	5	1.30
Penobscot.	2	1	1	3	-	2	1	1	3	-	3	2	19	2.14
Piscataquis.	1	-	-	-	-	-	2	-	-	-	1	-	4	1.90
Sagadahoc.	-	-	-	1	-	-	-	-	-	1	-	2	4	2.15
Somerset.	-	3	-	2	1	-	-	-	-	1	1	-	8	2.15
Waldo.	3	-	1	2	1	-	-	-	1	-	-	-	8	3.40
Washington.	1	2	-	-	-	-	1	-	-	-	1	1	6	1.37
York.	1	4	1	1	3	-	1	-	-	1	1	-	13	1.84
State.	21	22	15	23	16	6	8	7	8	9	12	17	164	2.13

Pleurisy.—Twenty-one deaths were charged to this disease (18 in 1892, 19 in 1893, 15 in 1894, 19 in 1895, 19 in 1896, 26 in 1897, 17 in 1898, 24 in 1899, 28 in 1900, 24 in 1901, 16 in 1902, 17 in 1903, 24 in 1904, 21 in 1905, 17 in 1906, 26 in 1907, 10 in 1908, 32 in 1909, 22 in 1910, 22 in 1911, 27 in 1912, and 23 in 1913), 9 males and 12 females.

Ages: 1-5, 2; 5-10, 1; 20-30, 5; 30-40, 1; 40-50, 8, 50-60, 2; 60-70, 1; over 70, 1.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 1,138 (659 in 1892, 653 in 1893, 685 in 1894, 693 in 1895, 679 in 1896, 673 in 1897, 651 in 1898, 1,411 in 1899, 1,411 in 1900, 1,202 in 1901, 973 in 1902, 1,087 in 1903, 1,076 in 1904, 1,303 in 1905, 1,366 in 1906, 1,063 in 1907, 1,450 in 1908, 1,215 in 1909, 1,420 in 1910, 1,190 in 1911, 1,011 in 1912, and 1,192 in 1913), or a death-rate of 14.78. The distribution of these under their several causes will be found on page 107.

Diarrheal Diseases.—The total number of deaths caused by the diseases under this group was 541 (662 in 1892, 642 in 1893, 602 in 1894, 635 in 1895, 639 in 1896, 666 in 1897, 854 in 1898, 662 in 1899, 805 in 1900, 684 in 1901, 476 in 1902, 566 in 1903, 514 in 1904, 719 in 1905, 868 in 1906, 493 in 1907, 862 in 1908, 601 in 1909, 851 in 1910, 585 in 1911, 485 in 1912, and 633 in 1913). The death-rate from this group of diseases was 7.03 per 10,000.

Infantile Diarrhea.—This, as synonymous with diarrhea and enteritis (under 2 years) was the cause of 395 deaths (546 in 1892, 507 in 1893, 468 in 1894, 523 in 1895, 520 in 1896, 528 in 1897, 669 in 1898, 565 in 1899, 680 in 1900, 567 in 1901, 360 in 1902, 403 in 1903, 369 in 1904, 561 in 1905, 652 in 1906, 375 in 1907, 682 in 1908, 483 in 1909, 693 in 1910, 451 in 1911, 309 in 1912, and 481 in 1913.) A reference to the following table will show the number of deaths which occurred in each month as well as the number in each county, and the county death-rates, for this cause. There were in the first quarter of the year but 25 deaths from this cause; in the second quarter, 26; in the third quarter, 245; and in the fourth quarter, 99. The largest number of deaths in one month occurred in September, that being 143.

Of the children dying from this cause, 56 per cent. were less than 6 months old, and another 30 per cent. were less than 1 year of age, making 86 per cent. of deaths within the first year of age.

Ages: Under 3 months, 94; 3-6 months, 127; 6-9 months, 79; 9-12 months, 42; 12-18 months, 37; 18 months-2 years, 16.

In the classification of deaths from diarrheal diseases, only the deaths among children under 2 years of age are included under "infantile diarrhea." The deaths from diarrheal diseases other than those under this cause were: Cholera nostras, 6; dysentery, 22; and diarrhea and enteritis (2 years and over), 118.

Of the 395 deaths from infantile diarrhea, 173 were returned from the cities. This represents an urban death-rate from this cause of 6.76 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, 13.78 in 1895, 11.43 in 1896, 14.95 in 1897, 15.15 in 1898, 11.77 in 1899, 14.84 in 1900, 10.09 in 1901, 6.89 in 1902, 6.49 in 1903, 6.26 in 1904, 9.96 in 1905, 10.15 in 1906, 8.21 in 1907, 11.39 in

1908, 7.66 in 1909, 10.42 in 1910, 7.03 in 1911, 6.32 in 1912, and 6.61 in 1913). The rate for the villages and rural districts is 4.31 this year (5.33 in 1892, 4.95 in 1893, 4.47 in 1894, 5.44 in 1895, 6.36 in 1896, 5.05 in 1897, 8.00 in 1898, 6.47 in 1899, 7.37 in 1900, 7.24 in 1901, 4.37 in 1902, 5.50 in 1903, 4.86 in 1904, 6.57 in 1905, 8.52 in 1906, 3.65 in 1907, 8.35 in 1908, 6.67 in 1909, 8.80 in 1910, 5.53 in 1911, 3.01 in 1912, and 6.22 in 1913.)

DIARRHEA AND ENTERITIS (UNDER 2 YEARS) BY COUNTIES AND MONTHS, 1914.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	2	-	-	1	1	2	-	7	28	7	2	2	52	8.35
Aroostook. . . .	1	1	2	2	-	2	4	34	59	22	4	2	133	16.58
Cumberland. . .	-	-	2	1	-	2	2	9	16	8	3	-	43	3.67
Franklin.	-	-	1	-	-	1	-	-	2	1	-	-	5	2.58
Hancock.	-	-	-	-	1	-	-	2	2	-	-	-	5	1.38
Kennebec.	1	2	1	1	-	-	3	5	8	12	1	1	35	5.39
Knox.	-	-	1	1	-	-	-	1	1	-	1	-	5	1.71
Lincoln.	-	-	-	-	-	-	-	1	1	-	-	-	2	1.09
Oxford.	-	-	-	1	-	1	2	4	1	2	1	-	12	3.12
Penobscot. . . .	1	-	1	1	3	-	1	6	4	4	4	-	25	2.82
Piscataquis. . .	-	-	-	-	-	-	-	1	1	-	-	-	2	0.95
Sagadahoc. . . .	-	-	-	-	-	-	1	-	-	3	-	1	5	2.69
Somerset.	-	-	1	-	1	-	-	1	4	2	-	-	9	2.41
Waldo.	-	-	-	-	-	-	-	2	-	2	-	-	4	1.61
Washington. . .	1	1	1	-	-	1	1	2	3	6	1	1	18	4.10
York.	3	1	1	1	1	1	1	12	13	4	2	-	40	5.66
State.	9	5	11	9	7	10	15	87	143	73	19	7	395	5.00

The preceding table exhibits the number of deaths from infantile diarrheal in 1914, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrheal for the twenty-two years 1893-1914, by counties, months, and age-groups:

DIARRHEA AND ENTERITIS (UNDER 2 YEARS) BY COUNTIES, MONTHS AND AGE PERIODS, 1893-1914.

By Counties.	By Months.	By Age-Periods.
Androscoggin..... 1,440	January..... 176	Under 6 months.... 6,216
Aroostook..... 2,546	February..... 143	6-12 months..... 3,560
Cumberland..... 1,309	March..... 183	1-2 years..... 1,442
Franklin..... 173	April..... 184	Unknown..... 23
Hancock..... 264	May..... 198	Total..... 11,241
Kennebec..... 1,036	June..... 282	
Knox..... 232	July..... 1,368	
Lincoln..... 55	August..... 3,588	
Oxford..... 360	September..... 3,236	
Penobscot..... 1,018	October..... 1,379	
Piscataquis..... 123	November..... 308	
Sagadahoc..... 217	December..... 193	
Somerset..... 315	Not stated..... 3	
Waldo..... 109	Total..... 11,241	
Washington..... 643		
York..... 1,401		
State..... 11,241		

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the eight years 1907-1914.

**DIARRHEA AND ENTERITIS (UNDER 2 YEARS)
IN THE CITIES, 1907-1914.**

CITIES.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	Total.
Auburn.....	6	12	13	11	11	10	9	8	80
Augusta.....	13	26	10	13	14	11	18	13	118
Bangor.....	9	7	8	8	7	5	8	5	57
Bath.....	10	9	7	7	1	8	3	3	48
Belfast.....	1	-	-	1	1	3	-	1	7
Biddeford.....	22	38	23	44	20	19	29	20	215
Brewer.....	5	4	2	6	3	-	2	5	27
Calais.....	8	10	2	4	7	3	8	6	48
Eastport.....	8	8	7	5	1	2	1	5	37
Ellsworth.....	-	-	2	-	-	-	-	-	2
Gardiner.....	-	6	-	6	3	2	1	1	19
Hallowell.....	2	3	1	1	-	1	1	2	11
Lewiston.....	57	54	49	69	46	45	37	39	396
Old Town.....	6	12	5	5	6	1	5	4	44
Portland.....	31	41	36	42	30	22	27	30	259
Rockland.....	2	3	1	3	1	-	4	4	18
Saco.....	4	10	4	7	1	5	5	8	44
South Portland.....	-	5	3	2	3	1	3	1	18
Waterville.....	6	22	13	15	12	12	4	12	96
Westbrook.....	10	10	4	7	8	8	2	6	55
Total.....	200	280	190	256	175	158	167	173	1,599

Peritonitis.—There were 40 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, 125 in 1895, 116 in 1896, 117 in 1897, 102 in 1898, 83 in 1899, 105 in 1900, 99 in 1901, 81 in 1902, 55 in 1903, 63 in 1904, 90 in 1905, 59 in 1906, 60 in 1907, 64 in 1908, 59 in 1909, 62 in 1910, 36 in 1911, 36 in 1912, and 22 in 1913), 19 males and 21 females. Thirteen of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

PERITONITIS, 1914.

By Counties.		By Months.		By Age-Periods.	
Androscoggin.....	4	January.....	4	Under 1.....	-
Aroostook.....	5	February.....	2	1-5.....	3
Cumberland.....	4	March.....	4	5-10.....	3
Franklin.....	-	April.....	2	10-20.....	5
Hancock.....	2	May.....	2	20-30.....	3
Kennebec.....	5	June.....	5	30-40.....	6
Knox.....	3	July.....	4	40-50.....	5
Lincoln.....	-	August.....	5	50-60.....	5
Oxford.....	3	September.....	5	60-70.....	5
Penobscot.....	7	October.....	-	70-80.....	5
Piscataquis.....	-	November.....	5	Over 80.....	-
Sagadahoc.....	-	December.....	2	Total.....	40
Somerset.....	1	Total.....	40		
Waldo.....	2				
Washington.....	2				
York.....	2				
State.....	40				

Appendicitis.—Of the deaths classified under this cause, 118 in number, 68 were males and 50 females. The number of deaths in each month was: January, 8; February, 9; March, 10; April, 6; May, 7; June, 16; July, 10; August, 10; September, 10; October, 13; November, 11; December, 8.

Ages: From 1-5, 7; 5-10, 14; 10-20, 22; 20-30, 27; 30-40, 15; 40-50, 14; 50-60, 12; over 60, 7.

Cirrhosis of the Liver.—Fifty-two deaths were ascribed to cirrhosis of the liver—those of 34 men and 18 women. Of these 52 deaths, 17 were in the cities, and 35 in the rural parts

of the State. The death-rate in the State from this one cause was 0.68 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, 0.50 in 1895, 0.33 in 1896, 0.45 in 1897, 0.58 in 1898, 0.52 in 1899, 0.79 in 1900, 0.63 in 1901, 0.63 in 1902, 0.92 in 1903, 0.66 in 1904, 0.62 in 1905, 0.60 in 1906, 0.82 in 1907, 0.89 in 1908, 0.75 in 1909, 0.79 in 1910, 0.41 in 1911, 0.65 in 1912, and 0.75 in 1913).

Nonvenereal Diseases of the Genitourinary System and Annexa.—There were 1,007 deaths referred to the diseases under this group, equivalent to a death-rate of 13.08.

Nephritis.—Acute nephritis caused the death of 80 persons, 36 males and 44 females. The death-rate from nephritis was, therefore, 1.04.

Ages: Under 1, 3; 1-5, 3; 5-10, 3; 10-20, 6; 20-30, 8; 30-40, 11; 40-50, 11; 50-60, 6; 60-70, 11; 70-80, 13; over 80, 4; not stated, 1.

**Bright's Disease.*—This was the cause of 780 deaths (204 in 1892, 217 in 1893, 219 in 1894, 234 in 1895, 282 in 1896, 231 in 1897, 250 in 1898, 262 in 1899, 443 in 1900, 471 in 1901, 523 in 1902, 573 in 1903, 575 in 1904, 599 in 1905, 652 in 1906, 661 in 1907, 600 in 1908, 595 in 1909, 714 in 1910, 768 in 1911, 694 in 1912, and 685 in 1913), 488 males and 292 females. Of these deaths 311 were in the cities.

The sex and age-group distributon of Bright's disease is as follows:

BRIGHT'S DISEASE BY SEX AND AGE-PERIODS, 1914.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	2	3	1	3	7	16	29	65	134	154	73	1	488
Females.....	-	-	1	2	8	19	31	51	73	63	43	1	292
Total.....	2	3	2	5	15	35	60	116	207	217	116	2	780

*This title includes: Chronic, albuminous, interstitial, or parenchymatous nephritis; albuminuria; amyloid or fatty degeneration of the kidney; steatosis of the kidney; renal sclerosis. Also includes when their precise nature is not indicated: Uremia, uremic eclampsia; uremic delirium; uremic coma.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

COUNTIES.	Number of Deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin.....	75	12.04	Oxford.....	34	8.85
Aroostook.....	39	4.86	Penobscot.....	71	8.00
Cumberland.....	165	14.10	Piscataquis.....	15	7.12
Franklin.....	19	9.80	Sagadahoc.....	24	1.29
Hancock.....	41	11.31	Somerset.....	42	11.26
Kennebec.....	54	8.31	Waldo.....	29	12.32
Knox.....	37	12.66	Washington.....	32	7.30
Lincoln.....	15	8.22	York.....	88	12.45
			State.....	780	10.26

The Puerperal State.—Under this class of accidents and diseases of reproduction, 60 deaths were registered, not including puerperal fever, (69 in 1892, 50 in 1893, 41 in 1894, 36 in 1895, 56 in 1896, 62 in 1897, 51 in 1898, 40 in 1899, 50 in 1900, 52 in 1901, 69 in 1902, 94 in 1903, 72 in 1904, 51 in 1905, 76 in 1906, 80 in 1907, 66 in 1908, 56 in 1909, 63 in 1910, 99 in 1911, 65 in 1912, and 72 in 1913). This is equivalent to a special death-rate of 0.74.

Deaths from External Causes.—Under this class there were 664 deaths.

Absorption of deleterious gases (conflagration excepted) caused 11 deaths.

Accidental drowning caused 118 deaths.

The number of deaths referred to food poisoning was 5. The statement in all instances was ptomaine poisoning.

Acute poisoning caused 16 deaths. These deaths distributed under the various toxic agencies were as follows: Strychnine, 4; patent medicine, 2; carbolic acid, corrosive sublimate, potassium cyanide, bichloride tablets, nitrate of sodium, morphine, turpentine, phosphorus from matches, 1 each; other poisons, 2.

Burns and scalds caused 51 deaths—19 were from clothing taking fire; 11 scalded with hot water; 6 from matches; 4 from overturned lamp; 3 from explosion of kerosene, and 1 each from explosion of steam pipe, explosion of gasoline, falling on stove, overturning a crock of hot beans, burning hand in cooking, and 3 were unspecified.

Conflagration caused 21 deaths.

Electricity caused 12 deaths.

Excessive cold caused 5 deaths.

Three persons died from excessive heat.

Fractures (cause not specified) caused 11 deaths.

Inanition was the cause of 1 death.

Injuries by animals caused 9 deaths.

Lightning caused 2 deaths.

There were 14 homicides in this State.

Other external violence (accident or traumatism unqualified) caused 26 deaths.

Traumatism by cutting or piercing instruments caused 6 deaths; by fall, 95; by firearms, 25; by machines, 8; by other crushing (vehicles, railroads, landslides, etc.), 110; in mines and quarries, 3.

The death-rate in the State under this class was 8.62.

Suicide.—Within the year 112 persons took their own life (59 in 1892, the same number in 1893, 39 in 1894, 66 in 1895, 81 in 1896, 71 in 1897, 56 in 1898, 93 in 1899, 66 in 1900, 81 in 1901, 73 in 1902, 77 in 1903, 107 in 1904, 84 in 1905, 85 in 1906, 87 in 1907, 121 in 1908, 94 in 1909, 79 in 1910, 100 in 1911, 110 in 1912, and 99 in 1913), 82 males and 30 females. Of the males the occupation of 23 was farmer; of 11, laborer; of 4, carpenter; of 3 each, lawyer, merchant, clerk, millhand, paper maker, business man; of 2 each, engineer, fisherman, shoemaker, and municipal officer; of 1 each, clergyman, teacher, student, druggist, lumberman, painter, hospital attendant, hunter and trapper, seaman, saw-filer, and stone-cutter, while in seven instances no occupation was given.

Of the females, the occupation of 13 was given as housewife; of 7, as housekeeper; of 2, at home; of 1 each, domestic, student, and bookkeeper. In 5 cases no occupation was given.

As to the means employed, 19 committed suicide by hanging; 48 by firearms; 13 by poison; 16 by drowning; 9 by cutting instruments; 3 by gas asphyxiation; 1 by crushing; and 3 not stated.

SUICIDES BY AGES, MONTHS, AND COUNTIES, 1914.

AGE-PERIODS.	MONTHS.	COUNTIES.	Rate per 10,000 of population.	
10-20.....	5	January..... 10	Androscoggin..... 13	2.08
20-30.....	13	February..... 5	Aroostook..... 6	0.74
30-40.....	14	March..... 11	Cumberland..... 16	1.36
40-50.....	25	April..... 9	Franklin..... 6	3.09
50-60.....	26	May..... 16	Hancock..... 3	0.83
60-70.....	17	June..... 7	Kennebec..... 9	1.38
70-80.....	7	July..... 9	Knox..... 3	1.03
Over 80.....	4	August..... 9	Lincoln..... 4	2.19
Unknown.....	1	September..... 10	Oxford..... 4	1.04
Total.....	112	October..... 8	Penobscot..... 10	1.13
		November..... 7	Piscataquis..... 4	1.90
		December..... 10	Sagadahoc..... 3	1.61
		Not stated..... 1	Somerset..... 9	2.41
		Total..... 112	Waldo..... 7	2.97
			Washington..... 6	1.37
			York..... 9	1.27
			State..... 112	1.45

The youngest suicide was a boy aged 13 years; the oldest, a man of 88 years. The largest number of suicides was 16 in June. The largest number, 16 occurred in Cumberland county. The highest death-rate from suicide was in Franklin county. The rate for the State per 10,000 of population was 1.45.

TABLE OF INFANTILE MORTALITY, 1914.

AGE-PERIODS.	Number of deaths.	*Rate of mortality.
Under 1 day.....	53	3.3
Under 1 week.....	211	13.2
Under 2 weeks.....	52	3.3
Under 3 weeks.....	48	3.0
Under 4 weeks.....	54	3.4
Under 2 months.....	168	10.5
Under 3 months.....	148	9.3
Under 4 months.....	156	9.8
Under 5 months.....	97	6.1
Under 6 months.....	86	5.4
Under 9 months.....	194	12.1
Under 1 year.....	161	10.1
	1,428	89.4

* The infant mortality rates in this table are based upon the total number of births in 1914. The number was 15,980.

INFANTILE MORTALITY, FOR CITIES WITH RATES, 1911-1914.

CITIES.	BIRTHS.				Deaths (under 1 year).				*Rate per 1,000.				Average.
	1911.	1912.	1913.	1914.	1911.	1912.	1913.	1914.	1911.	1912.	1913.	1914.	
Auburn.....	261	258	240	269	31	36	32	30	114.9	139.5	133.3	111.6	124.8
Augusta.....	273	294	263	319	22	45	38	29	80.6	153.0	144.5	90.9	117.2
Bangor.....	379	371	372	453	52	53	35	43	137.2	142.9	94.1	94.7	115.5
Bath.....	145	156	156	160	14	7	13	9	96.6	44.9	83.3	56.2	70.2
Belfast.....	75	95	95	73	10	7	8	7	133.3	73.7	84.2	95.9	96.8
Biddeford.....	484	512	491	486	72	83	59	72	148.7	162.1	120.2	148.1	144.8
Brewer.....	153	143	148	146	8	10	8	15	52.2	69.9	54.1	102.7	69.7
Calais.....	139	137	135	98	16	10	22	11	115.1	72.9	162.9	112.2	115.8
Eastport.....	106	87	92	87	12	9	6	14	113.3	103.4	65.2	160.9	110.7
Ellsworth.....	61	30	52	53	5	2	7	-	76.9	66.6	134.6	-	-
Gardiner.....	81	73	86	96	7	5	8	5	86.4	68.5	93.0	52.1	75.5
Hallowell.....	34	54	57	48	3	6	3	6	88.2	111.1	52.6	125.0	94.2
Lewiston.....	606	631	675	721	82	109	104	103	135.3	172.7	154.1	142.9	151.2
Old Town.....	189	153	176	162	19	11	26	23	100.5	71.9	147.7	142.0	115.5
Portland.....	1,243	1,343	1,279	1,326	158	129	156	117	127.1	96.1	121.9	88.2	108.3
Rockland.....	130	155	149	134	9	11	16	15	84.6	71.0	107.4	111.9	93.7
Saco.....	111	89	103	88	11	18	12	19	153.2	202.2	116.5	215.9	171.9
South Portland.....	185	170	166	202	7	7	20	8	37.8	52.9	120.5	39.6	62.7
Waterville.....	297	269	310	334	32	45	26	31	107.7	167.3	83.9	92.8	112.9
Westbrook.....	197	228	213	201	21	18	7	22	106.6	78.9	32.8	109.5	81.9

* The infant mortality rates in this table are based upon the number of births in in these cities.



LIST OF TABLES.

	PAGE
Table No. 1.—Population in 1890, 1900, 1910 and Estimated Population in 1914	6
Table No. 2.—Births, Marriages and Deaths, 1906-1914	7
Table No. 3.—Estimated Population for 1914, Births, Marriages and Deaths, with the rate of each to 1,000 of population for the year ending December 31, 1914	8
Table.—Summary of Births, Marriages and Deaths	9
Table No. 4.—Births and Deaths in each County	10
Table No. 5.—Births and Deaths in the Cities	11
Table No. 6.—Births, Marriages and Deaths by Counties and Towns	12-61
Table No. 7.—Births, Marriages and Deaths by Counties	62-63
Table No. 8.—Births and Birth-Rates by Counties, for the years 1907-1914	64
Table No. 9.—Births by Counties, showing the proportion of males to females, 1914	65
Table No. 10.—Number of Births in each month of 1907-1914 with Monthly Ratio compared with a standard of 100	66
Table No. 11.—Births by Sex and Months, by Counties, 1914	67
Table No. 12.—Births in Cities for 1914, with rate per 1,000 of population	68
Table No. 13.—Percentage of American and Foreign Births by Counties, 1914	69
Table No. 14.—Percentage of American and Foreign Births by Cities, 1914	70
Table No. 15.—Twin Births by Months and Counties, 1914....	71
Table No. 16.—Twin Births by Sex and Parentage, by Counties, 1914	72
Table No. 17.—Stillbirths by Sex and Parentage, by Counties, 1914	73
Table No. 18.—Stillbirths by Seasons, 1914	74
Table.—Births in each Month of the twenty-three years, 1892-1914	77
Table No. 19.—Marriages and Marriage-Rates by Counties for the years 1907-1914	78
Table No. 20.—Marriages by Counties and Nativity, 1914	79
Table No. 21.—Marriages by Months and Counties, 1914	79

	PAGE
Table No. 22.—Number of Marriages in each month of 1907-1914, with Monthly Ratio compared with a Standard of 100	80
Table No. 23.—Marriages by Ages and Counties, 1914	81
Table No. 24.—Interesting Facts in Relation to Marriages.....	82-83
Table No. 25.—Divorces decreed by the Supreme Court of Maine in the year 1914	86-87
Table No. 26.—Divorces by Causes, Sex of Libellants and the Number of years married, 1914	88
Table No. 27.—Deaths and Death-Rates by Counties, for the years 1907-1914	90
Table No. 28.—Number of Deaths in each month of 1907-1914, with Monthly Ratio compared with a Standard of 100	91
Table No. 29.—Deaths by Months and Age-Groups, 1914	92-93
Table No. 30.—Deaths by Ages, Sex, and Months by Counties	94-95
Table No. 31.—Deaths by Ages, Sex, and Months by Cities ...	96-97
Table No. 32.—The number of Deaths in the State, and in each County, arranged by Classes and Counties..	98-103
Table No. 33.—Deaths from all Causes, by Months, 1914	104-109
Table No. 34.—Deaths from all Causes, by Age-Groups, 1910-1914	110-127
Table No. 35.—Deaths in each Town from Special Causes, Mostly Infectious Diseases	128-143
Table No. 36.—Deaths in each Town from Certain Diseases and Groups of Diseases	144-165
Table No. 37.—Number of Deaths from several Specified Causes, of each sex, in each month, which were registered during twenty-three years, 1892-1914	166
Table No. 38.—Mortality by months, reduced to a Standard Mean of 100; Twenty-three years, 1892-1914	167
Table.—Number of Deaths from 1892-1914, with Death-Rate	168
Table.—Months in which the Largest and the Smallest Number of Deaths occurred in the years 1892-1914	169
Table.—Number of Deaths by Quarters in the Twenty-three years, 1892-1914	170
Table.—Deaths in each month for the years 1892-1914	171
Table.—Deaths from some of the Leading Causes	173
Table.—Mortality from Ten Prominent Causes, 1892-1914	174
Table.—Six Infectious Diseases by Counties, 1914	175
Table.—Six Infectious Diseases by Cities, 1914	176
Table.—Infectious Diseases, 1907-1914	177
Table.—Measles by Counties, Months, and Age-Periods, 1896-1914	178
Table.—Scarlet Fever by Counties, Months, and Age-Periods 1893-1914	179

LIST OF TABLES.

233

	PAGE
Table.—Influenza by Counties and Months, 1914	180
Table.—Whooping Cough by Counties, Months, and Age-Periods, 1914	181
Table.—Diphtheria by Counties and Months, 1914	182
Table.—Diphtheria by Counties, Months, and Age-Periods, 1893-1914	183
Table.—Diphtheria in the Cities and the State, 1900-1914	184-185
Table.—Typhoid Fever by Counties and Months, 1914	186
Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1893-1914	187
Table.—Typhoid Fever in the Cities and the State, 1900-1914...	188-189
Table.—Tuberculosis (all kinds) by Counties and Months, 1914	190
Table.—Tuberculosis (all kinds) by Sex and Age-Periods, 1914	191
Table.—Tuberculosis (all kinds) in the Cities and the State, 1900-1914	192-193
Table.—Pulmonary Tuberculosis by Counties and Months, 1914	196
Table.—Pulmonary Tuberculosis by Sex and Age-Periods, 1914	196
Table.—Pulmonary Tuberculosis by Counties, Months, and Age-Periods, 1893-1914	197
Table.—Pulmonary Tuberculosis in the Cities and State, 1900-1914	198-199
Table.—Rheumatism by Counties, Months, and Age-Periods, 1914	201
Table.—Rheumatism by Counties, Months, and Age-Periods, 1893-1914	202
Table.—Cancer by Sex and Age-Periods, 1914	203
Table.—Cancer by Counties and Age-Periods, 1914 and 1893-1914	203
Table.—Cancer, 1904-1914	204
Table.—Deaths over 60 years by Counties, 1914	205
Table.—Apoplexy by Counties and Months, 1914	207
Table.—Apoplexy by Sex and Age-Periods, 1914	207
Table.—Apoplexy, 1914 and 1896-1914	208
Table.—Diseases of the Heart by Ages, 1914	209
Table.—Diseases of the Heart by Counties, 1914	210
Table.—Heart Disease by Sex and Age-Periods, 1914	210
Table.—Pneumonia by Sex and Age-Periods, 1914	212
Table.—Pneumonia by Counties and Months with Death-Rate per 10,000, 1914	213
Table.—Pneumonia in the Cities and the State, 1900-1914	214-215
Table.—Pneumonia by Counties, Months, and Age-Periods, 1893-1914	216
Table.—Bronchitis by Counties and Months, 1914	218
Table.—Diarrhea and Enteritis (under 2 years) by Counties and Months, 1914	220
Table.—Diarrhea and Enteritis (under 2 years) by Counties, Months, and Age-Periods, 1893-1914	221

	PAGE
Table.—Diarrhea and Enteritis (under 2 years) in the Cities, 1907-1914	222
Table.—Peritonitis by Counties, Months, and Age-Periods, 1914	223
Table.—Bright's Disease by Sex and Age-Periods, 1914	224
Table.—Bright's Disease by Counties, 1914	225
Table.—Suicides by Ages, Months, and Counties, 1914	227
Table.—Infantile Mortality, 1914	228
Table.—Infantile Mortality, for Cities with rates, 1911-1914	229

INDEX.

	PAGE
Age and Mortality	172
Appendicitis	223
Apoplexy	206
1914 and 1896-1914	208
by counties and months	207
by sex and age-periods, 1914	207
Birth-rate	75
Birth-rates	7, 8
Births and birth-rates by counties and years	64
by counties, showing proportion of males to females ...	55
by seasons	76
by sex and months, by counties	67
in cities, for 1914, with rate	68
in each month, by years	66
notes on	75
parentage of	75
percentage of American and foreign, by cities	70
by counties	69
relation to deaths	10
twin	77
by months and counties	71
by sex and parentage	72
marriages and deaths, in each county	62-63
in each town	12-61
Brain or Membranes, inflammation of	206
softening of the	208
Bright's Disease	224-225
Bronchitis	217-218
Cancer	202
1914 and 1893-1914	203
by sex and age-periods, 1914	203
1904-1914	204
Centenarians	205
Cirrhosis of the liver	223
Deaths, age and mortality	172
causes of	172
by ages, sex and months, by cities, 1914	96-97
by ages, sex and months, by counties, 1914	94-95
by months and age-groups, 1914	92-93

	PAGE
by months, reduced to a standard mean for twenty- three years	167
in each month, for the years 1892-1914	171
in each town, from special causes	128-143
from certain diseases and groups of diseases	144-165
in the State and Counties, by classes and counties	98-103
from all causes, by months	104-109
from all causes, by age-groups, 1910-1914	110-127
from several specified causes in twenty-three years....	166
from some of the leading causes	173
notes on, and the causes of death	168
number in each month, by years	91
seasons and mortality	170
sex and mortality	172
and death-rates, by counties and years	90
Death-rates	7, 8
compared	168
Diabetes	204
Diarrheal Diseases	219
Diarrhea and enteritis (under 2 years) by counties and months	220
by counties, months, and	
age-periods, 1893-1914	221
in cities, 1907-1914....	222
Digestive System, diseases of the	218
Diphtheria	181
by counties and months	182
by counties, months, and age-periods, 1893-1914...	183
in the cities and in the State, 1900-1914	184-185
Divorces, by causes, sex of libellants, etc.....	88
decreed in 1914	86, 87
notes on	89
Epilepsy	208
External causes, deaths from	225
Genitourinary system and its annexa, diseases of the	224
Heart, diseases of the	209
Infantile Diarrhea	219
Infantile mortality	228
Infantile mortality, for Cities with Rates, 1911-1914	229
Infectious diseases	175
1907-1914	177
six by cities	176
six by counties	175
Influenza	179
deaths from, by counties and months	180
Liver, cirrhosis of	223

	PAGE
Marriages, interesting facts relating to	82-83
rates	7, 8, 84
ages	84
and rates, by counties	78
by ages and counties	81
by counties and nativity	79
by months and counties	79
nativity	84
notes on	84
number of, in each month, by years	80
seasons	84
Malarial diseases	188
Measles	177
by counties, months, and age-periods, 1896-1914	178
Mortality from ten prominent causes, 1892-1914	174
Nephritis	224
Nervous system, diseases of the	205
Old age	204
Paralysis	208
Peritonitis	223
by counties, months and age-periods, 1914	223
Pleurisy	218
Pneumonia	211
1893-1914	216
by counties and months, with death-rates	213
by sex and age-periods, 1914	212
in the cities and the State, 1900-1914	214-215
Population	5
Puerperal fever, by months and counties, 1914	200
Puerperal state, the	225
Respiratory system, diseases of the	211
Rheumatism	201
by counties, months, and age-periods, 1914	201
by counties, months, and age-periods, 1893-1914..	202
Scarlet fever	178
by counties, months, and age-periods, 1893-1914	179
Sex and mortality	172
Smallpox	177
Stillbirths	77
by seasons	74
by sex and parentage	73
Suicides	226
by ages, months, and counties, 1914	227
Tetanus	209
Tuberculosis	189
abdominal	200

	PAGE
acute miliary	200
cerebral	194
in the cities and the State, 1900-1914	192-193
other forms	200
pulmonary	194
by counties and months	196
by counties, months, and age-periods, 1893-1914	197
by sex and age-periods, 1914	196
in the cities and the State, 1900-1914..	198-199
Typhoid fever	186
by counties and months, 1914	186
by counties, months and age-periods, 1893-1914	187
in the cities and the State, 1900-1914	188-189
Whooping Cough	180
by counties, months, and age-periods,, 1914	181