

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

PUBLIC DOCUMENTS OF MAINE

1914

BEING THE


ANNUAL REPORTS

OF THE VARIOUS

Departments and Institutions

For the Year 1913

VOLUME IV.



TWENTY-FIRST ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES
AND DEATHS

IN THE


STATE OF MAINE

FOR THE

Year Ending December 31, 1912



WATERVILLE
SENTINEL PUBLISHING COMPANY
1913



DEPARTMENT OF VITAL STATISTICS.

OFFICE OF THE REGISTRAR,
AUGUSTA, MAINE, SEPT. 4, 1913.

*To his Excellency, William T. Haines, Governor, and the
Honorable Executive Council:*

GENTLEMEN :—In accordance with the provisions of the law, I have the honor of submitting to you the Twenty-First Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1912.

Very respectfully,

A. G. YOUNG, M. D.,
Registrar of Vital Statistics.

REGISTRATION REPORT, 1912.

This report presents the results of the registration and tabulation of the births, marriages, divorces, and deaths which occurred in the State of Maine during the year 1912.

The number of births registered in that year is 283 more than in the preceding year. The number of births recorded in each of the registration years 1892-1912 is 14,028, 14,604, 14,607, 15,430, 15,429, 15,142, 15,121, 14,475, 14,709, 14,615, 15,166, 15,130, 15,405, 16,005, 16,585, 16,595, 16,914, 16,735, 16,469, 16,300, and 16,583 respectively.

The number of marriages (number of couples married) in 1912 was 6,550, 672 more than in the preceding year. The number of marriages registered in the State in each of the years 1892-1912 is, respectively, 5,726, 5,795, 5,591, 5,729, 5,579, 5,331, 5,144, 5,329, 5,482, 5,735, 5,905, 6,200, 6,208, 6,264, 6,498, 6,380, 5,904, 6,011, 5,900, 5,878 and 6,550.

The number of deaths recorded in the State for the same year was 11,390, a number 341 less than that of the deaths registered in the preceding year. The number of deaths in each year thus far recorded is: in 1892, 12,147; in 1893, 11,134; in 1894, 11,012; in 1895, 10,464; in 1896, 10,626; in 1897, 11,236; in 1898, 10,956; in 1899, 11,370; in 1900, 11,389; in 1901, 11,133; in 1902, 10,673; in 1903, 11,009; in 1904, 11,346; in 1905, 11,381; in 1906, 11,427; in 1907, 11,803; in 1908, 11,664; in 1909, 11,295; in 1910, 12,439; in 1911, 11,731; and in 1912, 11,390.

Bertillon Classification.—The nomenclature of the causes of death in this report is the revised Bertillon classification adopted by the International Commission which met in Paris in July, 1909.

Population.—The population of the State of Maine in 1910, as given by the twelfth census was 742,371. In 1900, the population of the State was 694,466. There was, therefore, a gain of 47,905 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1890, 1900, 1910, and the estimated population in 1912.

TABLE No. 1.
**Population in 1890, 1900, 1910, and Estimated Popu-
 lation in 1912.**

COUNTIES.	Population in 1890.	Population in 1900.	Population in 1910.	Estimated population in 1912.
Androscoggin.....	48,968	54,242	59,822	60,938
Aroostook.....	49,589	60,744	74,664	77,448
Cumberland.....	90,949	100,689	112,014	114,278
Franklin.....	17,053	18,444	19,119	19,253
Hancock.....	37,312	37,241	35,575	35,241
Kennebec.....	57,012	59,117	62,863	63,613
Knox.....	31,473	30,406	28,981	28,697
Lincoln.....	21,996	19,669	18,216	17,926
Oxford.....	30,586	32,238	36,256	37,060
Penobscot.....	72,865	76,246	85,285	87,103
Piscataquis.....	16,134	16,949	19,887	20,475
Sagadahoc.....	19,452	20,330	18,574	18,222
Somerset.....	32,627	33,849	36,301	36,791
Waldo.....	27,759	24,185	23,383	23,223
Washington.....	44,482	45,232	42,905	42,439
York.....	62,829	64,885	68,526	69,208
Total.....	661,086	694,466	742,371	751,915

TABLE No. 2.
Births, Marriages and Deaths, 1904—1912.

STATE.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
Number of births....	14,673	15,294	15,878	15,914	16,173	16,060	15,798	15,635	15,869
Number of marriages	6,208	6,264	6,498	6,380	5,904	6,011	5,900	5,878	6,550
Number of deaths....	11,346	11,381	11,427	11,803	11,664	11,295	12,439	11,731	11,390
Birth-rate.....	21.13	21.40	22.09	22.02	22.25	21.97	21.28	20.89	21.27
Marriage-rate.....	8.94	8.76	9.04	8.83	8.12	8.22	7.95	7.85	8.71
Death-rate.....	16.34	11.92	15.90	16.33	16.05	15.45	16.62	15.68	15.27

Birth, Marriage, and Death-Rates.—In this report the birth-rates, marriage-rates, and death-rates from all causes are stated as so many among each 1,000 of the population according to the estimated population for 1912.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 3.

Estimated Population for 1912, Births, Marriages and Deaths with rate of each to 1,000 of Population for the year ending December 31, 1912.

COUNTIES.	Estimated population for 1912.	Births.	Birth-rate per 1,000.	Marriages.	Marriage-rate per 1,000.	Deaths.	Death-rate per 1,000.
Androscoggin	60,938	1,217	19.96	581	9.53	999	16.39
Aroostook	77,448	2,411	31.94	655	8.46	807	10.69
Cumberland	114,278	2,423	21.20	1,022	8.94	1,820	15.93
Franklin	19,253	380	20.13	198	10.28	280	14.83
Hancock	35,241	675	19.45	321	9.11	535	15.41
Kennebec	63,613	1,173	18.42	576	9.05	1,167	18.33
Knox	28,697	436	15.20	257	8.96	475	16.57
Lincoln	17,926	306	17.05	132	7.36	257	14.32
Oxford	37,060	813	21.93	350	9.44	510	13.76
Penobscot	87,103	1,703	19.89	740	8.49	1,379	16.10
Piscataquis	20,475	368	18.75	162	7.91	255	12.99
Sagadahoc	18,222	311	17.06	136	7.46	303	16.07
Somerset	36,791	806	22.24	353	9.59	537	14.84
Waldo	23,223	396	17.11	227	9.77	380	16.42
Washington	42,439	991	21.10	329	7.75	559	13.24
York	69,208	1,460	21.07	511	7.38	1,127	16.27
State	751,915	15,869	21.27	6,550	8.71	11,390	15.27

The following is a general summary of the births, marriages and deaths in 1912:

BIRTHS.

SEX.		PARENTAGE.	
Males	8,200	American	9,560
Females	7,664	Foreign	3,066
Not stated	5	One parent foreign.....	3,068
	<u>15,869</u>	Not stated.....	<u>175</u>
			15,869
Whole number of births.....			15,869
Birth-rate per 1,000.....			21.27

MARRIAGES.

Groom and bride American.....	4,700
Groom and bride foreign.....	636
Groom American, bride foreign.....	520
Groom foreign, bride American.....	673
Not stated.....	<u>21</u>
	6,550
Whole number of marriages.....	6,550
Marriage-rate per 1,000.....	8.71

DEATHS.

SEX.		NATIVITY.	
Males	5,865	American.....	9,541
Females	5,523	Foreign	1,706
Not stated	2	Not stated.....	<u>143</u>
	<u>11,390</u>		11,390
Whole number of deaths.....			11,390
Death-rate per 1,000.....			15.27

Relation of Births to Deaths.—As the total number of births registered in Maine in the year 1912 was 16,583, and the number of deaths was 11,390, the natural increase of births over deaths was 5,193.

The following table shows the number of births and deaths in each county and the preponderance of births over deaths, or vice versa:

TABLE No. 4.

COUNTIES.	Estimated population for 1912.	Births.	Deaths.	Difference.
Androscoggin.....	60,938	1,217	999	218 gain
Aroostook.....	77,448	2,411	807	1,604 gain
Cumberland.....	114,278	2,423	1,820	603 gain
Franklin.....	19,253	380	280	100 gain
Hancock.....	35,241	675	535	140 gain
Kennebec.....	63,613	1,173	1,167	6 gain
Knox.....	28,697	436	475	39 loss
Lincoln.....	17,926	306	257	49 gain
Oxford.....	37,060	813	510	303 gain
Penobscot.....	87,103	1,703	1,379	324 gain
Piscataquis.....	20,475	368	255	113 gain
Sagadahoc.....	18,222	311	303	8 gain
Somerset.....	36,791	806	537	269 gain
Waldo.....	23,223	396	380	16 gain
Washington.....	42,439	991	559	432 gain
York.....	69,208	1,460	1,127	333 gain
State.....	751,915	15,869	11,390	4,479 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following table, together with the birth-rate and the death-rate per 1,000 of the estimated population in 1912 in each city:

TABLE No. 5.

CITIES.	Population in 1910.	Estimated population in 1912.	Births.	Deaths.	Difference.	Birth-rate.	Death-rate.
Auburn.....	15,064	15,488	258	201	57 gain	16.66	12.98
Augusta.....	13,211	13,516	294	343	49 loss	21.75	*15.98
Bangor.....	24,803	25,393	371	534	163 loss	14.61	*16.97
Bath.....	9,396	9,180	156	157	1 loss	16.99	17.10
Belfast.....	4,618	4,618	95	95	-	20.57	20.57
Biddeford.....	17,079	17,265	512	305	207 gain	29.66	17.67
Brewer.....	5,667	5,833	143	84	59 gain	24.52	14.40
Calais.....	6,116	5,808	137	101	36 gain	23.42	17.39
Eastport.....	4,961	4,891	87	70	17 gain	17.79	14.31
Ellsworth.....	3,549	3,399	30	58	28 loss	8.83	17.06
Gardiner.....	5,311	5,273	73	85	12 loss	13.84	16.12
Hallowell.....	2,864	2,894	54	57	3 loss	18.66	19.69
Lewiston.....	26,247	26,745	631	538	93 gain	23.69	*17.91
Old Town.....	6,317	6,427	153	107	46 gain	23.81	16.65
Portland.....	58,571	60,257	1,343	1,052	291 gain	22.28	*16.38
Rockland.....	8,174	8,176	155	163	8 loss	18.40	19.94
Saco.....	6,583	6,673	89	93	4 loss	13.34	13.94
South Portland.....	7,471	7,707	170	99	71 gain	22.06	12.85
Waterville.....	11,458	11,854	269	191	78 gain	22.69	16.11
Westbrook.....	8,281	8,481	228	113	115 gain	26.88	13.32
Total.....	245,741	249,878	5,248	4,446	802 gain	21.00	17.79

*Deaths of non-residents in public institutions; Augusta, 127; Bangor, 103; Lewiston, 59; Portland, 65; deducted from total in estimating death-rate.

TABLE
Births, Marriages and Deaths
ANDROSCOGGIN

TOWNS.	Estimated population in 1912.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn.....	15,488	138	119	1	258	16.66	127	65	29	30	7
Durham.....	1,705	14	12	-	26	15.25	14	7	4	1	-
East Livermore....	2,743	28	22	-	50	18.22	23	12	8	6	1
Greene.....	763	6	4	-	10	13.11	9	1	-	-	-
Leeds.....	976	12	10	-	22	22.54	20	1	-	1	-
Lewiston.....	26,745	345	286	-	631	23.69	184	272	93	74	8
Lisbon.....	4,218	39	41	-	80	18.97	32	31	8	9	-
Livermore.....	1,100	7	10	-	17	15.45	14	1	-	1	1
Mechanic Falls....	1,678	10	13	-	23	13.71	17	1	3	2	-
Minot.....	782	5	5	-	10	12.79	8	2	-	-	-
Poland.....	1,330	12	18	-	30	22.56	23	2	3	2	-
Turner.....	1,682	14	9	-	23	17.84	21	1	1	-	-
Wales.....	505	6	4	-	10	19.80	8	1	1	-	-
Webster.....	1,229	8	19	-	27	21.97	21	1	2	1	2
Total.....	60,944	644	572	1	1,217	19.96	521	398	152	127	19

No. 6.
for the year 1912.
COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
111	17	17	10	-	155	98	103	-	201	154	46	1	12.98
4	6	-	1	-	11	11	8	-	19	17	2	-	11.14
16	-	1	4	-	21	15	11	-	26	22	4	-	9.48
2	-	-	-	-	2	9	4	-	13	11	2	-	17.04
5	1	-	-	-	6	6	5	-	11	11	-	-	11.27
128	82	30	46	-	286	287	250	1	538	360	176	2	20.12
24	12	4	2	-	42	27	20	-	47	37	10	-	11.14
6	-	1	-	-	7	9	11	-	20	18	-	2	18.18
11	-	1	1	-	13	12	9	-	21	20	1	-	12.51
2	-	-	-	-	2	8	8	-	16	16	-	-	20.46
9	1	2	-	1	13	11	12	-	23	20	3	-	17.29
6	1	1	-	-	8	12	22	-	34	34	-	-	20.21
1	-	-	-	-	1	1	10	-	11	11	-	-	21.78
9	1	2	2	-	14	9	10	-	19	16	3	-	15.46
334	121	59	66	1	581	515	483	1	999	747	247	5	16.39

TABLE
Births, Marriages and Deaths
AROOSTOOK

TOWNS.	Estimated population in 1912.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity.....	369	9	4	-	13	35.23	10	-	1	2	-
Ashland.....	2,391	34	23	-	57	23.83	34	2	13	7	1
Bancroft.....	344	6	6	-	12	34.88	6	2	2	2	-
Benedicta.....	280	5	9	-	14	50.00	11	1	-	2	-
Blaine.....	1,025	17	12	-	29	28.29	17	3	2	7	-
Bridgewater.....	1,250	9	13	-	22	17.60	6	1	6	8	1
Caribou.....	5,501	121	125	-	246	44.72	107	34	57	46	2
Castle Hill.....	525	12	9	-	21	40.00	18	-	1	2	-
Crystal.....	528	6	12	-	18	34.09	12	2	2	1	1
Dyer Brook.....	281	7	3	-	10	35.58	4	-	5	1	-
Eagle Lake.....	1,621	39	34	-	73	45.03	47	4	18	4	-
Easton.....	1,317	18	10	1	29	22.02	7	7	9	6	-
Fort Fairfield.....	4,421	74	76	-	150	33.93	65	22	24	36	3
Fort Kent.....	3,946	77	77	-	154	39.03	107	16	18	12	1
Frenchville.....	1,434	34	23	-	57	39.75	55	-	1	-	1
Grand Isle.....	1,359	28	38	-	66	48.57	33	8	12	12	1
Haynesville.....	264	9	7	-	16	60.60	12	-	1	2	1
Hersey.....	184	3	4	-	7	38.04	4	1	-	2	-
Hodgdon.....	1,157	13	11	-	24	20.74	13	1	6	4	-
Houlton.....	6,077	74	47	-	121	19.91	42	37	20	20	2
Island Falls.....	1,810	22	24	-	46	25.41	20	12	7	6	1
Limestone.....	1,325	33	41	-	74	55.85	34	16	12	12	-
Linneus.....	805	12	11	-	23	28.57	14	1	4	4	-
Littleton.....	1,040	17	14	-	31	29.81	17	5	5	4	-
Ludlow.....	416	2	4	-	6	14.42	3	-	3	-	-
Madawaska.....	1,857	30	23	-	53	28.54	49	-	3	1	-

No. 6—Continued.
for the year 1912.
 COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
1	-	-	-	-	1	3	2	-	5	4	1	-	13.55
18	4	2	7	-	31	6	8	-	14	11	2	1	5.85
1	-	-	-	-	1	3	1	-	4	3	1	-	11.62
2	-	-	-	-	2	2	4	-	6	3	3	-	21.43
6	1	1	3	-	11	6	4	-	10	6	4	-	9.76
5	3	3	4	-	15	4	7	-	11	4	7	-	8.80
30	4	8	12	-	54	34	36	-	70	52	18	-	10.27
2	-	-	-	-	2	3	1	-	4	4	-	-	7.62
2	-	-	1	-	3	5	3	-	8	5	3	-	15.15
3	-	1	-	-	4	-	2	-	2	2	-	-	7.08
11	1	1	1	-	14	20	12	-	32	29	3	-	19.74
3	1	1	3	-	8	7	5	-	12	11	1	-	9.11
15	7	1	7	1	31	7	5	-	12	8	4	-	2.71
35	1	5	7	-	48	26	22	-	48	37	10	1	12.16
16	-	2	4	-	22	3	14	-	17	17	-	-	11.85
7	-	-	3	-	10	11	14	-	25	22	3	-	18.40
2	-	2	-	-	4	3	2	-	5	3	2	-	18.94
-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	3	-	-	8	3	2	-	5	2	3	-	4.32
17	8	4	12	-	41	44	34	-	78	47	29	2	12.84
8	2	2	1	-	13	4	2	-	6	6	-	-	3.31
4	1	1	-	-	6	9	6	-	15	12	3	-	11.32
3	1	2	1	-	7	6	2	-	8	7	1	-	9.94
-	-	-	1	1	2	8	7	-	15	7	8	-	14.42
1	-	1	1	-	3	2	4	-	6	2	3	1	14.42
15	-	-	1	-	16	7	6	-	13	13	-	-	7.00

TABLE

Births, Marriages and Deaths

AROOSTOOK

TOWNS.	Estimated population in 1912.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Mapleton	1,173	9	11	-	20	17.07	12	1	2	5	-
Mars Hill	1,577	27	15	-	42	26.63	19	8	6	9	-
Masardis	692	14	9	-	23	33.24	14	4	3	2	-
Merrill	413	7	6	-	13	31.48	7	-	5	1	-
Monticello	1,290	14	19	-	33	25.58	11	9	6	7	-
New Limerick	458	8	4	-	12	26.20	8	2	1	1	-
New Sweden	912	11	18	-	29	31.80	11	8	6	4	-
Oakfield	944	18	9	-	27	28.60	25	1	1	-	-
Orient	183	2	3	-	5	27.32	3	-	1	1	-
Perham	825	9	9	-	18	21.82	10	2	2	3	1
Portage Lake	552	2	2	-	4	7.25	3	-	1	-	-
Presque Isle	5,453	57	61	-	118	21.64	63	24	20	10	1
St. Agatha	1,560	39	33	-	72	46.15	70	2	-	-	-
Sherman	1,067	21	19	-	40	37.49	27	4	8	1	-
Smyrna	411	5	6	-	11	26.76	4	2	3	2	-
Stockholm	819	16	10	-	26	31.75	13	5	6	2	-
Van Buren	3,302	82	64	-	146	44.22	73	26	30	17	-
Washburn	1,654	26	37	-	63	38.09	43	2	9	9	-
Westfield	775	10	11	-	21	27.10	9	4	3	5	-
Wesson	394	6	4	-	10	25.38	3	1	-	6	-
Woodland	1,173	8	12	1	21	17.90	8	2	7	3	1
Allagash Pl.	245	-	-	-	-	-	-	-	-	-	-
Cary Pl.	328	5	5	-	10	30.49	7	-	2	1	-
Caswell Pl.	561	8	8	-	16	28.52	6	3	3	4	-
Chapman Pl.	454	5	8	-	13	28.63	4	-	5	2	2
Connor Pl.	641	9	10	-	19	29.64	13	-	4	2	-

No. 6—Continued.
for the year 1912.

COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
6	-	1	2	-	9	4	4	-	8	7	1	-	6.82
7	2	3	4	-	16	7	12	-	19	12	7	-	12.05
4	-	1	3	-	8	2	1	-	3	2	-	1	4.34
1	-	1	1	-	3	1	1	-	2	1	1	-	4.84
8	-	4	4	-	16	5	2	-	7	6	1	-	5.42
2	-	4	1	-	7	3	2	-	5	2	3	-	10.92
3	2	-	1	-	6	7	7	-	14	3	11	-	15.35
9	1	-	1	-	11	7	6	-	13	8	5	-	13.77
-	-	-	-	-	-	3	1	-	4	3	1	-	21.86
4	-	-	-	-	4	3	3	-	6	3	3	-	7.27
1	1	-	1	-	3	3	3	-	6	5	1	-	10.87
28	5	7	10	-	50	21	36	-	57	40	16	1	10.45
7	-	-	-	-	7	16	13	-	29	26	3	-	18.59
8	-	-	-	-	8	3	4	-	7	7	-	-	6.56
3	-	1	1	-	5	2	1	-	3	2	1	-	7.30
1	-	-	-	-	1	3	-	-	3	3	-	-	3.66
19	3	2	8	-	32	34	14	-	48	42	6	-	14.54
11	-	-	4	-	15	11	9	-	20	15	5	-	12.09
3	-	1	5	-	9	3	4	-	7	6	1	-	9.03
-	-	1	-	-	1	6	1	-	7	6	1	-	17.77
6	1	2	1	-	10	6	3	-	9	4	5	-	7.67
1	-	1	-	-	2	-	-	-	-	-	-	-	-
1	-	-	1	-	2	-	2	-	2	2	-	-	6.09
1	-	-	1	-	2	3	2	-	5	3	2	-	8.91
4	-	-	2	-	6	1	1	-	2	2	-	-	4.41
2	-	1	-	1	4	5	4	-	9	8	1	-	14.04

TABLE
Births, Marriages and Deaths
AROSTOOK

TOWNS.	Estimated population in 1912	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Cyr Pl.	537	13	13	-	26	48.42	17	2	2	4	1
E Pl.	126	3	3	-	6	47.62	4	-	2	-	-
Garfield Pl.	123	-	1	-	1	8.13	1	-	-	-	-
Glenwood Pl.	118	-	2	-	2	16.95	2	-	-	-	-
Hamlin Pl.	673	14	6	-	20	29.72	11	2	-	7	-
Hammond Pl.	115	-	1	-	1	8.70	-	-	1	-	-
Macwahoc Pl.	147	4	1	-	5	34.01	4	1	-	-	-
Moro Pl.	215	2	3	-	5	23.26	3	-	1	1	-
New Canada Pl.	624	5	3	-	8	12.82	4	2	-	2	-
Oxbow Pl.	186	5	1	-	6	32.20	6	-	-	-	-
Reed Pl.	565	12	9	-	21	37.17	10	4	5	2	-
St. Francis Pl.	988	18	17	-	35	35.43	30	-	2	3	-
St. John Pl.	611	4	5	-	9	14.73	5	1	1	2	-
Silver Ridge Pl.	153	1	1	-	2	13.07	2	-	-	-	-
Wade Pl.	328	7	4	-	11	33.54	7	1	1	1	1
Wallagrass Pl.	1,048	23	27	-	50	47.71	39	1	4	5	1
Westmanland Pl.	104	1	-	-	1	9.62	1	-	-	-	-
Winterville Pl.	295	8	6	-	14	47.46	10	1	1	2	-
No. 9, R. 3.	-	3	1	-	4	-	-	1	3	-	-
Total.	*75,480	1,252	1,157	2	2,411	31.94	1,369	301	389	329	23

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.

for the year 1912.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
5	-	-	1	-	6	-	3	-	3	2	1	-	5.59
1	-	-	-	-	1	-	1	-	1	1	-	-	7.93
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	2	2	-	-	16.95
5	1	-	-	-	6	2	2	-	4	2	2	-	5.94
1	-	-	-	-	1	-	2	-	2	1	1	-	17.40
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	2	-	3	4	-	-	4	3	1	-	18.60
12	-	-	2	-	14	6	7	-	13	11	2	-	20.83
-	-	-	-	-	-	-	1	-	1	1	-	-	5.36
5	1	1	-	-	7	4	2	-	6	4	2	-	10.62
6	-	3	1	-	10	3	4	-	7	6	1	-	7.08
1	-	1	1	-	3	4	3	-	7	5	2	-	11.46
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	1	-	1	1	3	-	4	2	2	-	12.19
3	-	-	-	-	3	12	10	-	22	19	3	-	20.99
1	1	-	-	-	2	-	1	-	1	-	1	-	9.62
1	-	-	-	-	1	3	-	-	3	3	-	-	10.17
-	-	-	1	-	1	-	1	-	1	1	-	-	-
396	52	75	129	3	655	425	382	-	807	598	202	7	10.69

TABLE
Births, Marriages and Deaths
CUMBERLAND

TOWNS.	Estimated population in 1912.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin.....	785	11	8	-	19	24.20	18	-	1	-	-
Bridgton.....	2,620	20	17	-	37	14.12	32	-	2	3	-
Brunswick.....	6,585	84	90	-	174	26.42	61	55	30	27	1
Cape Elizabeth....	2,051	15	8	-	23	11.21	17	4	2	-	-
Casco.....	671	5	9	-	14	20.86	14	-	-	-	-
Cumberland.....	1,403	8	5	-	13	9.27	11	-	2	-	-
Falmouth.....	1,484	11	6	-	17	11.46	12	2	2	1	-
Freeport.....	2,484	18	20	-	38	15.30	33	1	-	3	1
Gorham.....	2,878	14	23	-	37	12.86	29	3	3	2	-
Gray.....	1,247	6	8	-	14	11.22	10	-	1	3	-
Harpwell.....	1,630	15	18	-	33	20.24	28	-	3	2	-
Harrison.....	967	18	10	-	28	28.96	26	2	-	-	-
Naples.....	722	6	8	-	14	19.39	13	-	-	-	1
New Gloucester....	1,242	4	12	-	16	12.88	15	-	1	-	-
North Yarmouth...	694	6	8	-	14	20.17	12	2	-	-	-
Otisfield.....	616	3	13	-	16	25.97	15	1	-	-	-
Portland.....	60,257	702	641	-	1,343	22.28	631	453	115	123	21
Pownal.....	625	7	4	-	11	17.60	9	-	1	1	-
Raymond.....	647	8	4	-	12	18.55	12	-	-	-	-
Scarboro.....	1,961	20	17	-	37	18.87	22	5	4	5	1
Sebago.....	528	2	3	-	5	9.47	4	-	1	-	-
South Portland....	7,707	88	82	-	170	22.06	118	24	7	18	3
Standish.....	1,663	24	18	-	42	25.26	39	-	1	2	-
Westbrook.....	8,481	131	97	-	228	26.88	114	53	35	23	3
Windham.....	1,954	14	17	-	31	15.86	22	8	-	1	-
Yarmouth.....	2,374	16	21	-	37	15.59	21	8	3	4	1
Total.....	114,276	1,256	1,167	-	2,423	21.20	1,338	621	214	218	32

No. 6—Continued.
for the year 1912.
 COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						SEX.			NATIVITY.				
Both American.	Both foreign.	Husband American	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	3	8	-	11	11	-	-	14.01
16	-	1	1	-	18	10	18	-	28	26	2	-	10.69
42	2	5	13	-	62	51	49	-	100	81	18	1	15.19
6	-	-	-	-	6	6	4	-	10	9	1	-	4.87
6	-	-	-	-	6	5	6	-	11	11	-	-	16.39
9	-	-	-	-	9	10	12	-	22	18	4	-	15.68
2	2	1	-	-	5	19	11	-	30	27	3	-	20.22
14	-	2	-	-	16	15	11	-	26	25	1	-	10.47
21	-	2	1	-	24	19	25	-	44	43	1	-	15.29
7	-	1	-	-	8	7	9	-	16	16	-	-	12.83
11	-	-	-	-	11	12	14	-	26	25	1	-	15.95
9	-	1	-	-	10	8	10	-	18	18	-	-	18.61
5	-	-	-	-	5	5	7	-	12	10	-	2	16.62
2	-	-	-	-	2	5	16	-	21	20	1	-	16.91
2	-	-	1	-	3	7	4	-	11	10	-	1	15.85
2	-	-	-	-	2	3	5	-	8	7	1	-	12.98
387	110	63	59	1	620	543	509	-	1,052	798	234	20	17.46
5	-	2	-	-	7	6	6	-	12	11	1	-	19.20
12	-	-	-	-	12	7	4	-	11	11	-	-	17.00
20	1	1	1	-	23	15	14	-	29	26	3	-	14.79
3	-	1	-	-	4	6	1	-	7	6	-	1	11.36
37	3	2	2	-	44	39	60	-	99	82	14	3	12.85
6	-	-	-	1	7	12	10	-	22	21	1	-	13.23
50	12	7	12	-	81	58	55	-	113	81	31	1	13.32
11	-	2	1	-	14	25	19	-	44	41	3	-	22.50
16	1	1	1	-	19	18	19	-	37	33	4	-	15.59
705	131	92	92	2	1,022	914	906	-	1,820	1,467	324	29	15.93

TABLE
Births, Marriages and Deaths
FRANKLIN

TOWNS.	Estimated population in 1912.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Avon.....	366	1	5	-	6	16.39	5	1	-	-	-
Carthage.....	284	-	2	-	2	7.04	2	-	-	-	-
Chesterville.....	611	8	11	-	19	31.09	17	1	-	-	1
Eustis.....	522	10	4	-	14	26.82	13	1	-	-	-
Farmington.....	3,194	21	20	-	41	12.84	33	1	5	1	1
Freeman.....	322	-	1	-	1	3.11	1	-	-	-	-
Industry.....	449	2	2	-	4	8.91	4	-	-	-	-
Jay.....	3,033	51	45	-	96	31.65	23	55	15	3	-
Kingfield.....	973	11	9	-	20	20.56	16	-	1	3	-
Madrid.....	252	3	2	-	5	19.84	4	1	-	-	-
New Sharon.....	955	9	11	-	20	20.94	17	1	1	1	-
New Vineyard.....	535	6	6	-	12	22.43	11	1	-	-	-
Phillips.....	1,427	22	9	-	31	21.72	30	-	-	-	1
Rangeley.....	1,192	10	11	-	21	17.62	13	4	1	3	-
Salem.....	181	2	2	-	4	22.10	4	-	-	-	-
Strong.....	736	6	5	-	11	14.95	10	-	1	-	-
Temple.....	403	3	3	-	6	14.89	6	-	-	-	-
Weld.....	542	3	3	-	6	11.07	6	-	-	-	-
Wilton.....	2,243	30	14	-	44	19.62	32	5	4	3	-
Coplin Pl.....	83	1	1	-	2	24.10	1	-	1	-	-
Dallas Pl.....	166	4	4	-	8	48.20	5	1	2	-	-
Lang Pl.....	60	1	-	-	1	16.66	1	-	-	-	-
Perkins Pl.....	67	1	1	-	2	29.85	2	-	-	-	-
Rangeley Pl.....	208	2	2	-	4	19.23	3	1	-	-	-
Sandy River Pl.....	78	-	-	-	-	-	-	-	-	-	-
Total.....	*18,882	207	173	-	380	20.13	259	73	31	14	3

*Population of county, omitting that of unorganized townships, and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.
for the year 1912.
 COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
5	-	-	-	-	5	2	3	-	5	5	-	-	13.89
1	-	-	-	-	1	2	2	-	4	4	-	-	14.08
6	-	1	-	-	7	5	6	-	11	10	1	-	18.00
11	2	-	-	-	13	5	2	-	7	6	1	-	13.41
43	1	1	-	-	45	24	43	-	67	66	1	-	20.98
2	-	1	-	-	3	1	3	-	4	4	-	-	12.44
8	-	-	-	-	8	1	2	-	3	3	-	-	6.68
10	5	3	5	-	23	26	12	-	38	31	7	-	12.53
7	-	-	1	-	8	4	2	-	6	5	1	-	6.17
2	-	-	-	-	2	1	1	-	2	2	-	-	7.93
5	-	-	-	-	5	7	9	-	16	16	-	-	16.75
5	-	-	-	-	5	5	3	-	8	7	1	-	14.95
17	1	-	-	-	18	8	13	-	21	21	-	-	14.72
10	1	-	2	-	13	7	6	-	13	13	-	-	10.91
1	-	-	-	-	1	-	-	-	-	-	-	-	-
4	-	-	-	-	4	6	7	-	13	11	-	2	17.66
6	-	-	-	-	6	4	3	-	7	7	-	-	17.37
5	-	1	-	-	6	7	7	-	14	14	-	-	26.01
17	1	1	-	-	19	23	15	-	38	36	2	-	16.94
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	14.93
1	1	-	-	-	2	-	1	-	1	1	-	-	4.85
1	-	-	-	-	1	-	1	-	1	1	-	-	12.82
170	12	8	8	-	198	139	141	-	280	264	14	2	14.83

TABLE
Births, Marriages and Deaths
HANCOCK

TOWNS.	Estimated population in 1912.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst.....	257	5	3	-	8	31.13	8	-	-	-	-
Aurora.....	100	1	3	-	4	40.00	4	-	-	-	-
Bluehill.....	1,388	14	12	-	26	18.73	23	-	2	-	1
Brooklyn.....	936	13	5	-	18	19.23	15	1	2	-	-
Brooksville.....	1,176	20	11	-	31	26.36	28	-	3	-	-
Bucksport.....	2,192	20	13	-	33	15.05	27	2	2	2	-
Castine.....	933	7	11	-	18	19.29	16	-	-	-	2
Cranberry Isles.....	403	7	7	-	14	34.74	8	-	1	5	-
Dedham.....	359	3	3	-	6	16.71	6	-	-	-	-
Deer Isle.....	1,926	14	23	-	37	19.21	36	1	-	-	-
Eastbrook.....	207	5	3	-	8	38.65	7	-	-	-	1
Eden.....	4,453	38	33	-	71	15.94	54	6	7	4	-
Ellsworth.....	3,399	13	17	-	30	8.83	29	-	-	1	-
Franklin.....	1,153	16	18	-	34	29.49	31	1	-	1	1
Gouldsboro.....	1,367	13	9	-	22	16.09	18	-	4	-	-
Hancock.....	831	7	7	-	14	16.85	14	-	-	-	-
Isle au Haut.....	156	2	2	-	4	25.64	4	-	-	-	-
Lamoine.....	460	2	3	-	5	10.87	5	-	-	-	-
Mariaville.....	162	4	2	-	6	37.04	5	-	-	1	-
Mount Desert.....	1,563	20	21	-	41	26.23	37	-	1	3	-
Orland.....	1,218	11	14	-	25	20.53	23	-	1	1	-
Otis.....	107	-	1	-	1	9.35	1	-	-	-	-
Penobscot.....	951	7	10	-	17	17.88	17	-	-	-	-
Sedgwick.....	909	10	10	-	20	22.00	20	-	-	-	-
Sorrento.....	153	2	6	-	8	52.28	8	-	-	-	-
Southwest Harbor..	888	9	12	-	21	23.65	14	2	3	2	-

No. 6—Continued.

for the year 1912.

COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
2	-	-	-	-	2	-	2	-	2	2	-	-	7.78
2	-	-	-	-	2	-	-	-	-	-	-	-	-
11	-	1	1	-	13	14	10	-	24	20	3	1	17.29
7	-	-	-	-	7	8	5	-	13	13	-	-	13.89
11	-	1	-	-	12	14	5	-	19	19	-	-	16.16
16	-	-	1	-	17	22	13	-	35	35	-	-	15.97
9	-	1	-	-	10	10	10	-	20	18	2	-	21.44
1	-	-	-	-	1	-	3	-	2	3	-	-	7.44
2	-	-	1	-	3	-	-	-	-	-	-	-	-
16	-	-	-	-	16	18	10	-	28	28	-	-	14.54
1	-	-	-	-	1	1	3	-	4	4	-	-	19.33
31	3	5	3	-	42	30	25	-	55	49	6	-	12.35
36	-	-	2	-	38	32	26	-	58	53	4	1	17.06
9	2	1	-	-	12	5	8	-	13	13	-	-	11.27
4	-	1	1	-	6	10	10	-	20	20	-	-	14.63
3	-	-	-	-	3	14	9	-	23	22	1	-	27.68
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	7	5	-	12	11	1	-	26.09
1	-	-	-	-	1	1	2	-	3	2	1	-	18.52
13	-	2	-	-	15	6	11	-	17	16	1	-	10.88
9	-	1	1	-	11	12	15	-	27	26	1	-	22.17
1	-	-	-	-	1	-	1	-	1	1	-	-	9.35
4	-	1	-	-	5	6	10	-	16	16	-	-	16.82
11	-	-	1	-	12	4	6	-	10	10	-	-	11.00
1	-	-	-	-	1	3	-	-	3	3	-	-	19.61
13	-	1	-	-	14	7	3	-	10	7	3	-	11.26

TABLE Births, Marriages and Deaths

HANCOCK

TOWNS.	Estimated population in 1912	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Stonington.....	2,077	22	15	-	37	17.82	30	7	-	-	-
Sullivan.....	1,152	8	9	-	17	14.76	14	-	1	2	-
Surry.....	702	8	1	-	9	12.82	9	-	-	-	-
Swan's Island.....	749	2	10	-	12	16.02	10	-	-	2	-
Tremont.....	938	13	19	-	32	34.12	30	-	1	-	1
Trenton.....	334	6	7	-	13	38.92	11	-	-	2	-
Verona.....	229	4	-	-	4	17.47	4	-	-	-	-
Waltham.....	182	3	-	-	3	16.48	3	-	-	-	-
Winter Harbor....	593	11	8	-	19	32.04	18	-	-	1	-
Long Island Pl....	201	1	3	-	4	19.90	2	-	2	-	-
No. 8 Pl.....	19	-	1	-	1	52.63	1	-	-	-	-
No. 21 Pl.....	39	-	1	-	1	25.64	1	-	-	-	-
No. 33 Pl.....	82	1	-	-	1	12.19	1	-	-	-	-
Total.....	*34,704	342	333	-	675	19.45	592	20	30	27	6

* Population of county, omitting that of unorganized townships, and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.
for the year 1912.

COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						SEX.			NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
12	2	-	1	-	15	12	9	-	21	21	-	-	10.11
12	1	1	1	-	15	5	8	-	13	13	-	-	11.28
7	-	1	-	-	8	9	6	-	15	13	2	-	21.37
7	-	-	-	-	7	9	8	-	17	17	-	-	22.70
16	-	-	-	-	16	10	13	-	23	21	2	-	24.52
4	-	-	-	-	4	1	5	-	6	6	-	-	17.96
-	-	-	-	-	-	2	3	-	5	3	2	-	21.83
-	-	-	-	-	-	-	1	-	1	1	-	-	5.49
4	-	-	-	-	4	10	3	-	13	12	1	-	21.92
4	-	-	-	-	4	3	-	-	3	3	-	-	14.93
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	2	2	-	-	24.39
283	8	17	13	-	321	285	250	-	535	503	30	2	15.41

TABLE Births, Marriages and Deaths

KENNEBEC

Towns.	Estimated population in 1912.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion.....	936	19	6	-	25	26.71	24	-	-	1	-
Augusta.....	13,516	141	153	-	294	21.75	141	83	27	35	8
Belgrade.....	1,037	10	6	-	16	15.43	13	-	1	1	1
Benton.....	1,215	14	12	-	26	21.40	22	-	2	2	-
Chelsea.....	3,241	3	7	-	10	3.09	10	-	-	-	-
China.....	1,280	14	11	-	25	19.53	19	1	1	4	-
Clinton.....	1,242	10	15	-	25	20.13	23	-	-	2	-
Farmingdale.....	819	7	2	-	9	10.99	7	-	-	2	-
Fayette.....	527	5	-	-	5	9.49	4	-	-	1	-
Gardiner.....	5,273	38	35	-	73	13.84	55	2	10	6	-
Hallowell.....	2,894	21	33	-	54	18.66	38	6	6	4	-
Litchfield.....	945	7	7	-	14	14.82	9	1	-	4	-
Manchester.....	617	6	4	-	10	16.21	5	1	-	4	-
Monmouth.....	1,416	12	9	-	21	14.83	17	3	-	1	-
Mount Vernon.....	898	10	8	-	18	20.04	16	1	1	-	-
Oakland.....	2,325	33	24	-	57	24.52	45	3	4	5	-
Pittston.....	954	4	6	-	10	10.48	10	-	-	-	-
Randolph.....	1,005	12	9	-	21	20.89	17	2	-	2	-
Readfield.....	996	7	2	-	9	9.04	6	1	1	1	-
Rome.....	444	4	1	-	5	11.26	5	-	-	-	-
Sidney.....	900	10	8	-	18	20.00	18	-	-	-	-
Vassalboro.....	2,077	19	8	-	27	13.00	10	10	4	3	-
Vienna.....	403	6	1	-	7	17.37	5	1	-	-	1

No. 6—Continued.
for the year 1912.
 COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
5	-	-	-	-	5	6	9	-	15	14	-	1	16.03
98	22	6	15	-	141	179	164	-	343	267	64	12	25.38
6	-	-	1	-	7	13	8	-	21	20	1	-	20.25
7	-	-	1	-	8	6	13	-	19	17	2	-	15.64
9	-	-	-	-	9	6	1	-	7	6	1	-	2.16
8	-	2	-	-	10	14	3	-	17	16	1	-	13.28
8	-	1	-	-	9	13	14	-	27	26	-	1	21.74
4	-	1	1	-	6	8	4	-	12	11	1	-	14.65
5	-	-	-	-	5	3	-	-	3	3	-	-	5.69
43	-	3	3	-	49	37	48	-	85	82	3	-	16.12
19	1	-	1	-	21	28	29	-	57	43	12	2	19.69
5	-	-	-	-	5	12	9	-	21	19	1	1	22.22
2	-	-	1	-	3	5	4	-	9	7	2	-	14.59
10	-	-	1	-	11	25	17	-	42	40	2	-	29.66
4	-	-	-	-	4	6	5	-	11	11	-	-	11.14
31	1	1	-	-	33	17	25	-	42	38	4	-	18.49
7	-	-	-	-	7	6	7	-	13	12	1	-	13.63
9	-	-	-	-	9	7	11	-	18	15	3	-	17.91
6	-	-	-	-	6	7	5	-	12	11	-	1	12.05
5	-	-	-	-	5	5	3	-	8	8	-	-	18.02
11	-	-	-	1	12	7	15	-	22	20	2	-	24.44
12	2	-	1	-	15	15	13	-	28	26	1	1	13.48
1	-	-	-	-	1	5	3	-	8	8	-	-	19.85

TABLE
Births, Marriages and Deaths

KENNEBEC

TOWNS.	Estimated population in 1912.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	- Not stated.
Waterville	11,854	132	137	-	269	22.69	112	73	50	29	5
Wayne	573	4	4	-	8	13.96	4	2	-	2	-
West Gardiner	617	7	3	-	10	16.21	9	1	-	-	-
Windsor	693	5	3	-	8	11.54	7	-	-	-	1
Winslow	2,795	49	37	-	86	30.77	18	53	10	5	-
Winthrop	2,119	7	6	-	13	6.13	9	3	-	1	-
Unity Pl.	56	-	-	-	-	-	-	-	-	-	-
Togus	-	-	-	-	-	-	-	-	-	-	-
Total	63,667	616	557	-	1,173	18.42	678	247	117	115	16

No. 6—Continued.
for the year 1912.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.			NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
82	10	11	17	1	121	105	86	-	191	144	45	2	16.11
4	-	1	-	-	5	2	4	-	6	4	1	1	10.47
8	-	-	-	-	8	7	5	-	12	10	2	-	19.45
4	-	-	1	-	5	9	3	-	12	10	2	-	17.32
12	11	6	3	-	32	27	18	-	45	36	9	-	16.10
12	-	2	4	2	20	30	20	-	50	45	2	3	23.60
1	-	-	-	-	1	-	-	-	-	-	-	-	-
2	-	-	1	-	3	11	-	-	11	7	2	2	-
440	47	34	51	4	576	621	546	-	1,167	976	164	27	18.33

TABLE
Births, Marriages and Deaths
KNOX

TOWNS.	Estimated population in 1912.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton.....	816	4	12	-	16	19.61	13	-	1	2	-
Camden.....	3,053	23	23	-	46	15.07	36	4	3	2	1
Cushing.....	521	4	4	-	8	15.36	6	1	-	1	-
Friendship.....	768	3	4	-	7	9.11	6	-	-	-	1
Hope.....	479	4	1	-	5	10.44	4	-	-	1	-
Hurricane Isle.....	256	1	-	-	1	3.90	1	-	-	-	-
North Haven.....	535	1	3	-	4	7.48	4	-	-	-	-
Rockland.....	8,176	82	73	-	155	18.40	111	31	5	7	1
Rockport.....	1,993	13	18	-	31	15.55	22	6	3	-	-
St. George.....	2,201	17	22	-	39	17.72	25	5	7	2	-
South Thomaston..	1,440	7	8	-	15	10.42	10	3	1	1	-
Thomaston.....	2,109	11	12	-	23	10.91	19	1	2	1	-
Union.....	1,232	7	9	-	16	12.99	16	-	-	-	-
Vinalhaven.....	2,332	16	15	-	31	13.29	22	5	-	4	-
Warren.....	1,762	15	7	-	22	12.49	20	1	1	-	-
Washington.....	774	8	8	-	16	20.67	15	-	-	1	-
Criehaven Pl.....	46	-	-	-	-	-	-	-	-	-	-
Matinicus Isle Pl..	179	1	-	-	1	5.58	1	-	-	-	-
Total.....	28,672	217	219	-	436	15.20	331	57	23	22	3

No. 6—Continued.

for the year 1912.

COUNTY.

MARRIAGES.						DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
8	-	-	-	-	8	12	7	-	19	19	-	-	23.28
29	-	1	2	-	32	16	27	-	43	43	-	-	14.08
3	-	-	-	-	3	7	5	-	12	12	-	-	23.03
6	-	1	-	-	7	5	5	-	10	9	1	-	13.02
1	-	-	-	-	1	2	1	-	3	3	-	-	6.26
-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	3	1	8	-	9	9	-	-	16.82
70	4	8	15	-	97	85	78	-	163	145	18	-	19.94
13	3	-	2	-	18	18	16	-	34	31	2	1	17.06
8	1	1	1	-	11	15	12	-	27	25	1	1	12.27
8	-	1	2	-	11	8	5	-	13	13	-	-	9.03
11	1	1	1	-	14	20	20	-	40	34	5	1	17.06
9	-	-	-	-	9	8	8	-	16	16	-	-	12.99
16	1	-	-	-	17	21	18	-	39	37	2	-	16.72
15	-	-	-	-	15	16	14	-	30	30	-	-	17.03
6	1	1	1	-	9	7	7	-	14	14	-	-	18.09
2	-	-	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	1	-	3	3	-	-	16.76
208	11	14	24	-	257	243	232	-	475	443	29	3	16.57

TABLE
Births, Marriages and Deaths
LINCOLN

TOWNS.	Estimated population in 1912	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna.....	458	4	1	-	5	10.92	4	-	-	1	-
Boothbay.....	1,688	27	16	-	43	25.47	40	-	2	1	-
Boothbay Harbor..	2,039	20	23	-	43	21.08	38	2	1	2	-
Bremen.....	530	3	5	-	8	15.09	6	-	-	2	-
Bristol.....	2,383	17	19	-	36	15.11	33	-	1	2	-
Damariscotta.....	751	3	3	-	6	7.99	6	-	-	-	-
Dresden.....	801	4	5	-	9	11.24	7	-	1	1	-
Edgecomb.....	495	3	6	-	9	18.18	7	-	-	2	-
Jefferson.....	1,008	8	5	-	13	12.90	10	1	-	2	-
Newcastle.....	1,066	12	9	-	21	18.76	20	1	-	-	-
Nobleboro.....	769	7	3	-	10	13.00	9	-	1	-	-
Somerville.....	275	5	3	-	8	29.09	7	-	-	-	1
Southport.....	392	2	-	-	2	5.10	2	-	-	-	-
Waldoboro.....	2,558	26	22	-	48	18.76	46	1	-	-	1
Westport.....	274	-	2	-	2	7.30	2	-	-	-	-
Whitefield.....	1,036	7	8	-	15	14.48	13	-	-	2	-
Wiscasset.....	1,302	13	15	-	28	21.51	24	2	1	1	-
Monhegan Pl.....	123	-	-	-	-	-	-	-	-	-	-
Total.....	*17,948	161	145	-	306	17.05	274	7	7	16	2

* Population of county, omitting that of unorganized townships, and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.

for the year 1912.

COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
4	-	-	-	-	4	1	6	-	7	7	-	-	15.28
16	-	1	-	-	17	12	7	-	19	16	3	-	11.26
16	-	-	-	-	16	6	9	-	15	14	1	-	7.36
1	-	-	-	-	1	7	4	-	11	11	-	-	20.75
15	-	1	-	1	17	17	17	-	34	34	-	-	14.27
6	-	-	-	-	6	5	10	-	15	15	-	-	19.97
5	-	-	-	-	5	2	5	-	7	6	1	-	8.74
5	-	1	-	-	6	3	7	-	10	9	1	-	20.20
7	-	1	-	-	8	12	13	-	25	25	-	-	24.80
4	-	-	-	-	4	9	5	-	14	13	1	-	13.13
3	-	-	1	-	4	5	7	-	12	12	-	-	15.60
2	-	-	1	-	3	3	-	-	3	3	-	-	10.91
-	-	-	-	1	1	4	1	-	5	5	-	-	12.76
17	-	2	1	-	20	21	17	-	38	37	-	1	14.86
1	-	-	-	-	1	2	5	-	7	7	-	-	25.55
7	-	-	-	-	7	9	7	-	16	16	-	-	15.44
12	-	-	-	-	12	8	10	-	18	17	1	-	13.82
-	-	-	-	-	-	1	-	-	1	1	-	-	8.13
121	-	6	3	2	132	127	130	-	257	248	8	1	14.32

TABLE
Births, Marriages and Deaths
OXFORD

TOWNS.	Estimated population in 1912.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany	384	6	2	-	8	20.83	7	-	-	-	1
Andover	763	11	5	-	16	20.97	11	2	1	2	-
Bethel	1,948	19	16	-	35	17.97	25	1	5	4	-
Brownfield	915	4	10	-	14	15.30	12	-	-	1	1
Buckfield	1,077	11	6	-	17	15.78	16	-	1	-	-
Byron	183	3	2	-	5	27.32	5	-	-	-	-
Canton	1,027	9	13	-	22	21.42	14	6	-	2	-
Denmark	588	3	3	-	6	10.20	5	1	-	-	-
Dixfield	1,056	9	15	-	24	22.74	22	-	1	1	-
Fryeburg	1,263	6	8	-	14	11.08	13	-	-	1	-
Gilead	211	4	2	-	6	28.44	5	-	-	1	-
Grafton	62	-	-	-	-	-	-	-	-	-	-
Greenwood	648	10	7	-	17	26.23	13	4	-	-	-
Hanover	192	3	1	-	4	20.83	3	-	-	1	-
Hartford	582	6	2	-	8	13.75	7	-	-	1	-
Hebron	623	5	4	-	9	14.44	8	-	-	1	-
Hiram	931	5	5	-	10	10.74	10	-	-	-	-
Lovell	664	6	4	-	10	15.06	10	-	-	-	-
Mason	60	-	1	-	1	16.67	-	-	1	-	-
Mexico	2,315	42	36	-	78	33.69	29	29	12	8	-
Newry	270	2	1	-	3	11.11	2	-	1	-	-
Norway	3,112	30	29	-	59	18.96	49	4	5	1	-

No. 6—Continued.
for the year 1912.
 COUNTY.

MARRIAGES.							DEATHS.							Death-rate per 1,000.
							SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
4	-	-	-	-	4	3	3	-	6	6	-	-	15.62	
7	-	-	-	-	7	6	7	-	13	11	2	-	17.04	
4	-	1	1	-	6	13	9	-	22	20	2	-	11.29	
8	-	-	-	-	8	13	6	-	19	18	-	1	20.76	
10	-	-	-	-	10	13	9	-	22	21	1	-	20.43	
3	-	-	-	-	3	1	1	-	2	1	1	-	10.93	
8	-	-	1	-	9	6	3	-	9	8	1	-	8.76	
-	-	-	-	-	-	5	2	-	7	7	-	-	11.90	
11	-	1	-	-	12	11	2	-	13	13	-	-	12.31	
9	-	1	-	-	10	14	11	-	25	25	-	-	19.79	
1	-	-	-	-	1	-	1	-	1	1	-	-	4.74	
-	-	-	-	-	-	-	1	-	1	1	-	-	16.13	
5	-	-	-	-	5	5	7	-	12	10	2	-	18.52	
1	-	-	-	-	1	2	1	-	3	3	-	-	15.62	
5	-	-	-	-	5	5	4	-	9	8	1	-	15.46	
5	-	-	-	-	5	7	8	-	15	13	2	-	24.07	
5	-	-	-	-	5	8	10	-	18	17	1	-	19.33	
5	-	-	1	-	6	1	4	-	5	5	-	-	7.53	
2	-	-	-	-	2	1	-	-	1	1	-	-	16.67	
9	2	4	3	-	18	13	11	-	24	16	7	1	10.37	
4	-	-	1	-	5	1	1	-	2	2	-	-	7.41	
26	-	2	5	-	33	23	20	-	43	39	4	-	13.82	

TABLE
Births, Marriages and Deaths
OXFORD

TOWNS.	Estimated population in 1912.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Oxford	1,199	9	7	-	16	13.34	14	1	-	1	-
Paris	3,478	38	37	-	75	21.56	49	21	3	2	-
Peru	740	7	3	1	11	14.86	9	1	1	-	-
Porter	860	-	7	-	7	8.14	4	-	1	2	-
Roxbury	325	6	4	-	10	30.77	7	1	2	-	-
Rumford	7,379	160	104	-	264	35.78	44	170	30	20	-
Stoneham	247	4	2	-	6	24.29	6	-	-	-	-
Stow	214	1	2	-	3	14.02	3	-	-	-	-
Sumner	754	5	3	-	8	10.61	7	1	-	-	-
Sweden	263	3	3	-	6	22.82	6	-	-	-	-
Upton	318	2	2	-	4	12.58	3	-	1	-	-
Waterford	938	9	8	-	17	18.12	15	1	-	1	-
Woodstock	808	5	8	-	13	16.09	10	3	-	-	-
Lincoln Pl.	332	2	1	-	3	9.03	3	-	-	-	-
Magalloway Pl.	101	-	1	-	1	9.90	1	-	-	-	-
Milton Pl.	204	1	1	-	2	9.80	2	-	-	-	-
Batchelder's Grant	36	1	-	-	1	27.28	-	1	-	-	-
Total	*37,070	447	365	1	813	21.93	449	247	65	50	2

* Population of county, omitting that of unorganized townships, and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.

for the year 1912.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
10	-	-	-	-	10	8	8	-	16	15	1	-	13.34
28	11	2	-	1	42	26	22	-	48	46	2	-	13.80
7	-	-	-	-	7	6	6	-	12	12	-	-	16.22
10	-	-	1	-	11	5	4	-	9	9	-	-	10.46
1	-	-	-	-	1	5	-	-	5	3	1	1	15.38
34	42	7	14	-	97	49	38	-	87	58	29	-	11.79
2	-	-	-	-	2	3	1	-	4	3	-	1	16.19
3	-	-	-	-	3	2	2	-	4	3	1	-	18.68
5	-	-	-	-	5	11	8	-	19	19	-	-	25.20
2	-	-	-	-	2	1	3	-	4	4	-	-	15.22
2	-	1	2	-	5	2	1	-	3	3	-	-	9.43
4	-	-	-	-	4	5	7	-	12	11	-	1	12.79
3	-	-	-	-	3	6	5	-	11	11	-	-	13.61
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	2	-	-	2	2	-	-	19.80
2	-	-	-	-	2	-	2	-	2	2	-	-	9.80
-	-	-	-	-	-	-	-	-	-	-	-	-	-
246	55	19	29	1	350	282	228	-	510	447	58	5	13.76

No. 6—Continued.
for the year 1912.

COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
3	-	-	-	-	3	1	1	-	2	1	1	-	8.06
-	-	1	-	-	1	-	5	-	5	5	-	-	23.26
167	22	26	35	-	250	286	248	-	534	402	124	8	21.03
9	-	1	-	-	10	5	4	-	9	7	1	1	9.72
3	-	-	-	-	3	8	4	-	12	12	-	-	19.17
30	5	1	5	-	41	37	47	-	84	73	11	-	14.40
1	-	-	-	-	1	1	2	-	3	3	-	-	8.20
9	-	2	-	-	11	6	7	-	13	13	-	-	12.10
3	-	-	-	-	3	2	1	-	3	3	-	-	6.40
6	-	-	-	-	6	9	5	-	14	14	-	-	16.13
2	-	-	-	-	2	4	2	-	6	6	-	-	17.29
1	-	-	-	-	1	2	2	-	4	4	-	-	18.80
14	-	1	1	-	16	10	12	-	22	21	1	-	17.61
8	-	1	-	-	9	12	11	-	23	22	1	-	22.24
24	3	-	6	-	33	23	22	-	45	43	2	-	12.34
5	-	-	-	-	5	4	1	-	5	5	-	-	6.74
3	3	2	1	-	9	3	6	-	9	5	4	-	9.70
4	-	-	-	-	4	7	4	-	11	11	-	-	18.30
5	-	1	2	-	8	7	10	-	17	15	2	-	17.86
2	-	-	-	-	2	-	6	-	6	5	1	-	11.47
4	1	-	-	1	6	6	2	-	8	7	1	-	9.01
6	-	-	-	-	6	8	12	-	20	18	2	-	24.72
3	-	-	1	-	4	3	1	-	4	4	-	-	8.75
3	-	-	2	-	5	3	3	-	6	6	-	-	12.90
-	-	-	-	-	-	1	-	-	1	1	-	-	5.13

TABLE
Births, Marriages and Deaths
PENOBSCOT

TOWNS.	Estimated population in 1912	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Hampden.....	2,420	14	13	-	27	11.16	21	2	1	2	1
Hermon.....	1,216	19	13	-	32	26.32	25	2	1	4	-
Holden.....	609	6	2	-	8	13.13	5	1	1	1	-
Howland.....	490	6	6	-	12	24.49	4	3	1	4	-
Hudson.....	397	4	3	-	7	17.63	6	-	1	-	-
Kenduskeag.....	492	3	3	-	6	12.20	6	-	-	-	-
Kingman.....	702	14	10	-	24	34.19	14	2	5	3	-
Lagrange.....	594	6	10	-	16	26.94	13	1	1	1	-
Lee.....	738	9	9	-	18	24.39	17	-	-	1	-
Levant.....	691	7	8	-	15	21.71	12	-	2	1	-
Lincoln.....	2,040	22	21	-	43	21.08	29	7	5	2	-
Lowell.....	251	6	2	-	8	31.87	7	-	1	-	-
Mattawamkeag....	515	5	4	-	9	17.48	6	1	1	-	1
Maxfield.....	74	-	1	-	1	13.52	-	-	1	-	-
Medway.....	529	7	2	-	9	17.01	6	-	2	-	1
Milford.....	993	9	5	-	14	14.10	9	1	2	2	-
Millinocket.....	3,368	75	80	-	155	46.02	47	73	22	11	2
Mt. Chase.....	213	3	3	-	6	28.17	5	1	-	-	-
Newburg.....	686	7	6	-	13	18.95	10	1	1	1	-
Newport.....	1,789	7	15	-	22	12.30	21	-	1	-	-
Old Town.....	6,427	77	76	-	153	23.81	73	32	30	17	1
Orono.....	3,415	42	41	-	83	24.30	33	26	12	11	1
Orrington.....	1,209	12	8	-	20	16.54	16	3	1	-	-
Passadumkeag....	448	8	6	-	14	31.25	13	-	1	-	-
Patten.....	1,454	18	18	-	36	24.76	27	-	6	3	-
Plymouth.....	578	7	5	-	12	20.76	10	-	-	2	-

No 6—Continued.
for the year 1912.

COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
14	-	2	-	-	16	18	21	-	39	34	5	-	16.12
7	-	-	-	-	7	5	7	-	12	11	-	1	9.87
4	-	1	-	-	5	7	5	-	12	11	1	-	19.70
6	-	1	1	-	8	2	-	-	2	2	-	-	4.08
3	-	-	-	-	3	6	5	-	11	10	1	-	27.71
6	-	-	-	-	6	3	11	-	14	12	-	2	28.46
4	-	-	1	-	5	4	1	-	5	1	4	-	7.12
7	-	-	-	-	7	2	2	-	4	4	-	-	6.73
7	-	1	-	-	8	2	5	-	7	6	1	-	9.49
8	-	-	-	-	8	9	3	-	12	12	-	-	17.37
10	-	-	2	-	12	15	6	-	21	20	1	-	10.29
2	-	-	-	-	2	3	2	-	5	5	-	-	19.92
3	-	-	-	1	4	4	1	-	5	3	2	-	9.71
1	-	-	-	-	1	-	1	-	1	1	-	-	13.52
1	-	-	-	-	1	-	2	-	2	2	-	-	3.78
7	1	1	1	-	10	5	7	-	12	9	3	-	12.08
11	14	4	5	-	34	28	14	-	42	23	14	5	12.47
3	-	-	-	-	3	1	1	-	2	2	-	-	9.39
4	-	-	-	-	4	3	3	-	6	6	-	-	8.74
14	-	1	-	-	15	12	15	-	27	26	-	1	15.09
22	8	7	7	-	54	52	55	-	107	82	22	3	16.65
25	5	1	5	-	36	27	20	-	47	41	6	-	13.76
5	-	-	-	-	5	8	11	-	19	18	1	-	15.72
2	-	-	-	-	2	4	-	-	4	3	-	1	8.93
9	-	1	-	-	10	11	7	-	18	14	1	3	12.38
4	-	1	1	-	6	5	8	-	13	13	-	-	22.49

TABLE
Births, Marriages and Deaths

PENOBSCOT

TOWNS.	Estimated population in 1912	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated
Prentiss.....	466	6	5	-	11 23.61	9	-	-	1	1	
Springfield.....	447	7	3	-	10 22.37	10	-	-	-	-	
Stetson.....	476	7	4	-	11 23.11	11	-	-	-	-	
Veazie.....	557	8	4	-	12 21.54	11	-	-	1	-	
Winn.....	649	5	11	-	16 24.65	11	-	3	1	1	
Woodville.....	119	-	4	-	4 33.61	3	-	-	1	-	
Drew Pl.....	270	5	2	-	7 25.93	4	-	1	2	-	
Grand Falls Pl.....	52	-	-	-	-	-	-	-	-	-	
Lakeville Pl.....	90	-	-	-	-	-	-	-	-	-	
Seboeis Pl.....	85	-	1	-	1 11.76	1	-	-	-	-	
Stacyville Pl.....	623	9	10	-	19 30.50	11	3	3	2	-	
Webster Pl.....	99	3	3	-	6 60.61	4	1	1	-	-	
Indian Twp. No. 3	44	-	2	-	2 45.45	2	-	-	-	-	
No. 1, R. 7.....	40	-	-	-	-	-	-	-	-	-	
No. 2, R. 6.....	208	-	1	-	1 4.81	-	-	-	1	-	
Total.....	*85,627	852	851	-	1,703 19.89	1,055	280	192	148	28	

* Population of county, omitting that of unorganized townships and other places, not represented in this tabulation. See Table No. 1.

No. 6—Continued.

for the year 1912.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death rate per 1,000.
						SEX.			NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	-	-	3	2	4	-	6	5	1	-	12.88
-	-	1	-	-	1	4	2	-	6	6	-	-	13.43
2	-	1	-	-	3	5	5	-	10	9	1	-	21.01
3	1	-	-	-	4	10	4	-	14	13	1	-	25.13
3	-	1	-	-	4	6	6	-	12	10	2	-	18.49
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	3	-	-	3	2	1	-	11.11
-	-	-	-	-	-	-	2	-	2	2	-	-	38.46
-	-	-	-	-	-	-	1	-	1	1	-	-	11.12
1	-	-	-	-	1	3	-	-	3	1	1	-	35.28
3	-	1	2	-	6	1	1	-	2	1	1	-	3.21
3	-	1	-	-	4	2	2	-	4	3	1	-	40.40
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	1	-	-	1	-	1	-	25.00
-	-	-	1	-	1	-	-	-	-	-	-	-	-
534	63	62	79	2	740	721	658	-	1,379	1,130	223	26	16.10

TABLE
Births, Marriages and Deaths
PISCATAQUIS

TOWNS.	Estimated population in 1912	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbot.....	703	5	5	-	10	14.22	9	-	1	-	-
Atkinson.....	534	8	7	-	15	28.08	11	1	1	2	-
Blanchard.....	161	1	1	-	2	12.42	-	-	1	1	-
Bowerbank.....	78	1	-	-	1	12.82	1	-	-	-	-
Brownville.....	1,855	8	15	-	23	12.40	8	11	2	2	-
Dover.....	2,131	11	16	-	27	12.67	17	1	1	6	2
Foxcroft.....	1,915	7	6	-	13	6.79	8	1	3	1	-
Greenville.....	1,546	32	21	-	53	34.28	22	12	9	10	-
Guilford.....	1,708	13	17	-	30	17.56	25	-	4	1	-
Medford.....	258	2	4	-	6	23.25	5	-	1	-	-
Milo.....	2,836	36	30	-	66	23.27	46	6	7	5	2
Monson.....	1,269	14	13	-	27	21.28	15	9	-	3	-
Orneville.....	355	4	4	-	8	22.54	7	-	-	1	-
Parkman.....	632	8	6	-	14	22.15	12	-	-	2	-
Sangerville.....	1,323	16	12	-	28	21.16	28	-	-	-	-
Sebec.....	541	2	3	-	5	9.24	5	-	-	-	-
Shirley.....	352	4	3	-	7	19.89	5	-	1	1	-
Wellington.....	381	3	5	-	8	21.00	6	1	1	-	-
Williamsburg.....	142	-	3	-	3	21.13	2	-	1	-	-
Willimantic.....	243	2	4	-	6	24.69	6	-	-	-	-
Barnard Pl.....	101	2	1	-	3	29.70	3	-	-	-	-
Elliottsville Pl.....	126	4	-	-	4	31.75	3	1	-	-	-
Kingsbury Pl.....	108	2	-	-	2	18.52	1	-	1	-	-
Lake View Pl.....	259	4	3	-	7	27.03	3	1	3	-	-
Katahdin Iron W'ks	67	-	-	-	-	-	-	-	-	-	-
Total.....	*19,624	189	179	-	368	18.75	248	44	37	35	4

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.
for the year 1912.
 COUNTY.

MARRIAGES.							DEATHS.							Death rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.					
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
6	-	1	-	-	7	3	5	-	8	7	1	-	11.38	
2	-	-	-	-	2	4	5	-	9	9	-	-	16.85	
1	-	-	1	-	2	1	1	-	2	1	1	-	12.42	
1	-	-	-	-	1	1	1	-	2	2	-	-	25.64	
6	2	2	1	-	11	9	7	-	16	11	5	-	8.63	
13	2	1	2	-	18	10	17	-	27	26	1	-	12.67	
16	1	1	1	-	19	6	11	-	17	15	-	2	8.88	
8	2	1	5	1	17	32	9	1	42	24	14	4	27.17	
14	-	-	1	-	15	8	20	-	28	27	1	-	16.39	
2	-	-	1	-	3	-	2	-	2	1	1	-	7.75	
14	-	1	2	-	17	18	11	-	29	27	2	-	27.17	
7	2	1	-	-	10	11	4	-	15	11	4	-	11.82	
3	-	-	-	-	3	2	1	-	3	3	-	-	8.46	
2	-	-	1	-	3	4	4	-	8	8	-	-	12.66	
11	-	1	1	-	13	11	8	-	19	19	-	-	14.36	
1	-	-	1	-	2	5	5	-	10	9	1	-	18.48	
3	-	1	-	-	4	1	2	-	3	3	-	-	8.52	
6	-	1	-	-	7	1	5	-	6	6	-	-	15.75	
1	-	-	-	1	2	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	2	1	-	3	3	-	-	12.34	
-	-	-	1	-	1	1	-	-	1	1	-	-	9.90	
-	-	-	-	-	-	2	-	-	2	2	-	-	15.87	
2	-	-	-	-	2	-	1	-	1	1	-	-	9.26	
1	-	1	1	-	3	1	-	-	1	1	-	-	3.86	
-	-	-	-	-	-	1	-	-	1	1	-	-	14.92	
120	9	12	19	2	162	134	120	1	255	218	31	6	12.99	

TABLE
Births, Marriages and Deaths

SAGADAHOC

TOWNS.	Estimated population in 1912.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Arrowsic.....	144	3	-	-	3	20.83	3	-	-	-	-
Bath.....	9,180	83	73	-	156	16.99	100	31	15	10	-
Bowdoin.....	790	11	4	-	15	18.99	12	1	-	2	-
Bowdoinham.....	1,401	13	11	-	24	17.13	19	1	1	3	-
Georgetown.....	730	4	7	-	11	15.07	11	-	-	-	-
Phippsburg.....	1,045	8	8	-	16	15.31	14	-	1	1	-
Richmond.....	1,820	13	13	-	26	14.29	21	-	3	2	-
Topsham.....	2,000	18	28	-	46	23.00	23	13	5	5	-
West Bath.....	218	1	2	-	3	13.76	2	1	-	-	-
Woolwich.....	866	6	5	-	11	12.70	9	-	1	1	-
Total.....	18,229	160	151	-	311	17.06	214	47	26	24	-

No. 6—Continued.
for the year 1912.
 COUNTY.

MARRIAGES.							DEATHS.						
Both American.	Both foreign	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death-rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign.		Not stated.
-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	6	6	15	-	71	69	88	-	157	131	24	2	17.10
3	2	-	1	-	6	10	3	-	13	11	1	1	16.46
9	-	1	-	-	10	8	11	-	19	18	1	-	13.56
9	-	-	-	-	9	3	8	-	11	11	-	-	15.07
3	-	1	1	-	5	4	4	-	8	7	1	-	7.65
12	-	2	-	-	14	14	25	-	39	37	2	-	21.43
7	5	2	1	-	15	17	12	-	29	22	7	-	14.50
-	-	-	-	-	-	1	8	-	9	9	-	-	41.28
6	-	-	-	-	6	11	7	-	18	16	2	-	20.79
93	13	12	18	-	136	137	166	-	303	262	38	3	16.07

TABLE
Births, Marriages and Deaths

SOMERSET

TOWNS.	Estimated population in 1912.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson	2,285	28	30	-	58	25.38	32	11	9	5	1
Athens	918	12	10	-	22	23.97	21	-	-	-	1
Bingham	763	11	6	-	17	22.28	12	-	4	1	-
Cambridge	369	3	6	-	9	24.39	8	-	1	-	-
Canaan	854	8	7	-	15	17.56	14	-	-	1	-
Concord	249	4	4	-	8	32.13	6	1	1	-	-
Cornville	726	5	3	-	8	11.02	7	-	1	-	-
Detroit	449	2	5	-	7	15.59	7	-	-	-	-
Embden	521	3	9	-	12	23.03	9	-	1	2	-
Fairfield	4,545	56	45	-	101	22.22	47	21	19	14	-
Harmony	762	6	9	-	15	19.68	13	1	1	-	-
Hartland	1,188	9	8	-	17	14.31	16	1	-	-	-
Madison	3,501	39	47	-	86	24.56	36	40	4	6	-
Mercer	451	4	5	-	9	19.96	9	-	-	-	-
Moscow	546	8	4	-	12	21.98	11	-	1	-	-
New Portland	876	8	10	-	18	20.55	17	-	-	1	-
Norridgewock	1,630	16	19	-	35	21.47	28	4	3	-	-
Palmyra	968	8	14	-	22	22.72	20	-	2	-	-
Pittsfield	2,891	32	18	-	50	17.26	41	3	4	2	-
Ripley	434	6	3	-	9	20.74	8	-	-	-	1
St. Albans	1,027	9	11	-	20	19.47	20	-	-	-	-
Skowhegan	5,373	69	57	-	126	23.45	79	20	15	11	1
Smithfield	423	4	2	-	6	14.18	6	-	-	-	-
Solon	1,042	4	12	-	16	15.36	14	-	1	1	-
Stark	531	3	6	-	9	16.95	9	-	-	-	-

No. 6—Continued.
for the year 1912.
 COUNTY.

MARRIAGES.						DEATHS.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.			Death rate per 1,000.	
						Male.	Female.	Not stated.	Total.	American.	Foreign		Not stated.
12	4	-	4	-	20	15	18	-	33	31	2	-	14.44
13	-	1	-	-	14	8	4	-	12	12	-	-	13.07
5	-	-	1	-	6	7	11	-	18	16	2	-	23.59
4	-	-	-	-	4	3	5	-	8	8	-	-	21.68
7	-	-	-	-	7	6	8	-	14	14	-	-	16.39
1	-	1	-	-	2	2	3	-	5	5	-	-	20.08
5	-	-	-	-	5	6	3	-	9	9	-	-	12.40
3	-	-	-	-	3	2	1	-	3	2	1	-	6.68
5	-	1	1	-	7	2	6	-	8	8	-	-	15.35
22	1	4	-	-	27	30	25	-	55	48	7	-	12.10
12	-	-	1	-	13	5	7	-	12	11	1	-	15.75
9	1	1	-	-	11	6	11	-	17	16	1	-	14.31
23	3	9	11	1	47	22	24	-	46	41	5	-	13.14
6	-	-	-	-	6	1	4	-	5	5	-	-	11.08
7	-	-	-	-	7	6	1	-	7	6	1	-	12.82
7	-	-	-	-	7	5	6	-	11	11	-	-	12.56
8	-	-	2	-	10	14	13	-	27	25	2	-	17.56
8	-	1	1	-	10	8	6	-	14	13	-	1	14.46
21	-	-	2	-	23	26	18	-	44	38	5	1	15.22
5	-	-	-	-	5	4	3	-	7	7	-	-	16.13
10	1	-	-	-	11	7	7	-	14	14	-	-	13.63
47	1	6	2	-	56	51	44	-	95	84	11	-	17.68
4	-	-	-	-	4	5	4	-	9	8	1	-	21.28
15	-	-	1	-	16	7	7	-	14	12	1	1	13.44
3	-	-	-	-	3	3	4	-	7	7	-	-	13.18

TABLE
Births, Marriages and Deaths

SOMERSET

Towns.	Estimated population in 1912	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Bigelow Pl.	54	1	-	-	1	18.52	1	-	-	-	-
Brighton Pl.	238	-	1	-	1	4.20	1	-	-	-	-
Caratunk Pl.	239	4	3	-	7	29.29	4	-	1	2	-
Dead River Pl.	94	4	-	-	4	42.55	4	-	-	-	-
Dennistown Pl.	99	4	3	-	7	70.71	3	3	1	-	-
Flagstaff Pl.	155	2	2	-	4	25.81	3	-	-	1	-
Highland Pl.	68	-	1	-	1	14.71	1	-	-	-	-
Jackman Pl.	729	17	20	-	37	50.75	5	21	5	6	-
Lexington Pl.	237	3	5	-	8	32.91	8	-	-	-	-
Long Pond Pl.	240	8	9	-	17	70.83	2	9	5	1	-
Mayfield Pl.	63	1	1	-	2	31.75	2	-	-	-	-
Moose River Pl.	253	2	4	-	6	23.76	2	3	1	-	-
Pleasant Ridge Pl..	96	-	1	-	1	10.41	1	-	-	-	-
The Forks Pl.	171	1	1	-	2	11.70	1	-	1	-	-
West Forks Pl.	132	-	1	-	1	7.58	1	-	-	-	-
Total.	*36,190	404	402	-	806	22.27	529	138	81	54	4

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.
for the year 1912.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	1	-	-	1	-	1	-	18.52
3	-	-	-	-	3	7	2	-	9	8	1	-	37.80
2	-	-	-	-	2	2	-	-	2	2	-	-	8.36
1	-	-	-	-	1	-	1	-	1	1	-	-	10.64
-	-	-	-	-	-	-	1	-	1	1	-	-	10.10
-	-	-	-	-	-	1	-	-	1	1	-	-	6.45
1	-	-	-	-	1	-	-	-	-	-	-	-	-
4	3	1	1	-	9	6	6	-	12	7	4	1	16.46
2	-	-	-	-	2	1	2	-	3	2	1	-	12.66
-	-	-	1	-	1	-	1	-	1	1	-	-	4.17
-	-	-	-	-	-	-	1	-	1	1	-	-	15.37
1	-	-	-	-	1	2	2	-	4	4	-	-	15.81
1	-	-	-	-	1	-	-	-	-	-	-	-	-
5	-	1	-	-	6	2	1	-	3	2	1	-	16.14
2	-	-	-	-	2	1	3	-	4	4	-	-	30.32
284	14	26	28	1	353	274	263	-	537	485	48	4	14.84

TABLE

Births, Marriages and Deaths

WALDO

TOWNS.	Estimated population in 1912.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast.....	4,618	49	45	1	95	20.57	82	6	1	4	2
Belmont.....	333	3	2	-	5	15.02	5	-	-	-	-
Brooks.....	663	4	8	-	12	18.10	11	-	-	1	-
Burnham.....	730	8	5	-	13	17.81	11	1	1	-	-
Frankfort.....	1,152	8	4	-	12	10.42	8	3	1	-	-
Freedom.....	480	3	3	-	6	12.50	5	-	-	1	-
Islesboro.....	867	4	5	-	9	10.38	9	-	-	-	1
Jackson.....	412	4	9	-	13	31.55	11	-	1	1	-
Knox.....	501	3	9	-	12	23.95	12	-	-	-	-
Liberty.....	632	10	6	-	16	25.32	16	-	-	-	-
Lincolnton.....	960	10	2	-	12	12.50	11	-	1	-	-
Monroe.....	856	6	11	-	17	19.86	16	-	1	-	-
Montville.....	824	8	12	-	20	24.27	19	-	-	1	-
Morrill.....	339	3	3	-	6	17.69	6	-	-	-	-
Northport.....	512	3	2	-	5	9.77	5	-	-	-	-
Palermo.....	676	3	4	-	7	10.36	6	-	-	1	-
Prospect.....	592	5	8	-	13	21.96	12	-	1	-	-
Searsmont.....	804	4	6	-	10	12.44	10	-	-	-	-
Searsport.....	1,462	12	12	-	24	16.42	19	1	1	3	-
Stockton Springs...	1,126	7	13	-	20	17.76	17	-	3	-	-
Swanville.....	461	3	3	-	6	13.02	6	-	-	-	-
Thorndike.....	531	4	9	-	13	24.29	12	1	-	-	-
Troy.....	768	5	5	-	10	13.02	10	-	-	-	-
Unity.....	903	5	7	-	12	13.29	11	1	-	-	-
Waldo.....	370	6	4	-	10	27.03	10	-	-	-	-
Winterport.....	1,574	12	6	-	18	11.44	13	-	3	2	-
Total.....	23,146	192	203	1	396	17.11	353	13	14	14	2

No. 6—Continued.
for the year 1912.
 COUNTY.

MARRIAGES.						DEATHS.							
						SEX.			NATIVITY.				Death rate per 1,000
Both American.	Both foreign.	Husband American	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
45	-	2	7	-	54	50	45	-	95	91	4	-	20.57
7	-	-	-	-	7	2	4	-	6	6	-	-	18.02
8	-	-	-	-	8	7	14	-	21	21	-	-	31.67
12	-	-	1	-	13	8	7	-	15	14	1	-	20.55
11	-	-	-	-	11	4	5	-	9	7	2	-	7.81
2	-	-	-	-	2	4	1	-	5	5	-	-	10.41
5	-	-	1	-	6	7	3	-	10	10	-	-	11.53
6	-	-	-	-	6	1	3	-	4	4	-	-	9.71
6	-	-	-	-	6	3	4	-	7	7	-	-	13.97
4	-	-	-	-	4	1	2	-	3	3	-	-	4.75
7	-	-	-	-	7	11	6	-	17	17	-	-	17.71
6	-	-	-	-	6	5	10	-	15	15	-	-	17.52
3	-	-	-	-	3	9	7	-	16	14	1	1	19.42
4	-	-	-	-	4	3	3	-	6	6	-	-	17.69
6	-	1	-	-	7	5	2	-	7	7	-	-	13.67
2	-	-	-	-	2	7	7	-	14	13	1	-	20.72
4	-	-	-	-	4	3	2	-	5	4	1	-	8.45
10	-	-	-	1	11	6	5	-	11	11	-	-	13.68
14	-	-	2	-	16	11	11	-	22	22	-	-	15.05
14	1	-	1	-	16	17	7	-	24	24	-	-	21.31
1	-	-	-	-	1	5	5	-	10	10	-	-	21.69
5	-	-	-	-	5	5	8	-	13	13	-	-	24.29
10	-	-	1	-	11	6	5	-	11	10	1	-	14.32
9	-	-	-	-	9	-	5	-	5	5	-	-	5.54
1	-	-	-	-	1	3	3	-	6	6	-	-	16.21
7	-	-	-	-	7	10	13	-	23	20	3	-	14.61
209	1	3	13	1	227	193	187	-	380	365	14	1	16.42

TABLE
Births, Marriages and Deaths
WASHINGTON

TOWNS.	Estimated population in 1912.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison	967	7	3	-	10	10.34	9	-	-	1	-
Alexander	382	3	5	-	8	20.94	8	-	-	-	-
Baileyville	1,319	23	27	-	50	37.91	19	18	10	3	-
Baring	228	4	3	-	7	30.71	-	2	-	4	1
Beddington	86	-	-	-	-	-	-	-	-	-	-
Brookton	227	4	4	-	8	35.24	6	1	-	1	-
Calais	5,808	73	64	-	137	23.42	53	19	17	44	4
Centerville	91	2	1	-	3	32.97	3	-	-	-	-
Charlotte	286	8	5	-	13	45.45	9	-	3	1	-
Cherryfield	1,439	11	15	-	26	18.01	25	1	-	-	-
Columbia	573	10	6	-	16	27.92	13	-	2	1	-
Columbia Falls	680	9	8	-	17	25.00	14	-	3	-	-
Cooper	186	2	2	-	4	21.51	4	-	-	-	-
Crawford	114	1	2	-	3	26.61	3	-	-	-	-
Cutler	589	10	6	-	16	27.16	16	-	-	-	-
Danforth	1,335	25	19	-	44	32.96	22	6	14	2	-
Deblois	69	-	1	-	1	14.49	1	-	-	-	-
Dennysville	455	6	6	-	12	26.37	10	-	1	1	-
East Machias	1,363	16	11	-	27	19.71	26	-	1	-	-
Eastport	4,891	41	46	-	87	17.79	30	18	21	17	1
Edmunds	640	7	7	-	14	21.87	11	-	-	3	-
Harrington	992	7	11	-	18	18.15	16	-	-	2	-
Jonesboro	503	9	5	-	14	27.83	14	-	-	-	-
Jonesport	2,084	28	27	-	55	26.39	53	-	1	1	-
Lubec	3,435	49	44	-	93	27.07	41	16	18	18	-
Machias	2,089	24	25	-	49	23.46	46	1	1	-	1
Machiasport	1,218	13	14	-	27	22.17	25	-	2	-	-

No. 6—Continued.
for the year 1912.
 COUNTY.

MARRIAGES.							DEATHS.						
							SEX.			NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
9	-	-	-	-	9	9	9	-	18	18	-	-	18.61
2	-	-	-	-	2	1	1	-	2	1	-	1	5.23
3	2	-	4	-	9	9	7	-	16	10	5	1	12.13
1	-	1	-	-	2	3	3	-	6	4	2	-	26.32
-	-	-	-	-	-	1	-	-	1	1	-	-	11.63
1	-	1	-	-	2	4	-	-	4	3	1	-	17.62
14	4	7	12	-	37	60	41	-	101	60	41	-	17.39
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	1	-	2	2	-	-	2	2	-	-	6.99
14	1	-	1	-	16	11	9	-	20	19	-	1	13.90
5	-	-	-	-	5	4	4	-	8	8	-	-	13.96
10	-	-	1	-	11	6	3	-	9	9	-	-	13.23
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	2	2	-	-	17.54
4	-	1	-	-	5	1	3	-	4	4	-	-	6.79
5	1	1	2	-	9	3	2	-	5	4	1	-	3.75
-	-	-	-	-	-	1	2	-	3	2	1	-	43.47
6	-	-	-	-	6	4	1	-	5	4	1	-	10.99
13	-	1	-	-	14	12	10	-	22	20	2	-	16.14
21	3	7	8	-	39	33	37	-	70	51	19	-	14.31
7	-	1	-	-	8	1	3	-	4	1	3	-	6.25
10	-	-	-	-	10	7	8	-	15	15	-	-	15.12
10	-	-	-	-	10	3	1	-	4	4	-	-	7.95
17	-	1	-	-	18	6	13	-	19	16	2	1	9.12
10	1	6	5	-	22	23	30	-	53	40	13	-	15.43
10	-	-	1	-	11	21	15	-	36	33	3	-	17.23
11	-	-	1	-	12	3	7	-	10	10	-	-	8.21

TABLE
Births, Marriages and Deaths

WASHINGTON

TOWNS.	Estimated population in 1912.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Marion	11	2	2	-	4	33.90	3	-	1	-	-
Marshfield.....	168	3	2	-	5	29.76	5	-	-	-	-
Meddybemps.....	118	-	1	-	1	8.47	1	-	-	-	-
Milbridge.....	1,476	16	13	-	29	19.65	28	-	1	-	-
Northfield.....	73	-	1	-	1	13.70	1	-	-	-	-
Pembroke.....	1,324	14	10	-	24	18.13	17	-	3	4	-
Perry.....	1,139	17	9	-	26	13.27	19	2	4	1	-
Princeton.....	1,091	6	15	-	21	19.25	18	1	2	-	-
Robbinston.....	661	7	7	-	14	21.18	8	1	3	1	1
Roque Bluffs.....	93	1	2	-	3	32.25	2	-	-	-	1
Steuben.....	890	8	7	-	15	16.85	15	-	-	-	-
Talmage.....	100	2	4	-	6	60.00	4	-	1	1	-
Topsfield.....	255	6	4	-	10	39.22	9	-	1	-	-
Trescott.....	461	7	6	-	13	28.20	6	-	3	4	-
Vanceboro.....	637	9	9	-	18	28.26	8	4	5	1	-
Waite.....	166	3	2	-	5	30.12	3	-	1	1	-
Wesley.....	168	3	3	-	6	35.71	6	-	-	-	-
Whiting.....	362	2	3	-	5	13.81	3	-	1	1	-
Whitneyville.....	226	1	2	-	3	13.27	2	1	-	-	-
Codyville Pl.....	69	3	3	-	6	86.95	4	1	1	-	-
Grand Lake Stream Pl.....	296	4	5	-	9	30.41	7	-	1	-	1
No. 14 Pl.....	82	1	1	-	2	24.38	-	-	-	1	1
No. 21 Pl.....	81	-	1	-	1	12.34	1	-	-	-	-
Kossuth.....	44	4	1	-	5	113.64	4	-	-	1	-
Total.....	*42,214	511	480	-	991	23.48	651	92	122	115	11

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.

for the year 1912.

COUNTY—CONCLUDED.

MARRIAGES.							DEATHS.						
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	SEX.			NATIVITY.			Death-rate per 1,000.
							Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	-	-	-	-	-	-	-	-
2	-	-	-	-	2	-	1	-	1	1	-	-	5.95
1	-	-	-	-	1	1	-	-	1	1	-	-	8.47
15	-	-	-	-	15	10	9	-	19	19	-	-	12.87
-	-	-	-	-	-	1	1	-	2	1	1	-	27.40
7	-	-	-	-	7	5	15	-	20	16	4	-	15.11
4	-	2	-	-	6	10	8	-	18	16	2	-	15.80
5	-	1	-	-	6	5	3	-	8	7	1	-	7.33
3	-	-	2	-	5	4	7	-	11	8	3	-	16.64
1	-	-	-	-	1	-	-	-	-	-	-	-	-
5	-	-	-	-	5	5	8	-	13	12	1	-	14.61
2	-	-	-	-	2	-	-	-	-	-	-	-	-
1	-	-	1	-	2	1	2	-	3	2	1	-	11.76
1	-	-	-	-	1	-	2	-	2	1	1	-	4.34
1	2	-	2	-	5	5	3	-	8	1	7	-	12.56
-	-	-	-	-	-	-	1	-	1	1	-	-	6.02
2	-	-	-	-	2	-	1	-	1	1	-	-	5.95
3	-	-	-	-	3	2	-	-	2	2	-	-	5.52
1	-	-	-	-	1	1	1	-	2	2	-	-	8.84
-	-	-	2	-	2	1	-	-	1	-	1	-	14.49
1	-	-	1	-	2	1	3	-	4	3	1	-	13.51
-	-	-	-	-	-	1	-	-	1	1	-	-	12.19
-	-	-	-	-	-	-	1	-	1	-	1	-	12.34
-	-	-	-	-	-	-	1	-	1	1	-	-	22.72
241	14	30	44	-	329	282	277	-	559	437	118	4	13.24

TABLE
Births, Marriages and Deaths
YORK

TOWNS.	Estimated population in 1912.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton.....	597	6	3	-	9	15.08	8	-	1	-	-
Alfred.....	880	5	9	-	14	15.86	10	2	1	1	-
Berwick.....	2,060	17	15	-	32	15.53	20	7	1	2	2
Biddeford.....	17,265	253	259	-	512	29.66	102	307	55	44	4
Buxton.....	1,643	24	18	-	42	25.56	39	1	2	-	-
Cornish.....	948	10	8	-	18	18.99	18	-	-	-	-
Dayton.....	380	3	2	-	5	13.16	4	-	1	-	-
Eliot.....	1,542	8	10	-	18	11.67	14	2	1	1	-
Hollis.....	1,284	9	12	-	21	16.36	19	-	1	1	-
Kennebunk.....	3,075	38	31	-	69	22.44	49	10	-	9	1
Kennebunkport....	2,130	14	18	-	32	15.00	20	4	4	3	1
Kittery.....	3,666	36	31	-	67	18.28	52	2	5	7	1
Lebanon.....	1,320	11	11	-	22	16.67	16	-	2	4	-
Limerick.....	983	11	5	-	16	16.28	8	6	1	1	-
Limington.....	976	8	6	-	14	14.34	11	2	-	-	1
Lyman.....	603	3	3	-	6	9.95	6	-	-	-	-
Newfield.....	610	8	5	-	13	21.31	11	-	2	-	-
North Berwick.....	1,783	23	22	-	45	25.24	37	3	2	3	-
Old Orchard.....	961	2	8	-	10	10.41	8	-	2	-	-
Parsonsfield.....	1,044	14	6	-	20	19.16	20	-	-	-	-
Saco.....	6,673	47	42	-	89	13.34	49	19	10	10	1
Sanford.....	9,642	111	121	-	232	24.06	69	96	23	40	4
Shapleigh.....	659	6	2	-	8	12.14	7	-	1	-	-
South Berwick.....	2,885	31	20	-	51	17.68	25	16	3	4	3
Waterboro.....	963	2	5	-	7	7.27	6	-	-	1	-
Wells.....	1,888	16	12	-	28	14.83	24	-	-	4	-
York.....	2,828	34	26	-	60	21.22	47	4	4	3	2
Total.....	69,288	750	710	-	1,460	21.07	699	481	122	138	20

No. 6—Concluded.
for the year 1912.
 COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	SEX.			NATIVITY.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	9	6	-	15	14	1	-	25.13
7	-	-	-	-	7	12	9	-	21	21	-	-	23.86
9	1	1	-	-	11	14	12	-	26	22	2	2	12.62
46	47	14	21	-	128	155	150	-	305	219	84	2	17.67
9	-	-	1	-	10	14	16	-	30	29	1	-	18.26
3	-	-	-	-	3	13	11	-	24	24	-	-	25.32
2	-	1	-	-	3	4	2	-	6	6	-	-	15.79
12	1	-	2	-	15	8	12	-	20	20	-	-	12.97
9	-	-	1	-	10	7	12	-	19	19	-	-	14.80
22	1	3	3	-	29	38	32	-	70	65	4	1	22.76
14	1	1	1	-	17	19	24	-	43	34	7	2	20.19
18	1	1	1	-	21	22	24	-	46	43	2	1	12.55
2	-	-	-	-	2	10	8	-	18	17	-	1	13.64
6	-	1	-	-	7	10	8	-	18	17	-	1	18.31
10	-	-	-	-	10	8	6	-	14	13	1	-	14.34
2	-	-	-	-	2	5	3	-	8	8	-	-	12.85
6	-	-	-	-	6	6	4	-	10	10	-	-	16.39
9	-	-	1	-	10	24	11	-	35	33	1	1	19.62
4	-	1	1	-	6	11	7	-	18	15	3	-	18.73
8	-	1	-	-	9	10	10	-	20	19	-	1	19.16
38	5	8	7	-	58	38	55	-	93	81	9	3	13.94
36	28	11	12	-	87	51	57	-	108	78	27	3	11.20
1	-	-	-	-	1	6	13	-	19	19	-	-	28.83
5	-	4	5	-	14	22	16	-	38	28	10	-	13.17
5	-	-	-	-	5	8	6	-	14	13	1	-	14.54
13	-	1	-	1	15	17	19	-	36	35	1	-	19.07
18	-	3	1	1	23	32	21	-	53	49	4	-	18.74
316	85	51	57	2	511	573	554	-	1,127	951	158	18	16.27

TABLE
Recapitulation

TOWNS.	Estimated population in 1912.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin.....	60,944	644	572	1	1,217	19.96	521	398	152	127	19
Aroostook.....	*75,480	1,252	1,157	2	2,411	31.94	1,369	301	389	329	23
Cumberland.....	114,276	1,256	1,167	-	2,423	21.20	1,338	621	214	218	32
Franklin.....	*18,882	207	173	-	380	20.13	259	73	31	14	3
Hancock.....	*34,704	342	333	-	675	19.45	592	20	30	27	6
Kennebec.....	63,667	616	557	-	1,173	18.42	678	247	117	115	16
Knox.....	*28,672	217	219	-	436	15.20	331	57	23	22	3
Lincoln.....	17,948	161	145	-	306	17.05	274	7	7	16	2
Oxford.....	*37,070	447	365	1	813	21.93	449	247	65	50	2
Penobscot.....	*85,627	852	851	-	1,703	19.89	1,055	280	192	148	28
Piscataquis.....	*19,624	189	179	-	368	18.75	248	44	37	35	4
Sagadahoc.....	18,229	160	151	-	311	17.06	214	47	26	24	-
Somerset.....	*36,190	404	402	-	806	22.27	529	138	81	54	4
Waldo.....	23,146	192	203	1	396	17.11	353	13	14	14	2
Washington.....	*42,214	511	480	-	991	23.48	651	92	122	115	11
York.....	69,288	750	710	-	1,460	21.07	699	481	122	138	20
Total.....	*745,961	8,200	7,664	5	15,869	21.27	9,560	3,066	1,622	1,446	175

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 7.
by Counties.

MARRIAGES.							DEATHS.							Death rate per 1,000.
							SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
334	121	59	66	1	581	515	483	1	999	747	247	5	16.39	
396	52	75	129	3	655	425	382	-	807	598	202	7	10.69	
705	131	92	92	2	1,022	914	906	-	1,820	1,467	324	29	15.93	
170	12	8	8	-	198	139	141	-	280	264	14	2	14.83	
283	8	17	13	-	321	285	250	-	535	503	30	2	15.41	
440	47	34	51	4	576	621	546	-	1,167	976	164	27	18.33	
208	11	14	24	-	257	243	232	-	475	443	29	3	16.57	
121	-	6	3	2	132	127	130	-	257	248	8	1	14.32	
246	55	19	29	1	350	282	228	-	510	447	58	5	13.76	
534	63	62	79	2	740	721	658	-	1,379	1,130	223	26	16.10	
120	9	12	19	2	162	134	120	1	255	218	31	6	12.99	
93	13	12	18	-	136	137	166	-	303	262	38	3	16.07	
284	14	26	28	1	352	274	263	-	537	485	48	4	14.84	
209	1	3	13	1	227	193	187	-	380	365	14	1	16.42	
241	14	30	44	-	329	282	277	-	559	437	118	4	13.24	
316	85	51	57	2	511	573	554	-	1,127	951	158	18	16.27	
4,700	636	520	673	21	6,550	5,865	5,523	2	11,390	9,541	1,706	143	15.27	

TABLE No. 8.
Births and Birth-Rates by Counties for the Years 1905-1912.

COUNTIES.	1905.		1906.		1907.		1908.		1909.		1910.		1911.		1912.	
	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.
State.....	15,294	21.40	15,878	22.09	15,914	22.02	16,173	22.25	16,060	21.97	15,798	21.28	15,635	21.01	15,869	21.27
Androscoggin.....	1,164	20.47	1,175	20.47	1,068	18.78	1,124	19.23	1,205	20.43	1,173	19.61	1,260	20.87	1,217	19.96
Aroostook.....	2,241	34.60	2,323	34.46	2,413	35.20	2,429	34.87	2,374	33.54	2,443	32.72	2,315	31.76	2,411	31.94
Cumberland.....	2,066	19.03	2,179	20.45	2,163	20.12	2,254	20.78	2,263	20.68	2,201	19.65	2,265	20.04	2,423	21.20
Franklin.....	432	22.60	404	20.96	442	22.76	402	20.56	418	21.22	403	21.01	354	18.84	380	20.13
Hancock.....	733	19.05	768	20.62	757	20.33	753	20.22	740	19.87	693	19.48	683	19.42	675	19.45
Kennebec.....	1,177	19.14	1,225	20.72	1,257	20.75	1,236	20.33	1,259	20.64	1,262	20.08	1,141	11.04	1,173	11.42
Knox.....	465	15.32	531	17.53	444	14.60	454	14.93	438	14.40	432	14.91	435	14.11	436	15.20
Lincoln.....	345	17.42	310	15.76	323	16.42	321	16.32	314	15.96	293	16.01	307	16.95	306	17.05
Oxford.....	792	23.36	880	26.48	787	23.57	906	27.00	864	25.62	876	24.16	741	20.26	813	21.93
Penobscot.....	1,578	20.04	1,722	22.00	1,772	22.54	1,781	22.55	1,770	22.31	1,671	19.59	1,800	21.10	1,703	19.89
Piscataquis.....	353	20.29	364	20.87	404	23.06	409	23.24	383	21.67	381	19.16	403	20.61	368	18.75
Sagadahoc.....	344	15.95	366	17.54	340	16.23	347	16.50	360	17.04	336	18.09	306	15.56	311	17.06
Somerset.....	698	19.95	692	20.01	703	20.26	749	21.51	735	21.03	760	20.94	672	18.87	806	22.24
Waldo.....	352	14.52	365	15.09	355	15.92	380	15.71	366	15.13	394	16.85	396	17.00	396	17.11
Washington.....	1,013	21.87	1,023	22.39	1,030	22.51	1,051	22.93	999	21.76	956	22.28	945	22.48	991	21.10
York.....	1,541	23.03	1,551	23.46	1,606	24.21	1,577	23.70	1,572	23.55	1,524	22.24	1,542	22.36	1,460	21.07

TABLE No. 9.

Births by Counties, Showing Proportion of Males to Females, 1912.

COUNTIES.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin.....	644	572	1	1,217	72	-	112.5
Aroostook.....	1,252	1,157	2	2,411	95	-	108.2
Cumberland.....	1,256	1,167	-	2,423	89	-	107.6
Franklin.....	207	173	-	380	34	-	119.6
Hancock.....	342	333	-	675	9	-	102.7
Kennebec.....	616	557	-	1,173	59	-	110.6
Knox.....	217	219	-	436	-	2	99.1
Lincoln.....	161	145	-	306	16	-	111.0
Oxford.....	447	365	1	813	82	-	122.5
Penobscot.....	852	851	-	1,703	1	-	100.1
Piscataquis.....	189	179	-	368	10	-	105.6
Sagadahoc.....	160	151	-	311	9	-	105.9
Somerset.....	404	402	-	806	2	-	100.5
Waldo.....	192	203	1	396	-	11	94.6
Washington.....	511	480	-	991	31	-	106.5
York.....	750	710	-	1,460	40	-	105.6
Total.....	8,200	7,664	5	15,869	549	13	106.9

TABLE No. 10.

Number of Births in Each Month of 1905-1912, with a Monthly Ratio Compared with a Standard of 100.

MONTHS.	1905.		1906.		1907.		1908.		1909.		1910.		1911.		1912.	
	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January	1,178	90.8	1,173	87.0	1,301	96.3	1,296	94.3	1,306	95.9	1,308	97.5	1,261	95.0	1,253	92.9
February	1,180	100.6	1,206	99.0	1,288	105.0	1,312	102.2	1,276	103.7	1,252	103.3	1,224	98.6	1,267	104.1
March	1,463	112.7	1,333	102.1	1,431	105.9	1,551	112.9	1,475	108.3	1,506	112.2	1,463	110.2	1,415	105.0
April	1,340	106.6	1,385	106.1	1,397	106.8	1,345	101.2	1,392	105.6	1,424	109.7	1,426	111.0	1,357	104.0
May	1,365	105.2	1,335	99.0	1,455	107.4	1,464	106.6	1,453	106.7	1,393	103.8	1,371	103.2	1,451	107.6
June	1,375	109.4	1,310	100.3	1,424	108.9	1,430	107.5	1,309	99.1	1,379	106.2	1,355	105.4	1,337	102.5
July	1,439	110.9	1,454	107.8	1,360	100.6	1,361	99.1	1,353	99.2	1,330	99.1	1,380	103.9	1,442	107.0
August	1,328	102.3	1,450	107.5	1,293	95.7	1,438	104.7	1,437	105.4	1,348	100.5	1,331	100.2	1,439	106.8
September	1,259	100.2	1,364	104.5	1,336	102.1	1,246	93.7	1,351	102.3	1,263	97.3	1,294	100.7	1,318	101.1
October	1,163	89.6	1,280	94.9	1,264	93.5	1,216	88.5	1,251	91.7	1,256	93.7	1,172	88.3	1,229	91.2
November	1,057	84.1	1,260	96.5	1,129	86.3	1,212	91.1	1,221	92.5	1,131	87.1	1,153	89.7	1,182	97.1
December	1,143	88.1	1,325	98.2	1,231	91.1	1,299	94.6	1,231	90.2	1,207	90.0	1,202	90.5	1,179	87.4
Unknown	4	-	3	-	5	-	3	-	5	-	1	-	3	-	-	-

In this column the inaccuracies due to the unequal lengths of the months are eliminated.

BIRTHS.

65

TABLE No. 11.

Births, by Sex and Months, by Counties, 1912.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males.	49	47	55	48	58	44	52	59	56	68	64	44	-	644	-
females.	41	38	46	48	57	59	53	51	49	46	41	43	-	572	-
not stated	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1,217
Aroostook, males.	77	115	114	109	127	133	104	112	103	87	83	88	1	1,252	-
females.	78	89	113	99	104	103	121	112	99	85	78	76	-	1,157	-
not stated	-	1	-	-	-	-	-	-	-	-	1	-	-	2	2,411
Cumberland, males.	107	104	101	99	137	110	99	111	97	110	89	82	-	1,256	-
females.	93	97	92	103	96	107	106	104	97	100	87	85	-	1,167	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,423
Franklin, males.	22	19	18	13	21	21	19	16	19	10	16	13	-	207	-
females.	18	10	14	12	17	14	15	13	12	18	19	11	-	173	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	380
Hancock, males.	26	17	32	40	31	24	27	26	30	36	25	23	-	342	-
females.	25	31	37	28	20	29	28	35	34	16	24	26	-	333	675
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec, males.	43	38	61	59	50	55	60	56	49	51	49	45	-	616	-
females.	44	51	44	48	42	40	44	64	60	40	40	40	-	557	1,173
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Knox, males.	18	19	22	15	20	21	17	24	22	10	13	16	-	217	-
females.	11	20	22	23	14	18	22	15	19	12	21	22	-	219	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	436
Lincoln, males.	14	10	18	17	21	10	15	14	8	14	8	12	-	161	-
females.	13	10	10	12	5	13	17	14	9	19	16	7	-	145	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	306
Oxford, males.	41	36	47	41	39	24	50	37	39	33	31	29	-	447	-
females.	32	30	36	30	38	31	29	41	28	21	22	27	-	365	-
not stated	-	-	-	-	-	-	-	-	-	1	-	-	-	1	813
Penobscot, males.	70	64	72	82	77	78	71	74	74	65	52	73	-	852	-
females.	78	63	89	64	81	64	81	73	69	48	71	70	-	851	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,703
Piscataquis, males.	15	17	15	17	16	17	12	19	16	16	14	15	-	189	-
females.	17	17	12	14	17	12	18	12	15	15	16	14	-	179	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	368
Sagadahoc, males.	10	5	15	12	12	17	10	20	9	16	12	22	-	160	-
females.	14	12	12	13	16	13	15	9	11	14	10	12	-	151	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	311
Somerset, males.	37	31	32	32	44	24	46	38	28	30	34	28	-	404	-
females.	39	39	34	25	35	41	33	28	41	37	26	24	-	402	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	806
Waldo, males.	18	12	14	12	20	10	22	21	19	20	6	18	-	192	-
females.	16	21	22	17	15	16	25	17	13	11	16	14	-	203	-
not stated	-	-	-	-	-	-	1	-	-	-	-	-	-	1	396
Washington, males.	26	47	54	51	54	43	44	45	38	39	37	33	-	511	-
females.	31	43	42	41	32	37	65	45	39	39	31	35	-	480	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	991
York, males.	69	67	54	74	62	52	60	72	69	51	61	59	-	750	-
females.	61	47	66	59	72	57	61	62	47	51	69	58	-	710	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,460
Total, males.	642	648	724	721	789	683	708	744	676	656	584	615	-	8,200	-
females.	611	618	691	636	661	654	733	695	642	572	587	564	-	7,664	-
not stated	-	1	-	-	1	-	1	-	-	1	1	-	-	5	-
Grand total.	1253	1267	1415	1357	1451	1337	1442	1439	1318	1229	1182	1179	-	15869	15869

TABLE No. 12.

Births in Cities for 1912, with Rate per 1,000 of Population.

CITIES.	Estimated population in 1912.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn.....	15,488	130	119	1	258	16.66	115.97
Augusta.....	13,516	141	153	-	294	21.75	92.15
Bangor.....	25,393	181	190	-	371	14.61	95.26
Bath.....	9,180	83	73	-	156	16.99	113.69
Belfast.....	4,618	49	45	1	95	20.57	108.89
Biddeford.....	17,265	253	259	-	512	29.65	97.69
Brewer.....	5,833	65	78	-	143	24.52	83.33
Calais.....	5,808	73	64	-	137	23.59	114.06
Eastport.....	4,891	41	46	-	87	17.79	89.13
Ellsworth.....	3,399	13	17	-	30	8.98	76.43
Gardiner.....	5,273	38	35	-	73	13.84	108.57
Hallowell.....	2,894	21	33	-	54	18.65	63.64
Lewiston.....	26,745	345	286	-	631	23.59	120.63
Old Town.....	6,427	77	76	-	153	23.80	101.32
Portland.....	60,257	702	641	-	1,343	22.29	109.52
Rockland.....	8,176	82	73	-	155	19.05	112.33
Saco.....	6,673	47	42	-	89	13.34	111.90
South Portland.....	7,707	88	82	-	170	22.05	107.31
Waterville.....	11,854	132	137	-	269	22.69	96.35
Westbrook.....	8,481	131	97	-	228	2.688	135.05
Total.....	249,878	2,700	2,546	2	5,248	21.00	106.04

TABLE No. 13.
Percentage of American and Foreign Births by Counties,
1912.

COUNTIES.	PARENTS.			Births with percentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin.....	42.81	32.70	22.93	1.56
Aroostook.....	56.78	12.49	29.78	0.95
Cumberland.....	55.22	25.63	17.83	1.32
Franklin.....	68.16	19.21	11.54	0.79
Hancock.....	87.70	2.97	5.44	0.89
Kennebec.....	57.80	21.05	19.79	1.36
Knox.....	75.92	13.07	10.33	0.68
Lincoln.....	59.59	2.28	7.48	0.65
Oxford.....	55.23	30.38	14.14	0.25
Penobscot.....	61.95	16.45	19.96	1.64
Piscataquis.....	67.39	11.97	19.55	1.09
Sagadahoc.....	68.81	15.11	16.08	-
Somerset.....	65.63	17.12	16.75	0.50
Waldo.....	89.14	3.28	7.07	0.51
Washington.....	65.69	9.28	23.92	1.11
York.....	47.88	32.94	17.81	1.37
State.....	60.24	19.32	19.33	1.11

TABLE No. 14.
Percentage of American and Foreign Births by Cities,
1912.

CITIES.	PARENTS.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Auburn.....	49.22	25.19	22.88	2.71
Augusta.....	47.96	28.23	21.09	2.72
Bangor.....	56.06	20.22	20.22	3.50
Bath.....	64.10	19.87	16.03	-
Belfast.....	86.32	6.31	5.26	2.11
Biddeford.....	19.92	59.96	19.34	0.78
Brewer.....	53.85	20.98	23.78	1.39
Calais.....	35.68	13.87	44.53	2.92
Eastport.....	34.48	20.69	43.68	1.15
Ellsworth.....	96.67	-	3.33	-
Gardiner.....	75.34	2.74	21.92	-
Hallowell.....	70.37	11.11	18.52	-
Lewiston.....	29.16	43.10	26.47	1.27
Old Town.....	47.71	20.91	30.72	0.66
Portland.....	46.98	33.74	17.72	1.56
Rockland.....	71.61	20.00	7.74	0.65
Saco.....	55.05	21.35	22.48	1.12
South Portland.....	69.40	14.12	14.71	1.77
Waterville.....	41.64	27.13	29.37	1.86
Westbrook.....	50.00	23.24	25.44	1.32
Collectively.....	46.38	30.47	21.55	1.60

TABLE No. 15.
Twin Births by Months and Counties, 1912.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin.....	3	1	1	2	1	-	2	-	2	-	6	1	19
Aroostook.....	1	5	4	6	6	4	2	1	3	4	-	4	40
Cumberland.....	3	2	1	2	2	5	4	4	3	4	1	5	36
Franklin.....	1	-	-	-	-	-	-	1	-	1	-	-	3
Hancock.....	1	-	1	-	-	1	2	-	1	1	-	-	7
Kennebec.....	-	-	3	3	2	2	-	-	1	4	1	-	16
Knox.....	-	1	-	-	-	1	1	-	-	-	-	-	3
Lincoln.....	-	1	-	2	-	1	2	-	1	2	-	-	9
Oxford.....	2	2	-	4	-	1	-	-	-	1	-	1	11
Penobscot.....	2	1	3	-	1	2	-	5	3	3	2	2	24
Piscataquis.....	-	2	1	-	1	-	1	-	-	-	1	-	6
Sagadahoc.....	-	-	-	1	1	1	-	-	-	-	2	-	5
Somerset.....	-	2	-	-	2	1	-	1	-	-	2	-	8
Waldo.....	1	-	1	-	-	1	-	-	1	1	-	-	5
Washington.....	-	-	2	-	3	-	1	-	1	2	-	1	10
York.....	2	4	1	1	-	-	-	1	1	-	1	2	13
Total.....	16	21	18	21	19	20	15	13	17	23	16	16	215

TABLE No. 16.
Twin Births by Sex and Parentage, by Counties, 1912.

COUNTIES.	SEX.				PARENTAGE.					Total.	Living children.	Stillborn children.	Total.
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.				
Androscoggin.....	5	6	8	-	8	7	2	2	-	19	32	6	38
Aroostook.....	14	6	20	-	24	5	7	4	-	40	77	3	80
Cumberland.....	6	14	16	-	19	10	3	4	-	36	70	2	72
Franklin.....	1	1	1	-	1	1	1	-	-	3	6	-	6
Hancock.....	3	3	1	-	6	-	-	1	-	7	14	-	14
Kennebec.....	7	4	5	-	8	3	2	3	-	16	30	2	32
Knox.....	-	1	2	-	1	2	-	-	-	3	6	-	6
Lincoln.....	3	4	2	-	9	-	-	-	-	9	15	3	18
Oxford.....	2	5	4	-	4	7	-	-	-	11	22	-	22
Penobscot.....	6	7	10	1	14	7	1	2	-	24	40	8	48
Piscataquis.....	3	1	2	-	4	-	2	-	-	6	10	2	12
Sagadahoc.....	-	3	2	-	1	3	-	1	-	5	9	1	10
Somerset.....	3	2	3	-	3	1	2	2	-	8	14	2	16
Waldo.....	2	3	-	-	4	1	-	-	-	5	10	-	10
Washington.....	5	3	2	-	3	-	4	3	-	10	20	-	20
York.....	3	4	6	-	8	4	-	-	1	13	23	3	26
Total.....	63	67	84	1	117	51	24	22	1	215	398	32	430

TABLE No. 17.
Stillbirths by Sex and Parentage, by Counties, 1912.

COUNTIES.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin.....	34	22	2	58	27	30	1
Aroostook.....	66	49	2	117	80	36	1
Cumberland.....	59	42	1	102	60	41	1
Franklin.....	13	6	-	19	16	3	-
Hancock.....	14	11	3	28	27	1	-
Kennebec.....	19	19	-	38	28	10	-
Knox.....	25	6	-	31	27	4	-
Lincoln.....	7	6	-	13	12	1	-
Oxford.....	12	12	-	30	16	14	-
Penobscot.....	44	31	3	78	57	20	1
Piscataquis.....	13	4	-	17	13	4	-
Sagadahoc.....	9	5	-	14	10	4	-
Somerset.....	19	10	-	29	21	8	-
Waldo.....	14	7	-	21	19	2	-
Washington.....	26	14	1	41	33	8	-
York.....	49	29	-	78	42	36	-
Total.....	429	273	12	714	485	222	4

TABLE No. 18.
Stillbirths by Seasons, 1912.

MONTHS.			
January.....	66		
February.....	68		
March.....	74	Total for first quarter.....	208
April.....	53		
May.....	73		
June.....	72	Total for second quarter.....	198
July.....	66		
August.....	48		
September.....	48	Total for third quarter.....	162
October.....	38		
November.....	47		
December.....	61	Total for fourth quarter.....	146
Total.....	714		714

NOTES ON BIRTHS.

In the year 1912, 16,583 births were registered in the State, including stillbirths, (14,082 in 1892, 14,604 in 1893, 14,607 in 1894, 15,430 in 1895, 15,429 in 1896, 15,142 in 1897, 15,121 in 1898, 14,475 in 1899, 14,709 in 1900, 14,615 in 1901, 15,166 in 1902, 15,130 in 1903, 15,405 in 1904, 16,005 in 1905, 16,585 in 1906, 16,595 in 1907, 16,914 in 1908, 16,735 in 1909, 16,469 in 1910, and 16,300 in 1911).

The number of living children born was 15,869, and the number of stillbirths was 714.

Of the whole number of living children of which the sex was certified, 8,200 were males and 7,664 were females. In 5 births, the sex was not stated. For each 100 girls born there were 106.9 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, 106.4 in 1895, 105.3 in 1896, 102.3 in 1897, 106 in 1898, 104.4 in 1899, 103.2 in 1900, 105.6 in 1901, 105 in 1902, 105.3 in 1903, 104.2 in 1904, 104.1 in 1905, 106 in 1906, 104.3 in 1907, 107.2 in 1908, 104.7 in 1909, 103.8 in 1910, and 105.5 in 1911).

Birth-rate.—The birth-rate of living children for the State was 21.27 for each 1,000 of population.

Table No. 12 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 population was 21.00 as compared with 21.16, the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. As it invariably has been every year since the registration began, it was the highest in Aroostook, 31.94, and the lowest in Knox, 15.20. In three counties, Aroostook, Oxford, and Somerset, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 3 and 7.

Parentage.—Of the total births in the State, 60.24 per cent. were of native parents, 19.32 per cent. were of foreign parentage; 19.39 per cent. were of parents one of whom was foreign; while in 1.11 per cent., the nationality was not stated.

Lincoln county had the largest percentage of native-born parents, to wit, 89.59 per cent., and only 2.28 per cent. in which both parents were foreign-born. Waldo followed with 89.14 per cent. of native parentage, and only 3.28 per cent. in which both parents were foreign-born.

In Hancock county in 87.70 per cent. of the births the parents were native-born, and in 2.97 per cent., foreign-born.

In Knox county the percentage of native-born parents was 75.92; in Sagadahoc, 68.81; in Franklin, 68.16; in Piscataquis, 67.39; in Somerset, 65.63; and in Washington, 65.69.

Comparatively high percentages of foreign-born parents are found in York county, 32.94; in Androscoggin, 32.70; in Oxford, 30.38; and in Cumberland, 25.63.

The percentages of parentage, whether American-born or foreign-born, may be found for the other counties in Table No. 13.

Comparing the percentage of the births in our twenty cities with that of the rest of the State, we find that in the cities 46.38 per cent. of the births were of American parentage, while in the rural parts of the State the percentage of American-born children was 67.09.

The largest percentage of foreign-born parents was in Biddeford, 59.96; and in Lewiston 43.10.

There were no births in Ellsworth in which both parents were foreign-born. For further comparisons see Table No. 14.

Seasons and Births.—The largest number of births in any one month in 1912 was 1,451 in May; the smallest was 1,179 in December; the largest quarterly total was 4,199 in the third quarter; the smallest, 3,590 in the last quarter. The three consecutive months in which the largest number of births occurred were May, June and July, 4,230.

The following is a tabular statement of the number of births in each month of the twenty-one years, 1892-1912:

	January.	February	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892.....	1,016	1,113	1,345	1,275	1,323	1,176	1,222	1,161	1,144	1,047	1,002	1,111	63	14,028
1893.....	1,151	1,082	1,162	1,259	1,273	1,162	1,176	1,213	1,115	1,126	1,032	1,109	48	13,908
1894.....	962	980	1,335	1,324	1,255	1,200	1,286	1,213	1,168	1,064	980	1,164	9	13,940
1895.....	1,182	1,082	1,329	1,287	1,308	1,236	1,290	1,312	1,233	1,189	1,115	1,193	6	14,762
1896.....	1,149	1,227	1,330	1,318	1,379	1,190	1,207	1,246	1,257	1,220	1,091	1,069	10	14,693
1897.....	1,126	1,123	1,390	1,260	1,288	1,250	1,274	1,303	1,205	1,138	984	1,077	12	14,430
1898.....	1,148	1,176	1,323	1,269	1,322	1,229	1,226	1,219	1,182	1,196	1,028	1,149	6	14,473
1899.....	1,093	1,104	1,237	1,295	1,224	1,201	1,239	1,197	1,163	1,058	979	1,098	7	13,895
1900.....	1,167	1,083	1,260	1,245	1,276	1,146	1,284	1,255	1,213	1,070	1,055	1,035	6	14,905
1901.....	1,123	1,128	1,303	1,270	1,290	1,190	1,178	1,169	1,252	1,051	983	1,048	6	14,021
1902.....	1,143	1,111	1,401	1,250	1,333	1,244	1,237	1,252	1,207	1,137	1,064	1,119	10	14,508
1903.....	1,210	1,151	1,353	1,304	1,326	1,247	1,215	1,223	1,205	1,134	1,026	990	9	14,453
1904.....	1,219	1,207	1,367	1,325	1,336	1,186	1,297	1,216	1,203	1,217	1,037	1,057	6	14,673
1905.....	1,178	1,180	1,463	1,340	1,365	1,375	1,439	1,328	1,259	1,163	1,057	1,143	4	15,294
1906.....	1,173	1,206	1,333	1,385	1,335	1,310	1,454	1,450	1,364	1,280	1,260	1,325	3	15,878
1907.....	1,301	1,288	1,431	1,397	1,455	1,424	1,360	1,293	1,336	1,264	1,129	1,231	5	15,914
1908.....	1,296	1,312	1,451	1,345	1,464	1,430	1,361	1,438	1,246	1,216	1,212	1,299	3	16,173
1909.....	1,306	1,276	1,475	1,392	1,453	1,308	1,349	1,434	1,347	1,249	1,218	1,229	5	16,041
1910.....	1,308	1,252	1,506	1,424	1,393	1,379	1,330	1,348	1,263	1,256	1,131	1,207	1	15,798
1911.....	1,261	1,224	1,463	1,426	1,371	1,355	1,380	1,331	1,294	1,172	1,153	1,202	3	15,635
1912.....	1,253	1,267	1,415	1,357	1,451	1,337	1,442	1,439	1,318	1,229	1,182	1,179	-	15,869

Twin-births.—In 1912, 215 twin-births occurred; in 63 instances twins were both boys; in 67, both girls; in 84, a boy and a girl, and 1 not stated. In 117 cases the parentage was American; in 51, foreign, in 46 instances the parentage was mixed; and in 1, it was not stated. Of the 430 children, 398 were born alive, and 32 stillborn.

Triplets.—A triple birth occurred in Dover. They were all living children.

Stillbirths.—Of the 714 stillborn children, 429 were males and 273 were females. In 12 the sex was not stated. With the exception of 4 stillbirths as to which the nativity of the mother was not stated 488 were of American mothers, and 222 of foreign mothers.

The largest number of stillbirths occurred in Aroostook county, 117; while the minimum number, 13, was reported in Lincoln county.

The largest number of stillbirths, 74, was returned in March; the smallest number was 38 in October. See Tables No. 17 and 18 for other details.

TABLE No. 19.
Marriages and Marriage-Rates by Counties for the Years 1905-1912.

COUNTIES.	1905.		1906.		1907.		1908.		1909.		1910.		1911.		1912.	
	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.
State.....	6,264	8.76	6,498	9.04	6,380	8.83	5,904	8.12	6,011	8.22	5,900	7.95	5,878	7.85	6,550	8.71
Androscoggin.....	500	8.79	536	9.34	475	8.20	465	7.95	451	7.65	478	7.99	454	7.52	581	9.53
Aroostook.....	564	8.70	664	9.85	592	8.64	580	8.33	646	9.13	578	7.75	567	7.44	655	8.46
Cumberland.....	876	8.07	918	8.62	963	8.96	854	7.87	916	8.37	861	7.69	884	7.82	1,022	8.94
Franklin.....	177	9.31	184	9.54	194	10.00	183	9.36	179	9.09	160	8.37	166	8.66	198	10.28
Hancock.....	337	8.75	319	8.57	329	8.83	326	8.75	265	7.12	310	8.71	295	8.34	321	9.11
Kennebec.....	529	8.70	541	8.96	560	9.24	519	8.54	545	8.94	554	8.81	527	8.33	576	9.05
Knox.....	282	9.29	269	8.84	251	8.25	203	6.67	225	7.40	213	7.35	241	8.18	257	8.98
Lincoln.....	117	5.91	150	7.63	145	7.37	137	6.97	138	7.02	117	6.48	124	6.85	132	7.36
Oxford.....	371	10.94	366	11.01	367	10.99	350	10.42	323	9.64	310	8.55	324	8.89	350	9.44
Penobscot.....	732	9.29	812	10.37	809	10.29	761	9.63	718	9.05	751	9.81	712	8.89	740	8.46
Piscataquis.....	157	9.03	170	9.75	176	10.05	170	9.66	153	8.65	141	7.59	159	7.82	162	7.91
Sagadahoc.....	152	7.05	151	7.24	148	7.07	104	4.94	139	6.58	141	7.59	121	6.15	136	7.46
Somerset.....	350	10.00	331	9.57	354	10.20	326	9.36	323	9.24	306	8.43	320	8.77	353	9.50
Waldo.....	206	8.50	228	9.43	207	8.56	185	7.65	186	7.69	186	7.95	199	8.54	227	9.77
Washington.....	368	7.95	362	7.92	306	6.69	315	6.87	310	6.75	316	7.36	320	7.57	329	7.75
York.....	546	8.16	497	7.52	504	7.60	426	6.40	492	7.37	437	6.38	465	6.74	511	7.38

REGISTRATION REPORT.

TABLE No. 20.
Marriages by Counties and Nativity, 1912.

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin.....	334	121	59	66	1	581
Aroostook.....	396	52	75	129	3	655
Cumberland.....	705	131	92	92	2	1,022
Franklin.....	170	12	8	8	-	198
Hancock.....	283	8	17	13	-	321
Kennebec.....	440	47	34	51	4	576
Knox.....	208	11	14	24	-	257
Lincoln.....	121	-	6	3	2	132
Oxford.....	246	55	19	29	1	350
Penobscot.....	534	63	62	79	2	740
Piscataquis.....	120	9	12	19	2	162
Sagadahoc.....	93	13	12	18	-	136
Somerset.....	284	14	26	28	1	353
Waldo.....	209	1	3	13	1	227
Washington.....	241	14	30	44	-	329
York.....	316	55	51	57	2	511
Total.....	4,700	636	520	673	21	6,550

TABLE No. 21.
Marriages by Months and Counties, 1912.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin.....	42	41	11	40	41	58	57	41	54	64	65	37	-	581
Aroostook.....	46	55	25	66	47	71	56	47	49	73	79	40	-	655
Cumberland.....	69	57	46	82	72	162	65	68	118	105	119	59	-	1,022
Franklin.....	9	8	13	20	13	22	14	5	20	26	33	15	-	198
Hancock.....	22	24	25	22	22	28	26	25	33	35	38	25	-	321
Kennebec.....	38	32	25	41	36	90	46	50	53	60	62	43	-	576
Knox.....	12	13	17	23	15	22	14	24	21	35	37	21	-	257
Lincoln.....	7	10	7	10	7	19	13	5	7	19	5	23	-	132
Oxford.....	27	21	19	33	31	48	21	24	35	27	33	31	-	350
Penobscot.....	54	44	47	60	38	91	54	68	69	86	70	59	-	740
Piscataquis.....	10	6	5	14	8	19	10	12	20	13	15	20	-	162
Sagadahoc.....	15	6	5	10	14	19	10	17	19	12	18	15	-	136
Somerset.....	22	25	18	40	25	30	24	30	35	40	36	28	-	353
Waldo.....	11	18	15	23	10	21	17	14	21	28	27	19	-	227
Washington.....	33	17	22	19	15	34	21	20	34	31	46	37	-	329
York.....	25	31	13	48	41	63	37	39	53	60	61	40	-	511
Total.....	445	407	309	551	438	1,200	479	489	641	714	744	512	-	6,550

TABLE No. 22.
Number of Marriages in Each Month of 1905-1912, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1905.		1906.		1907.		1908.		1909.		1910.		1911.		1912.	
	Marriages.	Ratio.*	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.
January.....	423	79.5	487	87.9	409	75.6	437	86.7	383	71.5	427	85.2	381	76.4	445	79.9
February.....	325	67.7	394	75.8	382	78.1	366	80.8	361	71.3	284	62.7	318	70.5	407	81.0
March.....	347	65.2	336	60.7	282	52.1	332	65.9	286	56.0	332	66.3	271	54.3	309	55.6
April.....	357	69.5	450	84.0	503	96.0	405	83.5	451	91.3	456	94.0	399	82.6	551	102.4
May.....	427	80.3	453	81.8	411	76.0	398	79.0	420	82.3	405	80.8	402	80.6	438	78.7
June.....	796	154.9	873	163.5	866	165.3	779	160.6	759	159.8	803	165.6	734	152.0	820	152.4
July.....	449	84.4	467	84.3	497	91.9	405	80.4	456	89.3	413	82.4	468	93.8	479	86.1
August.....	500	94.0	494	89.2	471	87.1	474	94.0	489	95.8	473	94.4	453	90.8	489	87.9
September.....	696	135.4	665	124.1	668	127.5	589	121.4	619	125.3	585	120.6	589	121.9	641	119.1
October.....	698	131.2	696	125.7	706	130.5	641	127.2	625	122.4	673	134.3	714	143.1	714	128.3
November.....	677	131.7	646	120.5	663	126.5	591	121.9	637	128.9	576	118.8	635	131.5	744	138.2
December.....	567	106.6	537	97.3	520	96.1	487	96.6	495	97.0	473	94.4	514	103.0	512	92.0
Unknown.....	2	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-

* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 23.
Marriages by Ages and Counties, 1912.

COUNTIES.	Under 15.	* 15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscoggin.....															
males..	1	31	223	158	59	40	28	11	9	7	8	7	-	-	581
females		144	226	102	46	20	12	6	11	7	6	-	-	-	581
Aroostook.....															
males..	-	30	293	177	66	34	22	12	8	5	2	5	-	1	655
females	-	2	273	226	75	28	17	16	5	7	3	2	-	1	655
Cumberland.....															
males..	-	35	376	302	123	71	46	19	16	17	14	3	-	-	1,022
females	1	205	382	223	105	57	16	11	8	7	6	1	-	-	1,022
Franklin.....															
males..	-	16	68	51	23	13	6	7	8	1	3	2	-	-	198
females	2	67	59	34	18	5	2	2	6	1	-	2	-	-	198
Hancock.....															
males..	-	19	124	75	37	20	13	6	13	6	7	-	-	1	321
females	3	94	100	60	23	18	4	9	5	2	3	-	-	-	321
Kennebec.....															
males..	-	41	211	127	90	35	16	11	17	12	15	1	-	-	576
females	-	162	195	102	54	21	11	11	5	5	10	-	-	-	576
Knox.....															
males..	-	17	87	68	24	17	17	8	4	4	9	2	-	-	257
females	-	57	83	53	28	13	8	5	3	2	4	1	-	-	257
Lincoln.....															
males..	-	9	36	37	16	5	11	3	6	1	7	1	-	-	132
females	1	33	50	21	7	6	2	5	2	1	3	1	-	-	132
Oxford.....															
males..	-	14	121	106	53	15	13	7	3	7	8	2	-	1	350
females	2	114	114	56	27	9	17	1	2	3	4	-	-	1	350
Penobscot.....															
males..	-	23	265	214	95	52	26	19	20	8	9	7	-	2	740
females	-	192	264	138	52	35	21	15	13	3	4	1	-	2	740
Piscataquis.....															
males..	-	8	63	35	26	10	8	5	2	2	3	-	-	-	162
females	3	45	62	22	9	8	6	2	-	4	1	-	-	-	162
Sagadahoc.....															
males..	-	5	45	34	17	15	4	6	3	4	1	2	-	-	136
females	-	35	45	21	16	5	5	7	-	1	-	1	-	-	136
Somerset.....															
males..	-	21	123	82	42	24	17	12	12	9	7	4	-	-	353
females	1	128	101	47	25	14	11	7	11	1	7	-	-	-	353
Waldo.....															
males..	-	20	68	47	31	16	13	7	8	6	10	1	-	-	227
females	2	63	66	35	20	10	10	6	7	3	4	1	-	-	227
Washington.....															
males..	-	25	140	66	38	26	11	7	5	6	-	4	-	-	329
females	1	127	104	44	14	16	9	8	2	2	1	-	-	1	329
York.....															
males..	-	41	210	128	46	25	19	13	9	6	8	6	-	-	511
females	-	121	198	98	35	19	16	8	8	1	6	1	-	-	511
Total.....															
males..	-	355	2,453	1,707	787	418	270	153	143	101	111	47	-	5	6,550
females	17	1,589	2,322	1,282	554	284	167	119	88	50	62	11	-	5	6,550
Grand Total.....	17	1,944	4,775	2,989	1,341	702	437	272	231	151	173	58	-	10	13,100

TABLE
Some Interesting Facts in

COUNTIES.	Instances in which the age of the bride exceeded that of the groom.	Widowers.	Widows.	Divorced.		First marriage.		Second marriage.		Third marriage.	
				M.	F.	M.	F.	M.	F.	M.	F.
Androscoggin..	101	59	52	24	33	499	494	71	80	9	6
Aroostook.....	73	64	49	20	20	571	584	68	69	9	5
Cumberland...	185	102	53	48	57	864	910	161	99	2	8
Franklin.....	37	18	14	18	23	161	162	34	35	3	-
Hancock.....	55	45	33	21	14	261	268	57	46	3	6
Kennebec.....	105	67	52	50	62	467	453	103	108	7	13
Knox.....	53	36	24	23	23	197	211	54	41	5	4
Lincoln.....	23	19	9	10	6	103	115	26	15	3	2
Oxford.....	52	24	38	15	26	305	283	38	62	6	5
Penobscot.....	113	90	83	36	58	614	613	107	119	17	5
Piscataquis....	23	14	12	14	23	134	127	24	29	3	6
Sagadahoc....	22	16	10	9	12	111	114	20	19	4	3
Somerset.....	60	49	35	30	28	276	277	72	68	4	9
Waldo.....	31	22	24	30	29	175	174	46	44	5	6
Washington...	57	40	32	13	10	276	287	50	39	3	2
York.....	95	46	34	23	20	443	454	60	51	5	4
Total.....	1,085	711	554	384	444	5,457	5,526	991	924	88	84

No. 24.

Relation to Marriages.

Fourth marriage.		Fifth marriage.		Sixth marriage.		Seventh marriage.		Number of marriages not stated.		Total number of persons married.	Oldest.		Youngest.		Oldest couple.		Youngest couple.	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		M.	F.	M.	F.	M.	F.	M.	F.
1	-	1	-	-	-	-	-	-	1	1,162	78	67	16	14	74	67	17	15
-	1	-	-	-	-	-	1	1	1	1,310	73	61	18	15	71	68	18	16
-	-	-	-	-	-	-	-	-	-	2,044	177	66	16	14	77	66	16	18
-	-	-	-	-	-	-	-	1	-	396	76	74	16	14	76	74	16	17
-	1	-	-	-	-	-	-	-	-	642	69	63	16	14	69	63	17	16
-	-	-	-	-	-	-	-	1	-	1,152	76	69	17	15	76	69	18	17
1	1	-	-	-	-	-	-	-	-	514	72	70	17	15	70	70	17	15
-	-	-	-	-	-	-	-	-	-	264	66	73	18	13	66	73	18	18
1	-	-	-	-	-	-	-	-	-	700	72	68	18	14	71	68	18	15
1	1	-	1	-	-	-	-	1	1	1,480	75	70	18	15	75	70	18	15
1	-	-	-	-	-	-	-	-	-	324	66	58	18	15	66	58	18	15
1	-	-	-	-	-	-	-	-	-	272	76	70	17	15	70	70	17	17
-	-	-	-	-	-	-	-	-	-	706	74	69	17	15	72	69	17	15
1	3	-	-	-	-	-	-	-	-	454	74	72	18	13	74	72	19	14
-	1	-	-	-	-	-	-	-	-	658	72	66	17	14	72	66	17	17
1	-	-	-	-	-	-	-	2	2	1,022	76	69	17	15	76	68	17	17
8	8	1	1	-	-	-	1	6	5	13,100								

NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1912 was 6,550 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, 5,729 in 1895, 5,579 in 1896, 5,331 in 1897, 5,144 in 1898, 5,329 in 1899, 5,482 in 1900, 5,735 in 1901, 5,905 in 1902, 6,200 in 1903, 6,208 in 1904, 6,264 in 1905, 6,498 in 1906, 6,380 in 1907, 5,904 in 1908, 6,011 in 1909, 5,900 in 1910, and 5,878 in 1911. We have therefore for the year 1912, a marriage-rate of 17.42 (persons married) to every 1,000 of population, or at the rate of 8.71 marriages per 1,000 persons.

Marriage-rates.—The marriage-rate was higher in Franklin County than elsewhere in the State, it being for that county 10.28 per 1,000. The lowest marriage-rate, that of 7.36 per 1,000, was in Lincoln county. See Table No. 3.

Nativity.—Of the 6,129 records of marriage in which there was a statement of birthplace, in 71.98 per cent. the groom and bride were both American; in 9.73 per cent. both were of foreign birth; in 7.96 per cent. the groom was American and the bride of foreign birth; while in 10.33 per cent. a foreign groom and American bride were united.

Seasons.—The largest number of marriages, 820 was solemnized in June, while the smallest number in any one month, 309, occurred in March. See Table No. 21.

Ages of the Married.—The largest number, both of grooms and brides, was between 20 and 25 years of age. While still under 15 years of age, 17 brides were married; in the age period, 15-20 years, there were 355 grooms and 1,589 brides; in the period 20-25 years 2,453 men and 2,322 women were married; from 25-30 1,707 men and 1,282 women; from 30-35, 787 men and 554 women; from 35-40, 418 men and 284 women; from 40-45, 270 men and 167 women; from 45-50, 153 men and 119 women; from 50-55, 143 men and 88 women; from

55-60, 101 men and 50 women; from 60-70, 111 men and 62 women; from 70-80, 47 men and 11 women. The ages of 5 grooms and 5 brides were not stated. See Table No. 23.

In 5,465 marriages the groom was older than the bride; while in 1,085 the bride was the elder; 711 widowers and 554 widows were remarried; 384 men and 444 women were remarried after having been divorced from a former marriage.

Table No. 24 exhibits the fact that 5,457 men and 5,526 women were married for the first time; that 991 men and 924 women were married for the second time; that 88 men and 84 women were united in the third marriage; that 8 men and 8 women contracted marriage a fourth time; one man and one woman were married a fifth time, and one woman was married the seventh time. The oldest groom was 78 years of age, and the oldest bride was 74. The youngest groom was 16 years of age, and the youngest bride was 13.

At the age of 16 years 7 grooms were married; at 17 years, 35; at 18 years, 96; and at 19 years 217. At the age of 13, 2 brides were married; at 14 years, 11; at 15 years, 67; at 16 years, 188; at 17 years, 399; at 18 years, 721; and at 19 years, 556.

In one marriage the groom was 47 and the bride 16 years of age. It was the first marriage of each. In another case in which the groom was 37 and the bride 60, it was also the first marriage of each.

At 17 years of age, 9 brides were married for a second time; 11 at 18 years, and 9 at 19. One bride was married for the fourth time at 27, and one for the seventh time at 54.

TABLE

Divorces Decreed by the Supreme Court of Maine for the

COUNTIES.	Libellant wife.	Libellant husband.	Adultery.	Adultery and nonsupport.	Cruel and abusive treatment.	Cruel and abusive treatment and adultery.	Cruel and abusive treatment and desertion.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment, extreme cruelty and desertion.	Cruel and abusive treatment, extreme cruelty and intoxication.
Androscoggin.....	66	20	9	1	33	-	1	1	-	-
Aroostook.....	60	15	9	-	28	1	-	-	-	-
Cumberland.....	142	55	13	-	54	-	-	4	1	-
Franklin.....	25	11	8	-	10	-	-	3	-	1
Hancock.....	18	5	1	-	7	-	-	-	-	-
Kennebec.....	109	30	19	-	-	-	-	-	-	-
Knox.....	37	18	4	-	18	-	-	-	-	1
Lincoln.....	12	4	1	-	4	-	-	1	-	-
Oxford.....	37	19	4	-	25	-	-	-	-	-
Penobscot.....	106	32	22	-	44	-	-	-	-	-
Piscataquis.....	26	15	6	-	24	2	-	-	-	-
Sagadahoc.....	14	-	2	-	5	-	-	-	-	-
Somerset.....	36	13	6	-	10	-	-	2	-	-
Waldo.....	36	15	5	-	25	1	-	-	-	-
Washington.....	34	14	5	-	19	-	-	-	-	-
York.....	37	20	7	-	20	-	-	-	-	-
Total.....	795	266	121	1	326	4	1	11	1	2

No. 25.

Year 1912, as returned by Clerks of the Several Counties.

Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Cruelty.	Desertion.	Extreme cruelty.	Failure to support.	Intoxication.	Intoxication and extreme cruelty.	Intoxication and failure to support.	Intoxication from use of drugs.	Marriage annulled.	Total.
-	1	-	20	-	1	19	-	-	-	-	86
-	1	-	23	-	6	5	-	1	-	-	75
9	12	-	65	7	3	26	-	-	1	3	197
-	-	-	6	-	4	4	-	-	-	-	36
-	1	-	12	-	1	-	1	-	-	-	23
-	-	39	24	-	35	22	-	-	-	-	139
4	1	-	19	-	-	8	-	-	-	-	55
-	-	-	5	1	3	1	-	-	-	-	16
-	-	-	18	-	-	9	-	-	-	-	56
-	7	-	49	2	1	13	-	-	-	-	138
-	-	-	3	-	1	4	-	-	-	1	41
-	-	-	3	-	-	4	-	-	-	-	14
-	1	-	16	-	4	9	-	1	-	-	49
-	-	-	16	1	1	2	-	-	-	-	51
1	-	-	17	-	-	5	-	1	-	-	48
-	1	-	19	1	2	6	-	-	-	1	57
14	25	39	315	12	62	137	1	3	1	5	1,081

TABLE No. 26.
Divorces by Causes, Sex of Libellants, and the Number
of Years Married, 1912.

CAUSES.	LIBELLANTS.		NUMBER OF YEARS MARRIED.							
	Number.	SEX.	Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown
Adultery.....	121	Males... 172 Females... 49	-	2	28	28	13	2	-	1
Adultery and nonsupport.....		Males... 1 Females... 71	-	1	18	19	26	5	2	-
Cruel and abusive treatment.....	326	Females... 255 Males... 3	1	3	67	78	84	17	4	1
Cruel and abusive treatment and adultery		Males... 1 Females... 1	-	1	-	-	-	-	-	-
Cruel and abusive treatment and desertion		Males... 1 Females... 3	-	1	1	1	-	1	-	-
Cruel and abusive treatment, extreme cruelty and desertion.....	11	Males... 8 Females... 1	1	2	-	-	4	1	-	-
Cruel and abusive treatment, extreme cruelty and intoxication.....		Males... 1 Females... 2	-	-	-	-	1	-	-	-
Cruel and abusive treatment and extreme cruelty.....		Males... 2 Females... 14	-	-	5	5	4	-	-	-
Cruel and abusive treatment and failure to support.....	14	Males... 25 Females... 2	-	5	9	8	3	-	-	-
Cruel and abusive treatment and intoxication.....	25	Males... 37 Females... 119	-	10	11	13	1	2	-	-
Cruelty.....	39	Males... 119 Females... 196	-	25	49	34	4	7	-	-
Desertion.....	315	Males... 12 Females... 62	-	4	2	4	2	-	-	-
Extreme cruelty.....	12	Males... 14 Females... 123	-	20	25	9	4	1	-	-
Failure to support.....	62	Males... 14 Females... 1	-	4	3	7	-	-	-	-
Intoxication.....	137	Males... 1 Females... 3	-	1	1	1	-	-	-	-
Intoxication and extreme cruelty.....		Males... 3 Females... 1	-	-	-	-	-	-	-	-
Intoxication and failure to support.....		Males... 3 Females... 1	-	1	1	1	-	-	-	-
Intoxication from use of drugs.....		Males... 1 Females... 2	1	1	-	-	-	-	-	-
Marriage annulled.....		Males... 3 Females... 5	-	1	-	1	1	-	-	-
Total.....	1081	Males... 286 Females... 795	2	2	74	103	77	19	10	1
			2	6	154	259	241	98	31	4

NOTES ON DIVORCES.

One thousand and eighty-one divorces were decreed in the year 1912 (552 in 1892, 627 in 1893, 674 in 1894, 681 in 1895, 668 in 1896, 722 in 1897, 764 in 1898, 790 in 1899, 801 in 1900, 808 in 1901, 905 in 1902, 946 in 1903, 906 in 1904, 848 in 1905, 787 in 1906, 887 in 1907, 904 in 1908, 957 in 1909, 911 in 1910, and 985 in 1911.) In 1912 there was decreed in Maine one divorce for every 6 marriages solemnized.

Some of the causes for which divorces were granted are: Adultery, 121, or 11.2 per cent. of the whole number; cruelty, 39, or 4 per cent.; desertion, 315, or 29.1 per cent.; intoxication, 137, or 12.7 per cent.; cruel and abusive treatment, 326, or 30.2 per cent.; failure to support, 62, or 5.7 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 795 divorces, and the husband in 286.

In the divorces granted for adultery, the husband was the libellant 72 times, and the wife 49 times.

On account of cruelty, the wife was the libellant in 37 cases, and the husband in 2 cases.

For desertion, the husband was the libellant 119 times, and the wife 196.

For intoxication, the husband was the libellant in 14 cases, and the wife in 123.

For cruel and abusive treatment, the husband was the libellant in 71 instances, and the wife in 255.

For failure to support, the wife was the libellant in the 62 divorces decreed for that cause.

Two divorces were granted before the marriage life had lasted six months; 8 before one year's marriage; 228 after from 1 to 5 years' marriage; 362 after 5 to 10 years; 318 after 10 to 20 years; 117 after 20 to 30 years; 41 after more than 30 years of married life; while in 5 cases it was not stated how many years they had been married. Tables No. 25 and No. 26 may be consulted for more detailed statements.

TABLE No. 27.
Deaths and Death-Rates by Counties for the Years 1905-1912.

COUNTIES.	1905.		1906.		1907.		1908.		1909.		1910.		1911.		1912.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State.....	11,381	15.92	11,427	15.90	11,802	16.33	11,664	16.05	11,295	15.45	12,439	16.62	11,731	15.68	11,390	15.27
Androscoggin.....	900	15.83	1,054	18.36	1,046	18.06	952	16.29	899	15.24	1,132	18.92	951	15.76	999	16.39
Aroostook.....	802	12.38	1,013	15.02	840	12.25	975	14.00	926	13.08	1,037	13.89	881	11.73	807	10.69
Cumberland.....	1,788	16.47	1,702	15.98	1,884	17.52	1,781	16.42	1,790	16.35	1,937	17.29	1,858	16.44	1,820	15.93
Franklin.....	283	14.80	293	15.20	316	16.27	337	17.23	272	13.81	256	13.39	248	13.20	280	14.83
Hancock.....	544	14.14	469	12.66	545	14.63	555	14.90	529	14.21	547	15.38	537	15.27	535	15.41
Kennebec.....	1,115	18.13	965	15.98	1,136	18.75	1,144	18.82	1,084	17.83	1,172	18.64	1,094	17.30	1,167	18.33
Knox.....	478	15.75	460	15.19	489	16.08	473	15.56	464	15.26	479	16.53	554	18.86	475	16.57
Lincoln.....	269	13.58	249	12.66	288	14.64	340	17.29	303	15.40	306	16.80	342	18.88	257	14.32
Oxford.....	506	14.92	580	17.45	573	17.16	561	16.72	540	16.01	585	16.17	582	15.91	510	13.76
Penobscot.....	1,305	16.57	1,397	17.85	1,430	18.19	1,283	16.24	1,307	16.50	1,401	16.43	1,435	16.82	1,379	16.10
Piscataquis.....	270	15.52	237	13.59	218	12.45	250	14.21	272	15.39	275	13.82	269	13.76	255	12.99
Sagadahoc.....	322	14.93	296	14.19	288	13.75	335	15.93	290	13.73	326	17.55	297	15.10	303	16.07
Somerset.....	561	16.03	471	13.62	532	15.33	524	15.05	471	13.48	569	16.23	526	14.77	537	14.84
Waldo.....	407	16.79	395	16.33	385	15.92	368	15.22	386	15.96	421	18.00	431	18.50	380	16.42
Washington.....	673	14.53	653	14.29	604	13.20	643	14.03	630	13.72	642	14.96	596	14.17	559	13.24
York.....	1,158	17.30	1,193	18.04	1,228	18.51	1,143	17.17	1,126	16.87	1,334	19.47	1,130	16.39	1,127	16.27

TABLE No. 28.

Number of Deaths in Each Month of 1905-1912, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1905.		1906.		1907.		1908.		1909.		1910.		1911.		1912.	
	Deaths.	Ratio.*	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January.....	981	101.4	822	84.7	1,118	111.5	1,128	113.8	985	102.6	1,101	104.2	1,094	109.7	1,052	109.9
February.....	1,009	115.6	853	97.2	1,128	124.6	985	106.4	887	102.0	1,036	108.5	1,085	120.6	1,034	114.3
March.....	1,197	123.8	1,060	109.2	1,177	117.3	1,001	101.0	1,178	122.8	1,149	108.7	1,223	122.8	1,047	109.0
April.....	1,023	109.4	985	104.8	1,069	110.2	1,045	109.1	1,022	110.1	1,103	108.0	1,057	109.6	1,014	108.7
May.....	957	99.0	961	99.0	973	97.0	954	96.3	960	101.1	1,015	96.1	1,025	102.9	980	102.4
June.....	830	88.8	848	90.2	947	97.6	818	85.4	838	90.3	844	82.5	791	82.0	841	90.1
July.....	768	79.4	885	91.2	844	84.1	820	82.7	831	86.6	913	86.4	951	95.4	881	92.1
August.....	1,006	104.0	1,133	116.8	898	89.5	1,033	104.2	886	92.4	1,120	106.0	964	96.7	873	91.2
September.....	1,012	108.2	1,117	118.9	855	88.1	1,079	112.6	912	98.2	1,084	106.0	816	91.9	903	96.8
October.....	958	99.1	920	94.8	931	92.8	990	99.9	979	102.1	1,034	97.9	890	89.3	907	94.8
November.....	824	88.1	885	94.2	875	90.2	890	92.9	872	93.9	1,013	99.1	823	85.4	836	84.2
December.....	977	102.6	942	97.2	978	97.6	919	92.7	945	98.5	1,027	97.2	938	94.1	1,022	106.7
Unknown.....	17	-	16	-	9	-	2	-	1	-	-	-	4	-	2	-

* In this column the inaccuracies due to the unequal length of the months are eliminated.

NUMBER OF DEATHS IN EACH MONTH.

TABLE

Showing the Number of Deaths in the State, and in

CAUSES OF DEATH.	State.	Androscoegin.	Aroostook.
All causes (including premature births).....	11,659	1,018	847
I. General diseases.....	2,738	246	204
II. Diseases of the nervous system and the organs of special sense.....	1,548	104	59
III. Diseases of the circulatory system.....	1,636	122	60
IV. Diseases of the respiratory system.....	1,452	133	106
V. Diseases of the digestive system.....	1,011	127	113
VI. Nonvenereal diseases of the genitourinary system and its annexa.....	892	94	44
VII. The puerperal state.....	79	6	9
VIII. Diseases of the skin and cellular tissue.....	74	6	3
IX. Diseases of the bones and of the organs of locomotion....	19	4	1
X. Malformations.....	83	9	5
XI. Diseases of early infancy.....	663	61	89
XII. Old age.....	585	35	46
XIII. Affections produced by external causes.....	677	58	62
XIV. Ill defined diseases.....	202	13	44

No. 29.

Each County Arranged by Classes and Counties.

Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
1,870	285	543	1,191	481	259	528	1,421	264	310	548	385	572	1,137
448	56	141	235	119	70	122	346	50	80	118	96	131	276
234	48	74	203	79	31	70	179	33	44	94	51	87	158
312	29	80	181	82	47	85	152	36	63	66	58	110	153
202	53	65	166	37	31	66	220	35	34	71	33	52	146
125	25	47	104	23	15	39	118	21	23	47	37	41	106
168	23	39	77	44	16	36	96	15	17	39	32	42	110
7	4	4	12	6	1	3	6	4	2	6	1	6	2
9	5	10	6	4	3	2	9	3	2	2	4	5	1
4	-	-	-	2	-	2	-	-	1	-	-	1	4
10	3	7	16	2	2	3	9	3	-	2	1	1	10
128	18	21	58	12	5	36	76	15	12	21	15	38	58
92	10	30	51	34	24	24	76	15	15	28	31	28	46
105	7	22	72	32	11	32	95	28	16	41	20	21	55
26	4	3	10	5	3	8	39	6	1	13	6	9	12

TABLE No. 29—Continued.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
I.—General diseases	2,738	246	204	448	56	141	235	119	70	122	346	50	80	118	96	131	276
Typhoid fever	102	6	6	27	2	3	5	3	4	6	16	4	2	3	2	2	11
Malaria	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-
Smallpox	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Measles	56	14	3	7	-	1	9	3	-	1	2	1	-	9	4	-	5
Scarlet fever	16	5	1	2	-	2	-	-	-	1	4	-	-	-	-	-	1
Whooping cough	54	3	10	5	-	6	4	-	-	11	-	-	-	1	2	3	9
Diphtheria and croup	97	12	17	10	3	6	9	-	4	6	4	1	3	2	2	5	13
Influenza	93	2	16	7	2	5	10	8	3	9	3	4	-	5	3	2	9
Cholera nostras	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1
Dysentery	18	4	-	1	-	2	2	1	-	1	-	-	3	-	2	1	3
Erysipelas	26	1	5	3	1	2	2	-	-	1	-	-	-	3	1	-	3
Other epidemic diseases	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Purulent infection and septi- cemia	32	4	2	6	-	2	4	1	-	-	6	-	-	2	1	-	4
Glanders	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Tetanus	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Pellagra	4	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-
Tuberculosis of the lungs	780	69	55	126	14	37	66	30	18	37	115	15	24	34	25	40	75
Acute miliary tuberculosis	10	1	1	1	-	1	1	1	-	1	3	-	-	1	-	1	-
Tuberculous meningitis	76	4	7	17	-	4	8	5	-	3	14	1	1	3	2	5	2
Abdominal tuberculosis	63	3	6	11	-	2	3	1	3	3	10	2	3	3	3	2	8
Potts' disease	10	-	1	1	-	1	1	-	-	1	3	-	-	-	-	1	1
White swellings	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Tuberculosis of other organs	32	4	3	3	1	2	3	3	-	1	4	1	1	2	1	2	2
Disseminated tuberculosis	22	2	1	5	1	1	-	2	-	3	1	1	-	1	1	1	3
Rickets	7	-	-	4	-	-	-	-	-	-	1	-	-	-	-	-	2
Syphilis	14	3	-	2	-	-	2	-	-	-	3	-	1	-	1	1	1
Cancer and other malignant tumors of the buccal cavity	26	2	1	3	1	2	3	1	-	1	3	1	1	2	2	1	2
Cancer and other malignant tumors of the stomach and liver	325	34	24	53	11	14	28	11	14	15	32	5	10	9	8	21	36
Cancer and other malignant tumors of the perito- neum intestines and rec- tum	151	13	1	29	2	5	16	9	6	9	21	1	6	5	8	9	11
Cancer and other malignant tumors of the female genital organs	120	12	5	20	6	8	11	5	1	5	21	2	4	4	5	6	5
Cancer and other malignant tumors of the breast	61	1	3	16	3	2	5	3	2	3	3	1	1	5	1	2	10
Cancer and other malignant tumors of the skin	30	4	1	6	-	-	1	2	2	1	1	-	2	1	2	2	5
Cancer and other malignant tumors of other organs, or of organs not specified	115	10	11	19	2	11	9	4	3	1	14	-	4	4	5	9	9
Other tumors (tumors of the female genital organs excepted)	6	2	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Acute articular rheumatism	47	4	6	7	1	5	2	3	2	2	3	-	1	3	2	3	3
Chronic rheumatism and gout	18	1	2	2	-	-	3	-	-	1	1	1	-	1	5	-	1
Scurvy	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes	149	11	7	31	3	8	11	12	4	8	16	4	6	7	3	3	15
Exophthalmic goitre	8	-	2	-	1	1	1	-	-	-	-	-	-	1	-	-	-
Addison's disease	4	1	-	1	-	-	2	-	-	-	1	-	-	-	1	-	2
Leukemia	14	4	-	1	-	-	1	-	-	2	1	-	-	-	-	-	-
Anemia, chlorosis	72	5	3	9	3	6	7	4	-	10	2	2	2	2	4	15	1
Other general diseases	17	1	1	2	-	2	1	-	-	2	-	1	-	4	1	1	1
Alcoholism (acute or chronic)	39	1	1	8	-	2	6	3	2	2	3	2	3	1	-	2	3
Other chronic poisonings	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-

TABLE No. 29—Continued.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
II.—Diseases of the nervous system and of the organs of special sense...	1,548	104	59	234	48	74	203	79	31	70	179	33	44	94	51	87	158
Encephalitis.....	18	1	1	1	—	—	—	—	—	1	7	—	—	2	—	3	2
Simple meningitis.....	72	11	5	14	1	3	8	1	3	1	8	1	1	3	—	1	1
Cerebro-spinal meningitis.....	18	1	2	5	—	—	—	1	—	2	3	—	—	2	—	—	—
Infantile paralysis.....	9	1	—	3	—	—	1	—	—	1	—	—	2	—	—	1	1
Locomotor ataxia.....	31	1	1	2	2	2	3	1	—	—	7	—	2	2	1	4	3
Other diseases of the spinal cord.....	58	5	—	9	2	4	8	2	2	1	5	1	1	6	3	3	6
Cerebral hemorrhage, apoplexy.....	930	66	37	146	30	50	91	54	17	43	104	20	26	60	26	58	102
Softening of the brain.....	21	3	—	3	—	2	—	—	—	5	1	1	—	1	—	—	4
Paralysis without specified cause.....	154	8	5	27	4	4	16	9	4	6	13	6	6	13	8	8	17
General paralysis of the insane.....	28	—	—	—	1	—	22	—	—	—	2	—	1	—	2	—	—
Other forms of mental alienation.....	73	—	1	6	1	1	35	5	3	3	8	1	—	1	1	2	5
Epilepsy.....	35	2	3	2	—	2	10	2	1	4	4	—	—	—	1	2	1
Convulsions (nonpuerperal).....	3	—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—
Convulsions of infants.....	33	1	3	4	3	—	3	—	1	1	6	1	2	1	2	2	3
Chorea.....	3	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—
Neuralgia and neuritis.....	7	—	—	—	1	—	—	1	—	—	3	—	1	—	1	—	—
Other diseases of the nervous system.....	48	3	1	10	1	4	4	3	—	4	5	—	1	3	1	3	5
Diseases of the ears.....	7	—	—	1	—	2	2	—	—	—	—	—	1	—	—	—	1
III.—Diseases of the circulatory system.....	1,636	122	60	312	29	80	181	82	47	85	152	36	63	66	58	110	153
Pericarditis.....	8	—	—	1	1	—	3	—	—	1	1	—	—	1	—	—	—
Acute endocarditis.....	30	4	1	11	—	1	2	—	—	3	5	—	1	—	—	2	—
Organic diseases of the heart.....	1,169	84	45	222	24	52	123	65	26	65	98	18	43	52	39	84	129
Angina pectoris.....	85	5	2	19	—	5	9	5	4	3	6	4	3	4	4	8	4
Diseases of the arteries, atheroma, aneurysm, etc.	278	21	8	43	4	20	40	8	12	12	38	12	8	8	14	12	18
Embolism and thrombosis.....	55	7	3	16	—	1	4	1	5	1	4	1	6	1	1	3	1
Diseases of veins (varices, hemorrhoids, phlebitis, etc.).....	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Diseases of the lymphatic system.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Hemorrhage: other diseases of the circulatory system.....	9	1	1	—	—	—	—	3	—	—	—	1	2	—	—	—	1
IV.—Diseases of the respiratory system.....	1,452	133	108	202	53	65	166	37	31	66	220	35	34	71	33	52	146
Diseases of the nasal fossae.....	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the larynx.....	12	—	2	4	—	—	—	—	—	—	4	—	—	1	—	1	—
Diseases of the thyroid body.....	2	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
Acute bronchitis.....	138	8	10	21	5	5	18	1	3	5	11	9	4	11	2	6	19
Chronic bronchitis.....	67	6	3	9	6	5	8	4	1	4	8	1	1	3	2	—	6
Bronchopneumonia.....	304	31	24	31	12	19	39	6	9	13	56	3	13	10	4	5	29
Pneumonia.....	801	81	60	122	27	29	81	23	16	38	120	16	14	41	22	36	75
Pleurisy.....	27	2	—	2	1	2	4	—	—	—	2	3	—	2	1	1	7
Pulmonary congestion, pulmonary apoplexy.....	65	3	3	7	1	—	14	1	2	4	15	2	—	3	1	3	6
Gangrene of the lungs.....	2	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
Asthma.....	11	—	2	3	1	—	—	—	—	1	1	—	—	—	1	—	—
Pulmonary emphysema.....	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Other diseases of the respiratory system (tuberculosis excepted).....	21	1	4	2	—	4	2	—	—	—	1	1	2	—	—	—	4

TABLE No. 29—Continued.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
V.—Diseases of the digestive system.....	1,011	127	113	125	25	47	104	23	15	39	118	21	23	47	37	41	106
Diseases of the pharynx.....	9	1	2	-	-	1	-	-	1	-	1	-	-	-	-	2	1
Diseases of the esophagus...	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Ulcer of the stomach.....	34	5	5	4	2	-	-	-	-	3	9	-	1	-	1	2	2
Other diseases of the stomach (cancer excepted)...	234	11	14	29	7	19	29	8	5	10	27	6	1	18	13	12	25
Diarrhea and enteritis (under 2 years).....	309	58	65	35	7	4	32	1	2	11	19	4	9	6	8	8	40
Diarrhea and enteritis (2 years and over).....	73	2	8	10	3	5	11	2	2	2	10	2	4	2	3	2	5
Appendicitis and typhilitis.....	79	20	7	7	-	-	9	5	1	1	13	1	1	5	1	1	7
Hernia, intestinal obstruction.....	84	9	5	16	4	4	5	3	-	3	10	5	2	4	5	4	5
Other diseases of the intestines.....	17	2	2	4	-	2	-	1	-	1	-	-	-	2	-	-	3
Acute yellow atrophy of the liver.....	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1
Cirrhosis of the liver.....	49	6	1	6	1	6	4	-	1	8	-	2	3	3	4	3	4
Biliary calculi.....	16	2	-	1	1	-	1	1	2	1	-	-	2	2	2	2	3
Other diseases of the liver.....	58	3	2	11	-	-	9	-	1	4	11	1	2	2	1	2	9
Diseases of the spleen.....	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Simple peritonitis (non-puerperal).....	36	7	2	3	-	4	3	2	1	1	6	1	1	2	1	1	1
Other diseases of the digestive system (cancer and tuberculosis excepted)...	5	-	-	-	-	-	2	-	-	-	2	1	-	-	-	-	-
VI.—Nonvenereal diseases of the genitourinary system and annexa.....	892	94	44	168	23	39	77	44	16	36	96	15	17	39	32	42	110
Acute nephritis.....	63	8	5	9	2	5	3	1	-	2	6	5	-	3	4	2	8
Bright's disease.....	694	62	27	144	17	29	60	38	11	33	75	9	15	28	21	29	96
Other diseases of the kidneys and annexa.....	26	3	6	1	-	2	-	2	1	2	1	-	3	1	3	1	1
Calculi of the urinary passages.....	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the bladder.....	36	1	2	3	3	2	3	1	2	-	7	-	-	3	2	5	2
Diseases of the urethra, urinary abscess, etc.....	3	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Diseases of the prostate.....	24	5	1	6	-	1	1	1	-	2	-	-	-	2	2	2	1
Uterine hemorrhage (non-puerperal).....	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Uterine tumor (noncancerous).....	11	2	-	2	1	1	3	-	-	-	1	-	-	-	1	-	-
Other diseases of the uterus.....	15	7	1	1	-	1	2	-	-	-	1	-	-	-	-	1	1
Cysts and other tumors of the ovary.....	7	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	1
Salpingitis and other diseases of the female genital organs.....	10	2	1	1	-	-	1	-	-	-	2	-	2	-	1	-	-
VII.—The puerperal state.....	79	6	9	7	4	4	12	6	1	3	6	4	2	6	1	6	2
Accidents of pregnancy.....	18	2	1	2	-	2	3	2	1	-	1	-	1	2	-	1	-
Puerperal hemorrhage.....	11	2	-	1	-	-	2	-	1	1	-	-	-	-	-	3	1
Other accidents of labor.....	11	-	5	1	-	-	2	-	-	2	-	-	-	1	-	-	-
Puerperal septicemia.....	14	-	1	1	-	1	4	-	-	-	1	4	-	1	-	1	-
Puerperal albuminuria and convulsions.....	18	1	2	2	2	-	2	1	-	2	1	-	1	2	1	-	1
Puerperal phlegmasia, alba dolens, embolus, sudden death.....	6	1	-	-	2	1	1	-	-	-	-	-	-	-	-	1	-
Following childbirth (not otherwise defined).....	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
VIII.—Diseases of the skin and cellular tissue.....	54	6	3	9	5	10	6	4	3	2	9	3	2	2	4	5	1
Gangrene.....	54	5	1	5	4	8	5	2	2	2	6	1	2	2	3	5	1
Furuncle.....	6	-	1	1	-	2	-	1	-	1	-	-	-	-	-	-	-
Acute abscess.....	7	-	1	1	1	-	1	-	-	-	2	1	-	-	-	-	-

TABLE No. 29—Concluded.

CAUSES OF DEATH.	State.	Androsoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
Other diseases of the skin and annexa	7	1	-	2	-	-	-	1	1	-	-	1	-	-	1	-	-
IX.—Diseases of the bones and of the organs of locomotion	19	4	1	4	-	-	-	2	-	2	-	-	1	-	-	1	4
Diseases of the bones (tuberculosis excepted)	16	3	1	3	-	-	-	2	-	1	-	-	1	-	-	1	4
Diseases of the joints (tuberculosis and rheumatism excepted)	3	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
X.—Malformations	83	9	5	10	3	7	16	2	2	3	9	3	-	2	1	1	10
Congenital malformations (stillbirths not included)	83	9	5	10	3	7	16	2	2	3	9	3	-	2	1	1	10
XI.—Diseases of early infancy	663	61	89	128	18	21	58	12	5	36	76	15	12	21	15	38	58
Congenital debility, icterus, and sclerema	547	50	73	102	15	17	41	10	5	31	68	15	9	18	13	32	48
Other diseases peculiar to early infancy	106	9	14	26	3	4	15	2	-	5	8	-	2	2	2	6	8
Lack of care	10	2	2	-	-	-	2	-	-	-	-	-	1	1	-	-	2
XII.—Old age	585	35	46	92	10	30	51	34	24	24	76	15	15	28	31	28	46
Senility	585	35	46	92	10	30	51	34	24	24	76	15	15	28	31	28	46
XIII.—Affections produced by external causes	677	58	62	105	7	22	72	32	11	32	95	28	16	41	20	21	55
Suicide by poison	17	-	2	3	1	-	3	2	-	-	1	-	-	-	-	-	2
Suicide by asphyxia	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Suicide by hanging or strangulation	34	5	1	3	1	1	3	6	3	4	3	-	1	1	1	-	3
Suicide by drowning	13	-	4	-	1	2	-	-	1	-	1	-	-	1	1	-	1
Suicide by firearms	31	2	3	3	2	2	3	2	-	5	4	1	-	3	-	-	1
Suicide by cutting or piercing instruments	12	1	1	-	-	-	2	1	1	-	-	1	1	1	2	1	-
Other suicides	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Poisoning by food	1	1	-	-	1	-	-	-	-	4	-	1	-	-	-	-	-
Other acute poisonings	23	4	3	4	-	1	-	-	2	2	-	-	3	1	1	2	-
Conflagration	17	-	-	-	-	2	2	-	-	6	1	-	-	1	1	4	-
Burns (including scalding)	28	3	5	7	1	-	1	1	1	3	-	1	3	-	-	2	-
Absorption of deleterious gases (conflagration excepted)	12	2	1	1	-	-	-	-	1	2	-	-	2	-	-	-	1
Accidental drowning	118	13	14	13	1	4	13	5	1	4	12	11	3	8	2	5	9
Traumatism by firearms	26	-	4	2	-	1	1	-	-	3	5	4	1	2	1	1	1
Traumatism by cutting or piercing instruments	7	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	3
Traumatism by fall	105	4	9	28	-	3	13	4	3	3	12	2	3	2	3	4	12
Traumatism in mines and quarries	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Traumatism by machines	24	5	3	6	-	1	1	-	-	6	-	1	-	1	-	-	-
Traumatism by other crushing (vehicles, railroads, and land slides, etc)	118	12	6	21	-	3	14	4	2	6	18	6	-	10	2	5	9
Injuries by animals	8	1	2	1	1	-	1	-	-	-	1	1	-	-	-	-	1
Inanition	5	-	-	-	-	-	1	-	-	-	-	1	-	1	2	-	-
Excessive cold	6	-	1	-	-	-	-	1	-	-	-	-	1	1	1	-	2
Effects of heat	9	-	-	2	-	1	2	-	-	1	-	-	1	-	1	1	-
Lightning	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Electricity	5	-	-	2	-	-	1	-	-	-	1	-	-	-	1	-	-
Homicide by firearms	5	1	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Homicide by cutting or piercing instruments	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Homicide by other means	5	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-
Fractures (cause not specified)	11	2	-	1	-	-	1	-	-	-	5	-	1	-	1	-	-
Other external violence	21	1	3	3	-	-	2	3	-	1	4	2	1	-	-	-	1
XIV.—Ill defined diseases	202	13	44	26	4	3	10	5	3	8	39	6	1	13	6	9	12
Ill defined organic diseases	6	-	1	1	2	-	-	-	-	8	-	-	-	1	-	-	1
Sudden death	35	6	1	3	-	-	1	-	-	1	13	1	1	3	1	3	1
Cause of death not specified or ill defined	161	7	42	22	2	3	9	5	3	7	26	5	-	10	4	6	10

TABLE
Deaths from all Causes

CAUSES OF DEATH.	Total.	January.	February.	March.
All causes (including premature births)	11,659	1,068	1,067	1,070
I. General diseases	2,738	245	230	267
II. Diseases of the nervous system and the organs of special sense	1,548	146	132	114
III. Diseases of the circulatory system	1,636	167	131	157
IV. Diseases of the respiratory system	1,452	193	201	178
V. Diseases of the digestive system	1,011	48	76	72
VI. Nonvenereal diseases of the genitourinary system and its annexa	892	80	75	83
VII. The puerperal state	79	4	9	8
VIII. Diseases of the skin and cellular tissue	74	9	8	8
IX. Diseases of the bones and of the organs of locomotion	19	-	3	-
X. Malformations	83	14	6	7
XI. Diseases of early infancy	663	51	73	60
XII. Old age	585	45	57	56
XIII. Affections produced by external causes	677	49	45	39
XIV. Ill defined diseases	202	17	21	21

No. 30.
by Months, 1912.

April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
1,035	1,014	864	909	897	925	924	852	1,034	-
288	281	214	207	208	208	205	187	218	-
143	121	126	129	108	146	124	119	140	-
148	129	127	131	129	112	109	130	166	-
131	140	85	56	48	64	91	107	158	-
69	69	53	87	137	146	118	59	77	-
74	68	78	79	70	67	76	79	63	-
6	8	5	5	7	6	3	9	9	-
5	4	5	9	4	3	3	6	10	-
3	3	1	3	-	1	2	2	1	-
11	1	5	7	3	4	5	10	10	-
54	65	50	55	50	55	58	38	44	-
50	55	31	43	47	37	60	36	68	-
59	56	72	84	65	58	51	47	52	-
14	14	12	14	11	18	19	23	18	-

TABLE No. 30—Continued.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
I.—General diseases	2,738	245	230	267	268	281	214	207	208	208	205	187	218	-
Typhoid fever	102	15	9	6	9	7	5	4	9	13	9	7	9	-
Malaria	3	1	1	1	1	1	1	1	1	1	1	1	1	-
Smallpox	4	-	1	1	2	-	-	-	-	-	-	-	1	-
Measles	59	4	2	6	17	11	8	8	1	1	-	1	-	-
Scarlet fever	16	3	2	4	4	-	-	-	-	-	3	2	2	-
Whooping cough	54	10	8	6	5	4	2	4	4	3	2	4	2	-
Diphtheria and croup	97	11	7	11	6	3	1	4	6	7	9	18	14	-
Influenza	93	14	14	16	16	7	3	2	-	3	3	6	9	-
Cholera nostras	5	-	-	-	-	-	-	-	1	4	-	-	-	-
Dysentery	18	1	1	1	-	2	-	4	5	3	1	-	-	-
Erysipelas	26	8	2	2	-	4	3	1	2	1	2	-	1	-
Other epidemic diseases	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Purulent infection and septicemia	32	8	3	2	3	2	4	3	2	2	-	-	3	-
Glanders	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Tetanus	2	-	-	-	-	-	-	-	1	1	1	-	-	-
Pellagra	4	-	-	-	-	-	-	1	1	1	-	-	1	-
Tuberculosis of the lungs	780	69	65	81	88	86	56	58	60	54	61	51	51	-
Acute miliary tuberculosis	10	1	1	1	1	1	1	1	1	1	1	1	1	-
Tuberculous meningitis	76	4	8	7	5	12	11	2	6	5	5	5	6	-
Abdominal tuberculosis	63	2	2	6	9	8	8	3	1	8	6	6	4	-
Pott's disease	10	1	2	-	-	4	-	2	-	-	-	1	-	-
White swellings	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of other organs	32	2	2	3	4	4	3	4	4	3	-	1	2	-
Disseminated tuberculosis	22	2	2	3	-	2	3	3	1	1	2	-	3	-
Rickets	7	-	1	1	1	-	-	1	1	1	-	1	1	-
Syphilis	14	1	1	1	-	3	1	2	-	1	2	1	1	-
Cancer and other malignant tumors of the buccal cavity	26	-	3	-	2	1	2	3	-	2	5	6	2	-
Cancer and other malignant tumors of the stomach and liver	325	26	21	28	24	36	32	27	26	34	24	24	23	-
Cancer and other malignant tumors of the peritoneum, intestines and rectum	151	12	16	11	14	19	12	10	17	10	8	10	12	-
Cancer and other malignant tumors of the female genital organs	120	9	8	18	6	8	15	14	13	5	9	3	12	-
Cancer and other malignant tumors of the breast	61	5	4	4	4	5	7	6	6	6	4	1	9	-
Cancer and other malignant tumors of the skin	30	2	-	3	6	2	1	2	2	1	2	3	6	-
Cancer and other malignant tumors of other organs or of organs not specified	115	8	11	18	8	12	8	8	3	10	15	5	9	-
Other tumors (tumors of the female genital organs excepted)	6	-	-	-	1	-	-	-	3	-	-	1	1	-
Acute articular rheumatism	47	4	6	1	9	2	1	3	2	5	5	4	5	-
Chronic rheumatism and gout	18	1	1	4	1	1	1	2	1	3	1	-	2	-
Scurvy	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Diabetes	149	9	11	13	13	12	14	13	16	9	14	13	12	-
Exophthalmic goitre	8	-	-	-	1	2	-	-	1	-	1	-	3	-
Addison's disease	4	1	-	-	-	-	1	1	-	1	-	-	-	-
Leukemia	14	2	2	2	-	2	-	-	1	2	-	-	2	-
Anemia, chlorosis	72	5	6	6	5	12	6	5	5	6	4	8	4	-
Other general diseases	17	1	2	1	2	2	1	2	2	-	-	2	2	-
Alcoholism (acute or chronic)	39	2	7	3	-	4	4	3	3	2	4	2	3	-
Other chronic poisonings	2	-	-	-	-	-	-	-	1	-	-	-	1	-

TABLE No. 30—Continued.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
II.—Diseases of the nervous system and of the organs of special sense..	1,548	146	132	114	143	121	126	129	108	146	124	119	140	--
Encephalitis.....	18	1	2	1	1	2	1	1	--	4	1	1	4	--
Simple meningitis.....	72	4	3	6	10	4	3	7	6	4	6	7	12	--
Cerebro spinal meningitis.....	153	2	2	1	3	2	3	1	--	3	1	1	1	--
Infantile paralysis.....	6	1	1	1	--	--	1	--	--	--	1	1	1	--
Locomotor ataxia.....	31	3	4	1	3	2	2	3	4	3	2	3	1	--
Other diseases of the spinal cord.....	58	4	3	12	3	6	7	7	5	5	4	4	2	--
Cerebral hemorrhage, apoplexy.....	930	84	90	66	79	73	72	71	62	89	82	73	89	--
Softening of the brain.....	21	2	1	1	2	--	1	3	1	2	1	2	4	--
Paralysis without specified cause.....	154	24	9	12	16	9	12	15	9	11	12	12	13	--
General paralysis of the insane.....	28	--	1	2	1	2	2	3	4	3	4	5	4	--
Other forms of mental alienation.....	73	7	6	--	2	3	7	6	7	7	7	5	4	--
Epilepsy.....	35	4	1	1	3	5	7	2	5	3	1	1	2	--
Convulsions (nonpuerperal).....	33	3	3	2	4	5	2	4	1	4	4	1	2	--
Convulsions of infants.....	3	3	--	--	--	--	--	--	--	--	--	--	--	--
Chorea.....	3	1	1	--	1	--	--	--	--	--	--	--	--	--
Neuralgia and neuritis.....	7	2	1	--	--	--	--	2	--	--	--	1	1	--
Other diseases of the nervous system.....	48	5	4	5	9	3	3	6	4	4	--	1	4	--
Diseases of the ears.....	7	1	1	1	--	2	--	1	--	--	--	1	--	--
III.—Diseases of the circulatory system.....	1,636	167	131	157	148	129	127	131	129	112	109	130	166	--
Pericarditis.....	8	2	1	1	--	--	1	1	1	--	--	--	2	--
Acute endocarditis.....	30	3	1	4	4	--	6	1	1	3	1	3	3	--
Organic diseases of the heart.....	1,169	121	92	105	100	100	89	96	93	79	87	92	115	--
Angina pectoris.....	85	4	9	5	12	10	8	8	8	7	1	4	9	--
Diseases of the arteries, atheroma, aneurysm, etc.....	278	30	22	38	24	17	17	21	21	17	17	28	25	--
Embolism and thrombosis.....	55	5	5	4	5	2	5	4	5	5	3	2	10	--
Diseases of the veins, varices, hemorrhoids, phlebitis, etc.....	1	--	--	--	1	--	--	--	--	--	--	--	--	--
Diseases of lymphatic system.....	1	--	--	--	1	--	--	--	--	--	--	--	--	--
Hemorrhage, other diseases of the circulatory system.....	9	2	1	--	1	--	2	--	--	1	--	--	2	--
IV.—Diseases of the respiratory system.....	1,452	193	201	178	131	140	85	56	48	64	61	107	158	--
Diseases of the nasal fossae.....	1	--	--	--	1	--	--	--	--	--	--	--	--	--
Diseases of the larynx.....	12	--	1	--	1	2	2	--	1	2	2	1	--	--
Diseases of the thyroid body.....	2	--	--	--	--	--	--	--	1	1	--	--	--	--
Acute bronchitis.....	138	17	16	21	16	7	6	9	6	2	9	13	16	--
Chronic bronchitis.....	67	4	10	7	5	4	8	6	3	2	2	5	11	--
Bronchopneumonia.....	304	38	42	31	27	27	17	15	6	18	26	28	29	--
Pneumonia.....	801	123	114	101	79	88	47	16	24	30	45	50	84	--
Pleurisy.....	27	4	4	4	1	3	1	3	2	2	--	1	2	--
Pulmonary congestion, pulmonary apoplexy.....	65	5	11	10	1	4	3	4	2	5	5	3	12	--
Gangrene of the lungs.....	2	--	--	--	--	--	--	--	--	--	--	1	1	--
Asthma.....	11	--	2	2	--	--	--	--	--	2	2	1	2	--
Pulmonary emphysema.....	1	--	--	--	--	1	--	--	--	--	--	--	--	--
Other diseases of the respiratory system (tuberculosis excepted).....	21	2	1	2	1	3	1	3	3	--	--	4	1	--
V.—Diseases of the digestive system.....	1,011	48	76	72	68	69	53	87	137	146	118	59	77	--
Diseases of the pharynx.....	9	--	--	2	2	--	--	--	1	2	1	--	1	--
Diseases of the esophagus.....	2	1	--	--	--	--	--	--	--	--	--	1	--	--
Ulcer of the stomach.....	34	--	4	3	7	2	4	4	4	3	1	--	2	--
Other diseases of the stomach (cancer excepted).....	234	15	23	20	26	17	11	16	23	18	24	18	23	--
Diarrhea and enteritis (under 2 years).....	309	14	9	7	5	13	8	31	74	74	52	10	12	--
Diarrhea and enteritis (2 years and over).....	73	2	7	4	5	6	3	3	10	14	7	6	6	--
Appendicitis and typhlitis.....	79	2	6	5	6	6	6	7	10	8	9	5	9	--
Hernia, intestinal obstruction.....	84	5	8	11	6	6	5	7	4	11	8	7	6	--

TABLE No. 30—Concluded.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
XII.—Old age	585	45	57	56	50	55	31	43	47	37	60	36	68	-
Senility	585	45	57	56	50	55	31	43	47	37	60	36	68	-
XIII.—Affections produced by external causes	677	49	45	39	59	56	72	84	65	58	51	47	52	-
Suicide by poison	17	3	2	1	2	1	2	-	2	2	-	1	1	-
Suicide by asphyxia	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Suicide by hanging or strangulation	34	4	3	1	6	4	1	7	3	3	1	1	-	-
Suicide by drowning	13	1	-	2	-	2	3	1	1	1	-	1	1	-
Suicide by firearms	31	2	2	4	5	5	1	1	1	1	3	3	3	-
Suicide by cutting or piercing instruments	12	1	1	-	2	2	1	1	1	1	1	1	-	-
Other suicides	2	-	-	1	-	-	-	-	1	-	-	-	-	-
Poisoning by food	8	-	1	-	1	1	2	-	1	2	-	-	-	-
Other acute poisonings	23	1	-	4	1	1	4	4	2	1	1	3	1	-
Conflagration	17	3	1	2	4	-	-	-	5	2	-	-	-	-
Burns (includes scalding)	28	6	4	-	4	2	-	1	3	1	4	1	2	-
Absorption of deleterious gases (conflagration excepted)	12	-	2	1	-	1	1	-	-	-	-	5	2	-
Accidental drowning	118	3	1	2	5	15	20	27	16	7	6	4	12	-
Traumatism by firearms	26	-	2	-	-	-	3	1	2	4	4	6	4	-
Traumatism by cutting or piercing instruments	7	1	1	-	-	-	-	1	-	1	1	2	-	-
Traumatism by fall	105	14	5	7	12	9	12	10	11	7	6	5	7	-
Traumatism in mines and quarries	2	-	1	1	-	-	-	-	-	-	1	-	-	-
Traumatism by machines	24	-	1	1	1	1	3	4	6	-	3	3	1	-
Traumatism by other crushing (vehicles, railroads, landslides, etc.)	118	6	15	10	6	7	13	12	4	15	11	6	13	-
Injuries by animals	8	-	-	1	1	-	-	-	2	3	-	-	-	-
Inanition	5	1	-	1	-	-	-	1	-	-	1	-	1	-
Excessive cold	6	3	1	1	1	-	-	-	-	-	-	-	-	-
Effects of heat	9	-	-	-	-	-	1	7	1	-	-	-	-	-
Lightning	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Electricity	5	-	-	-	1	1	2	-	-	-	1	-	-	-
Homicide by firearms	5	-	-	-	1	-	-	-	1	1	1	1	-	-
Homicide by cutting or piercing instruments	3	-	-	-	-	-	-	1	2	-	-	-	-	-
Homicide by other means	5	-	-	-	1	-	-	-	3	1	-	-	-	-
Fractures (cause not specified)	11	-	1	-	2	-	1	2	1	1	-	1	2	-
Other external violence	21	-	2	1	2	4	2	1	1	1	2	3	2	-
XIV.—Ill defined diseases	202	17	21	21	14	14	12	14	11	18	19	23	18	-
Ill defined organic diseases	6	1	-	1	-	-	-	-	1	1	2	-	-	-
Sudden death	35	3	6	4	1	5	1	1	2	4	3	2	3	-
Cause of death not specified or ill-defined	161	13	15	16	13	9	11	13	9	13	15	19	15	-

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.					Total under 5.	
			Under 1.	1 and under 2.	2.	3.		4.
All causes.....	Totals.....	36,349	5,506	896	380	260	191	7,233
	Males.....	18,849	3,116	482	202	135	85	4,020
	Females.....	17,498	2,389	414	178	125	106	3,212
	Not stated.....	2	1	-	-	-	-	1
Typhoid fever.....	Totals.....	386	2	3	3	4	2	14
	Males.....	239	2	3	2	2	-	9
	Females.....	147	-	-	1	2	2	5
Malaria.....	Totals.....	5	-	-	-	-	-	-
	Males.....	5	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Smallpox.....	Totals.....	4	4	-	-	-	-	4
	Males.....	3	3	-	-	-	-	3
	Females.....	1	1	-	-	-	-	1
Measles.....	Totals.....	183	51	58	13	4	6	132
	Males.....	88	26	31	4	3	5	69
	Females.....	95	25	27	9	1	1	63
Scarlet fever.....	Totals.....	71	6	4	5	17	10	42
	Males.....	26	4	1	2	7	3	17
	Females.....	45	2	3	3	10	7	25
Whooping cough.....	Totals.....	235	148	53	21	6	4	232
	Males.....	110	74	22	9	2	2	109
	Females.....	125	74	31	12	4	2	123
Diphtheria and croup.....	Totals.....	273	21	33	30	37	23	144
	Males.....	135	16	16	15	15	12	74
	Females.....	138	5	17	15	22	11	70
Influenza.....	Totals.....	418	39	12	6	-	2	59
	Males.....	180	19	4	2	-	-	25
	Females.....	238	20	8	4	-	2	34
Cholera nostras.....	Totals.....	10	-	-	-	-	1	2
	Males.....	5	-	-	1	-	-	2
	Females.....	5	-	-	-	-	-	-
Dysentery.....	Totals.....	80	17	3	4	3	3	30
	Males.....	47	12	1	3	1	1	18
	Females.....	33	5	2	1	2	2	12
Erysipelas.....	Totals.....	82	13	-	-	-	-	14
	Males.....	36	5	-	-	-	1	6
	Females.....	46	8	-	-	-	-	8
Other epidemic diseases.....	Totals.....	3	1	-	-	1	-	2
	Males.....	3	1	-	-	1	-	2
	Females.....	-	-	-	-	-	-	-
Purulent infection and septicemia.....	Totals.....	82	3	1	-	-	1	5
	Males.....	46	2	1	-	-	1	4
	Females.....	36	1	-	-	-	-	1
Glanders.....	Totals.....	1	-	-	-	-	-	1
	Males.....	1	-	-	-	-	-	1
	Females.....	-	-	-	-	-	-	-
Anthrax.....	Totals.....	2	-	-	-	-	-	2
	Males.....	1	-	-	-	-	-	1
	Females.....	1	-	-	-	-	-	1
Tetanus.....	Totals.....	22	3	-	-	1	-	4
	Males.....	15	3	-	-	1	-	4
	Females.....	7	-	-	-	-	-	-
Mycoses.....	Totals.....	1	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Pellagra.....	Totals.....	5	-	-	-	-	-	-
	Males.....	2	-	-	-	-	-	-
	Females.....	3	-	-	-	-	-	-
Tuberculosis of the lungs.....	Totals.....	2,511	25	15	11	2	7	60
	Males.....	1,278	19	11	5	2	2	39
	Females.....	1,233	6	4	6	-	5	21

No. 31.

by Age Groups, 1910-1912.

	5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
608	480	781	1017	1062	1007	1127	1128	1300	1654	1867	2274	2986	3266	3401	2,726	1,578	618	154	19	63	
335	269	421	540	490	516	555	557	657	921	1001	1215	1583	1651	1748	1,260	748	248	60	3	5	
273	211	360	476	572	491	572	571	643	733	866	1059	1403	1615	1653	1,466	830	370	94	16	12	
22	11	16	15	40	25	33	21	14	10	20	13	29	13	12	6	6	3	3	1	1	
11	12	24	21	16	12	11	6	3	9	5	4	8	4	2	2	1	1	1	1	1	
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	
14	3	6	3	2	4	4	3	3	3	1	2	1	2	2	2	1	1	1	1	1	
3	1	4	3	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	
11	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
19	2	2	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
7	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
12	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
79	33	6	2	1	1	2	1	2	2	2	1	1	1	1	1	1	1	1	1	1	
37	17	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
42	16	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	2	2	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4	2	6	9	7	3	6	4	5	7	5	1	7	5	5	1	1	3	1	1	1	
2	3	3	2	2	2	4	3	1	3	3	1	3	4	4	1	1	2	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3	4	1	2	2	3	3	4	4	7	5	1	7	5	5	1	1	3	1	1	1	
1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
14	50	211	326	336	284	245	188	155	150	120	110	101	72	46	33	8	1	1	1	2	
6	14	90	163	156	148	106	94	83	103	69	63	56	40	29	16	1	1	1	1	2	
8	36	121	163	180	136	139	94	72	47	51	47	45	32	17	17	7	7	7	7	7	

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Acute miliary tuberculosis.....	Totals.....	32	2	1	-	-	-	3
	Males.....	14	1	1	-	-	-	2
	Females.....	18	-	-	-	-	-	1
Tuberculous meningitis.....	Totals.....	245	51	29	27	12	12	131
	Males.....	120	31	13	16	7	4	71
	Females.....	125	20	16	11	5	8	60
Abdominal tuberculosis.....	Totals.....	177	14	4	2	-	1	21
	Males.....	73	10	2	2	-	-	15
	Females.....	104	4	2	-	-	1	6
Pott's disease.....	Totals.....	26	1	-	-	1	-	2
	Males.....	13	-	-	-	-	-	-
	Females.....	13	1	-	-	1	-	2
White swellings.....	Totals.....	10	-	-	-	-	-	-
	Males.....	7	-	-	-	-	-	-
	Females.....	3	-	-	-	-	-	-
Tuberculosis of other organs.....	Totals.....	71	7	2	1	1	-	11
	Males.....	43	5	2	1	1	-	9
	Females.....	28	2	-	-	-	-	2
Disseminated tuberculosis.....	Totals.....	94	6	5	1	-	1	13
	Males.....	50	3	3	1	-	-	7
	Females.....	44	3	2	-	-	1	6
Rickets.....	Totals.....	20	9	1	1	-	-	11
	Males.....	7	3	1	1	-	-	5
	Females.....	13	6	-	-	-	-	6
Syphilis.....	Totals.....	41	18	-	-	-	-	18
	Males.....	29	14	-	-	-	-	14
	Females.....	12	4	-	-	-	-	4
Gonococcus infection.....	Totals.....	4	2	-	-	-	-	2
	Males.....	1	-	-	-	-	-	-
	Females.....	3	2	-	-	-	-	2
Cancer and other malignant tumors of the buccal cavity.....	Totals.....	78	-	-	-	-	-	-
	Males.....	66	-	-	-	-	-	-
	Females.....	12	-	-	-	-	-	-
Cancer and other malignant tumors of the stomach and liver.....	Totals.....	902	1	-	1	-	-	2
	Males.....	390	-	-	-	-	-	-
	Females.....	512	1	-	1	-	2	
Cancer and other malignant tumors of the peritoneum, intestines and rectum.....	Totals.....	377	-	-	-	-	-	-
	Males.....	129	-	-	-	-	-	-
	Females.....	248	-	-	-	-	-	
Cancer and other malignant tumors of the female genital organs.....	Totals.....	346	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	346	-	-	-	-	-	
Cancer and other malignant tumors of the breast.....	Totals.....	203	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	203	-	-	-	-	-	
Cancer and other malignant tumors of the skin.....	Totals.....	90	-	-	-	1	-	1
	Males.....	57	-	-	-	1	-	1
	Females.....	33	-	-	-	-	-	
Cancer and other malignant tumors of other organs and organs not specified.....	Totals.....	332	1	-	1	1	-	4
	Males.....	134	-	-	1	1	-	2
	Females.....	198	1	-	-	-	-	2
Other tumors (tumors of female genital organs excepted).....	Totals.....	30	-	-	-	-	-	-
	Males.....	7	-	-	-	-	-	-
	Females.....	23	-	-	-	-	-	
Acute articular rheumatism.....	Totals.....	127	2	-	1	-	-	3
	Males.....	65	2	-	1	-	-	3
	Females.....	62	-	-	-	-	-	
Chronic rheumatism and gout.....	Totals.....	52	-	-	-	-	-	-
	Males.....	21	-	-	-	-	-	-
	Females.....	31	-	-	-	-	-	
Scurvy.....	Totals.....	3	1	-	-	-	-	1
	Males.....	3	1	-	-	-	-	1
	Females.....	-	-	-	-	-	-	
Diabetes.....	Totals.....	450	2	3	-	3	3	11
	Males.....	205	1	2	-	3	-	6
	Females.....	245	1	1	-	-	3	5

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.						Total under 5.
			Under 1.	1 and under 2.	2.	3.	4.	
Exophthalmic goitre.....	Totals.....	23	-	-	-	-	-	-
	Males.....	2	-	-	-	-	-	-
Addison's disease.....	Females.....	21	-	-	-	-	-	-
	Totals.....	12	-	-	-	-	-	-
Leukemia.....	Males.....	7	-	-	-	-	-	-
	Females.....	5	-	-	-	-	-	-
Anemia, chlorosis.....	Totals.....	36	1	3	-	-	2	1
	Males.....	19	1	1	-	-	2	1
Other general diseases.....	Females.....	17	-	2	-	-	2	1
	Totals.....	187	17	3	-	-	1	-
Alcoholism (acute or chronic).....	Males.....	70	6	1	-	-	-	7
	Females.....	117	11	2	-	-	1	-
Chronic lead poisoning.....	Totals.....	58	15	5	2	3	3	28
	Males.....	25	8	4	1	-	1	14
Other chronic poisonings.....	Females.....	33	7	1	1	3	2	14
	Totals.....	105	-	-	-	-	-	-
Encephalitis.....	Males.....	98	-	-	-	-	-	-
	Females.....	7	-	-	-	-	-	-
Simple meningitis.....	Totals.....	3	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
Cerebrospinal meningitis.....	Females.....	2	-	-	-	-	-	-
	Totals.....	15	1	-	-	-	-	1
Infantile paralysis.....	Males.....	4	-	-	-	-	-	-
	Females.....	11	1	-	-	-	-	1
Locomotor ataxia.....	Totals.....	56	4	2	1	2	1	10
	Males.....	32	2	1	-	-	1	4
Other diseases of the spinal cord.....	Females.....	24	2	1	1	2	-	6
	Totals.....	271	105	35	24	10	7	181
Cerebral hemorrhage, apoplexy.....	Males.....	147	55	25	12	6	2	100
	Females.....	124	50	10	12	4	5	81
Softening of the brain.....	Totals.....	78	19	9	11	2	1	42
	Males.....	45	13	5	5	1	1	25
Paralysis without specified cause.....	Females.....	33	6	4	6	1	-	17
	Totals.....	57	11	6	4	6	3	30
General paralysis of the insane.....	Males.....	36	6	3	3	4	2	18
	Females.....	21	5	3	1	2	1	12
Epilepsy.....	Totals.....	73	-	-	-	-	-	-
	Males.....	50	-	-	-	-	-	-
Convulsions (nonpuerperal).....	Females.....	23	-	-	-	-	-	-
	Totals.....	195	6	1	2	1	2	12
Other forms of mental alienation.....	Males.....	102	2	1	1	1	1	6
	Females.....	93	4	-	1	-	1	6
Palsy without specified cause.....	Totals.....	2,677	22	5	1	1	1	30
	Males.....	1,283	11	3	-	1	-	15
Softening of the brain.....	Females.....	1,394	11	2	1	-	1	15
	Totals.....	92	-	-	-	-	-	-
Paralysis without specified cause.....	Males.....	50	-	-	-	-	-	-
	Females.....	42	-	-	-	-	-	-
General paralysis of the insane.....	Totals.....	515	3	1	-	-	-	4
	Males.....	227	1	-	-	-	-	1
Epilepsy.....	Females.....	288	2	1	-	-	-	3
	Totals.....	101	-	-	-	-	-	-
Convulsions (nonpuerperal).....	Males.....	64	-	-	-	-	-	-
	Females.....	37	-	-	-	-	-	-
Other forms of mental alienation.....	Totals.....	227	-	-	-	-	-	-
	Males.....	80	-	-	-	-	-	-
Epilepsy.....	Females.....	147	-	-	-	-	-	-
	Totals.....	104	5	4	-	1	-	10
Convulsions (nonpuerperal).....	Males.....	53	2	1	-	1	-	4
	Females.....	51	3	3	-	-	-	6
Convulsions (nonpuerperal).....	Totals.....	9	-	-	-	-	-	-
	Males.....	6	-	-	-	-	-	-
Convulsions (nonpuerperal).....	Females.....	3	-	-	-	-	-	-

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Convulsions of infants	Totals	124	96	16	6	3	3	124
	Males	63	54	7	1	1	-	63
	Females	61	42	9	5	2	3	61
Chorea	Totals	8	1	-	-	-	-	1
	Males	2	1	-	-	-	-	1
	Females	6	-	-	-	-	-	-
Neuralgia and neuritis	Totals	33	-	-	-	-	-	-
	Males	18	-	-	-	-	-	-
	Females	15	-	-	-	-	-	-
Other diseases of the nervous system	Totals	114	4	1	-	-	-	5
	Males	44	1	-	1	-	-	2
	Females	70	3	-	-	-	-	3
Diseases of the eyes and their annexa	Totals	1	1	-	-	-	-	1
	Males	-	1	-	-	-	-	1
	Females	1	-	-	-	-	-	1
Diseases of the ears	Totals	25	6	1	1	1	-	9
	Males	12	4	-	-	-	-	4
	Females	13	2	1	1	1	-	5
Pericarditis	Totals	63	-	-	-	-	-	-
	Males	38	-	-	-	-	-	-
	Females	25	-	-	-	-	-	-
Acute endocarditis	Totals	106	3	-	1	1	-	5
	Males	64	2	-	-	1	1	4
	Females	42	1	-	-	-	-	1
Organic diseases of the heart	Totals	3,539	26	5	3	1	1	36
	Males	2,032	13	2	1	1	1	18
	Females	1,507	13	3	2	-	-	18
Angina pectoris	Totals	312	1	-	-	-	-	1
	Males	181	1	-	-	-	-	1
	Females	131	-	-	-	-	-	-
Diseases of the arteries, atheroma, aneurysm, etc.	Totals	766	1	-	-	-	-	1
	Males	508	1	-	-	-	-	1
	Females	258	-	-	-	-	-	-
Embolism and thrombosis	Totals	172	4	-	-	-	-	4
	Males	77	3	-	-	-	-	3
	Females	95	1	-	-	-	-	1
Diseases of the veins (varices, hemorrhoids, phlebitis, etc.	Totals	9	-	-	-	-	-	-
	Males	7	-	-	-	-	-	-
	Females	2	-	-	-	-	-	-
Diseases of the lymphatic system	Totals	3	1	-	-	-	-	1
	Males	2	1	-	-	-	-	1
	Females	1	-	-	-	-	-	-
Hemorrhage, other diseases of the circulatory system	Totals	14	1	-	-	-	-	1
	Males	6	-	-	-	-	-	-
	Females	8	1	-	-	-	-	1
Diseases of the nasal fossae	Totals	5	3	-	1	-	-	4
	Males	2	1	-	-	-	-	1
	Females	3	2	-	1	-	3	
Diseases of the larynx	Totals	38	8	4	6	3	2	23
	Males	23	6	2	6	1	1	16
	Females	15	2	2	4	2	1	7
Diseases of the thyroid body	Totals	11	1	-	-	-	-	1
	Males	1	-	-	-	-	-	-
	Females	10	1	-	-	-	-	1
Acute bronchitis	Totals	415	147	28	11	5	-	191
	Males	192	87	18	7	1	-	113
	Females	223	60	10	4	4	-	78
Chronic bronchitis	Totals	223	4	-	1	-	-	5
	Males	99	3	-	1	-	-	4
	Females	124	1	-	-	-	-	1

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.	Age Group					Total under 5.
			Under 1.	1 and under 2.	2.	3.	4.	
Bronchopneumonia.....	Totals.....	788	272	71	23	15	10	391
	Males.....	363	161	30	13	7	2	213
	Females.....	425	111	41	10	8	8	178
Pneumonia.....	Totals.....	2,634	342	141	40	28	14	565
	Males.....	1,328	191	80	19	16	7	313
	Females.....	1,306	151	61	21	12	7	252
Pleurisy.....	Totals.....	70	-	-	-	3	-	3
	Males.....	41	-	-	-	3	-	3
	Females.....	29	-	-	-	-	-	-
Pulmonary congestion (pulmonary apoplexy).....	Totals.....	245	37	9	4	1	-	51
	Males.....	118	22	4	2	1	-	29
	Females.....	127	15	5	2	-	-	22
Gangrene of the lungs.....	Totals.....	4	-	1	-	-	-	1
	Males.....	1	-	-	-	-	-	-
	Females.....	3	-	1	-	-	-	1
Asthma.....	Totals.....	38	1	-	-	-	-	1
	Males.....	19	1	-	-	-	-	1
	Females.....	19	-	-	-	-	-	-
Pulmonary emphysema.....	Totals.....	10	-	-	-	-	-	-
	Males.....	5	-	-	-	-	-	-
	Females.....	5	-	-	-	-	-	-
Other diseases of the respiratory system (tuberculosis excepted).....	Totals.....	56	-	1	1	-	-	2
	Males.....	38	-	-	1	-	-	1
	Females.....	18	-	1	-	-	-	1
Diseases of the mouth and annexa.....	Totals.....	15	9	2	-	-	-	11
	Males.....	7	3	1	-	-	-	4
	Females.....	8	6	1	-	-	-	7
Diseases of the pharynx.....	Totals.....	31	3	1	1	2	2	9
	Males.....	14	2	1	1	1	1	6
	Females.....	17	1	-	-	1	1	3
Diseases of the esophagus.....	Totals.....	4	-	-	-	1	-	-
	Males.....	2	-	-	-	-	-	-
	Females.....	2	-	-	-	-	-	-
Ulcer of the stomach.....	Totals.....	80	-	-	-	-	-	-
	Males.....	43	-	-	-	-	-	-
	Females.....	37	-	-	-	-	-	-
Other diseases of the stomach (cancer excepted).....	Totals.....	618	146	16	6	5	1	174
	Males.....	269	75	9	2	4	1	91
	Females.....	319	71	7	4	1	-	83
Diarrhea and enteritis (under 2 years).....	Totals.....	1,453	1,256	197	-	-	-	1,453
	Males.....	831	716	115	-	-	-	831
	Females.....	622	540	82	-	-	-	622
Diarrhea and enteritis (2 years and over).....	Totals.....	298	-	-	43	19	17	79
	Males.....	151	-	-	24	9	8	41
	Females.....	147	-	-	19	10	9	38
Intestinal parasites.....	Totals.....	4	2	1	1	-	-	4
	Males.....	2	1	1	-	-	-	2
	Females.....	2	1	-	1	-	-	2
Appendicitis and typhilitis.....	Totals.....	275	1	3	2	3	3	12
	Males.....	102	1	3	1	2	1	8
	Females.....	113	-	-	1	1	2	4
Hernia, intestinal obstruction.....	Totals.....	262	26	7	3	-	1	37
	Males.....	133	16	2	2	-	-	20
	Females.....	129	10	5	1	-	1	17
Other diseases of the intestines.....	Totals.....	64	15	2	2	-	-	19
	Males.....	31	8	2	1	-	-	11
	Females.....	33	7	-	1	-	-	8
Acute yellow atrophy of the liver.....	Totals.....	6	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	6	-	-	-	-	-	-
Cirrhosis of the liver.....	Totals.....	146	-	-	-	-	-	-
	Males.....	94	-	-	-	-	-	-
	Females.....	52	-	-	-	-	-	-

No. 31—Continued.
by Age Groups, 1910-1912.

	5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
13	1	5	2	2	5	3	7	6	9	15	13	20	37	53	83	65	45	13	2	-	-
6	-	2	1	2	2	1	3	3	2	6	6	9	13	20	36	19	17	3	1	-	-
7	1	3	1	1	3	2	4	3	7	9	7	11	24	33	47	46	28	10	1	-	-
52	28	65	58	51	61	96	87	114	112	139	146	201	235	245	200	121	37	13	7	1	7
30	17	44	38	21	34	53	50	70	64	78	77	101	96	97	74	48	11	7	1	5	2
22	11	21	20	30	27	43	37	44	48	61	69	100	139	148	126	73	26	6	1	2	1
7	5	3	2	4	2	1	1	4	10	3	6	5	6	7	-	-	-	-	-	-	1
3	4	2	1	2	1	-	-	3	6	2	2	4	2	4	-	-	-	-	-	-	-
4	1	1	1	2	1	1	1	1	4	1	1	2	3	2	4	-	-	-	-	-	-
6	4	1	1	3	7	4	4	12	7	7	8	8	15	21	21	34	34	14	4	1	-
4	1	1	1	3	3	2	6	6	4	7	1	6	9	10	13	11	5	2	-	-	-
4	1	1	1	3	3	2	6	3	3	1	3	9	12	11	11	23	9	2	1	-	-
2	3	1	2	4	4	2	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	2	-	-	-	-	-	3	3	4	2	2	6	6	5	1	2	3	-	-	-	-
1	-	-	-	-	-	-	1	1	2	2	2	2	2	2	1	1	2	-	-	-	-
1	-	-	-	-	-	-	2	2	2	2	2	2	6	6	1	1	1	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
4	2	2	4	6	1	1	4	4	3	2	10	5	3	3	5	-	1	-	-	-	-
1	-	-	-	5	1	1	1	2	3	4	2	8	5	3	2	-	-	-	-	-	-
1	-	-	-	1	1	-	-	2	1	1	-	2	5	1	1	1	-	-	-	-	-
4	2	2	1	3	3	3	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-
1	1	1	1	2	2	2	3	3	1	1	1	1	1	1	1	1	-	-	-	-	-
3	2	1	1	3	3	3	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-
2	1	1	1	1	1	1	5	7	6	6	10	10	10	4	5	5	1	-	-	-	-
2	2	1	1	2	2	4	5	5	7	8	8	7	7	5	3	3	-	-	-	-	-
10	5	7	6	10	10	13	14	16	21	30	49	62	47	66	40	26	11	1	-	-	-
5	3	5	3	3	5	7	6	9	11	18	18	36	19	31	15	10	4	1	-	-	-
5	2	2	3	7	5	6	8	7	10	12	31	26	28	35	25	16	7	1	-	-	-
25	8	2	5	4	7	3	9	6	7	14	18	24	20	33	22	11	1	1	-	-	-
16	3	1	2	3	3	2	3	3	3	7	8	13	11	20	8	6	1	1	-	-	-
9	5	1	3	4	4	1	6	3	4	7	10	11	9	13	14	5	-	-	-	-	-
27	44	41	20	21	21	14	19	13	9	17	3	2	4	4	-	-	-	-	-	-	-
12	25	26	13	11	14	11	13	6	5	9	2	1	2	1	3	-	-	-	-	-	-
15	19	15	7	10	7	3	6	7	4	8	1	1	2	3	1	-	-	-	-	-	-
7	4	7	6	5	5	9	9	17	20	18	16	29	20	22	19	7	4	-	-	-	-
3	3	3	2	4	4	5	4	5	5	12	11	9	17	11	9	14	3	1	-	-	-
4	1	4	4	5	5	5	5	4	12	8	7	7	12	9	13	5	4	3	-	-	-
4	1	5	2	3	3	2	2	2	2	4	4	2	4	4	4	5	-	-	-	-	-
1	-	2	1	1	1	1	1	1	1	2	2	2	2	2	2	2	-	-	-	-	-
1	-	1	-	-	-	-	3	1	-	1	1	1	1	2	2	-	-	-	-	-	-
1	-	-	-	-	-	-	1	1	-	1	1	1	1	4	2	-	-	-	-	-	-
1	-	-	-	-	-	-	3	3	4	6	10	19	28	28	17	-	-	-	-	-	-
1	-	-	-	-	-	-	3	3	4	4	5	5	9	8	5	-	-	-	-	-	-
1	-	-	-	-	-	-	4	4	2	5	7	7	9	8	1	-	-	-	-	-	-

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.					Total under 5.
			Under 1.	1 and under 2.	2.	3.	
Biliary calculi.....	Totals.....	65	-	-	1	-	1
	Males.....	13	-	-	-	-	-
	Females.....	52	-	-	1	-	1
Other diseases of the liver.....	Totals.....	143	15	7	1	-	16
	Males.....	53	7	1	-	-	7
	Females.....	90	8	1	-	-	9
Diseases of the spleen.....	Totals.....	5	-	-	-	-	1
	Males.....	-	-	-	-	-	-
	Females.....	5	-	-	-	-	1
Simple peritonitis (nonpuerperal).....	Totals.....	134	5	4	1	-	1
	Males.....	74	4	3	-	-	1
	Females.....	60	1	1	1	-	4
Other diseases of the digestive system (cancer and tuberculosis excepted).....	Totals.....	18	-	1	-	-	1
	Males.....	9	-	1	-	-	1
	Females.....	9	-	-	-	-	-
Acute nephritis.....	Totals.....	189	14	1	3	1	2
	Males.....	90	10	-	-	-	1
	Females.....	99	4	1	3	1	1
Bright's disease.....	Totals.....	2,176	9	2	3	3	1
	Males.....	1,266	6	2	3	2	1
	Females.....	910	3	1	1	1	-
Other diseases of the kidneys and annexa.....	Totals.....	56	4	-	-	-	-
	Males.....	30	3	-	1	-	-
	Females.....	26	1	-	-	-	1
Calculi of the urinary passages.....	Totals.....	17	-	-	-	-	-
	Males.....	4	-	-	-	-	-
	Females.....	11	-	-	-	-	-
Diseases of the bladder.....	Totals.....	114	1	-	-	-	1
	Males.....	90	-	-	-	-	-
	Females.....	24	1	-	-	-	1
Diseases of the urethra, urinary abscess etc.....	Totals.....	7	-	-	-	-	-
	Males.....	7	-	-	-	-	-
	Females.....	-	-	-	-	-	-
Diseases of the prostate.....	Totals.....	94	-	-	-	-	-
	Males.....	94	-	-	-	-	-
	Females.....	-	-	-	-	-	-
Nonvenereal diseases of the male genital organs.....	Totals.....	1	1	-	-	-	1
	Males.....	1	1	-	-	-	-
	Females.....	-	-	-	-	-	-
Uterine hemorrhage (nonpuerpal).....	Totals.....	3	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females.....	3	-	-	-	-	-
Uterine tumor (noncancerous).....	Totals.....	29	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females.....	29	-	-	-	-	-
Other diseases of the uterus.....	Totals.....	56	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females.....	56	-	-	-	-	-
Cysts and other tumors of the ovary.....	Totals.....	23	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females.....	23	-	-	-	-	-
Salpingitis and other diseases of the female genita' organs.....	Totals.....	25	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females.....	25	-	-	-	-	-
Nonpuerperal diseases of the breast (can- cer excepted).....	Totals.....	1	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females.....	1	-	-	-	-	-
Accidents of pregnancy.....	Totals.....	46	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females.....	46	-	-	-	-	-
Puerperal hemorrhage.....	Totals.....	33	-	-	-	-	-
	Males.....	-	-	-	-	-	-
	Females.....	33	-	-	-	-	-

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.					Total under 5.
			Under 1.	1 and under 2.	2.	3.	
Other accidents of labor	Totals	36	-	-	-	-	-
	Males	-	-	-	-	-	-
Puerperal septicemia	Females	36	-	-	-	-	-
	Totals	87	-	-	-	-	-
Puerperal albuminuria and convulsions	Males	87	-	-	-	-	-
	Females	69	-	-	-	-	-
Puerperal phlegmasia, alba dolens, embolus, sudden death	Totals	11	-	-	-	-	-
	Males	-	-	-	-	-	-
Following childbirth (not otherwise defined)	Females	11	-	-	-	-	-
	Totals	9	-	-	-	-	-
Gangrene	Males	9	-	-	-	-	-
	Females	183	-	-	-	-	-
Furuncle	Totals	119	-	-	-	-	-
	Males	64	-	-	-	-	-
Acute abscess	Females	15	2	-	-	-	2
	Totals	10	2	-	-	-	2
Other diseases of the skin and annexa	Males	5	-	-	-	-	-
	Females	24	5	-	-	-	5
Diseases of the bones (tuberculosis excepted)	Totals	12	1	-	-	-	1
	Males	12	4	-	-	-	4
Diseases of the joints (tuberculosis and rheumatism excepted)	Females	30	9	1	-	-	10
	Totals	13	3	-	-	-	4
Amputations	Males	17	6	-	-	-	6
	Females	32	5	2	1	-	8
Congenital malformations (stillbirths not included)	Totals	22	4	-	-	-	5
	Males	10	1	2	-	-	3
Congenital debility, icterus, and sclerema	Females	6	-	1	-	-	1
	Totals	3	-	-	-	-	-
Other diseases peculiar to early infancy	Males	3	-	1	-	-	-
	Females	3	-	-	-	-	-
Lack of care	Totals	4	-	-	-	-	1
	Males	3	-	-	-	-	-
Senility	Females	1	-	-	-	-	-
	Totals	195	183	4	2	-	189
Suicide by poison	Males	124	116	3	-	-	119
	Females	71	67	1	2	-	70
Suicide by asphyxia	Totals	1,364	1,364	-	-	-	1,364
	Males	774	774	-	-	-	774
Suicide by hanging or strangulation	Females	589	589	-	-	-	589
	Not stated	1	1	-	-	-	1
Lack of care	Totals	329	329	-	-	-	329
	Males	186	186	-	-	-	186
Senility	Females	143	143	-	-	-	143
	Totals	12	12	-	-	-	12
Suicide by hanging or strangulation	Males	9	9	-	-	-	9
	Females	3	3	-	-	-	3
Suicide by hanging or strangulation	Totals	1,850	-	-	-	-	-
	Males	801	-	-	-	-	-
Suicide by hanging or strangulation	Females	1,049	-	-	-	-	-
	Totals	45	-	-	-	-	-
Suicide by hanging or strangulation	Males	23	-	-	-	-	-
	Females	22	-	-	-	-	-
Suicide by hanging or strangulation	Totals	6	-	-	-	-	-
	Males	2	-	-	-	-	-
Suicide by hanging or strangulation	Females	4	-	-	-	-	-
	Totals	79	-	-	-	-	-
Suicide by hanging or strangulation	Males	62	-	-	-	-	-
	Females	17	-	-	-	-	-

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.	Under 1.				Total under 5.
			1 and under 2	2.	3.	4.	
Suicide by drowning.....	Totals.....	32	-	-	-	-	-
	Females.....	17	-	-	-	-	-
Suicide by firearms.....	Totals.....	93	-	-	-	-	-
	Females.....	86	-	-	-	-	-
Suicide by cutting or piercing instruments	Totals.....	25	-	-	-	-	-
	Females.....	22	-	-	-	-	-
Suicide by jumping from high places.....	Totals.....	3	-	-	-	-	-
	Females.....	2	-	-	-	-	-
Suicide by crushing.....	Totals.....	2	-	-	-	-	-
	Females.....	1	-	-	-	-	-
Other suicides.....	Totals.....	6	-	-	-	-	-
	Females.....	5	-	-	-	-	-
Poisoning by food.....	Totals.....	1	-	-	-	-	-
	Females.....	3	-	-	-	-	-
Other acute poisonings.....	Totals.....	8	-	1	-	1	2
	Females.....	3	-	-	-	-	-
Other acute poisonings.....	Totals.....	5	-	1	-	1	2
	Females.....	57	1	8	5	5	21
Conflagration.....	Totals.....	30	-	3	2	3	8
	Females.....	27	1	5	3	2	13
Burns (includes scalding).....	Totals.....	40	1	1	3	1	2
	Females.....	23	-	1	2	-	1
Absorption of deleterious gases (conflagration excepted).....	Totals.....	17	-	-	1	1	1
	Females.....	114	3	10	11	8	8
Accidental drowning.....	Totals.....	43	1	5	11	3	3
	Females.....	71	2	5	-	5	5
Trumatism by firearms.....	Totals.....	39	19	-	-	1	20
	Females.....	21	7	-	-	-	7
Trumatism by cutting or piercing instruments.....	Totals.....	18	12	-	-	1	13
	Females.....	369	1	2	2	7	2
Trumatism by fall.....	Totals.....	338	2	1	7	2	14
	Females.....	30	1	-	1	-	2
Trumatism in mines and quarries.....	Totals.....	1	-	-	-	-	-
	Females.....	76	-	-	1	2	1
Trumatism by machines.....	Totals.....	69	-	-	-	1	1
	Females.....	7	-	-	1	1	2
Trumatism by other crushing (vehicles, railroad, land slides, etc.).....	Totals.....	16	1	-	1	-	2
	Females.....	12	-	-	-	-	-
Injuries by animals.....	Totals.....	4	-	-	1	-	2
	Females.....	283	2	6	1	3	2
Insanition.....	Totals.....	158	-	2	-	2	-
	Females.....	125	2	4	1	1	2
Excessive cold.....	Totals.....	8	-	-	-	-	-
	Females.....	8	-	-	-	-	-
Injuries by animals.....	Totals.....	50	-	-	-	-	-
	Females.....	50	-	-	-	-	-
Injuries by animals.....	Totals.....	330	1	2	1	3	4
	Females.....	301	-	2	1	2	3
Injuries by animals.....	Totals.....	29	1	-	-	1	1
	Females.....	17	-	1	-	1	1
Injuries by animals.....	Totals.....	14	-	1	-	1	1
	Females.....	3	-	-	-	-	-
Injuries by animals.....	Totals.....	104	7	-	-	-	111
	Females.....	52	43	4	-	-	47
Injuries by animals.....	Totals.....	71	61	3	-	-	64
	Females.....	19	-	-	-	-	1
Injuries by animals.....	Totals.....	17	-	-	-	-	1
	Females.....	2	-	-	-	-	-

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.					Total under 5.	
			Under 1.	1 and under 2.	2.	3.		4.
Effects of heat.....	Totals.....	55	7	2	2	-	-	11
	Males.....	32	4	1	2	-	-	7
	Females.....	23	3	1	-	-	-	4
Lightning.....	Totals.....	4	-	-	1	-	-	1
	Males.....	3	-	-	-	-	-	-
	Females.....	1	-	-	1	-	-	1
Electricity.....	Totals.....	19	-	-	-	-	-	-
	Males.....	15	-	-	-	-	-	-
	Females.....	4	-	-	-	-	-	-
Homicide by firearms.....	Totals.....	20	-	-	-	-	-	-
	Males.....	12	-	-	-	-	-	-
	Females.....	8	-	-	-	-	-	-
Homicide by cutting or piercing instruments.....	Totals.....	8	-	-	-	-	-	-
	Males.....	5	-	-	-	-	-	-
	Females.....	3	-	-	-	-	-	-
Homicide by other means.....	Totals.....	12	1	-	2	-	1	4
	Males.....	8	1	-	1	-	1	3
	Females.....	4	-	-	1	-	-	1
Fractures (cause not specified).....	Totals.....	33	-	1	-	-	-	1
	Males.....	19	-	-	-	-	-	-
	Females.....	14	-	1	-	-	-	1
Other external violence.....	Totals.....	42	3	4	4	-	2	13
	Males.....	36	3	3	2	-	2	10
	Females.....	6	-	1	2	-	-	3
Ill defined organic disease.....	Totals.....	33	3	-	-	-	-	3
	Males.....	14	2	-	-	-	-	2
	Females.....	19	1	-	-	-	-	1
Sudden death.....	Totals.....	102	16	3	1	-	1	21
	Males.....	71	12	1	-	-	-	13
	Females.....	31	4	2	1	-	1	8
Cause of death not specified or ill defined.....	Totals.....	638	309	18	4	9	5	345
	Males.....	359	178	10	2	5	2	197
	Females.....	279	131	8	2	4	3	148

No. 31—Concluded.
by Age Groups, 1910-1912.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
1	-	1	2	-	3	1	-	1	3	4	4	3	5	6	5	1	4	-	-	-
1	-	1	2	-	2	1	-	-	3	4	4	3	5	6	5	1	4	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	2	4	2	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
1	1	2	4	2	2	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
1	1	1	1	1	3	2	2	-	1	1	2	-	-	-	-	-	-	-	-	-
-	-	1	1	1	2	2	2	2	2	1	1	-	-	-	-	-	-	-	-	-
-	-	-	2	2	2	2	1	1	1	1	1	-	-	-	-	-	-	-	-	-
-	-	-	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-
2	1	1	1	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
1	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
1	1	1	3	-	-	1	2	-	2	2	2	1	3	4	5	3	3	-	-	1
1	1	2	3	-	2	1	2	-	2	2	2	1	2	2	4	-	3	3	-	1
1	2	5	1	2	2	2	3	5	1	1	1	1	1	2	-	-	-	-	-	-
1	1	2	4	1	2	2	3	5	1	1	1	1	1	1	1	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	5	1	2	2	3	2	1	1	1	1	2	1	1	3	1	-	-	-
-	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	2	2	2	5	4	2	1	6	7	12	11	6	2	3	1	-	-	-
-	-	1	1	1	1	1	1	1	1	4	4	4	7	3	1	1	-	-	-	-
-	-	2	2	2	2	2	2	2	2	8	8	8	7	3	2	-	-	-	-	-
-	-	3	3	3	3	3	3	3	3	12	12	12	11	7	3	-	-	-	-	-
-	-	3	6	7	7	7	7	7	7	2	2	2	4	3	1	-	-	-	-	-
7	9	8	9	13	11	16	18	14	20	19	23	38	31	27	16	9	4	1	-	1
4	6	5	3	6	9	9	10	7	6	8	14	23	23	16	11	5	1	-	-	2
3	3	3	6	7	4	7	8	7	14	11	9	15	9	11	5	4	3	1	-	1

TABLE
Deaths in Each Town from Special

THE STATE AND COUNTIES.	Estimated popula- tion in 1912.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
MAINE.....	751,915	4	59	16	97
Androscoggin.....	60,938	3	14	5	12
Aroostook.....	77,448	-	3	1	17
Cumberland.....	114,278	-	7	2	10
Franklin.....	19,253	-	-	-	3
Hancock.....	35,241	-	1	2	6
Kennebec.....	63,613	-	9	-	9
Knox.....	28,697	-	3	-	-
Lincoln.....	17,926	-	-	-	4
Oxford.....	37,060	-	1	1	6
Penobscot.....	87,103	-	2	4	4
Piscataquis.....	20,475	-	1	-	1
Sagadahoc.....	18,222	-	-	-	3
Somerset.....	36,791	-	9	-	2
Waldo.....	23,223	-	4	-	2
Washington.....	42,439	-	-	-	5
York.....	69,208	1	5	1	13
ANDROSCOGGIN COUNTY.....	60,938	3	14	5	12
Auburn.....	15,488	1	5	1	4
Durham.....	1,705	-	-	-	-
East Livermore.....	2,743	-	-	-	-
Greene.....	763	-	-	-	-
Leeds.....	976	-	-	-	-
Lewiston.....	26,745	2	7	4	6
Lisbon.....	4,218	-	2	-	-
Livermore.....	1,100	-	-	-	-
Mechanic Falls.....	1,672	-	-	-	-
Minot.....	782	-	-	-	1
Poland.....	1,330	-	-	-	1
Turner.....	1,682	-	-	-	-
Wales.....	505	-	-	-	-
Webster.....	1,229	-	-	-	-
AROOSTOOK COUNTY.....	*75,480	-	3	1	17
Amity.....	369	-	-	-	-
Ashland.....	2,391	-	-	-	1
Bancroft.....	344	-	-	-	-
Benedicta.....	230	-	-	-	-
Blaine.....	1,025	-	-	-	-
Bridgewater.....	1,250	-	-	-	-
Caribou.....	5,501	-	-	-	-
Castle Hill.....	525	-	-	-	-
Crystal.....	528	-	-	-	-
Dyer Brook.....	281	-	-	-	-
Eagle Lake.....	1,621	-	-	-	1
Easton.....	1,317	-	-	-	-
Fort Fairfield.....	4,421	-	-	-	-
Fort Kent.....	3,946	-	-	-	1
Frenchville.....	1,434	-	-	-	-

* Population of county, omitting that of unorganized townships, and other places not represented in this tabulation. See Table "State and Counties."

No. 32.

Causes, Mostly Infectious Diseases.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Cholera nostras.	Diarrhea and enteritis (2 years and over.)	Diarrhea and enteritis (under 2 years.)	Tuberculosis of the lungs.	Tuberculosis, other forms.
54	102	26	14	32	93	18	5	73	309	780	215
3	6	1	-	4	2	4	-	2	58	69	14
10	6	5	1	2	16	-	-	8	65	55	19
5	27	3	1	6	7	1	-	10	35	126	38
-	2	1	-	-	2	-	-	3	7	14	2
6	3	2	1	2	5	-	1	5	4	37	10
4	5	2	4	4	10	2	-	11	32	66	16
-	4	-	-	1	8	1	-	2	2	1	30
-	4	-	-	-	3	-	-	2	2	18	4
-	6	1	-	-	9	-	-	2	2	11	37
11	16	4	1	6	8	1	-	10	19	115	37
-	4	-	4	-	4	-	-	2	4	4	15
-	2	-	-	-	2	3	-	4	9	24	6
1	3	3	1	2	5	-	2	2	6	34	8
2	2	1	-	1	3	2	-	3	8	25	8
3	2	-	1	-	2	1	-	2	8	40	11
9	11	3	-	4	9	3	1	5	40	75	18
3	6	1	-	4	2	4	-	2	58	69	14
-	2	-	-	-	1	2	-	-	10	18	4
-	1	-	-	-	1	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	1	-
3	2	1	-	3	-	2	-	1	45	42	8
-	-	-	-	-	-	-	-	2	2	4	1
-	1	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	3	-
-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	1	-	-
10	6	5	1	2	16	-	-	8	65	55	19
-	-	-	-	1	-	-	-	-	-	2	-
-	-	-	-	-	-	-	-	1	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	5	-
3	-	-	-	-	-	-	-	3	-	1	2
-	-	-	-	-	-	-	-	1	-	3	2
-	-	-	-	-	-	-	-	1	-	-	1
-	-	-	-	-	-	-	-	6	1	-	-
2	1	1	-	-	1	-	-	1	-	2	-
1	-	-	-	-	-	-	-	4	4	4	-
-	-	-	-	-	-	-	-	3	3	2	-

TABLE
Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated popula- tion in 1912.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Grand Isle.....	1,359	-	-	-	-
Haynesville.....	264	-	-	-	-
Hersey.....	184	-	-	1	-
Hodgdon.....	1,157	-	-	-	-
Houlton.....	6,077	-	-	-	-
Island Falls.....	1,810	-	-	-	-
Limestone.....	1,325	-	-	-	1
Linneus.....	805	-	-	-	-
Littleton.....	1,040	-	-	-	-
Ludlow.....	416	-	-	-	-
Madawaska.....	1,857	-	-	-	1
Mapleton.....	1,173	-	-	-	1
Mars Hill.....	1,577	-	-	-	-
Masardis.....	692	-	-	-	-
Merrill.....	413	-	-	-	-
Monticello.....	1,290	-	-	-	-
New Limerick.....	458	-	-	-	-
New Sweden.....	912	-	1	-	-
Oakfield.....	944	-	-	-	1
Orient.....	183	-	-	-	-
Perham.....	825	-	-	-	-
Portage Lake.....	552	-	-	-	-
Presque Isle.....	5,453	-	2	-	-
St. Agatha.....	1,560	-	-	-	-
Sherman.....	1,067	-	-	-	1
Smyrna.....	411	-	-	-	-
Stockholm.....	819	-	-	-	1
Van Buren.....	3,302	-	-	-	3
Washburn.....	1,654	-	-	-	1
Westfield.....	775	-	-	-	-
Weston.....	394	-	-	-	-
Woodland.....	1,173	-	-	-	-
Allagash Pl.....	245	-	-	-	-
Cary Pl.....	328	-	-	-	-
Caswell Pl.....	561	-	-	-	-
Chapman Pl.....	454	-	-	-	1
Connor Pl.....	641	-	-	-	-
Cyr Pl.....	537	-	-	-	1
E Pl.....	126	-	-	-	-
Garfield Pl.....	123	-	-	-	-
Glenwood Pl.....	118	-	-	-	-
Hamlen Pl.....	673	-	-	-	-
Hammond Pl.....	115	-	-	-	-
Macwahoc Pl.....	147	-	-	-	-
Moro Pl.....	215	-	-	-	-
New Canada Pl.....	624	-	-	-	1
Oxbow Pl.....	186	-	-	-	-
Reed Pl.....	565	-	-	-	-
St. Francis Pl.....	988	-	-	-	-
St. John Pl.....	611	-	-	-	2
Silver Ridge Pl.....	153	-	-	-	-
Wade Pl.....	328	-	-	-	-
Wallagrass Pl.....	1,048	-	-	-	-
Westmanland Pl.....	104	-	-	-	-
Winterville Pl.....	295	-	-	-	-
No. 9, R. 3.....	-	-	-	-	-

TABLE
Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated popula- tion in 1912.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
CUMBERLAND COUNTY	114,278	-	7	2	10
Baldwin.....	785	-	-	-	-
Bridgton.....	2,620	-	-	-	-
Brunswick.....	6,585	-	-	-	1
Cape Elizabeth.....	2,051	-	-	-	-
Casco.....	671	-	-	-	-
Cumberland.....	1,403	-	-	-	-
Falmouth.....	1,484	-	-	-	-
Freeport.....	2,484	-	-	-	-
Gorham.....	2,878	-	-	-	1
Gray.....	1,247	-	-	-	-
Harpwell.....	1,630	-	-	-	-
Harrison.....	967	-	-	-	-
Naples.....	722	-	-	-	-
New Gloucester.....	1,242	-	2	-	-
North Yarmouth.....	694	-	-	-	-
Otisfield.....	616	-	-	-	-
Portland.....	60,257	-	5	2	5
Pownal.....	625	-	-	-	-
Raymond.....	647	-	-	-	-
Scarboro.....	1,961	-	-	-	-
Sebago.....	528	-	-	-	-
South Portland.....	7,709	-	-	-	2
Standish.....	1,663	-	-	-	-
Westbrook.....	8,481	-	-	-	-
Windham.....	1,954	-	-	-	1
Yarmouth.....	2,374	-	-	-	-
FRANKLIN COUNTY	*18,882	-	-	-	3
Avon.....	366	-	-	-	-
Carthage.....	284	-	-	-	-
Chesterville.....	611	-	-	-	-
Eustis.....	522	-	-	-	-
Farmington.....	3,194	-	-	-	2
Freeman.....	322	-	-	-	-
Industry.....	449	-	-	-	-
Jay.....	3,033	-	-	-	-
Kingfield.....	973	-	-	-	-
Madrid.....	252	-	-	-	-
New Sharon.....	955	-	-	-	-
New Vineyard.....	535	-	-	-	-
Phillips.....	1,427	-	-	-	-
Rangeley.....	1,192	-	-	-	-
Salem.....	181	-	-	-	-
Strong.....	736	-	-	-	-
Temple.....	403	-	-	-	-
Weld.....	542	-	-	-	-
Wilton.....	2,243	-	-	-	1
Coplin Pl.....	83	-	-	-	-
Dallas Pl.....	166	-	-	-	-
Lang Pl.....	60	-	-	-	-
Rangeley Pl.....	208	-	-	-	-
Sandy River Pl.....	78	-	-	-	-
Perkins.....	67	-	-	-	-

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties".

TABLE
Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated popula- tion in 1912.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
HANCOCK COUNTY	*34,704	-	1	2	6
Amherst.....	257	-	-	-	-
Aurora.....	100	-	-	-	-
Bluehill.....	1,388	-	-	-	-
Brooklin.....	936	-	-	-	-
Brooksville.....	1,176	-	-	-	1
Bucksport.....	2,192	-	-	-	-
Castine.....	933	-	-	-	-
Cranberry Isles.....	403	-	-	-	-
Dedham.....	359	-	-	-	-
Deer Isle.....	1,926	-	-	-	-
Eastbrook.....	207	-	-	-	-
Eden.....	4,453	-	-	1	-
Ellsworth.....	3,399	-	-	1	-
Franklin.....	1,153	-	-	-	-
Gouldsboro.....	1,367	-	-	-	-
Hancock.....	831	-	1	-	-
Isle au Haut.....	156	-	-	-	-
Lamoine.....	460	-	-	-	-
Mariaville.....	162	-	-	-	-
Mount Desert.....	1,563	-	-	-	-
Orland.....	1,218	-	-	-	-
Otis.....	107	-	-	-	-
Penobscot.....	951	-	-	-	-
Sedgwick.....	909	-	-	-	-
Sorrento.....	153	-	-	-	-
Southwest Harbor.....	888	-	-	-	-
Stonington.....	2,077	-	-	-	3
Sullivan.....	1,152	-	-	-	1
Surry.....	702	-	-	-	1
Swan's Island.....	749	-	-	-	-
Tremont.....	938	-	-	-	-
Trenton.....	334	-	-	-	-
Verona.....	229	-	-	-	-
Waltham.....	182	-	-	-	-
Winter Harbor.....	593	-	-	-	-
Long Island Pl.....	201	-	-	-	-
No. 8 Pl.....	19	-	-	-	-
No. 21 Pl.....	39	-	-	-	-
No. 33 Pl.....	82	-	-	-	-
KENNEBEC COUNTY	63,613	-	9	-	9
Albion.....	936	-	-	-	-
Augusta.....	13,516	-	-	-	-
Belgrade.....	1,037	-	-	-	-
Benton.....	1,215	-	-	-	-
Chelsea.....	3,241	-	-	-	-
China.....	1,280	-	-	-	-
Clinton.....	1,242	-	-	-	1
Farmingdale.....	319	-	-	-	-
Fayette.....	527	-	-	-	-
Gardiner.....	5,273	-	1	-	-
Hallowell.....	2,894	-	-	-	-
Litchfield.....	945	-	-	-	-

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties".

TABLE
Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated popula- tion in 1912.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Manchester.....	617	-	-	-	-
Monmouth.....	1,416	-	2	-	-
Mount Vernon.....	898	-	-	-	-
Oakland.....	2,325	-	-	-	-
Pittston.....	954	-	-	-	-
Randolph.....	1,005	-	-	-	-
Readfield.....	996	-	-	-	-
Rome.....	444	-	-	-	3
Sidney.....	900	-	-	-	-
Vassalboro.....	2,077	-	-	-	-
Vienna.....	403	-	-	-	-
Waterville.....	11,854	-	6	-	5
Wayne.....	573	-	-	-	-
West Gardiner.....	617	-	-	-	-
Windsor.....	693	-	-	-	-
Winslow.....	2,795	-	-	-	-
Winthrop.....	2,119	-	-	-	-
Unity Pl.....	56	-	-	-	-
Togus.....	-	-	-	-	-
KNOX COUNTY.....	*28,687	-	3	-	-
Appleton.....	816	-	-	-	-
Camden.....	3,053	-	-	-	-
Cushing.....	521	-	-	-	-
Friendship.....	768	-	-	-	-
Hope.....	479	-	-	-	-
Hurricane Isle.....	256	-	-	-	-
North Haven.....	535	-	-	-	-
Rockland.....	8,176	-	3	-	-
Rockport.....	1,993	-	-	-	-
St. George.....	2,201	-	-	-	-
South Thomaston.....	1,440	-	-	-	-
Thomaston.....	2,109	-	-	-	-
Union.....	1,232	-	-	-	-
Vinalhaven.....	2,332	-	-	-	-
Warren.....	1,762	-	-	-	-
Washington.....	774	-	-	-	-
Criehaven Pl.....	46	-	-	-	-
Matinicus Isle Pl.....	179	-	-	-	-
LINCOLN COUNTY.....	17,926	-	-	-	4
Alna.....	458	-	-	-	1
Boothbay.....	1,688	-	-	-	-
Boothbay Harbor.....	2,039	-	-	-	-
Bremen.....	530	-	-	-	-
Bristol.....	2,383	-	-	-	3
Damariscotta.....	751	-	-	-	-
Dresden.....	801	-	-	-	-
Edgecomb.....	495	-	-	-	-
Jefferson.....	1,008	-	-	-	-
Newcastle.....	1,066	-	-	-	-
Nobleboro.....	769	-	-	-	-

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties".

TABLE
Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated popula- tion in 1912.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Somerville.....	275	-	-	-	-
Southport.....	392	-	-	-	-
Waldoboro.....	2,558	-	-	-	-
Westport.....	274	-	-	-	-
Whitefield.....	1,036	-	-	-	-
Wiscasset.....	1,302	-	-	-	-
Monhegan Pl.....	123	-	-	-	-
OXFORD COUNTY.....	*37,070	-	1	1	6
Albany.....	384	-	-	-	-
Andover.....	763	-	-	-	-
Bethel.....	1,948	-	-	-	1
Brownfield.....	915	-	-	-	-
Buckfield.....	1,077	-	-	-	-
Byron.....	183	-	-	-	-
Canton.....	1,027	-	-	-	-
Denmark.....	588	-	-	-	-
Dixfield.....	1,056	-	-	-	-
Fryeburg.....	1,263	-	-	-	-
Gilead.....	211	-	-	-	-
Grafton.....	62	-	-	-	-
Greenwood.....	648	-	-	-	-
Hanover.....	192	-	-	-	-
Hartford.....	582	-	-	-	-
Hebron.....	623	-	-	-	-
Hiram.....	931	-	-	-	-
Lovell.....	664	-	-	-	-
Mason.....	60	-	-	-	-
Mexico.....	2,315	-	-	-	-
Newry.....	276	-	-	-	-
Norway.....	3,112	-	-	1	-
Oxford.....	1,199	-	-	-	-
Paris.....	3,478	-	-	-	2
Peru.....	740	-	-	-	-
Porter.....	880	-	-	-	-
Roxbury.....	325	-	-	-	-
Rumford.....	7,379	-	1	-	1
Stoneham.....	247	-	-	-	-
Stow.....	214	-	-	-	-
Sumner.....	754	-	-	-	-
Sweden.....	263	-	-	-	-
Upton.....	318	-	-	-	-
Waterford.....	938	-	-	-	-
Woodstock.....	808	-	-	-	2
Lincoln Pl.....	332	-	-	-	-
Magalloway Pl.....	101	-	-	-	-
Milton Pl.....	204	-	-	-	-
Batchelder's Grant.....	36	-	-	-	-
PENOBSCOT COUNTY.....	*85,627	-	2	4	4
Alton.....	248	-	-	-	-
Argyle.....	215	-	-	-	-
Bangor.....	25,393	-	-	-	-

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties".

TABLE
Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated popula- tion in 1912.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Bradford.....	926	-	-	-	-
Bradley.....	626	-	-	-	2
Brewer.....	5,833	-	-	-	-
Burlington.....	366	-	-	-	-
Carmel.....	1,074	-	-	-	-
Carroll.....	469	-	-	1	-
Charleston.....	868	-	-	-	-
Chester.....	347	-	-	-	-
Clifton.....	213	-	-	-	-
Corinna.....	1,249	-	-	-	-
Corinth.....	1,034	-	-	-	-
Dexter.....	3,648	-	-	-	-
Dixmont.....	742	-	-	-	-
East Millinocket.....	923	-	-	2	-
Eddington.....	601	-	1	-	-
Enfield.....	952	-	-	-	-
Etna.....	523	-	-	-	1
Exeter.....	888	-	-	-	-
Garland.....	809	-	-	-	-
Glenburn.....	457	-	-	-	-
Greenbush.....	465	-	-	-	-
Greenfield.....	195	-	-	-	-
Hampden.....	2,420	-	-	-	-
Hermon.....	1,216	-	-	-	-
Holden.....	609	-	-	-	-
Howland.....	490	-	-	-	-
Hudson.....	397	-	-	-	-
Kenduskeag.....	492	-	-	-	-
Kingman.....	702	-	-	-	-
Lagrange.....	594	-	-	-	-
Lee.....	738	-	-	-	-
Levant.....	691	-	-	-	-
Lincoln.....	2,040	-	-	1	-
Lowell.....	251	-	-	-	-
Mattawamkeag.....	515	-	-	-	-
Maxfield.....	74	-	-	-	-
Medway.....	529	-	-	-	-
Milford.....	993	-	-	-	-
Millinocket.....	3,368	-	-	-	-
Mt. Chase.....	213	-	-	-	-
Newburg.....	686	-	-	-	-
Newport.....	1,789	-	-	-	-
Old Town.....	6,427	-	-	-	-
Orono.....	3,415	-	-	-	-
Orrington.....	1,209	-	-	-	-
Passadumkeag.....	448	-	-	-	-
Patten.....	1,454	-	1	-	-
Plymouth.....	578	-	-	-	1
Prentiss.....	466	-	-	-	-
Springfield.....	447	-	-	-	-
Stetson.....	476	-	-	-	-
Veazie.....	557	-	-	-	-
Winn.....	649	-	-	-	-
Woodville.....	119	-	-	-	-
Drew Pl.....	270	-	-	-	-
Grand Falls Pl.....	52	-	-	-	-
Lakeville Pl.....	90	-	-	-	-
Seboeis Pl.....	85	-	-	-	-
Stacyville Pl.....	623	-	-	-	-
Webster Pl.....	99	-	-	-	-
Indian Township, No. 3.....	44	-	-	-	-
No. 1, R. 7.....	40	-	-	-	-
No. 2, R. 6.....	208	-	-	-	-

TABLE
Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated popula- tion in 1912.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
PISCATAQUIS COUNTY	*19,624	-	1	-	1
Abbot.....	703	-	-	-	1
Atkinson.....	534	-	-	-	-
Blanchard.....	161	-	-	-	-
Bowerbank.....	78	-	-	-	-
Brownville.....	1,855	-	-	-	-
Dover.....	2,131	-	-	-	-
Foxcroft.....	1,915	-	-	-	-
Greenville.....	1,546	-	-	-	-
Guilford.....	1,708	-	-	-	-
Medford.....	258	-	-	-	-
Milo.....	2,836	-	1	-	-
Monson.....	1,269	-	-	-	-
Orneville.....	355	-	-	-	-
Parkman.....	632	-	-	-	-
Sangerville.....	1,323	-	-	-	-
Sebec.....	541	-	-	-	-
Shirley.....	352	-	-	-	-
Wellington.....	331	-	-	-	-
Williamsburg.....	142	-	-	-	-
Willimantic.....	243	-	-	-	-
Barnard Pl.....	101	-	-	-	-
Elliottsville Pl.....	126	-	-	-	-
Kingsbury Pl.....	108	-	-	-	-
Lake View Pl.....	259	-	-	-	-
Katahdin Iron Works.....	67	-	-	-	-
SAGADAHOE COUNTY	*18,194	-	-	-	3
Arrowsic.....	144	-	-	-	-
Bath.....	9,180	-	-	-	2
Bowdoin.....	790	-	-	-	-
Bowdoinham.....	1,401	-	-	-	-
Georgetown.....	730	-	-	-	-
Phippsburg.....	1,045	-	-	-	-
Richmond.....	1,820	-	-	-	-
Topsham.....	2,000	-	-	-	1
West Bath.....	218	-	-	-	-
Woolwich.....	866	-	-	-	-
SOMERSET COUNTY	*36,190	-	9	-	2
Anson.....	2,285	-	-	-	1
Athens.....	918	-	-	-	-
Bingham.....	763	-	-	-	-
Cambridge.....	369	-	-	-	-
Canaan.....	854	-	-	-	1
Concord.....	249	-	1	-	-
Cornville.....	726	-	-	-	-
Detroit.....	449	-	-	-	-

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties".

TABLE
Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated popula- tion in 1912.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Emden.....	521	-	-	-	-
Fairfield.....	4,545	-	-	-	-
Harmony.....	762	-	-	-	-
Hartland.....	1,188	-	-	-	-
Madison.....	3,501	-	1	-	-
Mercer.....	451	-	-	-	-
Moscow.....	546	-	1	-	-
New Portland.....	876	-	-	-	-
Norridgewock.....	1,630	-	-	-	-
Palmyra.....	968	-	-	-	-
Pittsfield.....	2,891	-	-	-	-
Ripley.....	434	-	-	-	-
St. Albans.....	1,027	-	-	-	-
Skowhegan.....	5,373	-	6	-	-
Smithfield.....	423	-	-	-	-
Solon.....	1,042	-	-	-	-
Stark.....	531	-	-	-	-
Bigelow Pl.....	54	-	-	-	-
Brighton Pl.....	238	-	-	-	-
Caratunk Pl.....	239	-	-	-	-
Dead River Pl.....	94	-	-	-	-
Dennistown Pl.....	99	-	-	-	-
Flagstaff Pl.....	155	-	-	-	-
Highland Pl.....	68	-	-	-	-
Jackman Pl.....	729	-	-	-	-
Lexington Pl.....	237	-	-	-	-
Long Pond Pl.....	240	-	-	-	-
Mayfield Pl.....	63	-	-	-	-
Moose River Pl.....	253	-	-	-	-
Pleasant Ridge Pl.....	96	-	-	-	-
The Forks Pl.....	171	-	-	-	-
West Forks Pl.....	132	-	-	-	-
WALDO COUNTY.....	*23,146	-	4	-	2
Belfast.....	4,618	-	1	-	-
Belmont.....	333	-	1	-	-
Brooks.....	663	-	-	-	-
Burnham.....	730	-	1	-	-
Frankfort.....	1,152	-	1	-	-
Freedom.....	480	-	-	-	-
Islesboro.....	867	-	-	-	-
Jackson.....	412	-	-	-	-
Knox.....	501	-	-	-	-
Liberty.....	632	-	-	-	-
Lincolnton.....	960	-	-	-	-
Monroe.....	856	-	-	-	-
Montville.....	824	-	-	-	-
Morrill.....	339	-	-	-	-
Northport.....	512	-	-	-	-
Palermo.....	676	-	-	-	-
Prospect.....	592	-	-	-	-
Searsmont.....	804	-	-	-	-
Searsport.....	1,462	-	-	-	-
Stockton Springs.....	1,126	-	-	-	-
Swanville.....	461	-	-	-	-
Thorndike.....	531	-	-	-	-
Troy.....	738	-	-	-	1
Unity.....	503	-	-	-	-
Waldo.....	370	-	-	-	1
Winterport.....	1,574	-	-	-	-

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties".

TABLE
Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated popula- tion in 1912.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
WASHINGTON COUNTY	*42,147	-	-	-	5
Addison	967	-	-	-	1
Alexander	382	-	-	-	-
Baileyville	1,319	-	-	-	-
Baring	228	-	-	-	-
Beddington	86	-	-	-	-
Brookton	227	-	-	-	-
Calais	5,808	-	-	-	-
Centerville	91	-	-	-	-
Charlotte	286	-	-	-	-
Cherryfield	1,429	-	-	-	-
Columbia	573	-	-	-	-
Columbia Falls	680	-	-	-	-
Cooper	186	-	-	-	-
Crawford	114	-	-	-	-
Cutler	589	-	-	-	1
Danforth	1,335	-	-	-	-
Deblois	69	-	-	-	-
Dennysville	455	-	-	-	-
East Machias	1,363	-	-	-	-
Eastport	4,891	-	-	-	1
Edmunds	640	-	-	-	-
Harrington	992	-	-	-	-
Jonesboro	503	-	-	-	-
Jonesport	2,084	-	-	-	-
Lubec	3,435	-	-	-	-
Machias	2,089	-	-	-	-
Machiasport	1,218	-	-	-	-
Marion	118	-	-	-	-
Marshfield	168	-	-	-	-
Meddybemps	118	-	-	-	-
Milbridge	1,476	-	-	-	-
Northfield	73	-	-	-	-
Pembroke	1,324	-	-	-	-
Perry	1,139	-	-	-	-
Princeton	1,091	-	-	-	-
Robbinston	661	-	-	-	1
Roque Bluffs	93	-	-	-	-
Steuben	890	-	-	-	1
Talmage	100	-	-	-	-
Topsfield	255	-	-	-	-
Trescott	461	-	-	-	-
Vanceboro	637	-	-	-	-
Waite	166	-	-	-	-
Wesley	168	-	-	-	-
Whiting	362	-	-	-	-
Whitneyville	226	-	-	-	-
Codyville Pl.	69	-	-	-	-
Grand Lake Stream Pl.	296	-	-	-	-
No. 14 Pl.	82	-	-	-	-
No. 21 Pl.	81	-	-	-	-
Kossuth	44	-	-	-	-

* Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties".

TABLE
Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated popula- tion in 1912.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
YORK COUNTY.....	69,208	1	5	1	13
Acton.....	597	-	-	-	1
Alfred.....	880	-	-	-	-
Berwick.....	2,060	-	-	-	-
Biddeford.....	17,265	-	4	-	8
Buxton.....	1,643	-	-	-	-
Cornish.....	948	-	-	-	-
Dayton.....	380	-	-	-	-
Eliot.....	1,542	-	-	-	-
Hollis.....	1,284	-	-	-	1
Kennebunk.....	3,075	-	-	-	1
Kennebunkport.....	2,430	-	-	-	-
Kittery.....	3,666	-	-	-	-
Lebanon.....	1,220	-	-	-	-
Limerick.....	983	-	-	-	-
Limington.....	976	-	-	-	-
Lyman.....	603	-	-	-	-
Newfield.....	610	-	-	-	-
North Berwick.....	1,783	-	-	-	-
Old Orchard.....	961	-	-	-	-
Parsonsfield.....	1,044	-	-	-	-
Saco.....	6,673	-	1	-	-
Sanford.....	6,642	1	-	-	1
Shapleigh.....	659	-	-	-	-
South Berwick.....	2,885	-	-	-	-
Waterboro.....	963	-	-	-	-
Wells.....	1,888	-	-	1	-
York.....	2,828	-	-	-	-

TABLE
Deaths in Each Town from Certain

THE STATE AND COUNTIES.	Estimated popu- lation in 1912.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
MAINE.....	751,915	39	65	828	149	663	585
Androscoggin.....	60,938	1	5	76	11	61	35
Aroostook.....	77,448	1	8	46	7	89	46
Cumberland.....	114,278	8	9	146	31	128	92
Franklin.....	19,253	-	1	25	3	18	10
Hancock.....	35,241	2	5	42	8	21	30
Kennebec.....	63,613	6	5	73	11	58	51
Knox.....	28,697	3	3	35	12	12	34
Lincoln.....	17,526	2	2	28	4	5	24
Oxford.....	37,060	2	3	35	8	36	24
Penobscot.....	87,103	3	4	95	16	76	76
Piscataquis.....	20,475	2	1	10	4	15	15
Sagadahoc.....	18,222	3	1	28	6	12	15
Somerset.....	36,791	1	4	30	7	21	28
Waldo.....	23,223	-	7	31	3	15	31
Washington.....	42,439	2	3	50	3	38	28
York.....	69,208	3	4	78	15	58	46
ANDROSCOGGIN COUNTY.....	60,938	1	5	76	11	61	35
Auburn.....	15,488	1	-	17	3	16	11
Durham.....	1,705	-	-	2	-	-	1
East Livermore.....	2,743	-	-	2	-	-	3
Greene.....	763	-	-	-	-	-	2
Leeds.....	976	-	-	2	1	1	-
Lewiston.....	26,745	-	5	42	5	30	9
Lisbon.....	4,218	-	-	2	-	5	2
Livermore.....	1,100	-	-	-	-	2	1
Mechanic Falls.....	1,672	-	-	-	-	-	-
Minot.....	782	-	-	3	-	1	1
Poland.....	1,330	-	-	3	1	1	1
Turner.....	1,682	-	-	2	1	1	1
Wales.....	505	-	-	1	-	1	2
Webster.....	1,229	-	-	-	-	3	1
AROOSTOOK COUNTY.....	*75,480	1	8	46	7	89	46
Amity.....	369	-	-	1	-	-	1
Ashland.....	2,391	-	-	-	-	-	1
Bancroft.....	344	-	-	-	-	-	-
Benedicta.....	280	-	-	-	-	-	4
Blaine.....	1,025	-	-	-	-	3	-
Bridgewater.....	1,250	-	-	-	-	-	-
Caribou.....	5,501	-	1	7	-	16	5
Castle Hill.....	525	-	-	-	-	1	-
Crystal.....	528	-	-	-	-	-	1
Dyer Brook.....	281	-	-	-	-	-	-
Eagle Lake.....	1,621	-	-	-	-	5	-
Easton.....	1,317	-	-	-	-	2	-
Fort Fairfield.....	4,421	-	-	1	-	-	1
Fort Kent.....	3,946	-	1	1	-	3	6
Frenchville.....	1,434	-	-	-	-	-	4
Grand Isle.....	1,359	-	1	-	-	-	2

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

TABLE
Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1912.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Haynesville	264	-	-	2	-	1	-
Hersey	184	-	-	-	-	-	-
Hodgdon	1,157	-	-	3	-	1	-
Houlton	6,077	1	1	6	2	5	3
Island Falls	1,810	-	-	2	-	-	-
Limestone	1,325	-	-	3	-	1	-
Linneus	805	-	-	-	-	1	-
Littleton	1,040	-	-	-	-	1	-
Ludlow	416	-	-	1	-	-	3
Madawaska	1,857	-	-	-	-	-	1
Mapleton	1,173	-	-	-	-	1	1
Mars Hill	1,577	-	-	1	1	3	-
Masardis	692	-	-	-	-	1	-
Merrill	413	-	-	-	-	-	-
Monticello	1,290	-	-	-	1	3	1
New Limerick	458	-	-	1	-	-	-
New Sweden	912	-	-	2	-	-	4
Oakfield	944	-	1	2	-	-	-
Orient	183	-	-	-	-	-	-
Perham	825	-	-	-	-	3	1
Portage Lake	552	-	1	-	-	-	-
Presque Isle	5,453	-	1	3	-	11	2
St. Agatha	1,560	-	-	1	1	1	-
Sherman	1,061	-	-	1	1	-	-
Smyrna	411	-	-	-	-	1	-
Stockholm	819	-	-	-	-	-	-
Van Buren	3,302	-	-	1	-	8	2
Washburn	1,654	-	-	1	1	4	-
Westfield	775	-	-	1	-	1	-
Weston	394	-	-	1	-	-	-
Woodland	1,173	-	-	-	-	4	2
Allagash Pl.	245	-	-	-	-	-	-
Cary Pl.	328	-	-	-	-	-	-
Caswell Pl.	561	-	-	-	-	-	-
Chapman Pl.	454	-	-	-	-	-	-
Connor Pl.	641	-	-	-	-	-	-
Cyr Pl.	537	-	-	-	-	1	-
E Pl.	126	-	-	1	-	-	-
Garfield Pl.	123	-	-	-	-	-	-
Glenwood Pl.	118	-	-	-	-	-	-
Hamlin Pl.	673	-	-	-	-	-	-
Hammond Pl.	115	-	-	-	-	-	-
Macwahoc Pl.	147	-	-	-	-	-	-
Moro Pl.	215	-	-	-	-	-	-
New Canada Pl.	624	-	-	-	-	-	-
Oxbow Pl.	186	-	-	-	-	-	-
Reed Pl.	565	-	-	1	-	1	-
St. Francis Pl.	988	-	-	1	-	-	-
St. John Pl.	611	-	-	-	-	-	-
Silver Ridge Pl.	153	-	-	-	-	-	-
Wade Pl.	328	-	-	1	-	-	-
Wallagrass Pl.	1,048	-	1	-	-	4	1
Westmanland Pl.	104	-	-	-	-	-	-
Winterville Pl.	295	-	-	-	-	2	-
No. 9, R. 3	-	-	-	-	-	-	-

TABLE
Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1912.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
CUMBERLAND COUNTY.	114,278	8	9	146	31	128	92
Baldwin	785	-	-	-	-	-	1
Bridgton	2,620	-	-	5	-	-	2
Brunswick	6,585	-	1	7	1	7	5
Cape Elizabeth	2,051	-	-	-	-	-	1
Casco	671	-	-	-	-	-	1
Cumberland	1,403	-	-	-	-	2	3
Falmouth	1,494	-	-	2	2	2	3
Freeport	2,484	-	-	1	1	4	3
Gorham	2,878	-	-	1	1	1	2
Gray	1,247	-	-	4	1	-	1
Harpswell	1,630	-	-	6	1	2	-
Harrison	967	-	-	-	-	3	-
Naples	722	-	-	1	-	-	-
New Gloucester	1,242	-	1	-	-	1	2
North Yarmouth	694	-	-	2	1	1	2
Otisfield	616	-	-	2	1	-	-
Portland	60,257	8	5	79	13	83	42
Pownal	625	-	-	-	2	-	-
Raymond	647	-	-	4	1	-	-
Scarboro	1,961	-	-	4	-	-	2
Sebago	528	-	-	-	1	1	5
South Portland	7,709	-	-	11	2	5	5
Standish	1,663	-	1	-	-	-	3
Westbrook	8,481	-	1	7	2	11	9
Windham	1,954	-	-	4	1	1	2
Yarmouth	2,374	-	-	5	-	2	4
FRANKLIN COUNTY.	*18,882	-	1	25	3	18	10
Avon	366	-	-	-	-	1	-
Carthage	284	-	-	1	-	-	-
Chester ville	611	-	-	1	1	-	2
Eustis	522	-	-	-	-	-	-
Farmington	3,194	-	1	5	1	1	4
Freeman	322	-	-	1	-	-	-
Industry	449	-	-	1	-	1	-
Jay	3,033	-	-	4	-	6	-
Kingfield	973	-	-	1	-	-	-
Madrid	252	-	-	-	-	-	1
New Sharon	955	-	-	-	-	3	1
New Vineyard	535	-	-	1	-	-	-
Phillips	1,427	-	-	3	-	2	-
Rangeley	1,192	-	-	1	1	1	1
Salem	181	-	-	-	-	-	-
Strong	736	-	-	1	-	2	-
Temple	403	-	-	-	-	-	-
Weld	542	-	-	1	-	-	-
Wilton	2,243	-	-	4	-	1	1
Coplin Pl.	83	-	-	-	-	-	-
Dallas Pl.	166	-	-	-	-	-	-
Lang Pl.	60	-	-	-	-	-	-
Rangeley Pl.	208	-	-	-	-	-	-
Sandy River Pl.	78	-	-	-	-	-	-
Perkins	67	-	-	-	-	-	-

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

No. 33—Continued.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Infantile paralysis.	Cerebral hemorrhage, apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatilities of reproduction.	Suicide.	Accidents and other external causes.
15	3	146	70	253	153	30	19	80	9	144	6	13	92
-	-	-	1	2	-	1	-	1	-	2	-	-	1
1	1	2	1	2	1	4	-	3	-	1	-	-	6
-	-	5	5	13	15	1	-	7	-	1	-	2	2
-	-	4	1	2	-	-	-	-	-	-	-	-	2
-	-	2	-	2	-	-	-	2	-	-	-	-	2
-	-	1	-	2	2	-	-	-	1	4	-	-	4
-	-	4	-	8	3	-	-	-	-	2	-	-	-
-	-	3	-	3	3	-	-	-	-	3	-	-	2
1	-	3	3	11	4	-	-	3	-	3	-	-	2
-	-	1	5	1	-	-	-	-	-	3	-	-	-
1	-	3	1	5	2	-	-	3	-	-	-	-	1
-	-	3	3	7	1	-	-	-	-	-	-	-	-
-	-	2	-	3	2	-	-	-	-	-	-	-	1
-	-	-	1	1	3	2	-	-	-	1	-	-	-
-	-	-	-	2	1	-	-	-	-	1	-	-	-
-	-	-	-	2	2	-	-	1	-	-	-	-	3
6	2	82	39	128	92	19	11	48	7	90	5	11	51
-	-	1	-	1	1	-	-	6	-	1	-	-	-
1	-	3	-	1	1	-	-	1	-	1	-	-	-
-	-	1	1	2	2	-	1	3	-	2	-	-	2
3	-	13	2	21	5	1	2	3	1	5	-	-	4
2	-	2	1	5	9	2	3	3	-	4	-	-	-
-	-	3	3	12	9	-	3	3	-	3	1	-	5
-	-	3	1	6	6	-	1	2	-	7	-	-	1
-	-	2	1	8	3	-	-	-	-	1	-	-	3
1	-	30	17	25	39	11	3	15	2	17	4	4	3
-	-	-	1	-	-	2	-	-	-	-	-	-	-
-	-	3	-	1	3	-	-	-	-	-	-	-	-
-	-	1	-	1	1	-	-	-	-	1	-	-	1
-	-	6	5	5	16	3	1	2	-	3	3	1	-
-	-	2	1	-	-	3	-	4	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	2	4	6	1	-	1	-	3	1	1	1
-	-	1	-	1	-	-	-	-	-	1	-	-	-
-	-	2	2	4	-	-	-	1	-	1	-	-	-
-	-	1	1	2	-	-	-	-	-	1	-	-	-
-	-	3	1	2	1	-	-	-	-	3	-	1	-
-	-	-	1	1	-	-	-	1	-	-	-	1	-
-	-	3	-	-	1	2	-	-	1	-	-	-	1
1	-	2	1	1	-	2	-	1	1	1	-	-	-
-	-	1	-	1	5	1	-	1	-	1	-	-	-
-	-	3	1	5	3	1	2	3	1	1	-	-	-

TABLE
Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated population in 1912.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
HANCOCK COUNTY	*34,704	2	5	42	8	21	30
Amherst	257	-	-	-	-	-	-
Aurora	100	-	-	-	-	-	-
Bluehill	1,388	-	-	4	-	-	1
Brooklin	936	-	-	3	-	-	-
Brooksville	1,176	-	-	-	2	1	1
Bucksport	2,192	-	-	2	-	-	-
Castine	933	-	-	1	-	1	5
Cranberry Isles	403	-	-	-	-	-	-
Dedham	359	-	-	-	-	1	-
Deer Isle	1,926	-	-	2	-	1	1
Eastbrook	207	-	-	-	-	-	-
Eden	4,453	-	1	2	3	4	4
Ellsworth	3,399	-	-	4	-	1	1
Franklin	1,153	-	-	-	-	-	1
Gouldsboro	1,367	-	1	1	1	1	1
Hancock	831	-	1	-	-	-	7
Isle au Haut	156	-	-	-	-	-	-
Lamoine	460	-	-	-	1	-	2
Mariaville	162	-	-	1	-	1	-
Mount Desert	1,563	-	-	5	-	5	-
Orland	1,218	-	-	3	-	-	1
Otis	107	-	-	-	-	1	2
Penobscot	951	-	-	-	-	1	-
Sedgwick	909	-	-	1	-	-	-
Sorrento	153	-	-	-	-	-	-
South West Harbor	888	-	-	-	-	-	1
Stonington	2,077	1	-	4	-	-	-
Sullivan	1,152	-	-	1	1	-	1
Surry	702	-	-	-	-	-	-
Swans' Island	749	-	-	1	-	-	1
Tremont	938	1	1	3	-	1	-
Trenton	334	-	-	-	-	-	-
Verona	229	-	-	-	-	-	-
Waltham	182	-	-	-	-	-	-
Winter Harbor	593	-	-	2	-	2	-
Long Island Pl.	201	-	-	-	-	-	-
No. 8 Pl.	19	-	-	-	-	-	-
No. 21 Pl.	39	-	-	-	-	-	-
No. 33 Pl.	82	-	-	-	-	-	-
KENNEBEC COUNTY	63,613	6	5	73	11	58	51
Albion	936	-	-	2	-	-	-
Augusta	13,516	1	1	14	4	13	6
Belgrade	1,037	-	-	1	-	1	1
Benton	1,215	-	-	1	-	-	1
Chelsea	3,241	-	-	-	-	-	2
China	1,280	-	-	1	-	2	1
Clinton	1,242	-	1	-	-	1	2
Farmingdale	819	1	-	-	-	-	-
Fayette	527	-	-	-	-	-	1
Gardiner	5,273	2	1	9	-	1	6
Hallowell	2,894	-	-	2	2	2	4
Litchfield	945	-	-	3	-	2	2

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

No. 33—Continued.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Infantile paralysis.	Cerebral hemorrhage, apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
3	-	50	21	58	48	10	7	38	5	29	3	4	18
-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	3	1	2	1	2	1	1	1	1	-	-	2
-	-	2	1	3	-	-	1	1	-	-	-	-	-
-	-	1	-	5	2	1	-	2	1	1	-	-	-
-	-	3	2	3	1	-	-	-	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	7	3	8	1	-	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	2	1	9	3	-	1	1	-	-	-	-	-
-	2	5	2	9	3	1	-	5	-	8	-	2	3
-	-	2	-	1	3	-	-	2	-	5	-	-	1
-	-	4	2	1	1	-	-	1	-	2	-	-	1
-	-	2	-	2	-	-	-	-	2	-	-	-	2
-	-	-	1	-	2	1	-	-	-	-	-	-	1
-	-	-	1	-	-	-	-	-	1	-	-	-	-
-	-	-	-	2	5	2	-	-	-	3	-	-	1
-	-	-	-	-	-	1	-	-	-	-	-	-	2
-	-	3	3	1	-	-	-	1	-	-	-	-	1
-	-	1	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	1	-	-	-	-
-	-	3	1	1	3	-	-	-	-	2	-	-	1
-	-	1	1	1	1	-	-	3	-	-	1	-	-
-	-	1	1	-	5	-	-	4	-	1	-	-	1
-	-	1	-	-	5	-	-	3	-	-	-	-	-
-	-	4	-	-	1	-	-	3	1	-	-	-	-
1	-	-	1	-	1	-	1	2	-	-	-	-	1
-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	1	1	-	-	-	1	-	1	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	1	-	-	-	-	-	-	-	-
8	1	91	103	137	120	26	20	61	3	60	8	14	58
-	-	-	3	2	2	1	1	-	-	2	-	-	-
-	-	23	71	35	30	8	5	18	-	14	-	-	12
-	-	1	-	4	3	2	-	2	-	-	2	4	4
2	-	1	2	2	4	-	-	2	-	2	-	-	-
-	-	1	-	1	-	-	-	-	-	1	-	1	-
-	-	2	4	3	1	-	-	1	-	1	-	-	1
-	-	4	-	2	2	-	1	3	-	1	-	-	1
-	-	-	-	6	1	-	-	-	-	-	-	-	2
-	-	-	-	2	1	-	1	-	-	-	-	-	-
2	-	8	3	13	9	1	-	7	-	2	-	1	1
-	-	8	-	5	5	2	-	1	-	1	-	-	2
-	-	2	1	1	1	1	1	3	-	3	-	-	1

TABLE
Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1912.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Manchester	617	-	-	-	-	-	-
Monmouth	1,416	-	-	-	1	1	-
Mount Vernon	898	-	-	1	-	1	-
Oakland	2,325	-	-	6	1	2	-
Pittston	954	-	-	1	-	-	3
Randolph	1,005	-	-	3	-	2	3
Readfield	996	-	-	1	-	-	2
Rome	444	-	-	-	-	-	-
Sidney	900	-	2	1	1	-	2
Vassalboro	2,077	-	-	3	-	3	1
Vienna	403	-	-	1	-	-	-
Waterville	11,854	1	-	15	1	18	6
Wayne	573	-	-	-	-	2	-
West Gardiner	617	-	-	2	-	1	1
Windsor	693	-	-	-	-	1	1
Winslow	2,795	-	-	3	1	4	1
Winthrop	2,119	1	-	2	-	-	5
Unity Pl.	56	-	-	-	-	-	-
Togus	-	-	-	1	-	-	-
KNOX COUNTY	*28,672	3	3	35	12	12	34
Appleton	816	-	-	-	-	-	-
Camden	3,053	-	-	3	2	-	1
Cushing	521	-	-	-	1	-	1
Friendship	768	-	-	-	-	-	-
Hope	479	-	-	-	1	-	-
Hurricane Isle	256	-	-	-	-	-	-
North Haven	535	-	-	-	-	1	-
Rockland	8,176	1	2	12	3	9	15
Rockport	1,993	2	-	4	2	1	6
St. George	2,201	-	1	2	1	-	1
South Thomaston	1,440	-	-	-	-	-	3
Thomaston	2,109	-	-	3	2	-	2
Union	1,232	-	-	3	-	-	-
Vinalhaven	2,332	-	-	4	-	1	3
Warren	1,762	-	-	3	-	-	1
Washington	774	-	-	1	-	-	1
Criehaven Pl.	46	-	-	-	-	-	-
Matinicus Isle Pl.	179	-	-	-	-	-	-
LINCOLN COUNTY	17,926	2	2	28	4	5	24
Alna	458	-	-	-	-	-	-
Boothbay	1,688	-	-	2	1	-	1
Boothbay Harbor	2,039	-	-	2	-	-	-
Bremen	530	-	-	-	-	1	1
Bristol	2,383	-	-	6	-	2	4
Damariscotta	751	-	-	1	-	1	2
Dresden	801	-	-	-	-	-	-
Edgecomb	495	-	-	1	-	-	1
Jefferson	1,008	-	-	2	-	1	1
Newcastle	1,066	-	-	2	-	-	2

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

TABLE
Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1912.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Nobleboro	769	1	-	1	-	-	1
Somerville	275	-	-	-	-	-	-
Southport	392	-	-	-	-	-	2
Waldoboro	2,558	-	-	7	1	-	7
Westport	274	-	-	1	1	-	1
Whitefield	1,036	-	1	1	-	-	1
Wiscasset	1,302	1	1	2	1	-	-
Monhegan Pl.	123	-	-	-	-	-	-
OXFORD COUNTY	*37,070	2	3	35	8	36	24
Albany	384	-	-	-	-	-	-
Andover	763	-	-	2	-	-	-
Bethel	1,948	-	1	-	-	1	-
Brownfield	915	-	-	3	-	-	-
Buckfield	1,077	1	-	2	1	2	5
Byron	183	-	-	-	-	1	-
Canton	1,027	-	-	-	-	-	-
Denmark	588	-	-	-	-	1	-
Dixfield	1,056	-	1	-	1	-	-
Fryeburg	1,263	-	-	3	1	-	3
Gilead	211	-	-	-	-	-	-
Grafton	62	-	-	-	-	-	-
Greenwood	648	-	-	-	-	1	-
Hanover	192	-	-	-	-	-	1
Hartford	582	-	-	-	-	1	-
Hebron	623	-	-	3	-	-	1
Hiram	931	-	-	-	-	1	1
Lovell	664	-	-	-	-	1	2
Mason	60	-	-	-	-	-	-
Mexico	2,315	-	-	1	2	3	-
Newry	270	-	-	-	-	1	-
Norway	3,112	-	-	6	1	3	1
Oxford	1,199	-	-	1	-	-	-
Paris	3,478	-	1	3	1	3	2
Peru	740	-	-	4	-	-	-
Porter	860	-	-	1	-	-	-
Roxbury	325	-	-	-	-	1	-
Rumford	7,379	1	-	3	1	13	2
Stoneham	247	-	-	-	-	-	-
Stow	214	-	-	-	-	1	1
Sumner	754	-	-	1	-	1	2
Sweden	263	-	-	2	-	-	-
Upton	318	-	-	-	-	-	-
Waterford	938	-	-	-	-	-	3
Woodstock	808	-	-	-	-	1	1
Lincoln Pl.	332	-	-	-	-	-	-
Magalloway Pl.	101	-	-	-	-	-	-
Milton Pl.	204	-	-	-	-	-	-
Batchelder's Grant	36	-	-	-	-	-	-
PENOBSCOT COUNTY	*85,627	3	4	95	16	76	76
Alton	248	-	-	-	-	-	-
Argyle	215	-	-	-	-	-	1

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

TABLE
Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated population in 1912.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Bangor	25,393	2	2	36	4	35	29
Bradford	926	-	-	1	-	-	1
Bradley	626	-	-	3	-	-	-
Brewer	5,833	-	-	5	1	3	3
Burlington	366	-	-	-	1	-	-
Carmel	1,074	-	-	-	-	1	1
Carroll	469	-	-	1	2	-	2
Charleston	868	-	-	-	-	-	-
Chester	347	-	-	-	-	-	-
Clifton	213	-	-	-	-	-	-
Corinna	1,249	-	-	2	1	1	1
Corinth	1,034	-	-	5	1	1	4
Corinth	3,648	-	-	3	2	3	2
Dexter	742	-	-	2	-	1	-
Dixmont	923	-	-	-	-	-	-
East Millinocket	601	-	-	-	-	-	2
Eddington	952	-	-	-	-	1	-
Enfield	523	-	-	1	-	-	-
Etna	888	-	-	-	-	2	-
Exeter	309	-	-	3	-	-	-
Garland	457	-	-	-	-	1	-
Glenburn	465	-	-	-	-	-	1
Greenbush	195	-	-	-	-	-	1
Greenfield	2,420	-	-	5	-	-	4
Hampden	1,216	-	-	1	-	-	-
Hermon	609	-	-	-	-	1	1
Holden	490	-	-	1	-	-	-
Howland	397	-	-	1	-	-	-
Hudson	492	-	-	3	-	-	1
Kenduskeag	702	-	-	-	-	-	-
Kingman	594	-	-	-	-	-	-
Lagrange	738	-	-	-	-	-	-
Lee	691	-	-	-	-	-	-
Levant	2,040	-	-	3	1	1	-
Lincoln	251	-	-	-	-	-	-
Lowell	515	-	-	1	-	-	1
Mattawamkeag	74	-	-	-	-	-	-
Maxfield	529	-	-	1	-	-	-
Medway	593	-	-	1	-	-	1
Millford	3,368	-	-	-	-	1	1
Millinocket	213	-	-	-	-	-	-
Mt. Chase	686	-	-	-	-	-	-
Newburg	1,789	-	-	3	-	-	3
Newport	6,427	1	-	5	2	8	10
Old Town	3,415	-	1	2	-	7	1
Orono	1,209	-	1	1	-	-	1
Orrington	448	-	-	-	-	-	-
Passadumkeag	1,454	-	-	1	-	5	1
Patten	578	-	-	1	1	-	-
Plymouth	466	-	-	-	-	-	-
Prentiss	447	-	-	1	-	-	-
Springfield	476	-	-	-	-	2	1
Stetson	557	-	-	2	-	1	-
Veazie	649	-	-	-	-	1	1
Winn	119	-	-	-	-	-	-
Woodville	270	-	-	-	-	-	-
Drew Pl.	52	-	-	-	-	-	-
Grand Falls Pl.	90	-	-	-	-	-	1
Lakeville Pl.	85	-	-	-	-	-	-
Seboeis Pl.	-	-	-	-	-	-	-

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

TABLE
Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated population in 1912.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Stacyville Pl.	623	-	-	-	-	-	-
Webster Pl.	99	-	-	-	-	-	-
Indian Township Pl.	44	-	-	-	-	-	-
No. 1, R. 7.	40	-	-	-	-	-	-
No. 2, R. 6.	208	-	-	-	-	-	-
PISCATAQUIS COUNTY	*19,624	2	1	10	4	15	15
Abbot.	703	-	-	-	-	-	1
Atkinson.	534	-	-	-	1	1	-
Blanchard.	161	-	-	-	-	-	-
Bowerbank.	78	-	-	-	-	-	-
Brownville.	1,855	-	-	1	-	-	1
Dover.	2,131	-	-	1	1	3	-
Foxcroft.	1,915	1	-	-	-	-	1
Greenville.	1,546	-	1	1	-	1	2
Guilford.	1,708	-	-	2	-	3	1
Medford.	258	-	-	-	-	-	-
Milo.	2,336	1	-	2	-	5	1
Monson.	1,269	-	-	-	-	-	2
Orneville.	355	-	-	-	-	-	-
Parkman.	632	-	-	-	-	-	2
Sangerville.	1,323	-	-	1	1	-	2
Sebec.	541	-	-	1	1	-	2
Shirley.	352	-	-	-	-	-	-
Wellington.	381	-	-	1	-	-	-
Williamsburg.	142	-	-	-	-	-	-
Willimantic.	243	-	-	-	-	-	-
Barnard Pl.	101	-	-	-	-	-	-
Elliottsville Pl.	126	-	-	-	-	2	-
Kingsbury Pl.	108	-	-	-	-	-	-
Lake View Pl.	259	-	-	-	-	-	-
Katahdin Iron Works.	67	-	-	-	-	-	-
SAGadahoc COUNTY	18,194	3	1	28	6	12	15
Arrowsic.	144	-	-	-	-	-	-
Bath.	9,180	3	-	10	3	3	4
Bowdoin.	790	-	-	-	-	1	1
Bowdoinham.	1,401	-	-	-	-	2	3
Georgetown.	730	-	-	2	-	1	1
Georgetown.	1,045	-	1	1	-	-	2
Phippsburg.	1,820	-	-	6	2	1	3
Richmond.	2,000	-	-	6	-	3	-
Topsham.	218	-	-	-	-	-	-
West Bath.	866	-	-	3	1	1	1
Woolwich.	866	-	-	-	-	-	-
SOMERSET COUNTY	*36,190	1	4	30	7	21	28
Anson.	2,285	-	-	1	3	-	2
Athens.	918	-	-	-	-	-	-
Bingham.	763	1	-	1	-	2	1
Cambridge.	369	-	-	-	-	-	1
Canaan.	854	-	-	2	-	1	-

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

TABLE
Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1912.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Concord.....	249	-	1	-	-	-	1
Cornville.....	726	-	-	-	-	-	-
Detroit.....	449	-	-	2	-	-	-
Embden.....	521	-	-	-	-	-	2
Fairfield.....	4,545	-	-	1	1	5	3
Harmony.....	762	1	-	-	-	1	-
Hartland.....	1,188	-	-	2	-	-	-
Madison.....	3,501	-	-	5	1	2	-
Mercer.....	451	-	-	1	-	-	-
Moscow.....	546	-	-	1	-	-	-
New Portland.....	876	-	1	-	-	-	-
Norridgewock.....	1,630	-	-	5	-	1	-
Palmyra.....	968	-	-	1	-	-	1
Pittsfield.....	2,891	-	-	2	-	2	5
Ripley.....	434	-	-	-	-	1	2
St. Albans.....	1,027	-	-	1	-	-	1
Skowhegan.....	5,373	-	-	4	1	3	6
Smithfield.....	423	-	-	-	-	-	-
Solon.....	1,042	-	-	1	-	-	1
Stark.....	531	-	-	-	-	-	-
Bigelow Pl.....	54	-	-	-	-	-	-
Brighton Pl.....	238	-	1	-	1	-	1
Caratunk Pl.....	239	-	-	-	-	2	-
Dead River Pl.....	94	-	-	-	-	-	-
Dennistown Pl.....	99	-	-	-	-	-	-
Flagstaff Pl.....	155	-	-	-	-	-	-
Highland Pl.....	68	-	-	-	-	-	-
Jackman Pl.....	728	-	-	-	-	-	-
Lexington Pl.....	237	-	-	-	-	-	-
Long Pond Pl.....	240	-	-	-	-	-	-
Mayfield Pl.....	63	-	-	-	-	-	-
Moose River Pl.....	253	-	-	-	-	-	1
Pleasant Ridge Pl.....	96	-	-	-	-	-	-
The Forks Pl.....	171	-	-	-	-	-	-
West Forks Pl.....	132	-	-	-	-	-	-
WALDO COUNTY.....	23,146	-	7	31	3	15	31
Belfast.....	4,618	-	2	7	2	3	7
Belmont.....	333	-	-	-	-	-	-
Brooks.....	663	-	-	3	-	2	3
Burnham.....	730	-	-	1	-	-	-
Frankfort.....	1,152	-	1	-	-	1	-
Freedom.....	480	-	-	-	-	-	-
Islesboro.....	867	-	-	1	-	-	-
Jackson.....	412	-	-	-	-	-	-
Knox.....	501	-	-	-	-	1	2
Liberty.....	632	-	-	-	-	-	-
Lincolnvile.....	960	-	-	2	-	-	1
Monroe.....	856	-	2	1	-	-	2
Montville.....	824	-	1	3	-	1	1
Morrill.....	339	-	1	1	-	-	1
Northport.....	512	-	-	2	-	-	-
Palermo.....	676	-	-	3	1	-	1
Prospect.....	592	-	-	-	-	1	-
Searsmont.....	804	-	-	-	-	1	1
Searsport.....	1,462	-	-	2	-	1	1
Stockton Springs.....	1,126	-	-	1	-	-	1
Swanville.....	461	-	-	1	-	-	-
Thorndike.....	531	-	-	1	-	2	2
Troy.....	768	-	-	1	-	-	1
Unity.....	903	-	-	1	-	-	1
Waldo.....	370	-	-	-	-	1	-
Winterport.....	1,574	-	-	-	-	1	6

TABLE
Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated population in 1912.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
WASHINGTON COUNTY.....	*42,214	2	3	50	3	38	28
Addison.....	967	-	-	-	-	1	1
Alexander.....	382	-	-	-	-	-	-
Baileyville.....	1,319	-	-	1	-	1	-
Baring.....	228	-	-	1	-	1	-
Beddington.....	86	-	-	-	-	-	-
Brookton.....	227	-	-	-	-	-	-
Calais.....	5,808	-	1	11	1	12	8
Centerville.....	91	-	-	-	-	-	-
Charlotte.....	286	1	-	-	-	1	-
Cherryfield.....	1,439	-	-	-	-	-	-
Columbia.....	573	-	1	1	-	-	1
Columbia Falls.....	680	-	-	-	-	-	2
Cooper.....	186	-	-	-	-	-	-
Crawford.....	114	-	-	-	-	-	-
Cutler.....	589	-	-	1	-	1	1
Danforth.....	1,335	-	-	1	-	2	-
Deblois.....	69	-	-	-	-	-	-
Dennysville.....	455	-	-	-	-	-	-
East Machias.....	1,363	-	-	2	-	2	1
Eastport.....	4,891	-	-	4	1	5	3
Edmunds.....	640	-	-	-	-	-	-
Harrington.....	992	-	-	2	-	-	1
Jonesboro.....	503	-	-	-	-	-	-
Jonesport.....	2,084	-	-	5	-	2	-
Lubec.....	3,435	-	-	9	-	4	1
Machias.....	2,089	1	-	1	1	-	1
Machiasport.....	1,218	-	-	-	-	-	-
Marion.....	118	-	-	-	-	-	-
Marshfield.....	168	-	-	-	-	-	-
Meddybemps.....	118	-	-	-	-	-	-
Milbridge.....	1,476	-	-	-	-	2	-
Northfield.....	73	-	-	-	-	-	-
Pembroke.....	1,324	-	1	5	-	1	-
Perry.....	1,139	-	-	3	-	-	-
Princeton.....	1,091	-	-	1	-	1	1
Robbinston.....	661	-	-	-	-	-	2
Roque Bluffs.....	93	-	-	-	-	-	-
Steuben.....	890	-	-	1	-	-	-
Talmage.....	100	-	-	-	-	-	-
Topsfield.....	255	-	-	-	-	-	2
Trescott.....	461	-	-	1	-	-	-
Vanceboro.....	637	-	-	-	-	1	1
Waite.....	166	-	-	-	-	-	-
Wesley.....	168	-	-	-	-	-	-
Whiting.....	362	-	-	-	-	-	-
Whitneyville.....	226	-	-	-	-	-	-
Codyville Pl.....	69	-	-	-	-	-	1
Grand Lake Stream Pl.....	296	-	-	-	-	1	-
No. 14 Pl.....	82	-	-	-	-	-	-
No. 21 Pl.....	81	-	-	-	-	-	1
Kossuth.....	44	-	-	-	-	-	-

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

TABLE
Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1912.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
YORK COUNTY.....	69,208	3	4	78	15	58	46
Acton.....	597	-	-	-	1	-	-
Alfred.....	880	-	-	1	-	-	1
Berwick.....	2,060	-	-	1	-	-	4
Biddeford.....	17,265	1	2	14	4	22	9
Buxton.....	1,643	-	-	3	-	-	1
Cornish.....	948	-	-	-	-	2	-
Dayton.....	380	-	-	-	-	-	-
Eliot.....	1,542	-	-	3	-	1	-
Hollis.....	1,284	-	-	1	-	1	3
Kennebunk.....	3,075	-	-	7	-	2	3
Kennebunkport.....	2,130	1	1	6	1	-	4
Kittery.....	3,666	-	-	5	-	5	-
Lebanon.....	1,320	-	-	2	-	-	-
Limerick.....	983	-	-	2	-	2	4
Limington.....	976	-	-	1	-	1	-
Lyman.....	603	-	-	1	-	-	1
Newfield.....	610	-	-	1	-	-	-
North Berwick.....	1,783	-	-	3	1	1	-
Old Orchard.....	961	-	-	-	-	-	-
Parsonsfield.....	1,044	-	-	1	3	1	-
Saco.....	6,673	-	-	1	2	7	5
Sanford.....	9,642	-	-	8	1	8	1
Shapleigh.....	659	-	-	2	-	1	-
South Berwick.....	2,885	-	-	3	-	-	1
Waterboro.....	963	-	-	2	1	1	2
Wells.....	1,888	1	-	3	1	-	4
York.....	2,828	-	1	8	-	3	3

No. 33—Concluded.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Infantile paralysis.	Cerebral hemorrhage, apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
9	1	102	46	133	104	25	17	61	8	96	2	7	48
-	-	1	-	1	3	1	-	1	-	2	-	-	-
-	-	3	2	2	2	-	-	1	-	2	-	-	-
-	-	1	1	1	5	-	-	2	-	2	-	-	-
5	1	18	13	23	36	1	5	24	2	14	-	1	17
-	-	7	1	4	1	1	2	1	-	3	-	-	2
-	-	2	2	-	1	-	-	1	-	7	-	-	1
-	-	1	-	1	-	-	-	-	-	2	-	-	1
-	-	-	-	1	2	-	1	-	-	3	-	-	2
-	-	2	1	2	-	-	1	2	2	-	-	-	-
-	-	6	3	13	5	2	-	3	-	6	-	-	3
-	-	3	3	3	1	2	1	1	1	2	1	-	2
-	-	3	3	3	3	2	-	2	2	2	-	1	3
-	-	5	4	6	3	-	1	1	2	2	-	-	1
-	-	1	2	2	3	-	-	-	-	1	-	-	2
-	-	2	1	1	3	1	-	1	-	3	-	-	-
-	-	-	-	2	-	-	-	1	-	1	-	-	-
1	-	2	-	2	-	-	-	2	-	1	-	1	-
-	-	4	1	8	2	-	-	2	-	4	-	-	2
-	-	3	-	6	2	-	-	1	1	1	-	-	-
-	-	1	-	1	5	-	-	1	-	1	-	-	-
1	-	7	3	18	8	1	2	6	-	9	-	1	6
1	-	15	4	9	11	10	1	5	-	6	-	1	-
-	-	1	-	3	5	-	1	-	-	3	-	-	-
-	-	6	-	6	3	2	-	2	-	4	-	1	2
-	-	1	1	1	3	-	-	-	-	5	-	-	-
-	-	5	3	8	-	-	1	1	-	4	-	-	3

TABLE
Deaths by Ages, Sex and

COUNTIES.	Under 1.	1 to 4.	5 to 9.	10 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
Androscoggin, males.....	98	16	10	22	44	44	36	51	75	72	40	6	-	1
females.....	70	18	11	21	29	28	37	52	75	84	52	5	-	1
not stated.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Aroostook, males.....	126	28	16	29	23	22	23	31	44	48	31	3	1	-
females.....	96	33	7	21	30	31	21	31	37	46	24	5	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cumberland, males.....	102	43	17	35	59	64	59	124	147	158	90	16	-	-
females.....	102	29	14	25	56	52	65	107	159	162	115	20	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Franklin, males.....	27	4	3	1	4	4	4	14	28	32	13	5	-	-
females.....	12	3	2	4	10	8	7	9	27	27	28	4	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock, males.....	28	12	2	13	14	13	12	27	55	65	38	6	-	-
females.....	21	10	4	5	18	8	17	31	33	63	31	9	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec, males.....	91	24	12	13	28	44	42	69	111	123	56	7	-	1
females.....	69	21	7	17	31	39	45	55	76	96	69	17	1	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Knox, males.....	16	7	1	8	17	12	16	33	51	49	30	1	-	2
females.....	6	8	3	4	6	15	16	26	37	58	43	10	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln, males.....	7	4	3	4	4	5	6	12	23	26	32	1	-	-
females.....	3	4	1	4	9	6	7	9	24	31	18	14	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford, males.....	35	10	1	11	14	13	26	28	44	66	31	3	-	-
females.....	18	7	3	9	15	16	12	25	42	46	32	2	1	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot, males.....	86	27	15	27	53	48	55	96	112	125	65	6	-	6
females.....	65	30	7	38	45	55	42	57	105	108	83	19	2	2
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Piscataquis, males.....	19	1	3	5	8	14	13	9	14	28	14	4	-	2
females.....	17	4	3	4	9	8	10	11	14	18	19	3	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc, males.....	9	7	-	6	5	6	10	20	25	25	20	4	-	-
females.....	11	6	-	5	8	10	8	19	26	32	34	5	2	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset, males.....	31	13	4	8	10	14	16	29	40	58	36	12	3	-
females.....	30	16	4	12	16	10	21	24	49	41	30	10	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waldo, males.....	17	5	4	4	6	11	11	12	39	55	23	6	-	-
females.....	15	3	2	5	9	7	12	14	39	44	29	6	1	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington, males.....	39	9	7	10	17	8	9	37	56	44	38	7	-	1
females.....	23	8	3	10	13	17	15	18	50	65	46	9	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York, males.....	101	25	11	21	25	29	37	58	86	112	63	4	-	1
females.....	74	29	8	14	30	32	37	50	72	115	75	18	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total, males.....	832	235	109	217	331	351	375	650	950	1086	620	91	4	14
females.....	632	229	79	198	334	342	372	536	865	1039	728	156	7	4
not stated.....	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Grand total.....	1465	464	188	415	666	693	747	1188	1815	2125	1348	247	11	18

No. 34.

Months by Counties, 1912.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
43	43	43	51	44	32	55	44	40	40	35	45	-	515	-
48	31	56	38	37	33	44	46	28	29	37	56	-	483	-
1	-	-	-	-	-	-	-	-	-	-	-	-	1	999
30	43	32	28	37	21	31	47	46	45	32	33	-	425	-
41	34	28	32	39	21	32	37	32	35	30	21	-	382	-
-	77	74	81	91	66	69	85	70	67	67	92	-	914	-
83	73	81	71	84	84	53	68	76	84	62	87	-	906	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,820
12	16	13	7	17	7	9	14	9	13	10	12	-	139	-
14	18	13	13	8	9	11	7	12	10	9	17	-	141	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	280
23	28	31	33	19	18	29	14	25	30	16	19	-	285	-
19	21	26	16	12	21	28	15	29	19	15	29	-	250	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	535
59	56	56	49	51	47	58	50	49	45	53	48	-	621	-
56	46	50	40	52	47	40	40	33	42	54	46	-	546	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,167
24	21	23	21	24	15	25	20	15	15	18	22	-	243	-
21	18	16	31	20	19	21	13	15	21	14	23	-	232	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	475
20	12	6	14	13	4	11	10	9	13	7	8	-	127	-
6	13	11	14	10	14	6	11	11	16	5	13	-	130	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	257
23	24	20	24	34	19	22	24	19	19	18	36	-	282	-
20	25	24	24	15	21	14	16	20	13	15	21	-	228	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	510
65	64	67	68	57	61	51	48	70	57	49	64	-	721	-
57	67	70	67	62	51	43	47	45	43	53	53	-	658	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,379
12	6	7	11	13	11	6	7	8	16	18	19	-	134	-
11	21	9	14	2	4	7	10	7	10	15	10	-	120	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	255
11	12	8	12	10	9	16	19	15	11	9	5	-	137	-
16	14	7	15	18	10	12	12	22	11	17	12	-	166	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	303
34	25	29	30	17	25	18	12	15	26	26	17	-	274	-
21	23	43	26	19	26	16	16	18	14	17	24	-	263	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	537
8	13	23	22	27	15	12	14	11	12	9	27	-	193	-
27	14	18	22	8	9	11	10	16	12	12	28	-	187	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	380
23	27	24	24	27	25	22	24	16	30	19	21	-	282	-
37	23	37	21	24	18	15	24	22	19	20	17	-	277	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	559
55	60	58	48	42	41	52	30	55	45	34	53	-	573	-
55	68	44	47	47	37	42	39	45	45	41	44	-	554	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,127
519	525	514	523	523	416	486	462	472	484	420	521	-	5,865	-
532	509	533	491	457	424	395	411	431	423	416	501	-	5,523	-
1	-	-	-	-	1	-	-	-	-	-	-	-	2	-
1,052	1,034	1,047	1,014	980	841	881	873	903	907	836	1,022	-	11,390	11,390

TABLE
Deaths by Ages, Sex and

CITIES.	Under 1.	1 to 4.	5 to 9.	10 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
Auburn, males.....	20	2	3	6	8	6	3	12	12	15	9	2	-	-
females.....	16	4	1	2	5	4	10	6	17	24	11	3	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Augusta, males.....	27	2	3	3	11	23	23	23	29	27	7	1	-	-
females.....	18	5	3	3	12	15	16	20	25	30	14	3	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bangor, males.....	28	6	6	12	24	31	38	43	43	37	15	1	-	2
females.....	25	7	2	9	18	25	22	24	38	42	29	7	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bath, males.....	4	5	-	3	4	4	8	8	13	8	9	3	-	-
females.....	3	4	-	3	6	9	5	5	15	18	17	2	1	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belfast, males.....	5	2	1	1	-	2	4	2	11	12	8	2	-	-
females.....	2	2	-	2	-	3	4	4	11	9	8	-	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Biddeford, males.....	41	14	5	13	8	9	12	11	18	17	4	2	-	1
females.....	42	12	2	4	11	10	14	11	17	19	6	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brewer, males.....	4	2	1	-	4	-	2	4	8	6	6	-	-	-
females.....	6	3	1	4	3	4	2	5	6	10	2	1	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calais, males.....	8	2	-	3	2	-	4	6	7	18	9	1	-	-
females.....	6	1	1	1	3	4	4	2	7	5	5	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eastport, males.....	6	1	1	-	2	1	2	5	6	1	8	-	-	-
females.....	3	1	1	2	3	2	3	3	6	10	3	-	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ellsworth, males.....	1	2	-	-	1	3	2	7	4	6	5	1	-	-
females.....	1	3	-	-	1	-	2	5	3	7	3	1	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gardiner, males.....	-	3	-	3	-	2	2	4	8	11	4	-	-	-
females.....	5	1	1	2	1	4	2	10	6	5	9	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hallowell, males.....	2	-	-	-	-	2	-	6	9	5	4	-	-	-
females.....	4	-	-	-	-	2	1	3	4	6	7	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewiston, males.....	65	10	7	10	25	31	27	32	37	28	13	1	-	1
females.....	44	12	7	14	23	17	23	31	39	26	14	-	-	-
not stated.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Town, males.....	4	6	-	3	6	3	2	7	8	10	3	-	-	-
females.....	7	5	-	7	5	1	5	4	7	7	7	-	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, males.....	64	27	10	20	44	46	40	89	87	73	35	8	-	-
females.....	65	16	7	12	40	37	38	60	82	81	62	9	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rockland, males.....	8	5	-	3	9	5	4	12	19	13	6	1	-	-
females.....	3	4	2	-	-	7	5	10	12	20	12	3	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Saco, males.....	10	1	2	1	2	2	6	2	7	4	1	-	-	-
females.....	8	4	1	-	4	1	3	7	6	14	5	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Portland, males.....	6	1	-	2	2	3	3	5	5	10	2	-	-	-
females.....	4	3	2	4	1	2	8	9	12	7	6	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waterville, males.....	27	10	5	4	7	8	6	13	12	8	4	1	-	-
females.....	17	8	1	3	10	7	5	6	12	9	6	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Westbrook, males.....	11	5	1	3	3	2	2	4	8	12	6	1	-	-
females.....	7	5	2	4	5	1	4	7	7	7	5	1	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total, males.....	341	106	45	90	162	183	190	295	351	321	158	25	-	4
females.....	286	100	34	76	151	155	176	232	332	356	231	44	1	-
not stated.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Grand total.....	628	206	79	166	313	338	366	527	683	677	389	69	1	4

No. 35.
Months by Cities, 1912.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
8	10	5	4	7	9	14	8	13	5	6	9	-	98	-
12	5	16	11	12	5	6	15	2	3	6	10	-	103	-
14	14	17	13	12	14	21	18	13	15	15	13	-	179	201
19	15	9	11	11	9	13	15	7	14	23	18	-	164	-
20	24	31	32	26	23	23	23	27	27	14	16	-	286	343
23	34	24	21	30	15	14	14	17	17	21	18	-	248	-
7	7	5	6	5	3	7	7	7	5	8	2	-	60	534
7	6	2	10	5	6	8	7	15	7	8	7	-	88	-
1	4	5	2	7	3	7	5	5	3	2	6	-	50	157
5	9	1	5	1	2	2	1	6	3	1	9	-	45	-
18	13	17	16	14	10	18	5	14	9	4	17	-	155	95
12	17	18	17	12	9	8	6	16	13	13	9	-	150	-
4	5	5	2	1	4	2	3	3	1	2	5	-	37	305
3	3	6	8	3	4	4	3	3	3	2	5	-	47	-
6	5	2	5	4	7	8	7	5	4	3	4	-	60	84
8	2	7	3	1	1	3	5	2	2	4	3	-	41	-
2	2	4	4	5	2	2	3	1	3	3	2	-	33	101
1	3	6	5	6	4	4	4	2	3	3	3	-	37	-
3	4	3	3	2	1	1	-	2	3	4	3	-	32	70
2	3	3	-	1	2	3	1	1	5	-	5	-	26	-
4	2	5	1	1	6	3	3	1	3	4	4	-	37	58
2	4	5	5	3	5	2	2	3	9	6	3	-	48	-
1	1	3	2	2	6	1	-	1	5	-	2	-	28	85
1	5	2	1	3	3	2	1	6	3	2	-	-	29	-
24	29	25	33	25	15	27	25	19	23	16	26	-	287	57
20	13	23	20	17	19	25	17	17	17	25	37	-	250	-
1	6	4	5	3	7	2	4	4	7	2	5	-	51	538
6	4	3	4	3	4	6	5	2	4	8	5	-	52	-
7	4	3	4	3	4	6	5	2	4	8	5	-	52	-
42	40	40	45	64	42	45	49	38	43	41	54	-	543	107
50	35	47	41	49	45	25	38	42	50	38	49	-	509	-
6	9	7	10	8	8	8	6	6	5	5	7	-	85	1,052
10	3	4	10	7	10	3	3	6	8	6	8	-	78	-
1	6	2	1	2	4	7	3	4	1	5	2	-	38	163
8	5	4	2	4	1	5	5	3	3	6	9	-	55	-
6	7	1	2	1	2	3	3	2	5	3	4	-	39	98
4	3	6	4	4	4	7	4	5	9	3	7	-	60	-
9	10	10	12	8	6	6	6	12	5	12	9	-	105	99
5	9	6	4	10	6	6	13	7	4	8	8	-	86	-
4	6	6	10	6	5	4	4	6	-	-	5	-	86	191
7	6	5	6	2	4	4	4	7	2	3	5	-	58	-
-	-	-	-	-	-	-	-	-	-	-	-	-	55	-
186	202	198	206	203	177	209	187	183	174	151	195	-	2,271	-
206	184	197	188	184	158	146	162	109	179	183	218	-	2,174	-
1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
393	386	395	394	387	335	355	349	352	353	334	413	-	4,446	4,446

TABLE No. 36.

Number of Deaths from Several Specified Causes of Each Sex, in Each Month, which were Registered during Twenty-one Years, 1892-1912.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Typhoid fever.	Consumption.	Diarrhea and enteritis (under 2 years.)	Pneumonia.	Bronchitis.	Cerebral hemorrhage, apoplexy.
Totals	853	572	1,438	3,057	3,891	21,384	10,910	21,845	4,576	13,908
Males	400	267	679	1,529	2,227	9,632	-	10,783	2,106	6,760
Females	451	305	759	1,527	1,663	11,751	-	11,055	2,470	7,148
Not stated	2	-	-	1	1	1	-	7	-	-
January	81	48	145	330	298	1,847	160	3,137	556	1,298
February	80	48	115	263	251	1,794	134	2,970	541	1,230
March	91	74	127	200	323	2,153	168	3,223	617	1,228
April	101	59	118	199	287	2,090	163	2,719	520	1,171
May	110	48	105	214	259	2,074	179	2,115	423	1,202
June	76	45	118	178	208	1,792	281	1,157	301	1,083
July	78	25	120	165	193	1,706	1,422	543	205	1,031
August	48	23	141	173	314	1,604	3,534	477	139	1,095
September	29	38	135	221	484	1,485	3,097	683	195	1,105
October	51	48	90	331	532	1,622	1,303	1,166	312	1,140
November	59	67	103	396	391	1,504	287	1,526	333	1,111
December	49	49	118	387	344	1,697	179	2,118	428	1,220
Not stated	-	-	3	-	7	16	3	11	6	4

NOTES ON DEATHS AND THE CAUSES OF DEATHS.

The number of deaths registered in the year 1912 was 11,390. This was 341 less than for the preceding year 1911. A glance at the following tabulation will show that the death-rate, based upon the estimated population of all but the census year, 1910, has, upon the whole, lessened considerably. In the year for which this report is made the death-rate is less than for the preceding year, namely, 15.27.

YEARS.	Total deaths.	Males.	Females.	Not stated.	Death-rate per 1,000.
1892.....	12,147	5,939	6,175	33	18.19
1893.....	11,134	5,557	5,551	26	16.59
1894.....	11,012	5,570	5,422	20	16.33
1895.....	10,464	5,226	5,228	10	15.44
1896.....	10,626	5,350	5,268	8	15.60
1897.....	11,236	5,624	5,606	6	16.42
1898.....	10,956	5,506	5,447	3	15.93
1899.....	11,370	5,676	5,686	8	16.45
1900.....	11,389	5,734	5,649	6	16.40
1901.....	11,133	5,604	5,523	6	15.94
1902.....	10,673	5,454	5,216	3	15.19
1903.....	11,009	5,629	5,378	2	15.58
1904.....	11,346	5,868	5,468	10	15.97
1905.....	11,381	5,835	5,545	1	15.92
1906.....	11,427	5,925	5,497	5	15.90
1907.....	11,803	6,100	5,700	3	16.33
1908.....	11,664	6,060	5,602	2	16.05
1909.....	11,295	5,743	5,551	1	15.45
1910.....	12,439	6,427	6,012	-	16.62
1911.....	11,731	6,119	5,612	-	15.68
1912.....	11,390	5,865	5,523	2	15.27
Average.....	11,316	5,753	5,556	7	16.05

By referring to Table No. 3, it will be seen that the lowest death-rate was in Aroostook County, being only 10.69. The counties Franklin, Hancock, Lincoln, Oxford, Piscataquis, Somerset, and Washington had lower death-rates than that of

the whole State; while the counties Androscoggin, Cumberland, Kennebec, Knox, Penobscot, Sagadahoc, Waldo, and York had death-rates larger than that of the State. The highest county death-rate was that of Kennebec, 18.33.

The death-rate in the cities was 17.79 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, 18.36 in 1895, 18.78 in 1896, 20.11 in 1897, 19.74 in 1898, 18.10 in 1899, 18.34 in 1900, 17.90 in 1901, 17.03 in 1902, 17.16 in 1903, 18.00 in 1904, 16.79 in 1905, 17.25 in 1906, 18.18 in 1907, 17.03 in 1908, 16.63 in 1909, 19.13 in 1910, and 17.78 in 1911), as compared with that of the rest of the State with the cities omitted, which death-rate was 13.83 (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, 14.77 in 1895, 14.93 in 1896, 15.68 in 1897, 15.24 in 1898, 15.52 in 1899, 15.47 in 1900, 15.13 in 1901, 14.58 in 1902, 13.39 in 1903, 15.54 in 1904, 15.49 in 1905, 14.71 in 1906, 15.60 in 1907, 15.54 in 1908, 14.85 in 1909, 14.96 in 1910, and 14.74 in 1911).

LARGEST NUMBER.			SMALLEST NUMBER.	
1892	January	1,577	November	790
1893	August	1,080	November	796
1894	January	1,266	November	761
1895	March	1,053	June	715
1896	August	1,079	November	667
1897	March	1,259	June	769
1898	September	1,147	June	791
1899	February	1,049	June	768
1900	April	1,196	November	769
1901	March	1,132	June	789
1902	December	998	June	805
1903	January	1,006	June	786
1904	April	1,116	July	800
1905	March	1,197	July	768
1906	August	1,133	January	822
1907	March	1,177	July	844
1908	January	1,128	June	818
1909	March	1,178	July	831
1910	March	1,149	June	844
1911	March	1,223	June	791
1912	January	1,052	November	836

Seasons and Mortality.—The largest number of deaths occurred in January 1,052. The smallest number of deaths in any one month was 836 in November. During the spring months 3,041 deaths occurred; during the summer, 2,595; during the autumn, 2,646; in the winter, 3,108. The table on page 171 shows the month in which the largest and the smallest number of deaths occurred in the years 1892-1912.

The following is a tabular statement of the number of deaths in each quarter of the twenty-one years 1892-1912.

	1st Quarter.	2d Quarter.	3d Quarter.	4th Quarter.
1892.....	3,964	2,926	2,780	2,427
1893.....	2,653	2,825	2,878	2,750
1894.....	3,166	2,660	2,774	2,402
1895.....	2,780	2,412	2,764	2,503
1896.....	2,728	2,717	2,836	2,339
1897.....	3,026	2,681	2,856	2,671
1898.....	2,567	2,641	2,964	2,782
1899.....	3,416	2,632	2,767	2,544
1900.....	2,879	3,057	2,909	2,536
1901.....	3,178	2,688	2,637	2,610
1902.....	2,787	2,503	2,585	2,774
1903.....	2,946	2,705	2,723	2,615
1904.....	3,100	2,961	2,603	2,670
1905.....	3,187	2,810	2,786	2,581
1906.....	2,735	2,794	3,135	2,747
1907.....	3,423	2,989	2,597	2,785
1908.....	3,114	2,817	2,932	2,799
1909.....	3,050	2,820	2,629	2,796
1910.....	3,286	2,962	3,117	3,074
1911.....	3,402	2,873	2,801	2,651
1912.....	3,133	2,835	2,657	2,763
Average.....	3,075	2,820	2,836	2,659

The following table shows the number of deaths which have occurred in each of the twelve months in each of the years from 1892 to 1912:

DEATHS IN EACH MONTH FOR THE YEARS 1892-1912.

YEARS.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892.....	1,577	1,292	1,095	1,048	1,045	833	866	938	976	844	790	793	50	12,147
1893.....	849	845	959	1,037	969	819	823	1,080	975	917	796	1,037	28	11,134
1894.....	1,266	980	920	993	851	816	865	953	956	821	761	820	10	11,012
1895.....	906	821	1,053	854	843	715	803	938	1,023	902	743	858	5	10,464
1896.....	863	921	944	942	961	814	845	1,079	912	833	667	839	5	10,626
1897.....	916	851	1,259	1,020	892	769	840	1,019	997	999	835	837	2	11,236
1898.....	887	817	863	915	935	791	814	1,003	1,147	1,034	837	911	2	10,956
1899.....	1,432	1,049	935	965	899	768	783	1,031	953	882	781	881	11	11,370
1900.....	903	881	1,095	1,196	1,068	793	839	1,033	1,037	911	769	856	8	11,389
1901.....	955	1,091	1,132	955	944	789	836	831	970	882	831	897	20	11,133
1902.....	876	900	929	839	910	805	837	861	911	854	820	998	24	10,673
1903.....	1,006	944	996	989	930	786	901	865	957	865	831	919	20	11,009
1904.....	985	1,035	1,080	1,116	1,038	807	800	896	907	909	817	944	12	11,346
1905.....	981	1,009	1,197	1,023	957	830	768	1,006	1,012	958	824	799	17	11,381
1906.....	822	853	1,060	985	961	848	885	1,133	1,117	920	885	942	16	11,427
1907.....	1,118	1,128	1,177	1,069	973	947	844	898	855	932	875	978	9	11,803
1908.....	1,128	985	1,001	1,045	954	818	820	1,033	1,079	990	890	919	2	11,664
1909.....	985	887	1,178	1,022	960	838	831	886	912	979	872	945	-	11,295
1910.....	1,101	1,036	1,149	1,103	1,015	844	913	1,120	1,084	1,034	1,013	1,027	-	12,439
1911.....	1,094	1,085	1,223	1,057	1,025	791	951	964	886	890	823	938	4	11,731
1912.....	1,052	1,034	1,047	1,014	980	841	881	873	903	907	836	1,022	-	11,390
Total.....	21,702	20,444	22,292	21,287	20,119	17,062	17,745	20,440	20,569	19,263	17,296	19,160	246	237,625

NOTES ON DEATHS AND CAUSES OF DEATHS.

Table No. 27 exhibits the total number of deaths which occurred in each month of the years 1905-1912. The number of deaths for 1912 in each month by counties is shown in Table No. 34.

Sex and Mortality.—Of the 11,390 decedents, 5,865 were males and 5,523 were females, and two were not stated.

Among children dying before they were 5 years old, 1,067 were males and 861 were females; there were 206 more deaths among boys under 5 years of age than among girls within the same age-period. At the age-periods from 5 to 80 years, there was also a preponderance of deaths among males, but from 80 to 100, more among females. At the age of 100 years and over, one man and seven women died. See table No. 34.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under	1	year of age	1,465	12.87 per cent.
From	1-5	years of age	464	4.07 per cent.
From	5-10	years of age	188	1.65 per cent.
From	10-20	years of age	415	3.64 per cent.
From	20-30	years of age	666	5.85 per cent.
From	30-40	years of age	693	6.08 per cent.
From	40-50	years of age	747	6.56 per cent.
From	50-60	years of age	1,188	10.43 per cent.
From	60-70	years of age	1,815	15.94 per cent.
From	70-80	years of age	2,125	18.66 per cent.
From	80-90	years of age	1,348	11.83 per cent.
From	90-100	years of age	247	2.17 per cent.
100 years of age and over			8	0.08 per cent.
Åges not stated			21	0.17 per cent.

The Causes of Death.—Compared with 1911, among the chief causes of death there were in 1912, 90 more from cancer, 34 more from pneumonia, 30 more from measles, 20 more from diphtheria and croup, 10 more from diseases of nervous system, 7 more from rheumatism, 1 more from bronchitis and 1 more from scarlet fever.

On the other hand there were 180 less from diarrheal diseases, 107 less from influenza, 73 less from nephritis and

Bright's disease, 59 less from tuberculosis, 56 less from diseases of heart, 33 less from typhoid fever, 25 less from diabetes, and 23 less from whooping cough.

The next table gives a cursory view of the relative mortality in 1911 and 1912 from some of the leading causes of death.

DEATHS FROM SOME OF THE LEADING CAUSES.

DISEASES.	1911.	1912.	More in 1911.	More in 1912.
Measles.....	29	59	-	30
Scarlet fever.....	15	16	-	1
Influenza.....	200	93	107	-
Whooping cough.....	77	54	23	-
Diphtheria and croup.....	77	97	-	20
Typhoid fever.....	135	102	33	-
Tuberculosis.....	1,054	995	59	-
Diarrheal diseases.....	585	405	180	-
Rheumatism.....	58	65	-	7
Cancer.....	738	828	-	90
Diabetes.....	174	149	25	-
Diseases of nervous system.....	1,531	1,541	-	10
Diseases of heart.....	1,348	1,292	56	-
Pneumonia.....	1,071	1,105	-	34
Bronchitis.....	204	205	-	1
Nephritis and Bright's disease.....	830	757	73	-

The following table shows the mortality from ten prominent causes in the twenty-one years 1892-1912. The various diseases of the brain have occupied the first place among the causes of death, except in 1892, when pneumonia had the first place, and consumption was the next most prominent cause until 1898 when it was reduced to the third place in the list; and in 1899 and 1900 it occupied the fourth place; in 1901, the third place; in 1902, 1903, 1904, 1905, 1906, 1907, 1908, 1909, 1910, and 1911 it occupied the fourth place while this year it has declined to the fifth place. Diseases of the heart have the second place, and pneumonia has the third place.

MORTALITY FROM TEN PROMINENT CAUSES, 1892-1912.

YEARS.	Brain disease.*	Heart disease.	Pneumonia.	Consumption.	Kidney disease.†	Cancer.	Old age.	Diarrhea and enteritis (under 2 years).	Bronchitis.	Diphtheria and croup.
1892.....	3d	4th	1st	2d	8th	7th	5th	6th	9th	10th
1893.....	1st	4th	3d	2d	8th	7th	5th	6th	9th	10th
1894.....	1st	4th	3d	2d	8th	6th	5th	7th	9th	10th
1895.....	1st	3d	4th	2d	8th	7th	5th	6th	9th	10th
1896.....	1st	3d	4th	2d	8th	7th	5th	6th	10th	9th
1897.....	1st	3d	4th	2d	8th	7th	5th	6th	10th	9th
1898.....	1st	2d	4th	3d	8th	7th	6th	5th	9th	10th
1899.....	1st	3d	2d	4th	8th	7th	5th	6th	9th	10th
1900.....	1st	3d	2d	4th	8th	7th	5th	6th	9th	10th
1901.....	1st	2d	4th	3d	8th	6th	5th	7th	9th	10th
1902.....	1st	2d	3d	4th	7th	6th	5th	8th	9th	10th
1903.....	1st	2d	3d	4th	6th	7th	5th	8th	9th	10th
1904.....	1st	2d	3d	4th	6th	7th	5th	8th	9th	10th
1905.....	1st	2d	3d	4th	7th	6th	5th	8th	9th	10th
1906.....	1st	2d	3d	4th	5th	7th	8th	6th	9th	10th
1907.....	1st	2d	3d	4th	5th	6th	7th	8th	9th	10th
1908.....	1st	2d	3d	4th	6th	5th	8th	7th	9th	10th
1909.....	1st	2d	3d	4th	6th	5th	7th	8th	9th	10th
1910.....	1st	2d	3d	4th	5th	6th	8th	7th	9th	10th
1911.....	1st	2d	3d	4th	5th	6th	7th	8th	9th	10th
1912.....	1st	2d	3d	5th	6th	4th	7th	8th	9th	10th

* Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain, and its membranes, and other brain diseases.

† Including deaths certified as from nephritis and Bright's disease.

By referring to Table No. 29 it will be noticed that the causes of death are arranged by counties under fourteen classes. The following notes on some of the classes and individual causes of death will be arranged in accordance with the classification shown in this Table No. 29.

Infectious Diseases.—The lists of the infectious diseases usually include smallpox, measles, scarlet fever, typhoid fever, whooping cough, diphtheria and croup. The following table shows the number of deaths which resulted from these diseases in the several counties of the State:

SIX INFECTIOUS DISEASES BY COUNTIES—1912.

COUNTIES.	Estimated population in 1912.	Aggregate deaths from six infectious diseases—1912.	Infectious death-rate per 10,000—1912.
Androscoggin.....	60,938	43	7.06
Aroostook.....	77,448	37	4.78
Cumberland.....	114,278	51	4.46
Franklin.....	19,253	5	2.60
Hancock.....	35,241	18	5.11
Kennebec.....	63,613	27	4.24
Knox.....	28,697	6	2.09
Lincoln.....	17,926	8	4.46
Oxford.....	37,066	14	3.78
Penobscot.....	87,103	37	4.25
Piscataquis.....	20,475	6	2.93
Sagadahoc.....	18,222	5	2.74
Somerset.....	36,791	15	4.08
Waldo.....	23,223	10	4.31
Washington.....	42,439	10	2.36
York.....	69,208	40	5.78
State.....	751,915	332	4.42

In the foregoing table the second column shows for each county the whole number of deaths for 1912 from the infectious diseases; the third column shows the infectious death-rate for the same year. The following table makes a similar comparative exhibit for the cities:

SIX INFECTIOUS DISEASES BY CITIES—1912.

CITIES.	Estimated population in 1912.	Aggregate deaths from six infectious diseases—1912.	Infectious death-rate per 10,000—1912.
Auburn.....	15,488	13	8.39
Augusta.....	13,516	3	2.22
Bangor.....	25,393	11	4.33
Bath.....	9,180	3	3.26
Belfast.....	4,618	2	4.33
Biddeford.....	17,265	17	9.85
Brewer.....	5,833	1	1.71
Calais.....	5,808	1	1.72
Eastport.....	4,891	1	2.04
Ellsworth.....	3,399	2	5.88
Gardiner.....	5,273	2	3.79
Hallowell.....	2,894	-	-
Lewiston.....	26,745	24	8.97
Old Town.....	6,427	4	6.22
Portland.....	60,257	35	5.81
Rockland.....	8,176	5	6.11
Saco.....	6,673	3	4.50
South Portland.....	7,707	2	2.60
Waterville.....	11,854	11	10.48
Westbrook.....	8,481	5	5.90
Collectively.....	249,878	145	5.80

By consulting the following table it will be seen that the number of deaths from smallpox, scarlet fever, measles, diphtheria and croup was larger than in 1911. There was a smaller number of deaths from the other diseases included in this table.

INFECTIOUS DISEASES—1905-1912.

DISEASES.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	Total
Smallpox.....	-	-	-	-	-	-	-	4	4
Measles.....	32	105	83	21	36	95	29	59	410
Scarlet fever.....	7	5	14	17	32	40	15	16	146
Influenza.....	243	109	278	241	170	125	200	93	1,459
Whooping cough....	38	109	72	80	58	104	77	54	592
Diphtheria and croup	110	119	122	105	112	99	77	97	841
Tetanus.....	7	4	7	6	5	11	9	2	51
Typhoid fever.....	156	133	124	151	110	149	135	102	1,060

Smallpox.—No deaths were due to this disease from 1892, when our system of registration went into effect until 1899, when there were 3 deaths; in 1900, 2; in 1902, 12; in 1903, 7, and in 1904, 3. In 1911, as in 1910, 1909, 1908, 1907, 1906, 1905, 1901, and 1900, there were no deaths from smallpox. In 1912 there were 4 deaths from this cause, all children, under 1 year.

Measles.—This disease caused the death of 59 persons, of whom 29 were males and 30 were females. The deaths from measles were 29 in 1892, 55 in 1893, 21 in 1894, 8 in 1895, 32 in 1896, 22 in 1897, 41 in 1898, 39 in 1899, 84 in 1900, 26 in 1901, 28 in 1902, 36 in 1903, 22 in 1904, 32 in 1905, 105 in 1906, 33 in 1907, 21 in 1908, 36 in 1909, 95 in 1910, and 29 in 1911.

MEASLES BY COUNTIES, MONTHS, AND AGE-PERIODS—1896-1912.

By Counties.	By Months.	By Age-periods.
Androscoggin..... 93	January..... 67	Under 1..... 205
Aroostook..... 107	February..... 74	1-5..... 283
Cumberland..... 93	March..... 71	5-10..... 55
Frankfort..... 21	April..... 85	10-20..... 50
Hancock..... 24	May..... 94	20-30..... 34
Kennebec..... 64	June..... 66	30-40..... 34
Knox..... 26	July..... 67	40-50..... 26
Lincoln..... 6	August..... 43	50-60..... 16
Oxford..... 41	September..... 27	Over 60..... 34
Penobscot..... 71	October..... 47	Not stated..... 3
Piscataquis..... 13	November..... 55	Total..... 740
Sagadahoc..... 8	December..... 44	
Somerset..... 61	Total..... 740	
Waldo..... 17		
Washington..... 30		
York..... 65		
State..... 740		

Scarlet Fever.—The total mortality from this disease was 16 (36 in 1892, 80 in 1893, 29 in 1894, 25 in 1895, 33 in 1896, 38 in 1897, 43 in 1898, 48 in 1899, 35 in 1900, 18 in 1901, 13 in 1902, 18 in 1903, 10 in 1904, 7 in 1905, 5 in 1906, 14 in 1907, 17 in 1908, 32 in 1909, 40 in 1910, and 15 in 1911) 6 males and 10 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was 4 in the month of April. There were 5 deaths in the first quarter, 4 in the second, and 7 in the last quarter of the year.

Androscoggin county had 5 deaths from scarlet fever; Aroostook, 1; Cumberland, 2; Hancock, 2; Oxford, 1; Penobscot, 4, and York, 1. Of the 16 deaths from this cause, 8 were in the cities.

The following is the exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the twenty years 1893-1912.

SCARLET FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1912.

By Counties.	By Months.	By Age-periods.
Androscoggin..... 50	January..... 40	Under 1..... 45
Aroostook..... 79	February..... 44	1-5..... 251
Cumberland..... 59	March..... 70	5-10..... 153
Franklin..... 10	April..... 54	10-20..... 59
Hancock..... 23	May..... 44	20-30..... 16
Kennebec..... 46	June..... 42	30-40..... 8
Knox..... 29	July..... 25	40-50..... 1
Lincoln..... 5	August..... 23	50-60..... 2
Oxford..... 8	September..... 37	Not stated..... 1
Penobscot..... 51	October..... 46	Total..... 536
Piscataquis..... 11	November..... 64	
Sagadahoc..... 16	December..... 47	
Somerset..... 16	Total..... 536	
Waldo..... 14		
Washington..... 23		
York..... 96		
State..... 536		

The scarlatina death-rate per 10,000 for this State was 0.22 for the cities, 0.32.

Influenza.—During the year for which this report is made, 93 deaths were attributed to influenza. By months the percentage distribution of deaths from this cause was as follows: January, 15.05; February, 15.05; March, 17.20; April, 17.20; May, 7.52; June, 3.23; July, 2.15; September, 3.23; October, 3.23; November 6.46; December, 9.68. The following shows the age incidence of deaths reported as having occurred from influenza:

Under	1 year,	10	40-50 years,	2
	1- 5 years,	7	50-60 years,	4
	5-10 years,	2	60-70 years,	9
	10-20 years,	1	70-80 years,	28
	20-30 years,	0	Over 80 years,	27
	30-40 years,	3		93

The influenza death-rate for the whole State was 1.24 for each 10,000 living population (11.43 in 1892, 2.31 in 1893, 4.46 in 1894, 2.30 in 1895, 1.77 in 1896, 4.45 in 1897, 2.19 in 1898, 5.50 in 1899, 3.40 in 1900, 3.83 in 1901, 1.87 in 1902, 2.82 in 1903, 2.39 in 1904, 3.40 in 1905, 1.52 in 1906, 3.85 in 1907, 3.32 in 1908, 2.33 in 1909, 1.68 in 1910, and 2.67 in 1911).

DEATHS FROM INFLUENZA BY COUNTIES AND MONTHS, 1912.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin.....	1	-	-	-	-	1	-	-	-	-	-	-	2
Aroostook.....	-	-	1	2	6	2	-	-	1	2	2	-	16
Cumberland.....	2	2	-	-	-	-	1	-	1	-	-	1	7
Franklin.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Hancock.....	1	1	1	-	-	-	-	-	1	-	-	1	5
Kennebec.....	-	1	6	1	-	-	-	-	-	-	-	2	10
Knox.....	-	3	1	2	-	-	-	-	-	-	2	-	8
Lincoln.....	-	1	-	2	-	-	-	-	-	-	-	-	3
Oxford.....	2	3	-	1	-	-	-	-	-	-	2	1	9
Penobscot.....	3	1	1	2	-	-	-	-	-	-	-	1	8
Piscataquis.....	-	-	2	-	1	-	-	-	-	1	-	-	4
Sagadahoc.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset.....	-	-	2	2	-	-	1	-	-	-	-	-	5
Waldo.....	-	-	1	2	-	-	-	-	-	-	-	-	3
Washington.....	2	-	-	-	-	-	-	-	-	-	-	-	2
York.....	1	2	1	2	-	-	-	-	-	-	-	3	9
State	14	14	16	16	7	3	2	-	3	3	6	9	93

Whooping Cough.—The number of deaths from whooping cough was 54 (54 in 1892, 51 in 1893, 20 in 1894, 82 in 1895, 111 in 1896, 46 in 1897, 44 in 1898, 96 in 1899, 99 in 1900, 28 in 1901, 51 in 1902, 110 in 1903, 54 in 1904, 38 in 1905, 109 in 1906, 72 in 1907, 80 in 1908, 58 in 1909, 104 in 1910, and 77 in 1911), of which 21 were males and 33 females. The number of deaths in the cities was 20. Forty-two of the 54 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping cough was 0.72 per 10,000; that of the cities, 0.80.

The following shows the deaths from whooping cough arranged by counties, months, and age-periods.

WHOOPING COUGH BY COUNTIES, MONTHS, AND AGE-PERIODS, 1912.

By Counties.		By Months.		By Age-periods.	
Androscoggin	3	January	10	Under 1	42
Aroostook	10	February	8	1-5	12
Cumberland	5	March	6	5-10	-
Franklin	-	April	5	Total	54
Hancock	6	May	4		
Kennebec	4	June	2		
Knox	-	July	4		
Lincoln	-	August	4		
Oxford	-	September	3		
Penobscot	11	October	2		
Piscataquis	-	November	4		
Sagadahoc	-	December	2		
Somerset	1	Total	54		
Waldo	2				
Washington	3				
York	9				
State	54				

Diphtheria.—There were for the year 1912, 97 deaths from diphtheria. Of the decedents, 49 were males and 48 were females. Ages: Under 1, 10; 1-5, 39; 5-10, 30; 10-20, 15; 20-30, 1; 40-50, 1; 50-60, 1.

Of the 97 deaths, 34 were in the cities, and 63 in other places. The diphtheria death-rate for the State was 1.29, and for the cities, 1.37. The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

DIPHTHERIA BY COUNTIES AND MONTHS, 1912.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin . . .	-	-	2	1	2	-	2	2	-	1	1	1	12	1.91
Aroostook	2	1	1	2	1	1	-	2	3	1	1	2	17	2.20
Cumberland	-	1	2	1	-	-	-	1	-	3	-	2	10	0.88
Franklin	-	-	-	1	-	-	-	-	-	1	-	1	3	1.56
Hancock	2	1	2	-	-	-	-	-	-	-	-	1	6	1.70
Kennebec	1	-	1	-	-	-	-	-	-	-	5	2	9	1.42
Knox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	2	-	1	-	-	1	4	2.23
Oxford	2	1	-	-	-	-	-	-	-	-	1	2	6	1.62
Penobscot	-	-	-	-	-	-	-	-	1	1	2	-	4	0.46
Piscataquis	-	-	-	-	-	-	-	-	-	1	-	-	1	0.49
Sagadahoc	1	1	-	-	-	-	-	-	1	-	-	-	3	1.65
Somerset	-	-	-	-	-	-	-	-	-	-	2	-	2	0.54
Waldo	1	-	-	-	-	-	-	1	-	-	-	-	2	0.86
Washington	-	1	2	-	-	-	-	-	-	-	1	1	5	1.18
York	2	1	1	1	-	-	-	-	1	1	5	1	13	1.88
State	11	7	11	6	3	1	4	6	7	9	18	14	97	1.29

The following tabulation shows the number of deaths from diphtheria for the twenty years 1893-1912 arranged by counties, months, and age-periods.

DIPHTHERIA BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1912.

By Counties.		By Months.		By Age-periods.	
Androscoggin.....	350	January.....	310	Under 1.....	361
Aroostook.....	483	February.....	249	1-5.....	1,283
Cumberland.....	541	March.....	188	5-10.....	728
Franklin.....	48	April.....	184	10-20.....	330
Hancock.....	68	May.....	188	20-30.....	63
Kennebec.....	247	June.....	162	30-40.....	29
Knox.....	109	July.....	152	40-50.....	19
Lincoln.....	37	August.....	163	50-60.....	13
Oxford.....	87	September.....	200	60-70.....	6
Penobscot.....	224	October.....	306	Over 70.....	7
Piscataquis.....	31	November.....	378	Not stated.....	6
Sagadahoc.....	80	December.....	362	Total.....	2,845
Somerset.....	104	Not stated.....	3		
Waldo.....	35	Total.....	2,845		
Washington.....	126				
York.....	275				
State.....	2,845				

The following table shows the number of deaths from diphtheria in each of the cities in each year from 1898 to 1912; the diphtheria death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Diphtheria

CITIES.	1898.		1899.		1900.		1901.		1902.		1903.		1904.	
	Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.	
Auburn.....	14	11.10	3	2.35	2	1.54	2	1.52	-	-	2	1.49	3	2.30
Augusta.....	1	0.87	1	0.86	-	-	2	1.70	1	0.84	-	-	-	-
Bangor.....	7	3.29	-	-	2	0.92	2	0.90	4	1.79	-	-	3	1.31
Bath.....	2	1.98	2	1.94	2	1.91	5	4.69	3	2.77	7	6.36	14	12.52
Belfast.....	1	2.10	-	-	-	-	2	4.22	-	-	-	-	1	1.95
Biddeford.....	13	8.23	11	6.89	8	4.96	3	1.84	5	3.03	7	4.20	6	3.57
Brewer.....	-	-	-	-	1	2.07	-	-	-	-	-	-	3	5.89
Calais.....	-	-	1	1.31	1	1.31	-	-	1	1.29	1	1.29	-	-
Eastport.....	3	5.74	-	-	2	3.77	1	1.87	1	1.85	-	-	-	-
Ellsworth.....	-	-	-	-	-	-	1	2.33	-	-	-	-	1	2.33
Gardiner.....	1	1.82	1	1.82	-	-	4	7.27	-	-	2	3.63	-	-
Hallowell.....	1	3.56	1	3.62	-	-	-	-	-	-	-	-	-	-
Lewiston.....	38	16.27	47	19.95	17	7.15	7	2.92	1	0.41	5	2.05	7	2.85
Old Town.....	1	1.76	-	-	-	-	-	-	3	5.13	1	1.70	3	5.05
Portland.....	31	6.40	22	4.46	18	3.59	24	4.71	15	2.89	9	1.71	18	3.36
Rockland.....	-	-	1	1.23	-	-	1	1.23	1	1.23	-	-	-	-
Saco.....	1	1.64	3	4.90	2	3.27	2	3.26	1	1.63	1	1.63	1	1.63
South Portland.....	1	1.46	-	-	-	-	-	-	3	3.99	3	3.90	1	1.27
Waterville.....	-	-	-	-	1	1.06	1	1.03	3	3.01	5	4.91	5	4.80
Westbrook.....	2	2.80	1	1.39	10	13.73	2	2.72	-	-	1	1.34	4	5.30
Total.....	117	5.29	94	4.21	66	2.92	59	2.58	42	1.82	44	1.88	70	2.96
State.....	240	3.49	152	2.20	155	2.23	127	1.82	115	1.64	115	1.63	162	2.28
State exclusive of cities.....	123	2.64	58	1.24	89	1.90	68	1.45	73	1.55	71	1.51	92	1.95

in the Cities and the State, 1898-1912.

1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	1912.	Death-rate per 10,000.	Total:	Death-rate per 10,000.
1	0.72	4	2.86	6	4.24	6	4.19	2	1.38	2	1.33	4	2.62	4	2.58	55	2.68
3	2.45	1	0.81	4	3.20	2	3.17	2	1.57	-	-	-	-	-	-	17	1.03
-	-	5	2.13	5	2.10	1	0.42	1	0.41	1	0.40	2	0.80	6	2.36	39	1.12
4	3.52	-	-	2	1.71	-	-	-	-	5	5.32	-	-	2	2.18	48	2.99
-	-	1	1.86	-	-	-	-	1	1.90	1	2.16	-	-	-	-	7	0.95
9	5.29	1	0.58	2	1.15	3	1.71	15	8.35	8	4.68	4	2.33	8	4.63	103	4.10
-	-	2	3.83	-	-	2	3.74	-	-	-	-	-	-	-	-	8	1.04
-	-	1	1.27	-	-	-	-	1	1.25	2	3.27	1	1.64	-	-	9	0.84
-	-	-	-	-	-	4	7.10	4	7.05	4	8.06	1	2.02	1	2.04	21	2.63
-	-	-	-	-	-	2	4.65	-	-	-	-	-	-	-	-	4	0.62
-	-	1	1.82	1	1.82	-	-	2	3.63	-	-	-	-	-	-	12	1.45
-	-	-	-	-	-	-	-	3	1.11	1	3.49	-	-	-	-	6	0.79
2	0.81	2	0.80	6	2.38	10	3.94	6	2.34	10	3.81	5	1.89	6	2.24	169	4.65
4	6.68	11	18.23	4	6.58	1	1.63	-	-	1	1.58	1	1.57	-	-	30	3.33
10	1.85	13	2.36	7	1.24	11	1.92	13	2.23	9	1.54	7	1.18	5	0.83	212	2.68
-	-	6	7.36	6	7.36	1	1.23	3	3.68	-	-	-	-	-	-	19	1.55
1	1.63	-	-	1	1.62	1	1.62	1	1.62	1	1.52	1	1.51	1	1.50	18	1.93
1	1.25	1	1.22	3	3.58	-	-	-	-	-	-	-	-	2	2.60	15	1.28
5	4.69	3	2.75	7	6.29	4	3.52	2	1.74	3	2.62	-	-	5	4.22	44	2.71
2	2.63	3	3.91	6	7.75	3	3.84	2	2.54	1	1.21	3	3.57	-	-	40	3.52
42	1.75	55	2.27	60	2.46	51	2.08	58	2.34	49	1.99	29	1.16	40	1.61	876	2.49
110	1.54	119	1.66	122	1.70	105	1.44	112	1.53	99	1.33	77	1.03	97	1.29	1907	1.79
68	1.44	64	1.36	62	1.31	54	1.12	54	1.12	50	1.01	48	0.96	57	1.14	1031	1.45

Typhoid Fever.—There were 102 deaths from typhoid fever. Of these, 61 were males and 41 were females. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value; 73 per cent. died between 10 and 50 years of age.

Ages: 1-5, 3; 5-10, 8; 10-20, 20; 20-30, 23; 30-40, 19; 40-50, 12; 50-60, 12; 60-70, 3; 70-80, 2.

The largest number of deaths, 15, occurred in January, and the smallest number, 4, in July. By quarters, 30 were in the first quarter, 21 in the second, 26 in the third, and 25 in the last quarter of the year.

The typhoid death-rate of 1.88 in the cities is much greater than that in the villages and rural towns, which is 1.10. The rate for the State is 1.35.

The following exhibits the number of deaths from typhoid fever in each county, by months, with death-rate in each county.

TYPHOID FEVER, 1912.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	-	-	-	-	-	1	-	1	1	1	1	1	6	0.98
Aroostook....	3	1	-	-	-	-	-	-	1	1	-	-	6	0.77
Cumberland..	5	1	-	2	1	-	3	4	3	4	2	2	27	2.36
Franklin.....	-	-	1	-	-	-	-	1	-	-	-	-	2	1.04
Hancock.....	1	-	-	-	1	-	-	-	-	-	1	-	3	0.85
Kennebec....	-	-	2	-	1	-	-	-	-	-	1	1	5	0.79
Knox.....	-	-	-	1	-	2	-	-	-	-	-	-	3	1.05
Lincoln.....	-	-	1	-	1	-	-	2	-	-	-	-	4	2.23
Oxford.....	-	-	-	1	-	1	-	-	3	-	-	1	6	1.62
Penobscot....	3	2	2	4	1	-	-	-	4	-	-	-	16	1.84
Piscataquis..	-	1	-	-	1	1	-	-	-	1	-	-	4	1.95
Sagadahoc....	-	-	-	-	1	-	-	-	-	-	1	-	2	1.10
Somerset.....	1	-	-	-	-	-	-	-	-	-	-	2	3	0.82
Waldo.....	-	-	-	-	-	-	-	-	1	-	-	1	2	0.86
Washington...	-	-	-	-	-	-	-	-	-	2	-	-	2	0.29
York.....	2	4	-	1	-	-	1	1	-	-	1	1	11	1.59
State....	15	9	6	9	7	5	4	9	13	9	7	9	102	1.35

The following exhibits for the twenty years, 1893-1912 the distribution of deaths from typhoid fever by counties, months, and age-periods:

TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1912.

By Counties.		By Months.		By Age-periods.	
Androscoggin.....	313	January.....	288	Under 1.....	22
Aroostook.....	325	February.....	248	1-5.....	137
Cumberland.....	547	March.....	311	5-10.....	210
Franklin.....	79	April.....	283	10-20.....	827
Hancock.....	139	May.....	246	20-30.....	1,102
Kennebec.....	358	June.....	197	30-40.....	560
Knox.....	92	July.....	185	40-50.....	347
Lincoln.....	67	August.....	299	50-60.....	214
Oxford.....	155	September.....	444	60-70.....	135
Penobscot.....	628	October.....	490	70-80.....	84
Piscataquis.....	77	November.....	352	Over 80.....	18
Sagadahoc.....	65	December.....	331	Not stated.....	25
Somerset.....	122	Not stated.....	7	Total.....	3,681
Waldo.....	76	Total.....	3,681		
Washington.....	194				
York.....	444				
State.....	3,681				

The following table shows the number of deaths from typhoid fever in each of the cities in each year from 1898 to 1912, the typhoid death-rate of each city based upon the estimated population of each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates From Typhoid

CITIES.	1898.		1899.		1900.		1901.		1902.		1903.		1904.	
		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.
Auburn.....	3	2.38	5	3.91	4	3.09	-	-	1	0.75	1	0.74	1	0.73
Augusta.....	19	16.59	8	6.92	4	3.42	9	7.63	4	3.36	29	24.11	5	4.12
Bangor.....	7	3.29	15	6.95	4	1.83	24	10.85	7	3.12	10	4.41	39	16.99
Bath.....	1	0.99	-	-	1	0.95	1	0.94	2	1.85	1	0.91	2	1.79
Belfast.....	1	2.10	1	2.14	-	-	-	-	-	-	1	2.00	2	3.91
Biddeford.....	6	3.80	5	3.13	16	9.91	19	11.65	10	6.07	8	4.80	10	5.94
Brewer.....	-	-	4	8.38	1	2.07	7	14.29	1	2.01	-	-	3	5.89
Calais.....	-	-	4	5.25	2	2.61	3	3.90	3	3.88	2	2.58	-	-
Eastport.....	3	5.74	1	1.90	-	-	2	3.74	1	1.85	1	1.84	-	-
Ellsworth.....	3	6.82	-	-	2	4.65	-	-	2	4.65	2	4.65	1	2.33
Gardiner.....	2	3.64	2	3.64	1	1.82	2	3.64	1	1.82	1	1.82	-	-
Hallowell.....	1	3.56	-	-	-	-	4	14.73	2	7.37	1	3.68	1	3.68
Lewiston.....	17	7.28	24	10.19	15	6.31	13	5.42	2	0.83	3	1.23	9	3.66
Old Town.....	3	5.29	2	3.50	3	5.21	7	12.05	5	8.54	9	15.26	19	31.97
Portland.....	37	7.63	13	2.64	19	3.79	15	2.94	15	2.89	17	3.23	16	2.99
Rockland.....	5	6.13	1	1.23	1	1.23	1	1.23	1	1.23	1	1.23	2	2.45
Saco.....	3	4.91	4	6.54	6	9.80	5	8.16	4	6.52	5	8.15	5	8.14
South Portland...	2	2.93	2	2.86	-	-	-	-	1	1.33	3	3.90	1	1.27
Waterville.....	2	2.22	3	3.25	2	2.11	7	7.20	7	7.03	17	16.69	2	1.92
Westbrook.....	4	5.59	2	2.77	1	1.37	1	1.36	2	2.70	3	4.01	3	3.98
Total.....	119	5.38	96	4.16	82	3.68	120	5.25	71	3.07	115	4.91	121	5.11
State.....	226	3.29	206	2.98	196	2.82	224	3.21	162	2.31	225	3.18	242	3.41
State exclusive of cities.....	107	2.29	110	2.42	114	2.43	104	2.22	91	1.94	110	2.34	121	2.57

Malarial Diseases.—About every year a few deaths have been reported to the department as having been caused by malaria, or malarial disease. Almost without exception when there was good reason to believe that the deaths had malarial cause, the infection was contracted outside the State. For the year 1910, no deaths were reported as having been caused by malaria, for 1911 only 3, and only 2 reported for this year.

Fever in the Cities and the State, 1898-1912.

1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	1912.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
2	1.45	-	-	-	-	2	1.40	-	-	3	1.99	1	0.65	2	1.29	25	1.23
6	4.89	7	5.66	3	2.40	5	3.96	3	2.35	4	3.03	3	2.24	3	2.22	112	6.19
17	7.32	10	4.26	7	2.94	7	2.90	9	2.70	8	3.23	21	8.37	7	2.76	192	5.46
1	0.88	-	-	2	1.71	-	-	-	-	1	1.06	3	2.84	1	1.08	16	1.00
1	1.91	-	-	-	-	-	-	1	1.90	2	4.33	-	-	1	2.17	10	1.36
13	7.65	3	1.75	3	1.73	-	-	4	2.26	3	1.86	2	1.16	2	1.16	104	4.19
1	1.94	1	1.92	2	3.78	2	3.74	1	1.85	2	4.14	-	-	-	-	25	3.33
3	3.83	4	5.08	6	7.59	2	2.52	3	3.76	-	-	-	-	-	-	32	2.73
-	-	1	1.80	-	-	-	-	-	-	-	-	1	2.03	-	-	10	1.26
-	-	-	-	-	-	1	2.33	2	4.65	1	2.82	-	-	1	2.94	15	2.19
-	-	-	-	-	-	-	-	1	1.82	-	-	-	-	-	-	10	1.21
-	-	-	-	2	7.36	-	-	1	3.68	-	-	-	-	-	-	12	2.94
8	3.23	8	3.20	5	1.91	8	3.15	1	0.39	2	0.76	3	1.13	2	0.75	120	3.30
5	8.35	6	9.94	8	13.16	6	9.80	3	4.86	3	4.75	2	3.77	2	3.11	83	9.50
14	2.58	9	1.63	11	1.96	22	4.01	15	2.58	31	5.29	21	3.53	23	3.82	278	3.43
1	1.23	3	3.68	1	1.23	-	-	3	3.67	-	-	2	2.45	2	2.44	24	1.96
2	3.25	-	-	-	-	-	-	-	-	-	-	2	3.02	-	-	36	4.57
1	1.25	-	-	-	-	2	2.79	-	-	2	2.68	1	1.34	1	1.30	16	1.44
2	1.87	-	-	1	0.90	3	2.64	1	0.87	6	5.24	1	0.86	-	-	54	3.52
2	2.63	-	-	-	-	1	1.28	-	-	2	2.42	1	1.19	-	-	22	1.95
79	3.30	52	2.15	51	2.08	61	2.48	48	1.93	70	2.85	64	2.57	47	1.88	1196	3.39
156	2.18	133	1.85	124	1.73	151	2.08	110	1.51	149	2.01	135	1.80	102	1.36	2541	2.38
77	1.63	81	1.72	73	1.54	90	1.88	62	1.28	79	1.60	71	1.42	55	1.10	1345	1.89

Tuberculosis.—In 1912 tuberculosis in its various forms was the cause of 995 deaths (1,513 in 1892, 1,446 in 1893, 1,443 in 1894, 1,397 in 1895, 1,359 in 1896, 1,338 in 1897, 1,239 in 1898, 1,241 in 1899, 1,223 in 1900, 1,250 in 1901, 1,165 in 1902, 1,076 in 1903, 1,217 in 1904, 1,109 in 1905, 1,176 in 1906, 1,214 in 1907, 1,145 in 1908, 1,059 in 1909, 1,117 in 1910, and 1,054 in 1911.) The death-rate per 10,000 from this cause was 13.23.

The following table shows the number of deaths from tuberculosis (all kinds) in each county by months, with the death-rate in each county.

TUBERCULOSIS (ALL KINDS) BY COUNTIES AND MONTHS, 1912.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	5	8	11	11	11	3	5	6	6	5	5	7	83	13.62
Aroostook. . . .	5	7	5	6	12	3	10	4	3	5	7	7	74	9.55
Cumberland. . .	12	11	18	21	22	17	13	15	9	14	6	6	164	14.36
Franklin.	2	-	2	1	3	-	-	2	2	3	-	1	16	8.31
Hancock.	4	4	8	2	-	5	9	1	6	3	3	2	47	13.34
Kennebec.	13	5	6	5	8	7	7	3	6	7	10	5	82	12.89
Knox.	1	2	4	6	5	3	3	4	6	-	2	5	41	14.29
Lincoln.	1	2	-	4	4	4	1	1	2	2	-	1	22	12.27
Oxford.	3	3	7	8	2	2	-	4	5	2	2	7	45	12.14
Penobscot. . . .	13	13	12	19	18	13	8	14	13	13	5	11	152	17.41
Piscataquis. . .	3	3	1	2	2	1	-	1	-	2	4	1	20	9.77
Sagadahoc. . . .	-	2	3	1	3	3	3	2	3	4	5	1	30	16.46
Somerset.	4	3	7	4	4	5	3	5	1	2	2	2	42	11.42
Waldo.	3	1	4	5	5	2	-	1	3	2	5	2	33	14.21
Washington. . .	6	5	5	3	6	3	1	6	3	4	5	4	51	12.02
York.	7	13	8	9	12	11	9	4	3	9	4	4	93	13.44
State.	82	82	101	107	117	82	72	73	71	77	65	66	995	13.23

The following table shows the deaths from tuberculosis (all kinds) arranged according to sex and age-periods.

TUBERCULOSIS (ALL KINDS) BY SEX AND AGE-PERIODS, 1912.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	20	19	5	44	112	103	57	49	50	19	7	1	486
Females.....	13	26	8	78	131	93	51	40	37	21	11	-	509
Total.....	33	45	13	122	243	196	108	89	87	40	18	1	995

The following table shows the number of deaths from tuberculosis in each of the cities in each year from 1898 to 1912, the tuberculosis death-rate of each city based upon the estimated

Deaths and Death-Rates from Tuberculosis

CITIES.	1898.		1899.		1900.		1901.		1902.		1903.		1904.	
	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.	Deaths	Death-rate per 10,000.
Auburn	24	19.03	15	11.74	20	15.44	21	16.00	8	6.02	18	13.37	20	14.67
Augusta	22	19.21	20	17.29	21	17.97	22	18.65	18	15.11	20	16.63	22	18.11
Bangor	43	20.19	50	23.17	34	15.56	51	23.05	48	21.43	37	16.31	58	25.27
Bath	20	19.75	11	10.68	22	21.00	31	29.10	19	17.55	13	11.80	15	13.42
Belfast	5	10.52	5	10.68	12	26.00	9	18.98	11	22.60	12	24.03	10	19.53
Biddeford	27	17.08	34	21.28	28	17.34	38	23.29	37	22.44	37	22.21	39	23.18
Brewer	10	21.24	15	31.44	18	37.23	15	30.62	7	14.10	11	21.88	16	31.42
Calais	11	14.51	16	21.00	19	24.82	24	31.20	12	15.52	13	16.74	14	17.95
Eastport	8	15.30	19	36.05	13	24.48	17	31.77	9	16.69	10	18.41	10	18.27
Ellsworth	7	15.92	9	20.70	5	11.64	8	18.62	5	11.64	7	16.29	3	6.98
Gardiner	5	9.09	11	20.00	9	16.36	8	14.54	11	19.99	8	14.53	8	14.53
Hallowell	4	14.25	7	25.35	11	40.53	7	25.79	6	22.11	8	29.48	3	11.05
Lewiston	60	25.70	50	21.23	45	18.94	33	13.77	51	21.10	28	11.49	41	16.68
Old Town	9	15.86	9	15.74	11	19.09	10	17.22	14	23.92	14	23.74	16	26.92
Portland	113	23.31	107	21.70	109	21.74	124	24.32	120	23.16	98	18.61	102	19.07
Rockland	19	23.30	11	13.49	18	22.09	18	22.09	15	18.40	23	28.22	20	24.54
Saco	9	14.72	13	21.25	9	14.70	10	16.32	7	11.42	8	13.04	12	19.54
South Portland	9	13.18	9	12.85	13	18.12	11	14.97	9	11.97	12	15.61	15	19.08
Waterville	20	22.21	21	22.73	15	15.83	13	13.38	9	9.04	18	17.67	19	18.23
Westbrook	19	26.56	18	24.94	16	21.97	22	29.94	11	14.84	10	13.37	11	14.58
Total	444	20.09	450	20.14	448	19.83	492	21.52	427	18.45	405	17.30	454	19.17
State	1239	18.01	1241	17.96	1223	17.61	1250	17.90	1165	16.58	1076	15.23	1217	17.13
State exclusive of cities	795	17.03	791	16.91	775	16.54	758	16.16	738	15.71	671	14.27	763	16.20

population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

(all kinds) in the Cities and the State, 1898-1912.

1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	1912.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
17	12.32	18	12.88	28	19.80	17	11.88	21	14.51	19	12.61	13	8.51	22	14.20	281	13.53
22	17.94	18	14.54	20	16.01	24	19.03	33	25.83	32	24.22	25	18.71	23	17.02	342	18.42
51	21.96	48	20.43	54	22.71	47	19.54	60	24.67	55	22.17	45	17.93	50	19.69	731	20.94
20	17.61	11	9.54	9	7.69	14	11.79	10	8.29	14	14.90	5	4.74	16	17.43	230	14.35
8	15.25	6	11.17	7	12.73	9	17.14	5	9.52	10	21.65	15	32.48	7	15.16	131	17.66
29	17.06	45	26.21	38	21.92	49	27.96	34	19.19	42	24.59	38	22.13	33	19.11	548	21.67
21	40.73	18	34.48	14	26.50	4	7.48	10	18.48	12	21.18	7	11.74	14	24.00	192	23.24
17	21.69	12	15.24	14	17.70	13	16.36	10	12.53	15	24.53	18	30.19	10	17.22	218	19.81
13	23.58	13	23.41	10	17.88	8	14.20	17	29.97	17	34.27	9	18.27	4	8.18	177	22.05
5	11.64	8	18.62	3	6.98	6	13.97	7	12.34	5	14.09	3	8.63	3	8.83	84	13.16
7	12.71	5	9.08	14	25.42	12	21.78	11	19.96	7	13.18	15	28.30	6	11.38	137	16.72
8	29.48	9	33.16	8	29.48	8	29.48	6	22.11	4	13.97	5	17.37	8	27.64	102	24.75
42	16.94	58	23.20	57	22.62	52	20.47	36	14.05	52	19.81	45	16.99	50	18.70	700	18.78
19	31.72	17	28.17	14	23.03	18	29.40	11	17.83	12	19.00	8	12.55	20	31.12	202	22.35
100	18.41	101	18.31	104	18.57	104	18.13	105	18.04	76	12.98	100	16.83	100	16.60	1,563	19.32
18	22.09	12	14.72	16	19.63	13	15.95	7	8.59	8	9.79	15	18.35	10	12.23	223	18.23
13	21.15	8	13.01	12	19.49	7	11.36	6	9.73	7	10.63	6	9.05	5	7.49	132	14.13
9	11.21	13	15.85	11	13.14	7	9.76	7	11.13	19	25.43	10	13.39	-	-	154	13.71
16	15.01	17	15.60	23	20.65	16	14.07	15	13.03	27	23.56	20	17.16	14	11.81	263	16.67
10	13.14	12	15.64	10	12.92	12	15.38	10	12.71	15	18.11	11	13.11	15	17.69	202	17.66
445	18.57	449	18.53	466	19.01	440	17.91	421	16.96	448	18.24	413	16.58	410	16.41	6,612	18.58
1109	15.52	1176	16.36	1214	16.91	1145	15.75	1059	14.49	1117	15.05	1054	14.09	995	13.23	17280	16.12
664	14.08	727	12.40	748	15.82	705	14.65	638	13.22	669	13.47	641	12.84	585	11.65	10668	14.93

Cerebral Tuberculosis.—(Tubercular Meningitis.)—The number of deaths was 76; 30 were of males and 46 of females.

The number for the cities was 28. The death-rate for the State was 1.01; for the cities 1.12.

Ages: Under 1, 14; 1-5, 24; 5-10, 6; 10-20, 13; 20-30, 6; 30-40, 5; 40-50, 3; 50-60, 5.

Pulmonary Tuberculosis.—(Consumption.)—From this cause 780 deaths were registered in 1912, which is equivalent to a death-rate of 10.37 per 10,000 of population. The death-rate for the cities was 12.97. The following is a tabular arrangement of the number of deaths in the State from pulmonary tuberculosis in each of the twenty-one registration years, together with the death-rate from consumption for each year:

	Number of Deaths.	Death-rate per 10,000.
1892	1,352	20.24
1893	1,299	19.35
1894	1,262	18.80
1895	1,195	17.71
1896	1,172	17.21
1897	1,128	16.47
1898	1,021	14.85
1899	1,015	14.69
1900	1,027	14.79
1901	1,033	14.87
1902	970	13.97
1903	901	12.97
1904	1,016	14.63
1905	894	12.50
1906	915	12.73
1907	950	13.14
1908	893	12.29
1909	830	11.36
1910	889	11.98
1911	842	11.25
1912	780	10.37

There were in 1912, 572 fewer deaths than in 1892, 519 fewer than in 1893, 482 fewer than in 1894, 415 fewer than in 1895, 392 fewer than in 1896, 348 fewer than in 1897, 241 fewer than in 1898, 235 fewer than in 1899, 247 fewer than in 1900, 253 fewer than in 1901, 190 fewer than in 1902, 121 fewer than in 1903, 236 fewer than in 1904, 114 fewer than in 1905, 135 fewer than in 1906, 170 fewer than in 1907, 113 fewer than in 1908, 50 fewer than in 1909, 109 fewer than in 1910, and 62 fewer than in 1911.

Ages: Under 1, 8; 1-5, 14; 5-10, 6; 10-20, 91; 20-30, 212; 30-40, 164; 40-50, 88; 50-60, 69; 60-70, 76; 70-80, 35; 80 and over, 17.

It is thus shown in this report, that the smallest number of deaths occurred at the age-period 5-10 years, and that of the decedents, 71 per cent died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 392 of the decedents, or 50.3 per cent., were males; and 388, or 49.7 per cent., were females.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

CONSUMPTION BY COUNTIES AND MONTHS, 1912.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	3	5	8	11	10	3	5	4	3	5	5	7	69	11.32
Aroostook....	4	4	5	3	10	2	6	4	2	5	5	5	55	7.10
Cumberland..	11	11	12	17	18	10	10	12	6	10	5	4	126	11.03
Franklin.....	2	-	2	1	2	-	-	1	2	3	-	1	14	7.28
Hancock.....	3	4	6	2	-	1	9	-	6	3	1	2	37	10.50
Kennebec....	13	5	5	3	6	5	4	2	4	6	8	5	66	10.38
Knox.....	-	-	3	6	1	3	2	4	4	-	2	5	30	10.45
Lincoln.....	1	2	-	3	4	3	1	1	1	1	-	1	18	10.04
Oxford.....	3	3	7	6	1	1	-	4	4	2	2	4	37	9.98
Penobscot....	12	8	8	16	12	7	7	12	12	10	3	8	115	13.20
Piscataquis..	1	2	1	2	2	1	-	-	-	1	4	1	15	7.33
Sagadahoc....	-	2	2	1	2	2	3	2	3	2	4	1	24	13.17
Somerset.....	4	2	7	3	1	5	3	4	-	2	2	1	34	9.24
Waldo.....	2	1	3	4	4	1	-	1	2	2	4	1	25	10.77
Washington...	4	5	5	3	4	3	-	5	3	3	3	2	40	9.43
York.....	6	11	7	7	9	9	8	4	2	6	3	3	75	10.84
State.....	69	65	81	88	86	56	58	60	54	61	51	51	780	10.37

The following table shows the deaths from pulmonary tuberculosis arranged according to sex and age-periods:

CONSUMPTION BY SEX AND AGE-PERIODS, 1912.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	5	6	4	33	96	82	49	45	46	19	7	-	392
Females.....	3	8	2	58	116	82	39	24	30	16	10	-	388
Total.....	8	14	6	91	212	164	88	69	76	35	17	-	780

For the twenty years 1893-1912, the distribution of deaths from pulmonary tuberculosis is shown by counties, months, and age-periods in the following table:

CONSUMPTION BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1912.

By Counties.	By Months.	By Age-periods.
Androscoggin..... 1,565	January..... 1,701	Under 1..... 286
Aroostook..... 1,378	February..... 1,687	1-5..... 293
Cumberland..... 2,948	March..... 2,023	5-10..... 173
Franklin..... 449	April..... 1,963	10-20..... 2,338
Hancock..... 1,044	May..... 1,942	20-30..... 5,728
Kennebec..... 1,819	June..... 1,678	30-40..... 3,854
Knox..... 995	July..... 1,604	40-50..... 2,440
Lincoln..... 530	August..... 1,499	50-60..... 1,869
Oxford..... 759	September..... 1,387	60-70..... 1,596
Penobscot..... 2,408	October..... 1,497	70-80..... 1,077
Piscataquis..... 448	November..... 1,428	Over 80..... 303
Sagadahoc..... 536	December..... 1,606	Not stated..... 75
Somerset..... 983	Not stated..... 17	Total..... 20,032
Waldo..... 784	Total..... 20,032	
Washington..... 1,470		
York..... 1,916		
State..... 20,032		

The following table shows the number of deaths from pulmonary tuberculosis in each of the cities in each year from 1898 to 1912, the death-rate from this disease for each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths, and Death-Rates from Pulmonary Tuberculosis

CITIES.	1898.		1899.		1900.		1901.		1902.		1903.		1904.	
		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.
Auburn.....	21	16.65	12	9.39	17	13.13	14	10.67	7	5.27	14	10.40	13	9.53
Augusta.....	19	16.59	16	13.83	18	15.41	20	16.95	14	11.75	16	13.30	21	17.29
Bangor.....	32	15.02	40	18.54	28	12.81	36	16.27	40	17.86	31	13.67	47	20.48
Bath.....	18	17.78	6	5.82	19	18.13	29	27.22	13	12.01	13	11.80	11	9.84
Belfast.....	5	10.52	5	10.68	11	23.84	8	16.87	7	14.38	10	20.02	7	13.67
Biddeford.....	24	15.19	30	18.78	26	16.10	34	20.84	35	21.23	31	18.61	36	21.40
Brewer.....	7	14.87	14	29.34	12	24.82	12	29.49	5	10.07	8	15.91	14	27.49
Calais.....	9	11.87	15	19.69	14	18.29	20	26.00	10	12.93	9	11.59	10	12.82
Eastport.....	7	13.38	17	32.25	12	22.59	15	28.03	9	16.69	7	12.89	7	12.79
Ellsworth.....	7	15.92	8	18.40	5	11.64	8	18.62	5	11.64	7	16.29	2	4.65
Gardiner.....	5	9.09	7	12.73	8	14.54	5	9.09	9	16.35	7	12.72	8	14.53
Hallowell.....	3	10.69	5	18.11	10	36.85	7	25.79	5	18.42	7	25.79	3	11.05
Lewiston.....	46	19.70	34	14.43	40	16.83	25	10.43	46	19.03	21	8.61	33	13.42
Old Town.....	7	12.34	9	15.74	10	17.35	9	15.50	10	17.09	10	16.95	14	23.56
Portland.....	90	18.57	87	17.64	82	16.35	101	19.81	88	16.98	80	15.19	82	15.33
Rockland.....	13	15.94	6	7.36	17	20.86	17	20.85	15	18.40	20	24.54	16	19.63
Saco.....	7	11.45	10	16.35	9	14.70	7	11.42	3	4.89	8	13.04	10	16.28
South Portland.....	5	7.32	8	11.42	9	12.55	11	14.97	8	10.64	9	11.71	13	16.54
Waterville.....	14	15.55	19	20.56	14	14.77	10	10.30	7	7.03	16	15.70	15	14.39
Westbrook.....	13	18.17	15	20.78	14	19.22	17	23.14	8	10.79	9	12.04	11	14.58
Total.....	352	15.93	363	16.24	375	16.60	405	17.71	344	14.87	333	14.22	373	15.75
State.....	1021	14.84	1015	14.69	1027	14.79	1033	14.71	970	13.81	901	12.75	1016	14.30
State exclusive of cities.....	669	14.33	652	13.94	652	13.92	628	13.39	626	13.33	568	12.08	643	13.65

in the Cities and in the State, 1898-1912.

1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	1912.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
12	8.69	14	10.02	20	14.14	15	10.48	17	11.74	15	9.96	12	7.85	18	11.62	221	10.64
21	17.13	15	12.12	18	14.41	19	15.07	30	23.48	28	21.19	20	14.97	16	11.84	291	15.69
39	16.79	35	14.89	40	16.82	36	14.97	45	18.50	41	16.53	37	14.74	40	14.97	567	16.19
19	16.73	8	6.94	6	5.13	12	10.10	9	7.47	12	12.77	5	4.74	11	11.98	191	11.89
8	15.25	4	7.44	6	10.91	9	17.14	4	7.62	8	17.32	11	23.82	2	4.34	105	14.25
20	11.77	31	18.06	31	17.88	37	21.11	26	14.68	34	19.91	30	17.47	29	17.38	454	18.03
16	31.03	11	21.07	10	18.93	3	5.61	8	14.78	11	19.41	5	8.70	11	18.85	147	19.36
16	20.41	12	15.24	10	12.64	12	15.10	9	11.28	12	19.62	15	25.16	8	13.78	181	16.43
12	21.77	11	19.81	10	17.88	4	7.10	14	24.68	15	30.24	7	14.21	3	6.55	150	18.72
4	9.31	6	13.96	3	6.98	5	11.64	5	11.64	3	8.45	2	5.76	3	8.83	73	11.58
7	12.71	3	5.45	11	19.98	6	10.89	9	16.33	6	11.30	12	22.64	4	7.58	107	13.06
8	29.48	8	29.48	7	25.79	8	29.48	5	18.42	4	13.97	5	17.37	8	27.64	93	22.56
31	12.51	43	17.20	43	17.06	38	14.96	26	10.15	39	14.86	34	12.83	42	15.70	541	14.52
18	30.06	13	21.54	14	23.03	11	17.97	9	14.59	8	12.66	7	10.99	16	26.45	165	14.51
77	14.17	77	13.96	78	13.93	68	11.85	78	13.40	63	12.56	73	12.29	78	12.94	1,202	14.99
18	22.09	10	12.27	14	17.18	10	12.27	3	3.68	6	7.34	10	12.23	10	12.23	185	15.12
12	19.52	8	13.01	11	17.87	4	6.49	5	8.11	2	3.04	6	9.05	4	5.99	106	11.41
2	2.49	11	13.41	8	9.55	6	8.36	4	6.36	13	17.40	10	13.39	-	-	117	10.40
14	13.13	15	13.76	17	15.27	12	10.55	12	10.43	24	20.95	18	15.44	11	9.28	218	13.81
8	10.51	12	15.64	8	10.34	10	12.81	9	11.44	11	13.28	10	11.93	10	11.79	165	14.43
362	15.11	347	14.32	365	14.99	325	13.22	327	13.18	355	14.45	329	13.21	324	12.97	5,279	14.85
894	12.51	915	12.73	950	13.14	893	12.29	830	11.36	889	11.98	842	11.25	780	10.37	13,976	13.03
532	11.28	568	12.03	585	12.37	568	11.81	503	10.42	534	10.75	513	10.27	456	9.08	8,697	12.17

Abdominal Tuberculosis.—There were 63 deaths from this cause, 27 males and 36 females.

Ages: Under 1, 5; 1-5, 1; 5-10, 1; 10-20, 5; 20-40, 27; 40-60, 17; over 60, 7.

Acute Miliary Tuberculosis.—There were 10 deaths from this cause, 2 males and 8 females.

Ages: Under 1, 1; 10-20, 2; 20-30, 3; 30-40, 2; over 40, 2.

Tuberculosis, Other Forms.—Of these deaths, 66 in all, the cause assigned was: Disseminated tuberculosis, 22; tuberculosis of kidneys, 7; tuberculosis of bones, 7; tuberculosis of glands, 6; tubercular abscess, 4; tuberculosis of bladder, 4; scrofulosis, 3; thigh, 1; Pott's disease, 10; white swellings, 2.

There were 26 deaths from erysipelas; 32 from pyemia and septicemia, and 14 from puerperal fever—giving a special death-rate of 0.19. The following shows the distribution of puerperal fever by months and counties:

January	2	Androscoggin	0
February	4	Aroostook	1
March	0	Cumberland	1
April	0	Franklin	0
May	0	Hancock	1
June	0	Kennebec	4
July	0	Knox	0
August	3	Lincoln	0
September	0	Oxford	0
October	1	Penobscot	1
November	4	Piscataquis	4
December	0	Sagadahoc	0
	—	Somerset	1
Total	14	Waldo	0
		Washington	1
		York	0
		Total	14

Thirty-nine deaths were returned under alcoholism. The special death-rate from alcoholism was 0.52.

Rheumatism.—The returns give 65 deaths from this cause, (68 in 1892, 46 in 1893, 66 in 1894, 56 in 1895, 44 in 1896, 42 in 1897, 57 in 1898, 56 in 1899, 56 in 1900, 53 in 1901, 45 in

1902, 58 in 1903, 60 in 1904, 60 in 1905, 54 in 1906, 47 in 1907, 47 in 1908, 45 in 1909, 56 in 1910, and 58 in 1911), 31 were males and 34 females. Twenty-three of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.86, and that in the cities was 0.90. The following shows the deaths from this cause arranged by counties, months, and age-groups:

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS, 1912.

By Counties.	By Months.	By Age-periods.
Androscoggin.....	5 January.....	5 Under 1..... -
Aroostook.....	8 February.....	7 1-5..... -
Cumberland.....	9 March.....	5 5-10..... 3
Franklin.....	1 April.....	10 10-20..... 6
Hancock.....	5 May.....	3 20-30..... 4
Kennebec.....	5 June.....	2 30-40..... 4
Knox.....	3 July.....	5 40-50..... 4
Lincoln.....	2 August.....	3 50-60..... 9
Oxford.....	3 September.....	8 60-70..... 14
Penobscot.....	4 October.....	6 70-80..... 13
Piscataquis.....	1 November.....	4 Over 80..... 8
Sagadahoc.....	1 December.....	7 Total..... 65
Somerset.....	4 Total.....	65
Waldo.....	7	
Washington.....	3	
York.....	4	
State.....	65	

The following shows the distribution of deaths from rheumatism by counties, months, and age-periods for the twenty years, 1893-1912.

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1912.

By Counties.		By Months.		By Age-periods.	
Androscoggin.....	59	January.....	102	Under 1.....	6
Aroostook.....	75	February.....	119	1-5.....	18
Cumberland.....	157	March.....	87	5-10.....	39
Franklin.....	24	April.....	80	10-20.....	90
Hancock.....	52	May.....	102	20-30.....	66
Kennebec.....	94	June.....	58	30-40.....	69
Knox.....	49	July.....	87	40-50.....	86
Lincoln.....	37	August.....	83	50-60.....	143
Oxford.....	66	September.....	74	60-70.....	221
Penobscot.....	126	October.....	76	70-80.....	240
Piscataquis.....	35	November.....	99	Over 80.....	91
Sagadahoc.....	33	December.....	102	Not stated.....	3
Somerset.....	61	Not stated.....	3	Total.....	1,072
Waldo.....	47	Total.....	1,072		
Washington.....	54				
York.....	103				
State.....	1,072				

Cancer.—From cancer in its various forms and locations there were 828 deaths (404 in 1892, 433 in 1893, 474 in 1894, 480 in 1895, 518 in 1896, 463 in 1897, 531 in 1898, 541 in 1899, 526 in 1900, 570 in 1901, 615 in 1902, 598 in 1903, 611 in 1904, 662 in 1905, 617 in 1906, 737 in 1907, 710 in 1908, 727 in 1909, 762 in 1910, and 738 in 1911). Of the decedents, 261 were males and 567 were females. The cancer death-rate for the State was 11.02.

Distributed as to its more frequent locations, there died of cancer of the stomach, 208; peritonerm and intestines, 151; female genital organs, 120; liver, 117; breast, 61; skin, 30; buccal cavity, 26; abdomen, 19; neck, 10; kidney, 10; prostate, 9; bladder, 7; glands, 7; pelvis, 7; lungs, 6; eye, 5; larynx, 5; arm, 4; throat, 4; hand, 2; brain 1; leg, 1; nose, 1; shoulder, 1; various, 6; unspecified, 10.

The deaths from cancer, arranged by sex and age-periods of the decedents, are exhibited in the following:

CANCER BY SEX AND AGE-PERIODS, 1912.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	-	-	1	-	3	3	14	73	76	75	15	1	261
Females.....	1	3	-	2	5	35	85	120	149	118	47	2	567
Total.....	1	3	1	2	8	38	99	193	225	193	62	3	828

The distribution of cancer by counties and age-groups and the special death-rate for each county are shown in the following for 1912, and for the twenty years, 1893-1912:

CANCER, 1912 AND 1893-1912.

COUNTIES.	1912.		1893-1912.		AGE-GROUPS.	Number of deaths.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.		1912.	1893-1912.
Androscoggin.....	76	12.47	951	8.65	Under 1 year.....	1	15
Aroostook.....	46	5.94	471	3.74	From 1-5 years ...	3	20
Cumberland.....	146	12.77	2,144	10.51	" 5-10 " ...	1	13
Franklin.....	25	12.98	364	9.88	" 10-20 " ...	2	48
Hancock.....	42	11.92	623	8.45	" 20-30 " ...	8	161
Kennebec.....	73	11.48	1,107	9.27	" 30-40 " ...	38	619
Knox.....	35	12.20	584	9.61	" 40-50 " ...	99	1,511
Lincoln.....	28	15.62	416	10.42	" 50-60 " ...	193	2,547
Oxford.....	35	9.44	561	8.53	" 60-70 " ...	225	3,248
Penobscot.....	95	10.91	1,326	8.49	" 70-80 " ...	193	2,868
Piscataquis.....	10	4.88	250	7.14	Over 80 years.....	62	1,043
Sagadahoc.....	28	15.37	361	9.04	Not stated.....	3	48
Somerset.....	30	8.15	596	8.73		828	12,141
Waldo.....	31	13.35	451	9.05			
Washington.....	50	11.78	659	7.38			
York.....	78	11.25	1,277	9.75			
State.....	828	11.02	12,141	8.63			

CANCER, 1902-1912.

	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.
Cancer of buccal cavity.....	19	19	29	25	29	28	30	28	29	23	26
Cancer of stomach and liver...	249	220	238	273	215	288	266	286	288	289	325
Cancer of the peritoneum, intestines and rectum.....	61	75	76	76	101	101	99	97	109	117	151
Cancer of female genital organs	98	91	78	100	92	116	100	108	105	121	120
Cancer of breast.....	63	54	57	51	49	70	64	62	77	65	61
Cancer of skin.....	31	21	27	24	30	33	42	39	38	22	30
Cancer of other organs, and of organs not specified.....	94	118	106	113	101	101	109	107	116	101	115
Cancer totals.....	615	598	611	662	617	737	710	727	762	738	828

Diabetes.—The deaths from this cause numbered 149 (55 in 1892, 65 in 1893, 71 in 1894, 77 in 1895, 67 in 1896, 95 in 1897, 88 in 1898, 95 in 1899, 74 in 1900, 87 in 1901, 83 in 1902, 92 in 1903, 91 in 1904, 115 in 1905, 121 in 1906, 107 in 1907, 116 in 1908, 129 in 1909, 127 in 1910, and 174 in 1911). The special death-rate from diabetes was, therefore 1.98 in 1912. Sixty-three of the decedents were males and 86 were females.

Ages: 1-5, 4; 5-10, 6; 10-20, 11; 20-30, 11; 30-40, 6; 40-50, 8; 50-60, 19; 60-70, 41; 70-80, 35; 80-90, 8.

Old Age.—There were registered 585 deaths as due to old age, 253 men and 332 women, the old age limit not including any persons who died at an age lower than 60 years. Of these decedents, 8 were from 60 to 70 years of age; 138 were from 70 to 80; 310 were from 80 to 90; 122 were from 90 to 100; while 8 were over 100 years of age, and 2 not stated.

From Table No. 34, however, it will be seen that the whole number of persons who died at the ages between 60 and 100 years or more was 5,543, or one death in every four and nine-tenths was of a person who was between 60 and 100 years of age or older.

The following shows the number of deaths in each county of persons 60 years of age and over, and the death-rate per 10,000 of the population at all ages.

COUNTIES.	Deaths.	Rate per 10,000.	COUNTIES.	Deaths.	Rate per 10,000.
Androscoggin.....	409	67.12	Oxford.....	267	72.05
Aroostook.....	239	30.86	Penobscot.....	625	71.75
Cumberland.....	867	75.87	Piscataquis.....	114	55.68
Franklin.....	164	85.18	Sagadahoc.....	173	94.94
Hancock.....	300	85.13	Somerset.....	279	75.83
Kennebec.....	559	88.91	Waldo.....	242	104.21
Knox.....	279	97.22	Washington.....	315	74.22
Lincoln.....	169	94.28	York.....	545	78.75

Centenarians.—Among the persons whose decease occurred in 1912, one man and seven women had exceeded the age of 100 years. Their names, together with a few facts relating to the life history of each are as follows:

May 14, Peter Levesque died in Woodland at the age of 109 years. He was born in Riviere du Loup, Quebec. He was a farmer. No information was given about his parents.

February 14, Sarah E. Hodgkins died in Bath, at the age of 103 years, 6 months and 16 days. She was born in Bath. Her father, James Rowe, was a sea-captain, who was lost at sea with his wife when this person was a very young child. She was then adopted by Gardiner people. Her mother's name was not given.

December 12, Mary Nedeon died in Hampden, at the age of 103 years. She was born in Canada. No information was given about her parents.

April 3, Pessie Slosberg died in Randolph at the age of 102 years. She was born in Russia. The names of parents were not given. They were Russian born.

September 4, Judith H. Lowell died in Carroll, at the age of 101 years, 2 months and 19 days. She was born in China, Maine. Her parents were American born.

August 25, Lucy White Purington died in West Bath at the age of 101 years, and 9 days. She was a native of West Bath. Her father, Joseph White, a farmer, was also born in West Bath. Her mother, Sarah Curtis, was born in Brunswick.

December 13, Mary Ackley died at Milton Pl., at the age of 100 years, 3 months, and 24 days. She was born in Buckfield. Her parents, Henry Brown and Phebe Brock, were American born.

January 1, Sally Wentworth died at Knox, at the age of 100 years, 3 months and 17 days. She was born in Sedgwick. Her father, whose name was Reed, and his wife, were American born.

Diseases of the Nervous System and of Organs of Special Sense.—The number of deaths registered under the causes included in this group was 1,548 (1,459 in 1892, 1,451 in 1893, 1,543 in 1894, 1,585 in 1895, 1,520 in 1896, 1,661 in 1897, 1,607 in 1898, 1,728 in 1899, 1,652 in 1900, 1,615 in 1901, 1,600 in 1902, 1,641 in 1903, 1,578 in 1904, 1,648 in 1905, 1,524 in 1906, 1,731 in 1907, 1,624 in 1908, 1,543 in 1909, 1,672 in 1910, and 1,540 in 1911), or 20.59 to every 10,000 of population.

Inflammation of the Brain or Membranes.—The number of deaths was 108 (236 in 1892, 263 in 1893, 286 in 1894, 261 in 1895, 242 in 1896, 327 in 1897, 272 in 1898, 273 in 1899, 251 in 1900, 264 in 1901, 211 in 1902, 243 in 1903, 212 in 1904, 216 in 1905, 159 in 1906, 282 in 1907, 215 in 1908, 153 in 1909, 149 in 1910, and 113 in 1911), 59 males and 49 females. Of these, 54 were in the cities. The death-rate from the several diseases grouped under this head was 1.44.

Ages: Under 1, 37; 1-5, 27; 5-10, 9; 10-20, 10; 20-40, 11; 40-60, 5; over 60, 9.

Apoplexy.—From this cause 930 deaths occurred (488 in 1892, 422 in 1893, 408 in 1894, 488 in 1895, 492 in 1896, 555 in 1897, 558 in 1898, 629 in 1899, 583 in 1900, 595 in 1901, 674 in 1902, 712 in 1903, 714 in 1904, 751 in 1905, 718 in 1906, 825 in 1907, 802 in 1908, 817 in 1909, 887 in 1910, and 860 in 1911), 430 males and 500 females. Of these 303 were in the cities. The State's death-rate from apoplexy was, therefore, 12.37; that of the cities, 12.13.

The largest number of deaths from apoplexy, 263, occurred in the winter; the largest number in any one month was 90 in February.

In 1894, 1896, 1900, 1905, 1906, 1908, 1909, and 1911, the greatest mortality from this cause occurred in the spring; in 1892, 1893, 1895, 1897, 1899, 1901, 1903, 1904, 1907, 1909, and 1910 in the winter; in 1898, in the winter and spring; and in 1902, in the summer.

Conversely, the smallest number of deaths, 62 was in August; the smallest number in any one season was 205 in the fall months. Over 78 per cent of the deaths were of persons 60 years of age and upward.

APOPLEXY BY COUNTIES AND MONTHS, 1912.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	3	8	11	9	3	4	4	5	7	2	5	5	66	10.83
Aroostook...	3	4	2	3	2	2	3	2	4	2	4	6	37	4.78
Cumberland..	15	11	8	7	15	11	13	10	14	11	11	20	146	12.78
Franklin.....	2	5	1	4	2	2	2	1	4	3	2	2	30	15.58
Hancock.....	5	4	5	3	2	6	6	1	8	4	2	4	50	14.19
Kennebec....	9	12	6	4	14	10	3	2	10	8	7	6	91	14.34
Knox.....	7	3	6	4	5	4	7	1	5	2	3	7	54	18.82
Lincoln.....	2	-	1	1	1	1	2	2	1	4	-	2	17	9.48
Oxford.....	2	9	2	3	5	1	4	4	3	3	4	3	43	11.60
Penobscot...	6	8	5	12	7	8	5	12	11	11	11	8	104	11.94
Piscataquis..	2	1	1	1	-	2	2	3	1	2	4	1	20	9.77
Sagadahoc...	3	5	-	2	1	1	2	1	1	5	4	1	26	14.27
Somerset.....	5	3	5	10	4	9	6	2	5	4	2	5	60	16.31
Waldo.....	2	1	1	4	1	1	2	1	2	5	1	5	26	11.19
Washington..	7	6	2	3	4	4	4	7	6	6	5	4	58	13.67
York.....	11	10	10	9	7	6	6	8	7	10	8	10	102	14.74
State.....	84	90	66	79	73	72	71	62	89	82	73	89	930	12.37

The following is a tabular exhibit by sex and age-groups of the deaths from apoplexy:

APOPLEXY BY SEX AND AGE-PERIODS, 1912.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	4	1	-	1	4	4	19	68	108	139	81	1	430
Females.....	4	2	-	-	3	11	27	58	122	167	106	-	500
Totals.....	8	3	-	1	7	15	46	126	230	306	187	1	930

APOPLEXY, 1912 AND 1896-1912.

COUNTIES.	1912.		1893-1912.	1896-1912.
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.
Androscoggin.....	66	10.83	1,123	10.55
Aroostook.....	37	4.78	414	3.70
Cumberland.....	146	12.78	2,319	11.39
Franklin.....	30	15.58	397	10.81
Hancock.....	50	14.19	580	8.48
Kennebec.....	91	14.34	1,400	12.12
Knox.....	54	18.82	673	12.00
Lincoln.....	17	9.48	426	11.63
Oxford.....	43	11.60	635	9.97
Penobscot.....	104	11.94	1,348	9.23
Piscataquis.....	20	9.77	266	8.51
Sagadahoc.....	26	14.27	457	11.50
Somerset.....	60	16.31	696	10.55
Waldo.....	26	11.19	509	10.85
Washington.....	58	13.67	668	7.83
York.....	102	14.74	1,509	11.67
State.....	930	12.37	13,420	9.78

Softening of the Brain.—From cerebral softening there were 21 deaths—those of 10 males and 11 females.

Ages: From 50-60, 3; 60-70, 5; 70-80, 9; over 80, 4.

Paralysis.—Of the 154 deaths from paralysis, 68 persons were males and 86 were females.

Ages: 10-20, 3; 20-30, 2; 30-40, 5; 40-50, 6; 50-60, 22; 60-70, 37; 70-80, 54; 80-90, 21; unknown, 4.

Epilepsy.—Twenty-one males and 14 females died of epilepsy, 35 in all.

Ages: Under 1, 2; 1-5, 2; 10-20, 5; 20-40, 9; 40-60, 10; over 60, 7.

Tetanus.—This disease was the cause of 2 deaths (7 in 1892, 10 in 1893, 6 in 1894, 10 in 1895, 8 in 1896, 2 in 1897, 4 in 1898, 11 in 1899, 7 in 1900, 5 in 1901, 7 in 1902, 11 in 1903, 14 in 1904, 7 in 1905, 4 in 1906, 7 in 1907, 6 in 1908, 5 in 1909, 11 in 1910, and 9 in 1911). The decedents were 2 females.

Ages: 5-10, 1; 70-80, 1.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, pericarditis, angina pectoris, and organic diseases of the heart, there were 1,292 deaths (816 in 1892, 875 in 1893, 940 in 1894, 948 in 1895, 1,036 in 1896, 1,062 in 1897, 1,132 in 1898, 1,028 in 1899, 1,045 in 1900, 1,076 in 1901, 1,097 in 1902, 1,153 in 1903, 1,191 in 1904, 1,222 in 1905, 1,246 in 1906, 1,381 in 1907, 1,284 in 1908, 1,330 in 1909, 1,380 in 1910, and 1,348 in 1911). The following exhibits the age and sex distribution of each form of disease for the year 1912.

DISEASES.	Under 1.	1-10.	10-20.	20-40.	40-60.	Over 60.	Not stated.	Males.	Females.	Total.
Pericarditis	-	1	2	1	2	2	-	3	5	8
Endocarditis	2	1	5	8	10	4	-	17	13	30
Organic diseases of heart	3	4	13	50	201	897	1	685	484	1169
Angina pectoris	-	-	-	1	16	68	-	40	45	85
Total	5	6	20	60	229	971	1	745	547	1292

For the year 1912, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and county :

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin.....	93	15.26	Oxford.....	72	19.43
Aroostook.....	48	6.20	Penobscot.....	110	12.63
Cumberland.....	253	22.14	Piscataquis.....	22	10.74
Franklin.....	25	12.98	Sagadahoc.....	47	25.79
Hancock.....	58	16.46	Somerset.....	57	15.49
Kennebec.....	137	21.54	Waldo.....	43	18.52
Knox.....	70	24.39	Washington.....	94	22.15
Lincoln.....	30	16.74	York.....	133	19.22
			State.....	1,292	17.18

As may be noted, Sagadahoc county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 17.18.

The whole number of deaths from disease of the heart arranged by sex and age-groups was as follows:

**HEART DISEASE BY SEX AND AGE-PERIODS,
1912.**

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	2	-	2	10	18	14	42	103	206	244	103	1	745
Females.....	3	1	3	10	11	17	35	49	129	187	102	-	547
Total.....	5	1	5	20	29	31	77	152	335	431	205	1	1292

Diseases of the Respiratory System.—Without the inclusion of tuberculosis, 1,452 persons died from the various respiratory diseases as tabulated on page 99 (1,760 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895, 1,141 in 1896, 1,347 in 1897, 1,124 in 1898, 1,455 in 1899, 1,513 in 1900, 1,405 in 1901, 1,380 in 1902, 1,348 in 1903, 1,428 in 1904, 1,391 in 1905, 1,330 in 1906, 1,497 in 1907, 1,334 in 1908, 1,509 in 1909, 1,664 in 1910, and 1,421 in 1911). From these diseases there were, therefore, 308 fewer deaths than in 1892, 45 more than in 1893, 140 more than in 1894, 287 more than in 1895, 311 more than in 1896, 105 more than in 1897, 328 more than in 1898, 3 fewer than in 1899, 61 fewer than in 1900, 47 more than in 1901, 72 more than in 1902, 104 more than in 1903, 24 more than in 1904, 61 more than in 1905, 122 more than in 1906, 45 more than in 1907, 118 more than in 1908, 57 fewer than in 1909, 212 fewer than in 1910, and 31 more than in 1911.

Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis, and the other respiratory diseases, in 1912, the number of deaths was 880 smaller than in 1892, 474 smaller than in 1893, 342 smaller than in 1894, 128 smaller than in 1895, 81 smaller than in 1896, 243 smaller than in 1897, 87 larger than in 1898, 238 smaller than in 1899, 308 smaller than in 1900, 206 smaller than in 1901, 118 smaller than in 1902, 17 smaller than in 1903, 212 smaller than in 1904, 53 smaller than in 1905, 13 smaller than in 1906, 215 smaller than in 1907, 5 larger than in 1908, 107 smaller than in 1909, 321 smaller than in 1910, and 31 smaller than in 1911.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1912 was 19.32 in each 10,000 population, as compared with 18.98 in 1911, 22.41 in 1910, 20.65 in 1909, 18.35 in 1908, 20.71 in 1907, 18.50 in 1906, 19.46 in 1905, 20.56 in 1904, 19.41 in 1903, 19.87 in 1902, 20.23 in 1901, 21.79 in 1900, 20.91 in 1899, 17.00 in 1898, 20.38 in 1897, 17.26 in 1896, 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, and 27.16 in 1892.

Pneumonia.—The number of deaths registered under this cause was 1,105 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894, 812 in 1895, 781 in 1896, 936 in 1897, 769 in 1898, 1,067 in 1899, 1,067 in 1900, 994 in 1901, 987 in 1902, 999 in 1903, 1,050

in 1904, 1,053 in 1905, 970 in 1906, 1,153 in 1907, 1,068 in 1908, 1,120 in 1909, 1,246 in 1910, and 1,071 in 1911), of which 547 were males and 558 were females. The death-rate from this disease was, therefore, 14.70 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, 12.28 in 1895, 11.81 in 1896, 14.16 in 1897, 11.62 in 1898, 15.44 in 1899, 15.36 in 1900, 14.31 in 1901, 14.21 in 1902, 14.39 in 1903, 15.12 in 1904, 14.73 in 1905, 13.50 in 1906, 15.95 in 1907, 14.69 in 1908, 15.32 in 1909, 16.78 in 1910, and 14.31 in 1911). As 452 of the deaths occurred in the cities, the urban death-rate was 18.09.

The age distribution of pneumonia by sex and age-groups is shown in the following table.

PNEUMONIA BY SEX AND AGE-PERIODS, 1912.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	130	55	10	17	18	31	38	57	67	72	50	2	547
Females.....	97	55	3	8	18	24	30	32	78	111	102	-	558
Total.....	227	110	13	25	36	55	68	89	145	183	152	2	1105

PNEUMONIA BY COUNTIES AND MONTHS WITH DEATH-RATE PER 10,000, 1912.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	21	9	17	12	13	2	4	1	1	6	10	16	112	18.38
Aroostook. . . .	14	12	10	5	6	6	3	5	4	11	4	4	84	10.85
Cumberland. . .	15	21	17	11	21	7	4	6	7	11	15	18	153	13.39
Franklin.	8	12	3	-	3	-	-	1	2	1	5	4	39	20.26
Hancock.	4	8	5	5	3	5	2	1	6	4	-	5	48	13.62
Kennebec.	20	11	15	12	11	3	3	4	3	12	14	12	120	18.86
Knox.	2	4	1	7	4	3	1	2	-	2	2	1	29	10.11
Lincoln.	7	5	4	-	5	-	-	-	1	1	-	2	25	13.95
Oxford.	4	4	5	8	7	7	1	4	-	2	2	7	51	13.76
Penobscot. . . .	21	32	27	20	20	12	4	2	10	10	6	12	176	20.21
Piscataquis. . .	4	3	1	1	1	-	-	1	3	2	2	1	19	9.28
Sagadahoc. . . .	5	2	2	1	3	2	3	-	2	4	2	1	27	14.82
Somerset.	9	7	7	7	3	6	-	1	3	-	4	4	51	13.86
Waldo.	4	2	2	4	3	-	-	-	1	1	2	7	26	11.20
Washington. . .	10	5	4	4	3	3	3	1	-	1	3	4	41	9.66
York.	13	19	12	9	9	8	3	1	5	3	7	15	104	15.03
State.	161	156	132	106	115	64	31	30	48	71	78	113	1105	14.70

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the twenty years 1893-1912.

PNEUMONIA, 1893-1912.

By Counties.	By Months.	By Age-periods.
Androscoggin..... 1,691	January..... 2,771	Under 1..... 3,258
Aroostook..... 1,282	February..... 2,687	1-5..... 2,065
Cumberland..... 3,241	March..... 3,045	5-10..... 414
Franklin..... 587	April..... 2,579	10-20..... 665
Hancock..... 990	May..... 1,979	20-30..... 955
Kennebec..... 1,863	June..... 1,094	30-40..... 1,131
Knox..... 694	July..... 519	40-50..... 1,375
Lincoln..... 499	August..... 459	50-60..... 1,743
Oxford..... 1,060	September..... 651	60-70..... 2,704
Penobscot..... 2,493	October..... 1,112	70-80..... 3,501
Piscataquis..... 427	November..... 1,461	Over 80..... 2,531
Sagadahoc..... 576	December..... 2,046	Not stated..... 72
Somerset..... 967	Not stated..... 11	Total..... 20,414
Waldo..... 658	Total..... 20,414	
Washington..... 1,177		
York..... 2,209		
State..... 20,414		

The following table shows the number of deaths from pneumonia in each of the cities in each year from 1898 to 1912, the pneumonia death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Pneumonia

CITIES.	1898.	Death-rate per 10,000.	1899.	Death-rate per 10,000.	1900.	Death-rate per 10,000.	1901.	Death-rate per 10,000.	1902.	Death-rate per 10,000.	1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.
	Auburn.....	5	3.96	25	19.56	12	9.27	16	12.19	12	9.03	15	11.14	10
Augusta.....	13	11.35	27	23.34	16	13.70	12	10.17	30	25.18	16	13.30	22	18.11
Bangor.....	40	18.78	38	17.61	36	16.48	37	16.72	41	18.31	58	25.57	60	26.15
Bath.....	11	10.86	11	10.68	15	14.32	10	9.39	14	12.93	19	17.25	16	14.31
Belfast.....	9	18.94	5	10.68	8	17.33	6	12.66	7	14.38	7	14.02	3	5.86
Biddeford.....	15	9.47	44	27.54	41	25.39	21	12.87	42	25.48	29	17.41	40	23.77
Brewer.....	13	27.62	6	12.55	4	8.27	11	22.45	6	12.09	15	29.83	8	15.71
Calais.....	7	9.23	7	9.19	12	15.68	17	22.10	14	18.10	9	11.59	16	20.51
Eastport.....	5	9.56	3	5.69	14	26.36	12	22.43	7	12.98	5	9.20	6	10.96
Ellsworth.....	3	6.82	6	13.71	8	18.62	9	30.25	13	30.25	2	4.65	6	13.96
Gardiner.....	5	9.09	17	30.91	19	34.54	14	25.45	4	7.27	12	21.80	11	19.98
Hallowell.....	2	7.12	4	14.49	8	29.48	4	14.74	8	29.48	4	14.74	4	14.74
Lewiston.....	33	14.13	34	14.43	40	16.83	28	11.68	42	17.37	18	7.38	25	10.17
Old Town.....	10	17.62	19	33.22	9	15.62	8	13.77	11	18.79	16	27.12	7	11.78
Portland.....	75	15.47	96	19.47	94	18.74	68	13.34	75	14.47	96	18.23	77	14.39
Rockland.....	11	13.49	9	11.04	10	12.27	9	11.04	12	14.72	10	12.27	9	11.04
Saco.....	10	16.36	14	22.89	16	26.14	11	17.95	6	9.79	7	11.40	7	11.40
South Portland...	7	10.25	5	7.14	13	18.12	7	9.53	6	7.98	3	3.90	5	6.36
Waterville.....	6	6.66	9	9.47	14	14.77	9	9.26	24	24.12	11	10.80	21	20.14
Westbrook.....	7	9.78	8	11.08	3	4.12	9	13.31	9	12.14	12	16.05	7	9.28
Total.....	287	12.99	387	17.32	392	17.35	318	13.91	383	16.55	364	15.55	360	15.20
State.....	769	11.18	1067	15.44	1067	15.44	994	14.23	987	14.05	999	14.11	1050	14.78
State exclusive of cities....	482	10.33	680	14.54	675	14.54	676	14.41	604	12.86	635	13.50	690	14.65

in the Cities and the State, 1898-1912.

1905.	Death-rate per 10,000.	1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	1912.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
22	15.94	26	18.61	20	14.14	17	11.88	19	13.12	27	17.92	16	10.47	18	11.62	260	12.41
16	13.05	19	15.35	29	23.21	15	11.90	28	21.92	39	29.52	26	19.46	30	22.20	338	18.12
48	20.67	40	17.02	50	21.03	54	22.45	49	20.14	40	16.13	42	16.74	74	29.14	707	19.53
20	17.61	15	13.01	14	11.96	15	12.63	13	10.79	16	17.03	13	12.32	16	17.43	218	13.50
8	15.25	5	9.31	6	10.91	3	5.72	7	13.33	2	4.33	8	17.32	4	8.66	88	11.91
37	21.77	45	26.22	35	20.19	24	13.69	50	28.22	66	38.65	44	25.62	36	20.85	569	22.48
13	25.21	9	17.24	11	20.82	11	20.57	10	18.48	10	20.68	9	15.65	17	29.14	153	19.76
10	12.76	13	16.51	16	20.23	15	18.88	12	15.03	9	14.72	6	10.06	7	12.05	170	15.10
9	16.33	9	16.21	11	19.67	8	14.20	5	8.81	6	12.09	15	30.45	2	4.08	117	14.60
25	58.18	5	11.64	7	16.29	10	23.27	8	18.62	14	32.58	13	37.41	8	23.54	137	22.65
14	25.43	3	5.27	6	10.89	12	21.78	4	7.26	11	20.00	5	9.43	9	17.07	146	17.75
6	22.11	5	18.42	7	25.79	5	18.42	1	3.68	8	29.47	5	17.37	5	17.28	76	18.49
49	19.77	70	28.00	47	18.65	45	17.71	61	23.81	61	25.63	48	18.12	54	20.19	655	17.59
9	15.03	21	34.80	12	19.74	16	26.13	12	19.46	8	13.88	7	10.99	13	20.23	178	19.88
65	11.96	81	14.68	120	21.43	100	17.43	104	17.87	97	19.34	103	17.34	92	15.27	1,343	16.63
9	11.04	10	12.27	11	13.50	11	13.50	7	8.59	6	7.36	12	14.68	12	14.68	148	12.10
9	14.64	6	9.76	6	9.75	11	17.85	9	14.60	10	16.33	13	19.61	8	11.98	143	15.36
3	3.73	6	7.31	15	20.91	7	9.76	6	9.54	8	12.72	7	9.37	5	6.49	103	9.54
8	7.53	17	15.60	13	11.67	15	13.19	17	14.77	11	11.61	24	20.59	33	27.84	232	14.53
6	7.89	17	22.15	14	18.09	11	14.10	19	24.15	13	17.85	8	9.54	9	7.59	152	13.14
336	16.11	422	17.41	450	18.36	405	16.48	441	17.78	462	18.80	424	17.04	448	17.93	5,929	16.59
1053	14.72	970	13.50	1153	16.06	1068	14.69	1120	15.32	1246	16.78	1071	14.31	1105	14.70	15719	14.61
667	14.15	548	11.61	703	14.88	663	13.78	679	14.07	784	15.79	647	12.96	657	13.09	9,790	13.68

Bronchitis.—From this cause, including both acute and chronic bronchitis, 205 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, 225 in 1895, 220 in 1896, 237 in 1897, 210 in 1898, 233 in 1899, 262 in 1900, 222 in 1901, 241 in 1902, 209 in 1903, 223 in 1904, 218 in 1905, 187 in 1906, 190 in 1907, 154 in 1908, 214 in 1909, 229 in 1910, and 204 in 1911). Among these decedents, 90 were males and 115 were females. Of these 205 deaths, 62 were in the cities. The largest number of deaths in any one month was 28 in March. The smallest number of deaths in any month, 4, occurred in September. The largest number of deaths in three consecutive months was 75 in February, March and April; the smallest number in any three consecutive months was 24 in August, September, and October. The number of deaths by quarters was 75, 46, 28, and 56.

The bronchitis death-rate of the State was 2.73; of the cities, 2.48.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life.

Under	1 year,	55	40-50 years,	7
	1- 5 years,	15	50-60 years,	9
	5-10 years,	2	60-70 years,	18
	10-20 years,	1	70-80 years,	37
	20-30 years,	0	Over 80 years,	60
	30-40 years,	1		

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rate of counties and State:

BRONCHITIS, 1912.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	1	-	2	-	1	2	-	-	1	1	2	4	14	2.30
Aroostook. . . .	-	1	-	2	-	-	3	1	-	2	2	2	13	1.68
Cumberland. . .	3	1	3	3	3	3	1	2	1	3	4	3	30	2.63
Franklin.	1	1	2	-	-	1	1	1	-	-	-	4	11	5.71
Hancock.	-	1	-	2	-	1	2	-	-	-	1	3	10	2.84
Kennebec.	1	7	1	4	2	1	4	1	-	-	1	4	26	4.08
Knox.	-	2	-	-	-	-	2	-	-	1	-	-	5	1.74
Lincoln.	1	1	1	-	-	1	-	-	-	-	-	-	4	2.23
Oxford.	3	-	-	3	-	-	1	-	-	-	1	1	9	2.43
Penobscot. . . .	3	1	4	2	4	1	-	2	-	1	-	1	19	2.18
Piscataquis. . .	-	3	2	1	-	1	-	-	1	1	1	-	10	4.88
Sagadahoc. . . .	1	-	1	-	-	-	1	-	-	1	-	1	5	2.74
Somerset.	4	2	2	3	1	-	-	-	-	-	2	-	14	3.81
Waldo.	-	-	-	1	-	1	-	1	-	-	-	1	4	1.72
Washington. . .	1	-	-	-	-	1	-	-	-	-	2	2	6	1.41
York.	2	6	10	-	-	1	-	1	1	1	2	1	25	3.61
State.	21	26	28	21	11	14	15	9	4	11	18	27	205	2.73

Pleurisy.—Twenty-seven deaths were charged to this disease (18 in 1892, 19 in 1893, 15 in 1894, 19 in 1895, 19 in 1896, 26 in 1897, 17 in 1898, 24 in 1899, 28 in 1900, 24 in 1901, 16 in 1902, 17 in 1903, 24 in 1904, 21 in 1905, 17 in 1906, 26 in 1907, 10 in 1908, 32 in 1909, 22 in 1910, and 22 in 1911), 16 males and 11 females.

Ages: 1-5, 3; 5-10, 1; 10-20, 5; 20-30, 3; 30-40, 1; 40-50, 3; 50-60, 1; 60-70, 5; over 70, 5.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 1,011 (659 in 1892, 653 in 1893, 685 in 1894, 693 in 1895, 679 in 1896, 673 in 1897, 651 in 1898, 1,411 in 1899, 1,411 in 1900, 1,202 in 1901, 973 in 1902, 1,087 in 1903, 1,076 in 1904, 1,303 in 1905, 1,366 in 1906, 1,063 in 1907, 1,450 in 1908, 1,215 in 1909, 1,420 in 1910, and 1,190 in 1911), or a death-rate of 14.45. The distribution of these under their several causes will be found on page 99.

Diarrheal Diseases.—The total number of deaths caused by the diseases under this group was 485 (662 in 1892, 642 in 1893, 602 in 1894, 635 in 1895, 639 in 1896, 666 in 1897, 854 in 1898, 662 in 1899, 805 in 1900, 684 in 1901, 476 in 1902, 566 in 1903, 514 in 1904, 719 in 1905, 868 in 1906, 493 in 1907, 862 in 1908, 601 in 1909, 851 in 1910, and 585 in 1911). The death-rate from this group of diseases was 5.39 per 10,000.

Infantile Diarrhea.—This, as synonymous with diarrhea and enteritis (under 2 years) was the cause of 309 deaths (546 in 1892, 507 in 1893, 468 in 1894, 523 in 1895, 520 in 1896, 528 in 1897, 669 in 1898, 565 in 1899, 680 in 1900, 567 in 1901, 360 in 1902, 403 in 1903, 369 in 1904, 561 in 1905, 652 in 1906, 375 in 1907, 682 in 1908, 483 in 1909, 693 in 1910, and 451 in 1911.) A reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates, for this cause. There were in the first quarter of the year but 30 deaths from this cause; in the second quarter, 26; in the third quarter, 179; and in the fourth quarter, 74. The largest number of deaths occurred in August and September, respectively 74.

Of the children dying from this cause, 60 per cent. were less than 6 months old, and another 27 per cent. were less than 1 year of age, making 87 per cent. of deaths within the first year of age.

Ages: Under 3 months, 75; 3-6 months, 108; 6-9 months, 46; 9-12 months, 39; 12-18 months, 26; 18 months-2 years, 15.

In the classification of deaths from diarrheal diseases, only the deaths among children under 2 years of age are included under "infantile diarrhea." The deaths from diarrheal diseases other than those under this cause were: Cholera morbus, 5; dysentery, 18; and diarrhea and enteritis (2 years and over), 73.

Of the 309 deaths from infantile diarrhea, 158 were returned from the cities. This represents an urban death-rate from this cause of 6.32 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, 13.78 in 1895, 11.43 in 1896, 14.95 in 1897, 15.15 in 1898, 11.77 in 1899, 14.84 in 1900, 10.09 in 1901, 6.89 in 1902, 6.49 in 1903, 6.26 in 1904, 9.96 in 1905, 10.15 in 1906, 8.21 in 1907, 11.39 in 1908, 7.66 in 1909, 10.42 in 1910, and 7.03 in 1911). The rate

for the villages and rural districts is 3.01 this year (5.33 in 1892, 4.95 in 1893, 4.47 in 1894, 5.44 in 1895, 6.36 in 1896, 5.05 in 1897, 8.00 in 1898, 6.47 in 1899, 7.37 in 1900, 7.24 in 1901, 4.37 in 1902, 5.50 in 1903, 4.86 in 1904, 6.57 in 1905, 8.52 in 1906, 3.65 in 1907, 8.35 in 1908, 6.67 in 1909, 8.80 in 1910, and 5.53 in 1911).

**DIARRHEA AND ENTERITIS (UNDER 2 YEARS)
BY COUNTIES AND MONTHS, 1912.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	1	2	-	1	-	-	13	12	13	11	2	3	58	9.52
Arroostook.	5	1	1	1	4	1	4	21	15	7	1	4	65	8.39
Cumberland.	1	1	-	-	3	2	3	9	8	8	-	-	35	3.06
Franklin.	1	-	-	1	-	-	-	1	1	2	-	1	7	3.64
Hancock.	-	-	-	1	1	1	-	-	1	-	-	-	4	1.14
Kennebec.	1	3	2	-	1	1	2	11	4	5	1	1	32	5.03
Knox.	-	-	-	-	-	-	-	-	-	1	-	-	1	0.35
Lincoln.	-	-	-	-	-	-	1	-	-	1	-	-	2	1.12
Oxford.	-	-	1	-	-	1	1	3	1	4	-	-	11	2.97
Penobscot.	-	-	2	-	-	1	1	5	6	1	2	1	19	2.18
Piscataquis.	1	-	-	-	1	-	-	-	-	1	1	-	4	1.95
Sagadahoc.	-	-	-	-	-	-	1	3	5	-	-	-	9	4.94
Somerset.	-	-	-	-	1	-	-	-	3	1	1	-	6	1.63
Waldo.	-	-	-	-	1	-	1	2	1	1	2	-	8	3.44
Washington.	-	1	-	-	-	-	1	3	1	2	-	-	8	1.89
York.	4	1	1	1	1	1	3	4	15	7	-	2	40	5.78
State.	14	9	7	5	13	8	31	74	74	52	10	12	309	4.11

The preceding table exhibits the number of deaths from infantile diarrheea in 1912, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrheea for the nineteen years 1894-1912, by counties, months, and age-groups:

DIARRHEA AND ENTERITIS (UNDER 2 YEARS) BY COUNTIES, MONTHS AND AGE-PERIODS, 1893-1912.

By Counties.	By Months.	By Age-periods.
Androscoggin..... 1,335	January..... 157	Under 6 months..... 5,713
Aroostook..... 2,240	February..... 131	6-12 months..... 3,300
Cumberland..... 1,223	March..... 167	1-2 years..... 1,329
Franklin..... 158	April..... 161	Over 2 years..... 5
Hancock..... 256	May..... 178	Unknown..... 18
Kennebec..... 967	June..... 263	Total.....10,365
Knox..... 220	July..... 1,312	
Lincoln..... 53	August..... 3,340	
Oxford..... 316	September..... 2,945	
Penobscot..... 968	October..... 1,263	
Piscataquis..... 119	November..... 271	
Sagadahoc..... 207	December..... 174	
Somerset..... 290	Not stated..... 3	
Waldo..... 104	Total.....10,365	
Washington..... 607		
York..... 1,302		
State.....10,365		

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the eight years 1905-1912.

**DIARRHEA AND ENTERITIS (UNDER 2 YEARS)
IN THE CITIES, 1905-1912.**

CITIES.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	Total.
Auburn.....	8	15	6	12	13	11	11	10	86
Augusta.....	19	16	13	26	10	13	14	11	122
Bangor.....	12	13	9	7	8	8	7	5	69
Bath.....	4	7	10	9	7	7	1	8	53
Belfast.....	1	2	1	-	-	1	1	3	9
Biddeford.....	19	37	22	38	23	44	20	19	222
Brewer.....	13	3	5	4	2	6	3	-	36
Calais.....	9	7	8	10	2	4	7	3	50
Eastport.....	2	6	8	8	7	5	1	2	39
Ellsworth.....	-	5	-	-	2	-	-	-	7
Gardiner.....	1	1	-	6	-	6	3	2	19
Hallowell.....	1	1	2	3	1	1	-	1	10
Lewiston.....	55	45	57	54	49	69	46	45	420
Old Town.....	20	12	6	12	5	5	6	1	67
Portland.....	37	44	31	41	36	42	30	22	283
Rockland.....	9	1	2	3	1	3	1	-	20
Saco.....	4	5	4	10	4	7	1	5	40
South Portland.....	6	7	-	5	3	2	3	1	27
Waterville.....	9	16	6	22	13	15	12	12	105
Westbrook.....	10	2	10	10	4	7	8	8	59
Total.....	239	245	200	280	190	256	175	158	1,743

Peritonitis.—There were 36 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, 125 in 1895, 116 in 1896, 117 in 1897, 102 in 1898, 83 in 1899, 105 in 1900, 99 in 1901, 81 in 1902, 55 in 1903, 63 in 1904, 90 in 1905, 59 in 1906, 60 in 1907, 64 in 1908, 59 in 1909, 62 in 1910, and 36 in 1911), 15 males and 21 females. Fourteen of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

PERITONITIS, 1912.

By Counties.		By Months.		By Age-periods.	
Androscoggin.....	7	January.....	-	Under 1.....	1
Aroostook.....	2	February.....	7	1-5.....	-
Cumberland.....	3	March.....	5	5-10.....	1
Franklin.....	-	April.....	4	10-20.....	4
Hancock.....	4	May.....	2	20-30.....	8
Kennebec.....	3	June.....	4	30-40.....	4
Knox.....	2	July.....	3	40-50.....	3
Lincoln.....	1	August.....	1	50-60.....	5
Oxford.....	1	September.....	3	60-70.....	4
Penobscot.....	6	October.....	2	70-80.....	5
Piscataquis.....	1	November.....	3	Over 80.....	1
Sagadahoc.....	1	December.....	2	Total.....	36
Somerset.....	2	Total.....	36		
Waldo.....	1				
Washington.....	1				
York.....	1				
State.....	36				

Appendicitis.—Of the deaths classified under this cause, 70 in number, 41 were males and 38 females. The number of deaths in each month was: January, 2; February, 6; March, 5; April, 6; May, 6; June, 6; July, 7; August, 10; September, 8; October, 9; November 5; December, 9.

Ages: From 1-5, 4; 5-10, 10; 10-20, 24; 20-30, 14; 30-40, 7; 40-50, 10; 50-60, 4; over 70, 6.

Cirrhosis of the Liver.—Forty-nine deaths were ascribed to cirrhosis of the liver—those of 34 men and 15 women. Of these 49 deaths, 17 were in the cities, and 32 in the rural parts of the State. The death-rate in the State from this one cause

was 0.65 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, 0.50 in 1895, 0.33 in 1896, 0.45 in 1897, 0.58 in 1898, 0.52 in 1899, 0.79 in 1900, 0.63 in 1901, 0.63 in 1902, 0.92 in 1903, 0.66 in 1904, 0.62 in 1905, 0.60 in 1906, 0.82 in 1907, 0.89 in 1908, 0.75 in 1909, 0.79 in 1910, and 0.41 in 1911).

Nonvenereal Diseases of the Genitourinary System and Annexa.—There were 892 deaths referred to the diseases under this group, equivalent to a death-rate of 11.86.

Nephritis.—Acute nephritis caused the death of 63 persons, 30 males and 33 females. The death-rate from nephritis was, therefore, 0.84.

Ages: Under 1, 5; 5-10, 1; 20-30, 7; 30-40, 7; 40-50, 12; 50-60, 7; 60-70, 13; 70-80, 10; over 80, 1.

* *Bright's Disease.*—This was the cause of 694 deaths (204 in 1892, 217 in 1893, 219 in 1894, 234 in 1895, 282 in 1896, 231 in 1897, 250 in 1898, 262 in 1899, 443 in 1900, 471 in 1901, 523 in 1902, 573 in 1903, 575 in 1904, 599 in 1905, 652 in 1906, 661 in 1907, 600 in 1908, 595 in 1909, 714 in 1910, and 768 in 1911), 411 males and 283 females. Of these deaths 257 were in the cities.

The sex and age-group distribution of Bright's disease is as follows:

BRIGHT'S DISEASE BY SEX AND AGE-PERIODS, 1912.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	3	3	1	2	9	8	31	77	117	115	45	-	411
Females.....	3	-	1	1	12	25	28	41	72	72	28	-	283
Totals.....	6	3	2	3	21	33	59	118	189	187	73	-	694

* This title includes: Chronic, albuminous, interstitial, or parenchymatous nephritis; albuminuria; amyloid or fatty degeneration of the kidney; steatosis of the kidney; renal sclerosis. Also includes when their precise nature is not indicated: Uremia, uremic eclampsia; urentic delirium; uremic coma.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin.....	62	10.17	Oxford.....	33	8.90
Aroostook.....	27	3.49	Penobscot.....	75	8.61
Cumberland.....	144	12.60	Piscataquis.....	9	4.39
Franklin.....	17	8.83	Sagadahoc.....	15	8.23
Hancock.....	29	8.23	Somerset.....	28	7.89
Kennebec.....	60	9.43	Waldo.....	21	9.04
Knox.....	38	13.24	Washington.....	29	6.83
Lincoln.....	11	6.14	York.....	96	13.87
			State.....	694	9.23

The Puerperal State.—Under this class of accidents and diseases of reproduction, 65 deaths were registered, not including puerperal fever, (69 in 1892, 50 in 1893, 41 in 1894, 36 in 1895, 56 in 1896, 62 in 1897, 51 in 1898, 40 in 1899, 50 in 1900, 52 in 1901, 69 in 1902, 94 in 1903, 72 in 1904, 51 in 1905, 76 in 1906, 80 in 1907, 66 in 1908, 56 in 1909, 63 in 1910, and 99 in 1911). This is equivalent to a special death-rate of 0.86.

Deaths from External Causes.—Under this class there were 677 deaths.

Absorption of deleterious gases (conflagration excepted) caused 12 deaths.

Accidental drowning caused 118 deaths.

Acute poisoning caused 23 deaths.

Burns and scalds caused 28 deaths—10 were from clothing taking fire; 7, from explosion of kerosene; 2, scalded with hot water; 2, from matches; 1, from explosion of gasoline; 1 by caustic soda, and the rest were unspecified.

Conflagration caused 17 deaths.

Electricity caused 5 deaths.

Excessive cold caused 6 deaths.

Nine persons died from excessive heat.

Fractures (cause not specified) caused 11 deaths.

Inanition was the cause of 5 deaths.

Injuries by animals caused 8 deaths.

Lightning caused only 1 death.

There were 13 homicides in this State.

Other external violence (accident or traumatism unqualified) caused 21 deaths.

Traumatism by cutting or piercing instruments caused 7 deaths; by fall, 105; by firearms, 26; by machines, 24; by other crushing (vehicles, railroads, landslides, etc.), 118; in mines and quarries, 2.

The death-rate in the State under this class was 9.00.

Suicide.—Within the year 110 persons took their own lives (59 in 1892, the same number in 1893, 39 in 1894, 66 in 1895, 81 in 1896, 71 in 1897, 56 in 1898, 93 in 1899, 66 in 1900, 81 in 1901, 73 in 1902, 77 in 1903, 107 in 1904, 84 in 1905, 85 in 1906, 87 in 1907, 121 in 1908, 94 in 1909, 79 in 1910, and 100 in 1911), 84 males and 26 females. Of the males, the occupation of 20 was farmer; of 16, laborer; of 7, carpenter; of 4, each seaman and teamster; of 2, each physician, quarryman, railroad hand, shoemaker, stone cutter; of 1 each, barrel manufacturer, blacksmith, bookkeeper, clerk, electrician and fireman, fisherman, merchant, millworker, painter, postmaster, salesman, spinner, station agent, student, tailor, and teacher; while of 7, no occupation was given.

Of the females, the occupation of 10 was given as housewife, of 3, as housework, of 2, as housekeeper, of 1, each assistant librarian, milliner, mill operative, scholar, stenographer, student, and teacher. In 4 cases no occupation was given.

As to the means employed, 34 committed suicide by hanging; 31 by firearms; 17 by poison; 13 by drowning; 12 by cutting instruments; 1 by gas asphyxiation; and 2, not stated.

SUICIDES BY AGES, MONTHS, AND COUNTIES, 1912.

AGE-PERIODS.	MONTHS.	COUNTIES.	Rate per 10,000 of population.
10-20..... 6	January..... 11	Androscoggin..... 8	1.31
20-30..... 11	February..... 8	Aroostook..... 8	1.03
30-40..... 23	March..... 8	Cumberland..... 13	1.13
40-50..... 16	April..... 16	Franklin..... 4	2.07
50-60..... 21	May..... 14	Hancock..... 4	1.14
60-70..... 12	June..... 8	Kennebec..... 14	2.20
70-80..... 15	July..... 11	Knox..... 12	4.18
Over 80..... 6	August..... 9	Lincoln..... 4	2.23
Total..... 110	September..... 8	Oxford..... 9	2.43
	October..... 5	Penobscot..... 9	1.03
	November..... 7	Piscataquis..... 2	0.98
	December..... 5	Sagadahoc..... 2	1.10
	Not stated..... -	Somerset..... 8	2.17
	Total..... 110	Waldo..... 4	1.72
		Washington..... 2	0.47
		York..... 7	1.01
		State..... 110	1.46

The youngest suicide was a girl aged 14 years; the oldest, a man 86 years. The largest number of suicides was 16 in April. The largest number, 13, occurred in Cumberland county. The highest death-rate from suicide was in Knox county. The rate for the State per 10,000 of population was 1.46.

TABLE OF INFANTILE MORTALITY, 1912.

AGE-PERIODS.	Number of deaths.	*Rate of mortality.
Under 1 day.....	45	2.8
Under 1 week.....	259	16.3
Under 2 weeks.....	66	4.1
Under 3 weeks.....	48	3.0
Under 4 weeks.....	41	2.6
Under 2 months.....	184	11.6
Under 3 months.....	145	9.1
Under 4 months.....	149	9.3
Under 5 months.....	109	6.9
Under 6 months.....	76	4.8
Under 9 months.....	187	11.8
Under 1 year.....	156	9.8
	1,465	92.3

* The infant mortality rates in this table are based upon the total number of births in 1912. The number was 15,869.

INFANTILE MORTALITY, FOR CITIES WITH RATES, 1909-1912.

CITIES.	BIRTHS.				DEATHS (under 1 year.)				*RATE PER 1,000.				Average.
	1909.	1910.	1911.	1912.	1909.	1910.	1911.	1912.	1909.	1910.	1911.	1912.	
Auburn.....	258	227	261	258	31	40	31	36	120.2	176.2	114.9	139.5	112.7
Augusta.....	272	283	273	294	41	35	22	45	150.1	123.7	80.6	153.0	126.9
Bangor.....	371	397	379	371	46	49	52	53	124.0	123.4	137.2	142.9	131.9
Bath.....	205	178	145	156	18	20	14	7	87.8	112.4	96.6	44.9	85.4
Belfast.....	79	83	75	95	5	10	10	7	88.6	120.5	133.3	73.7	104.0
Biddeford.....	545	549	484	512	87	109	72	83	159.6	198.5	148.7	162.1	167.2
Brewer.....	154	151	153	143	19	19	8	10	123.3	125.8	52.2	69.9	92.8
Calais.....	148	127	139	137	13	15	16	10	101.4	118.1	115.1	72.9	101.9
Eastport.....	105	111	106	87	23	9	12	9	219.0	81.1	113.3	103.4	129.2
Ellsworth.....	59	48	61	30	5	3	5	2	84.7	62.5	76.9	66.6	72.7
Gardiner.....	93	95	81	73	4	15	7	5	43.0	157.9	86.4	68.5	88.9
Hallowell.....	52	49	34	54	4	4	3	6	76.9	81.7	88.2	111.1	89.5
Lewiston.....	596	578	606	631	110	112	82	109	134.6	193.7	135.3	172.7	171.6
Old Town.....	173	141	189	153	18	20	19	11	104.1	141.8	100.5	71.9	104.6
Portland.....	1,220	1,162	1,243	1,343	142	147	158	129	116.4	126.5	127.1	96.1	116.5
Rockland.....	126	140	130	155	13	9	9	11	103.2	64.3	84.6	71.0	80.8
Saco.....	99	111	111	89	12	18	11	18	121.2	162.2	153.2	202.2	159.7
South Portland.....	141	156	185	170	10	14	7	9	70.9	89.7	37.8	52.9	62.8
Waterville.....	314	330	297	269	35	41	32	45	111.5	124.2	107.7	167.3	127.7
Westbrook.....	184	214	197	228	25	29	21	18	135.9	135.5	106.6	78.9	114.2

* The infant mortality rates in this table are based upon the number of births in these cities.

LIST OF TABLES.

	PAGE
Table No. 1.—Population in 1890, 1900, 1910 and Estimated Population in 1912.....	5
Table No. 2.—Births, Marriages and Deaths, 1904-1912.....	5
Table No. 3.—Estimated Population for 1912, Births, Marriages and Deaths, with the rate of each to 1,000 of population for the year ending December 31, 1912.....	6
Table.—Summary of Births, Marriages and Deaths.....	7
Table No. 4.—Births and Deaths in each County.....	8
Table No. 5.—Births and Deaths in the Cities.....	9
Table No. 6.—Births, Marriages and Deaths by Counties and Towns.....	10-59
Table No. 7.—Births, Marriages and Deaths by Counties.....	60-61
Table No. 8.—Births and Birth-Rates by Counties, for the years 1905-1912.....	62
Table No. 9.—Births by Counties, showing the proportion of males to females 1912.....	63
Table No. 10.—Number of Births in each month of 1905-1912, with Monthly Ratio compared with a standard of 100.....	64
Table No. 11.—Births by Sex and Months, by Counties, 1912....	65
Table No. 12.—Births in Cities, for 1912, with rate per 1,000 of population.....	66
Table No. 13.—Percentage of American and Foreign Births by Counties, 1912.....	67
Table No. 14.—Percentage of American and Foreign Births by Cities, 1912.....	68
Table No. 15.—Twin Births by Months and Counties, 1912.....	69
Table No. 16.—Twin Births by Sex and Parentage, by Counties, 1912.....	70
Table No. 17.—Stillbirths by Sex and Parentage, by Counties, 1912.....	71
Table No. 18.—Stillbirths by Seasons, 1912.....	72
Table.—Births in each Month of the twenty-one years, 1892-1912	75
Table No. 19.—Marriages and Marriage-Rates by Counties for the years 1905-1912.....	76
Table No. 20.—Marriages by Counties and Nativity, 1912.....	77
Table No. 21.—Marriages by Months and Counties, 1912.....	77

	PAGE
Table No. 22.—Number of Marriages in each month of 1905-1912, with Monthly Ratio compared with a Standard of 100.....	78
Table No. 23.—Marriages by Ages and Counties 1912.....	79
Table No. 24.—Interesting Facts in Relation to Marriages.....	80-81
Table No. 25.—Divorces decreed by the Supreme Court of Maine in the year 1912.....	84-85
Table No. 26.—Divorces by Causes, Sex of Libellants and the Number of years married, 1912.....	86
Table No. 27.—Deaths and Death-Rates by Counties, for the years 1905-1912.....	88
Table No. 28.—Number of Deaths in each month of 1905-1912, with Monthly Ratio compared with a Standard of 100.....	89
Table No. 29.—The number of Deaths in the State, and in each County, arranged by Classes and Counties.....	90-95
Table No. 30.—Deaths from all Causes, by Months, 1912.....	96-101
Table No. 31.—Deaths from all Causes, by Age-Groups, 1910-1912.....	102-119
Table No. 32.—Deaths in each Town from Special Causes, Mostly Infectious Diseases.....	120-141
Table No. 33.—Deaths in each Town from Certain Diseases and Groups of Diseases.....	142-163
Table No. 34.—Deaths by Ages, Sex and Months, by Counties...	164-165
Table No. 35.—Deaths by Ages, Sex and Months, by Cities.....	166-167
Table No. 36.—Number of Deaths from several Specified Causes, of each sex, in each month, which were registered during twenty-one years, 1892-1912.....	168
Table No. 37.—Mortality by months, reduced to a Standard Mean of 100; Twenty-one years, 1892-1912...	169
Table.—Number of Deaths from 1892-1912, with Death-Rate....	170
Table.—Months in which the Largest and the Smallest Number of Deaths occurred in the years 1892-1912....	171
Table.—Number of Deaths by Quarters in the Twenty-one years, 1892-1912.....	172
Table.—Deaths in each month for the years 1892-1912.....	173
Table.—Deaths from some of the Leading Causes.....	175
Table.—Mortality from Ten Prominent Causes, 1892-1912.....	176
Table.—Six Infectious Diseases by Counties, 1912.....	177
Table.—Six Infectious Diseases by Cities, 1912.....	178
Table.—Infectious Diseases, 1905-1912.....	179
Table.—Measles by Counties, Months, and Age-Periods, 1896-1912	180
Table.—Scarlet Fever by Counties, Months, and Age-Periods, 1893-1912.....	181
Table.—Influenza by Counties and Months, 1912.....	182
Table.—Whooping Cough by Counties, Months, and Age-Periods, 1912.....	183
Table.—Diphtheria by Counties and Months, 1912.....	184

	PAGE
Table.—Diphtheria by Counties, Months, and Age-Periods, 1893-1912.....	185
Table.—Diphtheria in the Cities and the State, 1898-1912.....	186-187
Table.—Typhoid Fever by Counties and Months, 1912.....	188
Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1893-1912.....	189
Table.—Typhoid Fever in the Cities and the State, 1898-1912.....	190-191
Table.—Tuberculosis (all kinds) by Counties and Months, 1912....	192
Table.—Tuberculosis (all kinds) by Sex and Age-Periods, 1912....	193
Table.—Tuberculosis (all kinds) in the Cities and the State, 1898-1912.....	194-195
Table.—Consumption by Counties and Months, 1912.....	198
Table.—Consumption by Sex and Age-Periods, 1912.....	198
Table.—Consumption by Counties, Months, and Age-Periods, 1893-1912.....	199
Table.—Pulmonary Tuberculosis in the Cities and State, 1898-1912.....	200-201
Table.—Rheumatism by Counties, Months, and Age-Periods, 1912.....	203
Table.—Rheumatism by Counties, Months, and Age-Periods, 1893-1912.....	204
Table.—Cancer by Sex and Age-Periods, 1912.....	205
Table.—Cancer by Counties and Age Periods, 1912 and 1893-1912.....	205
Table.—Cancer, 1902-1912.....	206
Table.—Deaths over 60 years by Counties 1912.....	207
Table.—Apoplexy by Counties and Months, 1912.....	210
Table.—Apoplexy by Sex and Age-Periods, 1912.....	210
Table.—Apoplexy, 1912 and 1893-1912.....	211
Table.—Diseases of the Heart by Ages, 1912.....	212
Table.—Diseases of the Heart by Counties, 1912.....	213
Table.—Heart Disease by Sex and Age-Periods, 1912.....	213
Table.—Pneumonia by Sex and Age-Periods, 1912.....	215
Table.—Pneumonia by Counties and Months with Death Rate per 10,000 1912.....	216
Table.—Pneumonia by Counties, Months, and Age-Periods, 1893-1912.....	217
Table.—Pneumonia in the Cities and the State, 1898-1912.....	218-219
Table.—Bronchitis by Counties and Months, 1912.....	221
Table.—Diarrhea and Enteritis (under 2 years) by Counties and Months, 1912.....	223
Table.—Diarrhea and Enteritis (under 2 years) by Counties, Months, and Age-Periods, 1893-1912.....	224
Table.—Diarrhea and Enteritis (under 2 years) in the Cities, 1905-1912.....	225
Table.—Peritonitis by Counties Months, and Age-Periods, 1912..	226
Table.—Bright's Disease by Sex and Age-Periods, 1912.....	227
Table.—Bright's Disease by Counties, 1912.....	228
Table.—Sicides by Ages, Months, and Counties, 1912.....	230
Table.—Infantile Mortality, 1912.....	231
Table.—Infantile Mortality, for Cities with rates, 1909-1912.....	232

INDEX.

	PAGE
Age and Mortality.....	174
Appendicitis.....	226
Apoplexy	208
1912 and 1893-1912.....	211
by counties and months.....	210
by sex and age-periods, 1912.....	210
Birth-rate.....	73
Birth-rates.....	6,7
Births and birth-rates, by counties and years.....	62
by counties, showing proportion of males to females.....	63
by seasons.....	74
by sex and months, by counties.....	65
in cities, for 1912, with rate.....	66
in each month, by years.....	64
notes on.....	73
parentage of.....	73
percentage of American and foreign, by cities.....	68
by counties.....	67
relation to deaths.....	8
twin	75
by months and counties.....	69
by sex and parentage.....	70
marriages and deaths, in each county.....	60-61
in each town.....	10-59
Brain or Membranes inflammation of.....	208
softening of the.....	211
Bright's Disease.....	227-228
Bronchitis.....	220
Cancer	204
1912 and 1893-1912.....	205
by sex and age-periods, 1912.....	205
1902-1912.....	206
Centenarians.....	207
Cirrhosis of the liver.....	226
Consumption by counties and months.....	198
by counties, months and age-periods, 1893-1912....	199
by sex and age-periods, 1912.....	198

	PAGE
Deaths, age and mortality	174
causes of	174
by ages, sex and months, by cities, 1912	166-167
by ages, sex and months, by counties, 1912	164-165
by months, reduced to a standard mean for twenty-one years	169
in each month, for the years 1892-1912	173
in each town, from special causes	120-141
from certain diseases and groups of diseases	142-163
in the State and Counties, by classes and counties	90-95
from all causes, by months	96-101
from all causes, by age-groups, 1910-1912	102-119
from several specified causes in twenty-one years	168
from some of the leading causes	175
notes on, and the causes of death	170
number in each month, by years	89
seasons and mortality	172
sex and mortality	174
and death-rates, by counties and years	88
Death-rates	6, 7
compared	170
Diabetes	206
Diarrheal diseases	222
Diarrhea and Enteritis (under 2 years) by counties and months	223
by counties, months, and age-periods 1893-1912	224
in cities, 1905-1912	225
Digestive System, diseases of the	221
Diphtheria	183
by counties and months	184
by counties, months, and age-periods, 1893-1912	185
in the cities and in the State, 1898-1912	186, 187
Divorces by causes, sex of libellants, etc	86
decreed in 1912	84, 85
notes on	87
Epilepsy	211
External causes, deaths from	228
Genitourinary system and its annexa, diseases of the	227
Heart, diseases of the	212
Infantile Diarrhea	222
Infantile mortality	231
Infantile mortality, for Cities with Rates, 1909-1912	232
Infectious diseases	177
1905-1912	179
six by cities	178
six by counties	177
Influenza	181
deaths from, by counties and months	182

	PAGE
Liver, cirrhosis of	226
Marriages, interesting facts relating to	80, 81
rates	6, 7, 82
ages	82
and rates, by counties	76
by ages and counties	79
by counties and nativity	77
by months and counties	77
nativity	82
notes on	82
number of, in each month, by years	78
seasons	82
Malarial diseases	190
Measles	179
by counties, months, and age-periods, 1896-1912	180
Mortality from ten prominent causes, 1892-1912	176
Nephritis	227
Nervous system, diseases of the	208
Old age	206
Paralysis	211
Peritonitis	226
by counties, months, and age-periods, 1912	226
Pleurisy	221
Pneumonia	214
1893-1912	217
by counties and months, with death-rates	216
by sex and age-periods, 1912	215
in the cities and the State, 1898-1912	218-219
Population	4
Puerperal fever, by months and counties, 1912	202
Puerperal state, the	228
Respiratory system, diseases of the	214
Rheumatism	202
by counties, months and age-perods, 1912	203
by counties, months, and age-periods, 1893-1912	204
Scarlet fever	180
by counties, months, and age-periods, 1893-1912	181
Sex and mortality	174
Smallpox	179
Stillbirths	75
by seasons	72
by sex and parentage	71
Suicides	229
by ages, months, and counties, 1912	230
Tetanus	212
Triplets	75

	PAGE
Tuberculosis	191
abdominal	202
acute miliary.....	202
cerebral.....	196
in the cities and the State, 1898-1912.....	194-195
other forms.....	202
pulmonary	196
in the cities and the State, 1898-1912....	200-201
Typhoid fever	188
by counties and months, 1912.....	188
by counties, months, and age-periods, 1893-1912..	189
in the cities and the State, 1898-1912.....	190-191
Whooping Cough	182
by counties, months, and age-periods, 1912.....	183