

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

PUBLIC DOCUMENTS

OF THE

STATE OF MAINE

BEING THE

REPORTS

OF THE VARIOUS

**PUBLIC OFFICERS
DEPARTMENTS AND
INSTITUTIONS**

FOR THE TWO YEARS

JULY 1, 1928 - JUNE 30, 1930

THIRTY-EIGHTH ANNUAL REPORT

UPON THE

Births, Marriages, Divorces
and Deaths

IN THE

STATE OF MAINE



FOR THE

Year Ending December 31, 1929.

STATE DEPARTMENT OF HEALTH OF MAINE

Office of the State Commissioner of Health

Augusta, Maine, January 12, 1931.

*To His Excellency, William Tudor Gardiner, Governor, and the
Honorable Executive Council,*

Sirs:

The Public Health Council of the State of Maine has the honor of submitting to you the thirty-eighth annual report upon the Births, Marriages, Divorces and Deaths for the year ending December 31, 1929.

Respectfully,

C. F. KENDALL, M.D.

*Commissioner of Health and
Chairman, Public Health Council,
State Registrar of Vital
Statistics.*

DIVISION OF VITAL STATISTICS.

State Registrar, C. F. Kendall, M.D.

Division Director, F. S. Choate.

Dr. Clarence F. Kendall, Commissioner of Health and State Registrar of Vital Statistics.

Sir: Following is a report of the Division of Vital Statistics which I have to submit for the year ending December 31, 1929. This includes also the thirty-eighth annual report upon the Births, Marriages, Divorces and Deaths for the year ending December 31, 1929.

Respectfully,

F. S. CHOATE,
Division Director.

REPORT OF DIVISION OF VITAL STATISTICS

ROUTINE OFFICE WORK.

The shipments of report transcripts to the Census Bureau were as follows:

Births 15,847. Stillbirths 604. Deaths 11,324.
Letters sent out 5,965. Letters received 5,216.
Records called for 3,099. Birth certificates sent out 14,134.
Corrections on Birth Certificates 678.

REGISTRATION REPORT, 1929

This report presents the results of the registration and tabulation of the births, marriages, divorces and deaths which occurred in the State of Maine during the year 1929.

The number of living births registered in the year 1929 was 15,908; 587 less than in the preceding year.

There were 168 twin-births and 3 triple-births in 1929.

The number of stillbirths was 625.

The number of marriages (number of couples married in 1929) was 6,195; 17 more than in the preceding year.

The number of deaths recorded in the State for the same year was 11,375, (this number includes all premature deaths), a number 338 more than that of the deaths registered in the preceding year.

One thousand, two hundred and sixty-one divorces were decreed in the year 1929. 552 in 1892; 627 in 1893; 674 in 1894; 681 in 1895; 668 in 1896; 722 in 1897; 764 in 1898; 790 in 1899; 801 in 1900; 808 in 1901; 905 in 1902; 946 in 1903; 906 in 1904; 848 in 1905; 787 in 1906; 887 in 1907; 904 in 1908; 957 in 1909; 911 in 1910; 985 in 1911; 1,081 in 1912; 1,092 in 1913; 1,030 in 1914; 1,006 in 1915; 698 in 1916; 1,080 in 1917; 847 in 1918; 1,230 in 1919; 1,364 in 1920; 1,276 in 1921; 1,148 in 1922; 1,220

in 1923; 1,235 in 1924; 1,228 in 1925; 1,214 in 1926; 1,309 in 1927 and 1,310 in 1928.

Bertillon Classification—Nomenclature of the causes of death in this report is the revised Bertillon classification adopted by the International Commission which met in Paris in 1920.

Population—The population of the State of Maine in 1910 as given by the twelfth census was 742,371. In 1920, 768,014. There was therefore a gain of 25,643 in 1910.

The following is a general summary of the births, marriages and deaths in 1929.

Births

Sex		Parentage	
Males	8,153	American	11,337
Females	7,755	Foreign	1,490
Not stated		One parent foreign	2,821
		Not stated	260
Whole number of births			15,908
Birth-rate per 1,000			20.11

Marriages

Groom and bride American	4,953
Groom and bride foreign	252
Groom American, bride foreign	444
Groom foreign, bride American	544
Not stated	2
Whole number of marriages	6,195
Marriage-rate per 1,000	7.83

Deaths

Sex		Nativity	
Males	6,051	American	9,352
Females	5,324	Foreign	1,963
Not stated		Not stated	60
Whole number of deaths			11,375
Death-rate per 1,000			14.38

The first of every month during 1929 we have forwarded to Congressmen, Carroll L. Beedy, W. H. White, Jr., and John E. Nelson, the names and addresses of all mothers in their district giving birth to children during the preceding month, that they might receive the Child Welfare Literature, published by the U. S. Department of Labor.

Including our index cards, births, marriages and death records, we have over 65,000 cards to file during the year.

The following table exhibits the population of the several counties in 1890, 1900, 1910, 1920 and the estimated population for 1929.

TABLE No. 1
Population 1890, 1900, 1910, 1920 and Estimated Population in 1929

COUNTIES	Popula- tion in 1890	Popula- tion in 1900	Popula- tion in 1910	Popula- tion in 1920	Estimated Popula- tion in 1929
Androscoggin	48,968	54,242	59,822	65,796	71,173
Aroostook	49,589	60,744	74,664	81,728	88,086
Cumberland	90,949	100,689	112,014	124,376	135,502
Franklin	17,053	18,444	19,119	19,825	20,460
Hancock	37,312	37,241	35,575	30,361	30,361
Kennebec	37,012	59,117	62,863	63,844	64,727
Knox	31,473	30,406	28,981	26,245	26,245
Lincoln	21,996	19,669	18,216	15,976	15,976
Oxford	30,586	32,238	36,256	37,700	39,000
Penobscot	72,865	76,246	85,285	87,684	89,843
Piscataquis	16,134	16,949	19,887	20,554	21,154
Sagadahoc	19,452	20,330	18,574	23,021	27,023
Somerset	32,627	33,849	36,301	37,171	37,954
Waldo	27,759	24,185	23,383	21,328	21,328
Washington	44,482	45,232	42,905	41,709	41,709
York	62,829	64,885	68,526	70,696	72,649
State	641,086	694,466	742,371	768,014	791,093

Birth, Marriage and Death-Rate. In this report the birth-rates, marriage-rates and death-rates from all causes are stated as so many among each 1,000 of the population according to the estimated population for 1929.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 2
Non-resident Deaths in Public Institutions, 1929

Cities and Towns having Public Institutions in which Non-resident deaths have occurred	Estimated Population in 1929	Whole number of deaths	Whole number of deaths of non-residents	Death rate per 1,000	Death rate per 1,000 exclusive of non-residents
Augusta	14,927	329	87	22.04	16.21
Bangor	27,035	598	133	22.12	15.35
Bar Harbor	3,622	73	16	20.15	15.74
Bath	14,000	147	21	10.50	9.00
Belfast	5,501	98	22	17.82	13.81
Biddeford	18,844	301	56	15.97	13.00
Boothbay Harbor	2,029	20	4	9.86	7.88
Brewer	6,421	62	9	9.65	8.25
Brunswick	7,837	113	19	14.42	11.99
Calais	6,084	108	29	17.75	12.98
Caribou	6,595	97	14	14.71	12.58
Damariscotta	919	25	8	27.20	18.50
Dexter	4,638	71	13	15.31	12.50
Dover-Foxcroft	4,133	54	10	13.06	10.65
Eagle Lake	2,088	48	15	22.99	15.80
Ellsworth	3,058	69	8	22.56	19.95
Fairfield	4,253	71	28	16.69	10.11
Farmington	3,197	67	8	20.96	18.45
Fort Fairfield	4,704	57	7	12.11	10.63
Gardiner	5,623	97	12	17.25	15.12
Greenville	1,618	25	7	15.45	11.12
Guilford	1,693	37	9	21.85	16.54
Hebron	696	27	18	38.79	12.93
Houlton	6,502	129	34	19.84	14.61
Kittery	5,870	56	11	9.54	7.67
Lewiston	36,781	637	136	17.32	13.62
Mars Hill	2,028	24	3	11.83	10.35
Millinocket	5,572	59	8	10.59	9.15
New Gloucester	1,524	42	8	27.56	22.31
Oxford	1,097	19	3	17.32	14.58
Parsonsfield	1,066	14	4	13.13	9.38
Portland	78,903	1,086	225	13.76	10.91
Presque Isle	5,943	110	52	18.51	9.76
Rockland	8,109	180	48	22.20	16.28
Rumford	10,195	128	33	12.55	9.32
Sanford	12,169	166	29	13.64	11.26
Skowhegan	6,557	121	25	18.45	14.64
South Portland	10,859	130	12	11.97	10.87
Strong	832	14	3	16.83	13.22
Thomaston	2,019	38	6	18.82	15.85
Waterville	15,055	192	44	12.75	9.83
Wells	1,974	23	5	11.65	9.12
Westbrook	10,503	116	13	11.04	9.30
Winthrop	1,902	41	11	21.55	15.77
York	2,727	58	19	21.27	14.30

REGISTRATION REPORT

TABLE
Births, Marriages and Deaths
ANDROSCOGGIN

TOWNS	Estimated population in 1929	BIRTHS									
		Sex			Parentage						
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Auburn	18,714	138	119	—	257	13.73	173	26	29	25	4
Durham	1,144	1	8	—	9	7.86	7	—	1	1	—
East Livermore	2,636	29	41	—	70	26.55	52	6	6	6	—
Greene	670	2	5	—	7	10.45	6	1	—	—	—
Leeds	840	8	7	—	15	17.86	15	—	—	—	—
Lewiston	36,781	407	409	—	816	22.18	383	187	140	92	14
Lisbon	4,091	31	28	—	59	14.42	44	8	1	4	2
Livermore	1,064	6	15	—	21	19.74	19	2	—	—	—
Mechanic Falls	1,614	15	18	—	33	20.45	32	—	1	—	—
Minot	726	2	3	—	5	6.88	4	—	1	—	—
Poland	1,414	8	9	—	17	12.02	16	—	—	—	1
Turner	1,382	10	10	—	20	14.47	20	—	—	—	—
Wales	428	4	5	—	9	21.03	7	—	—	1	1
Webster	1,026	10	9	—	19	18.52	14	1	3	1	—
Total	72,530	671	686	—	1,357	19.07	792	231	182	130	22

TABLE
Births, Marriages and Deaths
AROOSTOOK

Amity	409	5	3	—	8	19.56	6	—	1	1	—
Ashland	2,587	39	30	—	69	26.67	52	1	7	8	1
Bancroft	315	3	1	—	4	12.70	3	—	—	1	—
Benedicta	268	3	2	—	5	18.66	5	—	—	—	—
Blaine	1,211	11	8	—	19	15.69	8	1	4	6	—
Bridgewater	1,212	13	20	—	33	27.23	20	—	6	7	—
Caribou	6,595	122	124	—	246	37.30	170	10	38	25	3
Castle Hill	606	5	11	—	16	26.40	14	—	1	1	—
Chapman	548	4	2	—	6	10.95	5	1	—	—	—
Connor	585	10	12	—	22	37.61	15	—	1	6	—
Crystal	517	6	3	—	9	17.41	8	—	1	—	—
Dyer Brook	479	3	7	—	10	20.88	8	—	—	2	—
Eagle Lake	2,088	38	30	—	68	32.57	56	2	6	4	—
Easton	1,587	24	15	—	39	24.57	18	6	6	9	—
Fort Fairfield	4,704	73	57	—	130	27.64	55	19	22	32	2
Fort Kent	4,711	74	75	—	149	31.63	117	5	5	19	3
Frenchville	1,741	29	28	—	57	32.74	54	—	—	1	2
Grand Isle	1,383	29	27	—	56	40.49	36	4	6	9	1
Haynesville	418	2	5	—	7	16.75	7	—	—	—	—
Hersey	298	5	2	—	7	23.49	5	—	—	2	—
Hodgdon	1,070	13	5	—	18	16.82	11	—	3	3	1
Houlton	6,502	112	88	—	200	30.76	126	19	22	28	5
Island Falls	1,683	16	14	—	30	17.82	22	1	4	2	1
Limestone	1,698	31	27	—	58	34.16	28	8	7	15	—

BIRTHS, DEATHS AND MARRIAGES

No. 3
for the Year 1929.
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex			Nativity			Death rate per 1,000	
						Male	Female	Not stated	Total	American	Foreign		Not stated
123	3	20	11	—	157	115	98	—	213	178	33	2	11.38
1	—	—	1	—	2	7	3	—	10	9	—	1	8.74
19	—	—	1	—	20	16	16	—	32	28	4	—	12.14
1	—	—	—	—	1	8	3	—	11	9	2	—	16.42
7	—	1	—	—	8	2	3	—	5	5	—	—	5.95
170	36	40	49	—	295	317	320	—	637	416	212	9	17.32
21	—	1	2	—	24	29	19	—	48	35	13	—	11.73
9	—	—	—	—	9	7	7	—	14	13	1	—	13.16
14	—	2	—	—	16	18	11	—	29	29	—	—	17.96
1	—	1	—	—	2	7	4	—	11	9	1	1	15.15
1	—	1	—	—	2	9	10	—	19	17	2	—	13.44
4	—	—	2	—	6	12	6	—	18	17	1	—	13.02
7	1	—	1	—	9	3	—	—	3	3	—	—	7.01
—	—	—	—	—	—	2	2	—	4	3	1	—	3.90
378	40	66	67	—	551	552	502	—	1,054	771	270	13	14.81

No. 3—Continued
for the Year 1929
COUNTY

1	—	—	—	—	1	—	1	—	1	1	—	—	2.44
20	2	—	2	—	24	11	10	—	21	15	6	—	8.12
—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	—	—	1	—	4	—	—	—	—	—	—	—	—
5	—	1	1	—	7	8	12	—	20	13	7	—	16.51
3	—	—	4	—	7	5	9	—	14	10	4	—	11.55
61	1	5	8	—	75	59	38	—	97	73	24	—	14.71
—	—	—	—	—	—	—	3	—	3	3	—	—	4.95
—	—	—	—	—	—	1	1	—	1	1	—	—	1.82
1	—	—	—	—	1	9	2	—	11	9	2	—	18.80
—	—	—	—	—	—	1	—	—	1	1	—	—	1.93
—	—	—	—	—	—	—	—	—	—	—	—	—	—
15	—	—	1	—	16	21	27	—	48	44	4	—	22.99
6	—	1	1	—	8	2	6	—	8	5	3	—	5.04
17	1	2	3	—	23	31	26	—	57	35	22	—	12.11
37	—	4	2	—	43	40	23	—	63	56	6	1	13.37
5	—	1	2	—	8	6	9	—	15	13	2	—	8.61
12	1	1	1	—	15	10	6	—	16	13	3	—	11.57
2	—	—	—	—	2	2	1	—	3	2	1	—	7.17
—	—	—	—	—	—	1	1	—	2	2	—	—	6.71
3	—	—	—	—	3	6	5	—	11	9	2	—	10.28
37	2	10	4	—	53	74	55	—	129	77	50	2	19.84
8	—	—	1	—	9	8	7	—	15	9	4	2	8.91
7	1	3	1	—	12	6	7	—	13	6	7	—	7.66

REGISTRATION REPORT

TABLE
Births, Marriages and Deaths
AROOSTOOK

TOWNS	Estimated population in 1929	BIRTHS										
		Sex			Total	Rate per 1,000	Parentage					
		Male	Female	Not stated			Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated	
Linneus	706	8	6	—	14	19.83	11	1	1	1	—	—
Littleton	1,070	12	17	—	29	27.10	17	3	4	5	—	—
Ludlow	375	2	—	—	2	5.33	—	—	1	1	—	—
Madawaska	2,025	84	74	—	158	77.53	120	6	15	17	—	—
Mapleton	1,137	6	14	—	20	17.59	18	1	1	—	—	—
Mars Hill	2,028	23	15	—	38	18.74	19	4	6	9	—	—
Masardis	726	10	7	—	17	23.41	12	—	2	3	—	—
Merrill	361	5	7	—	12	33.24	11	—	1	—	—	—
Monticello	1,268	24	19	—	43	33.91	25	5	6	7	—	—
New Limerick	412	3	2	—	5	12.13	4	—	1	—	—	—
New Sweden	1,017	1	7	—	8	7.87	4	1	3	—	—	—
Oakfield	1,095	13	8	—	21	19.18	15	—	2	4	—	—
Orient	170	—	2	—	2	11.76	1	—	1	—	—	—
Perham	659	12	13	—	25	37.94	19	1	5	—	—	—
Portage Lake	920	18	16	—	34	36.96	17	7	4	5	1	—
Presque Isle	5,943	123	127	—	250	42.06	154	27	38	29	2	—
St. Agatha	1,791	33	40	—	73	40.76	70	—	—	3	—	—
Sherman	1,207	9	17	—	26	21.54	22	—	1	1	2	—
Smyrna	504	3	4	—	7	13.89	5	1	—	1	—	—
Stockholm	1,329	17	18	—	35	26.33	28	—	3	4	—	—
Van Buren	5,970	90	85	—	175	29.31	101	16	24	30	4	—
Wade	441	6	2	—	8	18.14	6	—	2	—	—	—
Washburn	2,128	23	31	—	54	25.37	38	3	8	3	2	—
Westfield	896	10	9	—	19	21.20	11	1	6	1	—	—
Weston	472	5	2	—	7	14.83	6	—	—	1	—	—
Woodland	1,120	21	16	—	37	33.03	25	1	4	6	1	—
Allagash Pl.	462	10	11	—	21	45.45	16	—	2	3	—	—
Cary Pl.	327	1	1	—	2	6.12	1	—	—	—	1	—
Caswell Pl.	584	12	9	—	21	35.96	14	2	3	2	—	—
Cyr Pl.	479	12	6	—	18	37.58	15	—	1	2	—	—
E. Pl.	97	1	1	—	2	20.61	2	—	—	—	—	—
Garfield Pl.	161	1	—	—	1	6.21	1	—	—	—	—	—
Glenwood Pl.	87	1	—	—	1	11.49	1	—	—	—	—	—
Hamlin Pl.	602	8	12	—	20	33.22	16	1	2	1	—	—
Hammond Pl.	147	2	2	—	4	27.21	4	—	—	—	—	—
Macwahoc Pl.	131	6	1	—	7	53.43	6	—	1	—	—	—
Moro Pl.	181	3	1	—	4	22.10	4	—	—	—	—	—
Nashville Pl.	50	—	—	—	—	—	—	—	—	—	—	—
New Canada Pl.	573	15	10	—	25	43.63	21	—	3	1	—	—
Oxbow Pl.	213	—	2	—	2	9.39	—	—	1	1	—	—
Reed Pl.	781	7	2	—	9	12.31	7	2	—	—	—	—
St. Francis Pl.	1,532	25	29	—	54	35.25	45	1	5	3	—	—
St. John Pl.	549	5	7	—	12	21.86	7	1	—	4	—	—
Silver Ridge Pl.	173	2	2	—	4	23.12	3	—	—	—	1	—
Wallagrass Pl.	1,270	20	15	—	35	27.56	31	1	—	3	—	—
Westmanland Pl.	101	—	—	—	—	—	—	—	—	—	—	—
Winterville Pl.	430	5	12	—	17	39.53	12	—	2	1	2	—
*Total	87,866	1,367	1,277	—	2,644	30.02	1,814	163	299	333	35	—

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued

for the Year 1929

COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex			Nativity			Death rate per 1,000	
						Male	Female	Not stated	Total	American	Foreign		Not stated
1	1	1	2	—	5	4	1	—	5	3	2	—	7.08
4	—	—	—	—	4	4	4	—	8	4	4	—	7.48
12	—	5	4	—	21	5	2	—	7	6	1	—	18.66
4	—	—	—	—	4	24	16	—	40	38	1	1	19.75
9	—	1	2	—	12	6	6	—	12	9	3	—	10.55
2	—	—	—	—	2	12	11	—	24	12	12	—	11.83
2	—	—	—	—	2	3	—	—	3	3	—	—	4.13
2	—	—	—	—	2	2	2	—	2	2	—	—	5.54
—	—	—	2	—	2	6	10	—	16	5	11	—	12.62
6	—	—	—	—	6	6	4	—	2	1	1	—	4.85
6	—	—	—	—	6	5	2	—	10	7	1	9	9.83
—	—	—	—	—	—	5	2	—	7	5	2	—	6.39
2	—	—	—	—	2	1	4	—	5	5	—	—	29.41
1	—	—	—	—	2	2	1	—	3	2	1	—	4.55
1	—	—	—	—	1	1	4	—	9	9	—	—	9.78
34	2	4	1	—	41	68	42	—	110	83	27	—	18.51
25	—	—	—	—	25	10	9	—	19	17	2	—	10.61
5	—	—	—	—	5	5	8	—	13	11	2	—	10.77
7	—	—	2	—	9	9	3	—	4	2	2	—	7.94
5	—	2	1	—	8	7	5	—	12	6	6	—	9.03
17	5	3	8	—	33	40	27	—	67	51	16	—	11.22
—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	—	1	1	—	9	10	13	—	23	18	5	—	10.81
2	—	—	—	—	2	1	—	—	1	1	—	—	1.12
1	—	—	—	—	1	5	—	—	5	5	—	—	10.59
2	—	—	—	—	2	6	6	—	12	10	2	—	10.71
3	—	1	—	—	4	3	1	—	4	4	—	—	8.66
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	2	3	—	5	4	1	—	8.56
—	—	—	—	—	—	6	2	—	8	8	—	—	16.70
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	—	1	—	—	5	3	5	—	8	7	1	—	13.29
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	2	2	—	4	4	—	—	30.53
—	—	—	—	—	—	—	1	—	1	1	—	—	5.52
7	—	2	—	—	9	10	5	—	15	15	—	—	26.18
—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	—	—	—	2	2	1	—	3	2	1	—	4.10
10	—	—	—	—	10	11	8	—	19	17	2	—	12.40
1	—	1	1	—	3	1	4	—	5	4	1	—	9.11
—	—	—	—	—	—	4	—	—	4	3	1	—	23.12
9	—	—	—	—	9	6	4	—	10	10	—	—	7.87
—	—	—	—	—	—	3	1	—	4	4	—	—	39.60
—	—	—	—	—	—	4	1	—	5	3	2	—	11.63
428	17	50	56	—	551	597	466	—	1,063	792	265	6	12.07

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

TABLE
Births, Marriages and Deaths
CUMBERLAND

TOWNS	Estimated population in 1929	BIRTHS										
		Sex			Parentage							
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated	
Baldwin	700	8	4	—	12	17.14	12	—	—	—	—	—
Bridgton	2,546	22	22	—	44	17.28	37	1	4	—	—	2
Brunswick	7,837	89	76	—	165	21.05	110	11	30	13	—	1
Cape Elizabeth	1,534	2	6	—	8	5.21	6	—	—	2	—	—
Casco	685	9	6	—	15	21.90	14	—	—	1	—	—
Cumberland	1,150	8	11	—	19	16.52	16	—	1	1	—	1
Falmouth	1,591	7	13	—	20	12.57	17	—	2	—	—	—
Freeport	2,513	14	15	—	29	11.54	26	—	—	—	—	—
Gorham	2,913	25	17	—	42	14.42	36	2	—	4	—	—
Gray	1,139	9	4	—	13	11.41	13	—	—	—	—	—
Harpswell	1,242	7	13	—	20	16.10	20	—	—	—	—	—
Harrison	901	7	5	—	12	13.32	9	2	—	—	—	1
Naples	514	7	7	—	14	27.24	13	1	—	—	—	—
New Gloucester	1,524	15	11	—	26	17.06	21	—	—	5	—	—
North Yarmouth	590	—	3	—	3	5.08	2	—	1	—	—	—
Otisfield	581	4	3	—	7	12.05	6	1	—	—	—	—
Portland	78,903	787	713	—	1,500	19.01	1,009	193	14	108	46	—
Pownall	514	1	3	—	4	7.78	3	—	—	1	—	—
Raymond	500	5	1	—	6	12.00	6	—	—	—	—	—
Scarborough	1,832	13	23	—	36	19.65	23	4	2	7	—	—
Sebago	550	3	4	—	7	12.73	7	—	—	—	—	—
South Portland	10,859	77	72	—	149	13.72	112	11	13	12	—	1
Standish	1,323	12	12	—	24	13.16	21	—	3	—	—	—
Westbrook	10,508	121	99	—	220	20.94	141	27	23	29	—	—
Windham	1,932	11	18	—	29	15.01	23	3	1	2	—	—
Yarmouth	2,216	17	11	—	28	12.64	16	4	2	5	—	1
Total	137,597	1,280	1,172	—	2,452	18.09	1,720	260	227	191	54	—

TABLE
Births, Marriages and Deaths
FRANKLIN

Avon	393	8	3	—	11	27.99	10	—	1	—	—	—
Carthage	282	1	—	—	1	3.55	1	—	—	—	—	—
Chesterville	586	3	3	—	6	10.24	6	—	—	—	—	—
Eustis	662	3	8	—	11	16.62	9	1	1	—	—	—
Farmington	3,197	36	33	—	69	21.56	62	—	4	—	—	1
Freeman	222	1	4	—	5	22.52	2	1	2	—	—	—
Industry	431	3	1	—	4	9.28	4	—	—	—	—	—
Jay	3,300	62	31	—	93	28.18	52	13	19	9	—	—
Kingfield	1,018	16	13	—	29	28.49	24	—	3	2	—	—
Madrid	258	—	4	—	4	15.50	4	—	—	—	—	—
New Sharon	385	3	3	—	6	6.78	4	—	2	—	—	—
New Vineyard	471	5	1	—	6	12.74	6	—	—	—	—	—
Phillips	1,353	3	10	—	13	9.61	12	—	1	—	—	—
Rangeley	1,028	11	8	—	19	18.48	15	1	3	—	—	—

BIRTHS, DEATHS AND MARRIAGES

15

No. 3—Continued

for the Year 1929

COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex			Nativity			Death rate per 1,000	
						Male	Female	Not stated	Total	American	Foreign		Not stated
2	—	—	1	—	3	6	1	—	7	7	—	—	10.00
25	—	—	—	—	25	26	17	—	43	42	1	—	16.89
54	2	3	4	—	63	54	59	—	113	80	33	—	14.42
4	—	—	—	—	4	8	7	—	15	9	6	—	9.78
2	—	—	—	—	2	6	4	—	10	9	1	—	14.60
7	—	1	—	—	8	12	8	—	20	20	—	—	17.39
7	—	—	1	—	8	10	9	—	19	16	3	—	11.94
13	—	—	—	—	13	16	25	—	41	40	1	—	16.31
16	—	1	—	—	17	21	25	—	46	44	1	1	15.79
11	—	—	—	—	11	15	13	—	28	26	2	—	24.58
3	—	1	1	—	5	6	9	—	15	13	2	—	12.08
6	—	—	—	—	6	11	6	—	17	17	—	—	18.87
12	—	1	—	—	13	6	3	—	9	8	1	—	17.51
5	—	—	—	—	5	19	23	—	42	40	2	—	27.56
6	1	—	1	—	8	9	5	—	14	13	1	—	23.73
1	—	—	—	—	1	3	2	—	5	5	—	—	8.60
495	38	47	69	—	649	559	527	—	1,086	819	256	11	13.76
1	—	—	—	—	1	3	2	—	5	4	1	—	9.73
5	—	—	—	—	5	7	4	—	11	10	1	—	22.00
12	—	1	1	—	14	12	15	—	27	21	6	—	14.74
1	—	—	—	—	1	3	3	—	6	6	—	—	10.91
48	—	4	12	—	64	60	70	—	130	108	22	—	11.97
8	—	—	1	—	9	13	8	—	21	21	—	—	11.52
67	2	16	13	—	98	60	56	—	116	82	34	—	11.04
11	—	1	—	—	12	14	12	—	26	22	4	—	13.46
16	1	—	5	—	22	14	19	—	33	29	4	—	14.89
838	44	76	109	—	1,067	973	932	—	1,905	1,511	382	12	14.06

No. 3—Continued

for the Year 1929

COUNTY

1	—	—	—	—	1	1	—	—	1	1	—	—	2.54
2	—	—	—	—	2	1	2	—	3	2	1	—	10.65
6	—	—	—	—	7	7	1	—	8	7	1	—	13.65
44	3	2	1	—	7	10	2	—	12	11	1	—	18.13
1	—	—	—	—	50	37	30	—	67	63	4	—	20.96
1	—	—	—	—	1	1	2	—	3	3	—	—	13.51
1	—	—	—	—	1	4	1	—	5	4	1	—	11.60
15	2	—	4	—	21	31	18	—	49	41	8	—	14.85
10	1	1	3	—	15	4	7	—	11	11	—	—	10.80
3	—	—	—	—	3	1	—	—	1	1	—	—	3.87
3	—	—	—	—	3	10	4	—	14	14	—	—	15.82
—	—	—	—	—	—	8	1	—	9	8	1	—	19.11
13	—	—	2	—	15	12	6	—	18	17	—	1	13.30
5	—	1	1	—	7	11	6	—	17	14	3	—	16.54

TABLE
Births, Marriages and Deaths
FRANKLIN

TOWNS	Estimated popula- tion in 1929	BIRTHS										
		Sex			Total	Rate per 1,000	Parentage					
		Male	Female	Not stated			Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated	
Salem	158	—	1	—	1	6.33	1	—	—	—	—	—
Strong	832	7	4	—	11	13.22	11	—	—	—	—	—
Temple	445	—	3	—	3	6.74	1	1	—	1	—	—
Weld	521	2	5	—	7	13.43	7	—	—	—	—	—
Wilton	2,831	31	34	—	65	22.96	59	3	—	—	1	—
Coplin Pl.	263	—	1	—	1	3.80	—	—	—	1	—	—
Dallas Pl.	544	1	7	—	8	14.71	7	—	—	—	—	1
Lang Pl.	132	—	1	—	1	7.57	1	—	—	—	—	—
Rangley Pl.	159	1	—	—	1	6.29	1	—	—	—	—	—
Sandy River Pl.	114	3	—	—	3	26.31	3	—	—	—	—	—
*Total	20,085	200	178	—	378	18.47	302	20	40	14	2	—

TABLE
Births, Marriages and Deaths
HANCOCK

Amherst	198	—	2	—	2	10.10	2	—	—	—	—	—
Aurora	95	—	—	—	—	—	—	—	—	—	—	—
Bar Harbor	3,622	44	43	—	87	24.02	76	1	2	6	2	—
Blue Hill	1,656	20	11	—	31	18.72	26	—	1	1	3	—
Brooklin	856	5	3	—	8	9.34	7	—	1	—	—	—
Brooksville	1,019	2	10	—	12	11.78	12	—	—	—	—	—
Bucksport	1,906	18	7	—	25	13.12	23	—	1	1	—	—
Castine	743	11	8	—	19	25.57	19	—	—	—	—	—
Cranberry Isles	420	—	2	—	2	4.76	2	—	—	—	—	—
Dedham	286	4	1	—	5	17.48	4	—	—	1	—	—
Deer Isle	1,718	9	10	—	19	11.06	17	—	—	2	—	—
Eastbrook	204	1	3	—	4	19.61	4	—	—	—	—	—
Ellsworth	3,058	45	37	—	82	26.81	74	2	2	4	—	—
Franklin	925	9	9	—	18	19.46	17	—	1	—	—	—
Gouldsboro	1,282	12	9	—	21	16.38	19	—	1	—	1	—
Hancock	770	4	7	—	11	14.28	9	—	—	1	1	—
Lamoine	327	10	9	—	19	58.10	17	—	1	1	—	—
Mariaville	131	—	1	—	1	7.63	1	—	—	—	—	—
Mt. Desert	1,497	19	29	—	48	32.06	43	—	—	2	3	—
Orland	910	6	7	—	13	14.28	13	—	—	—	—	—
Otis	181	1	1	—	2	15.27	2	—	—	—	—	—
Penobscot	870	6	6	—	12	13.79	12	—	—	—	—	—
Sedgwick	830	5	8	—	13	15.66	10	—	1	—	2	—
Sorrento	140	1	3	—	4	28.57	4	—	—	—	—	—
Southwest Harbor	824	3	8	—	11	13.35	9	—	—	2	—	—
Stonington	1,353	17	6	—	23	16.99	21	1	—	1	—	—
Sullivan	916	3	3	—	6	6.55	5	—	1	—	—	—
Surry	658	2	3	—	5	7.60	5	—	—	—	—	—
Swans Island	566	6	4	—	10	17.67	10	—	—	—	—	—
Tremont	1,029	19	18	—	37	35.96	35	—	1	1	—	—
Trenton	314	3	1	—	4	12.74	4	—	—	—	—	—
Verona	237	2	2	—	4	16.87	4	—	—	—	—	—
Waltham	154	2	2	—	4	25.97	4	—	—	—	—	—
Winter Harbor	503	3	6	—	9	17.89	9	—	—	—	—	—
Long Island	164	1	—	—	1	6.10	1	—	—	—	—	—
No. 33 Pl.	49	—	—	—	—	—	—	—	—	—	—	—
Osborn Pl.	43	—	1	—	1	23.25	1	—	—	—	—	—
*Total	30,404	293	280	—	573	18.87	521	4	13	23	12	—

REGISTRATION REPORT

TABLE
Births, Marriages and Deaths
KENNEBEC

TOWNS	Estimated popula- tion in 1929	BIRTHS										
		Sex			Parentage							
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated	
Albion	900	11	9	—	20	22.22	16	1	3	—	—	—
Augusta	14,927	155	171	—	326	21.84	209	45	33	34	—	5
Belgrade	957	6	6	—	12	12.54	10	2	—	—	—	—
Benton	1,108	11	8	—	19	17.15	14	4	1	—	—	—
Chelsea	2,050	5	6	—	11	5.36	11	—	—	—	—	—
China	1,257	9	7	—	16	12.73	13	1	2	—	—	—
Clinton	1,230	3	7	—	10	8.13	9	—	1	—	—	—
Farmingdale	819	4	8	—	12	14.65	9	1	—	1	1	1
Fayette	523	4	2	—	6	11.47	5	—	—	—	1	—
Gardiner	5,623	72	71	—	143	25.43	122	1	9	6	5	—
Hallowell	2,764	16	18	—	34	12.30	28	6	—	—	—	—
Litchfield	815	3	6	—	9	11.04	9	—	—	—	—	—
Manchester	485	6	1	—	7	14.43	6	—	—	1	—	—
Monmouth	1,372	11	9	—	20	14.58	18	—	2	—	—	—
Mount Vernon	745	6	3	—	9	12.08	6	1	1	1	—	—
Oakland	2,667	29	26	—	55	20.62	49	1	2	3	—	—
Pittston	816	5	3	—	8	9.80	8	—	—	—	—	—
Randolph	1,260	8	8	—	16	12.70	16	—	—	—	—	—
Readfield	911	6	3	—	9	9.88	8	—	1	—	—	—
Rome	436	3	1	—	4	9.17	4	—	—	—	—	—
Sidney	986	6	2	—	8	8.11	5	1	—	1	1	—
Vassalboro	1,936	16	8	—	24	12.40	18	2	2	2	—	—
Vienna	366	1	—	—	1	2.73	—	1	—	—	—	—
Waterville	15,055	192	214	—	406	26.97	253	69	45	34	5	—
Wayne	453	3	1	—	4	8.73	4	—	—	—	—	—
West Gardiner	553	3	1	—	4	7.23	4	—	—	—	—	—
Windsor	599	4	1	—	5	8.34	5	—	—	—	—	—
Winslow	3,794	45	41	—	86	22.67	38	28	11	7	2	—
Winthrop	1,902	14	23	—	37	19.45	25	4	5	3	—	—
Togus	—	—	—	—	—	—	—	—	—	—	—	—
Unity Pl.	46	1	—	—	1	21.73	1	—	—	—	—	—
Total	67,360	658	664	—	1,322	20.42	923	168	118	94	19	—

TABLE
Births, Marriages and Deaths
KNOX

Appleton	683	8	2	—	10	14.64	9	—	—	—	1	—
Camden	3,752	32	27	—	59	15.72	56	1	1	1	—	—
Cushing	416	2	2	—	4	9.62	4	—	—	—	—	—
Friendship	696	5	6	—	11	15.80	11	—	—	—	—	—
Hope	424	3	2	—	5	11.79	4	—	—	1	—	—
Isle au Haut	102	—	—	—	—	—	—	—	—	—	—	—
North Haven	510	1	1	—	2	3.92	2	—	—	—	—	—
Owls' Head	—	5	4	—	9	—	6	—	1	1	1	—
Rockland	8,109	103	122	—	225	27.75	187	12	18	4	4	—
Rockport	1,774	5	8	—	13	7.33	12	—	—	1	—	—
St. George	1,654	12	11	—	23	13.90	18	1	4	—	—	—
South Thomaston	947	3	2	—	5	5.28	4	—	—	1	—	—
Thomaston	2,019	10	14	—	24	11.89	21	1	2	—	—	—
Union	1,133	11	2	—	13	11.47	13	—	—	—	—	—
Vinalhaven	1,965	16	8	—	24	12.21	19	—	3	2	—	—
Warren	1,500	5	9	—	14	9.33	13	—	—	1	—	—
Washington	660	6	7	—	13	19.69	12	1	—	—	—	—
Matinicus Pl.	140	—	1	—	1	7.14	1	—	—	—	—	—
Total	26,484	227	228	—	455	17.34	392	16	29	12	6	—

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued
for the Year 1929
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex			Nativity			Death rate per 1,000	
						Male	Female	Not stated	Total	American	Foreign		Not stated
16	—	1	1	—	18	7	7	—	14	14	—	—	15.56
134	12	15	18	—	179	153	176	—	329	276	51	2	22.04
7	—	—	—	—	7	6	7	—	13	11	2	—	13.58
—	—	—	—	—	—	13	5	—	18	15	3	—	16.24
4	—	—	—	—	4	3	7	—	10	6	4	—	4.88
9	—	—	—	—	9	10	13	—	23	21	2	—	18.30
12	—	1	—	—	13	7	11	—	18	16	2	—	14.63
2	—	—	—	—	2	2	4	—	6	4	2	—	7.32
—	—	—	—	—	—	1	4	—	5	5	—	—	9.56
40	—	—	—	—	40	48	49	—	97	88	9	—	17.25
25	—	—	1	—	26	8	27	—	35	31	4	—	12.66
—	—	—	—	—	—	6	10	—	16	13	3	—	19.63
2	—	1	—	—	3	2	5	—	7	6	1	—	14.43
6	—	1	1	—	13	8	9	—	22	21	1	—	16.03
9	—	—	—	—	9	6	4	—	10	10	—	—	13.42
25	—	1	2	—	28	19	19	—	38	35	3	—	14.25
2	—	—	1	—	3	7	7	—	14	13	1	—	17.16
8	—	—	—	—	8	8	12	—	20	19	1	—	15.87
3	—	—	1	—	4	8	3	—	11	10	1	—	12.07
—	—	—	—	—	—	5	5	—	6	5	1	—	13.76
1	—	—	—	—	1	8	7	—	15	12	3	—	15.21
8	1	2	—	—	11	13	10	—	23	17	6	—	11.88
1	—	—	—	—	1	4	—	—	4	4	—	—	10.93
97	7	17	17	—	138	93	99	—	192	146	45	1	12.75
3	—	—	—	—	3	4	2	—	6	6	—	—	13.10
1	—	—	—	—	1	5	3	—	8	7	1	—	14.47
1	—	—	—	—	1	8	4	—	12	11	1	—	20.08
19	7	2	3	—	31	11	21	—	32	26	6	—	8.43
23	1	—	—	—	25	22	19	—	41	33	8	—	21.55
1	—	1	—	—	2	50	—	—	50	40	10	—	—
1	—	—	—	—	1	1	—	—	1	1	—	—	21.73
460	28	42	46	—	576	551	545	—	1,096	922	171	3	16.93

No. 3—Continued
for the Year 1929
COUNTY

1	—	—	—	—	1	3	3	—	6	6	—	—	8.78
34	—	—	—	—	34	27	19	—	46	44	1	1	12.26
7	—	—	1	—	8	7	4	—	11	10	1	—	26.44
—	—	—	—	—	—	3	3	—	6	4	2	—	8.62
—	—	—	—	—	—	2	1	—	3	3	—	—	7.08
—	—	—	—	—	—	1	—	—	1	1	—	—	9.80
5	—	—	—	—	5	2	1	—	3	3	—	—	5.88
3	—	1	—	—	4	3	4	—	7	6	1	—	—
93	1	2	7	—	103	98	82	—	180	160	19	1	22.20
10	—	—	—	—	10	18	19	—	37	33	4	—	20.86
6	—	1	1	—	8	9	7	—	16	12	4	—	9.67
—	—	—	—	—	—	7	7	—	9	7	2	—	9.50
12	—	—	—	—	12	18	20	—	38	28	10	—	18.82
20	—	1	—	—	11	8	10	—	18	18	—	—	15.88
11	—	—	2	—	13	11	11	—	22	21	1	—	11.19
10	—	—	3	—	13	12	16	—	28	27	1	—	18.66
2	—	—	—	—	2	5	6	—	11	10	1	—	16.67
—	—	—	—	—	—	1	1	—	2	2	—	—	14.28
204	1	5	14	—	224	235	209	—	444	395	47	2	16.92

REGISTRATION REPORT

TABLE
Births, Marriages and Deaths
LINCOLN

TOWNS	Estimated population in 1929	BIRTHS										
		Sex			Total	Rate per 1,000	Parentage					
		Male	Female	Not stated			Both American	Both foreign	American father and foreign mother	American father and foreign mother	Not stated	
Alna	320	2	—	—	2	6.25	2	—	—	—	—	—
Boothbay	1,432	14	4	—	18	12.57	18	—	—	—	—	—
Boothbay Harbor	2,029	24	25	—	49	24.15	40	—	4	—	5	—
Bremen	423	6	1	—	7	16.55	7	—	—	—	—	—
Bristol	1,419	6	3	—	14	9.87	13	—	—	—	—	1
Damariscotta	919	11	9	—	20	21.76	17	1	1	—	1	—
Dresden	620	2	3	—	5	8.06	5	—	—	—	—	—
Edgecomb	428	1	2	—	3	7.00	3	—	—	—	—	—
Jefferson	914	7	6	—	13	14.22	11	1	—	—	—	—
New Castle	993	10	3	—	18	18.13	16	—	—	—	2	—
Nobleborough	666	—	5	—	5	7.51	4	—	—	—	1	—
Somerville	256	7	—	—	7	27.34	7	—	—	—	—	—
South Bristol	581	3	5	—	8	13.77	7	1	—	—	—	—
Southport	272	1	2	—	3	11.03	2	—	—	—	1	—
Waldoboro	2,426	18	13	—	31	12.78	30	—	—	—	1	—
Westport	165	1	1	—	2	12.12	2	—	—	—	—	—
Whitefield	862	8	6	—	14	16.24	14	—	—	—	—	—
Wiscasset	1,192	7	9	—	16	13.42	13	1	—	—	1	—
Monhegan Pl.	145	—	—	—	—	—	—	—	—	—	—	—
Total	16,062	128	107	—	235	14.63	211	4	6	13	1	—

TABLE
Births, Marriages and Deaths
OXFORD

Albany	360	1	4	—	5	13.89	4	1	—	—	—	—
Andover	776	6	5	—	11	14.17	8	2	1	—	—	—
Bethel	1,792	26	15	—	41	22.88	37	—	4	—	—	—
Brownfield	835	7	4	—	11	13.17	11	—	—	—	—	—
Buckfield	957	6	5	—	11	11.49	11	—	—	—	—	—
Byron	244	—	—	—	—	—	—	—	—	—	—	—
Canton	750	10	5	—	15	20.00	14	1	—	—	—	—
Denmark	576	3	4	—	7	12.15	6	—	1	—	—	—
Dixfield	1,204	13	14	—	27	22.42	25	1	—	—	1	—
Fryeburg	1,284	14	7	—	21	16.35	19	—	1	—	1	—
Gilead	196	2	—	—	2	10.20	2	—	—	—	—	—
Greenwood	605	5	4	—	9	14.88	7	—	—	—	2	—
Hanover	165	1	—	—	1	6.06	1	—	—	—	—	—
Hartford	525	7	3	—	10	19.05	9	—	1	—	—	—
Hebron	696	4	4	—	8	11.49	7	—	1	—	—	—
Hiram	921	7	9	—	16	17.37	15	—	—	—	1	—
Lovell	575	7	3	—	10	17.39	8	—	1	—	1	—
Mason	54	—	—	—	—	—	—	—	—	—	—	—
Mexico	4,301	60	72	—	132	30.69	51	44	28	8	1	—
Newry	254	—	3	—	3	11.81	1	—	1	—	—	—
Norway	2,969	28	16	—	44	14.82	42	—	1	—	1	—
Oxford	1,097	13	10	—	23	20.97	21	—	1	—	—	1
Paris	3,854	32	32	—	64	16.61	53	3	4	3	1	—
Peru	738	5	7	—	12	16.26	8	—	3	—	—	—
Porter	820	8	7	—	15	18.29	15	—	—	—	—	—
Roxbury	276	3	2	—	5	18.12	4	—	—	—	1	—

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued
for the Year 1929
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex			Nativity			Death rate per 1,000	
						Male	Female	Not stated	Total	American	Foreign		Not stated
3	—	—	—	—	3	4	2	—	6	5	1	—	18.75
2	—	—	—	—	4	10	7	—	17	16	1	—	11.87
23	—	—	2	—	25	9	11	—	20	17	3	—	9.86
1	—	—	—	—	1	3	1	—	4	4	—	—	9.46
10	—	—	—	—	10	14	11	—	25	25	—	—	17.62
10	—	1	—	—	11	14	11	—	25	24	1	—	27.20
3	—	—	—	—	3	3	4	—	7	6	1	—	11.29
3	—	—	—	—	3	4	3	—	7	7	—	—	16.35
9	—	—	—	—	9	6	7	—	13	12	1	—	14.22
4	—	—	1	—	5	11	10	—	21	17	3	1	21.15
7	—	—	—	—	7	6	4	—	10	8	2	—	15.02
1	—	—	—	—	1	—	2	—	2	2	—	—	7.81
3	—	—	—	—	3	3	5	—	8	8	—	—	13.77
2	—	—	—	—	2	3	2	—	5	5	—	—	18.38
24	—	1	1	—	26	23	22	—	45	42	2	1	18.55
—	—	—	—	—	—	3	2	—	5	4	1	—	30.30
—	—	—	—	—	—	7	7	—	14	14	—	—	16.24
7	—	—	—	—	7	6	12	—	18	17	1	—	15.10
—	—	—	—	—	—	—	2	—	2	1	1	—	13.79
112	—	4	4	—	120	129	125	—	254	234	18	2	15.81

No. 3—Continued
for the Year 1929
COUNTY

1	—	—	—	—	1	3	1	—	4	3	1	—	11.11
2	—	—	—	—	2	4	2	—	6	6	—	—	7.73
17	1	1	3	—	22	16	8	—	24	21	3	—	13.39
5	—	—	—	—	5	6	7	—	13	12	1	—	15.57
2	—	2	—	—	4	6	4	—	10	10	—	—	10.45
—	—	—	—	—	—	1	1	—	2	2	—	—	8.19
1	—	—	—	—	1	8	8	—	16	12	4	—	21.33
1	—	—	—	—	1	6	3	—	9	8	1	—	15.62
11	—	1	1	—	13	4	8	—	12	12	—	—	9.97
8	—	1	1	—	10	12	11	—	23	21	1	1	17.91
1	—	1	—	—	2	1	3	—	4	3	1	—	20.40
—	—	—	—	—	—	4	—	—	4	1	3	—	6.61
—	—	—	—	—	—	1	1	—	2	2	—	—	12.12
1	—	—	1	—	2	3	1	—	4	3	1	—	7.62
1	—	—	—	—	2	7	7	—	27	25	2	—	38.79
5	—	—	—	—	5	4	20	—	11	11	—	—	11.94
5	—	—	—	—	5	3	9	—	12	11	1	—	20.87
—	—	—	—	—	—	—	1	—	1	1	—	—	18.52
20	2	4	5	—	31	16	18	—	34	24	10	—	7.90
2	—	—	—	—	2	1	1	—	2	2	—	—	7.87
48	—	3	1	—	52	21	21	—	42	37	5	—	14.15
2	—	—	1	—	3	10	9	—	19	16	3	—	17.32
38	—	—	1	—	39	29	26	—	55	52	3	—	14.27
—	—	—	—	—	—	4	1	—	5	2	3	—	6.77
6	—	1	1	—	8	7	6	—	13	12	1	—	15.85
—	—	—	1	—	1	2	1	—	3	3	—	—	10.87

TABLE
Births, Marriages and Deaths
OXFORD

TOWNS	Estimated population in 1929	BIRTHS									
		Sex			Parentage						
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Rumford	10,195	144	156	—	300	29.43	116	100	47	35	2
Stoneham	196	2	4	—	6	30.61	6	—	—	—	—
Stow	199	3	3	—	6	30.15	5	1	—	—	—
Sumner	670	3	7	—	10	14.92	9	1	—	—	—
Sweden	225	2	1	—	3	13.33	3	—	—	—	—
Upton	123	1	4	—	5	40.65	1	1	2	1	—
Waterford	765	3	11	—	14	18.30	13	1	—	—	—
Woodstock	765	6	6	—	12	15.69	12	—	—	—	—
Lincoln Pl.	80	—	—	—	—	—	—	—	—	—	—
Magalloway Pl. ..	86	—	—	—	—	—	—	—	—	—	—
Milton Pl.	148	1	—	—	1	6.76	1	—	—	—	—
*Total	40,276	433	427	—	860	22.05	545	156	97	57	5

TABLE
Births, Marriages and Deaths
PENOBSCOT

Alton	209	1	—	—	1	4.78	1	—	—	—	—
Argyle	170	1	2	—	3	17.65	1	—	1	1	—
Bangor	27,035	295	262	—	557	20.60	398	42	52	32	33
Bradford	738	3	8	—	11	14.90	11	—	—	—	—
Bradley	706	3	5	—	8	11.33	5	—	1	2	—
Brewer	6,421	71	66	—	137	21.34	109	6	9	12	1
Burlington	330	5	5	—	10	30.30	7	—	2	1	—
Carmel	918	9	15	—	24	26.14	23	—	1	—	—
Carroll	395	3	1	—	4	10.13	4	—	—	—	—
Charleston	720	7	4	—	11	15.28	11	—	—	—	—
Chester	285	1	2	—	3	10.53	2	—	1	—	—
Clifton	185	2	—	—	2	10.81	2	—	—	—	—
Corinna	1,535	9	20	—	29	18.89	28	1	—	—	—
Corinth	891	9	9	—	18	20.20	16	—	1	1	—
Dexter	4,638	40	42	—	82	17.68	64	6	6	4	2
Dixmont	602	4	7	—	11	18.27	9	—	2	—	—
East Millinocket ..	1,814	13	19	—	32	17.64	22	4	4	2	—
Eddington	527	1	3	—	4	7.58	4	—	—	—	—
Edinburg	41	—	—	—	—	—	—	—	—	—	—
Enfield	1,105	13	21	—	34	30.77	25	2	2	4	1
Etna	386	2	3	—	5	12.95	5	—	—	—	—
Exeter	807	6	7	—	13	16.11	10	—	1	2	—
Garland	677	4	11	—	15	22.16	15	—	—	—	—
Glenburn	377	6	3	—	9	23.87	8	—	—	—	1
Greenbush	381	5	—	—	5	13.12	5	—	—	—	—
Greenfield	108	1	1	—	2	18.52	2	—	—	—	—
Hampden	2,352	17	15	—	32	13.60	27	1	1	3	—
Hermion	1,190	6	7	—	13	10.92	10	—	—	2	1
Holden	549	5	4	—	9	16.39	7	—	1	1	—
Howland	931	30	33	—	63	67.67	48	1	7	7	—
Hudson	369	3	7	—	10	27.10	8	1	1	—	—
Kenduskeag	451	2	2	—	4	8.87	3	—	1	—	—
Kingman	604	8	6	—	14	23.18	12	—	—	1	1
Lagrange	478	4	3	—	7	14.64	5	—	1	1	—
Lee	724	7	11	—	18	24.86	17	—	—	1	—
Levant	602	4	9	—	13	21.59	9	1	2	1	—

BIRTHS, DEATHS AND MARRIAGES

**No. 3—Continued
for the Year 1929
COUNTY**

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex			Nativity			Death rate per 1,000	
						Male	Female	Not stated	Total	American	Foreign		Not stated
43	22	12	16	—	93	83	45	—	128	84	40	4	12.55
1	—	—	—	—	1	—	2	—	2	2	—	—	10.20
—	—	—	—	—	—	2	2	—	4	4	—	—	20.10
7	—	—	—	—	7	—	2	—	2	2	—	—	2.98
—	—	—	—	—	—	—	2	—	2	2	—	—	8.88
3	—	—	—	—	3	1	1	—	2	1	1	—	16.26
8	—	—	—	—	8	8	1	—	9	9	—	—	11.76
7	—	—	—	—	7	5	5	—	10	10	—	—	13.07
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
246	25	26	33	—	330	280	236	—	516	426	85	5	13.23

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**No. 3—Continued
for the Year 1929
COUNTY**

1	—	—	—	—	1	—	1	—	1	1	—	—	4.78
—	—	—	—	—	—	1	—	—	1	—	—	—	5.88
258	10	22	25	—	315	325	273	—	598	505	88	5	22.12
2	—	—	—	—	2	5	7	—	12	12	—	—	16.26
3	—	—	—	—	3	3	5	—	8	7	1	—	11.33
43	—	5	1	—	49	28	34	—	62	47	15	—	9.65
1	—	—	—	—	1	—	1	—	1	1	—	—	3.03
—	—	—	—	—	—	11	7	—	18	16	2	—	19.61
—	—	—	—	—	—	2	—	—	2	2	—	—	5.06
4	—	2	—	—	6	5	8	—	13	12	1	—	18.05
—	—	—	—	—	—	1	1	—	1	1	—	—	3.51
—	—	—	—	—	—	1	1	—	2	2	—	—	10.81
6	—	—	—	—	6	7	7	—	14	12	2	—	9.12
2	—	1	—	—	3	12	4	—	16	14	2	—	17.96
24	1	2	1	—	28	44	27	—	71	66	3	2	15.31
2	—	—	1	—	3	12	7	—	19	19	—	—	31.56
12	—	1	4	—	17	13	11	—	24	15	9	—	13.23
1	—	—	—	—	1	4	6	—	10	9	1	—	18.97
—	—	—	—	—	—	1	1	—	1	1	—	—	24.39
7	—	1	—	—	8	8	5	—	13	13	—	—	11.76
5	—	—	—	—	5	2	1	—	3	3	—	—	7.77
—	—	—	—	—	—	11	4	—	15	12	3	—	18.58
1	—	—	1	—	2	8	5	—	13	12	1	—	19.20
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	3	1	—	4	4	—	—	10.49
—	—	—	—	—	—	1	1	—	2	2	—	—	18.52
10	—	1	—	—	11	15	18	—	33	31	2	—	14.03
4	—	—	—	—	4	13	5	—	18	17	1	—	15.13
2	—	—	—	—	2	5	3	—	8	5	3	—	14.57
12	1	3	—	—	16	9	5	—	14	11	3	—	15.04
—	—	—	—	—	—	2	—	—	2	2	—	—	5.42
2	—	—	—	—	2	1	3	—	4	4	—	—	8.87
3	—	—	—	—	3	3	2	—	5	4	1	—	8.28
3	—	—	—	—	4	2	2	—	4	3	1	—	8.37
2	—	—	—	—	2	4	4	—	10	9	1	—	13.81
5	—	—	2	—	7	6	1	—	5	5	—	—	8.30

REGISTRATION REPORT

TABLE
Births, Marriages and Deaths
PENOBSCOT

TOWNS	Estimated popula- tion in 1929	BIRTHS									
		Sex			Parentage						
		Male	Female	Not stated	Total	Rate per 1,000	Bo:h American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Lincoln	2,870	41	32	—	73	25.43	68	1	2	2	—
Lowell	212	3	2	—	5	23.58	5	—	—	—	—
Mattawamkeag	585	12	4	—	16	27.35	14	1	—	1	—
Maxfield	67	—	1	—	1	14.92	1	—	—	—	—
Medway	390	5	4	—	9	23.08	8	—	—	1	—
Milford	1,273	14	13	—	27	21.21	23	—	2	1	1
Millinocket	5,572	109	95	—	204	36.61	113	28	39	24	—
Mount Chase	250.	1	1	—	2	8.00	2	—	—	—	—
Newburgh	578	7	4	—	11	19.03	11	—	—	—	—
Newport	1,709	17	12	—	29	16.97	22	1	4	2	—
Old Town	7,531	94	68	—	162	21.51	123	11	13	10	5
Orono	3,133	22	27	—	49	15.64	38	6	2	3	—
Orrington	1,174	10	5	—	15	12.78	14	—	—	1	—
Passadumkeag	354	5	1	—	6	16.95	6	—	—	—	—
Patten	1,581	16	13	—	29	18.34	22	3	2	2	—
Plymouth	576	5	1	—	6	10.42	6	—	—	—	—
Prentiss	373	2	5	—	7	18.77	6	—	1	—	—
Springfield	531	10	5	—	15	28.25	14	—	—	1	—
Stetson	427	4	2	—	6	14.05	5	—	1	—	—
Veazie	504	2	2	—	4	7.94	4	—	—	—	—
Winn	638	8	13	—	21	32.91	18	—	3	—	—
Woodville	100	2	1	—	3	30.00	3	—	—	—	—
Drew Pl.	321	1	1	—	2	6.23	2	—	—	—	—
Grand Falls Pl.	36	1	—	—	1	27.78	1	—	—	—	—
L.7.keville Pl.	34	—	1	—	1	11.90	1	—	—	—	—
S.7.boeis Pl.	83	1	2	—	3	36.14	3	—	—	—	—
Stacyville Pl.	538	11	6	—	17	28.91	9	—	7	1	—
Webster Pl.	87	4	1	—	5	57.47	5	—	—	—	—
*Total	91,878	1,007	935	—	1,942	21.61	1,480	116	173	127	46

TABLE
Births, Marriages and Deaths
PISCATAQUIS

Abbot	572	2	6	—	8	13.99	8	—	—	—	—
Atkinson	456	1	4	—	5	10.96	3	—	1	—	1
Blanchard	124	1	1	—	2	16.13	2	—	—	—	—
Bowerbank	41	—	—	—	—	—	—	—	—	—	—
Brownville	1,743	13	23	—	36	20.65	22	5	8	1	—
Dover-Foxcroft	4,133	36	28	—	64	15.48	59	—	3	2	—
Greenville	1,618	25	29	—	54	33.37	34	12	4	4	—
Guilford	1,693	15	11	—	26	15.36	20	1	4	—	1
Medford	228	1	—	—	1	4.33	1	—	—	—	—
Milo	3,198	43	41	—	84	26.27	68	3	9	4	—
Monson	1,079	9	7	—	16	14.83	12	—	3	—	1
Orneville	241	2	4	—	6	24.89	5	1	—	—	—
Parkman	565	11	3	—	14	24.78	13	—	—	—	1
Sangerville	1,246	18	12	—	30	24.08	27	1	—	2	—
Sebec	464	2	1	—	3	6.46	3	—	—	—	—
Shirley	273	4	—	—	4	14.66	4	—	—	—	—
Wellington	518	3	2	—	5	9.65	4	—	1	—	—

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued
for the Year 1929
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex			Nativity			Death rate per 1,000	
						Male	Female	Not stated	Total	American	Foreign		Not stated
32	—	1	4	—	37	14	10	—	24	20	4	—	8.36
—	—	—	—	—	—	2	2	—	4	4	—	—	18.87
7	—	—	1	—	8	2	3	—	5	4	1	—	8.55
—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	—	—	—	—	2	2	3	—	5	5	—	—	12.82
—	—	—	—	—	—	6	4	—	10	8	2	—	7.85
21	4	4	6	—	35	33	26	—	59	44	14	1	10.59
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	10	3	—	13	12	1	—	22.49
—	—	2	—	—	20	17	15	—	32	30	2	—	18.72
17	—	2	1	—	20	17	15	—	32	30	2	—	11.02
66	4	5	4	—	79	42	41	—	83	61	22	—	9.57
26	—	2	2	—	30	16	14	—	30	23	7	—	11.07
3	—	—	2	—	5	9	4	—	13	12	—	1	16.95
2	—	—	—	—	2	2	4	—	6	6	—	—	1.90
5	—	—	—	—	7	1	2	—	3	3	—	—	15.62
1	—	2	—	—	1	3	6	—	9	9	—	—	8.04
—	—	—	—	—	—	—	3	—	3	3	—	—	11.30
—	—	—	—	—	—	3	3	—	6	6	—	—	18.73
1	—	—	—	—	1	7	1	—	8	8	—	—	19.84
—	—	—	—	—	—	6	4	—	10	9	1	—	10.97
2	—	—	—	—	2	3	4	—	7	6	1	—	10.00
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	1	—	1	1	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	1	3	—	—	3	3	—	—	5.10
—	—	—	—	—	—	2	1	—	3	3	—	—	34.48
601	20	54	56	—	731	750	614	—	1,364	1,159	196	9	15.18

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 3—Continued
for the Year 1929
COUNTY

1	—	—	—	—	1	1	—	—	1	1	—	—	1.75
4	—	—	—	—	5	—	—	—	2	2	—	—	4.38
1	—	—	—	—	1	—	3	—	3	3	—	—	24.19
—	—	—	—	—	—	1	—	—	1	—	—	—	24.39
10	1	1	1	—	13	3	4	—	7	6	1	—	4.02
44	1	1	2	—	48	32	22	—	54	50	4	—	13.06
15	—	2	3	—	20	10	15	—	25	20	5	—	15.45
19	1	—	1	—	21	19	18	—	37	34	3	—	21.85
—	—	—	—	—	—	1	1	—	2	2	—	—	8.77
18	—	—	2	—	20	12	13	—	25	23	2	—	7.82
6	—	1	2	—	9	5	8	—	13	10	3	—	12.05
—	—	—	—	—	—	5	5	—	10	10	—	—	41.49
—	—	—	—	—	—	7	7	—	14	14	—	—	24.78
4	—	1	—	—	5	6	10	—	16	15	1	—	12.84
—	—	—	—	—	—	3	2	—	5	4	1	—	10.77
—	—	—	—	—	—	—	2	—	2	2	—	—	7.33
2	—	—	—	—	2	6	3	—	9	7	2	—	17.37

REGISTRATION REPORT

TABLE
Births, Marriages and Deaths
PISCATAQUIS

TOWNS	Estimated popula- tion in 1929	BIRTHS									
		Sex			Total	Rate per 1,000	Parentage				
		Male	Female	Not stated			Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Williamsburg	82	—	1	—	1	12.19	1	—	—	—	—
Willimantic	196	1	2	—	3	15.31	3	—	—	—	—
Barnard Pl.	204	1	1	—	2	9.80	2	—	—	—	—
Chesuncook Pl.	388	—	—	—	—	—	—	—	—	—	—
Elliotsville Pl.	73	2	1	—	3	41.10	—	3	—	—	—
Kingsbury Pl.	63	1	—	—	1	15.87	1	—	—	—	—
Lake View Pl.	479	—	—	—	—	—	—	—	—	—	—
*Total	19,677	191	177	—	368	17.40	292	26	33	13	4

TABLE
Births, Marriages and Deaths
SAGADAHOE

Arrowsic	202	—	—	—	—	—	—	—	—	—	—
Bath	14,000	77	66	—	143	10.21	114	5	14	9	1
Bowdoin	749	1	4	—	5	6.67	5	—	—	—	—
Bowdoinham	1,030	6	5	—	11	10.68	9	—	1	1	—
Georgetown	499	—	1	—	1	2.33	1	—	—	—	—
Phippsburg	872	7	5	—	12	13.76	12	—	—	—	—
Richmond	1,724	13	13	—	26	15.08	23	—	2	—	1
Topsham	2,179	15	21	—	36	16.52	23	5	4	4	—
West Bath	388	—	—	—	—	—	—	—	—	—	—
Woolwich	881	1	2	—	3	3.40	3	—	—	—	—
Total	22,454	120	117	—	237	8.77	190	10	21	14	2

TABLE
Births, Marriages and Deaths
SOMERSET

Anson	2,939	24	21	—	45	15.31	33	5	5	2	—
Athens	766	6	8	—	14	18.28	14	—	—	—	—
Bingham	1,474	14	12	—	26	17.64	18	5	1	1	1
Cambridge	318	2	2	—	4	12.58	4	—	—	—	—
Canaan	822	8	8	—	16	19.46	15	—	—	1	—
Concord	245	1	2	—	3	12.24	3	—	—	—	—
Cornville	637	3	3	—	6	9.42	4	1	—	1	—
Detroit	412	2	10	—	12	29.13	11	—	1	—	—
Embden	475	2	7	—	9	18.95	7	—	2	—	—
Fairfield	4,253	24	25	—	49	11.52	34	9	3	3	—
Harmony	935	14	8	—	22	23.53	17	—	1	4	—
Hartland	1,140	9	9	—	18	15.79	16	—	—	2	—
Madison	3,989	30	47	—	77	19.30	38	8	15	15	1
Mercer	464	4	3	—	7	15.09	5	—	1	1	—
Moscow	385	4	5	—	9	24.66	6	—	2	1	—
New Portland	840	10	5	—	15	17.86	12	—	1	1	1
Norridgewock	1,532	7	16	—	23	15.01	21	1	1	—	—
Palmyra	824	12	9	—	21	25.48	19	—	1	1	—
Pittsfield	2,700	22	34	—	56	20.74	48	3	3	2	—
Ripley	383	6	3	—	9	23.50	6	—	1	2	—

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued
for the Year 1929
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex			Nativity			Death rate per 1,000	
						Male	Female	Not stated	Total	American	Foreign		Not stated
—	—	—	—	—	—	1	—	—	1	1	—	—	12.19
1	—	—	—	—	1	—	1	—	—	1	—	—	5.10
—	—	—	—	—	—	—	—	—	1	1	—	—	4.90
1	—	—	—	—	1	—	1	—	—	1	—	—	13.70
—	—	—	—	—	—	—	—	—	—	—	—	—	—
126	3	6	12	—	147	114	116	—	230	208	22	—	10.87

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 3—Continued
for the Year 1929
COUNTY

—	—	—	—	—	—	3	—	—	3	3	—	—	14.85
68	—	4	4	—	76	32	65	—	147	126	21	—	10.50
—	—	—	1	—	1	7	4	—	11	7	3	1	14.69
3	—	—	—	—	3	10	11	—	21	20	1	—	20.39
1	—	—	—	—	1	2	—	—	2	1	1	—	4.66
4	—	—	—	—	4	3	5	—	8	8	—	—	9.17
9	—	1	—	—	10	21	18	—	39	35	4	—	22.62
11	—	1	—	—	12	14	12	—	26	19	6	1	11.93
2	—	—	—	—	2	2	1	—	3	3	—	—	7.73
3	—	—	—	—	3	7	2	—	9	9	—	—	10.21
101	—	6	5	—	112	151	118	—	269	231	36	2	9.95

No. 3—Continued
for the Year 1929
COUNTY

8	—	—	1	—	9	18	18	—	36	34	2	—	12.25
7	—	—	2	—	9	8	4	—	12	12	—	—	15.66
26	2	—	2	—	30	9	9	—	18	12	6	—	12.21
5	—	—	—	—	5	3	4	—	7	7	—	—	22.01
—	—	—	—	—	—	5	7	—	12	10	2	—	14.60
—	—	—	—	—	—	1	1	—	1	1	—	—	4.08
—	—	—	—	—	—	6	2	—	8	6	2	—	12.56
2	—	—	—	—	2	4	2	—	6	6	—	—	14.56
—	—	—	—	—	—	4	5	—	9	8	1	—	18.95
35	3	8	7	—	53	41	30	—	71	61	10	—	16.69
3	—	—	—	—	3	2	3	—	5	5	—	—	5.35
13	—	—	1	—	14	8	4	—	12	10	1	1	10.53
36	1	2	1	—	40	21	22	—	43	39	4	—	10.78
1	—	—	—	—	1	4	3	—	7	7	—	—	15.09
1	—	—	—	—	—	4	2	—	6	5	1	—	16.44
1	—	—	1	—	2	1	10	9	19	17	2	—	22.62
13	—	—	—	—	13	19	9	—	28	24	4	—	18.28
11	—	—	—	—	11	9	3	—	12	11	1	—	14.56
20	—	1	—	—	21	17	26	—	43	37	5	1	15.92
—	—	—	—	—	—	5	2	—	7	7	—	—	18.28

REGISTRATION REPORT

TABLE
Births, Marriages and Deaths
SOMERSET

TOWNS	Estimated popula- tion in 1929	BIRTHS									
		Sex			Parentage						
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
St. Albans	952	18	7	—	25	26.26	21	—	2	2	—
Skowhegan	6,557	48	66	—	114	17.38	87	5	10	6	6
Smithfield	390	4	1	—	5	12.82	5	—	—	—	—
Solon	1,072	5	5	—	10	9.33	10	—	—	—	—
Starks	528	1	3	—	4	7.57	2	—	1	—	1
Bigelow Pl.	48	2	1	—	3	62.50	1	—	1	—	—
Brighton Pl.	310	—	3	—	3	9.68	3	—	—	—	—
Caratunk Pl.	193	2	1	—	3	15.54	2	—	—	1	—
Dead River Pl.	96	2	—	—	2	20.83	1	—	1	—	—
Dennistown Pl.	139	—	—	—	—	—	—	—	—	—	—
Flagstaff Pl.	102	2	2	—	4	39.22	4	—	—	—	—
Highland Pl.	55	2	—	—	2	36.36	2	—	—	—	—
Jackman Pl.	1,113	11	11	—	22	19.77	2	7	10	3	—
Lexington Pl.	172	1	2	—	3	17.43	2	—	—	1	—
Long Pond Pl.	177	4	5	—	9	50.85	1	6	1	1	—
Mayfield Pl.	21	—	1	—	1	47.62	1	—	—	—	—
Moose River Pl.	745	4	3	—	7	9.39	4	—	2	1	—
Pleasant Ridge Pl.	90	—	1	—	1	11.11	1	—	—	—	—
The Forks Pl.	153	1	—	—	1	6.53	1	—	—	—	—
West Forks Pl.	120	—	2	—	2	16.67	2	—	—	—	—
*Total	38,546	311	351	—	662	17.44	483	50	66	53	10

TABLE
Births, Marriages and Deaths
WALDO

Belfast	5,501	49	47	—	96	17.45	81	1	5	7	2
Belmont	250	1	2	—	3	12.00	3	—	—	—	—
Brooks	691	13	11	—	24	34.73	24	—	—	—	—
Burnham	643	2	6	—	8	12.44	6	—	1	1	—
Frankfort	624	4	2	—	6	9.61	6	—	—	—	—
Freedom	460	6	3	—	9	19.56	9	—	—	—	—
Islesboro	637	1	6	—	7	10.99	7	—	—	—	—
Jackson	353	2	—	—	2	5.66	—	2	—	—	—
Knox	551	6	3	—	9	16.33	8	—	—	1	—
Liberty	571	5	5	—	10	17.51	10	—	—	—	—
Lincolnville	811	5	2	—	7	8.63	6	—	1	—	—
Monroe	734	5	6	—	11	14.99	10	1	—	—	—
Montville	743	3	5	—	8	10.77	5	—	1	1	1
Morrill	307	3	3	—	6	19.54	4	—	—	1	1
Northport	466	2	4	—	6	12.87	5	—	1	—	—
Palermo	567	5	3	—	8	14.11	8	—	—	—	—
Prospect	431	3	3	—	6	13.92	5	—	1	—	—
Searsport	669	6	4	—	10	14.95	9	—	—	1	—
Searsport	1,373	8	10	—	18	13.11	18	—	—	—	—
Stockton Springs	1,240	9	4	—	13	10.48	12	—	1	—	—
Swanville	396	2	5	—	7	17.68	6	1	—	—	—
Thorndike	429	4	2	—	6	13.99	5	—	1	—	—
Troy	638	7	4	—	11	17.24	11	—	—	—	—
Unity	931	12	7	—	19	20.41	18	—	1	—	—
Waldo	405	2	3	—	5	12.34	4	—	1	—	—
Winterport	1,433	4	18	—	22	15.35	18	—	2	—	2
Total	21,854	169	168	—	337	15.80	298	5	16	12	6

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued
for the Year 1929
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex			Nativity			Death rate per 1,000	
						Male	Female	Not stated	Total	American	Foreign		Not stated
2	—	—	—	—	2	9	3	—	12	12	—	—	12.60
84	3	3	10	—	100	76	45	—	121	96	25	—	18.45
6	—	—	—	—	6	6	3	—	5	5	—	—	12.82
4	—	—	2	—	6	4	2	—	6	5	1	—	5.59
—	—	—	—	—	—	4	4	—	4	4	—	—	7.57
—	—	—	—	—	—	1	—	—	1	1	—	—	—
—	—	—	—	—	—	2	1	—	3	3	—	—	3.22
—	—	—	—	—	—	—	—	—	—	—	—	—	15.54
—	—	—	—	—	—	2	—	—	2	1	1	—	—
2	—	—	—	—	2	—	1	—	1	1	—	—	14.39
—	—	—	—	—	—	2	—	—	2	1	1	—	9.80
6	1	2	2	—	11	9	1	—	2	1	1	—	36.36
—	—	—	—	—	—	1	—	—	1	8	2	—	8.98
—	—	—	—	—	—	1	—	—	1	1	—	—	5.81
—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	1	2	—	—	2	1	1	—	2.68
—	—	—	—	—	—	3	1	—	4	4	—	—	44.44
1	—	—	—	—	1	1	—	—	1	1	—	—	6.53
—	—	—	—	—	—	1	1	—	2	2	—	—	16.67
288	10	16	29	—	343	317	222	—	539	465	72	2	14.20

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 3—Continued
for the Year 1929
COUNTY

46	—	1	—	—	47	55	43	—	98	93	5	—	17.82
1	—	—	—	—	1	2	4	—	6	6	—	—	24.00
11	—	—	—	—	11	6	4	—	10	10	—	—	14.47
1	—	—	—	—	1	6	2	—	8	7	1	—	12.44
—	—	—	—	—	—	6	3	—	9	8	1	—	14.42
—	—	—	—	—	—	5	3	—	8	6	2	—	17.39
3	—	—	—	—	3	4	—	—	4	3	1	—	6.28
—	—	—	—	—	—	—	1	—	1	1	—	—	2.83
—	—	—	—	—	—	4	3	—	7	7	—	—	12.70
—	—	—	—	—	—	2	5	—	7	7	—	—	12.26
1	—	—	—	—	1	9	9	—	18	17	1	—	22.19
1	—	—	—	—	1	3	10	—	13	11	2	—	17.71
3	—	—	—	—	3	4	4	—	8	8	—	—	10.77
1	—	—	—	—	1	4	1	—	5	5	—	—	16.28
1	—	—	—	—	1	3	3	—	6	6	—	—	12.87
1	—	—	1	—	2	5	—	—	5	5	—	—	8.82
1	—	—	—	—	1	4	4	—	8	8	—	—	18.56
5	—	—	—	—	5	8	8	—	16	14	2	—	23.92
10	—	—	—	—	10	11	9	—	20	19	1	—	14.57
—	—	—	—	—	—	7	6	—	13	13	—	—	10.48
—	—	—	—	—	—	2	1	—	3	3	—	—	7.57
—	—	—	—	—	—	3	—	—	3	3	—	—	6.99
3	—	—	1	—	4	7	2	—	9	9	—	—	14.11
5	—	—	1	—	6	9	9	—	18	18	—	—	19.33
—	—	—	—	—	—	—	4	—	4	3	1	—	9.88
8	—	2	—	—	10	24	16	—	40	40	—	—	27.91
102	—	3	3	—	108	193	154	—	347	330	17	—	16.27

REGISTRATION REPORT

TABLE
Births, Marriages and Deaths
WASHINGTON

TOWNS	Estimated population in 1929	BIRTHS									
		Sex			Parentage						
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Addison	838	16	4	—	20	23.87	18	—	2	—	—
Alexander	371	3	2	—	5	13.48	5	—	—	—	—
Baileyville	3,238	24	15	—	39	12.04	17	8	8	2	4
Baring	227	2	3	—	5	22.03	1	—	2	2	—
Beals	—	7	3	—	10	—	7	1	2	—	—
Beddington	40	1	1	—	2	50.00	2	—	—	—	—
Brookton	216	8	3	—	11	50.92	9	—	—	2	—
Calais	6,084	51	45	—	96	15.78	53	12	10	19	2
Centerville	116	3	1	—	4	34.48	4	—	—	—	—
Charlotte	289	4	1	—	5	17.30	4	—	1	—	—
Cherryfield	1,304	15	6	—	21	16.10	21	—	—	—	—
Columbia	536	5	2	—	7	13.06	5	—	2	—	—
Columbia Falls	658	6	6	—	12	18.24	12	—	—	—	—
Cooper	203	—	4	—	4	19.70	3	—	1	—	—
Crawford	123	1	—	—	1	8.13	1	—	—	—	—
Cutler	554	7	—	—	7	11.99	7	—	—	—	—
Danforth	1,201	34	15	—	49	40.80	37	4	5	3	—
Deblois	80	—	4	—	—	—	—	—	—	—	—
Dennysville	434	2	4	—	6	13.82	6	—	—	—	—
East Machias	1,353	14	11	—	25	18.48	24	1	—	—	—
Eastport	4,494	23	25	—	48	10.68	25	6	5	8	4
Edmunds	520	3	6	—	9	17.31	9	—	—	—	—
Harrington	1,028	9	9	—	18	17.51	17	—	—	1	—
Jonesboro	461	7	2	—	9	19.52	9	—	—	—	—
Jonesport	2,178	15	11	—	26	11.94	25	—	1	—	—
Lubec	3,378	24	32	—	56	16.58	30	2	13	11	—
Machias	2,209	20	12	—	32	14.49	31	—	1	—	—
Machiasport	1,117	8	7	—	15	13.43	14	—	—	—	1
Marion	100	—	1	—	1	10.00	1	—	—	—	—
Marshfield	195	3	1	—	4	20.51	4	—	—	—	—
Meddybemps	106	4	3	—	7	66.04	7	—	—	—	—
Milbridge	1,196	5	8	—	13	10.87	13	—	—	—	—
Northfield	85	1	—	—	1	11.76	1	—	—	—	—
Pembroke	1,168	11	7	—	18	15.41	16	—	—	1	1
Perry	1,046	8	4	—	12	11.48	8	1	—	1	2
Princeton	934	10	15	—	25	26.77	21	—	3	1	—
Robbinston	797	9	7	—	16	20.07	12	—	2	2	—
Roque Bluffs	98	—	3	—	3	30.61	3	—	—	—	—
Steuben	714	6	9	—	15	21.00	15	—	—	—	—
Talmadge	80	1	—	—	1	12.50	1	—	—	—	—
Topsfield	284	1	2	—	3	10.56	2	—	—	1	—
Trescott	435	5	2	—	7	16.09	5	—	1	1	—
Vanceboro	585	3	6	—	9	15.38	5	1	2	1	—
Waite	208	—	—	—	—	—	—	—	—	—	—
Wesley	146	1	5	—	6	41.09	6	—	—	—	—
Whiting	379	4	3	—	7	18.47	7	—	—	—	—
Whitneyville	210	3	2	—	5	23.81	5	—	—	—	—
Codyville Pl.	90	3	1	—	4	44.44	3	—	1	—	—
Grand Lake Stream Pl.	231	—	4	—	4	17.32	4	—	—	—	—
No. 14 Pl.	74	1	1	—	2	27.02	2	—	—	—	—
No. 21 Pl.	79	2	—	—	2	25.32	—	—	—	2	—
*Total	42,520	393	314	—	707	16.95	537	36	62	58	14

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued
for the Year 1929
COUNTY

MARRIAGES						DEATHS						
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex			Nativity			Death rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	
1	—	—	—	—	1	5	8	—	13	13	—	15.51
6	1	—	1	—	8	10	4	—	2	2	—	5.39
—	—	—	—	—	—	—	1	—	14	13	1	4.32
2	—	—	—	—	2	—	1	—	1	1	—	4.40
—	—	—	—	—	—	—	3	—	3	2	1	—
—	—	—	—	—	—	—	1	—	1	1	—	25.00
29	4	10	12	—	55	47	61	—	108	71	37	17.75
1	—	—	—	—	1	—	—	—	—	—	—	—
—	—	—	—	—	—	2	1	—	3	2	1	10.38
7	—	—	—	—	7	10	14	—	24	23	1	18.40
—	—	—	—	—	—	—	1	—	1	1	—	1.86
3	—	—	1	—	4	5	3	—	8	6	2	12.16
—	—	—	—	—	—	2	2	—	2	2	—	9.85
—	—	—	—	—	—	3	1	—	4	3	1	32.52
3	—	—	—	—	3	4	4	—	8	8	—	13.70
10	2	1	2	—	15	12	8	—	20	18	2	16.55
—	—	—	—	—	—	1	—	—	1	1	—	12.50
2	—	1	—	—	3	2	1	—	3	3	—	6.91
11	—	—	—	—	11	7	10	—	17	16	1	12.56
13	1	4	6	—	24	18	18	—	36	24	12	8.01
—	—	—	—	—	—	2	1	—	3	3	—	5.77
14	—	—	—	—	14	15	7	—	22	22	—	21.40
1	—	—	—	—	1	6	—	—	6	6	—	13.01
11	—	—	—	—	11	8	4	—	12	12	—	5.51
8	3	—	2	—	13	12	19	—	31	23	8	9.18
20	—	1	—	—	21	8	7	—	15	15	—	6.79
—	—	—	—	—	—	5	4	—	9	5	4	8.06
—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	2	—	—	2	1	1	10.25
—	—	—	—	—	—	—	—	—	—	—	—	—
2	—	—	—	—	2	9	8	—	17	16	1	14.21
—	—	—	—	—	—	1	—	—	1	1	—	11.76
6	—	—	—	—	6	11	5	—	16	15	1	13.70
1	—	—	—	—	1	4	2	—	6	3	3	5.74
6	—	1	—	—	7	10	10	—	20	18	2	21.41
—	—	—	—	—	—	3	5	—	8	7	1	10.03
—	—	—	—	—	—	—	2	—	2	2	—	20.41
3	—	—	—	—	3	10	7	—	17	17	—	23.81
—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	3	1	—	4	3	1	14.08
—	—	—	—	—	—	5	2	—	7	7	—	16.09
3	—	—	—	—	3	5	4	—	9	5	4	15.38
—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	2	1	—	3	3	—	7.91
—	—	—	—	—	—	3	3	—	6	6	—	28.57
—	—	—	—	—	—	1	—	—	1	1	—	11.11
—	—	—	—	—	—	1	—	—	1	1	—	4.33
2	—	—	—	—	2	—	—	—	—	—	—	—
165	11	18	24	—	218	254	233	—	487	402	85	11.68

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

REGISTRATION REPORT

TABLE
Births, Marriages and Deaths
YORK

TOWNS	Estimated popula- tion in 1929	BIRTHS										
		Sex			Parentage							
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated	
Acton	499	1	1	—	2	4.00	2	—	—	—	—	—
Alfred	738	8	6	—	14	18.97	12	1	1	—	—	—
Berwick	2,057	11	9	—	20	9.72	16	2	1	—	1	—
Biddeford	18,844	262	268	—	530	28.12	270	103	76	—	72	9
Buxton	1,560	13	10	—	23	14.74	20	—	1	—	2	—
Cornish	813	4	8	—	12	14.76	11	—	1	—	—	—
Dayton	391	2	4	—	6	15.34	5	—	—	—	—	1
Eliot	1,530	12	11	—	23	15.03	22	—	1	—	—	—
Hollis	1,092	10	6	—	16	14.65	16	—	—	—	—	—
Kennebunk	3,173	23	17	—	40	12.61	32	3	2	—	3	—
Kennebunkport	1,431	—	3	—	3	2.10	2	—	1	—	—	—
Kittery	5,870	31	31	—	62	10.56	54	—	2	—	5	1
Lebanon	1,192	9	4	—	13	10.91	9	—	—	—	—	—
Limerick	761	14	11	—	25	32.85	14	4	4	—	3	—
Limington	803	10	9	—	19	23.66	19	—	—	—	—	—
Lyman	415	3	4	—	7	16.87	7	—	—	—	—	—
Newfield	531	4	4	—	8	15.06	6	—	—	—	2	—
No. Berwick	1,652	6	3	—	9	5.45	8	—	1	—	—	—
No. Kennebunkport ..	564	2	1	—	3	5.32	2	1	—	—	—	—
Old Orchard Beach ..	1,347	3	7	—	10	7.42	5	2	—	—	—	3
Parsonsfield	1,066	6	10	—	16	15.00	13	2	1	—	—	—
Saco	7,028	27	23	—	50	7.11	31	7	8	—	4	—
Sanford	12,169	180	159	—	339	27.86	148	97	36	—	52	6
Shapleigh	457	1	1	—	2	4.38	2	—	—	—	—	—
South Berwick	2,973	12	15	—	27	9.08	21	1	3	—	2	—
Waterboro	942	7	4	—	11	11.68	10	—	—	—	1	—
Wells	1,974	12	16	—	28	14.18	25	—	2	—	—	1
York	2,727	32	29	—	61	22.37	55	2	1	—	2	—
Total	74,599	705	674	—	1,379	18.98	837	225	142	—	153	22

BIRTHS, DEATHS AND MARRIAGES

33

No. 3—Concluded
for the Year 1929
COUNTY

MARRIAGES							DEATHS						
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex			Nativity			Death rate per 1,000	
						Male	Female	Not stated	Total	American	Foreign		Not stated
2	—	—	—	—	2	10	1	—	11	11	—	—	22.04
13	—	—	—	—	13	7	10	—	17	16	1	—	23.03
19	—	—	—	—	27	16	16	—	32	26	6	—	15.56
85	14	3	5	—	140	147	154	—	301	176	125	—	15.97
12	—	—	1	—	13	17	9	—	26	24	2	—	16.67
5	—	—	1	—	6	6	11	—	17	16	1	—	20.91
—	—	—	—	—	—	2	—	—	2	2	—	—	5.11
11	—	—	1	—	12	9	12	—	21	19	2	—	13.72
6	—	—	—	—	6	8	9	—	17	17	—	—	15.57
37	3	3	2	2	47	20	17	—	37	33	4	—	11.66
13	—	—	—	—	13	10	13	—	23	21	2	—	16.07
66	1	9	1	—	77	34	22	—	56	51	5	—	9.54
6	—	—	—	—	6	8	6	—	14	13	1	—	11.74
16	—	—	—	—	16	10	2	—	12	11	1	—	15.77
1	—	—	—	—	1	6	4	—	10	10	—	—	12.45
—	—	—	—	—	—	5	4	—	9	8	1	—	21.69
2	—	—	—	—	2	2	3	—	5	4	1	—	9.42
10	—	—	—	—	10	10	8	—	18	17	1	—	10.80
1	—	—	—	—	1	3	6	—	9	6	3	—	15.96
27	1	5	3	—	36	18	17	—	35	25	9	1	25.98
7	—	—	—	—	7	9	5	—	14	14	—	—	13.13
36	—	3	6	—	47	41	37	—	78	51	27	—	11.10
62	23	17	18	—	120	66	100	—	166	116	50	—	13.04
2	—	—	1	—	3	3	4	—	7	6	1	—	15.32
34	1	1	2	—	38	23	23	—	46	39	6	1	15.47
6	—	—	—	—	6	9	3	—	12	11	1	—	12.74
8	—	—	—	—	8	17	6	—	23	23	—	—	11.65
20	—	1	5	—	26	32	26	—	58	53	4	1	21.27
507	45	59	70	2	683	548	528	—	1,076	819	254	3	14.81

TABLE No. 4
Births, Marriages and Deaths for the Year 1929
Recapitulation by Counties

COUNTIES	BIRTHS											MARRIAGES					DEATHS								
	Sex			Total	Rate per 1,000	Parentage					MARRIAGES					Sex			Nativity		Death rate per 1,000				
	Male	Female	Not stated			Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated	Both American	Both foreign	Husband American	Wife American	Not stated	Total	Male	Female	Not stated	American		Foreign			
	Estimated population in 1929																								
Androscoggin	72,530	671	686	—	1,357	19.07	792	231	182	130	22	378	40	66	67	—	551	552	502	—	1,054	771	270	13	14.81
Aroostook	*87,866	1,367	1,277	—	2,644	30.02	1,814	163	299	333	35	428	17	50	56	—	551	597	466	—	1,063	792	265	6	12.07
Cumberland	137,597	1,280	1,172	—	2,452	18.09	1,720	260	227	191	54	838	44	76	109	—	1,067	973	932	—	1,905	1,511	382	12	14.06
Franklin	*20,085	200	178	—	378	18.47	302	20	40	14	2	147	6	5	12	—	170	173	105	—	278	254	23	1	13.59
Hancock	*30,404	293	280	—	573	18.87	521	4	13	23	12	250	2	8	4	—	264	234	219	—	453	433	20	—	14.92
Kennebec	67,360	658	664	—	1,322	20.42	923	168	118	91	19	460	28	42	46	—	576	551	545	—	1,096	922	171	3	16.93
Knox	26,484	227	228	—	455	17.34	392	16	29	12	6	204	1	5	14	—	224	235	209	—	444	395	47	2	16.92
Lincoln	16,062	128	107	—	235	14.63	211	4	6	13	1	112	1	4	4	—	120	129	125	—	254	234	18	2	15.81
Oxford	*40,276	433	427	—	860	22.05	545	156	97	57	5	246	25	26	33	—	330	280	236	—	516	426	85	5	13.23
Penobscot	*91,878	1,007	935	—	1,942	21.61	1,480	116	173	127	46	601	20	54	56	—	731	750	614	—	1,364	1,159	196	9	15.18
Piscataquis	*19,677	191	177	—	368	17.40	292	26	33	13	4	126	3	6	12	—	147	114	116	—	230	208	22	—	10.87
Sagadahoc	22,454	120	117	—	237	8.77	190	10	21	14	2	101	1	6	5	—	112	151	118	—	269	231	36	2	9.95
Somerset	*38,546	311	351	—	662	17.44	483	50	66	53	10	288	10	16	29	—	343	317	222	—	539	465	72	2	14.20
Waldo	21,854	169	168	—	337	15.80	298	5	16	12	6	102	—	3	3	—	108	193	154	—	347	330	17	—	16.27
Washington	*42,520	393	314	—	707	16.95	537	36	62	58	14	165	11	18	24	—	218	254	233	—	487	402	85	—	11.68
York	74,599	705	674	—	1,379	18.98	837	225	142	153	22	507	45	59	70	2	683	548	528	—	1,076	819	254	3	14.81
Total	*810,192	8,153	7,755	—	15,908	20.11	11,337	1,490	1,524	1,297	260	4,953	252	444	544	2	6,195	6,051	5,324	—	11,375	9,352	1,963	60	14.38

*Population of county omitting that of unorganized townships, and other places—not represented in this tabulation. See Table No. 1.

TABLE No. 5
Births and Birth-Rates by Counties for the Years 1922-1929

Counties	1922		1923		1924		1925		1926		1927		1928		1929	
	Births	Rate	Births	Rate	Births	Rate	Births	Rate	Births	Rate	Births	Rate	Births	Rate	Births	Rate
State	17,724	22.79	17,720	22.84	18,630	23.77	17,706	22.58	16,541	20.94	16,405	20.63	16,495	20.92	15,908	20.11
Androscoggin	1,615	24.00	1,756	25.81	1,680	24.63	1,561	22.56	1,493	21.50	1,483	21.19	1,507	21.35	1,357	19.07
Aroostook	2,921	35.13	2,738	32.96	2,845	33.65	2,667	31.12	2,448	28.48	2,684	30.97	2,655	30.38	2,644	30.02
Cumberland	2,603	20.44	2,691	20.90	2,813	21.75	2,767	21.07	2,423	18.38	2,530	19.01	2,549	18.98	2,452	18.09
Franklin	405	20.97	377	19.56	417	20.74	419	20.74	388	19.16	380	18.70	412	20.20	378	18.47
Hancock	531	17.49	555	18.30	619	20.39	561	18.48	546	17.95	509	16.76	549	18.08	573	18.87
Kennebec	1,482	22.93	1,445	22.23	1,568	24.41	1,487	23.09	1,340	20.80	1,267	19.63	1,351	20.90	1,322	20.42
Knox	509	19.39	501	19.05	540	20.58	515	19.62	486	18.52	421	16.04	458	17.45	455	17.34
Lincoln	288	18.00	269	16.81	268	16.78	279	17.46	255	15.96	247	15.46	232	14.52	235	14.63
Oxford	878	23.11	881	23.10	941	24.58	922	23.95	985	25.54	953	24.62	906	23.32	860	22.05
Penobscot	2,076	23.55	2,013	22.78	2,135	24.09	2,205	24.78	2,076	23.29	2,014	22.54	2,016	22.50	1,942	21.61
Piscataquis	423	20.45	429	24.27	448	21.52	431	20.62	421	20.09	362	17.22	384	18.21	368	17.40
Sagadahoc	350	14.64	330	16.23	372	15.00	284	14.34	261	10.16	268	10.25	253	9.52	237	8.77
Somerset	769	20.60	858	23.15	850	22.65	769	20.40	701	18.60	661	17.50	705	18.62	662	17.44
Waldo	361	16.83	368	17.11	416	19.50	354	16.60	413	19.36	354	16.60	366	17.16	337	15.80
Washington	832	19.95	842	20.16	904	21.67	827	19.83	747	17.91	770	18.46	757	18.15	707	16.95
York	1,681	23.49	1,667	23.16	1,814	25.35	1,658	23.06	1,558	21.64	1,502	20.80	1,395	19.26	1,379	18.98

BIRTHS

REGISTRATION REPORT

TABLE No. 6

Births by Counties, Showing Proportion of Males to Females, 1929

Counties	Males	Females	Sex not stated	Total	Excess of males	Excess of females	Males to each 100 females
Androscoggin	671	636	—	1,307	—	15	97.8
Aroostook	1,367	1,277	—	2,644	90	—	107.0
Cumberland	1,280	1,172	—	2,452	108	—	109.2
Franklin	200	178	—	378	22	—	112.3
Hancock	293	280	—	573	13	—	104.6
Kennebec	658	664	—	1,322	—	6	99.1
Knox	227	228	—	455	—	1	99.6
Lincoln	128	107	—	235	21	—	119.6
Oxford	433	427	—	860	6	—	101.4
Penobscot	1,007	935	—	1,942	72	—	107.7
Piscataquis	191	177	—	368	14	—	107.9
Sagadahoc	120	117	—	237	3	—	102.6
Somerset	311	351	—	662	—	40	88.6
Waldo	169	168	—	337	1	—	100.6
Washington	393	314	—	707	79	—	125.2
York	705	674	—	1,379	31	—	104.6
Total	8,153	7,755	—	15,908	460	62	105.1

TABLE No. 7

Births in Cities for 1929, with Rate per 1,000 of Population

Cities	Estimated Population in 1929	Male born	Female born	Sex not stated	Total	Birth-rate per 1,000	Males to each 100 females
Auburn	18,714	138	119	—	257	13.73	159.7
Augusta	14,927	155	171	—	326	21.84	90.6
Bangor	27,035	295	262	—	557	20.60	112.6
Bath	14,000	77	66	—	143	10.21	116.7
Belfast	5,501	49	47	—	96	17.45	104.2
Biddeford	18,844	262	268	—	530	28.12	97.8
Brewer	6,421	71	66	—	137	21.34	107.6
Calais	6,084	51	45	—	96	15.78	113.3
Eastport	4,494	23	25	—	48	10.68	92.0
Ellsworth	3,058	45	37	—	82	26.81	121.6
Gardiner	5,623	72	71	—	143	25.43	101.4
Hallowell	2,764	16	18	—	34	12.30	88.9
Lewiston	36,781	407	409	—	816	22.18	99.5
Old Town	7,531	94	68	—	162	21.51	138.2
Portland	78,903	787	713	—	1,500	19.01	110.4
Rockland	8,109	103	122	—	225	27.75	84.4
Saco	7,028	27	23	—	50	7.11	117.4
South Portland	10,859	77	72	—	149	13.72	106.9
Waterville	15,055	192	214	—	406	26.97	89.7
Westbrook	10,508	121	99	—	220	20.94	122.2
Total	302,239	3,062	2,915	—	5,977	19.77	105.0

TABLE No. 8

Percentage of American and Foreign Births by Counties, 1929

Counties	Parents			Births with parentage not stated
	American born	Foreign born	One foreign born	
Androscoggin	58.37	17.02	22.99	1.62
Aroostook	68.61	6.16	23.90	1.33
Cumberland	70.15	10.60	17.05	2.20
Franklin	79.89	5.29	14.29	.53
Hancock	90.92	.70	6.28	2.10
Kennebec	69.32	12.71	16.04	1.43
Knox	86.15	3.52	9.01	1.32
Lincoln	89.79	1.70	8.08	.43
Oxford	63.37	13.14	17.91	.58
Penobscot	76.21	5.97	15.45	2.37
Piscataquis	79.35	7.06	12.50	1.09
Sagadahoc	80.17	4.22	14.77	.84
Somerset	72.96	7.55	17.98	1.51
Waldo	88.43	1.48	8.31	1.78
Washington	75.95	5.09	16.93	1.98
York	60.70	16.32	21.39	1.59
State	71.27	9.37	17.73	1.63

TABLE No. 9

Percentage of American and Foreign Births by Cities, 1929

Cities	Parents			Births with parentage not stated
	American born	Foreign born	One foreign born	
Auburn	67.31	10.12	21.01	1.56
Augusta	64.11	13.80	20.55	1.54
Bangor	71.45	7.54	15.08	5.93
Bath	79.72	3.50	16.08	.70
Belfast	84.38	1.04	12.50	2.08
Biddeford	50.94	19.43	27.93	1.70
Brewer	79.56	4.38	15.33	.73
Calais	55.21	12.50	30.21	2.08
Eastport	52.08	12.50	27.09	3.33
Ellsworth	90.24	2.44	7.32	—
Gardiner	85.31	.70	10.49	3.50
Hallowell	82.35	17.65	—	—
Lewiston	46.94	22.92	28.43	1.71
Old Town	75.92	6.79	14.20	3.09
Portland	67.26	12.87	16.80	3.07
Rockland	83.11	5.33	9.73	1.78
Saco	62.00	14.00	24.00	—
South Portland	75.17	7.38	16.73	.67
Waterville	62.32	16.99	19.46	1.23
Westbrook	64.09	12.27	23.64	—
Average	65.17	12.91	19.56	2.36

REGISTRATION REPORT

TABLE No. 10

Births in Each Month, 1892-1929

	January	February	March	April	May	June	July	August	September	October	November	December	Not stated	Total
1892	1,016	1,113	1,345	1,275	1,323	1,176	1,222	1,191	1,144	1,047	1,002	1,111	63	14,028
1893	1,151	1,082	1,162	1,259	1,273	1,162	1,176	1,213	1,115	1,126	1,032	1,109	48	13,908
1894	962	980	1,335	1,324	1,255	1,200	1,236	1,213	1,168	1,064	980	1,164	9	13,940
1895	1,182	1,082	1,329	1,287	1,308	1,236	1,290	1,312	1,233	1,189	1,115	1,193	6	14,762
1896	1,149	1,227	1,330	1,318	1,379	1,190	1,207	1,246	1,257	1,220	1,091	1,069	10	14,693
1897	1,126	1,123	1,300	1,260	1,288	1,250	1,274	1,303	1,205	1,138	984	1,077	12	14,430
1898	1,148	1,176	1,323	1,269	1,322	1,229	1,226	1,219	1,182	1,196	1,028	1,149	6	14,473.
1899	1,093	1,104	1,237	1,295	1,224	1,201	1,239	1,197	1,163	1,058	979	1,093	7	13,895
1900	1,167	1,083	1,260	1,245	1,276	1,146	1,284	1,255	1,213	1,070	1,055	1,035	6	14,905
1901	1,123	1,128	1,303	1,270	1,290	1,190	1,178	1,199	1,252	1,051	983	1,048	6	14,021
1902	1,143	1,111	1,401	1,250	1,333	1,244	1,237	1,252	1,207	1,137	1,064	1,119	10	14,508
1903	1,210	1,151	1,353	1,304	1,326	1,247	1,215	1,223	1,205	1,134	1,026	990	9	14,453
1904	1,219	1,207	1,367	1,325	1,336	1,186	1,297	1,216	1,203	1,171	1,037	1,057	6	14,673
1905	1,178	1,180	1,463	1,340	1,365	1,375	1,439	1,328	1,259	1,163	1,057	1,143	4	15,294
1906	1,173	1,206	1,333	1,385	1,335	1,310	1,454	1,450	1,364	1,280	1,260	1,325	3	15,878
1907	1,301	1,288	1,431	1,397	1,455	1,424	1,360	1,293	1,336	1,264	1,129	1,231	5	15,914
1908	1,296	1,312	1,551	1,345	1,464	1,430	1,361	1,438	1,246	1,216	1,212	1,299	3	16,173
1909	1,306	1,276	1,475	1,392	1,453	1,308	1,349	1,434	1,347	1,249	1,218	1,229	5	16,041
1910	1,308	1,252	1,506	1,424	1,393	1,379	1,330	1,348	1,263	1,256	1,131	1,207	1	15,798
1911	1,261	1,224	1,463	1,426	1,371	1,355	1,380	1,331	1,294	1,172	1,153	1,202	3	15,635
1912	1,253	1,267	1,415	1,357	1,451	1,337	1,442	1,439	1,318	1,229	1,182	1,179	—	15,869
1913	1,299	1,185	1,467	1,425	1,400	1,378	1,397	1,316	1,245	1,264	1,131	1,210	1	15,719
1914	1,234	1,305	1,442	1,430	1,419	1,333	1,361	1,293	1,345	1,323	1,230	1,260	—	15,930
1915	1,356	1,262	1,562	1,499	1,536	1,389	1,437	1,431	1,378	1,366	1,257	1,196	2	16,671
1916	1,233	1,333	1,476	1,429	1,495	1,333	1,330	1,355	1,274	1,234	1,164	1,211	2	15,919
1917	1,398	1,288	1,562	1,403	1,473	1,362	1,432	1,412	1,387	1,263	1,165	1,192	—	16,337
1918	1,313	1,271	1,574	1,554	1,485	1,344	1,405	1,437	1,302	1,339	1,137	1,129	—	16,290
1919	1,202	1,212	1,416	1,369	1,299	1,133	1,188	1,086	1,238	1,307	1,349	1,406	—	15,205
1920	1,463	1,525	1,468	1,498	1,611	1,502	1,523	1,573	1,477	1,336	1,249	1,270	—	17,495
1921	1,432	1,402	1,622	1,621	1,497	1,463	1,487	1,529	1,428	1,464	1,327	1,445	—	17,717
1922	1,437	1,465	1,635	1,608	1,568	1,431	1,574	1,482	1,397	1,436	1,345	1,346	—	17,724
1923	1,418	1,461	1,656	1,538	1,605	1,464	1,514	1,614	1,518	1,353	1,261	1,318	—	17,720
1924	1,443	1,512	1,651	1,644	1,757	1,608	1,622	1,587	1,518	1,430	1,367	1,491	—	18,630
1925	1,496	1,338	1,623	1,525	1,601	1,560	1,529	1,500	1,426	1,459	1,299	1,350	—	17,706
1926	1,389	1,356	1,427	1,485	1,427	1,409	1,444	1,466	1,398	1,295	1,222	1,225	—	16,543
1927	1,209	1,261	1,408	1,536	1,528	1,419	1,480	1,418	1,332	1,334	1,237	1,243	—	16,405
1928	1,387	1,303	1,510	1,443	1,447	1,418	1,413	1,403	1,352	1,283	1,170	1,366	—	16,495
1929	1,299	1,245	1,425	1,402	1,357	1,427	1,456	1,393	1,191	1,203	1,189	1,321	—	15,908

TABLE No. 11
Marriages and Marriage-Rates by Counties for the Years 1922-1929

Counties	1922		1923		1924		1925		1926		1927		1928		1929	
	Mar-riages	Rate	Mar-riages	Rate	Mar-riages	Rate	Mar-riages	Rate	Mar-riages	Rate	Mar-riages	Rate	Mar-riages	Rate	Mar-riages	Rate
State	6,649	8.55	6,842	8.82	6,461	8.30	6,226	7.94	6,376	8.07	6,278	7.89	6,178	7.83	6,195	7.83
Androscoggin	668	9.93	694	10.27	577	8.46	627	9.02	610	8.79	584	8.34	617	8.74	551	7.74
Aroostook	575	6.92	587	7.00	479	5.66	468	5.55	598	6.96	649	7.49	547	6.26	551	6.25
Cumberland	1,204	9.46	1,299	10.14	1,177	9.10	1,042	7.89	1,126	8.54	1,077	8.09	1,048	7.80	1,067	7.87
Franklin	149	7.46	166	8.28	170	8.45	155	7.89	176	8.69	150	7.38	165	8.09	170	8.31
Hancock	238	7.84	262	8.63	283	9.32	244	8.04	255	8.40	261	8.60	226	7.44	264	8.69
Kennebec	574	8.88	570	8.88	600	9.34	514	7.80	563	8.74	592	9.17	574	8.88	576	8.90
Knox	269	10.25	252	9.60	222	8.46	251	9.51	235	8.95	232	8.84	242	9.22	224	8.53
Lincoln	120	7.50	119	7.45	96	6.00	97	6.05	106	6.63	106	6.63	94	5.88	120	7.51
Oxford	314	8.27	345	9.05	349	9.12	350	8.99	308	7.99	342	8.83	332	8.54	330	8.46
Penobscot	825	9.36	838	9.48	824	9.30	793	8.86	767	8.61	703	7.87	746	8.32	731	8.14
Piscataquis	153	7.39	171	8.24	163	7.83	150	7.65	119	5.68	132	6.28	138	6.54	147	6.95
Sagadahoc	148	6.19	139	5.71	106	4.27	109	5.35	130	5.06	123	4.71	130	4.89	112	4.14
Somerset	324	8.68	279	7.45	307	8.18	292	7.77	278	7.37	278	7.36	257	6.79	343	9.04
Waldo	161	7.50	148	6.94	164	7.69	159	7.36	155	7.27	126	5.91	126	5.90	108	5.06
Washington	277	6.64	225	5.39	231	5.54	270	6.42	249	5.97	212	5.08	264	6.33	218	5.23
York	650	9.08	748	10.48	713	9.96	705	9.66	701	9.74	711	9.84	672	9.28	683	9.40

MARRIAGES

REGISTRATION REPORT

TABLE No. 12

Marriages by Months and Counties, 1929

Counties	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	Total
Androscoggin	24	26	21	39	39	76	55	74	65	47	53	32	551
Aroostook ...	28	32	17	43	13	58	56	49	41	88	89	37	551
Cumberland .	67	48	48	76	71	149	85	112	149	109	86	67	1,067
Franklin	4	10	12	6	14	27	11	15	24	10	23	14	170
Hancock	14	13	14	11	21	36	27	24	27	29	19	29	264
Kennebec	27	26	29	37	46	73	71	46	65	55	57	44	576
Knox	9	13	8	11	11	22	18	33	32	24	25	18	224
Lincoln	5	4	6	6	4	13	18	14	15	16	17	2	120
Oxford	12	18	14	18	23	69	25	34	28	41	23	25	330
Penobscot ...	32	44	46	55	38	107	57	68	70	93	61	60	731
Piscataquis ..	5	7	6	6	2	16	7	13	20	19	24	22	147
Sagadahoc ...	2	6	7	7	9	10	15	13	15	9	18	1	112
Somerset	22	10	12	20	20	58	18	34	34	50	39	26	343
Waldo	4	8	5	7	11	19	4	15	9	10	8	8	108
Washington .	6	8	10	4	16	27	19	25	18	29	40	16	218
York	31	26	26	37	39	95	72	75	97	70	73	42	683
Total ..	292	299	281	383	377	855	558	644	709	699	655	443	6,195

MARRIAGES

41

TABLE No. 13

Marriages by Ages and Counties, 1929

Counties	Under 15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-70	70-80	80 and over	Not stated	Total
Androscoggin Males	—	24	226	138	56	45	19	14	13	5	10	1	—	—	551
Androscoggin Females	2	120	240	87	37	22	17	11	7	4	3	1	—	—	551
Aroostook Males	—	48	267	124	45	24	16	13	5	3	5	1	—	—	551
Aroostook Females	5	252	190	46	26	10	7	6	4	3	2	—	—	—	551
Cumberland Males	—	53	382	275	134	72	45	35	21	18	26	6	—	—	1,067
Cumberland Females	—	256	379	172	100	52	41	22	19	15	11	—	—	—	1,067
Franklin Males	—	12	61	48	18	6	7	4	8	2	2	2	—	—	170
Franklin Females	—	65	58	13	8	8	5	4	6	1	2	—	—	—	170
Hancock Males	—	30	104	52	26	14	13	7	12	3	3	—	—	—	264
Hancock Females	2	87	85	44	18	8	8	4	5	2	1	—	—	—	264
Kennebec Males	—	41	240	127	61	32	17	19	14	10	12	3	—	—	576
Kennebec Females	1	162	238	72	33	21	13	11	10	9	6	—	—	—	576
Knox Males	—	11	84	39	30	15	8	13	6	9	8	1	—	—	224
Knox Females	—	66	76	25	12	13	10	8	6	3	5	—	—	—	224
Lincoln Males	—	14	45	25	12	4	5	5	5	1	3	1	—	—	120
Lincoln Females	—	44	39	9	10	4	4	4	2	2	2	—	—	—	120
Oxford Males	—	17	143	81	34	15	6	12	5	7	9	—	1	—	330
Oxford Females	—	106	121	40	24	12	3	10	10	1	3	—	—	—	330
Penobscot Males	—	44	293	175	64	45	33	24	16	16	15	6	—	—	731
Penobscot Females	3	233	246	111	38	26	27	15	12	6	12	2	—	—	731
Piscataquis Males	—	8	60	41	10	6	9	2	6	3	2	—	—	—	147
Piscataquis Females	4	48	49	24	4	3	4	3	5	2	1	—	—	—	147
Sagadahoc Males	—	7	37	28	11	9	6	4	3	1	4	2	—	—	112
Sagadahoc Females	—	30	39	18	7	3	4	3	5	1	1	—	—	—	112
Somerset Males	—	30	136	81	28	25	12	6	5	8	10	2	—	—	343
Somerset Females	2	123	107	47	20	13	7	9	3	6	6	—	—	—	343
Waldo Males	—	10	38	23	4	11	5	3	6	1	4	3	—	—	108
Waldo Females	—	46	23	9	12	4	3	3	2	4	2	—	—	—	108
Washington Males	—	13	93	47	23	11	7	5	5	5	9	—	—	—	218
Washington Females	2	77	71	25	12	9	7	8	2	2	3	—	—	—	218
York Males	—	44	280	162	76	34	22	23	13	13	10	6	—	—	683
York Females	—	190	254	109	52	26	18	13	7	5	9	—	—	—	683
Total Males	—	406	2,489	1,466	632	368	230	189	143	105	132	34	1	—	6,195
Total Females	21	1,905	2,215	851	413	234	178	134	105	66	69	4	—	—	6,195
Grand Total	21	2,311	4,704	2,317	1,045	602	408	323	248	171	201	38	1	—	12,390

Divorces in each County for the year 1929. Androscoggin, 123; Aroostook, 75; Cumberland, 235; Franklin, 43; Hancock, 59; Kennebec, 133; Knox, 56; Lincoln, 27; Oxford, 58; Penobscot, 165; Piscataquis, 37; Sagadahoc, 26; Somerset, 55; Waldo, 40; Washington, 51; York, 78.

TABLE No. 14
Deaths and Death-Rates by Counties for the Years 1922-1929

Counties	1922		1923		1924		1925		1926		1927		1928		1929	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
State	11,480	14.76	11,693	15.07	10,785	13.86	10,847	13.83	11,416	14.45	10,977	13.80	11,037	13.99	11,375	14.38
Androscoggin	1,080	16.05	1,104	16.33	977	14.20	1,027	14.84	1,048	15.10	997	14.25	982	13.91	1,054	14.81
Aroostook	1,069	12.85	1,018	12.14	978	11.57	875	10.21	995	11.57	1,070	12.34	948	10.85	1,063	12.07
Cumberland	1,913	15.03	1,893	14.78	1,775	13.73	1,830	13.94	1,977	15.00	1,909	14.35	1,853	13.80	1,905	14.06
Franklin	271	14.03	257	12.83	206	10.25	294	14.55	264	13.04	276	13.58	243	11.92	278	13.59
Hancock	451	14.85	489	16.11	395	13.01	399	13.14	442	14.56	412	13.57	443	14.59	453	14.92
Kennebec	1,139	17.62	1,161	18.10	1,122	17.47	1,115	17.31	1,163	18.05	1,058	16.39	1,110	17.17	1,096	16.93
Knox	483	18.40	447	17.03	437	16.65	451	17.18	499	19.01	472	17.98	476	18.14	444	16.92
Lincoln	273	17.07	297	18.59	221	13.83	267	16.71	255	15.96	253	15.83	261	16.34	254	15.81
Oxford	531	13.98	557	14.61	492	12.85	532	13.82	535	13.87	521	13.46	507	13.05	516	13.23
Penobscot	1,285	14.57	1,322	14.95	1,304	14.71	1,206	13.55	1,302	14.61	1,281	14.33	1,372	15.31	1,364	15.18
Piscataquis	267	12.90	264	12.72	265	12.73	250	11.96	227	10.83	228	10.84	229	10.86	230	10.87
Sagadahoc	254	10.62	307	12.60	254	10.24	252	12.73	265	10.31	256	9.79	274	10.31	269	9.95
Somerset	553	14.80	581	15.52	519	13.83	530	14.06	488	12.95	479	12.68	509	13.44	539	14.20
Waldo	354	16.50	364	17.07	328	15.38	309	14.49	362	16.97	327	15.33	344	16.13	347	16.27
Washington	546	13.09	513	12.30	534	12.80	510	12.23	531	12.73	498	11.94	507	12.15	487	11.68
York	1,011	14.12	1,119	15.68	978	13.67	1,000	13.91	1,063	14.76	940	13.02	979	13.52	1,076	14.81

TABLE
Deaths by Ages, Sex and

Counties	Under 1	1- 4	5- 9	10- 19	20- 29	30- 39	40- 49	50- 59	60- 69	70- 79	80- 89	90- 99
Androscoggin .. Males	79	17	12	21	13	23	30	73	96	126	53	8
Females	57	15	6	18	19	35	45	56	79	99	63	8
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Aroostook Males	165	35	13	29	34	17	34	47	79	95	44	5
Females	109	30	11	23	29	26	33	32	43	57	67	6
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Cumberland Males	87	20	14	26	24	42	79	128	183	237	119	13
Females	74	10	12	17	36	42	60	116	168	208	150	38
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Franklin Males	26	2	4	—	5	4	10	16	35	44	26	1
Females	9	5	1	—	6	3	7	16	14	19	23	2
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Hancock Males	17	7	1	7	10	7	12	28	45	65	32	3
Females	12	1	2	3	9	15	16	13	35	58	51	4
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Kennebec Males	52	13	10	13	15	29	34	59	121	114	80	11
Females	31	23	6	12	18	27	31	59	96	123	85	34
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Knox Males	13	3	—	3	5	9	14	35	58	56	34	4
Females	14	—	2	5	11	11	15	21	23	58	39	10
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Lincoln Males	3	—	—	2	1	4	8	9	16	53	33	—
Females	3	2	—	—	1	5	6	10	20	39	27	11
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Oxford Males	34	6	5	2	12	8	21	25	65	66	31	5
Females	19	4	—	9	20	18	15	24	26	57	31	13
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Penobscot Males	72	23	5	20	24	28	46	97	125	201	93	16
Females	68	17	10	15	33	28	52	67	96	131	79	18
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Piscataquis Males	13	3	1	2	2	4	8	13	24	23	18	3
Females	16	2	1	2	6	9	8	15	20	21	12	4
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Sagadahoc Males	7	4	4	5	4	3	7	13	36	46	20	2
Females	6	4	4	2	—	3	4	12	16	33	29	5
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Somerset Males	25	7	5	8	17	12	19	34	53	80	47	9
Females	26	5	2	8	7	10	13	13	52	47	33	6
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Waldo Males	12	3	2	3	6	9	2	22	35	57	40	2
Females	11	3	2	6	2	4	10	9	27	34	41	5
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Washington Males	35	4	9	7	6	7	15	29	39	68	30	5
Females	20	3	3	6	15	8	12	14	33	50	50	14
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
York Males	57	20	6	15	16	22	36	52	115	122	75	12
Females	52	9	6	9	15	24	30	51	92	122	103	15
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Total Males	697	167	91	163	194	228	375	680	1,125	1,453	775	99
Females	527	138	68	135	227	268	357	528	840	1,156	883	193
Grand Total	1,224	305	159	298	421	496	732	1,208	1,965	2,609	1,658	292

DEATHS

No. 15

Months by Counties, 1929

100 and over	Unknown	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	Total	Gr'nd Total
—	1	70	39	46	47	45	42	45	34	43	50	44	47	552	—
2	—	75	43	49	42	32	38	28	26	42	41	36	50	502	1,054
—	—	55	51	45	47	40	45	50	45	67	55	63	34	597	—
—	—	62	55	41	41	28	45	32	27	27	33	36	39	466	1,063
1	—	132	93	87	73	82	77	65	68	63	61	75	97	973	—
1	—	144	86	83	81	67	65	64	54	50	65	80	93	932	1,905
—	—	15	16	17	9	26	9	11	14	15	13	12	16	173	—
—	—	10	10	10	10	8	7	14	7	7	5	7	10	105	278
—	—	29	17	14	23	19	22	16	16	22	14	18	24	234	—
—	—	37	19	20	21	16	17	9	21	7	16	15	21	219	453
—	—	57	56	46	38	48	42	51	39	42	50	40	42	551	—
—	—	76	40	58	58	52	35	39	40	39	37	35	36	545	1,096
1	—	34	26	20	11	15	19	13	13	12	25	25	22	235	—
—	—	26	24	24	14	18	22	10	19	6	15	18	13	209	444
—	—	32	10	11	12	10	6	8	16	4	5	6	9	129	—
1	—	19	13	13	7	7	6	18	9	6	6	9	12	125	254
—	—	29	31	24	28	26	25	15	16	23	21	16	26	280	—
—	—	31	20	15	23	32	16	12	11	18	18	19	21	236	516
—	—	95	68	74	60	70	52	42	58	41	59	57	74	750	—
—	—	87	61	36	42	58	41	38	52	46	46	52	55	614	1,364
—	—	8	7	7	11	6	9	10	7	7	14	15	13	114	—
—	—	16	8	5	14	8	10	9	5	12	11	7	11	116	230
—	—	19	20	13	7	11	12	10	13	11	12	7	16	151	—
—	—	14	14	11	11	10	11	4	7	4	7	15	10	118	269
1	—	31	30	29	26	28	31	23	21	23	31	19	25	317	—
—	—	22	26	14	15	26	14	23	10	15	24	11	22	222	539
—	—	21	22	16	20	20	21	15	15	10	9	10	14	193	—
—	—	14	18	22	13	16	15	10	12	7	8	12	7	154	347
—	—	34	26	20	23	26	20	21	10	13	20	17	24	254	—
—	—	29	16	21	16	19	22	19	15	15	25	14	22	233	487
—	—	61	55	42	42	48	43	39	52	27	44	46	49	548	—
—	—	76	47	44	46	51	35	34	43	37	38	39	38	528	1,076
3	1	722	567	511	477	520	475	434	437	423	483	470	532	6,051	—
4	—	738	500	466	454	448	399	363	358	338	395	405	460	5,324	—
7	1	1,460	1,067	977	931	968	874	797	795	761	878	875	992	11,375	—

REGISTRATION REPORT

TABLE
Deaths by Ages, Sex and

Cities	Under 1	1- 4	5- 9	10- 19	20- 29	30- 39	40- 49	50- 59	60- 69	70- 79	80- 89	90- 99
Auburn	14	3	1	5	1	1	4	16	20	28	16	6
Males	14	3	1	5	1	1	4	16	20	28	16	6
Females	11	1	1	2	2	4	7	13	13	22	17	5
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Augusta	14	4	4	4	10	7	12	17	40	26	14	1
Males	14	4	4	4	10	7	12	17	40	26	14	1
Females	8	5	5	4	5	11	9	32	21	41	24	11
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Bangor	19	12	2	6	16	16	26	55	60	86	22	5
Males	19	12	2	6	16	16	26	55	60	86	22	5
Females	20	7	7	6	22	15	30	37	37	52	30	10
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Bath	6	3	2	2	1	2	6	8	19	26	5	2
Males	6	3	2	2	1	2	6	8	19	26	5	2
Females	2	3	3	2	—	2	3	4	9	18	17	2
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Belfast	2	1	1	1	2	2	1	6	8	18	12	1
Males	2	1	1	1	2	2	1	6	8	18	12	1
Females	3	1	1	2	1	1	5	2	7	12	7	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Biddeford	25	7	4	4	6	9	15	10	34	18	14	1
Males	25	7	4	4	6	9	15	10	34	18	14	1
Females	16	3	3	2	7	9	10	17	32	28	24	3
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Brewer	2	1	1	—	—	—	2	5	4	6	7	—
Males	2	1	1	—	—	—	2	5	4	6	7	—
Females	1	—	—	—	1	—	3	5	9	10	4	1
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Calais	1	—	1	2	2	3	7	6	10	8	6	1
Males	1	—	1	2	2	3	7	6	10	8	6	1
Females	4	3	—	4	2	4	3	5	6	14	15	1
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Eastport	2	—	—	1	—	—	—	4	4	5	2	—
Males	2	—	—	1	—	—	—	4	4	5	2	—
Females	2	1	—	—	—	—	3	1	3	4	2	2
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Ellsworth	5	—	—	—	1	1	2	2	9	8	8	—
Males	5	—	—	—	1	1	2	2	9	8	8	—
Females	2	—	—	1	1	5	2	2	5	8	7	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Gardiner	6	2	1	1	—	4	4	3	10	9	8	—
Males	6	2	1	1	—	4	4	3	10	9	8	—
Females	2	—	1	—	4	4	2	4	12	11	6	3
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Hallowell	—	1	—	—	—	—	—	1	4	—	2	—
Males	—	1	—	—	—	—	—	1	4	—	2	—
Females	1	1	—	—	—	—	3	1	5	7	4	5
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Lewiston	53	12	10	11	11	14	19	45	59	59	23	—
Males	53	12	10	11	11	14	19	45	59	59	23	—
Females	42	9	5	11	14	29	36	36	53	54	27	2
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Old Town	6	3	—	2	2	1	2	5	8	7	6	—
Males	6	3	—	2	2	1	2	5	8	7	6	—
Females	4	1	—	—	—	3	1	5	8	14	5	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Portland	57	15	7	17	19	28	56	88	99	122	47	4
Males	57	15	7	17	19	28	56	88	99	122	47	4
Females	43	5	8	9	19	27	46	73	101	103	73	20
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Rockland	7	2	—	1	2	4	9	22	19	19	10	3
Males	7	2	—	1	2	4	9	22	19	19	10	3
Females	9	—	1	3	5	8	12	8	4	22	8	2
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Saco	5	1	—	1	1	—	1	2	9	15	5	1
Males	5	1	—	1	1	—	1	2	9	15	5	1
Females	3	—	—	—	—	—	1	5	5	12	9	2
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
South Portland	4	—	—	1	1	2	5	8	13	13	11	2
Males	4	—	—	1	1	2	5	8	13	13	11	2
Females	6	—	—	—	2	—	—	10	15	20	14	3
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Waterville	14	1	4	3	3	7	8	13	16	15	8	1
Males	14	1	4	3	3	7	8	13	16	15	8	1
Females	12	7	—	3	6	9	5	7	18	21	10	1
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Westbrook	10	—	2	1	1	1	4	8	8	15	9	1
Males	10	—	2	1	1	1	4	8	8	15	9	1
Females	6	—	—	1	5	7	3	6	10	10	6	2
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Total	252	68	40	63	79	102	183	324	453	503	235	29
Males	197	47	35	50	96	138	184	273	373	483	309	76
Females	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Grand Total	449	115	75	113	175	240	367	597	826	986	544	105

DEATHS

No. 16

Months by Cities, 1929

100 and over	Unknown	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	Total	Gr'nd Total
—	—	16	9	8	8	10	7	9	5	7	15	12	9	115	—
—	—	13	12	9	5	6	6	7	5	6	9	8	12	98	213
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	17	17	19	6	19	7	14	12	9	13	10	10	153	—
—	—	14	14	18	20	18	12	13	14	9	16	16	12	176	329
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	42	30	39	24	28	23	16	28	13	33	25	24	325	—
—	—	41	28	16	17	31	21	15	22	22	19	22	19	273	598
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	10	14	7	4	5	8	5	4	8	4	4	9	82	—
—	—	9	9	2	6	6	4	1	5	1	6	10	6	65	147
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	6	4	6	3	4	3	6	4	2	3	3	6	55	—
—	—	4	4	3	3	7	2	4	4	2	2	4	2	43	98
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	24	12	12	12	14	15	5	14	5	13	10	11	147	—
—	—	27	11	11	18	11	10	10	5	12	13	16	10	154	301
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	7	2	1	—	5	—	3	1	3	1	2	3	28	—
—	—	4	4	—	3	4	1	2	4	4	1	5	2	34	62
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	4	7	3	5	6	6	3	—	1	8	3	1	47	—
—	—	6	3	7	6	4	6	9	3	2	8	2	5	61	108
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	2	2	2	1	3	—	2	2	1	—	—	3	18	—
—	—	1	—	2	2	2	2	1	1	4	2	1	—	18	36
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	8	2	—	3	3	3	1	—	3	4	6	3	36	—
—	—	9	3	3	3	1	3	—	2	3	1	1	4	33	69
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	6	3	3	5	6	8	3	2	3	4	1	4	48	—
—	—	12	1	6	7	5	1	4	3	1	1	3	5	49	97
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	1	2	1	—	—	—	1	1	—	—	1	—	8	—
—	—	5	2	2	3	2	3	—	1	5	3	1	—	27	35
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	37	19	26	24	30	25	29	21	27	25	26	28	317	—
—	2	45	22	34	32	23	26	19	17	29	22	21	30	320	637
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	5	5	3	3	5	3	2	—	8	1	4	3	42	—
—	—	8	1	—	2	3	3	4	5	—	6	5	4	41	83
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	78	48	48	35	46	42	39	41	32	38	51	61	559	—
—	—	83	50	48	49	33	40	34	33	26	33	41	57	527	1,086
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	17	10	9	6	6	5	3	5	6	14	8	9	98	—
—	—	8	10	10	5	9	8	4	5	3	5	9	6	82	180
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	4	4	1	1	4	3	3	2	2	2	5	16	41	—
—	—	8	5	—	6	3	1	2	4	3	—	2	3	37	78
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	7	7	5	8	—	6	2	3	3	9	2	8	60	—
—	—	8	8	4	5	4	4	4	5	7	6	8	7	70	130
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	11	7	4	8	9	9	8	9	8	8	7	5	93	—
—	—	15	8	9	10	9	6	6	8	7	8	7	6	99	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	6	8	6	4	7	3	2	7	3	2	6	6	60	—
—	—	11	4	11	3	5	4	1	2	3	2	4	6	56	116
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	308	212	205	163	210	176	156	161	145	197	186	213	2,332	—
—	2	331	201	195	205	186	163	140	148	149	163	186	196	2,263	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	1	639	413	400	368	396	339	296	309	294	360	372	409	4,595	4,595

TABLE No. 17
Showing the Number of Deaths in the State and in Each County
Arranged by Classes and Counties, 1929

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
General Diseases	11,375	1,054	1,063	1,905	278	453	1,096	444	254	516	1,364	230	269	539	347	487	1,076
I. Epidemic, Endemic and Infectious Diseases	1,286	96	168	174	36	53	112	43	16	77	151	21	21	99	36	67	116
II. General Diseases not included above	1,514	153	96	302	43	54	151	65	26	64	174	30	40	68	39	60	149
III. Diseases of the Nervous System and of the Organs of Special Sense	1,362	117	85	197	30	53	166	87	40	57	163	23	26	58	58	74	128
IV. Diseases of the Circulatory System	2,646	220	113	520	68	131	254	102	94	111	317	44	84	132	76	111	269
V. Diseases of the Respiratory System	993	79	95	162	22	31	106	25	21	53	154	21	30	26	40	52	96
VI. Diseases of the Digestive System	711	93	141	110	12	23	64	16	12	22	72	10	11	21	11	24	69
VII. Non-venereal Diseases of the Genitourinary Sys- tem and Annexa	970	115	74	169	21	48	99	47	26	44	85	15	26	48	31	39	83
VIII. The Puerperal State	113	14	17	17	3	5	11	4	1	6	13	7	—	2	2	2	9
IX. Diseases of the Skin and Cellular Tissue	29	2	1	4	1	1	2	1	2	—	6	2	—	3	1	2	1
X. Diseases of the Bones and the Organs of Loco- motion	6	—	—	2	—	1	1	—	—	2	—	—	—	—	—	—	1
XI. Malformations	105	8	10	18	3	5	8	2	—	6	19	5	1	2	5	3	10
XII. Early Infancy	605	76	120	77	17	12	46	19	5	25	63	18	9	26	11	27	58
XIII. Old Age	177	6	24	26	3	6	4	9	1	11	26	13	4	8	14	7	15
XIV. External Causes	700	63	83	113	15	27	69	21	8	35	81	17	16	34	20	34	64
XV. Ill-Defined Diseases	154	12	36	14	4	3	3	3	2	3	40	4	1	12	3	5	9

TABLE No. 17—Continued

Showing the Number of Deaths in the State and in Each County Arranged by Classes and Counties, 1929

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
I. Epidemic, Endemic and Infectious Diseases	1,286	96	168	174	36	53	112	43	16	77	151	21	21	99	36	67	116
Typhoid and paratyphoid fever	24	1	6	5	—	2	—	—	—	—	3	—	—	—	3	—	4
Small-pox	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Measles	57	8	3	9	3	1	3	1	—	—	3	2	2	12	4	4	2
Scarlet fever	11	—	1	4	—	—	—	—	—	1	3	—	—	—	2	—	1
Whooping-cough	38	8	3	4	6	—	—	—	—	2	6	1	1	3	1	1	3
Diphtheria	14	1	2	—	1	—	1	—	—	—	1	—	1	—	1	—	6
Influenza	532	39	80	71	17	27	42	13	11	35	56	8	10	23	9	30	56
Dysentery	8	1	3	—	—	—	—	2	—	—	2	—	—	1	—	—	—
Erysipelas	32	1	3	11	—	—	4	1	—	1	6	—	1	—	—	—	2
Acute anterior poliomyelitis	7	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Lethargic encephalitis	8	—	1	2	—	—	—	—	—	—	2	—	—	1	—	—	1
Meningococcus meningitis	7	—	—	1	3	—	—	—	—	—	2	—	1	—	—	—	—
Other epidemic and endemic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Chicken-pox	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
(b) German measles	3	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1
(c) Others under this title	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	6	—	—	1	—	—	1	1	—	1	—	1	—	—	—	—	1
Tuberculosis of the respiratory system	399	28	47	46	5	12	43	15	2	29	53	7	5	44	12	22	29
Tuberculosis of the meninges and central nervous system	28	1	7	3	—	3	2	1	—	1	4	—	—	—	—	3	3
Tuberculosis of the intestines and peritoneum	21	1	4	1	—	1	—	2	1	3	1	—	—	1	1	2	3
Tuberculosis of the vertebral column	6	—	1	2	—	1	—	—	—	1	—	—	—	—	—	—	1
Tuberculosis of the joints	2	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
Tuberculosis of other organs	13	1	2	—	—	—	1	2	—	1	2	—	—	3	—	—	1
Disseminated tuberculosis	15	2	2	1	—	1	6	—	—	1	1	1	—	—	1	—	—
Syphilis	32	2	—	7	—	1	6	2	1	—	3	1	—	3	2	1	3
Gonococcus infection	3	1	—	2	—	1	—	1	—	—	1	—	—	—	1	—	1
Purulent infection, septicaemia	10	—	1	3	—	2	2	1	—	—	1	—	—	—	—	—	—
II. General Diseases not included above	1,514	153	96	302	43	54	151	65	26	64	174	30	40	68	39	60	149
Cancer and other malignant tumors of the buccal cavity	36	5	2	8	—	1	4	3	—	—	2	—	—	1	1	3	6
Cancer and other malignant tumors of the stomach and liver	359	34	22	73	10	10	41	16	7	18	38	5	6	13	10	14	42
Cancer and other malignant tumors of the peritoneum, intestines and rectum	237	35	19	39	3	6	18	16	3	9	28	6	8	10	2	11	24
Cancer and other malignant tumors of the female genital organs	162	16	6	36	5	5	20	4	3	5	21	4	1	9	4	6	17
Cancer and other malignant tumors of the breast	99	11	4	23	7	5	6	4	3	2	12	4	5	5	1	2	5
Cancer and other malignant tumors of the skin	35	1	5	4	—	3	3	1	1	2	7	1	1	4	—	1	1
Cancer and other malignant tumors of other or unspecified organs	189	9	11	33	7	7	17	9	4	7	28	1	6	9	6	10	25
Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted)	8	—	—	2	—	—	1	1	—	1	1	1	—	—	1	—	—

TABLE No. 17—Continued

Showing the Number of Deaths in the State and in Each County
Arranged by Classes and Counties, 1929

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
Acute rheumatic fever	13	4	1	3	1	—	—	1	—	—	1	—	—	—	—	—	—
Chronic rheumatism, osteoarthritis, gout	22	1	1	4	1	2	—	1	2	—	2	1	1	1	2	—	3
Scurvy	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Pellagra	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diabetes mellitus	208	25	15	47	4	7	23	5	3	14	16	2	8	11	8	4	16
Anemia chlorosis	42	3	3	7	—	4	3	1	—	1	6	2	1	1	3	3	4
Diseases of the pituitary gland	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Diseases of the thyroid gland																	
(a) Exophthalmic goiter	5	—	—	3	—	—	1	1	—	—	—	—	—	—	—	—	—
(b) Adenoma	3	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Diseases of the thymus gland	4	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—
Diseases of the adrenals (Addison's disease)	4	—	1	1	—	—	—	—	—	—	2	—	—	—	—	—	—
Leukemia and Hodgkin's disease	29	2	1	9	2	1	3	2	—	1	2	—	2	1	—	2	1
Alcoholism (acute or chronic)	27	5	1	6	1	—	4	—	—	3	2	1	—	1	1	—	2
Chronic poisoning by mineral substances	7	—	—	2	2	—	1	—	—	—	—	2	—	—	—	—	—
Chronic poisoning by organic substances	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Other general diseases	17	—	3	2	—	—	3	—	—	1	2	—	—	2	—	1	3
III. Diseases of the Nervous System and of the Organs of Special Sense	1,362	117	85	197	30	53	166	87	40	57	163	23	26	58	58	74	128
Encephalitis	7	—	—	1	—	1	—	—	—	—	3	—	26	—	—	1	1
Meningitis (a) simple meningitis (b) non-epidemic cerebrospinal meningitis	22	—	2	4	3	—	2	1	1	1	2	—	—	—	1	1	4
Tabes dorsalis (locomotor ataxia)	15	—	—	2	—	—	4	—	—	—	4	1	—	1	2	—	1
Other diseases of the spinal cord	33	—	3	3	3	2	2	1	1	4	5	—	1	2	2	2	2
Cerebral hemorrhage, apoplexy	1,074	96	63	160	18	46	125	77	33	44	110	21	22	44	49	63	103
Paralysis without specified cause	39	3	9	2	1	1	5	1	1	2	3	—	3	1	—	—	7
General paralysis of the insane	34	2	—	2	—	—	15	1	—	—	10	—	—	—	1	1	2
Other forms of mental alienation	9	—	—	—	—	—	—	—	2	1	4	—	—	1	—	—	1
Epilepsy	20	5	—	3	1	—	1	1	—	1	4	1	—	2	—	—	1
Infantile convulsions (under 5 yrs. of age)	20	2	4	2	1	—	2	—	—	—	2	—	—	3	—	3	1
Chorea	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Neuralgia and neuritis	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
Softening of the brain	8	1	—	1	—	—	—	—	1	1	2	—	—	—	—	1	1
Other diseases of the nervous system	53	5	—	10	3	3	7	3	—	2	8	—	—	4	3	2	3
Diseases of the eyes and annexa	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the ear and of the mastoid process	24	3	4	6	—	—	3	2	—	1	5	—	—	—	—	—	—
IV. Diseases of the Circulatory System	2,646	220	113	520	68	131	254	102	94	111	317	44	84	132	76	111	269
Pericarditis	9	1	—	—	—	—	3	—	—	—	—	—	—	—	1	3	1
Endocarditis and myocarditis	52	1	3	12	2	—	6	1	—	3	3	1	1	2	—	10	7
Angina pectoris	300	35	5	44	11	28	20	16	18	19	44	12	9	7	2	2	28

TABLE No. 17—Continued

Showing the Number of Deaths in the State and in Each County Arranged by Classes and Counties, 1929

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
Other diseases of the heart	1,802	150	88	344	42	82	191	65	64	64	183	27	58	109	54	79	202
Diseases of the arteries	410	25	15	85	10	21	32	18	9	23	77	4	14	14	18	17	28
Embolism and thrombosis (not cerebral)	68	6	2	34	3	—	2	2	3	1	9	—	2	—	1	—	3
Diseases of the veins	3	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
Diseases of the lymphatic system	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of the circulatory system	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
V. Diseases of the Respiratory System	993	79	95	162	22	31	106	25	21	53	154	21	30	26	40	32	96
Diseases of the nasal fossae and their annexa	4	1	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—
Diseases of the larynx	4	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	1
Bronchitis	106	6	13	9	6	5	11	—	2	3	21	2	7	—	4	8	9
Bronchopneumonia	348	21	28	52	8	10	43	6	8	18	58	9	12	7	12	10	46
Pneumonia	462	46	46	92	7	10	39	17	6	29	71	7	10	17	22	11	32
Pleurisy	22	3	1	5	—	1	4	1	1	—	1	—	—	—	—	—	2
Congestion and hemorrhagic infarct of the lung	14	1	2	1	1	2	2	—	2	1	—	—	—	1	—	—	1
Gangrene of the lung	3	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Asthma	16	—	1	3	—	—	3	—	1	—	1	2	—	—	2	—	3
Other diseases of the respiratory system (tuberculosis excepted)	14	—	3	—	—	1	3	—	1	2	1	—	—	—	—	1	2
VI. Diseases of the Digestive System	711	93	141	110	12	23	64	16	12	22	72	10	11	21	11	24	69
Diseases of the mouth and annexa	7	1	1	3	1	—	—	—	—	—	1	—	—	—	—	—	—
Diseases of the pharynx and tonsils (including adenoid vegetation)	35	—	4	9	—	1	3	1	—	1	3	—	—	2	1	2	8
Ulcer of the stomach and duodenum	44	5	2	5	—	1	8	2	4	—	6	—	1	2	1	2	5
Other diseases of the stomach (cancer excepted)	40	4	9	5	—	1	9	—	—	1	1	—	2	1	—	—	7
Diarrhea and enteritis (under 2 yrs. of age)	168	23	72	11	4	2	14	2	1	7	5	4	1	5	2	2	13
Diarrhea and enteritis (2 yrs. and over)	48	8	10	3	1	3	4	1	3	1	5	1	2	2	—	3	1
Appendicitis and typhlitis	140	19	20	25	2	7	15	1	1	3	20	2	3	5	1	7	9
Hernia, intestinal obstruction	90	10	9	21	3	2	4	3	1	3	14	1	2	2	4	4	7
Other diseases of the intestines	13	1	1	2	—	2	2	—	—	2	1	—	—	1	—	—	1
Acute yellow atrophy of the liver	4	—	—	3	—	—	—	—	—	—	—	—	—	—	1	—	—
Cirrhosis of the liver	38	5	1	7	—	2	3	—	1	1	4	2	—	1	—	2	9
Biliary calculi	29	8	4	4	1	—	—	3	—	—	6	—	—	—	1	1	1
Other diseases of the liver	38	5	6	10	—	—	1	3	1	3	2	—	—	—	—	—	7
Diseases of the pancreas	7	2	2	1	—	—	—	—	—	—	1	—	—	—	—	—	—
Peritonitis without specified cause	10	2	—	1	—	2	1	—	—	—	3	—	—	—	—	—	1
VII. Non-venereal Diseases of the Genitourinary System and Annexa	970	115	74	169	21	48	99	47	26	44	85	15	26	48	31	39	83
Acute nephritis (including unspecified under 10 yrs. of age)	40	6	5	4	—	3	4	4	1	2	5	1	—	2	—	1	2

TABLE No. 17—Continued

Showing the Number of Deaths in the State and in Each County Arranged by Classes and Counties, 1929

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Fenobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
Chronic nephritis (including unspecified 10 yrs. and over)	801	91	60	142	20	38	85	39	18	38	55	12	23	44	30	31	75
Other diseases of the kidneys and annexa (diseases of the kidneys in pregnancy excepted)	15	2	2	3	—	1	1	—	2	—	4	—	—	—	—	—	—
Calculi of the urinary passages	8	—	—	1	—	1	1	1	1	—	1	1	—	—	—	—	1
Diseases of the bladder	10	—	1	1	—	1	—	—	—	—	2	—	1	1	1	1	1
Diseases of the urethra, urinary abscess, etc.	3	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	—
Diseases of the prostate	46	5	4	7	1	2	4	2	4	2	11	—	—	—	—	1	3
Non-venereal diseases of the male genital organs	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cysts and other benign tumors of the ovary	5	1	—	2	—	—	—	—	—	—	1	—	1	—	—	—	—
Salpingitis and pelvic abscess	14	5	—	2	—	—	2	—	—	—	1	—	—	—	—	4	—
Benign tumors of the uterus	22	4	—	5	—	1	1	1	—	2	5	1	—	—	—	1	1
Other diseases of the female genital organs	5	1	1	1	—	1	1	—	—	—	—	—	—	—	—	—	—
VIII. The Puerperal State	113	14	17	17	3	5	11	4	1	6	13	7	—	2	2	2	9
Accidents of pregnancy	17	2	—	1	1	3	1	1	—	1	3	—	—	—	1	—	3
Puerperal hemorrhage	9	1	1	2	1	—	—	—	1	2	—	—	—	1	—	—	—
Other accidents of labor	20	3	—	6	—	1	3	1	—	1	2	1	—	1	—	—	1
Puerperal septicemia	31	2	12	2	1	—	4	2	—	1	4	3	—	—	—	—	—
Puerperal phlegmasia alba dolens, embolus, sudden death	7	1	—	1	—	—	1	—	—	—	1	2	—	—	—	—	1
Puerperal albuminuria and convulsions	27	5	4	5	—	1	1	—	—	1	2	1	—	—	1	2	4
Following child-birth (not otherwise defined)	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
IX. Diseases of the Skin and of the Cellular Tissue	29	2	1	4	1	1	2	1	2	—	6	2	—	3	1	2	1
Gangrene	22	2	1	2	1	1	2	1	1	—	4	2	—	2	1	1	1
Furuncle	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Acute abscess	5	—	—	2	—	—	—	—	1	—	1	—	—	—	—	—	—
Other diseases of the skin and annexa	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
X. Diseases of the Bones and of the Organs of Locomotion	6	—	—	2	—	1	1	—	—	2	—	—	—	—	—	—	—
Diseases of the bones (tuberculosis excepted)	6	—	—	2	—	1	1	—	—	2	—	—	—	—	—	—	—
XI. Malformations	105	8	10	18	3	5	8	2	—	6	19	5	1	2	5	3	10
Congenital malformations (stillbirths not included)	105	8	10	18	3	5	8	2	—	6	19	5	1	2	5	3	10
XII. Early Infancy	609	76	120	77	17	12	46	19	5	25	63	18	9	26	11	27	53
Congenital debility, icterus and sclerema	113	12	20	9	2	4	15	1	1	5	12	1	3	7	1	7	12
Premature birth	382	47	83	52	10	8	21	16	3	11	37	15	3	12	8	18	38
Injury at birth	63	10	6	11	3	—	7	1	1	4	6	2	2	5	—	1	4
Other diseases peculiar to early infancy	51	7	11	5	2	—	3	1	—	5	7	—	1	2	2	1	4

REGISTRATION REPORT

TABLE No. 17—Concluded

Showing the Number of Deaths in the State and in Each County Arranged by Classes and Counties, 1929

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
Infanticide (murder of infants less than one year of age)	3	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture (cause not specified)	65	2	6	9	1	3	5	1	1	7	11	3	1	5	3	2	5
Other external violence (cause specified)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent deaths of unknown causation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XV. Ill-Defined Diseases	154	12	36	14	4	3	3	3	2	3	40	4	1	12	3	5	9
Sudden death	45	7	7	2	—	—	2	1	—	1	17	1	—	4	—	1	2
Cause of death (not specified or ill-defined)	109	5	29	12	4	3	1	2	2	2	23	3	1	8	3	4	7

TABLE No. 18
Showing the Number of Deaths in the State
Arranged by Classes and Months, 1929

Causes of Death	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
General Diseases	11,375	1,460	1,067	977	931	968	874	797	795	761	878	875	992
I. Epidemic, Endemic and Infectious Diseases	1,286	314	208	103	110	95	76	57	59	55	64	53	92
II. General Diseases not included above	1,514	139	122	143	119	128	120	140	136	97	135	113	122
III. Diseases of the Nervous System and of the Organs of Special Sense	1,362	140	116	124	127	124	127	91	98	96	114	98	107
IV. Diseases of the Circulatory System	2,646	312	228	208	221	222	215	204	187	176	202	220	251
V. Diseases of the Respiratory System	993	249	111	92	84	76	52	29	29	30	49	83	109
VI. Diseases of the Digestive System	711	69	45	40	46	58	57	43	61	102	70	64	56
VII. Non-venereal Diseases of the Genitourinary System Annexa	970	84	77	99	86	95	79	70	73	67	72	84	84
VIII. The Puerperal State	113	13	11	12	9	12	8	12	8	6	1	9	12
IX. Diseases of the Skin and Cellular Tissue	29	5	—	3	5	1	2	—	5	1	4	1	2
X. Diseases of the Bones and the Organs of Loco- motion	6	—	1	1	—	—	—	—	—	1	2	1	—
XI. Malformations	105	16	8	10	9	7	7	4	6	7	11	9	11
XII. Early Infancy	609	53	56	57	50	64	44	53	39	29	64	49	51
XIII. Old Age	177	12	31	13	10	19	16	15	8	15	12	13	13
XIV. External Causes	700	36	45	53	42	53	56	71	75	74	59	69	67
XV. Ill-Defined Diseases	154	18	8	19	13	14	15	8	11	5	19	9	15

TABLE No. 18—Continued

Showing the Number of Deaths in the State
Arranged by Classes and Months, 1929

Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
I. Epidemic, Endemic and Infectious Diseases	1,286	314	208	108	110	95	76	57	59	55	64	53	92
Typhoid and paratyphoid fever	24	3	—	—	4	2	—	2	1	2	3	1	6
Typhus fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Malta fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Malaria	—	—	—	—	—	—	—	—	—	—	—	—	—
Small-pox	1	—	1	—	—	—	—	—	—	—	—	—	—
Measles	57	21	10	7	7	4	5	3	—	—	—	—	—
Scarlet fever	11	2	2	3	2	1	—	—	—	—	1	—	—
Whooping-cough	38	10	3	4	5	3	2	1	4	—	2	2	2
Diphtheria	14	3	—	2	2	1	1	1	—	2	1	—	1
Influenza	532	215	133	33	31	29	13	3	6	7	18	15	29
Military fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Mumps	—	—	—	—	—	—	—	—	—	—	—	—	—
Asiatic cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera nostras	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery	8	—	—	—	—	—	1	—	2	3	1	—	1
Plague	—	—	—	—	—	—	—	—	—	—	—	—	—
Yellow fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Spirochetal hemorrhagic jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—
Leprosy	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	32	—	7	3	6	4	1	1	1	1	4	—	4
Acute anterior poliomyelitis	7	—	—	2	—	—	—	2	1	1	—	—	—
Lethargic encephalitis	8	1	2	1	1	1	2	—	—	—	—	—	—
Meningococcus meningitis	7	1	1	1	—	—	1	—	1	1	—	1	—
Other epidemic and endemic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Chicken-pox	2	1	—	—	—	—	—	—	—	—	—	—	1
(b) German measles	3	—	—	—	1	—	1	—	—	—	—	—	1
(c) Others under this title	1	—	—	—	—	—	1	—	—	—	—	—	—
Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax	1	—	—	—	—	—	—	—	—	—	1	—	—
Rabies	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	6	1	—	—	—	1	—	—	2	—	1	1	—
Mycoses	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of the respiratory system	399	42	41	38	44	34	32	29	28	30	23	26	32
Tuberculosis of the meninges and central nervous system	28	2	4	1	—	3	2	2	3	3	2	1	5
Tuberculosis of the intestines and peritoneum	21	1	—	2	1	—	5	2	2	3	—	2	3
Tuberculosis of the vertebral column	6	—	—	—	1	1	1	—	1	—	2	—	—
Tuberculosis of the joints	2	1	—	—	1	1	—	—	—	—	—	—	—
Tuberculosis of other organs	13	—	—	2	—	4	2	1	1	1	1	—	1
Disseminated tuberculosis	15	3	1	2	2	2	1	2	1	—	—	—	1
Syphilis	32	6	3	2	2	2	2	4	3	1	2	2	3
Soft chancre	—	—	—	—	—	—	—	—	—	—	—	—	—
Gonococcus infection	8	—	—	—	1	1	1	1	—	—	2	1	1
Purulent infection, septicemia	10	1	—	—	—	1	1	3	2	—	1	1	1
Other infectious diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. General Diseases not included above	1,514	139	122	143	119	128	120	140	136	97	135	113	122
Cancer and other malignant tumors of the buccal cavity	36	1	4	3	4	5	4	—	7	3	3	—	2
Cancer and other malignant tumors of the stomach and liver	359	43	28	40	24	32	33	34	33	16	25	27	24

CAUSES OF DEATHS, BY CLASSES AND GROUPS 57

TABLE No. 18—Continued

Showing the Number of Deaths in the State
Arranged by Classes and Months, 1929

Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
Cancer and other malignant tumors of the peritoneum intestines and rectum	237	11	20	21	15	18	19	21	24	20	33	15	20
Cancer and other malignant tumors of the female genital organs ..	162	15	17	13	12	12	15	16	10	14	10	16	12
Cancer and other malignant tumors of the breast	99	9	8	12	6	6	5	8	9	10	9	8	9
Cancer and other malignant tumors of the skin	35	1	—	3	3	5	4	1	5	1	4	3	5
Cancer and other malignant tumors of other or unspecified organs ..	189	17	14	15	17	15	11	25	14	8	21	17	15
Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted)	8	—	—	2	1	2	—	—	—	1	1	—	1
Acute rheumatic fever	13	2	—	—	2	1	2	1	3	—	—	1	1
Chronic rheumatism, osteoarthritis, gout	22	—	4	4	3	1	1	2	3	2	2	—	—
Scurvy	1	—	—	—	—	—	—	—	—	1	—	—	—
Pellagra	3	—	1	—	—	—	1	—	—	1	—	—	—
Beriberi	—	—	—	—	—	—	—	—	—	—	—	—	—
Rickets	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes mellitus	208	32	18	19	15	13	13	17	19	8	20	14	20
Anemia chlorosis	42	3	1	1	8	8	3	5	2	1	2	2	6
Diseases of the pituitary gland ..	1	—	—	—	—	—	—	—	—	—	—	1	—
Diseases of the thyroid gland ..	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Exophthalmic goiter	5	—	—	—	1	1	—	—	—	—	—	1	2
(b) Adenoma	3	—	—	—	1	—	1	—	—	1	—	—	—
Diseases of the parathyroid gland ..	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the thymus gland	4	1	—	—	—	1	—	—	—	2	—	—	—
Diseases of the adrenals (Addison's disease)	4	—	1	1	—	1	—	—	—	1	—	—	—
Diseases of the spleen	—	—	—	—	—	—	—	—	—	—	—	—	—
Leukemia and Hodgkin's disease ..	29	1	2	4	1	4	3	2	2	5	—	2	3
Alcoholism (acute or chronic) ..	27	2	2	2	3	2	1	3	3	1	3	5	—
Chronic poisoning by mineral substances	7	—	1	—	—	—	2	2	—	—	—	—	2
Chronic poisoning by organic substances	3	—	1	1	—	—	—	—	1	—	—	—	—
Other general diseases	17	1	—	2	3	1	2	3	1	1	1	1	—
III. Diseases of the Nervous System and of the Organs of Special Sense	1,362	140	116	124	127	124	127	91	98	96	114	98	107
Encephalitis	7	—	—	—	1	2	—	—	—	—	4	—	—
Meningitis (a) simple meningitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) nonepidemic cerebrospinal meningitis	22	1	2	2	1	2	3	2	2	2	3	1	1
Tabes dorsalis (locomotor ataxia) ..	15	2	2	3	—	3	—	—	—	1	1	1	2
Other diseases of the spinal cord ..	33	2	—	2	2	5	3	4	2	4	7	—	2
Cerebral hemorrhage, apoplexy ..	1,074	118	93	93	104	96	100	67	72	77	87	81	86
Paralysis without specified cause ..	39	3	4	5	3	1	1	5	4	5	1	4	3
General paralysis of the insane ..	34	1	4	3	1	5	3	4	7	2	2	1	1
Other forms of mental alienation ..	9	1	—	—	1	1	—	2	2	1	—	1	—
Epilepsy	20	3	1	3	4	1	2	—	—	1	1	3	1
Convulsions (nonpuerperal) (5 yrs. and over)	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile convulsions (under 5 yrs. of age)	20	3	—	2	—	2	6	2	2	—	2	—	1

TABLE No. 18—Continued

Showing the Number of Deaths in the State
Arranged by Classes and Months, 1929

Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
Diseases due to other intestinal parasites	—	—	—	—	—	—	—	—	—	—	—	—	—
Appendicitis and typhlitis	140	16	9	7	13	16	10	7	8	15	10	15	15
Hernia, intestinal obstruction	90	10	6	11	3	13	10	6	6	7	4	8	6
Other diseases of the intestines ..	13	1	—	2	1	1	1	1	1	—	—	3	—
Acute yellow atrophy of the liver ..	4	—	—	—	2	—	—	—	—	1	—	1	—
Hydated tumors of the liver	—	—	—	—	—	—	—	—	—	—	—	—	—
Cirrhosis of the liver	38	6	2	2	5	4	3	1	2	2	4	3	4
Biliary calculi	29	6	1	1	2	2	3	4	3	1	3	—	1
Other diseases of the liver	38	2	7	1	3	3	6	3	4	3	3	—	3
Diseases of the pancreas	7	2	—	—	—	—	1	2	2	1	—	—	1
Peritonitis without specified cause ..	10	—	—	2	—	—	2	1	1	—	—	3	1
Other diseases of the digestive system (cancer and tuberculosis excepted)	—	—	—	—	—	—	—	—	—	—	—	—	—
VII. Non-venereal Diseases of the Genitourinary System and Annexa	970	84	77	99	86	95	79	70	73	67	72	84	84
Acute nephritis (including unspecified under 10 yrs. of age) ..	40	2	3	3	3	2	4	2	5	4	2	6	4
Chronic nephritis (including unspecified 10 yrs. and over)	801	78	67	81	68	79	63	57	57	58	59	66	68
Chyluria	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of the kidneys and annexa (diseases of the kidneys in pregnancy excepted)	15	1	1	3	2	—	1	1	2	—	1	3	—
Calculi of the urinary passages ..	8	—	1	1	2	1	—	—	—	—	2	—	—
Diseases of the bladder	10	—	1	2	2	—	1	1	—	—	1	1	—
Diseases of the urethra, urinary abscess, etc.	3	—	—	—	1	—	—	—	—	—	—	—	2
Diseases of the prostate	46	1	3	6	6	5	3	4	6	3	3	3	3
Non-venereal diseases of the male genital organs	1	—	—	—	—	—	1	—	—	—	—	—	—
Cysts and other benign tumors of the ovary	5	—	—	2	—	2	—	—	—	—	—	—	1
Salpingitis and pelvic abscess	14	1	1	—	—	5	1	3	—	1	1	1	—
Benign tumors of the uterus	22	1	—	1	1	1	4	2	3	—	2	3	4
Nonpuerperal uterine hemorrhage ..	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of the female genital organs	5	—	—	—	1	—	1	—	—	1	1	1	—
Nonpuerperal diseases of the breast (cancer excepted)	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. The Puerperal State	113	13	11	12	9	12	8	12	8	6	1	9	12
Accidents of pregnancy	17	5	2	1	1	1	—	1	2	1	—	2	1
Puerperal hemorrhage	9	—	1	2	1	2	1	1	—	—	—	1	—
Other accidents of labor	20	6	3	1	2	—	2	2	1	—	—	2	1
Puerperal septicemia	31	—	2	3	2	6	3	1	4	2	—	3	5
Puerperal phlegmasia alba dolens, embolus, sudden death	7	—	—	3	1	—	—	1	—	—	—	—	2
Puerperal albuminuria and convulsions	27	2	3	2	2	3	2	5	1	3	1	1	2
Following child birth (not otherwise defined)	2	—	—	—	—	—	—	1	—	—	—	—	1
Puerperal diseases of the breast ..	—	—	—	—	—	—	—	—	—	—	—	—	—
IX. Diseases of the Skin and of the Cellular Tissue	29	5	—	3	5	1	2	—	5	1	4	1	2

TABLE No. 18—Continued

Showing the Number of Deaths in the State
Arranged by Classes and Months, 1929

Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
Gangrene	22	5	—	2	5	1	—	—	3	1	2	1	2
Furuncle	1	—	—	1	—	—	—	—	—	—	—	—	—
Acute abscess	5	—	—	—	—	—	2	—	2	—	1	—	—
Other diseases of the skin and annexa	1	—	—	—	—	—	—	—	—	—	1	—	—
X. Diseases of the Bones and of the Organs of Locomotion	6	—	1	1	—	—	—	—	—	1	2	1	—
Diseases of the bones (tuberculosis excepted)	6	—	1	1	—	—	—	—	—	1	2	1	—
Diseases of the joints (tuberculosis and rheumatism excepted)	—	—	—	—	—	—	—	—	—	—	—	—	—
Amputation	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of the organs of locomotion	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Malformations	105	16	8	10	9	7	7	4	6	7	11	9	11
Congenital malformations (stillbirths not included)	105	16	8	10	9	7	7	4	6	7	11	9	11
XII. Early Infancy	609	53	56	57	50	64	44	53	39	29	64	49	51
Congenital debility, icterus and sclerema	113	10	7	10	7	10	7	15	6	5	16	13	7
Premature	382	34	41	35	32	43	29	26	24	16	39	31	32
Injury at birth	63	6	2	5	8	5	3	7	7	6	6	1	7
Other diseases peculiar to early infancy	51	3	6	7	3	6	5	5	2	2	3	4	5
Lack of care	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Old Age	177	12	31	13	10	19	16	15	8	15	12	13	13
Senility	177	12	31	13	10	19	16	15	8	15	12	13	13
XIV. External Causes	700	36	45	53	42	53	56	71	75	74	59	69	67
Suicide by solid or liquid poisons (corrosive substances excepted)	2	1	—	—	—	1	—	—	—	—	—	—	1
Suicide by corrosive substances ..	8	1	1	2	—	1	1	—	1	—	—	—	—
Suicide by poisonous gas	5	—	1	—	—	—	—	1	—	—	1	1	1
Suicide by hanging or strangulation	31	—	4	4	4	3	4	—	3	2	2	—	5
Suicide by drowning	14	—	2	1	1	—	5	—	3	1	1	—	—
Suicide by firearms	39	1	4	3	—	1	5	5	4	3	3	5	5
Suicide by cutting or piercing instruments	8	1	1	1	—	—	—	—	—	3	1	1	—
Suicide by jumping from high places	1	—	—	1	—	—	—	—	—	—	—	—	—
Suicide by crushing	—	—	—	—	—	—	—	—	—	—	—	—	—
Other suicides	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning by food	8	—	1	—	—	—	—	1	2	—	2	1	1
Poisoning by venomous animals ..	—	—	—	—	—	—	—	—	—	—	—	—	—
Other acute accidental poisonings (gas excepted)	4	—	—	—	—	—	2	—	—	1	—	—	1
Conflagration	15	—	1	1	—	3	—	—	1	6	1	—	2
Accidental burns (conflagration excepted)	22	1	1	4	5	2	1	—	2	2	—	1	3
Accidental mechanical suffocation ..	4	—	—	2	—	—	—	—	1	—	—	1	—
Accidental absorption of irrespirable, irritating, or poisonous gas	5	2	—	—	1	—	—	—	—	—	—	1	1
Accidental drowning	83	—	2	2	6	7	10	24	14	7	2	7	2

CAUSES OF DEATHS, BY CLASSES AND GROUPS 61

TABLE No. 18—Concluded

Showing the Number of Deaths in the State
Arranged by Classes and Months, 1929

Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
Accidental traumatism by firearms (wounds of war excepted)	20	—	1	2	—	2	—	—	—	1	5	6	3
Accidental traumatism by cutting or piercing instruments	—	—	—	—	—	—	—	—	—	—	—	—	—
Accidental traumatism by fall ...	136	12	11	13	12	7	9	10	13	15	10	13	11
Accidental traumatism in mines and quarries	—	—	—	—	—	—	—	—	—	—	—	—	—
Accidental traumatism by machines	9	1	—	1	1	—	—	—	1	2	1	1	1
Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)	25	1	1	2	—	2	3	—	1	5	3	2	5
(a) Railroad accidents	2	—	—	—	1	—	—	1	—	—	—	—	—
(b) Street car accidents	149	8	6	4	3	9	10	17	19	15	21	22	15
(c) Automobile accidents	3	—	—	—	—	—	—	1	—	2	—	—	—
(d) Aeroplane accidents	1	—	—	—	—	—	—	—	1	—	—	—	—
(e) Motorcycle accidents	8	—	—	2	1	—	1	—	1	3	—	—	—
(f) Injuries by other vehicles ..	4	—	—	—	—	—	—	1	—	—	1	—	1
(g) Landslide, other crushing ..	1	—	—	—	—	1	—	—	—	—	—	—	—
Injuries by animals (not poisoning)	—	—	—	—	—	—	—	—	—	—	—	—	—
Wounds of war	—	—	—	—	—	—	—	—	—	—	—	—	—
Execution of civilians by belligerent armies	—	—	—	—	—	—	—	—	—	—	—	—	—
Starvation (deprivation of food or water)	—	—	—	—	—	—	—	—	—	—	—	—	—
Excessive cold	7	2	2	—	1	—	—	—	—	—	—	1	1
Excessive heat	3	—	—	—	—	—	—	3	—	—	—	—	—
Lightning	—	—	—	—	—	—	—	—	—	—	—	—	—
Other accidental electric shocks ..	8	—	—	—	—	1	1	1	2	—	—	2	1
Homicide by firearms	—	—	—	—	—	—	—	—	—	—	—	—	—
Homicide by cutting or piercing instruments	—	—	—	—	—	—	—	—	—	—	—	—	—
Homicide by other means	7	1	1	1	—	—	2	2	—	—	—	—	—
Infanticide (murder of infants less than one year of age) ...	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture (cause not specified) ...	3	—	1	—	—	1	—	—	—	1	—	—	—
Other external violence (cause specified)	65	4	4	7	6	12	2	3	6	5	5	4	7
Violent deaths of unknown causation	—	—	—	—	—	—	—	—	—	—	—	—	—
XV. Ill-Defined Diseases	154	18	8	19	13	14	15	8	11	5	19	9	15
Sudden death	45	3	2	2	4	6	5	3	5	1	6	3	5
Cause of death (not specified or ill-defined)	109	15	6	17	9	8	10	5	6	4	13	6	10

TABLE

Deaths from All Causes

Causes of Death	Total	Under 1	1 and under 2	2	3	4	Total under 5	5- 9	10- 14
General Diseases	11,375	1,224	139	72	57	37	1,529	159	118
I. Epidemic, Endemic and Infectious Dis- eases	1,286	126	49	19	19	13	226	45	28
II. General Diseases not included above ..	1,514	12	4	1	1	1	19	7	8
III. Diseases of the Nervous System and of the Organs of Special Sense	1,362	23	3	6	4	2	38	9	9
IV. Diseases of the Circulatory System ...	2,646	3	1	1	1	—	6	3	4
V. Diseases of the Respiratory System	993	134	37	19	6	3	199	9	12
VI. Diseases of the Digestive System	711	170	30	12	15	5	232	25	20
VII. Non-venereal Diseases of the Geni- tourinary System and Annexa	970	2	—	—	—	1	3	3	2
VIII. The Puerperal State	113	—	—	—	—	—	—	—	—
IX. Diseases of the Skin and of the Cellu- lar Tissue	29	2	—	1	—	—	3	—	—
X. Diseases of the Bones and of the Organs of Locomotion	6	—	—	—	—	—	—	—	—
XI. Malformations	105	93	3	3	1	—	100	4	—
XII. Early Infancy	609	609	—	—	—	—	609	—	—
XIII. Old Age	177	—	—	—	—	—	—	—	—
XIV. External Causes	700	6	9	9	10	12	46	53	33
XV. Ill-Defined Diseases	154	44	3	1	—	—	48	1	2

CAUSES OF DEATHS, BY CLASSES AND GROUPS 63

No. 19

by Age-Groups, 1929

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 and over	Un-known
180	232	189	233	263	332	400	542	666	892	1,073	1,286	1,323	1,027	631	238	54	7	1
53	95	70	68	62	66	66	69	59	62	60	80	87	49	27	13	1	—	—
6	11	13	15	45	62	79	114	153	194	238	220	173	103	41	10	3	—	—
5	5	3	8	13	21	42	67	100	126	178	213	216	171	101	30	7	—	—
8	2	7	17	21	49	63	114	147	252	325	429	472	380	228	92	26	1	—
19	12	12	25	32	26	39	44	40	72	80	100	103	85	53	25	4	2	—
27	14	20	23	29	26	25	41	38	39	42	35	30	18	21	3	2	1	—
3	6	10	18	19	32	51	40	70	87	107	144	150	125	76	22	2	—	—
12	31	23	24	12	10	1	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	1	—	—	—	1	2	1	10	3	6	2	—	—	—
—	—	1	—	—	1	2	—	—	—	—	—	1	—	—	1	—	—	—
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	15	25	55	41	32	7	2	—
46	56	29	35	29	34	26	47	46	44	29	34	43	29	30	7	2	1	1
—	—	1	—	1	4	6	6	13	15	12	15	13	9	7	1	—	—	—

TABLE
Deaths from All Causes

Causes of Death	Total	Under 1	1 and under 2	2	3	4	Total under 5	5- 9	10- 14
VIII. The Puerperal State	113	—	—	—	—	—	—	—	—
Accidents of pregnancy	17	—	—	—	—	—	—	—	—
Puerperal hemorrhage	9	—	—	—	—	—	—	—	—
Other accidents of labor	20	—	—	—	—	—	—	—	—
Puerperal septicemia	31	—	—	—	—	—	—	—	—
Puerperal phlegmasia alba dolens, embolus, sudden death	7	—	—	—	—	—	—	—	—
Puerperal albuminuria and convulsions	27	—	—	—	—	—	—	—	—
Following child-birth (not otherwise defined)	2	—	—	—	—	—	—	—	—
Puerperal diseases of the breast	—	—	—	—	—	—	—	—	—
IX. Diseases of the Skin and of the Cellular Tissue	29	2	—	1	—	—	3	—	—
Gangrene	22	—	—	—	—	—	—	—	—
Furuncle	1	—	—	—	—	—	—	—	—
Acute abscess	5	2	—	1	—	—	3	—	—
Other diseases of the skin and annexa	1	—	—	—	—	—	—	—	—
X. Diseases of the Bones and of the Organs of Locomotion	6	—	—	—	—	—	—	—	—
Diseases of the bones (tuberculosis ex- cepted)	6	—	—	—	—	—	—	—	—
Diseases of the joints (tuberculosis and rheumatism excepted)	—	—	—	—	—	—	—	—	—
Amputation	—	—	—	—	—	—	—	—	—
Other diseases of the organs of locomotion	—	—	—	—	—	—	—	—	—
XI. Malformations	105	93	3	3	1	—	100	4	—
Congenital malformations (still-births not included)	105	93	3	3	1	—	100	4	—
XII. Early Infancy	609	609	—	—	—	—	609	—	—
Congenital debility, icterus and sclerema	113	113	—	—	—	—	113	—	—
Premature birth	382	382	—	—	—	—	382	—	—
Injury at birth	63	63	—	—	—	—	63	—	—
Other diseases peculiar to early infancy	51	51	—	—	—	—	51	—	—
Lack of care	—	—	—	—	—	—	—	—	—
XIII. Old Age	177	—	—	—	—	—	—	—	—
Senility	177	—	—	—	—	—	—	—	—
XIV. External Causes	700	6	9	9	10	12	46	53	33
Suicide by solid or liquid poisons (corrosive substances excepted)	2	—	—	—	—	—	—	—	—
Suicide by corrosive substances	8	—	—	—	—	—	—	—	—
Suicide by poisonous gas	5	—	—	—	—	—	—	—	—
Suicide by hanging or strangulation	31	—	—	—	—	—	—	—	—
Suicide by drowning	14	—	—	—	—	—	—	—	—
Suicide by firearms	39	—	—	—	—	—	—	—	—
Suicide by cutting or piercing instruments	8	—	—	—	—	—	—	—	—
Suicide by jumping from high places	1	—	—	—	—	—	—	—	—
Suicide by crushing	—	—	—	—	—	—	—	—	—
Other suicides	8	—	—	—	—	—	—	—	—
Poisoning by food	8	1	—	—	1	—	2	1	1
Poisoning by venomous animals	—	—	—	—	—	—	—	—	—
Other acute accidental poisonings (gas ex- cepted)	4	1	—	—	—	—	1	—	—
Conflagration	15	—	2	2	1	1	6	5	—
Accidental burns (conflagration excepted)	22	—	2	2	4	1	9	—	1
Accidental mechanical suffocation	4	1	—	—	—	—	1	—	1
Accidental absorption of irrespirable, irri- tating, or poisonous gas	5	—	—	—	—	—	—	—	—
Accidental drowning	83	—	1	2	1	2	6	16	10
Accidental traumatism by firearms (wounds of war excepted)	20	—	—	—	—	—	—	2	4

TABLE
Deaths from All Causes

Causes of Death	Total	Under 1	1 and under 2	2	3	4	Total under 5	5- 9	10- 14
Accidental traumatism by cutting or piercing instruments	—	—	—	—	—	—	—	—	—
Accidental traumatism by fall	136	2	1	—	1	—	4	2	1
Accidental traumatism in mines and quarries	—	—	—	—	—	—	—	—	—
Accidental traumatism by machines	9	—	—	—	—	—	—	—	—
Accidental traumatism by other crushing (vehicles, railways, landslides, etc.)	—	—	—	—	—	—	—	—	—
(a) Railroad accidents	25	—	—	—	—	—	—	—	—
(b) Street car accidents	2	—	—	—	—	—	—	—	—
(c) Automobile accidents	149	—	1	1	1	8	11	22	8
(d) Aeroplane accidents	3	—	—	—	—	—	—	—	—
(e) Motorcycle accidents	1	—	—	—	—	—	—	—	—
(f) Injuries by other vehicles	8	—	—	—	—	—	—	—	—
(g) Landslide, other crushing	4	—	—	—	—	—	—	—	—
Injuries by animals (not poisoning)	1	—	—	—	—	—	—	—	1
Wounds of war	—	—	—	—	—	—	—	—	—
Execution of civilians by belligerent armies	—	—	—	—	—	—	—	—	—
Starvation (Deprivation of food or water)	—	—	—	—	—	—	—	—	—
Excessive cold	7	—	—	—	—	—	—	—	—
Excessive heat	3	—	—	—	—	—	—	—	—
Lightning	—	—	—	—	—	—	—	—	—
Other accidental electric shocks	8	—	—	—	—	—	—	—	1
Homicide by firearms	—	—	—	—	—	—	—	—	—
Homicide by cutting or piercing instruments	—	—	—	—	—	—	—	—	—
Homicide by other means	7	—	—	1	—	—	1	—	—
Infanticide (murder of infants less than one year of age)	—	—	—	—	—	—	—	—	—
Fracture (cause not specified)	3	—	—	—	—	—	—	—	—
Other external violence (cause specified)	65	1	2	1	1	—	5	5	5
Violent deaths of unknown causation	—	—	—	—	—	—	—	—	—
XV. Ill-Defined Diseases	154	44	3	1	—	—	48	1	2
Sudden death	45	3	—	—	—	—	3	—	—
Cause of death (not specified or ill-defined)	109	41	3	1	—	—	45	1	2

CAUSES OF DEATHS, BY CLASSES AND GROUPS 73

No. 19—Concluded
 by Age-Groups, 1929

15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	50- 54	55- 59	60- 64	65- 69	70- 74	75- 79	80- 84	85- 89	90- 94	95- 99	100 and over	Un- known
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	1	2	4	1	3	7	6	6	3	9	15	16	17	26	6	2	1	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	1	1	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	2	2	2	5	1	2	1	7	1	—	—	—	—	—	—	—	—
10	13	6	7	6	5	5	13	6	13	8	4	8	4	—	—	—	—	—
—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2	1	1	1	—	—	1	1	1	—	—	—	1	—	—	—	—	—	—
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	1	1	1	—	—	—	—	2	—	1	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	4	—	1	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	3	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
5	3	5	4	7	1	1	3	8	5	2	3	2	1	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	1	—	1	4	6	6	13	15	12	15	13	9	7	1	—	—	—
—	—	—	—	1	1	4	4	8	5	3	7	6	—	3	—	—	—	—
—	—	1	—	—	3	2	2	5	10	9	8	7	9	4	1	—	—	—

REGISTRATION REPORT

TABLE No. 20
Number of Deaths from Several Specified Causes of Each Sex, in Each Month, which were Registered during Thirty-eight Years, 1892-1929

	Measles	Scarlet fever	Whooping-cough	Diphtheria and croup	Typhoid fever	Pulmonary tuberculosis	Diarrhea and enteritis (under 2 years)	Pneumonia	Bronchitis	Cerebral hemorrhage Apoplexy
Totals	1,712	862	2,710	4,080	4,912	31,045	15,414	38,844	6,675	31,695
Males	850	397	1,266	2,030	2,863	14,610	—	19,707	3,035	15,356
Females	858	465	1,444	1,999	2,048	16,434	—	19,130	3,640	16,339
Not stated	4	—	—	1	1	1	—	7	—	—
January	170	85	272	432	392	2,699	303	5,475	850	2,962
February	152	85	267	343	311	2,716	260	5,438	795	2,831
March	205	111	271	274	395	3,134	303	5,497	894	2,842
April	230	79	255	263	350	3,073	315	4,666	760	2,684
May	212	69	240	285	332	3,047	352	3,627	584	2,753
June	180	65	207	245	276	2,574	433	1,962	423	2,463
July	147	44	177	216	265	2,446	1,715	984	291	2,342
August	84	33	216	231	401	2,289	4,543	819	216	2,396
September	51	48	216	286	600	2,125	4,425	1,222	274	2,481
October	72	70	195	437	655	2,323	1,910	2,470	472	2,613
November	101	84	178	508	492	2,164	512	2,761	481	2,524
December	108	89	213	510	436	2,439	340	3,912	629	2,800
Not stated	—	—	3	—	7	16	3	11	6	4

TABLE No. 21

Years	Total deaths	Males	Females	Not stated	Death-rate per 1,000
1892	12,147	5,939	6,175	33	18.19
1893	11,184	5,557	5,551	26	16.59
1894	11,012	5,570	5,422	20	16.33
1895	10,464	5,226	5,228	10	15.44
1896	10,626	5,350	5,268	8	15.60
1897	11,236	5,624	5,606	6	16.42
1898	10,956	5,506	5,447	3	15.93
1899	11,370	5,676	5,686	8	16.45
1900	11,389	5,734	5,649	6	16.40
1901	11,133	5,604	5,523	6	15.94
1902	10,673	5,454	5,216	3	15.19
1903	11,009	5,629	5,378	2	15.58
1904	11,346	5,868	5,468	10	15.97
1905	11,381	5,835	5,545	1	15.92
1906	11,427	5,925	5,497	5	15.90
1907	11,803	6,100	5,700	3	16.33
1908	11,664	6,060	5,602	2	16.05
1909	11,295	5,743	5,551	1	15.45
1910	12,439	6,427	6,012	—	16.62
1911	11,731	6,119	5,612	—	15.68
1912	11,390	5,865	5,523	2	15.27
1913	11,552	6,003	5,549	—	15.35
1914	11,648	6,161	5,487	—	15.24
1915	11,541	6,095	5,444	2	14.96
1916	11,772	6,139	5,633	—	15.38
1917	11,407	5,994	5,413	—	14.53
1918	14,187	7,324	6,859	4	17.78
1919	10,919	5,556	5,363	—	13.53
1920	11,850	6,063	5,787	—	15.43
1921	10,875	5,570	5,305	—	14.07
1922	11,480	6,002	5,478	—	14.76
1923	11,693	6,112	5,581	—	15.07
1924	10,785	5,593	5,192	—	13.76
1925	10,847	5,669	5,178	—	13.88
1926	11,416	5,999	5,417	—	14.45
1927	10,977	5,738	5,239	—	13.80
1928	11,037	5,758	5,279	—	13.99
1929	11,375	6,051	5,324	—	14.37
Average	11,394	5,859	5,531	4	15.46

CAUSES OF DEATHS, BY CLASSES AND GROUPS 75

TABLE No. 22

Deaths

Largest Number		Smallest Number		
1892	January	1,577	November	790
1893	August	1,080	November	796
1894	January	1,266	November	761
1895	March	1,053	June	715
1896	August	1,079	November	667
1897	March	1,259	June	769
1898	September	1,147	June	791
1899	February	1,049	June	768
1900	April	1,196	November	769
1901	March	1,132	June	789
1902	December	998	June	805
1903	January	1,006	June	786
1904	April	1,116	July	800
1905	March	1,197	July	768
1906	August	1,133	January	822
1907	March	1,177	July	844
1908	January	1,128	June	818
1909	March	1,178	July	831
1910	March	1,149	June	844
1911	March	1,223	June	791
1912	January	1,052	November	836
1913	March	1,180	July	791
1914	March	1,105	June	817
1915	April	1,279	November	813
1916	February	1,200	November	819
1917	January	1,208	August	746
1918	October	2,708	July	777
1919	January	1,402	July	729
1920	February	1,710	July	803
1921	April	996	August	836
1922	March	1,170	August	763
1923	February	1,413	July	798
1924	March	1,025	September	738
1925	April	1,067	July	783
1926	April	1,251	August	745
1927	April	1,015	July	817
1928	May	1,028	August	819
1929	January	1,460	September	761

TABLE No. 23

Age and Mortality Rates for 1929
 Number of Deaths and Percentage of Each Age-Period Compared
 with Total Number of Deaths

Age-Periods	Number	Rate
Under 1 year of age	1,224	10.76
From 1-5 years of age	305	2.63
From 5-10 years of age	159	1.40
From 10-20 years of age	298	2.62
From 20-30 years of age	421	3.70
From 30-40 years of age	496	4.36
From 40-50 years of age	732	6.43
From 50-60 years of age	1,208	10.62
From 60-70 years of age	1,965	17.27
From 70-80 years of age	2,609	22.94
From 80-90 years of age	1,658	14.58
From 90-100 years of age	292	2.57
100 years of age and over	7	.6
Age not stated	1	.1

TABLE No. 24
Communicable Diseases—Cases and Deaths by Months, 1929

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
Cerebrospinal meningitis													
Cases	2	1	4	1	1	4	2	1	—	1	4	2	23
Deaths	1	2	1	—	—	2	1	2	2	—	2	—	13
Chicken-pox													
Cases	221	137	113	99	122	141	33	9	20	133	430	316	1,774
Deaths	1	—	—	—	—	—	—	—	—	—	—	—	2
Diphtheria													
Cases	18	5	20	22	10	1	8	6	10	10	32	14	156
Deaths	3	—	2	2	1	1	1	—	2	1	—	1	14
German measles													
Cases	59	96	150	135	203	100	15	2	11	7	6	13	797
Deaths	—	—	—	1	—	1	—	—	—	—	—	—	3
Infantile paralysis													
Cases	2	—	1	1	—	1	1	—	3	3	—	—	12
Deaths	—	—	2	—	—	1	2	1	1	—	—	—	7
Measles													
Cases	990	1,229	1,359	811	427	353	145	46	34	77	81	30	5,582
Deaths	21	10	7	7	4	5	3	—	—	—	—	—	57
Mumps													
Cases	138	101	88	122	155	120	16	28	17	66	166	125	1,142
Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis (all kinds)													
Cases	33	20	42	20	44	36	36	44	19	34	26	59	413
Deaths	49	46	45	48	45	43	36	37	28	29	42	42	484
Scarlet fever													
Cases	105	108	234	123	111	100	35	42	69	125	161	173	1,386
Deaths	2	2	3	2	1	—	—	—	—	1	—	—	11
Small-pox													
Cases	1	21	35	13	1	1	—	—	—	—	—	—	72
Deaths	—	1	—	—	—	—	—	—	—	—	—	—	1
Syphilis													
Cases	48	4	95	68	48	28	30	29	15	10	77	43	495
Deaths	6	3	2	2	2	2	4	3	1	2	2	3	32
Typhoid fever													
Cases	3	3	5	20	14	20	21	14	9	13	22	12	156
Deaths	3	—	—	4	2	—	2	1	2	3	1	6	24
Whooping-cough													
Cases	74	64	108	118	93	89	69	33	30	62	129	96	965
Deaths	10	3	4	5	3	2	1	4	—	2	2	2	38
Influenza													
Cases	5,216	1,219	79	13	20	10	3	4	—	3	2	24	6,618
Deaths	215	133	33	31	29	13	3	6	7	18	15	29	532

TABLE No. 24—Concluded
Communicable Diseases—Cases and Deaths by Counties, 1929

	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York	Total
Cerebrospinal meningitis	4	3	8	2	—	—	—	—	—	2	—	1	—	1	1	1	23
Deaths	1	1	5	4	—	—	—	—	—	2	—	1	—	—	—	—	13
Chicken-pox	223	39	481	4	84	309	81	23	129	141	13	21	53	46	44	83	1,774
Deaths	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	2
Diphtheria	33	8	17	1	—	8	4	1	—	25	—	—	2	1	1	49	156
Deaths	1	2	1	1	—	1	—	—	—	1	—	—	—	1	—	6	14
German measles	52	121	60	1	9	26	117	13	8	152	9	8	28	180	3	6	797
Deaths	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	3
Infantile paralysis	—	3	1	—	—	2	1	—	1	—	1	1	—	—	1	1	12
Deaths	—	1	—	—	—	—	2	—	1	—	—	—	—	—	—	—	7
Measles	773	71	1,620	16	139	411	188	48	397	204	63	124	605	364	182	377	5,582
Deaths	8	3	9	3	1	3	1	—	—	3	2	2	12	4	4	2	57
Mumps	46	61	106	19	1	295	49	35	23	90	21	21	46	93	122	114	1,142
Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis (all kinds)	39	19	108	6	15	56	8	4	10	58	7	9	14	5	19	36	413
Deaths	33	63	53	6	18	52	20	3	35	62	8	5	48	14	28	36	484
Scarlet fever	75	229	434	23	41	92	56	12	51	98	16	10	27	103	46	73	1,386
Deaths	—	1	4	—	—	—	—	—	1	2	—	—	—	—	—	1	11
Small-pox	19	—	6	1	16	9	—	16	3	2	—	—	—	—	—	—	72
Deaths	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
Syphilis	16	38	211	4	10	28	19	3	8	62	10	15	30	5	17	9	495
Deaths	2	—	7	—	1	6	2	1	—	3	1	—	3	2	3	3	32
Typhoid fever	10	24	27	6	7	7	7	3	10	20	6	6	1	3	3	16	156
Deaths	1	6	5	—	2	—	—	—	—	3	—	—	—	3	3	4	24
Whooping-cough	185	17	169	27	7	33	7	2	34	262	12	61	22	19	20	83	965
Deaths	8	3	4	6	—	—	—	—	2	6	—	1	3	—	3	3	38
Influenza	386	799	1,106	286	71	221	420	155	209	580	28	94	428	46	93	1,694	6,618
Deaths	39	80	71	17	27	42	13	11	35	56	8	10	28	9	30	56	532

CAUSES OF DEATHS, BY CLASSES AND GROUPS 79

No. 25
of Death—1929

14	Puerperal	48	57	1	12	7	25	5	5	5	96	35	150	1	25	5	91	19	20	10	2	2
	Stillborn	10	6	—	2	2	6	1	—	—	17	16	63	—	9	—	18	—	2	—	—	—
	Premature birth Injury at birth	3	2	—	1	—	—	—	—	—	1	1	2	—	1	—	3	—	1	—	—	—
	Tabes dorsalis	—	—	—	—	—	—	—	—	—	4	2	2	—	2	—	2	—	—	—	—	—
	Gonococcus infection	—	—	—	—	—	—	—	—	—	2	2	1	—	—	—	2	—	—	—	—	—
	Congenital debility Icterus-sclerema	—	—	—	—	—	—	—	—	—	1	1	4	—	1	—	1	—	—	—	—	—
	Other diseases of early infancy	—	—	—	—	—	—	—	—	—	2	2	2	—	—	—	1	—	—	—	—	—
	Diabetes	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	1	—	—	—	—	—
	Alcoholism	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	1	—	—	—	—	—
	Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cerebral hemorrhage, apoplexy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Angina pectoris	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other diseases of heart	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Acute endocarditis, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of arteries	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nephritis and Brights	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Appendicitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Auto deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Homicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	General paralysis of insane	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17		109	89	—	20	11	15	1	1	1	63	5	88	3	15	2	60	20	18	8	—	—
		1	2	—	1	—	—	—	—	—	3	1	5	—	1	—	1	2	—	1	—	—
		2	1	—	2	—	—	—	—	—	4	—	10	—	1	—	4	4	—	2	—	—
		1	1	—	1	—	—	—	—	—	1	—	3	—	—	—	1	3	—	1	—	—
		1	1	—	1	—	—	—	—	—	1	—	3	—	—	—	1	4	—	2	—	—
		5	4	—	2	—	—	—	—	—	3	3	3	—	—	—	3	6	2	—	—	—
		2	4	—	2	—	—	—	—	—	7	1	1	—	—	—	1	1	—	1	—	—
		1	1	—	1	—	—	—	—	—	1	—	1	—	—	—	1	1	—	1	—	—
		1	1	—	1	—	—	—	—	—	1	—	1	—	—	—	1	1	—	1	—	—
		2	2	—	4	—	—	—	—	—	3	7	3	—	—	—	2	2	—	2	—	—
		1	1	—	1	—	—	—	—	—	1	—	1	—	—	—	1	1	—	1	—	—
		1	1	—	1	—	—	—	—	—	1	—	1	—	—	—	1	1	—	1	—	—
		2	4	—	4	—	—	—	—	—	2	7	1	—	—	—	4	4	—	8	—	—
		1	1	—	1	—	—	—	—	—	2	2	2	—	—	—	2	2	—	2	—	—
		2	1	—	1	—	—	—	—	—	2	2	4	—	—	—	2	2	—	2	—	—
		2	1	—	1	—	—	—	—	—	2	2	4	—	—	—	2	2	—	2	—	—

TABLE
Chief Causes

Aroostook County—Continued																		
Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Infantile paralysis	Measles	Mumps	Pulmonary tuberculosis	Scarlet fever	Small-pox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 yrs. of age)	Encephalitis lethargic	Cancer	Pneumonia
Presque Isle	—	—	—	—	—	—	—	18	—	—	—	—	—	8	2	—	3	6
Saint Agatha	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	2
Sherman	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—
Smyrna	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Stockholm	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Van Buren	—	—	—	—	1	—	—	—	—	—	—	1	—	10	14	—	6	3
Washburn	—	—	—	—	—	—	—	3	—	—	—	—	—	—	4	—	4	5
Weston	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Woodland	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
Allagash Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1
Caswell Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cyr Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—
Hamlin Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—
Macwahoc Pl.	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Moro Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—
New Canada Pl.	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Reed Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	1	—
St. Francis Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
St. John Pl.	—	—	—	—	—	—	—	1	—	—	—	—	—	4	—	—	1	2
Silver Ridge Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wallagrass Pl.	—	—	—	—	—	—	—	1	—	—	—	—	—	1	3	—	—	1
Winterville Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cumberland County	5	—	—	—	—	9	—	46	4	—	7	5	4	71	11	2	216	144
Baldwin	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
Bridgton	—	—	—	—	—	1	—	1	—	—	—	1	—	—	1	—	7	4
Brunswick	—	—	—	—	—	3	—	1	—	—	—	—	—	1	1	—	9	9
Cape Elizabeth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Casco	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cumberland	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Falmouth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
Freeport	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	2
Gorham	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	6	2
Gray	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—
Harpeswell	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Harrison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Naples	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
New Gloucester	—	—	—	—	—	—	—	4	—	—	1	—	—	2	—	—	2	1
North Yarmouth	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	5	1
Otisfield	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Portland	4	—	—	—	—	4	—	21	4	—	6	2	2	25	6	2	134	88
Pownal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Raymond	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Scarboro	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sebago	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
South Portland	1	—	—	—	—	—	—	3	—	—	—	—	—	6	1	—	13	8
Standish	—	—	—	—	—	—	—	1	—	—	—	—	—	4	1	—	1	3
Westbrook	—	—	—	—	—	—	—	5	—	—	—	—	—	9	1	—	10	13
Windham	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	2
Yarmouth	—	—	—	—	—	—	—	2	—	—	—	—	—	5	—	—	3	1

Chief Causes

Hancock County—Continued

Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Infantile paralysis	Measles	Mumps	Pulmonary tuberculosis	Scarlet fever	Small-pox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 yrs. of age)	Encephalitis lethargic	Cancer	Pneumonia
Trenton	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Verona	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Winter Harbor	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Osborn Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kennebec County	—	—	1	—	1	3	—	43	—	—	6	—	—	42	14	—	109	82
Albion	—	—	—	—	—	1	—	2	—	—	—	—	—	2	—	—	1	3
Augusta	—	—	—	—	—	1	—	22	—	—	—	—	—	6	5	—	26	27
Belgrade	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	3	—
Benton	—	—	—	—	—	1	—	1	—	—	—	—	—	2	—	—	1	—
Chelsea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
China	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	4	2
Clinton	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	1	2
Farmingdale	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fayette	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
Gardiner	—	—	—	—	—	—	—	5	—	—	—	—	—	2	1	—	13	8
Hallowell	—	—	—	—	—	—	—	—	—	—	1	—	—	6	—	—	2	2
Litchfield	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	3	2
Manchester	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Monmouth	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	3
Mt. Vernon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
Oakland	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	2
Pittston	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	2
Randolph	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	4	2
Readfield	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1
Rome	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sidney	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1
Vassalboro	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—
Vienna	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1	—
Waterville	—	—	—	—	—	—	—	4	—	—	2	—	—	9	4	—	23	11
Wayne	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	1	—
West Gardiner	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Windsor	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2
Winslow	—	—	—	—	—	—	—	4	—	—	—	—	—	2	1	—	3	3
Winthrop	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	2	3
Togus	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	5	5
Unity Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Knox County	—	—	—	1	2	1	—	15	—	—	2	—	—	13	2	—	53	23
Appleton	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Camden	—	—	—	—	—	1	1	—	—	—	—	—	—	3	—	—	2	3
Cushing	—	—	—	—	—	—	—	4	—	—	—	—	—	1	—	—	—	3
Friendship	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Hope	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Isle au Haut	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North Haven	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Owl's Head	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Rockland	—	—	—	1	1	—	—	8	—	—	2	—	—	5	—	—	25	8
Rockport	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	8	1
St. George	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2
South Thomaston	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Thomaston	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	3	3

TABLE

Chief Causes

Knox County--Continued

Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Infantile paralysis	Measles	Mumps	Pulmonary tuberculosis	Scarlet fever	Small-pox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 yrs. of age)	Encephalitis lethargic	Cancer	Pneumonia
Union	1																3	1
Vinalhaven	1							1									1	1
Warren														1				1
Washington								1							1			1
Matinicus Isle Pl.																		
Lincoln County								2		1	1			11	1		21	14
Alna														1				1
Boothbay														1			2	1
Boothbay Harbor														1				1
Bremen																		1
Bristol																	1	1
Damariscotta										1				2				2
Dresden																	1	1
Edgcomb																	1	1
Jefferson														1			1	2
Newcastle								1									2	1
Nobleboro																	1	1
Somerville																		1
South Bristol								1						1				1
Southport																		1
Waldoboro														5			5	4
Westport																	1	1
Whitefield															1		1	1
Wiscasset																	5	1
Monhegan Pl.											1							1
Oxford County					1			29	1				2	35	7		43	47
Albany																		
Andover																		
Bethel														2			1	4
Brownfield														3			2	1
Buckfield																		
Byron																		
Canton																		
Denmark														2				2
Dixfield								1						3				3
Fryeburg														1			2	1
Gilead														1				1
Greenwood								1										1
Hanover																	1	1
Hartford																	1	1
Hebron								23									1	1
Hiram									1								1	4
Lovell														1			1	2
Mason																		
Mexico								1					1	4	2		1	2
Newry																	1	1
Norway								2							1		6	4
Oxford															2		2	4
Paris														1			4	6

TABLE
Chief Causes

Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Infantile paralysis	Measles	Mumps	Pulmonary tuberculosis	Scarlet fever	Small-pox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 yrs. of age)	Encephalitis lethargic	Cancer	Pneumonia
Somerset County	—	—	—	—	1	12	—	44	—	—	3	—	3	28	5	1	51	24
Anson	—	—	—	—	—	1	—	1	—	—	—	—	1	1	1	—	7	—
Athens	—	—	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—
Bingham	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	3	1
Cambridge	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Canaan	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
Concord	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cornville	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—
Detroit	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Embsen	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—
Fairfield	—	—	—	—	—	—	—	32	—	—	1	—	2	—	—	—	8	2
Harmony	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Hartland	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—
Madison	—	—	—	—	—	4	—	1	—	—	—	—	—	2	1	1	4	4
Mercer	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1	1
Moscow	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
New Portland	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	4	—
Norridgewock	—	—	—	—	—	—	—	1	—	—	—	—	—	3	—	—	5	1
Palmyra	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—
Pittsfield	—	—	—	—	—	4	—	—	—	—	—	—	—	1	—	—	3	5
Ripley	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
St. Albans	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Skowhegan	—	—	—	—	—	2	—	3	—	—	2	—	—	8	2	—	6	3
Smithfield	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Solon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
Starks	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brighton Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Caratunk Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
Dennistown Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Jackman Pl.	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
Lexington Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Moose River Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Pleasant Ridge Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
The Forks	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
West Forks	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Waldo County	—	—	1	—	—	4	—	12	2	—	2	3	—	9	2	1	24	34
Belfast	—	—	—	—	—	3	—	1	1	—	1	3	—	2	—	1	7	8
Belmont	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Brooks	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Burnham	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—
Frankfort	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2
Freedom	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Islesboro	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Jackson	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Knox	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Liberty	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Lincolnton	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Lincolnton	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
Monroe	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	1	1
Montville	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
Morrill	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2
Northport	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1

TABLE

Chief Causes

Waldo County—Continued

Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Infantile paralysis	Measles	Mumps	Pulmonary tuberculosis	Scarlet fever	Small-pox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 yrs. of age)	Encephalitis lethargic	Cancer	Pneumonia
Palermo	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
Prospect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Searsmont	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	4
Searsport	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	3
Stockton Springs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Swanville	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thorndike	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Troy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unity	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—
Waldo	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Winterport	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	3	6
Washington County	—	1	—	1	—	4	—	22	—	—	1	—	1	30	2	—	47	21
Addison	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1	1
Alexander	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1
Baileyville	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Baring	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Beals	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Beddington	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Calais	—	—	—	—	—	—	—	3	—	—	1	—	—	8	—	—	14	2
Charlotte	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cherryfield	—	1	—	—	—	2	—	3	—	—	—	—	—	1	—	—	1	1
Columbia	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Columbia Falls	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—
Cooper	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Crawford	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cutler	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
Danforth	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Deblois	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dennysville	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
East Machias	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4	2
Eastport	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1
Edmunds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3
Harrington	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Jonesboro	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Jonesport	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Lubec	—	—	—	—	—	—	—	1	—	—	—	—	—	5	—	—	1	—
Machias	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	2
Machiasport	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
Marshfield	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Milbridge	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	4	1
Northfield	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Pembroke	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	3	1
Perry	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Princeton	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	3	—
Robbinston	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1
Rogue Bluffs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Steuben	—	—	—	—	—	1	—	—	—	—	—	—	—	4	—	—	1	1
Topsfield	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Trescott	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Vanceboro	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whiting	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—

TABLE

Chief Causes

Washington County—Continued

Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Infantile paralysis	Measles	Mumps	Pulmonary tuberculosis	Scarlet fever	Small-pox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 yrs. of age)	Encephalitis lethargic	Cancer	Pneumonia
Whitneyville	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Codyville Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Grand Lake Stream Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
York County	—	—	6	—	—	2	—	29	1	—	3	4	3	56	13	1	120	78
Acton	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Alfred	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	3
Berwick	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
Biddeford	—	—	2	—	—	—	—	11	—	—	—	—	1	20	6	—	35	27
Buxton	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	3	—
Cornish	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	3
Dayton	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Eliot	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	2
Hollis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—
Kennebunk	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	4
Kennebunkport	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	4	1
Kittery	—	—	2	—	—	—	—	2	—	—	—	—	—	1	—	—	8	4
Lebanon	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	4
Limerick	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1
Limington	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	2
Lyman	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Newfield	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North Berwick	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	2	—
North Kennebunkport ..	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	4
Old Orchard Beach	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	7	4
Parsonsfield	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	1
Saco	—	—	—	—	—	—	—	—	—	—	—	—	—	7	—	—	12	5
Sanford	—	—	1	—	—	—	—	6	—	—	—	—	—	11	—	—	17	8
Shapleigh	—	—	—	—	—	1	—	—	—	—	—	—	—	3	—	—	—	—
South Berwick	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1	4
Waterboro	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1
Wells	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—
York	—	—	1	—	—	—	—	1	—	—	—	1	—	2	—	—	7	2

TABLE No. 26

Notifiable Diseases, 1922-1929

Diseases	1922	1923	1924	1925	1926	1927	1928	1929	Total
Small-pox	—	2	—	—	—	—	—	1	3
Measles	15	59	45	11	66	76	37	57	366
Scarlet fever	27	15	22	23	20	34	17	11	169
Influenza	326	449	164	340	476	313	284	532	2,884
Whooping-cough	56	124	84	25	90	81	53	38	551
Diphtheria and croup	61	50	58	35	22	30	25	14	295
Tetanus	14	6	11	14	8	6	9	6	74
Typhoid fever	51	51	50	54	21	27	36	24	314

Smallpox—There was one death from smallpox in 1929. No deaths were due to this disease from 1892, when our registration law went into effect, until 1899, when there were three deaths; in 1900, 2; in 1902, 12; in 1903, 7; in 1904, 3; In 1912 there were 4 deaths from this cause, (all children). In 1913, 1914, 1919 and 1923 there were 2 deaths in each of these years.

Measles—This disease caused the death of 57 persons of whom 26 were males and 31 females. The deaths from measles were 29 in 1892, 84 in 1900, 95 in 1919 and 25 in 1920. The death-rate for the state was 0.72. The number of deaths in the cities was 16.

TABLE No. 27

Measles by Counties, Months and Age-Periods, 1896-1929

By Counties	By Months		By Age-Periods		
Androscoggin	184	January	156	Under 1	469
Aroostook	265	February	146	1-5	624
Cumberland	220	March	185	5-10	128
Franklin	37	April	214	10-20	110
Hancock	42	May	196	20-30	60
Kennebec	160	June	170	30-40	54
Knox	44	July	136	40-50	47
Lincoln	15	August	79	50-60	37
Oxford	85	September	49	Over 60	67
Penobscot	149	October	63	Not stated	3
Piscataquis	27	November	97	—
Sagadahoc	24	December	103	—
Somerset	96	—	—
Waldo	34	—	—
Washington	68	—	—
York	149	—	—
State	1,599	Total	1,599	Total	1,599

Scarlet fever—The total mortality from this disease was 11, 6 males and 5 females. (36 in 1892, 35 in 1900, 40 in 1910 and 21 in 1920). The scarletinal death-rate per 10,000 for this state was 0.14. The number of deaths in the cities was 6.

TABLE No. 28

Scarlet Fever by Counties, Months and Age-Periods, 1893-1929

By Counties		By Months		By Age-Periods	
Androscoggin	78	January	77	Under 1	68
Aroostook	118	February	81	1-5	340
Cumberland	93	March	107	5-10	219
Franklin	15	April	74	10-20	113
Hancock	34	May	65	20-30	44
Kennebec	61	June	62	30-40	24
Knox	33	July	44	40-50	7
Lincoln	13	August	33	50-60	7
Oxford	25	September	47	Over 60	3
Penobscot	104	October	68	Not stated	1
Piscataquis	20	November	81	—
Sagadahoc	21	December	87	—
Somerset	28	—	—
Waldo	17	—	—
Washington	45	—	—
York	121	—	—
State	826	Total	826	Total	826

Influenza—There were 532 deaths from influenza, 270 males and 262 females. The death-rate for the whole state was 6.72. (11.43 in 1892; 3.40 in 1900; 1.68 in 1910 and 6.21 in 1920). The number of deaths in the cities was 165.

Whooping-Cough—The number of deaths from whooping-cough was 38. (54 in 1892, 99 in 1900, 104 in 1910 and 127 in 1920) of which 20 were males and 18 females. The number of deaths in the cities was 11. Twenty-four of the 38 deaths from this cause were among infants under 1 year of age. Rate 0.48.

Diphtheria—There were for the year 1929, 14 deaths from diphtheria. Of the decedents, 7 were males and 7 were females.

Of the 14 deaths, 3 were in the cities. The diphtheria death-rate for the state was 0.17.

The number of deaths in the cities from diphtheria in 1929, Bangor, 1; Biddeford, 2.

The special death-rate from this disease was Bangor, 0.37; Biddeford, 1.06.

REGISTRATION REPORT

TABLE No. 29
Diphtheria by Counties, Months and Age-Periods, 1893-1929

By Counties		By Months		By Age-Periods	
Androscoggin	437	January	412	Under 1 year	437
Aroostook	685	February	329	1-5	1,686
Cumberland	725	March	262	5-10	1,044
Franklin	56	April	248	10-20	415
Hancock	80	May	259	20-30	89
Kennebec	337	June	229	30-40	53
Knox	132	July	203	40-50	38
Lincoln	47	August	221	50-60	26
Oxford	122	September	265	60-70	11
Penobscot	319	October	412	Over 70	12
Piscataquis	37	November	490	Not stated	7
Sagadahoc	102	December	485	—
Somerset	134	Not stated	3	—
Waldo	46	—	—
Washington	172	—	—
York	387	—	—
State	3,818	Total	3,818	Total	3,818

Typhoid Fever—There were 24 deaths from typhoid fever. Of these 11 were males and 13 were females.

The number of deaths in the cities from typhoid fever in 1929. Bangor, 1; Belfast, 3; Lewiston, 1; Old Town, 1; Portland, 2.

The special death-rate from this disease, Bangor, 0.37; Belfast, 5.45; Lewiston, 0.27; Old Town, 1.33; Portland, 0.25. State, 0.29.

TABLE No. 30
Typhoid Fever by Counties, Months and Age-Periods, 1893-1929

By Counties		By Months		By Age-Periods	
Androscoggin	368	January	382	Under 1	27
Aroostook	470	February	308	1-5	170
Cumberland	722	March	383	5-10	264
Franklin	89	April	346	10-20	1,021
Hancock	166	May	319	20-30	1,352
Kennebec	435	June	265	30-40	725
Knox	122	July	257	40-50	487
Lincoln	74	August	386	50-60	312
Oxford	187	September	560	60-70	198
Penobscot	802	October	613	70-80	101
Piscataquis	124	November	453	Over 80	19
Sagadahoc	89	December	423	Not stated	26
Somerset	177	Not stated	7	—
Waldo	119	—	—
Washington	228	—	—
York	530	—	—
State	4,702	Total	4,702	Total	4,702

Malarial Disease—Nearly every year a few deaths have been reported to the department as having been caused by malaria, or malarial disease. Almost without exception when there was good reason to believe that

CAUSES OF DEATHS, BY CLASSES AND GROUPS 101

the deaths had malarial cause, the infection was contracted outside the state. For the year 1929 no deaths were reported.

Infantile Paralysis—An epidemic of Infantile Paralysis caused 26 deaths in 1916,—12 males and 14 females. In 1917, 5 deaths occurred from this disease. In 1918, 7; in 1919, 3; in 1920, 10; in 1921, 15; in 1922, 3; in 1923, 6; in 1924, 13; in 1925, 10; in 1926, 9; in 1927, 22; in 1928, 13; in 1929 there were 7 deaths, 4 males and 3 females.

The death-rate per 10,000 from this disease was 0.08.

Cerebrospinal Meningitis—In 1929, 13 deaths from cerebrospinal meningitis occurred in this state, 10 males and 3 females, 7 of these deaths were from the epidemic form of this disease.

The death-rate per 10,000 from this cause was 0.16.

Pellagra—In the year 1929 there were 3 deaths from pellagra, 2 males and 1 female. No deaths from that disease were recorded prior to 1911. Rate 0.03.

Tuberculosis—(All Kinds)—The whole number of deaths from Tuberculosis (all kinds) in the year 1929 was; in the whole state, 484; in the cities, 171; in the state exclusive of the cities, 313. Sex of decedents 245 males and 239 females. Rate 6.12.

In Auburn, 4; Augusta, 24; Bangor, 38; Bath, 1; Belfast, 3; Biddeford, 13; Brewer, 1; Calais, 4; Eastport, 1; Ellsworth, 3; Gardiner, 8; Lewiston, 18; Old Town, 4; Portland, 24; Rockland, 9; Saco, 1; So. Portland, 4; Waterville, 6; and Westbrook, 5.

The special death-rate from this cause was: In Auburn, 2.14; Augusta, 16.07; Bangor, 14.05; Bath, 0.71; Belfast, 5.45; Biddeford, 6.90; Brewer, 1.56; Calais, 6.57; Eastport, 2.22; Ellsworth, 9.81; Gardiner, 14.23; Lewiston, 4.89; Old Town, 5.31; Portland, 3.04; Rockland, 11.09; Saco, 1.42; So. Portland, 3.68; Waterville, 3.99; and Westbrook, 4.76.

TABLE No. 31
Tuberculosis (All Kinds) by Counties and Months, 1929

Counties	January	February	March	April	May	June	July	August	September	October	November	December	Total	Death rate per 10,000
Androscoggin	3	1	3	4	3	3	1	5	4	1	—	5	33	4.64
Aroostook	7	8	8	6	2	4	5	5	3	2	—	5	63	7.15
Cumberland	5	5	6	5	5	5	—	5	3	3	5	3	53	3.91
Franklin	—	—	—	—	1	—	1	—	1	—	—	3	6	2.93
Hancock	2	1	2	1	2	3	1	1	1	2	2	—	18	5.93
Kennebec	7	6	7	6	4	5	4	1	3	2	2	5	52	8.03
Knox	4	2	—	1	3	3	—	2	—	4	—	—	20	7.62
Lincoln	—	—	—	1	—	—	—	—	—	—	1	1	3	1.83
Oxford	2	2	4	6	3	3	—	1	6	2	1	5	35	8.97
Penobscot	8	10	3	4	6	3	4	8	2	3	8	3	62	6.90
Piscataquis	1	1	—	3	—	1	—	—	—	1	—	—	8	3.78
Sagadahoc	—	—	2	—	1	1	1	—	—	—	—	—	5	1.85
Somerset	4	5	3	4	6	2	6	4	4	5	1	4	48	12.65
Waldo	2	—	1	1	—	2	3	3	1	—	—	1	14	6.56
Washington	2	1	2	2	4	5	4	—	1	1	1	5	28	6.71
York	2	4	4	4	5	3	2	1	3	2	4	2	36	4.95
State	49	46	45	48	45	43	36	36	37	28	29	42	484	6.12

TABLE No. 32
Tuberculosis (All Kinds) by Sex and Age-Periods, 1929

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80 and over	Not stated	Total
Males	4	8	7	15	51	40	38	34	23	23	2	—	245
Females	4	5	2	22	72	39	36	22	20	14	3	—	239
Total	8	13	9	37	123	79	74	56	43	37	5	—	484

TABLE No. 33
Tuberculosis, 1892-1929

Years	Tuberculosis (all kinds)	Death-rate per 10,000	Pulmonary Tuberculosis	Death-rate per 10,000
1892	1,513	22.88	1,352	20.24
1893	1,446	21.87	1,299	19.35
1894	1,449	21.92	1,262	18.80
1895	1,397	21.13	1,195	17.71
1896	1,359	20.56	1,172	17.21
1897	1,338	20.30	1,128	16.47
1898	1,239	18.74	1,021	14.85
1899	1,241	17.96	1,015	14.69
1900	1,215	17.50	1,027	14.79
1901	1,250	18.60	1,033	14.87
1902	1,165	16.78	970	13.97
1903	1,076	15.49	901	12.97
1904	1,217	17.52	1,016	14.63
1905	1,109	15.30	894	12.50
1906	1,176	16.36	915	12.73
1907	1,214	16.80	950	13.14
1908	1,145	15.75	893	12.29
1909	1,059	14.49	830	11.36
1910	1,117	15.05	889	11.98
1911	1,054	14.09	842	11.25
1912	995	13.23	780	10.37
1913	977	12.91	736	9.72
1914	931	12.09	712	9.25
1915	933	12.03	730	9.41
1916	885	11.32	716	9.16
1917	887	11.30	718	9.15
1918	926	11.60	721	9.03
1919	789	9.73	638	7.90
1920	798	10.40	609	7.93
1921	633	8.19	511	6.62
1922	639	8.21	535	6.88
1923	614	7.92	502	6.47
1924	532	6.84	444	5.70
1925	497	6.34	392	4.50
1926	560	7.08	462	5.85
1927	535	6.72	453	5.69
1928	478	6.06	383	4.85
1929	484	6.12	399	5.04

CAUSES OF DEATHS, BY CLASSES AND GROUPS 103

TABLE No. 34

Pulmonary Tuberculosis by Counties and Months, 1929

Counties	January	February	March	April	May	June	July	August	September	October	November	December	Total	Death rate per 10,000
Androscoggin	3	1	3	4	2	1	1	4	4	—	—	5	28	3.93
Aroostook	5	7	6	6	1	2	4	3	7	2	1	3	47	5.33
Cumberland	4	4	5	4	4	5	4	3	3	3	5	2	46	3.39
Franklin	—	—	—	—	—	—	1	1	1	—	—	3	5	2.44
Hancock	2	1	1	1	2	2	—	1	—	—	2	—	12	3.95
Kennebec	6	5	7	5	2	5	3	1	2	2	2	3	43	6.64
Knox	4	2	—	1	2	2	—	—	—	4	—	—	15	5.71
Lincoln	—	—	—	—	—	—	—	—	—	—	1	1	2	1.25
Oxford	1	1	4	6	2	3	—	1	5	1	1	4	29	7.43
Penobscot	6	10	2	4	4	3	3	7	2	3	7	2	53	5.89
Piscataquis	1	1	—	2	—	1	—	—	—	—	—	—	7	3.31
Sagadahoc	—	—	2	—	1	1	1	—	—	—	1	—	5	1.85
Somerset	4	5	3	4	6	1	5	4	4	4	1	3	44	11.59
Waldo	2	—	—	1	—	2	3	3	1	—	—	—	12	5.63
Washington	2	1	2	2	4	2	3	—	—	1	1	4	22	5.27
York	2	3	3	4	4	2	1	1	1	2	4	2	29	3.99
State	42	41	38	44	34	32	29	28	30	23	26	32	399	5.04

Pulmonary Tuberculosis—In 1929, the whole number of deaths from pulmonary tuberculosis was; in the state, 399; in the cities, 146; in the state, outside of the cities, 253. In Auburn, 4; Augusta, 22; Bangor, 33; Bath, 1; Belfast, 1; Biddeford, 11; Brewer, 1; Calais, 3; Eastport, 1; Ellsworth, 3; Gardiner, 5; Lewiston, 16; Old Town, 3; Portland, 21; Rockland, 8; Saco, 1; So. Portland, 3; Waterville, 4; and Westbrook, 5.

The special death-rate from this cause was; in Auburn, 2.14; Augusta, 14.74; Bangor, 12.21; Bath, 0.71; Belfast, 1.82; Biddeford, 5.84; Brewer, 1.56; Calais, 4.93; Eastport, 2.22; Ellsworth, 9.81; Gardiner, 8.89; Lewiston, 4.35; Old Town, 3.98; Portland, 2.66; Rockland, 9.86; Saco, 1.42; So. Portland, 2.76; Waterville, 2.66; and Westbrook, 4.76.

As to the sex, 201 of the decedents were males and 198 were females. Rate 5.04.

TABLE No. 35

Pulmonary Tuberculosis by Sex and Age-Periods, 1929

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80 and over	Not stated	Total
Males	1	1	1	11	41	35	32	33	22	23	1	—	201
Females	—	2	—	16	69	34	30	19	13	12	3	—	198
Total	1	3	1	27	110	69	62	52	35	35	4	—	399

TABLE No. 36

**Pulmonary Tuberculosis by Counties, Months and Age-Periods,
1893-1929**

By Counties		By Months		By Age-Periods	
Androscoggin	2,294	January	2,553	Under 1	345
Aroostook	2,240	February	2,609	1-5	360
Cumberland	4,269	March	3,004	5-10	233
Franklin	622	April	2,946	10-20	3,245
Hancock	1,405	May	2,915	20-30	8,270
Kennebec	2,745	June	2,460	30-40	5,812
Knox	1,407	July	2,344	40-50	3,896
Lincoln	682	August	2,184	50-60	2,927
Oxford	1,281	September	2,027	60-70	2,521
Penobscot	3,690	October	2,198	70-80	1,603
Piscataquis	625	November	2,088	80 and over	393
Sagadahoc	750	December	2,348	Not stated	88
Somerset	1,916	Not stated	17	—
Waldo	1,049	—	—
Washington	2,018	—	—
York	2,700	—	—
State	29,693	Total	29,693	Total	29,693

Cerebral Tuberculosis—(Tuberculosis Meningitis)—The number of deaths was 28: 17 were males and 11 females.

The number for the cities was 9. The death-rate for the State was 0.35.

Abdominal Tuberculosis—There were 21 deaths from this cause, 7 males and 14 females. The number for the cities was 4. Rate 0.26.

Rheumatism—The returns give 35 deaths from this cause, (68 in 1892, 56 in 1900, 56 in 1910 and 41 in 1920) 17 were males and 18 females. Twelve of these deaths were in the cities. The special death-rate for this disease, was therefore 0.44.

TABLE No. 37

Rheumatism by Counties, Months and Age-Periods, 1893-1929

By Counties		By Months		By Age-Periods	
Androscoggin	109	January	170	Under 1	12
Aroostook	165	February	186	1-5	23
Cumberland	286	March	155	5-10	30
Franklin	43	April	145	10-20	169
Hancock	72	May	170	20-30	105
Kennebec	152	June	109	30-40	113
Knox	83	July	149	40-50	140
Lincoln	58	August	152	50-60	231
Oxford	97	September	118	60-70	342
Penobscot	197	October	120	70-80	382
Piscataquis	55	November	144	80 and over	172
Sagadahoc	43	December	161	Not stated	3
Somerset	83	Not stated	3	—
Waldo	74	—	—
Washington	85	—	—
York	180	—	—
State	1,782	Total	1,782	Total	1,782

Cancer—From cancer in its various forms and locations there were 1,117 deaths (404 in 1892, 526 in 1900, 762 in 1910 and 938 in 1920). Of the decedents 489 were males and 628 were females. The death-rate was 14.11. Five hundred and eighteen of these deaths were in the cities.

CAUSES OF DEATHS, BY CLASSES AND GROUPS 105

TABLE No. 38
Cancer by Sex and Age-Periods, 1929

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80 and over	Not stated	Total
Males	—	—	1	3	2	8	34	75	154	154	57	—	489
Females	—	2	—	2	4	28	71	127	168	154	72	—	628
Total	—	2	1	5	6	36	105	202	322	309	129	—	1,117

TABLE No. 39
Cancer, 1929 and 1893-1929

Counties	1929		1893-1929		Age-Groups	No. of Deaths	
	Number of deaths	Death-rate per 10,000	Number of deaths	Mean death-rate per 10,000		1929	1893-1929
Androscoggin ..	111	15.59	2,507	10.97	Under 1	—	25
Aroostook	69	7.83	1,479	5.26	1-5	2	61
Cumberland	216	15.94	5,056	11.90	5-10	1	33
Franklin	32	15.64	744	10.49	10-20	5	92
Hancock	37	12.18	1,311	10.33	20-30	6	314
Kennebec	109	16.84	2,536	10.96	30-40	36	1,208
Knox	53	20.19	1,409	13.36	40-50	105	3,211
Lincoln	21	13.14	852	12.59	50-60	202	5,607
Oxford	43	11.02	1,239	9.35	60-70	322	7,736
Penobscot	136	15.14	3,151	10.12	70-80	309	7,015
Piscataquis	21	9.92	589	8.21	80 and over	129	2,773
Sagadahoc	27	9.99	792	10.06	Not stated	—	55
Somerset	51	13.44	1,299	9.77	—	—
Waldo	24	11.25	835	10.17	—	—
Washington	47	11.27	1,475	9.18	—	—
York	120	16.52	2,806	10.95	—	—
State	1,117	14.12	28,130	10.19	Total	1,117	28,130

TABLE No. 40
Cancer, 1919-1929

	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929
Cancer of buccal cavity	40	27	33	32	33	30	35	40	34	33	36
Cancer of stomach and liver	311	348	339	345	381	378	383	377	407	402	359
Cancer of the peritoneum intestines and rectum	143	156	158	180	155	147	183	224	207	192	237
Cancer of female genital organs	147	159	141	153	142	147	155	140	145	156	162
Cancer of breast	87	84	76	71	78	72	85	91	89	89	99
Cancer of skin	42	30	33	33	33	27	33	23	29	20	35
Cancer of other organs and organs not specified	118	134	134	143	160	149	167	165	182	181	189
Cancer totals	888	938	914	962	982	947	1,041	1,060	1,093	1,073	1,117

Centenarians—Among the persons whose decease occurred in 1929, four women and three men had exceeded the age of 100 years. Their names together with a few facts relating to their life history is as follows.

Mary Comber, widow of Patrick Comber and daughter of Terrance McCarry died in Lewiston, August 13, 1929 at the age of 105 years. She was born in Ireland, Cause of death senility.

Philander Danforth, died in Fairfield, December 6, 1929, from an injury resulting from a fall. His age was 100 years 11 months and 28 days.

Ruth Ann Manning, widow of Wm. H. Manning, died in Whitefield, September 3, 1929, aged 102 years and 15 days. She was the daughter of Benj. King and Ruth Glidden. Cause of death intestinal indigestion.

James McCarter, son of James McCarter and Hannah Copeland, died in Cushing, January 13, 1929 at the age of 100 years 5 months and 1 day. Cause of death pneumonia.

Maria Soule, daughter of Wm. Soule and Phoebe Carver, died in Freeport, April 18, 1929 at the age of 103 years 5 months and 27 days. Cause of death chronic myocarditis.

Mary B. Straw, widow of John Straw and daughter of Ebenezer Emerson and Polly Felch, died of pneumonia in Lewiston, January 11, 1929, aged 100 years, 1 month and 22 days. She was born in Andover, New Hampshire.

Gideon Tucker, died in Standish, May 22, 1929 at the age of 100 years and 3 days. He was the son of Gideon Tucker and Sarah Marshall. Cause of death senility.

TABLE No. 41

Old Age, 1929

Counties	Deaths	Rate per 10,000	Counties	Deaths	Rate per 10,000
Androscoggin	360	50.58	Oxford	203	52.05
Aroostook	274	31.10	Penobscot	538	59.88
Cumberland	767	56.60	Piscataquis	81	38.29
Franklin	115	56.21	Sagadahoc	135	49.95
Hancock	213	70.15	Somerset	223	58.75
Kennebec	447	69.06	Waldo	179	83.92
Knox	202	76.96	Washington	217	52.03
Lincoln	164	102.65	York	449	61.80
			State	4,567	57.73

Diabetes—The deaths from this cause numbered 208, (55 in 1892, 74 in 1900, 127 in 1910 and 167 in 1920) 90 males and 118 females. The special death-rate from diabetes was therefore, 2.62 in 1929.

Diseases of the Nervous System and of Organs of Special Sense—The number of deaths registered under the causes included in this group was 1,362 (1,459 in 1892, 1,652 in 1900, 1,672 in 1910, and 1,396 in 1920) 17.21 to every 10,000 of population.

Lethargic Encephalitis—From this cause there were 8 deaths; 5 males and 3 females. Rate 0.10.

Apoplexy—From this cause, 1,074 deaths occurred (488 in 1892, 583 in 1900, 887 in 1910 and 1,029 in 1920) 526 males and 548 females. The State's death-rate from apoplexy was, therefore, 13.57.

CAUSES OF DEATHS, BY CLASSES AND GROUPS 107

TABLE No. 42
Apoplexy by Sex and Age-Periods, 1929

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	Over 90	Not stated	Total
Males	—	—	—	1	—	1	10	63	139	194	108	10	—	526
Females	—	1	—	—	—	2	21	57	113	185	144	25	—	548
Total	—	1	—	1	—	3	31	120	252	379	252	35	—	1,074

TABLE No. 43
Apoplexy 1929 and 1896-1929

Counties	Number of deaths	1929	1893-1929	1896-1929
		Death-rate per 10,000	Number of deaths	Mean death-rate per 10,000
Androscoggin	96	13.48	2,528	11.63
Aroostook	63	7.15	1,221	4.69
Cumberland	160	11.81	5,003	12.15
Franklin	18	8.80	902	13.04
Hancock	46	15.15	1,448	12.02
Kennebec	125	19.31	3,274	14.68
Knox	77	29.34	1,747	17.55
Lincoln	33	20.65	998	15.68
Oxford	44	11.28	1,442	11.09
Penobscot	110	12.24	3,388	11.36
Piscataquis	21	9.93	704	10.30
Sagadahoc	22	8.14	965	12.56
Somerset	44	11.59	1,528	12.01
Waldo	49	22.97	1,243	15.25
Washington	63	15.10	1,543	9.92
York	103	14.18	3,236	13.11
State	1,074	13.57	31,170	11.70

Softening of the Brain—From cerebral softening there were 8 deaths—those of 2 males and 6 females. Rate 0.10.

Paralysis—Of the 39 deaths from paralysis, 26 persons were males and 13 females. Rate 0.49.

Epilepsy—11 males and 9 females died of epilepsy, 20 in all. Rate 0.25.

Tetanus—This disease was the cause of 6 deaths, (17 in 1892, 7 in 1900, 11 in 1910 and 4 in 1920). Three males and three females. Rate 0.07.

Disease of the Heart—From diseases of the heart, including endocarditis, pericarditis, angina pectoris, and organic diseases of the heart, there were 2,163 deaths (816 in 1892, 1,045 in 1900, 1,380 in 1910 and 1,602 in 1920). 1,228 persons were males and 935 females. Rate 27.34.

REGISTRATION REPORT

TABLE No. 44
Heart Disease, 1929

Counties	Number of deaths	Rate per 10,000	Counties	Number of deaths	Rate per 10,000
Androscoggin	187	26.27	Oxford	86	22.05
Aroostook	96	10.90	Penobscot	230	25.60
Cumberland	400	29.52	Piscataquis	40	18.91
Franklin	55	26.88	Sagadahoc	68	25.16
Hancock	110	36.23	Somerset	118	31.09
Kennebec	220	33.99	Waldo	57	26.72
Knox	82	31.24	Washington	94	22.54
Lincoln	82	51.33	York	238	32.76
			State	2,163	27.34

TABLE No. 45
Heart Disease by Sex and Age-Periods, 1929

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80 and over	Not stated	Total
Males	2	—	2	6	1	17	70	137	318	434	241	—	1,228
Females	1	2	1	6	6	15	37	93	191	293	290	—	935
Total	3	2	3	12	7	32	107	230	509	727	531	—	2,163

Diseases of the Respiratory System—Without the inclusion of tuberculosis, 993 persons died from the various respiratory diseases, (1,760 in 1892; 1,513 in 1900; 1,664 in 1910 and 1,500 in 1920). Rate 12.55.

Pneumonia—The number of deaths registered under this cause was 810 (1,431 in 1892; 1,067 in 1900; 1,246 in 1910 and 1,312 in 1920) of which 415 were males and 395 were females.

The death-rate from this disease was, therefore 10.24 per 10,000 (21.56 in 1892; 15.36 in 1900; 16.78 in 1910 and 17.08 in 1920).

TABLE No. 46
Pneumonia by Sex and Age-Periods, 1929

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	Over 90	Not stated	Total
Males	57	34	2	12	10	22	26	50	69	80	47	6	—	415
Females	60	23	6	14	11	32	25	20	59	85	51	9	—	395
Total	117	57	8	26	21	54	51	70	128	165	98	15	—	810

TABLE No. 47
Pneumonia, 1893-1929

By Counties		By Months		By Age-Periods	
Androscoggin	3,280	January	5,211	Under 1	6,225
Aroostook	2,983	February	5,284	1-5	3,637
Cumberland	6,184	March	5,469	5-10	694
Franklin	940	April	4,668	10-20	1,213
Hancock	1,718	May	3,571	20-30	1,923
Kennebec	3,754	June	1,938	30-40	2,334
Knox	1,226	July	991	40-50	2,554
Lincoln	812	August	829	50-60	3,202
Oxford	1,910	September	1,217	60-70	5,050
Penobscot	4,878	October	2,482	70-80	6,564
Piscataquis	845	November	2,779	80 and over	4,879
Sagadahoc	1,026	December	3,927	Not stated	97
Somerset	1,704	Not stated	11	—
Waldo	1,168	—
Washington	2,018	—
York	3,931	—
State	38,377	Total	38,377	Total	38,377

The number of deaths from pneumonia in the year 1929 was: In the state 810; in the cities 346; in the state exclusive of the cities, 464;—In Auburn, 14; Augusta, 27; Bangor, 59; Bath, 15; Belfast, 8; Biddeford, 27; Brewer, 5; Calais, 2; Eastport, 2; Ellsworth, 2; Gardiner; 8; Hallowell, 2; Lewiston, 33; Old Town, 8; Portland, 88; Rockland, 8; Saco, 5; So. Portland, 8; Waterville, 12; Westbrook, 13.

In Auburn, 7.48; Augusta, 18.08; Bangor, 21.82; Bath, 10.71; Belfast, 14.54 Biddeford, 14.33; Brewer, 7.79; Calais, 3.29; Eastport, 4.45; Ellsworth, 6.54; Gardiner, 14.23; Hallowell, 7.23; Lewiston, 8.97; Old Town, 10.62; Portland, 11.15; Rockland, 9.86; Saco, 7.11; So. Portland, 7.37; Waterville, 7.97; Westbrook, 12.37.

Bronchitis—From this cause, including both acute and chronic bronchitis, 106 deaths were registered, (287 in 1892; 262 in 1900; 229 in 1910 and 101 in 1920). Among these decedents 38 were males and 68 were females.

Of these 106 deaths, 32 were in the cities. The death-rate in the state was 1.34.

Pleurisy—Twenty-two deaths were charged to this disease, (18 in 1892; 28 in 1900, 22 in 1910 and 15 in 1920). 17 males and 5 females. Rate 0.28.

Diseases of the Digestive System—The combined mortality from this group of diseases was 711 (659 in 1892; 1,411 in 1900; 1,420 in 1910 and 1,036 in 1920), or a death-rate of 8.98.

Diarrheal Diseases—The total number of deaths caused by the diseases under this group was 224 (662 in 1892; 805 in 1900; 851 in 1910 and 527 in 1920).

The death-rate from this group of diseases was 2.83 per 10,000.

Infantile Diarrhea—This as synonymous with diarrhea and enteritis (under 2 years) was the cause of 168 deaths. 103 males and 65 females. (546 in 1892; 680 in 1900; 693 in 1910; and 405 in 1920). Rate 2.12.

TABLE No. 48

Diarrhea and Enteritis (Under 2 Years) by Counties, Months and Age-Periods, 1893-1929

By Counties		By Months		By Age-Periods	
Androscoggin	1,835	January	300	Under 6 months	8,376
Aroostook	4,001	February	257	6-12 months	4,594
Cumberland	1,673	March	302	1-2 years	1,876
Franklin	227	April	313	Unknown	23
Hancock	298	May	351	—
Kennebec	1,253	June	415	—
Knox	268	July	1,605	—
Lincoln	65	August	4,349	—
Oxford	520	September	4,273	—
Penobscot	1,230	October	1,870	—
Piscataquis	159	November	496	—
Sagadahoc	263	December	335	—
Somerset	462	Not stated	3	—
Waldo	138	—	—
Washington	774	—	—
York	1,703	—	—
State	14,869	Total	14,869	Total	14,869

TABLE No. 49

Diarrhea and Enteritis (Under 2 Years) in the Cities, 1922-1929

Cities	1922	1923	1924	1925	1926	1927	1928	1929	Total
Auburn	6	5	3	2	—	2	1	3	22
Augusta	2	1	1	1	2	2	2	5	16
Bangor	3	—	—	1	3	2	1	—	10
Bath	—	1	—	—	2	1	—	—	4
Belfast	1	—	—	1	1	—	—	—	3
Biddeford	17	19	8	5	6	3	4	6	68
Brewer	—	—	—	2	—	—	2	—	4
Calais	4	—	1	2	1	—	—	—	8
Eastport	—	—	—	2	—	—	—	1	3
Ellsworth	—	—	—	—	—	—	—	1	1
Gardiner	1	1	—	—	1	—	—	1	4
Hallowell	1	—	—	1	—	—	—	—	2
Lewiston	29	13	14	14	11	3	14	18	116
Old Town	4	2	4	1	1	4	1	1	18
Portland	23	9	11	11	13	5	2	6	80
Rockland	1	1	1	—	—	—	1	—	4
Saco	—	7	—	—	—	—	—	—	7
South Portland	2	1	—	—	2	—	—	1	6
Waterville	7	4	3	3	2	2	1	4	26
Westbrook	1	—	1	1	1	2	—	1	7
Total	102	64	47	47	46	26	29	48	409

Peritonitis—There were 10 deaths from this cause (129 in 1892; 105 in 1900; 62 in 1910 and 6 in 1920) 3 males and 7 females. Rate 0.12.

Appendicitis—Of the deaths classified under this cause, 140 in number, 84 were males and 56 females. Death-rate 1.77.

Cirrhosis of the Liver—Thirty eight deaths were ascribed to cirrhosis of the liver—those of 18 men and 20 women. The death-rate in the state from this one cause was 0.48, (0.19 in 1892; 0.79 in 1900; 0.79 in 1910 and 0.43 in 1920).

CAUSES OF DEATHS, BY CLASSES AND GROUPS 111

Nonvenereal Diseases of the Genitourinary System and Annexa—There were 970 deaths referred to the diseases under this group, equivalent to a death-rate of 12.26.

Nephritis—Acute nephritis caused the death of 40 persons, 21 males and 19 females. The death-rate from nephritis was, therefore, 0.50.

**Bright's Disease*—This was the cause of 801 deaths (204 in 1892; 443 in 1900; 714 in 1910 and 795 in 1920). 437 males and 364 females. Death-rate 10.12.

TABLE No. 50

***Bright's Disease by Sex and Age-Periods, 1929**

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	Over 80	Total
Males	—	—	—	—	4	10	19	49	111	156	88	437
Females	—	—	—	3	3	15	26	44	60	110	103	364
Total	—	—	—	3	7	25	45	93	171	266	191	801

*This title includes: Chronic, albuminous interstitial or parenchymatous nephritis; albuminuria; amyloid or fatty degeneration of the kidney; steatosis of the kidney; renal sclerosis. Also includes when their precise nature is not indicated, uremia, uremic eclampsia; uremic delirium; uremic coma.

The Puerperal State—Under this class of accidents and diseases of reproduction, 113 deaths were registered. Thirty-one of these deaths were from puerperal septicemia. Rate 1.43.

Deaths from External Causes—Under this class there were 700 deaths.

Suicide—Within the year 108 persons took their own lives (59 in 1892; 66 in 1900; 79 in 1910 and 86 in 1920). 78 males and 30 females. Rate 1.36.

Accidental absorption of poisonous Gas—(conflagration excepted) caused 5 deaths, four males and one female.

Accidental Mechanical Suffocation—caused 4 deaths.

Accidental Drowning—caused 83 deaths, 72 males and 11 females. Rate 1.05.

The number of deaths referred to food poisoning was 8. Acute accidental poisoning caused 4 deaths. These deaths distributed under the various toxic agencies were as follows: oil of gaultheria, 1; mercury, 1; sulpho-naphthol, 1 and unknown, 1.

Burns and scalds caused 22 deaths, 7 were from clothing taking fire; 5 scalded with hot water; 3 from kerosenes; 2 from explosion of gasoline; 1 playing with matches, 2 from hot fat; 1 from alcohol and 1 was unspecified, 14 females and 8 males. Conflagration caused 15 deaths, 7 males and 8 females.

Of the 192 deaths caused by other crushing (vehicles, railroads, landslides, etc.) 25 were caused by steam railroad accidents, of these 25 deaths 10 were the result of collision with automobiles. 2 by electric railroad, 149 by automobiles, 3 by aeroplane, 1 by motorcycle, 8 by other vehicles and 4 by landslides and other crushing.

REGISTRATION REPORT

TABLE No. 51
Suicides by Counties, Months and Age-Periods, 1929

By Counties		Rate per 10,000 population	By Months		By Age-Periods	
Androscoggin	10	1.40	January	4	10-20	5
Aroostook	8	.91	February	13	20-30	15
Cumberland	16	1.18	March	12	30-40	10
Franklin	4	1.95	April	5	40-50	13
Hancock	5	1.65	May	6	50-60	30
Kennebec	11	1.70	June	15	60-70	17
Knox	2	.76	July	6	70-80	14
Lincoln	3	1.88	August	11	Over 80	4
Oxford	7	1.79	September	9	Unknown	—
Penobscot	13	1.45	October	8	—	—
Piscataquis	1	.47	November	7	—	—
Sagadahoc	3	1.11	December	12	—	—
Somerset	6	1.58	Not stated	—	—	—
Waldo	7	3.28	—	—	—	—
Washington	4	.96	—	—	—	—
York	8	1.10	—	—	—	—
State	108	1.36	Total	108	Total	108

TABLE No. 52
Table of Infant Mortality, 1929

Age-Periods	Number of deaths	*Rate of Mortality
Under 1 day	266	16.7
Under 1 week	249	15.6
Under 2 weeks	72	4.5
Under 3 weeks	43	2.7
Under 4 weeks	44	2.8
Under 2 months	93	5.8
Under 3 months	75	4.7
Under 4 months	69	4.3
Under 5 months	76	4.8
Under 6 months	60	3.8
Under 9 months	90	5.7
Under 1 year	87	5.5
	1,224	76.9

*The infant mortality rates in this table are based upon the total number of births in 1929. The number is 15,908.

TABLE No. 53
Infant Mortality for Cities with Rates, 1926-1929

Cities	Births				Deaths (Under 1 Yr.)				*Rate per 1,000			
	1926	1927	1928	1929	1926	1927	1928	1929	1926	1927	1928	1929
Auburn	253	227	271	257	25	26	19	25	99.2	114.5	70.1	97.3
Augusta	296	298	312	326	27	32	26	22	91.2	107.4	83.3	87.5
Bangor	598	544	556	557	43	42	53	39	71.9	77.3	95.3	70.0
Bath	148	146	168	143	11	10	17	8	74.3	68.5	101.2	55.9
Belfast	126	110	101	96	7	9	8	5	55.5	81.8	79.2	52.0
Biddeford	538	519	506	530	50	32	32	41	92.9	61.6	63.2	77.4
Brewer	170	153	169	137	2	5	11	3	11.8	32.6	65.0	21.9
Calais	91	102	102	96	10	10	9	5	109.9	98.0	88.2	52.1
Eastport	63	62	49	48	4	5	7	4	63.5	80.6	142.8	83.3
Ellsworth	67	65	80	82	1	4	3	7	14.9	61.5	37.5	85.3
Gardiner	121	131	120	143	10	9	7	8	82.6	68.7	58.3	55.9
Hallowell	30	22	18	34	3	—	1	1	100.0	—	55.5	29.4
Lewiston	924	957	908	816	107	98	94	95	115.8	102.4	103.5	116.4
Old Town	191	179	165	162	13	19	17	10	68.0	106.1	103.0	61.7
Portland	1,407	1,542	1,550	1,500	107	116	118	100	76.0	75.2	76.1	66.6
Rockland	203	184	193	225	22	19	14	16	108.4	103.3	72.5	71.1
Saco	74	62	48	50	8	5	2	8	108.1	80.6	41.6	160.0
South Portland	193	177	162	149	15	13	11	10	77.7	73.4	67.9	67.1
Waterville	409	364	422	406	25	33	30	26	61.1	90.6	71.0	64.0
Westbrook	230	252	246	220	25	23	14	16	108.7	91.3	56.9	72.7

*The infant mortality rates in this table are based upon the number of births in

THIRTY-NINTH ANNUAL REPORT

UPON THE

Births, Marriages, Divorces
and Deaths

IN THE

STATE OF MAINE



FOR THE

Year Ending December 31, 1930.

STATE DEPARTMENT OF HEALTH OF MAINE

Office of the State Commissioner of Health

Augusta, Maine, November 4, 1931.

*To His Excellency, William Tudor Gardiner, Governor, and the
Honorable Executive Council,*

Sirs:

The Public Health Council of the State of Maine has the honor of submitting to you the thirty-ninth annual report upon the Births, Marriages, Divorces and Deaths for the year ending December 31, 1930.

Respectfully,

C. F. KENDALL, M.D.,

*Commissioner of Health and
Chairman, Public Health Council,
State Registrar of Vital
Statistics.*

DIVISION OF VITAL STATISTICS

State Registrar, C. F. Kendall, M.D.

Division Director, F. S. Choate.

Dr. Clarence F. Kendall, Commissioner of Health and State Registrar of Vital Statistics.

Sir:—Following is a report of the Division of Vital Statistics which I have to submit for the year ending December 31, 1930. This includes also the thirty-ninth annual report upon the Births, Marriages, Divorces and Deaths for the year ending December 31, 1930.

Respectfully,

F. S. CHOATE,
Division Director.

REPORT OF DIVISION OF VITAL STATISTICS

ROUTINE OFFICE WORK

The shipments of report transcripts to the Census Bureau were as follows:

Births 16,401. Stillbirths 600. Deaths 11,034.

Letters sent out 6,184. Letters received 5,395.

Records called for 3,128. Birth certificates sent out 13,860.

Corrections on Birth Certificates 713.

REGISTRATION REPORT, 1930

This report presents the results of the registration and tabulation of the births, marriages, divorces and deaths which occurred in the State of Maine during the year 1930.

The number of living births registered in the year 1930 was 16,199; 291 more than in the preceding year.

There were 150 twin-births and 1 triple-birth in 1930.

The number of stillbirths was 581.

The number of marriages (number of couples married in 1930) was 6,438; 243 more than in the preceding year.

The number of deaths recorded in the State for the same year was 11,084, (this number includes all premature deaths), a number 291 less than that of the deaths registered in the preceding year.

One thousand, four hundred and seventy-five divorces were decreed in the year 1930. 552 in 1892; 627 in 1893; 674 in 1894; 681 in 1895; 668 in 1896; 722 in 1897; 764 in 1898; 790 in 1899; 801 in 1900; 808 in 1901; 905 in 1902; 946 in 1903; 906 in 1904; 848 in 1905; 787 in 1906; 887 in 1907; 904 in 1908; 957 in 1909; 911 in 1910; 985 in 1911; 1,081 in 1912; 1,092 in 1913; 1,030 in 1914; 1,006 in 1915; 698 in 1916; 1,080 in 1917; 847 in 1918; 1,230 in 1919; 1,364 in 1920; 1,276 in 1921; 1,148

in 1922; 1,220 in 1923; 1,235 in 1924; 1,228 in 1925; 1,214 in 1926; 1,309 in 1927; 1,310 in 1928 and 1,261 in 1929.

Bertillon Classification.—Nomenclature of the causes of death in this report is the revised Bertillon classification adopted by the International Commission which met in Paris in 1920.

Population.—The population of the State of Maine in 1910 as given by the census was 742,371; in 1920 768,014; in 1930 797,423.

The following is a general summary of the births, marriages and deaths in 1930.

BIRTHS

Sex		Parentage	
Males	8,303	American	11,659
Females	7,896	Foreign	1,426
Not stated	One parent foreign	2,851
		Not stated	263
Whole number of births		16,199
Birth-rate per 1,000		20.31

MARRIAGES

Groom and bride American	5,148
Groom and bride foreign	257
Groom American, bride foreign	447
Groom foreign, bride American	581
Not stated	5
Whole number of marriages	6,438
Marriage-rate per 1,000	8.07

DEATHS

Sex		Nativity	
Males	5,947	American	9,180
Females	5,137	Foreign	1,841
Not stated	Not stated	63
Whole number of deaths		11,084
Death-rate per 1,000		13.90

During 1930, we have sent 574 death transcripts to other states whose residents have died in Maine.

The first of every month during 1930 we have forwarded to Congressmen Carroll L. Beedy, W. H. White, Jr., John E. Nelson and Donald Snow, the names and addresses of all mothers in their district giving birth to children during the preceding month, that they might receive the Child Welfare Literature, published by the U. S. Department of Labor.

Including our index cards, births, marriages and death records, we have over 65,000 cards to file during the year.

REGISTRATION REPORT

The following table exhibits the population of the several counties in 1890, 1900, 1910, 1920 and 1930.

TABLE No. 1
Population in 1890, 1900, 1910, 1920 and 1930

COUNTIES	Popula- tion in 1890	Popula- tion in 1900	Popula- tion in 1910	Popula- tion in 1920	Popula- tion in 1930
Androscoggin.....	48,968	54,242	59,822	65,796	71,214
Aroostook.....	49,589	60,744	74,664	81,728	87,843
Cumberland.....	90,949	100,689	112,014	124,376	134,645
Franklin.....	17,053	18,444	19,119	19,825	19,941
Hancock.....	37,312	37,241	35,575	30,361	30,721
Kennebec.....	37,012	59,117	62,863	63,844	70,691
Knox.....	31,473	30,406	28,981	26,245	27,693
Lincoln.....	21,996	19,669	18,216	15,976	15,498
Oxford.....	30,586	32,238	36,256	37,700	41,483
Penobscot.....	72,865	76,246	85,285	87,684	92,379
Piscataquis.....	16,134	16,949	19,887	20,554	18,231
Sagadahoc.....	19,452	20,330	18,574	23,021	16,927
Somerset.....	32,627	33,849	36,301	37,171	39,111
Waldo.....	27,759	24,185	23,383	21,328	20,286
Washington.....	44,482	45,232	42,905	41,709	37,826
York.....	62,829	64,885	68,526	70,696	72,934
State.....	641,086	694,466	742,371	768,014	797,423

Birth, Marriage and Death-Rate. In this report the birth-rates, marriage-rates and death-rates from all causes are stated as so many among each 1,000 of the population according to the 1930 census.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 2
Non-resident Deaths in Public Institutions, 1930

Cities and Towns having Public Institutions in which Non-resident deaths have occurred	Population in 1930	Whole number of deaths	Whole number of deaths of non-residents	Death rate per 1,000	Death rate per 1,000 exclusive of non-residents
Augusta.....	17,198	288	89	16.75	11.57
Bangor.....	28,749	601	175	20.90	14.82
Bar Harbor.....	4,486	75	27	16.72	10.69
Bath.....	9,110	145	20	15.92	13.72
Belfast.....	4,993	80	14	16.02	13.22
Biddeford.....	17,633	247	53	14.00	11.00
Bingham.....	1,592	19	4	11.93	9.42
Blue Hill.....	1,439	34	9	23.63	17.37
Boothbay Harbor.....	2,076	33	12	15.89	10.11
Brewer.....	6,329	52	5	8.22	7.43
Brunswick.....	7,604	116	10	15.25	13.94
Calais.....	5,470	79	20	14.44	10.78
Camden.....	3,606	53	4	14.69	13.58
Caribou.....	7,248	123	20	16.97	14.21
Damariscotta.....	825	21	13	25.45	9.70
Dexter.....	4,063	53	5	13.04	11.81
Dover-Foxcroft.....	3,750	48	4	12.80	11.73
Eagle Lake.....	1,780	34	11	19.10	18.54
Ellsworth.....	3,557	66	8	18.55	16.30
Fairfield.....	5,132	93	29	18.12	12.47
Farmington.....	3,600	93	25	25.83	18.89
Fort Fairfield.....	5,393	62	6	11.50	10.38
Gardiner.....	5,609	121	25	21.57	17.11
Greenville.....	1,615	34	12	21.05	13.62
Guilford.....	1,735	35	8	20.17	15.56
Hebron.....	791	13	9	16.43	5.05
Houlton.....	6,865	117	29	17.04	12.82
Kittery.....	4,400	48	15	10.91	7.50
Lewiston.....	34,948	598	125	17.11	13.53
Mars Hill.....	1,837	16	5	8.71	5.98
Millinocket.....	5,830	58	10	9.95	8.23
Old Town.....	7,266	91	9	12.52	11.28
Portland.....	70,810	1,145	258	16.17	12.53
Presque Isle.....	6,965	113	42	16.22	10.19
Rockland.....	9,075	191	35	21.04	17.19
Rumford.....	10,340	109	22	10.54	8.41
Sanford.....	13,392	168	18	12.54	11.20
Skowhegan.....	6,433	101	25	15.70	11.81
South Portland.....	13,840	104	11	7.51	6.72
Strong.....	878	14	3	15.94	12.53
Waterville.....	15,454	211	38	13.65	11.19
Wells.....	2,047	23	4	11.23	9.28
Westbrook.....	10,807	105	12	9.71	8.60
Winthrop.....	2,234	35	7	15.67	12.53
York.....	2,532	57	20	22.51	14.61

REGISTRATION REPORT

TABLE
Births, Marriages and
ANDROSCOGGIN

TOWNS	Population in 1930	BIRTHS									
		Sex				Parentage					
		Male	Female	Not stated	Total	Rate per 1,000	Parentage				
							Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Auburn.....	18,571	134	108	—	242	13.03	174	18	30	18	2
Durham.....	806	5	3	—	8	9.93	—	—	1	—	—
Greene.....	784	8	4	—	12	15.31	12	—	—	—	—
Leeds.....	729	9	7	—	16	21.95	15	—	—	1	—
Lewiston.....	34,948	444	421	—	865	24.75	417	180	133	117	18
Lisbon.....	4,002	35	27	—	62	15.49	49	4	3	5	1
Livermore.....	1,113	7	7	—	14	12.58	11	4	2	—	—
Livermore Falls.....	3,148	42	34	—	76	24.14	53	10	11	4	1
Mechanic Falls.....	2,033	20	23	—	43	21.15	32	—	4	5	2
Minot.....	635	—	5	—	5	7.87	3	2	—	—	—
Poland.....	1,503	13	6	—	19	12.64	16	—	—	—	2
Turner.....	1,362	9	9	—	18	13.22	16	1	1	—	—
Wales.....	446	6	—	—	6	13.45	5	—	—	—	—
Webster.....	1,134	11	7	—	18	15.87	11	2	2	2	1
Total.....	71,214	743	661	—	1,404	19.71	821	221	186	149	27

TABLE
Births, Marriages and
AROSTOOK

Amity.....	324	4	3	—	7	21.60	5	—	1	1	—
Ashland.....	2,198	43	38	—	81	36.85	71	1	4	4	1
Bancroft.....	245	4	2	—	6	24.48	4	—	1	1	—
Benedicta.....	288	1	3	—	4	13.89	4	—	—	—	—
Blaine.....	1,061	11	10	—	21	19.79	14	1	1	4	1
Bridgewater.....	1,235	12	13	—	25	20.24	15	2	5	2	1
Caribou.....	7,248	139	161	—	300	41.39	207	18	37	35	3
Castle Hill.....	617	6	8	—	14	22.69	10	—	2	2	—
Chapman.....	409	4	6	—	10	24.44	8	—	1	1	—
Connor.....	626	10	12	—	22	35.14	18	—	1	3	—
Crystal.....	403	4	2	—	6	14.89	4	1	1	—	—
Dyer Brook.....	262	4	—	—	4	15.27	4	—	—	—	—
Eagle Lake.....	1,780	28	33	—	61	34.27	51	3	4	3	—
Easton.....	1,505	21	16	—	37	24.58	14	10	4	9	—
Fort Fairfield.....	5,393	87	72	—	159	29.48	69	33	29	28	—
Fort Kent.....	4,726	80	78	—	158	33.43	115	5	6	29	3
Frenchville.....	1,525	36	29	—	65	42.62	61	—	—	4	—
Grand Isle.....	1,408	32	24	—	56	39.77	42	3	7	3	1
Haynesville.....	251	3	—	—	3	11.95	3	—	—	—	—
Hersey.....	195	2	2	—	4	20.51	3	—	—	1	—
Hodgdon.....	1,054	13	8	—	21	19.92	11	1	4	5	—
Houlton.....	6,865	133	108	—	241	35.11	152	22	35	29	3
Island Falls.....	1,455	16	13	—	29	19.93	21	—	2	6	—
Limestone.....	1,953	36	34	—	70	35.84	29	9	9	23	—

BIRTHS, DEATHS AND MARRIAGES

No. 3

Deaths for the Year 1930

COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	Not stated	
106	10	13	15	—	144	89	98	—	187	155	32	—	10.07
1	—	—	—	—	1	5	3	—	8	7	1	—	9.93
6	—	—	—	—	6	4	1	—	5	4	—	—	6.38
2	—	—	—	—	2	8	4	—	12	12	—	—	16.46
140	45	33	53	—	271	311	287	—	598	410	187	1	17.11
18	—	1	1	—	20	27	29	—	56	43	13	—	13.99
4	—	—	—	—	4	9	7	—	16	15	1	—	14.37
31	—	—	3	—	34	17	8	—	25	21	4	—	7.94
25	—	—	—	—	25	10	8	—	18	18	—	—	8.85
—	—	—	—	—	—	6	5	—	11	10	1	—	17.32
5	—	—	—	—	5	13	5	—	18	17	—	1	11.98
15	—	—	—	—	15	15	11	—	26	24	2	—	19.09
3	—	—	—	—	3	8	—	—	8	8	—	—	17.94
4	—	—	—	—	4	8	5	—	13	8	5	—	11.46
360	55	47	72	—	534	530	471	—	1,001	752	247	2	14.06

No. 3—Continued

Deaths for the Year 1930

COUNTY

—	—	—	—	—	—	1	2	—	3	2	1	—	9.26
23	—	1	4	—	28	14	19	—	33	28	4	1	15.01
—	—	1	1	—	2	2	1	—	3	3	—	—	12.24
1	—	—	—	—	1	5	—	—	5	5	—	—	17.36
4	—	3	—	—	7	4	9	—	13	9	4	—	12.25
2	—	1	—	—	3	10	5	—	15	11	4	—	12.15
82	2	4	10	—	98	69	54	—	123	101	22	—	16.97
1	—	—	—	—	1	2	1	—	3	2	1	—	4.86
—	—	—	—	—	—	3	3	—	6	5	1	—	14.67
—	—	—	—	—	—	8	6	—	14	9	5	—	22.36
3	—	—	—	—	3	2	—	—	2	2	2	—	4.96
—	—	—	—	—	1	2	—	—	2	1	1	—	7.63
19	—	3	2	—	24	22	12	—	34	33	1	—	19.10
7	—	3	1	—	11	4	5	—	9	7	2	—	5.98
15	4	8	7	—	34	33	29	—	62	43	19	—	11.50
20	—	—	2	—	31	30	28	—	58	48	9	1	12.27
29	—	2	—	—	12	20	10	—	30	28	2	—	19.67
6	—	—	1	—	7	8	16	—	24	23	1	—	17.05
1	—	—	—	—	—	—	1	—	1	1	—	—	3.98
—	—	—	—	—	—	1	1	—	2	2	—	—	10.25
9	—	2	—	—	11	2	4	—	6	2	4	—	5.69
56	6	7	9	—	78	59	58	—	117	82	35	—	17.04
13	—	1	1	—	15	6	3	—	9	8	1	—	6.18
8	—	2	1	—	11	8	11	—	19	15	3	1	9.73

REGISTRATION REPORT

TABLE
Births, Marriages and
AROOSTOOK

TOWNS	Population in 1930	BIRTHS						Parentage				
		Sex				Rate per 1,000	Parentage					
		Male	Female	Not stated	Total		Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated	
Linneus.....	753	3	10	—	13	17.26	10	—	2	1	—	
Littleton.....	1,035	8	7	—	15	14.49	14	—	—	1	—	
Ludlow.....	361	1	2	—	3	8.31	2	1	—	—	—	
Madawaska.....	3,533	82	62	—	146	41.32	105	14	8	18	—	
Mapleton.....	1,233	10	12	—	22	17.15	17	—	2	3	—	
Mars Hill.....	1,837	21	21	—	42	22.86	24	5	8	—	—	
Masardis.....	584	12	5	—	17	29.11	14	—	1	1	—	
Merrill.....	458	8	7	—	15	32.75	8	—	—	—	—	
Monticello.....	1,467	26	17	—	43	29.31	22	4	9	7	—	
New Limerick.....	404	3	2	—	5	12.38	4	1	—	—	—	
New Sweden.....	898	3	9	—	12	13.36	7	—	4	—	—	
Oakfield.....	982	8	12	—	20	20.37	19	—	—	—	—	
Orient.....	161	—	1	—	1	6.21	—	—	—	—	—	
Perham.....	691	16	8	—	24	34.73	20	1	2	1	—	
Portage Lake.....	886	12	9	—	21	23.70	13	2	4	—	—	
Presque Isle.....	6,965	113	120	—	233	33.45	148	25	35	23	—	
St. Agatha.....	1,586	40	42	—	82	51.38	71	—	3	5	—	
Sherman.....	1,027	17	15	—	32	31.15	27	2	2	1	—	
Smyrna.....	442	3	3	—	6	13.57	6	—	—	—	—	
Stockholm.....	1,101	14	20	—	34	30.88	29	1	2	2	—	
Van Buren.....	4,721	88	91	—	179	37.91	108	23	15	31	—	
Wade.....	384	6	7	—	13	33.85	8	—	1	4	—	
Washburn.....	1,974	21	23	—	44	22.29	28	4	8	3	—	
Westfield.....	776	8	7	—	15	19.33	5	3	5	2	—	
Weston.....	323	5	4	—	9	27.86	7	—	—	—	—	
Woodland.....	1,308	18	17	—	35	26.76	25	—	1	5	—	
Allagash Pl.....	438	7	12	—	19	43.38	18	—	—	1	—	
Cary Pl.....	241	3	1	—	4	16.60	4	—	—	—	—	
Caswell Pl.....	642	9	10	—	19	29.59	12	3	2	2	—	
Cyr Pl.....	521	10	12	—	22	42.23	18	—	2	2	—	
E. Pl.....	97	1	1	—	2	20.62	2	—	—	—	—	
Garfield Pl.....	91	—	2	—	2	21.98	2	—	—	—	—	
Glenwood Pl.....	77	—	2	—	2	25.97	1	1	—	—	—	
Hamlin Pl.....	486	14	17	—	31	63.79	18	2	5	6	—	
Hammond Pl.....	95	1	2	—	3	31.58	2	—	—	—	—	
Macwahoc Pl.....	163	2	4	—	6	36.81	4	1	—	1	—	
Moro Pl.....	169	2	1	—	3	17.75	3	—	—	—	—	
Nashville Pl.....	32	—	1	—	1	31.25	1	—	—	—	—	
New Canada Pl.....	538	13	12	—	25	46.47	18	1	3	3	—	
Oxbow Pl.....	176	2	4	—	6	34.09	5	—	—	—	—	
Reed Pl.....	495	6	5	—	11	22.22	5	—	—	—	—	
St. Francis Pl.....	1,367	20	28	—	48	35.11	39	1	6	2	—	
St. John Pl.....	569	6	11	—	17	29.88	14	—	—	3	—	
Silver Ridge Pl.....	186	1	1	—	2	10.75	2	—	—	—	—	
Wallagrass Pl.....	1,145	17	22	—	39	34.06	37	—	1	1	—	
Westmanland Pl.....	87	—	—	—	—	—	—	—	—	—	—	
Winterville Pl.....	408	5	5	—	10	24.51	9	1	—	—	—	
Total.....	86,999	1,394	1,363	—	2,757	31.69	1,896	207	295	333	26	

No. 3—Continued

Deaths for the Year 1930

COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex			Nativity			Death-rate per 1,000	
						Male	Female	Not stated	Total	American	Foreign		Not stated
—	—	—	—	—	—	1	3	—	4	2	2	—	5.31
2	—	3	—	—	5	3	2	—	5	3	2	—	4.83
2	—	—	—	—	2	1	1	—	3	—	3	—	8.31
7	2	4	1	—	14	29	21	—	50	47	3	—	14.15
7	—	—	—	—	8	7	6	—	13	9	4	—	10.13
14	2	1	1	—	18	7	9	—	16	10	6	—	8.71
2	—	—	—	—	2	1	5	—	6	5	1	—	10.27
1	—	—	—	—	1	6	—	—	6	4	2	—	13.10
2	—	—	—	—	4	7	9	—	16	12	4	—	10.91
1	—	—	—	—	1	3	3	—	4	2	2	—	9.90
10	1	1	3	—	15	3	6	—	9	2	7	—	10.02
7	—	—	1	—	8	6	2	—	8	5	3	—	8.15
—	—	—	—	—	—	2	1	—	3	3	—	—	18.63
4	—	—	—	—	4	3	3	—	6	5	1	—	8.68
1	3	—	—	—	2	2	8	—	8	8	—	—	9.03
47	1	6	8	—	64	63	50	—	113	90	23	—	16.22
16	—	1	2	—	19	17	20	—	37	33	4	—	23.18
5	—	—	—	—	6	7	7	—	14	12	2	—	13.63
5	—	—	—	—	5	3	—	—	3	2	2	—	6.79
6	—	—	—	—	6	5	7	—	12	7	5	—	6.79
19	2	7	7	—	35	34	22	—	56	47	9	—	11.86
—	—	—	—	—	—	3	3	—	5	5	—	—	13.02
17	—	2	4	—	23	9	9	—	18	14	4	—	9.12
5	—	1	—	—	6	3	2	—	6	3	3	—	7.73
1	—	—	—	—	1	4	—	—	7	7	—	—	15.48
—	—	—	—	—	—	1	3	—	1	1	—	—	5.35
—	—	—	—	—	—	1	—	—	1	2	—	—	2.28
1	—	—	—	—	3	5	2	—	3	5	—	—	12.45
—	—	3	—	—	3	1	2	—	7	5	2	—	10.90
—	—	—	—	—	1	9	4	—	13	12	1	—	24.95
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	2	—	—	—	—	—	—	—	—
6	—	1	2	—	9	2	3	—	5	5	—	—	10.29
—	—	—	—	—	1	1	1	—	2	2	—	—	21.05
—	—	—	—	—	—	2	—	—	1	1	—	—	6.13
—	—	—	—	—	—	2	—	—	2	1	—	—	11.83
—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	—	1	1	—	5	5	2	—	7	7	—	—	13.01
—	—	—	—	—	—	4	—	—	6	5	—	—	34.09
2	—	—	—	—	2	9	—	—	9	6	3	—	18.18
7	—	—	—	—	—	9	6	—	16	15	1	—	11.70
2	—	1	1	—	9	10	3	—	7	6	—	—	12.30
2	—	—	—	—	2	4	3	—	4	1	1	—	10.75
23	—	1	1	—	25	1	7	—	11	10	1	—	9.61
—	—	—	—	—	—	1	1	—	1	1	—	—	11.49
—	—	—	—	—	—	2	2	—	4	2	1	—	9.80
517	23	76	74	—	690	616	507	—	1,123	892	226	5	12.91

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

REGISTRATION REPORT

TABLE
Births, Marriages and
CUMBERLAND

TOWNS	Population in 1930	BIRTHS											
		Sex					Parentage						
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign			Not stated		
								American mother and foreign father	American father and foreign mother	Not stated			
Baldwin.....	694	1	4	—	5	7.20	5	—	—	—	—	—	—
Bridgton.....	2,659	28	30	—	58	21.81	57	—	—	—	—	—	—
Brunswick.....	7,604	82	85	—	167	21.96	111	18	22	13	—	—	3
Cape Elizabeth.....	2,376	4	—	—	5	2.10	4	—	1	—	—	—	—
Casco.....	713	4	10	—	14	19.63	14	—	—	—	—	—	—
Cumberland.....	1,378	8	14	—	22	15.96	21	—	—	—	—	—	—
Falmouth.....	2,041	13	4	—	17	8.33	13	—	3	—	—	—	1
Freeport.....	2,184	15	13	—	28	12.82	25	1	1	1	—	—	—
Gorham.....	3,035	20	18	—	38	12.52	32	1	3	—	—	—	—
Gray.....	1,189	9	4	—	13	10.93	14	—	1	—	—	—	—
Harpswell.....	1,364	10	6	—	16	11.73	16	—	—	—	—	—	—
Harrison.....	966	8	8	—	16	16.56	14	1	—	—	—	—	—
Naples.....	641	4	—	—	13	20.28	13	—	—	—	—	—	—
New Gloucester.....	1,866	15	13	—	28	15.00	24	—	—	—	—	—	—
North Yarmouth.....	569	6	1	—	7	12.30	6	—	2	—	—	—	—
Otisfield.....	568	7	5	—	12	21.13	11	—	1	—	—	—	—
Portland.....	70,810	795	773	—	1,568	22.14	1,086	190	133	112	47	—	—
Pownal.....	462	4	3	—	7	15.15	6	—	—	—	—	—	—
Raymond.....	446	5	4	—	9	20.13	9	—	—	—	—	—	—
Scarborough.....	2,445	13	15	—	28	11.45	25	1	1	—	—	—	1
Sebago.....	470	4	1	—	5	10.64	5	—	—	—	—	—	—
South Portland.....	13,840	67	56	—	123	8.89	96	6	9	12	—	—	—
Standish.....	1,317	6	8	—	14	10.63	11	—	2	—	—	—	1
Westbrook.....	10,807	96	100	—	196	18.14	126	20	25	24	1	—	—
Windham.....	2,076	16	12	—	28	13.49	26	—	1	1	—	—	—
Yarmouth.....	2,125	15	16	—	31	14.59	26	2	3	—	—	—	—
Total.....	134,645	1,255	1,213	—	2,468	18.33	1,795	240	210	166	57	—	—

TABLE
Births, Marriages and
FRANKLIN

Avon.....	302	—	5	—	5	16.55	5	—	—	—	—	—	—
Carthage.....	247	2	—	—	2	8.09	2	—	—	—	—	—	—
Chesterville.....	575	5	5	—	10	17.39	10	—	—	—	—	—	—
Eustis.....	601	7	2	—	9	14.97	4	2	1	1	—	—	—
Farmington.....	3,600	51	48	—	99	27.50	87	2	6	2	—	—	2
Freeman.....	219	2	3	—	5	22.83	4	—	1	—	—	—	—
Industry.....	342	1	1	—	2	5.85	1	—	—	1	—	—	—
Jay.....	3,106	36	32	—	68	21.89	29	12	17	10	—	—	—
Kingfield.....	1,024	12	12	—	24	23.44	18	2	2	1	—	—	1
Madrid.....	207	4	6	—	10	48.30	9	—	1	—	—	—	—
New Sharon.....	750	4	6	—	10	13.33	8	1	—	1	—	—	—
New Vineyard.....	447	3	3	—	6	13.42	6	—	—	—	—	—	—
Phillips.....	1,143	9	3	—	12	10.50	10	—	2	—	—	—	—
Rangeley.....	1,472	17	17	—	34	23.09	31	—	2	1	—	—	—
Salem.....	88	1	1	—	2	22.73	2	—	—	—	—	—	—
Strong.....	878	4	8	—	12	13.67	11	—	—	—	—	—	1
Temple.....	315	3	4	—	7	22.22	7	—	—	—	—	—	—
Weld.....	493	5	8	—	13	26.37	11	1	1	—	—	—	—
Wilton.....	3,266	28	24	—	52	15.92	46	2	3	1	—	—	—

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued
Deaths for the Year 1930
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	Not stated	
2	—	—	1	—	2	7	5	—	12	12	—	—	17.29
19	—	—	—	—	20	37	23	—	60	56	—	—	22.56
74	1	2	20	—	97	68	48	—	116	85	31	—	15.25
5	—	—	—	—	5	5	5	—	12	11	1	—	5.05
5	—	—	—	—	5	5	3	—	6	6	—	—	8.41
13	1	1	1	—	16	6	12	—	18	15	3	1	13.06
12	1	—	2	—	15	17	9	—	26	23	3	—	12.74
9	2	—	2	—	13	14	12	—	26	25	1	—	11.90
15	—	1	—	—	16	21	23	—	44	36	8	—	14.50
10	—	—	1	—	11	10	12	—	22	17	5	—	18.50
7	—	—	—	—	7	9	6	—	15	14	1	—	10.99
8	—	1	1	—	10	13	4	—	17	15	2	—	17.60
7	—	—	1	—	8	8	3	—	4	4	—	—	6.24
7	—	1	1	—	9	14	17	—	31	29	2	—	16.61
2	—	—	—	—	2	5	5	—	10	9	1	—	17.57
2	—	—	—	—	2	4	6	—	10	9	1	—	17.61
493	28	53	52	2	628	612	533	—	1,145	838	269	8	16.17
1	—	—	—	—	1	3	4	—	7	6	1	—	15.15
5	—	—	—	—	5	9	1	—	10	10	—	—	39.42
9	1	1	—	—	11	11	5	—	16	13	3	—	6.54
—	—	—	—	—	—	—	—	—	3	3	—	—	6.38
62	4	8	4	—	78	55	49	—	104	82	22	—	7.51
5	—	—	—	—	5	7	8	—	15	12	3	—	11.39
66	4	8	7	—	85	47	58	—	105	67	38	1	9.71
15	—	—	1	—	16	14	16	—	30	28	2	—	14.45
23	—	2	5	—	30	9	15	—	24	20	4	—	11.29
876	42	78	99	2	1,097	1,004	884	—	1,888	1,475	401	12	14.02

No. 3—Continued
Deaths for the Year 1930
COUNTY

—	—	—	—	—	—	—	1	—	1	1	—	—	3.31
1	—	—	—	—	1	—	3	—	3	3	—	—	12.14
—	—	—	—	—	4	—	1	—	5	5	—	—	8.69
4	—	1	—	—	5	1	2	—	3	2	1	—	4.99
40	—	1	1	—	42	51	42	—	93	86	6	1	25.83
1	—	—	—	—	1	—	—	—	—	—	—	—	—
2	—	—	—	—	4	—	—	—	4	4	—	—	11.69
17	—	2	2	—	22	14	12	—	26	21	5	—	8.37
5	1	—	1	—	7	6	6	—	12	11	1	—	11.72
1	—	—	—	—	1	—	—	—	1	1	—	—	4.83
4	—	1	—	—	5	5	3	—	8	8	—	—	10.67
1	—	—	—	—	1	2	2	—	4	4	—	—	8.95
9	—	—	1	—	10	13	5	—	18	17	—	1	15.75
12	—	1	3	—	16	10	4	—	14	13	1	—	9.51
—	—	—	—	—	1	1	1	—	2	2	—	—	22.73
4	—	1	1	—	6	7	7	—	14	14	—	—	15.94
—	—	—	—	—	1	1	1	—	2	2	—	—	6.35
1	—	—	—	—	1	1	5	—	6	6	—	—	12.17
20	1	—	2	—	23	18	16	—	34	30	4	—	10.41

REGISTRATION REPORT

TABLE
Births, Marriages and
FRANKLIN

TOWNS	Population in 1930	BIRTHS												
		Sex					Parentage							
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated			
Coplin Pl.....	69	—	—	—	—	—	—	—	—	—	—	—	—	—
Dallas Pl.....	211	1	4	—	5	23.69	4	—	—	—	—	—	—	1
Lang Pl.....	45	—	—	—	—	—	—	—	—	—	—	—	—	—
Rangley Pl.....	79	—	—	—	—	—	—	—	—	—	—	—	—	—
Sandy River Pl.....	79	—	—	—	—	—	—	—	—	—	—	—	—	—
Total.....	*19,558	195	192	—	387	19.79	305	22	36	18	6			

TABLE
Births, Marriages and
HANCOCK

Amherst.....	163	—	—	—	—	—	—	—	—	—	—	—	—	—
Aurora.....	86	—	—	—	—	—	—	—	—	—	—	—	—	—
BarHarbor.....	4,486	49	48	—	97	21.62	90	1	2	4	—	—	—	—
BlueHill.....	1,439	16	17	—	33	22.93	32	1	—	—	—	—	—	—
Brooklin.....	782	2	3	—	5	6.39	5	—	—	—	—	—	—	—
Brooksville.....	810	9	11	—	20	24.69	20	—	—	—	—	—	—	—
Bucksport.....	2,135	18	22	—	40	18.73	36	1	1	1	1	—	—	—
Castine.....	726	5	8	—	13	17.91	13	—	—	—	—	—	—	—
CranberryIsles	349	1	1	—	2	5.73	1	—	—	—	—	—	—	—
Dedham.....	279	3	1	—	4	14.34	1	—	—	—	—	—	—	—
DeerIsle.....	1,266	4	7	—	11	8.69	11	—	—	—	—	—	—	—
Eastbrook.....	197	3	4	—	7	35.17	7	—	—	—	—	—	—	—
Ellsworth.....	3,557	40	37	—	77	21.65	70	1	2	2	2	—	—	—
Franklin.....	820	3	7	—	10	12.19	9	—	—	—	—	—	—	—
Gouldsboro.....	1,115	3	9	—	11	9.86	10	—	—	—	—	—	—	—
Hancock.....	760	3	6	—	14	18.42	14	—	—	—	—	—	—	—
Lemoine.....	354	7	6	—	13	36.72	11	—	—	—	—	—	—	—
Mariaville.....	155	1	2	—	3	19.35	2	—	—	—	—	—	—	—
Mt.Desert.....	2,022	31	31	—	62	30.66	55	1	3	3	—	—	—	1
Oriand.....	891	5	2	—	7	12.47	12	—	—	—	—	—	—	—
Otis.....	88	11	1	—	3	34.09	3	—	—	—	—	—	—	—
Penobscot.....	708	3	8	—	19	26.84	19	—	—	—	—	—	—	—
Sedgwick.....	699	3	3	—	6	8.58	6	—	—	—	—	—	—	—
Sorrento.....	143	4	1	—	5	34.96	4	—	—	—	—	—	—	—
SouthwestHarbor	888	4	5	—	9	10.13	8	—	—	—	—	—	—	1
Stonington.....	1,418	11	13	—	24	16.92	24	—	—	—	—	—	—	—
Sullivan.....	873	8	6	—	14	16.04	13	—	—	—	—	—	—	—
Surry.....	488	—	3	—	3	6.15	3	—	—	—	—	—	—	—
SwansIsland.....	576	3	3	—	6	10.42	6	—	—	—	—	—	—	—
Tremont.....	954	11	12	—	23	24.11	20	—	—	—	—	—	—	2
Trenton.....	338	4	4	—	8	23.67	8	—	—	—	—	—	—	—
Verona.....	228	2	1	—	3	13.16	3	—	—	—	—	—	—	—
Waltham.....	137	2	2	—	4	29.63	4	—	—	—	—	—	—	—
WinterHarbor.....	517	5	3	—	8	15.47	8	—	—	—	—	—	—	—
Long Island Pl.....	145	—	2	—	3	20.69	3	—	—	—	—	—	—	—
No. 33 Pl.....	45	—	—	—	—	—	—	—	—	—	—	—	—	—
Osborn Pl.....	34	—	—	—	—	—	—	—	—	—	—	—	—	—
Total.....	*30,671	278	294	—	572	18.65	531	5	19	10	7			

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued
Deaths for the Year 1930
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	Not stated	
—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	1	—	—	—	—	—	—	—	—
3	—	—	—	—	3	—	—	—	—	—	—	—	—
126	3	7	11	—	147	139	111	—	250	230	18	2	12.78

No. 3—Continued
Deaths for the Year 1930
COUNTY

—	—	—	—	—	—	1	3	—	4	4	—	—	24.54
40	—	—	—	—	43	35	1	—	1	1	—	—	11.63
8	—	2	1	—	8	19	40	15	75	66	9	—	16.72
2	—	—	—	—	2	5	4	4	9	32	2	—	23.63
11	—	—	—	—	11	5	1	1	9	9	—	—	11.51
23	3	1	1	—	28	5	11	6	6	5	1	—	7.41
7	—	—	—	—	7	9	6	2	15	15	5	—	16.86
—	—	—	—	—	—	3	2	—	5	5	—	—	20.66
4	—	1	—	—	4	2	11	—	2	2	—	—	14.33
2	—	—	—	—	2	5	—	—	16	15	1	—	7.17
2	—	—	—	—	2	—	—	—	—	—	—	—	12.64
61	—	4	1	—	66	36	30	—	66	62	4	—	18.55
5	—	—	—	—	5	7	6	—	13	12	1	—	15.85
2	—	—	1	—	3	11	6	—	17	17	—	—	15.25
2	1	1	—	—	4	9	4	—	13	12	1	—	17.10
4	—	—	—	—	4	2	5	—	7	7	—	—	19.77
—	—	—	—	—	—	1	—	—	2	2	—	—	12.90
17	—	2	—	—	19	21	9	—	30	28	2	—	14.84
2	—	—	—	—	2	7	9	—	16	15	—	—	17.96
4	—	—	—	—	4	8	3	—	3	2	1	—	34.09
2	—	—	—	—	3	5	4	—	12	12	—	—	16.95
—	—	—	1	—	3	5	10	—	15	15	—	—	21.46
10	—	—	—	—	1	2	1	—	3	3	—	—	20.98
2	—	3	2	—	15	4	6	—	10	9	1	—	11.26
2	—	—	1	—	3	4	9	—	18	17	1	—	12.60
4	—	—	—	—	4	9	4	—	11	10	1	—	12.60
3	—	—	—	—	3	7	3	—	8	8	—	—	16.39
3	—	—	—	—	4	5	3	—	7	7	—	—	12.15
2	—	1	—	—	2	4	3	—	4	4	—	—	8.38
1	—	—	—	—	1	5	3	—	8	8	—	—	11.83
—	—	—	—	—	—	1	3	—	4	3	1	—	21.93
—	—	—	—	—	—	4	—	—	9	9	—	—	17.41
3	—	—	—	—	3	1	5	—	1	—	—	—	6.89
1	—	—	—	—	1	—	—	—	—	—	1	—	—
—	—	—	—	—	—	1	1	—	—	2	—	—	58.82
225	4	15	9	—	253	263	220	—	483	450	33	—	15.75

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

REGISTRATION REPORT

TABLE
Births, Marriages and
KENNEBEC

TOWNS	Population in 1930	BIRTHS												
		Sex					Parentage							
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated			
Albion.....	923	6	11	—	17	18.42	16	1	—	—	—	—	—	—
Augusta.....	17,198	187	144	—	331	19.25	215	42	34	1	—	34	—	6
Belgrade.....	978	10	9	—	19	19.43	17	1	1	—	—	—	—	—
Benton.....	1,156	13	13	—	26	22.49	17	1	3	—	—	5	—	—
Chelsea.....	2,210	5	4	—	9	4.07	7	1	1	—	—	—	—	—
China.....	1,163	2	5	—	7	6.02	7	—	—	—	—	—	—	—
Clinton.....	1,354	11	9	—	20	14.77	14	—	4	—	—	2	—	—
Farmingdale.....	1,044	2	8	—	10	9.58	8	—	—	—	—	—	—	2
Fayette.....	396	6	3	—	9	22.73	7	—	2	—	—	—	—	—
Gardiner.....	5,609	68	68	—	136	24.25	123	2	7	—	—	2	2	—
Hallowell.....	2,675	11	15	—	26	9.72	21	—	3	—	—	1	1	—
Litchfield.....	773	1	4	—	5	6.47	5	—	—	—	—	—	—	—
Manchester.....	492	3	5	—	8	16.26	6	—	—	—	—	1	1	—
Monmouth.....	1,344	10	3	—	13	9.67	10	—	2	—	—	1	—	—
Mount Vernon.....	755	4	4	—	8	10.59	8	—	—	—	—	—	—	—
Oakland.....	2,664	19	30	—	49	18.39	46	—	2	—	—	1	—	—
Pittston.....	893	6	6	—	12	13.44	10	—	—	—	—	2	—	—
Randolph.....	1,377	12	12	—	24	17.43	21	—	3	—	—	—	—	—
Readfield.....	881	6	9	—	15	17.03	15	—	—	—	—	—	—	—
Rome.....	398	1	2	—	3	7.54	3	—	—	—	—	—	—	—
Sidney.....	980	4	7	—	11	11.22	10	—	1	—	—	—	—	—
Vassalboro.....	1,815	9	9	—	18	9.92	13	1	2	—	—	2	—	—
Vienna.....	318	1	5	—	6	18.87	6	—	—	—	—	—	—	—
Waterville.....	15,454	206	185	—	391	25.30	244	52	45	—	—	45	5	—
Wayne.....	464	2	1	—	3	6.46	3	—	—	—	—	—	—	—
West Gardiner.....	627	1	3	—	4	6.38	4	—	—	—	—	—	—	—
Windsor.....	565	5	4	—	9	15.93	9	—	—	—	—	—	—	—
Winslow.....	3,917	45	35	—	80	20.42	26	28	18	—	—	8	—	—
Winthrop.....	2,234	24	28	—	52	23.27	37	5	6	—	—	3	1	—
Togus.....	—	1	—	—	1	—	—	—	—	—	—	1	—	—
Unity Pl.....	34	—	2	—	2	58.82	2	—	—	—	—	—	—	—
Total.....	70,691	681	643	—	1,324	18.73	930	134	134	108	—	108	18	—

TABLE
Births, Marriages and
KNOX

Appleton.....	574	4	8	—	12	20.91	12	—	—	—	—	—	—	—
Camden.....	3,606	33	33	—	66	18.30	59	1	3	—	—	3	—	—
Cushing.....	350	—	1	—	1	2.86	—	—	—	—	—	—	—	1
Friendship.....	742	8	4	—	12	16.17	11	—	—	—	—	1	—	—
Hope.....	464	1	1	—	2	4.31	2	—	—	—	—	—	—	—
Isle au Haut.....	89	—	—	—	—	—	—	—	—	—	—	—	—	—
North Haven.....	476	—	3	—	3	6.30	2	—	—	—	—	—	—	—
Owl's Head.....	574	2	2	—	4	6.97	3	—	—	—	—	1	—	—
Rockland.....	9,075	96	86	—	182	20.05	154	11	11	—	—	4	—	—
Rockport.....	1,651	5	2	—	7	4.24	7	—	—	—	—	—	—	—
St. George.....	2,108	7	10	—	17	8.06	10	1	—	—	—	5	—	—
South Thomaston.....	579	5	6	—	11	19.00	7	2	1	—	—	—	—	1
Thomaston.....	2,214	12	6	—	18	8.13	18	—	—	—	—	—	—	—
Union.....	1,060	6	3	—	9	8.49	8	—	1	—	—	—	—	—
Vinalhaven.....	1,843	9	13	—	22	11.94	17	2	1	—	—	2	—	—
Warren.....	1,429	9	8	—	17	11.89	13	—	1	—	—	1	—	2
Washington.....	615	2	5	—	7	11.38	7	—	—	—	—	—	—	—
Matinecus Pl.....	156	1	1	—	2	12.82	2	—	—	—	—	—	—	—
Total.....	*27,605	200	192	—	392	14.20	332	17	18	18	—	18	7	—

BIRTHS, DEATHS AND MARRIAGES

19

No. 3—Continued
Deaths for the Year 1930
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	Not stated	
13	—	—	1	—	14	5	4	—	9	9	—	—	9.75
102	12	12	10	—	136	137	151	—	288	231	52	5	16.75
3	—	—	1	—	4	11	10	—	21	19	2	—	21.47
4	—	—	—	—	4	9	9	—	18	14	4	—	15.57
1	—	—	—	—	1	5	5	—	10	9	1	—	4.52
7	—	1	—	—	8	9	11	—	20	19	1	—	17.20
13	—	—	2	—	15	19	4	—	23	23	—	—	16.99
—	—	—	—	—	—	4	6	—	10	8	2	—	9.58
—	—	—	—	—	—	—	2	—	2	2	—	—	5.05
68	—	4	2	—	74	53	68	—	121	113	8	—	21.57
29	—	—	2	—	31	17	15	—	32	27	4	1	11.96
3	—	—	—	—	3	8	6	—	14	12	2	—	18.11
—	—	—	—	—	—	3	3	—	6	5	1	—	12.19
10	—	—	—	—	10	11	6	—	17	13	4	—	12.65
6	—	—	—	—	6	8	4	—	12	11	1	—	15.89
12	—	—	1	—	13	18	10	—	28	24	4	—	10.51
—	—	—	—	—	—	12	9	—	21	20	1	—	23.52
7	—	1	1	—	9	3	7	—	10	10	—	—	7.26
4	—	—	—	—	4	8	8	—	16	15	1	—	18.16
—	—	—	—	—	—	3	—	—	3	3	—	—	7.54
2	—	—	—	—	2	5	10	—	15	12	2	1	15.31
11	—	—	—	—	11	13	13	—	26	24	2	—	14.32
—	—	—	—	—	—	4	4	—	4	4	—	—	12.58
114	5	14	15	1	149	106	105	—	211	184	27	—	13.65
—	—	—	—	—	—	4	4	—	8	7	1	—	17.24
2	—	—	—	—	2	3	3	—	6	6	—	—	9.57
2	—	—	—	—	2	4	6	—	10	9	1	—	17.70
18	2	—	9	—	29	31	19	—	50	39	11	—	12.76
12	—	2	2	—	16	19	16	—	35	33	2	—	15.67
2	—	—	—	—	2	55	—	—	55	39	12	4	—
—	—	—	—	—	—	1	1	—	2	2	—	—	58.82
445	19	34	46	1	545	584	519	—	1,103	946	146	11	15.60

No. 3—Continued
Deaths for the Year 1930
COUNTY

—	—	—	—	—	—	1	3	—	4	4	—	—	6.97
29	—	1	1	—	31	20	33	—	53	48	3	2	14.69
1	—	—	—	—	1	4	4	—	8	7	1	—	22.86
5	—	—	1	—	6	4	4	—	8	7	1	—	10.78
—	—	—	—	—	4	4	3	—	7	7	—	—	15.09
—	—	—	—	—	—	3	—	—	—	—	—	—	—
2	—	—	—	—	2	3	5	—	8	9	—	—	16.81
1	—	—	1	—	2	4	6	—	10	9	1	—	17.42
87	4	2	9	—	102	99	92	—	191	169	19	3	21.04
11	—	1	1	—	13	9	14	—	23	23	—	—	13.93
8	1	—	3	—	12	11	12	—	23	22	1	—	10.91
—	—	—	—	—	—	1	3	—	4	4	—	—	6.91
17	—	—	1	—	18	15	20	—	35	34	1	1	15.81
6	—	—	1	—	7	13	17	—	30	29	1	—	28.30
3	—	—	—	—	4	12	9	—	21	17	4	—	11.39
6	—	—	1	—	7	14	7	—	21	18	3	—	14.69
—	—	—	—	—	—	6	6	—	12	11	1	—	19.51
—	—	—	—	—	—	2	—	—	2	2	—	—	12.82
176	5	4	20	—	205	222	238	—	460	419	35	6	16.66

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

REGISTRATION REPORT

TABLE
Births, Marriages and
LINCOLN

TOWNS	Population in 1930	BIRTHS										
		Sex				Parentage						
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated	
Alna.....	294	1	—	—	1	3.40	1	—	—	—	—	—
Boothbay.....	1,345	9	5	—	14	10.41	11	—	—	—	3	—
Boothbay Harbor.....	2,076	24	25	—	49	23.60	42	1	2	4	—	—
Bremen.....	322	4	3	—	7	21.74	7	—	—	—	—	—
Bristol.....	1,413	12	10	—	22	15.57	22	—	—	—	—	—
Damariscotta.....	825	8	16	—	24	29.09	23	—	1	—	—	—
Dresden.....	629	6	6	—	12	19.08	12	—	—	—	—	—
Edgecomb.....	367	3	2	—	5	13.62	3	1	1	—	—	—
Jefferson.....	888	10	4	—	14	15.76	13	—	—	—	1	—
New Castle.....	914	3	7	—	10	10.94	9	—	—	—	1	—
Nobleborough.....	599	3	3	—	6	10.02	6	—	—	—	—	—
Somerville.....	229	5	2	—	7	30.57	7	—	—	—	—	—
South Bristol.....	563	5	4	—	9	15.98	9	—	—	—	—	—
Southport.....	412	2	1	—	3	7.28	2	—	—	—	1	—
Waldoboro.....	2,311	18	22	—	40	17.31	36	—	2	2	—	—
Westport.....	108	—	1	—	1	9.26	1	—	—	—	—	—
Whitefield.....	908	6	5	—	11	12.11	11	—	—	—	—	—
Wiscasset.....	1,186	4	6	—	10	8.43	9	—	—	—	—	1
Monhegan Pl.....	109	—	—	—	—	—	—	—	—	—	—	—
Total.....	15,498	123	122	—	245	15.81	224	2	6	12	1	—

TABLE
Births, Marriages and
OXFORD

Albany.....	309	3	1	—	4	12.94	4	—	—	—	—	—
Andover.....	788	10	5	—	15	19.03	12	—	2	—	1	—
Bethel.....	2,025	21	19	—	40	19.75	35	1	4	—	—	—
Brownfield.....	689	4	3	—	7	10.16	7	—	—	—	—	—
Buckfield.....	972	13	5	—	18	18.52	16	—	1	1	—	—
Byron.....	96	—	—	—	—	—	—	—	—	—	—	—
Canton.....	767	7	4	—	11	14.34	11	—	—	—	—	—
Denmark.....	474	5	5	—	10	20.10	10	—	—	—	—	—
Dixfield.....	1,521	17	12	—	29	19.07	24	—	4	1	—	—
Fryeburg.....	1,592	9	11	—	20	12.56	19	—	—	1	—	—
Gilead.....	220	5	2	—	7	31.82	5	—	1	1	—	—
Greenwood.....	548	8	9	—	17	31.02	14	2	—	1	—	—
Hanover.....	170	2	—	—	2	11.76	2	—	2	—	—	—
Hartford.....	432	3	7	—	10	23.15	9	—	1	—	—	—
Hebron.....	791	3	4	—	7	8.85	6	—	1	—	—	—
Hiram.....	813	6	4	—	10	12.30	9	—	—	1	—	—
Lovell.....	645	2	—	—	2	3.10	2	—	—	—	—	—
Mason.....	61	—	1	—	1	16.39	1	—	—	—	—	—
Mexico.....	4,767	53	50	—	103	21.61	39	32	17	13	2	—
Newry.....	188	2	2	—	4	21.28	3	—	1	—	—	—
Norway.....	3,145	22	24	—	46	14.63	43	1	1	1	—	—
Oxford.....	1,125	11	9	—	20	17.78	17	—	1	1	1	—
Paris.....	3,761	46	59	—	105	27.92	89	4	9	3	—	—
Peru.....	826	5	10	—	15	18.16	14	—	1	—	—	—
Porter.....	883	9	9	—	18	20.38	18	—	—	—	—	—

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued
Deaths for the Year 1930
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex			Nativity			Death-rate per 1,000	
						Male	Female	Not stated	Total	American	Foreign		Not stated
3	—	—	—	—	3	2	1	—	3	3	—	—	10.20
8	—	1	—	—	9	4	6	—	10	10	—	—	7.43
7	—	—	3	—	10	17	16	—	33	30	3	—	15.89
2	—	—	—	—	2	2	—	—	2	2	—	—	6.21
4	—	—	—	—	4	16	12	—	28	28	—	—	19.81
12	—	—	—	—	12	10	11	—	21	19	2	—	25.45
1	—	—	1	—	2	2	5	—	7	7	—	—	11.13
2	—	—	—	—	2	2	—	—	2	2	—	—	5.45
14	—	—	1	—	15	5	7	—	12	11	1	—	13.51
8	1	1	1	—	11	7	7	—	14	13	1	—	15.32
8	—	—	—	—	8	4	2	—	6	6	—	—	10.02
—	—	—	—	—	—	2	2	—	4	4	—	—	17.47
11	—	—	—	—	11	5	4	—	9	9	—	—	15.98
6	—	—	—	—	6	3	1	—	4	4	—	—	9.71
15	—	1	—	—	16	19	21	—	40	37	3	—	17.31
1	—	—	—	—	1	1	2	—	3	3	—	—	27.78
4	—	—	—	—	4	10	5	—	15	14	1	—	16.52
16	—	—	1	—	17	8	8	—	16	16	—	—	13.49
—	—	—	—	—	—	—	—	—	—	—	—	—	—
122	1	3	7	—	133	119	110	—	229	218	11	—	14.77

No. 3—Continued
Deaths for the Year 1930
COUNTY

1	—	—	—	—	1	4	—	—	4	3	1	—	12.94
3	—	—	—	—	3	7	2	—	9	8	1	—	11.42
32	—	4	2	—	38	20	16	—	36	32	4	—	17.77
7	—	—	—	—	7	4	4	—	8	8	—	—	11.61
4	—	—	—	—	4	4	9	—	13	12	1	—	13.37
—	—	—	—	—	—	1	—	—	1	1	—	—	10.42
1	—	—	—	—	1	3	5	—	8	6	2	—	10.43
—	—	—	—	—	—	3	3	—	6	6	—	—	12.66
15	1	4	1	—	21	4	4	—	8	8	—	—	5.26
18	1	—	—	—	19	10	14	—	24	22	1	1	15.07
—	—	—	—	—	—	2	3	—	5	4	1	—	22.73
—	—	—	—	—	—	3	2	—	5	5	—	—	9.12
—	—	—	—	—	—	4	—	—	4	4	—	—	23.53
—	—	—	—	—	—	2	1	—	3	3	—	—	6.94
2	—	1	—	—	3	5	8	—	13	10	3	—	16.43
7	—	—	—	—	7	6	7	—	13	13	—	—	15.99
5	—	—	—	—	5	4	6	—	10	8	2	—	15.50
—	—	—	—	—	—	—	1	—	1	1	—	—	16.39
12	3	5	2	—	22	19	18	—	37	25	12	—	7.76
—	—	—	—	—	—	2	2	—	4	3	1	—	21.28
32	—	2	3	—	37	27	23	—	50	47	3	—	15.90
4	—	—	—	—	4	8	4	—	12	12	—	—	10.67
41	1	4	2	—	48	33	15	—	48	45	3	—	12.76
—	—	—	—	—	—	6	5	—	11	9	1	1	13.32
9	—	—	—	—	9	6	4	—	10	9	1	—	11.32

REGISTRATION REPORT

TABLE
Births, Marriages and
OXFORD

TOWNS	Population in 1930	BIRTHS									
		Sex					Parentage				
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Roxbury.....	314	5	4	—	9	28.66	6	—	—	1	2
Rumford.....	10,340	169	161	—	330	31.91	120	114	53	38	5
Stoncham.....	164	3	1	—	4	24.39	4	—	—	—	—
Stow.....	161	1	—	—	1	6.21	1	—	—	—	—
Summer.....	567	2	1	—	3	5.29	3	—	—	—	—
Sweden.....	189	—	3	—	3	15.87	1	—	1	1	—
Upton.....	166	1	2	—	3	18.07	2	—	—	—	—
Waterford.....	743	10	9	—	19	25.57	17	—	1	2	—
Woodstock.....	848	10	5	—	15	17.69	14	—	—	—	1
Lincoln Pl.....	90	—	—	—	—	—	—	—	—	—	—
Magalloway Pl.....	83	1	—	—	1	12.05	1	—	—	—	—
Milton Pl.....	111	4	1	—	5	45.04	5	—	—	—	—
Total.....	*41,384	472	442	—	914	22.08	581	154	101	66	12

TABLE
Births, Marriages and
PENOBSCOT

Alton.....	209	2	1	—	3	14.35	3	—	—	—	—
Argyle.....	120	—	—	—	—	—	—	—	—	—	—
Bangor.....	28,749	295	270	—	565	19.65	405	34	50	43	33
Bradford.....	721	6	6	—	12	16.64	12	1	—	—	—
Bradley.....	671	8	2	—	10	14.90	8	1	1	—	—
Brewer.....	6,329	70	57	—	127	20.07	99	6	13	8	1
Burlington.....	301	2	4	—	6	19.93	6	—	—	—	—
Carmel.....	881	10	7	—	17	19.30	15	—	1	1	—
Carroll.....	293	4	2	—	6	20.48	5	—	—	1	—
Charleston.....	716	7	3	—	10	13.97	9	—	1	—	—
Chester.....	253	4	3	—	7	27.67	7	—	—	—	—
Clifton.....	156	3	2	—	5	32.05	3	—	2	—	—
Corinna.....	1,485	18	18	—	36	24.24	30	1	4	1	—
Corinth.....	931	4	13	—	17	18.26	17	—	—	—	—
Dexter.....	4,063	50	48	—	98	24.12	79	4	9	5	1
Dixmont.....	538	7	2	—	9	16.73	9	—	—	—	—
Drew.....	110	1	1	—	2	18.18	2	—	—	—	—
EastMillinocket.....	1,593	32	18	—	50	31.39	33	5	7	5	—
Eddingtown.....	487	—	6	—	6	12.32	6	—	—	—	—
Edinburg.....	45	1	1	—	2	44.44	2	—	—	—	—
Enfield.....	1,138	14	18	—	32	28.12	21	1	4	6	—
Etna.....	418	4	5	—	9	21.53	8	—	—	—	1
Exeter.....	773	6	8	—	14	18.11	12	—	1	1	—
Garland.....	673	6	2	—	8	11.89	8	—	—	—	—
Glenburn.....	357	2	6	—	8	22.41	7	—	—	—	1
Greenbush.....	373	5	4	—	9	24.13	8	—	1	—	—
Greenfield.....	119	—	—	—	—	—	—	—	—	—	—
Hampden.....	2,417	18	22	—	40	16.55	36	—	1	2	1
Hermont.....	1,204	17	9	—	26	21.59	25	1	—	—	—
Holden.....	543	2	5	—	7	12.89	6	—	—	—	1
Howland.....	1,605	21	22	—	43	26.79	29	3	5	6	—
Hudson.....	363	4	3	—	7	19.28	6	1	—	—	—
Kenduskeag.....	397	—	4	—	4	10.07	4	—	—	—	—

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued
Deaths for the Year 1930
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			
						Male	Female	Not stated	Total	American	Foreign	Not stated	Death-rate per 1,000
—	—	—	—	—	—	1	1	—	2	1	—	1	6.37
43	12	12	18	—	85	59	50	—	109	58	50	1	10.54
—	—	—	—	—	—	—	—	—	—	—	—	—	6.10
1	—	—	—	—	1	1	1	—	2	2	—	—	12.42
2	—	—	—	—	2	3	2	—	5	5	—	—	8.82
1	—	—	—	—	2	2	3	—	5	4	1	—	26.45
2	—	—	—	—	2	—	—	—	—	—	—	—	—
6	—	—	—	—	6	8	6	—	14	11	3	—	18.84
3	—	—	—	—	3	5	5	—	10	9	1	—	11.79
1	—	—	—	—	1	—	1	—	1	1	—	—	11.11
—	—	—	—	—	—	1	1	—	2	2	—	—	24.09
—	—	—	—	—	—	—	—	—	—	—	—	—	—
252	18	32	28	—	330	267	227	—	494	398	92	4	11.94

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.
No. 3—Continued
Deaths for the Year 1930
COUNTY

—	—	—	—	—	—	—	2	—	2	2	—	—	9.57
296	13	17	36	1	363	331	270	—	601	481	113	7	20.90
1	—	—	—	—	1	7	6	—	13	12	1	—	18.03
3	—	—	—	—	4	7	2	—	9	9	—	—	13.41
60	2	2	4	—	68	27	25	—	52	36	15	1	8.22
1	—	—	—	—	1	2	—	—	2	2	—	—	6.64
—	—	—	—	—	4	4	12	—	16	15	1	—	18.16
—	—	—	—	—	1	1	1	—	2	2	—	—	6.82
8	—	—	—	—	8	2	2	—	4	3	1	—	5.59
—	—	—	—	—	—	1	2	—	3	3	—	—	11.86
—	—	—	—	—	—	2	—	—	2	2	—	—	12.82
3	—	—	—	—	3	11	2	—	13	12	1	—	8.75
5	1	—	—	—	6	10	8	—	18	14	4	—	19.33
40	—	4	—	—	44	28	25	—	53	48	5	—	13.04
3	—	—	—	—	3	2	3	—	5	5	—	—	9.29
—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	—	—	1	—	9	6	3	—	9	7	2	—	5.65
6	—	—	—	—	6	2	1	—	3	3	—	—	6.16
—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	—	1	1	—	1	2	4	—	6	4	2	—	5.27
—	—	—	—	—	—	5	1	—	4	4	—	—	9.57
1	—	—	—	—	1	7	5	—	12	12	—	—	15.52
—	—	—	—	—	—	1	5	—	6	6	—	—	8.91
3	—	—	—	—	3	2	1	—	3	3	—	—	8.40
—	—	—	—	—	—	7	2	—	9	8	1	—	24.13
—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	—	—	2	—	9	9	13	—	22	22	—	—	9.10
1	—	—	—	—	1	8	7	—	15	14	1	—	12.46
6	—	—	—	—	6	6	6	—	12	11	1	—	22.09
15	—	2	—	—	17	5	2	—	7	6	1	—	4.36
—	—	—	—	—	—	4	—	—	4	4	—	—	11.02
3	—	—	—	—	3	4	2	—	6	6	—	—	15.11

REGISTRATION REPORT

TABLE
Births, Marriages and
PENOBSCOT

TOWNS	Population in 1930	BIRTHS									
		Sex					Parentage				
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Kingman.....	495	6	14	—	20	40.40	19	—	1	—	—
Lagrange.....	468	1	3	—	4	8.55	3	—	1	—	—
Lee.....	669	7	10	—	17	25.41	17	—	—	—	—
Levant.....	596	2	2	—	4	6.71	4	—	—	—	—
Lincoln.....	2,970	42	44	—	86	28.96	73	4	4	4	1
Lowell.....	161	1	5	—	6	37.27	4	—	—	2	—
Mattawamkeag.....	461	4	7	—	11	23.86	9	—	2	—	—
Maxfield.....	116	2	1	—	3	25.86	3	—	—	—	—
Medway.....	406	4	7	—	11	27.09	10	—	—	—	1
Milford.....	1,203	11	12	—	23	19.12	17	—	4	2	—
Millinocket.....	5,830	98	76	—	174	29.85	99	30	23	20	2
Mount Chase.....	210	—	3	—	3	14.28	3	—	—	—	—
Newburgh.....	551	3	3	—	6	10.89	6	—	—	—	—
Newport.....	1,731	14	14	—	28	16.17	25	—	1	2	—
Old Town.....	7,266	114	90	—	204	28.07	148	12	22	19	3
Orono.....	3,333	26	25	—	51	15.28	37	5	5	3	1
Orrington.....	1,167	8	9	—	17	14.57	14	—	2	1	—
Passadumkeag.....	325	8	5	—	13	40.00	10	—	1	1	2
Patten.....	1,278	14	12	—	26	20.34	18	—	5	3	—
Plymouth.....	468	4	3	—	7	14.96	6	—	1	—	—
Prentiss.....	330	3	5	—	8	24.24	7	—	—	1	—
Springfield.....	451	3	6	—	9	19.95	9	—	—	—	—
Stetson.....	420	3	6	—	9	21.43	9	—	—	—	—
Veazie.....	568	3	5	—	8	14.08	8	—	—	—	—
Winn.....	560	3	5	—	8	14.28	7	—	1	—	—
Woodville.....	115	1	3	—	4	34.78	3	—	—	—	1
Grand Falls Pl.....	53	1	1	—	2	37.73	2	—	—	—	—
Lakeville Pl.....	60	—	—	—	—	—	—	—	—	—	—
Seboeis Pl.....	41	—	—	—	—	—	—	—	—	—	—
Stacyville Pl.....	600	5	8	—	13	21.67	8	—	5	—	—
Webster Pl.....	90	1	2	—	3	33.33	3	—	—	—	—
Total.....	*92,028	1,015	958	—	1,973	21.44	1,501	108	177	137	50

TABLE
Births, Marriages and
PISCATAQUIS

Abbot.....	525	6	8	—	14	26.67	11	1	2	—	—
Atkinson.....	394	3	6	—	9	22.84	6	1	1	1	—
Blanchard.....	104	—	—	—	—	—	—	—	—	—	—
Bowerbank.....	43	—	—	—	—	—	—	—	—	—	—
Brownville.....	1,910	18	12	—	30	15.71	14	11	4	1	—
Dover-Foxcroft.....	3,750	42	33	—	75	20.00	65	—	6	4	—
Greenville.....	1,615	29	24	—	53	32.81	38	6	2	7	—
Guilford.....	1,735	22	12	—	34	19.59	32	—	1	1	—
Medford.....	251	1	1	—	2	7.97	2	—	—	—	—
Milo.....	2,912	44	40	—	84	28.85	70	3	4	7	—
Monson.....	1,181	10	5	—	15	12.70	7	3	3	2	—
Orneville.....	286	3	3	—	6	20.98	6	—	—	—	—
Parkman.....	538	5	4	—	9	16.73	8	—	—	1	—

BIRTHS, DEATHS AND MARRIAGES

25

No. 3—Continued
Deaths for the Year 1930
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			
						Male	Female	Not stated	Total	American	Foreign	Not stated	Death-rate per 1,000
1	—	1	—	—	2	—	1	—	1	1	—	—	2.02
6	—	—	—	—	6	6	1	—	7	7	—	—	14.96
1	—	—	1	—	2	2	4	—	2	—	—	—	8.97
1	—	—	—	—	1	6	4	—	6	6	—	—	13.42
28	1	4	1	—	34	14	10	—	24	20	1	—	8.08
13	—	1	2	—	16	2	2	—	4	2	2	—	6.21
—	—	—	—	—	—	—	—	—	—	—	—	—	8.68
—	—	—	—	—	—	4	—	—	4	4	—	—	9.85
2	—	—	—	—	2	2	4	—	6	6	—	—	4.99
30	2	8	6	—	46	37	21	—	58	37	19	2	9.95
1	—	—	—	—	1	1	1	—	2	2	—	—	9.52
27	1	3	2	—	33	13	3	—	16	14	1	1	29.04
54	2	2	1	—	67	11	7	—	18	17	1	—	10.40
20	1	1	1	—	23	14	11	—	25	21	4	—	12.52
9	—	—	—	—	9	7	6	—	13	11	2	—	7.49
2	—	—	—	—	2	1	5	—	6	5	1	—	11.14
7	—	1	1	—	9	11	5	—	16	14	2	—	18.46
1	—	—	—	—	1	4	4	—	8	7	1	—	12.52
—	—	—	—	—	—	—	1	—	1	1	—	—	17.09
1	—	—	—	—	1	2	2	—	4	4	—	—	3.03
—	—	—	—	—	—	4	1	—	5	5	—	—	8.86
—	—	—	—	—	—	5	1	—	6	5	1	—	11.90
2	—	—	—	—	2	2	3	—	5	5	—	—	10.56
—	—	—	—	—	—	1	1	—	2	2	—	—	8.93
—	—	—	—	—	—	—	—	—	—	—	—	—	17.39
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	1	—	1	1	—	—	24.39
—	—	—	—	—	—	3	1	—	4	4	—	—	6.67
—	—	—	—	—	—	1	—	—	1	1	—	—	11.11
680	23	47	68	1	819	704	552	—	1,256	1,038	207	11	13.65

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 3—Continued
Deaths for the Year 1930.
COUNTY

1	—	—	—	—	1	1	1	—	2	2	—	—	3.81
3	—	—	1	—	4	2	—	—	2	2	—	—	5.07
—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	1	—	—	—	6	9	6	—	15	10	5	—	7.85
49	—	2	5	—	56	23	25	—	48	43	5	—	12.80
18	—	2	1	—	21	25	9	—	34	22	10	2	21.05
19	—	1	—	—	20	18	17	—	35	31	4	—	20.17
—	—	—	—	—	—	1	2	—	3	3	—	—	11.95
10	—	1	3	—	14	25	7	—	32	26	6	—	10.99
6	—	—	—	—	6	3	8	—	11	6	5	—	9.31
1	—	—	—	—	1	2	1	—	3	3	—	—	10.49
2	—	—	—	—	2	1	5	—	6	6	—	—	11.15

REGISTRATION REPORT

TABLE
Births, Marriages and
PISCATAQUIS

TOWNS	Population in 1930	BIRTHS									
		Sex					Parentage				
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Sangerville.....	1,225	8	6	—	14	11.43	12	—	1	—	1
Sebec.....	357	3	2	—	5	14.00	5	—	—	—	—
Shirley.....	197	3	1	—	4	20.30	4	—	—	—	—
Wellington.....	350	5	3	—	8	22.86	8	—	—	—	—
Williamsburg.....	67	—	1	—	1	14.93	1	—	—	—	—
Willimantic.....	173	—	2	—	2	11.56	2	—	—	—	—
Barnard Pl.....	61	1	—	—	1	16.39	1	—	—	—	—
Chesuncook Pl.....	70	—	—	—	—	—	—	—	—	—	—
Elliottsville Pl.....	77	1	1	—	2	25.97	1	1	—	—	—
Kingsbury Pl.....	50	1	—	—	1	20.00	1	—	—	—	—
Lake View Pl.....	57	1	1	—	2	35.09	1	—	—	1	—
Total.....	*17,928	206	165	—	371	20.69	295	26	24	25	1

TABLE
Births, Marriages and
SAGADAHOE

Arrowsic.....	135	—	1	—	1	7.41	1	—	—	—	—
Bath.....	9,110	109	102	—	211	23.16	175	6	17	10	3
Bowdoin.....	568	4	3	—	7	12.32	6	—	—	1	—
Bowdoinham.....	904	5	5	—	10	11.06	5	1	4	—	—
Georgetown.....	361	—	1	—	1	2.77	1	—	—	—	—
Phippsburg.....	801	2	2	—	4	4.99	4	—	—	—	—
Richmond.....	1,964	17	15	—	32	16.29	27	—	4	1	—
Topsham.....	2,111	11	22	—	33	15.63	18	4	6	5	—
West Bath.....	277	1	—	—	1	3.61	1	—	—	—	—
Woolwich.....	671	3	2	—	5	7.45	4	—	1	—	—
Total.....	*16,902	152	153	—	305	18.04	242	11	32	17	3

TABLE
Births, Marriages and
SOMERSET

Anson.....	2,238	18	22	—	40	17.87	29	—	8	3	—
Athens.....	760	14	6	—	20	26.31	19	—	—	—	1
Bingham.....	1,592	18	18	—	36	22.61	30	—	5	—	1
Cambridge.....	324	3	3	—	6	18.52	5	—	—	—	1
Canaan.....	714	4	8	—	12	16.81	10	1	1	1	—
Concord.....	250	5	7	—	12	48.00	10	1	1	—	—
Cornville.....	569	3	2	—	5	8.79	4	—	—	1	—
Detroit.....	415	4	8	—	12	28.92	11	—	—	1	—
Embden.....	393	2	5	—	7	17.81	6	—	—	—	—
Fairfield.....	5,132	41	43	—	84	16.37	61	5	12	6	—

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued
Deaths for the Year 1930
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			
						Male	Female	Not stated	Total	American	Foreign	Not stated	Death-rate per 1,000
3	—	—	—	—	3	3	5	—	8	6	2	—	6.53
—	—	—	—	—	—	4	1	—	5	4	1	—	14.00
—	—	—	—	—	—	1	1	—	1	1	—	—	5.07
1	—	—	—	—	1	5	3	—	8	8	—	—	22.86
—	—	—	—	—	—	1	1	—	1	1	1	—	14.93
—	—	—	—	—	—	2	1	—	4	4	—	—	23.12
—	—	—	—	—	—	—	—	—	1	1	—	—	16.39
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
118	1	6	10	—	135	126	93	—	219	178	39	2	12.21

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 3—Continued
Deaths for the Year 1930
COUNTY

—	—	—	—	—	—	—	—	—	—	—	—	—	—
88	1	3	4	—	96	73	72	—	145	130	15	—	15.92
—	—	—	—	—	—	4	7	—	11	10	1	—	19.37
5	—	—	—	—	—	11	10	—	21	20	1	—	23.23
3	—	1	—	—	5	2	3	—	5	5	—	—	13.85
5	—	—	—	—	4	10	3	—	13	12	1	—	16.23
12	—	1	—	—	13	19	16	—	35	35	—	—	17.82
7	—	—	1	—	8	13	12	—	25	21	4	—	11.84
—	—	—	—	—	—	—	3	—	3	3	—	—	10.83
5	—	—	—	—	5	6	5	—	11	11	—	—	16.39
125	1	5	5	—	136	138	131	—	269	247	22	—	15.91

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 3—Continued
Deaths for the Year 1930
COUNTY

4	—	—	2	—	6	11	12	—	23	20	2	1	10.28
2	—	—	—	—	2	9	6	—	15	15	—	—	19.73
24	1	2	7	—	34	8	11	—	19	16	3	—	11.93
1	—	—	—	—	1	1	1	—	2	2	—	—	6.17
4	—	—	—	—	4	6	2	—	8	7	1	—	11.20
—	—	—	—	—	—	4	—	—	4	4	—	—	16.00
3	—	—	—	—	3	—	5	—	5	5	—	—	8.79
—	—	—	—	—	—	2	7	—	9	9	—	—	21.69
—	—	—	—	—	—	3	2	—	5	5	—	—	12.72
27	1	2	3	1	34	56	37	—	93	73	20	—	18.12

BIRTHS, DEATHS AND MARRIAGES

29

No. 3—Continued
Deaths for the Year 1930
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	Not stated	
9	—	2	—	—	11	3	3	—	6	5	1	—	7.57
4	—	—	—	—	4	11	7	—	18	17	1	—	15.58
24	—	2	2	—	28	19	34	—	53	45	8	—	13.40
—	—	—	—	—	—	1	3	—	3	3	—	—	7.35
3	—	—	—	—	3	7	3	—	10	9	1	—	6.87
7	—	—	—	—	7	11	13	—	6	6	—	—	7.33
10	—	1	—	—	11	8	13	—	24	20	4	—	16.20
26	—	—	—	—	26	10	9	—	17	15	2	—	19.16
—	—	—	—	—	—	27	13	—	40	37	3	—	13.63
1	—	—	—	—	1	6	3	—	9	8	1	—	22.84
80	2	5	4	—	91	55	46	—	101	87	14	—	14.73
—	—	—	—	—	—	4	1	—	5	5	—	—	15.70
3	—	1	1	—	5	8	7	—	15	14	1	—	13.37
—	—	—	—	—	—	2	1	—	3	3	—	—	17.60
—	—	—	—	—	—	—	—	—	—	—	—	—	6.33
—	—	—	—	—	—	1	—	—	1	1	—	—	8.77
—	—	—	—	—	—	3	—	—	3	3	—	—	17.75
—	—	—	—	—	—	1	1	—	2	2	—	—	24.39
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	1	—	1	1	—	—	5.59
3	3	5	4	—	15	11	3	—	14	11	3	—	12.74
—	—	—	—	—	—	2	1	—	3	3	—	—	18.07
—	—	—	—	—	—	1	—	—	1	—	1	—	7.04
—	—	—	—	—	—	4	2	—	6	5	1	—	21.66
—	—	—	—	—	—	5	—	—	5	4	1	—	48.07
—	—	—	—	—	—	2	1	—	3	2	1	—	25.21
235	7	20	23	1	286	304	243	—	547	477	69	1	14.19

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 3—Continued
Deaths for the Year 1930.
COUNTY

77	—	1	7	—	85	45	35	—	80	76	4	—	16.02
—	—	—	—	—	—	2	4	—	3	3	—	—	13.21
12	—	—	—	—	12	4	7	—	11	11	—	—	15.09
1	—	—	—	—	1	9	4	—	13	13	—	—	19.58
1	—	—	—	—	1	4	4	—	8	5	—	—	17.09
3	—	—	—	—	3	3	4	—	7	8	2	—	16.59
—	—	—	—	—	—	1	3	—	4	3	—	—	5.74
1	—	—	—	—	1	2	3	—	3	4	—	—	12.45
1	—	—	—	—	1	2	5	—	6	5	1	—	11.79
—	—	—	—	—	—	2	1	—	3	3	—	—	5.81
1	—	—	—	—	1	5	8	—	13	12	1	—	15.89
—	—	—	—	—	—	6	8	—	11	10	1	—	16.39
6	—	2	—	—	8	6	3	—	9	9	—	—	13.56
—	—	—	—	—	—	2	3	—	6	6	—	—	20.83
—	—	—	—	—	—	5	6	—	11	11	—	—	26.63
1	—	—	—	—	1	4	4	—	8	8	—	—	15.60

REGISTRATION REPORT

TABLE
Births, Marriages and
WALDO

TOWNS	Population in 1930	BIRTHS									
		Sex					Parentage				
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Prospect.....	388	5	7	—	12	30.93	10	—	1	1	—
Searsmont.....	613	4	8	—	12	19.57	10	—	2	2	—
Searsport.....	1,414	13	12	—	25	17.68	22	—	2	—	1
Stockton Springs.....	877	8	6	—	14	15.96	11	—	3	—	—
Swanville.....	365	3	1	—	4	10.96	4	—	—	—	—
Thorndike.....	454	1	4	—	5	11.01	4	—	1	—	—
Troy.....	651	5	7	—	12	18.43	11	—	1	—	—
Unity.....	892	11	3	—	14	15.69	14	—	—	—	—
Waldo.....	362	2	1	—	3	8.29	3	—	—	—	—
Winterport.....	1,437	11	10	—	21	14.61	20	—	1	—	—
Total.....	20,286	166	166	—	332	16.36	298	3	13	12	6

TABLE
Births, Marriages and
WASHINGTON

Addison.....	867	7	5	—	12	13.84	10	—	2	—	—
Alexander.....	312	4	2	—	6	19.23	5	—	—	—	1
Baileyville.....	2,017	17	15	—	32	15.86	16	3	5	6	2
Baring.....	204	1	1	—	2	9.80	1	—	—	—	—
Beals.....	524	6	3	—	9	17.17	9	—	—	—	—
Beddington.....	35	—	—	—	—	—	—	—	—	—	—
Brookton.....	240	5	4	—	9	37.50	8	—	—	1	—
Calais.....	5,470	60	52	—	112	20.47	58	15	14	22	3
Centerville.....	65	2	1	—	3	46.15	3	—	—	—	—
Charlotte.....	250	1	2	—	3	12.00	3	—	—	—	—
Cherryfield.....	1,112	9	11	—	20	17.98	20	—	—	—	—
Columbia.....	409	4	3	—	7	17.11	7	—	—	—	—
Columbia Falls.....	533	12	6	—	18	30.87	16	—	1	1	—
Cooper.....	153	3	1	—	4	26.14	4	—	—	—	—
Crawford.....	120	—	—	—	—	—	—	—	—	—	—
Cutler.....	—	—	6	—	6	12.19	6	—	—	—	—
Danforth.....	1,467	20	24	—	44	29.99	30	3	7	4	—
Deblois.....	62	1	—	—	1	16.13	1	—	—	—	—
Dennysville.....	443	6	2	—	8	18.06	7	—	—	1	—
East Machias.....	1,257	10	13	—	23	18.30	23	—	—	—	—
Eastport.....	3,466	25	27	—	52	15.00	40	1	5	5	1
Edmunds.....	395	4	4	—	8	20.25	7	—	—	—	—
Harrington.....	865	9	13	—	22	25.43	22	—	—	—	—
Jonesboro.....	408	6	7	—	13	14.96	11	—	—	—	—
Jonesport.....	1,641	15	11	—	26	15.84	23	—	1	2	—
Lubec.....	2,994	28	28	—	56	18.70	34	4	9	9	—
Machias.....	1,856	16	15	—	31	16.70	27	—	3	—	1
Machiasport.....	851	14	6	—	20	23.50	17	—	1	1	1
Marion.....	77	—	—	—	1	12.99	—	—	—	1	—
Marsfield.....	107	1	3	—	4	20.30	3	—	—	1	—
Meddybemps.....	90	2	—	—	2	20.20	2	—	—	—	—
Milbridge.....	1,213	13	12	—	25	20.61	23	—	1	1	—
Northfield.....	73	1	—	—	1	13.69	1	—	—	—	—
Pembroke.....	965	12	12	—	24	24.87	19	—	2	2	1

REGISTRATION REPORT

TABLE
Births, Marriages and
WASHINGTON

TOWNS	Population in 1930	BIRTHS									
		Sex					Parentage				
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Perry.....	992	6	7	—	13	13.10	11	—	1	1	—
Princeton.....	985	12	11	—	23	23.35	16	—	3	3	1
Robbinston.....	583	4	4	—	8	13.72	5	—	1	—	—
Roque Bluffs.....	108	2	1	—	3	27.78	3	—	—	—	—
Steuben.....	684	4	5	—	9	13.16	9	—	—	—	—
Talmadge.....	46	—	—	—	—	—	—	—	—	—	—
Topsfield.....	224	7	2	—	9	40.17	7	—	1	1	—
Trescott.....	366	4	7	—	11	30.05	8	—	1	—	1
Vanceboro.....	713	11	7	—	18	25.24	10	1	4	3	—
Waite.....	165	2	1	—	3	18.18	2	—	—	1	—
Wesley.....	170	1	—	—	1	5.88	1	—	—	—	—
Whiting.....	327	1	5	—	6	18.35	5	—	—	1	—
Whitneyville.....	229	1	6	—	7	30.57	7	—	—	—	—
Codyville Pl.....	89	2	1	—	3	33.71	3	—	—	—	—
Grand Lake Stream Pl.....	240	3	2	—	5	20.83	5	—	—	—	—
No. 14 Pl.....	73	1	3	—	4	54.80	2	—	—	—	2
No. 21 Pl.....	88	3	—	—	3	34.08	2	1	—	—	—
Total.....	*37,324	378	346	—	724	19.40	548	28	62	72	14

TABLE
Births, Marriages and
YORK

Acton.....	449	—	2	—	2	4.45	2	—	—	—	—
Alfred.....	883	7	6	—	13	14.72	12	—	—	1	—
Berwick.....	1,961	7	7	—	14	7.14	12	2	—	—	—
Biddeford.....	17,633	276	246	—	522	29.60	289	91	54	80	8
Buxton.....	1,574	11	18	—	29	18.42	28	—	1	—	—
Cornish.....	753	8	4	—	12	15.94	11	—	1	—	—
Dayton.....	379	4	3	—	7	18.47	4	—	3	—	—
Eliot.....	1,462	9	7	—	16	10.94	16	—	—	—	—
Hollis.....	1,034	13	12	—	25	24.18	24	—	1	—	—
Kennebunk.....	3,302	15	14	—	29	8.78	26	1	—	—	—
Kennebunkport.....	1,284	2	3	—	5	3.89	5	—	—	—	—
Kittery.....	4,400	18	21	—	39	8.86	32	1	4	2	—
Lebanon.....	1,148	7	6	—	13	11.32	9	2	1	1	—
Limerick.....	1,199	12	8	—	20	16.68	11	4	3	1	1
Limington.....	747	6	7	—	13	17.40	12	1	—	—	—
Lyman.....	370	1	1	—	2	5.40	2	—	—	—	—
Newfield.....	456	3	2	—	5	10.96	5	—	—	—	—
No. Berwick.....	1,540	3	3	—	6	3.90	6	—	—	—	—
No. Kennebunkport.....	545	—	1	—	1	1.83	1	—	—	—	—
Old Orchard Beach.....	1,620	5	5	—	10	6.17	5	1	—	—	—
Parsonsfield.....	897	8	5	—	13	14.49	12	—	1	—	—
Saco.....	7,233	24	32	—	56	7.74	35	2	14	5	—
Sanford.....	13,392	155	152	—	307	22.92	145	87	33	36	6
Shapleigh.....	530	1	—	—	1	1.88	1	—	—	—	—
South Berwick.....	2,650	15	12	—	27	10.19	20	2	3	1	1
Waterboro.....	914	4	6	—	10	10.94	10	—	—	—	—
Wells.....	2,047	9	14	—	23	11.23	19	—	3	1	—
York.....	2,532	35	30	—	65	25.67	58	—	4	1	2
Total.....	72,934	658	627	—	1,285	17.62	812	194	128	133	18

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued
Deaths for the Year 1930.
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	Not stated	
5	—	—	—	—	5	4	5	1	5	5	—	—	5.04
8	—	—	—	—	10	5	10	7	12	11	1	—	12.18
1	—	—	—	—	1	2	2	7	9	9	—	—	15.44
—	—	—	—	—	—	1	1	—	1	1	—	—	9.26
7	—	—	—	—	7	5	3	—	8	7	1	—	11.69
—	—	—	—	—	—	—	—	—	1	1	—	—	21.73
—	—	—	—	—	—	1	—	—	1	1	—	—	4.46
—	—	—	—	—	—	1	—	—	3	3	—	—	8.20
—	—	—	—	—	—	—	—	—	6	6	—	—	14.02
—	—	—	—	—	—	—	—	—	1	1	—	—	6.06
—	—	—	—	—	—	—	—	—	1	1	—	—	5.88
—	—	—	—	—	—	—	—	—	3	3	—	—	9.17
—	—	—	—	—	—	—	—	—	6	6	—	—	26.20
—	—	—	—	—	—	—	—	—	1	1	—	—	11.23
—	—	—	—	—	—	—	—	—	2	2	—	—	8.33
—	—	—	—	—	—	—	—	—	1	1	—	—	13.70
1	—	—	—	—	1	1	—	—	1	1	—	—	11.36
237	14	21	18	—	290	228	198	—	426	351	71	4	11.41

* Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 3—Concluded
Deaths for the Year 1930.
COUNTY

1	—	—	—	—	1	7	6	—	13	12	1	—	28.95
9	—	—	1	—	10	8	7	—	15	14	1	—	16.99
42	—	—	2	—	45	12	6	—	18	18	—	—	9.18
97	16	11	22	—	146	134	113	—	247	164	83	—	14.00
15	—	—	—	—	15	8	12	—	20	17	3	—	12.71
7	—	—	—	—	7	10	3	—	13	13	—	—	17.26
3	—	—	—	—	3	—	4	—	4	4	—	—	10.55
21	—	—	1	—	22	8	11	—	19	19	—	—	12.99
4	—	—	—	—	4	10	8	—	18	16	2	—	17.40
4	—	—	—	—	4	10	8	—	18	16	2	—	16.35
34	—	1	2	—	37	28	26	—	54	39	15	—	12.46
6	—	3	3	—	7	7	9	—	16	14	2	—	10.91
58	3	3	3	—	67	35	13	—	48	42	6	1	9.58
4	—	2	1	—	7	9	9	—	11	11	—	—	11.67
8	1	1	2	—	12	10	4	—	14	12	2	—	16.06
2	—	—	—	—	2	9	3	—	12	12	—	—	29.73
1	—	—	—	—	—	5	6	—	11	11	—	—	6.58
20	1	1	3	—	25	3	5	—	11	9	2	—	7.14
—	—	—	—	—	—	6	7	—	11	11	—	—	22.02
14	6	2	4	—	26	5	15	—	12	12	—	—	16.05
2	—	—	—	—	2	11	7	—	18	19	—	—	20.06
32	3	4	6	—	45	36	11	—	32	22	10	—	12.72
64	10	16	26	—	116	84	84	—	168	114	54	1	12.54
1	—	—	—	—	1	3	2	—	5	4	1	—	9.43
29	—	—	4	—	33	28	22	—	50	44	6	—	18.87
5	—	—	—	—	5	6	4	—	17	17	—	—	18.60
11	—	3	1	—	16	13	13	—	17	18	5	—	11.23
30	1	4	2	—	36	31	26	—	57	50	6	1	22.51
520	41	51	81	—	693	537	478	—	1,015	798	214	3	13.92

TABLE No. 4
Births, Marriages and Deaths for the Year 1930
Recapitulation by Counties

COUNTIES	Population in 1930	BIRTHS										MARRIAGES					DEATHS								
		Sex				Rate per 1000	Parentage					MARRIAGES					Sex			Nativity					
		Male	Female	Not stated	Total		Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated	Both American	Both foreign	Husband American	Wife American	Not stated	Total	Male	Female	Not stated	Total	American	Foreign	Not stated	Death-rate per 1000
Androscoggin.....	71,214	743	661	—	1404	19.71	821	221	186	149	27	360	55	47	72	—	534	530	471	—	1001	752	247	2	14.06
Aroostook.....	*86,999	1394	1363	—	2757	31.69	1896	207	295	333	26	517	23	76	74	—	690	616	507	—	1123	892	226	5	12.91
Cumberland.....	134,645	1255	1213	—	2468	18.33	1795	240	210	166	57	876	42	72	99	2	1097	1004	884	—	1888	1475	401	12	14.02
Franklin.....	*19,553	195	192	—	387	19.79	305	22	36	18	6	126	3	7	11	—	147	139	111	—	250	230	18	2	12.78
Hancock.....	*30,671	278	294	—	572	18.65	531	5	19	10	7	225	4	15	9	—	253	263	220	—	483	450	33	—	15.75
Kennebec.....	70,691	681	643	—	1324	18.73	930	134	134	108	18	445	19	34	46	1	545	584	519	—	1103	946	146	11	15.60
Knox.....	*27,605	200	192	—	392	14.20	332	17	18	18	7	176	5	4	20	—	205	222	238	—	460	419	35	6	16.66
Lincoln.....	15,498	123	122	—	245	15.81	224	2	6	12	1	252	1	3	7	—	133	119	110	—	229	218	11	—	14.77
Oxford.....	*41,334	472	442	—	914	22.08	581	154	101	66	12	252	18	32	28	—	319	307	227	—	494	398	92	4	11.94
Penobscot.....	*92,028	1015	958	—	1973	21.44	1501	108	177	137	50	680	23	47	68	1	819	704	552	—	1256	1038	207	11	13.65
Piscataquis.....	*17,928	206	165	—	371	20.69	295	26	24	25	1	118	1	6	10	—	135	126	93	—	219	178	39	2	12.21
Sagadahoc.....	*16,902	152	153	—	305	18.04	242	11	32	17	3	125	1	5	5	—	136	138	131	—	269	247	22	—	15.91
Somerset.....	*38,544	387	359	—	746	19.35	548	54	81	53	10	235	7	20	23	1	286	304	243	—	547	477	69	1	14.19
Waldo.....	20,286	166	166	—	332	16.36	298	3	13	12	6	134	1	1	10	—	145	166	155	—	321	311	10	—	15.82
Washington.....	*37,324	378	346	—	724	19.40	548	28	62	72	14	237	14	21	18	—	290	228	198	—	426	351	71	4	11.41
York.....	72,934	658	627	—	1285	17.62	812	194	128	133	18	520	41	51	81	—	693	537	478	—	1015	798	214	3	13.92
Total.....	794,211	8303	7896	—	16,199	20.31	11,659	1426	1522	1329	263	5148	257	447	581	5	6438	5947	5137	—	11,084	9180	1841	63	13.90

TABLE No. 5
Births and Birth-Rates by Counties for the Years 1923-1930

Counties	1923		1924		1925		1926		1927		1928		1929		1930	
	Births	Rate	Births	Rate	Births	Rate	Births	Rate	Births	Rate	Births	Rate	Births	Rate	Births	Rate
State.....	17,720	22.84	18,630	23.77	17,706	22.58	16,541	20.94	16,405	20.63	16,495	20.92	15,908	20.11	16,199	20.31
Androscoggin.....	1,756	25.81	1,680	24.63	1,561	22.56	1,493	21.50	1,483	21.19	1,507	21.35	1,357	19.07	1,404	19.71
Aroostook.....	2,738	32.96	2,845	33.65	2,667	31.12	2,448	28.48	2,684	30.97	2,655	30.38	2,644	30.02	2,757	31.69
Cumberland.....	2,691	20.90	2,813	21.75	2,767	21.07	2,423	18.38	2,530	19.01	2,549	18.98	2,452	18.09	2,468	18.33
Franklin.....	377	19.56	417	20.74	419	20.74	388	19.16	380	18.70	412	20.20	378	18.47	387	19.79
Hancock.....	555	18.30	619	20.39	561	18.48	546	17.95	509	16.76	549	18.08	573	18.87	572	18.65
Kennebec.....	1,445	22.23	1,568	24.41	1,487	23.09	1,340	20.80	1,267	19.63	1,351	20.90	1,322	20.42	1,324	18.73
Knox.....	501	19.05	540	20.58	515	19.62	486	18.52	421	16.04	458	17.45	455	17.34	392	14.20
Lincoln.....	269	16.81	268	16.78	279	17.46	255	15.96	247	15.46	232	14.52	235	14.63	245	15.81
Oxford.....	881	23.10	941	24.58	922	23.95	985	25.54	953	24.62	906	23.32	860	22.05	914	22.08
Penobscot.....	2,013	22.78	2,135	24.09	2,205	24.78	2,076	23.29	2,014	22.54	2,016	22.50	1,942	21.61	1,973	21.44
Piscataquis.....	429	24.27	448	21.52	431	20.62	421	20.09	362	17.22	384	18.21	368	17.40	371	20.69
Sagadahoc.....	330	16.23	372	15.00	284	14.34	261	10.16	268	10.25	253	9.52	237	8.77	305	18.04
Somerset.....	858	23.15	850	22.65	769	20.40	701	18.60	661	17.50	705	18.62	662	17.44	746	19.35
Waldo.....	368	17.11	416	19.50	354	16.60	413	19.36	354	16.60	366	17.16	337	15.80	332	16.36
Washington.....	842	20.16	904	21.67	827	19.83	747	17.91	770	18.46	757	18.15	707	16.95	724	19.40
York.....	1,667	23.16	1,814	25.35	1,658	23.06	1,558	21.64	1,502	20.80	1,395	19.26	1,379	18.98	1,285	17.62

BIRTHS

REGISTRATION REPORT

TABLE No. 6

Births by Counties, Showing Proportion of Males to Females, 1930

Counties	Males	Females	Sex not stated	Total	Excess of males	Excess of females	Males to each 100 females
Androscoggin.....	743	661	—	1,404	82	—	112.4
Aroostook.....	1,394	1,363	—	2,757	31	—	102.3
Cumberland.....	1,255	1,213	—	2,468	42	—	103.5
Franklin.....	195	192	—	387	3	—	101.5
Hancock.....	278	294	—	572	—	16	94.5
Kennebec.....	681	643	—	1,324	38	—	105.9
Knox.....	200	192	—	392	8	—	104.2
Lincoln.....	123	122	—	245	1	—	100.8
Oxford.....	472	442	—	914	30	—	106.8
Penobscot.....	1,015	958	—	1,973	57	—	105.9
Piscataquis.....	206	165	—	371	41	—	124.8
Sagadahoc.....	152	153	—	305	—	1	99.3
Somerset.....	387	359	—	746	28	—	107.8
Waldo.....	166	166	—	332	—	—	100.0
Washington.....	378	346	—	724	32	—	109.2
York.....	658	627	—	1,285	31	—	104.9
Total.....	8,303	7,896	—	16,199	424	17	105.2

TABLE No. 7

Births in Cities for 1930, with Rate per 1,000 of Population

Cities	Population in 1930	Male born	Female born	Sex not stated	Total	Birth rate per 1,000	Males to each 100 females
Auburn.....	18,571	134	108	—	242	13.03	124.1
Augusta.....	17,198	187	144	—	331	19.25	129.8
Bangor.....	28,749	295	270	—	565	19.65	109.2
Bath.....	9,110	109	102	—	211	23.16	106.8
Belfast.....	4,993	53	49	—	102	20.43	108.2
Biddeford.....	17,633	276	246	—	522	29.60	112.2
Brewer.....	6,329	70	57	—	127	20.07	122.8
Calais.....	5,470	60	52	—	112	20.47	115.3
Eastport.....	3,466	25	27	—	52	15.00	92.6
Ellsworth.....	3,557	40	37	—	77	21.65	108.1
Gardiner.....	5,609	68	68	—	136	24.25	100.0
Hallowell.....	2,675	11	15	—	26	9.72	73.3
Lewiston.....	34,948	444	421	—	865	24.75	105.4
Old Town.....	7,266	114	90	—	204	28.07	126.7
Portland.....	70,810	795	773	—	1,568	22.14	102.8
Rockland.....	9,075	96	86	—	182	20.05	111.6
Saco.....	7,233	24	32	—	56	7.74	75.0
South Portland.....	13,840	67	56	—	123	8.89	119.6
Waterville.....	15,454	206	185	—	391	25.30	111.3
Westbrook.....	10,807	96	100	—	196	18.14	96.0
Total.....	292,793	3,170	2,918	—	6,088	20.79	108.6

TABLE No. 8

Percentage of American and Foreign Births by Counties, 1930

Counties	Parents			Births with parentage not stated
	American born	Foreign born	One foreign born	
Androscoggin.....	58.48	15.74	23.86	1.92
Aroostook.....	68.77	7.51	22.78	0.94
Cumberland.....	72.73	9.72	15.24	2.31
Franklin.....	78.82	5.68	13.95	1.55
Hancock.....	92.84	0.87	5.07	1.22
Kennebec.....	70.24	10.12	18.28	1.36
Knox.....	84.69	4.34	9.18	1.79
Lincoln.....	91.42	0.82	7.35	0.41
Oxford.....	63.57	16.85	18.27	1.31
Penobscot.....	76.08	5.47	15.91	2.54
Piscataquis.....	79.51	7.01	13.21	0.27
Sagadahoc.....	79.34	3.61	16.07	0.98
Somerset.....	73.46	7.24	17.96	1.34
Waldo.....	89.76	0.90	7.53	1.81
Washington.....	75.69	3.87	18.51	1.93
York.....	63.19	15.10	20.31	1.40
State.....	71.98	8.80	17.60	1.62

TABLE No. 9

Percentage of American and Foreign Births by Cities, 1930

Cities	Parents			Births with parentage not stated
	American born	Foreign born	One foreign born	
Auburn.....	71.90	7.44	19.83	0.33
Augusta.....	64.96	12.69	20.54	1.81
Bangor.....	71.68	6.02	16.46	5.84
Bath.....	82.94	2.84	12.80	1.42
Belfast.....	89.22	0.98	5.88	3.92
Biddeford.....	55.37	17.43	25.67	1.53
Brewer.....	77.95	4.72	16.54	0.79
Calais.....	51.79	13.39	32.14	2.68
Eastport.....	76.93	1.92	19.23	1.92
Ellsworth.....	90.91	1.30	5.19	2.60
Gardiner.....	90.44	1.47	6.62	1.47
Hallowell.....	80.77	—	15.38	3.85
Lewiston.....	48.21	20.81	28.90	2.08
Old Town.....	72.55	5.88	20.10	1.47
Portland.....	69.26	12.12	15.62	3.00
Rockland.....	84.62	6.04	8.24	1.10
Saco.....	62.50	3.57	33.93	—
South Portland.....	78.05	4.88	17.07	—
Waterville.....	62.40	13.30	23.02	1.28
Westbrook.....	64.29	10.20	25.00	0.51
Average.....	66.79	11.33	19.55	2.33

REGISTRATION REPORT

TABLE No. 10

Births in each Month, 1892-1930

	January	February	March	April	May	June	July	August	September	October	November	December	Not stated	Total
1892	1,016	1,113	1,345	1,275	1,323	1,176	1,222	1,191	1,144	1,047	1,002	1,111	63	14,028
1893	1,151	1,082	1,162	1,259	1,273	1,162	1,176	1,213	1,115	1,126	1,032	1,109	48	13,908
1894	962	980	1,335	1,324	1,255	1,200	1,286	1,213	1,168	1,064	980	1,164	9	13,940
1895	1,182	1,082	1,329	1,287	1,308	1,236	1,290	1,312	1,233	1,189	1,115	1,193	6	14,762
1896	1,149	1,227	1,330	1,318	1,379	1,190	1,207	1,246	1,257	1,220	1,091	1,069	10	14,693
1897	1,126	1,123	1,390	1,260	1,288	1,250	1,274	1,303	1,205	1,138	984	1,077	12	14,430
1898	1,148	1,176	1,323	1,269	1,322	1,229	1,226	1,219	1,182	1,196	1,028	1,149	6	14,473
1899	1,093	1,104	1,237	1,295	1,224	1,201	1,239	1,197	1,163	1,058	979	1,098	7	13,895
1900	1,167	1,083	1,260	1,245	1,276	1,146	1,284	1,255	1,213	1,070	1,055	1,035	6	14,905
1901	1,123	1,128	1,303	1,270	1,290	1,190	1,178	1,199	1,252	1,051	983	1,048	6	14,021
1902	1,143	1,111	1,401	1,250	1,333	1,244	1,237	1,252	1,207	1,137	1,064	1,119	10	14,508
1903	1,210	1,151	1,353	1,304	1,326	1,247	1,215	1,223	1,205	1,134	1,026	990	9	14,453
1904	1,219	1,207	1,367	1,325	1,336	1,186	1,297	1,216	1,203	1,217	1,037	1,057	6	14,673
1905	1,178	1,180	1,463	1,340	1,365	1,375	1,439	1,328	1,259	1,163	1,057	1,143	4	15,294
1906	1,173	1,206	1,333	1,385	1,335	1,310	1,454	1,450	1,364	1,280	1,260	1,325	3	15,878
1907	1,301	1,288	1,331	1,397	1,455	1,424	1,360	1,293	1,336	1,264	1,129	1,231	1	15,914
1908	1,296	1,312	1,551	1,345	1,464	1,430	1,361	1,438	1,246	1,216	1,212	1,299	3	16,173
1909	1,306	1,276	1,375	1,392	1,453	1,308	1,349	1,434	1,347	1,249	1,218	1,229	5	16,041
1910	1,308	1,252	1,506	1,424	1,393	1,379	1,330	1,348	1,263	1,256	1,131	1,207	1	15,798
1911	1,261	1,224	1,463	1,426	1,371	1,355	1,380	1,331	1,294	1,172	1,153	1,202	2	15,635
1912	1,253	1,287	1,415	1,357	1,451	1,337	1,442	1,439	1,318	1,229	1,182	1,179	1	15,869
1913	1,299	1,185	1,467	1,425	1,400	1,378	1,397	1,316	1,245	1,264	1,131	1,210	1	15,719
1914	1,234	1,305	1,442	1,430	1,419	1,333	1,361	1,298	1,345	1,323	1,230	1,260	1	15,980
1915	1,356	1,262	1,562	1,499	1,536	1,389	1,437	1,431	1,378	1,366	1,257	1,196	2	16,671
1916	1,233	1,383	1,476	1,429	1,495	1,333	1,330	1,355	1,274	1,234	1,164	1,211	1	15,919
1917	1,398	1,288	1,562	1,403	1,473	1,362	1,432	1,412	1,387	1,263	1,165	1,192	2	16,337
1918	1,313	1,271	1,574	1,354	1,455	1,344	1,405	1,437	1,302	1,339	1,137	1,129	1	16,290
1919	1,202	1,212	1,416	1,369	1,299	1,133	1,188	1,086	1,238	1,307	1,349	1,406	1	15,205
1920	1,463	1,525	1,468	1,498	1,511	1,502	1,523	1,573	1,477	1,336	1,249	1,270	1	17,495
1921	1,432	1,402	1,622	1,621	1,497	1,463	1,487	1,529	1,428	1,464	1,327	1,445	1	17,717
1922	1,437	1,465	1,635	1,608	1,568	1,431	1,574	1,482	1,397	1,436	1,345	1,346	1	17,724
1923	1,418	1,461	1,656	1,538	1,605	1,484	1,514	1,614	1,518	1,353	1,261	1,318	1	17,720
1924	1,443	1,512	1,651	1,644	1,757	1,608	1,622	1,587	1,518	1,430	1,367	1,491	1	18,630
1925	1,496	1,338	1,623	1,525	1,601	1,560	1,529	1,500	1,426	1,459	1,299	1,350	1	17,706
1926	1,389	1,356	1,427	1,485	1,427	1,409	1,444	1,466	1,398	1,295	1,222	1,225	1	16,543
1927	1,209	1,261	1,408	1,536	1,528	1,419	1,480	1,418	1,332	1,334	1,237	1,243	1	16,405
1928	1,387	1,303	1,510	1,443	1,447	1,418	1,413	1,403	1,352	1,283	1,170	1,366	1	16,495
1929	1,299	1,245	1,425	1,402	1,357	1,427	1,456	1,393	1,191	1,203	1,189	1,321	1	15,908
1930	1,327	1,259	1,364	1,389	1,452	1,390	1,482	1,468	1,390	1,285	1,154	1,239	1	16,199

TABLE No. 11
Marriages and Marriage-Rates by Counties for the Years 1923-1930

Counties	1923		1924		1925		1926		1927		1928		1929		1930	
	Marriages	Rate	Marriages	Rate	Marriages	Rate	Marriages	Rate	Marriages	Rate	Marriages	Rate	Marriages	Rate	Marriages	Rate
State.....	6842	8.82	6461	8.30	6226	7.94	6376	8.07	6278	7.89	6178	7.83	6195	7.83	6438	8.07
Androscoggin.....	694	10.27	577	8.46	627	9.02	610	8.79	584	8.34	617	8.74	551	7.74	534	7.49
Aroostook.....	587	7.00	479	5.66	468	5.55	598	6.96	649	7.49	547	6.26	551	6.25	690	7.85
Cumberland.....	1299	10.14	1177	9.10	1042	7.89	1126	8.54	1077	8.09	1048	7.80	1067	7.87	1097	8.15
Franklin.....	166	8.28	170	8.45	155	7.89	176	8.69	150	7.38	165	8.09	170	8.31	147	7.37
Hancock.....	262	8.63	283	9.32	244	8.04	255	8.40	261	8.60	226	7.44	264	8.69	253	8.23
Kennebec.....	570	8.88	600	9.34	514	7.80	563	8.74	592	9.17	574	8.88	576	8.90	545	7.71
Knox.....	252	9.60	222	8.46	251	9.51	235	8.95	232	8.84	242	9.22	224	8.53	205	7.40
Lincoln.....	119	7.45	96	6.00	97	6.05	106	6.63	106	6.63	94	5.88	120	7.51	133	8.58
Oxford.....	345	9.05	349	9.12	350	8.99	308	7.99	342	8.83	332	8.54	330	8.46	330	7.95
Penobscot.....	838	9.48	824	9.30	793	8.86	767	8.61	703	7.87	746	8.32	731	8.14	819	8.86
Piscataquis.....	171	8.24	163	7.83	150	7.65	119	5.68	132	6.28	138	6.54	147	6.95	135	7.40
Sagadahoc.....	139	5.71	106	4.27	109	5.35	130	5.06	123	4.71	130	4.89	112	4.14	136	8.03
Somerset.....	279	7.45	307	8.18	292	7.77	278	7.37	278	7.36	257	6.79	343	9.04	286	7.31
Waldo.....	148	6.94	164	7.69	159	7.36	155	7.27	126	5.91	126	5.90	108	5.06	145	7.15
Washington.....	225	5.39	231	5.54	270	6.42	249	5.97	212	5.08	264	6.33	218	5.23	290	7.67
York.....	748	10.48	713	9.96	705	9.66	701	9.74	711	9.84	672	9.28	683	9.40	693	9.50

MARRIAGES

REGISTRATION REPORT

TABLE No. 12

Marriages by Months and Counties, 1930

Counties	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	Total
Androscoggin...	26	31	37	42	33	88	44	48	50	44	58	33	534
Aroostook.....	41	23	43	37	36	60	60	62	43	115	111	59	690
Cumberland....	63	60	61	68	85	161	78	121	136	104	99	61	1,097
Franklin.....	10	5	16	5	14	23	10	16	10	19	12	7	147
Hancock.....	12	6	15	20	25	32	23	21	24	28	23	24	253
Kennebec.....	35	32	25	27	33	74	47	53	65	53	58	43	545
Knox.....	17	8	12	9	18	25	17	26	23	18	17	15	205
Lincoln.....	3	5	7	4	11	14	7	24	20	18	14	6	133
Oxford.....	14	14	25	20	20	53	25	29	31	38	28	33	330
Penobscot.....	40	27	48	48	59	98	75	84	94	85	85	76	819
Piscataquis....	10	6	10	4	10	19	14	11	13	17	13	8	135
Sagadahoc.....	12	2	5	2	19	12	15	13	15	17	14	10	136
Somerset.....	14	21	7	14	25	34	25	32	36	28	28	22	286
Waldo.....	9	4	6	4	7	7	13	16	17	22	21	19	145
Washington.....	17	18	15	14	19	35	22	31	24	30	41	24	290
York.....	31	36	24	37	60	89	72	67	84	78	68	47	693
Total.....	354	298	356	355	474	824	547	654	685	714	690	487	6,438

MARRIAGES

41

TABLE No. 13
Marriages by Ages and Counties, 1930

Counties	Under 15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-70	70-80	80 and over	Not stated	Total
Androscoggin Males	—	31	218	118	60	27	28	13	17	6	12	4	—	—	534
Females	2	135	210	83	33	20	14	14	12	4	6	1	—	—	534
Aroostook... Males	—	67	299	160	68	34	25	12	9	6	9	1	—	—	690
Females	2	297	243	65	30	19	12	9	4	5	4	—	—	—	690
Cumberland... Males	—	37	404	301	137	69	43	35	33	23	13	1	1	—	1,097
Females	3	245	412	205	88	54	27	23	18	15	6	1	—	—	1,097
Franklin... Males	—	15	54	32	12	8	6	6	5	2	5	2	—	—	147
Females	—	52	46	14	10	6	2	7	4	3	3	—	—	—	147
Hancock... Males	—	21	103	61	19	9	16	7	5	4	6	2	—	—	253
Females	—	90	93	32	14	4	3	5	6	4	2	—	—	—	253
Kennebec... Males	—	38	230	130	54	27	19	14	7	7	13	6	—	—	545
Females	—	173	216	72	28	12	10	3	7	9	11	4	—	—	545
Knox... Males	—	14	75	40	25	14	7	5	6	6	10	3	—	—	205
Females	—	67	65	23	11	16	6	3	3	4	6	1	—	—	205
Lincoln... Males	—	12	55	29	15	4	5	2	6	3	1	1	—	—	133
Females	—	49	51	15	4	2	3	4	4	—	1	—	—	—	133
Oxford... Males	—	16	136	85	33	21	11	4	8	5	9	2	—	—	330
Females	—	105	121	52	15	10	8	7	5	4	3	—	—	—	330
Penobscot... Males	—	52	350	173	94	50	33	15	24	13	14	1	—	—	819
Females	6	245	320	105	54	22	30	10	9	11	7	—	—	—	819
Piscataquis... Males	—	15	63	28	8	8	3	4	2	2	2	—	—	—	135
Females	—	58	47	15	4	2	2	—	3	1	3	—	—	—	135
Sagadahoc... Males	—	12	53	32	11	4	6	5	3	4	6	—	—	—	136
Females	—	42	52	14	7	5	2	5	2	4	3	—	—	—	136
Somerset... Males	—	18	121	63	30	13	12	8	7	4	9	1	—	—	286
Females	3	97	105	34	20	6	4	5	1	2	8	1	—	—	286
Waldo... Males	—	17	53	33	14	6	4	6	3	2	6	1	—	—	145
Females	1	58	48	17	3	3	3	5	2	1	4	—	—	—	145
Washington... Males	—	29	104	67	31	18	14	9	7	5	5	1	—	—	290
Females	1	117	88	29	25	8	6	9	2	2	3	—	—	—	290
York... Males	—	53	287	147	67	48	28	15	11	16	14	6	1	—	693
Females	—	205	242	103	50	29	17	18	6	12	11	—	—	—	693
Total... Males	—	447	2,605	1,499	678	360	260	160	153	108	134	32	2	—	6,438
Females	18	2,035	2,359	878	396	218	149	127	88	81	81	8	—	—	6,438
Grand Total.....	18	2,482	4,964	2,377	1,074	578	409	287	241	189	215	40	2	—	12,876

Divorces in each County for the year 1930. Androscoggin, 142; Aroostook, 93; Cumberland, 367; Franklin, 55; Hancock, 63; Kennebec, 132; Knox, 54; Lincoln, 29; Oxford, 58; Penobscot, 176; Piscataquis, 32; Sagadahoc, 31; Somerset, 50; Waldo, 46; Washington, 44; York, 103.

TABLE No. 14
Deaths and Death-Rates by Counties for the Years 1923-1930

Counties	1923		1924		1925		1926		1927		1928		1929		1930	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
State.....	11,693	15.07	10,785	13.86	10,847	13.83	11,416	14.45	10,977	13.80	11,037	13.99	11,375	14.38	11,084	13.90
Androscoggin.....	1,104	16.33	977	14.20	1,027	14.84	1,048	15.10	997	14.25	982	13.91	1,054	14.81	1,001	14.06
Aroostook.....	1,018	12.14	978	11.57	875	10.21	995	11.57	1,070	12.34	948	10.85	1,063	12.07	1,123	12.91
Cumberland.....	1,893	14.78	1,775	13.73	1,830	13.94	1,977	15.00	1,909	14.35	1,853	13.80	1,905	14.06	1,888	14.02
Franklin.....	257	12.83	206	10.25	294	14.55	264	13.04	276	13.58	243	11.92	278	13.59	250	12.78
Hancock.....	489	16.11	395	13.01	399	13.14	442	14.56	412	13.57	443	14.59	453	14.92	483	15.75
Kennebec.....	1,161	18.10	1,122	17.47	1,115	17.31	1,163	18.05	1,058	16.39	1,110	17.17	1,096	16.93	1,103	15.60
Knox.....	447	17.03	437	16.65	451	17.18	499	19.01	472	17.98	476	18.14	444	16.92	460	16.66
Lincoln.....	297	18.59	221	13.83	267	16.71	255	15.96	253	15.83	261	16.34	254	15.81	229	14.77
Oxford.....	557	14.61	492	12.85	532	13.82	535	13.87	521	13.46	507	13.05	516	13.23	494	11.94
Penobscot.....	1,322	14.95	1,304	14.71	1,206	13.55	1,302	14.61	1,281	14.33	1,372	15.31	1,364	15.18	1,256	13.65
Piscataquis.....	264	12.72	265	12.73	250	11.96	227	10.83	228	10.84	229	10.86	230	10.87	219	12.21
Sagadahoc.....	307	12.60	254	10.24	252	12.73	265	10.31	256	9.79	274	10.31	269	9.95	269	15.91
Somerset.....	581	15.52	519	13.83	530	14.06	488	12.95	479	12.68	509	13.44	539	14.20	547	14.19
Waldo.....	364	17.07	328	15.38	309	14.49	362	16.97	327	15.33	344	16.13	347	16.27	321	15.82
Washington.....	513	12.30	534	12.80	510	12.23	531	12.73	498	11.94	507	12.15	487	11.68	426	11.41
York.....	1,119	15.68	978	13.67	1,000	13.91	1,063	14.76	940	13.02	979	13.52	1,076	14.81	1,015	13.92

REGISTRATION REPORT

TABLE
Deaths by Ages, Sex and

Counties	Under 1	1- 4	5- 9	10- 19	20- 29	30- 39	40- 49	50- 59	60- 69	70- 79	80- 89	90- 99
Androscoggin..... Males	84	19	9	13	10	20	39	59	95	112	63	7
Females	54	15	5	7	25	28	26	53	81	97	63	16
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Aroostook..... Males	179	50	16	14	26	22	46	52	64	95	45	7
Females	136	39	22	20	30	33	23	36	51	71	35	10
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Cumberland..... Males	98	23	10	23	34	56	70	124	213	229	115	8
Females	75	14	5	18	35	41	71	100	175	196	135	19
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Franklin..... Males	13	3	—	3	4	5	8	14	26	40	19	3
Females	5	2	1	4	5	5	2	19	20	24	18	6
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Hancock..... Males	16	4	2	4	10	6	17	28	46	79	43	8
Females	13	4	3	5	5	7	14	16	45	61	37	10
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Kennebec..... Males	69	12	7	19	25	31	38	55	112	132	75	9
Females	43	16	7	13	22	24	43	47	86	120	82	16
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Knox..... Males	10	1	4	1	7	8	8	27	53	66	33	4
Females	16	4	3	2	7	5	16	17	42	61	51	13
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Lincoln..... Males	3	2	—	1	—	2	4	16	23	39	24	5
Females	7	—	—	—	2	4	5	13	21	23	26	9
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Oxford..... Males	22	9	3	4	8	9	18	26	58	64	41	5
Females	26	6	1	9	5	11	14	23	32	48	39	13
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Penobscot..... Males	71	17	13	21	26	27	61	75	153	154	76	8
Females	51	11	8	7	18	32	38	66	100	124	86	11
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Piscataquis..... Males	18	—	—	1	5	1	7	15	27	39	12	1
Females	4	—	—	3	3	6	4	10	17	21	24	1
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Sagadahoc..... Males	10	3	1	4	3	3	5	17	27	42	19	4
Females	8	—	1	1	6	6	10	11	28	38	16	6
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Somerset..... Males	32	11	2	12	18	13	18	31	53	72	38	4
Females	19	8	2	5	15	11	18	22	40	55	39	9
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Waldo..... Males	17	4	1	4	5	5	6	9	34	57	23	1
Females	9	3	1	3	3	6	5	16	21	42	37	9
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Washington..... Males	18	3	2	7	2	12	16	30	47	53	35	3
Females	12	4	4	7	7	8	9	12	40	49	36	10
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
York..... Males	53	21	10	11	22	22	40	52	111	129	58	8
Females	31	8	5	10	15	20	28	57	70	127	92	15
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Total..... Males	713	182	80	142	205	242	401	630	1,142	1,402	719	85
Females	509	134	68	114	203	247	326	518	869	1,157	816	173
Grand Total.....	1,222	316	148	256	408	489	727	1,148	2,011	2,559	1,535	258

DEATHS

No. 15
Months by Counties, 1930

100 and over	Unknown	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	Total	Gr'nd Total
—	—	54	37	60	50	45	41	44	39	48	34	35	43	530	1,001
1	—	47	47	56	54	38	25	33	34	33	29	40	35	471	—
—	—	50	43	44	52	52	48	44	56	77	48	54	48	616	—
1	—	38	53	39	52	36	44	43	29	41	37	52	43	507	1,123
—	—	104	76	94	103	86	81	75	72	64	75	86	88	1,004	—
1	—	87	64	83	73	81	70	75	56	76	80	74	65	884	1,888
—	—	14	8	18	15	13	12	9	10	9	12	12	7	139	—
1	—	12	10	8	8	18	7	10	11	12	2	4	9	111	250
—	—	33	28	25	19	25	19	22	19	21	17	14	21	263	—
—	—	25	17	20	14	22	14	16	25	16	15	21	15	220	483
—	—	49	51	56	60	54	46	44	47	37	39	42	59	584	—
—	—	41	50	41	50	41	40	30	44	38	53	50	41	519	1,103
—	—	21	27	26	17	19	10	18	16	17	21	15	15	222	—
1	—	25	23	19	15	24	16	16	23	14	16	19	28	238	460
—	—	10	12	11	8	10	8	9	11	10	9	12	9	119	—
—	—	11	7	11	4	7	7	11	6	15	14	7	10	110	229
—	—	21	22	29	25	17	28	19	20	16	22	29	19	267	—
—	—	22	20	17	30	18	20	16	14	11	25	13	21	227	494
—	—	53	65	70	55	51	62	54	39	54	60	74	67	704	—
2	—	42	50	66	50	34	49	47	34	34	46	44	56	552	1,256
—	—	20	13	14	9	8	13	5	9	11	9	6	9	126	—
—	—	4	8	9	7	11	7	13	6	7	5	5	11	93	219
—	—	8	10	13	15	11	11	6	11	15	12	15	11	138	—
—	—	11	13	8	15	15	5	10	14	11	9	8	12	131	269
—	—	28	31	29	32	27	23	19	21	20	28	21	25	304	—
—	—	29	21	21	21	23	20	13	22	17	18	15	23	243	547
—	—	9	11	16	20	14	9	14	8	14	22	11	18	166	—
—	—	20	14	14	10	14	13	10	7	12	11	13	17	155	321
—	—	17	18	21	17	16	17	14	25	12	18	23	30	228	—
—	—	18	14	17	17	23	15	12	8	13	24	21	16	198	426
—	—	39	43	51	60	59	47	46	35	33	35	42	47	537	—
—	—	36	31	33	60	43	43	44	39	27	44	31	47	478	1,015
4	—	530	495	577	557	507	475	442	438	458	461	491	516	5,947	—
3	—	468	442	462	480	448	395	399	372	377	428	417	449	5,137	—
7	—	998	937	1,039	1,037	955	870	841	810	835	889	908	965	—	11,084

REGISTRATION REPORT

TABLE
Deaths by Ages, Sex and

Cities	Under 1	1- 4	5- 9	10- 19	20- 29	30- 39	40- 49	50- 59	60- 69	70- 79	80- 89	90- 99
Auburn..... Males	11	4	—	2	3	4	2	9	21	17	15	1
Auburn..... Females	10	—	1	3	3	2	4	9	19	19	21	7
Auburn..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Augusta..... Males	16	3	4	4	9	6	10	11	29	32	13	—
Augusta..... Females	11	5	—	7	9	7	18	15	24	27	22	6
Augusta..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Bangor..... Males	27	5	9	8	13	14	33	50	78	62	28	3
Bangor..... Females	15	6	5	4	9	20	23	34	53	57	37	7
Bangor..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Bath..... Males	6	2	1	1	3	2	4	12	18	14	9	1
Bath..... Females	5	—	1	1	3	4	5	9	16	22	4	2
Bath..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Belfast..... Males	5	—	1	1	2	3	1	2	8	15	6	1
Belfast..... Females	3	1	1	—	2	—	1	4	6	7	8	2
Belfast..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Biddeford..... Males	25	11	1	1	7	8	11	13	23	21	12	1
Biddeford..... Females	9	4	1	4	5	8	13	16	14	29	9	1
Biddeford..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Brewer..... Males	2	—	—	1	—	—	1	3	5	10	3	2
Brewer..... Females	2	—	—	—	—	1	—	6	4	5	7	—
Brewer..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Calais..... Males	2	—	—	—	—	2	7	5	8	9	8	1
Calais..... Females	3	1	1	1	—	3	3	1	6	12	5	1
Calais..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Eastport..... Males	2	—	—	—	—	—	2	3	2	9	1	1
Eastport..... Females	1	—	—	—	—	—	1	3	7	5	2	1
Eastport..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Ellsworth..... Males	2	—	—	—	3	1	2	—	6	15	7	—
Ellsworth..... Females	1	—	—	—	1	1	2	5	4	9	6	1
Ellsworth..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Gardiner..... Males	3	2	1	2	1	1	5	4	11	14	9	—
Gardiner..... Females	4	2	—	1	3	6	8	5	15	15	9	—
Gardiner..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Hallowell..... Males	3	—	—	1	—	1	—	2	3	4	2	1
Hallowell..... Females	—	1	—	—	1	—	2	—	4	5	1	1
Hallowell..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Lewiston..... Males	58	12	7	9	5	15	29	35	52	61	24	4
Lewiston..... Females	37	12	3	3	20	24	19	40	48	54	23	3
Lewiston..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Old Town..... Males	10	2	1	1	2	—	7	2	12	7	5	1
Old Town..... Females	3	1	1	—	2	3	2	5	7	12	4	1
Old Town..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Portland..... Males	65	17	10	13	23	41	53	84	133	110	59	3
Portland..... Females	47	13	4	13	28	25	51	67	100	103	72	10
Portland..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Rockland..... Males	6	—	1	—	5	6	4	8	23	30	13	3
Rockland..... Females	10	4	1	—	4	2	8	8	19	21	12	3
Rockland..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Saco..... Males	4	—	—	—	—	2	1	7	6	12	4	—
Saco..... Females	1	1	—	4	—	—	2	4	9	16	18	1
Saco..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
South Portland..... Males	6	1	—	—	2	1	3	8	10	18	6	—
South Portland..... Females	2	—	—	—	—	6	4	7	14	11	5	—
South Portland..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Waterville..... Males	28	3	1	4	2	3	6	13	20	21	4	1
Waterville..... Females	16	5	6	2	4	6	10	8	16	19	11	2
Waterville..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Westbrook..... Males	7	—	—	1	1	4	3	3	9	11	8	—
Westbrook..... Females	6	1	1	1	2	2	1	6	13	16	8	1
Westbrook..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Total..... Males	288	62	37	49	81	114	184	274	477	492	236	24
Total..... Females	186	57	26	44	96	120	177	252	398	464	284	50
Total..... Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Grand Total.....	474	119	63	93	177	234	361	526	875	956	520	74

DEATHS

No. 16
Months by Cities, 1930

100 and over	Unknown	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	Total	Gr'd Total
—	—	10	6	8	9	7	9	8	5	11	5	7	4	89	187
—	—	10	9	16	11	7	4	6	7	5	—	11	7	98	—
—	—	13	10	11	13	15	9	8	14	10	12	11	11	137	—
—	—	10	14	10	13	18	9	7	15	11	17	16	11	151	288
1	—	29	32	27	31	20	26	26	19	31	29	31	30	331	—
—	—	22	26	28	27	10	25	19	21	20	23	22	27	270	601
—	—	4	5	7	5	6	7	3	8	10	5	8	5	73	—
—	—	6	4	3	9	8	3	7	9	8	5	4	6	72	145
—	—	1	2	4	5	3	3	6	1	4	6	2	8	45	—
—	—	5	2	6	1	3	4	3	2	2	1	1	4	35	80
—	—	11	13	10	13	14	12	10	5	11	10	11	14	134	—
—	—	14	4	9	17	7	13	12	9	3	8	9	8	113	247
—	—	3	2	1	1	2	4	1	2	3	1	4	3	27	—
—	—	4	4	4	2	2	3	2	1	—	1	2	3	25	52
—	—	4	4	4	2	1	1	3	8	4	2	2	7	42	—
—	—	6	2	1	6	4	—	1	4	2	7	3	1	37	79
—	—	2	1	2	1	—	—	1	—	1	—	5	5	20	—
—	—	1	3	3	3	2	—	2	—	—	3	2	4	20	40
—	—	3	5	3	3	2	4	2	1	4	2	2	5	36	—
—	—	4	2	1	2	7	1	2	1	1	4	3	1	30	66
—	—	7	4	3	10	3	3	3	4	3	2	4	7	53	—
—	—	7	8	5	7	8	8	3	6	3	2	8	3	68	121
—	—	1	1	3	1	3	1	1	—	1	2	1	2	17	—
—	—	—	2	2	3	—	2	3	—	1	1	1	—	15	32
1	—	29	27	36	28	30	25	21	25	25	22	23	25	311	—
—	—	29	22	27	36	23	18	21	22	25	18	22	19	287	598
—	—	4	7	8	6	4	1	4	2	1	6	4	3	50	—
—	—	5	3	5	3	3	4	7	1	3	1	3	3	41	91
1	—	68	51	56	61	57	47	45	43	41	43	47	53	612	—
—	—	61	37	52	44	45	37	38	34	49	47	50	39	533	1,145
—	—	5	12	12	8	13	1	5	7	12	8	6	10	99	—
—	—	7	7	8	7	15	7	3	14	3	5	10	6	92	191
—	—	3	2	3	4	2	6	3	4	1	2	4	2	36	—
—	—	6	4	7	7	2	3	5	4	2	5	5	6	56	92
—	—	3	2	3	6	4	5	6	4	6	5	7	4	55	—
—	—	1	4	5	7	8	2	4	2	3	7	3	3	49	104
—	—	9	10	7	10	7	8	7	6	7	8	11	8	106	—
—	—	9	9	12	14	6	6	8	5	8	11	8	10	105	211
—	—	5	2	9	4	3	6	2	5	1	2	2	6	47	—
—	—	5	6	2	4	7	6	10	4	5	3	3	3	58	105
2	—	214	193	217	221	197	177	166	163	187	174	192	219	2,320	—
1	—	212	174	203	223	185	155	162	161	157	173	186	164	2,155	—
3	—	426	367	420	444	382	332	328	324	344	347	378	383	—	4,475

TABLE No. 17
Showing the Number of Deaths in the State and in Each County
Arranged by Classes and Counties, 1930

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
General Diseases.....	11,084	1,001	1,123	1,888	250	483	1,103	460	229	494	1,256	219	269	547	321	426	1,015
I. Epidemic, Endemic and Infectious Diseases.....	958	54	148	123	17	40	104	37	7	39	110	22	13	78	27	46	93
II. General Diseases not included above.....	1,568	148	97	300	32	64	145	76	50	74	167	25	45	62	46	78	159
III. Diseases of the Nervous System and of the Organs of Special Sense.....	1,303	105	79	196	26	46	138	75	38	67	153	29	42	79	42	66	122
IV. Diseases of the Circulatory System.....	2,774	239	140	526	68	138	282	127	72	120	324	50	64	131	96	112	285
V. Diseases of the Respiratory System.....	877	76	106	138	13	48	101	21	10	45	109	18	23	42	26	30	71
VI. Diseases of the Digestive System.....	701	50	180	108	11	19	65	19	10	27	72	8	9	32	13	16	62
VII. Non-venereal Diseases of the Genitourinary System and Annexa.....	947	110	80	171	34	52	96	54	16	39	78	28	32	31	22	27	77
VIII. The Puerperal State.....	116	9	22	25	4	3	15	2	2	6	12	1	—	4	2	1	8
IX. Diseases of the Skin and Cellular Tissue.....	39	3	4	6	—	1	5	—	1	3	4	—	—	6	2	1	3
X. Diseases of the Bones and the Organs of Locomo- tion.....	11	3	—	4	—	—	—	—	—	—	1	—	—	—	—	—	2
XI. Malformations.....	123	20	15	22	3	3	15	1	2	4	14	3	2	6	2	3	8
XII. Early Infancy.....	579	82	119	90	10	17	54	13	5	29	59	10	10	24	12	9	36
XIII. Old Age.....	183	19	27	19	2	10	11	4	2	12	27	8	6	3	12	2	19
XIV. External Causes.....	799	72	80	150	28	40	69	27	13	29	102	16	21	40	17	31	64
XV. Ill-Defined Diseases.....	106	11	26	10	2	2	2	4	1	—	24	1	2	9	2	4	6

TABLE No. 17—Continued
 Showing the Number of Deaths in the State and in Each County
 Arranged by Classes and Counties, 1930

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
I. Epidemic, Endemic and Infectious Diseases.....	958	54	148	123	17	40	104	37	7	39	110	22	13	78	27	46	93
Typhoid and paratyphoid fever	30	3	2	3	1	2	4	2	—	4	5	1	—	2	—	—	1
Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malta fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malaria.....	3	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—
Small-pox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles.....	12	—	2	3	—	—	1	1	—	—	1	—	—	2	—	2	—
Scarlet fever.....	13	1	3	1	—	—	—	—	—	1	3	—	—	—	—	1	—
Whooping-cough.....	56	2	20	7	1	3	7	—	—	3	4	—	—	3	1	1	2
Diphtheria.....	26	2	13	1	—	—	2	1	—	2	—	—	1	3	3	1	4
Influenza.....	213	4	33	16	1	15	27	9	—	14	14	8	2	16	8	8	38
Miliary fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mumps.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera nostras.....	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Dysentery.....	9	—	4	1	—	—	—	1	—	—	—	1	—	2	—	—	—
Plague.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Yellow fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spirochetal hemorrhagic jaundice.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Leprosy.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas.....	33	—	7	6	1	2	3	1	—	1	5	3	—	2	—	1	1
Acute anterior poliomyelitis.....	27	3	1	10	1	—	2	—	—	—	—	—	—	—	—	—	—
Lethargic encephalitis.....	10	1	—	2	—	—	2	—	—	—	3	—	1	1	—	—	5
Meningococcus meningitis.....	7	—	—	2	—	—	—	—	—	—	2	—	—	—	1	—	1
Other epidemic and endemic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
(a) Chicken-pox.....	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) German measles.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(c) Others under this title.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rabies.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus.....	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
Mycosis.....	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Tuberculosis of the respiratory system.....	371	23	47	44	8	14	37	15	4	11	50	5	7	44	10	25	27
Tuberculosis of the meninges and central nervous system..	22	1	1	1	1	2	2	3	1	1	3	—	1	2	1	2	—
Tuberculosis of the intestines and peritoneum	35	3	5	4	—	1	5	2	1	3	2	2	1	1	1	1	3
Tuberculosis of the vertebral columns.....	6	1	—	2	—	—	1	—	—	—	1	—	—	1	—	—	—
Tuberculosis of the joints.....	4	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1
Tuberculosis of other organs.....	13	3	2	2	2	—	1	1	—	1	—	—	—	1	—	—	—
Disseminated tuberculosis.....	10	1	3	1	—	—	1	—	—	—	—	—	—	1	—	1	1
Syphilis.....	40	2	2	11	1	—	7	1	—	1	11	1	—	—	—	1	2
Soft chancre.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gonococcus infection.....	7	3	—	1	—	1	—	—	—	—	1	1	—	—	—	—	—
Purulent infection, septicaemia.	5	—	1	2	—	—	—	—	—	—	—	—	—	1	—	—	—
Other infectious diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. General Diseases not included above.....	1568	148	97	300	32	64	145	76	50	74	167	25	45	62	46	78	159
Cancer and other malignant tumors of the buccal cavity..	34	2	4	8	—	2	2	1	1	2	3	—	1	1	—	4	3
Cancer and other malignant tumors of the stomach and liver	388	35	25	61	10	15	36	28	20	14	34	5	8	18	12	25	42
Cancer and other malignant tumors of the peritoneum, intestines and rectum.....	231	22	14	47	2	6	23	13	6	13	26	4	5	9	8	8	25
Cancer and other malignant tumors of the female genital organs.....	158	18	3	34	1	7	11	4	3	8	22	3	6	7	6	10	15
Cancer and other malignant tumors of the breast.....	81	10	5	16	4	6	12	3	2	2	8	1	—	1	5	1	5

TABLE No. 17—Continued
 Showing the Number of Deaths in the State and in Each County
 Arranged by Classes and Counties, 1930

Causes of Death	State	Androsoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
Cancer and other malignant tumors of the skin.....	28	5	—	5	1	1	2	1	2	—	2	1	1	1	1	2	3
Cancer and other malignant tumors of other or unspecified organs.....	227	20	16	54	5	8	20	8	7	11	24	3	6	6	5	7	27
Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted).....	3	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Acute rheumatic fever.....	22	2	4	6	—	—	2	1	—	1	2	1	—	—	—	—	3
Chronic rheumatism, osteoarthritis, gout.....	32	—	4	7	—	4	4	1	1	4	1	1	2	—	—	1	2
Scurvy.....	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pellagra.....	6	—	—	—	—	—	3	—	—	—	1	—	—	—	—	1	1
Rickets.....	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
Diabetes mellitus.....	193	12	12	35	9	4	22	9	4	11	23	2	11	14	5	9	11
Anemia chlorosis.....	56	7	3	6	—	3	3	4	3	—	6	—	1	2	2	6	10
Diseases of the pituitary gland.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the thyroid gland.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Exophthalmic goiter....	4	—	1	1	—	—	—	—	—	—	1	—	—	—	1	—	—
(b) Adenoma.....	3	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
Diseases of the parathyroid gland.....	3	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1
Diseases of the thymus gland.....	10	3	—	1	—	—	2	—	—	1	—	—	—	—	—	2	1
Diseases of the adrenals (Addison's disease).....	6	—	1	2	—	1	—	1	—	—	—	—	—	—	—	—	1
Diseases of the spleen.....	4	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1
Leukemia and Hodgkin's disease.....	27	3	1	5	—	2	—	1	1	—	3	2	2	1	—	—	6
Alcoholism (acute or chronic).	33	4	2	8	—	3	1	—	—	3	8	1	1	—	—	1	1
Chronic poisoning by mineral substances.....	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
Chronic poisoning by organic substances.....	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Other general diseases.....	13	—	—	3	—	2	—	1	—	1	1	1	1	1	1	1	—
III. Diseases of the Nervous System and of the Organs of Special Sense.....	1303	105	79	196	26	46	138	75	38	67	153	29	42	79	42	66	122
Encephalitis.....	8	2	1	1	—	—	—	—	—	—	2	—	—	—	—	—	2
Meningitis (a) simple meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) non-epidemic cerebrospinal meningitis.....	27	4	9	4	—	—	2	—	—	2	2	—	1	3	—	—	—
Tabes dorsalis (locomotor ataxia).....	6	—	—	1	1	—	—	2	—	—	1	—	—	1	—	—	—
Other diseases of the spinal cord.....	36	1	—	8	1	2	4	—	—	2	5	—	3	6	—	1	3
Cerebral hemorrhage, apoplexy	1050	88	52	163	19	41	92	70	36	59	110	26	31	63	38	56	106
Paralysis without specified cause.....	31	1	6	3	—	1	3	—	1	—	6	1	5	2	1	—	1
General paralysis of the insane.	35	—	1	—	—	—	18	1	—	1	10	—	1	1	—	—	2
Other forms of mental alienation.....	5	—	—	—	—	1	1	—	—	—	1	—	—	1	—	1	—
Epilepsy.....	20	3	1	1	2	—	4	—	—	1	3	—	—	1	—	3	1
Convulsions (non-puerperal) (5 yrs. and over).....	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile convulsions (under 5 yrs. of age).....	15	4	3	2	—	—	2	1	—	—	2	—	—	—	—	1	—
Chorea.....	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neuralgia and neuritis.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Softening of the brain.....	3	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—
Other diseases of the nervous system.....	40	—	3	10	2	—	5	1	1	—	5	1	2	—	2	2	6
Diseases of the eyes and annexa	2	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diseases of the ear and of the mastoid process.....	23	1	2	2	1	1	5	—	—	2	5	—	—	1	—	2	1

CAUSES OF DEATHS, BY CLASSES AND GROUPS

TABLE No. 17—Continued
Showing the Number of Deaths in the State and in Each County
Arranged by Classes and Counties, 1930

Causes of Death	State	Androsoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
IV. Diseases of the Circulatory System.	2774	239	140	526	68	138	282	127	72	120	324	50	64	131	96	112	285
Pericarditis.....	8	2	1	—	—	—	—	—	1	1	—	—	—	—	—	1	2
Endocarditis and myocarditis.....	83	5	5	19	1	2	5	1	—	4	5	2	—	8	2	11	13
Angina pectoris.....	326	38	11	55	6	21	25	19	8	18	39	11	7	17	6	7	38
Other diseases of the heart.....	1829	166	103	345	50	80	201	76	53	71	192	25	52	94	70	73	178
Diseases of the arteries.....	418	22	11	70	9	31	45	24	8	25	76	4	5	10	13	19	46
Embolism and thrombosis (not cerebral).....	100	6	8	36	2	3	5	7	2	1	9	7	—	2	5	—	7
Diseases of the veins.....	9	—	1	1	—	1	1	—	—	—	2	1	—	—	—	1	1
Diseases of the lymphatic system.....	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Hemorrhage without specified cause.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of the circulatory system.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
V. Diseases of the Respiratory System.	877	76	106	138	13	48	101	21	10	45	109	18	23	42	26	30	71
Diseases of the nasal fossae and their annexa.....	5	—	1	—	—	—	1	1	—	—	1	—	—	—	1	—	—
Diseases of the larynx.....	7	1	3	—	—	—	—	—	—	—	1	—	—	—	—	—	2
Bronchitis.....	84	4	15	6	4	10	8	3	1	2	8	4	3	3	1	2	10
Bronchopneumonia.....	334	28	30	56	4	13	50	6	4	17	44	7	9	15	8	14	29
Pneumonia.....	392	38	50	69	5	25	39	8	3	22	47	4	10	21	16	12	23
Pleurisy.....	18	1	2	4	—	—	2	1	—	1	1	—	1	1	—	1	3
Congestion and hemorrhagic infarct of the lung.....	15	3	1	—	—	—	—	—	2	3	3	3	—	—	—	—	—
Gangrene of the lung.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Asthma.....	8	—	3	—	—	—	1	—	—	—	2	—	—	—	—	—	2
Pulmonary emphysema.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of the respiratory system (tuberculosis excepted).....	14	1	2	2	—	—	—	2	—	—	2	—	—	2	—	1	2
VI. Diseases of the Digestive System.	701	50	180	108	11	19	65	19	10	27	72	8	9	32	13	16	62
Diseases of the mouth and annexa.....	11	1	2	1	—	—	1	—	—	—	2	—	—	—	—	2	2
Diseases of the pharynx and tonsils (including adenoid vegetation).....	36	1	8	8	—	2	3	2	—	3	3	1	1	1	1	—	2
Diseases of the esophagus.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer of the stomach and duodenum.....	54	3	7	11	—	1	7	—	2	5	4	3	—	3	2	3	3
Other diseases of the stomach (cancer excepted).....	54	2	11	6	2	—	3	3	3	4	6	—	1	5	2	1	5
Diarrhea and enteritis (under 2 yrs. of age).....	166	9	95	13	—	—	9	2	—	5	12	1	—	5	2	3	10
Diarrhea and enteritis (2 yrs. and over).....	67	3	24	3	2	3	12	1	—	—	4	1	1	7	1	1	4
Ancylostomiasis.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases due to other intestinal parasites.....	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Appendicitis and typhlitis.....	114	9	15	21	2	6	16	3	2	3	16	2	1	4	—	2	12
Hernia, intestinal obstruction.....	33	4	9	19	1	3	7	4	—	3	15	—	2	4	2	1	9
Other diseases of the intestines.....	6	1	1	1	1	1	—	1	—	—	—	—	—	—	—	—	—
Acute yellow atrophy of the liver.....	2	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Hydatid tumors of the liver.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cirrhosis of the liver.....	39	6	3	5	—	1	5	1	2	2	2	—	—	—	—	1	11
Biliary calculi.....	33	4	3	9	1	2	1	2	—	2	4	—	—	3	2	1	1
Other diseases of the liver.....	25	3	2	9	2	—	1	—	1	2	2	—	—	—	—	1	2
Diseases of the pancreas.....	3	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—

REGISTRATION REPORT

TABLE No. 17—Concluded

Showing the Number of Deaths in the State and in Each County Arranged by Classes and Counties, 1930

Causes of Death	State	Androsoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
(e) Motorcycle accidents...	7	—	1	—	—	—	3	—	1	—	1	—	—	—	—	—	1
(f) Injuries by other vehicles	8	—	3	1	—	—	—	—	—	—	2	1	—	1	—	—	—
(g) Landslide, other crushing	5	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	1
Injuries by animals (not poisoning)	6	—	3	—	1	—	—	1	—	—	1	—	—	—	—	—	—
Wounds of war	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Execution of civilians by belligerent armies	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Starvation (deprivation of food or water)	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Excessive cold	4	—	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—
Excessive heat	4	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	1
Lightning	3	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
Other accidental electric shocks	8	2	1	1	1	—	—	—	—	—	1	—	—	1	—	—	1
Homicide by firearms	6	1	—	1	—	—	—	—	—	1	—	1	1	1	—	—	—
Homicide by cutting or piercing instruments	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Homicide by other means	4	—	—	3	—	—	—	—	—	—	1	—	—	—	—	—	—
Infanticide (murder of infants less than one year of age)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture (cause not specified)	3	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—
Other external violence (cause specified)	33	2	4	5	2	2	2	2	1	1	6	—	2	3	—	1	—
Violent deaths of unknown causation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XV. Ill-Defined Diseases	106	11	26	10	2	2	2	4	1	—	24	1	2	9	2	4	6
Sudden death	32	6	3	4	1	1	—	1	1	—	11	1	—	1	—	—	2
Cause of death (not specified or ill-defined)	74	5	23	6	1	1	2	3	—	—	13	—	2	8	2	4	4

TABLE No. 18
Showing the Number of Deaths in the State
Arranged by Classes and Months, 1930

Causes of Death	Total	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
General Diseases	11,084	998	937	1,039	1,037	955	870	841	810	835	889	908	965
I. Epidemic, Endemic and Infectious Diseases	958	96	96	104	102	92	70	56	54	65	73	78	72
II. General Diseases not included above	1,568	132	112	143	142	141	141	117	116	123	135	126	140
III. Diseases of the Nervous System and of the Organs of Special Sense	1,303	104	113	126	107	107	85	92	106	95	124	115	129
IV. Diseases of the Circulatory System	2,774	271	232	243	252	235	225	216	199	210	218	237	236
V. Diseases of the Respiratory System	877	106	96	119	121	88	49	32	20	34	50	63	99
VI. Diseases of the Digestive System	701	41	51	59	48	49	53	63	82	81	78	53	43
VII. Non-venereal Diseases of the Genitourinary System and Annexa	947	106	93	81	77	82	68	78	73	69	70	73	77
VIII. The Puerperal State	116	9	8	10	10	12	14	6	11	14	10	6	6
IX. Diseases of the Skin and Cellular Tissue	39	1	6	2	9	5	1	5	2	—	2	2	4
X. Diseases of the Bones and the Organs of Locomotion	11	1	1	—	1	—	—	1	2	2	—	3	—
XI. Malformations	123	14	8	10	14	14	7	7	11	8	13	9	8
XII. Early Infancy	579	45	53	56	57	51	45	54	32	43	38	52	53
XIII. Old Age	183	20	17	14	15	10	22	19	13	13	11	11	18
XIV. External Causes	799	46	41	64	66	60	84	88	82	70	61	71	66
XV. Ill-Defined Diseases	106	6	10	8	16	9	6	7	7	8	6	9	14

REGISTRATION REPORT

TABLE No. 18—Continued

Showing the Number of Deaths in the State
Arranged by Classes and Months, 1930

Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
I. Epidemic, Endemic and Infectious Diseases	958	96	96	104	102	92	70	56	54	65	73	78	72
Typhoid and paratyphoid fever	30	5	1	—	1	3	2	2	1	2	5	5	3
Typhus fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Malta fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Malaria	3	—	1	—	—	2	—	—	—	—	—	—	—
Small-pox	12	—	—	—	—	—	1	1	—	1	—	1	3
Measles	13	4	1	5	2	2	1	2	—	—	—	1	—
Scarlet fever	56	4	4	6	2	4	4	4	4	5	7	8	5
Whooping-cough	26	3	2	1	—	1	—	4	2	3	3	3	6
Diphtheria	213	29	35	35	33	14	10	1	10	4	9	17	16
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Miliary fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Mumps	1	—	—	—	—	—	—	—	—	1	—	—	—
Cholera nostras	9	1	—	—	1	—	—	—	1	5	1	—	—
Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—
Plague	—	—	—	—	—	—	—	—	—	—	—	—	—
Yellow fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Spirochetel hemorrhagic jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—
Leprosy	33	5	4	2	4	4	5	—	1	3	2	2	3
Erysipelas	27	—	1	—	—	—	—	—	3	2	9	4	1
Acute anterior poliomyelitis	10	1	—	2	—	1	1	—	1	2	—	—	—
Lethargic encephalitis	7	1	—	—	2	1	2	1	—	—	—	—	—
Meningococcus meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Other epidemic and endemic diseases	2	—	—	—	—	—	2	—	—	—	—	—	—
(a) Chicken-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) German measles	—	—	—	—	—	—	—	—	—	—	—	—	—
(c) Others under this title	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax	—	—	—	—	—	—	—	—	—	—	—	—	—
Rabies	2	—	—	—	—	—	—	1	—	1	—	—	—
Tetanus	1	—	—	—	—	—	—	—	—	—	—	—	—
Mycosis	371	31	34	36	44	44	37	29	24	21	29	18	24
Tuberculosis of the respiratory system	22	2	—	5	2	4	—	2	2	—	2	2	1
Tuberculosis of the meninges and central nervous system	35	2	3	4	3	6	3	2	3	1	4	1	3
Tuberculosis of the vertebrae	6	1	—	1	—	1	—	—	—	—	—	2	1
Tuberculosis of the joints	4	—	2	—	—	—	—	—	—	1	—	1	—
Tuberculosis of other organs	13	2	3	1	1	2	1	—	2	1	1	1	—
Disseminated tuberculosis	10	—	1	—	—	2	—	2	—	2	1	1	—
Syphilis	40	2	3	7	3	1	2	3	2	4	1	10	2
Soft chancre	—	—	—	—	—	—	—	—	—	—	—	—	—
Gonococcus infection	7	2	—	1	—	—	—	1	—	—	1	1	1
Purulent infection, septicemia	5	1	1	—	—	2	—	1	—	—	—	—	—
Other infectious diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. General Diseases not included above	1568	132	112	143	142	141	141	117	116	123	135	126	140
Cancer and other malignant tumors of the buccal cavity	34	2	3	4	2	4	4	4	4	—	2	2	3
Cancer and other malignant tumors of the stomach and liver	388	41	23	31	29	34	39	32	30	29	38	33	29
Cancer and other malignant tumors of the peritoneum, intestines and rectum	231	24	17	21	22	15	21	16	18	16	22	16	23
Cancer and other malignant tumors of the female genital organs	158	14	10	15	15	20	18	13	8	13	18	11	13
Cancer and other malignant tumors of the breast	81	2	8	7	7	7	5	10	8	8	9	6	4
Cancer and other malignant tumors of the skin	28	2	2	3	3	2	4	1	2	2	1	2	4
Cancer and other malignant tumors of other or unspecified organs	227	15	17	22	21	23	24	18	16	18	17	22	14
Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted)	3	—	1	—	—	—	—	—	—	—	1	—	1

TABLE No. 18—Continued

Showing the Number of Deaths in the State
Arranged by Classes and Months, 1930

Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
Acute rheumatic fever.....	22	2	1	2	2	1	1	—	1	6	2	2	2
Chronic rheumatism, osteoarthritis, gout....	32	4	1	6	4	2	—	1	2	1	5	3	3
Scurvy.....	1	—	—	—	1	—	—	—	—	—	—	—	—
Pellagra.....	6	—	1	—	2	1	—	—	1	—	—	1	—
Rickets.....	2	—	—	—	1	1	—	—	—	—	—	—	—
Diabetes mellitus.....	193	15	15	19	16	23	14	9	17	15	17	13	20
Anemia chlorosis.....	56	1	—	5	5	7	—	—	—	3	6	5	6
Diseases of the pituitary gland.....	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the thyroid gland.....	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Exophthalmic goiter.....	4	1	—	—	1	—	—	—	—	1	—	—	1
(b) Adenoma.....	3	—	—	—	—	—	1	—	—	—	—	—	—
Diseases of the parathyroid gland.....	3	1	1	—	—	—	—	1	—	—	—	—	—
Diseases of the thymus gland.....	10	—	1	1	1	1	—	1	—	—	2	—	3
Diseases of the adrenals (Addison's disease)...	6	—	1	1	—	1	—	—	—	—	—	—	1
Diseases of the spleen.....	4	1	—	—	1	—	—	—	—	—	1	1	—
Leukemia and Hodgkin's disease.....	27	4	—	3	5	—	—	2	4	8	—	—	1
Alcoholism (acute or chronic).....	33	3	4	2	2	1	2	3	1	2	2	5	6
Chronic poisoning by mineral substances.....	2	—	—	—	—	—	1	1	—	—	—	—	—
Chronic poisoning by organic substances.....	1	—	—	—	—	—	—	—	1	—	—	—	—
Other general diseases.....	13	—	1	1	—	1	—	1	—	—	2	2	5
III. Diseases of the Nervous System and of the Organs of Special Sense.....	1303	104	113	126	107	107	85	92	106	95	124	115	129
Encephalitis.....	8	1	—	—	—	—	2	2	—	1	—	1	1
Meningitis (a) simple meningitis, (b) non- epidemic cerebrospinal meningitis.....	27	3	2	2	4	3	3	—	4	—	1	3	2
Tabes dorsalis (locomotor ataxia).....	6	2	1	—	—	2	—	—	—	1	—	—	5
Other diseases of the spinal cord.....	36	4	5	3	—	5	1	3	2	5	3	—	5
Cerebral hemorrhage, apoplexy.....	1050	80	95	102	83	79	69	71	88	80	107	93	103
Paralysis without specified cause.....	31	3	5	2	3	1	2	2	2	1	3	4	3
General paralysis of the insane.....	35	1	—	4	4	7	1	4	2	—	5	4	3
Other forms of mental alienation.....	5	1	—	1	—	1	1	—	—	1	1	—	1
Epilepsy.....	20	1	—	1	4	1	2	3	—	1	2	1	4
Convulsions (nonpuerperal) (5 yrs. and over)...	1	—	—	—	—	—	—	1	—	—	—	—	—
Infantile convulsions (under 5 yrs. of age)....	15	3	—	3	3	2	—	—	1	—	—	2	1
Chorea.....	1	—	—	1	—	—	—	—	—	—	—	—	—
Neuralgia and neuritis.....	—	—	—	—	—	—	—	—	—	—	—	—	1
Softening of the brain.....	3	—	—	—	—	—	—	—	—	1	—	—	2
Other diseases of the nervous system.....	40	4	2	4	3	6	2	3	5	4	1	4	—
Diseases of the eyes and annexa.....	2	—	—	—	1	—	—	—	1	—	—	—	—
Diseases of the ear and of the mastoid pro- cess.....	23	1	3	3	2	—	2	3	1	1	1	3	3
IV. Diseases of the Circulatory System.....	2774	271	232	243	252	235	225	216	199	210	218	237	236
Pericarditis.....	8	2	1	1	—	2	—	—	—	1	—	—	1
Endocarditis and myocarditis.....	83	6	9	5	7	13	3	10	5	6	6	4	9
Angina pectoris.....	326	30	23	32	31	26	28	26	23	28	21	28	30
Other diseases of the heart.....	1829	182	169	168	169	152	156	133	124	128	141	157	150
Diseases of the arteries.....	418	42	25	27	35	33	31	39	35	37	42	37	35
Embolism and thrombosis (not cerebral)....	100	9	4	9	6	7	7	8	11	10	8	11	10
Diseases of the veins.....	9	—	—	1	4	2	—	—	1	—	—	—	1
Diseases of the lymphatic system.....	1	—	1	—	—	—	—	—	—	—	—	—	—
Hemorrhage without specified cause.....	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of the circulatory system.....	—	—	—	—	—	—	—	—	—	—	—	—	—
V. Diseases of the Respiratory System.....	877	106	96	119	121	88	49	32	20	34	50	63	99
Diseases of the nasal fossae and their annexa...	5	—	1	1	—	—	—	—	—	2	—	—	—
Diseases of the larynx.....	7	—	—	—	—	1	1	—	1	1	1	—	—
Bronchitis.....	84	5	10	10	20	7	5	3	—	1	6	10	7
Bronchopneumonia.....	334	38	36	49	48	38	18	12	5	16	18	24	32
Pneumonia.....	392	55	46	51	50	37	23	13	11	11	18	25	52
Pleurisy.....	18	5	2	2	2	1	1	1	—	1	2	—	1
Congestion and hemorrhagic infarct of the lung.....	15	1	—	3	—	3	1	2	—	—	—	1	3
Gangrene of the lung.....	—	—	—	—	—	—	—	—	—	—	—	—	—
Asthma.....	8	—	—	1	—	—	—	—	2	1	1	1	2

REGISTRATION REPORT

TABLE No. 18—Continued
 Showing the Number of Deaths in the State
 Arranged by Classes and Months, 1930

Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
Pulmonary emphysema	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of the respiratory system (tuberculosis excepted)	14	2	—	2	1	1	—	1	1	1	2	1	2
VI. Diseases of the Digestive System	701	41	51	59	48	49	53	63	82	81	78	53	43
Diseases of the mouth and annexa	11	—	1	1	—	1	2	2	1	1	—	1	1
Diseases of the pharynx and tonsils (including adenoid vegetation)	36	1	5	6	1	2	4	3	2	3	3	3	3
Diseases of the esophagus	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer of the stomach and duodenum	54	4	3	7	3	6	5	7	4	2	3	6	4
Other diseases of the stomach (cancer excepted)	54	3	7	6	6	6	3	4	4	4	4	4	3
Diarrhea and enteritis (under 2 yrs. of age)	166	6	7	9	4	4	4	9	33	41	35	7	7
Diarrhea and enteritis (2 yrs. and over)	67	3	—	2	5	5	2	9	9	13	9	5	5
Ancylostomiasis	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases due to other intestinal parasites	1	—	—	—	—	—	—	—	—	—	—	—	—
Appendicitis and typhlitis	114	10	9	8	8	9	12	11	11	8	14	11	3
Hernia, intestinal obstruction	86	8	7	9	9	7	9	7	7	3	5	6	9
Other diseases of the intestines	6	—	—	1	1	1	—	—	—	—	—	—	1
Acute yellow atrophy of the liver	2	—	1	—	—	—	—	—	1	—	—	—	—
Hydatid tumors of the liver	—	—	—	—	—	—	—	—	—	—	—	—	—
Cirrhosis of the liver	39	2	4	1	5	6	5	2	2	2	1	7	2
Biliary calculi	33	2	4	1	3	2	4	5	5	1	2	2	2
Other diseases of the liver	25	2	3	6	2	—	1	3	1	2	1	1	3
Diseases of the pancreas	3	—	—	1	—	—	2	—	—	—	—	—	—
Peritonitis without specified cause	4	—	—	1	1	—	—	—	2	—	—	—	—
Other diseases of the digestive system (cancer and tuberculosis excepted)	—	—	—	—	—	—	—	—	—	—	—	—	—
VII. Non-venereal Diseases of the Genitourinary System and Annexa	947	106	93	81	77	82	68	78	73	69	70	73	77
Acute nephritis (including unspecified under 10 yrs. of age)	50	4	8	7	4	2	3	7	3	6	—	1	5
Chronic nephritis (including unspecified 10 yrs. and over)	761	86	70	64	59	60	57	63	64	57	62	56	63
Chyuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of the kidneys and annexa (diseases of the kidneys in pregnancy excepted)	20	4	5	—	2	1	—	—	—	—	—	5	3
Calculi of the urinary passages	13	2	2	—	2	1	—	2	—	2	2	—	—
Diseases of the bladder	12	1	—	3	—	3	1	1	1	—	2	—	—
Diseases of the urethra, urinary abscess, etc.	3	—	1	1	—	—	—	—	—	—	—	1	—
Diseases of the prostate	45	4	4	1	3	9	2	2	2	2	4	8	4
Non-venereal diseases of the male genital organs	—	—	—	—	—	—	—	—	—	—	—	—	—
Cysts and other benign tumors of the ovary	5	—	1	—	1	1	2	—	—	—	—	—	—
Salpingitis and pelvic abscess	14	1	1	—	4	2	—	1	2	1	—	—	2
Benign tumors of the uterus	16	4	1	2	1	3	2	1	1	1	—	—	—
Nonpuerperal uterine hemorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of the female genital organs	8	—	—	3	1	—	1	1	—	—	—	2	—
Nonpuerperal diseases of the breast (cancer excepted)	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. The Puerperal State	116	9	8	10	10	12	14	6	11	14	10	6	6
Accidents of pregnancy	16	2	1	1	2	1	2	2	—	3	1	—	1
Puerperal hemorrhage	8	1	—	1	1	2	1	—	—	2	—	—	—
Other accidents of labor	19	—	2	1	3	2	2	2	1	2	1	2	1
Puerperal septicemia	30	3	3	2	2	2	5	1	4	1	5	1	1
Puerperal phlegmasia alba dolens, embolus, sudden death	10	—	—	2	—	1	2	—	2	1	1	1	—
Puerperal albuminuria and convulsions	32	3	1	3	2	4	2	1	4	5	2	2	3
Following childbirth (not otherwise defined)	1	—	1	—	—	—	—	—	—	—	—	—	—
Puerperal diseases of the breast	—	—	—	—	—	—	—	—	—	—	—	—	—
IX. Diseases of the Skin and of the Cellular Tissue	39	1	6	2	9	5	1	5	2	—	2	2	4
Gangrene	17	1	2	1	5	1	—	2	1	—	—	1	3

REGISTRATION REPORT

TABLE No. 18—Concluded

Showing the Number of Deaths in the State
Arranged by Classes and Months, 1930

Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
Starvation (deprivation of food or water)...	1	—	—	—	—	—	—	—	—	1	—	—	—
Excessive cold.....	4	2	—	1	—	—	—	—	—	—	—	—	—
Excessive heat.....	4	—	—	—	—	—	1	1	1	1	—	—	—
Lightning.....	3	—	—	—	—	1	—	2	—	—	—	—	—
Other accidental electric shocks.....	8	1	1	1	—	—	1	2	1	1	—	—	—
Homicide by firearms.....	6	—	—	1	—	—	—	1	1	1	—	—	—
Homicide by cutting or piercing instruments..	—	—	—	—	1	—	—	—	—	—	—	—	2
Homicide by other means.....	4	—	—	—	—	—	1	1	1	—	—	—	—
Infanticide (murder of infants less than one year of age).....	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture (cause not specified).....	3	—	—	—	1	—	—	1	—	—	—	1	—
Other external violence (cause specified)....	33	1	2	8	2	2	3	3	—	3	6	—	3
Violent deaths of unknown causation.....	—	—	—	—	—	—	—	—	—	—	—	—	—
XV. Ill-Defined Diseases.....	106	6	10	8	16	9	6	7	7	8	6	9	14
Sudden death.....	32	—	3	1	4	3	2	4	4	3	3	1	4
Cause of death (not specified or ill-defined).	74	6	7	7	12	6	4	3	3	5	3	8	10

TABLE
Deaths from All Causes

Causes of Death	Total	Under 1	1 and under 2	2	3	4	Total under 5	5- 9	10- 14
General Diseases.....	11,084	1,222	130	80	49	57	1,538	148	104
I. Epidemic, Endemic and Infectious Dis- eases.....	958	110	33	16	18	12	189	35	21
II. General Diseases not included above..	1,568	20	7	—	1	4	32	7	8
III. Diseases of the Nervous System and of the Organs of Special Sense.....	1,303	22	7	3	5	3	40	9	7
IV. Diseases of the Circulatory System...	2,774	2	—	—	—	4	6	6	5
V. Diseases of the Respiratory System..	877	153	34	19	4	5	215	15	10
VI. Diseases of the Digestive System....	701	165	34	22	12	15	248	21	11
VII. Non-venereal Diseases of the Genito- urinary System and Annexa.....	947	3	2	1	1	—	7	3	1
VIII. The Puerperal State.....	116	—	—	—	—	—	—	—	—
IX. Diseases of the Skin and of the Cellular Tissue.....	39	2	—	—	—	—	2	—	—
X. Diseases of the Bones and of the Organs of Locomotion.....	11	—	—	—	—	—	—	2	—
XI. Malformations.....	123	112	1	3	—	—	116	4	2
XII. Early Infancy.....	579	579	—	—	—	—	579	—	—
XIII. Old Age.....	183	—	—	—	—	—	—	—	—
XIV. External Causes.....	799	10	7	16	7	14	54	41	38
XV. Ill-Defined Diseases.....	106	44	5	—	1	—	50	5	1

CAUSES OF DEATHS, BY CLASSES AND GROUPS

No. 19
by Age-Groups, 1930

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 and over	Un-known
152	224	184	231	258	295	432	549	599	878	1,133	1,299	1,260	948	587	215	43	7	—
45	67	60	68	56	48	58	52	53	51	57	33	25	24	13	2	—	1	—
5	12	8	29	35	54	89	123	156	194	268	235	176	85	42	9	1	—	—
4	6	9	10	14	22	37	78	65	116	175	212	218	161	95	24	1	—	—
8	6	6	13	31	47	89	125	142	258	338	479	483	379	239	95	18	1	—
15	14	11	17	19	21	30	31	47	61	58	71	92	76	50	17	6	1	—
15	20	18	25	24	33	29	33	31	45	31	47	32	21	15	2	—	—	—
4	3	7	8	24	28	51	56	54	84	141	141	160	102	57	15	—	1	—
13	24	26	27	20	6	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	—	—	—	—	—	2	—	4	6	8	4	7	4	—	—	—	—
—	—	—	—	—	1	1	—	—	2	2	1	1	—	—	1	—	—	—
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	15	24	44	50	36	12	2	—
42	70	38	34	33	35	44	43	47	55	48	54	38	45	20	14	5	1	—
—	1	—	—	2	—	4	6	4	8	9	3	7	4	2	—	—	—	—

TABLE
Deaths from All Causes

Causes of Death	Total	Under 1	1 and under 2	2	3	4	Total under 5	5-9	10-14
I. Epidemic, Endemic and Infectious Diseases.....	958	110	33	16	18	12	189	35	21
Typhoid and paratyphoid fever.....	30	1	—	—	—	—	1	2	2
Typhus fever.....	—	—	—	—	—	—	—	—	—
Malta fever.....	—	—	—	—	—	—	—	—	—
Malaria.....	3	—	—	—	—	—	—	—	—
Small-pox.....	—	—	—	—	—	—	—	—	—
Measles.....	12	3	2	—	1	1	7	2	1
Scarlet fever.....	13	2	3	—	2	—	7	2	—
Whooping-cough.....	56	42	7	2	2	—	53	3	—
Diphtheria.....	26	—	3	3	3	4	13	6	3
Influenza.....	213	33	11	6	3	—	53	8	3
Miliary fever.....	—	—	—	—	—	—	—	—	—
Mumps.....	—	—	—	—	—	—	—	—	—
Cholera nostras.....	1	—	—	—	—	—	—	—	—
Dysentery.....	9	3	—	1	—	2	6	1	—
Plague.....	—	—	—	—	—	—	—	—	—
Yellow fever.....	—	—	—	—	—	—	—	—	—
Spirochetel hemorrhagic jaundice.....	—	—	—	—	—	—	—	—	—
Leprosy.....	—	—	—	—	—	—	—	—	—
Erysipelas.....	33	6	—	—	—	—	6	—	—
Acute anterior poliomyelitis.....	27	1	—	—	—	3	4	4	5
Lethargic encephalitis.....	10	—	—	—	1	—	1	1	—
Meningococcus meningitis.....	7	1	—	—	1	—	2	1	2
Other epidemic and endemic diseases.....	—	—	—	—	—	—	—	—	—
(a) Chicken-pox.....	2	2	—	—	—	—	2	—	—
(b) German measles.....	—	—	—	—	—	—	—	—	—
(c) Others under this title.....	—	—	—	—	—	—	—	—	—
Glanders.....	—	—	—	—	—	—	—	—	—
Anthrax.....	—	—	—	—	—	—	—	—	—
Rabies.....	—	—	—	—	—	—	—	—	—
Tetanus.....	2	—	—	1	—	—	1	1	—
Mycoses.....	1	—	—	—	—	—	—	—	—
Tuberculosis of the respiratory system.....	371	1	3	—	1	—	5	1	1
Tuberculosis of the meninges and central nervous system.....	22	3	3	2	2	2	12	1	3
Tuberculosis of the intestines and peritoneum.....	35	1	—	—	1	—	2	—	—
Tuberculosis of the vertebral column.....	6	—	—	—	—	—	—	—	—
Tuberculosis of the joints.....	4	—	—	—	—	—	—	1	—
Tuberculosis of other organs.....	13	—	—	1	—	—	1	—	—
Disseminated tuberculosis.....	10	—	—	—	1	—	1	—	—
Syphilis.....	40	9	1	—	—	—	10	1	1
Soft chancre.....	—	—	—	—	—	—	—	—	—
Gonococcus infection.....	7	—	—	—	—	—	—	—	—
Purulent infection, septicemia.....	5	2	—	—	—	—	2	—	—
Other infectious diseases.....	—	—	—	—	—	—	—	—	—
II. General Diseases not included above.....	1,568	20	7	—	1	4	32	7	8
Cancer and other malignant tumors of the buccal cavity.....	34	—	—	—	—	—	—	—	—
Cancer and other malignant tumors of the stomach and liver.....	388	—	—	—	—	—	—	—	—
Cancer and other malignant tumors of the peritoneum, intestines and rectum.....	231	—	—	—	—	—	—	—	—
Cancer and other malignant tumors of the female genital organs.....	158	—	—	—	—	—	—	—	—
Cancer and other malignant tumors of the breast.....	81	—	—	—	—	—	—	—	—
Cancer and other malignant tumors of the skin.....	28	—	—	—	—	—	—	—	—
Cancer and other malignant tumors of other or unspecified organs.....	227	—	1	—	1	—	2	1	—
Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted).....	3	—	—	—	—	—	—	—	—
Acute rheumatic fever.....	22	—	—	—	—	2	2	2	6

TABLE
Deaths from All Causes

Causes of Death	Total	Under 1	1 and under 2	2	3	4	Total under 5	5- 9	10- 14
Chronic rheumatism, osteoarthritis, gout....	32	—	—	—	—	—	—	—	—
Scurvy.....	1	—	—	—	—	—	—	—	—
Pellagra.....	6	—	—	—	—	—	—	—	—
Rickets.....	2	1	—	—	—	—	—	—	—
Diabetes mellitus.....	193	—	—	—	—	1	1	1	1
Anemia chlorosis.....	56	1	1	—	—	—	2	1	—
Diseases of the pituitary gland.....	—	—	—	—	—	—	—	—	—
Diseases of the thyroid gland.....	—	—	—	—	—	—	—	—	—
(a) Exophthalmic goiter.....	4	—	—	—	—	—	—	—	—
(b) Adenoma.....	3	—	—	—	—	—	—	—	—
Diseases of the parathyroid gland.....	3	2	1	—	—	—	3	—	—
Diseases of the thymus gland.....	10	7	2	—	—	1	10	—	—
Diseases of the adrenals (Addison's disease).....	6	—	—	—	—	—	—	1	—
Diseases of the spleen.....	4	—	—	—	—	—	—	—	—
Leukemia and Hodgkin's disease.....	27	—	—	—	—	—	—	1	—
Alcoholism (acute or chronic).....	33	—	—	—	—	—	—	—	—
Chronic poisoning by mineral substances.....	2	—	—	—	—	—	—	—	—
Chronic poisoning by organic substances.....	1	—	—	—	—	—	—	—	—
Other general diseases.....	13	9	2	—	—	—	11	—	—
III. Diseases of the Nervous System and of the Organs of Special Sense.....	1,303	22	7	3	5	3	40	9	7
Encephalitis.....	8	—	—	—	1	—	1	2	—
Meningitis, (a) simple meningitis, (b) non- epidemic cerebrospinal meningitis.....	27	9	2	1	2	—	14	3	4
Tabes dorsalis (locomotor ataxia).....	6	—	—	—	—	—	—	—	—
Other diseases of the spinal cord.....	36	—	—	—	1	1	2	—	—
Cerebral hemorrhage, apoplexy.....	1,050	—	—	—	—	—	—	—	—
Paralysis without specified cause.....	31	—	—	—	—	—	—	—	—
General paralysis of the insane.....	35	—	—	—	—	—	—	—	—
Other forms of mental alienation.....	5	—	—	—	—	—	—	—	—
Epilepsy.....	20	1	—	1	—	—	2	—	1
Convulsions (non-puerperal) (5 yrs. and over).....	1	—	—	—	—	—	—	—	—
Infantile convulsions (under 5 yrs. of age).....	15	11	2	1	1	—	15	—	—
Chorea.....	1	—	—	—	—	—	—	—	—
Neuralgia and neuritis.....	1	—	—	—	—	—	—	—	—
Softening of the brain.....	3	—	—	—	—	—	—	—	—
Other diseases of the nervous system.....	40	—	—	—	—	1	1	—	—
Diseases of the eyes and annexa.....	2	—	—	—	—	—	—	—	—
Diseases of the ear and of the mastoid process.....	23	1	3	—	—	1	5	4	2
IV. Diseases of the Circulatory System.....	2,774	2	—	—	—	4	6	6	5
Pericarditis.....	8	—	—	—	—	1	1	—	—
Endocarditis and myocarditis.....	83	1	—	—	—	2	3	2	—
Angina pectoris.....	326	—	—	—	—	—	—	—	—
Other diseases of the heart.....	1,829	—	—	—	—	1	1	4	5
Diseases of the arteries.....	418	—	—	—	—	—	—	—	—
Embolism and thrombosis (not cerebral).....	100	1	—	—	—	—	1	—	—
Diseases of the veins.....	9	—	—	—	—	—	—	—	—
Diseases of the lymphatic system.....	1	—	—	—	—	—	—	—	—
Hemorrhage without specified cause.....	—	—	—	—	—	—	—	—	—
Other diseases of the circulatory system.....	—	—	—	—	—	—	—	—	—
V. Diseases of the Respiratory System.....	877	153	34	19	4	5	215	15	10
Diseases of the nasal fossae and their annexa.....	5	—	2	—	—	—	2	—	—
Diseases of the larynx.....	7	1	1	1	—	—	3	3	—
Bronchitis.....	84	24	3	1	1	—	29	1	—
Bronchopneumonia.....	334	101	19	10	2	2	134	4	3
Pneumonia.....	392	23	9	5	1	2	40	7	6
Pleurisy.....	18	1	—	2	—	1	4	—	—
Congestion and hemorrhagic infarct of the lung.....	15	1	—	—	—	—	1	—	—
Gangrene of the lung.....	—	—	—	—	—	—	—	—	—
Asthma.....	8	1	—	—	—	—	1	—	—
Pulmonary emphysema.....	—	—	—	—	—	—	—	—	—
Other diseases of the respiratory system (tuber- culosis excepted).....	14	1	—	—	—	—	1	—	1

TABLE
Deaths from All Causes

Causes of Death	Total	Under 1	1 and under 2	2	3	4	Total under 5	5- 9	10- 14
VI. Diseases of the Digestive System.....	701	165	34	22	12	15	248	21	11
Diseases of the mouth and annexa.....	11	—	—	—	—	—	—	—	—
Diseases of the pharynx and tonsils (including adenoid vegetation).....	36	1	3	2	2	1	9	3	3
Diseases of the esophagus.....	—	—	—	—	—	—	—	—	—
Ulcer of the stomach and duodenum.....	54	—	—	—	—	—	—	—	—
Other diseases of the stomach (cancer ex- cepted).....	54	11	3	1	1	1	17	1	—
Diarrhea and enteritis (under 2 yrs. of age).....	166	143	23	—	—	—	166	—	—
Diarrhea and enteritis (2 yrs. and over).....	67	—	—	16	5	7	28	6	2
Ancylostomiasis.....	—	—	—	—	—	—	—	—	—
Diseases due to other intestinal parasites.....	1	—	—	—	—	1	1	—	—
Appendicitis and typhlitis.....	114	—	4	2	3	3	12	8	6
Hernia, intestinal obstruction.....	86	7	1	—	—	—	10	2	—
Other diseases of the intestines.....	6	2	—	1	—	—	3	—	—
Acute yellow atrophy of the liver.....	2	—	—	—	—	—	—	—	—
Hydatid tumor of the liver.....	—	—	—	—	—	—	—	—	—
Cirrhosis of the liver.....	39	—	—	—	—	—	—	—	—
Biliary calculi.....	33	—	—	—	—	—	—	—	—
Other diseases of the liver.....	25	1	—	—	—	—	1	—	—
Diseases of the pancreas.....	3	—	—	—	—	—	—	—	—
Peritonitis without specified cause.....	4	—	—	—	1	—	1	1	—
Other diseases of the digestive system (cancer and tuberculosis excepted).....	—	—	—	—	—	—	—	—	—
VII. Non-venereal Diseases of the Genito- urinary System and Annexa.....	947	3	2	1	1	—	7	3	1
Acute nephritis (including unspecified under 10 yrs. of age).....	50	3	2	—	1	—	6	3	—
Chronic nephritis (including unspecified 10 yrs. and over).....	761	—	—	—	—	—	—	—	1
Chyluria.....	—	—	—	—	—	—	—	—	—
Other diseases of the kidneys and annexa (dis- eases of the kidneys in pregnancy excepted).....	20	—	—	—	—	—	—	—	—
Calculi of the urinary passages.....	13	—	—	—	—	—	—	—	—
Diseases of the bladder.....	12	—	—	1	—	—	1	—	—
Diseases of the urethra, urinary abscess, etc.....	3	—	—	—	—	—	—	—	—
Diseases of the prostate.....	45	—	—	—	—	—	—	—	—
Non-venereal diseases of the male genital or- gans.....	—	—	—	—	—	—	—	—	—
Cysts and other benign tumors of the ovary.....	5	—	—	—	—	—	—	—	—
Salpingitis and pelvic abscess.....	14	—	—	—	—	—	—	—	—
Benign tumors of the uterus.....	16	—	—	—	—	—	—	—	—
Non-puerperal uterine hemorrhage.....	—	—	—	—	—	—	—	—	—
Other diseases of the female genital organs.....	8	—	—	—	—	—	—	—	—
Non-puerperal disease of the breast (cancer excepted).....	—	—	—	—	—	—	—	—	—
VIII. The Puerperal State.....	116	—	—	—	—	—	—	—	—
Accidents of pregnancy.....	16	—	—	—	—	—	—	—	—
Puerperal hemorrhage.....	8	—	—	—	—	—	—	—	—
Other accidents of labor.....	19	—	—	—	—	—	—	—	—
Puerperal septicemia.....	30	—	—	—	—	—	—	—	—
Puerperal phlegmasia alba dolens, embolus, sudden death.....	10	—	—	—	—	—	—	—	—
Puerperal albuminuria and convulsions.....	32	—	—	—	—	—	—	—	—
Following childbirth (not otherwise defined).....	1	—	—	—	—	—	—	—	—
Puerperal diseases of the breast.....	—	—	—	—	—	—	—	—	—
IX. Diseases of the Skin and of the Cellular Tissue.....	39	2	—	—	—	—	2	—	—
Gangrene.....	17	—	—	—	—	—	—	—	—
Furuncle.....	10	—	—	—	—	—	—	—	—
Acute abscess.....	6	1	—	—	—	—	1	—	—
Other diseases of the skin and annexa.....	6	1	—	—	—	—	1	—	—

REGISTRATION REPORT

TABLE
Deaths from All Causes

Causes of Death	Total	Under 1	1 and under 2	2	3	4	Total under 5	5- 9	10- 14
Excessive heat.....	4	—	—	1	—	—	1	—	—
Lightning.....	3	—	—	—	—	—	—	—	2
Other accidental electric shocks.....	8	—	—	—	—	—	—	—	—
Homicide by firearms.....	6	—	—	—	—	—	—	—	—
Homicide by cutting or piercing instruments..	—	—	—	—	—	—	—	—	—
Homicide by other means.....	4	—	—	—	—	—	—	—	—
Infanticide (murder of infants less than one year of age).....	—	—	—	—	—	—	—	—	—
Fracture (cause not specified).....	3	—	—	—	—	—	—	—	—
Other external violence (cause specified)....	33	1	—	1	—	—	2	3	1
Violent deaths from unknown causation.....	—	—	—	—	—	—	—	—	—
XV. Ill-Defined Diseases.....	106	44	5	—	1	—	50	5	1
Sudden death.....	32	8	—	—	—	—	8	—	—
Cause of death (not specified or ill-defined).	74	36	5	—	1	—	42	5	1

CAUSES OF DEATHS, BY CLASSES AND GROUPS 73

No. 19—Concluded
by Age-Groups, 1930

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 and over	Un-known
—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	4	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
—	2	—	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	2	1	2	1	2	4	4	3	3	1	1	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	—	—	2	—	4	6	4	8	9	3	7	4	2	—	—	—	—
—	—	—	—	2	—	3	3	3	3	3	1	3	2	1	—	—	—	—
—	1	—	—	—	—	3	3	1	3	3	2	3	2	1	—	—	—	—
—	—	—	—	—	—	1	3	—	5	6	—	4	—	—	—	—	—	—

TABLE No. 20.
Number of Deaths from Several Specified Causes of Each Sex, in Each
Month, which were Registered during Thirty-nine Years, 1892-1930

	Measles	Scarlet fever	Whooping-cough	Diphtheria and croup	Typhoid fever	Pulmonary tuberculosis	Diarrhea and enteritis (under 2 years)	Pneumonia	Bronchitis	Cerebral hemorrhage Apoplexy
Totals.....	1,724	875	2,766	4,056	4,942	31,416	15,580	39,570	6,759	32,745
Males.....	855	400	1,293	2,045	2,880	14,819	—	20,113	3,069	15,875
Females.....	865	475	1,473	2,010	2,061	16,596	—	19,450	3,690	16,870
Not stated.....	4	—	—	1	1	1	—	7	—	—
January.....	170	89	276	435	397	2,730	309	5,568	855	3,042
February.....	152	86	271	345	312	2,750	267	5,520	805	2,926
March.....	206	116	274	275	395	3,170	312	5,597	904	2,944
April.....	232	79	261	263	351	3,117	319	4,764	780	2,767
May.....	214	69	242	286	335	3,091	356	3,702	591	2,832
June.....	181	65	211	245	278	2,611	437	2,003	423	2,532
July.....	148	46	181	220	267	2,475	1,724	1,009	294	2,413
August.....	84	33	220	233	402	2,313	4,576	835	216	2,484
September.....	52	48	221	287	602	2,146	4,466	1,249	275	2,561
October.....	72	70	212	440	660	2,352	1,945	2,506	478	2,720
November.....	102	85	186	511	497	2,182	519	2,810	491	2,617
December.....	111	89	218	516	439	2,463	347	3,996	636	2,903
Not stated.....	—	—	3	—	7	16	3	11	6	4

TABLE No. 21

Years	Total deaths	Males	Females	Not stated	Death-rate per 1,000
1892.....	12,147	5,939	6,175	33	18.19
1893.....	11,134	5,557	5,551	26	16.59
1894.....	11,012	5,570	5,422	20	16.33
1895.....	10,464	5,226	5,228	10	15.44
1896.....	10,626	5,350	5,268	8	15.60
1897.....	11,236	5,624	5,606	6	16.42
1898.....	10,956	5,506	5,447	3	15.93
1899.....	11,370	5,676	5,686	8	16.45
1900.....	11,389	5,734	5,649	6	16.40
1901.....	11,133	5,604	5,523	6	15.94
1902.....	10,673	5,454	5,216	3	15.19
1903.....	11,009	5,629	5,378	2	15.58
1904.....	11,346	5,868	5,468	10	15.97
1905.....	11,381	5,835	5,545	1	15.92
1906.....	11,427	5,925	5,497	5	15.90
1907.....	11,803	6,100	5,700	3	16.33
1908.....	11,664	6,060	5,602	2	16.05
1909.....	11,295	5,743	5,551	1	15.45
1910.....	12,439	6,427	6,012	—	16.62
1911.....	11,731	6,119	5,612	—	15.68
1912.....	11,390	5,865	5,523	2	15.27
1913.....	11,552	6,003	5,549	—	15.35
1914.....	11,648	6,161	5,487	—	15.24
1915.....	11,541	6,095	5,444	2	14.96
1916.....	11,772	6,139	5,633	—	15.38
1917.....	11,407	5,994	5,413	—	14.53
1918.....	14,187	7,324	6,859	4	17.78
1919.....	10,919	5,556	5,363	—	13.53
1920.....	11,850	6,063	5,787	—	15.43
1921.....	10,875	5,570	5,305	—	14.07
1922.....	11,480	6,002	5,478	—	14.76
1923.....	11,693	6,112	5,581	—	15.07
1924.....	10,785	5,593	5,192	—	13.76
1925.....	10,847	5,669	5,178	—	13.88
1926.....	11,416	5,999	5,417	—	14.45
1927.....	10,977	5,738	5,239	—	13.80
1928.....	11,037	5,758	5,279	—	13.99
1929.....	11,375	6,051	5,324	—	14.37
1930.....	11,084	5,947	5,137	—	13.90
Average.....	11,386	5,861	5,521	4	15.42

TABLE No. 22
Deaths

Largest Number		Smallest Number		
1892	January	1,577	November	790
1893	January	1,080	November	796
1894	January	1,266	November	761
1895	March	1,053	June	715
1896	August	1,079	November	667
1897	March	1,259	June	769
1898	September	1,147	June	791
1899	February	1,049	June	768
1900	April	1,196	November	769
1901	March	1,132	June	789
1902	December	998	June	805
1903	January	1,006	June	786
1904	April	1,116	July	800
1905	March	1,197	July	768
1906	August	1,133	January	822
1907	March	1,177	July	844
1908	January	1,128	June	818
1909	March	1,178	July	831
1910	March	1,149	June	844
1911	March	1,223	June	791
1912	January	1,052	November	836
1913	March	1,180	July	791
1914	March	1,105	June	817
1915	April	1,279	November	813
1916	February	1,200	November	819
1917	January	1,208	August	746
1918	October	2,708	July	777
1919	January	1,402	July	729
1920	February	1,710	July	803
1921	April	996	August	836
1922	March	1,170	August	763
1923	February	1,413	July	798
1924	March	1,025	September	738
1925	April	1,067	July	783
1926	April	1,251	August	745
1927	April	1,015	July	817
1928	May	1,028	August	819
1929	January	1,460	September	761
1930	March	1,039	August	810

TABLE No. 23
Age and Mortality Rates for 1930
Number of Deaths and Percentage of Each Age-Period Compared
with Total Number of Deaths

Age-Periods	Number	Rate
Under 1 year of age	1,222	11.02
From 1-5 years of age	316	2.85
From 5-10 years of age	148	1.34
From 10-20 years of age	256	2.31
From 20-30 years of age	408	3.68
From 30-40 years of age	489	4.41
From 40-50 years of age	727	6.56
From 50-60 years of age	1,148	10.36
From 60-70 years of age	2,011	18.14
From 70-80 years of age	2,559	23.09
From 80-90 years of age	1,535	13.85
From 90-100 years of age	258	2.33
100 years of age and over	7	.06
Age not stated	—	—

TABLE No. 24
Communicable Diseases—Cases and Deaths by Months, 1930

		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
Cerebrospinal meningitis.....	Cases	—	1	5	—	4	3	1	1	—	1	2	1	19
	Deaths	3	—	1	3	1	4	1	2	—	1	1	1	18
Chicken-pox.....	Cases	271	224	248	181	109	125	39	12	12	80	199	314	1,814
	Deaths	—	—	—	—	—	2	—	—	—	—	—	—	2
Diphtheria.....	Cases	13	15	12	3	13	35	21	15	7	10	24	22	190
	Deaths	3	2	1	—	1	—	4	2	1	3	3	1	26
German measles.....	Cases	11	14	26	53	113	25	6	3	3	3	9	5	271
	Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile paralysis.....	Cases	—	2	1	1	—	—	—	14	65	55	15	9	162
	Deaths	—	1	—	—	—	—	—	3	8	9	4	2	27
Measles.....	Cases	8	74	280	199	402	197	63	17	105	13	138	84	1,580
	Deaths	—	—	1	2	2	1	1	—	1	—	1	3	12
Mumps.....	Cases	297	287	410	321	426	217	88	74	66	79	235	198	2,698
	Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis (all kinds).....	Cases	30	37	48	82	64	60	64	77	46	49	65	46	688
	Deaths	38	43	47	50	59	41	35	29	27	37	25	30	461
Scarlet fever.....	Cases	221	233	240	152	132	40	57	44	28	64	93	77	1,381
	Deaths	4	1	5	—	—	—	2	—	—	—	1	—	13
Small-pox.....	Cases	—	—	—	—	—	—	—	—	—	—	—	—	—
	Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis.....	Cases	95	33	58	37	47	37	41	43	17	28	27	130	593
	Deaths	2	3	7	3	1	2	3	2	4	1	10	2	40
Typhoid fever.....	Cases	11	17	11	10	22	8	2	20	24	28	66	55	274
	Deaths	5	1	—	1	3	2	2	1	2	5	5	3	30
Whooping-cough.....	Cases	153	181	173	113	105	77	117	142	146	220	219	248	1,894
	Deaths	4	4	3	6	2	4	4	4	5	7	8	5	56
Influenza.....	Cases	25	47	72	27	26	5	2	4	2	15	2	6	233
	Deaths	29	35	35	33	14	10	1	10	4	9	17	16	213

TABLE No. 24—Concluded
Communicable Diseases—Cases and Deaths by Counties, 1930

		Androsoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York	Total
Cerebrospinal meningitis.....	Cases	1	1	2	—	—	2	1	—	—	4	—	2	2	—	—	4	19
	Deaths	1	6	2	—	—	—	—	—	1	2	—	1	2	—	1	2	18
Chicken-pox.....	Cases	203	25	523	25	52	197	45	116	121	110	13	70	82	20	10	202	1,814
	Deaths	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Diphtheria.....	Cases	54	51	15	2	1	8	6	—	17	12	—	1	4	—	1	18	190
	Deaths	2	13	1	—	—	2	1	—	2	—	—	—	—	1	—	4	26
German measles.....	Cases	17	—	36	3	8	2	6	1	11	157	12	3	—	2	4	9	271
	Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile paralysis.....	Cases	14	6	86	—	1	—	4	6	3	10	4	3	1	—	1	16	162
	Deaths	3	1	10	1	—	2	—	—	—	3	—	1	1	—	—	5	27
Measles.....	Cases	13	19	90	5	112	17	456	11	14	276	6	5	263	138	81	74	1,580
	Deaths	—	2	3	—	1	—	1	—	—	1	—	—	2	—	2	—	12
Mumps.....	Cases	226	150	715	4	301	280	98	196	73	275	7	17	170	53	50	83	2,698
	Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis (all kinds).....	Cases	57	135	107	6	33	67	19	9	26	86	13	14	24	16	23	33	668
	Deaths	33	58	55	11	17	47	21	6	16	57	7	9	49	13	30	32	461
Scarlet fever.....	Cases	76	258	286	12	68	113	44	19	16	183	143	17	41	47	19	39	1,381
	Deaths	1	3	—	—	—	—	—	—	1	3	—	—	—	—	1	—	13
Smallpox.....	Cases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis.....	Cases	19	49	253	8	7	53	16	7	11	57	16	26	30	8	19	14	593
	Deaths	2	2	11	1	—	7	1	1	1	11	1	—	—	—	1	2	40
Typhoid fever.....	Cases	14	38	32	3	31	28	16	5	8	42	7	6	16	9	11	8	274
	Deaths	3	2	3	1	2	4	2	—	4	5	1	—	2	—	1	1	30
Whooping-cough.....	Cases	189	110	428	—	49	325	89	4	1 35	131	1	26	65	226	9	107	1,894
	Deaths	2	20	7	1	3	7	—	—	—	4	—	1	3	3	1	4	56
Influenza.....	Cases	29	21	48	3	5	5	19	9	11	14	1	8	32	1	19	8	233
	Deaths	4	33	16	1	15	27	9	—	14	14	8	2	16	8	8	38	213

TABLE
Chief Causes

Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Measles	Mumps	Tuberculosis (all kinds)	Scarlet fever	Small-pox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 yrs. of age)	Encephalitis lethargic	Cancer	Pneumonia
Androscoggin County	1	—	2	—	—	—	33	1	—	2	3	2	4	9	1	112	66
Auburn.....	—	—	—	—	—	—	4	—	—	—	—	—	—	4	—	14	13
Durham.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2
Greene.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1
Leeds.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1
Lewiston.....	—	—	1	—	—	—	24	1	—	2	3	2	3	5	1	74	39
Lisbon.....	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	5	3
Livernore.....	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Livernore Falls.....	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	3	3
Mechanic Falls.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Minot.....	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1
Poland.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
Turner.....	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	3	—
Wales.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2
Webster.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	1
Aroostook County...	6	2	13	—	2	—	58	3	—	2	2	20	33	95	—	67	80
Amity.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Ashland.....	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	2	5
Bancroft.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Benedicta.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Blaine.....	—	—	—	—	—	—	1	3	—	—	—	1	1	2	—	—	2
Bridgewater.....	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	3
Caribou.....	1	—	—	—	1	—	7	—	—	2	1	3	5	12	—	9	9
Castle Hill.....	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Chapman.....	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Connor.....	—	2	—	—	—	—	—	—	—	—	—	1	—	2	—	—	1
Crystal.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Dyer Brook.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Eagle Lake.....	—	—	1	—	—	—	1	—	—	—	—	—	1	6	—	—	2
Easton.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fort Fairfield.....	—	—	—	—	—	—	4	—	—	—	—	—	3	3	—	7	6
Fort Kent.....	1	—	1	—	—	—	2	—	—	—	1	1	1	6	—	2	1
Frenchville.....	—	—	—	—	—	—	1	—	—	—	—	—	2	4	—	2	—
Grand Isle.....	—	—	—	—	—	—	1	—	—	—	—	1	—	9	—	1	2
Haynesville.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
Hersey.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Hodgdon.....	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	3	1
Houlton.....	—	—	—	—	—	—	4	—	—	—	—	5	5	1	—	6	9
Island Falls.....	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
Limestone.....	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	3
Linneus.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Littleton.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ludlow.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Madawaska.....	—	—	8	—	—	—	4	—	—	—	—	1	1	3	—	1	4
Mapleton.....	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	1
Mars Hill.....	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	2	—
Masardis.....	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Merrill.....	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Monticello.....	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
New Limerick.....	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
New Sweden.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Oakfield.....	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Orient.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Perham.....	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	1
Portage Lake.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Presque Isle.....	—	—	—	—	—	—	17	—	—	—	—	—	—	5	—	5	5
Saint Agatha.....	—	—	1	—	—	—	—	—	—	—	—	—	5	10	—	—	2

TABLE
Chief Causes

Franklin County—Continued

Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Measles	Mumps	Tuberculosis (all kinds)	Scarlet fever	Small-pox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 yrs. of age)	Encephalitis lethargica	Cancer	Pneumonia
Eustis.....	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Farmington.....	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	8	3
Industry.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Jay.....	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	3	1
Kingfield.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4
Madrid.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
New Sharon.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
New Vineyard.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Phillips.....	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	3	—
Rangeley.....	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	1	—
Salem.....	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Strong.....	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Temple.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Weld.....	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
Wilton.....	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	6	—
Hancock County....	—	—	—	—	—	17	—	—	—	—	2	3	15	—	—	45	38
Amherst.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Aurora.....	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Bar Harbor.....	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	10	4
Blue Hill.....	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	1	4
Brooklin.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brooksville.....	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Bucksport.....	—	—	—	—	—	1	—	—	—	—	1	—	2	—	—	1	4
Castine.....	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	3
Cranberry Isles.....	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—
Dedham.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Deer Isle.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
Ellsworth.....	—	—	—	—	—	1	—	—	—	—	1	3	—	—	—	7	2
Franklin.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Gouldsboro.....	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	1
Hancock.....	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	3
Lamoine.....	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Mariaville.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Mt. Desert.....	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1	1
Orland.....	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	4
Otis.....	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Penobscot.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	1
Sedgwick.....	—	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—	3
Sorrento.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Southwest Harbor.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Stonington.....	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	2	2
Sullivan.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Surry.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Swans Island.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Tremont.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Trenton.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Verona.....	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
Winter Harbor.....	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	1
Long Island Pl.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Osborn Pl.....	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Kennebec County...	—	—	2	—	1	—	47	—	—	7	4	7	27	9	2	106	89
Albion.....	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
Augusta.....	—	—	—	—	—	16	—	—	—	4	—	—	2	—	—	22	28
Belgrade.....	—	—	—	—	—	1	—	—	—	—	—	—	3	—	—	3	3
Benton.....	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	2

REGISTRATION REPORT

TABLE
Chief Causes

Lincoln County—Continued

Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Measles	Mumps	Tuberculosis (all kinds)	Scarlet fever	Small-pox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 yrs. of age)	Encephalitis lethargica	Cancer	Pneumonia
Somerville.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
South Bristol.....	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Southport.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	1
Waldoboro.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Westport.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1
Whitefield.....	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—
Wisasset.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Oxford County.....	1	—	2	—	—	—	16	1	—	1	4	—	14	5	—	50	39
Albany.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Andover.....	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4	1
Bethel.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Brownfield.....	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	2
Buckfield.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
Byron.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	2
Canton.....	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1
Denmark.....	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Dixfield.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	6
Fryeburg.....	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
Gilead.....	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—
Greenwood.....	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Hanover.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Hartford.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Hebron.....	—	—	—	—	—	—	8	—	—	—	—	—	1	—	—	—	2
Hiram.....	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Lovell.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Mason.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mexico.....	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	4	5
Newry.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Norway.....	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	4	4
Oxford.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1
Paris.....	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	3	2
Peru.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1
Porter.....	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Roxbury.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rumford.....	1	—	2	—	—	—	3	1	—	—	1	—	4	3	—	14	4
Stoneham.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Stow.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sumner.....	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Sweden.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Waterford.....	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—
Woodstock.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Magalloway Pl.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Penobscot County.....	2	—	—	—	1	—	57	3	—	11	5	4	14	12	2	119	91
Bangor.....	2	—	—	—	1	—	37	1	—	9	5	3	5	3	2	54	38
Bradford.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—
Bradley.....	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	1
Brewer.....	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	7	6
Burlington.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carmel.....	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	2
Carroll.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Charleston.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Chester.....	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
Clifton.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Corinna.....	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2
Corinth.....	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—
Dexter.....	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	5	5

TABLE
Chief Causes

Washington County—Continued

Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Measles	Mumps	Tuberculosis (all kinds)	Scarlet fever	Small-pox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 yrs. of age)	Encephalitis lethargic	Cancer	Pneumonia
Steuben.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Talmadge.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Trescott.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Vanceboro.....	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Waite.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Whiting.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Whitneyville.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Codyville Pl.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Grand Lake Stream Pl.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
No. 14 Pl.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
York County.....	2	—	4	—	—	—	32	2	—	2	1	4	38	10	1	120	52
Acton.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Alfred.....	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	4	—
Berwick.....	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	2
Biddeford.....	2	—	4	—	—	—	12	1	—	—	—	14	3	—	24	14	—
Buxton.....	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	3
Cornish.....	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Dayton.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Eliot.....	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1	1
Hollis.....	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	3	—
Kennebunk.....	—	—	—	—	—	—	4	—	—	—	—	—	1	—	—	4	3
Kennebunkport.....	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	4	1
Kittery.....	—	—	—	—	—	—	2	—	—	1	—	—	—	—	12	—	—
Lebanon.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2
Limerick.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3
Limington.....	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	3	—
Lyman.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Newfield.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North Berwick.....	—	—	—	—	—	—	1	—	—	—	—	—	—	—	4	1	—
North Kennebunkport	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
Old Orchard Beach..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	—
Parsonsfield.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	1
Saco.....	—	—	—	—	—	—	3	—	—	—	—	2	—	—	4	—	3
Sanford.....	—	—	—	—	—	—	4	1	—	—	—	10	—	1	19	—	11
Shapleigh.....	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
South Berwick.....	—	—	—	—	—	—	1	—	—	1	—	—	1	—	11	—	2
Waterboro.....	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
Wells.....	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	3	—
York.....	—	—	—	—	—	—	2	—	—	—	—	—	—	—	8	—	3

REGISTRATION REPORT

TABLE No. 26
Notifiable Diseases, 1923-1930

Diseases	1923	1924	1925	1926	1927	1928	1929	1930	Total
Smallpox	2	—	—	—	—	—	1	—	3
Measles	59	45	11	66	76	37	57	12	363
Scarlet fever	15	22	23	20	34	17	11	13	155
Influenza	449	164	340	476	313	284	532	213	2771
Whooping-cough	124	84	25	90	81	53	38	56	551
Diphtheria and croup	50	58	35	22	30	25	14	26	260
Tetanus	6	11	14	8	6	9	6	2	62
Typhoid fever	51	50	54	21	27	36	24	30	293

Smallpox—There were no deaths from smallpox in 1930. No deaths were due to this disease from 1892, when our registration law went into effect, until 1899, when there were three deaths; in 1900, 2; in 1902, 12; in 1903, 7; in 1904, 3. In 1912 there were 4 deaths from this cause, (all children). In 1913, 1914, 1919 and 1923 there were 2 deaths in each of these years and in 1929 there was one death.

Measles—This disease caused the death of 12 persons of whom 5 were males and 7 females. The deaths from measles were 29 in 1892, 84 in 1900, 95 in 1919 and 25 in 1920. The death-rate for the state was 0.15. The number of deaths in the cities was 6.

TABLE No. 27
Measles by Counties, Months and Age-Periods, 1896-1930

By Counties		By Months		By Age-Periods	
Androscoggin	184	January	156	Under 1	472
Aroostook	267	February	146	1-5	628
Cumberland	223	March	186	5-10	130
Franklin	37	April	216	10-20	111
Hancock	42	May	198	20-30	61
Kennebec	161	June	171	30-40	54
Knox	45	July	137	40-50	47
Lincoln	15	August	79	50-60	37
Oxford	85	September	50	Over 60	68
Penobscot	150	October	68	Not stated	3
Piscataquis	27	November	98	—	—
Sagadahoc	24	December	106	—	—
Somerset	98	Not stated	—	—	—
Waldo	34	—	—	—	—
Washington	70	—	—	—	—
York	149	—	—	—	—
State	1611	Total	1611	Total	1611

Scarlet Fever—The total mortality from this disease was 13, 3 males and 10 females. (36 in 1892, 35 in 1900, 40 in 1910 and 21 in 1920.) The scarletinal death-rate per 10,000 for this state was 0.16. The number of deaths in the cities was 4.

TABLE No. 28

Scarlet Fever by Counties, Months and Age-Periods, 1893-1930

By Counties		By Months		By Age-Periods	
Androscoggin.....	79	January.....	81	Under 1.....	70
Aroostook.....	121	February.....	82	1-5.....	345
Cumberland.....	94	March.....	112	5-10.....	221
Franklin.....	15	April.....	74	10-20.....	114
Hancock.....	34	May.....	65	20-30.....	45
Kennebec.....	61	June.....	62	30-40.....	26
Knox.....	33	July.....	46	40-50.....	7
Lincoln.....	13	August.....	38	50-60.....	7
Oxford.....	26	September.....	47	Over 60.....	3
Penobscot.....	107	October.....	68	Not stated.....	1
Piscataquis.....	20	November.....	82	—
Sagadahoc.....	21	December.....	87	—
Somerset.....	28	—	—
Waldo.....	18	—	—
Washington.....	46	—	—
York.....	123	—	—
State.....	839	Total.....	839	Total.....	839

Influenza—There were 213 deaths from influenza, 120 males and 93 females. The death-rate for the whole state was 2.67. (11.43 in 1892; 3.40 in 1900; 1.68 in 1910 and 6.21 in 1920.) The number of deaths in the cities was 58.

Whooping Cough—The number of deaths from whooping cough was 56. (54 in 1892, 99 in 1900, 104 in 1910 and 127 in 1920) of which 27 were males and 29 females. The number of deaths in the cities was 21. Forty-two of the 56 deaths from this cause were among infants under 1 year of age. Rate 0.70.

Diphtheria—There were for the year 1930, 26 deaths from diphtheria. Of the decedents, 15 were males and 11 were females.

Of the 26 deaths, 6 were in the cities. The diphtheria death-rate for the state was 0.33.

The number of deaths in the cities from diphtheria in 1930: Biddeford, 4; Lewiston, 1; Portland, 1.

The special death-rate from this disease was Biddeford, 2.27; Lewiston, 0.28; Portland, 0.14.

REGISTRATION REPORT

TABLE No 29

Diphtheria by Counties, Months and Age-Periods, 1893-1930

By Counties		By Months		By Age-Periods	
Androscoggin	439	January	415	Under 1 year	437
Aroostook	698	February	331	1-5	1699
Cumberland	726	March	263	5-10	1050
Franklin	56	April	248	10-20	419
Hancock	80	May	260	20-30	89
Kennebec	339	June	229	30-40	54
Knox	133	July	207	40-50	38
Lincoln	47	August	223	50-60	26
Oxford	124	September	266	60-70	13
Penobscot	319	October	415	Over 70	12
Piscataquis	37	November	493	Not stated	7
Sagadahoc	102	December	491		—
Somerset	134	Not stated	3		—
Waldo	47		—		—
Washington	172		—		—
York	391		—		—
State	3844	Total	3844	Total	3844

Typhoid Fever—There were 30 deaths from typhoid fever. Of these 17 were males and 13 were females.

The number of deaths in the cities from typhoid fever in 1930, Bangor, 5; Gardiner, 3; Lewiston, 3; Portland, 2; Waterville, 1.

The special death-rate from this disease, Bangor, 1.74; Gardiner, 5.35; Lewiston, 0.86; Portland, 0.28; Waterville, 0.65. State, 0.38.

TABLE No. 30

Typhoid Fever by Counties, Months and Age-Periods, 1893-1930

By Counties		By Months		By Age-Periods	
Androscoggin	371	January	387	Under 1 year	28
Aroostook	472	February	309	1-5	170
Cumberland	725	March	383	5-10	266
Franklin	90	April	347	10-20	1024
Hancock	168	May	322	20-30	1360
Kennebec	439	June	267	30-40	728
Knox	124	July	259	40-50	490
Lincoln	74	August	387	50-60	319
Oxford	191	September	562	60-70	200
Penobscot	807	October	618	70-80	101
Piscataquis	125	November	458	Over 80	20
Sagadahoc	89	December	426	Not stated	26
Somerset	179	Not stated	7		—
Waldo	119		—		—
Washington	228		—		—
York	531		—		—
State	4732	Total	4732	Total	4732

Malarial Disease—Nearly every year a few deaths have been reported to the department as having been caused by malaria, or malarial disease. Almost without exception when there was good reason to believe that the deaths had malarial cause, the infection was contracted outside the state. For the year 1930 three deaths were reported.

Infantile Paralysis—An epidemic of infantile paralysis caused 26 deaths

in 1916, 12 males and 14 females. In 1917, 5 deaths occurred from this disease. In 1918, 7; in 1919, 3; in 1920, 10; in 1921, 15; in 1922, 3; in 1923, 6; in 1924, 13; in 1925, 10; in 1926, 9; in 1927, 22; in 1928, 13; in 1929, 7; in 1930, there were 27 deaths, 17 males and 10 females.

The death-rate per 10,000 from this disease was 0.34.

Cerebrospinal Meningitis—In 1930, 18 deaths from cerebrospinal meningitis occurred in the state, eleven males and seven females, 7 of these deaths were from the epidemic form of this disease.

The death-rate per 10,000 from this cause was 0.22.

Pellagra—In the year 1930 there were 6 deaths from pellagra, 1 male and 5 females. No deaths from that disease were recorded prior to 1911. Rate 0.07.

Tuberculosis—(All Kinds)—The whole number of deaths from tuberculosis (all kinds) in the year 1930 was; in the whole state, 461; in the cities, 176; in the state exclusive of the cities, 285. Sex of decedents 253 males and 208 females. Rate 5.78.

In Auburn, 4; Augusta, 16; Bangor, 37; Bath, 4; Belfast, 3; Biddeford, 12; Brewer, 2; Calais, 2; Eastport, 2; Ellsworth, 1; Gardiner, 5; Lewiston, 24; Old Town, 5; Portland, 39; Rockland, 7; Saco, 3; So. Portland, 2; Waterville, 5; and Westbrook, 3.

The special death-rate from this cause was: In Auburn, 2.15; Augusta, 9.30; Bangor, 12.87; Bath, 4.39; Belfast, 6.00; Biddeford, 6.80; Brewer, 3.16; Calais, 3.66; Eastport, 5.77; Ellsworth, 2.81; Gardiner, 8.91; Lewiston, 6.87; Old Town, 6.88; Portland, 5.51; Rockland, 7.71; Saco, 4.14; So. Portland, 1.44; Waterville, 3.23; and Westbrook, 2.77.

TABLE No. 31
Tuberculosis (All Kinds) by Counties and Months, 1930

Counties	January	February	March	April	May	June	July	August	September	October	November	December	Total	Death-rate per 10,000
Androscoggin.....	5	3	2	4	4	1	2	2	2	5	1	2	33	4.63
Aroostook.....	3	3	3	8	7	2	2	3	6	2	5	6	58	6.60
Cumberland.....	5	6	6	8	10	2	4	3	3	1	5	5	55	4.08
Franklin.....	1	3	3	1	2	2	3	2	2	2	1	1	11	5.52
Hancock.....	4	3	1	1	2	1	1	1	1	2	1	1	17	5.53
Kennebec.....	4	6	6	3	5	5	5	3	4	2	2	2	47	6.65
Knox.....	3	3	1	1	1	1	2	4	2	2	1	1	21	7.58
Lincoln.....	1	1	1	1	1	3	3	3	3	3	1	1	6	3.87
Oxford.....	3	3	7	8	5	3	3	1	2	1	1	1	16	3.86
Penobscot.....	1	3	3	3	3	3	8	4	2	6	4	7	57	6.17
Piscataquis.....	1	1	1	1	2	1	1	1	1	2	1	1	7	3.84
Sagadahoc.....	1	1	1	1	1	1	2	1	1	2	1	1	9	5.32
Somerset.....	3	4	6	6	5	7	5	2	5	5	2	2	49	12.53
Waldo.....	2	3	3	2	1	2	2	3	2	2	3	3	13	6.41
Washington.....	2	4	5	3	3	2	2	2	2	2	3	3	30	7.93
York.....	3	2	1	4	7	2	3	3	3	1	3	1	32	4.39
State.....	38	43	47	50	59	41	35	29	27	37	25	30	461	5.78

REGISTRATION REPORT

TABLE No. 32
Tuberculosis (All Kinds) by Sex and Age-Periods, 1930

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80 and over	Not stated	Total
Males.....	5	9	1	9	45	47	40	45	39	10	3	—	253
Females.....	—	7	2	23	54	41	30	19	13	15	4	—	208
Total.....	5	16	3	32	99	88	70	64	52	25	7	—	461

TABLE No. 33
Tuberculosis, 1892-1930

Years	Tuberculosis (all kinds)	Death-rate per 10,000	Pulmonary Tuberculosis	Death-rate per 10,000
1892.....	1,513	22.88	1,352	20.24
1893.....	1,446	21.87	1,299	19.35
1894.....	1,449	21.92	1,262	18.80
1895.....	1,397	21.13	1,195	17.71
1896.....	1,359	20.56	1,172	17.21
1897.....	1,338	20.30	1,128	16.47
1898.....	1,239	18.74	1,021	14.85
1899.....	1,241	17.96	1,015	14.69
1900.....	1,215	17.50	1,027	14.79
1901.....	1,250	18.00	1,033	14.87
1902.....	1,165	16.78	970	13.97
1903.....	1,076	15.49	901	12.97
1904.....	1,217	17.52	1,016	14.63
1905.....	1,109	15.30	894	12.50
1906.....	1,176	16.36	915	12.73
1907.....	1,214	16.80	950	13.14
1908.....	1,145	15.75	893	12.29
1909.....	1,059	14.49	830	11.36
1910.....	1,117	15.05	889	11.98
1911.....	1,054	14.09	842	11.25
1912.....	995	13.23	780	10.37
1913.....	977	12.91	736	9.72
1914.....	931	12.09	712	9.25
1915.....	933	12.03	730	9.41
1916.....	885	11.32	716	9.16
1917.....	887	11.30	713	9.15
1918.....	926	11.60	721	9.03
1919.....	789	9.78	638	7.90
1920.....	798	10.40	609	7.93
1921.....	633	8.19	511	6.62
1922.....	639	8.21	535	6.88
1923.....	614	7.92	502	6.47
1924.....	532	6.84	444	5.70
1925.....	497	6.34	392	4.50
1926.....	560	7.08	462	5.85
1927.....	535	6.72	453	5.69
1928.....	478	6.06	383	4.85
1929.....	484	6.12	399	5.04
1930.....	461	5.78	371	4.65

CAUSES OF DEATHS, BY CLASSES AND GROUPS 101

TABLE No. 34

Pulmonary Tuberculosis by Counties and Months, 1930

Counties	January	February	March	April	May	June	July	August	September	October	November	December	Total	Death rate per 10,000
Androscoggin.....	4	2	1	3	3	—	—	2	1	4	1	2	23	3.23
Aroostook.....	3	4	3	7	4	2	4	3	3	2	5	3	47	5.35
Cumberland.....	4	6	4	7	9	4	3	1	2	—	1	3	44	3.27
Franklin.....	1	1	—	1	1	—	—	—	—	—	—	—	4	4.01
Hancock.....	2	2	—	1	2	—	1	1	1	2	—	—	14	4.56
Kennebec.....	2	2	3	2	3	5	—	1	3	2	2	2	37	5.23
Knox.....	—	1	3	—	—	—	—	—	—	—	—	—	15	5.42
Lincoln.....	—	—	—	1	1	—	—	4	1	2	—	—	4	2.58
Oxford.....	1	2	—	—	2	—	—	2	1	1	1	—	11	2.65
Penobscot.....	3	3	6	7	4	2	4	2	—	5	3	5	50	5.41
Piscataquis.....	1	—	—	1	1	—	1	—	—	—	—	—	5	2.74
Sagadahoc.....	—	1	—	—	—	—	—	—	1	2	—	—	7	4.13
Somerset.....	3	3	5	5	5	7	4	4	1	5	—	2	44	11.25
Waldo.....	—	3	3	2	1	1	2	—	—	1	—	—	10	4.93
Washington.....	2	3	4	3	1	2	1	—	2	2	3	2	25	6.61
York.....	3	1	1	4	7	2	—	1	2	—	2	1	27	3.70
State.....	31	34	36	44	44	37	29	24	21	29	18	24	371	4.65

Pulmonary Tuberculosis.—In 1930, the whole number of deaths from pulmonary tuberculosis was; in the state, 371; in the cities, 137; in the state, outside of the cities, 234. In Auburn, 3; Augusta, 12; Bangor, 33; Bath, 3; Belfast, 3; Biddeford, 8; Brewer, 2; Calais, 2; Eastport, 2; Ellsworth, 1; Gardiner, 3; Lewiston, 15; Old Town, 5; Portland, 30; Rockland, 3; Saco, 3; So. Portland, 2; Waterville, 4; Westbrook, 3.

The special death-rate from this cause was; in Auburn, 1.61; Augusta, 6.98; Bangor, 11.48; Bath, 3.29; Belfast, 6.00; Biddeford, 4.54; Brewer, 3.16; Calais, 3.66; Eastport, 5.77; Ellsworth, 2.81; Gardiner, 5.35; Lewiston, 4.29; Old Town, 6.88; Portland, 4.24; Rockland, 3.30; Saco, 4.15; So. Portland, 1.44; Waterville, 2.59; and Westbrook, 2.77.

As to the sex, 209 of the decedents were males and 162 were females. Rate 4.65.

TABLE No. 35

Pulmonary Tuberculosis by Sex and Age-Periods, 1930

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80 and over	Not stated	Total
Males.....	1	3	—	8	40	39	32	40	35	8	3	—	209
Females.....	—	1	1	18	47	32	22	15	10	12	4	—	162
Total.....	1	4	1	26	87	71	54	55	45	20	7	—	371

REGISTRATION REPORT

TABLE No. 36
Pulmonary Tuberculosis by Counties, Months and Age-Periods,
1893-1930

By Counties		By Months		By Age-Periods	
Androscoggin.....	2317	January.....	2584	Under 1.....	346
Aroostook.....	2287	February.....	2643	1-5.....	364
Cumberland.....	4313	March.....	3040	5-10.....	234
Franklin.....	630	April.....	2990	10-20.....	3271
Hancock.....	1419	May.....	2959	20-30.....	8357
Kennebec.....	2782	June.....	2497	30-40.....	5883
Knox.....	1422	July.....	2373	40-50.....	3950
Lincoln.....	686	August.....	2208	50-60.....	2982
Oxford.....	1292	September.....	2048	60-70.....	2566
Penobscot.....	3740	October.....	2227	70-80.....	1623
Piscataquis.....	630	November.....	2106	80 and over.....	400
Sagadahoc.....	757	December.....	2372	Not stated.....	88
Somerset.....	1960	Not stated.....	17	—
Waldo.....	1059	—	—
Washington.....	2043	—	—
York.....	2727	—	—
State.....	30064	Total.....	30064	Total.....	30064

Cerebral Tuberculosis—(Tuberculosis Meningitis)—The number of deaths were 22; 14 were males and 8 females.

The number for the cities was 10. The death-rate for the state was 0.27.

Abdominal Tuberculosis—There were 35 deaths from this cause, 13 males and 22 females. The number for the cities was 15. Rate 0.44.

Rheumatism—The returns give 54 deaths from this cause, (68 in 1892, 56 in 1900, 56 in 1910 and 41 in 1920). 21 were males and 33 females. Twenty of these deaths were in the cities. The special death-rate for this disease, was therefore 0.68.

TABLE No. 37
Rheumatism by Counties, Months and Age-Periods, 1893-1930

By Counties		By Months		By Age-Periods	
Androscoggin.....	111	January.....	176	Under 1.....	12
Aroostook.....	173	February.....	188	1-5.....	35
Cumberland.....	299	March.....	163	5-10.....	82
Franklin.....	43	April.....	151	10-20.....	178
Hancock.....	76	May.....	173	20-30.....	109
Kennebec.....	158	June.....	110	30-40.....	117
Knox.....	85	July.....	150	40-50.....	141
Lincoln.....	59	August.....	155	50-60.....	236
Oxford.....	102	September.....	125	60-70.....	352
Penobscot.....	57	October.....	127	70-80.....	397
Piscataquis.....	200	November.....	149	80 and over.....	174
Sagadahoc.....	45	December.....	166	Not stated.....	3
Somerset.....	83	Not stated.....	3	—
Waldo.....	74	—	—
Washington.....	86	—	—
York.....	185	—	—
State.....	1836	Total.....	1836	Total.....	1836

Cancer—From cancer in its various forms and locations there were 1,147 deaths (404 in 1892, 526 in 1900, 762 in 1910 and 938 in 1920). Of the decedents 487 were males and 660 were females. The death-rate was 14.38. Five hundred and seven of these deaths were in the cities.

CAUSES OF DEATHS, BY CLASSES AND GROUPS 103

TABLE No. 38
Cancer by Sex and Age-Periods, 1930

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80 and over	Not stated	Total
Males.....	—	1	1	1	3	8	33	72	153	160	55	—	487
Females.....	—	1	—	—	1	24	78	131	207	157	61	—	660
Total.....	—	2	1	1	4	32	111	203	360	317	116	—	1147

TABLE No. 39
Cancer, 1930 and 1893-1930

Counties	1930		1893-1930		Age-Groups	No. of Deaths	
	Number of deaths	Death-rate per 10,000	Number of deaths	Mean death-rate per 10,000		1930	1893-1930
Androscoggin.....	112	15.73	2,619	11.10	Under 1.....	—	25
Aroostook.....	67	7.63	1,546	5.32	1-5.....	2	63
Cumberland.....	225	16.71	5,281	12.03	5-10.....	1	34
Franklin.....	23	11.53	767	10.52	10-20.....	1	93
Hancock.....	45	14.65	1,356	10.45	20-30.....	4	318
Kennebec.....	106	14.99	2,642	11.07	30-40.....	32	1,240
Knox.....	58	20.94	1,467	13.56	40-50.....	111	3,322
Lincoln.....	41	26.45	893	12.96	50-60.....	203	5,810
Oxford.....	50	12.05	1,289	9.42	60-70.....	360	8,096
Penobscot.....	119	12.88	3,270	10.19	70-80.....	317	7,332
Piscataquis.....	17	9.32	606	8.24	80 and over.....	116	2,889
Sagadahoc.....	27	15.95	819	10.22	Not stated.....	—	55
Somerset.....	43	10.99	1,342	9.80	—	—
Waldo.....	37	18.24	922	10.38	—	—
Washington.....	57	15.07	1,532	9.33	—	—
York.....	120	16.45	2,926	11.10	—	—
State.....	1,147	14.38	29,277	10.30	Total.....	1,147	29,277

TABLE No. 40
Cancer, 1920-1930

	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930
Cancer of buccal cavity	27	33	32	33	30	35	40	34	33	36	34
Cancer of stomach and liver.....	348	339	345	381	378	383	377	407	402	359	388
Cancer of the peritoneum intestines and rectum	156	158	180	155	147	183	224	207	192	237	231
Cancer of female genital organs.....	159	141	158	142	147	155	140	145	156	162	158
Cancer of breast.....	84	76	71	78	72	85	91	89	89	99	81
Cancer of skin.....	30	33	33	33	27	33	23	29	20	35	28
Cancer of other organs and of organs not specified.....	134	134	143	160	149	167	165	182	181	189	227
Cancer totals.....	938	914	962	982	947	1041	1060	1093	1073	1117	1147

Centenarians—Among the persons whose decease occurred in 1930, three women and four men had exceeded the age of 100 years. Their names together with a few facts relating to their life history are as follows.

Elizabeth G. Brown, widow of Jonathan Brown and daughter of Oliver Goodridge and Mary Walker, died in Lewiston, April 28, 1930 from the result of a fall, age 100 years and 1 month. She was born in Clinton, Maine.

Eliza Laperey Drost, widow of Peter Drost, was born in New Brunswick, the daughter of Mat. Laperey. She died in Caribou, December 22, 1930 at the age of 107 years and 7 months, cause old age.

Lucy A. Vinal, widow of John Vinal and daughter of Reuben Carver and Hannah Calderwood, died in Vinalhaven, September 10, 1930 at the age of 100 years and seven months.

George H. Chapman, son of Henry Chapman and Hannah Bond, was born in Portland and died there on March 9, 1930 of pneumonia, occupation carpenter. Age 100 years and 8 months.

James Edgecomb, son of Didymus Edgecomb and Harriet Gould, was born in Livermore and died in Industry, June 24, 1930 of Bright's disease, age 100 years and 9 months, occupation farmer.

Henry A. Jewers, was born in Nova Scotia and died in Millinocket, December 14, 1930, age 101 years, cause arteriosclerosis.

Albion A. Mason, son of Barker Mason, was born in Bethel, and died in Bangor, October 31, 1930. Age 101 years and three months.

TABLE No. 41
Old Age, 1930

Countries	Deaths	Rate per 10,000	Counties	Deaths	Rate per 10,000
Androscoggin.....	359	50.41	Oxford.....	210	50.62
Aroostook.....	264	30.05	Penobscot.....	461	49.90
Cumberland.....	703	52.21	Piscataquis.....	98	53.75
Franklin.....	111	55.66	Sagadahoc.....	125	73.85
Hancock.....	238	77.47	Somerset.....	217	55.48
Kennebec.....	434	61.39	Waldo.....	169	83.31
Knox.....	229	82.69	Washington.....	186	49.17
Lincoln.....	126	81.30	York.....	429	58.82
			State.....	4359	54.66

Diabetes—The deaths from this cause numbered 193, (55 in 1892, 74 in 1900, 127 in 1910 and 167 in 1920), 81 males and 112 females. The special death-rate from diabetes was therefore, 2.42 in 1930.

Diseases of the Nervous System and of Organs of Special Sense—The number of deaths registered under the causes included in this group was 1,303 (1,459 in 1892; 1,652 in 1900; 1,672 in 1910 and 1,396 in 1920), 16.34 to every 10,000 of population.

Lethargic Encephalitis—From this cause there were 10 deaths; 6 males and 4 females. Rate 0.12.

Apoplexy—From this cause, 1,050 deaths occurred (488 in 1892, 583 in 1900, 887 in 1910 and 1,029 in 1920), 519 males and 531 females. The state's death-rate from apoplexy was therefore, 13.17.

TABLE No. 42
Apoplexy by Sex and Age-Periods, 1930

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	Over 90	Not stated	Total
Males.....	—	—	—	—	2	1	14	55	128	208	102	9	—	519
Females.....	—	—	—	—	—	4	14	58	121	183	136	15	—	531
Total.....	—	—	—	—	2	5	28	113	249	391	238	24	—	1050

CAUSES OF DEATHS, BY CLASSES AND GROUPS 105

TABLE No. 43
Apoplexy, 1930 and 1896-1930

Counties	Number of deaths	1930	1893-1930	1896-1930
		Death-rate per 10,000	Number of deaths	Mean death-rate per 10,000
Androscoggin.....	88	12.36	2,616	11.66
Aroostook.....	52	5.92	1,273	4.73
Cumberland.....	163	12.10	5,166	12.14
Franklin.....	19	9.53	921	12.94
Hancock.....	41	13.34	1,489	12.06
Kennebec.....	92	13.01	3,366	14.63
Knox.....	70	25.28	1,817	17.77
Lincoln.....	36	23.23	1,034	15.89
Oxford.....	59	14.22	1,501	11.18
Penobscot.....	110	11.91	3,498	11.38
Piscataquis.....	26	14.26	730	10.42
Sagadahoc.....	31	18.31	996	12.73
Somerset.....	63	16.11	1,591	12.13
Waldo.....	38	18.73	1,281	15.35
Washington.....	56	14.80	1,599	10.06
York.....	106	14.53	3,342	13.15
State.....	1,050	13.17	32,220	11.74

Softening of the Brain—From cerebral softening there were 3 deaths—all females. Rate 0.04.

Paralysis—Of the 31 deaths from paralysis, 16 persons were males and 15 females. Rate 0.39.

Epilepsy—12 males and 8 females died of epilepsy, 20 in all. Rate 0.25.

Tetanus—This disease was the cause of 2 deaths, (17 in 1892, 7 in 1900, 11 in 1910 and 4 in 1920). One male and one female. Rate 0.02.

Diseases of the Heart—From diseases of the heart, including endocarditis, pericarditis, angina pectoris, and organic diseases of the heart, there were 2,246 deaths (816 in 1892, 1,045 in 1900, 1,380 in 1910 and 1,602 in 1920). 1,255 persons were males and 991 females. Rate 28.16.

TABLE No. 44
Heart Disease, 1930

Counties	Number of deaths	Rate per 10,000	Counties	Number of deaths	Rate per 10,000
Androscoggin.....	211	29.63	Oxford.....	94	22.66
Aroostook.....	120	13.66	Penobscot.....	236	25.55
Cumberland.....	419	31.12	Piscataquis.....	38	20.84
Franklin.....	57	28.58	Sagadahoc.....	59	34.85
Hancock.....	103	33.52	Somerset.....	119	30.43
Kennebec.....	231	32.67	Waldo.....	78	38.45
Knox.....	96	34.66	Washington.....	92	24.33
Lincoln.....	62	40.00	York.....	231	31.67
			State.....	2246	28.16

REGISTRATION REPORT

TABLE No. 45
Heart Disease by Sex and Age Periods, 1930

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80 and over	Not stated	Total
Males.....	—	2	1	6	4	20	68	147	314	446	247	—	1225
Females.....	1	2	5	7	8	18	51	96	187	333	283	—	991
Total.....	1	4	6	13	12	38	119	243	501	779	530	—	2246

Diseases of the Respiratory System—Without the inclusion of tuberculosis, 877 persons died from the various respiratory diseases, (1,760 in 1892; 1,513 in 1900; 1,664 in 1910 and 1,500 in 1920). Rate 10.99.

Pneumonia—The number of deaths registered under this cause was 726 (1,431 in 1892; 1,067 in 1900; 1,246 in 1910 and 1,312 in 1920) of which 406 were males and 320 were females.

The death-rate from this disease was therefore, 9.10 per 10,000.

TABLE No. 46
Pneumonia by Sex and Age-Periods, 1930

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	Over 90	Not stated	Total
Males.....	65	34	5	12	9	15	32	43	65	78	40	8	—	406
Females.....	59	16	6	11	12	14	13	24	44	62	51	8	—	320
Total.....	124	50	11	23	21	29	45	67	109	140	91	16	—	726

TABLE No. 47
Pneumonia, 1893-1930

By Counties		By Months		By Age-Periods	
Androscoggin.....	3346	January.....	5304	Under 1.....	6349
Aroostook.....	3063	February.....	5366	1-5.....	3687
Cumberland.....	6309	March.....	5569	5-10.....	705
Franklin.....	949	April.....	4766	10-20.....	1241
Hancock.....	1756	May.....	3646	20-30.....	1944
Kennebec.....	3843	June.....	1979	30-40.....	2363
Knox.....	1240	July.....	1016	40-50.....	2599
Lincoln.....	819	August.....	845	50-60.....	3269
Oxford.....	1949	September.....	1244	60-70.....	5159
Penobscot.....	4969	October.....	2518	70-80.....	6704
Piscataquis.....	856	November.....	2828	80 and over.....	4986
Sagadahoc.....	1045	December.....	4011	Not stated.....	97
Somerset.....	1740	Not stated.....	11	—
Waldo.....	1192	—	—
Washington.....	2044	—	—
York.....	3983	—	—
State.....	39,103	Total.....	39,103	Total.....	39,103

The number of deaths from pneumonia in the year 1930 was; in the state 726; in the cities 288; in the state exclusive of the cities, 438;—in Auburn, 13; Augusta, 28; Bangor, 38; Bath, 11; Belfast, 6; Biddeford, 14; Brewer, 6; Calais, 6; Eastport, 1; Ellsworth, 2; Gardiner, 5; Hallo-

CAUSES OF DEATHS, BY CLASSES AND GROUPS 107

well, 1; Lewiston, 39; Old Town, 10; Portland, 74; Rockland, 5; Saco, 3; So. Portland, 4; Waterville, 17; Westbrook, 5.

In Auburn, 7.00; Augusta, 16.28; Bangor, 13.22; Bath, 12.07; Belfast, 12.02; Biddeford, 7.94; Brewer, 9.48; Calais, 10.96; Eastport, 2.88; Ellsworth, 5.62; Gardiner, 8.91; Hallowell, 3.74; Lewiston, 11.16; Old Town, 13.76; Portland, 10.45; Rockland, 5.51; Saco, 4.15; So. Portland, 2.89; Waterville, 11.00; Westbrook, 4.63.

Bronchitis—From this cause, including both acute and chronic bronchitis, 84 deaths were registered, (287 in 1892; 262 in 1900; 229 in 1910 and 101 in 1920). Among these decedents 34 were males and 50 were females.

Of these 84 deaths, 19 were in the cities. The death-rate in the state was 1.05.

Pleurisy—Eighteen deaths were charged to this disease, (18 in 1892; 28 in 1900; 22 in 1910 and 15 in 1920). 8 males and 10 females. Rate 0.22.

Diseases of the Digestive System—The combined mortality from this group of diseases was 701 (659 in 1892; 1,411 in 1900; 1,420 in 1910 and 1,036 in 1920), or a death-rate of 8.79.

Diarrheal Diseases—The total number of deaths caused by the diseases under this group was 243 (662 in 1892; 805 in 1900; 851 in 1910 and 527 in 1920).

The death-rate from this group of diseases was 3.05 per 10,000.

Infantile Diarrhea—This as synonymous with diarrhea and enteritis (under 2 years) was the cause of 166 deaths. 100 males and 66 females. (546 in 1892; 680 in 1900; 693 in 1910 and 405 in 1920). Rate 2.08.

TABLE No. 48

Diarrhea and Enteritis (Under 2 Years) by Counties, Months and Age-Periods, 1893-1930

By Counties		By Months		By Age-Periods	
Androscoggin.....	1844	January.....	306	Under 6 months.....	8476
Aroostook.....	4096	February.....	264	6-12 months.....	4637
Cumberland.....	1686	March.....	311	1-2 years.....	1899
Franklin.....	227	April.....	317	Unknown.....	23
Hancock.....	298	May.....	355	—
Kennebec.....	1262	June.....	419	—
Knox.....	270	July.....	1614	—
Lincoln.....	65	August.....	4382	—
Oxford.....	525	September.....	4314	—
Penobscot.....	1242	October.....	1905	—
Piscataquis.....	160	November.....	503	—
Sagadahoc.....	263	December.....	342	—
Somerset.....	467	Not stated.....	3	—
Waldo.....	140	—	—
Washington.....	777	—	—
York.....	1713	—	—
State.....	15,035	Total.....	15,035	Total.....	15,035

REGISTRATION REPORT

TABLE No. 49

Diarrhea and Enteritis (Under 2 Years) in the Cities, 1923-1930

Cities	1923	1924	1925	1926	1927	1928	1929	1930	Total
Auburn.....	5	3	2	—	2	1	3	4	20
Augusta.....	1	1	1	2	2	2	5	3	17
Bangor.....	—	—	1	3	2	1	—	3	10
Bath.....	1	—	—	2	1	—	—	—	4
Belfast.....	—	—	1	1	—	—	—	1	3
Biddeford.....	19	8	5	6	3	4	6	3	54
Brewer.....	—	—	2	—	—	2	—	—	4
Calais.....	—	1	2	1	—	—	—	—	4
Eastport.....	—	—	2	—	—	—	1	—	3
Ellsworth.....	—	—	—	—	—	—	1	—	1
Gardiner.....	1	—	—	1	—	—	1	—	3
Hallowell.....	—	—	1	—	—	—	—	—	1
Lewiston.....	13	14	14	11	3	14	18	5	92
Old Town.....	2	4	1	1	4	1	1	1	15
Portland.....	9	11	11	13	5	2	6	4	61
Rockland.....	1	1	—	—	—	1	—	1	4
Saco.....	7	—	—	—	—	—	—	—	7
South Portland.....	1	—	—	2	—	—	1	1	5
Waterville.....	4	3	3	2	2	1	4	5	24
Westbrook.....	—	1	1	1	2	—	1	3	9
Total.....	64	47	47	46	26	29	48	34	341

Peritonitis—There were 4 deaths from this cause (129 in 1892; 105 in 1900; 62 in 1910 and 6 in 1920), 3 males and 1 female. Rate 0.05.

Appendicitis—Of the deaths classified under this cause, 114 in number, 61 were males and 53 females. Death-rate 1.43.

Cirrhosis of the Liver—Thirty-nine deaths were ascribed to cirrhosis of the liver—those of 29 men and 10 women. The death-rate in the state from this one cause was 0.49, (0.19 in 1892; 0.79 in 1900; 0.79 in 1910 and 0.43 in 1920).

Nonvenereal Diseases of the Genitourinary System and Annexa—There were 947 deaths referred to the diseases under this group, equivalent to a death-rate of 11.87.

Nephritis—Acute nephritis caused the death of 50 persons, 30 males and 20 females. The death-rate from nephritis was, therefore, 0.63.

**Bright's Disease*—This was the cause of 761 deaths (204 in 1892; 443 in 1900; 714 in 1910 and 795 in 1920). 407 males and 354 females. Death-rate 9.54.

CAUSES OF DEATHS, BY CLASSES AND GROUPS 109

TABLE No. 50

* Bright's Disease by Sex and Age-Periods, 1930

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	Over 80	Total
Males.....	—	—	—	2	1	7	21	41	120	150	65	407
Females.....	—	—	—	1	4	9	26	44	75	118	77	354
Total.....	—	—	—	3	5	16	47	85	195	268	142	761

* This title includes: Chronic, albuminous interstitial or parenchymatous nephritis; albuminuria; amyloid or fatty degeneration of the kidney; steatosis of the kidney; renal sclerosis. Also includes when their precise nature is not indicated, uremia; uremic eclampsia; uremic delirium; uremic coma.

The Puerperal State—Under this class of accidents and diseases of reproduction, 116 deaths were registered. Thirty of these deaths were from puerperal septicemia. Rate 1.45.

Deaths from External Causes—Under this class there were 799 deaths.

Suicide—Within the year 123 persons took their own lives (59 in 1892; 66 in 1900; 79 in 1910 and 86 in 1920). .97 males and 26 females. Rate 1.54.

Accidental Absorption of Poisonous Gas—Caused 7 deaths. Two males and five females.

Accidental Mechanical Suffocation—Caused 7 deaths.

Accidental Drowning—Caused 90 deaths, 79 males and 11 females. Rate 1.13.

The number of deaths referred to food poisoning was 8, 6 males and 2 females. Acute accidental poisoning caused 7 deaths. These deaths distributed under the various toxic agencies were as follows: Pills containing strychnin, 2; nicotin, 1; oil of wintergreen, 1; drinking cleanol, 1; veronal, 1; and unknown 1.

Burns and scalds caused 39 deaths, 2 were from clothing taking fire; 12 scalded with hot water; 6 from kerosene; 8 from explosion of gasoline; 3 playing with matches; 1 from wood alcohol; 2 from burning brush and 5 were unspecified, 19 males and 20 females. Conflagration caused 18 deaths, 12 males and 6 females.

Of the 210 deaths caused by other crushing (vehicles, railroads, landslides, etc.) 29 were caused by steam railroad accidents, of these 29 deaths 10 were the result of collision with automobiles, 2 by electric railroad, 157 by automobiles, 2 by aeroplane, 7 by motorcycle, 8 by other vehicles and 5 by landslides and other crushing.

REGISTRATION REPORT

TABLE No. 51

Suicides by Counties, Months and Age-Periods, 1930

By Counties		By Months		By Age-Periods	
Androscoggin.....	12	January.....	9	10-20.....	3
Aroostook.....	4	February.....	6	20-30.....	15
Cumberland.....	23	March.....	11	30-40.....	17
Franklin.....	4	April.....	11	40-50.....	25
Hancock.....	4	May.....	14	50-60.....	24
Kennebec.....	15	June.....	13	60-70.....	26
Knox.....	4	July.....	14	70-80.....	11
Lincoln.....	3	August.....	9	Over 80.....	2
Oxford.....	8	September.....	8	Unknown.....	—
Penobscot.....	11	October.....	9	—
Piscataquis.....	3	November.....	10	—
Sagadahoc.....	4	December.....	9	—
Somerset.....	7	Not stated.....	—	—
Waldo.....	5	—	—
Washington.....	10	—	—
York.....	6	—	—
State.....	123	Total.....	123	Total.....	123

TABLE No. 52

Table of Infant Mortality, 1930

Age Periods	Number of deaths	*Rate of Mortality
Under 1 day.....	220	13.6
Under 1 week.....	291	17.9
Under 2 weeks.....	72	4.4
Under 3 weeks.....	53	3.3
Under 4 weeks.....	36	2.2
Under 2 months.....	118	7.3
Under 3 months.....	100	6.2
Under 4 months.....	79	4.9
Under 5 months.....	46	2.8
Under 6 months.....	46	2.8
Under 9 months.....	102	6.3
Under 1 year.....	59	3.6
	1,222	75.4

* The infant mortality rates in this table are based upon the total number of births in 1930. The number is 16,199.

CAUSES OF DEATHS, BY CLASSES AND GROUPS 111

TABLE No. 53

Infant Mortality for Cities with Rates, 1927-1930

Cities	Births				Deaths (Under 1 Yr.)				*Rate per 1,000			
	1927	1928	1929	1930	1927	1928	1929	1930	1927	1928	1929	1930
Auburn.....	227	271	257	242	26	19	25	21	114.5	70.1	97.3	86.7
Augusta.....	298	312	326	331	32	26	22	27	107.4	83.3	67.5	81.5
Bangor.....	544	556	557	565	42	53	39	42	77.3	95.3	70.0	74.3
Bath.....	146	168	143	211	10	17	8	11	68.5	101.2	55.9	52.1
Belfast.....	110	101	96	102	9	8	5	8	81.8	79.2	52.0	78.4
Biddeford.....	519	506	530	522	32	32	41	34	61.6	63.2	77.4	65.1
Brewer.....	153	169	137	127	5	11	3	4	32.6	65.0	21.9	31.5
Calais.....	102	102	96	112	10	9	5	5	98.0	88.2	52.1	44.6
Eastport.....	62	49	48	52	5	7	4	3	80.6	142.8	83.3	57.7
Ellsworth.....	65	80	82	77	4	3	7	3	61.5	37.5	85.3	38.9
Gardiner.....	131	120	143	136	9	7	8	7	68.7	58.3	55.9	51.4
Hallowell.....	22	18	34	26	—	1	1	3	—	55.5	29.4	115.4
Lewiston.....	957	908	816	865	98	94	95	95	102.4	103.5	116.4	109.8
Old Town.....	179	165	162	204	19	17	10	13	106.1	103.0	61.7	63.7
Portland.....	1,542	1,550	1,500	1,568	116	118	100	112	75.2	76.1	66.6	71.4
Rockland.....	184	193	225	182	19	14	16	16	103.3	72.5	71.1	87.9
Saco.....	62	48	50	56	5	2	8	5	80.6	41.6	160.0	89.3
South Portland.....	177	162	149	123	13	11	10	8	73.4	67.9	67.1	65.0
Waterville.....	364	422	406	391	33	30	26	44	90.6	71.0	64.0	112.5
Westbrook.....	252	246	220	196	23	14	16	13	91.3	56.9	72.7	66.3

* The infant mortality rates in this table are based upon the number of births in these cities.