

# MAINE STATE LEGISLATURE

The following document is provided by the  
**LAW AND LEGISLATIVE DIGITAL LIBRARY**  
at the Maine State Law and Legislative Reference Library  
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied  
(searchable text may contain some errors and/or omissions)

**PUBLIC DOCUMENTS**

OF THE

**STATE OF MAINE**

BEING THE

**REPORTS**

OF THE VARIOUS

**PUBLIC OFFICERS  
DEPARTMENTS AND  
INSTITUTIONS**

FOR THE TWO YEARS

**JULY 1, 1930 - JUNE 30, 1932**

FORTY-FIRST ANNUAL REPORT

UPON THE

Births, Marriages, Divorces  
and Deaths


IN THE

STATE OF MAINE



FOR THE

Year Ending December 31, 1932



DEPARTMENT OF HEALTH AND WELFARE  
BUREAU OF HEALTH

---

Augusta, Maine, November 1, 1933.

*To His Excellency, Louis J. Brann, Governor, and the Honorable  
Executive Council:*

Sirs:

I have the honor of submitting to you the forty-first annual report upon the Births, Marriages, Divorces and Deaths for the year ending December 31, 1932.

Respectfully,

GEORGE H. COOMBS, M. D.,  
*Director, Bureau of Health.*

DIVISION OF VITAL STATISTICS

*State Registrar, G. H. Coombs, M. D.*

*Division Director, F. S. Choate*

Dr. George H. Coombs, *Director of Health and State Registrar  
of Vital Statistics*

Sir: Following is a report of the Division of Vital Statistics which I have to submit for the year ending December 31, 1932. This includes also the forty-first annual report upon the Births, Marriages, Divorces and Deaths for the year ending December 31, 1932.

Respectfully,

F. S. CHOATE,

*Division Director.*

# REPORT OF DIVISION OF VITAL STATISTICS

## ROUTINE OFFICE WORK

The shipments of report transcripts to the Census Bureau were as follows:

Births, 16,291. Stillbirths, 559. Deaths, 10,627.  
Birth and death transcripts of non-residents, 183.  
Letters sent out, 5,657. Letters received, 5,066.  
Records called for 4,868. Birth certificates sent out, 16,011.  
Corrections on Birth Certificates, 737.

## REGISTRATION REPORT, 1932

This report presents the results of the registration and tabulation of the births, marriages, divorces and deaths which occurred in the State of Maine during the year 1932.

The number of living births registered in the year 1932 was 16,112; 152 less than in the preceding year.

There were 184 twin-births and 0 triple-births in 1932.

The number of stillbirths was 544.

The number of marriages (number of couples married in 1932) was 5,565; 669 less than in the preceding year.

The number of deaths recorded in the State for the same year was 10,797 (this number includes all premature deaths), a number 240 more than that of the deaths registered in the preceding year.

One thousand, two hundred and twenty-two divorces were decreed in the year 1932. 552 in 1892; 627 in 1893; 674 in 1894; 681 in 1895; 668 in 1896; 722 in 1897; 764 in 1898; 790 in 1899; 801 in 1900; 808 in 1901; 905 in 1902; 946 in 1903; 906 in 1904; 848 in 1905; 787 in 1906; 887 in 1907; 904 in 1908; 957 in 1909; 911 in 1910; 985 in 1911; 1,081 in 1912; 1,092 in 1913; 1,030 in 1914; 1,006 in 1915; 698 in 1916; 1,080 in 1917; 847 in 1918; 1,230 in 1919; 1,364 in 1920; 1,276 in 1921; 1,148 in 1922; 1,220 in 1923; 1,235 in 1924; 1,228 in 1925; 1,214 in 1926; 1,309 in 1927; 1,310 in 1928; 1,261 in 1929; 1,475 in 1930 and 1,343 in 1931.

*Bertillon Classification.*—Nomenclature of the causes of death in this report is the revised Bertillon classification adopted by the International Commission which met in Paris in 1930.

*Population.*—The population of the State of Maine in 1910 as given by the census was 742,371; in 1920, 768,014; in 1930, 797,423.

During 1932, we have sent duplicate birth and death transcripts of out of State residents with our monthly shipments to the Census Bureau. The Census Bureau acts as a clearing house, allocating to each state transcripts belonging to them.

The first of every month during 1932 we have forwarded our three congressmen, the names and addresses of all mothers in their district giving birth to children during the preceding month, that they might receive the Child Welfare Literature, published by the U. S. Department of Labor.

Including our index cards, births, marriages and death records, we have over 65,000 cards to file during the year.



The following is a general summary of the births, marriages and deaths in 1932.

		<i>Births</i>	
	Sex		Parentage
Males	8,249	American	11,924
Females	7,862	Foreign	1,148
Not stated	1	One parent foreign	2,758
		Not stated	282
Whole number of births			16,112
Birth-rate per 1,000			20.06

### *Marriages*

Groom and bride American	4,565
Groom and bride foreign	192
Groom American, bride foreign	357
Groom foreign, bride American	446
Not stated	5
Whole number of marriages	5,565
Marriage-rate per 1,000	6.93

### *Deaths*

		Nativity	
	Sex		
Males	5,734	American	8,908
Females	5,061	Foreign	1,836
Not stated	2	Not stated	53
Whole number of deaths			10,797
Death-rate per 1,000			13.44

The following table exhibits the population of the several counties in 1890, 1900, 1910, 1920, 1930 and estimated population for 1932.

**TABLE NO. 1**  
**Population in 1890, 1900, 1910, 1920, 1930 and Estimated**  
**Population in 1932**

COUNTIES	Population in 1890	Population in 1900	Population in 1910	Population in 1920	Population in 1930	Estimated population in 1932
Androscoggin . . . . .	48,968	54,242	59,822	65,796	71,214	72,297
Aroostook . . . . .	49,589	60,744	74,664	81,728	87,843	89,066
Cumberland . . . . .	90,949	100,689	112,014	124,376	134,645	136,699
Franklin . . . . .	17,053	18,444	19,119	19,825	19,941	19,964
Hancock . . . . .	37,312	37,241	35,575	30,361	30,721	30,793
Kennebec . . . . .	37,012	59,117	62,863	63,844	70,691	72,060
Knox . . . . .	31,473	30,406	28,981	26,245	27,693	27,982
Lincoln . . . . .	21,996	19,669	18,216	15,976	15,498	15,498
Oxford . . . . .	30,586	32,238	36,256	37,700	41,483	42,239
Penobscot . . . . .	72,865	76,246	85,285	87,684	92,379	93,318
Piscataquis . . . . .	16,134	16,949	19,887	20,554	18,231	18,231
Sagadahoc . . . . .	19,452	20,330	18,574	23,021	16,927	16,927
Somerset . . . . .	32,627	33,849	36,301	37,171	39,111	39,499
Waldo . . . . .	27,759	24,185	23,383	21,328	20,286	20,286
Washington . . . . .	44,482	45,232	42,905	41,709	37,826	37,826
York . . . . .	62,829	64,885	68,526	70,696	72,934	73,381
State . . . . .	641,086	694,466	742,371	768,014	797,423	803,304

*Birth, Marriage and Death-Rate.* In this report the birth rates, marriage-rates and death-rates from all causes are stated as so many among each 1,000 of the population according to the 1930 census.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE NO. 2  
Non-Resident Deaths in Public Institutions, 1932

Cities and Towns, having Public Institutions in which Non-resident deaths have occurred	Estimated population in 1932	Whole number of deaths	Whole number of deaths of non-residents	Death-rate per 1,000	Death-rate per 1,000 exclusive of non-residents
Auburn	18,888	202	15	10.69	9.90
Augusta	17,815	302	65	16.95	13.30
Bangor	29,303	563	158	19.21	13.82
Bar Harbor	4,659	76	15	16.31	13.09
Bath	9,110	126	7	13.83	13.06
Belfast	4,993	89	17	17.82	14.42
Biddeford	17,633	247	56	14.01	10.83
Bingham	1,682	14	2	8.32	7.13
Blue Hill	1,439	28	9	19.46	13.20
Boothbay Harbor	2,087	29	6	13.89	11.02
Brewer	6,381	59	3	9.25	8.78
Brunswick	7,672	124	29	16.16	12.38
Calais	5,470	93	18	17.00	13.71
Camden	3,646	51	6	13.99	12.34
Caribou	7,494	89	7	11.87	10.94
Damariscotta	825	25	12	30.30	15.76
Dexter	4,063	51	7	12.55	10.83
Eagle Lake	1,782	25	8	14.03	9.54
Ellsworth	3,657	63	10	17.23	14.49
Fairfield	5,308	80	20	15.07	11.30
Farmington	3,680	83	16	22.55	18.21
Fort Fairfield	5,561	53	3	9.53	8.99
Gardiner	5,636	105	18	18.63	15.44
Greenville	1,628	38	13	23.34	15.36
Guilford	1,744	25	8	14.33	9.75
Hebron	819	15	5	18.31	12.21
Houlton	7,000	125	17	17.86	15.43
Kittery	4,400	65	19	14.77	10.45
Lewiston	35,579	595	117	16.72	13.43
Mars Hill	1,848	20	8	10.82	6.49
Portland	71,117	1,171	181	16.46	13.92
Presque Isle	7,242	106	31	14.64	10.36
Rockland	9,268	147	21	15.86	13.59
Rumford	10,693	100	28	9.35	6.73
Sanford	13,932	143	20	10.26	8.83
Skowhegan	6,523	99	7	15.18	14.10
Strong	898	19	5	21.16	15.59
Union	1,060	21	3	19.81	16.88
Waterville	15,874	203	28	12.79	11.02
Wells	2,068	34	6	16.44	13.54
Westbrook	11,077	99	6	8.94	8.39
York	2,532	64	17	25.28	18.56

**TABLE**  
**Births, Marriages and Deaths**  
**ANDROSCOGGIN**

TOWNS	Estimated population in 1932	BIRTHS									
		Sex				Parentage					
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Auburn . . . . .	18,888	96	95	—	191	10.11	117	13	28	31	2
Durham . . . . .	806	3	4	—	7	8.68	6	—	1	—	—
Greene . . . . .	807	4	5	—	9	11.15	9	—	—	—	—
Leeds . . . . .	729	2	7	—	9	12.34	9	—	—	—	—
Lewiston . . . . .	35,579	452	476	—	928	26.08	508	149	137	116	18
Lisbon . . . . .	4,002	18	34	—	52	12.99	40	4	6	2	—
Livermore . . . . .	1,122	13	9	—	22	19.61	14	1	4	3	—
Livermore Falls . . . . .	3,250	34	37	—	71	21.85	54	5	7	4	1
Mechanic Falls . . . . .	2,116	19	13	—	32	15.12	26	—	3	3	—
Minot . . . . .	635	5	3	—	8	12.60	7	—	—	—	1
Poland . . . . .	1,524	8	7	—	15	9.84	14	—	—	1	—
Turner . . . . .	1,362	3	7	—	10	7.34	10	—	—	—	—
Wales . . . . .	449	2	—	—	2	4.45	2	—	—	—	—
Webster . . . . .	1,155	7	6	—	13	11.25	12	—	1	—	—
<b>Total . . . . .</b>	<b>72,424</b>	<b>666</b>	<b>703</b>	<b>—</b>	<b>1,369</b>	<b>18.93</b>	<b>828</b>	<b>172</b>	<b>187</b>	<b>160</b>	<b>22</b>

**TABLE**  
**Births, Marriages and Deaths**  
**AROOSTOOK**

Amity . . . . .	324	2	2	—	4	12.35	3	—	—	1	—
Ashland . . . . .	2,198	52	27	—	79	35.94	69	1	6	2	1
Bancroft . . . . .	245	2	3	—	5	20.41	4	—	—	1	—
Benedicta . . . . .	292	2	4	—	6	20.55	6	—	—	—	—
Blaine . . . . .	1,061	9	12	—	21	19.79	9	3	5	3	1
Bridgewater . . . . .	1,240	14	14	—	28	22.58	15	6	2	4	1
Caribou . . . . .	7,494	146	141	—	287	38.30	207	15	27	32	6
Castle Hill . . . . .	626	12	12	—	24	38.34	19	—	3	2	—
Chapman . . . . .	409	4	5	—	9	22.00	6	1	1	1	—
Connor . . . . .	634	10	14	—	24	37.85	20	—	1	3	—
Crystal . . . . .	403	3	6	—	9	22.33	8	—	—	—	1
Dyer Brook . . . . .	262	3	1	—	4	15.27	3	—	1	—	—
Eagle Lake . . . . .	1,782	42	22	—	64	35.91	51	—	5	8	—
Easton . . . . .	1,516	19	21	—	40	26.38	21	2	7	10	—
Fort Fairfield . . . . .	5,561	89	87	—	176	31.65	90	27	23	36	—
Fort Kent . . . . .	4,824	86	65	—	151	31.30	124	4	9	10	4
Frenchville . . . . .	1,525	35	35	—	70	45.90	66	—	—	3	1
Grand Isle . . . . .	1,419	37	18	—	55	38.76	44	—	4	6	1
Haynesville . . . . .	251	4	6	—	10	39.84	9	—	1	—	—
Hersey . . . . .	195	3	2	—	5	25.64	5	—	—	—	—
Hodgdon . . . . .	1,054	15	13	—	28	26.56	18	3	3	4	—
Houlton . . . . .	7,000	110	106	—	216	30.86	143	18	28	26	1

No 3

for the Year 1932

COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	Not stated	
85	6	9	14	—	114	93	109	—	202	166	36	—	10.69
1	—	1	—	—	2	9	4	—	13	8	5	—	16.13
9	—	—	—	—	9	3	4	—	7	5	2	—	8.67
—	—	—	—	—	—	5	3	—	8	6	2	—	10.97
147	32	35	43	—	257	323	272	—	595	386	209	—	16.72
21	—	2	2	—	25	23	21	—	44	36	8	—	10.99
4	—	—	—	—	4	4	11	—	15	13	2	—	13.37
17	—	—	2	—	19	18	18	—	36	27	9	—	11.08
28	—	—	—	—	28	11	23	—	34	32	2	—	16.07
2	—	—	—	—	2	6	5	—	11	10	1	—	17.32
5	—	—	—	—	5	11	9	—	20	18	1	1	13.12
13	—	1	—	—	14	15	11	—	26	24	2	—	19.09
—	—	—	1	—	1	1	1	—	2	1	1	—	4.45
5	—	—	3	—	8	10	7	—	17	12	5	—	14.72
337	38	48	65	—	488	532	498	—	1,030	744	285	1	14.25

No. 3—Continued

for the Year 1932

COUNTY

18	—	—	—	—	18	2	1	—	3	2	1	—	9.26
—	—	—	—	—	18	18	7	—	25	24	1	—	11.37
2	—	—	—	—	2	2	—	—	2	1	—	—	8.16
3	—	—	—	—	3	—	—	—	—	—	—	—	—
9	1	1	—	—	12	1	9	—	10	4	6	—	9.42
3	—	—	—	—	4	4	4	—	9	5	4	—	7.26
61	1	4	11	—	77	41	48	—	89	72	17	—	11.87
2	—	—	—	—	2	4	4	—	4	4	—	—	6.39
1	—	—	—	—	1	3	2	—	5	5	—	—	12.22
—	—	—	—	—	—	3	1	—	1	1	—	—	11.04
3	—	1	—	—	4	3	1	—	7	7	—	—	4.96
—	—	—	—	—	—	1	—	—	2	1	1	—	3.81
11	—	1	—	—	12	14	11	—	25	22	3	—	14.03
6	—	4	—	—	10	11	7	—	18	13	5	—	11.87
17	5	7	4	—	33	36	17	—	38	35	3	—	9.53
15	—	—	—	—	16	18	15	—	33	29	4	—	6.84
5	—	1	—	—	7	8	4	—	12	11	1	—	7.87
12	—	—	—	—	12	8	3	—	11	11	—	—	7.75
3	—	—	—	—	3	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	1	5	4	—	2	2	—	—	10.25
46	3	9	7	—	65	73	52	—	9	6	3	—	8.54
—	—	—	—	—	—	—	—	—	125	82	42	1	17.86

**TABLE**  
**Births, Marriages and Deaths**  
**AROOSTOOK**

TOWNS	Estimated population in 1932	BIRTHS									
		Sex					Parentage				
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Island Falls.....	1,455	10	16	—	26	17.87	16	2	3	5	—
Limestone.....	2,042	37	33	—	70	34.28	34	10	11	14	1
Linneus.....	762	10	5	—	15	19.68	12	—	2	1	—
Littleton.....	1,035	10	8	—	18	17.39	13	1	3	1	—
Ludlow.....	361	2	3	—	5	13.85	4	—	—	1	—
Madawaska.....	3,853	76	66	—	142	36.85	104	14	10	14	—
Mapleton.....	1,314	16	17	—	33	25.11	27	2	3	1	—
Mars Hill.....	1,848	24	18	—	42	22.73	23	5	4	10	—
Masardis.....	584	6	4	—	10	17.12	9	—	—	1	—
Merrill.....	477	4	6	—	10	20.96	8	—	—	2	—
Monticello.....	1,507	20	15	—	35	23.22	18	1	4	12	—
New Limerick.....	404	6	4	—	10	24.75	8	—	1	1	—
New Sweden.....	898	10	8	—	18	20.04	14	—	3	1	—
Oakfield.....	982	14	11	—	25	25.46	23	—	—	—	2
Orient.....	161	5	4	—	9	55.90	4	—	4	1	—
Perham.....	697	8	12	—	20	28.69	16	—	1	2	1
Portage Lake.....	919	10	18	—	28	30.47	24	2	2	—	—
Presque Isle.....	7,242	120	105	—	225	31.07	144	25	33	23	—
St. Agatha.....	1,596	47	34	—	81	50.75	78	—	—	3	—
Sherman.....	1,027	13	8	—	21	20.45	17	—	2	2	—
Smyrna.....	442	3	7	—	10	22.62	7	2	—	1	—
Stockholm.....	1,113	12	21	—	33	29.65	22	—	7	4	—
Van Buren.....	4,746	83	78	—	161	33.92	109	10	16	26	—
Wade.....	384	9	4	—	13	33.85	9	—	3	—	—
Washburn.....	1,995	22	26	—	48	24.06	32	3	7	5	1
Westfield.....	776	7	12	—	19	24.48	12	3	3	1	—
Weston.....	323	3	3	—	6	18.57	6	—	—	—	—
Woodland.....	1,346	13	8	—	21	15.60	14	—	1	5	1
Allagash Pl.....	454	11	7	—	18	39.65	16	—	—	2	—
Cary Pl.....	241	3	—	—	3	12.45	3	—	—	—	—
Caswell Pl.....	659	16	11	—	27	40.97	17	4	3	3	—
Cyr Pl.....	529	12	8	—	20	37.81	15	1	2	2	—
E. Pl.....	97	1	2	—	3	30.93	2	—	—	1	—
Garfield Pl.....	91	1	1	—	2	21.98	1	1	—	—	—
Glenwood Pl.....	77	—	—	—	—	—	—	—	—	—	—
Hamlin Pl.....	486	23	12	—	35	72.02	30	—	—	5	—
Hammond Pl.....	95	—	2	—	2	21.05	2	—	—	—	—
Macwahoc Pl.....	169	1	4	—	5	29.59	3	1	—	1	—
Moro Pl.....	169	3	3	—	6	35.50	5	—	—	1	—
Nashville Pl.....	32	1	—	—	1	31.25	1	—	—	—	—
New Canada Pl.....	538	18	22	—	40	74.35	32	1	3	4	—
Oxbow Pl.....	176	2	1	—	3	17.04	3	—	—	—	—
Reed Pl.....	495	3	6	—	9	18.18	5	2	1	1	—
St. Francis Pl.....	1,392	26	9	—	35	25.14	29	2	1	3	—
St. John Pl.....	571	8	4	—	12	21.01	4	1	1	6	—
Silver Ridge Pl.....	190	1	3	—	4	21.05	4	—	—	—	—
Wallagrass Pl.....	1,145	25	15	—	40	34.93	31	—	4	3	2
Westmanland Pl.....	87	1	1	—	2	22.98	2	—	—	—	—
Winterville Pl.....	419	10	7	—	17	40.57	13	1	—	—	3
Total.....	*88,716	1465	1288	—	2753	30.91	1965	175	264	321	28

No. 3—Continued

for the Year 1932

COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	Not stated	
13		1	2		16	5	7		12	11	1		8.25
10		2			12	13	7		20	17	3		9.79
			1		1	13	3		6	4	2		7.87
2						9	3		12	5	7		11.59
6			1		7	16	10		3	23	3		8.31
10					10	6	5		11	10	1		6.75
16		1	3		20	8	12		20	11	9		8.37
2					2	5	2		7	7			10.82
						2			2	2			11.99
8					8	8	6		14	4	10		4.19
1		2	1		4	2			2	1	1		9.29
3					3	5	2		7	3	4		4.95
4					4	3	1		4	2	2		7.79
						1	1		1	1			4.07
1					1	5	2		7	6		1	6.21
1					1	2	4		6	5			10.04
31	2	9	9		51	46	60		106	76	29	1	6.53
8			1		9	13	10		23	22	1		14.64
3					9	8	6		14	11	3		14.41
2					2	2	2		4	2	2		13.63
12	2	1	4		19	4	3		7	4	1		9.05
17	1	1	2		21	20	27		47	41	6		6.29
2	1		1		4	2	2		2	1	1		9.90
						10	11		21	11	10		5.21
						4	2		6	4	2		10.53
						2	1		1	1			7.73
						2	6		8	6	2		3.09
1					1	3	2		5	3	2		5.94
						1	1		2	2			11.01
						7	4		11	6	5		8.29
						5	2		7	6	1		16.69
							1		1	1			13.23
													10.31
1					1	8	3		11	9	2		22.63
						1	1		2	1	1		21.05
						1	2		3	2	1		17.75
11					11	6	3		9	9			16.73
						1	1		1	1			5.68
3					3	1	2		3	3			6.06
7					7	3	6		9	6	3		6.46
1					1	4	3		7	5	2		12.26
12			1		13	8	2		10	10			8.73
						2			2	2			4.77
411	16	46	53		526	505	422		927	700	224	3	10.41

\*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

## REGISTRATION REPORT

**TABLE**  
**Births, Marriages and Deaths**  
**CUMBERLAND**

TOWNS	Estimated population in 1932	BIRTHS												
		Sex				Rate per 1,000	Parentage							
		Male	Female	Not stated	Total		Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated			
Baldwin	694	4	5	—	9	12.97	9	—	—	—	—	—	—	—
Bridgton	2,681	35	17	—	52	19.39	47	—	—	—	—	—	—	—
Brunswick	2,672	91	84	—	175	22.81	127	—	—	—	3	—	—	—
Cape Elizabeth	2,544	1	1	—	2	1.18	—	—	—	—	—	—	—	—
Casco	718	4	2	—	6	6.96	—	—	—	—	—	—	—	—
Cumberland	1,423	9	10	—	19	13.35	18	—	—	—	1	—	—	—
Falmouth	2,141	9	10	—	19	8.87	—	—	—	—	—	—	—	—
Freeport	2,184	21	26	—	47	21.52	39	—	—	—	1	—	—	—
Gorham	3,068	17	19	—	36	11.73	35	—	—	—	2	—	—	—
Gray	1,199	4	6	—	10	8.34	—	—	—	—	—	—	—	—
Harpwell	1,388	8	9	—	17	12.25	15	—	—	—	—	—	—	—
Harrison	979	11	6	—	17	17.36	16	—	—	—	1	—	—	—
Naples	666	4	8	—	12	18.02	12	—	—	—	—	—	—	—
New Gloucester	1,962	10	14	—	24	12.23	23	—	—	—	—	—	—	—
North Yarmouth	569	2	2	—	4	7.03	—	—	—	—	—	—	—	—
Otisfield	568	2	3	—	5	14.08	4	—	—	—	—	—	—	—
Portland	71,117	808	735	—	1,543	21.70	1093	139	133	135	—	—	—	43
Pownal	462	3	1	—	4	8.66	3	—	—	—	—	—	—	—
Raymond	446	4	6	—	10	22.42	10	—	—	—	—	—	—	—
Scarborough	2,567	15	14	—	29	11.30	27	—	—	—	1	—	—	—
Sebago	470	5	2	—	7	14.89	7	—	—	—	—	—	—	—
South Portland	14,757	55	54	—	109	7.39	84	—	—	—	5	—	—	—
Standish	1,317	14	7	—	21	15.94	17	—	—	—	—	—	—	—
Westbrook	11,077	93	92	—	185	16.70	128	—	—	—	15	—	—	—
Windham	2,105	15	13	—	28	13.30	26	—	—	—	1	—	—	—
Yarmouth	2,125	10	11	—	21	9.88	18	—	—	—	—	—	—	—
<b>Total</b>	<b>136,899</b>	<b>1257</b>	<b>1157</b>	<b>—</b>	<b>2,414</b>	<b>17.66</b>	<b>1798</b>	<b>176</b>	<b>193</b>	<b>192</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>55</b>

**TABLE**  
**Births, Marriages and Deaths**  
**FRANKLIN**

Avon	302	3	7	—	10	33.11	10	—	—	—	—	—	—	—
Carthage	247	3	1	—	4	16.19	2	—	—	—	—	—	—	—
Chesterville	575	9	6	—	15	26.09	10	—	—	—	2	—	—	—
Eustis	603	6	5	—	11	18.24	4	—	—	—	4	—	—	—
Farmington	3,680	43	54	—	97	26.36	86	—	—	—	2	—	—	—
Freeman	219	5	1	—	6	27.39	6	—	—	—	—	—	—	—
Industry	342	1	1	—	2	5.84	2	—	—	—	—	—	—	—
Jay	3,106	35	35	—	70	22.54	39	—	—	—	9	—	—	—
Kingfield	1,034	10	13	—	23	22.24	17	—	—	—	3	—	—	—
Madrid	207	1	2	—	3	14.49	3	—	—	—	—	—	—	—
New Sharon	750	6	5	—	11	14.67	10	—	—	—	—	—	—	—
New Vineyard	447	3	1	—	4	8.95	3	—	—	—	—	—	—	—
Phillips	1,143	3	10	—	13	11.37	12	—	—	—	—	—	—	—
Rangeley	1,559	19	17	—	36	23.09	28	—	—	—	1	—	—	—
Salem	88	1	—	—	1	11.36	—	—	—	—	—	—	—	—
Strong	898	10	4	—	14	15.59	12	—	—	—	—	—	—	—
Temple	315	4	—	—	4	12.70	3	—	—	—	1	—	—	—
Weld	493	8	5	—	13	26.37	12	—	—	—	—	—	—	—
Wilton	3,418	24	29	—	53	15.51	46	—	—	—	2	—	—	—
Coplin Pl.	69	—	1	—	—	14.49	—	—	—	—	—	—	—	—
Dallas Pl.	211	5	2	—	7	33.17	7	—	—	—	—	—	—	—
Lang Pl.	45	—	1	—	—	22.22	—	—	—	—	—	—	—	—
Rangeley Pl.	79	—	1	—	—	12.66	—	—	—	—	—	—	—	—
Sandy River Pl.	79	1	1	—	2	25.32	2	—	—	—	—	—	—	—
<b>Total</b>	<b>*19,911</b>	<b>200</b>	<b>202</b>	<b>—</b>	<b>402</b>	<b>20.14</b>	<b>316</b>	<b>23</b>	<b>41</b>	<b>19</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>3</b>



No. 3—Continued  
for the Year 1932  
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	Not stated	
2	—	—	—	—	2	2	2	—	4	4	—	—	5.76
16	—	1	—	—	20	29	23	—	52	46	6	—	19.39
43	3	1	53	—	53	63	61	—	124	93	31	—	16.16
4	—	1	—	1	5	16	4	—	20	16	3	1	7.86
—	—	—	—	—	—	11	5	—	16	14	—	—	22.28
6	—	—	—	—	6	9	12	—	21	19	2	—	14.76
6	1	3	—	—	10	17	13	—	30	21	8	1	14.01
13	—	—	2	—	15	16	11	—	27	24	2	1	12.36
11	—	—	1	—	12	15	19	—	34	30	4	—	11.08
18	—	1	—	—	19	15	4	—	15	14	1	—	12.51
14	—	—	1	—	15	5	7	—	12	11	1	—	8.64
2	1	—	1	—	4	9	4	—	10	10	—	—	10.21
8	—	—	—	—	9	9	9	—	9	13	—	—	19.52
10	—	1	—	—	10	17	15	—	32	30	2	—	16.31
1	—	—	—	—	4	4	4	—	4	7	—	—	14.06
1	—	—	1	—	2	4	2	—	4	4	2	—	10.56
400	19	47	44	—	510	579	592	—	1,171	890	274	7	16.48
2	—	—	—	—	2	3	6	—	9	9	—	—	19.48
4	—	—	—	—	2	6	4	—	10	10	—	—	22.42
7	—	1	2	—	10	19	10	—	29	26	2	1	11.30
—	—	—	—	—	—	3	3	—	4	4	—	—	8.51
44	—	3	1	—	48	54	64	—	118	98	19	1	7.99
3	—	—	—	—	3	4	4	—	14	13	—	—	10.63
59	—	5	6	—	70	44	55	—	99	74	25	—	8.24
9	—	—	—	—	9	15	12	—	27	22	5	—	12.83
15	—	3	3	—	21	13	10	—	23	22	—	1	10.82
698	24	67	71	1	861	974	954	—	1,928	1,524	391	13	14.10

No. 3—Continued  
for the Year 1932  
COUNTY

1	—	—	—	—	1	2	2	—	4	4	—	—	13.24
3	—	—	—	—	3	9	1	—	10	10	—	—	17.39
1	—	—	—	—	5	6	2	—	8	7	1	—	13.27
2	1	2	—	—	5	6	—	—	8	7	—	—	13.27
41	1	2	1	—	45	43	40	—	83	75	8	—	22.55
—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	1	1	6	—	7	5	—	2	20.47
25	—	2	4	—	31	18	6	—	24	19	5	—	7.73
8	—	—	1	—	9	4	1	—	5	5	—	—	4.83
4	—	—	1	—	5	1	—	—	1	1	—	—	4.83
5	—	—	—	—	5	3	4	—	7	7	—	—	9.33
—	—	—	—	—	—	2	—	—	2	2	—	—	4.47
12	—	—	—	—	12	4	4	—	8	8	—	—	6.99
10	—	—	—	—	10	7	5	—	12	11	1	—	7.70
1	—	—	—	—	1	1	—	—	1	1	—	—	11.36
9	—	—	—	—	9	12	7	—	19	18	1	—	21.16
1	—	—	—	—	1	—	4	—	4	3	1	—	12.70
1	—	—	—	—	1	3	3	—	6	6	—	—	12.17
24	1	2	1	—	28	20	15	—	35	35	—	—	10.24
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	2	1	—	3	3	—	—	14.22
—	—	—	—	—	—	—	—	—	1	1	—	—	22.22
—	—	—	—	—	—	2	—	—	2	2	—	—	25.32
149	3	8	8	—	168	141	101	—	242	223	17	2	12.12

\*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**TABLE**  
**Births, Marriages and Deaths**  
**HANCOCK**

TOWNS	Estimated population in 1932	BIRTHS												
		Sex				Rate per 1,000	Parentage							
		Male	Female	Not stated	Total		Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated			
Amherst . . . . .	163	—	—	—	—	—	—	—	—	—	—	—	—	—
Aurora . . . . .	86	—	—	—	—	—	—	—	—	—	—	—	—	—
Bar Harbor . . . . .	4,659	55	51	—	106	22.75	97	—	—	—	3	—	5	1
Blue Hill . . . . .	1,439	20	14	—	34	23.63	30	—	—	—	3	—	—	1
Brooklin . . . . .	782	2	7	—	9	11.51	9	—	—	—	—	—	—	—
Brooksville . . . . .	810	10	10	—	20	24.69	20	—	—	—	—	—	—	—
Bucksport . . . . .	2,181	34	24	—	58	26.59	48	—	—	—	—	—	—	—
Castine . . . . .	726	9	10	—	19	26.17	13	—	—	—	—	—	—	—
Cranberry Isles . . . . .	349	3	3	—	5	14.33	3	—	—	—	—	—	—	—
Dedham . . . . .	279	2	1	—	3	10.75	2	—	—	—	—	—	—	—
Deer Isle . . . . .	1,266	18	7	—	25	19.75	25	—	—	—	—	—	—	—
Eastbrook . . . . .	199	1	—	—	1	5.02	1	—	—	—	—	—	—	—
Ellsworth . . . . .	3,657	41	45	—	86	23.52	76	—	—	—	4	—	6	—
Franklin . . . . .	820	6	4	—	10	12.19	9	—	—	—	—	—	—	—
Gouldsboro . . . . .	1,115	11	8	—	19	17.04	18	—	—	—	1	—	—	—
Hancock . . . . .	760	11	8	—	16	21.05	12	—	—	—	2	—	—	—
Lamoine . . . . .	359	5	—	—	12	33.43	10	—	—	—	1	—	—	—
Mariaville . . . . .	160	—	2	—	2	12.50	2	—	—	—	—	—	—	—
Mt. Desert . . . . .	2,127	31	22	—	53	24.92	41	—	—	—	3	—	4	—
Oriand . . . . .	891	12	5	—	17	19.08	16	—	—	—	—	—	—	—
Otis . . . . .	88	2	1	—	3	34.09	3	—	—	—	—	—	—	—
Penobscot . . . . .	708	10	9	—	19	26.84	17	—	—	—	—	—	—	—
Sedgwick . . . . .	699	2	3	—	5	7.15	5	—	—	—	—	—	—	—
Sorrento . . . . .	144	—	1	—	1	6.94	1	—	—	—	—	—	—	—
Southwest Harbor . . . . .	901	12	13	—	25	27.75	18	—	—	—	2	—	2	—
Stonington . . . . .	1,431	8	9	—	17	11.88	16	—	—	—	—	—	—	—
Sullivan . . . . .	873	4	5	—	9	10.31	9	—	—	—	—	—	—	—
Surry . . . . .	488	—	3	—	3	6.15	3	—	—	—	—	—	—	—
Swans Island . . . . .	578	1	3	—	4	6.92	4	—	—	—	—	—	—	—
Tremont . . . . .	954	16	13	—	29	30.40	28	—	—	—	—	—	—	—
Trenton . . . . .	343	3	3	—	6	17.49	6	—	—	—	—	—	—	—
Verona . . . . .	228	3	3	—	5	21.93	5	—	—	—	—	—	—	—
Waltham . . . . .	155	3	3	—	5	37.04	5	—	—	—	—	—	—	—
Winter Harbor . . . . .	520	2	7	—	9	17.31	9	—	—	—	—	—	—	—
Long Island Pl. . . . .	145	—	1	—	1	6.89	1	—	—	—	—	—	—	—
No. 33 Pl. . . . .	45	—	1	—	—	22.22	—	—	—	—	—	—	—	—
Osborn Pl. . . . .	34	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>Total . . . . .</b>	<b>*31,142</b>	<b>335</b>	<b>302</b>	<b>—</b>	<b>637</b>	<b>20.69</b>	<b>563</b>	<b>11</b>	<b>25</b>	<b>30</b>	<b>8</b>	<b>—</b>	<b>—</b>	<b>—</b>

No. 3—Continued  
for the Year 1932  
COUNTY

MARRIAGES						DEATHS									
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000		
						Male	Female	Not stated	Total	American	Foreign	Not stated			
1					1	2		1			2			12.27	
42					49	2		2			2			54.88	
6		5			6	40	36		76	67		9		16.31	
1			2		1	15	13		28	26		2		19.46	
10					1	6	8		14	14				17.90	
22					10	4	3		7	6		1		8.64	
10	1		2		25	23	16		39	35		4		17.88	
					10	9	12		21	21				28.92	
						2			2	2				5.73	
						3	3		6	6				21.50	
6			1		7	13	12		25	24		1		19.75	
						1	1		2	2				10.05	
53	3				61	28	35		63	62		1		17.23	
3		2			4	5	7		12	12				14.63	
2		1			2	9	9		18	18				16.14	
2					2	2	7		9	9				11.84	
2					2	3	4		7	7				19.49	
						1	1		2	2				12.50	
11		1			12	10	9		19	19				8.93	
1					1	10	8		18	17		1		20.20	
6					6	3	7		10	10				14.12	
3					3	8	3		11	11				15.74	
						2	1		3	3				20.83	
11			1		12	5	12		17	17				18.87	
18					18	10	13		23	21		2		16.07	
4					4	8	11		19	19				21.76	
1					1	6	1		7	7				14.34	
5					5	1	4		5	5				8.65	
2					2	6	9		15	13		1	1	15.72	
						2	1		3	3				8.74	
						1			1	1				4.38	
						3	2		5	5				37.04	
						3	2		5	5				9.61	
1					1		1		1	1				6.89	
1															
							1		1					29.41	
224	4	9	9		246	246	253		499	476	22	1		16.20	

\*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

REGISTRATION REPORT

**TABLE**  
**Births, Marriages and Deaths**  
**KENNEBEC**

TOWNS	Estimated population in 1932	BIRTHS										
		Sex					Parentage					
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated	
Albion	927	9	11	—	20	21.57	18	1	—	—	—	1
Augusta	17,815	162	150	—	312	17.51	200	35	40	—	—	3
Belgrade	982	2	3	—	5	5.09	5	—	—	—	—	—
Benton	1,165	5	10	—	15	12.87	12	1	—	—	2	—
Chelsea	2,242	3	11	—	14	6.24	13	—	1	—	—	—
China	1,163	13	11	—	24	20.64	22	—	—	1	1	—
Clinton	1,379	10	7	—	17	12.33	12	—	—	—	2	—
Farmingdale	1,089	2	2	—	4	3.67	3	—	—	—	1	—
Fayette	396	3	3	—	6	15.15	6	—	—	—	—	—
Gardiner	5,636	100	79	—	179	31.76	164	—	9	—	5	1
Hallowell	2,675	8	11	—	19	7.10	16	1	1	—	1	—
Litchfield	773	3	2	—	5	6.47	5	—	—	—	—	—
Manchester	493	2	1	—	3	6.08	3	—	—	—	—	—
Monmouth	1,344	4	4	—	8	5.95	7	—	1	—	—	—
Mount Vernon	757	4	8	—	12	15.85	11	—	—	—	1	—
Oakland	2,702	31	35	—	66	24.43	58	—	6	—	2	—
Pittston	908	6	9	—	15	16.52	13	—	2	—	—	—
Randolph	1,423	7	6	—	13	9.13	10	—	—	1	2	—
Readfield	881	6	6	—	12	13.62	11	—	—	—	—	1
Rome	398	2	1	—	3	7.54	3	—	—	—	—	—
Sidney	984	11	7	—	18	18.29	11	—	2	—	1	4
Vassalboro	1,815	11	13	—	24	13.22	20	1	2	—	—	1
Vienna	318	8	3	—	11	34.59	10	—	1	—	—	—
Waterville	15,874	190	215	—	405	25.51	276	42	52	—	31	4
Wayne	465	4	3	—	7	15.05	5	—	—	—	—	2
West Gardiner	642	3	5	—	8	12.46	8	—	—	—	—	—
Windsor	565	7	7	—	14	24.78	14	—	—	—	—	—
Winslow	4,044	46	34	—	80	19.78	43	17	13	—	7	—
Winthrop	2,300	25	20	—	45	19.56	38	2	2	—	1	2
Togus	—	—	—	—	—	—	—	—	—	—	—	—
Unity Pl.	34	1	—	—	1	29.41	1	—	—	—	—	—
<b>Total</b>	<b>72,189</b>	<b>688</b>	<b>677</b>	<b>—</b>	<b>1,365</b>	<b>18.94</b>	<b>1018</b>	<b>100</b>	<b>137</b>	<b>—</b>	<b>91</b>	<b>19</b>

**TABLE**  
**Births, Marriages and Deaths**  
**KNOX**

Appleton	574	9	2	—	11	19.16	11	—	—	—	—	—
Camden	3,646	33	40	—	73	20.02	67	1	2	—	3	—
Cushing	350	1	1	—	1	2.86	1	—	—	—	—	—
Friendship	751	2	4	—	6	7.99	4	—	—	—	2	—
Hope	472	2	2	—	4	8.47	3	1	—	—	—	—
Isle au Haut	89	—	—	—	—	—	—	—	—	—	—	—
North Haven	476	1	3	—	4	8.40	4	—	—	—	—	—
Owl's Head	574	4	4	—	8	13.94	7	1	—	—	—	—
Rockland	9,268	75	106	—	181	19.53	152	8	8	—	7	6
Rockport	1,651	3	6	—	9	5.45	9	—	—	—	—	—
St. George	2,199	13	5	—	18	8.18	11	3	2	—	1	1
South Thomaston	579	—	6	—	6	10.36	5	1	—	—	—	—
Thomaston	2,253	9	14	—	23	10.21	21	—	1	—	1	—
Union	1,060	10	7	—	17	16.04	17	—	—	—	—	—
Vinalhaven	1,843	9	8	—	17	9.22	12	—	4	—	1	—
Warren	1,429	8	10	—	18	12.60	16	1	1	—	—	—
Washington	615	3	3	—	6	9.76	6	—	—	—	—	—
Matinicus Pl.	159	—	—	—	—	—	—	—	—	—	—	—
<b>Total</b>	<b>*27,988</b>	<b>181</b>	<b>221</b>	<b>—</b>	<b>402</b>	<b>14.37</b>	<b>346</b>	<b>16</b>	<b>18</b>	<b>—</b>	<b>15</b>	<b>7</b>

No. 3—Continued  
for the Year 1932  
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex			Nativity				
						Male	Female	Not stated	Total	American	Foreign	Not stated	Death-rate per 1,000
10		2			12	3	4		7	6		1	7.55
89					121	167	135		302	244		2	16.95
5	5	11	16		5	5	2		7	7			7.13
2					2	6	6		12	11	1		10.30
2					2	5	5		10	10			4.46
6					6	9	10		19	17	2		16.34
8					8	9	9		18	17	1		13.05
1					1	4	9		13	12	1		11.94
2					2	5	3		8	7		1	20.20
52		5			57	47	58		105	94	11		18.63
18		2	1		21	15	19		34	30	3	1	12.71
1					1	7	7		14	13	1		18.11
1					1	5	1		6	6			12.17
7			1		8	11	6		17	16	1		12.65
6			1		7	4	3		7	7			9.25
14	1	2	2		19	28	17		45	43	2		16.65
2					2	18	7		25	15	9	1	27.53
11			1		12	5	9		14	13	1		9.84
4					4	7	10		17	15	2		19.29
						1	5		3	3			7.54
						6	2		11	11			11.18
10		2			12	9	13		22	20	2		12.12
1					1	1	2		3	3			9.43
84	7	4	9		104	105	98		203	159	44		12.79
5			2		7	3	2		5	5			10.75
3						4	5		9	8	1		14.02
11	1	1	1		3	6	6		12	11	1		21.24
17	3	2	1		14	15	25		40	27	13		9.89
					23	22	19		41	35	6		17.83
						65			65	58		1	
										6			
372	17	31	35		455	597	497		1,094	923	164	7	15.18

No. 3—Continued  
for the Year 1932  
COUNTY

1					1	6	3		9	9			15.68
20		1			21	23	28		51	48	3		13.99
						3	5		8	7	1		22.86
10					10	7	4		11	10	1		14.65
1					1	2			2	2			4.23
1					1	1	1		1	1			11.23
4					4	4	5		9	8	1		18.91
						1	4		5	5			8.71
90		5	9		104	80	67		147	141	2	4	15.86
9	1				10	19	14		33	31	2		19.99
7					7	12	10		22	13	9		10.00
						9	5		14	12	2		24.18
10					10	17	25		42	39	3		18.64
8			1		9	12	9		21	20	1		19.81
6					6	16	11		27	24	3		14.65
5	1		1		7	13	13		26	24	2		18.19
5					5	11	6		17	16	1		27.64
177	2	6	11		196	235	210		445	410	31	4	15.90

\*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**TABLE**  
**Births, Marriages and Deaths**  
**LINCOLN**

TOWNS	Estimated population in 1932	BIRTHS										
		Sex				Rate per 1,000	Parentage					
		Male	Female	Not stated	Total		Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated	
Alna . . . . .	294	—	3	—	3	10.20	3	—	—	—	—	—
Boothbay . . . . .	1,345	12	7	—	19	14.13	17	—	—	—	2	—
Boothbay Harbor . . . . .	2,087	21	25	—	46	22.04	38	1	—	1	5	1
Bremen . . . . .	322	4	3	—	7	21.74	6	—	—	—	1	—
Bristol . . . . .	1,413	15	9	—	24	16.98	24	—	—	—	—	—
Damariscotta . . . . .	825	17	25	—	42	50.91	39	—	—	2	—	1
Dresden . . . . .	631	5	8	—	13	20.60	13	—	—	—	—	—
Edgcomb . . . . .	367	2	3	—	5	13.62	5	—	—	—	—	—
Jefferson . . . . .	888	4	3	—	11	12.38	11	—	—	—	—	—
New Castle . . . . .	914	3	5	—	8	8.75	7	—	—	—	—	1
Nobleborough . . . . .	599	1	2	—	3	5.00	3	—	—	—	—	—
Somerville . . . . .	357	3	2	—	5	30.57	7	—	—	—	—	—
South Bristol . . . . .	563	3	2	—	5	8.88	5	—	—	—	—	—
Southport . . . . .	426	—	2	—	2	4.69	2	—	—	—	—	—
Waldoboro . . . . .	2,311	20	19	—	39	16.87	33	1	—	1	3	1
Westport . . . . .	108	2	1	—	3	27.78	3	—	—	—	—	—
Whitefield . . . . .	918	7	10	—	17	18.52	17	—	—	—	—	—
Wiscasset . . . . .	1,186	10	3	—	13	10.96	11	—	—	2	—	—
Monhegan Pl. . . . .	109	—	—	—	—	—	—	—	—	—	—	—
Total . . . . .	15,535	131	136	—	267	17.23	244	2	—	6	11	4

**TABLE**  
**Births, Marriages and Deaths**  
**OXFORD**

Albany . . . . .	309	1	3	—	4	12.94	4	—	—	—	—	—
Andover . . . . .	792	6	7	—	13	16.41	9	—	—	—	—	—
Bethel . . . . .	2,071	12	20	—	32	15.45	30	1	—	—	1	—
Brownfield . . . . .	689	3	6	—	9	13.06	9	—	—	—	—	—
Buckfield . . . . .	975	3	6	—	9	9.23	8	—	—	—	1	—
Byron . . . . .	96	—	—	—	—	10.42	—	—	—	1	—	—
Canton . . . . .	770	9	6	—	15	19.48	14	—	—	1	—	—
Denmark . . . . .	474	2	4	—	6	12.66	5	—	—	1	—	—
Dixfield . . . . .	1,598	15	13	—	28	17.52	26	—	—	2	—	—
Fryeburg . . . . .	1,654	5	9	—	14	8.46	12	—	—	1	—	—
Gilead . . . . .	225	3	—	—	3	13.33	3	—	—	—	—	—
Greenwood . . . . .	548	6	1	—	7	12.77	6	—	—	—	—	—
Hanover . . . . .	171	—	1	—	2	11.69	1	—	—	—	—	1
Hartford . . . . .	432	5	5	—	10	11.57	4	—	—	—	—	—
Hebron . . . . .	819	4	6	—	10	12.21	8	—	—	2	—	—
Hiram . . . . .	813	6	3	—	15	18.45	13	—	—	2	—	—
Lovell . . . . .	659	1	3	—	4	6.07	4	—	—	—	—	—
Mason . . . . .	62	—	—	—	1	16.12	1	—	—	—	—	—
Mexico . . . . .	5,072	63	50	—	113	22.28	48	30	—	24	9	2
Newry . . . . .	188	2	—	—	2	10.64	1	—	—	1	—	—
Norway . . . . .	3,180	26	18	—	44	13.84	41	—	—	1	2	—
Oxford . . . . .	1,130	6	6	—	12	10.62	11	—	—	—	—	—
Paris . . . . .	3,782	48	44	—	92	24.33	81	—	—	4	5	2
Peru . . . . .	843	1	5	—	6	7.12	6	—	—	—	—	—
Porter . . . . .	895	8	12	—	20	22.35	18	—	—	—	—	—
Roxbury . . . . .	321	5	—	—	5	15.58	4	—	—	—	—	—
Rumford . . . . .	10,693	153	132	1	286	26.75	117	81	—	46	35	7
Stoneham . . . . .	164	3	1	—	4	24.39	4	—	—	—	—	—
Stow . . . . .	161	3	1	—	4	24.84	4	—	—	—	—	—
Sumner . . . . .	567	7	3	—	10	17.64	8	—	—	1	—	—
Sweden . . . . .	189	1	2	—	3	15.87	3	—	—	—	—	—
Upton . . . . .	174	2	—	—	2	11.49	1	—	—	—	—	—
Waterford . . . . .	743	6	4	—	10	13.46	10	—	—	—	—	—
Woodstock . . . . .	864	9	6	—	15	17.36	14	—	—	—	1	—
Lincoln Pl. . . . .	92	1	1	—	2	21.74	2	—	—	—	—	—
Magalloway Pl. . . . .	83	—	—	—	—	—	—	—	—	—	—	—
Milton Pl. . . . .	111	2	—	—	2	18.01	1	—	—	1	—	—
Total . . . . .	*42,409	430	379	1	810	19.18	531	120	—	90	57	12

**No. 3—Continued**  
**for the Year 1932**  
**COUNTY**

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	Nor stated	
6	—	—	—	—	6	1	3	—	4	4	—	—	13.61
3	—	—	1	—	4	7	7	—	14	14	—	—	10.41
16	—	1	1	—	18	15	14	—	29	27	2	—	13.89
2	—	—	—	—	2	5	2	—	7	7	—	—	21.74
6	—	—	—	—	6	8	9	—	17	17	—	—	12.03
12	—	—	—	—	12	17	8	—	25	25	—	—	30.30
3	—	—	—	—	3	5	6	—	11	11	—	—	17.43
2	—	—	—	—	2	5	2	—	7	7	—	—	19.07
9	—	—	—	—	9	5	4	—	9	9	—	—	10.13
8	—	—	1	—	9	7	10	—	17	17	—	—	18.59
3	—	—	—	—	3	5	9	—	14	14	—	—	23.37
4	—	—	—	—	4	2	4	—	6	6	—	—	26.20
1	—	—	—	—	1	9	5	—	14	13	1	—	24.87
8	—	—	—	—	8	1	5	—	6	6	—	—	14.08
1	—	—	—	—	1	17	19	—	36	36	—	—	15.58
2	—	—	—	—	2	1	1	—	2	2	—	—	18.52
10	—	—	1	—	11	9	3	—	12	12	—	—	13.07
—	—	—	—	—	—	3	10	—	13	12	1	—	10.96
96	—	1	4	—	101	122	121	—	243	239	4	—	15.68

**No. 3—Continued**  
**for the Year 1932**  
**COUNTY**

—	—	—	—	—	—	3	4	—	7	6	—	—	22.65
5	—	—	1	—	7	6	5	—	11	10	1	—	13.89
22	1	—	—	—	25	12	7	—	19	19	—	—	9.17
2	—	1	2	—	3	3	2	—	5	5	—	—	7.25
5	—	—	—	—	5	8	5	—	13	13	—	—	13.33
—	—	—	—	—	—	2	1	—	2	2	—	—	20.84
1	—	—	—	—	1	6	6	—	12	11	1	—	15.58
1	—	—	—	—	1	1	3	—	4	4	—	—	8.44
10	—	—	—	—	14	7	10	—	17	17	—	—	10.64
11	—	1	3	—	12	12	8	—	20	18	1	—	12.09
1	—	—	1	—	1	1	1	—	1	—	—	—	4.44
—	—	—	—	—	—	3	1	—	4	2	2	—	7.30
—	—	—	—	—	—	—	5	—	5	5	—	—	29.24
—	—	—	—	—	—	—	3	—	7	7	—	—	16.20
2	—	—	—	—	2	8	7	—	15	12	3	—	18.31
4	—	—	—	—	4	10	4	—	14	14	—	—	17.22
3	—	—	—	—	3	5	2	—	7	5	2	—	10.62
—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	3	2	3	—	20	21	21	—	42	35	7	—	8.28
—	—	—	—	—	—	—	—	—	—	—	—	—	—
35	—	—	3	—	38	25	18	—	43	38	4	1	13.52
3	—	—	—	—	3	8	4	—	12	10	2	—	10.62
22	—	—	—	—	22	25	19	—	44	43	1	—	11.63
3	—	—	1	—	4	7	4	—	11	9	2	—	13.05
2	—	—	—	—	3	9	4	—	13	11	2	—	14.52
1	—	—	1	—	1	1	—	—	—	—	—	—	—
44	6	8	7	—	65	65	34	1	100	70	30	—	9.35
1	—	—	—	—	1	3	1	—	4	3	1	—	24.39
1	—	—	—	—	1	1	—	—	1	1	—	—	6.21
1	—	—	—	—	1	2	6	—	8	8	—	—	14.11
—	—	—	—	—	—	—	—	—	—	—	—	—	5.29
1	—	—	—	—	1	1	—	—	1	1	—	—	5.75
2	—	—	—	—	2	4	8	—	12	10	2	—	16.15
6	—	—	—	—	6	5	2	—	7	6	1	—	8.10
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	1	—	—	1	1	—	—	12.05
—	—	—	—	—	—	—	1	—	1	—	—	—	9.00
201	10	14	21	—	246	265	198	1	464	398	63	3	10.98

\*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**TABLE**  
**Births, Marriages and Deaths**  
**PENOBSCOT**

TOWNS	Estimated population in 1932	BIRTHS									
		Sex				Rate per 1,000	Parentage				
		Male	Female	Not stated	Total		Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Alton	209	3	2	—	5	23.92	3	—	1	1	—
Argyle	120	1	—	—	1	8.33	1	—	—	—	—
Bangor	29,303	312	279	—	591	20.17	416	31	64	38	42
Bradford	721	5	6	—	11	15.26	10	—	—	1	—
Bradley	671	7	4	—	11	16.39	8	—	1	2	—
Brewer	6,381	83	91	—	174	27.27	140	7	18	6	3
Burlington	301	9	2	—	11	36.54	9	1	1	—	—
Carmel	881	10	10	—	20	22.70	18	—	1	1	—
Carroll	293	2	9	—	11	37.54	10	—	—	1	—
Charleston	716	11	6	—	17	23.74	17	—	—	—	—
Chester	253	3	3	—	6	23.71	6	—	—	—	—
Clifton	156	5	2	—	7	44.87	7	—	—	—	—
Corinna	1,503	21	11	—	32	21.29	27	—	1	3	1
Coxin	939	2	10	—	12	12.78	11	—	—	1	—
Dexter	4,063	41	39	—	80	19.69	65	2	5	6	2
Dixmont	538	12	5	—	17	31.60	16	—	1	—	—
Drew	110	1	—	—	1	9.09	1	—	—	—	—
East Millinocket	1,613	11	17	—	28	17.36	19	2	5	2	—
Eddington	487	5	2	—	7	14.37	6	—	—	1	—
Edinburg	46	2	2	—	4	86.95	4	—	—	—	—
Enfield	1,157	12	11	—	23	19.88	15	—	1	6	1
Etna	424	10	5	—	15	35.38	14	1	—	—	—
Exeter	773	7	9	—	16	20.70	12	—	—	4	—
Garland	673	7	10	—	17	25.26	17	—	—	—	—
Glenburn	357	3	7	—	10	28.01	9	—	1	—	—
Greenbush	373	4	7	—	11	29.49	7	1	2	—	1
Greenfield	121	1	—	—	1	8.26	1	—	—	—	—
Hampden	2,430	8	14	—	22	9.05	18	1	2	1	—
Hermon	1,207	10	9	—	19	15.74	17	—	2	—	—
Holden	543	5	4	—	9	16.57	8	—	—	1	—
Howland	1,781	17	18	—	35	19.65	31	1	2	1	—
Hudson	363	2	9	—	11	30.30	10	—	1	—	—
Kenduskeag	397	—	6	—	6	15.11	4	—	—	2	—
Kingman	495	9	5	—	14	28.28	13	—	—	—	1
Lagrange	468	2	2	—	4	8.55	3	—	1	—	—
Lee	669	5	8	—	13	19.43	12	—	1	—	—
Levant	596	8	4	—	12	20.13	11	1	—	—	—
Lincoln	3,073	49	26	—	75	24.41	68	2	1	4	—
Lowell	161	2	2	—	4	24.84	3	—	—	1	—
Mattawamkeag	461	7	7	—	14	30.37	12	1	1	—	—
Maxfield	126	2	—	—	2	15.87	1	—	1	—	—
Medway	409	9	3	—	12	29.33	11	—	—	—	1
Millford	1,218	16	10	—	26	21.35	19	—	4	3	—
Millinocket	6,090	81	77	—	158	25.94	109	15	17	17	—
Mount Chase	210	—	1	—	1	4.76	1	—	—	—	—
Newburgh	551	9	2	—	11	19.96	11	—	—	—	—
Newport	1,735	7	17	—	24	13.83	23	1	—	—	—
Old Town	7,328	99	82	—	181	24.70	132	6	19	18	6
Orono	3,379	23	18	—	41	12.13	30	4	4	2	1
Orrington	1,167	9	12	—	21	17.99	18	1	2	—	—
Passadumkeag	325	5	2	—	7	21.54	5	—	1	1	—
Patten	1,278	20	16	—	36	28.17	24	2	4	6	—
Plymouth	468	8	7	—	15	32.05	14	1	—	—	—
Pleasant	330	3	3	—	6	18.18	6	—	—	—	—
Springfield	451	4	9	—	13	28.82	13	—	—	—	—
Stetson	420	4	2	—	6	14.28	5	—	1	—	—
Veazie	581	4	1	—	5	8.60	5	—	—	—	—
Winn	560	9	11	—	20	35.71	17	—	2	1	—
Woodville	118	—	—	—	—	—	—	—	—	—	—
Grand Falls Pl.	56	—	1	—	1	17.86	1	—	—	—	—
Lakeville Pl.	60	—	1	—	1	16.66	1	—	—	—	—
Sebocis Pl.	41	—	1	—	1	24.39	1	—	—	—	—
Stacyville Pl.	603	5	4	—	9	14.92	4	—	4	1	—
Webster Pl.	90	1	1	—	2	22.22	2	—	—	—	—
Total	*93,420	1032	944	—	1,976	21.17	1532	81	172	132	59



No. 3—Continued  
for the Year 1932  
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			
						Male	Female	Not stated	Total	American	Foreign	Not stated	Death-rate per 1,000
—	—	—	—	—	—	2	2	—	4	4	—	—	19.14
—	—	—	—	—	—	2	2	—	2	2	—	—	16.66
241	6	17	13	1	278	302	261	—	563	458	101	4	19.21
—	—	—	—	—	—	7	3	—	10	8	1	1	13.87
2	—	—	—	—	2	5	1	—	6	6	—	—	8.94
60	1	3	5	—	69	33	25	—	59	50	8	1	9.25
—	—	—	—	—	—	3	2	—	5	4	1	—	16.61
—	—	—	—	—	—	4	6	—	10	10	—	—	11.35
—	—	—	—	—	—	2	1	—	3	1	2	—	10.24
3	—	—	—	—	3	5	3	—	8	8	—	—	11.17
—	—	—	—	—	—	1	1	—	1	1	—	—	3.95
—	—	—	—	—	—	2	2	—	4	3	1	—	25.64
8	1	—	1	—	10	8	11	—	19	17	2	—	12.64
9	—	—	—	—	9	8	5	—	13	10	3	—	13.84
23	—	—	—	—	23	26	25	—	51	41	10	—	12.55
3	—	—	—	—	3	5	2	—	7	6	1	—	13.01
1	—	—	—	—	1	1	1	—	1	1	—	—	9.09
5	—	—	1	—	6	6	1	—	9	4	5	—	5.58
—	—	—	—	—	—	5	5	—	10	9	1	—	20.53
—	—	—	—	—	—	1	1	—	1	1	—	—	21.74
—	—	—	1	—	1	5	3	—	8	7	1	—	6.91
—	—	—	—	—	—	2	2	—	5	5	—	—	11.79
2	—	—	—	—	2	9	3	—	12	11	1	—	15.52
1	—	—	—	—	1	4	3	—	7	7	—	—	10.40
2	—	—	—	—	3	6	1	—	7	7	—	—	19.61
1	—	1	—	—	1	4	1	—	5	4	1	—	13.40
1	—	—	—	—	1	1	1	—	1	1	—	—	8.26
18	—	—	—	—	18	11	14	—	25	24	1	—	10.29
2	—	—	—	—	4	14	5	—	19	18	1	—	15.74
8	—	1	1	—	8	3	1	—	4	4	—	—	7.37
11	—	—	—	—	12	3	7	—	10	8	2	—	5.61
1	—	—	—	—	1	3	3	—	6	6	—	—	16.53
2	—	—	—	—	2	3	1	—	4	4	—	—	10.07
1	—	—	—	—	1	6	2	—	8	8	—	—	16.16
—	—	—	—	—	—	3	5	—	8	7	1	—	17.10
5	—	—	—	—	5	1	1	—	1	1	—	—	1.49
5	—	—	—	—	5	3	3	—	6	6	—	—	10.06
30	1	2	2	—	35	17	11	—	28	22	6	—	9.11
7	—	—	—	—	8	1	1	—	3	2	1	—	6.21
—	—	—	—	—	—	2	—	—	1	1	—	—	6.51
—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	1	—	3	—	3	3	—	—	7.33
3	—	—	—	—	3	9	8	—	17	15	2	—	13.96
32	2	7	5	—	46	22	17	—	39	25	14	—	6.40
—	—	—	—	—	—	2	2	—	4	2	2	—	19.05
—	—	—	—	—	—	6	2	—	8	7	—	—	14.52
25	1	2	—	—	28	15	11	—	26	26	—	—	14.98
39	1	2	4	—	46	44	34	—	78	63	—	—	10.64
14	1	1	—	—	16	12	7	—	19	10	—	—	5.62
3	—	—	—	—	3	12	6	—	18	17	—	—	15.42
2	—	—	—	—	3	1	3	—	4	2	2	—	12.31
7	—	1	1	1	10	6	3	—	9	8	1	—	7.04
—	—	—	—	—	—	4	4	—	8	8	—	—	17.09
—	—	—	—	—	—	2	2	—	4	3	—	1	12.12
2	—	—	—	—	2	4	1	—	1	1	—	—	2.22
—	—	—	—	—	—	2	3	—	5	5	—	—	14.28
1	—	2	—	—	3	1	2	—	3	3	—	—	8.60
—	—	—	—	—	—	1	1	—	2	2	—	—	5.36
—	—	—	—	—	—	1	—	—	2	2	—	—	16.94
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	1	3	1	—	4	4	—	—	6.63
—	—	—	—	—	—	2	—	—	2	2	—	—	22.22
582	15	39	36	2	674	675	538	1	1,214	1008	199	7	13.01

\*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1

## REGISTRATION REPORT

**TABLE**  
**Births, Marriages and Deaths**  
**PISCATAQUIS**

TOWNS	Estimated population in 1932	BIRTHS									
		Sex				Rate per 1,000	Parentage				
		Male	Female	Not stated	Total		Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Abbot . . . . .	525	7	8	—	15	28.57	14	—	—	1	—
Atkinson . . . . .	394	1	5	—	6	15.23	5	1	—	—	—
Blanchard . . . . .	104	2	—	—	2	19.23	2	—	—	—	—
Bowerbank . . . . .	43	—	—	—	—	—	—	—	—	—	—
Brownville . . . . .	1,943	12	17	—	29	14.92	18	7	3	1	—
Dover-Foxcroft . . . . .	3,750	44	30	—	74	19.73	63	—	7	3	1
Greenville . . . . .	1,628	33	21	—	54	33.17	39	5	5	5	—
Guilford . . . . .	1,744	28	10	—	38	21.79	33	—	1	1	—
Medford . . . . .	255	—	2	—	2	7.84	2	—	—	—	—
Milo . . . . .	2,915	49	38	—	87	29.84	72	3	5	6	1
Monson . . . . .	1,201	8	9	—	17	14.15	11	1	4	1	—
Orneville . . . . .	295	2	6	—	8	27.12	6	—	2	—	—
Parkman . . . . .	538	3	10	—	13	24.16	12	1	—	—	—
Sangerville . . . . .	1,225	11	9	—	20	16.33	17	—	2	—	1
Sebec . . . . .	357	—	3	—	3	8.40	3	—	—	—	—
Shirley . . . . .	197	1	3	—	4	20.30	3	—	—	1	—
Wellington . . . . .	350	6	3	—	9	25.71	9	—	—	—	—
Williamsburg . . . . .	67	—	2	—	2	29.86	—	—	—	—	—
Willimantic . . . . .	173	3	2	—	5	28.90	5	—	—	—	—
Barnard Pl. . . . .	61	—	—	—	—	—	—	—	—	—	—
Chesuncook Pl. . . . .	70	—	2	—	2	28.57	1	—	—	1	—
Elliotsville Pl. . . . .	77	2	—	—	2	25.97	1	—	—	—	1
Kingsbury Pl. . . . .	50	—	—	—	—	—	—	—	—	—	—
Lake View Pl. . . . .	57	—	—	—	—	—	—	—	—	—	—
Total . . . . .	*18,019	212	180	—	392	21.50	318	21	29	20	4

**TABLE**  
**Births, Marriages and Deaths**  
**SAGADAHOC**

Arrowsic . . . . .	135	—	—	—	—	—	—	—	—	—	—
Bath . . . . .	9,110	78	89	—	167	18.33	131	7	14	13	2
Bowdoin . . . . .	568	3	4	—	7	12.32	5	—	—	2	—
Bowdoinham . . . . .	904	6	7	—	13	14.38	10	—	1	2	—
Georgetown . . . . .	361	1	—	—	1	2.77	1	—	—	—	—
Phippsburg . . . . .	801	7	6	—	13	16.23	13	—	—	—	—
Richmond . . . . .	2,012	11	21	—	32	15.90	27	—	4	1	—
Topsham . . . . .	2,113	18	20	—	38	17.98	26	2	2	8	—
West Bath . . . . .	277	2	—	—	2	7.22	2	—	—	—	—
Woolwich . . . . .	671	3	5	—	8	11.92	8	—	—	—	—
Total . . . . .	*16,952	129	152	—	281	16.60	223	9	21	26	2



**TABLE**  
**Births, Marriages and Deaths**  
**SOMERSET**

TOWNS	Estimated population in 1932	BIRTHS									
		Sex				Rate per 1,000	Parentage				
		Male	Female	Not stated	Total		Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Anson	2,238	24	22	—	46	20.55	38	4	3	1	—
Athens	760	10	11	—	21	27.63	21	—	—	—	—
Bingham	1,682	8	7	—	15	8.92	13	—	1	—	1
Cambridge	325	2	6	—	8	24.61	6	1	—	—	1
Canaan	714	4	10	—	14	19.61	13	—	—	1	—
Concord	251	3	3	—	5	19.92	3	—	—	—	—
Cornville	589	5	5	—	10	17.57	7	1	—	1	1
Detroit	415	5	5	—	8	19.28	8	—	—	—	—
Embden	393	4	6	—	10	25.44	7	—	3	—	—
Fairfield	5,309	36	25	—	61	11.49	41	5	6	8	1
Harmony	793	10	11	—	21	26.48	18	—	1	1	1
Hartland	1,158	14	9	—	23	19.86	21	2	—	—	—
Madison	4,007	36	29	—	65	16.22	47	7	5	5	1
Mercer	408	6	7	—	13	31.86	10	—	3	—	1
Moscow	1,673	2	4	—	6	3.59	4	—	—	—	—
New Portland	818	4	3	—	7	8.56	4	—	2	2	—
Norridgewock	1,481	9	16	—	25	16.88	20	—	—	2	1
Palmyra	900	13	9	—	22	24.44	20	—	1	1	—
Pittsfield	2,982	29	21	—	50	16.77	42	4	—	2	1
Ripley	396	7	3	—	10	25.25	9	—	1	—	—
St. Albans	1,031	10	13	—	23	22.31	20	—	3	—	—
Skowhegan	6,523	70	81	—	151	23.15	112	9	12	11	7
Smithfield	374	3	1	—	4	10.69	3	—	—	—	1
Solon	474	5	6	—	11	12.91	11	—	—	—	—
Starks	39	—	4	—	5	10.55	3	1	—	—	—
Bigelow Pl.	43	—	2	—	2	51.28	1	—	1	—	—
Brighton Pl.	114	4	2	—	6	52.63	6	—	—	—	—
Caratunk Pl.	169	2	1	—	3	17.73	2	—	—	1	—
Dead River Pl.	82	1	—	—	1	12.19	1	—	—	—	—
Dennistown Pl.	29	—	—	—	—	—	—	—	—	—	—
Flagstaff Pl.	194	—	—	—	—	—	—	—	—	—	—
Highland Pl.	62	—	—	—	—	—	—	—	—	—	—
Jackman Pl.	1,138	13	18	—	31	27.24	6	15	5	5	—
Lexington Pl.	166	1	2	—	3	18.07	3	—	—	—	—
Mayfield Pl.	—	—	—	—	—	—	—	—	—	—	—
Moose River Pl.	277	2	4	—	6	21.66	2	2	2	—	—
Pleasant Ridge Pl.	107	—	1	—	1	9.34	1	—	—	—	—
The Forks Pl.	144	1	2	—	3	20.83	2	—	—	1	—
West Forks Pl.	119	—	2	—	2	16.80	2	—	—	—	—
Total	*39,307	344	348	—	692	17.52	529	51	53	42	17

**TABLE**  
**Births, Marriages and Deaths**  
**WALDO**

Belfast	4,993	52	72	—	124	24.83	110	—	2	9	3
Belmont	227	1	3	—	4	17.62	3	—	—	—	1
Brooks	737	12	9	—	21	28.49	19	—	1	—	1
Burnham	668	3	5	—	8	11.98	8	—	—	—	—
Frankfort	468	6	7	—	13	27.78	12	—	—	1	—
Freedom	422	3	5	—	8	18.96	8	—	—	—	—
Islesboro	709	5	7	—	12	16.92	10	—	1	1	—
Jackson	241	1	3	—	4	16.59	3	—	1	—	—
Knox	509	5	3	—	8	15.72	7	—	—	1	—



**TABLE**  
**Births, Marriages and Deaths**  
**WALDO**

TOWNS	Estimated population in 1932	BIRTHS										
		Sex				Parentage						
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated	
Liberty . . . . .	516	6	4	—	10	19.38	9	—	—	—	—	1
Lincolntown . . . . .	819	5	3	—	8	9.77	8	—	—	—	—	—
Monroe . . . . .	671	8	9	—	17	25.33	16	—	—	—	—	1
Montville . . . . .	664	6	5	—	11	16.57	11	—	—	—	—	—
Morrill . . . . .	288	3	1	—	4	13.89	4	—	—	—	—	—
Northport . . . . .	413	2	—	—	2	4.84	2	—	—	—	—	—
Palermo . . . . .	513	2	6	—	8	15.60	7	—	—	—	—	1
Prospect . . . . .	388	2	2	—	7	18.04	5	—	—	1	—	1
Searsmont . . . . .	613	5	—	—	10	16.31	10	—	—	—	—	—
Searsport . . . . .	1,422	13	5	—	18	12.66	17	—	—	—	—	1
Stockton Springs . . . . .	877	11	4	—	15	17.10	13	—	—	2	—	—
Swanville . . . . .	365	4	3	—	7	19.18	5	—	—	—	—	—
Thorndike . . . . .	459	6	5	—	11	23.96	10	—	—	1	—	—
Troy . . . . .	654	7	6	—	13	19.88	12	—	—	—	—	1
Unity . . . . .	892	12	10	—	22	24.66	21	—	—	—	—	1
Waldo . . . . .	362	1	2	—	3	8.29	2	—	—	—	—	—
Winterport . . . . .	1,438	21	16	—	37	25.73	30	3	—	1	—	2
Total . . . . .	20,328	202	203	—	405	19.96	362	3	14	—	17	9

**TABLE**  
**Births, Marriages and Deaths**  
**WASHINGTON**

Addison . . . . .	873	6	11	—	17	19.47	14	—	—	3	—	—
Alexander . . . . .	312	5	2	—	7	22.43	7	—	—	—	—	—
Baileyville . . . . .	2,017	13	9	—	22	10.91	13	3	—	1	4	1
Baring . . . . .	204	—	1	—	1	4.90	—	—	—	1	—	—
Beals . . . . .	524	4	5	—	9	17.17	9	—	—	—	—	—
Beddington . . . . .	35	—	—	—	—	—	—	—	—	—	—	—
Brookton . . . . .	245	2	2	—	4	16.33	4	—	—	—	—	—
Calais . . . . .	5,470	54	59	—	113	20.66	73	9	11	18	2	—
Centerville . . . . .	65	3	—	—	3	46.15	3	—	—	—	—	—
Charlotte . . . . .	250	1	—	—	1	4.00	1	—	—	—	—	—
Cherryfield . . . . .	1,112	5	7	—	12	10.79	11	—	—	1	—	—
Columbia . . . . .	409	10	7	—	17	41.56	15	—	—	2	—	—
Columbia Falls . . . . .	583	8	7	—	15	25.73	13	—	—	—	2	—
Cooper . . . . .	153	—	3	—	3	19.61	3	—	—	—	—	—
Crawford . . . . .	120	1	2	—	3	25.00	3	—	—	—	—	—
Cutler . . . . .	492	3	4	—	7	14.23	5	—	—	—	1	—
Danforth . . . . .	1,520	20	19	—	39	25.66	26	7	3	2	1	—
Deblois . . . . .	62	—	1	—	1	16.13	1	—	—	—	—	—
Dennysville . . . . .	445	3	1	—	4	8.99	4	—	—	—	—	—
East Machias . . . . .	1,257	12	12	—	24	19.09	23	—	—	1	—	—
Eastport . . . . .	3,466	23	24	—	47	13.56	37	2	4	3	1	1
Edmunds . . . . .	395	3	5	—	8	20.25	6	—	—	—	1	1
Harrington . . . . .	865	10	12	—	22	25.43	22	—	—	—	—	—
Jonesboro . . . . .	469	3	7	—	10	21.32	9	—	—	—	—	1
Jonesport . . . . .	1,641	15	9	—	24	14.62	21	2	3	—	—	—
Lubec . . . . .	2,994	15	21	—	36	12.02	26	2	2	6	—	—
Machias . . . . .	1,856	18	18	—	36	19.40	33	1	1	—	—	1
Machiasport . . . . .	851	8	9	—	17	19.98	14	—	—	—	2	1
Marion . . . . .	77	—	1	—	1	12.98	—	—	—	—	1	—
Marshfield . . . . .	198	—	1	—	1	5.05	1	—	—	—	—	—

**No. 3—Continued  
for the Year 1932  
COUNTY**

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	Not stated	
1	—	—	—	—	1	5	6	—	11	9	1	1	21.32
4	—	—	—	—	4	9	8	—	17	17	—	—	20.76
5	—	—	—	—	5	12	7	—	19	19	—	—	28.31
5	—	—	—	—	5	3	4	—	7	7	—	—	10.54
3	—	—	—	—	3	2	3	—	5	4	1	—	17.36
12	—	—	—	—	12	8	4	—	12	10	2	—	29.05
—	—	—	—	—	—	2	3	—	5	5	—	—	9.75
—	—	—	—	—	—	6	2	—	8	6	2	—	20.62
5	—	—	—	—	5	4	11	—	15	15	—	—	24.47
7	—	—	—	—	7	16	10	—	26	24	1	1	18.28
3	—	—	—	—	3	4	3	—	7	7	—	—	7.98
—	—	—	—	—	—	4	3	—	7	6	1	—	19.18
—	—	—	—	—	—	3	1	—	4	4	—	—	8.71
1	—	—	—	—	1	2	5	—	7	6	1	—	10.70
6	—	—	1	—	7	1	3	—	4	4	—	—	4.48
—	—	—	—	—	—	2	3	—	5	3	2	—	13.81
9	—	—	—	—	9	19	10	—	29	26	3	—	20.17
146	—	4	4	—	154	186	155	—	341	319	19	3	16.81

**No. 3—Continued  
for the Year 1932  
COUNTY**

—	—	—	—	—	—	4	4	—	8	8	—	—	9.16
7	—	1	1	—	9	4	6	—	10	9	1	—	4.96
5	—	—	1	—	6	2	—	—	2	2	—	—	9.80
—	—	—	—	—	—	1	—	—	1	1	—	—	1.91
—	—	—	—	—	—	2	1	—	3	3	—	—	12.24
33	14	6	12	—	65	44	49	—	93	60	33	—	17.00
—	—	—	—	—	—	1	—	—	1	1	—	—	15.38
1	—	—	—	—	1	5	—	—	21	20	1	—	18.88
5	—	—	—	—	5	16	5	—	3	3	—	—	7.33
1	—	—	—	—	1	3	—	—	8	8	—	—	13.72
6	—	—	—	—	6	5	3	—	3	3	—	—	13.07
—	—	—	—	—	—	2	—	—	2	2	—	—	8.33
2	—	—	—	—	2	2	1	—	1	1	—	—	14.23
11	—	1	2	—	14	8	8	—	7	7	6	—	10.53
1	—	—	—	—	1	—	—	—	—	—	—	—	—
4	—	1	—	—	5	—	2	—	2	1	1	—	4.49
10	—	—	2	—	12	6	7	—	13	12	—	—	10.34
18	—	2	3	—	23	17	21	—	38	28	10	—	10.96
1	—	—	—	—	1	3	1	—	4	4	—	—	10.12
10	—	—	—	—	10	7	3	—	10	10	—	—	11.56
1	—	—	—	—	1	4	1	—	5	5	—	—	10.66
20	—	1	—	—	21	15	11	—	26	26	—	—	15.84
17	—	1	1	—	19	11	16	—	27	20	6	1	9.02
23	—	—	—	—	24	9	5	—	14	13	—	—	7.54
1	—	—	—	—	1	6	7	—	13	12	1	—	15.27
—	—	—	—	—	—	—	1	—	1	1	—	—	12.98

## REGISTRATION REPORT

**TABLE**  
**Births, Marriages and Deaths**  
**WASHINGTON**

TOWNS	Estimated population in 1932	BIRTHS										
		Sex				Parentage						
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated	
Meddybemps	99	1	1	—	2	20.20	2	—	—	—	—	—
Millbridge	1,216	11	11	—	22	18.09	19	—	—	1	1	1
Northfield	73	—	—	—	—	—	—	—	—	—	—	—
Pembroke	965	9	7	—	16	16.58	14	—	—	—	—	2
Perry	992	12	5	—	17	17.14	13	—	—	—	4	—
Princeton	995	8	9	—	17	17.08	15	—	—	1	1	—
Robbinston	583	4	4	—	8	13.72	8	—	—	—	—	—
Roque Bluffs	109	1	2	—	3	27.52	3	—	—	—	—	—
Steuben	684	7	4	—	11	16.08	11	—	—	—	—	—
Talmadge	46	2	1	—	3	65.22	2	—	—	—	—	1
Topsfield	224	4	1	—	5	22.31	3	—	—	—	1	1
Trescott	366	5	2	—	7	19.12	4	—	—	2	1	—
Vanceboro	738	4	4	—	10	13.55	5	—	—	4	1	—
Waite	165	3	—	—	3	18.18	2	—	—	—	—	—
Wesley	175	—	1	—	1	11.43	2	1	—	—	—	—
Whiting	327	2	7	—	9	27.52	6	—	—	1	—	—
Whitneyville	233	1	4	—	5	21.46	4	—	—	—	—	—
Codyville Pl.	91	2	—	—	2	65.93	4	—	—	—	1	1
Grand Lake Str. Pl.	242	—	2	—	2	8.26	—	—	—	—	—	—
No. 14 Pl.	73	—	—	—	—	—	—	—	—	—	—	—
No. 21 Pl.	90	2	1	—	3	33.33	2	—	—	—	1	—
<b>Total</b>	<b>*37,446</b>	<b>324</b>	<b>331</b>	<b>—</b>	<b>655</b>	<b>17.32</b>	<b>521</b>	<b>25</b>	<b>43</b>	<b>51</b>	<b>15</b>	<b>—</b>

**TABLE**  
**Births, Marriages and Deaths**  
**YORK**

Acton	449	2	2	—	4	8.91	3	—	—	—	1	—
Alfred	912	9	8	—	17	18.64	16	—	—	1	—	—
Berwick	1,961	14	11	—	25	12.75	21	1	—	1	2	—
Biddeford	17,633	256	256	—	512	29.04	287	81	60	77	7	—
Buxton	1,577	22	15	—	37	23.46	36	—	—	1	—	—
Cornish	753	3	8	—	11	14.61	11	—	—	—	—	—
Dayton	379	2	4	—	6	15.83	4	—	—	1	1	—
Eliot	1,462	4	8	—	12	8.21	10	—	—	1	1	—
Hollis	1,034	15	12	—	27	26.11	25	—	—	—	2	—
Kennebunk	3,335	16	19	—	35	10.49	31	2	—	1	1	—
Kennebunkport	1,284	4	6	—	10	7.78	8	—	—	1	1	—
Kittery	4,400	22	24	—	46	10.45	42	—	—	2	2	—
Lebanon	1,148	11	7	—	18	15.68	15	1	—	1	1	—
Limerick	1,286	16	11	—	27	20.99	13	6	—	5	3	—
Limington	747	9	9	—	18	24.09	17	—	—	—	1	—
Lyman	370	3	—	—	3	8.11	2	—	—	—	—	—
Newfield	456	1	1	—	2	4.38	2	—	—	—	—	—
No. Berwick	1,540	2	8	—	10	6.49	10	—	—	—	—	—
No. Kennebunkport	545	6	1	—	7	12.84	7	—	—	—	—	—
Old Orchard Beach	1,711	5	2	—	7	4.09	3	3	—	1	—	—
Parsonsfield	897	4	7	—	11	12.26	10	1	—	—	—	—
Saco	7,316	16	27	—	43	5.88	33	1	—	—	4	1
Sanford	13,932	159	141	—	300	21.53	134	66	45	47	8	—
Shapleigh	544	3	3	—	6	11.03	6	—	—	—	—	—
South Berwick	2,650	8	13	—	21	7.92	21	—	—	—	—	—
Waterboro	914	9	7	—	16	17.50	16	—	—	—	—	—
Wells	2,068	7	8	—	15	7.25	10	—	—	2	3	—
York	2,532	25	21	—	46	18.17	37	1	—	2	4	2
<b>Total</b>	<b>73,835</b>	<b>653</b>	<b>639</b>	<b>—</b>	<b>1,292</b>	<b>17.61</b>	<b>830</b>	<b>163</b>	<b>130</b>	<b>151</b>	<b>18</b>	<b>—</b>



**No. 3—Continued**  
**for the Year 1932**  
COUNTY

MARRIAGES						DEATHS								
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000	
						Male	Female	Not stated	Total	American	Foreign	Not stated		
1					1									
5					5	7	9		16	16				13.16
4					4	11	6		17	16	1			17.61
1					1	5	5		5	5				5.04
8					8	4	5		9	9				9.04
1		1			2	3	3		3	3				5.14
2					2	2	2		2	2				18.35
						8	3		11	11				16.08
						1			1		1			21.74
						1			1	1				4.46
1					1	2	4		6	5	1			16.39
						5	2		7	3	4			9.48
						2			2	2				11.43
1					1	1			1	1				3.05
1					1	1	1		2	2				8.58
						1			1	1				11.11
202	14	14	23		253	226	187		413	344	68	1		10.92

**No. 3—Concluded**  
**for the Year 1932**  
COUNTY

4					4	3	1		4	4				8.91
11		1			12	4	4		8	7	1			8.77
19		1			20	18	9		27	23	3	1		13.77
94	11	9	19		133	125	122		247	152	95			14.01
10					10	9	15		24	22	2			15.22
2					2	4	7		11	11				14.61
1					1	1	2		3	2	1			7.91
13		2	1		16	6	11		17	17				11.63
6					6	12	13		25	24	1			24.17
25	1	2	1		29	23	22		45	39	5	1		13.49
5			2		7	9	9		18	17				14.02
89	2	8	10		109	44	21		65	62	3	1		14.77
8		1			9	8	6		14	13	1			12.19
9	2	1	2		14	10	3		13	12	1			10.11
1			1		2	5	5		10	7	2	1		13.38
2					2	2	1		3	3				8.11
3	1				4	2	4		6	6				13.16
16					16	5	9		14	13	1			9.09
1					1	3	4		7	7				12.84
19	5		5		29	13	12		25	16	9			14.61
1					1	7	9		16	15	1			17.84
37	3	3	3		46	37	41		78	60	17	1		10.66
62	14	13	8		97	88	55		143	99	44			10.26
27		2	4		33	4	1		5	4	1			9.19
5					5	19	18		37	31	6			13.96
39	1		6		46	14	7		21	20		1		22.97
42	1	3	5		51	46	23		34	32	2			16.44
						29	35		64	58	6			25.28
551	41	46	67		705	515	469		984	776	202	6		13.41

\*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**TABLE**  
**Births, Marriages and Deaths**  
**Recapitulation**

COUNTIES	Estimated population in 1932	BIRTHS									
		Sex					Parentage				
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Androscoggin . .	72,424	666	703	—	1,369	18.93	828	172	187	160	22
Aroostook . . . .	*88,716	1,465	1,288	—	2,753	30.91	1,965	175	264	321	28
Cumberland . . .	136,899	1,257	1,157	—	2,414	17.66	1,798	176	193	192	55
Franklin . . . . .	*19,911	200	202	—	402	20.14	316	23	41	19	3
Hancock . . . . .	*31,142	335	302	—	637	20.69	563	11	25	30	8
Kennebec . . . . .	72,189	688	677	—	1,365	18.94	1,018	100	137	91	19
Knox . . . . .	*27,988	181	221	—	402	14.37	346	16	18	15	7
Lincoln . . . . .	15,535	131	136	—	267	17.23	244	2	6	11	4
Oxford . . . . .	*42,409	430	379	1	810	19.18	531	120	90	57	12
Penobscot . . . .	*93,420	1,032	944	—	1,976	21.17	1,532	81	172	132	59
Piscataquis . . .	*18,019	212	180	—	392	21.50	318	21	29	20	4
Sagadahoc . . . .	*16,952	129	152	—	281	16.60	223	9	21	26	2
Somerset . . . . .	*39,307	344	348	—	692	17.52	529	51	53	42	17
Waldo . . . . .	20,328	202	203	—	405	19.96	362	3	14	17	9
Washington . . . .	*37,446	324	331	—	655	17.32	521	25	43	51	15
York . . . . .	73,835	653	639	—	1,292	17.61	830	163	130	151	18
Total . . . . .	*806,520	8,249	7,862	1	16,112	20.06	11,924	1148	1423	1335	282

BIRTHS, DEATHS AND MARRIAGES

No. 4  
for the Year 1932  
by Counties

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			
						Male	Female	Not stated	Total	American	Foreign	Not stated	Death-rate per 1,000
337	38	48	65	4	88	532	498	—	1,030	744	285	1	14.25
411	16	46	53	5	26	505	422	—	927	700	224	3	10.41
698	24	67	71	1	861	974	954	—	1,928	1,524	391	13	14.10
149	3	8	8	—	168	141	101	—	242	223	17	2	12.12
224	4	9	9	—	246	246	253	—	499	476	22	1	16.20
372	17	31	35	—	455	597	497	—	1,094	923	164	7	15.18
177	2	6	11	—	196	235	210	—	445	410	31	4	15.90
96	—	1	4	—	101	122	121	—	243	239	4	—	15.68
201	10	14	21	—	246	265	198	1	464	398	63	3	10.98
582	15	39	36	2	674	675	538	1	1,214	1,008	199	7	13.01
100	1	9	13	—	123	117	115	—	232	204	27	1	12.72
97	—	2	1	—	100	126	112	—	238	191	47	—	14.06
222	7	13	25	2	269	272	231	—	503	429	73	1	12.73
146	—	4	4	—	154	186	155	—	341	319	19	3	16.81
202	14	14	23	—	253	226	187	—	413	344	68	1	10.92
551	41	46	67	—	705	515	469	—	984	776	202	6	13.41
4,565	192	357	446	5	5,565	5,734	5,061	2	10,797	8,908	1,836	53	13.44

\*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**TABLE NO. 5**  
**Births and Birth Rates by Counties for the Years 1925-1932**

Counties	1925		1926		1927		1928		1929		1930		1931		1932	
	Births	Rate	Births	Rate	Births	Rate	Births	Rate	Births	Rate	Births	Rate	Births	Rate	Births	Rate
State.....	17,706	22.58	16,541	20.94	16,405	20.63	16,495	20.92	15,908	20.11	16,199	20.31	16,264	20.32	16,112	20.06
Androscoggin.....	1,561	22.56	1,493	21.50	1,483	21.19	1,507	21.35	1,357	19.07	1,404	19.71	1,457	20.30	1,369	18.93
Aroostook.....	2,667	31.12	2,448	28.48	2,684	30.97	2,655	30.38	2,644	30.02	2,757	31.69	2,781	31.44	2,753	30.91
Cumberland.....	2,767	21.07	2,423	18.38	2,530	19.01	2,549	18.98	2,452	18.09	2,468	18.33	2,562	18.88	2,414	17.66
Franklin.....	419	20.74	388	19.16	380	18.70	412	20.20	378	18.47	387	19.79	406	20.35	402	20.14
Hancock.....	561	18.48	546	17.95	509	16.76	549	18.08	573	18.87	572	18.65	595	19.34	637	20.69
Kennebec.....	1,487	23.09	1,340	20.80	1,267	19.63	1,351	20.90	1,322	20.42	1,324	18.73	1,349	18.90	1,365	18.94
Knox.....	515	19.62	486	18.52	421	16.04	458	17.45	455	17.34	392	14.20	433	15.55	402	14.37
Lincoln.....	279	17.46	255	15.96	247	15.46	232	14.52	235	14.63	245	15.81	263	16.97	267	17.23
Oxford.....	922	23.95	985	25.54	953	24.62	906	23.32	860	22.05	914	22.08	832	19.87	810	19.18
Penobscot.....	2,205	24.78	2,076	23.29	2,014	22.54	2,016	22.50	1,942	21.61	1,973	21.44	1,912	20.59	1,976	21.17
Piscataquis.....	431	20.62	421	20.09	362	17.22	384	18.21	368	17.40	371	20.69	392	21.50	392	21.50
Sagadahoc.....	284	14.34	261	10.16	268	10.25	253	9.52	237	8.77	305	18.04	278	16.42	281	16.60
Somerset.....	769	20.40	701	18.60	661	17.50	705	18.62	662	17.44	746	19.35	684	17.40	692	17.52
Waldo.....	354	16.60	413	19.36	354	16.60	366	17.16	337	15.80	332	16.36	333	16.41	405	19.96
Washington.....	827	19.83	747	17.91	770	18.46	757	18.15	707	16.95	724	19.40	702	18.56	655	17.32
York.....	1,658	23.06	1,558	21.64	1,502	20.80	1,395	19.26	1,379	18.98	1,285	17.62	1,285	17.56	1,292	17.61

TABLE NO. 6

Births by Counties, Showing Proportion of Males to Females, 1932

Counties	Males	Females	Sex not stated	Total	Excess of males	Excess of females	Males to each 100 females
Androscoggin . . . . .	666	703	—	1,369	—	37	94.7
Aroostook . . . . .	1,465	1,288	—	2,753	177	—	113.7
Cumberland . . . . .	1,257	1,157	—	2,414	100	—	108.6
Franklin . . . . .	200	202	—	402	—	2	99.0
Hancock . . . . .	335	302	—	637	33	—	110.9
Kennebec . . . . .	688	677	—	1,365	11	—	101.6
Knox . . . . .	181	221	—	402	—	40	81.9
Lincoln . . . . .	131	136	—	267	—	5	96.3
Oxford . . . . .	430	379	1	810	51	—	113.4
Penobscot . . . . .	1,032	944	—	1,976	88	—	109.3
Piscataquis . . . . .	212	180	—	392	32	—	117.7
Sagadahoc . . . . .	129	152	—	281	—	23	84.8
Somerset . . . . .	344	348	—	692	—	4	98.8
Waldo . . . . .	202	203	—	405	—	1	99.5
Washington . . . . .	324	331	—	655	—	7	97.9
York . . . . .	653	639	—	1,292	14	—	102.2
Total . . . . .	8,249	7,862	1	16,112	506	119	104.9

TABLE NO. 7

Births in Cities for 1932 with Rate per 1,000 of Population

Cities	Estimated population in 1932	Male born	Female born	Sex not stated	Total	Birth-rate per 1,000	Males to each 100 females
Auburn . . . . .	18,888	96	95	—	191	10.11	101.1
Augusta . . . . .	17,815	162	150	—	312	17.51	108.0
Bangor . . . . .	29,303	312	279	—	591	20.17	111.8
Bath . . . . .	9,110	78	89	—	167	18.33	87.6
Belfast . . . . .	4,993	52	72	—	124	24.83	72.2
Biddeford . . . . .	17,633	256	256	—	512	29.04	100.0
Brewer . . . . .	6,381	83	91	—	174	27.27	91.2
Calais . . . . .	5,470	54	59	—	113	20.66	91.5
Eastport . . . . .	3,466	23	24	—	47	13.56	95.8
Ellsworth . . . . .	3,657	41	45	—	86	23.52	91.1
Gardiner . . . . .	5,636	100	79	—	179	31.76	126.6
Hallowell . . . . .	2,675	8	11	—	19	7.10	72.7
Lewiston . . . . .	35,579	452	476	—	928	26.08	94.9
Old Town . . . . .	7,328	99	82	—	181	24.70	120.7
Portland . . . . .	71,117	808	735	—	1,543	21.70	109.9
Rockland . . . . .	9,268	75	106	—	181	19.53	70.7
Saco . . . . .	7,316	16	27	—	43	5.88	59.2
South Portland . . . . .	14,757	55	54	—	109	7.39	101.8
Waterville . . . . .	15,874	190	215	—	405	25.51	88.4
Westbrook . . . . .	11,077	93	92	—	185	16.70	101.0
Total . . . . .	297,443	3,053	3,037	—	6,090	20.47	100.5

**TABLE NO. 8**  
**Percentage of American and Foreign Births by Counties, 1932**

Counties	Parents			Births with parentage not stated
	American born	Foreign born	One foreign born	
Androscoggin . . . . .	60.48	12.56	25.35	1.61
Aroostook . . . . .	71.38	6.35	21.25	1.02
Cumberland . . . . .	74.48	7.29	15.95	2.28
Franklin . . . . .	78.61	5.72	14.92	0.75
Hancock . . . . .	88.38	1.73	8.64	1.25
Kennebec . . . . .	74.58	7.33	16.70	1.39
Knox . . . . .	86.07	3.98	8.21	1.74
Lincoln . . . . .	91.38	0.75	6.37	1.50
Oxford . . . . .	65.56	14.81	18.15	1.48
Penobscot . . . . .	77.53	4.10	15.38	2.99
Piscataquis . . . . .	81.12	5.36	12.50	1.02
Sagadahoc . . . . .	79.36	3.20	16.73	0.71
Somerset . . . . .	76.45	7.37	13.73	2.45
Waldo . . . . .	89.38	0.75	7.65	2.22
Washington . . . . .	79.54	3.82	14.35	2.29
York . . . . .	64.24	12.62	21.75	1.39
State . . . . .	74.01	7.12	17.12	1.75

**TABLE NO. 9**  
**Percentage of American and Foreign Births by Cities, 1932**

Cities	Parents			Births with parentage not stated
	American born	Foreign born	One foreign born	
Auburn . . . . .	61.25	6.81	30.89	1.05
Augusta . . . . .	64.10	11.22	23.72	0.96
Bangor . . . . .	70.39	5.24	17.26	7.11
Bath . . . . .	78.44	4.19	16.17	1.20
Belfast . . . . .	88.71	—	8.87	2.42
Biddeford . . . . .	56.05	15.82	26.76	1.37
Brewer . . . . .	80.46*	4.02	13.79	1.72
Calais . . . . .	64.61	7.96	25.66	1.77
Eastport . . . . .	78.72	4.26	14.89	2.13
Ellsworth . . . . .	88.37	—	11.63	—
Gardiner . . . . .	91.62	—	7.82	0.56
Hallowell . . . . .	84.22	5.26	5.26	5.26
Lewiston . . . . .	54.74	16.06	27.26	1.94
Old Town . . . . .	72.92	3.32	20.44	3.32
Portland . . . . .	70.84	9.01	17.37	2.78
Rockland . . . . .	83.98	4.43	8.28	3.31
Saco . . . . .	76.74	2.33	18.60	2.33
South Portland . . . . .	77.06	4.59	17.43	0.92
Waterville . . . . .	68.15	10.37	20.49	0.99
Westbrook . . . . .	69.19	8.11	21.62	1.08
Average . . . . .	68.52	9.05	20.00	2.43

BIRTHS

TABLE NO. 10

Births in Each Month, 1892-1932

	January	February	March	April	May	June	July	August	September	October	November	December	Not stated	Total
1892.	1,016	1,113	1,345	1,275	1,323	1,176	1,222	1,191	1,144	1,047	1,002	1,111	63	14,028
1893.	1,151	1,082	1,162	1,259	1,273	1,162	1,176	1,213	1,115	1,126	1,032	1,109	48	13,908
1894.	962	980	1,335	1,324	1,255	1,200	1,286	1,213	1,168	1,064	980	1,164	9	13,940
1895.	1,182	1,082	1,329	1,287	1,308	1,236	1,290	1,312	1,233	1,189	1,115	1,193	6	14,762
1896.	1,149	1,227	1,330	1,318	1,379	1,190	1,207	1,246	1,257	1,220	1,091	1,069	10	14,693
1897.	1,126	1,123	1,390	1,260	1,288	1,250	1,274	1,303	1,205	1,138	984	1,077	12	14,430
1898.	1,148	1,176	1,323	1,269	1,322	1,229	1,226	1,219	1,182	1,196	1,028	1,149	6	14,473
1899.	1,093	1,104	1,237	1,295	1,224	1,201	1,239	1,197	1,163	1,058	979	1,098	7	13,895
1900.	1,167	1,083	1,260	1,245	1,276	1,146	1,284	1,255	1,213	1,070	1,055	1,035	6	14,905
1901.	1,123	1,128	1,303	1,270	1,290	1,190	1,178	1,199	1,252	1,051	983	1,048	6	14,021
1902.	1,143	1,111	1,401	1,250	1,333	1,244	1,237	1,252	1,207	1,137	1,064	1,119	10	14,508
1903.	1,210	1,151	1,353	1,304	1,326	1,247	1,215	1,223	1,205	1,134	1,026	990	9	14,453
1904.	1,219	1,207	1,367	1,325	1,336	1,186	1,297	1,216	1,203	1,217	1,037	1,057	6	14,673
1905.	1,178	1,180	1,463	1,340	1,365	1,375	1,439	1,328	1,259	1,163	1,057	1,143	4	15,294
1906.	1,173	1,206	1,333	1,385	1,335	1,310	1,454	1,450	1,364	1,280	1,260	1,325	3	15,878
1907.	1,301	1,288	1,431	1,397	1,455	1,424	1,360	1,293	1,336	1,264	1,129	1,231	5	15,914
1908.	1,296	1,312	1,551	1,345	1,464	1,430	1,361	1,438	1,246	1,216	1,212	1,299	3	16,173
1909.	1,306	1,276	1,475	1,392	1,453	1,308	1,349	1,434	1,347	1,249	1,118	1,229	5	16,041
1910.	1,308	1,252	1,506	1,424	1,393	1,379	1,330	1,348	1,263	1,256	1,131	1,207	1	15,798
1911.	1,261	1,224	1,463	1,426	1,371	1,355	1,380	1,331	1,294	1,172	1,153	1,202	3	15,635
1912.	1,253	1,267	1,415	1,357	1,451	1,337	1,442	1,439	1,318	1,229	1,182	1,179	—	15,869
1913.	1,299	1,185	1,467	1,425	1,400	1,378	1,397	1,316	1,245	1,264	1,131	1,210	1	15,719
1914.	1,234	1,305	1,442	1,430	1,419	1,333	1,361	1,298	1,345	1,323	1,230	1,260	—	15,980
1915.	1,356	1,262	1,562	1,499	1,536	1,389	1,437	1,431	1,278	1,366	1,257	1,196	2	16,671
1916.	1,233	1,383	1,476	1,429	1,495	1,333	1,330	1,355	1,374	1,234	1,164	1,211	2	15,919
1917.	1,398	1,288	1,562	1,403	1,473	1,362	1,432	1,412	1,387	1,263	1,165	1,192	—	16,337
1918.	1,313	1,271	1,574	1,564	1,485	1,344	1,405	1,437	1,302	1,339	1,137	1,129	—	16,290
1919.	1,202	1,212	1,416	1,369	1,299	1,133	1,188	1,086	1,238	1,307	1,349	1,406	—	15,205
1920.	1,463	1,525	1,468	1,498	1,611	1,502	1,523	1,573	1,477	1,336	1,249	1,270	—	17,495
1921.	1,432	1,402	1,622	1,621	1,497	1,463	1,487	1,529	1,428	1,464	1,327	1,445	—	17,717
1922.	1,437	1,465	1,635	1,608	1,568	1,431	1,574	1,482	1,397	1,436	1,345	1,346	—	17,724
1923.	1,418	1,461	1,656	1,538	1,605	1,464	1,514	1,614	1,518	1,353	1,261	1,318	—	17,720
1924.	1,443	1,512	1,651	1,644	1,757	1,608	1,622	1,587	1,518	1,430	1,367	1,491	—	18,630
1925.	1,496	1,338	1,623	1,525	1,601	1,560	1,529	1,500	1,426	1,459	1,299	1,350	—	17,706
1926.	1,389	1,356	1,427	1,485	1,427	1,409	1,444	1,466	1,398	1,295	1,222	1,225	—	16,543
1927.	1,209	1,261	1,408	1,536	1,528	1,419	1,480	1,418	1,332	1,334	1,237	1,243	—	16,405
1928.	1,387	1,303	1,510	1,443	1,447	1,418	1,413	1,403	1,352	1,283	1,170	1,366	—	16,495
1929.	1,299	1,245	1,425	1,402	1,357	1,427	1,456	1,393	1,191	1,203	1,189	1,321	—	15,908
1930.	1,327	1,259	1,364	1,389	1,452	1,390	1,482	1,468	1,390	1,285	1,154	1,239	—	16,199
1931.	1,329	1,225	1,438	1,450	1,458	1,393	1,358	1,506	1,344	1,247	1,220	1,296	—	16,264
1932.	1,336	1,379	1,399	1,399	1,477	1,343	1,462	1,452	1,277	1,256	1,136	1,196	—	16,112

**TABLE NO. 11**  
**Marriages and Marriage Rates by Counties for the Years 1925-1932**

Counties	1925		1926		1927		1928		1929		1930		1931		1932	
	Marriages	Rate	Marriages	Rate	Marriages	Rate	Marriages	Rate	Marriages	Rate	Marriages	Rate	Marriages	Rate	Marriages	Rate
State . . . . .	6,226	7.94	6,376	8.07	6,278	7.89	6,178	7.83	6,195	7.83	6,438	8.07	6,234	7.79	5,565	6.93
Androscoggin . . . . .	627	9.02	610	8.79	584	8.34	617	8.74	551	7.74	534	7.49	541	7.54	488	6.75
Aroostook . . . . .	468	5.55	598	6.96	649	7.49	547	6.26	551	6.25	690	7.85	673	7.61	526	5.90
Cumberland . . . . .	1,042	7.89	1,126	8.54	1,077	8.09	1,048	7.80	1,067	7.87	1,097	8.15	1,013	7.47	861	6.30
Franklin . . . . .	155	7.89	176	8.69	150	7.38	165	8.09	170	8.31	147	7.37	169	8.47	168	8.41
Hancock . . . . .	244	8.04	255	8.40	261	8.60	226	7.44	264	8.69	253	8.23	276	8.97	246	7.99
Kennebec . . . . .	514	7.80	563	8.74	592	9.17	574	8.88	576	8.90	545	7.71	541	7.58	455	6.31
Knox . . . . .	251	9.51	235	8.95	232	8.84	242	9.22	224	8.53	205	7.40	211	7.58	196	7.00
Lincoln . . . . .	97	6.05	106	6.63	106	6.63	94	5.88	120	7.51	133	8.58	117	7.55	101	6.52
Oxford . . . . .	350	8.99	308	7.99	342	8.83	332	8.54	330	8.46	330	7.95	278	6.64	246	5.82
Penobscot . . . . .	793	8.86	767	8.61	703	7.87	746	8.32	731	8.14	819	8.86	731	7.87	674	7.22
Piscataquis . . . . .	150	7.65	119	5.68	132	6.28	138	6.54	147	6.95	135	7.40	115	6.31	123	6.75
Sagadahoc . . . . .	109	5.35	130	5.06	123	4.71	130	4.89	112	4.14	136	8.03	131	7.73	100	5.91
Somerset . . . . .	292	7.77	278	7.37	278	7.36	257	6.79	343	9.04	286	7.31	277	7.05	269	6.81
Waldo . . . . .	159	7.36	155	7.27	126	5.91	126	5.90	108	5.06	145	7.15	154	7.59	154	7.59
Washington . . . . .	270	6.42	249	5.97	212	5.08	264	6.33	218	5.23	290	7.67	278	7.35	253	6.69
York . . . . .	705	9.66	701	9.74	711	9.84	672	9.28	683	9.40	693	9.50	729	9.96	705	9.61



## MARRIAGES

39

TABLE NO. 12  
 Marriages by Months and Counties, 1932

Counties	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
Androscoggin.....	22	29	31	36	52	64	38	40	49	65	36	26	488
Aroostook.....	44	35	20	32	42	46	43	41	31	81	71	40	526
Cumberland.....	51	65	52	64	48	108	61	78	92	99	78	65	861
Franklin.....	14	14	13	6	14	25	14	12	11	20	9	16	168
Hancock.....	9	9	11	17	28	34	18	25	35	15	25	20	246
Kennebec.....	23	26	30	31	38	61	41	42	42	42	44	35	455
Knox.....	19	12	10	14	15	24	23	14	23	17	9	16	196
Lincoln.....	10	7	8	6	4	8	15	10	8	12	5	8	101
Oxford.....	10	11	14	15	19	30	23	20	27	30	21	26	246
Penobscot.....	44	36	35	45	51	89	55	49	65	72	77	56	674
Piscataquis.....	10	6	9	7	12	10	11	9	8	17	16	8	123
Sagadahoc.....	3	12	4	5	5	8	14	10	9	11	9	10	100
Somerset.....	15	12	15	18	18	38	20	29	22	26	34	22	269
Waldo.....	18	8	9	13	8	15	15	16	9	20	10	13	154
Washington.....	27	15	13	9	21	25	22	15	28	30	24	24	253
York.....	28	37	43	49	64	75	62	79	73	76	69	50	705
Total.....	347	334	317	367	439	660	475	489	532	633	537	435	5,565

## REGISTRATION REPORT

TABLE NO. 13  
Marriages by Ages and Counties, 1932

Counties	Under 15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-70	70-80	80 and over	Not stated	Total
Androscoggin.. Males		26	180	137	58	29	14	11	19	5	7	2			488
Females		124	178	96	29	14	13	15	11	1	6	1			488
Aroostook..... Males		51	238	124	45	21	21	12	6	2	6				526
Females	5	202	210	64	11	15	8	5	4	1	1				526
Cumberland... Males		48	329	210	106	70	30	16	23	13	12	4			861
Females		216	325	160	59	35	26	14	14	9	3				861
Franklin..... Males		9	68	46	14	10	7	6	3	1	4				168
Females	1	61	61	24	6	5	6	3		6					168
Hancock..... Males		19	100	51	26	11	11	9	6	1	5	2			246
Females	1	88	80	29	13	15	2	4	4	5	4	1			246
Kennebec..... Males		34	179	96	56	21	23	10	9	7	16	4			455
Females	1	132	179	53	33	16	9	7	8	10	6	1			455
Knox..... Males		10	81	40	22	16	6	11	1	5	3	1			196
Females	1	62	64	24	21	6	4	5	6	2	3				196
Lincoln..... Males		5	43	26	9	4	3	3	2	1	5				101
Females	1	34	35	13	7	3	1	2	2	2	1				101
Oxford..... Males		17	94	73	19	17	5	6	7	3	3	2			246
Females		79	89	38	15	11	3	8		3					246
Penobscot.... Males		45	287	151	69	50	23	15	12	10	8	4			674
Females	2	231	234	97	37	26	15	11	8	6	7				674
Piscataquis... Males		12	59	23	10	7	5	2	1	1	3				123
Females	1	45	43	19	6		5	2		2	1				123
Sagadahoc... Males		11	44	25	2	8	3	1		2	2	1	1		100
Females	1	40	34	11	5	4	1			2	2				100
Somerset..... Males		23	121	57	21	14	9	5	7	3	7	2			269
Females	3	97	97	28	9	17	6		4	2	6				269
Waldo..... Males		17	52	44	14	7	7	4	1	1	3	1			154
Females		61	47	21	10	3	7	2	1	1					154
Washington... Males		16	108	64	27	6	8	6	4	8	5	1			253
Females		99	90	27	15	3	5	1	6	2	3	2			253
York..... Males		37	307	163	71	42	31	13	13	11	9	8			705
Females		172	269	140	51	25	17	10	8	7	4	2			705
Total..... Males		380	2290	1330	569	333	206	130	114	81	99	32	1		5,565
Females	17	1743	2035	844	327	198	128	89	76	50	50	8			5,565
Grand Total.....	17	2123	4325	2174	896	531	334	219	190	131	149	40	1		11,130

*Divorces* in each county for the year 1932: Androscoggin, 91; Aroostook, 59; Cumberland, 280; Franklin, 47; Hancock, 49; Kennebec, 146; Knox, 54; Lincoln, 21; Oxford, 62; Penobscot, 163; Piscataquis, 31; Sagadahoc, 26; Somerset, 45; Waldo, 39; Washington, 33; York, 76.

**TABLE NO. 14**

**Deaths and Death Rates by Counties for the Years 1925-1932**

Counties	1925		1926		1927		1928		1929		1930		1931		1932	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
State.....	10,847	13.83	11,416	14.45	10,977	13.80	11,037	13.99	11,375	14.38	11,084	13.90	10,557	13.19	10,797	13.44
Androscoggin.....	1,027	14.84	1,048	15.10	997	14.25	982	13.91	1,054	14.81	1,001	14.06	985	13.72	1,030	14.25
Aroostook.....	875	10.21	995	11.57	1,070	12.34	948	10.85	1,063	12.07	1,123	12.91	985	11.13	927	10.41
Cumberland.....	1,830	13.94	1,977	15.00	1,909	14.35	1,853	13.80	1,905	14.06	1,888	14.02	1,846	13.61	1,928	14.10
Franklin.....	294	14.55	264	13.04	276	13.58	243	11.92	278	13.59	250	12.78	232	11.63	242	12.12
Hancock.....	399	13.14	442	14.56	412	13.57	443	14.59	453	14.92	483	15.75	421	13.69	499	16.20
Kennebec.....	1,115	17.31	1,163	18.05	1,058	16.39	1,110	17.17	1,096	16.93	1,103	15.60	1,054	14.77	1,094	15.18
Knox.....	451	17.18	499	19.01	472	17.98	476	18.14	444	16.92	460	16.66	424	15.24	445	15.90
Lincoln.....	267	16.71	255	15.96	253	15.83	261	16.34	254	15.81	229	14.77	243	15.68	243	15.68
Oxford.....	532	13.82	535	13.87	521	13.46	507	13.05	516	13.23	494	11.94	473	11.30	464	10.98
Penobscot.....	1,206	13.55	1,302	14.61	1,281	14.33	1,372	15.31	1,364	15.18	1,256	13.65	1,284	13.83	1,214	13.01
Piscataquis.....	250	11.96	227	10.83	228	10.84	229	10.86	230	10.87	219	12.21	223	12.23	232	12.72
Sagadahoc.....	252	12.73	265	10.31	256	9.79	274	10.31	269	9.95	269	15.91	254	15.00	238	14.06
Somerset.....	530	14.06	488	12.95	479	12.68	509	13.44	539	14.20	547	14.19	479	12.19	503	12.73
Waldo.....	309	14.49	362	16.97	327	15.33	344	16.13	347	16.27	321	15.82	314	15.48	341	16.81
Washington.....	510	12.23	531	12.73	498	11.94	507	12.15	487	11.68	426	11.41	426	11.26	413	10.92
York.....	1,000	13.91	1,063	14.76	940	13.02	979	13.52	1,076	14.81	1,015	13.92	914	12.49	984	13.41

DEATHS.

## REGISTRATION REPORT

**TABLE**  
**Deaths by Ages, Sex and**

Counties	Under 1		1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90-99	100 and over	Unknown
	Androscoggin . . . . .	Males	68	16	6	17	13	18	30	62	101	135	60	6	
	Females	48	13	4	8	16	29	33	47	85	130	68	17		
	Not stated														
Aroostook . . . . .	Males	115	24	15	25	18	14	31	34	85	87	46	10		1
	Females	93	15	11	17	28	27	22	38	51	65	43	12		
	Not stated														
Cumberland . . . . .	Males	90	20	15	34	26	30	80	140	198	223	98	19	1	
	Females	69	22	11	20	37	51	63	111	181	209	153	27		
	Not stated														
Franklin . . . . .	Males	14	6	1	4	1	2	7	15	31	38	17	4	1	
	Females	6	1	1	1	3	6	5	10	16	24	23	5		
	Not stated														
Hancock . . . . .	Males	16	3	1	5	6	15	12	29	51	69	34	5		
	Females	18	3	2	7	10	7	13	26	41	78	38	10		
	Not stated														
Kennebec . . . . .	Males	46	12	7	17	24	28	44	67	115	139	81	17		
	Females	31	10	11	13	18	22	36	54	95	107	85	15		
	Not stated														
Knox . . . . .	Males	6	2	1	4	5	9	17	28	51	70	34	8		
	Females	8	1	1	3	5	5	5	20	37	69	47	9		
	Not stated														
Lincoln . . . . .	Males	11	2	1	1	2	2	5	13	19	44	21	1		
	Females	7			2	2	3	3	9	22	38	21	13	1	
	Not stated														
Oxford . . . . .	Males	36	9	3	7	11	7	17	24	48	68	31	4		
	Females	18	9	4	2	9	8	9	17	27	51	36	8		
	Not stated														
Penobscot . . . . .	Males	72	10	8	12	23	24	54	81	122	187	74	8		
	Females	43	10	5	12	22	26	41	56	106	111	95	11		
	Not stated														
Piscataquis . . . . .	Males	11	3		3	9	5	5	10	19	35	15	2		
	Females	7	3	1	1	4	5	12	12	22	27	19	2		
	Not stated														
Sagadahoc . . . . .	Males	5	5	2	1	2		9	13	29	37	19	4		
	Females	10		1	4	1	2	4	11	21	27	26	5		
	Not stated														
Somerset . . . . .	Males	24	3	3	6	13	7	14	27	58	71	37	7	1	1
	Females	18	2	1	6	12	8	15	15	49	54	38	13		
	Not stated														
Waldo . . . . .	Males	11	3			5	5	7	14	39	64	33	5		
	Females	12	4		1	3	2	6	15	21	42	41	8		
	Not stated														
Washington . . . . .	Males	22	7	1	4	3	11	9	22	63	49	32	3		
	Females	14	2	2	6	5	9	12	18	41	39	31	8		
	Not stated														
York . . . . .	Males	38	10	3	16	17	24	29	65	100	128	78	7		
	Females	33	7	3	7	17	16	24	56	77	127	88	14		
	Not stated														
Total . . . . .	Males	585	135	67	156	178	201	370	644	1129	1444	710	110	3	2
	Females	435	102	58	110	192	226	303	515	892	1198	852	177	1	
	Not stated	1													1
Grand Total . . . . .		1021	237	125	266	370	427	673	1159	2021	2642	1562	287	4	3

NO. 15

Months by Counties, 1932

January	February	March	April	May	June	July	August	September	October	November	December	Total	Grand Total
46	57	45	49	48	32	32	38	44	48	34	59	532	—
40	49	48	42	48	44	33	27	48	41	39	39	498	1,030
42	32	43	42	51	49	41	38	46	31	39	51	505	—
34	41	45	41	39	24	25	30	33	35	31	44	422	927
95	90	80	86	84	84	66	82	75	77	72	83	974	—
94	95	100	78	72	65	78	78	80	73	78	63	954	1,928
10	11	19	10	16	8	10	8	9	12	12	16	141	—
11	10	12	15	4	9	8	6	8	3	9	6	101	242
30	17	34	22	20	19	21	17	11	17	15	23	246	—
19	28	24	27	28	19	15	21	24	14	17	17	253	499
53	48	60	48	52	43	40	39	47	56	52	59	597	—
50	55	53	45	44	30	38	27	39	33	38	45	497	1,094
26	22	22	13	19	21	8	23	20	24	19	18	235	—
11	23	23	17	24	14	16	10	16	22	15	19	210	445
12	15	9	7	11	10	8	13	8	9	13	7	122	—
12	17	11	11	12	7	9	10	12	7	4	9	121	243
24	28	16	24	30	22	25	20	10	18	20	28	265	—
12	27	19	14	14	15	18	6	16	19	20	18	198	—
58	56	66	63	45	57	48	44	55	58	54	71	675	464
45	45	62	50	36	51	38	32	41	36	46	56	538	—
13	7	10	6	11	8	7	10	10	11	15	9	117	1,214
12	8	13	8	6	7	8	9	7	12	7	18	115	232
12	7	13	9	14	10	13	7	10	6	10	15	126	—
9	8	17	6	9	6	7	9	7	10	5	19	112	238
29	25	20	22	34	21	19	21	21	22	20	18	272	—
25	12	21	25	19	22	12	10	17	16	20	32	231	503
17	17	19	12	20	16	16	14	14	14	9	17	186	—
8	18	15	19	12	8	11	6	14	9	15	20	155	341
15	19	25	22	19	19	20	15	16	17	15	24	226	—
13	18	25	14	26	14	10	11	14	12	20	10	187	413
41	38	45	50	44	41	51	38	40	35	48	44	515	—
43	42	55	29	33	46	27	41	45	27	31	50	469	984
523	489	526	485	518	460	425	427	436	456	447	542	5,734	—
438	496	543	441	426	381	353	333	421	369	395	465	5,061	—
—	1	—	—	—	—	—	—	—	—	1	—	2	—
961	986	1,069	926	944	841	778	760	857	825	843	1,007	—	10,797

TABLE  
Deaths by Ages, Sex and

Cities	Under 1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90-99	100 and over	Unknown
Auburn . . . . . Males	11	—	—	1	2	3	3	5	9	39	19	1	—	—
Auburn . . . . . Females	7	1	—	2	—	—	7	7	18	32	23	9	—	—
Auburn . . . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Augusta . . . . . Males	17	1	2	6	8	7	14	23	33	35	20	1	—	—
Augusta . . . . . Females	4	1	4	6	5	5	12	15	34	28	20	1	—	—
Augusta . . . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bangor . . . . . Males	24	6	5	6	12	16	31	38	60	70	30	4	—	—
Bangor . . . . . Females	13	2	2	7	11	17	24	26	55	58	40	6	—	—
Bangor . . . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bath . . . . . Males	4	3	1	1	1	—	6	12	15	16	6	1	—	—
Bath . . . . . Females	6	—	1	2	—	—	3	6	12	14	13	3	—	—
Bath . . . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Belfast . . . . . Males	4	—	—	—	1	3	—	3	17	13	7	1	—	—
Belfast . . . . . Females	1	1	—	1	—	—	3	6	5	7	15	1	—	—
Belfast . . . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Biddeford . . . . Males	10	5	3	4	5	10	6	22	19	24	16	1	—	—
Biddeford . . . . Females	10	3	1	2	12	7	9	14	20	27	15	2	—	—
Biddeford . . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brewer . . . . . Males	7	—	—	1	1	—	1	2	9	10	1	1	—	—
Brewer . . . . . Females	3	—	—	1	1	1	—	1	8	5	5	—	—	—
Brewer . . . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Calais . . . . . Males	4	3	1	—	—	3	1	2	16	5	9	—	—	—
Calais . . . . . Females	7	—	—	2	2	4	3	2	11	10	8	—	—	—
Calais . . . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Eastport . . . . Males	—	—	—	1	—	—	1	2	7	4	2	—	—	—
Eastport . . . . Females	2	—	—	1	2	1	1	1	5	4	2	2	—	—
Eastport . . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ellsworth . . . . Males	—	—	—	—	2	2	—	2	5	10	4	3	—	—
Ellsworth . . . . Females	1	—	1	—	3	1	4	1	6	11	4	3	—	—
Ellsworth . . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gardiner . . . . Males	4	3	—	—	—	—	—	7	15	11	3	3	—	—
Gardiner . . . . Females	5	1	—	1	2	7	3	8	11	9	9	2	—	—
Gardiner . . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hallowell . . . . Males	—	—	1	—	—	—	—	4	4	4	1	1	—	—
Hallowell . . . . Females	—	1	1	1	—	—	—	—	3	3	7	3	—	—
Hallowell . . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Lewiston . . . . Males	50	14	5	14	7	10	24	48	65	59	24	3	—	—
Lewiston . . . . Females	31	10	2	5	13	22	20	29	44	65	25	6	—	—
Lewiston . . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Old Town . . . . Males	7	1	1	—	1	—	4	3	4	18	5	—	—	—
Old Town . . . . Females	3	—	1	—	—	3	1	3	9	10	4	—	—	—
Old Town . . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Portland . . . . Males	59	14	9	21	12	24	55	88	126	112	53	5	1	—
Portland . . . . Females	48	15	11	13	20	36	43	77	109	130	75	15	—	—
Portland . . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rockland . . . . Males	4	—	—	2	2	3	8	7	17	24	12	1	—	—
Rockland . . . . Females	5	—	1	1	2	2	2	7	11	21	14	1	—	—
Rockland . . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Saco . . . . . Males	—	—	—	1	—	3	2	6	8	12	4	1	—	—
Saco . . . . . Females	3	—	—	1	—	—	—	3	8	16	6	4	—	—
Saco . . . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
South Portland . Males	8	—	1	—	3	1	1	8	9	15	6	2	—	—
South Portland . Females	4	1	—	—	1	1	3	4	13	20	12	5	—	—
South Portland . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Waterville . . . Males	9	7	3	4	7	7	8	8	20	20	10	2	—	—
Waterville . . . Females	10	4	3	2	4	6	10	11	16	22	9	1	—	—
Waterville . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Westbrook . . . Males	5	—	—	1	2	1	5	3	10	12	4	1	—	—
Westbrook . . . Females	8	3	—	1	2	5	2	4	8	10	12	—	—	—
Westbrook . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total . . . . . Males	227	57	32	63	66	93	171	293	468	513	235	32	1	—
Total . . . . . Females	171	43	28	49	81	121	150	225	406	502	318	64	—	—
Total . . . . . Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Grand Total . . . . .	398	100	60	112	147	214	321	518	874	1015	553	96	1	1

DEATHS

45

NO. 16  
Months by Cities, 1932

January	February	March	April	May	June	July	August	September	October	November	December	Total	Grand Total
7	14	8	11	11	5	2	5	5	11	7	7	93	202
6	9	7	10	11	7	8	8	9	14	7	13	109	
9	10	15	15	20	12	11	15	15	14	17	14	167	302
14	18	12	11	13	6	8	6	12	9	9	17	135	
34	18	34	27	19	22	22	18	28	27	27	26	302	563
23	23	35	28	19	26	19	10	15	20	21	23	261	
3	4	7	7	9	6	7	2	6	1	5	9	66	126
5	4	14	2	4	4	4	2	1	5	3	11	60	
3	7	4	1	7	5	3	4	5	3	2	4	48	89
3	4	4	8	1	2	1	3	1	4	4	6	41	
9	11	8	10	18	8	12	7	10	10	13	9	125	247
9	19	16	7	11	11	5	8	10	6	7	13	122	
2	3	3	5	2	5	2	1	1	4	3	2	33	59
1	1	1	2	3	3	3	3	1	2	1	3	25	
2	3	4	7	5	4	4	1	2	4	3	5	1	44
3	5	1	3	8	4	4	2	2	4	8	5	49	93
1	3	2	2	1	2	2	2	2	1	2	2	17	38
1	3	3	3	1	1	2	2	2	1	2	2	21	
5	3	3	2	5	2	2	4	3	3	2	3	28	63
4	4	6	4	6	3	2	1	1	2	1	3	35	
6	3	4	3	4	4	2	2	4	4	6	5	47	105
4	10	7	5	4	3	8	4	2	3	4	4	58	
1	3	2	2	3	1	2	1	4	2	1	3	15	34
1	1	2	3	3	2	3	1	1	1	1	3	19	
34	34	24	24	27	19	20	22	27	30	20	42	323	595
22	30	28	26	30	24	14	13	26	16	22	21	272	
2	6	4	6	4	2	2	1	4	3	3	8	44	78
2	6	6	2	3	4	2	1	1	2	5	1	34	
60	55	46	53	48	50	33	49	48	49	42	46	579	1,171
64	60	60	48	37	41	50	50	45	49	46	42	592	
11	9	9	4	7	7	5	6	8	6	5	3	80	147
3	4	8	8	9	4	6	2	4	6	5	8	67	
3	3	2	4	3	6	4	3	5	2	1	3	37	78
3	4	5	2	3	3	8	4	2	2	2	1	41	
4	8	4	5	2	4	4	3	4	6	5	5	54	118
6	6	8	3	3	4	5	6	9	3	8	3	64	
12	10	11	12	7	10	7	6	6	8	8	8	105	203
11	9	12	9	7	3	6	6	10	8	9	8	98	
3	5	5	3	2	3	4	4	3	2	3	7	44	99
4	4	9	4	6	2	4	4	7	5	4	2	55	
210	209	199	201	200	177	147	154	183	190	175	206	2,251	4,410
184	224	244	188	182	157	162	135	167	161	168	186	2,158	
										1		1	
394	433	443	389	382	334	309	289	350	351	344	392		

TABLE NO. 17  
Showing the Number of Deaths in the State and in Each County  
Arranged by Classes and Counties, 1932

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
General Diseases . . . . .	10,797	1,030	927	1,928	242	499	1,094	445	243	464	1,214	232	238	503	341	413	984
I. Infectious and Parasitic Diseases . . . . .	809	58	93	134	19	43	88	34	10	40	98	16	19	60	19	23	55
II. Cancers and Other Tumors . . . . .	1,218	122	82	228	17	56	113	66	31	54	143	23	20	55	36	51	121
III. Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases . . . . .	319	35	13	57	6	16	34	11	5	12	36	6	9	16	11	13	39
IV. Diseases of the Blood and Blood-Making Organs . . . . .	99	10	9	17	2	1	14	3	3	3	15	2	1	1	3	4	1
V. Chronic Poisonings and Intoxications . . . . .	29	1	3	5	6	1	2	1	1	3	2	1	1	—	—	—	—
VI. Diseases of the Nervous System and of the Organs of Special Sense . . . . .	1,360	103	84	230	36	76	143	73	47	59	159	28	29	66	49	50	128
VII. Diseases of the Circulatory System . . . . .	2,740	270	125	538	64	111	282	140	67	102	299	55	71	136	86	129	268
VIII. Diseases of the Respiratory System . . . . .	791	62	76	141	13	34	92	18	22	39	97	15	21	28	28	26	79
IX. Diseases of the Digestive System . . . . .	571	61	89	124	15	24	51	38	9	18	57	8	4	23	14	11	28
X. Diseases of the Genitourinary System . . . . .	991	114	74	162	21	54	123	48	22	48	97	35	30	33	28	30	78
XI. Diseases of Pregnancy, Childbirth and the Puerperal State . . . . .	98	11	18	16	2	5	11	—	2	3	10	3	1	1	2	4	9
XII. Diseases of the Skin and Cellular Tissue . . . . .	14	3	2	2	—	—	2	2	—	1	1	—	1	1	—	—	1
XIII. Diseases of the Bones and Organs of Locomotion . . . . .	8	2	1	2	—	—	—	—	—	—	—	—	1	—	—	—	—
XIV. Congenital Malformations . . . . .	100	14	9	20	—	4	10	1	1	7	16	3	3	3	2	2	5
XV. Diseases of Early Infancy . . . . .	556	56	129	81	13	18	40	7	10	32	58	11	5	24	13	20	39
XVI. Senility . . . . .	184	18	21	29	6	10	10	11	3	8	16	4	4	9	16	5	14
XVII. Violent and Accidental Deaths . . . . .	733	72	72	125	18	38	70	23	7	29	78	21	17	35	22	33	73
XVIII. Ill-Defined Causes of Death . . . . .	177	18	27	17	4	8	9	5	4	4	32	4	3	11	12	10	9





TABLE NO. 17—Continued

Showing the Number of Deaths in the State and in Each County  
Arranged by Classes and Counties, 1932

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
Disseminated tuberculosis																	
(a) Acute	8	1	—	3	—	1	1	1	—	—	—	—	—	—	—	1	—
(b) Chronic	3	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
(c) Unspecified	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	42	4	3	18	1	1	3	3	—	1	5	—	—	1	1	—	1
Gonococcus infection and other venereal diseases	7	—	—	3	—	2	—	—	—	1	—	—	—	—	—	1	—
Purulent infection, septice- mia (nonpuerperal)	7	—	—	3	—	—	—	—	2	—	1	—	1	—	—	—	—
Malaria	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Other diseases due to pro- tozoal parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ankylostomiasis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydatid cysts	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Of the liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Of other organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases caused by helminths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mycosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Chicken-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) German measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(c) Others under this title	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>II Cancers and other Tumors</b>	<b>1218</b>	<b>122</b>	<b>82</b>	<b>228</b>	<b>17</b>	<b>56</b>	<b>113</b>	<b>66</b>	<b>31</b>	<b>54</b>	<b>143</b>	<b>23</b>	<b>20</b>	<b>55</b>	<b>36</b>	<b>51</b>	<b>121</b>
Cancer and other malignant tumors of the buccal cav- ity and pharynx	45	8	3	3	—	3	2	3	3	—	8	—	1	4	3	2	2
Cancer and other malignant tumors of the digestive tract and peritoneum	630	70	43	104	12	28	59	40	10	32	64	14	15	32	20	30	57
Cancer and other malignant tumors of the respiratory system	28	4	2	2	—	—	1	2	1	2	6	1	—	—	1	1	5
Cancer and other malignant tumors of the uterus	138	11	9	25	1	5	18	6	4	7	19	—	1	7	1	5	19
Cancer and other malignant tumors of other female genital organs	20	2	1	8	—	—	3	2	—	—	2	—	—	—	—	—	2
Cancer and other malignant tumors of the breast	114	7	10	22	1	7	11	2	4	6	15	5	—	2	6	4	12
Cancer and other malignant tumors of the male geni- tourinary organs	88	9	4	20	—	5	6	7	3	2	11	1	2	2	2	3	11
Cancer and other malignant tumors of the skin	28	4	1	3	2	3	2	—	2	2	1	—	—	—	2	—	6
Cancer and other malignant tumors of other or un- specified organs	88	3	6	27	1	3	11	4	3	1	11	1	1	6	—	4	6
<b>Nonmalignant tumors</b>																	
(a) Nonmalignant tu- mors of the ovary	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Nonmalignant tu- mors of the uterus	19	3	1	7	—	1	—	—	—	—	3	1	—	1	1	—	1
(c) Nonmalignant tu- mors of other female genital organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(d) Nonmalignant tu- mors of the brain	4	—	1	1	—	—	—	—	—	1	—	—	—	—	1	—	—
(e) Nonmalignant tu- mors of other organs	6	—	—	2	—	—	—	—	—	—	2	—	—	—	—	—	2

TABLE NO. 17—Continued

Showing the Number of Deaths in the State and in Each County Arranged by Classes and Counties, 1932

Causes of Death	State	Androscoquin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
Tumors of which the nature is not specified																	
(a) Tumors of the ovary (nature unspecified)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Tumors of the uterus (nature unspecified)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(c) Tumors of other female genital organs (nature unspecified)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(d) Tumors of the brain (nature unspecified)	3	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
(e) Tumors of other organs (nature unspecified)	5	—	1	1	—	1	—	—	1	1	—	—	—	—	—	—	—
III. Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and other General Diseases	319	35	13	57	6	16	34	11	5	12	36	6	9	16	11	13	39
Acute rheumatic fever	9	—	—	4	—	—	1	—	—	2	—	—	—	—	—	—	—
Chronic rheumatism, osteoarthritis	22	4	2	1	—	3	2	1	1	1	2	—	—	—	2	3	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes mellitus	241	27	9	46	5	10	26	9	3	6	28	4	8	—	7	7	34
Scurvy	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pellagra	5	—	2	—	—	1	2	—	—	—	—	—	—	—	—	—	—
Rickets	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Diseases of the pituitary body	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the thyroid and parathyroid glands	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Simple goiter	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
(b) Exophthalmic goiter	8	—	—	1	—	—	1	—	1	—	3	—	—	2	—	—	—
(c) Myxedema and cretinism	5	—	—	1	—	—	1	—	—	—	—	—	—	—	2	1	—
(d) Tetany	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
(e) Other diseases of the thyroid and parathyroid glands	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the thymus gland	16	1	—	4	—	1	1	1	—	3	1	1	—	—	—	2	1
Diseases of the adrenals (Addison's disease, not specified as tuberculosis)	6	2	—	—	1	—	—	—	—	—	1	—	—	—	—	—	2
Other general diseases	3	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
IV. Diseases of the Blood and Blood-making Organs	99	10	9	17	2	1	14	3	3	5	15	2	1	1	3	4	9
Hemorrhagic conditions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Primary purpuras	3	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1
(b) Hemophilia	9	—	1	2	1	—	2	—	—	—	1	—	—	—	—	1	1
Anemias	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Pernicious anemia	36	5	6	4	—	—	5	3	—	2	3	1	1	1	2	—	3
(b) Other anemias	8	—	—	1	—	—	—	—	1	2	2	—	—	—	1	—	1
Leukemias and pseudoleukemias	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) True leukemias	20	3	1	6	—	1	2	—	—	—	3	1	—	—	—	2	1
(b) Pseudoleukemias (Hodgkins' disease)	16	1	—	1	1	—	5	—	2	1	2	—	—	—	—	1	2
Diseases of the spleen	7	—	1	2	—	—	—	—	—	—	4	—	—	—	—	—	—
Other diseases of the blood and blood-making organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE NO. 17—Continued

Showing the Number of Deaths in the State and in Each County  
Arranged by Classes and Counties, 1932

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
V. Chronic Poisonings and Intoxications . . . . .	29	1	3	5	6	1	2	1	—	3	2	1	1	—	—	2	1
Alcoholism (acute or chronic) . . . . .	25	1	3	4	4	1	2	1	—	3	2	—	1	—	—	2	1
Chronic poisoning by other organic substances																	
(a) Occupational . . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
(b) Other chronic poisoning by organic substances . . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Chronic poisoning by mineral substances																	
(a) Lead . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Occupational (except lead) . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
(c) Other chronic poisoning by mineral substances . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VI. Diseases of the Nervous System and of the Organs of Special Sense . . . . .	1360	103	84	230	36	76	143	73	47	59	159	28	29	66	49	50	128
Encephalitis (nonepidemic)	9	—	2	2	—	—	1	—	—	—	1	—	—	—	—	—	3
Meningitis																	
(a) Simple meningitis . . . . .	10	1	—	1	—	—	—	—	—	2	3	—	—	1	2	—	—
(b) Nonepidemic cerebrospinal meningitis . . . . .	9	3	3	1	—	—	—	—	—	—	1	—	—	—	—	1	—
Progressive locomotor ataxia (tabes dorsalis) . . . . .	15	2	2	4	—	1	—	—	—	—	3	—	1	—	—	—	2
Other diseases of the spinal cord . . . . .	24	3	—	4	—	1	3	1	3	—	2	—	2	—	1	1	3
Cerebral hemorrhage, cerebral embolism and thrombosis																	
(a) Cerebral hemorrhage . . . . .	1077	80	65	171	32	67	106	67	37	48	119	26	19	59	40	40	101
(b) Cerebral embolism and thrombosis . . . . .	46	2	1	10	3	2	5	1	3	2	3	—	1	2	2	4	5
(c) Softening of the brain . . . . .	6	—	—	—	—	—	1	—	—	2	1	—	—	1	—	—	1
(d) Hemiplegia and other paralysis, cause unspecified . . . . .	37	1	4	7	—	1	4	1	1	—	4	1	6	1	1	2	3
General paralysis of the insane . . . . .	27	1	—	2	—	—	13	—	—	—	10	—	—	—	—	—	1
Dementia præcox and other psychoses . . . . .	7	1	—	2	—	—	2	—	—	—	1	—	—	—	—	—	—
Epilepsy . . . . .	24	2	3	9	—	—	5	—	1	—	1	1	—	—	—	—	2
Convulsions (under 5 years of age) . . . . .	21	—	1	1	—	3	1	2	1	1	4	—	—	1	2	—	4
Other diseases of the nervous system																	
(a) Neuralgia and neuritis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Other diseases of the nervous system . . . . .	23	2	1	6	1	1	1	—	—	4	2	—	—	1	1	1	2
Diseases of the organs of vision . . . . .	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
Diseases of the ear and of the mastoid process																	
(a) Diseases of the ear . . . . .	9	2	—	5	—	—	—	1	—	—	1	—	—	—	—	—	—
(b) Diseases of the mastoid process . . . . .	14	3	2	5	—	—	1	—	—	—	2	—	—	—	—	—	1

TABLE NO. 17—Continued

Showing\* the Number of Deaths in the State and in Each County Arranged by Classes and Counties, 1932

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
VII. Diseases of the Circulatory System . . . . .	2740	270	125	538	64	111	282	140	67	102	299	52	71	136	86	129	268
Pericarditis . . . . .	8	—	2	1	—	—	—	—	—	—	—	1	—	—	—	3	1
Acute endocarditis																	
(a) Specified as acute . . . . .	41	4	2	10	2	—	7	3	1	—	5	—	—	1	2	4	—
(b) Unspecified (under 45 years of age) . . . . .	10	—	1	4	—	1	2	—	—	—	—	1	—	—	—	—	1
Chronic endocarditis, valvular diseases																	
(a) Endocarditis, specified as chronic and other valvular diseases . . . . .	453	52	29	56	11	11	54	22	6	15	45	10	11	24	9	35	63
(b) Endocarditis, unspecified (45 years and over) . . . . .	179	13	6	21	4	8	24	18	2	1	27	4	3	12	5	9	22
Diseases of the myocardium																	
(a) Acute myocarditis . . . . .	60	6	6	13	4	—	3	1	—	3	8	2	2	7	—	1	4
(b) Myocarditis, unspecified (under 45 years of age) . . . . .	2	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
(c) Chronic myocarditis and myocardial degeneration . . . . .	598	56	28	145	8	22	65	34	20	23	51	4	21	24	26	24	47
(d) Unspecified . . . . .	116	10	1	31	4	1	15	3	7	4	11	2	3	8	1	3	12
Diseases of the coronary arteries and angina pectoris																	
(a) Angina pectoris . . . . .	349	40	7	52	6	21	34	20	10	21	51	11	6	19	11	9	31
(b) Diseases of the coronary arteries . . . . .	169	15	5	65	1	6	11	4	1	5	7	3	6	3	4	5	28
Other diseases of the heart.																	
(a) Functional diseases of the heart . . . . .	19	—	1	6	—	—	3	—	1	1	3	—	—	—	2	2	—
(b) Other and unspecified . . . . .	333	34	13	67	15	21	26	14	12	15	24	10	10	27	10	14	21
Aneurysm (except of the heart) . . . . .	9	1	3	1	—	—	1	—	—	—	—	—	—	—	—	—	3
Arteriosclerosis (diseases of the coronary arteries excepted) . . . . .	355	32	15	61	9	17	31	18	6	13	66	5	7	10	15	17	33
Gangrene . . . . .	14	—	3	—	—	2	3	1	—	—	—	—	—	1	1	2	1
Other diseases of the arteries	16	6	2	1	—	—	2	2	1	—	1	—	—	—	—	—	1
Diseases of the veins (varices, hemorrhoids, phlebitis, etc.) . . . . .	6	1	1	2	—	1	—	—	—	—	—	—	—	—	—	1	—
Diseases of the lymphatic system																	
Lymphangitis, etc. . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Idiopathic anomalies of the blood pressure . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of the circulatory system . . . . .	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
VIII. Diseases of the Respiratory System . . . . .	791	62	76	141	13	34	92	18	22	39	97	15	21	28	28	26	79
Diseases of the nasal fossae and annexa																	
(a) Diseases of the nasal fossae . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Others under this title . . . . .	3	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the larynx . . . . .	2	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—
Bronchitis																	
(a) Acute . . . . .	39	3	4	2	2	6	4	—	1	—	7	1	—	1	1	2	5
(b) Chronic . . . . .	23	1	5	2	—	1	4	—	2	—	1	—	—	1	1	1	5

TABLE NO. 17—Continued

Showing the Number of Deaths in the State and in Each County  
Arranged by Classes and Counties, 1932

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
(c) Unspecified (under 5 years of age).....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(d) Unspecified (5 years and over).....	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Bronchopneumonia (including capillary bronchitis)	298	18	30	47	5	8	42	9	7	17	39	7	12	12	8	6	31
(a) Bronchopneumonia.	7	—	—	1	1	—	2	—	1	—	—	—	—	—	—	—	1
(b) Capillary bronchitis	291	18	30	46	4	8	40	9	6	17	39	7	12	12	8	6	30
Lobar pneumonia.....	330	35	27	70	3	17	30	5	6	18	41	6	8	11	13	15	25
Pneumonia, unspecified...	20	2	4	3	—	1	—	1	3	—	2	—	—	—	—	—	1
Pleurisy.....	18	2	1	5	—	—	1	2	—	1	2	1	—	—	—	—	2
Congestion, edema, embolism, hemorrhagic infarct and thrombosis of the lungs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Pulmonary embolism and thrombosis...	5	1	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—
(b) Others under this title	20	—	2	3	1	1	4	—	—	2	—	—	—	1	—	1	5
Asthma.....	12	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	3
Pulmonary emphysema...	1	—	—	—	—	—	—	1	—	—	—	—	—	1	4	—	—
Other diseases of the respiratory system (tuberculosis excepted)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Chronic interstitial pneumonia, including occupational diseases of the respiratory system.....	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
(b) Others, including gangrene of the lung..	9	—	1	4	—	—	1	—	—	—	1	—	—	1	—	—	1
IX. Diseases of the Digestive System.....	571	61	89	124	15	24	51	8	9	18	57	8	4	23	14	11	55
Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Diseases of the pharynx and tonsils.....	20	1	4	6	1	1	2	1	—	2	1	—	—	—	—	—	1
(b) Others under this title	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Diseases of the esophagus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer of the stomach and duodenum	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Ulcer of the stomach	38	2	3	8	—	2	2	1	—	3	7	1	1	3	1	1	3
(b) Ulcer of the duodenum	13	1	4	2	—	1	1	—	1	—	—	—	—	1	1	1	1
Other diseases of the stomach (cancer excepted)...	25	3	7	2	—	—	3	—	—	—	3	—	—	2	2	1	2
Diarrhea and enteritis (under 2 years of age)...	75	9	29	15	2	1	5	—	1	1	3	1	—	4	—	2	2
Diarrhea and enteritis (2 years and over).....	36	2	6	5	3	1	5	—	1	3	1	—	—	3	—	2	4
Appendicitis.....	125	18	12	30	3	5	17	2	1	1	16	4	2	1	1	1	11
Hernia, intestinal obstruction	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Hernia.....	39	3	6	11	—	2	2	3	1	—	2	—	—	2	1	—	6
(b) Intestinal obstruction	65	5	5	12	4	2	9	1	1	5	10	1	—	1	3	1	5
Other diseases of the intestines.....	7	—	—	2	—	—	1	—	—	—	—	1	1	—	1	1	—
Cirrhosis of the liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Specified as alcoholic	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
(b) Not specified as alcoholic.....	25	2	4	6	—	2	—	—	2	1	4	—	—	2	—	—	2



TABLE NO. 17—Continued

Showing the Number of Deaths in the State and in Each County  
Arranged by Classes and Counties, 1932

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
Other accidents of pregnancy (not to include hemorrhages).....	2	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Puerperal hemorrhage																	
(a) Placenta praevia....	4	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	1
(b) Other puerperal hemorrhages.....	4	—	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—
Puerperal septicemia (not specified as due to abortion)																	
(a) Puerperal septicemia and pyemia.....	14	1	1	2	—	2	2	—	—	—	3	—	1	—	—	—	2
(b) Puerperal tetanus....	19	1	3	3	—	—	1	—	1	1	3	1	—	—	1	3	1
Puerperal albuminuria and eclampsia.....	7	1	1	1	—	1	—	—	—	1	—	—	—	1	1	—	—
Other toxemias of pregnancy																	
Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	4	—	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—
Other accidents of childbirth																	
(a) Cesarean operation....	12	2	1	1	1	1	2	—	—	1	—	1	—	—	—	1	1
(b) Others under this title	7	2	—	2	—	—	1	—	—	—	—	—	—	—	—	—	2
Other and unspecified conditions of the puerperal state.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Diseases of the skin and Cellular Tissue....	14	3	2	2	—	—	2	2	—	—	1	—	—	1	—	—	1
Furuncle, carbuncle....	7	1	1	1	—	—	1	1	—	—	1	—	—	1	—	—	—
Phlegmon, acute abscess....	5	2	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Other diseases of the skin and annexa and of the cellular tissue.....	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
XIII. Diseases of the Bones and Organs of Locomotion																	
Osteomyelitis.....	8	2	1	2	—	—	—	—	—	1	—	—	—	1	—	—	1
Other diseases of the bones (tuberculosis excepted)....	5	2	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—
Diseases of the joints and other organs of locomotion																	
(a) Diseases of the joints (tuberculosis and rheumatism excepted)....	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
(b) Diseases of other organs of locomotion.....	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XIV. Congenital Malformations																	
Congenital malformations (stillbirths not included)	100	14	9	20	—	4	10	1	1	7	16	3	3	3	2	2	5
(a) Congenital hydrocephalitis.....	13	1	1	4	—	—	2	—	—	—	3	—	1	1	—	—	—
(b) Spina bifida and meningocele.....	13	3	1	2	—	1	1	—	—	1	1	1	—	—	1	—	1
(c) Congenital malformations of the heart....	48	5	4	9	—	2	5	—	1	3	10	1	1	2	1	1	3
(d) Other congenital malformations.....	26	5	3	5	—	1	2	1	—	3	2	1	1	—	—	1	1





TABLE NO. 17—Concluded

Showing the Number of Deaths in the State and in Each County  
Arranged by Classes and Counties, 1932

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
Accidental traumatism by fall, crushing, landslide																	
(a) Accidental traumatism by fall	136	19	1	29	3	3	14	5	3	3	16	6	7	4	5	18	
(b) Accidental traumatism by crushing, landslide	2						2										
Cataclysm (all deaths attributed to a cataclysm regardless of their nature)																	
Injuries by animals	3		1							1						1	
Hunger and thirst	3		1								1					1	
Excessive cold																	
Excessive heat	1		1														
Lightning	1			1													
Accidents due to electric currents	5		2				1				1					1	
Other accidents																	
(a) Foreign bodies	7	1	3	1			1					1					
(b) Others under this title	34	6	4	4	2	1	2	2	1		5			3		4	
Violent deaths of which the nature (accident, suicide, homicide) is unknown																	
Wounds of war																	
Execution of civilians by belligerent armies																	
Legal executions																	
Accidental traumatism in mines and quarries																	
Accidents from agricultural machinery																	
Elevator accidents																	
Accidents from machinery used for recreation																	
Other machinery accidents	13		3	2	1	1					2			2	1	1	
Railroad and automobile collisions	8	4		3							1						
Other railroad accidents	10		1	4			1			1	2					1	
Street car and automobile collisions																	
Other street car accidents																	
Automobile accidents	149	14	18	24	3	11	9	6		5	19	3	3	3	3	6	22
Motorcycle accidents	2			2													
Other land transportation accidents	5				1	1				1		1		1			
Water transportation accidents	1														1		
Air transportation accidents	7	2		2			1								2		
XVIII. Ill-Defined Causes of Death	177	18	27	17	4	8	9	5	4	4	32	4	3	11	12	10	9
Sudden death	45	7	4	5	2	2	3	1		1	9	3	2	2	1	1	2
Cause of death not specified or ill-defined																	
(a) Ill-defined	82	8	10	11	2	5	3	4	4	3	7	1		6	6	5	7
(b) Not specified or unknown	50	3	13	1		1	3				16	1		3	5	4	

**TABLE NO. 18**  
**Showing the Number of Deaths in the State Arranged by Classes and Months, 1932**

Causes of Death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
General Diseases . . . . .	10,797	961	986	1,069	926	944	841	778	760	857	825	843	1,007
I. Infectious and Parasitic Diseases . . . . .	809	91	93	115	77	84	51	42	45	42	55	54	60
II. Cancers and Other Tumors . . . . .	1,218	100	102	91	84	107	112	110	102	116	92	99	103
III. Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and other General Diseases . . . . .	319	23	33	37	33	19	22	19	32	25	20	26	30
IV. Diseases of the Blood and Blood-Making Organs . . . . .	99	6	11	8	6	15	11	4	6	9	10	7	6
V. Chronic Poisonings and Intoxications . . . . .	29	2	3	4	2	—	2	4	2	1	2	3	4
VI. Diseases of the Nervous System and of the Organs of Special Sense . . . . .	1,360	123	113	137	115	121	120	107	91	97	101	102	133
VII. Diseases of the Circulatory System . . . . .	2,740	239	249	272	253	216	206	186	174	222	223	243	257
VIII. Diseases of the Respiratory System . . . . .	791	89	101	102	80	69	44	35	23	29	49	64	106
IX. Diseases of the Digestive System . . . . .	571	46	42	57	50	41	41	36	51	58	50	39	60
X. Diseases of the Genitourinary System . . . . .	991	88	107	90	84	91	72	79	76	92	79	60	73
XI. Diseases of Pregnancy, Childbirth and the Puerperal State . . . . .	98	7	11	10	5	9	6	9	11	10	3	11	6
XII. Diseases of the Skin and Cellular Tissue . . . . .	14	1	—	1	2	2	—	—	1	—	1	3	3
XIII. Diseases of the Bones and Organs of Loco- motion . . . . .	8	2	—	1	—	1	1	—	1	1	1	—	—
XIV. Congenital Malformations . . . . .	100	11	9	9	7	7	10	6	8	10	5	6	12
XV. Diseases of Early Infancy . . . . .	556	52	50	41	45	61	52	47	37	48	45	40	38
XVI. Senility . . . . .	184	19	16	25	18	11	12	11	14	10	12	16	20
XVII. Violent and Accidental Deaths . . . . .	733	46	34	47	49	73	67	69	78	74	66	53	77
XVIII. Ill-Defined Causes of Death . . . . .	177	16	12	22	16	17	12	14	8	13	11	17	19

CAUSES OF DEATHS, BY CLASSES AND GROUPS . 57



TABLE NO. 18—Continued  
 Showing the Number of Deaths in the State  
 Arranged by Classes and Months, 1932

Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
Ankylostomiasis	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydatid cysts	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Of the liver	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Of other organs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases caused by helminths	—	—	—	—	—	—	—	—	—	—	—	—	—
Mycoses	—	—	—	—	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Chicken-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) German measles	—	—	—	—	—	—	—	—	—	—	—	—	—
(c) Others under this title	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>II. Cancers and Other Tumors</b>	<b>1,218</b>	<b>100</b>	<b>102</b>	<b>91</b>	<b>84</b>	<b>107</b>	<b>112</b>	<b>110</b>	<b>102</b>	<b>116</b>	<b>92</b>	<b>99</b>	<b>103</b>
Cancer and other malignant tumors of the buccal cavity and pharynx	45	9	3	6	2	3	—	6	8	3	3	—	2
Cancer and other malignant tumors of the digestive tract and peritoneum	630	59	49	45	51	59	53	55	48	55	49	55	52
Cancer and other malignant tumors of the respiratory system	28	2	2	4	2	1	1	4	4	4	—	2	2
Cancer and other malignant tumors of the uterus	138	9	16	13	6	11	14	13	8	17	10	11	10
Cancer and other malignant tumors of other female genital organs	20	—	1	3	3	1	2	1	2	1	3	1	2
Cancer and other malignant tumors of the breast	114	7	11	8	8	9	12	10	10	12	5	8	14
Cancer and other malignant tumors of the male genitourinary organs	88	8	5	3	3	5	15	9	7	4	6	12	11
Cancer and other malignant tumors of the skin	28	1	2	1	2	4	2	3	2	4	3	2	2
Cancer and other malignant tumors of other or unspecified organs	88	4	7	4	5	7	9	6	12	11	12	5	6
<b>Nonmalignant tumors</b>													
(a) Nonmalignant tumors of the ovary	2	—	1	—	—	—	—	1	—	—	—	—	—
(b) Nonmalignant tumors of the uterus	19	—	4	1	1	4	1	2	1	2	1	1	1
(c) Nonmalignant tumors of other female genital organs	—	—	—	—	—	—	—	—	—	—	—	—	—
(d) Nonmalignant tumors of the brain	4	—	1	—	—	1	2	—	—	—	—	—	—
(e) Nonmalignant tumors of other organs	6	1	—	2	—	1	—	—	—	2	—	—	—
<b>Tumors of which the nature is not specified</b>													
(a) Tumors of the ovary (nature unspecified)	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Tumors of the uterus (nature unspecified)	—	—	—	—	—	—	—	—	—	—	—	—	—
(c) Tumors of other female genital organs (nature unspecified)	—	—	—	—	—	—	—	—	—	—	—	—	—
(d) Tumors of the brain (nature unspecified)	3	—	—	1	—	—	1	—	—	—	—	1	—
(e) Tumors of other organs (nature unspecified)	5	—	—	—	1	1	—	—	—	1	—	1	1
<b>III. Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases</b>	<b>319</b>	<b>23</b>	<b>33</b>	<b>37</b>	<b>33</b>	<b>19</b>	<b>22</b>	<b>19</b>	<b>32</b>	<b>25</b>	<b>20</b>	<b>26</b>	<b>30</b>
Acute rheumatic fever	9	—	1	2	2	—	1	—	2	1	—	—	—
Chronic rheumatism, osteoarthritis	22	1	3	3	3	1	2	1	3	—	2	1	2

TABLE NO. 18—Continued  
 Showing the Number of Deaths in the State  
 Arranged by Classes and Months, 1932

Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
Gout.....	241	18	25	29	23	17	15	14	19	22	17	21	21
Diabetes mellitus.....	1	1	—	—	—	—	—	—	—	—	—	—	—
Scurvy.....	5	—	—	1	—	1	—	—	1	—	—	2	—
Pellagra.....	1	—	1	—	—	—	—	—	—	—	—	—	—
Rickets.....	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the pituitary body.....	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the thyroid and parathyroid glands	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Simple goiter.....	1	—	—	—	1	—	—	—	—	—	—	—	—
(b) Exophthalmic goiter.....	8	2	1	—	2	—	—	1	—	1	—	—	1
(c) Myxedema and cretinism.....	5	—	—	—	—	—	—	—	3	1	—	1	—
(d) Tetany.....	1	—	—	—	—	—	—	—	—	—	1	—	—
(e) Other diseases of the thyroid and parathyroid glands.....	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the thymus gland.....	16	—	1	1	2	—	2	2	3	—	—	1	4
Diseases of the adrenals (Addison's disease, not specified as tuberculosis).....	6	—	1	—	—	—	2	1	1	—	—	—	1
Other general diseases.....	3	1	—	1	—	—	—	—	—	—	—	—	1
IV. Diseases of the Blood and Blood-Making Organs.....	99	6	11	8	6	15	11	4	6	9	10	7	6
Hemorrhagic conditions	—	—	—	—	—	—	—	—	1	—	—	1	1
(a) Primary purpuras.....	3	—	—	—	—	—	—	—	—	—	—	1	1
(b) Hemophilia.....	9	1	2	1	—	1	1	1	—	—	—	2	—
Anemias	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Pernicious anemia.....	36	1	2	4	3	8	6	2	—	3	4	1	2
(b) Other anemias.....	8	—	1	—	—	—	—	—	3	1	—	1	—
Leukemias and pseudoleukemias	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) True leukemias.....	20	2	3	1	2	2	1	—	2	3	4	—	—
(b) Pseudoleukemias (Hodgkin's disease).....	16	1	3	2	1	3	—	—	—	2	—	2	2
Diseases of the spleen.....	7	1	—	—	—	1	1	1	—	—	2	—	1
Other diseases of the blood and blood-making organs.....	—	—	—	—	—	—	—	—	—	—	—	—	—
V. Chronic Poisonings and Intoxications.....	29	2	3	4	2	—	2	4	2	1	2	3	4
Alcoholism (acute or chronic).....	25	2	2	3	2	—	2	4	2	1	2	1	4
Chronic poisoning by other organic substances	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Occupational.....	1	—	—	1	—	—	—	—	—	—	—	—	—
(b) Other chronic poisoning by organic substances.....	1	—	—	—	—	—	—	—	—	—	—	1	—
Chronic poisoning by mineral substances	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Lead.....	1	—	1	—	—	—	—	—	—	—	—	—	—
(b) Occupational (except lead).....	1	—	—	—	—	—	—	—	—	—	—	1	—
(c) Other chronic poisoning by mineral substances.....	—	—	—	—	—	—	—	—	—	—	—	—	—
VI. Diseases of the Nervous System and of the Organs of Special Sense.....	1,360	123	113	137	115	121	120	107	91	97	101	102	133
Encephalitis (nonepidemic).....	9	—	2	1	—	1	1	2	—	—	—	—	2
Meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Simple meningitis.....	10	1	—	1	1	1	1	—	2	1	1	—	1
(b) Nonepidemic cerebrospinal meningitis.....	9	1	—	2	2	—	1	—	—	2	1	—	—
Progressive locomotor ataxia (tabes dorsalis).....	15	1	1	1	1	2	1	2	1	—	1	—	4
Other diseases of the spinal cord.....	24	1	3	1	4	—	4	1	2	1	3	1	3

**TABLE NO. 18—Continued**  
**Showing the Number of Deaths in the State**  
**Arranged by Classes and Months, 1932**

Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
Cerebral hemorrhage, cerebral embolism and thrombosis	1,077	97	90	100	90	98	99	86	72	75	77	86	107
(a) Cerebral hemorrhage	46	4	6	8	5	2	4	1	4	3	1	1	7
(b) Cerebral embolism and thrombosis	6	2	—	—	—	—	—	—	—	2	1	1	—
(c) Softening of the brain	37	3	3	2	3	4	2	3	4	6	4	2	1
(d) Hemiplegia and other paralysis, cause unspecified	27	3	4	—	3	4	2	3	—	4	4	2	2
General paralysis of the insane	7	1	—	3	—	1	—	—	—	—	2	—	—
Dementia praecox and other psychoses	24	—	2	7	1	2	—	4	2	1	2	2	1
Epilepsy	21	1	1	2	3	2	1	1	—	3	1	4	2
Convulsions (under 5 years of age)	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of the nervous system	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Neuralgia and neuritis	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Other diseases of the nervous system	23	3	1	2	—	3	1	3	3	1	2	1	3
Diseases of the organs of vision	2	—	—	—	1	—	—	—	—	1	—	—	—
Diseases of the ear and of the mastoid process	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Diseases of the ear	9	3	—	—	1	—	2	—	1	—	—	2	—
(b) Diseases of the mastoid process	14	2	4	3	—	1	1	1	—	1	1	—	—
VII. Diseases of the Circulatory System	2,740	239	249	272	253	216	206	186	174	222	223	243	257
Pericarditis	8	—	—	1	1	—	—	—	—	2	—	3	1
Acute endocarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Specified as acute	41	4	5	6	5	2	3	—	3	2	4	2	5
(b) Unspecified (under 45 years of age)	10	1	2	—	—	—	2	1	1	—	1	—	2
Chronic endocarditis, valvular diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Endocarditis, specified as chronic and other valvular diseases	453	40	42	54	43	26	40	29	33	41	39	27	39
(b) Endocarditis, unspecified (45 years and over)	179	13	19	22	14	11	10	13	9	15	13	19	21
Diseases of the myocardium	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Acute myocarditis	60	11	3	5	11	2	8	2	1	7	2	4	4
(b) Myocarditis, unspecified (under 45 years of age)	2	—	—	—	—	—	—	1	1	—	—	—	—
(c) Chronic myocarditis and myocardial degeneration	598	51	50	59	55	53	49	38	32	46	50	62	53
(d) Unspecified	116	9	10	12	14	13	6	7	9	11	6	8	11
Diseases of the coronary arteries and angina pectoris	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Angina pectoris	349	26	38	27	34	35	27	18	27	21	37	30	29
(b) Diseases of the coronary arteries	169	16	12	12	10	11	15	15	11	13	11	24	19
Other diseases of the heart	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Functional diseases of the heart	19	2	5	2	2	1	—	1	1	1	1	2	1
(b) Other and unspecified	333	30	25	29	28	38	20	22	27	28	25	28	33
Aneurysm (except of the heart)	9	—	—	1	—	1	1	1	1	1	1	—	2
Arteriosclerosis (diseases of the coronary arteries excepted)	355	32	33	38	36	18	21	34	17	31	29	32	34
Gangrene	14	1	1	1	—	3	3	1	—	1	1	2	—
Other diseases of the arteries	16	3	3	2	—	1	1	2	—	1	1	—	2
Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	6	—	1	1	—	1	—	1	1	—	—	—	1
Diseases of the lymphatic system lymphangitis, etc.	1	—	—	—	—	—	—	—	—	1	—	—	—
Idiopathic anomalies of the blood pressure	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of the circulatory system	2	—	—	—	—	—	—	—	—	—	2	—	—

**TABLE NO. 18—Continued**  
**Showing the Number of Deaths in the State**  
**Arranged by Classes and Months, 1932**

Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
VIII. Diseases of the Respiratory System	791	89	101	102	80	69	44	35	23	29	49	64	106
Diseases of the nasal fossae and annexa													
(a) Diseases of the nasal fossae	1	—	1	—	—	—	—	—	—	—	—	—	—
(b) Others under this title	2	—	—	—	—	—	—	—	1	—	—	—	1
Diseases of the larynx	3	—	1	1	—	—	—	—	—	—	—	1	—
Bronchitis													
(a) Acute	39	6	6	4	4	5	—	—	2	1	3	3	5
(b) Chronic	23	—	—	1	4	3	1	1	1	2	1	3	6
(c) Unspecified (under 5 years of age)	—	—	—	—	—	—	—	—	—	—	—	—	—
(d) Unspecified (5 years and over)	1	—	—	1	—	—	—	—	—	—	—	—	—
Bronchopneumonia (including capillary bronchitis)													
(a) Bronchopneumonia	298	29	36	41	26	21	18	16	9	9	24	22	47
(b) Capillary bronchitis	7	2	—	—	1	—	—	—	—	—	1	—	—
Lobar pneumonia	330	47	41	46	39	29	22	13	5	10	16	26	36
Pneumonia, unspecified	20	1	8	3	—	1	1	1	1	—	—	2	1
Pleurisy	18	—	2	2	3	4	—	—	—	—	2	1	2
Congestion, edema, embolism, hemorrhagic infarct and thrombosis of the lungs													
(a) Pulmonary embolism and thrombosis	5	—	1	—	—	—	—	—	—	2	—	1	1
(b) Others under this title	20	1	4	—	3	1	2	1	3	1	1	2	1
Asthma	12	1	1	1	—	3	—	—	—	1	—	1	4
Pulmonary emphysema	1	—	—	1	—	—	—	—	—	—	—	—	—
Other diseases of the respiratory system (tuberculosis excepted)													
(a) Chronic interstitial pneumonia, including occupational diseases of the respiratory system	2	—	—	—	—	—	—	—	—	—	—	1	1
(b) Others, including gangrene of the lung	9	2	—	1	—	1	—	—	—	2	1	1	1
IX. Diseases of the Digestive System	571	46	42	57	50	41	41	36	51	58	50	39	60
Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid vegetations)													
(a) Diseases of the pharynx and tonsils	20	2	2	—	2	2	—	2	3	1	3	2	1
(b) Others under this title	2	—	—	—	—	1	—	—	—	1	—	—	—
Diseases of the esophagus	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer of the stomach and duodenum													
(a) Ulcer of the stomach	38	4	1	5	2	2	5	3	1	3	3	5	4
(b) Ulcer of the duodenum	13	—	—	1	1	1	1	—	1	1	1	1	5
Other diseases of the stomach (cancer excepted)	25	1	1	4	1	3	—	1	4	2	3	3	2
Diarrhea and enteritis (under 2 years of age)	75	7	5	9	3	3	2	3	10	14	10	4	5
Diarrhea and enteritis (2 years and over)	36	1	4	3	2	2	2	2	6	7	2	3	2
Appendicitis	125	9	16	12	10	9	9	10	10	10	8	9	13
Hernia, intestinal obstruction													
(a) Hernia	39	1	3	4	4	4	3	3	3	2	4	2	6
(b) Intestinal obstruction	65	3	8	5	11	—	6	4	5	5	7	3	8
Other diseases of the intestines	7	2	—	—	—	—	3	—	1	—	—	—	1
Cirrhosis of the liver													
(a) Specified as alcoholic	2	—	—	1	—	—	—	—	—	1	—	—	—
(b) Not specified as alcoholic	25	2	1	3	1	4	—	1	2	2	4	1	4







**TABLE NO. 18—Concluded**  
**Showing the Number of Deaths in the State**  
**Arranged by Classes and Months, 1932**

Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
Suicide by other means.	—	—	—	—	—	—	—	—	—	—	—	—	—
Infanticide (murder of infants less than 1 year of age).	—	—	—	—	—	—	—	—	—	—	—	—	—
Homicide by firearms.	12	—	—	—	2	2	—	—	—	1	4	3	—
Homicide by cutting or piercing instruments.	1	—	—	—	—	—	—	—	—	—	1	—	—
Homicide by other means.	5	—	1	1	—	1	1	—	—	1	—	—	—
Attack by venomous animals.	1	—	—	—	—	—	—	1	—	—	—	—	—
Poisoning by food.	3	—	—	—	—	—	—	1	1	—	—	—	1
Accidental absorption of poisonous gas.	4	—	—	—	—	2	—	—	—	—	—	1	—
Other acute accidental poisonings (gas excepted).	9	—	—	—	2	—	—	2	1	3	—	—	—
Conflagration.	19	1	3	1	—	2	—	2	1	5	—	2	2
Accidental burns (conflagration excepted).	19	—	—	2	2	6	1	2	2	—	1	—	3
Accidental mechanical suffocation.	6	1	3	—	—	1	—	—	—	—	1	—	—
Accidental drowning.	95	1	1	3	4	4	18	20	21	7	3	3	10
Accidental traumatism by firearms (wounds of war excepted).	28	1	2	2	—	1	—	2	2	—	4	5	9
Accidental traumatism by cutting or piercing instruments (wounds of war excepted).	—	—	—	—	—	—	—	—	—	—	—	—	—
Accidental traumatism by fall, crushing, landslide.	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Accidental traumatism by fall	136	12	11	16	9	15	11	9	15	10	8	9	11
(b) Accidental traumatism by crushing, landslide.	2	—	—	—	1	—	—	—	—	—	—	—	1
Cataclysm (all deaths attributed to a cataclysm regardless of their nature).	—	—	—	—	—	—	—	—	—	—	—	—	—
Injuries by animals.	3	—	—	—	—	1	—	—	—	1	—	—	1
Hunger and thirst.	3	1	—	—	—	—	—	—	1	1	—	—	—
Excessive cold.	—	—	—	—	—	—	—	—	—	—	—	—	—
Excessive heat.	1	—	—	—	—	—	1	—	—	—	—	—	—
Lightning.	1	—	—	—	—	—	—	1	—	—	—	—	—
Accidents due to electric currents.	5	—	—	—	1	—	2	—	2	—	—	—	—
Other accidents.	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Foreign bodies.	7	2	—	2	—	—	1	—	—	—	—	—	2
(b) Others under this title.	34	4	2	3	6	—	4	4	2	2	—	—	5
Violent deaths of which the nature (accident, suicide, homicide) is unknown.	—	—	—	—	—	—	—	—	—	—	—	—	—
Wounds of war.	—	—	—	—	—	—	—	—	—	—	—	—	—
Execution of civilians by belligerent armies.	—	—	—	—	—	—	—	—	—	—	—	—	—
Legal executions.	—	—	—	—	—	—	—	—	—	—	—	—	—
Accidental traumatism in mines and quarries.	—	—	—	—	—	—	—	—	—	—	—	—	—
Accidents from agricultural machinery.	—	—	—	—	—	—	—	—	—	—	—	—	—
Elevator accidents.	—	—	—	—	—	—	—	—	—	—	—	—	—
Accidents from machinery used for recreation.	—	—	—	—	—	—	—	—	—	—	—	—	—
Other machinery accidents.	13	4	—	1	3	1	—	—	1	—	—	1	1
Railroad and automobile collisions.	8	—	—	—	2	1	—	—	—	4	—	—	—
Other railroad accidents.	10	1	—	1	1	2	1	—	—	2	—	1	1
Street car and automobile collisions.	—	—	—	—	—	—	—	—	—	—	—	—	—
Other street car accidents.	—	—	—	—	—	—	—	—	—	—	—	—	—
Automobile accidents.	149	2	6	5	4	11	10	14	18	21	24	17	17
Motor-cycle accidents.	2	—	—	—	1	—	—	—	—	—	—	—	—
Other land transportation accidents.	5	1	—	—	—	1	1	1	—	1	—	—	—
Water transportation accidents.	1	—	1	—	—	—	—	—	—	—	—	—	—
Air transportation accidents.	7	—	—	—	2	—	1	—	2	2	—	—	—
XVIII. Ill-Defined Causes of Death	177	16	12	22	16	17	12	14	8	13	11	17	19
Sudden death.	45	3	5	2	3	4	3	5	2	2	4	8	4
Cause of death not specified or ill-defined.	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Ill-defined.	82	8	3	14	5	9	7	4	3	8	4	7	10
(b) Not specified or unknown.	50	5	4	6	8	4	2	5	3	3	3	2	5

**TABLE**  
**Deaths from All Causes**

Causes of Death	Total	Under 1	1 and under 2	2	3	4	Total under 5	5- 9
General Diseases . . . . .	10,797	1,021	117	52	38	30	1,258	125
I. Infectious and Parasitic Diseases . . . . .	809	58	33	19	10	5	125	33
II. Cancers and Other Tumors . . . . .	1,218	—	—	—	—	—	—	1
III. Rheumatic Diseases, Nutritional Dis- eases, Diseases of the Endocrine Glands and Other General Diseases . . . . .	319	15	3	—	2	—	20	1
IV. Diseases of the Blood and Blood-Mak- ing Organs . . . . .	99	11	—	—	1	2	14	5
V. Chronic Poisonings and Intoxications . . . . .	29	—	—	—	—	—	—	—
VI. Diseases of the Nervous System and of the Organs of Special Sense . . . . .	1,360	28	5	4	1	1	39	8
VII. Diseases of the Circulatory System . . . . .	2,740	2	1	—	—	—	3	4
VIII. Diseases of the Respiratory System . . . . .	791	120	37	9	8	4	178	4
IX. Diseases of the Digestive System . . . . .	571	80	15	9	5	4	113	25
X. Diseases of the Genitourinary System . . . . .	991	3	1	1	—	1	6	4
XI. Diseases of Pregnancy, Childbirth and the Puerperal State . . . . .	98	—	—	—	—	—	—	—
XII. Diseases of the Skin and Cellular Tissue . . . . .	14	2	—	—	—	—	2	—
XIII. Diseases of the Bones and Organs of Locomotion . . . . .	8	—	1	—	—	—	1	—
XIV. Congenital Malformations . . . . .	100	88	5	1	—	2	96	3
XV. Diseases of Early Infancy . . . . .	556	556	—	—	—	—	556	—
XVI. Senility . . . . .	184	—	—	—	—	—	—	—
XVII. Violent and Accidental Deaths . . . . .	733	7	11	6	11	10	45	36
XVIII. Ill-Defined Causes of Death . . . . .	177	51	5	3	—	1	60	1

NO. 19

by Age-Groups, 1932

10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 and over	Unknown
111	155	194	176	204	223	307	366	522	637	880	1,141	1,327	1,315	963	599	234	53	4	3
27	48	56	56	42	51	53	48	39	34	43	29	46	30	26	17	5	1	—	—
3	2	5	5	15	22	42	74	108	117	148	173	196	162	95	34	15	1	—	—
6	6	1	6	8	4	12	6	15	31	46	61	39	28	20	7	2	—	—	—
3	1	3	—	3	3	3	5	8	10	13	12	7	3	5	1	—	—	—	—
—	—	—	—	1	3	8	8	1	4	2	2	—	—	—	—	—	—	—	—
7	7	6	8	10	10	21	31	61	78	149	170	223	242	169	90	25	5	—	1
8	6	12	10	18	19	41	64	104	168	250	362	470	481	352	259	88	20	—	1
8	9	12	8	15	14	21	24	41	37	59	72	71	71	66	47	28	4	2	—
13	25	16	10	15	26	24	22	38	44	35	48	48	28	25	12	2	2	—	—
—	3	12	12	21	19	29	36	46	67	75	142	152	184	111	53	18	—	1	—
—	5	19	25	22	19	6	2	—	—	—	—	—	—	—	—	—	—	—	—
—	2	2	1	—	—	—	1	2	1	—	—	3	—	—	—	—	—	—	—
—	—	—	—	—	—	1	—	—	—	1	—	—	2	2	1	—	—	—	—
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	9	24	53	45	36	17	—	—
36	40	47	34	33	33	42	38	51	38	46	47	47	45	32	26	13	3	1	—
—	1	2	1	1	—	4	7	8	8	13	23	16	15	7	7	2	—	—	1











**TABLE**  
**Deaths from All Causes**

Causes of Death	Total	Under 1	1 and under 2	2	3	4	Total under 5	5- 9
V. Chronic Poisonings and Intoxications . . . . .	29							
Alcoholism (acute or chronic) . . . . .	25							
Chronic poisoning by other organic substances								
(a) Occupational . . . . .	1							
(b) Other chronic poisoning by organic substances . . . . .	1							
Chronic poisoning by mineral substances								
(a) Lead . . . . .	1							
(b) Occupational (except lead) . . . . .	1							
(c) Other chronic poisoning by mineral substances . . . . .								
VI. Diseases of the Nervous System and of the Organs of Special Sense . . . . .	1,360							
Encephalitis (nonepidemic) . . . . .	9	28					39	8
Meningitis								
(a) Simple meningitis . . . . .	10	1	5	4	1	1	3	
(b) Nonepidemic cerebrospinal meningitis . . . . .	9	1		1	2		3	
Progressive locomotor ataxis (tabes dorsalis) . . . . .	15							
Other diseases of the spinal cord . . . . .	24							
Cerebral hemorrhage, cerebral embolism and thrombosis								
(a) Cerebral hemorrhage . . . . .	1,077							
(b) Cerebral embolism and thrombosis . . . . .	46							
(c) Softening of the brain . . . . .	6							
(d) Hemiplegia and other paralysis, cause unspecified . . . . .	37							
General paralysis of the insane . . . . .	27							
Dementia praecox and other psychoses . . . . .	7							
Epilepsy . . . . .	24			1				1
Convulsions (under 5 years of age) . . . . .	21	17		2	1	1	21	
Other diseases of the nervous system . . . . .								
(a) Neuralgia and neuritis . . . . .	23							1
(b) Other diseases of the nervous system . . . . .	2		1				1	
Diseases of the organs of vision . . . . .								
Diseases of the ear and of the mastoid process								
(a) Diseases of the ear . . . . .	9	2					2	3
(b) Diseases of the mastoid process . . . . .	14	2	1				3	3
VII. Diseases of the Circulatory System . . . . .	2,740							
Pericarditis . . . . .	8	2	1				3	4
Acute endocarditis								
(a) Specified as acute . . . . .	41			1			1	
(b) Unspecified (under 45 years of age) . . . . .	10							2
Chronic endocarditis, valvular diseases								
(a) Endocarditis, specified as chronic and other valvular diseases . . . . .	453							
(b) Endocarditis, unspecified (45 years and over) . . . . .	179							
Diseases of the myocardium								
(a) Acute myocarditis . . . . .	60	1					1	
(b) Myocarditis, unspecified (under 45 years of age) . . . . .	2							
(c) Chronic myocarditis and myocardial degeneration . . . . .	598							
(d) Unspecified . . . . .	116							
Diseases of the coronary arteries and angina pectoris								
(a) Angina pectoris . . . . .	349							
(b) Diseases of the coronary arteries . . . . .	169							
Other diseases of the heart								
(a) Functional diseases of the heart . . . . .	19							
(b) Other and unspecified . . . . .	333							1
Aneurysm (except of the heart) . . . . .	9							
Arteriosclerosis (diseases of the coronary arteries excepted) . . . . .	355							
Gangrene . . . . .	14							



TABLE  
Deaths from All Causes

Causes of Death	Total	Under 1	1 and under 2	2	3	4	Total under 5	5-9
Other diseases of the arteries . . . . .	16	—	—	—	—	—	—	—
Diseases of the veins (varices, hemorrhoids, phlebitis, etc.) . . . . .	6	—	—	—	—	—	—	—
Diseases of the lymphatic system lymphangitis, etc. . . . .	1	1	—	—	—	—	—	1
Idiopathic anomalies of the blood pressure . . . . .	—	—	—	—	—	—	—	—
Other diseases of the circulatory system . . . . .	2	—	—	—	—	—	—	—
<b>VIII. Diseases of the Respiratory System . . . . .</b>	<b>791</b>	<b>120</b>	<b>37</b>	<b>9</b>	<b>8</b>	<b>4</b>	<b>178</b>	<b>4</b>
Diseases of the nasal fossae and annexa								
(a) Diseases of the nasal fossae . . . . .	1	—	—	1	—	—	—	1
(b) Others under this title . . . . .	2	—	—	—	—	—	—	—
Diseases of the larynx . . . . .	3	—	—	1	—	—	—	1
Bronchitis								
(a) Acute . . . . .	39	13	4	—	—	—	—	17
(b) Chronic . . . . .	23	—	—	—	—	—	—	—
(c) Unspecified (under 5 years of age) . . . . .	—	—	—	—	—	—	—	—
(d) Unspecified (5 years and over) . . . . .	1	—	—	—	—	—	—	—
Bronchopneumonia (including capillary bronchitis)								
(a) Bronchopneumonia . . . . .	298	79	16	5	3	1	104	2
(b) Capillary bronchitis . . . . .	7	3	3	—	—	—	6	—
Lobar pneumonia . . . . .	330	24	14	3	4	2	47	1
Pneumonia, unspecified . . . . .	20	—	—	—	—	—	—	—
Pleurisy . . . . .	18	—	—	—	—	1	—	1
Congestion, edema, embolism, hemorrhagic infarct and thrombosis of the lungs								
(a) Pulmonary embolism and thrombosis . . . . .	5	—	—	—	—	—	—	—
(b) Others under this title . . . . .	20	1	—	—	—	—	—	1
Asthma . . . . .	12	—	—	—	—	—	—	—
Pulmonary emphysema . . . . .	1	—	—	—	—	—	—	—
Other diseases of the respiratory system (tuberculosis excepted)								
(a) Chronic interstitial pneumonia including occupational diseases of the respiratory system . . . . .	2	—	—	—	—	—	—	—
(b) Others, including gangrene of the lung . . . . .	9	—	—	—	—	—	—	1
<b>IX. Diseases of the Digestive System . . . . .</b>	<b>571</b>	<b>80</b>	<b>15</b>	<b>9</b>	<b>5</b>	<b>4</b>	<b>113</b>	<b>25</b>
Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetation)								
(a) Diseases of the pharynx and tonsils . . . . .	20	2	—	—	—	—	—	2
(b) Others under this title . . . . .	2	—	—	—	—	—	—	5
Diseases of the esophagus . . . . .	1	—	—	—	—	—	—	—
Ulcer of the stomach and duodenum								
(a) Ulcer of the stomach . . . . .	38	1	—	—	—	—	—	1
(b) Ulcer of the duodenum . . . . .	13	—	—	—	—	—	—	—
Other diseases of the stomach (cancer excepted)	25	1	—	2	—	1	—	4
Diarrhea and enteritis (under 2 years of age) . . . . .	75	67	8	—	—	—	—	75
Diarrhea and enteritis (2 years and over) . . . . .	36	—	—	5	2	1	—	8
Appendicitis . . . . .	125	—	3	1	3	1	—	8
Hernia, intestinal obstruction								
(a) Hernia . . . . .	39	1	1	—	—	—	—	2
(b) Intestinal obstruction . . . . .	65	8	2	1	—	1	—	12
Other diseases of the intestines . . . . .	7	—	—	—	—	—	—	—
Cirrhosis of the liver								
(a) Specified as alcoholic . . . . .	2	—	—	—	—	—	—	—
(b) Not specified as alcoholic . . . . .	25	—	—	—	—	—	—	—
Other diseases of the liver (including yellow atrophy of liver)								
(a) Yellow atrophy of liver . . . . .	3	—	—	—	—	—	—	—
(b) Others under this title . . . . .	10	—	—	—	—	—	—	—
Biliary calculi . . . . .	44	—	—	—	—	—	—	—
Other diseases of the gall bladder and biliary passages . . . . .	29	—	—	—	—	—	—	—
Diseases of the pancreas . . . . .	4	—	—	—	—	—	—	—
Peritonitis, cause not specified . . . . .	8	—	1	—	—	—	—	1

CAUSES OF DEATHS, BY CLASSES AND GROUPS 75

NO. 19—Continued  
by Age-Groups, 1932

10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 and over	Unknown
									1	2	1	4	4	3	1				
						1	2		1		1		1						
										1	1								
8	9	12	8	15	14	21	24	41	37	59	72	71	71	66	47	28	4	2	
1			1																
1			1					2	1		1	1	2	5	7	1	1		
				1			1		2		5	6	2	4	1				
																	1		
2		5	1	5	3	3	3	12	8	19	28	22	29	17	19	13	1	2	
3	7	6	5	6	10	13	14	20	21	34	36	35	30	20	16	6			
1	1	1		1		2	2	1	1	1	2	2	3	7	1	4			
								1		1	1		1	1			1		
						1	1	1	1	1	2	3	2	2		2	1		
	1			1				2	1	2		2	1						
13	25	16	10	15	26	24	22	38	44	35	48	48	28	25	12	2	2		
		3		2	1	1	1	1	2	1	1								
					1												1		
		2	1	1	2	4	2	9	6	2	3	3	2						
			2	1	1	1	1	3	1	2	3	1	2	4	3	2	1	1	
1	1	1		2	1	2		4	1		3	4	1	2	2	2			
11	19	8	5	4	9	6	7	5	10	5	7	2	2	2	1				
	1	4	1		2	1	3	3	3	3	6	7	5	3	2				
					1	4	2	1	2	10	3	9	4	5	3				
					3	1		1	2	1	1	4	4	3					
					1														
			1	1	3	3	3	4	5	5	7	1	1	1	1				
				1	2	1	2		6	3	4	7	2	1					
	1	1							1	1	1			1					

**TABLE**  
**Deaths from All Causes**

Causes of Death	Total	Under 1	1 and under 2	2	3	4	Total under 5	5- 9
<b>X. Diseases of the Genitourinary System</b> . . . . .	991	3	1	1		1	6	4
Acute nephritis (including unspecified under 10 years of age) . . . . .	40	2	1				3	2
Chronic nephritis . . . . .	775							2
Nephritis unspecified (10 years and over) . . . . .	56							
Other diseases of the kidneys and ureters (puer- peral diseases excepted) . . . . .	18	1		1		1	3	
Calculi of the urinary passages . . . . .	5							
Diseases of the bladder (tumors excepted) . . . . .	10							
Diseases of the urethra, urinary abscess, etc. (a) Stricture of the urethra . . . . .	1							
(b) Others under this title . . . . .	54							
Diseases of the prostate . . . . .	1							
Diseases of the male genital organs, not speci- fied as venereal . . . . .	54							
Diseases of the female genital organs, not speci- fied as venereal . . . . .	—							
(a) Cysts of the ovary . . . . .	7							
(b) Other diseases of the ovaries and diseases of the tubes and parametrium . . . . .	19							
(c) Diseases of the uterus . . . . .	6							
(d) Nonpuerperal diseases of the breast (can- cer excepted) . . . . .	—							
(e) Other diseases of the female genital organs . . . . .	—							
<b>XI. Diseases of Pregnancy, Childbirth and     the Puerperal State</b> . . . . .	98							
Abortion with septic conditions . . . . .	17							
Abortion without mention of septic conditions (to include hemorrhages) . . . . .	7							
Ectopic gestation . . . . .	—							
(a) With septic conditions specified . . . . .	1							
(b) Without mention of septic conditions . . . . .	2							
Other accidents of pregnancy (not to include hemorrhages) . . . . .	4							
Puerperal hemorrhage . . . . .	4							
(a) Placenta praevia . . . . .	4							
(b) Other puerperal hemorrhages . . . . .	14							
Puerperal septicemia (not specified as due to abortion) . . . . .	14							
(a) Puerperal septicemia and pyemia . . . . .	19							
(b) Puerperal tetanus . . . . .	7							
Puerperal albuminuria and eclampsia . . . . .	4							
Other toxemias of pregnancy . . . . .	7							
Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic) . . . . .	4							
Other accidents of childbirth . . . . .	12							
(a) Cesarean operation . . . . .	7							
(b) Others under this title . . . . .	—							
Other and unspecified conditions of the puer- peral state . . . . .	—							
<b>XII. Diseases of the Skin and Cellular Tissue</b> . . . . .	14	2					2	
Furuncle, carbuncle . . . . .	7							
Phlegmon, acute abscess . . . . .	5	1						1
Other diseases of the skin and annexa and of the cellular tissue . . . . .	2	1						1
<b>XIII. Diseases of the Bones and Organs of     Locomotion</b> . . . . .	8			1				
Osteomyelitis . . . . .	5			1				1
Other diseases of the bones (tuberculosis ex- cepted) . . . . .	2							
Diseases of the joints and other organs of loco- motion . . . . .	—							
(a) Diseases of the joints (tuberculosis and rheumatism excepted) . . . . .	—							
(b) Diseases of other organs of locomotion . . . . .	1							



**TABLE**  
**Deaths from All Causes**

Causes of Death	Total	Under .1	1 and under 2	2	3	4	Total under 5	5- 9
<b>XIV. Congenital Malformations</b> .....	100	88	5	1	—	2	96	3
Congenital malformations (stillbirths not included)								
(a) Congenital hydrocephalus.....	13	9	2	—	—	1	12	1
(b) Spina bifida and meningocele.....	13	13	—	—	—	—	13	—
(c) Congenital malformations of the heart.....	48	41	2	1	—	1	45	2
(d) Other congenital malformations.....	26	25	1	—	—	—	26	—
<b>XV. Diseases of Early Infancy</b> .....	556	556	—	—	—	—	556	—
Congenital debility.....	98	98	—	—	—	—	98	—
Premature birth.....	324	324	—	—	—	—	324	—
Injury at birth								
(a) Cesarean operation.....	4	4	—	—	—	—	4	—
(b) Without cesarean operation.....	79	79	—	—	—	—	79	—
Other diseases peculiar to early infancy								
(a) Atelectasis.....	16	16	—	—	—	—	16	—
(b) Icterus of the new-born.....	12	12	—	—	—	—	12	—
(c) Sclerema.....	—	—	—	—	—	—	—	—
(d) Others under this title.....	23	23	—	—	—	—	23	—
<b>XVI. Senility</b> .....	184	—	—	—	—	—	—	—
Senility.....	184	—	—	—	—	—	—	—
<b>XVII. Violent and Accidental Deaths</b> .....	733	7	11	6	11	10	45	36
Suicide by solid or liquid poisons or by absorption of corrosive substances.....	6	—	—	—	—	—	—	—
Suicide by poisonous gas.....	13	—	—	—	—	—	—	—
Suicide by hanging or strangulation.....	39	—	—	—	—	—	—	—
Suicide by drowning.....	13	—	—	—	—	—	—	—
Suicide by firearms.....	68	—	—	—	—	—	—	—
Suicide by cutting or piercing instruments.....	4	—	—	—	—	—	—	—
Suicide by jumping from high places.....	1	—	—	—	—	—	—	—
Suicide by crushing.....	—	—	—	—	—	—	—	—
Suicide by other means.....	—	—	—	—	—	—	—	—
Infanticide (murder of infants less than 1 year of age).....	—	—	—	—	—	—	—	—
Homicide by firearms.....	12	—	1	—	—	—	1	—
Homicide by cutting or piercing instruments.....	1	—	—	—	—	—	—	—
Homicide by other means.....	5	—	1	—	—	—	1	—
Attack by venomous animals.....	1	—	—	—	—	—	—	—
Poisoning by food.....	3	1	—	—	—	—	1	—
Accidental absorption of poisonous gas.....	4	—	—	—	—	—	—	—
Other acute accidental poisonings (gas excepted).....	9	—	3	1	1	—	5	—
Conflagration.....	19	—	—	1	1	3	4	2
Accidental burns (conflagration excepted).....	19	—	—	—	2	2	4	1
Accidental mechanical suffocation.....	6	5	1	—	—	—	6	—
Accidental drowning.....	95	—	1	2	—	2	5	14
Accidental traumatism by firearms (wounds of war excepted).....	28	—	—	—	1	—	1	—
Accidental traumatism by cutting or piercing instruments (wounds of war excepted).....	—	—	—	—	—	—	—	—
Accidental traumatism by fall, crushing, landslide								
(a) Accidental traumatism by fall.....	136	—	—	—	—	1	1	1
(b) Accidental traumatism by crushing, landslide.....	2	—	—	—	—	—	—	—
Cataclysm (all deaths attributed to a cataclysm regardless of their nature).....	—	—	—	—	—	—	—	—
Injuries by animals.....	3	—	—	—	—	—	—	—
Hunger and thirst.....	3	—	—	—	—	—	—	—
Excessive cold.....	—	—	—	—	—	—	—	—
Excessive heat.....	1	—	—	—	—	—	—	—
Lightning.....	1	—	—	—	—	—	—	—
Accidents due to electric currents.....	5	—	—	—	—	—	—	—
Other accidents								
(a) Foreign bodies.....	7	1	3	1	1	—	6	—
(b) Others under this title.....	34	—	1	—	—	—	1	1





**TABLE**  
**Deaths from All Causes**

Causes of Death	Total	Under 1	1 and under 2	2	3	4	Total under 5	5- 9
Violent deaths of which the nature (accident, suicide, homicide) is unknown . . . . .	—	—	—	—	—	—	—	—
Wounds of war . . . . .	—	—	—	—	—	—	—	—
Execution of civilians by belligerent armies . . . . .	—	—	—	—	—	—	—	—
Legal executions . . . . .	—	—	—	—	—	—	—	—
Accidental traumatism in mines and quarries . . . . .	—	—	—	—	—	—	—	—
Accidents from agricultural machinery . . . . .	—	—	—	—	—	—	—	—
Elevator accidents . . . . .	—	—	—	—	—	—	—	—
Accidents from machinery used for recreation . . . . .	—	—	—	—	—	—	—	—
Other machinery accidents . . . . .	13	—	—	—	—	—	—	—
Railroad and automobile collisions . . . . .	8	—	—	—	—	—	—	—
Other railroad accidents . . . . .	10	—	—	—	—	—	—	1
Street car and automobile collisions . . . . .	—	—	—	—	—	—	—	—
Other street car accidents . . . . .	—	—	—	—	—	—	—	—
Automobile accidents . . . . .	149	—	—	2	5	2	9	16
Motor-cycle accidents . . . . .	2	—	—	—	—	—	—	—
Other land transportation accidents . . . . .	5	—	—	—	—	—	—	—
Water transportation accidents . . . . .	1	—	—	—	—	—	—	—
Air transportation accidents . . . . .	7	—	—	—	—	—	—	—
<b>XVIII. Ill-Defined Causes of Death . . . . .</b>	<b>177</b>	<b>51</b>	<b>5</b>	<b>3</b>	<b>—</b>	<b>1</b>	<b>60</b>	<b>1</b>
Sudden death . . . . .	45	6	1	—	—	—	7	—
Cause of death not specified or ill-defined								
(a) Ill-defined . . . . .	82	18	4	1	—	—	23	1
(b) Not specified or unknown . . . . .	50	27	—	2	—	1	30	—



**TABLE 20**  
**Number of Deaths from Several Specified Causes of Each Sex, in Each Month,**  
**which were Registered during Forty-One Years, 1892-1932**

	Measles	Scarlet fever	Whooping-cough	Diphtheria and croup	Typhoid fever	Pulmonary tuberculosis	Diarrhea and enteritis (Under 2 years)	Pneumonia	Bronchitis	Cerebral hemorrhage Apoplexy
Totals . . . . .	1,799	908	2,838	4,093	4,987	32,075	15,764	40,772	6,891	34,855
Males . . . . .	895	412	1,323	2,063	2,900	15,168	—	20,764	3,129	16,947
Females . . . . .	900	496	1,515	2,029	2,086	16,906	—	20,001	3,762	17,908
Not stated . . . . .	—	4	—	1	1	1	—	7	—	—
January . . . . .	190	90	287	437	400	2,788	319	5,712	870	3,243
February . . . . .	166	89	285	348	315	2,802	277	5,684	818	3,105
March . . . . .	214	119	288	280	398	3,246	324	5,763	921	3,134
April . . . . .	239	83	269	268	354	3,172	327	4,895	800	2,939
May . . . . .	225	75	250	290	339	3,155	364	3,811	604	3,018
June . . . . .	182	67	216	248	281	2,666	448	2,074	432	2,712
July . . . . .	148	46	183	223	270	2,524	1,739	1,064	298	2,565
August . . . . .	85	33	224	234	408	2,361	4,606	863	219	2,647
September . . . . .	53	48	225	289	607	2,190	4,508	1,285	282	2,710
October . . . . .	73	74	203	441	665	2,401	1,968	2,580	485	2,885
November . . . . .	108	93	187	517	501	2,235	526	2,896	503	2,785
December . . . . .	116	91	218	518	442	2,519	355	4,134	653	3,108
Not stated . . . . .	—	—	3	—	7	16	3	11	6	4

**TABLE NO. 21**  
**Deaths 1892—1932**

Years	Total deaths	Males	Females	Not stated	Death-rate per 1,000
1892 . . . . .	12,147	5,939	6,175	33	18.19
1893 . . . . .	11,134	5,557	5,551	26	16.59
1894 . . . . .	11,012	5,570	5,422	20	16.33
1895 . . . . .	10,464	5,226	5,228	10	15.44
1896 . . . . .	10,626	5,350	5,268	8	15.60
1897 . . . . .	11,236	5,624	5,606	6	16.42
1898 . . . . .	10,956	5,506	5,447	3	15.93
1899 . . . . .	11,370	5,676	5,686	8	16.45
1900 . . . . .	11,389	5,734	5,649	6	16.40
1901 . . . . .	11,133	5,604	5,523	6	15.94
1902 . . . . .	10,673	5,454	5,216	3	15.19
1903 . . . . .	11,009	5,629	5,378	2	15.58
1904 . . . . .	11,346	5,868	5,468	10	15.97
1905 . . . . .	11,381	5,835	5,545	1	15.92
1906 . . . . .	11,427	5,925	5,497	5	15.90
1907 . . . . .	11,803	6,100	5,700	3	16.33
1908 . . . . .	11,664	6,060	5,602	2	16.05
1909 . . . . .	11,295	5,743	5,551	1	15.45
1910 . . . . .	12,439	6,427	6,012	—	16.62
1911 . . . . .	11,731	6,119	5,612	—	15.68
1912 . . . . .	11,390	5,865	5,523	2	15.27
1913 . . . . .	11,552	6,003	5,549	—	15.35
1914 . . . . .	11,648	6,161	5,487	—	15.24
1915 . . . . .	11,541	6,095	5,444	2	14.96
1916 . . . . .	11,772	6,139	5,633	—	15.38
1917 . . . . .	11,407	5,994	5,413	—	14.53
1918 . . . . .	14,187	7,324	6,859	4	17.78
1919 . . . . .	10,919	5,556	5,363	—	13.53
1920 . . . . .	11,859	6,063	5,787	—	15.43
1921 . . . . .	10,875	5,570	5,305	—	14.07
1922 . . . . .	11,489	6,002	5,478	—	14.76
1923 . . . . .	11,693	6,112	5,581	—	15.07
1924 . . . . .	10,785	5,593	5,192	—	13.76
1925 . . . . .	10,847	5,669	5,178	—	13.88
1926 . . . . .	11,416	5,999	5,417	—	14.45
1927 . . . . .	10,977	5,738	5,239	—	13.80
1928 . . . . .	11,037	5,758	5,279	—	13.99
1929 . . . . .	11,375	6,051	5,324	—	14.37
1930 . . . . .	11,084	5,947	5,137	—	13.90
1931 . . . . .	10,557	5,655	4,902	—	13.19
1932 . . . . .	10,797	5,734	5,061	2	13.44
Average . . . . .	11 351	5,853	5,494	3	15.32

**TABLE NO. 22**  
**Deaths, 1892-1932**

Years	Largest Number	Smallest Number
1892	January . . . . . 1,577	November . . . . . 790
1893	August . . . . . 1,080	November . . . . . 796
1894	January . . . . . 1,266	November . . . . . 761
1895	March . . . . . 1,053	June . . . . . 715
1896	August . . . . . 1,079	November . . . . . 667
1897	March . . . . . 1,259	June . . . . . 769
1898	September . . . . . 1,147	June . . . . . 791
1899	February . . . . . 1,049	June . . . . . 768
1900	April . . . . . 1,196	November . . . . . 769
1901	March . . . . . 1,132	June . . . . . 789
1902	December . . . . . 998	June . . . . . 805
1903	January . . . . . 1,006	June . . . . . 786
1904	April . . . . . 1,116	July . . . . . 800
1905	March . . . . . 1,197	July . . . . . 768
1906	August . . . . . 1,133	January . . . . . 822
1907	March . . . . . 1,177	July . . . . . 844
1908	January . . . . . 1,128	June . . . . . 818
1909	March . . . . . 1,178	July . . . . . 831
1910	March . . . . . 1,149	July . . . . . 844
1911	March . . . . . 1,223	June . . . . . 791
1912	January . . . . . 1,052	November . . . . . 836
1913	March . . . . . 1,180	June . . . . . 791
1914	March . . . . . 1,105	June . . . . . 817
1915	April . . . . . 1,279	November . . . . . 813
1916	February . . . . . 1,200	November . . . . . 819
1917	January . . . . . 1,208	August . . . . . 746
1918	October . . . . . 2,708	July . . . . . 777
1919	January . . . . . 1,402	July . . . . . 729
1920	February . . . . . 1,710	July . . . . . 803
1921	April . . . . . 996	August . . . . . 836
1922	March . . . . . 1,170	August . . . . . 763
1923	February . . . . . 1,413	July . . . . . 798
1924	March . . . . . 1,025	September . . . . . 738
1925	April . . . . . 1,067	July . . . . . 783
1926	April . . . . . 1,251	August . . . . . 745
1927	April . . . . . 1,015	July . . . . . 817
1928	May . . . . . 1,028	August . . . . . 819
1929	January . . . . . 1,460	September . . . . . 761
1930	March . . . . . 1,039	August . . . . . 810
1931	March . . . . . 1,028	September . . . . . 795
1932	March . . . . . 1,069	August . . . . . 760

**TABLE NO. 23**  
**Age and Mortality Rates for 1932**  
**Number of Deaths and Percentage of Each Age-Period Compared**  
**with Total Number of Deaths**

Age-Periods	Number	Rate
Under 1 year of age . . . . .	1,021	9.46
From 1-5 years of age . . . . .	237	2.20
From 5-10 years of age . . . . .	125	1.16
From 10-20 years of age . . . . .	266	2.46
From 20-30 years of age . . . . .	370	3.43
From 30-40 years of age . . . . .	427	3.95
From 40-50 years of age . . . . .	673	6.23
From 50-60 years of age . . . . .	1,159	10.73
From 60-70 years of age . . . . .	2,021	18.72
From 70-80 years of age . . . . .	2,642	24.47
From 80-90 years of age . . . . .	1,562	14.47
From 90-100 years of age . . . . .	287	2.66
100 years of age and over . . . . .	4	0.04
Age not stated . . . . .	3	0.02

**TABLE NO. 24**  
**Communicable Diseases—Cases and Deaths by Months, 1932**

	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
Cerebrospinal meningitis . . . . .													
Cases . . . . .	4	—	2	3	—	—	—	1	1	1	1	—	13
Deaths . . . . .	1	1	2	2	1	1	1	—	3	1	—	—	13
Chicken-pox . . . . .													
Cases . . . . .	261	164	110	122	86	118	100	23	16	146	219	377	1,742
Deaths . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria . . . . .													
Cases . . . . .	25	18	13	4	11	11	11	5	5	12	16	13	144
Deaths . . . . .	—	2	3	2	3	2	—	—	1	—	4	—	17
German measles . . . . .													
Cases . . . . .	91	136	269	527	261	130	20	11	13	8	3	10	1,479
Deaths . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile paralysis . . . . .													
Cases . . . . .	5	—	—	1	—	1	4	6	7	33	3	2	62
Deaths . . . . .	1	—	—	—	—	—	1	—	2	2	—	—	6
Measles . . . . .													
Cases . . . . .	2,805	2,338	1,403	1,130	923	375	236	18	10	3	7	6	9,254
Deaths . . . . .	16	10	8	6	10	—	—	—	1	1	—	1	53
Mumps . . . . .													
Cases . . . . .	60	77	46	76	32	26	5	9	9	17	9	33	399
Deaths . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis (all kinds) . . . . .													
Cases . . . . .	53	35	60	65	39	37	83	57	39	75	56	74	673
Deaths . . . . .	39	35	48	30	42	29	29	26	25	28	29	36	396
Scarlet fever . . . . .													
Cases . . . . .	171	108	109	167	78	89	49	30	22	88	51	129	1,091
Deaths . . . . .	1	—	1	1	3	1	—	—	—	2	7	1	17
Smallpox . . . . .													
Cases . . . . .	—	—	—	—	—	—	—	—	—	1	—	—	1
Deaths . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .													
Cases . . . . .	33	19	37	40	33	21	39	21	25	53	37	75	433
Deaths . . . . .	4	4	2	4	4	3	2	3	7	5	3	1	42
Typhoid fever . . . . .													
Cases . . . . .	9	5	2	2	12	4	16	19	29	23	15	25	161
Deaths . . . . .	1	1	1	—	2	2	2	5	3	3	1	1	20
Whooping-cough . . . . .													
Cases . . . . .	130	143	121	128	83	70	59	42	33	21	27	51	908
Deaths . . . . .	1	—	2	1	2	1	2	3	3	1	1	—	17
Influenza . . . . .													
Cases . . . . .	710	165	267	62	28	13	—	1	12	6	9	329	1,602
Deaths . . . . .	26	38	45	25	16	8	5	5	—	8	6	18	200

**TABLE NO. 24—Concluded**  
**Communicable Diseases—Cases and Deaths by Counties, 1932**

	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York	Total	
Cerebrospinal meningitis . . . . .	4	1	—	—	2	1	—	—	—	4	—	—	—	—	—	—	1	13
Cases . . . . .	3	6	1	—	1	—	—	—	—	1	—	—	—	—	—	—	1	13
Deaths . . . . .	253	46	366	89	105	102	109	35	94	250	6	25	30	28	23	181	1,742	
Chicken-pox . . . . .	41	21	21	1	—	11	2	—	14	7	—	2	—	9	—	—	15	144
Cases . . . . .	3	4	1	—	—	3	—	—	2	3	—	—	—	—	—	—	1	17
Deaths . . . . .	27	—	1,160	2	1	61	36	25	68	8	1	54	2	1	—	—	33	1,479
German measles . . . . .	4	15	5	1	4	10	3	—	1	4	1	2	4	5	1	2	2	62
Cases . . . . .	3	3	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	6
Deaths . . . . .	879	11	2,829	630	139	1,193	111	239	650	835	334	469	187	88	9	651	9,254	
Measles . . . . .	3	1	19	1	1	11	—	1	8	3	—	2	1	—	—	—	3	53
Cases . . . . .	18	53	89	8	24	9	8	26	3	51	2	22	6	3	—	77	399	
Deaths . . . . .	99	85	83	10	41	79	23	8	13	96	6	11	23	19	23	54	673	
Tuberculosis (all kinds) . . . . .	23	46	51	7	17	48	17	6	17	59	7	5	45	10	14	24	396	
Cases . . . . .	220	17	291	16	14	101	19	21	83	36	4	37	20	39	9	164	1,091	
Deaths . . . . .	3	—	7	—	1	1	—	—	2	—	—	—	1	—	—	—	2	17
Smallpox . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
Cases . . . . .	33	21	107	3	36	53	12	2	14	63	10	12	21	4	41	1	433	
Deaths . . . . .	4	3	18	1	1	3	3	—	1	5	—	—	1	1	—	—	1	42
Typhoid fever . . . . .	14	23	20	4	8	15	5	4	3	15	2	4	8	6	5	—	25	161
Cases . . . . .	1	2	2	—	2	3	1	—	—	2	2	1	3	1	1	—	4	20
Deaths . . . . .	186	—	345	—	26	36	—	—	15	135	—	3	3	—	—	158	908	
Whooping-cough . . . . .	3	—	3	—	2	—	—	—	5	5	—	—	—	—	—	—	2	17
Cases . . . . .	278	37	274	27	9	53	84	366	3	83	200	38	60	50	—	39	1,602	
Deaths . . . . .	18	30	22	10	16	17	10	1	8	17	7	9	9	5	6	15	200	

CAUSES OF DEATHS, BY CLASSES AND GROUPS

**TABLE**  
**Chief Causes**

Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Measles	Mumps	Tuberculosis (all kinds)	Scarlet fever	Smallpox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 years of age)	Encephalitis lethargic	Cancer	Pneumonia
<b>Androscoggin County</b> . . . . .	3	-	3	-	3	-	23	3	-	4	1	3	18	9	-	118	55
Auburn . . . . .	-	-	-	-	-	-	4	1	-	-	-	-	5	1	-	22	8
Durham . . . . .	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1
Greene . . . . .	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-
Leeds . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Lewiston . . . . .	3	-	3	-	1	-	11	1	-	4	1	3	12	7	-	73	36
Lisbon . . . . .	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	3	5
Livermore . . . . .	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	4	1
Livermore Falls . . . . .	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	7	-
Mechanic Falls . . . . .	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-
Minot . . . . .	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1
Poland . . . . .	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	3
Turner . . . . .	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-
Wales . . . . .	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Webster . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
<b>Aroostook County</b> . . . . .	6	-	4	-	1	-	46	-	-	3	2	-	30	29	-	79	61
Amity . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Ashland . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5
Bancroft . . . . .	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Blaine . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bridgewater . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Caribou . . . . .	3	-	1	-	1	-	2	-	-	-	-	-	1	3	-	6	4
Castle Hill . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chapman . . . . .	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-
Connor . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Crystal . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eagle Lake . . . . .	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	1
Easton . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Fort Fairfield . . . . .	1	-	-	-	-	-	1	-	1	-	-	-	1	-	-	9	3
Fort Kent . . . . .	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	3	4
Frenchville . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1
Grand Isle . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Haynesville . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hersey . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hodgdon . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Houlton . . . . .	2	-	-	-	-	-	2	-	1	-	-	-	5	-	-	12	13
Island Falls . . . . .	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	2
Limestone . . . . .	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	1
Linneus . . . . .	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2
Littleton . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4
Ludlow . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2
Madawaska . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1
Mapleton . . . . .	-	-	-	-	-	-	2	-	-	-	1	-	1	2	-	1	2
Mars Hill . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1
Masardis . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Merrill . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Monticello . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3
New Sweden . . . . .	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Oakfield . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Orient . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perham . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Portage Lake . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Presque Isle . . . . .	-	-	-	-	-	-	19	-	1	1	-	-	2	-	-	7	6
Saint Agatha . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	1
Sherman . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1
Smyrna . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3
Stockholm . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1
Van Buren . . . . .	-	-	-	-	-	-	3	-	-	-	-	-	5	6	-	3	2



























TABLE NO. 25—

Piscataquis County—Continued

Chief Causes

Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Measles	Mumps	Tuberculosis (all kinds)	Scarlet fever	Smallpox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 years of age)	Encephalitis lethargic	Cancer	Pneumonia
Shirley	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Wellington	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Williamsburg	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Willimantic	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chesuncook	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>Sagadahoc County</b>	—	—	—	—	2	—	5	—	—	—	1	—	9	—	—	20	20
Arrowsic	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bath	—	—	—	—	1	—	3	—	—	—	—	—	1	—	—	11	12
Bowdoin	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1
Bowdoinham	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
Georgetown	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Phippsburg	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Richmond	—	—	—	—	—	—	—	—	—	—	1	—	4	—	—	3	3
Topsham	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	2	3
West Bath	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Woolwich	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
<b>Somerset County</b>	—	—	—	—	1	—	45	1	—	1	—	—	9	4	—	53	23
Anson	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Athens	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—
Bingham	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—
Cambridge	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1
Canaan	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Concord	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cornville	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Detroit	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
Embden	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fairfield	—	—	—	—	1	—	36	—	—	—	—	—	1	—	—	5	2
Harmony	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hartland	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4	1
Madison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	—
Mercer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1
Moscow	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
New Portland	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1	—
Norridgewock	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	2	3
Palmyra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pittsfield	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	3	2
Ripley	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
St. Albans	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	3	—
Skowhegan	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	6	8
Smithfield	—	—	—	—	—	—	2	1	—	—	—	—	2	—	—	1	1
Solon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—
Starks	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bigelow Plantation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brighton Plantation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Jackman Plantation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Lexington Plantation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Moose River Plantation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
The Forks Plantation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
West Forks Plantation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>Waldo County</b>	—	—	—	—	—	—	10	—	—	1	1	—	5	—	—	35	23
Belfast	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Belmont	—	—	—	—	—	—	4	—	—	1	1	—	—	—	—	7	6
Brooks	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1







TABLE NO. 25—

Chief Causes.

## Washington County—Continued

Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Measles	Mumps	Tuberculosis (all kinds)	Scarlet fever	Smallpox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 years of age)	Encephalitis lethargic	Cancer	Pneumonia
Wesley . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Whiting . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whitneyville . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>York County . . . . .</b>	—	—	1	3	24	2	—	1	4	2	15	—	2	—	118	58	
Acton . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Alfred . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Berwick . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—
Biddeford . . . . .	—	—	1	—	1	—	10	1	—	1	—	—	7	—	23	17	
Buxton . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	
Cornish . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	
Dayton . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Eliot . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	
Hollis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kennebunk . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Kennebunkport . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Kittery . . . . .	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	4	
Lebanon . . . . .	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
Limerick . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Limington . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Lyman . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Newfield . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
North Berwick . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
North Kennebunkport . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Old Orchard Beach . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Parsonsfield . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Saco . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Sanford . . . . .	—	—	—	—	—	—	4	—	—	—	1	—	—	—	—	—	
Shapleigh . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
South Berwick . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Waterboro . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Wells . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
York . . . . .	—	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	





TABLE NO. 26  
Notifiable Diseases, 1925-1932

Diseases	1925	1926	1927	1928	1929	1930	1931	1932	Total
Smallpox.....	—	—	—	—	1	—	—	—	1
Measles.....	11	66	76	37	57	12	22	53	334
Scarlet fever.....	23	20	34	17	11	13	16	17	151
Influenza.....	340	476	313	284	532	213	223	200	2,581
Whooping-cough.....	25	90	81	53	38	56	55	17	415
Diphtheria and croup.....	35	22	30	25	14	26	20	17	189
Tetanus.....	14	8	6	9	6	2	5	1	51
Typhoid fever.....	54	21	27	36	24	30	25	20	237

*Smallpox*—There were no deaths from smallpox in 1932. No deaths were due to this disease from 1892, when our registration law went into effect, until 1899, when there were three deaths; in 1900, 2; in 1902, 12; in 1903, 7; in 1904, 3. In 1912 there were 4 deaths from this cause, (all children). In 1913, 1914, 1919 and 1923 there were 2 deaths in each of these years and in 1929 there was one death.

*Measles*—This disease caused the death of 53 persons of whom 26 were males and 27 females. The deaths from measles were 29 in 1892, 84 in 1900, 95 in 1919 and 25 in 1920. The death-rate for the state was 0.66. The number of deaths in the cities was 23.

TABLE NO. 27  
Measles by Counties, Months and Age-Periods, 1896-1932

By Counties		By Months		By Age-Periods	
Androscoggin.....	194	January.....	176	Under 1.....	494
Aroostook.....	270	February.....	160	1-5.....	654
Cumberland.....	244	March.....	194	5-10.....	140
Franklin.....	37	April.....	223	10-20.....	114
Hancock.....	43	May.....	209	20-30.....	62
Kennebec.....	174	June.....	172	30-40.....	57
Knox.....	45	July.....	137	40-50.....	53
Lincoln.....	16	August.....	80	50-60.....	38
Oxford.....	95	September.....	51	Over 60.....	71
Penobscot.....	153	October.....	69	Not stated.....	3
Piscataquis.....	27	November.....	104	.....	—
Sagadahoc.....	26	December.....	111	.....	—
Somerset.....	102	Not stated.....	—	.....	—
Waldo.....	34	.....	—	.....	—
Washington.....	73	.....	—	.....	—
York.....	153	.....	—	.....	—
State.....	1,686	Total.....	1,686	Total.....	1,686

*Scarlet Fever*—The total mortality from this disease was 17, 7 males and 10 females. (36 in 1892, 35 in 1900, 40 in 1910 and 21 in 1920). The scarletinal death-rate per 10,000 for this state was 0.21. The number of deaths in the cities was 10.

TABLE NO. 28

Scarlet Fever by Counties, Months and Age-Periods, 1893-1932

By Counties		By Months		By Age-Periods	
Androscoggin .....	86	January .....	82	Under 1 .....	70
Aroostook .....	121	February .....	85	1- 5 .....	352
Cumberland .....	104	March .....	115	5-10 .....	235
Franklin .....	15	April .....	78	10-20 .....	117
Hancock .....	35	May .....	71	20-30 .....	49
Kennebec .....	62	June .....	64	30-40 .....	29
Knox .....	33	July .....	46	40-50 .....	8
Lincoln .....	13	August .....	33	50-60 .....	8
Oxford .....	29	September .....	47	Over 60 .....	3
Penobscot .....	109	October .....	72	Not stated .....	1
Piscataquis .....	20	November .....	90	.....	—
Sagadahoc .....	22	December .....	89	.....	—
Somerset .....	29	.....	—	.....	—
Waldo .....	18	.....	—	.....	—
Washington .....	48	.....	—	.....	—
York .....	128	.....	—	.....	—
State .....	872	Total .....	872	Total .....	872

*Influenza*—There were 200 deaths from influenza, 96 males and 104 females. The death-rate for the whole state was 2.49. (11.43 in 1892; 3.40 in 1900; 1.68 in 1910 and 6.21 in 1920). The number of deaths in the cities was 68.

*Whooping Cough*—The number of deaths from whooping-cough was 17. (54 in 1892, 99 in 1900, 104 in 1910 and 127 in 1920) of which 6 were males and 11 females. The number of deaths in the cities was 12. Twelve of the 17 deaths from this cause were among infants under 1 year of age. Rate, 0.21.

*Diphtheria*—There were for the year 1932, 17 deaths from diphtheria. Of the decedents, 8 were males and 9 females.

Of the 17 deaths, 8 were in the cities. The diphtheria death-rate for the state was 0.21.

The number of deaths in the cities from diphtheria in 1932: Bangor, 1; Biddeford, 1; Lewiston, 3; Waterville, 3.

The special death-rate from this disease was Bangor, 0.34; Biddeford, 0.56; Lewiston, 0.84; Waterville, 1.89.

**TABLE NO. 29**  
**Diphtheria by Counties, Months and Age-Periods, 1893-1932**

By Counties		By Months		By Age-Periods	
Androscoggin . . . . .	445	January . . . . .	417	Under 1 year . . .	439
Aroostook . . . . .	711	February . . . . .	334	1-5 . . . . .	1,716
Cumberland . . . . .	727	March . . . . .	268	5-10 . . . . .	1,057
Franklin . . . . .	57	April . . . . .	253	10-20 . . . . .	426
Hancock . . . . .	81	May . . . . .	264	20-30 . . . . .	90
Kennebec . . . . .	342	June . . . . .	232	30-40 . . . . .	54
Knox . . . . .	133	July . . . . .	210	40-50 . . . . .	38
Lincoln . . . . .	47	August . . . . .	224	50-60 . . . . .	27
Oxford . . . . .	129	September . . . . .	268	60-70 . . . . .	14
Penobscot . . . . .	322	October . . . . .	416	Over 70 . . . . .	13
Piscataquis . . . . .	37	November . . . . .	499	Not stated . . . . .	7
Sagadahoc . . . . .	102	December . . . . .	493	.....	—
Somerset . . . . .	134	Not stated . . . . .	3	.....	—
Waldo . . . . .	49	.....	—	.....	—
Washington . . . . .	172	.....	—	.....	—
York . . . . .	393	.....	—	.....	—
State . . . . .	3,881	Total . . . . .	3,881	Total . . . . .	3,881

*Typhoid Fever*—There were 20 deaths from typhoid fever. Of these 9 were males and 11 were females.

The number of deaths in the cities from typhoid fever in 1932: Bangor, 1; Belfast, 1; Calais, 1; Lewiston, 1; Portland, 2; Saco, 1; Waterville, 1.

The special death-rate from this disease: Bangor, 0.34; Belfast, 2.00; Calais, 1.83; Lewiston, 0.28; Portland, 0.28; Saco, 1.37; Waterville, 0.63; State, 0.25.

**TABLE NO. 30**  
**Typhoid Fever by Counties, Months and Age-Periods, 1893-1932**

By Counties		By Months		By Age-Periods	
Androscoggin . . . . .	372	January . . . . .	390	Under 1 . . . . .	28
Aroostook . . . . .	476	February . . . . .	312	1-5 . . . . .	171
Cumberland . . . . .	729	March . . . . .	386	5-10 . . . . .	267
Franklin . . . . .	90	April . . . . .	350	10-20 . . . . .	1,035
Hancock . . . . .	171	May . . . . .	326	20-30 . . . . .	1,365
Kennebec . . . . .	441	June . . . . .	270	30-40 . . . . .	738
Knox . . . . .	128	July . . . . .	262	40-50 . . . . .	501
Lincoln . . . . .	74	August . . . . .	393	50-60 . . . . .	320
Oxford . . . . .	194	September . . . . .	567	60-70 . . . . .	203
Penobscot . . . . .	816	October . . . . .	623	70-80 . . . . .	103
Piscataquis . . . . .	130	November . . . . .	462	Over 80 . . . . .	20
Sagadahoc . . . . .	90	December . . . . .	429	Not stated . . . . .	26
Somerset . . . . .	179	Not stated . . . . .	7	.....	—
Waldo . . . . .	120	.....	—	.....	—
Washington . . . . .	230	.....	—	.....	—
York . . . . .	537	.....	—	.....	—
State . . . . .	4,777	Total . . . . .	4,777	Total . . . . .	4,777

*Malarial Disease*—Nearly every year a few deaths have been reported to the department as having been caused by malaria, or malarial disease. Almost without exception when there was good reason to believe that the deaths had malarial cause, the infection was contracted outside the State. For the year 1932 no deaths were reported.

*Infantile Paralysis*—An epidemic of infantile paralysis caused 26 deaths in 1916, 12 males and 14 females. In 1917, 5 deaths occurred from this disease. In 1918, 7; in 1919, 3; in 1920, 10; in 1921, 15; in 1922, 3; in 1923, 6; in 1924, 13; in 1925, 10; in 1926, 9; in 1927, 22; in 1928, 13; in 1929, 7; in 1930, 27; in 1931, 12; while in 1932 there were 6 deaths, all males.

The death-rate per 10,000 from this disease was 0.07.

*Cerebrospinal Meningitis*—In 1932, 13 deaths from cerebrospinal meningitis occurred in the State, 8 males and 5 females, 4 of these deaths were from the epidemic form of this disease.

The death-rate per 10,000 from this cause was 0.16.

*Pellagra*—In the year 1932 there were 5 deaths from pellagra, all females. No deaths from that disease were recorded prior to 1911. Rate, 0.06.

*Tuberculosis (All Kinds)*—The whole number of deaths from tuberculosis (all kinds) in the year 1932 was, in the whole state, 396; in the cities, 155; in the state exclusive of the cities, 241. Sex of decedents, 199 males and 197 females. Rate, 4.93.

In Auburn, 4; Augusta, 21; Bangor, 33; Bath, 3; Belfast, 4; Biddeford, 10; Brewer, 1; Calais, 4; Eastport, 1; Ellsworth, 2; Gardiner, 4; Hallowell, 1; Lewiston, 11; Old Town, 4; Portland, 35; Rockland, 6; Saco, 1; So. Portland, 2; Waterville, 4; and Westbrook, 4.

The special death-rate from this cause was: In Auburn, 2.12; Augusta, 11.79; Bangor, 11.26; Bath, 3.29; Belfast, 8.01; Biddeford, 5.67; Brewer, 1.57; Calais, 7.32; Eastport, 2.88; Ellsworth, 5.47; Gardiner, 7.10; Hallowell, 3.74; Lewiston, 3.09; Old Town, 5.46; Portland, 4.92; Rockland, 6.47; Saco, 1.37; So. Portland, 1.35; Waterville, 2.52, and Westbrook, 3.61.

TABLE NO. 31  
Tuberculosis (All Kinds) by Counties and Months, 1932

Counties	January	February	March	April	May	June	July	August	September	October	November	December	Total	Death-rate per 10,000
Androscoggin	4	1	2	3	4	1	4	1	1	1	1	1	23	3.18
Aroostook	3	5	3	4	4	2	5	1	3	3	3	1	46	5.16
Cumberland	6	4	2	3	4	4	2	5	3	3	1	4	51	3.73
Franklin	1	2	2	1	1	2	1	1	1	1	1	1	7	3.51
Hancock	1	3	3	1	2	2	2	1	1	1	2	3	17	5.52
Kennebec	5	3	6	4	2	2	2	3	6	2	3	3	48	6.66
Knox	1	1	1	1	4	1	1	1	2	2	3	1	17	6.07
Lincoln	1	1	1	1	1	1	1	1	1	1	1	1	6	3.87
Oxford	2	3	2	1	3	3	2	1	1	1	1	1	17	4.02
Penobscot	6	6	14	4	6	4	2	6	2	4	4	4	59	6.32
Piscataquis	1	1	1	2	1	1	1	1	1	1	1	1	7	3.84
Sagadahoc	1	1	1	1	1	1	1	1	1	1	1	1	5	2.95
Somerset	5	3	3	1	3	3	5	3	3	5	3	6	45	11.39
Waldo	1	3	3	2	2	2	1	1	1	1	1	1	10	4.93
Washington	2	4	4	1	1	1	3	1	1	1	1	2	14	3.70
York	2	2	4	4	1	1	2	3	1	1	2	2	24	3.27
State	39	35	48	30	42	29	29	26	25	28	29	36	396	4.93

**TABLE NO. 32**  
**Tuberculosis (All Kinds) by Sex and Age-Periods, 1932**

Sex	Under 1	1- 5	5- 10	10- 20	20- 30	30- 40	40- 50	50- 60	60- 70	70- 80	80 and over	Not stated	Total
Males . . . . .	3	5	3	14	37	34	45	28	16	14	—	—	199
Females . . . . .	2	2	3	29	60	31	21	19	16	10	4	—	197
Total . . . . .	5	7	6	43	97	65	66	47	32	24	4	—	396

**TABLE NO. 33**  
**Tuberculosis, 1892-1932**

Years	Tuberculosis (all kinds)	Death-rate per 10,000	Pulmonary Tuberculosis	Death-rate per 10,000
1892 . . . . .	1,513	22.88	1,352	20.24
1893 . . . . .	1,446	21.87	1,299	19.35
1894 . . . . .	1,449	21.92	1,262	18.80
1895 . . . . .	1,397	21.13	1,195	17.71
1896 . . . . .	1,359	20.56	1,172	17.21
1897 . . . . .	1,338	20.30	1,128	16.47
1898 . . . . .	1,239	18.74	1,021	14.85
1899 . . . . .	1,241	17.96	1,015	14.69
1900 . . . . .	1,215	17.50	1,027	14.79
1901 . . . . .	1,250	18.00	1,033	14.87
1902 . . . . .	1,165	16.78	970	13.97
1903 . . . . .	1,076	15.49	901	12.97
1904 . . . . .	1,217	17.52	1,016	14.63
1905 . . . . .	1,109	15.30	894	12.50
1906 . . . . .	1,176	16.36	915	12.73
1907 . . . . .	1,214	16.80	950	13.14
1908 . . . . .	1,145	15.75	893	12.29
1909 . . . . .	1,059	14.49	830	11.36
1910 . . . . .	1,117	15.05	889	11.98
1911 . . . . .	1,054	14.09	842	11.25
1912 . . . . .	995	13.23	780	10.37
1913 . . . . .	977	12.91	736	9.72
1914 . . . . .	931	12.09	712	9.25
1915 . . . . .	933	12.03	730	9.41
1916 . . . . .	885	11.32	716	9.16
1917 . . . . .	887	11.30	718	9.15
1918 . . . . .	926	11.60	721	9.03
1919 . . . . .	789	9.78	638	7.90
1920 . . . . .	798	10.40	609	7.93
1921 . . . . .	633	8.19	511	6.62
1922 . . . . .	639	8.21	535	6.88
1923 . . . . .	614	7.92	502	6.47
1924 . . . . .	532	6.84	444	5.70
1925 . . . . .	497	6.34	392	4.50
1926 . . . . .	560	7.08	462	5.85
1927 . . . . .	535	6.72	453	5.69
1928 . . . . .	478	6.06	383	4.85
1929 . . . . .	484	6.12	399	5.04
1930 . . . . .	461	5.78	371	4.65
1931 . . . . .	397	4.96	337	4.21
1932 . . . . .	396	4.93	322	4.00

TABLE NO. 34

## Pulmonary Tuberculosis by Counties and Months, 1932

Counties	January	February	March	April	May	June	July	August	September	October	November	December	Total	Death-rate per 10,000
Androscoggin.....	3	1	1	2	4	1	3	1	1	—	1	1	19	2.63
Aroostook.....	3	4	3	4	4	6	3	—	—	3	3	4	39	4.38
Cumberland.....	5	3	1	3	7	3	—	4	3	7	—	2	38	2.78
Franklin.....	—	2	—	—	1	1	—	—	—	—	—	—	5	2.50
Hancock.....	1	2	—	1	2	—	1	1	—	1	3	2	14	4.55
Kennebec.....	4	2	3	2	2	2	2	3	5	—	—	—	40	5.55
Knox.....	1	1	—	—	3	—	—	1	2	2	3	1	14	5.00
Lincoln.....	—	1	1	1	1	—	—	—	—	—	—	—	5	3.23
Oxford.....	2	2	2	1	—	3	2	1	—	1	1	1	16	3.79
Penobscot.....	4	5	12	3	4	3	—	4	2	4	4	1	46	4.93
Piscataquis.....	—	—	1	2	—	—	—	—	—	—	—	—	3	1.64
Sagadahoc.....	—	—	2	—	—	—	—	—	—	—	—	—	3	1.77
Somerset.....	5	3	2	1	5	2	5	3	3	5	3	5	42	10.63
Waldo.....	—	—	2	—	—	—	—	1	—	—	—	—	3	3.94
Washington.....	1	—	3	1	—	1	2	—	—	1	—	2	11	2.91
York.....	1	2	3	4	—	1	1	1	3	1	1	—	19	2.59
State.....	30	28	36	27	36	23	19	21	21	27	26	28	322	4.00

*Pulmonary Tuberculosis*—In 1932 the whole number of deaths from pulmonary tuberculosis was: in the state, 322; in the cities, 116; in the state, outside of the cities, 206. In Auburn, 3; Augusta, 18; Bangor, 26; Bath, 2; Belfast, 2; Biddeford, 7; Brewer, 1; Calais, 2; Eastport, 1; Ellsworth, 2; Gardiner, 2; Lewiston, 9; Old Town, 2; Portland, 26; Rockland, 4; Saco, 1; So. Portland, 1; Waterville, 3; Westbrook, 4.

The special death-rate from this cause was: In Auburn, 1.59; Augusta, 10.10; Bangor, 8.87; Bath, 2.19; Belfast, 4.00; Biddeford, 3.97; Brewer, 1.57; Calais, 3.66; Eastport, 2.88; Ellsworth, 5.47; Gardiner, 3.56; Lewiston, 2.53; Old Town, 2.73; Portland, 3.66; Rockland, 4.31; Saco, 1.37; So. Portland, 0.67; Waterville, 1.89, and Westbrook, 3.61.

As to the sex, 168 of the decedents were males and 154 were females. Rate, 4.00.

TABLE NO. 35

## Pulmonary Tuberculosis by Sex and Age-Periods, 1932

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80 and over	Not stated	Total
Males.....	—	1	2	10	32	32	39	26	14	12	—	—	168
Females...	—	—	1	18	51	26	16	13	16	10	3	—	154
Total..	—	1	3	28	83	58	55	39	30	22	3	—	322

TABLE NO. 36

## Pulmonary Tuberculosis by Counties, Months and Age-Periods, 1893-1932

By Counties		By Months		By Age-Periods	
Androscoggin.....	2,350	January.....	2,642	Under 1.....	346
Aroostook.....	2,363	February.....	2,695	1-5.....	368
Cumberland.....	4,402	March.....	3,116	5-10.....	239
Franklin.....	641	April.....	3,045	10-20.....	3,322
Hancock.....	1,442	May.....	3,023	20-30.....	8,522
Kennebec.....	2,853	June.....	2,552	30-40.....	6,006
Knox.....	1,452	July.....	2,422	40-50.....	4,066
Lincoln.....	698	August.....	2,256	50-60.....	3,063
Oxford.....	1,328	September.....	2,092	60-70.....	2,642
Penobscot.....	3,828	October.....	2,276	70-80.....	1,657
Piscataquis.....	637	November.....	2,159	80 and over.....	404
Sagadahoc.....	765	December.....	2,428	Not stated.....	88
Somerset.....	2,060	Not stated.....	17	.....	.....
Waldo.....	1,076	.....	.....	.....	.....
Washington.....	2,064	.....	.....	.....	.....
York.....	2,764	.....	.....	.....	.....
State.....	30,723	Total.....	30,723	Total.....	30,723

*Cerebral Tuberculosis* (Tuberculosis Meningitis)—The number of deaths was 18: 10 were males and 8 females.

The number for the cities was 5. The death-rate for the state was 0.22.

*Abdominal Tuberculosis*—There were 20 deaths from this cause, 7 males and 13 females. The number for the cities was 12. Rate, 0.25.

*Rheumatism*—The returns give 31 deaths from this cause, (68 in 1892, 56 in 1900, 56 in 1910 and 41 in 1920). 10 were males and 21 females. Eight of these deaths were in the cities. The special death-rate for this disease was therefore 0.38.

TABLE NO. 37

## Rheumatism by Counties, Months and Age-Periods, 1893-1932

By Counties		By Months		By Age-Periods	
Androscoggin.....	122	January.....	180	Under 1.....	13
Aroostook.....	177	February.....	195	1-5.....	37
Cumberland.....	311	March.....	174	5-10.....	83
Franklin.....	43	April.....	162	10-20.....	186
Hancock.....	81	May.....	179	20-30.....	112
Kennebec.....	163	June.....	117	30-40.....	122
Knox.....	88	July.....	154	40-50.....	145
Lincoln.....	60	August.....	165	50-60.....	244
Oxford.....	109	September.....	127	60-70.....	372
Penobscot.....	209	October.....	130	70-80.....	409
Piscataquis.....	58	November.....	152	80 and over.....	184
Sagadahoc.....	46	December.....	172	Not stated.....	3
Somerset.....	87	Not stated.....	3	.....	.....
Waldo.....	77	.....	.....	.....	.....
Washington.....	91	.....	.....	.....	.....
York.....	188	.....	.....	.....	.....
State.....	1,910	Total.....	1,910	Total.....	1,910

*Cancer*—From cancer in its various forms and locations there were 1,179 deaths (404 in 1892, 526 in 1900, 762 in 1910 and 938 in 1920). Of the decedents 509 were males and 670 were females. The death-rate was 14.68.



**TABLE NO. 38**  
**Cancer by Sex and Age-Periods, 1932**

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	Over 80	Not stated	Total
Males . . . . .	-	-	-	2	4	8	30	75	148	182	60	-	509
Females . . . . .	-	-	1	1	5	25	73	139	173	169	84	-	670
Total . . . . .	-	-	1	3	9	33	103	214	321	351	144	-	1,179

**TABLE NO. 39**  
**Cancer, 1932 and 1893-1932**

Counties	1932		1893-1932		Age-Groups	No. of Deaths	
	No. of deaths	Death-rate per 10,000	Number of deaths	Mean death-rate per 10,000		1932	1893-1932
Androscoggin . . . . .	118	16.32	2,855	11.36	Under 1 . . . . .	—	26
Aroostook . . . . .	79	8.87	1,712	5.52	1-5 . . . . .	—	64
Cumberland . . . . .	214	15.65	5,717	12.23	5-10 . . . . .	1	38
Franklin . . . . .	17	8.51	806	10.48	10-20 . . . . .	3	98
Hancock . . . . .	54	17.54	1,456	10.74	20-30 . . . . .	9	342
Kennebec . . . . .	113	15.68	2,855	11.26	30-40 . . . . .	33	1,300
Knox . . . . .	66	23.59	1,593	14.01	40-50 . . . . .	103	3,554
Lincoln . . . . .	30	19.36	958	13.36	50-60 . . . . .	214	6,209
Oxford . . . . .	52	12.31	1,389	9.54	60-70 . . . . .	321	8,724
Penobscot . . . . .	137	14.68	3,537	10.40	70-80 . . . . .	351	7,996
Piscataquis . . . . .	22	12.07	642	8.33	80 and over . . . . .	144	3,173
Sagadahoc . . . . .	20	11.81	862	10.34	Not stated . . . . .	—	55
Somerset . . . . .	53	13.42	1,439	9.93	. . . . .	—	—
Waldo . . . . .	35	17.25	999	10.81	. . . . .	—	—
Washington . . . . .	51	13.48	1,620	9.45	. . . . .	—	—
York . . . . .	118	16.08	3,139	11.27	. . . . .	—	—
State . . . . .	1,179	14.68	31,579	10.50	Total . . . . .	1,179	31,579

*Centenarians*—Among the persons whose decease occurred in 1932, one woman and three men had exceeded the age of 100 years. Their names together with a few facts relative to their life history are as follows:

Paul Castor, died in Portland, June 21, 1932, at the age of 107 years and five months. He was born in Gibraltar January 15, 1825; occupation, mental healer; cause of death, broncho pneumonia.

Joseph Morrison, son of John Morrison, died in Hartland, June 5, 1932. He was born in Canada, September 25, 1830; cause of death, broncho pneumonia.

Julia Ann Hayes died in Southport of chronic nephritis on March 23, 1932, at the age of 100 years and 11 months.

Benjamin F. Fader, son of Franklin Fader and Kate Evans, died in Farmington, June 4, 1932, result of a fall. He was born in Chester, Nova Scotia, May 22, 1831.

TABLE NO. 40

Old Age—1932

Counties	Deaths	Rate per 10,000	Counties	Deaths	Rate per 10,000
Androscoggin.....	416	57.54	Oxford.....	198	46.87
Aroostook.....	263	29.53	Penobscot.....	486	52.08
Cumberland.....	730	53.40	Piscataquis.....	100	54.85
Franklin.....	112	56.10	Sagadahoc.....	118	69.71
Hancock.....	234	75.99	Somerset.....	221	55.95
Kennebec.....	444	61.61	Waldo.....	193	95.13
Knox.....	237	84.70	Washington.....	162	42.83
Lincoln.....	139	89.68	York.....	442	60.23
			State.....	4,495	55.98

*Diabetes*—The deaths from this cause numbered 241 (55 in 1892, 74 in 1900, 127 in 1910 and 167 in 1920), 97 males and 144 females. 111 in the cities. The special death-rate from diabetes was therefore, 3.00 in 1932.

*Diseases of the Nervous System and of Organs of Special Sense*—The number of deaths registered under the causes included in this group was 1,360 (1,459 in 1892; 1,652 in 1900; 1,672 in 1910 and 1,396 in 1920), 16.94 to every 10,000 of population.

*Lethargic Encephalitis*—From this cause there were 4 deaths; 2 males and 2 females. Rate, 0.05.

*Apoplexy*—From this cause, 1,077 deaths occurred (488 in 1892; 583 in 1900; 887 in 1910 and 1,029 in 1920), 523 males and 554 females. The state's death-rate from apoplexy was therefore 13.41.

TABLE NO. 41

Apoplexy by Sex and Age-Periods, 1932

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	Over 90	Not stated	Total
Males.....	—	—	—	—	1	1	10	48	144	206	102	11	—	523
Females.....	—	—	—	—	1	—	20	62	118	200	136	17	—	554
Total.....	—	—	—	—	2	.1	30	110	262	406	238	28	—	1,077

**TABLE NO. 42**  
**Apoplexy, 1932 and 1896-1932**

Counties	Number of deaths	1932	1893-1932	1896-1932
		Death-rate per 10,000	Number of deaths	Mean death-rate per 10,000
Androscoggin.....	80	11.06	2,781	11.64
Aroostook.....	65	7.30	1,405	4.87
Cumberland.....	171	12.51	5,496	12.14
Franklin.....	32	16.03	970	12.90
Hancock.....	67	21.76	1,595	12.34
Kennebec.....	106	14.71	3,584	14.66
Knox.....	67	23.94	1,936	17.96
Lincoln.....	37	23.87	1,105	16.27
Oxford.....	48	11.36	1,602	11.23
Penobscot.....	119	12.75	3,742	11.47
Piscataquis.....	26	14.26	778	10.57
Sagadahoc.....	19	11.22	1,043	12.79
Somerset.....	59	14.94	1,696	12.19
Waldo.....	40	19.72	1,363	15.61
Washington.....	40	10.57	1,684	10.12
York.....	101	13.76	3,550	13.20
State.....	1,077	13.41	34,330	11.82

*Softening of the Brain*—From cerebral softening there were 6 deaths, 3 males and 3 females. Rate, 0.07.

*Epilepsy*—Nine males and 15 females died of epilepsy, 24 in all. Rate, 0.30.

*Diseases of the Heart*—From diseases of the heart, including endocarditis, myocarditis, pericarditis, angina pectoris, and other diseases of the heart, there were 2,337 deaths (816 in 1892, 1,045 in 1900, 1,380 in 1910 and 1,602 in 1920). 1,325 persons were males and 1,012 females. Rate, 29.10.

**TABLE NO. 43**  
**Heart Disease, 1932**

Counties	No. of deaths	Rate per 10,000	Counties	No. of deaths	Rate per 10,000
Androscoggin.....	230	31.81	Oxford.....	89	21.07
Aroostook.....	101	11.34	Penobscot.....	232	24.86
Cumberland.....	472	34.53	Piscataquis.....	47	25.78
Franklin.....	55	27.55	Sagadahoc.....	63	37.22
Hancock.....	91	29.55	Somerset.....	125	31.65
Kennebec.....	244	33.86	Waldo.....	70	34.51
Knox.....	119	42.53	Washington.....	109	28.82
Lincoln.....	60	38.71	York.....	230	31.34
			State.....	2,337	29.10

**TABLE NO. 44**  
**Heart Disease by Sex and Age-Periods, 1932**

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80 and over	Not stated	Total
Males . . . . .	-	-	4	4	13	22	62	180	335	464	240	1	1325
Females . . . . .	1	1	-	10	9	14	33	82	225	343	294	-	1012
Total . . . . .	1	1	4	14	22	36	95	262	560	807	534	1	2,337

*Diseases of the Respiratory System*—Without the inclusion of tuberculosis, 791 persons died from the various respiratory diseases, (1,760 in 1892; 1,513 in 1900; 1,664 in 1910 and 1,500 in 1920). Rate, 9.85.

*Pneumonia*—The number of deaths registered under this cause was 655 (1,431 in 1892; 1,067 in 1900; 1,246 in 1910 and 1,312 in 1920), of which 363 were males and 292 were females.

The death-rate from this disease was therefore 8.16 per 10,000.

**TABLE NO. 45**  
**Pneumonia by Sex and Age-Periods, 1932**

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90 and over	Not stated	Total
Males . . . . .	64	29	3	8	9	12	22	44	70	57	36	9	-	363
Females . . . . .	42	22	-	4	8	12	11	19	48	64	45	17	-	292
Total . . . . .	106	51	3	12	17	24	33	63	118	121	81	26	-	655

**TABLE NO. 46**  
**Pneumonia, 1893-1932**

By Counties	By Months	By Age-Periods			
Androscoggin . . . . .	3,449	January . . . . .	5,448	Under 1 . . . . .	6,552
Aroostook . . . . .	3,186	February . . . . .	5,530	1-5 . . . . .	3,760
Cumberland . . . . .	6,521	March . . . . .	5,735	5-10 . . . . .	718
Franklin . . . . .	973	April . . . . .	4,897	10-20 . . . . .	1,270
Hancock . . . . .	1,804	May . . . . .	3,755	20-30 . . . . .	1,981
Kennebec . . . . .	3,970	June . . . . .	2,050	30-40 . . . . .	2,413
Knox . . . . .	1,268	July . . . . .	1,071	40-50 . . . . .	2,671
Lincoln . . . . .	844	August . . . . .	873	50-60 . . . . .	3,384
Oxford . . . . .	2,016	September . . . . .	1,280	60-70 . . . . .	5,350
Penobscot . . . . .	5,120	October . . . . .	2,592	70-80 . . . . .	6,932
Piscataquis . . . . .	888	November . . . . .	2,914	80 and over . . . . .	5,177
Sagadahoc . . . . .	1,073	December . . . . .	4,149	Not stated . . . . .	97
Somerset . . . . .	1,791	Not stated . . . . .	11	.....	.....
Waldo . . . . .	1,236	.....	.....	.....	.....
Washington . . . . .	2,081	.....	.....	.....	.....
York . . . . .	4,085	.....	.....	.....	.....
State . . . . .	40,305	Total . . . . .	40,305	Total . . . . .	40,305

The number of deaths from pneumonia in the year 1932 was: in the state, 655; in the cities, 267; in the state exclusive of the cities, 388. In Auburn, 8; Augusta, 30; Bangor, 37; Bath, 12; Belfast, 6; Biddeford, 17; Brewer, 2; Calais, 3; Ellsworth, 1; Gardiner, 6; Hallowell, 2; Lewiston, 36; Old Town, 7; Portland, 70; Rockland, 5; Saco, 5; So. Portland, 5; Waterville, 10; Westbrook, 5.

In Auburn, 4.23; Augusta, 16.84; Bangor, 12.63; Bath, 13.17; Belfast, 12.02; Biddeford, 9.64; Brewer, 3.13; Calais, 5.48; Ellsworth, 2.73; Gardiner, 10.64; Hallowell, 7.48; Lewiston, 10.12; Old Town, 9.55; Portland, 9.84; Rockland, 5.39; Saco, 6.83; So. Portland, 3.39; Waterville, 6.30; Westbrook, 4.51.

*Bronchitis*—From this cause, including both acute and chronic bronchitis, 63 deaths were registered: 287 in 1892; 262 in 1900; 229 in 1910 and 101 in 1920). Among these decedents 28 were males and 35 were females.

Of these 63 deaths, 12 were in the cities. The death-rate for the state was 0.78.

*Pleurisy*—Eighteen deaths were charged to this disease, (18 in 1892; 28 in 1900; 22 in 1910 and 15 in 1920), 11 males and 7 females. Rate 0.22.

*Diseases of the Digestive System*—The combined mortality from this group of diseases was 571 (659 in 1892; 1,411 in 1900; 1,420 in 1910 and 1,036 in 1920), or a death-rate of 7.11.

*Diarrheal Diseases*—The total number of deaths caused by the diseases under this group was 116 (662 in 1892; 805 in 1900; 851 in 1910 and 527 in 1920).

The death-rate from this group of diseases was 1.44 per 10,000.

*Infantile Diarrhea*—This as synonymous with diarrhea and enteritis (under 2 years) was the cause of 75 deaths, 45 males and 30 females, (546 in 1892; 680 in 1900; 693 in 1910 and 405 in 1920). Rate, 0.93.

TABLE NO. 47

Diarrhea and Enteritis (Under 2 years) by Counties, Months and Age-Periods, 1893-1932

By Counties		By Months		By Age-Periods	
Androscoggin . . . . .	1,857	January . . . . .	316	Under 6 months . . . . .	8,587
Aroostook . . . . .	4,182	February . . . . .	274	6-12 months . . . . .	4,694
Cumberland . . . . .	1,707	March . . . . .	323	1-2 years . . . . .	1,915
Franklin . . . . .	230	April . . . . .	325	Unknown . . . . .	23
Hancock . . . . .	299	May . . . . .	363	.....	—
Kennebec . . . . .	1,273	June . . . . .	430	.....	—
Knox . . . . .	274	July . . . . .	1,629	.....	—
Lincoln . . . . .	66	August . . . . .	4,412	.....	—
Oxford . . . . .	530	September . . . . .	4,356	.....	—
Penobscot . . . . .	1,253	October . . . . .	1,928	.....	—
Piscataquis . . . . .	164	November . . . . .	510	.....	—
Sagadahoc . . . . .	264	December . . . . .	350	.....	—
Somerset . . . . .	474	Not stated . . . . .	3	.....	—
Waldo . . . . .	142	.....	—	.....	—
Washington . . . . .	784	.....	—	.....	—
York . . . . .	1,720	.....	—	.....	—
State . . . . .	15,219	Total . . . . .	15,219	Total . . . . .	15,219

TABLE NO. 48

## Diarrhea and Enteritis (Under 2 years) in the Cities, 1925-1932

Cities	1925	1926	1927	1928	1929	1930	1931	1932	Total
Auburn . . . . .	2	—	2	1	3	4	1	1	14
Augusta . . . . .	1	2	2	2	5	3	2	2	19
Bangor . . . . .	1	3	2	1	—	3	4	—	14
Bath . . . . .	—	2	1	—	—	—	—	—	3
Belfast . . . . .	1	1	—	—	—	1	—	—	3
Biddeford . . . . .	5	6	3	4	6	3	2	1	30
Brewer . . . . .	2	—	—	2	—	—	—	—	4
Calais . . . . .	2	1	—	—	—	—	1	—	4
Eastport . . . . .	2	—	—	—	1	—	—	—	3
Ellsworth . . . . .	—	—	—	—	1	—	—	—	1
Gardiner . . . . .	—	1	—	—	1	—	—	—	2
Hallowell . . . . .	1	—	—	—	—	—	—	—	1
Lewiston . . . . .	14	11	3	14	18	5	3	7	75
Old Town . . . . .	1	1	4	1	1	1	—	—	9
Portland . . . . .	11	13	5	2	6	4	1	9	51
Rockland . . . . .	—	—	—	1	—	1	1	—	3
Saco . . . . .	—	—	—	—	—	—	1	—	1
South Portland . . . . .	—	2	—	—	1	1	—	—	4
Waterville . . . . .	3	2	2	1	4	5	2	1	20
Westbrook . . . . .	1	1	2	—	1	3	1	3	12
Total . . . . .	47	46	26	29	48	34	19	24	273

*Peritonitis*—There were 8 deaths from this cause (129 in 1892; 105 in 1900; 62 in 1910 and 6 in 1920), 6 males and 2 females. Rate, 0.09.

*Appendicitis*—Of the deaths classified under this cause, 125 in number, 85 were males and 40 females. Death-rate, 1.56.

*Cirrhosis of the Liver*—Twenty-seven deaths were ascribed to cirrhosis of the liver—those of 11 men and 16 women. The death-rate in the state from this one cause was 0.34, (0.19 in 1892; 0.79 in 1900; 0.79 in 1910 and 0.43 in 1920).

*Diseases of the Genitourinary System*—There were 991 deaths referred to the diseases under this group, equivalent to a death-rate of 12.34.

*Nephritis*—Acute nephritis caused the death of 40 persons, 22 males and 18 females. The death-rate from nephritis was, therefore, 0.50.

\**Bright's Disease*—This was the cause of 831 deaths (204 in 1892; 443 in 1900; 714 in 1910 and 795 in 1920). 430 males and 401 females. Death-rate, 10.35.

TABLE NO. 49

\*Bright's Disease by Sex and Age-Periods, 1932

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	Over 80	Total
Males.....	-	-	-	-	6	10	16	46	106	160	86	430
Females.....	-	-	2	-	8	15	30	56	89	131	70	401
Total.....	-	-	2	-	14	25	46	102	195	291	156	831

\*This title includes: chronic, albuminous interstitial or parenchymatous nephritis; albuminuria; amyloid or fatty degeneration of the kidney; steatosis of the kidney; renal sclerosis. Also includes when their precise nature is not indicated, uremia, uremic, eclampsia; uremic delirium, uremic coma.

*The Puerperal State*—Under this class of accidents and diseases of reproduction, 98 deaths were registered. Thirty-one of these deaths were from puerperal septicemia. Rate, 58.8 per 10,000 confinements.

*Deaths from External Causes*—Under this class there were 733 deaths. Rate, 9.13.

*Suicide*—Within the year 144 persons took their own lives (59 in 1892; 66 in 1900; 79 in 1910 and 86 in 1920), 114 males and 30 females. Rate, 1.79.

*Accidental Absorption of Poisonous Gas*—caused 4 deaths, three males and one female.

*Accidental Mechanical Suffocation*—caused 6 deaths.

*Accidental Drowning*—caused 95 deaths, 82 males and 13 females. Rate, 1.18.

The number of deaths referred to food poisoning was 3, 2 males and 1 female. Acute accidental poisoning caused 9 deaths, 7 males and 2 females. These deaths distributed under the various toxic agencies were as follows: overdose of acetanolid headache pills, 1; rat-poison, 1; drinking laquer thinner, 1; mercury, 1; arsenic used in spraying potatoes, 1; drinking cyanide, 1; strychnine and belladonna pills, 3.

Burns and scalds caused 19 deaths: 7 were from clothing taking fire; 1 scalded with hot water; 5 from using gasoline; 3 playing with matches; 1 fell into fire; 2 not stated—11 males and 8 females.

Conflagration caused 19 deaths, 9 males and 10 females.

Eighteen deaths were caused by steam railroad accidents. Of these 18 deaths, 8 were the result of collision with automobiles, 149 by automobile accidents, 7 by aeroplane, 2 by motorcycle, 5 by other vehicles. Automobile death-rate, 1.85.

**TABLE NO. 50**  
**Suicides by Counties, Months and Age-Periods, 1932**

By Counties		By Months		By Age-Periods	
Androscoggin . . . . .	10	January . . . . .	15	10-20 . . . . .	5
Aroostook . . . . .	8	February . . . . .	4	20-30 . . . . .	16
Cumberland . . . . .	29	March . . . . .	10	30-40 . . . . .	15
Franklin . . . . .	5	April . . . . .	9	40-50 . . . . .	16
Hancock . . . . .	4	May . . . . .	22	50-60 . . . . .	31
Kennebec . . . . .	17	June . . . . .	14	60-70 . . . . .	36
Knox . . . . .	2	July . . . . .	10	70-80 . . . . .	22
Lincoln . . . . .	4	August . . . . .	8	Over 80 . . . . .	3
Oxford . . . . .	6	September . . . . .	12	Unknown . . . . .	—
Penobscot . . . . .	9	October . . . . .	17	—	—
Piscataquis . . . . .	4	November . . . . .	10	—	—
Sagadahoc . . . . .	4	December . . . . .	13	—	—
Somerset . . . . .	13	Not stated . . . . .	—	—	—
Waldo . . . . .	8	—	—	—	—
Washington . . . . .	6	—	—	—	—
York . . . . .	15	—	—	—	—
State . . . . .	144	Total . . . . .	144	Total . . . . .	144

**TABLE NO. 51**  
**Table of Infant Mortality, 1932**

Age-Periods	Number of deaths	*Rate of mortality
Under 1 day . . . . .	247	15.3
Under 1 week . . . . .	255	15.8
Under 2 weeks . . . . .	57	3.5
Under 3 weeks . . . . .	41	2.5
Under 4 weeks . . . . .	21	1.3
Under 2 months . . . . .	82	5.1
Under 3 months . . . . .	70	4.3
Under 4 months . . . . .	57	3.5
Under 5 months . . . . .	40	2.5
Under 6 months . . . . .	28	1.7
Under 9 months . . . . .	67	4.1
Under 1 year . . . . .	56	3.5
Total . . . . .	1,021	63.3

\*The infant mortality rates in this table are based upon the total number of births in 1932. The number is 16,112.



**TABLE NO. 52**  
**Infant Mortality for Cities with Rates, 1929-1932**

Cities	Births				Deaths (under 1 yr.)				*Rate per 1,000			
	1929	1930	1931	1932	1929	1930	1931	1932	1929	1930	1931	1932
Auburn.....	257	242	222	191	25	21	23	18	97.3	86.7	103.6	94.2
Augusta.....	326	351	366	312	22	27	20	21	67.5	81.5	54.6	67.3
Bangor.....	557	565	625	591	39	42	41	37	70.0	74.3	65.6	62.6
Bath.....	143	211	179	167	8	11	7	10	55.9	52.1	39.1	59.9
Belfast.....	96	102	96	124	5	8	1	5	52.0	78.4	10.4	40.3
Biddeford.....	530	522	528	512	41	34	36	20	77.4	65.1	68.1	39.1
Brewer.....	137	127	145	174	3	4	3	10	21.9	31.5	20.7	57.5
Calais.....	96	112	108	113	5	5	6	11	52.1	44.6	55.5	97.3
Eastport.....	48	52	53	47	4	3	2	2	83.3	57.7	37.7	42.5
Ellsworth.....	82	77	79	86	7	3	2	1	85.3	38.9	25.3	11.6
Gardiner.....	143	136	161	179	8	7	15	9	55.9	51.4	93.1	50.3
Hallowell.....	34	26	24	19	1	3	—	—	29.4	115.4	—	—
Lewiston.....	816	865	946	928	95	95	101	81	116.4	109.8	106.7	87.3
Old Town.....	162	204	137	181	10	13	12	10	61.7	63.7	87.6	55.2
Portland.....	1,500	1,568	1,590	1,543	100	112	106	107	66.6	71.4	66.6	69.3
Rockland.....	225	182	196	181	16	16	18	9	71.1	87.9	91.8	49.7
Saco.....	50	56	41	43	8	5	6	3	160.0	89.3	146.3	69.7
South Portland.	149	123	138	109	10	8	4	12	67.1	65.0	28.9	110.1
Waterville.....	406	391	387	405	26	44	23	19	64.0	112.5	59.4	46.9
Westbrook.....	220	196	200	185	16	13	13	13	72.7	66.3	65.0	70.2

\*The infant mortality rates in this table are based upon the number of births in these cities.