

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

PUBLIC DOCUMENTS

OF THE

STATE OF MAINE

BEING THE

REPORTS

OF THE VARIOUS

PUBLIC OFFICERS
DEPARTMENTS AND
INSTITUTIONS

FOR THE TWO YEARS

JULY 1, 1932--JUNE 30, 1934

FORTY-SECOND ANNUAL REPORT

UPON THE

Births, Marriages, Divorces and
Deaths

IN THE

STATE OF MAINE



FOR THE

Year Ending December 31, 1933

DEPARTMENT OF HEALTH AND WELFARE
BUREAU OF HEALTH

Augusta, Maine, November 1, 1934.

*To His Excellency, Louis J. Brann, Governor, and the Honorable
Executive Council:*

Sirs:

I have the honor of submitting to you the forty-second annual report upon the Births, Marriages, Divorces and Deaths for the year ending December 31, 1933.

Respectfully,

GEORGE H. COOMBS, M. D.,
Registrar of Vital Statistics.

DIVISION OF VITAL STATISTICS

State Registrar, G. H. Coombs, M. D.

Division Director, F. S. Choate.

Dr. George H. Coombs, *Director of Health and State Registrar of Vital Statistics.*

Sir: Following is a report of the Division of Vital Statistics which I have to submit for the year ending December 31, 1933. This includes also the forty-second annual report upon the Births, Marriages, Divorces and Deaths for the year ending December 31, 1933.

Respectfully,

F. S. CHOATE,

Division Director.

REPORT OF DIVISION OF VITAL STATISTICS

ROUTINE OFFICE WORK

The shipments of report transcripts to the Census Bureau were as follows:

Births, 15,223. Stillbirths, 545. Deaths, 11,019.
Birth and death transcripts of non-residents, 179.
Letters sent out, 5,949. Letters received, 5,070.
Records called for, 5,923. Birth certificates sent out, 14,490.
Corrections on Birth Certificates, 600.
Names and addresses sent to congressmen, 11,942.

REGISTRATION REPORT, 1933

This report presents the results of the registration and tabulation of the births, marriages, divorces and deaths which occurred in the State of Maine during the year 1933.

The number of living births registered in the year 1933 was 15,070; 1,042 less than in the preceding year.

There was 176 twin-births and 2 triple-births in 1933.

The number of stillbirths was 562.

The number of marriages (number of couples married in 1933) was 6,259; 694 more than in the preceding year.

The number of deaths recorded in the State for the same year was 11,156 (this number includes all premature deaths), a number 359 more than that of the deaths registered in the preceding year.

One thousand, one hundred and eight divorces were decreed in the year 1933, 552 in 1892; 627 in 1893; 674 in 1894; 681 in 1895; 668 in 1896; 722 in 1897; 764 in 1898; 790 in 1899; 801 in 1900; 808 in 1901; 905 in 1902; 946 in 1903; 906 in 1904; 848 in 1905; 787 in 1906; 887 in 1907; 904 in 1908; 957 in 1909; 911 in 1910; 985 in 1911; 1,081 in 1912; 1,092 in 1913; 1,030 in 1914; 1,006 in 1915; 698 in 1916; 1,080 in 1917; 847 in 1918; 1,230 in 1919; 1,364 in 1920; 1,276 in 1921; 1,148 in 1922; 1,220 in 1923; 1,235 in 1924; 1,228 in 1925; 1,214 in 1926; 1,309 in 1927; 1,310 in 1928; 1,261 in 1929; 1,475 in 1930; 1,343 in 1931 and 1,222 in 1932.

Bertillon Classification.—Nomenclature of the causes of death in this report is the revised Bertillon classification adopted by the International Commission which met in Paris in 1930.

Population.—The population of the State of Maine in 1910 as given by the census was 742,371; in 1920, 768,014; in 1930, 797,423.

During 1933, we have sent duplicate birth and death transcripts of out of State residents with our monthly shipments to the Census Bureau. The Census Bureau acts as a clearing house, allocating to each state transcripts belonging to them.

The first of every month during 1933 we have forwarded our three congressmen, the names and addresses of all mothers in their district giving birth to children during the preceding month, that they might receive the Child Welfare Literature, published by the U. S. Department of Labor.

Including our index cards, births, marriages and death records, also old records prior to 1892, we have over 70,000 cards to file during the year.

The following is a general summary of the births, marriages and deaths in 1933.

Births

Sex	Parentage
Males	American
Females	Foreign
Not stated	One parent foreign
	Not stated
Whole number of births.....	
Birth-rate per 1,000	

Marriages

Groom and bride American	5,124
Groom and bride foreign	202
Groom American, bride foreign	448
Groom foreign, bride American	481
Not stated	4
Whole number of marriages	6,259
Marriage-rate per 1,000	7.76

Deaths

Sex	Nativity
Males	American
Females	Foreign
Not stated	Not stated
Whole number of deaths	
Death-rate per 1,000	

REGISTRATION REPORT

The following table exhibits the population of the several counties in 1890, 1900, 1910, 1920, 1930 and estimated population for 1933.

TABLE NO. 1
Population in 1890, 1900, 1910, 1920, 1930 and Estimated
Population in 1933

COUNTIES	Population in 1890	Population in 1900	Population in 1910	Population in 1920	Population in 1930	Estimated population in 1933
Androscoggin	48,968	54,242	59,822	65,796	71,214	72,840
Aroostook	49,589	60,744	74,664	81,728	87,843	89,676
Cumberland	90,949	100,689	112,014	124,376	134,645	137,726
Franklin	17,053	18,444	19,119	19,825	19,941	19,977
Hancock	37,312	37,241	35,575	30,361	30,721	30,829
Kennebec	37,012	59,117	62,863	63,844	70,691	72,746
Knox	31,473	30,406	28,981	26,245	27,693	28,128
Lincoln	21,996	19,669	18,216	15,976	15,498	15,498
Oxford	30,586	32,238	36,256	37,700	41,483	42,617
Penobscot	72,865	76,246	85,285	87,684	92,379	93,786
Piscataquis	16,134	16,949	19,887	20,554	18,231	18,231
Sagadahoc	19,452	20,330	18,574	23,021	16,927	16,927
Somerset	32,627	33,849	36,301	37,171	39,111	39,693
Waldo	27,759	24,185	23,383	21,328	20,286	20,286
Washington	44,482	45,232	42,905	41,709	37,826	37,826
York	62,829	64,885	68,526	70,696	72,934	73,606
State	641,086	694,466	742,371	768,014	797,423	806,246

Birth, Marriage and Death-Rate. In this report the birth rates, marriage-rates and death-rates from all causes are stated as so many among each 1,000 of the population according to the 1930 census.

Death-rate from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE NO. 2
Non-Resident Deaths in Public Institutions, 1933

Cities and Towns, having Public Institutions in which Non-resident deaths have occurred	Estimated population in 1933	Whole number of deaths	Whole number of deaths of non-residents	Death-rate per 1,000	Death-rate per 1,000 exclusive of non-residents
Auburn	19,048	213	24	11.18	9.92
Augusta	18,122	335	67	18.48	14.79
Bangor	29,580	598	174	20.22	14.33
Bar Harbor	4,744	57	7	12.01	10.54
Bath	9,110	142	16	15.59	13.83
Belfast	4,993	92	16	18.42	15.22
Biddeford	17,633	252	57	14.29	11.06
Bingham	1,727	16	4	9.26	6.95
Blue Hill	1,439	36	5	25.02	21.54
Boothbay Harbor	2,091	37	6	17.69	14.82
Brewer	6,407	81	7	12.64	11.55
Brunswick	7,706	120	22	15.57	12.72
Calais	5,470	96	23	17.55	13.34
Camden	3,666	61	7	16.64	14.73
Caribou	7,617	83	9	10.90	9.71
Damariscotta	825	30	13	36.36	20.61
Dexter	4,063	48	6	11.81	10.34
Dover-Foxcroft	3,750	62	3	16.53	15.73
Eagle Lake	1,782	33	13	18.52	10.10
Ellsworth	3,707	61	15	16.45	12.95
Fairfield	5,396	85	26	15.94	10.93
Farmington	3,720	65	19	17.47	12.36
Fort Fairfield	5,645	66	4	11.69	10.98
Gardiner	5,648	106	14	18.77	16.29
Greenville	1,633	34	7	21.43	16.53
Guilford	1,750	28	9	16.00	10.86
Hebron	833	17	11	20.41	7.20
Houlton	7,066	130	26	18.40	14.72
Kittery	4,400	54	15	12.27	8.86
Lewiston	35,896	651	139	18.13	14.26
Mars Hill	1,852	31	6	16.74	13.50
Millinocket	6,220	48	10	7.72	6.11
Old Town	7,359	74	3	10.05	9.65
Oxford	1,134	17	6	14.99	9.70
Portland	71,272	1,169	209	16.40	13.47
Presque Isle	7,379	99	24	13.55	10.16
Rockland	9,366	149	28	15.91	12.92
Rumford	10,868	102	18	9.38	7.73
Sanford	14,202	173	33	12.18	9.86
Skowhegan	6,568	116	12	17.66	15.83
Strong	908	16	7	17.62	9.91
Thomaston	2,271	39	5	17.17	14.97
Waterville	16,084	228	40	14.17	11.69
Wells	2,077	35	4	16.85	14.92
Westbrook	11,212	114	10	10.17	9.27
Winthrop	2,333	27	7	11.57	8.57
York	2,532	54	17	21.33	14.61

REGISTRATION REPORT

TABLE
Births, Marriages and Deaths
ANDROSCOGGIN

TOWNS	Estimated population in 1933	BIRTHS									
		Sex				Parentage					
		Male	Female	Not Stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Auburn	19,048	95	75	—	170	8.92	106	12	27	19	6
Durham	806	6	7	—	13	16.13	7	—	1	5	—
Greene	818	6	3	1	10	12.22	10	—	—	—	—
Leeds	729	7	6	—	13	17.83	12	—	1	—	—
Lewiston	35,896	510	481	—	991	27.61	578	148	132	110	23
Lisbon	4,002	27	19	—	46	11.49	34	8	2	1	1
Livermore	1,126	20	9	—	29	25.75	24	1	2	2	—
Livermore Falls	3,302	33	38	—	71	21.50	49	5	11	6	—
Mechanic Falls	2,159	17	10	—	27	12.51	24	—	2	1	—
Minot	635	5	4	—	9	14.17	9	—	—	—	—
Poland	1,534	9	17	—	26	16.95	23	—	1	1	1
Turner	1,362	6	8	—	14	10.28	14	—	—	—	—
Wales	451	4	1	—	5	11.08	5	—	—	—	—
Webster	1,166	6	4	—	10	8.58	6	—	3	1	—
Total	73,034	751	682	1	1,434	19.69	901	174	182	146	31

TABLE
Births, Marriages and Deaths
AROOSTOOK

Amity	324	6	6	—	12	37.05	9	—	3	—	—
Ashland	2,198	41	32	—	73	33.21	61	1	8	3	—
Bancroft	245	3	6	—	9	36.73	7	—	2	—	—
Benedicta	294	4	2	—	6	20.41	6	—	—	—	—
Blaine	1,061	10	7	—	17	16.02	10	—	4	3	—
Bridgewater	1,241	18	9	—	27	21.76	16	2	5	2	2
Caribou	7,617	120	124	—	244	22.03	164	8	32	32	8
Castle Hill	635	11	7	—	18	28.35	12	—	3	1	2
Chapman	409	3	6	—	9	22.00	7	1	—	1	—
Connor	638	12	9	—	21	32.91	17	1	—	3	—
Crystal	403	6	6	—	12	29.78	9	1	2	—	—
Dyer Brook	262	4	5	—	9	34.35	5	1	2	1	—
Eagle Lake	1,782	34	13	—	47	26.37	41	1	4	1	—
Easton	1,520	24	17	—	41	26.97	19	7	8	7	—
Fort Fairfield	5,645	73	77	—	150	26.57	79	16	26	28	1
Fort Kent	4,873	70	87	—	157	32.22	132	4	7	13	1
Frenchville	1,525	29	24	—	53	34.75	51	—	—	2	—
Grand Isle	1,426	24	32	—	56	39.27	42	2	3	9	—
Haynesville	251	4	4	—	8	31.87	8	—	—	—	—
Hersey	195	2	1	—	3	15.38	2	—	1	—	—
Hodgdon	1,054	15	7	—	22	20.87	12	2	5	2	1
Houlton	7,066	101	86	—	187	26.46	113	13	24	35	2

BIRTHS, DEATHS AND MARRIAGES

No. 3

for the Year 1933

COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	Not stated	
106	8	15	14	—	143	110	103	—	213	178	35	—	11.18
2	—	—	—	—	2	3	5	—	8	6	2	—	9.92
10	—	—	1	—	11	3	9	—	12	12	—	—	14.67
1	—	—	—	—	1	3	3	—	6	6	—	—	8.23
196	28	44	48	—	316	343	308	—	651	414	232	5	18.13
18	1	1	3	—	23	32	24	—	56	36	19	1	13.99
—	—	—	—	—	—	5	3	—	8	5	3	—	7.10
21	—	1	2	—	24	20	15	—	35	30	5	—	10.60
26	—	—	2	—	28	17	12	—	29	27	2	—	13.43
3	—	—	—	—	3	3	5	—	8	7	1	—	12.60
4	—	—	—	—	4	10	3	—	13	12	1	—	8.47
10	—	—	1	—	11	9	7	—	16	16	—	—	11.75
1	—	—	—	—	1	1	4	—	5	5	—	—	11.08
5	1	1	2	—	9	6	12	—	18	15	3	—	15.44
403	38	62	73	—	576	565	513	—	1,078	769	303	6	14.80

No. 3—Continued

for the Year 1933

COUNTY

3	1	—	—	—	4	2	2	—	4	3	1	—	12.35
13	—	2	2	—	17	22	7	—	29	26	3	—	13.19
—	—	—	—	—	—	1	1	—	2	1	1	—	8.16
2	—	1	1	—	4	4	—	—	1	1	1	—	3.40
2	—	—	3	—	5	6	4	—	10	5	5	—	9.42
4	—	—	—	—	4	5	5	—	10	5	5	—	8.06
67	5	9	9	—	90	50	33	—	83	61	22	—	10.90
—	—	—	—	—	—	4	2	—	6	6	—	—	9.45
—	—	—	—	—	—	3	2	—	5	5	—	—	12.22
—	—	—	—	—	—	7	3	—	10	9	1	—	15.67
3	—	—	—	—	3	1	1	—	2	2	—	—	4.96
—	—	—	—	—	—	—	1	—	1	1	1	—	3.81
16	—	1	1	—	18	19	14	—	33	30	2	1	18.52
2	—	1	1	—	4	11	6	—	17	12	5	—	11.18
19	6	8	6	—	39	39	27	—	66	44	22	—	11.69
38	1	1	1	—	40	19	37	—	56	41	15	—	11.49
10	—	—	—	—	10	8	7	—	15	15	—	—	9.84
13	1	—	1	—	15	5	6	—	11	8	3	—	7.71
—	—	—	—	—	—	3	—	—	3	3	—	—	11.95
2	—	—	—	—	2	1	—	—	1	—	1	—	5.13
—	—	—	—	—	—	6	3	—	9	5	4	—	8.54
47	—	8	6	—	61	83	47	—	130	79	47	4	18.40

TABLE
Births, Marriages and Deaths
AROOSTOOK

TOWNS	Estimated population in 1933	BIRTHS									
		Sex				Parentage					
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Island Falls	1,455	11	11	—	22	15.12	18	—	1	1	2
Limestone	2,088	22	21	—	43	20.59	20	7	5	11	—
Linneus	768	11	2	—	13	16.93	10	—	1	1	—
Littleton	1,035	13	7	—	20	19.32	14	—	4	—	—
Ludlow	361	3	2	—	5	13.85	4	2	—	1	—
Madawaska	4,013	71	67	—	138	34.39	104	10	1	22	1
Mapleton	1,328	8	7	—	15	11.29	13	—	1	—	—
Mars Hill	1,852	22	22	—	44	23.76	28	6	5	5	—
Massardis	584	7	3	—	10	17.12	8	—	1	—	—
Merrill	488	7	9	—	16	32.79	10	1	2	1	—
Monticello	1,527	15	25	—	40	26.19	18	4	11	2	—
New Limerick	404	4	5	—	9	22.28	6	—	2	—	—
New Sweden	898	5	7	—	12	13.36	9	1	1	1	—
Oakfield	982	10	13	—	23	23.42	19	—	1	—	—
Orient	161	2	3	—	5	31.05	2	—	2	3	—
Perham	700	14	13	—	27	38.57	26	—	1	—	—
Portage Lake	934	6	5	—	11	11.78	3	2	2	3	1
Presque Isle	7,379	83	108	—	191	25.88	128	10	29	21	3
St. Agatha	1,596	37	41	—	78	48.87	71	—	1	5	—
Sherman	1,027	12	3	—	15	14.60	14	—	1	1	—
Smyrna	442	11	4	—	15	33.94	12	—	1	2	—
Stockholm	1,119	15	14	—	29	25.91	21	1	5	2	—
Van Buren	4,760	73	54	—	127	26.68	82	11	9	25	—
Wade	384	4	4	—	8	20.83	5	—	1	2	—
Washburn	2,004	28	25	—	53	26.44	36	2	8	4	3
Westfield	776	7	3	—	10	12.89	4	—	3	2	1
Weston	323	10	5	—	15	46.43	11	—	3	1	—
Woodland	1,365	14	16	—	30	21.98	24	1	4	1	—
Allagash Pl.	462	11	7	—	18	38.96	17	—	1	—	—
Cary Pl.	241	—	1	—	1	4.15	1	—	—	—	—
Caswell Pl.	666	12	10	—	22	33.03	13	1	1	7	—
Cyr Pl.	533	9	5	—	14	26.27	14	—	—	—	—
E. Pl.	97	4	2	—	6	61.85	1	—	1	3	1
Garfield Pl.	91	—	1	—	1	10.99	1	—	—	—	—
Glenwood Pl.	77	2	2	—	4	51.95	4	—	—	—	—
Hamlin Pl.	486	12	14	—	26	53.50	19	1	1	5	—
Hammond Pl.	95	2	1	—	3	31.58	2	—	—	—	—
Macwahoc Pl.	172	6	2	—	8	46.51	6	—	—	2	—
Moro Pl.	169	1	—	—	1	5.92	1	—	—	—	—
Nashville Pl.	32	—	—	—	—	—	—	—	—	—	—
New Canada Pl.	538	17	8	—	25	46.47	21	—	2	1	1
Oxbow Pl.	176	—	1	—	1	5.68	1	—	—	—	—
Reed Pl.	495	3	8	—	11	22.22	11	—	—	—	—
St. Francis Pl.	1,406	25	27	—	52	36.98	45	1	5	1	—
St. John Pl.	575	3	13	—	16	27.83	10	—	—	4	—
Silver Ridge Pl.	192	3	8	—	11	57.29	12	—	—	—	1
Wallagrass Pl.	1,145	15	29	—	44	38.42	38	—	2	2	2
Westmanland Pl.	87	—	—	—	—	—	—	—	—	—	—
Winterville Pl.	423	7	6	—	13	30.73	12	1	—	—	—
Total	*89,575	1271	1211	—	2,482	27.68	1771	122	257	294	38

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued

for the Year 1933

COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	Not stated	
10	1	1	—	—	12	3	6	—	9	8	1	—	6.18
4	2	1	—	—	10	3	10	—	18	12	6	—	8.62
—	—	—	3	—	—	2	2	—	5	4	1	—	6.51
2	—	1	—	—	3	3	4	—	8	4	4	—	7.73
7	—	1	1	—	9	1	1	—	2	1	1	—	5.54
13	—	1	1	—	14	27	20	—	47	41	—	1	11.71
18	1	1	—	—	14	4	4	—	8	6	2	—	6.02
1	—	—	6	—	26	14	17	—	31	23	7	1	16.74
1	—	—	—	—	—	3	—	—	3	2	1	—	5.14
1	—	—	—	—	1	—	—	—	—	—	—	—	—
1	—	—	1	—	2	7	7	—	14	9	5	—	9.17
1	—	—	—	—	4	4	2	—	6	5	1	—	14.85
5	—	—	1	—	6	4	4	—	8	4	4	—	8.91
3	—	—	—	—	3	3	5	—	8	7	1	—	8.14
—	—	—	—	—	—	2	—	—	2	1	—	—	12.42
2	—	—	—	—	2	4	3	—	7	4	3	—	10.00
3	—	—	—	—	3	7	2	—	9	5	3	1	9.63
45	3	10	7	—	65	65	35	—	100	76	23	—	13.55
5	—	—	—	—	5	18	14	—	32	28	4	—	20.05
8	—	—	—	—	8	6	3	—	9	9	—	—	8.76
4	1	—	—	—	5	2	3	—	3	—	3	—	6.79
7	—	—	—	—	7	6	2	—	8	6	2	—	7.15
25	1	3	3	—	32	17	19	—	36	27	8	1	7.56
10	—	—	—	—	1	1	2	—	3	2	1	—	7.81
3	—	3	5	—	18	7	5	—	12	12	—	—	5.99
—	—	1	—	—	4	2	3	—	5	2	3	—	6.44
4	—	—	—	—	2	2	2	—	4	2	1	1	12.38
—	—	1	—	—	5	4	4	—	8	6	2	—	5.86
—	—	—	—	—	—	1	1	—	2	2	—	—	4.33
—	—	—	—	—	—	1	—	—	1	1	—	—	4.15
—	—	—	—	—	—	2	1	—	3	3	—	—	4.50
—	—	—	—	—	—	1	1	—	2	2	—	—	3.75
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	1	—	—	1	—	—	—	12.98
4	—	—	3	—	7	5	1	—	6	5	1	—	12.34
—	—	—	—	—	—	—	1	—	1	1	—	—	10.53
—	—	—	—	—	—	—	1	—	1	1	—	—	5.81
—	—	—	—	—	—	1	—	—	1	1	—	—	5.92
12	—	—	—	—	12	6	—	—	6	5	1	—	11.15
5	—	—	1	—	6	—	1	—	1	1	—	—	2.02
8	—	2	1	—	11	11	5	—	16	14	2	—	11.38
1	—	1	1	—	3	2	3	—	5	5	—	—	8.69
13	—	—	—	—	13	4	1	—	5	5	—	—	4.37
—	—	—	—	—	—	1	1	—	2	2	—	—	4.72
465	22	58	65	—	610	559	403	—	962	714	237	11	10.73

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

REGISTRATION REPORT

TABLE
Births, Marriages and Deaths
CUMBERLAND

TOWNS	Estimated population in 1933	BIRTHS										
		Sex				Parentage						
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated	
Baldwin	694	5	5	—	10	14.41	10	—	—	—	—	—
Bridgton	2,692	30	22	—	52	19.32	46	—	—	6	—	—
Brunswick	7,706	71	89	—	160	20.76	116	11	23	6	3	4
Cape Elizabeth	2,628	5	4	—	9	3.42	6	—	—	—	—	—
Casco	722	6	3	—	9	12.46	8	—	—	—	1	—
Cumberland	1,447	10	5	—	15	10.37	13	2	—	—	—	—
Palmouth	2,191	4	7	—	11	5.02	10	1	—	—	—	—
Freeport	2,184	23	19	—	42	19.23	36	—	5	—	—	1
Gorham	3,083	22	15	—	37	12.00	33	—	3	—	1	—
Gray	1,204	9	8	—	17	14.12	15	—	—	—	—	2
Harpeswell	1,400	14	11	—	25	17.85	25	—	—	—	—	—
Harrison	984	6	7	—	13	13.21	10	1	—	1	—	—
Naples	680	6	7	—	13	19.12	13	—	—	—	—	—
New Gloucester	2,010	14	6	—	20	9.95	18	—	—	—	1	1
North Yarmouth	569	5	5	—	10	17.57	9	—	1	—	—	—
Otisfield	568	2	1	—	3	5.28	3	122	—	—	—	—
Portland	71,272	781	715	—	1,496	20.99	1091	122	132	119	32	32
Pownal	462	4	3	—	7	15.15	5	1	—	—	—	—
Raymond	446	1	5	—	6	13.45	6	—	—	—	—	—
Scarborough	2,628	7	11	—	18	6.85	17	—	1	—	—	—
Sebago	470	4	2	—	6	12.76	6	—	—	—	—	—
South Portland	15,217	22	40	—	62	4.07	44	5	7	6	—	—
Standish	1,317	17	10	—	27	20.50	24	—	1	—	—	2
Westbrook	11,212	91	92	—	183	16.32	118	20	13	27	5	5
Windham	2,118	18	20	—	38	17.94	35	1	—	—	1	1
Yarmouth	2,125	23	4	—	27	12.71	21	1	5	—	—	—
Total	138,029	1200	1116	—	2,316	16.82	1738	165	198	167	48	48

TABLE
Births, Marriages and Deaths
FRANKLIN

Avon	302	3	5	—	8	26.49	8	—	—	—	—	—
Carthage	247	2	—	—	2	8.10	2	—	—	—	—	—
Chesterville	575	5	5	—	10	17.39	9	—	1	—	—	—
Eustis	604	4	4	—	8	13.24	5	2	1	—	—	—
Farmington	3,720	45	37	—	82	22.04	76	—	3	2	1	1
Freeman	219	3	3	—	6	27.39	6	—	—	—	—	—
Industry	342	6	2	—	8	23.39	8	—	—	—	—	—
Jay	3,106	31	28	—	59	18.99	32	5	17	5	—	—
Kingfield	1,039	12	11	—	23	22.14	22	—	1	—	—	—
Madrid	207	1	—	—	1	4.83	1	—	—	—	—	—
New Sharon	750	11	7	—	18	24.00	15	—	1	2	—	—
New Vineyard	447	6	2	—	8	17.90	8	—	—	—	—	—
Phillips	1,143	13	2	—	15	13.12	11	—	2	—	—	2
Rangeley	1,604	16	9	—	25	15.59	22	—	2	1	—	—
Salem	88	2	1	—	3	34.09	3	—	—	—	—	—
Strong	908	7	6	—	13	14.32	12	—	1	—	—	—
Temple	315	3	2	—	5	15.87	5	—	—	—	—	—
Weld	493	7	5	—	12	24.34	11	—	1	—	—	—
Wilton	3,494	22	23	—	45	12.88	35	1	4	4	1	1
Coplin Pl.	69	—	2	—	2	28.98	—	—	2	—	—	—
Dallas Pl.	211	3	1	—	4	18.95	4	—	—	—	—	—
Lang Pl.	45	—	—	—	—	—	—	—	—	—	—	—
Rangeley Pl.	79	—	—	—	—	—	—	—	—	—	—	—
Sandy River Pl.	79	2	—	—	2	25.32	2	—	—	—	—	—
Total	*20,086	204	155	—	359	17.97	297	8	36	14	4	4

No. 3—Continued
for the Year 1933
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	Not stated	
—	—	—	—	—	—	7	3	—	10	10	—	—	14.41
22	—	—	—	—	22	21	12	—	33	30	3	—	12.26
50	2	2	4	—	58	58	62	—	120	79	40	1	15.57
3	—	—	—	—	3	13	9	—	22	20	1	—	8.37
1	—	—	—	—	1	7	5	—	12	11	1	—	16.62
7	—	—	—	—	7	7	5	—	15	14	1	—	10.37
2	—	—	1	—	3	12	10	—	22	18	4	—	10.04
18	—	—	—	—	18	26	19	—	45	43	2	—	20.60
20	—	1	2	—	23	26	15	—	41	39	1	1	13.30
7	—	—	—	—	7	7	7	—	19	17	2	—	15.78
6	—	—	—	—	6	9	7	—	16	16	—	—	11.43
3	—	1	—	—	4	6	7	—	13	11	2	—	13.21
4	—	—	—	—	4	7	2	—	9	9	—	—	13.23
4	—	—	—	—	4	12	8	—	20	18	2	—	9.95
1	—	—	—	—	3	3	2	—	5	4	1	—	8.79
3	—	—	—	—	1	2	2	—	2	2	—	—	3.52
425	16	37	39	—	517	601	568	—	1,169	904	256	9	16.40
2	—	1	—	—	3	3	4	—	7	6	1	—	15.15
6	—	—	—	—	6	3	3	—	6	5	1	—	13.45
15	—	—	1	—	16	14	15	—	29	22	7	—	11.03
—	—	—	—	—	—	3	4	—	7	7	—	—	14.89
56	—	4	2	—	62	64	61	—	125	108	17	—	8.21
23	—	—	—	—	23	11	8	—	19	18	1	—	14.43
71	3	9	7	—	90	52	62	—	114	82	32	—	10.17
15	—	—	—	—	15	20	5	—	25	23	2	—	11.80
22	—	3	1	1	27	8	12	—	20	14	5	1	9.41
786	21	58	57	1	923	1,000	925	—	1,925	1,530	382	13	13.97

No. 3—Continued
for the Year 1933
COUNTY

—	—	—	—	—	—	1	4	—	5	5	—	—	16.56
1	—	—	1	—	2	1	1	—	1	1	—	—	4.05
1	—	—	—	—	1	4	3	—	7	6	1	—	12.17
6	—	—	—	—	8	3	2	—	5	4	1	—	8.28
39	—	2	3	—	44	31	34	—	65	62	3	—	17.47
1	—	—	—	—	1	3	2	—	5	5	—	—	22.83
2	—	—	—	—	2	6	6	—	8	6	2	—	23.39
16	—	2	2	—	20	15	15	—	30	23	7	—	9.66
10	—	—	—	—	10	4	9	—	13	13	—	—	12.51
3	—	—	—	—	3	2	1	—	3	3	—	—	14.49
3	—	—	—	—	3	6	6	—	12	9	3	—	16.00
1	—	—	—	—	1	7	1	—	8	8	—	—	17.90
9	—	—	—	—	9	10	6	—	16	14	1	1	13.99
8	—	1	—	—	9	6	1	—	7	7	—	—	4.36
—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	1	—	—	—	4	11	5	—	16	15	1	—	17.62
1	—	—	—	—	1	3	2	—	5	5	—	—	15.87
1	—	—	—	—	1	6	2	—	8	8	—	—	16.23
19	1	1	4	—	25	22	11	—	33	32	1	—	9.44
—	—	—	—	—	—	—	1	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	1	1	—	—	4.74
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	2	1	—	3	3	—	—	37.97
124	2	6	12	—	144	138	113	—	251	230	20	1	12.56

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

TABLE
Births, Marriages and Deaths
HANCOCK

TOWNS	Estimated population in 1933	BIRTHS										
		Sex					Parentage					
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated	
Amherst	163	2	—	—	2	12.27	2	—	—	—	—	—
Aurora	86	1	1	—	2	23.25	2	—	—	—	—	—
Bar Harbor	4,744	39	38	—	77	16.23	71	3	3	—	—	—
Blue Hill	1,439	24	10	—	34	23.63	32	—	1	—	—	1
Brooklin	782	4	3	—	7	8.95	7	—	—	—	—	—
Brooksville	810	10	3	—	13	16.05	12	—	—	—	—	1
Bucksport	2,204	20	20	—	40	18.15	37	1	2	—	—	—
Castine	726	15	8	—	23	31.68	23	—	—	—	—	—
Cranberry Isles	349	1	—	—	1	2.86	1	—	—	—	—	—
Dedham	279	4	4	—	8	28.67	7	—	1	—	—	—
Deer Isle	1,266	10	8	—	18	14.22	16	—	1	—	—	1
Eastbrook	199	—	1	—	1	5.02	1	—	—	—	—	—
Ellsworth	3,707	44	41	—	85	22.93	77	1	3	—	3	1
Franklin	820	4	5	—	9	10.97	8	—	—	—	—	—
Gouldsboro	1,115	10	11	—	21	18.83	19	—	1	—	1	—
Hancock	760	2	8	—	10	13.16	10	—	—	—	—	—
Lamoine	363	4	8	—	12	33.06	10	—	1	—	1	—
Mariaville	161	1	—	—	1	6.21	1	—	—	—	—	—
Mt. Desert	2,178	24	17	—	41	18.82	37	1	1	—	1	1
Orland	891	9	13	—	22	24.69	21	—	—	—	—	1
Otis	88	—	2	—	2	22.73	2	—	—	—	—	—
Penobscot	708	7	2	—	9	12.71	9	—	—	—	—	—
Sedgwick	699	—	6	—	6	8.58	6	—	—	—	—	—
Sorrento	144	4	—	—	4	27.77	4	—	—	—	—	—
Southwest Harbor	906	5	12	—	17	18.76	17	—	—	—	—	—
Stonington	1,436	17	15	—	32	22.28	31	—	1	—	—	—
Sullivan	873	9	5	—	14	16.04	14	—	—	—	—	—
Surry	488	1	3	—	4	8.20	4	—	—	—	—	—
Swan's Island	579	1	1	—	2	3.45	2	—	—	—	—	—
Tremont	954	11	8	—	19	19.92	18	—	—	—	1	—
Trenton	344	5	5	—	10	29.06	9	—	—	—	—	—
Verona	228	3	4	—	7	30.70	5	1	—	—	1	—
Waltham	135	1	1	—	2	14.81	2	—	—	—	—	—
Winter Harbor	520	3	10	—	13	25.00	12	—	—	—	—	1
Long Island Pl.	145	2	1	—	3	20.69	3	—	—	—	—	—
No. 33 Pl.	45	—	1	—	1	22.22	1	—	—	—	—	—
Osborn Pl.	34	—	—	—	—	—	—	—	—	—	—	—
Total	*13,428	297	275	—	572	18.55	533	7	16	—	9	7

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued
for the Year 1933
COUNTY

MARRIAGES						DEATHS								
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000	
						Male	Female	Not stated	Total	American	Foreign	Not stated		
—	—	—	—	—	—	2	1	—	—	3	3	—	—	18.40
40	3	—	—	—	48	29	28	—	—	1	1	—	—	11.62
14	—	2	3	—	14	16	20	—	—	57	48	9	—	12.01
1	—	—	—	—	1	9	8	—	—	36	32	4	—	25.02
6	—	—	—	—	6	9	8	—	—	17	17	—	—	21.74
15	—	—	1	—	16	14	18	—	—	17	17	—	—	20.99
5	—	—	—	—	5	7	6	—	—	32	30	2	—	14.52
—	—	—	1	—	1	5	6	—	—	13	13	—	—	17.91
—	—	—	—	—	—	5	1	—	—	5	4	1	—	14.33
5	—	—	—	—	5	9	7	—	—	6	6	—	—	21.50
1	—	—	—	—	1	3	2	—	—	16	16	—	—	12.64
39	—	1	—	—	40	24	37	—	—	5	5	—	—	25.10
3	—	1	—	—	4	9	3	—	—	61	57	4	—	16.45
—	—	—	—	—	—	8	3	—	—	12	11	1	—	14.63
—	—	—	—	—	—	6	11	—	—	19	18	1	—	17.04
—	—	—	—	—	—	6	6	—	—	12	10	2	—	15.79
3	—	—	1	—	4	3	8	—	—	11	9	2	—	30.30
12	1	2	—	—	15	11	6	—	—	17	16	1	—	7.80
—	—	—	—	—	—	9	4	—	—	13	12	1	—	14.59
—	—	—	—	—	—	7	6	—	—	13	13	—	—	18.36
3	—	—	—	—	3	7	6	—	—	13	13	—	—	25.75
9	—	—	—	—	9	10	8	—	—	18	18	—	—	6.94
1	—	—	—	—	1	1	—	—	—	1	1	—	—	18.76
14	—	—	—	—	14	9	8	—	—	17	17	—	—	12.53
10	—	—	1	—	11	10	8	—	—	18	18	—	—	19.47
4	—	—	—	—	5	13	4	—	—	17	16	1	—	12.29
5	—	1	—	—	6	5	1	—	—	6	6	—	—	17.27
—	—	—	—	—	—	5	4	—	—	10	7	3	—	17.82
1	—	—	—	—	1	11	6	—	—	17	17	—	—	5.81
—	—	—	—	—	—	1	—	—	—	2	1	1	—	17.54
—	—	—	—	—	—	2	1	—	—	4	3	1	—	7.40
—	—	—	—	—	—	3	1	—	—	1	1	—	—	13.46
5	—	—	—	—	5	3	4	—	—	7	7	—	—	22.22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	1	—	—	1	1	—	—	—
197	4	8	7	—	216	258	227	—	—	485	451	34	—	15.73

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

TABLE
Births, Marriages and Deaths
KENNEBEC

TOWNS	Estimated population in 1933	BIRTHS									
		Sex				Parentage					
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Albion	929	14	6	—	20	21.53	18	1	—	1	—
Augusta	18,122	161	156	—	317	17.49	203	38	38	32	6
Belgrade	984	5	7	—	12	12.19	11	—	1	—	—
Benton	1,171	8	8	—	16	13.66	12	3	—	—	—
Chelsea	2,258	7	3	—	10	4.43	8	1	1	—	—
China	1,163	7	11	—	18	15.48	16	—	—	2	—
Clinton	1,390	5	7	—	12	8.63	11	—	1	—	—
Farmingdale	1,110	3	1	—	4	3.60	2	—	—	1	1
Fayette	396	1	6	—	7	17.68	7	—	—	—	—
Gardiner	5,648	93	82	—	175	30.98	162	2	5	4	2
Hallowell	2,675	14	8	—	22	8.22	21	1	—	—	—
Litchfield	773	5	10	—	15	19.40	12	1	1	1	—
Manchester	494	3	5	—	8	16.19	7	—	1	—	—
Monmouth	1,344	4	11	—	15	11.16	12	—	2	1	—
Mount Vernon	758	5	5	—	10	13.19	10	—	—	—	—
Oakland	2,721	22	17	—	39	14.33	37	—	—	2	—
Pittston	917	3	8	—	11	11.99	10	—	—	—	1
Randolph	1,446	4	5	—	9	6.22	8	—	1	—	—
Readfield	881	8	6	—	14	15.89	13	—	1	—	—
Rome	398	1	3	—	4	10.05	4	—	—	—	—
Sidney	986	8	9	—	17	17.24	8	2	2	2	3
Vassalboro	1,815	14	17	—	31	17.08	25	—	5	1	—
Vienna	318	1	3	—	4	12.58	4	—	—	—	—
Waterville	16,084	173	176	—	349	21.70	239	42	37	28	3
Wayne	466	—	5	—	5	10.73	5	—	—	—	—
West Gardiner	648	1	2	—	3	4.63	3	—	—	—	—
Windsor	565	3	6	—	9	15.93	9	—	—	—	—
Winslow	4,109	34	36	—	70	17.04	31	19	9	11	—
Winthrop	2,333	19	14	—	33	14.14	21	1	7	4	—
Togus	—	1	—	—	1	—	—	—	—	1	—
Unity Pl.	34	—	1	—	1	29.41	1	—	—	—	—
Total	72,936	627	634	—	1,261	17.33	930	111	113	91	16

TABLE
Births, Marriages and Deaths
KNOX

Appleton	574	3	7	—	10	17.42	10	—	—	—	—
Camden	3,666	43	28	—	71	19.37	64	—	—	7	—
Cushing	350	1	1	—	2	5.71	2	—	—	—	—
Friendship	757	8	2	—	10	13.21	10	—	—	—	—
Hope	476	2	3	—	5	10.50	5	—	—	—	—
Isle au Haut	89	—	—	—	—	—	—	—	—	—	—
North Haven	476	1	1	—	2	4.20	2	—	—	—	—
Owl's Head	574	2	4	—	6	10.45	5	1	—	—	—
Rockland	9,366	104	75	—	179	19.11	153	4	12	8	2
Rockport	1,651	3	4	—	7	4.24	5	—	2	—	—
St. George	2,243	9	12	—	21	9.36	15	1	4	—	1
South Thomaston	579	2	3	—	5	8.63	2	1	1	1	—
Thomaston	2,271	12	12	—	24	10.57	22	—	1	1	—
Union	1,060	10	8	—	18	16.98	16	—	—	—	2
Vinalhaven	1,843	13	11	—	24	13.02	21	1	1	1	—
Warren	1,429	7	11	—	18	12.60	15	1	2	—	—
Washington	615	8	8	—	16	26.01	15	—	1	—	—
Matinicus Isle Pl.	162	—	1	—	1	6.17	1	—	—	—	—
Total	*28,181	228	191	—	419	14.90	363	9	24	18	5

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued
for the Year 1933
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	Not stated	
16	—	—	—	—	16	4	1	—	5	5	—	—	5.38
113	11	15	16	1	156	177	158	—	335	274	60	1	18.48
2	—	—	—	—	2	13	7	—	20	19	1	—	20.32
1	—	—	1	—	2	6	5	—	11	11	—	—	9.39
1	—	—	—	—	2	6	6	—	11	6	—	—	3.10
5	—	1	—	—	6	6	1	—	17	17	1	—	14.62
18	—	2	1	—	21	9	11	—	20	18	1	1	14.39
—	—	—	—	—	—	2	9	—	11	7	—	—	7.21
—	—	—	—	—	—	4	6	—	8	7	—	—	20.20
—	—	—	—	—	—	4	4	—	8	7	—	—	18.77
48	—	3	1	—	52	55	51	—	106	95	11	1	15.70
25	—	1	2	—	28	20	22	—	42	34	6	1	15.70
5	—	—	—	—	5	10	7	—	17	16	1	—	21.90
2	—	—	—	—	2	6	8	—	14	13	—	—	28.34
4	—	—	—	—	4	9	6	—	15	15	—	—	11.16
7	—	—	—	—	7	5	4	—	9	9	—	—	11.87
13	—	1	4	—	18	26	20	—	46	39	7	1	16.90
4	—	—	—	—	4	22	18	—	40	32	7	1	43.62
13	—	—	—	—	13	3	7	—	10	9	—	—	6.91
4	—	—	—	—	4	6	4	—	10	10	—	—	11.35
—	—	—	—	—	—	4	4	—	4	4	—	—	10.05
2	—	—	—	—	2	9	4	—	13	10	3	—	13.18
6	—	2	1	—	9	8	16	—	24	20	4	—	13.22
—	—	—	—	—	—	2	2	—	2	2	—	—	6.29
112	7	17	12	—	148	111	117	—	228	167	61	—	14.17
4	—	—	—	—	4	5	3	—	8	8	—	—	17.17
2	—	—	—	—	2	3	8	—	9	7	—	—	13.89
3	—	—	—	—	3	5	2	—	7	7	—	—	12.39
16	3	2	4	—	25	14	21	—	35	22	13	—	8.52
25	—	5	1	—	31	15	12	—	27	23	4	—	11.57
—	—	—	—	—	—	44	2	—	46	34	12	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
451	21	49	44	1	566	607	536	—	1,143	940	197	6	15.71

No. 3—Continued
for the Year 1933
COUNTY

4	—	—	1	—	5	5	2	—	7	6	1	—	12.19
20	—	1	—	—	21	30	31	—	61	56	5	—	16.64
2	—	—	—	—	2	5	4	—	9	8	1	—	25.71
6	—	—	—	—	6	7	3	—	10	8	2	—	13.21
1	—	—	—	—	1	2	—	—	2	2	—	—	4.20
—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	1	2	5	—	7	7	—	—	14.70
1	—	—	—	—	1	7	2	—	9	9	—	—	15.68
68	—	5	6	—	79	70	79	—	149	137	11	1	15.91
9	—	2	—	—	11	9	11	—	20	18	2	—	12.11
8	1	—	—	—	9	13	16	—	29	23	6	—	12.93
1	—	—	—	—	1	5	4	—	9	8	1	—	15.54
11	1	—	—	—	12	16	23	—	39	36	3	—	17.17
4	—	—	1	—	5	5	11	—	16	16	—	—	15.09
7	—	—	1	—	8	15	13	—	28	26	2	—	15.19
4	—	—	—	—	4	19	13	—	32	28	3	1	22.39
5	—	—	—	—	5	6	2	—	8	7	1	—	13.00
—	—	—	—	—	—	4	1	—	5	4	1	—	30.86
152	2	8	9	—	171	220	220	—	440	399	39	2	15.64

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

REGISTRATION REPORT

TABLE
Births, Marriages and Deaths
LINCOLN

TOWNS	Estimated population in 1933	BIRTHS									
		Sex				Parentage					
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign.	American mother and foreign father	American father and foreign mother	Not stated
Alna	294	4	1	—	5	17.00	3	—	1	—	1
Boothbay	1,345	4	5	—	9	6.69	9	—	—	—	—
Boothbay Harbor	2,091	18	24	—	42	20.08	36	1	2	3	
Bremen	322	1	2	—	3	9.32	3	—	—	—	
Bristol	1,413	9	6	—	15	10.61	15	—	—	—	
Damariscotta	825	18	27	—	45	54.54	41	1	1	1	
Dresden	632	5	2	—	7	11.07	7	—	—	—	
Edgecomb	367	4	—	—	4	10.90	3	1	—	—	
Jefferson	888	11	3	—	14	15.76	14	—	—	—	
New Castle	914	5	4	—	9	9.85	9	—	—	—	
Nobleborough	599	3	4	—	7	11.69	7	—	—	—	
Somerville	229	2	3	—	5	21.83	4	—	—	1	
South Bristol	563	2	4	—	6	10.66	6	—	—	—	
Southport	454	1	1	—	2	4.40	2	—	—	—	
Waldoboro	2,311	18	9	—	27	11.68	23	—	2	1	
Westport	108	1	1	—	2	18.52	2	—	—	—	
Whitefield	923	5	16	—	21	22.75	19	—	1	1	
Wiscasset	1,186	7	4	—	11	9.27	8	—	1	1	
Monhegan Pl.	109	—	—	—	—	—	—	—	—	—	
Total	15,573	118	116	—	234	15.10	211	3	8	6	

TABLE
Births, Marriages and Deaths
OXFORD

Albany	309	3	4	—	7	22.65	7	—	—	—
Andover	794	3	4	—	7	8.82	6	1	—	—
Bethel	2,094	16	13	—	29	13.85	27	1	1	—
Brownfield	689	3	7	—	10	14.51	8	—	—	1
Buckfield	975	5	7	—	12	12.31	12	—	—	—
Byron	96	—	—	—	—	—	—	—	—	—
Canton	773	9	5	—	14	18.11	13	—	1	—
Denmark	474	5	2	—	7	14.77	7	—	—	—
Dixfield	1,638	18	9	—	27	16.48	23	1	—	1
Fryeburg	1,685	11	8	—	19	11.27	16	—	—	2
Gilead	226	1	1	—	2	8.85	2	—	—	1
Greenwood	548	3	7	—	10	18.25	6	2	2	—
Hanover	171	—	3	—	3	17.54	2	—	1	—
Hartford	432	5	2	—	7	16.20	6	—	—	1
Hebron	833	2	3	—	5	6.00	4	—	—	1
Hiram	813	11	3	—	14	17.22	12	—	1	1
Lovell	666	3	4	—	7	10.51	7	—	—	—
Mason	63	—	—	—	—	—	—	—	—	—
Mexico	5,223	55	43	—	98	18.76	41	23	24	10
Newry	188	1	—	—	1	5.32	1	—	—	—
Norway	3,199	30	20	—	50	15.63	47	—	3	—
Oxford	1,134	9	5	—	14	12.34	14	—	—	—
Paris	3,791	38	30	—	68	17.94	61	3	1	2
Peru	853	10	7	—	17	19.93	16	—	1	—
Porter	901	5	5	—	10	11.00	10	—	—	—
Roxbury	326	3	3	—	6	18.40	5	—	1	—
Rumford	10,868	140	129	—	269	24.75	108	70	53	34
Stoneham	164	1	1	—	2	12.19	2	—	—	—
Stow	161	—	2	—	2	12.42	2	—	—	—
Sumner	567	3	2	—	5	8.82	4	—	1	—
Sweden	189	3	1	—	4	21.16	4	—	—	—
Upton	178	—	1	—	1	5.62	1	—	1	—
Waterford	743	4	6	—	10	13.46	9	1	—	—
Woodstock	872	11	8	—	19	21.79	19	—	—	—
Lincoln Pl.	93	—	—	—	—	—	—	—	—	—
Magalloway Pl.	83	1	—	—	1	12.05	1	—	—	—
Milton Pl.	111	3	—	—	3	27.03	3	—	—	—
Total	*42,923	415	345	—	760	17.83	505	102	91	54

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued
for the Year 1933
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	Not stated	
4	—	—	—	—	4	3	—	—	3	3	—	—	10.20
7	—	—	—	—	7	7	11	—	18	18	—	—	13.38
11	—	1	1	—	13	18	19	—	37	36	1	—	17.69
—	—	—	—	—	—	2	1	—	3	3	—	—	9.32
6	—	—	—	—	6	11	21	—	32	31	1	—	22.65
14	—	—	—	—	14	15	15	—	30	27	—	3	36.36
5	—	—	—	—	5	9	4	—	13	12	1	—	20.57
4	—	—	—	—	4	3	3	—	6	5	1	—	16.35
9	—	—	—	—	9	9	7	—	16	14	2	—	18.02
4	—	—	2	—	6	6	8	—	14	13	1	—	15.32
6	—	—	—	—	6	5	7	—	12	12	—	—	20.03
1	—	—	—	—	1	5	2	—	7	7	—	—	30.57
2	—	—	—	—	2	8	1	—	9	7	2	—	15.98
1	—	—	—	—	1	5	2	—	7	7	—	—	15.42
23	—	—	1	—	24	22	21	—	43	41	2	—	18.61
7	—	—	1	1	9	10	8	—	18	17	1	—	9.26
19	—	1	—	—	20	17	5	—	22	20	2	—	19.50
—	—	—	—	—	—	1	1	—	2	1	1	—	18.55
—	—	—	—	—	—	—	—	—	—	—	—	—	18.34
123	—	2	5	1	131	157	136	—	293	275	15	3	18.90

No. 3—Continued
for the Year 1933
COUNTY

—	—	—	—	—	—	1	3	—	4	4	—	—	12.94
2	—	—	—	—	2	9	3	—	12	10	2	—	15.11
27	—	—	1	—	28	13	11	—	24	23	1	—	11.46
6	—	—	—	—	6	5	1	—	6	6	—	—	8.71
4	—	—	—	—	4	4	10	—	14	14	—	—	14.36
—	—	—	—	—	—	1	—	—	1	1	—	—	10.42
4	—	—	—	—	4	3	4	—	7	7	—	—	9.05
—	—	—	—	—	—	2	6	—	8	7	1	—	16.88
15	—	—	1	1	17	8	7	—	15	15	—	—	9.16
21	—	—	—	—	22	14	13	—	27	23	4	—	16.02
3	—	1	—	—	3	2	1	—	3	2	1	—	13.27
—	—	—	—	—	—	3	3	—	6	4	2	—	10.95
—	—	—	—	—	—	1	3	—	4	4	—	—	23.39
—	—	—	—	—	—	4	1	—	5	5	—	—	11.57
5	1	—	2	—	8	3	14	—	17	13	4	—	20.41
5	—	—	—	—	5	3	5	—	8	8	—	—	9.84
3	—	1	—	—	4	3	2	—	9	9	—	—	13.51
—	—	—	—	—	—	—	—	—	—	—	—	—	—
23	1	4	7	—	35	14	10	—	24	19	5	—	4.59
3	—	—	—	—	3	2	—	—	2	2	—	—	10.64
28	—	1	1	—	30	21	21	—	42	39	3	—	13.13
4	—	—	—	—	4	12	5	—	17	15	—	—	14.99
22	1	—	—	—	23	23	30	—	53	48	5	—	13.98
5	—	—	—	—	5	4	6	—	10	10	—	—	11.72
13	—	1	—	—	14	12	4	—	16	15	1	—	17.76
3	—	—	—	—	3	2	2	—	3	3	—	—	9.20
46	4	7	10	—	67	66	36	—	102	71	28	3	9.38
—	—	—	—	—	—	—	2	—	2	2	—	—	12.19
—	—	—	—	—	—	1	—	—	1	1	—	—	6.21
—	—	—	—	—	—	8	5	—	13	12	1	—	22.93
—	—	—	1	—	1	2	—	—	2	2	—	—	10.58
1	—	—	—	—	1	3	7	—	4	4	—	—	22.48
1	—	—	—	—	1	1	9	—	16	16	—	—	21.53
7	—	—	—	—	7	3	3	—	6	6	—	—	6.88
—	—	—	—	—	—	3	1	—	3	1	—	—	10.75
—	—	—	—	—	—	3	—	—	3	2	1	—	36.15
—	—	—	—	—	—	1	1	—	2	2	—	—	18.01
251	7	15	23	1	297	266	223	—	489	424	62	3	11.47

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued
for the Year 1933
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex			Nativity			Death-rate per 1,000	
						Male	Female	Not stated	Total	American	Foreign		Not stated
						2	1		3	3		14.35	
						2	2		4	2	2	33.33	
267	6	22	28		323	318	280		598	503	92	20.22	
1					1	6	5		11	11		15.26	
2					2	11	7		11	7	3	16.39	
64	1	8	3		76	34	47		81	65	16	12.64	
2					2	1	2		3	3		9.96	
3		1			4	6	6		12	12		13.62	
						2	1		3	3		10.24	
6			1		7	9	1		9	9		12.56	
						1			1	1		3.95	
							1		1	1		6.41	
8	1	1			10	15	8		23	21	2	15.21	
7					7	6	5		11	11		11.66	
32		2	1		35	18	30		48	43	5	11.81	
5					5	5	4		9	8	1	16.73	
						2	2		4	3	1	36.36	
1			2		3	2	2		4	2	2	2.42	
						4	3		7	6	1	14.37	
1					1	4	10		14	12	2	11.99	
						1	4		5	5		11.71	
1					1	3	9		12	11	1	15.52	
						8	4		12	11	1	17.83	
						1	1		2	2		5.60	
1					1	1			1	1		2.68	
5		1			6	10	27		37	32	5	15.19	
1					1	13	8		21	21		17.40	
11			1		12	3	5		8	7	1	14.73	
10					10	3	3		6	6		3.21	
						2			2	2		5.51	
2					2	3	2		5	4	1	12.59	
8					8	5			5	3	2	10.10	
						1	2		3	3		6.41	
3					3	6			6	6		8.97	
6	2		1		9	6	7		13	13		21.81	
38		1	2		41	11	15		26	25	1	8.22	
1		1			2	1	1		1	1		6.21	
15		1	1		17	2	2		4	4		8.68	
1					1	2	1		3	3		7.28	
6					6	11	7		18	13	5	14.70	
32	2	6	4		44	30	18		48	29	19	7.72	
						2			2	1	1	9.52	
2					2	5	6		11	11		19.96	
23		1	2		26	9	10		19	17	2	10.94	
65	1		4		70	51	23		74	54	20	10.05	
15		1	3		19	18	17		35	28	7	10.30	
9					9	8	4		12	11	1	10.28	
6					6	3			3	1	2	9.23	
9		1	1		11	9	7		16	8	8	12.52	
2					2	3	8		11	11		23.50	
						5			5	5		15.15	
1					1	3	2		5	5		11.08	
1					1	1	4		5	3	2	11.90	
						4	3		7	7		11.94	
2					2	5	4		9	7	2	16.07	
						1			1	1		8.47	
						1	3		4	4		6.60	
						1			1	1		10.99	
675	13	47	54		789	700	615		1,315	1,103	207	5	14.02

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

REGISTRATION REPORT

TABLE
Births, Marriages and Deaths
PISCATAQUIS

TOWNS	Estimated population in 1933	BIRTHS									
		Sex					Parentage				
		Male	Female	Not Stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Abbot	525	3	3	—	6	11.43	5	1	—	—	—
Atkinson	394	3	5	—	8	20.30	7	—	1	—	—
Blanchard	104	—	1	—	1	9.61	1	—	—	—	—
Bowerbank	44	1	—	—	1	22.73	1	—	—	—	—
Brownville	1,961	18	13	—	31	15.81	17	5	4	4	1
Dover-Foxcroft	3,750	32	32	—	64	17.07	59	2	2	1	—
Greenville	1,633	23	19	—	42	25.72	31	2	2	4	—
Guilford	1,750	16	15	—	31	17.71	29	—	2	—	—
Medford	257	3	—	—	3	11.67	3	—	—	—	—
Milo	2,918	36	47	—	83	28.44	69	4	5	4	1
Monson	1,211	6	5	—	11	9.08	6	3	1	1	—
Orneville	298	3	6	—	9	30.20	8	—	1	—	—
Parkman	538	6	7	—	13	24.16	13	—	—	—	—
Sangerville	1,225	10	10	—	20	16.33	14	1	3	2	—
Sebec	357	2	2	—	2	5.60	2	—	—	—	—
Shirley	197	2	2	—	4	20.30	2	—	1	1	—
Wellington	350	3	3	—	6	17.14	6	—	—	—	—
Williamsburg	67	2	1	—	3	44.77	3	—	—	—	—
Willimantic	173	2	3	—	5	28.90	5	—	—	—	—
Barnard Pl.	61	—	1	—	1	16.39	1	—	—	—	—
Elliottsville Pl.	78	1	—	—	1	12.82	—	1	—	—	—
Kingsbury Pl.	50	2	—	—	2	40.00	2	—	—	—	—
Lake View Pl.	57	—	1	—	1	17.54	—	1	—	—	—
Total	*17,998	174	174	—	348	19.09	284	20	25	17	2

TABLE
Births, Marriages and Deaths
SAGADAHOC

Arrowsic	135	2	—	—	2	14.82	2	—	—	—	—
Bath	9,110	91	74	—	165	18.11	143	3	9	8	2
Bowdoin	568	6	5	—	11	19.37	7	1	3	—	—
Bowdoinham	904	6	4	—	10	11.06	9	—	1	—	—
Georgetown	361	1	1	—	2	5.54	2	—	—	—	—
Phippsburg	801	5	6	—	11	13.73	10	—	—	1	—
Richmond	2,036	24	20	—	44	21.61	39	1	2	2	—
Topsham	2,114	12	22	—	34	16.08	22	7	4	1	—
West Bath	277	—	1	—	1	3.61	1	—	—	—	—
Woolwich	671	3	8	—	11	16.39	11	—	—	—	—
Total	*16,977	150	141	—	291	17.19	246	12	19	12	2

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued
for the Year 1933
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex			Nativity			Death-rate per 1,000	
						Male	Female	Not stated	Total	American	Foreign		Not stated
2	—	—	—	—	2	4	4	—	8	7	1	—	15.24
—	—	—	—	—	—	—	2	—	2	2	—	—	5.07
—	—	—	—	—	—	—	1	—	1	1	—	—	9.61
—	—	—	—	—	—	—	2	—	3	3	—	—	68.19
6	—	—	—	—	8	7	3	—	10	7	3	—	5.10
34	1	—	2	—	37	27	35	—	62	55	7	—	16.53
20	1	—	1	—	24	23	12	—	35	25	9	1	21.43
10	—	2	—	—	10	16	12	—	28	24	4	—	16.00
—	—	—	—	—	—	2	1	—	3	3	—	—	11.67
23	—	1	—	—	24	23	16	—	39	32	6	1	13.36
1	—	1	—	—	2	11	6	—	17	11	6	—	14.04
—	—	—	—	—	—	4	4	—	4	4	—	—	13.42
9	—	1	—	—	10	1	3	—	4	4	—	—	7.23
2	—	—	—	—	2	5	6	—	11	9	2	—	8.97
—	—	—	—	—	—	2	4	—	6	5	1	—	16.81
—	—	—	—	—	—	—	3	—	3	3	—	—	15.22
—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	—	—	—	—	2	4	—	—	4	4	—	—	11.43
—	—	—	—	—	—	1	—	—	1	1	—	—	14.92
2	—	—	—	—	2	2	—	—	2	2	—	—	11.56
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	1	—	1	1	—	—	12.82
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	1	—	1	1	—	—	20.00
—	—	—	—	—	—	—	—	—	—	—	—	—	—
111	2	5	5	—	123	133	112	—	245	204	39	2	13.44

No. 3—Continued
for the Year 1934
COUNTY

—	—	—	1	—	1	—	1	—	1	1	—	—	7.41
86	—	2	5	—	93	74	68	—	142	125	16	1	15.59
—	—	—	—	—	—	6	4	—	10	8	2	—	17.60
1	—	—	—	—	1	11	6	—	17	13	4	—	18.80
3	—	—	—	—	3	3	3	—	6	6	—	—	16.62
2	—	—	—	—	2	2	3	—	6	6	—	—	7.49
14	—	—	—	—	14	27	22	—	49	44	5	—	24.07
2	—	1	—	—	3	13	11	—	24	19	5	—	11.35
—	—	—	—	—	—	2	2	—	4	4	—	—	14.44
3	—	—	—	—	3	2	5	—	7	5	2	—	10.43
111	—	3	6	—	120	141	125	—	266	231	34	1	15.71

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

REGISTRATION REPORT

TABLE
Births, Marriages and Deaths
SOMERSET

TOWNS	Estimated population in 1933	BIRTHS									
		Sex				Parentage					
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Anson	2,238	18	18	—	36	16.08	23	1	5	4	3
Athens	760	8	8	—	16	21.05	16	—	—	—	—
Bingham	1,727	9	4	—	13	7.53	11	—	1	1	—
Cambridge	326	3	4	—	7	21.47	7	—	—	—	—
Canaan	714	8	8	—	16	22.41	14	—	—	2	—
Concord	251	1	3	—	4	15.94	2	1	1	—	—
Cornville	569	5	4	—	9	15.82	7	—	—	2	—
Detroit	416	2	3	—	5	12.02	4	—	—	1	—
Embsen	393	4	3	—	7	17.81	4	—	2	1	—
Fairfield	5,396	31	29	—	60	11.12	48	6	4	1	1
Harmony	793	8	8	—	16	20.18	13	1	—	1	1
Hartland	1,158	16	13	—	29	25.04	28	—	1	—	—
Madison	4,034	44	31	—	75	18.59	46	10	11	7	1
Mercer	408	2	2	—	4	9.80	3	—	1	—	—
Moscow	1,782	1	4	—	5	2.80	5	—	—	—	—
New Portland	818	5	10	—	15	18.34	13	—	1	1	—
Norridgewock	1,481	17	11	—	28	18.91	26	—	—	2	—
Palmyra	905	11	8	—	19	20.99	17	—	1	1	—
Pittsfield	3,004	18	19	—	37	12.32	29	2	1	2	3
Ripley	397	5	4	—	9	22.67	8	—	—	1	—
St. Albans	1,039	17	7	—	24	23.10	23	—	1	—	—
Skowhegan	6,568	80	76	—	156	23.75	117	4	13	7	15
Smithfield	374	3	3	—	6	16.04	5	—	1	—	—
Solon	852	3	11	—	14	16.43	14	—	—	—	—
Starks	474	3	8	—	11	23.21	8	—	2	1	—
Bigelow Pl.	39	—	—	—	—	—	—	—	—	—	—
Brighton Pl.	114	—	2	—	2	17.54	2	—	—	—	—
Caratunk Pl.	169	—	—	—	—	—	—	—	—	—	—
Dead River Pl.	82	—	1	—	1	12.19	1	—	—	—	—
Dennistown Pl.	29	1	—	—	1	34.48	—	—	—	1	—
Flagstaff Pl.	203	1	1	—	2	9.85	1	—	1	—	—
Highland Pl.	63	—	3	—	3	47.61	3	—	—	—	—
Jackman Pl.	1,159	19	11	—	30	25.88	15	7	5	2	1
Lexington Pl.	166	3	2	—	5	30.12	3	—	—	1	1
Mayfield Pl.	—	—	—	—	—	—	—	—	—	—	—
Moose River Pl.	277	2	2	—	4	14.44	2	—	1	1	—
Pleasant Ridge Pl.	107	2	1	—	3	28.03	3	—	—	—	—
The Forks Pl.	144	1	—	—	1	6.94	1	—	—	—	—
West Forks Pl.	119	1	—	—	1	8.40	1	—	—	—	—
Total	*39,548	352	322	—	674	16.98	523	32	53	40	26

TABLE
Births, Marriages and Deaths
WALDO

Belfast	4,993	64	57	—	121	24.23	109	1	5	2	4
Belmont	227	3	2	—	5	22.02	5	—	—	—	—
Brooks	741	10	5	—	15	20.24	15	—	—	—	—
Burnham	670	10	5	—	15	22.39	15	—	—	—	—
Frankfort	468	2	3	—	5	10.68	5	—	—	—	—
Freedom	422	4	4	—	8	18.96	7	—	—	—	—
Islesboro	715	4	2	—	6	8.39	5	1	—	1	—
Jackson	241	4	1	—	5	20.75	5	—	—	—	—
Knox	509	5	3	—	8	15.72	8	—	—	—	—

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued

for the Year 1933

COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	Not stated	
11	—	—	1	—	12	19	18	—	37	31	6	—	16.53
4	—	—	—	—	4	5	4	—	9	8	1	—	11.84
6	1	—	1	—	8	9	7	—	16	14	2	—	9.24
1	—	—	—	—	1	—	2	—	2	2	—	—	6.13
2	—	—	1	—	3	4	3	—	7	7	—	—	9.80
1	—	—	—	—	1	1	1	—	1	1	—	—	3.98
2	—	—	—	—	2	1	7	—	8	8	—	—	14.06
4	—	—	—	—	4	1	3	—	4	3	1	—	9.61
—	—	—	—	—	—	3	3	—	3	3	—	—	7.63
48	—	4	5	—	57	52	34	—	86	63	22	1	15.94
2	—	—	1	—	3	6	1	—	7	5	2	—	8.83
6	—	—	—	—	6	8	5	—	13	12	1	—	11.23
21	2	2	4	—	29	23	11	—	34	26	8	—	8.43
2	—	—	—	—	2	5	—	—	5	4	1	—	12.25
1	—	—	—	—	1	3	2	—	5	5	—	—	2.80
4	—	—	—	—	4	11	3	—	14	12	2	—	17.12
9	—	—	1	—	10	14	7	—	21	19	2	—	14.18
18	—	1	—	—	19	2	7	—	9	7	2	—	9.94
28	—	4	1	—	33	17	17	—	34	33	1	—	11.32
1	—	—	—	—	1	5	2	—	7	7	—	—	17.63
1	—	1	—	—	2	5	6	—	11	10	1	—	10.59
79	—	6	4	—	89	57	59	—	116	98	18	—	17.66
2	—	—	—	—	2	2	2	—	4	4	—	—	10.69
7	—	—	—	—	7	6	5	—	11	10	1	—	12.91
1	—	—	—	—	1	2	2	—	4	4	—	—	8.43
—	—	—	—	—	—	—	1	—	1	—	1	—	25.64
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	1	2	—	3	3	—	—	17.75
—	—	—	—	—	—	1	—	—	1	1	—	—	34.48
—	—	—	—	—	—	1	—	—	1	1	—	—	4.92
5	4	1	1	—	11	8	4	—	12	10	2	—	10.35
—	—	—	—	—	—	1	1	—	2	2	—	—	12.05
3	—	1	—	—	4	—	—	—	—	—	—	—	—
—	—	—	—	—	—	1	—	—	1	1	—	—	9.34
—	—	—	—	—	—	3	1	—	4	4	—	—	27.77
—	—	—	—	—	—	—	—	—	—	—	—	—	—
269	7	20	20	—	316	277	216	—	493	418	74	1	12.42

No. 3—Continued

for the Year 1933

COUNTY

81	—	1	3	—	85	57	35	—	92	89	3	—	18.42
—	—	—	—	—	—	1	1	—	2	2	—	—	8.81
11	—	2	1	—	14	6	5	—	11	11	—	—	14.84
4	—	—	—	—	4	6	5	—	11	11	—	—	16.42
—	—	—	—	—	—	7	6	—	13	11	2	—	27.78
3	—	—	—	—	3	3	4	—	7	7	—	—	16.59
4	—	—	—	—	4	1	7	—	8	8	—	—	11.19
—	—	—	—	—	—	1	4	—	5	5	—	—	20.75
2	—	—	—	—	2	5	2	—	7	7	—	—	13.75

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

REGISTRATION REPORT

TABLE
Births, Marriages and Deaths
WALDO

TOWNS	Estimated population in 1933	BIRTHS									
		Sex				Parentage					
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Liberty	516	2	3	—	5	9.69	5	—	—	—	—
Lincolnton	820	4	8	—	12	14.63	11	—	—	—	
Monroe	671	5	7	—	12	17.88	9	—	2	1	
Montville	664	3	5	—	8	12.05	8	—	—	—	
Morrill	288	5	3	—	8	27.78	7	—	—	1	
Northport	413	3	3	—	3	7.26	3	—	—	—	
Palermo	513	5	4	—	9	17.54	7	—	2	—	
Prospect	388	4	9	—	13	33.50	12	—	1	—	
Searsmont	613	9	3	—	12	19.57	11	—	—	1	
Searsport	1,426	8	9	—	17	11.92	14	2	1	—	
Stockton Springs	877	9	3	—	12	13.68	11	—	—	1	
Swanville	365	3	3	—	6	16.44	6	—	—	—	
Thorndike	460	3	3	—	3	6.52	2	—	1	—	
Troy	654	8	10	—	18	27.52	17	—	1	—	
Unity	892	12	4	—	16	17.94	16	—	—	—	
Waldo	362	5	2	—	7	19.34	7	—	—	—	
Winterport	1,438	9	9	—	18	12.52	16	2	—	—	
Total	20,346	197	170	—	367	18.09	336	6	13	7	5

TABLE
Births, Marriages and Deaths
WASHINGTON

Addison	876	7	5	—	12	13.70	12	—	—	—	—
Alexander	312	3	1	—	4	12.82	4	—	—	—	—
Baileyville	2,017	13	15	—	28	13.88	13	3	7	4	1
Baring	204	1	1	—	2	9.80	—	—	—	2	—
Beals	524	8	5	—	13	24.81	12	—	1	—	—
Beddington	35	—	—	—	—	—	—	—	—	—	—
Brookton	246	6	5	—	11	44.71	7	—	—	4	—
Calais	5,470	40	44	—	84	15.36	45	5	12	18	4
Centerville	65	1	2	—	3	46.15	2	—	1	—	—
Charlotte	250	3	3	—	6	24.00	6	—	—	—	—
Cherryfield	1,112	9	12	—	21	18.88	20	—	1	—	—
Columbia	409	7	13	—	20	48.90	19	—	1	—	—
Columbia Falls	583	9	5	—	14	24.01	12	—	1	—	1
Cooper	153	2	1	—	3	19.61	2	—	1	—	—
Crawford	120	1	1	—	1	8.33	1	—	—	—	—
Cutler	492	3	4	—	7	14.23	5	—	1	—	1
Danforth	1,548	21	15	—	36	23.25	21	4	7	4	—
Deblois	62	—	—	—	—	—	—	—	—	—	—
Dennysville	446	3	1	—	4	8.97	4	—	—	—	—
East Machias	1,257	6	9	—	15	11.93	14	—	—	—	1
Eastport	3,466	29	23	—	52	15.00	35	1	5	7	4
Edmunds	395	5	—	—	5	12.66	4	—	—	—	1
Harrington	865	12	15	—	27	31.21	25	—	1	1	—
Jonesboro	470	4	4	—	8	17.02	8	—	—	—	—
Jonesport	1,641	20	10	—	30	18.28	30	—	—	—	—
Lubec	2,994	16	21	—	37	12.36	19	1	6	10	1
Machias	1,856	27	18	—	45	24.24	43	—	—	1	1
Machiasport	851	8	10	—	18	21.15	17	—	—	1	—
Marion	77	—	2	—	2	25.97	2	—	—	—	—
Marshfield	200	1	—	—	1	5.00	1	—	—	—	—

BIRTHS, DEATHS AND MARRIAGES

No. 3—Continued
for the Year 1933
COUNTY

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	Not stated	
4	—	—	—	—	4	2	4	—	6	5	1	—	11.63
6	—	—	—	—	4	4	9	—	9	9	—	—	10.97
1	—	—	—	—	6	7	9	—	16	16	—	—	23.84
3	—	—	—	—	1	5	2	—	7	7	—	—	10.54
—	—	—	—	—	3	3	5	—	8	6	2	—	27.78
—	—	—	—	—	—	4	2	—	6	6	—	—	14.52
—	—	—	—	—	—	4	5	—	9	9	—	—	17.54
1	—	—	—	—	1	7	7	—	9	7	—	—	23.19
5	—	—	—	—	5	6	4	—	10	10	—	—	16.31
10	—	—	—	—	11	11	5	—	16	15	1	—	11.22
2	—	—	—	—	3	9	6	—	15	15	—	—	17.10
1	—	—	—	—	1	2	4	—	6	5	1	—	16.44
1	—	—	—	—	1	2	6	—	8	7	1	—	17.39
—	—	—	—	—	—	2	1	—	3	3	—	—	4.59
3	—	—	—	—	3	7	6	—	13	13	—	—	14.57
—	—	—	—	—	—	5	4	—	9	9	—	—	24.86
12	—	—	—	—	12	25	5	—	30	27	3	—	20.86
154	—	3	6	—	163	192	144	—	336	320	16	—	16.56

No. 3—Continued
for the Year 1933
COUNTY

1	—	—	—	—	1	6	9	—	15	15	—	—	17.12
4	—	1	—	—	5	1	9	—	1	1	—	—	3.20
—	—	—	—	—	—	9	—	—	18	15	3	—	8.92
2	—	—	—	—	2	—	1	—	1	1	—	—	1.91
—	—	—	—	—	—	2	1	—	3	3	—	—	12.19
36	6	9	6	—	57	51	45	—	96	67	28	1	17.55
—	—	—	—	—	—	1	—	—	1	1	—	—	15.38
11	—	—	—	—	11	2	2	—	3	2	—	—	12.00
2	—	—	—	—	2	7	12	—	19	17	2	—	17.09
9	—	—	—	—	9	2	1	—	3	3	—	—	7.33
—	—	—	—	—	—	3	6	—	9	7	2	—	15.43
—	—	—	—	—	—	1	4	—	5	5	—	—	32.68
—	—	—	—	—	—	1	1	—	2	2	—	—	16.66
3	—	—	—	—	4	1	1	—	2	2	—	—	10.16
8	—	—	—	—	8	2	3	—	5	5	—	—	5.81
—	—	—	—	—	—	4	5	—	9	9	—	—	16.13
—	—	—	—	—	—	1	1	—	1	1	—	—	15.69
9	—	—	—	—	1	3	4	—	7	6	—	—	9.55
19	15	6	2	—	11	5	7	—	12	10	2	—	10.67
—	—	—	—	—	42	18	19	—	37	32	5	—	12.66
—	—	—	—	—	—	3	2	—	5	5	—	—	15.03
13	—	—	—	—	13	8	5	—	13	11	2	—	4.25
1	—	—	—	—	1	1	1	—	2	2	—	—	15.23
16	—	—	—	—	17	9	16	—	25	24	1	—	10.69
14	—	—	—	—	19	18	14	—	32	26	—	—	12.93
12	—	—	—	—	12	14	10	—	24	19	4	—	16.45
5	—	—	—	—	5	9	5	—	14	14	—	—	—

REGISTRATION REPORT

TABLE
Births, Marriages and Deaths
WASHINGTON

TOWNS	Estimated population in 1933	BIRTHS										
		Sex					Parentage					
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated	
Meddybemps	99	1	1	—	2	20.20	1	—	—	—	1	—
Milbride	1,219	13	8	—	21	17.23	19	—	—	—	1	—
Northfield	73	—	—	—	—	—	—	—	—	—	—	—
Pembroke	965	6	12	—	18	18.65	17	1	—	—	—	—
Perry	992	4	7	—	11	11.09	7	—	—	—	—	—
Princeton	1,000	4	10	—	14	14.00	13	—	—	—	—	—
Robbinston	583	6	3	—	9	15.44	3	—	—	—	—	—
Roque Bluffs	111	—	2	—	2	18.02	2	—	—	—	—	—
Steuben	684	4	5	—	9	13.16	8	—	—	—	—	—
Talmadge	46	—	—	—	—	—	—	—	—	—	—	—
Topsfield	224	2	1	—	3	13.39	2	—	—	—	—	—
Trescott	366	3	3	—	6	16.39	4	—	—	—	—	—
Vanceboro	752	3	5	—	10	13.30	3	3	—	—	—	—
Waite	165	3	1	—	4	24.24	2	—	—	—	—	—
Wesley	176	—	—	—	—	—	—	—	—	—	—	—
Whiting	327	2	1	—	3	9.18	3	—	—	—	—	—
Whitneyville	235	3	3	—	6	25.53	6	—	—	—	—	—
Codyville Pl.	92	—	—	—	1	10.87	1	—	—	—	—	—
Grand Lake Stream Pl.	243	—	1	—	1	4.11	—	—	—	—	—	—
No. 14 Pl.	73	2	1	—	3	41.10	3	—	—	—	—	—
No. 21 Pl.	91	3	—	—	3	32.96	3	—	—	—	—	—
Total	*37,512	326	309	—	635	16.79	480	18	52	65	20	—

TABLE
Births, Marriages and Deaths
YORK

Acton	449	1	1	—	2	4.45	2	—	—	—	—	—
Alfred	925	8	7	—	15	16.22	13	—	—	—	—	—
Berwick	1,961	11	9	—	20	10.20	13	1	—	—	—	—
Biddeford	17,633	222	212	—	434	24.61	249	75	60	47	3	—
Buxton	1,577	9	5	—	14	8.88	14	—	—	—	—	—
Cornish	753	5	9	—	14	18.59	13	—	—	—	—	—
Dayton	379	4	1	—	5	13.19	5	—	—	—	—	—
Eliot	1,462	7	10	—	17	11.63	15	—	—	—	—	—
Hollis	1,034	6	8	—	14	13.54	13	—	—	—	—	—
Kennebunk	3,350	20	16	—	36	10.75	30	3	1	1	1	—
Kennebunkport	1,284	7	5	—	12	9.34	9	—	—	—	—	—
Kittery	4,400	29	21	—	50	11.36	44	1	2	3	—	—
Lebanon	1,148	9	13	—	22	19.16	19	—	—	—	—	—
Limerick	1,331	16	9	—	25	18.78	17	4	2	2	—	—
Limington	747	6	3	—	9	12.05	6	—	—	—	—	—
Lyman	370	1	1	—	2	5.40	2	—	—	—	—	—
Newfield	456	—	2	—	2	4.38	2	—	—	—	—	—
No. Berwick	1,540	2	5	—	7	4.54	6	—	—	—	—	—
No. Kennebunkport	545	4	2	—	6	11.00	2	—	—	—	—	—
Old Orchard Beach	1,758	8	4	—	12	6.82	6	1	1	1	—	—
Parsonsfield	897	5	5	—	10	11.15	8	—	—	—	—	—
Saco	7,359	30	30	—	60	8.15	37	9	8	6	—	—
Sanford	14,202	148	131	—	279	19.64	137	67	26	36	13	—
Shapleigh	551	2	2	—	4	7.26	3	—	—	—	—	—
South Berwick	2,650	16	19	—	35	13.21	30	—	—	—	—	—
Waterboro	914	2	10	—	12	13.13	12	—	—	—	—	—
Wells	2,077	14	14	—	28	13.48	22	—	—	—	—	—
York	2,532	33	34	—	67	26.46	59	1	1	3	3	—
Total	74,284	625	588	—	1,213	16.48	788	162	114	121	28	—

No. 3—Continued
for the Year 1933
COUNTY

MARRIAGES						DEATHS								
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000	
						Male	Female	Not stated	Total	American	Foreign	Not stated		
8	—	—	—	—	8	1	3	—	1	6	1	—	—	10.10
—	—	—	—	—	—	3	1	—	1	1	—	—	—	4.92
13	—	—	—	—	13	12	5	—	17	17	—	—	—	18.70
—	—	—	—	—	—	5	1	—	6	3	—	—	—	17.62
8	—	1	—	—	9	5	3	—	9	3	—	—	—	6.05
—	—	—	—	—	—	1	1	—	2	2	—	—	—	9.00
1	—	—	—	—	1	—	1	—	2	2	—	—	—	3.43
3	—	—	—	—	3	2	1	—	3	3	—	—	—	18.02
2	—	—	—	—	2	2	—	—	1	1	—	—	—	10.23
—	—	—	—	—	—	1	—	—	1	—	—	—	—	21.74
1	—	—	—	—	1	2	—	—	4	4	—	—	—	4.46
2	—	—	—	—	2	2	—	—	7	4	—	—	—	10.93
—	—	—	—	—	—	1	—	—	2	2	—	—	—	9.31
1	—	—	—	—	1	1	—	—	2	2	—	—	—	12.12
—	—	—	—	—	—	4	—	—	4	4	—	—	—	6.12
—	—	—	—	—	—	1	—	—	1	1	—	—	—	17.02
1	—	—	—	—	1	2	—	—	1	2	—	—	—	10.87
—	—	—	—	—	—	—	—	—	3	—	—	—	—	12.33
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
205	21	22	13	—	261	223	215	—	438	370	65	3	11.58	—

No. 3—Concluded
for the Year 1933
COUNTY

—	—	—	—	—	—	1	1	—	2	2	—	—	—	4.45
4	—	—	—	—	4	6	—	—	12	12	—	—	—	12.97
32	—	1	1	—	34	17	13	—	30	25	5	—	—	15.30
119	24	27	29	—	199	123	129	—	252	161	90	1	—	14.29
10	—	1	1	—	12	6	5	—	11	9	2	—	—	6.97
1	—	—	—	—	1	6	5	—	11	10	1	—	—	14.61
1	—	—	—	—	1	1	3	—	4	4	—	—	—	10.55
20	—	—	1	—	21	11	8	—	19	17	2	—	—	12.99
5	—	—	1	—	6	7	3	—	10	8	—	—	—	9.67
31	—	3	1	—	35	23	17	—	40	35	5	—	—	11.94
14	—	1	2	—	18	8	11	—	19	19	—	—	—	14.80
98	2	11	4	—	115	32	22	—	54	52	2	—	—	12.27
17	—	—	1	—	18	11	8	—	19	17	1	1	—	16.55
9	—	3	1	—	13	7	7	—	14	10	4	—	—	10.52
2	—	—	—	—	2	2	6	—	8	8	—	—	—	10.71
5	—	—	—	—	5	3	4	—	7	6	1	—	—	18.91
—	—	—	—	—	—	3	4	—	8	8	—	—	—	10.96
12	1	—	—	—	13	10	10	—	20	18	2	—	—	12.98
—	—	—	—	—	—	1	—	—	1	1	—	—	—	1.83
29	—	2	5	—	36	15	18	—	33	23	10	—	—	18.77
2	—	—	—	—	2	11	4	—	15	14	1	—	—	16.72
52	2	4	6	—	64	41	47	—	88	70	18	—	—	11.96
73	9	22	20	—	124	85	88	—	173	103	70	—	—	12.18
3	—	—	—	—	3	2	4	—	6	6	—	—	—	10.89
24	2	2	3	—	31	17	20	—	37	31	6	—	—	13.96
2	—	1	2	—	5	7	11	—	18	16	1	1	—	19.69
31	1	—	2	—	34	19	16	—	35	31	4	—	—	16.85
51	—	3	2	—	56	27	27	—	54	44	10	—	—	21.33
647	42	82	82	—	853	501	496	—	997	757	237	3	13.54	—

*Population of county omitting that of unorganized townships and other places not reported in this tabulation. See Table No. 1.

TABLE
Births, Marriages and Deaths
Recapitulation

COUNTIES	Estimated population in 1933	BIRTHS									
		Sex					Parentage				
		Male	Female	Not stated	Total	Rate per 1,000	Both American	Both foreign	American mother and foreign father	American father and foreign mother	Not stated
Androscoggin	73,034	751	682	1	1,434	19.69	901	174	182	146	31
Aroostook	*89,575	1,271	1,211	-	2,482	27.68	1,771	122	257	294	38
Cumberland	138,029	1,200	1,116	-	2,316	16.82	1,738	165	198	167	48
Franklin	*20,086	204	155	-	359	17.97	297	8	36	14	4
Hancock	*31,428	297	275	-	572	18.55	533	7	16	9	7
Kennebec	72,936	627	634	-	1,261	17.33	930	111	113	91	16
Knox	*28,181	228	191	-	419	14.90	363	9	24	18	5
Lincoln	15,573	118	116	-	234	15.10	211	3	8	6	6
Oxford	*42,923	415	345	-	760	17.83	505	102	91	54	8
Penobscot	*94,145	853	852	-	1,705	18.18	1,346	70	121	102	66
Piscataquis	*17,998	174	174	-	348	19.09	284	20	25	17	2
Sagadahoc	*16,977	150	141	-	291	17.19	246	12	19	12	2
Somerset	*39,548	352	322	-	674	16.98	523	32	53	40	26
Waldo	20,346	197	170	-	367	18.09	336	6	13	7	5
Washington	*37,512	326	309	-	635	16.79	480	18	52	65	20
York	74,284	625	588	-	1,213	16.48	788	162	114	121	28
Total	*812,575	7,788	7,281	1	15,070	18.69	11,252	1021	1322	1163	312

No. 4

for the Year 1933

by Counties

MARRIAGES						DEATHS							
Both American	Both foreign	Husband American	Wife American	Not stated	Total	Sex				Nativity			Death-rate per 1,000
						Male	Female	Not stated	Total	American	Foreign	Not stated	
403	38	62	73	—	576	565	513	—	1,078	769	303	6	14.80
465	22	58	65	—	610	559	403	—	962	714	237	11	10.73
786	21	58	57	1	923	1,000	925	—	1,925	1,530	382	13	13.97
124	2	6	12	—	144	138	113	—	251	230	20	1	12.56
197	4	8	7	—	216	258	227	—	485	451	34	—	15.73
451	21	49	44	1	566	607	536	—	1,143	940	197	6	15.71
152	2	8	9	—	171	220	220	—	440	399	39	2	15.64
123	—	2	5	1	131	157	136	—	293	275	15	3	18.90
251	7	15	23	1	297	266	223	—	489	424	62	3	11.47
675	13	47	54	—	789	700	615	—	1,315	1,103	207	5	14.02
111	2	5	5	—	123	133	112	—	245	204	39	2	13.44
111	—	3	6	—	120	141	125	—	266	231	34	1	15.71
269	7	20	20	—	316	277	216	—	493	418	74	1	12.42
154	—	3	6	—	163	192	144	—	336	320	16	—	16.56
205	21	22	13	—	261	223	215	—	438	370	65	3	11.58
647	42	82	82	—	853	501	496	—	997	757	237	3	13.54
5,124	202	448	481	4	6,259	5,937	5,219	—	11,156	9,135	1,961	60	13.84

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

TABLE NO. 5
Births and Birth Rates by Counties for the Years 1926-1933

Counties	1926		1927		1928		1929		1930		1931		1932		1933	
	Births	Rate	Births	Rate	Births	Rate	Births	Rate	Births	Rate	Births	Rate	Births	Rate	Births	Rate
State	16,541	20.94	16,405	20.63	16,495	20.92	15,908	20.11	16,199	20.31	16,264	20.32	16,112	20.06	15,070	18.69
Androscoggin	1,493	21.50	1,483	21.19	1,507	21.35	1,357	19.07	1,404	19.71	1,457	20.30	1,369	18.93	1,434	19.69
Aroostook	2,448	28.48	2,684	30.97	2,655	30.38	2,644	30.02	2,757	31.69	2,781	31.44	2,753	30.91	2,482	27.68
Cumberland	2,423	18.38	2,530	19.01	2,549	18.98	2,452	18.09	2,468	18.33	2,562	18.88	2,414	17.66	2,316	16.82
Franklin	388	19.16	380	18.70	412	20.20	378	18.47	387	19.79	406	20.35	402	20.14	359	17.97
Hancock	546	17.95	509	16.76	549	18.08	573	18.87	572	18.65	595	19.34	637	20.69	572	18.55
Kennebec	1,340	20.80	1,267	19.63	1,351	20.90	1,322	20.42	1,324	18.73	1,349	18.90	1,365	18.94	1,261	17.33
Knox	486	18.52	421	16.04	458	17.45	455	17.34	392	14.20	433	15.55	402	14.37	419	14.90
Lincoln	255	15.96	247	15.46	232	14.52	235	14.63	245	15.81	263	16.97	267	17.23	234	15.10
Oxford	985	25.51	953	24.62	906	23.32	860	22.05	914	22.08	832	19.87	810	19.18	760	17.83
Penobscot	2,076	23.29	2,014	22.54	2,016	22.50	1,942	21.61	1,973	21.44	1,912	20.59	1,976	21.17	1,705	18.18
Piscataquis	421	20.09	362	17.22	384	18.21	368	17.40	371	20.69	392	21.50	392	21.50	348	19.09
Sagadahoc	261	10.16	268	10.25	253	9.52	237	8.77	305	18.04	278	16.42	281	16.60	291	17.19
Somerset	701	18.60	661	17.50	705	18.62	662	17.44	746	19.35	684	17.40	692	17.52	674	16.98
Waldo	413	19.36	354	16.60	366	17.16	337	15.80	332	16.36	333	16.41	405	19.96	367	18.09
Washington	747	17.91	770	18.46	757	18.15	707	16.95	724	19.40	702	18.56	655	17.32	635	16.79
York	1,558	21.64	1,502	20.80	1,395	19.26	1,379	18.98	1,285	17.62	1,285	17.56	1,292	17.61	1,213	16.48

BIRTHS

35

TABLE NO. 6

Births by Counties Showing Proportion of Males to Females, 1933

Counties	Males	Females	Sex not stated	Total	Excess of males	Excess of females	Males to each 100 females
Androscoggin	751	682	1	1,434	69	—	110.1
Aroostook	1,271	1,211	—	2,482	60	—	104.9
Cumberland	1,200	1,116	—	2,316	84	—	107.5
Franklin	204	155	—	359	49	—	131.6
Hancock	297	275	—	572	22	—	108.0
Kennebec	627	634	—	1,261	—	7	98.9
Knox	228	191	—	419	37	—	119.4
Lincoln	118	116	—	234	2	—	101.7
Oxford	415	945	—	760	70	—	120.3
Penobscot	853	852	—	1,705	1	—	100.1
Piscataquis	174	174	—	348	—	—	100.0
Sagadahoc	150	141	—	291	9	—	106.4
Somerset	352	322	—	674	30	—	109.3
Waldo	197	170	—	367	27	—	115.9
Washington	326	309	—	635	17	—	105.5
York	625	588	—	1,213	37	—	106.3
Total	7,788	7,281	1	15,070	514	7	106.9

TABLE NO. 7

Births in Cities for 1933 with Rate per 1,000 of Population

Cities	Estimated population in 1933	Male born	Female born	Sex not stated	Total	Birth-rate per 1,000	Males to each 100 females
Auburn	19,048	95	75	—	170	8.92	126.6
Augusta	18,122	161	156	—	317	17.49	103.2
Bangor	29,580	274	248	—	522	17.65	110.5
Bath	9,110	91	74	—	165	18.11	122.9
Belfast	4,993	64	57	—	121	24.23	112.3
Biddeford	17,633	222	212	—	434	24.61	104.7
Brewer	6,407	62	73	—	135	21.07	84.9
Calais	5,470	40	44	—	84	15.36	90.9
Eastport	3,466	29	23	—	52	15.00	126.1
Ellsworth	3,707	44	41	—	85	22.93	107.3
Gardiner	5,648	93	82	—	175	30.98	113.4
Hallowell	2,675	14	8	—	22	8.22	175.0
Lewiston	35,896	510	481	—	991	27.61	106.0
Old Town	7,359	58	53	—	111	15.08	109.4
Portland	71,272	781	715	—	1,496	20.99	109.2
Rockland	9,366	104	75	—	179	19.11	138.6
Saco	7,359	30	30	—	60	8.15	100.0
South Portland	15,217	22	40	—	62	4.07	55.0
Waterville	16,084	173	176	—	349	21.70	98.3
Westbrook	11,212	91	92	—	183	16.32	98.9
Total	299,624	2,958	2,755	—	5,713	19.07	107.4

REGISTRATION REPORT

TABLE NO. 8

Percentage of American and Foreign Births by Counties, 1933

Counties	Parents			Births with parentage not stated
	American born	Foreign born	One foreign born	
Androscoggin	62.83	12.13	22.88	2.16
Aroostook	71.35	4.92	22.20	1.53
Cumberland	75.04	7.13	15.76	2.07
Franklin	82.73	2.23	13.93	1.11
Hancock	93.19	1.22	4.37	1.22
Kennebec	73.75	8.80	16.18	1.27
Knox	86.64	2.15	10.02	1.19
Lincoln	90.17	1.28	5.98	2.57
Oxford	66.45	13.42	19.08	1.05
Penobscot	78.94	4.11	13.08	3.87
Piscataquis	81.61	5.75	12.07	0.57
Sagadahoc	84.54	4.12	10.65	0.69
Somerset	77.60	4.75	13.80	3.86
Waldo	91.55	1.64	5.45	1.36
Washington	75.59	2.83	18.43	3.15
York	64.96	13.36	19.37	2.31
State	74.67	6.77	16.49	2.07

TABLE NO. 9

Percentage of American and Foreign Births by Cities, 1933

Cities	Parents			Births with parentage not stated
	American born	Foreign born	One foreign born	
Auburn	62.35	7.06	27.06	3.53
Augusta	64.04	11.99	22.08	1.89
Bangor	73.56	4.22	14.75	7.47
Bath	86.67	1.82	10.30	1.21
Belfast	90.08	0.83	5.79	3.30
Biddeford	57.37	17.28	24.66	0.69
Brewer	80.00	2.96	14.82	2.22
Calais	53.57	5.95	35.72	4.76
Eastport	67.31	1.92	23.08	7.69
Ellsworth	90.58	1.18	7.06	1.18
Gardiner	92.57	1.14	5.15	1.14
Hallowell	95.45	4.55	—	—
Lewiston	58.33	14.93	24.42	2.32
Old Town	71.17	6.31	18.01	4.51
Portland	72.93	8.15	16.78	2.14
Rockland	85.47	2.24	11.17	1.12
Saco	61.67	15.00	23.33	—
South Portland	70.97	8.06	20.97	—
Waterville	68.48	12.04	18.62	0.86
Westbrook	64.48	10.93	21.86	2.73
Average	69.68	9.14	18.66	2.52

BIRTHS

TABLE NO. 10

Births in Each Month, 1892-1933.

	January	February	March	April	May	June	July	August	September	October	November	December	Not Stated	Total
1892	1,016	1,113	1,345	1,275	1,323	1,176	1,222	1,191	1,144	1,047	1,002	1,111	63	14,028
1893	1,151	1,082	1,162	1,259	1,273	1,162	1,176	1,213	1,115	1,126	1,032	1,109	48	13,908
1894	962	980	1,335	1,324	1,255	1,200	1,286	1,213	1,168	1,064	980	1,164	9	13,940
1895	1,182	1,082	1,329	1,287	1,308	1,236	1,290	1,312	1,233	1,189	1,115	1,193	6	14,762
1896	1,149	1,227	1,330	1,318	1,379	1,190	1,207	1,246	1,257	1,220	1,091	1,069	10	14,693
1897	1,126	1,123	1,390	1,260	1,288	1,250	1,274	1,303	1,205	1,138	984	1,077	12	14,430
1898	1,148	1,176	1,323	1,269	1,322	1,229	1,226	1,219	1,182	1,196	1,028	1,149	6	14,473
1899	1,093	1,104	1,237	1,295	1,224	1,201	1,239	1,197	1,163	1,058	979	1,098	7	13,895
1900	1,167	1,083	1,260	1,245	1,276	1,146	1,284	1,255	1,213	1,070	1,055	1,035	6	14,905
1901	1,123	1,128	1,303	1,270	1,290	1,190	1,178	1,199	1,252	1,051	983	1,048	6	14,021
1902	1,143	1,111	1,401	1,250	1,333	1,244	1,237	1,252	1,207	1,137	1,064	1,119	10	14,508
1903	1,210	1,151	1,353	1,304	1,326	1,247	1,215	1,223	1,205	1,134	1,026	990	9	14,453
1904	1,219	1,207	1,367	1,325	1,336	1,186	1,297	1,216	1,203	1,217	1,037	1,057	6	14,673
1905	1,178	1,180	1,463	1,340	1,365	1,375	1,439	1,328	1,259	1,163	1,057	1,143	4	15,294
1906	1,173	1,206	1,333	1,385	1,335	1,310	1,454	1,450	1,364	1,280	1,260	1,325	3	15,878
1907	1,301	1,288	1,431	1,397	1,455	1,424	1,360	1,293	1,336	1,264	1,129	1,231	5	15,914
1908	1,296	1,312	1,551	1,345	1,464	1,430	1,361	1,438	1,246	1,216	1,212	1,299	3	16,173
1909	1,306	1,276	1,475	1,392	1,453	1,308	1,349	1,434	1,347	1,249	1,218	1,229	5	16,041
1910	1,308	1,252	1,506	1,424	1,393	1,379	1,330	1,348	1,263	1,256	1,131	1,207	1	15,798
1911	1,261	1,224	1,463	1,426	1,371	1,355	1,380	1,331	1,294	1,172	1,153	1,202	3	15,635
1912	1,253	1,267	1,415	1,357	1,451	1,337	1,442	1,439	1,318	1,229	1,182	1,179	—	15,869
1913	1,299	1,185	1,467	1,425	1,400	1,378	1,397	1,316	1,245	1,264	1,131	1,210	1	15,719
1914	1,234	1,305	1,442	1,430	1,419	1,333	1,361	1,298	1,345	1,323	1,230	1,260	—	15,980
1915	1,356	1,262	1,562	1,499	1,536	1,389	1,437	1,431	1,378	1,366	1,257	1,196	2	16,671
1916	1,233	1,383	1,476	1,429	1,495	1,333	1,330	1,355	1,274	1,234	1,164	1,211	2	15,919
1917	1,398	1,288	1,562	1,403	1,473	1,362	1,432	1,412	1,387	1,263	1,165	1,192	—	16,337
1918	1,313	1,271	1,574	1,554	1,485	1,344	1,405	1,437	1,302	1,339	1,137	1,129	—	16,290
1919	1,202	1,212	1,416	1,369	1,299	1,133	1,188	1,086	1,238	1,307	1,349	1,406	—	15,205
1920	1,463	1,525	1,468	1,498	1,611	1,502	1,523	1,573	1,477	1,336	1,249	1,270	—	17,495
1921	1,432	1,402	1,622	1,621	1,497	1,463	1,487	1,529	1,428	1,464	1,327	1,445	—	17,717
1922	1,437	1,465	1,635	1,608	1,568	1,431	1,574	1,482	1,397	1,436	1,345	1,346	—	17,724
1923	1,418	1,461	1,656	1,538	1,605	1,464	1,514	1,614	1,518	1,353	1,261	1,318	—	17,720
1924	1,443	1,512	1,651	1,644	1,757	1,608	1,622	1,587	1,518	1,430	1,367	1,491	—	18,630
1925	1,496	1,338	1,623	1,525	1,601	1,560	1,529	1,500	1,426	1,459	1,299	1,350	—	17,706
1926	1,389	1,356	1,427	1,485	1,427	1,409	1,444	1,466	1,398	1,295	1,222	1,225	—	16,543
1927	1,209	1,261	1,408	1,536	1,528	1,419	1,480	1,418	1,332	1,334	1,237	1,243	—	16,405
1928	1,387	1,303	1,510	1,443	1,447	1,418	1,413	1,403	1,352	1,283	1,170	1,366	—	16,495
1929	1,299	1,245	1,425	1,402	1,357	1,427	1,456	1,393	1,191	1,203	1,189	1,321	—	15,908
1930	1,327	1,259	1,364	1,389	1,452	1,390	1,482	1,468	1,390	1,285	1,154	1,239	—	16,199
1931	1,329	1,225	1,438	1,450	1,458	1,393	1,358	1,506	1,344	1,247	1,220	1,296	—	16,264
1932	1,336	1,379	1,399	1,399	1,477	1,343	1,462	1,452	1,277	1,256	1,136	1,196	—	16,112
1933	1,359	1,148	1,324	1,347	1,325	1,269	1,363	1,322	1,226	1,102	1,093	1,192	—	15,070

TABLE NO. 11
Marriages and Marriage-Rates by Counties for the Years, 1926-1933

Counties	1926		1927		1928		1929		1930		1931		1932		1933	
	Mar-riages	Rate	Mar-riages	Rate	Mar-riages	Rate	Mar-riages	Rate	Mar-riages	Rate	Mar-riages	Rate	Mar-riages	Rate	Mar-riages	Rate
State	6,376	8.07	6,278	7.89	6,178	7.83	6,195	7.83	6,438	8.07	6,234	7.79	5,565	6.93	6,259	7.76
Androscoggin	610	8.79	584	8.34	617	8.74	551	7.74	534	7.49	541	7.54	488	6.75	576	7.91
Aroostook	598	6.96	649	7.49	547	6.26	551	6.25	690	7.85	673	7.61	526	5.90	610	6.80
Cumberland	1,126	8.54	1,077	8.09	1,048	7.80	1,067	7.87	1,097	8.15	1,013	7.47	861	6.30	923	6.70
Franklin	176	8.69	150	7.38	165	8.09	170	8.31	147	7.37	169	8.47	168	8.41	144	7.21
Hancock	255	8.40	261	8.60	226	7.44	264	8.69	253	8.23	276	8.97	246	7.99	216	7.00
Kennebec	563	8.74	592	9.17	574	8.88	576	8.90	545	7.71	541	7.58	455	6.31	566	7.78
Knox	235	8.95	232	8.84	242	9.22	224	8.53	205	7.40	211	7.58	196	7.00	171	6.08
Lincoln	106	6.63	106	6.63	94	5.88	120	7.51	133	8.58	117	7.55	101	6.52	131	8.45
Oxford	308	7.99	342	8.83	332	8.54	330	8.46	330	7.95	278	6.64	246	5.82	297	6.97
Penobscot	767	8.61	703	7.87	746	8.32	731	8.14	819	8.86	731	7.87	674	7.22	789	8.41
Piscataquis	119	5.68	132	6.28	138	6.54	147	6.95	135	7.40	115	6.31	123	6.75	123	6.75
Sagadahoc	130	5.06	123	4.71	130	4.89	112	4.14	136	8.03	131	7.73	100	5.91	120	7.09
Somerset	278	7.37	278	7.36	257	6.79	343	9.04	286	7.31	277	7.05	269	6.81	316	7.96
Waldo	155	7.27	126	5.91	126	5.90	108	5.06	145	7.15	154	7.59	154	7.59	163	8.04
Washington	249	5.97	212	5.08	264	6.33	218	5.23	290	7.67	278	7.35	253	6.69	261	6.90
York	701	9.74	711	9.84	672	9.28	683	9.40	693	9.50	729	9.96	705	9.61	853	11.59

MARRIAGES

TABLE NO. 12
Marriages by Months and Counties, 1933.

Counties	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
Androscoggin	20	28	16	23	45	59	67	43	95	64	74	42	576
Aroostook	25	27	25	33	28	49	50	47	39	119	130	38	610
Cumberland	55	68	51	52	63	103	94	72	126	90	91	58	923
Franklin	8	6	13	8	11	9	13	11	17	14	19	15	144
Hancock	11	13	13	13	9	28	20	23	28	24	23	11	216
Kennebec	31	30	16	35	39	58	53	55	68	61	75	45	566
Knox	10	13	14	6	8	20	22	20	18	16	10	14	171
Lincoln	5	4	6	8	6	11	15	13	18	12	14	19	131
Oxford	14	13	9	10	20	40	30	24	40	35	38	24	297
Penobscot	35	50	36	38	60	78	80	85	85	96	83	63	789
Piscataquis	9	5	6	6	4	16	14	13	11	14	13	12	123
Sagadahoc	3	11	7	12	5	12	13	7	18	11	16	5	120
Somerset	20	14	15	16	19	32	30	25	32	36	46	31	316
Waldo	12	16	6	10	10	17	12	17	18	19	15	11	163
Washington	12	14	10	21	13	25	27	28	38	34	21	18	261
York	36	33	36	52	77	106	92	78	98	91	95	59	853
Total	306	345	279	343	417	663	632	561	749	736	763	465	6,259

REGISTRATION REPORT

TABLE NO. 13
Marriages by Ages and Counties, 1933.

Counties		Under 15	15-20	20-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-70	70-80	80 and over	Not Stated	Total
Androscoggin	Males	—	23	228	153	70	40	20	15	10	5	8	4	—	—	576
	Females	—	131	238	115	36	25	9	7	8	—	3	4	—	—	576
Aroostook	Males	—	40	300	145	53	24	21	10	6	4	5	2	—	—	610
	Females	3	259	221	67	24	7	7	11	4	4	3	—	—	—	610
Cumberland	Males	—	48	338	255	108	56	28	27	20	16	23	3	—	1	923
	Females	3	215	353	157	81	38	18	22	15	13	4	3	—	1	923
Franklin	Males	—	10	57	40	18	3	5	3	4	2	1	—	1	—	144
	Females	3	47	55	15	6	5	4	3	2	1	2	—	—	—	144
Hancock	Males	—	11	81	61	20	12	9	8	2	3	8	1	—	—	216
	Females	—	71	77	31	12	7	4	2	2	7	3	—	—	—	216
Kennebec	Males	—	34	243	132	62	37	15	14	12	7	5	5	—	—	566
	Females	—	178	217	87	29	18	9	12	10	2	3	1	—	—	566
Knox	Males	—	14	57	41	14	12	8	7	8	3	6	—	1	—	171
	Females	1	58	49	19	11	7	8	9	5	—	—	—	—	—	171
Lincoln	Males	—	7	56	29	15	7	4	6	1	—	6	—	—	—	131
	Females	2	45	47	14	6	7	4	1	2	1	2	—	—	—	131
Oxford	Males	—	22	125	76	34	12	10	3	7	5	2	—	1	—	297
	Females	1	97	109	48	20	8	2	6	2	2	—	—	—	—	297
Penobscot	Males	—	58	328	181	71	45	26	18	19	17	21	5	—	—	789
	Females	3	256	290	98	46	25	23	22	8	8	10	—	—	—	789
Piscataquis	Males	—	12	47	29	12	11	5	3	2	1	1	—	—	—	123
	Females	—	49	42	11	9	3	3	2	2	—	—	1	—	—	123
Sagadahoc	Males	—	9	48	20	18	7	6	3	5	1	3	—	—	—	120
	Females	1	32	39	22	12	6	3	2	2	—	1	—	—	—	120
Somerset	Males	—	20	131	85	28	15	20	5	2	5	4	1	—	—	316
	Females	2	119	112	41	8	14	7	4	3	2	3	1	—	—	316
Waldo	Males	—	16	53	42	19	6	5	7	3	4	7	—	—	—	163
	Females	—	68	41	25	7	3	5	6	—	2	6	—	—	—	163
Washington	Males	—	18	118	55	25	19	4	6	2	2	8	4	—	—	261
	Females	1	86	99	41	10	10	3	2	2	1	6	—	—	—	261
York	Males	—	37	370	233	83	41	23	22	11	17	10	3	3	—	853
	Females	1	222	337	151	52	28	21	17	9	8	6	1	—	—	853
Total	Males	—	379	2580	1577	650	347	209	157	114	92	118	30	5	1	6,259
	Females	21	1933	2326	942	369	211	130	128	76	51	56	15	—	1	6,259
Grand Total		21	2312	4906	2519	1019	558	339	285	190	143	174	45	5	2	12,518

Divorces in each County for the year 1933. Androscoggin, 104; Aroostook, 62; Cumberland, 271; Franklin, 25; Hancock, 31; Kennebec, 82; Knox, 37; Lincoln, 21; Oxford, 46; Penobscot, 173; Piscataquis, 21; Sagadahoc, 36; Somerset, 58; Waldo, 36; Washington, 28; York, 77.

TABLE NO. 14
Deaths and Death Rates by Counties for the Years, 1926-1933

Counties	1926		1927		1928		1929		1930		1931		1932		1933	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
State	11,416	14.45	10,977	13.80	11,037	13.99	11,375	14.38	11,084	13.90	10,557	13.19	10,797	13.44	11,156	13.84
Androscoggin	1,048	15.10	997	14.25	982	13.91	1,054	14.81	1,001	14.06	985	13.72	1,030	14.25	1,078	14.80
Aroostook	995	11.57	1,070	12.34	948	10.85	1,063	12.07	1,123	12.91	985	11.13	927	10.41	962	10.73
Cumberland	1,977	15.00	1,909	14.35	1,853	13.80	1,905	14.06	1,888	14.02	1,846	13.61	1,928	14.10	1,925	13.97
Franklin	264	13.04	276	13.58	243	11.92	278	13.59	250	12.78	232	11.63	242	12.12	251	12.56
Hancock	442	14.56	412	13.57	443	14.59	453	14.92	483	15.75	421	13.69	499	16.20	485	15.73
Kennebec	1,163	18.05	1,058	16.39	1,110	17.17	1,096	16.93	1,103	15.60	1,054	14.77	1,094	15.18	1,143	15.71
Knox	499	19.01	472	17.98	476	18.14	444	16.92	460	16.66	424	15.24	445	15.90	440	15.64
Lincoln	255	15.96	253	15.83	261	16.34	254	15.81	229	14.77	243	15.68	243	15.68	293	18.90
Oxford	535	13.87	521	13.46	507	13.05	516	13.23	494	11.94	473	11.30	464	10.98	489	11.47
Penobscot	1,302	14.61	1,281	14.33	1,372	15.31	1,364	15.18	1,256	13.65	1,284	13.83	1,214	13.01	1,315	14.02
Piscataquis	227	10.83	228	10.84	229	10.86	230	10.87	219	12.21	223	12.23	232	12.72	245	13.44
Sagadahoc	265	10.31	256	9.79	274	10.31	269	9.95	269	15.91	254	15.00	238	14.06	266	15.71
Somerset	488	12.95	479	12.68	509	13.44	539	14.20	547	14.19	479	12.19	503	12.73	493	12.42
Waldo	362	16.97	327	15.33	344	16.13	347	16.27	321	15.82	314	15.48	341	16.81	336	16.56
Washington	531	12.73	498	11.94	507	12.15	487	11.68	426	11.41	426	11.26	413	10.92	438	11.58
York	1,063	14.76	940	13.02	979	13.52	1,076	14.81	1,015	13.92	914	12.49	984	13.41	997	13.54

REGISTRATION REPORT

TABLE

Deaths by Ages, Sex and

Counties		Under 1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90-99	100 and over	Unknown
Androscoggin	Males	68	8	9	19	18	26	53	62	96	126	69	11		
	Females	44	15	5	13	27	26	39	45	89	114	78	18		
	Not stated														
Aroostook	Males	126	29	15	20	18	22	37	51	76	101	60	4		
	Females	81	28	2	13	17	26	28	43	60	62	38	5		
	Not stated														
Cumberland	Males	67	26	12	26	28	37	86	132	231	228	118	8	1	
	Females	75	11	12	21	33	33	57	104	175	236	126	40	2	
	Not stated														
Franklin	Males	9		2	3	8	7	10	16	23	38	21	1		
	Females	10	3		1	2	2	4	10	22	33	23	3		
	Not stated														
Hancock	Males	16	6	2	5	9	5	10	25	61	75	37	7		
	Females	12	3		4	9	7	9	17	45	61	49	11		
	Not stated														
Kennebec	Males	50	10	6	11	20	22	54	70	109	158	87	10		
	Females	50	11	4	5	17	29	34	66	97	119	82	22		
	Not stated														
Knox	Males	10	2	1	6	7	9	14	29	40	57	39	6		
	Females	4	1	1	6	10	4	12	25	45	46	50	16		
	Not stated														
Lincoln	Males	3	2	2	7	6	5	6	17	32	44	28	5		
	Females	7	2	1	1	2	3	9	10	23	36	33	8	1	
	Not stated														
Oxford	Males	25	10	5	4	10	7	11	21	57	62	50	4		
	Females	15	5	1	3	10	10	14	21	33	55	48	8		
	Not stated														
Penobscot	Males	57	11	7	15	21	24	48	107	140	175	86	9		
	Females	45	12	6	12	27	30	41	58	102	148	116	18		
	Not stated														
Piscataquis	Males	13	5	1	1	8	5	9	15	25	31	15	5		
	Females	10	2	1	4	3	2	4	9	18	34	21	4		
	Not stated														
Sagadahoc	Males	12		2	2	5	1	5	13	32	39	27	3		
	Females	5	2		1		1	4	9	20	42	31	10		
	Not stated														
Somerset	Males	31	4	3	12	13	11	17	22	52	68	41	2	1	
	Females	19	3	2	5	16	13	10	29	27	42	42	8		
	Not stated														
Waldo	Males	16	3	2	5	8	8	11	19	43	47	28	2		
	Females	14	2	3	4	8	4	6	13	17	42	27	4		
	Not stated														
Washington	Males	27	6	2	5	2	8	9	21	51	54	34	4		
	Females	15	5	2	3	8	8	9	23	25	64	41	12		
	Not stated														
York	Males	37	5	9	17	15	23	27	60	94	128	74	12		
	Females	35	7	7	9	18	19	20	44	87	120	107	23		
	Not stated														
Total	Males	567	127	80	158	196	220	407	680	1162	1431	814	93	2	
	Females	441	112	47	105	207	217	300	526	885	1254	912	210	3	
	Not stated														
Grand Total		1008	239	127	263	403	437	707	1206	2047	2685	1726	303	5	

DEATHS

43

No. 15

Months by Counties, 1933

January	February	March	April	May	June	July	August	September	October	November	December	Total	Grand Total
68	38	52	49	29	47	43	49	39	49	43	59	565	—
78	39	39	36	53	38	31	29	27	42	46	55	513	1,078
71	56	55	49	49	41	33	48	44	38	41	34	559	—
53	29	34	37	44	23	27	34	39	29	32	22	403	962
126	88	82	63	87	61	80	85	67	82	98	81	1,000	—
108	104	75	70	75	72	47	53	79	72	92	78	925	1,925
15	9	11	10	14	7	6	6	18	13	10	19	138	—
19	11	8	15	6	7	4	10	6	9	7	11	113	251
28	19	21	19	19	26	19	22	18	21	25	21	258	—
29	21	20	13	23	15	21	17	13	15	14	26	227	485
69	43	58	41	53	46	41	45	48	52	45	66	607	—
74	46	51	44	53	37	38	33	35	34	37	54	536	1,143
16	27	22	25	20	12	18	7	22	20	11	20	220	—
15	20	23	19	16	21	18	16	15	18	20	19	220	440
12	14	16	8	15	11	15	16	7	14	14	15	157	—
24	14	11	13	6	5	13	9	12	16	7	6	136	293
38	20	17	17	18	24	13	30	23	22	16	28	266	—
38	19	19	23	26	9	12	14	7	17	15	24	223	489
80	60	57	50	53	66	48	41	59	53	65	68	700	—
77	61	46	44	41	46	60	42	37	53	48	60	615	1,315
9	15	10	12	7	7	12	12	6	9	20	14	133	—
15	4	19	6	8	5	11	4	10	11	12	7	112	245
22	15	12	11	7	13	8	7	9	10	13	14	141	—
17	9	15	9	11	10	5	13	9	6	14	7	125	266
33	23	24	26	18	28	23	20	18	15	25	24	277	—
27	20	19	21	23	24	7	14	15	18	18	10	216	493
11	15	21	17	12	14	18	10	15	26	11	22	192	—
18	18	13	15	8	14	4	12	4	14	13	11	144	336
18	14	17	26	23	19	20	25	19	12	12	18	223	—
25	25	13	22	16	15	11	15	15	18	19	21	215	438
58	41	51	43	23	30	35	45	34	39	46	56	501	—
57	52	51	33	32	35	33	34	34	46	38	51	496	997
674	497	526	466	447	452	432	468	446	475	495	559	5,937	—
674	492	456	420	441	376	342	349	357	418	432	462	5,219	—
1348	989	982	886	888	828	774	817	803	893	927	1,021	—	11,156

REGISTRATION REPORT

TABLE
Deaths by Ages, Sex and

Cities		Under 1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90-99	100 and over	Unknown
Auburn	Males	9	—	2	—	4	2	7	10	22	33	18	3	—	—
	Females	6	1	—	—	—	—	—	3	14	28	24	5	—	—
	Not stated	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Augusta	Males	23	2	2	3	7	9	15	22	24	52	16	2	—	—
	Females	13	4	2	3	7	18	16	22	25	29	16	3	—	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bangor	Males	24	7	5	5	9	13	29	54	56	78	34	4	—	—
	Females	16	4	4	8	18	18	25	30	52	50	47	8	—	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bath'	Males	8	—	2	1	3	—	2	10	14	19	14	1	—	—
	Females	2	2	—	—	—	1	—	5	13	25	14	6	—	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Belfast	Males	4	1	1	1	2	5	4	5	10	18	6	—	—	—
	Females	5	1	2	1	5	—	1	2	5	8	5	—	—	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Biddeford	Males	14	2	2	4	5	8	7	17	27	27	9	1	—	—
	Females	14	1	7	1	6	5	7	10	31	24	22	1	—	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brewer	Males	1	1	—	1	—	1	4	5	10	8	2	1	—	—
	Females	2	1	—	1	2	4	—	4	7	16	8	2	—	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Calais	Males	5	1	1	4	—	3	2	6	12	9	8	—	—	—
	Females	4	—	—	1	3	1	2	5	5	10	10	4	—	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Eastport	Males	2	—	—	—	—	1	—	1	5	6	3	—	—	—
	Females	2	2	—	1	—	—	—	1	—	9	2	—	—	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ellsworth	Males	1	1	—	2	4	—	—	4	5	5	1	1	—	—
	Females	2	—	—	—	1	1	3	2	11	8	7	2	—	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gardiner	Males	5	—	—	1	—	4	5	5	14	18	3	—	—	—
	Females	3	1	—	—	1	2	3	8	12	8	8	5	—	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hallowell	Males	1	—	—	2	—	—	3	4	2	4	4	—	—	—
	Females	1	—	—	—	—	1	—	2	3	8	7	—	—	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Lewiston	Males	45	8	7	15	14	20	42	43	51	61	33	4	—	—
	Females	30	10	3	9	22	21	31	23	62	57	33	7	—	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Old Town	Males	6	—	1	2	4	1	3	5	7	15	7	—	—	—
	Females	2	2	—	—	2	3	—	6	3	2	3	—	—	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Portland	Males	41	19	9	17	11	33	59	77	151	122	59	2	1	—
	Females	53	6	10	14	23	21	41	69	100	146	64	20	1	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rockland	Males	3	2	—	1	1	2	5	11	14	22	7	2	—	—
	Females	3	—	1	2	4	3	3	12	15	16	15	5	—	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Saco	Males	—	—	1	1	—	1	3	4	7	13	8	3	—	—
	Females	2	—	—	1	1	1	—	4	7	7	18	6	—	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
South Portland	Males	6	1	—	3	1	1	4	8	11	17	11	1	—	—
	Females	3	2	1	—	—	—	4	5	7	17	18	4	—	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Waterville	Males	12	5	2	1	10	1	9	19	18	18	14	2	—	—
	Females	18	3	—	1	5	5	6	10	22	26	19	2	—	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Westbrook	Males	4	1	—	—	2	1	5	9	13	10	7	—	—	—
	Females	7	—	—	1	2	4	2	4	11	16	13	2	—	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	Males	214	51	35	64	77	106	208	319	473	555	264	27	1	—
	Females	188	40	30	45	104	112	147	238	409	510	353	82	1	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Grand Total		402	91	65	109	181	218	355	557	882	1065	617	109	2	—

DEATHS

45

No. 16

Months by Cities, 1933

January	February	March	April	May	June	July	August	September	October	November	December	Total	Grand Total
13	11	10	9	6	7	10	9	5	12	10	8	110	—
18	8	6	12	8	7	5	7	3	7	10	12	103	213
16	12	21	9	14	12	15	14	15	15	10	24	177	—
29	12	15	13	12	6	9	12	8	12	13	17	158	335
30	34	28	18	26	36	22	16	22	25	32	29	318	—
34	28	21	23	13	23	30	24	20	23	20	21	280	598
13	8	10	5	2	4	6	1	4	5	8	8	74	—
12	5	10	3	2	7	4	7	3	3	7	4	68	142
1	4	7	4	3	3	5	4	8	8	3	10	57	—
3	4	2	1	3	5	—	1	3	4	4	2	35	92
16	9	9	11	7	7	7	10	9	12	9	17	123	—
18	11	8	8	10	8	10	8	8	13	18	9	129	252
4	1	4	1	3	3	2	1	3	—	7	5	34	—
3	5	3	2	6	4	3	4	2	5	6	4	47	81
5	1	6	7	4	3	8	2	4	2	3	6	51	—
5	3	4	7	1	1	5	5	4	7	2	6	45	96
1	2	2	—	—	1	1	—	—	—	—	1	18	—
—	2	2	2	3	2	—	2	—	—	2	4	19	37
2	1	2	—	—	4	—	—	—	—	—	1	24	—
8	2	3	—	2	—	5	5	3	2	4	5	37	61
4	6	4	4	7	7	1	4	3	4	6	5	55	—
10	7	1	4	2	5	5	—	2	6	3	6	51	106
1	1	3	1	2	2	3	1	2	2	—	2	20	—
2	1	2	2	4	1	1	3	3	1	1	1	22	42
39	18	30	26	16	32	26	33	25	31	28	39	343	—
42	22	26	20	34	24	22	18	20	28	22	30	308	651
6	5	4	2	2	7	3	4	4	7	2	5	51	—
4	5	1	1	2	1	3	1	3	—	2	3	23	74
74	54	57	36	48	29	42	51	36	59	61	54	601	—
65	63	48	45	42	47	28	40	44	44	54	48	568	1,169
2	10	5	7	8	6	5	—	8	4	5	10	70	—
5	5	11	7	—	12	10	3	5	5	9	7	79	149
4	6	6	5	2	2	—	3	2	1	4	6	41	—
6	7	5	—	5	4	5	2	2	3	3	5	47	88
9	8	1	1	10	5	4	6	3	4	8	5	64	—
11	6	5	3	4	2	2	3	7	3	8	7	61	125
11	7	6	10	11	9	6	6	10	13	12	10	111	—
10	12	14	12	14	11	7	8	11	3	6	9	117	228
10	3	4	3	7	3	5	3	5	3	4	2	52	—
6	13	4	4	5	5	3	1	5	8	6	2	62	114
261	201	219	159	178	182	171	176	173	211	216	247	2,394	—
291	221	191	169	173	175	157	150	153	176	201	202	2,259	—
552	422	410	328	351	357	328	326	326	387	417	449	—	4,653

TABLE NO. 17
 Showing the Number of Deaths in the State and in Each County
 Arranged by Classes and Counties, 1933

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
General Diseases	11,156	1,078	962	1,925	251	485	1,143	440	293	489	1,315	245	266	493	336	438	997
I. Infectious and Parasitic Diseases	881	73	110	115	24	38	96	34	11	43	98	19	9	79	17	35	80
II. Cancers and Other Tumors	1,226	114	88	236	29	54	121	61	39	52	149	21	22	42	31	43	118
III. Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases	345	35	16	55	11	12	37	20	10	13	51	3	11	14	11	9	37
IV. Diseases of the Blood and Blood-Making Organs	103	7	11	19	2	3	11	7	1	1	12	1	4	4	3	2	10
V. Chronic Poisonings and Intoxications	35	6	1	5	1	—	4	2	1	3	6	1	1	—	—	1	3
VI. Diseases of the Nervous System and of the Organs of Special Sense	1,298	131	86	203	32	63	142	56	46	49	153	28	35	61	35	57	121
VII. Diseases of the Circulatory System	3,069	259	150	573	59	152	322	137	87	155	367	60	96	135	97	136	284
VIII. Diseases of the Respiratory System	783	67	87	153	16	27	79	15	21	36	93	22	15	33	20	19	80
IX. Diseases of the Digestive System	565	73	85	94	6	21	61	12	5	13	54	11	6	15	20	26	55
X. Diseases of the Genitourinary System	927	107	66	172	28	39	100	29	23	34	113	19	35	32	27	35	68
XI. Diseases of Pregnancy, Childbirth and the Puerperal State	107	20	17	20	—	5	7	3	1	3	12	2	—	4	3	3	7
XII. Diseases of the Skin and Cellular Tissue	14	1	3	3	—	—	3	—	—	—	—	—	1	1	—	—	1
XIII. Diseases of the Bones and Organs of Locomotion	7	—	—	—	—	—	1	—	1	—	—	1	—	2	—	—	—
XIV. Congenital Malformations	113	11	19	24	2	3	9	1	1	7	14	3	1	5	3	2	8
XV. Diseases of Early Infancy	548	62	107	75	12	19	62	9	3	23	54	10	10	27	17	25	33
XVI. Senility	171	3	16	21	4	11	8	17	2	14	21	10	3	5	13	11	12
XVII. Violent and Accidental Deaths	851	100	77	144	21	36	75	36	30	36	94	31	16	29	35	20	71
XVIII. Ill-Defined Causes of Death	113	8	23	13	1	1	5	1	6	2	24	3	1	5	4	7	9

TABLE NO. 17—Continued
 Showing the Number of Deaths in the State and in Each County
 Arranged by Classes and Counties, 1933

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
Disseminated tuberculosis																	
(a) Acute	10	—	—	4	—	—	1	—	—	—	2	1	—	—	—	1	—
(b) Chronic	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(c) Unspecified	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	36	3	1	14	—	—	1	—	1	2	4	—	1	—	1	—	2
Gonococcus infection and other venereal diseases	7	3	—	3	—	—	—	—	1	—	—	—	—	—	—	—	—
Purulent infection, septicaemia (nonpuerperal)	13	—	3	—	2	—	—	—	2	—	3	1	—	—	—	—	2
Malaria	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Other diseases due to protozoal parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ankylostomiasis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydatid cysts	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Of the liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Of other organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases caused by helminths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mycoses	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Other infectious and parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Chicken-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) German measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
(c) Others under this title	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Cancers and other Tumors	1226	114	88	236	29	54	121	61	39	52	149	21	22	42	31	49	118
Cancer and other malignant tumors of the buccal cavity and pharynx	49	4	5	8	1	3	7	1	3	—	5	2	—	2	—	5	3
Cancer and other malignant tumors of the digestive tract and peritoneum	598	63	45	104	8	25	53	31	15	23	85	12	11	14	21	23	65
Cancer and other malignant tumors of the respiratory system	34	3	2	11	2	1	4	—	—	—	4	1	—	—	1	2	3
Cancer and other malignant tumors of the uterus	159	10	10	24	9	6	20	6	4	12	18	—	2	11	3	10	14
Cancer and other malignant tumors of other female genital organs	23	3	1	7	1	—	1	3	—	2	3	—	—	1	—	1	—
Cancer and other malignant tumors of the breast	107	5	10	23	2	6	13	7	2	7	11	—	3	5	4	2	7
Cancer and other malignant tumors of the male genitourinary organs	95	8	2	29	3	4	7	4	5	4	5	1	2	2	2	4	13
Cancer and other malignant tumors of the skin	25	—	1	4	—	2	1	—	3	1	4	1	2	4	—	—	2
Cancer and other malignant tumors of other or unspecified organs	90	12	9	19	2	4	8	6	6	3	7	3	1	2	—	1	7
Nonmalignant tumors																	
(a) Nonmalignant tumors of the ovary	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Nonmalignant tumors of the uterus	21	4	2	4	—	1	1	—	—	—	6	—	—	1	—	—	2
(c) Nonmalignant tumors of other female genital organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(d) Nonmalignant tumors of the brain	3	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1
(e) Nonmalignant tumors of other organs	8	—	1	1	1	—	1	2	—	—	—	—	1	—	—	—	1

TABLE NO. 17—Continued
 Showing the Number of Deaths in the State and in Each County
 Arranged by Classes and Counties, 1933

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
(c) Unspecified (under 5 years of age)	4	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—	1
(d) Unspecified (5 years and over)	5	—	—	—	—	—	1	—	—	1	2	—	—	—	—	—	1
Bronchopneumonia (including capillary bronchitis)																	
(a) Bronchopneumonia	323	26	33	71	7	9	36	8	11	14	35	10	8	8	3	5	39
(b) Capillary bronchitis	5	—	1	—	—	—	—	—	—	—	2	—	—	—	1	—	1
Lobar pneumonia	280	27	29	63	4	10	24	3	5	12	36	3	6	14	9	9	26
Pneumonia, unspecified	41	2	6	4	1	3	3	1	—	2	7	1	1	6	2	—	1
Pleurisy	19	1	1	5	—	—	3	2	—	1	2	1	—	—	—	—	3
Congestion, edema, embolism, hemorrhagic infarct and thrombosis of the lungs																	
(a) Pulmonary embolism and thrombosis	3	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
(b) Others under this title	17	5	2	1	—	—	3	—	1	1	3	—	—	1	—	—	1
Asthma	9	—	1	2	1	—	1	1	—	—	1	1	—	—	—	—	1
Pulmonary emphysema	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of the respiratory system (tuberculosis excepted)																	
(a) Chronic interstitial pneumonia, including occupational diseases of the respiratory system	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Others, including gangrene of the lung	3	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
IX. Diseases of the Digestive System	565	73	85	94	9	21	61	12	5	18	54	11	6	15	20	26	55
Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)																	
(a) Diseases of the pharynx and tonsils	26	4	2	10	—	1	3	—	—	1	—	—	—	—	2	1	2
(b) Others under this title	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diseases of the esophagus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer of the stomach and duodenum																	
(a) Ulcer of the stomach	31	2	3	3	1	2	2	1	1	2	3	2	—	1	2	3	3
(b) Ulcer of the duodenum	14	2	1	4	—	2	—	—	—	—	2	—	—	—	—	1	2
Other diseases of the stomach (cancer excepted)	37	3	8	2	1	4	6	—	—	1	3	1	—	1	3	—	4
Diarrhea and enteritis (under 2 yrs. of age)	69	4	29	4	1	1	5	—	1	3	4	2	—	2	1	4	8
Diarrhea and enteritis (2 yrs. and over)	29	1	8	1	—	—	5	—	—	3	4	3	—	1	—	1	2
Appendicitis	121	16	14	24	4	5	14	2	1	1	12	2	1	1	4	7	13
Hernia, intestinal obstruction																	
(a) Hernia	36	8	1	7	—	—	7	—	1	—	4	—	—	1	3	1	3
(b) Intestinal obstruction	53	4	6	10	1	—	8	3	—	3	6	2	—	3	1	3	3
Other diseases of the intestines	12	1	2	3	1	1	2	1	—	—	1	—	—	—	—	—	—
Cirrhosis of the liver																	
(a) Specified as alcoholic	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Not specified as alcoholic	38	11	2	4	—	1	2	1	1	2	2	1	1	2	2	2	4

TABLE NO. 17—Continued

Showing the Number of Deaths in the State and in Each County
Arranged by Classes and Counties, 1933

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
Other accidents of pregnancy (not to include hemorrhages)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal hemorrhage																	
(a) Placenta praevia	7	2	2	1	—	—	1	—	1	—	—	—	—	—	—	—	—
(b) Other puerperal hemorrhages	7	2	2	1	—	1	—	—	—	—	1	—	—	—	—	—	—
Puerperal septicemia (not specified as due to abortion)																	
(a) Puerperal septicemia and pyemia	22	5	2	3	—	1	—	—	1	—	2	3	—	2	1	1	1
(b) Puerperal tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal albuminuria and eclampsia	19	3	2	4	—	1	1	—	—	1	1	1	—	1	1	1	2
Other toxemias of pregnancy	4	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	1
Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	17	3	2	2	—	—	2	2	—	—	4	—	—	1	—	—	1
Other accidents of childbirth																	
(a) Cesarean operation	4	—	—	2	—	—	1	—	—	—	1	—	—	—	—	—	—
(b) Others under this title	10	1	1	2	—	1	1	—	—	—	1	1	—	—	1	—	1
Other and unspecified conditions of the puerperal state	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
XII. Diseases of the Skin and Cellular Tissue	14	1	3	3	—	—	3	—	1	—	—	—	1	—	—	—	1
Furuncle, carbuncle	5	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Phlegmon, acute abscess	9	—	2	2	—	—	2	—	1	—	—	—	—	1	—	—	1
Other diseases of the skin and annexa and of the cellular tissue	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Diseases of the Bones and Organs of Locomotion																	
Osteomyelitis	7	1	—	—	—	1	1	—	—	—	—	1	—	2	—	1	—
Other diseases of the bones (tuberculosis excepted)	5	1	—	—	—	1	1	—	—	—	—	—	—	1	—	1	—
Diseases of the joints and other organs of locomotion																	
(a) Diseases of the joints (tuberculosis and rheumatism excepted)	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
(b) Diseases of other organs of locomotion	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XIV. Congenital Malformations	113	11	19	24	2	3	9	1	1	7	14	3	1	5	3	2	8
Congenital malformations (stillbirths not included)																	
(a) Congenital hydrocephalus	19	3	1	4	1	—	—	—	1	2	3	—	—	2	2	—	—
(b) Spina bifida and meningocele	15	1	2	4	—	—	1	—	—	2	2	—	—	1	—	1	1
(c) Congenital malformations of the heart	55	5	10	11	1	2	6	1	—	1	4	2	1	2	1	1	7
(d) Other congenital malformations	24	2	6	5	—	1	2	—	—	2	5	1	—	—	—	—	—

REGISTRATION REPORT

TABLE NO. 17—Concluded

Showing the Number of Deaths in the State and in Each County
Arranged by Classes and Counties, 1933

Causes of Death	State	Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York
Accidental traumatism by fall, crushing landslide																	
(a) Accidental traumatism by fall	166	23	9	36	4	6	14	5	2	9	18	5	5		2	4	7
(b) Accidental traumatism by crushing, landslide	4	—	—	1	—	1	—	1	—	—	—	—	—	—	1	—	—
Cataclysm (all deaths attributed to a cataclysm regardless of their nature)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Injuries by animals	6	1	2	—	—	—	1	—	—	—	—	—	—	1	1	—	—
Hunger and thirst	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Excessive cold	5	1	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1
Excessive heat	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Lightning	5	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Accidents due to electric currents	5	—	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—
Other accidents																	
(a) Foreign bodies	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
(b) Others under this title	56	12	4	5	2	—	7	1	5	2	8	2	—	2	1	2	3
Violent deaths of which the nature (accident, suicide, homicide) is unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wounds of war	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Execution of civilians by belligerent armies	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Legal executions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Accidental traumatism in mines and quarries	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Accidents from agricultural machinery	3	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Elevator accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Accidents from machinery used for recreation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other machinery accidents	7	1	2	1	—	—	—	1	—	—	2	—	—	—	—	—	—
Railroad and automobile collisions	8	—	2	1	1	—	—	—	1	3	—	—	—	—	—	—	—
Other railroad accidents	16	1	5	3	—	—	1	—	—	—	4	1	—	—	—	—	1
Street car and automobile collisions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other street car accidents	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Automobile accidents	186	29	18	36	4	12	21	2	1	6	22	1	2	—	8	8	3
Motor-cycle accidents	4	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Other land transportation accidents	9	—	3	2	1	—	—	—	1	—	—	1	—	—	—	1	—
Water transportation accidents	30	—	6	5	—	—	—	1	8	1	2	2	—	2	1	1	1
Air transportation accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XVIII. Ill-Defined Causes of Death	113	8	23	13	1	1	5	1	6	2	24	3	1	—	5	4	7
Sudden death	36	4	2	8	—	—	2	—	—	1	14	3	—	1	1	1	—
Cause of death not specified or ill-defined																	
(a) Ill-defined	26	1	2	3	—	1	—	1	6	—	1	—	—	3	1	1	6
(b) Not specified or unknown	51	3	19	2	1	—	3	—	—	1	9	—	1	1	2	6	3

TABLE NO. 18
Showing the Number of Deaths in the State
Arranged by Classes and Months, 1933

Causes of Death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
General Diseases	11,156	1,348	989	982	886	888	828	774	817	803	893	927	1,021
I. Infectious and Parasitic Diseases	881	214	123	59	70	60	59	51	44	41	52	53	55
II. Cancers and Other Tumors	1,226	108	82	90	96	105	124	94	101	94	116	97	119
III. Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and other General Diseases.....	345	40	34	32	23	27	27	27	28	30	27	26	24
IV. Diseases of the Blood and Blood-Making Organs.....	103	11	8	7	16	8	6	8	10	8	5	10	6
V. Chronic Poisonings and Intoxications	35	3	—	3	1	7	4	1	—	6	5	3	2
VI. Diseases of the Nervous System and of the Organs of Special Sense.....	1,298	158	105	132	111	103	86	84	100	98	102	117	102
VII. Diseases of the Circulatory System	3,069	354	271	287	240	256	213	218	224	207	233	261	305
VIII. Diseases of the Respiratory System	783	154	88	75	68	44	35	31	26	27	56	85	94
IX. Diseases of the Digestive System	565	43	51	58	30	43	55	40	50	54	51	37	53
X. Diseases of the Genitourinary System	927	89	79	86	72	65	70	71	62	72	80	81	100
XI. Diseases of Pregnancy, Childbirth and the Puerperal State.....	107	13	11	9	14	14	5	9	4	6	10	6	6
XII. Diseases of the Skin and Cellular Tissue	14	—	—	1	1	1	4	1	—	3	1	2	—
XIII. Diseases of the Bones and Organs of Locomotion	7	1	1	—	—	—	—	1	1	—	—	2	1
XIV. Congenital Malformations	113	7	6	15	10	11	7	9	13	7	12	10	6
XV. Diseases of Early Infancy	548	60	53	44	57	51	46	41	39	42	35	36	44
XVI. Senility	171	28	20	18	10	16	10	13	13	12	8	8	15
XVII. Violent and Accidental Deaths	851	52	52	57	55	71	71	67	95	87	88	84	72
XVIII. Ill-Defined Causes of Death.....	113	13	5	9	12	6	6	8	7	9	12	9	17

Showing the Number of Deaths in the State Arranged by Classes and Months, 1933
 TABLE NO. 18

TABLE NO. 18—Continued
 Showing the Number of Deaths in the State
 Arranged by Classes and Months, 1933

Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
Ankylostomiasis	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydatid cysts	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Of the liver	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Of other organs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases caused by helminths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
Mycoses	1	—	—	—	—	—	—	—	—	—	1	—	—
Other infectious and parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Chicken-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) German measles	—	—	—	—	—	—	—	—	—	—	—	—	—
(c) Others under this title	2	1	—	—	1	—	—	—	—	—	—	—	—
II. Cancers and Other Tumors	1,226	108	82	90	96	105	124	94	101	94	116	97	119
Cancer and other malignant tumors of the buccal cavity and pharynx	49	3	2	2	4	6	7	3	6	2	4	6	4
Cancer and other malignant tumors of the digestive tract and peritoneum ..	598	48	43	44	44	48	64	42	51	49	62	50	53
Cancer and other malignant tumors of the respiratory system	34	2	1	1	2	1	2	4	6	3	3	5	4
Cancer and other malignant tumors of the uterus	159	16	7	13	16	19	12	9	12	12	11	16	16
Cancer and other malignant tumors of other female genital organs	23	3	—	3	3	2	1	1	1	2	2	2	3
Cancer and other malignant tumors of the breast	107	6	10	9	5	10	13	14	9	8	10	5	8
Cancer and other malignant tumors of the male genitourinary organs	95	8	7	7	10	5	8	8	9	6	12	5	10
Cancer and other malignant tumors of the skin	25	5	4	2	1	2	3	2	1	1	—	—	4
Cancer and other malignant tumors of other or unspecified organs	90	10	5	7	6	10	10	4	5	7	9	3	14
Nonmalignant tumors													
(a) Nonmalignant tumors of th-ovary	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Nonmalignant tumors of uterus ..	21	4	1	2	1	1	3	4	—	1	3	1	—
(c) Nonmalignant tumors of other female genital organs	—	—	—	—	—	—	—	—	—	—	—	—	—
(d) Nonmalignant tumors of the brain	3	—	—	—	—	—	1	—	—	1	—	1	—
(e) Nonmalignant tumors of other organs	8	1	—	—	2	1	—	2	—	—	—	2	—
Tumors of which the nature is not specified													
(a) Tumors of the ovary (nature unspecified)	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Tumors of the uterus (nature unspecified)	—	—	—	—	—	—	—	—	—	—	—	—	—
(c) Tumors of other female genital organs (nature unspecified)	—	—	—	—	—	—	—	—	—	—	—	—	—
(d) Tumors of the brain (nature unspecified)	7	1	—	—	1	—	—	1	—	2	—	—	2
(e) Tumors of other organs (nature unspecified)	7	1	2	—	1	—	—	—	1	—	—	1	1
III. Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases	345	40	34	32	23	27	27	27	28	30	27	26	24
Acute rheumatic fever	17	—	2	1	1	2	2	1	1	4	1	1	1
Chronic rheumatism, osteoarthritis ..	31	4	6	2	2	1	3	2	3	2	2	3	1

TABLE NO. 18—Continued
 Showing the Number of Deaths in the State
 Arranged by Classes and Months, 1933

Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes mellitus	239	30	19	22	14	20	19	19	19	22	19	18	18
Scurvy	4	1	—	—	1	—	—	1	1	—	—	—	—
Pellagra	2	1	—	—	—	—	1	—	—	—	—	—	—
Rickets	—	—	—	—	—	—	—	—	—	—	—	—	—
Osteomalacia	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the pituitary body	1	—	—	—	—	—	—	1	—	—	—	—	—
Diseases of the thyroid and parathyroid glands	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Simple goiter	1	1	—	—	—	—	—	—	—	—	—	—	—
(b) Exophthalmic goiter	17	—	1	2	2	3	1	1	1	—	2	3	1
(c) Myxedema and cretinism	4	—	—	1	1	—	—	1	—	—	1	—	—
(d) Tetany	1	—	—	—	—	—	—	—	—	1	—	—	—
(e) Other diseases of the thyroid and parathyroid glands	1	—	—	1	—	—	—	—	—	—	—	—	—
Diseases of the thymus gland	19	2	4	3	1	1	1	1	1	—	2	1	2
Diseases of the adrenals (Addison's disease, not specified as tuberculous)	5	1	—	—	1	—	—	—	2	—	—	—	1
Other general diseases	3	—	2	—	—	—	—	—	—	1	—	—	—
IV. Diseases of the Blood and Blood-Making Organs	103	11	8	7	16	8	6	8	10	8	5	10	6
Hemorrhagic conditions	—	—	—	—	—	—	—	—	1	—	—	—	—
(a) Primary purpuras	1	—	—	—	—	—	—	—	1	—	—	—	—
(b) Hemophilia	8	—	2	1	3	—	1	1	—	—	—	—	—
Anemias	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Pernicious anemia	38	3	3	2	6	6	3	1	3	3	2	4	2
(b) Other anemias	14	4	2	—	2	1	—	—	2	2	—	1	—
Leukemias and pseudoleukemias	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) True leukemias	25	2	—	2	2	1	1	4	—	5	2	4	2
(b) Pseudoleukemias (Hodgkin's disease)	14	2	1	1	2	—	1	—	4	—	1	1	1
Diseases of the spleen	2	—	—	1	1	—	—	—	—	—	—	—	—
Other diseases of the blood and blood-making organs	1	—	—	—	—	—	—	—	—	—	—	—	1
V. Chronic Poisonings and Intoxications	35	3	—	3	1	7	4	1	—	6	5	3	2
Alcoholism (acute or chronic)	27	2	—	1	—	5	3	1	—	5	5	3	2
Chronic poisoning by other organic substances	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Occupational	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Other chronic poisoning by organic substances	4	—	—	1	—	2	—	—	—	1	—	—	—
Chronic poisoning by mineral substances	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Lead	4	1	—	1	1	—	1	—	—	—	—	—	—
(b) Occupational (except lead)	—	—	—	—	—	—	—	—	—	—	—	—	—
(c) Other chronic poisoning by mineral substances	—	—	—	—	—	—	—	—	—	—	—	—	—
VI. Diseases of the Nervous System and of the Organs of Special Sense	1,298	158	105	132	111	103	86	84	100	98	102	117	102
Encephalitis (nonepidemic)	9	1	1	3	—	2	—	—	—	1	—	1	—
Meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Simple meningitis	18	1	2	3	2	1	1	—	—	—	3	2	3
(b) Nonepidemic cerebrospinal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Progressive locomotor ataxia (tabes dorsalis)	8	—	2	2	1	1	2	—	—	—	—	—	—
Other diseases of the spinal cord	28	6	1	2	2	3	1	2	5	2	1	2	1

TABLE NO. 18—Continued
 Showing the Number of Deaths in the State
 Arranged by Classes and Months, 1933

Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
Cerebral hemorrhage, cerebral embolism and thrombosis	1,008	113	83	105	81	81	65	72	81	76	82	89	80
(a) Cerebral hemorrhage	74	12	5	6	4	4	10	2	2	8	7	7	7
(b) Cerebral embolism and thrombosis	6	3	—	—	—	1	—	—	—	1	—	—	1
(c) Softening of the brain	21	3	1	1	3	—	—	1	3	3	2	3	1
(d) Hemiplegia and other paralysis cause unspecified	23	4	2	—	2	3	1	2	2	1	1	2	3
General paralysis of the insane	4	—	1	—	—	—	—	—	1	1	—	1	—
Dementia praecox and other psychoses	17	3	—	3	3	—	3	—	1	2	—	—	—
Epilepsy	13	1	1	2	4	1	—	—	1	—	1	1	1
Convulsions (under 5 years of age)	—	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases of the nervous system	41	7	1	3	5	3	2	4	3	2	1	7	3
(a) Neuralgia and neuritis	2	1	—	—	—	—	—	—	—	—	—	—	—
(b) Other diseases of the nervous system	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the organs of vision	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the ear and of the mastoid process	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Diseases of the ear	11	1	3	1	1	1	—	1	1	—	1	—	1
(b) Diseases of the mastoid process	12	1	2	1	3	2	—	—	—	1	—	1	1
VII. Diseases of the Circulatory System	3,069	354	271	287	240	256	213	218	224	207	233	261	305
Pericarditis	6	1	—	1	—	1	—	—	—	—	—	—	1
Acute endocarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Specified as acute	26	1	1	2	4	1	5	1	—	1	3	3	4
(b) Unspecified (under 45 years of age)	—	—	—	—	—	—	—	—	—	—	—	—	—
Chronic endocarditis, valvular diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Endocarditis, specified as chronic and other valvular diseases	616	78	54	66	46	36	40	40	48	50	47	46	65
(b) Endocarditis, unspecified (45 years and over)	10	—	1	1	—	2	—	2	2	1	—	1	—
Diseases of the myocardium	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Acute myocarditis	65	11	4	9	7	6	4	3	5	4	5	3	4
(b) Myocarditis, unspecified (under 45 years of age)	4	—	—	2	—	—	—	—	1	—	—	1	—
(c) Chronic myocarditis and myocardial degeneration	691	88	63	68	62	63	45	45	41	45	43	55	73
(d) Unspecified	97	13	8	12	12	7	8	5	6	6	10	3	7
Diseases of the coronary arteries and angina pectoris	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Angina pectoris	340	30	26	23	31	30	24	30	24	22	31	36	33
(b) Diseases of the coronary arteries	281	24	27	28	19	26	16	18	26	13	28	26	30
Other diseases of the heart	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Functional diseases of the heart	11	1	—	1	—	2	3	—	—	1	—	2	1
(b) Other and unspecified	405	46	42	26	31	40	29	43	32	23	20	34	39
Aneurysm (except of the heart)	7	—	—	2	—	—	1	1	—	1	2	—	—
Arteriosclerosis (diseases of the coronary arteries excepted)	462	55	39	43	26	39	33	25	35	36	41	44	46
Gangrene	20	1	3	—	1	2	3	3	—	1	4	1	1
Other diseases of the arteries	18	4	2	1	—	1	1	1	3	—	4	—	1
Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2	—	—	—	—	—	1	—	—	1	—	—	—
Diseases of the lymphatic system, lymphangitis, etc.	2	—	1	1	—	—	—	—	—	—	—	—	—
Idiopathic anomalies of the blood-pressure	3	—	—	1	1	—	—	—	1	—	—	—	—
Other diseases of the circulatory system	3	1	—	—	—	—	—	1	—	1	—	—	—

TABLE NO. 18—Continued
 Showing the Number of Deaths in the State
 Arranged by Classes and Months, 1933

Causes of Death	Total	Months											
		January	February	March	April	May	June	July	August	September	October	November	December
VIII. Diseases of the Respiratory System	783	154	88	75	68	44	35	31	26	27	56	85	94
Diseases of the nasal fossae and annexa	2	2	—	—	—	—	—	—	—	—	—	—	—
(a) Diseases of the nasal fossae	2	2	—	—	—	—	—	—	—	—	—	—	—
(b) Others under this title	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of the larynx	5	2	—	1	1	—	—	—	1	—	—	—	—
Bronchitis	39	12	3	3	1	2	3	3	—	2	3	3	4
(a) Acute	24	6	1	3	3	2	1	1	2	—	1	2	2
(b) Chronic	—	—	—	—	—	—	—	—	—	—	—	—	—
(c) Unspecified (under 5 years of age)	4	1	—	1	—	—	—	—	—	—	—	1	1
(d) Unspecified (5 years and over)	5	—	1	—	—	—	—	—	—	—	—	1	2
Broncho pneumonia (including capillary bronchitis)	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Bronchopneumonia	323	79	38	30	21	13	8	9	12	14	25	37	37
(b) Capillary bronchitis	5	1	1	—	—	—	—	1	1	—	—	1	—
Lobar pneumonia	280	41	33	22	28	19	14	10	8	10	23	33	39
Pneumonia, unspecified	41	5	5	7	6	4	3	2	1	—	—	3	5
Pleurisy	19	1	1	3	4	2	—	2	1	1	1	1	2
Congestion, edema, embolism, hemorrhagic infarct and thrombosis of the lungs	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Pulmonary embolism and thrombosis	3	—	—	—	1	—	—	1	—	—	1	—	—
(b) Others under this title	17	3	1	—	1	1	4	1	—	—	1	3	2
Asthma	9	1	1	3	2	—	1	1	—	—	—	—	—
Pulmonary emphysema	1	—	—	1	—	—	—	—	—	—	—	—	—
Other diseases of the respiratory system (tuberculosis excepted)	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Chronic interstitial pneumonia including occupational diseases of the respiratory system	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Others, including gangrene of the lung	3	—	—	1	—	1	—	—	—	—	1	—	—
IX. Diseases of the Digestive System	565	43	51	58	30	43	55	40	50	54	51	37	53
Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Diseases of the pharynx and tonsils	26	3	4	2	1	3	1	1	1	2	2	2	4
(b) Others under this title	3	—	1	1	—	—	—	—	1	—	—	—	—
Diseases of the esophagus	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer of the stomach and duodenum	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Ulcer of the stomach	31	2	3	4	1	1	3	3	2	5	2	1	4
(b) Ulcer of the duodenum	14	3	1	—	1	1	2	—	1	—	2	1	2
Others diseases of the stomach (cancer excepted)	37	2	2	8	4	1	6	2	2	4	2	2	2
Diarrhea and enteritis (under 2 years of age)	69	5	7	8	5	3	3	3	7	15	6	3	4
Diarrhea and enteritis (2 years and over)	29	3	1	1	—	3	2	3	—	4	3	3	6
Appendicitis	121	10	13	8	10	9	12	8	13	7	10	6	15
Hernia, intestinal obstruction	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Hernia	36	2	3	3	—	4	3	2	6	1	7	3	2
(b) Intestinal obstruction	53	4	4	7	1	4	3	6	8	5	3	5	3
Other diseases of the intestines	12	—	4	1	1	2	2	—	—	1	—	—	1
Cirrhosis of the liver	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Specified as alcoholic	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Not specified as alcoholic	38	3	3	5	3	5	5	2	2	1	4	1	4

TABLE NO. 18—Concluded

Showing the Number of Deaths in the State
Arranged by Classes and Months, 1933

Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
Suicide by other means	—	—	—	—	—	—	—	—	—	—	—	—	—
Infanticide (murder of infants less than 1 year of age)	—	—	—	—	—	—	—	—	—	—	—	—	—
Homicide by firearms	18	—	—	2	—	3	4	1	1	4	2	—	1
Homicide by cutting or piercing instruments	2	—	—	—	—	1	—	—	—	—	—	—	1
Homicide by other means	5	1	—	—	2	—	—	1	1	—	—	—	—
Attack by venomous animals	2	—	—	—	1	—	—	—	—	1	—	—	—
Poisoning by food	5	—	1	—	—	1	1	—	—	—	1	—	1
Accidental absorption of poisonous gas	8	—	—	1	1	1	3	2	—	—	—	—	—
Other acute accidental poisonings (gas excepted)	19	—	2	—	1	2	3	—	1	—	1	5	4
Conflagration	27	7	3	1	1	7	1	1	1	—	3	—	2
Accidental burns (conflagration excepted)	6	1	1	—	1	1	—	—	—	1	—	2	2
Accidental mechanical suffocation	89	4	6	6	6	4	17	14	14	11	2	3	2
Accidental drowning	19	1	—	—	—	—	—	1	1	—	2	12	2
Accidental traumatism by firearms (wounds of war excepted)	—	—	—	—	—	—	—	—	—	—	—	—	—
Accidental traumatism by cutting or piercing instruments (wounds of war excepted)	—	—	—	—	—	—	—	—	—	—	—	—	—
Accidental traumatism by fall, crushing, landslide	166	10	10	17	10	10	15	10	14	14	22	15	19
(a) Accidental traumatism by fall	4	—	—	—	—	—	—	—	1	—	—	2	1
(b) Accidental traumatism by crushing, landslide	—	—	—	—	—	—	—	—	—	—	—	—	—
Cataclysm (all deaths attributed to a cataclysm regardless of their nature)	6	1	2	—	—	1	—	—	—	1	—	—	1
Injuries by animals	1	—	—	—	—	—	—	—	—	—	—	—	—
Hunger and thirst	5	2	1	2	—	—	—	—	—	—	—	1	—
Excessive cold	1	—	—	—	—	—	—	—	—	—	—	—	—
Excessive heat	5	—	—	—	—	—	—	1	4	—	—	—	—
Lightning	5	—	—	—	—	—	—	—	2	1	1	1	—
Accidents due to electric currents	2	1	—	—	—	—	—	—	—	—	1	—	—
Other accidents	56	6	5	4	8	1	6	2	3	5	10	3	3
(a) Foreign bodies	—	—	—	—	—	—	—	—	—	—	—	—	—
(b) Others under this title	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent deaths of which the nature (accident, suicide, homicide) is unknown	—	—	—	—	—	—	—	—	—	—	—	—	—
Wounds of war	—	—	—	—	—	—	—	—	—	—	—	—	—
Execution of civilians by belligerent armies	—	—	—	—	—	—	—	—	—	—	—	—	—
Legal executions	—	—	—	—	—	—	—	—	—	—	—	—	—
Accidental traumatism in mines and quarries	1	—	—	—	—	—	—	—	1	—	—	—	—
Accidents from agricultural machinery	3	—	—	—	—	1	—	—	—	1	1	—	—
Elevator accidents	—	—	—	—	—	—	—	—	—	—	—	—	—
Accidents from machinery used for recreation	7	1	—	2	1	1	—	—	—	—	—	—	2
Other machinery accidents	8	—	—	—	—	—	3	1	—	2	1	—	1
Railroad and automobile collisions	16	—	2	2	—	—	1	1	1	3	4	1	1
Other railroad accidents	—	—	—	—	—	—	—	—	—	—	—	—	—
Street car and automobile collisions	1	—	—	—	—	—	1	—	—	—	—	—	—
Other street car accidents	186	11	11	10	5	10	8	18	23	25	22	28	15
Automobile accidents	4	—	—	—	1	—	—	—	—	1	2	—	—
Motor-cycle accidents	9	—	1	2	—	2	—	1	—	1	1	1	—
Other land transportation accidents	30	—	—	1	1	6	2	1	12	5	2	—	—
Water transportation accidents	—	—	—	—	—	—	—	—	—	—	—	—	—
Air transportation accidents	—	—	—	—	—	—	—	—	—	—	—	—	—
XVIII. Ill-Defined Causes of Death	113	13	5	9	12	6	6	8	7	9	12	9	17
Sudden death	36	2	1	3	3	2	3	4	2	4	3	3	6
Cause of death not specified or ill-defined	—	—	—	—	—	—	—	—	—	—	—	—	—
(a) Ill-defined	26	7	1	1	3	1	1	1	—	3	4	1	3
(b) Not specified or unknown	51	4	3	5	6	3	2	3	5	2	5	5	8

REGISTRATION REPORT

TABLE
Deaths from All Causes

Causes of Death	Total					Total under 5	5- 9	
		Under 1	1 and under 2	2	3 4			
General Diseases	11,156	1,008	118	47	43	31	1,247	127
I. Infectious and Parasitic Diseases	881	52	31	14	18	4	119	20
II. Cancers and Other Tumors	1,226	—	1	1	—	—	2	4
III. Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases	345	15	5	—	2	—	22	5
IV. Diseases of the Blood and Blood-Making Organs	103	12	1	—	1	1	15	2
V. Chronic Poisonings and Intoxications	35	—	—	—	—	—	—	—
VI. Diseases of the Nervous System and of the Organs of Special Sense	1,298	21	5	5	2	2	35	9
VII. Diseases of the Circulatory System	3,069	2	—	—	—	—	2	2
VIII. Diseases of the Respiratory System	783	116	32	7	7	2	164	9
IX. Diseases of the Digestive System	565	79	22	6	9	9	125	18
X. Diseases of the Genitourinary System	927	—	1	—	—	1	2	4
XI. Diseases of Pregnancy, Childbirth and the Puerperal State	107	—	—	—	—	—	—	—
XII. Diseases of the Skin and Cellular Tissue ...	14	3	—	—	—	—	3	—
XIII. Diseases of the Bones and Organs of Loco- motion	7	—	—	—	—	—	—	—
XIV. Congenital Malformations	113	102	5	4	—	—	111	—
XV. Diseases of Early Infancy	548	548	—	—	—	—	548	—
XVI. Senility	171	—	—	—	—	—	—	—
XVII. Violent and Accidental Deaths	851	17	14	9	3	12	55	53
XVIII. Ill-Defined Causes of Death	113	41	1	1	1	—	44	1

CAUSES OF DEATHS, BY CLASSES AND GROUPS

NO. 19

by Age-Groups, 1933

10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 and over	Unknown
101	162	211	192	209	228	333	374	518	688	924	1,123	1,317	1,368	1,091	635	257	46	5	—
21	41	61	59	41	45	56	42	39	60	59	52	46	50	37	24	6	3	—	—
2	—	4	9	14	30	51	59	112	114	154	179	197	142	103	33	12	4	1	—
9	4	4	4	6	8	9	10	18	33	41	53	46	44	21	7	1	—	—	—
2	—	3	1	4	3	4	5	12	6	9	8	14	7	5	2	1	—	—	—
—	1	—	1	3	2	3	3	5	8	3	2	2	1	1	—	—	—	—	—
2	12	8	5	8	13	28	37	63	87	120	164	205	221	151	90	37	2	1	—
4	6	10	9	13	24	46	75	104	187	309	374	497	549	465	270	102	19	2	—
11	11	14	11	17	16	25	35	26	33	47	53	69	80	75	57	28	2	—	—
14	16	12	15	23	23	30	28	34	45	37	45	39	23	21	11	6	—	—	—
2	7	9	14	12	12	23	27	43	59	87	128	141	153	123	60	20	1	—	—
—	10	25	23	27	16	5	1	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	1	2	—	2	1	—	2	—	—	3	—	—	—	—	—	—
—	1	2	—	—	—	1	—	—	—	—	1	1	—	1	—	—	—	—	—
—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	6	27	42	47	34	14	1	—
34	51	57	41	39	31	44	48	57	47	48	58	47	58	41	32	9	1	—	—
—	1	1	—	1	3	8	2	4	9	8	6	7	10	5	2	1	—	—	—

TABLE
Deaths from All Causes

Causes of Death	Total	Under 1	1 and under 2	2	3	4	Total under 5	5-9
I. Infectious and Parasitic Diseases	881	52	31	14	18	4	119	20
Typhoid fever	15	—	—	—	—	—	—	—
Paratyphoid fever	—	—	—	—	—	—	—	—
Typhus fever	—	—	—	—	—	—	—	—
Relapsing fever	—	—	—	—	—	—	—	—
Undulant fever	1	—	—	—	—	—	—	—
Smallpox	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—
Scarlet fever	13	—	3	—	3	1	7	3
Whooping-cough	16	10	3	1	—	—	14	1
Diphtheria	14	1	—	1	4	—	6	4
Influenza	—	—	—	—	—	—	—	—
(a) With respiratory complications specified	218	14	6	3	5	1	29	1
(b) Without respiratory complications specified	138	17	9	4	3	—	33	5
Cholera	—	—	—	—	—	—	—	—
Dysentery	—	—	—	—	—	—	—	—
(a) Amebic	—	—	—	—	—	—	—	—
(b) Bacillary	—	—	—	—	—	—	—	—
(c) Unspecified or due to other causes	1	—	—	—	—	1	1	—
Plague	—	—	—	—	—	—	—	—
Erysipelas	14	1	1	—	—	—	2	—
Acute poliomyelitis and acute polioencephalitis	7	—	1	1	1	—	3	1
Lethargic epidemic encephalitis	7	1	1	1	—	—	3	—
Epidemic cerebrospinal meningitis	6	1	2	—	—	—	3	—
Glanders	—	—	—	—	—	—	—	—
Anthrax (bacillus anthracis) malignant pustule	—	—	—	—	—	—	—	—
Rabies	—	—	—	—	—	—	—	—
Tetanus	4	—	—	—	—	—	—	1
Tuberculosis of the respiratory system	300	1	1	1	1	—	4	2
Tuberculosis of the meninges and central nervous system	10	1	2	1	—	—	4	—
Tuberculosis of the intestines and peritoneum	24	—	2	2	—	—	2	1
Tuberculosis of the vertebral column	10	—	—	—	—	—	—	—
Tuberculosis of the bones and joints (vertebral column excepted)	—	—	—	—	—	—	—	—
(a) Tuberculosis of the bones	1	—	—	—	—	—	—	—
(b) Tuberculosis of the joints	2	—	—	—	—	—	—	—
Tuberculosis of the skin and subcutaneous cellular tissue	1	—	—	—	—	—	—	—
Tuberculosis of the lymphatic system (bronchial, mesenteric and retroperitoneal glands excepted)	1	—	—	—	—	—	—	—
Tuberculosis of the genitourinary system	5	—	—	—	—	—	—	—
Tuberculosis of other organs	1	—	—	—	—	—	—	—
Disseminated tuberculosis	—	—	—	—	—	—	—	—
(a) Acute	10	—	—	—	—	—	—	1
(b) Chronic	—	—	—	—	—	—	—	—
(c) Unspecified	2	—	—	—	—	—	—	—
Syphilis	36	5	1	—	—	—	6	—
Gonococcus infection and other venereal diseases	7	—	—	—	—	—	—	—
Purulent infection, septicemia (nonpuerperal)	13	—	1	1	—	—	2	—
Malaria	1	—	—	—	—	—	—	—
Other diseases due to protozoal parasites	—	—	—	—	—	—	—	—
Ankylostomiasis	—	—	—	—	—	—	—	—
Hydatid cysts	—	—	—	—	—	—	—	—
(a) Of the liver	—	—	—	—	—	—	—	—
(b) Of other organs	—	—	—	—	—	—	—	—
Other diseases caused by helminths	—	—	—	—	—	—	—	—
Mycoses	1	—	—	—	—	—	—	—
Other infectious and parasitic diseases	—	—	—	—	—	—	—	—
(a) Chicken-pox	—	—	—	—	—	—	—	—
(b) German measles	—	—	—	—	—	—	—	—
(c) Others under this title	2	—	—	—	—	—	—	—

TABLE
Deaths from All Causes

Causes of Death	Total	Under 1	1 and under 2	2	3	4	Total under 5	5-9
II. Cancers and Other Tumors	1,226	—	1	1	—	—	2	4
Cancer and other malignant tumors of the buccal cavity and pharynx.....	49	—	—	—	—	—	—	—
Cancer and other malignant tumors of the digestive tract and peritoneum.....	598	—	—	—	—	—	—	1
Cancer and other malignant tumors of the respiratory system.....	34	—	—	—	—	—	—	1
Cancer and other malignant tumors of the uterus.....	159	—	—	—	—	—	—	—
Cancer and other malignant tumors of other female genital organs.....	23	—	—	—	—	—	—	—
Cancer and other malignant tumors of the breast.....	107	—	—	—	—	—	—	—
Cancer and other malignant tumors of the male genitourinary organs.....	95	—	1	1	—	—	2	1
Cancer and other malignant tumors of the skin.....	25	—	—	—	—	—	—	—
Cancer and other malignant tumors of other or unspecified organs.....	90	—	—	—	—	—	—	1
Nonmalignant tumors	—	—	—	—	—	—	—	—
(a) Nonmalignant tumors of the ovary.....	—	—	—	—	—	—	—	—
(b) Nonmalignant tumors of the uterus.....	21	—	—	—	—	—	—	—
(c) Nonmalignant tumors of other female genital organs.....	—	—	—	—	—	—	—	—
(d) Nonmalignant tumors of the brain.....	3	—	—	—	—	—	—	—
(e) Nonmalignant tumors of other organs.....	8	—	—	—	—	—	—	—
Tumors of which the nature is not specified	—	—	—	—	—	—	—	—
(a) Tumors of the ovary (nature unspecified).....	—	—	—	—	—	—	—	—
(b) Tumors of the uterus (nature unspecified).....	—	—	—	—	—	—	—	—
(c) Tumors of other female genital organs (nature unspecified).....	—	—	—	—	—	—	—	—
(d) Tumors of the brain (nature unspecified).....	7	—	—	—	—	—	—	—
(e) Tumors of other organs (nature unspecified).....	7	—	—	—	—	—	—	—
III. Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases	345	15	5	2	—	—	22	5
Acute rheumatic fever.....	17	—	—	—	—	—	—	—
Chronic rheumatism, osteoarthritis.....	31	—	—	—	—	—	—	—
Gout.....	—	—	—	—	—	—	—	—
Diabetes mellitus.....	239	—	—	—	—	—	—	5
Scurvy.....	—	—	—	—	—	—	—	—
Pellagra.....	4	—	—	—	—	—	—	—
Rickets.....	2	—	2	—	—	—	2	—
Osteomalacia.....	—	—	—	—	—	—	—	—
Diseases of the Pituitary body.....	1	—	—	—	—	—	—	—
Diseases of the thyroid and parathyroid glands.....	—	—	—	—	—	—	—	—
(a) Simple goiter.....	1	—	—	—	—	—	—	—
(b) Exophthalmic goiter.....	17	—	—	—	—	—	—	—
(c) Myxedema and cretinism.....	4	—	—	—	—	—	—	—
(d) Tetany.....	1	—	—	—	—	—	—	—
(e) Other diseases of the thyroid and parathyroid glands.....	1	—	—	—	—	—	—	—
Diseases of the thymus gland.....	19	15	2	2	—	—	19	—
Diseases of the adrenals (Addison's disease, not specified as tuberculous).....	5	—	—	—	—	—	—	—
Other general diseases.....	3	—	1	—	—	—	1	—
IV. Diseases of the Blood and Blood-Making Organs	103	12	1	1	1	—	15	2
Hemorrhagic conditions	—	—	—	—	—	—	—	—
(a) Primary purpuras.....	1	—	—	—	—	—	—	1
(b) Hemophilia.....	8	8	—	—	—	—	8	—
Anemias	—	—	—	—	—	—	—	—
(a) Pernicious anemia.....	38	—	—	—	—	—	—	—
(b) Other anemias.....	14	4	1	—	—	—	5	—
Leukemias and pseudoleukemias	—	—	—	—	—	—	—	—
(a) True leukemias.....	25	—	—	1	1	—	2	—
(b) Pseudoleukemias (Hodgkin's disease).....	14	—	—	—	—	—	—	1
Diseases of the spleen.....	2	—	—	—	—	—	—	—
Other diseases of the blood and blood-making organs.....	1	—	—	—	—	—	—	—

TABLE
Deaths from All Causes

Causes of Death	Total	Under 1	1 and under 2	2	3	4	Total under 5	5-9
Other diseases of the arteries	18	—	—	—	—	—	—	—
Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2	—	—	—	—	—	—	—
Diseases of the lymphatic system lymphangitis, etc.	2	1	—	—	—	—	—	1
Idiopathic anomalies of the blood pressure	3	—	—	—	—	—	—	—
Other diseases of the circulatory system	3	—	—	—	—	—	—	—
VIII. Diseases of the Respiratory System	783	116	32	7	7	2	164	9
Diseases of the nasal fossae and annexa	—	—	—	—	—	—	—	—
(a) Diseases of the nasal fossae	2	—	—	1	—	—	—	1
(b) Others under this title	3	—	—	—	—	—	—	—
Diseases of the larynx	5	—	2	—	1	—	3	1
Bronchitis	—	—	—	—	—	—	—	—
(a) Acute	39	10	—	—	1	—	11	—
(b) Chronic	24	1	—	—	—	1	2	1
(c) Unspecified (under 5 yrs. of age)	4	4	—	—	—	—	4	—
(d) Unspecified (5 yrs. and over)	5	—	—	—	—	—	—	—
Bronchopneumonia (including capillary bronchitis)	—	—	—	—	—	—	—	—
(a) Bronchopneumonia	323	66	19	1	4	—	90	3
(b) Capillary bronchitis	5	2	2	1	—	—	5	—
Lobar pneumonia	280	17	9	3	1	1	31	2
Pneumonia, unspecified	41	12	—	1	—	—	13	—
Pleurisy	19	1	—	—	—	—	1	1
Congestion, edema embolism, hemorrhagic infarct and thrombosis of the lungs	—	—	—	—	—	—	—	—
(a) Pulmonary embolism and thrombosis	3	—	—	—	—	—	—	—
(b) Others under this title	17	3	—	—	—	—	3	1
Asthma	9	—	—	—	—	—	—	—
Pulmonary emphysema	1	—	—	—	—	—	—	—
Other diseases of the respiratory system (tuberculosis excepted)	—	—	—	—	—	—	—	—
(a) Chronic interstitial pneumonia including occupational diseases of the respiratory system	—	—	—	—	—	—	—	—
(b) Others, including gangrene of the lung	3	—	—	—	—	—	—	—
IX. Diseases of the Digestive System	565	79	22	6	9	9	125	18
Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetation)	—	—	—	—	—	—	—	—
(a) Diseases of the pharynx and tonsils	26	1	2	—	2	—	5	4
(b) Others under this title	3	1	—	—	—	—	1	—
Diseases of the esophagus	—	—	—	—	—	—	—	—
Ulcer of the stomach and duodenum	—	—	—	—	—	—	—	—
(a) Ulcer of the stomach	31	—	—	—	—	—	—	—
(b) Ulcer of the duodenum	14	—	—	—	—	—	—	—
Other diseases of the stomach (cancer excepted)	37	8	5	—	—	1	14	—
Diarrhea and enteritis (under 2 yrs. of age)	69	60	9	—	—	—	69	—
Diarrhea and enteritis (2 yrs. and over)	29	—	4	2	3	—	9	—
Appendicitis	121	1	4	1	5	3	14	12
Hernia, intestinal obstruction	—	—	—	—	—	—	—	—
(a) Hernia	36	—	—	—	—	—	—	—
(b) Intestinal obstruction	53	2	—	1	—	1	4	—
Other diseases of the intestines	12	2	—	—	—	—	2	—
Cirrhosis of the liver	—	—	—	—	—	—	—	—
(a) Specified as alcoholic	—	—	—	—	—	—	—	—
(b) Not specified as alcoholic	38	—	—	—	—	—	—	1
Other diseases of the liver (including yellow atrophy of liver)	—	—	—	—	—	—	—	—
(a) Yellow atrophy of liver	3	—	—	—	—	—	—	—
(b) Others under this title	16	1	1	—	—	1	3	1
Biliary calculi	36	—	—	—	—	—	—	—
Other diseases of the gall-bladder and biliary passages	25	—	—	—	—	—	—	—
Diseases of the pancreas	1	—	—	—	—	—	—	—
Peritonitis, cause not specified	15	3	1	—	—	—	4	—

TABLE
Deaths from All Causes

Causes of Death	Total	Under 1	1 and under 2	2	3	4	Total under 5	5-9
X. Diseases of the Genitourinary System	927	—	1	—	—	1	2	4
Acute nephritis (including unspecified under 10 years of age)	33	—	—	—	—	1	1	—
Chronic nephritis	746	—	—	—	—	—	—	1
Nephritis unspecified (10 years and over)	42	—	—	—	—	—	—	3
Other diseases of the kidneys and ureters (puerperal diseases excepted)	16	—	1	—	—	—	1	—
Calculi of the urinary passages	11	—	—	—	—	—	—	—
Diseases of the bladder (tumors excepted)	9	—	—	—	—	—	—	—
Diseases of the urethra, urinary abscess, etc.	—	—	—	—	—	—	—	—
(a) Stricture of the urethra	2	—	—	—	—	—	—	—
(b) Others under this title	2	—	—	—	—	—	—	—
Diseases of the prostate	50	—	—	—	—	—	—	—
Diseases of the male genital organs, not specified as venereal	—	—	—	—	—	—	—	—
Diseases of the female genital organs, not specified as venereal	—	—	—	—	—	—	—	—
(a) Cysts of the ovary	4	—	—	—	—	—	—	—
(b) Other diseases of the ovaries and diseases of the tubes and parametrium	10	—	—	—	—	—	—	—
(c) Diseases of the uterus	2	—	—	—	—	—	—	—
(d) Nonpuerperal diseases of the breast (cancer excepted)	—	—	—	—	—	—	—	—
(e) Other diseases of the female genital organs	—	—	—	—	—	—	—	—
XI. Diseases of pregnancy, Childbirth and the Puerperal state	107	—	—	—	—	—	—	—
Abortion with septic conditions	5	—	—	—	—	—	—	—
Abortion without mention of septic conditions (to include hemorrhages)	6	—	—	—	—	—	—	—
Ectopic gestation	—	—	—	—	—	—	—	—
(a) With septic conditions specified	—	—	—	—	—	—	—	—
(b) Without mention of septic conditions	4	—	—	—	—	—	—	—
Other accidents of pregnancy (not to include hemorrhages)	—	—	—	—	—	—	—	—
Puerperal hemorrhage	—	—	—	—	—	—	—	—
(a) Placenta praevia	7	—	—	—	—	—	—	—
(b) Other puerperal hemorrhages	7	—	—	—	—	—	—	—
Puerperal septicemia (not specified as due to abortion)	—	—	—	—	—	—	—	—
(a) Puerperal septicemia and pyemia	22	—	—	—	—	—	—	—
(b) Puerperal tetanus	—	—	—	—	—	—	—	—
Puerperal albuminuria and eclampsia	19	—	—	—	—	—	—	—
Other toxemias of pregnancy	4	—	—	—	—	—	—	—
Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	17	—	—	—	—	—	—	—
Other accidents of childbirth	—	—	—	—	—	—	—	—
(a) Cesarean operation	4	—	—	—	—	—	—	—
(b) Others under this title	10	—	—	—	—	—	—	—
Other and unspecified conditions of the puerperal state	2	—	—	—	—	—	—	—
XII. Diseases of the Skin and Cellular Tissue	14	3	—	—	—	—	3	—
Furuncle, carbuncle	5	—	—	—	—	—	—	—
Phlegmon, acute abscess	9	3	—	—	—	—	3	—
Other diseases of the skin and annaxa and of the cellular tissue	—	—	—	—	—	—	—	—
XIII. Diseases of the Bones and Organs of Locomotion	7	—	—	—	—	—	—	—
Osteomyelitis	5	—	—	—	—	—	—	—
Other diseases of the bones (tuberculosis excepted)	1	—	—	—	—	—	—	—
Diseases of the joints and other organs of locomotion	—	—	—	—	—	—	—	—
(a) Diseases of the joints (tuberculosis and rheumatism excepted)	—	—	—	—	—	—	—	—
(b) Diseases of other organs of locomotion	1	—	—	—	—	—	—	—

TABLE
Deaths from All Causes

Causes of Death	Total	Under 1	1 and under 2	2	3	4	Tota under 5	5-9
XIV. Congenital Malformations								
Congenital malformations (stillbirths not included)	113	102	5	4			111	—
(a) Congenital hydrocephalus	19	15	2	2			19	—
(b) Spina bifida and meningocele	15	14	1				15	—
(c) Congenital malformations of the heart	55	49	2	2			53	—
(d) Other congenital malformations	24	24					24	—
XV. Diseases of Early Infancy	548	548					548	—
Congenital debility	89	89					89	—
Premature birth	311	311					311	—
Injury at birth								
(a) Cesarean operation	1	1					1	—
(b) Without Cesarean operation	90	90					90	—
Other diseases peculiar to early infancy								
(a) Atelectasis	20	20					20	—
(b) Icterus of the new-born	9	9					9	—
(c) Sclerema	—	—					—	—
(d) Others under this title	28	28					28	—
XVI. Senility	171							
Senility	171							
XVII. Violent and Accidental Deaths	851	17	14	9	3	12	55	53
Suicide by solid or liquid poisons or by absorption of corrosive substances	6							
Suicide by poisonous gas	13							
Suicide by hanging or strangulation	26							
Suicide by drowning	20							
Suicide by firearms	61							
Suicide by cutting or piercing instruments	8							
Suicide by jumping from high places	1							
Suicide by crushing	—							
Suicide by other means	—							
Infanticide (murder of infants less than 1 year of age)	—							
Homicide by firearms	18							
Homicide by cutting or piercing instruments	2							1
Homicide by other means	5							
Attack by venomous animals	2						2	—
Poisoning by food	5							1
Accidental absorption of poisonous gas	8	1	2	1			4	—
Other acute accidental poisonings (gas excepted)	19		1	1			4	—
Conflagration	27	1	4	2	1	2	10	2
Accidental burns (conflagration excepted)	6	5					5	—
Accidental mechanical suffocation	89	1	1	2		2	6	12
Accidental traumatism by firearms (wounds of war excepted)	19				1		1	2
Accidental traumatism by cutting or piercing instruments (wounds of war excepted)	—							
Accidental traumatism by fall, crushing, landslide								
(a) Accidental traumatism by fall	166		1				1	4
(b) Accidental traumatism by crushing, landslide	4							
Cataclysm (all deaths attributed to a cataclysm regardless of their nature)	—							
Injuries by animals	6							
Hunger and thirst	1							
Excessive cold	5							
Excessive heat	1							
Lightning	5							
Accidents due to electric currents	5							
Other accidents								
(a) Foreign bodies	2		1	1			2	—
(b) Others under this title	56	8					8	2

TABLE
Deaths from All Causes

Causes of Death	Total	Under 1	1 and under 2	2	3	4	Total under 5	5- 9
Violent deaths of which the nature (accident, suicide, homicide) is unknown	—	—	—	—	—	—	—	—
Wounds of war	—	—	—	—	—	—	—	—
Execution of civilians by belligerent armies	—	—	—	—	—	—	—	—
Legal executions	—	—	—	—	—	—	—	—
Accidental traumatism in mines and quarries	1	—	—	—	—	—	—	—
Accidents from agricultural machinery	3	—	—	—	—	—	—	—
Elevator accidents	—	—	—	—	—	—	—	—
Accidents from machinery used for recreation	—	—	—	—	—	—	—	—
Other machinery accidents	7	—	—	—	—	—	—	—
Railroad and automobile collisions	8	—	—	—	—	—	—	—
Other railroad accidents	16	—	—	—	—	—	—	1
Street car and automobile collisions	—	—	—	—	—	—	—	—
Other street car accidents	1	—	—	—	—	—	—	—
Automobile accidents	186	1	4	2	1	3	11	24
Motor-cycle accidents	4	—	—	—	—	—	—	—
Other land transportation accidents	9	—	—	—	—	—	—	2
Water transportation accidents	30	—	—	—	—	1	1	2
Air transportation accidents	—	—	—	—	—	—	—	—
XVIII. Ill-Defined Causes of Death	113	41	1	1	1	—	44	1
Sudden death	36	7	—	—	1	—	8	—
Cause of death not specified or ill-defined	—	—	—	—	—	—	—	—
(a) Ill-defined	26	5	—	1	—	—	6	—
(b) Not specified or unknown	51	29	1	—	—	—	30	1

REGISTRATION REPORT

TABLE 20
Number of Deaths from Several Specified Causes of Each Sex, in Each Month,
which were Registered during Forty-Two Years, 1893-1933

	Measles	Scarlet fever	Whooping-cough	Diphtheria and croup	Typhoid fever	Pulmonary tuberculosis	Diarrhea and enteritis (Under 2 years)	Pneumonia	Bronchitis	Cerebral hemorrhage Apoplexy
Totals	1,799	921	2,854	4,107	5,002	32,375	15,833	41,421	6,963	35,863
Males	895	419	1,326	2,070	2,909	15,322	—	21,101	3,164	17,444
Females	900	502	1,528	2,036	2,092	17,052	—	20,313	3,799	18,419
Not stated	4	—	—	1	1	1	—	7	—	—
January	190	93	290	440	401	2,813	324	5,838	889	3,356
February	166	91	285	348	315	2,824	284	5,761	823	3,188
March	214	119	290	280	398	3,274	332	5,822	928	3,239
April	239	84	273	270	354	3,199	332	4,950	804	3,020
May	225	79	251	290	341	3,182	367	3,847	508	3,099
June	182	67	216	249	283	2,696	451	2,099	437	2,777
July	148	47	183	224	273	2,555	1,742	1,086	302	2,637
August	85	33	224	235	409	2,384	4,613	885	221	2,728
September	53	48	225	289	608	2,210	4,523	1,309	284	2,786
October	73	74	205	444	668	2,420	1,974	2,628	489	2,967
November	108	95	188	520	503	2,257	529	2,970	510	2,874
December	116	91	221	518	442	2,545	359	4,215	662	3,188
Not stated	—	—	3	—	7	16	3	11	6	4

TABLE NO. 21
Deaths 1892—1933

Years	Total deaths	Males	Females	Not stated	Death-rate per 1,000
1892	12,147	5,939	6,175	33	18.19
1893	11,134	5,557	5,551	26	16.59
1894	11,012	5,570	5,422	20	16.33
1895	10,464	5,226	5,228	10	15.44
1896	10,626	5,350	5,268	8	15.60
1897	11,236	5,624	5,606	6	16.42
1898	10,956	5,506	5,447	3	15.93
1899	11,370	5,676	5,686	8	16.45
1900	11,389	5,734	5,649	6	16.40
1901	11,133	5,604	5,523	6	15.94
1902	10,673	5,454	5,216	3	15.19
1903	11,009	5,629	5,378	2	15.58
1904	11,346	5,868	5,468	10	15.97
1905	11,381	5,835	5,545	1	15.92
1906	11,427	5,925	5,497	5	15.90
1907	11,803	6,100	5,700	3	16.33
1908	11,664	6,060	5,602	2	16.05
1909	11,295	5,743	5,551	1	15.45
1910	12,439	6,427	6,012	—	16.62
1911	11,731	6,119	5,612	—	15.68
1912	11,390	5,865	5,523	2	15.27
1913	11,552	6,003	5,549	—	15.35
1914	11,648	6,161	5,487	—	15.24
1915	11,541	6,095	5,444	2	14.96
1916	11,772	6,139	5,633	—	15.38
1917	11,407	5,994	5,413	—	14.53
1918	14,187	7,324	6,859	4	17.78
1919	10,919	5,556	5,363	—	13.53
1920	11,850	6,063	5,787	—	15.43
1921	10,875	5,570	5,305	—	14.07
1922	11,480	6,002	5,478	—	14.76
1923	11,693	6,112	5,581	—	15.07
1924	10,785	5,593	5,192	—	13.76
1925	10,847	5,669	5,178	—	13.88
1926	11,416	5,999	5,417	—	14.45
1927	10,977	5,738	5,239	—	13.80
1928	11,037	5,758	5,279	—	13.99
1929	11,375	6,051	5,324	—	14.37
1930	11,084	5,947	5,137	—	13.90
1931	10,557	5,655	4,902	—	13.19
1932	10,797	5,734	5,061	2	13.44
1933	11,156	5,937	5,219	—	13.83
Average	11,347	5,855	5,488	3	15.28

TABLE NO. 22
Deaths, 1892-1933

Years	Largest Number	Smallest Number
1892	January 1,577	November 790
1893	August 1,080	November 796
1894	January 1,266	November 761
1895	March 1,053	June 715
1896	August 1,079	November 667
1897	March 1,259	June 769
1898	September 1,147	June 791
1899	February 1,049	June 768
1900	April 1,196	November 769
1901	March 1,132	June 789
1902	December 998	June 805
1903	January 1,006	June 786
1904	April 1,116	July 800
1905	March 1,197	July 768
1906	August 1,133	January 822
1907	March 1,177	July 844
1908	January 1,128	June 818
1909	March 1,178	July 831
1910	March 1,149	June 844
1911	March 1,223	June 791
1912	January 1,052	November 836
1913	March 1,180	July 791
1914	March 1,105	June 817
1915	April 1,279	November 813
1916	February 1,200	November 819
1917	January 1,208	August 746
1918	October 2,708	July 777
1919	January 1,402	July 729
1920	February 1,710	July 803
1921	April 996	August 836
1922	March 1,170	August 763
1923	February 1,413	July 798
1924	March 1,025	September 738
1925	April 1,067	July 783
1926	April 1,251	August 745
1927	April 1,015	July 817
1928	May 1,028	August 819
1929	January 1,460	September 761
1930	March 1,039	August 810
1931	March 1,028	September 795
1932	March 1,069	August 760
1933	January 1,348	July 774

TABLE NO. 23
Age and Mortality Rates for 1933
Number of Deaths and Percentage of Each Age-Period Compared
with Total Number of Deaths

Age-Periods	Number	Rate
Under 1 year of age	1,008	9.03
From 1-5 years of age	239	2.14
From 5-10 years of age	127	1.14
From 10-20 years of age	263	2.36
From 20-30 years of age	403	3.61
From 30-40 years of age	437	3.92
From 40-50 years of age	707	6.34
From 50-60 years of age	1,206	10.81
From 60-70 years of age	2,047	18.35
From 70-80 years of age	2,685	24.07
From 80-90 years of age	1,726	15.47
From 90-100 years of age	303	2.72
100 years of age and over	5	0.04
Age not stated	0	—

TABLE NO. 24
Communicable Diseases—Cases and Deaths by Months, 1933

	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
Cerebrospinal meningitis													
Cases	—	3	1	1	2	1	1	1	—	—	1	—	11
Deaths	—	3	—	1	1	1	—	—	—	—	—	—	6
Chicken-pox													
Cases	251	141	150	202	143	191	123	30	39	113	269	251	1,903
Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria													
Cases	5	9	6	2	5	7	3	1	1	11	13	14	77
Deaths	3	—	—	2	—	1	1	1	—	3	3	—	14
German measles													
Cases	17	13	34	54	65	35	21	6	11	8	8	96	368
Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile paralysis													
Cases	6	—	—	—	2	1	1	9	24	14	8	2	67
Deaths	—	—	—	—	1	1	1	—	1	2	1	—	7
Measles													
Cases	3	9	7	15	15	10	15	8	7	7	9	5	110
Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
Mumps													
Cases	41	80	204	124	59	15	11	10	20	10	17	9	600
Deaths	1	—	—	—	—	—	—	—	—	—	—	—	1
Tuberculosis (all kinds)													
Cases	46	64	38	92	78	67	76	59	74	32	55	27	708
Deaths	26	28	32	34	36	39	37	29	27	22	28	29	367
Scarlet fever													
Cases	139	126	60	120	83	46	30	16	22	29	48	34	753
Deaths	3	2	—	1	4	—	1	—	—	—	2	—	13
Smallpox													
Cases	—	—	—	—	—	—	—	—	—	—	—	—	—
Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis													
Cases	31	40	34	33	32	19	57	27	26	30	35	35	399
Deaths	1	2	2	5	6	2	1	4	3	6	4	—	36
Typhoid fever													
Cases	2	7	5	8	8	18	13	14	20	20	12	10	137
Deaths	1	—	—	—	2	2	3	1	1	3	2	—	15
Whooping-cough													
Cases	99	70	82	70	61	55	38	75	137	100	213	270	1,270
Deaths	3	—	2	4	1	—	—	—	—	2	1	3	16
Influenza													
Cases	3,457	1,356	10	105	75	7	11	5	10	19	3	34	5,092
Deaths	171	87	20	16	6	8	2	4	4	11	9	18	356

TABLE NO. 24—Concluded
Communicable Diseases—Cases and Deaths by Counties, 1933

		Androscoggin	Aroostook	Cumberland	Franklin	Hancock	Kennebec	Knox	Lincoln	Oxford	Penobscot	Piscataquis	Sagadahoc	Somerset	Waldo	Washington	York	Total
Cerebrospinal meningitis	Cases	2	4	2	—	2	1	—	—	—	—	—	—	—	—	—	—	11
	Deaths	1	2	1	—	1	1	—	—	—	—	—	—	—	—	—	—	6
Chicken-pox	Cases	251	17	482	144	92	193	56	33	80	227	78	46	49	48	5	102	1,903
	Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	Cases	14	13	7	1	—	1	—	2	4	5	3	—	3	—	1	18	77
	Deaths	3	5	1	—	—	—	—	—	1	1	—	—	—	—	—	4	14
German measles	Cases	4	—	72	9	144	11	4	1	1	49	3	3	1	—	57	9	368
	Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile paralysis	Cases	7	4	19	—	—	12	3	2	1	1	8	2	1	—	3	4	67
	Deaths	3	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—	7
Measles	Cases	18	6	37	2	7	4	5	—	3	5	—	4	2	1	3	13	110
	Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mumps	Cases	6	28	176	5	6	2	1	13	—	5	1	4	1	1	—	351	600
	Deaths	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Tuberculosis (all kinds)	Cases	75	107	97	11	28	55	23	11	27	82	16	5	23	15	77	56	708
	Deaths	24	34	43	5	15	43	14	6	19	49	7	4	58	5	16	25	367
Scarlet fever	Cases	94	61	152	24	6	29	10	29	37	42	5	20	13	14	16	201	753
	Deaths	2	1	5	—	1	1	—	—	—	1	—	—	—	1	1	—	13
Smallpox	Cases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	Cases	11	38	142	4	12	26	25	—	16	54	9	5	13	6	34	4	399
	Deaths	3	1	14	—	—	6	—	1	2	4	—	1	1	—	—	—	2
Typhoid fever	Cases	11	28	25	4	5	5	2	2	8	11	2	2	6	7	5	14	137
	Deaths	2	3	1	—	—	1	—	—	—	5	—	—	—	—	—	—	1
Whooping-cough	Cases	258	30	381	40	90	69	90	45	31	37	—	118	3	12	—	66	1,270
	Deaths	2	—	5	—	2	1	—	1	—	1	—	—	—	1	—	2	16
Influenza	Cases	106	429	349	618	89	207	159	12	88	320	1,030	11	121	41	59	1,453	5,092
	Deaths	26	58	35	17	18	40	12	3	20	29	11	3	17	10	17	40	356

CAUSES OF DEATHS, BY CLASSES AND GROUPS

TABLE NO. 25

Chief Causes

Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Measles	Mumps	Tuberculosis (all kinds)	Scarlet fever	Smallpox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 years of age)	Encephalitis lethargic	Cancer	Pneumonia
Androscoggin County	1	3				24	2		3	2	2	26	4	1	108	55	
Auburn						4	1		1				1	1	19	7	
Durham													1		2	1	
Greene																	
Leeds	1	3				15	1		2	2	1	14	2	1	70	33	
Lewiston						2						3			3	7	
Lisbon						1										1	
Livermore																1	
Livermore Falls						2					1	2	1		1	2	
Mechanic Falls													1		3	1	
Minot																	
Poland																3	
Turner																1	
Wales																5	
Webster																1	
Arostook County	2	5				34	1		1	3		58	29		85	69	
Amity						1											
Ashland													3	1	1	3	
Bancroft																	
Benedicta																	
Blaine																	
Bridgewater						1											
Caribou			1			3			1	1		3	4		6	5	
Castle Hill													1		1	1	
Chapman															2	1	
Connor						2							2				
Crystal																	
Eagle Lake	1					1				1			2		3	1	
Easton															1	3	
Fort Fairfield						2							4		10	5	
Fort Kent						1							6	2	7		
Frenchville			1										3			1	
Grand Isle						1							1	1			
Haynesville																	
Hersey																	
Hodgdon						1							1		1	2	
Houlton						3							6		11	15	
Island Falls													2		2		
Limestone													2		3	3	
Linneus													1			1	
Littleton													2				
Ludlow																	
Madawaska			1			1							6	3	1		
Mapleton	1														1		
Mars Hill														2	2	2	
Masardis																1	
Monticello														1	1	3	
New Limerick						2										1	
New Sweden															2	2	
Oakfield															1		
Orient						1											
Perham													1			1	
Portage Lake																1	
Presque Isle						12	1						4	2	13	7	
Saint Agatha			2										3	1	3	3	
Sherman																	
Smyrna																1	
Stockholm						1							2	2		1	
Van Buren													2	1	3		

TABLE NO. 25—

Aroostook County—Continued

Chief Causes

Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Measles	Mumps	Tuberculosis (all kinds)	Scarlet fever	Smallpox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 years of age)	Encephalitis lethargic	Cancer	Pneumonia
Wade																	
Washburn														1		1	1
Westfield																	1
Weston																1	
Woodland																	2
Allagash Pl.																	1
Caswell Pl.																	
Cyr Pl.													1				
Glenwood Pl.																	
Hamlin Pl.													1				1
Hammond Pl.																	1
Macwahoc Pl.													1				
New Canada Pl.							1										
Reed Pl.																	
St. Francis Pl.														2			3
St. John Pl.														1			
Wallagrass Pl.														1			
Winterville Pl.																1	
Cumberland County	1	1				143	5	14	1	5	35	4	1	229	138		
Baldwin													1				
Bridgton													3			3	3
Brunswick							2									11	7
Cape Elizabeth																1	2
Casco													2			1	
Cumberland																2	1
Falmouth												1		1		4	
Freeport							1									1	2
Gorham							1		1							7	4
Gray													1			4	3
Harpswell													1			1	1
Harrison																4	1
Naples																	
New Gloucester							3		1							3	2
North Yarmouth																1	
Otisfield																	
Portland	1	1				126	5	11	1	3	10			1	154	91	
Pownal																	1
Raymond																	
Scarboro									1					1		2	1
Sebago						1							1			1	2
South Portland						1					1	4		2		13	5
Standish											1					3	1
Westbrook						6					3					10	9
Windham						2										1	2
Yarmouth																2	
Franklin County						5					17		1		28	12	
Avon						1											
Carthage																	
Chesterville													1			1	
Eustis																	
Farmington						1						4				7	1
Freeman																1	1
Industry													1			1	1

Kennebec County—Continued

Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Measles	Mumps	Tuberculosis (all kinds)	Scarlet fever	Smallpox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 years of age)	Encephalitis lethargic	Cancer	Pneumonia
Benton						1											2
Chelsea																	1
China													2				
Clinton						1											
Farmingdale													2				
Fayette																	
Gardiner	1					4						6				17	4
Hallowell						3						1				4	1
Litchfield																3	2
Manchester						3										2	1
Monmouth																	
Mt. Vernon																	2
Oakland							2						4			5	1
Pittston						1			1				1			8	1
Randolph																1	1
Readfield																3	1
Rome																	1
Sidney																2	
Vassalboro																4	1
Vienna																	1
Waterville						9			2	1		13				23	8
Wayne																	1
West Gardiner																2	1
Windsor																	1
Winslow						2						3		1		2	2
Winthrop						1										3	2
Togus													2			6	5
Unity Pl.						3											
Knox County						14							12		1	58	12
Appleton																2	
Camden						4				1						7	3
Cushing																4	
Friendship						2											
Hope																1	1
North Haven						1											
Owl's Head																	
Rockland						1						6		1		20	3
Rockport																3	1
St. George						3										3	
South Thomaston																4	
Thomaston						2					2					4	
Union																2	
Vinalhaven						1										4	
Warren													1			2	2
Washington												2				1	2
Matinicus Isle Pl.																2	
Lincoln County						6		1	1	3			1			38	16
Alna						1											
Boothbay						1										3	
Boothbay Harbor						2					1					4	4
Bremen																	
Bristol											1					4	1
Damariscotta																4	1
Dresden														1		1	
Edgecomb																2	1
Jefferson						1						2				2	

TABLE NO. 25—

Chief Causes

Lincoln County—Continued

Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Measles	Mumps	Tuberculosis (all kinds)	Scarlet fever	Smallpox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 years of age)	Encephalitis lethargic	Cancer	Pneumonia
Newcastle																	1
Nobleboro							1									4	1
Somerville																	1
South Bristol																1	1
Southport																7	1
Waldoboro																4	—
Westport																2	4
Whitefield																	—
Wiscasset																	4
Monhegan																	—
Oxford County							19		2			20	3		52	28	
Albany																1	—
Andover							2				2						2
Bethel											3						—
Brownfield																3	—
Buckfield												2					—
Byron																	1
Canton																	2
Denmark							1										1
Dixfield												2					1
Fryeburg							1									4	5
Gilead																	—
Greenwood																1	—
Hanover																	—
Hartford																1	—
Hebron							10					2					—
Hiram																1	—
Lovell																	2
Mexico																6	2
Norway																3	3
Oxford													1			2	2
Paris													2			9	1
Peru							1					1					—
Porter																2	2
Roxbury																	—
Rumford							2		1			2		1		9	4
Stoneham																1	—
Stow																	—
Sumner							1					1				1	2
Sweden																	—
Upton																	—
Waterford							1		1							2	3
Woodstock																	—
Milton Pl.																1	—
Penobscot County			1				49	1	4	5	1	29	4	3	142	80	
Alton													1				—
Argyle																	—
Bangor			1				27	1	4	1	1	2	2		61	34	
Bradford							1										1
Bradley																	3
Brewer							3									12	5
Burlington																1	—
Carmel																1	1
Carroll																	—
Charleston																1	—
Chester																	—
Clifton																1	—
Corinna													1			2	4
Corinth													1			2	1

Penobscot County—Continued

Chief Causes

Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Measles	Mumps	Tuberculosis (all kinds)	Scarlet fever	Smallpox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 years of age)	Encephalitis lethargic	Cancer	Pneumonia
Dexter							1				1					4	3
Dixmont																2	
Drew							1										
East Millinocket																	
Eddington																1	1
Enfield							1						1			3	
Etna							1									1	1
Exeter							1									1	1
Garland							1									3	
Glenburn																	1
Greenbush																	
Hampden																3	3
Hermon							1									1	1
Holden																	
Howland																	
Hudson																	
Kenduskeag													1			1	
Kingman																	1
Lagrange																1	
Lee																	1
Levant							1							1		5	1
Lincoln																1	2
Mattawamkeag													1			1	1
Medway																	
Millford												1		1	2	1	1
Millinocket							1				1					2	1
Mount Chase																	
Newburg							1						1			2	1
Newport										2			2			6	1
Old Town							3				2		7		1	5	5
Orono							2									6	1
Orrington							1									1	1
Passadumkeag																1	
Patten																2	1
Plymouth																2	
Prentiss																	
Springfield																1	
Stetson							2									2	
Veazie																2	1
Winn																1	1
Woodville																1	
Stacyville Pl.												1					
Webster Pl.																	
Piscataquis County							7					11		2	20	13	
Abbot																1	2
Atkinson																	
Bowerbank																1	1
Brownville																2	3
Dover-Foxcroft							3				1					2	1
Greenville																5	
Guilford							1										
Medford														1			
Milo													3			4	2
Monson							2					4				1	
Orneville																1	
Parkman																	
Sangerville							1									1	1
Sebec													2			1	1

Piscataquis County—Continued

Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Measles	Mumps	Tuberculosis (all kinds)	Scarlet fever	Smallpox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 years of age)	Encephalitis lethargic	Cancer	Pneumonia
	Wellington																1
Williamsburg																	1
Willimantic																	1
Elliottsville Pl.																	—
Kingsbury Pl.																	—
Sagadahoc County							4			1		1	3			21	15
Arrowsic																	—
Bath							2					1	1			10	9
Bowdoin										1						3	1
Bowdoinham							1									4	—
Georgetown																	—
Phippsburg																	—
Richmond							1									3	3
Topsham													1			1	1
West Bath													1			—	1
Woolwich																	—
Somerset County							58			1	1		17	2		41	28
Anson							2						1			1	4
Athens													1			2	—
Bingham																3	—
Cambridge																	—
Canaan													1				—
Concord																	1
Cornville							1									1	—
Detroit																1	—
Embden																1	—
Fairfield							42						3			4	3
Harmony																2	1
Hartland							2						1			1	—
Madison							1						1			1	—
Mercer																	1
Moscow							1										—
New Portland							1									1	—
Norridgewock													1			3	—
Palmyra													1				2
Pittsfield							1									3	5
Ripley							1						1				1
St. Albans							1									1	1
Skowhegan							2							2		13	4
Smithfield																1	1
Solon							1										—
Starks									1							2	1
Bigelow Pl.																1	—
Caratunk Pl.							1										—
Dead River Pl.																	—
Jackman Pl.							1				1						2
Lexington Pl.																	—
The Forks Pl.																	—
Waldo County							5	1				1	10	1		31	15
Belfast							2							1		9	5
Belmont																1	—
Brooks													2			2	1

TABLE NO. 25—

Chief Causes

Washington County—Continued

Counties and Towns	Cerebrospinal meningitis	Chicken-pox	Diphtheria	German measles	Measles	Mumps	Tuberculosis (all kinds)	Scarlet fever	Smallpox	Syphilis	Typhoid fever	Whooping-cough	Influenza	Diarrhea and enteritis (under 2 years of age)	Encephalitis lethargic	Cancer	Pneumonia
	Waite																1
Whiting																	—
Whitneyville																	—
Codyville Pl.																	—
Grand Lake Stream Pl.																1	1
York County		4				25			2	1	2	40		8	1	114	67
Acton													1			2	2
Alfred													1			4	2
Berwick													1			4	2
Biddeford		1				7				1		14				33	23
Buxton													2			1	2
Cornish						1										1	—
Dayton																1	—
Eliot						1						4				3	—
Hollis																1	—
Kennebunk																9	2
Kennebunkport						1								1		1	—
Kittery						1			2				1			2	2
Lebanon			1			1								1		1	1
Limerick						1										2	4
Limington																	—
Lyman												1					—
Newfield																	—
North Berwick			1			1										2	—
North Kennebunkport																	—
Old Orchard Beach													1			7	1
Parsonfield													1			1	1
Saco						2							4			8	10
Sanford			1			6						2	7	4	1	24	4
Shapleigh																	2
South Berwick						1										4	3
Waterboro													1			3	—
Wells													2			3	3
York						2							1			3	3

REGISTRATION REPORT

TABLE NO. 26
Notifiable Diseases, 1926-1933

Diseases	1926	1927	1928	1929	1930	1931	1932	1933	Total
Smallpox	—	—	—	1	—	—	—	—	1
Measles	66	76	37	57	12	22	53	—	323
Scarlet fever	20	34	17	11	13	16	17	13	141
Influenza	476	313	284	532	213	223	200	356	2,597
Whooping-cough	90	81	53	38	56	55	17	16	406
Diphtheria and croup	22	30	25	14	26	20	17	14	168
Tetanus	8	6	9	6	2	5	1	4	41
Typhoid fever	21	27	36	24	30	25	20	15	198

Smallpox—There were no deaths from smallpox in 1933. No deaths were due to this disease from 1892, when our registration law went into effect, until 1899, when there were three deaths; in 1900, 2; in 1902, 12; in 1903, 7; in 1904, 3. In 1912 there were 4 deaths from this cause, (all children). In 1913, 1914, 1919 and 1923 there were 2 deaths in each of these years and in 1929 there was one death.

Measles—There were no deaths from measles in 1933.

TABLE NO. 27
Measles by Counties, Months and Age-Periods, 1896-1933

By Counties	By Months		By Age-Periods		
Androscoggin	194	January	176	Under 1	494
Aroostook	270	February	160	1-5	654
Cumberland	244	March	194	5-10	140
Franklin	37	April	223	10-20	114
Hancock	43	May	209	20-30	62
Kennebec	174	June	172	30-40	57
Knox	45	July	137	40-50	53
Lincoln	16	August	80	50-60	38
Oxford	95	September	51	Over 60	71
Penobscot	153	October	69	Not stated	3
Piscataquis	27	November	104	—	—
Sagadahoc	26	December	111	—	—
Somerset	102	Not stated	—	—	—
Waldo	34	—	—	—	—
Washington	73	—	—	—	—
York	153	—	—	—	—
State	1,686	Total	1,686	Total	1,686

Scarlet fever—The total mortality from this disease was 13, 7 males and 6 females. (36 in 1892, 35 in 1900, 40 in 1910 and 21 in 1920). The scarletinal death-rate per 10,000 for this state was 0.16.

TABLE NO. 28

Scarlet Fever by Counties, Months and Age-Periods, 1893-1933

By Counties		By Months		By Age-Periods	
Androscoggin	88	January	85	Under 1	70
Aroostook	122	February	87	1-5	359
Cumberland	109	March	115	5-10	238
Franklin	15	April	79	10-20	117
Hancock	36	May	75	20-30	50
Kennebec	63	June	64	30-40	29
Knox	33	July	47	40-50	9
Lincoln	13	August	33	50-60	9
Oxford	29	September	47	Over 60	3
Penobscot	110	October	72	Not stated	1
Piscataquis	20	November	92		—
Sagadahoc	22	December	89		—
Somerset	29	Not stated	—		—
Waldo	19		—		—
Washington	49		—		—
York	128		—		—
State	885	Total	885	Total	885

Influenza—There was 356 deaths from influenza, 178 males and 178 females. The death-rate for the whole state was 4.41. (11.43 in 1892; 3.40 in 1900; 1.68 in 1910 and 6.21 in 1920).

Whooping-Cough—The number of deaths from whooping-cough was 16. (54 in 1892, 99 in 1900, 104 in 1910 and 127 in 1920) of which 3 were males and 13 females. Ten of the 16 deaths from this cause were among infants under 1 year of age. Rate 0.20.

Diphtheria—There were for the year 1933, 14 deaths from diphtheria. Of the decedents, 7 were males and 7 females. The diphtheria death-rate for the state was 0.17.

The number of deaths in the cities from diphtheria in 1933: Bangor, 1; Biddeford, 1; Lewiston, 3; Portland, 1.

The special death-rate from this disease was Bangor, 0.34; Biddeford, 0.56; Lewiston, 0.84; Portland, 0.14.

REGISTRATION REPORT

TABLE NO. 29

Diphtheria by Counties, Months and Age-Periods, 1893-1933

By Counties		By Months		By Age-Periods	
Androscoggin	448	January	420	Under 1 year	440
Aroostook	716	February	334	1-5	1,721
Cumberland	728	March	268	5-10	1,061
Franklin	57	April	255	10-20	427
Hancock	81	May	264	20-30	91
Kennebec	342	June	233	30-40	54
Knox	133	July	211	40-50	38
Lincoln	47	August	225	50-60	28
Oxford	129	September	268	60-70	14
Penobscot	323	October	419	Over 70	14
Piscataquis	37	November	502	Not stated	7
Sagadahoc	102	December	493		—
Somerset	134	Not stated	3		—
Waldo	49		—		—
Washington	172		—		—
York	397		—		—
State	3,895	Total	3,895	Total	3,895

Typhoid Fever—There were 15 deaths from typhoid fever. Of these 9 were males and 6 were females.

The number of deaths in the cities from typhoid fever in 1933: Bangor, 1; Biddeford, 1; Lewiston, 2; Old Town, 2; Portland, 1; Waterville, 1.

The special death-rate from this disease, Bangor, 0.34; Biddeford, 0.56; Lewiston, 0.56; Old Town, 2.72; Portland, 0.14; Waterville, 0.62; State, 0.18.

TABLE NO. 30

Typhoid Fever by Counties, Months and Age-Periods, 1893-1933

By Counties		By Months		By Age-Periods	
Androscoggin	374	January	391	Under 1	28
Aroostook	479	February	312	1-5	171
Cumberland	730	March	386	5-10	267
Franklin	90	April	350	10-20	1,042
Hancock	172	May	328	20-30	1,366
Kennebec	442	June	272	30-40	740
Knox	128	July	265	40-50	502
Lincoln	74	August	394	50-60	322
Oxford	194	September	568	60-70	205
Penobscot	821	October	626	70-80	103
Piscataquis	130	November	464	Over 80	20
Sagadahoc	90	December	429	Not stated	26
Somerset	180	Not stated	7		—
Waldo	120		—		—
Washington	230		—		—
York	538		—		—
State	4,792	Total	4,792	Total	4,792

Malarial Disease—Nearly every year a few deaths have been reported to the department as having been caused by malaria, or malarial disease. Almost without exception when there was good reason to believe that the deaths had malarial cause, the infection was contracted outside the state. For the year 1933 one death was reported.

Infantile Paralysis—An epidemic of Infantile Paralysis caused 26 deaths in 1916, 12 males and 14 females. In 1917, 5 deaths occurred from this disease. In 1918, 7; in 1919, 3; in 1920, 10; in 1921, 15; in 1922, 3; in 1923, 6; in 1924, 13; in 1925, 10; in 1926, 9; in 1927, 22; in 1928, 13; in 1929, 7; in 1930, 27; in 1931, 12; in 1932, 6; while in 1933 there were 7 deaths, all males.

The death-rate per 10,000 from this disease was 0.08.

Cerebrospinal Meningitis—In 1933, 6 deaths from cerebrospinal meningitis occurred in the state, 4 males and 2 females. Rate 0.07.

Pellagra—In the year 1933 there were 4 deaths from pellagra, 3 males and one female. No deaths from that disease were recorded prior to 1911. Rate 0.05.

Tuberculosis (All Kinds)—The whole number of deaths from tuberculosis (all kinds) in the year 1933 was, in the whole state, 367; in the cities, 139; in the state exclusive of the cities, 228. Sex of decedents 193 males and 174 females. Rate 4.55.

In Auburn, 4; Augusta, 13; Bangor, 27; Bath, 2; Belfast, 2; Biddeford, 7; Brewer, 3; Calais, 5; Eastport, 2; Ellsworth, 4; Gardiner, 4; Hallowell, 3; Lewiston, 15; Old Town, 3; Portland, 26; Rockland, 1; Saco, 2; So. Portland, 1; Waterville, 9; and Westbrook, 6.

The special death-rate from this cause was: In Auburn, 2.10; Augusta, 7.17; Bangor, 9.12; Bath, 2.19; Belfast, 4.00; Biddeford, 3.96; Brewer, 4.68; Calais, 9.14; Eastport, 5.77; Ellsworth, 10.79; Gardiner, 7.08; Hallowell, 11.21; Lewiston, 4.18; Old Town, 4.07; Portland, 3.65; Rockland, 1.07; Saco, 2.72; So. Portland, 0.66; Waterville, 5.59; and Westbrook, 5.35.

TABLE NO. 31
Tuberculosis (All Kinds) by Counties and Months, 1933

Counties	January	February	March	April	May	June	July	August	September	October	November	December	Total	Death-rate per 10,000	
Androscoggin	2	3	2	2	3	—	—	—	1	1	2	1	1	24	3.29
Aroostook	2	2	1	3	4	4	—	—	3	1	4	1	34	3.79	
Cumberland	4	6	4	5	7	—	—	—	3	2	3	—	43	3.13	
Franklin	1	1	1	1	—	—	—	—	1	1	—	—	5	2.50	
Hancock	1	1	3	4	3	1	1	1	1	—	—	4	15	4.86	
Kennebec	2	5	3	4	3	3	1	3	5	—	—	7	43	5.91	
Knox	—	—	1	1	3	2	2	1	1	1	1	—	14	4.97	
Lincoln	—	—	2	1	—	—	—	—	—	—	—	—	3	3.87	
Oxford	2	—	2	1	2	4	2	1	—	4	—	—	19	4.46	
Penobscot	3	3	5	—	—	—	—	—	2	—	5	4	49	5.22	
Piscataquis	1	—	4	2	—	—	—	—	—	—	—	—	7	3.34	
Sagadahoc	1	—	—	—	—	—	—	—	1	1	—	—	4	2.36	
Somerset	5	3	4	4	7	6	3	4	1	1	5	6	58	14.61	
Waldo	—	—	1	—	—	—	—	—	2	1	—	—	5	2.46	
Washington	2	1	2	2	1	3	3	2	1	1	—	—	16	4.23	
York	1	4	2	3	1	6	1	2	3	2	2	1	25	3.33	
State	26	28	32	34	36	39	37	29	27	22	28	29	367	4.55	

REGISTRATION REPORT

TABLE NO. 32
Tuberculosis (All Kinds) by Sex and Age-Periods, 1933

Sex	Under 1	1- 5	5- 10	10- 20	20- 30	30- 40	40- 50	50- 60	60- 70	70- 80	80 and over	Not stated	Total
Males	1	6	2	12	34	24	37	27	32	16	2	—	193
Females	1	2	2	21	55	24	18	19	17	10	5	—	174
Total	2	8	4	33	89	48	55	46	49	26	7	—	367

TABLE NO. 33
Tuberculosis, 1892-1933

Years	Tuberculosis (all kinds)	Death-rate per 10,000	Pulmonary Tuberculosis	Death-rate per 10,000
1892.....	1,513	22.88	1,352	20.24
1893.....	1,446	21.87	1,299	19.35
1894.....	1,449	21.92	1,262	18.80
1895.....	1,397	21.13	1,195	17.71
1896.....	1,359	20.56	1,172	17.21
1897.....	1,338	20.30	1,128	16.47
1898.....	1,239	18.74	1,021	14.85
1899.....	1,241	17.96	1,015	14.69
1900.....	1,215	17.50	1,027	14.79
1901.....	1,250	18.00	1,033	14.87
1902.....	1,165	16.78	970	13.97
1903.....	1,076	15.49	901	12.97
1904.....	1,217	17.52	1,016	14.63
1905.....	1,109	15.30	894	12.50
1906.....	1,176	16.36	915	12.73
1907.....	1,214	16.80	950	13.14
1908.....	1,145	15.75	893	12.29
1909.....	1,059	14.49	830	11.36
1910.....	1,117	15.05	889	11.98
1911.....	1,054	14.09	842	11.25
1912.....	995	13.23	780	10.37
1913.....	977	12.91	736	9.72
1914.....	931	12.09	712	9.25
1915.....	933	12.03	730	9.41
1916.....	865	11.32	716	9.16
1917.....	887	11.30	718	9.15
1918.....	926	11.60	721	9.03
1919.....	789	9.78	638	7.90
1920.....	798	10.40	609	7.93
1921.....	633	8.19	511	6.62
1922.....	639	8.21	535	6.88
1923.....	614	7.92	502	6.47
1924.....	532	6.84	444	5.70
1925.....	497	6.34	392	4.50
1926.....	560	7.08	462	5.85
1927.....	535	6.72	453	5.69
1928.....	478	6.06	383	4.85
1929.....	484	6.12	399	5.04
1930.....	461	5.78	371	4.65
1931.....	397	4.96	337	4.21
1932.....	396	4.93	322	4.00
1933.....	367	4.55	300	3.72

TABLE NO. 34
Pulmonary Tuberculosis by Counties and Months, 1933

Counties	January	February	March	April	May	June	July	August	September	October	November	December	Total	Death-rate per 10,000
Androscoggin	2	3	1	1	1	—	4	1	1	2	1	1	18	2.47
Aroostook	2	1	1	1	3	4	3	2	3	—	3	1	24	2.67
Cumberland	3	4	4	3	4	1	2	4	1	2	3	—	31	2.25
Franklin	—	—	1	1	—	—	1	1	—	1	—	—	5	2.50
Hancock	1	1	1	1	—	—	1	—	1	—	1	2	10	3.24
Kennebec	2	3	3	3	1	2	3	3	—	3	3	7	33	4.53
Knox	—	—	—	1	3	1	2	1	1	1	—	—	10	3.55
Lincoln	—	—	—	1	—	1	1	—	—	—	1	1	6	3.87
Oxford	2	—	2	1	2	2	2	1	—	4	1	2	19	4.46
Penobscot	3	3	5	4	4	6	6	3	2	—	4	3	43	4.58
Piscataquis	1	—	—	3	1	—	—	—	—	—	—	—	5	2.74
Sagadahoc	—	—	—	—	—	—	—	1	—	1	—	—	3	1.77
Somerset	5	2	3	4	7	6	3	4	8	2	4	6	54	13.60
Waldo	—	—	1	—	—	—	—	1	—	1	—	2	5	2.46
Washington	2	1	1	2	1	1	2	—	2	1	—	—	13	3.43
York	1	4	2	3	1	5	1	1	1	—	1	1	21	2.85
State	25	22	28	27	27	30	31	23	20	19	22	26	300	3.72

Pulmonary Tuberculosis—In 1933 the whole number of deaths from pulmonary tuberculosis was: in the state, 300; in the cities, 107; in the state, outside of the cities, 193. In Auburn, 3; Augusta, 12; Bangor, 24; Bath, 2; Belfast, 2; Biddeford, 5; Brewer, 3; Calais, 5; Eastport, 2; Ellsworth, 2; Gardiner, 1; Hallowell, 3; Lewiston, 11; Old Town, 3; Portland, 15; Rockland, 1; Saco, 2; So. Portland, 1; Waterville, 5; Westbrook, 5.

The special death-rate from this cause was: In Auburn, 1.57; Augusta, 6.62; Bangor, 8.11; Bath, 2.19; Belfast, 4.00; Biddeford, 2.83; Brewer, 4.68; Calais, 9.14; Eastport, 5.77; Ellsworth, 5.39; Gardiner, 1.77; Hallowell, 11.21; Lewiston, 3.06; Old Town, 4.07; Portland, 2.10; Rockland, 1.07; Saco, 2.72; So. Portland, 0.66; Waterville, 3.11; and Westbrook, 4.45.

As to the sex, 154 of the decedents were males and 146 were females. Rate 3.72.

TABLE NO. 35
Pulmonary Tuberculosis by Sex and Age-Periods, 1933

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80 and over	Not stated	Total
Males	—	2	1	8	27	22	30	20	31	11	2	—	154
Females	1	1	1	16	48	21	17	15	13	9	4	—	146
Total	1	3	2	24	75	43	47	35	44	20	6	—	300

TABLE NO. 36

Pulmonary Tuberculosis by Counties, Months and Age-Periods, 1893-1933

By Counties		By Months		By Age-Periods	
Androscoggin	2,368	January	2,667	Under 1	347
Aroostook	2,387	February	2,717	1-5	371
Cumberland	4,433	March	3,144	5-10	241
Franklin	646	April	3,072	10-20	3,346
Hancock	1,452	May	3,050	20-30	8,597
Kennebec	2,886	June	2,582	30-40	6,049
Knox	1,462	July	2,453	40-50	4,113
Lincoln	704	August	2,279	50-60	3,098
Oxford	1,347	September	2,112	60-70	2,686
Penobscot	3,871	October	2,295	70-80	1,677
Piscataquis	642	November	2,181	80 and over	410
Sagadahoc	768	December	2,454	Not stated	88
Somerset	2,114	Not stated	17		—
Waldo	1,081		—		—
Washington	2,077		—		—
York	2,785		—		—
State	31,023	Total	31,023	Total	31,023

Cerebral Tuberculosis (Tuberculous Meningitis)—The number of deaths was 10; 6 were males and 4 females.

The number for the cities was 5. Rate, 0.12.

Abdominal Tuberculosis—There were 24 deaths from this cause, 14 males and 10 females. The number for the cities was 11. Rate 0.29.

Rheumatism—The returns give 48 deaths from this cause, (68 in 1892, 56 in 1900, 56 in 1910 and 41 in 1920). 21 were males and 27 females. Rate, 0.59.

TABLE NO. 37

Rheumatism by Counties, Months and Age-Periods, 1893-1933

By Counties		By Months		By Age-Periods	
Androscoggin	127	January	184	Under 1	13
Aroostook	179	February	203	1-5	37
Cumberland	319	March	177	5-10	83
Franklin	44	April	165	10-20	192
Hancock	84	May	182	20-30	113
Kennebec	171	June	122	30-40	126
Knox	90	July	157	40-50	149
Lincoln	61	August	169	50-60	250
Oxford	112	September	133	60-70	380
Penobscot	218	October	133	70-80	421
Piscataquis	58	November	156	80 and over	191
Sagadahoc	48	December	174	Not stated	3
Somerset	87	Not stated	3		—
Waldo	78		—		—
Washington	91		—		—
York	191		—		—
State	1,958	Total	1,958	Total	1,958

Cancer—From cancer in its various forms and locations there were 1,180 deaths (404 in 1892, 526 in 1900, 762 in 1910 and 938 in 1920). Of the decedents 491 were males and 689 were females. The death rate was 14.63.

TABLE NO. 38
Cancer by Sex and Age-Periods, 1933

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	Over 80	Not stated	Total
Males	—	2	4	1	3	9	29	75	145	173	50	—	491
Females	—	—	—	—	6	30	71	140	181	161	100	—	689
Total	—	2	4	1	9	39	100	215	326	334	150	—	1,180

TABLE NO. 39
Cancer, 1933 and 1893-1933

Counties	1933		1893-1933		Age-Groups	No. of Deaths	
	No. of deaths	Death-rate per 10,000	Number of deaths	Mean death-rate per 10,000		1933	1893-1933
Androscoggin	108	14.83	2,963	11.45	Under 1	—	26
Aroostook	85	9.48	1,797	5.62	1-5	2	66
Cumberland	229	16.63	5,946	12.33	5-10	4	42
Franklin	28	14.02	834	10.57	10-20	1	99
Hancock	51	16.54	1,507	10.88	20-30	9	351
Kennebec	114	15.67	2,969	11.36	30-40	39	1,339
Knox	58	20.62	1,651	14.17	40-50	100	3,654
Lincoln	38	24.51	996	13.63	50-60	215	6,424
Oxford	52	12.20	1,441	9.60	60-70	326	9,050
Penobscot	142	15.14	3,679	10.51	70-80	334	8,330
Piscataquis	20	10.97	662	8.39	80 and over	150	3,323
Sagadahoc	21	12.41	883	10.39	Not stated	—	55
Somerset	41	10.33	1,480	9.94	—	—
Waldo	31	15.28	1,030	10.92	—	—
Washington	48	12.69	1,668	9.52	—	—
York	114	15.49	3,253	11.37	—	—
State	1,180	14.63	32,759	10.60	Total	1,180	32,759

Centenarians—Among the persons whose decease occurred in 1933, three women and two men had exceeded the age of 100 years. Their names together with a few facts relative to their life history are as follows:

Mary L. Shay, wife of Silas Shay and daughter of Thomas Lattie, died in Portland December 7, 1933, age 101 years, cause of death—cancer of liver.

Abel Brown, son of Jerry Brown and Emma Corson, died in Athens January 2, 1933, age 102 years, cause of death—apoplexy.

Martha A. Hopkins, daughter of Daniel Hopkins and Abigail Weeks died in Newcastle October 9, 1933, age 102 years, cause of death—myocarditis.

Anna M. Staples, daughter of David Staples and Elizabeth Bartoll died in Freeport August 1, 1933, age 102 years and 7 months, cause of death—arterio sclerosis.

Benjamin Woodbury, son of Robert Woodbury and Rachel Doyle died in Portland January 27, 1933, age 100 years and 8 months, cause of death—senility.

REGISTRATION REPORT

TABLE NO. 40

Old Age—1933

Counties	Deaths	Rate per 10,000	Counties	Deaths	Rate per 10,000
Androscoggin	416	57.11	Oxford	227	53.26
Aroostook	270	30.11	Penobscot	552	58.86
Cumberland	759	55.11	Piscataquis	110	60.34
Franklin	119	59.50	Sagadahoc	152	89.79
Hancock	240	77.80	Somerset	204	51.39
Kennebec	478	65.71	Waldo	150	73.94
Knox	214	76.08	Washington	209	55.25
Lincoln	155	100.00	York	464	63.04
			State	4,719	58.53

Diabetes—The deaths from this cause numbered 239. (55 in 1892, 74 in 1900, 127 in 1910 and 167 in 1920) 112 males and 127 females. 97 in the cities. Rate 2.96.

Diseases of the Nervous System and of Organs of Special Sense—The number of deaths registered under the causes included in this group was 1,298 (1,459 in 1892; 1,652 in 1900; 1,672 in 1910 and 1,396 in 1920) 16.09 to every 10,000 of population.

Lethargic Encephalitis—From this cause there were 7 deaths; 3 males and 4 females. Rate 0.08.

Apoplexy—From this cause, 1,008 deaths occurred (488 in 1892; 583 in 1900; 887 in 1910 and 1,029 in 1920) 497 males and 511 females. The State's death-rate from apoplexy was therefore 12.50.

TABLE NO. 41

Apoplexy by Sex and Age-Periods, 1933

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	Over 90	Not stated	Total
Males	—	—	—	—	—	4	21	54	124	183	97	14	—	497
Females	—	1	—	—	—	4	17	52	110	181	122	24	—	511
Total	—	1	—	—	—	8	38	106	234	364	219	38	—	1,008

TABLE NO. 42
Apoplexy, 1933 and 1896-1933

Counties	Number of deaths	1933	1893-1933	1896-1933
		Death-rate per 10,000	Number of deaths	Mean death-rate per 10,000
Androscoggin	105	14.41	2,886	11.72
Aroostook	65	7.25	1,470	4.93
Cumberland	154	11.18	5,650	12.12
Franklin	29	14.52	999	12.95
Hancock	51	16.54	1,646	12.45
Kennebec	113	15.53	3,697	14.68
Knox	43	15.29	1,979	17.89
Lincoln	35	22.58	1,140	16.44
Oxford	38	8.92	1,640	11.17
Penobscot	109	11.62	3,851	11.48
Piscataquis	25	13.71	803	10.65
Sagadahoc	26	15.36	1,069	12.86
Somerset	49	12.34	1,745	12.20
Waldo	25	11.34	1,386	15.50
Washington	40	10.57	1,724	10.14
York	103	13.99	3,653	13.22
State	1,008	12.50	35,338	11.84

Softening of the Brain—From cerebral softening there were 6 deaths, all females. Rate 0.07.

Epilepsy—8 males and 9 females died of epilepsy, 17 in all. Rate 0.21.

Diseases of the Heart—From diseases of the heart, including endocarditis, myocarditis, pericarditis, angina pectoris, and other diseases of the heart, there were 2,552 deaths (816 in 1892, 1,045 in 1900, 1,380 in 1910 and 1,602 in 1920). 1,449 persons were males and 1,103 females. Rate 31.65.

TABLE NO. 43
Heart Disease, 1933

Counties	No. of deaths	Rate per 10,000	Counties	No. of deaths	Rate per 10,000
Androscoggin	230	31.58	Oxford	129	30.27
Aroostook	126	14.05	Penobscot	275	29.32
Cumberland	476	34.56	Piscataquis	49	26.88
Franklin	49	24.53	Sagadahoc	80	47.26
Hancock	126	40.87	Somerset	121	30.48
Kennebec	273	37.53	Waldo	79	33.94
Knox	122	43.37	Washington	112	29.61
Lincoln	76	49.04	York	229	31.11
			State	2,552	31.65

REGISTRATION REPORT

TABLE NO. 44
Heart Disease by Sex and Age-Periods, 1933

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80 and over	Not stated	Total
Males	1	—	2	7	7	20	70	184	397	489	272	—	1,449
Females	—	—	—	3	12	15	46	87	217	376	347	—	1,103
Total	1	—	2	10	19	35	116	271	614	865	619	—	2,552

Diseases of the Respiratory System—Without the inclusion of tuberculosis, 783 persons died from the various respiratory diseases, (1,760 in 1892; 1,513 in 1900; 1,664 in 1910 and 1,500 in 1920). Rate 9.71.

Pneumonia—The number of deaths registered under this cause was 649 (1,431 in 1892; 1,067 in 1900; 1,246 in 1910 and 1,312 in 1920) of which 337 were males and 312 were females.

The death-rate from this disease was therefore, 8.05 per 10,000.

TABLE NO. 45
Pneumonia by Sex and Age-Periods, 1933

Sex	Under 1	1-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90 and over	Not stated	Total
Males	54	20	1	8	13	17	34	29	45	58	48	10	—	337
Females	43	22	4	11	10	13	17	21	40	59	61	11	—	312
Total	97	42	5	19	23	30	51	50	85	117	109	21	—	649

TABLE NO. 46
Pneumonia, 1893-1933

By Counties		By Months		By Age-Periods	
Androscoggin	3,504	January	5,574	Under 1	6,649
Aroostook	3,255	February	5,607	1-5	3,802
Cumberland	6,659	March	5,794	5-10	723
Franklin	985	April	4,952	10-20	1,289
Hancock	1,826	May	3,791	20-30	2,004
Kennebec	4,033	June	2,075	30-40	2,443
Knox	1,280	July	1,093	40-50	2,722
Lincoln	860	August	895	50-60	3,434
Oxford	2,044	September	1,304	60-70	5,435
Penobscot	5,200	October	2,640	70-80	7,049
Piscataquis	901	November	2,988	80 and over	5,307
Sagadahoc	1,088	December	4,230	Not stated	97
Somerset	1,819	Not stated	11	—
Waldo	1,251	—	—
Washington	2,097	—	—
York	4,152	—	—
State	40,954	Total	40,954	Total	40,954

The number of deaths from pneumonia in the year 1933 was: in the state, 649; in the cities, 276; in the state exclusive of the cities, 373;—In Auburn, 7; Augusta, 20; Bangor, 34; Bath, 9; Belfast, 5; Biddeford, 23; Brewer, 5; Calais, 1; Eastport, 2; Ellsworth, 1; Gardiner, 4; Hallowell, 1; Lewiston, 33; Old Town, 5; Portland, 91; Rockland, 3; Saco, 10; So. Portland, 5; Waterville, 8; Westbrook, 9.

In Auburn, 3.67; Augusta, 11.04; Bangor, 11.49; Bath, 9.88; Belfast, 10.01; Biddeford, 13.04; Brewer, 7.80; Calais, 1.83; Eastport, 5.77; Ellsworth, 2.70; Gardiner, 7.08; Hallowell, 3.74; Lewiston, 9.19; Old Town, 6.79; Portland, 12.77; Rockland, 3.20; Saco, 13.58; So. Portland, 3.28; Waterville, 4.97; Westbrook, 8.03.

Bronchitis—From this cause, including both acute and chronic bronchitis, 72 deaths were registered, (287 in 1892; 262 in 1900; 229 in 1910 and 101 in 1920). Among these decedents 35 were males and 37 were females.

Of these 72 deaths, 13 were in the cities. The death-rate for the state was 0.89.

Pleurisy—Nineteen deaths were charged to this disease, 18 in 1892; 28 in 1900; 22 in 1910 and 15 in 1920). 11 males and 8 females. Rate 0.23.

Diseases of the Digestive System—The combined mortality from this group of diseases was 565 (659 in 1892; 1,411 in 1900; 1,420 in 1910 and 1,036 in 1920), or a death-rate of 7.00.

Diarrheal Diseases—The total number of deaths caused by the diseases under this group was 99 (662 in 1892; 805 in 1900; 851 in 1910 and 527 in 1920).

Infantile Diarrhea—This as synonymous with diarrhea and enteritis (under 2 years) was the cause of 69 deaths. 41 males and 28 females. (546 in 1892; 680 in 1900; 693 in 1910 and 405 in 1920). Rate 0.85.

TABLE NO. 47
Diarrhea and Enteritis (Under 2 years) by Counties, Months and Age-Periods, 1893-1933

By Counties		By Months		By Age-Periods	
Androscoggin	1,861	January	321	Under 6 months ..	8,631
Aroostook	4,211	February	281	6-12 Months	4,710
Cumberland	1,711	March	331	1-2 Years	1,924
Franklin	231	April	330	Unknown	23
Hancock	300	May	366	—
Kennebec	1,278	June	433	—
Knox	274	July	1,632	—
Lincoln	67	August	4,419	—
Oxford	533	September	4,371	—
Penobscot	1,257	October	1,934	—
Piscataquis	166	November	513	—
Sagadahoc	264	December	354	—
Somerset	476	Not stated	3	—
Waldo	143	—	—
Washington	788	—	—
York	1,728	—	—
State	15,288	Total	15,288	Total	15,288

TABLE NO. 48

Diarrhea and Enteritis (Under 2 years) in the Cities, 1926-1933

Cities	1926	1927	1928	1929	1930	1931	1932	1933	Total
Auburn	—	2	1	3	4	1	1	1	13
Augusta	2	2	2	5	3	2	2	4	22
Bangor	3	2	1	—	3	4	—	2	15
Bath	2	1	—	—	—	—	—	—	3
Belfast	1	—	—	—	1	—	—	1	3
Biddeford	6	3	4	6	3	2	1	—	25
Brewer	—	—	2	—	—	—	—	—	2
Calais	1	—	—	—	—	1	—	1	3
Eastport	—	—	—	1	—	—	—	—	1
Ellsworth	—	—	—	1	—	—	—	—	1
Gardiner	1	—	—	1	—	—	—	—	2
Hallowell	—	—	—	—	—	—	—	—	—
Lewiston	11	3	14	18	5	3	7	2	63
Old Town	1	4	1	1	1	—	—	—	8
Portland	13	5	2	6	4	1	9	—	40
Rockland	—	—	1	—	1	1	—	—	3
Saco	—	—	—	—	—	1	—	—	1
South Portland	2	—	—	1	1	—	—	2	6
Waterville	2	2	1	4	5	2	1	—	17
Westbrook	1	2	—	1	3	1	3	—	11
Total	46	26	29	48	34	19	24	13	239

Peritonitis—There were 15 deaths from this cause (129 in 1892; 105 in 1900; 62 in 1910 and 6 in 1920) 6 males and 9 females. Rate 0.18.

Appendicitis—Of the deaths classified under this cause, 121 in number, 74 were males and 47 females. Death-rate 1.50.

Cirrhosis of the Liver—Thirty-eight deaths were ascribed to cirrhosis of the liver—those of 29 men and 9 women. The death-rate in the state from this one cause was 0.47, (0.19 in 1892; 0.79 in 1900; 0.79 in 1910 and 0.43 in 1920).

Diseases of the Genitourinary System—There were 927 deaths referred to the diseases under this group, equivalent to a death-rate of 11.49.

Nephritis—Acute nephritis caused the death of 33 persons, 20 males and 13 females. The death-rate from this cause was 0.41.

**Bright's Disease*—This was the cause of 788 deaths (204 in 1892; 443 in 1900; 714 in 1910 and 795 in 1920). 408 males and 380 females. Death-rate 9.77.

TABLE NO. 49

*Bright's Disease by Sex and Age-Periods, 1933

Sex	Under 1	1- 5	5- 10	10- 20	20- 30	30- 40	40- 50	50- 60	60- 70	70- 80	Over 80	Total
Males	—	—	1	3	4	10	20	51	105	125	89	408
Females	—	—	2	2	5	7	22	39	82	132	89	380
Total	—	—	3	5	9	17	42	90	187	257	178	788

*This title includes/chronic, albuminous interstitial or parenchymatous nephritis; albuminuria; amyloid or fatty degeneration of the kidney; steatosis of the kidney; renal sclerosis. Also includes when their precise nature is not indicated, uremia, uremic eclampsia; uremic delirium, uremic coma.

The Puerperal State—Under this class of accidents and diseases of reproduction, 107 deaths were registered. Twenty-seven of these deaths were from puerperal septicemia. Rate 68.5 per 10,000 confinements.

Deaths from External Causes—Under this class there were 851 deaths. Rate 10.55.

Suicide—Within the year 135 persons took their own lives (59 in 1892; 66 in 1900; 79 in 1910 and 86 in 1920). 103 males and 32 females. Rate 1.67.

Accidental Absorption of Poisonous Gas—Caused 5 deaths, two males and three females.

Accidental Mechanical Suffocation—Caused 6 deaths, 2 males and 4 females.

Accidental Drowning—Caused 89 deaths, 76 males and 13 females. Rate 1.10.

The number of deaths referred to food poisoning was 2, 1 male and 1 female. Acute accidental poisoning caused 8 deaths, 4 males and 4 females. These deaths distributed under the various toxic agencies were as follows: Over dose of asperin, 1; Barbital, 1; drinking synthetic extract used for cooking, 2; drinking turpentine, 1; quinine pills, 1; strychnine pills, 2.

Burns and scalds caused 27 deaths; 1 with hot fat; 6 scalded with hot water; 8 from using gasoline; 1 playing with matches; 1 carbolic acid burn; 1 molten cement; 3 working around stove; 1 burning grass; 1 x-ray; 4 not stated. 12 males and 15 females.

Conflagration caused 19 deaths, 8 males and 11 females.

Twenty-four deaths were caused by steam railroad accidents, of these twenty-four deaths, 8 were the result of collision with automobiles, 22 males and 2 females; 186 by automobile accidents, 144 males and 42 females. Automobile death-rate 2.31.

REGISTRATION REPORT

TABLE NO. 50

Suicides by Counties, Months and Age-Periods, 1933

By Counties		By Months		By Age-Periods	
Androscoggin	16	January	7	10-20	4
Aroostook	4	February	7	20-30	13
Cumberland	19	March	7	30-40	15
Franklin	2	April	17	40-50	22
Hancock	4	May	19	50-60	27
Kennebec	16	June	6	60-70	29
Knox	12	July	11	70-80	17
Lincoln	2	August	15	Over 80	8
Oxford	7	September	11	Unknown	—
Penobscot	16	October	10	—
Piscataquis	4	November	11	—
Sagadahoc	6	December	14	—
Somerset	7	Not stated	—	—
Waldo	8	—	—
Washington	1	—	—
York	11	—	—
State	135	Total	135	Total	135

TABLE NO. 51

Table of Infant Mortality, 1933

Age-Periods	Number of deaths	*Rate of mortality
Under 1 day	265	17.58
Under 1 week	241	15.99
Under 2 weeks	58	3.85
Under 3 weeks	34	2.26
Under 4 weeks	22	1.46
Under 2 months	103	6.83
Under 3 months	72	4.78
Under 4 months	45	2.99
Under 5 months	38	2.52
Under 6 months	21	1.39
Under 9 months	63	4.18
Under 1 year	46	3.05
Total	1,008	66.88

*The infant mortality rates in this table are based upon the total number of births in 1933. The number is 15,070.

CAUSES OF DEATHS, BY CLASSES AND GROUPS 119

TABLE NO. 52

Infant Mortality for Cities with Rates, 1930-1933

Cities	Births				Deaths (under 1 yr.)				*Rate per 1,000			
	1930	1931	1932	1933	1930	1931	1932	1933	1930	1931	1932	1933
Auburn	242	222	191	170	21	23	18	15	86.7	103.6	94.2	88.2
Augusta	331	366	312	317	27	20	21	36	81.5	54.6	67.3	113.5
Bangor	565	625	591	522	42	41	37	40	74.3	65.6	62.6	76.6
Bath	211	179	167	165	11	7	10	10	52.1	39.1	59.9	60.6
Belfast	102	96	124	121	8	1	5	9	78.4	10.4	40.3	74.4
Biddeford	522	528	512	434	34	36	20	28	65.1	68.1	39.1	64.5
Brewer	127	145	174	135	4	3	10	3	31.5	20.7	57.5	22.2
Calais	112	108	113	84	5	6	11	9	44.6	55.5	97.3	107.1
Eastport	52	53	47	52	3	2	2	4	57.7	37.7	42.5	76.9
Ellsworth	77	79	86	85	3	2	1	3	38.9	25.3	11.6	35.3
Gardiner	136	161	179	175	7	15	9	8	51.4	93.1	50.3	45.7
Hallowell	26	24	19	22	3	—	—	2	115.4	—	—	90.9
Lewiston	865	946	928	991	95	101	81	75	109.8	106.7	87.3	75.7
Old Town	204	187	181	111	13	12	10	8	63.7	87.6	55.2	72.1
Portland	1,568	1,590	1,543	1,496	112	106	107	94	71.4	66.6	69.3	62.8
Rockland	182	196	181	179	16	18	9	6	87.9	91.8	49.7	33.5
Saco	56	41	43	60	5	6	3	2	89.3	146.3	69.7	33.3
South Portland	123	138	109	62	8	4	12	9	65.0	28.9	110.1	145.2
Waterville	391	387	405	349	44	23	19	30	112.5	59.4	46.9	85.9
Westbrook	196	200	185	183	13	13	13	11	66.3	65.0	70.2	60.1

*The infant mortality rates in this table are based upon the number of births in these cities.