

State of Maine

Department of Human Services Division of Data and Research

Annual Statistical Report For the Calendar Year

:

1983

Michael R. Petit Commissioner Published in 1985

Ellen M. Naor State Registrar

As Required By Statute 22 MRSA 2701

ACKNOWLEDG EMENTS

This report contains a summary of vital statistics for the State of Maine for the calendar year 1983. The Department of Human Services has the dual responsibility of maintaining an effective system of vital registration and of making vital statistics available to the public. Within the Department itself, these data are needed for planning, managing, and evaluating programs that will improve the health and welfare of Maine people. The data are widely used, as well, for estimating and projecting population characteristics and changes.

This document is the result of the cooperative efforts of many individuals and groups. Chief among these are the municipal clerks of Maine's towns and counties, who serve as local registrars for vital records. The conscientious efforts of physicians, medical records administrators, and funeral directors also deserve special mention.

Maine Vital Statistics - 1983 has been compiled and produced under the general supervision and direction of Ellen M. Naor, State Registrar of Vital Statistics and Director, Division of Data and Research. A particular note of acknowledgement and gratitude is owed to Marian B. Perkins, State Registrar from 1982 through 1984, whose many years of service to the Office of Vital Statistics contributed significantly to its present quality and stature.

Division of Data and Research staff most significantly involved in the production of the 1983 annual report include:

Carl Gerry, Systems Project Leader - Primary responsibility for systems analysis and revision, table design and production.

Ted Clark, William Turner and Michael Morin - Vital statistics systems maintenance and programming of vital statistics series reports.

Benjamin Ames, Statistician - Data quality control.

Dale Welch, Senior Researcher - Population statistics, table conception and design.

Donald Lemieux, Planning and Research Associate - Table conception and design.

Michael Fleming, Deputy Division Director - Report coordination and production.

Sue Whitley, Clerk Typist - Typing and word processing.

The joint efforts of all the staff of the Division's Vital Records Unit are necessary to produce the data contained in this publication. Special acknowledgement is made to:

> Robert Packard, Field Agent - Coordination with cities and towns to produce the data in a timely fashion;

Lorraine Gerard, Deputy State Registrar - Supervision of the Vital Records Unit which is responsible for data collection, coding and editing.

Page Number

Acknowledgements	ii
Table of Contents	iii
List of Tables	v
List of Supplemental Tables Available on Request	ix
Introduction	1
Definitions of Terms	3
Definitions of Rates	7
Technical Notes	9
General Considerations. Live Births. Infant and Fetal Mortality. General Mortality. Induced Abortions. Marriages and Divorces. Tables (See List of Tables for detailed titles)	9 12 12 12 14 15 17
Live Births Infant and Fetal Mortality	17 69
General Mortality	83
Induced Abortions	117
Marriages and Divorces	129
Appendices	137
Appendix 1 Maine Vital Record Certificates and Reports	139
Certificate of Live Birth Report of Fetal Death Certificate of Death Report of Abortion (Spontaneous and Induced) License and Certificate of Marriage	141 142 143 144 145
Record of Divorce or Annulment	146

•

Page Number

Appendix 2 - 1983 Population Estimates and Projections	147
Population Estimates by County: Maine - July 1, 1983 Population Projections by Age Group: Maine - July 1, 1983.	149 150
Appendix 3 - Historical Vital Statistics Data	151
Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, 1900-1945	
(every fifth year) and 1946-1983 (yearly) Induced Abortions, Number and Rate: Maine State	153
Totals, 1978-1983	154

Page No.

Table No. Table Title

LIVE BIRTHS

TABLE 1-01	All Live Births and Out of Wedlock Live Births, by Mother's Age and Race of Child: Maine State Totals, 1983 (Resident Data)	19
TABLE 1-02	All Live Births and Out of Wedlock Live Births, by Mother's Age and Child's Birthweight: Maine State Totals, 1983 (Resident Data)	20
TABLE 1-03	Live Births by Selected Medical History Characteristics: Maine State Totals, 1983 (Resident Data) [Selected Characteristics: Complications of Pregnancy, Illness or Condition Affecting Pregnancy, Complications of Labor, Method of Delivery, Congenital Anomalies]	21
TABLE 1-04	Live Births by Selected Risk Characteristics, and Ratio of Male to Female Births: Maine Counties and State Totals, 1983 (Resident Data) [Selected Characteristics: 5 Minute Apgar Score Less Than 5, Congenital Anomalies, Birthweight Less Than 2,500 Grams, Gestation Less Than 37 Weeks]	22
TABLE 1-05	All Live Births and Out of Wedlock Live Births, by Mother's Age, Sex of Child and Birth Order: Maine Counties and State Totals, 1983 (Resident Data)	23
TABLE 1-06	Live Births by Month Prenatal Care Began and Birthweight: Maine Counties and State Totals, 1983 (Resident Data)	40
TABLE 1-07	Live Births by Trimester Prenatal Care Began and Number of Prenatal Visits: Maine Counties and State Totals, 1983 (Resident Data)	49
TABLE 1-08	Live Births by Month Prenatal Care Began and Mother's Education: Maine Counties and State Totals, 1983 (Resident Data)	58
TABLE 1-09	Live Births by Selected Risk CharacteristicsNumber of Births: Maine Hospitals, Other Birth Sites, and State Totals, 1983 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Caesarian Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]	64

Table No. Table Title

TABLE	1-10	Live Births by Selected Risk Characteristics Percentage of Total Births: Maine Hospitals, Other Birth Sites, and State Totals, 1983 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Caesarian Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]	65
TABLE	1-11	Live Births by Birthweight: Maine Hospitals, Other Birth Sites, and State Totals, 1983 (Occurrence Data)	66
		INFANT AND FETAL MORTALITY	
TABLE	2-01	Infant, Neonatal, and Postneonatal Deaths by Sex for 61 Cause of Death Groups: Maine State Totals, 1983 (Resident Data)	71
TABLE	2-02	Fetal Deaths by Gestation and Sex for 61 Cause of Death Groups: Maine State Totals, 1983 (Resident Data)	75
TABLE	2-03	Live Births, Neonatal Deaths, and Estimated Neonatal Death Rates by Birthweight: Maine State Totals, 1983 (Resident Data)	78
TABLE	2-04	Fetal Deaths by Selected Complications, Gestation, and Age of Patient: Maine State Totals, 1983 (Resident Data) [Selected Complications: Complications of Pregnancy, Complications of Labor or Delivery, Concurrent Illnesses, Congenital Anomalies]	79
TABLE	2-05	Deaths and Death RatesTotal, Infant, Neonatal, Postneonatal, and Perinatal: Maine Counties and State Totals, 1983 (Resident Data)	80
TABLE	2-06	Fetal Deaths by Selected Characteristics: Maine Counties and State Totals, 1983 (Resident Data) [Selected Characteristics: Out of Wedlock, Autopsy, In Hospital, Trimester Prenatal Care Began, Age of Patient]	81
TABLE	2-07	Fetal Deaths, Selected Risk Characteristics, and Ratio of Males to Females: Maine Counties and State Totals, 1983 (Resident Data) [Selected Characteristics: Congenital Anomalies, Fetal Weight, Gestation Less Than 28 Weeks]	82
		GENERAL MORTALITY	
TABLE	3-01	Deaths, Rank by Number of Deaths, and Death Rate Total, Male, and Female for Ten Leading Causes of Death by Age Group: Maine State Totals, 1983 (Resident Data)	85

Table No.	Table Title	Page No.
TABLE 3-02	Years of Life LostNumber, Percent, Rank and Average per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1983 (Resident Data)	. 90
TABLE 3-03	Deaths by Age and Sex for 282 Cause of Death Groups: Maine State Totals, 1983 (Resident Data)	. 91
TABLE 3-04	Underlying Cause Mentions and All Mentions of 72 Cause of Death Groups, and Ratio of All Mentions to Underlying Cause Mentions: Maine State Totals, 1983 (Resident Data)	110
TABLE 3-05	DeathsTotal, and Percent by Site of Death: Maine Counties and State Totals, 1983 (Resident Data)	112
TABLE 3-06	Deaths in HospitalsTotal and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1983 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	113
TABLE 3-07	Deaths in Intermediate Care FacilitiesTotal and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1983 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	114
TABLE 3-08	Deaths at HomeTotal and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1983 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	115
	INDUCED ABORTIONS	
TABLE 4-01	Total Terminations of Pregnancy, Fetal Deaths, Miscarriages, and Induced Abortions by Gestation: Maine State Totals, 1983 (Resident Data)	119
TABLE 4-02	Induced Abortions by Gestation and Type of Termination Procedures: Maine State Totals, 1983 (Occurrence Data)	120
TABLE 4-03	Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1983 (Resident Data)	121
TABLE 4-04	Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1983 (Occurrence Data)	1 22
TABLE 4-05	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1983 (Resident Data)	123
TABLE 4-06	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1983 (Occurrence Data)	124

Table No.	Table Title	Page No.
TABLE 4-07	Induced Abortions by Complications of Pregnancy, Gestation, and Age of Patient: Maine State Totals, 1983 (Occurrence Data)	. 125
TABLE 4-08	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1983 (Resident Data)	. 126
TABLE 4-09	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1983 (Occurrence Data)	. 127
TABLE 4-10	Induced Abortions by State or Country of Residence: Maine State Totals, 1983 (Occurrence Data)	. 128
	MARRIAGES AND DIVORCES	
TABLE 5-01	Marriages by Age of Bride and of Groom: Maine State Totals, 1983 (Resident Data)	. 131
TABLE 5-02	Marriages by Years of Education of Bride and of Groom: Maine State Totals, 1983 (Resident Data)	. 132
TABLE 5-03	Marriages by Age and Previous Marital Status, for Brides and for Grooms: Maine State Totals, 1983 (Resident Data)	. 133
		. 100
TABLE 5-04	Marriages by Number of Previous Marriages of Bride and of Groom: Maine State Totals, 1983 (Resident Data)	• 134
TABLE 5-05	Divorces by Number of Minor Children, Plaintiff, Decree Granted, and by Number of Years Married: Maine State Totals, 1983 (Occurrence Data)	. 135

 ${\bf v}^i$

Table No.

- S1 Births and Deaths by County, Town, and Month.
- S2 Live Births by Prenatal Care Index (in preparation).
- S3 Neonatal Deaths and Estimated Neonatal Rates by Birthweight: Maine Hospitals of Birth, other Birth Sites, and State Total, 1983 (Occurrence).
- S4 Teenage Pregnancies by Outcome and Marital Status: Resident Data - Maine, 1983.
- S5 Listing of All Death Records by International Classification of Disease (ICD) Code.
- S6 Induced Abortions to Females Aged Less Than 18 Years, by Single Year of Age and Marital Status: Maine Counties and State Total, 1983 (Resident Data).
- S7 Live Births -- Total, and by Selected Risk Characteristics: Maine Towns, Counties and State Totals, 1983 (Resident Data) [Selected Characteristics: Out of Wedlock, Under 2,500 Grams, Congenital Anomalies, Mother Under Age 20 Years, No Prenatal Care]
- S8 Deaths by 72 Cause of Death Groups: Six Largest Cities or Towns in Each Maine County, County totals, and State Totals, 1983 (Resident Data)
- S9 Induced Abortions--Total, and by Selected Characteristics: Maine Towns over 3500 Population, Counties and State Totals, 1983 (Resident Data) [Selected Characteristics: Out of Wedlock, Patient's Age, No Previous Pregnancies, No Previous Abortions, Educaiton, Abortions in Hospital]
- S10 Marriages by Selected Characteristics: Maine Towns, Counties, and State Totals, 1983 (Occurrence and Residence Data) [Selected Characteristics: Religious Ceremony, Bride and Groom Residence, Under Age 20 Years, Education Under 12 Years, First Marriage]
- Sll Wives Involved in Divorces and Annulments by Residence of Husband and Number of Minor Children: Maine Towns, Counties, and State Totals, 1983 (Resident Data)

*Supplemental tables are available at the cost of reproduction.

ix

INTRODUCT ION

In 1983, the computerized data system for vital records and statistics was completely reorganized and revised to promote more accurate and timely registration functions and statistical products. The data were rigorously edited at input and subsequently subjected to a number of consistency checks. The format and content of the statistical tables and reports to be produced from the new system were reviewed carefully for relevance, clarity and style. The resulting annual vital statistics report for 1983 is a culmination of these many and varied efforts to produce a document of the highest quality possible.

Only the minimum information necessary to use the tables has been included in the technical notes. In order to speed the process of making these data available to the public, the 1983 report does not contain interpretive comments and charts. We hope that these enhancements can be incorporated in future issues of this annual report.

The tabulations most frequently requested are presented in this report. Supplemental tables, available at the cost of reproduction, are listed on page ix. Special tabulations can also be obtained, generally at a charge that may include preparation as well as reproduction costs. Comments and requests for additional information should be directed to:

> Division of Data and Research Maine Department of Human Services State House Station #11 Augusta, Maine 04333

.

DEFINITIONS OF TERMS

All Mentioned Causes of Death All causes of death mentioned on the death certificate, whether underlying or associated. All mentioned causes are also referred to as "multiple causes of death."

> A summary indicator for evaluating the health of a newborn infant, the score ranges from 0 (very poor) to 10 (excellent). It is assigned by the delivery room personnel one minute and five minutes after birth.

Associated Cause of Death Condition other than the underlying cause of death which may have contributed to the death.

Number of live births to the mother of the newborn, including this birth.

Weight of fetus or infant at time of delivery (normally measured in grams).

Death prior to the complete expulsion or extraction from its mother of a product of conception; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Fetal deaths of at least 20 weeks of gestation must be reported on the "Fetal Death Report." Fetal deaths of less than 20 weeks gestation are reported on the "Report of Abortion (Spontaneous and Induced)."

Clinical assessment of the number of weeks since conception.

A licensed acute care health facility with permanent inpatient beds offering facilities and services for the diagnosis and treatment of illness, injury and deformity for a continuing period of time. A hospital has an organized medical staff and offers continuous 24 hour professional nursing care and emergency treatment.

Induced abortion means the intentional interruption of a pregnancy by the application of external agents, whether chemical or physical, or the ingestion of chemical agents with an intention other than to produce a live birth or to remove a dead fetus. All induced abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)," regardless of the length of gestation.

Birth Order

Apgar Score

Birthweight

Fetal Death

Gestation

Hospital

Induced Abortion

Infant Death Death occurring to a live born infant less than one year of age.

- Intermediate Care Facility A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, health related services, and licensed nursing supervision (8 hours per day).
- Live Birth A live birth is the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.
- Maternal Deaths Those deaths of women wherein the physician has designated a maternal condition as the underlying cause of death.
- Minor Civil Division In Maine, minor civil divisions generally are areas covered by the local or city/town level of civil government.

Miscarriage Spontaneous abortion (see definition).

Multiple Causes of Death All causes of death mentioned on the death certificate, whether underlying or associated. Multiple causes are also referred to as "all mentioned causes."

Neonatal Death

Occurrence

Out-of-Wedlock Birth

Perinatal Death

Death occurring to a live born infant before completing 27 days of life.

Refers to data tabulated by place the event occurred.

Births in which the mother was not married either at the time of conception or at the time of delivery.

Fetal deaths of at least 20 weeks gestation and all neonatal deaths.

4

Post-Neonatal Death

Race

Residence

Site of Birth

Site of Death

Skilled Nursing Facility

Spontaneous Abortion

Underlying Cause of Death

Death occurring to a live born infant between the ages of 28 days and 365 days, inclusive.

Race of mother, father, or decedent is as stated on certificate. Race of child is determined from the race of the parents.

Refers to data tabulated by usual place of residence of the person to whom event occurred. For births, fetal deaths, and abortions, residence is defined as the mother's place of residence.

Hospital or type of non-hospital site (e.g. home, on way to hospital, out-patient facility) where birth occurred.

Hospital or type of non-hospital site (e.g. home, on way to hospital, nursing home) where death occurred.

A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, medical services, continuous skilled nursing services and health-related services, diagnosis and treatment.

A termination of pregnancy, at less than 20 weeks gestation, through natural causes and without the aid of mechanical or medicinal agents. All spontaneous abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)."

That condition giving rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. For this report, underlying causes are selected through processing of death certificate data by the ACME and TRANSAX computer programs (see Technical Notes).

.

Age-Specific Death Rate	=	Resident Deaths in Specific Age Group Total Resident Population in Specific Age Group	X	100,000
Birth Rate	E	Resident Live Births Total Resident Population	X	1,000
Cause-Specific Death Rate	=	Resident Deaths from Specific Cause Total Resident Population	X	100,000
Death Rate	Ē	Resident Deaths Total Resident Population	X	1,000
Divorce Rate	=	Divorces Total Resident Population	X	1,000
Fetal Death Rate	E	Resident Fetal Deaths Total Resident Live Births and Resident Fetal Deaths	X	1,000
Infant Death Rate	=	Resident Infant Deaths Total Resident Live Births	X	1,000
Marriage Rate	=	Marriages Performed Total Resident Population	X	1,000
Maternal Death Rate	=	Resident Maternal Deaths Total Resident Live Births	X	10,000
Neonatal Death	=	Resident Neonatal Deaths Total Resident Live Births	x	1,000
Perinatal Death Rate	=	Resident Fetal Deaths and Neonatal Deaths Total Resident Fetal Deaths and Live Births	X	1,000
Post-Neonatal Death Rate	=	Resident Post-Neonatal Deaths Total Resident Live Births	x	1,000
Sex-Specific Death Rate	=	Resident Deaths of Indicated Sex Total Resident Population of Indicated Sex	X	100,000

*Event denominators for rates are registered totals for the calendar year. Population denominators are mid-calendar year estimates.

General Considerations

Sources of Vital Records Data: Birth, death, fetal death, abortion, marriage, and divorce certificates in effect during 1983 are the source documents for data on vital events in Maine. A copy of each is included in Appendix 1. Note that current (1985) fetal death and marriage records vary somewhat from the 1983 forms.

The cut-off date for 1983 data in this report is April 15, 1984. Any data pertaining to 1983 events for which certificates were filed after April 15, 1984, are not included in this report.

Birth certificates and abortion reports are usually completed by hospital or clinic personnel. Death and fetal death certificates are usually completed by funeral directors, who obtain the medical certifications of cause of death from physicians. Marriage certificates are completed by the appropriate municipal clerks, while divorce reports are sent to the Office of Vital Statistics by the clerks of courts.

Completeness of Registration: A birth certificate test in 1950 indicated that about one percent of births in Maine at that time were not recorded. It is assumed that registration has continued to be at least this complete.

Although no test of death registration has ever been done, it is assumed that death registration is reasonably complete, because burial permit laws and regulations require the filing of a death certificate before a burial permit for the disposition of the body is issued.

Reporting of all terminations of pregnancy at any gestation, whether spontaneous or induced, has been required in Maine for many years. Analysis of fetal death rates over time, however, indicates that there has been considerable variation in the completeness of registration. A specific reporting form for abortions (spontaneous and induced) was introduced in 1978. Comparison with independent data sources suggests that induced abortions may be underreported by 10 to 15%.

In addition to unrecorded vital events, other vital events may not be included in this report for several reasons: failure of the person required to report the event to make a timely report; failure of a municipal clerk to make a timely report to the State Registrar; or failure of other states to make timely exchanges of nonresident transcripts of births and deaths.

Data Quality: Data in this report are based upon original certificates of births and deaths, copies of original certificates of marriages prepared by city and town clerks, and abstracts of decrees of divorces prepared by the clerks of courts. Errors in data may be

9

introduced by persons giving information for the original certificate, persons involved in the actual preparation of the original certificate, persons responsible for the preparation of the copies or abstracts of the original certificates, or those involved in the coding and processing of the data in the State Office of Vital Statistics.

Extensive reorganization and revision in 1983 of reporting procedures, data input procedures, and computer systems have reduced or eliminated many of the problems experienced in previous years. The Office of Vital Statistics maintains several programs aimed at improving the quality and completeness of information received on certificates and its translation into statistical form. A "query" system is used to followback to physicians, hospital personnel and funeral directors concerning incomplete or conflicting information on the certificates themselves. The followback is usually done by mail and is based on both manual and computer editing procedures.

In addition, the vital statistics field agent works directly with the data providers to improve the quality of reported information. The field agent conducts various seminars, workshops, and site visits to educate hospital and medical personnel, funeral directors, and municipal clerks in the importance of accurate and complete vital statistics data.

Finally, the National Center for Health Statistics (NCHS) monitors State coding of statistical data. The NCHS has established a two percent upper limit for coding differences involving any one data item, with the exception of cause of death. A five percent limit is used for this item due to the complexity of the coding process.

Comparison with Earlier Years: As noted in 1983, a number of changes were introduced into the vital registration program and associated data processing, computer systems, and analytic procedures. These must be borne in mind in any comparisons with earlier years and analyses of time trends. Specific changes include the following:

- Implementation of a new birth certificate on January 1, 1983. The new certificate uses a checklist format for reporting medical history items related to pregnancy and delivery. These items are recorded on a separate page mailed directly to the Vital Records Unit.
- Intensive field and education activities directed to appropriate medical providers to promote more complete reporting of induced abortions performed at any time during pregnancy.
- The computerized data systems for records of births, deaths, fetal deaths, marriages, divorces, and abortions were completely revised in 1983 to promote more accurate and timely registration activities and statistical products. Comprehensive and rigorous edit procedures were developed for data input and a number of consistency checks were incorporated.

Small Frequencies: The numbers of births or deaths reported for a community represent complete counts of these events. As such, they are not subject to sampling error or variation, although they are subject to errors in the collection and processing procedures. However, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same general circumstances. The probable range of values may be estimated from the actual figures according to certain statistical assumptions (Vital Statistics for the U.S., Vol. 1, 1959, p. 1-20). When the figures are used for comparison of frequencies and rates over a time period or for different areas, appropriate statistical methods should be used to assess the significance of the comparisons.

Frequencies of and rates based on fewer than 10 events should be used carefully because they are subject to large random fluctuations. The number "10" is arbitrary, however, and is not set forth as a critical point distinguishing statistically reliable rates.

Rates: In interpreting the conditions described by vital statistics rates, considerable caution must be observed. In particular, differences in rates from time to time or place to place may arise from a number of population differences and other compounding factors, and appropriate techniques (e.g., standardization) should be utilized in such comparisons.

Population Data: The population data used to calculate rates in this report are from 1983-1992 Maine Population Projections, Division of Data and Research, Department of Human Services, June, 1984. A display of these population data is included in Appendix 2.

"Selected" Characteristics/Causes of Death: These terms are used to denote tabulations in which the categories displayed are not exhaustive but represent only those of particular interest.

Geographic Classification: In addition to recording vital events occurring in Maine, the Office of Vital Statistics receives transcripts of birth certificates for children born outside Maine to a mother who is a resident of Maine. Death certificates for persons who are residents but die outside the boundaries of Maine are also received. Transcripts of non-resident births and deaths are exchanged with all other states and with Canada.

Events are assigned to geographical areas according either to place of residence or to place of occurrence. The basis for classification is identified in each table and should be carefully observed when extracting information.

• "Resident Data" means events have been tabulated according to the area where the person lived regardless of where the event occurred. In the case of infant deaths and births, the reference is to the residence of the mother. It should be noted that in the case of infant deaths, the place of residence at death may differ from the place of residence at birth; when special tabulations are prepared from both birth and death certificates, it is important to note to which residence category they were assigned. "Occurrence Data" means events have been tabulated according to where the events took place, regardless of the usual residence of the person. Since nearly all births and most deaths take place in hospitals, the number which occur in counties with many hospital beds will be large for this reason alone.

Births

As noted in previous sections, a revised birth certificate was initiated on January 1, 1983. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies. Two added items were the physician's estimate of gestation and an assessment of the infant's condition at birth. Initial evaluation indicates that the checklist format increased reporting of the medical history items dramatically - as much as five-fold on some items - so comparison with data from previous years must be made with caution.

Infant ands Fetal Mortality

This section includes all fetal deaths of at least 20 weeks gestation and all neonatal deaths. The birth, death, and fetal death certificates all include information on the place of residence, so events to non-Maine residents can be excluded from tabulations based on resident data. Through the interstate exchange agreement, transcripts of births and deaths which occur outside of the state to Maine residents are obtained for inclusion in tabulations of resident data. Maine did not participate in such exchange for fetal deaths in 1983, so information on pregnancies of Maine women terminating in fetal deaths which occurred outside the state is not available.

Notification of infant death is obtained from the regular death certificate. However, much information relevant to the circumstances of infant death is found on the birth certificate. Birth and death records have, therefore, been matched to produce a composite infant death tape, which is the source of Table 2-03. Tables 2-01, 2-05, and all other death tables, on the other hand, are produced from the general death file. Discrepancies between these two sources are minimal, usually involving only a very small number of deaths.

General Mortality

There are a number of factors which should be considered in order to understand and use the mortality data presented herein.

Mortality Classification: The mortality classification used in this report is the Ninth Revision of the International Classification of Diseases. It consists of a list of 722 categories of diseases and morbid conditions, 192 categories for classification of the external cause of an injury, and 190 categories for the characterization of injuries according to the nature of the lesion. There are two major limitations in interpreting changes in cause of death statistics. Changes in diagnostic practice may affect the comparability of such statistics over time, as do changes in nomenclature and in the classification scheme. The International Classification of Diseases is revised approximately every ten years to incorporate advances in medical science and to reflect changing medical opinion and practice. The Sixth Revision was used from 1949-1957, the Seventh Revision from 1958-1967, the Eighth Revision from 1968-1978, and the Ninth Revision after 1978.

Under the Ninth Revision, the method for selecting the cause of death for statistical purposes remains the same as the method instituted with the Sixth Revision. The Sixth Revision instituted a method whereby the physician in attendance at death indicates the disease or morbid condition which he considers to be the underlying cause of death. The underlying cause is defined as "(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident which produced fatal injury." Prior to 1981, when two or more causes were jointly recorded a nosologist in the Office of Vital Statistics selected and coded the underlying cause using the ancillary information provided on the death certificate by the physician. Beginning in 1981, however, all causes mentioned on the certificate are coded. The underlying cause is determined using a computerized procedure: the Automated Classification of Medical Entities (ACME) program. The cause of death information is then subjected to the TRANSAX computer program, which eliminates redundancies in mentioned causes. Information on all associated causes is retained on the computer records for use in further study of certain health problems.

Several groupings by cause of death are utilized in this report. All of the groupings are both exhaustive and exclusive: all causes are assigned to a group or category, and each specific cause is assigned to only one cause group. Deaths by age and sex groups are tabulated using the list of 282 cause groups (Table 3-03). Deaths by county and town of residence, site of death, and underlying/non-underlying status are tabulated using 72 cause groups. The analysis of leading causes of death in Table 3-01 and 3-02 is based on 32 cause groups. The data on fetal and infant deaths, in Tables 2-01 and 2-02, are categorized into 61 cause groups. In all cases the ICD-9 codes included in each cause group are indicated on the appropriate tables.

Years of Life Lost: In Table 3-02, "Years of Life Lost" is used as a more sensitive measure of premature death than the death rate itself. The number of years of life lost is calculated for each decedent as the difference between the age at death and the life expectancy at that age. Life expectancy at each age is taken from the 1980 Maine Life Tables, with the sex-specific expectancy estimated using the 1980 United States Life Tables for the white population.* The death of a male infant, for example, represents a total of 71.0 years of life lost. The death of a 50 year old woman represents 30.9 years of life lost, and the death of a 85 year old woman represents 6.4 years of life lost.

^{*}Welch, D. Maine Life Tables:1980. Augusta: Maine Department of Human Services, June, 1985; National Center for Health Statistics, United States Life Tables-1980, 1984.

Multiple Causes of Death: Most major causes of death are contributing factors to many deaths in which they are not the underlying cause. The relative frequencies with which specific causes are mentioned on death records as underlying or non-underlying causes are displayed in Table 3.04.

In Table 3-04, cause of death mentions are classified into 72 cause groups, after processing through the ACME and TRANSAX computer programs. Consequently, the term "mentions" refers to causes identified through processing by the computer programs, rather than to causes as mentioned on the death certificate. A cause group is counted only once for each decedent, even if more than one cause in the group was mentioned on the original certificate. Comparisons of data from different sources on "all mentions" of a cause group are valid only if the number and composition of the cause groups used are the same and the counting rules are consistent.

The category of "all mentions" of a cause group usually includes all identifications of it as the underlying cause of death. Occasionally, simultaneous mention of certain causes on the death record leads to the identification, as the underlying cause, of a disease entity which was not itself recorded on the death certificate. In such cases, the ratio of all mentions to underlying cause mentions can be less than 1.00.

Induced Abortions

All induced abortions performed in Maine are required to be reported, regardless of the length of gestation. The report form includes information on the place of residence, so non-resident women receiving abortions in Maine can be excluded from tabulations based on resident data. Approximately 15% of all induced abortions in Maine in 1983 were obtained by out-of-state residents. Maine did not participate in the interstate program for exchange of induced abortion reports in 1983, so complementary data on Maine residents who received abortions in other states are not available.

The number of induced abortions reported during 1983 was nearly 35% greater than the number reported in 1982. This increase reflects, for the most part, the effect of a vigorous effort in the spring of 1983 to remind and inform physicians, clinics, and hospitals that all induced abortions must be reported to the Department of Human Services on the appropriate form.

All terminations of pregnancies to Maine resident women are displayed in Table 4-01 by the length of gestation, including fetal deaths, miscarriages or spontaneous abortions, and induced abortions.

Marriages and Divorces

All marriages which occur in Maine are registered in the central Office of Vital Statistics, whether or not either the bride or the groom are residents of the state. Marriages in which both partners are non-residents are excluded from tabulations based on resident data. However, there is no interstate program for exchange of marriage records of non-residents and hence the complementary data on Maine residents who are married outside Maine are not included in the resident data tabulations. "Resident Data" thus include all marriages occurring in Maine in which either the bride, the groom, or both are residents of Maine.

A similar situation exists in the registration of divorces and annulments. These records are reported to the central office by the clerks of the courts in which the divorce or annulment is finalized. No information is available on divorces or annulments obtained outside the state by Maine residents.

LIVE BIRTHS

TABLE 1-01

19

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND RACE OF CHILD MAINE STATE TOTALS, 1983 (RESIDENT DATA)

AGE OF MOTHER	TOTAL BIRTHS	PERCENT DISTRIBUTION	WHITE	BLACK	AMERICAN INDIAN	ASIAN	OTHER	UNKNOWN
ALL BIRTHS								
LESS THAN 15	15	0.09	15	0	0	0	0	0
15	74	0.45	73	0	1	0	0	0
16	189	1.14	187	0	1	0	1	0
17	370	2.23	360	t	5	4	0	0
18	585	3.53	576	4	5	0	0	0
19	884	5.33	870	2	7	5	0	0
20-24	5,914	35.68	5,805	45	37	10	10	7
25-29	5,233	31.57	5,161	22	27	14	8	1
30-34	2,577	15.55	2,539	12	12	7	4	3
35-39	623	3.76	616	3	0	2	2	0
40-44	89	0.54	88	0	1	0	0	0
GREATER THAN 44	4	0.02	4	ò	0	0	0	0
UNKNOWN	19	0.11	19	Ó	0	0	0	0
STATE TOTALS	16,576		16,313	89	96	42	25	11
PERCENT DISTRIBUTI		100.00	98.41	0.54	0.58	0.25	0.15	0.07
DUT OF WEDLOCK BIRTHS								
LESS THAN 15	15	0.60	15	O	0	0	0	0
15	63	2.52	62	0	1	0	0	0
16	137	5.47	135	0	1	0	1	0
17	224	8.95	217	1	3	3	0	0
18	269	10.75	261	3	5	0	0	0
19	307	12.27	303	1	2	1	0	0
20-24	939	37.51	911	9	12	6	1	0
25-29	382	15.26	364	4	11	3	0	0
30-34	118	4.71	109	2	5	1	1	0
35-39	35	1.40	34	1	0	0	0	0
40-44	11	0.44	10	0	1	0	0	0
ODEATED TUAN 44			a'	•	•	^	0	0

1

2

2,424

96.84

0

Ó

21

0.84

0

0

41

1.64

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

1

2,503

2

0.04

0.08

100.00

GREATER THAN 44

STATE TOTALS

PERCENT DISTRIBUTION

UNKNOWN

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

0.12

0

0

З

0

0

14

0.56

0

0

0

0.00

TABLE 1-02

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND CHILD'S BIRTHWEIGHT MAINE STATE TOTALS, 1983 (RESIDENT DATA)

IN GRAMS	TOTAL BIRTHS	PERCENT DIST.	LESS THAN 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	GREATER Than 44	UNIKNOWN
LL BIRIHS															
LESS THAN 500	10	0.06	0	0	1	о	0	0	1	4	2	2	0	0	0
500-999	61	0.37	0	1	1	1	5	6	24	12	10	0	0	0	1
1000-1499	77	0.46	0	5	0	7	4	3	23	18	15	2	0	0	0
1500-1999	178	1.07	0	0	3	10	12	10	46	56	28	11	1	1	0
2000-2499	592	3.57	1	4	6	21	24	42	199	172	91	24	7	1	0
2500-2999	2,229	13.45	4	7	29	71	86	158	841	650	296	76	9	0	2
3000-3499	5.888	35.52	5	29	72	136	222	331	2,205	1,820	839	196	24	1	8
3500-3999	5,264	31.76	1	19	60	94	163	246	1,819	1,734	883	208	31	0	6
4000-4499	1,818	10.97	4	9	13	21	65	69	623	606	311	80	15	1	1
4500-4999	403	2.43	0	0	4	8	4	16	119	143	87	19	2	0	1
GREATER THAN 4999	46	0.28	0	0	0	1	0	З	12	14	12	4	0	0	0
UNKNOWN	10	0.06	0	0	0	0	0	0	2	4	3	1	0	0	0
STATE TOTALS	16.576		15	74	189	370	585	884	5,914	5,233	2,577	623	89	4	19
PERCENT DIST.	-	100.00	0.09	0.45	1.14	2.23	3.53	5.33	35.68	31.57	15.55	3.76	0.54	0.02	0.1
UT OF WEDLOCK BIRT	ΉS														
LESS THAN 500	⁻ нs 2	0.08	0	0	0	о	0	0	o	1	0	1	0	o	0
		0.08 0.40	0 0	0 0	0 1	0 1	0 2	0 1	0 5	1 0	0	1 0	0 0	0 0	0
LESS THAN 500	2		-	-	0 1 0	0 1 4	-	0 1 2		-		1 0 0			
LESS THAN 500 500-999	2 10	0.40	Ō	Ō	1	0 1 4 7	-	1	5	Ó	Ó	-	0	0	0
LESS THAN 500 500-999 1000-1499	2 10 23	0.40 0.92	0	0	1 0	0 1 4 7 14	2	1	5 7	0 3	0	Ō	0 0	0	0
LESS THAN 500 500-999 1000-1499 1500-1999	2 10 23 45	0.40 0.92 1.80	0	0 5 0	1 0 3	1 4 7	2 1 5	1 2 2	5 7 14	0 3 8	0 1 3	02	0 0 0	0 0 1	0
LESS THAN 500 500-999 1000-1499 1500-1999 2000-2499	2 10 23 45 151	0.40 0.92 1.80 6.03	0	0 5 0 3	1 0 3 6	1 4 7 14	2 1 5 13	1 2 2 19	5 7 14 60	0 3 8 17	0 1 3 12	0 2 2	0 0 0 4	0 0 1 0	0
LESS THAN 500 500-999 1000-1499 1500-1999 2000-2499 2500-2999	2 10 23 45 151 442	0.40 0.92 1.80 6.03 17.66	0	0 5 0 3 7	1 0 3 6 23	1 4 7 14 4 1	2 1 5 13 43	1 2 19 . 59	5 7 14 60 167	0 3 8 17 72	0 1 3 12 17	0 2 2 8	0 0 4 0	0 0 1 0 0	0
LESS THAN 500 500-999 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499	2 10 23 45 151 442 940	0.40 0.92 1.80 6.03 17.66 37.55	0	0 5 0 3 7 25	1 0 3 6 23 54	1 4 7 14 41 88	2 1 5 13 43 110	1 2 19 . 59 126	5 7 14 60 167 354	0 3 8 17 72 133	0 1 3 12 17 34	0 2 2 8 9	0 0 4 0 2	0 0 1 0 0	0
LESS THAN 500 500-999 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999	2 10 23 45 151 442 940 642	0.40 0.92 1.80 6.03 17.66 37.55 25.65	0 0 1 4 5 1	0 5 0 3 7 25 14	1 0 3 6 23 54 42	1 4 7 14 41 88 52	2 1 13 43 110 70	1 2 19 . 59 126 75	5 7 14 60 167 354 239	0 3 8 17 72 133 100	0 1 3 12 17 34 35	0 2 2 8 9 8	0 0 4 0 2 5	0 0 1 0 0 0	0 0 0 1 0
LESS THAN 500 500-999 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499	2 10 23 45 151 442 940 642 189 51	0.40 0.92 1.80 6.03 17.66 37.55 25.65 7.55	0 0 1 4 5 1 4	0 5 0 3 7 25 14 9	1 0 3 6 23 54 42 6	1 4 7 14 41 88 52 11	2 1 5 13 43 110 70 22	1 2 19 . 59 126 75 16	5 7 14 60 167 354 239 72	0 3 8 17 72 133 100 35	0 1 3 12 17 34 35 11	0 2 8 9 8 3	0 0 4 0 2 5 0	0 0 1 0 0 0 0	0 0 0 1 0 1
LESS THAN 500 500-999 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999	2 10 23 45 151 442 940 642 189 51	0.40 0.92 1.80 6.03 17.66 37.55 25.65 7.55 2.04 0.24	0 0 1 4 5 1 4 0	0 5 0 3 7 25 14 9 0	1 3 6 23 54 42 6 2	1 4 7 14 41 88 52 11	2 1 5 13 43 110 70 22 3	1 2 19 . 59 126 75 16 6	5 7 14 60 167 354 239 72 19	0 3 8 17 72 133 100 35 12	0 1 12 17 34 35 11 3	0 2 2 8 9 8 3 1	000402500	0 0 1 0 0 0 0 0 0	0 0 1 0 1 0
LESS THAN 500 500-999 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999	2 10 23 45 151 442 940 642 189 51 51 6 2	0.40 0.92 1.80 6.03 17.66 37.55 25.65 7.55 2.04 0.24 0.08	0 0 1 4 5 1 4 0 0	0 5 0 3 7 25 14 9 0 0	1 3 6 23 54 42 6 2 0	1 4 7 14 41 88 52 11 5 1	2 1 5 13 43 110 70 22 3 0	1 2 19 . 59 126 75 16 6 1	5 7 14 60 167 354 239 72 72 19 2	0 3 8 17 72 133 100 35 12 12	0 1 3 12 17 34 35 11 35 11	0 2 2 8 9 8 3 1 0	0004075000	0 0 1 0 0 0 0 0 0 0	0 0 0 1 0 1 0 0 0 0
LESS THAN 500 500-999 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN	2 10 23 45 151 442 940 642 189 51 6	0.40 0.92 1.80 6.03 17.66 37.55 25.65 7.55 2.04 0.24 0.08	0 0 1 4 5 1 4 0 0 0 15	5 0 3 7 25 14 9 0 0 0 63	1 3 6 23 54 42 6 2 0 0	1 4 7 14 41 88 52 11 5 1 0	2 1 5 13 43 110 70 22 3 0 0 269	1 2 19 59 126 75 16 1 0 307	5 7 14 60 167 354 239 72 19 2 0 939	3 8 17 72 133 100 35 12 1 0 382	0 1 3 12 17 34 35 11 3 1 1 118	0 2 2 8 9 8 3 1 0	00040750000	0 0 1 0 0 0 0 0 0 0	0 0 0 1 0 1 0 0 0
LESS THAN 500 500-999 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN STATE TOTALS	2 10 23 45 151 442 940 642 189 51 51 2,503	0.40 0.92 1.80 6.03 17.66 37.55 25.65 7.55 2.04 0.24 0.08	0 0 1 4 5 1 4 0 0 0 15 0.60	0 5 0 3 7 25 14 9 0 0 0 0 63 2.52	1 0 3 6 23 54 42 6 2 0 0 137	1 4 7 14 41 88 52 11 5 1 0 224	2 1 5 13 43 110 70 22 3 0 0	1 2 19 . 59 126 75 16 6 1 0	5 7 14 60 167 354 239 72 19 2 0	0 3 8 17 72 133 100 35 12 1 0	0 1 3 12 17 34 35 11 3 1 1	0 2 2 8 9 8 3 1 0 1 35	0 0 4 0 2 5 0 0 0 0 1	0 0 1 0 0 0 0 0 0 0 0 0 1	0 0 0 1 0 0 0 0 0 0 0 0 2

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

.

21

LIVE BIRTHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

COMPLICATIONS OF PREGNANCY CONDITION NUMBER %		COMPLICATIONS OF LABOR CONDITION NUMBER %	METHOD OF DELIVERY METHOD NUMBER %	CONGENITAL ANOMALIES CONDITION NUMBER %
BLEEDING IN EARLY PREGNANCY 333 2.0	TOBACCO USE 2,002 12.1	ABRUPTIO PLACENTA 155 0.9	SPONTANEOUS CONTROLLED 12,430 75.0	ANENCEPHALUS 6 0.0
ECLAMPSIA 13 0.1	HEART DISEASE SYMPTOMATIC 15 0.1	PLACENTA PREVIA 54 0.3	SPONTANEOUS UNCONTROLLED 157 0.9	SPINA BIFIDA 3 0.0
PREECLAMPSIA 522 3.1	HYPERTENSION 335. 2.0	CORD PROLAPSE OR COMPRESSION 168 1.0	LOW FORCEPS 623 3.8	OTHER NERVOUS SYSTEM 14 0.1
RH	CHRONIC RENAL DISEASE 15 0.1	DYSTOCIA 1,071 6.5	OTHER FORCEPS PROCEDURE 212 1.3	CLEFT LIP/PALATE 22 0.1
ANEMIA(HIGH 10 GM/HCT 30%) 171 1.0	PYELOCYSTITIS 19 0.1	BREECH 443 2.7	PRIMARY C-SECTION 1,799 10.9	EYE 6 0.0
ANMIONITIS 37 0.2	DES EXPOSURE 30 0.2	INDUCTION 135 0.8	REPEAT C-SECTION 1,108 6.7	EAR, FACE, NECK 20 0.1
URINARY TRACT INFECTION 342 2.1	ALCOHOL DEPENDENCE 20 0.1	INTRAPARTUM FEVER/ CHORIOAMNION. 73 0.4	BREECH DELIVERY 82 0.5	HEART 33 0.2
PREMATURE LABOR(BEFORE 37 WEEKS) 689 4.2	DRUG ADDICTION OR DEPENDENCE 18 0.1	FETAL DISTRESS 603 3.6	VERSION AND EXTRACTION 20 0.1	OTHER CIRCULATORY SYSTEM 8 0.0
PREMATURE DELIVERY(BEFORE 37 WEEKS) 567 3.4		LABOR 18 HRS. 424 2.6	OTHER 185 1.1	RESPIRATORY SYSTEM 86 0.5
PROM(24 HRS. BEFORE DELIVERY) 473 2.9	OBESITY 462 2.8	OTHER 955 5.8		DIGESTIVE SYSTEM 15 0.1
OTHER 795 4.8	GESTATIONAL DIABETES 91 0.5	NONE 13,156 79.4		GENITAL ORGANS 45 0.3
NONE 13,642 82.3	CHRONIC DIABETES 32 0.2	UNKNOWN 27 0.2		URINARY SYSTEM 17 O.1
UNKNOWN 25 0.2	OTHER 455 2.7			MUSCULOSKEL. 70 0.4
	NONE 13,020 78.5			INTEGUMENT 34 0.2
	UNKNOWN 27 0.2			CHROMOSOMAL 24 0.1
				OTHER 130 0.8
				NONE 16,083 97.0

NOTES: PERCENTAGES ARE BASED ON THE 16,576 LIVE BIRTHS IN MAINE THIS YEAR.

MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH BIRTH.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

UNKNOWN

26 0.2

TABLE 1-04

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, AND RATIO OF MALE TO FEMALE BIRTHS MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY TOTAL BIRTHS		5 MIN.	*********** APGAR THAN 5		NITAL		WEIGHT	LESS T	************ HAN 37 ON WEEKS	************** MALE/FEMALE RATIO
		NUMBER	PERCENT	NUMBER		NUMBER	PERCENT	NUMBER	PERCENT	
ANDROSCOGGIN	1,484	7	0.5	29	2.0	89	6.0	68	4.6	1.04
AROOSTOOK	1,313	4	0.3	21	1.6	65	5.0	87	6.6	1.09
CUMBERLAND	3,171	11	0.3	49	1.5	184	5.8	133	4.2	1.01
FRANKLIN	411	6	1.5	7	1.7	29	7.1	27	6.6	1.03
HANCOCK	648	8	1.2	18	2.8	43	6.6	48	7.4	1.15
KENNEBEC	1,546	15	1.0	28	1.8	93	6.0	85	5.5	1.08
KNOX	467	6	1.3	5	1.1	26	5.6	35	7.5	1.00
LINCOLN	420	3	0.7	12	2.9	21	5.0	19	4.5	1.09
OXFORD	704	5	0.7	16	2.3	37	5.3	24	3.4	1.04
PENOBSCOT	1,910	20	1.0	26	1.4	112	5.9	115	6.0	1.02
PISCATAQUIS	232	5	2.2	2	0.9	5	2.2	10	4.3	1.11
SAGADAHOC	521	5	1.0	20	3.8	28	5.4	35	6.7	1.06
SOMERSET	680	7	1.0	17	2.5	34	5.0	30	4.4	0.99
WALDO	462	. 2	0.4	11	2.4	20	4.3	20	4.3	0.89
WASHINGTON	515	1	0.2	9	1.7	23	4.5	21	4.1	1.15
YORK	2,092	12	0.6	45	2.2	109	5.2	79	3.8	1.09
STATE TOTALS	16,576	117	0.7	315	1.9	918	5.5	836	5.0	1.05

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH TABLE 1-05

23

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS. BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND Mother's Age(yrs.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	****** MALE	FEMALE	********* UNKNOWN	** 1	*******	****** 3	**** B1 4	IRTH ORDER ******* GREATER THAN 4	********** UNKNOWN
ALL BIRTHS											
ANDROSCOGGIN											
LESS THAN 15	2	0.13	1	1	0	2	0	0	o	0	0
15	a	0.61	7	2	ŏ	8	1	ō	Ō	Ō	Ó
16	19	1.28	9	10	Ó	18	1	Ó	0	0	0
17	34	2.29	20	14	0	30	4	0	0	0	0
18	77	5.19	36	41	0	61	14	2	0	. 0	0
19	91	6.13	47	44	0	64	23	4	0	0	0
20-24	616	41.51	319	297	0	293	255	59	7	2	0
25-29	426	28.71	211	215	Ō	128	183	88	21	6	0
30-34	156	10.51	79	77	ŏ	39	56	37	15	9	0
35-39	47	3.17	22	25	ō	12	6	12	7	10	0
40-44	7	0.47	4	3	Ō	1	Ō	1	1	4	0
GREATER THAN 44	0	0.00	0	0	õ	Ó	ō	0	0	0	0
UNKNOWN	ō	0.00	ō	õ	ō	ō	ō	ō	ō	ō	Ó
COUNTY TOTALS	1,484		755	729	õ	656	543	203	51	31	Ō
PERCENT DISTRIBUTION		100.00	50.88	49.12	0.00			13.68	3.44	2.09	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	2	0.77	1	1	0	2	0	0	o	0	0
15	9	3,45	7	2	ŏ	8	1	ŏ	ŏ	õ	õ
16	9	3.45	5	4	ő	9	ò	ŏ	ŏ	õ	ō
17	23	8.81	13	10	ŏ	21	2	ŏ	ŏ	o o	õ
18	39	14.94	18	21	ŏ	31	6	2	ŏ	0	ō
19	31	11.88	17	14	õ	24	6	1	ŏ	õ	ŏ
20-24	96	36.78	54	42	ŏ	51	38	5	2	õ	ō
25-29	38	14.56	12	26	ŏ	8	18	7	2	3	t Ö
30-34	6	2.30	2	4	õ	1	2	1	ō	2	ÌÖ
35-39	ő	2.30	4	2	ŏ	3	ō	1	1	-	ō
40-44	2	0.77	2	ō	ŏ	ŏ	ŏ	ò	ò	2	ŏ
GREATER THAN 44	õ	0.00	ō	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	0	õ
UNKNOWN	õ	0.00	ŏ	ŏ	ŏ	ŏ	ŏ	õ	ŏ	ŏ	ō
COUNTY TOTALS	261	0.00	135	126	Ö ·	158	73	17	5	8	ŏ
PERCENT DISTRIBUTION	201	100.00	51.72	48.28	0.00	60.54		6.51	1.92	3.07	0.00
PERCENT OF ALL BIRTHS	WHICH AP			40.20	0.00	50.54	2/.3/	0.01		0.07	
EROLINI OF ALL BIRING	WILCH AK	17.59	17.88	17.28	0.00	24.09	13.44	8.37	9.80	25.81	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT DF HUMAN SERVICES DIVISION OF DATA AND RESEARCH TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT			*****	**	******	******		IRTH ORDER ********	****
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
AROOSTOOK											
LESS THAN 15	1	0.08	0	1	0	1	0	0	0	0	0
15	11	0.84	6	5	0	11	0	0	0	0	0
16	18	1.37	9	9	0	18	0	0	0	0	0
17	36	2.74	14	22	0	31	5	0	0	0	0
18	35	2.67	16	19	0	25	8	2	0	0	0
19	78	5.94	44	34	0	51	21	6	0	0	0
20-24	544	41.43	2 97	247	0	283	192	52	12	5	0
25-29	380	28.94	197	183	0	108	174	72	17	9	0
30-34	154	11.73	72	82	0	24	48	49	23	10	0
35-39	42	3.20	22	20	0	6	10	11	7	8	0
40-44	12	0.91	8	4	0	1	1	4	1	5	0
GREATER THAN 44	1	0.08	0	1	0	0	0	0	0	1	0
UNKNOWN	1	0.08	0	1.	0	1	0	0	· 0	0	0
COUNTY TOTALS	1,313		685	628	Ó	560	459	196	60	38	0
PERCENT DISTRIBUTION		100.00	52.17	47,83	0.00	42.65	34.96	14.93	4.57	2.89	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.57	0	1	0	1	0	0	0	0	0
15	7	3.98	3	4	ŏ	. 7	ŏ	ŏ	ŏ	õ	õ
16	13	7.39	7	6	ŏ	13	ŏ	ŏ	õ	õ	õ
17	20	11.36	11	9	ŏ	19	1	ō	ŏ	õ	õ
18	15	8.52	5	10	ŏ	13	1	1	ŏ	õ	õ
19	21	11.93	14	7	õ	13	5	3	ŏ	õ	õ
20-24	61	34.66	37	24	õ	31	20	7	1	2	õ
25-29	26	14.77	16	10	ŏ	10	10	. 1	3	2	õ
30-34	7	3.98	3	4	ŏ	Ö	2	3	ŏ	2	õ
35-39	3	1.70	1	2	ŏ	1	ō	2	ŏ	ō	õ
40-44	2	1.14	1	1	ŏ	ó	ŏ	1	ŏ	1	õ
GREATER THAN 44	ō	0.00	o Ö	ò	ŏ	ŏ	ŏ	Ó	ŏ	o	õ
UNKNOWN	ŏ	0.00	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ
COUNTY TOTALS	176	0.00	98	78	ŏ	108	39	18	4	7	õ
PERCENT DISTRIBUTION		100.00	55.68	44.32	0.00	-		10.23	2.27	3.98	0.00
PERCENT OF ALL BIRTHS					0.00		-2		,	0.00	
		13.40	14.31	12.42	0.00	19.29	8.50	9.18	6.67	18.42	0.00

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

25

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND Mother's Age(yrs.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	****** MALE	**** SEX FEMALE	********* UNKNOWN	* * 1	******	****** 3	**** BI 4	RTH ORDER ******** GREATER THAN 4	********** UNKNOWN
ALL BIRTHS											
CUMBERLAND											
LESS THAN 15	2	0.06	1	1	0	2	0	0	0	0	0
15 16	11	0.35	6	5	0	9	1	0	0	1	0
17	31 62	0.98 1.96	15 29	16 33	0	30 53	1 7	0	0	0	0
18	86	2.71	29 45	33 41	0	53	11	2 3	0	0	ŏ
19	156	4.92	83	73	ŏ	118	31	6	1	0	ő
20-24	959	30.24	465	494	ő	568	290	86	10	5	ŏ
25-29	1,106	34.88	557	549	ŏ	512	404	141	32	16	ĭ
30-34	596	18.80	312	284	ŏ	230	205	106	37	18	ò
35-39	139	4.38	74	65	õ	31	45	35	15	13	õ
40-44	18	0.57	5	13	ŏ	2	3	4	3	6	õ
GREATER THAN 44	0	0.00	ō	0	ŏ	ō	Ō	Ó	ō	Ö	ō
UNKNOWN	5	0.16	3	2	õ	4	ō	ō	Ť	Ō	Ō
COUNTY TOTALS	3,171		1,595	1,576	Ō	1.631	998	383	99	59	1
PERCENT DISTRIBUTION		100.00	50.30	49.70	0.00	51,43	31.47	12.08	3.12	1.86	0.03
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	2	0.44	1	1	0	2	0	0	0	0	0
15	10	2.20	6	4	0	8	1	0	0	1	0
16	24	5.29	12	12	0	23	1	0	0	0	0
17	44	9.69	19	25	0	37	6	1	0	0	0
18	47	10.35	26	21	0	42	3	2	0	0	0
19	56	12.33	35	21	0	45	9	2	0	0	0
20-24	172	37.89	83	89	0	98	51	17	3	3	0
25-29	67	14.76	37	30	0	25	22	11	6	3	0
30-34 35-39	26	5.73	18	8	0	12	4 0	1	1	2	ő
40-44	3	0.66	1	2 0	0	1	-	•	1.	U 1	ŏ
40-44 GREATER THAN 44	2 0	0.44 0.00	2 0	0	0	0	0	0	1 [.]	0	0
UNKNOWN	1	0.22	1	. 0	0	1	0	0	ŏ	0	ŏ
COUNTY TOTALS	454	0.22	241	213	ŏ	294	97	41	12	10	ŏ
PERCENT DISTRIBUTION	404	100.00	53.08	46.92	0.00	64.76		9.03	2.64	2.20	0.00
PERCENT OF ALL BIRTHS				40.32	0.00	04.70	21.0/	5.05		2.20	0.00
EROLAT OF ALL DIRING	ANION AR	14.32	15.11	13.52	0.00	18.03	9.72	10.70	12.12	16.95	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

 TABLE 1-05
 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER

 MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT			*****		*****	*****		RTH ORDER *******	
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
FRANKLIN											
LESS THAN 15	1	0.24	1	0	0	1	0	0	0	0	0
15	1	0.24	Ó	1	õ	1	ŏ	ŏ	ŏ	õ	ŏ
16	5	1.22	2	3	ō	5	õ	ŏ	ŏ	õ	ŏ
17	7	1.70	4	3	ō	7	ŏ	ō	ŏ	õ	õ
18	16	3.89	7	9	õ	10	Ğ	ŏ	ŏ	õ	ŏ
19	24	5.84	16	8	õ	20	3	ŏ	ŏ	1	ŏ
20-24	153	37.23	74	79	ŏ	78	52	21	1	1	ŏ
25-29	129	31.39	69	60	ŏ	38	62	18	6	5	ŏ
30-34	49	11.92	21	28	ŏ	8	24	10	3	4	õ
35-39	24	5.84	14	10	õ	4	3	4	7	6	ŏ
40-44	2	0.49	1	1	ŏ	ō	ŏ	ō	ó	2	ŏ
GREATER THAN 44	ō	0.00	ò	ò	ŏ	ŏ	ŏ	ŏ	ŏ	0	ŏ
UNKNOWN	ŏ	0.00	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ
COUNTY TOTALS	411	0.00	209	202	ŏ	172	150	53	17	19	ŏ
PERCENT DISTRIBUTION	411	100.00	50.85	49.15	0.00	41.85			4.14	4.62	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	1.56	1	0	0	1	0	0	0	0	0
15	1	1.56	0	1	Ō	1	Ó	Ō	Ó	Ō	Ō
16	5	7.81	2	3	Ō	5	Ō	Ō	0	Ō	0
17	4	6.25	2	2	Ó	4	Ó	0	Ó	Ō	0
18	5	7.81	4	1	0	4	1	0	0	0	0
19	7	10.94	4	3	ō	5	2	Ō	ō	ō	0
20-24	27	42.19	15	12	ō	18	6	3	ō	Ō	Ō
25-29	8	12.50	6	2	ŏ	2	2	2	2	ō	Ō
30-34	4	6.25	1	3	ō	ō	3	ō	ō	1	Ó
35-39	2	3.13	1	1	õ	1	ō	1	õ	0	Ō
40-44	ō	0.00	Ó	ò	õ	Ó	ŏ	ò	ŏ	ŏ	ŏ
GREATER THAN 44	õ	0.00	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	õ
UNKNOWN	ŏ	0.00	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	õ
COUNTY TOTALS	64	0.00	36	28	ŏ	41	14	6	2	1	ŏ
PERCENT DISTRIBUTION	V 7	100.00	56.25	43.75	0.00	64.06		9.38	3.13	1.56	0.00
PERCENT OF ALL BIRTHS	WHICH AP			-0.70	0.00	34.00	200	5.00	0.10		0.00
	, aniton AK	15.57	17.22	13.86	0.00	23.84	9.33	11.32	11.76	5.26	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

27

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

MOTHER'S AGE(YRS.) BIRTHS DISTRIBUTION MALE FEMALE UNKNOWN 1 2 3 4 GREATER THAN 4 ALL BIRTHS HANCOCK LESS THAN 15 0 0.00 0	COUNTY AND	TOTAL	PERCENT			********		*****	******		IRTH ORDER *******	
HANCOCK LESS THAN 15 0 0.00 0	MUTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOW
LESS THAN 15 0 0.00 0	ALL BIRTHS											
15 3 0.46 1 2 0 3 0 0 0 16 5 0.77 2 3 0 5 0 0 0 17 17 2.62 11 6 0 13 4 0 0 0 19 45 6.94 25 20 0 34 10 0 0 1 20-24 231 35.65 131 100 0 129 78 22 1 1 25-29 202 31.17 96 106 0 87 78 26 5 6 30-34 106 15.36 63 43 0 35 38 19 12 2 3 5 30-34 106 12.97 8 2.1 1 11 10 0 0 0 0 0 0 0 1 10 10 10 10 10 10 10 10 10 10 10 10 <	HANCOCK											
16 5 0.77 2 3 0 5 0 0 0 17 17 2.62 11 6 0 13 4 0 0 0 18 19 2.93 11 8 0 18 1 0 0 0 19 45 6.94 25 20 34 10 0 0 1 20-24 231 35.65 131 100 0 129 78 22 1 1 25-29 202 31.17 96 106 87 78 26 5 6 30-34 106 12 0 1 0 34 2 3 5 40-44 3 0.00 1 <td>LESS THAN 15</td> <td>0</td> <td>0.00</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td>	LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
17 17 2.62 11 6 0 13 0 0 0 19 45 6.94 25 20 0 34 10 0 0 1 20-24 231 35.65 131 100 0 129 78 22 1 1 25-29 202 31.17 96 106 0 87 78 22 1 1 25-29 202 31.17 96 106 0 87 78 22 1 1 25-39 202 1.7 2.62 6 11 0 3 4 2 3 5 40-44 3 0.46 1 2 0 1 0 16		3	0.46	1	2	0	3	0	0	0	0	0
18 19 2.93 11 8 0 18 1 0 0 0 19 45 6.94 25 20 0 34 10 0 0 1 20-24 231 35.65 131 100 0 129 78 22 1 1 25-29 202 31.17 96 106 0 87 78 26 5 6 30-34 106 16.36 63 43 0 35 38 19 12 2 35-39 17 2.62 6 11 0 3 4 2 3 1 40-44 3 0.46 1 2 0 1 0 1		-	0.77	2	3	0	5	0	0	0	0	0
19 45 6.64 25 20 0 34 10 0 0 1 20-24 231 35.65 131 100 0 129 78 22 1 1 25-29 202 31.17 96 106 0 87 78 22 1 1 30-34 106 16.36 63 43 0 35 38 19 12 2 30-34 106 16.36 63 43 0 35 38 19 12 2 30-34 0 0.62 6 11 0 3 4 2 3 5 40-44 3 0.46 1 2 0 1 0 16	17	17	2.62	11	6	0	13	4	0	0	0	0
20-24 221 35.65 101 100 0 129 78 22 1 1 25-29 202 31.17 96 106 0 87 78 26 5 6 30-34 106 16.36 63 43 0 35 38 19 12 2 35-39 17 2.62 6 11 0 3 4 2 3 5 40-44 3 0.46 1 2 0 1 0 0 1 QUNKNOWN 0 0.00 0 0 0 0 0 0 0 0 COUNTY TOTALS 648 347 301 0 328 213 69 21 16 PERCENT DISTRIBUTION 100.00 53.55 46.45 0.00 50.62 32.87 10.65 3.24 2.47 0UT OF wEDLOCK BIRTHS 190 1 1 0 2 0 0 0 0 1 1 1 1 1 <td></td> <td>19</td> <td>2.93</td> <td>11</td> <td>8</td> <td>0</td> <td>18</td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td>		19	2.93	11	8	0	18	1	0	0	0	0
25-29 202 31.17 96 106 0 87 78 26 5 6 30-34 106 16.36 63 43 0 35 38 19 12 2 35-39 17 2.62 6 11 0 3 4 2 3 5 40-44 3 0.46 1 2 0 1 0 0 1 GREATER THAN 44 0 0.000 16 15 16 15 16 15 16 15 16 15 14 16 1 0 10 10 10 10 16 </td <td>19</td> <td>45</td> <td>6.94</td> <td>25</td> <td>20</td> <td>0</td> <td>34</td> <td>10</td> <td>0</td> <td>0</td> <td>1</td> <td>0</td>	19	45	6.94	25	20	0	34	10	0	0	1	0
30-34 106 16.36 63 43 0 35 38 19 12 2 35-39 17 2.62 6 11 0 3 4 2 3 5 40-44 3 0.46 1 2 0 1 0 0 1 GREATER THAN 44 0 0.000 1 1 0 2 0 10 1 1 0 1 1 1 1	20-24	231	35.65	131	100	0	129	78	22	1	1	0
35-39 17 2.62 6 11 0 3 4 2 3 5 40-44 3 0.46 1 2 0 1 0 0 1 GREATER THAN 44 0 0.000 1 0 1 0 1 0 1 0 1 <td>25-29</td> <td>202</td> <td>31.17</td> <td>96</td> <td>106</td> <td>0</td> <td>87</td> <td>78</td> <td>26</td> <td>5</td> <td>6</td> <td>0</td>	25-29	202	31.17	96	106	0	87	78	26	5	6	0
40-44 3 0.46 1 2 0 1 0 0 0 1 GREATER THAN 44 0 0.00 1 1 0 0 0 0 1 1 0 0 0 1 1 0 0 0 1 1 0 1 1	30-34	106	16.36	63	43	0	35	38	19	12	2	0
GREATER THAN 44 0 0.00 0	35-39	17	2.62	6	11	0	3	4	2	3	5	0
UNKNOWN 0 0.00 0 <th0< td=""><td>40-44</td><td>3</td><td>0.46</td><td>1</td><td>2</td><td>0</td><td>1</td><td>0</td><td>0</td><td>0</td><td>1</td><td>1</td></th0<>	40-44	3	0.46	1	2	0	1	0	0	0	1	1
COUNTY TOTALS 648 347 301 0 328 213 69 21 16 PERCENT DISTRIBUTION 100.00 53.55 46.45 0.00 50.62 32.87 10.65 3.24 2.47 OUT OF WEDLOCK BIRTHS 0 0.00 0 <td>GREATER THAN 44</td> <td>0</td> <td>0.00</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td>	GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
PERCENT DISTRIBUTION 100.00 53.55 46.45 0.00 50.62 32.87 10.65 3.24 2.47 OUT OF WEDLOCK BIRTHS LESS THAN 15 0 0.00 0 <td>UNKNOWN</td> <td>0</td> <td>0.00</td> <td>0</td> <td>0</td> <td>. 0</td> <td>. 0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>. 0</td>	UNKNOWN	0	0.00	0	0	. 0	. 0	0	0	0	0	. 0
OUT OF WEDLOCK BIRTHS LESS THAN 15 0 0.00 0	COUNTY TOTALS	648		347	301	. 0	328	213	69	21	16	1
LESS THAN 15 0 0.00 0	PERCENT DISTRIBUTION		100.00	53.55	46.45	0.00	50.62	32.87	10.65	3.24	2.47	0.15
15 2 1.90 1 1 0 2 0 0 0 16 2 1.90 1 1 0 2 0 0 0 17 9 8.57 6 3 0 8 1 0 0 0 18 7 6.67 6 1 0 7 0 0 0 19 15 14.29 6 9 0 11 3 0 0 1 20-24 49 46.67 26 23 0 32 11 5 1 0 25-29 16 15.24 6 10 0 6 5 4 0 1 30-34 2 1.90 0 2 0 1 1 0 1 0 35-39 3 2.86 1 2 0 1 1 0 0 1 40-44 0 0.00 0 0 0 0 0 0	OUT OF WEDLOCK BIRTHS											
15 2 1.90 1 1 0 2 0 0 0 16 2 1.90 1 1 0 2 0 0 0 17 9 8.57 6 3 0 8 1 0 0 0 18 7 6.67 6 1 0 7 0 0 0 19 15 14.29 6 9 0 11 3 0 0 1 20-24 49 46.67 26 23 0 32 11 5 1 0 25-29 16 15.24 6 10 0 6 5 4 0 1 30-34 2 1.90 0 2 0 1 1 0 1 0 35-39 3 2.86 1 2 0 1 1 0 0 1 40-44 0 0.00 0 0 0 0 0 0	LESS THAN 15	0	0.00	0	0	0	. 0	0	0	0	0	0
16 2 1.90 1 1 0 2 0 0 0 17 9 8.57 6 3 0 8 1 0 0 0 18 7 6.67 6 1 0 7 0 0 0 19 15 14.29 6 9 0 11 3 0 1 20-24 49 46.67 26 23 0 32 1 5 1 0 25-29 16 15.24 6 10 0 6 5 4 0 1 30-34 2 1.90 0 2 0 1 0 1 0 35-39 3 2.86 1 2 0 1 1 0 0 1 40-44 0 0.000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 <t< td=""><td></td><td></td><td></td><td>-</td><td>1</td><td>-</td><td></td><td></td><td></td><td>-</td><td>ō</td><td>Ō</td></t<>				-	1	-				-	ō	Ō
17 9 8.57 6 3 0 8 1 0 0 0 18 7 6.67 6 1 0 7 0 0 0 19 15 14.29 6 9 0 11 3 0 1 20-24 49 46.67 26 23 0 32 11 5 1 0 25-29 16 15.24 6 10 0 6 5 4 0 1 30-34 2 1.90 0 2 0 1 0 1 0 35-39 3 2.86 1 2 0 1 1 0 1 40-44 0 0.000 0 0 0 0 0 0 0 0 GREATER THAN 44 0 0.000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				1	1	-				ō	Ō	0
18 7 6.67 6 1 0 7 0 0 0 19 15 14.29 6 9 0 11 3 0 1 20-24 49 46.67 26 23 0 32 11 5 1 0 25-29 16 15.24 6 10 0 6 5 4 0 1 30-34 2 1.90 0 2 0 1 0 0 1 35-39 3 2.86 1 2 0 1 0 0 1 40-44 0 0.000 0 0 0 0 0 0 0 GREATER THAN 44 0 0.000 0 0 0 0 0 0 0 0 0 0 UNKNOWN 0 0.000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				6	3	-			-	-	-	ō
19 15 14.29 6 9 0 11 3 0 0 1 20-24 49 46.67 26 23 0 32 11 5 1 0 25-29 16 15.24 6 10 0 6 5 4 0 1 30-34 2 1.90 0 2 0 1 0 0 1 30-34 2 1.90 0 2 0 1 0 0 1 40-44 0 0.000 0 0 0 0 0 0 0 0 GREATER THAN 44 0 0.000 0		-			1	-	-			õ	Ō	Ō
20-24 49 46.67 26 23 0 32 11 5 1 0 25-29 16 15.24 6 10 0 6 5 4 0 1 30-34 2 1.90 0 2 0 1 0 0 1 35-39 3 2.86 1 2 0 1 1 0 0 1 40-44 0 0.00 0 0 0 0 0 0 0 GREATER THAN 44 0 0.000 0 0 0 0 0 0 0 0 UNKNOWN 0 0.000 0		•			9	-	11	-		-	- 1	õ
25-29 16 15.24 6 10 0 6 5 4 0 1 30-34 2 1.90 0 2 0 1 0 1 0 35-39 3 2.86 1 2 0 1 1 0 0 1 40-44 0 0.00 0 0 0 0 0 0 0 GREATER THAN 44 0 0.00 0 0 0 0 0 0 0 UNKNOWN 0 0.000 0 0 0 0 0 0 0 0 COUNTY TOTALS 105 53 52 0 70 21 9 2 3 PERCENT DISTRIBUTION 100.00 50.48 49.52 0.00 66.67 20.00 8.57 1.90 2.86					-	-		-		-	0	Ó
30-34 2 1.90 0 2 0 1 0 1 0 35-39 3 2.86 1 2 0 1 1 0 1 40-44 0 0.00 0 0 0 0 0 0 0 GREATER THAN 44 0 0.00 0 0 0 0 0 0 0 UNKNOWN 0 0.000 0 0 0 0 0 0 0 0 COUNTY TOTALS 105 53 52 0 70 21 9 2 3 PERCENT DISTRIBUTION 100.00 50.48 49.52 0.00 66.67 20.00 8.57 1.90 2.86					, –	Ő		5	4	Ó	1	0
35-39 3 2.86 1 2 0 1 1 0 0 1 40-44 0 0.000 0 0 0 0 0 0 0 0 GREATER THAN 44 0 0.000 0					-	-	1			-	Ó	ō
40-44 0 0.00 0<				ĭ		-	1	-	-		1	ŏ
GREATER THAN 44 O O.00 O		-		Ċ		-	ò			-	Ó	ō
UNKNOWN O 0.00 0		-			-	-	-	-		-	-	õ
COUNTY TOTALS 105 53 52 0 70 21 9 2 3 PERCENT DISTRIBUTION 100.00 50.48 49.52 0.00 66.67 20.00 8.57 1.90 2.86		-			-	-	-	-	-	-	•	Ö
PERCENT DISTRIBUTION 100.00 50.48 49.52 0.00 66.67 20.00 8.57 1.90 2.86		•	0.00	-	-	÷.	-	-	-	-	÷	ŏ
		105	100.00						-		*	0.00
					45.52	0.00	00.07	20.00	0.07	1.50	2.00	0.00
16.20 15.27 17.28 0.00 21.34 9.86 13.04 9.52 18.75	TERGENT OF ALL DIRING	AR INCOMEN			17 28	0.00	21 34	9 86	13 04	9 52	18 75	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	********** UNKNOWN	** 1	*****	******	**** BI 4	RTH ORDER ******** GREATER THAN 4	********** UNKNOWN
ALL BIRTHS							_	-			
KENNEBEC											
LESS THAN 15	1	0.06	0	1	0	1	о	о	0	0	0
15	5	0.32	1	4	0	5	0	0	0	0	0
16	19	1.23	7	12	0	16	3	0	0	0	0
17	23	1.49	12	11	0	17	6	0	0	0	0
18	55	3.56	24	31	0	39	14	1	0	1	0
19	84	5.43	45	39	0	59	22	2	0	1	0
20-24	545	35.25	2 92	253	0	288	194	53	9	1	0
25-29	512	33.12	259	253	0	169	218	98	18	8	1
30-34	248	16.04	138	110	0	60	106	56	13	13	0
35-39	46	2.98	19	27	0	8	15	11	6	6	0
40-44	7	0.45	3	4	0	0	2	0	4	1	0
GREATER THAN 44	1	0.06	1	0	0	1	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,546		801	745	0	663	580	221	50	31	1
PERCENT DISTRIBUTION		100.00	51.81	48.19	0.00	42.88	37.52	14.29	3.23	2.01	0.06
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.42	0	1	0	1	0	о	o	0	0
15	4	1.67	1	3	Ó	4	Ó	Ō	0	0	0
16	16	6.67	7	9	Ō	13	3	Ō	Ō	Ō	0
17	15	6.25	5	10	0	10	5	0	0	0	0
18	25	10.42	11	14	0	20	3	1	0	1	0
19	33	13.75	17	16	0	23	9	1	0	0	0
20-24	104	43.33	62	42	0	58	31	11	З	1	0
25-29	29	12.08	15	14	0	5	17	6	0	1	0
30-34	10	4.17	6	4	0	1	1	5	1	2	0
35-39	2	0.83	1	1	0	0	0	0	1	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	1	0.42	1	0	0	1	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	240		126	114	0	136	69	24	5	6	0
PERCENT DISTRIBUTION		100.00	52.50	47.50	0.00	56.67	28.75	10.00	2.08	2.50	0.00
PERCENT OF ALL BIRTHS	WHICH AR	E OUT OF WEDLOCK									
		15.52	15.73	15.30	0.00	20.51	11.90	10.86	10.00	19.35	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

. .

29

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL	PERCENT	***** Male	**** SEX FEMALE	********* UNKNOWN	**	******	*****	**** BI	RTH ORDER ******** GREATER THAN 4	********** UNKNOWN
MUTHER'S AGE(TRS.)	DIKIPS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNINIOWI
ALL BIRTHS											
KNOX											
LESS THAN 15	0	0.00	0	0	0	Ö	о	о	0	0	0
15	1	0.21	0	1	0	1	0	0	0	0	0
16	2	0.43	0	2	0	2	0	0	0	Q	0
17	15	3.21	9	6	0	11	4	0	0	0	0
18	24	5.14	12	12	0	21	3	0	0	0	0
19	18	3.85	5	13	0	-15	3	0	0	0	0
20-24	134	28.69	74	60	0	67	47	15	З	2	0
25-29	156	33.40	76	80	0	57	58	33	4	4	0
30-34	90	19.27	43	47	· O	23	35	20	7	5	0
35-39	26	5.57	15	11	0	. 7	10	4	2	3	0
40-44	1	0.21	0	1	0	0	O	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	. 0	0		0	, O	0	0	0	0
COUNTY TOTALS	467		234	233	Ö	204	160	72	16	15	0
PERCENT DISTRIBUTION		100.00	50.11	49.89	0.00	43.68	34.26 1	5.42	3.43	3.21	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	1.41	0	1	0	1	0	0	0	0	0
16	2	2.82	0	2	0	2	0	0	0	0	0
17	7	9.86	4	3	. 0	6	1	0	0	0	0
18	12	16.90	6	6	0	11	1	0	0	0	0
19	10	14.08	4	6	0	8	2	0	0	0	0
20-24	29	40.85	15	14	0	14	8	4	1	2	0
25-29	8	11.27	3	5	· · · O	4	0	3	0	1	0
30-34	1	1.41	1	0	0	1	0	0	0	0	0
35-39	1	1.41	0	1	0	0	0	1	0	0	0
40-44	Ó	0.00	ō	0	Ō	0	0	O	0	0	0
GREATER THAN 44	õ	0.00	ŏ	õ	õ	ŏ	· Õ	ō	õ	0	0
UNKNOWN	0	0.00	0 O		-		-	-	-	•	ŏ
COUNTY TOTALS	71	0.00	33	38	0	0 47	0 12	0 8	0	0 3	` 0
PERCENT DISTRIBUTION	<i>,</i> , , , , , , , , , , , , , , , , , ,	100.00	46.48	53,52	0.00		16.90 1	-	1.41	4.23	0.00
PERCENT OF ALL BIRTHS	WHICH AP			55.52	0.00	00.20	10.90 1		1.41	4.20	0.00
		15.20	14.10	16.31	0.00	23.04	7.50 1	1.11	6.25	20.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

TABLE 1-05 ALL LIVE BIRTHS AND DUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	******	**** SEX	*******		*****	******	**** BI	RTH ORDER *******	*******
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNO
ALL BIRTHS											
INCOLN											
LESS THAN 15	0	0.00	o	0	0	0	0	0	0	0	0
15	1	0.24	1	0	0	1	0	0	0	0	0
16	8	1.90	4	4	0	8	0	0	0	0	0
17	14	3.33	5	9	0	12	2	0	0	0	0
18	11	2.62	8	3	0	10	1	0	0	0	0
19	25	5,95	15	10.	0	16	7	2	0	0	0
20-24	121	28.81	63	58	0	65	46	9	1	0	0
25-29	134	31.90	66	68	0	55	47	24	6	2	0
30-34	86	20.48	49	37	0	23	33	20	4	5	1
35-39	18	4.29	7	11	0	2	5	7	3	1	0
40-44	1	0.24	1	0	0	0	0	1	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.24	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	420		219	201	0	193	141	63	14	8	1
PERCENT DISTRIBUTION		100.00	52.14	47.86	0.00	45.95	33.57	15.00	3.33	1.90	0.24
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	2.04	1	0	0	1	0	0	0	0	0
16	6	12.24	з	3	0	6	0	0	0	0	0
17	5	10.20	2	3	0	5	0	0	0	0	0
18	5	10.20	з	2	0	5	0	0	0	0	0
19	5	10.20	2	3	0	3	1	1	0	0	0
20-24	15	30.61	6	9	0	8	5	2	0	0	0
25-29	10	20.41	6	4	0	4	3	1	1	1	0
30-34	2	4.08	0	2	0	0	0	2	0	0	0
35-39	õ	0.00	0	0	0	0	0	0	0	0	0
40-44	õ	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	õ	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	õ	0.00	Ō	0	0	0	0	0	0	0	0
COUNTY TOTALS	49		23	26	0	32	9	6	1	1	0.00
PERCENT DISTRIBUTION		100.00	46.94	53.06	0.00	65.31	18.37	12.24	2.04	2.04	0.00
PERCENT OF ALL BIRTHS	WHICH AR					Tages I serves	10 00	-		10 50	0.00
FERGENI OF ALL DIRING	all'and all said	11.67	10.50	12.94	0.00	16.58	6.38	9.52	7.14	12.50	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

μ

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	****** MALE	**** SEX FEMALE	********** UNKNOWN	*****	***************************************	**** BI 4	RTH ORDER ******** GREATER THAN 4	********** UNKNOWN
ALL BIRTHS										
OXFORD										
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	0 7 9 14 23 35 289 196 112 14 4 0 1 704	0.00 0.99 1.28 1.99 3.27 4.97 41.05 27.84 15.91 1.99 0.57 0.00 0.14 100.00	0 3 6 8 13 22 144 101 53 7 2 0 0 359 50.99	0 4 3 6 10 13 145 95 59 7 2 0 1 345 49.01		66 34 0 0 1 311 2	0 0 0 0 1 0 5 2 12 0 103 39 85 31 37 26 3 3 1 0 0 0 248 101 .23 14.35	0 0 0 4 11 8 4 1 0 0 28 3.98	0 0 0 0 0 1 3 7 3 2 0 0 0 16 2.27	
OUT OF WEDLOCK BIRTHS										
UUT OF WEDLOCK BIRTHS LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION PERCENT OF ALL BIRTHS	0 7 6 8 3 18 35 24 5 2 0 0 0 0 108 5 WHICH AR	0.00 6.48 5.56 7.41 2.78 16.67 32.41 22.22 4.63 1.85 0.00 0.00 0.00 0.00 100.00	0 3 5 6 2 9 16 14 1 0 0 0 56 51.85 5 5	0 4 1 2 1 9 19 10 4 2 0 0 52 48.15		0 7 5 7 1 13 20 15 1 0 0 0 69 63.89 20	$\begin{array}{cccc} 0 & 0 \\ 0 & 0 \\ 1 & 0 \\ 2 & 0 \\ 5 & 0 \\ 10 & 5 \\ 2 & 4 \\ 1 & 2 \\ 0 & 1 \\ 2 & 4 \\ 1 & 2 \\ 0 & 1 \\ 0 & 0 \\ 0 & 0 \\ 0 & 0 \\ 22 & 12 \\ .37 & 11. 11 \end{array}$	0 0 0 0 2 0 1 0 0 3 2.78	0 0 0 0 0 0 1 1 1 0 0 0 0 2 1.85	
PERCENT OF ALL BIRTH	S WHICH AK	15.34	15.60	15.07	0.00	22.19 8.	.87 11.88	10.71	12.50	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND Mother's Age(yrs.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	********* UNKNOWN	*, 1	*******	******	**** BI 4	RTH ORDER ******* GREATER THAN 4	********** UNKNOWN
ALL BIRTHS											
PENOBSCOT											
LESS THAN 15	3	0.16	1	2	0	3	0	0	0	0	0
15	13	0.68	6	7	0	13	0	0	0	0	0
16	16	0.84	10	6	0	16	0	0	0	0	0
17	45	2.36	26	. 19	0	37	8	0	0	0	0
18	85	4.45	41	44	0	65	19	1	0	0	0
19	99	5.18	57	42	0	67	27	4	1	0	0
20-24	706	36.96	338	368	0	377	238	71	14	6	0
25-29	584	30.58	292	292	0	216	233	96	31	8	· 0
30-34	276	14.45	145	131	0	77	118	56	19	6	0
35-39	72	3.77	42	30	0	16	16	18	12	10	Ó
40-44	10	0.52	6	4	0	2	0	1	4	3	0
GREATER THAN 44	1	0.05	0	1	0	0	0	0	0	1	0
UNKNOWN	0	0.00	0	· O	0	0	Ō	Ó	Ó	0	0
COUNTY TOTALS	1.910		964	946	0	889	659	247	81	34	0
PERCENT DISTRIBUTION		100.00	50.47	49.53	0.00	46.54	34.50		4.24	1.78	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	3	0.95	1	2	0	3	0	0	0	0	0
15	11	3,49	5	6	Ó	11	Ō	Ō	Ó	Ō	0
16	11	3.49	7	4	ō	11	ō	ŏ	ŏ	õ	Ō
17	32	10.16	15	17	0	29	3	Ō	Ō	ō	0
18	44	13.97	20	24	ŏ	33	11	ŏ	ŏ	õ	Ō
19	36	11.43	20	16	Ō	26	7	2	1	ō	Ō
20-24	111	35.24	50	61	Ō	63	30	15	1	2	Ó
25-29	50	15.87	26	24	Ó	20	14	12	3	1	0
30-34	14	4.44	7	7	Ō	5	6	2	1	0	0
35-39	3	0.95	2	1	ŏ	1	1	ō	1	õ	Ó
40-44	Ō	0.00	ō	Ó	Ō	0	Ó	Ō	0	ō	0
GREATER THAN 44	õ	0.00	ŏ	ŏ	õ	ŏ	ŏ	ŏ	ŏ	õ	Ō
UNKNOWN	ŏ	0.00	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	õ	õ
COUNTY TOTALS	315		153	162	õ	202	72	31	7	3	õ
PERCENT DISTRIBUTION	÷	100.00	48.57	51,43	0.00	64.13		9.84	2.22	0.95	0.00
PERCENT OF ALL BIRTHS	S WHICH AR										
		16.49	15.87	17.12	0.00	22.72	10.93	12.55	8.64	8.82	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

ယယ

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND Mother's Age(yrs.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	***** SEX FEMALE	********** UNKNOWN	*** [,] 1	*****	***** 3	**** BI 4	RTH ORDER ******* GREATER THAN 4	*********** UNKNOWN
ALL BIRTHS											
PISCATAQUIS											
LESS THAN 15	0	0.00	0	0	0	о	ο	о	о	0	о
15	1	0.43	0	1	0	1	0	0	0	0	0
16	2	0.86	0	2	0	2	0	0	0	0	0
17	6	2.59	5	1	0	6	0	0	0-	0	0
18	12	5.17	6	6	0	12	0	0	0	0	0
19	12	5.17	5	7	ō	7	5	Ō	0	0	0
20-24	87	37,50	50	37	O	41	37	7	1	1	0
25-29	64	27.59	29	35	ŏ	20	25	13	6	0	0
30-34	29	12.50	19	10	ŏ	6	11	7	3	2	0
35-39	16	6.90	7	9	ŏ	2	2	6	1	5	0
40-44	3	1.29	1	2	ŏ	ō	õ	ō	0	3	0
GREATER THAN 44	ō	0.00	Ó	ō	ŏ	ŏ	õ	õ	ō	0	0
UNKNOWN	ŏ	0.00	ŏ	ŏ	õ	ŏ	ŏ	õ	õ	õ	Ó
COUNTY TOTALS	232	0.00	122	110	ŏ	97	80	33	11	11	Ō
PERCENT DISTRIBUTION	202	100.00	52.59	47.41	0.00			14.22	4.74	4.74	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	о	0	0	0	0
15	1	2.38	0	1	0	1	0	0	0	0	0
16	1	2.38	0	1	0	1	0	0	0	0	0
17	4	9.52	3	1	0	4	0	0	0	0	0
18	6	14.29	4	2	0	6	· 0	0	0	0	0
19	5	11.90	2	<u> </u>	0	4	1	0	0	0	0
20-24	16	38.10	9	7	0	7	7	2	0	0	0
25-29	5	11.90	3	2	0	3	1	1	0	0	0
30-34	1	2.38	1	0	0	0	1	0	0	0	0
35-39	2	4.76	1	1	0	0	0	1	0	1	0
40-44	1	2.38	0	1	Ō	Ó	Ō	0	0	1	0
GREATER THAN 44	Ó	0.00	õ	Ó	ō	ŏ	õ	Ō	0	0	0
UNKNOWN	ŏ	0.00	õ	ŏ	ŏ	õ	õ	ō	Ō	0	0
COUNTY TOTALS	42	0.00	23	19	õ	26	10	4	õ	2	0
PERCENT DISTRIBUTION	• =	100.00	54.76	45.24	0.00	61.90 23	-	9.52	0.00	4.76	0.00
PERCENT OF ALL BIRTHS	WHICH AR				0.00						
		18.10	18.85	17.27	0.00	26.80 12	2.50	12.12	0.00	18.18	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

34

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND Mother's Age(yrs.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	********* UNKNOWN	* * 1	*****	***** 3	**** BI 4	RTH ORDER ****** Greater th an 4	********** U nknown
ALL BIRTHS											
SAGADAHDC											
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	1 10 8 10 23 198 169 80 18 3 0 0 521	0.19 0.19 1.92 1.54 1.92 4.41 38.00 32.44 15.36 3.45 0.58 0.00 0.00 0.00	1 0 4 3 4 12 108 83 41 10 2 0 0 268 51.44	0 1 6 5 6 11 90 86 39 8 1 0 253 48.56		1 9 7 8 -19 109 57 24 3 1 0 0 239 45.87	0 1 1 2 4 68 76 26 6 0 0 0 184 35.32	0 0 0 0 17 30 20 4 0 0 0 71 13.63	0 0 0 2 5 5 2 0 0 0 14 2.69	0 0 0 0 2 1 5 3 2 0 0 13 2.50	
OUT OF WEDLOCK BIRTHS											
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION PERCENT OF ALL BIRTHS	1 5 3 5 6 25 7 1 2 0 0 0 56 WHICH AR	1.79 1.79 8.93 5.36 8.93 10.71 44.64 12.50 1.79 3.57 0.00 0.00 0.00 0.00 100.00 E OUT DF WEDLOCK	1 0 1 2 4 11 2 1 1 0 0 24 42.86	0 1 4 2 3 2 14 5 0 1 0 0 32 57.14		1 5 2 4 6 15 3 0 0 0 0 0 0 0 37 66.07		0 0 0 0 3 2 0 0 0 0 0 0 0 0 5 8.93	0 0 0 0 1 0 1 1 0 0 3 5.36		0 0 0 0 0 0 0 0 0 0
		10.75	8,96	12.65	0.00	15.48	5.98	7.04	21.43	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

ω

TABLE 1-05 All live births and out of wedlock live births, by mother's age, sex of child, and birth order Maine counties and state totals, 1983 (resident data)

CDUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	********** UNKNOWN	***	*****	******	**** BI 4	RTH ORDER ******** GREATER THAN 4	********* UNKNOWN
ALL BIRTHS	DINING	51511120110.0	MACE	r engee			-	· ·	·		
ALL BIRMS											
SOMERSET											
LESS THAN 15	1	0.15	1	0	0	1	0	0	0	0	0
15	3	0.44	2	t	0	3	0	0	0	0	0
16	10	1.47	6	4	0	9	1	0	0	0	0
17	24	3.53	12	12	0	21	2	0	0	1	0
18	19	2.79	6	13	0	13	5	1	0	0	0
19	50	7.35	24	26	0	36	12	1	1	0	· 0
20-24	259	38.09	112	147	0	114	100	36	5	4	0
25-29	198	29.12	117	81	0	57	76	45	15	5	0
30-34	91	13.38	41	50	0	22	28	26	10	5	0
35-39	23	3.38	17	6	0	0	3	10	4	6	0
40-44	2	0.29	1	1	0	0	1	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	· 0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	680		339	341	0	276	228	119	35	22	0
PERCENT DISTRIBUTION		100.00	49.85	50.15	0.00	40.59 3	3.53	17.50	5.15	3.24	0.00
OUT OF WEDLOCK BIRTHS LESS THAN 15 15 16 17	1 2 9 13	0.78 1.56 7.03 10.16	1 1 6 7	0 1 3 6	0000	1 2 8 11	0 0 1	0000	0000	0 0 0 1	0 0 0 0
18	8	6.25	2	6	0	5	3	o	0	0	0
19	23	17.97	13	10	0	19	3	1	0	0	0
20-24	41	32.03	21	20	0	23	11	6	0	0	0
25-29	16	12.50	10	6	0	6	7	1 5	2 0	0	ŏ
30-34 35-39	11	8.59	3	8	0	3 0	2	5	2	4	ŏ
40-44	3	2.34	2	1	0	0	0	0	0	1	õ
-	•	0.78	0	•	0	-	-	0	0	Ó	ŏ
GREATER THAN 44 U n known	0	0.00	0	0	0	0	0	0	0	0	ŏ
	0	0.00	0	0	0	78	0	13	4	5	ŏ
COUNTY TOTALS PERCENT DISTRIBUTION	128	100.00	66	62	0 0.00	60.94 2	28		3.13	3.91	0.00
PERCENT DISTRIBUTION			51.56	48.44	0.00	60.94 2	1.00	10.16	3.13	3.51	0.00
FERGENI OF ALL BIRINS	WRICH A	18.82	19.47	18.18	0.00	28.26 1	2.28	10.92	11.43	22.73	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	********* UNKNOWN	***	******	******	**** BI 4	RTH ORDER ******* GREATER THAN 4	*********** UNKNOWN
ALL BIRTHS											
WALDO											
LESS THAN 15	0	0.00	o	o	0	ο	0	o	0	0	0
15	4	0.87	1	3	0	4	0	0	0	0	0
16	6	1.30	2	4	õ	6	Ó	ō	ō	Ō	Ō
17	9	1.95	2	7	0	8	1	Ó	0	0	Ó
18	27	5.84	14	13	Ō	22	5	ō	õ	Ō	õ
19	25	5.41	12	13	0	20	4	1	0	0	Ó
20-24	166	35.93	73	93	ō	82	55	25	2	2	ō
25-29	129	27.92	65	64	ŏ	44	59	15	8	2	1
30-34	73	15.80	38	35	õ	20	25	15	6	7	Ó
35-39	22	4.76	11	11	ŏ	5	6	3	4	4	ŏ
40-44		0.22	Ó	1	ŏ	ō	ō	ō	ò	1	õ
GREATER THAN 44	Ó	0.00	ŏ	Ó	ŏ	ŏ	ŏ	ŏ	õ	o	ŏ
UNKNOWN	ŏ	0.00	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	õ
COUNTY TOTALS	462	0.00	218	244	õ	211	155	59	20	16	1
PERCENT DISTRIBUTION		100.00	47.19	52.81		45.67			4.33	3.46	0.22
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	~	0	0	0	0
15	0 4	4.65	0	0 3	0	0	0	0	0	0	0 0
16	4 5	4.65	2	3	0	4	0	0	0		-
17				-	-	5	-	0	-	0	0
18	5	5.81	0	5	0	5	0	0	0	0	0
19	11 7	12.79	6	5 5	0	9 7	2	0	0	0	0
20-24		8.14	2 13	-	0		0	0	0	-	-
	36	41.86	-	23	0	16	12	6	0	2	<u>.</u> 0
25-29	14	16.28	8	6	0	4	9	0	1	0	0
30-34	3	3.49	2	1	0	1	0	0	1	1	0
35-39	0	0.00	0	0	0	0	0	0	0	0	0
40-44	1	1.16	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	86		34	52	0	51	23	6	2	4	0
PERCENT DISTRIBUTION		100.00	39.53	60.47	0.00	59.30 2	26.74	6.98	2.33	4.65	0.00
PERCENT OF ALL BIRTHS	WHICH AR					_	_				
		18.61	15.60	21.31	0.00	24.17 1	4.84	10.17	10.00	25.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

37

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE. SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT		**** SEX		**	*****	*****		RTH ORDER *******	*******
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
WASHINGTON											
LESS THAN 15	2	0.39	. 1	1	0	2	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	6	1.17	6	0	0	5	0	0	0	1	0
17	15	2.91	7	8	0	8	6	0	0	0	1
18	23	4.47	14	9	0	20	2	1	ō	0	0
19	35	6.80	17	18	õ	30	3	1	õ	0	1
20-24	214	41,55	118	96	ō	84	87	29	7	7	0
25-29	146	28.35	78	68	Ō	40	51	31	16	8	0
30-34	54	10.49	25	29	ŏ	14	17	14	4	4	1
35-39	13	2.52	5	8	ŏ	1	4	6	1	1	0
40-44	7	1.36	4	3	ŏ	ò	1	2	o O	4	õ
GREATER THAN 44	ò	0.00	Ŏ	õ	ŏ	ŏ	ò	ō	ŏ	Ó	õ
UNKNOWN	ŏ	0.00	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ
COUNTY TOTALS	515	0.00	275	240	ŏ	204	171	84	28	25	3 3
PERCENT DISTRIBUTION	0,0	100.00	53.40	46.60	0.00	39.61			5.44	4.85	0.58
OUT OF WEDLOCK BIRTHS											
	_					_	-	-		•	
LESS THAN 15	2	1.72	1	1	0	2	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	6	5.17	6	0	0	5	0	0	0	1	0
17	11	9.48	3	8	0	5	6	0	0	0	0
18	14	12.07	8	6	0	13	1	0	0	0	0
19	10	8.62	7	3	0	8	1	1	0	0	0
20-24	39	33.62	22	17	0	15	13	6	2	3	0
25-29	23	19.83	17	6	0	3	6	6	5	3	0
30-34	8	6.90	3	5	0	2	2	1	1	1	1
35-39	1	0.86	1	0	0	0	0	0	0	1	0
40-44	2	1.72	0	2	0	0	0	0	0	2	0
GREATER THAN 44	0	0.00	0	0	0	0	.0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	116		68	48	0	53	29	14	8	11	1
PERCENT DISTRIBUTION		100.00	58.62	41.38	0.00	45.69	25.00	12.07	6.90	9.48	0.86
PERCENT OF ALL BIRTHS	WHICH AR	E OUT OF WEDLOCK	::								
		22.52	24.73	20.00	0.00	25.98	16.96	16.67	28.57	44.00	33.33

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT			*****	*	*****	*****		RTH ORDER *******	****
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
YORK											
LESS THAN 15	1	0.05	0	1	0	1	0	0	o	0	ο
15	3	0.03	1	2	ŏ	3	ŏ	ŏ	ŏ	ŏ	ŏ
16	23	1.10	12	11	ŏ	22	1	ő	ŏ	õ	ŏ
17	41	1.96	15	26	ŏ	39	2	ŏ	ŏ	ŏ	ŏ
18	63	3.01	26	37	ŏ	52	8	3	ŏ	ŏ	ŏ
19	84	4,02	44	40	ŏ	62	20	1	ŏ	1	ŏ
20-24	692	33.08	359	333	ő	397	234	52	7	2	ŏ
25-29	702	33.56	365	337	ŏ	268	281	116	24	13	ŏ
30-34	377	18.02	211	166	ŏ	124	133	72	31	17	ŏ
35-39	86	4.11	46	40	ŏ	24	18	18	15	11	ŏ
40-44	8	0.38	40 5	3	ŏ	24	18	4	1	1	ŏ
GREATER THAN 44	1	0.05	0	1	ŏ	0	ó	ō	ò	1	ŏ
	11	0.53	8	3	ŏ	4	4	2	1	0	Ö
COUNTY TOTALS	2.092	0.53	1,092	1,000	ő	997	702	268	79	46	ŏ
PERCENT DISTRIBUTION	2,092	100.00	52.20	47.80	0.00		33.56		3.78	2.20	0.00
PERCENT DISTRIBUTION		100.00	52.20	47.80	0.00	47.00	33.30	12.01	3.78	2.20	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.43	o	1	0	1	0	0	0	0	0
15	2	0.86	1	1	0	•	0	0	0	0	0
16	17	7.33	8	9	0	2 16	0	0	ŏ	0	ŏ
17			8	9 14	-		1	-	-		
18	21	9.05			0	20	1	0	0	0	0
19	23	9.91	13	10	0	20	2		0	0	0
20-24	24	10.34 35.78	11 34	13	0	21	3	0	0	0	0
20-24	83			49	0	52	20	9		1	0
	41	17.67	20	21	0	15	14	9	2	1	0
30-34	17	7.33	6	11	0	5	5	4	3	0	0
35-39	2	0.86	2	0	0	2	0	0	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	. 0	0	0	0
UNKNOWN	1	0.43	1	0	0	1	0	0	0	0	0
COUNTY TOTALS	232		103	129	0	155	46	23	6	2	0
PERCENT DISTRIBUTION		100.00	44.40	55.60	0.00	66.81	19.83	9.91	2.59	0.86	0.00
PERCENT OF ALL BIRTHS	WHICH AR										
		11.09	9.43	12.90	0.00	15.55	6.55	8.58	7.59	4.35	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

39

TABLE 1-05 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

STATE AND	TOTAL	PERCENT	*****	**** SEX		*	******	******		RTH ORDER ********	* * * * * * * * * *
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
MAINE SUMMARY											
LESS THAN 15	15	0.09	7	8	0	15	0	о	о	• 0	0
15	74	0.45	35	39	0	71	2	0	0	1	0
16	189	1.14	94	95	0	179	9	0	0	- 1	0
17	370	2.23	182	188	0	313	53	2	0	1	1
18	585	3.53	283	302	0	464	104	16	0	1	0
19	884	5.33	473	411	0	641	207	28	3	4	1
20-24	5,914	35.68	3,017	2,897	0	3,117	2.076	593	86	42	0
25-29	5,233	31.57	2.661	2,572	0		2,110	877	225	96	3
30-34	2,577	15.55	1,350	1,227	õ	763	940	553	200	119	2
35-39	623	3.76	324	299	Ō	125	156	154	93	95	0
40-44	89	0.54	44	45	Ō	9	10	17	15	37	1
GREATER THAN 44	4	0.02	1	3	Ó	1	0	0	0	3	0
UNKNOWN	19	0.11	11	8	Ŏ	11	4	2	2	0	0
STATE TOTALS	16,576	••••	8,482	8,094	õ		5,671	2.242	624	400	8
PERCENT DISTRIBUTION		100.00	51.17	48.83	0.00		34.21		3.76	2.41	0.05
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	15	0.60	7	8	0	15	0	0	0	0	0
15	63	2.52	30	33	0	60	2	0	0	. 1	0
16	137	5.47	72	65	ŏ	129	7	Ó	0	1	0
17	224	8,95	104	120	õ	193	29	1	Ó	1	0
18	269	10.75	136	133	Õ -	224	37	7	Ó	1	0
19	307	12.27	167	140	Ó	236	57	12	1	1	0
20-24	939	37.51	474	465	· 0	521	279	106	16	17	0
25-29	382	15.26	201	181	õ	133	132	70	29	18	0
30-34	118	4.71	55	63	Ö	33	29	32	10	13	1
35-39	35	1.40	18	17	ŏ	10	3	. 8	8	6	0
40-44	11	0.44	5	6	ŏ	Ō	Ó	1	1	9	0
GREATER THAN 44	1	0.04	1	õ	õ	1	ō	0	0	0	0
UNKNOWN	2	0.08	2	ŏ	ŏ	2	ŏ	õ	ō	ō	0
STATE TOTALS	2,503	0.00	1,272	1,231	ő	1,557	575	237	65	68	1
PERCENT DISTRIBUTION	2,000	100.00	50.82	49,18	0.00	62.21		9.47	2.60	2.72	0.04
PERCENT OF ALL BIRTHS				40.10	0.00	··					
CONCERNMENT OF ALL DIVING		15.10	15.00	15.21	0.00	20.40	10.14	10.57	10.42	17.00	12.50

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCEN T DISTRIBUTIO N	*********** 1ST+2ND MONTH	************ 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	- CARE BEGAN 7th-9th Month	********** NONE	*********** UNKNOWN
ANDROSCOGGIN								
LESS THAN 1000	5	0.34	4	0	1	0	0	0
1000-1499	7	0.47	3	3 5	1	0	0	0
1500-1999	15	1.01	6 37	-	4	0 3	0	0
2000-2499	62	4.18		15	•	3	o	0
2500-2999	206	13.88	102	61	31 86	9	1	2
3000-3499	545	36.73	289	163	56	5 10	0	2 0
3500-3999	450	30.32	247	137		10	0	
4000-4499	160	10.78	87	51	21	1	0	0 0
4500-4999 0054750 TUAN 4000	32	2.16	20	,	4	1	0	ő
GREATER THAN 4999 Unknown	2	0.13	0	2	0	0	0	0
COUNTY TOTALS	1,484	0.00	0 795	444	211	29	0	0
PERCENT DISTRIBUTION	1,484	100.00	53.57	29.92	14.22	1.95	0.07	0.27
PERCENT DISTRIBUTION		100.00	30.37	23.32	17.22	1.55	0.07	0.27
AROOSTOOK								
LESS THAN 1000	З	0.23	3	0	0	0	0	о
1000-1499	4	0.30	1	0	2	0	0	1
1500-1999	15	1.14	9	3	2	0	0	1
2000-2499	43	3.27	19	9	9	4	0	2
2500-2999	157	11.96	70	53	25	4	2	3
3000-3499	484	36.86	250	148	67	7	4	8
3500-3999	432	32.90	198	154	61	8	1	10
4000-4499	142	10.81	69	48	21	2	0	2
4500-4999	27	2.06	11	7	7	1	1	0
GREATER THAN 4999	5	0.38	4	0	0	0	1	0
UNKNOWN	1	0.08	0	1	0	0	0	0
COUNTY TOTALS	1,313		634	423	194	26	9	27
PERCENT DISTRIBUTION		100.00	48.29	32.22	14.78	1.98	0.69	2.06

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

41

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	********* 1ST+2ND MONTH	********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	. CARE BEGAN 7th-9th Month	********** NONE	*********** UNKNOWN
CUMBERLAND	_							
LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	11 21 37 115 447 1,099 1,007 335 88 10 1 3,171	0.35 0.66 1.17 3.63 14.10 34.66 31.76 10.56 2.78 0.32 0.03	7 14 20 65 237 584 560 193 54 7 1 1,742 54,94	2 3 10 38 155 346 331 101 27 2 0 1,015 32.01	1 2 6 9 49 138 100 35 7 1 0 348 10.97	0 0 3 16 6 4 0 0 29 0.91	0 1 0 5 2 0 0 0 9 0.28	1 1 2 3 10 8 2 0 0 0 28 0.88
FRANKLIN LESS THAN 1000 1000-1499 1500-1999 2000-2499	1 2 7 19	0.24 0.49 1.70 4.62	1 2 5 7	0 0 1 4	0 0 0 7	0 0 1	0 0 0	0 0 1 0
2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	56 164 113 40 9 0 0 411	13.63 39.90 27.49 9.73 2.19 0.00 0.00	30 78 63 19 7 0 0 212 51.58	15 57 33 15 1 0 0 126 30.66	9 27 15 5 1 0 0 64 15.57	0 1 1 0 0 0 4 0.97	0 0 1 0 0 0 1 0.24	2 1 0 0 0 0 4 0.97

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	************ 1ST+2ND MONTH	********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	*********** NONE	********** UNKNOWN
HANCOCK								
LESS THAN 1000	9	1.39	3	4	2	0	0	0
1000-1499	4	0.62	3	0	0	1	0	0
1500-1999	3	0.46	0	1	2	0	0	0
2000-2499	27	4.17	12	5	8	2	0	0
2500-2999	81	12.50	31	31	14	4	0	1
3000-3499	235	36.27	100	79	46	6	1	3
3500-3999	212	32.72	90	83	36	3	0	0
4000-4499	57	8.80	21	22	14	0	0	0
4500-4999	16	2.47	5	6	5	0	0	0
GREATER THAN 4999	4	0.62	2	1	1	Ō	Ō	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	648		267	232	128	16	1	4
PERCENT DISTRIBUTION		1 00 .00	41.20	35.80	19.75	2.47	0.15	0.62
KENNEBEC								
LESS THAN 1000	8	0.52	6	1	0	ο	1	0
1000-1499	3	0.19	2	1	0	0	0	0
1500-1999	24	1.55	16	4	4	0	0	0
2000-2499	58	3.75	34	15	5	1	1	2
2500-2999	220	14.23	111	78	22	5	1	3
3000-3499	514	33.25	288	160	51	6	1	8
3500-3999	503	32.54	286	157	50	3	0	7
4000-4499	181	11.71	103	52	20	2	Ō	4
4500-4999	31	2.01	16	7	7	1	ō	0
GREATER THAN 4999	3	0.19	2	Ó	1	0	ō	ō
UNKNOWN	- 1	0.06	õ	õ	1	õ	ō	ō
COUNTY TOTALS	1,546	-	864	475	161	18	4	24
PERCENT DISTRIBUTION	•	100.00	55.89	30.72	10.41	1.16	0.26	1.55

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

43

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	**************************************	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7th-9th Month	********** NONE	********* UNKNOWN
KNOX	DIKINS	DISTRIBUTION	MUNTH	MUNTR	MONTH			
NHO/								
LESS THAN 1000	5	1.07	2	1	1	1	0	0
1000-1499	2	0.43	1	1	Ó	Ó	Ō	ō
1500-1999	6	1.28	4	2	õ	0	0	0
2000-2499	13	2.78	6	6	1	Ō	0	0
2500-2999	56	11.99	16	23	13	2	2	0
3000-3499	159	34.05	58	60	32	5	. 1	3
3500-3999	162	34.69	60	58	40	4	0	0
4000-4499	50	10.71	18	26	5	0	0	1
4500-4999	12	2.57	2	7	2	0	0	1
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	2	0.43	1	1	0	0	0	0
COUNTY TOTALS	467		168	185	94	12	3	5
PERCENT DISTRIBUTION		100.00	35.97	39.61	20.13	2.57	0.64	1.07
LINCOLN								
LESS THAN 1000	1	0.24	0	1	0	0	0	0
1000-1499	3	0.71	2	0	0	1	0	0
1500-1999	2	0.48	1	0	0	0	0	1
2000-2499	15	3.57	6	3	3	2	0	1
2500-2999	47	11.19	15	18	8	3	1	2
3000-3499	143	34.05	75	30	27	2	1	8
3500-3999	141	33.57	68	43	20	2	1	7
4000-4499	59	14.05	35	12	11	0	0	1
4500-4999	8	1.90	5	0	1	1	0	1
GREATER THAN 4999	1	0.24	· · O	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	420		207	108	70	11	3	21
PERCENT DISTRIBUTION		100.00	49.29	25.71	16.67	2.62	0.71	5.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	*********** 1ST+2ND MONTH	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	*********** UNKNOWN
OXFORD								
LESS THAN 1000	5	0.71	2	1	2	0	o	ο
1000-1499	З	0.43	2	• 1	0	0	0	0
1500-1999	5	0.71	2	1	2	0	0	0
2000-2499	24	3.41	14	6	3	1	0	0
2500-2999	87	12.36	31	36	18	1	0	1
3000-3499	259	36.79	107	88	57	4	1	2
3500-3999	213	30.26	90	70	48	5	0	0
4000-4499	87	12.36	39	25	21	2	0	0
4500-4999	19	2.70	6	9	3	0	0	1
GREATER THAN 4999	2	0.28	0	2	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	704		293	239	154	13	1	4
PERCENT DISTRIBUTION		100.00	41.62	33,95	21.88	1.85	0.14	0,57
PENOBSCOT								
LESS THAN 1000	10	0.52	9	о	0	0	0	1
1000-1499	8	0.42	4	3	1	Ó	Ó	0
1500-1999	20	1.05	15	2	2	Ó	1	0
2000-2499	74	3.87	41	19	11	1	0	2
2500-2999	256	13.40	172	54	22	3	0	5
3000-3499	704	36.86	431	159	92	15	4	3
3500-3999	594	31.10	378	129	69	13	0	5
4000-4499	199	10.42	109	60	22	3	2	3
4500-4999	40	2.09	28	7	4	1	ō	ō
GREATER THAN 4999	2	0.10	2	Ó	Ó	ò	õ	õ
UNKNOWN	3	0.16	3	ŏ	õ	ŏ	ŏ	õ
COUNTY TOTALS	1,910	0.10	1, 192	433	223	36	7	19
PERCENT DISTRIBUTION	.,,,,,	100.00	62.41	22.67	11.68	1.88	0.37	0.99

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

45

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

	COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	************ 1ST+2ND MONTH	**************************************	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	************* NONE	********** UNKNOWN
	PISCATAQUIS								
	LESS THAN 1000	0	0.00	· 0	0	0	0	0	0
	,1000-1499	0	0.00	0	0	0	0	0	0
	1500-1999	1	0.43	· · · O	1	0	0	0	0
	2000-2499	. 4	1.72	1	1	0	0	0	2
	2500-2999	29	12.50	12	10	7	• O	0	0
	3000-3499	95	40.95	45	25	24	0	0	1
	3500-3999	58	25.00	39	10	8	0	0	1
	4000-4499	38	16.38	16	15	6	0	0	1
	4500-4999	7	3.02	5	1	0	0	0	1
	GREATER THAN 4999	0	0.00	0	0	0 -	0 ·	0	0
	UNKNOWN	0	0.00	0	0	0	0	0	0
	COUNTY TOTALS	232		118	63	45	0	0	6
	PERCENT DISTRIBUTION		100.00	50.86	27.16	19.40	0.00	0.00	2.59
	SAGADAHOC								
<	LESS THAN 1000	2	0.38	1	1	0	0	0	0
· •	1000-1499	1	0.19	1	· 0	0	0	0	0
	1500-1999	7	1.34	3	3	1	0	0	0
	2000-2499	18	3.45	10	2	6	0	0	0
	2500-2999	74	14.20	41	21	10	1	0	1
	3000-3499	173	33.21	86	53	28	2	1	3
	3500-3999	172	33.01	94	39	35	3	0	1
	4000-4499	57	10.94	35	16	3	3	0	0
	4500-4999	15	2.88	7	5	3	0	0	0
	GREATER THAN 4999	2	0.38	. 1	1	0	0	0	0
	UNKNOWN	ō	0.00	Ó	0	0	0	0	0
	COUNTY TOTALS	521		279	141	86	9	1	5
	PERCENT DISTRIBUTION		100.00	53.55	27.06	16.51	1.73	0.19	0.96

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCEN⊺ DISTRIBU⊺ION	*********** 1ST+2ND MONTH	************ 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	********** UNKNOWN
SOMERSET								
LESS THAN 1000	З	0.44	2	1	0	0	0	0
1000-1499	3	0.44	2	1	0	0	0	0
1500-1999	4	0.59	2	0	2	0	0	0
2000-2499	24	3.53	11	9	3	0	0	1
2500-2999	95	13.97	44	34	13	4	0	0
3000-3499	257	37.79	111	83	56	4	0	3
3500-3999	206	30.29	108	73	21	2	0	2
4000-4499	68	10.00	37	22	9	0	0	0
4500-4999	17	2.50	5	8	2	2	0	0
GREATER THAN 4999	3	0.44	1	2	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	680		323	233	106	12	0	6
PERCENT DISTRIBUTION		100.00	47.50	34.26	15.59	1.76	0.00	0.88
WALDO								
LESS THAN 1000	1	0.22	1	0	0	0	0	0
1000-1499	4	0.87	3	0	1	0	0	0
1500-1999	5	1.08	1	1	3	0	0	0
2000-2499	10	2.16	1	5	4	0	0	0
2500-2999	66	14.29	30	20	13	3	0	0
3000-3499	172	37.23	83	54	29	2	1	3
3500-3999	145	31.39	68	46	27	4 .	0	0
4000-4499	53	11.47	25	13	14	1	0	0
4500-4999	6	1.30	5	1	0	0	0	0
GREATER THAN 4999	· 0	0.00	0	0	0	0	0	0
UNKNOWN	Õ	0.00	0	0	0	0	0	0
COUNTY TOTALS	462		217	140	91	10	1	3
PERCENT DISTRIBUTION		100.00	46.97	30.30	19.70	2.16	0.22	0.65

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

LIJE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND			* * * * * * * * * * *	*******	MONTH PRENATA	L CADE RECAN	* * * * * * * * * *	
BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
WASHINGTON								
LESS THAN 1000	0	0.00	0	0	0	0	o	0
1000-1499	. 1	0.19	1	0 -	ŏ	0	ŏ	ŏ
1500-1999	5	0.97	3	õ	1	õ	ŏ	1
2000-2499	17	3.30	8	6	3	0	ŏ	1
2500-2999	66	12.82	42	11	10	1	2	0
3000-3499	171	33.20	79	47	40	1	ź	1
3500-3999	178	34.56	88	52	32		0	2
4000-4499	62	12.04	25	20	14	3	1	2
4500-4999	11	2.14	6	20		0	0	L
GREATER THAN 4999	3	0.58	0	2	3	0	0	0
UNKNOWN	5	U.19	0		1	1	0	0
COUNTY TOTALS	515	0.13	253	0 139	0	0	0	o
PERCENT DISTRIBUTI		100.00			104	9	3	7
		100.00	49.13	26.99	20.19	1.75	0 .58	1.36
YORK								
LESS THAN 1000	7	0.33	5	2	0	0	0	0
47 1000-1499	11	0.53	8		2	0	0	0
1500-1999	22	1.05	13	9	0	0	0	0
2000-2499	69	3.30	37	20	7	0	0	0
2500-2999	286	13.67	183	61	•	3	2	0
3000-3499	714	34.13			38	1	1	2
3500-3999	678		444	162	93	1	2	6
4000-4499	230	32.41	439	165	66	6	0	2
4500-4999		10.99	150	54	24	1	. 0	1
GREATER THAN 4999	65	3.11	39	19	6	0	0	1
UNKNOWN	9	0.43	6	3	0	0	0	0
	1	0.05	1	0	0	0	0	0
COUNTY TOTALS	2,092		1,325	496	236	18	5	12
PERCENT DISTRIBUTI	UN	100.00	63.34	23.71	11.28	0.86	0.24	0.57

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

STATE AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	*********** 1ST+2ND MONTH	********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7th-9th Month	*********** NONE	UNKNOWN
MAINE SUMMARY								
LESS THAN 1000	71	0.43	46	14	7	1	1	2
1000-1499	77	0.46	49	14	· 9	2	1	2
1500-1999	178	1.07	100	43	29	0	1	5
2000-2499	592	3.57	309	163	86	18	4	12
25 00-2999	2,229	13.45	1,167	68 1	302	44	10	25
3000-3499	5,888	35.52	3,108	1,714	893	86	22	65
3500-3999	5,264	31.76	2,876	1,580	684	73	6	45
4000-4499	1,818	10.97	98 1	552	245	20	2	18
4500-4999	403	2.43	221	114	55	7	1	5
GREATER THAN 4999	46	0.28	25	15	4	1	1	0
UNKNOWN	10	0.06	7	2	1	0	0	0
STATE TOTALS	16,57 6		8,889	4,892	2,315	2 52	49	179
PERCENT DISTRIBUTION		100.00	53.63	29.51	13.97	1.52	0. 30	1.08

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

49

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY TOTAL AND NUMBER OF BIRTHS			*****	******	**************************************						*****	
	PRENATAL VISITS	BIRTHS		PERCENT				HIRD PERCENT		DNE		NOWN PERCENT
	FREMATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
	ANDROSCOGGIN											
	0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
	1	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
	2	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
	3	6	1	16.67	1	16.67	4	66.67	0	0.00	0	0.00
	4	16	7	43.75	7	43.75	2	12.50	0	0.00	0	0.00
	5	18	3	16.67	9	50.00	6	33.33	0	0.00	0	0.00
	6	31	10	32.26	15	48.39	6	19.35	0	0.00	0	0.00
	7	46	23	50.00	18	39.13	5	10.87	0	0.00	0	0.00
	8	101	64	63.37	36	-35.64	1	0.99	0	0.00	0	0.00
	9	127	94	74.02	33	25.98	0	0.00	0	0.00	0	0.00
	GREATER THAN 9	1,124	1.033	91.90	90	8.01	1	0.09	0	0.00	0	0.00
	UNKNOWN	10	3	30.00	1	10.00	2	20.00	0	0.00	4	40.00
	COUNTY TOTALS	1,484	1,239	83.49	211	14.22	29	1.95	1	0.07	4	0.27
	AROOSTOOK							r.				
	0	5	1	20.00	0	0.00	0	0.00	3	60.00	1	20.00
	1	4	0	0.00	ŏ	0.00	3	75.00	1	25.00	0	0.00
<u> </u>	2	6	3	50.00	1	16.67	2	33.33	Ó	0.00	Ō	0.00
)	3	8	3	37.50	• 4	50.00	1	12.50	õ	0.00	Ō	0.00
	4	22	5	22.73	11	50.00	6	27.27	Ō	0.00	0	0.00
	5	17	6	35,29	9	52.94	2	11.76	Ō	0.00	0	0.00
	6	47	22	46.81	21	44.68	4	8.51	Ó	0.00	0	0.00
	7	67	39	58.21	26	38.81	1	1.49	õ	0.00	1	1.49
	8	99	69	69.70	26	26.26	1	1.01	Ō	0.00	3	3.03
	9	109	84	77.06	23	21.10	2	1.83	õ	0.00	0	0.00
	GREATER THAN 9	886	812	91.65	69	7.79	2	0.23	õ	0.00	3	0.34
	UNKNOWN	43	13	30.23	4	9.30	. 2	4,65	5	11.63	19	44.19
	COUNTY TOTALS	1,313	1,057	80.50	194	14.78	26	1.98	9	0.69	27	2.06

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

	COUNTY	TOTAL	******	****	* * * * * * * * * * * * * * *	***** TRIME		ATAL CARE BE	GAN *****	*****	******	*****
	NUMBER OF	BIRTHS	FI	RST	SEC	COND		HIRD	NC	INE	UNK	NOWN
PREN	ATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
CUMB	ERLAND											
о		6	2	33.33	0	0.00	0	0.00	4	66.67	о	0.00
1		5	0	0.00	3	60.00	2	40.00	0	0.00	0	0.00
2		6	5	83.33	0	0.00	1	16.67	0	0.00	0	0.00
3		15	9	60.00	1	6.67	5	33.33	0	0.00	0	0.00
4		26	15	57.69	7	26.92	4	15.38	0	0.00	0	0.00
5		29	12	41.38	14	48.28	3	10.34	0	0.00	0	0.00
6		58	30	51.72	21	36.21	7	12.07	0	0.00	0	0.00
7		67	37	55.22	29	43.28	1	1.49	0	0.00	0	0.00
8		107	73	68.22	30	28.04	3	2.80	Ó	0.00	1	0.93
9		300	239	79.67	59	19.67	1	0.33	. 0	0.00	1	0.33
GR	EATER THAN 9	2,508	2,322	92.58	180	7.18	0	0.00	1	0.04	5	0.20
UNI	KNOWN	44	13	29.55	4	9.09	2	4.55	4	9.09	21	47.73
(COUNTY TOTALS	3,171	2,757	86.94	348	10.97	29	0.91	9	0.28	28	0.88
FRAN	KLIN											
0		0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
n 1		1	õ	0.00	1	100.00	ŏ	0.00	õ	0.00	õ	0.00
2		1	Ō	0.00	Ó	0.00	1	100.00	ŏ	0.00	Ō	0.00
3		0	ō	0.00	õ	0.00	Ó	0.00	ŏ	0.00	õ	0.00
4		2	ŏ	0.00	2	100.00	õ	0.00	ō	0.00	ō	0.00
5		8	5	62.50	3	37.50	ŏ	0.00	ŏ	0.00	õ	0.00
6		14	6	42.86	7	50.00	Ĩ	7.14	õ	0.00	ŏ	0.00
7		23	14	60.87	9	39.13	ò	0.00	ŏ	0.00	õ	0.00
8		45	35	77.78	10	22.22	ŏ	0.00	õ	0.00	ŏ	0.00
9		46	41	89.13	5	10.87	ŏ	0.00	ŏ	0.00	ŏ	0.00
-	EATER THAN 9	263	236	89.73	26	9.89	1	0.38	ŏ	0.00	ŏ	0.00
	KNOWN	200	200	12.50	1	12.50	i	12.50	1	12.50	4	50.00
	COUNTY TOTALS	411	338	82.24	64	15.57	4	0.97	Í	0.24	4	0.97

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

TABLE 1-07

5

TABLE 1-07 LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

.

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	******	**************************************		**** TRIM		ATAL CARE BE		************ NE		******** NOWN
PRENATAL VISITS	BIRINS		PERCENT	NUMBER			PERCENT	NUMBER		-	PERCENT
HANCOCK											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	4	2	50.00	0	0.00	2	50.00	0	0.00	0	0.00
2	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
3	3	Ó	0.00	2	66.67	1	33,33	0	0.00	0	0.00
4	11	3	27.27	3	27.27	5	45.45	0	0.00	0	0.00
5	10	4	40.00	3	30.00	3	30.00	0	0.00	0	0.00
6	21	8	38.10	12	57.14	1	4.76	0	0.00	0	0.00
7	34	14	41.18	18	52.94	2	5.88	0	0.00	0	0.00
8	48	31	64.58	16	33.33	1	2.08	0	0.00	0	0.00
9	86	70	81.40	16	18,60	0	0.00	0	0.00	0	0.00
GREATER THAN 9	418	360	86.12	57	13,64	Ō	0.00	0	0.00	1	0.24
UNKNOWN	12	7	58.33	0	0.00	1	8.33	1	8.33	3	25.00
COUNTY TOTALS	648	499	77.01	128	19.75	16	2.47	. 1	0.15	. 4	0,62
KENNEBEC											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
1	2	õ	0.00	· 1	50.00	1	50.00	0	0.00	0	0.00
2	3	2	66.67	0	0.00	1	33.33	0	0.00	0	0.00
-	4	1	25.00	1	25.00	2	50.00	0	0.00	0	0.00
4	11	10	90.91	4	9.09	ō	0.00	0	0.00	0	0.00
5	12	7	58.33	3	25.00	2	16.67	0	0.00	0	0.00
5	21	7	33.33	12	57.14	2	9.52	Ō	0.00	0	0.00
7	33	15	45.45	14	42.42	4	12.12	ō	0.00	0	0.00
8	66	44	66.67	20	30.30	1	1.52	õ	0.00	1	1.52
9	86	64	74.42	20	23.26		1.16	õ	0.00	1	1. 1 6
GREATER THAN 9	1,266	1,175	92.81	86	6.79	. 3	0.24	õ	0.00	2	0.16
UNKNOWN	40	14	35.00	3	7.50		2,50	ž	5.00	20	50.00
	-		86.61	161	10.41	18	1.16	4	0.26	24	1.55
COUNTY TOTALS	1,546	1,339	50.01	101	10.41	10	1.10	-	0,20		

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

.

COUNTY	TOTAL		*****		***** TRIME				*****	*****	****
AND NUMBER OF	BIRTHS		RST		OND		HIRD		DNE	-	NOWN
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
KNOX											
0	1	0	0.00	о	0.00	0	0.00	1	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	0	Ō	0.00	Ō	0.00	·0	0.00	Ó	0.00	õ	0.00
3	3	1	33.33	1	33.33	. O	0.00	0	0.00	1	33.33
4	7	3	42.86	2	28.57	1	14.29	Ō	0.00	1	14.29
5	7	3	42.86	2	28.57	1	14.29	Ó	0.00	1	14.29
6	13	4	30.77	7	53.85	2	15.38	Ō	0.00	Ó	0.00
7	13	7	53.85	5	38.46	ō	0.00	1	7.69	Ō	0.00
8	23	14	60.87	8	34.78	1	4.35	0	0.00	ō	0.00
9	33	16	48.48	14	42.42	2	6.06	1	3.03	Õ	0.00
GREATER THAN 9	361	303	83.93	54	14.96	2	0.55	Ó	0.00	2	0.55
UNKNOWN	5	2	40.00	1	20.00	2	40.00	õ	0.00	ō	0.00
COUNTY TOTALS	467	353	75.59	94	20.13	12	2.57	3	0.64	5	1.07
LINCOLN											
0	1	0	0.00	0	0.00	0	0.00	0	0.00	1	100.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	4	1	25.00	2	50.00	1	25.00	Ō	0.00	Ō	0.00
4	7	1	14.29	1	14.29	5	71.43	0	0.00	0	0.00
5	9	3	33.33	6	66.67	0	0.00	Ō	0.00	Ō	0.00
6	8	3	37.50	5	62.50	ō	0.00	ō	0.00	õ	0.00
7	16	9	56.25	6	37.50	1	6.25	Ō	0.00	õ	0.00
8	25	16	64.00	8	32.00	1	4.00	õ	0.00	õ	0.00
9	19	14	73.68	5	26.32	Ó	0.00	õ	0.00	ŏ	0.00
GREATER THAN 9	299	266	88.96	33	11.04	ŏ	0.00	ŏ	0.00	ŏ	0.00
UNKNOWN	32	200	6.25	4	12.50	ů 3	9.38	3 3	9.38	20	62.50
COUNTY TOTALS	420	315	75.00	70	16.67	11	2.62	3	0.71	21	5.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

TABLE 1-07

б

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT OATA)

	COUNTY AND NUMBER OF	TOTAL BIRTHS	******* F1	RST		***** TRIME		IRD		************** JNE	UNK	(NOWN
	PRENATAL VISITS			PERCENT		PERCENT		PERCENT	NUMBER			PERCENT
	OXFORD											
	0	о	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	1	3	1	33.33	0	0.00	2	66.67	0	0.00	0	0.00
	2	3	1	33.33	0	0.00	2	66.67	0	0.00	0	0.00
	3	6	2	33.33	1	16.67	3	50.00	0	0.00	0	0.00
	4	15	4	26.67	8	53.33	3	20.00	0	0.00	0	0.00
	5	15	3	20.00	11	73.33	1	6.67	0	0.00	0	0.00
	6	31	14	45.16	16	51.61	1	3.23	0	0.00	0	0.00
	7	. 38	19	50.00	18	47.37	0	0.00	0	0.00	1	2.63
	8	69	46	66.67	23	33.33	0	0.00	0	0.00	0	0.00
	9	88	67	76.14	21	23.86	0	0.00	0	0.00	0	0,00
	GREATER THAN 9	426	370	86.85	55	12.91	1	0.23	0	0.00	0	0.00
	UNKNOWN	11	6	54.55	1	9.09	0	0.00	· 1	9.09	3	27.27
	COUNTY TOTALS	705	533	75.60	154	21.84	- 13	1.84	. 1.	0.14	4	0.57
	PENOBSCOT											
	0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
л	1	16	9	56.25	3	18.75	4	25.00	0	0.00	0	0.00
ر	2	3	0	0.00	1	33.33	2	66.67	0	0.00	0	0.00
	3	7	3	42.86	0	0.00	4	57.14	0	0.00	0	0.00
	4	20	7	35.00	6	30.00	7	35.00	0	0.00	0	0.00
	5	26	8	30.77	14	53.85	4	15.38	0	0.00	0	0.00
	6	45	21	46.67	20	44.44	4	8.89	0	0.00	0	0.00
	7	70	47	67.14	21	30.00	1	1.43	· 1	1.43	0	0.00
	8	145	96	66.21	46	31.72	2	1.38	0	0.00	1	0.69
	9	173	139	80.35	32	18.50	1	0.58	0	0.00	1	0.58
	GREATER THAN 9	1,316	1,235	93.84	76	5.78	3	0.23	1	0.08	1	0.08
	UNKNOWN	87	60	68.97	4	4.60	4	4.60	3	3.45	16	18.39
	COUNTY TOTALS	1.910	1,625	85.08	223	11.68	36	1.88	7	0.37	19	0.99

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

•

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY	TOTAL	*****	**********		***** TRIME		TAL CARE BE		**************************************	***********	******** NOWN
ANO NUMBER OF PRENATAL VISITS	BIRTHS		PERCENT	-	COND PERCENT		PERCENT	NUMBER			PERCENT
PISCATAQUIS											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	2	2	100.00	0	0.00	0	0.00	0	0.00	0	0.00
2	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
3	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
4	4	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
5	3	0	0.00	3	100.00	0	0.00	0	0.00	0	0.00
6	8	2	25.00	6	75.00	0	0.00	0	0.00	0	0.00
7	16	8	50.00	8	50.00	0	0.00	0	0.00	0	0.00
8	11	7	63.64	4	36.36	0	0.00	0	0.00	0	0.00
9	20	14	70.00	5	25.00	0	0.00	0	0.00	1	5.00
GREATER THAN 9	158	142	89.87	16	10.13	0	0.00	0	0.00	0	0.00
UNKNOWN	10	5	50.00	0	0.00	0	0.00	0	0.00	5	50.00
COUNTY TOTALS	232	181	78.02	45	19.40	0	0.00	0	0.00	6	2.59
SAGADAHOC											
0	1	о	0.00	0	0.00	о	0.00	1	100.00	0	0.00
1	3	2	66.67	0	0.00	1	33.33	0	0.00	0	0.00
2	3	1 '	33.33	1	33.33	1	33.33	0	0.00	0	0.00
3	5	1	20.00	3	60.00	1	20.00	0	0.00	0	0.00
4	7	2	28.57	5	71.43	0	0.00	0	0.00	0	0.00
5	16	8	50.00	7	43.75	1	6.25	0	0.00	0	0.00
6	21	12	57.14	5	23.81	3	14.29	0	0.00	1	4.76
7	17	13	76.47	4	23.53	0	0.00	0	0.00	0	0.00
8	36	24	66.67	11	30.56	0	0.00	0	0.00	1	2.78
9	45	31	68.89	14	31.11	0	0.00	0	0.00	0	0.00
GREATER THAN 9	354	317	89.55	35	9.89	2	0.56	0	0.00	0	0.00
UNKNOWN	13	9	69.23		7.69	Ō	0.00	0	0.00	3	23.08
COUNTY TOTALS	521	420	80.61	86	16.51	9	1.73	1	0.19	5	0.96

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

	COUNTY TOTAL ************************************	*****				TAL CARE BE		************* NE	**************************************	********* NOWN		
		BIRTHS				OND						
	PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
	SOMERSET											
	0	о	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	1	3	1	33.33	1	33.33	1	33.33	0	0.00	0	0.00
	2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	3	4	1	25.00	2	50.00	1	25.00	0	0.00	0	0.00
	4	10	4	40.00	4	40.00	2	20.00	0	0.00	0	0.00
	5	18	8	44.44	8	44.44	2	11,11	0	0.00	0	0.00
	6	24	8	33.33	15	62.50	1	4.17	0	0.00	0	0.00
	7	30	12	40.00	17	56,67	1	3.33	0	0.00	0	0.00
	8	55	41	74.55	12	21.82	2	3.64	0	0.00	0	0.00
	9	67	52	77.61	15	22.39	ō	0.00	0	0.00	0	0.00
	GREATER THAN 9	450	417	92,67	31	6.89	2	0.44	0	0.00	0	0.00
	UNKNOWN	19	12	63,16	1	5.26	ō	0.00	0	0.00	6	31.58
	COUNTY TOTALS	680	556	81.76	106	15.59	12	1.76	0	0.00	6	0.88
	WALDO											
	0	0	· 0	0.00	. 0	0.00	0	0.00	0	0.00	0	0.00
ភភ	1	2	1	50.00	. 1	50.00	õ	0.00	Ó	0.00	0	0.00
СП	2	2. A	2	50.00	Ó	0.00	2	50.00	Ó	0.00	0	0.00
	3	10	3	30.00	5	50.00	2	20.00	Ó	0.00	0	0.00
	3	15	4	26.67	10	66.67		6.67	0	0.00	0	0.00
	5	30	16	53.33	13	43.33	i	3.33	ō	0.00	0	0.00
	5	39	27	69.23	12	30.77	ò	0.00	Ō	0.00	0	0.00
	7	38	29	76,32	8	21.05	ĭ	2.63	õ	0.00	Ó	0.00
	,	58	46	79.31	11	18.97		1.72	ŏ	0.00	õ	0.00
	8 9	31	40. 24	77.42	7	22.58	Ó	0.00	ŏ	0.00	õ	0.00
	9 GREATER THAN 9	223	197	88.34	24	10.76	1	0.45	ŏ	0.00	1	0.45
	GREATER THAN 9 UNKNOWN		197	88.34 66.67	24	0.00		8.33	1	8.33	2	16.67
	COUNTY TOTALS	12 462	357	77.27	91	19.70	10	2,16	ť	0.22	3	0.65
	COUNTY TUTALS	402	357	11.21	51	13.70	10	2.10			•	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND NUMBER OF	TOTAL	******			***** TRIME				*********	**************************************	
PRENATAL VISITS	BIRTHS		RST		OND		IRD		DNE		
FREMATAL VISIIS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
WASHINGTON											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	4	1	25.00	3	75.00	0	0.00	0	0.00	0	0.00
З	8	2	25.00	5	62.50	1	12.50	0	0.00	0	0.00
4	8	2	25.00	5	62.50	1	12.50	0	0.00	0	0.00
5	13	7	53.85	5	38.46	0	0.00	0	0.00	1	7.69
6	25	9	36.00	15	60.00	1	4.00	0	0.00	0	0.00
7	36	18	50.00	16	44.44	2	5.56	0	0.00	0	0.00
8	40	27	67.50	11	27.50	2	5.00	0	0.00	0	0.00
9 '	60	47	78.33	12	20.00	1	1.67	0	0.00	0	0.00
GREATER THAN 9	305	273	89.51	30	9.84	1	0.33	Ó	0.00	1	0.33
UNKNOWN	15	6	40.00	2	13.33	0	0.00	2	13.33	5	33.33
COUNTY TOTALS	515	392	76.12	104	20.19	9	1.75	3	0.58	7	1.36
YORK											
0	3	о	0.00	0	0.00	0	0.00	3	100.00	0	0.00
1	5	1,	20.00	Ó	0.00	4	80.00	. 0	0.00	0	0.00
2	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
3	8	3	37.50	2	25.00	3	37.50	0	0.00	0	0.00
4	13	6	46.15	3	23.08	4	30.77	Ó	0.00	0	0.00
5	15	6	40.00	7	46.67	2	13.33	0	0.00	0	0.00
6	23	10	43.48	13	56.52	ō	0.00	Ō	0.00	0	0.00
7	39	17	43.59	22	56.41	ō	0.00	Ō	0.00	Ō	0.00
8	73	40	54.79	31	42.47	2	2.74	0	0.00	Ō	0.00
9	123	82	66.67	38	30.89	2	1.63	ō	0.00	1	0.81
GREATER THAN 9	1,771	1.652	93.28	118	6.66	ō	0.00	õ	0.00	1	0.06
UNKNOWN	16	3	18.75	1	6.25	ŏ	0.00	2	12.50	10	62.50
COUNTY TOTALS	2,091	1,820	87.04	236	11.29	18	0.86	5	0.24	12	0.57

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

STATE AND NUMBER OF	TOTAL BIRTHS		**************************************		SECOND		TAL CARE E	EGAN ***** NO	********** NE		******** NOWN
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MAINE SUMMARY.											
Ο.	23	3	13.04	0	0.00	0	0.00	18	78.26	2	8.70
1	53	20	37.74	11	20.75	21	39.62	1	1.89	0	0.00
2	39	15	38.46	9	23.08	15	38.46	0	0.00	0	0.00
3	93	32	34.41	31	33.33	29	31.18	0	0.00	1	1.08
4	191	73	38.22	76	39.79	41	21.47	0	0.00	1	0.52
5	246	99	40.24	117	47.56	28	11.38	0	0.00	2	0.81
6	429	193	44.99	202	47.09	33	7.69	0	0.00	1	0.23
7	583	321	55.06	239	40.99	19	3.26	2	0.34	2	0.34
8	1,001	673	67.23	303	30.27	18	1.80	0	0.00	7	0.70
9	1,413	1,078	76.29	319	22.58	10	0.71	1	0.07	5	0.35
GREATER THAN 9	12,128	11,110	91.61	980	8.08	19	0.16	2	0.02	17	0.14
UNKNOWN	377	164	43.50	28	7.43	19	5.04	25	6.63	141	37.40
STATE TOTALS	16,576	13,781	83.14	2,315	13.97	252	1.52	49	0,30	179	1.08

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	*********** 1ST+2ND MONTH	************* 3rd Month	MONTH PRENATA 4TH-6TH MONTH	L CARE BEGAN 7TH-9TH MONTH	********** NONE	********** UNKNOWN
ANDROSCOGGIN								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	49 301 773 358 3 1.484	3.30 20.28 52.09 24.12 0.20 100.00	14 141 413 227 0 795 53.57	19 74 244 107 0 444 29.92	14 68 105 22 2 211 14.22	2 15 9 2 1 29 1,95	0 1 0 0 1 0.07	0 2 2 0 4 0.27
AROOSTOOK								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	35 200 666 392 20 1.313	2.67 15.23 50.72 29.86 1.52	18 77 324 214 1 634 48.29	9 61 218 131 4 23 32.22	8 46 102 37 1 194 14.78	0 12 9 5 0 26 1.98	0 3 1 2 9 0.69	0 1 10 4 12 27 2.06
CUMBERLAND								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	63 411 1.292 1.378 27 3,171	1.99 12.96 40.74 43.46 0.85 100.00	33 182 739 776 12 1,742 54.94	14 141 376 477 7 1.015 32.01	12 73 151 110 2 348 10.97	1 10 9 7 2 29 0.91	0 2 3 4 0 9 0.28	3 3 14 4 28 0.88

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

59

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND			*****	*****	MONTH PRENATA	L CARE BEGAN	******	*****
MOTHER'S	TOTAL	PERCENT	1ST+2ND	3RD	4TH-6TH	7TH-9TH	NONE	UNKNOWN
EDUCATION	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH		
FRANKLIN								
LESS THAN GRADE 9	11	2.68	3	3	4	1	0	о
GRADES 9-11	49	11.92	12	17	16	. 1	0	3
GRADE 12	198	48.18	100	63	33	. 1	i e fin	0
GREATER THAN GRADE 12	153	37.23	97	43	11	· . 1	0	1
UNKNOWN	0	0.00	0	ō	0	0	0	0
COUNTY TOTALS	411		212	126	64	4	1	4
PERCENT DISTRIBUTION	· · · · ·	100.00	51.58	30.66	15.57	0.97	0.24	0.97
HANCOCK								
LESS THAN GRADE 9	13	2.01	4	. 4	3	2	0	0
GRADES 9-11	68	10.49	21	27	16 ,	3	1 .	ŏ
GRADE 12	305	47.07	122	104	69	9	.0	1
GREATER THAN GRADE 12	257	39.66	118	95	39	2	0	3
UNKNOWN	207	0.77	2	2	1	0	õ	õ
COUNTY TOTALS	648	0.77	267	232	128	16	1	Ă
PERCENT DISTRIBUTION	648	100.00	41.20	35.80	19.75	2.47	0.15	0.62
PERCENT DISTRIBUTION		100.00	41.20	35.80	19.75	2.4/	0.15	0.02
			1					
KENNEBEC								
LESS THAN GRADE 9	26	1.68	14	7	4	0	0	1
GRADES 9-11	189	12.23	83	50	43	6	2	5
GRADE 12	740	47.87	416	228	78	8	2	8
GREATER THAN GRADE 12	579	37.45	350	187	35	. 4	0	3 .
UNKNOWN	12	0.78	1	3	1	0	0	7
COUNTY TOTALS	1,546		864	475	161	18	4	24
PERCENT DISTRIBUTION		100.00	55.89	30.72	10.41	1.16	0.26	1.55

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 OUE TO ROUNDING.

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND Mother's Education	TOTAL BIRTHS	PERCENT DISTRIBUTION	**************************************	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MDNTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	********* U nknown
KNDX								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	9 68 201 184 5 467	1.93 14.56 43.04 39.40 1.07 100.00	2 16 66 83 1 168 35.97	4 23 87 69 2 185 39.61	3 25 40 25 1 94 20.13	0 3 6 2 1 12 2.57	0 1 2 0 3 0.64	0 1 3 0 5 1.07
LINCOLN								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	6 50 200 152 2 420	1.43 14.29 47.62 36.19 0.48 100.00	2 20 99 86 0 207 49.29	2 16 47 43 0 108 25.71	2 15 35 18 0 70 16.67	0 5 4 1 1 11 2.62	0 1 1 0 3 0.71	0 3 14 3 1 21 5.00
OXFORD								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	17 116 372 191 9 705	2.41 16.45 52.77 27.09 1.28	5 34 159 93 3 294 41.70	4 43 128 61 3 239 33.90	7 32 78 35 2 154 21.84	0 6 2 1 13 1.84	0 1 0 1 0.14	1 2 0 0 4 0.57

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** 1ST+2ND MONTH	************ 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	*********** NONE	********** UNKNOWN
PENOBSCOT								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	47 284 873 691 15 1.910	2.46 14.87 45.71 36.18 0.79 100.00	22 135 531 499 5 1,192 62.41	10 73 209 141 0 433 22.67	12 59 108 44 0 223 11.68	2 15 15 4 0 36 1.88	1 0 5 0 1 7 0.37	0 2 5 3 9 19 0.99
PISCATAQUIS					x			
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	2 37 125 67 1 232	0.86 15.95 53.88 28.88 0.43	0 14 66 38 0 118 50.86	1 11 30 21 0 63 27.16	1 11 25 8 0 45 19.40	0 0 0 0 0 0.00		0 1 4 0 1 6 2.59
SAGADAHOC								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	12 62 255 186 6 521	2.30 11.90 48.94 35.70 1.15 100.00	3 26 140 105 5 279 53.55	5 22 57 57 0 141 27.06	3 12 49 22 0 86 16.51	1 2 4 2 0 9 1.73	0 1 0 1 0 1 0.19	0 4 0 1 5 0.96

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

61

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS. 1983 (RESIDENT DATA)

COUNTY AND Mother's Education	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** 1ST+2ND MONTH	3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	*********** NONE	********** UNKNOWN
SOMERSET								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	17 125 348 188 2 680	2.50 18.38 51.18 27.65 0.29 100.00	5 53 158 106 1 323 47.50	4 33 133 63 0 233 34.26	7 29 56 14 0 106 15.59	1 5 1 5 0 12 1.76	0 0 0 0 0 0.00	0 5 0 1 6 0.88
WALDO								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	12 57 251 142 0 462	2.60 12.34 54.33 30.74 0.00	4 21 112 80 0 217 46.97	2 14 78 46 0 140 30.30	4 18 54 15 0 91 19.70	1 4 1 0 10 2.16	0 0 1 0 0 1 0.22	1 0 0 0 3 0.65
WASHINGTON								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	21 84 253 150 7 515	4.08 16.31 49.13 29.13 1.36	13 34 126 80 0 253 49.13	7 18 71 41 2 139 26.99	0 28 49 27 0 104 20.19	0 4 1 0 9 1.75	0 2 0 1 3 0.58	1 0 1 4 7 1.36

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

ည

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	*********** 1ST+2ND MONTH	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7th-9th Month	********** NONE	********** UNKNOWN
YORK								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12	43 264 939	2.06 12.63 44.91	20 137 591	9 58 236	11 58 102	1 9	1	1 2
GRADE 12 GREATER THAN GRADE 12 UNKNOWN	939 776 69	37.11 3.30	534	175 18	60 5	2	4 0	1 3
COUNTY TOTALS PERCENT DISTRIBUTION	2.091	100.00	1, <u>3</u> 24 63.32	496 23.72	236 11.29	18 0.86	5 0.24	12 0.57
MAINE SUMMARY								
LESS THAN GRADE 9	383	2.31	162	104	95	12	2	8
GRADES 9-11	2,375	14.33	1,006	681	549	100	10	29
GRADE 12	7,791	47.00	4,162	2,309	1,134	92	21	73
GREATER THAN GRADE 12	5,844	35.26	3,486	1,757	522	41	12	26
UNKNOWN	183	1.10	73	41	15	7	4	43
STATE TOTALS PERCENT DISTRIBUTION	16,576	100.00	8,889 53.63	4,892 29.51	2,315 13.97	252 1.52	49 0.30	179 1.08

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

64

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - NUMBER OF BIRTHS MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1983 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	OUT OF WEDLOCK BIRTHS	MOTHER Under Age 20 y	NON- WHITE RS.	NO PRENATAL CARE	WITH COMP. PREG.	C-SECTION	CONGEN. ANOM- ALIES	BIRTHWEIG UNDER 2500	HT IN GRAMS Over 4999
BATH MEMORIAL HOSPITAL	247	31	28	9	2	17	38	6	10	1
BLUE HILL MEMORIAL HOSP.	329	49	56	1	0	42	36	9	13	2
CALAIS REGIONAL HOSPITAL	177	49	28	22	0	39	24	4	8	4
CARY MEDICAL CENTER	248	42	40	4	0	36	51	2	15	3
CASTINE COMMUNITY HOSPITAL	1	0	0	0	0	1	0	0	1	0
CENTRAL MAINE MEDICAL CENTER	1.052	184	154	11	1	196	154	17	66	1
CHARLES A. DEAN MEMORIAL HOSP.	25	6	5	0	0	6	1	0	0	0
DOWN EAST COMMUNITY HOSPITAL	194	40	34	10	2	17	8	3	3	0
EASTERN MAINE MED CTR	1,664	285	197	39	4	298	268	19	105	5
FRANKLIN MEMORIAL HOSPITAL	503	79	54	2	0	80	49	12	33	1
HENRIETTA D.GOODALL HOSP.	405	45	47	11	1	83	50	8	12	1
HOULTON REGIONAL HOSPITAL	250	45	40	6	2	34	22	6	13	2
J.A.TAYLOR OSTEOPATHIC HOSP.	52	11	10	1	0	7	9	1	4	0
KEN VALLEY MED CTR-AUGUSTA	707	139	110	9	2	181	110	15	41	3
MAINE COAST MEMORIAL HOSP.	205	36	27	2	0	122	30	7	16	0
MAINE MEDICAL CENTER	2,438	284	195	27	7	429	222	31	241	10
MAYO REGIONAL HOSPITAL	291	55	52	2	0	48	34	7	8	0
MERCY HOSPITAL	436	100	80	7	1	46	85	7	28	2
MID-MAINE MEDICAL CTR-SETON	1,042	149	119	9	0	205	113	17	31	1
MILES MEMORIAL HOSPITAL	150	21	25	1	2	21	5	5	3	0
MILLINOCKET REGIONAL HOSP.	181	34	37	0	2	16	46	2	7	0
MOUNT DESERT ISLAND HOSPITAL	82	11	4	0	1	13	9	2	4	2
NORTH CUMBERLAND MEM.HOSP.	150	32	26	0	0	23	27	1	4	1
NORTHERN MAINE MEDICAL CTR	105	14	13	0	1	33	23	0	5	0
OSTEOPATHIC HOSPITAL OF MAINE	477	98	79	5	0	111	40	14	22	1
PARKVIEW MEMORIAL HOSPITAL	912	70	96	16	2	96	88	32	41	3
PENOBSCOT BAY MEDICAL CETER	535	79	71	3	· 3	195	75	8	21	2
PENOBSCOTT VALLEY HOSPITAL	130	19	23	1	0	23	21	1	9	0
REDINGTON-FAIRVIEW HOSP.	213	47	40	1	2	40	35	6	10	1
REGIONAL MEMORIAL HOSPITAL	1	0	0	0	0	0	0	0	0	0
RUMFORD COMMUNITY HOSPITAL	123	27	14	1	0	15	16	3	2	0
SEBASTICOOK VALLEY HOSPITAL	5	0	0	0	0	0	0	0	0	0
ST MARYS GENERAL HOSPITAL	522	71	61	0	0	70	72	7	32	0
ST.ANDREWS HOSPITAL	49	4	4	3	0	7	7	5	2	0
ST.JOSEPH'S HOSPITAL	1	1	1	0	1	0	0	0	0	0
STEPHENS MEMORIAL HOSPITAL	301	45	46	0	1	27	33	6	4	0
THE AROOS MED CTR-PRESQUE ISLE	394	55	52	6	2	92	45	4	16 9	0
US AIR FORCE HOSPITAL	291	13	29	30	0	45	32	-	8	ŏ
WALDO COUNTY GENERAL HOSPITAL	200	42	40	2	0	39	25	9	5	0
WATERVILLE OSTEOPATHIC HOSP.	111	24	18	0	1	24	7	2 24	31	2
WEBBER HOSPITAL	502	92	84	8	2	91	73	-	3	õ
WESTBROOK COMMUNITY HOSPITAL	35	5	1	2	0	3	6	2	3 5	1
AT HOME	193	23	10	3	4	20	0	2	5	ò
BORN ON WAY TO HOSPITAL	9	0	1	0	0	2	0	0	0	0
DOCTOR'S OFFICE	3	0	0	0	0	0	0	0	0	0
OTHER SPECIFIED PLACE	1	1	0	0	0	o	0	J	ŏ	õ
OUT PATIENT FACILITY	104	12	12	õ	0	6	0	1	ŏ	ŏ
STREET ADDRESS	1	0	0	0	0	0	•	317.		51
STATE TOTALS	16,047	2,469	2,073	254	46	2,899	1,989	317.	001	

65

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - PERCENTAGE OF TOTAL BIRTHS MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1983 (OCCURRENCE DATA)

BATH MEMORIAL HOSPITAL 247 12.55 11.34 3.64 0.81 6.88 15.38 2.43 4.05 0.61 CALAIS REGIONAL HOSPITAL 177 27.68 15.82 12.43 0.00 12.77 10.94 2.74 3.95 0.61 CARY MEDICAL CENTER 244 16.95 15.82 12.43 0.00 12.07 10.94 2.74 4.95 0.61 CARY MEDICAL CENTER 24.46 16.96 16.13 1.61 0.00	BIRTH SITE	TOTAL BIRTHS	********* OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20 YR:	NON- WHITE	TAGE OF THE NO PRENATAL CARE	TOTAL BIN WITH COMP. PREG.	RTHS IN EACH C-SECTION	BIRTH SIT CONGEN. ANOM- ALIES	BIRTHWEIG UNDER 2500	SHT IN GRAMS Over 4999
CALAIS REGIONAL HOSPITAL 177 27.68 15.22 12.43 0.00 22.03 13.56 2.26 4.52 2.26 CARY MEDICAL CENTER 14.61 0.00 0.00 100.00 0.00 100.00 0.00 100.00 0.00 100.00 0.00 100.00 0.00 100.00 0.00 100.00 0.00 100.00 0.00 100.00 0.00 100.00 0.00 100.00 0.00 100.00 0.00 100.00 0.00 0.00 100.00 0.00 100.00 0.00 100.00 0.00 100.00 0.00 100.00 0.00 100.00 0.00 15.51 1.55 0.00 100.00 100.00 0.00 100.00 0.00 100.00 0.00 100.00 0.00 100.00 100.00 0.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 <td>BATH MEMORIAL HOSPITAL</td> <td>247</td> <td>12.55</td> <td>11.34</td> <td>3.64</td> <td>0.81</td> <td>6.88</td> <td></td> <td></td> <td></td> <td></td>	BATH MEMORIAL HOSPITAL	247	12.55	11.34	3.64	0.81	6.88				
CARY MEDICAL CENTER 148 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.13 16.14 16.15 16.13 16.14 16.15 16.13 16.14 16.15 16.13 16.14 16.15 16.13 16.14 16.15 16.13 16.14 16.15 16.13	BLUE HILL MEMORIAL HOSP.	329	14.89	17.02	0.30						
CASTINE COMMUNITY HOSPITAL 2.1 1.0.0 1.0.0 0.00 100.00 100.00 100.00 100.00 0.00 100.00 0.00 100.00 0.00	CALAIS REGIONAL HOSPITAL		27.68	15.82	12.43	0.00	22.03	13.56			
CHARLES A.DEAN MEMORIAL HOSP. 25 24.00 20.00 0.00	CARY MEDICAL CENTER	248	16.94	16.13	1.61	0.00	14.52	20.56			
CHARLES A.DEAN MEMORIAL HOSP. 25 24.00 20.00 0.00	CASTINE COMMUNITY HOSPITAL	1	0.00	0.00	0.00		100.00				
DOWNLEAST COMMUNITY HOSTIAL 12 20:20 20:	CENTRAL MAINE MEDICAL CENTER		17.49	14.64	1.05	0.10	18.63				
DOWN EAST COMMUNITY HOSPITAL 194 20.62 17.53 5.15 1.03 8.76 4.12 1.55 1.55 0.00 EASTERN MAINE MED CTR 1.664 17.13 11.84 2.34 0.24 17.91 16.11 1.14 6.36 0.30 FRAMKLIN MEMORIAL HOSPITAL 503 15.71 12.72 0.40 0.00 15.80 8.74 2.39 6.56 0.20 HENRIETTA D. GODDALL HOSP. 405 11.11 11.60 2.72 0.25 20.43 12.35 1.98 2.96 0.25 HOULTON REGIONAL HOSPITAL 250 15.95 1.77 0.28 2.000 13.46 17.31 1.92 7.68 0.00 KEN VALLEY MED CAR CENTER 2.433 11.85 8.00 15.11 11.27 9.80 0.42 MAINE MEDICAL CENTER 2.433 11.85 8.00 15.11 1.27 9.80 0.41 MAINE MEDICAL CENTER 2.433 11.63 0.23 10.55 10.54 14.63	CHARLES A.DEAN MEMORIAL HOSP.	25	24.00	20.00	0.00		24.00				
PRANKLEND MEMORIAL MOSPITAL 503 11.15 11.25 1.27 0.40 0.00 15.50 9.74 2.39 6.56 0.20 HENRIETTA D.GODDALL HDSP. 405 11.11 11.60 2.72 0.25 20.49 12.35 1.98 2.96 0.25 J.A.TAYLOR OSTEDPATHIC HOSP. 52 21.15 19.23 1.92 0.00 13.46 17.31 1.92 7.68 0.00 KEN VALLEY MED CTR-AUGUSTA 707 19.66 15.56 1.77 0.28 25.60 15.56 2.12 5.80 0.42 MAINE COAST NEMORIAL MOSP. 205 17.56 13.17 0.98 0.00 59.51 14.63 3.41 7.80 0.40 MAYO REGIONAL HOSPITAL 291 18.90 17.87 0.59 0.00 16.49 11.63 2.41 2.75 0.00 MID-MAINE MEDICAL CTR-SETON 1.042 14.30 16.47 0.86 0.00 19.67 10.84 1.63 2.58 0.10 MID-MAINE MEDICAL CTR REGIONAL HOSP. 131 18.78 20.44 0.00 1.02	DOWN EAST COMMUNITY HOSPITAL	194	20.62	17.53	5.15	1.03	8.76				
HENRIETTA D. GODDALL HOSP. 405 11.11 11.60 2.75 0.00 10.10 12.15 1.98 2.96 0.25 HUNRLETTA D. GODDALL HOSP. 405 11.11 11.60 2.72 0.25 20.49 12.35 1.98 2.96 0.25 HUNRLETTA D. GODDALL HOSP. 52 21.15 19.23 1.92 0.00 13.60 8.80 2.40 5.20 0.80 J. A. TAYLOR OSTEDPATHIC MOSP. 52 21.15 19.23 1.92 0.00 13.60 15.56 2.12 5.80 0.42 MAINE CLAST MEMORIAL HOSP. 205 17.56 13.17 0.98 0.00 59.51 14.63 3.41 7.80 0.41 MAINE MEDICAL CENTER 2.438 11.65 8.00 1.11 0.29 17.60 9.11 1.27 9.88 0.41 MARCY MOSPITAL 291 18.30 17.87 0.69 0.00 16.43 1.61 6.42 0.44 MID-MAINE MEDICAL CTR-SETON 1.042 14.30 11.42 0.86 0.00 19.67 10.84 1.63 <		1,664	17.13	11.84	2.34	0.24					
HOULTON REGIONAL HOSPITAL 200 11.11 1.000 2.40 0.80 13.60 18.00 2.40 5.20 0.80 J.A.TAYLOR OSTEOPATHIC HOSP. 52 21.15 19.23 1.92 0.00 13.40 17.31 1.92 7.65 0.00 KEN VALLEY MED CTR-AUGUSTA 707 15.66 15.56 1.27 0.28 25.60 15.56 2.12 5.80 0.42 MAINE COAST NEMORIAL HOSP. 205 17.56 13.17 0.98 0.00 59.51 14.63 3.41 7.80 0.00 MAINE MEDICAL CENTER 2.438 11.65 8.00 1.11 0.23 17.80 9.11 1.27 9.89 0.41 MAYO REGIONAL HOSPITAL 436 22.94 18.35 1.61 0.23 10.55 19.50 1.61 6.42 0.46 MID-MAINE MEDICAL CTR-SETON 1.042 14.30 11.42 0.86 0.00 1.867 1.81 1.8.72 0.48 0.00 1.23 1.61 0.33 3.33 2.00 0.00 MID-MAINE MEDICAL CTR-SETON 1.04	FRANKLIN MEMORIAL HOSPITAL	503	15.71	12.72	0.40	0.00	15.90	-			
D.A. TAYLOR OSTEOPATHIC HOSP. D.G. D.G. TAYLOR OSTEOPATHIC HOSP. D.G. D.G. TAYLOR OSTEOPATHIC HOSP. D.G. D.G. <thd< td=""><td>HENRIETTA D.GOODALL HOSP.</td><td>405</td><td>11.11</td><td>11.60</td><td>2.72</td><td>0.25</td><td>20.49</td><td>12.35</td><td></td><td></td><td></td></thd<>	HENRIETTA D.GOODALL HOSP.	405	11.11	11.60	2.72	0.25	20.49	12.35			
KEN VALLEY MED CTR-AUGUSTA 707 19.66 15.56 1.27 0.28 25.60 15.56 2.12 5.80 0.42 MAINE COAST MEMORIAL HOSP. 205 17.56 13.17 0.98 0.00 59.51 14.63 3.41 7.80 0.00 MAINE MEDICAL CENTER 2.438 11.65 8.00 1.11 0.29 17.60 9.11 1.27 9.89 0.41 MAYO REGIONAL HOSPITAL 291 18.90 17.87 0.69 0.00 16.49 11.88 2.41 2.75 0.00 MERCY HOSPITAL 436 22.94 18.35 1.61 0.23 10.55 19.50 1.61 6.42 0.46 MID-MAINE MEDICAL CTR-SETON 1.04 14.30 11.42 0.86 0.00 19.67 10.84 1.53 2.98 0.10 MILLINMORKET REGIONAL HOSPITAL 150 14.00 16.87 0.67 1.33 14.00 3.33 2.00 0.00 1.10 3.84 2.44 4.88 2.44 MOUNT DESERT ISLAND HOSPITAL 13 17.33 1.000	HOULTON REGIONAL HOSPITAL	250	18.00	16.00	2.40	0.80	13.60				
KEN VALLEY MED CTR-AUGUSTA 707 19.66 15.56 1.27 0.28 25.60 15.56 2.12 5.80 0.42 MAINE COAST MEMORIAL HOSP. 205 17.56 13.17 0.98 0.00 59.51 14.63 3.41 7.80 0.00 MAINE MEDICAL CENTER 2.438 11.65 8.00 1.11 0.29 17.60 9.11 1.27 9.89 0.41 MAYO REGIONAL HOSPITAL 291 18.90 17.87 0.69 0.00 16.49 11.88 2.41 2.75 0.00 MERCY HOSPITAL 436 22.94 18.35 1.61 0.23 10.55 19.50 1.61 6.42 0.46 MID-MAINE MEDICAL CTR-SETON 1.04 14.30 11.42 0.86 0.00 19.67 10.84 1.53 2.98 0.10 MILLINMORKET REGIONAL HOSPITAL 150 14.00 16.87 0.67 1.33 14.00 3.33 2.00 0.00 1.10 3.84 2.44 4.88 2.44 MOUNT DESERT ISLAND HOSPITAL 13 17.33 1.000	J.A.TAYLOR OSTEOPATHIC HOSP.	52	21.15	19.23	1.92	0.00	13.46	17.31			
MAINE COAST NEMORIAL HOSP. 205 17.56 13.17 0.98 0.00 59.51 14.63 3.41 7.80 0.00 MAINE MEDICAL CENTER 2,438 11.65 8.00 1.11 0.29 17.60 9.11 1.27 9.89 0.41 MAYO REGIONAL HOSPITAL 291 18.90 17.87 0.69 0.00 16.49 11.68 2.41 2.75 0.00 MERCY HOSPITAL 436 22.94 18.35 1.61 0.23 10.55 19.50 1.61 6.42 0.46 WID-MAINE MEDICAL CTR-SETON 1.042 14.30 11.42 0.86 0.00 19.67 10.84 1.63 2.58 0.10 MILLES MEMORIAL HOSPITAL 150 14.00 15.67 0.67 1.33 14.00 3.33 2.33 2.00 0.00 MUNT DESERT ISLAND HOSPITAL 82 13.41 4.88 0.00 1.22 15.85 10.98 2.44 4.88 2.44 NORTH CUMBERLAND MEM. HOSP. 150 21.33 17.33 0.00 0.00 15.33 18.00 0.67	KEN VALLEY MED CTR-AUGUSTA	707	19.66	15.56	1.27	0.28	25.60	15.56			
MAYO REGIONAL HOSDIAL DIAL DIAL HOSDIAL DIAL DIAL <thdial< th=""> <thdial< th=""> <thdial< th=""> DIAL<td></td><td></td><td>17.56</td><td>13.17</td><td>0.98</td><td>0.00</td><td>59.51</td><td>14.63</td><td></td><td></td><td></td></thdial<></thdial<></thdial<>			17.56	13.17	0.98	0.00	59.51	14.63			
MAYO REGIONAL HOSPITAL 291 18.90 17.87 0.69 0.00 16.49 11.88 2.41 2.75 0.00 MERCY HOSPITAL 436 22.94 18.35 1.61 0.23 10.55 19.50 1.61 6.42 0.46 MID-MAINE MEDICAL CTR-SETON 1.042 14.30 11.42 0.86 0.00 19.67 10.84 1.63 2.98 C.10 MILES MEMORIAL HOSPITAL 150 14.00 15.67 0.57 1.33 14.00 3.33 3.33 2.00 0.00 MILLINOCKET REGIONAL HOSP. 181 18.78 20.44 0.00 1.10 8.84 25.41 1.10 3.87 0.00 MORTH CUMBERIAND MEM.HOSP. 150 13.33 17.33 0.00 0.00 15.33 18.00 0.57 2.67 0.67 NORTHERN MAINE MEDICAL CTR 105 13.33 12.38 0.00 0.95 31.43 21.90 0.00 4.76 0.00 OSTEOPATHIC HOSPITAL 912 7.88 10.53 1.75 0.22 10.53 9.65 3.51 <td></td> <td>2,438</td> <td>11.65</td> <td>8.00</td> <td>1.11</td> <td>0.29</td> <td>17.60</td> <td></td> <td></td> <td></td> <td></td>		2,438	11.65	8.00	1.11	0.29	17.60				
MID-MAINE MEDICAL CTR-SETON 1,042 14.30 11.42 0.86 0.00 19.67 10.84 1.63 2.98 C.10 MILES MEMORIAL HOSPITAL 150 14.00 16.67 0.67 1.33 14.00 3.33 3.33 2.00 0.00 MILLINOCKET REGIONAL HOSP. 181 18.78 20.44 0.00 1.10 8.84 25.41 1.10 3.87 0.00 MOUNT DESERT ISLAND HOSP. 150 21.33 17.33 0.00 0.00 15.33 18.00 0.67 2.67 0.67 NORTH CUMBERLAND MEM.HOSP. 150 21.33 17.33 0.00 0.00 15.33 18.00 0.67 2.67 0.67 NORTHERN MAINE MEDICAL CTR 105 13.33 12.38 0.00 0.95 31.43 21.90 0.00 4.61 0.21 PARKVIEW MEMORIAL HOSPITAL 912 7.68 10.53 1.75 0.22 10.53 9.65 3.51 4.50 0.33 PENDESCOT BAY MEDICAL CETER 535 14.77 13.27 0.56 0.56 36.45 14.02 </td <td>MAYO REGIONAL HOSPITAL</td> <td></td> <td>18.90</td> <td>17.87</td> <td>0.69</td> <td>0.00</td> <td></td> <td></td> <td></td> <td></td> <td></td>	MAYO REGIONAL HOSPITAL		18.90	17.87	0.69	0.00					
MID-MAINE MEDICAL CTR-SETON 1,042 14.30 11.42 0.86 0.00 19.67 10.84 1.63 2.98 C.10 MILES MEMORIAL HOSPITAL 150 14.00 16.67 0.67 1.33 14.00 3.33 3.33 2.00 0.00 MILLINOCKET REGIONAL HOSP. 181 18.78 20.44 0.00 1.10 8.84 25.41 1.10 3.87 0.00 MOUNT DESERT ISLAND HOSP. 150 21.33 17.33 0.00 0.00 15.33 18.00 0.67 2.67 0.67 NORTH CUMBERLAND MEM.HOSP. 150 21.33 17.33 0.00 0.00 15.33 18.00 0.67 2.67 0.67 NORTHERN MAINE MEDICAL CTR 105 13.33 12.38 0.00 0.95 31.43 21.90 0.00 4.61 0.21 PARKVIEW MEMORIAL HOSPITAL 912 7.68 10.53 1.75 0.22 10.53 9.65 3.51 4.50 0.33 PENDESCOT BAY MEDICAL CETER 535 14.77 13.27 0.56 0.56 36.45 14.02 </td <td>MERCY HOSPITAL</td> <td>436</td> <td>22.94</td> <td>18.35</td> <td>1.61</td> <td>0.23</td> <td>10.55</td> <td>19.50</td> <td></td> <td></td> <td></td>	MERCY HOSPITAL	436	22.94	18.35	1.61	0.23	10.55	19.50			
MILLIMORKIAL HOSPITAL 130 14.00 100 1.00 <td< td=""><td></td><td>1.042</td><td>14.30</td><td>11.42</td><td>0.86</td><td>0.00</td><td>19.67</td><td></td><td></td><td></td><td></td></td<>		1.042	14.30	11.42	0.86	0.00	19.67				
MILLINGREL HOSP. 181 18.76 20.39 0.00 1.10 10.11 10.11 11.11			14.00	16.67	0.67	1.33	14.00	3.33	3.33		
MOONT DESERT ALL DESERTAL	MILLINOCKET REGIONAL HOSP.	181	18.78	20.44	0.00	1.10	8.84	25.41			
NORTH EARL MAINE MEDICAL CTR 105 11.33 11.33 0.00 0.95 31.43 21.90 0.00 4.76 0.00 DSTEDPATHIC HOSPITAL OF MAINE 477 20.55 16.56 1.05 0.00 23.27 8.39 2.94 4.61 0.21 PARKVIEW MEMORIAL HOSPITAL 912 7.68 10.53 1.75 0.22 10.53 9.65 3.51 4.50 0.33 PENDESCOT BAY MEDICAL CETER 535 14.77 13.27 0.56 0.56 36.45 14.02 1.50 3.93 0.37 PENDESCOTT VALLEY HOSPITAL 130 14.62 17.63 0.77 0.00 17.69 16.15 0.77 6.92 0.00 REDINGTON-FAIRVIEW HOSP, 213 22.07 18.78 0.47 0.94 18.78 16.43 2.82 4.69 0.47 REGIONAL MEMORIAL HOSPITAL 10 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	MOUNT DESERT ISLAND HOSPITAL	82	13.41	4.88	0.00	1.22	15.85	10.98			
NORTHERN MAINE MEDICAL CTR 105 13.33 12.38 0.00 0.95 31.43 21.90 0.00 4.76 0.00 OSTEOPATHIC HOSPITAL OF MAINE 477 20.55 16.56 1.05 0.00 23.27 8.39 2.94 4.61 0.21 PARKVIEW MEMORIAL HOSPITAL 912 7.68 10.53 1.75 0.22 10.53 9.65 3.51 4.50 C.33 PENDESCOT BAY MEDICAL CETER 535 14.77 13.27 0.56 0.55 36.45 14.02 1.50 3.93 0.37 PENDESCOTT VALLEY HOSPITAL 130 14.62 17.69 0.77 0.00 17.69 16.15 0.77 6.92 0.00 REDINGTON-FAIRVIEW HOSP, 213 22.07 18.78 0.47 0.34 18.78 16.43 2.82 4.69 0.47 REGIONAL MEMORIAL HOSPITAL 1 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	NORTH CUMBERLAND MEM.HOSP.	150	21.33	17.33	0.00	0.00	15.33				
OSTEOPATHIC HOSPITAL OF MAINE 477 20.55 16.56 1.05 0.00 23.27 8.39 2.94 4.61 0.21 PARKVIEW MEMORIAL HOSPITAL 912 7.68 10.53 1.75 0.22 10.53 9.65 3.51 4.50 0.33 PENDBSCOT BAY MEDICAL CETER 535 14.77 13.27 0.56 0.56 36.45 14.02 1.50 3.93 0.37 PENDESCOTT VALLEY HOSPITAL 130 14.62 17.63 0.77 0.00 17.69 15.15 0.77 6.92 0.00 REDINGTON-FAIRVIEW HOSP. 213 22.07 18.78 0.47 0.94 18.78 16.43 2.82 4.69 0.47 REGIONAL MEMORIAL HOSPITAL 1 0.00 0.0	NORTHERN MAINE MEDICAL CTR	105	13.33		0.00	0.95	31.43	21.90			
PENDESCOT BAY MEDICAL CETER 535 14.77 13.27 0.56 0.56 36.45 14.02 1.50 3.93 0.37 PENDESCOTT VALLEY HOSPITAL 130 14.62 17.63 0.77 0.00 17.69 16.15 0.77 6.92 0.00 REDINGTON-FAIRVIEW HOSP, 213 22.07 18.78 0.47 0.94 18.78 16.43 2.82 4.69 0.47 REGIONAL MEMORIAL HOSPITAL 1 0.00 0.0	OSTEOPATHIC HOSPITAL OF MAINE	477	20.55	16.56	1.05	0.00	23.27				
PENDESCOTT VALLEY HOSPITAL 130 14.62 17.63 0.77 0.00 17.69 16.15 0.77 6.92 0.00 REDINGTON-FAIRVIEW HOSP, 213 22.07 18.78 0.47 0.94 18.78 16.43 2.82 4.69 0.47 REGIONAL MEMORIAL HOSPITAL 1 0.00	PARKVIEW MEMORIAL HOSPITAL	912	7.68	10.53	1.75	0.22	10.53	9.65			
REDINGTON-FAIRVIEW HOSP, 213 22.07 18.78 0.47 0.94 18.78 16.43 2.82 4.69 0.47 REGIONAL MEMORIAL HOSPITAL 1 0.00	PENOBSCOT BAY MEDICAL CETER	535	14.77	13.27	0.56	0.56					
SI ANDREWS HUSPITAL 49 8.16 8.16 6.12 0.00 14.29 14.29 10.20 4.00 0.00	PENOBSCOTT VALLEY HOSPITAL	130	14.62	17.63	0.77	0.00	17.69	16.15			
SI ANDREWS HUSPITAL 49 8.16 8.16 6.12 0.00 14.29 14.29 10.20 4.00 0.00	REDINGTON-FAIRVIEW HOSP.	213	22.07	18.78	0.47	0.94	18.78	16.43			
SI ANDREWS HUSPITAL 49 8.16 8.16 6.12 0.00 14.29 14.29 10.20 4.00 0.00	REGIONAL MEMORIAL HOSPITAL	1	0.00	0.00	0.00	0.00	0.00				
SI ANDREWS HUSPITAL 49 8.16 8.16 6.12 0.00 14.29 14.29 10.20 4.00 0.00	RUMFORD COMMUNITY HOSPITAL	123		11.38	0.81	0.00	12.20				
SI ANDREWS HUSPITAL 49 8.16 8.16 6.12 0.00 14.29 14.29 10.20 4.00 0.00	SEBASTICOOK VALLEY HOSPITAL	5	0.00	0.00	0.00	0.00					
SI ANDREWS HUSPITAL 49 8.16 8.16 6.12 0.00 14.29 14.29 10.20 4.00 0.00	ST MARYS GENERAL HOSPITAL	522		11.69	0.00	0.00	13.41				
	ST.ANDREWS HOSPITAL	49	8.16	8.16	6.12						
ST. JOSEPH'S HOSPITAL 1 100.00 100.00 0.00 0.00 0.00 0.00 0.	ST.JOSEPH'S HOSPITAL	1	100.00	100.00	0.00						
STEPHENS MEMORIAL HOSPITAL 301 14.95 15.28 0.00 0.33 8.97 10.96 1.99 1.33 0.00		301		15.28							
THE AROOS MED CTR-PRESQUE ISLE 394 13.96 13.20 1.52 0.51 23.35 11.42 1.02 4.06 0.25											
US AIR FORCE HOSPITAL 291 4.47 9.97 10.31 0.00 15.48 11.00 3.09 3.09 0.00	US AIR FORCE HOSPITAL	291	4.47	9.97							
WALDO COUNTY GENERAL HOSPITAL 200 21.00 20.00 1.00 0.00 19.50 12.50 4.50 4.00 0.00			21.00	20.00	1.00						
WATERVILLE OSTEOPATHIC HOSP. 111 21.62 16.22 0.00 0.90 21.62 6.31 1.80 4.50 0.90	WATERVILLE OSTEOPATHIC HOSP.	111	21.62								
	MPDDDD IAADTAI		18.33	16.73							
WEBBER HUSPITAL 502 18.33 10.73 1.59 0.40 18.15 14.34 4.76 0.10 0.40 WESTBROOK COMMUNITY HOSPITAL 35 14.29 2.86 5.71 0.00 8.57 17.14 5.71 8.57 0.00 1.04 2.59 0.52	WESTBRÓOK COMMUNITY HOSPITAL	35		2.86	5.71						
AT HOME 193 11.92 5.18 1.55 2.07 10.36 0.00 1.04 2.59 0.52	AT HOME	193	11.92	5.18							
BORN ON WAY TO HOSPITAL 9 0.00 11.11 0.00 0.00 22.22 0.00 0.00 0.	BORN ON WAY TO HOSPITAL	9		11.11							
DOCTOR'S OFFICE 3 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0	DOCTOR'S OFFICE	3	0.00								
OTHER SPECIFIED PLACE 1 100.00 0.00 0.00 0.00 0.00 0.00 0.00	OTHER SPECIFIED PLACE	1									
OUT PATIENT FACILITY 104 11.54 11.54 0.00 0.00 5.77 0.00 0.96 0.00 0.00	OUT PATIENT FACILITY	104									
STREET ADDRESS 1 0.00 0.00 0.00 0.00 0.00 0.00 0.00	STREET ADDRESS	· 1									
AT HOME 193 11.92 5.18 1.55 2.07 10.38 0.00 1.04 2.59 0.52 BORN ON WAY TO HOSPITAL 9 0.00 11.11 0.00 0.00 22.22 0.00	STATE PERCENTAGES	16,047	15.39	12.92	1.58	0.29	18.07	12.39	1.98	5.55	0.32

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

table 1-11

66

LIVE BIRTHS BY BIRTHWEIGHT MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1983 (OCCURRENCE DATA)

			****	*****	*****	******	BIRTHWEIG	HT IN GRA	MS ****	*****	*******	****
	TOTAL	BIRTHS	< 1	000		- 1499		500	1500 4	ND OVER	UNKNOWN	
BIRTH SITE	NUMBER		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
BATH MEMORIAL HOSPITAL	247	100.0	1	0.4	0	0.0	1	0.4	246	99.6	0	0.0
BLUE HILL MEMORIAL HOSP.	329	100.0	4	1.2	0	0.0	4	1.2	325	98.8	0	0.0
CALAIS REGIONAL HOSPITAL	177	100.0	0	0.0	0	0.0	0	0.0	176	99.4	1	0.6
CARY MEDICAL CENTER	248	100.0	1	0.4	0	0.0	1	0.4	247	99.6	0	0.0
CASTINE COMMUNITY HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
CENTRAL MAINE MEDICAL CENTER	1,052	100.0	1	0.1	8	0.8	9	0.9	1,043	99.1	0	0.0
CHARLES A. DEAN MEMORIAL HOSP	25	100.0	0	0.0	0	0.0	0	0.0	25	100.0	0	0.0
DOWN EAST COMMUNITY HOSPITAL	194	100.0	0	0.0	0	0.0	0	0.0	194	100.0	0	0.0
EASTERN MAINE MED CTR	1,664	100.0	5	0.3	7	0.4	12	0.7	1,649	99.1	3	0.2
FRANKLIN MEMORIAL HOSPITAL	503	100.0	0	0.0	1	0.2	1	0.2	502	99.8	0	0.0
HENRIETTA D. GOODALL HOSP	405	100.0	2	0.5	1	0.2	3	0.7	402	99.3	0	0.0
HOULTON REGIONAL HOSPITAL	250	100.0	0	0.0	1	0.4	1	0.4	248	99.2	1	0.4
JAMES A. TAYLOR OSTEOP HOSP	52	100.0	0	0.0	0	0.0	0	0.0	52	100.0	0	0.0
KEN VALLEY MED CTR-AUGUSTA	707	100.0	4	0.6	0	0.0	4	0.6	702	99.3	1	0.1
MAINE COAST MEM. HOSPITAL	205	100.0	2	1.0	2	1.0	4	2.0	201	98.0	0	0.0
MAINE MEDICAL CENTER	2,438	100.0	38	1.6	36	1.5	74	3.0	2,362	96.9	2	0.1
MAYO REGIONAL HOSPITAL	291	100.0	0	0.0	0	0.0	0	0.0	291	100.0	0	0.0
MERCY HOSPITAL	436	100.0	0	0.0	0	0.0	0	0.0	436	100.0	0	0.0
MID-MAINE MEDICAL CTR-SETON	1,042	100.0	2	0.2	0	0.0	2	0.2	1,040	99.8	0	0.0
MILES MEMORIAL HOSPITAL	150	100.0	0	0.0	0	0.0	0	0.0	150	100.0	0	0.0
MILLINOCKET REGIONAL HOSP	181	100.0	0	0.0	1	0.6	1	0.6	180	99.4	0	0.0
MOUNT DESERT ISLAND HOSPITAL	82	100.0	0	0.0	0	0.0	0	0.0	82	100.0	0	0.0
NORTH CUMBERLAND MEM. HOSP.	150	100.0	0	0.0	1	0.7	1	0.7	149	99.3	0	0.0
NORTHERN MÅINE MEDICAL CTR	105	100.0	<u>o</u>	0.0	0	0.0	0	0.0	105	100.0	0	0.0
OSTEOPATHIC HOSPITAL OF MAINE	477	100.0	1	0.2	2	0.4	3	0.6	474	99.4	0	0.0
PARKVIEW MEMORIAL HOSPITAL	912	100.0	3	0.3	3	0.3	6	0.7	906	99.3	0	0.0
PENOBSCOT BAY MEDICAL CENTER	535	100.0	3	0.6	0	0.0	3	0.6	530	99.1	2	0.4
PENOBSCOT VALLEY HOSPITAL	130	100.0	0	0.0	0	0.0	0	0.0	130	100.0	0	0.0
REDINGTON-FAIRVIEW HOSP	213	100.0	0	0.0	0	0.0	0	0.0	213	100.0	0	0.0 0.0
REGIONAL MEMORIAL HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	
RUMFORD COMMUNITY HOSPITAL	123	100.0	0	0.0	0	0.0	0	0.0	123	100.0	0	0.0 0.0
SEBASTICOOK VALLEY HOSPITAL	5	100.0	0	0.0	0	0.0	0	0.0	5	100.0	0	
ST. ANDREWS HOSPITAL	49	100.0	0	0.0	0	0.0	0	0.0	49	100.0	0	0.0
ST. JOSEPH'S HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
ST MARYS GENERAL HOSPITAL	522	100.0	0	0.0	1	0.2	1	0.2	521	99.8	0	0.0
STEPHENS MEMORIAL HOSPITAL	301	100.0	0	0.0	0	0.0	0	0.0	301	100.0	0	0.0
THE AROOS MED CTR-PRESQUE ISLE	394	100.0	0	0.0	2	0.5	2	0.5	392	99.5	0	0.0
US AIR FORCE HOSPITAL	291	100.0	0	0.0	0	0.0	0	0.0	291	100.0	0	0.0
WALDO COUNTY GENERAL HOSPITAL	200	100.0	1	0.5	0	0.0	1	0.5	199	99.5	0	
WATERVILLE OSTEOPATHIC HOSP.	111	100.0	0	0.0	1	0.9	1	0.9	110	99.1	0	0.0 0.0
WEBBER HOSPITAL	502	100.0	0	0.0	2	0.4	2	0.4	500	99.6	0	0.0

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

LIVE BIRTHS BY BIRTHWEIGHT MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1983 (OCCURRENCE DATA)

			****	*******	*****	*****	BIRTHWEIG	HT IN GRA	MS ****	******	*****	*****
	TOTAL	BIRTHS	< 1	1000	1000	- 1499	< 1	500	1500 A	ND OVER	UNKNOWN	WEIGHT
BIRTH SITE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
WESTBROOK COMMUNITY HOSPITAL	35	100.0	0	0.0	0	0.0	0	0.0	35	100.0	0	0.0
AT HOME	193	100.0	Ō	0.0	ō	0.0	ō	0.0	192	99.5	1	0.5
BORN OR DIED ON WAY TO HOSP	9	100.0	ō	0.0	Ō	0.0	ō	0.0	9	100.0	0	0.0
DOCTOR'S OFFICE	3	100.0	0	0.0	0	0.0	0	0.0	3	100.0	0	0.0
OTHER SPECIFIED PLACE	ŕ	100.0	Ō	0.0	ō	0.0	Ō	0.0	1	100.0	0	0.0
OUT PATIENT FACILITY	104	100.0	0	0.0	0	0.0	0	0.0	104	100.0	0	0.0
STREET ADDRESS	1	100.0	0	0.0	Ō	0.0	Ō	0.0	1	100.0	0	0.0
STATE TOTALS	16,047	100.0	68	0.4	69	0.4	137	0.9	15,899	99.1	11	0.1

.

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

•

INFANT AND FETAL MORTALITY

71

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER PERCENT	POSTNEONATAL DEATHS NUMBER PERCENT
SEPTICEMIA (038)			
FEMALE	1	0 0.00	1 100.00
TOTALS	1	0 0.00	1 100.00
DISEASES OF BLOOD AND BLOOD-FORMING	ORGANS (280-289)		
MALE	1	0 0.00	1 100.00
TOTALS	1	0 0.00	1 100.00
MENINGITIS (320-322)			
FEMALE	1	0 0.00	1 100.00
TOTALS	1 .	0 0.00	1 100.00
PNEUMONIA (480-486)			
MALE	n de la constante de la constan	0 0.00	1 100.00
FEMALE	1	1 100.00	0 0.00
TOTALS	2	1 50.00	1 50.00
REMAINDER OF DISEASES OF RESPIRATOR	Y SYSTEM (470-478,492-519)		
MALE	· 1	1 100.00	0 0.00
FEMALE	2	0 0.00	2 100.00
TOTALS	3	1 33.33	2 66.67
HERNIA OF ABDOMINAL CAVITY AND INTE	STINAL OBSTRUCTION WITHOUT MENTION OF H	HERNIA (550-553,560)	
MALE	1	1 100.00	0 0.00
TOTALS	1	1 100.00	0 0.00
REMAINDER OF DISEASES OF DIGESTIVE	SYSTEM (520-534,536-543,562-579)		
MALE	1	0 0.00	1 100.00
TOTALS	1	0 0.00	100.00
ANENCEPHALUS AND SIMILAR ANOMALIES	(740)		
FEMALE	4	4 100.00	0 0.00
TOTALS	4	4 100.00	0 0.00
SPINA BIFIDA (741)			
FEMALE	1	0 0.00	1 100.00
TOTALS	1	0 0.00	1 100.00
OTHER CONGENITAL ANOMALIES OF CENTRA	AL NERVOUS SYSTEM AND EYE (742.0-742.2)	742.4-742.9,743)	
MALE	3	2 66.67	1 33.33
FEMALE	Ť	0 0.00	1 100.00
TOTALS	4	2 50.00	2 50.00
CONGENITAL ANOMALIES OF HEART (745-	746)		
MALE	3	3 100.00	0 0.00
NOTES: ICD-9 CODES ARE SHOWN IN PAR PERCENTAGES MAY NOT ADD TO 10 INFANT DEATH IS UNDER 1 YEAR CAUSE OF DEATH CODURS WITH 7	00.00 DUE TO ROUNDING. , NEONATAL IS UNDER 28 DAYS, AND POSTNE	EONATAL IS 28 DAYS TO ONE YEAR	

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS		L DEATHS PERCENT		NATAL DEATHS R PERCENT
(CONT.)					
FEMALE TOTALS	5 8	3 6	60.00 75.00	2 2	40.00 25.00
OTHER CONGENITAL ANOMALIES OF CIRCULATOR	RY SYSTEM (747)				
MALE FEMALE	1	1	100.00 66.67	0	0.00 33.33
TOTALS	3 4	2 3	75.00	1	25.00
CONGENITAL ANOMALIES OF RESPIRATORY SYST	EM (748)				
MALE	5	5	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	6	6	100.00	0	0.00
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	(749-751)				
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
CONGENITAL ANOMALIES OF GENITOURINARY SY	STEM (752-753)				
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
OTHER CHROMOSOMAL ANOMALIES (758.1-758.9					
FEMALE	4	3	75.00	1	25.00
TOTALS	4	3	75.00	1	25.00
ALL OTHER AND UNSPECIFIED CONGENITAL AND	MALTES (744 757 759)				
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
NEWBORN AFFECTED BY MATERNAL CONDITIONS	WHICH MAY BE UNDELATED TO DOESENT	PREGNANCY (760)		
MALE	1	1	100.00	0	0.00
TOTALS	. 1	1	100.00	0	0.00
NEWBORN AFFECTED BY MATERNAL COMPLICATIO	NS DE PREGNANCY (761)				
MALE	4	4	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	5	5	100.00	0	0.00
NEWBORN AFFECTED BY COMPLICATIONS OF PLA	CENTA, CORD, AND MEMBRANES (762)				
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

73

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL D NUMBER PE			NATAL DEATHS R PERCENT
(CONT.)					
SLOW FETAL GROWTH AND FETAL MALNUTRITION	N (764)				
MALE	2	2 10	0.00	0	0.00
FEMALE	1	1 10	0.00	0	0.00
TOTALS	3	3 10	0.00	0	0.00
DISORDERS RELATING TO SHORT GESTATION AN	ND UNSPECIFIED LOW BIRTHWEIGHT (7	65)			
MALE	9		0.00	0	0.00
FEMALE	6		0.00	Ō	0.00
TOTALS	15		0.00	Ō	0.00
BIRTH TRAUMA (767)					
MALE	2	2 10	0.00	0	0.00
				õ	0.00
FEMALE	2		0.00	-	0.00
TOTALS	4	4 10	0.00		0.00
FETAL DISTRESS IN LIVEBORN INFANT (768.2	2-768.4)				
MALE	1	1 10	0.00	0	0.00
FEMALE	1	1 10	0.00	0	0.00
TOTALS	2	2 10	0.00	0	0.00
BIRTH ASPHYXIA (768.5-768.9)					
MALE	2	2 10	0.00	0	0.00
FEMALE	-		0.00	0	0.00
TOTALS	3		0.00	Õ	0.00
RESPIRATORY DISTRESS SYNDROME (769)					aa 57
MALE	7		1.43	2	28.57
FEMALE	. 4		0.00	0	0.00
TOTALS	11	98	1.82	2	18.18
OTHER RESPIRATORY CONDITIONS OF NEWBORN	(770)				
MALE	15	13 8	6.67	2	13.33
FEMALE	6	4 6	6.67	2	33.33
TOTALS	21	17 8	0.95	4	19.05
INFECTIONS SPECIFIC TO THE PERINATAL PER	100 (771)				
MALE	2	2 10	0.00	0	0.00
	2		0.00	ő	0.00
TOTALS	2	2 10	0.00	Ŭ	0.00
NEONATAL HEMORRHAGE (772)		_			100.00
MALE	1	0	0.00	1	100.00
NOTES: ICD-9 CODES ARE SHOWN IN PARENTHE PERCENTAGES MAY NOT ADD TO 100.00 INFANT DEATH IS UNDER 1 YEAR, NEO CAUSE OF DEATH GROUPS WITH ZERO D) DUE TO ROUNDING. DNATAL IS UNDER 28 DAYS, AND POST	NEONATAL IS 28 DAYS		DEPARTMENT OF HU	MAN SERVICES
			DIV	ISION OF DATA AND	RESEARCH

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS		NL DEATHS PERCENT		NATAL DEATHS R PERCENT
(CONT.)					
TOTALS	1	0	0.00	1	100.00
HEMOLYTIC DISEASE OF NEWBORN, DUE TO	ISOIMMUNIZATION. AND OTHER PERINATA	L JAUNDICE (773-	·77 4)		
FEMALE	2	1	50.00	1	50.00
TOTALS	2	1	50.00	1	50.00
ALL OTHER AND ILL-DEFINED CONDITIONS	ORIGINATING IN THE PERINATAL PERIOD	(775.2-775.9.77	76.1-779)		
MALE	3	3	100.00	0	0.00
FEMALE	1	1	100.00	Ō	0.00
TOTALS	4	4	100.00	Ō	0.00
SUDDEN INFANT DEATH SYNDROME (798.0)					
MALE	11	0	0.00	11	100.00
FEMALE	10	1	10.00	9	90.00
TOTALS	21	t	4.76	20	95.24
NHALATION AND INGESTION OF FOOD OR O	THER OBJECT CAUSING OBSTRUCTION OF	RESPIRATORY TRAC	T (E911-E912)		
MALE	1	0	0.00	1	100.00
TOTALS	1	Ō	0.00	1	100.00
ALL OTHER CAUSES (RESIDUAL)					
FEMALE	2	0	0.00	2	100.00
TOTALS	2	0	0.00	2	100.00
	0.5	~~	74 70	~ ~	05 20
MALE	83	62	74.70	21	25.30
FEMALE	62	37	59.68	25	40.32
TOTALS	145	99	68.28	46	31.72

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

74

75

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

CAUSE OF DEATH GROUP	S TOTAL	PERCENT	*****	*******	*** GESTAT	ION WEEKS	********	******
AND SEX	FETAL DEATHS	DISTRIBUTION	20-23	24-27	28-31	32-35	36-39	OVER 39
ANENCEPHALUS AND SIM	ILAR ANOMALIES (7400)							
MALE	2	1.85	0	1	0	0	0	1
FEMALE	1	0.93	Ō	0	Õ	1	0	0
TOTALS	3	2.78	0	1	0	1	0	1
CONGENITAL HYDROCEPH	ALUS (7423)							
FEMALE	1	0.93	1	0	0	0	0	0
TOTALS	1	0.93	1	0	0	0	0	0
SPECIFIED ANOMALIES	OF FACE AND NECK (7448	3)						
FEMALE	1	0.93	0	0	0	0	1	0
TOTALS	1	0.93	0	0	0	0	1	0
ABSENCE OR HYPOPLASI	A OF UMBILICAL ARTERY	(7475)						
MALE	1	0.93	0	1	0	0	0	0
TOTALS	1	O.93	0	1	0	0	0	0
MULTIPLE CONGENITAL	ANOMALIES (7597)							
MALE	1	0.93	0	0	0	0	1	0
TOTALS	1	0.93	0	0	0	0	1	0
UNSPECIFIED CONGENIT	AL ANOMALY (7599)							
MALE	- 1	0.93	0	0	0	0	1	0
TOTALS	1	0.93	0	0	0	0	1	0
FETUS AFFECTED BY MA	TERNAL CONDITIONS UNRE	LATED TO PRESENT PREGNANCY	(7660)					
MALE	2	1.85	1	1	0	0	0	0
FEMALE	2	1.85	0	0	0	1	. 1	0
TOTALS	4	3.70	1	1	0	1	1	0
	RINARY TRACT DISEASES							
MALE	1	0.93	0	0	1	0	0	0
FEMALE	1	0.93	1	0	0	0	0	0
TOTALS	2	1.85	1	0	. 1	0	0	0
PREMATURE RUPTURE OF						_		-
MALE	3	2.78	2	0	0	0	1	0
FEMALE	2	1.85	2	0	0	0	0	0
TOTALS	5	4.63	4	0	0	0	1	U
MULTIPLE PREGNANCY (-					_		-
FEMALE	2	1.85	0	0	2	0	0	0
TDTALS	2	1.85	0	0	2	0	0	0
•								

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

.

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

CAUSE OF DEATH GROU	JPS TOTAL	PERCENT	******	*****	*** GESTAT	ION WĘEKS	*******	******
AND SEX	FETAL DEATHS	DISTRIBUTION	20-23	24-27	28-31	32-35	36-39	OVER
(CONT.)								
FETUS AFFECTED BY (COMPLICATIONS OF PLACENT	A, CORD, AND MEMBRANES (76	20)					
MALE	1	0.93	1	0	0	0	0	0
TOTALS	1	0.93	1	0	Ō	0	0	0
OTHER FORMS OF PLAC	CENTAL SEPARATION AND HE	MORRHAGE (7621)						
MALE	2	1.85	1	1	0	0	0	0
FEMALE	7	6,48	2	0	ŏ	2	ō	3
TOTALS	9	8.33	3	ī	Ō	2	Ō	3
UNSPECIFIED MORPHOL	DGICAL AND FUNCTIONAL A	BNORMALITIES OF PLACENTA (7622)					
MALE	2	1,85	0	0	0	1	1	0
FEMALE	2	1.85	ŏ	1	1	Ó	o	ŏ
TOTALS	4	3.70	õ	1	1	1	1	ō
OTHER COMPRESSION C	F UMBILICAL CORD (7625)							
MALE	11	10.19	0	0	1	1	5	4
FEMALE	5	4.63	ŏ	1	ò	Ó	3	1
TOTALS	16	14.81	ŏ	i	ĩ	ĩ	8	5
UNSPECIFIED CONDITI	ONS OF UMBILICAL CORD (7626)						
FEMALE	t	0.93	0	0	0	0	1	0
TOTALS	1	0.93	0	0	0	0	1	0
FETUS AFFECTED BY O	THER COMPLICATIONS OF L	ABOR AND DELIVERY (7630)						
MALE	1	0.93	0	0	0	1	0	0
TOTALS	1	0.93	0	0	0	1	0	0
EXTREME IMMATURITY	(7650)							
MALE	2	1.85	2	0	0	0	0	0
FEMALE	2	1.85	2	0	0	0	0	0
TOTALS	4	3.70	4	0	0	0	0	0
PREMATURITY OR SMAL	L SIZE NOT CLASSIFIABLE	(7651)						
MALE	3	2.78	2	0	0	1	0	0
TOTALS	3	2.78	2	ō	õ	1	0	0
DTHER SPECIFIED BIR	TH TRAUMA (7678)							
FEMALE	1	0.93	0	0	0	1	0	0
TOTALS	1	0.93	õ	õ	õ	1	õ	ō
FETAL DEATH EDOM AC	PHYXIA OR ANOXIA BEFORE	ONSET OF LABOD (7680)						
MALE	7	6.48	0	o	0	2	2	3
MALE	1	0.40	0	v	Ų	2	~	5

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

77

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

CAUSE OF DEATH GROUP	S TOTAL	PERCENT	******	******	*** GESTAT	ION WEEKS	******	* * * * * * * * * *
AND SEX	FETAL DEATHS	DISTRIBUTION	20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
(CONT.)								
FEMALE	8	7.41	5	0	0	1	0	2
UNKNOWN	1	0.93	Ó	Ó	0	1	0	0
TOTALS	16	14.81	5	0	0	4	2	5
FETAL DISTRESS UNSPE	CIFIED (7684)							
FEMALE	1	0.93	0	0	0	0	0	1
TOTALS	1	0.93	0	0	0	0	0	1
RESPIRATORY PROBLEMS	OF FETUS AFTER BIRTH	(7708)						
MALE	1	0.93	0	0	0	1	0	0
TOTALS	1	0.93	Ō	0	0	.1	0	0
CONDITIONS INVOLVING	THE INTEGUMENT & TEMP	ERATURE REGULATION OF FETU	S (7780)					
FEMALE	1	0.93	0	1	0	o	0	0
TOTALS	1	0.93	Ō	1	0	0	0	0
OTHER SPECIFIED COND	TTIONS ORIGINATING IN	THE PERINATAL PERIOD (7798)					
MALE	1	0.93	Ó	0	0	0	0	1
TOTALS	1	0.93	õ	ō	ō	0	0	1
UNSPECIFIED CONDITIO	N ORIGINATING IN THE P	ERINATAL PERIOD (7799)						
MALE	10	9.26	1	0	1	2	3	3
FEMALE	9	8.33	0	1	3	0	2	3
UNKNOWN	1	0.93	1	0	0	0	0	0
TOTALS	20	18.52	2	1	4	2	5	6
UNDIAGNOSED DISEASE.	NOT SPECIFIED AS TO S	ITE OR SYSTEM INVOLVED (79	99)					
MALE '	3	2.78	Ó	0	1	0	2	0
FEMALE	4	3.70	0	1 - E 1 - E	0	o	1	2
TOTALS	7	6.48	0	1	1	0	3	2
STATE	·							
MALE	55	50.93	10	4	4	9	16	12
FEMALE	51	47.22	13	5	6	6	9	12
UNKNOWN	2	1.85	1	0	0	1	0	0
TOTALS	108	100.00	24	9	10	16	25	24

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

LIVE BIRTHS, NEONATAL DEATHS, AND ESTIMATED NEONATAL DEATH RATES BY BIRTHWEIGHT MAINE STATE TOTALS, 1983 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	LIVE NUMBER	BIRTHS PERCENT	NEONATAL DEATHS NUMBER PERCENT	NEONATAL DEATH RATE
LESS THAN 500	10	0.06	10 10.10	1000.0
500-999	61	0.37	32 32.32	524.6
1000-1499	77	0.46	5 5.05	64.9
1500-1999	178	1.07	10 10.10	56.2
2000-2499	592	3.57	6 6.06	10.1
2500-2999	2,229	13.45	9 9.09	4.0
3000-3499	5,888	35.52	9 9.0 9	1.5
3500-3999	5,264	31.76	7 7.07	1.3
4000-4499	1,818	10.97	2 2.02	1.1
4500-4999	403	2.43	1 1.01	2.5
GREATER THAN 4999	46	0.28	1 1.01	21.7
UNKNOWN	10	0.06	2 2.02	200.0
STATE TOTALS	16,576	100.00	99 100.00	6.0

NOTE: NEONATAL DEATH RATES ARE ESTIMATED BY DIVIDING 1983 NEONATAL DEATHS BY 1983 LIVE BIRTHS AND MULTIPLYING BY 1,000. SUCH RATES ARE ESTIMATED RATHER THAN ACTUAL BECAUSE SOME BIRTHS RELATING TO THE 1983 NEONATAL DEATH COHORT OCCURRED IN 1982.

79

FETAL DEATHS BY SELECTED COMPLICATIONS, GESTATION, AND AGE OF PATIENT MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

		***************************** COMPLICATIONS ************************************								
TOTAL * *	PERCENT	PREGNANCY	LABOR OR	CONCURRENT	CONGENITAL					
FETAL DEATHS	DISTRIBUTION		DELIVERY	ILLNESSES	ANOMALIES					
24	22 22	10	Q	3	2					
		3	2	1	- 1					
		5	- 1	1	i					
-		ŝ		5	ò					
		5	3	3	5					
		4	ő	1	2					
		Ō	ő	Ó	-					
-	0.00	33	25	14	11					
.08	100.00			12.96	10.19					
	100100									
1										
		FETAL DEATHS DISTRIBUTION 24 22.22 9 8.33 10 9.26 16 14.81 25 23.15 24 22.22 0 0.00 108 100.00	TOTAL** PERCENT PREGNANCY FETAL DEATHS DISTRIBUTION 10 24 22.22 10 9 8.33 3 10 9.26 5 16 14.81 6 25 23.15 5 24 22.22 4 0 0.00 0 108 33 100.00 30.56	TOTAL** PERCENT PREGNANCY LABOR OR PETAL DEATHS DISTRIBUTION 0 9 24 22.22 10 9 9 8.33 3 2 10 9.26 5 1 16 14.81 6 4 25 23.15 5 3 24 22.22 4 6 0 0.00 0 0 108 33 25 100.00 30.56 23.15	TOTAL** PERCENT PREGNANCY LABOR OR CONCURRENT 24 22.22 10 9 3 9 8.33 3 2 1 10 9.26 5 1 1 24 22.22 4 6 4 5 10 9.26 5 1 1 1 16 14.81 6 4 5 2 24 22.22 4 6 1 0 0.000 0					

LESS THAN 15	0	0.00	0	0	0	0
15	0	0.00	0	0	0	0
16	3	2.78	2	1	1	0
17	2	1.85	0	1	0	0
18	3	2.78	1	0	1	0
19	9	8.33	4	2	1	. 0
20-24	34	31.48	12	9	5	4
25-29	28	25.93	8	6	1	2
30-34	18	16.67	3	3	3	3
35-39	4	3.70	0	0	0	2
40-44	0	0.00	0	0	0	0
OVER 44	7	6.48	3	3	2	0
UNKNOWN	0	0.00	0	0	0	0
TEENAGE TOTALS	17	15.74	7	4	3	. 0
STATE TOTALS	108		33	25	14	11
PERCENT DISTRIBUTION		100.00	30.56	23.15	12.96	10.19

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

** THE SUM OF COMPLICATIONS MAY EXCEED TOTAL FETAL DEATHS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

DEATHS AND DEATH RATES - TOTAL. INFANT, NEONATAL, POSTNEONATAL, AND PERINATAL MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)*

COUNTY	TOTAL [NUMBER		TOTA NUMBER	RATE	NEONA NUMBER	RATE	POSTNEC NUMBER	NATAL RATE	PERINA NUMBER	RATE
ANDROSCOGGIN	1.011	10.1	12	8.0	6	4.0	6	4.0	13	8.7
AROOSTOOK	718	8.0	13	9.9	7	5.3	6	4.5	15	11.4
CUMBERLAND	2,110	9.6	24	7.5	15	4.7	9	2.8	33	10.3
FRANKLIN	232	8.1	6	14.6	5	12.1	1	2.4	9	21.7
HANCOCK	462	10.8	9	13.8	7	10.8	2	3.0	13	19.9
KENNEBEC	1,075	9.6	12	7.7	9	5.8	3	1.9	23	14.7
KNOX	401	11.8	6	12.8	6	12.8	0	0.0	9	19.1
LINCOLN	323	12.1	4	9.5	4	9.5	0	0.0	8	18.9
OXFORO	553	11.2	10	14.1	6	8.5	4	5.6	16	22.4
PENOBSCOT	1,128	8.1	15	7.8	11	5.7	4	2.0	19	9.9
PISCATAQUIS	185	10.3	2	8.6	1	4.3	1	4.3	2	8.6
SAGADAHOC	244	8.2	4	7.6	3	5.7	1	1.9	6	11.5
SOMERSET	502	11.0	7	10.2	6	8.8	1	1.4	12	17.5
WALDO	292	10.1	6	12.9	1	2.1	5.	10.8	4	8.6
WASHINGTON	372	10.8	2	3.8	1	1.9	1	1.9	5	9.7
YORK	1,308	8.8	13	6.2	11	5.2	2	0.9	20	9.5
STATE TOTALS	10,916	9.5	145	8.7	99	5.9	46	2.7	207	12.4

NOTES: INFANT DEATH IS UNDER 1 YEAR, NEONATAL UNDER 28 DAYS AND POSTNEONATAL 28 DAYS TO ONE YEAR. PERINATAL DEATHS ARE NEONATAL DEATHS AND FETAL DEATHS, 20 GESTATION WEEKS AND OVER.

TOTAL DEATH RATE IS PER 1,000 POPULATION(BASED ON MAINE 1983 POPULATION PROJECTIONS), INFANT DEATH RATE IS PER 1,000 LIVE BIRTHS AND PERINATAL DEATH RATE IS PER 1,000 LIVE BIRTHS AND FETAL DEATHS.

* FETAL DEATH DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

.

FETAL DEATHS BY SELECTED CHARACTERISTICS MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)*

COUNTY	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	OUT OF WEDLOCK	AUTOPSY	IN HOSPITA	**		MESTER NATAL 3		EGAN ****	AGE OF PATI LESS THAN 20	
ANDROSCOGGIN	7	6.48	1	3	7	6	1	о	0	0	2	0
AROOSTOOK	8	7.41	1	5	8	7	0	0	1	0	0	0
CUMBERLAND	18	16.67	2	11	18	5	1	0	12	0	· 1	6
FRANKLIN	4	3.70	2	1	4	3	1	0	0	0	1	0
HANCOCK	6	5.56	1	4	6	3	2	1	о	0	о	0
KENNEBEC	14	12.96	4	8	14	6	1	1	6	0	2	1
KNOX	3	2.78	2	2	3	2	1	0	0	0	0	0
LINCOLN	4	3.70	о	2	4	3	0	0	1	0	O	0
OXFORD	10	9.26	4	7	10	6	1	0	3	0	5	0
PENOBSCOT	8	7.41	1	7	8	6	1	о	1	0	1	0
PISCATAQUIS	1	0.93	1	0	0	1	0	0	о	0	0	0
SAGADAHOC	3	2.78	0	1	3	2	0	0	1	0	0	0
SOMERSET	6	5.56	2	4	6	3	0	0	3	0	2	0
WALDO	3	2.78	1	2	2	1	0	0	2	ο	2	0
WASHINGTON	4	3.70	1	3	4	3	0	0	1	0	1	1
YORK	9	8.33	0	3	9	4	1	о	4	0	0	0
STATE TOTALS	108		23	63	106	61	10	2	35	0	17	8
PERCENT OF AL	L FETAL DEATHS V	ITH SPECIFIED (100.00		STICS 58.33	98.15	56.48	9.26	1.85	32.41	0.00	15.74	7.41

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

•

FETAL DEATHS, SELECTED RISK CHARACTERISTICS, AND RATIO OF MALES TO FEMALES MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS	CONGE ANOMA NUMBER	NITAL LIES PERCENT	* * * * * * *		ISK CHARACT WEIGHT *** < 2500 NUMBER	****	-	HAN 2B ON WEEKS	MALE/FEMALE RATIO
ANDROSCOGGIN	7	о	0.0	1	14.3	3	42.9	1	14.3	2.50
AROOSTOOK	8	2	25.0	5	62.5	6	75.0	3	37.5	0.33
CUMBERLAND	18	2	11.1	0	0.0	7	38.9	7	38.9	0.80
FRANKLIN	4	1	25.0	0	0.0	2	50.0	1	25.0	1.00
HANCOCK	6	0	0.0	0	0.0	1	16.7	3	50.0	2.00
KENNEBEC	14	1	7.1	2	14.3	6	42.9	3	21.4	1.40
KNOX	3	0	0.0	2	66.7	2	66.7	2	66.7	2.00
LINCOLN	4	0	0.0	0	0.0	1	25.0	1	25.0	0.00
OXFORD	10	0	0.0	3	30.0	8	80.0	5	50.0	1.50
PENOBSCOT	8	3	37.5	0	0.0	2	25.0	0	0.0	1.67
PISCATAQUIS	1	0	0.0	0	0.0	1	100.0	0	0.0	0.00
SAGADAHOC	3	1	33.3	0	0.0	1	33.3	0	0.0	0.50
SOMERSET	6	0	0.0	0	0.0	1	16.7	1	16.7	0.20
WALDO	3	1	33.3	0	0.0	1	33.3	0	0.0	0.50
WASHINGTON	4	0	0.0	0	0.0	1	25.0	1	25.0	3.00
YORK	9	0	0.0	2	22.2	4	44.4	5	55.6	0.50
STATE TOTALS	108	11	10.2	15	13.9	47	43.5	33	30.6	1.08

.

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

GENERAL MORTALITY

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL. MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	******* TOTAL	• DEATHS MALE	***** FEMALE		ABER OF	****** DEATHS FEMALE		E PER 100, POPULATION MALE	
AGE: TOTAL FOR ALL AGES									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	4,179	2,128	2.051	1	1	1	364.7	382.4	347.9
MALIGNANT NEOPLASMS (140-208)	2,503	1,347	1,156	2	2	2	218.4	242.1	196.1
CEREBROVASCULAR DISEASE (430-438)	790	302	488	3	4	3	68.9	54.3	82.8
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	445	313	132	4	3	6	38.8	56.2	22.4
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	442	295	147	5	5	5	38.6	53.0	24.9
PNEUMONIA & INFLUENZA (480-487)	365	163	202	6	6	4	31.9	29.3	34.3
ATHEROSCLEROSIS (440)	176	66	110	7	10	7	15.4	11.9	18.7
DIABETES MELLITUS (250)	169	69	100	8	9	8	14.7	12.4	17.0
SUICIDE (E950-E959)	162	122	40	9	7	12	14.1	21.9	6.8
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	. 140	97	43	10	8	11	12.2	17.4	7.3
TOTAL FOR AGE GROUP	10,916	5,674	5,242				952.5	1,019.7	889.2
						·			
								·	
AGE: UNDER 1 YEAR									
PERINATAL CONDITIONS (760-779)	76	51	25	1	1	1	456.6	598.9	307.6
CONGENITAL ANOMALIES (740~759)	35	15	20	2	2	2	210.3	176.1	246.1
PNEUMONIA & INFLUENZA (480-487)	2	· 1	1	3	3 .	3	.###	###	<i>4 # #</i>
INFECTIOUS & PARASITIC DISEASES (001-139)	1	0	.1	4	6	3	###	###	###
MENINGITIS (320-322)	1	0	1	5	6	З	###	###	###
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	1	1	0	6	3	6	###	###	###
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	1	1	0	7	3	6	###	###	<i>4 4 2</i>
TOTAL FOR AGE GROUP	145	83	62				871.2	974.6	762.9

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES. THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES: OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799) ALL OTHER EXTERNAL CAUSES (E980-E999) ALL OTHER DISEASES (RESIDUAL). ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	TOTAL MALE FEMALE		BY NUN	BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
				TOTAL	MALE	FEMALE	IUIAL	MALE	FEMALE
AGE: 1 TO 14 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	33	23	10	1	1	1	14.2	19.2	8.9
MALIGNANT NEOPLASMS (140-208)	7	2	5	2	2 2	2	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	2	2	0	3		5	###	###	###
BENIGN NEOPLASMS (210-239)	2	1	1	4	4	3	###	###	###
CONGENITAL ANOMALIES (740-759)	2	1	1	5	4	з	###	###	###
MENINGITIS (320-322)	1	1	0	6	4	5	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	1	1	0	7	4	5	###	###	###
TOTAL FOR AGE GROUP	60	41	19				25.9	34.3	16.9
AGE: 15 TO 24 YEARS									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	117	95	22	1	1	1	59.2	95.7	22.4
SUICIDE (E950-E959)	41	31	10	2 3	2 3	2	20.8	31.2	10.2
HOMICIDE & LEGAL INTERVENTION (E960-E978)	7	5	2		3	3	###	###	###
HEART DISEASE (390-398,402,404-429)	5	4	1	4	4	5	###	###	###
DIABETES MELLITUS (250)	2	0	2	5	7	3	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	0	1	6	7	5	###	###	###
MALIGNANT NEOPLASMS (14Q-208)	1	0	1	7	7	5	<i>4 6 6</i>	<i>ਜੋ ਜੋ ਜੋ</i>	###
CEREBROVASCULAR DISEASE (430-438)	1	1	0	8	5	9	###	###	###
PNEUMONIA & INFLUENZA (480-487)	1	0	1	9	7	5	###	###	###
CONGENITAL ANOMALIES (740-759)	1	1	0	10	5	9	###	###	###
TOTAL FOR AGE GROUP	189	145	44				95.7	146.1	44.8

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES. THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES: OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799) ALL OTHER EXTERNAL CAUSES (E980-E999) ALL OTHER DISEASES (RESIDUAL). ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	******* TOTAL		***** FEMALE	BY NUM	BER OF	DEATHS	F	E PER 100. POPULATION	Ň	
				TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	
AGE: 25 TO 34 YEARS CAUSE OF DEATH										
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	74	56	18	1	1	· 1	39.1	59.5	18.9	
SUICIDE (E950-E959)	37	28	9	2	2	3	19.5	29.7	###	
MALIGNANT NEOPLASMS (140-208)	31	18	13	3	3	2	16.4	19.1	13.7	
HEART DISEASE (390-398,402,404-429)	11	10	1	4	4	4	5.8	10.6	###	
HOMICIDE & LEGAL INTERVENTION (E960-E978)	4	3	1	5	5	4	###	###	###	
DIABETES MELLITUS (250)	2	2	0	6	6	9	###	###	###	
CEREBROVASCULAR DISEASE (430-438)	2	1	1	7	8	4	###	###	###	
PNEUMONIA & INFLUENZA (480-487)	2	1	1	8	8	4	###	###	###	
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2	2	0	9	6	9	###	###	###	
CONGENITAL ANOMALIES (740-759)	2	. 1	1	10	8	4	###	###	###	
TOTAL FOR AGE GROUP	187	138	49				98.8	146.5	51.5	
AGE: 35 TO 44 YEARS										
MALIGNANT NEOPLASMS (140-208)	63	24	39	1	3	1	43.8	33.4	54.2	
HEART DISEASE (390-398,402,404-429)	55	44	11	2	1	2	38.2	61.2	15.3	
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	43	37	6	3	2	3	29.9	51.5	###	
SUICIDE (E950-E959)	22	17	5	4	4	4	15.3	23.6	###	
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	10	9	1	5	5	8	7.0	###	###	
CEREBROVASCULAR DISEASE (430-438)	9	4	5	6	7	4	###	###	###	
HOMICIDE & LEGAL INTERVENTION (E960-E978)	8	6	2	7	6	6	###	###	###	
DIABETES MELLITUS (250)	5	4	1	8	7	8	###	###	###	
INFECTIOUS & PARASITIC DISEASES (001-139)	3	2	1	9	9	8	###	###	###	
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	3 .	1	2	10	11	6	###	###	###	
TOTAL FOR AGE GROUP	252	170	82				175.1	236.5	113.9	

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES. THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES: OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799) ALL OTHER EXTERNAL CAUSES (E980-E999) ALL OTHER DISEASES (RESIDUAL). ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	****** Total		***** FEMALE		MBER OF			E PER 100 POPULATIO MALE	
AGE: 45 TO 64 YEARS									
CAUSE OF DEATH	CO 2		407			2	319.4	490.1	163.7
HEART DISEASE (390-398,402,404-429) MALIGNANT NEOPLASMS (140-208)	698 670	511 378	187 292	2	1	2	319.4	362.5	255.6
CEREBROVASCULAR DISEASE (430-438)	80	378	42	3	5	3	36.6	36.4	36.8
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	65	42	23	4	4	4	29.7	40.3	20.1
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	64	47	17	5	3	5	29.3	45.1	14.9
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	50	35	15	6	6	6	22.9	33.6	13.1
SUICIDE (E950-E959)	35	26	9	7	7	ğ	16.0	24.9	###
DIABETES MELLITUS (250)	32	17	15	8	8	6	14.6	16.3	13.1
PNEUMONIA & INFLUENZA (480-487)	30	17	13	9	8	8	13.7	16.3	11.4
INFECTIOUS & PARASITIC DISEASES (001-139)	18	9	9	10	10	9	8.2	###	###
TOTAL FOR AGE GROUP	1,940	1,237	703				887.7	1,186.3	615.3
AGE: 65 TO 74 YEARS									
HEART DISEASE (390-398,402,404-429)	989	604	385	1	1	1		1,606.3	801.3
MALIGNANT NEOPLASMS (140-208)	811	458	353	2	2	2	946.9	•	734.7
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	158	109	49	3	3	4	184.5	289.9	102.0
CEREBROVASCULAR DISEASE (430-438)	120	60	60	4	4	3	140.1	159.6	124.9
PNEUMONIA & INFLUENZA (480-487)	50	32	18	5	5	7	58.4	85.1	37.5
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	45	25	20	6	7	6	52.5	66.5	41.6
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	39	26	13	7	6	8	45.5	69.1	27.1
DIABETES MELLITUS (250)	37	12	25	8	9	5	43.2	31.9	52.0 ###
INFECTIOUS & PARASITIC DISEASES (001-139)	19	13	6	9 10	8	11	22.2	34.6	###
ATHEROSCLEROSIS (440)	19	10	9	10	11	9	22.2	26.6	# # #
TOTAL FOR AGE GROUP	2,564	1,522	1,042				2.993.7	4,047.7	2,168.8

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES. THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES: OTHER DISEASES OF ARTERIES, ANTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799) ALL OTHER EXTERNAL CAUSES (E980-E999) ALL OTHER DISEASES (RESIDUAL). ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	****** TOTAL		***** Female			****** DEATHS	*** RA1	TE PER 100 POPULATIO	•
				TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 75 TO 84 YEARS									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	1,256	598	658	1	1	1	2,681.0	3,503.4	2,209.5
MALIGNANT NEOPLASMS (140-208)	650	351	299	2	2	2	1,387.4	2,056.4	1,004.0
CEREBROVASCULAR DISEASE (430-438)	268	114	154	3	3	3	572.1	667.9	517.1
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	153	102	51	4	4	4	326.6	597.6	171.3
PNEUMONIA & INFLUENZA (480-487)	100	52	48	5	5	5	213.5	304.6	161.2
DIABETES MELLITUS (250)	56	20	36	6	8	6	119.5	117.2	120.9
ATHEROSCLEROSIS (440)	51	21	30	7	7	7	108.9	123.0	100.7
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	44	25	19	8	6	9	93.9	146.5	63.8 [°]
INFECTIOUS & PARASITIC DISEASES (001-139)	32	14	18	9	9	10	68.3	82.0	60.4
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	30	10	20	10	11	8	64.0	58.6	67.2
TOTAL FOR AGE GROUP	3,037	1,509	1,528				6,482.5	8,840.6	5,131.0
AGE: 85 YEARS AND OLDER									
HEART DISEASE (390-398,402,404-429)	1,165	357	808	1	1	1	7,418.5	8,567.3	7,003.6
CEREBROVASCULAR DISEASE (430-438)	310	84	226	2	3	2	1,974.0	•	1,958.9
MALIGNANT NEOPLASMS (140-208)	270	116	154	3	2	3	1,719.3		1,334.8
PNEUMONIA & INFLUENZA (480-487)	180	60	120	4	4	4		1,439.9	1,040.1
ATHEROSCLEROSIS (440)	98	29	69	5	6	5	624.0	695.9	598.1
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	63	41	22	6	5	7	401.2	983.9	190.7
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	38	16	22	7	7	7	242.0	384.0	190.7
DIABETES MELLITUS (250)	35	14	21	8	8	9	222.9	336.0	182.0
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	35	11	24	9	9	6	222.9	264.0	208.0
INFECTIOUS & PARASITIC DISEASES (001-139)	18	5	13	10	10	11	114.6	###	112.7
TOTAL FOR AGE GROUP	2,542	829	1,713				16,187.0	19,894.4	14,847.9

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES. THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES: OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799) ALL OTHER EXTERNAL CAUSES (E980-E999) ALL OTHER DISEASES (RESIDUAL). ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

TABLE 3-02 YEARS OF LIFE LOST - NUMBER, PERCENT, RANK, AND AVERAGE PER DEATH BY 32 CAUSE OF DEATH GROUPS AND SEX MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH	TOTAL		LOST** FEMALE	OF L	IFE L	EARS OST FEM.	OF L		DST	OF L PER	AGE Y IFE L DEAT MALE	OST H
HEART DISEASE (390-398,402,404-429) MALIGNANT NEOPLASMS (140-208) ACCIDENTS & ADVERSE EFFECTS (E800-E949) CEREBROVASCULAR DISEASE (430-438) SUICIDE (E950-E959) PERINATAL CONDITIONS (760-779) CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496) PNEUMONIA & INFLUENZA (480-487) CONGENITAL ANOMALIES (740-759) CHRONIC LIVER DISEASE & CIRRHOSIS (571) DIABETES MELLITUS (250)	46.789	25.252	21,537	29.8	29.7	29.9	1	1	1	11	12	11
MALIGNANT NEOPLASMS (140-208)	36.623	17,432		23.3			2	2	2	15	13	17
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	15,909	11,739	4,170	10.1	13.8	5.8	3	3	4	36	38	32
CEREBROVASCULAR DISEASE (430-438)	7,739	2.853	4.886		3.4		4	7	3	10	9	10
SUICIDE (E950-E959)	5,838	4,220	1,618		5.0		5		9	36	35	40
PERINATAL CONDITIONS (760-779)	5.581	3,597	1,984		4.2		6	5	6	71	69	73
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	5.048	3,031	2.017		3.6		7	6	5	11	10	14
PNEUMONIA & INFLUENZA (480-487)	3.388	1,478	1.910		1.7		8	9	7	9	9	9
CONGENITAL ANOMALIES (740-759)	3.075	1.307	1,768		1.5		9	10	8	62	59	63
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2,488	1,710	778		2.0		10	8	12	18	18	18
DIABETES MELLITUS (250)	2.266	901	1,365		1.1		11	11	10	13	13	14
OTHER DIS. OF ARTERIES, ARTERIOLES, AND CAPIL. (441-448)	1,431	867	564	0.9	1.0	0.8	12	12	14	9	9	10
ATHEROSCLEROSIS (440)	1,417	562	855	0.9	0.7	1.2	13	15	11	8	9	8
INFECTIOUS & PARASITIC DISEASES (001-139)	1,385	643	742	0.9	0.8	1.0	14	14	13	15	14	15
HOMICIDE & LEGAL INTERVENTION (E960-E978) BENIGN NEOPLASMS (210-239) NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	1.051	794	257	0.7	0.9	0.4	15	13	17	40	38	51
BENIGN NEOPLASMS (210-239)	770	420	350	0.5	0.5	0.5	16	16	16	17	16	19
NEPHRITIS, NEPHROTIC SYND, & NEPHROSIS (580-589)	761	227	534	0.5	0.3	0.7	17	17	15	9	8	10
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	399	179	220	0.3	0.2	0.3	18	19	19	11	12	10
HYDERTENSION (ACT ACC)	244	118	226	0.2	0.1	0.3	19	20	18	9	9	9
ULCER OF STOMACH & DUODENUM (531-533)	318	102	216	0.2	0.1	0.3	20	21	20	9	10	9
ULCER OF STOMACH & DUODENUM (531-533) MENINGITIS (320-322) ANEMIAS (280-285) NUTRITIONAL DEFICIENCIES (260-269)	286	190	96	0.2	0.2	0.1	21	18	22	32	27	48
ANEMIAS (280-285)	186	102	84	0.1	0.1	0.1	22	21	23	11	17	8
NUTRITIONAL DEFICIENCIES (260-269)	168	70	98	0.1	0.1	0.1	23	24	21	10	10	10
CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS (574-575)	131	85	46	0.1	0.1	0.1	24	23	25	9	9	8
KIDNEY INFECTIONS (590)	86	15	71	0.1	0.0	0.1	25	26	24	11	8	12
APPENDICITIS (540~543)	41	11	30	0.0	0.0	0.0	26	27	26	14	11	15
HYPERPLASIA OF PROSTATE (600)	40	40	0	0.0	0.0	0.0	27	25	28	7	7	0
KIDNEY INFECTIONS (590) APPENDICITIS (540-543) Hyperplasia of prostate (600) ACUTE BRONCHITIS & BRONCHIOLITIS (466)		7	24	0.0	0.0	0.0	28	28	27	10	7	12
ALL OTHER EXTERNAL CAUSES (E980-E999)	250	103	147	÷ · -	0.1					31	34	29
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)		1,050	1,126		1.2					38	39	38
ALL OTHER CAUSES (RESIDUAL)	11,166	6,007	5,159	7.1	7.1	7.2				15	16	13
ALL CAUSES	57.181	85,112	72.069	100.1	00.1	00.				14	15	14

NOTES: BASED ON MAINE 1983 POPULATION ESTIMATES. PERCENTAGES MAY NOT ADD TO 100.0 DUE TO ROUNDING. SEE TEXT FOR METHOD OF COMPUTING YEARS OF LIFE LOST.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

		*****	****	*****	*****	*****	*****	* AGE	AT DEA) ***	*****	*****	*****	*****	****	****
CAUSE OF DEATH GROUPS	TOTAL	UNDER	1-4	5-9 10	0-14	15-19 20	7-24 25	5-34 3	35-44 4	5-54 5	5-59 60	0-64 6	5-69 70	0-74 7	5-79 8	0-84	OVER
AND SEX	DEATHS	1		551	0 14												84
	DERING																
OTHER SALMONELLA INFECTION	S AND OTHE	R FOOD P	DISON	ING (BAG	CTERI	AL) (003	3,005)										
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
TOTALS	2	0	0	0	0	• O	0	0	0	0	0	0	1	1	0	0	0
ILL-DEFINED INTESTINAL INF	ECTIONS (O	09)				-							_		-		•
FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TUBERCULOSIS OF RESPIRATOR	Y SYSTEM (010-012)										_		•		•	0
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	2	0	0	0	0	· 1	0	0	0	0	1	0	0	0	0	0	0
TOTALS	3	0	0	0	0	1	0	0	0	0	1	0	0	0	1	0	0
OTHER TUBERCULOSIS (013-01)	B)							_	-	_		•	•	•		0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
STREPTOCOCCAL SORE THROAT.	SCARLATIN								-			~	•	~	0	0	1
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	ő	4
TOTALS	1	· 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	•
MENIGOCOCCAL INFECTION (03)	6)				_		-	-			~	•	0	0	. 0	0	0
MALE	1	0	1	0	0	0	0	0	0	0	0	0	-	0	0	0	1
FEMALE	1	0	. O	0	0	0	0	0	0	0	0	0	0	0	0	0	4
TOTALS	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	•
SEPTICEMIA (038)			_	_	_	·			1		1	4	1	5	7	2	٨
MALE	26	0	0	0	0	0	0	0	•	1	0	4	1	1	5	8	7
FEMALE	24	1	0	0	0	0	0	0	0	1	1	4	2	6	12	10	11
TOTALS	50	1	0	0	0	0	0	0	1	2	'	4	4	U	12	.0	
ALL OTHER BACTERIAL DISEAS		•			_		~	•	1	~	0	0	1	1	0	0	0
MALE	3	0	0	0	0	0	0	0	ŏ	0	0	õ	ò	ò	1	1	ŏ
FEMALE	2	0	0	0	0	0	0	0	1	0	0	0	1	1	1	1	õ
TOTALS	. 5	0	0	0	0	0	0	0	I	0	0	0			•		•
VIRAL HEPATITIS (070)	-		•	~	•	•	~	~	0	1	0	1 -	0	0	1	0	0
FEMALE	3	0	0	0	0	0	0	0	0	1	õ	4	ŏ	ŏ	1	ŏ	ō
TOTALS	3	0	0	000	-	-	0	0	0	1	U	1	0	v	•	•	-
OTHER VIRAL DISEASES (046-					1-079	, 0	0	0	0	0	1	0	0	2	2	0	0
MALE	6 7	0	1	0	0	0	ŏ	ő	ŏ	ŏ	1	ŏ	ŏ	1	õ	ō	5
FEMALE	13	0	1	0	0	0	0	0	0	õ	2	ŏ	ŏ	3	2	Ō	5
TOTALS	13	0	1	0	0	0	0	0	0	0	*	v	Ŭ	Ŭ	-		
NEUROSYPHILIS (094)	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE TOTALS	4	0	0	0	0	ŏ	õ	õ	õ	ŏ	õ	ŏ	ō	ō	1	0	0
MYCOSES (110-118)	•	0	0	0	U	0	0	Ŭ	0	0	Ū	•	-	-			
MALE	3	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0
FEMALE	2	ŏ	ŏ	ŏ	ŏ	ŏ	õ	ŏ	ŏ	ŏ	ō	1	1	0	0	0	0
TOTALS	2	ő	õ	õ	ŏ	õ	õ	õ	õ	ŏ	ō	2	1	1	1	0	0
LATE EFFECTS OF TUBERCULOS	15 (127)	0	0	U	v	Ŭ	Ŭ	Ũ	Ū	•							
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
TOTALS	2	ŏ	õ	õ	õ	ŏ	ŏ	ŏ	ŏ	ō	ō	1	0	0	0	1	0
ALL OTHER INFECTIOUS AND PA		-	•	104.130	•	139)	-	-	-	-							
MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
	£	0	Ŭ	Ŭ	-	-	-	-	-	-					-		

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

91

92

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

		*****	******	****	******	*****	******** 20-24 25	AGE	AT DEA	TH(YRS.) ***	*****	*****	*****	*****	*****	**** OVER
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10	0-14 15	5-19	20-24 25	-34 3	5-44 4	5-54 55	1-29 0	0-64 6	5-69 /	0 /4 /	5 / 5 0	0 04	84
(CONT.)																	
FEMALE	3	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0
TOTALS	5	0	0	0	0	0	0	0	1	1	0	1	1	1	0	0	0
MALIGNANT NEOPLASMS OF:	TONGUE (141)								•		_		-		•	0	о
MALE	· 13	0	0	0	0	0	0	0	0	1	2	4	3	1	2 0	0	0
FEMALE	3	0	0	0	0	0	0	0	0	1	1	1	0 3	0	2	0	ŏ
TOTALS	16	0	0	0	0	0	0	0	0	2	3	5	3		2	0	0
MALIGNANT NEOPLASMS OF:	•					_	-	•		~	~	2		з	4	1	1
MALE	21	0	0	0	0	0	0	0	ò	3	6	_	4	0	ò	ò	ò
FEMALE	3	0	0	1	0	0	0	0	1	0	0	0	5	3	1	1	1
TOTALS	24	0	0	1	0	0	0	0	1	3	6	2	5	3			•
MALIGNANT NEOPLASMS OF:				ORAL			PHARYNX	• • • • =	,	49.1-14	(9.9)	0	0	2	3	0	0
MALE	8	0	0	0	0	0	0	0	0	2	1	1	3	1	o	1	ĭ
FEMALE	7	0	0	0	0	0	0	0	0	0	0	1	3	3	3	- 1	1
TOTALS	15	0	0	0	0	0	0	0	0	2	1	1	3	3	3	•	•
MALIGNANT NEOPLASMS OF:				_	_	-	•	•	•	•	5	5	10	4	з	1	2
MALE	32	0	0	0	0	0	0	0	0	2	5	3	2	4	õ	2	1
FEMALE	13	0	0	0	0	0	0	0	0	1 3	5	3	12	8	3	3	3
TOTALS	45	0	0	0	0	0	0	0	0	3	5	0	12	0	5	5	Ŭ
MALIGNANT NEOPLASMS OF:					•	-	•	•		~	~	2	6	5	7	9	2
MALE	38	0	0	0	0	0	0	0	1	3	3 1	∠ 0	1	6	11	5	4
FEMALE	29	0	0	0	0	0	0	0	0	1	4	2	7	11	18	14	6
TOTALS	67	0	0	0	0	0	0	0	1	4	4	2	'		10	14	Ŭ
MALIGNANT NEOPLASMS OF:	SMALL INTESTI				NUM (15	/	•	•	•	0	o	0	0	o	1	0	0
MALE	1	0	0	0	0	0	0	0	0	0	0	ŏ	1	1	ó	ŏ	ŏ
FEMALE	2	0	0	0	0	0	0	0	0	ŏ	ŏ	ő	1	1	1	ŏ	ŏ
TOTALS	3	0	0	0	0	0	-	153.0	-	.153.7)	-	0	,	•	•	Ũ	•
MALIGNANT NEOPLASMS OF:			FLEXURE	-				0	0,153.1	, 153.7) 0	0	0	o	о	1	0	1
MALE	2	0	0	0	0	0	0	ő	0	0	1	ŏ	ŏ	2	i	1	Ó
FEMALE	5	0	0	0	0	0	0	ŏ.	ŏ	ŏ	1	õ	ŏ	2	2	1	1
TOTALS	7	0	0	0	0	0	0	0	0	U	1	0	Ŭ	-	-	•	
MALIGNANT NEOPLASMS OF:	DESCENDING CU			•	ο.	0	0	0	0	1	0	0	0	0	0	0	0
MALE	1	0	0	0	0.	ŏ	0	ő	ŏ	ò	ŏ	ŏ	1	ŏ	ŏ	1	Ó
FEMALE	2	0	0	0	0	0	ő	ő	ő	1	ŏ	õ	1	ŏ	ŏ	1	Ō
TOTALS	3	0	. •	0	0	0	0	0	0	•	U	Ŭ	•	Ŭ	•		
MALIGNANT NEOPLASMS OF:			, ,	0	0	0	0	0	0	0	1	1	0	0	2	2	0
MALE	6	0	0	0	ő	ő	ő	ŏ	2	ŏ	ò	1	ŏ	1	õ	2	0
FEMALE	6	0	0	0	õ	0	0	ő	2	ŏ	1	2	ŏ	1	2	4	0
TOTALS	12 CECUM. APPEND	•	ASCENDI	•	•	•	153.6)	0	~	0	•	-	·				
MALIGNANT NEOPLASMS OF:	· · · ·		O			0	0	0	0	0	0	0	0	0	1	1	0
MALE	2	0	ŏ	0	ő	ő	ŏ	ŏ	ŏ	ŏ	1	1	ŏ	1	1	З	з
FEMALE	10	0	0	0	õ	õ	ŏ	ŏ	õ	ŏ	1	1	ŏ	1	2	4	3
TOTALS		-	PECIFIE	•	3.8-153	ະດັ	Ŭ	0	0	v	•		-				
MALIGNANT NEOPLASMS OF:		UN, UNSI 0	0	0 (13	0		0	3	2	8	8	8	7	15	24	14	15
MALE	104	0	0	U	v	0	v	U	*	~	-	-		-			

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

		******	*****	*****	*****	*****	*****	* AGE	AT DEA	TH(YRS	.) **'	******	*****	******	*****	*****	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10	0-14 1	5-19 2	0-24 2	5-34	35-44 4	5-54 5	5-59 6	60-64 G	5-69 7	0-74 7	5-79 8	0-84	OVER 84
(CONT.)																	
FEMALE	121	0	0	0	0	0	0	0	0	9	7	8	16 23	13 28	20 44	23 37	25 40
TOTALS	225	0	0	0	0	0	0	3	2	17	15	16	23	28	44	37	40
MALIGNANT NEOPLASMS OF:		SIGMOID		ION ANI			0	0	2	2	3	1	3	9	3	1	5
MALE	29	0	0	0	0 0	0	0	0	∠ 1	∠ 1	5	2	5	4	3	7	4
FEMALE	32	0	0	0	0	0	0	0	3	3	8	3	8	13	6	8	ģ
TOTALS	61	-	•	0	0	0	U	0	5	3	0	0	0		Ŭ	-	-
MALIGNANT NEOPLASMS OF:	LIVER, PRIMAR	0), 0	0	0	0	0	0	0	1	0	1	0	1	0	0	1
MALE	2	0	0	0	ŏ	ŏ	ŏ	ŏ	ŏ	1	ŏ	, O	õ	1	ō	ō	0
FEMALE TOTALS	2	0	0	0	ő	0	õ	0	õ	2	õ	1	õ	2	õ	ō	1
MALIGNANT NEOPLASMS OF:	-	0	•	•	0	0	0	U	0	~	U	•	0	-	-		
MALIGNANT NEUPLASMS OF. MALE	. INTRAMEPATIC			0	0	0	0	0	0	0	1	1	0	1	0	0	0
FEMALE	2	ŏ	ŏ	õ	õ	õ	õ	õ	õ	õ	Ó	Ó	1	1	0	0	0
TOTALS	5	õ	õ	õ	õ	õ	õ	õ	õ	ŏ	1	1	1	2	0	0	0 ·
MALIGNANT NEDPLASMS OF:	UTVER NOT SP	•	-	•	•			2)	•	•							
MALE MALE	6	0	0	0	0	0	0	~ ́ 0	0	0	1	2	0	0	0	2	1
FEMALE	7	ŏ	õ	õ	õ	õ	õ	1	ō	Ō	0	. 0	2	1	1	0	2
TOTALS	13	ŏ	õ	õ	õ	õ	õ	1	ō	Ō	1	2	2	1	1	2	3
MALIGNANT NEOPLASMS OF:		-	-	-	-	•			-								
MALE	9	0	0	0	0	0	Ó 0	0	0	1	1	1	1	3	1	0	1
FEMALE	16	ŏ	õ	õ	õ	ō	õ	ō	Ó	0	4	1	3	3	1	1	З
TOTALS	25	õ	õ	õ	ō	Ō	Ó	0	0	1	5	2	4	6	2	1	4
MALIGNANT NEOPLASMS OF:		•	Ŭ	· ·	-	-											
MALE	52	Ó	0	0	0	0	0	0	1	4	6	8	7	8	5	6	7
FEMALE	67	Ō	Ō	0	0	0	0	0	0	3	4	8	11	17	9	7	8
TOTALS	119	0	0	0	0	0	0	0	1	7	10	16	18	25	14	13	15
MALIGNANT NEOPLASMS OF:	RETROPERITONE	UM, PERI	ITONEL	IM AND (OTHER	SITES	WITHIN	I THE	DIGESTI	VE ORG	ANS (158-159					
MALE	17	0	0	0	0	0	0	0	0	0	1	4	2	4	1	4	1
FEMALE	25	0	0	0	0	0	0	0	0	1	1	2	2	5	7	6	1
TOTALS	42	0	0	0	0	0	0	0	0	1	2	6	4	9	8	10	2
MALIGNANT NEOPLASMS OF:	: LARYNX (161)													_		•	
MALE	14	0	0	0	0	0	0	0	0	0	2	2	2	3	4	0	1
FEMALE	4	0	0	0	0	0	0	0	0	1	1	0	1	0	1	0	0
TOTALS	18	0	0	0	0	0	0	0	0	1 '	3	2	3	3	5	0	I
MALIGNANT NEOPLASMS OF:	: TRACHEA, BRON	ICHUS, AN	ND LUN		,						-			05	C 4	37	15
MALE	468	0	0	0	0	0	0	3	9	37	51	73	84	95	64 28	10	9
FEMALE	178	0	0	0	0	0	0	1	5	19	11	29	36	30 125	28 92	47	24
TOTALS	646	0	0	0	0	0	0	4	14	56	62	102	120	125	92	-47	2,7
MALIGNANT NEOPLASMS OF:						SYSTE		ITRATH	ORACIC	ORGANS	(160	, 163-16		1	0	0	0
MALE	5	0	0	0	0	0	0	1	1	0	1	1	0	1	ő	ő	õ
TOTALS	5	0	0	0	0	0	0	Ĩ	٦	0	1	1	U	I	0	0	Ŭ
MALIGNANT NEOPLASMS OF:						•	~	~	~	0	2	0	1	0	0	0	1
MALE	4	0	0	0	0	0	0	0	O O	0	∠ 0	0	ò	0	1	1	ò
FEMALE	3	0	0	0	0	0	I	0	0	0	0	U	U	0			-

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

93

94

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

			the set of the set of the set	بله مانه بانهد. بد بد	مەر مەر بەر مەر بەر		*****	*****	** AGE	AT DE) ***	*****	* * * * * * * *	****	****	* * * * *	****
CAUSE OF DEATH	GROUPS	TOTAL	UNDER	1-4	5-9 1	0-14	15-19	20-24	25-34	35-44	45-54 5	5-59 e	50-64 6	65-69 7	0-74 7	75-79 8	0-84	OVER
AND SEX		DEATHS	1															84
(CONT.)																		
TOTALS		7	0	0	0	0	0	1	0	0	0	2	0	1	0	1	1	1
MALIGNANT NEOPL	ASMS OF:	CONNECTIVE /	ND OTHER	SOFT	TISSUE						-					0	0	4
MALE		5	0	0	0	0	0	0	0	1	0	0	1	1	1 0	0	2	1
FEMALE		7	0	0	0	0	0	0	1	1	0	0	0	2	1	õ	2	2
TOTALS		12	0	0	0	0	0	0	,	2	U	U	'	5	•	Ŭ	-	-
MALIGNANT NEOPL MALE	ASMS UF:	MELANUMA UF	SKIN (174	2)	0	0	0	0	2	1	6	0	1	3	1	0	0	0
FEMALE		13	0	õ	õ	ŏ	õ	ŏ	4	Ó	3	2	1	0	0	0	1	2
TOTALS		27	ő	ŏ	ŏ	ŏ	ŏ	ŏ	6	1	9	2	2	3	1	0	1	. 2
MALIGNANT NEOPL	ASMS OF:			_ASM C	F SKIN	r (173)											
MALE		3	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0
FEMALE		5	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	3 3
TOTALS		8	0	0	0	0	0	0	0	0	0	1	3	0	1	0	0	ک
MALIGNANT NEOPL	ASMS OF:	FEMALE BREAS	ST (174)				_			-	~ ~ ~	~~	~~	20	32	23	24	18
FEMALE		207	0	0	0	0	0	0	2	8	24	23	23 23	30 30	32	23	24	18
TOTALS		207	0	0	0	0	0	0	2	8	24	23	23	30	32	20	27	
MALIGNANT NEOPL	ASMS OF:	MALE BREAST		~	~	<u>^</u>	0	0	0	0	0	0	0	0	0	1	0	0
MALE		1	0	0	0	0	ő	ŏ	0	õ	õ	ŏ	ŏ	ŏ	ŏ	1	õ	Ó
TOTALS MALIGNANT NEOPL			•	0	0	0	0	0	0	Ŭ	Ŭ	Ŷ	Ũ	•	•			
FEMALE	ASMS UF:	29		0	0	0	0	0	1	11	1	5	з	з	1	0	3	1
TOTALS		29	õ	õ	ō	ō	Ō	0	1	11	1	5	3	3	1	0	3	1
MALIGNANT NEOPL	ASMS OF:		OF UTERUS	S (179	9,181-1	82)											_	
FEMALE		33	0	0	0	0	0	0	0	0	1	1	7	4	5	6	5	4 4
TOTALS		33	0	0	0	0	0	0	0	0	1	1	7	4	5	6	5	4
MALIGNANT NEOPL	ASMS OF:	OVARY AND O	THER UTER		DNEXA (183)										8	2	8
FEMALE		63	0	0	0	0	0	0	0	3	6 6	3	11 11	14 14	8 8	8	2	8
TOTALS		63	0	0	0		0	0	0	3	0	ى		14	Ģ	0	~	•
MALIGNANT NEOPL	ASMS OF:					IITAL I O	ORGANS O	(184) O	0	0	1	0	0	1	1	1	1	3
FEMALE		8	0	0	0	0	0	ŏ	ő	õ	1	õ	ŏ	1	1	1	1	З
TOTALS Malignant Neopl	ACME OF	-	+	0	0	0	Ŭ	v	Ŭ	Ŭ	•	Ũ	•					
MALIGNANT NEOPL MALE	ASMS UF.	155	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0	0	0	0	0	0	0	1	2	10	9	41	33	26	33
FEMALE		2	õ	ŏ	ŏ	ō	ō	Ō	0	0	1	0	0	0	0	0	1	0
TOTALS		157	ŏ	ŏ	õ	ō	Ó	Ó	0	0	2	2	10	9	41	33	27	33
MALIGNANT NEOPL	ASMS OF:	TESTIS (186)															•
MALE		2	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS		2	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	U
MALIGNANT NEOPL	ASMS OF:	PENIS AND O			TAL ORG							•	•	0	0	0	0	0
MALE		1	0	0	0	0	0	0	0	0	1 1	0	0	0	0	ő	ŏ	ŏ
TOTALS		1	0	0	0	0	0	0	0	0	1	0	0	Ų	0	Ŭ	Ŭ	Ŭ
MALIGNANT NEOPL	ASMS OF:			<u> </u>	0	0	0	0	0	0	2	3	6	9	6	10	10	8
MALE		54 17	0	0	0	0	ő	0	0	ő	õ	1	ŏ	2	2	4	3	5
FEMALE TOTALS		. 71	0	õ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	2	4	6	11	8	14	13	13
MALIGNANT NEOPL	ASMS DE.		THER UNS	•	Ũ	NARY	ORGANS	-	-	-								
MALE		27	0	0	0	0	0	0	0	0	3	2	5	4	3	3	6	1
· · ·			-															

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

		*****	*****	* * * * * *	*****	*****	****	AGE	AT DEA	TH(YRS	.) ***	* * * * * *	*****	*****	*****	*****	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1 - 4	5-9 1	0-14 1	5-19 2	0-24 25	i-34 3	5-44 4	5-54 5	5-59 6	0-64 6	5-69 7	0-74 7	5-79 8	0-84	OVER 84
(CONT.)																	
(00)																	
FEMALE	21	0	0	0	0	0	0	1	2	1	0	2	2	2	4	1	6
TOTALS	48	0	0	0	0	0	0	1	2	4	2	7	6	5	7	7	7
MALIGNANT NEOPLASMS OF:	: EYE (190)													•	~	~	1
FEMALE	. 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	: 1
TOTALS	1	0	0	0	0	0	• O	0	0	0	0	0	0	0	0	0	1
MALIGNANT NEOPLASMS OF:					_	-	-	•		~	~		2	2	4	1	0
MALE	23	0	0	0	1	0	0	2	4	3 4	3 3	4 2	2	∠ 8	3	2	1
FEMALE	26	0	0	0	1	0	0	0		4	3 6	∠ 6	3	10	4	3	1
TOTALS	49	0	0	0	2	0	0	2	5	/	6	0	3	10	-	.	•
MALIGNANT NEOPLASMS OF:	OTHER AND UNS				IERVOUS		,		~	~	0	1	0	0	0	0	0
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	õ	ŏ	ŏ	1
FEMALE	1	0	0	0	0	0	0	0	+	-	0	1	0	ő	õ	õ	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	1	0	U	U	0	,
MALIGNANT NEOPLASMS OF:			ENDOCI		LANDS,	RELAT		ICTURE		-194)	~	0	1	0	1	0	0
MALE	2	0	0	0	0	0	0	0	0	0	0	0	ò	1	1	1	1
FEMALE	5	0	0	1	0	0	0	0	0	0	0	0	1	1	2	1	1
TOTALS	7	0	0	1	0	•	0	0	0	0	0	0		•	-	•	
MALIGNANT NEOPLASMS OF:					(195-1	99) 0	0	2	1	5	9	12	19	29	14	15	12
MALE	118	0	0	0	0	0	ő	2	2	6	3	7	9	16	8	14	22
FEMALE	87 205	0	0	0	0	0	0	2	3	11	12	19	28	45	22	29	34
TOTALS		-	0	0	0	0	0	2	5	• •	12		20				
LYMPHOSARCOMA AND RETIC MALE	13	0	0	0	0	0	0	1	0	0	1	0	з	2	3	2	1
FEMALE	13	0	0	0	ŏ	ŏ	ŏ	ò	1	õ	o O	ŏ	1	4	2	3	0
TOTALS	24	0	0	0	õ	õ	õ	1	1	õ	1	õ	4	6	5	5	1
HODGKIN'S DISEASE (201)		U	0	0	0	0	0			0	•	Ũ					
MALE	, 3	0	0	0	Ó	0	0	2	0	1	0	0	0	0	0	0	0
TOTALS	3	õ	õ	õ	õ	õ	õ	2	õ	1	ŏ	õ	Ō	0	0	0	0
OTHER MALIGNANT NEOPLAS		~		•	÷	.02)	0	~	ů.		•						
MALE	27	0	0	0	0	0	0	1	0	2	З	1	з	8	6	2	1
FEMALE	30	ŏ	õ	ŏ	ŏ	õ	õ	1	ō	1	1	3	З	6	6	1	8
TOTALS	57	õ	õ	õ	ŏ	õ	õ	2	Ō	з	4	4	6	14	12	3	9
MULTIPLE MYELDMA AND IN	- /	TIVE NEOF	PLASMS	(203)	-												
MALE	15	0	0	0	0	0	0	0	0	1	1	0	4	2	3	3	1
FEMALE	18	õ	Ō	0	0	0	0	0	0	1	1	2	4	1	3	3	3
TOTALS	33	Ō	Ó	0	0	0	0	0	0	2	2	2	8	З	6	6	4
LYMPHOID LEUKEMIA (204)																	-
MALE	11	0	0	0	0	0	0	0	0	1	0	1	3	1	1	2	2
FEMALE	11	0	0	0	1	0	0	0	0	0	0	0	2	1	1	2	4
TOTALS	22	0	. 0	0	1	0	0	0	0	1	0	1	5	2	2	4	6
MYELOID LEUKEMIA (205)													_	•	•	~	
MALE	18	0	0	0	0	0	0	0	1	2	1	1	6	2	2	2	1
FEMALE	17	0	0	0	0	0	0	1	1	2	2	0	4	2	2 4	3 5	1
TOTALS	. 35	0	0	0	0	0	0	1	2	4	З	1	10	4	4	5	I

NDTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

96

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

		*****	*****	* * * * * * *	* * * * * *	* * * * * * *	* * * * * * *	AGE	AT DEAT	TH(YRS.) ****	*****	*****	****	*****	* * * * * *	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10	-14 15	5-19 20	0-24 25	5-34 3!	5-44 45	5-54 55	-59 60	-64 65	5-69 70	0-74 7	5-79 8	0-84	OVER 84
(CONT.)																	
MONOCYTIC LEUKEMIA (206)									-		•	•	•		0	0	0
MALE	2	0	0	0	0	0	0	0	0	1	0	0	0	1 0	0	ŏ	ŏ
FEMALE	1	0	0	1	0	0	0	0	0	0	0	0	0	1	ŏ	ŏ	ŏ
TOTALS	3	0	0	1	0	0	0	0	0	1	0	0	0	1	0	U	U
OTHER AND UNSPECIFIED LE	UKEMIA (207-20))								•	•	~	2	5	1	1	1
MALE	13	0	0	0	0	0	0	1	0	0	2	0	∠ 3	5 0	0	1	i
FEMALE	6	0	0	0	0	0	0	0	0	0	0	1	3 5	5	1	2	2
TOTALS	19	0	0	0	0	0	0	1	0	0	2	1	5	5	1	2	~
BENIGN NEOPLASMS OF EYE,		HER PAR		NERVOUS		EM (22		_			•	•	0	1	0	1	0
MALE	2	0	0	0	0	0	0	0	0	0	0	0	-	•	1	ò	ŏ
FEMALE	2	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1	ő
TOTALS	4	0	1	0	0	0	0	0	0	0	0	0	0	1	1	r i	0
BENIGN NEOPLASMS OF ALL	OTHER AND UNSP	PECIFIE	D SITE	S (210-	217,2	22-223	,226-22	29)						-	•	0	1
MALE	· 4	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	ò
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	-	1
TOTALS	5	0	0	0	0	0	0	0	0	0	0	1	0	3	0	0	I
NEOPLASMS OF UNCERTAIN B	EHAVIOR (235-2	238)														~	~
MALE	5	0	0	0	0	0	0	0	1	1	1	0	0	0	2	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	6	0	0	0	0	0	0	0	1	· 1	1	0	0	1	2	0	0
NEOPLASMS OF UNSPECIFIED	NATURE (239)														-	•	
MALE	16	0	0	0	1	0	0	1	0	1	0	2	5	2	0	0	4
FEMALE	14	0	0	0	0	0	0	0	1	1	2	2	0	2	2	0	4
TOTALS	30	0	Ō	0	1	0	0	1	1	2	2	4	5	4	2	0	8
DISORDERS OF THYROID GLA																	-
MALE	, 2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
FEMALE	3	õ	Ō	ò	Ó	0	0	0	0	1	0	0	1	0	1	-0	0
TOTALS	5	õ	õ	ō	ō	0	0	0	0	1	0	0	1	1	1	1	0
DIABETES MELLITUS (250)	.	Ũ	•	-	-												
MALE	69	0	0	0	0	0	0	2	4	4	7	6	7	5	12	8	14
FEMALE	100	õ	õ	õ	õ	1	1	0	1	3	5	7	14	11	15	21	21
TOTALS	169	õ	õ	õ	õ	1	1	2	5	7	12	13	21	16	27	29	35
DISORDERS OF THE PITUITA				мтс сол	TROL	(253)											
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
TOTALS	2	ŏ	ŏ	ŏ	õ	õ	õ	õ	ō	ō	Ō	0	0	1	1	0	0
CYSTIC FIBROSIS (277.0)	2	0	Ŭ	U	0	•	•	-									
MALE	Α	0	2	0	0	1	1	0	0	0	0	0	0	0	0	0	0
FEMALE		ŏ	ō	ŏ	ŏ	ò	1	ō	ō	Ō	Ō	0	0	0	0	0	0
TOTALS	5	0	2	õ	ŏ	1	2	ŏ	õ	ŏ	õ	õ	ō	0	0	0	0
OBESITY (278.0)	Ş	0	~	Ŷ	0		-	Ũ	•	-	-	-					
	3	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0	0
MALE	•	0	0	õ	0	ŏ	õ	ŏ	1	ŏ	õ	ò	õ	1	0	0	0
FEMALE	2	0	0	ő	0	ŏ	õ	õ	2	õ	õ	1	õ	2	0	0	0
TOTALS		÷	•	DISORD	-		-	•		7.1-277	-	. 1-27	. 👻	-	-		
ALL OTHER ENDOCRINE, MET			1 100	012060	0	0	230 233	0	2,0,2,	2	2	0	2	З	1	3	4
MALE	20	0	,	U	0	v	0	Ŭ	*	-	-	÷	-	_			

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

	CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	******* UNDER 1		5-9 1(******)-14 1'	****** 5-19 20	****** 0-24 2	* AGE / 5-34 35	AT DEA1 5-44 49	TH(YRS 5-54 5	.) **** 5-59 60	******)-64 6	***** 5-69 70	****** D-74 7	****** 5-79 80	*****)-84	0VER 84
	(CONT.)																	
	FEMALE	27	1	0	0	0	0	0	0	0	0	1	з	2	1	з	3	13
	TOTALS	47	1	1	0	0	0	0	0	2	2	3	3	4	4	4	6	17
	OTHER PROTEIN-CALORIE MALN	UTRITION (262-263)															
	MALE	5	0	0	0	0	0	· o	0	0	0	0	0	0	2	1	1	1
	FEMALE	10	Ó	0	0	0	0	0	0	0	1	0	0	0	1	1	0	7
	TOTALS	15	ō	0	0	0	· O	0	0	0	1	0	0	0	3	2	1	8
	ALL OTHER NUTRITIONAL DEFI	CIENCIES (260.264~2	69)														
	MALE	2	0	Ó	0	0	0	0	0	0	1	0	0	0	0	0	0	1
	TOTALS	2	ō	Ō	ο.	0	0	0	0	0	1	0	0	0	0	0	0	1
	DEFICIENCY ANEMIAS (280-28	1)																-
	FEMALE	2	0	0	0	0	0	0	. 0	0	0	0	0	0	0	0	0	2
	TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
	HEMOLYTIC ANEMIAS (282-283)																
	MALE	· 1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	TOTALS	2	0	0	0	· 0	0	0	1	0	0	0	0	0	0	0	0	1
	APLASTIC ANEMIA (284)																	
97	MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
7	FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
	TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1	0
	OTHER AND UNSPECIFIED ANEM	IAS (285)															_	
	MALE	3	0	0	0	0	0	Ò	0	0	1	0	0	0	0	0	0	2
	FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	4
	TOTALS	9	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	6
	PURPURA AND OTHER HEMORRHA	GIC CONDIT	IONS (287)														
	MALE	3	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0
	FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0.
	TOTALS	4	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1	0
	ALL OTHER DISEASES OF BLOO	D AND BLOO	D-FORMING	ORGA	ANS (286	5,288-:	289)									-		•
	MALE	9	1	0	0	0	0	Ó	0	0	0	2	0	0	3	2	1	0
	FEMALE	6	0	0	0	0	0	1	0	0	0	2	0	1	0	1	0	1
	TOTALS	15	1	0	0	0	0	1	0	0	0	4	0	1	3	3	1	
	SENILE AND PRESENILE ORGAN	IC PSYCHOT	IC CONDIT	IONS	(290)								_	-	_		~	6
	MALE	10	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	-
	FEMALE	14	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	10 16
	TOTALS	24	0	0	0	0	0	0	0	0	0	0	0	0	1	3	4	16
	ALCOHOLIC PSYCHOSES (291)													_		-	~	0
	MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
	FEMALE	1	0	0	0	0	0	0	0	0	1	0	.0	0	0	+	0	ŏ
	TOTALS	3	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0
	ALL OTHER PHYCHOSES (292-2							-	c	~	~	~	~		~	4	1	2
	MALE	5	0	0	0	0	0	0	0	0	0	0	0	2	0	1	1	2
	FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	1	2	0	2	5
	TOTALS	12	0	0	0	0	0	0	0	0	0	0	0	2	2	1	2	5

NOTES: ICO-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

				*****	*****	*****	*****	AGE	AT DEA	TH(YRS	.) ***	*****	*****	*****	*****	*****	***** OVER
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10	0-14 1	5-19 20	0-24 29	5-34 35	5-44 4	5-54 5	5-59 60	D-64 6	5-69 /0	0-74 7	5-19 8	0-84	84
(CONT.)																	
ALCOHOL DEPENDENCE SYNDR	DME (303)							_		-	-	•	•		•	o	0
MALE	18	0	0	0	0	0	1	0	2	7	2	3 1	2 1	1	0	0	ő
FEMALE	10	0	0	0	0	0	0	0	0	5	1 3	4	3	2	1	ŏ	ŏ
TOTALS	28	0	0	0	0	0	1	0	2	12	3	4	3	2	1	0	v
OTHER NEUROTIC, PERSONAL						(300-30				1	1	0	2	1	5	4	2
MALE	17	0	0	0	0	0	0	0	1	0	0	0	1	1	1	1	12
FEMALE	17	0	0	0	0	0	0	1	0	1	1	ő	3	2	6	5	14
TDTALS	34	0	0	0	0	0	0	1	1	1	I.	0	3	2	U	5	
MENTAL RETARDATION (317-			_			•	•	~	~	0	ο	0	1	0	0	0	0
MALE	2	0	0	0	1	· 0 0	0	0	0	ő	1	ŏ	ò	ŏ	ŏ	ŏ	õ
FEMALE	2	0	0	0	0	0		0	. 1	0	1	õ	1	ŏ	ŏ	ŏ	ŏ
TOTALS	4	0	0	0	1	0	0	0	. 1	0		0	r	0	0	Ŭ	Ŭ
MENINGITIS (320-322)		-		•	•	•	~	~	0	2	2	.o	1	1	Ö	ò	0
MALE	7	0	1	0	0	0	0	0	ŏ	õ	ō	ŏ	1	ò	ŏ	ŏ	ŏ
FEMALE	2	1	0	0	0	0	ŏ	0	ŏ	2	2	õ	2	1	õ	ŏ	ō
TOTALS	9	1	1	• 0	0	0	0	0	0	~	4	v	-	•	Ŭ	•	•
00 PARKINSUN S DISEASE (332			•	•	0	0	0	0	0	0	0	0	0	4	5	3	2
MALE	14	0	0	0	0	0	0	ŏ	ŏ	ŏ	1	ŏ	ŏ	1	3	7	9
FEMALE	21	0	0	0	0	ő	ŏ	ŏ	ŏ	ŏ	1	ŏ	ŏ	5	8	10	11
TOTALS	35	0		CENTRA				330-33	-		•	Ŭ	Ť	•	-	-	
OTHER HEREDITARY AND DEG						005 57		2	1,335	0	3	1	8	5	9	6	1
MALE	37	0	1	ő	ŏ	ŏ	ŏ	ō	1	1	2	2	5	2	6	4	10
FEMALE	33	0	0 1	0	ŏ	ŏ	õ	2	2		5	3	13	7	15	10	11
TOTALS	70	0	1	0	U	U	0	~	~		Ũ	•					
MULTIPLE SCLEROSIS (340)		0	0	0	0	1	0	0	1	0	0	0	1	1	0	0	0
MALE	4	0	0	ŏ	ŏ	ò	õ	ŏ	1	ŏ	1	3	1	1	0	0	0
FEMALE	11	ő	ő	ő	ŏ	1	ŏ	ŏ	2	ŏ	1	3	2	2	0	0	0
TOTALS		0	0	0	0		U	Ŭ	-	, e	-	-					
INFANTILE CEREBRAL PALSY MALE	(343)	0	0	o	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	1	ő	ŏ	ŏ	ŏ	ŏ	ŏ	1	õ	õ	ō	0	0	0	0	0	0
EPILEPSY (345)	•	Ŭ	v	0	Ŭ	Ŭ	•		•								
MALE	7	0	0	0	0	0	0	4	3	0	0	0	0	0	0	0	0
TOTALS	7	ŏ	õ	ŏ	ŏ	ŏ	õ	4	3	ō	0	0	0	0	0	0	0
OTHER DISEASES OF THE NE					4.346-	359)	•										
MALE	23	0	1	1	0	2	0	0	0	4	2	0	4	3	2	3	1
FEMALE	14	ŏ	ò	1	ō	ō	ō	1	1	1	0	0	2	3	0	5	0
TOTALS	37	õ	1	2	ō	2	ō	1	1	5	2	0	6	6	2	8	1
DISEASES OF THE EAR AND	÷ ·	-	-389)	_													
MALE	2	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	2	ŏ	1	ŏ	ō	0	0	0	0	0	0	0	0	1	0	0	0
DISEASES OF MITRAL VALVE		-		-													
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0
FEMALE	7	ŏ	ŏ	ō	Ō	0	0	0	0	2	1	1	0	1	1	1	0
TOTALS	10	ŏ	ŏ	ō	Ó	0	0	0	0	2	1	1	0	1	3	2	0
.01425		÷	-	-													

NOTES: ICO-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

66

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

			*****	k ak ak ak ak a	******	****	*****	*****	* AGE	AT DE		5)***	*****	******	*****	******	*****	****
	CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1		5-9 10)-14 15	5-19 2	0-24 2	5-34	35-44	45-54 5	55-59 6	50-64 6	65-69 7	0-74 7	75-79 8	80-84	OVER 84
	(CONT.)																	
	DISEASE OF AORTIC VALVE (39	5)														_	_	-
	MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	DISEASES OF MITRAL AND AORT	IC VALVES	(396)					_	_	_			-	~	~	•	•	2
	FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2 2	2
	TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2
	ALL OTHER CHRONIC RHEUMATIC						~	~		_	•		~	2	0	0	2	4
	MALE	9	0	0	0	0	0	0	1	0	2	1	0	2	4	3	2	3
	FEMALE	14	0	0	0	0	0	0	0	0	0	1	1	3	4	3	3	4
	TOTALS	23	0	0	0	0	0	0	1	0	2	2	1	3	4	3	3	-
	ESSENTIAL HYPERTENSION (401	•	-	-		~	•	•	~	~	0	1	1	1	0	1	1	1
	MALE	6	0	0	0	0	0	0	. 0	0	1	Ŏ	0	ö	2	3	ò	5
	FEMALE	11 17	0	0	0	0	ő	· 0	ő	.0.	··· 1	1	1	1	2	4	1	6
	TOTALS		. 0	0	0	. 0	U	0	0	0	'		•		2	•	•	-
	HYPERTENSIVE HEART DISEASE		0	0	0	0	0	0	2	0	2	2	2	2	3	з	5	2
	MALE	23	0	0	0	0	ő	ŏ	0	ő	õ	ō	ō	1	7	8	11	25
	FEMALE	52	0	0	. 0	0	0	ő	2	0	2	2	2	3	10	11	16	27
0	TOTALS	75	0	0	0	0	0	0	2	U	2	2	~	Ũ	.0			
0	HYPERTENSIVE RENAL DISEASE	(403)	0	0	0	0	0	0	0	0	o	0	0	1	0	3	1	2
	MALE	•	0	ő	0	0	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	2	ŏ	2	Ó	9
	FEMALE	13 20	0	ő	Ő	ő	ő	ő	ő	ő	ŏ	ŏ	õ	3	ŏ	5	1	11
	TOTALS		(404)	U	0	U	0	U	U	U	0	Ŭ	v	Ŭ	v	-		
	HYPERTENSIVE HEART AND RENA MALE	L DISEASE	(404)	0	0	0	0	0	0	0	0	0	0	0	3 .	1	1	3
	FEMALE	8	ő	ŏ	ŏ	ŏ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ō	1	2	5
	TOTALS	16	ŏ	õ	ŏ	õ	õ.	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ō	3	2	3	8
	ACUTE MYOCARDIAL INFARCTION		0	0	Ų	0	Ŭ	Ŭ	Ŭ	Ŭ	•	•	•					
	MALE	948	0	0	. 0	0	0	· 2·	2	- 22	75	86	116	117	168	139	113	108
	FEMALE	760	ŏ	ŏ	ŏ	ŏ	ŏ	ō	ō	3	21	23	52	72	.130	138	116	205
	TOTALS	1,708	õ	ŏ	ŏ	ŏ	ŏ	2	2	25	96	109	168	189	298	277	229	313
	OTHER ACUTE AND SUBACUTE FO		снемто не	-	-	(411)	÷.,											
	MALE	33	0	0	0	0	0	0	0	1	5	3	5	7	4	4	1	3
	FEMALE	6	ŏ	ō	õ	Ō	Ó	0	0	0	0	0	1	0	3	1	0	1
	TOTALS	39	ŏ	ŏ	ŏ	ō	ō	Ō	Ō	1	5	3	6	7	7	5	1	4
	ANGINA PECTORIS (413)	• •	-															
	MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	FEMALE	7	Ō	Ó	0	0	0	0	0	1	0	0	1	0	0	1	2	2
	TOTALS	9	ō	õ	ō	0	0	0	0	1	0	0	1	0	1,	1	2	3
	ALL OTHER FORMS OF CHRONIC	ISCHEMIC H	HEART DIS	SEASE	(412,4	14)												
	MALE	683	0	Ō	Ò	0	1	0	0	11	34	31	57	82	95	111	106	155
	FEMALE	738	õ	ō	Ō	Ō	0	0	0	2	5	11	25	31	60	88	138	378
	TOTALS	1,421	0	0	0	0	1	0	0	13	39	42	82	113	155	199	244	533
	DISEASES OF PULMONARY CIRCU	LATION (4	15-417)											_		-	-	2
	MALE	29	0	0	0	0	0	0	0	2	0	1	3	7	2	9	3	2
	FEMALE	34	0	0	0	0	0	0	0	0	Э	2	1	3	4	8	4	Э

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

100

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

		*****	*****	******	*****	*****	*****	× ∆GE	AT DEA	TH(YRS	.) ***	*****	*****	*****	*****	*****	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10)-14 15	5-19 20	0-24 25	5-34 3	5-44 4	5-54 5	5-59 6	0-64 6	5-69 7	0-74 7	5-79 8	0-84	OVER 84
(CONT.)																	
TOTALS	63	о	0	0	0	0	0	0	2	3	3	4	10	6	17	7	11
ACUTE AND SUBACUTE ENDOC	CARDITIS (421)							-		-	•	~			~	0	0
FEMALE	3	0	0	0	0	0	0	0	1	0	0	0	1	1	0	ŏ	0
TOTALS	3	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	0
ACUTE PERICARDITIS, ACUT	E MYOCARDITIS	AND OTH	HER DI		OF PEF		IUM (42					•			~	0	0
FEMALE	4	0	0	0	0	0	0	0	2,	0	0	0	1	1	0	ŏ	0
TOTALS	4	0	0	0	0	0	0	0	2	0	0	0	1	1	0	0	0
MITRAL VALVE DISORDERS ((424.0)								_		_		•		•	~	1
MALE	3	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	∠ 3
TOTALS	6	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	3
AORTIC VALVE DISORDERS ((424.1)													-		•	~
MALE	15	0	0	0	0	0	0	0	0	2	0	1	4	2	4	2	0
FEMALE	20	0	0	0	0	0	0	0	0	0	0	1	0	1	6	6	÷
TOTALS	35	0	0	0	0	0	0	0	0	2	0	2	4	3	10	8	6
ALL OTHER DISEASES OF EN	DOCARDIUM (42	4.2-424.	.9)											_	_		
MALE	7	0	Ó	0	0	0	0	0	0	0	1	1	0	2	1	1	1
FEMALE	5	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	2
TOTALS	12	ō	0	0	0	0	0	0	0	1	1	1	0	2	1	3	3
HEART FAILURE (428)																	
MALE	71	0	0	0	0	0	0	1	3	1	3	4	10	12	8	11	18
FEMALE	112	ō	0	0	0	0	0	1	0	1	1	2	4	8	17	23	55
TOTALS	183	õ	Ō	0	0	0	0	2	3	2	4	6	14	20	25	34	73
MYOCARDITIS, UNSPECIFIED			VERATI	ON (429	9.0-429	9.1)											
MALE	3	0	0	ò	0	Ó	0	0	0	0	0	0	0	0	0	0	3
FEMALE	ž	ŏ	ŏ	õ	ō	ō	Ō	0	0	0	0	0	0	0	0	1	1
TOTALS	5	ŏ	ŏ	õ	õ	ŏ	ŏ	ò	0	0	0	0	0	0	0	1	4
ALL OTHER FORMS OF HEART	•	•	-	a aĭ	Ū	-	-	-									
MALE	290	0	0	0	0	0	1	4	5	18	23	31	39	40	34	36	59
FEMALE	272	ŏ	ŏ	ŏ	ŏ	1	Ó	0	2	9	7	14	21	29	31	46	112
TOTALS	562	ŏ	õ	ŏ	ŏ	i	1	4	7	27	30	45	60	69	65	82	171
SUBARACHNOID HEMORRHAGE		Ŭ	Ũ	Ū.	•												
MALE	12	0	0	0	0	0	0	1	3	1	2	i	1	0	3	0	0
FEMALE	22	ŏ	ŏ	ŏ	ŏ	ō	ō	0	2	7	2	1	2	1	2	2	3
TOTALS	34	ŏ	ŏ	õ	ŏ	ŏ	ŏ	1	5	8	4	2	з	1	5	2	3
INTRACEREBRAL AND OTHER				•	•	•	•										
MALE	41	0		0	, o	0	1	0	1	З	2	3	4	6	5	6	10
	69	ŏ	ŏ	ŏ	ŏ	ŏ	ò	1	2	2	4	6	3	11	12	6	22
FEMALE TOTALS	110	ŏ	õ	õ	õ	ŏ	1	1	3	5	6	9	7	17	17	12	32
OCCLUSION AND STENOSIS C		•	.		0	~	•	•	•	-	-	-					
	F FREUEREBRAL	0	23 (43	0	0	0	0	0	0	0	0	0	0	0	0	0	1
MALE	6	0	0	ŏ	ŏ	ŏ	ŏ	ŏ.	ŏ	ŏ	ŏ	ō	ō	1	1	2	2
FEMALE	6 7	0	ő	ŏ	ő	ŏ	ŏ	0	ŏ	ŏ	ŏ	ō	ō	1	1	2	3
TOTALS	,	CCLUSION	•	EREBRAL	-	-	•	434.9)	. Ŭ	•	•	-					
CEREBRAL THROMBOSIS AND	UNSPECIFIED U	0		O O		0	0,10,1	0,00,00	0	1	0	5	3	5	6	10	11
MALE	41	U	v	0			~	~	•		-						

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

101

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

		*****	* * * * * *	*****	*****	******	*****	∗ ∆GE	AT DEAT	H(YRS	.) ***	*****	*****	*****	*****	****	* * * * *
CAUSE OF DEATH GROUPS	TOTAL	UNDER	1 - 4	5-9 1		5-19 20											OVER 84
AND SEX	DEATHS	1															04
(CONT.)																	
FEMALE	87	0	0	0	0	0	0	0	0	2	0	З	3	5	12	16	46
TOTALS	128	0	0	0	0	0	0	0	0	3	0	8	6	10	18	26	57
CEREBRAL EMBOLISM (434.	1)												_		•		0
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0
ACUTE BUT ILL-DEFINED C											_			~ ~	~ ~		51
MALE	170	0	0	0	0	0	0	0	0	4	6	10	13	22 22	32 30	32 49	117
FEMALE	241	0	0	0	0	0	0	0	0	1	6	6	10	22 44	30 62	49 81	168
TOTALS	411	0	0	0	0	0	0	0	0	5	12	16	23	44	62	0 I	100
OTHER CEREBROVASCULAR D	-					_		-	-	•		~	~	4	9	10	11
MALE	36	0	0	0	0	0	0	0	0	0	0	0	2	4	9 7	13	36
FEMALE	61	0	0	0	0	0	0	0	1	0	2	0	1	5	16	23	47
TOTALS	97	0	0	0	0	0	0	0	1	Ō	2	0	3	5	10	25	-4 /
ATHEROSCLEROSIS (440)	_		_	_	_	_	-	~		~		2	5	5	14	7	29
MALE	66	0	0	0	0	0	0	0	1	2	1	2	2	7	12	18	69
FEMALE	110	0	0	0	0	0	0	0	0	0	0	2	2	12	26	25	98
TOTALS	176	0	0	0	0	0	0	0	1	2	1	4	./	12	20	25	50
AORTIC ANEURYSM (441)			_	_		~	~	~	•	~	~	3	6	14	16	11	12
MALE	64	0	0	0	0	0	0	0	0	0	2 0	3	4	6	10	11	8
FEMALE	41	0	0	0	0	0	0	0	0	1	-	4	10	20	26	22	20
TOTALS	105	0	0	0	0	0	0	0	0	1	2	4	10	20	20	~ ~ ~	20
ALL OTHER DISEASES OF A						42-448)		0	0	0	2	2	3	6	7	6	5
MALE	31	0	0	0	0	0	0	0	0	0	∠ 0	2	0	ŏ	3	2	11
FEMALE	16	0	0	0	0	0	0	0	0	0	2	2	3	6	10	8	16
TOTALS	47	0	0	0	0	0 5 (451-	•	0	0	U	2	2	5	0	10	0	
PHLEBITIS, THROMBOPHLEB					000000000000000000000000000000000000000	5 (451- 0	-453)	0	0	0	1	1	1	1	0	0	1
MALE	5	0	0	0	0	0	0	0	0	ŏ	1	1	ò	1	3	ŏ	3
FEMALE	-	0	0	0	0	0	0	0	õ	0	2	2	1	2	3	õ	4
TOTALS OTHER DISEASES OF VEINS		•	•	÷	v	•	•	0	0	U	2	2		~		· ·	
	, LIMPHATICS, 9			0	0	0	0	0	1	1	0	0	2	1	2	1	1
MALE FEMALE	9	0	ő	ŏ	ŏ	ŏ	ŏ	ŏ	Ó	1	ŏ	1	1	2	1	Ó	0
TOTALS	15	0	0	0	ŏ	õ	õ	õ	1	2	õ	1	3	3	3	1	1
ACUTE UPPER RESPIRATORY		460-465)	U	U	0	V	U	0		2	v	•	•	•	-		
MALE	2	460-465)	0	0	0	0	0	0	0	0	0	· 1	0	0	0	1	0
FEMALE	3	0	õ	õ	õ	õ	ŏ	õ	ŏ	ĩ	ŏ	Ó	õ	Ó	0	1	1
TOTALS	5	0	õ	õ	õ	õ	õ	ŏ	ŏ	1	õ	1	õ	Ō	0	2	1
OTHER DISEASES OF UPPER	÷	•	70-478		Ŭ	v	¹	v	v		•		-				
FEMALE	1	0	0 4/0	,, , o	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	1	ő	õ	õ	õ	õ	õ	õ	õ	õ	1	ō	Ō	0	0	0	0
ACUTE BRONCHITIS AND BR		466)	v	~	Ŭ	-	÷	-	-	-							
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	2	ŏ	õ	ŏ	ŏ	ŏ	ŏ	õ	õ	õ	õ	0	1	0	0	0	1
	~	v	Ŭ	-	-	-	-	-	-								

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

		*****	****	****	*****	*****	*****	* AGE /	AT DEAT	H(YRS.) ***	* * * * * *	****	* * * * * *	*****	* * * * * * *	*****
CAUSE OF DEATH GROUPS	TOTAL	UNDER	1-4	5-9 10)~14 1	5-19 20	0-24 29	5-34 3	5-44 45	-54 59	5-59 6	0-64 6	5-69 7	0-74 7	5-79 8	0-84	OVER
AND SEX	DEATHS	1															84
(CONT.)																	
		•	0	<u>^</u>	0	0	0	0	0	ο	0	0	1	0	1	о	1
) TOTALS VIRAL PNEUMONIA (480)	3	0	0	0	0	0	0	0	0	U	0	Ŭ	•	Ũ		-	
MALE	7	0	0	0	0	0	0	0	0	1	1	1	1	0	0	2	1
FEMALE	3	õ	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1
TOTALS	10	0	0	0	0	0	0	0	0	1	1	1	1	0	1	3	2
PNEUMOCOCCAL AND OTHER BAC	TERIAL PNE	UMONIA (-	481-48	32)										_			
MALE	7	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	4
FEMALE	· 10	0	0	0	0	0	0	1	0	0	0	1	0	1	4	0	3
TOTALS	17	0	0	0	0	0	0	1	0	1	0	1	0	З	4	0	/
BRONCHOPNEUMONIA, ORGANISM							_	_	-			•		~	з	4	6
MALE	19	0	0	0	0	0	0	0	0	1	1	0	1	3	3	4	15
FEMALE	23	0	0	0	0	1	0	0	0	1	1	0	1	1 4	2 5	5	21
TOTALŞ	42	0	0	0	0	1	0	0	0	2	2	0	2	4	5	5	21
PNEUMONÍA DUE TO OTHER AND		ED ORGAN				_			•	~	~	2	12	12	20	19	40
MALE	112	t	0	0	0	0	0	1	0	2	2	3	12	12	20	20	40 86
FEMALE	139	1	0	0	0	0	0	0	0	2 4	6	2 5	17	22	27	39	126
TOTALS	251	2	0	0	0	0	0	1	0	4	8	5	17	22	21	39	120
INFLUENZA (487)								•	•	•	•		~	1	з	1	9
MALE	18	0	0	0	0	0	0	0	0	0	3	1	0	-	2	10	15
FEMALE	27	0	0	0	0	0	0	0	0	0	0	0	0	0	∠ 5	11	24
TOTALS	45	0	0	0	0	0	0	0	0	0	3	1	0	I	5		24
BRONCHITIS, NOT SPECIFIED				- /				•	•	~	•	0	0	0	0	0	2
MALE	2	0	0	0	0	0	0	0	0	0	0	-	0	0	ő	ŏ	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	ŏ	ŏ	3
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5
CHRONIC BRONCHITIS (491)		_		-			•	•	•		~	~	6	2	4	2	1
MALE	16	0	0	0	0	0	0	0	0	1 0	0	0 2	1	2	1	2	1
FEMALE	9	0	0	0	0	0	0	0	0	1	0	2	7	2	5	4	2
TOTALS	25	0	0	0	0	0	0	0	U	ſ	0	2	'	4	5	•	-
EMPHYSEMA (492)			~	•	•	•	~	0	0	2	2	5	16	16	10	9	8
MALE	68	0	0	0	0	0	0	0	0	2	2	1	5	5	1	1	. 2
FEMALE	18	0	0	0	0	0	0	0	0	4	3	6	21	21	11	10	10
TOTALS	86	0	0	0	0	0	0	0	0	-4	5	0	21	~ '	••		
ASTHMA (493)		•	~	•	0	0	0	0	1	1	3	1	2	2	1	0	0
MALE	11	0	0	0	-	-	-	0	0	ò	2	ò	2	3	2	1	1
FEMALE	11	0	0	0	0	0	0	. 0	1	1	∠ 5	1	4	5	3	1	1
TOTALS	22	0	0	0	0	0	0	0	l.		5		-	5	Ŭ		
BRONCHIECTASIS AND EXTRINS	IC ALLERGI			(494-495	. ,	0	0	0	0	0	0	0	1	0	0	0	0
MALE	1	0	0	0	0	0	0	0	0	0	ő	0	ò	ŏ	1	1	ŏ
FEMALE	2	0	•	0	0	0	0	0	0	0	õ	õ	1	õ	1	1	õ
TOTALS	3		0	-	. •	0	0	0	U	U	0	0	•		•	•	-
CHRONIC AIRWAYS OBSTRUCTIO			LASSI	-	96) O	0	0	0	0	6	4	17	25	39	44	32	30
MALE	197	0	0	0	0	0	0	0	2	5	1	9	15	16	26	15	17
FEMALE	106	0	0	U	0	0	0	U	~	0	·	2					

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

103

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS		***** 1-4							TH(YRS. 5-54 55						***** 0-84	***** OVER 84
(CONT.)																	
TOTALS PNEUMOCONIOSES AND OTHER L	303 UNG DISEAS			O ERNAL A	0 GENTS	0 (500-5	0	0	2	11	5	26	40	55	70	47	47
MALE	8	0	0	0	0	0	ο ΄΄	0	0	0	0	0	0	3	3	0	2
FEMALE	10	ŏ	ŏ	ŏ	ŏ	ŏ	ō	ō	õ	Ó	0	0	0	1	2	1	6
TOTALS	18	õ	ō	Ō	Ō	Ō	Ο.	0	0	0	0	0	0	4	5	1	8
EMPYEMA AND ABSCESS OF LUN	G AND MEDI	ASTINUM (510.5	513)													
MALE	3	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0
FEMÀLE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	4	0	0	0	0	0	0	0	0	1	1	0	0	1	1	0	0
PLEURISY (511)																-	
MALE	2	0	0	Ø	0	0	0	0	0	0	0	0	0	1	1	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1
ALL OTHER DISEASES OF RESP	IRATORY SY	STEM (512	2,514	-519)								_	_	-	-	~	-
MALE	44	1	1	0	0	1	0	0	2	4	1	5	6	5	5	6	7 14
FEMALE	37	2	0	0	0	0	0	0	0	1	2	2	1	4	3	8	
TDTALS	81	3	1	0	0	1	0	0	2	5	3	7	7	9	8	14	21
DISEASES OF ORAL CAVITY, S	ALIVARY GL		JAWS	(520-5	- ,			_	_	-	-	•	•	~	~		0
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
GASTRIC ULCER (531)				_	_	_				~		•		1	0	0	0
MALE	3	0	0	0	0	0	0	0	0	0	1	0	1 0	2	1	2	3
' FEMALE	9	0	0	0	0	0	0	0	0	0	0	1	1	∠ 3	1	2	3
TOTALS	12	0	0	0	0	0	0	0	0	0	1	1	1	3	1	2	5
DUDDENAL ULCER (532)							•	•	•	•	~	^	1	0	0	0	1
MALE	2	0	0	0	0	0	0	0	0	0	0	0	•	1	1	3	3
FEMALE	9	0	0	0	0	0	0	0	0	0	0	1	0	1	1	3	4
TOTALS	11	0	0	· 0	0	0	0	0	0	0	0	1		1	•	5	-
PEPTIC ULCER. SITE UNSPECI		•	~	~	~	0	0	0	0	0	0	0	1	0	2	2	0
MALE	5	0	0	0	0	0	0	ŏ	ŏ	ŏ	ŏ	ŏ	ò	ŏ	1	1	4
FEMALE TOTALS	6 11	0	0	0	0	0	ŏ	0	ŏ	õ	õ	õ	í	õ	3	3	4
GASTRITIS AND DUODENITIS (0	0	0	0	0	0	0	0	U	Ŭ	Ŭ		•	-		
MALE	3337	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0
FEMALE	3	0	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ò	ŏ	ō	Ō	0	0	1
TOTALS	1	0	õ	ŏ	õ	õ	ŏ	õ	õ	õ	1	õ	õ	Ō.	1	1	1
APPENDICITIS (540-543)	4	0	0	0	0	0	0	v	0	, Č		, i i i i i i i i i i i i i i i i i i i	•				
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
FEMALE	2	ŏ	ŏ	ŏ	õ	õ	ŏ	ŏ	ŏ	õ	õ	1	õ	0	0	1	0
TOTALS	3	ő	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ō	õ	1	Ō	1	0	1	0
HERNIA OF ABDOMINAL CAVITY		•	•	•	•	MENTIO	-	ERNIA	(550-5	53,560)							
MALE	15	1	0	0	0	0	Ö Ö	0	0	0	0	1	2	1	1	5	4
FEMALE	22	ò	ŏ	ō	õ	ō	Ō	Ō	Ō	1	2	0	0	0	5	5	9
TOTALS	37	1	ŏ	ŏ	ŏ	ŏ	Ō	Ō	Ō	1	2	1	2	1	6	10	13
	• /	•	•	-	-	-		-									

.

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

104

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX TOTAL DEATHS UNCR TOTAL UNCR TOTAL <th></th> <th></th> <th>******</th> <th>*****</th> <th>******</th> <th>* * * * * *</th> <th>*****</th> <th>* * * * * * * *</th> <th>* AGE A</th> <th>AT DEAT</th> <th>TH(YRS.</th> <th>) ***</th> <th>*****</th> <th>*****</th> <th>****</th> <th>* * * * * *</th> <th>*****</th> <th>****</th>			******	*****	******	* * * * * *	*****	* * * * * * * *	* AGE A	AT DEAT	TH(YRS.) ***	*****	*****	****	* * * * * *	*****	****		
AND SEX DEALHS I (CONT.) REGIONAL ENTERITIS AND IDIDPATHIC PROCTOCOLITIS (555-556) MALE 6 0	CAUSE OF DEATH GROUPS	TOTAL	UNDER	1-4	5-9 10)-14 15	5-19 2	0-24 29	5-34 35	5-44 49	5-54 55	-59 6	0-64 6	5-69 7	0-74 7	5-79 8	0-84	OVER		
PEGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556) MALE 6 0 1 <th1< th=""> 1 1 1</th1<>	AND SEX	DEATHS	1															84		
MALE 6 0	(CONT.)																			
MALE 6 0	REGIONAL ENTERITIS AND	IDIOPATHIC PR	OCTOCOLIT	'IS (5	55~556))														
FFMALE 2 0 0 0 0 0 0 0 0 0 0 0 1 1 2 1 TOTALS AML 0 0 0 0 0 0 1 1 1 3 3 3 7 MALE 20 0 0 0 0 0 0 0 1 1 1 3 3 3 7 TOTALS 34 0 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>0</td><td>0</td><td>0</td><td>-</td><td></td><td></td><td></td><td>•</td><td>•</td><td>0</td><td>1</td><td>1</td></t<>							0	0	0	-				•	•	0	1	1		
TOTALS AUL OTHER NONINFECTIVE GASTROENTERTITIS AND COLLITIS (557-558) O	FEMALE	2	0	0	0	0	0	0	0	0			-		-	1	•	0		
MALE 14 0 0 0 0 0 1 <td>TOTALS</td> <td>8</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>2</td> <td>0</td> <td>0</td> <td>1</td> <td>1</td> <td>1</td> <td>2</td> <td>1</td>	TOTALS	8	0	0	0	0	0	0	0	0	2	0	0	1	1	1	2	1		
MALE 14 0 0 0 0 0 1 <td>ALL OTHER NONINFECTIVE</td> <td>GASTROENTERIT</td> <td>IS AND CO</td> <td>DLITIS</td> <td>(557-5</td> <td>558)</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>_</td> <td>_</td> <td></td> <td>-</td>	ALL OTHER NONINFECTIVE	GASTROENTERIT	IS AND CO	DLITIS	(557-5	558)									_	_		-		
FEMALE 20 0 </td <td></td> <td></td> <td></td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>-</td> <td></td> <td></td> <td>•</td> <td></td> <td>-</td> <td>-</td> <td>•</td> <td></td>				0	0	0	0	0	0	-			•		-	-	•			
TOTALS 34 0 </td <td>FEMALE</td> <td>20</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td></td> <td>-</td> <td>+</td> <td></td> <td></td> <td>-</td> <td>-</td> <td></td>	FEMALE	20	0	0	0	0	0	0	0	0		-	+			-	-			
MALE NALE	TOTALS	34	0	0	0	0	0	0	0	0	2	2	1	3	6	6	4	10		
MALE 3 0 0 0 0 0 0 0 0 1 0 2 1 2 4 TOTALS 13 0 1 1 0 2 1 3 5 CHRONIC LIVER DISEASE AND CIRRHOSIS (SPECIFIED CARONIC ST1.4, 571.6) 0	DIVERTICULA OF INTESTIN	E (562)																		
TETALE 10 0 0 0 0 0 0 0 0 0 1 1 0 2 1 3 5 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0.571.3) MALE 35 0 0 0 1 1 0 2 1 3 5 MALE 35 0 0 0 0 0 1 3 0 0 0 0 0 1 3 0 <td< td=""><td>MALE</td><td>3</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>-</td><td>-</td><td>-</td><td>•</td><td>•</td><td>-</td><td>-</td><td>-</td><td></td><td>1</td></td<>	MALE	3	0	0	0	0	0	0	-	-	-	•	•	-	-	-		1		
TOTALS 1 1 <th <="" colspan="2" td=""><td>FEMALE</td><td>10</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>-</td><td>+</td><td>•</td><td>-</td><td></td><td>•</td><td></td><td>-</td></th>	<td>FEMALE</td> <td>10</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>-</td> <td>+</td> <td>•</td> <td>-</td> <td></td> <td>•</td> <td></td> <td>-</td>		FEMALE	10	0	0	0	0	0	0	0	0	-	+	•	-		•		-
MALE 11 13 0 0 0 1 7 4 6 7 4 3 3 0 0 TOTALS 49 0 0 0 0 0 0 1 3 4 0 2 0 0 CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6) 0 <th< td=""><td>TOTALS</td><td>13</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>1</td><td>1</td><td>0</td><td>2</td><td>1</td><td>3</td><td>5</td></th<>	TOTALS	13	0	0	0	0	0	0	0	0	0	1	1	0	2	1	3	5		
MALE 35 0 0 0 0 0 1 <td>CHRONIC LIVER DISEASE A</td> <td>ND CIRRHOSIS,</td> <td>SPECIFIE</td> <td>D AS</td> <td>ALCOHOL</td> <td>.IC (57</td> <td>71.0-5</td> <td>71.3)</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>_</td> <td></td> <td></td> <td>•</td>	CHRONIC LIVER DISEASE A	ND CIRRHOSIS,	SPECIFIE	D AS	ALCOHOL	.IC (57	71.0-5	71.3)							_			•		
FEMALE 14 0 </td <td>MALE</td> <td>35</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>•</td> <td>7</td> <td></td> <td>-</td> <td></td> <td>•</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td>	MALE	35	0	0	0	0	0	0	•	7		-		•	-	-	-	-		
TOTALS 49 0 0 0 0 1 1 0 1 1 </td <td>FEMALE</td> <td>14</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>1</td> <td></td> <td>-</td> <td>-</td> <td>•</td> <td>-</td> <td></td> <td>-</td> <td>-</td>	FEMALE	14	0	0	0	0	0	0	0	1		-	-	•	-		-	-		
MALE 5 0 0 0 0 0 0 0 0 3 0 2 0 0 0 0 1 0 0 0 0 0 1 1 0 1 0 1 0 1 1 0 1 1 1 1	TOTALS	49	0	0	0	0	0	0	1	8	7	6	11	8	3	5	0	0		
MALE 5 0 0 0 0 0 0 0 3 0 2 0 0 0 TEMALE 4 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 1 0 1 0 1 0 1 0 1 0 1 <th< td=""><td>CHRONIC HEPATITIS AND B</td><td>ILIARY CIRRHOS</td><td>SIS (571.</td><td>4,571</td><td>.6)</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>~</td></th<>	CHRONIC HEPATITIS AND B	ILIARY CIRRHOS	SIS (571.	4,571	.6)													~		
FEMALE 4 0 0 0 0 0 0 0 1 1 0 1 1 1 1 1 1 1 <td></td> <td></td> <td></td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>-</td> <td>0</td> <td>•</td> <td>3</td> <td>•</td> <td></td> <td>-</td> <td>-</td> <td>-</td>				0	0	0	0	0	0	-	0	•	3	•		-	-	-		
TOTALS 0 <td>FEMALE</td> <td>4</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>•</td> <td>1</td> <td>•</td> <td>1</td> <td>-</td> <td></td> <td>-</td> <td></td> <td>-</td>	FEMALE	4	0	0	0	0	0	0	0	•	1	•	1	-		-		-		
MALE 57 0 0 0 0 0 0 0 0 0 0 0 0 0 0 5 4 4 4 2 3 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 1 6 5 3 2 7 7 7 0 <td>TOTALS</td> <td>9</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>•</td> <td>•</td> <td>1</td> <td>-</td> <td>4</td> <td>0</td> <td>3</td> <td>0</td> <td>1</td> <td>0</td>	TOTALS	9	0	0	0	0	0	0	•	•	1	-	4	0	3	0	1	0		
MALE 57 0 0 0 0 0 0 1 1 1 4 4 2 3 TOTALS 82 0 0 0 0 0 1 2 11 8 16 15 10 9 5 5 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575) 0 </td <td>CIRRHOSIS OF LIVER AND</td> <td>UNSPECIFIED CH</td> <td>HRONIC LI</td> <td>IVER D</td> <td>ISEASE</td> <td>WITHOU</td> <td>JT MEN</td> <td>TION O</td> <td>F ALCOM</td> <td></td> <td>71.5,57</td> <td></td> <td></td> <td></td> <td></td> <td>_</td> <td>_</td> <td>-</td>	CIRRHOSIS OF LIVER AND	UNSPECIFIED CH	HRONIC LI	IVER D	ISEASE	WITHOU	JT MEN	TION O	F ALCOM		71.5,57					_	_	-		
FEMALE 25 0 0 0 0 0 0 0 0 0 1 1 8 16 15 10 9 5 5 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575) 0 0 0 0 0 0 0 0 0 0 0 0 0 1 2 3 0 2 0 2 0 2 3 0 2 3 0 2 3 0 2 3 0 2 3 0 2 0 2 3 0 2 3 0 2 0 2 3 0 2 3 0 2 3 0 2 3 0 2 3 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0 1 1 1 1 1 1 1 1 1 1 1 1	MALE	57	0	0	0	0	0	0	1	_	•	•								
TOTALS 82 0 0 0 0 1 2 11 10 2 11 10 0 <td>FEMALE</td> <td>25</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>-</td> <td></td> <td>-</td> <td>-</td> <td></td> <td></td> <td>-</td> <td></td> <td></td>	FEMALE	25	0	0	0	0	0	0	0	-		-	-			-				
MALE 9 0	TOTALS	82	0	0	0	0	0	0	1	2	11	8	16	15	10	9	5	5		
MALE 9 0	CHOLELITHIASIS AND OTHE	R DISORDERS OF	F GALLBLA	DDER	(574-57	75)										-	-	•		
FEMALE 6 0 1 <th1< th=""> <th1< th=""></th1<></th1<>					0	0	0	0	0	0	•	-	-	-	_	-	-			
TOTALS 15 0 0 0 0 0 0 0 0 0 2 0 2 4 2 4 2 4 2 4 2 4 2 4 2 4 2 4 2 4 1 5 4 7 8 7 8 6 10 MALE 62 1 0 0 0 4 1 5 4 7 8 7 8 6 10 FEMALE 62 0 0 1 0 0 2 2 2 0 2 3 10 11 29 TOTALS 124 1 0 0 1 0 4 3 7 6 7 10 10 18 17 39 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY. AND RENAL SCLEROSIS (582-583.587) 7 7 10 1 1 1 1 1 1 1 1 1 1 1 1 1 </td <td>FEMALE</td> <td>6</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td></td> <td></td> <td></td> <td></td>	FEMALE	6	0	0	0	0	0	0	0	0	-	-	-	-						
MALE 62 1 1 0 0 0 4 1 5 4 7 8 7 8 6 10 FEMALE 62 0 0 0 1 0 0 2 2 0 2 3 10 11 29 TOTALS 124 1 0 0 1 0 4 3 7 6 7 10 18 17 39 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY AND RENAL SCLEROSIS (582-583,587) 0 0 1 1 0 1 2 MALE 5 0 0 0 0 0 0 0 0 0 0 1 1 0 1 2 FEMALE 8 0 0 0 0 0 0 0 0 0 2 2 5 4 9 FEMALE 8 0 0 0 0 0 0 0 2 2 5 <t< td=""><td>TOTALS</td><td></td><td></td><td></td><td></td><td>~</td><td>•</td><td>•</td><td>0</td><td>0</td><td>0</td><td>0</td><td>2</td><td>0</td><td>2</td><td>4</td><td>2</td><td>5</td></t<>	TOTALS					~	•	•	0	0	0	0	2	0	2	4	2	5		
MALE 62 1 1 0 0 0 4 1 5 4 7 8 7 8 6 10 FEMALE 62 0 0 0 1 0 0 2 2 0 2 3 10 11 29 TOTALS 124 1 0 0 1 0 4 3 7 6 7 10 18 17 39 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY AND RENAL SCLEROSIS (582-583,587) 0 0 1 1 0 1 2 MALE 5 0 0 0 0 0 0 0 0 0 0 1 1 0 1 2 FEMALE 8 0 0 0 0 0 0 0 0 0 2 2 5 4 9 FEMALE 8 0 0 0 0 0 0 0 2 2 5 <t< td=""><td>ALL OTHER DISEASES OF D</td><td>IGESTIVE SYST</td><td>ЕМ (530,5</td><td>534.53</td><td>6-537,5</td><td>64-570</td><td>),572-</td><td>573,570</td><td>6-579)</td><td></td><td></td><td></td><td>_</td><td></td><td>_</td><td>_</td><td>~</td><td>10</td></t<>	ALL OTHER DISEASES OF D	IGESTIVE SYST	ЕМ (530,5	534.53	6-537,5	64-570),572-	573,570	6-579)				_		_	_	~	10		
FEMALE 62 0 0 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 2 2 1 1 1 0 1 2 1 0 1 2 1 1 1 1 1 1 2 2 1 3 1 </td <td>MALE</td> <td>62</td> <td>1</td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>4</td> <td>•</td> <td>-</td> <td>-</td> <td>•</td> <td>-</td> <td></td> <td>-</td> <td>-</td> <td>-</td>	MALE	62	1	1	0	0	0	0	4	•	-	-	•	-		-	-	-		
TOTALS 124 1 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 1 0 1 1 0 1 2 1 1 1 0 1 2 1 3 1 1 0 1 2 1 3 1 <th1< th=""> 1 <th1< th=""> 1 <th1< th=""> <th1< th=""></th1<></th1<></th1<></th1<>	FEMALE	62	0	0	0	0	1	0	0		-		-		-	• •				
MALE 5 0 0 0 0 0 0 0 0 0 1 1 0 1 2 FEMALE 8 0 0 0 0 0 0 0 0 0 0 0 2 1 3 1 1 TOTALS 13 0 0 0 0 0 0 0 0 0 0 3 2 3 1 1 1			1	1	0	•	1	~	4	-	. '	6	7	10	10	18	17	39		
MALE 5 0	CHRONIC GLOMERULONEPHRI	TIS, NEPHRITI	S ANO NEF	HROPA	THY, AN	ND RENA					,					~		h		
FEMALE 8 0 <td>MALE</td> <td>5</td> <td>0</td> <td>0</td> <td>0</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>+</td> <td>-</td> <td>-</td> <td>-</td> <td></td> <td></td>	MALE	5	0	0	0	-	-	-	-	-	-	-	+	-	-	-				
TOTALS 13 0 </td <td>FEMALE</td> <td>8</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>-</td> <td>+</td> <td>-</td> <td>•</td> <td>-</td> <td>-</td> <td>•</td> <td></td> <td>-</td> <td></td> <td></td> <td></td>	FEMALE	8	0	0	0	0	-	+	-	•	-	-	•		-					
MALE 23 0 0 0 0 0 1 0 0 0 2 2 5 4 9 FEMALE 48 0 0 0 0 0 0 1 1 1 2 4 6 10 23 TOTALS 71 0 0 0 0 0 0 1 1 1 2 4 6 10 23 INFECTIONS OF KIDNEY (590) 71 0 0 0 0 0 0 0 0 0 0 0 0 1 1 4 6 11 14 32 INFECTIONS OF KIDNEY (590) 2 0 0 0 0 0 0 0 0 0 0 1 2 0 0 MALE 2 0 0 0 0 0 0 0 0 0 0 0 1 2 1 2 FEMALE 6 0 0 0 <th0< td=""><td>TOTALS</td><td>13</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>3</td><td>2</td><td>3</td><td>2</td><td>3</td></th0<>	TOTALS	13	0	0	0	0	0	0	0	0	0	0	0	3	2	3	2	3		
MALE 23 0 0 0 0 0 1 0 0 2 2 3 0 1 1 1 1 2 4 6 10 23 32 33 32 33 32 33 33 33 33 33 33 33 33 33 33 33 33 33 33 33 33 33 33 33 34	RENAL FAILURE (584-586,	588-589)	•										_		•	-		0		
FEMALE 48 0 0 0 0 0 0 0 0 0 1 1 1 1 1 4 6 11 14 32 TOTALS 71 0 0 0 0 0 1 1 1 4 6 11 14 32 INFECTIONS OF KIDNEY (590) 2 0	MALE '	23	0	0	0	-	-	-	-		-	-	-			-		-		
TOTALS 71 0 0 0 0 0 0 0 1 1 1 4 0 1 INFECTIONS OF KIDNEY (590) MALE 2 0	FEMALE	48	0	0	0	0	0		-	0							-			
MALE 2 0	TOTALS	71	0	0	0	0	0	0	0	1	1	1	1	4	6	11	14	32		
MALE 2 0 0 0 0 0 0 0 0 0 0 0 0 1 1 0 1 2 1 2 1 2 FEMALE 6 0 0 0 0 0 0 0 1 1 1 2 1 2	INFECTIONS OF KIDNEY (5	90)										-	~	•	•	2	0	0		
FEMALE 6 0 0 0 0 0 0 0 0 0 0 0 0 1 1 1 2 1 2	MALE	2	0	0	-	-	-	-	-	-		-	-	-	-		-	-		
	FEMALE	6	0	-		-	-	-	-	-			-	-		-				
	TOTALS	8	0	0	0	0	0	0	0	0	0	0	1	1	1	2	,	~		

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

105

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

		*****	*****	******	*****	******	****	* AGE A	AT DEAT	TH(YRS.) ***	*****	*****	*****	*****	*****	****
CAUSE OF DEATH GROUPS TO	DTAL	UNDER	1-4	5-9 10	D-14	15-19 20)-24	25-34 35	5-44 45	5-54 55	5-59 60	0-64 69	5-69 70)-74 75	5~79 8	0~84	OVER
	EATHS	1															84
(CONT.)										•							
URINARY CALCULUS (592,594)																	•
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0 _.	0	0	1	!	0
TOTALS	2	· 0	0	0	0	0	0	0	0	0	0	Ö	0	0	1	1	0
ALL OTHER DISEASES OF URINARY	SYSTEM	(591, 59)	3,595	-599)												_	_
MALE	17	Ó	0	0	0	0	0	0	0	0	0	1	. 1	0	3	5	7
FEMALE	32	1	0	0	0	0	0	1	0	· 1	0	0	1	0	5	7	16
TOTALS	49	1	0	0	0	0	0	1	0	1	0	1	2	0	8	12	23
HYPERPLASIA OF PROSTATE (600)															-	_	
MALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	1
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	1
OTHER DISEASES OF MALE GENITAL	ORGANS	601-6	08)														
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	Ō	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
DISORDERS OF BREAST (610-611)																	
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	1	õ	ō	0	ō	0	0	0	0	1	0	0	0	0	0	0	0
INFECTIONS OF SKIN AND SUBCUTA	ANEOUS T	ISSUE (680-68	36)													
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	. 1	0	0	1
FEMALE	1	ŏ	ŏ	ō	ō	õ	Ó	0	0	0	0	0	0	0	0	1	Q
TOTALS	3	0.	ŏ	ŏ	ŏ	õ	ŏ	õ	0	0	0	0	0	1	0	1	1
ALL OTHER DISEASES OF SKIN AND	-	•	TISSU	E (690-'	709)	-	-										
FEMALE	4	0	0		ó	0	0	0	0	0	0	1	1	0	1	0	1
TOTALS	Ā	ŏ	ŏ	ŏ	õ	õ	ō	0	0	0	0	1	1	0	1	0	1
RHEUMATOID ARTHRITIS AND OTHER	TNFLAN	•	-	THROPA	-	(714)		-									
MALE	4	0	0	0	0	Ó	0	0	0	0	0	0	0	2	1	1	0
FEMALE	9	ŏ	ŏ	ŏ	ŏ	õ	ŏ	ō	õ	Ó	1	0	2	1	1	1	3
TOTALS	13	ŏ	ŏ	õ	ŏ	ŏ	ō	õ	ō	0	1	0	2	3	2	2	3
OTHER ARTHROPATHIES AND RELATE			-	715-7	19)	-	-	-									
MALE	2		0 /	0	· 0	0	0	0	0	0	0	1	0	0	1	0	0
FEMALE	â	ŏ	ŏ	ŏ	ŏ	õ	õ	1	Ō	1	1	0	0	0	2	1	0
TOTALS	9	ŏ	õ	ŏ	ŏ	õ	õ	1	ō	1	1	1	0	0	З	1	0
RHEUMATISM, EXCLUDING THE BACK	(725-7	-	Ŭ	Ũ	Ŭ	Ũ	•	-	-								
FEMALE	2	23,	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
TOTALS	2	ŏ	ŏ	õ	ŏ	ŏ	õ	õ	ō	0	0	0	0	0	1	1	0
OSTEOPATHIES, CHONDROPATHIES						ORMITIES)-739)									
MALE			0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
FEMALE	3	ŏ	ŏ	ŏ	ŏ	õ	õ	0.	õ	0	0	0	0	1	0	0	2
TOTALS	3	ő	õ	ŏ	ŏ	ŏ	ŏ	1	ŏ	Ó	0	0	0	1	0	0	2
SPINA BIFIDA (741)	-+	0	U	0	Ũ	Ū.	· ·		-								
FEMALE	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	4	ő	ő	õ	õ	ŏ	ŏ	õ	õ	ō	Ō	0	0	0	0	0
TOTALS ALL OTHER CONGENITAL ANOMALIES		່	-	(740,74)	•	v	v	v		-	-						
	S OF NER	3		0	 0	0	0	0	0	0	0	0	0	0	0	0	0
MALE FEMALE	36	3 5	0	0	ŏ	ŏ	ŏ	1	ŏ	ŏ	õ	ŏ	Ō	Ó	0	0	0
	0	5 8	ő	ő	ŏ	ŏ	ŏ	1	ŏ	ŏ	õ	ŏ	Ó	0	0	0	0
TOTALS CONGENITAL ANOMALIES OF HEART	9 (745-74	. -	U	U	0	Ŭ	Ũ	r	J	-	-	-					
	5	3	1	0	0	0	0	1	0	0	0	0	Q	0	0	0	0
MALE	5	. J		Ŭ	Ŭ	÷	-		-	-							

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

		*****	*****	* * * * * * * *	*****	* * * * * * *	*****	AGE	AT DEAT	H(YRS.) ****	*****	******	******	******	*****	**** DVER
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10	0-14 1	5-19 20	0-24 25	5-34 39	5-44 45	5-54 55	-59 60)-64 6	5-69 /(J-/4 /:	2-19 80	0-84	84
(CONT.)																	
FEMALE	8	5	0	0	1	0	0	0	0	0	0	0	0	1	0	1	0
TOTALS	13	8	1	0	1	0	0	1	0	0	0	0	0	1	0	I	0
OTHER CONGENITAL ANOMALIE	ES OF CIRCULA	TORY SYS	STEM (1	747)							•		•	~	~	0	0
MALE	3	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	ŏ
FEMALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	ő	ő
TOTALS	6	4	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
ALL OTHER CONGENITAL ANON	MALIES (743-7		759)					_		-	•	~	~	0	0	0	•
MALE	11	8	0	0	0	0	1	0	1	0	0	0	0	•	0	1	ò
FEMALE	10	6	0	0	0	0	0	0	0	0	1	1	1	0	ő	1	•
TOTALS	21	14	0	0	0	0	1	0	1	0	1	1	1	0	0		
BIRTH TRAUMA (767)										-		•	•	~	~	0	0
MALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	ŏ	ŏ
FEMALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	ŏ
TOTALS	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTRAUTERINE HYPOXIA, BIR	RTH ASPHYXIA	AND RESP	PIRATO		TRESS	SYNDROM		3-769)					•	~	0	0	0
MALE	10	10	0	0	0	0	0	0	0	0	0	0	0	0	•	ŏ	õ
FEMALE	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	ŏ	0
TOTALS	16	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	U
OTHER CONDITIONS ORIGINAT	FING IN THE P	ERINATAL	_ PERIC	DD (760)-766,	770-799							•	~	~	0	0
MALE	40	39	0	0	0	0	0	0	0	1	0	0	0	0	0	-	ö
FEMALE	19	17	0	0	0	0	0	0	0	0	1	0	0	0	0	1	õ
TOTALS	59	56	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0
SENILITY WITHOUT MENTION	OF PSYCHOSIS	(797)										_		-	~	0	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	2
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2 3
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
SYMPTOMS, SIGNS AND OTHER	R ILL-DEFINED	CONDIT	IONS ('	780-796	5,798-	799)								•	•	2	2
MALE	26	11	0	0	0	0	0	1	2	2	1	1	1	3	0 2	2	7
FEMALE	28	10	1	0	0	1	0	0	1	0	0	2	0	2	2	4	, 9
TOTALS	54	21	1	0	0	1	0	1	3	2	1	З	1	5	2	4	5
MOTOR VEHICLE TRAFFIC ACC	CIDENTS INVOL	VING COL	LISIO	N WITH	TRAIN	(E810)		_		_		•	~	0	0	1	0
MALE	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	õ
TOTALS	2	0	0	0	Ö	0	0	0	0	Ó	1	0	0	0	0	1	U
MOTOR VEHICLE TRAFFIC ACC	CIDENTS INVOL	VING COL	LISIO	N WITH	ANOTH	ER MOTO			E811-E8				-	~	1	2	0
MALE	39	0	0	0	1	4	7	11	5	2	1	1	2	2	0	ŏ	ŏ
FEMALE	23	0	0	0	0	1	4	8	1	1	1	1	2	4 6	1	2	ŏ
TOTALS	62	0	0	0	1	5	11	19	6	3	2	2	4	0		2	0
MOTOR VEHICLE TRAFFIC ACC	CIDENTS INVOL	VING COL	LISIO	N WITH	PEDES		(E814)					•	•		4	0	1
MALE	17	0	1	2	0	3	4	З	0	0	1	0	0	1		1	-
FEMALE	8	0	1	1	0	0	0	0	1	0	0	0	0	1	2 3	1	2
TOTALS	25	0	2	З	0	3	4	3	1	0_	1	0	0	2	ۍ	I	2
MOTOR VEHICLE TRAFFIC ACC	DIDENTS INVOL	VING COL	LISIO	N WITH	OTHER		-	DBJECT	(E813,				•		0	o	o
MALE	29	0	0	1	1	5	10	8	2	1	0	0	0	1	0	1	0
FEMALE	7	0	0	0	0	1	3	0	1	0	0	0	0	0	1	I I	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

107

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10	D-14 1	5-19 2	****** 20-24 2	5-34 3	5-44 4	5-54 55	5-59 60	0-64 65	5-69 70	0-74 7	5-79 8	0-84	OVER 84
(CONT.)																	
TOTALS	36	0	0	1	1	6	13	8	З	1	0	0	0	1	1	1	0
MOTOR VEHICLE TRAFFIC							E816-E		•	•	~	0	1	2	2	0	0
MALE	62	, O	0	0	0	18	16	12	9	2	0	0	1	2	0	ŏ	ŏ
FEMALE	19	0	0	0	1	1	6	5 17	1 10	0 2	2	0	2	2	2	ŏ	õ
TOTALS	81	0	0	0,5	1	19	22	17	10	2	2	U	2	-	-	Ŭ	· ·
MOTOR VEHICLE TRAFFIC				URE (ES	819)	1	2	4	1	1	1	1	0	0	1	0	0
MALE	14	0	0	0	0	2	23	4	· 0	1	ò	ò	1	ŏ	0	ŏ	ō
FEMALE	8	0	0	1	0	∠ 3	5	5	1	2	1	1	1	õ	1	õ	0
TOTALS MOTOR VEHICLE NONTRAFF:	22 10 ACCIDENTS (E	•	•		1	. 3	5	5		~	•	•	•	•			
MOTOR VEHICLE NONTRAFF.	5	020-E02: 0	, 0	1	0	0	2	1	1	0	0	0	0	0	0	0	0
TOTALS	5	0	ŏ	1	ŏ	õ	2	1	1	ŏ	õ	ō	Ó	0	0	0	0
WATER TRANSPORT ACCIDE	•	0	Ū		0	Ŭ	-	•	•	•							
MALE	16	0	0	0	1	2	3	4	1	2	1	1	0	1	Ο.	0	0
FEMALE	1	ŏ	ŏ	õ	ò	ō	ō	1	0	0	0	0	0	0	0	0	0
TOTALS	17	õ	õ	õ	1	2	3	5	1	2	1	1	0	1	0	0	0
AIR AND SPACE TRANSPOR		40-F845)	-		_											
MALE	8	0	Ó	ο.	0	0	0	2	2	2	0	1	1	0	0	0	0
FEMALE	- 1	ŏ	ō	Ō	Ō	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	9	0	0	0	0	0	0	2	2	2	1	1	1	0	0	0	0
ACCIDENTAL POISONING B	/ DRUGS, MEDICA	MENTS AN	ND BIO	LOGICA	LS (E8	50-E85	58)						_	_		~	
MALE	4	0	0	0	0	0	0	1	0	0	0	1	0	0	1	0	2
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0 1	0	∠ 3
TOTALS	7	0	0	0	0	0	0	1	0	0	0	1	1	0	1	0	3
ACCIDENTAL POISONING B	/ OTHER SOLID O	R LIQUI	SUBS		(E86C)-E866)						•	~	•	0	0	0
MALE	- 1	0	0	0	0	0	0	1	0	0	0	0	0 0	0	0	ő	ő
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
ACCIDENTAL POISONING BY	GASES AND VAP										0	0	0	0	0	0	0
MALE	5	0	0	0	0	0	1	0	3	-1	0	ő	ŏ	õ	ŏ	1	ŏ
FEMALE	1	0	0	0	0	0	0	0	3	1	0	ŏ	ő	õ	ŏ	1	ŏ
TOTALS	6	0	0	0	0	O E COMF	1 PLICATI	•	3 870-E8		0	U	0	v	Ũ		-
MISADVENTURES DURING ME			REACTIO		ND LAT				.8/0-c8 1	/s) 0	0	0	1	2	2	0	4
MALE	10	0	0	0	0.	. 0	0	0	1	ŏ	1	ĭ	2	1	2	1	2
FEMALE	11 21	0	0	0	0	. 0	0	0	2	0	1	1	3	3	4	1	6
TOTALS		0	0	0	•	•	0	0	2	Ŭ	•	•	-	-			
FALL FROM ONE LEVEL TO		-	0	0	0	3	1 -	1	4	0	0	1	0	1	0	0	2
MALE	13	0	0	ŏ	0	3 0	o	ò	ō	1	ŏ	ò	õ	0	1	0	2
FEMALE	4 17	0	0	ő	ő	3	1	1	4	i	ŏ.	1	Ō	1	1	0	4
TOTALS FALL ON SAME LEVEL (E88		v	0	0	0	v	•		•	•	-						
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	2	õ	ŏ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	1	Ō	0	0	0	1	0	0
TOTALS	3	ŏ	õ	ŏ	ŏ	ŏ	ō	ō	0	1	0	0	0	0	1	1	0
FRACTURE, CAUSE UNSPEC	•	•	•	-	FALLS	(E887-	-E888)									_	-
										0	0	3	0	1		5	6

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

		*****	******	*****	*****	* * * * * * *	*****	* AGE A	AT DEAT) ****	******	*****	*****	*****	*****	****
CAUSE OF DEATH GROUPS	TOTAL	UNDER	1-4	5-9 10)-14 15	5-19 20)-24 2	5-34 35	5-44 45	5-54 55	-59 60)-64 65	5-69 70	0-74 7	5-79 80	D-84	OVER
AND SEX	DEATHS	1	• •	••••													84
	OLANIO	•															
(CONT.)																	
	14	o	o	0	ο	o	0	1	ο	ο	0	ο	1	o	0	2	10
FEMALE TOTALS	31	0	õ	ŏ	ŏ	õ	õ	1	1	ŏ	ŏ	3	1	1	1	7	16
ACCIDENTS CAUSED BY FIRE		-	•	Ŭ	Ŭ	Ũ	Ū	· ·		-							
MALE	15	0	2	0	0	0	3	1	0	2	1	1	2	0	2	1	0
FEMALE	10	ŏ	ō	1	ŏ	ŏ	1	Ó	ō	0	1	1	1	0	0	2	3
TOTALS	25	õ	2	1	ō	ō	4	1	Ō	2	2	2	3	0	2	3	3
LIGHTNING (E907)		Ū	-	•	-	-											
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	ō	ō	ō	Ō	1	0	0	0	0	0	0	0	0	0	0	0
ACCIDENTAL DROWNING AND SU	JBMERSION (E	910)															
MALE	20	0	3	2	1	5	1	3	1	1	0	1	0	1	1	0	0
FEMALE	6	0	0	1	2	0	0	1	1	0	0	0	0	1	0	0	0
TOTALS	26	0	3	3	3	5	1	4	2	1	0	1	0	2	1	0	0
INHALATION AND INGESTION (DF FOOD OR O	THER OB	JECT CA	USING	SUFFO	CATION	(E911	-E912)									•
MALE	7	1	1	0	0	0	0	0	1	0	0	0	1	0	1	0	2
FEMALE	5	0	0	0	0	0	0	1	0	0	0	1	0	0	1	1	3
TOTALS	12	1.	1	0	0	0	0	1	1	0	0	1	1	0	2	1	3
ACCIDENT CAUSED BY ALL OTH	HER AND UNSP			RMS (E9		E922.9				-		•	•	•	0	0	0
MALE	2	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	ŏ
TOTALS	2	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
ACCIDENT CAUSED BY EXPLOS	IVE MATERIAL	(E923)				-	-		-	•	•	•	~	ο	ο	o	0
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	ő	0	ŏ
TOTALS	1	Ó	0	0	0	0	0	1	0	0	0	0	0	0	U	v	Ŭ
ACCIDENT CAUSED BY ELECTR					~		•		~	0	0	0	0	0	0	0	0
MALE	2	0	0	0	0	1	0	1 0	0	0	ŏ	1	ő	ŏ	ŏ	ŏ	ŏ
FEMALE	1	0	0	0	•	0	0	1	0	0	ő	1	õ	ŏ	ŏ	ŏ	ō
TOTALS	3	0	0	0	0	T	0	I	0	U	0	•	0	v	Ŭ	Ū	-
ALL OTHER ACCIDENTS (E900-					.929)	0	2	1	5	0	2	1	4	1	2	0	0
MALE	22	0	2 3	2	0	0	2	0	0	ŏ	õ	ò	1	1	2	ŏ	1
FEMALE	8	0	5	2	ő	ő	2	1	5	õ	2	1	5	2	4	ō	1
TOTALS SUICIDE BY DRUGS, MEDICAM	30 ENTE AND DI	•	•	_	0	U	2			•	-	·	•	_			
MALE	10	ÓLUGICAI	-3 (59)	0.0-23	0.30	0	2	4	2	0	0	0	0	0	1	1	0
FEMALE	13	0	õ	ŏ	ŏ	ŏ	2	3	3	1	1	ō	ō	2	1	0	0
TOTALS	23	0	ŏ	õ	õ	õ	4	7	5	1	Ť	ō	ō	2	2	1	0
SUICIDE BY OTHER SOLID OR		-	(E950.6	•	. •	Ŭ	•		•								
FEMALE	2	0	0	0	ο	ſ	0	0	1	0	0	0	0	0	0	0	0
TOTALS	2	ŏ	ŏ	ŏ	ŏ	1	ŏ	ŏ	1	ō	ō	Ō	0	0	0	0	0
SUICIDE BY GASES AND VAPOR	. –	-	-	-	-		-							· ·			_
MALE	18	-´ 0	0	0	0	1	1	5	5	З	1	0	0	1	0	1	0
FEMALE	2	ō	ō	õ	Ō	0	1	1	0	0	0	0	0	0	0	0	0
TOTALS	20	õ	ō	ō	Ō	1	2	6	5	з	1	0	0	1	0	1	0
SUICIDE BY HANGING, STRANG		D SUFFO	CATION	(E953)	ł										_	-	
MALE	13	0	0	0	0	1	з	1	1	3	0	0	2	1	0	0	1
FEMALE	6	0	0	0	0	0	0	1	1	2	0	1	0	0	0	1	0
-																	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

108

109

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX TOTAL DEATHS TOTAL 1 CONT Cont <th< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>والد والد والد والد والد .</th><th>مان مان مان بان بان</th><th>** **</th><th></th><th></th><th>c) **</th><th></th><th>و بو بو بو بو بو</th><th>An ale ale ale ale ale a</th><th>k ak ak ak ak ak a</th><th>ir de de de de de de</th><th>*****</th></th<>								والد والد والد والد والد .	مان مان مان بان بان	** **			c) **		و بو بو بو بو بو	An ale ale ale ale ale a	k ak ak ak ak ak a	ir de de de de de de	*****
AND SEX DEATHS 1 P4 (CONT.)			70744	*****	*****	*****	*****									70-74	75-70	00-04	OVED
AND DEATHS I CCONT.) 19 0 0 0 1 3 2 2 5 0 1 2 1 0 1 1 SUICIDE 8 ANDGUN (E955.0) 5 0			DEATHS 1 3 2 2 5 0 1 2 1 0 1 1 5 0 0 0 0 0 3 0 0 1 0 1 1 0 1 1 1 0 1 1 1 0 1 0<																
TOTALS 19 0 0 0 1 3 2 2 5 0 1 2 1 0 1 1 MALE 3 0 <t< td=""><td></td><td>AND SEX</td><td>DEATHS</td><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>04</td></t<>		AND SEX	DEATHS	1															04
SUICICIDE BY HANDGUN (E955.0) 1 0 <t< td=""><td></td><td>(CONT.)</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>		(CONT.)																	
MALE 5 0 0 0 0 0 1 0 0 1 0				0	0	о	0	1	З	2	2	5	0	1	2	1	0	1	1
TEAL 3 0								_				_		-	•		•	~	0
TOTALS B O <td></td> <td>•</td> <td>-</td> <td></td> <td>-</td> <td>-</td> <td>•</td>		•	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	•
SUICINES BY ALL OTHER AND UNSPECIFIED FIRERERMS (E955.1 6955.3) 1 1 0 0 1 0 <t< td=""><td></td><td></td><td>-</td><td>•</td><td>•</td><td>-</td><td>-</td><td>•</td><td>_</td><td>-</td><td>-</td><td>-</td><td>•</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>•</td></t<>			-	•	•	-	-	•	_	-	-	-	•	-	-	-	-	-	•
MALE 69 0 0 8 11 14 9 6 7 2 3 2 2 3 0 TOTALS 76 0 0 0 1 1 16 9 8 7 2 3 2 2 3 0 MALE 76 0 0 0 1 1 16 9 8 7 2 3 2 2 3 0 MALE 7 0 0 0 1 1 0 1 0 1 0			Ų	0	•	•	· · ·	0	2	4	0	0	1	0	0		0	0	0
real 0 0 0 0 1 2 0 0 0 0 0 TOTALS 76 0 0 0 10 14 16 9 8 7 2 3 2 3 0 SUICIDE BY ALL OTHER MEANS (E955.5-E959) 0 0 1 1 0 1 0 2 0 3 0 0 0 MALE 7 0 0 0 1 1 0 2 0 3 0 0 0 TOTALS 14 0 0 0 1 2 0							,	•	40		•	~	-7	2	2	2	2	2	0
TEMALE 76 0 0 0 1 1 1 0 1 2 3 2 2 3 0 SUICIDE BY ALL DTHER MEANS (E954, E955) 0 0 1 1 0 1 0 1 0 2 0 1 0 <				0	•	•	•	-			-	. –		_	-	_		-	•
UDIALS In the set of the				-	-	-	-	_			-		-	-	-			-	-
MALE 7 0 0 0 1 1 0 1 0 2 0 1 0			-	-	•	0	0	10	14	10	3	. 0	'	2	J	~	-	-	Ū
matc female f 0 0 0 0 1 1 0 2 0 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 1 0 0 0 0 0 1 0						<u>^</u>	^	4	4	. 4	0	1	0	. 2	0	1	0	0	0
TOTALS 14 0 0 0 1 2 2 0 3 0 0 0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4) 1 0 1 0			7	•	-	-	-			•	•	•	•	-	-		-	-	ō
ASSNULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4) MALE 13 0 1 0 2 2 1 3 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			14	-	-	-	•	•	•	•	-	-	-	-	-	-	ō	ō	0
MALE 13 0 0 1 0 2 1 3 3 0 0 0 1 0 0 FFMALE 16 0 0 1 0 <th< td=""><td></td><td></td><td></td><td>-</td><td></td><td>•</td><td>-</td><td></td><td>£</td><td>· · •</td><td>Ŭ</td><td></td><td>Ū</td><td>-</td><td>-</td><td></td><td>-</td><td></td><td></td></th<>				-		•	-		£	· · •	Ŭ		Ū	-	-		-		
FEMALE 3 0 0 0 0 1 2 0 <td></td> <td></td> <td></td> <td></td> <td>- •</td> <td></td> <td></td> <td></td> <td>2</td> <td>ч</td> <td>3</td> <td>3</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>. 1</td> <td>0</td> <td>0</td>					- •				2	ч	3	3	0	0	0	0	. 1	0	0
TOTALS 16 0 1 0 2 2 2 3 0 0 0 1 0 0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966) 1 0				-	-					•			-	-	Ō	0	0	0	0
ASSAULTBY CUTTING AND PIERCING INSTRUMENT (E966) 0				-	•	-	-	-	-				-	ō	Ō	0	1	0	0
FEMALE 1 0 <td></td> <td></td> <td></td> <td>•</td> <td>· • • ·</td> <td>,</td> <td>Ŷ</td> <td>-</td> <td></td> <td>-</td> <td>-</td> <td></td> <td>-</td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td>				•	· • • ·	,	Ŷ	-		-	-		-	-					
TOTALS I O O O I O <td>)</td> <td></td> <td></td> <td></td> <td>· ,</td> <td>0</td> <td>0</td> <td>0</td> <td>1</td> <td>0</td> <td>0</td> <td>: O</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>· · O</td> <td>0</td> <td>0</td>)				· ,	0	0	0	1	0	0	: O	0	0	0	0	· · O	0	0
ASSAULT BY ALL OTHER MEANS (E960-E964,E965.5-E965.9.E967-E969) MALE 8 0 0 0 1 2 3 0 0 1 0)		1	-	-	-	-	ō	1	Ō	0	0	0	0	0	0	0	0	0
MALE B O O O O O I 2 3 O O I I O			5 (E960-E96	4.E965.5	5-E965	.9.E96	7-E969)											
FEMALE 1 0 <td></td> <td></td> <td>8</td> <td>•</td> <td></td> <td>-</td> <td></td> <td></td> <td>1</td> <td>2</td> <td>3</td> <td>0</td> <td>0</td> <td>1</td> <td>•</td> <td>-</td> <td>-</td> <td>-</td> <td>•</td>			8	•		-			1	2	3	0	0	1	•	-	-	-	•
IDIALS 101ALS 10000 00000 000000 00000 000000 000000 <td></td> <td>FEMALE</td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>1</td> <td>· 0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td></td> <td>-</td> <td></td> <td>-</td> <td>•</td>		FEMALE	1	0	0	0	0	1	· 0	0	0	0	0	0		-		-	•
MALE 1 0 0 0 0 0 0 0 0 1 0		TOTALS	9	0	0	0	0	1	1	2	3	0	0	1	1	0	0	0	0
MALE 1 0		INJURY INFLICTED FROM POIS	SONING BY D	RUGS, ME	DICAM	ENTS A	ND BIO	LOGICA	LS (E9	80.0-E	980.5)						_	-	•
FEMALE 3 0 <td></td> <td>MALE</td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td></td> <td></td> <td>-</td> <td></td> <td>-</td> <td>-</td> <td>-</td> <td>-</td>		MALE	1	0	0	0	0	-	-	-	-			-		-	-	-	-
INJURLS 101 ALS 1 0 <		FEMALE	3	0	0	0	0	0	· · · O	•	-			-		-	-	-	-
FEMALE 1 0 <td></td> <td></td> <td>4</td> <td></td> <td></td> <td></td> <td>-</td> <td>-</td> <td>•</td> <td>•</td> <td>-</td> <td>2</td> <td>1</td> <td>0</td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td>			4				-	-	•	•	-	2	1	0	1	0	0	0	0
FEMALE 1 0 <td></td> <td>INJURY INFLICTED FROM POIS</td> <td>SONING BY O</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td>-</td> <td>-</td> <td></td> <td>~</td> <td>•</td> <td>~</td> <td>~</td> <td>0</td>		INJURY INFLICTED FROM POIS	SONING BY O						-			-	-		~	•	~	~	0
TOTALS 1 0 <td></td> <td></td> <td>1</td> <td>•</td> <td>•</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>•</td> <td></td> <td>-</td> <td></td> <td></td> <td>-</td>			1	•	•	-	-	-	-	-	-	-	-	•		-			-
FEMALE 1 0 <td></td> <td></td> <td>÷ 1</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>1</td> <td>0</td> <td></td> <td>. 0</td> <td>0</td> <td>Ŭ</td>			÷ 1	-	-	-	-	-	-	0	0	0	0	1	0		. 0	0	Ŭ
FEMALE 1 0 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>•</td> <td></td> <td>•</td> <td>•</td> <td>•</td> <td></td> <td>~</td> <td></td> <td>0</td> <td>0</td> <td>¹ 0</td> <td>0</td> <td>0</td>							•		•	•	•		~		0	0	¹ 0	0	0
TOTALS 1 0 <td>•</td> <td></td> <td>1</td> <td>•</td> <td>-</td> <td>-</td> <td>-</td> <td></td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td></td> <td></td>	•		1	•	-	-	-		-	-	-	-	-	-	-	-	-		
MALE 2 0			1	-	-	•		0 °	0	0	0	1	0	0	0	U		Ŭ	Ū
MALE 2 0 0 0 0 0 1 1 0				•				•			~	~	•	•	0	0	<u></u> ∩	0	0
TOTALS 2 0 0 0 0 1 1 0 <th0< th=""> 0 <th0< th=""> <th0< th=""></th0<></th0<></th0<>			_	-	-	-	+		•			-	-	-	-	-		-	-
MALE 5,674 83 21 11 9 62 83 138 170 345 374 518 672 850 825 684 829 FEMALE 5,242 62 6 7 6 15 29 49 82 204 194 305 434 608 722 806 1,713 TOTALS 10,916 145 27 18 15 77 112 187 252 549 568 823 1,106 1,458 1,547 1,490 2,542 PERCENT DISTRIBUTION MALE 100.00 1.46 0.37 0.19 0.16 1.09 1.46 2.43 3.00 6.08 6.59 9.13 11.84 14.98 14.54 12.05 14.61 MALE 100.00 1.46 0.37 0.19 0.16 1.09 1.46 2.43 3.00 6.08 6.59 9.13 11.84 14.98 14.54 12.05 14.61 MALE 100.00 1.18 0.11 0.13 0.11 <t< td=""><td></td><td></td><td>. 2</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>1</td><td>1</td><td>Q</td><td>0</td><td>0</td><td>0</td><td>0</td><td>U</td><td>Ŭ</td><td>Ŭ</td><td>•</td></t<>			. 2	0	0	0	0	0	1	1	Q	0	0	0	0	U	Ŭ	Ŭ	•
MALE 5.674 83 21 11 9 62 83 138 170 343 374 518 672 608 722 806 1,713 FEMALE 5.242 62 6 7 6 15 29 49 82 204 194 305 434 608 722 806 1,713 TOTALS 10.916 145 27 18 15 77 112 187 252 549 568 823 1,106 1,458 1,547 1,490 2,542 PERCENT DISTRIBUTION			·	~ ~	~ .		~	~~		100	170	245	371	510	672	850	825	684	829
FEMALE 5,242 62 6 7 6 13 23 43 62 204 104 603 404 404 603 404 404 603 404 404 603 404 404 404 414 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>+</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td></td>							+								-				
PERCENT DISTRIBUTION 100.00 1.46 0.37 0.19 0.16 1.09 1.46 2.43 3.00 6.08 6.59 9.13 11.84 14.98 14.54 12.05 14.61 MALE 100.00 1.46 0.37 0.19 0.16 1.09 1.46 2.43 3.00 6.08 6.59 9.13 11.84 14.98 14.54 12.05 14.61 FEMALE 100.00 1.18 0.11 0.13 0.11 0.29 0.55 0.93 1.56 3.89 3.70 5.82 8.28 11.60 13.77 15.38 32.68 FEMALE 100.00 1.18 0.11 0.13 0.11 0.55 0.93 1.56 3.89 5.40 12 12 14					-														
MALE 100.00 1.46 0.37 0.19 0.16 1.09 1.46 2.43 3.00 6.08 6.59 9.13 11.84 14.98 14.54 12.05 14.61 FEMALE 100.00 1.18 0.11 0.29 0.55 0.93 1.56 3.89 3.70 5.82 8.28 11.60 13.77 15.38 32.68 FEMALE 100.00 1.18 0.11 0.13 0.11 0.29 0.55 0.93 1.56 3.89 3.70 5.82 8.28 11.71 13.38 32.68			10,916	145	27	18	13	, ,	112	10/	252	545	500	020				• ·	
FEMALE 100.00 1.18 0.11 0.13 0.11 0.29 0.55 0.93 1.56 3.89 3.70 5.82 8.28 11.60 13.77 15.38 32.68 FEMALE 100.00 1.18 0.11 0.29 0.55 0.93 1.56 3.89 3.70 5.82 8.28 11.60 13.77 15.38 32.68			100.00	1 46	0 37	0 10	0 16	1 09	1 46	2 13	3 00	6.08	6.59	9,13	11.84	14.98	14.54	12.05	14.61
														5.82	8.28	11.60	13.77	15.38	32.68
													-	7,54	10.13	13.36	14.17	13.65	23.29
		IUTALS	100.00	1.33	V.2J	0.10	0.14	U • • • •		•••	2.01								

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

110

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS MAINE STATE TOTALS, 1983 (RESIDENT DATA)

CAUSE OF DEATH SHIGELLOSIS & AMEBIASIS (004,006) OTHER INTESTINAL INFECTIONS (007-009) TUBERCULDSIS OF RESP. SYSTEM (010-012) OTHER TUBERCULOSIS (013-018) WHOOPING COUGH (033) STREP., SCARLATINA & ERYSIPELAS (034-035) MENINGROCICCAL INFECTION (036)	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	
SHIGELLOSIS & AMERIASIS (004,006)	0	0	0.000
OTHER INTESTINAL INFECTIONS (007-009)	1	4 8 3	4.000
TUBERCIU OSIS DE PESE SYSTEM (010-012)	3	8	2.666
OTHER TUBERCULOSIS (013-018)	1	3	3.000
WHODPING COUGH (033)	0	0	0.000
STREP SCAPLATINA & ERYSIPELAS (034-035)	. 1	1	1.000
MENINGDODOCAL INFECTION (036)	2	2	1.000
SEPTICEMIA (038)	50	301	6.020
ACUTE POLIOMYELITIS (045)	0	0	0.000
MEASLES (055)	0	ο.	0.000
VIRAL HEPATITIS (070)	3	8	2.666
SYPHILIS (090-097)	1	1	1.000
STREP., SCARLATINA & ERYSIPELAS (034-035) MENINGOCOCCAL INFECTION (036) SEPTICEMIA (038) ACUTE POLIOMYELITIS (045) MEASLES (055) VIRAL HEPATITIS (070) SYPHILIS (090-097) ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL) MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149) MAL. NEO. UIP, ORAL CAV., PHARYNX (140-149) MAL. NEO. OIGESTIVE & PERITONEUM ORG. (150-159) MAL. NEO. RESPIRATORY & THORACIC ORG. (160-165) MAL. NEO. BREAST (174-175) MAL. NEO. GENITAL ORGANS (179-187) MAL. NEO. URINARY ORGANS (188-189) MAL. NEO. ALL OTHER & UNSPEC. (170-173, 190-199) LEUKEMIA (204-208)	32	73	2.281
MAL NEO LEP ORAL CAV. PHARYNX $(140-149)$	55	72	1.309
MAL NEO DIGESTIVE & PERITONEUM ORG (150-159)	645	737	1.142
MAL NEO DEGETTATORY & THORACTC ORG (160-165)	669	749	1.119
MAL NED REFIRETORY & HORROTCORGE (100 100)	208	254	1.221
MAL NEO GENITAL ORGANS (179-187)	293	369	1.259
MAL NEO URINARY ORGANS (188-189)	119	147	1.235
MAL NED ALL OTHER & UNSPEC (170-173, 190-199)	318	728	2.289
LEUKEMIA (204-208)	79	97	1.227
OTHER MAL NED LYMPH & HEMD TISSUE (200-203)	117	159	1.358
BENIGN NED NED UNCERT & UNSPEC (210-239)	45	76	1.688
DIARETES MELLITUS (250)	169	847	5.011
NUTRITIONAL DEFICIENCIES (260-269)	17	255	15.000
ANEMIAS (280-285)	17	182	10.705
MENINGITIS (320-322)	9	23	2.555
RHEUM FEVER & RHEUM HEART DIS (390-398)	38	64	1.684
HYPERTENSIVE HEART DISEASE (402)	75	164	2.186
HYPERTENSIVE HEART & RENAL DIS. (404)	16	6	0.375
LEUKEMIA (204-208) OTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203) BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239) DIABETES MELLITUS (250) NUTRITIONAL DEFICIENCIES (260-269) ANEMIAS (280-285) MENINGITIS (320-322) RHEUM. FEVER & RHEUM. HEART DIS. (390-398) HYPERTENSIVE HEART DISEASE (402) HYPERTENSIVE HEART & RENAL DIS. (404) ACUTE MYOCARDIAL INFARCTION (410) OTHER ACUTE & SUBACUTE I.H.D. (411) ANGINA PECTORIS (413)	1,708	1,852	1.084
OTHER ACUTE & SUBACUTE I.H.D. (411)	39	73	1.871
ANGINA PECTORIS (413)	9	55	6.111
ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414)	1,421	2,754	1.938
OTHER DISEASES OF ENDOCARDIUM (424)	53	149	2.811
ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429)	820	4,004	4.882
ANGINA FECTORIS (413) ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414) OTHER DISEASES OF ENDOCARDIUM (424) ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429) HYPERTENSION W/WO RENAL DISEASE (401, 403) INTRACEREBRAL HEMORRHAGE (431-432)	37	578	15.621
INTRACEREBRAL HEMORRHAGE (431-432)	110	158	1.436
CEREB. THROM. & UNSPEC. OCCLUSION (434.0, 434.9)	128	188	1.468

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

* FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS.

SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS MAINE STATE TOTALS, 1983 (RESIDENT OATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
CEREBRAL EMBOLISM (434.1)	3	21	7.000
ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438)	549	1,192	2.171
ATHEROSCI EROSIS (440)	176	946	5.375
OTHER DIS. ARTERIES & CAPIL. (441-448)	152	327	2.151
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	3	16	5.333
PNEUMONIA (480-486)	320	988	3.087
INFLUENZA (487)	45	68	1.511
BRONCHITIS CHRONIC & UNSPEC. (490-491)	28	67	2.392
FMPHYSEMA (492)	86	197	2.290
	22	54	2.454
ATHER CHRONIC DESTR PUL DIS (494-496)	306	893	2.918
ULCER DE STOMACH & DUDENIUM (531-533)	34	88	2.588
APPENDICITIS (540-543)	3	5	1.666
CEREBRAL EMBOLISM (434.1) ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438) ATHEROSCLEROSIS (440) OTHER DIS. ARTERIES & CAPIL. (441-448) ACUTE BRONCHITIS & BRONCHIOLITIS (466) PNEUMONIA (480-486) INFLUENZA (487) BRONCHITIS CHRONIC & UNSPEC. (490-491) EMPHYSEMA (492) ASTHMA (493) OTHER CHRONIC DBSTR. PUL. DIS. (494-496) ULCER OF STOMACH & DUODENUM (531-533) APPENDICITIS (540-543) HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560)	37	117	3.162
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	140	204	1.457
	45	49	3.266
CHOLELITHIASIS & GALLBLAD. DIS. (574-575) ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581) CHRON. GLOMERUL. & RENAL SCLEO. UNSPEC. (582-583, 587) RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589) INFECTIONS OF KIDNEY (590) HYPERPLASIA OF PROSTATE ALL (600) PREGNANCY WITH ABORTIVE OUTCOME (630-638) OTHER COMPLICATIONS OF PREG. (640-676) CONGENITAL ANOMALIES (740-759) BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769) OTHER COND. IN PERINATAL PERIOD (760-766, 770-779) SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799) ALL OTHER DISEASES (RESIDUAL) MOTOR VEHICLE ACCIDENTS (E810-E825)	0	8	0.000
CHON COMERCIA & PENAL SCIENTINSEC (582-583-587)	13	30	2.307
DENAL FAILURE & KIDNEY DISORDERS (584-586 588-589)	71	590	8.309
INFECTIONS OF KINNEY (590)	8	25	3.125
HYDEODIASTA OF DOSTATE ALL (600)	. 6	17	2.833
DECNANCY WITH ADDITIVE OUTCOME (620-628)	ů ů	0	0.000
THED COMPLETATIONS OF DEC (640-676)	õ	0	0.000
CONCENTTAL ANOMALTES (740-759)	50	80	1.600
DIDTU TDAHMA HYDOY ACDHYY & DDS (767-769)	20	34	1_700
OTHER COND IN REDINATAL REPIOD (760-766 770-779)	59	95	1.610
SYMPTOMS STOLES ALL DEF COND (700-799)	57	2,078	36.456
ALL OTHED DISEASES (DESIDIAL)	764	3,130	4.096
MOTOR VEHICLE ACCIDENTS (E810-E825)	233	235	1.008
OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949)	212	526	2.481
	162	207	1.277
SUICIDE (E950-E959)	26	37	1.423
HOMICIDE & LEGAL INTERVENTION (E960-E978) ALL OTHER EXTERNAL CAUSES (E980-E999)	8	91	11.375
ALL UTHER EXTERNAL CAUSES (E980-E999)	0	•	
TOTAL FOR ALL CAUSES	10,916	27,556**	2.524

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

* FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS. SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

** THE TOTAL NUMBER OF MULTIPLE CAUSES FOUND THAT ARE NONUNDERLYING CAUSES: NATURE OF INJURY CODES: 1285 SECONDARY NEOPLASMS: 557 THESE CODES ARE NOT INCLUDED IN THE ABOVE TABLE.

DEATHS - TOTAL AND PERCENT BY SITE OF DEATH MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY	TOTAL DEATHS	MAINE HOSPITAL	OUT OF STATE HOSPITAL	******* PERC EN ROUTE TO HOSPITAL	ENT OF TOTAL D SKILLED NURSING CARE	EATHS BY SITE C INTERMEDIATE CARE FACILITY	PF DEATH ****** STATE PENAL INSTITUTIONS	OUT PATIENT	****** AT HOME	OTHER PLACES
ANDROSCOGGIN	1,011	52.82	1.29	0.00	2.77	26.51	0.00	0.00	12.56	4.06
AROOSTOOK	718	63.65	2.51	0.00	0.14	14.90	0.00	0.00	13.65	5.15
CUMBERLAND	2,110	58.63	1.37	0.00	0.24	20.38	0.00	0.00	16.45	2.94
FRANKLIN	232	50 .86	2.16	0.00	0.00	21.55	0.00	0.43	19.40	5.60
HANCOCK	462	51.73	1.95	0.43	0.00	21.65	0.00	0.22	17.32	6.71
KENNEBEC	1,075	54.14	1.67	0.00	0.00	25.86	0.00	0.00	14.60	3.72
KNOX	401	49.63	2.00	0.00	0.00	27.18	0.25	0.00	16.46	4.49
LINCOLN	3 23	50.15	1.86	0.00	0.31	24.77	0.00	0.00	19.50	3.41
OXFORD	553	56.24	2.35	0.18	O.18	22.06	0.00	0.00	14.83	4.16
PENOBSCOT	1,128	54.70	1.24	0.27	0.00	20.92	0.00	0.00	16.58	6.29
PISCATAQUIS	185	50.27	2.16	0.00	0.00	21.62	0.00	0.00	16.76	9.19
SAGADAHOC	244	59.43	1.23	0.00	0.00	17.62	0.00	0.00	18.03	3.69
SOMERSET	502	56.57	1.00	0.00	0.40	23.90	0.00	0.40	13.15	4.58
WALDO	292	53.77	0.34	0.34	0.00	18.49	0.00	0.00	21.92	5.14
WASHINGTON	372	51.08	2.15	0.27	0.00	23.66	0.00	0.54	16.40	5.91
YORK	1,308	53.44	9.71	0.08	0.00	17.89	0.00	0.00	15.29	3.59
STATE TOTALS	10,916	55.19	2.57	0.08	0.35	21.61	0.01	0.05	15.74	4.40

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DEATHS IN HOSPITALS - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN HOSPITALS	CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF CANCER OF RESPIRATORY SYSTEM (160-165)	DF TOTAL CAUS ACUTE MYOCARDIAL INFARCTION (410)	GE-SPECIFIC DEA CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE	NG IN HOSPI CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA	* ACCIE MOTOR VEHICLE (E810- E825)	DENTS * OTHER	
ANDROSCOGGIN	547	5.48	7.50	20.29	14.26	0.73	0.55	2.38	1.83	1.28	
AROOSTOOK	475	6.74	7.58	20.21	10.11	2.32	0.84	1.26	1.47	2.95	
CUMBERLAND	1,266	6.32	8.06	15.24	10.35	1.82	1.11	3.40	1.74	1.11	
FRANKLIN	123	4.88	5.69	17.07	12.20	0.81	0.00	4.88	2.44	3.25	
HANCOCK	248	7.66	6.05	18.55	9.27	1.21	1.61	2.82	0.81	1.21	
KENNEBEC	600	5.67	6.33	13.67	15.50	1.50	1.33	2.83	2.00	1.83	
KNOX	207	4.35	8. 2 1	20.77	8.70	0.97	0.48	1.45	2.90	2.90	
LINCOLN	168	5.95	8.93	19.64	12.50	1.79	1.79	1.79	1.79	0.00	
OXFORD	324	6.48	7.41	17.90	8.64	0.31	1.85	3.70	1.54	2.78	
PENOBSCOT	631	7.45	7.13	17.27	10.30	1.11	0.79	2.85	1.43	2.38	
PISCATAQUIS	97	2.06	4.12	19.59	11.34	1.03	2.06	2.06	1.03	2.06	
SAGADAHOC	148	7.43	5.41	17.57	13.51	0.68	1.35	3.38	1.35	3.38	
SOMERSET	289	6.57	9.69	13.15	12.11	0.35	0.00	2.42	2.08	0.69	
WALDO	158	10.13	4.43	15.82	8.23	0.63	1.90	1.27	0.63	0.63	
WASHINGTON	198	8.08	5.56	14.14	6.06	0.51	1.52	3.54	4.04	0.51	
YORK	826	6.42	6.54	21.07	9.56	1.21	0.73	1.82	0.97	1.33	
STATE TOTALS	6,305	6.42	7.17	17.48	10.94	1.25	1.02	2.63	1.67	1.67	

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

TABLE 3-07	DEATHS IN INTERMEDIATE CARE FACILITIES - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
	MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN ICF	CANCER OF CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	T OF TOTAL CA CANCER OF RESPIRATORY SYSTEM (160-165)	USE-SPECIFIC ACUTE MYOCARDIAL INFARCTION (410)	DEATHS OCCURR CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE	RMEDIATE CA CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA	* ACCIE	DENTS ≭ OTHER
ANDROSCOGGIN	268	4.85	2.24	11.94	27.99	0.00	1.12	4.10	0.00	0.37
AROOSTOOK	107	4.67	2.80	10.28	16.82	2.80	1.87	5.61	0.00	1.87
CUMBERLAND	430	3.95	2.79	8.84	21.16	0.47	5.58	5.81	0.00	0.23
FRANKLIN	50	4.00	8.00	6.00	16.00	0.00	2.00	0.00	0.00	2.00
HANCOCK	100	5.00	3.00	7.00	16.00	0.00	2.00	3.00	0.00	1.00
KENNEBEC	278	5.7 6	3.60	10.43	21.22	1.80	1.80	4.32	0.00	0.00
KNOX	109	4.59	2.75	4.59	12.84	0.00	0.00	6.42	0.00	0.92
LINCOLN	80	8.75	3.75	2.50	13.75	1.25	0.00	12.50	0.00	2.50
OXFORD	122	2.46	2.46	7.38	21.31	2.46	0.82	2.46	0.82	0.00
PENOBSCOT	236	2.12	3.81	9.32	16.95	1.27	3.39	6.78	0.00	1.69
PISCATAQUIS	40	5.00	0.00	7.50	7.50	0.00	2.50	17.50	0.00	2.50
SAGADAHOC	43	4.65	11.63	4.65	20.93	0.00	0.00	6.98	0.00	0.00
SOMERSET	120	5.83	2.50	5.00	21.67	0.83	0.00	5.83	0.00	0.00
WALDO	54	7.41	7.41	9.26	11.11	0.00	0.00	7.41	0.00	0.00
WASHINGTON	88	5.68	4.55	3.41	10.23	, 0.00	0.00	4.55	0.00	0.00
YORK	234	3.85	2.56	8.12	19.66	0.43	1.71	5.13	0.00	0.00
STATE TOTA .S	2,359	4.54	3.31	8.31	19.37	0.81	2.16	5.51	0.04	0.59

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

DEATHS AT HOME - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS MAINE COUNTIES AND STATE TOTALS, 1983 (RESIDENT DATA)

COUNTY	TOTAL DEATHS AT HOME	CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	***** PERCENT CANCER OF RESPIRATORY SYSTEM (160-165)	OF TOTAL CA ACUTE MYOCARDIAL INFARCTION (410)	USE-SPECIFIC D CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE	RING AT HOM CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA	********* * ACCIE MOTOR VEHICLE (E810- E825)	OTHER
ANDROSCOGGIN	127	5.51	9.45	16.54	23.62	0.00	1.57	0.79	2.36	1.57
AROOSTOOK	98	9.18	6.12	27.55	11.22	2.04	0.00	0.00	2.04	2.04
CUMBERLAND	347	6.92	7.78	13.54	15.85	0.29	0.86	1.73	0.00	1.15
FRANKLIN	45	6.67	4.44	22.22	8.89	2.22	0.00	0.00	0.00	0.00
HANCOCK	80	6.25	10.00	21.25	12.50	1.25	0.00	2.50	0.00	2.50
KENNEBEC	157	5.73	6.37	24.20	18.47	0.00	1.27	1.27	0.64	3.18
KNOX .	66	6.06	9.09	16.67	21.21	0.00	0.00	0.00	1.52	0.00
LINCOLN	63	6.35	6.35	17.46	11.11	1.59	0.00	1.59	3.17	0.00
OXFORD	82	4.88	6.10	23.17	23.17	1.22	0.00	0.00	0.00	3.66
PENOBSCOT	187	6.42	5.88	18.72	11.76	0.53	0.53	1.07	0.53	1.60
PISCATAQUIS	31	6.45	3.23	16.13	9.68	3.23	0.00	3.23	0.00	0.00
SAGADAHOC	44	6.82	4.55	11.36	29.55	0.00	0.00	0.00	2.27	0.00
SOMERSET	66	9.09	4.55	19.70	16.67	1.52	0.00	0.00	1.52	3.03
WALDO	64	9.38	6.25	17.19	9.38	0.00	0.00	0.00	1.56	3.13
WASHINGTON	61	4.92	3.28	37.70	11.48	0.00	0.00	1.64	1.64	0.00
YORK	200	7.50	7.00	22.00	16.00	0.00	1.50	1.50	0.00	1.00
STATE TOTALS	1,718	6.75	6.81	19.62	15.89	0.58	0.64	1.11	0.81	1.57

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

INDUCED ABORTIONS

TABLE 4-01

119

10

TOTAL TERMINATIONS OF PREGNANCY, FETAL DEATHS, MISCARRIAGES, AND INDUCED ABORTIONS BY GESTATION MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

GESTATIO	DN WEEKS	TOTAL FERMINATIONS		AL THS PERCENT	MISCAR NUMBER	RIAGES PERCENT		DUCED TIONS PERCENT
0-4		68	0	0.00	21	3.91	47	1.43
5-8		2,068	0	0.00	239	44.51	1,829	55.78
9-12		1,432	0	0.00	203	37.80	1,229	37.48
13-19		198	0	0.00	51	9.50	147	4.48
20-23		31	26	24.07	0	0.00	5	0.15
24-27		10	10	9.26	0	0.00	0	0.00
28-31		10	10	9.26	0	0.00	0	0.00
32-35		17	17	15.74	0	0.00	0	0.00
36-38		19	19	17.59	0	0.00	0	0.00
> 39		22	22	20.37	0	0.00	0	0.00
UNKNOWN		49	4	3.70	23	4.28	22	0.67
STATE	TOTALS	3,924	- 108	100.00	537	100.00	3,279	100.00
					· ·			

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE 4-02

120

OTHER

STATE TOTALS

PERCENT DISTRIBUTION

INDUCED ABORTIONS BY GESTATION AND TYPE OF TERMINATION PROCEDURES MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

ABO PRIMARY PROCEDURE THAT TERMINATED PREGNANCY SUCTION CURETTAGE 3 SHARP CURETTAGE SALINE INSTILLATION PROSTAGLANDIN INSTILLATION HYSTEROTOMY HYSTERECTOMY	OTAL	PERCENT	LESS	~					OF GE							
PRIMARY PROCEDURE THAT TERMINATED PREGNANCY SUCTION CURETTAGE 3 SHARP CURETTAGE SALINE INSTILLATION PROSTAGLANDIN INSTILLATION HYSTEROTOMY HYSTERECTOMY	DITIONIC		÷	9	10	11	12	13	14	15	16	17	18	19	GREATER	
TERMINATED PREGNANCY SUCTION CURETTAGE 3 SHARP CURETTAGE SALINE INSTILLATION PROSTAGLANDIN INSTILLATION HYSTEROTOMY HYSTERECTOMY	RTIONS	DISTRIBUTION	THAN 9												THAN 19	
SUCTION CURETTAGE 3 SHARP CURETTAGE SALINE INSTILLATION PROSTAGLANDIN INSTILLATION HYSTEROTOMY HYSTERECTOMY																
SHARP CURETTAGE SALINE INSTILLATION PROSTAGLANDIN INSTILLATION HYSTEROTOMY HYSTERECTOMY																
SALINE INSTILLATION PROSTAGLANDIN INSTILLATION HYSTEROTOMY HYSTERECTOMY	1,737	97.42	2,091	420	560	269	194	46	55	38	22	21	2	1	3	15
PROSTAGLANDIN INSTILLATION HYSTEROTOMY HYSTERECTOMY	57	1.49	36	4	7	4	2	1	1	1	1	0	0	0	0	0
HYSTEROTOMY Hysterectomy	4	0.10	0	0	0	0	1	0	1	1	0	1	0	0	0	0
HYSTERECTOMY	8	0.21	0	0	0	0	0	0	0	0	2	1	1	3	1	0
	2	0.05	0	0	0	1	0	0	0	0	0	0	0	0	1	0
	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	28	0.73	7	0	1	1	2	1	0	1	1	1	3	0	0	10
	,836		2,134	424	568	275	199	48	57	41	26	24	6	4	5	25
PERCENT DISTRIBUTION		100.00	55.63	11.05	14.81	7.17	5.19	1.25	1.49	1.07	0.68	0,63	0.16	0.10	0.13	0.65
ADDITIONAL PROCEDURES USED																
NONE 2	.361	61.52	1,562	209	340	127	84	4	3	2	3	2	3	3	0	19
SUCTION CURETTAGE	39	1.02	22	3	5	4	2	1	0	0	1	0	1	0	0	0
SHARP CURETTAGE 1	,426	37.15	547	212	222	144	111	43	53	38	22	21	2	1	4	6
SALINE INSTILLATION	2	0.05	0	0	1	0	0	0	0	1	0	0	0	0	0	0
PROSTAGLANDIN INSTILLATION	2	0.05	0	0	0	0	0	0	1	0	0	1	0	0	0	0
HYSTEROTOMY																~
HYSTERECTOMY	2	0.05	0	0	1	0	1	0	0	0	0	0	0	0	0	0

0

3

1

0

1

0

2,134 424 570 275 199 48 57 41 26 24 6 4 5

55.60 11.05 14.85 7.17 5.18 1.25 1.49 1.07 0.68 0.63 0.16 0.10 0.13

0

0

0

0

6

3,838

0.16

100.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

0 0 1

0

25

0.65

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

AGE OF PATIENT(YRS.)	TOTAL	PERCENT	LESS	9	10	11	12	13	EEKS OF 14	15	STATIC 16	17	18	19	GREATER	UNKNOW
	ABORTIONS	DISTRIBUTION	THAN S	3												
LESS THAN 15	26	0.79	12	4	2	1	3	0	1	2	1	0	0	0	о	0
15	58	1.77	31	6	9	6	3	1	1	1	0	0	0	0	0	0
16	125	3.81	63	11	26	6	5	6	3	1	1	2	1	0	0	0
17	190	5.79	94	12	33	16	14	4	9	6	0	1	0	0	1	0
8	270	8.23	123	36	47	27	22	0	6	4	3	1	0	0	0	1
9	303	9.24	163	27	55	20	20	6	4	0	1	3	1	0	0	3
0-24	1,168	35.62	684	126	177	68	62	13	12	9	4	2	1	2	3	5
5-29	614	18.73	373	76	79	42	23	7	4	1	2	1	1	0	0	5
0-34	330	10.06	207	36	40	14	17	1	2	3	3	1	1	0	0	5
5-39	133	4.06	91	13	16	6	2	1	1	0	0	0	0	1	1	1
0-44	47	1.43	28	4	6	4	1	1	0	0	1	1	0	1	0	0
REATER THAN 44	2	0.06	1	0	0	1	0	0	0	0	0	0	0	0	0	0
INKNOWN	13	0.40	6	1	1	1	2	0	0	0	0	0	0	0	0	2
STATE TOTALS	3,279		1,876	352	491	212	174	40	43	27	16	12	5	4	5	22
PERCENT DISTRIBUTION		100.00		10.73	14.97	6.47	5.31	1.22	1.31 0).82	0.49	0.37	0.15	0.12	0.15	0.67

RACE OF PATIENT

WHITE	3,215	98.05	1,840	348	483	207	167	40	40	27	16	11	5	4	5	22
BLACK	15	0.46	6	2	1	. 1	5	0	0	0	0	0	0	0	0	0
AMERICAN INDIAN	4	0.12	4	0	0	0	0	C	0	0	0	0	0	0	0	0
OTHER	45	1.37	26	2	7	4	2	0	3	0	0	1	0	0	0	0
STATE TOTALS	3,279		1,876	3 52	491	212	174	40	43	27	16	12	5	4	5	22
PERCENT DISTRIBUTION		100.00	57.21	10.73	14.97	6.47	5.31	1.22	1.31	0.82	0.49	0.37	0.15	0.12	0.15	0.67

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE 4-04

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

			* * * * *	*****	* * * * * * *	*****	*****	*** W	еекѕ о	FGES	TATION	l ***	*****	****	******	****
AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	LESS THAN S	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNKNOWN
LESS THAN 15	26	0.68	12	4	2	1	3	0	1	2	1	0	0	ο	0	0
15 ·	67	1.75	35	7	10	8	4	1	1	1	0	0	0	0	0	0
16	156	4.07	77	11	29	10	8	7	7	2	2	2	1	0	0	0
17	245	6.39	110	19	43	21	16	5	9	7	5	8	0	0	1	1
18	310	8.08	135	42	57	30	22	2	7	7	5	1	1	0	0	1
19	357	9.31	185	33	61	29	22	8	7	2	1	4	1	0	0	4
20-24	1,364	35.56	782	157	205	81	74	15	14	14	6	5	1	2	3	5
25-29	712	18.56	421	90	90	58	25	7	8	3	2	1	1	0	0	6
30-34	371	9.67	234	41	44	17	19	1	2	3	3	1	1	0	0	5
35-39	159	4.14	107	15	17	13	2	1	1	0	0	0	0	1	1	1
40-44	52	1.36	29	4	8	4	2	1	0	0	1	2	0	1	0	0
GREATER THAN 44	2	0.05	1	0	0	1	0	0	0	0	0	0	0	0	0	0
UNKNOWN	15	0.39	6	1	2	2	2	0	0	0	0	0	0	0	0	2
STATE TOTALS	3,836		2,134	424	568	275	199	48	57	41	26	24	6	4	5	25
PERCENT DISTRIBUTION		100.00	55.63	11.05	14.81	7.17	5.19	1.25	1.49	1.07 (0.68 0	0.63	0.16	0.10	0.13	0.65

.

122

RACE OF PATIENT

WHITE	3,758	97.97	2,092	420	560	268	192	47	50	41	26	22	6	4	5	25
BLACK	20	0.52	7	2	1	2	5	0	3	0	0	0	0	0	0	0
AMERICAN INDIAN	5	0.13	5	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	53	1.38	30	2	7	5	2	1	4	0	0	2	0	0	0	0
STATE TOTALS	3,836		2,134	424	568	275	199	48	57	41	26	24	6	4	5	25
PERCENT DISTRIBUTION		100.00	55.63	11.05	14.81	7.17	5.19	1.25	1.49	1.07	0.68	0.63	0.16	0.10	0.13	0.65

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

TABLE 4-05

INDUCED ABORTIONS BY RACE, MARITAL STATUS AND AGE OF PATIENT MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

		ITE	BL	ACK	AMERICA	N INDIAN		******* HER PERCENT
								2.57
								1.06
						•		1.59
3,2/9	3,215	98.05	15	0.46	4	0.12	45	1.37
26	26	100.00	0	0.00	0	0.00	0	0.00
58	56	96.55	0	0.00	1	1.72	1	1.72
125	124	99.20	0	0.00	0	0.00	1	0.80
190	185	97.37	1	0.53	0	0.00	4	2.11
270	265	98.15	3	1.11	0	0.00	2	0.74
303	300	99.01	1	0.33	0	0.00	2	0.66
1.168	1,140	97.60	8	0.68	2	0.17	18	1.54
614.	608	99.02	2	0.33	· 1	0.16	3	0.49
330	326	98.79	0	0.00	0	0.00	4	1.21
133	127	95.49	0	0.00	0	0.00	6	4.51
47	44	93.62	0	0.00	0	0.00	3	6.38
2	2	100.00	0	0.00	0	0.00	0	0.00
13	12	92.31	· O	0.00	0	0.00	1	7.69
972	956	98.35	5	0.51	1	0.10	10	1.03
3,279	3,215	98.05	15	0.46	4	0.12	45	1.37
	ABORTIONS 661 2,555 63 3,279 26 58 125 190 270 303 1.168 614 330 133 47 2 13 972	TOTAL ABORTIONSWH NUMBER6616392,5552,51563613,2793,215262658561251241901852702653033001,1681,1406146083303261331274744221312972956	TOTAL ABORTIONSWHITE NUMBER PERCENT66163996.672,5552,51598.43636196.833,2793,21598.052626100.00585696.5512512499.2019018597.3727026598.1530330099.011.1681,14097.6061460899.0233032698.7913312795.49474493.6222100.00131292.3197295698.35	TOTAL ABORTIONSWHITE NUMBERBL. NUMBER66163996.6742.5552.51598.4310636196.8313.2793.21598.05152626100.000585696.55012512499.20019018597.37127026598.15330330099.0111.1681.14097.60861460899.02233032698.79013312795.490131292.31097295698.355	TOTAL ABORTIONSWHITE NUMBER PERCENTBLACK NUMBER PERCENT66163996.6740.612,5552,51598.43100.39636196.8311.593,2793,21598.05150.462626100.0000.00585696.5500.0012512499.2000.0019018597.3710.5327026598.1531.1130330099.0110.331.1681,14097.6080.6861460899.0220.3333032698.7900.00474493.6200.00131292.3100.0097295698.3550.51	TOTAL ABORTIONS WHITE NUMBER BLACK PERCENT AMERICA NUMBER AMERICA NUMBER 661 639 96.67 4 0.61 1 2,555 2,515 98.43 10 0.39 3 63 61 96.83 1 1.59 0 3,279 3,215 98.05 15 0.46 4 26 26 100.00 0 0.00 1 125 124 99.20 0 0.00 0 190 185 97.37 1 0.53 0 270 265 98.15 3 1.11 0 303 300 99.01 1 0.33 0 1,168 1,140 97.60 8 0.68 2 614 608 99.02 2 0.33 1 330 326 98.79 0 0.00 0 133 127 95.49 0 0.00 0	TOTAL ABORTIONS WHITE NUMBER BLACK PERCENT MUMBER PERCENT MUMBER PERCENT 661 639 96.67 4 0.61 1 0.15 2,555 2,515 98.43 10 0.39 3 0.12 63 61 96.83 1 1.59 0 0.00 3,279 3.215 98.05 15 0.46 4 0.12 26 26 100.00 0 0.00 1 1.72 125 124 99.20 0 0.000 0 0.00 190 185 97.37 1 0.53 0 0.00 190 185 97.37 1 0.33 0 0.00 270 265 98.15 3 1.11 0 0.00 303 300 99.02 2 0.33 1 0.16 330 326 98.79 0 0.00 0.00 0.00 </td <td>TOTAL ABORTIONS WHTE NUMBER BLACK PERCENT AMERICAN NUMBER AMERICAN NUMBER TOTAN NUMBER OT NUMBER 661 639 96.67 4 0.61 1 0.15 17 2.555 2.515 98.43 10 0.39 3 0.12 27 63 61 96.83 1 1.59 0 0.000 1 3.279 3.215 98.05 15 0.46 4 0.12 45 26 26 100.00 0 0.000 1 1.72 1 125 124 99.20 0 0.000 0 0.00 1 190 185 97.37 1 0.53 0 0.00 2 303 300 99.01 1 0.33 0 0.00 2 1.168 1.40 97.60 8 0.68 2 0.17 18 614 608 99.02 2 0.33</td>	TOTAL ABORTIONS WHTE NUMBER BLACK PERCENT AMERICAN NUMBER AMERICAN NUMBER TOTAN NUMBER OT NUMBER 661 639 96.67 4 0.61 1 0.15 17 2.555 2.515 98.43 10 0.39 3 0.12 27 63 61 96.83 1 1.59 0 0.000 1 3.279 3.215 98.05 15 0.46 4 0.12 45 26 26 100.00 0 0.000 1 1.72 1 125 124 99.20 0 0.000 0 0.00 1 190 185 97.37 1 0.53 0 0.00 2 303 300 99.01 1 0.33 0 0.00 2 1.168 1.40 97.60 8 0.68 2 0.17 18 614 608 99.02 2 0.33

NOTES: PERCENTAGES ARE BASED ON TOTAL ABORTIONS. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TAELE 4-06

INDUCED ABORTIONS BY RACE, MARITAL STATUS AND AGE OF PATIENT MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

MARIFAL STATUS	101AL ABORTIONS		ITE PERCENT	*********** BL, NUMBER	ACK		N INDIAN PERCENT	************** OT NUMBER	HER PERCENT
MARRIED	751	728	96.94	4	0.53	1	0.13	18	2.40
NOT MARRIED	3,016	2,964	98.28	15	0.50	4	0.13	33	1.09
UNKNOWN	69	66	95.65	1	1.45	0	0.00	2	2.90
STATE TOTALS	3,836	3,758	97.97	20	0.52	5	0.13	53	1.38
AGE OF PATILIT(YRS.)									
LESS THAN 15	26	26	100.00	0	0.00	0	0.00	0	0.00
15	67	65	97.01	0	0.00	1	1.49	1	1.49
16	156	154	98.72	0	0.00	0	0. 0 0	2	1.28
17	245	239	97.55	1	0.41	0	0.00	5	2.04
18	310	304	98.06	4	1.29	0	0.00	2	0.65
19	357	352	98.60	1	0.28	1	0.28	3	0.84
20-24	1,364	1,330	97.51	11	0.81	2	0.15	2 1	1.54
25-29	712	704	98.88	3	0.42	1	0.14	4	0.56
30-34	371	367	98.92	0	0.00	0	0.00	4	1.08
35 -39	159	153	96.23	0	0.00	0	0.00	6	3.77
40-44	52	49	94.23	0	0.00	0	0.00	3	5.77
GREATER THAN 44	2	2	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN	15	13	86.67	0	0.00	0	0.00	2	13.33
TEENAGE TOTALS	1,161	1,140	98.19	6	0.52	2	0.17	13	1.12
STATE TOTALS	3,836	3,758	97.97	20	0.52	5	0.13	53	1.38

•

NOTES: PERCENTAGES ARE BASED ON TOTAL ABORTIONS, PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

> MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

.

.

.

125

INDUCED ABORTIONS BY COMPLICATIONS OF PREGNANCY, GESTATION, AND AGE OF PATIENT MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

			****	****	***** COMPLI	CATIONS OF PRE	GNANCY ******	*****	*****
WEEKS OF GESTATION	TOTAL* ABORTIONS	PERCENT DISTRIBUTION	NONE	HEMORRHAGE	INFECTION	UTERINE PERFORATION	CERVICAL LACERATION	RETAINED PRODUCTS	OTHER
LESS THAN 9	2,134	55.63	2,101	10	3	1	3	5	13
9	424	11.05	422	1	0	0	1	0	0
10	568	14.81	560	1	1	1	0	4	3
11	275	7.17	270	1	0	Ó	Ō	2	3
12	199	5.19	190	Ó	õ	Ō	1	3	5
13	48	1.25	48	õ	ō	õ	Ó	0	Ō
14	57	1.49	55	2	Ĩ	õ	Ö	1	Ó
15	41	1.07	40	ō	Ó	õ	õ	1	Ō
16	26	0.68	24	õ	õ	õ	Ō	1	1
17	24	0.63	24	ō	ō	Ō	Ō	0	0
18	6	0.16	3	1	2	õ	Ō	Ó	2
19	4	0.10	3	Ó	1	õ	ŏ	1	0
GREATER THAN 19	5	0.13	4	õ	Ó	õ	Ō	0	1
UNKNOWN	25	0.65	16	2	õ	õ	õ	Ō	9
STATE TOTALS	3,836		3,760	18	8	2	5	18	37
PERCENT DISTRIBUTION	0,000	100.00	98.02	0.47	0.21	0.05	0.13	0.47	0.96
AGE OF PATIENT(YRS.)									
									_
LESS THAN 15	26	0.68	26	0	0	0	0	0	0
15	67	1.75	67	0	0	0	0	0	0
16	156	4.07	155	0	0	0	0	1	0
17	245	6.39	241	0	0	0	ſ	0	3
18	310	8.08	309	· 1	1	0	0	2	0
19	357	9.31	354	0	0	0	0	0	3
20-24	1,364	35.56	1,339	6	2	0	4	7	8
25-29	712	18.56	689	7	3	1	0	6	11
30-34	371	9.67	356	2	1	1	0	1	11
35-39	159	4.14	156	1	1	0	0	1	1
40-44	52	1.36	52	0	0	0	0	0	0
GREATER THAN 44	2	0.05	1	1	0	0	0	0	0
UNKNDWN	15	0.39	15	0	0	0	0	0	0
TEENAGE TOTALS	1,161	30.27	1,152	1	1	0	1	3	6
STATE TOTALS	3,836		3,760	18	8	2	5	18	37
PERCENT DISTRIBUTION		100.00	98.02	0.47	0.21	0.05	0.13	0.47	0.96

NOTE: PERCENTAGES MAY NOT ADD TO 100,00 DUE TO ROUNDING.

* THE SUM OF COMPLICATIONS OF PREGNANCY MAY EXCEED TOTAL ABORTIONS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

TABLE 4-08 INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

MARITAL STATUS	TOTAL	*	*****	****** * ITVF	****** BIRTHS	*****	****				VIOUS P TERMINA		NCIES		****** SPONTAN	******	*****	*****	****
	ABORTIONS	0	1	2	3	4+				2	3	4+	UNK	o	1	2	3	4+	
MARRIED	661	145	176	200	50	29	61	417	155	41	8	3	37	516	64	22	3	0	56
NOT MARRIED	2,555	1,872	340	141	55	24	123	1,719	559	134	27	7	109	2,241	117	16	6	З	172
UNKNOWN	63	38	9	6	1	2	7	38	14	7	0	1	з	52	2	2	о	0	7
STATE TOTALS	3,279	2,055	52 5	347	106	55	191	2.174	728	182	35	11	149	2,809	183	40	9	3	235
PERCENT DIST.	100.00	62.67	16.01	10.58	3.23	1.68	5.82	66.30	22.20	5.55	1.07	0.34	4.54	85.67	5.58	1.22	0.27	0.09	7.1 7
AGE OF PATIENT(YR	2S.)																		
LESS THAN 15	26	24	0	о	0	o	2	23	1	0	о	0	2	24	о	о	0	о	2
15 [·]	58	56	0	0	о	0	2	53	2	0	0	0	3	55	1	• 0	0	0	2
16	125	118	4	0	0	0	3	114	5	٥ _.	0	0	6	119	0	0	0	0	6
17	190	165	14	0	0	0	11	150	28	0	0	0	12	174	0	0	0	0	16
18	270	239	20	2	0	1	8	231	28	1	0	0	10	254	4	0	1	0	11
19	303	256	31	7	0	0	9	230	53	8	1	0	11	276	8	2	0	0	17
20-24	1,168	780	206	88	23	4	67	730	30 8	61	12	. 3	54	1.013	58	9	1	2	85
25-29	614	285	149	107	22	7	44	333	167	65	13	6	30	506	42	11	2	о	53
30-34	330	93	76	88	30	13	30	191	83	36	7	0	13	252	44	7	3	о	24
35-39	133	24	22	39	17	18	13	75	39	9	2	2	6	93	18	3	1	0	18
40-44	47	3	З	15	14	11	1	35	9	2	0	0	1	28	8	8	1	1	1
GREATER THAN 44	2	0	0	1	0	1	0	2	0	0	0	0	0	2	0	0	0	0	0
UNKNOWN	13	12	0	0	0	0	1	7	5	0	0	0	1	13	0	0	0	0	0
TEENAGE TOTALS	972	858	69	9	0	1	35	801	117	9	1	0	4 4	902	13	2	1	0	54
PERCENT DIST.	100.00	88.27	7.10	0.93	0.00	0.10	3.60	82.41	12.04	0.93	0.10	0.00	4.53	92.80	1.34	0.21	0.10	0.00	5.56
STATE TOTALS	3,279	2,055	525	347	106	55	191	2,174	728	182	35	11	149	2,809	183	40	9	З	235
PERCENT DIST.	100.00	62.67	16.01	10.58	3.23	1.68	5.82	66.30	22.20	5.55	1.07	0.34	4.54	85.67	5.58	1.22	0.27	0.09	7.17

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE 4-09 INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL	*	******		BIRTH		*****		TCOME (*** IND				NCIES		******* SPONTAN				
	ABORTIONS	0	1	2	3	4+	UNK	0		2	3	4+	UNK		1	2	3	4+	UNK
MARRIED	75 t	170	196	226	61	33	65	494	162	44	9	4	38	· 597	72	23	З	0	56
NOT MARRIED	3,016	2.264	381	157	59	26	129	2,102	621	143	29	8	113	2,673	131	17	7	4	184
UNKNOWN	69	43	10	6	1	2	7	43	15	7	0	1	3	56	З	2	0	1	7
STATE TOTALS	3,836	2,477	587	389	121	61	201	2,639	798	194	38	13	154	3,326	206	42	10	5	247
PERCENT DIST.	100.00	64.57	15.30	10.14	3.15	1.59	5.24	68.80	20.80	5.06	0.99	0.34	4.01	86.70	5.37	1.09	0.26	0.13	6.44
AGE OF PATIENT(YR	S.)																		
LESS THAN 15	26	24	0	0	0	0	2	23	1	0	0	0	2	24	0	0	0	0	2
15	67	65	0	0	0	0	2	62	2	0	0	0	З	64	1	0	0	0	2
16	156	147	5	0	0	0	4	144	6	0	0	0	6	150	0	0	. 0	0	6
17	245	218	16	0	0	0	11	199	33	1	0	0	12	228	1	0	0	0	16
18	310	278	20	3	0	1	8	268	31	1	0	0	10	293	5	0	1	0	11
19	357	302	38	8	0	0	9	281	56	8	1	0	11	327	10	2	0	0	18
20-24	1,364	936	232	94	27	4	71	891	332	67	13	4	57	1,197	63	9	1	2	92
25-29	712	347	167	119	23	9	47	408	186	6 6	14	7	31	594	47	12	3	0	56
30-34	371	114	80	97	35	14	31	218	93	38	8	0	14	284	51	8	3	1	24
35-39	159	28	26	50	21	20	14	94	44	11	2	2	6	116	20	3	1	0	19
40-44	52	4	З	17	15	12	1	40	9	2	0	0	1	33	8	8	1	1	1
GREATER THAN 44	2	0	.0	1	0	1	0	2	0	0	0	0	0	2	0	0	0	0	0
UNKNOWN	15	14	0	0	0	0	1	9	5	0	0	0	1	14	0	0	0	1	0
TEENAGE TOTALS	1,161	1,034	79	11	0	1	36	977	129	10	1	0	44	1,086	17	2	1	· 0	55
PERCENT DIST.	100.00	89.06	6.80	0.95	0.00	0.09	3.10	84.15	11.11	0.86	0.09	0.00	3.79	93.54	1.46	0.17	0.09	0.00	4.74
STATE TOTALS	3,836	2,477	587	389	121	61	201	2,639	798	194	38	13	154	3,326	206	42	10	5	247
PERCENT DIST.	100.00	64.57	15.30	10.14	3.15	1.59	5.24	68.80	20.80	5.06	0.99	0.34	4.01	86.70	5.37	1.09	0.26	0.13	6.44

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

127

INDUCED ABORTIONS BY STATE OR COUNTRY OF RESIDENCE MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS
ALASKA	0	MASSACHUSETTS	65	SOUTH DAKOTA	0
ALABAMA	0	MICHIGAN	1	TENNESSEE	0
ARIZONA	1	MINNESOTA	0	TEXAS	0
ARKANSAS	0	MISSISSIPPI	0	UTAH	0
CALIFORNIA	3	MISSOURI	1	VERMONT	3
COLORADO	0	MONTANA	0	VIRGINIA	0
CONNECTICUT	5	NEBRASKA	0	WASHINGTON	1
DELAWARE	0	NEVADA	0	WEST VIRGINIA	0
FLORIDA	3	NEW HAMPSHIRE	49	WISCONSIN	0
GEORGIA	0	NEW JERSEY	1	WYOMING	0
HAWAII	0	NEW MEXICO	Ο	DIST OF COLUMBIA	1
IDAHO	0	NEW YORK	10	PUERTO RICO	0
ILLINOIS	. 0	NORTH CAROLINA	0	VIRGIN ISLANDS	0
INDIANA	0	NORTH DAKOTA	0	GUAM	0
IOWA	0	OHIO	0	CANADA	404
KANSAS	0	OKLAHOMA	0	CUBA	0
KENTUCKY	0	OREGON	0	MEXICO	0
LOUISIANA	0	PENNSYLVANIA	2	OTHER W. HEMISPHERE	0
MAINE	3,279	RHODE ISLAND	2	REST OF THE WORLD	2
MARYLAND	3	SOUTH CAROLINA	0	UNKNOWN	0
				TOTAL	3,836

MARRIAGES AND DIVORCES

MARRIAGES BY AGE OF BRIDE AND OF GROOM MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

			****								DE (YRS.	,					*****
AGE OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DIST.	UNDER 16	16-17	18-19	9 20-2	1 22-23	3 24-25	26-27	28-29	9 30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
UNDER 16	1	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16-17	34	0.29	2	10	13	7	1	0	0	0	1	0	0	0	0	0	0
18-19	588	5.09	10	89	334	106	3 3	6	5	2	2	0	0	1	0	0	о
20-21	1,478	12.79	7	105	587	497	151	61	35	9	19	3	2	0	0	0	2
22-23	1,718	14.87	⁻ 1	32	380	561	472	135	56	37	31	4	4	0	1	0	4
24-25	1,508	13.05	2	24	191	341	386	283	129	67	66	13	3	2	0	0	1
26-27	1,158	10.02	0	. 8	95	174	250	238	197	82	86	21	5	0	1	0	1
28-29	922	7.98	1	6	38	89	149	159	157	117	153	38	12	2	0	0	1
30-34	1,538	13.31	0	3	47	93	175	184	222	230	398	140	35	8	3	0	0
35-39	956	8.27	0	3	16	45	58	86	79	119	276	184	68	16	4	0	2
40-44	557	4.82	0	0	5	9	8	20	27	38	120	161	114	40	15	0	0
45-49	341	2.95	0	0	1	4	3	8	12	8	61	72	92	52	27	1	0
50-64	570	4.93	0	0	1	1	6	6	2	11	33	6 6	114	99	210	21	0
OVER 64	182	1.58	0	0	0	0	1	0	0	1	1	3	10	12	85	69	0
UNKNOWN	2	0.02	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
STATE TOTALS	11,553		24	280	1,708	1,927	1,693	1,186	921	723	1,247	705	459	232	346	91	11
PERCENT DISTRIBUTIO	IN	100.00	0.21	2.42	14.78	16.68	14.65	10.27	7.97	6.26	10.79	6.10	3.97	2.01	2.99	0.79	0.10

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING DUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

i

MARRIAGES BY YEARS OF EDUCATION OF BRIDE AND OF GROOM MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

EDUCATION OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DISTRIBUTION	****** UNDER 8	*******	******* 9	********	* EDUCA 11	TION OF 12	BRIDE(13	YRS.) * 14	******* 15	****** 16	0VER 16	******** UNKNOWN
UNDER 8	92	0.80	11	9	· 8	13	7	36	2	2	о	4	о	о
8	283	2.45	12	48	19	29	23	120	8	6	4	7	3	4
9	311	2.69	11	14	37	47	28	150	11	5	о	6	о	2
10	482	4.17	10	23	34	88	50	223	22	15	2	8	0	7
11	504	4.36	5	14	39	49	67	287	20	11	2	7	2	1
12	5,582	48.32	18	76	141	269	326	3,526	400	391	121	233	51	30
13	691	5.98	1	о	8	16	25	294	143	95	30	61	14	4
14	1,058	9.16	1	8	9	17	23	427	108	217	63	148	33	4
15	345	2.99	1	0	З	3	4	120	35	58	39	64	17	1
16	1,312	11.36	З	З	4	4	8	300	94	209	83	490	110	4
OVER 16	577	4.99	1	2	1	2	З	87	58	76	39	165	141	2
UNKNOWN	316	2.74	1	2	З	1	2	33	4	4	2	6	0	258
STATE TOTALS	11,553		75	199	306	538	566	5,603	905	1,089	385	1,199	371	317
PERCENT DISTRIBUTI	ON	100.00	0.65	1.72	2.65	4.66	4.90	48.50	7.83	9.43	3.33	10.38	3.21	2.74

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH TABLE 5-03

MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS, FOR BRIDES AND FOR GROOMS MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

PREVIOUS MARITAL STATUS	TOTAL MARRIAGES	PERCENT DIST.	***** UNDER 16	***** 16-17	******						DE(YRS. 9 30-34					***** OVER 64	******** UNKNOWN
BRIDE													•				
SINGLE	7,433	64.34	24	279	1,693	1,816	1,470	864	515	303	329	73	22	13	17	6	9
WIDOWED	391	3.38	0	0	1	. 0	5	5	4	8	22	32	42	35	168	68	1
DIVORCED	3,720	32.20	0	1	14	110	217	317	399	411	895	600	395	182	16 1	17	1
ANNULLED	7	0.06	0	0	0	1	0	0	2	1	1	0	0	2	0	0	0
UNKNOWN	• 2	0.02	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0
BRIDE TOTALS	11,553		24	280	1,708	1,927	1,693	1,186	921	723	1,247	705	459	232	346	91	11
PERCENT DIST.		100.00	0.21	2.42	14.78	16.68	14.65	10.27	7.97	6.26	10.79	6.10	3.97	2.01	2.99	0.79	0.10

TOTAL PERCENT UNDER 16-17 18-19 20-21 22-23 24-25 26-27 28-29 30-34 35-39 40-44 45-49 50-64 OVER UNKNOWN MARRIAGES DIST. GROOM SINGLE 7,358 63.69 587 1,466 1,638 1,293 WIDOWED 3.12 DIVORCED 3.825 33.11 ANNULLED 0.06 UNKNOWN 0.02 GROOM TOTALS 11,553 588 1,478 1,718 1,508 1,158 922 1,538 PERCENT DIST. 0.02 100.00 0.01 0.29 5.09 12.79 14.87 13.05 10.02 7.98 13.31 8.27 4.82 2.95 4.93 1.58

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH

MARRIAGES BY NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND OF GROOM MAINE STATE TOTALS, 1983 (RESIDENT DATA)*

NUMBER OF PREVIOUS Marriages of groom	TOTAL MARRIAGES	PERCENT DISTRIBUTION	** 0 1	*************	********* 2	NUMBER O	F PREVIOUS 4	MARRIAGES 5	OF BRIDE 6	******* 7	*******	UNKNOWN
0	7,359	63.70	6,116	1,060	155	24	3	0	0	1	0	0
1	3,305	28.61	1,129	1,746	350	62	16	2	0	0	0	0
2	710.	6.15	160	343	164	30	13	0	0	0	0	0
3	141	1.22	21	70	34	13	3	0	0	0	0	0
4	29	0.25	6	9	9	3	2	0	0	0	0	0
5	7	0.06	3	3	1	0	0	0	0	0	0	0
6	0	0.00	0	0	0	о	0	0	0	0	0	0
7	0	0.00	0	0	0	0	0	0	0	0	0	0
8	0	0.00	0	Ø.	0	0	ο.	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	11,553		7,436	3,232	713	132	37	2	0	1	0	0
PERCENT DISTRIBUTIO	N	100.00	64.36	27.98	6.17	1.14	0.32	0.02	0.00	0.01	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES . DIVISION OF DATA AND RESEARCH

134

TABLE 5-05 DI

DIVORCES BY NUMBER OF MINOR CHILDREN. PLAINTIFF, DECREE GRANTED, AND BY NUMBER OF YEARS MARRIED MAINE STATE TOTALS, 1983 (OCCURRENCE DATA)

NUMBER OF YEARS MARRIED	TOTAL DIVORCES	PERCENT DISTRIBUTION	**** 0	* NUM 1	IBER OF 2	MINOR 3	CHILDREN 4	VER 4		* PLAINTIFF HUSBAND	***** BOTH	** DI WIFE	ECREE GRAN HUSBAND	NTED *** BOTH
UNDER 1	283	4.77	236	32	9	4	2	0	177	106	о	95	46	142
1-2	1.137	19.14	729	337	57	12	1	1	731	406	0	411	180	546
3-4	1,041	17.53	489	358	168	22	4	0	710	330	1	351	130	560
5-6	716	12.06	291	209	166	41	8	1	480	236	0	285	106	325
7-8	566	9.53	173	156	186	46	4	1	368	198	0	187	70	309
9-10	455	7.66	122	119	158	45	11	0	310	145	0	170	69	216
11-12	371	6.25	76	84	158	40	-11	2	249	122	0	120	46	205
13-14	281	4.73	40	63	113	56	8	1	181	99	1	86	37	158
15-16	181	3.05	20	29	80	40	9	3	121	59	. 1	55	24	102
17-18	204	3.43	24	26	84	43	22	5	132	72	0	68	25	111
19-20	150	2.53	28	48	46	21	5	2	103	47	0	54	24	72
21-22	125	2.10	52	34	30	6	3	0	75	50	0	35	19	71
23-24	100	1.68	42	39	15	4	0	0	63	37	0	30	13	57
25-26	76	1.28	47	19	8	1	0	1	50	26	0	28	10	38
27-28	70	1.18	44	19	6	1	0	0	45	25	0	33	6	31
29-30	60	1.01	43	15	2	0	0	0	42	18	0	26	4	30
31-34	65	1.09	54	9	1	0	0	1	38	27	0	19	11	35
35-39	35	0.59	33	2	0	0	0	0	21	14	0	13	5	17
OVER 39	23	0.39	21	2	0	0	0	0	16	7	0	6	5	12
UNKNDWN	0	0.00	0	0	0	0	ò	0	0	0	0	0	0	0
STATE TOTALS	5,939		2,564	1,600	1,287	382	88	18	3,912	2,024	З	2,072	830	3,037
PERCENT DIST.		100.00	43.17	26.94	21.67	6.43	1.48	0.30	65.87	34.08	0.05	34.89	13.98	51.14

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. MINOR CHILDREN ARE UNDER 18 YEARS OF AGE.

.

MAINE DEPARTMENT OF HUMAN SERVICES DIVISION OF DATA AND RESEARCH .


APPENDICES


APPENDIX 1

Copies of Maine Certificates: Birth Fetal Death Death Spontaneous and Induced Abortion Marriage Divorce

1	42 -0		DEMARTMENT	OFHUMEN SEI	IVICEB						e - •
	CHLD-HUNE	FIRST	An MIODLE	LAST		ومعري استشارك مكالك مشركا ال	SEX DA	TE OF BATH	(Mo., Day, Y	HOUR	- :
dint o				lor	V TOURI OD	LOCATION OF	2 24		JUNTY OF BI	30.	u l
1	44	AME (II noi in hospital, give stre	H and number)	46	T. TOWN ON	LOCATION OF	-				1
	l centity that it and belief Se (Signatur	re stated information concerning	this child is true to the best of	my knowledge DA1	E BIGNED (lo . Day, Yr.)	HAME AND TITL THAN CEATIFIE	E OF ATTEN	DANT AT BIR	TH IF OTHER	
CEBTIFIER -	CEATIFIER-A	AME AND TITLE (Type or print)			LING ADOR	55 (Street or A	F.D. No , City or T	own. Stete, Zi	p)		-
	REGISTRAR			159			DATE RECEIVED	O BY RECIST	RUR (Ma, De	7. Yr.)	
	Be (Signatur MOTHERMA		MIDDLE	LABT			60 AGE (AI time 8) of the birth) m	ATE OF BIR	i H (ill not in L	(5.A.,	= {
	7a STATE OF RE	SIDENCE COUNTY OF F	ESIDENCE CITY. TOWN	OR LOCATION OF RESI	DENCE		Th. THE STREET AND N	3	ESIDENCE		-
MOTHER	Ba MOTHERS M	80 AILING ADDRESS-II same as a	Bc				Ed YEARS LIVING	N PREESNT	(Maria)		_ !
	84		-				80				_
FAIDLER	FATHER-NA	ME FIRST	MIODLE	LAST			AGE (AI hmis Si of this binh)	ATE OF BIA	TH (II not U.S	A, name country,	
	(Signature o		on this certificate is correct to	the best of my knowled	ge and balief		RELATION TO C	Has	1		-
	11s other Inla	ement)					110				-
									•		
							. (i sta			
		•					• ¹ 1	p.1			
						R. And	Mart				
		сож	IDENTIAL INFORMATION FO	R MEDICAL AND HEAL	TH USE AL	,					
	RACE-MOTI Black, Ame (S	HER (e.g. White, RACE-FATHE (ican Indian, etc.) Black, Ameri pecify) (Sp	R (e.g. White Scan Indian, etc.) Horify)		ALL SIGN	twin, IF H birst	DT SINGLE BIRTH second third, etc (Specify)	Born IS Mi ISpec	THER MARE	NED?	_
	12	13	<u> </u> 14	134	<u>X</u>	156		16			
VS-R183			4	a Maria	Careful Contraction						
			, d	9 A. P.							
			R. C.	STATE CO							
PREGNAM	//	Do not include this child) Complete each section)	(Number)	None G	176 Alter	(1104-) X) neths	Hone []	17c DATE D	LAST OTHE	R TERMINATION	
	(5)	DTHER TERMINATIONS pontenieuus and induced)	110	Norm ()	17.0	mber)	None D	171 140	Indicated in	<u>Yı</u>	
MOTHER		y Hahan, Mexic and the state	Elementary un Secondary (U-12)	College (1 4 or 5+)		UPATION - M			RUUSINI		_
		RIGIN OR DESCENT-TATHER	EDUCATION	180	180	CUPATION-F	ATHER	180	INDUSTRY-	FATHER	
		y Haban, Wasnan, Elizabeth, elic.)		(1 - 4 or 5+)				1			
FATHER			19b	190	190			19e			
FATHER MOTHER		LAST NORMAL MENSES BEGA (Month, Day, Yem)	N MONTH OF PREGNA BEGAN (Frit. Se	19c INCY PRENATAL CARE cond. #IC) (Specify)	Pi Totel Na	ENATAL VISIT	S a slélej	194			
		(Month. Day, Yew) APGAR SCORE 5 M-1	N MONTH OF PREGNA BEGAN (Frit), Se 21a GESTATIONAL A by Examining	NCY PRENATAL CARE	PI Tole No 216 CONDITI	nbar (II none. e DH OF INFANT Yormel Pesp	o state) AT BIRTH (Specify Instory Distress	y Birth Injury	0044156	sCs/7)	
	20 1.M. 224	(Maach, Dey, Yew) a APGAR SCORE 5 Min P26 - Yhis	N MONTH OF PREGNA BEGAN (Frit, Se 21a GESTATIONAL A by Examining 73 PREGNANCY - MARK AT LEA	INCY PRENATAL CARE cond. #IC } (Specify) GE ASSESSMENT Baby (Weeks) ST ONE CATEGORY IN	PF Total Nu 215 CONDITE 24 EACH COLL	nbor (II none, e DH OF INFANT Yournel Resp D	a stele) AT BIRTH (Speck) Instory Distrets D) Bicun Injuny D	<u>o</u>	sciy)	
CHILD CHILD 25 COMP (child b) (child b)	224 LICATIONS OF DHANCY Which Apply)	(Monin, Der, Yew) APGAR SCORE 5 Man Pro Pro THIS AFECTING PREGNANCY (Check all which appy)	N MONTH OF PREGNA BEGAN (Ant. Se 21a CESTATIONAL A by Examining 23 PREGNANCY - MARK AT LEA 37 COMMUNCATIONS OF 12 COMMUNCATIONS OF 12 COMMUNCATIONS OF 12 COMMUNCATIONS OF 12 COMMUNCATIONS OF	INCY PRENATAL CARE cond. etc. } (Specify) GE ASSESSMENT Baby (Weeks) ST ONE CATEGORY IN 28 METHOD UF DE (check one)	PF Total Nu 215 CONDITE 24 EACH COLL	nbor (II none, e DH OF INFANT Yournel Resp D	a tilioj AT BIRTH (Specil) Instory Distrets D CONGEJ	y Birth Injury		sciy)	
Ling Chill D Chill D 25 COMP PRE (chick a Beeding or Beeding or Beeding or Beeding or Beeding or Chill D	20 1 Min 224 ICATIONS OF SHANCY Which apply) ancy	(March, Dey, Yew) APGAR SCORE 5 Mag. P26 THIS 26 ILLNESS OR CONIOS AFFECTING PROPADANCY	N HONTH OF PRECINA BEGON (Frit. Se 21a GESTATIONAL by Examining 273 DREGNANCY - MARK AT LEA 37 COMPLICATIONS OF 1Chica All anch appayl Abruptio Precenta	INCY PRENATAL CARE cond. etc.) (Specify) GE ASSESSMENT Baby (Weeks) ST ONE CATEGORY IN 28 METHOD UF DE	PATOLE NU 21b CONDITI 24 EACH COLL LIVERY	nbar (II none, s SN OF INS ANT Yournal Resp D IAN D nencephalus pina	a stelet AT BIATH (Speck) instory Datress D CONGET (check	HTAL ANOMA		sc/y)	
LUOTHER CAULD 25 COMP Phile Bleeding or Eclampus Eclampus	20 1 Mil 224 ICATIONS OF GHANCY Which Apply)	(Mon/h. Der, Yew) APGAR SCORE 5 Mm, P20 THOS AFECING PREDANACY (Chece at which appy) Tobacco Use 0 Heart Datase 0 Hypertension C 0	A UNNIH OF PROUND BEGAN For LS 218 218 219 219 219 219 210 210 210 210 210 210 210 210	INCY PRENATAL CARE cond.etc.) (Specify) OE ASSISSMENT Bab; (Wees) ST ONE CATEGORY IN 28 METHOD UF DE (chack one) Spontaneuus Controlled	PATOLE NU 21b CONDITI 24 EACH COLL LIVERY	nber (II none, s DN OF INFANT Yormal Resp D IAN P	a titlet AT BIRTH (Specu) Instory Dates D CONGET (check	Brith Injury D HITAL ANOMU All which app a D OI Or Syster b D OI OI	(2 NLIES ly) restrie n (specify) nits) Organs	scitr)	
LUCITHER Control Protection Bearding a Easity Preg Ectampesa Privections 60	ICATIONS OF BHANCY Wrthich Apply) Bancy D	(Monin, Der, Yew) APGAR SCORE Pro APGAR SCORE Pro Tels ArticLNESS OR CONDS AFFCTING PREGNANCY ICheco ar inch appy) Tobacco Use Frient Datases Symptomatic Hypertamon C C Chronic Renal Disease C C	N MONTH OF PROMU BEON (Frit, Se 21a CESTATIONAL A CESTATIONAL A CESTATIONAL A CESTATIONAL A 23 COMPLICATIONAL A 27 COMPLICATIONS OF 24 COMPLICATIONS OF 26 COMPLICATIONS OF Placenta Placenta Of Compliant Of Complia	INCY PRENATAL CARE cond.etc.) (Speciny) (GE ASSESSMENT Baby (Weeks) ST ONE CATEGORY IN 28 METHOD UF DE (Check one) Sponteneuw Controlled Sponteneuw Controlled	PF Total Au 216 CONDITI 24 EACH COLL LIVERY 4 4 D 4 5 6 D 7 7 6 D 7	nbor (II none, s Vormal Resp D Lin Ian nencephalus pina ilida	AT BIATH (Specia) INTERPY Data Barriers CONGEN (Check)		(2 NLIES ly) isstime in (specify) mital Organs fy)	sc/y)	
LIGTHER CAULD 25 COUNT PRE (Check 1) Beaching a Beaching a Presenting Secondaria	224 I.A. 1. Ma 224 224 224 224 224 224 225 225	(Monin, Der, Tear) APDAR SCORE Pro Pro APDAR SCORE Statutess on controls Symptomatic Chorolc Read Disease Chorolc Protocythins DES Exposure	N MONTH OF PROUND. BEGRAM For LS 21a GESTATIONALA GESTATIONALA JO JO JO JO PREGNANCY - MARK AT LEA 27 COMPLICATIONS OF ICTURES OF ICTURES OF ICTURES AT INFA 05097 Abruptio Abrupto Abrupto Precenta B D Precenta B Code Prisedown Code Prisedown B D	INCY PRENATAL CARE Cood. etc.) 1 Spectry OE ASSESSMENT Baby (West) 31 OKE CATEGORY IN 28 METHOD UF DE 10 KNeck one 5 Spontantions Connolind Spontantions Uncontrolled Low Forceps	PID	nbis (II none, a NOF INFANT Yormal hesp D D Nencephalus pina ridas Kher Nervous ystem (specify) lieft Lip/Pares	a stalies AT BIRTH (Specu) rstory Davess D CONGES (check	27 Brith Injury 11TAL ANOSAL All which app a D OI Or, Syster b D C D OP OI c D (spec d L) OI Ur (spec	(2 ALIES (y) (aline (pocify) (nit) Organs (y) (nary System		
25 COMP Provide Comparison (Child Comparison) Blaceforg or Ectampus Preschang Gri Banahlash Amerika (n	20 1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	(Monin, Der, Yew) APDAR SCORE Pro APDAR SCORE Yere APDAR SCORE APTECTING PRECRANCY TOSECO Use British and approximation Color of the approximation of the approximation Symptomatic to the approximation of the approximation Provolgence of the approximation of the approximation Dess September 1, D Acchoil Dependence	N MONTH OF PROUND BEGAN (Fritz Se 21a GESTATIONAL A GESTATIONAL A 23 by Lizimming 23 PREGNANCY - MARK AT LEA 27 COMPLICATIONS OF (Check all mhch appy) Abupto Precenta b Code Prologies of Compression c D Dyntocla (Beschy type)	Incr Inclusta, CARE Good, RE Spectry Good, RE Spectry GL ASSESSMENT Bhy INNess ST ONE CATEGODY IN 28 MEHOD UT DO Check One Spontenium Controlled Spontenium Controlled Spontenium Controlled Uncentroled Spontenium Controlled Differ Forega Processive Processive Processive Catedon Repetit Catedon	PF Total Au 21b CONDITI 24 EACH COLL LIVERY a b b c d d	nbar (II none, I DH Of INF ANT Yourmal Parp D D Nancephalus pina dida nancephalus pina dida tida tida tida tida tida tida tid	a tiliti AT Billiti (Specif) instery Daluta CONGET (check	// IN INUMY Brith Inumy UTAL ANOMA all which app all which app System b D CH OL C D (MORC d L) OLUT (LIPORC	C		D
LUOTHER CAULD 25 COUP (chick) Blacding etrip Prog Eclampus Presetant fin Senalitaet Senalitaet Angents (h profict < Amgents	20 10410(rs 07 224 224 224 224 224 224 224 22	(Monin, Der, Yew) APGAR SCORE APGAR SCORE APGAR SCORE APGAR SCORE AFFECTING PRESIMANCY Triss AFFECTING PRESIMANCY Tobeco Use Bynatomatic B	A MONTH OF PROUND. BECAN For LS 21a ESTATIONAL A by Examining 33 21b ESTATIONAL A by Examining 33 21CMEAL AND AND AT by Examining 33 ESTATIONAL A by Examining 33 21CMEAL AND AND AND AND COMPACT AND AND AND ADuption Placenta ED Discritistic Placenta ED Discritistic Discritistic Discritistic Basely type) ED Dissech ED Intrapathum Preef ED	NCY PRENATAL CARE Cond. 4(2) (Specify) GE ASS(SSMENT) Duby (West) ST ONE CATEGORY IN 28 METHOD UF DE (Check only) Spontention Controlled	P Tolk No 216 CONDIT 24 EACH COLL IVERY 2 4 D 4 4	NDBr (II none, I NDBr (II NONE, I NDB (II NJ ANT NONE NDB (II NJ NDB NDB (II NJ NDB NDB (II NJ NDB NDB (II NJ NDB NDB (II NJ NDB) NDB (II NDB) NDB (II NJ NDB) NDB (II NJ NDB) NDB (II NJ NDB) NDB (II NDB) NDB (II NJ NDB) NDB (II NJ NDB) NDB (II ND	a tiliti AT Billiti (Specif) instery Daluta CONGET (check	// Bitth Injury Bitth Injury IITAL ANOSLA IITAL	C)	······································	
LIGTHER CAULD 25 COUN PRIC Interview Beaching a Beaching a Beaching a Beaching a Beaching a Beaching a Beaching a Sensitivet Ammostin Unary Tr Infection. Pageadure	20 1 AM 120ATCT 200 220A 220A 220A 220A 220A 220A 220A 200A	(Monin, Der, Tew) ADDAN SCORE 3 Man Pro ADDAN SCORE 3 Man Pro Trinia ALLINESS ON CONDS AFFCTING PREOWNCY (Chocs all which appy) Tobeco Ules = 0 Heart Disease Syngtomatic b 0 Hyperterenon C 0 Chronic Renal Disease d 0 Prevolution DES Exposure 1 D Acchoi Dependence 0 Disease n D Fravou C section (Specify number) 1 D	N UNNHH OF PECUNA BEGAN (FAILS 21a CESTATIONALA CESTATION	NCF PRENATAL CARE Cond. 10 (Specify) GE ASSLSSMENT BDry (Herst) ST ONE CATEGORY IN 28 METHOD OF DE Sponteneus Controlled Sponteneus Uncarlinsted Low Forceps Uncarlinsted Low Forceps Dihar Forceps Procession Procession Directs Repett CaseLoon Directs Dire	P Tola No 216 CONDITI 24 EACH COLL IVERY 2 4 D / 6 D / 6 D / 6 D / 7 0 / 7	nbar (II none, I DH Of INF ANT Yourmal Parp D D Nancephalus pina dida nancephalus pina dida tida tida tida tida tida tida tid	a tiliti AT Billiti (Specif) instery Daluta CONGET (check	iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	C)	······································	D D
LIGTHER CAULD 25 COUNT PRE (check) U Beaching of Beaching of Beaching of Beaching of Beaching of Beaching of San bilasti Unary Tr Isfaction. Premature (ballow 3) Presentation San bilasti Unary Tr Isfaction. Premature (ballow 3) Premature (ballow 3)	20 1047 Children Spr 2044 2044 Cristing Spr 2044 Cristing Spr 2045 Cristing Spr 204	(Monin, Der, Tear) APGAR SCORE 3 Man, Pro APGAR SCORE 3 Man, Pro APGCING PREGNANCY (Check af ench appr) Thus Symptomatic B Prant Disease Provide B Provi	A UNNIH OF PROUND BEGAN FOR SE 21a 21a 21b 21b 21b 21b 21b 21b 21b 21b 21b 21b	NCF PRENATAL CARE Cond. 10 (Specify) GE ASSLSSMENT BDry (Herst) ST ONE CATEGORY IN 28 METHOD OF DE Sponteneus Controlled Sponteneus Uncarlinsted Low Forceps Uncarlinsted Low Forceps Dihar Forceps Procession Procession Directs Repett CaseLoon Directs Dire	P Total Mo 216 CONDITI 226 CONDITI 226 CONDITI 227 227 227 227 227 227 227 22	Dia II none. I Di Of IVI Ant vormal Petp D D nencephalus . pra disk inde trace Nerrous ystam (specify) listi Lgi/Pales specify) listi Lgi/Pales specify) listi Lgi/Pales specify) listi Lgi/Pales specify) listi Lgi/Pales specify) listi Lgi/Pales	a UJ/EJ AT BIATH (Speck) Instary Dates CONGEJ (Check	Bruth Injuny D	C1	······································	
25 COUNT PAR (check) D Bacdara e Bacdara e Bacdara e Bachara e Bac	20 10A170/05 OF 20A1707 10A1707 0 10A1707 0 10A170	(Monin, Der, Yew) ADDAN SCORE 3 May ADDAN SCORE 3 May Pro Triss Stuties of contraction ATESTINO PROMING ATESTINO PROMING ATESTINO PROMING ATESTINO ATESTINO ATESTINO CONTRACT	A UNATH OF PROUND BEGAN FOR SE 218 218 219 219 219 219 219 210 210 210 210 210 210 210 210	NCF PRENATAL CARE Cond. 10 (Specify) GE ASSLSSMENT BDry (Herst) ST ONE CATEGORY IN 28 METHOD OF DE Sponteneus Controlled Sponteneus Uncarlinsted Low Forceps Uncarlinsted Low Forceps Dihar Forceps Procession Procession Directs Repett CaseLoon Directs Dire	PF 7 Total Mu 21b CONDITI 24 EACH COLL LIVERY 4 D 6 D 6 1 c d D d D d D d D d D d D d D d D d <td>Der (II none, s Der (II none, s Der Gelwart, s Der</td> <td>a UUIer</td> <td>////////////////////////////////////</td> <td>C1</td> <td>······································</td> <td></td>	Der (II none, s Der (II none, s Der Gelwart, s Der	a UUIer	////////////////////////////////////	C1	······································	
25 COUNT PAR (check) D Bacdara e Bacdara e Bacdara e Bachara e Bac	20 100410165 OF 20040CT 2004 10040CT 20040CT 2004 10040CT 20040CT 2004 10040CT 20040CT 20040CT 2004 10040CT 20040CT 200400	(Monin, Der, Tew) APGAN SCORE 3 Man Pro APGAN SCORE 3 Man Beta APGCINA PRODUCT (Chocs at ench app) Thus Symptomatic b D Heart Dessas Symptomatic b D Protochass Control Chorol Dependence 0 Dis Exposure 1 D Dis Addition D Previous C-section (Aporth momber) D Dis Exposure 1 D Dis Exposure 1 D Dis Exposure 1 D Dis Addition D Previous C-section (Aporth momber) D Dis Exposure 1 D Dis Exposure 1 D Dis Addition D D D D D D D D D D D D D D D D D D D	A UNATH OF PROUND BEGAN FOR SE 218 218 219 219 219 219 219 210 210 210 210 210 210 210 210	Incr Inclusta, CARE Good, RE () Spectry (III ASSESSMENT) Baby (Weeks) ST ONE CATEGODY IN 28 MEHOD UT DO (Check One) Spontanews Uncentrated Spontanews Uncentrated Uncentrated Spontanews Uncentrated Uncentrated Spontanews Uncentrated Uncentrated Spontanews Uncentrated Uncentrated Spontanews Uncentrated Uncentrated Spontanews Uncentrated Spontanews Uncentrated Spontanews Uncentrated Spontanews Uncentrated Spontanews Uncentrated Spontanews Uncentrated Spontanews Uncentrated Spontanews Uncentrated Spontanews Uncentrated Spontan	PI PI 7 row Hw PI 21b Constraint 24 PI 24 PI 24 PI 24 PI 24 PI 24 PI 20 PI 20 PI 21 PI 22 PI 24 PI 25 PI 26 PI 27 PI 28 PI 29 PI 20 PI 20 PI 20 PI 29 PI 20 PI	Nor (II none I NY G (NY ANT Yournal) Parp D D D D D D D D D D D D D D D D D D D	a UUIer	////////////////////////////////////	C)	······································	
LICITHER CAULD 25 COUNT PRE (Check U) Beaching of Beaching of Beaching of Beaching Beaching of Beaching of Beaching of Beaching Beaching of Beaching of Beaching of Beaching Beaching of Beaching of Beaching of Beaching of Beaching Beaching of Beaching of Beaching of Beaching of Beaching of Beaching Beaching of Beaching of Beaching of Beaching of Beaching of Beaching Beaching of Beaching of Beaching of Beaching of Beaching of Beaching Beaching of Beaching of Beaching of Beaching of Beaching of Beaching Beaching of Beaching o	20 1 Min Critical Spring 20 20 20 20 20 20 20 20 20 20	(Monin, Der, Yew) ADDAN SCORE 3 May ADDAN SCORE 3 May Pro Trial Seturness Of Configuration Artisctine Performance Artisctine Performance Artisctine Performance Artisctine Apply Tobeco Use Bynatomatic Bynatomatic Bynatomatic Bynatomatic Concore Chronic Dis Espandence D Dis Action D Performatic D Presious Conform Presious Conform D Performatic D Deterty D Deterty D Distere D	A WONTH OF PROUND BEAN FOR SE 218 218 218 218 218 218 219 219 219 219 219 219 219 219	ACT PRENTAL CARE Cond. RE () Spectry (CASSESSMENT) Baby (News) ST ONE CASESSMENT) 28 ONE CASESSMENT 29 METHOD UT DO (Check one) Spontaneous Uncentrated Processo Uncentrated Spontaneous Uncentrated S	PI PI 7 YOU HU PI 21b CONDITI 24 PI 24 PI 24 PI 24 PI 24 PI 4 PI 6 PI 6 PI 7 PI 8 PI 9 PI	Der (II none, s Der (II none, s Der Gelwart, s Der	a UUIer	Brith Injuny Brith Injuny IITAL ANOMA IITAL ANOMA IITAL ANOMA IITAL ANOMA IITAL ANOMA IITAL	C)	······································	
LICITHER CAULD 25 COUMPAL (Creck) Beaching a Beaching a	20 1 Min Cr 2010	(Monin, Der, Tear) APGAR SCORE 3 Man, Pro APGAR SCORE 3 Man, APGCING PREGNANCY (Check af ench appr) Thus Symptomatic B Prant Disease Prant Disease (C) Chorolc Apractices af C Pratocythils C) Chorolc C) Chorolc C) Chorolc C) Chorolc C)	N UNNIH OF PECUNA BECAN FOR SE 21a CESTATIONAL A DESTATIONAL A DESTATIONAL DESTATIONAL DESTATIONAL DESTATIONAL DESTATIONAL DESTATIONAL DESTATIONAL DESTATIONAL PRECENT COMPLEXITIONAL DESTATIONAL DEST	ACT PREVATAL CARE Cond. RE) (Spectry) GE ASSESSMENT) ST ONE CATEGORY IN 28 ONE CATEGORY IN 28 DHE CATEGORY IN 28 DHE CATEGORY IN 28 DHE CATEGORY IN 28 DHE CATEGORY IN 29 DHE INDUCTION 20 DHE FORCED 20 DHE FORCED	PI PI Total All PI PI-b Contract 24 PI 25 PI 24 PI 24 PI 24 PI 24 PI 24 PI 25 PI	Nor (II none I NO G (II None I NO G (II NATANT Wormal Parp O D II Nata I I Nata Nata	a UNIEI AT BIRTHISPERIN TOTY DAUEN CONCES (check	Brith Irgury Brith Irgury TTAL ANOMA ITAL ANOMA	C3	······································	
LICITHER CAULD 25 COUMPAL (Creck) Beaching a Beaching a	20 1 Min Cr 2010	(Monin, Der, Tear) APGAR SCORE 3 Man, Pro APGAR SCORE 3 Man, Beta APGCINA DECOMPOSATION APFECTINA PRECONNOCY (Chece all which appy) Tobecco Ules Plana Disease APGCINA DISEAS	N UNONTHOT PERCUNAL NERRICHAR NERRICHAR 10 GESTATIONALA 21a GESTATIONALA	ACT PREVATAL CARE Cond. RE) (Spectry) GE ASSESSMENT) ST ONE CATEGORY IN 28 ONE CATEGORY IN 28 DHE CATEGORY IN 28 DHE CATEGORY IN 28 DHE CATEGORY IN 28 DHE CATEGORY IN 29 DHE INDUCTION 20 DHE FORCED 20 DHE FORCED	тош ни 215 Сонотт 24 Сонотт 26 Сонот 26 Сонотт 26 Сонот 26 Сонотт 26 Сонотт 26 Сонот	Nor (I none I NO G WATANT Workd Nate D Normal Base D National State J National State State National State National State National State National State National State National State National State National State National State National States States S		Brith Irywy Brith Irywy IITAL ANOMA IITAL ANOMA IITAL ANOMA IITAL ANOMA IITAL ANOMA IITAL ANOMA IITAL ANOMA IITAL IITAL ANOMA IITALI	C3	······································	

	LEASE TIFEWAITE ON	PRINT WITH A BA	LLPOINT	PEN SO	THAT ALL	CODES HULL BE	LEGIBLE	
OBIGINAL-								
STATE		S	TATE OF	AINE		A		
COPY			LENGT HU	.		A		
_		BEPPH	I UN PR	TAL DE	ATH			
HOSPITAL - NAME(##	olinhosoitel eveneneoleineorda	× 11 17	·	TOWNO	AFOCATION OF	DELIVERY	COUNTYOFD	LIVERY
18		That L		b			10	
DATE OF DELIVERY M		HOBA CPOLIVERY				SEXOFFETUS	WEIGHTOFFE	rus
LAT!	A A A	<i>.</i>			H	3		
OTHER-WOOSAH	Land Lange a	NDOLE LAST	^	GE (Al bine -	of this deinery)	RESIDENCE - STATE	COUNTY	
CAR TOWNORLOCA				•		6	BO BO	
CTRUM ON COCCA		acn				KG	OTHER TEAL	ANA TIONS
BC RACE - (0 g. White, Bi	#ch [DATELAST		ISMOTHER	LIVE BRATHS	1 Sportshoous	I a Aher 2
American Indian, etc.)	EDUCATION (Specify on	ly highest grade complated)	NORMAL M		MARRIED7		wini i	which.j
	Elementary or Second (0-12)	kary College (1-4 Or 3+)	(Month, Day,	¥88/)	01 101	Number		Do not inc
			1.		10			na (waa)
MONTH OR PREGNAN	CY PREMATAL VISITS - Tot	al THIS BIATH Su	igle, twin	IF NOT SING	LE BIRTH -	DATE OF LAST LIVE BIA	TH DATE OF LAST	OTHER
PRENATAL CARE First, Second, elc (Spe	BEGAH(number(Nnons, so sists)	traphent, etc. (Specul	¥)	Born brøl, ør (Specify)	cond third, etc	(Month, Year)	TERMINATION (se indicated in	d 010.00
120	126	134		130		11c	(Month, Ther)	
FATHER - NAME	FIRST M	DOLE LAST	AGE	(Altime of	RACE - IA G	EOUCATION (Spec	dy only highest grade co	mpleted)
FATHER					Amancanindian M ((Specify)	Elementary or Secon (0-12)	dary Coll (1-to	(Ge (51)
144			140		146	160		
FUNERAL DIRECTOR - BON	ATLINE			SIGNATURE			DATE RECEIVED BY L	DCAL REGI
>15	IMMEDIATE CAUSE			OHLY OHL C	AUSE PERLINE	FOR (a), (b), AND (c)	Line Boacity Fale	Por Materi
PARY Fetal or maternal concision detectly	ን "							
Citerian (1997) (1997)	DUE TO, OR AS A C	CONSEQUENCE OF					Boacity Feb	i or blater
Fetal and/or ma- ternal conditions.			_				i	_
CALLSTEDIA In the Investments	DUE TO OR ASAC	CONSEQUENCE OF					1 Specity Feb	l or Meters
CENTAL Pre-unicentying DEATES Countrying	(c)							
PART OTHERSIGHT	CANT CONDITIONS OF FETUS OR MC	THER Condition contributing	10	ETUS DIED E	EFORE LABOR.	PHYSICIAN'S ESTIMATE	AUTOPSY	
N Natal death but ho	n related to cause given in (a)			ERY, UNKNON	OR OR DELIV- WN (Specify)	OF GESTATION	(Specity yes o	(110) @3 (110)
								j)
				18		u	Wanas 18 2	مم
COMPLICATIONS OF	PREGNANCY	(Describe of w	1"enon' est	COMPLICAT	IONS OF LASO	AND/OR DERIVERY	10 Degenere g	and a
<u> </u>				à Chi	14		# ******	
Į	ESSES CONDITIONS AFFECTING T	HE PREGNANCY Described		CHARAITA	The second	TIONS ON ANOTHER OF	DF FETUS(Describe or	entra "no
21. CENTH WA HAME (1704 0	(Print)		in the second			DEGALE ON TITLE	OATE SIGnistic phices	A, Day. Year
AND STATISTICS.			S 7 🔊	p			1.04	
204	- I Com	6 m						
	d D H	1	<u>.</u>					
	GPL	1						





****					COPIES WILL BE LE	L
ORIGIN CITY O	IAL R TOWN		STATEO	FTAINE NUMER SERVICES	RIAGE	4
	PERCENTER FORSE		Vice Land	LAN LAN		AGE
	SPEL	1 . A 4				1
	USUAL REED TICE STREE DAD TO HOLA			CITY. TOWN OR LOCATION		
GROOM	11 COUNTY		STATE	38 BERTHPLACE ISTATE OR PORTION	COUNTERT	DATE OF BUTTH BHO. DAT. TE
and output the second se			30			
	FATHERMANE		BATHPLACE ISTATE OF FORENS	HOTHER HAIDEN NAME	·····	BUTTISPLACE ISTATE ON FOREN
	84		61	7		74
	BANDE-HAME FIRST	MOOLE	LAST	NAIDEN NAME OF DIFFLICENT		468
	BA USUAL RESIDENCE STREET AND NUMBER			64 CITY, TOWN OR LOCATION],
	104			104		
BRIOL	COUNTY		STATE	BIRTHPLACE ISTATE DE PONDAN	COUNTER!	DATE OF BERTH (NO. DAY. TA.)
	10: TATHER BARE		100	II HOTHER WAIDEN HARE		12
			COUNTRY)	1		COURTY
	I CENTIFY THAT THE INFORMATION	GROON S SIGNATUR	134 t	144 BRIDES	SIGNATURE	140
	ABOVE IS CORRECT TO THE BEBT OF MY KNOWLEDGE AND BELIEF.	ĺ▶				
LICENSE TO MANNY		BATE INTENTIONS P	11.20	LICENSE ISSUED DATE	LICEOSE YALIO UNTIL	(Date)
	ANY DULY AUTHORIZED PERSON IS NEREBY AUTHORIZED TO MARRY THE ABOVE NAMED PARTIES UNDER	1.74		ICITY OR	170	
	THE LAWS OF MAINE	•	F7.		IOWA	
	THE LAWS OF MAIN	E PROVIDE T	HAT ONLY AUTHORIZ	ED PERSONS MAY S	OLEMNIZE MARRIAG	
	I CERTIFY THE ABOVE NAMED PERSONS WERE	Monta Dar 1	TIM WHERE WARRIED CITY		COUNTY	
	ISA MARRIED ON PERSON PERFORMING CERENONT ISANATUR	1	I BO		IK P	
CEREMONY				A		OATE OF COMMISSION ON
	ADDRESS OF ABOVE PERSON		181 WITHESS TO CEREMONY	Trat of Pant .	WITNESS TO CREEKONT TIM	04 Parst
	194		114	11 18	IK	
CLERK	SIGNATURE OF CLERK		A	A M.L	DATE RECEIVED	and the second
	204 (Benatuse)	INC	DRUARTIQUIER BURRAURC	STORE PURPOSES	200	
	RACE GROOM NUNBER	DF THIS MARRIAGE	F IF PHEYICHSLY HARDES			T MEREST GRADE COMPLETED
	SPECIFY IS & WHATE, BLACK	r.			ELEMENTARY OF SECONDARY	Course
	Anthean Indian ETCI SPECIE	Condities.	STOLATH DUDGE STA	DATE MIG DAY, YEI	10 12)	{1-4 c4 5+)
	11 12	And the second		234	24	
	RACE-BRIDE AUNTER	OF THE MARRIAGE		D LAST MARRIAGE ENDED		

1 VS-S R-777	s RECORD OF D	TATE OF MANY WORCE OR ANYULMI OF NUMAN SERVICES	ENT	State File No.	
HUSBAND	2 USAL RESIDENCE - CITY DR TOWN	MIDDLE		LAST	
Į.	9			51412	_
	3. NAME OF WIFE - FIRST	MIDDLE		LAST	
WIFE	4. USUAL RESIDENCE - CITY OR TOWN	COUNTY		STATE	
MARRIAGE	5. PLACE OF MARRIAGE - CITY OF TO	DWN AND STATE	8. DATE O	FMARAIAGE	F
	7. TYPE OF DECREE	B. PLAINTIFF	and the second	9. DECREE GRANTED TO	,
DIVORCE		HUSBAND		HUSBAND	
OR	ANNULMENT	WIFE		WIFE	19
	10. DATE OF DECREE	11. LEGAL GROUNDS FOR	JUDGEMENT		
MINOR	12. NAMES OF MINOR CHILOREN	ang dia bandran-dammani minini kalika di Minini kaling ng pang pang pang pang pang pang pang	13. AGES	14. CUSTODY	
CHILDREN				1. 700	~
				K Start	
Uta Reverse Side			11		
for Additional Names		~ ~	R		
	16. I HEREBY CERTIFY THAT THE ABO	DVE ITEMS OF THEORMANDA	AE TAUE	AND CORRECT AS SHOWN IN THE	
CERTIFICATION	ORIGINAL RECORD ON FILE IN TH	IS COURT.	RT.	18. LOCATION OF COURT	

· •

APPENDIX 2

1983 Population Estimates and Projections

Population Estimates by County Maine - July 1, 1983

County	Estimated Resident Population July 1, 1983
State total	1,145,730
Androscoggin	99,981
Aroostook	89,545
Cumberland	220,767
Franklin	28,294
Hancock	42,951
Kennebec	111,144
Knox	33,882
Lincoln	27,175
Oxford	49,312
Penobscot	137,911
Piscataquis	17,905
Sagadahoc	29,807
Somerset	46,126
Waldo	29,076
Washington	34,146
York	147,708

Source: Welch, D. Population Estimates for Minor Civil Divisions by County, Maine, 1983. Augusta: Maine Department of Human Services, December, 1984.

Population Projections by Age Group Maine - July 1, 1983

Age Group	Estimated Resident Population July 1, 1983
All Ages - Total	1,145,994
Under 1	16,643
1-14	231,842
15-24	197,528
25-34	189,366
35-44	143,882
45-64	218,534
65-74	85,646
75-84	46,849
85 and older	15,704

Source: Derived from Welch, D. Population Projections by Minor Civil Divisions, Sex, Age Group and County. Maine: 1983-1992. Augusta: Maine Department of Human Services, June, 1984. Figures were adjusted to correspond to the provisional federal state estimates for 1983.

APPENDIX 3

Historical Vital Statistics Data

.

151

		Live	Birth Rate per 1,000	Deaths	Death Rate per 1,000	Infant Death	Neonatal Death	Fetal Death		
Year	Population	Births	Population	(All Ages)	Population	Rate	Rate	Rate	Marriages	Divorces
1900	694,466	14,095	20.3	11,389	16.4	267.5	_	43.68	5,482	801
1905	719,000	15,294	21,3	11,381	15.8	234.2	-	46.5ª	6,264	848
1910	742,371	15,798	21.3	12,439	16.7	249.2	30.4	42.5 ⁸	5,900	911
1915	757,000	16,671	22.0	11,541	15.2	135.7	25.4	41.3ª	6,672	1,006
1920	768,014	17,495	22.7	11,850	15.3	102.8	41.2	42.8ª	7,884	1,364
1925	782,700	17,706	22.6	10,874	13.8	75.6	51.8	-	6,226	1,228
1930	797,423	16,199	20.3	11.084	13.9	75.4	41.5	35.9ª	6,438	1,466
1935	822,300	15,715	19.1	11,042	13.4	62.3	37.8	33.6ª	7,089	1,474
1940	847,226	15,285	18.0	10,640	12.6	52.9	34.0	24.8ª	8,475	1,537
1945	880,500	16,647	18.9	9,966	11.3	46.6	27.0	24.1ª	7,569	2,497
1946	887,200	20,421	23.0	10,070	11.4	41.5	28.0	18.5ª	12,827	3,939
1947	893,800	23,908	26.7	9,983	11.2	35.8	23.8	20.7ª	10,664	2,905
1948	900,500	22,270	24.7	10,091	11.2	32.8	21.2	17.1ª	9,841	2,244
1949	907,100	21,941	24.2	10,173	11.2	33.4	22.6	17.8ª	8,085	2,100
1950	914,950	21,239	23.2	9,962	10.9	31.2	22.0	19.4 ^a	8,617	2,162
1951	919,524	21,142	23.0	10,139	11.0	30.8	21.5	16.8 ^a	8,027	2,040
1952	924,088	21,199	22.9	9,942	10.8	30.0	21.7	17.6ª	8,079	2,202
1953	929,128	21,774	23.4	9,817	10,6	26.2	17.9	17.8ª	8,197	
1955	934,790	22,439	24.0	9,878	10.6	24.7	16.8	16.2ª	7,986	2,163 2,079
1955	940,841	22,753	24.2	10,140	10.8	24.5	17.3	28.4ª	8,263	1,954
1956	946,692	22,402	23.7	10,183	10.8	25.0	17.9	25.8 ^a	8,176	
1950	952,706	23,062	24.2	10,117	10.6	25.2	18.7	23.3ª	7,878	1,918
1958	959,357	23,155	24.1	10,465	10.9	26.3	17.5	20.2ª	7,564	1,890
1959	964,896	23,141	24.0	10,817	11.2	26.4	19.1	19.1ª	7,599	1,873
1960	970,689	23,282	24.0	10,752	11.1	25.2	18.6	17.7ª	7,860	1,960
1960	976,511	23,553	24.0	10,765	11.0	25.6	19.0	17.5ª		2,025
1962	982,023	22,998	23.4	11,083	11.3	25.3	18.2	17.1 ^A	7,908 7,980	2,021
1962	986,603	22,998	22.2	11,003	11.3	24.0	17.9	16.3ª	8,121	2,078
1965	990,391	21,919	21.4	10,862	11.0	23.5	16.9	10.3- 17.4 ⁸	8,269	1,193
1964			19.9	10,778	10.9	22.4	16.9	17.4- 17.5ª		2,400
1965	993,236 994,714	19,796 18,526	18.6	10,915	11.0	22.6	17.1	17.5- 15.0 ^a	8,726	2,502
		17,976	18.0	10,066	10.1	23.1	16.4	16.1ª	8,983	2,630
1967 1968	995,134	16,866	17.0	11,085	11.1	21.6	15.9	16.0ª	9,210	3,049
	994,632	10,000	17.5	10,898	11.0	19.7			10,179	3,088
1969	993,907		17.9	11,066	11.0	20.9	15.3	11.8ª	10,428	3,375
1970	997,357	17,837		10,830		18.1	16.1	13.8 ^a	10,975	3,841
1971	1,012,257	17,850	17.6	11,147	10.7 10.9		13.3	13.2ª	11,193	3,905
1972	1,025,775	16,269	15.9			17.7	12.8	12.28	11,741	4,132
1973	1,038,291	15,730	15.1	10,837	10.4	16.1	11.6	13.3ª	11,925	4,551
1974	1,050,181	15,110	14.4	10,705	10.2	16.1	12.6	9.9 ^b	11,546	4,850
1975	1,062,640	15,232	14.3	10,253	9.6	13.2	9.0	10.8 ^b	11,190	5,526
1976	1,074,653	15,046	14.0	10,422	9.7	11.0	7.6	8.3 ^b	11,302	5,522
1977	1,087,650	16,252	14.9	10,055	9.2	9.4	6.1	8.6 ^b	11,446	5,655
1978	1,101,186	15,919	14.5	10,168	9.2	10.2	6.0	8.9b,c	11,658	6,164
1979	1,115,044	16,435	14.7	10,278	9.2	9.7	5.8	7.2 ^b , c	11,918	6,158
1980	1,125,027	16,474	14.6	10,768	9.6	9.3	5.9	7.1b,c	12,040	6,189
1981	1,132,849	16,567	14.6	10,331	9.1	10.6	6.6	5.7b,c	12,290	6,351
1982	1,136,199	16,695	14.7	10,451	9.2	8.7	6.0	6.9 ^{b,c}	12,388	5,804
1983	1,145,730	16,576	14.5	10,916	9.5	8.7	5.9	6.5 ^b	11,553	5,629

POPULATION, LIVE BIRTRS, DEATHS, MARRIAGES AND DIVORCES; RATES FOR BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS MAINE STATE TOTALS, 1900-1045 (Every Fifth Year) and 1946-1983 (Yearly)

Notes:^AFetal death rate calculated based on all reported terminations of pregnancy, regardless of gestational age. In 1973, 12.0% of such terminations were for fetuses of less than 20 weeks gestation. ^bFetal death rate calculated based on reported fetal deaths of gestational age 20 weeks or more. ^cOccurrence data.

Induced Abortions, Number and Rate: Maine State Totals, 1978-1983

		Induced	Induced Abortions per 1,000	
Year	Births	Abortions	Live Births	
1978	15,919	4,011	252.0 ^a	
1979	16,435	3,963	241.1 ^a	
1980	16,474	3,594	218.2 ^b	
1981	16,567	2,881	173.9 ^b	
1982	16,695	2,419	144.9 ^b	
1983	16,576	3,279	197.8 ^b	

Notes: Data prior to 1978 not given because of severe underreporting.

^aOccurrence data. ^bResidence data.