

# MAINE STATE LEGISLATURE

The following document is provided by the  
**LAW AND LEGISLATIVE DIGITAL LIBRARY**  
at the Maine State Law and Legislative Reference Library  
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied  
(searchable text may contain some errors and/or omissions)

# MAINE VITAL STATISTICS



**1984**

HA  
413  
.M25  
1984

STATE OF MAINE  
DEPARTMENT OF  
HUMAN SERVICES



State of Maine  
Department of Human Services  
Division of Data and Research

Annual Statistical Report  
For the Calendar Year  
1984

Michael R. Petit  
Commissioner

Published in 1985

Ellen M. Naor  
State Registrar

As Required By Statute : 22 MRSA§2701

043842

## ACKNOWLEDGEMENTS

This report contains a summary of vital statistics for the State of Maine for the calendar year 1984. The Department of Human Services has the dual responsibility of maintaining an effective system of vital registration and of making vital statistics available to the public. Within the Department itself, these data are needed for planning, managing, and evaluating programs that will improve the health and welfare of Maine people. The data are widely used, as well, for estimating and projecting population characteristics and changes.

This document is the result of the cooperative efforts of many individuals and groups. Chief among these are the municipal clerks of Maine's towns and counties, who serve as local registrars for vital records. The conscientious efforts of physicians, medical records administrators, and funeral directors also deserve special mention.

Maine Vital Statistics - 1984 has been compiled and produced under the general supervision and direction of Ellen M. Naor, State Registrar of Vital Statistics and Director, Division of Data and Research.

Division of Data and Research staff most significantly involved in the production of the 1984 annual report include:

Carl Gerry, Systems Project Leader - Primary responsibility for systems analysis and revision, table design and production.

Michael Morin, William Turner and Ted Clark - Vital statistics systems maintenance and programming of vital statistics series reports.

Benjamin Ames, Statistician - Data quality control.

Dale Welch, Senior Researcher - Population statistics, table conception and design.

Donald Lemieux, Planning and Research Associate - Table conception and design.

Michael Fleming, Deputy Division Director - Report coordination and production.

Sue Whitley, Clerk Typist - Typing and word processing.

The joint efforts of all the staff of the Division's Vital Records Unit, are necessary to produce the data contained in this publication. Special acknowledgement is made to:

Robert Packard, Field Agent - Coordination with cities and towns to produce the data in a timely fashion;

Lorraine Gerard, Deputy State Registrar - Supervision of the Vital Records Unit which is responsible for data collection, coding and editing.

# TABLE OF CONTENTS

	Page Number
Acknowledgements.....	ii
Table of Contents.....	iii
List of Tables.....	v
List of Supplemental Tables Available on Request.....	ix
Introduction.....	1
Definitions of Terms.....	3
Definitions of Rates.....	7
Technical Notes.....	9
General Considerations.....	9
Live Births.....	12
Infant and Fetal Mortality.....	12
General Mortality.....	12
Induced Abortions.....	14
Marriages and Divorces.....	15
Tables (See List of Tables for detailed titles).....	v
Live Births.....	17
Infant and Fetal Mortality.....	69
General Mortality.....	85
Induced Abortions.....	119
Marriages and Divorces.....	131
Appendices.....	139
Appendix 1. - Maine Vital Record Certificates and Reports.....	141
Certificate of Live Birth.....	143
Report of Fetal Death.....	144
Certificate of Death.....	145
Report of Abortion (Spontaneous and Induced).....	146
License and Certificate of Marriage.....	147
Record of Divorce or Annulment.....	148

# TABLE OF CONTENTS (Continued)

	Page Number
Appendix 2 - 1984 Population Projections.....	149
Projected Total Population: Maine Counties and State Total, July 1, 1984.....	151
Projected Population by Age Group and Sex: Maine State Totals, July 1, 1984.....	152
Appendix 3 - Historical Vital Statistics Data.....	153
Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, 1900-1945 (every fifth year) and 1946-1984 (yearly).....	155
Induced Abortions, Number and Rate: Maine State Totals, 1978-1984.....	156

# LIST OF TABLES

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
	LIVE BIRTHS	
TABLE 1-01	All Live Births and Out of Wedlock Live Births, by Mother's Age and Race of Child: Maine State Totals, 1984 (Resident Data).....	17
TABLE 1-02	All Live Births and Out of Wedlock Live Births, by Mother's Age and Child's Birthweight: Maine State Totals, 1984 (Resident Data).....	20
TABLE 1-03	Live Births by Selected Medical History Characteristics: Maine State Totals, 1984 (Resident Data) [Selected Characteristics: Complications of Pregnancy, Illness or Condition Affecting Pregnancy, Complications of Labor, Method of Delivery, Congenital Anomalies].....	21
TABLE 1-04	Live Births by Selected Risk Characteristics, and Ratio of Male to Female Births: Maine Counties and State Totals, 1984 (Resident Data) [Selected Characteristics: 5 Minute Apgar Score Less Than 5, Congenital Anomalies, Birthweight Less Than 2,500 Grams, Gestation Less Than 37 Weeks].....	22
TABLE 1-05	All Live Births and Out of Wedlock Live Births, by Mother's Age, Sex of Child and Birth Order: Maine Counties and State Totals, 1984 (Resident Data).....	23
TABLE 1-06	Live Births by Month Prenatal Care Began and Birthweight: Maine Counties and State Totals, 1984 (Resident Data).....	40
TABLE 1-07	Live Births by Trimester Prenatal Care Began and Number of Prenatal Visits: Maine Counties and State Totals, 1984 (Resident Data).....	49
TABLE 1-08	Live Births by Month Prenatal Care Began and Mother's Education: Maine Counties and State Totals, 1984 (Resident Data).....	58
TABLE 1-09	Live Births by Selected Risk Characteristics--Number of Births: Maine Hospitals, Other Birth Sites, and State Totals, 1984 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Casarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams].....	64



<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
TABLE 1-10	Live Births by Selected Risk Characteristics-- Percentage of Total Births: Maine Hospitals, Other Birth Sites, and State Totals, 1984 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams].....	65
TABLE 1-11	Live Births by Birthweight: Maine Hospitals, Other Birth Sites, and State Totals, 1984 (Occurrence Data).....	66
	INFANT AND FETAL MORTALITY	
TABLE 2-01	Infant, Neonatal, and Postneonatal Deaths by Sex for 61 Cause of Death Groups: Maine State Totals, 1984 (Resident Data).....	71
TABLE 2-02	Fetal Deaths by Gestation and Sex for 61 Cause of Death Groups: Maine State Totals, 1984 (Resident Data).....	75
TABLE 2-03	Live Births, Neonatal Deaths, and Estimated Neonatal Death Rates by Birthweight: Maine State Totals, . 1984 (Resident Data).....	79
TABLE 2-04	Fetal Deaths by Selected Complications, Gestation, and Age of Patient: Maine State Totals, 1984 (Resident Data) [Selected Complications: Complications of Pregnancy, Complications of Labor or Delivery, Concurrent Illnesses, Congenital Anomalies].....	80
TABLE 2-05	Deaths and Death Rates--Total, Infant, Neonatal, Postneonatal, and Perinatal: Maine Counties and State Totals, 1984 (Resident Data).....	81
TABLE 2-06	Fetal Deaths by Selected Characteristics: Maine Counties and State Totals, 1984 (Resident Data) [Selected Characteristics: Out of Wedlock, Autopsy, In Hospital, Trimester Prenatal Care Began, Age of Patient].....	82
TABLE 2-07	Fetal Deaths, Selected Risk Characteristics, and Ratio of Males to Females: Maine Counties and State Totals, 1984 (Resident Data) [Selected Characteristics: Congenital Anomalies, Fetal Weight, Gestation Less Than 28 Weeks].....	83
	GENERAL MORTALITY	
TABLE 3-01	Deaths, Rank by Number of Deaths, and Death Rate-- Total, Male, and Female for Ten Leading Causes of Death by Age Group: Maine State Totals, 1984 (Resident Data).....	87

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
TABLE 3-02	Years of Life Lost--Number, Percent, Rank and Average per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1984 (Resident Data).....	92
TABLE 3-03	Deaths by Age and Sex for 282 Cause of Death Groups: Maine State Totals, 1984 (Resident Data).....	93
TABLE 3-04	Underlying Cause Mentions and All Mentions of 72 Cause of Death Groups, and Ratio of All Mentions to Underlying Cause Mentions: Maine State Totals, 1984 (Resident Data).....	112
TABLE 3-05	Deaths--Total, and Percent by Site of Death: Maine Counties and State Totals, 1984 (Resident Data).....	114
TABLE 3-06	Deaths in Hospitals--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1984 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	115
TABLE 3-07	Deaths in Intermediate Care Facilities--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1984 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	116
TABLE 3-08	Deaths at Home--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1984 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	117
	INDUCED ABORTIONS	
TABLE 4-01	Total Terminations of Pregnancy, Fetal Deaths, Miscarriages, and Induced Abortions by Gestation: Maine State Totals, 1984 (Resident Data).....	121
TABLE 4-02	Induced Abortions by Gestation and Type of Termination Procedures: Maine State Totals, 1984 (Occurrence Data).....	122
TABLE 4-03	Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1984 (Resident Data).....	123
TABLE 4-04	Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1984 (Occurrence Data).....	124
TABLE 4-05	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1984 (Resident Data).....	125
TABLE 4-06	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1984 (Occurrence Data).....	126

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
TABLE 4-07	Induced Abortions by Complications of Pregnancy, Gestation, and Age of Patient: Maine State Totals, 1984 (Occurrence Data).....	127
TABLE 4-08	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1984 (Resident Data).....	128
TABLE 4-09	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1984 (Occurrence Data).....	129
TABLE 4-10	Induced Abortions by State or Country of Residence: Maine State Totals, 1984 (Occurrence Data).....	130
	MARRIAGES AND DIVORCES	
TABLE 5-01	Marriages by Age of Bride and of Groom: Maine State Totals, 1984 (Resident Data).....	133
TABLE 5-02	Marriages by Years of Education of Bride and of Groom: Maine State Totals, 1984 (Resident Data).....	134
TABLE 5-03	Marriages by Age and Previous Marital Status, for Brides and for Grooms: Maine State Totals, 1984 (Resident Data).....	135
TABLE 5-04	Marriages by Number of Previous Marriages of Bride and of Groom: Maine State Totals, 1984 (Resident Data).....	136
TABLE 5-05	Divorces by Number of Minor Children, Plaintiff, Decree Granted, and by Number of Years Married: Maine State Totals, 1984 (Occurrence Data).....	137

LIST OF SUPPLEMENTAL TABLES AVAILABLE ON REQUEST\*

Table No.

- S1 Births and Deaths by Month, Maine Towns, Counties and State Totals, 1984 (Resident Data)
- S2 All Live Births and Out of Wedlock Live Births by Adequacy of Prenatal Care, Mother's Age, Child's Birthweight, and Apgar Score: Maine State Totals, 1984 (Resident Data)
- S3 Neonatal Deaths and Estimated Neonatal Rates by Birthweight: Maine Hospitals of Birth, other Birth Sites, and State Total, 1984 (Occurrence Data)
- S4 Teenage Pregnancies by Outcome and Marital Status: Maine, 1984 (Resident Data)
- S5 Listing of Death Records by the Ninth Revision of the International Classification of Disease (ICD) Code: Maine Towns, 1984 (Resident Data)
- S6 Induced Abortions by Age of Patient and Marital Status: Maine Counties and State Totals, 1984 (Resident Data)
- S7 Live Births -- Total, and by Selected Risk Characteristics: Maine Towns, Counties and State Totals, 1984 (Resident Data) [Selected Characteristics: Out of Wedlock, Under 2,500 Grams, Congenital Anomalies, Mother Under Age 20 Years, No Prenatal Care]
- S8 Deaths by 72 Cause of Death Groups: Six Largest Cities or Towns in Each Maine County, County totals, and State Totals, 1984 (Resident Data)
- S9 Induced Abortions--Total, and by Selected Characteristics: Maine Towns over 3,500 Population, Counties and State Totals, 1984 (Resident Data) [Selected Characteristics: Out of Wedlock, Patient's Age, No Previous Pregnancies, No Previous Abortions, Education, Abortions in Hospital]
- S10 Marriages by Selected Characteristics: Maine Towns, Counties, and State Totals, 1984 (Occurrence and Residence Data) [Selected Characteristics: Religious Ceremony, Bride and Groom Residence, Under Age 20 Years, Education Under 12 Years, First Marriage]
- S11 Wives Involved in Divorces and Annulments by Residence of Husband and Number of Minor Children: Maine Towns, Counties, and State Totals, 1984 (Resident Data)

---

\*Supplemental tables are available at the cost of reproduction.



## INTRODUCTION

In order to speed the process of making these data available to the public, the annual vital statistics report for 1984 does not contain interpretive comments and charts. Information necessary to use the tables has been included in the technical notes. The tabulations most frequently requested are presented in this report. Supplemental tables, available at the cost of reproduction, are listed on page ix. Special tabulations can also be obtained, generally at a charge that may include preparation as well as reproduction costs. Comments and requests for additional information should be directed to:

Division of Data and Research  
Maine Department of Human Services  
State House Station #11  
Augusta, Maine 04333



## DEFINITIONS OF TERMS

All Mentioned Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. All mentioned causes are also referred to as "multiple causes of death."
Apgar Score	A summary indicator for evaluating the health of a newborn infant, the score ranges from 0 (very poor) to 10 (excellent). It is assigned by the delivery room personnel one minute and five minutes after birth.
Associated Cause of Death	Condition other than the underlying cause of death which may have contributed to the death.
Birth Order	Number of live births to the mother of the newborn, including this birth.
Birthweight	Weight of fetus or infant at time of delivery (normally measured in grams).
Fetal Death	Death prior to the complete expulsion or extraction from its mother of a product of conception; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Fetal deaths of at least 20 weeks of gestation must be reported on the "Fetal Death Report." Fetal deaths of less than 20 weeks gestation are reported on the "Report of Abortion (Spontaneous and Induced)."
Gestation	Clinical assessment of the number of weeks since conception.
Hospital	A licensed acute care health facility with permanent inpatient beds offering facilities and services for the diagnosis and treatment of illness, injury and deformity for a continuing period of time. A hospital has an organized medical staff and offers continuous 24 hour professional nursing care and emergency treatment.
Induced Abortion	Induced abortion means the intentional interruption of a pregnancy by the application of external agents, whether chemical or physical, or the ingestion of chemical agents with an intention other than to produce a live birth or to remove a dead fetus. All induced abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)," regardless of the length of gestation.



## DEFINITIONS OF TERMS (Continued)

Infant Death	Death occurring to a live born infant less than one year of age.
Intermediate Care Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, health related services, and licensed nursing supervision (8 hours per day).
Live Birth	A live birth is the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.
Maternal Deaths	Those deaths of women wherein the physician has designated a maternal condition as the underlying cause of death.
Minor Civil Division	In Maine, minor civil divisions generally are areas covered by the local or city/town level of civil government.
Miscarriage	Spontaneous abortion (see definition).
Multiple Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. Multiple causes are also referred to as "all mentioned causes."
Neonatal Death	Death occurring to a live born infant before completing 27 days of life.
Occurrence	Refers to data tabulated by place the event occurred.
Out-of-Wedlock Birth	Births in which the mother was not married either at the time of conception or at the time of delivery.
Perinatal Death	Fetal deaths of at least 20 weeks gestation and all neonatal deaths.

DEFINITIONS OF TERMS (Continued)

Post-Neonatal Death	Death occurring to a live born infant between the ages of 28 days and 364 days, inclusive.
Race	Race of mother, father, or decedent is as stated on certificate. Race of child is determined from the race of the parents.
Residence	Refers to data tabulated by usual place of residence of the person to whom event occurred. For births, fetal deaths, and abortions, residence is defined as the mother's place of residence.
Site of Birth	Hospital or type of non-hospital site (e.g. home, on way to hospital, out-patient facility) where birth occurred.
Site of Death	Hospital or type of non-hospital site (e.g. home, on way to hospital, nursing home) where death occurred.
Skilled Nursing Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, medical services, continuous skilled nursing services and health-related services, diagnosis and treatment.
Spontaneous Abortion	A termination of pregnancy, at less than 20 weeks gestation, through natural causes and without the aid of mechanical or medicinal agents. All spontaneous abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)."
Underlying Cause of Death	That condition giving rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. For this report, underlying causes are selected through processing of death certificate data by the ACME and TRANSAX computer programs (see Technical Notes).



# DEFINITIONS OF RATES\*

Age-Specific Death Rate	=	$\frac{\text{Resident Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}}$	X	100,000
Birth Rate	=	$\frac{\text{Resident Live Births}}{\text{Total Resident Population}}$	X	1,000
Cause-Specific Death Rate	=	$\frac{\text{Resident Deaths from Specific Cause}}{\text{Total Resident Population}}$	X	100,000
Death Rate	=	$\frac{\text{Resident Deaths}}{\text{Total Resident Population}}$	X	1,000
Divorce Rate	=	$\frac{\text{Divorces}}{\text{Total Resident Population}}$	X	1,000
Fetal Death Rate	=	$\frac{\text{Resident Fetal Deaths}}{\text{Total Resident Live Births and Resident Fetal Deaths}}$	X	1,000
Infant Death Rate	=	$\frac{\text{Resident Infant Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Marriage Rate	=	$\frac{\text{Marriages Performed}}{\text{Total Resident Population}}$	X	1,000
Maternal Death Rate	=	$\frac{\text{Resident Maternal Deaths}}{\text{Total Resident Live Births}}$	X	10,000
Neonatal Death Rate	=	$\frac{\text{Resident Neonatal Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Perinatal Death Rate	=	$\frac{\text{Resident Fetal Deaths and Neonatal Deaths}}{\text{Total Resident Fetal Deaths and Live Births}}$	X	1,000
Post-Neonatal Death Rate	=	$\frac{\text{Resident Post-Neonatal Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Sex-Specific Death Rate	=	$\frac{\text{Resident Deaths of Indicated Sex}}{\text{Total Resident Population of Indicated Sex}}$	X	100,000

---

\*Event denominators for rates are registered totals for the calendar year.  
Population denominators are mid-calendar year estimates.



## TECHNICAL NOTES

### General Considerations

Sources of Vital Records Data: Birth, death, fetal death, abortion, marriage, and divorce certificates used during 1984 are the source documents for data on vital events in Maine. A copy of each is included in Appendix 1. Note that current (1985) fetal death and marriage records vary somewhat from the 1984 forms.

The cut-off date for 1984 data in this report is April 15, 1985. Any data pertaining to 1984 events for which certificates were filed after April 15, 1985, are not included in this report.

Birth certificates and abortion reports are usually completed by hospital or clinic personnel. Death and fetal death certificates are usually completed by funeral directors, who obtain the medical certifications of cause of death from physicians. Marriage certificates are completed by the appropriate municipal clerks, while divorce reports are sent to the Office of Vital Statistics by the clerks of courts.

Completeness of Registration: A birth certificate test in 1950 indicated that about one percent of births in Maine at that time were not recorded. It is assumed that registration has continued to be at least this complete.

Although no test of death registration has ever been done, it is assumed that death registration is reasonably complete, because burial permit laws and regulations require the filing of a death certificate before a burial permit for the disposition of the body is issued.

Reporting of all terminations of pregnancy at any gestation, whether spontaneous or induced, has been required in Maine for many years. Analysis of fetal death rates over time, however, indicates that there has been considerable variation in the completeness of registration. A specific reporting form for abortions (spontaneous and induced) was introduced in 1978. Comparison with independent data sources suggests that induced abortions may be underreported by 10 to 15%.

In addition to unrecorded vital events, other vital events may not be included in this report for several reasons: failure of the person required to report the event to make a timely report; failure of a municipal clerk to make a timely report to the State Registrar; or failure of other states to make timely exchanges of nonresident transcripts of births and deaths.

Data Quality: Data in this report are based upon original certificates of births and deaths, copies of original certificates of marriages prepared by city and town clerks, and abstracts of decrees of divorces prepared by the clerks of courts. Errors in data may be

introduced by persons giving information for the original certificate, persons involved in the actual preparation of the original certificate, persons responsible for the preparation of the copies or abstracts of the original certificates, or those involved in the coding and processing of the data in the State Office of Vital Statistics.

Extensive reorganization and revision in 1983 of reporting procedures, data input procedures, and computer systems have reduced or eliminated many of the problems experienced in previous years. The Office of Vital Statistics maintains several programs aimed at improving the quality and completeness of information received on certificates and its translation into statistical form. A "query" system is used to followback to physicians, hospital personnel and funeral directors concerning incomplete or conflicting information on the certificates themselves. The followback, which is done by both mail and telephone, is based on both manual and computer editing procedures.

In addition, the vital statistics field agent works directly with the data providers to improve the quality of reported information. The field agent conducts various seminars, workshops, and site visits to educate hospital and medical personnel, funeral directors, and municipal clerks in the importance of accurate and complete vital statistics data.

Finally, the National Center for Health Statistics (NCHS) monitors State coding of statistical data. The NCHS has established a two percent upper limit for coding differences involving any one data item, with the exception of cause of death. A five percent limit is used for this item due to the complexity of the coding process.

Comparison with Earlier Years: In 1983, a number of changes were introduced into the vital registration program and associated data processing, computer systems, and analytic procedures. These must be borne in mind in any comparisons with earlier years and analyses of time trends. Specific changes include the following:

- Implementation of a new birth certificate on January 1, 1983. The new certificate uses a checklist format for reporting medical history items related to pregnancy and delivery. These items are recorded on a separate page mailed directly to the Vital Records Unit.
- Intensive field and education activities directed to appropriate medical providers to promote more complete reporting of induced abortions performed at any time during pregnancy.
- The computerized data systems for records of births, deaths, fetal deaths, marriages, divorces, and abortions were completely revised in 1983 to promote more accurate and timely registration activities and statistical products. Comprehensive and rigorous edit procedures were developed for data input and a number of consistency checks were incorporated.

Small Frequencies: The numbers of births or deaths reported for a community represent complete counts of these events. As such, they are not subject to sampling error or variation, although they are subject to errors in the collection and processing procedures. However, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same general circumstances. The probable range of values may be estimated from the actual figures according to certain statistical assumptions (Vital Statistics for the U.S., Vol. 1, 1959, p. 1-20). When the figures are used for comparison of frequencies and rates over a time period or for different areas, appropriate statistical methods should be used to assess the significance of the comparisons.

Frequencies of and rates based on fewer than 10 events should be used carefully because they are subject to large random fluctuations. The number "10" is arbitrary, however, and is not set forth as a critical point distinguishing statistically reliable rates.

Rates: In interpreting the conditions described by vital statistics rates, considerable caution must be observed. In particular, differences in rates from time to time or place to place may arise from a number of population differences and other compounding factors, and appropriate techniques (e.g., standardization) should be utilized in such comparisons.

Population Data: The population data used to calculate rates in this report are from 1984-1993 Maine Population Projections, Division of Data and Research, Department of Human Services, June, 1985. A display of these population data is included in Appendix 2.

"Selected" Characteristics/Causes of Death: These terms are used to denote tabulations in which the categories displayed are not exhaustive but represent only those of particular interest.

Geographic Classification: In addition to recording vital events occurring in Maine, the Office of Vital Statistics receives transcripts of birth certificates for children born outside Maine to a mother who is a resident of Maine. Death certificates for persons who are residents but die outside the boundaries of Maine are also received. Transcripts of non-resident births and deaths are exchanged with all other states and with Canada.

Events are assigned to geographical areas according either to place of residence or to place of occurrence. The basis for classification is identified in each table and should be carefully observed when extracting information.

- "Resident Data" means events have been tabulated according to the area where the person lived regardless of where the event occurred. In the case of infant deaths and births, the reference is to the residence of the mother. It should be noted that in the case of infant deaths, the place of residence at death may differ from the place of residence at birth; when special tabulations are prepared from both birth and death certificates, it is important to note to which residence category they were assigned.



- "Occurrence Data" means events have been tabulated according to where the events took place, regardless of the usual residence of the person. Since nearly all births and most deaths take place in hospitals, the number which occur in counties with many hospital beds will be large for this reason alone.

### Births

As noted in previous sections, a revised birth certificate was initiated on January 1, 1983. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies. Two added items were the physician's estimate of gestation and an assessment of the infant's condition at birth. Initial evaluation indicates that the checklist format increased reporting of the medical history items dramatically - as much as five-fold on some items - so comparison with data from previous years must be made with caution.

### Infant and Fetal Mortality

This section includes all fetal deaths of at least 20 weeks gestation and all neonatal deaths. The birth, death, and fetal death certificates all include information on the place of residence, so events to non-Maine residents can be excluded from tabulations based on resident data. Through the interstate exchange agreement, transcripts of births and deaths which occur outside of the state to Maine residents are obtained for inclusion in tabulations of resident data. Maine did not participate in such exchange for fetal deaths in 1984, so information on pregnancies of Maine women terminating in fetal deaths which occurred outside the state is not available.

Notification of infant death is obtained from the regular death certificate. However, much information relevant to the circumstances of infant death is found on the birth certificate. Birth and death records have, therefore, been matched to produce a composite infant death tape, which is the source of Table 2-03. Tables 2-01, 2-05, and all other death tables, on the other hand, are produced from the general death file. Discrepancies between these two sources are minimal, usually involving only a very small number of deaths.

### General Mortality

There are a number of factors which should be considered in order to understand and use the mortality data presented herein.

Mortality Classification: The mortality classification used in this report is the Ninth Revision of the International Classification of Diseases (ICD-9). It consists of a list of 722 categories of diseases and morbid conditions, 192 categories for classification of the external cause of an injury, and 190 categories for the characterization of injuries according to the nature of the lesion.

There are two major limitations in interpreting changes in cause of death statistics. Changes in diagnostic practice may affect the comparability of such statistics over time, as do changes in nomenclature and in the classification scheme. The International Classification of Diseases is revised approximately every ten years to incorporate advances in medical science and to reflect changing medical opinion and practice. The Sixth Revision was used from 1949-1957, the Seventh Revision from 1958-1967, the Eighth Revision from 1968-1978, and the Ninth Revision after 1978.

Under the Ninth Revision, the method for selecting the cause of death for statistical purposes remains the same as the method instituted with the Sixth Revision. The Sixth Revision instituted a method whereby the physician in attendance at death indicates the disease or morbid condition which he considers to be the underlying cause of death. The underlying cause is defined as "(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident which produced fatal injury." Prior to 1981, when two or more causes were jointly recorded, a nosologist in the Office of Vital Statistics selected and coded the underlying cause using the ancillary information provided on the death certificate by the physician. Beginning in 1981, however, all causes mentioned on the certificate are coded. The underlying cause is determined using a computerized procedure: the Automated Classification of Medical Entities (ACME) program. The cause of death information is then subjected to the TRANSAX computer program, which eliminates redundancies in mentioned causes. Information on all associated causes is retained on the computer records for use in further study of certain health problems.

Several groupings by cause of death are utilized in this report. All of the groupings are both exhaustive and exclusive: all causes are assigned to a group or category, and each specific cause is assigned to only one cause group. Deaths by age and sex groups are tabulated using a list of 282 cause groups (Table 3-03). Deaths by county and town of residence, site of death, and underlying/non-underlying status are tabulated using 72 cause groups. The analysis of leading causes of death in Table 3-01 and 3-02 is based on 32 cause groups. The data on fetal and infant deaths, in Tables 2-01 and 2-02, are categorized into 61 cause groups. In all cases the ICD-9 codes included in each cause group are indicated on the appropriate tables. Tables generally do not include cause groups from which there were no deaths, so the number of groups displayed may be less than the number of groups (i.e., 282, 72, 61, or 32) from which the tables were constructed.\*

Years of Life Lost: In Table 3-02, "Years of Life Lost" is used as a more sensitive measure of premature death than the death rate itself. The number of years of life lost is calculated for each decedent as the difference between the age at death and the life expectancy at that age. Life expectancy at each age is taken from the 1980 Maine Life Tables, with the sex-specific expectancy estimated using the 1980 United States Life Tables for the white population.\*\* The death of a male infant, for example, represents a total of 71.0 years of life lost. The death of a 50 year old woman represents 30.9 years of life lost, and the death of a 85 year old woman represents 6.4 years of life lost.

\* Complete lists of causal groups are contained in the following reference manual and may be obtained upon request:

Division of Data and Research, Office of Health Planning and Development, Maine Department of Human Services, Vital Records Manual, 1986. December, 1985.

\*\*Welch, D. Maine Life Tables:1980. Augusta: Maine Department of Human Services, 1985; National Center for Health Statistics, United States Life Tables-1980, 1984.

Multiple Causes of Death: Most major causes of death are contributing factors to many deaths in which they are not the underlying cause. The relative frequencies with which specific causes are mentioned on death records as underlying or non-underlying causes are displayed in Table 3-04.

In Table 3-04, cause of death mentions are classified into 72 cause groups, after processing through the ACME and TRANSAX computer programs. Consequently, the term "mentions" refers to causes identified through processing by the computer programs, rather than to causes as mentioned on the death certificate. A cause group is counted only once for each decedent, even if more than one cause in the group was mentioned on the original certificate. Comparisons of data from different sources on "all mentions" of a cause group are valid only if the number and composition of the cause groups used are the same and the counting rules are consistent.

The category of "all mentions" of a cause group usually includes all identifications of it as the underlying cause of death. Occasionally, simultaneous mention of certain causes on the death record leads to the identification, as the underlying cause, of a disease entity which was not itself recorded on the death certificate. In such cases, the ratio of all mentions to underlying cause mentions can be less than 1.00.

Certain causes of death can never be classified as the underlying cause of death as defined in the International Classification of Diseases. In particular, descriptions of the nature of injuries and secondary neoplasms are always recorded on the death certificate in conjunction with one or more entries which identify the underlying cause of death, i.e. the external cause of injury or the primary neoplasm.

### Induced Abortions

All induced abortions performed in Maine are required to be reported, regardless of the length of gestation. The report form includes information on the place of residence, so non-resident women receiving abortions in Maine can be excluded from tabulations based on resident data. Approximately 15% of all induced abortions in Maine in 1983 were obtained by out-of-state residents. Maine did not participate in the interstate program for exchange of induced abortion reports in 1983, so complementary data on Maine residents who received abortions in other states are not available.

The numbers of induced abortions reported during 1983 and 1984 were nearly 35% greater than the number reported in 1982. This increase reflects, for the most part, the effect of a vigorous effort in the spring of 1983 to remind and inform physicians, clinics, and hospitals that all induced abortions must be reported to the Department of Human Services on the appropriate form.

All terminations of pregnancies to Maine resident women are displayed in Table 4-01 by the length of gestation, including fetal deaths, miscarriages or spontaneous abortions, and induced abortions.

## Marriages and Divorces

All marriages which occur in Maine are registered in the central Office of Vital Statistics, whether or not either the bride or the groom are residents of the state. Marriages in which both partners are non-residents are excluded from tabulations based on resident data. However, there is no interstate program for exchange of marriage records of non-residents and hence the complementary data on Maine residents who are married outside Maine are not included in the resident data tabulations. "Resident Data" thus include all marriages occurring in Maine in which either the bride, the groom, or both are residents of Maine.

A similar situation exists in the registration of divorces and annulments. These records are reported to the central office by the clerks of the courts in which the divorce or annulment is finalized. No information is available on divorces or annulments obtained outside the state by Maine residents.



# LIVE BIRTHS



TABLE 1-01

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND RACE OF CHILD  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

AGE OF MOTHER	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** RACE OF CHILD *****					
			WHITE	BLACK	AMERICAN INDIAN	ASIAN	OTHER	UNKNOWN
ALL BIRTHS								
LESS THAN 15	17	0.10	15	0	1	1	0	0
15	73	0.44	72	1	0	0	0	0
16	189	1.14	186	1	2	0	0	0
17	330	1.98	322	2	3	0	1	2
18	575	3.46	561	4	9	1	0	0
19	846	5.09	829	6	8	2	1	0
20-24	5,736	34.49	5,624	35	43	15	12	7
25-29	5,250	31.57	5,146	32	26	15	23	8
30-34	2,808	16.88	2,749	15	11	19	8	6
35-39	706	4.25	697	2	1	5	0	1
40-44	78	0.47	78	0	0	0	0	0
GREATER THAN 44	1	0.01	1	0	0	0	0	0
UNKNOWN	22	0.13	22	0	0	0	0	0
STATE TOTALS	16,631		16,302	98	104	58	45	24
PERCENT DISTRIBUTION		100.00	98.02	0.59	0.63	0.35	0.27	0.14

61

## OUT OF WEDLOCK BIRTHS

LESS THAN 15	16	0.59	14	0	1	1	0	0
15	67	2.47	66	1	0	0	0	0
16	145	5.35	144	1	0	0	0	0
17	220	8.12	214	2	3	0	0	1
18	299	11.03	292	1	6	0	0	0
19	313	11.55	308	2	2	1	0	0
20-24	991	36.55	958	7	23	2	1	0
25-29	415	15.31	402	3	8	0	2	0
30-34	173	6.38	168	0	2	2	0	1
35-39	59	2.18	58	0	0	1	0	0
40-44	11	0.41	11	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0
UNKNOWN	2	0.07	2	0	0	0	0	0
STATE TOTALS	2,711		2,637	17	45	7	3	2
PERCENT DISTRIBUTION		100.00	97.27	0.63	1.66	0.26	0.11	0.07

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH



TABLE 1-02

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND CHILD'S BIRTHWEIGHT  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

			***** MOTHER'S AGE (YRS.) *****													
BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DIST.	LESS THAN 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	GREATER THAN 44	UNKNOWN	
ALL BIRTHS																
LESS THAN 500	7	0.04	0	1	0	0	0	1	1	3	0	1	0	0	0	
500-999	65	0.39	0	2	1	2	1	8	22	16	7	6	0	0	0	
1000-1499	79	0.48	1	1	0	2	10	5	16	24	15	5	0	0	0	
1500-1999	169	1.02	1	1	3	5	6	16	59	40	34	4	0	0	0	
2000-2499	554	3.33	3	4	13	15	36	25	192	148	80	31	7	0	0	
2500-2999	2,107	12.67	1	14	31	46	83	130	768	584	338	92	15	1	4	
3000-3499	5,825	35.02	8	27	65	119	217	318	2,082	1,852	903	205	23	0	6	
3500-3999	5,574	33.52	2	20	57	109	165	253	1,883	1,813	997	245	22	0	8	
4000-4499	1,841	11.07	0	3	18	28	49	70	581	640	353	89	8	0	2	
4500-4999	355	2.13	1	0	1	4	8	17	114	116	69	21	2	0	2	
GREATER THAN 4999	44	0.26	0	0	0	0	0	3	14	10	11	5	1	0	0	
UNKNOWN	11	0.07	0	0	0	0	0	0	4	4	1	2	0	0	0	
STATE TOTALS	16,631		17	73	189	330	575	846	5,736	5,250	2,808	706	78	1	22	
PERCENT DIST.		100.00	0.10	0.44	1.14	1.98	3.46	5.09	34.49	31.57	16.88	4.25	0.47	0.01	0.13	
OUT OF WEDLOCK BIRTHS																
LESS THAN 500	2	0.07	0	1	0	0	0	1	0	0	0	0	0	0	0	
500-999	14	0.52	0	2	1	0	0	2	8	0	0	1	0	0	0	
1000-1499	18	0.66	1	1	0	2	7	1	2	4	0	0	0	0	0	
1500-1999	43	1.59	1	0	1	2	2	12	13	7	4	1	0	0	0	
2000-2499	124	4.57	3	4	12	6	18	10	44	15	9	2	1	0	0	
2500-2999	450	16.60	1	13	22	28	54	50	169	66	33	11	1	0	2	
3000-3499	1,011	37.29	7	25	55	84	110	125	378	159	44	17	7	0	0	
3500-3999	781	28.81	2	18	40	79	82	88	264	126	60	20	2	0	0	
4000-4499	220	8.12	0	3	14	15	23	20	91	32	20	2	0	0	0	
4500-4999	42	1.55	1	0	0	4	3	3	18	6	3	4	0	0	0	
GREATER THAN 4999	5	0.18	0	0	0	0	0	1	4	0	0	0	0	0	0	
UNKNOWN	1	0.04	0	0	0	0	0	0	0	0	0	1	0	0	0	
STATE TOTALS	2,711		16	67	145	220	299	313	991	415	173	59	11	0	2	
PERCENT DIST.		100.00	0.59	2.47	5.35	8.12	11.03	11.55	36.55	15.31	6.38	2.18	0.41	0.00	0.07	
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:																
		16.30	94.12	91.78	76.72	66.67	52.00	37.00	17.28	7.90	6.16	8.36	14.10	0.00	9.09	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-03

LIVE BIRTHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

COMPLICATIONS OF PREGNANCY CONDITION	NUMBER	%	ILLNESS OR CONDITION AFFECTING PREGNANCY CONDITION	NUMBER	%	COMPLICATIONS OF LABOR CONDITION	NUMBER	%	METHOD OF DELIVERY METHOD	NUMBER	%	CONGENITAL ANOMALIES CONDITION	NUMBER	%
BLEEDING IN EARLY PREGNANCY	331	2.0	TOBACCO USE	2,030	12.2	ABRUPTIO PLACENTA	118	0.7	SPONTANEOUS CONTROLLED	12,199	73.4	ANENCEPHALUS	3	0.0
ECLAMPSIA	10	0.1	HEART DISEASE SYMPTOMATIC	11	0.1	PLACENTA PREVIA	41	0.2	SPONTANEOUS UNCONTROLLED	143	0.9	SPINA BIFIDA	2	0.0
PREECLAMPSIA	501	3.0	HYPERTENSION	304	1.8	CORD PROLAPSE OR COMPRESSION	174	1.0	LOW FORCEPS	529	3.2	OTHER NERVOUS SYSTEM	14	0.1
RH SENSITIZATION	64	0.4	CHRONIC RENAL DISEASE	15	0.1	DYSTOCIA	1,073	6.5	OTHER FORCEPS PROCEDURE	214	1.3	CLEFT LIP/PALATE	25	0.2
ANEMIA(HGB < 10 GM/HCT < 30%)	149	0.9	PYELOCYSTITIS	23	0.1	BREECH	555	3.3	PRIMARY C-SECTION	2,032	12.2	EYE	8	0.0
AMNIONITIS	33	0.2	DES EXPOSURE	30	0.2	INDUCTION	12	0.1	REPEAT C-SECTION	1,256	7.6	EAR, FACE, NECK	15	0.1
URINARY TRACT INFECTION	298	1.8	ALCOHOL DEPENDENCE	24	0.1	INTRAPARTUM FEVER/ CHORIOAMNION.	44	0.3	BREECH DELIVERY	76	0.5	HEART	20	0.1
PREMATURE LABOR(BEFORE 37 WEEKS)	643	3.9	DRUG ADDICTION OR DEPENDENCE	17	0.1	FETAL DISTRESS	568	3.4	VERSION AND EXTRACTION	12	0.1	OTHER CIRCULATORY SYSTEM	12	0.1
PREMATURE DELIVERY(BEFORE 37 WEEKS)	456	2.7	PREVIOUS C-SECTION	526	3.2	LABOR>18 HRS.	402	2.4	OTHER	175	1.1	RESPIRATORY SYSTEM	21	0.1
PROM(24 HRS. BEFORE DELIVERY)	371	2.2	OBESITY	404	2.4	OTHER	961	5.8				DIGESTIVE SYSTEM	16	0.1
OTHER	715	4.3	GESTATIONAL DIABETES	117	0.7	NONE	13,147	79.1				GENITAL ORGANS	47	0.3
NONE	13,862	83.4	CHRONIC DIABETES	40	0.2	UNKNOWN	56	0.3				URINARY SYSTEM	11	0.1
UNKNOWN	60	0.4	OTHER	464	2.8							MUSCULOSKEL.	84	0.5
			NONE	13,039	78.4							INTEGUMENT	28	0.2
			UNKNOWN	60	0.4							CHROMOSOMAL	16	0.1
												OTHER	11	0.1
												NONE	16,289	97.9
												UNKNOWN	55	0.3

NOTES: PERCENTAGES ARE BASED ON THE 16,631 LIVE BIRTHS IN MAINE THIS YEAR.  
MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH BIRTH.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-04

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, AND RATIO OF MALE TO FEMALE BIRTHS  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY	TOTAL BIRTHS	***** RISK CHARACTERISTICS *****									
		5 MIN. APGAR LESS THAN 5		CONGENITAL ANOMALIES		BIRTHWEIGHT < 2500 GRAMS		LESS THAN 37 GESTATION WEEKS		MALE/FEMALE RATIO	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT		
ANDROSCOGGIN	1,537	14	0.9	26	1.7	84	5.5	76	4.9	1.11	
AROOSTOOK	1,342	12	0.9	12	0.9	73	5.4	91	6.8	1.05	
CUMBERLAND	3,256	29	0.9	61	1.9	183	5.6	179	5.5	1.10	
FRANKLIN	410	3	0.7	5	1.2	24	5.9	26	6.3	1.14	
HANCOCK	625	6	1.0	15	2.4	26	4.2	33	5.3	1.09	
KENNEBEC	1,507	11	0.7	30	2.0	72	4.8	69	4.6	0.99	
KNOX	525	4	0.8	4	0.8	30	5.7	32	6.1	1.13	
LINCOLN	401	2	0.5	7	1.7	18	4.5	18	4.5	1.13	
OXFORD	655	1	0.2	7	1.1	31	4.7	27	4.1	0.92	
PENOBSCOT	1,936	12	0.6	17	0.9	96	5.0	84	4.3	1.14	
PISCATAQUIS	254	4	1.6	8	3.1	16	6.3	16	6.3	1.21	
SAGadahoc	484	2	0.4	14	2.9	22	4.5	22	4.5	0.94	
SOMERSET	709	3	0.4	15	2.1	41	5.8	34	4.8	0.91	
WALDO	420	2	0.5	6	1.4	21	5.0	20	4.8	1.07	
WASHINGTON	476	2	0.4	5	1.1	27	5.7	25	5.3	1.02	
YORK	2,094	16	0.8	55	2.6	110	5.3	94	4.5	1.03	
STATE TOTALS	16,631	123	0.7	287	1.7	874	5.3	846	5.1	1.06	

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	***** UNKNOWN	***** BIRTH ORDER *****						*****	
						1	2	3	4	GREATER THAN 4	UNKNOWN		
ALL BIRTHS													
ANDROSCOGGIN													
LESS THAN 15	2	0.13	2	0	0	2	0	0	0	0	0		
15	13	0.85	5	8	0	12	1	0	0	0	0		
16	21	1.37	11	10	0	19	2	0	0	0	0		
17	25	1.63	13	12	0	23	2	0	0	0	0		
18	64	4.16	34	30	0	47	15	2	0	0	0		
19	92	5.99	59	33	0	63	22	6	0	0	1		
20-24	615	40.01	317	298	0	318	226	58	11	2	0		
25-29	440	28.63	229	211	0	146	181	83	26	4	0		
30-34	212	13.79	109	103	0	53	86	52	16	5	0		
35-39	49	3.19	27	22	0	5	16	13	13	2	0		
40-44	4	0.26	3	1	0	0	1	0	1	2	0		
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0		
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0		
COUNTY TOTALS	1,537		809	728	0	688	552	214	67	15	1		
PERCENT DISTRIBUTION		100.00	52.64	47.36	0.00	44.76	35.91	13.92	4.36	0.98	0.07		
OUT OF WEDLOCK BIRTHS													
LESS THAN 15	2	0.71	2	0	0	2	0	0	0	0	0		
15	13	4.63	5	8	0	12	1	0	0	0	0		
16	16	5.69	9	7	0	15	1	0	0	0	0		
17	19	6.76	9	10	0	18	1	0	0	0	0		
18	31	11.03	18	13	0	28	2	1	0	0	0		
19	38	13.52	25	13	0	28	7	3	0	0	0		
20-24	102	36.30	54	48	0	49	34	14	4	1	0		
25-29	37	13.17	21	16	0	11	14	9	3	0	0		
30-34	17	6.05	7	10	0	4	4	5	4	0	0		
35-39	6	2.14	5	1	0	1	3	1	1	0	0		
40-44	0	0.00	0	0	0	0	0	0	0	0	0		
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0		
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0		
COUNTY TOTALS	281		155	126	0	168	67	33	12	1	0		
PERCENT DISTRIBUTION		100.00	55.16	44.84	0.00	59.79	23.84	11.74	4.27	0.36	0.00		
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		18.28	19.16	17.31	0.00	24.42	12.14	15.42	17.91	6.67	0.00		

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX MALE	***** FEMALE	***** UNKNOWN	***** 1	***** 2	***** 3	BIRTH ORDER 4	***** GREATER THAN 4	***** UNKNOWN
ALL BIRTHS											
AROOSTOOK											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.07	1	0	0	1	0	0	0	0	0
16	19	1.42	8	11	0	18	1	0	0	0	0
17	37	2.76	23	14	0	29	6	1	0	0	1
18	49	3.65	24	25	0	35	12	2	0	0	0
19	66	4.92	34	32	0	50	11	4	1	0	0
20-24	559	41.65	271	288	0	286	202	62	7	2	0
25-29	394	29.36	207	187	0	116	177	75	12	10	4
30-34	170	12.67	90	80	0	36	51	49	27	6	1
35-39	38	2.83	23	15	0	7	8	7	11	5	0
40-44	8	0.60	5	3	0	1	1	1	1	4	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.07	1	0	0	0	1	0	0	0	0
COUNTY TOTALS	1,342		687	655	0	579	470	201	59	27	6
PERCENT DISTRIBUTION		100.00	51.19	48.81	0.00	43.14	35.02	14.98	4.40	2.01	0.45

24

## OUT OF WEDLOCK BIRTHS

LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.49	1	0	0	1	0	0	0	0	0
16	13	6.34	6	7	0	13	0	0	0	0	0
17	23	11.22	17	6	0	19	3	0	0	0	1
18	24	11.71	11	13	0	20	3	1	0	0	0
19	18	8.78	10	8	0	13	5	0	0	0	0
20-24	83	40.49	48	35	0	42	28	10	2	1	0
25-29	27	13.17	13	14	0	7	11	7	0	2	0
30-34	10	4.88	5	5	0	1	4	2	3	0	0
35-39	5	2.44	3	2	0	1	1	1	1	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.49	1	0	0	0	1	0	0	0	0
COUNTY TOTALS	205		115	90	0	117	56	21	6	4	1
PERCENT DISTRIBUTION		100.00	56.10	43.90	0.00	57.07	27.32	10.24	2.93	1.95	0.49
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		15.28	16.74	13.74	0.00	20.21	11.91	10.45	10.17	14.81	16.67

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** BIRTH ORDER ***** 1 2 3 4 GREATER THAN 4 UNKNOWN
ALL BIRTHS				
CUMBERLAND				
LESS THAN 15	1	0.03	1 0	0 1 0 0 0 0
15	18	0.55	13 5	0 18 0 0 0 0
16	32	0.98	17 15	0 31 1 0 0 0
17	44	1.35	28 16	0 38 4 2 0 0
18	85	2.61	47 38	0 74 11 0 0 0
19	127	3.90	58 69	0 98 27 1 0 0
20-24	906	27.83	443 463	0 492 297 95 20 0
25-29	1,133	34.80	609 524	0 547 386 150 35 13
30-34	691	21.22	356 335	0 241 249 125 61 14
35-39	188	5.77	117 71	0 55 59 37 16 21
40-44	17	0.52	9 8	0 1 3 6 3 3
GREATER THAN 44	0	0.00	0 0	0 0 0 0 0 0
UNKNOWN	14	0.43	9 5	0 11 2 1 0 0
COUNTY TOTALS	3,256		1,707 1,549	0 1,607 1,039 417 135 51
PERCENT DISTRIBUTION		100.00	52.43 47.57	0.00 49.36 31.91 12.81 4.15 1.57 0.21
25 OUT OF WEDLOCK BIRTHS				
LESS THAN 15	1	0.22	1 0	0 1 0 0 0 0
15	17	3.76	12 5	0 17 0 0 0 0
16	26	5.75	15 11	0 25 1 0 0 0
17	31	6.86	21 10	0 28 2 1 0 0
18	50	11.06	26 24	0 44 6 0 0 0
19	54	11.95	29 25	0 44 8 1 0 0
20-24	153	33.85	75 78	0 87 43 16 5 0
25-29	78	17.26	37 41	0 32 26 15 2 1
30-34	31	6.86	16 15	0 13 3 6 7 2
35-39	9	1.99	4 5	0 3 2 0 1 3
40-44	2	0.44	1 1	0 1 0 0 0 1
GREATER THAN 44	0	0.00	0 0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0	0 0 0 0 0 0
COUNTY TOTALS	452		237 215	0 295 91 39 15 7
PERCENT DISTRIBUTION		100.00	52.43 47.57	0.00 65.27 20.13 8.63 3.32 1.55 1.11
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		13.88	13.88 13.88	0.00 18.36 8.76 9.35 11.11 13.73 71.43

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	SEX FEMALE	***** UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
FRANKLIN											
LESS THAN 15	1	0.24	0	1	0	1	0	0	0	0	0
15	1	0.24	0	1	0	1	0	0	0	0	0
16	3	0.73	2	1	0	3	0	0	0	0	0
17	12	2.93	8	4	0	11	1	0	0	0	0
18	18	4.39	8	10	0	16	2	0	0	0	0
19	25	6.10	13	12	0	20	3	2	0	0	0
20-24	164	40.00	87	77	0	91	53	17	3	0	0
25-29	102	24.88	53	49	0	29	43	18	7	3	2
30-34	69	16.83	39	30	0	25	23	12	5	3	1
35-39	14	3.41	7	7	0	2	1	3	4	4	0
40-44	1	0.24	1	0	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	410		218	192	0	199	126	52	19	11	3
PERCENT DISTRIBUTION		100.00	53.17	46.83	0.00	48.54	30.73	12.68	4.63	2.68	0.73

## 26 OUT OF WEDLOCK BIRTHS

LESS THAN 15	1	1.75	0	1	0	1	0	0	0	0	0
15	1	1.75	0	1	0	1	0	0	0	0	0
16	2	3.51	1	1	0	2	0	0	0	0	0
17	6	10.53	4	2	0	5	1	0	0	0	0
18	11	19.30	4	7	0	9	2	0	0	0	0
19	6	10.53	3	3	0	5	1	0	0	0	0
20-24	20	35.09	12	8	0	11	5	4	0	0	0
25-29	3	5.26	3	0	0	0	0	1	2	0	0
30-34	5	8.77	3	2	0	2	2	1	0	0	0
35-39	2	3.51	2	0	0	1	1	0	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	57		32	25	0	37	12	6	2	0	0
PERCENT DISTRIBUTION		100.00	56.14	43.86	0.00	64.91	21.05	10.53	3.51	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		13.90	14.68	13.02	0.00	18.59	9.52	11.54	10.53	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	SEX FEMALE	***** UNKNOWN	***** 1	***** 2	***** 3	***** 4	BIRTH ORDER GREATER THAN 4	***** UNKNOWN
ALL BIRTHS											
HANCOCK											
LESS THAN 15	1	0.16	1	0	0	1	0	0	0	0	0
15	1	0.16	0	1	0	1	0	0	0	0	0
16	5	0.80	5	0	0	5	0	0	0	0	0
17	12	1.92	4	8	0	10	2	0	0	0	0
18	22	3.52	12	10	0	15	6	1	0	0	0
19	34	5.44	20	14	0	22	11	0	0	1	0
20-24	196	31.36	102	94	0	102	70	23	1	0	0
25-29	191	30.56	98	93	0	75	69	34	12	1	0
30-34	129	20.64	67	62	0	34	56	20	14	4	1
35-39	33	5.28	16	17	0	9	15	3	3	3	0
40-44	1	0.16	1	0	0	1	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	625		326	299	0	275	229	81	30	9	1
PERCENT DISTRIBUTION		100.00	52.16	47.84	0.00	44.00	36.64	12.96	4.80	1.44	0.16
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	1.01	0	1	0	1	0	0	0	0	0
16	5	5.05	5	0	0	5	0	0	0	0	0
17	9	9.09	4	5	0	9	0	0	0	0	0
18	6	6.06	4	2	0	5	1	0	0	0	0
19	10	10.10	9	1	0	9	1	0	0	0	0
20-24	37	37.37	17	20	0	24	7	6	0	0	0
25-29	21	21.21	8	13	0	8	4	7	2	0	0
30-34	8	8.08	4	4	0	3	2	1	2	0	0
35-39	2	2.02	2	0	0	0	1	0	1	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	99		53	46	0	64	16	14	5	0	0
PERCENT DISTRIBUTION		100.00	53.54	46.46	0.00	64.65	16.16	14.14	5.05	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.84	16.26	15.38	0.00	23.27	6.99	17.28	16.67	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH



TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX MALE	FEMALE	***** UNKNOWN	***** BIRTH ORDER *****						*****
						1	2	3	4	GREATER THAN 4	UNKNOWN	
ALL BIRTHS												
KENNEBEC												
LESS THAN 15	1	0.07	0	1	0	1	0	0	0	0	0	
15	7	0.46	3	4	0	7	0	0	0	0	0	
16	16	1.06	7	9	0	15	1	0	0	0	0	
17	37	2.46	17	20	0	33	4	0	0	0	0	
18	57	3.78	23	34	0	48	9	0	0	0	0	
19	71	4.71	35	36	0	52	18	1	0	0	0	
20-24	505	33.51	261	244	0	275	173	47	6	2	2	
25-29	504	33.44	257	247	0	155	239	85	21	4	0	
30-34	241	15.99	116	125	0	55	99	61	18	8	0	
35-39	60	3.98	28	32	0	13	22	12	5	8	0	
40-44	8	0.53	2	6	0	0	3	3	0	2	0	
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0	
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	
COUNTY TOTALS	1,507		749	758	0	654	568	209	50	24	2	
PERCENT DISTRIBUTION		100.00	49.70	50.30	0.00	43.40	37.69	13.87	3.32	1.59	0.13	

## 28 OUT OF WEDLOCK BIRTHS

LESS THAN 15	1	0.34	0	1	0	1	0	0	0	0	0
15	6	2.07	3	3	0	6	0	0	0	0	0
16	13	4.48	6	7	0	12	1	0	0	0	0
17	27	9.31	12	15	0	25	2	0	0	0	0
18	32	11.03	13	19	0	29	3	0	0	0	0
19	41	14.14	20	21	0	33	8	0	0	0	0
20-24	110	37.93	58	52	0	71	21	16	1	1	0
25-29	37	12.76	18	19	0	15	9	11	1	1	0
30-34	18	6.21	12	6	0	3	6	5	2	2	0
35-39	5	1.72	3	2	0	0	1	2	1	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	290		145	145	0	195	51	34	5	5	0
PERCENT DISTRIBUTION		100.00	50.00	50.00	0.00	67.24	17.59	11.72	1.72	1.72	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		19.24	19.36	19.13	0.00	29.82	8.98	16.27	10.00	20.83	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	***** UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
KNOX											
LESS THAN 15	3	0.57	2	1	0	3	0	0	0	0	0
15	2	0.38	2	0	0	2	0	0	0	0	0
16	7	1.33	4	3	0	5	2	0	0	0	0
17	6	1.14	1	5	0	6	0	0	0	0	0
18	24	4.57	16	8	0	17	5	2	0	0	0
19	28	5.33	12	16	0	22	6	0	0	0	0
20-24	165	31.43	78	87	0	75	75	9	4	2	0
25-29	172	32.76	99	73	0	66	60	28	14	3	1
30-34	82	15.62	44	38	0	25	28	14	9	5	1
35-39	31	5.90	18	13	0	4	14	8	2	3	0
40-44	4	0.76	3	1	0	0	1	1	0	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.19	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	525		279	246	0	226	191	62	29	15	2
PERCENT DISTRIBUTION		100.00	53.14	46.86	0.00	43.05	36.38	11.81	5.52	2.86	0.38

## 29 OUT OF WEDLOCK BIRTHS

LESS THAN 15	3	4.05	2	1	0	3	0	0	0	0	0
15	2	2.70	2	0	0	2	0	0	0	0	0
16	4	5.41	2	2	0	3	1	0	0	0	0
17	3	4.05	1	2	0	3	0	0	0	0	0
18	9	12.16	4	5	0	6	2	1	0	0	0
19	8	10.81	2	6	0	6	2	0	0	0	0
20-24	25	33.78	11	14	0	10	11	3	0	1	0
25-29	10	13.51	8	2	0	2	7	1	0	0	0
30-34	5	6.76	4	1	0	1	2	1	0	1	0
35-39	3	4.05	2	1	0	1	1	0	0	1	0
40-44	1	1.35	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	1.35	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	74		38	36	0	38	26	6	0	4	0
PERCENT DISTRIBUTION		100.00	51.35	48.65	0.00	51.35	35.14	8.11	0.00	5.41	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		14.10	13.62	14.63	0.00	16.81	13.61	9.68	0.00	26.67	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
LINCOLN											
LESS THAN 15	1	0.25	0	1	0	1	0	0	0	0	0
15	1	0.25	1	0	0	1	0	0	0	0	0
16	2	0.50	0	2	0	2	0	0	0	0	0
17	4	1.00	2	2	0	3	1	0	0	0	0
18	14	3.49	11	3	0	10	4	0	0	0	0
19	21	5.24	11	10	0	12	9	0	0	0	0
20-24	133	33.17	69	64	0	60	53	17	3	0	0
25-29	123	30.67	66	57	0	43	48	18	10	4	0
30-34	74	18.45	40	34	0	23	30	13	7	1	0
35-39	22	5.49	10	12	0	4	7	6	3	2	0
40-44	6	1.50	3	3	0	1	0	1	2	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	401		213	188	0	160	152	55	25	9	0
PERCENT DISTRIBUTION		100.00	53.12	46.88	0.00	39.90	37.91	13.72	6.23	2.24	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	1.79	0	1	0	1	0	0	0	0	0
15	1	1.79	1	0	0	1	0	0	0	0	0
16	2	3.57	0	2	0	2	0	0	0	0	0
17	4	7.14	2	2	0	3	1	0	0	0	0
18	3	5.36	3	0	0	2	1	0	0	0	0
19	7	12.50	3	4	0	6	1	0	0	0	0
20-24	20	35.71	9	11	0	14	5	1	0	0	0
25-29	8	14.29	5	3	0	1	4	1	2	0	0
30-34	6	10.71	2	4	0	3	1	0	2	0	0
35-39	2	3.57	1	1	0	0	1	0	0	1	0
40-44	2	3.57	1	1	0	0	0	1	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	56		27	29	0	33	14	3	4	2	0
PERCENT DISTRIBUTION		100.00	48.21	51.79	0.00	58.93	25.00	5.36	7.14	3.57	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		13.97	12.68	15.43	0.00	20.63	9.21	5.45	16.00	22.22	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
OXFORD											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	3	0.46	1	2	0	3	0	0	0	0	0
16	5	0.76	2	3	0	5	0	0	0	0	0
17	12	1.83	5	7	0	11	1	0	0	0	0
18	20	3.05	10	10	0	19	1	0	0	0	0
19	34	5.19	9	25	0	30	4	0	0	0	0
20-24	255	38.93	128	127	0	124	96	25	7	1	2
25-29	203	30.99	104	99	0	73	87	34	8	1	0
30-34	103	15.73	46	57	0	25	30	35	8	5	0
35-39	17	2.60	8	9	0	3	1	7	4	2	0
40-44	2	0.31	0	2	0	1	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.15	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	655		313	342	0	295	220	101	27	10	2
PERCENT DISTRIBUTION		100.00	47.79	52.21	0.00	45.04	33.59	15.42	4.12	1.53	0.31
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	3	2.63	1	2	0	3	0	0	0	0	0
16	4	3.51	1	3	0	4	0	0	0	0	0
17	9	7.89	5	4	0	9	0	0	0	0	0
18	9	7.89	5	4	0	9	0	0	0	0	0
19	12	10.53	4	8	0	9	3	0	0	0	0
20-24	49	42.98	24	25	0	24	16	6	2	0	1
25-29	18	15.79	10	8	0	8	7	1	2	0	0
30-34	8	7.02	2	6	0	3	2	3	0	0	0
35-39	2	1.75	1	1	0	0	0	1	1	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	114		53	61	0	69	28	11	5	0	1
PERCENT DISTRIBUTION		100.00	46.49	53.51	0.00	60.53	24.56	9.65	4.39	0.00	0.88
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		17.40	16.93	17.84	0.00	23.39	12.73	10.89	18.52	0.00	50.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	SEX FEMALE	***** UNKNOWN	***** 1	***** 2	***** 3	BIRTH ORDER 4	***** GREATER THAN 4	***** UNKNOWN
ALL BIRTHS											
PENOBSCOT											
LESS THAN 15	2	0.10	0	2	0	2	0	0	0	0	0
15	7	0.36	3	4	0	7	0	0	0	0	0
16	22	1.14	10	12	0	21	1	0	0	0	0
17	39	2.01	20	19	0	38	1	0	0	0	0
18	74	3.82	39	35	0	65	9	0	0	0	0
19	113	5.84	59	54	0	86	21	6	0	0	0
20-24	696	35.95	372	324	0	391	249	46	4	5	1
25-29	586	30.27	318	268	0	205	237	105	29	8	2
30-34	328	16.94	171	157	0	89	123	85	27	4	0
35-39	63	3.25	35	28	0	14	24	11	8	6	0
40-44	6	0.31	3	3	0	1	1	1	2	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,936		1,030	906	0	919	666	254	70	24	3
PERCENT DISTRIBUTION		100.00	53.20	46.80	0.00	47.47	34.40	13.12	3.62	1.24	0.15
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	2	0.55	0	2	0	2	0	0	0	0	0
15	6	1.64	3	3	0	6	0	0	0	0	0
16	18	4.93	7	11	0	17	1	0	0	0	0
17	26	7.12	12	14	0	25	1	0	0	0	0
18	42	11.51	20	22	0	38	4	0	0	0	0
19	39	10.68	25	14	0	32	6	1	0	0	0
20-24	143	39.18	85	58	0	84	45	11	1	2	0
25-29	58	15.89	29	29	0	13	21	18	5	1	0
30-34	22	6.03	11	11	0	8	6	5	3	0	0
35-39	7	1.92	4	3	0	4	0	3	0	0	0
40-44	2	0.55	2	0	0	1	0	0	1	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	365		198	167	0	230	84	38	10	3	0
PERCENT DISTRIBUTION		100.00	54.25	45.75	0.00	63.01	23.01	10.41	2.74	0.82	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		18.85	19.22	18.43	0.00	25.03	12.61	14.96	14.29	12.50	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					***** GREATER THAN 4 UNKNOWN	
1	2	3	4									
ALL BIRTHS												
PISCATAQUIS												
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0		0
15	0	0.00	0	0	0	0	0	0	0	0		0
16	4	1.57	3	1	0	4	0	0	0	0		0
17	9	3.54	4	5	0	9	0	0	0	0		0
18	8	3.15	3	5	0	5	3	0	0	0		0
19	19	7.48	12	7	0	12	6	1	0	0		0
20-24	94	37.01	60	34	0	44	36	13	0	0		1
25-29	83	32.68	41	42	0	23	39	17	4	0		0
30-34	27	10.63	11	16	0	5	8	8	2	4		0
35-39	10	3.94	5	5	0	2	3	2	2	1		0
40-44	0	0.00	0	0	0	0	0	0	0	0		0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0		0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0		0
COUNTY TOTALS	254		139	115	0	104	95	41	8	5		1
PERCENT DISTRIBUTION		100.00	54.72	45.28	0.00	40.94	37.40	16.14	3.15	1.97		0.39

## 33 OUT OF WEDLOCK BIRTHS

LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	3	5.56	2	1	0	3	0	0	0	0	0
17	9	16.67	4	5	0	9	0	0	0	0	0
18	5	9.26	3	2	0	5	0	0	0	0	0
19	7	12.96	5	2	0	5	2	0	0	0	0
20-24	24	44.44	18	6	0	13	9	2	0	0	0
25-29	5	9.26	2	3	0	1	2	2	0	0	0
30-34	1	1.85	1	0	0	0	0	0	1	0	0
35-39	0	0.00	0	0	0	0	0	0	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	54		35	19	0	36	13	4	1	0	0
PERCENT DISTRIBUTION		100.00	64.81	35.19	0.00	66.67	24.07	7.41	1.85	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		21.26	25.18	16.52	0.00	34.62	13.68	9.76	12.50	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE (YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX *****	*****	*****	***** BIRTH ORDER *****						*****
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN	
ALL BIRTHS												
SAGADAHOC												
LESS THAN 15	1	0.21	1	0	0	1	0	0	0	0	0	0
15	2	0.41	2	0	0	2	0	0	0	0	0	0
16	6	1.24	3	3	0	6	0	0	0	0	0	0
17	7	1.45	4	3	0	6	1	0	0	0	0	0
18	10	2.07	4	6	0	10	0	0	0	0	0	0
19	17	3.51	6	11	0	8	7	2	0	0	0	0
20-24	182	37.60	95	87	0	94	64	20	4	0	0	0
25-29	167	34.50	78	89	0	64	68	28	7	0	0	0
30-34	80	16.53	35	45	0	24	37	13	5	1	0	0
35-39	11	2.27	5	6	0	3	3	3	1	1	0	0
40-44	1	0.21	1	0	0	0	0	0	1	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	484		234	250	0	218	180	66	18	2	0	0
PERCENT DISTRIBUTION		100.00	48.35	51.65	0.00	45.04	37.19	13.64	3.72	0.41	0.00	
OUT OF WEDLOCK BIRTHS												
LESS THAN 15	1	2.04	1	0	0	1	0	0	0	0	0	0
15	1	2.04	1	0	0	1	0	0	0	0	0	0
16	5	10.20	2	3	0	5	0	0	0	0	0	0
17	3	6.12	2	1	0	3	0	0	0	0	0	0
18	4	8.16	1	3	0	4	0	0	0	0	0	0
19	4	8.16	0	4	0	3	0	1	0	0	0	0
20-24	23	46.94	14	9	0	13	5	3	2	0	0	0
25-29	7	14.29	3	4	0	4	2	1	0	0	0	0
30-34	1	2.04	0	1	0	0	1	0	0	0	0	0
35-39	0	0.00	0	0	0	0	0	0	0	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	49		24	25	0	34	8	5	2	0	0	0
PERCENT DISTRIBUTION		100.00	48.98	51.02	0.00	69.39	16.33	10.20	4.08	0.00	0.00	
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		10.12	10.26	10.00	0.00	15.60	4.44	7.58	11.11	0.00	0.00	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** BIRTH ORDER ***** 1 2 3 4 GREATER THAN 4 UNKNOWN
ALL BIRTHS				
SOMERSET				
LESS THAN 15	0	0.00	0 0	0 0 0 0 0 0
15	4	0.56	2 2	0 4 0 0 0 0
16	16	2.26	10 6	0 15 1 0 0 0
17	24	3.39	11 13	0 20 4 0 0 0
18	25	3.53	18 7	0 20 4 0 0 0
19	51	7.19	21 30	0 37 11 2 1 0
20-24	271	38.22	134 137	0 125 101 37 6 2 0
25-29	194	27.36	85 109	0 47 80 47 16 3 1
30-34	87	12.27	43 44	0 22 34 20 8 3 0
35-39	34	4.80	13 21	0 6 9 7 4 8 0
40-44	3	0.42	1 2	0 0 0 0 2 1 0
GREATER THAN 44	0	0.00	0 0	0 0 0 0 0 0 0
UNKNOWN	0	0.00	0 0	0 0 0 0 0 0 0
COUNTY TOTALS	709		338 371	0 296 244 113 37 17 2
PERCENT DISTRIBUTION		100.00	47.67 52.33	0.00 41.75 34.41 15.94 5.22 2.40 0.28

## 35 OUT OF WEDLOCK BIRTHS

LESS THAN 15	0	0.00	0 0	0 0 0 0 0 0
15	4	2.67	2 2	0 4 0 0 0 0
16	14	9.33	9 5	0 13 1 0 0 0
17	15	10.00	9 6	0 14 1 0 0 0
18	15	10.00	9 6	0 11 3 0 0 0
19	18	12.00	5 13	0 13 4 1 0 0
20-24	50	33.33	27 23	0 31 12 5 2 0 0
25-29	18	12.00	7 11	0 6 6 4 2 0 0
30-34	8	5.33	1 7	0 2 3 2 1 0 0
35-39	7	4.67	3 4	0 2 1 0 1 3 0
40-44	1	0.67	0 1	0 0 0 0 1 0 0
GREATER THAN 44	0	0.00	0 0	0 0 0 0 0 0 0
UNKNOWN	0	0.00	0 0	0 0 0 0 0 0 0
COUNTY TOTALS	150		72 78	0 96 31 12 7 3 1
PERCENT DISTRIBUTION		100.00	48.00 52.00	0.00 64.00 20.67 8.00 4.67 2.00 0.67
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		21.16	21.30 21.02	0.00 32.43 12.70 10.62 18.92 17.65 50.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH



TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX MALE	***** FEMALE	***** UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
WALDO											
LESS THAN 15	1	0.24	1	0	0	1	0	0	0	0	0
15	3	0.71	1	2	0	3	0	0	0	0	0
16	3	0.71	3	0	0	3	0	0	0	0	0
17	6	1.43	3	3	0	4	2	0	0	0	0
18	14	3.33	8	6	0	12	2	0	0	0	0
19	22	5.24	13	9	0	18	4	0	0	0	0
20-24	129	30.71	62	67	0	56	52	16	5	0	0
25-29	135	32.14	67	68	0	41	48	34	8	4	0
30-34	75	17.86	43	32	0	24	25	17	3	5	1
35-39	28	6.67	15	13	0	8	8	8	3	1	0
40-44	3	0.71	1	2	0	0	0	1	0	2	0
GREATER THAN 44	1	0.24	0	1	0	0	0	0	0	1	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	420		217	203	0	170	141	76	19	13	1
PERCENT DISTRIBUTION		100.00	51.67	48.33	0.00	40.48	33.57	18.10	4.52	3.10	0.24

36

## OUT OF WEDLOCK BIRTHS

LESS THAN 15	1	1.30	1	0	0	1	0	0	0	0	0
15	3	3.90	1	2	0	3	0	0	0	0	0
16	3	3.90	3	0	0	3	0	0	0	0	0
17	2	2.60	1	1	0	2	0	0	0	0	0
18	7	9.09	4	3	0	6	1	0	0	0	0
19	9	11.69	6	3	0	7	2	0	0	0	0
20-24	20	25.97	13	7	0	8	8	4	0	0	0
25-29	21	27.27	8	13	0	5	5	8	3	0	0
30-34	8	10.39	4	4	0	3	3	2	0	0	0
35-39	3	3.90	3	0	0	2	0	0	0	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	77		44	33	0	40	19	14	3	1	0
PERCENT DISTRIBUTION		100.00	57.14	42.86	0.00	51.95	24.68	18.18	3.90	1.30	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		18.33	20.28	16.26	0.00	23.53	13.48	18.42	15.79	7.69	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
WASHINGTON											
LESS THAN 15	2	0.42	2	0	0	2	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	9	1.89	2	7	0	8	0	0	0	0	1
17	18	3.78	6	12	0	16	2	0	0	0	0
18	26	5.46	12	14	0	22	4	0	0	0	0
19	32	6.72	17	15	0	24	8	0	0	0	0
20-24	178	37.39	99	79	0	72	72	29	3	1	1
25-29	131	27.52	60	71	0	42	52	22	7	6	2
30-34	59	12.39	28	31	0	11	23	18	3	2	2
35-39	16	3.36	10	6	0	3	5	2	4	2	0
40-44	3	0.63	3	0	0	0	0	0	0	3	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	2	0.42	1	1	0	1	0	0	1	0	0
COUNTY TOTALS	476		240	236	0	201	166	71	18	14	6
PERCENT DISTRIBUTION		100.00	50.42	49.58	0.00	42.23	34.87	14.92	3.78	2.94	1.26
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	2	1.80	2	0	0	2	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	5	4.50	0	5	0	5	0	0	0	0	0
17	14	12.61	6	8	0	13	1	0	0	0	0
18	16	14.41	7	9	0	13	3	0	0	0	0
19	14	12.61	6	8	0	13	1	0	0	0	0
20-24	32	28.83	19	13	0	14	7	9	1	0	1
25-29	19	17.12	12	7	0	2	7	3	3	4	0
30-34	6	5.41	3	3	0	2	2	2	0	0	0
35-39	2	1.80	0	2	0	0	1	0	1	0	0
40-44	1	0.90	1	0	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	111		56	55	0	64	22	14	5	5	1
PERCENT DISTRIBUTION		100.00	50.45	49.55	0.00	57.66	19.82	12.61	4.50	4.50	0.90
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		23.32	23.33	23.31	0.00	31.84	13.25	19.72	27.78	35.71	16.67

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** BIRTH ORDER ***** 1 2 3 4 GREATER THAN 4 UNKNOWN
ALL BIRTHS				
YORK				
LESS THAN 15	1	0.05	0 1	0 1 0 0 0 0
15	10	0.48	5 5	0 10 0 0 0 0
16	19	0.91	10 9	0 18 1 0 0 0
17	38	1.81	15 23	0 34 4 0 0 0
18	65	3.10	37 28	0 57 7 1 0 0
19	94	4.49	45 49	0 79 14 1 0 0
20-24	688	32.86	350 338	0 377 239 53 10 4
25-29	692	33.05	350 342	0 271 289 100 20 10
30-34	381	18.19	197 184	0 104 144 92 27 14
35-39	92	4.39	42 50	0 16 30 21 11 14
40-44	11	0.53	8 3	0 2 2 2 2 3
GREATER THAN 44	0	0.00	0 0	0 0 0 0 0 0
UNKNOWN	3	0.14	2 1	0 2 0 1 0 0
COUNTY TOTALS	2,094		1,061 1,033	0 971 730 271 70 45
PERCENT DISTRIBUTION		100.00	50.67 49.33	0.00 46.37 34.86 12.94 3.34 2.15 0.33

38

## OUT OF WEDLOCK BIRTHS

LESS THAN 15	1	0.36	0 1	0 1 0 0 0 0
15	8	2.89	5 3	0 8 0 0 0 0
16	12	4.33	4 8	0 11 1 0 0 0
17	20	7.22	8 12	0 18 2 0 0 0
18	35	12.64	20 15	0 32 2 1 0 0
19	28	10.11	13 15	0 25 3 0 0 0
20-24	100	36.10	49 51	0 62 25 9 1 1
25-29	48	17.33	24 24	0 18 17 10 1 2
30-34	19	6.86	12 7	0 5 5 7 2 0
35-39	4	1.44	2 2	0 1 2 1 0 0
40-44	2	0.72	1 1	0 1 0 1 0 0
GREATER THAN 44	0	0.00	0 0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0	0 0 0 0 0 0
COUNTY TOTALS	277		138 139	0 182 57 29 4 3
PERCENT DISTRIBUTION		100.00	49.82 50.18	0.00 65.70 20.58 10.47 1.44 1.08 0.72
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		13.23	13.01 13.46	0.00 18.74 7.81 10.70 5.71 6.67 28.57

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-05

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

STATE AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	***** FEMALE	***** UNKNOWN	***** BIRTH ORDER *****					*****	
						1	2	3	4	GREATER THAN 4	UNKNOWN	
ALL BIRTHS												
MAINE SUMMARY												
LESS THAN 15	17	0.10	10	7	0	17	0	0	0	0	0	
15	73	0.44	39	34	0	72	1	0	0	0	0	
16	189	1.14	97	92	0	178	10	0	0	0	1	
17	330	1.98	164	166	0	291	35	3	0	0	1	
18	575	3.46	306	269	0	472	94	8	0	0	1	
19	846	5.09	424	422	0	633	182	26	2	1	2	
20-24	5,736	34.49	2,928	2,808	0	2,982	2,058	567	94	21	14	
25-29	5,250	31.57	2,721	2,529	0	1,943	2,103	878	236	74	16	
30-34	2,808	16.88	1,435	1,373	0	796	1,046	634	240	84	8	
35-39	706	4.25	379	327	0	154	225	150	94	83	0	
40-44	78	0.47	44	34	0	8	12	16	14	27	1	
GREATER THAN 44	1	0.01	0	1	0	0	0	0	0	1	0	
UNKNOWN	22	0.13	13	9	0	16	3	2	1	0	0	
STATE TOTALS	16,631		8,560	8,071	0	7,562	5,769	2,284	681	291	44	
PERCENT DISTRIBUTION		100.00	51.47	48.53	0.00	45.47	34.69	13.73	4.09	1.75	0.26	
OUT OF WEDLOCK BIRTHS												
LESS THAN 15	16	0.59	9	7	0	16	0	0	0	0	0	
15	67	2.47	37	30	0	66	1	0	0	0	0	
16	145	5.35	72	73	0	138	7	0	0	0	0	
17	220	8.12	117	103	0	203	15	1	0	0	1	
18	299	11.03	152	147	0	261	33	4	0	0	1	
19	313	11.55	165	148	0	251	54	7	0	0	1	
20-24	991	36.55	533	458	0	557	281	119	21	7	6	
25-29	415	15.31	208	207	0	133	142	99	28	11	2	
30-34	173	6.38	87	86	0	53	46	42	27	5	0	
35-39	59	2.18	35	24	0	16	15	9	8	11	0	
40-44	11	0.41	6	5	0	3	0	2	2	4	0	
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0	
UNKNOWN	2	0.07	1	1	0	1	1	0	0	0	0	
STATE TOTALS	2,711		1,422	1,289	0	1,698	595	283	86	38	11	
PERCENT DISTRIBUTION		100.00	52.45	47.55	0.00	62.63	21.95	10.44	3.17	1.40	0.41	
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		16.30	16.61	15.97	0.00	22.45	10.31	12.39	12.63	13.06	25.00	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
ANDROSCOGGIN								
LESS THAN 1000	7	0.46	3	0	2	0	0	2
1000-1499	7	0.46	3	3	1	0	0	0
1500-1999	19	1.24	9	4	4	1	0	1
2000-2499	51	3.32	26	10	13	2	0	0
2500-2999	218	14.18	123	54	30	9	1	1
3000-3499	552	35.91	309	150	75	16	0	2
3500-3999	499	32.47	290	131	66	9	0	3
4000-4499	152	9.89	94	37	18	3	0	0
4500-4999	29	1.89	17	7	3	2	0	0
GREATER THAN 4999	3	0.20	2	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	1,537		876	397	212	42	1	9
PERCENT DISTRIBUTION		100.00	56.99	25.83	13.79	2.73	0.07	0.59
40 AROOSTOOK								
LESS THAN 1000	7	0.52	2	1	2	0	0	2
1000-1499	7	0.52	5	1	1	0	0	0
1500-1999	18	1.34	5	8	2	1	1	1
2000-2499	41	3.06	19	12	9	0	0	1
2500-2999	169	12.59	74	51	29	9	1	5
3000-3499	463	34.50	208	163	80	8	1	3
3500-3999	450	33.53	187	164	85	9	0	5
4000-4499	151	11.25	67	51	29	3	0	1
4500-4999	33	2.46	13	15	5	0	0	0
GREATER THAN 4999	2	0.15	0	1	1	0	0	0
UNKNOWN	1	0.07	0	1	0	0	0	0
COUNTY TOTALS	1,342		580	468	243	30	3	18
PERCENT DISTRIBUTION		100.00	43.22	34.87	18.11	2.24	0.22	1.34

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
CUMBERLAND								
LESS THAN 1000	16	0.49	6	5	2	1	0	2
1000-1499	15	0.46	11	2	1	0	0	1
1500-1999	38	1.17	17	8	6	3	0	4
2000-2499	114	3.50	60	30	14	3	1	6
2500-2999	394	12.10	215	89	72	9	2	7
3000-3499	1,134	34.83	614	319	145	27	1	28
3500-3999	1,099	33.75	643	280	136	19	0	21
4000-4499	372	11.43	214	102	45	7	0	4
4500-4999	63	1.93	38	16	7	2	0	0
GREATER THAN 4999	7	0.21	3	3	0	0	0	1
UNKNOWN	4	0.12	3	0	1	0	0	0
COUNTY TOTALS	3,256		1,824	854	429	71	4	74
PERCENT DISTRIBUTION		100.00	56.02	26.23	13.18	2.18	0.12	2.27
41 FRANKLIN								
LESS THAN 1000	1	0.24	1	0	0	0	0	0
1000-1499	6	1.46	2	1	2	0	0	1
1500-1999	6	1.46	3	0	2	0	0	1
2000-2499	11	2.68	8	3	0	0	0	0
2500-2999	55	13.41	32	9	11	2	0	1
3000-3499	156	38.05	85	40	24	7	0	0
3500-3999	129	31.46	69	35	19	3	0	3
4000-4499	37	9.02	22	7	6	1	0	1
4500-4999	8	1.95	5	3	0	0	0	0
GREATER THAN 4999	1	0.24	0	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	410		227	99	64	13	0	7
PERCENT DISTRIBUTION		100.00	55.37	24.15	15.61	3.17	0.00	1.71

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL CARE BEGAN ***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
HANCOCK								
LESS THAN 1000	1	0.16	0	0	0	0	0	1
1000-1499	4	0.64	2	0	2	0	0	0
1500-1999	9	1.44	5	2	2	0	0	0
2000-2499	12	1.92	4	3	3	1	0	1
2500-2999	64	10.24	28	20	13	2	0	1
3000-3499	224	35.84	85	71	59	6	1	2
3500-3999	219	35.04	101	75	38	4	0	1
4000-4499	72	11.52	19	33	20	0	0	0
4500-4999	17	2.72	6	8	3	0	0	0
GREATER THAN 4999	3	0.48	2	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	625		252	213	140	13	1	6
PERCENT DISTRIBUTION		100.00	40.32	34.08	22.40	2.08	0.16	0.96
KENNEBEC								
LESS THAN 1000	7	0.46	4	0	1	0	0	2
1000-1499	2	0.13	1	0	0	0	0	1
1500-1999	13	0.86	2	5	3	0	0	3
2000-2499	50	3.32	21	22	2	2	1	2
2500-2999	198	13.14	109	58	24	5	1	1
3000-3499	503	33.38	264	169	62	4	0	4
3500-3999	522	34.64	270	192	49	4	0	7
4000-4499	168	11.15	84	64	18	1	0	1
4500-4999	37	2.46	21	12	3	0	0	1
GREATER THAN 4999	5	0.33	2	1	1	1	0	0
UNKNOWN	2	0.13	1	0	0	0	0	1
COUNTY TOTALS	1,507		779	523	163	17	2	23
PERCENT DISTRIBUTION		100.00	51.69	34.70	10.82	1.13	0.13	1.53

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL CARE BEGAN 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
KNOX								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	1	0.19	0	0	0	0	0	1
1500-1999	9	1.71	2	3	1	1	1	1
2000-2499	20	3.81	7	4	7	0	0	2
2500-2999	67	12.76	29	15	17	1	0	5
3000-3499	175	33.33	61	53	48	7	0	6
3500-3999	162	30.86	68	66	21	4	1	2
4000-4499	72	13.71	30	26	14	0	0	2
4500-4999	16	3.05	9	3	4	0	0	0
GREATER THAN 4999	3	0.57	1	1	0	1	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	525		207	171	112	14	2	19
PERCENT DISTRIBUTION		100.00	39.43	32.57	21.33	2.67	0.38	3.62
43 LINCOLN								
LESS THAN 1000	1	0.25	0	0	0	0	0	1
1000-1499	1	0.25	0	0	0	0	0	1
1500-1999	5	1.25	3	2	0	0	0	0
2000-2499	11	2.74	6	0	4	0	0	1
2500-2999	54	13.47	22	14	14	2	2	0
3000-3499	142	35.41	61	43	30	2	2	4
3500-3999	127	31.67	70	27	17	4	2	7
4000-4499	50	12.47	27	15	5	1	1	1
4500-4999	9	2.24	5	1	2	0	0	1
GREATER THAN 4999	1	0.25	0	0	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	401		194	102	73	9	7	16
PERCENT DISTRIBUTION		100.00	48.38	25.44	18.20	2.24	1.75	3.99

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH



TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
OXFORD								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	4	0.61	2	1	0	0	0	1
1500-1999	4	0.61	1	3	0	0	0	0
2000-2499	23	3.51	5	9	7	0	0	2
2500-2999	71	10.84	26	27	15	3	0	0
3000-3499	239	36.49	97	85	49	7	0	1
3500-3999	232	35.42	88	94	42	4	0	4
4000-4499	68	10.38	19	37	12	0	0	0
4500-4999	13	1.98	5	8	0	0	0	0
GREATER THAN 4999	1	0.15	1	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	655		244	264	125	14	0	8
PERCENT DISTRIBUTION		100.00	37.25	40.31	19.08	2.14	0.00	1.22
PENOBSCOT								
LESS THAN 1000	6	0.31	1	1	1	0	0	3
1000-1499	10	0.52	7	1	2	0	0	0
1500-1999	18	0.93	10	4	3	0	0	1
2000-2499	62	3.20	39	14	7	2	0	0
2500-2999	244	12.60	151	51	35	3	2	2
3000-3499	676	34.92	411	155	89	15	3	3
3500-3999	652	33.68	416	147	67	14	2	6
4000-4499	222	11.47	143	43	31	3	0	2
4500-4999	40	2.07	25	7	7	0	0	1
GREATER THAN 4999	6	0.31	3	2	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	1,936		1,206	425	243	37	7	18
PERCENT DISTRIBUTION		100.00	62.29	21.95	12.55	1.91	0.36	0.93

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
PISCATAQUIS								
LESS THAN 1000	3	1.18	0	1	0	0	0	2
1000-1499	3	1.18	1	1	0	0	0	1
1500-1999	2	0.79	1	1	0	0	0	0
2000-2499	8	3.15	4	1	3	0	0	0
2500-2999	37	14.57	17	10	6	1	0	3
3000-3499	81	31.89	46	14	18	1	0	2
3500-3999	83	32.68	40	23	16	1	0	3
4000-4499	27	10.63	17	4	6	0	0	0
4500-4999	8	3.15	8	0	0	0	0	0
GREATER THAN 4999	2	0.79	0	2	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	254		134	57	49	3	0	11
PERCENT DISTRIBUTION		100.00	52.76	22.44	19.29	1.18	0.00	4.33
45 SAGADAHOC								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	3	0.62	3	0	0	0	0	0
2000-2499	19	3.93	10	3	6	0	0	0
2500-2999	73	15.08	33	25	13	2	0	0
3000-3499	172	35.54	105	33	25	8	0	1
3500-3999	153	31.61	95	39	19	0	0	0
4000-4499	54	11.16	38	5	9	2	0	0
4500-4999	10	2.07	4	1	4	1	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	484		288	106	76	13	0	1
PERCENT DISTRIBUTION		100.00	59.50	21.90	15.70	2.69	0.00	0.21

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
SOMERSET								
LESS THAN 1000	4	0.56	2	1	0	1	0	0
1000-1499	4	0.56	0	3	0	0	0	1
1500-1999	4	0.56	2	2	0	0	0	0
2000-2499	29	4.09	13	9	6	0	1	0
2500-2999	89	12.55	36	37	12	0	0	4
3000-3499	244	34.41	91	100	47	3	1	2
3500-3999	229	32.30	98	94	31	5	0	1
4000-4499	83	11.71	30	33	15	3	0	2
4500-4999	18	2.54	8	5	4	0	0	1
GREATER THAN 4999	4	0.56	2	2	0	0	0	0
UNKNOWN	1	0.14	0	0	0	0	0	1
COUNTY TOTALS	709		282	286	115	12	2	12
PERCENT DISTRIBUTION		100.00	39.77	40.34	16.22	1.69	0.28	1.69
WALDO								
LESS THAN 1000	4	0.95	1	1	1	0	0	1
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	2	0.48	1	0	0	0	0	1
2000-2499	15	3.57	9	4	2	0	0	0
2500-2999	46	10.95	16	18	12	0	0	0
3000-3499	136	32.38	64	44	24	3	0	1
3500-3999	153	36.43	69	50	26	4	1	3
4000-4499	54	12.86	25	21	7	1	0	0
4500-4999	10	2.38	3	7	0	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	420		188	145	72	8	1	6
PERCENT DISTRIBUTION		100.00	44.76	34.52	17.14	1.90	0.24	1.43

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT : DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN ***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
WASHINGTON								
LESS THAN 1000	2	0.42	0	0	0	0	0	2
1000-1499	3	0.63	0	1	2	0	0	0
1500-1999	4	0.84	3	0	0	0	0	1
2000-2499	18	3.78	6	8	4	0	0	0
2500-2999	58	12.18	30	18	5	2	0	3
3000-3499	174	36.55	82	53	27	8	1	3
3500-3999	155	32.56	72	49	30	1	2	1
4000-4499	51	10.71	28	13	8	1	0	1
4500-4999	8	1.68	3	3	2	0	0	0
GREATER THAN 4999	3	0.63	1	1	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	476		225	146	79	12	3	11
PERCENT DISTRIBUTION		100.00	47.27	30.67	16.60	2.52	0.63	2.31
YORK								
LESS THAN 1000	13	0.62	8	1	1	0	1	2
1000-1499	12	0.57	7	1	1	0	0	3
1500-1999	15	0.72	11	4	0	0	0	0
2000-2499	70	3.34	41	15	7	5	0	2
2500-2999	270	12.89	150	71	38	9	0	2
3000-3499	754	36.01	479	170	76	14	2	13
3500-3999	710	33.91	470	159	66	11	0	4
4000-4499	208	9.93	134	40	27	2	1	4
4500-4999	36	1.72	24	8	3	1	0	0
GREATER THAN 4999	3	0.14	2	1	0	0	0	0
UNKNOWN	3	0.14	1	1	0	0	0	1
COUNTY TOTALS	2,094		1,327	471	219	42	4	31
PERCENT DISTRIBUTION		100.00	63.37	22.49	10.46	2.01	0.19	1.48

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-06

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

STATE AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
MAINE SUMMARY								
LESS THAN 1000	72	0.43	28	11	10	2	1	20
1000-1499	79	0.48	41	15	12	0	0	11
1500-1999	169	1.02	78	46	23	6	2	14
2000-2499	554	3.33	278	147	94	15	3	17
2500-2999	2,107	12.67	1,091	567	346	59	9	35
3000-3499	5,825	35.02	3,062	1,662	878	136	12	75
3500-3999	5,574	33.52	3,046	1,625	728	96	8	71
4000-4499	1,841	11.07	991	531	270	28	2	19
4500-4999	355	2.13	194	104	47	6	0	4
GREATER THAN 4999	44	0.26	19	17	5	2	0	1
UNKNOWN	11	0.07	5	2	1	0	0	3
STATE TOTALS	16,631		8,833	4,727	2,414	350	37	270
PERCENT DISTRIBUTION		100.00	53.11	28.42	14.52	2.10	0.22	1.62

48

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ANDROSCOGGIN											
0	2	0	0.00	0	0.00	0	0.00	1	50.00	1	50.00
1	4	1	25.00	0	0.00	3	75.00	0	0.00	0	0.00
2	8	0	0.00	3	37.50	5	62.50	0	0.00	0	0.00
3	8	0	0.00	6	75.00	2	25.00	0	0.00	0	0.00
4	12	3	25.00	7	58.33	2	16.67	0	0.00	0	0.00
5	20	4	20.00	10	50.00	6	30.00	0	0.00	0	0.00
6	46	18	39.13	23	50.00	5	10.87	0	0.00	0	0.00
7	47	23	48.94	19	40.43	5	10.64	0	0.00	0	0.00
8	84	48	57.14	32	38.10	4	4.76	0	0.00	0	0.00
9	108	79	73.15	28	25.93	1	0.93	0	0.00	0	0.00
GREATER THAN 9	1,171	1,084	92.57	83	7.09	4	0.34	0	0.00	0	0.00
UNKNOWN	27	13	48.15	1	3.70	5	18.52	0	0.00	8	29.63
COUNTY TOTALS	1,537	1,273	82.82	212	13.79	42	2.73	1	0.07	9	0.59
49 AROOSTOOK											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	4	2	50.00	2	50.00	0	0.00	0	0.00	0	0.00
2	8	1	12.50	2	25.00	4	50.00	0	0.00	1	12.50
3	8	2	25.00	1	12.50	5	62.50	0	0.00	0	0.00
4	14	6	42.86	5	35.71	3	21.43	0	0.00	0	0.00
5	26	11	42.31	11	42.31	4	15.38	0	0.00	0	0.00
6	38	19	50.00	18	47.37	1	2.63	0	0.00	0	0.00
7	51	29	56.86	17	33.33	5	9.80	0	0.00	0	0.00
8	104	66	63.46	33	31.73	4	3.85	1	0.96	0	0.00
9	108	81	75.00	26	24.07	0	0.00	0	0.00	1	0.93
GREATER THAN 9	955	827	86.60	126	13.19	1	0.10	0	0.00	1	0.10
UNKNOWN	26	4	15.38	2	7.69	3	11.54	2	7.69	15	57.69
COUNTY TOTALS	1,342	1,048	78.09	243	18.11	30	2.24	3	0.22	18	1.34

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
CUMBERLAND											
0	2	1	50.00	0	0.00	0	0.00	0	0.00	1	50.00
1	11	2	18.18	4	36.36	4	36.36	1	9.09	0	0.00
2	15	1	6.67	4	26.67	8	53.33	0	0.00	2	13.33
3	16	4	25.00	4	25.00	8	50.00	0	0.00	0	0.00
4	28	14	50.00	9	32.14	5	17.86	0	0.00	0	0.00
5	42	17	40.48	18	42.86	7	16.67	0	0.00	0	0.00
6	44	18	40.91	19	43.18	7	15.91	0	0.00	0	0.00
7	85	48	56.47	27	31.76	8	9.41	0	0.00	2	2.35
8	154	88	57.14	57	37.01	9	5.84	0	0.00	0	0.00
9	232	156	67.24	71	30.60	4	1.72	0	0.00	1	0.43
GREATER THAN 9	2,475	2,261	91.35	200	8.08	6	0.24	0	0.00	8	0.32
UNKNOWN	152	68	44.74	16	10.53	5	3.29	3	1.97	60	39.47
COUNTY TOTALS	3,256	2,678	82.25	429	13.18	71	2.18	4	0.12	74	2.27
FRANKLIN											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
3	3	0	0.00	1	33.33	2	66.67	0	0.00	0	0.00
4	11	2	18.18	5	45.45	4	36.36	0	0.00	0	0.00
5	8	4	50.00	4	50.00	0	0.00	0	0.00	0	0.00
6	19	9	47.37	9	47.37	1	5.26	0	0.00	0	0.00
7	18	13	72.22	4	22.22	1	5.56	0	0.00	0	0.00
8	51	33	64.71	17	33.33	1	1.96	0	0.00	0	0.00
9	49	43	87.76	5	10.20	1	2.04	0	0.00	0	0.00
GREATER THAN 9	242	221	91.32	18	7.44	1	0.41	0	0.00	2	0.83
UNKNOWN	7	1	14.29	0	0.00	1	14.29	0	0.00	5	71.43
COUNTY TOTALS	410	326	79.51	64	15.61	13	3.17	0	0.00	7	1.71

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
HANCOCK											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	0	0.00	0	0.00	0	0.00	0	0.00	1	100.00
2	5	3	60.00	1	20.00	1	20.00	0	0.00	0	0.00
3	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
4	9	1	11.11	5	55.56	3	33.33	0	0.00	0	0.00
5	13	4	30.77	7	53.85	2	15.38	0	0.00	0	0.00
6	24	12	50.00	11	45.83	1	4.17	0	0.00	0	0.00
7	43	21	48.84	19	44.19	3	6.98	0	0.00	0	0.00
8	63	31	49.21	32	50.79	0	0.00	0	0.00	0	0.00
9	91	68	74.73	22	24.18	1	1.10	0	0.00	0	0.00
GREATER THAN 9	363	320	88.15	42	11.57	1	0.28	0	0.00	0	0.00
UNKNOWN	12	5	41.67	1	8.33	0	0.00	1	8.33	5	41.67
COUNTY TOTALS	625	465	74.40	140	22.40	13	2.08	1	0.16	6	0.96
KENNEBEC											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	5	3	60.00	1	20.00	1	20.00	0	0.00	0	0.00
3	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
4	8	1	12.50	5	62.50	2	25.00	0	0.00	0	0.00
5	10	4	40.00	5	50.00	1	10.00	0	0.00	0	0.00
6	20	11	55.00	6	30.00	3	15.00	0	0.00	0	0.00
7	27	15	55.56	11	40.74	1	3.70	0	0.00	0	0.00
8	57	36	63.16	20	35.09	1	1.75	0	0.00	0	0.00
9	66	47	71.21	19	28.79	0	0.00	0	0.00	0	0.00
GREATER THAN 9	1,265	1,169	92.41	92	7.27	4	0.32	0	0.00	0	0.00
UNKNOWN	48	16	33.33	3	6.25	4	8.33	2	4.17	23	47.92
COUNTY TOTALS	1,507	1,302	86.40	163	10.82	17	1.13	2	0.13	23	1.53

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH



TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
KNOX											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
3	3	0	0.00	1	33.33	2	66.67	0	0.00	0	0.00
4	2	0	0.00	2	100.00	0	0.00	0	0.00	0	0.00
5	10	2	20.00	7	70.00	0	0.00	0	0.00	1	10.00
6	15	4	26.67	9	60.00	2	13.33	0	0.00	0	0.00
7	14	8	57.14	2	14.29	4	28.57	0	0.00	0	0.00
8	17	4	23.53	10	58.82	1	5.88	0	0.00	2	11.76
9	30	11	36.67	17	56.67	0	0.00	1	3.33	1	3.33
GREATER THAN 9	414	345	83.33	63	15.22	3	0.72	1	0.24	2	0.48
UNKNOWN	18	4	22.22	1	5.56	0	0.00	0	0.00	13	72.22
COUNTY TOTALS	525	378	72.00	112	21.33	14	2.67	2	0.38	19	3.62
LINCOLN											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
5	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
6	11	4	36.36	6	54.55	1	9.09	0	0.00	0	0.00
7	16	6	37.50	10	62.50	0	0.00	0	0.00	0	0.00
8	19	8	42.11	10	52.63	1	5.26	0	0.00	0	0.00
9	16	13	81.25	3	18.75	0	0.00	0	0.00	0	0.00
GREATER THAN 9	298	253	84.90	42	14.09	2	0.67	0	0.00	1	0.34
UNKNOWN	37	11	29.73	0	0.00	4	10.81	7	18.92	15	40.54
COUNTY TOTALS	401	296	73.82	73	18.20	9	2.24	7	1.75	16	3.99

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
OXFORD											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
2	2	0	0.00	2	100.00	0	0.00	0	0.00	0	0.00
3	6	2	33.33	3	50.00	1	16.67	0	0.00	0	0.00
4	13	6	46.15	4	30.77	3	23.08	0	0.00	0	0.00
5	17	7	41.18	6	35.29	4	23.53	0	0.00	0	0.00
6	18	7	38.89	10	55.56	1	5.56	0	0.00	0	0.00
7	36	18	50.00	15	41.67	3	8.33	0	0.00	0	0.00
8	72	44	61.11	26	36.11	1	1.39	0	0.00	1	1.39
9	72	56	77.78	16	22.22	0	0.00	0	0.00	0	0.00
GREATER THAN 9	409	368	89.98	41	10.02	0	0.00	0	0.00	0	0.00
UNKNOWN	9	0	0.00	1	11.11	1	11.11	0	0.00	7	77.78
COUNTY TOTALS	655	508	77.56	125	19.08	14	2.14	0	0.00	8	1.22
PENOBSCOT											
0	4	0	0.00	0	0.00	0	0.00	2	50.00	2	50.00
1	9	4	44.44	2	22.22	3	33.33	0	0.00	0	0.00
2	7	3	42.86	1	14.29	3	42.86	0	0.00	0	0.00
3	12	1	8.33	6	50.00	5	41.67	0	0.00	0	0.00
4	21	6	28.57	14	66.67	1	4.76	0	0.00	0	0.00
5	36	12	33.33	21	58.33	2	5.56	1	2.78	0	0.00
6	72	42	58.33	25	34.72	4	5.56	0	0.00	1	1.39
7	81	55	67.90	23	28.40	2	2.47	0	0.00	1	1.23
8	131	88	67.18	38	29.01	3	2.29	1	0.76	1	0.76
9	178	152	85.39	22	12.36	4	2.25	0	0.00	0	0.00
GREATER THAN 9	1,357	1,260	92.85	88	6.48	7	0.52	0	0.00	2	0.15
UNKNOWN	28	8	28.57	3	10.71	3	10.71	3	10.71	11	39.29
COUNTY TOTALS	1,936	1,631	84.25	243	12.55	37	1.91	7	0.36	18	0.93

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS  
MAINE COUNTIES AND STATE TDTALS, 1984 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
PISCATAQUIS											
0	1	0	0.00	0	0.00	0	0.00	0	0.00	1	100.00
1	3	1	33.33	2	66.67	0	0.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	6	0	0.00	5	83.33	1	16.67	0	0.00	0	0.00
5	9	2	22.22	7	77.78	0	0.00	0	0.00	0	0.00
6	11	5	45.45	5	45.45	1	9.09	0	0.00	0	0.00
7	12	9	75.00	3	25.00	0	0.00	0	0.00	0	0.00
8	19	9	47.37	9	47.37	0	0.00	0	0.00	1	5.26
9	22	16	72.73	6	27.27	0	0.00	0	0.00	0	0.00
GREATER THAN 9	158	145	91.77	12	7.59	0	0.00	0	0.00	1	0.63
UNKNOWN	13	4	30.77	0	0.00	1	7.69	0	0.00	8	61.54
COUNTY TOTALS	254	191	75.20	49	19.29	3	1.18	0	0.00	11	4.33
SAGadahoc											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
2	3	1	33.33	1	33.33	1	33.33	0	0.00	0	0.00
3	2	2	100.00	0	0.00	0	0.00	0	0.00	0	0.00
4	4	3	75.00	1	25.00	0	0.00	0	0.00	0	0.00
5	6	1	16.67	1	16.67	3	50.00	0	0.00	1	16.67
6	11	2	18.18	7	63.64	2	18.18	0	0.00	0	0.00
7	13	7	53.85	6	46.15	0	0.00	0	0.00	0	0.00
8	19	12	63.16	6	31.58	1	5.26	0	0.00	0	0.00
9	32	19	59.38	12	37.50	1	3.13	0	0.00	0	0.00
GREATER THAN 9	348	316	90.80	29	8.33	3	0.86	0	0.00	0	0.00
UNKNOWN	45	31	68.89	12	26.67	2	4.44	0	0.00	0	0.00
COUNTY TOTALS	484	394	81.40	76	15.70	13	2.69	0	0.00	1	0.21

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
SOMERSET											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	2	2	100.00	0	0.00	0	0.00	0	0.00	0	0.00
3	5	1	20.00	3	60.00	1	20.00	0	0.00	0	0.00
4	8	2	25.00	4	50.00	2	25.00	0	0.00	0	0.00
5	14	4	28.57	6	42.86	4	28.57	0	0.00	0	0.00
6	21	9	42.86	12	57.14	0	0.00	0	0.00	0	0.00
7	26	14	53.85	12	46.15	0	0.00	0	0.00	0	0.00
8	46	28	60.87	17	36.96	1	2.17	0	0.00	0	0.00
9	39	29	74.36	10	25.64	0	0.00	0	0.00	0	0.00
GREATER THAN 9	522	468	89.66	51	9.77	2	0.38	1	0.19	0	0.00
UNKNOWN	24	11	45.83	0	0.00	1	4.17	0	0.00	12	50.00
COUNTY TOTALS	709	568	80.11	115	16.22	12	1.69	2	0.28	12	1.69
WALDO											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	3	1	33.33	1	33.33	1	33.33	0	0.00	0	0.00
2	3	1	33.33	2	66.67	0	0.00	0	0.00	0	0.00
3	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
4	7	1	14.29	5	71.43	1	14.29	0	0.00	0	0.00
5	20	13	65.00	7	35.00	0	0.00	0	0.00	0	0.00
6	37	26	70.27	9	24.32	2	5.41	0	0.00	0	0.00
7	38	29	76.32	8	21.05	1	2.63	0	0.00	0	0.00
8	52	46	88.46	4	7.69	1	1.92	0	0.00	1	1.92
9	29	24	82.76	5	17.24	0	0.00	0	0.00	0	0.00
GREATER THAN 9	219	189	86.30	29	13.24	1	0.46	0	0.00	0	0.00
UNKNOWN	10	3	30.00	1	10.00	0	0.00	1	10.00	5	50.00
COUNTY TOTALS	420	333	79.29	72	17.14	8	1.90	1	0.24	6	1.43

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
WASHINGTON											
0	2	0	0.00	0	0.00	0	0.00	1	50.00	1	50.00
1	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
2	3	0	0.00	1	33.33	2	66.67	0	0.00	0	0.00
3	5	1	20.00	3	60.00	1	20.00	0	0.00	0	0.00
4	5	2	40.00	1	20.00	2	40.00	0	0.00	0	0.00
5	14	6	42.86	5	35.71	3	21.43	0	0.00	0	0.00
6	27	9	33.33	16	59.26	2	7.41	0	0.00	0	0.00
7	22	17	77.27	5	22.73	0	0.00	0	0.00	0	0.00
8	49	38	77.55	11	22.45	0	0.00	0	0.00	0	0.00
9	58	48	82.76	8	13.79	1	1.72	0	0.00	1	1.72
GREATER THAN 9	275	246	89.45	28	10.18	1	0.36	0	0.00	0	0.00
UNKNOWN	15	3	20.00	1	6.67	0	0.00	2	13.33	9	60.00
COUNTY TOTALS	476	371	77.94	79	16.60	12	2.52	3	0.63	11	2.31
YORK											
0	5	0	0.00	0	0.00	0	0.00	2	40.00	3	60.00
1	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
2	4	1	25.00	2	50.00	1	25.00	0	0.00	0	0.00
3	19	7	36.84	3	15.79	9	47.37	0	0.00	0	0.00
4	25	11	44.00	10	40.00	4	16.00	0	0.00	0	0.00
5	22	4	18.18	13	59.09	5	22.73	0	0.00	0	0.00
6	34	16	47.06	14	41.18	4	11.76	0	0.00	0	0.00
7	59	34	57.63	22	37.29	3	5.08	0	0.00	0	0.00
8	91	66	72.53	20	21.98	5	5.49	0	0.00	0	0.00
9	137	105	76.64	31	22.63	1	0.73	0	0.00	0	0.00
GREATER THAN 9	1,653	1,544	93.41	101	6.11	6	0.36	0	0.00	2	0.12
UNKNOWN	43	9	20.93	3	6.98	3	6.98	2	4.65	26	60.47
COUNTY TOTALS	2,094	1,798	85.86	219	10.46	42	2.01	4	0.19	31	1.48

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-07

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

STATE AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MAINE SUMMARY											
0	17	1	5.88	0	0.00	0	0.00	7	41.18	9	52.94
1	43	13	30.23	13	30.23	15	34.88	1	2.33	1	2.33
2	69	16	23.19	22	31.88	28	40.58	0	0.00	3	4.35
3	91	20	21.98	33	36.26	38	41.76	0	0.00	0	0.00
4	174	58	33.33	83	47.70	33	18.97	0	0.00	0	0.00
5	268	96	35.82	128	47.76	41	15.30	1	0.37	2	0.75
6	448	211	47.10	199	44.42	37	8.26	0	0.00	1	0.22
7	588	346	58.84	203	34.52	36	6.12	0	0.00	3	0.51
8	1,028	645	62.74	342	33.27	33	3.21	2	0.19	6	0.58
9	1,267	947	74.74	301	23.76	14	1.10	1	0.08	4	0.32
GREATER THAN 9	12,124	11,016	90.86	1,045	8.62	42	0.35	2	0.02	19	0.16
UNKNOWN	514	191	37.16	45	8.75	33	6.42	23	4.47	222	43.19
STATE TOTALS	16,631	13,560	81.53	2,414	14.52	350	2.10	37	0.22	270	1.62

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
ANDROSCOGGIN								
LESS THAN GRADE 9	56	3.64	16	20	17	.2	0	1
GRADES 9-11	284	18.48	112	72	78	21	0	1
GRADE 12	756	49.19	446	213	84	11	1	1
GREATER THAN GRADE 12	439	28.56	302	92	33	7	0	5
UNKNOWN	2	0.13	0	0	0	1	0	1
COUNTY TOTALS	1,537		876	397	212	42	1	9
PERCENT DISTRIBUTION		100.00	56.99	25.83	13.79	2.73	0.07	0.59
ARROOSTOOK								
LESS THAN GRADE 9	27	2.01	8	4	12	2	0	1
GRADES 9-11	185	13.79	68	62	44	9	0	2
GRADE 12	716	53.35	319	248	125	16	2	6
GREATER THAN GRADE 12	402	29.96	184	153	59	3	1	2
UNKNOWN	12	0.89	1	1	3	0	0	7
COUNTY TOTALS	1,342		580	468	243	30	3	18
PERCENT DISTRIBUTION		100.00	43.22	34.87	18.11	2.24	0.22	1.34
CUMBERLAND								
LESS THAN GRADE 9	60	1.84	24	14	14	6	0	2
GRADES 9-11	343	10.53	142	78	90	16	3	14
GRADE 12	1,291	39.65	690	355	191	27	0	28
GREATER THAN GRADE 12	1,496	45.95	938	393	129	17	1	18
UNKNOWN	66	2.03	30	14	5	5	0	12
COUNTY TOTALS	3,256		1,824	854	429	71	4	74
PERCENT DISTRIBUTION		100.00	56.02	26.23	13.18	2.18	0.12	2.27

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	***** NONE	UNKNOWN
FRANKLIN								
LESS THAN GRADE 9	10	2.44	1	4	4	1	0	0
GRADES 9-11	52	12.68	19	16	13	3	0	1
GRADE 12	211	51.46	120	54	28	7	0	2
GREATER THAN GRADE 12	134	32.68	87	25	19	2	0	1
UNKNOWN	3	0.73	0	0	0	0	0	3
COUNTY TOTALS	410		227	99	64	13	0	7
PERCENT DISTRIBUTION		100.00	55.37	24.15	15.61	3.17	0.00	1.71
HANCOCK								
LESS THAN GRADE 9	10	1.60	3	3	4	0	0	0
GRADES 9-11	73	11.68	19	23	23	7	0	1
GRADE 12	288	46.08	106	102	76	3	0	1
GREATER THAN GRADE 12	252	40.32	124	84	37	3	1	3
UNKNOWN	2	0.32	0	1	0	0	0	1
COUNTY TOTALS	625		252	213	140	13	1	6
PERCENT DISTRIBUTION		100.00	40.32	34.08	22.40	2.08	0.16	0.96
KENNEBEC								
LESS THAN GRADE 9	29	1.92	16	9	2	2	0	0
GRADES 9-11	183	12.14	65	66	46	3	0	3
GRADE 12	728	48.31	396	233	84	5	1	9
GREATER THAN GRADE 12	549	36.43	293	213	31	6	1	5
UNKNOWN	18	1.19	9	2	0	1	0	6
COUNTY TOTALS	1,507		779	523	163	17	2	23
PERCENT DISTRIBUTION		100.00	51.69	34.70	10.82	1.13	0.13	1.53

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH



TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL CARE BEGAN 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
KNOX								
LESS THAN GRADE 9	12	2.29	4	2	6	0	0	0
GRADES 9-11	78	14.86	20	16	25	11	0	6
GRADE 12	252	48.00	89	93	59	2	1	8
GREATER THAN GRADE 12	176	33.52	92	58	21	1	1	3
UNKNOWN	7	1.33	2	2	1	0	0	2
COUNTY TOTALS	525		207	171	112	14	2	19
PERCENT DISTRIBUTION		100.00	39.43	32.57	21.33	2.67	0.38	3.62
LINCOLN								
LESS THAN GRADE 9	13	3.24	4	3	5	0	0	1
GRADES 9-11	45	11.22	15	11	13	2	1	3
GRADE 12	201	50.12	95	52	38	4	5	7
GREATER THAN GRADE 12	141	35.16	80	36	16	3	1	5
UNKNOWN	1	0.25	0	0	1	0	0	0
COUNTY TOTALS	401		194	102	73	9	7	16
PERCENT DISTRIBUTION		100.00	48.38	25.44	18.20	2.24	1.75	3.99
OXFORD								
LESS THAN GRADE 9	10	1.53	1	4	3	1	0	1
GRADES 9-11	101	15.42	30	32	35	3	0	1
GRADE 12	358	54.66	131	149	68	6	0	4
GREATER THAN GRADE 12	182	27.79	81	78	19	4	0	0
UNKNOWN	4	0.61	1	1	0	0	0	2
COUNTY TOTALS	655		244	264	125	14	0	8
PERCENT DISTRIBUTION		100.00	37.25	40.31	19.08	2.14	0.00	1.22

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL CARE BEGAN 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
PENOBSCOT								
LESS THAN GRADE 9	32	1.65	11	6	11	2	1	1
GRADES 9-11	265	13.69	105	71	69	16	1	3
GRADE 12	906	46.80	542	223	115	15	5	6
GREATER THAN GRADE 12	720	37.19	545	124	46	4	0	1
UNKNOWN	13	0.67	3	1	2	0	0	7
COUNTY TOTALS	1,936		1,206	425	243	37	7	18
PERCENT DISTRIBUTION		100.00	62.29	21.95	12.55	1.91	0.36	0.93
PISCATAQUIS								
LESS THAN GRADE 9	4	1.57	2	0	2	0	0	0
GRADES 9-11	52	20.47	21	12	15	0	0	4
GRADE 12	127	50.00	65	30	25	3	0	4
GREATER THAN GRADE 12	68	26.77	46	15	5	0	0	2
UNKNOWN	3	1.18	0	0	2	0	0	1
COUNTY TOTALS	254		134	57	49	3	0	11
PERCENT DISTRIBUTION		100.00	52.76	22.44	19.29	1.18	0.00	4.33
SAGADAHOC								
LESS THAN GRADE 9	5	1.03	2	1	2	0	0	0
GRADES 9-11	74	15.29	35	19	15	5	0	0
GRADE 12	237	48.97	139	52	40	6	0	0
GREATER THAN GRADE 12	166	34.30	111	33	19	2	0	1
UNKNOWN	2	0.41	1	1	0	0	0	0
COUNTY TOTALS	484		288	106	76	13	0	1
PERCENT DISTRIBUTION		100.00	59.50	21.90	15.70	2.69	0.00	0.21

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
SOMERSET								
LESS THAN GRADE 9	14	1.97	2	4	5	2	0	1
GRADES 9-11	115	16.22	29	49	32	3	0	2
GRADE 12	380	53.60	158	152	59	6	2	3
GREATER THAN GRADE 12	197	27.79	92	81	19	1	0	4
UNKNOWN	3	0.42	1	0	0	0	0	2
COUNTY TOTALS	709		282	286	115	12	2	12
PERCENT DISTRIBUTION		100.00	39.77	40.34	16.22	1.69	0.28	1.69
WALDO								
LESS THAN GRADE 9	8	1.90	4	1	3	0	0	0
GRADES 9-11	69	16.43	24	25	19	1	0	0
GRADE 12	203	48.33	85	73	37	5	1	2
GREATER THAN GRADE 12	135	32.14	74	44	13	2	0	2
UNKNOWN	5	1.19	1	2	0	0	0	2
COUNTY TOTALS	420		188	145	72	8	1	6
PERCENT DISTRIBUTION		100.00	44.76	34.52	17.14	1.90	0.24	1.43
WASHINGTON								
LESS THAN GRADE 9	18	3.78	9	4	1	3	1	0
GRADES 9-11	87	18.28	40	27	15	3	1	1
GRADE 12	224	47.06	103	71	44	5	0	1
GREATER THAN GRADE 12	139	29.20	72	43	19	1	1	3
UNKNOWN	8	1.68	1	1	0	0	0	6
COUNTY TOTALS	476		225	146	79	12	3	11
PERCENT DISTRIBUTION		100.00	47.27	30.67	16.60	2.52	0.63	2.31

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-08

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
YORK								
LESS THAN GRADE 9	62	2.96	34	15	10	3	0	0
GRADES 9-11	264	12.61	133	50	65	12	0	4
GRADE 12	968	46.23	630	208	106	10	1	13
GREATER THAN GRADE 12	775	37.01	526	194	36	13	2	4
UNKNOWN	25	1.19	4	4	2	4	1	10
COUNTY TOTALS	2,094		1,327	471	219	42	4	31
PERCENT DISTRIBUTION		100.00	63.37	22.49	10.46	2.01	0.19	1.48
MAINE SUMMARY								
LESS THAN GRADE 9	370	2.22	141	94	101	24	2	8
GRADES 9-11	2,270	13.65	877	629	597	115	6	46
GRADE 12	7,846	47.18	4,114	2,308	1,179	131	19	95
GREATER THAN GRADE 12	5,971	35.90	3,647	1,666	521	69	9	59
UNKNOWN	174	1.05	54	30	16	11	1	62
STATE TOTALS	16,631		8,833	4,727	2,414	350	37	270
PERCENT DISTRIBUTION		100.00	53.11	28.42	14.52	2.10	0.22	1.62

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-09

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - NUMBER OF BIRTHS  
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1984 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20	NON- WHITE YRS.	NO PRENATAL CARE	WITH COMP. PREG.	C-SECTION	CONGEN. ANOM- ALIES	BIRTHWEIGHT IN GRAMS UNDER 2500	OVER 4999
BATH MEMORIAL HOSPITAL	163	16	12	1	0	6	21	7	10	0
BLUE HILL MEMORIAL HOSP.	311	42	37	2	1	30	31	5	3	1
CALAIS REGIONAL HOSPITAL	148	44	30	17	0	45	25	4	5	2
CARY MEDICAL CENTER	274	57	43	2	0	40	47	2	13	0
CENTRAL MAINE MEDICAL CENTER	1,105	208	141	16	1	207	185	19	77	1
CHARLES A. DEAN MEMORIAL HOSP.	35	9	6	0	0	5	3	1	1	0
DOWN EAST COMMUNITY HOSPITAL	185	43	36	12	2	13	16	0	5	0
EASTERN MAINE MED CTR	1,754	322	205	57	6	225	281	21	111	6
FRANKLIN MEMORIAL HOSPITAL	531	88	76	2	0	77	68	7	18	3
HENRIETTA D. GOODALL HOSP.	443	63	54	6	0	81	58	14	16	1
HOULTON REGIONAL HOSPITAL	219	46	35	14	0	22	28	2	7	0
J.A. TAYLOR OSTEOPATHIC HOSP.	32	5	4	2	0	3	4	0	1	0
KEN VALLEY MED CTR-AUGUSTA	675	158	95	11	1	159	89	17	30	4
KEN VALLEY MED CTR-GARDINER	1	1	1	0	0	0	0	0	0	0
MAINE COAST MEMORIAL HOSP.	196	35	27	3	0	106	49	4	14	0
MAINE MEDICAL CENTER	2,538	284	197	48	6	415	351	37	224	10
MAYO REGIONAL HOSPITAL	304	67	56	1	1	57	26	7	8	2
MERCY HOSPITAL	503	117	82	7	0	47	63	6	19	0
MID-MAINE MEDICAL CTR-SETON	1,039	170	137	3	0	194	88	17	45	2
MILES MEMORIAL HOSPITAL	146	21	17	4	7	26	8	1	2	0
MILLINOCKET REGIONAL HOSP.	184	34	37	1	1	23	40	0	11	0
MOUNT DESERT ISLAND HOSPITAL	71	17	11	1	0	11	8	2	0	2
NORTH CUMBERLAND MEM. HOSP.	144	26	18	1	1	17	28	1	6	1
NORTHERN MAINE MEDICAL CTR	94	16	6	0	0	27	20	0	3	0
OSTEOPATHIC HOSPITAL OF MAINE	445	98	69	6	0	86	38	13	21	2
PARKVIEW MEMORIAL HOSPITAL	892	73	82	24	0	84	105	25	21	4
PENOBSCOT BAY MEDICAL CETER	567	83	72	3	2	195	64	5	24	3
PENOBSCOTT VALLEY HOSPITAL	142	27	30	1	1	15	22	1	3	1
REDINGTON-FAIRVIEW HOSP.	236	60	46	3	2	43	30	10	7	0
RUMFORD COMMUNITY HOSPITAL	110	26	13	1	0	9	13	1	6	0
SEBASTICOOK VALLEY HOSPITAL	2	1	0	0	0	0	0	0	0	0
ST MARYS GENERAL HOSPITAL	496	77	59	2	0	53	100	7	20	1
ST. ANDREWS HOSPITAL	43	6	4	1	0	7	4	1	1	0
STEPHENS MEMORIAL HOSPITAL	300	55	41	4	0	27	35	6	8	0
THE AROOS MED CTR-PRESQUE ISLE	408	70	49	6	3	84	54	3	31	2
US AIR FORCE HOSPITAL	318	7	30	25	0	94	40	3	6	1
WALDO COUNTY GENERAL HOSPITAL	181	39	25	1	0	25	24	1	11	0
WATERVILLE OSTEOPATHIC HOSP.	124	39	29	2	0	28	19	2	4	2
WEBBER HOSPITAL	520	94	68	16	0	75	102	32	23	0
WESTBROOK COMMUNITY HOSPITAL	26	3	4	0	0	1	4	2	1	0
AT HOME	132	17	3	0	2	14	1	0	5	1
BORN ON WAY TO HOSPITAL	6	1	0	0	0	1	0	0	1	0
DOCTOR'S OFFICE	1	0	0	0	0	0	0	0	0	0
OUT PATIENT FACILITY	86	6	3	2	0	6	0	1	2	0
STREET ADDRESS	4	1	0	0	0	0	0	0	0	0
STATE TOTALS	16,134	2,672	1,990	308	37	2,683	2,192	287	824	52

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-10

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - PERCENTAGE OF TOTAL BIRTHS  
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1984 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	***** PERCENTAGE OF THE TOTAL BIRTHS IN EACH BIRTH SITE *****								***** BIRTHWEIGHT IN GRAMS *****	
		OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20 YRS.	NON- WHITE	NO PRENATAL CARE	WITH COMP. PREG.	C-SECTION	CONGEN. ANOM- ALIES	UNDER 2500	OVER 4999	
BATH MEMORIAL HOSPITAL	163	9.82	7.36	0.61	0.00	3.68	12.88	4.29	6.13	0.00	
BLUE HILL MEMORIAL HOSP.	311	13.50	11.90	0.64	0.32	9.65	9.97	1.61	0.96	0.32	
CALAIS REGIONAL HOSPITAL	148	29.73	20.27	11.49	0.00	30.41	16.89	2.70	3.38	1.35	
CARY MEDICAL CENTER	274	20.80	15.69	0.73	0.00	14.60	17.15	0.73	4.74	0.00	
CENTRAL MAINE MEDICAL CENTER	1,105	18.82	12.76	1.45	0.09	18.73	16.74	1.72	6.97	0.09	
CHARLES A. DEAN MEMORIAL HOSP.	35	25.71	17.14	0.00	0.00	14.29	8.57	2.86	2.86	0.00	
DOWN EAST COMMUNITY HOSPITAL	185	23.24	19.46	6.49	1.08	7.03	8.65	0.00	2.70	0.00	
EASTERN MAINE MED CTR	1,754	18.36	11.69	3.25	0.34	12.83	16.02	1.20	6.33	0.34	
FRANKLIN MEMORIAL HOSPITAL	531	16.57	14.31	0.38	0.00	14.50	12.81	1.32	3.39	0.56	
HENRIETTA D. GOODALL HOSP.	443	14.22	12.19	1.35	0.00	18.28	13.09	3.16	3.61	0.23	
HOULTON REGIONAL HOSPITAL	219	21.00	15.98	6.39	0.00	10.05	12.79	0.91	3.20	0.00	
J. A. TAYLOR OSTEOPATHIC HOSP.	32	15.63	12.50	6.25	0.00	9.38	12.50	0.00	3.13	0.00	
KEN VALLEY MED CTR-AUGUSTA	675	23.41	14.07	1.63	0.15	23.56	13.19	2.52	4.44	0.59	
KEN VALLEY MED CTR-GARDINER	1	100.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
MAINE COAST MEMORIAL HOSP.	196	17.86	13.78	1.53	0.00	54.08	25.00	2.04	7.14	0.00	
MAINE MEDICAL CENTER	2,538	11.19	7.76	1.89	0.24	16.35	13.83	1.46	8.83	0.39	
MAYO REGIONAL HOSPITAL	304	22.04	18.42	0.33	0.33	18.75	8.55	2.30	2.63	0.66	
MERCY HOSPITAL	503	23.26	16.30	1.39	0.00	9.34	12.52	1.19	3.78	0.00	
MID-MAINE MEDICAL CTR-SETON	1,039	16.36	13.19	0.29	0.00	18.67	8.47	1.64	4.33	0.19	
MILES MEMORIAL HOSPITAL	146	14.38	11.64	2.74	4.79	17.81	5.48	0.68	1.37	0.00	
MILLINOCKET REGIONAL HOSP.	184	18.48	20.11	0.54	0.54	12.50	21.74	0.00	5.98	0.00	
MOUNT DESERT ISLAND HOSPITAL	71	23.94	15.49	1.41	0.00	15.49	11.27	2.82	0.00	2.82	
NORTH CUMBERLAND MEM. HOSP.	144	18.06	12.50	0.69	0.69	11.81	19.44	0.69	4.17	0.69	
NORTHERN MAINE MEDICAL CTR	94	17.02	6.38	0.00	0.00	28.72	21.28	0.00	3.19	0.00	
OSTEOPATHIC HOSPITAL OF MAINE	445	22.02	15.51	1.35	0.00	19.33	8.54	2.92	4.72	0.45	
PARKVIEW MEMORIAL HOSPITAL	892	8.18	9.19	2.69	0.00	9.42	11.77	2.80	2.35	0.45	
PENOBSCOT BAY MEDICAL CETER	567	14.64	12.70	0.53	0.35	34.39	11.29	0.88	4.23	0.53	
PENOBSCOTT VALLEY HOSPITAL	142	19.01	21.13	0.70	0.70	10.56	15.49	0.70	2.11	0.70	
REDINGTON-FAIRVIEW HOSP.	236	25.42	19.49	1.27	0.85	18.22	12.71	4.24	2.97	0.00	
RUMFORD COMMUNITY HOSPITAL	110	23.64	11.82	0.91	0.00	8.18	11.82	0.91	5.45	0.00	
SEBASTICOOK VALLEY HOSPITAL	2	50.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ST MARYS GENERAL HOSPITAL	496	15.52	11.90	0.40	0.00	10.69	20.16	1.41	4.03	0.20	
ST. ANDREWS HOSPITAL	43	13.95	9.30	2.33	0.00	16.28	9.30	2.33	2.33	0.00	
STEPHENS MEMORIAL HOSPITAL	300	18.33	13.67	1.33	0.00	9.00	11.67	2.00	2.67	0.00	
THE AROOS MED CTR-PRESQUE ISLE	408	17.16	12.01	1.47	0.74	20.59	13.24	0.74	7.60	0.49	
US AIR FORCE HOSPITAL	318	2.20	9.43	7.86	0.00	29.56	12.58	0.94	1.89	0.31	
WALDO COUNTY GENERAL HOSPITAL	181	21.55	13.81	0.55	0.00	13.81	13.26	0.55	6.08	0.00	
WATERVILLE OSTEOPATHIC HOSP.	124	31.45	23.39	1.61	0.00	22.58	15.32	1.61	3.23	1.61	
WEBBER HOSPITAL	520	18.08	13.08	3.08	0.00	14.42	19.62	6.15	4.42	0.00	
WESTBROOK COMMUNITY HOSPITAL	26	11.54	15.38	0.00	0.00	3.85	15.38	7.69	3.85	0.00	
AT HOME	132	12.88	2.27	0.00	1.52	10.61	0.76	0.00	3.79	0.76	
BORN ON WAY TO HOSPITAL	6	16.67	0.00	0.00	0.00	16.67	0.00	0.00	16.67	0.00	
DOCTOR'S OFFICE	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
OUT PATIENT FACILITY	88	6.98	3.49	2.33	0.00	6.98	0.00	1.16	2.33	0.00	
STREET ADDRESS	4	25.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
STATE PERCENTAGES	16,134	16.56	12.33	1.91	0.23	16.63	13.59	1.78	5.11	0.32	

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-11

LIVE BIRTHS BY BIRTHWEIGHT  
MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1984 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS		***** BIRTHWEIGHT IN GRAMS *****									
	NUMBER	PERCENT	< 1000		1000-1499		< 1500		1500 AND OVER		UNKNOWN WEIGHT	
			NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
BATH MEMORIAL HOSPITAL	163	100.0	1	0.6	0	0.0	1	0.6	162	99.4	0	0.0
BLUE HILL MEMORIAL HOSP.	311	100.0	0	0.0	1	0.3	1	0.3	310	99.7	0	0.0
CALAIS REGIONAL HOSPITAL	148	100.0	1	0.7	0	0.0	1	0.7	147	99.3	0	0.0
CARY MEDICAL CENTER	274	100.0	2	0.7	1	0.4	3	1.1	271	98.9	0	0.0
CENTRAL MAINE MEDICAL CENTER	1,105	100.0	1	0.1	7	0.6	8	0.7	1,097	99.3	0	0.0
CHARLES A. DEAN MEMORIAL HOSP	35	100.0	0	0.0	0	0.0	0	0.0	35	100.0	0	0.0
DOWN EAST COMMUNITY HOSPITAL	185	100.0	0	0.0	0	0.0	0	0.0	185	100.0	0	0.0
EASTERN MAINE MED CTR	1,754	100.0	5	0.3	13	0.7	18	1.0	1,736	99.0	0	0.0
FRANKLIN MEMORIAL HOSPITAL	531	100.0	1	0.2	1	0.2	2	0.4	529	99.6	0	0.0
HENRIETTA D. GOODALL HOSP	443	100.0	1	0.2	1	0.2	2	0.5	441	99.5	0	0.0
HOULTON REGIONAL HOSPITAL	219	100.0	1	0.5	0	0.0	1	0.5	218	99.5	0	0.0
JAMES A. TAYLOR OSTEOP HOSP	32	100.0	0	0.0	0	0.0	0	0.0	32	100.0	0	0.0
KEN VALLEY MED CTR-AUGUSTA	675	100.0	2	0.3	1	0.1	3	0.4	672	99.6	0	0.0
KEN VALLEY MED CTR-GARDINER	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
MAINE COAST MEM. HOSPITAL	196	100.0	0	0.0	1	0.5	1	0.5	195	99.5	0	0.0
MAINE MEDICAL CENTER	2,538	100.0	37	1.5	35	1.4	72	2.8	2,462	97.0	4	0.2
MAYO REGIONAL HOSPITAL	304	100.0	0	0.0	1	0.3	1	0.3	303	99.7	0	0.0
MERCY HOSPITAL	503	100.0	1	0.2	0	0.0	1	0.2	502	99.8	0	0.0
MID-MAINE MEDICAL CTR-SETON	1,039	100.0	2	0.2	0	0.0	2	0.2	1,036	99.7	1	0.1
MILES MEMORIAL HOSPITAL	146	100.0	0	0.0	0	0.0	0	0.0	146	100.0	0	0.0
MILLINOCKET REGIONAL HOSP	184	100.0	1	0.5	0	0.0	1	0.5	183	99.5	0	0.0
MOUNT DESERT ISLAND HOSPITAL	71	100.0	0	0.0	0	0.0	0	0.0	71	100.0	0	0.0
NORTH CUMBERLAND MEM. HOSP.	144	100.0	0	0.0	0	0.0	0	0.0	144	100.0	0	0.0
NORTHERN MAINE MEDICAL CTR	94	100.0	0	0.0	0	0.0	0	0.0	94	100.0	0	0.0
OSTEOPATHIC HOSPITAL OF MAINE	445	100.0	0	0.0	0	0.0	0	0.0	444	99.8	1	0.2
PARKVIEW MEMORIAL HOSPITAL	892	100.0	0	0.0	0	0.0	0	0.0	892	100.0	0	0.0
PENOBSCOT BAY MEDICAL CENTER	567	100.0	3	0.5	0	0.0	3	0.5	564	99.5	0	0.0
PENOBSCOT VALLEY HOSPITAL	142	100.0	0	0.0	0	0.0	0	0.0	142	100.0	0	0.0
REDINGTON-FAIRVIEW HOSP	236	100.0	0	0.0	0	0.0	0	0.0	236	100.0	0	0.0
RUMFORD COMMUNITY HOSPITAL	110	100.0	0	0.0	0	0.0	0	0.0	110	100.0	0	0.0
SEBASTICOOK VALLEY HOSPITAL	2	100.0	0	0.0	0	0.0	0	0.0	2	100.0	0	0.0
ST. ANDREWS HOSPITAL	43	100.0	0	0.0	0	0.0	0	0.0	43	100.0	0	0.0
ST MARYS GENERAL HOSPITAL	496	100.0	1	0.2	2	0.4	3	0.6	493	99.4	0	0.0
STEPHENS MEMORIAL HOSPITAL	300	100.0	0	0.0	1	0.3	1	0.3	299	99.7	0	0.0
THE AROOS MED CTR-PRESQUE ISLE	408	100.0	1	0.2	5	1.2	6	1.5	401	98.3	1	0.2
US AIR FORCE HOSPITAL	318	100.0	0	0.0	0	0.0	0	0.0	318	100.0	0	0.0
WALDO COUNTY GENERAL HOSPITAL	181	100.0	1	0.6	0	0.0	1	0.6	180	99.4	0	0.0
WATERVILLE OSTEOPATHIC HOSP.	124	100.0	0	0.0	0	0.0	0	0.0	124	100.0	0	0.0
WEBBER HOSPITAL	520	100.0	0	0.0	1	0.2	1	0.2	519	99.8	0	0.0
WESTBROOK COMMUNITY HOSPITAL	26	100.0	0	0.0	0	0.0	0	0.0	26	100.0	0	0.0
AT HOME	132	100.0	0	0.0	0	0.0	0	0.0	131	99.2	1	0.8

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.  
HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 1-11

LIVE BIRTHS BY BIRTHWEIGHT  
MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1984 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS		***** BIRTHWEIGHT IN GRAMS *****									
	NUMBER	PERCENT	< 1000		1000-1499		< 1500		1500 AND OVER		UNKNOWN WEIGHT	
BORN OR DIED ON WAY TO HOSP	6	100.0	0	0.0	0	0.0	0	0.0	6	100.0	0	0.0
DOCTOR'S OFFICE	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
OUT PATIENT FACILITY	86	100.0	0	0.0	0	0.0	0	0.0	86	100.0	0	0.0
STREET ADDRESS	4	100.0	0	0.0	0	0.0	0	0.0	4	100.0	0	0.0
STATE TOTALS	16,134	100.0	62	0.4	71	0.4	133	0.8	15,993	99.1	8	0.0

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.  
HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH





# INFANT AND FETAL MORTALITY



TABLE 2-01

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
MENINGITIS (320-322)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS (323-389)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
PNEUMONIA (480-486)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
REMAINDER OF DISEASES OF RESPIRATORY SYSTEM (470-478, 492-519)					
MALE	1	0	0.00	1	100.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	1	50.00	1	50.00
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560)					
MALE	1	0	0.00	1	100.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	1	50.00	1	50.00
ANENCEPHALUS AND SIMILAR ANOMALIES (740)					
FEMALE	3	3	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
SPINA BIFIDA (741)					
MALE	1	1	100.00	0	0.00
FEMALE	1	0	0.00	1	100.00
TOTALS	2	1	50.00	1	50.00
CONGENITAL ANOMALIES OF HEART (745-746)					
MALE	4	3	75.00	1	25.00
FEMALE	2	2	100.00	0	0.00
TOTALS	6	5	83.33	1	16.67
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)					
MALE	1	1	100.00	0	0.00
FEMALE	2	1	50.00	1	50.00
TOTALS	3	2	66.67	1	33.33

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 2-01

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
(CONT.)					
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM (754-756)					
MALE	2	1	50.00	1	50.00
FEMALE	4	3	75.00	1	25.00
TOTALS	6	4	66.67	2	33.33
OTHER CHROMOSOMAL ANOMALIES (758.1-758.9)					
MALE	2	0	0.00	2	100.00
FEMALE	4	3	75.00	1	25.00
TOTALS	6	3	50.00	3	50.00
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (760)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (761)					
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)					
MALE	1	1	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)					
MALE	4	4	100.00	0	0.00
FEMALE	4	4	100.00	0	0.00
TOTALS	8	8	100.00	0	0.00
BIRTH TRAUMA (767)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
FETAL DISTRESS IN LIVEBORN INFANT (768.2-768.4)					
MALE	1	1	100.00	0	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 2-01

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
(CONT.)					
TOTALS	1	1	100.00	0	0.00
BIRTH ASPHYXIA (768.5-768.9)					
MALE	3	3	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
RESPIRATORY DISTRESS SYNDROME (769)					
MALE	9	8	88.89	1	11.11
FEMALE	5	5	100.00	0	0.00
TOTALS	14	13	92.86	1	7.14
OTHER RESPIRATORY CONDITIONS OF NEWBORN (770)					
MALE	7	6	85.71	1	14.29
FEMALE	7	6	85.71	1	14.29
TOTALS	14	12	85.71	2	14.29
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)					
MALE	1	1	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
NEONATAL HEMORRHAGE (772)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
HEMOLYTIC DISEASE OF NEWBORN, DUE TO ISOIMMUNIZATION, AND OTHER PERINATAL JAUNDICE (773-774)					
MALE	1	0	0.00	1	100.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	1	50.00	1	50.00
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (775.2-775.9, 776.1-779)					
FEMALE	3	3	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
SUDDEN INFANT DEATH SYNDROME (798.0)					
MALE	21	1	4.76	20	95.24
FEMALE	12	1	8.33	11	91.67
TOTALS	33	2	6.06	31	93.94

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 2-01

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER PERCENT		POSTNEONATAL DEATHS NUMBER PERCENT	
(CONT.)					
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS (E800-E910,E914-E949)					
MALE	2	0	0.00	2	100.00
FEMALE	1	0	0.00	1	100.00
TOTALS	3	0	0.00	3	100.00
ALL OTHER CAUSES (RESIDUAL)					
MALE	4	2	50.00	2	50.00
FEMALE	1	0	0.00	1	100.00
TOTALS	5	2	40.00	3	60.00
STATE					
MALE	72	37	51.39	35	48.61
FEMALE	62	42	67.74	20	32.26
TOTALS	134	79	58.96	55	41.04

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 2-02

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)\*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	***** GESTATION WEEKS *****					
			20-23	24-27	28-31	32-35	36-39	OVER 39
ANENCEPHALUS AND SIMILAR ANOMALIES (740.0)								
MALE	1	0.88	1	0	0	0	0	0
FEMALE	1	0.88	0	0	1	0	0	0
TOTALS	2	1.77	1	0	1	0	0	0
SPINA BIFIDA WITHOUT MENTION OF HYDROCEPHALUS (741.9)								
UNKNOWN	1	0.88	1	0	0	0	0	0
TOTALS	1	0.88	1	0	0	0	0	0
OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (742.0)								
FEMALE	1	0.88	0	0	1	0	0	0
TOTALS	1	0.88	0	0	1	0	0	0
SPECIFIED ANOMALIES OF FACE AND NECK (744.8)								
FEMALE	1	0.88	0	0	1	0	0	0
TOTALS	1	0.88	0	0	1	0	0	0
ENDOCARDIAL CUSHION DEFECTS (745.6)								
MALE	1	0.88	0	1	0	0	0	0
TOTALS	1	0.88	0	1	0	0	0	0
CONGENITAL ANOMALIES OF URINARY SYSTEM (753.0)								
FEMALE	1	0.88	0	0	0	1	0	0
TOTALS	1	0.88	0	0	0	1	0	0
UNSPECIFIED CONGENITAL ANOMALY (759.9)								
FEMALE	1	0.88	1	0	0	0	0	0
TOTALS	1	0.88	1	0	0	0	0	0
FETUS AFFECTED BY MATERNAL CONDITIONS UNRELATED TO PRESENT PREGNANCY (766.0)								
MALE	1	0.88	0	0	1	0	0	0
FEMALE	1	0.88	0	0	1	0	0	0
TOTALS	2	1.77	0	0	2	0	0	0
MATERNAL INJURY (760.5)								
FEMALE	2	1.77	0	0	0	2	0	0
TOTALS	2	1.77	0	0	0	2	0	0
FETUS OR NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (761.0)								
MALE	2	1.77	1	1	0	0	0	0
FEMALE	1	0.88	1	0	0	0	0	0
TOTALS	3	2.65	2	1	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH



TABLE 2-02

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)\*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	***** GESTATION WEEKS *****					
			20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
PREMATURE RUPTURE OF MEMBRANES (761.1)								
MALE	1	0.88	1	0	0	0	0	0
TOTALS	1	0.88	1	0	0	0	0	0
MULTIPLE PREGNANCY (761.5)								
MALE	2	1.77	0	0	2	0	0	0
TOTALS	2	1.77	0	0	2	0	0	0
MATERNAL DEATH (761.6)								
MALE	1	0.88	0	0	0	1	0	0
TOTALS	1	0.88	0	0	0	1	0	0
FETUS AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762.0)								
MALE	1	0.88	0	1	0	0	0	0
TOTALS	1	0.88	0	1	0	0	0	0
OTHER FORMS OF PLACENTAL SEPARATION AND HEMORRHAGE (762.1)								
MALE	5	4.42	1	1	0	2	1	0
FEMALE	9	7.96	2	2	2	0	2	1
UNKNOWN	1	0.88	1	0	0	0	0	0
TOTALS	15	13.27	4	3	2	2	3	1
UNSPECIFIED MORPHOLOGICAL AND FUNCTIONAL ABNORMALITIES OF PLACENTA (762.2)								
MALE	6	5.31	0	1	0	3	0	2
FEMALE	3	2.65	0	0	1	0	1	1
TOTALS	9	7.96	0	1	1	3	1	3
PROLAPSED CORD (762.4)								
MALE	1	0.88	0	0	0	0	0	1
FEMALE	1	0.88	0	0	0	0	0	1
TOTALS	2	1.77	0	0	0	0	0	2
OTHER COMPRESSION OF UMBILICAL CORD (762.5)								
MALE	8	7.08	1	0	3	2	1	1
FEMALE	9	7.96	0	1	0	3	4	1
TOTALS	17	15.04	1	1	3	5	5	2
UNSPECIFIED CONDITIONS OF UMBILICAL CORD (762.6)								
MALE	1	0.88	0	0	0	1	0	0
TOTALS	1	0.88	0	0	0	1	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 2-02

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)\*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	***** GESTATION WEEKS *****					
			20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
OTHER COMPLICATIONS OF LABOR AND DELIVERY AFFECTING FETUS OR NEWBORN (763.8)								
MALE	1	0.88	1	0	0	0	0	0
TOTALS	1	0.88	1	0	0	0	0	0
EXTREME IMMATUREITY (765.0)								
MALE	1	0.88	1	0	0	0	0	0
FEMALE	4	3.54	2	2	0	0	0	0
TOTALS	5	4.42	3	2	0	0	0	0
PREMATURITY OR SMALL SIZE NOT CLASSIFIABLE (765.1)								
MALE	2	1.77	2	0	0	0	0	0
FEMALE	1	0.88	0	1	0	0	0	0
TOTALS	3	2.65	2	1	0	0	0	0
FETAL DEATH FROM ASPHYXIA OR ANOXIA BEFORE ONSET OF LABOR (768.0)								
MALE	6	5.31	0	1	2	1	0	2
FEMALE	4	3.54	0	1	0	0	1	2
TOTALS	10	8.85	0	2	2	1	1	4
FETAL DISTRESS UNSPECIFIED (768.4)								
FEMALE	1	0.88	0	1	0	0	0	0
TOTALS	1	0.88	0	1	0	0	0	0
PERINATAL JAUNDICE DUE TO HEPATOCELLULAR DAMAGE (774.4)								
MALE	1	0.88	0	0	0	1	0	0
TOTALS	1	0.88	0	0	0	1	0	0
TERMINATION OF PREGNANCY (779.6)								
MALE	1	0.88	1	0	0	0	0	0
TOTALS	1	0.88	1	0	0	0	0	0
OTHER SPECIFIED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (779.8)								
MALE	1	0.88	0	0	0	1	0	0
TOTALS	1	0.88	0	0	0	1	0	0
UNSPECIFIED CONDITION ORIGINATING IN THE PERINATAL PERIOD (779.9)								
MALE	7	6.19	3	1	0	1	2	0
FEMALE	10	8.85	2	0	2	2	2	2
UNKNOWN	3	2.65	2	1	0	0	0	0
TOTALS	20	17.70	7	2	2	3	4	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.  
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.  
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 2-02

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)\*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	***** GESTATION WEEKS *****					
			20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
OTHER ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY (799.7)								
FEMALE	1	0.88	0	1	0	0	0	0
TOTALS	1	0.88	0	1	0	0	0	0
UNDIAGNOSED DISEASE, NOT SPECIFIED AS TO SITE OR SYSTEM INVOLVED (799.9)								
MALE	4	3.54	1	0	1	1	1	0
FEMALE	1	0.88	0	0	0	0	1	0
TOTALS	5	4.42	1	0	1	1	2	0
STATE								
MALE	55	48.67	14	7	9	14	5	6
FEMALE	53	46.90	8	9	9	8	11	8
UNKNOWN	5	4.42	4	1	0	0	0	0
TOTALS	113	100.00	26	17	18	22	16	14

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.  
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.  
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 2-03

LIVE BIRTHS, NEONATAL DEATHS, AND ESTIMATED NEONATAL DEATH RATES BY BIRTHWEIGHT  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	LIVE BIRTHS		NEONATAL DEATHS		NEONATAL DEATH RATE
	NUMBER	PERCENT	NUMBER	PERCENT	
LESS THAN 500	7	0.04	7	8.86	1000.0
500-999	65	0.39	23	29.11	353.8
1000-1499	79	0.48	6	7.59	75.9
1500-1999	169	1.02	5	6.33	29.6
2000-2499	554	3.33	4	5.06	7.2
2500-2999	2,107	12.67	6	7.59	2.8
3000-3499	5,825	35.02	5	6.33	0.9
3500-3999	5,574	33.52	6	7.59	1.1
4000-4499	1,841	11.07	2	2.53	1.1
4500-4999	355	2.13	0	0.00	0.0
GREATER THAN 4999	44	0.26	1	1.27	22.7
UNKNOWN	11	0.07	14	17.72	1272.7
STATE TOTALS	16,631	100.00	79	100.00	4.8

NOTE: NEONATAL DEATH RATES ARE ESTIMATED BY DIVIDING 1984 NEONATAL DEATHS BY 1984 LIVE BIRTHS AND MULTIPLYING BY 1,000. SUCH RATES ARE ESTIMATED RATHER THAN ACTUAL BECAUSE SOME BIRTHS RELATING TO THE 1984 NEONATAL DEATH COHORT OCCURRED IN 1983.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 2-04

FETAL DEATHS BY SELECTED COMPLICATIONS, GESTATION, AND AGE OF PATIENT  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)\*

WEEKS OF GESTATION	TOTAL** FETAL DEATHS	PERCENT DISTRIBUTION	***** COMPLICATIONS *****			
			PREGNANCY	LABOR OR DELIVERY	CONCURRENT ILLNESSES	CONGENITAL ANOMALIES
20-23	26	23.01	7	6	2	4
24-27	17	15.04	7	8	0	3
28-31	18	15.93	4	3	4	0
32-35	22	19.47	5	6	3	4
36-39	16	14.16	7	7	3	0
OVER 39	14	12.39	2	3	3	1
UNKNOWN	0	0.00	0	0	0	0
STATE TOTALS	113		32	33	15	12
PERCENT DISTRIBUTION		100.00	28.32	29.20	13.27	10.62
AGE OF PATIENT(YRS.)						
LESS THAN 15	0	0.00	0	0	0	0
15	2	1.77	1	2	1	0
16	0	0.00	0	0	0	0
17	1	0.88	0	0	0	0
18	8	7.08	6	3	1	0
19	9	7.96	4	6	2	1
20-24	23	20.35	5	7	2	2
25-29	33	29.20	5	7	5	2
30-34	17	15.04	7	6	1	4
35-39	5	4.42	2	1	1	1
40-44	3	2.65	1	0	1	1
OVER 44	12	10.62	1	1	1	1
UNKNOWN	0	0.00	0	0	0	0
TEENAGE TOTALS	20	17.70	11	11	4	1
STATE TOTALS	113		32	33	15	12
PERCENT DISTRIBUTION		100.00	28.32	29.20	13.27	10.62

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

\*\* THE SUM OF COMPLICATIONS MAY EXCEED TOTAL FETAL DEATHS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 2-05

DEATHS AND DEATH RATES - TOTAL, INFANT, NEONATAL, POSTNEONATAL, AND PERINATAL  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)\*

COUNTY	TOTAL DEATHS		***** INFANT DEATHS *****				***** POSTNEONATAL *****		***** PERINATAL *****	
	NUMBER	RATE	TOTAL NUMBER	RATE	NEONATAL NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
ANDROSCOGGIN	976	9.7	15	9.7	9	5.9	6	3.9	15	9.7
ARDOOSTOOK	753	8.4	12	8.9	9	6.7	3	2.2	21	15.5
CUMBERLAND	2,103	9.4	27	8.2	19	5.8	8	2.4	45	13.7
FRANKLIN	253	8.8	4	9.7	3	7.3	1	2.4	6	14.5
HANCOCK	480	11.0	4	6.4	3	4.8	1	1.6	5	8.0
KENNEBEC	1,001	8.9	10	6.6	5	3.3	5	3.3	22	14.4
KNOX	376	10.9	3	5.7	1	1.9	2	3.8	3	5.7
LINCOLN	318	11.4	1	2.4	0	0.0	1	2.4	0	0.0
OXFORD	537	10.8	3	4.5	2	3.1	1	1.5	12	18.0
PENOBSCOT	1,136	8.2	10	5.1	3	1.5	7	3.6	14	7.2
PISCATAQUIS	188	10.3	6	23.6	5	19.7	1	3.9	5	19.7
SAGadahoc	263	8.7	4	8.2	1	2.1	3	6.2	3	6.2
SOMERSET	471	10.1	7	9.8	1	1.4	6	8.4	4	5.6
WALDO	256	8.7	4	9.5	3	7.1	1	2.3	8	18.8
WASHINGTON	378	11.0	2	4.2	1	2.1	1	2.1	5	10.4
YORK	1,337	8.9	22	10.5	14	6.7	8	3.8	24	11.4
STATE TOTALS	10,826	9.3	134	8.0	79	4.8	55	3.3	192	11.5

NOTES: INFANT DEATH IS UNDER 1 YEAR, NEONATAL UNDER 28 DAYS AND POSTNEONATAL 28 DAYS TO ONE YEAR.  
PERINATAL DEATHS ARE NEONATAL DEATHS AND FETAL DEATHS, 20 GESTATION WEEKS AND OVER.

TOTAL DEATH RATE IS PER 1,000 POPULATION(BASED ON MAINE 1984 POPULATION PROJECTIONS),  
INFANT DEATH RATE IS PER 1,000 LIVE BIRTHS AND PERINATAL DEATH RATE IS PER 1,000 LIVE BIRTHS AND FETAL DEATHS.

\* FETAL DEATH DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 2-06

FETAL DEATHS BY SELECTED CHARACTERISTICS  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)\*

COUNTY	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	OUT OF WEDLOCK	AUTOPSY	IN HOSPITAL	**** TRIMESTER IN WHICH **** **** PRENATAL CARE BEGAN ****					AGE OF PATIENT(YRS.)	
						1	2	3	NONE	UNKNOWN	LESS THAN 20	OVER 35
ANDROSCOGGIN	6	5.31	0	3	6	4	2	0	0	0	1	0
AROOSTOOK	12	10.62	4	9	12	9	2	1	0	0	3	0
CUMBERLAND	26	23.01	2	18	26	8	1	1	16	0	3	12
FRANKLIN	3	2.65	0	2	3	2	1	0	0	0	2	0
HANCOCK	2	1.77	0	2	2	1	0	1	0	0	0	0
KENNEBEC	17	15.04	3	7	17	10	3	2	2	0	3	1
KNOX	2	1.77	1	1	2	1	1	0	0	0	1	0
LINCOLN	0	0.00	0	0	0	0	0	0	0	0	0	0
OXFORD	10	8.85	4	6	10	5	0	2	3	0	0	2
PENOBSCOT	11	9.73	5	5	10	8	1	0	2	0	2	1
PISCATAQUIS	0	0.00	0	0	0	0	0	0	0	0	0	0
SAGadahoc	2	1.77	2	2	2	1	1	0	0	0	2	0
SDMERSET	3	2.65	0	2	3	2	0	1	0	0	0	2
WALDD	5	4.42	1	2	5	3	2	0	0	0	0	0
WASHINGTON	4	3.54	0	0	4	4	0	0	0	0	1	0
YORK	10	8.85	2	4	10	6	1	1	2	0	2	0
STATE TOTALS	113		24	63	112	64	15	9	25	0	20	18
PERCENT OF ALL FETAL DEATHS WITH SPECIFIED CHARACTERISTICS												
		100.00	21.24	55.75	99.12	56.64	13.27	7.96	22.12	0.00	17.70	15.93

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 2-07

FETAL DEATHS, SELECTED RISK CHARACTERISTICS, AND RATIO OF MALES TO FEMALES  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)\*

COUNTY	TOTAL DEATHS	***** RISK CHARACTERISTICS *****								MALE/FEMALE RATIO
		CONGENITAL ANOMALIES		***** FETAL WEIGHT *****				LESS THAN 28 GESTATION WEEKS		
		NUMBER	PERCENT	< 500 GRAMS		< 2500 GRAMS		NUMBER	PERCENT	
ANDROSCOGGIN	6	0	0.0	1	16.7	1	16.7	3	50.0	0.50
AROOSTOOK	12	0	0.0	0	0.0	5	41.7	3	25.0	1.40
CUMBERLAND	26	4	15.4	6	23.1	11	42.3	11	42.3	3.00
FRANKLIN	3	0	0.0	1	33.3	1	33.3	1	33.3	2.00
HANCOCK	2	1	50.0	0	0.0	1	50.0	1	50.0	0.00
KENNEBEC	17	2	11.8	1	5.9	11	64.7	6	35.3	0.45
KNOX	2	0	0.0	0	0.0	1	50.0	1	50.0	0.00
LINCOLN	0	0	0.0	0	0.0	0	0.0	0	0.0	0.00
OXFORD	10	0	0.0	0	0.0	3	30.0	3	30.0	1.50
PENOBSCOT	11	1	9.1	0	0.0	6	54.5	4	36.4	1.75
PISCATAQUIS	0	0	0.0	0	0.0	0	0.0	0	0.0	0.00
SAGadahoc	2	0	0.0	0	0.0	0	0.0	1	50.0	1.00
SOMERSET	3	1	33.3	0	0.0	1	33.3	0	0.0	0.50
WALDO	5	1	20.0	2	40.0	2	40.0	2	40.0	0.67
WASHINGTON	4	1	25.0	0	0.0	3	75.0	3	75.0	0.00
YORK	10	1	10.0	2	20.0	3	30.0	4	40.0	0.29
STATE TOTALS	113	12	10.6	13	11.5	49	43.4	43	38.1	1.04

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH





# GENERAL MORTALITY



TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE  
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP\*  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

	***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF	DEATHS		POPULATION		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: TOTAL FOR ALL AGES									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	4,236	2,101	2,135	1	1	1	272.6	374.9	359.6
MALIGNANT NEOPLASMS (140-208)	2,424	1,273	1,151	2	2	2	156.0	227.1	193.9
CEREBROVASCULAR DISEASE (430-438)	787	269	518	3	4	3	50.6	48.0	87.2
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	441	296	145	4	3	5	28.4	52.8	24.4
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	435	267	168	5	5	4	28.0	47.6	28.3
PNEUMONIA & INFLUENZA (480-487)	284	143	141	6	6	6	18.3	25.5	23.7
DIABETES MELLITUS (250)	201	84	117	7	9	7	12.9	15.0	19.7
ATHEROSCLEROSIS (440)	193	82	111	8	10	8	12.4	14.6	18.7
SUICIDE (E950-E959)	169	132	37	9	7	12	10.9	23.6	6.2
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	142	92	50	10	8	11	9.1	16.4	8.4
TOTAL FOR AGE GROUP	10,826	5,478	5,348				696.6	977.4	900.8
AGE: UNDER 1 YEAR									
PERINATAL CONDITIONS (760-779)	56	29	27	1	1	1	341.0	344.3	337.5
CONGENITAL ANOMALIES (740-759)	28	11	17	2	2	2	170.5	130.6	212.5
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	3	2	1	3	3	3	###	###	###
HEART DISEASE (390-398,402,404-429)	2	1	1	4	4	3	###	###	###
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	2	1	1	5	4	3	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	1	0	6	4	7	###	###	###
ANEMIAS (280-285)	1	1	0	7	4	7	###	###	###
MENINGITIS (320-322)	1	1	0	8	4	7	###	###	###
PNEUMONIA & INFLUENZA (480-487)	1	0	1	9	10	3	###	###	###
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	1	1	0	10	4	7	###	###	###
TOTAL FOR AGE GROUP	134	72	62				815.9	854.8	774.9

NOTES: BASED ON MAINE 1984 POPULATION ESTIMATES.

THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

\* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE  
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP\*  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

			***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
			TOTAL	MALE	FEMALE	BY NUMBER OF	DEATHS		POPULATION		
						TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 1 TO 14 YEARS											
CAUSE OF DEATH											
ACCIDENTS & ADVERSE EFFECTS (E800-E949)			30	19	11	1	1	1	12.7	15.6	9.6
CONGENITAL ANOMALIES (740-759)			7	4	3	2	3	3	###	###	###
MALIGNANT NEOPLASMS (140-208)			6	5	1	3	2	4	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)			4	0	4	4	6	2	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)			3	2	1	5	4	4	###	###	###
PNEUMONIA & INFLUENZA (480-487)			1	0	1	6	6	4	###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)			1	0	1	7	6	4	###	###	###
ULCER OF STOMACH & DUODENUM (531-533)			1	0	1	8	6	4	###	###	###
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)			1	0	1	9	6	4	###	###	###
SUICIDE (E950-E959)			1	1	0	10	5	10	###	###	###
TOTAL FOR AGE GROUP			59	33	26				25.0	27.2	22.8
AGE: 15 TO 24 YEARS											
ACCIDENTS & ADVERSE EFFECTS (E800-E949)			96	75	21	1	1	1	52.7	82.0	23.2
SUICIDE (E950-E959)			37	30	7	2	2	2	20.3	32.8	###
MALIGNANT NEOPLASMS (140-208)			9	6	3	3	3	3	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)			5	2	3	4	4	3	###	###	###
CEREBROVASCULAR DISEASE (430-438)			3	2	1	5	4	6	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)			2	1	1	6	6	6	###	###	###
HEART DISEASE (390-398, 402, 404-429)			2	0	2	7	10	5	###	###	###
ATHEROSCLEROSIS (440)			1	1	0	8	6	9	###	###	###
PNEUMONIA & INFLUENZA (480-487)			1	1	0	9	6	9	###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)			1	0	1	10	10	6	###	###	###
TOTAL FOR AGE GROUP			172	131	41				94.5	143.2	45.3

NOTES: BASED ON MAINE 1984 POPULATION ESTIMATES.

THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

\* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE  
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP\*  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

	***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF DEATHS			POPULATION		
				TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 25 TO 34 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	75	59	16	1	1	1	40.2	63.6	17.1
SUICIDE (E950-E959)	38	27	11	2	2	2	20.4	29.1	11.7
MALIGNANT NEOPLASMS (140-208)	21	11	10	3	3	3	11.3	11.9	10.7
HEART DISEASE (390-398,402,404-429)	13	8	5	4	4	4	7.0	###	###
CEREBROVASCULAR DISEASE (430-438)	6	4	2	5	5	6	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	6	1	5	6	7	4	###	###	###
DIABETES MELLITUS (250)	3	3	0	7	6	9	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	1	0	8	7	9	###	###	###
PNEUMONIA & INFLUENZA (480-487)	1	0	1	9	11	7	###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	1	1	0	10	7	9	###	###	###
TOTAL FOR AGE GROUP	186	126	60				99.7	135.8	64.0
AGE: 35 TO 44 YEARS									
HEART DISEASE (390-398,402,404-429)	63	50	13	1	1	2	39.2	62.2	16.2
MALIGNANT NEOPLASMS (140-208)	51	24	27	2	3	1	31.7	29.9	33.6
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	38	28	10	3	2	3	23.6	34.8	12.4
SUICIDE (E950-E959)	19	16	3	4	4	5	11.8	19.9	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	10	8	2	5	5	6	6.2	###	###
CEREBROVASCULAR DISEASE (430-438)	7	3	4	6	6	4	###	###	###
PNEUMONIA & INFLUENZA (480-487)	4	3	1	7	6	8	###	###	###
BENIGN NEOPLASMS (210-239)	3	2	1	8	8	8	###	###	###
DIABETES MELLITUS (250)	2	2	0	9	8	15	###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	2	1	1	10	10	8	###	###	###
TOTAL FOR AGE GROUP	224	149	75				139.3	185.3	93.3

NOTES: BASED ON MAINE 1984 POPULATION ESTIMATES.

THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

\* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE  
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP\*  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

	***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF DEATHS	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 45 TO 64 YEARS									
CAUSE OF DEATH									
MALIGNANT NEOPLASMS (140-208)	644	343	301	1	2	1	293.0	326.7	262.2
HEART DISEASE (390-398,402,404-429)	625	443	182	2	1	2	284.3	421.9	158.5
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	70	43	27	3	4	4	31.8	41.0	23.5
CEREBROVASCULAR DISEASE (430-438)	67	28	39	4	7	3	30.5	26.7	34.0
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	67	47	20	5	3	6	30.5	44.8	17.4
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	54	42	12	6	5	7	24.6	40.0	10.5
SUICIDE (E950-E959)	41	34	7	7	6	8	18.7	32.4	###
DIABETES MELLITUS (250)	40	19	21	8	8	5	18.2	18.1	18.3
INFECTIOUS & PARASITIC DISEASES (001-139)	18	11	7	9	9	8	8.2	10.5	###
PNEUMONIA & INFLUENZA (480-487)	11	9	2	10	10	13	5.0	###	###
TOTAL FOR AGE GROUP	1,834	1,134	700				834.4	1,080.0	609.8
AGE: 65 TO 74 YEARS									
HEART DISEASE (390-398,402,404-429)	985	635	350	1	1	1	1,116.8	1,629.5	710.9
MALIGNANT NEOPLASMS (140-208)	762	414	348	2	2	2	863.9	1,062.4	706.9
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	132	72	60	3	3	3	149.7	184.8	121.9
CEREBROVASCULAR DISEASE (430-438)	105	49	56	4	4	4	119.0	125.7	113.8
DIABETES MELLITUS (250)	47	23	24	5	7	5	53.3	59.0	48.8
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	45	29	16	6	5	6	51.0	74.4	32.5
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	41	29	12	7	5	9	46.5	74.4	24.4
PNEUMONIA & INFLUENZA (480-487)	33	17	16	8	8	6	37.4	43.6	32.5
INFECTIOUS & PARASITIC DISEASES (001-139)	22	8	14	9	11	8	24.9	###	28.4
ATHEROSCLEROSIS (440)	18	13	5	10	9	13	20.4	33.4	###
TOTAL FOR AGE GROUP	2,462	1,445	1,017				2,791.4	3,708.0	2,065.8

NOTES: BASED ON MAINE 1984 POPULATION ESTIMATES.

THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

\* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

TABLE 3-01

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE  
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP\*  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

	***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF DEATHS	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 75 TO 84 YEARS									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	1,348	601	747	1	1	1	2,797.8	3,424.5	2,438.8
MALIGNANT NEOPLASMS (140-208)	655	348	307	2	2	2	1,359.5	1,982.9	1,002.3
CEREBROVASCULAR DISEASE (430-438)	281	117	164	3	3	3	583.2	666.7	535.4
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	163	108	55	4	4	4	338.3	615.4	179.6
PNEUMONIA & INFLUENZA (480-487)	106	56	50	5	5	5	220.0	319.1	163.2
DIABETES MELLITUS (250)	78	30	48	6	6	6	161.9	170.9	156.7
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	61	25	36	7	8	7	126.6	142.5	117.5
ATHEROSCLEROSIS (440)	54	30	24	8	6	8	112.1	170.9	78.4
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	37	18	19	9	9	10	76.8	102.6	62.0
INFECTIOUS & PARASITIC DISEASES (001-139)	33	11	22	10	10	9	68.5	62.7	71.8
TOTAL FOR AGE GROUP	3,222	1,561	1,661				6,687.4	8,894.6	5,422.8
AGE: 85 YEARS AND OLDER									
HEART DISEASE (390-398,402,404-429)	1,198	363	835	1	1	1	7,251.8	8,287.7	6,878.1
CEREBROVASCULAR DISEASE (430-438)	318	66	252	2	3	2	1,924.9	1,506.8	2,075.8
MALIGNANT NEOPLASMS (140-208)	276	122	154	3	2	3	1,670.7	2,785.4	1,268.5
PNEUMONIA & INFLUENZA (480-487)	126	57	69	4	4	5	762.7	1,301.4	568.4
ATHEROSCLEROSIS (440)	114	33	81	5	6	4	690.1	753.4	667.2
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	65	42	23	6	5	8	393.5	958.9	189.5
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	43	17	26	7	7	6	260.3	388.1	214.2
DIABETES MELLITUS (250)	31	7	24	8	10	7	187.7	###	197.7
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	31	13	18	9	8	9	187.7	296.8	148.3
INFECTIOUS & PARASITIC DISEASES (001-139)	25	11	14	10	9	11	151.3	251.1	115.3
TOTAL FOR AGE GROUP	2,533	827	1,706				15,332.9	18,881.3	14,052.7

NOTES: BASED ON MAINE 1984 POPULATION ESTIMATES.

THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

\* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH



TABLE 3-02 YEARS OF LIFE LOST - NUMBER, PERCENT, RANK, AND AVERAGE PER DEATH BY 32 CAUSE OF DEATH GROUPS AND SEX  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH	**YEARS OF LIFE LOST**			PERCENT YEARS OF LIFE LOST			RANK BY YEARS OF LIFE LOST			AVERAGE YEARS OF LIFE LOST PER DEATH		
	TOTAL	MALE	FEMALE	TOT.	MALE	FEM.	TOT.	MALE	FEM.	TOT.	MALE	FEM.
HEART DISEASE (390-398,402,404-429)	46,521	24,212	22,309	30.5	30.6	30.5	1	1	1	11	12	10
MALIGNANT NEOPLASMS (140-208)	35,284	16,661	18,623	23.2	21.0	25.4	2	2	2	15	13	16
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	14,874	10,514	4,360	9.8	13.3	6.0	3	3	4	34	36	30
CEREBROVASCULAR DISEASE (430-438)	7,669	2,627	5,042	5.0	3.3	6.9	4	6	3	10	10	10
SUICIDE (E950-E959)	5,774	4,352	1,422	3.8	5.5	1.9	5	4	8	34	33	38
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	5,081	2,678	2,403	3.3	3.4	3.3	6	5	5	12	10	14
PERINATAL CONDITIONS (760-779)	4,136	2,030	2,106	2.7	2.6	2.9	7	7	6	74	70	78
CONGENITAL ANOMALIES (740-759)	2,872	1,197	1,675	1.9	1.5	2.3	8	9	7	61	57	64
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2,559	1,581	978	1.7	2.0	1.3	9	8	11	18	17	20
PNEUMONIA & INFLUENZA (480-487)	2,548	1,173	1,375	1.7	1.5	1.9	10	10	10	9	8	10
DIABETES MELLITUS (250)	2,465	1,074	1,391	1.6	1.4	1.9	11	11	9	12	13	12
OTHER DIS. OF ARTERIES, ARTERIOLES, AND CAPIL. (441-448)	1,729	984	745	1.1	1.2	1.0	12	12	15	11	11	10
INFECTIOUS & PARASITIC DISEASES (001-139)	1,550	751	799	1.0	0.9	1.1	13	13	14	15	16	14
ATHEROSCLEROSIS (440)	1,475	666	809	1.0	0.8	1.1	14	14	13	8	8	7
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	1,125	476	649	0.7	0.6	0.9	15	15	16	11	11	12
HOMICIDE & LEGAL INTERVENTION (E960-E978)	988	172	816	0.6	0.2	1.1	16	19	12	49	43	51
BENIGN NEOPLASMS (210-239)	639	259	380	0.4	0.3	0.5	17	16	17	14	12	15
HYPERTENSION (401,403)	514	199	315	0.3	0.3	0.4	18	18	18	9	9	9
ULCER OF STOMACH & DUODENUM (531-533)	416	219	197	0.3	0.3	0.3	19	17	20	12	10	16
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	390	146	244	0.3	0.2	0.3	20	20	19	16	18	15
ANEMIAS (280-285)	235	135	100	0.2	0.2	0.1	21	21	23	11	17	8
CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS (574-575)	196	73	123	0.1	0.1	0.2	22	23	21	11	8	14
KIDNEY INFECTIONS (590)	139	64	75	0.1	0.1	0.1	23	24	24	11	11	11
NUTRITIONAL DEFICIENCIES (260-269)	128	21	107	0.1	0.0	0.1	24	25	22	7	7	7
MENINGITIS (320-322)	108	108	0	0.1	0.1	0.0	25	22	26	54	54	0
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	25	6	19	0.0	0.0	0.0	26	28	25	8	6	10
APPENDICITIS (540-543)	16	16	0	0.0	0.0	0.0	27	26	26	16	16	0
HYPERPLASIA OF PROSTATE (600)	15	15	0	0.0	0.0	0.0	28	27	26	5	5	0
ALL OTHER EXTERNAL CAUSES (E980-E999)	59	59	0	0.0	0.1	0.0				59	59	0
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	3,092	1,738	1,354	2.0	2.2	1.9				40	46	35
ALL OTHER CAUSES (RESIDUAL)	9,750	4,985	4,765	6.4	6.3	6.5				14	14	14
ALL CAUSES	152,372	79,191	73,181	100.	100.	100.				14	14	14

NOTES: PERCENTAGES MAY NOT ADD TO 100.0 DUE TO ROUNDING.  
SEE TEXT FOR METHOD OF COMPUTING YEARS OF LIFE LOST.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003,005)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
MENINGOCOCCAL INFECTION (036)																		
MALE	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
FEMALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	2	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
SEPTICEMIA (038)																		
MALE	28	0	0	0	0	0	0	1	0	3	1	2	0	2	7	3	9	
FEMALE	36	0	0	0	0	0	0	0	0	1	1	1	3	8	7	5	10	
TOTALS	64	0	0	0	0	0	0	1	0	4	2	3	3	10	14	8	19	
ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
FEMALE	6	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1	2	
TOTALS	7	0	0	0	0	0	0	0	0	0	1	0	0	1	2	1	2	
VIRAL HEPATITIS (070)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	
OTHER VIRAL DISEASES (046-049,051-054,057-061,065,066,071-079)																		
MALE	4	1	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	1	0	2	4	0	
TOTALS	11	1	1	0	0	0	0	0	0	0	0	1	2	0	2	4	0	
NEUROSYPHILIS (094)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
MYCOSES (110-118)																		
MALE	3	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	
FEMALE	4	0	0	0	0	0	1	0	0	1	0	0	0	2	0	0	0	
TOTALS	7	0	0	0	0	0	1	0	0	1	1	1	0	3	0	0	0	
LATE EFFECTS OF TUBERCULOSIS (137)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)																		
MALE	2	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	
FEMALE	4	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	1	
TOTALS	6	0	0	0	0	0	1	0	0	1	0	1	0	1	0	1	1	
MALIGNANT NEOPLASMS OF: TONGUE (141)																		
MALE	10	0	0	0	0	0	0	0	0	0	0	0	5	2	0	2	1	
FEMALE	3	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	
TOTALS	13	0	0	0	0	0	0	0	0	0	1	0	5	3	0	3	1	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	
(CONT.)																	
MALIGNANT NEOPLASMS OF: PHARYNX (146-149.0)																	
MALE	9	0	0	0	0	0	0	0	1	1	0	2	2	1	1	1	0
FEMALE	8	0	0	0	0	0	0	0	0	2	0	1	1	2	0	1	1
TOTALS	17	0	0	0	0	0	0	0	1	3	0	3	3	3	1	2	1
MALIGNANT NEOPLASMS OF: OTHER SITES WITHIN THE LIP, ORAL CAVITY AND PHARYNX (142-145, 149.1-149.9)																	
MALE	10	0	0	0	0	0	0	0	2	1	2	1	1	1	0	3	0
FEMALE	6	0	0	0	0	0	0	0	0	0	1	2	1	0	2	0	0
TOTALS	16	0	0	0	0	0	0	0	2	2	4	2	2	1	2	3	0
MALIGNANT NEOPLASMS OF: ESOPHAGUS (150)																	
MALE	45	0	0	0	0	0	0	1	2	5	3	6	10	7	7	3	1
FEMALE	11	0	0	0	0	0	0	0	0	0	0	2	0	2	1	3	3
TOTALS	56	0	0	0	0	0	0	1	2	5	3	8	10	9	8	6	4
MALIGNANT NEOPLASMS OF: STOMACH (151)																	
MALE	37	0	0	0	0	0	0	0	1	1	2	2	13	5	4	3	6
FEMALE	32	0	0	0	0	0	0	0	0	1	1	4	2	6	6	4	8
TOTALS	69	0	0	0	0	0	0	0	1	2	3	6	15	11	10	7	14
MALIGNANT NEOPLASMS OF: SMALL INTESTINE, INCLUDING DUODENUM (152)																	
MALE	3	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	0
TOTALS	3	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	0
MALIGNANT NEOPLASMS OF: HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0, 153.1, 153.7)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1
MALIGNANT NEOPLASMS OF: SIGMOID COLON (153.3)																	
MALE	9	0	0	0	0	0	0	0	0	0	0	0	1	1	3	2	2
FEMALE	9	0	0	0	0	0	0	0	0	0	1	1	0	1	1	3	2
TOTALS	18	0	0	0	0	0	0	0	0	0	1	1	1	2	4	5	4
MALIGNANT NEOPLASMS OF: CECUM, APPENDIX AND ASCENDING COLON (153.4-153.6)																	
MALE	7	0	0	0	0	0	0	0	0	0	0	1	1	2	0	1	2
FEMALE	8	0	0	0	0	0	0	0	0	0	0	2	0	1	3	0	2
TOTALS	15	0	0	0	0	0	0	0	0	0	0	3	1	3	3	1	4
MALIGNANT NEOPLASMS OF: OTHER AND COLON, UNSPECIFIED (153.8-153.9)																	
MALE	136	0	0	0	0	0	0	1	3	6	9	11	24	17	30	15	20
FEMALE	114	0	0	0	0	0	0	0	1	4	9	8	13	24	19	14	22
TOTALS	250	0	0	0	0	0	0	1	4	10	18	19	37	41	49	29	42
MALIGNANT NEOPLASMS OF: RECTUM, RECTOSIGMOID JUNCTION AND ANUS (154)																	
MALE	31	0	0	0	0	0	0	0	0	1	5	4	5	5	3	5	3
FEMALE	29	0	0	0	0	0	0	0	0	0	5	4	3	4	5	2	6
TOTALS	60	0	0	0	0	0	0	0	0	1	10	8	8	9	8	7	9
MALIGNANT NEOPLASMS OF: LIVER, PRIMARY (155.0)																	
MALE	5	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	1
FEMALE	5	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	1
TOTALS	10	0	0	0	0	0	0	0	0	0	2	2	2	1	1	0	2
MALIGNANT NEOPLASMS OF: INTRAHEPATIC BILE DUCTS (155.1)																	
MALE	4	0	0	0	0	0	0	0	0	0	1	0	1	0	2	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.  
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	
(CONT.)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
TOTALS	6	0	0	0	0	0	0	0	0	0	1	0	1	1	2	1	0
MALIGNANT NEOPLASMS OF: LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)																	
MALE	10	0	0	0	0	0	0	0	0	0	1	0	2	1	2	4	0
FEMALE	13	0	0	0	0	0	0	0	0	0	1	0	3	1	0	3	5
TOTALS	23	0	0	0	0	0	0	0	0	0	2	0	5	2	2	7	5
MALIGNANT NEOPLASMS OF: GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)																	
MALE	4	0	0	0	0	0	0	0	0	1	2	1	0	0	0	0	0
FEMALE	19	0	0	0	0	0	0	0	0	1	1	2	3	2	4	2	4
TOTALS	23	0	0	0	0	0	0	0	0	2	3	3	3	2	4	2	4
MALIGNANT NEOPLASMS OF: PANCREAS (157)																	
MALE	45	0	0	0	0	0	0	0	1	1	4	7	7	12	5	6	2
FEMALE	57	0	0	0	0	0	0	0	1	4	3	6	5	7	10	10	11
TOTALS	102	0	0	0	0	0	0	0	2	5	7	13	12	19	15	16	13
MALIGNANT NEOPLASMS OF: RETROPERITONEUM, PERITONEUM AND OTHER SITES WITHIN THE DIGESTIVE ORGANS (158-159)																	
MALE	10	0	0	0	0	0	0	0	0	1	1	1	1	1	2	1	2
FEMALE	11	0	0	0	0	0	0	0	0	0	0	0	2	3	2	2	2
TOTALS	21	0	0	0	0	0	0	0	0	1	1	1	3	4	4	3	4
MALIGNANT NEOPLASMS OF: LARYNX (161)																	
MALE	7	0	0	0	0	0	0	0	0	0	3	1	1	0	2	0	0
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1	0
TOTALS	11	0	0	0	0	0	0	0	0	0	3	1	3	1	2	1	0
MALIGNANT NEOPLASMS OF: TRACHEA, BRONCHUS, AND LUNG (162)																	
MALE	445	0	0	0	0	0	0	1	5	45	48	62	86	73	72	34	19
FEMALE	187	0	0	0	0	0	0	2	4	21	31	20	34	31	27	8	9
TOTALS	632	0	0	0	0	0	0	3	9	66	79	82	120	104	99	42	28
MALIGNANT NEOPLASMS OF: ALL OTHER SITES WITHIN THE RESPIRATORY SYSTEM & INTRATHORACIC ORGANS (160, 163-165)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	1	0	1	2	0	0
FEMALE	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
TOTALS	6	0	0	0	0	0	0	0	0	1	1	1	0	1	2	0	0
MALIGNANT NEOPLASMS OF: BONE AND ARTICULAR CARTILAGE (170)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0
MALIGNANT NEOPLASMS OF: CONNECTIVE AND OTHER SOFT TISSUE (171)																	
MALE	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	9	0	0	0	0	0	0	1	0	2	1	0	0	1	0	2	2
TOTALS	10	0	0	1	0	0	0	1	0	2	1	0	0	1	0	2	2
MALIGNANT NEOPLASMS OF: MELANOMA OF SKIN (172)																	
MALE	13	0	0	0	0	0	0	1	1	1	0	1	3	2	3	1	0
FEMALE	9	0	0	0	0	0	0	1	1	0	0	0	2	2	0	2	1
TOTALS	22	0	0	0	0	0	0	2	2	1	0	1	5	4	3	3	1
MALIGNANT NEOPLASMS OF: OTHER MALIGNANT NEOPLASM OF SKIN (173)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX		TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															OVER 84
			UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	
(CONT.)																		
TOTALS		6	0	0	0	0	0	0	0	0	0	0	3	0	1	1	1	
MALIGNANT NEOPLASMS OF: FEMALE BREAST (174)																		
FEMALE		192	0	0	0	0	0	0	1	8	20	15	24	27	33	25	17	
TOTALS		192	0	0	0	0	0	0	1	8	20	15	24	27	33	25	17	
MALIGNANT NEOPLASMS OF: MALE BREAST (175)																		
MALE		2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
TOTALS		2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
MALIGNANT NEOPLASMS OF: CERVIX UTERI (180)																		
FEMALE		28	0	0	0	0	0	0	2	3	7	2	6	1	0	3	1	
TOTALS		28	0	0	0	0	0	0	2	3	7	2	6	1	0	3	1	
MALIGNANT NEOPLASMS OF: OTHER PARTS OF UTERUS (179,181-182)																		
FEMALE		42	0	0	0	0	0	0	0	0	1	3	3	8	11	4	7	
TOTALS		42	0	0	0	0	0	0	0	0	1	3	3	8	11	4	7	
MALIGNANT NEOPLASMS OF: OVARY AND OTHER UTERINE ADNEXA (183)																		
FEMALE		58	0	0	0	0	0	0	1	1	8	3	7	18	8	4	7	
TOTALS		58	0	0	0	0	0	0	1	1	8	3	7	18	8	4	7	
MALIGNANT NEOPLASMS OF: OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)																		
FEMALE		5	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	
TOTALS		5	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	
MALIGNANT NEOPLASMS OF: PROSTATE (185)																		
MALE		118	0	0	0	0	0	0	0	0	0	5	9	6	16	27	24	
TOTALS		118	0	0	0	0	0	0	0	0	0	5	9	6	16	27	24	
MALIGNANT NEOPLASMS OF: TESTIS (186)																		
MALE		2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	
TOTALS		2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	
MALIGNANT NEOPLASMS OF: BLADDER (188)																		
MALE		44	0	0	0	0	0	0	0	0	4	3	4	6	4	7	6	
FEMALE		22	0	0	0	0	0	0	0	0	1	1	1	3	2	6	5	
TOTALS		66	0	0	0	0	0	0	0	0	5	4	5	9	6	13	11	
MALIGNANT NEOPLASMS OF: KIDNEY AND OTHER UNSPECIFIED URINARY ORGANS (189)																		
MALE		31	0	0	0	0	0	0	0	0	2	2	7	2	5	6	2	
FEMALE		17	0	0	0	0	0	0	0	1	3	0	1	1	1	3	3	
TOTALS		48	0	0	0	0	0	0	0	1	5	2	8	3	6	9	5	
MALIGNANT NEOPLASMS OF: EYE (190)																		
MALE		2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
FEMALE		1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
TOTALS		3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	
MALIGNANT NEOPLASMS OF: BRAIN (191)																		
MALE		25	0	1	0	0	1	0	2	1	3	0	5	5	2	4	1	
FEMALE		19	0	0	0	0	0	0	0	2	3	0	3	3	2	3	2	
TOTALS		44	0	1	0	0	1	0	2	3	6	0	8	8	4	7	3	
MALIGNANT NEOPLASMS OF: OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)																		
MALE		1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
FEMALE		2	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	
TOTALS		3	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	
MALIGNANT NEOPLASMS OF: THYROID GLAND, OTHER ENDOCRINE GLANDS, RELATED STRUCTURES (193-194)																		
MALE		1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	6	0	0	0	0	0	0	0	0	1	0	0	1	0	2	1	1
TOTALS	7	0	0	0	0	0	0	0	0	1	0	1	1	0	2	1	1
MALIGNANT NEOPLASMS OF: ALL OTHER AND UNSPECIFIED SITES (195-199)																	
MALE	100	0	0	0	0	0	0	1	4	8	8	12	22	12	13	11	9
FEMALE	104	0	1	0	0	0	0	1	4	6	6	4	14	15	17	20	16
TOTALS	204	0	1	0	0	0	0	2	8	14	14	16	36	27	30	31	25
LYMPHOSARCOMA AND RETICULOSARCOMA (200)																	
MALE	12	0	0	0	0	0	0	0	1	0	2	1	0	4	1	2	1
FEMALE	15	0	0	0	0	0	0	0	0	2	0	1	2	1	3	2	4
TOTALS	27	0	0	0	0	0	0	0	1	2	2	2	2	5	4	4	5
HODGKIN'S DISEASE (201)																	
MALE	5	0	0	0	0	1	1	1	0	0	0	0	1	0	1	0	0
FEMALE	3	0	0	0	0	0	1	0	0	0	0	0	0	0	0	2	0
TOTALS	8	0	0	0	0	1	2	1	0	0	0	0	1	0	1	2	0
OTHER MALIGNANT NEOPLASM OF LYMPHOID AND HISTIOCYTIC TISSUE (202)																	
MALE	24	0	0	0	0	1	0	0	3	1	3	3	1	8	2	0	2
FEMALE	28	0	0	0	0	0	0	0	0	1	4	4	1	7	3	5	3
TOTALS	52	0	0	0	0	1	0	0	3	2	7	7	2	15	5	5	5
MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)																	
MALE	15	0	0	0	0	0	0	0	0	0	0	2	4	5	1	2	1
FEMALE	20	0	0	0	0	0	0	0	1	0	1	1	2	6	3	3	3
TOTALS	35	0	0	0	0	0	0	0	1	0	1	3	6	11	4	5	4
LYMPHOID LEUKEMIA (204)																	
MALE	7	0	0	0	0	1	0	0	0	1	1	0	0	1	2	0	1
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1
TOTALS	12	0	0	0	0	1	0	0	0	1	1	0	1	2	3	1	2
MYELOID LEUKEMIA (205)																	
MALE	24	0	0	0	2	0	0	1	1	2	3	0	2	5	3	4	1
FEMALE	22	0	0	0	0	0	1	1	0	2	0	3	2	6	2	2	3
TOTALS	46	0	0	0	2	0	1	2	1	4	3	3	4	11	5	6	4
MONOCYTIC LEUKEMIA (206)																	
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0
OTHER AND UNSPECIFIED LEUKEMIA (207-208)																	
MALE	7	0	0	0	1	1	0	0	0	0	0	1	1	0	0	2	1
FEMALE	15	0	0	0	0	0	1	0	0	0	1	3	3	2	2	3	0
TOTALS	22	0	0	0	1	1	1	0	0	0	1	4	4	2	2	5	1
BENIGN NEOPLASMS OF EYE, BRAIN AND OTHER PARTS OF NERVOUS SYSTEM (224-225)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1
BENIGN NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (210-217, 222-223, 226-229)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2
CARCINOMA OF ALL OTHER AND UNSPECIFIED SITES (230-232,234)																	
FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)																	
MALE	9	0	0	0	0	0	0	0	1	0	0	0	1	1	3	0	3
FEMALE	6	0	0	0	0	0	0	0	0	0	0	1	0	1	2	1	1
TOTALS	15	0	0	0	0	0	0	0	1	0	0	1	1	2	5	1	4
NEOPLASMS OF UNSPECIFIED NATURE (239)																	
MALE	9	0	0	0	0	0	0	0	1	1	1	0	3	0	2	1	0
FEMALE	16	0	0	0	0	0	0	0	0	1	1	3	4	1	2	3	1
TOTALS	25	0	0	0	0	0	0	0	1	2	2	3	7	1	4	4	1
DISORDERS OF THYROID GLAND (240-246)																	
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	5
TOTALS	7	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	5
DIABETES MELLITUS (250)																	
MALE	84	0	0	0	0	0	0	3	2	4	8	7	8	15	19	11	7
FEMALE	117	0	0	0	0	0	0	0	0	1	6	14	7	17	25	23	24
TOTALS	201	0	0	0	0	0	0	3	2	5	14	21	15	32	44	34	31
DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
CYSTIC FIBROSIS (277.0)																	
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
FEMALE	3	0	0	1	1	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	4	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0
OBESITY (278.0)																	
FEMALE	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0
TOTALS	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0
ALL OTHER ENDOCRINE, METABOLIC DISEASES & IMMUNITY DISORD. (251-252,256-259,270,276,277.1-277.9,278.1-279)																	
MALE	21	0	0	0	0	0	1	0	1	2	2	0	2	3	4	3	3
FEMALE	16	0	0	0	0	0	0	0	0	1	1	1	1	2	2	3	5
TOTALS	37	0	0	0	0	0	1	0	1	3	3	1	3	5	6	6	8
OTHER PROTEIN-CALORIE MALNUTRITION (262-263)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1
FEMALE	15	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4	9
TOTALS	18	0	0	0	0	0	0	0	0	0	0	0	0	1	2	5	10
ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
DEFICIENCY ANEMIAS (280-281)																	
MALE	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
TOTALS	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
HEMOLYTIC ANEMIAS (282-283)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.  
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	
APLASTIC ANEMIA (284)																		
MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	2	
OTHER AND UNSPECIFIED ANEMIAS (285)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	5	
TOTALS	9	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	6	
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)																		
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)																		
MALE	12	0	0	0	1	0	1	0	0	1	1	0	1	0	1	5	1	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	
TOTALS	17	0	0	0	1	0	1	0	0	1	1	0	1	0	1	7	4	
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)																		
MALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3	
FEMALE	15	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	10	
TOTALS	21	0	0	0	0	0	0	0	0	0	0	0	0	1	3	4	13	
ALCOHOLIC PSYCHOSES (291)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
ALL OTHER PHYCHOSES (292-299)																		
MALE	5	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	1	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
TOTALS	7	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	2	
ALCOHOL DEPENDENCE SYNDROME (303)																		
MALE	13	0	0	0	0	0	1	3	1	3	3	2	0	0	0	0	0	
FEMALE	4	0	0	0	0	0	0	0	0	0	0	2	1	0	0	1	0	
TOTALS	17	0	0	0	0	0	1	3	1	3	3	4	1	0	0	1	0	
OTHER NEUROTIC, PERSONALITY AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)																		
MALE	7	0	0	0	0	1	0	0	0	0	0	0	0	1	2	2	1	
FEMALE	14	0	0	0	0	0	0	0	0	0	0	0	1	0	2	3	8	
TOTALS	21	0	0	0	0	1	0	0	0	0	0	0	1	1	4	5	9	
MENTAL RETARDATION (317-319)																		
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
MENINGITIS (320-322)																		
MALE	2	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
TOTALS	2	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
PARKINSON'S DISEASE (332)																		
MALE	18	0	0	0	0	0	0	0	0	0	0	2	0	2	6	5	3	
FEMALE	15	0	0	0	0	0	0	0	0	0	0	0	2	2	4	3	4	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH



TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	33	0	0	0	0	0	0	0	0	0	0	2	2	4	10	8	7
OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)																	
MALE	42	0	0	0	0	0	0	0	0	4	1	4	5	7	10	6	5
FEMALE	42	1	0	0	0	0	0	1	0	3	1	3	0	8	6	10	9
TOTALS	84	1	0	0	0	0	0	1	0	7	2	7	5	15	16	16	14
MULTIPLE SCLEROSIS (340)																	
MALE	5	0	0	0	0	0	0	0	1	0	0	1	1	0	2	0	0
FEMALE	7	0	0	0	0	0	0	1	0	0	0	1	2	1	2	0	0
TOTALS	12	0	0	0	0	0	0	1	1	0	0	2	3	1	4	0	0
INFANTILE CEREBRAL PALSY (343)																	
FEMALE	2	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
EPILEPSY (345)																	
MALE	8	0	0	0	0	0	1	2	1	2	0	0	2	0	0	0	0
FEMALE	4	0	0	0	0	0	0	0	2	0	0	0	0	0	1	1	0
TOTALS	12	0	0	0	0	0	1	2	3	2	0	0	2	0	1	1	0
OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)																	
MALE	22	0	0	0	0	1	2	0	1	1	3	2	2	4	4	1	1
FEMALE	13	0	0	0	0	0	0	0	0	3	1	0	2	1	1	1	4
TOTALS	35	0	0	0	0	1	2	0	1	4	4	2	4	5	5	2	5
DISORDERS OF THE EYE AND ADNEXA (360-379)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
DISEASES OF THE EAR AND MASTOID PROCESS (380-389)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
TOTALS	3	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	1
ACUTE RHEUMATIC FEVER (390-392)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
DISEASES OF MITRAL VALVE (394)																	
MALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0
FEMALE	8	0	0	0	0	0	0	0	1	1	0	0	1	2	1	1	1
TOTALS	10	0	0	0	0	0	0	0	1	2	0	0	1	2	2	1	1
DISEASE OF AORTIC VALVE (395)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
DISEASES OF MITRAL AND AORTIC VALVES (396)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
FEMALE	5	0	0	0	0	0	0	0	0	0	1	1	0	0	2	0	1
TOTALS	7	0	0	0	0	0	0	0	0	0	1	1	0	0	2	1	2
ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	16	0	0	0	0	0	0	0	1	0	2	2	1	0	6	1	3
TOTALS	17	0	0	0	0	0	0	0	1	0	2	2	2	0	6	1	3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

		***** AGE AT DEATH(YRS.) *****																
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER	
		1															84	
(CONT.)																		
ESSENTIAL HYPERTENSION (401)																		
MALE	11	0	0	0	0	0	0	0	0	0	1	2	0	3	4	1	0	
FEMALE	14	0	0	0	0	0	0	0	0	0	0	1	0	3	2	3	5	
TOTALS	25	0	0	0	0	0	0	0	0	0	1	3	0	6	6	4	5	
HYPERTENSIVE HEART DISEASE (402)																		
MALE	26	0	0	0	0	0	0	1	0	0	1	2	7	2	3	3	7	
FEMALE	44	0	0	0	0	0	0	0	1	1	3	2	2	4	4	11	16	
TOTALS	70	0	0	0	0	0	0	1	1	1	4	4	9	6	7	14	23	
HYPERTENSIVE RENAL DISEASE (403)																		
MALE	10	0	0	0	0	0	0	0	0	0	1	0	0	1	2	1	5	
FEMALE	20	0	0	0	0	0	0	0	0	0	0	0	2	4	1	2	11	
TOTALS	30	0	0	0	0	0	0	0	0	0	1	0	2	5	3	3	16	
HYPERTENSIVE HEART AND RENAL DISEASE (404)																		
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	1	1	0	3	4	
TOTALS	12	0	0	0	0	0	0	0	0	0	0	0	1	1	1	4	5	
ACUTE MYOCARDIAL INFARCTION (410)																		
MALE	926	0	0	0	0	0	0	2	27	77	71	101	130	174	125	108	111	
FEMALE	756	0	0	0	0	0	0	1	4	16	22	45	57	114	162	142	193	
TOTALS	1,682	0	0	0	0	0	0	3	31	93	93	146	187	288	287	250	304	
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)																		
MALE	12	0	0	0	0	0	0	0	1	0	1	0	2	2	3	1	2	
FEMALE	17	0	0	0	0	0	0	0	0	2	4	1	0	1	2	2	5	
TOTALS	29	0	0	0	0	0	0	0	1	2	5	1	2	3	5	3	7	
ANGINA PECTORIS (413)																		
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	
TOTALS	7	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	3	
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)																		
MALE	712	0	0	0	0	0	0	3	13	31	35	60	93	101	96	126	154	
FEMALE	799	0	0	0	0	0	0	3	4	5	17	21	40	66	110	142	391	
TOTALS	1,511	0	0	0	0	0	0	6	17	36	52	81	133	167	206	268	545	
DISEASES OF PULMONARY CIRCULATION (415-417)																		
MALE	24	0	0	0	0	0	0	0	0	0	2	4	4	4	3	6	1	
FEMALE	21	1	0	0	0	0	0	0	1	0	2	0	1	3	4	3	6	
TOTALS	45	1	0	0	0	0	0	0	1	0	4	4	5	7	7	9	7	
ACUTE AND SUBACUTE ENDOCARDITIS (421)																		
MALE	3	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
TOTALS	4	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	1	
ACUTE PERICARDITIS, ACUTE MYOCARDITIS AND OTHER DISEASES OF PERICARDIUM (420,422-423)																		
MALE	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	
FEMALE	5	0	0	0	0	0	0	1	0	0	0	1	1	2	0	0	0	
TOTALS	7	0	0	0	0	0	0	1	1	1	0	1	1	2	0	0	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
MITRAL VALVE DISORDERS (424.0)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	
FEMALE	5	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1	2	
TOTALS	7	0	0	0	0	0	0	0	1	0	0	0	1	0	0	3	2	
AORTIC VALVE DISORDERS (424.1)																		
MALE	21	0	0	0	0	0	0	0	0	0	0	1	4	8	1	6	1	
FEMALE	25	0	0	0	0	0	0	0	0	0	0	1	1	1	5	4	13	
TOTALS	46	0	0	0	0	0	0	0	0	0	0	2	5	9	6	10	14	
ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)																		
MALE	6	0	0	0	0	0	0	0	0	0	0	0	0	2	2	1	1	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	2	
TOTALS	11	0	0	0	0	0	0	0	0	0	0	0	1	2	2	3	3	
HEART FAILURE (428)																		
MALE	67	0	0	0	0	0	0	0	0	0	1	0	10	6	19	10	21	
FEMALE	111	0	0	0	0	0	0	0	0	1	2	3	4	7	13	27	54	
TOTALS	178	0	0	0	0	0	0	0	0	1	3	3	14	13	32	37	75	
MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)																		
MALE	9	0	0	0	0	0	0	0	0	0	0	1	2	2	1	1	2	
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	7	
TOTALS	18	0	0	0	0	0	0	0	0	0	0	1	2	2	2	2	9	
ALL OTHER FORMS OF HEART DISEASE (425-427,429.2-429.9)																		
MALE	278	1	0	0	0	0	0	2	8	16	16	20	34	44	44	34	59	
FEMALE	295	0	0	0	0	0	2	0	0	7	6	13	17	21	50	44	135	
TOTALS	573	1	0	0	0	0	2	2	8	23	22	33	51	65	94	78	194	
SUBARACHNOID HEMORRHAGE (430)																		
MALE	14	0	0	0	0	0	0	2	2	2	2	2	0	1	1	0	2	
FEMALE	17	0	0	0	0	0	0	1	0	4	0	0	2	5	3	0	2	
TOTALS	31	0	0	0	0	0	0	3	2	6	2	2	2	6	4	0	4	
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)																		
MALE	39	0	0	0	0	0	0	1	0	3	1	5	5	7	4	5	8	
FEMALE	72	0	0	0	0	0	0	1	2	2	5	12	2	7	10	9	22	
TOTALS	111	0	0	0	0	0	0	2	2	5	6	17	7	14	14	14	30	
OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)																		
MALE	3	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1	
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	
TOTALS	6	0	0	0	0	0	0	0	0	1	0	0	0	0	3	1	1	
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)																		
MALE	37	0	0	0	0	0	1	1	1	1	0	2	1	4	7	11	8	
FEMALE	79	0	0	0	0	1	0	0	1	0	0	1	1	6	11	14	44	
TOTALS	116	0	0	0	0	1	1	1	2	1	0	3	2	10	18	25	52	
CEREBRAL EMBOLISM (434.1)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	3	
TOTALS	8	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	3	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)																		
MALE	144	0	0	0	0	0	0	0	0	5	1	1	9	19	39	28	42	
FEMALE	259	0	0	0	0	0	0	0	1	1	6	6	9	18	45	43	130	
TOTALS	403	0	0	0	0	0	0	0	1	6	7	7	18	37	84	71	172	
OTHER CEREBROVASCULAR DISEASE (435,437-438)																		
MALE	31	0	0	0	0	0	1	0	0	0	2	0	2	1	5	15	5	
FEMALE	81	0	0	0	0	0	0	0	0	1	0	1	0	5	7	16	51	
TOTALS	112	0	0	0	0	0	1	0	0	1	2	1	2	6	12	31	56	
ATHEROSCLEROSIS (440)																		
MALE	82	0	0	0	0	0	1	0	0	1	0	4	6	7	12	18	33	
FEMALE	111	0	0	0	0	0	0	0	1	0	0	0	3	2	8	16	81	
TOTALS	193	0	0	0	0	0	1	0	1	1	0	4	9	9	20	34	114	
AORTIC ANEURYSM (441)																		
MALE	69	0	0	0	0	0	1	0	1	0	1	6	13	17	14	9	7	
FEMALE	50	0	0	0	0	0	0	0	0	0	0	2	6	1	11	8	22	
TOTALS	119	0	0	0	0	0	1	0	1	0	1	8	19	18	25	17	29	
ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)																		
MALE	20	0	0	0	0	0	0	0	0	2	1	2	4	1	2	7	1	
FEMALE	21	0	0	0	0	0	0	0	0	1	1	4	1	2	4	2	6	
TOTALS	41	0	0	0	0	0	0	0	0	3	2	6	5	3	6	9	7	
PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)																		
MALE	3	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	
FEMALE	8	0	0	0	0	0	0	0	0	0	0	2	2	2	0	1	1	
TOTALS	11	0	0	0	0	0	0	0	0	0	1	3	2	2	1	1	1	
OTHER DISEASES OF VEINS, LYMPHATICS, AND CIRCULATORY SYSTEM (454-459)																		
MALE	10	1	0	0	0	0	0	0	0	0	1	0	0	0	2	3	3	
FEMALE	6	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	3	
TOTALS	16	1	0	0	0	0	0	0	1	0	1	0	1	0	3	3	6	
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)																		
MALE	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	
OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)																		
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	
VIRAL PNEUMONIA (480)																		
MALE	2	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	
TOTALS	5	0	0	0	0	0	1	0	0	0	0	0	0	1	0	2	1	
PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)																		
MALE	8	0	0	0	0	0	0	0	1	0	0	1	0	3	0	2	1	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
FEMALE	6	0	0	0	0	0	0	1	0	0	0	0	1	1	1	1	1	
TOTALS	14	0	0	0	0	0	0	1	1	0	0	1	1	4	1	3	2	
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)																		
MALE	21	0	0	0	0	0	0	0	0	0	0	1	0	2	3	5	10	
FEMALE	13	1	1	0	0	0	0	0	0	0	0	0	1	0	2	3	5	
TOTALS	34	1	1	0	0	0	0	0	0	0	0	1	1	2	5	8	15	
PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)																		
MALE	107	0	0	0	0	0	0	0	2	2	1	2	2	9	21	23	45	
FEMALE	116	0	0	0	0	0	0	0	1	0	0	2	6	7	11	29	60	
TOTALS	223	0	0	0	0	0	0	0	3	2	1	4	8	16	32	52	105	
INFLUENZA (487)																		
MALE	5	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2	1	
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	
TOTALS	8	0	0	0	0	0	0	0	0	0	1	1	0	0	0	3	3	
BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
CHRONIC BRONCHITIS (491)																		
MALE	14	0	0	0	0	0	0	0	0	0	1	1	2	3	2	2	3	
FEMALE	11	0	0	0	0	0	0	0	0	0	1	2	2	2	1	1	2	
TOTALS	25	0	0	0	0	0	0	0	0	0	2	3	4	5	3	3	5	
EMPHYSEMA (492)																		
MALE	50	0	0	0	0	0	0	0	0	1	5	7	8	6	8	9	6	
FEMALE	25	0	0	0	0	0	0	0	0	1	0	2	5	7	8	1	1	
TOTALS	75	0	0	0	0	0	0	0	0	2	5	9	13	13	16	10	7	
ASTHMA (493)																		
MALE	7	0	0	0	0	0	0	0	0	1	2	1	0	1	1	0	1	
FEMALE	14	0	0	0	0	0	0	0	1	0	1	0	3	4	2	2	1	
TOTALS	21	0	0	0	0	0	0	0	1	1	3	1	3	5	3	2	2	
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	
FEMALE	3	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	1	
TOTALS	5	0	0	0	0	0	1	0	0	0	0	1	0	0	0	2	1	
CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)																		
MALE	194	0	0	0	0	0	0	1	1	3	6	15	25	27	46	38	32	
FEMALE	114	0	1	0	0	0	0	0	0	2	7	10	15	22	28	12	17	
TOTALS	308	0	1	0	0	0	0	1	1	5	13	25	40	49	74	50	49	
PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)																		
MALE	14	1	0	0	0	0	0	0	0	0	1	0	4	2	1	3	2	
FEMALE	4	0	0	0	0	0	0	1	0	0	0	0	0	1	1	0	1	
TOTALS	18	1	0	0	0	0	0	1	0	0	1	0	4	3	2	3	3	
EMPHYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)																		
MALE	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	
TOTALS	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
PLEURISY (511)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)																	
MALE	34	0	0	0	0	1	1	0	0	0	2	1	6	8	8	3	4
FEMALE	24	1	0	0	0	0	0	0	0	0	3	3	1	3	4	5	4
TOTALS	58	1	0	0	0	1	1	0	0	0	5	4	7	11	12	8	8
GASTRIC ULCER (531)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	1	0	0	1	3	0
FEMALE	5	0	0	0	1	0	0	0	0	0	1	0	2	0	0	0	1
TOTALS	10	0	0	0	1	0	0	0	0	0	1	1	2	0	1	3	1
DUODENAL ULCER (532)																	
MALE	8	0	0	0	0	0	0	0	1	1	0	1	2	0	0	1	2
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2
TOTALS	11	0	0	0	0	0	0	0	1	1	0	1	3	0	0	1	4
PEPTIC ULCER, SITE UNSPECIFIED (533)																	
MALE	9	0	0	0	0	0	0	0	0	0	0	0	1	0	2	4	2
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3
TOTALS	13	0	0	0	0	0	0	0	0	0	0	0	1	1	2	4	5
GASTRITIS AND DUODENITIS (535)																	
MALE	4	0	0	0	0	0	0	0	0	1	0	1	1	0	0	1	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
TOTALS	6	0	0	0	0	0	0	0	0	1	0	2	2	0	0	1	0
APPENDICITIS (540-543)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)																	
MALE	8	1	0	0	0	0	0	0	0	0	2	1	0	0	1	0	3
FEMALE	16	1	0	0	0	0	0	0	1	0	1	1	0	0	1	3	8
TOTALS	24	2	0	0	0	0	0	0	1	0	3	2	0	0	2	3	11
REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)																	
MALE	14	0	0	0	0	0	0	0	1	1	4	0	2	2	0	2	2
FEMALE	19	0	0	0	0	0	0	0	0	0	1	2	2	3	2	3	6
TOTALS	33	0	0	0	0	0	0	0	1	1	5	2	4	5	2	5	8
DIVERTICULA OF INTESTINE (562)																	
MALE	15	0	0	0	0	0	0	0	0	1	2	0	1	1	4	3	3
FEMALE	13	0	0	0	0	0	0	0	0	0	0	1	0	3	1	2	6
TOTALS	28	0	0	0	0	0	0	0	0	1	2	1	1	4	5	5	9
CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)																	
MALE	36	0	0	0	0	0	0	0	4	7	7	8	3	4	1	2	0
FEMALE	18	0	0	0	0	0	0	1	1	3	2	6	5	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
TOTALS	54	0	0	0	0	0	0	1	5	10	9	14	8	4	1	2	0	
CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)																		
MALE	2	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	
FEMALE	7	0	0	0	0	0	0	0	0	0	1	1	2	0	2	1	0	
TOTALS	9	0	0	0	0	0	0	0	0	1	1	2	2	0	2	1	0	
CIRRHOSIS OF LIVER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)																		
MALE	54	0	0	0	0	0	0	0	4	5	6	12	9	13	2	2	1	
FEMALE	25	0	0	0	0	0	0	0	1	2	3	2	3	6	6	2	0	
TOTALS	79	0	0	0	0	0	0	0	5	7	9	14	12	19	8	4	1	
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)																		
MALE	9	0	0	0	0	0	0	0	0	0	0	0	1	2	2	2	2	
FEMALE	9	0	0	0	0	0	0	0	1	0	1	0	0	1	1	4	1	
TOTALS	18	0	0	0	0	0	0	0	1	0	1	0	1	3	3	6	3	
ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)																		
MALE	63	0	0	0	0	0	0	1	2	1	7	5	3	9	15	11	9	
FEMALE	62	0	0	0	0	0	0	0	2	4	3	3	4	3	13	6	24	
TOTALS	125	0	0	0	0	0	0	1	4	5	10	8	7	12	28	17	33	
NEPHROTIC SYNDROME (581)																		
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, AND RENAL SCLEROSIS (582-583,587)																		
MALE	4	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	2	
RENAL FAILURE (584-586,588-589)																		
MALE	40	1	0	0	0	0	0	1	0	0	1	2	2	2	7	11	13	
FEMALE	51	0	0	0	1	0	0	0	1	0	3	4	3	4	6	13	16	
TOTALS	91	1	0	0	1	0	0	1	1	0	4	6	5	6	13	24	29	
INFECTIONS OF KIDNEY (590)																		
MALE	6	0	0	0	0	0	0	0	0	0	1	0	1	2	0	1	1	
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1	3	
TOTALS	13	0	0	0	0	0	0	0	0	0	1	0	3	3	0	2	4	
URINARY CALCULUS (592,594)																		
MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	
ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)																		
MALE	18	0	0	0	0	0	0	0	0	0	0	0	3	0	5	4	6	
FEMALE	26	0	0	0	0	0	0	1	1	0	0	0	0	4	2	6	12	
TOTALS	44	0	0	0	0	0	0	1	1	0	0	0	3	4	7	10	18	
HYPERPLASIA OF PROSTATE (600)																		
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	
OTHER DISEASES OF FEMALE GENITAL ORGANS (614-629)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)																		
MALE	4	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	1	
FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	
TOTALS	6	0	0	0	0	0	0	0	0	1	1	0	0	0	3	0	1	
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	3	
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES (714)																		
MALE	3	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	
FEMALE	6	0	0	0	0	0	0	0	0	0	0	2	1	1	2	0	0	
TOTALS	9	0	0	0	0	0	0	0	0	0	1	3	1	1	3	0	0	
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)																		
MALE	3	1	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	
FEMALE	6	0	0	0	0	0	0	0	0	1	2	0	2	1	0	0	0	
TOTALS	9	1	0	0	0	0	0	0	0	1	3	0	2	1	1	0	0	
DORSOPATHIES (720-724)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
RHEUMATISM, EXCLUDING THE BACK (725-729)																		
MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	
OSTEOPATHIES, CHONDROPATHIES AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)																		
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	
SPINA BIFIDA (741)																		
MALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)																		
MALE	2	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
FEMALE	4	3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	6	3	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	
CONGENITAL ANOMALIES OF HEART (745-746)																		
MALE	10	4	2	0	0	0	1	0	0	2	0	1	0	0	0	0	0	
FEMALE	7	2	1	0	0	0	0	0	2	0	0	0	0	0	0	1	1	
TOTALS	17	6	3	0	0	0	1	0	2	2	0	1	0	0	0	1	1	
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)																		
MALE	2	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
FEMALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	4	3	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)																		
MALE	6	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
FEMALE	12	9	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.  
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH



TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	18	14	1	0	0	0	0	0	0	0	0	0	1	1	0	0	1
BIRTH TRAUMA (767)																	
FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA AND RESPIRATORY DISTRESS SYNDROME (768-769)																	
MALE	13	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	19	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-799)																	
MALE	16	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	36	36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6
SYMPTOMS, SIGNS AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)																	
MALE	34	21	0	0	0	0	0	3	0	1	0	1	2	1	1	1	3
FEMALE	37	12	0	0	0	0	0	2	1	1	1	2	2	2	1	7	6
TOTALS	71	33	0	0	0	0	0	5	1	2	1	3	4	3	2	8	9
RAILWAY ACCIDENTS (E800-E807)																	
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH TRAIN (E810)																	
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)																	
MALE	39	0	0	1	2	3	5	9	5	3	3	2	2	1	0	3	0
FEMALE	27	0	0	1	0	3	0	7	2	2	2	1	1	2	2	2	2
TOTALS	66	0	0	2	2	6	5	16	7	5	5	3	3	3	2	5	2
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH PEDESTRIAN (E814)																	
MALE	16	0	0	0	1	2	1	2	2	2	0	2	1	0	0	2	1
FEMALE	12	0	2	1	2	0	1	1	1	0	0	0	0	1	3	0	0
TOTALS	28	0	2	1	3	2	2	3	3	2	0	2	1	1	3	2	1
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)																	
MALE	18	0	0	1	1	5	4	3	2	1	0	1	0	0	0	0	0
FEMALE	5	0	0	0	0	0	0	1	0	1	0	1	0	1	0	0	1
TOTALS	23	0	0	1	1	5	4	4	2	2	0	2	0	1	0	0	1
MOTOR VEHICLE TRAFFIC ACCIDENTS NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)																	
MALE	71	0	0	0	1	15	20	21	9	1	0	1	0	1	0	1	1
FEMALE	23	0	0	0	0	7	5	4	5	0	0	1	0	0	1	0	0
TOTALS	94	0	0	0	1	22	25	25	14	1	0	2	0	1	1	1	1
MOTOR VEHICLE TRAFFIC ACCIDENTS OF UNSPECIFIED NATURE (E819)																	
MALE	9	0	0	0	0	2	0	1	1	1	0	1	1	0	0	0	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.  
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
FEMALE	5	0	0	1	0	1	1	1	0	0	0	0	0	0	1	0	0	
TOTALS	14	0	0	1	0	3	1	2	1	1	0	1	1	0	1	0	2	
MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)																		
MALE	5	0	1	0	0	0	1	0	1	0	0	0	1	1	0	0	0	
TOTALS	5	0	1	0	0	0	1	0	1	0	0	0	1	1	0	0	0	
WATER TRANSPORT ACCIDENTS (E830-E838)																		
MALE	14	0	0	0	0	2	2	3	4	0	1	0	1	1	0	0	0	
TOTALS	14	0	0	0	0	2	2	3	4	0	1	0	1	1	0	0	0	
AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)																		
MALE	4	0	0	0	0	0	0	1	0	2	0	1	0	0	0	0	0	
TOTALS	4	0	0	0	0	0	0	1	0	2	0	1	0	0	0	0	0	
ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS (E850-E858)																		
MALE	5	0	0	0	0	0	0	2	0	0	0	1	0	0	2	0	0	
FEMALE	6	0	0	0	0	0	1	0	1	2	0	0	0	0	0	1	1	
TOTALS	11	0	0	0	0	0	1	2	1	2	0	1	0	0	2	1	1	
ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)																		
MALE	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	
MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)																		
MALE	11	0	0	0	0	0	0	1	0	0	0	1	3	1	3	0	2	
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	1	0	3	0	3	
TOTALS	18	0	0	0	0	0	0	1	0	0	0	1	4	1	6	0	5	
FALL FROM ONE LEVEL TO ANOTHER (E880-E884)																		
MALE	11	0	1	0	0	0	1	2	0	0	1	1	2	1	0	0	2	
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2	1	
TOTALS	17	0	1	0	0	0	1	2	0	0	1	1	2	1	3	2	3	
FALL ON SAME LEVEL (E885-E886)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
FEMALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	
FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)																		
MALE	11	0	0	0	0	0	0	0	0	0	0	0	1	0	1	4	5	
FEMALE	17	0	0	0	0	0	0	0	0	0	0	1	0	0	3	4	9	
TOTALS	28	0	0	0	0	0	0	0	0	0	0	1	1	0	4	8	14	
ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)																		
MALE	24	1	2	4	0	2	1	4	0	4	1	0	2	0	1	1	1	
FEMALE	9	1	1	0	1	0	0	2	1	0	0	0	0	2	0	1	0	
TOTALS	33	2	3	4	1	2	1	6	1	4	1	0	2	2	1	2	1	
ACCIDENTAL DROWNING AND SUBMERSION (E910)																		
MALE	18	0	0	1	1	2	2	4	0	2	1	0	1	2	1	1	0	
FEMALE	3	0	0	0	0	1	0	0	0	0	0	0	1	1	0	0	0	
TOTALS	21	0	0	1	1	3	2	4	0	2	1	0	2	3	1	1	0	
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING SUFFOCATION (E911-E912)																		
MALE	9	0	0	0	0	0	0	0	0	1	0	1	1	1	1	1	3	
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	1	1	1	3	3	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
TOTALS	18	0	0	0	0	0	0	0	0	1	0	1	2	2	2	4	6	
ACCIDENT CAUSED BY HANDGUN (E922.0)																		
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
ACCIDENT CAUSED BY ELECTRIC CURRENT (E925)																		
MALE	4	0	0	0	0	0	0	3	1	0	0	0	0	0	0	0	0	
TOTALS	4	0	0	0	0	0	0	3	1	0	0	0	0	0	0	0	0	
ALL OTHER ACCIDENTS (E900-E906, E908-E909, E913-E921, E927-E929)																		
MALE	21	1	1	0	1	2	1	2	2	3	0	2	3	1	0	2	0	
FEMALE	13	0	1	1	0	0	0	0	0	0	0	0	0	0	4	2	5	
TOTALS	34	1	2	1	1	2	1	2	2	3	0	2	3	1	4	4	5	
DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)																		
MALE	8	0	0	0	0	0	0	3	1	2	1	0	0	1	0	0	0	
FEMALE	4	0	0	0	0	0	0	2	1	0	1	0	0	0	0	0	0	
TOTALS	12	0	0	0	0	0	0	5	2	2	2	0	0	1	0	0	0	
SUICIDE BY OTHER SOLID OR LIQUID SUBSTANCES (E950.6-E950.9)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
SUICIDE BY GASES AND VAPORS (E951-E952)																		
MALE	11	0	0	0	0	2	3	0	0	3	1	1	0	0	0	0	1	
FEMALE	4	0	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0	
TOTALS	15	0	0	0	0	2	3	1	1	4	2	1	0	0	0	0	1	
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)																		
MALE	18	0	0	0	1	5	1	4	4	1	2	0	0	0	0	0	0	
FEMALE	6	0	0	0	0	0	1	0	0	1	0	1	1	1	1	0	0	
TOTALS	24	0	0	0	1	5	2	4	4	2	2	1	1	1	1	0	0	
SUICIDE BY HANDGUN (E955.0)																		
MALE	12	0	0	0	0	0	3	2	0	3	0	1	1	1	1	0	0	
FEMALE	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	
TOTALS	14	0	0	0	0	0	3	3	0	4	0	1	1	1	1	0	0	
SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)																		
MALE	74	0	0	0	0	5	9	15	10	6	5	7	3	4	3	5	2	
FEMALE	11	0	0	0	0	3	3	4	1	0	0	0	0	0	0	0	0	
TOTALS	85	0	0	0	0	8	12	19	11	6	5	7	3	4	3	5	2	
SUICIDE BY ALL OTHER MEANS (E954, E955.5-E959)																		
MALE	8	0	0	0	0	1	1	3	1	0	0	1	0	1	0	0	0	
FEMALE	10	0	0	0	0	0	0	3	0	1	0	0	2	1	1	1	1	
TOTALS	18	0	0	0	0	1	1	6	1	1	0	1	2	2	1	1	1	
ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)																		
MALE	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	
FEMALE	6	0	0	0	1	0	2	2	0	1	0	0	0	0	0	0	0	
TOTALS	8	0	0	0	1	0	3	3	0	1	0	0	0	0	0	0	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE 3-03

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
ASSAULT BY ALL OTHER MEANS (E960-E964,E965.5-E965.9,E967-E969)																	
MALE	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0
FEMALE	10	0	2	0	1	0	1	3	0	0	2	1	0	0	0	0	0
TOTALS	12	0	2	0	1	0	2	3	0	1	2	1	0	0	0	0	0
INJURY INFLICTED BY ALL OTHER AND UNSPECIFIED FIREARMS (E985.1-E985.4)																	
MALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
STATE																	
MALE	5,478	72	11	9	13	59	72	126	149	317	340	477	684	761	822	739	827
FEMALE	5,348	62	11	6	9	18	23	60	75	171	214	315	416	601	817	844	1,706
TOTALS	10,826	134	22	15	22	77	95	186	224	488	554	792	1,100	1,362	1,639	1,583	2,533
PERCENT DISTRIBUTION																	
MALE	100.00	1.31	0.20	0.16	0.24	1.08	1.31	2.30	2.72	5.79	6.21	8.71	12.49	13.89	15.01	13.49	15.10
FEMALE	100.00	1.16	0.21	0.11	0.17	0.34	0.43	1.12	1.40	3.20	4.00	5.89	7.78	11.24	15.28	15.78	31.90
TOTALS	100.00	1.24	0.20	0.14	0.20	0.71	0.88	1.72	2.07	4.51	5.12	7.32	10.16	12.58	15.14	14.62	23.40

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 3-04

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS  
AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
SHIGELLOSIS & AMEBIASIS (004,006)	0	0	0.000
OTHER INTESTINAL INFECTIONS (007-009)	1	3	3.000
TUBERCULOSIS OF RESP. SYSTEM (010-012)	2	5	2.500
OTHER TUBERCULOSIS (013-018)	0	4	0.000
WHOOPING COUGH (033)	0	0	0.000
STREP., SCARLATINA & ERYSIPELAS (034-035)	0	0	0.000
MENINGOCOCCAL INFECTION (036)	2	2	1.000
SEPTICEMIA (038)	64	387	6.046
ACUTE POLIOMYELITIS (045)	0	0	0.000
MEASLES (055)	0	0	0.000
VIRAL HEPATITIS (070)	2	2	1.000
SYPHILIS (090-097)	1	4	4.000
ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL)	33	73	2.212
MAL. NEO. LIP. ORAL CAV., PHARYNX (140-149)	46	56	1.217
MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159)	660	765	1.159
MAL. NEO. RESPIRATORY & THORACIC ORG. (160-165)	649	715	1.101
MAL. NEO. BREAST (174-175)	194	235	1.211
MAL. NEO. GENITAL ORGANS (179-187)	253	343	1.355
MAL. NEO. URINARY ORGANS (188-189)	114	141	1.236
MAL. NEO. ALL OTHER & UNSPEC. (170-173, 190-199)	302	633	2.096
LEUKEMIA (204-208)	84	110	1.309
OTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203)	122	165	1.352
BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239)	47	77	1.638
DIABETES MELLITUS (250)	201	852	4.238
NUTRITIONAL DEFICIENCIES (260-269)	19	179	9.421
ANEMIAS (280-285)	21	171	8.142
MENINGITIS (320-322)	2	13	6.500
RHEUM. FEVER & RHEUM. HEART DIS. (390-398)	36	60	1.666
HYPERTENSIVE HEART DISEASE (402)	70	175	2.500
HYPERTENSIVE HEART & RENAL DIS. (404)	12	26	2.166
ACUTE MYOCARDIAL INFARCTION (410)	1,682	1,819	1.081
OTHER ACUTE & SUBACUTE I.H.D. (411)	29	71	2.448
ANGINA PECTORIS (413)	7	75	10.714
ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414)	1,511	2,870	1.899
OTHER DISEASES OF ENDOCARDIUM (424)	64	157	2.453
ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429)	825	4,066	4.928
HYPERTENSION W/WO RENAL DISEASE (401, 403)	55	607	11.036
INTRACEREBRAL HEMORRHAGE (431-432)	111	152	1.369
CEREB. THROM. & UNSPEC. OCCLUSION (434.0, 434.9)	116	182	1.568

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

\* SEE THE NOTES AT THE END OF THIS TABLE.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 3-04

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS  
AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
CEREBRAL EMBOLISM (434.1)	8	20	2.500
ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438)	552	1,098	1.989
ATHEROSCLEROSIS (440)	193	808	4.186
OTHER DIS. ARTERIES & CAPIL. (441-448)	160	289	1.806
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	3	12	4.000
PNEUMONIA (480-486)	276	887	3.213
INFLUENZA (487)	8	15	1.875
BRONCHITIS CHRONIC & UNSPEC. (490-491)	26	61	2.346
EMPHYSEMA (492)	75	162	2.160
ASTHMA (493)	21	50	2.380
OTHER CHRONIC OBSTR. PUL. DIS. (494-496)	313	845	2.699
ULCER OF STOMACH & DUODENUM (531-533)	34	85	2.500
APPENDICITIS (540-543)	1	4	4.000
HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560)	24	111	4.625
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	142	221	1.556
CHOLELITHIASIS & GALLBLAD. DIS. (574-575)	18	49	2.722
ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581)	1	6	6.000
CHRON. GLOMERUL. & RENAL SCLEO. UNSPEC. (582-583, 587)	6	14	2.333
RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589)	91	518	5.692
INFECTIONS OF KIDNEY (590)	13	32	2.461
HYPERPLASIA OF PROSTATE ALL (600)	3	17	5.666
PREGNANCY WITH ABORTIVE OUTCOME (630-638)	0	0	0.000
OTHER COMPLICATIONS OF PREG. (640-676)	0	1	0.000
CONGENITAL ANOMALIES (740-759)	47	72	1.531
BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769)	20	25	1.250
OTHER COND. IN PERINATAL PERIOD (760-766, 770-779)	36	70	1.944
SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799)	77	2,089	27.129
ALL OTHER DISEASES (RESIDUAL)	710	3,023	4.257
MOTOR VEHICLE ACCIDENTS (E810-E825)	232	239	1.030
OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949)	209	484	2.315
SUICIDE (E950-E959)	169	170	1.005
HOMICIDE & LEGAL INTERVENTION (E960-E978)	20	21	1.050
ALL OTHER EXTERNAL CAUSES (E980-E999)	1	2	2.000
 TOTAL FOR ALL CAUSES	 10,826	 26,695	 2.465

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

\* FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS.  
IN ADDITION CERTAIN CAUSES ARE NEVER CLASSIFIABLE AS UNDERLYING. MENTIONS OF THESE CAUSES ARE NOT INCLUDED IN THIS TABLE.  
MENTIONS OF CAUSES NOT CLASSIFIABLE AS UNDERLYING ARE AS FOLLOWS:

NATURE OF INJURY MENTIONS: 1311; SECONDARY NEOPLASM MENTIONS 550  
SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 3-05

DEATHS - TOTAL AND PERCENT BY SITE OF DEATH  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY	TOTAL DEATHS	***** PERCENT OF TOTAL DEATHS BY SITE OF DEATH *****								
		MAINE HOSPITAL	OUT OF STATE HOSPITAL	EN ROUTE TO HOSPITAL	SKILLED NURSING CARE	INTERMEDIATE CARE FACILITY	STATE PENAL INSTITUTIONS	OUT PATIENT FACILITY	AT HOME	OTHER PLACES
ANDROSCOGGIN	976	51.54	1.33	0.10	2.36	26.43	0.00	0.00	15.47	2.77
AROOSTOOK	753	61.49	1.99	0.00	0.53	19.39	0.00	0.00	12.48	4.12
CUMBERLAND	2,103	57.58	1.33	0.05	0.19	20.92	0.00	0.00	16.88	3.04
FRANKLIN	253	50.20	0.79	0.00	0.00	19.76	0.00	0.00	22.13	7.11
HANCOCK	480	54.17	1.25	0.00	0.00	21.67	0.00	0.21	17.71	5.00
KENNEBEC	1,001	53.15	1.40	0.10	0.20	26.47	0.00	0.20	13.59	4.90
KNOX	376	50.53	1.60	0.00	0.00	27.39	0.27	0.27	18.09	1.86
LINCOLN	318	47.17	1.89	0.00	0.00	23.58	0.00	0.00	21.07	6.29
OXFORD	537	49.72	1.49	0.19	1.12	26.63	0.00	0.00	17.32	3.54
PENOBSCOT	1,136	55.99	1.06	0.00	0.00	19.19	0.00	0.18	17.61	5.99
PISCATAQUIS	188	56.38	0.53	0.00	0.00	26.06	0.00	0.00	11.17	5.85
SAGadahoc	263	47.53	1.52	0.00	0.00	26.24	0.00	0.00	21.67	3.04
SOMERSET	471	52.23	1.49	0.00	0.00	25.90	0.00	0.21	16.77	3.40
WALDO	256	50.00	2.73	0.00	0.00	16.41	0.00	0.00	25.00	5.86
WASHINGTON	378	50.79	1.59	0.00	0.00	23.28	0.00	0.26	17.72	6.35
YORK	1,337	53.10	9.50	0.00	0.07	17.95	0.00	0.00	16.08	3.29
STATE TOTALS	10,826	54.00	2.42	0.04	0.37	22.28	0.01	0.07	16.70	4.11

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 3-06

DEATHS IN HOSPITALS - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN HOSPITALS	***** PERCENT OF TOTAL CAUSE-SPECIFIC DEATHS OCCURRING IN HOSPITALS *****								* ACCIDENTS *	
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)		MOTOR VEHICLE (E800- E810- E825)	OTHER (E800- E807)
ANDROSCOGGIN	516	3.88	5.62	18.80	14.73	1.36	1.16	1.94		1.94	1.16
AROOSTOOK	478	5.23	6.69	20.92	15.90	2.72	1.46	2.09		0.84	0.84
CUMBERLAND	1,239	7.51	7.43	16.63	11.22	0.81	1.29	2.74		2.10	2.26
FRANKLIN	129	7.75	5.43	23.26	9.30	0.00	0.78	2.33		4.65	1.55
HANCOCK	266	4.89	6.77	15.79	9.77	0.38	1.13	3.76		1.13	2.26
KENNEBEC	546	4.95	8.06	18.86	12.64	2.01	0.92	1.83		2.01	0.92
KNOX	196	4.08	6.12	28.57	10.20	1.02	2.55	1.53		1.53	1.53
LINCOLN	156	8.33	8.97	19.23	8.33	2.56	1.28	3.85		0.64	3.21
OXFORD	275	5.09	6.18	19.27	10.55	2.55	1.09	2.55		3.64	3.27
PENOBSCOT	648	5.86	7.87	17.28	12.50	0.93	1.70	2.01		1.39	0.93
PISCATAQUIS	107	4.67	7.48	15.89	5.61	0.00	0.00	3.74		0.00	0.93
SAGadahoc	129	6.20	7.75	17.05	10.08	1.55	0.78	2.33		1.55	4.65
SOMERSET	253	9.09	6.32	19.76	9.49	2.77	0.00	2.37		0.40	3.95
WALDO	135	7.41	9.63	12.59	10.37	0.00	0.74	2.96		0.74	4.44
WASHINGTON	198	9.09	7.07	16.16	9.09	2.02	0.51	4.55		1.01	1.52
YORK	837	6.45	7.65	16.85	9.56	1.08	0.60	1.67		2.03	1.55
STATE TOTALS	6,108	6.20	7.22	18.14	11.39	1.36	1.10	2.39		1.74	1.85

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH



TABLE 3-07

DEATHS IN INTERMEDIATE CARE FACILITIES - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN ICF	***** PERCENT OF TOTAL CAUSE-SPECIFIC DEATHS OCCURRING IN INTERMEDIATE CARE FACILITIES *****								* ACCIDENTS * MOTOR VEHICLE (E810- E825)	OTHER (E800- E807)
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)			
ANDROSCOGGIN	258	3.49	2.33	4.26	22.87	0.39	0.78	4.65	0.00	0.78	
AROOSTOOK	146	2.74	4.11	12.33	23.97	9.59	0.68	2.05	0.00	0.00	
CUMBERLAND	440	4.55	3.18	7.27	25.45	0.45	3.86	3.18	0.00	0.23	
FRANKLIN	50	10.00	2.00	2.00	10.00	0.00	0.00	10.00	0.00	2.00	
HANCOCK	104	6.73	1.92	6.73	13.46	0.00	0.00	2.88	0.00	1.92	
KENNEBEC	265	6.04	4.15	9.81	18.87	0.00	3.40	5.28	0.00	1.13	
KNOX	103	2.91	5.83	3.88	19.42	0.97	1.94	7.77	0.00	0.00	
LINCOLN	75	1.33	4.00	9.33	16.00	0.00	2.67	4.00	0.00	0.00	
OXFORD	143	6.29	2.80	7.69	20.28	0.70	0.00	2.80	0.00	1.40	
PENOBSCOT	218	6.42	2.29	5.96	15.60	0.46	1.38	7.80	0.00	2.75	
PISCATAQUIS	49	6.12	0.00	4.08	4.08	0.00	0.00	8.16	0.00	2.04	
SAGadahoc	69	10.14	5.80	5.80	14.49	1.45	0.00	7.25	0.00	0.00	
SOMERSET	122	4.92	5.74	6.56	19.67	0.00	0.00	2.46	0.00	0.00	
WALDO	42	0.00	0.00	2.38	11.90	0.00	2.38	11.90	0.00	4.76	
WASHINGTON	88	4.55	2.27	6.82	15.91	0.00	1.14	2.27	0.00	0.00	
YORK	240	5.42	3.75	9.58	13.33	0.42	0.83	5.00	0.00	0.42	
STATE TOTALS	2,412	5.02	3.32	7.21	18.95	0.91	1.66	4.73	0.00	0.87	

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 3-08

DEATHS AT HOME - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS  
MAINE COUNTIES AND STATE TOTALS, 1984 (RESIDENT DATA)

COUNTY	TOTAL DEATHS AT HOME	***** PERCENT OF TOTAL CAUSE-SPECIFIC DEATHS OCCURRING AT HOME *****								
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS * MOTOR VEHICLE (E810- E825)	OTHER (E800- E807)
ANDROSCOGGIN	151	7.28	5.30	12.58	27.15	0.00	1.32	0.66	0.00	0.66
AROOSTOOK	94	5.32	3.19	22.34	25.53	0.00	0.00	0.00	3.19	0.00
CUMBERLAND	355	9.30	6.48	16.62	21.97	0.56	0.85	1.13	0.56	1.41
FRANKLIN	56	3.57	5.36	19.64	21.43	0.00	0.00	1.79	1.79	3.57
HANCOCK	85	5.88	5.88	40.00	4.71	0.00	0.00	1.18	1.18	1.18
KENNEBEC	136	9.56	4.41	19.12	22.79	0.74	0.00	2.21	0.00	3.68
KNOX	68	8.82	7.35	22.06	11.76	0.00	0.00	0.00	1.47	2.94
LINCOLN	67	7.46	4.48	19.40	13.43	0.00	1.49	1.49	2.99	0.00
OXFORD	93	5.38	8.60	23.66	17.20	0.00	0.00	0.00	1.08	2.15
PENOBSCOT	200	7.50	4.50	15.50	14.00	0.00	0.50	0.50	0.50	1.00
PISCATAQUIS	21	14.29	4.76	4.76	23.81	0.00	0.00	0.00	0.00	0.00
SAGadahoc	57	7.02	8.77	15.79	26.32	0.00	0.00	1.75	0.00	0.00
SOMERSET	79	1.27	3.80	29.11	11.39	0.00	0.00	1.27	0.00	0.00
WALDO	64	3.13	7.81	15.63	20.31	3.13	0.00	0.00	0.00	1.56
WASHINGTON	67	7.46	1.49	23.88	22.39	0.00	1.49	0.00	0.00	4.48
YORK	215	10.23	6.51	15.35	18.60	0.00	0.47	0.00	0.47	0.93
STATE TOTALS	1,808	7.58	5.64	18.97	19.25	0.28	0.50	0.77	0.72	1.44

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH



# INDUCED ABORTIONS



TABLE 4-01

TOTAL TERMINATIONS OF PREGNANCY, FETAL DEATHS, MISCARRIAGES, AND INDUCED ABORTIONS BY GESTATION  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)\*

GESTATION WEEKS	TOTAL TERMINATIONS	FETAL DEATHS		MISCARRIAGES		INDUCED ABORTIONS	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
0-4	44	0	0.00	16	3.07	28	0.74
5-8	2,278	0	0.00	209	40.12	2,069	54.92
9-12	1,620	0	0.00	220	42.23	1,400	37.16
13-19	296	0	0.00	51	9.79	245	6.50
20-23	26	26	23.01	0	0.00	0	0.00
24-27	19	19	16.81	0	0.00	0	0.00
28-31	19	19	16.81	0	0.00	0	0.00
32-35	22	22	19.47	0	0.00	0	0.00
36-38	12	12	10.62	0	0.00	0	0.00
> 39	15	15	13.27	0	0.00	0	0.00
UNKNOWN	50	0	0.00	25	4.80	25	0.66
STATE TOTALS	4,401	113	100.00	521	100.00	3,767	100.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.  
RESIDENCE AREA ON 9 ABORTION RECORDS WERE BLANK.MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 4-02

INDUCED ABORTIONS BY GESTATION AND TYPE OF TERMINATION PROCEDURES  
MAINE STATE TOTALS, 1984 (OCCURRENCE DATA)

TERMINATION PROCEDURES	TOTAL ABORTIONS	PERCENT DISTRIBUTION	***** WEEKS OF GESTATION *****														GREATER THAN 19	UNK
			LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19				
PRIMARY PROCEDURE THAT TERMINATED PREGNANCY																		
SUCTION CURETTAGE	4,332	98.19	2,354	530	610	281	205	93	66	59	54	45	8	5	0	22		
SHARP CURETTAGE	43	0.97	29	3	5	1	3	0	1	0	0	1	0	0	0	0		
SALINE INSTILLATION	3	0.07	0	0	0	0	0	0	0	1	0	2	0	0	0	0		
PROSTAGLANDIN INSTILLATION	8	0.18	1	0	0	0	0	0	1	0	1	2	1	2	0	0		
HYSTEROTOMY	1	0.02	0	0	0	0	0	0	0	0	0	0	1	0	0	0		
HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
OTHER	25	0.57	7	0	1	1	0	0	0	1	1	0	3	2	0	9		
STATE TOTALS	4,412		2,391	533	616	283	208	93	68	61	56	50	13	9	0	31		
PERCENT DISTRIBUTION		100.00	54.19	12.08	13.96	6.41	4.71	2.11	1.54	1.38	1.27	1.13	0.29	0.20	0.00	0.70		

122

## ADDITIONAL PROCEDURES USED

NONE	2,600	58.93	1,660	297	325	125	88	18	14	16	11	18	5	6	0		17
SUCTION CURETTAGE	24	0.54	17	2	3	0	1	0	0	0	1	0	0	0	0		0
SHARP CURETTAGE	1,779	40.32	711	234	288	158	118	75	53	44	43	30	8	3	0		14
SALINE INSTILLATION	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0		0
PROSTAGLANDIN INSTILLATION	2	0.05	0	0	0	0	0	0	0	1	0	1	0	0	0		0
HYSTEROTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0		0
HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0		0
OTHER	7	0.16	3	0	0	0	1	0	1	0	1	1	0	0	0		0
STATE TOTALS	4,412		2,391	533	616	283	208	93	68	61	56	50	13	9	0		31
PERCENT DISTRIBUTION		100.00	54.19	12.08	13.96	6.41	4.71	2.11	1.54	1.38	1.27	1.13	0.29	0.20	0.00		0.70

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 4-03

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)\*

AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	***** WEEKS OF GESTATION *****														GREATER	UNKNOWN
			LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19				
LESS THAN 15	32	0.85	18	5	3	0	3	0	1	0	1	1	0	0	0	0		
15	88	2.34	42	6	14	10	3	4	3	2	0	2	1	1	0	0		
16	169	4.49	76	17	25	10	12	9	7	3	5	3	1	0	0	1		
17	234	6.21	99	34	36	20	21	6	3	7	2	4	1	1	0	0		
18	329	8.73	161	46	58	28	10	8	4	8	2	1	0	1	0	2		
19	297	7.88	148	34	47	16	20	9	5	8	3	3	0	1	0	3		
20-24	1,300	34.51	717	185	184	77	64	21	17	8	10	7	2	3	0	5		
25-29	719	19.09	466	69	83	38	27	7	7	2	5	6	2	2	0	5		
30-34	365	9.69	250	36	38	15	11	3	4	2	3	1	1	0	0	1		
35-39	170	4.51	83	24	31	9	8	5	0	3	0	0	1	0	0	6		
40-44	46	1.22	27	5	7	1	2	1	0	0	0	0	1	0	0	2		
GREATER THAN 44	3	0.08	3	0	0	0	0	0	0	0	0	0	0	0	0	0		
UNKNOWN	15	0.40	7	3	2	1	2	0	0	0	0	0	0	0	0	0		
STATE TOTALS	3,767		2,097	464	528	225	183	73	51	43	31	28	10	9	0	25		
PERCENT DISTRIBUTION		100.00	55.67	12.32	14.02	5.97	4.86	1.94	1.35	1.14	0.82	0.74	0.27	0.24	0.00	0.66		

RACE OF PATIENT																
WHITE	3,693	98.04	2,048	455	521	223	179	71	51	43	31	28	10	8	0	25
BLACK	8	0.21	6	0	1	0	1	0	0	0	0	0	0	0	0	0
AMERICAN INDIAN	14	0.37	13	0	1	0	0	0	0	0	0	0	0	0	0	0
OTHER	52	1.38	30	9	5	2	3	2	0	0	0	0	0	1	0	0
STATE TOTALS	3,767		2,097	464	528	225	183	73	51	43	31	28	10	9	0	25
PERCENT DISTRIBUTION		100.00	55.67	12.32	14.02	5.97	4.86	1.94	1.35	1.14	0.82	0.74	0.27	0.24	0.00	0.66

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.  
RESIDENCE AREA ON 9 RECORDS WERE BLANK.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH



TABLE 4-04

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE  
MAINE STATE TOTALS, 1984 (OCCURRENCE DATA)

AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	***** WEEKS OF GESTATION *****													GREATER THAN 19	UNKNOWN
			LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19			
LESS THAN 15	36	0.82	19	5	3	2	3	0	1	0	2	1	0	0	0	0	
15	108	2.45	50	8	15	11	3	5	5	3	3	3	1	1	0	0	
16	203	4.60	87	19	30	15	14	10	9	5	6	6	1	0	0	1	
17	304	6.89	118	40	53	23	26	10	7	8	8	7	1	1	0	2	
18	380	8.61	179	53	64	33	11	10	4	11	9	3	0	1	0	2	
19	355	8.05	173	42	53	21	24	11	6	11	5	5	0	1	0	3	
20-24	1,537	34.84	820	208	223	107	73	28	23	12	14	14	5	3	0	7	
25-29	816	18.50	526	84	95	41	29	9	8	2	5	8	2	2	0	5	
30-34	402	9.11	275	39	40	15	12	4	5	3	3	3	1	0	0	2	
35-39	198	4.49	101	27	31	12	8	5	0	5	1	0	1	0	0	7	
40-44	50	1.13	31	5	7	1	2	1	0	0	0	0	1	0	0	2	
GREATER THAN 44	4	0.09	4	0	0	0	0	0	0	0	0	0	0	0	0	0	
UNKNOWN	19	0.43	8	3	2	2	3	0	0	1	0	0	0	0	0	0	
STATE TOTALS	4,412		2,391	533	616	283	208	93	68	61	56	50	13	9	0	31	
PERCENT DISTRIBUTION		100.00	54.19	12.08	13.96	6.41	4.71	2.11	1.54	1.38	1.27	1.13	0.29	0.20	0.00	0.70	

## RACE OF PATIENT

WHITE	4,322	97.96	2,335	524	607	279	203	91	66	60	56	49	13	8	0	31
BLACK	15	0.34	9	0	2	1	2	0	1	0	0	0	0	0	0	0
AMERICAN INDIAN	15	0.34	14	0	1	0	0	0	0	0	0	0	0	0	0	0
OTHER	60	1.36	33	9	6	3	3	2	1	1	0	1	0	1	0	0
STATE TOTALS	4,412		2,391	533	616	283	208	93	68	61	56	50	13	9	0	31
PERCENT DISTRIBUTION		100.00	54.19	12.08	13.96	6.41	4.71	2.11	1.54	1.38	1.27	1.13	0.29	0.20	0.00	0.70

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 4-05

INDUCED ABORTIONS BY RACE, MARITAL STATUS AND AGE OF PATIENT  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)\*

MARITAL STATUS	TOTAL ABORTIONS	***** RACE *****							
		WHITE		BLACK		AMERICAN INDIAN		OTHER	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	699	684	97.85	0	0.00	2	0.29	13	1.86
NOT MARRIED	2,979	2,931	98.39	7	0.23	11	0.37	30	1.01
UNKNOWN	89	78	87.64	1	1.12	1	1.12	9	10.11
STATE TOTALS	3,767	3,693	98.04	8	0.21	14	0.37	52	1.38
AGE OF PATIENT(YRS.)									
LESS THAN 15	32	32	100.00	0	0.00	0	0.00	0	0.00
15	88	87	98.86	0	0.00	0	0.00	1	1.14
16	169	166	98.22	0	0.00	1	0.59	2	1.18
17	234	232	99.15	0	0.00	0	0.00	2	0.85
18	328	324	98.78	0	0.00	1	0.30	3	0.91
19	297	291	97.98	1	0.34	2	0.67	3	1.01
20-24	1,300	1,271	97.77	4	0.31	6	0.46	19	1.46
25-29	719	705	98.05	1	0.14	4	0.56	9	1.25
30-34	364	353	96.98	2	0.55	0	0.00	9	2.47
35-39	170	169	99.41	0	0.00	0	0.00	1	0.59
40-44	46	46	100.00	0	0.00	0	0.00	0	0.00
GREATER THAN 44	3	2	66.67	0	0.00	0	0.00	1	33.33
UNKNOWN	17	15	88.24	0	0.00	0	0.00	2	11.76
TEENAGE TOTALS	1,148	1,132	98.61	1	0.09	4	0.35	11	0.96
STATE TOTALS	3,767	3,693	98.04	8	0.21	14	0.37	52	1.38

NOTES: PERCENTAGES ARE BASED ON TOTAL ABORTIONS.  
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.  
RESIDENCE AREA ON 9 RECORDS WERE BLANK.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 4-06

INDUCED ABORTIONS BY RACE, MARITAL STATUS AND AGE OF PATIENT  
MAINE STATE TOTALS, 1984 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL ABORTIONS	***** RACE *****							
		WHITE		BLACK		AMERICAN INDIAN		OTHER	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	777	756	97.30	1	0.13	2	0.26	18	2.32
NOT MARRIED	3,538	3,480	98.36	13	0.37	12	0.34	33	0.93
UNKNOWN	97	86	88.66	1	1.03	1	1.03	9	9.28
STATE TOTALS	4,412	4,322	97.96	15	0.34	15	0.34	60	1.36
AGE OF PATIENT(YRS.)									
LESS THAN 15	36	36	100.00	0	0.00	0	0.00	0	0.00
15	108	107	99.07	0	0.00	0	0.00	1	0.93
16	203	200	98.52	0	0.00	1	0.49	2	0.99
17	304	300	98.68	2	0.66	0	0.00	2	0.66
18	381	376	98.69	0	0.00	1	0.26	4	1.05
19	355	348	98.03	1	0.28	2	0.56	4	1.13
20-24	1,537	1,502	97.72	7	0.46	7	0.46	21	1.37
25-29	816	800	98.04	2	0.25	4	0.49	10	1.23
30-34	402	388	96.52	3	0.75	0	0.00	11	2.74
35-39	199	197	98.99	0	0.00	0	0.00	2	1.01
40-44	50	50	100.00	0	0.00	0	0.00	0	0.00
GREATER THAN 44	4	3	75.00	0	0.00	0	0.00	1	25.00
UNKNOWN	17	15	88.24	0	0.00	0	0.00	2	11.76
TEENAGE TOTALS	1,386	1,366	98.56	3	0.22	4	0.29	13	0.94
STATE TOTALS	4,412	4,322	97.96	15	0.34	15	0.34	60	1.36

NOTES: PERCENTAGES ARE BASED ON TOTAL ABORTIONS.  
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 4-07

INDUCED ABORTIONS BY COMPLICATIONS OF PREGNANCY, GESTATION, AND AGE OF PATIENT  
MAINE STATE TOTALS, 1984 (OCCURRENCE DATA)

WEEKS OF GESTATION	TOTAL* ABORTIONS	PERCENT DISTRIBUTION	***** COMPLICATIONS OF PREGNANCY *****						
			NONE	HEMORRHAGE	INFECTION	UTERINE PERFORATION	CERVICAL LACERATION	RETAINED PRODUCTS	OTHER
LESS THAN 9	2,391	54.19	2,363	6	2	0	..2	5	13
9	533	12.08	530	1	2	0	0	0	0
10	616	13.96	610	2	1	0	1	0	2
11	283	6.41	282	0	0	0	0	0	1
12	208	4.71	204	2	1	0	0	1	1
13	93	2.11	91	1	0	0	0	1	0
14	68	1.54	67	0	0	0	0	0	1
15	61	1.38	59	0	0	0	0	1	1
16	56	1.27	54	0	0	0	0	1	1
17	50	1.13	48	0	2	0	0	1	0
18	13	0.29	11	1	1	0	0	0	1
19	9	0.20	7	1	0	0	0	0	1
GREATER THAN 19	0	0.00	0	0	0	0	0	0	0
UNKNOWN	31	0.70	22	0	1	0	0	0	8
STATE TOTALS	4,412		4,348	14	10	0	3	10	30
PERCENT DISTRIBUTION		100.00	98.55	0.32	0.23	0.00	0.07	0.23	0.68

  

AGE OF PATIENT(YRS.)									
LESS THAN 15	36	0.82	35	0	0	0	1	0	0
15	108	2.45	107	1	0	0	0	0	0
16	203	4.60	203	0	0	0	0	0	0
17	304	6.89	302	0	0	0	1	0	1
18	381	8.64	374	3	0	0	0	1	2
19	355	8.05	350	2	1	0	1	2	0
20-24	1,537	34.84	1,518	4	5	0	0	3	8
25-29	816	18.50	800	2	4	0	0	3	9
30-34	402	9.11	397	1	0	0	0	1	3
35-39	199	4.51	193	1	0	0	0	0	5
40-44	50	1.13	48	0	0	0	0	0	2
GREATER THAN 44	4	0.09	4	0	0	0	0	0	0
UNKNOWN	17	0.39	17	0	0	0	0	0	0
TEENAGE TOTALS	1,386	31.41	1,370	6	1	0	3	3	3
STATE TOTALS	4,412		4,348	14	10	0	3	10	30
PERCENT DISTRIBUTION		100.00	98.55	0.32	0.23	0.00	0.07	0.23	0.68

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* THE SUM OF COMPLICATIONS OF PREGNANCY MAY EXCEED TOTAL ABORTIONS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 4-08 INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)\*

MARITAL STATUS	TOTAL ABORTIONS	***** LIVE BIRTHS *****							***** OUTCOME OF PREVIOUS PREGNANCIES *****							***** SPONTANEOUS TERMINATIONS *****						
		*****							*****							*****						
		0	1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK			
MARRIED	699	141	181	193	72	35	77	421	161	49	14	1	53	521	83	15	5	2	73			
NOT MARRIED	2,979	2,101	344	179	39	24	292	1,965	582	150	35	12	235	2,498	120	22	8	1	330			
UNKNOWN	89	40	14	9	4	1	21	52	19	3	0	1	14	64	2	2	2	0	19			
STATE TOTALS	3,767	2,282	539	381	115	60	390	2,438	762	202	49	14	302	3,083	205	39	15	3	422			
PERCENT DIST.	100.00	60.58	14.31	10.11	3.05	1.59	10.35	64.72	20.23	5.36	1.30	0.37	8.02	81.84	5.44	1.04	0.40	0.08	11.20			

AGE OF PATIENT(YRS.)

LESS THAN 15	32	32	0	0	0	0	0		31	1	0	0	0	0		32	0	0	0	0	0
15	88	82	0	0	0	0	6		73	2	1	0	0	12		74	1	0	0	0	13
16	169	156	3	0	0	0	10		149	10	2	0	0	8		158	0	0	0	0	11
17	234	205	10	0	0	0	19		192	15	1	0	0	26		201	6	0	0	0	27
18	328	283	13	4	1	0	27		257	48	0	0	0	23		289	8	0	1	0	30
19	297	230	33	7	0	0	27		227	39	4	0	0	27		257	12	0	0	0	28
20-24	1,300	835	213	96	15	2	139		797	323	67	12	0	101		1,083	57	4	1	1	154
25-29	719	311	153	127	28	16	84		374	190	72	19	7	57		547	55	16	4	1	96
30-34	364	110	68	89	23	16	58		191	83	37	11	3	39		267	36	11	5	0	45
35-39	170	26	36	46	34	18	10		107	36	14	5	4	4		132	23	4	2	0	9
40-44	46	2	6	11	11	8	8		28	9	3	1	0	5		26	6	4	1	1	8
GREATER THAN 44	3	0	1	1	1	0	0		2	1	0	0	0	0		3	0	0	0	0	0
UNKNOWN	17	10	3	0	2	0	2		10	5	1	1	0	0		14	1	0	1	0	1
TEENAGE TOTALS	1,148	988	59	11	1	0	89		929	115	8	0	0	96		1,011	27	0	1	0	109
PERCENT DIST.	100.00	86.06	5.14	0.96	0.09	0.00	7.75		80.92	10.02	0.70	0.00	0.00	8.36		88.07	2.35	0.00	0.09	0.00	9.49
STATE TOTALS	3,767	2,282	539	381	115	60	390		2,438	762	202	49	14	302		3,083	205	39	15	3	422
PERCENT DIST.	100.00	60.58	14.31	10.11	3.05	1.59	10.35		64.72	20.23	5.36	1.30	0.37	8.02		81.84	5.44	1.04	0.40	0.08	11.20

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 9 RECORDS WERE BLANK.

TABLE 4-09 INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT  
MAINE STATE TOTALS, 1984 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL ABORTIONS	***** OUTCOME OF PREVIOUS PREGNANCIES *****																	
		***** LIVE BIRTHS *****						***** INDUCED TERMINATIONS *****						***** SPONTANEOUS TERMINATIONS *****					
		0	1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK
MARRIED	777	161	203	213	83	36	81	478	176	51	15	1	56	588	90	15	5	2	77
NOT MARRIED	3,538	2,565	392	199	45	28	309	2,427	653	161	38	12	247	3,028	129	22	8	1	350
UNKNOWN	97	46	15	9	4	1	22	57	22	3	0	1	14	71	2	2	2	0	20
STATE TOTALS	4,412	2,772	610	421	132	65	412	2,962	851	215	53	14	317	3,687	221	39	15	3	447
PERCENT DIST.	100.00	62.83	13.83	9.54	2.99	1.47	9.34	67.14	19.29	4.87	1.20	0.32	7.18	83.57	5.01	0.88	0.34	0.07	10.13
AGE OF PATIENT(YRS.)																			
LESS THAN 15	36	36	0	0	0	0	0	35	1	0	0	0	0	36	0	0	0	0	0
15	108	102	0	0	0	0	6	93	2	1	0	0	12	94	1	0	0	0	13
16	203	188	4	0	0	0	11	177	15	2	0	0	9	191	0	0	0	0	12
17	304	272	12	0	0	0	20	256	19	2	0	0	27	269	7	0	0	0	28
18	381	333	15	4	2	0	27	306	52	0	0	0	23	341	8	0	2	0	30
19	355	282	38	8	0	0	27	278	46	4	0	0	27	314	12	0	0	0	29
20-24	1,537	1,021	243	103	19	2	149	982	363	72	12	0	108	1,304	61	4	1	1	166
25-29	816	370	175	134	31	17	89	447	205	78	21	7	58	636	58	16	4	1	101
30-34	402	123	72	101	29	16	61	220	87	37	13	3	42	297	41	11	5	0	48
35-39	199	31	40	57	39	20	12	123	46	15	5	4	6	156	26	4	2	0	11
40-44	50	2	7	13	11	9	8	32	9	3	1	0	5	30	6	4	1	1	8
GREATER THAN 44	4	0	1	1	1	1	0	3	1	0	0	0	0	4	0	0	0	0	0
UNKNOWN	17	12	3	0	0	0	2	10	5	1	1	0	0	15	1	0	0	0	1
TEENAGE TOTALS	1,386	1,213	69	12	1	0	91	1,144	135	9	0	0	98	1,245	28	0	1	0	112
PERCENT DIST.	100.00	87.52	4.98	0.87	0.07	0.00	6.57	82.54	9.74	0.65	0.00	0.00	7.07	89.83	2.02	0.00	0.07	0.00	8.08
STATE TOTALS	4,412	2,772	610	421	132	65	412	2,962	851	215	53	14	317	3,687	221	39	15	3	447
PERCENT DIST.	100.00	62.83	13.83	9.54	2.99	1.47	9.34	67.14	19.29	4.87	1.20	0.32	7.18	83.57	5.01	0.88	0.34	0.07	10.13

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.  
PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 4-10

INDUCED ABORTIONS BY STATE OR COUNTRY OF RESIDENCE  
MAINE STATE TOTALS, 1984 (OCCURRENCE DATA)

STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS
ALASKA	0	MASSACHUSETTS	92	SOUTH DAKOTA	0
ALABAMA	0	MICHIGAN	0	TENNESSEE	1
ARIZONA	1	MINNESOTA	0	TEXAS	2
ARKANSAS	0	MISSISSIPPI	0	UTAH	0
CALIFORNIA	2	MISSOURI	1	VERMONT	6
COLORADO	1	MONTANA	0	VIRGINIA	3
CONNECTICUT	3	NEBRASKA	0	WASHINGTON	0
DELAWARE	0	NEVADA	0	WEST VIRGINIA	0
FLORIDA	2	NEW HAMPSHIRE	89	WISCONSIN	1
GEORGIA	0	NEW JERSEY	1	WYOMING	0
HAWAII	0	NEW MEXICO	0	DIST OF COLUMBIA	1
IDAHO	0	NEW YORK	11	PUERTO RICO	0
ILLINOIS	1	NORTH CAROLINA	0	VIRGIN ISLANDS	0
INDIANA	1	NORTH DAKOTA	0	GUAM	0
IOWA	0	OHIO	2	CANADA	408
KANSAS	0	OKLAHOMA	0	CUBA	0
KENTUCKY	0	OREGON	0	MEXICO	0
LOUISIANA	0	PENNSYLVANIA	4	OTHER W. HEMISPHERE	0
MAINE	3,767	RHODE ISLAND	5	REST OF THE WORLD	2
MARYLAND	2	SOUTH CAROLINA	0	UNKNOWN	3
				TOTAL	4,412

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

MARRIAGES  
AND  
DIVORCES







JOSEPH E. BRENNAN  
GOVERNOR

STATE OF MAINE  
DEPARTMENT OF HUMAN SERVICES  
AUGUSTA, MAINE 04333

Bureau of Medical Services  
Office of Health Planning and Development  
151 Capitol Street, Station #11  
Augusta, Maine 04333  
(207) 289-2716  
289-3001 (Data)



MICHAEL R. PETIT  
COMMISSIONER

January 10, 1986

ERRATA - MAINE VITAL STATISTICS, 1984

The attached Tables 5-01 and 5-03 replace those in the bound volume.



TABLE 5-01

MARRIAGES BY AGE OF BRIDE AND OF GROOM  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)\*

AGE OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DIST.	***** AGE OF BRIDE(YRS.) *****														OVER 64	UNKNOWN
			UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64			
UNDER 16	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
16-17	43	0.37	3	18	14	4	3	0	1	0	0	0	0	0	0	0	0	
18-19	656	5.69	11	112	369	108	28	11	3	6	5	1	2	0	0	0	0	
20-21	1,490	12.92	5	93	601	507	153	54	33	18	17	6	3	0	0	0	0	
22-23	1,813	15.72	7	58	382	563	471	183	66	39	30	12	2	0	0	0	0	
24-25	1,410	12.23	2	17	175	316	348	264	125	59	74	24	6	0	0	0	0	
26-27	1,112	9.64	2	9	72	155	242	211	181	105	100	27	7	0	1	0	0	
28-29	875	7.59	1	5	43	83	137	158	145	121	125	47	7	2	1	0	0	
30-34	1,496	12.97	0	5	45	109	166	177	201	194	428	137	26	5	3	0	0	
35-39	982	8.52	1	3	14	31	46	76	97	112	280	219	87	12	4	0	0	
40-44	583	5.06	0	0	3	11	19	20	29	34	129	172	105	45	16	0	0	
45-49	329	2.85	0	1	2	4	3	3	18	14	51	81	78	48	26	0	0	
50-64	551	4.78	0	1	3	1	1	3	6	11	22	66	95	104	222	16	0	
OVER 64	190	1.65	1	0	0	1	0	1	1	0	1	6	7	5	76	91	0	
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
STATE TOTALS	11,530		33	322	1,723	1,893	1,617	1,161	906	713	1,262	798	425	221	349	107	0	
PERCENT DISTRIBUTION		100.00	0.29	2.79	14.94	16.42	14.02	10.07	7.86	6.18	10.95	6.92	3.69	1.92	3.03	0.93	0.00	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.  
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 5-03

MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS, FOR BRIDES AND FOR GROOMS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)\*

PREVIOUS MARITAL STATUS	TOTAL MARRIAGES	PERCENT DIST.	***** AGE OF BRIDE(YRS.) *****															OVER 64	UNKNOWN
			UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64				
BRIDE																			
SINGLE	7,406	64.23	32	320	1,701	1,789	1,400	838	516	321	352	85	20	14	13	5	0		
WIDOWED	397	3.44	0	0	0	4	0	6	10	9	26	31	29	41	154	87	0		
DIVORCED	3,717	32.24	1	2	22	97	216	317	379	383	881	681	376	166	182	14	0		
ANNULLED	10	0.09	0	0	0	3	1	0	1	0	3	1	0	0	0	1	0		
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
BRIDE TOTALS	11,530		33	322	1,723	1,893	1,617	1,161	906	713	1,262	798	425	221	349	107	0		
PERCENT DIST.		100.00	0.29	2.79	14.94	16.42	14.02	10.07	7.86	6.18	10.95	6.92	3.69	1.92	3.03	0.93	0.00		
***** AGE OF GROOM(YRS.) *****																			
	TOTAL MARRIAGES	PERCENT DIST.	***** AGE OF GROOM(YRS.) *****															OVER 64	UNKNOWN
			UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64				
GROOM																			
SINGLE	7,401	64.19	0	43	654	1,456	1,721	1,229	841	546	606	194	57	25	24	5	0		
WIDOWED	355	3.08	0	0	0	0	0	2	2	1	5	14	17	14	152	148	0		
DIVORCED	3,762	32.63	0	0	2	34	91	177	269	326	884	772	507	288	375	37	0		
ANNULLED	12	0.10	0	0	0	0	1	2	0	2	1	2	2	2	0	0	0		
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
GROOM TOTALS	11,530		0	43	656	1,490	1,813	1,410	1,112	875	1,496	982	583	329	551	190	0		
PERCENT DIST.		100.00	0.00	0.37	5.69	12.92	15.72	12.23	9.64	7.59	12.97	8.52	5.06	2.85	4.78	1.65	0.00		

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.  
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 5-01

MARRIAGES BY AGE OF BRIDE AND OF GROOM  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)\*

AGE OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DIST.	***** AGE OF BRIDE(YRS.) *****														
			UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
UNDER 16	7	0.06	0	0	0	0	0	0	0	1	0	0	0	0	1	5	0
16-17	43	0.37	3	18	14	4	3	0	1	0	0	0	0	0	0	0	0
18-19	656	5.69	11	112	369	108	28	11	3	6	5	1	2	0	0	0	0
20-21	1,490	12.92	5	93	601	507	153	54	33	18	17	6	3	0	0	0	0
22-23	1,813	15.72	7	58	382	563	471	183	66	39	30	12	2	0	0	0	0
24-25	1,409	12.22	2	17	175	316	348	264	125	58	74	24	6	0	0	0	0
26-27	1,112	9.64	2	9	72	155	242	211	181	105	100	27	7	0	1	0	0
28-29	875	7.59	1	5	43	83	137	158	145	121	125	47	7	2	1	0	0
30-34	1,496	12.97	0	5	45	109	166	177	201	194	428	137	26	5	3	0	0
35-39	982	8.52	1	3	14	31	46	76	97	112	280	219	87	12	4	0	0
40-44	583	5.06	0	0	3	11	19	20	29	34	129	172	105	45	16	0	0
45-49	329	2.85	0	1	2	4	3	3	18	14	51	81	78	48	26	0	0
50-64	551	4.78	0	1	3	1	1	3	6	11	22	66	95	104	222	16	0
OVER 64	184	1.60	1	0	0	1	0	1	1	0	1	6	7	5	75	86	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	11,530		33	322	1,723	1,893	1,617	1,161	906	713	1,262	798	425	221	349	107	0
PERCENT DISTRIBUTION		100.00	0.29	2.79	14.94	16.42	14.02	10.07	7.86	6.18	10.95	6.92	3.69	1.92	3.03	0.93	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.  
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 5-02

MARRIAGES BY YEARS OF EDUCATION OF BRIDE AND OF GROOM  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)\*

EDUCATION OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DISTRIBUTION	***** EDUCATION OF BRIDE(YRS.) *****											
			UNDER 8	8	9	10	11	12	13	14	15	16	OVER 16	UNKNOWN
UNDER 8	101	0.88	8	13	9	12	7	43	5	1	0	1	1	1
8	310	2.69	10	47	27	28	23	138	14	9	2	4	4	4
9	325	2.82	4	20	42	36	34	151	17	12	3	2	1	3
10	450	3.90	7	15	27	60	42	260	14	10	3	6	1	5
11	527	4.57	7	15	38	56	81	283	15	14	3	7	3	5
12	5,598	48.55	24	82	159	259	316	3,462	408	416	124	245	62	41
13	709	6.15	1	3	13	16	25	283	128	107	42	76	12	3
14	1,099	9.53	2	9	4	18	17	440	136	219	52	161	37	4
15	334	2.90	1	2	4	5	9	106	38	56	32	55	23	3
16	1,291	11.20	1	0	6	11	4	299	106	197	97	469	97	4
OVER 16	598	5.19	0	0	2	1	1	89	37	72	52	179	163	2
UNKNOWN	188	1.63	2	4	3	1	3	33	3	6	0	7	3	123
STATE TOTALS	11,530		67	210	334	503	562	5,587	921	1,119	410	1,212	407	198
PERCENT DISTRIBUTION		100.00	0.58	1.82	2.90	4.36	4.87	48.46	7.99	9.71	3.56	10.51	3.53	1.72

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.  
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 5-03

MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS, FOR BRIDES AND FOR GROOMS  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)\*

PREVIOUS MARITAL STATUS	TOTAL MARRIAGES	PERCENT DIST.	***** AGE OF BRIDE(YRS.) *****														
			UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
BRIDE																	
SINGLE	7,406	64.23	32	320	1,701	1,789	1,400	838	516	321	352	85	20	14	13	5	0
WIDOWED	397	3.44	0	0	0	4	0	6	10	9	26	31	29	41	154	87	0
DIVORCED	3,717	32.24	1	2	22	97	216	317	379	383	881	681	376	166	182	14	0
ANNULLED	10	0.09	0	0	0	3	1	0	1	0	3	1	0	0	0	1	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRIDE TOTALS	11,530		33	322	1,723	1,893	1,617	1,161	906	713	1,262	798	425	221	349	107	0
PERCENT DIST.		100.00	0.29	2.79	14.94	16.42	14.02	10.07	7.86	6.18	10.95	6.92	3.69	1.92	3.03	0.93	0.00
***** AGE OF GROOM(YRS.) *****																	
	TOTAL MARRIAGES	PERCENT DIST.	***** AGE OF GROOM(YRS.) *****														
			UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
GROOM																	
SINGLE	7,401	64.19	1	43	654	1,456	1,721	1,228	841	546	606	194	57	25	24	5	0
WIDOWED	355	3.08	5	0	0	0	0	2	2	1	5	14	17	14	152	143	0
DIVORCED	3,762	32.63	1	0	2	34	91	177	269	326	884	772	507	288	375	36	0
ANNULLED	12	0.10	0	0	0	0	1	2	0	2	1	2	2	2	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GROOM TOTALS	11,530		7	43	656	1,490	1,813	1,409	1,112	875	1,496	982	583	329	551	184	0
PERCENT DIST.		100.00	0.06	0.37	5.69	12.92	15.72	12.22	9.64	7.59	12.97	8.52	5.06	2.85	4.78	1.60	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.  
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH



TABLE 5-04

MARRIAGES BY NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND OF GROOM  
MAINE STATE TOTALS, 1984 (RESIDENT DATA)\*

NUMBER OF PREVIOUS MARRIAGES OF GROOM	TOTAL MARRIAGES	PERCENT DISTRIBUTION	***** NUMBER OF PREVIOUS MARRIAGES OF BRIDE *****									
			0	1	2	3	4	5	6	7	8	UNKNOWN
0	7,402	64.20	6,088	1,131	160	15	5	3	0	0	0	0
1	3,244	28.14	1,129	1,685	357	51	18	2	2	0	0	0
2	716	6.21	168	331	181	29	6	0	0	0	1	0
3	130	1.13	21	62	22	20	4	1	0	0	0	0
4	25	0.22	1	14	8	1	0	1	0	0	0	0
5	7	0.06	0	5	0	1	0	1	0	0	0	0
6	1	0.01	0	1	0	0	0	0	0	0	0	0
7	0	0.00	0	0	0	0	0	0	0	0	0	0
8	2	0.02	0	1	0	1	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	11,530		7,408	3,231	729	118	33	8	2	0	1	0
PERCENT DISTRIBUTION		100.00	64.25	28.02	6.32	1.02	0.29	0.07	0.02	0.00	0.01	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.  
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH

TABLE 5-05

DIVORCES BY NUMBER OF MINOR CHILDREN, PLAINTIFF, DECREE GRANTED, AND BY NUMBER OF YEARS MARRIED  
MAINE STATE TOTALS, 1984 (OCCURRENCE DATA)

NUMBER OF YEARS MARRIED	TOTAL DIVORCES	PERCENT DISTRIBUTION	***** NUMBER OF MINOR CHILDREN *****						***** PLAINTIFF *****		***** BOTH	** DECREE GRANTED **		
			0	1	2	3	4	OVER 4	WIFE	HUSBAND		WIFE	HUSBAND	BOTH
UNDER 1	267	4.61	229	30	7	0	0	1	173	94	0	101	52	114
1-2	1,093	18.86	742	291	51	9	0	0	716	377	0	371	168	554
3-4	996	17.19	487	336	162	11	0	0	663	332	1	355	146	495
5-6	702	12.11	267	227	176	29	3	0	478	224	0	223	104	375
7-8	540	9.32	196	147	166	27	4	0	371	169	0	176	56	308
9-10	458	7.90	117	113	176	44	7	1	301	157	0	139	57	262
11-12	350	6.04	69	89	139	43	8	2	239	111	0	106	57	187
13-14	296	5.11	52	61	113	60	7	3	199	97	0	80	38	178
15-16	230	3.97	29	39	101	51	8	2	149	81	0	71	22	137
17-18	191	3.30	17	31	68	50	17	8	131	60	0	64	22	105
19-20	158	2.73	33	45	53	21	4	2	104	54	0	56	27	75
21-22	119	2.05	38	48	23	7	2	1	76	43	0	39	16	64
23-24	100	1.73	53	30	11	5	1	0	63	36	1	29	13	58
25-26	75	1.29	43	24	7	1	0	0	48	27	0	20	13	42
27-28	70	1.21	51	16	2	0	0	1	44	26	0	20	9	41
29-30	52	0.90	34	13	3	2	0	0	34	18	0	15	5	32
31-34	50	0.86	42	7	1	0	0	0	33	17	0	16	9	25
35-39	30	0.52	28	1	1	0	0	0	19	11	0	9	7	14
OVER 39	18	0.31	18	0	0	0	0	0	9	9	0	4	7	7
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,795		2,545	1,548	1,260	360	61	21	3,850	1,943	2	1,894	828	3,073
PERCENT DIST.		100.00	43.92	26.71	21.74	6.21	1.05	0.36	66.44	33.53	0.03	32.68	14.29	53.03

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.  
MINOR CHILDREN ARE UNDER 18 YEARS OF AGE.

MAINE DEPARTMENT OF HUMAN SERVICES  
DIVISION OF DATA AND RESEARCH



# APPENDICES



## APPENDIX 1

### Copies of Maine Certificates:

Birth  
Fetal Death  
Death  
Spontaneous and Induced Abortion  
Marriage  
Divorce



PLEASE TYPEWRITE OR PRINT WITH A BALLPOINT PEN SO THAT ALL COPIES WILL BE LEGIBLE

63042 -0

STATE OF MAINE  
DEPARTMENT OF HUMAN SERVICES  
CERTIFICATE OF LIVE BIRTH

CHILD	CHILD—NAME FIRST MIDDLE LAST			SEX	DATE OF BIRTH (Mo., Day, Yr.)		HOUR
	HOSPITAL—NAME (If not in hospital, give street and number)			CITY, TOWN OR LOCATION OF BIRTH	COUNTY OF BIRTH		
CERTIFIER	I certify that the stated information concerning this child is true to the best of my knowledge and belief			DATE SIGNED (Mo., Day, Yr.)	NAME AND TITLE OF ATTENDANT AT BIRTH IF OTHER THAN CERTIFIER (Type or print)		
	5a. (Signature)			5b	5c		
	CERTIFIER—NAME AND TITLE (Type or print)			MAILING ADDRESS (Street or R.F.D. No., City or Town, State, Zip)			
REGISTRAR	5d			DATE RECEIVED BY REGISTRAR (Mo., Day, Yr.)			
	6a. (Signature)			6b			
MOTHER	MOTHER—MAIDEN NAME FIRST MIDDLE LAST			AGE (At time of this birth)	STATE OF BIRTH (If not in U.S.A., name country)		
	7a	7b	7c	7d			
	STATE OF RESIDENCE	COUNTY OF RESIDENCE	CITY, TOWN OR LOCATION OF RESIDENCE	STREET AND NUMBER OF RESIDENCE			
	8a	8b	8c	8d			
FATHER	MOTHER'S MAILING ADDRESS—If same as above, enter Zip Code only			YEARS LIVING IN PRESENT TOWN			
	9a			9b			
FATHER	FATHER—NAME FIRST MIDDLE LAST			AGE (At time of this birth)	STATE OF BIRTH (If not U.S.A., name country)		
	10a			10b	10c		
I certify that the personal information provided on this certificate is correct to the best of my knowledge and belief				RELATION TO CHILD			
11a. (Signature of Parent or other informant)				11b			

CONFIDENTIAL INFORMATION FOR MEDICAL AND HEALTH USE ONLY

12 RACE—MOTHER (e.g. White, Black, American Indian, etc.) (Specify)	13 RACE—FATHER (e.g. White, Black, American Indian, etc.) (Specify)	14 BIRTH WEIGHT (Pounds, Ounces, etc.) (Specify)	15a TRUE SINGLE BIRTH—Born first, second, third, etc. (Specify)	15b IF NOT SINGLE BIRTH—Born first, second, third, etc. (Specify)	16 IS MOTHER MARRIED? (Specify yes or no)
---	---	--	---	---	---

VS-R183

STATE COPY

PREGNANCY HISTORY	(Do not include this child)		17a (Number)	17b (Number)	17c (Number)
	(Complete each section)		Before 20 weeks (Number)	After 20 weeks (Number)	DATE OF LAST OTHER TERMINATION (as indicated in 17a or 17b)
MOTHER	18a ORIGIN OR DESCENT—MOTHER (Specify Italian, Mexican, etc.)	18b EDUCATION—MOTHER (Elementary or Secondary (9-12) (1-4 or 5+)	18c OCCUPATION—MOTHER	18d INDUSTRY—MOTHER	
	19a ORIGIN OR DESCENT—FATHER (Specify Italian, Mexican, etc.)	19b EDUCATION—FATHER (Elementary or Secondary (9-12) (1-4 or 5+)	19c OCCUPATION—FATHER	19d INDUSTRY—FATHER	
MOTHER	20 DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)	21a MONTH OF PREGNANCY PRENATAL CARE BEGAN (First, Second, etc.) (Specify)	21b PRENATAL VISITS Total Number (If none, so state)		
	22a APGAR SCORE 1 Min	22b APGAR SCORE 5 Min	23 GESTATIONAL AGE ASSESSMENT by Examining Baby (Weeks)		
CHILD	24		25 CONDITION OF INFANT AT BIRTH (Specify)		

THIS PREGNANCY - MARK AT LEAST ONE CATEGORY IN EACH COLUMN

25 COMPLICATIONS OF PREGNANCY (Check all which apply)	26 ILLNESS OR COND. AFFECTING PREGNANCY (Check all which apply)	27 COMPLICATIONS OF LABOR (Check all which apply)	28 METHOD OF DELIVERY (check one)	29 CONGENITAL ANOMALIES (check all which apply)
Bleeding in Early Pregnancy <input type="checkbox"/>	Tobacco Use <input type="checkbox"/>	Abruptio Placenta <input type="checkbox"/>	Spontaneous <input type="checkbox"/>	Anencephalus <input type="checkbox"/>
Eclampsia <input type="checkbox"/>	Heart Disease <input type="checkbox"/>	Placenta Previa <input type="checkbox"/>	Spontaneous Uncontrolled <input type="checkbox"/>	Spina Bifida <input type="checkbox"/>
Preeclampsia <input type="checkbox"/>	Hypertension <input type="checkbox"/>	Cord Prolapse or Compression <input type="checkbox"/>	Low Forceps <input type="checkbox"/>	Other Nervous System (specify) <input type="checkbox"/>
Rh Sensitization <input type="checkbox"/>	Chronic Renal Disease <input type="checkbox"/>	Dystocia (Specify type) <input type="checkbox"/>	Other Forceps Procedure <input type="checkbox"/>	Of Genital Organs (specify) <input type="checkbox"/>
Anemia (Hgb < 10 gm/dl < 30%) <input type="checkbox"/>	Alcohol Dependence <input type="checkbox"/>	Bleach <input type="checkbox"/>	Primary C-Section <input type="checkbox"/>	Of Urinary System (specify) <input type="checkbox"/>
Amniotitis <input type="checkbox"/>	Drug Addiction or Dependence <input type="checkbox"/>	Intrapartum Fever/Chorioamnionitis <input type="checkbox"/>	Repeat C-Section <input type="checkbox"/>	Of Eye (specify) <input type="checkbox"/>
Urinary Tract Infection (specify number) <input type="checkbox"/>	Previous C-Section (specify number) <input type="checkbox"/>	Fetal Distress <input type="checkbox"/>	Breech Delivery <input type="checkbox"/>	Of Ear, Face, Neck (specify) <input type="checkbox"/>
Premature Labor (before 37 weeks) <input type="checkbox"/>	Obesity <input type="checkbox"/>	Labor > 18 hrs <input type="checkbox"/>	Version and Extraction <input type="checkbox"/>	Of Heart (specify) <input type="checkbox"/>
Premature Delivery (before 37 weeks) <input type="checkbox"/>	Gestational Diabetes <input type="checkbox"/>	Other (specify) <input type="checkbox"/>	Other (specify) <input type="checkbox"/>	Of Other Circulatory System (specify) <input type="checkbox"/>
PROG (> 24 hours before delivery) <input type="checkbox"/>	Chronic Diabetes <input type="checkbox"/>	Other (specify) <input type="checkbox"/>	Other (specify) <input type="checkbox"/>	Chromosomal (specify) <input type="checkbox"/>
Other (specify) <input type="checkbox"/>	Other (specify) <input type="checkbox"/>	Other (specify) <input type="checkbox"/>	Other (specify) <input type="checkbox"/>	Other (specify) <input type="checkbox"/>
None <input type="checkbox"/>	None <input type="checkbox"/>	None <input type="checkbox"/>	None <input type="checkbox"/>	None <input type="checkbox"/>

VS-R183

NOT A LEGAL COPY

UPON COMPLETION SEND THIS SHEET TO: Department of Human Services, Vital Records Office  
State House Station #11, Augusta, Maine 04333



COPIES THAT ALL COPIES WILL BE LEGIBLE

STATE OF MAINE  
DEPARTMENT OF HUMAN SERVICES  
REPORT OF FETAL DEATH

HOSPITAL - NAME (If not in hospital given name of street and number)										CITY/TOWN/LOCATION OF DELIVERY										COUNTY OF DELIVERY																																							
1a DATE OF DELIVERY (Month, Day, Year)										1b HOME OF DELIVERY										1c SEX OF FETUS										1d WEIGHT OF FETUS																													
1e OTHER - MAJOR NAME FIRST MIDDLE LAST										1f AGE (At time of this delivery)										1g RESIDENCE - STATE										1h COUNTY																													
1i CITY/TOWN OR LOCATION										1j STREET AND NUMBER										1k PREGNANCY HISTORY (Complete each section)										1l OTHER TERMINATIONS (Specify date and method)																													
1m RACE - (e.g., White, Black, American Indian, etc.) (Specify)										1n EDUCATION (Specify only highest grade completed)										1o DATE LAST NORMAL MENSTRUATION BEGAN (Month, Day, Year)										1p IS MOTHER MARRIED? (Specify yrs or no)										1q LIVE BIRTHS										1r OTHER TERMINATIONS									
1s ELEMENTARY or SECONDARY (0-12)										1t COLLEGE (1-4 or 5+)										1u IF NOT SINGLE BIRTH - Born first, second, third, etc. (Specify)										1v DATE OF LAST LIVE BIRTH (Month, Year)										1w DATE OF LAST OTHER TERMINATION (as indicated in r or s above (Month, Year)										1x									
1y MONTH OR PREGNANCY PRENATAL CARE BEGAN First, Second, etc. (Specify)										1z PRENATAL VISITS - Total number (If none, so state)										1aa THIS BIRTH - Single, twin, triplet, etc. (Specify)										1ab DATE OF LAST LIVE BIRTH (Month, Year)										1ac DATE OF LAST OTHER TERMINATION (as indicated in r or s above (Month, Year)										1ad									
1ae FATHER - NAME FIRST MIDDLE LAST										1af AGE (At time of this delivery)										1ag RACE - (e.g., White, Black, American Indian, etc.) (Specify)										1ah EDUCATION (Specify only highest grade completed)										1ai																			
1aj FUNERAL DIRECTOR - SIGNATURE										1ak REGISTAR - SIGNATURE										1al DATE RECEIVED BY LOCAL REGISTRAR										1am																													
1an PART I Fetal or maternal condition directly causing fetal death										1ao IMMEDIATE CAUSE										1ap ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), and (c)										1aq Specify Fetal or Maternal																													
1ar Fetal and/or maternal condition, if any, contributory to the immediate cause listed, stating the underlying cause(s) if any										1as DUE TO, OR AS A CONSEQUENCE OF										1at DUE TO, OR AS A CONSEQUENCE OF										1au Specify Fetal or Maternal																													
1av OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER Condition contributing to fetal death but not related to cause given in (a)										1aw FETUS DIED BEFORE LABOR, DURING LABOR, OR DELIVERY UNKNOWN (Specify)										1ax PHYSICIAN'S ESTIMATE OF GESTATION										1ay AUTOPSY (Specify yes or no)																													
1az COMPLICATIONS OF PREGNANCY (Describe or write "none")										1ba COMPLICATIONS OF LABOR AND/OR DELIVERY (Describe or write "none")										1bb CONCURRENT ILLNESSES CONDITIONS AFFECTING THE PREGNANCY (Describe or write "none")										1bc CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS (Describe or write "none")																													
1bd CERTIFIER NAME (Type or Print)										1be SIGNATURE										1bf DEGREE OR TITLE										1bg DATE SIGNED (Month, Day, Year)																													

**SPECIAL**

PLEASE TYPEWRITE OR PRINT WITH A BALLPOINT PEN SO THAT ALL COPIES WILL BE LEGIBLE

ORIGINAL  
COPY  
STATE

STATE OF MAINE  
DEPARTMENT OF HUMAN SERVICES  
CERTIFICATE OF DEATH

DECEDENT

PARENTS

DISPOSITION

CERTIFIER

CONDITIONS  
IF ANY  
WHICH GAVE  
RISE TO  
IMMEDIATE  
CAUSE  
STATING THE  
UNDERLYING  
CAUSE LAST

CAUSE OF  
DEATH

1. DECEDENT-NAME FIRST MIDDLE LAST		2. SEX		3. DATE OF DEATH (Mo., Day, Yr.)	
4. RACE - (e.g., White, Black, American Indian, etc.) (Specify)	5. AGE - Last Birthday (Yr., Mo., Day)	6. UNDER 1 YEAR	7. UNDER 1 DAY	8. DATE OF BIRTH (Mo., Day, Yr.)	9. COUNTY OF DEATH
10. CITY, TOWN OR LOCATION OF DEATH		11. HOSPITAL OR OTHER INSTITUTION - (Name (if not in index, (last street and number))		12. IF HOSP OR INST indicates OOA, OF (Name, Rm., Apartment (Specify))	
13. STATE OF BIRTH (If foreign, give country)	14. CITIZEN OF WHAT COUNTRY	15. ORIGIN OR DESCENT (e.g., Italian, American, German, etc.)	16. MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (Specify)	17. SURVIVING SPOUSE (If wife, give maiden name)	
18. SOCIAL SECURITY NUMBER		19. VETERAN Yes No	20. USUAL OCCUPATION (Give kind of work done during most of working life, even if retired)		21. KIND OF BUSINESS OR INDUSTRY
22. RESIDENCE-STATE	23. COUNTY	24. CITY, TOWN OR LOCATION		25. STREET AND NUMBER	
26. FATHER-NAME FIRST MIDDLE LAST		27. MOTHER-MAIDEN NAME FIRST MIDDLE LAST			
28. INFORMANT-NAME (Type or Print)		29. MAILING ADDRESS		30. STREET OR R.F.D. NO. CITY OR TOWN STATE ZIP	
31. BURIAL, CREMATION, REMOVAL, OTHER		32. MO., DAY, YEAR		33. CEMETERY OR CREMATORY-NAME	
34. FUNERAL SERVICE LICENSEE or authorized person (Signature)		35. NAME OF FACILITY		36. ADDRESS OF FACILITY - CITY OR TOWN	
37. 21a. To the best of my knowledge, death occurred at the time, date and place and due to the cause(s) stated (Signature and Title)		38. 21b. DATE SIGNED (Mo., Day, Yr.)		39. 21c. HOUR OF DEATH	
40. 21d. NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER (Type or Print)		41. 21e. I DID NOT VIEW THE BODY AFTER DEATH		42. 21f. NAME AND ADDRESS OF CERTIFIER (PHYSICIAN, MEDICAL EXAMINER OR CORONER) (Type or Print)	
43. 22a. ON		44. 22b. AT		45. 22c. PRONOUNCED DEAD (Mo., Day, Yr.)	
46. 22d. PRONOUNCED DEAD (Hour)		47. 22e. PRONOUNCED DEAD (M)		48. 22f. PRONOUNCED DEAD (M)	
49. 23. IMMEDIATE CAUSE (ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c))					
50. 24. (a) DUE TO, OR AS A CONSEQUENCE OF					
51. (b) DUE TO, OR AS A CONSEQUENCE OF					
52. (c) DUE TO, OR AS A CONSEQUENCE OF					
53. 25. OTHER SIGNIFICANT CONDITIONS - Conditions contributing to death, but not related to cause given in PART I (a)					
54. 26. ACC. SUICIDE, HON. UNDET., OR PENDING INVEST (Specify)					
55. 27a. DATE OF INJURY (Mo., Day, Yr.)		56. 27b. HOUR OF INJURY		57. 27c. DESCRIBE HOW INJURY OCCURRED	
58. 27d. INJURY AT WORK (Specify Yes or No)		59. 27e. PLACE OF INJURY (Home, farm, street, factory, etc. (Specify))		60. 27f. LOCATION	
61. 27g. STREET OR R.F.D. No.		62. 27h. CITY OR TOWN		63. 27i. STATE	
64. 27j. REGISTRAR		65. 27k. DATE RECEIVED BY REGISTRAR (Mo., Day, Yr.)		66. 27l. 28a. (Signature)	

VS-3 R978

STATE OF MAINE - DEPARTMENT OF HUMAN SERVICES  
REPORT OF ABORTION (Spontaneous and Induced)

1 FACILITY NAME (IF NOT INSTITUTION GIVE ADDRESS)		2(a) COUNTY OF ABORTION		2(b) CITY OR TOWN OF ABORTION	
3 REPORT NUMBER No 16234		4 AGE OF PATIENT		5 PATIENT MARRIED? YES <input type="checkbox"/> NO <input type="checkbox"/>	
6 DATE OF ABORTION		7(a) RESIDENCE OF PATIENT (STATE)		7(b) CITY OR TOWN	
7(c) TYPE OF ABORTION SPONTANEOUS <input type="checkbox"/> INDUCED <input type="checkbox"/>		8 RACE (CHECK) <input type="checkbox"/> White <input type="checkbox"/> Black <input type="checkbox"/> American Indian <input type="checkbox"/> Other		9 EDUCATION (0-12) HIGHEST GRADE COMPLETED	
10 PREVIOUS PREGNANCIES (COMPLETE EACH SECTION) LIVE BIRTHS Now Living Number 11(a) None <input type="checkbox"/> Now Dead Number 11(b) None <input type="checkbox"/>		11(c) Spontaneous Number 11(c) None <input type="checkbox"/>		11(d) Induced Number 11(d) None <input type="checkbox"/>	
12(a) TERMINATION PROCEDURE PROCEDURE THAT TERMINATED PREGNANCY (CHECK ONE ONLY) <input type="checkbox"/> SPONTANEOUS ABORTION--NOT APPLICABLE <input type="checkbox"/> SUCTION CURETTAGE <input type="checkbox"/> <input type="checkbox"/> SHARP CURETTAGE <input type="checkbox"/> <input type="checkbox"/> INTRA-UTERINE SALINE INSTILLATION <input type="checkbox"/> <input type="checkbox"/> INTRA-UTERINE PROSTAGLANDIN INSTILLATION <input type="checkbox"/> <input type="checkbox"/> HYSTEROTOMY <input type="checkbox"/> <input type="checkbox"/> HYSTERECTOMY <input type="checkbox"/> <input type="checkbox"/> OTHER (SPECIFY) <input type="checkbox"/>			12(b) ADDITIONAL PROCEDURES USED IF ANY (CHECK ALL THAT APPLY) CHECK ALL THAT APPLY NONE <input type="checkbox"/> HEMORRHAGE <input type="checkbox"/> INFECTION <input type="checkbox"/> UTERINE PERFORATION <input type="checkbox"/> CERVICAL LACERATION <input type="checkbox"/> RETAINED PRODUCTS <input type="checkbox"/> OTHER (SPECIFY) <input type="checkbox"/>		
13 SIGNATURE OF ATTENDING PHYSICIAN			14 ADDRESS OF PHYSICIAN IF NON FACILITY ABORTION		
15 PHYSICIAN'S ESTIMATE OF GESTATIONAL AGE			16 NAME OF PERSON COMPLETING REPORT IF NOT ATTENDING PHYSICIAN		

VS 4A R0180

14004

PLEASE TYPEWRITE OR PRINT WITH A BALLPOINT PEN SO THAT ALL COPIES WILL BE LEGIBLE

ORIGINAL  
CITY OR TOWNSTATE OF MAINE  
DEPARTMENT OF HUMAN SERVICES  
LICENSE AND CERTIFICATE OF MARRIAGE

GROOM		Bride's Name (First Middle Last)		Age	
21 USUAL RESIDENCE STREET AND NUMBER		22 CITY, TOWN OR LOCATION		23	
24 COUNTY		25 STATE		26 BIRTHPLACE (STATE OR FOREIGN COUNTRY)	
27 FATHER'S NAME		28 BIRTHPLACE (STATE OR FOREIGN COUNTRY)		29 MOTHER'S NAME	
30 BIRTHPLACE (STATE OR FOREIGN COUNTRY)		31 MOTHER'S NAME (if different)		32 AGE	
33 BRIDE'S NAME (First Middle Last)		34 USUAL RESIDENCE STREET AND NUMBER		35 CITY, TOWN OR LOCATION	
36 COUNTY		37 STATE		38 BIRTHPLACE (STATE OR FOREIGN COUNTRY)	
39 FATHER'S NAME		40 BIRTHPLACE (STATE OR FOREIGN COUNTRY)		41 MOTHER'S NAME	
42 BIRTHPLACE (STATE OR FOREIGN COUNTRY)		43 MOTHER'S NAME (if different)		44 AGE	
45 I CERTIFY THAT THE INFORMATION ABOVE IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.		46 GROOM'S SIGNATURE		47 BRIDE'S SIGNATURE	
48 ANY DULY AUTHORIZED PERSON IS HEREBY AUTHORIZED TO MARRY THE ABOVE-NAMED PARTIES UNDER THE LAWS OF MAINE.		49 DATE INTENTIONS FILED		50 LICENSE ISSUED DATE	
51 SIGNATURE OF CLERK		52 CITY OR TOWN		53 LICENSE VALID UNTIL (DATE)	
54		55		56	

THE LAWS OF MAINE PROVIDE THAT ONLY AUTHORIZED PERSONS MAY SOLEMNIZE MARRIAGES IN MAINE

CEREMONY		MONTH DAY YEAR		WHERE MARRIED-CITY	
57 I CERTIFY THE ABOVE NAMED PERSONS WERE MARRIED ON		58 PERSON PERFORMING CEREMONY (SIGNATURE)		59 PRINTED NAME	
60 ADDRESS OF ABOVE PERSON		61 WITNESS TO CEREMONY-TYPE OR PRINT		62 WITNESS TO CEREMONY-TYPE OR PRINT	
63 SIGNATURE OF CLERK		64 DATE RECEIVED		65	
66 SIGNATURE		67		68	

## INFORMATION FOR STATISTICAL PURPOSES ONLY

RACE-GROOM		NUMBER OF THIS MARRIAGE		IF PREVIOUSLY MARRIED LAST MARRIAGE ENDED		EDUCATION (SPECIFY ONLY HIGHEST GRADE COMPLETED)	
69 SPECIFY (E.G. WHITE, BLACK, AMERICAN INDIAN, ETC.)		70 SPECIFY (FIRST, SECOND, ETC.)		71 BY DEATH, DIVORCE, DISSOLUTION OR ANNULMENT (SPECIFY)		72 DATE (MO., DAY, YEAR)	
73		74		75		76	
77		78		79		80	
81		82		83		84	
85		86		87		88	
89		90		91		92	
93		94		95		96	
97		98		99		100	

VS-2 R978

STATE OF MAINE  
**RECORD OF DIVORCE OR ANNULMENT**  
 DEPARTMENT OF HUMAN SERVICES

State File No.

HUSBAND	1. NAME OF HUSBAND — FIRST		MIDDLE	LAST
	2. USUAL RESIDENCE — CITY OR TOWN		COUNTY	STATE
WIFE	3. NAME OF WIFE — FIRST		MIDDLE	LAST
	4. USUAL RESIDENCE — CITY OR TOWN		COUNTY	STATE
MARRIAGE	5. PLACE OF MARRIAGE — CITY OR TOWN AND STATE			6. DATE OF MARRIAGE
DIVORCE OR ANNULMENT	7. TYPE OF DECREE DIVORCE <input type="checkbox"/> ANNULMENT <input type="checkbox"/>		8. PLAINTIFF HUSBAND <input type="checkbox"/> WIFE <input type="checkbox"/>	
	10. DATE OF DECREE		9. DECREE GRANTED TO HUSBAND <input type="checkbox"/> WIFE <input type="checkbox"/>	
MINOR CHILDREN  Use Reverse Side for Additional Names	12. NAMES OF MINOR CHILDREN		13. AGES	14. CUSTODY
CERTIFICATION	15. I HEREBY CERTIFY THAT THE ABOVE ITEMS OF INFORMATION ARE TRUE AND CORRECT AS SHOWN IN THE ORIGINAL RECORD ON FILE IN THIS COURT.			
	16. SIGNATURE OF CLERK		17. NAME OF COURT	18. LOCATION OF COURT

## APPENDIX 2

### 1984 Population Projections



Projected Total Population  
Maine Counties and State Total, - July 1, 1984

County	Projected Resident Population July 1, 1984
State total	1,154,350
Androscoggin	100,250
Aroostook	89,000
Cumberland	222,800
Franklin	28,500
Hancock	43,450
Kennebec	111,850
Knox	34,250
Lincoln	27,750
Oxford	49,650
Penobscot	138,550
Piscataquis	18,100
Sagadahoc	30,000
Somerset	46,600
Waldo	29,400
Washington	34,100
York	150,100

Source: Welch, D. Population Projections by Minor Civil Divisions, Sex, Age Group and County. Maine: 1984-1993. Augusta: Maine Department of Human Services, June, 1985.



Projected Population by Age Group and Sex  
Maine State Totals, - July 1, 1984

Age Group (Years)	Projected Resident Population July 1, 1984		
	Male	Female	Total
All Ages - Total	560,480	593,720	1,154,200 <sup>b</sup>
Under 1 <sup>a</sup>	8,423	8,001	16,424
1-14	121,467	114,259	235,726
15-24	91,490	90,510	182,000
25-34	92,800	93,750	186,550
35-44	80,400	80,400	160,800
45-64	105,000	114,800	219,800
65-74	38,970	49,230	88,200
75-84	17,550	30,630	48,180
85 and older	4,380	12,140	16,520

Notes: <sup>a</sup>Data for under one year of age population estimated based on 1983 and 1984 births, infant deaths, and estimated net migration.

<sup>b</sup>Total projected population does not match that in previous table because the county and age/sex totals do not match in the source document. Technicalities in the population projection methodology are the cause of the discrepancy.

Sources: Data for ages over one year derived from: Welch, D. Population Projections by Minor Civil Divisions, Sex, Age Group and County. Maine: 1983-1994. Augusta: Maine Department of Human Services, June, 1985.

Data for estimates of under one year of age population taken from this report and:

Division of Data and Research, Office of Health Planning and Development, Maine Department of Human Services  
Maine Vital Statistics, 1983, Augusta. 1985.

Welch, D. Population Estimates for Minor Civil Divisions by County, Maine, 1983. Augusta: Maine Department of Human Services, December, 1984.

## APPENDIX 3

### Historical Vital Statistics Data



POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES;  
 RATES FOR BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS  
 MAINE STATE TOTALS, 1900-1945 (Every Fifth Year) and 1946-1984 (Yearly)

Year	Population	Live Births	Birth Rate per 1,000 Population	Deaths (All Ages)	Death Rate per 1,000 Population	Infant Death Rate <sup>d</sup>	Neonatal Death Rate <sup>d</sup>	Fetal Death Rate <sup>d</sup>	Marriages	Divorces
1900	694,466	14,095	20.3	11,389	16.4	267.5	-	43.6 <sup>a</sup>	5,482	801
1905	719,000	15,294	21.3	11,381	15.8	234.2	-	46.5 <sup>a</sup>	6,264	848
1910	742,371	15,798	21.3	12,439	16.7	249.2	30.4	42.5 <sup>a</sup>	5,900	911
1915	757,000	16,671	22.0	11,541	15.2	135.7	25.4	41.3 <sup>a</sup>	6,672	1,006
1920	768,014	17,495	22.7	11,850	15.3	102.8	41.2	42.8 <sup>a</sup>	7,884	1,364
1925	782,700	17,706	22.6	10,874	13.8	75.6	51.8	-	6,226	1,228
1930	797,423	16,199	20.3	11,084	13.9	75.4	41.5	35.9 <sup>a</sup>	6,438	1,466
1935	822,300	15,715	19.1	11,042	13.4	62.3	37.8	33.6 <sup>a</sup>	7,089	1,474
1940	847,226	15,285	18.0	10,640	12.6	52.9	34.0	24.8 <sup>a</sup>	8,475	1,537
1945	880,500	16,647	18.9	9,966	11.3	46.6	27.0	24.1 <sup>a</sup>	7,569	2,497
1946	887,200	20,421	23.0	10,070	11.4	41.5	28.0	18.5 <sup>a</sup>	12,827	3,939
1947	893,800	23,908	26.7	9,983	11.2	35.8	23.8	20.7 <sup>a</sup>	10,664	2,905
1948	900,500	22,270	24.7	10,091	11.2	32.8	21.2	17.1 <sup>a</sup>	9,841	2,244
1949	907,100	21,941	24.2	10,173	11.2	33.4	22.6	17.8 <sup>a</sup>	8,085	2,100
1950	914,950	21,239	23.2	9,962	10.9	31.2	22.0	19.4 <sup>a</sup>	8,617	2,162
1951	919,524	21,142	23.0	10,139	11.0	30.8	21.5	16.8 <sup>a</sup>	8,027	2,040
1952	924,088	21,199	22.9	9,942	10.8	30.0	21.7	17.6 <sup>a</sup>	8,079	2,202
1953	929,128	21,774	23.4	9,817	10.6	26.2	17.9	17.8 <sup>a</sup>	8,197	2,163
1954	934,790	22,439	24.0	9,878	10.6	24.7	16.8	16.2 <sup>a</sup>	7,986	2,079
1955	940,841	22,753	24.2	10,140	10.8	24.5	17.3	28.4 <sup>a</sup>	8,263	1,954
1956	946,692	22,402	23.7	10,183	10.8	25.0	17.9	25.8 <sup>a</sup>	8,176	1,918
1957	952,706	23,062	24.2	10,117	10.6	25.2	18.7	23.3 <sup>a</sup>	7,878	1,890
1958	959,357	23,155	24.1	10,465	10.9	26.3	17.5	20.2 <sup>a</sup>	7,564	1,873
1959	964,896	23,141	24.0	10,817	11.2	26.4	19.1	19.1 <sup>a</sup>	7,599	1,960
1960	970,689	23,282	24.0	10,752	11.1	25.2	18.6	17.7 <sup>a</sup>	7,860	2,025
1961	976,511	23,553	24.1	10,765	11.0	25.6	19.0	17.5 <sup>a</sup>	7,908	2,021
1962	983,023	22,998	23.4	11,083	11.3	25.3	18.2	17.1 <sup>a</sup>	7,980	2,078
1963	986,603	21,919	22.2	11,003	11.2	24.0	17.9	16.3 <sup>a</sup>	8,121	1,193
1964	990,391	21,204	21.4	10,862	11.0	23.5	16.9	17.4 <sup>a</sup>	8,269	2,400
1965	993,236	19,796	19.9	10,778	10.9	22.4	16.9	17.5 <sup>a</sup>	8,726	2,502
1966	994,714	18,526	18.6	10,915	11.0	22.6	17.1	15.0 <sup>a</sup>	8,983	2,630
1967	995,134	17,976	18.1	10,066	10.1	23.1	16.4	16.1 <sup>a</sup>	9,210	3,049
1968	994,632	16,866	17.0	11,085	11.1	21.6	15.9	16.0 <sup>a</sup>	10,179	3,088
1969	993,907	17,364	17.5	10,898	11.0	19.7	15.3	11.8 <sup>a</sup>	10,428	3,375
1970	997,357	17,837	17.9	11,066	11.1	20.9	16.1	13.8 <sup>a</sup>	10,975	3,841
1971	1,012,257	17,850	17.6	10,830	10.7	18.1	13.3	13.2 <sup>a</sup>	11,193	3,905
1972	1,025,775	16,269	15.9	11,147	10.9	17.7	12.8	12.2 <sup>a</sup>	11,741	4,132
1973	1,038,291	15,730	15.1	10,837	10.4	16.1	11.6	13.3 <sup>a</sup>	11,925	4,551
1974	1,050,181	15,110	14.4	10,705	10.2	16.1	12.6	9.9 <sup>b</sup>	11,546	4,850
1975	1,062,640	15,232	14.3	10,253	9.6	13.2	9.0	10.8 <sup>b</sup>	11,190	5,526
1976	1,074,653	15,046	14.0	10,422	9.7	11.0	7.6	8.3 <sup>b</sup>	11,302	5,522
1977	1,087,650	16,252	14.9	10,055	9.2	9.4	6.1	8.6 <sup>b</sup>	11,446	5,655
1978	1,101,186	15,919	14.5	10,168	9.2	10.2	6.0	8.9 <sup>b,c</sup>	11,658	6,164
1979	1,115,044	16,435	14.7	10,278	9.2	9.7	5.8	7.2 <sup>b,c</sup>	11,918	6,158
1980	1,125,027	16,474	14.6	10,768	9.6	9.3	5.9	7.1 <sup>b,c</sup>	12,040	6,189
1981	1,132,849	16,567	14.6	10,331	9.1	10.6	6.6	5.7 <sup>b,c</sup>	12,290	6,351
1982	1,136,199	16,695	14.7	10,451	9.2	8.7	6.0	6.9 <sup>b,c</sup>	12,388	5,804
1983	1,145,730	16,576	14.5	10,916	9.5	8.7	5.9	6.5 <sup>b</sup>	12,478	5,939
1984	1,154,200	16,631	14.4	10,826	9.4	8.0	4.8	6.8 <sup>b</sup>	12,525	5,795

Notes: <sup>a</sup>Fetal death rate calculated based on all reported terminations of pregnancy, regardless of gestational age. In 1973, 12.0% of such terminations were for fetuses of less than 20 weeks gestation.

<sup>b</sup>Fetal death rate calculated based on reported fetal deaths of gestational age 20 weeks or more.

<sup>c</sup>Occurrence data.

<sup>d</sup>Rate per 1,000 live births in the same year.

All data for births and deaths pertain to Maine residents, only, starting in 1935. Data on marriages and divorces describe all such events which occurred in Maine.

Induced Abortions, Number and Rate:  
Maine State Totals, 1978-1984

Year	Births	Induced Abortions	Induced Abortions per 1,000 Live Births
1978	15,919	4,011	252.0 <sup>a</sup>
1979	16,435	3,963	241.1 <sup>a</sup>
1980	16,474	3,594	218.2 <sup>b</sup>
1981	16,567	2,881	173.9 <sup>b</sup>
1982	16,695	2,419	144.9 <sup>b</sup>
1983	16,576	3,279	197.8 <sup>b</sup>
1984	16,631	3,767	226.5 <sup>b</sup>

Notes: Data prior to 1978 not given because of severe underreporting.

<sup>a</sup>Occurrence data.

<sup>b</sup>Residence data.