

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

MAINE VITAL STATISTICS

1985

HA
413
.M25
1985

**STATE OF MAINE
DEPARTMENT OF
HUMAN SERVICES**

STATE OF MAINE

DEPARTMENT OF HUMAN SERVICES

OFFICE OF DATA, RESEARCH, AND VITAL STATISTICS

ANNUAL STATISTICAL REPORT

FOR THE CALENDAR YEAR

1985

358646

Michael R. Petit
Commissioner

Published in 1986

Ellen M. Naor
State Registrar

As Required by Statute 22 MRSA 2701

ACKNOWLEDGEMENTS

This report contains a summary of vital statistics for the State of Maine for the calendar year 1985. The Department of Human Services has the dual responsibility of maintaining an effective system of vital registration and of making vital statistics available to the public. Within the Department itself, these data are needed for planning, managing, and evaluating programs that will improve the health and welfare of Maine people. The data are widely used, as well, for estimating and projecting population characteristics and changes.

This document is the result of the cooperative efforts of many individuals and groups. Chief among these are the municipal clerks of Maine's towns and counties, who serve as local registrars for vital records. The conscientious efforts of physicians, medical records administrators, and funeral directors also deserve special mention.

Maine Vital Statistics has been compiled and produced under the general supervision and direction of Ellen M. Naor, State Registrar of Vital Statistics and Director, Office of Data, Research, and Vital Statistics.

Division of Data and Research staff most significantly involved in the production of the 1985 annual report include:

Carl Gerry, Director, Technical Operations - Primary responsibility for systems analysis and revision, table design and production.

Michael Morin, William Turner and Ted Clark - Vital statistics systems maintenance and programming of vital statistics series reports.

Dale Welch, Senior Researcher - Population statistics.

Sue Whitley, Clerk Typist - Manuscript preparation.

The joint efforts of all the staff of the Office's Vital Records Unit are necessary to produce the data contained in this publication. Special acknowledgement is made to:

Lorraine Gerard, Deputy State Registrar - Supervision of the Vital Records Unit which is responsible for data collection, coding and editing.

TABLE OF CONTENTS

	Page Number
Acknowledgements.....	11
Table of Contents.....	iii
List of Tables.....	v
List of Supplemental Tables Available on Request.....	ix
Introduction.....	1
Definitions of Terms.....	3
Definitions of Rates.....	7
Technical Notes.....	9
General Considerations.....	9
Live Births.....	12
Infant and Fetal Mortality.....	12
General Mortality.....	12
Induced Abortions.....	14
Marriages and Divorces.....	15
Tables (See List of Tables for detailed titles).....	v
Live Births.....	17
Infant and Fetal Mortality.....	69
General Mortality.....	85
Induced Abortions.....	119
Marriages and Divorces.....	131
Appendix Tables.....	139
Maine Vital Records Certificates and Reports	
Certificate of Live Birth.....	141
Report of Fetal Death.....	142
Certificate of Death.....	143
Report of Abortion (Spontaneous and Induced).....	144
License and Certificate of Marriage.....	145
Record of Divorce or Annulment.....	146

TABLE OF CONTENTS (Continued)

Page Number

Historical Vital Statistics Data

Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, from 1900	147
Induced Abortions, Number and Rate: Maine State Totals, from 1978.....	148

Population Estimates

Estimated Total Population: Maine Counties and State Total	149
Estimated Population by Age Group and Sex: Maine State Totals	150

LIST OF TABLES

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
	LIVE BIRTHS	
TABLE B-1	All Live Births and Out of Wedlock Live Births, by Mother's Age and Race of Child: Maine State Totals, 1985 (Resident Data).....	19
TABLE B-2	All Live Births and Out of Wedlock Live Births, by Mother's Age and Child's Birthweight: Maine State Totals, 1985 (Resident Data).....	20
TABLE B-3	Live Births by Selected Medical History Characteristics: Maine State Totals, 1985 (Resident Data) [Selected Characteristics: Complications of Pregnancy, Illness or Condition Affecting Pregnancy, Complications of Labor, Method of Delivery, Congenital Anomalies].....	21
TABLE B-4	Live Births by Selected Risk Characteristics, and Ratio of Male to Female Births: Maine Counties and State Totals, 1985 (Resident Data) [Selected Characteristics: 5 Minute Apgar Score Less Than 5, Congenital Anomalies, Birthweight Less Than 2,500 Grams, Gestation Less Than 37 Weeks].....	22
TABLE B-5	All Live Births and Out of Wedlock Live Births, by Mother's Age, Sex of Child and Birth Order: Maine Counties and State Totals, 1985 (Resident Data).....	23
TABLE B-6	Live Births by Month Prenatal Care Began and Birthweight: Maine Counties and State Totals, 1985 (Resident Data).....	40
TABLE B-7	Live Births by Trimester Prenatal Care Began and Number of Prenatal Visits: Maine Counties and State Totals, 1985 (Resident Data).....	49
TABLE B-8	Live Births by Month Prenatal Care Began and Mother's Education: Maine Counties and State Totals, 1985 (Resident Data).....	58
TABLE B-9	Live Births by Selected Risk Characteristics--Number of Births: Maine Hospitals, Other Birth Sites, and State Totals, 1985 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Casarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams].....	64

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
TABLE B-10	Live Births by Selected Risk Characteristics-- Percentage of Total Births: Maine Hospitals, Other Birth Sites, and State Totals, 1985 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams].....	65
TABLE B-11	Live Births by Birthweight: Maine Hospitals, Other Birth Sites, and State Totals, 1985 (Occurrence Data).....	66
	INFANT AND FETAL MORTALITY	
TABLE F-1	Infant, Neonatal, and Postneonatal Deaths by Sex for 61 Cause of Death Groups: Maine State Totals, 1985 (Resident Data).....	71
TABLE F-2	Fetal Deaths by Gestation and Sex for 61 Cause of Death Groups: Maine State Totals, 1985 (Resident Data).....	75
TABLE F-3	Live Births, Neonatal Deaths, and Estimated Neonatal Death Rates by Birthweight: Maine State Totals, 1985 (Resident Data).....	79
TABLE F-4	Fetal Deaths by Selected Complications, Gestation, and Age of Patient: Maine State Totals, 1985 (Resident Data) [Selected Complications: Complications of Pregnancy, Complications of Labor or Delivery, Concurrent Illnesses, Congenital Anomalies].....	80
TABLE F-5	Deaths and Death Rates--Total, Infant, Neonatal, Postneonatal, and Perinatal: Maine Counties and State Totals, 1985 (Resident Data).....	81
TABLE F-6	Fetal Deaths by Selected Characteristics: Maine Counties and State Totals, 1985 (Resident Data) [Selected Characteristics: Out of Wedlock, Autopsy, In Hospital, Trimester Prenatal Care Began, Age of Patient].....	82
TABLE F-7	Fetal Deaths, Selected Risk Characteristics, and Ratio of Males to Females: Maine Counties and State Totals, 1985 (Resident Data) [Selected Characteristics: Congenital Anomalies, Fetal Weight, Gestation Less Than 28 Weeks].....	83
TABLE F-8	Fetal Deaths BY Selected Medical History Characteristics: Maine State Totals, 1985 (Resident Data) [Selected Medical History: Complications of Pregnancy, Illness or Condition Affecting Pregnancy, Complications of Labor, Method of Delivery, Congenital Anomalies].....	84

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
	GENERAL MORTALITY	
TABLE D-1	Deaths, Rank by Number of Deaths, and Death Rate-- Total, Male, and Female for Ten Leading Causes of Death by Age Group: Maine State Totals, 1985 (Resident Data).....	87
TABLE D-2	Years of Life Lost--Number, Percent, Rank and Average per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1985 (Resident Data).....	92
TABLE D-3	Deaths by Age and Sex for 282 Cause of Death Groups: Maine State Totals, 1985 (Resident Data).....	93
TABLE D-4	Underlying Cause Mentions and All Mentions of 72 Cause of Death Groups, and Ratio of All Mentions to Underlying Cause Mentions: Maine State Totals, 1985 (Resident Data).....	112
TABLE D-5	Deaths--Total, and Percent by Site of Death: Maine Counties and State Totals, 1985 (Resident Data).....	114
TABLE D-6	Deaths in Hospitals--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1985 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	115
TABLE D-7	Deaths in Intermediate Care Facilities--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1985 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	116
TABLE D-8	Deaths at Home--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1985 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	117
	INDUCED ABORTIONS	
TABLE A-1	Total Terminations of Pregnancy, Fetal Deaths, Miscarriages, and Induced Abortions by Gestation: Maine State Totals, 1985 (Resident Data).....	121
TABLE A-2	Induced Abortions by Gestation and Type of Termination Procedures: Maine State Totals, 1985 (Occurrence Data).....	122
TABLE A-3	Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1985 (Resident Data).....	123
TABLE A-4	Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1985 (Occurrence Data).....	124
TABLE A-5	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1985 (Resident Data).....	125

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
TABLE A-6	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1985 (Occurrence Data).....	126
TABLE A-7	Induced Abortions by Complications of Pregnancy, Gestation, and Age of Patient: Maine State Totals, 1985 (Occurrence Data).....	127
TABLE A-8	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1985 (Resident Data).....	128
TABLE A-9	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1985 (Occurrence Data).....	129
TABLE A-10	Induced Abortions by State or Country of Residence: Maine State Totals, 1985 (Occurrence Data).....	130
	MARRIAGES AND DIVORCES	
TABLE M-1	Marriages by Age of Bride and of Groom: Maine State Totals, 1985 (Resident Data).....	133
TABLE M-2	Marriages by Years of Education of Bride and of Groom: Maine State Totals, 1985 (Resident Data).....	134
TABLE M-3	Marriages by Age and Previous Marital Status, for Brides and for Grooms: Maine State Totals, 1985 (Resident Data).....	135
TABLE M-4	Marriages by Number of Previous Marriages of Bride and of Groom: Maine State Totals, 1985 (Resident Data).....	136
TABLE M-5	Divorces by Number of Minor Children, Plaintiff, Decree Granted, and by Number of Years Married: Maine State Totals, 1985 (Occurrence Data).....	137
	APPENDIX TABLES	
TABLE C-1	Copy of Maine Birth Certificate.....	141
TABLE C-2	Copy of Maine Fetal Death Certificate.....	142
TABLE C-3	Copy of Maine Death Certificate.....	143
TABLE C-4	Copy of Maine Spontaneous and Induced Abortion Certificate.....	144
TABLE C-5	Copy of Maine Marriage Certificate.....	145
TABLE C-6	Copy of Maine Divorce Certificate.....	146

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
TABLE H-1	Historical Vital Statistics Data, Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, 1900-1945 (every fifth year) and 1946-1985 (yearly).....	147
TABLE H-2	Historical Vital Statistics Data, Induced Abortions, Number and Rate: Maine State Totals, 1978-1985.....	148
TABLE P-1	Estimated Total Population: Maine Counties and State Total, July 1, 1985.....	149
TABLE P-2	Estimated Population by Age Group and Sex: Maine State Totals, July 1, 1985.....	150

LIST OF SUPPLEMENTAL TABLES AVAILABLE ON REQUEST*

Table No.

- S-A-1 Induced Abortions by Age of Patient and Marital Status:
Maine Counties and State Totals, 1985 (Resident Data)
- S-A-2 Induced Abortions--Total, and by Selected Characteristics:
Maine Towns over 3,500 Population, Counties and State
Totals, 1985 (Resident Data) [Selected Characteristics:
Out of Wedlock, Patient's Age, No Previous Pregnancies,
No Previous Abortions, Education, Abortions in Hospital]
- S-A-3 Induced Abortions to Canadian Residents by Number and Outcome
of Previous Pregnancies, Marital Status, and Age of Patient:
Canada Totals, 1985 (Occurrence Data)
- S-A-4 Induced Abortions to Canadian Residents by Gestation, Age of
Patient, and Race: Canada Totals, 1985 (Occurrence Data)
- S-A-5 Induced Abortions to Canadian Residents by Gestation and Type
of Termination Procedures: Canada Totals, 1985
(Occurrence Data)
- S-B-1 All Live Births and Out of Wedlock Live Births by Adequacy
of Prenatal Care, Mother's Age, Child's Birthweight, and
Apgar Score: Maine State Totals, 1985 (Resident Data)
- S-B-2 Live Births -- Total, and by Selected Risk Characteristics:
Maine Towns, Counties and State Totals, 1985
(Resident Data) [Selected Characteristics: Out of
Wedlock, Under 2,500 Grams, Congenital Anomalies,
Mother Under Age 20 Years, No Prenatal Care]
- S-BD-1 Births and Deaths by Month, Maine Towns, Counties
and State Totals, 1985 (Resident Data)
- S-D-1 Listing of Death Records by the Ninth Revision of the International
Classification of Disease (ICD) Code: Maine Towns, 1985 (Resident Data)
- S-D-2 Deaths by 72 Cause of Death Groups: Six Largest Cities
or Towns in Each Maine County, County totals, and
State Totals, 1985 (Resident Data)
- S-D-3 Deaths by Age and Sex for 72 Cause of Death Groups
Maine State Totals, 1985 (Resident Data)
- S-D-4 Deaths by Age and sex for 32 Cause of Death Groups
Maine State Totals, 1985 (Resident Data)

*Supplemental tables are available at the cost of reproduction.

- S-D-5 Alcohol and Drug Related Deaths by Status of Mention:
Maine State totals, 1985 (Resident Data)
- S-D-6 Deaths by Origin or Descent: Maine Counties and State Totals,
1985 (Resident Data)
- S-D-7 Deaths by Referral to Medical Examiner, Autopsy Status,
Certifier, Traumatic and Non-traumatic Deaths: Maine
State Totals, 1985 (Occurrence Data)
- S-D-8 Deaths by Method of Disposition: Maine Counties and State
Totals, 1985 (Occurrence Data)
- S-F-1 Neonatal Deaths and Estimated Neonatal Rates by Birthweight:
Maine Hospitals of Birth, other Birth Sites, and State Total,
1985 (Occurrence Data)
- S-M-1 Marriages by Selected Characteristics: Maine
Towns, Counties, and State Totals, 1985
(Occurrence and Residence Data) [Selected
Characteristics: Religious Ceremony, Bride and
Groom Residence, Under Age 20 Years, Education
Under 12 Years, First Marriage]
- S-M-2 Wives Involved in Divorces and Annulments by Residence
of Husband and Number of Minor Children: Maine Towns,
Counties, and State Totals, 1985 (Resident Data)
- S-P-1 All Pregnancies by Outcome, Marital Status and Age of Mother:
Maine Counties and State Totals, 1985 (Resident Data)

INTRODUCTION

In order to speed the process of making these data available to the public, the annual vital statistics report does not contain interpretive comments or charts. Information necessary to use the tables is included in the technical notes. The tabulations most frequently requested are presented in this report. Supplemental tables, available at the cost of reproduction, are listed on page ix. Special tabulations can also be obtained, generally at a charge that may include preparation as well as reproduction costs. Comments and requests for additional information should be directed to:

Office of Data, Research, and Vital Statistics
Maine Department of Human Services
State House Station #11
Augusta, Maine 04333

Telephone: (207) 289-3001

DEFINITIONS OF TERMS

All Mentioned Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. All mentioned causes are also referred to as "multiple causes of death."
Apgar Score	A summary indicator for evaluating the health of a newborn infant, the score ranges from 0 (very poor) to 10 (excellent). It is assigned by the delivery room personnel one minute and five minutes after birth.
Associated Cause of Death	Condition other than the underlying cause of death which may have contributed to the death.
Birth Order	Number of live births to the mother of the newborn, including this birth.
Birthweight	Weight of fetus or infant at time of delivery (normally measured in grams).
Fetal Death	Death prior to the complete expulsion or extraction from its mother of a product of conception; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Fetal deaths of at least 20 weeks of gestation must be reported on the "Fetal Death Report." Fetal deaths of less than 20 weeks gestation are reported on the "Report of Abortion (Spontaneous and Induced)."
Gestation	Clinical assessment of the number of weeks since conception.
Hospital	A licensed acute care health facility with permanent inpatient beds offering facilities and services for the diagnosis and treatment of illness, injury and deformity for a continuing period of time. A hospital has an organized medical staff and offers continuous 24 hour professional nursing care and emergency treatment.
Induced Abortion	Induced abortion means the intentional interruption of a pregnancy by the application of external agents, whether chemical or physical, or the ingestion of chemical agents with an intention other than to produce a live birth or to remove a dead fetus. All induced abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)," regardless of the length of gestation.

DEFINITIONS OF TERMS (Continued)

Infant Death	Death occurring to a live born infant less than one year of age.
Intermediate Care Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, health related services, and licensed nursing supervision (8 hours per day).
Live Birth	A live birth is the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.
Maternal Deaths	Those deaths of women wherein the physician has designated a maternal condition as the underlying cause of death.
Minor Civil Division	In Maine, minor civil divisions generally are areas covered by the local or city/town level of civil government.
Miscarriage	Spontaneous abortion (see definition).
Multiple Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. Multiple causes are also referred to as "all mentioned causes."
Neonatal Death	Death occurring to a live born infant before completing 27 days of life.
Occurrence	Refers to data tabulated by place the event occurred.
Out-of-Wedlock Birth	Births in which the mother was not married either at the time of conception or at the time of delivery.
Perinatal Death	Fetal deaths of at least 20 weeks gestation and all neonatal deaths.

DEFINITIONS OF TERMS (Continued)

Post-Neonatal Death	Death occurring to a live born infant between the ages of 28 days and 364 days, inclusive.
Race	Race of mother, father, or decedent is as stated on certificate. Race of child is determined from the race of the parents.
Residence	Refers to data tabulated by usual place of residence of the person to whom event occurred. For births, fetal deaths, and abortions, residence is defined as the mother's place of residence.
Site of Birth	Hospital or type of non-hospital site (e.g. home, on way to hospital, out-patient facility) where birth occurred.
Site of Death	Hospital or type of non-hospital site (e.g. home, on way to hospital, nursing home) where death occurred.
Skilled Nursing Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, medical services, continuous skilled nursing services and health-related services, diagnosis and treatment.
Spontaneous Abortion	A termination of pregnancy, at less than 20 weeks gestation, through natural causes and without the aid of mechanical or medicinal agents. All spontaneous abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)."
Underlying Cause of Death	That condition giving rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. For this report, underlying causes are selected through processing of death certificate data by the ACME and TRANSAX computer programs (see Technical Notes).

DEFINITIONS OF RATES*

Age-Specific Death Rate	=	$\frac{\text{Resident Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}}$	X	100,000
Birth Rate	=	$\frac{\text{Resident Live Births}}{\text{Total Resident Population}}$	X	1,000
Cause-Specific Death Rate	=	$\frac{\text{Resident Deaths from Specific Cause}}{\text{Total Resident Population}}$	X	100,000
Death Rate	=	$\frac{\text{Resident Deaths}}{\text{Total Resident Population}}$	X	1,000
Divorce Rate	=	$\frac{\text{Divorces}}{\text{Total Resident Population}}$	X	1,000
Fetal Death Rate	=	$\frac{\text{Resident Fetal Deaths}}{\text{Total Resident Live Births andResident Fetal Deaths}}$	X	1,000
Infant Death Rate	=	$\frac{\text{Resident Infant Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Marriage Rate	=	$\frac{\text{Marriages Performed}}{\text{Total Resident Population}}$	X	1,000
Maternal Death Rate	=	$\frac{\text{Resident Maternal Deaths}}{\text{Total Resident Live Births}}$	X	10,000
Neonatal Death Rate	=	$\frac{\text{Resident Neonatal Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Perinatal Death Rate	=	$\frac{\text{Resident Fetal Deaths and Neonatal Deaths}}{\text{Total Resident Fetal Deaths and Live Births}}$	X	1,000
Post-Neonatal Death Rate	=	$\frac{\text{Resident Post-Neonatal Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Sex-Specific Death Rate	=	$\frac{\text{Resident Deaths of Indicated Sex}}{\text{Total Resident Population of Indicated Sex}}$	X	100,000

*Event denominators for rates are registered totals for the calendar year.
Population denominators are mid-calendar year estimates.

TECHNICAL NOTES

General Considerations

Sources of Vital Records Data: Birth, death, fetal death, abortion, marriage, and divorce certificates are the source documents for data on vital events in Maine. A copy of each is included in Appendix Tables C-1 through C-6.

The cut-off date for the data in this report is April 15, 1986. Any data pertaining to 1985 events for which certificates were filed after April 15, 1986, are not included in this report.

Birth certificates and abortion reports are usually completed by hospital or clinic personnel. Death and fetal death certificates are usually completed by funeral directors, who obtain the medical certifications of cause of death from physicians. Marriage certificates are completed by the appropriate municipal clerks, while divorce reports are sent to the Office of Data, Research, and Vital Statistics by the clerks of courts.

Completeness of Registration: A birth certificate test in 1950 indicated that about one percent of births in Maine at that time were not recorded. It is assumed that registration has continued to be at least this complete.

Although no test of death registration has ever been done, it is assumed that death registration is reasonably complete, because burial permit laws and regulations require the filing of a death certificate before a burial permit for the disposition of the body is issued.

Reporting of all terminations of pregnancy at any gestation, whether spontaneous or induced, has been required in Maine for many years. Analysis of fetal death rates over time, however, indicates that there has been considerable variation in the completeness of registration. A specific reporting form for abortions (spontaneous and induced) was introduced in 1978. Comparison with independent data sources suggests that induced abortions may be underreported by 10 to 15%.

In addition to unrecorded vital events, other vital events may not be included in this report for several reasons: failure of the person required to report the event to make a timely report; failure of a municipal clerk to make a timely report to the State Registrar; or failure of other states to make timely exchanges of nonresident transcripts of births and deaths.

Data Quality: Data in this report are based upon original certificates of births and deaths, copies of original certificates of marriages prepared by city and town clerks, and abstracts of decrees of divorces prepared by the clerks of courts. Errors in data may be

introduced by persons giving information for the original certificate, persons involved in the actual preparation of the original certificate, persons responsible for the preparation of the copies or abstracts of the original certificates, or those involved in the coding and processing of the data in the State Office of Data, Research, and Vital Statistics.

Extensive reorganization and revision in 1983 of reporting procedures, data input procedures, and computer systems have reduced or eliminated many of the problems experienced in previous years. The Office of Vital Statistics maintains several programs aimed at improving the quality and completeness of information received on certificates and its translation into statistical form. A "query" system is used to followback to physicians, hospital personnel and funeral directors concerning incomplete or conflicting information on the certificates themselves. The followback, which is done by both mail and telephone, is based on both manual and computer editing procedures.

In addition, the vital statistics field agent works directly with the data providers to improve the quality of reported information. The field agent conducts various seminars, workshops, and site visits to educate hospital and medical personnel, funeral directors, and municipal clerks in the importance of accurate and complete vital statistics data.

Finally, the National Center for Health Statistics (NCHS) monitors State coding of statistical data. The NCHS has established a two percent upper limit for coding differences involving any one data item, with the exception of cause of death. A five percent limit is used for this item due to the complexity of the coding process.

Comparison with Earlier Years: In 1983, a number of changes were introduced into the vital registration program and associated data processing, computer systems, and analytic procedures. These must be borne in mind in any comparisons with earlier years and analyses of time trends. Specific changes include the following:

- Implementation of a new birth certificate on January 1, 1983 and a new fetal death certificate on January 1, 1985. The new certificates use a checklist format for reporting medical history items related to pregnancy and delivery. These items are recorded on a separate page mailed directly to the Vital Records Unit.
- Intensive field and education activities directed to appropriate medical providers to promote more complete reporting of induced abortions performed at any time during pregnancy.
- The computerized data systems for records of births, deaths, fetal deaths, marriages, divorces, and abortions were completely revised in 1983 to promote more accurate and timely registration activities and statistical products. Comprehensive and rigorous edit procedures were developed for data input and a number of consistency checks were incorporated.

Small Frequencies: The numbers of births or deaths reported for a community represent complete counts of these events. As such, they are not subject to sampling error or variation, although they are subject to errors in the collection and processing procedures. However, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same general circumstances. The probable range of values may be estimated from the actual figures according to certain statistical assumptions (Vital Statistics for the U.S., Vol. 1, 1959, p. 1-20). When the figures are used for comparison of frequencies and rates over a time period or for different areas, appropriate statistical methods should be used to assess the significance of the comparisons.

Frequencies of and rates based on fewer than 10 events should be used carefully because they are subject to large random fluctuations. The number "10" is arbitrary, however, and is not set forth as a critical point distinguishing statistically reliable rates.

Rates: In interpreting the conditions described by vital statistics rates, considerable caution must be observed. In particular, differences in rates from time to time or place to place may arise from a number of population differences and other compounding factors, and appropriate techniques (e.g., standardization) should be utilized in such comparisons.

Population Data: The population data used to calculate rates in this report are from the United States Department of Commerce, Bureau of the Census, July 1, 1985, provisional estimates. A display of these population data is included in Appendix Tables P-1 and P-2.

"Selected" Characteristics/Causes of Death: These terms are used to denote tabulations in which the categories displayed are not exhaustive but represent only those of particular interest.

Geographic Classification: In addition to recording vital events occurring in Maine, the Office of Vital Statistics receives transcripts of birth certificates for children born outside Maine to a mother who is a resident of Maine. Death certificates for persons who are residents but die outside the boundaries of Maine are also received. Transcripts of non-resident births and deaths are exchanged with all other states and with Canada.

Events are assigned to geographical areas according either to place of residence or to place of occurrence. The basis for classification is identified in each table and should be carefully observed when extracting information.

- "Resident Data" means events have been tabulated according to the area where the person lived regardless of where the event occurred. In the case of infant deaths and births, the reference is to the residence of the mother. It should be noted that in the case of infant deaths, the place of residence at death may differ from the place of residence at birth; when special tabulations are prepared from both birth and death certificates, it is important to note to which residence category they were assigned.

- "Occurrence Data" means events have been tabulated according to where the events took place, regardless of the usual residence of the person. Since nearly all births and most deaths take place in hospitals, the number which occur in counties with many hospital beds will be large for this reason alone.

Births

As noted in previous sections, a revised birth certificate was initiated on January 1, 1983. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies. Two added items were the physician's estimate of gestation and an assessment of the infant's condition at birth. Initial evaluation indicates that the checklist format increased reporting of the medical history items dramatically - as much as five-fold on some items - so comparison with data from previous years must be made with caution.

Infant and Fetal Mortality

This section includes all fetal deaths of at least 20 weeks gestation and all neonatal deaths. The birth, death, and fetal death certificates all include information on the place of residence, so events to non-Maine residents can be excluded from tabulations based on resident data. Through the interstate exchange agreement, transcripts of births and deaths which occur outside of the state to Maine residents are obtained for inclusion in tabulations of resident data. Maine started to participate in such exchange for fetal deaths in 1985, so information on pregnancies of Maine women terminating in fetal deaths which occurred outside the state is now available for inclusion in tabulations of resident data.

A revised fetal death certificate was initiated on January 1, 1985, comparable to the 1983 revision of the birth certificate. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies.

Notification of infant death is obtained from the regular death certificate. However, much information relevant to the circumstances of infant death is found on the birth certificate. Birth and death records have, therefore, been matched to produce a composite infant death tape, which is the source of Table F-3. Tables F-1, F-5, and all other death tables, on the other hand, are produced from the general death file. Discrepancies between these two sources are minimal, usually involving only a very small number of deaths.

General Mortality

There are a number of factors which should be considered in order to understand and use the mortality data presented herein.

Mortality Classification: The mortality classification used in this report is the Ninth Revision of the International Classification of Diseases (ICD-9). It consists of a list of 722 categories of diseases and morbid conditions, 192 categories for classification of the external cause of an injury, and 190 categories for the characterization of injuries according to the nature of the lesion.

There are two major limitations in interpreting changes in cause of death statistics. Changes in diagnostic practice may affect the comparability of such statistics over time, as do changes in nomenclature and in the classification scheme. The International Classification of Diseases is revised approximately every ten years to incorporate advances in medical science and to reflect changing medical opinion and practice. The Sixth Revision was used from 1949-1957, the Seventh Revision from 1958-1967, the Eighth Revision from 1968-1978, and the Ninth Revision after 1978.

Under the Ninth Revision, the method for selecting the cause of death for statistical purposes remains the same as the method instituted with the Sixth Revision. The Sixth Revision instituted a method whereby the physician in attendance at death indicates the disease or morbid condition which he considers to be the underlying cause of death. The underlying cause is defined as "(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident which produced fatal injury." Prior to 1981, when two or more causes were jointly recorded, a nosologist in the Office of Vital Statistics selected and coded the underlying cause using the ancillary information provided on the death certificate by the physician. Beginning in 1981, however, all causes mentioned on the certificate are coded. The underlying cause is determined using a computerized procedure: the Automated Classification of Medical Entities (ACME) program. The cause of death information is then subjected to the TRANSAX computer program, which eliminates redundancies in mentioned causes. Information on all associated causes is retained on the computer records for use in further study of certain health problems.

Several groupings by cause of death are utilized in this report. All of the groupings are both exhaustive and exclusive: all causes are assigned to a group or category, and each specific cause is assigned to only one cause group. Deaths by age and sex groups are tabulated using a list of 282 cause groups (Table D-3). Deaths by county and town of residence, site of death, and underlying/non-underlying status are tabulated using 72 cause groups. The analysis of leading causes of death in Table D-1 and D-2 is based on 32 cause groups. The data on fetal and infant deaths, in Tables F-1 and F-2, are categorized into 61 cause groups. In all cases the ICD-9 codes included in each cause group are indicated on the appropriate tables. Tables generally do not include cause groups from which there were no deaths, so the number of groups displayed may be less than the number of groups (i.e., 282, 72, 61, or 32) from which the tables were constructed.*

Years of Life Lost: In Table D-2, "Years of Life Lost" is used as a more sensitive measure of premature death than the death rate itself. The number of years of life lost is calculated for each decedent as the difference between the age at death and the life expectancy at that age. Life expectancy at each age is taken from the 1980 Maine Life Tables, with the sex-specific expectancy estimated using the 1980 United States Life Tables for the white population.** The death of a male infant, for example, represents a total of 71.0 years of life lost. The death of a 50 year old woman represents 30.9 years of life lost, and the death of a 85 year old woman represents 6.4 years of life lost.

* Complete lists of causal groups are contained in the following reference manual and may be obtained upon request:

Office of Data, Research, and Vital Statistics, Maine Department of Human Services, Vital Records Manual, 1987. December, 1986.

**Welch, D. Maine Life Tables:1980. Augusta: Maine Department of Human Services, 1985; National Center for Health Statistics, United States Life Tables-1980, 1984.

Multiple Causes of Death: Most major causes of death are contributing factors to many deaths in which they are not the underlying cause. The relative frequencies with which specific causes are mentioned on death records as underlying or non-underlying causes are displayed in Table D-4.

In Table D-4, cause of death mentions are classified into 72 cause groups, after processing through the ACME and TRANSAX computer programs. Consequently, the term "mentions" refers to causes identified through processing by the computer programs, rather than to causes as mentioned on the death certificate. A cause group is counted only once for each decedent, even if more than one cause in the group was mentioned on the original certificate. Comparisons of data from different sources on "all mentions" of a cause group are valid only if the number and composition of the cause groups used are the same and the counting rules are consistent.

The category of "all mentions" of a cause group usually includes all identifications of it as the underlying cause of death. Occasionally, simultaneous mention of certain causes on the death record leads to the identification, as the underlying cause, of a disease entity which was not itself recorded on the death certificate. In such cases, the ratio of all mentions to underlying cause mentions can be less than 1.00.

Certain causes of death can never be classified as the underlying cause of death as defined in the International Classification of Diseases. In particular, descriptions of the nature of injuries and secondary neoplasms are always recorded on the death certificate in conjunction with one or more entries which identify the underlying cause of death, i.e. the external cause of injury or the primary neoplasm.

Induced Abortions

All induced abortions performed in Maine are required to be reported, regardless of the length of gestation. The report form includes information on the place of residence, so non-resident women receiving abortions in Maine can be excluded from tabulations based on resident data. Approximately 15% of the induced abortions in Maine were obtained by out-of-state residents. Maine does not participate in any interstate program for exchange of induced abortion reports, so complementary data on Maine residents who received abortions in other states are not available.

The numbers of induced abortions reported in 1982 was nearly a third lower than the numbers reported in preceding and subsequent years, due principally to incomplete reporting. In the spring of 1983, a vigorous effort was undertaken to remind and inform physicians, clinics, and hospitals that all induced abortions must be reported to the Department of Human Services on the appropriate form.

All terminations of pregnancies to Maine resident women are displayed in Table A-1 by the length of gestation, including fetal deaths, miscarriages or spontaneous abortions, and induced abortions.

Marriages and Divorces

All marriages which occur in Maine are registered in the central Office of Vital Statistics, whether or not either the bride or the groom are residents of the state. Marriages in which both partners are non-residents are excluded from tabulations based on resident data. However, there is no interstate program for exchange of marriage records of non-residents and hence the complementary data on Maine residents who are married outside Maine are not included in the resident data tabulations. "Resident Data" thus include all marriages occurring in Maine in which either the bride, the groom, or both are residents of Maine.

A similar situation exists in the registration of divorces and annulments. These records are reported to the central office by the clerks of the courts in which the divorce or annulment is finalized. No information is available on divorces or annulments obtained outside the state by Maine residents.

LIVE BIRTHS

TABLE B-1

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND RACE OF CHILD
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

AGE OF MOTHER	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** RACE OF CHILD *****					
			WHITE	BLACK	AMERICAN INDIAN	ASIAN	OTHER	UNKNOWN
ALL BIRTHS								
LESS THAN 15	18	0.11	18	0	0	0	0	0
15	58	0.34	56	0	1	0	1	0
16	184	1.09	180	0	2	1	0	1
17	367	2.17	356	2	4	3	2	0
18	563	3.33	553	2	7	0	1	0
19	787	4.66	768	5	6	7	1	0
20-24	5,719	33.83	5,600	30	40	36	11	2
25-29	5,557	32.87	5,460	30	18	28	16	5
30-34	2,774	16.41	2,726	11	5	19	6	7
35-39	760	4.50	744	2	2	7	2	3
40-44	102	0.60	98	0	1	3	0	0
GREATER THAN 44	4	0.02	4	0	0	0	0	0
UNKNOWN	12	0.07	10	0	0	1	0	1
STATE TOTALS	16,905		16,573	82	86	105	40	19
PERCENT DISTRIBUTION		100.00	98.04	0.49	0.51	0.62	0.24	0.11

OUT OF WEDLOCK BIRTHS

LESS THAN 15	17	0.57	17	0	0	0	0	0
15	49	1.63	47	0	1	0	1	0
16	151	5.02	148	0	2	1	0	0
17	265	8.82	258	1	4	2	0	0
18	324	10.78	319	0	5	0	0	0
19	341	11.34	333	2	2	3	1	0
20-24	1,158	38.52	1,121	7	19	10	0	1
25-29	460	15.30	448	2	3	6	1	0
30-34	166	5.52	160	1	1	3	1	0
35-39	59	1.96	57	0	1	1	0	0
40-44	15	0.50	14	0	1	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0
UNKNOWN	1	0.03	0	0	0	0	0	1
STATE TOTALS	3,006		2,922	13	39	26	4	2
PERCENT DISTRIBUTION		100.00	97.21	0.43	1.30	0.86	0.13	0.07

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-2

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND CHILD'S BIRTHWEIGHT
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DIST.	***** MOTHER'S AGE (YRS.) *****												GREATER THAN 44	UNKNOWN
			LESS THAN 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44			
ALL BIRTHS																
LESS THAN 500	15	0.09	0	0	0	1	0	0	5	7	2	0	0	0	0	
500-999	62	0.37	0	0	0	3	7	4	21	13	9	5	0	0	0	
1000-1499	62	0.37	0	0	4	1	3	8	19	16	6	4	1	0	0	
1500-1999	147	0.87	0	1	1	4	4	9	56	42	21	9	0	0	0	
2000-2499	564	3.34	1	3	10	20	26	45	174	171	79	29	6	0	0	
2500-2999	2,126	12.58	4	11	41	49	89	110	776	659	282	85	16	1	3	
3000-3499	5,998	35.48	4	21	70	160	215	270	2,106	1,949	911	250	35	2	5	
3500-3999	5,608	33.17	4	16	42	96	164	242	1,855	1,901	1,001	254	31	0	2	
4000-4499	1,927	11.40	4	5	13	31	48	81	582	662	389	101	10	1	0	
4500-4999	344	2.03	1	1	3	2	7	15	113	114	66	18	3	0	1	
GREATER THAN 4999	43	0.25	0	0	0	0	0	2	10	20	6	5	0	0	0	
UNKNOWN	9	0.05	0	0	0	0	0	1	2	3	2	0	0	0	1	
STATE TOTALS	16,905		18	58	184	367	563	787	5,719	5,557	2,774	760	102	4	12	
PERCENT DIST.		100.00	0.11	0.34	1.09	2.17	3.33	4.66	33.83	32.87	16.41	4.50	0.60	0.02	0.07	
OUT OF WEDLOCK BIRTHS																
LESS THAN 500	3	0.10	0	0	0	1	0	0	1	1	0	0	0	0	0	
500-999	20	0.67	0	0	0	3	2	2	6	5	0	2	0	0	0	
1000-1499	26	0.86	0	0	2	0	3	6	11	4	0	0	0	0	0	
1500-1999	32	1.06	0	1	0	2	3	5	18	2	0	1	0	0	0	
2000-2499	148	4.92	1	2	8	15	18	23	50	21	6	3	1	0	0	
2500-2999	535	17.80	4	10	35	36	53	45	222	85	30	10	5	0	0	
3000-3499	1,099	36.56	3	17	58	116	126	127	401	163	63	20	5	0	0	
3500-3999	850	28.28	4	13	37	75	92	96	345	120	49	17	2	0	0	
4000-4499	229	7.62	4	5	10	15	25	26	83	44	11	5	1	0	0	
4500-4999	48	1.60	1	1	1	2	2	8	16	9	6	1	1	0	0	
GREATER THAN 4999	10	0.33	0	0	0	0	0	2	3	4	1	0	0	0	0	
UNKNOWN	6	0.20	0	0	0	0	0	1	2	2	0	0	0	0	1	
STATE TOTALS	3,006		17	49	151	265	324	341	1,158	460	166	59	15	0	1	
PERCENT DIST.		100.00	0.57	1.63	5.02	8.82	10.78	11.34	38.52	15.30	5.52	1.96	0.50	0.00	0.03	
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:																
		17.78	94.44	84.48	82.07	72.21	57.55	43.33	20.25	8.28	5.98	7.76	14.71	0.00	8.33	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-3

LIVE BIRTHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

COMPLICATIONS OF PREGNANCY			ILLNESS OR CONDITION AFFECTING PREGNANCY			COMPLICATIONS OF LABOR			METHOD OF DELIVERY			CONGENITAL ANOMALIES		
CONDITION	NUMBER	%	CONDITION	NUMBER	%	CONDITION	NUMBER	%	METHOD	NUMBER	%	CONDITION	NUMBER	%
BLEEDING IN EARLY PREGNANCY	311	1.8	TOBACCO USE	2,088	12.4	ABRUPTIO PLACENTA	134	0.8	SPONTANEOUS CONTROLLED	12,201	72.2	ANENCEPHALUS	2	0.0
ECLAMPSIA	13	0.1	HEART DISEASE SYMPTOMATIC	7	0.0	PLACENTA PREVIA	62	0.4	SPONTANEOUS UNCONTROLLED	104	0.6	SPINA BIFIDA	7	0.0
PREECLAMPSIA	474	2.8	HYPERTENSION	268	1.6	CORD PROLAPSE OR COMPRESSION	191	1.1	LOW FORCEPS	481	2.8	OTHER NERVOUS SYSTEM	14	0.1
RH SENSITIZATION	114	0.7	CHRONIC RENAL DISEASE	9	0.1	DYSTOCIA	1,086	6.4	OTHER FORCEPS PROCEDURE	157	0.9	CLEFT LIP/PALATE	22	0.1
ANEMIA(HGB < 10 GM/HCT < 30%)	150	0.9	PYELOCYSTITIS	28	0.2	BREECH	551	3.3	PRIMARY C-SECTION	2,054	12.2	EYE	6	0.0
AMNIONITIS	20	0.1	DES EXPOSURE	15	0.1	INDUCTION	26	0.2	REPEAT C-SECTION	1,369	8.1	EAR, FACE, NECK	5	0.0
URINARY TRACT INFECTION	294	1.7	ALCOHOL DEPENDENCE	24	0.1	INTRAPARTUM FEVER/CHORIOAMNION.	34	0.2	BREECH DELIVERY	51	0.3	HEART	13	0.1
PREMATURE LABOR(BEFORE 37 WEEKS)	626	3.7	DRUG ADDICTION OR DEPENDENCE	14	0.1	FETAL DISTRESS	857	5.1	VERSION AND EXTRACTION	102	0.6	OTHER CIRCULATORY SYSTEM	9	0.1
PREMATURE DELIVERY(BEFORE 37 WEEKS)	462	2.7	PREVIOUS C-SECTION	645	3.8	LABOR>18 HRS.	396	2.3	OTHER	332	2.0	RESPIRATORY SYSTEM	29	0.2
PROM(24 HRS. BEFORE DELIVERY)	342	2.0	OBESITY	406	2.4	OTHER	1,304	7.7				DIGESTIVE SYSTEM	9	0.1
OTHER	684	4.0	GESTATIONAL DIABETES	170	1.0	NONE	12,802	75.7				GENITAL ORGANS	36	0.2
NONE	14,144	83.7	CHRONIC DIABETES	31	0.2	UNKNOWN	53	0.3				URINARY SYSTEM	13	0.1
UNKNOWN	55	0.3	OTHER	468	2.8							MUSCULOSKEL.	70	0.4
			NONE	13,183	78.0							INTEGUMENT	35	0.2
			UNKNOWN	57	0.3							CHROMOSOMAL	10	0.1
												OTHER	18	0.1
												NONE	16,579	98.1
												UNKNOWN	59	0.3

NOTES: PERCENTAGES ARE BASED ON THE 16,905 LIVE BIRTHS IN MAINE THIS YEAR.
MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH BIRTH.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-4

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, AND RATIO OF MALE TO FEMALE BIRTHS
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY	TOTAL BIRTHS	***** RISK CHARACTERISTICS *****								MALE/FEMALE RATIO
		5 MIN. APGAR LESS THAN 5		CONGENITAL ANOMALIES		BIRTHWEIGHT < 2500 GRAMS		LESS THAN 37 GESTATION WEEKS		
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	
ANDROSCOGGIN	1,482	10	0.7	20	1.3	86	5.8	70	4.7	1.01
AROOSTOOK	1,249	9	0.7	14	1.1	52	4.2	66	5.3	1.08
CUMBERLAND	3,471	13	0.4	48	1.4	161	4.6	194	5.6	1.06
FRANKLIN	357	5	1.4	3	0.8	13	3.6	12	3.4	0.98
HANCOCK	633	1	0.2	10	1.6	18	2.8	25	3.9	1.02
KENNEBEC	1,593	16	1.0	24	1.5	89	5.6	76	4.8	0.95
KNOX	485	4	0.8	7	1.4	28	5.8	33	6.8	1.11
LINCOLN	388	0	0.0	7	1.8	16	4.1	13	3.4	0.97
OXFORD	675	3	0.4	7	1.0	49	7.3	45	6.7	1.03
PENOBSCOT	1,892	12	0.6	42	2.2	101	5.3	97	5.1	1.07
PISCATAQUIS	263	2	0.8	3	1.1	14	5.3	11	4.2	1.25
SAGadahoc	592	5	0.8	12	2.0	29	4.9	33	5.6	0.90
SOMERSET	672	7	1.0	13	1.9	30	4.5	34	5.1	1.13
WALDO	445	3	0.7	8	1.8	14	3.1	9	2.0	0.97
WASHINGTON	452	6	1.3	13	2.9	26	5.8	29	6.4	0.94
YORK	2,256	15	0.7	36	1.6	124	5.5	207	9.2	0.97
STATE TOTALS	16,905	111	0.7	267	1.6	850	5.0	954	5.6	1.02

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
ANDROSCOGGIN											
LESS THAN 15	3	0.20	2	1	0	3	0	0	0	0	0
15	7	0.47	3	4	0	7	0	0	0	0	0
16	19	1.28	8	11	0	17	2	0	0	0	0
17	40	2.70	24	16	0	33	6	1	0	0	0
18	70	4.72	31	39	0	57	11	0	0	0	2
19	80	5.40	36	44	0	60	16	2	0	0	2
20-24	584	39.41	286	298	0	292	206	62	14	1	9
25-29	457	30.84	233	224	0	152	202	72	23	4	4
30-34	166	11.20	92	74	0	27	77	38	14	6	4
35-39	49	3.31	26	23	0	8	11	16	6	8	0
40-44	7	0.47	3	4	0	0	0	1	2	4	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,482		744	738	0	656	531	192	59	23	21
PERCENT DISTRIBUTION		100.00	50.20	49.80	0.00	44.26	35.83	12.96	3.98	1.55	1.42
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	3	0.89	2	1	0	3	0	0	0	0	0
15	6	1.79	3	3	0	6	0	0	0	0	0
16	15	4.46	5	10	0	13	2	0	0	0	0
17	35	10.42	22	13	0	28	6	1	0	0	0
18	50	14.88	21	29	0	41	8	0	0	0	1
19	38	11.31	18	20	0	27	10	0	0	0	1
20-24	136	40.48	75	61	0	73	37	18	5	0	3
25-29	35	10.42	13	22	0	13	13	7	2	0	0
30-34	11	3.27	9	2	0	2	2	4	2	1	0
35-39	5	1.49	3	2	0	1	0	3	0	1	0
40-44	2	0.60	1	1	0	0	0	0	1	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	336		172	164	0	207	78	33	10	3	5
PERCENT DISTRIBUTION		100.00	51.19	48.81	0.00	61.61	23.21	9.82	2.98	0.89	1.49
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		22.67	23.12	22.22	0.00	31.55	14.69	17.19	16.95	13.04	23.81

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					*****	
						1	2	3	4	GREATER THAN 4	UNKNOWN	
ALL BIRTHS												
ARROOSTOOK												
LESS THAN 15	1	0.08	1	0	0	1	0	0	0	0	0	
15	2	0.16	2	0	0	2	0	0	0	0	0	
16	15	1.20	10	5	0	13	2	0	0	0	0	
17	20	1.60	11	9	0	17	3	0	0	0	0	
18	39	3.12	27	12	0	30	8	1	0	0	0	
19	64	5.12	30	34	0	53	10	1	0	0	0	
20-24	496	39.71	258	238	0	257	170	56	10	3	0	
25-29	409	32.75	207	202	0	119	164	99	20	6	1	
30-34	158	12.65	79	79	0	30	66	38	15	9	0	
35-39	36	2.88	17	19	0	2	13	8	9	4	0	
40-44	8	0.64	6	2	0	0	0	2	2	4	0	
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0	
UNKNOWN	1	0.08	0	1	0	0	0	0	0	0	1	
COUNTY TOTALS	1,249		648	601	0	524	436	205	56	26	2	
PERCENT DISTRIBUTION		100.00	51.88	48.12	0.00	41.95	34.91	16.41	4.48	2.08	0.16	
OUT OF WEDLOCK BIRTHS												
LESS THAN 15	1	0.54	1	0	0	1	0	0	0	0	0	
15	2	1.08	2	0	0	2	0	0	0	0	0	
16	14	7.57	9	5	0	12	2	0	0	0	0	
17	11	5.95	6	5	0	10	1	0	0	0	0	
18	17	9.19	12	5	0	15	1	1	0	0	0	
19	22	11.89	8	14	0	17	5	0	0	0	0	
20-24	73	39.46	37	36	0	38	23	10	2	0	0	
25-29	31	16.76	15	16	0	10	9	11	1	0	0	
30-34	10	5.41	5	5	0	3	3	1	1	2	0	
35-39	1	0.54	1	0	0	0	0	1	0	0	0	
40-44	2	1.08	2	0	0	0	0	2	0	0	0	
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0	
UNKNOWN	1	0.54	0	1	0	0	0	0	0	0	1	
COUNTY TOTALS	185		98	87	0	108	44	26	4	2	1	
PERCENT DISTRIBUTION		100.00	52.97	47.03	0.00	58.38	23.78	14.05	2.16	1.08	0.54	
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:												
		14.81	15.12	14.48	0.00	20.61	10.09	12.68	7.14	7.69	50.00	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
CUMBERLAND											
LESS THAN 15	2	0.06	1	1	0	2	0	0	0	0	0
15	14	0.40	5	9	0	10	0	0	0	0	4
16	28	0.81	14	14	0	20	1	1	0	0	6
17	58	1.67	33	25	0	34	6	0	0	0	18
18	98	2.82	52	46	0	64	10	3	0	0	21
19	136	3.92	78	58	0	77	32	1	0	2	24
20-24	965	27.80	499	466	0	410	291	73	17	5	169
25-29	1,208	34.80	606	602	0	374	400	154	52	12	216
30-34	714	20.57	371	343	0	150	241	122	42	21	138
35-39	217	6.25	115	102	0	36	64	46	27	16	28
40-44	25	0.72	11	14	0	1	4	7	4	8	1
GREATER THAN 44	1	0.03	0	1	0	0	1	0	0	0	0
UNKNOWN	5	0.14	5	0	0	1	1	0	0	0	3
COUNTY TOTALS	3,471		1,790	1,681	0	1,179	1,051	407	142	64	628
PERCENT DISTRIBUTION		100.00	51.57	48.43	0.00	33.97	30.28	11.73	4.09	1.84	18.09
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	2	0.35	1	1	0	2	0	0	0	0	0
15	11	1.95	4	7	0	9	0	0	0	0	2
16	23	4.08	10	13	0	16	1	1	0	0	5
17	46	8.16	28	18	0	24	6	0	0	0	16
18	69	12.23	40	29	0	43	6	2	0	0	18
19	59	10.46	36	23	0	34	9	1	0	2	13
20-24	203	35.99	100	103	0	86	54	19	6	3	35
25-29	98	17.38	47	51	0	29	29	19	7	2	12
30-34	37	6.56	20	17	0	11	7	6	4	2	7
35-39	13	2.30	10	3	0	4	3	2	3	1	0
40-44	3	0.53	3	0	0	0	0	0	1	1	1
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	564		299	265	0	258	115	50	21	11	109
PERCENT DISTRIBUTION		100.00	53.01	46.99	0.00	45.74	20.39	8.87	3.72	1.95	19.33
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		16.25	16.70	15.76	0.00	21.88	10.94	12.29	14.79	17.19	17.36

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** BIRTH ORDER ***** 1 2 3 4 GREATER THAN 4 UNKNOWN
ALL BIRTHS				
FRANKLIN				
LESS THAN 15	0	0.00	0 0 0	0 0 0 0 0 0
15	1	0.28	0 1 0	1 0 0 0 0 0
16	6	1.68	3 3 0	6 0 0 0 0 0
17	2	0.56	2 0 0	2 0 0 0 0 0
18	15	4.20	7 8 0	7 5 1 0 0 0
19	20	5.60	12 8 0	13 7 0 0 0 0
20-24	137	38.38	73 64 0	76 46 12 2 0 1
25-29	104	29.13	47 57 0	32 45 14 9 3 1
30-34	59	16.53	26 33 0	8 29 12 6 2 2
35-39	10	2.80	5 5 0	2 3 0 2 3 0
40-44	3	0.84	2 1 0	0 1 1 1 0 0
GREATER THAN 44	0	0.00	0 0 0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0 0	0 0 0 0 0 0
COUNTY TOTALS	357		177 180 0	147 136 40 20 8 6
PERCENT DISTRIBUTION		100.00	49.58 50.42 0.00	41.18 38.10 11.20 5.60 2.24 1.68
OUT OF WEDLOCK BIRTHS				
LESS THAN 15	0	0.00	0 0 0	0 0 0 0 0 0
15	1	1.75	0 1 0	1 0 0 0 0 0
16	5	8.77	3 2 0	5 0 0 0 0 0
17	2	3.51	2 0 0	2 0 0 0 0 0
18	5	8.77	2 3 0	4 1 0 0 0 0
19	11	19.30	7 4 0	8 3 0 0 0 0
20-24	26	45.61	15 11 0	17 6 2 1 0 0
25-29	3	5.26	1 2 0	2 1 0 0 0 0
30-34	4	7.02	3 1 0	1 1 1 1 0 0
35-39	0	0.00	0 0 0	0 0 0 0 0 0
40-44	0	0.00	0 0 0	0 0 0 0 0 0
GREATER THAN 44	0	0.00	0 0 0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0 0	0 0 0 0 0 0
COUNTY TOTALS	57		33 24 0	40 12 3 2 0 0
PERCENT DISTRIBUTION		100.00	57.89 42.11 0.00	70.18 21.05 5.26 3.51 0.00 0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:				
		15.97	18.64 13.33 0.00	27.21 8.82 7.50 10.00 0.00 0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	***** UNKNOWN
ALL BIRTHS											
HANCOCK											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	2	0.32	1	1	0	2	0	0	0	0	0
16	8	1.26	4	4	0	8	0	0	0	0	0
17	13	2.05	4	9	0	11	2	0	0	0	0
18	21	3.32	9	12	0	16	4	1	0	0	0
19	31	4.90	16	15	0	22	7	1	0	0	1
20-24	231	36.49	116	115	0	115	85	22	4	1	4
25-29	197	31.12	101	96	0	70	81	34	3	3	6
30-34	102	16.11	52	50	0	33	47	17	2	2	1
35-39	25	3.95	14	11	0	8	7	9	0	1	0
40-44	3	0.47	2	1	0	0	1	2	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	633		319	314	0	285	234	86	9	7	12
PERCENT DISTRIBUTION		100.00	50.39	49.61	0.00	45.02	36.97	13.59	1.42	1.11	1.90
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	2	2.06	1	1	0	2	0	0	0	0	0
16	8	8.25	4	4	0	8	0	0	0	0	0
17	8	8.25	2	6	0	8	0	0	0	0	0
18	9	9.28	4	5	0	8	1	0	0	0	0
19	13	13.40	6	7	0	10	3	0	0	0	0
20-24	37	38.14	18	19	0	18	14	3	0	0	2
25-29	12	12.37	8	4	0	6	4	1	0	1	0
30-34	8	8.25	3	5	0	3	2	1	0	2	0
35-39	0	0.00	0	0	0	0	0	0	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	97		46	51	0	63	24	5	0	3	2
PERCENT DISTRIBUTION		100.00	47.42	52.58	0.00	64.95	24.74	5.15	0.00	3.09	2.06
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.32	14.42	16.24	0.00	22.11	10.26	5.81	0.00	42.86	16.67

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX MALE	***** FEMALE	***** UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	***** UNKNOWN
ALL BIRTHS											
KENNEBEC											
LESS THAN 15	2	0.13	1	1	0	2	0	0	0	0	0
15	3	0.19	1	2	0	3	0	0	0	0	0
16	12	0.75	7	5	0	11	0	0	0	0	1
17	44	2.76	22	22	0	30	7	0	0	0	7
18	49	3.08	18	31	0	39	4	2	0	0	4
19	65	4.08	30	35	0	43	7	4	0	1	10
20-24	570	35.78	277	293	0	276	179	54	9	0	52
25-29	532	33.40	260	272	0	168	191	90	22	7	54
30-34	243	15.25	130	113	0	53	87	61	16	11	15
35-39	64	4.02	28	36	0	14	12	16	4	8	10
40-44	6	0.38	1	5	0	2	1	1	1	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	3	0.19	1	2	0	1	1	0	0	0	1
COUNTY TOTALS	1,593		776	817	0	642	489	228	52	28	154
PERCENT DISTRIBUTION		100.00	48.71	51.29	0.00	40.30	30.70	14.31	3.26	1.76	9.67

28

OUT OF WEDLOCK BIRTHS

LESS THAN 15	2	0.64	1	1	0	2	0	0	0	0	0
15	3	0.96	1	2	0	3	0	0	0	0	0
16	10	3.18	6	4	0	9	0	0	0	0	1
17	35	11.15	16	19	0	25	4	0	0	0	6
18	29	9.24	9	20	0	22	2	1	0	0	4
19	35	11.15	16	19	0	24	4	2	0	0	5
20-24	126	40.13	52	74	0	71	27	10	2	0	16
25-29	45	14.33	19	26	0	22	8	10	3	1	1
30-34	21	6.69	9	12	0	3	5	3	3	6	1
35-39	7	2.23	1	6	0	1	0	1	1	2	2
40-44	1	0.32	0	1	0	0	0	0	1	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	314		130	184	0	182	50	27	10	9	36
PERCENT DISTRIBUTION		100.00	41.40	58.60	0.00	57.96	15.92	8.60	3.18	2.87	11.46
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		19.71	16.75	22.52	0.00	28.35	10.22	11.84	19.23	32.14	23.38

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX *****	***** BIRTH ORDER *****	*****
			MALE FEMALE UNKNOWN	1 2 3 4 GREATER THAN 4 UNKNOWN	
ALL BIRTHS					
KNOX					
LESS THAN 15	1	0.21	0 1	0	1 0 0 0 0 0
15	2	0.41	1 1	0	2 0 0 0 0 0
16	8	1.65	4 4	0	6 2 0 0 0 0
17	14	2.89	6 8	0	14 0 0 0 0 0
18	20	4.12	6 14	0	14 5 0 0 0 1
19	21	4.33	10 11	0	10 7 1 1 0 2
20-24	152	31.34	73 79	0	75 56 17 1 1 2
25-29	142	29.28	80 62	0	39 59 18 15 4 7
30-34	90	18.56	55 35	0	23 36 16 9 4 2
35-39	30	6.19	18 12	0	8 9 8 3 1 1
40-44	5	1.03	2 3	0	0 2 0 0 3 0
GREATER THAN 44	0	0.00	0 0	0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0	0	0 0 0 0 0 0
COUNTY TOTALS	485		255 230	0	192 176 60 29 13 15
PERCENT DISTRIBUTION		100.00	52.58 47.42	0.00	39.59 36.29 12.37 5.98 2.68 3.09
OUT OF WEDLOCK BIRTHS					
LESS THAN 15	1	1.09	0 1	0	1 0 0 0 0 0
15	2	2.17	1 1	0	2 0 0 0 0 0
16	6	6.52	3 3	0	5 1 0 0 0 0
17	11	11.96	5 6	0	11 0 0 0 0 0
18	10	10.87	5 5	0	6 3 0 0 0 1
19	6	6.52	4 2	0	5 0 0 0 0 1
20-24	28	30.43	19 9	0	17 7 3 0 0 1
25-29	16	17.39	6 10	0	6 6 2 2 0 0
30-34	10	10.87	5 5	0	1 5 2 2 0 0
35-39	2	2.17	2 0	0	1 0 0 1 0 0
40-44	0	0.00	0 0	0	0 0 0 0 0 0
GREATER THAN 44	0	0.00	0 0	0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0	0	0 0 0 0 0 0
COUNTY TOTALS	92		50 42	0	55 22 7 5 0 3
PERCENT DISTRIBUTION		100.00	54.35 45.65	0.00	59.78 23.91 7.61 5.43 0.00 3.26
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:					
		18.97	19.61 18.26	0.00	28.65 12.50 11.67 17.24 0.00 20.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					*****	
						1	2	3	4	GREATER THAN 4	UNKNOWN	
ALL BIRTHS												
LINCOLN												
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0	
15	2	0.52	1	1	0	2	0	0	0	0	0	
16	0	0.00	0	0	0	0	0	0	0	0	0	
17	9	2.32	4	5	0	9	0	0	0	0	0	
18	13	3.35	7	6	0	9	2	0	0	0	2	
19	18	4.64	8	10	0	12	4	1	0	0	1	
20-24	119	30.67	54	65	0	49	53	13	2	1	1	
25-29	120	30.93	62	58	0	38	52	21	3	1	5	
30-34	83	21.39	42	41	0	19	29	17	10	2	6	
35-39	20	5.15	12	8	0	7	2	7	1	3	0	
40-44	4	1.03	1	3	0	0	3	1	0	0	0	
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0	
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	
COUNTY TOTALS	388		191	197	0	145	145	60	16	7	15	
PERCENT DISTRIBUTION		100.00	49.23	50.77	0.00	37.37	37.37	15.46	4.12	1.80	3.87	
OUT OF WEDLOCK BIRTHS												
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0	
15	2	3.39	1	1	0	2	0	0	0	0	0	
16	0	0.00	0	0	0	0	0	0	0	0	0	
17	8	13.56	3	5	0	8	0	0	0	0	0	
18	6	10.17	2	4	0	4	1	0	0	0	1	
19	6	10.17	1	5	0	5	1	0	0	0	0	
20-24	21	35.59	6	15	0	15	4	2	0	0	0	
25-29	9	15.25	2	7	0	4	3	2	0	0	0	
30-34	6	10.17	5	1	0	2	0	1	2	0	1	
35-39	1	1.69	1	0	0	0	0	0	1	0	0	
40-44	0	0.00	0	0	0	0	0	0	0	0	0	
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0	
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	
COUNTY TOTALS	59		21	38	0	40	9	5	3	0	2	
PERCENT DISTRIBUTION		100.00	35.59	64.41	0.00	67.80	15.25	8.47	5.08	0.00	3.39	
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.21	10.99	19.29	0.00	27.59	6.21	8.33	18.75	0.00	13.33	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** BIRTH ORDER ***** 1 2 3 4 GREATER THAN 4 UNKNOWN
ALL BIRTHS				
OXFORD				
LESS THAN 15	0	0.00	0 0	0 0 0 0 0 0
15	3	0.44	1 2	0 3 0 0 0 0
16	9	1.33	4 5	0 8 1 0 0 0
17	20	2.96	13 7	0 15 5 0 0 0
18	27	4.00	15 12	0 21 4 0 0 0
19	28	4.15	17 11	0 18 7 2 0 0
20-24	258	38.22	123 135	0 108 106 28 7 1
25-29	210	31.11	101 109	0 61 84 44 11 1
30-34	90	13.33	50 40	0 28 27 15 10 4
35-39	25	3.70	15 10	0 5 7 6 3 3
40-44	5	0.74	3 2	0 2 0 0 1 2
GREATER THAN 44	0	0.00	0 0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0	0 0 0 0 0 0
COUNTY TOTALS	675		342 333	0 269 241 95 32 11
PERCENT DISTRIBUTION		100.00	50.67 49.33	0.00 39.85 35.70 14.07 4.74 1.63 4.00
31 OUT OF WEDLOCK BIRTHS				
LESS THAN 15	0	0.00	0 0	0 0 0 0 0 0
15	3	2.17	1 2	0 3 0 0 0 0
16	7	5.07	4 3	0 6 1 0 0 0
17	11	7.97	7 4	0 10 1 0 0 0
18	16	11.59	8 8	0 12 3 0 0 0
19	15	10.87	7 8	0 12 2 1 0 0
20-24	51	36.96	27 24	0 24 20 3 0 0
25-29	27	19.57	11 16	0 8 13 2 3 0
30-34	5	3.62	4 1	0 2 3 0 0 0
35-39	2	1.45	1 1	0 0 0 1 0 1
40-44	1	0.72	1 0	0 1 0 0 0 0
GREATER THAN 44	0	0.00	0 0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0	0 0 0 0 0 0
COUNTY TOTALS	138		71 67	0 78 43 7 3 1
PERCENT DISTRIBUTION		100.00	51.45 48.55	0.00 56.52 31.16 5.07 2.17 0.72 4.35
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		20.44	20.76 20.12	0.00 29.00 17.84 7.37 9.38 9.09 22.22

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX *****	***** UNKNOWN	***** BIRTH ORDER *****	1	2	3	4	GREATER THAN 4	***** UNKNOWN
ALL BIRTHS											
PENOBSCOT											
LESS THAN 15	5	0.26	2	3	0	5	0	0	0	0	0
15	6	0.32	1	5	0	5	0	0	0	0	1
16	25	1.32	13	12	0	24	1	0	0	0	0
17	29	1.53	17	12	0	25	4	0	0	0	0
18	67	3.54	39	28	0	56	11	0	0	0	0
19	105	5.55	58	47	0	78	20	3	2	0	2
20-24	648	34.25	323	325	0	346	225	62	9	0	6
25-29	638	33.72	334	304	0	208	265	107	36	11	11
30-34	284	15.01	149	135	0	81	119	51	22	8	3
35-39	75	3.96	38	37	0	18	20	15	8	14	0
40-44	9	0.48	4	5	0	1	3	0	0	4	1
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.05	1	0	0	1	0	0	0	0	0
COUNTY TOTALS	1,892		979	913	0	848	668	238	77	37	24
PERCENT DISTRIBUTION		100.00	51.74	48.26	0.00	44.82	35.31	12.58	4.07	1.96	1.27

32

OUT OF WEDLOCK BIRTHS

LESS THAN 15	4	1.11	2	2	0	4	0	0	0	0	0
15	5	1.39	1	4	0	5	0	0	0	0	0
16	19	5.28	10	9	0	19	0	0	0	0	0
17	19	5.28	10	9	0	17	2	0	0	0	0
18	38	10.56	24	14	0	34	4	0	0	0	0
19	52	14.44	29	23	0	39	7	2	2	0	2
20-24	139	38.61	73	66	0	85	33	17	2	0	2
25-29	56	15.56	29	27	0	12	23	9	7	2	3
30-34	16	4.44	7	9	0	6	3	4	2	1	0
35-39	11	3.06	6	5	0	3	1	2	2	3	0
40-44	1	0.28	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	360		191	169	0	224	73	34	15	7	7
PERCENT DISTRIBUTION		100.00	53.06	46.94	0.00	62.22	20.28	9.44	4.17	1.94	1.94
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		19.03	19.51	18.51	0.00	26.42	10.93	14.29	19.48	18.92	29.17

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** BIRTH ORDER ***** 1 2 3 4 GREATER THAN 4 UNKNOWN
ALL BIRTHS				
PISCATAQUIS				
LESS THAN 15	1	0.38	1 0	0 1 0 0 0 0
15	1	0.38	0 1	0 1 0 0 0 0
16	2	0.76	0 2	0 2 0 0 0 0
17	4	1.52	3 1	0 3 1 0 0 0
18	8	3.04	8 0	0 8 0 0 0 0
19	12	4.56	9 3	0 10 2 0 0 0
20-24	97	36.88	50 47	0 48 36 8 3 1
25-29	92	34.98	43 49	0 17 40 17 8 4
30-34	35	13.31	27 8	0 14 7 9 4 0
35-39	7	2.66	1 6	0 2 2 2 0 1
40-44	3	1.14	3 0	0 0 0 1 0 2
GREATER THAN 44	0	0.00	0 0	0 0 0 0 0 0
UNKNOWN	1	0.38	1 0	0 1 0 0 0 0
COUNTY TOTALS	263		146 117	0 107 88 37 15 8
PERCENT DISTRIBUTION		100.00	55.51 44.49	0.00 40.68 33.46 14.07 5.70 3.04
OUT OF WEDLOCK BIRTHS				
LESS THAN 15	1	1.75	1 0	0 1 0 0 0 0
15	0	0.00	0 0	0 0 0 0 0 0
16	2	3.51	0 2	0 2 0 0 0 0
17	1	1.75	0 1	0 1 0 0 0 0
18	5	8.77	5 0	0 5 0 0 0 0
19	7	12.28	4 3	0 5 2 0 0 0
20-24	30	52.63	17 13	0 18 7 2 2 0
25-29	7	12.28	3 4	0 1 4 0 1 0
30-34	3	5.26	2 1	0 1 1 0 1 0
35-39	1	1.75	0 1	0 0 0 1 0 0
40-44	0	0.00	0 0	0 0 0 0 0 0
GREATER THAN 44	0	0.00	0 0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0	0 0 0 0 0 0
COUNTY TOTALS	57		32 25	0 34 14 3 4 0
PERCENT DISTRIBUTION		100.00	56.14 43.86	0.00 59.65 24.56 5.26 7.02 0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		21.67	21.92	0.00 31.78 15.91 8.11 26.67 0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
SAGADAHOC											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	3	0.51	1	2	0	2	0	0	0	0	1
16	3	0.51	1	2	0	3	0	0	0	0	0
17	13	2.20	6	7	0	13	0	0	0	0	0
18	14	2.36	9	5	0	11	2	0	0	0	1
19	25	4.22	12	13	0	17	7	0	0	0	1
20-24	176	29.73	83	93	0	86	67	14	3	0	6
25-29	226	38.18	99	127	0	72	104	34	8	1	7
30-34	110	18.58	56	54	0	29	42	18	10	3	8
35-39	21	3.55	12	9	0	6	6	2	2	4	1
40-44	1	0.17	1	0	0	0	0	1	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	592		280	312	0	239	228	69	23	8	25
PERCENT DISTRIBUTION		100.00	47.30	52.70	0.00	40.37	38.51	11.66	3.89	1.35	4.22
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	3	5.08	1	2	0	2	0	0	0	0	1
16	3	5.08	1	2	0	3	0	0	0	0	0
17	5	8.47	1	4	0	5	0	0	0	0	0
18	7	11.86	5	2	0	6	0	0	0	0	1
19	5	8.47	3	2	0	5	0	0	0	0	0
20-24	19	32.20	7	12	0	13	5	0	0	0	1
25-29	11	18.64	6	5	0	3	4	2	1	0	1
30-34	4	6.78	2	2	0	4	0	0	0	0	0
35-39	1	1.69	1	0	0	0	0	0	0	0	1
40-44	1	1.69	1	0	0	0	0	1	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	59		28	31	0	41	9	3	1	0	5
PERCENT DISTRIBUTION		100.00	47.46	52.54	0.00	69.49	15.25	5.08	1.69	0.00	8.47
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		9.97	10.00	9.94	0.00	17.15	3.95	4.35	4.35	0.00	20.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	***** UNKNOWN
ALL BIRTHS											
SOMERSET											
LESS THAN 15	1	0.15	0	1	0	1	0	0	0	0	0
15	2	0.30	1	1	0	2	0	0	0	0	0
16	9	1.34	5	4	0	7	1	0	0	0	1
17	18	2.68	10	8	0	12	3	0	0	0	3
18	22	3.27	14	8	0	20	0	0	0	0	2
19	50	7.44	26	24	0	33	8	1	0	0	8
20-24	247	36.76	129	118	0	99	86	32	5	1	24
25-29	196	29.17	107	89	0	44	73	44	11	4	20
30-34	95	14.14	50	45	0	17	34	21	8	1	14
35-39	26	3.87	12	14	0	7	2	3	8	3	3
40-44	4	0.60	3	1	0	0	1	1	0	2	0
GREATER THAN 44	1	0.15	0	1	0	0	0	0	0	1	0
UNKNOWN	1	0.15	0	1	0	0	1	0	0	0	0
COUNTY TOTALS	672		357	315	0	242	209	102	32	12	75
PERCENT DISTRIBUTION		100.00	53.13	46.88	0.00	36.01	31.10	15.18	4.76	1.79	11.16

35

OUT OF WEDLOCK BIRTHS

LESS THAN 15	1	0.65	0	1	0	1	0	0	0	0	0
15	2	1.29	1	1	0	2	0	0	0	0	0
16	7	4.52	3	4	0	6	1	0	0	0	0
17	11	7.10	8	3	0	7	2	0	0	0	2
18	15	9.68	10	5	0	13	0	0	0	0	2
19	26	16.77	12	14	0	17	3	1	0	0	5
20-24	61	39.35	30	31	0	31	19	3	2	0	6
25-29	20	12.90	10	10	0	7	4	4	2	0	3
30-34	7	4.52	3	4	0	4	0	1	0	0	2
35-39	4	2.58	0	4	0	0	0	1	2	1	0
40-44	1	0.65	1	0	0	0	0	1	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	155		78	77	0	88	29	11	6	1	20
PERCENT DISTRIBUTION		100.00	50.32	49.68	0.00	56.77	18.71	7.10	3.87	0.65	12.90
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		23.07	21.85	24.44	0.00	36.36	13.88	10.78	18.75	8.33	26.67

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX *****			***** BIRTH ORDER *****					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
WALDO											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	3	0.67	2	1	0	3	0	0	0	0	0
16	6	1.35	4	2	0	5	0	0	0	0	1
17	16	3.60	7	9	0	15	0	0	0	0	1
18	18	4.04	10	8	0	17	1	0	0	0	0
19	20	4.49	10	10	0	14	5	0	0	0	1
20-24	153	34.38	76	77	0	73	55	15	6	0	4
25-29	140	31.46	64	76	0	35	56	36	8	2	3
30-34	60	13.48	28	32	0	11	19	11	6	6	7
35-39	26	5.84	16	10	0	5	8	5	2	4	2
40-44	2	0.45	1	1	0	1	0	1	0	0	0
GREATER THAN 44	1	0.22	1	0	0	0	0	0	0	1	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	445		219	226	0	179	144	68	22	13	19
PERCENT DISTRIBUTION		100.00	49.21	50.79	0.00	40.22	32.36	15.28	4.94	2.92	4.27
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	2	2.53	1	1	0	2	0	0	0	0	0
16	3	3.80	1	2	0	2	0	0	0	0	1
17	10	12.66	7	3	0	9	0	0	0	0	1
18	9	11.39	4	5	0	9	0	0	0	0	0
19	7	8.86	4	3	0	5	1	0	0	0	1
20-24	26	32.91	13	13	0	14	6	4	2	0	0
25-29	18	22.78	10	8	0	2	6	7	2	0	1
30-34	3	3.80	1	2	0	1	0	1	0	1	0
35-39	1	1.27	1	0	0	0	0	0	0	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	79		42	37	0	44	13	12	4	2	4
PERCENT DISTRIBUTION		100.00	53.16	46.84	0.00	55.70	16.46	15.19	5.06	2.53	5.06
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		17.75	19.18	16.37	0.00	24.58	9.03	17.65	18.18	15.38	21.05

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
WASHINGTON											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	2	0.44	0	2	0	2	0	0	0	0	0
16	10	2.21	4	6	0	8	2	0	0	0	0
17	18	3.98	7	11	0	15	3	0	0	0	0
18	27	5.97	15	12	0	22	3	2	0	0	0
19	34	7.52	18	16	0	24	8	1	0	0	1
20-24	166	36.73	76	90	0	59	60	26	12	1	8
25-29	120	26.55	59	61	0	30	44	25	14	4	3
30-34	49	10.84	23	26	0	6	15	17	7	4	0
35-39	19	4.20	12	7	0	4	5	4	4	1	1
40-44	7	1.55	5	2	0	1	0	1	3	1	1
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	452		219	233	0	171	140	76	40	11	14
PERCENT DISTRIBUTION		100.00	48.45	51.55	0.00	37.83	30.97	16.81	8.85	2.43	3.10
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.79	0	1	0	1	0	0	0	0	0
16	7	5.56	2	5	0	6	1	0	0	0	0
17	13	10.32	5	8	0	13	0	0	0	0	0
18	12	9.52	5	7	0	10	1	1	0	0	0
19	14	11.11	8	6	0	9	5	0	0	0	1
20-24	51	40.48	23	28	0	14	18	12	3	1	3
25-29	18	14.29	10	8	0	2	5	6	4	1	0
30-34	4	3.17	2	2	0	0	3	1	0	0	0
35-39	4	3.17	2	2	0	1	3	0	0	0	0
40-44	2	1.59	1	1	0	0	0	0	2	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	126		58	68	0	55	36	20	9	2	4
PERCENT DISTRIBUTION		100.00	46.03	53.97	0.00	43.65	28.57	15.87	7.14	1.59	3.17
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		27.88	26.48	29.18	0.00	32.16	25.71	26.32	22.50	18.18	28.57

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****						UNKNOWN
						1	2	3	4	GREATER THAN 4		
ALL BIRTHS												
YORK												
LESS THAN 15	2	0.09	0	2	0	2	0	0	0	0	0	
15	5	0.22	2	3	0	4	0	0	0	0	1	
16	24	1.06	12	12	0	18	1	0	0	1	4	
17	49	2.17	24	25	0	42	3	0	0	0	4	
18	55	2.44	29	26	0	43	8	1	0	0	3	
19	78	3.46	38	40	0	59	14	2	0	0	3	
20-24	720	31.91	358	362	0	336	275	51	11	0	47	
25-29	766	33.95	373	393	0	243	283	147	25	12	56	
30-34	436	19.33	219	217	0	97	185	87	26	16	25	
35-39	110	4.88	53	57	0	21	41	24	7	10	7	
40-44	10	0.44	4	6	0	1	2	2	2	3	0	
GREATER THAN 44	1	0.04	1	0	0	0	0	0	0	1	0	
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	
COUNTY TOTALS	2,256		1,113	1,143	0	866	812	314	71	43	150	
PERCENT DISTRIBUTION		100.00	49.34	50.66	0.00	38.39	35.99	13.92	3.15	1.91	6.65	
OUT OF WEDLOCK BIRTHS												
LESS THAN 15	2	0.61	0	2	0	2	0	0	0	0	0	
15	4	1.22	1	3	0	3	0	0	0	0	1	
16	22	6.71	12	10	0	17	1	0	0	0	4	
17	39	11.89	19	20	0	34	2	0	0	0	3	
18	27	8.23	17	10	0	21	3	0	0	0	3	
19	25	7.62	11	14	0	17	7	1	0	0	0	
20-24	131	39.94	69	62	0	75	33	7	3	0	13	
25-29	54	16.46	30	24	0	20	19	6	5	2	2	
30-34	17	5.18	10	7	0	9	5	1	1	1	0	
35-39	6	1.83	4	2	0	1	0	2	1	2	0	
40-44	1	0.30	0	1	0	0	0	0	0	1	0	
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0	
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	
COUNTY TOTALS	328		173	155	0	199	70	17	10	6	26	
PERCENT DISTRIBUTION		100.00	52.74	47.26	0.00	60.67	21.34	5.18	3.05	1.83	7.93	
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		14.54	15.54	13.56	0.00	22.98	8.62	5.41	14.08	13.95	17.33	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

STATE AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
MAINE SUMMARY											
LESS THAN 15	18	0.11	8	10	0	18	0	0	0	0	0
15	58	0.34	22	36	0	51	0	0	0	0	7
16	184	1.09	93	91	0	156	13	1	0	1	13
17	367	2.17	193	174	0	290	43	1	0	0	33
18	563	3.33	296	267	0	434	78	11	0	0	40
19	787	4.66	408	379	0	543	161	20	3	3	57
20-24	5,719	33.83	2,854	2,865	0	2,705	1,996	545	115	16	342
25-29	5,557	32.87	2,776	2,781	0	1,702	2,143	956	268	79	409
30-34	2,774	16.41	1,449	1,325	0	626	1,060	550	207	99	232
35-39	760	4.50	394	366	0	153	212	171	86	84	54
40-44	102	0.60	52	50	0	9	18	22	16	34	3
GREATER THAN 44	4	0.02	2	2	0	0	1	0	0	3	0
UNKNOWN	12	0.07	8	4	0	4	3	0	0	0	5
STATE TOTALS	16,905		8,555	8,350	0	6,691	5,728	2,277	695	319	1,195
PERCENT DISTRIBUTION		100.00	50.61	49.39	0.00	39.58	33.88	13.47	4.11	1.89	7.07
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	17	0.57	8	9	0	17	0	0	0	0	0
15	49	1.63	19	30	0	45	0	0	0	0	4
16	151	5.02	73	78	0	129	10	1	0	0	11
17	265	8.82	141	124	0	212	24	1	0	0	28
18	324	10.78	173	151	0	253	34	5	0	0	32
19	341	11.34	174	167	0	238	62	8	2	2	29
20-24	1,158	38.52	581	577	0	609	313	115	30	4	87
25-29	460	15.30	220	240	0	147	151	88	40	9	25
30-34	166	5.52	90	76	0	53	40	27	19	16	11
35-39	59	1.96	33	26	0	12	7	14	11	12	3
40-44	15	0.50	10	5	0	1	0	4	5	4	1
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.03	0	1	0	0	0	0	0	0	1
STATE TOTALS	3,006		1,522	1,484	0	1,716	641	263	107	47	232
PERCENT DISTRIBUTION		100.00	50.63	49.37	0.00	57.09	21.32	8.75	3.56	1.56	7.72
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		17.78	17.79	17.77	0.00	25.65	11.19	11.55	15.40	14.73	19.41

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
ANDROSCOGGIN								
LESS THAN 1000	8	0.54	0	1	1	4	0	2
1000-1499	4	0.27	1	0	1	1	0	1
1500-1999	13	0.88	3	5	3	1	0	1
2000-2499	61	4.12	29	15	14	2	0	1
2500-2999	218	14.71	108	54	45	8	0	3
3000-3499	539	36.37	285	137	104	10	0	3
3500-3999	488	32.93	275	137	65	9	1	1
4000-4499	119	8.03	60	40	19	0	0	0
4500-4999	25	1.69	17	7	1	0	0	0
GREATER THAN 4999	7	0.47	3	3	0	1	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	1,482		781	399	253	36	1	12
PERCENT DISTRIBUTION		100.00	52.70	26.92	17.07	2.43	0.07	0.81
AROSTOOK								
LESS THAN 1000	4	0.32	4	0	0	0	0	0
1000-1499	3	0.24	2	0	0	1	0	0
1500-1999	7	0.56	2	4	0	0	0	1
2000-2499	38	3.04	17	11	8	2	0	0
2500-2999	165	13.21	78	47	22	14	1	3
3000-3499	446	35.71	215	145	64	18	0	4
3500-3999	410	32.83	190	124	73	21	0	2
4000-4499	148	11.85	76	47	19	6	0	0
4500-4999	25	2.00	13	6	4	2	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	3	0.24	0	1	1	1	0	0
COUNTY TOTALS	1,249		597	385	191	65	1	10
PERCENT DISTRIBUTION		100.00	47.80	30.82	15.29	5.20	0.08	0.80

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
CUMBERLAND								
LESS THAN 1000	17	0.49	6	4	0	5	0	2
1000-1499	14	0.40	4	2	1	2	1	4
1500-1999	21	0.61	14	2	1	1	0	3
2000-2499	109	3.14	50	28	19	11	0	1
2500-2999	446	12.85	193	145	77	22	1	8
3000-3499	1,173	33.79	605	362	148	44	1	13
3500-3999	1,174	33.82	657	331	147	29	1	9
4000-4499	439	12.65	238	141	39	17	1	3
4500-4999	74	2.13	34	30	5	4	0	1
GREATER THAN 4999	3	0.09	1	2	0	0	0	0
UNKNOWN	1	0.03	0	0	0	1	0	0
COUNTY TOTALS	3,471		1,802	1,047	437	136	5	44
PERCENT DISTRIBUTION		100.00	51.92	30.16	12.59	3.92	0.14	1.27
FRANKLIN								
LESS THAN 1000	2	0.56	1	0	0	1	0	0
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	2	0.56	1	0	0	0	0	1
2000-2499	9	2.52	4	3	1	1	0	0
2500-2999	46	12.89	20	18	5	2	0	1
3000-3499	122	34.17	62	41	18	0	0	1
3500-3999	123	34.45	86	24	11	1	0	1
4000-4499	38	10.64	21	13	4	0	0	0
4500-4999	12	3.36	6	6	0	0	0	0
GREATER THAN 4999	2	0.56	1	1	0	0	0	0
UNKNOWN	1	0.28	0	0	0	1	0	0
COUNTY TOTALS	357		202	106	39	6	0	4
PERCENT DISTRIBUTION		100.00	56.58	29.69	10.92	1.68	0.00	1.12

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	UNKNOWN
HANCOCK								
LESS THAN 1000	1	0.16	0	0	0	1	0	0
1000-1499	4	0.63	0	2	2	0	0	0
1500-1999	5	0.79	2	1	2	0	0	0
2000-2499	8	1.26	3	3	2	0	0	0
2500-2999	67	10.58	21	22	21	2	0	1
3000-3499	239	37.76	111	64	57	5	0	2
3500-3999	211	33.33	92	70	41	7	0	1
4000-4499	83	13.11	35	30	12	6	0	0
4500-4999	12	1.90	3	4	5	0	0	0
GREATER THAN 4999	3	0.47	0	1	1	1	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	633		267	197	143	22	0	4
PERCENT DISTRIBUTION		100.00	42.18	31.12	22.59	3.48	0.00	0.63
KENNEBEC								
LESS THAN 1000	9	0.56	3	0	0	4	0	2
1000-1499	7	0.44	2	3	0	1	0	1
1500-1999	14	0.88	6	4	0	2	0	2
2000-2499	59	3.70	23	21	6	5	0	4
2500-2999	190	11.93	92	63	24	10	0	1
3000-3499	579	36.35	257	234	73	10	0	5
3500-3999	523	32.83	250	190	66	13	1	3
4000-4499	178	11.17	92	69	12	4	0	1
4500-4999	28	1.76	12	12	3	1	0	0
GREATER THAN 4999	6	0.38	6	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	1,593		743	596	184	50	1	19
PERCENT DISTRIBUTION		100.00	46.64	37.41	11.55	3.14	0.06	1.19

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
KNOX								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	4	0.82	0	0	1	1	0	2
1500-1999	7	1.44	2	1	0	3	0	1
2000-2499	17	3.51	4	4	5	3	0	1
2500-2999	51	10.52	12	22	13	3	0	1
3000-3499	172	35.46	82	44	38	8	0	0
3500-3999	169	34.85	73	52	35	6	0	3
4000-4499	55	11.34	28	14	12	0	0	1
4500-4999	9	1.86	5	2	1	1	0	0
GREATER THAN 4999	1	0.21	0	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	485		206	140	105	25	0	9
PERCENT DISTRIBUTION		100.00	42.47	28.87	21.65	5.15	0.00	1.86
LINCOLN								
LESS THAN 1000	1	0.26	0	0	0	0	0	1
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	3	0.77	0	0	1	1	0	1
2000-2499	12	3.09	5	5	1	0	0	1
2500-2999	41	10.57	19	10	8	2	0	2
3000-3499	145	37.37	75	42	16	8	0	4
3500-3999	134	34.54	75	33	17	4	0	5
4000-4499	43	11.08	21	10	9	2	0	1
4500-4999	8	2.06	4	3	1	0	0	0
GREATER THAN 4999	1	0.26	1	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	388		200	103	53	17	0	15
PERCENT DISTRIBUTION		100.00	51.55	26.55	13.66	4.38	0.00	3.87

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
OXFORD								
LESS THAN 1000	2	0.30	0	1	0	1	0	0
1000-1499	3	0.44	1	1	0	0	0	1
1500-1999	8	1.19	1	1	3	2	0	1
2000-2499	36	5.33	15	5	11	4	0	1
2500-2999	105	15.56	37	35	27	4	1	1
3000-3499	236	34.96	99	78	49	10	0	0
3500-3999	190	28.15	67	72	42	8	0	1
4000-4499	82	12.15	30	34	15	2	0	1
4500-4999	12	1.78	5	5	1	1	0	0
GREATER THAN 4999	1	0.15	0	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	675		255	233	148	32	1	6
PERCENT DISTRIBUTION		100.00	37.78	34.52	21.93	4.74	0.15	0.89
PENOBSCOT								
LESS THAN 1000	10	0.53	0	3	3	2	0	2
1000-1499	3	0.16	2	0	0	0	0	1
1500-1999	18	0.95	12	3	1	0	1	1
2000-2499	70	3.70	38	18	10	3	0	1
2500-2999	212	11.21	116	50	36	5	2	3
3000-3499	697	36.84	458	134	85	14	1	5
3500-3999	650	34.36	433	140	59	14	0	4
4000-4499	186	9.83	119	44	17	4	0	2
4500-4999	41	2.17	25	8	7	1	0	0
GREATER THAN 4999	4	0.21	3	0	1	0	0	0
UNKNOWN	1	0.05	1	0	0	0	0	0
COUNTY TOTALS	1,892		1,207	400	219	43	4	19
PERCENT DISTRIBUTION		100.00	63.79	21.14	11.58	2.27	0.21	1.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT 'IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
PISCATAQUIS								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	2	0.76	1	1	0	0	0	0
2000-2499	12	4.56	4	6	1	1	0	0
2500-2999	30	11.41	15	11	4	0	0	0
3000-3499	85	32.32	45	26	9	4	0	1
3500-3999	81	30.80	47	23	8	1	0	2
4000-4499	42	15.97	27	10	1	2	0	2
4500-4999	9	3.42	8	1	0	0	0	0
GREATER THAN 4999	2	0.76	2	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	263		149	78	23	8	0	5
PERCENT DISTRIBUTION		100.00	56.65	29.66	8.75	3.04	0.00	1.90
SAGADAHOC								
LESS THAN 1000	2	0.34	0	0	1	0	1	0
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	9	1.52	2	3	2	1	0	1
2000-2499	18	3.04	9	4	3	0	0	2
2500-2999	70	11.82	37	18	11	4	0	0
3000-3499	195	32.94	102	57	27	8	0	1
3500-3999	206	34.80	121	39	40	4	0	2
4000-4499	75	12.67	44	17	9	4	0	1
4500-4999	14	2.36	9	2	2	1	0	0
GREATER THAN 4999	2	0.34	1	1	0	0	0	0
UNKNOWN	1	0.17	0	0	1	0	0	0
COUNTY TOTALS	592		325	141	96	22	1	7
PERCENT DISTRIBUTION		100.00	54.90	23.82	16.22	3.72	0.17	1.18

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
SOMERSET								
LESS THAN 1000	4	0.60	1	2	1	0	0	0
1000-1499	3	0.45	0	1	0	0	0	2
1500-1999	4	0.60	1	1	1	1	0	0
2000-2499	19	2.83	7	7	2	2	1	0
2500-2999	96	14.29	39	38	16	3	0	0
3000-3499	229	34.08	93	94	37	5	0	0
3500-3999	224	33.33	78	91	45	8	0	2
4000-4499	76	11.31	36	32	5	2	0	1
4500-4999	16	2.38	7	7	2	0	0	0
GREATER THAN 4999	1	0.15	1	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	672		263	273	109	21	1	5
PERCENT DISTRIBUTION		100.00	39.14	40.63	16.22	3.13	0.15	0.74
WALDO								
LESS THAN 1000	2	0.45	1	1	0	0	0	0
1000-1499	1	0.22	1	0	0	0	0	0
1500-1999	0	0.00	0	0	0	0	0	0
2000-2499	11	2.47	7	2	2	0	0	0
2500-2999	51	11.46	26	12	13	0	0	0
3000-3499	175	39.33	78	58	35	3	0	1
3500-3999	151	33.93	80	47	20	4	0	0
4000-4499	45	10.11	26	17	2	0	0	0
4500-4999	7	1.57	1	4	2	0	0	0
GREATER THAN 4999	2	0.45	1	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	445		221	142	74	7	0	1
PERCENT DISTRIBUTION		100.00	49.66	31.91	16.63	1.57	0.00	0.22

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
WASHINGTON								
LESS THAN 1000	5	1.11	3	1	0	1	0	0
1000-1499	2	0.44	1	0	0	1	0	0
1500-1999	7	1.55	3	0	2	2	0	0
2000-2499	12	2.65	8	1	3	0	0	0
2500-2999	57	12.61	24	17	9	5	1	1
3000-3499	159	35.18	64	47	32	15	0	1
3500-3999	136	30.09	60	37	24	14	0	1
4000-4499	61	13.50	32	11	11	7	0	0
4500-4999	10	2.21	4	3	3	0	0	0
GREATER THAN 4999	3	0.66	2	0	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	452		201	117	85	45	1	3
PERCENT DISTRIBUTION		100.00	44.47	25.88	18.81	9.96	0.22	0.66
YORK								
LESS THAN 1000	10	0.44	3	2	1	2	0	2
1000-1499	14	0.62	5	1	1	2	1	4
1500-1999	27	1.20	8	4	3	7	1	4
2000-2499	73	3.24	39	12	11	10	0	1
2500-2999	281	12.46	174	58	39	7	0	3
3000-3499	807	35.77	492	177	110	24	1	3
3500-3999	738	32.71	479	172	64	17	0	6
4000-4499	257	11.39	175	60	18	4	0	0
4500-4999	42	1.86	23	12	4	3	0	0
GREATER THAN 4999	5	0.22	2	1	1	1	0	0
UNKNOWN	2	0.09	1	0	1	0	0	0
COUNTY TOTALS	2,256		1,401	499	253	77	3	23
PERCENT DISTRIBUTION		100.00	62.10	22.12	11.21	3.41	0.13	1.02

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

STATE AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
MAINE SUMMARY								
LESS THAN 1000	77	0.46	22	15	7	21	1	11
1000-1499	62	0.37	19	10	6	9	2	16
1500-1999	147	0.87	58	30	19	21	2	17
2000-2499	564	3.34	262	145	99	44	1	13
2500-2999	2,126	12.58	1,011	620	370	91	6	28
3000-3499	5,998	35.48	3,123	1,740	902	186	3	44
3500-3999	5,608	33.17	3,063	1,582	757	160	3	43
4000-4499	1,927	11.40	1,060	589	204	60	1	13
4500-4999	344	2.03	176	112	41	14	0	1
GREATER THAN 4999	43	0.25	24	12	4	3	0	0
UNKNOWN	9	0.05	2	1	3	3	0	0
STATE TOTALS	16,905		8,820	4,856	2,412	612	19	186
PERCENT DISTRIBUTION		100.00	52.17	28.73	14.27	3.62	0.11	1.10

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ANDROSCOGGIN											
0	3	0	0.00	0	0.00	1	33.33	1	33.33	1	33.33
1	4	1	25.00	2	50.00	1	25.00	0	0.00	0	0.00
2	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
3	9	1	11.11	4	44.44	3	33.33	0	0.00	1	11.11
4	10	3	30.00	5	50.00	2	20.00	0	0.00	0	0.00
5	18	7	38.89	10	55.56	1	5.56	0	0.00	0	0.00
6	39	9	23.08	25	64.10	5	12.82	0	0.00	0	0.00
7	46	19	41.30	26	56.52	1	2.17	0	0.00	0	0.00
8	92	55	59.78	35	38.04	2	2.17	0	0.00	0	0.00
9	117	87	74.36	29	24.79	0	0.00	0	0.00	1	0.85
GREATER THAN 9	1,067	963	90.25	102	9.56	1	0.09	0	0.00	1	0.09
UNKNOWN	75	35	46.67	14	18.67	18	24.00	0	0.00	8	10.67
COUNTY TOTALS	1,482	1,180	79.62	253	17.07	36	2.43	1	0.07	12	0.81
AROOSTOOK											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
2	3	0	0.00	2	66.67	1	33.33	0	0.00	0	0.00
3	7	1	14.29	5	71.43	1	14.29	0	0.00	0	0.00
4	11	1	9.09	6	54.55	4	36.36	0	0.00	0	0.00
5	21	8	38.10	9	42.86	4	19.05	0	0.00	0	0.00
6	34	12	35.29	17	50.00	5	14.71	0	0.00	0	0.00
7	47	25	53.19	18	38.30	4	8.51	0	0.00	0	0.00
8	64	35	54.69	26	40.63	2	3.13	0	0.00	1	1.56
9	94	66	70.21	25	26.60	2	2.13	0	0.00	1	1.06
GREATER THAN 9	907	825	90.96	77	8.49	3	0.33	0	0.00	2	0.22
UNKNOWN	58	9	15.52	5	8.62	38	65.52	0	0.00	6	10.34
COUNTY TOTALS	1,249	982	78.62	191	15.29	65	5.20	1	0.08	10	0.80

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
CUMBERLAND											
0	8	1	12.50	0	0.00	2	25.00	3	37.50	2	25.00
1	11	3	27.27	1	9.09	6	54.55	0	0.00	1	9.09
2	10	2	20.00	3	30.00	5	50.00	0	0.00	0	0.00
3	22	7	31.82	3	13.64	12	54.55	0	0.00	0	0.00
4	24	5	20.83	13	54.17	6	25.00	0	0.00	0	0.00
5	46	16	34.78	18	39.13	12	26.09	0	0.00	0	0.00
6	52	31	59.62	11	21.15	10	19.23	0	0.00	0	0.00
7	91	47	51.65	36	39.56	8	8.79	0	0.00	0	0.00
8	163	112	68.71	42	25.77	9	5.52	0	0.00	0	0.00
9	263	183	69.58	67	25.48	13	4.94	0	0.00	0	0.00
GREATER THAN 9	2,495	2,269	90.94	207	8.30	11	0.44	1	0.04	7	0.28
UNKNOWN	286	173	60.49	36	12.59	42	14.69	1	0.35	34	11.89
COUNTY TOTALS	3,471	2,849	82.08	437	12.59	136	3.92	5	0.14	44	1.27
FRANKLIN											
0	1	0	0.00	0	0.00	0	0.00	0	0.00	1	100.00
1	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
2	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
3	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
4	4	2	50.00	2	50.00	0	0.00	0	0.00	0	0.00
5	8	3	37.50	4	50.00	1	12.50	0	0.00	0	0.00
6	12	4	33.33	7	58.33	1	8.33	0	0.00	0	0.00
7	13	11	84.62	2	15.38	0	0.00	0	0.00	0	0.00
8	30	25	83.33	5	16.67	0	0.00	0	0.00	0	0.00
9	50	42	84.00	7	14.00	1	2.00	0	0.00	0	0.00
GREATER THAN 9	231	219	94.81	11	4.76	0	0.00	0	0.00	1	0.43
UNKNOWN	4	1	25.00	0	0.00	1	25.00	0	0.00	2	50.00
COUNTY TOTALS	357	308	86.27	39	10.92	6	1.68	0	0.00	4	1.12

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
HANCOCK											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
2	3	0	0.00	3	100.00	0	0.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	8	5	62.50	3	37.50	0	0.00	0	0.00	0	0.00
5	9	4	44.44	4	44.44	1	11.11	0	0.00	0	0.00
6	23	12	52.17	6	26.09	5	21.74	0	0.00	0	0.00
7	35	13	37.14	17	48.57	4	11.43	0	0.00	1	2.86
8	55	31	56.36	22	40.00	2	3.64	0	0.00	0	0.00
9	79	54	68.35	23	29.11	2	2.53	0	0.00	0	0.00
GREATER THAN 9	412	345	83.74	64	15.53	3	0.73	0	0.00	0	0.00
UNKNOWN	8	0	0.00	0	0.00	5	62.50	0	0.00	3	37.50
COUNTY TOTALS	633	464	73.30	143	22.59	22	3.48	0	0.00	4	0.63
KENNEBEC											
0	1	0	0.00	0	0.00	0	0.00	0	0.00	1	100.00
1	3	0	0.00	0	0.00	3	100.00	0	0.00	0	0.00
2	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
3	3	0	0.00	2	66.67	1	33.33	0	0.00	0	0.00
4	3	1	33.33	1	33.33	1	33.33	0	0.00	0	0.00
5	11	3	27.27	4	36.36	4	36.36	0	0.00	0	0.00
6	12	4	33.33	7	58.33	1	8.33	0	0.00	0	0.00
7	22	11	50.00	11	50.00	0	0.00	0	0.00	0	0.00
8	66	43	65.15	23	34.85	0	0.00	0	0.00	0	0.00
9	68	39	57.35	24	35.29	4	5.88	0	0.00	1	1.47
GREATER THAN 9	1,331	1,218	91.51	107	8.04	5	0.38	1	0.08	0	0.00
UNKNOWN	71	20	28.17	5	7.04	29	40.85	0	0.00	17	23.94
COUNTY TOTALS	1,593	1,339	84.06	184	11.55	50	3.14	1	0.06	19	1.19

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
KNOX											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	3	0	0.00	0	0.00	3	100.00	0	0.00	0	0.00
2	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
3	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
4	3	0	0.00	2	66.67	1	33.33	0	0.00	0	0.00
5	9	0	0.00	6	66.67	2	22.22	0	0.00	1	11.11
6	14	5	35.71	8	57.14	1	7.14	0	0.00	0	0.00
7	17	12	70.59	3	17.65	2	11.76	0	0.00	0	0.00
8	21	10	47.62	10	47.62	1	4.76	0	0.00	0	0.00
9	20	6	30.00	12	60.00	2	10.00	0	0.00	0	0.00
GREATER THAN 9	377	312	82.76	62	16.45	3	0.80	0	0.00	0	0.00
UNKNOWN	17	0	0.00	1	5.88	8	47.06	0	0.00	8	47.06
COUNTY TOTALS	485	346	71.34	105	21.65	25	5.15	0	0.00	9	1.86
LINCOLN											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	0	0.00	0	0.00	0	0.00	0	0.00	1	100.00
2	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
3	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
4	3	1	33.33	2	66.67	0	0.00	0	0.00	0	0.00
5	6	3	50.00	2	33.33	1	16.67	0	0.00	0	0.00
6	6	4	66.67	2	33.33	0	0.00	0	0.00	0	0.00
7	13	5	38.46	6	46.15	2	15.38	0	0.00	0	0.00
8	20	10	50.00	9	45.00	1	5.00	0	0.00	0	0.00
9	19	14	73.68	5	26.32	0	0.00	0	0.00	0	0.00
GREATER THAN 9	263	239	90.87	21	7.98	2	0.76	0	0.00	1	0.38
UNKNOWN	55	26	47.27	5	9.09	11	20.00	0	0.00	13	23.64
COUNTY TOTALS	388	303	78.09	53	13.66	17	4.38	0	0.00	15	3.87

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
OXFORD											
0	3	0	0.00	0	0.00	1	33.33	1	33.33	1	33.33
1	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
2	3	1	33.33	2	66.67	0	0.00	0	0.00	0	0.00
3	14	2	14.29	4	28.57	8	57.14	0	0.00	0	0.00
4	17	4	23.53	12	70.59	1	5.88	0	0.00	0	0.00
5	18	9	50.00	8	44.44	1	5.56	0	0.00	0	0.00
6	31	13	41.94	16	51.61	2	6.45	0	0.00	0	0.00
7	34	15	44.12	18	52.94	1	2.94	0	0.00	0	0.00
8	58	32	55.17	24	41.38	2	3.45	0	0.00	0	0.00
9	72	52	72.22	19	26.39	1	1.39	0	0.00	0	0.00
GREATER THAN 9	406	359	88.42	45	11.08	1	0.25	0	0.00	1	0.25
UNKNOWN	17	1	5.88	0	0.00	12	70.59	0	0.00	4	23.53
COUNTY TOTALS	675	488	72.30	148	21.93	32	4.74	1	0.15	6	0.89
PENOBSCOT											
0	6	0	0.00	0	0.00	0	0.00	4	66.67	2	33.33
1	7	2	28.57	4	57.14	1	14.29	0	0.00	0	0.00
2	4	2	50.00	0	0.00	2	50.00	0	0.00	0	0.00
3	5	1	20.00	3	60.00	1	20.00	0	0.00	0	0.00
4	16	6	37.50	5	31.25	5	31.25	0	0.00	0	0.00
5	33	15	45.45	16	48.48	2	6.06	0	0.00	0	0.00
6	52	30	57.69	19	36.54	2	3.85	0	0.00	1	1.92
7	88	55	62.50	28	31.82	5	5.68	0	0.00	0	0.00
8	142	106	74.65	31	21.83	5	3.52	0	0.00	0	0.00
9	184	151	82.07	29	15.76	4	2.17	0	0.00	0	0.00
GREATER THAN 9	1,313	1,223	93.15	80	6.09	7	0.53	0	0.00	3	0.23
UNKNOWN	42	16	38.10	4	9.52	9	21.43	0	0.00	13	30.95
COUNTY TOTALS	1,892	1,607	84.94	219	11.58	43	2.27	4	0.21	19	1.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
PISCATAQUIS											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
5	3	2	66.67	1	33.33	0	0.00	0	0.00	0	0.00
6	9	4	44.44	4	44.44	1	11.11	0	0.00	0	0.00
7	5	2	40.00	3	60.00	0	0.00	0	0.00	0	0.00
8	18	16	88.89	2	11.11	0	0.00	0	0.00	0	0.00
9	35	30	85.71	4	11.43	1	2.86	0	0.00	0	0.00
GREATER THAN 9	175	163	93.14	9	5.14	3	1.71	0	0.00	0	0.00
UNKNOWN	17	9	52.94	0	0.00	3	17.65	0	0.00	5	29.41
COUNTY TOTALS	263	227	86.31	23	8.75	8	3.04	0	0.00	5	1.90
SAGadahoc											
0	2	1	50.00	0	0.00	0	0.00	1	50.00	0	0.00
1	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
4	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
5	3	1	33.33	2	66.67	0	0.00	0	0.00	0	0.00
6	6	2	33.33	3	50.00	1	16.67	0	0.00	0	0.00
7	9	5	55.56	4	44.44	0	0.00	0	0.00	0	0.00
8	16	9	56.25	7	43.75	0	0.00	0	0.00	0	0.00
9	81	55	67.90	22	27.16	4	4.94	0	0.00	0	0.00
GREATER THAN 9	270	240	88.89	25	9.26	3	1.11	0	0.00	2	0.74
UNKNOWN	200	152	76.00	30	15.00	13	6.50	0	0.00	5	2.50
COUNTY TOTALS	592	466	78.72	96	16.22	22	3.72	1	0.17	7	1.18

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
SOMERSET											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	3	0	0.00	1	33.33	2	66.67	0	0.00	0	0.00
2	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
3	3	1	33.33	1	33.33	1	33.33	0	0.00	0	0.00
4	4	0	0.00	3	75.00	1	25.00	0	0.00	0	0.00
5	8	2	25.00	4	50.00	2	25.00	0	0.00	0	0.00
6	15	7	46.67	6	40.00	2	13.33	0	0.00	0	0.00
7	21	13	61.90	8	38.10	0	0.00	0	0.00	0	0.00
8	46	32	69.57	13	28.26	1	2.17	0	0.00	0	0.00
9	42	31	73.81	11	26.19	0	0.00	0	0.00	0	0.00
GREATER THAN 9	509	448	88.02	58	11.39	2	0.39	0	0.00	1	0.20
UNKNOWN	19	2	10.53	4	21.05	9	47.37	0	0.00	4	21.05
COUNTY TOTALS	672	536	79.76	109	16.22	21	3.13	1	0.15	5	0.74
WALDO											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
2	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
3	7	1	14.29	6	85.71	0	0.00	0	0.00	0	0.00
4	6	1	16.67	3	50.00	2	33.33	0	0.00	0	0.00
5	20	10	50.00	10	50.00	0	0.00	0	0.00	0	0.00
6	37	23	62.16	14	37.84	0	0.00	0	0.00	0	0.00
7	32	27	84.38	5	15.63	0	0.00	0	0.00	0	0.00
8	41	31	75.61	10	24.39	0	0.00	0	0.00	0	0.00
9	42	35	83.33	7	16.67	0	0.00	0	0.00	0	0.00
GREATER THAN 9	248	230	92.74	18	7.26	0	0.00	0	0.00	0	0.00
UNKNOWN	9	4	44.44	0	0.00	4	44.44	0	0.00	1	11.11
COUNTY TOTALS	445	363	81.57	74	16.63	7	1.57	0	0.00	1	0.22

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
WASHINGTON											
0	2	0	0.00	0	0.00	0	0.00	1	50.00	1	50.00
1	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
2	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
3	4	1	25.00	1	25.00	2	50.00	0	0.00	0	0.00
4	7	4	57.14	2	28.57	1	14.29	0	0.00	0	0.00
5	17	5	29.41	9	52.94	3	17.65	0	0.00	0	0.00
6	14	2	14.29	9	64.29	3	21.43	0	0.00	0	0.00
7	17	12	70.59	5	29.41	0	0.00	0	0.00	0	0.00
8	21	10	47.62	11	52.38	0	0.00	0	0.00	0	0.00
9	35	19	54.29	14	40.00	2	5.71	0	0.00	0	0.00
GREATER THAN 9	298	264	88.59	33	11.07	1	0.34	0	0.00	0	0.00
UNKNOWN	34	1	2.94	1	2.94	30	88.24	0	0.00	2	5.88
COUNTY TOTALS	452	318	70.35	85	18.81	45	9.96	1	0.22	3	0.66
YORK											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	4	2	50.00	0	0.00	2	50.00	0	0.00	0	0.00
2	9	0	0.00	4	44.44	5	55.56	0	0.00	0	0.00
3	9	2	22.22	5	55.56	2	22.22	0	0.00	0	0.00
4	19	8	42.11	4	21.05	7	36.84	0	0.00	0	0.00
5	24	8	33.33	11	45.83	5	20.83	0	0.00	0	0.00
6	36	14	38.89	15	41.67	7	19.44	0	0.00	0	0.00
7	47	24	51.06	19	40.43	3	6.38	0	0.00	1	2.13
8	89	54	60.67	32	35.96	3	3.37	0	0.00	0	0.00
9	142	96	67.61	36	25.35	8	5.63	0	0.00	2	1.41
GREATER THAN 9	1,820	1,686	92.64	125	6.87	9	0.49	0	0.00	0	0.00
UNKNOWN	56	6	10.71	2	3.57	26	46.43	2	3.57	20	35.71
COUNTY TOTALS	2,256	1,900	84.22	253	11.21	77	3.41	3	0.13	23	1.02

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

STATE AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MAINE SUMMARY											
0	29	2	6.90	0	0.00	4	13.79	14	48.28	9	31.03
1	47	8	17.02	13	27.66	24	51.06	0	0.00	2	4.26
2	45	8	17.78	16	35.56	21	46.67	0	0.00	0	0.00
3	89	19	21.35	36	40.45	33	37.08	0	0.00	1	1.12
4	137	42	30.66	64	46.72	31	22.63	0	0.00	0	0.00
5	254	96	37.80	118	46.46	39	15.35	0	0.00	1	0.39
6	392	176	44.90	169	43.11	46	11.73	0	0.00	1	0.26
7	537	296	55.12	209	38.92	30	5.59	0	0.00	2	0.37
8	942	611	64.86	302	32.06	28	2.97	0	0.00	1	0.11
9	1,343	960	71.48	334	24.87	44	3.28	0	0.00	5	0.37
GREATER THAN 9	12,122	11,003	90.77	1,044	8.61	54	0.45	2	0.02	19	0.16
UNKNOWN	968	455	47.00	107	11.05	258	26.65	3	0.31	145	14.98
STATE TOTALS	16,905	13,676	80.90	2,412	14.27	612	3.62	19	0.11	186	1.10

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	NONE	UNKNOWN
ANDROSCOGGIN								
LESS THAN GRADE 9	56	3.78	19	14	20	1	0	2
GRADES 9-11	280	18.89	98	87	79	13	0	3
GRADE 12	755	50.94	426	197	113	13	1	5
GREATER THAN GRADE 12	386	26.05	237	100	40	7	0	2
UNKNOWN	5	0.34	1	1	1	2	0	0
COUNTY TOTALS	1,482		781	399	253	36	1	12
PERCENT DISTRIBUTION		100.00	52.70	26.92	17.07	2.43	0.07	0.81
ARDOSTOOK								
LESS THAN GRADE 9	23	1.84	11	2	8	2	0	0
GRADES 9-11	155	12.41	56	48	41	7	1	2
GRADE 12	645	51.64	303	215	100	22	0	5
GREATER THAN GRADE 12	391	31.31	226	118	42	4	0	1
UNKNOWN	35	2.80	1	2	0	30	0	2
COUNTY TOTALS	1,249		597	385	191	65	1	10
PERCENT DISTRIBUTION		100.00	47.80	30.82	15.29	5.20	0.08	0.80
CUMBERLAND								
LESS THAN GRADE 9	47	1.35	19	7	15	4	0	2
GRADES 9-11	374	10.77	145	100	86	37	0	6
GRADE 12	1,340	38.61	690	388	191	48	3	20
GREATER THAN GRADE 12	1,640	47.25	921	534	137	35	1	12
UNKNOWN	70	2.02	27	18	8	12	1	4
COUNTY TOTALS	3,471		1,802	1,047	437	136	5	44
PERCENT DISTRIBUTION		100.00	51.92	30.16	12.59	3.92	0.14	1.27

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
FRANKLIN								
LESS THAN GRADE 9	3	0.84	1	2	0	0	0	0
GRADES 9-11	49	13.73	20	18	8	2	0	1
GRADE 12	179	50.14	103	54	15	4	0	3
GREATER THAN GRADE 12	125	35.01	78	31	16	0	0	0
UNKNOWN	1	0.28	0	1	0	0	0	0
COUNTY TOTALS	357		202	106	39	6	0	4
PERCENT DISTRIBUTION		100.00	56.58	29.69	10.92	1.68	0.00	1.12
HANCOCK								
LESS THAN GRADE 9	8	1.26	4	1	3	0	0	0
GRADES 9-11	80	12.64	21	24	29	5	0	1
GRADE 12	300	47.39	120	95	71	12	0	2
GREATER THAN GRADE 12	239	37.76	120	75	40	4	0	0
UNKNOWN	6	0.95	2	2	0	1	0	1
COUNTY TOTALS	633		267	197	143	22	0	4
PERCENT DISTRIBUTION		100.00	42.18	31.12	22.59	3.48	0.00	0.63
KENNEBEC								
LESS THAN GRADE 9	32	2.01	10	14	7	0	0	1
GRADES 9-11	189	11.86	62	73	43	8	0	3
GRADE 12	760	47.71	358	271	92	28	0	11
GREATER THAN GRADE 12	587	36.85	306	236	41	3	1	0
UNKNOWN	25	1.57	7	2	1	11	0	4
COUNTY TOTALS	1,593		743	596	184	50	1	19
PERCENT DISTRIBUTION		100.00	46.64	37.41	11.55	3.14	0.06	1.19

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
KNOX								
LESS THAN GRADE 9	13	2.68	3	0	9	1	0	0
GRADES 9-11	83	17.11	24	25	24	8	0	2
GRADE 12	217	44.74	89	65	44	12	0	7
GREATER THAN GRADE 12	168	34.64	90	46	28	4	0	0
UNKNOWN	4	0.82	0	4	0	0	0	0
COUNTY TOTALS	485		206	140	105	25	0	9
PERCENT DISTRIBUTION		100.00	42.47	28.87	21.65	5.15	0.00	1.86
LINCOLN								
LESS THAN GRADE 9	6	1.55	1	1	3	1	0	0
GRADES 9-11	45	11.60	15	10	16	3	0	1
GRADE 12	167	43.04	83	48	24	5	0	7
GREATER THAN GRADE 12	165	42.53	101	41	9	8	0	6
UNKNOWN	5	1.29	0	3	1	0	0	1
COUNTY TOTALS	388		200	103	53	17	0	15
PERCENT DISTRIBUTION		100.00	51.55	26.55	13.66	4.38	0.00	3.87
OXFORD								
LESS THAN GRADE 9	8	1.19	2	2	2	2	0	0
GRADES 9-11	134	19.85	33	45	42	12	0	2
GRADE 12	340	50.37	134	117	71	14	1	3
GREATER THAN GRADE 12	180	26.67	85	63	29	3	0	0
UNKNOWN	13	1.93	1	6	4	1	0	1
COUNTY TOTALS	675		255	233	148	32	1	6
PERCENT DISTRIBUTION		100.00	37.78	34.52	21.93	4.74	0.15	0.89

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
PENOBSCOT								
LESS THAN GRADE 9	32	1.69	16	5	10	1	0	0
GRADES 9-11	262	13.85	112	67	62	11	2	8
GRADE 12	914	48.31	568	210	105	21	2	8
GREATER THAN GRADE 12	672	35.52	505	115	39	10	0	3
UNKNOWN	12	0.63	6	3	3	0	0	0
COUNTY TOTALS	1,892		1,207	400	219	43	4	19
PERCENT DISTRIBUTION		100.00	63.79	21.14	11.58	2.27	0.21	1.00
PISCATAQUIS								
LESS THAN GRADE 9	5	1.90	3	2	0	0	0	0
GRADES 9-11	41	15.59	15	13	8	4	0	1
GRADE 12	143	54.37	80	43	12	4	0	4
GREATER THAN GRADE 12	74	28.14	51	20	3	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	263		149	78	23	8	0	5
PERCENT DISTRIBUTION		100.00	56.65	29.66	8.75	3.04	0.00	1.90
SAGADAHOC								
LESS THAN GRADE 9	7	1.18	4	3	0	0	0	0
GRADES 9-11	61	10.30	27	16	14	4	0	0
GRADE 12	273	46.11	142	62	51	13	1	4
GREATER THAN GRADE 12	249	42.06	152	59	31	4	0	3
UNKNOWN	2	0.34	0	1	0	1	0	0
COUNTY TOTALS	592		325	141	96	22	1	7
PERCENT DISTRIBUTION		100.00	54.90	23.82	16.22	3.72	0.17	1.18

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
SOMERSET								
LESS THAN GRADE 9	12	1.79	4	4	1	2	0	1
GRADES 9-11	114	16.96	34	36	36	6	0	2
GRADE 12	357	53.13	143	150	52	9	1	2
GREATER THAN GRADE 12	185	27.53	81	80	20	4	0	0
UNKNOWN	4	0.60	1	3	0	0	0	0
COUNTY TOTALS	672		263	273	109	21	1	5
PERCENT DISTRIBUTION		100.00	39.14	40.63	16.22	3.13	0.15	0.74
WALDO								
LESS THAN GRADE 9	4	0.90	3	0	1	0	0	0
GRADES 9-11	73	16.40	32	20	20	1	0	0
GRADE 12	211	47.42	93	73	42	2	0	1
GREATER THAN GRADE 12	151	33.93	91	49	11	0	0	0
UNKNOWN	6	1.35	2	0	0	4	0	0
COUNTY TOTALS	445		221	142	74	7	0	1
PERCENT DISTRIBUTION		100.00	49.66	31.91	16.63	1.57	0.00	0.22
WASHINGTON								
LESS THAN GRADE 9	20	4.42	5	8	5	2	0	0
GRADES 9-11	77	17.04	27	23	21	6	0	0
GRADE 12	205	45.35	97	61	43	4	0	0
GREATER THAN GRADE 12	119	26.33	71	25	15	5	1	2
UNKNOWN	31	6.86	1	0	1	28	0	1
COUNTY TOTALS	452		201	117	85	45	1	3
PERCENT DISTRIBUTION		100.00	44.47	25.88	18.81	9.96	0.22	0.66

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
YORK								
LESS THAN GRADE 9	46	2.04	23	15	6	2	0	0
GRADES 9-11	275	12.19	128	51	64	27	1	4
GRADE 12	1,051	46.59	658	242	109	29	2	11
GREATER THAN GRADE 12	867	38.43	590	186	70	17	0	4
UNKNOWN	17	0.75	2	5	4	2	0	4
COUNTY TOTALS	2,256		1,401	499	253	77	3	23
PERCENT DISTRIBUTION		100.00	62.10	22.12	11.21	3.41	0.13	1.02
MAINE SUMMARY								
LESS THAN GRADE 9	322	1.90	128	80	90	18	0	6
GRADES 9-11	2,292	13.56	849	656	593	154	4	36
GRADE 12	7,857	46.48	4,087	2,291	1,135	240	11	93
GREATER THAN GRADE 12	6,198	36.66	3,705	1,778	571	108	3	33
UNKNOWN	236	1.40	51	51	23	92	1	18
STATE TOTALS	16,905		8,820	4,856	2,412	612	19	186
PERCENT DISTRIBUTION		100.00	52.17	28.73	14.27	3.62	0.11	1.10

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-9

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - NUMBER OF BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1985 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20 YRS.	NON- WHITE	NO PRENATAL CARE	WITH COMP. PREG.	C-SECTION	CONGEN. ANOM- ALIES	BIRTHWEIGHT IN GRAMS UNDER 2500	OVER 4999
BATH MEMORIAL HOSPITAL	213	27	25	3	1	14	28	8	9	2
BLUE HILL MEMORIAL HOSP.	297	43	28	3	0	33	22	7	3	2
CALAIS REGIONAL HOSPITAL	145	50	30	20	0	39	24	4	8	2
CARY MEDICAL CENTER	300	47	31	1	0	38	62	1	11	0
CENTRAL MAINE MEDICAL CENTER	1,023	197	124	15	1	184	136	15	50	6
CHARLES A. DEAN MEMORIAL HOSP.	33	6	6	0	0	5	4	0	1	0
DOWN EAST COMMUNITY HOSPITAL	180	49	35	6	0	16	17	7	7	1
EASTERN MAINE MED CTR	1,709	308	177	46	5	395	241	34	100	4
FRANKLIN MEMORIAL HOSPITAL	496	86	57	3	0	67	51	6	14	2
HENRIETTA D. GOODALL HOSP.	430	75	37	17	0	83	65	5	18	1
HOULTON REGIONAL HOSPITAL	224	56	37	10	0	18	36	4	2	0
J. A. TAYLOR OSTEOPATHIC HOSP.	39	8	7	1	0	5	4	2	2	0
KEN VALLEY MED CTR-AUGUSTA	679	165	81	13	1	154	95	14	27	4
MAINE COAST MEMORIAL HOSP.	165	33	36	6	0	57	34	2	7	1
MAINE MEDICAL CENTER	2,727	414	232	43	6	417	393	28	259	2
MAYO REGIONAL HOSPITAL	313	69	42	4	0	52	42	5	17	2
MERCY HOSPITAL	678	137	85	15	0	51	69	9	24	2
MID-MAINE MEDICAL CTR-SETON	1,103	207	138	3	0	186	89	14	39	2
MILES MEMORIAL HOSPITAL	151	21	13	4	0	19	6	0	4	0
MILLINOCKET REGIONAL HOSP.	158	26	24	1	0	15	27	2	5	1
MOUNT DESERT ISLAND HOSPITAL	86	15	9	0	0	19	6	1	2	0
NORTH CUMBERLAND MEM. HOSP.	125	16	18	1	0	18	18	2	5	0
NORTHERN MAINE MEDICAL CTR	20	2	1	0	0	4	1	0	1	0
OSTEOPATHIC HOSPITAL OF MAINE	429	108	65	9	0	79	33	14	15	1
PARKVIEW MEMORIAL HOSPITAL	910	80	77	22	0	72	137	21	39	2
PENOBSCOT BAY MEDICAL CETER	489	97	65	3	0	162	75	6	20	1
PENOBSCOTT VALLEY HOSPITAL	146	30	31	2	0	21	27	2	9	0
REDINGTON-FAIRVIEW HOSP.	193	56	39	0	0	34	15	5	6	2
REGIONAL MEMORIAL HOSPITAL	1	0	0	0	0	0	0	0	0	0
RUMFORD COMMUNITY HOSPITAL	100	30	10	1	1	13	11	4	4	0
SEBASTICOOK VALLEY HOSPITAL	8	2	0	0	0	0	0	0	0	0
ST MARYS GENERAL HOSPITAL	549	122	101	5	1	58	102	4	32	1
ST. ANDREWS HOSPITAL	43	8	4	0	0	10	4	4	1	1
STEPHENS MEMORIAL HOSPITAL	321	76	51	2	0	35	39	1	13	1
THE AROOS MED CTR-PRESQUE ISLE	377	73	44	3	1	82	49	6	23	2
US AIR FORCE HOSPITAL	282	8	29	32	0	85	32	2	6	0
WALDO COUNTY GENERAL HOSPITAL	214	44	33	1	0	25	22	3	6	1
WATERVILLE OSTEOPATHIC HOSP.	148	34	23	3	0	32	20	1	4	0
WEBBER HOSPITAL	491	97	61	7	1	68	105	17	25	0
WESTBROOK COMMUNITY HOSPITAL	22	4	3	0	0	0	4	1	1	0
AT HOME	120	12	5	0	1	14	0	2	9	3
BORN ON WAY TO HOSPITAL	4	0	1	0	0	0	0	0	0	0
DOCTOR'S OFFICE	1	0	0	0	0	0	0	0	0	0
OTHER SPECIFIED PLACE	3	0	0	0	0	0	0	0	0	0
OUT PATIENT FACILITY	53	4	3	0	0	3	0	0	1	0
STREET ADDRESS	40	7	2	2	0	7	0	0	2	0
UNKNOWN OR BLANK	1	1	0	1	0	0	0	0	0	1
STATE TOTALS	16,244	2,950	1,920	308	19	2,689	2,145	263	831	50

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-10

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - PERCENTAGE OF TOTAL BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1985 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	***** OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20 YRS.	PERCENTAGE OF THE NON- WHITE	NO PRENATAL CARE	TOTAL BIRTHS IN EACH WITH COMP. PREG.	C-SECTION	BIRTH SITE ***** CONGEN. ANOM- ALIES	BIRTHWEIGHT IN GRAMS UNDER 2500	OVER 4999
BATH MEMORIAL HOSPITAL	213	12.68	11.74	1.41	0.47	6.57	13.15	3.76	4.23	0.94
BLUE HILL MEMORIAL HOSP.	297	14.48	9.43	1.01	0.00	11.11	7.41	2.36	1.01	0.67
CALAIS REGIONAL HOSPITAL	145	34.48	20.69	13.79	0.00	26.90	16.55	2.76	5.52	1.38
CARY MEDICAL CENTER	300	15.67	10.33	0.33	0.00	12.67	20.67	0.33	3.67	0.00
CENTRAL MAINE MEDICAL CENTER	1,023	19.26	12.12	1.47	0.10	17.99	13.29	1.47	4.89	0.59
CHARLES A. DEAN MEMORIAL HOSP.	33	18.18	18.18	0.00	0.00	15.15	12.12	0.00	3.03	0.00
DOWN EAST COMMUNITY HOSPITAL	180	27.22	19.44	3.33	0.00	8.89	9.44	3.89	3.89	0.56
EASTERN MAINE MED CTR	1,709	18.02	10.36	2.69	0.29	23.11	14.10	1.99	5.85	0.23
FRANKLIN MEMORIAL HOSPITAL	496	17.34	11.49	0.60	0.00	13.51	10.28	1.21	2.82	0.40
HENRIETTA D. GOODALL HOSP.	430	17.44	8.60	3.95	0.00	19.30	15.12	1.16	4.19	0.23
HOULTON REGIONAL HOSPITAL	224	25.00	16.52	4.46	0.00	8.04	16.07	1.79	0.89	0.00
J.A. TAYLOR OSTEOPATHIC HOSP.	39	20.51	17.95	2.56	0.00	12.82	10.26	5.13	5.13	0.00
KEN VALLEY MED CTR-AUGUSTA	679	24.30	11.93	1.91	0.15	22.68	13.99	2.06	3.98	0.59
MAINE COAST MEMORIAL HOSP.	165	20.00	21.82	3.64	0.00	34.55	20.61	1.21	4.24	0.61
MAINE MEDICAL CENTER	2,727	15.18	8.51	1.58	0.22	15.29	14.41	1.03	9.50	0.07
MAYO REGIONAL HOSPITAL	313	22.04	13.42	1.28	0.00	16.61	13.42	1.60	5.43	0.64
MERCY HOSPITAL	678	20.21	12.54	2.21	0.00	7.52	10.18	1.33	3.54	0.29
MID-MAINE MEDICAL CTR-SETON	1,103	18.77	12.51	0.27	0.00	16.86	8.07	1.27	3.54	0.18
MILES MEMORIAL HOSPITAL	151	13.91	8.61	2.65	0.00	12.58	3.97	0.00	2.65	0.00
MILLINOCKET REGIONAL HOSP.	158	16.46	15.19	0.63	0.00	9.49	17.09	1.27	3.16	0.63
MOUNT DESERT ISLAND HOSPITAL	86	17.44	10.47	0.00	0.00	22.09	6.98	1.16	2.33	0.00
NORTH CUMBERLAND MEM. HOSP.	125	12.80	14.40	0.80	0.00	14.40	14.40	1.60	4.00	0.00
NORTHERN MAINE MEDICAL CTR	20	10.00	5.00	0.00	0.00	20.00	5.00	0.00	5.00	0.00
OSTEOPATHIC HOSPITAL OF MAINE	429	25.17	15.15	2.10	0.00	18.41	7.69	3.26	3.50	0.23
PARKVIEW MEMORIAL HOSPITAL	910	8.79	8.46	2.42	0.00	7.91	15.05	2.31	4.29	0.22
PENOBSCOT BAY MEDICAL CETER	489	19.84	13.29	0.61	0.00	33.13	15.34	1.23	4.09	0.20
PENOBSCOTT VALLEY HOSPITAL	146	20.55	21.23	1.37	0.00	14.38	18.49	1.37	6.16	0.00
REDINGTON-FAIRVIEW HOSP.	198	28.28	19.70	0.00	0.00	17.17	7.58	2.53	3.03	1.01
REGIONAL MEMORIAL HOSPITAL	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
RUMFORD COMMUNITY HOSPITAL	100	30.00	10.00	1.00	1.00	13.00	11.00	4.00	4.00	0.00
SEBASTICOOK VALLEY HOSPITAL	8	25.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ST MARYS GENERAL HOSPITAL	549	22.22	18.40	0.91	0.18	10.56	18.58	0.73	5.83	0.18
ST. ANDREWS HOSPITAL	43	18.60	9.30	0.00	0.00	23.26	9.30	9.30	2.33	2.33
STEPHENS MEMORIAL HOSPITAL	321	23.68	15.89	0.62	0.00	10.90	12.15	0.31	4.05	0.31
THE AROOS MED CTR-PRESQUE ISLE	377	19.36	11.67	0.80	0.27	21.75	13.00	1.59	6.10	0.53
US AIR FORCE HOSPITAL	282	2.84	10.28	11.35	0.00	30.14	11.35	0.71	2.13	0.00
WALDO COUNTY GENERAL HOSPITAL	214	20.56	15.42	0.47	0.00	11.68	10.28	1.40	2.80	0.47
WATERVILLE OSTEOPATHIC HOSP.	148	22.97	15.54	2.03	0.00	21.62	13.51	0.68	2.70	0.00
WEBBER HOSPITAL	491	19.76	12.42	1.43	0.20	13.85	21.38	3.46	5.09	0.00
WESTBROOK COMMUNITY HOSPITAL	22	18.18	13.64	0.00	0.00	0.00	18.18	4.55	4.55	0.00
AT HOME	120	10.00	4.17	0.00	0.83	11.67	0.00	1.67	7.50	2.50
BORN ON WAY TO HOSPITAL	4	0.00	25.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DOCTOR'S OFFICE	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OTHER SPECIFIED PLACE	3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OUT PATIENT FACILITY	53	7.55	5.66	0.00	0.00	5.66	0.00	0.00	1.89	0.00
STREET ADDRESS	40	17.50	5.00	5.00	0.00	17.50	0.00	0.00	5.00	0.00
UNKNOWN OR BLANK	1	100.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	100.00
STATE PERCENTAGES	16,244	18.16	11.82	1.90	0.12	16.55	13.20	1.62	5.12	0.31

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-11

LIVE BIRTHS BY BIRTHWEIGHT
MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1985 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS		***** BIRTHWEIGHT IN GRAMS *****									
			< 1000		1000-1499		< 1500		1500 AND OVER		UNKNOWN WEIGHT	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
BATH MEMORIAL HOSPITAL	213	100.0	1	0.5	0	0.0	1	0.5	211	99.1	1	0.5
BLUE HILL MEMORIAL HOSP.	297	100.0	0	0.0	0	0.0	0	0.0	297	100.0	0	0.0
CALAIS REGIONAL HOSPITAL	145	100.0	0	0.0	0	0.0	0	0.0	145	100.0	0	0.0
CARY MEDICAL CENTER	300	100.0	1	0.3	1	0.3	2	0.7	298	99.3	0	0.0
CENTRAL MAINE MEDICAL CENTER	1,023	100.0	2	0.2	2	0.2	4	0.4	1,019	99.6	0	0.0
CHARLES A. DEAN MEMORIAL HOSP	33	100.0	0	0.0	0	0.0	0	0.0	33	100.0	0	0.0
DOWN EAST COMMUNITY HOSPITAL	180	100.0	1	0.6	1	0.6	2	1.1	178	98.9	0	0.0
EASTERN MAINE MED CTR	1,709	100.0	6	0.4	5	0.3	11	0.6	1,698	99.4	0	0.0
FRANKLIN MEMORIAL HOSPITAL	496	100.0	1	0.2	0	0.0	1	0.2	494	99.6	1	0.2
HENRIETTA D. GOODALL HOSP	430	100.0	0	0.0	0	0.0	0	0.0	429	99.8	1	0.2
HOULTON REGIONAL HOSPITAL	224	100.0	0	0.0	0	0.0	0	0.0	224	100.0	0	0.0
JAMES A. TAYLOR OSTEOP HOSP	39	100.0	0	0.0	0	0.0	0	0.0	39	100.0	0	0.0
KEN VALLEY MED CTR-AUGUSTA	679	100.0	2	0.3	0	0.0	2	0.3	677	99.7	0	0.0
MAINE COAST MEM. HOSPITAL	165	100.0	1	0.6	1	0.6	2	1.2	163	98.8	0	0.0
MAINE MEDICAL CENTER	2,727	100.0	39	1.4	43	1.6	82	3.0	2,645	97.0	0	0.0
MAYO REGIONAL HOSPITAL	313	100.0	0	0.0	0	0.0	0	0.0	313	100.0	0	0.0
MERCY HOSPITAL	678	100.0	3	0.4	0	0.0	3	0.4	675	99.6	0	0.0
MID-MAINE MEDICAL CTR-SETON	1,103	100.0	4	0.4	2	0.2	6	0.5	1,097	99.5	0	0.0
MILES MEMORIAL HOSPITAL	151	100.0	0	0.0	0	0.0	0	0.0	151	100.0	0	0.0
MILLINOCKET REGIONAL HOSP	158	100.0	0	0.0	0	0.0	0	0.0	157	99.4	1	0.6
MOUNT DESERT ISLAND HOSPITAL	86	100.0	0	0.0	0	0.0	0	0.0	86	100.0	0	0.0
NORTH CUMBERLAND MEM. HOSP.	125	100.0	0	0.0	0	0.0	0	0.0	125	100.0	0	0.0
NORTHERN MAINE MEDICAL CTR	20	100.0	0	0.0	1	5.0	1	5.0	19	95.0	0	0.0
OSTEOPATHIC HOSPITAL OF MAINE	429	100.0	0	0.0	0	0.0	0	0.0	429	100.0	0	0.0
PARKVIEW MEMORIAL HOSPITAL	910	100.0	3	0.3	0	0.0	3	0.3	907	99.7	0	0.0
PENOBSCOT BAY MEDICAL CENTER	489	100.0	0	0.0	2	0.4	2	0.4	487	99.6	0	0.0
PENOBSCOT VALLEY HOSPITAL	146	100.0	3	2.1	0	0.0	3	2.1	143	97.9	0	0.0
REDINGTON-FAIRVIEW HOSP	198	100.0	1	0.5	1	0.5	2	1.0	196	99.0	0	0.0
REGIONAL MEMORIAL HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
RUMFORD COMMUNITY HOSPITAL	100	100.0	0	0.0	0	0.0	0	0.0	100	100.0	0	0.0
SEBASTICOOK VALLEY HOSPITAL	8	100.0	0	0.0	0	0.0	0	0.0	8	100.0	0	0.0
ST. ANDREWS HOSPITAL	43	100.0	0	0.0	0	0.0	0	0.0	43	100.0	0	0.0
ST MARYS GENERAL HOSPITAL	549	100.0	1	0.2	0	0.0	1	0.2	548	99.8	0	0.0
STEPHENS MEMORIAL HOSPITAL	321	100.0	1	0.3	0	0.0	1	0.3	320	99.7	0	0.0
THE AROOS MED CTR-PRESQUE ISLE	377	100.0	0	0.0	0	0.0	0	0.0	375	99.5	2	0.5
US AIR FORCE HOSPITAL	282	100.0	0	0.0	0	0.0	0	0.0	282	100.0	0	0.0
WALDO COUNTY GENERAL HOSPITAL	214	100.0	1	0.5	0	0.0	1	0.5	213	99.5	0	0.0
WATERVILLE OSTEOPATHIC HOSP.	148	100.0	0	0.0	0	0.0	0	0.0	148	100.0	0	0.0
WEBBER HOSPITAL	491	100.0	2	0.4	1	0.2	3	0.6	488	99.4	0	0.0
WESTBROOK COMMUNITY HOSPITAL	22	100.0	0	0.0	0	0.0	0	0.0	22	100.0	0	0.0
AT HOME	119	100.0	3	2.5	2	1.7	5	4.2	112	94.1	2	1.7

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-11

LIVE BIRTHS BY BIRTHWEIGHT
MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1985 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS		***** BIRTHWEIGHT IN GRAMS *****									
	NUMBER	PERCENT	< 1000		1000-1499		< 1500		1500 AND OVER		UNKNOWN WEIGHT	
			NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
BORN OR DIED ON WAY TO HOSP	4	100.0	0	0.0	0	0.0	0	0.0	4	100.0	0	0.0
DOCTOR'S OFFICE	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
OTHER SPECIFIED PLACE	3	100.0	0	0.0	0	0.0	0	0.0	3	100.0	0	0.0
OUT OF STATE HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
OUT PATIENT FACILITY	53	100.0	0	0.0	0	0.0	0	0.0	53	100.0	0	0.0
STREET ADDRESS	40	100.0	1	2.5	1	2.5	2	5.0	38	95.0	0	0.0
UNKNOWN OR BLANK	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
STATE TOTALS	16,244	100.0	77	0.5	63	0.4	140	0.9	16,095	99.1	9	0.1

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

**INFANT AND
FETAL MORTALITY**

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPEC. NATURE (210-239)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
CYSTIC FIBROSIS (277.0)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
MENINGITIS (320-322)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
PNEUMONIA (480-486)					
MALE	1	0	0.00	1	100.00
FEMALE	2	0	0.00	2	100.00
TOTALS	3	0	0.00	3	100.00
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
ANENCEPHALUS AND SIMILAR ANOMALIES (740)					
MALE	1	1	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
CONGENITAL HYDROCEPHALUS (742.3)					
MALE	1	0	0.00	1	100.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	1	50.00	1	50.00
CONGENITAL ANOMALIES OF HEART (745-746)					
MALE	7	6	85.71	1	14.29
FEMALE	3	2	66.67	1	33.33
TOTALS	10	8	80.00	2	20.00
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)					
MALE	1	1	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)					
MALE	8	8	100.00	0	0.00
FEMALE	4	3	75.00	1	25.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
(CONT.)					
TOTALS	12	11	91.67	1	8.33
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM (749-751)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM (752-753)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM (754-756)					
MALE	2	2	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
OTHER CHROMOSOMAL ANOMALIES (758.1-758.9)					
MALE	2	2	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)					
MALE	1	1	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (760)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (761)					
MALE	4	4	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	5	5	100.00	0	0.00
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)					
MALE	2	2	100.00	0	0.00
FEMALE	6	6	100.00	0	0.00
TOTALS	8	8	100.00	0	0.00
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)					
MALE	7	7	100.00	0	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX (CONT.)	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
FEMALE	4	4	100.00	0	0.00
TOTALS	11	11	100.00	0	0.00
BIRTH TRAUMA (767)					
MALE	1	1	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
FETAL DISTRESS IN LIVEBORN INFANT (768.2-768.4)					
FEMALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
BIRTH ASPHYXIA (768.5-768.9)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
RESPIRATORY DISTRESS SYNDROME (769)					
MALE	13	12	92.31	1	7.69
FEMALE	11	10	90.91	1	9.09
TOTALS	24	22	91.67	2	8.33
OTHER RESPIRATORY CONDITIONS OF NEWBORN (770)					
MALE	7	5	71.43	2	28.57
FEMALE	2	2	100.00	0	0.00
TOTALS	9	7	77.78	2	22.22
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)					
MALE	3	3	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	5	5	100.00	0	0.00
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (775.2-775.9, 776.1-779)					
MALE	2	2	100.00	0	0.00
FEMALE	3	1	33.33	2	66.67
TOTALS	5	3	60.00	2	40.00
SUDDEN INFANT DEATH SYNDROME (798.0)					
MALE	9	0	0.00	9	100.00
FEMALE	10	0	0.00	10	100.00
TOTALS	19	0	0.00	19	100.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER PERCENT		POSTNEONATAL DEATHS NUMBER PERCENT	
(CONT.)					
SYMPTOMS, SIGNS, AND ALL OTHER ILL-DEFINED CONDITIONS (780-797,798.1-799)					
MALE	1	1	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
ACCIDENTAL MECHANICAL SUFFOCATION (E913)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS (E800-E910,E914-E949)					
MALE	2	0	0.00	2	100.00
TOTALS	2	0	0.00	2	100.00
ALL OTHER CAUSES (RESIDUAL)					
MALE	5	1	20.00	4	80.00
FEMALE	3	2	66.67	1	33.33
TOTALS	8	3	37.50	5	62.50
STATE					
MALE	83	61	73.49	22	26.51
FEMALE	67	45	67.16	22	32.84
TOTALS	150	106	70.67	44	29.33

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-2

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	***** GESTATION WEEKS *****					
			20-23	24-27	28-31	32-35	36-39	OVER 39
LYMPHANGIOMA, ANY SITE (228.1)								
FEMALE	1	0.98	1	0	0	0	0	0
UNKNOWN	1	0.98	1	0	0	0	0	0
TOTALS	2	1.96	2	0	0	0	0	0
CYSTIC FIBROSIS (277.0)								
FEMALE	1	0.98	0	0	0	0	0	1
TOTALS	1	0.98	0	0	0	0	0	1
CONGENITAL HYDROCEPHALUS (742.3)								
MALE	1	0.98	1	0	0	0	0	0
FEMALE	1	0.98	0	0	0	0	0	1
TOTALS	2	1.96	1	0	0	0	0	1
EBSTEIN'S ANOMALY (746.2)								
FEMALE	1	0.98	1	0	0	0	0	0
TOTALS	1	0.98	1	0	0	0	0	0
ABSENCE OR HYPOPLASIA OF UMBILICAL ARTERY (747.5)								
MALE	1	0.98	0	0	0	0	0	1
TOTALS	1	0.98	0	0	0	0	0	1
CONGENITAL ANOMALIES OF URINARY SYSTEM (753.0)								
MALE	1	0.98	0	0	0	1	0	0
TOTALS	1	0.98	0	0	0	1	0	0
MULTIPLE CONGENITAL ANOMALIES (759.7)								
FEMALE	1	0.98	0	0	0	1	0	0
UNKNOWN	1	0.98	1	0	0	0	0	0
TOTALS	2	1.96	1	0	0	1	0	0
UNSPECIFIED CONGENITAL ANOMALY (759.9)								
MALE	5	4.90	0	0	1	2	1	1
FEMALE	2	1.96	0	0	1	0	1	0
TOTALS	7	6.86	0	0	2	2	2	1
FETUS AFFECTED BY MATERNAL CONDITIONS UNRELATED TO PRESENT PREGNANCY (766.0)								
MALE	2	1.96	1	0	0	0	0	1
FEMALE	2	1.96	0	0	1	0	0	1
TOTALS	4	3.92	1	0	1	0	0	2
FETUS OR NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (761.0)								
MALE	2	1.96	2	0	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-2

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	***** GESTATION WEEKS *****					
			20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
FEMALE	1	0.98	1	0	0	0	0	0
TOTALS	3	2.94	3	0	0	0	0	0
PREMATURE RUPTURE OF MEMBRANES (761.1)								
MALE	1	0.98	1	0	0	0	0	0
TOTALS	1	0.98	1	0	0	0	0	0
OLIGOHYDRAMNIOS (761.2)								
FEMALE	1	0.98	0	0	1	0	0	0
TOTALS	1	0.98	0	0	1	0	0	0
POLYHYDRAMNIOS (761.3)								
MALE	1	0.98	1	0	0	0	0	0
TOTALS	1	0.98	1	0	0	0	0	0
MULTIPLE PREGNANCY (761.5)								
MALE	3	2.94	3	0	0	0	0	0
FEMALE	1	0.98	1	0	0	0	0	0
TOTALS	4	3.92	4	0	0	0	0	0
FETUS AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762.0)								
MALE	5	4.90	4	0	0	1	0	0
TOTALS	5	4.90	4	0	0	1	0	0
OTHER FORMS OF PLACENTAL SEPARATION AND HEMORRHAGE (762.1)								
MALE	4	3.92	2	0	0	0	2	0
FEMALE	12	11.76	4	2	3	1	1	1
TOTALS	16	15.69	6	2	3	1	3	1
UNSPECIFIED MORPHOLOGICAL AND FUNCTIONAL ABNORMALITIES OF PLACENTA (762.2)								
MALE	2	1.96	0	0	1	0	0	1
FEMALE	2	1.96	0	0	0	0	0	2
TOTALS	4	3.92	0	0	1	0	0	3
PLACENTAL TRANSFUSION SYNDROMES (762.3)								
FEMALE	1	0.98	0	0	0	0	0	1
TOTALS	1	0.98	0	0	0	0	0	1
PROLAPSED CORD (762.4)								
FEMALE	2	1.96	0	1	0	0	1	0
TOTALS	2	1.96	0	1	0	0	1	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-2

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	***** GESTATION WEEKS *****					
			20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
OTHER COMPRESSION OF UMBILICAL CORD (762.5)								
MALE	4	3.92	0	1	0	0	2	1
FEMALE	3	2.94	0	2	0	0	1	0
TOTALS	7	6.86	0	3	0	0	3	1
CHORIOAMNIONITIS (762.7)								
FEMALE	1	0.98	1	0	0	0	0	0
TOTALS	1	0.98	1	0	0	0	0	0
OTHER COMPLICATIONS OF LABOR AND DELIVERY AFFECTING FETUS OR NEWBORN (763.8)								
FEMALE	1	0.98	0	0	0	0	1	0
TOTALS	1	0.98	0	0	0	0	1	0
EXTREME IMMATURITY (765.0)								
FEMALE	1	0.98	0	1	0	0	0	0
TOTALS	1	0.98	0	1	0	0	0	0
FETAL DISTRESS UNSPECIFIED (768.4)								
FEMALE	2	1.96	1	0	0	0	1	0
TOTALS	2	1.96	1	0	0	0	1	0
UNSPECIFIED BIRTH ASPHYXIA IN LIVEBORN INFANT (768.9)								
MALE	5	4.90	2	1	1	0	1	0
FEMALE	3	2.94	1	0	1	0	0	1
TOTALS	8	7.84	3	1	2	0	1	1
CONGENITAL PNEUMONIA (770.0)								
MALE	1	0.98	0	0	0	0	0	1
TOTALS	1	0.98	0	0	0	0	0	1
INFANT OF DIABETIC MOTHER AND NEONATAL DIABETES MELLITUS (775.0-775.1)								
MALE	1	0.98	0	0	1	0	0	0
TOTALS	1	0.98	0	0	1	0	0	0
CONDITIONS INVOLVING INTEGUMENT & TEMPERATURE REGULATION OF FETUS (778.0)								
MALE	1	0.98	0	0	1	0	0	0
TOTALS	1	0.98	0	0	1	0	0	0
OTHER SPECIFIED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (779.8)								
MALE	1	0.98	1	0	0	0	0	0
FEMALE	2	1.96	0	0	0	1	1	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-2

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	***** GESTATION WEEKS *****					
			20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
TOTALS	3	2.94	1	0	0	1	1	0
UNSPECIFIED CONDITION ORIGINATING IN THE PERINATAL PERIOD (779.9)								
MALE	4	3.92	1	0	0	1	2	0
FEMALE	2	1.96	0	0	0	0	0	2
TOTALS	6	5.88	1	0	0	1	2	2
UNDIAGNOSED DISEASE, NOT SPECIFIED AS TO SITE OR SYSTEM INVOLVED (799.9)								
MALE	5	4.90	0	1	0	0	3	1
FEMALE	6	5.88	2	0	0	1	2	1
TOTALS	11	10.78	2	1	0	1	5	2
STATE								
MALE	50	49.02	19	3	5	5	11	7
FEMALE	50	49.02	13	6	7	4	9	11
UNKNOWN	2	1.96	2	0	0	0	0	0
TOTALS	102	100.00	34	9	12	9	20	18

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-3

LIVE BIRTHS, NEONATAL DEATHS, AND ESTIMATED NEONATAL DEATH RATES BY BIRTHWEIGHT
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	LIVE BIRTHS		NEONATAL DEATHS		NEONATAL DEATH RATE
	NUMBER	PERCENT	NUMBER	PERCENT	
LESS THAN 500	15	0.09	14	13.21	933.3
500-999	62	0.37	38	35.85	612.9
1000-1499	62	0.37	8	7.55	129.0
1500-1999	147	0.87	4	3.77	27.2
2000-2499	564	3.34	8	7.55	14.2
2500-2999	2,126	12.58	8	7.55	3.8
3000-3499	5,998	35.48	10	9.43	1.7
3500-3999	5,608	33.17	7	6.60	1.2
4000-4499	1,927	11.40	2	1.89	1.0
4500-4999	344	2.03	0	0.00	0.0
GREATER THAN 4999	43	0.25	1	0.94	23.3
UNKNOWN	9	0.05	6	5.66	666.7
STATE TOTALS	16,905	100.00	106	100.00	6.3

NOTE: NEONATAL DEATH RATES ARE ESTIMATED BY DIVIDING 1985 NEONATAL DEATHS BY 1985 LIVE BIRTHS AND MULTIPLYING BY 1,000. SUCH RATES ARE ESTIMATED RATHER THAN ACTUAL BECAUSE SOME BIRTHS RELATING TO THE 1985 NEONATAL DEATH COHORT OCCURRED IN 1984.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-4

FETAL DEATHS BY SELECTED COMPLICATIONS, GESTATION, AND AGE OF PATIENT
MAINE STATE TOTALS, 1985 (RESIDENT DATA)*

WEEKS OF GESTATION	TOTAL** FETAL DEATHS	PERCENT DISTRIBUTION	***** COMPLICATIONS *****			
			PREGNANCY	LABOR OR DELIVERY	CONCURRENT ILLNESSES	CONGENITAL ANOMALIES
20-23	34	33.33	23	16	13	8
24-27	9	8.82	4	3	5	1
28-31	12	11.76	6	6	5	0
32-35	9	8.82	5	3	4	3
36-39	20	19.61	8	9	7	4
OVER 39	18	17.65	10	9	4	6
UNKNOWN	0	0.00	0	0	0	0
STATE TOTALS	102		56	46	38	22
PERCENT DISTRIBUTION		100.00	54.90	45.10	37.25	21.57

AGE OF PATIENT(YRS.)

LESS THAN 15	0	0.00	0	0	0	0
15	2	1.96	1	0	0	0
16	1	0.98	1	1	1	0
17	3	2.94	2	2	1	0
18	2	1.96	0	0	0	2
19	11	10.78	7	7	4	1
20-24	33	32.35	18	15	11	9
25-29	29	28.43	16	9	13	6
30-34	12	11.76	7	6	5	0
35-39	5	4.90	2	4	1	2
40-44	0	0.00	0	0	0	0
OVER 44	4	3.92	2	2	2	2
UNKNOWN	0	0.00	0	0	0	0
TEENAGE TOTALS	19	18.63	11	10	6	3
STATE TOTALS	102		56	46	38	22
PERCENT DISTRIBUTION		100.00	54.90	45.10	37.25	21.57

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

** THE SUM OF COMPLICATIONS MAY EXCEED TOTAL FETAL DEATHS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-5

DEATHS AND DEATH RATES - TOTAL, INFANT, NEONATAL, POSTNEONATAL, AND PERINATAL
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS		***** TOTAL *****		***** INFANT DEATHS *****		***** POSTNEONATAL *****		***** PERINATAL *****	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
ANDROSCOGGIN	1,019	10.1	19	12.8	15	10.1	4	2.7	29	19.4
AROOSTOOK	837	9.5	7	5.6	3	2.4	4	3.2	11	8.8
CUMBERLAND	2,244	9.9	34	9.8	24	6.9	10	2.9	41	11.8
FRANKLIN	240	8.3	5	14.0	4	11.2	1	2.8	5	14.0
HANCOCK	476	10.8	4	6.3	2	3.2	2	3.2	3	4.7
KENNEBEC	1,145	10.2	11	6.9	8	5.0	3	1.9	19	11.8
KNOX	376	10.8	3	6.2	1	2.1	2	4.1	3	6.2
LINCOLN	314	11.2	0	0.0	0	0.0	0	0.0	1	2.6
OXFORD	555	11.1	8	11.9	6	8.9	2	3.0	9	13.3
PENOBSCOT	1,162	8.4	24	12.7	16	8.5	8	4.2	28	14.7
PISCATAQUIS	177	9.8	1	3.8	0	0.0	1	3.8	2	7.5
SAGadahoc	278	9.2	5	8.4	5	8.4	0	0.0	7	11.8
SOMERSET	466	9.9	5	7.4	4	6.0	1	1.5	9	13.3
WALDO	311	10.5	2	4.5	2	4.5	0	0.0	10	22.1
WASHINGTON	399	11.6	4	8.8	4	8.8	0	0.0	7	15.4
YORK	1,393	9.1	18	8.0	12	5.3	6	2.7	24	10.6
STATE TOTALS	11,392	9.8	150	8.9	106	6.3	44	2.6	208	12.2

NOTES: INFANT DEATH IS UNDER 1 YEAR, NEONATAL UNDER 28 DAYS AND POSTNEONATAL 28 DAYS TO ONE YEAR.
PERINATAL DEATHS ARE NEONATAL DEATHS AND FETAL DEATHS, 20 GESTATION WEEKS AND OVER.

TOTAL DEATH RATE IS PER 1,000 POPULATION(BASED ON MAINE 1985 PROVISIONAL POPULATION ESTIMATES).
INFANT DEATH RATE IS PER 1,000 LIVE BIRTHS AND PERINATAL DEATH RATE IS PER 1,000 LIVE BIRTHS AND FETAL DEATHS.

* FETAL DEATH DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-6

FETAL DEATHS BY SELECTED CHARACTERISTICS
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)*

COUNTY	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	OUT OF WEDLOCK	AUTOPSY	IN HOSPITAL	**** TRIMESTER IN WHICH **** **** PRENATAL CARE BEGAN ****					AGE OF PATIENT(YRS.)	
						1	2	3	NONE	UNKNOWN	LESS THAN 20	OVER 35
ANDROSCOGGIN	14	13.73	4	9	14	10	0	4	0	0	5	0
AROOSTOOK	8	7.84	1	4	8	2	1	4	1	0	0	1
CUMBERLAND	17	16.67	3	10	17	10	1	4	0	2	3	5
FRANKLIN	1	0.98	0	1	1	1	0	0	0	0	0	0
HANCOCK	1	0.98	0	1	1	1	0	0	0	0	0	0
KENNEBEC	11	10.78	4	4	11	10	0	1	0	0	5	1
KNOX	2	1.96	1	2	2	1	0	1	0	0	0	0
LINCOLN	1	0.98	0	1	1	1	0	0	0	0	0	0
OXFORD	3	2.94	0	2	3	3	0	0	0	0	0	0
PENOBSCOT	12	11.76	4	6	12	10	0	1	0	1	4	1
PISCATAQUIS	2	1.96	0	1	2	1	0	1	0	0	0	0
SAGadahoc	2	1.96	0	1	2	1	0	1	0	0	0	0
SOMERSET	5	4.90	3	2	5	3	0	2	0	0	0	0
WALDO	8	7.84	3	3	8	6	1	0	1	0	1	0
WASHINGTON	3	2.94	1	3	3	2	0	1	0	0	0	0
YORK	12	11.76	0	5	12	7	0	2	1	2	1	0
STATE TOTALS	102		24	55	102	69	3	22	3	5	19	8
PERCENT OF ALL FETAL DEATHS WITH SPECIFIED CHARACTERISTICS												
		100.00	23.53	53.92	100.00	67.65	2.94	21.57	2.94	4.90	18.63	7.84

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-7

FETAL DEATHS, SELECTED RISK CHARACTERISTICS, AND RATIO OF MALES TO FEMALES
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS	***** RISK CHARACTERISTICS *****								MALE/FEMALE RATIO
		CONGENITAL ANOMALIES		***** FETAL WEIGHT *****				LESS THAN 28 GESTATION WEEKS		
		NUMBER	PERCENT	< 500 GRAMS NUMBER	PERCENT	< 2500 GRAMS NUMBER	PERCENT	NUMBER	PERCENT	
ANDROSCOGGIN	14	4	28.6	2	14.3	6	42.9	3	21.4	1.33
AROOSTOOK	8	0	0.0	0	0.0	3	37.5	4	50.0	0.33
CUMBERLAND	17	6	35.3	3	17.6	8	47.1	8	47.1	0.78
FRANKLIN	1	0	0.0	0	0.0	1	100.0	0	0.0	0.00
HANCOCK	1	1	100.0	0	0.0	0	0.0	0	0.0	0.00
KENNEBEC	11	1	9.1	1	9.1	8	72.7	4	36.4	1.20
KNOX	2	0	0.0	0	0.0	0	0.0	0	0.0	0.00
LINCOLN	1	1	100.0	0	0.0	1	100.0	0	0.0	0.00
OXFORD	3	0	0.0	0	0.0	2	66.7	2	66.7	0.50
PENOBSCOT	12	2	16.7	3	25.0	8	66.7	6	50.0	1.00
PISCATAQUIS	2	2	100.0	0	0.0	1	50.0	2	100.0	0.00
SAGADAHOC	2	0	0.0	0	0.0	1	50.0	0	0.0	1.00
SOMERSET	5	0	0.0	2	40.0	3	60.0	3	60.0	1.50
WALDO	8	3	37.5	1	12.5	5	62.5	1	12.5	0.60
WASHINGTON	3	0	0.0	1	33.3	2	66.7	2	66.7	0.00
YORK	12	2	16.7	4	33.3	9	75.0	8	66.7	3.00
STATE TOTALS	102	22	21.6	17	16.7	58	56.9	43	42.2	1.00

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-8

FETAL DEATHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

COMPLICATIONS OF PREGNANCY CONDITION	NUMBER	%	ILLNESS OR CONDITION AFFECTING PREGNANCY CONDITION	NUMBER	%	COMPLICATIONS OF LABOR CONDITION	NUMBER	%	METHOD OF DELIVERY METHOD	NUMBER	%	CONGENITAL ANOMALIES CONDITION	NUMBER	%
BLEEDING IN EARLY PREGNANCY	15	14.7	TOBACCO USE	17	16.7	ABRUPTIO PLACENTA	16	15.7	SPONTANEOUS CONTROLLED	55	53.9	ANENCEPHALUS	0	0.0
ECLAMPSIA	0	0.0	HEART DISEASE SYMPTOMATIC	0	0.0	PLACENTA PREVIA	2	2.0	SPONTANEOUS UNCONTROLLED	10	9.8	SPINA BIFIDA	4	3.9
PREECLAMPSIA	4	3.9	HYPERTENSION	2	2.0	CORD PROLAPSE OR COMPRESSION	4	3.9	LOW FORCEPS	1	1.0	OTHER NERVOUS SYSTEM	3	2.9
RH SENSITIZATION	0	0.0	CHRONIC RENAL DISEASE	1	1.0	DYSTOCIA	1	1.0	OTHER FORCEPS PROCEDURE	0	0.0	CLEFT LIP/PALATE	0	0.0
ANEMIA(HGB < 10 GM/HCT < 30%)	2	2.0	PYELOCYSTITIS	0	0.0	BREECH	3	2.9	PRIMARY C-SECTION	14	13.7	EYE	0	0.0
AMNIONITIS	1	1.0	DES EXPOSURE	2	2.0	INDUCTION	0	0.0	REPEAT C-SECTION	5	4.9	EAR, FACE, NECK	0	0.0
URINARY TRACT INFECTION	3	2.9	ALCOHOL DEPENDENCE	0	0.0	INTRAPARTUM FEVER/CHORIOAMNION.	3	2.9	BREECH DELIVERY	6	5.9	HEART	4	3.9
PREMATURE LABOR(BEFORE 37 WEEKS)	19	18.6	DRUG ADDICTION OR DEPENDENCE	0	0.0	FETAL DISTRESS	2	2.0	VERSION AND EXTRACTION	1	1.0	OTHER CIRCULATORY SYSTEM	0	0.0
PREMATURE DELIVERY(BEFORE 37 WEEKS)	17	16.7	PREVIOUS C-SECTION	5	4.9	LABOR>18 HRS.	2	2.0	OTHER	9	8.8	RESPIRATORY SYSTEM	2	2.0
PROM(24 HRS. BEFORE DELIVERY)	4	3.9	OBESITY	4	3.9	OTHER	21	20.6				DIGESTIVE SYSTEM	3	2.9
OTHER	21	20.6	GESTATIONAL DIABETES	0	0.0	NONE	37	36.3				GENITAL ORGANS	2	2.0
NONE	35	34.3	CHRONIC DIABETES	2	2.0	UNKNOWN	19	18.6				URINARY SYSTEM	2	2.0
UNKNOWN	11	10.8	OTHER	12	11.8							MUSCULOSKEL.	1	1.0
			NONE	51	50.0							INTEGUMENT	2	2.0
			UNKNOWN	13	12.7							CHROMOSOMAL	2	2.0
												OTHER	8	7.8
												NONE	69	67.6
												UNKNOWN	11	10.8

NOTES: PERCENTAGES ARE BASED ON THE 102 FETAL DEATHS IN MAINE THIS YEAR.
MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH FETAL DEATH.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

GENERAL MORTALITY

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

	***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: TOTAL FOR ALL AGES									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	4,301	2,147	2,154	1	1	1	369.5	388.3	352.6
MALIGNANT NEOPLASMS (140-208)	2,579	1,391	1,188	2	2	2	221.6	251.6	194.5
CEREBROVASCULAR DISEASE (430-438)	786	319	467	3	4	3	67.5	57.7	76.4
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	525	367	159	4	3	5	45.2	66.4	26.0
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	431	306	125	5	5	6	37.0	55.3	20.5
PNEUMONIA & INFLUENZA (480-487)	349	167	182	6	6	4	30.0	30.2	29.8
ATHEROSCLEROSIS (440)	196	74	122	7	10	7	16.8	13.4	20.0
DIABETES MELLITUS (250)	190	90	100	8	8	8	16.3	16.3	16.4
SUICIDE (E950-E959)	166	129	37	9	7	12	14.3	23.3	6.1
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	132	88	44	10	9	11	11.3	15.9	7.2
TOTAL FOR AGE GROUP	11,392	5,919	5,473				978.8	1,070.4	895.9
AGE: UNDER 1 YEAR									
PERINATAL CONDITIONS (760-779)	73	40	33	1	1	1	428.7	464.1	392.3
CONGENITAL ANOMALIES (740-759)	38	23	15	2	2	2	223.1	266.9	178.3
HEART DISEASE (390-398,402,404-429)	3	2	1	3	4	4	###	###	###
PNEUMONIA & INFLUENZA (480-487)	3	1	2	4	5	3	###	###	###
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	3	3	0	5	3	8	###	###	###
CEREBROVASCULAR DISEASE (430-438)	2	1	1	6	5	4	###	###	###
BENIGN NEOPLASMS (210-239)	1	1	0	7	5	8	###	###	###
MENINGITIS (320-322)	1	0	1	8	8	4	###	###	###
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	1	0	1	9	8	4	###	###	###
TOTAL FOR AGE GROUP	150	83	67				880.8	963.1	796.5

NOTES: BASED ON MAINE 1985 PROVISIONAL POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

	***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF	MALE	DEATHS	TOTAL	MALE	FEMALE
				TOTAL		FEMALE			
AGE: 1 TO 14 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	37	22	15	1	1	1	16.0	18.5	13.4
INFECTIOUS & PARASITIC DISEASES (001-139)	4	1	3	2	3	2	###	###	###
MALIGNANT NEOPLASMS (140-208)	3	0	3	3	9	2	###	###	###
CONGENITAL ANOMALIES (740-759)	3	1	2	4	3	4	###	###	###
BENIGN NEOPLASMS (210-239)	2	2	0	5	2	8	###	###	###
HEART DISEASE (390-398,402,404-429)	2	1	1	6	3	5	###	###	###
CEREBROVASCULAR DISEASE (430-438)	2	1	1	7	3	5	###	###	###
ANEMIAS (280-285)	1	0	1	8	9	5	###	###	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	1	1	0	9	3	8	###	###	###
PERINATAL CONDITIONS (760-779)	1	1	0	10	3	8	###	###	###
TOTAL FOR AGE GROUP	64	34	30				27.8	28.6	26.9
AGE: 15 TO 24 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	80	66	14	1	1	1	40.6	66.8	14.3
SUICIDE (E950-E959)	29	25	4	2	2	2	14.7	25.3	###
MALIGNANT NEOPLASMS (140-208)	9	6	3	3	3	3	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	7	4	3	4	4	3	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	2	2	0	5	5	7	###	###	###
HEART DISEASE (390-398,402,404-429)	1	1	0	6	6	7	###	###	###
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	1	0	1	7	7	5	###	###	###
CONGENITAL ANOMALIES (740-759)	1	0	1	8	7	5	###	###	###
TOTAL FOR AGE GROUP	143	112	31				72.6	113.3	31.6

NOTES: BASED ON MAINE 1985 PROVISIONAL POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

	***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF	DEATHS		TOTAL	MALE	FEMALE
AGE: 25 TO 34 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	66	58	8	1	1	2	34.3	60.2	###
SUICIDE (E950-E959)	42	34	8	2	2	2	21.8	35.3	###
MALIGNANT NEOPLASMS (140-208)	31	15	16	3	3	1	16.1	15.6	16.6
HEART DISEASE (390-398, 402, 404-429)	13	9	4	4	4	4	6.7	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	9	5	4	5	5	4	###	###	###
BENIGN NEOPLASMS (210-239)	5	4	1	6	6	7	###	###	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	5	4	1	7	6	7	###	###	###
CEREBROVASCULAR DISEASE (430-438)	3	1	2	8	10	6	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	2	2	0	9	8	11	###	###	###
DIABETES MELLITUS (250)	2	2	0	10	8	11	###	###	###
TOTAL FOR AGE GROUP	207	150	57				107.4	155.6	59.2
AGE: 35 TO 44 YEARS									
MALIGNANT NEOPLASMS (140-208)	66	32	34	1	3	1	42.6	43.2	42.0
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	50	41	9	2	1	2	32.3	55.3	###
HEART DISEASE (390-398, 402, 404-429)	48	39	9	3	2	2	31.0	52.6	###
SUICIDE (E950-E959)	24	16	8	4	4	4	15.5	21.6	###
INFECTIOUS & PARASITIC DISEASES (001-139)	8	4	4	5	6	5	###	###	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	8	5	3	6	5	6	###	###	###
PNEUMONIA & INFLUENZA (480-487)	5	2	3	7	10	6	###	###	###
DIABETES MELLITUS (250)	4	4	0	8	6	13	###	###	###
CONGENITAL ANOMALIES (740-759)	4	2	2	9	10	8	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	4	3	1	10	8	9	###	###	###
TOTAL FOR AGE GROUP	250	168	82				161.3	226.8	101.4

NOTES: BASED ON MAINE 1985 PROVISIONAL POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

	***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF DEATHS	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 45 TO 64 YEARS									
CAUSE OF DEATH									
MALIGNANT NEOPLASMS (140-208)	719	377	342	1	2	1	329.4	368.8	294.7
HEART DISEASE (390-398, 402, 404-429)	645	466	179	2	1	2	295.5	455.9	154.3
CEREBROVASCULAR DISEASE (430-438)	73	41	32	3	5	3	33.4	40.1	27.6
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	63	47	16	4	3	5	28.9	46.0	13.8
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	59	43	16	5	4	5	27.0	42.1	13.8
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	50	34	16	6	6	5	22.9	33.3	13.8
SUICIDE (E950-E959)	37	29	8	7	7	9	17.0	28.4	###
DIABETES MELLITUS (250)	34	16	18	8	8	4	15.6	15.7	15.5
PNEUMONIA & INFLUENZA (480-487)	21	11	10	9	9	8	9.6	10.8	8.6
INFECTIOUS & PARASITIC DISEASES (001-139)	14	8	6	10	10	10	6.4	###	###
TOTAL FOR AGE GROUP	1,927	1,196	731				282.9	1,170.1	630.0
AGE: 65 TO 74 YEARS									
HEART DISEASE (390-398, 402, 404-429)	1,011	618	393	1	1	1	1,163.9	1,952.5	711.8
MALIGNANT NEOPLASMS (140-208)	810	489	321	2	2	2	932.5	1,544.9	581.4
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	167	127	40	3	3	4	192.3	401.2	72.4
CEREBROVASCULAR DISEASE (430-438)	132	63	69	4	4	3	152.0	199.0	125.0
DIABETES MELLITUS (250)	48	20	28	5	8	5	55.3	63.2	50.7
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	43	24	19	6	6	6	49.5	75.8	34.4
PNEUMONIA & INFLUENZA (480-487)	42	34	8	7	5	11	48.4	107.4	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	36	24	12	8	6	8	41.4	75.8	21.7
INFECTIOUS & PARASITIC DISEASES (001-139)	28	13	15	9	11	7	32.2	41.1	27.2
ATHEROSCLEROSIS (440)	26	16	10	10	9	9	29.9	50.5	18.1
TOTAL FOR AGE GROUP	2,667	1,618	1,049				3,070.2	5,111.8	1,899.9

NOTES: BASED ON MAINE 1985 PROVISIONAL POPULATION ESTIMATES.

THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

	***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF	DEATHS		TOTAL	MALE	FEMALE
AGE: 75 TO 84 YEARS									
CAUSE OF DEATH									
HEART DISEASE (390-398, 402, 404-429)	1,349	638	711	1	1	1	2,722.6	3,533.8	2,257.6
MALIGNANT NEOPLASMS (140-208)	673	356	307	2	2	2	1,358.3	2,027.3	974.8
CEREBROVASCULAR DISEASE (430-438)	277	121	156	3	4	3	559.1	670.2	495.3
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	204	136	68	4	3	4	411.7	753.3	215.9
PNEUMONIA & INFLUENZA (480-487)	106	61	45	5	5	5	213.9	337.9	142.9
DIABETES MELLITUS (250)	65	37	29	6	6	6	133.2	204.9	92.1
ATHEROSCLEROSIS (440)	54	26	28	7	8	7	109.0	144.0	88.9
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	52	34	18	8	7	9	104.9	188.3	57.2
INFECTIOUS & PARASITIC DISEASES (001-139)	36	14	22	9	10	8	72.7	77.5	69.9
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	28	12	16	10	11	10	56.5	66.5	50.8
TOTAL FOR AGE GROUP	3,304	1,675	1,629				6,668.3	9,277.7	5,172.4
AGE: 85 YEARS AND OLDER									
HEART DISEASE (390-398, 402, 404-429)	1,229	373	856	1	1	1	7,217.1	8,841.0	6,682.3
CEREBROVASCULAR DISEASE (430-438)	294	83	206	2	3	2	1,726.5	2,095.8	1,608.1
MALIGNANT NEOPLASMS (140-208)	268	106	162	3	2	3	1,573.8	2,512.4	1,264.6
PNEUMONIA & INFLUENZA (480-487)	171	57	114	4	4	4	1,004.2	1,351.0	889.9
ATHEROSCLEROSIS (440)	112	29	83	5	6	5	657.7	687.4	647.9
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	90	56	34	6	5	6	528.5	1,327.3	265.4
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	41	15	26	7	7	7	240.8	355.5	203.0
DIABETES MELLITUS (250)	36	11	25	8	10	8	211.4	260.7	195.2
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	35	15	20	9	7	9	205.5	355.5	156.1
INFECTIOUS & PARASITIC DISEASES (001-139)	32	15	17	10	7	10	187.9	355.5	132.7
TOTAL FOR AGE GROUP	2,620	883	1,797				15,737.9	20,929.1	14,028.1

NOTES: BASED ON MAINE 1985 PROVISIONAL POPULATION ESTIMATES.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-2 YEARS OF LIFE LOST - NUMBER, PERCENT, RANK, AND AVERAGE PER DEATH BY 32 CAUSE OF DEATH GROUPS AND SEX
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH	**YEARS OF LIFE LOST**			PERCENT YEARS OF LIFE LOST			RANK BY YEARS OF LIFE LOST			AVERAGE YEARS OF LIFE LOST PER DEATH		
	TOTAL	MALE	FEMALE	TOT.	MALE	FEM.	TOT.	MALE	FEM.	TOT.	MALE	FEM.
HEART DISEASE (390-398,402,404-429)	47,146	24,681	22,465	29.4	29.0	29.9	1	1	1	11	11	10
MALIGNANT NEOPLASMS (140-208)	38,157	18,228	19,929	23.8	21.5	26.5	2	2	2	15	13	17
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	14,480	10,641	3,839	9.0	12.5	5.1	3	3	4	34	35	31
CEREBROVASCULAR DISEASE (430-438)	7,792	3,133	4,659	4.9	3.7	6.2	4	6	3	10	10	10
SUICIDE (E950-E959)	5,561	4,212	1,349	3.5	5.0	1.8	5	4	9	34	33	36
PERINATAL CONDITIONS (760-779)	5,456	2,882	2,574	3.4	3.4	3.4	6	7	5	73	69	78
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	5,425	3,568	1,857	3.4	4.2	2.5	7	5	6	10	10	12
CONGENITAL ANOMALIES (740-759)	3,549	1,890	1,659	2.2	2.2	2.2	8	8	8	60	59	61
PNEUMONIA & INFLUENZA (480-487)	3,192	1,474	1,718	2.0	1.7	2.3	9	10	7	9	9	9
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2,428	1,557	871	1.5	1.8	1.2	10	9	13	18	18	20
DIABETES MELLITUS (250)	2,365	1,088	1,277	1.5	1.3	1.7	11	11	10	12	12	13
INFECTIOUS & PARASITIC DISEASES (001-139)	1,959	890	1,069	1.2	1.0	1.4	12	13	11	16	15	16
OTHER DIS. OF ARTERIES, ARTERIOLES, AND CAPIL. (441-448)	1,807	953	854	1.1	1.1	1.1	13	12	14	11	10	13
ATHEROSCLEROSIS (440)	1,468	545	923	0.9	0.6	1.2	14	16	12	7	7	8
HOMICIDE & LEGAL INTERVENTION (E960-E978)	1,096	603	493	0.7	0.7	0.7	15	15	16	38	38	38
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	927	375	552	0.6	0.4	0.7	16	17	15	11	10	11
BENIGN NEOPLASMS (210-239)	865	650	215	0.5	0.8	0.3	17	14	19	20	22	14
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	492	137	355	0.3	0.2	0.5	18	19	17	12	9	14
HYPERTENSION (401,403)	380	73	307	0.2	0.1	0.4	19	21	18	10	7	11
ULCER OF STOMACH & DUODENUM (531-533)	363	160	203	0.2	0.2	0.3	20	18	20	11	12	10
ANEMIAS (280-285)	235	61	174	0.1	0.1	0.2	21	23	21	14	10	16
NUTRITIONAL DEFICIENCIES (260-269)	208	35	173	0.1	0.0	0.2	22	24	22	8	6	9
KIDNEY INFECTIONS (590)	184	101	83	0.1	0.1	0.1	23	20	24	10	10	10
MENINGITIS (320-322)	114	14	100	0.1	0.0	0.1	24	27	23	29	14	33
CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS (574-575)	108	63	45	0.1	0.1	0.1	25	22	25	8	8	8
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	41	20	21	0.0	0.0	0.0	26	26	26	7	7	7
APPENDICITIS (540-543)	22	22	0	0.0	0.0	0.0	27	25	27	22	22	0
ALL OTHER EXTERNAL CAUSES (E980-E999)	311	311	0	0.2	0.4	0.0				52	52	0
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	2,540	1,249	1,291	1.6	1.5	1.7				34	34	34
ALL OTHER CAUSES (RESIDUAL)	11,425	5,354	6,071	7.1	6.3	8.1				13	13	13
ALL CAUSES	160,096	84,970	75,126	100.	100.	100.				14	14	14

NOTES: PERCENTAGES MAY NOT ADD TO 100.0 DUE TO ROUNDING.
SEE TEXT FOR METHOD OF COMPUTING YEARS OF LIFE LOST.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF OATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1995 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
***** AGE AT DEATH(YRS.) *****																	
INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)																	
FEMALE	2	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	2	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
ILL-DEFINED INTESTINAL INFECTIONS (009)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)																	
MALE	5	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	2
FEMALE	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0
TOTALS	7	0	0	0	0	0	0	0	0	1	1	1	1	1	0	0	2
MENINGOCOCCAL INFECTION (036)																	
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
FEMALE	2	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	3	0	1	0	0	1	0	0	0	0	0	0	0	1	0	0	0
SEPTICEMIA (038)																	
MALE	31	0	0	0	1	0	0	0	1	0	0	0	8	1	5	7	8
FEMALE	37	0	0	0	0	0	0	0	2	0	1	2	3	4	7	7	11
TOTALS	68	0	0	0	1	0	0	0	3	0	1	2	11	5	12	14	19
ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2
FEMALE	9	0	0	0	0	0	0	0	0	0	0	1	0	0	2	3	3
TOTALS	12	0	0	0	0	0	0	0	0	0	0	1	1	0	2	3	5
ACUTE POLIOMYELITIS (045)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
MEASLES (055)																	
FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
VIRAL HEPATITIS (070)																	
MALE	3	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	4	0	0	0	0	0	0	1	2	0	1	0	0	0	0	0	0
OTHER VIRAL DISEASES (046-049,051-054,057-061,065,066,071-079)																	
MALE	9	0	0	0	0	0	0	0	0	0	2	1	0	2	1	1	2
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	3
TOTALS	15	0	0	0	0	0	0	0	0	0	2	1	0	5	1	1	5
MYCOSES (110-118)																	
MALE	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
TOTALS	4	0	0	0	0	0	0	0	1	0	1	0	1	0	1	0	0
LATE EFFECTS OF TUBERCULOSIS (137)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
LATE EFFECTS OF ACUTE POLIOMYELITIS (138)																	
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (100-104, 130-136, 139)																	
MALE	3	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0
FEMALE	2	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	5	0	1	0	0	0	1	1	1	0	0	0	0	0	1	0	0
MALIGNANT NEOPLASMS OF: TONGUE (141)																	
MALE	12	0	0	0	0	0	0	0	2	1	0	3	2	4	0	0	0
FEMALE	6	0	0	0	0	0	0	0	0	1	1	0	0	0	1	3	0
TOTALS	18	0	0	0	0	0	0	0	2	2	1	3	2	4	1	3	0
MALIGNANT NEOPLASMS OF: PHARYNX (146-149.0)																	
MALE	12	0	0	0	0	0	0	0	0	1	1	4	2	3	1	0	0
FEMALE	6	0	0	0	0	0	0	0	0	1	0	2	1	2	0	0	0
TOTALS	18	0	0	0	0	0	0	0	0	2	1	6	3	5	1	0	0
MALIGNANT NEOPLASMS OF: OTHER SITES WITHIN THE LIP, ORAL CAVITY AND PHARYNX (142-145, 149.1-149.9)																	
MALE	10	0	0	0	0	0	0	0	0	1	0	0	4	2	3	0	0
FEMALE	5	0	0	0	0	0	0	0	0	0	0	1	1	0	0	2	1
TOTALS	15	0	0	0	0	0	0	0	0	1	0	1	5	2	3	2	1
MALIGNANT NEOPLASMS OF: ESOPHAGUS (150)																	
MALE	40	0	0	0	0	0	0	0	0	4	3	7	7	8	7	3	1
FEMALE	9	0	0	0	0	0	0	0	0	0	2	0	1	1	2	1	2
TOTALS	49	0	0	0	0	0	0	0	0	4	5	7	8	9	9	4	3
MALIGNANT NEOPLASMS OF: STOMACH (151)																	
MALE	44	0	0	0	0	0	0	0	1	4	2	5	8	7	8	5	4
FEMALE	34	0	0	0	0	0	0	0	0	3	4	3	2	7	4	5	6
TOTALS	78	0	0	0	0	0	0	0	1	7	6	8	10	14	12	10	10
MALIGNANT NEOPLASMS OF: SMALL INTESTINE, INCLUDING DUODENUM (152)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
TOTALS	5	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0	1
MALIGNANT NEOPLASMS OF: HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0, 153.1, 153.7)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	4	0	0	0	0	0	0	0	0	2	0	0	1	0	1	0	0
TOTALS	5	0	0	0	0	0	0	0	0	2	0	0	1	0	1	1	0
MALIGNANT NEOPLASMS OF: DESCENDING COLON (153.2)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
MALIGNANT NEOPLASMS OF: SIGMOID COLON (153.3)																	
MALE	8	0	0	0	0	0	0	0	0	0	2	1	0	2	1	1	1
FEMALE	9	0	0	0	0	0	0	0	0	1	1	0	1	1	2	2	1
TOTALS	17	0	0	0	0	0	0	0	0	1	3	1	1	3	3	3	2
MALIGNANT NEOPLASMS OF: CECUM, APPENDIX AND ASCENDING COLON (153.4-153.6)																	
MALE	7	0	0	0	0	0	0	0	0	2	0	0	1	2	1	0	1
FEMALE	8	0	0	0	0	0	0	0	0	1	0	0	0	0	3	3	1
TOTALS	15	0	0	0	0	0	0	0	0	3	0	0	1	2	4	3	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)																	OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84			
(CONT.)																			
MALIGNANT NEOPLASMS OF: OTHER AND COLON, UNSPECIFIED (153.8-153.9)																			
MALE	103	0	0	0	0	0	0	1	1	7	6	11	18	17	20	11	11		
FEMALE	130	0	0	0	0	0	0	0	1	5	17	10	14	15	17	20	31		
TOTALS	233	0	0	0	0	0	0	1	2	12	23	21	32	32	37	31	42		
MALIGNANT NEOPLASMS OF: RECTUM, RECTOSIGMOID JUNCTION AND ANUS (154)																			
MALE	42	0	0	0	0	0	0	0	0	1	2	5	9	6	7	8	4		
FEMALE	27	0	0	0	0	0	0	0	0	1	1	1	3	5	5	2	9		
TOTALS	69	0	0	0	0	0	0	0	0	2	3	6	12	11	12	10	13		
MALIGNANT NEOPLASMS OF: LIVER, PRIMARY (155.0)																			
MALE	8	0	0	0	0	0	0	0	0	0	1	1	3	3	0	0	0		
FEMALE	3	0	0	0	0	0	0	1	0	0	0	1	0	0	1	0	0		
TOTALS	11	0	0	0	0	0	0	1	0	0	1	2	3	3	1	0	0		
MALIGNANT NEOPLASMS OF: INTRAHEPATIC BILE DUCTS (155.1)																			
MALE	4	0	0	0	0	0	0	0	0	0	1	0	0	1	1	1	0		
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	3	1	1	0		
TOTALS	9	0	0	0	0	0	0	0	0	0	1	0	0	4	2	2	0		
MALIGNANT NEOPLASMS OF: LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)																			
MALE	4	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	0		
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	1	2	2	1	0		
TOTALS	10	0	0	0	0	0	0	0	0	0	1	1	2	2	3	1	0		
MALIGNANT NEOPLASMS OF: GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)																			
MALE	4	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	1		
FEMALE	14	0	0	0	0	0	0	0	0	0	1	0	2	0	3	3	5		
TOTALS	18	0	0	0	0	0	0	0	0	0	1	2	2	1	3	3	6		
MALIGNANT NEOPLASMS OF: PANCREAS (157)																			
MALE	64	0	0	0	0	0	0	0	1	1	10	10	10	11	12	6	3		
FEMALE	67	0	0	0	0	0	0	0	0	5	5	10	10	11	8	11	7		
TOTALS	131	0	0	0	0	0	0	0	1	6	15	20	20	22	20	17	10		
MALIGNANT NEOPLASMS OF: RETROPERITONEUM, PERITONEUM AND OTHER SITES WITHIN THE DIGESTIVE ORGANS (158-159)																			
MALE	14	0	0	0	0	0	0	0	0	0	3	0	1	4	5	0	1		
FEMALE	18	0	0	0	0	0	0	0	0	0	0	1	3	1	1	7	5		
TOTALS	32	0	0	0	0	0	0	0	0	0	3	1	4	5	6	7	6		
MALIGNANT NEOPLASMS OF: LARYNX (161)																			
MALE	14	0	0	0	0	0	0	0	0	1	2	3	5	0	2	1	0		
FEMALE	5	0	0	0	0	0	0	0	0	0	1	1	1	1	0	1	0		
TOTALS	19	0	0	0	0	0	0	0	0	1	3	4	6	1	2	2	0		
MALIGNANT NEOPLASMS OF: TRACHEA, BRONCHUS, AND LUNG (162)																			
MALE	469	0	0	0	0	0	0	0	11	29	36	71	77	106	75	36	28		
FEMALE	201	0	0	0	0	0	0	2	7	29	18	36	31	30	24	15	9		
TOTALS	670	0	0	0	0	0	0	2	18	58	54	107	108	136	99	51	37		
MALIGNANT NEOPLASMS OF: ALL OTHER SITES WITHIN THE RESPIRATORY SYSTEM & INTRATHORACIC ORGANS (160,163-165)																			
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0		
TOTALS	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0		

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX		TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
			UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																			
MALIGNANT NEOPLASMS OF: BONE AND ARTICULAR CARTILAGE (170)																			
FEMALE		4	0	0	0	1	0	0	1	0	0	0	0	0	2	0	0	0	
TOTALS		4	0	0	0	1	0	0	1	0	0	0	0	0	2	0	0	0	
MALIGNANT NEOPLASMS OF: CONNECTIVE AND OTHER SOFT TISSUE (171)																			
MALE		5	0	0	0	0	0	0	1	0	0	0	0	0	2	1	1	0	
FEMALE		8	0	0	1	0	0	0	0	0	1	0	0	1	3	1	0	1	
TOTALS		13	0	0	1	0	0	0	1	0	1	0	0	1	5	2	1	1	
MALIGNANT NEOPLASMS OF: MELANOMA OF SKIN (172)																			
MALE		17	0	0	0	0	0	0	2	0	4	1	2	3	0	2	2	1	
FEMALE		10	0	0	0	0	0	0	1	3	0	0	1	2	0	1	1	1	
TOTALS		27	0	0	0	0	0	0	3	3	4	1	3	5	0	3	3	2	
MALIGNANT NEOPLASMS OF: OTHER MALIGNANT NEOPLASM OF SKIN (173)																			
FEMALE		1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
TOTALS		1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
MALIGNANT NEOPLASMS OF: FEMALE BREAST (174)																			
FEMALE		217	0	0	0	0	0	0	3	11	30	13	36	31	25	27	11	30	
TOTALS		217	0	0	0	0	0	0	3	11	30	13	36	31	25	27	11	30	
MALIGNANT NEOPLASMS OF: MALE BREAST (175)																			
MALE		4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	
TOTALS		4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	
MALIGNANT NEOPLASMS OF: CERVIX UTERI (180)																			
FEMALE		22	0	0	0	0	0	0	1	3	2	1	2	4	2	2	2	3	
TOTALS		22	0	0	0	0	0	0	1	3	2	1	2	4	2	2	2	3	
MALIGNANT NEOPLASMS OF: OTHER PARTS OF UTERUS (179,181-182)																			
FEMALE		37	0	0	0	0	0	0	0	0	0	1	7	7	8	4	4	6	
TOTALS		37	0	0	0	0	0	0	0	0	0	1	7	7	8	4	4	6	
MALIGNANT NEOPLASMS OF: OVARY AND OTHER UTERINE ADNEXA (183)																			
FEMALE		69	0	0	0	0	0	0	0	3	9	9	11	10	8	6	11	2	
TOTALS		69	0	0	0	0	0	0	0	3	9	9	11	10	8	6	11	2	
MALIGNANT NEOPLASMS OF: OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)																			
FEMALE		4	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	1	
TOTALS		4	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	1	
MALIGNANT NEOPLASMS OF: PROSTATE (185)																			
MALE		141	0	0	0	0	0	0	0	0	2	3	7	13	28	36	24	28	
TOTALS		141	0	0	0	0	0	0	0	0	2	3	7	13	28	36	24	28	
MALIGNANT NEOPLASMS OF: TESTIS (186)																			
MALE		4	0	0	0	0	0	0	2	1	0	1	0	0	0	0	0	0	
TOTALS		4	0	0	0	0	0	0	2	1	0	1	0	0	0	0	0	0	
MALIGNANT NEOPLASMS OF: PENIS AND OTHER MALE GENITAL ORGANS (187)																			
MALE		2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	
TOTALS		2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	
MALIGNANT NEOPLASMS OF: BLADDER (188)																			
MALE		37	0	0	0	0	0	0	0	1	2	4	2	5	5	9	6	3	
FEMALE		15	0	0	0	0	0	0	0	0	1	2	0	1	1	2	1	7	
TOTALS		52	0	0	0	0	0	0	0	1	3	6	2	6	6	11	7	10	
MALIGNANT NEOPLASMS OF: KIDNEY AND OTHER UNSPECIFIED URINARY ORGANS (189)																			
MALE		33	0	0	0	0	0	0	0	0	5	7	5	9	5	1	1	0	
FEMALE		27	0	0	0	0	0	0	1	1	1	2	2	6	4	4	4	2	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1995 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	60	0	0	0	0	0	0	1	1	6	9	7	15	9	5	5	2
MALIGNANT NEOPLASMS OF: EYE (190)																	
MALE	2	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	3	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	1
MALIGNANT NEOPLASMS OF: BRAIN (191)																	
MALE	38	0	0	0	0	0	0	3	5	5	7	8	2	6	0	2	0
FEMALE	23	0	0	0	0	1	0	1	0	0	3	5	4	3	3	2	1
TOTALS	61	0	0	0	0	1	0	4	5	5	10	13	6	9	3	4	1
MALIGNANT NEOPLASMS OF: THYROID GLAND, OTHER ENDOCRINE GLANDS, RELATED STRUCTURES (193-194)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
FEMALE	4	0	1	0	0	0	0	1	0	0	0	0	0	1	0	0	1
TOTALS	6	0	1	0	0	0	0	1	0	0	0	0	1	1	1	0	1
MALIGNANT NEOPLASMS OF: ALL OTHER AND UNSPECIFIED SITES (195-199)																	
MALE	109	0	0	0	0	0	0	1	5	7	4	17	25	14	23	9	4
FEMALE	82	0	0	0	0	0	0	1	2	2	3	15	7	10	15	15	12
TOTALS	191	0	0	0	0	0	0	2	7	9	7	32	32	24	38	24	16
LYMPHOSARCOMA AND RETICULOSARCOMA (200)																	
MALE	14	0	0	0	0	0	0	0	0	2	1	0	5	2	0	4	0
FEMALE	20	0	0	0	0	0	0	0	1	1	2	3	4	1	3	2	3
TOTALS	34	0	0	0	0	0	0	0	1	3	3	3	9	3	3	6	3
HODGKIN'S DISEASE (201)																	
MALE	11	0	0	0	0	0	1	2	1	2	1	1	2	1	0	0	0
FEMALE	4	0	0	0	0	0	0	1	0	0	0	1	0	1	0	1	0
TOTALS	15	0	0	0	0	0	1	3	1	2	1	2	2	2	0	1	0
OTHER MALIGNANT NEOPLASM OF LYMPHOID AND HISTIOCYTIC TISSUE (202)																	
MALE	29	0	0	0	0	0	0	0	0	4	5	4	5	3	3	3	2
FEMALE	24	0	0	0	0	0	0	1	0	2	0	1	4	4	4	6	2
TOTALS	53	0	0	0	0	0	0	1	0	6	5	5	9	7	7	9	4
MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)																	
MALE	17	0	0	0	0	0	0	0	0	0	1	2	3	2	4	3	2
FEMALE	14	0	0	0	0	0	0	0	0	0	1	1	2	3	4	2	1
TOTALS	31	0	0	0	0	0	0	0	0	0	2	3	5	5	8	5	3
LYMPHOID LEUKEMIA (204)																	
MALE	12	0	0	0	0	0	0	1	0	0	1	1	2	1	1	1	4
FEMALE	10	0	0	0	0	0	1	0	0	0	0	0	1	1	1	1	5
TOTALS	22	0	0	0	0	0	1	1	0	0	1	1	3	2	2	2	9
MYELOID LEUKEMIA (205)																	
MALE	26	0	0	0	0	0	1	1	3	0	3	1	7	4	3	2	1
FEMALE	24	0	0	0	0	1	0	1	2	3	1	0	2	2	4	4	4
TOTALS	50	0	0	0	0	1	1	2	5	3	4	1	9	6	7	6	5
MONOCYTIC LEUKEMIA (206)																	
MALE	4	0	0	0	0	0	0	1	0	0	0	1	0	0	2	0	0
TOTALS	4	0	0	0	0	0	0	1	0	0	0	1	0	0	2	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
OTHER AND UNSPECIFIED LEUKEMIA (207-208)																		
MALE	19	0	0	0	0	3	0	0	0	2	0	3	0	4	0	3	4	
FEMALE	8	0	0	0	0	0	0	0	0	0	0	1	0	1	1	4	1	
TOTALS	27	0	0	0	0	3	0	0	0	2	0	4	0	5	1	7	5	
BENIGN NEOPLASMS OF EYE, BRAIN AND OTHER PARTS OF NERVOUS SYSTEM (224-225)																		
MALE	3	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	
TOTALS	3	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	
BENIGN NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	
NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)																		
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	
FEMALE	4	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	1	
TOTALS	7	0	0	0	0	0	0	0	0	1	0	0	0	0	2	1	3	
NEOPLASMS OF UNSPECIFIED NATURE (239)																		
MALE	21	1	2	0	0	0	0	4	1	0	2	3	2	1	2	2	1	
FEMALE	10	0	0	0	0	0	0	1	0	0	1	1	0	1	1	2	3	
TOTALS	31	1	2	0	0	0	0	5	1	0	3	4	2	2	3	4	4	
DISORDERS OF THYROID GLAND (240-246)																		
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	
FEMALE	4	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	1	
TOTALS	7	0	0	0	0	0	0	0	0	1	0	1	1	1	0	1	2	
DIABETES MELLITUS (250)																		
MALE	90	0	0	0	0	0	0	2	4	5	1	10	10	10	23	14	11	
FEMALE	100	0	0	0	0	0	0	0	0	2	6	10	14	14	15	13	25	
TOTALS	190	0	0	0	0	0	0	2	4	7	7	20	24	24	39	27	36	
DISORDERS OF ADRENAL GLANDS (255)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	
CYSTIC FIBROSIS (277.0)																		
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
FEMALE	4	1	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	
TOTALS	5	1	1	1	0	0	1	1	0	0	0	0	0	0	0	0	0	
OBESITY (278.0)																		
MALE	4	0	0	0	0	0	0	0	1	2	0	0	1	0	0	0	0	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	2	3	0	0	0	
TOTALS	9	0	0	0	0	0	0	0	1	2	0	0	3	3	0	0	0	
ALL OTHER ENDOCRINE, METABOLIC DISEASES & IMMUNITY DISORD. (251-252,256-259,270,276,277.1-277.9,278.1-279)																		
MALE	27	2	0	0	0	0	1	3	3	3	3	1	2	6	1	2	0	
FEMALE	15	1	0	0	0	0	0	1	0	2	0	2	0	0	1	4	4	
TOTALS	42	3	0	0	0	0	1	4	3	5	3	3	2	6	2	6	4	
NUTRITIONAL MARASMUS (261)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
OTHER PROTEIN-CALORIE MALNUTRITION (262-263)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3
FEMALE	18	0	0	0	0	0	0	0	0	1	0	0	1	1	1	4	10
TOTALS	23	0	0	0	0	0	0	0	0	1	0	0	1	2	1	5	13
ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
DEFICIENCY ANEMIAS (280-281)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
HEMOLYTIC ANEMIAS (282-283)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
FEMALE	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	3	0	1	0	0	0	0	0	0	0	0	1	0	0	0	1	0
APLASTIC ANEMIA (284)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1
FEMALE	3	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	1
TOTALS	6	0	0	0	0	0	0	0	0	1	0	1	2	0	0	0	2
OTHER AND UNSPECIFIED ANEMIAS (285)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5
TOTALS	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	6
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	5	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	1
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)																	
MALE	11	0	1	0	0	0	0	0	0	1	0	0	2	2	3	1	1
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	1
TOTALS	16	0	1	0	0	0	0	0	0	1	0	0	3	2	5	2	2
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)																	
MALE	9	0	0	0	0	0	0	0	0	0	0	0	1	0	3	3	2
FEMALE	27	0	0	0	0	0	0	0	0	0	0	0	1	1	1	5	19
TOTALS	36	0	0	0	0	0	0	0	0	0	0	0	2	1	4	8	21
ALCOHOLIC PSYCHOSES (291)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
ALL OTHER PSYCHOSES (292-299)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	6
TOTALS	14	0	0	0	0	0	0	0	0	0	0	0	0	2	1	4	7
ALCOHOL DEPENDENCE SYNDROME (303)																	
MALE	18	0	0	0	0	0	0	0	1	9	1	1	3	2	1	0	0
FEMALE	6	0	0	0	0	0	0	1	0	1	0	0	2	1	0	1	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	24	0	0	0	0	0	0	1	1	10	1	1	5	3	1	1	0
OTHER NEUROTIC, PERSONALITY AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)																	
MALE	10	0	0	0	0	0	1	0	1	1	0	0	0	2	2	1	2
FEMALE	24	0	0	0	0	0	1	2	0	0	0	2	0	0	4	4	11
TOTALS	34	0	0	0	0	0	2	2	1	1	0	2	0	2	6	5	13
MENTAL RETARDATION (317-319)																	
MALE	3	0	0	0	0	0	0	2	0	0	0	0	1	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	4	0	0	0	0	0	0	2	0	0	0	0	2	0	0	0	0
MENINGITIS (320-322)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	3	1	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
TOTALS	4	1	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0
PARKINSON'S DISEASE (332)																	
MALE	23	0	0	0	0	0	0	0	0	0	0	1	2	1	7	7	5
FEMALE	19	0	0	0	0	0	0	0	0	0	0	0	2	2	3	7	5
TOTALS	42	0	0	0	0	0	0	0	0	0	0	1	4	3	10	14	10
OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)																	
MALE	55	0	0	0	0	0	0	0	1	2	2	2	9	8	11	9	11
FEMALE	96	0	1	0	0	0	0	1	0	4	1	4	8	8	15	18	36
TOTALS	151	0	1	0	0	0	0	1	1	6	3	6	17	16	26	27	47
MULTIPLE SCLEROSIS (340)																	
MALE	7	0	0	0	0	0	0	0	1	2	2	0	2	0	0	0	0
FEMALE	8	0	0	0	0	0	0	0	0	0	1	3	1	0	2	1	0
TOTALS	15	0	0	0	0	0	0	0	1	2	3	3	3	0	2	1	0
EPILEPSY (345)																	
MALE	4	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1	1
FEMALE	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
TOTALS	6	0	0	0	0	0	0	1	2	0	0	0	0	0	1	1	1
OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)																	
MALE	13	0	1	0	0	1	0	1	1	1	0	1	3	3	1	0	0
FEMALE	12	0	0	0	0	0	1	0	0	0	3	1	0	0	4	1	2
TOTALS	25	0	1	0	0	1	1	1	1	1	3	2	3	3	5	1	2
DISORDERS OF THE EYE AND ADNEXA (360-379)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
DISEASES OF THE EAR AND MASTOID PROCESS (380-389)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
DISEASES OF MITRAL VALVE (394)																	
MALE	5	0	0	0	0	0	0	1	1	0	0	0	0	0	2	0	1
FEMALE	11	0	0	0	0	0	0	0	0	0	0	2	3	4	0	2	0
TOTALS	16	0	0	0	0	0	0	1	1	0	0	2	3	4	2	2	1
DISEASE OF AORTIC VALVE (395)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	80	1	0	0	0	0	0	2	2	4	2	6	10	8	11	19	15
ACUTE AND SUBACUTE ENDOCARDITIS (421)																	
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
ACUTE PERICARDITIS, ACUTE MYOCARDITIS AND OTHER DISEASES OF PERICARDIUM (420,422-423)																	
MALE	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
MITRAL VALVE DISORDERS (424.0)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0
TOTALS	8	0	0	0	0	0	0	0	0	0	0	0	1	2	3	1	1
AORTIC VALVE DISORDERS (424.1)																	
MALE	19	0	0	0	0	0	0	0	1	1	1	2	1	2	4	6	1
FEMALE	25	0	0	0	0	0	0	0	0	0	0	1	0	4	6	7	7
TOTALS	44	0	0	0	0	0	0	0	1	1	1	3	1	6	10	13	8
ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
FEMALE	10	0	0	0	0	0	0	0	0	1	1	0	0	4	1	0	3
TOTALS	11	0	0	0	0	0	0	0	0	1	1	0	0	5	1	0	3
HEART FAILURE (428)																	
MALE	75	0	0	1	0	0	0	0	0	1	0	2	5	8	13	19	26
FEMALE	113	0	0	0	0	0	0	0	0	0	0	1	3	9	18	18	64
TOTALS	188	0	0	1	0	0	0	0	0	1	0	3	8	17	31	37	90
MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)																	
MALE	3	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	2
FEMALE	6	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	4
TOTALS	9	0	0	0	0	0	0	2	0	0	0	0	0	0	0	1	6
ALL OTHER FORMS OF HEART DISEASE (425-427,429.2-429.9)																	
MALE	324	2	0	0	0	0	0	2	6	22	15	26	36	59	40	46	70
FEMALE	361	0	0	1	0	0	0	1	2	5	9	19	21	28	52	52	171
TOTALS	685	2	0	1	0	0	0	3	8	27	24	45	57	87	92	98	241
SUBARACHNOID HEMORRHAGE (430)																	
MALE	9	0	0	0	1	0	0	1	2	2	1	0	1	0	1	0	0
FEMALE	16	1	0	0	0	0	0	1	0	1	1	3	1	3	2	2	1
TOTALS	25	1	0	0	1	0	0	2	2	3	2	3	2	3	3	2	1
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)																	
MALE	43	1	0	0	0	0	0	0	0	4	2	2	3	8	10	7	6
FEMALE	68	0	0	0	0	0	0	0	0	0	4	5	4	13	9	19	14
TOTALS	111	1	0	0	0	0	0	0	0	4	6	7	7	21	19	26	20
OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1
FEMALE	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1
TOTALS	7	0	0	0	0	0	0	0	0	1	0	1	0	0	0	3	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)																		
MALE	36	0	0	0	0	0	0	0	0	2	4	1	3	9	3	7	7	
FEMALE	57	0	0	0	0	0	0	0	0	1	0	3	2	5	8	8	30	
TOTALS	93	0	0	0	0	0	0	0	0	3	4	4	5	14	11	15	37	
CEREBRAL EMBOLISM (434.1)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	
FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	
TOTALS	4	0	0	0	0	0	0	0	0	1	0	0	1	1	0	1	0	
ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)																		
MALE	188	0	0	0	0	0	0	0	1	5	4	10	18	15	48	27	60	
FEMALE	265	0	0	0	1	0	0	0	0	4	2	5	13	25	37	50	128	
TOTALS	453	0	0	0	1	0	0	0	1	9	6	15	31	40	85	77	188	
OTHER CEREBROVASCULAR DISEASE (435,437-438)																		
MALE	37	0	0	0	0	0	0	0	0	2	0	1	0	5	9	6	14	
FEMALE	56	0	0	0	0	0	0	1	0	0	0	1	0	2	12	8	32	
TOTALS	93	0	0	0	0	0	0	1	0	2	0	2	0	7	21	14	46	
ATHEROSCLEROSIS (440)																		
MALE	74	0	0	0	0	0	0	0	0	1	0	2	6	10	5	21	29	
FEMALE	122	0	0	0	0	0	0	0	0	0	0	1	6	4	13	15	83	
TOTALS	196	0	0	0	0	0	0	0	0	1	0	3	12	14	18	36	112	
AORTIC ANEURYSM (441)																		
MALE	68	0	0	0	0	1	0	1	0	0	3	4	10	14	17	9	9	
FEMALE	37	0	0	0	0	0	0	0	0	0	1	4	3	3	9	6	11	
TOTALS	105	0	0	0	0	1	0	1	0	0	4	8	13	17	26	15	20	
ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)																		
MALE	26	0	0	0	0	0	0	0	0	0	0	2	3	2	8	6	5	
FEMALE	29	0	0	0	1	0	0	0	1	1	3	1	1	6	3	4	8	
TOTALS	55	0	0	0	1	0	0	0	1	1	3	3	4	8	11	10	13	
PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)																		
MALE	6	0	0	0	0	0	0	0	0	1	1	0	2	0	2	0	0	
FEMALE	3	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	0	
TOTALS	9	0	0	0	0	0	0	0	0	1	2	0	2	2	2	0	0	
OTHER DISEASES OF VEINS, LYMPHATICS, AND CIRCULATORY SYSTEM (454-459)																		
MALE	9	0	0	0	0	0	0	0	0	0	0	2	2	1	2	1	1	
FEMALE	6	0	0	0	0	0	0	0	0	3	1	0	0	1	0	1	0	
TOTALS	15	0	0	0	0	0	0	0	0	3	1	2	2	2	2	2	1	
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)																		
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	0	1	0	3	2	
VIRAL PNEUMONIA (480)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
FEMALE	5	1	0	0	0	0	0	0	0	0	1	0	0	0	2	0	1	
TOTALS	6	1	0	0	0	0	0	0	0	0	1	0	0	0	2	0	2	
PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)																		
MALE	9	0	0	0	0	0	0	0	1	1	0	1	1	0	1	2	2	
FEMALE	14	0	0	0	0	0	0	0	1	0	2	0	0	0	4	1	6	
TOTALS	23	0	0	0	0	0	0	0	2	1	2	1	1	0	5	3	8	
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)																		
MALE	19	1	0	0	0	0	0	0	0	0	0	2	1	1	2	3	9	
FEMALE	16	0	0	0	0	0	0	0	1	0	0	0	0	0	2	4	9	
TOTALS	35	1	0	0	0	0	0	0	1	0	0	2	1	1	4	7	18	
PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)																		
MALE	131	0	0	0	0	0	0	1	1	4	0	3	8	21	17	33	43	
FEMALE	135	1	0	0	0	0	0	0	1	1	2	4	3	4	12	18	89	
TOTALS	266	1	0	0	0	0	0	1	2	5	2	7	11	25	29	51	132	
INFLUENZA (487)																		
MALE	7	0	0	0	0	0	0	0	0	0	0	0	2	0	2	1	2	
FEMALE	12	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	9	
TOTALS	19	0	0	0	0	0	0	0	0	0	0	0	3	0	3	2	11	
BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)																		
MALE	3	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	
TOTALS	3	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	
CHRONIC BRONCHITIS (491)																		
MALE	23	0	0	0	0	0	0	0	0	1	1	1	4	2	4	5	5	
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4	1	
TOTALS	30	0	0	0	0	0	0	0	0	1	1	1	4	3	5	9	6	
EMPHYSEMA (492)																		
MALE	66	0	0	0	0	0	0	0	1	2	2	3	11	17	14	6	10	
FEMALE	22	0	0	0	0	0	0	0	1	0	0	2	3	3	5	5	3	
TOTALS	88	0	0	0	0	0	0	0	2	2	2	5	14	20	19	11	13	
ASTHMA (493)																		
MALE	10	0	0	0	0	0	0	0	0	1	1	2	0	4	1	0	1	
FEMALE	7	0	0	0	0	0	0	0	0	0	2	1	0	1	0	0	3	
TOTALS	17	0	0	0	0	0	0	0	0	1	3	3	0	5	1	0	4	
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	2	
TOTALS	7	0	0	0	0	0	0	0	0	0	0	1	1	0	2	1	2	
CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)																		
MALE	263	0	0	0	0	0	0	0	0	3	4	25	36	51	60	45	39	
FEMALE	118	0	0	0	0	0	0	0	0	3	3	4	13	19	26	25	25	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	381	0	0	0	0	0	0	0	0	6	7	29	49	70	86	70	64
PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)																	
MALE	17	0	0	0	0	0	0	0	0	1	0	0	0	4	4	4	4
FEMALE	9	0	0	0	0	0	0	0	0	0	0	1	0	1	4	0	3
TOTALS	26	0	0	0	0	0	0	0	0	1	0	1	0	5	8	4	7
EMPHYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
PLEURISY (511)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)																	
MALE	48	0	0	0	0	0	0	0	0	4	2	3	4	14	8	7	6
FEMALE	28	0	0	0	0	0	0	0	0	1	1	1	2	1	5	11	6
TOTALS	76	0	0	0	0	0	0	0	0	5	3	4	6	15	13	18	12
GASTRIC ULCER (531)																	
MALE	7	0	0	0	0	0	0	0	1	0	0	0	1	2	2	1	0
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	1	0	2	2	1
TOTALS	13	0	0	0	0	0	0	0	1	0	0	0	2	2	4	3	1
DUODENAL ULCER (532)																	
MALE	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
FEMALE	7	0	0	0	0	0	0	0	1	0	0	0	0	0	1	2	3
TOTALS	9	0	0	0	0	0	0	0	1	0	1	0	0	0	1	2	4
PEPTIC ULCER, SITE UNSPECIFIED (533)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	2	0	1	1	0
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	4
TOTALS	11	0	0	0	0	0	0	0	0	0	0	0	2	1	2	2	4
GASTRITIS AND DUODENITIS (535)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	0
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	6	0	0	0	0	0	0	0	0	1	0	0	0	2	1	2	0
APPENDICITIS (540-543)																	
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)																	
MALE	15	0	0	0	0	0	0	0	0	1	0	1	1	3	1	4	4
FEMALE	26	1	0	0	0	0	1	0	0	0	1	0	0	4	5	2	12
TOTALS	41	1	0	0	0	0	1	0	0	1	1	1	1	7	6	6	16
REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0
TOTALS	6	0	0	0	0	0	0	0	0	0	0	1	0	1	2	2	0
ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)																	
MALE	16	0	0	0	0	0	0	0	0	2	0	0	1	5	3	1	4
FEMALE	23	0	0	0	0	0	0	1	0	0	1	2	5	3	4	2	5

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	39	0	0	0	0	0	0	1	0	2	1	2	6	8	7	3	9
DIVERTICULA OF INTESTINE (562)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1	1
FEMALE	13	0	0	0	0	0	0	0	0	0	0	0	0	3	0	2	8
TOTALS	18	0	0	0	0	0	0	0	0	0	0	0	2	4	0	3	9
CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)																	
MALE	39	0	0	0	0	0	0	3	2	8	8	4	7	3	4	0	0
FEMALE	12	0	0	0	0	0	0	0	1	2	2	3	2	1	0	1	0
TOTALS	51	0	0	0	0	0	0	3	3	10	10	7	9	4	4	1	0
CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)																	
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0
CIRRHOSIS OF LIVER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)																	
MALE	49	0	1	0	0	0	0	1	3	4	6	4	11	3	6	6	4
FEMALE	29	0	0	0	0	0	0	1	2	3	3	3	4	2	4	1	6
TOTALS	78	0	1	0	0	0	0	2	5	7	9	7	15	5	10	7	10
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)																	
MALE	8	0	0	0	0	0	0	0	0	0	1	0	0	0	2	3	2
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	4
TOTALS	14	0	0	0	0	0	0	0	0	0	1	0	0	0	4	3	6
ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)																	
MALE	65	0	0	0	0	0	0	1	4	6	10	6	7	8	7	16	16
FEMALE	77	0	0	0	0	0	1	0	1	0	5	8	4	3	13	14	28
TOTALS	142	0	0	0	0	0	1	0	2	4	11	18	10	10	21	21	44
NEPHROTIC SYNDROME (581)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, AND RENAL SCLEROSIS (582-583,587)																	
MALE	4	0	0	0	0	0	0	0	0	2	0	0	1	1	0	0	0
FEMALE	5	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	2
TOTALS	9	0	0	0	0	0	0	0	0	2	0	1	2	2	0	0	2
RENAL FAILURE (584-586,588-589)																	
MALE	32	0	0	0	0	0	0	1	1	0	0	1	2	1	6	5	15
FEMALE	44	0	0	0	0	0	0	1	1	0	0	1	4	4	6	9	18
TOTALS	76	0	0	0	0	0	0	2	2	0	0	2	6	5	12	14	33
INFECTIONS OF KIDNEY (590)																	
MALE	10	0	0	0	0	0	0	0	0	1	1	0	1	0	1	4	2
FEMALE	8	0	0	0	0	0	0	0	0	0	0	0	2	1	0	2	3
TOTALS	18	0	0	0	0	0	0	0	0	1	1	0	3	1	1	6	5
URINARY CALCULUS (592,594)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX		TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
			UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																			
ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)																			
MALE		20	0	0	0	0	0	0	0	0	1	0	2	0	3	5	4	5	
FEMALE		21	0	0	0	0	0	0	0	0	0	0	0	4	5	1	2	9	
TOTALS		41	0	0	0	0	0	0	0	0	1	0	2	4	8	6	6	14	
OTHER DISEASES OF MALE GENITAL ORGANS (601-608)																			
MALE		2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	
TOTALS		2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	
OTHER DISEASES OF FEMALE GENITAL ORGANS (614-629)																			
FEMALE		2	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	
TOTALS		2	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)																			
MALE		3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	
FEMALE		5	0	0	0	0	0	0	0	0	0	1	0	1	0	2	0	1	
TOTALS		8	0	0	0	0	0	0	0	0	0	1	0	1	0	3	0	3	
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)																			
MALE		3	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1	
FEMALE		4	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	
TOTALS		7	0	0	0	0	0	0	0	0	1	0	1	0	0	2	0	3	
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES (714)																			
MALE		3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	
FEMALE		6	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0	2	
TOTALS		9	0	0	0	0	0	0	0	0	0	0	1	2	1	1	2	2	
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)																			
MALE		4	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1	
FEMALE		8	0	0	0	0	0	0	0	1	0	1	1	1	1	1	1	1	
TOTALS		12	0	0	0	0	0	0	0	1	0	1	2	2	1	2	1	2	
DORSOPATHIES (720-724)																			
MALE		1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
TOTALS		1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
RHEUMATISM, EXCLUDING THE BACK (725-729)																			
FEMALE		3	0	0	0	0	0	0	1	1	0	0	0	0	1	0	0	0	
TOTALS		3	0	0	0	0	0	0	1	1	0	0	0	0	1	0	0	0	
OSTEOPATHIES, CHONDROPATHIES AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)																			
MALE		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
FEMALE		5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	4	
TOTALS		6	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	5	
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)																			
MALE		4	2	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	
FEMALE		5	2	1	0	0	0	1	1	0	0	0	0	0	0	0	0	0	
TOTALS		9	4	1	0	0	0	1	2	0	0	0	0	0	0	1	0	0	
CONGENITAL ANOMALIES OF HEART (745-746)																			
MALE		12	7	1	0	0	0	0	0	2	1	1	0	0	0	0	0	0	
FEMALE		6	3	0	0	1	0	0	0	1	0	0	0	0	1	0	0	0	
TOTALS		18	10	1	0	1	0	0	0	3	1	1	0	0	1	0	0	0	
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)																			
MALE		2	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	3	1	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
TOTALS	5	2	0	0	0	0	0	0	0	2	0	0	0	1	0	0	0
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)																	
MALE	14	13	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	13	9	0	0	0	0	0	0	1	2	1	0	0	0	0	0	0
TOTALS	27	22	0	0	0	0	0	0	1	2	1	0	1	0	0	0	0
BIRTH TRAUMA (767)																	
MALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA AND RESPIRATORY DISTRESS SYNDROME (768-769)																	
MALE	14	13	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	14	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	28	27	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)																	
MALE	27	26	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	18	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	45	44	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5
SYMPTOMS, SIGNS AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)																	
MALE	36	10	1	0	0	0	1	4	2	2	2	0	0	3	3	3	5
FEMALE	34	11	0	0	0	1	0	2	1	0	2	1	1	3	1	4	7
TOTALS	70	21	1	0	0	1	1	6	3	2	4	1	1	6	4	7	12
RAILWAY ACCIDENTS (E800-E807)																	
MALE	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)																	
MALE	36	0	0	0	0	8	5	10	4	1	1	2	2	1	1	0	1
FEMALE	19	0	0	0	1	1	3	2	3	3	0	1	1	2	1	1	0
TOTALS	55	0	0	0	1	9	8	12	7	4	1	3	3	3	2	1	1
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH PEDESTRIAN (E814)																	
MALE	26	0	2	2	1	2	3	5	2	0	1	2	1	1	1	2	1
FEMALE	13	0	0	3	0	2	0	1	2	2	1	0	2	0	0	0	0
TOTALS	39	0	2	5	1	4	3	6	4	2	2	2	3	1	1	2	1
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)																	
MALE	15	0	0	0	2	4	2	2	2	2	0	0	0	0	0	0	1
FEMALE	3	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0
TOTALS	18	0	0	1	2	4	2	3	2	3	0	0	0	0	0	0	1
MOTOR VEHICLE TRAFFIC ACCIDENTS NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)																	
MALE	62	0	1	0	0	13	11	18	10	0	3	2	1	0	1	2	0
FEMALE	8	0	0	0	0	2	1	1	1	0	1	0	0	0	1	1	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	70	0	1	0	0	15	12	19	11	0	4	2	1	0	2	3	0
MOTOR VEHICLE TRAFFIC ACCIDENTS OF UNSPECIFIED NATURE (E819)																	
MALE	12	0	0	0	0	1	4	4	1	0	0	1	0	1	0	0	0
FEMALE	4	0	0	0	0	0	1	0	2	0	0	0	0	0	0	1	0
TOTALS	16	0	0	0	0	1	5	4	3	0	0	1	0	1	0	1	0
MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)																	
MALE	10	0	0	0	0	2	1	2	3	0	0	0	0	1	0	0	1
FEMALE	2	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	12	0	1	1	0	2	1	2	3	0	0	0	0	1	0	0	1
WATER TRANSPORT ACCIDENTS (E830-E838)																	
MALE	8	0	0	0	0	0	2	0	3	0	0	3	0	0	0	0	0
TOTALS	8	0	0	0	0	0	2	0	3	0	0	3	0	0	0	0	0
AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)																	
MALE	5	0	0	0	0	0	0	0	3	1	1	0	0	0	0	0	0
FEMALE	2	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	7	0	0	0	1	0	1	0	3	1	1	0	0	0	0	0	0
ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS (E850-E858)																	
MALE	4	0	0	0	0	0	0	2	1	0	0	0	0	0	1	0	0
FEMALE	6	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	3
TOTALS	10	0	0	0	0	0	0	2	1	0	1	0	1	0	1	1	3
ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)																	
MALE	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)																	
MALE	13	0	0	0	0	0	0	0	2	1	0	1	2	1	3	2	1
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	4	2	1	1	1
TOTALS	22	0	0	0	0	0	0	0	2	1	0	1	6	3	4	3	2
FALL FROM ONE LEVEL TO ANOTHER (E880-E884)																	
MALE	9	1	0	0	0	0	0	1	3	1	0	0	0	1	1	1	0
FEMALE	8	0	0	0	0	0	0	0	1	1	0	0	1	0	2	0	3
TOTALS	17	1	0	0	0	0	0	1	4	2	0	0	1	1	3	1	3
FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)																	
MALE	22	0	0	0	0	0	0	1	0	1	1	2	0	1	2	6	8
FEMALE	22	0	0	0	0	0	0	0	0	1	0	0	0	0	3	2	16
TOTALS	44	0	0	0	0	0	0	1	0	2	1	2	0	1	5	8	24
ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)																	
MALE	19	1	3	2	1	0	2	3	0	0	0	1	0	1	3	1	1
FEMALE	13	0	2	0	1	1	0	2	0	0	0	1	0	3	1	1	1
TOTALS	32	1	5	2	2	1	2	5	0	0	0	2	0	4	4	2	2
ACCIDENTAL DROWNING AND SUBMERSION (E910)																	
MALE	11	0	2	2	1	0	1	1	0	1	0	0	1	1	1	0	0
FEMALE	3	0	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0
TOTALS	14	0	3	2	2	1	1	1	0	1	0	0	1	1	1	0	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING SUFFOCATION (E911-E912)																	
MALE	7	0	0	0	0	0	0	0	1	0	0	1	2	1	0	1	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1995 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	AGE AT DEATH(YRS.)															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	7	0	0	0	0	0	0	0	0	0	1	1	2	0	1	0	2
TOTALS	14	0	0	0	0	0	0	0	1	0	1	2	4	1	1	1	3
ACCIDENT CAUSED BY HANDGUN (E922.0)																	
FEMALE	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
ACCIDENT CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS (E922.1-E922.9)																	
MALE	4	0	0	0	0	1	1	1	0	0	0	0	1	0	0	0	0
FEMALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
TOTALS	5	0	0	0	0	2	1	1	0	0	0	0	1	0	0	0	0
ACCIDENT CAUSED BY EXPLOSIVE MATERIAL (E923)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
ACCIDENT CAUSED BY ELECTRIC CURRENT (E925)																	
MALE	4	0	0	0	0	0	1	2	1	0	0	0	0	0	0	0	0
TOTALS	4	0	0	0	0	0	1	2	1	0	0	0	0	0	0	0	0
ALL OTHER ACCIDENTS (E900-E906, E908-E909, E913-E921, E927-E929)																	
MALE	33	1	1	1	1	0	2	4	5	3	3	4	3	1	2	2	0
FEMALE	3	0	0	1	0	0	0	1	0	0	0	0	1	0	0	0	0
TOTALS	36	1	1	2	1	0	2	5	5	3	3	4	4	1	2	2	0
DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)																	
MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0
SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)																	
MALE	7	0	0	0	0	0	0	1	3	2	0	1	0	0	0	0	0
FEMALE	13	0	0	0	0	0	0	3	2	4	0	0	1	2	1	0	0
TOTALS	20	0	0	0	0	0	0	4	5	6	0	1	1	2	1	0	0
SUICIDE BY OTHER SOLID OR LIQUID SUBSTANCES (E950.6-E950.9)																	
FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
SUICIDE BY GASES AND VAPORS (E951-E952)																	
MALE	14	0	0	0	0	0	0	6	2	3	0	1	0	1	1	0	0
FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	15	0	0	0	0	0	1	6	2	3	0	1	0	1	1	0	0
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)																	
MALE	15	0	0	0	0	0	2	3	2	1	4	0	1	1	0	1	0
FEMALE	6	0	0	0	0	0	1	0	0	2	0	0	1	2	0	0	0
TOTALS	21	0	0	0	0	0	3	3	2	3	4	0	2	3	0	1	0
SUICIDE BY HANDGUN (E955.0)																	
MALE	6	0	0	0	0	0	0	3	1	0	0	0	0	0	1	0	1
FEMALE	3	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0
TOTALS	9	0	0	0	0	0	0	5	2	0	0	0	0	0	1	0	1
SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)																	
MALE	80	0	0	0	0	5	18	19	6	4	4	6	5	7	4	1	1
FEMALE	9	0	0	0	0	1	1	3	1	1	0	1	1	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																	
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84		
(CONT.)																			
TOTALS	89	0	0	0	0	6	19	22	7	5	4	7	6	7	4	1	1		
SUICIDE BY ALL OTHER MEANS (E954,E955.5-E959)																			
MALE	7	0	0	0	0	0	0	2	2	3	0	0	0	0	0	0	0		
FEMALE	4	0	0	0	0	0	0	0	3	0	0	0	0	0	1	0	0		
TOTALS	11	0	0	0	0	0	0	2	5	3	0	0	0	0	1	0	0		
ASSAULT BY HANDGUN (E965.0)																			
MALE	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0		
TOTALS	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0		
ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)																			
MALE	7	0	0	0	0	0	2	2	1	0	0	1	1	0	0	0	0		
FEMALE	6	0	0	0	0	0	0	2	1	0	0	1	0	2	0	0	0		
TOTALS	13	0	0	0	0	0	2	4	2	0	0	2	1	2	0	0	0		
ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)																			
MALE	3	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0		
FEMALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0		
TOTALS	4	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0		
ASSAULT BY ALL OTHER MEANS (E960-E964,E965.5-E965.9,E967-E969)																			
MALE	2	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0		
FEMALE	6	0	0	0	0	1	1	2	0	0	0	0	1	0	0	1	0		
TOTALS	8	0	0	0	0	1	1	2	1	0	0	1	1	0	0	1	0		
OTHER LEGAL INTERVENTION (E970-E977)																			
MALE	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0		
TOTALS	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0		
INJURY INFLICTED FROM POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS (E980.0-E980.5)																			
MALE	2	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0		
TOTALS	2	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0		
INJURY INFLICTED BY ALL OTHER MEANS (E981-E984,E985.5-E989)																			
MALE	4	0	1	0	0	2	0	1	0	0	0	0	0	0	0	0	0		
TOTALS	4	0	1	0	0	2	0	1	0	0	0	0	0	0	0	0	0		
STATE																			
MALE	5,919	83	18	8	8	46	66	150	168	336	326	534	759	959	903	766	883		
FEMALE	5,473	67	12	10	8	14	17	57	82	188	197	346	472	577	782	847	1,797		
TOTALS	11,392	150	30	18	16	60	83	207	250	524	523	880	1,231	1,436	1,691	1,613	2,680		
PERCENT DISTRIBUTION																			
MALE	100.00	1.40	0.30	0.14	0.14	0.78	1.12	2.53	2.84	5.68	5.51	9.02	12.82	14.51	15.36	12.94	14.92		
FEMALE	100.00	1.22	0.22	0.18	0.15	0.26	0.31	1.04	1.50	3.44	3.60	6.32	8.62	10.54	14.29	15.48	32.83		
TOTALS	100.00	1.32	0.26	0.16	0.14	0.53	0.73	1.82	2.19	4.60	4.59	7.72	10.81	12.61	14.84	14.16	23.53		

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-4

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS
AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
SHIGELLOSIS & AMEBIASIS (004,006)	0	0	0.000
OTHER INTESTINAL INFECTIONS (007-009)	3	6	2.000
TUBERCULOSIS OF RESP. SYSTEM (010-012)	7	10	1.428
OTHER TUBERCULOSIS (013-018)	0	4	0.000
WHOOPING COUGH (033)	0	0	0.000
STREP., SCARLATINA & ERYSIPELAS (034-035)	0	0	0.000
MENINGOCOCCAL INFECTION (036)	3	3	1.000
SEPTICEMIA (038)	68	402	5.911
ACUTE POLIOMYELITIS (045)	1	2	2.000
MEASLES (055)	1	1	1.000
VIRAL HEPATITIS (070)	4	6	1.500
SYPHILIS (090-097)	0	1	0.000
ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL)	39	68	1.743
MAL. NEO. LIP. ORAL CAV., PHARYNX (140-149)	51	66	1.294
MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159)	682	791	1.159
MAL. NEO. RESPIRATORY & THORACIC ORG. (160-165)	691	770	1.114
MAL. NEO. BREAST (174-175)	221	282	1.276
MAL. NEO. GENITAL ORGANS (179-187)	280	375	1.339
MAL. NEO. URINARY ORGANS (188-189)	112	148	1.321
MAL. NEO. ALL OTHER & UNSPEC. (170-173, 190-199)	306	648	2.117
LEUKEMIA (204-208)	103	121	1.174
OTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203)	133	168	1.263
BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239)	44	61	1.386
DIABETES MELLITUS (250)	190	918	4.831
NUTRITIONAL DEFICIENCIES (260-269)	25	210	8.400
ANEMIAS (280-285)	17	183	10.764
MENINGITIS (320-322)	4	11	2.750
RHEUM. FEVER & RHEUM. HEART DIS. (390-398)	45	71	1.577
HYPERTENSIVE HEART DISEASE (402)	66	157	2.378
HYPERTENSIVE HEART & RENAL DIS. (404)	14	22	1.571
ACUTE MYOCARDIAL INFARCTION (410)	1,683	1,843	1.095
OTHER ACUTE & SUBACUTE I.H.D. (411)	42	81	1.928
ANGINA PECTORIS (413)	4	56	14.000
ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414)	1,418	2,771	1.954
OTHER DISEASES OF ENDOCARDIUM (424)	63	158	2.507
ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429)	966	4,256	4.405
HYPERTENSION W/WO RENAL DISEASE (401, 403)	39	589	15.102
INTRACEREBRAL HEMORRHAGE (431-432)	111	151	1.360
CEREB. THROM. & UNSPEC. OCCLUSION (434.0, 434.9)	93	147	1.580

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

* SEE THE NOTES AT THE END OF THIS TABLE.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-4

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS
AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
CEREBRAL EMBOLISM (434.1)	4	22	5.500
ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438)	578	1,104	1.910
ATHEROSCLEROSIS (440)	196	718	3.663
OTHER DIS. ARTERIES & CAPIL. (441-448)	160	304	1.900
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	6	15	2.500
PNEUMONIA (480-486)	330	1,035	3.136
INFLUENZA (487)	19	27	1.421
BRONCHITIS CHRONIC & UNSPEC. (490-491)	33	65	1.969
EMPHYSEMA (492)	88	204	2.318
ASTHMA (493)	17	45	2.647
OTHER CHRONIC OBSTR. PUL. DIS. (494-496)	388	964	2.484
ULCER OF STOMACH & DUODENUM (531-533)	33	102	3.090
APPENDICITIS (540-543)	1	5	5.000
HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560)	41	128	3.121
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	132	211	1.598
CHOLELITHIASIS & GALLBLAD. DIS. (574-575)	14	44	3.142
ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581)	3	3	1.000
CHRON. GLOMERUL. & RENAL SCLEO. UNSPEC. (582-583, 587)	9	14	1.555
RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589)	76	537	7.065
INFECTIONS OF KIDNEY (590)	18	38	2.111
HYPERPLASIA OF PROSTATE ALL (600)	0	4	0.000
PREGNANCY WITH ABORTIVE OUTCOME (630-638)	0	0	0.000
OTHER COMPLICATIONS OF PREG. (640-676)	0	0	0.000
CONGENITAL ANOMALIES (740-759)	59	86	1.457
BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769)	30	47	1.566
OTHER COND. IN PERINATAL PERIOD (760-766, 770-779)	45	104	2.311
SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799)	75	2,232	29.760
ALL OTHER DISEASES (RESIDUAL)	876	3,272	3.735
MOTOR VEHICLE ACCIDENTS (E810-E825)	210	216	1.028
OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949)	221	543	2.457
SUICIDE (E950-E959)	166	168	1.012
HOMICIDE & LEGAL INTERVENTION (E960-E978)	29	29	1.000
ALL OTHER EXTERNAL CAUSES (E980-E999)	6	6	1.000
 TOTAL FOR ALL CAUSES	 11,392	 27,849	 2.444

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

* FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS. IN ADDITION CERTAIN CAUSES ARE NEVER CLASSIFIABLE AS UNDERLYING. MENTIONS OF THESE CAUSES ARE NOT INCLUDED IN THIS TABLE. MENTIONS OF CAUSES NOT CLASSIFIABLE AS UNDERLYING ARE AS FOLLOWS:

NATURE OF INJURY MENTIONS: 1314; SECONDARY NEOPLASM MENTIONS 529
SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-5

DEATHS - TOTAL AND PERCENT BY SITE OF DEATH
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY	TOTAL DEATHS	***** PERCENT OF TOTAL DEATHS BY SITE OF DEATH *****								
		MAINE HOSPITAL	OUT OF STATE HOSPITAL	EN ROUTE TO HOSPITAL	SKILLED NURSING CARE	INTERMEDIATE CARE FACILITY	STATE PENAL INSTITUTIONS	OUT PATIENT FACILITY	AT HOME	OTHER PLACES
ANDROSCOGGIN	1,019	52.31	1.47	0.00	2.06	27.09	0.00	0.10	14.13	2.85
ARROSTOOK	837	62.13	3.23	0.24	0.12	17.20	0.00	0.00	13.74	3.35
CUMBERLAND	2,244	59.09	1.56	0.00	0.04	21.03	0.00	0.00	16.18	2.09
FRANKLIN	240	52.50	2.50	0.00	0.00	24.58	0.00	0.00	16.25	4.17
HANCOCK	476	47.69	1.68	0.00	0.00	22.48	0.00	1.68	21.85	4.62
KENNEBEC	1,145	53.01	1.14	0.00	0.17	27.95	0.00	0.00	13.80	3.93
KNOX	376	45.21	1.60	0.00	0.00	28.46	0.00	0.00	21.01	3.72
LINCOLN	314	51.59	1.91	0.00	0.32	23.25	0.00	0.00	19.11	3.82
OXFORD	555	50.09	1.98	0.00	0.72	25.23	0.00	0.00	16.58	5.41
PENOBSCOT	1,162	55.51	1.38	0.00	0.00	19.28	0.00	0.69	19.10	4.04
PISCATAQUIS	177	54.80	1.13	0.00	0.00	26.55	0.00	0.00	15.82	1.69
SAGadahoc	278	55.40	1.80	0.00	0.00	19.06	0.00	0.00	20.86	2.88
SOMERSET	466	59.66	1.29	0.00	0.21	21.24	0.00	0.21	14.38	3.00
WALDO	311	51.77	1.61	0.00	0.32	18.01	0.00	0.00	20.90	7.40
WASHINGTON	399	52.88	1.75	0.00	0.00	20.05	0.00	1.25	17.54	6.52
YORK	1,393	56.07	8.90	0.00	0.07	18.31	0.00	0.07	14.36	2.23
STATE TOTALS	11,392	55.09	2.56	0.02	0.29	22.05	0.00	0.21	16.36	3.41

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-6

DEATHS IN HOSPITALS - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN HOSPITALS	***** PERCENT OF TOTAL CAUSE-SPECIFIC DEATHS OCCURRING IN HOSPITALS *****								
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS * MOTOR VEHICLE (E810- E825)	OTHER (E800- E807)
ANDROSCOGGIN	548	6.02	7.30	13.50	11.13	1.28	0.91	2.55	1.28	2.19
AROOSTOOK	547	5.12	7.50	20.66	13.71	1.65	0.55	2.56	1.83	2.01
CUMBERLAND	1,361	6.54	8.08	16.31	10.07	0.96	0.59	2.72	1.47	1.03
FRANKLIN	132	6.06	3.03	18.94	11.36	0.76	0.00	3.03	3.79	1.52
HANCOCK	235	6.38	7.66	11.06	5.96	1.70	0.43	4.26	1.70	2.98
KENNEBEC	620	6.13	5.48	14.35	13.39	1.45	1.45	2.26	0.65	2.26
KNOX	176	5.11	4.55	18.75	9.09	0.57	2.27	3.98	1.14	2.27
LINCOLN	168	7.14	9.52	18.45	6.55	1.79	1.19	3.57	1.79	4.17
OXFORD	289	3.11	7.96	19.03	10.73	1.38	0.35	2.08	1.38	2.08
PENOBSCOT	661	7.26	4.84	16.94	10.29	1.36	0.15	3.18	1.36	2.57
PISCATAQUIS	99	6.06	11.11	20.20	8.08	0.00	0.00	6.06	2.02	2.02
SAGadahoc	159	6.92	7.55	20.13	9.43	1.26	0.63	0.63	0.63	1.89
SOMERSET	284	3.87	9.51	16.90	9.51	0.70	0.00	2.11	1.06	2.82
WALDO	166	6.63	5.42	19.88	9.04	0.00	0.00	2.41	1.81	1.81
WASHINGTON	218	5.50	9.17	12.39	8.72	1.38	0.92	5.50	1.38	0.92
YORK	905	6.63	6.30	18.90	9.06	1.33	0.99	2.32	2.32	2.32
STATE TOTALS	6,568	6.09	7.03	16.92	10.31	1.20	0.70	2.79	1.54	2.02

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-7

DEATHS IN INTERMEDIATE CARE FACILITIES - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN ICF	***** PERCENT OF TOTAL CAUSE-SPECIFIC DEATHS OCCURRING IN INTERMEDIATE CARE FACILITIES *****								
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS * MOTOR VEHICLE (E810- E825)	OTHER (E800- E807)
ANDROSCOGGIN	276	3.26	3.99	6.88	11.59	1.81	1.09	4.35	0.00	0.36
AROOSTOOK	144	2.08	2.08	14.58	27.08	4.17	0.69	5.56	0.69	0.00
CUMBERLAND	472	3.81	3.60	7.63	24.15	0.64	3.39	4.45	0.00	0.42
FRANKLIN	59	1.69	3.39	6.78	23.73	0.00	0.00	8.47	0.00	1.69
HANCOCK	107	5.61	3.74	7.48	14.95	0.00	0.00	8.41	0.00	0.93
KENNEBEC	320	4.69	3.75	10.31	19.38	0.63	3.13	5.00	0.00	0.00
KNOX	107	3.74	0.93	4.67	16.82	0.00	0.93	7.48	0.00	0.00
LINCOLN	73	6.85	2.74	5.48	15.07	0.00	0.00	4.11	0.00	0.00
OXFORD	140	6.43	4.29	5.71	17.86	1.43	0.71	5.71	0.00	0.71
PENOBSCOT	224	4.46	3.57	5.36	14.73	0.45	1.34	9.82	0.45	0.45
PISCATAQUIS	47	4.26	2.13	6.38	8.51	0.00	0.00	0.00	0.00	0.00
SAGadahoc	53	1.89	3.77	3.77	15.09	1.89	1.89	5.66	0.00	0.00
SOMERSET	99	5.05	5.05	6.06	14.14	1.01	0.00	6.06	0.00	0.00
WALDO	56	5.36	1.79	3.57	7.14	0.00	0.00	5.36	0.00	0.00
WASHINGTON	80	7.50	2.50	5.00	11.25	0.00	0.00	0.00	0.00	0.00
YORK	255	7.06	2.75	7.45	15.29	0.78	1.18	3.92	0.00	0.00
STATE TOTALS	2,512	4.58	3.34	7.40	17.60	0.92	1.55	5.33	0.08	0.28

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-8

DEATHS AT HOME - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1985 (RESIDENT DATA)

COUNTY	TOTAL DEATHS AT HOME	***** PERCENT OF TOTAL CAUSE-SPECIFIC DEATHS OCCURRING AT HOME *****								*****	
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS *	MOTOR VEHICLE (E810- E825)	OTHER (E800- E807)
ANDROSCOGGIN	144	9.72	7.64	15.28	18.06	0.69	0.69	0.00	0.69	3.47	
AROOSTOOK	115	13.91	6.09	14.78	11.30	0.87	0.00	0.00	0.87	6.09	
CUMBERLAND	363	8.82	7.71	12.95	20.39	0.00	0.28	0.83	0.28	2.20	
FRANKLIN	39	5.13	2.56	41.03	15.38	2.56	0.00	0.00	0.00	0.00	
HANCOCK	104	4.81	3.85	25.00	10.58	0.00	0.00	0.96	0.00	0.96	
KENNEBEC	158	9.49	9.49	18.99	17.09	0.00	0.00	0.00	0.63	5.70	
KNOX	79	3.80	6.33	11.39	21.52	0.00	1.27	0.00	0.00	2.53	
LINCOLN	60	5.00	11.67	21.67	3.33	1.67	0.00	0.00	0.00	3.33	
OXFORD	92	7.61	14.13	16.30	13.04	0.00	0.00	0.00	3.26	5.43	
PENOBSCOT	222	6.31	5.86	17.57	13.96	0.90	1.35	1.80	0.90	1.80	
PISCATAQUIS	28	14.29	7.14	25.00	7.14	0.00	0.00	0.00	0.00	3.57	
SAGadahoc	58	8.62	12.07	24.14	12.07	0.00	0.00	0.00	0.00	0.00	
SOMERSET	67	5.97	4.48	13.43	20.90	1.49	0.00	0.00	0.00	1.49	
WALDO	65	3.08	3.08	29.23	9.23	0.00	0.00	1.54	6.15	3.08	
WASHINGTON	70	7.14	1.43	20.00	22.86	0.00	0.00	1.43	0.00	0.00	
YORK	200	8.50	6.00	17.50	15.00	0.00	0.50	0.50	1.00	1.00	
STATE TOTALS	1,864	7.94	7.03	17.81	15.77	0.38	0.38	0.59	0.80	2.63	

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

INDUCED ABORTIONS

TABLE A-1 TOTAL TERMINATIONS OF PREGNANCY, FETAL DEATHS, MISCARRIAGES, AND INDUCED ABORTIONS BY GESTATION
MAINE STATE TOTALS, 1985 (RESIDENT DATA)*

GESTATION WEEKS	TOTAL TERMINATIONS	FETAL DEATHS		MISCARRIAGES		INDUCED ABORTIONS	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
0-4	26	0	0.00	13	2.80	13	0.34
5-8	2,302	0	0.00	195	41.94	2,107	55.68
9-12	1,494	0	0.00	167	35.91	1,327	35.07
13-19	352	0	0.00	49	10.54	303	8.01
20-23	36	34	33.33	0	0.00	2	0.05
24-27	10	10	9.80	0	0.00	0	0.00
28-31	12	12	11.76	0	0.00	0	0.00
32-35	9	9	8.82	0	0.00	0	0.00
36-38	19	19	18.63	0	0.00	0	0.00
> 39	14	14	13.73	0	0.00	0	0.00
UNKNOWN	77	4	3.92	41	8.82	32	0.85
STATE TOTALS	4,351	102	100.00	465	100.00	3,784	100.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 11 ABORTION RECORDS WERE BLANK.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-2

INDUCED ABORTIONS BY GESTATION AND TYPE OF TERMINATION PROCEDURES
MAINE STATE TOTALS, 1985 (OCCURRENCE DATA)

TERMINATION PROCEDURES PRIMARY PROCEDURE THAT TERMINATED PREGNANCY	TOTAL ABORTIONS	PERCENT DISTRIBUTION	***** WEEKS OF GESTATION *****														UNK
			LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19		
SUCTION CURETTAGE	4,406	99.12	2,360	510	621	255	190	121	104	80	91	41	1	0	0	32	
SHARP CURETTAGE	27	0.61	14	5	6	2	0	0	0	0	0	0	0	0	0	0	
SALINE INSTILLATION	2	0.04	0	0	0	0	0	0	0	1	0	0	0	0	1	0	
PROSTAGLANDIN INSTILLATION	3	0.07	0	0	0	0	0	0	0	0	0	1	1	0	1	0	
HYSTEROTOMY	1	0.02	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OTHER	6	0.13	2	0	0	0	0	0	0	1	0	1	0	0	0	2	
STATE TOTALS	4,445		2,376	515	627	257	190	121	105	82	91	43	2	0	2	34	
PERCENT DISTRIBUTION		100.00	53.45	11.59	14.11	5.78	4.27	2.72	2.36	1.84	2.05	0.97	0.04	0.00	0.04	0.76	

ADDITIONAL PROCEDURES USED

NONE	2,620	58.94	1,673	270	353	124	97	22	22	15	16	10	1	0	0	17
SUCTION CURETTAGE	14	0.31	8	2	3	1	0	0	0	0	0	0	0	0	0	0
SHARP CURETTAGE	1,807	40.65	695	243	271	132	93	98	82	66	75	33	1	0	1	17
SALINE INSTILLATION	2	0.04	0	0	0	0	0	1	1	0	0	0	0	0	0	0
PROSTAGLANDIN INSTILLATION	2	0.04	0	0	0	0	0	0	0	1	0	0	0	0	1	0
HYSTEROTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	4,445		2,376	515	627	257	190	121	105	82	91	43	2	0	2	34
PERCENT DISTRIBUTION		100.00	53.45	11.59	14.11	5.78	4.27	2.72	2.36	1.84	2.05	0.97	0.04	0.00	0.04	0.76

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-3

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE
MAINE STATE TOTALS, 1985 (RESIDENT DATA)*

AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	***** WEEKS OF GESTATION *****													GREATER THAN 19	UNKNOWN
			LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19			
LESS THAN 15	23	0.61	7	2	6	2	0	1	0	3	1	1	0	0	0	0	
15	86	2.27	40	10	11	4	4	7	6	3	1	0	0	0	0	0	
16	158	4.18	69	20	34	9	5	4	2	4	5	3	0	0	0	3	
17	219	5.79	112	26	35	9	16	8	3	4	5	1	0	0	0	0	
18	341	9.01	171	36	54	18	23	12	10	5	6	2	0	0	0	4	
19	321	8.48	169	37	49	23	12	9	4	6	6	4	0	0	0	2	
20-24	1,292	34.14	731	135	170	79	61	32	28	17	16	9	0	0	1	13	
25-29	676	17.86	414	88	81	25	21	11	14	6	9	2	0	0	0	5	
30-34	380	10.04	227	43	55	20	12	5	3	5	2	2	1	0	1	4	
35-39	209	5.52	136	22	29	6	6	3	2	1	3	0	0	0	0	1	
40-44	61	1.61	35	8	9	2	4	0	2	1	0	0	0	0	0	0	
GREATER THAN 44	3	0.08	2	1	0	0	0	0	0	0	0	0	0	0	0	0	
UNKNOWN	15	0.40	7	1	3	1	0	1	1	1	0	0	0	0	0	0	
STATE TOTALS	3,784		2,120	429	536	198	164	93	75	56	54	24	1	0	2	32	
PERCENT DISTRIBUTION		100.00	56.03	11.34	14.16	5.23	4.33	2.46	1.98	1.48	1.43	0.63	0.03	0.00	0.05	0.85	

RACE OF PATIENT

WHITE	3,687	97.44	2,059	423	522	191	161	91	74	56	54	23	1	0	2	30
BLACK	15	0.40	11	0	1	1	0	1	0	0	0	1	0	0	0	0
AMERICAN INDIAN	7	0.18	6	0	1	0	0	0	0	0	0	0	0	0	0	0
OTHER	75	1.98	44	6	12	6	3	1	1	0	0	0	0	0	0	2
STATE TOTALS	3,784		2,120	429	536	198	164	93	75	56	54	24	1	0	2	32
PERCENT DISTRIBUTION		100.00	56.03	11.34	14.16	5.23	4.33	2.46	1.98	1.48	1.43	0.63	0.03	0.00	0.05	0.85

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 11 RECDROS WERE BLANK.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-4

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE
MAINE STATE TOTALS, 1985 (OCCURRENCE DATA)

AGE OF PATIENT(YRS.)	TOTAL APORTIONS	PERCENT DISTRIBUTION	***** WEEKS OF GESTATION *****													GREATER THAN 19	UNKNOWN
			LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19			
LESS THAN 15	32	0.72	7	4	6	2	1	1	1	5	2	3	0	0	0	0	
15	108	2.43	44	14	13	6	5	8	8	5	3	2	0	0	0	0	
16	185	4.16	73	23	40	11	9	4	4	6	8	4	0	0	0	3	
17	289	6.50	127	33	44	15	20	14	8	11	12	5	0	0	0	0	
18	410	9.22	196	49	58	21	26	18	14	8	13	3	0	0	0	4	
19	387	8.71	195	42	57	31	17	11	11	7	8	6	0	0	0	2	
20-24	1,526	34.33	829	163	211	107	65	38	35	24	25	14	0	0	1	14	
25-29	766	17.23	464	97	95	30	23	15	15	7	11	3	0	0	0	6	
30-34	418	9.40	245	50	58	23	13	7	3	5	5	3	1	0	1	4	
35-39	232	5.22	147	28	30	7	6	3	3	2	4	0	1	0	0	1	
40-44	66	1.48	37	9	11	2	4	0	2	1	0	0	0	0	0	0	
GREATER THAN 44	3	0.07	2	1	0	0	0	0	0	0	0	0	0	0	0	0	
UNKNOWN	23	0.52	10	2	4	2	1	2	1	1	0	0	0	0	0	0	
STATE TOTALS	4,445		2,376	515	627	257	190	121	105	82	91	43	2	0	2	34	
PERCENT DISTRIBUTION		100.00	53.45	11.59	14.11	5.78	4.27	2.72	2.36	1.84	2.05	0.97	0.04	0.00	0.04	0.76	

RACE OF PATIENT

WHITE	4,323	97.26	2,304	509	608	249	186	118	104	80	90	40	2	0	2	31
BLACK	23	0.52	16	0	3	1	0	1	0	0	0	2	0	0	0	0
AMERICAN INDIAN	7	0.16	6	0	1	0	0	0	0	0	0	0	0	0	0	0
OTHER	92	2.07	50	6	15	7	4	2	1	2	1	1	0	0	0	3
STATE TOTALS	4,445		2,376	515	627	257	190	121	105	82	91	43	2	0	2	34
PERCENT DISTRIBUTION		100.00	53.45	11.59	14.11	5.78	4.27	2.72	2.36	1.84	2.05	0.97	0.04	0.00	0.04	0.76

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-5

INDUCED ABORTIONS BY RACE, MARITAL STATUS AND AGE OF PATIENT
MAINE STATE TOTALS, 1985 (RESIDENT DATA)*

MARITAL STATUS	TOTAL ABORTIONS	RACE							
		WHITE		BLACK		AMERICAN INDIAN		OTHER	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	764	735	96.20	2	0.26	0	0.00	27	3.53
NOT MARRIED	2,892	2,832	97.93	13	0.45	7	0.24	40	1.38
UNKNOWN	128	120	93.75	0	0.00	0	0.00	8	6.25
STATE TOTALS	3,784	3,687	97.44	15	0.40	7	0.18	75	1.98
AGE OF PATIENT (YRS.)									
LESS THAN 15	23	22	95.65	0	0.00	0	0.00	1	4.35
15	86	84	97.67	0	0.00	0	0.00	2	2.33
16	158	156	98.73	0	0.00	0	0.00	2	1.27
17	219	216	98.63	2	0.91	1	0.46	0	0.00
18	341	334	97.95	2	0.59	0	0.00	5	1.47
19	321	313	97.51	2	0.62	2	0.62	4	1.25
20-24	1,292	1,262	97.68	7	0.54	2	0.15	21	1.63
25-29	676	661	97.78	0	0.00	2	0.30	13	1.92
30-34	380	367	96.58	1	0.26	0	0.00	12	3.16
35-39	209	196	93.78	1	0.48	0	0.00	12	5.74
40-44	61	58	95.08	0	0.00	0	0.00	3	4.92
GREATER THAN 44	3	3	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN	15	15	100.00	0	0.00	0	0.00	0	0.00
TEENAGE TOTALS	1,148	1,125	98.00	6	0.52	3	0.26	14	1.22
STATE TOTALS	3,784	3,687	97.44	15	0.40	7	0.18	75	1.98

NOTES: PERCENTAGES ARE BASED ON TOTAL ABORTIONS.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 11 RECORDS WERE BLANK.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-6

INDUCED ABORTIONS BY RACE, MARITAL STATUS AND AGE OF PATIENT
MAINE STATE TOTALS, 1985 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL ABORTIONS	***** RACE *****							
		WHITE		BLACK		AMERICAN INDIAN		OTHER	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	829	797	96.14	2	0.24	0	0.00	30	3.62
NOT MARRIED	3,460	3,387	97.89	21	0.61	7	0.20	45	1.30
UNKNOWN	156	139	89.10	0	0.00	0	0.00	17	10.90
STATE TOTALS	4,445	4,323	97.26	23	0.52	7	0.16	92	2.07
AGE OF PATIENT(YRS.)									
LESS THAN 15	32	31	96.88	0	0.00	0	0.00	1	3.13
15	108	104	96.30	1	0.93	0	0.00	3	2.78
16	185	182	98.38	0	0.00	0	0.00	3	1.62
17	289	285	98.62	3	1.04	1	0.35	0	0.00
18	410	402	98.05	2	0.49	0	0.00	6	1.46
19	387	379	97.93	2	0.52	2	0.52	4	1.03
20-24	1,526	1,486	97.38	12	0.79	2	0.13	26	1.70
25-29	766	749	97.78	1	0.13	2	0.26	14	1.83
30-34	418	403	96.41	1	0.24	0	0.00	14	3.35
35-39	232	218	93.97	1	0.43	0	0.00	13	5.60
40-44	66	63	95.45	0	0.00	0	0.00	3	4.55
GREATER THAN 44	3	3	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN	23	18	78.26	0	0.00	0	0.00	5	21.74
TEENAGE TOTALS	1,411	1,383	98.02	8	0.57	3	0.21	17	1.20
STATE TOTALS	4,445	4,323	97.26	23	0.52	7	0.16	92	2.07

NOTES: PERCENTAGES ARE BASED ON TOTAL ABORTIONS.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-7

INDUCED ABORTIONS BY COMPLICATIONS OF PREGNANCY, GESTATION, AND AGE OF PATIENT
MAINE STATE TOTALS, 1985 (OCCURRENCE DATA)

WEEKS OF GESTATION	TOTAL* ABORTIONS	PERCENT DISTRIBUTION	***** COMPLICATIONS OF PREGNANCY *****						
			NONE	HEMORRHAGE	INFECTION	UTERINE PERFORATION	CERVICAL LACERATION	RETAINED PRODUCTS	OTHER
LESS THAN 9	2,376	53.45	2,360	5	1	0	2	3	10
9	515	11.59	513	0	1	0	0	1	0
10	627	14.11	625	0	0	0	0	1	2
11	257	5.78	255	0	0	0	0	0	2
12	190	4.27	187	0	1	0	0	0	3
13	121	2.72	121	0	0	0	0	0	0
14	105	2.36	104	0	1	0	0	0	0
15	82	1.84	80	0	1	0	0	1	1
16	91	2.05	91	0	0	0	0	0	0
17	43	0.97	41	0	0	0	0	0	2
18	2	0.04	1	0	0	0	0	0	1
19	0	0.00	0	0	0	0	0	0	0
GREATER THAN 19	2	0.04	0	0	0	0	0	0	2
UNKNOWN	34	0.76	31	0	0	0	0	1	2
STATE TOTALS	4,445		4,409	5	5	0	2	7	25
PERCENT DISTRIBUTION		100.00	99.19	0.11	0.11	0.00	0.04	0.16	0.56

AGE OF PATIENT(YRS.)

LESS THAN 15	32	0.72	32	0	0	0	0	0	0
15	108	2.43	108	0	0	0	0	0	0
16	185	4.16	185	0	0	0	0	0	0
17	289	6.50	289	0	0	0	0	0	0
18	410	9.22	410	0	0	0	0	0	0
19	387	8.71	387	0	0	0	0	0	0
20-24	1,526	34.33	1,511	2	2	0	1	2	11
25-29	766	17.23	757	2	2	0	1	1	5
30-34	418	9.40	412	0	1	0	0	2	5
35-39	232	5.22	227	1	0	0	0	1	4
40-44	66	1.48	65	0	0	0	0	1	0
GREATER THAN 44	3	0.07	3	0	0	0	0	0	0
UNKNOWN	23	0.52	23	0	0	0	0	0	0
TEENAGE TOTALS	1,411	31.74	1,411	0	0	0	0	0	0
STATE TOTALS	4,445		4,409	5	5	0	2	7	25
PERCENT DISTRIBUTION		100.00	99.19	0.11	0.11	0.00	0.04	0.16	0.56

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* THE SUM OF COMPLICATIONS OF PREGNANCY MAY EXCEED TOTAL ABORTIONS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-8 INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT
MAINE STATE TOTALS, 1985 (RESIDENT DATA)*

MARITAL STATUS	TOTAL ABORTIONS	***** LIVE BIRTHS *****							***** OUTCOME OF PREVIOUS PREGNANCIES *****							***** SPONTANEOUS TERMINATIONS *****						
		*****							*****							*****						
		0	1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK			
MARRIED	764	149	181	226	65	35	108	466	174	41	13	7	63	550	85	19	6	1	103			
NOT MARRIED	2,892	1,958	376	156	58	21	323	1,870	625	142	45	12	198	2,385	123	27	5	2	350			
UNKNOWN	128	80	19	15	4	3	7	90	21	5	3	1	8	108	9	1	1	0	9			
STATE TOTALS	3,784	2,187	576	397	127	59	438	2,426	820	188	61	20	269	3,043	217	47	12	3	462			
PERCENT DIST.	100.00	57.80	15.22	10.49	3.36	1.56	11.58	64.11	21.67	4.97	1.61	0.53	7.11	80.42	5.73	1.24	0.32	0.08	12.21			
AGE OF PATIENT(YRS.)																						
LESS THAN 15	23	18	0	0	0	0	5	17	2	0	0	0	4	18	0	0	0	0	5			
15	86	81	3	0	0	0	2	82	1	0	0	0	3	83	0	0	0	0	3			
16	158	144	6	0	0	0	8	134	16	0	0	0	8	148	1	0	0	0	9			
17	219	189	11	1	0	0	18	190	13	1	0	0	15	195	3	0	0	0	21			
18	341	274	30	4	0	0	33	272	33	5	1	0	30	296	6	0	0	0	39			
19	321	245	42	4	1	0	29	235	62	7	1	0	16	279	9	0	0	0	33			
20-24	1,292	812	218	97	26	7	132	811	314	62	19	4	82	1,060	64	10	1	1	156			
25-29	676	276	136	108	34	15	107	328	212	56	19	6	55	498	62	14	2	0	100			
30-34	380	102	76	104	21	15	62	187	101	43	12	8	29	267	39	14	4	1	55			
35-39	209	36	40	56	30	17	30	125	50	12	6	2	14	146	24	6	4	0	29			
40-44	61	4	8	19	15	4	11	34	14	0	2	0	11	38	7	3	1	1	11			
GREATER THAN 44	3	0	0	2	0	1	0	2	1	0	0	0	0	3	0	0	0	0	0			
UNKNOWN	15	6	6	2	0	0	1	9	1	2	1	0	2	12	2	0	0	0	1			
TEENAGE TOTALS	1,148	951	92	9	1	0	95	930	127	13	2	0	76	1,019	19	0	0	0	110			
PERCENT DIST.	100.00	82.84	8.01	0.78	0.09	0.00	8.28	81.01	11.06	1.13	0.17	0.00	6.62	88.76	1.66	0.00	0.00	0.00	9.58			
STATE TOTALS	3,784	2,187	576	397	127	59	438	2,426	820	188	61	20	269	3,043	217	47	12	3	462			
PERCENT DIST.	100.00	57.80	15.22	10.49	3.36	1.56	11.58	64.11	21.67	4.97	1.61	0.53	7.11	80.42	5.73	1.24	0.32	0.08	12.21			

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 11 RECORDS WERE BLANK.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-9 INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT
MAINE STATE TOTALS, 1985 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL ABORTIONS	***** LIVE BIRTHS *****							***** OUTCOME OF PREVIOUS PREGNANCIES *****							***** SPONTANEOUS TERMINATIONS *****						
		***** INDUCED TERMINATIONS *****							*****							*****						
		0	1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK			
MARRIED	829	166	203	238	69	36	117	509	185	45	14	8	68	597	92	21	8	1	110			
NOT MARRIED	3,460	2,427	422	174	65	23	349	2,324	704	156	48	12	216	2,912	139	27	7	2	373			
UNKNOWN	156	98	22	15	4	3	14	107	26	6	3	1	13	127	9	1	2	0	17			
STATE TOTALS	4,445	2,691	647	427	138	62	480	2,940	915	207	65	21	297	3,636	240	49	17	3	500			
PERCENT DIST.	100.00	60.54	14.56	9.61	3.10	1.39	10.80	66.14	20.58	4.66	1.46	0.47	6.68	81.80	5.40	1.10	0.38	0.07	11.25			
AGE OF PATIENT(YRS.)																						
LESS THAN 15	32	27	0	0	0	0	5	26	2	0	0	0	4	27	0	0	0	0	5			
15	108	103	3	0	0	0	2	104	1	0	0	0	3	105	0	0	0	0	3			
16	185	168	7	0	0	0	10	159	16	0	0	0	10	173	1	0	0	0	11			
17	289	258	12	1	0	0	18	252	20	2	0	0	15	264	4	0	0	0	21			
18	410	338	34	4	0	0	34	333	40	5	1	0	31	364	6	0	0	0	40			
19	387	303	45	4	1	0	34	290	68	9	1	0	19	339	11	0	0	0	37			
20-24	1,526	998	246	99	28	7	148	981	359	70	20	4	92	1,268	73	10	3	1	171			
25-29	766	330	153	115	37	15	116	389	229	60	20	7	61	575	67	14	3	0	107			
30-34	418	115	87	112	23	15	66	212	108	45	14	8	31	296	42	15	6	1	58			
35-39	232	38	46	66	33	18	31	141	55	14	6	2	14	165	26	7	4	0	30			
40-44	66	4	8	21	16	6	11	39	14	0	2	0	11	42	8	3	1	1	11			
GREATER THAN 44	3	0	0	2	0	1	0	2	1	0	0	0	0	3	0	0	0	0	0			
UNKNOWN	23	9	6	3	0	0	5	12	2	2	1	0	6	15	2	0	0	0	6			
TEENAGE TOTALS	1,411	1,197	101	9	1	0	103	1,164	147	16	2	0	82	1,272	22	0	0	0	117			
PERCENT DIST.	100.00	84.83	7.16	0.64	0.07	0.00	7.30	82.49	10.42	1.13	0.14	0.00	5.81	90.15	1.56	0.00	0.00	0.00	8.29			
STATE TOTALS	4,445	2,691	647	427	138	62	480	2,940	915	207	65	21	297	3,636	240	49	17	3	500			
PERCENT DIST.	100.00	60.54	14.56	9.61	3.10	1.39	10.80	66.14	20.58	4.66	1.46	0.47	6.68	81.80	5.40	1.10	0.38	0.07	11.25			

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-10

INDUCED ABORTIONS BY STATE OR COUNTRY OF RESIDENCE
MAINE STATE TOTALS, 1985 (OCCURRENCE DATA)

STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS
ALASKA	0	MASSACHUSETTS	102	SOUTH DAKOTA	0
ALABAMA	0	MICHIGAN	1	TENNESSEE	2
ARIZONA	0	MINNESOTA	0	TEXAS	1
ARKANSAS	0	MISSISSIPPI	0	UTAH	0
CALIFORNIA	1	MISSOURI	0	VERMONT	9
COLORADO	0	MONTANA	0	VIRGINIA	3
CONNECTICUT	9	NEBRASKA	0	WASHINGTON	0
DELAWARE	1	NEVADA	0	WEST VIRGINIA	0
FLORIDA	2	NEW HAMPSHIRE	117	WISCONSIN	0
GEORGIA	0	NEW JERSEY	2	WYOMING	0
HAWAII	0	NEW MEXICO	0	DIST OF COLUMBIA	0
IDAHO	0	NEW YORK	10	PUERTO RICO	0
ILLINOIS	2	NORTH CAROLINA	0	VIRGIN ISLANDS	1
INDIANA	0	NORTH DAKOTA	0	GUAM	0
IOWA	1	OHIO	0	CANADA	380
KANSAS	0	OKLAHOMA	0	CUBA	0
KENTUCKY	0	OREGON	1	MEXICO	0
LOUISIANA	0	PENNSYLVANIA	2	OTHER W. HEMISPHERE	0
MAINE	3,784	RHODE ISLAND	6	REST OF THE WORLD	1
MARYLAND	0	SOUTH CAROLINA	0	UNKNOWN	7
				TOTAL	4,445

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

**MARRIAGES
AND
DIVORCES**

TABLE M-1

MARRIAGES BY AGE OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1985 (RESIDENT DATA)*

AGE OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DIST.	***** AGE OF BRIDE(YRS.) *****														OVER 64	UNKNOWN
			UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64			
UNDER 16	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
16-17	37	0.33	3	14	14	4	0	1	0	1	0	0	0	0	0	0	0	
18-19	582	5.21	9	106	327	94	23	10	3	3	4	0	1	0	0	2	0	
20-21	1,333	11.93	10	88	524	427	163	48	33	15	14	7	1	0	0	3	0	
22-23	1,649	14.75	2	40	314	549	408	160	71	42	36	18	5	2	0	2	0	
24-25	1,365	12.21	3	23	152	288	379	260	124	65	53	11	2	3	1	1	0	
26-27	1,138	10.18	0	8	73	174	204	259	197	96	88	31	2	0	2	4	0	
28-29	850	7.60	2	4	41	85	128	152	142	90	156	34	10	1	1	4	0	
30-34	1,573	14.07	0	2	40	88	167	217	209	224	441	129	35	15	2	4	0	
35-39	1,004	8.98	0	0	14	31	52	73	120	106	274	221	83	23	6	1	0	
40-44	578	5.17	0	0	8	5	12	21	27	38	126	176	108	43	14	0	0	
45-49	362	3.24	0	1	0	3	4	6	6	12	58	77	99	67	28	1	0	
50-64	508	4.54	0	0	1	2	2	2	6	12	30	59	89	94	199	12	0	
OVER 64	199	1.78	0	0	1	0	0	0	0	0	1	4	6	15	81	91	0	
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
STATE TOTALS	11,178		29	286	1,509	1,750	1,542	1,209	938	704	1,281	767	441	263	334	125	0	
PERCENT DISTRIBUTION		100.00	0.26	2.56	13.50	15.66	13.79	10.82	8.39	6.30	11.46	6.86	3.95	2.35	2.99	1.12	0.00	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE M-2

MARRIAGES BY YEARS OF EDUCATION OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1985 (RESIDENT DATA)*

EDUCATION OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DISTRIBUTION	***** EDUCATION OF BRIDE(YRS.) *****											
			UNDER 8	8	9	10	11	12	13	14	15	16	OVER 16	UNKNOWN
UNDER 8	104	0.93	13	17	7	13	9	40	0	1	0	1	1	2
8	316	2.83	10	35	31	34	37	137	11	9	3	3	1	5
9	286	2.56	7	19	35	32	30	136	9	9	4	4	1	0
10	473	4.23	4	24	44	83	47	229	14	14	3	7	0	4
11	489	4.37	4	18	27	62	61	245	25	25	9	7	0	6
12	5,452	48.77	17	71	162	216	294	3,403	390	422	127	232	66	52
13	669	5.98	3	2	10	15	20	301	133	82	27	56	16	4
14	986	8.82	1	6	3	14	19	395	127	209	46	127	33	6
15	313	2.80	3	1	7	3	5	89	37	55	37	60	16	0
16	1,240	11.09	3	0	6	8	4	278	94	187	81	463	112	4
OVER 16	660	5.90	2	2	1	1	3	96	46	63	37	206	202	1
UNKNOWN	190	1.70	0	1	1	2	1	28	4	4	1	3	4	141
STATE TOTALS	11,178		67	196	334	483	530	5,377	890	1,080	375	1,169	452	225
PERCENT DISTRIBUTION		100.00	0.60	1.75	2.99	4.32	4.74	48.10	7.96	9.66	3.35	10.46	4.04	2.01

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE M-3

MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS, FOR BRIDES AND FOR GROOMS
MAINE STATE TOTALS, 1985 (RESIDENT DATA)*

PREVIOUS MARITAL STATUS	TOTAL MARRIAGES	PERCENT DIST.	***** AGE OF BRIDE(YRS.) *****														OVER 64	UNKNOWN
			UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64			
BRIDE																		
SINGLE	7,133	63.81	29	286	1,495	1,654	1,341	898	570	312	380	94	25	13	21	15	0	
WIDOWED	355	3.18	0	0	0	3	2	6	9	5	19	26	42	48	119	76	0	
DIVORCED	3,685	32.97	0	0	14	92	198	305	359	387	880	647	373	202	194	34	0	
ANNULLED	5	0.04	0	0	0	1	1	0	0	0	2	0	1	0	0	0	0	
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
BRIDE TOTALS	11,178		29	286	1,509	1,750	1,542	1,209	938	704	1,281	767	441	263	334	125	0	
PERCENT DIST.		100.00	0.26	2.56	13.50	15.66	13.79	10.82	8.39	6.30	11.46	6.86	3.95	2.35	2.99	1.12	0.00	

			***** AGE OF GROOM(YRS.) *****																
	TOTAL MARRIAGES	PERCENT DIST.	UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN		
GROOM																			
SINGLE	7,127	63.76	0	36	581	1,308	1,566	1,187	897	543	692	202	62	29	20	4	0		
WIDOWED	331	2.96	0	0	0	0	0	2	3	3	13	10	12	18	128	142	0		
DIVORCED	3,713	33.22	0	1	1	25	82	176	238	302	866	792	504	314	359	53	0		
ANNULLED	7	0.06	0	0	0	0	1	0	0	2	2	0	0	1	1	0	0		
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
GROOM TOTALS	11,178		0	37	582	1,333	1,649	1,365	1,138	850	1,573	1,004	578	362	508	199	0		
PERCENT DIST.		100.00	0.00	0.33	5.21	11.93	14.75	12.21	10.18	7.60	14.07	8.98	5.17	3.24	4.54	1.78	0.00		

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE M-4

MARRIAGES BY NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1985 (RESIDENT DATA)*

NUMBER OF PREVIOUS MARRIAGES OF GROOM	TOTAL MARRIAGES	PERCENT DISTRIBUTION	***** NUMBER OF PREVIOUS MARRIAGES OF BRIDE *****									
			0	1	2	3	4	5	6	7	8	UNKNOWN
0	7,127	63.76	5,846	1,090	160	22	7	1	0	1	0	0
1	3,117	27.89	1,113	1,575	353	62	9	4	1	0	0	0
2	746	6.67	151	353	192	37	8	4	0	0	1	0
3	154	1.38	17	82	41	10	3	1	0	0	0	0
4	25	0.22	4	7	11	3	0	0	0	0	0	0
5	8	0.07	4	1	2	1	0	0	0	0	0	0
6	0	0.00	0	0	0	0	0	0	0	0	0	0
7	1	0.01	0	1	0	0	0	0	0	0	0	0
8	0	0.00	0	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	11,178		7,435	3,109	759	135	27	10	1	1	1	0
PERCENT DISTRIBUTION		100.00	63.83	27.81	6.79	1.21	0.24	0.09	0.01	0.01	0.01	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE M-5

DIVORCES BY NUMBER OF MINOR CHILDREN, PLAINTIFF, DECREE GRANTED, AND BY NUMBER OF YEARS MARRIED
MAINE STATE TOTALS, 1985 (OCCURRENCE DATA)

NUMBER OF YEARS MARRIED	TOTAL DIVORCES	PERCENT DISTRIBUTION	***** 0	NUMBER OF 1	MINOR CHILDREN 2	3	4	***** OVER 4	***** WIFE	PLAINTIFF HUSBAND	***** BOTH	** DECREE GRANTED *** WIFE	HUSBAND	BOTH
UNDER 1	270	4.45	225	30	14	1	0	0	170	100	0	94	49	127
1-2	1,147	18.90	728	351	61	6	0	1	754	392	1	407	179	560
3-4	990	16.31	457	350	162	20	1	0	661	329	0	360	148	481
5-6	763	12.57	307	198	209	43	5	1	532	231	0	281	100	382
7-8	586	9.65	191	146	200	43	5	1	385	201	0	207	78	301
9-10	439	7.23	119	117	155	43	4	1	304	135	0	138	58	243
11-12	363	5.98	74	92	136	50	8	3	236	127	0	113	57	193
13-14	343	5.65	64	74	145	47	12	1	225	118	0	104	45	194
15-16	247	4.07	30	61	91	49	13	3	169	78	0	78	27	142
17-18	220	3.62	21	47	107	33	9	3	143	77	0	52	21	147
19-20	153	2.52	35	46	49	17	5	1	88	65	0	46	28	79
21-22	124	2.04	36	48	30	8	1	1	82	42	0	44	16	64
23-24	105	1.73	46	40	11	6	2	0	60	45	0	28	23	54
25-26	74	1.22	37	22	12	2	1	0	52	22	0	19	8	47
27-28	59	0.97	47	8	2	2	0	0	43	16	0	19	5	35
29-30	51	0.84	42	7	2	0	0	0	36	15	0	12	6	33
31-34	59	0.97	52	5	2	0	0	0	35	24	0	18	9	32
35-39	45	0.74	40	3	1	0	1	0	31	14	0	11	8	26
OVER 39	32	0.53	31	1	0	0	0	0	21	11	0	11	3	18
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	6,070		2,582	1,646	1,389	370	67	16	4,027	2,042	1	2,042	868	3,158
PERCENT DIST.		100.00	42.54	27.12	22.88	6.10	1.10	0.26	66.34	33.64	0.02	33.64	14.30	52.03

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
MINOR CHILDREN ARE UNDER 18 YEARS OF AGE.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

APPENDICIES

129580 - M

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
CERTIFICATE OF LIVE BIRTH

CHILD	CHILD—NAME FIRST MIDDLE LAST			SEX	DATE OF BIRTH (Mo., Day, Yr.)	HOUR
	1. HOSPITAL—NAME (If not in hospital, give street and number)			2.	3a.	3b. M
CERTIFIER	4a. CITY, TOWN OR LOCATION OF BIRTH			4c. COUNTY OF BIRTH		
	I certify that the stated information concerning this child is true to the best of my knowledge and belief.			DATE SIGNED (Mo., Day, Yr.)		
	5e. (Signature) CERTIFIER—NAME AND TITLE (Type or print)			5b. NAME AND TITLE OF ATTENDANT AT BIRTH IF OTHER THAN CERTIFIER (Type or print)		
	5d. MAILING ADDRESS (If not on F.D. No., City or Town, State, Zip)			5c.		
MOTHER	REGISTRAR			DATE RECEIVED BY REGISTRAR (Mo., Day, Yr.)		
	6a. (Signature)			6b.		
	MOTHER—MAIDEN NAME FIRST MIDDLE LAST			AGE (At time of this birth) STATE OF BIRTH (If not in U.S.A., name country)		
	7a. STATE OF RESIDENCE COUNTY OF RESIDENCE CITY, TOWN OR LOCATION OF RESIDENCE			7b. 7c.		
FATHER	8a. STREET AND NUMBER OF RESIDENCE			8b. YEARS LIVING IN PRESENT TOWN		
	9a. MOTHER'S MAILING ADDRESS—If same as above, enter "same" only.			9b.		
	FATHER—NAME FIRST MIDDLE LAST			AGE (At time of this birth) STATE OF BIRTH (If not U.S.A., name country)		
	10a. (Signature of Parent or 11a. other informant)			10b. 10c. 11b. RELATION TO CHILD		

CONFIDENTIAL INFORMATION FOR MEDICAL AND HEALTH USE ONLY

RACE—MOTHER (e.g. White, Black, American Indian, etc.) (Specify)	RACE—FATHER (e.g. White, Black, American Indian, etc.) (Specify)	BIRTH WEIGHT	THIS BIRTH—Single, twin, triplet, etc. (Specify)	IF NOT SINGLE BIRTH—Born first, second, third, etc. (Specify)	IS MOTHER MARRIED? (Specify yes or no)
12.	13.	14.	15a.	15b.	16.

VS-R183

PREGNANCY HISTORY	LIVE BIRTHS (Do not include this child)		Now Living (Number)	None <input type="checkbox"/>	Now Dead (Number)	None <input type="checkbox"/>	DATE OF LAST LIVE BIRTH (Month, Year)
	17a. (Complete each section)		Before 20 weeks (Number)	None <input type="checkbox"/>	After 20 weeks (Number)	None <input type="checkbox"/>	DATE OF LAST OTHER TERMINATION (as indicated in 17d or 17e)
MOTHER	ORIGIN OR DESCENT—MOTHER (Specify Italian, Mexican, English, etc.)		EDUCATION—(highest grade completed) Elementary or Secondary (0-12) College (1-4 or 5+)		OCCUPATION—MOTHER		INDUSTRY—MOTHER
	18a.		18b. 18c.		18d.		18e.
FATHER	ORIGIN OR DESCENT—FATHER (Specify Italian, Mexican, English, etc.)		EDUCATION (0-12) (1-4 or 5+)		OCCUPATION—FATHER		INDUSTRY—FATHER
	19a.		19b. 19c.		19d.		19e.
MOTHER	DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)		MONTH OF PREGNANCY PRENATAL CARE BEGAN (First, Second, etc.) (Specify)		PRENATAL VISITS (Specify number, date, and name of physician)		
	20.		21a.		21b.		
CHILD	1 Min. APGAR SCORE 5 Min.		GESTATIONAL AGE ASSESSMENT by Examining Baby (Weeks)		CONDITION OF INFANT AT BIRTH (Specify)		
	22a. 22b.		23.		Normal <input type="checkbox"/> Respiratory Distress <input type="checkbox"/> Birth Injury <input type="checkbox"/> Other (Specify) <input type="checkbox"/>		

THIS PREGNANCY - MARK AT LEAST ONE CATEGORY IN EACH COLUMN

25. COMPLICATIONS OF PREGNANCY (check all which apply)	26. ILLNESS OR CONDS AFFECTING PREGNANCY (check all which apply)	27. COMPLICATIONS OF LABOR (check all which apply)	28. METHOD OF DELIVERY (check one)	29. CONGENITAL ANOMALIES (check all which apply)
Bleeding in Early Pregnancy a <input type="checkbox"/>	Tobacco Use a <input type="checkbox"/>	Abnormal Fetal Position (Specify) a <input type="checkbox"/>	Spontaneous Controlled a <input type="checkbox"/>	Anencephalus a <input type="checkbox"/>
Eclampsia b <input type="checkbox"/>	Heart Disease b <input type="checkbox"/>	Placenta b <input type="checkbox"/>	Spontaneous Uncontrolled b <input type="checkbox"/>	Spina Bifida b <input type="checkbox"/>
Preeclampsia c <input type="checkbox"/>	Hypertension c <input type="checkbox"/>	Uterine Prolapse or Compression c <input type="checkbox"/>	Low Forceps c <input type="checkbox"/>	Other Nervous System (specify) c <input type="checkbox"/>
Rh Sensitization d <input type="checkbox"/>	Chronic Renal Disease d <input type="checkbox"/>	Dystocia (Specify type) d <input type="checkbox"/>	Other Forceps Procedure d <input type="checkbox"/>	Cleft Lip/Palate (specify) d <input type="checkbox"/>
Anemia (Hgb. < 10 gm/dl < 30%) g <input type="checkbox"/>	DES Exposure f <input type="checkbox"/>	Breech e <input type="checkbox"/>	Primary C-Section e <input type="checkbox"/>	Of Urinary System (specify) d <input type="checkbox"/>
Amnionitis h <input type="checkbox"/>	Alcohol Dependence g <input type="checkbox"/>	Intrapartum Fever/Chorioamnionitis g <input type="checkbox"/>	Repeat C-Section f <input type="checkbox"/>	Of Eye (specify) e <input type="checkbox"/>
Premature Labor (before 37 weeks) i <input type="checkbox"/>	Drug Addiction or Dependence h <input type="checkbox"/>	Fetal Distress h <input type="checkbox"/>	Breech Delivery g <input type="checkbox"/>	Of Ear, Face, Neck (specify) f <input type="checkbox"/>
Premature Delivery (before 37 weeks) k <input type="checkbox"/>	Previous C-section (specify number) i <input type="checkbox"/>	Labor > 18 hrs i <input type="checkbox"/>	Version and Extraction h <input type="checkbox"/>	Of Heart (specify) g <input type="checkbox"/>
PRDM (> 24 hours before delivery) l <input type="checkbox"/>	Obesity j <input type="checkbox"/>	Other (specify) y <input type="checkbox"/>	Other (specify) y <input type="checkbox"/>	Of Other Circulatory System (specify) h <input type="checkbox"/>
Other (specify) y <input type="checkbox"/>	Gestational Diabetes k <input type="checkbox"/>	Other (specify) z <input type="checkbox"/>		Chromosomal (specify) o <input type="checkbox"/>
None z <input type="checkbox"/>	Chronic Diabetes l <input type="checkbox"/>			Other (specify) p <input type="checkbox"/>
	Other (specify) y <input type="checkbox"/>			Of Respiratory System (specify) i <input type="checkbox"/>
	None z <input type="checkbox"/>			None r <input type="checkbox"/>

VS-R183

NOT A LEGAL COPY

UPON COMPLETION SEND THIS SHEET TO: Department of Human Services, Vital Records Office
State House Station #11, Augusta, Maine 04333

141

PLEASE TYPEWRITE OR PRINT WITH A BALLPOINT PEN SO THAT ALL COPIES WILL BE LEGIBLE

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
REPORT OF FETAL DEATH

DECEDENT NAME

CEMETERY OR CREMATORY NAME

THIS DELIVERY	1a. HOSPITAL—NAME (If not in hospital, give name of street and number)		1b. CITY, TOWN OR LOCATION OF DELIVERY		1c. COUNTY OF DELIVERY		
	2. DATE OF DELIVERY (Month, Day, Year)		3. HOUR OF DELIVERY		4. SEX OF FETUS		
CERTIFIER	I certify that the stated information concerning this delivery is true to the best of my knowledge.			5b. DATE SIGNED (Month, Day, Year)		5c. NAME AND TITLE OF ATTENDANT AT DELIVERY (If other than certifier, type or print)	
	5a. (Signature) CERTIFIER—NAME AND TITLE (Type or print)			5d. MAILING ADDRESS (Street or R.F.D. No., City or Town, State, Zip)			5e.
MOTHER	6a. MOTHER—MAIDEN NAME FIRST MIDDLE LAST		6b. AGE (At time of this delivery)		6c. STATE OF BIRTH (If not in U.S.A., name country)		
	6d. STATE OF RESIDENCE		6e. COUNTY OF RESIDENCE		6f. CITY, TOWN OR LOCATION OF RESIDENCE		
	6g. STREET AND NUMBER OF RESIDENCE		6h. YEARS LIVING IN PRESENT TOWN				
FATHER	7a. FATHER—NAME FIRST MIDDLE LAST		7b. AGE (At time of this delivery)		7c. STATE OF BIRTH (If not in U.S.A., name country)		
	8a. PART I Fetal or maternal condition directly causing fetal death		8b. IMMEDIATE CAUSE ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), and (c)		Specify Fetal or Maternal		
CAUSE OF FETAL DEATH	8c. Fetal and/or maternal conditions, if any giving rise to the immediate cause(s), stating the underlying cause last.		8d. DUE TO, OR AS A CONSEQUENCE OF		Specify Fetal or Maternal		
	8e. DUE TO, OR AS A CONSEQUENCE OF		8f. DUE TO, OR AS A CONSEQUENCE OF		Specify Fetal or Maternal		
	8g. PART II OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER Condition contributing to fetal death but not related to cause given in (a)		8h. FETUS DIED BEFORE LABOR, DURING LABOR OR DELIVERY. Unknown (Specify)		8i. PHYSICIAN'S ESTIMATE OF GESTATION		
8j. AUTOPSY (Specify yes or no)		8k. DATE RECEIVED BY LOCAL REGISTRAR		8l. DATE RECEIVED BY LOCAL REGISTRAR		8m. DATE RECEIVED BY LOCAL REGISTRAR	
8n. FUNERAL DIRECTOR—SIGNATURE		8o. Buried <input type="checkbox"/> Lab. <input type="checkbox"/> Cremated <input type="checkbox"/>		8p. REGISTRAR—SIGNATURE		8q. DATE RECEIVED BY LOCAL REGISTRAR	
8r. 13a. Typed Name and Address of Funeral Director or Authorized Person		8s. 13b. Buried <input type="checkbox"/> Lab. <input type="checkbox"/> Cremated <input type="checkbox"/>		8t. 14. REGISTRAR—SIGNATURE		8u. DATE RECEIVED BY LOCAL REGISTRAR	
8v. RACE—MOTHER (e.g. White, Black, American Indian, etc.) (Specify)		8w. RACE—FATHER (e.g. White, Black, American Indian, etc.) (Specify)		8x. WEIGHT OF FETUS		8y. THIS BIRTH—Single, twin, triplet, etc. (Specify)	
8z. IF NOT SINGLE BIRTH—Born first, second, third, etc. (Specify)		8aa. IS MOTHER MARRIED? (Specify yes or no)		8ab. LIVE BIRTHS (Do not include this child) (Complete each section)		8ac. DATE OF LAST LIVE BIRTH (Month, Year)	
8ad. OTHER TERMINATIONS (Spontaneous and induced)		8ae. Before 20 weeks (Number)		8af. None		8ag. DATE OF LAST OTHER TERMINATION (as indicated in 21d or 21e) Mo Yr	
8ah. Now Living (Number)		8ai. None		8aj. Now Dead (Number)		8ak. None	
8al. DATE OF LAST LIVE BIRTH (Month, Year)		8am. DATE OF LAST OTHER TERMINATION (as indicated in 21d or 21e) Mo Yr		8an. ORIGIN OR DESCENT—MOTHER (Specify Italian, Mexican, English, etc.)		8ao. EDUCATION—(highest grade completed)	
8ap. OCCUPATION—MOTHER		8aq. INDUSTRY—MOTHER		8ar. ORIGIN OR DESCENT—FATHER (Specify Italian, Mexican, English, etc.)		8as. EDUCATION—(highest grade completed)	
8at. OCCUPATION—FATHER		8au. INDUSTRY—FATHER		8av. DATE LAST NORMAL MENSTRUATION BEGAN (Month, Day, Year)		8aw. MONTH OF PREGNANCY PRENATAL CARE BEGAN (First, Second, etc.) (Specify)	
8ax. PRENATAL VISITS Total Number (If none, so state)		8ay. 24c. PRENATAL VISITS		8az. 25. COMPLICATIONS OF PREGNANCY (check all which apply)		26. ILLNESS OR CONDS. AFFECTING PREGNANCY (check all which apply)	
27. COMPLICATIONS OF LABOR (check all which apply)		28. METHOD OF DELIVERY (check one)		29. CONGENITAL ANOMALIES (check all which apply)		30. OTHER (specify)	
25a. Bleeding in Early Pregnancy		25b. Eclampsia		25c. Preeclampsia		25d. Rh Sensitization	
25e. Anemia (hgb. <10 gm/dl or <30%)		25f. Amnionitis		25g. Urinary Tract Infection		25h. Premature Labor (before 37 weeks)	
25i. Premature Delivery (before 37 weeks)		25j. PROM (≥24 hours before delivery)		25k. Other (specify)		25l. None	
26a. Tobacco Use		26b. Heart Disease		26c. Hypertension		26d. Chronic Renal Disease	
26e. Pyelocystitis		26f. DES Exposure		26g. Alcohol Dependence		26h. Drug Addiction or Dependence	
26i. Previous C-section (specify number)		26j. Obesity		26k. Gestational Diabetes		26l. Chronic Diabetes	
26m. Other (specify)		26n. None		26o. None		26p. None	
27a. Abruptio Placenta		27b. Cord Prolapse or Compression		27c. Dystocia (Specify type)		27d. Breech	
27e. Intrapartum Fever/Chorioamnionitis		27f. Fetal Distress		27g. Labor > 18 hours		27h. Other (specify)	
27i. None		27j. None		27k. None		27l. None	
28a. Spontaneous Controlled		28b. Spontaneous Uncontrolled		28c. Low Forceps		28d. Other Forceps Procedure	
28e. Primary C-Section		28f. Repeat C-Section		28g. Breech Delivery		28h. Version and Extraction	
28i. Other (specify)		28j. Other (specify)		28k. Other (specify)		28l. Other (specify)	
29a. Agenesis of Spinal Cord		29b. Other Nervous System (specify)		29c. Cleft Lip/Palate (specify)		29d. Of Eye (specify)	
29e. Of Ear, Face, Neck (specify)		29f. Of Heart (specify)		29g. Of Other Circulatory System (specify)		29h. Of Respiratory System (specify)	
29i. Of Digestive System (specify)		29j. Of Genital Organs (specify)		29k. Of Urinary System (specify)		29l. Of Musculoskeletal (specify)	
29m. Of Integument (specify)		29n. Chromosomal (specify)		29o. Other (specify)		29p. None	

VS-4 R185

NOT A LEGAL COPY

UPON COMPLETION SEND THIS SHEET TO: Department of Human Services, Vital Records Office
State House Station #11, Augusta, Maine 04333

ORIGINAL
COPY
STATE

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
CERTIFICATE OF DEATH

DECEDENT-NAME FIRST MIDDLE LAST				SEX	DATE OF DEATH (Mo., Day, Yr.)
1. RACE—(e.g., White, Black, American Indian, etc.) (Specify)				2. AGE—Last Birthday (Yrs.)	3. COUNTY OF DEATH
4. CITY, TOWN OR LOCATION OF DEATH				5. HOSPITAL OR OTHER INSTITUTION—Name (if not in either, give street and number)	6. IF HOSP. OR INST. Indicate DOA, OP/Emer. Rm., Inpatient (Specify)
7a. STATE OF BIRTH (If not in U.S.A., name country)				7b. CITIZEN OF WHAT COUNTRY	7c. ORIGIN OR DESCENT (e.g., Italian, Mexican, German, etc.)
8. SOCIAL SECURITY NUMBER				9. MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (Specify)	10. SURVIVING SPOUSE (If wife, give maiden name)
11. RESIDENCE—STATE				12. COUNTY	13. CITY, TOWN OR LOCATION
14a. FATHER—NAME FIRST MIDDLE LAST				14b. MOTHER—MAIDEN NAME FIRST MIDDLE LAST	15. INFORMANT—NAME (Type or Print)
16. BURIAL, CREMATION, REMOVAL, OTHER				17. MO., DAY, YEAR	18. CEMETERY OR CREMATORY NAME
19a. FUNERAL SERVICE LICENSEE or authorized person (Signature)				19b. NAME OF FACILITY	19c. ADDRESS OF FACILITY—CITY OR TOWN
20a. 21a. To the best of my knowledge, death occurred at the time, date and place and due to the cause(s) stated				20b. 21b. DATE SIGNED (Mo., Day, Yr.)	21c. HOUR OF DEATH
21d. NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER (Type or Print)				22a. DATE SIGNED (Mo., Day, Yr.)	22b. HOUR OF DEATH
22c. NAME AND ADDRESS OF CERTIFIER (PHYSICIAN, MEDICAL EXAMINER OR CORONER) (Type or Print)				22d. ON	22e. AT
23. IMMEDIATE CAUSE [ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c)]				Interval between onset and death	
24. PART I (a) DUE TO, OR AS A CONSEQUENCE OF				Interval between onset and death	
24. PART I (b) DUE TO, OR AS A CONSEQUENCE OF				Interval between onset and death	
24. PART I (c) DUE TO, OR AS A CONSEQUENCE OF				Interval between onset and death	
24. PART II OTHER SIGNIFICANT CONDITIONS—Conditions contributing to death but not related to cause given in PART I (a)				25. AUTOPSY (Specify Yes or No)	26. WAS CASE REFERRED TO MEDICAL EXAMINER? (Specify Yes or No)
27a. ACC., SUICIDE, HOM., UNDET., OR PENDING INVEST. (Specify)				27b. DATE OF INJURY (Mo., Day, Yr.)	27c. HOUR OF INJURY
27d. INJURY AT WORK (Specify Yes or No)				27e. PLACE OF INJURY—At home, farm, street, factory, office building, etc. (Specify)	27f. LOCATION
27g. REGISTRAR				DATE RECEIVED BY REGISTRAR (Mo., Day, Yr.)	
28a. (Signature)				28b.	

VS-3R585

STATE OF MAINE – DEPARTMENT OF HUMAN SERVICES
REPORT OF ABORTION (Spontaneous and Induced)

1 FACILITY NAME (IF NOT INSTITUTION GIVE ADDRESS)		2(a) COUNTY OF ABORTION		2(b) CITY OR TOWN OF ABORTION	
3 REPORT NUMBER Nº 33472		4 AGE OF PATIENT		5 PATIENT MARRIED? YES <input type="checkbox"/> NO <input type="checkbox"/>	
6 DATE OF ABORTION		7(a) RESIDENCE OF PATIENT (STATE)		7(b) COUNTY	
7(c) CITY OR TOWN		8 TYPE OF ABORTION SPONTANEOUS <input type="checkbox"/> INDUCED <input type="checkbox"/>			
9 RACE (CHECK) <input type="checkbox"/> White <input type="checkbox"/> Black <input type="checkbox"/> American Indian <input type="checkbox"/> Other		10 EDUCATION (0-17) HIGHEST GRADE COMPLETED		PREVIOUS PREGNANCIES (COMPLETE EACH SECTION)	
				LIVE BIRTHS	
				OTHER TERMINATIONS	
				Now Living Number _____	
				Now Dead Number _____	
				Spontaneous Number _____	
				Induced Number _____	
				11(a) None <input type="checkbox"/> 11(b) None <input type="checkbox"/> 11(c) None <input type="checkbox"/> 11(d) None <input type="checkbox"/>	
TERMINATION PROCEDURE				COMPLICATIONS OF PREGNANCY	
PROCEDURE THAT TERMINATED PREGNANCY (CHECK ONE ONLY) <input type="checkbox"/> SPONTANEOUS ABORTION - NOT APPLICABLE <input type="checkbox"/> SUCTION CURETTAGE <input type="checkbox"/> <input type="checkbox"/> SHARP CURETTAGE <input type="checkbox"/> <input type="checkbox"/> INTRA-UTERINE SALINE INSTILLATION <input type="checkbox"/> <input type="checkbox"/> INTRA-UTERINE PROSTAGLANDIN INSTILLATION <input type="checkbox"/> <input type="checkbox"/> HYSTEROTOMY <input type="checkbox"/> <input type="checkbox"/> HYSTERECTOMY <input type="checkbox"/> <input type="checkbox"/> OTHER (SPECIFY) <input type="checkbox"/>				ADDITIONAL PROCEDURES USED, IF ANY (CHECK ALL THAT APPLY) CHECK ALL THAT APPLY NONE <input type="checkbox"/> HEMORRHAGE <input type="checkbox"/> INFECTION <input type="checkbox"/> UTERINE PERFORATION <input type="checkbox"/> CERVICAL LACERATION <input type="checkbox"/> RETAINED PRODUCTS <input type="checkbox"/> OTHER (SPECIFY) <input type="checkbox"/> _____ _____	
12(a) _____				12(b) _____	
13 SIGNATURE OF ATTENDING PHYSICIAN			14 ADDRESS OF PHYSICIAN IF NON FACILITY ABORTION		
15 PHYSICIAN'S ESTIMATE OF GESTATIONAL AGE			16 NAME OF PERSON COMPLETING REPORT IF NOT ATTENDING PHYSICIAN		

VS 4A R0180

COPY-
STATE

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
LICENSE AND CERTIFICATE OF MARRIAGE

GROOM	GROOM NAME FIRST MIDDLE LAST			AGE
	1			2
	USUAL RESIDENCE-STREET AND NUMBER			CITY, TOWN OR LOCATION
	3A COUNTY	STATE	3B BIRTHPLACE (STATE OR FOREIGN COUNTRY)	DATE OF BIRTH (MO., DAY, YR.)
BRIDE	3C FATHER-NAME	3D BIRTHPLACE (STATE OR FOREIGN COUNTRY)	4 MOTHER-MAIDEN NAME	5 BIRTHPLACE (STATE OR FOREIGN COUNTRY)
	6A BRIDE-NAME FIRST MIDDLE LAST	6B MAIDEN NAME (IF DIFFERENT)	7A AGE	
	8A USUAL RESIDENCE-STREET AND NUMBER			8B CITY, TOWN OR LOCATION
	10A COUNTY	STATE	10B BIRTHPLACE (STATE OR FOREIGN COUNTRY)	DATE OF BIRTH (MO., DAY, YR.)
LICENSE TO MARRY	10C FATHER-NAME	10D BIRTHPLACE (STATE OR FOREIGN COUNTRY)	11 MOTHER-MAIDEN NAME	12 BIRTHPLACE (STATE OR FOREIGN COUNTRY)
	13A I CERTIFY THAT THE INFORMATION ABOVE IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.	15 GROOM'S SIGNATURE	16 BRIDE'S SIGNATURE	
	ANY DULY AUTHORIZED PERSON IS HEREBY AUTHORIZED TO MARRY THE ABOVE-NAMED PARTIES UNDER THE LAWS OF MAINE.	17A DATE INTENTIONS FILED	17B LICENSE ISSUED DATE	17C LICENSE VALID UNTIL (DATE)
	17D SIGNATURE OF CLERK	17E CITY OR TOWN		
CEREMONY	THE LAWS OF MAINE PROVIDE THAT ONLY AUTHORIZED PERSONS MAY SOLEMNIZE MARRIAGES IN MAINE			
	18A I CERTIFY THE ABOVE NAMED PERSONS WERE MARRIED ON		18B WHERE MARRIED-CITY	
	18C PERSON PERFORMING CEREMONY (SIGNATURE)		18D PRINTED NAME	
	18E ADDRESS OF ABOVE PERSON		18F TITLE	
CLERK	19A SIGNATURE OF CLERK		19B DATE RECEIVED	
	20A (SIGNATURE)		20B	
	GROOM-MARITAL STATUS		BRIDE-MARITAL STATUS	
	NUMBER OF THIS MARRIAGE		NUMBER OF THIS MARRIAGE	
IF PREVIOUSLY MARRIED LAST MARRIAGE ENDED		IF PREVIOUSLY MARRIED LAST MARRIAGE ENDED		
SPECIFY (FIRST SECOND ETC.)		SPECIFY (FIRST SECOND ETC.)		
BY DEATH DIVORCE DISSOLUTION OR ANNULMENT (SPECIFY)		BY DEATH DIVORCE DISSOLUTION OR ANNULMENT (SPECIFY)		
DATE (MO. DAY YR.)		DATE (MO. DAY YR.)		
21		23		
22A		24A		
22B		24B		
INFORMATION FOR STATISTICAL PURPOSES ONLY				
GROOM-RACE	GROOM-EDUCATION (SPECIFY ONLY HIGHEST GRADE COMPLETED)	BRIDE-RACE	BRIDE-EDUCATION (SPECIFY ONLY HIGHEST GRADE COMPLETED)	
SPECIFY (E.G. WHITE, BLACK, AMERICAN INDIAN, ETC.)	ELEMENTARY OR SECONDARY (10-12) COLLEGE (1-4 OR 5+)	SPECIFY (E.G. WHITE, BLACK, AMERICAN INDIAN, ETC.)	ELEMENTARY OR SECONDARY (10-12) COLLEGE (1-3 OR 5+)	
25	26A 26B	27	28A 28B	

RECORD OF DIVORCE OR ANNULMENT

DEPARTMENT OF HUMAN SERVICES

HUSBAND	1. NAME OF HUSBAND — FIRST	MIDDLE	LAST
	2. USUAL RESIDENCE - CITY OR TOWN	COUNTY	STATE
WIFE	3. NAME OF WIFE — FIRST	MIDDLE	
	4. USUAL RESIDENCE - CITY OR TOWN	COUNTY	STATE
MARRIAGE	5. PLACE OF MARRIAGE — CITY OR TOWN AND STATE		6. DATE OF MARRIAGE
DIVORCE OR ANNULMENT	7. TYPE OF DECREE DIVORCE <input type="checkbox"/> ANNULMENT <input type="checkbox"/>		8. PLAINTIFF HUSBAND <input type="checkbox"/> WIFE <input type="checkbox"/>
	9. DECREE GRANTED TO HUSBAND <input type="checkbox"/> WIFE <input type="checkbox"/>		
	10. DATE OF DECREE	11. LEGAL GROUNDS FOR JUDGEMENT	
MINOR CHILDREN Use Reverse Side for Additional Names	12. NAMES OF MINOR CHILDREN	13. AGES	14. CUSTODY
CERTIFICATION	15. I HEREBY CERTIFY THAT THE ABOVE ITEMS OF INFORMATION ARE TRUE AND CORRECT AS SHOWN IN THE ORIGINAL RECORD ON FILE IN THIS COURT.		
	16. SIGNATURE OF CLERK	17. NAME OF COURT	18. LOCATION OF COURT

Table H-1

HISTORICAL VITAL STATISTICS DATA

POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES;
 RATES FOR BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS
 MAINE STATE TOTALS, 1900-1045 (Every Fifth Year) and 1946-1985 (Yearly)

Year	Population	Live Births	Birth Rate per 1,000 Population	Deaths (All Ages)	Death Rate per 1,000 Population	Infant Death Rate ^d	Neonatal Death Rate ^d	Fetal Death Rate ^d	Marriages	Divorces
1900	694,466	14,095	20.3	11,389	16.4	267.5	-	43.6 ^a	5,482	801
1905	719,000	15,294	21.3	11,381	15.8	234.2	-	46.5 ^a	6,264	848
1910	742,371	15,798	21.3	12,439	16.7	249.2	30.4	42.5 ^a	5,900	911
1915	757,000	16,671	22.0	11,541	15.2	135.7	25.4	41.3 ^a	6,672	1,006
1920	768,014	17,495	22.7	11,850	15.3	102.8	41.2	42.8 ^a	7,884	1,364
1925	782,700	17,706	22.6	10,874	13.8	75.6	51.8	-	6,226	1,228
1930	797,423	16,199	20.3	11,084	13.9	75.4	41.5	35.9 ^a	6,438	1,466
1935	822,300	15,715	19.1	11,042	13.4	62.3	37.8	33.6 ^a	7,089	1,474
1940	847,226	15,285	18.0	10,640	12.6	52.9	34.0	24.8 ^a	8,475	1,537
1945	880,500	16,647	18.9	9,966	11.3	46.6	27.0	24.1 ^a	7,569	2,497
1946	887,200	20,421	23.0	10,070	11.4	41.5	28.0	18.5 ^a	12,827	3,939
1947	893,800	23,908	26.7	9,983	11.2	35.8	23.8	20.7 ^a	10,664	2,905
1948	900,500	22,270	24.7	10,091	11.2	32.8	21.2	17.1 ^a	9,841	2,244
1949	907,100	21,941	24.2	10,173	11.2	33.4	22.6	17.8 ^a	8,085	2,100
1950	914,950	21,239	23.2	9,962	10.9	31.2	22.0	19.4 ^a	8,617	2,162
1951	919,524	21,142	23.0	10,139	11.0	30.8	21.5	16.8 ^a	8,027	2,040
1952	924,088	21,199	22.9	9,942	10.8	30.0	21.7	17.6 ^a	8,079	2,202
1953	929,128	21,774	23.4	9,817	10.6	26.2	17.9	17.8 ^a	8,197	2,163
1954	934,790	22,439	24.0	9,878	10.6	24.7	16.8	16.2 ^a	7,986	2,079
1955	940,841	22,753	24.2	10,140	10.8	24.5	17.3	28.4 ^a	8,263	1,954
1956	946,692	22,402	23.7	10,183	10.8	25.0	17.9	25.8 ^a	8,176	1,918
1957	952,706	23,062	24.2	10,117	10.6	25.2	18.7	23.3 ^a	7,878	1,890
1958	959,357	23,155	24.1	10,465	10.9	26.3	17.5	20.2 ^a	7,564	1,873
1959	964,896	23,141	24.0	10,817	11.2	26.4	19.1	19.1 ^a	7,599	1,960
1960	970,689	23,282	24.0	10,752	11.1	25.2	18.6	17.7 ^a	7,860	2,025
1961	976,511	23,553	24.1	10,765	11.0	25.6	19.0	17.5 ^a	7,908	2,021
1962	983,023	22,998	23.4	11,083	11.3	25.3	18.2	17.1 ^a	7,980	2,078
1963	986,603	21,919	22.2	11,003	11.2	24.0	17.9	16.3 ^a	8,121	1,193
1964	990,391	21,204	21.4	10,862	11.0	23.5	16.9	17.4 ^a	8,269	2,400
1965	993,236	19,796	19.9	10,778	10.9	22.4	16.9	17.5 ^a	8,726	2,502
1966	994,714	18,526	18.6	10,915	11.0	22.6	17.1	15.0 ^a	8,983	2,630
1967	995,134	17,976	18.1	10,066	10.1	23.1	16.4	16.1 ^a	9,210	3,049
1968	994,632	16,866	17.0	11,085	11.1	21.6	15.9	16.0 ^a	10,179	3,088
1969	993,907	17,364	17.5	10,898	11.0	19.7	15.3	11.8 ^a	10,428	3,375
1970	997,357	17,837	17.9	11,066	11.1	20.9	16.1	13.8 ^a	10,975	3,841
1971	1,012,257	17,850	17.6	10,830	10.7	18.1	13.3	13.2 ^a	11,193	3,905
1972	1,025,775	16,269	15.9	11,147	10.9	17.7	12.8	12.2 ^a	11,741	4,132
1973	1,038,291	15,730	15.1	10,837	10.4	16.1	11.6	13.3 ^a	11,925	4,551
1974	1,050,181	15,110	14.4	10,705	10.2	16.1	12.6	9.9 ^b	11,546	4,850
1975	1,062,640	15,232	14.3	10,253	9.6	13.2	9.0	10.8 ^b	11,190	5,526
1976	1,074,653	15,046	14.0	10,422	9.7	11.0	7.6	8.3 ^b	11,302	5,522
1977	1,087,650	16,252	14.9	10,055	9.2	9.4	6.1	8.6 ^b	11,446	5,655
1978	1,101,186	15,919	14.5	10,168	9.2	10.2	6.0	8.9 ^{b,c}	11,658	6,164
1979	1,115,044	16,435	14.7	10,278	9.2	9.7	5.8	7.2 ^{b,c}	11,918	6,158
1980	1,125,027	16,474	14.6	10,768	9.6	9.3	5.9	7.1 ^{b,c}	12,040	6,189
1981	1,132,849	16,567	14.6	10,331	9.1	10.6	6.6	5.7 ^{b,c}	12,290	6,351
1982	1,136,199	16,695	14.7	10,451	9.2	8.7	6.0	6.9 ^{b,c}	12,388	5,804
1983	1,145,730	16,576	14.5	10,916	9.5	8.7	5.9	6.5 ^b	12,478	5,939
1984	1,156,485	16,631	14.4	10,826	9.4	8.0	4.8	6.8 ^b	12,525	5,795
1985	1,163,850	16,905	14.5	11,392	9.8	8.9	6.3	6.0 ^b	12,248	6,070

Notes:^aFetal death rate calculated based on all reported terminations of pregnancy, regardless of gestational age. In 1973,

Table H-2

HISTORICAL VITAL STATISTICS DATA

Induced Abortions, Number and Rate:
Maine State Totals, 1978-1984

Year	Births	Induced Abortions	Induced Abortions per 1,000 Live Births
1978	15,919	4,011	252.0 ^a
1979	16,435	3,963	241.1 ^a
1980	16,474	3,594	218.2 ^b
1981	16,567	2,881	173.9 ^b
1982	16,695	2,419	144.9 ^b
1983	16,576	3,279	197.8 ^b
1984	16,631	3,767	226.5 ^b
1985	16,905	3,784	223.8 ^b

Notes: Data prior to 1978 not given because of severe underreporting.

^aOccurrence data.

^bResidence data.

TABLE P-1

ESTIMATED TOTAL POPULATION
MAINE COUNTIES AND STATE TOTAL, - JULY 1, 1985

COUNTY	ESTIMATED RESIDENT POPULATION JULY 1, 1985
STATE TOTAL	1,163,849
ANDROSCOGGIN	100,578
ARROOSTOOK	88,491
CUMBERLAND	226,287
FRANKLIN	28,951
HANCOCK	44,086
KENNEBEC	112,375
KNOX	34,782
LINCOLN	28,161
OXFORD	49,994
PENOBSCOT	138,142
PISCATAQUIS	18,002
SAGadahoc	30,182
SOMERSET	46,941
WALDO	29,490
WASHINGTON	34,287
YORK	153,100

SOURCE: UNITED STATES DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS, JULY 1, 1985 PROVISIONAL ESTIMATES.

TABLE P-2

ESTIMATED POPULATION BY AGE GROUP AND SEX
MAINE STATE TOTALS, - JULY 1, 1985

AGE GROUP (YEARS)	ESTIMATED RESIDENT POPULATION JULY 1, 1985		
	MALE	FEMALE	TOTAL
ALL AGES - TOTAL	552,951	610,838	1,163,849
UNDER 1	8,618	8,412	17,030
1-14	118,860	111,672	230,532
15-24	98,851	98,075	196,926
25-34	96,397	96,281	192,678
35-44	74,085	80,905	154,990
45-64	102,215	116,035	218,250
65-74	31,652	55,214	86,866
75-84	18,054	31,494	49,548
85 AND OLDER	4,219	12,810	17,029

SOURCES: UNITED STATES DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS, JULY 1, 1985
 PROVISIONAL POPULATION ESTIMATES FOR TOTAL POPULATION IN EACH AGE GROUP.
 SEX RATIO IS DERIVED FROM UNDER ONE YEAR 1985 RESIDENT BIRTHS. FOR ALL
 OTHER YEARS SEX RATIO IS DERIVED FROM: WELCH, D. POPULATION PROJECTIONS
 BY MINOR CIVIL DIVISIONS, SEX, AGE GROUP AND COUNTY. MAINE: 1985-1994.
 AUGUSTA: MAINE DEPARTMENT OF HUMAN SERVICES, JULY 1, 1986.