MAINE STATE LEGISLATURE

The following document is provided by the

LAW AND LEGISLATIVE DIGITAL LIBRARY

at the Maine State Law and Legislative Reference Library

http://legislature.maine.gov/lawlib



Reproduced from scanned originals with text recognition applied (searchable text may contain some errors and/or omissions)

1986

HA 413 ,M25 1986 STATE OF MAINE DEPARTMENT OF HUMAN SERVICES

STATE OF MAINE

DEPARTMENT OF HUMAN SERVICES

OFFICE OF DATA, RESEARCH, AND VITAL STATISTICS

ANNUAL STATISTICAL REPORT

FOR THE CALENDAR YEAR

1986

ACKNOWLEDGEMENTS

This report contains a summary of vital statistics for the State of Maine for the calendar year 1986. The Department of Human Services has the dual responsibility of maintaining an effective system of vital registration and of making vital statistics available to the public. Within the Department itself, these data are needed for planning, managing, and evaluating programs that will improve the health and welfare of Maine people. The data are widely used, as well, for estimating and projecting population characteristics and changes.

This document is the result of the cooperative efforts of many individuals and groups. Chief among these are the municipal clerks of Maine's towns and counties, who serve as local registrars for vital records. The conscientious efforts of physicians, medical records administrators, and funeral directors also deserve special mention.

Maine Vital Statistics has been compiled and produced under the general supervision and direction of Ellen M. Naor, State Registrar of Vital Statistics and Director, Office of Data, Research, and Vital Statistics. Staff most significantly involved in the production of the 1986 annual report include:

Carl Gerry, Director, Technical Operations - Primary responsibility for systems analysis and revision, table design and production.

Michael Morin, William Turner and Ted Clark - Vital statistics systems maintenance and programming of vital statistics series reports.

Dale Welch, Senior Researcher - Population statistics.

Sue Whitley, Word Processing Supervisor - Manuscript preparation.

The joint efforts of all the staff of the Office's Vital Records Unit are necessary to produce the data contained in this publication. Special acknowledgement is made to:

Lorraine Gerard, Deputy State Registrar - Supervision of the Vital Records Unit which is responsible for data collection, coding and editing.

Carol Crane, Field Agent - Coordination with cities and towns to produce the data in a timely fashion.

TABLE OF CONTENTS

	Page No.
Acknowledgements	ii
Table of Contents	iii
List of Tables	v
List of Supplemental Tables Available on Request	x
Introduction	1
Definitions of Terms	3
Definitions of Rates	7
Technical Notes	9
General Considerations. Live Births	9 12 12 12 14 15
Tables (See List of Tables for detailed titles)	
Live Births Infant and Fetal Mortality General Mortality Induced Abortions Marriages and Divorces	17 69 83 115 127
Appendix Tables	135
Maine Vital Records Certificates and Reports	
Certificate of Live Birth	137 138 139 140 141
RECORD OF DIVORCE OF ADDULMENT.	147

TABLE OF CONTENTS (Continued)

	Page No.
Historical Vital Statistics Data	
Population, Live Births, Deaths, Marriages	
and Divorces; Rates for Births, Deaths,	
Infant Deaths, Neonatal Deaths, and Fetal	_
Deaths: Maine State Totals, from 1900	143
Induced Abortions, Number and Rate: Maine State	
Totals, from 1978	144
Population Estimates	
Estimated Total Population: Maine Counties and	
State Total	145
Estimated Population by Age Group and Sex: Maine	
State Totals	146

LIST OF TABLES

Table	No.	Table Title	Page No.
		LIVE BIRTHS	
TABLE	B-1	All Live Births and Out of Wedlock Live Births, by Mother's Age and Race of Child: Maine State Totals, 1986 (Resident Data)	. 19
TABLE	B-2	All Live Births and Out of Wedlock Live Births, by Mother's Age and Child's Birthweight: Maine State Totals, 1986 (Resident Data)	. 20
TABLE	B-3	Live Births by Selected Medical History Characteristics: Maine State Totals, 1986 (Resident Data) [Selected Characteristics: Complications of Pregnancy, Illness or Condition Affecting Pregnancy, Complications of Labor, Method of Delivery, Congenital Anomalies]	. 21
TABLE	B-4	Live Births by Selected Risk Characteristics, and Ratio of Male to Female Births: Maine Counties and State Totals, 1986 (Resident Data) [Selected Characteristics: 5 Minute Apgar Score Less Than 5, Congenital Anomalies, Birthweight Less Than 2,500 Grams, Gestation Less Than 37 Weeks]	. 22
TABLE	B-5	All Live Births and Out of Wedlock Live Births, by Mother's Age, Sex of Child and Birth Order: Maine Counties and State Totals, 1986 (Resident Data)	. 23
TABLE	B-6	Live Births by Month Prenatal Care Began and Birthweight: Maine Counties and State Totals, 1986 (Resident Data)	. 40
TABLE	B-7	Live Births by Trimester Prenatal Care Began and Number of Prenatal Visits: Maine Counties and State Totals, 1986 (Resident Data)	. 49
TABLE	B-8	Live Births by Month Prenatal Care Began and Mother's Education: Maine Counties and State Totals, 1986 (Resident Data)	. 58
TABLE	B-9	Live Births by Selected Risk CharacteristicsNumber of Births: Maine Hospitals, Other Birth Sites, and State Totals, 1986 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Casarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]	. 64

Table No.	Table Title	Page No
TABLE B-10	Live Births by Selected Risk Characteristics Percentage of Total Births: Maine Hospitals, Other Birth Sites, and State Totals, 1986 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]	65
TABLE B-11	Live Births by Birthweight: Maine Hospitals, Other Birth Sites, and State Totals, 1986 (Occurrence Data)	66
	INFANT AND FETAL MORTALITY	
TABLE F-1	Infant, Neonatal, and Postneonatal Deaths by Sex for 61 Cause of Death Groups: Maine State Totals, 1986 (Resident Data)	71
TABLE F-2	Fetal Deaths by Gestation and Sex for 61 Cause of Death Groups: Maine State Totals, 1986 (Resident Data)	75
TABLE F-3	Live Births, Neonatal Deaths, and Estimated Neonatal Death Rates by Birthweight: Maine State Totals, 1986 (Resident Data)	77
TABLE F-4	Fetal Deaths by Selected Complications, Gestation, and Age of Patient: Maine State Totals, 1986 (Resident Data) [Selected Complications: Complications of Pregnancy, Complications of Labor or Delivery, Concurrent Illnesses, Congenital Anomalies]	78
TABLE F-5	Deaths and Death RatesTotal, Infant, Neonatal, Postneonatal, and Perinatal: Maine Counties and State Totals, 1986 (Resident Data)	79
TABLE F-6	Fetal Deaths by Selected Characteristics: Maine Counties and State Totals, 1986 (Resident Data) [Selected Characteristics: Out of Wedlock, Autopsy, In Hospital, Trimester Prenatal Care Began, Age of Patient]	. 80
TABLE F-7	Fetal Deaths, Selected Risk Characteristics, and Ratio of Males to Females: Maine Counties and State Totals, 1986 (Resident Data) [Selected Characteristics: Congenital Anomalies, Fetal Weight, Gestation Less Than 28 Weeks]	. 81
TABLE F-8	Fetal Deaths by Selected Medical History Characteristics: Maine State Totals, 1986 (Resident Data) [Selected Medical History: Complications of Pregnancy, Illness or Condition Affecting Pregnancy, Complications of Labor, Method of Delivery,	
	Congenital Anomalies]	82

Table No.	Table Title	Page No
	GENERAL MORTALITY	
TABLE D-1	Deaths, Rank by Number of Deaths, and Death Rate Total, Male, and Female for Ten Leading Causes of Death by Age Group: Maine State Totals, 1986 (Resident Data)	85
TABLE D-2	Years of Life LostNumber, Percent, Rank and Average per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1986 (Resident Data)	. 90
TABLE D-3	Deaths by Age and Sex for 282 Cause of Death Groups: Maine State Totals, 1986 (Resident Data)	. 91
TABLE D-4	Underlying Cause Mentions and All Mentions of 72 Cause of Death Groups, and Ratio of All Mentions to Underlying Cause Mentions: Maine State Totals, 1986 (Resident Data)	109
TABLE D-5	DeathsTotal, and Percent by Site of Death: Maine Counties and State Totals, 1986 (Resident Data)	111
TABLE D-6	Deaths in HospitalsTotal and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1986 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	112
TABLE D-7	Deaths in Intermediate Care FacilitiesTotal and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1986 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	113
TABLE D-8	Deaths at HomeTotal and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1986 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	114
	INDUCED ABORTIONS	
TABLE A-1	Total Terminations of Pregnancy, Fetal Deaths, Miscarriages, and Induced Abortions by Gestation: Maine State Totals, 1986 (Resident Data)	117
TABLE A-2	Induced Abortions by Gestation and Type of Termination Procedures: Maine State Totals, 1986 (Occurrence Data)	118
TABLE A-3	Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1986 (Resident Data)	119
TABLE A-4	Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1986 (Occurrence Data)	120
TABLE A-5	Induced Abortions by Race, Marital Status and Age	121

Table No.	Table Title	Page No
TABLE A-6	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1986 (Occurrence Data)	122
TABLE A-7	Induced Abortions by Complications of Pregnancy, Gestation, and Age of Patient: Maine State Totals, 1986 (Occurrence Data)	. 123
TABLE A-8	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1986 (Resident Data)	. 124
TABLE A-9	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1986 (Occurrence Data)	. 125
TABLE A-10	Induced Abortions by State or Country of Residence: Maine State Totals, 1986 (Occurrence Data)	. 126
	MARRIAGES AND DIVORCES	
TABLE M-1	Marriages by Age of Bride and of Groom: Maine State Totals, 1986 (Resident Data)	. 129
TABLE M-2	Marriages by Years of Education of Bride and of Groom: Maine State Totals, 1986 (Resident Data)	. 130
TABLE M-3	Marriages by Age and Previous Marital Status, for Brides and for Grooms: Maine State Totals, 1986 (Resident Data)	. 131
TABLE M-4	Marriages by Number of Previous Marriages of Bride and of Groom: Maine State Totals, 1986 (Resident Data)	. 132
TABLE M-5	Divorces by Number of Minor Children, Plaintiff, Decree Granted, and by Number of Years Married: Maine State Totals, 1986 (Occurrence Data)	133
	APPENDIX TABLES	
TABLE C-1	Copy of Maine Birth Certificate	. 137
TABLE C-2	Copy of Maine Fetal Death Certificate	. 138
TABLE C-3	Copy of Maine Death Certificate	. 139
TABLE C-4	Copy of Maine Spontaneous and Induced Abortion Certificate	. 140
TABLE C-5	Copy of Maine Marriage Certificate	. 141
TABLE C-6	Copy of Maine Divorce Certificate	. 142

Table	No.	Table Title	Page	No.
TABLE	H-1	Historical Vital Statistics Data, Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, 1900-1945 (every fifth year) and 1946-1986 (yearly)	1	43
TABLE	н-2	Historical Vital Statistics Data, Induced Abortions, Number and Rate: Maine State Totals, 1978-1986	1	44
TABLE	P-1	Estimated Total Population: Maine Counties and State Total, July 1, 1986	1	4 5
TABLE	P-2	Estimated Population by Age Group and Sex: Maine State Totals, July 1, 1986	1	46

Table No.

- S-P-1 **All Pregnancies by Outcome, Marital Status and Age of Mother: Maine Counties and State Totals, 1986 (Resident Data)
- S-A-2 Induced Abortions--Total, and by Selected Characteristics:
 Maine Towns over 3,500 Population, Counties and State Totals,
 1986 (Resident Data) [Selected Characteristics: Out of Wedlock,
 Patient's Age, No Previous Pregnancies, No Previous Abortions,
 Education, Abortions in Hospital]
- S-A-3 Induced Abortions to Canadian Residents by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient:

 Canada Totals, 1986 (Occurrence Data)
- S-A-4 Induced Abortions to Canadian Residents by Gestation, Age of Patient, and Race: Canada Totals, 1986 (Occurrence Data)
- S-A-5 Induced Abortions to Canadian Residents by Gestation and Type of Termination Procedures: Canada Totals, 1986 (Occurrence Data)
- S-B-l All Live Births and Out of Wedlock Live Births by Adequacy of Prenatal Care, Mother's Age, Child's Birthweight, and Apgar Score: Maine State Totals, 1986 (Resident Data)
- S-B-2 Live Births -- Total, and by Selected Risk Characteristics:
 Maine Towns, Counties and State Totals, 1986
 (Resident Data) [Selected Characteristics: Out of
 Wedlock, Under 2,500 Grams, Congenital Anomalies,
 Mother Under Age 20 Years, No Prenatal Care]
- S-BD-1 Births and Deaths by Month, Maine Towns, Counties and State Totals, 1986 (Resident Data)
- S-D-l Listing of Death Records by the Ninth Revision of the International Classification of Disease (ICD) Code: Maine Towns, 1986 (Resident Data)
- S-D-2 Deaths by 72 Cause of Death Groups: Six Largest Cities or Towns in Each Maine County, County Totals, and State Totals, 1986 (Resident Data)
- S-D-3 Deaths by Age and Sex for 72 Cause of Death Groups Maine State Totals, 1986 (Resident Data)
- S-D-4 Deaths by Age and sex for 32 Cause of Death Groups Maine State Totals, 1986 (Resident Data)

^{*}Supplemental tables are available at the cost of reproduction.

^{**}Table S-P-1 includes all information contained in former Table S-A-1, which has been deleted.

- S-D-5 Alcohol and Drug Related Deaths by Status of Mention: Maine State totals, 1986 (Resident Data)
- S-D-6 Deaths by Origin or Descent: Maine Counties and State Totals, 1986 (Resident Data)
- S-D-7 Deaths by Referral to Medical Examiner, Autopsy Status, Certifier, Traumatic and Non-traumatic Deaths: Maine State Totals, 1986 (Occurrence Data)
- S-D-8 Deaths by Method of Disposition: Maine Counties and State Totals, 1986 (Occurrence Data)
- S-D-9 Years of Life Lost Before Age 75 Number, Percent, Rank, and Average Per Death by 32 Cause of Death Groups and Sex
- S-F-1 Neonatal Deaths and Estimated Neonatal Rates by Birthweight: Maine Hospitals of Birth, other Birth Sites, and State Total, 1986 (Occurrence Data)
- S-F-2 Infant, Neonatal, and Fetal Deaths by Sex, Non-white Race, Low Birthweight, and Congenital Anomalies: Maine Towns, Counties, and State Total, 1986 (Resident Data)
- S-M-l Marriages by Selected Characteristics: Maine Towns, Counties, and State Totals, 1986 (Occurrence and Residence Data) [Selected Characteristics: Religious Ceremony, Bride and Groom Residence, Under Age 20 Years, Education Under 12 Years, First Marriage]
- S-M-2 Wives Involved in Divorces and Annulments by Residence of Husband and Number of Minor Children: Maine Towns, Counties, and State Totals, 1986 (Resident Data)

^{*}Supplemental tables are available at the cost of reproduction.

	•	1
		1
		1
		1
		1

INTRODUCTION

In order to speed the process of making these data available to the public, the annual vital statistics report does not contain interpretive comments or charts. Information necessary to use the tables is included in the technical notes. The tabulations most frequently requested are presented in this report. Supplemental tables, available at the cost of reproduction, are listed on page x. Special tabulations can also be obtained, generally at a charge that may include preparation as well as reproduction costs. Comments and requests for additional information should be directed to:

Office of Data, Research, and Vital Statistics Maine Department of Human Services State House Station #11 Augusta, Maine 04333

Telephone: (207) 289-3001

		1

DEFINITIONS OF TERMS

All Mentioned Causes of Death

All causes of death mentioned on the death certificate, whether underlying or associated. All mentioned causes are also referred to as "multiple causes of death."

Apgar Score

A summary indicator for evaluating the health of a newborn infant, the score ranges from 0 (very poor) to 10 (excellent). It is assigned by the delivery room personnel one minute and five minutes after birth.

Associated Cause of Death

Condition other than the underlying cause of death which may have contributed to the death.

Birth Order

Number of live births to the mother of the newborn, including this birth.

Birthweight

Weight of fetus or infant at time of delivery (normally measured in grams).

Fetal Death

Death prior to the complete expulsion or extraction from its mother of a product of conception; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Fetal deaths of at least 20 weeks of gestation must be reported on the "Fetal Death Report." Fetal deaths of less than 20 weeks gestation are reported on the "Report of Abortion (Spontaneous and Induced)."

Gestation

Clinical assessment of the number of weeks since conception.

Hospital

A licensed acute care health facility with permanent inpatient beds offering facilities and services for the diagnosis and treatment of illness, injury and deformity for a continuing period of time. A hospital has an organized medical staff and offers continuous 24 hour professional nursing care and emergency treatment.

Induced Abortion

Induced abortion means the intentional interruption of a pregnancy by the application of external agents, whether chemical or physical, or the ingestion of chemical agents with an intention other than to produce a live birth or to remove a dead fetus. All induced abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)," regardless of the length of gestation.

DEFINITIONS OF TERMS (Continued)

Infant Death

Death occurring to a live born infant less than one year of age.

Intermediate Care Facility

A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, health related services, and licensed nursing supervision (8 hours per day).

Live Birth

A live birth is the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Maternal Deaths

Those deaths of women wherein the physician has designated a maternal condition as the underlying cause of death.

Minor Civil Division

In Maine, minor civil divisions generally are areas covered by the local or city/town level of civil government.

Miscarriage

Spontaneous abortion (see definition).

Multiple Causes of Death

All causes of death mentioned on the death certificate, whether underlying or associated. Multiple causes are also referred to as "all mentioned causes."

Neonatal Death

Death occurring to a live born infant before completing 27 days of life.

Occurrence

Refers to data tabulated by place the event occurred.

Out-of-Wedlock Birth

Births in which the mother was not married either at the time of conception or at the time of delivery.

Perinatal Death

Fetal deaths of at least 20 weeks gestation and all neonatal deaths.

DEFINITIONS OF TERMS (Continued)

Post-Neonatal Death

Death occurring to a live born infant between the ages of 28 days and 364 days, inclusive.

Race

Race of mother, father, or decedent is as stated on certificate. Race of child is determined from the race of the parents.

Residence

Refers to data tabulated by usual place of residence of the person to whom event occurred. For births, fetal deaths, and abortions, residence is defined as the mother's place of residence.

Site of Birth

Hospital or type of non-hospital site (e.g. home, on way to hospital, out-patient facility) where birth occurred.

Site of Death

Hospital or type of non-hospital site (e.g. home, on way to hospital, nursing home) where death occurred.

Skilled Nursing Facility

nursing licensed home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include inpatient beds. medical three or more services, continuous skilled nursing services and health-related services, diagnosis and treatment.

Spontaneous Abortion

A termination of pregnancy, at less than 20 weeks gestation, through natural causes and without the aid of mechanical or medicinal agents. All spontaneous abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)."

Underlying Cause of Death

That condition giving rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. For this report, underlying causes are selected through processing of death certificate data by the ACME and TRANSAX computer programs (see Technical Notes).

I				
'				
ı				
1				
1				
1				
I				
I				
ı				
1				

DEFINITIONS OF RATES*

Age-Specific Death Rate	=	Resident Deaths in Specific Age Group Total Resident Population in Specific Age Group		100,000
Birth Rate	100	Resident Live Births Total Resident Population	X	1,000
Cause-Specific Death Rate	20	Resident Deaths from Specific Cause Total Resident Population	X	100,000
Death Rate	L EST	Resident Deaths Total Resident Population	X	1,000
Divorce Rate	-	Divorces Total Resident Population	X	1,000
Fetal Death Rate	-	Resident Fetal Deaths Total Resident Live Births and Resident Fetal Deaths	x	1,000
Infant Death Rate	153	Resident Infant Deaths Total Resident Live Births	X	1,000
Marriage Rate	=	Marriages Performed Total Resident Population	X	1,000
Maternal Death Rate	-	Resident Maternal Deaths Total Resident Live Births	X	10,000
Neonatal Death Rate	53	Resident Neonatal Deaths Total Resident Live Births	X	1,000
Perinatal Death Rate	62	Resident Fetal Deaths and Neonatal Deaths Total Resident Fetal Deaths and Live Births	X	1,000
Post-Neonatal Death Rate	129	Resident Post-Neonatal Deaths Total Resident Live Births	X	1,000
Sex-Specific Death Rate	•	Resident Deaths of Indicated Sex Total Resident Population of Indicated Sex	X	100,000

^{*}Event denominators for rates are registered totals for the calendar year. Population denominators are mid-calendar year estimates.

TECHNICAL NOTES

General Considerations

Sources of Vital Records Data: Birth, death, fetal death, abortion, marriage, and divorce certificates are the source documents for data on vital events in Maine. A copy of each is included in Appendix Tables C-1 through C-6.

The cut-off dates for the data in this report are: Divorces and Abortions, March 15, 1987; Deaths, Fetal Deaths, and Marriages, April 1, 1987; and Births, April 15, 1987. Any data pertaining to 1986 events for which certificates were filed after the above cut-off dates are not included in this report.

Birth certificates and abortion reports are usually completed by hospital or clinic personnel. Death and fetal death certificates are usually completed by funeral directors, who obtain the medical certifications of cause of death from physicians. Marriage certificates are completed by the appropriate municipal clerks, while divorce reports are sent to the Office of Data, Research, and Vital Statistics by the clerks of courts.

Completeness of Registration: A birth certificate test in 1950 indicated that about one percent of births in Maine at that time were not recorded. It is assumed that registration has continued to be at least this complete.

Although no test of death registration has ever been done, it is assumed that death registration is reasonably complete, because burial permit laws and regulations require the filing of a death certificate before a burial permit for the disposition of the body is issued.

Reporting of all terminations of pregnancy at any gestation, whether spontaneous or induced, has been required in Maine for many years. Analysis of fetal death rates over time, however, indicates that there has been considerable variation in the completeness of registration. A specific reporting form for abortions (spontaneous and induced) was introduced in 1978. Comparison with independent data sources suggests that induced abortions may be underreported by 10 to 15%.

In addition to unrecorded vital events, other vital events may not be included in this report for several reasons: failure of the person required to report the event to make a timely report; failure of a municipal clerk to make a timely report to the State Registrar; or failure of other states to make timely exchanges of nonresident transcripts of births and deaths.

<u>Data Quality</u>: Data in this report are based upon original certificates of births and deaths, copies of original certificates of marriages prepared by city and town clerks, and abstracts of decrees of divorces prepared by the clerks of courts. Errors in data may be

introduced by persons giving information for the original certificate, persons involved in the actual preparation of the original certificate, persons responsible for the preparation of the copies or abstracts of the original certificates, or those involved in the coding and processing of the data in the State Office of Data, Research, and Vital Statistics.

Extensive reorganization and revision in 1983 of reporting procedures, data input procedures, and computer systems have reduced or eliminated many of the problems experienced in previous years. Office of Data, Research, and Vital Statistics maintains several programs aimed at improving the quality and completeness of information received on certificates and its translation into statistical form. A "query" system is used to followback physicians. hospital personnel and funeral directors concerning incomplete or conflicting information on the certificates themselves. The followback, which is done by both mail and telephone, is based on both manual and computer editing procedures.

In addition, the vital statistics field agent works directly with the data providers to improve the quality of reported information. The field agent conducts various seminars, workshops, and site visits to educate hospital and medical personnel, funeral directors, and municipal clerks in the importance of accurate and complete vital statistics data.

Finally, the National Center for Health Statistics (NCHS) monitors State coding of statistical data. The NCHS has established a two percent upper limit for coding differences involving any one data item, with the exception of cause of death. A five percent limit is used for this item due to the complexity of the coding process.

Comparison with Earlier Years: In 1983, a number of changes were introduced into the vital registration program and associated data processing, computer systems, and analytic procedures. These must be borne in mind in any comparisons with earlier years and analyses of time trends. Specific changes include the following:

- Implementation of a new birth certificate on January 1, 1983 and a new fetal death certificate on January 1, 1985. The new certificates use a checklist format for reporting medical history items related to pregnancy and delivery. These items are recorded on a separate page mailed directly to the Vital Records Unit.
- Intensive field and education activities directed to appropriate medical providers to promote more complete reporting of induced abortions performed at any time during pregnancy.
- The computerized data systems for records of births, deaths, fetal deaths, marriages, divorces, and abortions were completely revised in 1983 to promote more accurate and timely registration activities and statistical products. Comprehensive and rigorous edit procedures were developed for data input and a number of consistency checks were incorporated.

Small Frequencies: The numbers of births or deaths reported for a community represent complete counts of these events. As such, they are not subject to sampling error or variation, although they are subject to errors in the collection and processing procedures. However, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same general circumstances. The probable range of values may be estimated from the actual figures according to certain statistical assumptions (Vital Statistics for the U.S., Vol. 1, 1959, p. 1-20). When the figures are used for comparison of frequencies and rates over a time period or for different areas, appropriate statistical methods should be used to assess the significance of the comparisons.

Frequencies of and rates based on fewer than 10 events should be used carefully because they are subject to large random fluctuations. The number "10" is arbitrary, however, and is not set forth as a critical point distinguishing statistically reliable rates.

Rates: In interpreting the conditions described by vital statistics rates, considerable caution must be observed. In particular, differences in rates from time to time or place to place may arise from a number of population differences and other compounding factors, and appropriate techniques (e.g., standardization) should be utilized in such comparisons.

Population Data: The population data used to calculate rates in this report are from the 1986-1995 Maine Population Projections, Office of Data, Research, and Vital Statistics, Department of Human Services, June, 1987. A display of these population data is included in Appendix Tables P-1 and P-2.

"Selected" Characteristics/Causes of Death: These terms are used to denote tabulations in which the categories displayed are not exhaustive but represent only those of particular interest.

Geographic Classification: In addition to recording vital events occurring in Maine, the Office of Data, Research, and Vital Statistics receives transcripts of birth certificates for children born outside Maine to a mother who is a resident of Maine. Death certificates for persons who are residents but die outside the boundaries of Maine are also received. Transcripts of non-resident births and deaths are exchanged with all other states and with Canada.

Events are assigned to geographical areas according either to place of residence or to place of occurrence. The basis for classification is identified in each table and should be carefully observed when extracting information.

"Resident Data" means events have been tabulated according to the area where the person lived regardless of where the event occurred. In the case of infant deaths and births, the reference is to the residence of the mother. It should be noted that in the case of infant deaths, the place of residence at death may differ from the place of residence at birth; when special tabulations are prepared from both birth and death certificates, it is important to note to which residence category they were assigned.

"Occurrence Data" means events have been tabulated according to where the events took place, regardless of the usual residence of the person. Since nearly all births and most deaths take place in hospitals, the number which occur in counties with many hospital beds will be large for this reason alone.

Births

As noted in previous sections, a revised birth certificate was initiated on January 1, 1983. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies. Two added items were the physician's estimate of gestation and an assessment of the infant's condition at birth. Initial evaluation indicates that the checklist format increased reporting of the medical history items dramatically — as much as five-fold on some items — so comparison with data from previous years must be made with caution.

Infant and Fetal Mortality

This section includes all fetal deaths of at least 20 weeks gestation and all neonatal deaths. The birth, death, and fetal death certificates all include information on the place of residence, so events to non-Maine residents can be excluded from tabulations based on resident data. Through the interstate exchange agreement, transcripts of births and deaths which occur outside of the state to Maine residents are obtained for inclusion in tabulations of resident data. Maine started to participate in such exchange for fetal deaths in 1985, so information on pregnancies of Maine women terminating in fetal deaths which occurred outside the state is now available for inclusion in tabulations of resident data.

A revised fetal death certificate was initiated on January 1, 1985, comparable to the 1983 revision of the birth certificate. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies.

Notification of infant death is obtained from the regular death certificate. However, much information relevant to the circumstances of infant death is found on the birth certificate. Birth and death records have, therefore, been matched to produce a composite infant death tape, which is the source of Table F-3. Tables F-1, F-5, and all other death tables, on the other hand, are produced from the general death file. Discrepancies between these two sources are minimal, usually involving only a very small number of deaths.

General Mortality

There are a number of factors which should be considered in order to understand and use the mortality data presented herein.

Mortality Classification: The mortality classification used in this report is the Ninth Revision of the International Classification of Diseases (ICD-9). It consists of a list of 722 categories of diseases and morbid conditions, 192 categories for classification of the external cause of an injury, and 190 categories for the characterization of injuries according to the nature of the lesion.

There are two major limitations in interpreting changes in cause of death statistics. Changes in diagnostic practice may affect the comparability of such statistics over time, as do changes in nomenclature and in the classification scheme. The International Classification of Diseases is revised approximately every ten years to incorporate advances in medical science and to reflect changing medical opinion and practice. The Sixth Revision was used from 1949-1957, the Seventh Revision from 1958-1967, the Eighth Revision from 1968-1978, and the Ninth Revision after 1978.

Under the Ninth Revision, the method for selecting the cause of death for statistical purposes remains the same as the method instituted with the Sixth Revision. The Sixth Revision instituted a method whereby the physician in attendance at death indicates the disease or morbid condition which he considers to be the underlying cause of death. The underlying cause is defined as "(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident which produced fatal injury." Prior to 1981, when two or more causes were jointly recorded, a nosologist in the Office of Vital Statistics selected and coded the underlying cause using the ancillary information provided on the death certificate by the physician. Beginning in 1981, however, all causes mentioned on the certificate are coded. The underlying cause is determined using a computerized procedure: the Automated Classification of Medical Entities (ACME) program. The cause of death information is then subjected to the TRANSAX computer program, which eliminates redundancies in mentioned causes. Information on all associated causes is retained on the computer records for use in further study of certain health problems.

Several groupings by cause of death are utilized in this report. All of the groupings are both exhaustive and exclusive: all causes are assigned to a group or category, and each specific cause is assigned to only one cause group. Deaths by age and sex groups are tabulated using a list of 282 cause groups (Table D-3). Deaths by county and town of residence, site of death, and underlying/non-underlying status are tabulated using 72 cause groups. The analysis of leading causes of death in Table D-1 and D-2 is based on 32 cause groups. The data on fetal and infant deaths, in Tables F-1 and F-2, are categorized into 61 cause groups. In all cases the ICD-9 codes included in each cause group are indicated on the appropriate tables. Tables generally do not include cause groups from which there were no deaths, so the number of groups displayed may be less than the number of groups (i.e., 282, 72, 61, or 32) from which the tables were constructed.*

Years of Life Lost: In Table D-2, "Years of Life Lost" is used as a more sensitive measure of premature death than the death rate itself. The number of years of life lost is calculated for each decedent as the difference between the age at death and the life expectancy at that age. Life expectancy at each age is taken from the 1980 Maine Life Tables, with the sex-specific expectancy estimated using the 1980 United States Life Tables for the white population.** The death of a male infant, for example, represents a total of 71.0 years of life lost. The death of a 50 year old woman represents 30.9 years of life lost, and the death of a 85 year old woman represents 6.4 years of life lost.

^{*} Complete lists of causal groups are contained in the following reference manual and may be obtained upon request:

Office of Data, Research, and Vital Statistics, Maine Department of Human Services, Vital Records Manual, 1987. December, 1986.

^{**}Welch, D. Maine Life Tables:1980. Augusta: Maine Department of Human Services, 1985;
National Center for Health Statistics, United States Life Tables-1980, 1984.

Multiple Causes of Death: Most major causes of death are contributing factors to many deaths in which they are not the underlying cause. The relative frequencies with which specific causes are mentioned on death records as underlying or non-underlying causes are displayed in Table D-4.

In Table D-4, cause of death mentions are classified into 72 cause groups, after processing through the ACME and TRANSAX computer programs. Consequently, the term "mentions" refers to causes identified through processing by the computer programs, rather than to causes as mentioned on the death certificate. A cause group is counted only once for each decedent, even if more than one cause in the group was mentioned on the original certificate. Comparisons of data from different sources on "all mentions" of a cause group are valid only if the number and composition of the cause groups used are the same and the counting rules are consistent.

The category of "all mentions" of a cause group usually includes all identifications of it as the underlying cause of death. Occasionally, simultaneous mention of certain causes on the death record leads to the identification, as the underlying cause, of a disease entity which was not itself recorded on the death certificate. In such cases, the ratio of all mentions to underlying cause mentions can be less than 1.00.

Certain causes of death can never be classified as the underlying cause of death as defined in the International Classification of Diseases. In particular, descriptions of the nature of injuries and secondary neoplasms are always recorded on the death certificate in conjunction with one or more entries which identify the underlying cause of death, i.e. the external cause of injury or the primary neoplasm.

Induced Abortions

All induced abortions performed in Maine are required to be reported, regardless of the length of gestation. The report form includes information on the place of residence, so non-resident women receiving abortions in Maine can be excluded from tabulations based on resident data. Approximately 15% of the induced abortions in Maine were obtained by out-of-state residents. Maine does not participate in any interstate program for exchange of induced abortion reports, so complementary data on Maine residents who received abortions in other states are not available.

The numbers of induced abortions reported in 1982 was nearly a third lower than the numbers reported in preceding and subsequent years, due principally to incomplete reporting. In the spring of 1983, a vigorous effort was undertaken to remind and inform physicians, clinics, and hospitals that all induced abortions must be reported to the Department of Human Services on the appropriate form.

All terminations of pregnancies to Maine resident women are displayed in Table A-l by the length of gestation, including fetal deaths, miscarriages or spontaneous abortions, and induced abortions.

Marriages and Divorces

All marriages which occur in Maine are registered in the central Office of Data, Research, and Vital Statistics, whether or not either the bride or the groom are residents of the state. Marriages in which both partners are non-residents are excluded from tabulations based on resident data. However, there is no interstate program for exchange of marriage records of non-residents and hence the complementary data on Maine residents who are married outside Maine are not included in the resident data tabulations. "Resident Data" thus include all marriages occurring in Maine in which either the bride, the groom, or both are residents of Maine.

A similar situation exists in the registration of divorces and annulments. These records are reported to the central office by the clerks of the courts in which the divorce or annulment is finalized. No information is available on divorces or annulments obtained outside the state by Maine residents.

1 1
1
1
1 1
1 1 1
1 1
1
1
1 1
1

			******	*******	***** RACE OF	F CHILD *****	******	******
AGE OF MOTHER	TOTAL BIRTHS	PERCENT DISTRIBUTION	WHITE	BLACK	AMERICAN INDIAN	ASIAN	OTHER	NNKNOMN
ALL BIRTHS								
LESS THAN 15	28	0.17	28	О	o	o	o	o
15	59	0.35	58	0	O	†	0	0
16	†93	1.15	†87	t	2	3	0	0
1 7	347	2.08	337	†	6	3	0	0
18	527	3.15	505	7	7	6	2	0
19	794	4.75	776	2	†O	3	1	2
20-24	5,476	32.76	5,338	42	5†	35	10	0
25-29	5,310	31.76	5,218	22	29	27	12	2
30-34	3,044	18.21	2,978	15	14	24	7	6
35-39	844	5.05	829	0	2	10	2	†
40-44	. 86	0.51	83	t	1	1	0	0
GREATER THAN 44	4	0.02	4	0	0	0	0	0
UNKNOWN	5	0.03	5	0	0	0	0	0
STATE TOTALS	16,717		16,346	91	122	t 13	34	11
PERCENT DISTRIBUT	ION	100.00	97.78	0.54	0.73	0.68	0.20	0.07
OUT OF WEDLOCK BIRTHS								
LESS THAN 15	26	0.82	26	0	o	0	0	0
15	48	1.51	48	0	0	o	- 0	. 0
16	163	5.14	160	0	Ö	3	0	0
†7	264	8.33	256	†	4	3	Ö	ő
18	333	10.50	318	5	3	5	2	ő
19	363	11.45	357	†	4	†	Õ	ŏ
20-24	1,178	37.15	1,134	5	19	†9	1	ŏ
25-29	520	16.40	502	7	4	6	o o	1
30-34	209	6.59	191	2	4	10	†	· †
35-39	56	1.77	54	Õ.	Õ	2	Ö	Ö
40-44	11	0.35	11	0	ő	ō	ŏ	ŏ
GREATER THAN 44	0	0.00	0	0	Ö	ő	ŏ	ő
UNKNOWN	. 0	0.00	o	Ö	. 0	ŏ	ŏ	ő
STATE TOTALS	3,171	0.00	3.057	21	38	49	4	2
PERCENT DISTRIBUTE		100.00	96.40	0.66	1.20	1.55	0.13	0.06
I CKCCIAI DIDIKIDOII		100.00	30.40	0.00			3	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-2 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND CHILD'S BIRTHWEIGHT MAINE STATL TOTALS, 1986 (RESIDENT DATA)

			******	*******	******	******	*****	MOTHER	R'S AGE(VPC) *	******	*****	*****	*****	*****
BIRTHWEIGHT	TOTAL	PERCENT	LESS THAN	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	GREATER	UNKNOWN
IN GRAMS	BIRTHS		15											THAN 44	
ALL BIRTHS															
LESS THAN 500	17	0.10	0	0	0	0	o	0	4	6	7	0	0	0	0
500-999	51	0.31	0	1	1	3	t	4	18	13	9	Ť	ō	ō	ō
1000-1499	71	0.42	1	1	3	3	†	. 8	24	15	12	3	0	ō	Ō
1500-1999	156	0.93	0	4	3	5	4	11	49	45	27	7	t	Ō	Ō
2000-2499	562	3.36	2	4	11	13	22	28	185	164	97	33	3	Ō	Ō
2500-2999	2,139	12.80	5	14	35	55	86	114	762	624	350	84	6	3	t
3000-3499	5,786	34.61	12	20	67	†35	†9 0	306	1.926	1,824	1.004	261	39	0	2
3500-3999	5,615	33.59	6	11	51	99	169	233	1,844	1.834	1.057	288	22	1	0
4000-4499	1.854	11.09	2	4	19	29	44	74	542	623	377	128	10	0	2
4500-4999	404	2.42	0	0	3	5	9	13	107	140	88	34	5	Ō	O
GREATER THAN 499	9 60	0.36	. 0	0	0	0	t	2	15	21	16	5	0	ō	Ō
UNKNOWN	2	0.01	ō	Ō	Ō	Ō	0	1	0	1	0	0	0	ō	ō
STATE TOTALS	16.717		28	59	193	347	527	794	5.476	5.310	3.044	844	86	4	5
PERCENT DIST.		100.00	0.17	0.35	1.15	2.08	3.15	4.75	32.76	31.76	18.21	5.05	0.51	0.02	0.03
OUT OF WEDLOCK BIR	THS														
LESS THAN 500	4	0.13	0	0	0	0	0	0	t	Ť	2	0	0	0	0
500-999	22	0.69	0	Ť	t	3	1	4	7	2	3	0	0	0	0
1000-1499	22	0.69	t	1	3	2	Ť	4	6	†	3	0	0	0	0
1500-1999	51	1.61	0	2	3	4	3	8	16	1:0	.З	1	1	0	0
2000-2499	146	4-60	2	3	8	10	17	15	4 7	23	13	6	2	0	0
2500~2999	531	16.75	5	to	27	37	55	57	205	85	4 t	9	0	0	0
3000-3499	1,195	37.69	10	19	60	110	116	144	459	185	7 6	12	4	0	0
3500-3999	889	28.04	6	8	44	75	801	93	338	154	44	†7	2	0	0
4000-4499	266	8.39	2	4	16	20	30	33	86	47	18	8	2	0	0
4500-4999	42	1.32	0	0	†	3	2	4	13	11	5	3	0	0	0
GREATER THAN 499	9 2	0.06	0	0	0	0	0	1	0	0	†	0	0	0	0
UNKNOWN	1	0.03	0	0	0	0	0	0	0	1	0	0	0	0	0
STATE TOTALS	3.171		26	48	163	264	333	363	1,178	520	209	56	11	0	0
PERCENT DIST.		100.00	0.82	1.51	5.14	8.33	10.50	11.45	37.15	16.40	6.59	t.77	0.35	0.00	0.00
PERCENT OF AL	L BIRTHS	WHICH	ARE OUT OF	WEDLOCK:										•	
		18.97	92.86	81.36	84.46	76.08	63.19	45.72	21.51	9.79	6.87	6.64	12.79	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES

OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

COMPLICATIONS OF PREGNANCY CONDITION NUMBER %		COMPLICATIONS OF LABOR CONDITION NUMBER %	METHOD OF DELIVERY METHOD NUMBER %	CONGENITAL ANOMALIES CONDITION NUMBER %
BLEEDING IN EARLY PREGNANCY 359 2.1	TOBACCO USE 2.184 13.1	ABRUPTIO PLACENTA 126 0.8	SPONTANEOUS CONTROLLED 11,893 71.1	ANENCEPHALUS 4 0.0
ECLAMPSIA 10 0.1	HEART DISEASE SYMPTOMATIC 8 0.0	PLACENTA PREVIA 55 0.3	SPONTANEOUS UNCONTROLLED 172 1.0	SPINA BIFIDA 3 0.0
PREECLAMPSIA 479 2.9	HYPERTENSION 309 1.8	CORD PROLAPSE OR COMPRESSION 228 1.4	LOW FORCEPS 380 2.3	OTHER Nervous system 11 O.1
RH SENSITIZATION 129 0.8	CHRONIC RENAL DISEASE 11 O.1	DYSTOCIA 951 5.7	OTHER FORCEPS PROCEDURE 103 0.6	CLEFT LIP/PALATE 19 0.1
ANEMIA(HGB < 10 GM/HCT < 30%) 258 1.5	PYELOCYSTITIS 22 0.1	BREECH 564 3.4	PRIMARY C-SECTION 2,127 12.7	EYE 2 0.0
AMNIONITIS 21 O.1	DES EXPOSURE 13 O.1	INDUCTION 6 0.0	REPEAT C-SECTION 1.410 8.4	EAR. FACE, NECK 5 0.0
URINARY TRACT INFECTION 280 1.7	ALCOHOL DEPENDENCE 35 0.2	INTRAPARTUM FEVER/ CHORIDAMNION. 41 0.2	BREECH DELIVERY 44 0.3	HEART 20 0.1
PREMATURE LABOR(BEFORE 37 WEEKS) 600 3.6	DRUG ADDICTION OR DEPENDENCE 23 0.1	FETAL DISTRESS 806 4.8	VERSION AND EXTRACTION 157 0.9	OTHER CIRCULATORY SYSTEM 7 0.0
PREMATURE DELIVERY(BEFORE 37 WEEKS) 357 2.1	_	LABOR>18 HRS. 396 2.4	OTHER 270 1.6	RESPIRATORY SYSTEM 13 0.1
PROM(24 HRS. BEFORE DELIVERY) 404 2.4	OBESITY 432 2.6	OTHER 1,560 9.3		DIGESTIVE SYSTEM 19 O.1
OTHER 751 4.5	GESTATIONAL DIABETES 230 1.4	NONE 12,582 75.3		GENITAL ORGANS 38 0.2
NONE 13,787 82.5	CHRONIC DIABETES 28 0.2	UNKNOWN 50 0.3		URINARY SYSTEM 7 0.0
UNKNOWN 50 0.3	OTHER 599 3.6			MUSCULOSKEL. 68 0.4
	NONE 12,504 74.8			INTEGUMENT 25 0.1
	UNKNOWN 54 0.3			CHROMOSOMAL 15 0.1
				OTHER 10 0.1
				NONE 16,440 98.3
				UNKNOWN 50 0.3

NOTES: PERCENTAGES ARE BASED ON THE 16,717 LIVE BIRTHS IN MAINE THIS YEAR.
MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH BIRTH.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-4 LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, AND RATIO OF MALE TO FEMALE BIRTHS

MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY	TOTAL BIRTHS	****** 5 MIN. LESS NUMBER			NITAL LIES		WEIGHT	**************************************		**************************************
ANDROSCOGGIN	1,446	9	0.6	23	1.6	75	5.2	66	4.6	1.04
AROOSTOOK	1,345	7	0.5	22	1.6	50	3.7	61	4.5	1.13
CUMBERLAND	3,387	22	0.6	40	1.2	177	5.2	164	4.8	1.02
FRANKLIN	385	2	0.5	6	1.6	30	7.8	31	8.1	1.08
HANCOCK	634	2	0.3	17	2.7	24	3.8	22	3.5	1.09
KENNEBEC	1,456	9	0.6	13	0.9	8 t	5.6	76	5.2	1.15
KNOX	506	6	1.2	6	1.2	33	6.5	39	7.7	1.06
LINCOLN	416	2	0.5	6	1.4	9	2.2	14	3.4	0.99
OXFORD	6 70	2	0.3	8	1.2	31	4.6	29	4.3	t.07
PENOBSCOT	1,820	20	1.1	18	t.O	102	5.6	110	6.0	1.09
PISCATAQUIS	244	2	0.8	. 7	2.9	13	5.3	13	5.3	1.09
SAGADAHOC	538	2	0.4	10	1.9	26	4.8	26	4.8	1.01
SOMERSET	608	2	0.3	9	1.5	32	5.3	35	5.8	EO.1
WALDO	471	3	0.6	5	1.1	28	5.9	28	5.9	0.94
WASHINGTON	443	3	0.7	7	, t.6	24	5.4	24	5.4	0.94
YORK	2,348	12	0.5	30	t.3	122	5.2	218	9.3	1.09
STATE TOTALS	16,717	105	0.6	227	t ₋ 4	857	5.1	956	5.7	1.06

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****		*******	**	*****	****	**** BI	RTH ORDER *****	*****
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNI
ALL BIRTHS											
ANDROSCOGGIN											
LESS THAN 15	3	0.21	3	o	o	3	o	О	o	О	
1 5	3	0.21	3	0	0	3	0	0	0	0	
16	24	1.66	10	14	0	22	2	0	0	О.	
†7	37	2.56	† 5	22	0	35	2	0	0	O	
18	5 9	4.08	27	32	0	53	5	t	0	О	
19	68	4.70	43	25	0	47	18	2	0	†	
20-24	552	38.17	290	262	0	274	193	71	10	3	
25-29	441	30.50	220	221	Ō	141	190	74	27	8	
30-34	213	14.73	100	113	ō	47	85	5 t	21	7	
35-39	39	2.70	25	14	Õ	5	10	15	5	4	
40-44	7	0.48	2	5	ő	1	3	ō	ō	3	
GREATER THAN 44	Ó	0.00	ō	ŏ	Ö	Ö	. 0	ő	Ö	Ö	
UNKNOWN	Ö	0.00	Ö	ŏ	Ö	Õ	ã	ő	Ö	ő	
COUNTY TOTALS	1.446	0.00	738	708	o	631	508	214	63	26	
PERCENT DISTRIBUTE		100.00	51.04	48.96	0.00	43.64			4.36	1.80	О
	,										
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	3	0.89	3	0		~	o	o	_	0	
15	3				0	3	-	U	0	О	
16	•	0.89	3	ŏ	0	3	ő	0	0	0	
	22	0.89 6.5†	8 8								
17				0	0	3		0	0	0	
	22	6.51	8	0 14	0 0	3 21	0	0 0	0 0	0 0	
17	22 32	6.51 9.47	8 ††	0 †4 2†	0 0 0	3 21 31	0 1	0 0 0	0 0 0	0 0 0	
17 18	22 32 40 32	6.51 9.47 11.83 9.47	8 †† 20	0 14 21 20	0 0 0	3 21 31 38	0 1 1 2	0 0 0	0 0 0	0 0 0	
17 18 19	22 32 40	6.51 9.47 11.83 9.47 39.94	8 11 20 19	0 14 21 20 13	0 0 0 0	3 21 31 38 21	0 1 1 2	0 0 0 0 0	0 0 0 0	0 0 0	
17 18 19 20-24 25-29	22 32 40 32 135 47	6.51 9.47 11.83 9.47 39.94 13.91	8 11 20 19 81 29	0 14 21 20 13 54 18	0 0 0 0	3 21 31 38 21 75 16	0 1 1 2 10 37	0 0 0 0 0 17 .8	0 0 0 0 5 7	0 0 0	
17 18 19 20-24 25-29 30-34	22 32 40 32 135 47 21	6.51 9.47 11.83 9.47 39.94 13.91 6.21	8 11 20 19 81	0 14 21 20 13 54	0 0 0 0 0	3 21 31 38 21 75	0 1 2 10 37 14	0 0 0 0 0 17 .8 4	0 0 0 0 0	0 0 0	
17 18 19 20-24 25-29 30-34 35-39	22 32 40 32 135 47	6.51 9.47 11.83 9.47 39.94 13.91 6.21 0.59	8 11 20 19 81 29	0 14 21 20 13 54 18 10	0 0 0 0 0	3 21 31 38 21 75 16 3	0 1 1 2 10 37 14 8	0 0 0 0 0 17 8 4	0 0 0 0 5 7 5	0 0 0	
17 18 19 20-24 25-29 30-34 35-39 40-44	22 32 40 32 135 47 21 2	6.51 9.47 11.83 9.47 39.94 13.91 6.21 0.59 0.30	8 11 20 19 81 29 11 1	0 14 21 20 13 54 18 10 1	0 0 0 0 0 0 0	3 21 31 38 21 75 16 3 0	0 1 1 2 10 37 14 8 1	0 0 0 0 0 17 .8 4	0 0 0 0 5 7 5	0 0 0	
17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44	22 32 40 32 135 47 21 2	6.51 9.47 11.83 9.47 39.94 13.91 6.21 0.59 0.30 0.00	8 11 20 19 81 29 11 1	0 14 21 20 13 54 18 10 1	0 0 0 0 0 0 0 0 0 0	3 21 31 38 21 75 16 3 0	0 1 1 2 10 37 14 8 1	0 0 0 0 17 .8 4 0	0 0 0 0 5 7 5 0 0	0 0 0 1 1 2 1 1	
17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN	22 32 40 32 135 47 21 2 1 0	6.51 9.47 11.83 9.47 39.94 13.91 6.21 0.59 0.30	8 11 20 19 81 29 11 1 1	0 14 21 20 13 54 18 10 1 0 0	0 0 0 0 0 0 0 0 0 0	3 21 38 21 75 16 3 0 0	0 1 1 2 10 37 14 8 1 0	0 0 0 0 17 .8 4 0	0 0 0 0 5 7 5 0 0	0 0 0 0 1 1 2 1 1 1	
17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	22 32 40 32 135 47 21 2 1 0	6.51 9.47 11.83 9.47 39.94 13.91 6.21 0.59 0.30 0.00	8 11 20 19 81 29 11 1 0 0	0 14 21 20 13 54 18 10 1 0 0	0 0 0 0 0 0 0 0 0 0 0	3 21 31 38 21 75 16 3 0 0 0 0	0 1 1 2 10 37 14 8 1 0 0 0	0 0 0 0 17 .8 4 0 0 0	0 0 0 0 5 7 5 0 0 0	0 0 0 0 1 1 2 1 1 1 0	O
17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTI	22 32 40 32 135 47 21 2 1 0 0 338	6.51 9.47 11.83 9.47 39.94 13.91 6.21 0.59 0.30 0.00 0.00	8 11 20 19 81 29 11 1 0 0 187 55_33	0 14 21 20 13 54 18 10 1 0 0	0 0 0 0 0 0 0 0 0 0	3 21 38 21 75 16 3 0 0	0 1 1 2 10 37 14 8 1 0 0 0	0 0 0 0 17 .8 4 0	0 0 0 0 5 7 5 0 0	0 0 0 0 1 1 2 1 1 1	. 0
17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	22 32 40 32 135 47 21 2 1 0 0 338	6.51 9.47 11.83 9.47 39.94 13.91 6.21 0.59 0.30 0.00 0.00	8 11 20 19 81 29 11 1 0 0 187 55_33	0 14 21 20 13 54 18 10 1 0 0	0 0 0 0 0 0 0 0 0 0 0	3 21 31 38 21 75 16 3 0 0 0 0	0 1 1 2 10 37 14 8 1 0 0 0 74 21.89	0 0 0 0 17 .8 4 0 0 0 29 8.58	0 0 0 0 5 7 5 0 0 0 17 5.03	0 0 0 0 1 1 2 1 1 1 0	_ 0

TABLE 8-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****	**** SEX *	******	*:	*****	****	**** BI	RTH ORDER *****	******
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNO
ALL BIRTHS											
AROOSTOOK											
LESS THAN 15	3	0.22	2	†	0	3	o	o	o	O	0
15	1	0.07	1	0	0	†	0	0	0	0	0
16	9	0.67	3	6	0	9	0	0	0	0	· 0
1 7	27	2.01	15	12	0	27	0	0	0	0	C
18	37	2.75	17	20	0	27	10	0	0	0	C
19	82	6.10	49	33	0	65	13	4	0	0	C
20-24	522	38.81	272	250	0	282	183	50	5	†	1
25-29	410	30.48	226	184	0	146	163	78	14	7	2
30-34	198	14.72	102	96	0	42	77	54	22	2	1
35-39	48	3.57	23	25	0	6	14	15	5	8	C
40-44	7	0.52	5	2	0	†	2	0	†	3	
GREATER THAN 44	†	0.07	0	1	0	0	0	0	0	1	C
UNKNOWN	0	0.00	0	0	ō	ō	ō	ō	ō	0	Č
COUNTY TOTALS	1,345		7 † 5	630	ō	609	462	20 t	47	22	4
PERCENT DISTRIBUTION	,,	100.00	53.16	46.84	0.00		34.35		3.49	1.64	0.30
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	3	1.61	2	1	o	3	0	0	o	0	a
15	1	0.54	_ †	ó	ŏ	†	ŏ	ŏ	Ö	Ö	č
16	8	4.30	3	5	ŏ	8	Ö	ŏ	ŏ	Ö	č
17	21	11.29	13	8	ŏ	21	ő	ő	ŏ	ŏ	č
18	15	8.06	6	9	ő	11	4	Ö	Ö	Ö	Č
19	28	15.05	16	12	Ö	24	4	Ö	Õ	Ö	č
20-24	70	37.63	41	29	ŏ	44	20	6	ő	ŏ	Č
25-29	29	t5.59	†3	16	0	12	5	8	1	3	à
30-34	9	4.84	6	3	ŏ	1	2	3	3	Ö	č
35-39	2	1.08	1	1	ő	Ó	2	ő	Ö	ŏ	č
40-44	Õ	0.00	Ò	ó	õ	ŏ	ō	Ö	ŏ	ŏ	č
GREATER THAN 44	Ö	0.00	ő	Ö	0	Ö	Õ	Ö	Ö	ŏ	č
UNKNOWN	0	0.00	0	Ö	ő	ő	ő	ő	ő	Ö	Č
COUNTY TOTALS	186	0.00	102	84	Ö	125	37	17	4	3	Č
PERCENT DISTRIBUTION	100	100.00	54.84	45.16	0.00		19.89	9.14	2.15	1.61	0.00
PERCENT OF ALL BIRTHS	S WHICH AD			43.10	0.00	57.20		3.14	2.,5	1.01	3.00
TENGENT OF HEE BERTH		13.83	14.27	13.33	0.00	20 53	8.01	8.46	8 5 t	13.64	0.00

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS. BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

	TOTAL	PERCENT			*******	***	******	*****		RTH ORDER **	
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER TH	fAN 4 UI
ALL BIRTHS											
CUMBERLAND											
LESS THAN 15	5	0.15	4	t	0	4	О	0	o	t	
15	13	0.38	7	6	0	12	0	0	0	0	
16	31	0.92	17	14	0	29	Q	0	0	2	
†7	5 7	1.68	25	32	0	46	3	1	0	6	
†8	98	2.89	53	45	0	74	14	0	0	7	
19	†35	3.99	71	64	0	82	34	4	t	8	
20-24	903	26.66	456	447	0	436	274	82	12	67	
25-29	1.125	33.22	573	552	0	416	365	146	41	102	
30-34	774	22.85	394	380	0	199	288	140	42	77	
35-39	227	6.70	107	120	0	49	78	42	19	31	
40-44	19	0.56	7	12	Ō	2	5	6	1	4	
GREATER THAN 44	Ō	0.00	Ö	Ō	ō	ō	ō	ō	Ó	0	
UNKNOWN	Õ	0.00	ŏ	ŏ	ő	õ	Õ	õ	ā	ŏ	
COUNTY TOTALS	3.387	0.00	1.714	1.673	ŏ	1.349	_	421	116	305	
PERCENT DISTRIBUTION	0,007	100.00	50.61	49.39	0.00		31.33		3.42	9.01	
OUT OF WEDLOCK BIRTHS											
	5	0.79	A		0	4	0	0	0	•	
LESS THAN 15	5	0.79	4	1	0	4	0	0	0	1 0	
LESS THAN 15	13	2.06	7	6	0	12	0	0	Ó	† 0	
LESS THAN 15 15 16	13 29	2.06 4.60	7 16	6 13	0	12 27	0	0	0	2	
LESS THAN 15 15 16 17	13 29 41	2.06 4.60 6.50	7 16 18	6 13 23	0 0	12 27 33	0 0 2	0 0 0	0 0	2 5	
LESS THAN 15 15 16 17 18	13 29 41 64	2.06 4.60 6.50 10.14	7 16 18 33	6 13 23 31	0 0 0	12 27 33 51	0 0 2 7	0 0 0	0 0 0	2 5 5	
LESS THAN 15 15 16 17 18	13 29 41 64 72	2.06 4.60 6.50 10.14 11.41	7 16 18 33 35	6 13 23 31 37	0 0 0 0	12 27 33 51 45	0 0 2 7 18	0 0 0 1	0 0 0 0	2 5 5 6	
LESS THAN 15 15 16 17 18 19 20-24	13 29 41 64 72 223	2.06 4.60 6.50 10.14 11.41 35.34	7 16 18 33 35 125	6 13 23 31 37 98	0 0 0 0	12 27 33 51 45 116	0 2 7 18 53	0 0 0 0 1 21	0 0 0 0 0	2 5 5 6 15	
LESS THAN 15 15 16 17 18 19 20-24 25-29	13 29 41 64 72 223 118	2.06 4.60 6.50 10.14 11.41 35.34 18.70	7 16 18 33 35 125 66	6 13 23 31 37 98 52	0 0 0 0 0	12 27 33 51 45 116 42	0 0 2 7 18 53 28	0 0 0 0 1 21 23	0 0 0 0 8 8	2 5 5 6 15 13	
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34	13 29 41 64 72 223 118 48	2.06 4.60 6.50 10.14 11.41 35.34 18.70 7.61	7 16 18 33 35 125 66 32	6 13 23 31 37 98 52 16	0 0 0 0 0 0	12 27 33 51 45 116 42	0 2 7 18 53 28 15	0 0 0 0 1 21 23 8	00000885	2 5 6 15 13	
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39	13 29 41 64 72 223 118 48 16	2.06 4.60 6.50 10.14 11.41 35.34 18.70 7.61 2.54	7 16 18 33 35 125 66 32	6 13 23 31 37 98 52 16 9	0 0 0 0 0 0 0 0	12 27 33 51 45 116 42 14	0 0 2 7 18 53 28	0 0 0 0 1 21 23 8 1	0 0 0 0 0 8 8 5 4	2 5 5 6 15 13	
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44	13 29 41 64 72 223 118 48 16	2.06 4.60 6.50 10.14 11.41 35.34 18.70 7.61 2.54 0.32	7 16 18 33 35 125 66 32 7	6 13 23 31 37 98 52 16 9	000000000	12 27 33 51 45 116 42 14 3	0 0 2 7 18 53 28 15 3	0 0 0 0 1 21 23 8 1	0 0 0 0 8 8 5 4	2 5 5 6 15 13 4 5 †	
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44	13 29 41 64 72 223 118 48 16 2	2.06 4.60 6.50 10.14 11.41 35.34 18.70 7.61 2.54 0.32 0.00	7 16 18 33 35 125 66 32 7 1	6 13 23 31 37 98 52 16 9 1	0000000000	12 27 33 51 45 116 42 14 3 0	0 0 2 7 18 53 28 15 3 1	0 0 0 0 1 21 23 8 1	0 0 0 0 8 8 5 4 0	2 5 5 6 15 13 4 5 1	
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN	13 29 41 64 72 223 118 48 16 2 0	2.06 4.60 6.50 10.14 11.41 35.34 18.70 7.61 2.54 0.32	7 16 18 33 35 125 66 32 7 1	6 13 23 31 37 98 52 16 9 1 0	00000000000	12 27 33 51 45 116 42 14 3 0 0	0 0 2 7 18 53 28 15 3 1 0	0 0 0 0 1 21 23 8 1 0	0 0 0 0 8 8 5 4 0 0 0	2 5 5 6 15 13 4 5 1	
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	13 29 41 64 72 223 118 48 16 2	2.06 4.60 6.50 10.14 11.41 35.34 18.70 7.61 2.54 0.32 0.00	7 16 18 33 35 125 66 32 7 1 0 0	6 13 23 31 37 98 52 16 9 1 0 0	000000000000	12 27 33 51 45 116 42 14 3 0 0 0 347	0 0 2 7 18 53 28 15 3 1 0 0	0 0 0 1 21 23 8 1 0 0	0 0 0 0 0 8 8 5 4 0 0 25	2 5 5 6 15 13 4 5 1 0 0	
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTAL'S PERCENT DISTRIBUTION	13 29 41 64 72 223 118 48 16 2 0 0 631	2.06 4.60 6.50 10.14 11.41 35.34 18.70 7.61 2.54 0.32 0.00 0.00	7 16 18 33 35 125 66 32 7 1 0 0 344 54.52	6 13 23 31 37 98 52 16 9 1 0	00000000000	12 27 33 51 45 116 42 14 3 0 0	0 0 2 7 18 53 28 15 3 1 0 0	0 0 0 0 1 21 23 8 1 0	0 0 0 0 8 8 5 4 0 0 0	2 5 5 6 15 13 4 5 1	
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	13 29 41 64 72 223 118 48 16 2 0 0 631	2.06 4.60 6.50 10.14 11.41 35.34 18.70 7.61 2.54 0.32 0.00 0.00	7 16 18 33 35 125 66 32 7 1 0 0 344 54.52	6 13 23 31 37 98 52 16 9 1 0 0	000000000000	12 27 33 51 45 116 42 14 3 0 0 347 54.99	0 0 2 7 18 53 28 15 3 1 0 0	0 0 0 1 21 23 8 1 0 0 54 8.56	0 0 0 0 0 8 8 5 4 0 0 0 25 3.96	2 5 5 6 15 13 4 5 1 0 0	1

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****	**** SEX	*******	**	******	*****	**** BI	RTH ORDER ******	******
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALÉ	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
FRANKLIN											
LESS THAN 15	1	0.26	0	1	o	1	0	0	o	0	0
1 5	4	1.04	3	1	0	4	Ō	0	0	Ö	0
1 6	3	0.78	1	2	0	3	ō	0	Ó	0	Ō
†7	11	2.86	6	5	0	10	1	0	0	Ö	Ō
18	12	3.12	8	4	0	11	1	0	0	0	0
19	12	3.12	7	5	0	11	1	0	0	0	Ō
20-24	148	38.44	72	76	Ó	71	60	13	3	1	Ō
25-29	107	27.79	55	52	Ō	31	44	24	7	1	ō
30-34	56	14.55	35	21	Ō	13	16	20	3	4	ō
35-39	27	7.01	12	15	ō	3	10	6	3	5	ō
40-44	4	1.04	1	3	ō	ō	t	†	ō	2	ō
GREATER THAN 44	Ò	0.00	Ó	ō	ō	Õ	ò	á	ŏ	ō	ŏ
UNKNOWN	ő	0.00	ŏ	ŏ ·	ŏ	ŏ	ő	ā	Õ	Ö	ŏ
COUNTY TOTALS	385	0.00	200	185	ō	158	134	64	16	13	ŏ
PERCENT DISTRIBUTION		100.00	51.95	48.05	0.00		34.81		4.16	3.38	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	t	1.28	O	1	0	1	0	0	0	o	o
† 5	3	3.85	2	†	0	3	0	0	0	0	0
16	3	3.85	1	2	0	3	0	0	0	0	0
17	10	12.82	5	5	0	9	1	0	0	0	0
18	9	11.54	6	3	0	8	1	0	0	0	0
19	7	8.97	6	†	Ó	7	0	Ó	Ó	0	0
20-24	23	29.49	14	9	0	16	3	3	1	0	0
25-29	14	17.95	4	10	0	5	5	3	1	0	Ō
30-34	6	7.69	3	3	Ō	1	†	3	1	Ö	0
35-39	2	2.56	1	1	ō	Ó	Ó	2	Ó	Ó	Ō
40-44	õ	0.00	Ó	Ó	ŏ	ŏ	ō	ō	ŏ	ō	ō
GREATER THAN 44	ő	0.00	ő	ő	ŏ	õ	õ	ā	Õ	Ö	ŏ
UNKNOWN	ő	0.00	ŏ	ŏ	ő	ŏ	Õ	ā	Õ	ō	ō
COUNTY TOTALS	78	0.00	42	36	ŏ	53	11	11	3	ő	ŏ
PERCENT DISTRIBUTION	, 0	100.00	53.85	46.15	0.00		14.10		3.85	0.00	0.00
PERCENT OF ALL BIRTHS	S WHICH #0			70.13	0.00	3,.33	. 4. 10	. 4. 10	3.05	0.00	0.00
PERCEITI GI ALL BIRITA	S WIIICH AR	20.26	21.00	19.46	0.00	33.54	8 2+	17 10	18 75	0.00	0.00
		20.20	21.00	13.40	0.00	33.34	١ . ١	. / 3	, 3 . / 3	0.00	0.00

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE 8-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT			*******	**	*****	*****		RTH ORDER **	
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER TH	IAN 4 UNKN
ALL BIRTHS											
HANCOCK							-				
LESS THAN 15	2	0.32	1	1	o	2	0	0	o	o	
15	2	0.32	2	0	0	2	0	0	0	0	
1 6	7	1.10	4	3	0	6	1	0	0	0	
17	1 7	2.68	7	10	0	13	4	0	0	0	
18	19	3.00	5	14	0	14	5	0	0	0	
19	29	4.57	18	11	0	24	4	t	0	0	
20-24	193	30.44	106	87	ō	96	70	20	5	2	
25-29	195	30.76	92	E01	ō	74	73	32	12	4	
30-34	131	20.66	74	57	Ō	40	52	29	7	3	
35-39	32	5.05	16	16	ō	12	7	9	3	1	
40-44	7	1.10	5	2	. 0	2	1	Ō	2	2	
GREATER THAN 44	Ó	0.00	ō	ō	ō	Ō	0	ō	ō	Ō	
UNKNOWN	ő	0.00	ő	ŏ	Õ	ŏ	ō	ō	ō	ō	
COUNTY TOTALS	634	0.00	330	304	Ö	285	217	91	29	12	
PERCENT DISTRIBUTION		100.00	52.05	47.95	0.00	44.95			4.57	1.89	0.0
OUT OF WEDLOCK BIRTHS				•							
LESS THAN 15	2						0	•	•		
15		1.68	1	1	0	2	U	O	O	0	
	1	1.68 0.84	1	•	0	2	0	0	0	0	
16	•	0.84	1 1 &	ó	0	1		0	0	0	
16 17	7	0.84 5.88	1 1 4 4	3 0	0	† 6	0	0	0	0 0	
1 7	7 13	0.84 5.88 10.92	4	9 3 0	0 0 0	1 6 9	0 † 4	0 0 0	0	0 0 0	
†7 †8	7 13 13	0.84 5.88 10.92 10.92	4	0 3 9	0 0 0	1 6 9 10	0 1	0 0 0	0 0	0 0	
17 18 19	7 13 13 12	0.84 5.88 10.92 10.92 10.08	4 3 6	0 3 9 10 6	0 0 0 0	† 6 9 †0 ††	0 1 4 3 1	0 0 0 0	0 0 0	0 0 0	
17 18 19 20-24	7 13 13 12 39	0.84 5.88 10.92 10.92 10.08 32.77	4 3 6 18	0 3 9 10 6 21	0 0 0 0	1 6 9 10 11 24	0 1 4 3 1	3 0 0 0 0	0 0 0 0	0 0 0	
17 18 19 20-24 25-29	7 13 13 12 39 28	0.84 5.88 10.92 10.92 10.08 32.77 23.53	4 3 6 18 12	0 3 9 10 6 21 16	0 0 0 0 0	1 6 9 10 11 24 12	0 1 4 3 1 10	0 0 0 0	0 0 0 0 0	0 0 0 0 0 1	
17 18 19 20-24 25-29 30-34	7 13 13 12 39 28 3	0.84 5.88 10.92 10.92 10.98 32.77 23.53 2.52	4 3 6 18 12	0 3 9 10 6 21 16 2	0 0 0 0	1 6 9 10 11 24 12 2	0 1 4 3 1 10 10	0 0 0 0 0 3 3	0 0 0 0 1 3	0 0 0 0 0	
17 18 19 20-24 25-29 30-34 35-39	7 13 13 12 39 28	0.84 5.88 10.92 10.92 10.08 32.77 23.53 2.52 0.00	4 3 6 18 12 1	0 3 9 10 6 21 16 2	0 0 0 0 0 0 0	1 6 9 10 11 24 12 2	0 1 4 3 1 10 10 0	0 0 0 0 0 3 1	0 0 0 0 1 3 0 0	0 0 0 0 1 0	
17 18 19 20-24 25-29 30-34 35-39 40-44	7 13 13 12 39 28 3 0 1	0.84 5.88 10.92 10.92 10.08 32.77 23.53 2.52 0.00	4 3 6 18 12 1 0	0 3 9 10 6 21 16 2 0	0 0 0 0 0 0 0 0	1 6 9 10 11 24 12 2	0 1 4 3 1 10 10 0 0	0 0 0 0 3 1 0 0	0 0 0 0 1 3 0 0 0	0 0 0 0 1 0 0	
17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44	7 13 13 12 39 28 3 0 1	0.84 5.88 10.92 10.92 10.08 32.77 23.53 2.52 0.00 0.84 0.00	4 3 6 18 12 1 0 1	0 3 9 10 6 21 16 2 0	0 0 0 0 0 0 0 0 0	1 6 9 10 11 24 12 2 0 1	0 1 4 3 1 10 0 0 0	0 0 0 0 0 0	0 0 0 0 1 3 0 0 0 0	0 0 0 0 1 0 0	
17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN	7 13 13 12 39 28 3 0 1	0.84 5.88 10.92 10.92 10.08 32.77 23.53 2.52 0.00	4 3 6 18 12 1 0 1 0	9 10 6 21 16 2 0 0	0 0 0 0 0 0 0 0 0 0	1 6 9 10 11 24 12 2 0 1 0	0 1 4 3 1 10 10 0 0	0 0 0 0 0	0 0 0 0 1 3 0 0 0	0 0 0 0 1 0 0	
17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	7 13 13 12 39 28 3 0 1 0 0 0	0.84 5.88 10.92 10.92 10.08 32.77 23.53 2.52 0.00 0.84 0.00	4 3 6 18 12 1 0 1 0 51	9 10 6 21 16 2 0 0	000000000000000000000000000000000000000	1 6 9 10 11 24 12 2 0 1 0 0 78	0 1 4 3 1 10 0 0 0 0 0 0 0	0 0 0 0 3 1 0 0 0 7	0 0 0 0 0 1 3 0 0 0	0 0 0 0 0 0 0 0	
17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	7 13 13 12 39 28 3 0 1 0 0 119	0.84 5.88 10.92 10.92 10.08 32.77 23.53 2.52 0.00 0.84 0.00 0.00	4 3 6 18 12 1 0 1 0 5 5 42.86	9 10 6 21 16 2 0 0	0 0 0 0 0 0 0 0 0 0	1 6 9 10 11 24 12 2 0 1 0	0 1 4 3 1 10 0 0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 1 0 0	
17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	7 13 13 12 39 28 3 0 1 0 0 119	0.84 5.88 10.92 10.92 10.08 32.77 23.53 2.52 0.00 0.84 0.00 0.00	4 3 6 18 12 1 0 1 0 5 5 42.86	9 10 6 21 16 2 0 0	000000000000000000000000000000000000000	1 6 9 10 11 24 12 2 0 1 0 0 78	0 1 4 3 1 10 0 0 0 0 0 29 24.37	0 0 0 0 0 3 1 1 0 0 0 0 7 5.88	0 0 0 0 1 3 0 0 0 0 0 0 4 3.36	0 0 0 0 0 0 0 0	0.0

• • •

TABLE 8-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	****	**** SEX *	*****	**	*****	*****	**** BI	RTH ORDER ******	******
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNO
ALL BIRTHS											
KENNEBEC											
LESS THAN 15	2	0.14	t	†	0	2	0	0	0	o	0
15	7	0.48	5	2	0	7	0	0	0	0	0
16	14	0.96	9	5	0	14	O	0	0	0	Ċ
17	26	1.79	13	13	ō	24	2	Ō	Ō	Ö	Č
18	53	3.64	28	25	ō	46	6	†	ō.	Ö	č
19	80	5.49	39	41	Ō	56	21	Ó	1	2	č
20-24	477	32.76	261	216	ō	239	188	43	3	3	1
25-29	463	31.80	244	219	ŏ	168	180	87	17	9	2
30-34	259	17.79	142	117	ō	62	106	55	26	8	2
35-39	65	4.46	34	31	Õ	15	15	23	5	7	ā
40-44	9	0.62	4	5	Õ	3	1	1	1	j ,	Č
GREATER THAN 44	ŏ	0.00	ó	ō	Õ	Ö	Ö	Ó	Ó	Ö	č
UNKNOWN	1	0.07	ŏ	1	Õ	ő	1	ő	ő	Ö	Č
COUNTY TOTALS	1.456	0.07	780	676	o o	636	520	210	53	32	
PERCENT DISTRIBUTION		100.00	53.57	46.43	0.00	43.68			3.64	2.20	0.34
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	2	0.64	t	1	0	2	o	0	o	0	c
15	6	1.93	4	2	Õ	6	Õ	Ö	ŏ	Ö	č
16	10	3.22	7	3	Õ	10	ŏ	Ö	ŏ	Ö	ò
17	17	5.47	8	9	ŏ	16	1	Ö	ŏ	Ö	č
18	33	10.61	18	15	Õ	30	2	1	Õ	ŏ	ó
19	43	13.83	16	27	ő	32	9	Ö	1	1	Ò
20-24	122	39.23	68	54	Ö	62	43	15	,	•	ò
25-29	44	14.15	21	23	ő	15	11	14	2	2	Č
30-34				15	Õ	9	5	8	5	1	
	79	a 00	7 4								
=	28	9.00	13 0	_	•	2	_	0		· •	
35-39	3	0.96	0	3	ō	2	Ō	0	0	†	Č
35-39 40-44	3 3	0.96 0.96	0	3 2	0	0	0	0	0	1 3	Č
35-39 40-44 Greater than 44	0 3 3	0.96 0.96 0.00	0 1 0	3 2 0	0 0	0	0 0	0	0 0	ō	0
35-39 40-44 Greater than 44 Unknown	0 3 3	0.96 0.96	0 1 0	3 2 0 0	0 0 0	0	0 0 0	0 0	0 0 0	0 0	0
35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	3 3 0 0 311	0.96 0.96 0.00 0.00	0 1 0 0 157	3 2 0 0 154	0000	0 0 0 184	0 0 0 0 71	38 0 0	9 0 0	0 0 9	
35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	3 3 0 0 0 211	0.96 0.96 0.00 0.00	0 1 0 0 157 50.48	3 2 0 0	0 0 0	0	0 0 0 0 71	38 0 0	0 0 0	0 0	
35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	3 3 0 0 0 211	0.96 0.96 0.00 0.00	0 1 0 0 157 50.48	3 2 0 0 154	0000	0 0 0 184	0 0 0 0 71 22.83	0 0 0 38 12.22	0 0 0 0 9 2.89	0 0 9	0.00

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

	TOTAL	PERCENT	*****	**** SEX :	*******	*:	*****	*****	**** BI	RTH ORDER *****	****
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	L
ALL BIRTHS											
KNOX											
LESS THAN 15	1	0.20	†	0	0	t	С	0	0	О	
1 5	0	0.00	0	0	0	0	0	0	0	0	
16	14	2.77	11	3	. 0	12	2	0	0	О	
17	11	2.17	5	6	0	9	1	1	0	0	
1 8	12	2.37	6	6	. 0	10	1	0	0	0	
19	30	5.93	16	14	0	21	8	1	0	0	
20-24	150	29.64	71	79	0	66	60	18	2	4	
. 25-29	146	28.85	80	66	0	42	67	28	5	4	
30-34	105	. 20.75	5 t	54	0	28	47	17	8	4	
35-39	33	6.52	15	18	0	7	12	1.11	2	t	
40-44	4	0.79	4	0	0	1	0	1	t	Ť	
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	
UNKNOWN	0	0.00	Ō	0	Ō	0	0	0	0	О	
COUNTY TOTALS	506		260	246	0	197	198	77	18	14	
PERCENT DISTRIBUTION		100.00	51.38	48.62	0.00	38.93	39.13	15.22	3.56	2.77	
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	
1 5	Ö	.0.00	-0	0	Ō	0	0	0	Ō	0	
15 16	0 10	.0.00 9.90	-0 7	0	0	0 10	0 0	0	0	-	
15 16 17	0 10 6	.0.00 9.90 5.94	-0	0 3 2	0 0	0 10 6	0 0 0	0 0 0	0 0	0 0	
15 16 17 18	0 10 6 4	.0.00 9.90 5.94 3.96	7 4 1	0 3 2 3	0 0 0	0 10 6 4	0 0 0	0 0 0	0 0 0	0	
15 16 17 18 19	0 10 6 4 16	.0.00 9.90 5.94 3.96 15.84	-0 7 4 1 9	0 3 2 3 7	0 0 0	0 10 6 4 11	00005	0 0 0 0	0 0	0 0 0 0	
15 16 17 18 19 20-24	0 10 6 4 16 39	.0.00 9.90 5.94 3.96 15.84 38.61	.G 7 4 1 9	0 3 2 3 7 20	0 0 0 0	0 10 6 4 11 21	0 0 0 5 9	0 0 0 0 0 7	0 0 0 0 0	0 0 0 0	
15 16 17 18 19 20-24 25-29	0 10 6 4 16 39 14	.0.00 9.90 5.94 3.96 15.84 38.61 13.86	7 4 1 9 19	0 3 2 3 7 20 3	0 0 0 0 0	0 10 6 4 11 21 5	00005	0 0 0 0 7 1	0 0 0	0 0 0 0	
15 16 17 18 19 20-24 25-29 30-34	0 10 6 4 16 39 14	.0.00 9.90 5.94 3.96 15.84 38.61 13.86 8.91	7 4 1 9 19 11	0 3 2 3 7 20 3 4	0 0 0 0 0 0	0 10 6 4 11 21	00005961	0 0 0 0 0 7 1 3	0 0 0 0 0	0 0 0 0	
15 16 17 18 19 20-24 25-29 30-34 35-39	0 10 6 4 16 39 14	.0.00 9.90 5.94 3.96 15.84 38.61 13.86 8.91 1.98	7 4 1 9 19	0 3 2 3 7 20 3 4 0	0 0 0 0 0 0 0 0	0 10 6 4 11 21 5 3	0 0 0 0 5 9 6 1 0	0 0 0 0 7 1 3	0 0 0 0 1 1	0 0 0 0 0 1 2	
15 16 17 18 19 20-24 25-29 30-34 35-39	0 10 6 4 16 39 14 9 2	.0.00 9.90 5.94 3.96 15.84 38.61 13.86 8.91 1.98 0.99	0 7 4 1 9 19 11 5 2	0 3 2 3 7 20 3 4 0	0 0 0 0 0 0 0 0 0	0 10 6 4 11 21 5 3 1	000596100	0 0 0 0 7 1 3	0 0 0 0 0	0 0 0 0 0 1 2	
15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44	0 10 6 4 16 39 14	.0.00 9.90 5.94 3.96 15.84 38.61 13.86 8.91 1.98 0.99 0.00	0 7 4 1 9 19 11 5 2 1 0	0 3 2 3 7 20 3 4 0 0	0 0 0 0 0 0 0 0 0 0 0	0 10 6 4 11 21 5 3	0 0 0 0 5 9 6 1 0	0 0 0 0 7 1 3	0 0 0 0 1 0 1 1 0	0 0 0 0 0 1 2 1	
15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN	0 10 6 4 16 39 14 9 2 1 0 0	.0.00 9.90 5.94 3.96 15.84 38.61 13.86 8.91 1.98 0.99	7 4 1 9 19 11 5 2 1	0 3 2 3 7 20 3 4 0 0	0 0 0 0 0 0 0 0 0 0 0 0	0 10 6 4 11 21 5 3 1 0 0	00005961000	0 0 0 0 7 1 3 0 0 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 0 1 2 1 0 0 1 0 0	
15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	0 10 6 4 16 39 14 9 2	.0.00 9.90 5.94 3.96 15.84 38.61 13.86 8.91 1.98 0.99 0.00	7 4 1 9 19 11 5 2 1 0 59	0 3 2 3 7 20 3 4 0 0 0	000000000000000000000000000000000000000	0 10 6 4 11 21 5 3 1 0 0 61	0 0 0 5 9 6 1 0 0 0 0 2 1	0 0 0 0 7 1 3 0 0	0 0 0 0 1 1 0 0 0 3	0 0 0 0 0 1 2 1 0 0 0 5	
15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN	0 10 6 4 16 39 14 9 2 1 0 0	.0.00 9.90 5.94 3.96 15.84 38.61 13.86 8.91 1.98 0.99 0.00 0.00	7 4 1 9 19 11 5 2 1 0 0 59 58.42	0 3 2 3 7 20 3 4 0 0	0 0 0 0 0 0 0 0 0 0 0 0	0 10 6 4 11 21 5 3 1 0 0 61	00005961000	0 0 0 0 7 1 3 0 0	0 0 0 0 1 0 0 0 0	0 0 0 0 0 1 2 1 0 1	

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT			******	*	******	*****	**** 81	RTH ORDER ******	*****
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKN
ALL BIRTHS											
LINCOLN									•		
LESS THAN 15	0	0.00	0	0	0	О	0	o	0	0	
15	2	0.48	†	1	0	2	0	0	0	0	
† 6	8	1.92	5	3	0	8	0	0	0	0	
17	8	1.92	3	5	0	8	0	0	0	0	
18	11	2.64	5	6	0	6	5	0	0	0	
19	15	3.61	8	7	0	11	3	1	0	0	
20-24	† † 7	28.13	66	51	0	61	38	10	2	4	
25-29	124	29.81	59	65	Ó	42	49	23	9	0	
30-34	94	22.60	42	52	Ō	18	51	18	5	2	
35-39	31	7.45	16	15	0	13	9	5	†	3	
40-44	5	1.20	1	4	ō	1	1	1	0	2	
GREATER THAN 44	Õ	0.00	Ó	o	ō	o	Ó	Ó	ō	ō	
UNKNOWN	†	0.24	t	ŏ	ō	ō	. 1	ŏ	ō	Ö	
COUNTY TOTALS	416	0.2	207	209	ő	170		58	17	11	
PERCENT DISTRIBUTION	713	100.00	49.76	50.24	0.00		37.74		4.09	2.64	0.
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	o	0.00	0	0	0	0	0	o	0	0	
†5	2	3.64	1	1	ō	2	O	o	Ō	Ö	
16	6	10.91	4	2	Ō	6	Ō	ō	0	0	
17	4	7.27	2	2	ō	4	ō	ō	ō	Ö	
18	6	10.91	4	2	ō	4	2	ō	ō	Ö	
19	4	7.27	3		ō	4	ō	ō	ō	Ö	
20-24	18	32.73	7	11	õ	11	4	3	ō	Ö	
25-29	9	16.36	4	5	Õ	4	3	2	ō	0	
30-34	4	7.27	1	3	ő	•	3	õ	ŏ	Ö	
35-39	2	3.64	2	ō	Õ	†	ō	1	ō	Ö	
40-44	õ	0.00	ō	ŏ	ő	Ö	Õ	o.	ŏ	õ	
GREATER THAN 44	Ö	0.00	ŏ	ő	ŏ	o	Õ	Ö	o o	ő	
UNKNOWN	0	0.00	Ö	0	Ö	o o	Ö	Ô	Õ	ő	
COUNTY TOTALS	55	0.00	28	27	Õ	37	12	6	Ô	ő	
	JJ				-	-	21.82		_	_	_
		100.00	50 91	49 09	0.00	n///	7 T T 7	1111 411	() ()()	(7.58)	().
PERCENT DISTRIBUTION	E WHICH AD	100.00	50.91 K	49.09	0.00	6/.2/	21.82	10.91	0.00	0.00	0.
	WHICH AR			49.09 12.92	0.00			10.34		0.00	

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****	**** SEX	*******	**	*****	*****	**** BI	RTH ORDER ******	*****
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOW
ALL BIRTHS											
OXFORD											
LESS THAN 15	0	0.00	o	0	О	0	0	0	o	o	o
15	3	0.45	3	0	0	3	0	0	0	0	0
16	11	1.64	5	6	0	. 11	0	0	0	0	0
17	15	2.24	5	10	0	14	1	0	0	0	0
18	25	3.73	19	6	0	19	6	0	0	0	0
19	36	5.37	18	18	0	22	9	5	0	0	0
20-24	249	37.16	132	117	0	123	86	34	0	t	5
25-29	201	30.00	99	102	0	54	90	44	9	4	0
30-34	97	14.48	47	50	Ō	19	38	25	12	3	0
35-39	31	4.63	17	14	Ō	3	10	5	8	5	0
40-44	t	0.15	t	0	0	0	ō	0	0	1	0
GREATER THAN 44	0	0.00	0	ō	ō	ō	ō	ō	ō	0	0
UNKNOWN	Ť	0.15	†	Ō	ō	1	ō	ō	ō	Ö	Ō
COUNTY TOTALS	670		347	323	ŏ	269	240	113	29	14	5
PERCENT DISTRIBUTION		100.00	51.79	48.21	0.00		35.82		4.33	2.09	0.75
OUT OF WEDLOCK BIRTHS											٠
LESS THAN 15	0	0.00	o	0	0.	0	0	o	0	0	0
15	2	1.42	2	0	. 0	2	0	Ö	0	0	ő
16	10	7.09	4	6	0	10	Ö	Ö	Ö	0	ő
17	12	8.51	4	8	0	12	0	0	Ö	Ö	ő
18	12 15	10.64	12	3	0	12	4	0	0	0	Ö
19	15	10.64	8	7	0	7	5	3	0	0	ő
20-24	52	36.88	27	25	o	32	15	4	0	Ö	1
25-29	28	19.86	15	13	ŏ	7	11	5	4	•	Ó
30-34	5	3.55	3	2	Ö	ó	Ó	4	7	Ċ	ő
35-39	2	1.42	1	1	0	0	0	Q	÷	•	ŏ
40-44	ō	0.00	Ó	ó	o	o	o o	0	Ö	·	ő
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	Ö
UNKNOWN	0	0.00	0	0	0	. 0	0	0	0	0	Ö
COUNTY TOTALS	141	0.00	76	65	0	81	35	16	6	2	•
PERCENT DISTRIBUTION		+00.00	53.90	46.10	0.00		24.82		4.26	1.42	0.71
PERCENT DISTRIBUTION PERCENT OF ALL BIRTHS		100.00		46.10	0.00	37.43	24.82	11.33	4.20	1.42	0.71
PERCENT OF ALL BIRTH	3 MLTCL WK			20.12	0.00	30 44	14 59	14.16	20 69	14.29	20.00
		21.04	21.90	20.12	0.00	30.11	14.38	14.10	20.03	14,23	20.00

TABLE 8-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

MOTHER'S AGE(YRS.)	BIRTHS	DICTOIDUTION									*****
		DISTRIBUTION	MALE	FEMALE	UNKNOWN	Ť	2	3	4	GREATER THAN 4	UNKNOW
ALL BIRTHS											
PENOBSCOT										•	
LESS THAN 15	2	0.11	0	2	0	2	0	0	0	0	0
15	9	0.49	5	4	0	9	0	0	0	0	0
16	18	0.99	12	6	0	18	0	0	0	0	0
† 7	33	1.81	18	15	0	28	5	0	0	0	0
18	66	3.63	27	39	0	54	1 1	1	0	0	0
19	93	5.11	44	49	0	67	22	2	1	0	1
20-24	641	35.22	319	322	0	319	240	68	10	3	Ť
25-29	575	31.59	324	251	0	219	229	88	29	10	0
30-34	311	17.09	164	147	0	72	119	77	29	14	0
35~39	69	3.79	33	36	0	18	26	12	4	8	t
40-44	3	0.16	2	†	0	C	†	0	†	†	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1.820		948	872	Ō	806	653	248	74	36	3
PERCENT DISTRIBUTION		100.00	52.09	47.91	0.00		35.88		4.07	1.98	0.16
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.27	0	†	0	†	0	0	0	0	0
15	7	1.91	5	2	0	7	0	0	0	0	0
16	16	4.36	11	5	0	16	0	0	0	0	0
17	26	7.08	14	12	ō	23	3	Ō	0	O	0
18	42	11.44	18	24	0	36	6	0	Ō	Ō	Ō
19	41	11.17	21	20	ō	29	9	2	†	O	0
20-24	152	41.42	7 1	81	Ō	73	56	20	2	<u>1</u>	0
25-29	53	14.44	23	30	ō	1 1	22	12	7	†	0
30-34	23	6.27	11	12	ō	4	2	12	4	†	0
35-39	6	1.63	2	4	ō	†	ā	o	†	4	• 0
40-44	ō	0.00	ō	0	ō	0	ō	ō	0	0	0
GREATER THAN 44	ŏ	0.00	ő	Ö	Õ	Ö	ō	Õ	ŏ	0	ō
UNKNOWN	Õ	0.00	ő	Õ	ő	o o	Õ	Õ	Õ	Ö	ő
COUNTY TOTALS	367		176	191	ŏ	201	98	46	15	7	ŏ
PERCENT DISTRIBUTION		100.00	47.96	52.04	0.00		26.70		4.09	1.91	0.00
PERCENT OF ALL BIRT					0.00						
· C. GC, T. C. MCC DIK!	.S WITTON AR	20.16	18.57	21.90	0.00	24.94	45 04	40 55	20 27	19.44	0.00

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS. BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT			******	***	****	*****	**** BI	RTH ORDER *****	
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNO
ALL BIRTHS											
PISCATAQUIS											
LESS THAN 15	1	0.41	o	t	0	t	0	0	o	O	(
† 5	3	1.23	0	3	Ó	2	1 1	0	0	0	(
†6	4	1.64	2	2	0	4	0	0	0	0	
1 7	3	1.23	1	2	0	3	0	0	0	0	
18	9	3.69	4	5	Ō	8	t	0	O	0	
19	11	4.51	7	. 4	Ō	8	2	1	ō	Ö	
20-24	86	35.25	40	46	ō	45	31	9	Ť	ō	(
25-29	73	29.92	42	31	ō	26	29	13	5	Ö	
30-34	41	16.80	23	18	Ö	7	14	10	g	2	
35-39	10	4.10	5	5	Ö	3	3	1	1	2	
40-44	2	0.82	2	ō	ŏ	. 0	Ť	†	ò	ō	
GREATER THAN 44	1	0.41	1	ő	õ	. 0	ò	Ö	õ	†	
UNKNOWN	Ó	0.00	Ö	Ö	Õ	ő	ő	ő	ő	Ö	
COUNTY TOTALS	244	0.00	127	1 1 7	. 0	107	82	35	15	5	
PERCENT DISTRIBUTION	244	100.00	52.05	47.95	0.00	43.85 3			6, 15	2.05	0.0
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	t	2.44	0	t	0	t	.0	0	0	0	
15	1	2.44	0	1	0	0	1	0	0	0	
16	4	9.76	2	2	0	4	0	0	0	0	
17	2	4.88	†	1	0	2	0	0	0	0	
18	- 5	12.20	2	3	0	4	t	0	0	0	
19	4	9.76	3	1	0	2	2	0	0	0	
20-24	†3	31.71	6	7	0	8	4	Ť	0	0	
25-29	5	12.20	1	4	O.	3	t	1	0	0	
30-34	4	9.76	3	1	ō	1	1	2	0	0	
35-39	2	4.88	1	1	ō	0	t	0	0	t	
40-44	ō	0.00	Ó	0	ō	ō	0	ō	Ō	0	
	_		ŏ	ő	ő	ő	ŏ	Õ	Õ	Ö	
	0	0.00				_	-	_	_		
GREATER THAN 44	0	0.00	_	Ō	٥	Λ	Ω	n	n	0	
GREATER THAN 44 UNKNOWN	ō	0.00 0.00	0	0	0	0 25	0 11	0	0	0 1	
GREATER THAN 44 UNKNOWN COUNTY TOTALS	_	0.00	0 19	22	Ō	25	11	4	Ō	Ť	
GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	0 41	0.00	0 19 46.34	_	_	_	11	_	-	0 † 2.44	
GREATER THAN 44 UNKNOWN COUNTY TOTALS	0 41	0.00	0 19 46.34	22	Ō	25	11 6.83	4 9.76	Ō	Ť	0.0

TABLE 8-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****	**** SEX	*****	**	*****	*****	**** BI	RTH ORDER ******	******
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	Ť	2	3	4	GREATER THAN 4	UNKNOW
ALL BIRTHS								-			
SAGADAHOC											
LESS THAN 15	†	0.19	t	O	o	1	o	o	О	0	0
† 5	3	0.56	2	1	0	3	0	0	0	O	0
16	6	1.12	5	1	0	5	†	0	0	0	0
†7	† 8	3.35	6	12	0	17	1	0	0	0	0
18	†7	3.16	8	9	0	13	4	0	0	О	0
19	23	4.28	10	13	O	20	3	0	0	O	0
20-24	†5 7	29.18	78	79	0	83	51	20	3	0	0
25-29	191	35.50	102	89	0	75	79	32	4	†	0
30-34	88	16.36	43	45	0	25	42	15	2	4	0
35-39	31	5.76	†5	16	0	5	13	7	4	2	0
40-44	3	0.56	†	2	0	0	1	2	0	O	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	O	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	О	0
COUNTY TOTALS	538		271	26 7	0	247	195	76	13	7	0
PERCENT DISTRIBUTION		100.00	50.37	49.63	0.00	45.91	36.25	14.13	2.42	1.30	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	†	1.47	1	0	0	1	0	0	0	0	0
15	2	2.94	· ·	1	ŏ	2	Ö	Ö	Õ	ŏ	ŏ
16	4	5.88	3	į.	ő	3	1	Ö	ŏ	Ö	ō
†7	15	22.06	5	10	ő	14		ő	Ö	Ö	Ö
18	11	16.18	6	5	ő	9	2	Ö	Ö	Ö	ŏ
19	7	10.29	3	4	ő	6		Ö	Ö	Ö	ő
20-24	14	20.59	7	7	Õ	9	3	2	ō	Ö	ő
25-29	9	13.24	3	, 6	o	2	3	4	Ö	ŏ	ő
30-34	4	5.88	2	2	Ö	†	2	1	Ö	Ö	ő
35-39	Õ	0.00	ō	ō	Ö	ò	ō	Ö	Ö	ŏ	ŏ
40-44	1	1.47	ő	1	ő	o o	o	1	Ö	ŏ	ŏ
GREATER THAN 44	Ċ	0.00	ŏ	ó	Ö	o	Õ	Ö	Ö	Ö	ŏ
UNKNOWN	0	0.00	0	0	Ö	0	ő	0	0	ŏ	ŏ
COUNTY TOTALS	68	0.00	31	37	0	47	13	8	Ô	ŏ	ŏ
PERCENT DISTRIBUTION	uo.	100.00	45.59	54.41	0.00		19.12	_	0.00	0.00	0.00
LEWCEIAL DISTRIBUTION		100.00		34.41	, 0.00	UJ. 12	13.12	/ 0	0.00	0.00	0.00
DEDCEMT OF ALL BIRTH	E MUTCH AD	E OUT OF WEDLOCK	<i>t</i> .								
PERCENT OF ALL BIRTHS	S WHICH AR	E OUT OF WEDLOCK	<: 11.44	13.86	0.00	ta 02	6.67	10 53	0.00	0.00	0.00

TABLE B-5

COUNTY AND	TOTAL	PERCENT			******	***	*****	*****		RTH ORDER ******	*******
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
SOMERSET											
LESS THAN 15	† '	0.16	0	†	0	†	0	0	o	0	0
15	2	0.33	†	· •	ŏ	2	ő	ő	ő	ŏ	ő
16	12	1.97	9	3	ő	9	3	Ö	o o	Ö	ŏ
17	17	2.80	10	7	ŏ	15	†	1	Ö	Ö	ő
18	24	3.95	9	, 15	ő	17	7	Ö	Õ	ŏ	ő
†9	36	5.92	20	16	0	26	7	3	0	ő	Ö
20-24	225	37.01	120	105	Ö	99	93	21	8	4	ő
25-29	181	29.77	76	105	0	50	73	45	9	2	2
30-34	87	14.31	70 5 0	37	0	18	33	23	10	3	0
35-39	23	3.78	14	9	0	2	9	4	2	6	0
40-44	0	0.00	0	0	0	o o	0	0	0	ő	Ö
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0 .
UNKNOWN	0	0.00	0	0	0	0	0	a	0	0	0
COUNTY TOTALS	608	0.00	309	299	0	239	226	97	29	15	2
PERCENT DISTRIBUTE		100.00	50.82	49.18	0.00	239 39.31 3			4.77	2.47	0.33
PERCEIVE DISTRIBUTE	u i v	100.00	30.62	45.10	0.00	33.31 3	3/.1/	13.33	4.//	2.4/	0.33
OUT OF WEDLOCK BIRTHS				•							
LESS THAN 15	1	0.62	0	t	0	1	0	0	0	0	o
15	1	0.62	†	Ó	ō	†	ō	ō	ō	Ö	Ō
16	11	6.79	· 9	2	ŏ	9	2	Ö	Õ	Ö	ō
17	15	9.26	9	6	ő	13	1	1	Õ	Ö	Ö
†8	17	10.49	7	10	ő	13	4	Ö	Õ	o ·	ŏ
19	21	12.96	12	9	ő	15	5	†	Ö	Ö	ŏ
20-24	54	33.33	25	29	Ö	29	17	5	2	, , , , , , , , , , , , , , , , , , ,	ŏ
25-29	29	17.90	15	14	ő	9	10	6	4	Ó	ŏ
30-34	9	5.56	7	2	Ö	3	1	3	2	Ö	ŏ
35-39	4	2.47	, 3	1	ő	0	2	Ö	ō	2	ŏ
40-44	ō	0.00	Ö	Ó	0	Ô	õ	Ö	o o	0	ŏ
GREATER THAN 44	0	0.00	0	0	Ö	0	0	0	o	Ö	ŏ
UNKNOWN	0	0.00	0	0	0	o o	0	o o	Ö	ŏ	ő
COUNTY TOTALS	162	0.00	88	74	0	93	42	16	8	3	Ö
PERCENT DISTRIBUTION		100,00	54.32	45.68	0.00	57.41 2		9.88	4.94	1.85	0.00
				43.08	0.00	37.41 2	23.33	3.00	4.34	1.00	0.00
PERCENT OF ALL BIR	ILO MHICH WE			24.75	0.00	38.91 1		16 40	27 50	20.00	0.00
		26.64	28.48	24./3	0.00	30.31	10.38	10.43	21.33	20.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

TABLE 8-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

	TOTAL	PERCENT			*******		*****	*****		RTH ORDER *****	
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	un un
ALL BIRTHS											
WALDO		•									
LESS THAN 15	2	0.42	2	0	0	2	0	0	0	0	
† 5	4	0.85	t	3	0	4	0	0	0	0	
† 6	7	1.49	4	3	0	7	0	0	0	0	
†7	† 7	3.61	8	9	0	16	1	0	0	0	
†8	15	3.18	10	5	0	14	1	0	0	0	
†9 [*]	22	4.67	†O	12	0	17	5	0	0	0	
20-24	150	31.85	69	8 t	. 0	63	59	20	6	. 1	
25-29	†B†	27.81	64	67	0	44	54	20	9	2	
30-34	84	17.83	36	48	0	20	31	14	12	7	
35-39	35	7.43	21	14	0	9	12	7	t	6	
40-44	4	0.85	3	1	0	†	1	†	0	1	
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	
UNKNOWN	Ō	0.00	0	o	o	0	0	Ō	0	Ö	
COUNTY TOTALS	471		228	243	0	197	164	62	28	17	
PERCENT DISTRIBUTION		100.00	48,41	5 t . 59	0.00		34.82		5.94	3.61	
PERCENI DISTRIBUTION		100100	40.41	31.33	0.00		04.02	13.10			
DUT OF WEDLOCK BIRTHS		100.00	48.41	31.33	0.00		07.02	13.10			-
OUT OF WEDLOCK BIRTHS	2					*					_
OUT OF WEDLOCK BIRTHS LESS THAN 15	2	1.89	2	0	0	2	0	o	0		
OUT OF WEDLOCK BIRTHS LESS THAN 15 15	3	1.89 2.83	2 1	0 2	0	2	0	0	0	0 0	-
OUT OF WEDLOCK BIRTHS LESS THAN 15 15 16	e 3	1.89 2.83 5.66	2 1 3	O 2 3	0 0	2 3 6	0	0 0	0	0 0	
OUT OF WEDLOCK BIRTHS LESS THAN 15 15 16 17	3 6 13	1.89 2.83 5.66 12.26	2 1 3 7	0 2 3 6	0 0 0	2 3 6 12	0	0 0 0	0 0 0	0 0 0	
OUT OF WEDLOCK BIRTHS LESS THAN 15 15 16 17 18	3 6 13 12	1.89 2.83 5.66 12.26 11.32	2 † 3 7 8	O 2 3 6 4	0 0 0	2 3 6 12	0 0 0 1 1	0 0 0	0 0 0	0 0 0 0	
OUT OF WEDLOCK BIRTHS LESS THAN 15 15 16 17 18 19	3 6 13 12 12	1.89 2.83 5.66 12.26 11.32 11.32	2 † 3 7 8 6	O 2 3 6 4 6	0 0 0 0 0	2 3 6 12 11	0 0 0 1 1 2	0 0 0 0 0	0 0 0	0 0 0 0 0	
OUT OF WEDLOCK BIRTHS LESS THAN 15 15 16 17 18 19 20-24	3 6 13 12 12 29	1.89 2.83 5.66 12.26 11.32 11.32 27.36	2 1 3 7 8 6 15	0 2 3 6 4 6 14	0 0 0 0 0 0	2 3 6 12 11 10 20	0 0 0 1 1	0 0 0 0 0	0 0 0 0	0 0 0 0 0 0 0 0	
DUT OF WEDLOCK BIRTHS LESS THAN 15 15 16 17 18 19 20-24 25-29	3 6 13 12 12 29 14	1.89 2.83 5.66 12.26 11.32 11.32 27.36 13.21	2 † 3 7 8 6	0 2 3 6 4 6 14 6	0 0 0 0 0 0 0 0	2 3 6 12 11 10 20 7	0 0 0 1 1 2	3 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	
DUT OF WEDLOCK BIRTHS LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34	3 6 13 12 12 29 14 6	1.89 2.83 5.66 12.26 11.32 11.32 27.36 13.21 5.66	2 1 3 7 8 6 15	0 2 3 6 4 6 14	0 0 0 0 0 0 0 0	2 3 6 12 11 10 20 7 0	0 0 0 1 1 2	0 0 0 0 0	0 0 0 0	0 0 0 0 0 0 0 0 0 0	
DUT OF WEDLOCK BIRTHS LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39	3 6 13 12 12 29 14 6 8	1.89 2.83 5.66 12.26 11.32 11.32 27.36 13.21 5.66 7.55	2 1 3 7 8 6 15 8 1	O 2 3 6 4 6 14 6 5 †	0 0 0 0 0 0 0 0 0 0	2 3 6 12 11 10 20 7 0 3	0 0 0 1 1 2 6 2 1 1	000000000000000000000000000000000000000	0 0 0 0 0 1 2 3 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
DUT OF WEDLOCK BIRTHS LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44	3 6 13 12 12 29 14 6 8	1.89 2.83 5.66 12.26 11.32 11.32 27.36 13.21 5.66 7.55 0.94	2 1 3 7 8 6 15 8 1 7	O 2 3 6 4 6 14 6 5 1 O	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 3 6 12 11 10 20 7 0 3	0 0 0 1 1 2 6 2 1 1	000000000000000000000000000000000000000	0 0 0 0 0 1 2 3 1	000000000000000000000000000000000000000	
DUT OF WEDLOCK BIRTHS LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44	3 6 13 12 12 29 14 6 8	1.89 2.83 5.66 12.26 11.32 11.32 27.36 13.21 5.66 7.55 0.94 0.00	2 † 3 7 8 6 †5 8 † 7 † 0	O 2 3 6 4 6 14 6 5 1 O O	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 3 6 12 11 10 20 7 0 3	O O O O O O O O O O O O O O O O O O O	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 1 2 3 1	000000000000000000000000000000000000000	
DUT OF WEDLOCK BIRTHS LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN	3 6 13 12 12 29 14 6 8 1	1.89 2.83 5.66 12.26 11.32 11.32 27.36 13.21 5.66 7.55 0.94	2 †3786 158 †7 †00	O 2 3 6 4 6 14 6 5 1 O O O	000000000000000000000000000000000000000	2 3 6 12 11 10 20 7 0 3 0 0	00001126211000	000002321100	0 0 0 0 1 2 3 1 0 0 0	000000000000000000000000000000000000000	
DUT OF WEDLOCK BIRTHS LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	3 6 13 12 12 29 14 6 8	1.89 2.83 5.66 12.26 11.32 11.32 27.36 13.21 5.66 7.55 0.94 0.00	2 1 3 7 8 6 15 8 1 7 1 0 59	0 2 3 6 4 6 14 6 5 1 0 0	000000000000000000000000000000000000000	2 3 6 12 11 10 20 7 0 3 0 0 74	0 0 0 1 1 2 6 2 1 1 0 0 0 0 1 4	000000000000000000000000000000000000000	0 0 0 0 0 0 1 2 3 1	000000000000000000000000000000000000000	
DUT OF WEDLOCK BIRTHS LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN	3 6 13 12 12 29 14 6 8 1 0 0	1.89 2.83 5.66 12.26 11.32 11.32 27.36 13.21 5.66 7.55 0.94 0.00	2 1 3 7 8 6 15 8 1 7 1 0 59 55.66	O 2 3 6 4 6 14 6 5 1 O O O	000000000000000000000000000000000000000	2 3 6 12 11 10 20 7 0 3 0 0	0 0 0 1 1 2 6 2 1 1 0 0 0 0 1 4	000002321100	0 0 0 0 1 2 3 1 0 0 0	000000000000000000000000000000000000000	Q

TABLE 8-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****	**** SEX	*****	**	*****	*****	**** BI	RTH ORDER ******	*******
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS										÷	
WASHINGTON											
LESS THAN 15	1	0.23	†	0	0	1	0	0	0	0	0
15	3	0.68	t	2	0	3	0	0	0	0	0
16	3	0.68	t	2	0	3	0	0	0	0	0
†7	14	3.16	4	10	0	12	t	. 0	0	0	1
†8	25	5.64	13	12	0	16	7	0	0	2	0
19	32	7.22	† 7	† 5	0	24	5	3	0	0	0
20-24	160	36.12	82	78	Ō	60	74	15	6	4	†
25-29	116	26.19	52	64	Ō	32	54	20	7	2	†
30-34	67	15.12	30	37	. 0	8	28	19	4	7	1
35-39	20	4.51	12	8	. 0	2	8	3	1	6	0
40-44	2	0.45	2	ō	Ō	†	. 0	ō	Ó	†	Ō
GREATER THAN 44	Õ	0.00	õ	ŏ	Õ	ò	ŏ	ŏ	ŏ	Ó	ō
UNKNOWN	ő	0.00	ő	ŏ	ő	Õ	ő	ŏ	Õ	Ö	ō
COUNTY TOTALS	443	0.00	215	228	Ö	162	177	60	18	22	4
PERCENT DISTRIBUTION	_	100.00	48.53	51.47	0.00		39.95		4.06	4.97	0.90
OUT OF WEDLOCK BIRTHS											
LESS THAN 15		0.84		0	0		0	0	0	0	0
	1			0	0	3	0	0	0		U
†5	3	2.52	Ţ	2	0					^	^
16 17	†			^	_	_	•		_	0	0
7 /		0.84	†	0	0	†	ō	0	O	Ō	0
	10	8.40	† 3	7	Ō	† 9	0	0	0	0	0
†8	† 6	8.40 13.45	7	7 9	0	† 9 Et	0 †	0 0 0	0 0	0 0 2	o o o
†8 †9	†6 †3	8.40 13.45 10.92	7 6	7 9 7	0 0	1 9 13 9	0 1 1 2	0 0 0 2	0 0 0	0	0 0 0
18 19 20-24	16 13 45	8.40 13.45 10.92 37.82	7 6 21	7 9 7 24	0 0 0	† 9 †3 9	0 1 1 2 26	0 0 0 2 2	0 0 0 0 2	0 0 2 0 1	0 0 0 0
18 19 20-24 25-29	16 13 45 19	8.40 13.45 10.92 37.82 15.97	7 6 21 7	7 9 7 24 12	0 0 0	1 9 13 9 14 4	0 1 1 2 26 8	0 0 2 2 3	0 0 0 0 2 2	0 0 2	0 0 0 0
18 19 20-24 25-29 30-34	16 13 45 19 10	8.40 13.45 10.92 37.82 15.97 8.40	7 6 21	7 9 7 24 12 5	0 0 0 0 0	1 9 13 9 14 4 3	0 1 1 2 26 8 2	0 0 2 2 3 3	0 0 0 0 2 2	0 0 2 0 1	0 0 0 0 0
18 19 20-24 25-29 30-34 35-39	16 13 45 19 10	8.40 13.45 10.92 37.82 15.97 8.40 0.84	7 6 21 7 5	7 9 7 24 12 5 0	0 0 0 0 0 0	1 9 13 9 14 4 3	0 1 1 2 26 8 2	0 0 2 2 3 0	0 0 0 0 2 2 1	0 0 2 0 1 2 1	0 0 0 0 0
18 19 20-24 25-29 30-34 35-39 40-44	16 13 45 19 10 1	8.40 13.45 10.92 37.82 15.97 8.40 0.84 0.00	7 6 21 7 5 1	7 9 7 24 12 5 0	0 0 0 0 0 0	13 9 14 4 3 0	0 1 1 2 26 8 2 0	0 0 0 2 2 3 0 0	0 0 0 0 2 2 1 0 0	0 0 2 0 1 2 1 1	0 0 0 0 0 0 0 0 0
18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44	16 13 45 19 10 1 0	8.40 13.45 10.92 37.82 15.97 8.40 0.84 0.00 0.00	7 6 21 7 5 1 0	7 9 7 24 12 5 0 0	0 0 0 0 0 0 0 0	13 9 14 4 3 0	0 1 1 2 26 8 2 0 0	0 0 0 2 2 3 0 0	0 0 0 2 2 1 0 0 0 0	0 0 2 0 1 2 1 1	0 0 0 0 0 0 0 0 0
18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN	16 13 45 19 10 1 0 0	8.40 13.45 10.92 37.82 15.97 8.40 0.84 0.00	7 6 21 7 5 1 0	7 9 7 24 12 5 0 0	000000000000000000000000000000000000000	13 9 14 4 3 0 0	0 1 1 2 26 8 2 0 0	0 0 0 2 3 0 0	0 0 0 2 2 1 0 0 0 0	0 0 2 0 1 2 1 1 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	16 13 45 19 10 1 0 0	8.40 13.45 10.92 37.82 15.97 8.40 0.84 0.00 0.00	7 6 21 7 5 1 0 0	7 9 7 24 12 5 0 0 0	00000000000	13 9 14 4 3 0 0 0 57	0 1 1 2 26 8 2 0 0 0 0	0 0 0 2 2 3 3 0 0 0 0 0	0 0 0 2 2 1 0 0 0 5	0 0 2 0 1 2 1 1 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	16 13 45 19 10 1 0 0 0	8.40 13.45 10.92 37.82 15.97 8.40 0.84 0.00 0.00	7 6 21 7 5 1 0 0 0 53 44.54	7 9 7 24 12 5 0 0	000000000000000000000000000000000000000	13 9 14 4 3 0 0 0 57	0 1 1 2 26 8 2 0 0	0 0 0 2 3 0 0	0 0 0 2 2 1 0 0 0 0	0 0 2 0 1 2 1 1 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	16 13 45 19 10 1 0 0 0	8.40 13.45 10.92 37.82 15.97 8.40 0.84 0.00 0.00	7 6 21 7 5 1 0 0 0 53 44.54	7 9 7 24 12 5 0 0 0	00000000000	19 13 9 14 4 3 0 0 0 57 47.90	0 1 1 2 26 8 2 0 0 0 0 40 33.61	0 0 0 2 2 3 3 0 0 0 0 0	0 0 0 0 2 2 1 0 0 0 5	0 0 2 0 1 2 1 1 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1936 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****	**** SEX	*******	**	****	*****	**** BI	RTH ORDER ******	*****
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	t	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
YORK											
LESS THAN 15	3	0.13	1	2	0	3	0	0	. 0	0	0
15	ō	0.00	ó	ō	ŏ	ŏ	Ö	Ö	ō	Ö	ő
16	22	0.94	t3	9	ō	21	†	ō	ō	Ö	ŏ
17	36	1.53	26	10	ō	27	8	t	ō	Ö	ŏ
18	45	1.92	26	19	ō	38	5	Ó	ā	1	1
19	90	3.83	5 t	39	ō	59	22	4	ō	3	2
20-24	746	31.77	374	372	ō	383	249	66	12	25	11
25-29	831	35.39	444	387	ō	283	333	145	29	27	14
30-34	439	18.70	217	222	Ō	127	159	79	30	37	7
35-39	123	5.24	64	59	0	30	38	25	12	15	3
40-44	9	0.38	6	3	0	†	2	†	2	2	†
GREATER THAN 44	2	0.09	0	2	0	0	0	t	0	0	1
UNKNOWN	2	0.09	0	2	0	2	0	0	0	0	0
COUNTY TOTALS	2,348		1,222	1,126	0	974	817	322	85	110	40
PERCENT DISTRIBUTION	N	100.00	52.04	47.96	0.00	41.48	34.80	13.71	3.62	4.68	1.70
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	3	0.86	†	2	0	3	0	0	0	0	0
15	Ó	0.00	0	0	0	0	0	0	0	0	0
16	16	4.60	10	6	0	16	Ō	0	70	Ō	0
17	27	7.76	†8	9	0	21	5	1	Ö	0	0
18	3 1	8.91	17	14	Ó	26	3	0	.0	1	t
19	36	10.34	16	20	0	20	1 1	2	Ó	1	2
20-24	150	43.10	8.7	63	0	79	46	16	1	5	3
25-29	60	17.24	33	27	0	24	21	11	2	†	†
30-34	20	5.75	8	12	0	4	6	4	2	3	1
35-39	4	1.15	2	2	0	t	0	t	t	0	t
40-44	t	0.29	1	0	0	. 0	0	0	0	. 0	1
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	ō	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	348		Eet	155	0	194	92	35	6	† †	10
PERCENT DISTRIBUTION	V	100.00	55.46	44.54	0.00	55.75	26.44	10.06	1.72	3.16	2.87
PERCENT OF ALL BIRT			K:								
_		14.82	15.79	13.77	0.00	19.92	11.26	10.87	7.06	10.00	25.00

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER

MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

STATE AND	TOTAL	PERCENT	*****	**** SEX	******	* *	****	*****	**** BI	RTH ORDER ******	*****
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	†	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
MAINE SUMMARY											
LESS THAN 15	28	0.17	17	11	0	27	0	0	0	t	0
1 5	59	0.35	35	24	Ŏ	57	1	ō	ŏ	Ö	1
16	193	1.15	111	82	Ō	181	10	. 0	Ō	2	0
17	347	2.08	167	180	Ō	304	3 t	4	Ō	6	2
1 8	527	3.15	265	262	0	420	89	3	0	10	5
19	794	4.75	428	366	0	560	177	31	3	14	9
20-24	5,476	32.76	2.808	2,668	0	2.700	1,949	560	88	123	56
25-29	5.310	31.76	2,752	2,558	0	1,843	2.072	899	233	183	80
30-34	3,044	18.21	1,550	1,494	0		1,186	646	241	†8 4	42
35-39	844	5.05	429	415	0	182	274	190	76	110	12
40-44	86	0.51	46	40	0	†4	20	†5	9	26	2
GREATER THAN 44	4	0.02	1	3	0	0	0	1	0	2	†
UNKNOWN	5	0.03	2	3	0	3	2	0	0	0	0
STATE TOTALS	16,717		8,611	8,106	0	7,036	5,811	2,349	650	66†	210
PERCENT DISTRIBUTI	ON	100.00	51.51	48.49	0.00	42.09			3.89	3.95	1.26
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	26	0.82	16	10	0	25	0	0	0	1	0
15	48	1.51	30	18	0	46	t	0	0	0	†
16	163	5.14	93	70	0	156	5	0	0	2	0
† 7	264	8.33	126	138	0	235	21	2	0	5	†
18	333	10.50	168	165	0	279	43	Ť	0	8	2
1 9	363	11.45	†85	1 78	0	253	84	1 1	2	9	4
20-24	1,178	37.t5	632	546	0	633	352	127	25	27	14
25-29	520	16.40	265	255	0	†78	160	107	43	27	5
30-34	209	6.59	112	97	0	. 50	50	61	33	12	3
35-39	56	1.77	31	25	0	12	10	6	9	†8	1
40-44	11	0.35	7	4	0	†	1	2	0	6	1
GREATER THAN 44	0	0.00	. 0	. 0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
STATE TOTALS	3,171		1.665	1,506	0	1,868	727	317	112	† † 5	32
PERCENT DISTRIBUTION	ON	100.00	52.51	47.49	0.00	58.91	22.93	10.00	3.53	3.63	1.01
PERCENT OF ALL BIR	THS WHICH AR										
		18.97	19.34	18.58	0.00	26.55	12.51	13.50	17.23	17.40	15.24

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT

MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY AND			*******	******	MONTH PRENATAL	CARE BEGAN	******	******
BIRTHWEIGHT	TOTAL	PERCENT	1ST+2ND	3RD	4TH~6TH	7TH-9TH	NONE	UNKNOWN
IN GRAMS	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH		
ANDROSCOGGIN								
LESS THAN 1000	8	0.55	5	†	2	0	0	0
1000-1499	7	0.48	3	†	t	0	0	2
1500-1999	†5	1.04	5	4	3	0	0	3
2000-2499	45	3.11	21	†7	6	†	0	0
2500-2999	228	1 5.77	121	62	40	4	0	1
3000-3499	537	37.14	286	145	85	13	4	4
3500-3999	439	30.36	253	127	49	7	2	1
4000-4499	142	9.82	90	34	† 5	3	0	0
4500-4999	1 8	1.24	10	5	2	1	0	0
GREATER THAN 4999	7	0.48	3	4	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	1,446		797	400	203	29	6	11
PERCENT DISTRIBUTION		100.00	55.12	27.66	14.04	2.01	0.41	0.76
AROOSTOOK								
LESS THAN 1000	3	0.22	t	0	0	0	0	2
1000-1499	4	0.30	0	0	.3	0	0	1
1500-1999	4	0.30	3	†	0	0	0	0
2000-2499	39	2.90	16	16	6	0	†	0
2500-2999	178	13.23	104	50	18	3	0	3
3000-3499	495	36.80	262	144	78	†	4	6
3500-3999	441	32.79	240	137	48	6	0	10
4000-4499	147	10.93	75	47	24	0	0	†
4500-4999	32	2.38	15	14	3	0	0	0
GREATER THAN 4999	2	0.15	t	1	0	0	0	0
UNKNOWN	0	0.00	O	0	0	0	0	0
COUNTY TOTALS	1,345		7†7	410	180	10	5	23
PERCENT DISTRIBUTION		100.00	53.31	30.48	13.38	0.74	0.37	1.71

TABLE B-6
LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY AND			*******	*****	MONTH PRENATA	L CARE BEGAN	*******	*******
BIRTHWEIGHT	TOTAL	PERCENT	tST+2ND	3RD	4TH-6TH	7TH-9TH	NONE	UNKNOWN
IN GRAMS	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH		
CUMBERLAND								
LESS THAN 1000	16	0.47	4	2	8	o	†	†
1000-1499	1 9	0.56	4	4	3	0	1	7
1500-1999	34	t_00	9	8	8	2	0	7
2000-2499	80†	3.19	43	30	21	6	0	8
2500-2999	385	††.37	08†	108	69	14	0	14
3000-3499	1,153	34.04	57 5	328	203	26	2	19
3500-3999	1,142	33.72	590	379	137	18	3	15
4000-4499	423	12.49	240	124	47	6	0	6
4500-4999	93	2.75	55	32	6	0	0	0
GREATER THAN 4999	13	0.38	10	3	0	0	0	0
UNKNOWN	1	0.03	0	1	0	. 0	0	0
COUNTY TOTALS	3,387		1,710	1,019	502	72	7	. 77
PERCENT DISTRIBUTION		100.00	50.49	30.09	14.82	2.13	0.21	2.27
FRANKLIN								
LESS THAN 1000	o	0.00	o	0	0	o	0	o
1000-1499	2	0.52	0	0	†	0	0	t
1500-1999	8	2.08	2	†	0	0	†	4
2000-2499	20	5.19	10	5	5	0	0	0
2500-2999	42	10.91	23	10	8	1	0	0
3000-3499	126	32.73	79	30	††	4	0	2
3500-3999	119	30.91	7†	32	10	3	t	2
4000-4499	53	13.77	23	†7	12	0	0	†
4500-4999	14	3.64	9	4	Ο .	†	0	0
. GREATER THAN 4999	t	0.26	0	0	†	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	385		217	99	48	9	2	10
PERCENT DISTRIBUTION		100.00	56.36 .	25.71	12.47	2.34	0.52	2.60

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT

MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY AND			*******	******	MONTH PRENATA	L CARE BEGAN	*****	*******
BIRTHWEIGHT	TOTAL	PERCENT	1ST+2ND	3RD	4TH-6TH	7TH-9TH	NONE	UNKNOWN
IN GRAMS	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH		
HANCOCK								
LESS THAN 1000	2	0.32	G	t	0	0	0	t
1000-1499	†	0.16	0	0	0	0	t	0
1500-1999	2	0.32	†	t	0	0	0	0
2000-2499	19	3.00	9	4	5	t	0	0
2500-2999	7†	11.20	25	29	12	3	†	Ť
3000-3499	191	30.13	85	64	36	5	0	t
3500-3999	230	36.28	112	75	40	t	0	2
4000-4499	90	14.20	43	27	†8	t	t	0
4500-4999	21	3.31	7	12	2	0	0	0
GREATER THAN 4999	7	1.10	4	3	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	634		286	216	113	11	3	5
PERCENT DISTRIBUTION		100.00	45.11	34.07	17.82	1.74	0.47	0.79
KENNEBEC								
LESS THAN 1000	6	0.41	3	2	0	t	0	0
1000-1499	4	0.27	†	· 2	1	0	Ō	0
1500-1999	†7	1.17	6	6	2	Ť	Ō	2
2000-2499	54	3.71	25	13	† †	t	t	3
2500-2999	198	13.60	113	50	28	3	2	2
3000-3499	512	35,16	322	125	54	4	4	ε
3500-3999	47 t	32.35	283	121	56	3	6	2
4000-4499	1 57	10.78	104	31	19	†	0	2
4500-4999	33	2.27	17	11	5	0	0	0
GREATER THAN 4999	4	0.27	3	0	- t	ō	ō	ō
UNKNOWN	Ò	0.00	ō	ō	0	Ō	Ō	Ō
COUNTY TOTALS	1.456		877	36 t	177	14	13	14
PERCENT DISTRIBUTION	. •	100.00	60.23	24.79	12.16	0.96	0.89	0.96

COUNTY AND			*******	*****	MONTH PRENATAL	CARE BEGAN	******	******
BIRTHWEIGHT	TOTAL	PERCENT	1ST+2ND	3RD	4TH-6TH	7TH-9TH	NONE	UNKNOWN
IN GRAMS	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH		
KNOX		·.						
LESS THAN 1000	4	0.79	†	1	0	0	*	t
1000-1499	2	0.40	t	Ö	1	ō	0	Ó
1500-1999	2	0.40	· i	Ö	· •	Õ	č	Õ
2000-2499	25	4.94	7	11	. 4	ō	Ö	3
2500-2999	57	11.26	27	16	12	1	ō	1
3000-3499	175	34.58	62	67	35	8	ŏ	3
3500-3999	170	33.60	83	60	20	4	Ö	3
4000-4499	53	10.47	35	9	3	5	č	1
4500-4999	16	3.16	8	6	2	Ö	Ö	o .
GREATER THAN 4999	2	0.40	1	ő	1	Ö	Ċ	ō
UNKNOWN	0	0.00	ò	Ö	Ö	Ö	ŏ	ō
COUNTY TOTALS	506	0.00	226	170	79	18	•	12
PERCENT DISTRIBUTION	200	100.00	44.66	33.60	15.61	3.56	0.20	2.37
LINCOLN								
LESS THAN 1000	2	0.48	0	0	0	0	၁	2
1000-1499	ō	0.00	0	0	0	0	9	0
1500-1999	Ť	0.24	†	0	0	0	0	0
2000-2499	6	1.44	3	t	2	0	0	0
2500-2999	. 48	11.54	21	11	11	2	t	2
3000-3499	154	37.02	89	45	15	4	0	t
3500-3999	145	34.86	78	30	32	2	1	2
4000-4499	52	12.50	32	14	4	t	•	0
4500-4999	8	1.92	2	5	t	0	0	0
GREATER THAN 4999	Ō	0.00	0	0	0	0	0	0
UNKNOWN	ō	0.00	ō	Ō	0	0	2	0
COUNTY TOTALS	416		226	106	65	9	3	7
PERCENT DISTRIBUTION		100.00	54.33	25.48	15.63	2.16	0.72	1.68

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT

MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

	COUNTY AND			*******	******	MONTH PRENATAL	CARE BEGAN	******	******
	BIRTHWEIGHT	TOTAL	PERCENT	1ST+2ND	3RD	4TH-6TH	7TH-9TH	NONE	UNKNOWN
	IN GRAMS	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH		
	OXFORD								
	LESS THAN 1000	0	0.00	. 0	o	O	o	0	O
	1000-1499	2	0.30	1	0	0	0	0	†
	1500-1999	4	0.60	†	0	†	0	0	2
	2000-2499	25	3.73	11	7	3	1	0	3
	2500-2999	99	14.78	45	29	20	3	†	1
	3000-3499	243	36.27	106	80	5†	2	†	3
	3500-3999	223	33.28	102	74	43	3	1	0
	4000-4499	62	9.25	27	20	14	†	0	0
	4500-4999	12	1.79	Э,	7	2	0	0	0
	GREATER THAN 4999	0	0.00	0	0	0	0	0	0
	UNKNOWN	0	0.00	0	0	0	0	0	0
	COUNTY TOTALS	670		296	217	134	10	3	10
	PERCENT DISTRIBUTION		100.00	44.18	32.39	20.00	1.49	0.45	1.49
	PENOBSCOT								
_	LESS THAN 1000	12	0.66	5	2	0	o	0	5
44	1000-1499	12	0.66	6	2	0	0	1	3
-	1500-1999	20	1.10	14	3	2	0 -	0	1
	2000-2499	58	3.19	31	15	9	0	t	2
	2500-2999	242	13.30	160	34	42	4	1	1
	3000-3499	629	34.56	413	121	81	8	3	3 .
•	3500-3999	594	32.64	398	112	69	8	_, 5	2
	4000-4499	200	10.99	133	41	20	4	1	1 .
	4500-4999	50	2.75	33	9	7	†	0	0
	GREATER THAN 4999	2	0.11	2	0	0	0	0	0
	UNKNOWN	†	0.05	†	0	0	0	0	0
	COUNTY TOTALS	1,820		1,196	33 9	230	25	12	18
	PERCENT DISTRIBUTION		100.00	65.71	18.63	12.64	1.37	0.66	0.99
	•								

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

	COUNTY AND			*******	*****	MONTH PRENATAL	CARE BEGAN	*******	******
	BIRTHWEIGHT	TOTAL	PERCENT	15T+2ND	ЭRD	4TH-6TH	7TH-9TH	NONE	UNKNOWN
	IN GRAMS	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH		
	PISCATAQUIS								
	LESS THAN 1000	1	. 0.41	†	0	0	0	0	0
	1000-1499	1	0.41	†	. 0	0	0	0	0
	1500-1999	6	2.46	4	2	0	0	0	0
	2000-2499	5	2.05	2	3	0	0	0	0
	2500-2999	37	15.16	18	9	5	1	†	3
	3000-3499	79	32.38	43	21	13	2	0	0
	3500-3999	72	29.51	49	16	5	1	†	0
	4000-4499	38	15.57	20	12	5	0	0	†
	4500-4999	5	2.05	3	1	1	0	0	0
	GREATER THAN 4999	0	0.00	0	0	0	0	0	0
	UNKNOWN	0	0.00	0	0	0	0	0	0
	COUNTY TOTALS	244		141	64	29	4	2	4
	PERCENT DISTRIBUTION		100.00	57.79	26.23	11.89	1.64	0.82	1.64
	SAGADAHOC								
	LESS THAN 1000	2	0.37	1	0	0	0	0	1
45	1000-1499	2	0.37	1	0	t	0	0	0
01	1500-1999	4	0.74	2	0	†	0	0	1
	2000-2499	18	3.35	10	3	5	0	0	0
	2500-2999	7 †	13.20	41	17	12	0	0	†
	3000-3499	197	36.62	123	42	29	3	0	0
	3500-3999	182	33.83	134	31	13	3	0	†
	4000-4499	53	9.85	34	19	0	0	0	0
	4500-4999	8	1.49	7	0	†	0	0	0
	GREATER THAN 4999	1	0.19	0	1	0	0	0	0
	UNKNOWN	0	0.00	0	0	0	0	0	0
	COUNTY TOTALS	538		35 3	113	62	6	0	4
	PERCENT DISTRIBUTION		100.00	65.61	21.00	11.52	1.12	0.00	0.74

TABLE B-6 LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY	AND			*******	*******	MONTH PRENATA	L CARE BEGAN	*******	*******
BIRTHWE	I GHT	TOTAL	PERCENT	1ST+2ND	3RD	4TH-6TH	7TH-9TH	NONE	UNKNOW
IN GRA	MS	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH		
SOMERSE	r								
LESS	THAN 1000	0	0.00	0	o	0	0	О	0
1000-	-1499	1	0.16	1	0	0	0	0	0
1500-	-1999	10	1.64	7	2	t	0	0	0
2000-	-2499	21	3.45	10	5	4	†	0	t
2500-	-2999	72	11.84	30	23	1 8	†	0	0
3000-	-3499	205	33.72	104	57	42	2	0	0
3500-	-39 9 9	230	37.83	125	67	35	3	0	0
4000-	-4499	47	7.73	22	15	9	0	Ť	0
4500-	-4999	20	3.29	10	6	3	t	0	0
GREAT	TER THAN 4999	2	0.33	1	t	0	0	0	0
UNKNO	3WN	0	0.00	0	0	0	0	0	9
CC	DUNTY TOTALS	608		310	176	112	8	t	†
PE	ERCENT DISTRIBUTION		100.00	50.99	28.95	18.42	1.32	0.16	0.16
WALDO									
LESS	THAN 1000	3	0.64	1	t	1	0	0	0
1000-	-1499	2	0.42	0	0	1	0	0	†
1500-	- 1999	5	1.06	2	t	0	0	0	2
2000-	-2499	18	3.82	11	1	6	0	0	0
2500-	-2999	74	15.71	. 39	23	10	t	0	1
3000-	-3499	154	32.70	68	5 t	26	8	†	. 0
3500-	-3999	157	33.33	87	40	28	t	0	1
4000-	-4499	40	8.49	26	8	5	0	0	†
4500-	-4999	16	3.40	· 7	5	4	0	0	0
GREAT	TER THAN 4999	2	0.42	0	2	0	0	0	0
UNKNO	JWN	0 +	0.00	Ō	0	0	o	0	0
CC	JUNTY TOTALS	471		241	132	81	10	†	6
	RCENT DISTRIBUTION		100.00	51.17	28.03	17.20	2.12	0.21	1.27

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY AND			*******	*******	MONTH PRENATAL	CARE BEGAN	******	******
BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	1ST+2ND MONTH	3RD MONTH	4TH-6TH Month	7TH-9TH MONTH	NONE	UNKNOWN
WASHINGTON								
LESS THAN 1000	0	0.00	0	0	0	0	o	0
1000-1499	2	0.45	0	0	0	†	0	†
1500-1999	4	0.90	t	†	†	0	0	Ť
2000-2499	18	4.06	7	3	5	0	0	3
2500~2999	63	14.22	28	13	14	2	1	5
3000-3499	162	36.57	77	28	36	6	0	15
3500-3999	127	28.67	70	27	23	t	0	6
4000-4499	52	11.74	24	12	10	2	†	3
4500-4999	14	3.16	9	4	†	0	0	0
GREATER THAN 4999	†	0.23	0	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	443		216	89	90	12	2	34
PERCENT DISTRIBUTION		100.00	48.76	20.09	20.32	2.71	0.45	7. 6 7
YORK		•						
JUKK								
LESS THAN 1000	9	0.38	4	0	3	0	Ť	1
1000-1499	10	0.43	3	0	3	0	0	4
1500-1999	20	0.85	9	t	3	2	0	5
2000-2499	83	3.53	41	18	15	2	0	7
2500-2999	274	††.67	130	74	5.2	8	1	9
3000-3499	774	32.96	453	193	100	13	3	12
3500-3999	873	37.18	525	233	89	17	3	6
4000-4499	245	10.43	139	69	30	2	0	5
4500-4999	44	1.87	23	1:1	9	0	0	†
GREATER THAN 4999	16	0.68	11	4	†	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	2,348		1,338	603	305	44	8	50
PERCENT DISTRIBUTION		100.00	56.98	25.68	12.99	1.87	0.34	2.13

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

STATE AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	********* 1ST+2ND MONTH	********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	UNKNOWN
MAINE SUMMARY								
LESS THAN 1000	68	0.41	26	10	14	1	3	14
1000-1499	71	0.42	22	9	15	†	3	21
1500-1999	· 156	0.93	68	31	23	5	†	28
2000-2499	562	3.36	257	152	107	13	3	30
2500-2999	2,139	12.80	1,105	558	37†	51	9	45
3000-3499	5.786	34.61	3,147	1,541	895	109	22	72
3500-3999	5.615	33.59	3,200	1,561	697	81	23	53
4000-4499	1.854	11.09	1.067	499	235	26	5	22
4500-4999	404	2.42	218	132	49	4	0	1
GREATER THAN 4999	60	0.36	36	20	4	0	0	0
UNKNOWN	2	0.01	1	t	0	0	0	0
STATE TOTALS	16.717		9,147	4,514	2,410	291	69	286
PERCENT DISTRIBUTION	•	100.00	54.72	27.00	14.42	1.74	0.41	1.71

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

COUNTY	TOTAL	*****	******	*******	**** TRIME	STER PRENA	TAL CARE BE	GAN ****	******	*******	******
AND NUMBER OF	BIRTHS	FI	RST		OND		IRD		ONE	UNK	NOWN
PRENATAL VISITS			PERCENT		PERCENT	NUMBER	PERCENT	NUMBER	PERCENT		PERCENT
ANDROSCOGGIN											
0	5	0	0.00		0.00	0	0.00	5	100.00	0	0.00
†	4	†	25.00	2	50.00	0	0.00	1	25.00	0	0.00
2	4	†	25.00	2	50.00	†	25.00	0	0.00	0	0.00
3	7	1	14.29	4	57. †4	1	14.29	0	0.00	†	14.29
4	8	3	37.50	†	12.50	4	50.00	0	0.00	. 0	0.00
5	25	10	40.00	9	36.00	4	16.00	O	0.00	2	8.00
6	45	17	37.78	21	46.67	7	15.56	0	0.00	0	0.00
7	49	21	42.86	26	53.06	2	4.08	0	0.00	0	0.00
8	86	61	70.93	21	24.42	4	4.65	0	0.00	0	0.00
9	131	101	77.10	28	21.37	2	1.53	0	0.00	0	0.00
GREATER THAN 9	1,015	937	92.32	77	7.59	1	0.10	~ 0	0.00	0	0.00
UNKNOWN	67	44	65.67	12	17.91	3	4.48	0	0.00	8	11.94
COUNTY TOTALS	1,446	1,197	82.78	203	14.04	29	2.01	6	0.41	11	0.76
AROOSTOOK											• •
0	5	0	0.00	0	0.00	0	0400	5	100.00	0	0.00
†	3	1	33.33	ō	0.00	2	66.67	ō	0.00	. 0	0.00
2	ō	Ó.	0.00	ŏ	0.00	ō	0.00	· ŏ	0.00	ō	0.00
3	3	2	66.67	1	33.33	0	0.00	0	0.00	0	0.00
4	9	2	22.22	6	66.67	†	11.11	0	0.00	0	0.00
5	£†	4	30.77	9	69.23	0	0.00	0	0.00	0	0.00
6	32	9	28.13	18	56.25	5	15.63	0	0.00	0	0.00
7	41	24	58.54	17	41.46	0	0.00	0	0.00	0	0.00
8	78	55	70.51	22	28.21	t	1.28	0	0.00	0	0.00
9	100	69	69.00	31	31.00	0	0.00	0	0.00	0	0.00
GREATER THAN 9	1,033	957	92.64	74	7. 16	1	0.10	ō	0.00	†	0.10
UNKNOWN	28	4	14.29	2	7.14	0	0.00	Ō	0.00	22	78.57
COUNTY TOTALS	1,345	1,127	83.79	180	13.38	10	0.74	5	0.37	23	1.71

TABLE B-7 LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS

MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY	TOTAL	*****	******	*****	***** TRIME	STER PREN	ATAL CARE BE	GAN ****	******	******	******
AND NUMBER OF	BIRTHS	FI	RST	SEC	COND	TI	HIRD	NO	ONE	UNF	NOWN
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
CUMBERLAND											
0	7	0	0.00	0	0.00	0	0.00	7	100.00	0	0.00
1	8	3	37.50	0	0.00	3	37.50	0	0.00	2	25.00
2	11	2	18.18	2	18.18	7	63.64	0	0.00	0	0.00
3	33	6	18.18	1 5	45.45	† †	33,33	a	0.00	†	3.03
4	39	7	17.95	19	48.72	13	33.33	0	0.00	0	0.00
5	7†	35	49.30	24	33.80	†2	16.90	0	0.00	0	0.00
6	69	1 8	26.09	43	62.32	6	8.70	0	0.00	2	2.90
7	104	52	50.00	48	46.15	4	3.85	0	0.00	0	0.00
· 8	135	92	68.15	38	28.15	5	3.70	0	0.00	0	0.00
9	224	163	72.77	56	25.00	2	0.89	0	0.00	3	1.34
GREATER THAN 9	2,393	2,164	90.43	216	9.03	4	0.17	0	0.00	9	0.38
UNKNOWN	293	187	63.82	41	13.99	5	1.71	0	0.00	60	20.48
COUNTY TOTALS	3,387	2,729	80.57	502	14.82	72	2.13	7	0.21	77	2.27
FRANKLIN											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
†	2	1	50.00	0	0.00	t	50.00	0	0.00	0	0.00
2	2	0	0.00	0	0.00	2	100.00	Ō	0.00	Ō	0.00
3	3	0	0.00	2	66.67	t	33.33	0	0.00	0	0.00
4	1	0	0.00	t	100.00	0	0.00	Ō	0.00	ō	0.00
5	11	2	18.18	6	54.55	2	18.18	0	0.00	1	9.09
6	9	3	33.33	5	55.56	t	11.11	0	0.00	0	0.00
7	17	8	47.06	7	41.18	2	11.76	Ō	- 0.00	Ō	0.00
8	27	19	70.37	7	25.93	0	0.00	Ō	0.00	1	3.70
9	32	28	87.50	4	12.50	0	0.00	0	0.00	0	0.00
GREATER THAN 9	273	255	93.41	16	5.86	Ō	0.00	Ō	0.00	2	0.73
UNKNOWN	6	0	0.00	Ō	0.00	Ō	0.00	ō	0.00	6	100.00
COUNTY TOTALS	385	316	82.08	48	12.47	9	2.34	2	0.52	10	2.60

COUNTY	TOTAL	******	****** TRIMESTER PRENA			ATAL CARE BE	GAN ****	*****	*******	******	
AND NUMBER OF	BIRTHS	F]	RST	SEC	COND	Th	HIRD	N	JNE	UNK	NOWN
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
HANCOCK											
0	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
†	2	ာ	0.00	0	0.00	2	100.00	0	0.00	0	0.00
2	3	t	33.33	1	33.33	t	33.33	0	0.00	0	0.00
3	3	0	0.00	1	33.33	· †	33.33	0	0.00	†	33.33
4	4	t	25.00	1	25.00	2	50.00	0	0.00	0	0.00
5	6	0	0.00	5	83.33	Ť	16.67	0	0.00	0	0.00
6	† †	3	27.27	7	63.64	†	9.09	0	0.00	0	0.00
7	20	9	45.00	10	50.00	t	5.00	0	0.00	0	0.00
8	45	27	60.00	17	37.78	Ť	2.22	0	0.00	0	0.00
9	69	53	76.81	15	21.74	Ť	1.45	0	0.00	0	0.00
GREATER THAN 9	466	408	87.55	56	12.02	0	0.00	0	0.00	2	0.43
UNKNOWN	2	0	0.00	0	0.00	0	0.00	0	0.00	2	100.00
COUNTY TOTALS	634	502	79.18	113	17.82	11	1.74	3	0.47	5	0.79
KENNEBEC											
0	13	0	0.00	О	0.00	0	0.00	13	100.00	0	0.00
1	2	2	100.00	0	0.00	0	0.00	0	0.00	0	0.00
2	3	t	33.33	0	0.00	2	66.67	0	0.00	0	0.00
3	3	2	66.67	0	0.00	t	33.33	0	0.00	0	0.00
4	5	2	40.00	3	60.00	0	0.00	0	0.00	0	0.00
5	6	3	50.00	1	16.67	2	33.33	0	0.00	0	0.00
6	20	11	55.00	9	45.00	0	0.00	0	0.00	0	0.00
7	21	12	57.14	7	33.33	2	9.52	0	0.00	0	0.00
8	56	29	51.79	24	42.86	3	5.36	0	0.00	0	0.00
9	61	41	67.21	19	31.15	t	1.64	0	0.00	0	0.00
GREATER THAN 9	1,240	1,126	90.81	111	8.95	2	0.16	0	0.00	†	0.08
UNKNOWN	26	. 9	34.62	3	11.54	†	3.85	0	0.00	13	50.00
COUNTY TOTALS	1.456	1,238	85.03	177	12.16	†4	0.96	13	0.89	14	0.96

TABLE B-7 LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS

MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

AND NUMBER OF PERCENT NUMBER PERCENT	COUNTY	TOTAL	*****	******	******	**** TRIME	STER PREN	ATAL CARE BE	GAN ****	******	*******	*****
NNOX O	AND NUMBER OF	BIRTHS	FI	RST	SEC	OND	TI	HIRD	NO	INE	UNK	NOWN
0 1 1 0 0.00 0 0.00 0 0.00 1 100.00 0 0.00 1 33.33	PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
1 3 3 0 0.00 1 33.33 1 33.33 0 0.00 1 33.33 1 33.33 0 0.00 1 33.33 2 4 4 2 50.00 1 25.00 1 25.00 0 0.00 0 0.00 0 0 0.00 3 3 100.00 0 0 0.0	KNOX											
2	0	1	0	0.00	o	0.00	0	0.00	1	100.00	0	0.00
3	1	3	0	0.00	1	33.33	†	33.33	0	0.00	1	33.33
3	2 .	4	2	50.00	1	25.00	t	25.00	0	0.00	0	0.00
4 3 3 100.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 5 0 0.00 5 6 2 33.33 1 16.67 3 50.00 0 0.00 0 0.00 0 0.00 6 11 6.67 3 50.00 0 0.00 0 0.00 0 0.00 7 15 5 5 33.33 8 53.33 27.27 2 18.18 0 0.00 0 0.00 0 0.00 8 5 8 18 7 38.89 7 38.89 3 16.67 0 0.00 1 1.5.56 9 22 12 54.55 9 40.91 1 4.55 0 0.00 0 0.00 1 5.56 9 0.00 0 0.00 1 5.56 9 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 8 66.67 0 0.00 0 0.00 8 66.67 0 0.00 0 0.00 0 0.00 8 66.67 0 0.00 0 0.0		3	0	0.00	†	33.33	2	66.67	0	0.00	0	0.00
5 6 2 33.333 1 16.67 3 50.00 0 0.00 0 0.00 0 0.00 7 11 6 54.55 3 27.27 2 18.18 0 0.00 0 0.00 0 0.00 7 15 5 33.33 8 53.33 2 13.33 0 0.00 0 0.00 8 18 7 38.89 7 38.89 7 38.89 3 16.67 0 0.00 1 5.56 9 22 12 54.55 9 40.91 1 4.55 0 0.00 0 0.00 1 5.56 9 22 12 54.55 9 40.91 1 4.55 0 0.00 0 0.00 2 0.00 GREATER THAN 9 408 357 87.50 46 11.27 3 0.74 0 0.00 2 0.00 2 0.49 UNKNOWN 12 2 16.67 2 16.67 0 0.00 0 0.00 8 66.67 0 0.00 0 0.00 8 66.67 0 0.00 1 2 2.37 CUINTY TOTALS 506 396 78.26 79 15.61 18 3.56 1 0.20 12 2.37 CUINTY TOTALS 506 396 78.26 79 15.61 18 3.56 1 0.20 12 2.37 CUINTO 0 0 0.00		3	3	100.00	0	0.00	0	0.00	0	0.00	0	0.00
6	5	6	2		Ť	16.67	3	50.00	0	0.00	0	0.00
7		11	. 6		3		2	18.18	0	0.00	0	0.00
8		15	5		8		2	13.33	ō		Ō	0.00
9	8		7		7	38.89	3	16.67	Ō	0.00	1	5.56
GREATER THAN 9 408 357 87.50 46 11.27 3 0.74 0 0.00 2 0.49 UNKNOWN 12 2 16.67 2 16.67 0 0.00 0 0.00 8 66.67 COUNTY TOTALS 506 396 78.26 79 15.61 18 3.56 1 0.20 12 2.37 LINCOLN O 3 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 1 0 0 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 2 2 2 1 1 50.00 0 0.00 1 50.00 0 0.00 0 0.00 3 0 2 0 0.00 0 0.00 1 50.00 0 0.00 0 0.00 4 2 0 0 0.00 0 0.00 1 50.00 0 0.00 0 0.00 4 1 2 0 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 5 3 1 3 1 33.33 2 66.67 0 0.00 0 0.00 0 0.00 6 3 2 66.67 1 33.33 2 66.67 0 0.00 0 0.00 0 0.00 7 1 12 5 41.67 6 50.00 1 8.33 0 0.00 0 0.00 8 24 18 75.00 6 25.00 0 0.00 0 0.00 9 31 23 74.19 6 50.00 1 8.33 0 0.00 1 3.23 GREATER THAN 9 298 254 85.23 41 13.76 1 0.34 0 0.00 2 0.00 1 1.11			12		9		1		_		0	
UNKNOWN 12 2 16.67 2 16.67 0 0.00 0 0.00 8 66.67 COUNTY TOTALS 506 396 78.26 79 15.61 18 3.56 1 0.20 12 2.37 LINCOLN 0 3 0 0.00 0 0.00 0 0.00 3 100.00 0 0.00 1 0.00 0 0.00 1 0.00 0 0	GREATER THAN 9						3				2	
COUNTY TOTALS 506 396 78.26 79 15.61 18 3.56 1 0.20 12 2.37 LINCOLN 0 3 0 0.00 0 0.00 0 0.00 0 0.00 3 100.00 0 0.00 1 0 0 0.00 0 0.00 0 0.00 0 0.00 0 0.00 2 2 1 50.00 0 0 0.00 1 50.00 0 0.00 0 0.00 3 0 2 0 0.00 0 0.00 1 50.00 0 0.00 0 0.00 4 2 0 0 0.00 0 0.00 2 100.00 0 0.00 0 0.00 5 0 3 1 33.33 2 66.67 0 0.00 0 0.00 0 0.00 5 0 3 2 66.67 1 33.33 0 0.00 0 0.00 0 0.00 6 0 3 2 66.67 1 33.33 0 0.00 0 0.00 0 0.00 7 12 5 41.67 6 50.00 1 8.33 0 0.00 8 24 18 75.00 6 25.00 0 0.00 0 0.00 0 0.00 9 31 23 74.19 6 19.35 1 3.23 0 0.00 1 3.23 GREATER THAN 9 298 254 85.23 41 13.76 1 0.34 0 0.00 2 0.00 1 1.11	- · · · · · · · · · · · · · · · · · · ·				· -		_					
0 3 0 0.00 0 0.00 0 0.00 0 0.00 3 100.00 0 0.00 1 0 0.00 1 0 0.00							_		_			
1 0 0 0.00 0 <t< td=""><td>LINCOLN</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	LINCOLN											
1 0 0 0.0	0	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
3 2 0 0.00 0 0.00 2 100.00 0 0.00 0 0.00 4 11.11 3.76 1 0.34 0 0.00 2 0.00 0 0.	1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3 2 0 0.00 0 0.00 2 100.00 0 0.00 0 0.00 0 0.00 4 2 100.00 0 0.00 0 0.00 0 0.00 5 3 1 33.33 2 66.67 0 0.00 0 0.00 0 0.00 0 0.00 6 3 2 66.67 1 33.33 0 0.00 0 0.00 0 0.00 0 0.00 7 12 5 41.67 6 50.00 1 8.33 0 0.00 0 0.00 0 0.00 8 24 18 75.00 6 25.00 0 0.00 0 0.00 0 0.00 9 31 23 74.19 6 19.35 1 3.23 0 0.00 0 0.00 1 3.23 GREATER THAN 9 298 254 85.23 41 13.76 1 0.34 0 0.00 2 0.67 UNKNOWN 36 28 77.78 3 8.33 1 2.78 0 0.00 4 11.11	2	2	1	50.00	0	0.00	†	50.00	0	0.00	0	0.00
4 2 0 0.00 0 0.00 2 100.00 0 0.00 0 0.00 0 0.00 5 3 1 33.33 2 66.67 0 0.00 0 0.00 0 0.00 0 0.00 6 3 2 66.67 1 33.33 0 0.00 0 0.00 0 0.00 0 0.00 7 12 5 41.67 6 50.00 1 8.33 0 0.00 0 0.00 0 0.00 8 24 18 75.00 6 25.00 0 0.00 0 0.00 0 0.00 0 0.00 9 31 23 74.19 6 19.35 1 3.23 0 0.00 1 3.23 GREATER THAN 9 298 254 85.23 41 13.76 1 0.34 0 0.00 2 0.67 UNKNOWN 36 28 77.78 3 8.33 1 2.78 0 0.00 4 11.11		2	0		Ō	0.00	2	100.00	Ō	0.00	0	0.00
5 3 1 33.33 2 66.67 0 0.00 0 0.00 0 0.00 0 0.00 6 3 2 66.67 1 33.33 0 0.00 0 0.00 0 0.00 0 0.00 7 12 5 41.67 6 50.00 1 8.33 0 0.00 0 0.00 0 0.00 8 24 18 75.00 6 25.00 0 0.00 0 0.00 0 0.00 9 31 23 74.19 6 19.35 1 3.23 0 0.00 1 3.23 GREATER THAN 9 298 254 85.23 41 13.76 1 0.34 0 0.00 2 0.67 UNKNOWN 36 28 77.78 3 8.33 1 2.78 0 0.00 4 11.11	4	2	ā		0		2	100.00	0	0.00	0	0.00
6 3 2 66.67 1 33.33 0 0.00 0 0.00 0 0.00 0 0.00 7 12 5 41.67 6 50.00 1 8.33 0 0.00 0 0.00 0 0.00 8 24 18 75.00 6 25.00 0 0.00 0 0.00 0 0.00 9 31 23 74.19 6 19.35 1 3.23 0 0.00 1 3.23 GREATER THAN 9 298 254 85.23 41 13.76 1 0.34 0 0.00 2 0.67 UNKNOWN 36 28 77.78 3 8.33 1 2.78 0 0.00 4 11.11	5	3	†			66.67	0	0.00	0	0.00	0	0.00
7 12 5 41.67 6 50.00 1 8.33 0 0.00 0 0.00 8 24 18 75.00 6 25.00 0 0.00 0 0.00 0 0.00 9 31 23 74.19 6 19.35 1 3.23 0 0.00 1 3.23 GREATER THAN 9 298 254 85.23 41 13.76 1 0.34 0 0.00 2 0.67 UNKNOWN 36 28 77.78 3 8.33 1 2.78 0 0.00 4 11.11			2		t	33.33	0	0.00		0.00	0	0.00
8 24 18 75.00 6 25.00 0 0.00 0 0.00 0 0.00 9 31 23 74.19 6 19.35 1 3.23 0 0.00 1 3.23 GREATER THAN 9 298 254 85.23 41 13.76 1 0.34 0 0.00 2 0.67 UNKNOWN 36 28 77.78 3 8.33 1 2.78 0 0.00 4 11.11					6	50.00	1	8.33	Ö	0.00	0	0.00
9 31 23 74.19 6 19.35 1 3.23 0 0.00 1 3.23 GREATER THAN 9 298 254 85.23 41 13.76 1 0.34 0 0.00 2 0.67 UNKNOWN 36 28 77.78 3 8.33 1 2.78 0 0.00 4 11.11	8		18		6		0	0.00	0	0.00	0	0.00
GREATER THAN 9 298 254 85.23 41 13.76 1 0.34 0 0.00 2 0.67 UNKNOWN 36 28 77.78 3 8.33 1 2.78 0 0.00 4 11.11	g						1		_		†	
UNKNOWN 36 28 77.78 3 8.33 1 2.78 0 0.00 4 11.11	GREATER THAN 9	_			_		1		_		2	
20 17.70							1	-	-			
	COUNTY TOTALS	416	332	79.81	65	15.63	9	2.16	3	0.72	7	1.68

COUNTY	TOTAL	*****	******	*******	**** TRIM	ESTER PRENA	ATAL CARE BE	GAN ****	*****	******	*****
AND NUMBER OF	BIRTHS	FI	RST	SEC	:OND	TH	HIRD	N	ONE	UNK	NOWN.
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
axfard											
0	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
†	1	0	0.00	0	0.00	†	100.00	0	0.00	0	0.00
2	3	1	33.33	2	66.67	0	0.00	0	0.00	0	0.00
3	3	0	0.00	1	33.33	2	66.67	0	0.00	0	0.00
4	8	†	12.50	6	75.00	†	12.50	0	0.00	0	0.00
5	11	3	27.27	6	54.55	2	18.18	0	0.00	0	0.00
6	21	6	28.57	12	57.14	3	14.29	0	0.00	0 .	0.00
7	42	21	50.00	. 19	45.24	1	2.38	0	0.00	t	2.38
8	67	38	56.72	29	43.28	0	0.00	0	0.00	0	0.00
9	79	64	81.01	15	18.99	0	0.00	0	0.00	0	0.00
GREATER THAN 9	420	377	89.76	43	10.24	. 0	0.00	0	0.00	0	0.00
UNKNOWN	12	2	16.67	1	8.33	Ó	0.00	0	0.00	9	75.00
COUNTY TOTALS	670	513	76.57	134	20.00	10	1.49	3	0.45	10	1.49
PENOBSCOT											
0	12	0	0.00	0	0.00	0	0.00	12	100.00	0	0.00
†	6	1	16.67	1	16.67	3	50.00	0	0.00	1	16.67
2	5	2	40.00	0	0.00	3	60.00	0	0.00	0	0.00
3	9	2	22.22	3	33.33	4	44.44	0	0.00	0	0.00
4	13	3	23.08	6	46.15	3	23.08	0	0.00	1	7.69
5	22	8	36.36	12	54.55	2	9.09	0	0.00	0	0.00
6	31	19	61.29	9	29.03	3	9.68	0	0.00	0	0.00
7	65	35	53.85	28	43.08	2	3.08	0	0.00	0	-0.00
8	108	73	67.59	34	31.48	†	0.93	0	0.00	0	0.00
9	147	111	75.51	36	24.49	0	0.00	0	0.00	0	0.00
GREATER THAN 9	1.380	1.277	92.54	99	7.17	2	0.14	Ō	0.00	2	0.14
UNKNOWN	22	4	18.18	2	9.09	2	9.09	Ō	0.00	14	63.64
COUNTY TOTALS	1,820	1.535	84.34	230	12.64	25	1.37	12	0.66	18	0.99

TABLE 8-7 LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS

MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY	TOTAL	*****	******				ATAL CARE BE		*****	********	*****
AND NUMBER OF PRENATAL VISITS	BIRTHS		IRST PERCENT		OND PERCENT		HIRD PERCENT		ONE PERCENT		NOWN PERCENT
PISCATAQUIS											
.0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
3	t	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
4	2	0	0.00	2	100.00	0	0.00	0	0.00	0	0.00
5	4	3	75.00	1	25.00	0	0.00	0	0.00	0	0.00
6	5	2	40.00	3	60.00	0	0.00	0	0.00	0	0.00
7	10	5	50.00	4	40.00	1	10.00	0	0.00	0	0.00
8	9	7	77.78	2	22.22	0	0.00	0	0.00	. 0	0.00
9	29	24	82.76	4	13.79	†	3.45	0	0.00	0	0.00
GREATER THAN 9	168	1 56	92.86	12	7 - †4	0	0.00	0	0.00	0	0.00
UNKNOWN	12	8	66.6 7	0	0.00	0	0.00	0	0.00	4	33.33
COUNTY TOTALS	244	205	84.02	29	11.89	4	1.64	2	0.82	4	1.64
SAGADAHOC		•									
0	o	0	0.00	0	0.00	o	0.00	0	0.00	0	0.00
†	2	0	0.00	t	50.00	0	0.00	0	0.00	†	50.00
2	. 2	2	100.00	0	0.00	0	0.00	0	0.00	0	0.00
3	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
4	3	t	33.33	2	66.67	0	0.00	0	0.00	Ö	0.00
5	8	†	12.50	4	50.00	3	37.50	0	0.00	0	0.00
6	. 9	5	55.56	3	33.33	0	0.00	0	0.00	†	11.11
7	18	12	66.67	6	33.33	0	0.00	0	0.00	0	0.00
8	21	17	80.95	4	19.05	0	0.00	0	0.00	0	0.00
9	33	32	96.97	t	3.03	Ō	0.00	Ō	0.00	0	0.00
GREATER THAN 9	238	227	95.38	11	4.62	ō	0.00	ō	0.00	Ō	0.00
UNKNOWN	202	169	83.66	30	14.85	†	0.50	ō	0.00	2	0.99
COUNTY TOTALS	538	466	86.62	62	11.52	. 6	1.12	Ō	0.00	4	0.74

COUNTY	TOTAL	*****	******			-	TAL CARE BE		******	*******	******
AND NUMBER OF	BIRTHS	FI	RST	SEC	COND	TH	HIRD	NO	INE		NOWN
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
SOMERSET		,									
0	t	0	0.00	0	0.00	0	0.00	t	100.00	0	0.00
†	1	0	0.00	Ť	100.00	0	0.00	0	0.00	0	0.00
2	2	t	50.00	0	0.00	†	50.00	0	0.00	0	0.00
3	4	0	0.00	3	75.00	†	25.00	0	0.00	. 0	0.00
4	2	0	0.00	2	100.00	0	0.00	0	0.00	0	0.00
5	4	2	50.00	2	50.00	0	0.00	0	0.00	0	0.00
6	1:2	5	41.67	5	41.67	2	16.67	0	0.00	0	0.00
7	11	7	63.64	3	27.27	†	9.09	0	0.00	0	0.00
8	44	20	45.45	23	52.27	†	2.27	0	0.00	0	0.00
9	25	†4	56.00	† †	44.00	0	0.00	0	0.00	0	0.00
GREATER THAN 9	495	434	87.68	61	12.32	0	0.00	0	0.00	0	0.00
UNKNOWN	7	3	42.86	†	14.29	2	28.57	0	0.00	† *	14.29
COUNTY TOTALS	608	486	79.93	112	18.42	8	1.32	t	0.16	†	0.16
WALDO											
0	t	, O	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	3	ō	0.00	t	33.33	2	66.67	0	0.00	0	0.00
2	2	ō	0.00	0	0.00	2	100.00	0	0.00	0	0.00
3	8	4	50.00	3	37.50	t	12.50	0	0.00	0	0.00
4	6	3	50.00	t	16.67	2	33.33	0	0.00	0	0.00
5	20	9	45.00	9	45.00	2	10.00	0	0.00	0	0.00
6	22	16	72.73	6	27.27	0	0.00	0	0.00	0	0.00
7	25	19	76.00	6	24.00	0	0.00	0	0.00	0	0.00
8	54	36	66.67	18	33.33	0	0.00	0	0.00	0	0.00
9	45	29 .	64.44	14	31.11	†	2.22	0	0.00	†	2.22
GREATER THAN 9	277	253	91.34	23	8.30	0	0.00	Ō	0.00	Ť	0.36
UNKNOWN	8	4	50.00	0	0.00	ō	0.00	ō	0.00	4	50.00
COUNTY TOTALS	47 t	373	79.19	81	17.20	†O	2.12	1	0.21	6	1.27

TABLE 8-7 LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS

MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY	TOTAL	*****	*******	******	***** TRIME	STER PRENA	TAL CARE BE	EGAN ****	******	*******	*****
AND NUMBER OF	BIRTHS	FI	RST	SEC	COND	T⊦	HIRD	NO	ONE	UNK	NOWN
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
WASHINGTON											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	o	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
3	4	0	0.00	2	50.00	2	50.00	0	0.00	0	0.00
4 .	1	0	0.00	1	100.00	0	0.00	Ō	0.00	0	0.00
5	7	0	0.00	2	28.57	5	71.43	0	0.00	0	0.00
6	8.	3	37.50	5	62.50	0	0.00	Ō	0.00	ō	0.00
7	19	10	52.63	8	42.11	†	5.26	Ō	0.00	Ō	0.00
8	46	26	56.52	19	41.30	†	2.17	Ō	0.00	0	0.00
9	35	23	65.71	12	34.29	0	0.00	. 0	0.00	ō	0.00
GREATER THAN 9	284	242	85.21	39	13.73	2	0.70	ō	0.00	1	0.35
UNKNOWN	36		2.78	1	2.78	†	2.78	ō	0.00	33	91.67
COUNTY TOTALS	443	305	68.85	90	20.32	12	2.71	2	0.45	34	7.67
YORK											
0	7	O,	0.00	0	0.00	O	0.00	7	100.00	o	0.00
1	7	2	28.57	2	28.57	2	28.57	1	14.29	0	0.00
2	10	3	30.00	4	40.00	3	30.00	0	0.00	0	0.00
3	23	4	17.39	10	43.48	9	39.13	Ō	0.00	Ō	0.00
4	27	10	37.04	10	37.04	7	25.93	Ō	0.00	0	0.00
5	45	23	51.11	19	42.22	3	6.67	O	0.00	0	0.00
6	5 3´	22	41.51	27	50.94	4	7.55	0	0.00	0	0.00
7	62	38	61.29	21	33.87	3	4.84	ō	0.00	Ó	0.00
8	166	113	68.07	44	26.51	8	4.82	ō	0.00	†	0.60
9	178	147	82.58	31	17.42	0	0.00	Ō	0.00	0	0.00
GREATER THAN 9	1.720	1.573	91.45	134	7.79	3	0.17	ő	0.00	10	0.58
UNKNOWN	50	6	12.00	3	6.00	2	4.00	ő	0.00	39	78.00
COUNTY TOTALS	2,348	1,941	82.67	305	12.99	44	1.87	8	0.34	50	2.13

TABLE 8-7 LIVE BIRTHS BY TRIM

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

STATE AND NUMBER OF	TOTAL BIRTHS	****** FI	********** RST	SECOND		THIRD		EGAN ************************************		**************************************	
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MAINE SUMMARY											
0	67	0	0.00	0	0.00	0	0.00	6 7	100.00	0	0.00
†	44	11	25.00	9	20.45	17	38.64	2	4.55	5	11.36
2	56	1 7	30.36	14	25.00	25	44.64	0	0.00	0	0.00
3	111	21	18.92	46	41.44	41	36.94	0	0.00	3	2:70
4 .	133	36	27.07	61	45.86	35	26.32	0	0.00	1	0.75
5	262	106	40.46	112	42.75	41	15.65	0	0.00	3	1.15
6	361	147	40.72	177	49.03	34	9.42	0	0.00	3	0.83
7	531	283	53.30	224	42.18	23	4.33	0	0.00	†	O - 19
8	984	638	64.84	315	32.01	28	2.85	0	0.00	3	0.30
g	1,241	934	75.26	292	23.53	10	0.81	0	0.00	5	0.40
GREATER THAN 9	12.108	10.997	90.82	1,059	8.75	19	0.16	0	0.00	33	0.27
UNKNOWN	819	471	57.51	101	12.33	18	2.20	0	0.00	229	27.96
STATE TOTALS	16,717	13,661	81.72	2,410	14.42	291	1.74	69	0.41	286	1.71

TABLE 8-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION

MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	********* †ST+2ND MONTH	********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	UNKNOWN
ANDROSCOGGIN								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	49 293 699 403 2 1,446	3.39 20.26 48.34 27.87 0.14	19 124 386 267 1 797 55 - 12	15 80 199 105 1 400 27.66	11 73 92 27 0 203 14.04	3 10 14 2 0 29 2.01	1 2 3 0 0 6 0.41	0 4 5 2 0 11 0.76
AROOSTOOK			-					
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	23 160 698 449 15 1,345	1.71 11.90 51.90 33.38 1.12	10 70 363 274 0 717 53.31	5 38 229 136 2 410 30.48	8 44 92 36 0 180 13.38	0 3 5 1 1 10 0.74	0 2 2 0 1 5	0 3 7 2 11 23 1.71
CUMBERLAND								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	58 370 1,248 1,687 24 3,387	1.71 10.92 36.85 49.81 0.71	21 132 625 918 14 1,710 50,49	15 98 373 530 3 1,019	17 102 185 195 3 502 14-82	3 23 30 12 4 72 2.13	1 1 3 2 0 7	1 14 32 30 0 77 2.27

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION

MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	********* †ST+2ND MONTH	********** 3RO MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	********** UNKNOWN
FRANKLIN								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	4 55 189 135 2 385	1.04 14.29 49.09 35.06 0.52	3 - 17 103 93 1 217 56.36	0 15 59 25 0 99 25.71	1 12 22 13 0 48 12.47	0 4 4 1 0 9 2.34	0 2 0 0 0 2 0.52	0 5 1 3 1 10 2.60
HANCOCK								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	14 65 274 280 1 634	2.21 10.25 43.22 44.16 0.16	6 17 117 146 0 286 45.11	1 24 94 96 1 216 34.07	4 19 55 35 0 113 17.82	0 5 5 1 0 11 1.74	1 0 1 1 0 3 0.47	2 0 2 1 0 5 0.79
KENNEBEC								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	20 187 698 535 16 1,456	1.37 12.84 47.94 36.74 1.10	†2 83 426 350 6 877 60.23	2 52 164 143 0 361 24.79	5 47 89 34 2 177 12.16	1 3 7 3 0 14 0.96	0 8 1 4 13 0.89	0 2 4 4 14 0.96

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION

MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA).

COUNTY AND			*******	*******	MONTH PRENATA			******
MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	7TH-9TH Manth	NONE	UNKNOWN
	BIRTHS	, .	Haltin	MONTH!	MOIVIII	Harrin		
KNax		•						
LESS THAN GRADE 9	10	1.98	3	3	1	2	0	1
GRADES 9-11	84	16.60	29	24	17	8	†	5
GRADE 12	236	46.64	96	89	39	7	0	5
GREATER THAN GRADE 12	173	34.19	96	54	21	1	0	1
UNKNOWN	3	0.59	2 .	0	1	0	0	0
COUNTY TOTALS	506		226	170	79	1 8	t	12
PERCENT DISTRIBUTION		100.00	44.66	33.60	15.61	3.56	0.20	2.37
LINCOLN								•
LESS THAN GRADE 9	12	2.88	3	1	6	1	1	o
GRADES 9-11	49	11.78	24	11	9	4	0	†
GRADE 12	173	41.59	88	47	32	2	1	3
GREATER THAN GRADE 12	175	42.07	109	44	17	2	0	3
UNKNOWN	7	1.68	2	3	1	ō	Ť	Ō
COUNTY TOTALS	416		226	106	65	9	3	7
PERCENT DISTRIBUTION		100.00	54.33	25.48	15.63	2.16	0.72	1.68
OXFD R D								
				_	_	_	_	•
LESS THAN GRADE 9	15	2.24	3	4	7	0	0	7
GRADES 9-11	113	16.87	36	37	34	3	0	3
GRADE 12	354	52.84	164	107	73	5	3	2
GREATER THAN GRADE 12	185	27.61	93	67	19	2	0	4
UNKNOWN	. 3	0.45	0	2	†	0	0	0
COUNTY TOTALS	670		296	217	134	10	3	10
PERCENT DISTRIBUTION		100.00	44.18	32.39	20.00	1.49	0.45	1.49

TABLE 8-8 LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY AND			******	******	MONTH PRENATAL	CARE BEGAN	******	*******
MOTHER'S	TOTAL	PERCENT	1ST+2ND	3RD	4TH-6TH	7TH-9TH	NONE	UNKNOWN
EDUCATION	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH		
PENOBSCOT	•							
LESS THAN GRADE 9	47	2.58	20	13	8	2	†	3
GRADES 9-11	234	12.86	113	46	58	9	5	3
GRADE 12	859	47.20	559	161	121	6	4	8
GREATER THAN GRADE 12	668	36.70	50 t	116	42	5	2	2
UNKNOWN	12	0.66	3	3	†	3	0	2
COUNTY TOTALS	1,820		1,196	339	230	25	12	18
PERCENT DISTRIBUTION		100.00	65.71	18.63	12.64	1.37	0.66	0.99
PISCATAQUIS								
LESS THAN GRADE 9	7	2.87	4	†	1	1	o	o
GRADES 9-11	30	12.30	16	11	2	0	†	0
GRADE 12	134	54.92	68	38	20	3	†	4
GREATER THAN GRADE 12	72	29.51	53	13	6	0	0	0
UNKNOWN	†	0.41	0	1	0	0	0	0
COUNTY TOTALS	244		141	64	29	4	2	4
PERCENT DISTRIBUTION		100.00	57.79	26.23	11.89	1.64	0.82	1.64
SAGADAHOC								
LESS THAN GRADE 9	16	2.97	. 9	5	2	o	o	o
GRADES 9-11	67	12.45	31	19	14	2	0	1
GRADE 12	227	42.19	147	48	27	4	0	†
GREATER THAN GRADE 12	228	42.38	166	41	19	0	0	2
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	538		353	113	62	6	0	_4
PERCENT DISTRIBUTION		100.00	65.61	21.00	11.52	1.12	0.00	0.74

TABLE B-8 LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY AND MOTHER'S	TOTAL	PERCENT	********* †ST+2ND	********* 3RD	MONTH PRENATAL 4TH-6TH	CARE BEGAN 7TH-9TH	**************************************	UNKNOWN
EDUCATION	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH		
SOMERSET								
LESS THAN GRADE 9	12	1.97	4	4	4	o	0	0
GRADES 9-11	104	17.11	40	29	32	3	0	0
GRADE 12	3 3 t	54.44	169	+ 101	55	5	0	1
GREATER THAN GRADE 12	161	26.48	97	42	21	0	t	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	608		01E	176	112	8	<u>†</u>	. 1
PERCENT DISTRIBUTION	•	100.00	50.99	28.95	18.42	1.32	0.16	0.16
WALDO								
LESS THAN GRADE 9	11	2.34	6	3	0	О	О	2
GRADES 9-11	72	15.29	25	19	23	4	t	0
GRADE 12	237	50.32	†25	63	41	5	0	3
GREATER THAN GRADE 12	150	31.85	85	47	17	1	0	0
UNKNOWN	1	0.21	0	0	0	0	0	†
COUNTY TOTALS	4 71		241	132	8†	10	1	6
PERCENT DISTRIBUTION		100.00	51.17	28.03	17.20	2.12	0.21	1.27
WASHINGTON								
LESS THAN GRADE 9	14	3.16	5	2	6	†	0	0
GRADES 9-11	66	14.90	27	13	22	3	0	t
GRADE 12	206	46.50	105	46	48	7	o	0
GREATER THAN GRADE 12	124	27.99	7 9	28	13	1 -	2	1
UNKNOWN	33	7.45	0	0	1	0	0	32
COUNTY TOTALS	443		216	. 89	90	†2	2	34
PERCENT DISTRIBUTION		100.00	48.76	20.09	20.32	2.71	0.45	7.67

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	********* 1ST+2ND MONTH	3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	NONE	UNKNOWN
YORK								
LESS THAN GRADE 9	48	2.04	17	13	14	2	0	2
GRADES 9-11	292	12.44	130	64	78	14	†	5
GRADE 12	1,059	45.10	603	264	142	†6	5	29
GREATER THAN GRADE 12	938	39.95	584	259	69	12	2	12
UNKNOWN	11	0.47	4	3	2	0	0	2
COUNTY TOTALS	2,348		1,338	603	305	44	8	50
PERCENT DISTRIBUTION		100.00	56.98	25.68	12.99	1.87	0.34	2.13
₽								
MAINE SUMMARY								
LESS THAN GRADE 9	360	2.15	145	87	95	16	5	12
GRADES 9-11	2,241	13.41	914	580	586	98	16	47
GRADE 12	7,622	45.59	4,144	2,082	1.133	125	31	107
GREATER THAN GRADE 12	6,363	38.06	3,911	1,746	584	44	11	67
UNKNOWN	131	0.78	33	19	12	8	6	53
STATE TOTALS	16,717		9,147	4,514	2.410	29 t	59	286
PERCENT DISTRIBUTION		100.00	54.72	27.00	14.42	1.74	0.41	1.71

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

TABLE B-9 LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - NUMBER OF BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1986 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	OUT OF WEDLOCK BIRTHS	MOTHER Under Age 20 Yi	NON- WHITE RS.	NO PRENATAL CARE	WITH COMP. PREG.	C-SECTION	CONGEN. ANOM- ALIES	BIRTHWEIG UNDER 2500	HT IN GRAMS OVER 4999
BATH MEMORIAL HOSPITAL	283	39	44	4	o	14	43	8	7	0
BLUE HILL MEMORIAL HOSP.	297	49	31	5	0	38	30	7	5	3
CALAIS REGIONAL HOSPITAL	120	37	20	20	1	39	16	3	7	0
CARY MEDICAL CENTER	303	60	38	8	1	34	49	4	11	2
CENTRAL MAINE MEDICAL CENTER	1,060	221	129	27	4	213	145	20	64	2
CHARLES A.DEAN MEMORIAL HOSP.	32	8	3	2	0	5	6	0	1	0
DOWN EAST COMMUNITY HOSPITAL	167	49	30	19	1	14	18	3	2	0
EASTERN MAINE MED CTR	1,690	319	172	45	7	5 57	218	14	129	3
FRANKLIN MEMORIAL HOSPITAL	499	89	42	3	1	68	71	8	22	2
HENRIETTA D. GOODALL HOSP.	411	73	47	4	2	75	61	7	18	2
HOULTON REGIONAL HOSPITAL	226	43	39	17	2	28	39	2	11	0
J.A.TAYLOR OSTEOPATHIC HOSP.	29	7	5	5	0	6	4	0	0	0
KEN VALLEY MED CTR-AUGUSTA	649	159	96	14	12	166	110	11	30	1
MAINE COAST MEMORIAL HOSP.	192	49	32	5	0	5 5	20	7	10	4
MAINE MEDICAL CENTER	2,832	488	262	45	7	286	398	25	292	7
MAYO REGIONAL HOSPITAL	261	51	36	4	4	48	29	9	9	1
MERCY HOSPITAL	617	100	58	16	0	49	76	9	19	5
MID-MAINE MEDICAL CTR-SETON	1,002	205	127	4	2	198	118	4	35	2
MILES MEMORIAL HOSPITAL	150	21	16	0	1	21	4	1	3	0
MILLINOCKET REGIONAL HOSP.	165	38	26	2	2	25	30	3	5	1
MOUNT DESERT ISLAND HOSPITAL	116	24	16	0	1	32	11	2	2	0
NORTH CUMBERLAND MEM. HOSP.	115	23	14	0	0	14	20	0	3	0
NORTHERN MAINE MEDICAL CTR	111	23	15	0	1	38	13	1	4	0
OSTEOPATHIC HOSPITAL OF MAINE	395	108	54	8	2	50	25	4	9	4
PARKVIEW MEMORIAL HOSPITAL	818	119	83	19	0	70	120	16	29	2
PENOBSCOT BAY MEDICAL CETER	519	95	67	6	1	188	76	5	23	2
PENDBSCOTT VALLEY HOSPITAL	120	25	26	2	0	16	19	3	0	1
REDINGTON-FAIRVIEW HOSP.	172	74	41	1	0	38	30	6	10	0
REGIONAL MEMORIAL HOSPITAL	1	0	0	0	0	0	0	0	0	0
RUMFORD COMMUNITY HOSPITAL	93	21	15	1	0	6	11	2	2	0
SEBASTICOOK VALLEY HOSPITAL	2	0	0	0	0	0	0	0	0	0
ST MARYS GENERAL HOSPITAL	470	110	66	6	3	56	88	5	17	3
ST.ANDREWS HOSPITAL	28	5	5	1	0	3	0	0	0	0
STEPHENS MEMORIAL HOSPITAL	307	85	54	7	1	28	37	3	8	1
THE AROOS MED CTR-PRESQUE ISLE	364	58	41	4	2	64	36	7	17	0
US AIR FORCE HOSPITAL	325	6	28	36	0	71	34	8	2	0
WALDO COUNTY GENERAL HOSPITAL	221	50	32	3	0.	41	29	2	12	1
WATERVILLE OSTEOPATHIC HOSP.	132	36	22	3	3	38	25	1	7	1
WEBBER HOSPITAL	495	96	67	9	3	90	93	15	21	3
WESTBROOK COMMUNITY HOSPITAL	1	0	1	0	0	0	1	0	0	0
YORK HOSPITAL	1	1	0	0	0	1	0	0	1	0
AT HOME	141	18	4	1	5	15	0	1	6	1
BORN ON WAY TO HOSPITAL	5	2	1	0	0	2	0	0	2	0
DOCTOR'S OFFICE	1	0	O.	0	0	o	O	0	0	0
OTHER SPECIFIED PLACE	10	1	1	0	0	1	0	0	1	0
OUT PATIENT FACILITY	72	15	8	3	o o	8	0	0	2	0
STREET ADDRESS	6	3	0	0	_1	0	0	0	0	0
STATE TOTALS	16,026	3,103	1,914	359	70	2,809	2, 153	226	858	54

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

TABLE B-10 LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - PERCENTAGE OF TOTAL BIRTHS MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1986 (OCCURRENCE DATA)

		******	******	PERCEN	TAGE OF THE	TOTAL BI	RTHS IN EACH	BIRTH SIT	E ******	*******
BIRTH SITE	TOTAL	OUT OF	MOTHER	NON-	NO	WITH	C-SECTION	CONGEN.		HT IN GRAMS
	BIRTHS	WEDLOCK	UNDER	WHITE	PRENATAL	COMP.		ANOM-	UNDER	OVER
		BIRTHS	AGE 20 YRS	S .	CARE	PREG.		ALIES	2500	4999
BATH MEMORIAL HOSPITAL	283	13.78	15.55	1.41	0.00	4.95	15.19	2.83	2.47	0.00
BLUE HILL MEMORIAL HOSP.	297	16.50	10.44	1.68	0.00	12.79	10.10	2.36	1.68	1.01
CALAIS REGIONAL HOSPITAL	120	30.83	16.67	16.67	0.83	32.50	13.33	2.50	5.83	0.00
CARY MEDICAL CENTER	303	19.80	12.54	2.64	0.33	11.22	16. 1 7	1.32	3.63	0.66
CENTRAL MAINE MEDICAL CENTER	1,060	20.85	12.17	2.55	0.38	20.09	13.68	1.89	6.04	0.19
CHARLES A.DEAN MEMORIAL HOSP.	32	25.00	9.38	6.25	0.00	15.63	18.75	0.00	3.13	0.00
DOWN EAST COMMUNITY HOSPITAL	167	29.34	17.96	11.38	0.60	8.38	10.78	1.80	1.20	0.00
EASTERN MAINE MED CTR	1,690	18.88	10.18	2.66	0.41	32.95	12.90	0.83	7.63	0.18
FRANKLIN MEMORIAL HOSPITAL	499	17.84	8.42	0.60	0.20	13.63	14.23	1.60	4.41	0.40
HENRIETTA D.GOODALL HOSP.	411	17.76	11.44	0.97	0.49	18.25	14.84	1.70	4.38	0.49
HOULTON REGIONAL HOSPITAL	226	19.03	17.26	7.52	0.88	12.39	17.26	0.88	4.87	0.00
J.A.TAYLOR OSTEOPATHIC HOSP.	29	24.14	17.24	17.24	0.00	20.69	13.79	0.00	0.00	0.00
KEN VALLEY MED CTR-AUGUSTA	649	24.50	14.79	2.16	1.85	25.58	16.95	1.69	4.62	0.15
MAINE COAST MEMORIAL HOSP.	192	25.52	16.67	2.60	0.00	28.65	10.42	3.65	5.21	2.08
MAINE MEDICAL CENTER	2.832	17.23	9.25	1.59	0.25	10.10	14.05	0.88	10.31	0.25
MAYO REGIONAL HOSPITAL	261	19.54	13.79	1.53	1.53	18.39	11.11	3.45	3.45	0.38
MERCY HOSPITAL	617	16.21	9.40	2.59	0.00	7.94	12.32	1.45	3.08	0.81
MID-MAINE MEDICAL CTR-SETON	1.002	20.45	12.67	0.40	0.20	19.76	11.78	0.40	3.49	0.20
MILES MEMORIAL HOSPITAL	150	14.00	10.67	0.00	0.67	14.00	2.67	0.67	2.00	0.00
MILLINOCKET REGIONAL HOSP.	165	23.03	15.76	1.21	1.21	15.15	18.18	1.82	3.03	0.61
MOUNT DESERT ISLAND HOSPITAL	116	20.69	13.79	0.00	0.86	27.59	9.48	1.72	1.72	0.00
NORTH CUMBERLAND MEM. HOSP.	115	20.00	12.17	0.00	0.00	12.17	17.39	0.00	2.61	0.00
NORTHERN MAINE MEDICAL CTR	111	20.72	13.51	0.00	0.90	34.23	11.71	0.90	3.60	0.00
OSTEOPATHIC HOSPITAL OF MAINE	395	27.34	13.67	2.03	0.51	12.66	6.33	1.01	2.28	1.01
PARKVIEW MEMORIAL HOSPITAL	818	14.55	10.15	2.32	0.00	8.56	14.67	1.96	3.55	0.24
PENOBSCOT BAY MEDICAL CETER	519	18.30	12.91	1.16	0.19	36.22	14.64	0.96	4.43	0.39
PENOBSCOTT VALLEY HOSPITAL	120	20.83	21.67	1.67	0.00	13.33	15.83	2.50	0.00	0.83
REDINGTON-FAIRVIEW HOSP.	172	43.02	23.84	0.58	0.00	22.09	17.44	3.49	5.81	0.00
REGIONAL MEMORIAL HOSPITAL	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
RUMFORD COMMUNITY HOSPITAL	93	22.58	16.13	1.08	0.00	6.45	11.83	2.15	2.15	0.00
SEBASTICOOK VALLEY HOSPITAL	2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ST MARYS GENERAL HOSPITAL	470	23.40	14.04	1.28	0.64	11.91	18.72	1.06	3.62	0.64
ST. ANDREWS HOSPITAL	28	17.86	17.86	3.57	0.00	10.71	0.00	0.00	0.00	0.00
STEPHENS WEMORIAL HOSPITAL	307	27.69	17.59	2.28	0.33	9.12	12.05	0.98	2.61	0.33
THE AROOS MED CTR-PRESQUE ISLE	364	15.93	11.25	1.10	0.55	17.58	9.89	1.92	4.67	0.00
US AIR FORCE HOSPITAL	325	1.85	8.62	11.08	0.00	21.85	10.46	2.45	0.62	0.00
WALDO COUNTY GENERAL HOSPITAL	221	22.62	14.48	1.36	0.00	18.55	13.12	0.90	5.43	0.45
WATERVILLE OSTEOPATHIC HOSP.	132	27.27	16.67	2.27	2.27	28.79	18.94	0.76	5.30	0.76
WEBBER HOSPITAL	495	19.39	13.54	1.82	0.61	18.18	18.79	3.03	4.24	0.61
WESTBROOK COMMUNITY HOSPITAL	1	0.00	100.00	0.00	0.00	0.00	100.00	0.00	0.00	0.00
YORK HOSPITAL	i	100.00	0.00	0.00	0.00	100.00	0.00	0.00	100.00	0.00
AT HOME	141	12.77	2.84	0.71	3.55	10.64	0.00	0.71	4.26	0.71
BORN ON WAY TO HOSPITAL	. 5	40.00	20.00	0.00	0.00	40.00	0.00	0.00	40.00	0.00
DOCTOR'S OFFICE	. 3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OTHER SPECIFIED PLACE	10	10.00	10.00	0.00	0.00	10.00	0.00	0.00	10.00	0.00
OUT PATIENT FACILITY	72	20.83	11.11	4.17	0.00	11.11	0.00	0.00	2.78	0.00
STREET ADDRESS	6	50.00	0.00	0.00	16.67	0.00	0.00	0.00	0.00	0.00
	_	19.36	11.94	2.24	0.44	17.53	13.43	1.41	5.35	0.34
STATE PERCENTAGES	16,026	137.30	11.34	Z.Z4	U.44	17.53	13.43	u> 1	J. JJ	J. J.

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

LIVE BIRTHS BY BIRTHWEIGHT MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1986 (OCCURRENCE DATA)

	**************************************					*****						
	TOTAL	BIRTHS	< 1	000	1000	1499	< 1	500	1500 A	ND OVER	UNKNOWN	WEIGHT
BIRTH SITE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
BATH MEMORIAL HOSPITAL	283	100.0	2	0.7	0	0.0	2	0.7	28†	99.3	0	0.0
BLUE HILL MEMORIAL HOSP.	297	100.0	†	0.3	0	0.0	†	0.3	296	99.7	0	0.0
CALAIS REGIONAL HOSPITAL	120	100.0	0	0.0	†	0.8	†	0.8	119	99.2	0	0.0
CARY MEDICAL CENTER	303	100.0	0	0.0	0	0.0	0	0.0	303	100.0	0	0.0
CENTRAL MAINE MEDICAL CENTER	1,060	100.0	5	0.5	3	0.3	8	0.8	1,052	99.2	0	0.0
CHARLES A. DEAN MEMORIAL HOSP	32	100.0	0	0.0	0	0.0	0	0.0	32	100.0	0	0.0
DOWN EAST COMMUNITY HOSPITAL	167	100.0	0	0.0	0	0.0	0	0.0	167	100.0	0	0.0
EASTERN MAINE MED CTR	1,690	100.0	9	0.5	13	0.8	22	1.3	1,668	98.7	0	0.0
FRANKLIN MEMORIAL HOSPITAL	499	100.0	0	0.0	0	0.0	0	0.0	499	100.0	0	0.0
HENRIETTA D. GOODALL HOSP	411	100.0	3	0.7	0	0.0	3	0.7	408	99.3	0	0.0
HOULTON REGIONAL HOSPITAL	226	100.0	0	0.0	0	0.0	0	0.0	226	100.0	0	0.0
JAMES A. TAYLOR OSTEOP HOSP	29	100.0	0	0.0	0	0.0	0	0.0	29	100.0	0	0.0
KEN VALLEY MED CTR-AUGUSTA	649	100.0	2	0.3	0	0.0	. 2	0.3	647	99.7	0	0.0
MAINE COAST MEM. HOSPITAL	192	100.0	0	0.0	†	0.5	†	0.5	191	99.5	0	0.0
MAINE MEDICAL CENTER	2,832	100.0	35	1.2	47	1.7	` 82	2.9	2,750	97. 1	0	0.0
MAYO REGIONAL HOSPITAL	26 t	100.0	0	0.0	0	0.0	0	0.0	261	100.0	0	0.0
MERCY HOSPITAL	617	100.0	. 0	0.0	0	0.0	0	0.0	616	99.8	Ť	0.2
MID-MAINE MEDICAL CTR-SETON	1,002	100.0	2	0.2	2	0.2	4	0.4	998	99.6	0	0.0
MILES MEMORIAL HOSPITAL	150	100.0	0	0.0	0	. 0.0	0	0.0	150	100.0	0	0.0
MILLINOCKET REGIONAL HOSP	165	100.0	†	0.6	0	0.0	†	0.6	163	98.8	†	0.6
MOUNT DESERT ISLAND HOSPITAL	116	100.0	0	0.0	0	0.0	0	0.0	116	100.0	0	0.0
NORTH CUMBERLAND MEM. HOSP.	115	100.0	0	0.0	0	0.0	0	0.0	115	100.0	0	0.0
NORTHERN MAINE MEDICAL CTR	111	100.0	0	0.0	0	0.0	0	0.0	† † †	100.0	0	0.0
OSTEOPATHIC HOSPITAL OF MAINE	395	100.0	0	0.0	0	0.0	0	0.0	395	100.0	0	0.0
PARKVIEW MEMORIAL HOSPITAL	818	100.0	†	0.1	0	0.0	†	0.1	8 1 7	99.9	0	0.0
PENOBSCOT BAY MEDICAL CENTER	519	100.0	3	0.6	1	0.2	4	0.8	5 † 5	99.2	0	0.0
PENOBSCOT VALLEY HOSPITAL	120	100.0	0	0.0	0	0.0	0	0.0	120	100.0	0	0.0
REDINGTON-FAIRVIEW HOSP	172	100.0	0	0.0	0	0.0	0	0.0	172	100.0	0	0.0
RÉGIONAL MEMORIAL HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
RUMFORD COMMUNITY HOSPITAL	93	100.0	. 0	0.0	0	0.0	0	0.0	93	100.0	0	0.0
SEBASTICOOK VALLEY HOSPITAL	2	100.0	0	0.0		0.0	0	0.0	2	100.0	0	0.0
ST. ANDREWS HOSPITAL	28	100.0	0	0.0	0 .	0.0	0	0.0	28	100.0	0	0.0
ST MARYS GENERAL HOSPITAL	470	100.0	2	0.4	t	0.2	3	0.6		. 99.4	0	0.0
STEPHENS MEMORIAL HOSPITAL	307	100.0	0	0.0	0	0.0	0	0.0	307	100.0	0	0.0
THE AROOS MED CTR-PRESQUE ISLE	364	100.0	2	0.5	†	0.3	3	0.8	361	99.2	0	0.0
US AIR FORCE HOSPITAL	325	100.0	0	0.0	0	0.0	0	0.0	325	100.0	0	0.0
WALDO COUNTY GENERAL HOSPITAL	22†	100.0	0	0.0	0	0.0	0	0.0	221	100.0	0	0.0
WATERVILLE OSTEOPATHIC HOSP.	132	100.0	1	0.8	0	0.0	t	0.8	131	99.2	0	0.0
WEBBER HOSPITAL	495	100.0	3	0.6	0	0.0	3	0.6	492	99.4	0	0.0
WESTBROOK COMMUNITY HOSPITAL	†	100.0	0	0.0	0	0.0	0	0.0	†	100.0	0	0.0
YORK HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

TABLE B-11

LIVE BIRTHS BY BIRTHWEIGHT MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1986 (OCCURRENCE DATA)

•	**************************************								*****	*****		
	TOTAL	BIRTHS	< 1	2001	1000	-1499	< 1	1500	1500 A	IND OVER	UNKNOWN	WEIGHT
BIRTH SITE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
AT HOME	141	100.0	†	0.7	†	0.7	2	1.4	139	99.6	0	0.0
BORN OR DIED ON WAY TO HOSP	5	100.0	0	0.0	†	20.0	Ť	20.0	4	80.0	0	0.0
DOCTOR'S OFFICE	Ť	100.0	0	0.0	0	0.0	0	0.0	†	100.0	0	0.0
OTHER SPECIFIED PLACE	10	100.0	0	0.0	0	0.0	0	0.0	10	100.0	0	0.0
OUT PATIENT FACILITY	72	100.0	0	0.0	0	0.0	0	0.0	72	100.0	0	0.0
STREET ADDRESS	6	100.0	0	0.0	0	0.0	0	0.0	6	100.0	0	0.0
STATE TOTALS	16,026	100.0	73	0.5	72	0.4	145	0.9	15,879	99.1	2	0.0

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

		1 1 1 1
		,



CAUSE OF DEATH GROUPS AND SEX	TOTAL Infant Deaths		L DEATHS PERCENT		NATAL DEATHS
DEMATRIDED OF TRIFECTIONS AND DAGGET	TIC DISEASES (001-007.010-032.034-035.	027 020 044 000	080 004 400)		
MALE	11C DISEASES (001-007,010-032,034-035,	037,039~041,080	0.00	1	100.00
FEMALE	1	0	0.00	<u> </u>	100.00
TOTALS	2	0	0.00	2	100.00
CYSTIC FIBROSIS (277.0)		_		_	
MALE	1	. 0	0.00	1	100.00
TOTALS	†	0	0.00	1	100.00
OTHER DISEASES OF NERVOUS SYSTEM A	ND SENSE ORGANS (323-389)				
MALE	1	o	0.00	1	100.00
FEMALE	2	0	0.00	2	100.00
TOTALS	3	0	0.00	3	100.00
REMAINDER OF DISEASES OF RESPIRATO	DV SVSTEM (A70-A79 A97-549)				
MALE	4 3/3/Em (4/0 4/8,432 3/3)	0	0.00	1	100.00
FEMALE	· · · · · · · · · · · · · · · · · · ·	Ö	0.00	i	100.00
TOTALS	2	Ö	0.00	2	100.00
		,			
	CTIVE ENTERITIS AND COLITIS (535,555-5	•		_	
MALE	†	0	0.00	1	100_00
TOTALS	1	0	0.00	1	100.00
REMAINDER OF DISEASES OF DIGESTIVE	SYSTEM (520-534,536-543,562-579)				
MALE	2	О	0.00	2	100.00
TOTALS .	2	0	0.00	2	100.00
ANENCEPHALUS AND SIMILAR ANOMALIES	(740)				
FEMALE	4	4	100.00	0	0.00
TOTALS	4	4	100.00	ō	0.00
CONCENITAL INVERGERALIE (740 G)					
CONGENITAL HYDROCEPHALUS (742.3) MALE	1	0	0.00	t	100.00
TOTALS	†	0	0.00	, †	100.00
TOTALS	1	U	0.00	'	100.00
	RAL NERVOUS SYSTEM AND EYE (742.0-742.	2,742.4-742.9,74	•		
MALE	1	Ť	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
CONGENITAL ANOMALIES OF HEART (745	-746)				
MALE	3	0	0.00	3	100.00
FEMALE	8	6	75.00	2	25.00
TOTALS	11	6	54.55	5	45.45
·	• •	-	- · ·		

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE F-1 INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1986 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEAT NUMBER PERCE			NATAL DEATHS R PERCENT
(CONT.)					
OTHER CONGENITAL ANOMALIES OF CIRCUL	ATORY SYSTEM (747)				1
FEMALE	2	2 †00.0	NO.	0	0.00
TOTALS		2 100.0	-	ō	0.00
CONGENITAL ANOMALIES OF RESPIRATORY	SYSTEM (748)				
MALE	4	4 100.0	ю	0	0.00
FEMALE	3	3 100.0	ю	0	0.00
TOTALS	7	7 100.0	ю	0	0.00
CONGENITAL ANOMALIES OF GENITOURINAR	Y SYSTEM (752-753)				
MALE	1	1 100.0	ю	О	0-00
TOTALS	1	1 100.0	ю	О	0.00
CONGENITAL ANOMALIES OF MUSCULOSKELE	TAL SYSTEM (754-756)				
MALE	3	3 100.0	ю	О	0.00
FEMALE	2	t 50.0	ю	1	50.00
TOTALS	5	4 80.0	ю	†	20.00
DOWN'S SYNDROME (758.0)					
MALE	1	1 100.0	ю	О	0.00
FEMALE	t .	0 0.0	ю	1	100.00
TOTALS	2	1 50.0	ю	†	50.00
OTHER CHROMOSOMAL ANOMALIES (758.1-7	58.9)				
MALE	2	2 100.0	ю	О	0.00
FEMALE	1	0 0.0	ю	1	100.00
TOTALS	3	2 66.6	i7	1	33.33
ALL OTHER AND UNSPECIFIED CONGENITAL	ANOMALIES (744,757,759)				
MALE	2 .	2 100.0	ю	О	0.00
FEMALE	1	1 100.0	-	0	0.00
TOTALS	3	3 100.0	ю	. 0	0.00
NEWBORN AFFECTED BY MATERNAL CONDITI	ONS WHICH MAY BE UNRELATED TO PRESE	NT PREGNANCY (760)			
MALE	2	2 100.0	Ю	О	0.00
TOTALS	2	2 100.0	ю	О	0.00
NEWBORN AFFECTED BY MATERNAL COMPLIC	ATIONS OF PREGNANCY (761)		1		
MALE	1	1 100.0	-	О	0.00
FEMALE	4	4 100.0		0	0.00
TOTALS	5	5 100.0	ю	0	0.00

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE F-1 INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1986 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS		AL DEATHS R PERCENT	POSTNEONATAL DEATH NUMBER PERCENT		
(CONT.)						
NEWBORN AFFECTED BY COMPLICATIONS OF	PLACENTA, CORD, AND MEMBRANES (762)					
MALE	2	2	100.00	O	0.00	
FEMALE	†	` t	100.00	О	0.00	
TOTALS	3	3	100-00	O	0.00	
SLOW FETAL GROWTH AND FETAL MALNUTRI	TION (764)					
FEMALE	1	О	0.00	1	100.00	
TOTALS	1	0	0.00	†	100.00	
DISORDERS RELATING TO SHORT GESTATIO	ON AND UNSPECIFIED LOW BIRTHWEIGHT (7	65)				
MALE	8	8	100.00	0	0.00	
FEMALE	5	5	100.00	0	0.00	
TOTALS	13	13	100.00	0	0.00	
FETAL DISTRESS IN LIVEBORN INFANT (7	768.2-768.4)					
FEMALE	1	1	100.00	0	0.00	
TOTALS	1	1	100.00	0	0.00	
BIRTH ASPHYXIA (768.5-768.9)						
FEMALE	2	2	100.00	0	0.00	
TOTALS	2	2	100.00	О	0.00	
RESPIRATORY DISTRESS SYNDROME (769)						
MALE	6	4	66.67	2	33.33	
FEMALE	9	9	100.00	О	0.00	
TOTALS	15	13	86.67	2	13.33	
OTHER RESPIRATORY CONDITIONS OF NEWS	IGRN (770)	•				
MALE .	4	4	100.00	0	0.00	
FEMALE	· †	†	100.00	О	0.00	
TOTALS	5	5	100.00	О	0.00	
INFECTIONS SPECIFIC TO THE PERINATAL	PERIOD (771)					
MALE	t	t	100-00	0	0.00	
TOTALS	1	1	100.00	О	0.00	
NEGNATAL HEMORRHAGE (772)						
MALE	† •	1	100.00	О	0.00	
TOTALS	1	1	100.00	0	0.00	
ALL OTHER AND ILL-DEFINED CONDITIONS	ORIGINATING IN THE PERINATAL PERIOD	(775.2-775.9,7	76.1-779)			
MALE	1	1	100.00	o	0.00	

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE DF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE F-1 INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1986 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL Infant Deaths		L DEATHS PERCENT		NATAL DEATH
(CONT.)					
FEMALE	6	6	100.00	o	0.00
TOTALS	7	7	100.00	0	0.00
SUDDEN INFANT DEATH SYNDROME (798.0)					
MALE	, 18	O	0.00	1 8	100.00
FEMALE	9	1	11.11	8	88.89
TOTALS	27	i t	3.70	26	96.30
. SYMPTOME STONE AND ALL OTHER TILE.	DEFINED CONDITIONS (780-797,798.1-799	. \			
MALE	JEFTIMED COMMITTOMS (780-797,798.1-798	0	0.00	•	100.00
FEMALE	<u>.</u>	1	100.00		0.00
-	1	<u> </u>		0	
TOTALS	2	ī	50.00	Т	50.00
INHALATION AND INGESTION OF FOOD OR	OTHER OBJECT CAUSING OBSTRUCTION OF	RESPIRATORY TRAC	T (E911-E912)		
FEMALE	1	0	0.00	t	100.00
TOTALS	1	0	0.00	t	100.00
ALL OTHER CAUSES (RESIDUAL)					
MALE	4	3	75.00	†	25.00
FEMALE	5	5	100.00	0	0.00
TOTALS	9	8	88.89	1	11.11
STATE					
MALE	7 4	41	55.41	33	44.59
FEMALE	72	53	73.61	19	26.39
TOTALS	146	94	64.38	52	35.62

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

CAUSE OF DEATH GROUP	'S TOTAL	PERCENT	*****	******	*** GESTAT	ION WEEKS	******	******
AND SEX	FETAL DEATHS	DISTRIBUTION	20-23	24-27	28-31	32-35	36-39	OVER 39
ANENCEPHALUS AND SIM	ILAR ANOMALIES (740)							
FEMALE	1	1.02	†	0	0	0	0	0
TOTALS	t	1.02	1	Ō	Ō	Ō	Ō	Ō
SPINA BIFIDA (741)								
MALE	1	1.02	†	0	0	0	0	0
TOTALS	†	1.02	1	0	О	0	o	0
CONGENITAL HYDROCEPH	ALUS (742.3)							
FEMALE	1	1.02	0	0	0	0	0	t
TOTALS	1	1_02	0	0	О	0	O	1
OTHER CONGENITAL AND	MALIES OF CENTRAL NER	VOUS SYSTEM AND EYE (742.0-	742.2.742.4-74	2.9,743)				
FEMALE	1	1.02	0	0	1	0	0	0
TOTALS	1	1.02	0	0	Ť	O	О	0
CONGENITAL ANOMALIES	OF HEART (745-746)							•
MALE	1	1_02	0	0	1	0	0	0
TOTALS	Ť	1_02	0	0	Ť	o	0	0
OTHER CONGENITAL AND	MALIES OF CIRCULATORY	SYSTEM (747)						
FEMALE	1	1.02	. 0	0	t	0	0	0
TOTALS	t	1.02	0	0	1	0	О	0
ALL OTHER AND UNSPEC	IFIED CONGENITAL ANOM	ALIES (744,757,759)						
FEMALE	2	2.04	0	†	0	0	0	1
UNKNOWN	1	1.02	0	0	0	1	0 .	0
TOTALS	3	3.06	0	1	О	1	O	1
NEWBORN AFFECTED BY	MATERNAL CONDITIONS W	HICH MAY BE UNRELATED TO PRI	ESENT PREGNANC	Y (760)				
MALE	t	1.02	0	0	0	1	0	0
TOTALS	1	1.02	0	0	0	1	О	·. 0
NEWBORN AFFECTED BY	MATERNAL COMPLICATIONS	S OF PREGNANCY (761)						
MALE	3	3.06	†	1	0	†	0	0
FEMALE	5	5.10	4	0	0	0	0	1
TOTALS	8	8.16	5	1	O	1	o	†
NEWBORN AFFECTED BY	COMPLICATIONS OF PLAC	ENTA, CORD, AND MEMBRANES (762)					
MALE	15	15.31	. 3	0	2	4	4	2
FEMALE	18	18.37	2	0	1	4	7	4
TOTALS	33	33.67	5	0	3	8	11	6
	55	, 55.57	J	•	-	_	• •	-

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE F-2 FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1986 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS	TOTAL	PERCENT	*****	******	*** GESTAT	ION WEEKS	*******		
AND SEX	FETAL DEATHS	DISTRIBUTION	20-23	24-27	28-31	32-35	36-3 9	OVER 39	
(CONT.)									
NEWBORN AFFECTED BY O	THER COMPLICATIONS OF	LABOR AND DELIVERY (763)							
MALE	†	1.02	0	0	0	0	0	1	
TOTALS	• 1	1.02	O	0	0	0	O	1	
DISORDERS RELATING TO	SHORT GESTATION AND	UNSPECIFIED LOW BIRTHWEIGHT	(765)			•			
MALE	6	6.12	3	2	0	0	1	. 0	
FEMALE	1	1.02	1	0	0	0	0	0	
TOTALS	7	7.14	4	2	0	0	1	0	
FETAL DISTRESS IN LIVE	EBORN INFANT (768.2-7	768.4)							
FEMALE	1	1.02	0	0	0	0	0	1	
TOTALS	1	1.02	o	0	0	0	O	1	
BIRTH ASPHYXIA (768.5	-768.9)								
MALE	7	7.14	1	0	1	0	2	3	
FEMALE	4	4.08	1	0	0	. 0	2 .	1	
TOTALS	11	11.22	2	0	1	0	4	4	
NEONATAL HEMORRHAGE (772)	•							
FEMALE	2	2.04	0	0	0	0	2	0	
TOTALS	2	2.04	0	0	. 0	O	2	0	
SYNDROME OF INFANT OF	A DIABETIC MOTHER AN	D NEGNATAL DIABETES MELLITU	S (775.0-77 5 .	1)					
MALE	1	1.02	0	0	0	0	1	0	
TOTALS	. 1	1.02	0	0	0	0	1	0	
ALL OTHER AND ILL-DEF	INED CONDITIONS ORIGI	NATING IN THE PERINATAL PER	IOD (775.2-77	5.9,776.1-	779)				
MALE	6	6.12	1	4	0	0	1	0	
FEMALE	9	9.18	†	2	0	3	2	1	
TOTALS	15	15.31	2	6	0	3	3	1	
SYMPTOMS, SIGNS, AND A	ALL OTHER ILL-DEFINED	CONDITIONS (780-797,798.1-	799)						
MALE	6	6.12	0	1	0	0	1	4	
FEMALE	3	3.06	0	0	1	0	1	1	
TOTALS	9	9.18	О	1	1	0	. 2	5	
STATE									
MALE	48	48.98	10	8	4	6	10	10	
FEMALE	49	50.00	10	3	4	7	14	11	
UNKNOWN	t	1.02	0	0	0	1	0	0	
TOTALS	98	100.00	20	11	8	14	24	21	

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

	•	
		ľ

BIRTHWEIGHT IN GRAMS	LIVE NUMBER	BIRTHS PERCENT	NEONATA NUMBER	AL DEATHS PERCENT	NEONATAL DEATH RATE
LESS THAN 500	17	0.10	15	15.96	882.4
500-999	51	0.31	34	36.17	666.7
1000-1499	71	0.42	4	4.26	56.3
1500-1999	156	0.93	5	5.32	32.1
2000-2499	562	3.36	5	5.32	8.9
2500-2999	2,139	12.80	4	4.26	1.9
3000-3499	5,786	34.61	18	19.15	3.1
3500-3999	5,615	33.59	4	4.26	0.7
4000-4499	1,854	11.09	0	0.00	0.0
4500-4999	404	2.42	1	1.06	2.5
GREATER THAN 4999	60	0.36	0	0.00	0.0
UNKNOWN	2	0.01	4	4.26	2000.0
STATE TOTALS	16,717	100.00	94	100.00	5.6

NOTE: NEONATAL DEATH RATES ARE ESTIMATED BY DIVIDING 1986 NEONATAL DEATHS BY 1986 LIVE BIRTHS AND MULTIPLYING BY 1,000. SUCH RATES ARE ESTIMATED RATHER THAN ACTUAL BECAUSE SOME BIRTHS RELATING TO THE 1986 NEONATAL DEATH COHORT OCCURRED IN 1985.

TABLE F-4 FETAL DEATHS BY SELECTED COMPLICATIONS, GESTATION, AND AGE OF PATIENT MAINE STATE TOTALS, 1986 (RESIDENT DATA)*

			*******	********** C OM P	LICATIONS ******	*********
WEEKS OF GESTATION	TOTAL**	PERCENT	PREGNANCY	LABOR OR	CONCURRENT	CONGENITAL
	FETAL DEATHS	DISTRIBUTION		DELIVERY	ILLNESSES	ANOMALIES
20-23	20	20.41	12	11	8	3
24-27	11	11.22	6	8	2	t
28-31	8	8.16	5	3	3	4
32-35	14	14.29	6	5	7	†
36-3 9	24	24.49	9	12	11	2
OVER 39	21	21.43	6	9	9	†
UNKNOWN	0	0.00	0	0	0	0
STATE TOTALS	98		44	48	40	12
PERCENT DISTRIBUTION		100.00	44.90	48.98	40.82	12.24
AGE OF PATIENT(YRS.)						
LESS THAN 15	О	0.00	0	o	0	0
† 5	o	0.00	0	0	0	0
16	1	1.02	1	1	1	0
17	1	1.02	0	1	1	O
18	6	6.12	4	3	4	0
19	4	4.08	3	3	1	Q
20-24	27	27.55	9	16	13	Ţ
25-29	30	30.61	14	11	12	4
30-34	16	16.33	,	5	4	3
35-39	4	4.08	2	4	2	
40-44	ĭ	1.02	0	0	0	
OVER 44 UNKNOWN	8	8.16	4	0	2	2
	0	0.00	0	0	7	0
TEENAGE TOTALS STATE TOTALS	12 98	12.24	44	8 48	40	12
PERCENT DISTRIBUTION	, ag	100.00	44.90	48 ₋ 98	40.82	12.24

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

^{**} THE SUM OF COMPLICATIONS MAY EXCEED TOTAL FETAL DEATHS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

TABLE F-5

DEATHS AND DEATH RATES - TOTAL, INFANT, NEONATAL, POSTNEONATAL, AND PERINATAL
MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)*

COUNTY	TOTAL D NUMBER	EATHS RATE	****** TOTA NUMBER		****** INFANT [NEONA NUMBER		POSTNEO		PERIN/ NUMBER	ATAL RATE
ANDROSCOGGIN	992	9.8	17	11.8	10	6.9	7	4.8	21	14.4
AROOSTOOK	782	8.9	17	12.6	11	8.2	6	4.5	18	13.3
CUMBERLAND	2,089	9.1	31	9.2	20	5.9	11	3.2	42	12.3
FRANKLIN	234	8.0	1	2.6	o	0.0	1	2.6	1	2.6
HANCOCK	496	11.1	5	7.9	4	6.3	1	1.6	8	12.5
KENNEBEC	1,039	9.2	9	6.2	7	4.8	2	1.4	15	10.2
KNOX	433	12.3	7	13.8	5	9.9	2	4.0	9	17.6
LINCOLN	307	10.7	1	2.4	1	2.4	o	0.0	2	4.8
OXFORD	533	10.6	4	6.0	2	3.0	2	3.0	9	13.3
PENOBSCOT	1,205	8.7	18	9.9	16	8.8	2	1.1	25	13.7
PISCATAQUIS	216	11.9	4	16.4	1	4.1	3	12.3	2	8.2
SAGADAHOC	245	8.1	4	7.4	4	7.4	o	0.0	6	11.1
SOMERSET	484	10.2	2	3.3	1	1.6	1	1.6	1	1.6
WALDO	310	10.4	4	8.5	3	6.4	1	2.1	6	12.7
WASHINGTON	403	11.7	2	4.5	1	2.3	1	2.3	5	11.2
YORK	1,410	9.1	20	8.5	8	3.4	12	5.1	22	9.3
STATE TOTALS	11,178	9.5	146	8.7	94	5.6	52	3.1	192	11.4

NOTES: INFANT DEATH IS UNDER 1 YEAR, NEONATAL UNDER 28 DAYS AND POSTNEONATAL 28 DAYS TO ONE YEAR.

PERINATAL DEATHS ARE NEONATAL DEATHS AND FETAL DEATHS, 20 GESTATION WEEKS AND OVER.

TOTAL DEATH RATE IS PER 1,000 POPULATION(BASED ON MAINE POPULATION PROJECTIONS FOR 1986, PUBLISHED JUNE 1987), INFANT DEATH RATE IS PER 1,000 LIVE BIRTHS AND PERINATAL DEATH RATE IS PER 1,000 LIVE BIRTHS AND FETAL DEATHS.

^{*} FETAL DEATH DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE F-6 FETAL DEATHS BY SELECTED CHARACTERISTICS
MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)*

COUNTY	TOTAL	PERCENT	OUT OF	AUTOPSY	IN	***			IN WH		AGE OF PAT	
COUNTY	FETAL DEATHS	DISTRIBUTION	WEDLOCK	Adidigi	HOSPITAL	_ 1	2	3	NONE		EEGG IIIAN 2	J 47LK 65
ANDROSCOGGIN	11	11.22	2	7	11	7	3	ο	О	1	. 2	, †
AROOSTOOK	7	7.14	1	3	7	6	О	О	О	1	O	2
CUMBERLAND	·22	22.45	1	15	22	17	1	1	0	3	3	3
FRANKLIN	1	1.02	0	1	1 -	1	o	0	О	o	o	0
HANCOCK	4	4.08	2	2	3	3	0	0	o	1	0	1
KENNEBEC	8	8.16	2	3	8	5	2	O	o	1	O	1
KNOX	4	4.08	0	3	4	3	1	О	О	o	1	0
LINCOLN	t	1.02	o	1	1	1	0	0	o	o	0	0
axfard	7	7_14	2	6	7	4	2	o	О	1	9 3	0
PENOBSCOT	9	9.18	2	6	9	8	o	0	0	1	2	2
PISCATAQUIS	t	1.02	0	. 1	1	1	О	О	o	o	0	o
SAGADAHOC	2	2.04	0	1	2	1	o	0	О	1	0	1
SOMERSET	o	0.00	0	o	o	0	o	0	0	0	0	o
WALDO	3	3.06	2	2	2	1	o	0	1	1	0	1
WASHINGTON	4	4.08	1	4	4	4	0	0	О	o	†	o
YORK	14	14.29	0,	7	14	11	2	o	0	1	0	1
STATE TOTALS	98		15	62	96 .	73	11	1	1	12	12 -	13
	L FETAL DEATHS N	WITH SPECIFIED (STICS 63.27	97.96	74.49	11.22	1.02	1.02	12.24	12.24	13.27

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE F-7

FETAL DEATHS, SELECTED RISK CHARACTERISTICS, AND RATIO OF MALES TO FEMALES MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)*

			*****	*******	*******	***** R	ISK CHARACT	ERISTICS *:	********	********	*********
(COUNTY	TOTAL DEATHS	CONGE ANOMA	NITAL	*****		WEIGHT ***	******* GRAMS	LESS T GESTATI	THAN 28 ION WEEKS PERCENT	MALE/FEMALE RATIO
	ANDROSCOGGIN	11	2	18.2	3	27.3	7	63.6	4	36.4	0.57
	AROOSTOOK	7	o	0.0	1	14.3	6	85.7	2	28.6	1.33
	CUMBERLAND	22	4	18.2	4	18.2	10	45.5 .	9	40.9	0.91
	FRANKLIN	1	o	0.0	o	0.0	0	0.0	o	0.0	0.00
	HANCOCK	4	o	0.0	o	0.0	o	0.0	1	25.0	1.00
*	KENNEBEC	8	o	0.0	o	0.0	2	25.0	1	12.5	1.67
	KNax	4	o	0.0	o	0.0	1	25.0	2	50.0	3.00
	LINCOLN	t	o	0.0	o	0.0	1	100.0	1	100.0	0.00
	axfara	7	o	0.0	0	0.0	5	71_4	3	42.9	0.40
	PENOBSCOT	9	†	11.1	1	11.1	. 6	66.7	3	33.3	0.50
81	PISCATAQUIS	1	1	100.0	o	0.0	†	100.0	0	0.0	0.00
	SAGADAHOC	2	O	0.0	o	0.0	o	0.0	0	0.0	0.00
	SOMERSET	O	o	0.0	o	0.0	o	0.0	o	0.0	0.00
	WALDO	3	2	66.7	o	0.0	1	33.3	0	0.0	2.00
	WASHINGTON	4	o	0.0	2	50.0	2	50.0	2	50.0	0.00
	YORK	14	2	14.3	1	7.1	6	42.9	3	21.4	1.00
	STATE TOTALS	98	12	12.2	12	12.2	48	49.0	31	31.6	0.98

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE F-8

FETAL DEATHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS

MAINE STATE TOTALS, 1986 (RESIDENT DATA)

COMPLICATIONS OF F				COMPLICATIONS OF CONDITION NUM		METHOD OF DE METHOD NU		CONGENITAL AN CONDITION N	OMALIES UMBER	
BLEEDING IN EARLY PREGNANCY	8 8.2	TOBACCO USE	23 23.5	ABRUPTIO PLACENTA	12 12.2	SPONTANEOUS CONTROLLED	56 57 ₋ †	ANENCEPHALUS	†	1.0
ECLAMPSIA	· o 0.0	HEART DISEASE SYMPTOMATIC	0 0.0	PLACENTA PREVIA	1 1.0	SPONTANEOUS UNCONTROLLED	5 5.1	SPINA BIFIDA	2	2.0
PREECLAMPSIA	2 2.0	HYPERTENSION	5 5.1	CORD PROLAPSE OR COMPRESSION		LOW FORCEPS	2 2.0	OTHER NERVOUS SYSTEM	0	0.0
RH SENSITIZATION	1 1.0	CHRONIC RENAL DISEASE	0 0.0	DYSTOCIA	2 2.0	OTHER FORCEPS PROCEDURE	0 0.0	CLEFT LIP/PALATE	1	1.0
ANEMIA(HGB < 10 GM/HCT < 30%)	0 0.0	PŸELOCYSTITIS	0.0	BREECH	10 10.2	PRIMARY C-SECTION	15 15.3	EYE	0	0.0
AMNIONITIS	1 1.0	DES EXPOSURE	0 0.0	INDUCTION	0 0.0	REPEAT C-SECTION	3 3.t	EAR, FACE, NECK	0	0.0
URINARY TRACT INFECTION	3 3.1	ALCOHOL DEPENDENCE	0 0.0	INTRAPARTUM FEVER CHORICAMNION.	•	BREECH DELIVERY	5 ·5.†	HEART	2	2.0
PREMATURE LABOR(BE 37 WEEKS)		DRUG ADDICTION OF DEPENDENCE		FETAL DISTRESS	3 3.1	VERSION AND EXTRACTION	2 2.0	OTHER CIRCULATO		2.0
PREMATURE DELIVERY 37 WEEKS)		PREVIOUS C-SECTION	4 4.1	LABOR>18 HRS.	0 0.0	OTHER	6 6.1	RESPIRATORY SYSTEM	2	2.0
PROM(24 HRS. BEFOR DELIVERY)		OBESITY	3 3.1	OTHER	23 23.5			DIGESTIVE SYSTEM	2	2.0
OTHER	18 18.4	GESTATIONAL DIABETES	1 1.0	NONE	45 45.9			GENITAL ORGANS	2	2.0
NONE	48 49.0	CHRONIC DIABETES	1 1.0	UNKNOWN	5 5.1			URINARY SYSTEM	3	3.1
UNKNOWN	6 , 6. 1	OTHER	11 11.2					MUSCULOSKEL.	.2	2.0
		NONE	51 52.0					INTEGUMENT	1	1.0
		UNKNOWN	7 7.1					CHROMOSOMAL	1	1.0
								OTHER	†	1.0
								NONE	818	B2.7
								UNKNOWN	5	5.1

NOTES: PERCENTAGES ARE BASED ON THE 98 FETAL DEATHS IN MAINE THIS YEAR.
MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH FETAL DEATH.

			,
			1 1
			1 1 1
			4 4 1
			I .

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1986 (RESIDENT DATA)

		****** TOTAL	DEATHS	***** FEMALE			******* DEATHS	*** RATE PER 100,000 ***			
			•		TOTAL		FEMALE		MALE	FEMALE	
	AGE: TOTAL FOR ALL AGES										
	CAUSE OF DEATH									•	
	HEART DISEASE (390-398,402,404-429)	4,171	2,112	2,059	1	1	1	355.8	371.8	340.8	
	MALIGNANT NEOPLASMS (140-208)	2,633	1,347	1,286	2	2	2	224.6	237.1	212.9	
	CEREBROVASCULAR DISEASE (430-438)	764	263	501	2 3	2 5 3	3	65.2	46.3	82.9	
	CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	521	328	193	4	3	5	44.4	57.7	31.9	
	PNEUMONIA & INFLUENZA (480-487)	426	184	242	5	6	4	36.3	32.4	40.1	
	ACCIDENTS & ADVERSE EFFECTS (E800-E949)	406	274	132	5 6 7	4	6 8	34.6	48.2	21.9	
	DIABETES MELLITUS (250)	182	72	110	7	9	8	15.5	12.7	18.2	
	ATHEROSCLEROSIS (440)	182	60	122	8	10	7	15.5	10.6	20.2	
	SUICIDE (E950-E959)	127	9 9	28	9	7	14	10.8	17.4	4.6	
	INFECTIOUS & PARASITIC DISEASES (001-139)	121	51	70	10	12	9	10.3	9.0	11.6	
	TOTAL FOR AGE GROUP	11, 178	5,583	5,595				953.6	982.7	926.2	
85	AGE: UNDER 1 YEAR										
٠.	PERINATAL CONDITIONS (760-779)	56	26	30	1	1	1	334.9	301.9	370.0	
	CONGENITAL ANOMALIES (740-759)	40	18	22	2 3	2	2	239.2	209.0	271.3	
	HEART DISEASE (390-398,402,404-429)	4	1	3	3	4	3	###	###	<i>雅释释</i>	
	INFECTIOUS & PARASITIC DISEASES (001-139)	2	1	1	4	4	4	###	###	释释释	
	NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	2	2	0	5	3	6	###	###	<i>锋锋锋</i>	
	CHRONIC LIVER DISEASE & CIRRHOSIS (571)	1	1	0	6 7	4	6	###	###	萨萨特	
	ACCIDENTS & ADVERSE EFFECTS (E800-E949)	1	0	1	7	7	4	###	###	# 择 样	
	TOTAL FOR AGE GROUP	146	74	72				873.2	859.2	888.0	

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1986, PUBLISHED JUNE 1987. THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER DF EVENTS WAS LESS THAN 10.

^{*} CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1986 (RESIDENT DATA)

MALIGNANT NEOPLASMS (140-208) 5 3 2 2 2 2 ### 7 CONGENITAL ANOMALIES (740-759) 4 3 1 3 2 3 ### 7 INFECTIOUS & PARASITIC DISEASES (001-139) 2 1 1 4 4 3 ### 7 BENIGN NEOPLASMS (210-239) 1 0 1 5 9 3 ### 7	
AGE: 1 TO 14 YEARS CAUSE OF DEATH ACCIDENTS & ADVERSE EFFECTS (E800-E949) MALIGNANT NEOPLASMS (140-208) CONGENITAL ANOMALIES (740-759) INFECTIOUS & PARASITIC DISEASES (001-139) BENIGN NEOPLASMS (210-239) ACCIDENTS & 20 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
CAUSE OF DEATH ACCIDENTS & ADVERSE EFFECTS (E800-E949) MALIGNANT NEOPLASMS (140-208) CONGENITAL ANOMALIES (740-759) INFECTIOUS & PARASITIC DISEASES (001-139) BENIGN NEOPLASMS (210-239) CAUSE OF DEATH 1 1 9 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	E FEMALE
ACCIDENTS & ADVERSE EFFECTS (E800-E949) MALIGNANT NEOPLASMS (140-208) CONGENITAL ANOMALIES (740-759) INFECTIOUS & PARASITIC DISEASES (001-139) BENIGN NEOPLASMS (210-239) 28 20 8 1 1 1 1 1 1.9 16 3 2 2 2 2 2 ### # 4 3 1 3 2 3 ### # 5 8 8 1 1 1 1 1 1.9 16 6 7 8 9 3 ### #	
MALIGNANT NEOPLASMS (140-208) 5 3 2 2 2 2 ### 7 CONGENITAL ANOMALIES (740-759) 4 3 1 3 2 3 ### 7 INFECTIOUS & PARASITIC DISEASES (001-139) 2 1 1 4 4 3 ### 7 BENIGN NEOPLASMS (210-239) 1 0 1 5 9 3 ### 7	
CONGENITAL ANOMALIES (740-759) 4 3 1 3 2 3 ### 7 INFECTIOUS & PARASITIC DISEASES (001-139) 2 1 1 4 4 3 ### 7 BENIGN NEOPLASMS (210-239) 1 0 1 5 9 3 ### 7	.5 ###
INFECTIOUS & PARASITIC DISEASES (001-139) 2 1 1 4 4 3 ### # BENIGN NEOPLASMS (210-239) 1 0 1 5 9 3 ### #	## ###
BENIGN NEOPLASMS (210-239) 1 0 1 5 9 3 ###	## ###
BENIGN NEOPLASMS (210-239) 1 0 1 5 9 3 ### ,	## ###
	## ###
HEART DISEASE (390-398,402,404-429) 1 0 1 6 9 3 ###	## ###
	## ###
	## ###
	## ###
HOMICIDE & LEGAL INTERVENTION (E960-E978) 1 1 0 10 4 7 ###	## ###
TOTAL FOR AGE GROUP 54 38 16 22.9 3	.4 13.9
	-
8 AGE: 15 TO 24 YEARS	
ACCIDENTS & ADVERSE EFFECTS (E800-E949) 89 68 21 1 1 1 50.8 77	.2 24.1
	.2 ###
SUICIDE (E950-E959) 18 16 2 2 2 3 10.3 18 MALIGNANT NEOPLASMS (140-208) 8 3 5 3 3 2 ### #	## ###
HOMICIDE & LEGAL INTERVENTION (E960-E978) 3 2 1 4 4 4 ### #	## # ##
	## ###
MENINGITIS (320-322) 1 1 0 6 6 7 ### #	## ###
MENINGITIS (320-322) 1 1 0 6 6 7 ### # HEART DISEASE (390-398,402,404-429) 1 0 1 7 8 4 ### # CEREBROVASCULAR DISEASE (430-438), 1 1 0 8 6 7 ### #	## ###
CEREBROVASCULAR DISEASE (430-438). 1 1 0 8 6 7 ### #	## ###
	## ###
TOTAL FOR AGE GROUP 137 100 37 78.2 113	

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1986, PUBLISHED JUNE 1987. THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

TABLE D-1

	TOTAL	MALE	FEMALE	BY NU	MBER OF	DEATHS		POPULATIO	vi
				TOTAL			TOTAL		FEMALE
AGE: 25 TO 34 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	60	48	12	1	1	1	31.2	50.2	12.4
SUICIDE (E950-E959)	32	25	7	2	2 3	3	16.7	26.2	<i>锋择轻</i>
MALIGNANT NEOPLASMS (140-208)	22	10	12	2 3 4	3	1	11.4	10.5	12.4
HEART DISEASE (390-398,402,404-429)	10	8	2	G	4	4	5.2	###	<i>特 劈 将</i>
HOMICIDE & LEGAL INTERVENTION (E960-E978)	10	8	2	5 6 7	4 6 8 7 8	4	5.2	###	<i>锋 任 报</i>
CEREBROVASCULAR DISEASE (430-438)	6	5	1	6	6	7	###	###	<i>养养</i>
DIABETES MELLITUS (250)	3	1	2	7	8	4	###	###	<i>释择都</i>
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	3	2	1	8	7	7	###	###	释释释
CONGENITAL ANOMALIES (740-759)	2	1	1	9	8	7	###	###	<i>锋锋锋</i>
INFECTIOUS & PARASITIC DISEASES (001-139)	1	1	0	10	8	12	###	###	###
TOTAL FOR AGE GROUP	165	119	46				85.9	124.5	47.6
AGE: 35 TO 44 YEARS									
MALIGNANT NEOPLASMS (140-208)	79	33	46 8 6 3	1	2	1	45.8	38.3	53.3
HEART DISEASE (390-398,402,404-429)	63	55	8	2	1	2	36.5	63.8	<i>\$64</i>
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	33	27	6	2 3 4	3	3	19.1	31.3	<i>668</i>
SUICIDE (E950-E959)	17	14	3	4	4	4	9.9	16.2	<i>##6</i>
INFECTIOUS & PARASITIC DISEASES (001-139)	5	3	2	5 6	7	5	###	###	<i>器器</i>
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	5	4	1	6	5 7	5 6	###	###	<i># & #</i>
DIABETES MELLITUS (250)	4	3	1	7	7	6	###	###	<i>锋争导</i>
CEREBROVASCULAR DISEASE (430-438)	4	4	0	8	5 9	13	###	###	<i>###</i>
BENIGN NEOPLASMS (210-239)	2	2	0	9		13	###	###	<i>4 f 5</i>
PNEUMONIA & INFLUENZA (480-487)	2	1	1	10	12	6	###	###	# 6 #
TOTAL FOR AGE GROUP	245	163	82				142.0	189.2	95.0

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1986, PUBLISHED JUNE 1987.

THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

		****** TOTAL		***** FEMALE	BY NU	MBER OF	DEATHS		E PER 100 POPULATIO	
					TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
	AGE: 45 TO 64 YEARS		:							
	CAUSE OF DEATH									
	MALIGNANT NEOPLASMS (140-208)	724	391	333	1	2	1	328.8	371.9	289.4
	HEART DISEASE (390-398,402,404-429)	593	435	158	2 3 4	1	2	269.3	413.8	137.3
	CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)		55	29	3	3 5 4	3	38.1	52.3	25.2
	CEREBROVASCULAR DISEASE (430-438)	56	29	27	4	8	4	25.4	27.6	23.5
	ACCIDENTS & ADVERSE EFFECTS (E800-E949)	56	38	18	5	4	5 5 8	25.4	36.1	15.6
	CHRONIC LIVER DISEASE & CIRRHOSIS (571)	49	30	19	6	5	5	22.3	28.5	16.5
	PNEUMONIA & INFLUENZA (480-487)	33	19	14	7	8	8	15.0	18.1	12.2
	SUICIDE (E950-E959)	33	23	10	8	7	9	15.0	21.9	8.7
	DIABETES MELLITUS (250)	29	13	16	9	9	7	13.2	12.4	13.9
	ATHEROSCLEROSIS (440)	12	8	4	10	10	11	5.4	###	###
	TOTAL FOR AGE GROUP	1,864	1,154	710				846.5	1,097.7	617.0
∞	AGE: 65 TO 74 YEARS									
88	HEART DISEASE (390-398,402,404-429)	923	568	355	1	1	2	1.005.4	1,386.7	698.2
	MALIGNANT NEOPLASMS (140-208)	805	434	371	2	2	9		1,059.5	729.7
	CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	152	92	60	2 3	2 3	4	165.6	224.6	118.0
	CEREBROVASCULAR DISEASE (430-438)	133	57	76	4	4	3	144.9	139.2	149.5
	PNEUMONIA & INFLUENZA (480-487)	55	34	21	5	5	8	59.9	83.0	41.3
	ACCIDENTS & ADVERSE EFFECTS (E800-E949)	52	32	20	6	6	7	56.6	78.1	39.3
	DIABETES MELLITUS (250)	51	24	27	7	7	5	55.6	58.6	53.1
	CHRONIC LIVER DISEASE & CIRRHOSIS (571)	30	21	9	8	8	9	32.7	51.3	888
	INFECTIOUS & PARASITIC DISEASES (001-139)	29	14	15	9	9	8	31.6	34.2	29.5
	ATHEROSCLEROSIS (440)	17	10	7	10	10	10	18.5	24.4	g a s
	TOTAL FOR AGE GROUP	2,487	1,433	1,054				2,709.0	3,498.4	2,073.0

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1986, PUBLISHED JUNE 1987.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
 OTHER DISEASES OF ARTERIES, ARTERIQLES, AND CAPILLARIES (441-448)
 SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
 ALL OTHER EXTERNAL CAUSES (E980-E999)
 ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

TOTAL

1017.2				-	FEMALE	TOTAL	MALE	FEMALE	
			TUTAL	MALE	FEMALE	IUIAL	MALE	FEMALE	
1.359	667	692	1	1	1	2.686.1	3.635.9	2,145.8	
701	355	346	2	2	2	1,385.5	1,935.1	1,072.9	
271	100	171	3	4	3	535.6	545.1	530.2	
212	135	77	4	3	4	419.0	735.9	238.8	
123	67	56	5	5	5	243.1	365.2	173.6	
62	23	39	6	8	6	122.5	125.4	120.9	
54	27	27	7	6	7	106.7	147.2	83.7	
45	21	24	8	9	8	88.9	114.5	74.4	
43	26	17	9	7	9	85.O	141.7	52.7	
28	15	13	10	10	10	55.3	81.8	40.3	
3,369	1,650	1,719				6,658.9	8,994.3	5,330.4	
1,217	378	839	1	1	1	7,016.8	8,768.3	6,437.5	
292	66	226	2	3	2	1,683.6	1,531.0	1,734.1	
289	118	171	3	2	3	1,666.3	2,737.2	1,312.1	
211	61	150		4	4	1,216.6	1,415.0	1,150.9	
108	21	87	5	6		622.7		667.5	
70	45	25	6	5	7	403.6	1,043.8	191.8	
43	11				_	247.9	255.2		
34	16	18	8		10	196.0	371.1	138.1	
33	8	25	9	10	7	190.3	###	191.8	
33	14	19	10	8	9	190.3	324.8	145.8	
	271 212 123 62 54 45 43 28 3,369 1,217 292 289 211 108 70 43 34	701 355 271 100 212 135 123 67 62 23 54 27 45 21 43 26 28 15 3,369 1,650 1,217 378 292 66 289 118 211 61 108 21 70 45 43 11 34 16	701 355 346 271 100 171 212 135 77 123 67 56 62 23 39 54 27 27 45 21 24 43 26 17 28 15 13 3,369 1,650 1,719 1,217 378 839 292 66 226 289 118 171 211 61 150 108 21 87 70 45 25 43 11 32 34 16 18	1,359 667 692 1 701 355 346 2 271 100 171 3 212 135 77 4 123 67 56 5 62 23 39 6 54 27 27 7 45 21 24 8 43 26 17 9 28 15 13 10 3,369 1,650 1,719 1,217 378 839 1 292 66 226 2 289 118 171 3 211 61 150 4 108 21 87 5 70 45 25 6 43 11 32 7 34 16 18 8	1,359 667 692 1 1 701 355 346 2 2 271 100 171 3 4 212 135 77 4 3 123 67 56 5 5 62 23 39 6 8 54 27 27 7 6 45 21 24 8 9 43 26 17 9 7 28 15 13 10 10 3,369 1,650 1,719 1,217 378 839 1 1 292 66 226 2 3 289 118 171 3 2 211 61 150 4 4 108 21 87 5 6 70 45 25 6 5 43 11 32 7 9 34 16 18 8 7	1,359 667 692 1 1 1 1 1 701 355 346 2 2 2 2 2 271 100 171 3 4 3 4 3 212 135 77 4 3 4 3 4 123 67 56 5 5 5 62 23 39 6 8 6 54 27 27 7 6 7 45 21 24 8 9 8 43 26 17 9 7 9 28 15 13 10 10 10 3,369 1,650 1,719 1,217 378 839 1 1 1 1 292 66 226 2 3 2 289 118 171 3 2 3 211 61 150 4 4 4 108 21 87 5 6 5 7 0 45 25 6 5 7 0 45 25 6 5 7 0 43 11 32 7 9 6 34 16 18 8 7 10	1,359 667 692 1 1 1 1 2,686.1 701 355 346 2 2 2 2 1,385.5 271 100 171 3 4 3 535.6 212 135 77 4 3 4 419.0 123 67 56 5 5 5 243.1 62 23 39 6 8 6 122.5 54 27 27 7 6 7 106.7 45 21 24 8 9 8 88.9 43 26 17 9 7 9 85.0 28 15 13 10 10 10 10 55.3 3,369 1,650 1,719 6,658.9 1,217 378 839 1 1 1 7,016.8 292 66 226 2 3 2 1,683.6 289 118 171 3 2 3 1,666.3 211 61 150 4 4 4 1,216.6 108 21 87 5 6 5 622.7 70 45 25 6 5 7 403.6 43 11 32 7 9 6 247.9 34 16 18 8 7 10 196.0	1,359 667 692 1 1 1 2,686.1 3,635.9 701 355 346 2 2 2 2 1,385.5 1,935.1 271 100 171 3 4 3 535.6 545.1 212 135 77 4 3 4 419.0 735.9 123 67 56 5 5 5 243.1 365.2 62 23 39 6 8 6 122.5 125.4 54 27 27 7 7 6 7 106.7 147.2 45 21 24 8 9 8 88.9 114.5 43 26 17 9 7 9 85.0 141.7 28 15 13 10 10 10 10 55.3 81.8 3,369 1,650 1,719 6,658.9 8,994.3	1,359 667 692 1 1 1 2,686.1 3,635.9 2,145.8 701 355 346 2 2 2 1,385.5 1,935.1 1,072.9 271 100 171 3 4 3 535.6 545.1 530.2 212 135 77 4 3 4 419.0 735.9 238.8 123 67 56 5 5 5 243.1 365.2 173.6 62 23 39 6 8 6 122.5 125.4 120.9 54 27 27 7 6 7 106.7 147.2 83.7 45 21 24 8 9 8 88.9 114.5 74.4 43 26 17 9 7 9 85.0 141.7 52.7 28 15 13 10 10 10 55.3 81.8 40.3 3,369 1,650 1,719 6,658.9 8,994.3 5,330.4

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1986, PUBLISHED JUNE 1987. THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

POPULATION

MALE FEMALE BY NUMBER OF DEATHS

^{*} CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

TABLE D-2 YEARS OF LIFE LOST - NUMBER, PERCENT, RANK, AND AVERAGE PER DEATH BY 32 CAUSE OF DEATH GROUPS AND SEX MAINE STATE TOTALS, 1986 (RESIDENT DATA)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	PERCENT YEARS OF LIFE LOST TOT. MALE FEM.	OF LIFE	LOST	PER	ast_ H	
HEART DISEASE (390-398,402,404-429) MALIGNANT NEOPLASMS (140-208) ACCIDENTS & ADVERSE EFFECTS (E800-E949) CEREBROVASCULAR DISEASE (430-438) CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496) SUICIDE (E950-E959) PERINATAL CONDITIONS (760-779) PNEUMONIA & INFLUENZA (480-487) CONGENITAL ANOMALIES (740-759) DIABETES MELLITUS (250) CHRONIC LIVER DISEASE & CIRRHOSIS (571) OTHER DIS. OF ARTERIES, ARTERIOLES, AND CAPIL. (441-448)	45 107	23 909	21.198	29.3 30.3 28.2	† †	2	11	11	10
MALIGNANT NEOPLASMS (140-208)	39 123	17 787	21 336	25.4 22.5 28.4			15	13	17
ACCIDENTS & ADVERSE FEFECTS (F800-F949)	13 377	9 467	3 910	8.7 12.0 5.2			33	35	30
CEREBROVASCULAR DISEASE (430-438)	7 432	2 706	4 726	4.8 3.4 6.3			10	10	9
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	5 868	3 259	2 609	3.8 4.1 3.5			11	10	14
SUICIDE (F950-F959)	4 203	3 243	960	2.7 4.1 1.3	•		33	33	34
PERINATAL CONDITIONS (760-779)	4 182	1 820	2 362	2.7 2.3 3.1			73	70	7 6
PNEUMONIA & INFLHENZA (480-487)	3 740	1 860	2 080	2.4 2.1 2.8			9	9	9
CONGENITAL ANOMALIES (740-759)	3 718	1 780	1 938	2.4 2.3 2.6			60	56	65
DIARRIES MELLITUS (250)	2 296	874	1 422	1.5 1.1 1.9		_	13	12	13
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2 138	† 273	865	1.4 1.6 1.2		_	18	17	20
OTHER DIS. OF ARTERIES, ARTERIOLES, AND CAPIL. (441-448)	1 523	872	75 t	1.1 1.1 1.0			† †	11	10
INFECTIOUS & PARASITIC DISEASES (OO1-139)	1 603	712	891	1.0 0.9 1.2			13	14	13
ATHEROSCI FROSIS (440)	1 420	509	911	0.9 0.6 1.2			8	8	7
INFECTIOUS & PARASITIC DISEASES (OO1-139) ATHEROSCLEROSIS (440) NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589) HOMICIDE & LEGAL INTERVENTION (E960-E978) BENIGN NEOPLASMS (210-239) HYPERTENSION (401,403) ULCER OF STOMACH & DUODENUM (531-533)	997	579	418	0.6 0.7 0.6			10	10	10
HOMICIDE & LEGAL INTERVENTION (E960-E978)	85 t	689	162	0.6 0.9 0.2			39	38	41
BENIGN NEOPLASMS (210-239)	507	325	282	0.4 0.4 0.4	_		16	15	†7
HYPERTENSION (401 403)	375	180	195	0.2 0.2 0.3			9	9	9
III CER DE STOMACH & DUODENUM (531-533)	361	191	170	0.2 0.2 0.3			11	11	† †
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553.560)	357	109	248	0.2 0.1 0.3	-		† †	10	7 7
ANEMIAS (280-285)	155	79	76	0.1 0.1 0.1			7	9	6
CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS (574-575)		68	81	0.1 0.1 0.1		_	9	10	8
KIDNEY INFECTIONS (590)	133	25	108	0.1 0.0 0.1			17	6	27
KIDNEY INFECTIONS (590) MENINGITIS (320-322) NUTRITIONAL DEFICIENCIES (260-269)	113	55	58	0.1 0.1 0.1		_	28	55	19
NUTRITIONAL DEFICIENCIES (260-269)	109		80	0.1 0.0 0.1			7	7	7
NUTRITIONAL DEFICIENCIES (260-269) COMPL. OF PREGNANCY, CHILDBIRTH & PUERPERIUM (630-676) APPENDICITIS (540-543)	57	0	57	0.0 0.0 0.1			57	à	57
APPENDICITIS (540-543)	44	7	37	0.0 0.0 0.0			15	7	19
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	29	5	24	0.0 0.0 0.0			10	5	12
APPENDICITIS (540-543) ACUTE BRONCHITIS & BRONCHIOLITIS (466) HYPERPLASIA OF PROSTATE (600)	12	12	0	0.0 0.0 0.0			6	6	0
			•						
ALL OTHER EXTERNAL CAUSES (E980-E999)	† 17	88	29	0.1 0.1 0.0			39	44	29
SYMPTOMS. SIGNS & ILL-DEFINED CONDITIONS (780-799)	3.039	1,851	1,188	2.0 2.3 1.6			37	43	30
ALL OTHER CAUSES (RESIDUAL)	10,770	4,820	5,950	0.1 0.1 0.0 2.0 2.3 1.6 7.0 6.1 7.9			13	13	13
	•								
ALL CAUSES	154,105	78,983	75,122	100. 100. 100.			14	14	13

NOTES: PERCENTAGES MAY NOT ADD TO 100.0 DUE TO ROUNDING. SEE TEXT FOR METHOD OF COMPUTING YEARS OF LIFE LOST.

		*****	*****						AT DEA								
CAUSE OF DEATH GROUPS	TOTAL	UNDER	1-4	5-9	10-14	15-19	20-24	25-34	35-44 4	5-54 5	5-59 6	0-64	55-69 7	0-74 7	5-79 8	0-84	OVER
AND SEX	DEATHS	†															84
INTESTINAL INFECTIONS DUE	Ta ather	SPECIFIED	ORGAN	ISMS	(007-0	юв)											
FEMALE	1	0	0	ō	` 0	O	0	0	0	0	0	0	0	0	0	0	t
TOTALS	t	ō	Ō	ō	ō	0	0	0	0	0	0	0	0	0	0	0	1
TUBERCULOSIS OF RESPIRATOR	Y SYSTEM	(010-012)	_	_	_												
MALE	2	0	. 0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
TOTALS	2	ō	o	ō	ō	ō	ō	Ō	Ō	0	0	O	0	Ō	2	0	0
OTHER TUBERCULOSIS (013-01		•	•	·	•	•	_	•	•	_	_						
FEMALE		0	0	0	0	0	0	0	0	0	0	†	0	0	0	0	0
TOTALS	· •	Õ	ō	Õ	õ	ō	Õ	ō	Õ	Ō	ō	1	ō	Ō	0	0	0
MENIGOCOCCAL INFECTION (03	6)	ŭ	•	·	_	•	_	_	_	-							
FEMALE	-, 1	0	0	0	0	0	0	0	0	0	0	†	0	0	0	0	0
TOTALS	į	Ö	Õ	õ	õ	ō	Õ	Õ	ō	ō	ō	1	ō	Ō	0	0	0
SEPTICEMIA (038)	•	J	•	·	•	•	•	•	_	_	-		_	_			
MALE	33	Q	0	0	0	0	0	0	0	0	t	1	5	7	5	3	11
FEMALE	5 t	Õ	Õ	Õ	Õ	Õ	ō	ō	ō	ō	Ó	2	3	7	3	6	30
TOTALS	84	Ö	Ö	ă	Õ	õ	ã	o	Õ	ō	1	3	8	14	8	9	41
ALL OTHER BACTERIAL DISEAS			_	_	J	·	•	•	ŭ	•	•	•	_		_	-	
FERRALE	1	0	0	0 0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	,	Ö	o o	ä	õ	Ô	Õ	Õ	Õ	Õ	Õ	Õ	Õ	ŏ	Õ	1	ō
VIRAL HEPATITIS (070)	•	O	U	U	U	•	J	•	•	•	•	•	•	•	•		-
MALE	2	o	0	o	Q	0	0	0	O	0	0	1	1	0	1	0	0
FEMALE	3	0	Ô	a	o o	0	Ö	0	1	ő	Õ	Ö	i	õ	Ť	1	ō
TOTALS	7	0	0	0	0	o	ő	0	, <u>'</u>	Õ	o o	t	2	Õ	2	1	ō
OTHER VIRAL DISEASES (046-	040 05+-0	•	•	_	-		U	U	•	J	•	,	_	·	_	•	•
MALE MALE	049,051-0	0 03/4	0	000,0	0/1-0/3	0	0	0	0	0	t	0	0	0	0	2	0
FEMALE	3	Ö	†	0	. 0	o o	0	0	ő	ő	i	õ	ő	1	õ	ō	ō
	3	0	, †	0	. 0	Ö	ő	Õ	o o	õ	2	õ	Õ	<u>,</u>	Ô	2	Õ
TOTALS	•	O	'	U	U	U	U	U	U	U	~	U	J	•	•	_	•
MYCOSES (110-118)	~		o	0	o	0	0	0	t	o	0	0	0	0	†	0	0
MALE	3	1	0	-	0	0	0	0	1	0	ŏ	o o	ŏ	ő	Ö	ő	1
FEMALE	2	0	0	0	0	0	0	0	2	Õ	Õ	õ	Õ	Õ	1	ã	•
TOTALS	5 (407)	1	O	O	O	U	U	U	2	U	U	U	Ų	U	•	J	•
LATE EFFECTS OF TUBERCULOS	- •	0	O	O	O	0	0	0	0	0	0	0	0	2	0	0	0
FEMALE	2	0	0	0	0	0	0.	. 0	0	o	o o	õ	Õ	2	õ	Õ	ő
TOTALS	2	•	_	_	_	•	U .	U	U	U	U	U	U	_	•	J	·
ALL OTHER INFECTIOUS AND P	ARASITIC			04,13 †	0	0	0	1	2	t	0	9	0	†	0	†	0
MALE	′.	0	0	•	_	0	0	ò	o o	Ö	ő	1	ő	†	1	Ö	ŏ
FEMALE	4	1	0	0	.0	0	0	1	2	1	õ		Õ	ż	÷	1	Õ
TOTALS	11		O	1	U	U	U	1	2	ı	U	,	0	~	•	•	•
MALIGNANT NEOPLASMS OF: TO	•	•	_	_	_	0	0	0	o	1	2	0	1	5	1	0	1
MALE	11	0	0	0	0	0	0	0	0	Ö	ō	1	2	0	Ť	ő	Ö
FEMALE	4	0	0	0	0	0	0	0	0	1	2		3	5	ż	Õ	1
TOTALS	15	0	O	0	U	U	U	U	U		2	•	3	J	_	·	•
MALIGNANT NEOPLASMS OF: PH	•		•	_	~	•		_	2	6	2	4	3	3	2	o	0
MALE	22	0	0	0	0	0	0	0	2 0	0	ó	1	1	1	†	o	ő
FEMALE	4	0	0	0	0	0	0	0	2	6	2	5	4	4	3	Õ	Ö
TOTALS	26	0	0	0	0	J	U	U	2	0	2	J	-	-	J	J	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

				****	*****	****	*****	****	******	AGE	AT DEA	TH(YRS	.) ***	*****	****	*****	*****	****	****
CA	_	EATH GROUPS SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 t	0-14 1	5-19	20-24 2 5	-34 3	35-44 4	5-54 5	5-59 6	iO-64 6	5-69	70-74	75-79 8	0-84	OVER 84
((CONT.)																		
M	ALIGNANT	NEOPLASMS OF:	OTHER SITES	WITHIN TH	HE LIP.	ORAL	CAVIT	Y AND	PHARYNX	(142	2-145.1	49.1-1	49.9)						
	MALE		14	0	0	0	0	0	0	Ò	1	0	2	2	3	3	2	0	1
	FEMALE		4	0	0	0	0	0	0	0	0	1	0	0	1	0	2	0	0
	TOTALS		18	0	0	0	0	0	0	0	1	1	2	2	4	3	4	0	1
MA	ALIGNANT	NEOPLASMS OF:	ESOPHAGUS (150)															
	MALE		30	0	0	0	0	0	0	0	0	7	2	2	5	6	4	4	0
	FEMALE		17	0	0	0	0	0	0	0	0	1	0	†	3	2	6	0	4
	TOTALS		47	0	0	0	0	0	0	0	0	8	2	3	8	8	10	4	4
MA	ALIGNANT	NEOPLASMS OF:	STOMACH (15	t)															
	MALE		32	0	0	0	0	0	0	†	0	3	2	†	6	7	5	3	4
	FEMALE		33	0	0	0	0	0	0	0	1	2	0	5	2	5	2	7	9
	TOTALS		65	0	0	0	0	0	0	1	1	5	2	6	8	12	7	10	13
MA	ALIGNANT	NEOPLASMS OF:	SMALL INTES	TINE, INCL	LUDING	DUODE	NUM (1	52)											
	MALE		2	0	0	0	0	0	0	0	0	0	0	†	0	0	1	0	0
	FEMALE		2	0	0	0	0	0	0	0	0	0	0	0	O	0	1	0	1
	TOTALS		4	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	1
MA	LIGNANT	NEOPLASMS OF:	HEPATIC AND	SPLENIC F	FLEXURE	ES AND		VERSE		153.C),153.1	,153.7)						
	MALE		1	0	0	0	0	0	0	0	0	0	†	0	0	0	0	0	0
	FEMALE		4	0	0	0	0	0	0	0	0	1	0	0	0	Ť	2	0	0
	TOTALS		5	. 0	0	0	0	0	0	0	0	1	1	0	0	1	2	0	0
MA		NEOPLASMS OF:	SIGMOID COLO													_	_	_	_
	MALE		5	0	0	0	0	0	O	0	0	0	0	2	0	1	2	0	0
	FEMALE		.3	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1
	TOTALS		8	0	0	0		0	0	0	. 0	0	0	2	2	1	2	0	1
FΨA		NEOPLASMS OF:	CECUM, APPER				LON (15				_		•		_	_	^		2
	MALE		5	0	0	0	0	0	0	0	0	1	0	†	0	.0	0	1	1
	FEMALE		4	0	0	0	0	0	0	0	0	0	†	†	0	0	1	0	3
	TOTALS	NEOD! ACMC OF	9	0	0	0	•	0	0	0	0	1	1	2	0	O	ī	'	3
		NEOPLASMS OF:			0				0	0	1 ·	4	8	13	17	25	22	13	6
	MALE FEMALE		109	0	0	0	0	0	0	0	+	7	6	12	2†	19	26	†7	25
	TOTALS		134 243	0	0	0	0	0	0	0	2	11	14	25	38	44	48	30	31
		NEOPLASMS OF:		•	JUNCTI	•	•	(154		U	2	' '	14	23	38	74	40	30	٠,
TPI A	MALE	MEUPLASMS UF:	38	O	0	O O	0	(134	, 0	0	1	2	4	4	6	2	7	5	7
	FEMALE		28	Ö	Ô	o o	Ö	ő	Ö	Õ	ó	1	ō	4	4	6	5	3	5
	TOTALS		28 66	0	o	o o	o o	ő	ő	õ	1	э	4	8	10	8	12	8	12
RA A		NEOPLASMS OF:		. •		•	J	J	•	J	•	•	_			•		_	. –
	MALE	NEUFLASMS UF.	4	0	, 0	O	O	0	O	Q	0	1	1	0	1	0	1	0	0
	FEMALE		6	Õ	Ô	Ô	Õ	Õ	ő	ő	Õ	Ö	ò	1	· †	1	2	1	ō
	TOTALS		10	Õ	õ	õ	Ô	õ	ő	õ	õ	Ť	1	•	2	1	3	1	ō
		NEOPLASMS OF:				_	•	•	•	•	•	•	•	•	_	•	-		
	MALE	o. cadmo di.	2	0	0	0	0	0	0	0	0	1	0	t	0	0	0	0	0
	FEMALE		†	ŏ	Ö	õ	ŏ	ŏ	Ö	ō	ŏ	Ó	ō	1	ō	ō	ō	o	0
	TOTALS		3	ŏ	ŏ	ŏ	ō	ō	ō	ŏ	ō	1	ŏ	2	ō	ō	. 0	0	0
			-	-															

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

-	DEATH GROUPS D SEX	TOTAL DEATHS	******* UNDER 1	***** 1-4	****** 5-9 to	***** 0-14	******* 15-19 20				ATH(YRS 45-54 5					75-79 8	***** 30-84	***** OVER 84
(CONT.)																		
MALIGNANT	NEOPLASMS OF:	LIVER, NOT S	PECIFIED	AS PR	RIMARY	OR SEC	CONDARY	(155.	2)									
MALE		9	0	0	0	0	0	0	0	0	1	1	0	1	0	7	2	3
FEMALE		12	0	0	0	0	0	0	0	0	1	1	0	3	1	2	0	4
TOTALS		21	0	0	0	0	0	0	0	0	2	2	0	4	†	3	2	7
	NEOPLASMS OF:	GALLBLADDER	AND EXTRA	HEPAT	IC BIL	E DUC	TS (156	•										
MALE		7	0	0	0	0	0	0	0	0	0	0	1	1	2	3	0	0
FEMALE		17	0	0	0	0	0	0	0	0	1	1	0	2	1	3	5	4
TOTALS		24	, 0	0	0	0	0	0	0	0	1	1	†	3	3	6	5	4
	NEOPLASMS OF:																	
MALE		65	0	0	0	1	0	0	0	3	5	2	7	10	15	12	5	5
FEMALE		68	О	0	0	0	0	0	0	0	1	5	7	12	12	15	9	7
TOTALS		133	0	0	0	1	0	0	0	3	6	7	14	22	27	27	14	12
	NEOPLASMS OF:		-	TONEL		OTHER		MITHIN			IVE ORG	- •		•	_		_	_
MALE		11	0	0	0	0	0	0	0	0	1	0	0	0	6	1	0	3
FEMALE		17	0	0	0	0	0	0	0	0	2	0	0	3	3	2	5	2
TOTALS		28	0	0	0	0	0	0	0	0	3	0	0	3	9	3	5	5
	NEOPLASMS OF:	• • •									_		_			_	_	_
MALE		18	0	0	0	0	0	0	0	0	2	1	8	4	†	2	. 0	0
FEMALE		3	0	0	0	0	. 0	0	0	0	0	1	0	1	0	0	0	1
TOTALS		21	0	0	0	O	0	0	0	.0	2	2	8	5	1	2	0	Ť
	NEOPLASMS OF:		- •		IG (162	,		_	_	_								
MALE		454	0	0	0	0	0	0	0	7	38	48	77	83	80	58	41	22 †5
FEMALE		247	0	0	0	0	0	0	0	4	29	17	37	43	42	40	20	37
TOTALS		70 t	0	0	0	0	0	. 0	0	11	67	65	114	126	122	98	61	3/
	NEOPLASMS OF:		·							DRACIC	ORGANS	-	, 163-16	•	_	•	_	_
MALE		3	0	0	0	0	0	0	0	0	0	0	1	-0	0	2	0	0
FEMALE		1	. 0	0	0.	0	0	0	0	0	0	0	. 0	0	0	0 2	†	0
TOTALS		4	0	0	0	. 0	0	0	0	0	. 0	0	1	0	0	2	Ţ	U
	NEOPLASMS OF:	BONE AND ART			•	-,		_	_	_	•		_	_			0	0
MALE		4	0	0	0	0	1	0	0	0	0	1	0	0	1	1 0	0	0
FEMALE		4	0	0	0	7	0	0	0	0	0	1	1	1	. 1	1	0	0
TOTALS	NEODI AGNG OF	8	0	0	0	(474)	, 1	0	0	0	0	2	T	1	1	1	U	0
	NEOPLASMS OF:			_	TISSUE		•	_	•		•	_		•	0	1		0
MALE		9	0	0	0	0	0	0	0	4	2	0	1 4	3 O	0	2	1	0
FEMALE		12	0	0	0	0	0	1	0	0	1 3	0	4 5	3	0	3	2	0
TOTALS	NEODI ACME OF	21	0	. , o	0	0	0	1	0	4	3	O	2	3	U	J	2	U
	NEOPLASMS OF:			•	_	_	_	0	3	2	O	2		O	0	5	2	0
MALE		15	0	0	0	0	0	0	_	3	1	1	ó	2	ŏ	†	†	1
FEMALE		11	0	0	0	0	0	0	1 4	ა 5	<u> </u>	3.	•	2	ő	6	3	i
TOTALS	NEODI 1616 GE	26	0	•	-	0	•	O	4	3	ı	3.	I	2	U	ď	3	•
	NEOPLASMS OF:				F SKIN	(173)	•	_		1	•	1	O	0	0	0	0	•
MALE		4	0	0	0	0	0	0	1	-	0	•	_	0	0	Ö	1	4
FEMALE		6	0	0	0	0	0	0	1	0	0	0	0	0	0	0	;	5
TOTALS	•	10	0	0	0	0	0	0	2	t	O	T	U	U	U	U	r	3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

			*****	*****	*****	*****	*****	*****	*** AGE	E AT DE	EATH(YR	S.) ***	****	*****	*****	*****	****	****
	DEATH GROUPS D SEX	TOTAL DEATHS	UNDER	1-4	5 -9	10-14					45-54							OVER 84
(CONT.)											,							
MALIGNANT	NEOPLASMS OF	: FEMALE BREAST	(174)															
FEMALE		207	0	0	0	0	0	0	3	20	27	23	24	22	25	19	23	21
TOTALS		207	Ō	0	0	0	0	0	3	20	2 7	23	24	22	25	19	23	21
	NEOPLASMS OF	: MALE BREAST (_	_	_	_	_	_	_	_	_	_			0	0	0
MALE		2	0	0	0	0	0	0	0	0	0	0	0	† †	†	0	0	0
TOTALS	NEGOL ACMC OF	2	0	0	0	0	O	U	O	O	O	O	U	,	,	U	U	U
MALIGNANI FEMALE	NEUPLASMS UF	: CERVIX UTERI 37	(08t) 0	0	0	0	0	0	4	4	9	3	2	2	7	2	2	2
TOTALS		37 37	0	0	Ô	Ô	Ô	o	4	4	9	3	2	2	7	2	2	2
	NEODIACMS OF	: OTHER PARTS O	•	•	3.181-		U	J	•	_	-		_	~	•	_	_	_
FEMALE	NEGFEASMS OF	24	01280	0	0	Ω .	0	0	0	†	3	0	4	3	0	8	3	2
TOTALS		24	ō	ō	ō	ō	ō	ō	ō	1	3	Ō	4	3	0	8	3	2
	NEOPLASMS OF	: OVARY AND OTH		INE A	NEXA	(E8t)												
FEMALE		64	0	0	0	0	0	0	0	5	4	3	11	10	17	3	4	7
TOTALS		64	0	0	0.	0	0	0	0	5	4	3	11	10	17	3	4	7
MALIGNANT	NEOPLASMS OF	: OTHER AND UNS	PECIFIE	D FEMA	ALE GE	NITAL	ORGANS	(184))									
FEMALE		8	0	0	0	0	0	0	0	0	1	0	2	0	1	2	0	2
TOTALS		8	0	0	0	0	0	0	0	0	1	0	2	0	1	2	0	2
MALIGNANT	NEOPLASMS OF	: PROSTATE (185																
MALE		132	0	0	0	0	0	0	0	0	4	2	10	13	22	25	28	28
TOTALS		132	0	0	0	0	0	0	0	0	4	2	10	13	22	25	28	28
	NEOPLASMS OF	: TESTIS (186)	_	_	_	_		_			_	_	o	0	0	0	o	0
MALE		3	0	0	0	0	0	0	1	2	0	0	0	0	Ô	o	ő	ŏ
TOTALS	NEODI ACMO OF	3	O	O	O	Ü	U	U		2	U	U	U	U	U	Ū	U	Ū
	NEUPLASMS UF	: BLADDER (188)	O	o	0	0	0	0	0	1	1	O	9	3	7	8	8	6
MALE FEMALE		43 23	0	0	0	ő	o o	0	o	Ö	÷	†	1	Ö	5	9	3	3
TOTALS		66.	o	0.	ő	ő	ő	o	Ô	1	2	•	10	3	12	17	11	9
	NEOPLASMS OF	=	HER UNS	_		INARY	ORGANS	_	_	•	_	•	. •	_				
MALE	NEGFEASING GI	44	0	0	0	0	0	0	Ó	0	3	2	8	7	8	7	5	4
FEMALE		29	ŏ	ŏ	ō	ō	ō	ō	ō	1	1	1	2	8	3	6	4	3
TOTALS		. 73	ŏ	ō	ō	ō	Ō	0	0	1	4	. 3	10	15	11	13	9	7
MALIGNANT	NEOPLASMS OF	: EYE (190)	-															
FEMALE		2	´ O	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTALS		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
MALIGNANT	NEOPLASMS OF	: BRAIN (191)												_	_	_		_
MALE		32	0	0	0	0	0	0	0	5	3	8	†	6	3	2	4	0 2
FEMALE		25	0	Ť	0	0	0	0	2	2	1	0	3	6	6 9	1 3	† 5	2
TOTALS		57	0	1	0	0	0	0	2	7	4	8	4	12	9	3	3	2
	NEOPLASMS OF	: THYROID GLAND				GLANDS O	S, RELA	TED ST	TRUCTUR 1	7ES (T) O	(194 - EE	0	0	0	2	0	2	0
MALE		6	0	0	0	0	0	0	o	0	Ö	o	1	o o	ō	Ö	ō	†
FEMALE		2 8	0	0	0	0	0	0	1	0	1	ő	, i	ő	2	ŏ	2	†
TOTALS	NEODIACMO DE	a : ALL OTHER AND	_	_	SITES		- 199)	U	r	. •	'	3	•	•	_	•	-	
MALE	NEUFLASMS UF	: ALL GIMER AND	ONSPEC	0	0	(193	133)	0	1	2	11	6	11	16	8	21	10	13
FEMALE		.89	0	Ö	ő	ő	Ö	Ö	Ó	ō	7	4	6	8	12	17	11	24
TOTALS		188	Ö	ŏ	ō	ŏ	ō	ō	1	2	18	10	17	24	20	38	21	37
			=															

CAUSE OF DEATH GROUPS	TOTAL		***** 1-4	******			******* 0-24 25										***** OVER
AND SEX	DEATHS	†	1-4	J-3 IV	J- 14 1	J 13 20	0 24 23		, ++ +,	. 54 5.	. J. U.	,	3 35 7	0 /4 /	3 ,3 4	0 04	84
(CONT.)												,					
LYMPHOSARCOMA AND RETICUL	OSARCOMA (2	00)															
MALE	11	0	0	0	0	0	0	1	0	2	1	1	2	3	0	1	0
FEMALE	17	0	0	0	0	0	0	0	†	2	0	2	4	3	2	†	2
TOTALS	28	0	0	0	0	0	0	1	†	4	†	3	6	6	2	2	2
HODGKIN'S DISEASE (201)																	
MALE	3	0	0	0	0	0	0	Ť	1	0	0	0	0	1	0	0	0
FEMALE	3	0	0	0	0	0	1	0	0	0	Ο.	†	0	0	1	0	0
TOTALS	6	0	0	0	0	0	t	1	1	0	0	1	0	1	1	0	0
OTHER MALIGNANT NEOPLASM	OF LYMPHOID	AND HIS	TIOCY	TIC TIS	SUE (2	02)											
MALE	29	0	1	0	0	0	0	0	0	2	1	3	4	7	5	3	3
FEMALE	34	0	0	0	0	0	0	0	1	4	1	2	4	7	9	3	3
TOTALS	63	Ō	1	0	0	0	0	0	1	6	2	5	8	14	14	6	6
MULTIPLE MYELOMA AND IMML		_	PLASMS	5 (203)	-	-											
MALE	† 9	0	0	```	0	0	t	0	0.	t	2	2	3	t	3	3	3
FEMALE	30	ŏ	ŏ	Ö	ŏ	ŏ	ò	ō	1	†	3	2	2	3	6	10	2
TOTALS	49	ő	õ	ő	ŏ	ŏ	Ť	ō	Ť	2	5	4	5	4	9	13	5
LYMPHGID LEUKEMIA (204)	73	0	U	Ü	•	Ū	•	•	•	_		•			-		
MALE	12	0	0	†	0	0	1	0	o	0	1	1	0	5	3	0	0
			0	Ó	Ö	0	ö	Ö	ő	ő	Ö	i	2	1	ō	2	4
FEMALE	10	0	_	_	_	0	1	0	0	Ö	1	2	. 2	6	3	2	4
TOTALS	22	0	0	1	0	O	1	U	U	U	•	2	. 2	u		2	
MYELOID LEUKEMIA (205)		_	_	_	_	_	•	_	0	4	2	2	4	2	1	4	3
MALE	22	0	0	0	0	0	0	0	_	-	_	2 5	6	2	4	3	4
FEMALE	29	0	0	0	0	1	1	1	0	2	0	_	_		5	7	7
TOTALS	51	0	0	0	0	1	1	1	. 0	6	2	7	10	4	5	,	,
MONOCYTIC LEUKEMIA (206)								_	_	_	_	_	_	_			_
MALE	2	0	0	0	0	0	0	О	0	0	0	0	0	0	1	1	0
FEMALE	†	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	3	0	0	0	0	0	0	О	0	0	0	0	0	0	1	1	1
OTHER AND UNSPECIFIED LEU	JKEMIA (207-	208)														_	_
MALE	14	0	0	0	0	0	0	0	0	2	0	2	3	4	0	0	3
FEMALE	10	0	0	0	0	0	1	0	1	0	0	3	1	0	0	1	3
TOTALS	24	0	0	0	0	0	†	0	1	2	0	5	4	4	0	1	6
BENIGN NEOPLASMS OF EYE,	BRAIN AND O	THER PAR	TS OF	NERVOU	S SYST	EM (22	4-225)										
FEMALE	2	0	0	0	0	0	0	. 0	0	1	0	0	0	0	1	0	О
TOTALS	2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0
BENIGN NEOPLASMS OF ALL O	THER AND UN	SPECIFIE	D SIT	ES (210	-217.2	22-223	,226-22	29)									
MALE	2	0	0	Ò	0	0	0	0	0	0	2	0	0	0	0	0	0
FEMALE	1	ō	ō	Ö	Ō	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	3	Ö	ō	Ō	O	Ō	Ö	0	0	0	2	0	0	0	0	1	0
NEOPLASMS OF UNCERTAIN BE	HAVIOR (235	•	_	-	-	-	-	-									
MALE	4	0	0	0	Ò	0	0	0	t	0	0	0	2	0	1	0	0
FEMALE	4	ő	ő	ŏ	ŏ	ŏ	ŏ	ŏ	Ó	ō	t	Ō	0	1	1	0	1
TOTALS	a	Ô	ő	õ	Ö	ő	Õ	Ö	1	ŏ	Ť	ŏ	2	t	2	O	1
NEOPLASMS OF UNSPECIFIED	NATURE (444	-	J	J		J	J	•	•	•		-	_	•			
	15	, 0	O	0	0	0	o	1	1	1	0	4	0	0	t	5	2
MALE	15	U	U	U	U	J	U	'	•	•	J	•	J	•	•		_

TABLE D-3 DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1986 (RESIDENT DATA)

		*****	*****	*****	*****	****	*****	* AGE	AT DEAT	H(YRS.) ***	*****	*****	*****	****	****	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1		5-9 t	0-14 1	5-19 2	0-24 2	5-34 3!	5-44 45	5-54 55	5-59 6	0-64 6	5-69 7	70-74 7	75-79 8	0-84	OVER 84
(CONT.)																	
FEMALE	10	0	1	0	0	0	0	0	0	0	0	1	2	0	t	2	3
TOTALS	25	õ	1	o ·	ō	ō	ō	1	1	1	ō	5	2	ō	2	7	5
DISORDERS OF THYROID GLAND		J	•	_	. •	Ū	, •				•	•	_	•	_		_
FEMALE	6	0	0	0	0	0	0	0	0	0	t	0	0	0	0	2	3
TOTALS	6	õ	Õ	Õ	õ	Õ	õ	ō	Õ	õ	i	õ	Ö	ō	Õ	2	3
DIABETES MELLITUS (250)		J	J	Ū	•	·	•	•	•	•	•	•	•	•	•	_	•
MALE	72	0	0	0	0	0	0	t	3	3	3	7	12	12	12	11	8
FEMALE	110	C	õ	Õ	Õ	Ö	Ö	2	1	2	1	13	10	17	21	18	25
TOTALS	182	ő	õ	Õ	Õ	Õ	õ	3	4	5	4	20	22	29	33	29	33
DISORDERS OF THE PITUITARY		-	_	AMIC CO	_	(253)	•	_	•	•							
MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	,	o	o	Ö	Õ	o o	Ö	o o	Õ	Ö	1	Õ	ŏ	Ö	õ	ő	Õ
DISORDERS OF ADRENAL GLAND	15 (255)	· ·	J	0	•	0	•	J	•	٠.	•	•	·	J	•	·	•
FEMALE	75 (255)	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
TOTALS		o	Ö	Ô	Õ	Õ	Ö	o	Õ	ő	Õ	i	ő	Õ	õ	ő	ő
CYSTIC FIBROSIS (277.0)	•	U	U	U	U	Ū	U	J	U	U	U	•	U	J	U	J	U
MALE	3	1	1	0	O	0	0	0	t	0	0	Ω	0	0	0	0	0
FEMALE	2	ó	ó	ő	ŏ	1	1	Ö	Ö	Ö	Ö	ő	Ö	ő	ő	Ö	ő
TOTALS	2	1	1	0	ő	, †	1	0	1	0	o	Ô	o	o o	Ô	o	0
OBESITY (278.0)	3		ı	U	U	,	•	U	,	U	U	U	U	U	U	U	U
FEMALE		0	o	o	0	0	0	1	0		O	o	0	0	2	۰0	0
TOTALS	4	0	0	0	o	Ô	0	†	0	1	0	Ö	Õ	Ô	2	0	0
· - · · · - ·	~	•	_	_	_	1-252.:	•	•	•	-	•	•	-	U	2	U	U
ALL OTHER ENDOCRINE, METAE MALE			**************************************	0 01308	U. (23 †	-	23 0 -23: 1	3,2/U,. †	3	2	2	0	9)	t	3	0	4
_	19	0	0	0	Ó	0	ó	0.	0	0	2	2	1	2	2	5	6
FEMALE	22	2	7.	0	1	0	_	-	3	2	4	2	i i	3	5	5	10
TOTALS	41	. 2	1.	O	1	0	1	1	3	2	4	2	•	3	3	3	10
OTHER PROTEIN-CALORIE MALN	- · · · · - · ·	262-263)	_	•	_	_	_	_	_	_	_	_	0	~	_	0	2
MALE	4	0	0	0	0	0	0	0	0	0	0	0	_	2	0	-	7
FEMALE	11	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	9
TOTALS	15	0	0	0	0	0	0	0	0	0	0	0	0	3	1	2	3
DEFICIENCY ANEMIAS (280-28	•	_	_	_	_	_	_	_	_	_	_	_	_	_	_		
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTALS	. 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
HEMOLYTIC ANEMIAS (282-283	3)			_			_		_	_	_	_	_	_	_		_
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	†	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
APLASTIC ANEMIA (284)													_	_	_		_
MALE	5	0	0	0	0	0	0	0	0	0	1	0	0	1	2	1	0
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
TOTALS	9	0	0	0	0	0	0	0	0	0	1	0	0	1	2	1	4
OTHER AND UNSPECIFIED ANEN	4IAS (285)															_	_
MALE	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	†	4
TOTALS	9	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	6
PURPURA AND OTHER HEMORRHA	GIC CONDIT	IONS (28															_
MALE	†	0	0	0	0	0	0	0	0	0	0	0	0	0	t	0	0

		****	*****	****	*****	****	*****	** AGE	AT DE	ATH(YRS	.) ***	****	*****	****	*****	****	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1								45-54 5							
(CONT.)																	
FEMALE	3	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1
TOTALS	4	0	0	0	0	0	1	0	0	1	0	0	0	0	1	0	1
ALL OTHER DISEASES OF BLOOD	AND BLOO	D-FORMING	G ORGA	INS (28	6,288-2	289)											
MALE	7	0	0	0	0	0	0	0	0	0	0	0	1	3	2	0	†
FEMALE	6	0	t	0	0	0	0	0	0-	1	. 0	1	0	0	1	1	7
TOTALS	t3	0	1	0	0	0	0	0	0	1	0	1	1	3	3	1	2
SENILE AND PRESENILE ORGAN	C PSYCHOT	IC CONDI	TIONS	(290)													
MALE	14	0	0	0	0	0	0	0	0	0	0	0	0	0	5	4	5
FEMALE	23	0	0	0	0	0	0	0	0	0	0	0	1	1	. 3	2	16
TOTALS	37	0	0	0	0	0	0	0	0	0	0	0	1	1	8	6	21
ALCOHOLIC PSYCHOSES (291)																	
MALE	2	0	0	0	0	0	0	0	†	0	0	0	1	0	0	0	0
TOTALS	2	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0
ALL OTHER PHYCHOSES (292-29	3 9)																
MALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3
FEMALE	1 5	0	0	0	0	0	0	0	0	0	0	0	1	0	3	7	4
TOTALS	21	0	0	0	0	0	0	0	. 0	0	0	0	1	0	4	9	7
ALCOHOL DEPENDENCE SYNDROME	E (303)																
MALE	20	0	0	· 0	0	0	0	0	0	4	3	4	4	2	2	0	1
FEMALE	6	0	0	0	0	0	0	0	1	0	†	2	2	0	0	0	0
TOTALS	26	0	0	0	0	0	0	0	1	4	4	6	6	2	2	0	1
OTHER NEUROTIC, PERSONALITY	AND NONP	SYCHOTIC	MENTA	L DISO	RDERS ((300-	302,305	5-316)									
MALE	10	0	0	0	0	0	0	0	0	1	0	0	0	1	2	1	5
FEMALE	2 2	0	0	0	0	0	e	0	0	0	0	0	1	0	1	3	17
TOTALS	3 2	0	0	0	0	0	0	0	0	1	0	0	1	1	3	4	22
MENTAL RETARDATION (317-319	3)																
MALE	1	0	0	. 0	0	0	0	0	0	0	0	1	0	0	0	0	0
TOTALS	1	o ´	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
MENINGITIS (320-322)																_	_
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
FEMALE	3 .	0	0	0	0	0	0	0	†	0	0	0	0	0	1	1	0
TOTALS	4	0	0	0	0	1	0	0	Ť	0	0	0	0	0	1	1	0
PARKINSON'S DISEASE (332)													_	_		_	_
MALE	18	0	0	0	0	0	0	0	0	0	1	0	0	2	1	5	9
FEMALE	19	0	0	0	0	0	0	0	0	0	0	0	O	2	4	8	5
TOTALS	37	0	0	0	. 0	0	0	0	0	o	1	0	0	4	5	13	14
OTHER HEREDITARY AND DEGENE	ERATIVE DI	SEASES O	F THE		L NERVO	ous s	YSTEM (31,333	•				_			
MALE	48	1	0	0	0	0	1	0	0	1	3	2	4	5	4	14	13
FEMALE	89	†	0	0	0	0	0	0	4	2	2	3	1	5	18	23	30
TOTALS	137	2	0	0	0	0	1	0	4	3	5	5	5	10	22	37	43
MULTIPLE SCLEROSIS (340)											_	_	_	_	_	_	^
MALE	†	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
FEMALE	7	0	0	0	0	0	0	0	1	2	0	†	0	†	2	0	0
TOTALS	8	0	0	0	0	0	0	0	1	2	1	1	0	1	2	0	0

			1-4														
(CONT.)																	
INFANTILE CEREBRAL PALSY (343)																
MALE	· †	0	0	C	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	2	ō	Ō	ō	1	1	0	0	0	0	0	0	0	0	0	0	0
TOTALS	3	0	0	Ō	1	1	0	0	0	0	. 0	0	0	0	0	0	1
EPILEPSY (345)																	
MALE	5	O	0	0	0	0	0	0	1	1	0	0	†	0	2	0	0
FEMALE	2	ō	ō	ō	Ō	ō	0	0	0	t	0	0	0	0	†	0	0
TOTALS	7	ő	ŏ	ő	ō	ō	ō	ō	1	2	ō	ō	1	ō	3	0	0
OTHER DISEASES OF THE NERVO	•	_	_	_	344.346	s-359)	_	_			_						
MALE	13	0	1	1	0	1	0	0	1	0	0	1	0	3	3	†	1
FEMALE	20	1	o .	o o	Õ	Ö	ā	2	Ó	ō	Õ	2	2	3	2	3	5
TOTALS	33	†	1	1	Õ	1	ō	2	1	ō	ō	3	2	6	5	4	6
DISEASES OF MITRAL VALVE (•	•	•	Ū	•	·	_	•	•	•	_	_	_	_		
MALE	2	0	0	0	. 0	0	0	0	0	0	. 0	0	0	0	t	0	1
FEMALE	3	ő	o	0	Õ	ő	ő	ō	Ö	ŏ	ŏ	Ö	o o	1	Ť	†	0
TOTALS	5	Ö	Ô	o o	Õ	õ	ō	ā	Õ	Õ	Õ	Õ	ŏ	†	2	Ť	1
DISEASES OF MITRAL AND AOR	_	_	U	U	•	·	J	·	•	Ŭ	·	J		•	_		
MALE MALE	1	(350)	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	2	Ö	Ö	0	0	ő	ő	_	ō	ő	1	Õ	Õ	Õ	Õ	Ó	†
TOTALS	• 3	0	Ô	0	Ô	Ô	o	_	Õ	Õ	1	õ	o o	Ö	Õ	†	1
ALL OTHER CHRONIC RHEUMATIC	_	9	•	÷	•	U	U	U	U	J	'	J	U	J	J	•	•
	3 HEART DI	SEASE (3 O	93,397	0	, ,	0	0	0	0	0	0	1	1	0	0	1	0
MALE Female		0	0	- 0	0	o	0	0	0	1	0	Ó	2	3	t	2	1
	10	_	_	_	0		0	0	0	†	0	1	3	3	<u> </u>	3	1
TOTALS	E†	0	0	0	Ü	0	O	U	U	ſ	U	'	J	3	ı	3	•
ESSENTIAL HYPERTENSION (40	•	_	_	•	_	_	10	_		_	0	.0	3	3	0	2	3
MALE	11	0	0	0	0	0	0	0	0	0	0	0	3 †	2	2	4	3
FEMALE	12	0	0	0	0	0	_	0	0	0	0	0	4	5	2	6	6
TOTALS	23	0	0	0	0	. 0	.0	O	O	U	. 0	U	4	3	2	9	Ü
HYPERTENSIVE HEART DISEASE		_	_	_	_	_	_			_		1	2	2	2	1	5
MALE	24	0	0	0	0	0	0	1	1	5	4	•	_	6	6	10	28
FEMALE	5 5	0	0	0	0	0	0	_	0	3	0	1 2	1	_	8	11	33
TOTALS	79	0	0	0	0	0	0	1	1	8	4	2	3	8	8	11	33
HYPERTENSIVE RENAL DISEASE		_		_	_	_	_	_	_	_	_		_			0	3
MALE	9	0	0	0	0	0	0	_	0	0	0	†	2	1	2	_	4
FEMALE	9	0	0	0	0	0	0	_	0	0	0	0	1	0	3	†	7
TOTALS	18	.0	0.	.0	0	0	0	0	0	0	0	Ť	3	†	5	1	,
HYPERTENSIVE HEART AND RENA	AL DISEASE				_	_	_	_	_	_	_	_	_	_		_	0
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	4
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	T	4
ACUTE MYOCARDIAL INFARCTION					i i									,		440	400
MALE	884	0	0	0	0	0	0	3	28	62	70	77	134	138	147	119	106
FEMALE	697	0	0	0	0	0	0	0	4	16	15	39	51	97	139	131	205
TOTALS	1,581	0	0	0	0	0	0	3	32	78	85	116	185	235	286	250	311

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** UNDER †	***** 1~4	****** 5-9 1			****** 20-24 2										
(CONT.)																	
OTHER ACUTE AND SUBACUTE	FORMS OF IS	CHEMIC H	EART I	DISEASE	[(411))											
MALE	14	0	0	0	0	0	0	0	1	3	1	2	3	1	1	1	1
FEMALE	†2	0	0	0	0	0	0	0	0	1	0	†	2	3	1	1	3
TOTALS	26	0	0	0	0	0	0	0	1	4	1	3	5	4	2	2	4
ANGINA PECTORIS (413)						*						•					
MALE	3	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	1
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2
TOTALS	7	0	0	0	0	0	0	0	0	0	0	2	1	0	0	1	3
ALL OTHER FORMS OF CHRONIC	-	_	SEASE	(412,4	l†4)												
MALE	711	0	0	0	0	0	0	1	13	22	28	67	7 1	99	133	121	156
FEMALE	700	0	0	0	0	0	0	1	0	8	7	27	51	54	80	134	338
TOTALS	1,411	0	0	0	0	0	0	2	13	30	35	94	122	153	213	255	494
DISEASES OF PULMONARY CIR	CULATION (4	15-417)															
MALE	28	1	0	0	0	0	0	0	0	0	3	†	4	4	7	3	5
FEMALE	31	2	0	0	0	0	0	0	0	2	3	0	3	5	2	5	9
TOTALS	59	3	О	0	0	0	0	0	0	2	6	1	7	9	9	8	14
ACUTE AND SUBACUTE ENDOCA	RDITIS (421	•															
MALE	5	0	0	0	0	0	0	0	0	0	0	2	1	0	1	0	Ť
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	6	0	0	0	0	0	0	0	0	0	0	2	1	. 1	1	0	†
ACUTE PERICARDITIS, ACUTE	MYCCARDITI	-					•	•									
MALE	3	0	0	0	0	0	0	†	0	0	0	0	0	0	0	0	2
FEMALE	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
TOTALS	. 5	0	0	0	0	C	0	2	1	0	0	0	0	0	0	0	2
MITRAL VALVE DISORDERS (4:	-,														_		_
MALE	. 3	0	0	0	0	0	0	0	0	1	†	0	1	0	0	0	.0
FEMALE	8	0	0	0	0	0	0	0	0	0	0	1	0	1	2	3	1
TOTALS	11	0	0	0	0	0	0	0	0	1	1	, 1	1	1	2	3	1
AURTIC VALVE DISORDERS (4:	•													_		_	_
MALE	20	0	0	0	0	0	0	0	0	0	2	0	†	5	4	2	6
FEMALE	29	0	0	0	0	0	0	0	0	0	0	0	1	2	7	† †	8
TOTALS	49	0	Ō	, 0	0	0	0	0	0	0	2	0	2	7	11	13	14
ALL OTHER DISEASES OF END	OCARDIUM (4		-							_	_		_	_	_	_	_
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
FEMALE	4	, O	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0
TOTALS	5	0	0	0	0	0	0	0	0	0	0	1	0	2	0	2	0
HEART FAILURE (428)			_	_	_	_	_		_		_		_	_			a =
MALE	75	0	0	0	0	0	0	0	0	†	0	4	6	6	15	18	25
FEMALE	117	o	0	0	0	0	0	0	0	1	2	0	7	9	10	21	67
TOTALS	192	0	0_	0	0	0	0	0	0	2	2	4	13	15	25	39	92
MYOCARDITIS, UNSPECIFIED							_	_			_	_		_	_	_	_
MALE	3	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	0
LLBATAIC	3	0	0	0	0	0	0	0	O	0	0	0	0	0	0	0	3
FEMALE TOTALS	6	Ö	õ	Õ	Õ	ā	ō	Õ	†	1	Õ	ã	1	ō	ō	0	3

		****	****	*****	*****	*****	*****	*** AG	E AT DE	ATH(YR	S.) **:	*****	****	*****	*****	*****	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER †	1-4											70-74	75-79	80-84	OVER 84
(CONT_)																	
ALL OTHER FORMS OF HEART	DISEASE (42	5-427,42	9.2-42	29.9)													
MALE	331	0	0	0	0	0	0	2	11	18	2 2	33	32	56	41	47	69
FEMALE	376	1	1	0	0	0	1	0	3	8	8	13	19	33	55	65	169
TOTALS	707	1	1	0	0	0	1	2	14	26	30	46	51	89	96	112	238
SUBARACHNOID HEMORRHAGE	(430)																
MALE	16	0	0	0	0	0	0	1	4	2	4	1	1	2	1	0	O
FEMALE	22	0	0	0	0	0	0	1	0	2	2	3	3	1	2	5	3
TOTALS	38	0	0	0	0	0	0	2	4	4	6	. 4	4	3	3	5	3
INTRACEREBRAL AND OTHER	INTRACRANIAL	HEMORRH	IAGE (4	131-43	12)												
MALE	41	0	0	0	0	0	0	1	0	5	2	3	4	8	6	7	5
FEMALE	51	0	0	0	0	0	O	0	0	1	3	3	7	1.0	8	5	14
TOTALS	92	0	0	0	0	0	0	1	0	6	5	6	11	18	14	12	19
OCCLUSION AND STENOSIS O	F PRECEREBRA	L ARTERI	ES (43	33)													
MALE	6	0	0	0	0	1	0	2	0	0	0	0	0	2	0	1	0
FEMALE	15	0	0	0	0	0	0	0	0	0	0	1	0		3	5	5
TOTALS .	21	0	0	0	0	1	. 0	2	. 0	0	0	1	0	3	3	6	5
CEREBRAL THROMBOSIS AND	UNSPECIFIED	OCCLUSIO	N OF	CEREBR	AL AR	TERIES	•	0,434.9	•								
MALE	31	0	0	0	0	0	0	1	0	0	1	3	4	3	4	6	9
FEMALE	56	0	0	0	0	0	0	0	0	0	0	0	4	4	6	14	28
TOTALS	87	0	0	0	0	0	0	t	0	0	1	3	8	7	10	20	37
CEREBRAL EMBOLISM (434.1	1)														_	_	_
MALE	3	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	. 2
FEMALE	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	t	0
TOTALS	5	0	0	0	1	0	0	0	0	0	1	0	0	0	0	t	2
ACUTE BUT ILL-DEFINED CE	REBROVASCULA	R DISEAS	E (436	5)									_				
MALE	137	0	0	0	0	0	0	0	0	2	3	1	5	27	22	42	35
FEMALE	291	О	0	0	0	0	0	0	. 0	2	2	7	12	27	50	53	138
TOTALS	428	0	O	0	0	. 0	0,	0	0	4	5	8	17	54	72	95	173
OTHER CEREBROVASCULAR DI	SEASE (435,4	37-438)											_		_	_	
MALE	29	0	0	0	0	0	0	0	0	0	0	2	0	1	6	. 5	15
FEMALE	64	0	0	0	0	0	0	0	0	0	0	0	1	6	8	11	38
TOTALS	93	0	0	0	0	0	0	0	0	0	0	2	1	7	14	16	53
ATHEROSCLEROSIS (440)							_	_			_	_	_		_	4-	
MALE	60	0	0	0	0	0	0	0	0	1	3	. 4	6	4	6 8	15 16	2 † 87
FEMALE	122	0	0	0	0	0	0	0	_	1	0	. 3	0		_	_	108
TOTALS	182	0	0	0	O	0	0	0	0	2	3	7	6	11	14	31	IUa
AORTIC ANEURYSM (441)						_	_	_	_	_	_				40	40	5
MALE	58	0	1	0	0	0	0	0	0	0	3	4	10	10	Et	12 9	10
FEMALE	45	0	0	0	0	0	0	0	0	0	0	2	5	6	13	21	15
TOTALS	103	0	1	0	0	0	0	0	. 0	0	3	6	15	16	26	∠ 1	13
ALL OTHER DISEASES OF AR						(442-44	- •	_	_	_	•	0	7	4	3	4	1
MALE	22	0	0	0	0	0	0	0	0	1	2	_	ó	3	3 6	6	12
FEMALE	29	0	0	0	0	0	0	0	0	, 1	† 3	0	7	7	9	10	13
TOTALS	51	0	0	0	0	0	0	0	0	2	3	U	,	,	9	10	13

		*****	*****	*****	*****	*****	****	* AGE A	AT DEAT	TH(YRS	.) ***	****	*****	****	*****	****	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10)-14 15	5-19 20	-24 25	5-34 35	5-44 49	5-54 5	5-59 6	0-64 6	5-69 7	0- 74 7	5-79 8	0-84	OVER 84
(CONT.)						-											
PHLEBITIS, THROMBOPHLEBI																	
MALE	3	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0
FEMALE	4	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2
TOTALS	7	0	0	0	0	0	0	0	0	1	1	1	0	1	0	1	2
OTHER DISEASES OF VEINS.	LYMPHATICS.	AND CIRC	CULATOR	RY SYST	TEM (45	54-459)											
MALE	6	1	0	0	0	0	0	0	0	0	1	1	0	1	2	0	0
FEMALE	. 7	0	0	0	0	0	0	0	. 0	0	0	1	1	2	1	0	2
TOTALS	· 13	†	0	0	0	0	0	0	0	0	· 1	2	1	3	3	0	2
ACUTE UPPER RESPIRATORY	INFECTIONS (4	460-465)															
FEMALE	1	0	0	0	٥.	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
ACUTE BRONCHITIS AND BRO	NCHIGLITIS (4	166)															
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	7	0	0	1	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	7	0	0	2	0
VIRAL PNEUMONIA (480)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	†	0	0	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
PNEUMOCOCCAL AND OTHER B	ACTERIAL PNEL	JMONIA (4	18 1 - 482	2)													
MALE	18	0 `	0	0	0	0	0	0	0	0	1	1	2	3	3	4	4
FEMALE	8	0	0	0	0	0	0	0	0	0	1	2	0	2	t	0	2
TOTALS	26	Ō	Ō	0	0	0	0	0	0	0	2	3	2	5	4	4	6
BRONCHOPNEUMONIA, ORGANI	SM UNSPECIFIE	ED (485)	_														
MALE	15	o í	0	0	0	0	0	1	0	0	0	1	0	2	3	2	6
FEMALE	21	ō	ō	ō	Ō	ō	ō	0	1	0	0	0	1	2	2	2	13
TOTALS	. 36	Ō	ō	0	Ō	ō	Ō	1	1	0	0	1	1	4	5	4	19
PNEUMONIA DUE TO OTHER A		ED ORGANI	ISM (48	33.486))												
MALE	140	0	1	o í	0	0	0	0	1	3	3	10	7	47	26	24	48
FEMALE	180	Ō	Ó	Ō	ō	0	ō	0	0	3	4	3	4	8	21	25	112
TOTALS	320	ō	1	Ō	ō	Ō	ō	0	1	6	7	13	11	25	47	49	160
INFLUENZA (487)	_	_															
MALE	11	0	0	0	0	0	0	0	0	0	0	0	2	1	3	2	3
FEMALE	31	ō	ō	Ō	Ō	0	Ō	0	0	1	0	0	1	2	1	4	22
TOTALS	42	Ō	ō	0	0	0	0	0	0	1	0	0	3	3	4	6	25
BRONCHITIS, NOT SPECIFIE		CHRONIC	_)	-												
MALE	2	0	0	Ó	0	0	0	0	0	0	0	0	0	2	0	0	0
FEMALE	· 1	ō	Ö	ō	ō	ō	Ō	ō	Ō	0	0	0	0	0	1	0	0
TOTALS	3	ő	Õ	Õ	Õ	ō	ō	ō	ō	ō	ō	ō	ō	2	1	0	0
CHRONIC BRONCHITIS (491)	•	ŭ	•	•	•	•	•	_	_								
MALE	21	0	0	0	0	Ο	0	0	0	0	t	2	0	5	5	5	3
FEMALE	14	ŏ	Ö	ŏ	Ö	ŏ	ŏ	ō	ō	ō	Ó	2	5	3	2	1	1
TOTALS	35	Õ	Õ	ŏ	õ	ŏ	Õ	ŏ	ŏ	ō	1	4	5	8	7	6	4
EMPHYSEMA (492)		•	-	-	-	-	-	-	-	-	•		_	_			
MALE	49	0	0	0	0	0	0	0	0	1	1	10	6	10	11	7	3
FEMALE	17	Ö	Ö	Ö	Õ	Õ	Õ	Õ	Õ	Ó	3	Ö	3	1	5	0	5
	••	-	-	-	-	-	-	-	-	-	-	-					

		*****	*****	*****	*****		*****									****	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER .	1-4	5-9 10	0-14 1	5-19 2										0-84	OVER 84
(CONT.)																	
TOTALS	66	0	0	. 0	0	0	0	0	0	t	4	10	9	11	16	7	8
ASTHMA (493)							_		_		_	_	_	_			_
MALE	11	0	0	0	0	0	0	0	0	†	3	2	2	†	1	1	0
FEMALE	1 6	· O	0	0	0	0	0	1	1	2	1	1	2	1	†	4	2
TOTALS	27	0	0	0	0	0	0	1	1	3	4	3	4	2	2	5	2
BRONCHIECTASIS AND EXTRINS	IC ALLERGIC	ALVEGL	ITIS (494-49	5)												_
MALE	5	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	3	1	2	0	0
TOTALS	11	0	0	0	0	0	0	0	0	0	0	0	3	2	3	1	2
CHRONIC AIRWAYS OBSTRUCTIO	N, NOT ELSE	WHERE C	LASSIF	TED (49	96)												
MALE	240	0	0	0	0	0	0	0	1	7	7	20	23	42	56	47	37
FEMALE	139	0	0	0	0	0	0	0	0	2	7	11	21	20	32	29	17
TOTALS	379	0	0	0	0	0	0	0	t	9	14	3 †	44	62	88	7 6	54
PNEUMOCONIOSES AND OTHER L	UNG DISEASE	S DUE TO	EXTE	RNAL A	GENTS	(500-5	08)										
MALE	14	0	0	0	0	Ò	Ō	0	0	0	†	0	3	2	†	4	3
FEMALE	11	Õ	Õ	ō	ō	Ō	ō	O	0	0	0	0	0	†	2	1	. 7
TOTALS	25	Ö	ō	õ	Õ	ō	ō	ō	Ô	Ō	1	Ō	3	3	3	5	10
EMPYEMA AND ABSCESS OF LUN		_	(5 tO . 5	-	•	•	-	_	-	-		_					
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	t
FEMALE	1	Õ	õ	ŏ	Õ	ő	ŏ	Õ	ŏ	ŏ	ō	ō	ō	ō	Ó	ō	1
TOTALS	5	Õ	o	0	Õ	Õ	ŏ	õ	Õ	õ	Õ	õ	Õ	2	1	Õ	2
PLEURISY (511)	a	U	U	U	U	U	U	U	U	U	•	•	Ū	_	•	•	_
	3	0	O	0	o	O	0	o	0	0	Q	O	1	1	1	0	0
MALE	3	_	-	0	0	0	0	Ö	Ö	Ö	o	ő	Ť	Ö	ò	ő	Õ
FEMALE	Ţ	0	0	•	_	0	0	0	0	0	0	ő	2	1	1	ő	o o
TOTALS	4	0	0	0	0	O	O	U	O	O	U	U	2	ı	•	U	J
ALL OTHER DISEASES OF RESP					_	_						_	_		7	7	5
MALE	40	1	0	0	0	0	1	1	†	1	1	5	6	4	9	6	8
FEMALE	37	1	0	0	0	0	1	0	1	1	3	4	3	0			t3
TOTALS	77	2	0	0	0	0	2	1	2	2	4	9	9	4	16	13	13
GASTRIC ULCER (531)											_	_	_		_	o	0
MALE	2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	_	_
FEMALE	5	0	0	0	0	0	0	0	0	0	0	†	Ť	0	0	2	†
TOTALS	7	0	0	0	0	0	0	0	0	1	0	7	†	1	0	2	1
DUODENAL ULCER (532)																	
MALE	12	0	0	О	0	0	0	0	0	0	0	0	2	†	4	4	1
FEMALE	6	0	0	0	0	. 0	0	0	0	0	0	0	1	1	1	1	2
TOTALS	18	0	0	0	0	0	0	0	0	0	0	0	3	2	5	5	3
PEPTIC ULCER. SITE UNSPECI		-															
MALE	4	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2	0
FEMALE	5	Ö	Õ	ō	ŏ	ō	ō	ō	Ó	0	0	0	0	2	7	1	1
TOTALS	9	Ô	Õ	Õ	ő	ŏ	ŏ	ŏ	1	ō	ō	1	0	2	t	3	1
GASTRITIS AND DUODENITIS (_	J	·	_	ū	_		-	•	-	-						
MALE	1	0	0	0	o	O	0	0	0	0	0	0	0	0	0	0	†
FEMALE	3	o o	o o	Ö	õ	õ	ő	õ	õ	Õ	ō	ō	ō	ō	Ō	0	3
LIMEL	3	9	J	•	•	Ŭ	J	-	•	_	-	-	-	-			

CONT.) TOTAL DEATH GROUPS TOTAL UNDER 1-4 5-9 10-14 15-19 20-24 25-34 35-44 45-54 55-59 60-84 65-69 70-74 75-79 80-84 84-884 (CONT.) TOTALS 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			*****	*****	*****	*****	****	****	* AGE	AT DEAT	TH(YRS	.) ***	*****	****	*****	*****	****	***
TOTALS 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		TOTAL	UNDER	1-4	5-9 t						, .							
TOTALS	AND SEX	DEATHS	1															84
APPENDICITIS (\$40-\$43) MALE 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(CONT.)																	
MALE 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	TOTALS	4	0	0	o	0	0	0	0	0	0	0	0	0	0	0	0	4
FEMALE 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0																		
TOTALS 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		t	_		_	_	_	_		_		_	_			-		
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTIAN (550-553.560) MALE 100000000000000000000000000000000000		_	-	-	-	•	-		•	-	1	-	_	_	_	_		_
MALE 11 0 0 0 0 0 0 0 0 0 0 1 2 2 2 0 0 0 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		•	•	•	•	•	•	•	-	-	1	•	0	0	0	0	2	0
FEMALE 22 0 0 0 0 0 0 0 0 1 2 1 1 1 0 3 3 3 1 1 T TOTALS 33 0 0 0 0 0 0 0 0 0 1 3 2 1 1 1 0 0 3 3 3 3 1 T TOTALS 33 0 0 0 0 0 0 0 0 0 1 3 3 3 3 0 0 0 0		Y AND INTES	TINAL OB				.)						
TOTALS 33 0 0 0 0 0 0 0 1 3 3 5 15 REGIONAL ENTERITIS AND IDIDPATHIC PROCTOCULITIS (5555-556) MALE 3 0 0 0 0 0 0 0 1 0 1 0 1 1 0 0 0 0 0 0			_	_	_		_	_		_	_	•	_		_	•		•
REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556) MALE MALE 3 0 0 0 0 0 0 0 1 0 1 1 0 1 0 0 0 0 0 0			0	_	_	_	_	_	_				•		_	_		
MALE			-	-	•	_	0	0	0	0	1	3	3	3	0	3	5	15
FEMALE 1 0 0 0 0 0 0 0 1 1 0 0 0 0 0 0 0 0 0						•									_	_	_	_
TOTALS 4 0 0 0 0 0 1 1 1 0 1 0 0 0 0 0 0 0 1 1 1 0 0 1 0	· · · · - -	3	•	_	•	_	_	_	•	•		_	•		_	-	-	
MALE 7 0 0 0 0 0 0 0 0 1 1 0 0 1 1 3 6 9 15 10 1 1 1 0 0 0 0 0 0 0 0 0 0 0 1 1 2 2 2 1 1 3 6 1 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 2 2 2 1 1 3 6 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1	_	_	-	_	_	-				_	_		-	_	_	
MALE 16 1 0 0 0 0 0 0 0 0 0 0 1 2 2 2 1 1 3 6 FEMALE 25 0 0 0 0 0 0 0 0 0 0 0 0 1 4 0 0 5 6 9 15 DIVERTICULA OF INTESTINE (562) MALE 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 0 0 1 1 1 3 0 6 FEMALE 22 0 0 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 2 5 7 11 CHRONIC LIVER DISEASE AND CIRRHOSIS. SPECIFIED AS ALCOHOLIC (571.0-571.3) MALE 33 0 0 0 0 0 0 0 0 1 1 1 1 1 2 5 7 11 CHRONIC LIVER DISEASE AND CIRRHOSIS (571.4.571.6) MALE 33 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	· - · ·	•	•	•	•	•	0	0	0	1	1	0	1	. 1	0	0	0	0
FEMALE 25 0 0 0 0 0 0 0 0 0 0 0 1 4 0 5 6 9 15 DIVERTICULA OF INTESTINE (562) MALE 7 0 0 0 0 0 0 0 0 0 1 1 0 0 1 1 4 3 0 5 6 9 15 DIVERTICULA OF INTESTINE (562) MALE 22 0 0 0 0 0 0 0 0 0 1 1 0 0 1 1 1 4 4 4 1 1 1 0 0 0 0	· ·		IS AND C															
TOTALS			1	-	-	_	_	_	_	-	_	-	•			•		
DIVERTICULA OF INTESTINE (562) MALE 22 0 0 0 0 0 0 0 0 0 1 1 1 0 0 1 1 4 4 11 TOTALS 29 0 0 0 0 0 0 0 0 0 1 1 1 1 4 4 11 TOTALS MALE 17 0 0 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 4 4 11 11 12 5 7 11 11 14 4 11 11 12 5 7 11 11 14 4 11 11 11 12 15 7 11 11 11 11 12 15 7 11 11 11 11 12 15 7 11 11 11 11 11 12 15 7 11 11 11 11 12 15 7 11 11 11 11 11 11 11 12 15 7 11 11 11 11 11 11 11 11 12 15 17 11 11 11 11 11 11 11 11 11 11 11 11			0			_	_	-	-			-	•					
MALE 7 0 0 0 0 0 0 0 0 0 0 1 1 0 0 0 1 1 1 3 0 0 1 1 1 0 0 0 1 1 1 3 0 0 1 1 1 1			†	0	0	0	0	0	0	0	0	0	2	6	2	6	9	15
FEMALE 22 0 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 4 4 1 11 TOTALS 29 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 2 5 7 11 TOTALS 29 0 0 0 0 0 0 0 0 0 1 1 1 1 1 2 5 7 11 TOTALS 29 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 2 5 7 11 TOTALS 29 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 2 5 7 11 TOTALS AND CIRRHOSIS. SPECIFIED AS ALCOHOLIC (571.0-571.3) MALE 23 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		(562)																_
TOTALS	= =		0	_	_	_	_	_	_	_			_	_	-	•		
CHRONIC LIVER DISEASE AND CIRRHOSIS. SPECIFIED AS ALCOHOLIC (571.0-571.3) MALE 33 0 0 0 0 0 0 2 3 6 4 6 4 2 0 0 0 0 1 TOTALS 50 0 0 0 0 0 0 3 3 12 7 10 6 2 6 0 1 CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6) MALE 2 0 0 0 0 0 0 0 1 0 0 1 0 6 2 6 0 1 CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6) MALE 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0	0	•	•	•	_	•	-	_	_	1					
MALE 33 0 0 0 0 0 0 2 3 6 4 6 4 2 2 6 0 0 0 FEMALE 177 0 0 0 0 0 0 0 1 0 6 3 4 2 0 0 0 0 1 TOTALS 50 0 0 0 0 0 0 0 1 0 6 3 4 2 0 0 0 0 1 TOTALS 50 0 0 0 0 0 0 0 0 3 3 12 7 10 6 2 6 0 1 TOTALS 12 0 0 0 0 0 0 0 0 0 1 0 0 0 1 0 0 0 0			•	-	_	_	•	_	0	0	1	1	1	1	2	5	7	7.1
FEMALE 17 0 0 0 0 0 0 1 0 6 3 4 2 0 0 0 0 1 TOTALS 50 0 0 0 0 0 0 0 3 3 12 7 10 6 2 6 0 1 TOTALS 50 0 0 0 0 0 0 0 3 3 12 7 10 6 2 6 0 1 TOTALS 100 BILIARY CIRRHOSIS (571.4,571.6) MALE 2 0 0 0 0 0 0 0 1 0 0 1 0 0 1 0 0 0 1 0 1 0 0 0 1 0 0 1 0 0 1 0			SPECIFI			•												_
TOTALS 50 0 0 0 0 0 0 3 3 12 7 10 6 2 6 0 1 CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4.571.6) MALE 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0			•	-	-	-	-	-								_	_	
CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6) MALE 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0	0	-	_	-	_	•	_		_			_	_	_	
MALE 2 0 0 0 0 0 0 0 0 1 0 0 1 0 0 0 0 0 0 0			•	-		0	0	0	3	3	12	7	10	6	2	6	0	1
FEMALE 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 1 0		IARY CIRRHO	ISIS (57†	.4,571	.6)										_	_	_	_
TOTALS			0	_	_	•	•	_	-	_	-	-	•	_	_	-	_	_
CIRHOSIS OF LIVER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5.571.8-571.9) MALE 38 1 0 0 0 0 0 0 0 4 6 3 8 7 8 0 1 FEMALE 24 0 0 0 0 0 0 0 1 1 4 1 2 4 5 6 0 TOTALS 62 1 0 0 0 0 0 0 1 5 10 4 10 11 13 6 1 CHOLLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575) MALE 7 0 0 0 0 0 0 0 0 1 1 0 0 1 1 1 1 2 FEMALE 10 0 0 0 0 0 0 0 0 0 1 1 0 0 1 1 1 1 1		2	0	0	_	-	0	-	-	0	-	-	0	-	_	1		
MALE 38 1 0 0 0 0 0 0 0 4 6 3 8 7 8 0 1 FEMALE 24 0 0 0 0 0 0 0 0 1 1 4 1 2 4 5 6 0 TOTALS 62 1 0 0 0 0 0 0 1 5 10 4 10 11 13 6 1 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575) MALE 7 0 0 0 0 0 0 0 0 1 1 0 0 1 1 1 0 1 1 2 4 5 6 10 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		4	•	_	-	•	-	_	•	•	-	•	_ †	1	0	1	0	O
FEMALE 24 0 0 0 0 0 0 0 1 1 4 1 2 4 5 6 0 TOTALS 62 1 0 0 0 0 0 0 0 1 5 10 4 10 11 13 6 1 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575) MALE 7 0 0 0 0 0 0 0 0 0 1 1 0 0 1 1 1 0 1 1 1 2 FEMALE 10 0 0 0 0 0 0 0 0 0 0 0 0 1 1 0 0 2 4 1 8 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579) MALE 69 1 0 0 0 0 1 2 4 2 11 6 8 16 4 14 FEMALE 57 0 0 0 0 0 0 0 1 2 4 2 11 6 8 16 4 14 FEMALE 57 0 0 0 0 0 0 0 1 3 8 5 16 7 10 22 14 39 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, AND RENAL SCLEROSIS (582-583,587) MALE 4 0 0 0 0 0 0 0 0 1 0 0 0 0 0 1 0 0 0 1	_ =		HRONIC L								•				_	_	_	
TOTALS 62 1 0 0 0 0 0 0 1 5 10 4 10 11 13 6 1 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575) MALE 7 0 0 0 0 0 0 0 0 0 1 1 0 0 1 1 1 0 1 1 1 2 FEMALE 10 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 0 0 1 3 0 6 TOTALS 17 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 0 0 2 4 1 8 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579) MALE 69 1 0 0 0 0 1 2 4 2 11 6 8 16 4 14 FEMALE 57 0 0 0 0 0 0 1 3 8 5 16 7 10 22 14 39 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, AND RENAL SCLEROSIS (582-583,587) MALE 4 0 0 0 0 0 0 0 0 1 0 0 0 0 1 1 1 1 1 1			-	_	•	_	_	_	_	_	•	_	_	_	-	_	-	
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575) MALE 7 0 0 0 0 0 0 0 0 1 1 0 1 1 1 2 FEMALE 10 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 0 0 1 1 1 0 5 TOTALS 17 0 0 0 0 0 0 0 0 0 0 1 1 0 2 4 1 8 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579) MALE 69 1 0 0 0 0 1 2 4 2 11 6 8 16 4 14 FEMALE 57 0 0 0 0 0 0 1 4 3 5 1 2 6 10 25 TOTALS 126 1 0 0 0 0 0 1 3 8 5 16 7 10 22 14 39 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, AND RENAL SCLEROSIS (582-583,587) MALE 4 0 0 0 0 0 0 0 0 1 0 0 0 0 1 1 1 1 1			0	_	_	_	-			•			•		-	_		_
MALE 7 0 0 0 0 0 0 0 0 0 0 1 1 0 0 1 1 1 2 FEMALE 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 0 0 6 TOTALS 17 0 0 0 0 0 0 0 0 0 0 0 1 1 0 0 2 4 1 8 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530.534.536-537.564-570.572-573.576-579) MALE 69 1 0 0 0 0 1 2 4 2 11 6 8 16 4 14 FEMALE 57 0 0 0 0 0 0 0 1 3 8 5 1 2 6 10 25 TOTALS 126 1 0 0 0 0 0 1 3 8 5 16 7 10 22 14 39 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, AND RENAL SCLEROSIS (582-583.587) MALE 4 0 0 0 0 0 0 0 0 1 0 0 0 0 0 1 1 1 1 1	· + · · · - •	_	1	_	_		0	0	0	1	5	10	4	10	11	13	6	Т
FEMALE 10 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 3 0 6 TOTALS 17 0 0 0 0 0 0 0 0 0 1 1 0 0 2 4 1 8 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530.534.536-537.564-570.572-573.576-579) MALE 69 1 0 0 0 0 1 2 4 2 11 6 8 16 4 14 FEMALE 57 0 0 0 0 0 0 1 4 3 5 1 2 6 10 25 TOTALS 126 1 0 0 0 0 0 1 3 8 5 16 7 10 22 14 39 CHRONIC GLOMERULONEPHRITIS. NEPHRITIS AND NEPHROPATHY, AND RENAL SCLEROSIS (582-583.587) MALE 4 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 1 1 1 1		DISORDERS O	IF GALLBL			/								_				_
TOTALS 17 0 0 0 0 0 0 0 0 0 0 1 1 0 2 4 1 8 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579) MALE 69 1 0 0 0 0 1 2 4 2 11 6 8 16 4 14 FEMALE 57 0 0 0 0 0 0 1 4 3 5 1 2 6 10 25 TOTALS 126 1 0 0 0 0 1 3 8 5 16 7 10 22 14 39 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, AND RENAL SCLEROSIS (582-583,587) MALE 4 0 0 0 0 0 0 0 0 1 0 0 0 0 1 1 1 1 1	-		0	_	_	_	_	_	_	-	-	•	•	_	•	•	-	
ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530.534.536-537.564-570.572-573.576-579) MALE 69 1 0 0 0 0 1 2 4 2 11 6 8 16 4 14 6 6 10 0 0 0 0 0 1 4 3 5 1 2 6 10 25 6 10 25 70 10 10 10 10 10 10 10 10 10 10 10 10 10		10	0	0	-	_	_	_	-	_	_	_	_	-	•	3	_	
MALE 69 1 0 0 0 0 0 1 2 4 2 11 6 8 16 4 14 FEMALE 57 0 0 0 0 0 0 1 4 3 5 1 2 6 10 25 TOTALS 126 1 0 0 0 0 0 1 3 8 5 16 7 10 22 14 39 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, AND RENAL SCLEROSIS (582-583,587) MALE 69 1 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 1 1 1 1 1			•		-	-	_	_	•	_	0	1	1	0	2	4	T	ਬ
FEMALE 57 0 0 0 0 0 0 1 4 3 5 1 2 6 10 25 10 10 10 10 10 10 10 10 10 10 10 10 10	- -	ESTIVE SYST	EM (530.	534,53					6-579)					_	_			
TOTALS 126 1 0 0 0 0 0 1 3 8 5 16 7 10 22 14 39 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, AND RENAL SCLEROSIS (582-583,587) MALE 4 0 0 0 0 0 0 0 0 1 0 0 0 1 1 1 1			1	_	_	_	_	-	•		-							
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, AND RENAL SCLEROSIS (582-583,587) MALE 4 0 0 0 0 0 0 0 1 0 0 0 1 1 1			0	•	•	_	-	•	_	•		_			_			
MALE 4 0 0 0 0 0 0 0 0 1 0 0 0 1 1 1	· - ·		1	_	_	•	_	_	-	-		5	16	7	10	22	14	33
					-				• -		•	_	_	_	_			
FEMALE 5 0 0 0 0 0 0 1 0 0 0 1 0 2 0 1			_	_	_	_	-	_					_					
	FEMALE	5	0	0	O	O	0	O	O	7	0	O	U	T	U	2	U	1

		*****	****	*****	*****	*****	*****	* AGE	AT DEA	TH(YRS	.) ***	*****	*****	*****	*****	*****	****
CAUSE OF DEATH GROUPS	TOTAL	UNDER	1-4	5-9	10-14	15-19 2								0-74 7	5-79 8	80-84	OVER
AND SEX	DEATHS	1															84
(CONT.)																	
(CONT.)																	
TOTALS	9	O	0	O	0	O	0	o	1	0	1	0	1	o	3	1	2
RENAL FAILURE (584-586.58	18-589)	-	-	-	_	_	_	_		_		_		_	_		
MALE	52	2	0	0	0	0	0	0	0	2	0	3	3	3	8	16	15
FEMALE	38	ō	ā	ŏ	ō	ō	ō	Ö	ō	ō	ā	ō	4	2	6	9	17
TOTALS	90	2	ŏ	ō	Õ	o o	ŏ	ō	ŏ	2	ŏ	3	7	5	14	25	32
INFECTIONS OF KIDNEY (590))	_	•	•	•	J	•	•	•	_	•	•		_			
MALE	4	0	0	0	Q	0	0	0	0	0	0	0	0	0	1	1	2
FEMALE	4	Õ	ŏ	ō	ā	ā	ō	1	1	ō	ō	ō	ŏ	ā	1	1	ō
TOTALS	8	Ô	Õ	Õ	õ	Õ	ŏ	1	1	Ö	ő	Õ	Ö	õ	2	2	2
ALL OTHER DISEASES OF URI	_	_	_	7	•	J	•	•		•		•	J	•	_	_	_
MALE	14	0	, 0	ó	0	0	0	0	0	0	0	0	0	†	3	4	6
FEMALE	22	ő	ŏ	ŏ	Õ	Õ	ŏ	Õ	ŏ	ŏ	ŏ	Õ	2	1	3	1	15
TOTALS	36	ő	Õ	õ	Õ	ŏ	Õ	õ	Õ	Õ	ő	Õ	2	2	6	5	21
HYPERPLASIA OF PROSTATE (J	•	•	7	J	•	•	•	•	_	•	_	_	_	_	
MALE	2	o	O	0	0	0	0	0	0	0	0	0	0	0	1	0	1
TOTALS	2	Ö	õ	a	o	Õ	Õ	ő	õ	Ö	Ö	õ	ő	Õ	•	ō	i
OTHER DISEASES OF MALE GE	_	_	_	J	J	Ū	•	•	•	•	·	•	•	•	•	•	•
MALE	1	0	ر ر	0	0	0	0	0	0	0	0	0	0	0	1	0	O
TOTALS	į	o o	õ	õ	õ	ā	Ö	Õ	Õ	Õ	ŏ	Õ	Ö	Õ	1	ā	ō
OTHER DISEASES OF FEMALE	GENTTAL ORG		_	•	•	Ū	•	Ū	•	•	•	•	•	·	•	•	•
FEMALE	2	0	0	0	0	0	0	1	0	0	0	۵	0	0	0	0	1
TOTALS	2	Ö	0	Õ	a	Ô	Õ	į	õ	Õ	Õ	ິດ	õ	Ô	õ	ō	· •
COMPLICATIONS OF THE PUER		. •	J	•	•	•	·	•	·	•	•	•	J	•	•	•	•
FEMALE	FERIUM (U)O	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	•	ő	õ	õ	õ	Ô	į	ā	Õ	Õ	Õ	õ	Õ	Õ	Õ	Õ	ō
ALL OTHER DISEASES OF SKI	'NI AND CHECH'	•	TISSUE	•	_	Ū	•	J	J	•	·	J	Ū	•	•	·	•
MALE MALE	2	0	0	0 0	,03,	0	O	0	0	0	0	1	0	1	0	0	0
FEMALE	2	o	0	Ô	Ô	Ô	Õ	ő	Ö	ő	ŏ	ò	1	ò	ő	ő	3
TOTALS	6	o	ő	o	o	o	Õ	ő	Õ	Ö	ŏ	1	1	1	Õ	Ö	3
RHEUMATOID ARTHRITIS AND	_	-	-	RTHROPA	-	-	U	U	J	J	·	•	•	•	•	J	•
MALE MALE	3	0	0	0	0	0	0	0	0	0	0	0	O	0	2	1	0
FEMALE	6	o	o o	õ	o	Ö	Ö	ő	ā	o o	Ö	1	2	ő	1	2	ō
TOTALS	9	o	Ô	ã	Õ	0	Õ	Ö	o	Õ	Ö	i	2	Õ	3	3	ő
OTHER ARTHROPATHIES AND R	_	•	-	_	•	U	U	U	U	J	U	•	_	U	•	•	•
MALE MALE	3	ט באטעא	0 / 12	2,713 /	0	0	0	0	0	0	1	1	0	0	0	1	0
FEMALE	5	o	Ö	Ö	0	Ö	ŏ	ő	1	Ö	ò	ó	ő	ő	ŏ	3	1
TOTALS	8	0	o	Õ	o o	o	ā	Ö	1	Ö	1	1	Ö	Ö	õ	4	i
RHEUMATISM. EXCLUDING THE	_	_	U	U	U	U	U	U	ı	U	•	•	U	•	U	-	•
MALE	•	0	0	O	0	0	O	0	0	0	o	0	0	0	1	1	0
TOTALS	2 2	0	o	ő	0	0	Õ	o	Ô	Õ	ŏ	Ö	o	ŏ	,	†	ŏ
OSTEOPATHIES, CHONDROPATH	_	-	_	-	_	ORMITIE	-	-739)	U	U	J	U	U	U	•	•	J
MALE CHUNDRUPATH	ILES AND ACO	0 סיידור אית	Scaras	OKELETA	1 1	OKMILIE	:5 (730 0	-/39) O	0	0	0	0	0	0	0	0	2
FEMALE	3 7	0	Ö	Ô	·ò	0	ŏ	o	0	ő	ő	Ö	1	ő	1	ŏ	5
TOTALS	10	0	0	a	1	0	a	a	o o	a	ä	Ö	1	ŏ	1	ő	7
ALL OTHER CONGENITAL ANOM			-		\$2)	U	U	U	U	J	J	J	,	U	•	J	,
MALE CUNGENITAL ANUM	ALIES OF NE	2	51EM ((740,72 O	\$2) O	0	0	1	0	2	0	0	0	0	0	0	0
MALL	•	2	'	U	U	J	U	'	J	~	J	•		J	J	•	·

		*****	*****	*****	****	*****	*****	* AGE	AT DEAT	TH(YRS.) ***	*****	*****	*****	*****	*****	****
CAUSE OF DEATH GROUPS	TOTAL	UNDER	1-4	5-9 t	0-14 1	15-19 20	0-24 25	5-34 39	5-44 49	5-54 55	-59 6	0-64 6	5-69 7	0-74 7	5-79 8	0-84	OVER
AND SEX	DEATHS	1															84
(CONT.)																	
, ,																	
FEMALE	5	4	†	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	11	6	2	0	0	0	0	1	0	2	0	0	0	0	0	Ο.	0
CONGENITAL ANOMALIES OF H	EART (745-7	46)															
MALE	12	3	1	1	0	2	0	0	2	0	0	0	0	1	0	1	1
FEMALE	11	8	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1
TOTALS	23	11	1	1	. 0	2	0	0	2	0	0	1	1	1	0	1	2
OTHER CONGENITAL ANOMALIE	S OF CIRCUL	ATORY SYS	STEM (747)													
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	4	2	Ο.	0	0	0	0	1	0	0	0	O	1	0	0	0	0
TOTALS	5	2	0	0	0	0	0	1	0	0	0	0	2	0	0	0	0
ALL OTHER CONGENITAL ANOM	ALIES (743-	•	759)		•												
MALE	13 .	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	10	8	0	Ö	0	0	0	0	0	0	0	1	0	1	0	0	0
TOTALS	23	21	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
INTRAUTERINE HYPOXIA, BIR	TH ASPHYXIA	AND RESE	PIRATO	RY DIS	TRESS	SYNDRO	₩E (768	8-769)									
MALE	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	12	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	18	† 8	Q	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER CONDITIONS ORIGINAT	ING IN THE	PERINATAL	_ PERI	ab (76	0-766,	770-779	9)										
MALE	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	19	1 8	0	0	. 0	0	0	0	0	0	0	1	0	0	0	0	0
TOTALS	39	38	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
SENILITY WITHOUT MENTION	OF PSYCHOSI	S (797)															
FEMALE	2	0	0	0	0	0	Ο.	0	0	0	0	0	0	0	0	0	2
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
SYMPTOMS, SIGNS AND OTHER	ILL-DEFINE	D CONDITE	ions (780-79	6.798-	799)											
MALE	.43	19	0	0	0	1	2	3	1	0	2	3	1	4	3	3	1
FEMALE	38	10	0	0	0	0	1	0	0	0	5	3	1	1	3	4	10
TOTALS	81	29	0	0	0	1	3	3	†	0	7	6	2	5	6	7	11
MOTOR VEHICLE TRAFFIC ACC	IDENTS INVO	LVING COL	LISIC	HTIW N	TRAIN	(E810))										
MALE	2	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0
FEMALE	t	0	0	0	0	0	0	0	†	0	0	0	0	0	0	0	0
TOTALS	3	0	0	0	0	0	1	0	1	0	0	0	1	0	0	0	0
MOTOR VEHICLE TRAFFIC ACC	IDENTS INVO	LVING COL	LISIC	HTIW ME	ANOTH	IER MOTO	OR VEH	ICLE (E811-E8	312)							
MALE	43	0	0	0	1	8	9	5	5	2	1	0	3	4	3	2	0
FEMALE	31	0	t	0	0	2	8	7	0	4	1	2	3	2	1	0	0
TOTALS	74	Ö	t	Ö	1	10	17	12	. 5	6	2	2	6	6	4	2	0
MOTOR VEHICLE TRAFFIC ACC	IDENTS INVO	LVING COL	LISIO	N WITH	PEDES	TRIAN	(E814)										
MALE	13	0	0	0	0	0	2	2	0	3	0	1	3	0	2	0	0
FEMALE	7	ō	1	0	1	0	0	0	0	0	. 1	0	2	0	0	2	0
TOTALS	20	ō	1	ō	1	Ō	2	2	0	3	1	1	5	0	2	2	0
MOTOR VEHICLE TRAFFIC ACC		LVING COL	LISIC	N WITH	OTHER	VEHIC	LE OR O	DBUECT	(E813)	E815)							
MALE	18	0	0	†	2	2	4	7	†	0	0	0	0	0	0	1	0
FEMALE	3	Ö	ō	Ö	ō	ō	Ó	Ó	ò	ō	†	ō	1	O	1	0	0
	-	_	_	-	-	_		-	_								

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1986 (RESIDENT DATA)

AND SEX DEATHS 1	0 0 0
	0
TOTAL C	0
TOTALS 21 0 0 1 2 2 4 7 1 0 1 0 1 1	ō
MOTOR VEHICLE TRAFFIC ACCIDENTS NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)	ō
MALE 49 0 0 0 0 10 13 11 6 3 2 0 3 0 1 0	_
FEMALE 17 0 0 0 0 3 4 4 1 2 0 0 1 2 0 0 TOTALS 66 0 0 0 0 13 17 15 7 5 2 0 4 2 1 0	
10/463	U
MOTOR VEHICLE TRAFFIC ACCIDENTS OF UNSPECIFIED NATURE (E819) MALE 9 0 1 0 0 1 3 3 0 0 0 0 0 0 0 0	1
	0
	1
TOTALS 14 0 1 0 1 2 4 3 1 0 0 1 0 0 0 0 0 MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)	'
	0
MALE 6 0 0 0 2 0 1 1 1 0 0 1 0 0 0 TOTALS 6 0 0 0 2 0 1 1 1 0 0 1 0 0 0	Ö
WATER TRANSPORT ACCIDENTS (E830-E838)	U
WATER TRANSPORT ACCIDENTS (E030-E030) MALE 10 0 0 0 0 1 2 2 2 1 0 1 1 0 0	0
FEMALE 1 0 0 0 0 0 0 0 0 0 0 1 0 0	ő
TOTALS 11 0 0 0 0 0 1 2 2 2 1 0 1 2 0 0	Ö
AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)	Ū
MALE 5 0 0 0 1 0 0 1 1 0 0 1 1 0 0 0	0
TOTALS 5 0 0 0 1 0 0 1 1 0 0 0 0 0 0 0 0 0 0 0	õ
ACCIDENTAL POISONING BY DRUGS. MEDICAMENTS AND BIOLOGICALS (E850-E858)	•
MALE 6 0 0 0 0 2 2 0 1 0 1 0 0 0 0	0
FEMALE 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ŏ
TOTALS 8 0 0 0 0 3 2 0 1 0 1 0 0	ō
ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)	_
MALE 4 0 0 0 1 0 0 1 1 0 0 0 0 0 0 0 0 0 0 0	0
FEMALE 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ō
TOTALS 5 0 0 0 1 0 0 1 2 0 0 0 1 0 0	0
ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)	
MALE 2 0 0 0 0 0 0 0 1 0 1 0 0	0
FEMALE 1 0 0 0 0 0 0 0 0 0 0 0 0	†
TOTALS 3 0 0 0 0 0 0 0 1 0 1 0 0 0	1
MISADVENTURES DURING MEDICAL CARE. ABNORMAL REACTIONS. AND LATE COMPLICATIONS (E870-E879)	
MALE 3 0 0 0 0 0 0 0 0 0 0 2 1 0	0
FEMALE 6 0 0 0 0 0 0 0 0 1 1 0 1 1	2
TOTALS 9 0 0 0 0 0 0 0 0 1 1 2 2 1	2
FALL FROM ONE LEVEL TO ANOTHER (E880-E884)	
MALE 15 0 1 0 0 1 1 4 1 2 1 0 0 2 0 0	2
FEMALE 8 0 1 0 0 0 0 0 0 1 1 1 1 2	1
TOTALS 23 0 2 0 0 1 1 4 1 2 1 1 1 3 1 2	3
FALL ON SAME LEVEL (E885-E886)	
MALE 3 0 0 0 0 0 0 0 0 0 0 1 1	0
TOTALS 3 0 0 0 0 0 0 0 0 0 0 1 1	0
FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIIED FALLS (E887-E888)	
MALE 7 0 0 0 0 0 0 0 0 1 0 0 0 1	5
FEMALE 23 0 0 0 0 0 0 1 0 1 1 1 2 3 4	10

CAUSE OF DEATH GROUPS	TOTAL	****** UNDER	***** 1-4	***** 5-9 1											****** '5-79 86		
AND SEX	DEATHS	†	•														84
(CONT.)												•					
TOTALS	30	0	o	0	o	0	0	0	1	0	1	2	1	2	3	5	15
ACCIDENTS CAUSED BY FIRE A		•	99)	_	_	_	_	_		_			_		_	_	_
MALE	17	0	1	1	0	0	0	3	1	0	1	1	0	2	2	3	2
FEMALE	9	0	1	1	0	†	0	0	1	0	0	0	0	0	2 4	3	0
TOTALS	26	0	2	2	0	1	0	3	2	0	1	1	0	2	4	6	2
ACCIDENTAL DROWNING AND SU	•	E910)		_		~			•	, .	_	•	1	O	0	O	o
MALE	11	0	1	0	1	2	1	1 O	2	, 0	0	. 2	0	0	0	0	1
FEMALE	2	0	1 2	0	0	0	_	1	2	0	0	2	1	0	0	0	, †
TOTALS INHALATION AND INGESTION OF	13	0	_	O CAUSTNO	† • CUEFO	2 ICATION	1 (5044	-E912)	2	U	J	2	•	U	U	U	•
MALE	r Fuub uk 11	טואבא טם ח	0	.AUSING	3 Surru O	O	0	-E912) O	O	1	O	0	2	2	2	2	2
FEMALE	g.	1	0	0	0	Ö	0	o	0	ó	1	o	ō	†	ō	3	3
TOTALS	20		0	o	0	o o	Ö	o	0	1	;	Ô	2	3	2	5	5
ACCIDENT CAUSED BY HANDGUN		•	U	U	U	U	U	U	U	•	•	J	~	•	_	•	•
MALE	(1322.0)	O	o	1	0	o	0	o	0	0	0	0	0	0	0	o	0
TOTALS		a	ő	i	Õ	o	õ	Ô	Ô	ő	Õ	Õ	ő	õ	õ	ŏ	ō
ACCIDENT CAUSED BY ALL OTHE	ER AND LINS	_	_	•	922.1-	_	_	J	•	J	•	Ū	·	Ū	Ū	•	
MALE	4	0	0	0	2	1	1	0	0	0	0	0	0	0	0	0	0
TOTALS	4	Ô	Õ	Õ	2	•	†	Ô	ō	Õ	Õ	Õ	Õ	ō	ō	ō	ō
ACCIDENT CAUSED BY EXPLOSIV	VF MATERIA	•	_	•	_	•	•	•	_	•	-	_	_	_	_		
MALE	1	0	0	0	0	0	t	0	0	0	0	0	0	0	0	0	0
FEMALE	1	Ö	ŏ	Õ	ō	ō	0	ō	Ō	ō	ō	Ó	0	0	t	0	0
TOTALS	2	ō	ō	ō	Q	Ō	1	Ō	0	0	0	0	0	0	1	0	0
ACCIDENT CAUSED BY ELECTRIC	C CURRENT	(E925)															
MALE	1	Ò	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
ALL OTHER ACCIDENTS (E900-	E906,E908-	E909, E91	3-E921	,E927-	-E929)												
MALE	32	0	1	†	1	0	2	4	6	5	3	0	2	0	2	3	2
FEMALE	5	0	0	0	0	0	0	1	0	1	0	0	0	1	0	1	1
TOTALS	37	0	1	1	1	0	2	5	6	6	3	0	2	1	2	4	3
DRUGS, MEDICAMENTS AND BIO	LOGICAL SU	BSTANCES	CAUSI	NG ADV	ERSE E	FFECTS	IN TH		TIC USE	E (E930)-E 949))				_	_
MALE	1	0	0	0	0	0	0	0	0	0	0	†	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	· O	1	0	0	0	0	0
SUICIDE BY DRUGS, MEDICAMEN	NTS, AND B	IOLOGICA	- •									_	_	_	_	_	_
MALE	5	0	0	0	0	1	0	0	2	2	0	0	0	0	0	0	0
FEMALE	6	0	0	0	0	0	0	3	0	1	0	0	1	ţ	0	0	0
TOTALS	. 11	, 0	0	0	0	1	0	3	2	3	0	0	1	1	0	0	0
SUICIDE BY GASES AND VAPORS	S (E951-E9	•					_	_	_		_	_	_	_		_	_
MALE	7	0	0	0	0	0	0	2	2	1	0	0	0	1	1	0	0
FEMALE	6	0	0	0	0	0	0	2	1	1 .	0	0	0	0	0	2 2	0
TOTALS	13	0	0	. (5056	. 0	0	0	4	3	2	0	0	0	T	1	2	U
SUICIDE BY HANGING, STRANGE		ND SUFFO		-	-		_	7	_			_		_		1	ŧ
MALE Female	22	0	0	0	0	1	2 0	7	3 0	4 0	1	0	† †	0	0	ò	ò
	3	0	0	0	0	0	()	1	()	()	1	()	T	U	U	U	U
TOTALS	25	ő	Õ	ā	Ô	1	2	ė.	3	4	2	õ	2	ō	1	1	1

		****	*****	*****	*****	******	*****	*** AG	E AT DE	ATH(YE	?S.) **	*****	*****	*****	*****	*****	*****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER †	1-4							•						80-84	
(CONT.)																	
SUICIDE BY HANDGUN (E955.0																	
MALE	17	0	0	0	0	†	1	6	2	3	0	0	1	1	1	0	1
TOTALS	1 7	0	0	0	0	†	t	6	2	3	0	0	t	t	t	0	1
SUICIDE BY ALL OTHER AND U	JNSPECIFIED	FIREAR	4 S (E9	955.1-E	E955.4))											
MALE	47	0	0	0	†	4	6	10	5	6	2	4	4	1	3	1	0
FEMALE	8	0	0	0	0	1	†	0	1	3	2	0	0	0	0	0	0
TOTALS	55	0	0	0	†	5	7	10	6	9	4	4	4	1	3	t	0
SUICIDE BY ALL OTHER MEANS	S (E954,E95	5.5-E95	9)														
MALE	†	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	5	0	0	0	0	0	0	1	1	0	0	2	0	1	0	0	0
TOTALS	6	0	0	0	0	0	0	1	1	0	0	2	1	1	0	0	0
ASSAULT BY HANDGUN (E965.0	o)																
MALE	†	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	O
TOTALS	1	0	0	0	0	0	0	†	0	0	0.	0	0	0	0	0	0
ASSAULT BY ALL OTHER AND L	JNSPECIFIED	FIREAR	WS (E9	65.1-E	965.4))											
MALE	8	0	0	0	0	0	0	5	1	2	0	0	0	0	0	0	0
TOTALS	8	0	0	0	0	0	0	5	1	2	0	. 0	0	0	0	0	0
ASSAULT BY CUTTING AND PIE	ERCING INST	RUMENT	(E966)														
MALE	3	0	1	0	0	0	†	0	0	0	0	1	0	0	0	0	0
FEMALE	2	0	0	0	0	0	1	†	0	0	0	0	0	0	0	0	0
TOTALS	5	0	†	0	0	0	2	1	0	0	0	1	0	0	0	0	0
ASSAULT BY ALL OTHER MEANS	S (E960-E96	4,E965.	5-E965	.9,E96	57-E9 6 9	;)				•							
MALE	6	O	0	0	0	1	0	2	1	1	0	0	0	0	0	1	0
FEMALE	2	0	.0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
TOTALS	8	o o	0	0	0	†	0	3	1	1	0	0	0	0	0	†	1
INJURY INFLICTED FROM POIS	SONING BY D	RUGS, M	EDIÇAM	ENTS A	ND BIO	LOGICA	LS (ES	80.0-6	980.5)								
MALE	2	Ō	0	0	0	0	Ò	2	0	0	0	0	0	0	0	0	0
TOTALS	2	0	Ó	0	0	0	0	2	0	0	0	0	0	0	0	0	0
INJURY INFLICTED BY ALL OT	THER MEANS	(E981-E	984.E9	85.5-E	(989			_									
FEMALE	1	` 0	o	0	Ó	0	0	0	0	t	0	0	0	0	0	0	0
TOTALS	t	0	O	- 0	0	0	0	0	0	1	0	0	0	0	0	0	0
STATE																	
MALE	5.583	74	14	8	16	41	59	119	163	320	325	509	641	792	875	775	852
FEMALE	5.595	72	11	1	4	11	26	46	82	205	171	334	468	586	823	896	1,859
TOTALS	11,178	146	25	9	20	52	85	165	245	525	496	843	1.109	1.378	1.698	1.671	2,711
PERCENT DISTRIBUTION	• · · -			-	_	- -							•	, –		-	•
MALE	100.00	1.33	0.25	0.14	0.29	0.73	1.06	2.13	2.92	5.73	5.82	9.12	11.48	14.19	15.67	13.88	15.26
FEMALE	100.00	1.29	0.20	0.02	0.07	0.20	0.46	0.82	1.47	3.66	3.06	5.97				16.01	
TOTALS	100.00	1.31	0.22	0.08	0.18	0.47	0.76	1.48	2.19	4.70	4.44	7.54		_		14.95	
				_			_										

TABLE D-4 UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS MAINE STATE TOTALS, 1986 (RESIDENT DATA)

CAUSE OF DEATH		ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
SHIGELLUSIS & AMEBIASIS (004.006) OTHER INTESTINAL INFECTIONS (007-009) TUBERCULUSIS OF RESP. SYSTEM (010-012) OTHER TUBERCULUSIS (013-018) WHOOPING COUGH (033) STREP., SCARLATINA & ERYSIPELAS (034-035) MENINGOCOCCAL INFECTION (036) SEPTICEMIA (038) ACUTE POLIOMYELITIS (045) MEASLES (055) VIRAL HEPATITIS (070) SYPHILIS (090-097) ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL) MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149)	0	0	0.000
OTHER INTESTINAL INFECTIONS (007-009)	†	2	2.000
TUBERCULOSIS OF RESP. SYSTEM (010-012)	2	† 2	6.000
OTHER TUBERCULOSIS (013-018)	t	4	4.000
WHOOPING COUGH (033)	О	0	0.000
STREP., SCARLATINA & ERYSIPELAS (034-035)	ō	0	0.000
MENINGOCOCCAL INFECTION (036)	1	†	1 - 000
SEPTICEMIA (038)	84	411	4.892
ACUTE POLIOMYELITIS (045)	0	1	0.000
MEASLES (055)	0	0	0.000
VIRAL HEPATITIS (070)	7	9	1.285
SYPHILIS (090-097)	· O	1	0.000
ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL)	25	63	2.520
		67	1.135
MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159)	666	754	1.132
MAL. NEO. RESPIRATORY & THORACIC ORG. (160-165)	726	807	1_111
MAL. NEG. DIGESTIVE & PERTUNCUM ORG. (150-159) MAL. NEG. RESPIRATORY & THORACIC ORG. (160-165) MAL. NEG. BREAST (174-175) MAL. NEG. GENITAL ORGANS (179-187) MAL. NEG. URINARY ORGANS (188-189) MAL. NEG. ALL OTHER & UNSPEC. (170-173, 190-199)	209	265	1.267
MAL. NEO. GENITAL ORGANS (179-187)	268	3 5 7	1_332
MAL. NEO. URINARY ORGANS (188-189)	139	171	1.230
MAL. NEO. ALL OTHER & UNSPEC. (170-173, 190-199)	320	682	2.131
LEUKEMIA (204-208)	100	132	1.320
OTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203)	146	1 77	1.212
BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239)	38	75	t.973
DIABETES MELLITUS (250)	182	877	4.818
NUTRITIONAL DEFICIENCIES (260-269)	15	180	12.000
ANEMIAS (280-285)	21	200	9.523
MENINGITIS (320-322)	4	8	2.000
RHEUM. FEVER & RHEUM. HEART DIS. (390-398)	21	42	2.000
HYPERTENSIVE HEART DISEASE (402)	7 9	†84	2.329
HYPERTENSIVE HEART & RENAL DIS. (404)	6	14	2.333
LEUKEMIA (204-208) OTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203) BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239) DIABETES MELLITUS (250) NUTRITIONAL DEFICIENCIES (260-269) ANEMIAS (280-285) MENINGITIS (320-322) RHEUM. FEVER & RHEUM. HEART DIS. (390-398) HYPERTENSIVE HEART DISEASE (402) HYPERTENSIVE HEART & RENAL DIS. (404) ACUTE MYOCARDIAL INFARCTION (410) OTHER ACUTE & SUBACUTE I.H.D. (411) ANGINA PECTORIS (413)	1,581	1,723	1.089
OTHER ACUTE & SUBACUTE I.H.D. (411)	26	68	2.615
ANGINA PECTORIS (413)	7	75	10.714
ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414)	1,411	2,650	t.878
OTHER DISEASES OF ENDOCARDIUM (424)	65	165	2.538
ALL OTHER FORMS OF HEART DISEASE (4+5-423, 425-429)	975	4,207	4.314
OTHER DISEASES OF ENDOCARDIUM (424) ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429) HYPERTENSION W/WO RENAL DISEASE (401, 403) INTRACEPERRAL HEMORPHAGE (431-432)	41	533	000.Et
INTRACEREBRAL HEMORRHAGE (431-432)	- -	128	1.391
CEREB. THROM. & UNSPEC. OCCLUSION (434.0, 434.9)	87	146	1.678

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

^{*} SEE THE NOTES AT THE END OF THIS TABLE.

TABLE D-4 UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS

AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS

MAINE STATE TOTALS. 1986 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS Underlying cause	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
CEREBRAL EMBOLISM (434.1)	.5	11	2.200
ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438)	580	1,155	1.991
		699	3.840
OTHER DIS. ARTERIES & CAPIL. (441-448)	† 5 4	295	1.915
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	3	17	5.666
PNEUMONIA (480-486)	384	1,040	2.708
ATHEROSCLEROSIS (440) OTHER DIS. ARTERIES & CAPIL. (441-448) ACUTE BRONCHITIS & BRONCHIGLITIS (466) PNEUMONIA (480-486) INFLUENZA (487) BRONCHITIS CHRONIC & UNSPEC. (490-491) EMPHYSEMA (492) ASTHMA (493) OTHER CHRONIC OBSTR. PUL. DIS. (494-496) ULCER OF STOMACH & DUODENUM (531-533) APPENDICITIS (540-543) HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560) CHRONIC LIVER DISEASE & CIRRHOSIS (571)	42	52	1.238
BRONCHITIS CHRONIC & UNSPEC. (490-491)	38	64	1.684
EMPHYSEMA (492)	66	164	2.484
ASTHMA (493)	27	59	2. †85
OTHER CHRONIC OBSTR. PUL. DIS. (494-496)	390	991	2.541
ULCER OF STOMACH & DUODENUM (531-533)	34	86	2.529
APPENDICITIS (540-543)	3	4	t_333
HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560)	33	106	3.212
HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560) CHRONIC LIVER DISEASE & CIRRHOSIS (571) CHOLELITHIASIS & GALLBLAD. DIS. (574-575) ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581) CHRON. GLOMERUL. & RENAL SCLEO. UNSPEC. (582-583, 587) RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589) INFECTIONS OF KIDNEY (590) HYPERPLASIA OF PROSTATE ALL (600) PREGNANCY WITH ABORTIVE OUTCOME (630-638) OTHER COMPLICATIONS OF PREG. (640-676) CONGENITAL ANOMALIES (740-759) BIRTH TRAUMA, HYPOX., ASPHYX & RDS. (767-769) OTHER COND. IN PERINATAL PERIOD (760-766, 770-779) SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799) ALL OTHER DISEASES (RESIDUAL) MOTOR VEHICLE ACCIDENTS (E810-E825) OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949) SUICIDE (E950-E959)	116	172	1.482
CHOLELITHIASIS & GALLBLAD. DIS. (574-575)	1 7	48	2.823
ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581)	O	7	0.000
CHRON. GLOMERUL. & RENAL SCLEO. UNSPEC. (582-583, 587)	9	18	2.000
RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589)	90	502	5 . 5 77
INFECTIONS OF KIDNEY (590)	8	20	2.500
HYPERPLASIA OF PROSTATE ALL (600)	2	11	5.500
PREGNANCY WITH ABORTIVE OUTCOME (630-638)	0	0	0.000
OTHER COMPLICATIONS OF PREG. (640-676)	†	†	1.000
CONGENITAL ANOMALIES (740-759)	62	89	1.435
BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769)	†8	27	1.500
OTHER COND. IN PERINATAL PERIOD (760-766, 770-779)	39	86	2.205
SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799)	83	2.270	27.349
ALL OTHER DISEASES (RESIDUAL)	829	3,103	3.743
MOTOR VEHICLE ACCIDENTS (E810-E825)	204	212	t.039
OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949)	202	490	2.425
SUICIDE (E950-E959)	†27	128	1.007
HOMICIDE & LEGAL INTERVENTION (E960-E978)	22	22	1.000
ALL OTHER EXTERNAL CAUSES (E980-E999)	3	3	1.000
TOTAL FOR ALL CAUSES	11,178	27,143	2.428

NATURE OF INJURY MENTIONS: 1185; SECONDARY NEOPLASM MENTIONS 470 SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

^{*} FOR TECHNICAL REASONS. THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS.
IN ADDITION CERTAIN CAUSES ARE NEVER CLASSIFIABLE AS UNDERLYING. MENTIONS OF THESE CAUSES ARE NOT INCLUDED IN THIS TABLE.
MENTIONS OF CAUSES NOT CLASSIFIABLE AS UNDERLYING ARE AS FOLLOWS:

						EATHS BY SITE O				
COUNTY	TOTAL DEATHS	MAINE HOSPITAL	OUT OF STATE HOSPITAL	EN ROUTE TO HOSPITAL	SKILLED NURSING CARE	INTERMEDIATE CARE FACILITY	STATE PENAL INSTITUTIONS	OUT PATIENT FACILITY	AT HOME	OTHER PLACES
ANDROSCOGGIN	992	51.01	0.81	0.20	1.71	28.33	0.00	0.00	14.82	3. t3
AROOSTOOK	782	56.52	2.30	1.02	0.00	20.20	0.00	0.00	16.75	3.20
CUMBERLAND	2,089	56.44	0.96	1.29	0 - 05	22.69	0.00	0.00	15.99	2.58
FRANKLIN	234	47_01	1.28	0.85	0.43	26.07	0.00	0.00	18.38	5.98
HANCOCK	496	51.21	2.22	0.40	0.00	25.00	0.00	1.01	17_34	2.82
KENNEBEC	1,039	54.57	1 _ 54	1.35	0.00	24.35	0 - 00	0.00	16.27	1.92
KNax	433	47.58	1.15	2.77	0.23	27.71	0.00	. 0.00	†7.55	3.00
LINCOLN	307	48.86	1.95	0.65	0.65	25.08	0.00	0.00	19.54	3:26
axfard	533	51.03	2.06	2.25	0.75	24.95	0.00	0.00	14.63	4.32
PENOBSCOT	1,205	55.02	1.16	2.74	0.00	17.26	0.00	0.17	19.34	4.32
PISCATAQUIS	216	52.31	2.78	0.46	0.00	18.98	0.00	000	20.37	5.09
SAGADAHOC	245	54.29	1.63	1.63	0.41	22.45	0.00	0.00	16.73	2.86
SOMERSET	484	57.23	0.62	1.45	0.21	18.60	0.00	0-41	17.15	4.34
WALDO	310	53.23	1.61	1.61	0.00	17.4 2	0.00	0.00	23.23	2.90
WASHINGTON	403	57.82	0.74	1.99	0.00	15.63	0.00	0.25	17.62	5.96
YORK	1,410	50.14	8.01	2.41	0.07	18.87	0.00	0.00	17.94	2.55
STATE TOTALS	11,178	53.47	2.20	1.55	0.26	21.99	0.00	0.09	17.19	3.26

TABLE D-6

DEATHS IN HOSPITALS - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS

MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN HOSPITALS	**************************************	******** PE CANCER OF RESPIRATORY SYSTEM (160-165)	RCENT OF TOT ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE	SPITALS *** CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMDNIA	******** * ACCIU MOTOR VEHICLE (E8†0- E825)	DENTS * OTHER
ANDROSCOGGIN	516	4_84	7.56	16.47	13.18	1.16	0.58	3.29	1.16	1.55
AROOSTOOK	468	5.77	10.04	†7.3†	11.54	1.07	2.14	3.63	1.07	1.71
CUMBERLAND	1,225	5.39	7.51	14.20	11.84	1.14	1.14	3.27	1.47	2.12
FRANKLIN	114	7.02	7.02	16.67	9.65	1.75	0.88	1.75	2.63	2.63
HANCOCK	267	8.61	7.12	14.61	7.87	0.75	0.37	5.24	1.50	1.12
KENNEBEC	597	8.71	5.53	18.93	11.06	1.34	0.67	3.85	1.17	1.68
KNOX	223	4.48	9.87	19.28	8.52	0.90	0.45	4.48	2.24	0.90
LINCOLN	158	8.86	11.39	17.72	8.86	0.00	2.53	5.06	0.63	1.90
OXFORD	295	8.14	9.83	20.34	6.44	1.02	1.02	2.37	1.69	1.36
PENOBSCOT	708	6.92	6.64	13.56	10.45	1.41	9.71	3.53	1.41	1.27
PISCATAQUIS	120	4_17	4.17	14-17	5.00	0.83	0.83	2.50	1.67	1.67
SAGADAHOC	141	2.84	9.93	20.57	9.93	1.42	0.00	2.84	0.00	2.84
SOMERSET	287	4.53	10.10	14.98	7.32	0.35	1.39	2.44	1.74	1.39
WALDO	†75	3.43	7.43	25.7†	10.86	2.29	0.00	4.57	1.71	0.57
WASHINGTON	243	7.00	9.05	14,81	9.05	0.82	0.82	4.94	0.82	1.23
YORK	854	6.21	5 .50	16.51	11.01	0.94	0.23	1 99	152	2.34
STATE TOTALS	6,391	6.20	7.57	1.6 , 4 1	10-44	1.10	0.86	3.35	1.39	1.72

COUNTY	TOTAL DEATHS IN ICF	CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	* PERCENT OF CANCER OF RESPIRATORY SYSTEM (160-165)	TOTAL DEATHS ACUTE MYDCARDIAL INFARCTION (410)	OCCURRING IN CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE	E CARE FACII CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA	* ACCID	DENTS * OTHER
ANDROSCOGGIN	281	2.49	3.56	4.63	13.88	1.07	0.00	4.63	0.00	0.00
AROOSTOOK	158	5.70	3.80	8.86	26.58	3.80	0.00	5.70	0.00	1.90
CUMBERLAND	474	4.01	5.06	6.54	19.62	0.21	2.53	6.12	0.00	0.84
FRANKLIN	61	8 - 20	6.56	3.28	11.48	0.00	0.00	8.20	0.00	1.64
HANCOCK	124	5.65	3.23	7.26	14.52	0.00	1.61	8.06	0.81	0.81
KENNEBEC	253	1.98	2.77	9.88	24.11	1.19	0.40	3.56	0.00	0.00
KNOX	120	5.83	3.33	13.33	13.33	0.83	0.00	6.67	0.00	0.00
LINCOLN	77	7.79	3.90	3.90	9.09	0.00	2.60	3.90	0.00	0.00
axfard	†33	5.26	3.76	3.01	15.04	0.00	1.50	4.51	0.00	1.50
PENOBSCOT	208	2.40	1.92	8.17	11.54	0.00	1.44	11.06	0.00	0.48
PISCATAQUIS	4 †	4.88	2.44	2.44	7.32	0.00	0.00	9.76	0.00	0.00
SAGADAHOC	55	9.09	3.64	1.82	27.27	0.00	0.00	5.45	0.00	0.00
SOMERSET	90	6.67	4 - 44	12.22	20.00	0.00	0.00	4.44	0.00	1.11
WALDO	54	1.85	3.70	14.81	3.70	0.00	0.00	3.70	0.00	0.00
WASHINGTON	63	4.76	3.17	3.17	14.29	0.00	1.59	3.17	0.00	0.00
YORK	266	2.63	t . 88	7.14	12.78	t. t3	0.75	6.39	0.00	0.75
STATE TOTALS	2,458	4_ † †	3.54	7.16	16.60	0.69	1.02	5.98	0.04	0.61

TABLE D-8

DEATHS AT HOME - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS

MAINE COUNTIES AND STATE TOTALS, 1986 (RESIDENT DATA)

COUNTY	TOTAL DEATHS AT HOME	**************************************	************** CANCER OF RESPIRATORY SYSTEM (160-165)	PERCENT OF ACUTE MYDCARDIAL INFARCTION (410)	TOTAL DEATHS OF CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE	HOME ***** CEREBRAL THROMBOSIS (434.0. 434.9)	PNEUMONIA	********* * ACCIE MOTOR VEHICLE (E8†0- E825)	DENTS * OTHER
ANDROSCOGGIN	147	4.76	6.12	21.77	23.13	0.00	0.00	1.36	0.00	1.36
AROOSTOOK	131	6.11	3.82	16.03	20.61	000	1.53	0.00	0.76	4.58
CUMBERLAND	334	9.58	7.19	11.98	16.47	0.00	1.20	1.20	1.20	2.69
FRANKLIN	43	2.33	11.63	16.28	18.60	2.33	0.00	2.33	0.00	2.33
HANCOCK	86	11.63	8.14	17.44	15.12	0.00	0.00	0.00	0.00	3.49
KENNEBEC	169	7.69	5.92	14.79	20.12	0.00	0.00	1.18	1.78	2.37
KNOX	76	6.58	3.95	13.16	25.00	0.00	0.00	0.00	0.00	1.32
LINCOLN	60	10.00	6.67	20.00	15.00	0.00	0.00	1.67	0.00	1.67
axfard	78	6.41	10.26	24.36	7.69	0.00	0.00	0.00	1.28	0.00
PENOBSCOT	233	6.44	7.30	15.45	14.16	0.86	0.00	3.86	0.43	1.29
PISCATAQUIS	44	9.709	4.55	15.91	9.09	0.00	0.00	0.00	0.00	4.55
SAGADAHOC	41	4.28	12.20	19.51	29.27	0.00	0.00	0.00	0.00	2.44
SOMERSET	83	7.23	12.05	19.28	18.07	0.00	0.00	0.00	0.00	1.20
WALDO	72	13.89	8.33	15.28	.11.11	0.00	0.00	0.00	5.56	2.79
WASHINGTON	7 1	7.04	5.63	29.58	18.31	0.00	0.00	0.00	0.00	7.04
YORK	253	9.09	4.35	13.04	15.81	0.40	0.40	0.40	0.00	1.98
STATE TOTALS	1,921	7.91	6.77	16.29	17.18	0.21	0.36	1.04	0.73	2.39

TABLE A-1 TOTAL TERMINATIONS OF PREGNANCY, FETAL DEATHS, MISCARRIAGES, AND INDUCED ABORTIONS BY GESTATION MAINE STATE TOTALS, 1986 (RESIDENT DATA)*

GESTATION WEEKS	TOTAL TERMINATIONS		AL THS PERCENT		RRIAGES PERCENT	ABOR	DUCED RTIONS PERCENT
0-4	19	0	0.00	7	1.66	12	0.34
5-8	2,225	o	0.00	205	48.69	2,020	57.37
9-12	1,219	o	0.00	139	33.02	1,080	30.67
13-19	384	o	0.00	39	9.26	345	9.80
20-23	23	20	20.41	o	0.00	3	0.09
24-27	13	12	12.24	o	0.00	, t	0.03
28-31	8	8	8.16	o	0.00	О	0.00
32-35	15	15	15.31	o	0.00	0	0.00
36-38	21	21	21.43	o	0.00	0	0.00
> 39	21	21	21.43	o	0.00	o	0.00
UNKNOWN	92	1	1.02	31	7.36	60	1.70
STATE TOTALS	4.040	98	100.00	421	100.00	3,521	100.00

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O -ABORTION RECORDS WERE BLANK.

TABLE A-2 INDUCED ABORTIONS BY GESTATION AND TYPE OF TERMINATION PROCEDURES
MAINE STATE TOTALS, 1986 (OCCURRENCE DATA)

				*****	*****	*****	****	****	MEEKS.	OF GE	ESTAT.	ION **	****	*****	****	******	****
	TERMINATION PROCEDURES	TOTAL ABORTIONS	PERCENT DISTRIBUTION	LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNK
	PRIMARY PROCEDURE THAT																
	TERMINATED PREGNANCY																
	SUCTION CURETTAGE	4,383	99.21	2,388	520	404	223	176	176	169	127	94	39	2	0	0	65
	SHARP CURETTAGE	12	0.27	8	2	1	1	0	0	0	0	0	0	0	0	0	0
	SALINE INSTILLATION	2	0.05	. 0	0	0	0	0	0	0	0	2	0	0	0	0	0
	PROSTAGLANDIN INSTILLATION	14	0.32	1	0	0	0	1	0	0	1	1	†	1	4	3	1
	HYSTEROTOMY	1	0.02	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	OTHER	6	0.14	2	0	Ø	0	1	0	0	0	0	1	0	0	0	2
	STATE TOTALS	4,418		2,399	522	405	224	178	176	169	128	97	41	3	4	4	68
	PERCENT DISTRIBUTION		100.00	54.30	11.82	9.17	5.07	4.03	3.98	3.83	2.90	2.20	0.93	0.07	0.09	0.09	1.54
	ADDITIONAL PROCEDURES USED																
	NONE	2,210	50.02	1.463	242	200	106	73	20	24	12	10	10	1	- 4	3	42
	SUCTION CURETTAGE	6	0.14	4	1	1	0	0	0	0	ā	ō	Õ	Ó	Ó	ō	ō
	SHARP CURETTAGE	2.196	49.71	931	277	204	118	105	155	_	116	86	31	1	ō	1	26
	SALINE INSTILLATION	3	0.07	1	†	0	0	0	1	0	0	0	0	0	0	0	0
,	PROSTAGLANDIN INSTILLATION	1	0.02	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	HYSTEROTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	OTHER	2	0.05	0	†	0	0	0	0	0	0	0	0	1	0	0	0
	STATE TOTALS	4,418		2,399	522	405	224	178	176	169	128	97	41	3	4	4	68
	PERCENT DISTRIBUTION		100.00	54.30	11.82	9.17	5.07	4.03	3.98	3.83	2.90	2.20	0.93	0.07	0.09	0.09	1.54

			****	****	*****	*****	****	*** W	EEKS C	IF GES	DITATE	N ***	****	****	******	******
AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	LESS THAN 9	9	19	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNKNOWN
LESS THAN 15	22	0.62	7	2	E	4	0	2	t	1	1	0	O	0	0	†
15	71	2.02	28	8	13	4	9	2	†	5	1	0	O	0	0	0
16	149	4.23	.68	20	15	9	4	5	9	5	, 6	4	0	0	0	4
1 7.	218	6.19	104	25	25	9	10	11	12	6	5	3	0	0	0	8
18	282	8.01	144	31	30	16	15	13	11	7	6	2	0	2	0	5
19	271	7.70	150	31	33	† 5	10	11	7	5	3	0	0	O	0	6
20-24	1,192	33.85	674	164	108	63	43	40	3 t	23	18	5	1	2	0	20
25-29	702	19.94	463	78	54	tΕ	†7	13	16	11	4	5	†	0	1	8
30-34	341	9.68	218	5 t	31	12	9	6	3	4	1	3	. 0	0	1	2
35-39	t83	5.20	116	22	15	10	7	1	4	2	2	0	0	.0	2	2
40-44	50	1.42	41	2	3	1	2	†	0	0	0	0	0	0	0	0
GREATER THAN 44	4	0.11	2	1	0	٥	0	0	0	0	0	0	0	0	0	†
UNKNOWN	. 36	1.02	17	6	4	3	2	0	0	0	· 1	0	0	0	0	3
STATE TOTALS	3,521		2,032	441	334	177	128	105	95	69	48	22	2	4	4	60
PERCENT DISTRIBUTION	•	100.00	57.7 1	12.52	9.49	5.03	3.64	2.98	2.70	1.96	1.36	0.62	0.06	0.11	0.11	1.70
RACE OF PATIENT																•
WHITE	3,356	95.31	1,924	421	326	170	124	101	94	68	47	20	2	2	2	55
BLACK	19	0.54	†2	†	0	3	1	2	0	0	O	0	0	0	0	0
AMERICAN INDIAN	10	0.28	5	5	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	136	3.86	91	14	8	4	3	2	1	1	†	2	0	2	2	5
' STATE TOTALS	3,521		2,032	441	334	177	128	105	95	69	48	22	2	4	4	60

PERCENT DISTRIBUTION

100.00

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

57.71 12.52 9.49 5.03 3.64 2.98 2.70 1.96 1.36 0.62 0.06 0.11 0.11 1.70

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O RECORDS WERE BLANK.

TABLE A-4 INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE
MAINE STATE TOTALS, 1986 (OCCURRENCE DATA)

			****	*****	*****	*****	****	*** W	EEKS O	IF GES	STATION	√ **:	****	*****	*******	******
AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	LESS THAN 9	9	ťŌ	11	12	13	14	15	16	1 7	81	19	GREATER THAN 19	UNKNOWN
LESS THAN 15	38	0.86	10	2	4	4	1	3	4	4	3	2	o	0	0	1
15	107	2.42	38	1.1	16	- 6	15	~6	4	8	2	0	1	0	0	0
1°6	231	5.23	90	25	24	11	t3	11	20	13	14	5	0	0	0	5
17	350	7.92	140	38	34	19	23	23	30	14	11	10	0	0	0	8
18	367	8.31	170	40	35	20	19	23	19	19	7	6	0	2	0	7
19	323	7.31	167	38	37	19	13	14	11	. 7	9	1	0	0	0	7
20-24	1,456	32.96	793	187	127	79	54	62	45	40	38	6	1	2	0	22
25-29	819	18.54	52 6	88	64	37	19	20	24	14	9	7	1	0	†	9
30-34	398	9.01	256	54	36	14	9	8	6	6	. 1	4	0	0	1	3
35-39	217	4.91	137	29	18	11	7	2	5	2	2	0	0	0	2	2
40-44	57	1.29	46	3	4	1	2	1	0	0	0	0	0	0	0	.0
GREATER THAN 44	4	0.09	2	1	0	0	0	0	0	0	0	0	0	0	0	1
UNKNOWN	51	1 . 15	24	6	6	3	3	3	1	1	†	0	0	0	0	3
STATE TOTALS	4,418		2,399	522	405	224	178	176	169	128	97	41	3	4	4	68
PERCENT DISTRIBUTION		100.00	54.30	11.82	9.17	5.07	4.03	3.98	3.83	2.90	2.20 (93	0.07	0.09	0.09	1.54
						,			,							
RACE OF PATIENT																
WHITE	4,207	95.22	2,265	498	395	217	171	169	168	124	94	38	3	2	2	61
BLACK	31	0.70	17	. 2	0	3	3	2	0	1	2	†	0	0	0	0
AMERICAN INDIAN	10	0.23	5	5	ō	0	Ō	0	ō	0	0	0	0	Ō	0	0
OTHER	170	3.85	112	17	10	4	4	5	†	3	†	2	0	2	2	7
STATE TOTALS	4,418		2,399	522	405	224	178	176	169	128	97	41	3	4	4	68
PERCENT DISTRIBUTION		100.00	54.30	11.82	9.17	5.07	4.03	3.98	3.83	2.90	2.20 0	0.93	0.07	0.09	0.09	1.54

MARIJAL STATUS	TOTAL	*****	***********		******** R	RACE *******	**************************************		******** HER
MARIJAL STATUS	ABORTIONS	NUMBER	PERCENT		PERCENT		PERCENT	NUMBER	PERCENT
MARRIED	728	674	92.58	7	0.96	4	0.55	43	5.91
NOT MARRIED	2,677	2,576	96.23	11	0.41	6	0.22	84	3.14
UNKNOWN	116	106	91.38	1	0.86	0	0.00	9	7.76
STATE TOTALS	3,521	3,356	95.31	19	0.54	10	0.28	136	3.86
AGE OF PATIENT(YRS.)									
LESS THAN 15	22	21	95.45	o	0.00	0	0.00	†	4.55
15	71	70	98.59	0	0.00	0	0.00	t	1.41
16	149	145	97.32	0	0.00	0	0.00	4	2.68
† 7	218	210	96.33	2	0.92	0	0.00	6	2.75
18	282	273	96.81	2	0.71	0	0.00	7	2.48
19	271	253	93.36	1	0.37	2	0.74	· †5	5.54
20-24	1,192	t,t43	95.89	8	0.67	2	0.17	. 39	3.27
25-29	702	664	94.59	4	0.57	. 4	0.57	30	4.27
30-34	341	322	94.43	1	0.29	1	0.29	1 7	4.99
35-39	183	173	94.54	1	0.55	· 1.	0.55	8	4.37
40-44	50	45	90.00	0	0.00	0	0.00	5 .	10.00
GREATER THAN 44	4	4	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN .	36	33	91.67	0	0.00	0	0.00	3	8.33
TEENAGE TOTALS	E10,1	972	95.95	5	0.49	2	0.20	34	3.36
STATE TOTALS	3,521	3,356	95.31	19	0.54	10	0.28	136	3.86

NOTES: PERCENTAGES ARE BASED ON TOTAL ABORTIONS.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON O RECORDS WERE BLANK.

TABLE A-6

INDUCED ABORTIONS BY RACE, MARITAL STATUS AND AGE OF PATIENT MAINE STATE TOTALS, 1986 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL	WH	ITE	BI	_ACK		N INDIAN	ат	HER
	ABORTIONS	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	
MARRIED	849	788	92.82	. 8	0.94	4	0.47	49	5.77
NOT MARRIED	3,422	3,291	96.17	22	0.64	6	0.18	EO†	3.01
UNKNOWN	147	128	87.07	t	0.68	O	0.00	18	12.24
STATE TOTALS	4,418	4,207	95.22	31	0.70	10	0.23	170	3.85
AGE OF PATIENT(YRS.)									
LESS THAN 15	38	36	94.74	o	0.00	0	0.00	2	5.26
15	107	103	96.26	2	1.87	o	0.00	2	1.87
16	231	225	97.40	†	0.43	0	0.00	5	2.16
† 7	350	338	96.57	5	1.43	0	0.00	7	2.00
18	367	355	96.73	3	0.82	0	0.00	9	2.45
19	323	302	93.50	3	0.93	2	0.62	16	4.95
20-24	1,456	1,399	96.09	10	0.69	2	0.14	4.5	3.09
25-29	819	775	94.63	4	0.49	4	0.49	36	4.40
30-34	398	372	93.47	1	0.25	1	0.25	24	6.03
35-39	2†7	206	94.93	1	0.46	1	0.46	9	4.15
40-44	57	52	91.23	o	0.00	0	0.00	5	8.77
GREATER THAN 44	4.	4	100.00	o	0.00	0	0.00	0	0.00
UNKNOWN	.51	40	78.43	1	1.96	o	0.00	10 .	19.61
TEENAGE TOTALS	1,416	1,359	95.97	14	0.99	2	0.14	41	2.90
STATE TOTALS	4,418	4,207	95.22	31	0.70	10	0.23	170	3.85

NOTES: PERCENTAGES ARE BASED ON TOTAL ABORTIONS.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

			****	********	******	COMPLICATIONS	OF PREGNANCY	*******	******	******
WEEKS OF GESTATION	TOTAL*	PERCENT	NONE	HEMORRHAGE	INFECTION	UTERINE	CERVICAL	RETAINED	OTHER	UNKNOWN
	ABORTIONS	DISTRIBUTION				PERFORATION	LACERATION	PRODUCTS		
LESS THAN 9	2,399	54.30	2,234	5	2	0	0	1	5	154
· 9	522	11.82	482	†	3	٠0	ō	0	†	35
10	405	9.17	357	t	1	0	Õ	0	0	46
11	224	5.07	203	0	0	Ö	Ō	0	: 0	21
12	178	4.03	164	t	Ō	O	0	0	1	12
13	176	3.98	16 2	0	0	0	σ	0	-0	14
14	169	3.83	162	0	0	0	0	0	.0	7
15 .	128	2.90	120	0	0	0	0	0	1	7
16	97	2.20	92	0	0	0	-O	†	0	4
17	41	0.93	39	0	0	0	0	0 ~	0	2
18	3	0.07	1	0	0	О	0	1	2	0
19	4	0.09	1	0	0	-0	0	0	1	2
GREATER THAN 19	4	0.09	3	1	0	0	0	0	0	0
UNKNOWN	68	1.54	46	1	0	0	0	0	2	19
STATE TOTALS	4,418		4,066	10	6	0	0	3	13	323
PERCENT DISTRIBUTION		100.00	92.03	0.23	0.14	0.00	0.00	0.07	0.29	7.31
AGE OF PATIENT(YRS.)										
AGE OF PATERICING!										
LESS THAN 15	38	0.86	33	0	o	0	0	0	. 0	5
†5	107	2.42	100	0	Ö	0	. 0	0	0	7
16	231	5.23	222	0	. 0	0	0	0	0	9
† 7	350	7.92	330	1	-0	0	0	1		18
18	367	8.31	336	1	2	0	0	0	2	26
19	323	7.31	297	.0	0	0	Ð	0	0	2 6
20-24	1,456	32.96	1.325	5	2	0	0	1	5	118
25-29	819	18.54	758	. 0	1	0	0	1	2	58
30-34	398	9.01	368	†	1	0	0	0	0	29
35-39	217	4.91	20 t	†	0	0	0	0	3	12
40-44	57	1.29	52	0	O	0	0	0	0	5
GREATER THAN 44	4	0.09	2	0	0	О	0	0	0	2
UNKNOWN	5 t	1.15	42	1.	0	0	0	0	0	8
TEENAGE TOTALS	1,416	32.05	1,318	2	2 .	0	0	1	. 3	91
STATE TOTALS	4,418		4,066	10	6	0	0	3	£1	323
PERCENT DISTRIBUTION		100.00	92.03	0.23	0.14	0.00	0.00	0.07	0.29	7.31

^{*} THE SUM OF COMPLICATIONS OF PREGNANCY MAY EXCEED TOTAL ABORTIONS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

MARITAL STATUS	TOTAL	*	*****		BIRTH:		*****			DUCED T				*****	PONTAN				****** DNS
	ABORTIONS	0	†	2	3	4+	UNK			2	3	4+	UNK	0	1	2	3	4+	UNK
MARRIED	728	131	175	20 t	70	21	130	394	175	54	11	10	84	500	68	11	2	13	134
NOT MARRIED	2,677	1,763	333	163	65	24	329	1,725	571	123	36	18	204	2,151	127	18	10	14	357
UNKNOWN	1:16	52	21	† †	2	3	27	62	25	5	1	1	22	82	9	0	0	1	24
STATE TOTALS	3,521	1,946	529	375	137	48	486	2,181	77 †	182	48	29	310	2,733	204	29	12	28	515
PERCENT DIST.	100.00	55.27	15.02	10.65	3.89	1.36	13.80	61.94	21.90	5.17	1.36	0.82	8.80	77.62	5.79	0.82	0.34	0.80	14.63
•																			
AGE OF PATIENT(YR	ıs.)																		
LESS THAN 15	22	22	0	0	0	0	0	22	0	0	0	0	0	22	0	0	0	0	0
15	7 †	65	2	. 0	0	0	4	63	4	. 0	0	0	4	66	0	0	. 0	0	5
16	149	132	0	0	0	0	17	130	5	0	0	0	14	131	0	0	0	0	18
17	218	186	11	Ø	0	0	21	188	15	0	0	0	15	194	1	0	0	0	23
18	282	231	26	4	1	0	20	228	36	0	0	t	1 7	248	6	0	0	1	27
19	27 t	196	33	6	1	0	35	198	39	4	0	t	29	227	4	0	1	1	38
20-24	1,192	672	208	112	34	5	161	704	302	59	13	8	106	935	53	10	4	11	179
25-29	702	29 t	153	104	37	4	113	326	231	64	16	8	57	500	69	8	1	5	119
30-34	341	96	60	79	35	12	59	166	96	34	10	6	29	235	37	6	3	5	55
35-39	183	29	26	5 7	22	16	33	103	30	18	8	5	19	123	22	3	3	5	27
40-44	50	9	4	11	5	9	12	3 †	8	2	1	0	8	29	9	2	0	0	10
GREATER THAN 44	4	0	0	1	0	2	1	4	0	0	0	0	0	1	2	0	0	0	†
UNKNOWN	36	17	6	t	2	0	10	18	5	t	0	0	12	22	t	0	0	0	13
TEENAGE TOTALS	1,013	832	72	10	2	0	97	829	99	4	0	2	79	888	11	0	1	2	111
PERCENT DIST.	100.00	82.13	7.11	0.99	0.20	0.00	9.58	81.84	9.77	0.39	0.00	0.20	7.80	87.66	1.09	0.00	0.10	0.20	10.96
STATE TOTALS	3,521	1,946	529	375	137	48	486	2,181	77 t	182	48	29	310	2.733	204	29	12	28	515
PERCENT DIST.	100.00	55.27	15.02	10.65	3.89	1.36	13.80	61.94	21.90	5. 1 7	1.36	0.82	8.80	77.62	5.79	0.82	0.34	0.80	14.63

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON ' O RECORDS WERE BLANK.

MARITAL STATUS	TOTAL	**	******	LIVE	BIRTH	5 ***	*****		*** IND				****	*****	PONTAN	IEOUS	TERMI	NATIO	ONS
	ABORTIONS	0	1	2	3	4+	UNK	. 0	1	2	3	4+	UNK	0	1	2	3	4+	UNK
MARRIED	849	159	.199	239	84	26	142	468	204	59	15	12	9:1	594	79	16	3	13	144
NOT MARRIED	3,422	2,369	407	178	75	24	369	2,297	694	143	41	20	227	2,828	151	23	10	14	396
UNKNOWN	147	, 67	24	13	2	3	38	76	29	7	1	t	33	102	9	†	0	1	34
STATE TOTALS	4.418	2,595	630	430	161	53	549	2,841	927	209	57	.33	351	3,524	239	40	E .t	28	574
PERCENT DIST.	100.00	58.74	14_26	9:73	3.64	1.20	12.43	64.31	20.98	4.73	1.29	0.75	7.94	79.7 6	5.41	0.91	0.29	-0.63	12.99
AGE OF PATIENT(YE	₹\$.)																	`	
LESS THAN 15	38	37	1	O	0	0	0	38	o	0	O	0	0	38	0	0	0	0	o
15	*107	99	3	0	0	0	5	96	6	0	0	0	5	102	.0	Ð	0	0	5
16	231	211	1	0	0	0	19	207	9	0	o	o	15	210	1	0	0	0	20
1.7	350	316	11	1	0	0	-22	305	27	3	o	0	15	325	1	0	Œ	0	24
18	367	299	37	5	t	0	.25	299	48	Ф	0	1	19	328	.7	0	0	1	31
19	323	240	38	6	1	o	38	241	45	4	0	1	32	274	6	0	1	t	41
20-24	t.456	858	245	127	41	6	179	879	364	. 69	16	9	119	1,167	62	13	5	† †	198
25~29	819	356	171	116	45	4	127	391	264	73	18	8	65	592	77	12	1	5	132
30-34	398	114	73	90	40	14	67	199	106	38	13	8	34	278	43	7	3	5	62
35-39	7217	. 34	38	67	26	17	35	123	43	18	8	6	19	147	28	-6	3	5	28
40-44	57	9	6	1.5	5	10	12	38	8	2	1	0	8	35	10	2	0	0	10
GREATER THAN 44	4	0	0	1	0	2	1	4	o	0	0	0	.0	1	2	0	0	0	1
UNKNOWN	5:1	22	6	2	2	0	- 19	21	7	2	1	Ö	20	27	2	0	.0	0	22
TEENAGE TOTALS	1,416	1,202	91	12	2	0	109	1., 186	135	7	0	2	86	1,277	15	- O	1	2	121
PERCENT DIST.	. 100 - 00	84.89	6.43	0.85	0.14	0.00	7.70	83.76	9.53	0.49	0.00	0.14	6.07	90.18	1.06	0.00	0.07	0.14	8.55
- STATE TOTALS	4,418	2,595	630	430	161	53	549	2,841	927	209	57	33	35 t	3,524	239	40	13	28	574
PERCENT DIST.	100.00	58.74	14.26	9.73	3.64	1.20	12.43	64.31	20.98	4.73	1.29	0.75	7.94	79.76	5.41	0.91	0.29	0.63	12.99

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

-					
STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS
ALASKA	0	MASSACHUSETTS	247	SOUTH DAKOTA	0
ALABAMA	0	MICHIGAN	O	TENNESSEE	o
ARIZONA	†	MINNESOTA	o	TEXAS	0
ARKANSAS	0	MISSISSIPPI	0	UTAH	О
CALIFORNIA	1	MISSOURI	o	VERMONT	15
COLORADO	1	MONTANA	0	VIRGINIA	o
CONNECTICUT	2	NEBRASKA	0	WASHINGTON	0
DELAWARE	o	NEVADA	t	WEST VIRGINIA	0
FLORICA	1	NEW HAMPSHIRE	282	WISCONSIN	. 0
GEORGIA	t	NEW JERSEY	t	WYOMING	ο,
HAWAII	o	NEW MEXICO	: O	DIST OF COLUMBIA	o ,
IDAHO	0	NEW YORK	· 5	PUERTO RICO	· o ·
ILLINOIS	. 0	NORTH CAROLINA	1	VIRGIN ISLANDS	1 1
INDIANA	o	NORTH DAKOTA	o ·	GUAM	o
IOWA	0	OHIO	†	CANADA	287
KANSAS	o	OKLAHOMA	0	CUBA	o
KENTUCKY	0	aregan	0	MEXICO	o
LOUISIANA	0	PENNSYLVANIA	. • • • • • • • • • • • • • • • • • • •	DTHER W. HEMISPHERE	0
MAINE	3,521	RHODE ISLAND	28	REST OF THE WORLD	1
MARYLAND	o	SOUTH CAROLINA	. 0	UNKNOWN	19
	•			TOTAL	4,418

			1
			1
			1
			1
			1
			1
			1
			1
			1
			1
			1
		·	

			****	****	*****	*****	*****	*****			E(YRS.				*****		******
AGE OF GROOM(YRS.)	TOTAL: MARRIAGES	PERCENT DIST.	16	46-17	18-19	9 20-2	1 22-23	3 24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
UNDER 16	1	0.01	0	0	o	1	.0	0	0	0	O	0	; O	Ø	0	- 0	o
16-17	33	0.30	4	14	11	1	2	1	0	0	o	o	.0	Ð	₽	-0	0
18-19	515	4.73	6	79	291	97	15	10	3	5	.3	.2	2	0	-0	2	0
20-21	1,190	10.93	9	85	451	389	143	43	27	14	19	-3	0	.O	o	1	o
22-23	1.547	14.21	3	34	305	490	399	140	76	34	48	15	۵.	3	0	٥	o
24-25	1,411	12.96	2	16	147	298	39 t	274	118	74	68	14	6	1	7	1	o
26-2 7	1.073	9.86	o	6	63	†58	234	224	170	88	107	11	8	2	1	†	o
28-29	886	8.14	1.	1	44	76	129	164	155	1 10	145	43	13	5	0	0	0
30-34	1,530	14.05	o	2	27	94	. 147	183	223	235	407	162	44	6	0	٥	0
35-39	964	8.85	0	t	17	28	48	59	76	94	292	227	94	1 9	. 9	0	0
40-44	592	5.44	0	o	5	3	18	17	30	29	149	176	113	34	18	.0	0
45-49 .	365	3. 35	0	0	t	2	4	5	11	19	49	85	93	70	26	0	0
50-64	536	4.92	o	0	0	3	2	2	6	8	28	73	78	132	190	14	o
OVER 64	244	2.24	o ·	0	t	0	o	t	1	t	3	3	9	18	79	1.28	0
UNKNOWN	0	0.00	0	0	o	0	O	0	0	0	o	O	0	-0	70	0	0
STATE TOTALS	10.887		25	238	t,363	1,-640	1,532	1.129	896	711	1,318	814	460	290	324	147	0
PERCENT DISTRIBUTION	N ·	100.00	0.23	2.19	12.52	15.06	14.07	40.37	8.23	6.53	12.11	7.48	4.23	2.66	2.98	1.35	0.00

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

			*****	****	*****	*****	* EDUCA	TION OF	BRIDE(YRS.) *	*****	****	****	******
EDUCATION OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DISTRIBUTION	UNDER 8	8	9	10	11	12	13	14	15	16	OVER 16	UNKNOWN
UNDER 8	93	0.85	10	13	6	7	7	34	2	7	, з	2	t	†
8	244	2.24	10	40	20	26	25	96	† 3	7	†	3	1	2
9	289	2.65	10	18	23	31	· 31	146	5	10	. 8	†	3	· 3
10	418	3.84	4	15	35	55	1 €	228	10	24	2	7	2	5
††	495	4.55	, з	† 9	26	58	64	245	32	30	. 9	6	2	†
12	5,300	48.68	20	68	110	268	260	3,279	384	426	145	232	70	37
13	610	5.60	0	5	9	† †6	28	264	111	79	29	50	†7	2
14	1.014	9.31	0	†	5	16	19	387	141	215	55	131	43	†
15 ^{-†4}	340	3.12	1	2	t	4	6	106	33	58	37	6 1	29	2
<u>†</u> 6	1,175	10.79	3	4	2	9	3	262	89	173	92	431	102	5
OVER 16	600	5.51	0	0	†	5	3	82	38	77	45	169	†7 8	2
UNKNOWN	309	2.84	0	· 2	6	4	4	34	7	3	, Ģ	3	†	239
STATE TOTALS	10,887		61	187	244	499	481	5,163	865	1,109	433	1.096	449	300
PERCENT DISTRIBUTI	:ON	100.00	0.56	1.72	2.24	4.58	4.42	47.42	7.95	10.19	3.98	10.07	4.12	2.76

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

PREVIOUS MARITAL STATUS	TOTAL MARRIAGES	PERCENT DIST.						****** 3 24-25			-		***** 40-44			OVER 64	UNKNOWN
BRIDE																	
SINGLE	6,740	61.91	25	237	1,342	1,546	1,326	853	544	337	381	97	29	9	8	6	-0
WIDOWED	405	3.72	0	o	1	2	5	-5	12	8	23	29	34	42	132	112	o
DIVORCED	3,732	34.28	0	1	19	90	200	269	340	365	914	687	396	238	184	29	0
ANNULLED	9	80 . Os	0	o	0	2	t	2	0	-1	o	t	†	1	0	•	.0
UNKNOWN	t	-0.01	0	0	1	0	0	0	0	0	0	o	o	0	0	0	0
BRIDE TOTALS	10,887		25	238	1,363	1,640	1,532	1,129	896	711	818.,1	814	460	290	324	147	0
PERCENT DIST.	-	100:00	0.23	2.19	12.52	15.06	14.07	10.37	823	6.53	12.11	7.48	4.23	2.66	2.98	1.35	0.00

	TOTAL -	PERCENT DIST.	***** UNDER 16	****** 16-17	***** 18-49						M(YRS. 30-34				***** 50-64		******* UNKNOWN
GROOM																	
SINGLE	6,873	63 .13	† -	32	514	1,166	1,466	1,254	845	586	650	218	67	24	38	12	-0
WIDOWED	345	3. 1 7	o	o	o	0	0	7	o	7	12	10	15	18	107	181	- 0
DIVORCED	3·, 6 58	3 3.6 0	0	†	1	24	80	156	228	297	864	735	5 10	323	389	50	0
ANNULLED	10	0.09	0	0	0	0	·O	0	0	2	4	4	o	0	2	1	0
UNKNOWN	†	0.01	Ο.	0	0	0	Ť	0	0	0	0	9	-0	0	0	0	0
GROOM TOTALS	10,4887		1	33	515	1,190	1,547	1,411	1,073	886	1.530	964	592	365	536	244	0
PERCENT DIST.		100.00	0-01	0.30	4.73	10.93	14.21	12.96	9.86	8.14	14.05	8.85	5.44	3.35	4.92	2.24	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
-OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

132

MARRIAGES BY NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND OF GROOM MAINE STATE TOTALS. 1986 (RESIDENT DATA)*

			***	*****	******	NUMBER OF	F PREVIOUS	MARRIAGES	OF ERIDE	*****	******	*****
NUMBER OF PREVIOUS MARRIAGES OF GROOM	TOTAL MARRIAGES	PERCENT DISTRIBUTIO	O IN	1	2	3	4	5	6	7	8	UNKNOWN
0	6.875	63.15	5,555	1,088	190	34	5	2	0	O	1	0
1	3,079	28.28	1.018	1.577	396	7†	13	3	0	0	†	0
2	750	6.89	138	384	184	35	6	2	†	0	0	O
3	146	1_34	23	62	40	14	5	2 .	0	0	0	0
4	25	0.23	4	12	6	1	2	0	0	0.	0	0
5	, 6	0.06	1	3	2	•0	0	0	0	0	0	0
6	0	0.00	0	0	0	0 ,	0	0	0	0	0	0
7	0	0.00	0	0	0	0	0	. 0	0	0	0	0
8	5	0.05	2	0	0	0	0	0	0	0	3	0
UNKNOWN	t	0.01	0	†	0	0	0	O	0	0	0	0
STATE TOTALS	10,887	; *	6,741	3,127	818	155	31	9	†	0	5	0
PERCENT DISTRIBUTIO	IN	100.00	61.92	28.72	7.51	1.42	0.28	0.08	0.01	0.00	0.05	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

NUMBER OF YEARS MARRIED	TOTAL DIVORCES	PERCENT DISTRIBUTION	****	* NUM 1	BER OF	MINOR (CHILDREN 4	***** OVER 4		* PLAINTIFF HUSBAND	##### BOTH	** DI WIFE	ECREE GRAN HUSBAND	TED *** BOTH
UNDER 1	250	4.45	207	28	13	2	0	0	155	95	0	73	45	131
1-2	1,023	18. <i>2</i> 0	696	264	59	3	t	0	635	388	0	321	152	550
3-4	945	16.81	478	304	147	13	†	2	627	317	†	30 t	130	514
5-6	763	13.57	298	231	198	3†	3	2	534	229	0	240	88	434
7-8	526	9.36	164	128	177	44	7	6	352	174	0	150	56	320
9-10	377	6.71	110	85	137	36	7	2	235	142	0	98	54	225
11-12	346	6.16	90	66	136	46	6	2	235	111	0	99	32	215
13-14	299	5.32	56	59	123	5 t	8	2	201	98	0	94	32	173
15-16	228	4.06	34	49	91	45	7	2	149	79	0	59	24	145
17-18	192	3.42	24	46	7†	42	6	3	131	6 †	0	56	25	110
19-20	153	2.72	28	62	41	13	6	3	112	4†	0	53	9	90
21-22	125	2.22	48	49	21	6	0	†	79	46	0	35	11	7 9
23-24	92	1.64	46	29	12	5	0	0	56	36	0	21	6	65
25-26	80	1.42	45	26	8	1	0	0	52	28	0	16	6	58
27-28	53	0.94	33	14	5	t	0	0	35	18	0	1 5	10	28
29-30	40	0.71	3†	6	3	0	0	0	30	10	0	12	2	26
31-34	59	1.05	54	4	1	0	0	0	33	26	0	22	4	33
35-39	49	0.87	47	2	0	0	0	0	27	22	0	14	6	29
OVER 39	2†	0.37	21	0	0	0	0	0	13	8	0	6	3	12
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,621		2,510	1,452	1,243	339	52	25	3,691	1,929	1	1,685	695	3,237
PERCENT DIST.		100.00	44.65	25.83	22.11	6.03	0.93	0.44	65.66	34.32	0.02	29.98	12.36	57.59

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
MINOR CHILDREN ARE UNDER 18 YEARS OF AGE.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS


	•		
			ı
			ı
			1
			l .
		•	
			1
			1
			1
			1
			I
			I
			1
			1
			1

		-	

STATE OF MAINE DEPARTMENT OF HUMAN SERVICES CERTIFICATE OF LIVE BIRTH

	CHILD-NAME FIRS	ST MIDDLE	LAST		SEX	DATE OF BIRTH	(Mo., Day, Yr)	HOUR	
CHILO	1				2.	3a		3b	м
	HOSPITAL-NAME (II not in	hospital, give street and number)		CITY, TOWN OR LOCATIO	ON OF BIRTH	co	UNTY OF BIRT	н	
	48.			46.		4c.			
	I certify that the stated informand belief	nation concerning this child is tru	e to the best of my knowledge	DATE SIGNED (Mo., Day,	Yr.) NAME AND T	ITLE OF ATTEND	ANT AT BIRTH	IF OTHER	
	5a (Signature)			5b.	5c.	rien (rype or pin	"')		
	CERTIFIER-NAME AND TIT	LE (Type of print)		MAILING ADDRESS (Sires		V Town, State, Zip	,		
· ·	5d			50.					
	REGISTRAR			130.	DATE RECEI	VED BY REGISTR	AR (Mo., Day, Y	7)	
	6a (Signature)								
				AST					
. (MOTHER-MAIDEN NAME	FIRST	MIDDLE L	AD1		STATE OF BIRTI	s (ir not in U.S.)	٠.	
	7 a				10	7c.			
1	STATE OF RESIDENCE	COUNTY OF RESIDENCE	CITY, TOWN OR LOCATION C	FRESIDENCE O	STREET AND	NUMBER OF RE	SIDENCE		
MOTHER	Ba .	86	BC MITTER	, 34 MA	8d				
	MOTHER'S MAILING ADDRE	SS-II same as above, enter Zip i	Centrally.		YEARS LIVIN	G IN PRESENT TO	OWN		
	Sa.	you !			9b				
	FATHER-NAME	PAS E MID	DLE LAST		AGE (At time of this birth)	STATE OF BIRT	H (II not U.S.A.,	name coun	117)
FATHER	10a	my by hand "	•		106	104			
Ì	I certify that the personal info	rmittee provided on this certifica	te is correct to the best of my k	nowledge and belief.	RELATION TO				
	(Signature of Parent of				1				
L	11a other Informant)				116				
	V								
	•								
•									
		CONFIDENTIAL INFO	AMATION FOR MEDICAL AND	HEALTH USE ONLY					
	RACE-MOTHER (e.g. White. Black American Indian, etc.	RACE-FATHER (# 9 White.	BIATH WEIGHT	THIS BIRTH-Single Iwin, triplet, etc (Specify)	IF NOT SINGLE BIR		HER MARRIED	,	
	Black, American Indian, etc. (Specify)	(Specify)		перет, етс <i>(эреспу)</i>	(Specify)	ic (Specif)	yed or no)		
	12	13	14	15a	156	18			
	L'.	_ 	1	المستحدث	<u> </u>				

VS-R183



VS-R187

NOT A LEGAL COPY

STATE OF MAINE DEPARTMENT OF HUMAN SERVICES

REPORT OF FETAL DEATH

THEFT BANK OF

CEMETERY OF CREMATORY - NAME

	HOSBITAL N	IAME (II not in hospital, give				1 2				
Section and the contraction	THOSPITAL II		name or street and	numbei	"	Cary, IC	OWN OH LOCATI	ON OF DELIVERY	,	COUNTY OF DELIVERY
THIS	1.,					1b.				1c
DELIVERY	2	IVI BY (Month Day Year)	HO!	JR OF E	PELIVERY			SEX OF FETUS	•	
	knowledge	e stated information concorni	ng this dulivery is	true to b	ne best of my D	ATE SIGN	ED (Mo., Day, Yr.	NAME AND TIT	LE OF ATTA	IDANT AT DELIVERY (Type or print)
CERTIFIER		AME AND TITLE (Type or prin	11)		M	AILING A	DDRESS (Siree)	or B. C. M. City	or 10 Sta	le. Zipi
	MOTHER MAI	DEN NAME FIRS	1 M	IDDLE	56	LAST	- M	AGENT IIII	JE DE	BIRTH (II not in U.S.A.,
	STATE OF RESI	DENCE COUNTY OF RE	SIDENCE CITY	TOWN C	OR LOCATION &	The state of the s		ops delivery)	6c coun	
MOUNTER	6.1	6e	61.			EIDEN	100	STREET AND NO.	JMBER OF RI	ESIDENCE
	7a	LING ADDRESS-11 same as						YEARS LIVING	IN PRESENT	TOWN
FATHER	FATHERNAM	E FIRST		IDDLE		LAST		AGE (Al lime of this delivery) 8b.	STATE OF name coun 8c.	BIRTH (if not in U.S.A., itry)
	PAH: conditio	maternal IMME of the control of the	DIATE CAUSE		ENTER	ONLY ON	E CAUSE PER LI	NE FOR (a), (b), a:	nd (c)	Specily Felal or Malernal
	Fetal an	dior ma-	OR AS A CONSE	DUENCE	OF					Specify Fetal or Maternal
CAUSE OF FETAL DEATH	if any gr to the in cause(s) the undi cause ta	stating	OR AS A CONSE	OUENCE	OF					Specify Fetal or Maternal
		IGNIFICANT CONDITIONS OF ing to letal death but not rela				FETUS DI LABOR, D OR DELIV Unknown	ED BEFORE URING LABOR PERY. (Specify)	PHYSICIAN'S ES OF GESTATION	TIMATE	AUTOPSY (Specify yes or no)
					l	10.		1 1.		12.
	FUNERAL DIRE	CTOR-SIGNATURE		В	med REGIS	ran-si	SNATURE	•	D	ATE RECEIVED BY LOCAL
>	13				ematedi i 14.				R	EGISTRAR 5.
	13a Typed Nam	e and Address of Funeral Dire	actor or Authorized	Person						
			•							
	BACE MOD	HER () WINTO RACE FA	THER (e.g. White,	WEID	HI OF FETUS	THIS BIRT	H-Single, Iwin,	IF NOT SINGLE	HATH - Boro	IS MOTHER MARRIED?
	Black, Americ	can Indian, etc.) - Hilack, Ame	urtean Indian, oto) Spacify)			triplet, etc	(Specify)	first, second, thi (Speci	rd, etc.	(Specify yes or no)
	16	.,		18		19a		196		20
	<u> </u>							1		
	(Do r	LIVE BIRTHS not include this child)	Now Li (Numb	iet)	None	216	Now Dead (Number)	None	1	E OF LAST LIVE BIRTH (Month, Year)
HEGNANCY HISTORY	i	nplote each section) IER TERMINATIONS	Before	20 week	is		After 20 wee	ks	AATE OF	F LAST OTHER TERMINATION
	(Spon	taneous and induced)	21d (Nu	iupei)	None	1 210	(Number	None	2 11 "	Indicated in 21d or 21e) Mo. Yr.
		OR DESCENT MOTHER Mexican, English, etc.)			est grade complet	ed)	OCCUPATIO	N-WOTHER	1	NDUSTRY-MOTHER
WOTHER	22a.	merican, English, etc i	Elementary o Secondary (0 22b.	12)	College (1-4 or 5 +) 22c.	* 22d.		۷() ۲	220.	
	1	OR DESCENT - FATHER	EDUCATION		(1-4 or 5 +)		OCCUPATION	N-FATHER		INDUSTRY—FATHER
FATHER	23a	, Mexican, English, etc.)	(0·12) 23b.		(1-4 or 5 +) 23c.	230	<u></u>		23a.	
MOTHER	(Mor	ORMAL MENSES BEGAN 1th, Day, Year)	MONTH OF CARE BEGAN	PREGNA I (First,	NCY PRENATAL Second etc) (Spe	cily 24c		AL VISITS I none, so state)		
	24a	THIS I	PREGNANCY MA			. 14	ACH COLUMN			
25 COMPLICAT PREGNAM (check all whice	TIONS OF ICY	26 ILLNESS OR CONDS. AFFECTING PREGNANCY (Check all which apply)	27 COMPLICATE LAD (Check ellowhile	Annual	24 SETHOD O	F DELIVER	RY	CONG	ENITAL AND	MALIES apply)
Bleeding in		Tobacco Use a	Abruglio		Spontaneous Controlled		Anencoph	ılu s	.a. Li Ol Di	gestive
Early Pregnance Eclampsia	cy a. .b	Heart Disease Symptomatic b	Playenta		Spontaneous		Blida			m (specify)
Preeclampsia	. с	Hypertension c	Previa	. b	Uncontrolled. Low Furcaps		System (so	ecity)	(speci	''
Ah Sensitization	ď	Chronic Renal Disease d.	or Compression		Other Forceps Procedure	d. 11	Cleft Lip/P (specify)		OI Uri	inary System
		Pyelocystitis . e . DES Exposure 1 :	(Specity type)		Primary C Section	• 11			d. li	ity)
Anemia (hgb gm/hct ⊲30%	∢10	Alcohol Dependence , g (Breach	d (Repnet C Section .		Of Eye (sp.	• • • • • • • • • • • • • • • • • • • •	O! Mu e. II (epaci	
Ammonds) U h	Driig Addiction or Dependence h .		. • 1	Breuch Dalivery	. g 1:	Of tar, Far (specify)	a, Nuch	Of Int	. m Li
Unnary Tract Infection	1	Previous C-section (specify number)	intraparton Fave Chortoamniontic		Version and Extraction	h ()		(f ti (epedi	(v)
Premature Lab (before 37 wee	ror	Obesity	Fetal Olaticas	b :			Of Head (specify)			lenosor
Premature Del	ivery	Gestational	Labor ► 18 hours				Of Other C	irculatory	g. li (speci 	ly)
(before 37 wee PROM (>24 ho	ours	Diabetes k Chronic					System (sp	ecify)	n. 11	
before delivery Other (specify)	n)l.	Diabetes ! Other (specify)	Other (specify)		Other (specify)		Of Respirat	OfY		(epecify)
1	y	, у.		у	Striet (apacity)	y . i	1	l		y, (1
None	2.	Nonez	None	Z. i	l		ı		None	

VS-4 R185

CONFIDENTIAL

/S-3 P'37

ACC SUICIDE HOM UNDET

NUCHY AT WORK -Spreifs Yes

DATE OF INJURY (Ma . Day. Yr)

PLACE OF INJURY At home farm, street, factory, office building, etc. (Spreify)

HOUR OF INJURY

LOCATION

DESCRIBL HOW INJURY OCCURRED

STREET OR R F.D. No.

CITY OR TOWN

STATE OF MAINE – DEPARTMENT OF HUMAN SERVICES REPORT OF ABORTION (Spontaneous and Induced)

FACILITY NAME (IF NOT	INSTITUTION GIV	E ADDRESS)		COUN	TY OF AB	ORTION	CITY OR 1	OWN OF ABORTION
1				₹(a)			3(p)	
REPORT NUMBE	R	AGE OF PA	TIENT		TIENT RRIED?	T	DATE OF A	ABORTION
₃ Nº 3347	2	4		YES	NO	6		
RESIDENCE OF PATIENT (STATE)	COUN	TY		CITY	OR TOWN		TYPE C	F ABORTION
7(a)	7(b)		7(c)				SPONTANE	OUS INDUCED
RACE (CHECK)	EDUCATION HIGHEST G COMPLET	N (0-17) RADE		PREVIOL		NCIES (COMPLETE EAG	CH SECTION) CERMINATIONS
☐ White ☐ Black	COMPLET	red -	Now	Living	Now D	ead	Spontaneous	Induced
☐ American ☐ Other 9 Indian	10		Number	None 🗆	Number_ 11(b) N	None 🗆	Number	Number
TE	RMINATION PRO	CEDURE				Celvi	REICATIONS (OF PREGNANCY
PROCEDURE THAT TERMINATED PREGNANCY (CHECK ONE ONLY)	•		DITIONA USE IECK AL	L PROCEC OLE ANY L THAT A	# " \	J.	CHECK ALL T	HAT APPLY
☐ SPONTANI	EOUS ABORTION	APPLICA	BLE	1	Waste	NONE		🗆
· · · · · · · · · · · · · · · · · · ·	SUCTION CURET	TAGE				немо	RRHAGE	
	SHARP CURETT	AGE,	••••			INFEC	TION	
☐INTRA	UTERINE SALINE	IŅSTILLATIO	N		i.	UTER	INE PERFORAT	10N
☐ ,INTRA-UTE	RINE PROSTAGLAN	IQIN INSTILL	ATION.	□ .		CERV	ICAL LACERAT	TON □
	HYSTEROTON	ΛΥ	************			RETA	INED PRODUCT	-s 🗆
	HYSTERECTO	MY	••••••			OTHE	R (SPECIFÝ)	
!	, OTHER (SPECI	FY)	************			<u></u>		
12(a)						12(b) —		
SIGNATURE OF ATTENDIN	G PHYSICIAN		ADD	RESS OF	PHYSICIAN	I IF NON	FACILITY ABO	ORTION
15		14						
PHYSICIAN'S ESTIMATE OF GE	STATIONAL AGE	NAME	OF PER	SON COM	PLETING F	REPORT	IF NOT ATTEN	DING PHYSICIAN
:5		16						
VS 4A R0180								······································

ORIGINAL-CITY OR TOWN

STATE OF MAINE DEPARTMENT OF HUMAN SERVICES

LICENSE AND CERTIFICATE OF MARRIAGE

	GROOM NAME	FIRST	MIDDL	LAST	-	AGE
	1					2
	USUAL RESIDENCE-STREET A	ND NUMBER		CITY, TOWN OR LOCATION		
GROOM	ЗА			38		
	COUNTY		STATE	BIRTHPLACE (STATE OR FOREIGN	COUNTRY)	DATE OF BIRTH (MO DAI YR.)
	3C FATHER-NAME		BIRTHPLACE ISTATE OR FOREIGN	4 MOTHER MAIDEN NAME		BIRTHPLACE (STATE OR FOREIGH
	TATHER MARK		EOUNTRY)	MOTHER MADER HAME		COUNTRY)
	BRIDE NAMI F	IRST MIDDLE	6B LAST	7A MADEN NAME (Is there grant		78 Aŭt
	BASUL WAME	moset .	(A)	MAIDEN NAME (IF DIFFERENT)		
	BA USUAL RESIDENCE-STREET AN	ID NUMBER		BUTY OWN Q ZOCATION		19
BRIDE	LOUNTY		STATE	BIRTHPLACE (STATE OR FOREIGN	COUNTRY	DATE OF BIRTH (MO DAY YR)
	10c		100			12
	FATHER NAME		BIRTHPLACE (STANDOR FOR	EIGN MATHER-MAIDEN NAME		BIRTHPLACE (STATE OR FOREIGN COUNTY)
	134		138	14A		148
	I CERTIFY THAT THE IN ABOVE IS CORRECT TO I	HE BEST OF L	RE (II)	BRIDE'S	SIGNATURE	
	MY KNOWLEDGE AND BE	15		16		
LICENSE TO MARRY	ANY DULY AUTHORIZE	DATE INTENTIONS	FILED	LICENSE ISSUED DATE	LICENSE VALID UNTIL	_ (DATE)
	IS HEREBY AUTHORIZED THE ABOVE-NAMED PAR	TO MARRY 174	Will.	178	170	
	THE LAWS OF MAINE.	TIES UNDER SIGNATURE OF CL		CITY OR	TOWN	
	THE LAWC	OF MAINE PROVIDE T		IZED PERSONS MAY S	OLEMNIZE MARRAC	ECH WELE
			YEAR WHERE MARRIED-CIT		COUNTY	F2
	I CERTIFY THE ABOVE NAMED PERSONS WERE 184 MARRIED ON			•		
	PERSON PERFORMING CEREM	ONY (SIGNATURE)	PRINTED NAME		TITLE	DATE OF COMMISSION
CEREMONY		4			184	LICENSE AUTHORITY
	ADDRESS OF ABOVE PERSON		186 WITNESS TO CEREMO	NY TYPE OR PRINT	WITNESS TO CEREMONY TYP	18G E OR PRINT
	194		1198		190	
	SIGNATURE OF CLERK		117"		DATE RECEIVED	
CLERK	20a (Signature)				Z08	
		GROOM-MARITAL STAT	us		BRIDE-MARITAL STAT	rus
	NUMBER OF THIS MARRIAGE	IF PREVIOUSLY MARRIED	LAST MARRIAGE ENDED	NUMBER OF THIS MARRIAGE	IF PREVIOUSLY MARS	RIED LAST MARRIAGE ENDED
	SPECIFY (FIRST SECOND, ETC.)	BY DEATH DIVORCE DISSOLUTION OR ANNULMENT (SPECIFY)	DATE (MO DAY YR)	SPECIFY (FIRST SELOND ETC.)	BY DEATH, DIVORCE DISSOLUTION OR ANNULMENT (SPECIFY)	DATE (MC DA 72)
VS-2 R 585	21	22.A	22.B	23	24.A	24 B
	1	INFO	DRMATION FOR STA	TISTICAL PURPOSES (ONLY	
	GROOM RACE	GROOM-EDUCATION (SPECIFY ON	REF HIGHEST GRADE COMPLETED	BRIDE-RACE	BRIDE-EDUCATION (Sec. 11.2)	NG CHINEST GRADE COMP ETCOL
	SPECIFY (F.S. WHITE BLACK AMERICAN INDIAN, ETC.)	ELEMENTARY OR SECONDARY (0-12)	Chartet (1.4 or 5+)	SPECIEV (EN WHITE BLA + AMERICAN INDIAN ET.)	ELEMENTARY (A SKICK) ARY (0.12)	01 SVF -13 A S+1
VO 2 D 58F	25	26 4	26 B	27	28.A	28 B

Form VS-5 R-777

State File No.

STATE OF MAINE

RECORD OF DIVORCE OR ANNULMENT

DEPARTMENT OF HUMAN SERVICES

		Y-				
	1. NAME OF HUSBAND - FIRST	MIDDL	E		LAST	
HUSBAND	2. USUAL RESIDENCE - CITY OR TOWN	COUNT	Y		STATE	en der eine er er eine der er eine er eine er eine er er er eine er
WIFE	3. NAME OF WIFE FIRST	MIDDL	E		LAST	
WIIL	4. USUAL RESIDENCE - CITY OR TOWN	COUNT	Y		STATE	
MARRIAGE	5. PLACE OF MARRIAGE — CITY OR TO	OWN AND	STATE	6. DATE O	F MARRIAG	GE .
	7. TYPE OF DECREE	B. PLA	NITEF		9. DECRE	EE GRANTED TO
DIVORCE	DIVORCE		HUSBAND			HUSBAND
OR ANNULMENT	ANNULMENT		WIFE			WIFE
	10. DATE OF DECREE		GAL GROUNDS FOR	JUDGEMENT	<u> </u>	
MINOR	12. NAMES OF MINOR CHILDREN		· ·	13. AGES	14. CUST	ODY
CHILDREN						
Use Reverse Side for Additional		at the same of				
Names						
	15. I HEREBY CERTIFY THAT THE ABO ORIGINAL RECORD ON FILE IN TH			ARE TRUE	AND CORRE	ECT AS SHOWN IN THE
CERTIFICATION	16. SIGNATURE OF CLERK		17. NAME OF COU	RT		18. LOCATION OF COURT

POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES; RATES FOR BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS

MAINE STATE TOTALS, 1900-1945 (Every Fifth Year) and 1946-1985 (Yearly) Birth Rate Death Rate Infant Neonatal Fetal Live per 1,000 Deaths per 1,000 Death Death Death Rated Rated Rated **Population** Births Population (All Ages) Population Year Marriages Divorces 1900 694,466 14,095 20.3 11,389 16.4 267.5 43.6ª 5,482 --801 46.5ª 1905 719,000 15,294 21.3 11,381 15.8 234.2 6,264 848 1910 15,798 21.3 12,439 16.7 249.2 30.4 42.5ª 5,900 911 742,371 41.3ª 1,006 1915 16,671 22.0 11,541 15.2 135.7 25.4 6,672 757,000 42.8ª 15.3 102.8 41.2 7,884 1,364 1920 768,014 17,495 22.7 11,850 1,228 1925 782,700 17,706 22.6 10,874 13.8 75.6 51.8 6,226 35.9ª 20.3 11,084 13.9 75.4 41.5 6,438 1,466 1930 797,423 16,199 62.3 33.68 1935 822,300 15,715 19.1 11,042 13.4 37.8 7,089 1,474 12.6 52.9 34.0 24.8ª 8,475 1,537 1940 15,285 18.0 10,640 847,226 24.1ª 7,569 2,497 1945 880,500 16,647 18.9 9,966 11.3 46.6 27.0 18.5ª 12,827 3,939 23.0 10,070 11.4 41.5 28.0 20,421 1946 887,200 20.7ª 11.2 35.8 10,664 2,905 1947 893,800 23,908 26.7 9,983 23.8 9,841 2,244 22,270 24.7 10,091 11.2 32.8 21.2 17.1ª 1948 900,500 33.4 22.6 17.8ª 8,085 2,100 1949 907,100 21,941 24.2 10,173 11.2 22.0 19.4ª 8,617 2,162 1950 914,950 21,239 23.2 9,962 10.9 31.2 23.0 11.0 21.5 16.8ª 8,027 21,142 10,139 30.8 2,040 1951 919,524 21,199 22.9 9,942 10.8 30.0 21.7 17.6ª 8,079 2,202 1952 924,088 23.4 929,128 10.6 26.2 17.8ª 8,197 21,774 9,817 17.9 2,163 1953 16.2ª 7,986 24.0 9,878 10.6 24.7 2,079 1954 934,790 22,439 16.8 24.2 10.8 24.5 17.3 28.4ª 8,263 1,954 1955 940,841 22,753 10,140 25.8ª 8,176 1,918 23.7 10,183 10.8 25.0 17.9 1956 946,692 22,402 23.3ª 7,878 1,890 1957 952,706 23,062 24.2 10,117 10.6 25.2 18.7 20.2ª 1,873 23,155 24.1 10,465 10.9 26.3 17.5 7,564 1958 959,357 23,141 24.0 10,817 11.2 26.4 19.1 19.1ª 7,599 1,960 1959 964,896 23,282 24.0 10,752 11.1 25.2 18.6 17.7ª 7,860 2,025 1960 970,689 11.0 25.6 19.0 17.5ª 7,908 2,021 24.1 10,765 1961 976,511 23,553 25.3 17.1ª 7,980 2,078 11,083 11.3 18.2 22,998 23.4 1962 983,023 16.3ª 8,121 1,193 22.2 11,003 11.2 24.0 17.9 21,919 1963 986,603 17.4ª 8,269 2,400 21.4 10,862 11.0 23.5 16.9 1964 990,391 21,204 17.5ª 8,726 . 22.4 16.9 2,502 1965 993,236 19,796 19.9 10,778 10.9 8,983 1956 994,714 18,526 18.6 10,915 11.0 22.6 17.1 15.Da 2,630 17,976 18.1 10,066 10.1 23.1 16.4 16.1ª 9,210 3,049 1967 995, 134 16.0ª 10,179 3,088 16,866 17.0 11,085 11.1 21.6 15.9 1968 994,632 19.7 11.8ª 10,428 3,375 17.5 10,898 11.0 15.3 17,364 1969 993,907 13.8ª 10,975 3,841 17.9 20.9 11,066 11.1 16.1 1970 997,357 17,837 13.2ª 11,193 17,850 17.6 10,830 10.7 18.1 13.3 3,905 1971 1,012,257 12.2ª 10.9 17.7 12.8 11,741 4,132 15.9 11,147 1972 1,025,775 16,269 13.3ª 11,925 4,551 10,837 10.4 16.1 1973 1,038,291 15,730 15.1 11.6 9.9b 10.2 12.6 11,546 4,850 1974 1,050,181 15,110 14.4 10,705 16.1 10.8^b 9.0 11,190 5,526 1,062,640 15,232 14.3 10,253 9.6 13.2 1975 8.3b 15,046 14.0 10,422 9.7 11.0 7.6 11,302 5,522 1,074,653 1976 8.6^b 14.9 10,055 9.2 9.4 6.1 11,446 5,655 16,252 1977 1,087,650 8.9b,c 6.0 11,658 6,164 15,919 14.5 10,168 9.2 10.2 1978 1,101,186 7.2b,c 11,918 6,158 9.2 9.7 5.8 14.7 10,278 16,435 1979 1,115,044 7.1b,c 12,040 5.9 6,189 14.6 10,768 9.6 9.3 1980 1,125,027 16,474 5.7^{b, c} 12,290 6,351 9.1 6.6 1981 1,132,849 16,567 14.6 10,331 10.6 6.9b,c 16,695 12,388 5,804 1982 1,136,199 14.7 10,451 9.2 8.7 6.0 6.5b 16,576 14.5 10,916 9.5 8.7 5.9 12,478 5,939 1983 1,145,730 48.b 12,525 9.4 8.0 4.8 5,795 16,631 14.4 10,826 1984 1, 156, 485 6,070 9.0p 12,248 11,392 9.8 8.9 6.3 16,905 14.5 1985 1,163,850 6.0b 5,627 9.5 8.7 5.6 11,983 14.3 11,178 16,717 1,172,200

Notes: Fetal death rate calculated based on all reported terminations of pregnancy, regardless of gestational age.

In 1973, 12.0% of such terminations were for fetuses of less than 20 weeks gestation.

bretal death rate calculated based on reported fetal deaths of gestational age 20 weeks or more. Coccurrence data. dRate per 1,000 live births in the same year.

All data for births and deaths pertain to Maine residents, only, starting in 1935. Data on marriages and divorces describe all such events which occurred in Maine. 143

Table H-2
HISTORICAL VITAL STATISTICS DATA

Induced Abortions, Number and Rate: Maine State Totals, 1978-1986

	again an		Induced Abortions
Year	Births	Induced Abortions	per 1,000 Live Births
1978	15,919	4,011	252.0ª
1979	16,435	3,963	241.1ª
1980	16,474	3,594	218.2 ^b
1981	16,567	2,881	173.9b
1982	16,695	2,419	144.9b
1983	16,576	3,279	197.8b
1984	16,631	3,767	226.5b
1985	16,905	3,784	223.8 ^b
1986	16,717	3,521	210.6b

Notes: Data prior to 1978 not given because of severe underreporting.

aoccurrence data.

bResidence data.

TABLE P-1

PROJECTED TOTAL POPULATION MAINE COUNTIES AND STATE TOTAL, - JULY 1, 1988

COUNTY	PROJECTED RESIDENT POPULATION JULY 1, 1986
STATE TOTAL	1,172,200
ANDROSCOGGIN	100,950
AROOSTOOK	87,950
CUMBERLAND	228,850
FRANKLIN	29,100
HANCOCK	44,800
KENNEBEC	112,950
KNOX	35,200
LINCOLN	28,700
OXFORD	50,400
PENOBSCOT	138,400
PISCATAQUIS	18, 150
SAGADAHDC	30,400
SOMERSET	47,450
WALDO	29,800
WASHINGTON	34,400
YORK	155,200

SOURCE: WELCH, D. POPULATION PROJECTIONS BY MINOR CIVIL DIVISIONS, SEX, AGE GROUP AND COUNTY. MAINE: 1986-1995. AUGUSTA: MAINE DEPARTMENT OF HUMAN SERVICES, JUNE, 1987.

PROJECTED POPULATION BY AGE GROUP AND SEX MAINE STATE TOTALS, - JULY 1, 1986

AGE GROUP (YEARS)

PROJECTED RESIDENT POPULATION JULY 1, 1986

	MALE	FEMALE	TOTAL
ALL AGES - TOTAL	568,100	604,100	1, 172, 200
UNDER 1	8,613	8,108	16,721
1-14	120,941	114,734	235,675
15-24	88,053	87,153	175,206
25-34	95,575	96,576	192,151
35-44	86,173	86,323	172,496
45-64	105,128	115,081	220,209
65-74	40,961	50,843	91,804
75-84	18,345	32,249	50,594
85 AND OLDER	4,311	13,033	17,344

SOURCES: WELCH, D. POPULATION PROJECTIONS BY MINOR CIVIL DIVISIONS, SEX, AGE GROUP AND COUNTY. MAINE: 1986-1995. AUGUSTA: MAINE DEPARTMENT OF HUMAN SERVICES, JUNE, 1987