

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)

STATE LAW LIBRARY
AUGUSTA, MAINE

MAINE

VITAL

STATISTICS

1987

STATE OF MAINE
DEPARTMENT OF
HUMAN SERVICES

HA
413
.M25
1987

OCT 21 1988

NON-DISCRIMINATION NOTICE

In accordance with Title VI of the Civil Rights Act of 1964 (42 U.S.C. §2000d et seq.), Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. §794), the Age Discrimination Act of 1975, as amended (42 U.S.C. §6101 et seq.), and Title IX of the Education Amendments of 1972, the Maine Department of Human Services does not discriminate on the basis of sex, race, color, national origin, handicap or age in admission or access to or treatment or employment in its programs or activities. Ann Twombly, Affirmative Action Officer, has been designated to coordinate our efforts to comply with the U.S. Department of Health and Human Services regulations (45 C.F.R. Parts 80, 84 and 91) and the U.S. Department of Education (34 C.F.R. Part 106) implementing these Federal laws. Inquiries concerning the application of these regulations and our grievance procedures for resolution of complaints alleging discrimination may be referred to Ann Twombly at 221 State Street, Augusta, Maine 04333, Telephone Number: (207) 289-3488 (Voice) or 1-800-332-1003 (TTY), or to the Assistant Secretary of the Office of Civil Rights, Washington, D.C.

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES


OFFICE OF DATA, RESEARCH, AND VITAL STATISTICS

ANNUAL STATISTICAL REPORT

FOR THE CALENDAR YEAR

1987

Ellen M. Naor
State Registrar of Vital Statistics



John R. McKernan, Jr.
Governor

Rollin Ives
Commissioner

Published in July, 1988
As Required by Statute 22 MRSA §2701

385339

ACKNOWLEDGEMENTS

This report contains a summary of vital statistics for the State of Maine for the calendar year 1987. The Department of Human Services has the dual responsibility of maintaining an effective system of vital registration and of making vital statistics available to the public. Within the Department itself, these data are needed for planning, managing, and evaluating programs that will improve the health and welfare of Maine people. The data are widely used, as well, for estimating and projecting population characteristics and changes.

This document is the result of the cooperative efforts of many individuals and groups. Chief among these are the municipal clerks of Maine's towns and counties, who serve as local registrars for vital records. The conscientious efforts of physicians, medical records administrators, and funeral directors also deserve special mention.

Maine Vital Statistics has been compiled and produced under the general supervision and direction of Ellen M. Naor, State Registrar of Vital Statistics and Director, Office of Data, Research, and Vital Statistics. Staff most significantly involved in the production of the 1987 annual report include:

Carl Gerry, Director, Technical Operations - Primary responsibility for systems analysis and revision, table design and production.

Michael Morin, William Turner, Paul Bizier and Ted Clark - Vital statistics systems maintenance and programming of vital statistics series reports.

Dale Welch, Senior Researcher - Population statistics.

Sue Whitley, Word Processing Supervisor - Manuscript preparation.

The joint efforts of all the staff of the Office's Vital Records Unit are necessary to produce the data contained in this publication. Special acknowledgement is made to:

Lorraine Gerard, Deputy State Registrar - Supervision of the Vital Records Unit which is responsible for data collection, coding and editing.

Carol Crane, Field Agent - Coordination with cities and towns to produce the data in a timely fashion.

TABLE OF CONTENTS

	<u>Page No.</u>
Acknowledgements.....	ii
Table of Contents.....	iii
List of Tables.....	v
List of Supplemental Tables Available on Request.....	x
Introduction.....	1
Definitions of Terms.....	3
Definitions of Rates.....	7
Technical Notes.....	9
General Considerations.....	9
Live Births.....	12
Pregnancy Outcome.....	12
Infant and Fetal Mortality.....	12
General Mortality.....	13
Induced Terminations.....	14
Marriages and Divorces.....	15
Tables (See List of Tables for detailed titles)	
Live Births.....	17
Pregnancy Outcome.....	69
Infant and Fetal Mortality.....	89
General Mortality.....	103
Induced Terminations.....	137
Marriages and Divorces.....	149
Appendix Tables.....	157
Maine Vital Records Certificates and Reports	
Certificate of Live Birth.....	159
Report of Fetal Death.....	160
Certificate of Death.....	161
Report of Termination (Spontaneous and Induced).....	162
License and Certificate of Marriage.....	163
Record of Divorce or Annulment.....	164

TABLE OF CONTENTS (Continued)

	<u>Page No.</u>
 Estimates of Population	
Estimated Total Population: Maine Counties and State Total	165
Estimated Population by Age Group and Sex: Maine State Totals	166
 Historical Vital Statistics Data	
Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, from 1900	167
Induced Terminations, Number and Rate: Maine State Totals, from 1978.....	168

LIST OF TABLES

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
	LIVE BIRTHS	
TABLE B-1	All Live Births and Out of Wedlock Live Births, by Mother's Age and Race of Child: Maine State Totals, 1987 (Resident Data).....	19
TABLE B-2	All Live Births and Out of Wedlock Live Births, by Mother's Age and Child's Birthweight: Maine State Totals, 1987 (Resident Data).....	20
TABLE B-3	Live Births by Selected Medical History Characteristics: Maine State Totals, 1987 (Resident Data) [Selected Characteristics: Complications of Pregnancy, Illness or Condition Affecting Pregnancy, Complications of Labor, Method of Delivery, Congenital Anomalies].....	21
TABLE B-4	Live Births by Selected Risk Characteristics, and Ratio of Male to Female Births: Maine Counties and State Totals, 1987 (Resident Data) [Selected Characteristics: 5 Minute Apgar Score Less Than 5, Congenital Anomalies, Birthweight Less Than 2,500 Grams, Gestation Less Than 37 Weeks].....	22
TABLE B-5	All Live Births and Out of Wedlock Live Births, by Mother's Age, Sex of Child and Birth Order: Maine Counties and State Totals, 1987 (Resident Data).....	23
TABLE B-6	Live Births by Month Prenatal Care Began and Birthweight: Maine Counties and State Totals, 1987 (Resident Data).....	40
TABLE B-7	Live Births by Trimester Prenatal Care Began and Number of Prenatal Visits: Maine Counties and State Totals, 1987 (Resident Data).....	49
TABLE B-8	Live Births by Month Prenatal Care Began and Mother's Education: Maine Counties and State Totals, 1987 (Resident Data).....	58
TABLE B-9	Live Births by Selected Risk Characteristics--Number of Births: Maine Hospitals, Other Birth Sites, and State Totals, 1987 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Casarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams].....	64
TABLE B-10	Live Births by Selected Risk Characteristics-- Percentage of Total Births: Maine Hospitals, Other Birth Sites, and State Totals, 1987 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams].....	65

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
TABLE B-11	Live Births by Birthweight: Maine Hospitals, Other Birth Sites, and State Totals, 1987 (Occurrence Data).....	66
	PREGNANCY OUTCOME	
TABLE P-1	All Pregnancies by Outcome, Marital Status and Age of Mother: Maine Counties and Maine State Totals, 1987 (Resident Data).....	71
TABLE P-2	Fetal Deaths, Miscarriages, and Induced Terminations by Weeks of Gestation: Maine State Totals, 1986 (Resident Data).....	88
	INFANT AND FETAL MORTALITY	
TABLE F-1	Infant, Neonatal, and Postneonatal Deaths by Sex for 61 Cause of Death Groups: Maine State Totals, 1987 (Resident Data).....	91
TABLE F-2	Fetal Deaths by Gestation and Sex for 61 Cause of Death Groups: Maine State Totals, 1986 (Resident Data).....	95
TABLE F-3	Live Births, Neonatal Deaths, and Estimated Neonatal Death Rates by Birthweight: Maine State Totals, 1986 (Resident Data).....	97
TABLE F-4	Fetal Deaths by Selected Complications, Gestation, and Age of Patient: Maine State Totals, 1986 (Resident Data) [Selected Complications: Complications of Pregnancy, Complications of Labor or Delivery, Concurrent Illnesses, Congenital Anomalies].....	98
TABLE F-5	Deaths and Death Rates--Total, Infant, Neonatal, Postneonatal, and Perinatal: Maine Counties and State Totals, 1987 (Resident Data).....	99
TABLE F-6	Fetal Deaths by Selected Characteristics: Maine Counties and State Totals, 1987 (Resident Data) [Selected Characteristics: Out of Wedlock, Autopsy, In Hospital, Trimester Prenatal Care Began, Age of Patient].....	100
TABLE F-7	Fetal Deaths, Selected Risk Characteristics, and Ratio of Males to Females: Maine Counties and State Totals, 1987 (Resident Data) [Selected Characteristics: Congenital Anomalies, Fetal Weight, Gestation Less Than 28 Weeks].....	101
TABLE F-8	Fetal Deaths by Selected Medical History Characteristics: Maine State Totals, 1987 (Resident Data) [Selected Medical History: Complications of Pregnancy, Illness or Condition Affecting Pregnancy, Complications of Labor, Method of Delivery, Congenital Anomalies].....	102

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
GENERAL MORTALITY		
TABLE D-1	Deaths, Rank by Number of Deaths, and Death Rate-- Total, Male, and Female for Ten Leading Causes of Death by Age Group: Maine State Totals, 1987 (Resident Data).....	105
TABLE D-2	Years of Life Lost--Number, Percent, Rank and Average per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1987 (Resident Data).....	110
TABLE D-3	Deaths by Age and Sex for 282 Cause of Death Groups: Maine State Totals, 1987 (Resident Data).....	111
TABLE D-4	Underlying Cause Mentions and All Mentions of 72 Cause of Death Groups, and Ratio of All Mentions to Underlying Cause Mentions: Maine State Totals, 1987 (Resident Data).....	130
TABLE D-5	Deaths--Total, and Percent by Site of Death: Maine Counties and State Totals, 1987 (Resident Data).....	132
TABLE D-6	Deaths in Hospitals--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1987 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	133
TABLE D-7	Deaths in Intermediate Care Facilities--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1987 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	134
TABLE D-8	Deaths at Home--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1987 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	135
INDUCED TERMINATIONS		
TABLE A-2	Induced Terminations by Gestation and Type of Termination Procedures: Maine State Totals, 1987 (Occurrence Data).....	139
TABLE A-3	Induced Terminations by Gestation, Age of Patient, and Race: Maine State Totals, 1987 (Resident Data).....	140
TABLE A-4	Induced Terminations by Gestation, Age of Patient, and Race: Maine State Totals, 1987 (Occurrence Data).....	141
TABLE A-5	Induced Terminations by Race, Marital Status and Age of Patient: Maine State Totals, 1987 (Resident Data).....	142

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
TABLE A-6	Induced Terminations by Race, Marital Status and Age of Patient: Maine State Totals, 1987 (Occurrence Data).....	143
TABLE A-7	Induced Terminations by Complications of Pregnancy, Gestation, and Age of Patient: Maine State Totals, 1987 (Occurrence Data).....	144
TABLE A-8	Induced Terminations by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1987 (Resident Data).....	145
TABLE A-9	Induced Terminations by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1987 (Occurrence Data).....	146
TABLE A-10	Induced Terminations by State or Country of Residence: Maine State Totals, 1987 (Occurrence Data).....	147
	MARRIAGES AND DIVORCES	
TABLE M-1	Marriages by Age of Bride and of Groom: Maine State Totals, 1987 (Resident Data).....	151
TABLE M-2	Marriages by Years of Education of Bride and of Groom: Maine State Totals, 1987 (Resident Data).....	152
TABLE M-3	Marriages by Age and Previous Marital Status, for Brides and for Grooms: Maine State Totals, 1987 (Resident Data).....	153
TABLE M-4	Marriages by Number of Previous Marriages of Bride and of Groom: Maine State Totals, 1987 (Resident Data).....	154
TABLE M-5	Divorces by Number of Minor Children, Plaintiff, Decree Granted, and by Number of Years Married: Maine State Totals, 1987 (Occurrence Data).....	155

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
APPENDIX TABLES		
TABLE C-1	Copy of Maine Birth Certificate.....	159
TABLE C-2	Copy of Maine Fetal Death Certificate.....	160
TABLE C-3	Copy of Maine Death Certificate.....	161
TABLE C-4	Copy of Maine Spontaneous and Induced Abortion Certificate.....	162
TABLE C-5	Copy of Maine Marriage Certificate.....	163
TABLE C-6	Copy of Maine Divorce Certificate.....	164
TABLE E-1	Estimated Total Population: Maine Counties and State Total, July 1, 1987.....	165
TABLE E-2	Estimated Population by Age Group and Sex: Maine State Totals, July 1, 1987.....	166
TABLE H-1	Historical Vital Statistics Data, Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, 1900-1945 (every fifth year) and 1946-1987 (yearly).....	167
TABLE H-2	Historical Vital Statistics Data, Induced Abortions, Number and Rate: Maine State Totals, 1978-1987.....	168

LIST OF SUPPLEMENTAL TABLES AVAILABLE ON REQUEST*

Table No.

- S-A-2 Induced Abortions--Total, and by Selected Characteristics:
Maine Towns over 3,500 Population, Counties and State Totals,
1987 (Resident Data) [Selected Characteristics: Out of Wedlock,
Patient's Age, No Previous Pregnancies, No Previous Abortions,
Education, Abortions in Hospital]
- S-A-3 Induced Abortions to Canadian Residents by Number and Outcome
of Previous Pregnancies, Marital Status, and Age of Patient:
Canada Totals, 1987 (Occurrence Data)
- S-A-4 Induced Abortions to Canadian Residents by Gestation, Age of
Patient, and Race: Canada Totals, 1987 (Occurrence Data)
- S-A-5 Induced Abortions to Canadian Residents by Gestation and Type
of Termination Procedures: Canada Totals, 1987
(Occurrence Data)
- S-B-1 All Live Births and Out of Wedlock Live Births by Adequacy
of Prenatal Care, Mother's Age, Child's Birthweight, and
Apgar Score: Maine State Totals, 1987 (Resident Data)
- S-B-2 Live Births -- Total, and by Selected Risk Characteristics:
Maine Towns, Counties and State Totals, 1987
(Resident Data) [Selected Characteristics: Out of
Wedlock, Under 2,500 Grams, Congenital Anomalies,
Mother Under Age 20 Years, No Prenatal Care]
- S-BD-1 Births and Deaths by Month, Maine Towns, Counties
and State Totals, 1987 (Resident Data)
- S-D-1 Listing of Death Records by the Ninth Revision of the International
Classification of Disease (ICD) Code: Maine Towns, 1987 (Resident Data)
- S-D-2 Deaths by 72 Cause of Death Groups: Six Largest Cities
or Towns in Each Maine County, County Totals, and
State Totals, 1987 (Resident Data)
- S-D-3 Deaths by Age and Sex for 72 Cause of Death Groups
Maine State Totals, 1987 (Resident Data)
- S-D-4 Deaths by Age and sex for 32 Cause of Death Groups
Maine State Totals, 1987 (Resident Data)

*Supplemental tables are available at the cost of reproduction.

- S-D-5 Alcohol and Drug Related Deaths by Status of Mention:
Maine State totals, 1987 (Resident Data)
- S-D-6 Deaths by Origin or Descent: Maine Counties and State Totals,
1987 (Resident Data)
- S-D-7 Deaths by Referral to Medical Examiner, Autopsy Status,
Certifier, Traumatic and Non-traumatic Deaths: Maine
State Totals, 1987 (Occurrence Data)
- S-D-8 Deaths by Method of Disposition: Maine Counties and State
Totals, 1987 (Occurrence Data)
- S-D-9 Years of Life Lost Before Age 75 - Number, Percent, Rank,
and Average Per Death by 32 Cause of Death Groups and Sex
- S-F-1 Neonatal Deaths and Estimated Neonatal Rates by Birthweight:
Maine Hospitals of Birth, other Birth Sites, and State Total,
1987 (Occurrence Data)
- S-F-2 Infant, Neonatal, and Fetal Deaths by Sex, Non-white Race,
Low Birthweight, and Congenital Anomalies: Maine Towns,
Counties, and State Total, 1987 (Resident Data)
- S-M-1 Marriages by Selected Characteristics: Maine
Towns, Counties, and State Totals, 1987
(Occurrence and Residence Data) [Selected
Characteristics: Religious Ceremony, Bride and
Groom Residence, Under Age 20 Years, Education
Under 12 Years, First Marriage]
- S-M-2 Wives Involved in Divorces and Annulments by Residence
of Husband and Number of Minor Children: Maine Towns,
Counties, and State Totals, 1987 (Resident Data)

*Supplemental tables are available at the cost of reproduction.

INTRODUCTION

In order to speed the process of making these data available to the public, the annual vital statistics report does not contain interpretive comments or charts. Information necessary to use the tables is included in the technical notes. The tabulations most frequently requested are presented in this report. Supplemental tables, available at the cost of reproduction, are listed on page x. Special tabulations can also be obtained, generally at a charge that may include preparation as well as reproduction costs. Comments and requests for additional information should be directed to:

Office of Data, Research, and Vital Statistics
Maine Department of Human Services
State House Station #11
Augusta, Maine 04333

Telephone: (207) 289-3001

DEFINITIONS OF TERMS

All Mentioned Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. All mentioned causes are also referred to as "multiple causes of death."
Apgar Score	A summary indicator for evaluating the health of a newborn infant, the score ranges from 0 (very poor) to 10 (excellent). It is assigned by the delivery room personnel one minute and five minutes after birth.
Associated Cause of Death	Condition other than the underlying cause of death which may have contributed to the death.
Birth Order	Number of live births to the mother of the newborn, including this birth.
Birthweight	Weight of fetus or infant at time of delivery (normally measured in grams).
Fetal Death	Death prior to the complete expulsion or extraction from its mother of a product of conception; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Fetal deaths of at least 20 weeks of gestation must be reported on the "Fetal Death Report." Fetal deaths of less than 20 weeks gestation are reported on the "Report of Abortion (Spontaneous and Induced)."
Gestation	Clinical assessment of the number of weeks since conception.
Hospital	A licensed acute care health facility with permanent inpatient beds offering facilities and services for the diagnosis and treatment of illness, injury and deformity for a continuing period of time. A hospital has an organized medical staff and offers continuous 24 hour professional nursing care and emergency treatment.
Induced Abortion	Induced abortion means the intentional interruption of a pregnancy by the application of external agents, whether chemical or physical, or the ingestion of chemical agents with an intention other than to produce a live birth or to remove a dead fetus. All induced abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)," regardless of the length of gestation.

DEFINITIONS OF TERMS (Continued)

Infant Death	Death occurring to a live born infant less than one year of age.
Intermediate Care Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, health related services, and licensed nursing supervision (8 hours per day).
Live Birth	A live birth is the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.
Maternal Deaths	Those deaths of women wherein the physician has designated a maternal condition as the underlying cause of death.
Minor Civil Division	In Maine, minor civil divisions generally are areas covered by the local or city/town level of civil government.
Miscarriage	Spontaneous abortion (see definition).
Multiple Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. Multiple causes are also referred to as "all mentioned causes."
Neonatal Death	Death occurring to a live born infant before completing 27 days of life.
Occurrence	Refers to data tabulated by place the event occurred.
Out-of-Wedlock Birth	Births in which the mother was not married either at the time of conception or at the time of delivery.
Perinatal Death	Fetal deaths of at least 20 weeks gestation and all neonatal deaths.

DEFINITIONS OF TERMS (Continued)

Post-Neonatal Death	Death occurring to a live born infant between the ages of 28 days and 364 days, inclusive.
Race	Race of mother, father, or decedent is as stated on certificate. Race of child is determined from the race of the parents.
Residence	Refers to data tabulated by usual place of residence of the person to whom event occurred. For births, fetal deaths, and abortions, residence is defined as the mother's place of residence.
Site of Birth	Hospital or type of non-hospital site (e.g. home, on way to hospital, out-patient facility) where birth occurred.
Site of Death	Hospital or type of non-hospital site (e.g. home, on way to hospital, nursing home) where death occurred.
Skilled Nursing Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, medical services, continuous skilled nursing services and health-related services, diagnosis and treatment.
Spontaneous Abortion	A termination of pregnancy, at less than 20 weeks gestation, through natural causes and without the aid of mechanical or medicinal agents. All spontaneous abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)."
Underlying Cause of Death	That condition giving rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. For this report, underlying causes are selected through processing of death certificate data by the ACME and TRANSAX computer programs (see Technical Notes).

DEFINITIONS OF RATES*

Age-Specific Death Rate	=	$\frac{\text{Resident Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}}$	X	100,000
Birth Rate	=	$\frac{\text{Resident Live Births}}{\text{Total Resident Population}}$	X	1,000
Cause-Specific Death Rate	=	$\frac{\text{Resident Deaths from Specific Cause}}{\text{Total Resident Population}}$	X	100,000
Death Rate	=	$\frac{\text{Resident Deaths}}{\text{Total Resident Population}}$	X	1,000
Divorce Rate	=	$\frac{\text{Divorces}}{\text{Total Resident Population}}$	X	1,000
Fetal Death Rate	=	$\frac{\text{Resident Fetal Deaths}}{\text{Total Resident Live Births andResident Fetal Deaths}}$	X	1,000
Infant Death Rate	=	$\frac{\text{Resident Infant Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Marriage Rate	=	$\frac{\text{Marriages Performed}}{\text{Total Resident Population}}$	X	1,000
Maternal Death Rate	=	$\frac{\text{Resident Maternal Deaths}}{\text{Total Resident Live Births}}$	X	10,000
Neonatal Death Rate	=	$\frac{\text{Resident Neonatal Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Perinatal Death Rate	=	$\frac{\text{Resident Fetal Deaths and Neonatal Deaths}}{\text{Total Resident Fetal Deaths and Live Births}}$	X	1,000
Post-Neonatal Death Rate	=	$\frac{\text{Resident Post-Neonatal Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Sex-Specific Death Rate	=	$\frac{\text{Resident Deaths of Indicated Sex}}{\text{Total Resident Population of Indicated Sex}}$	X	100,000

*Event denominators for rates are registered totals for the calendar year.
Population denominators are mid-calendar year estimates.

General Considerations

Sources of Vital Records Data: Birth, death, fetal death, abortion, marriage, and divorce certificates are the source documents for data on vital events in Maine. A copy of each is included in Appendix Tables C-1 through C-6.

The cut-off dates for the data in this report are: Divorces and Induced Terminations, March 15, 1988; Deaths, Fetal Deaths, and Marriages, April 1, 1988; and Births, April 15, 1988. Any data pertaining to 1987 events for which certificates were filed after the above cut-off dates are not included in this report.

Birth certificates and induced termination reports are usually completed by hospital or clinic personnel. Death and fetal death certificates are usually completed by funeral directors, who obtain the medical certifications of cause of death from physicians. Marriage certificates are completed by the appropriate municipal clerks, while divorce reports are sent to the Office of Data, Research, and Vital Statistics by the clerks of courts.

Completeness of Registration: A birth certificate test in 1950 indicated that about one percent of births in Maine at that time were not recorded. It is assumed that registration has continued to be at least this complete.

Although no test of death registration has ever been done, it is assumed that death registration is reasonably complete, because burial permit laws and regulations require the filing of a death certificate before a burial permit for the disposition of the body is issued.

Reporting of all terminations of pregnancy at any gestation, whether spontaneous or induced, has been required in Maine for many years. Analysis of fetal death rates over time, however, indicates that there has been considerable variation in the completeness of registration. A specific reporting form for abortions (spontaneous and induced) was introduced in 1978. Comparison with independent data sources suggests that induced abortions may be underreported by 10 to 15%.

In addition to unrecorded vital events, other vital events may not be included in this report for several reasons: failure of the person required to report the event to make a timely report; failure of a municipal clerk to make a timely report to the State Registrar; or failure of other states to make timely exchanges of nonresident transcripts of births and deaths.

Data Quality: Data in this report are based upon original certificates of births and deaths, copies of original certificates of marriages prepared by city and town clerks, and abstracts of decrees of divorces prepared by the clerks of courts. Errors in data may be

introduced by persons giving information for the original certificate, persons involved in the actual preparation of the original certificate, persons responsible for the preparation of the copies or abstracts of the original certificates, or those involved in the coding and processing of the data in the State Office of Data, Research, and Vital Statistics.

Extensive reorganization and revision in 1983 of reporting procedures, data input procedures, and computer systems have reduced or eliminated many of the problems experienced in previous years. The Office of Data, Research, and Vital Statistics maintains several programs aimed at improving the quality and completeness of information received on certificates and its translation into statistical form. A "query" system is used to followback to physicians, hospital personnel and funeral directors concerning incomplete or conflicting information on the certificates themselves. The followback, which is done by both mail and telephone, is based on both manual and computer editing procedures.

In addition, the vital statistics field agent works directly with the data providers to improve the quality of reported information. The field agent conducts various seminars, workshops, and site visits to educate hospital and medical personnel, funeral directors, and municipal clerks in the importance of accurate and complete vital statistics data.

Finally, the National Center for Health Statistics (NCHS) monitors State coding of statistical data. The NCHS has established a two percent upper limit for coding differences involving any one data item, with the exception of cause of death. A five percent limit is used for this item due to the complexity of the coding process.

Comparison with Earlier Years: In 1983, a number of changes were introduced into the vital registration program and associated data processing, computer systems, and analytic procedures. These must be borne in mind in any comparisons with earlier years and analyses of time trends. Specific changes include the following:

- Implementation of a new birth certificate on January 1, 1983 and a new fetal death certificate on January 1, 1985. The new certificates use a checklist format for reporting medical history items related to pregnancy and delivery. These items are recorded on a separate page mailed directly to the Vital Records Unit.
- Intensive field and education activities directed to appropriate medical providers to promote more complete reporting of induced abortions performed at any time during pregnancy.
- The computerized data systems for records of births, deaths, fetal deaths, marriages, divorces, and abortions were completely revised in 1983 to promote more accurate and timely registration activities and statistical products. Comprehensive and rigorous edit procedures were developed for data input and a number of consistency checks were incorporated.

Small Frequencies: The numbers of births or deaths reported for a community represent complete counts of these events. As such, they are not subject to sampling error or variation, although they are subject to errors in the collection and processing procedures. However, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same general circumstances. The probable range of values may be estimated from the actual figures according to certain statistical assumptions (Vital Statistics for the U.S., Vol. 1, 1959, p. 1-20). When the figures are used for comparison of frequencies and rates over a time period or for different areas, appropriate statistical methods should be used to assess the significance of the comparisons.

Frequencies of and rates based on fewer than 10 events should be used carefully because they are subject to large random fluctuations. The number "10" is arbitrary, however, and is not set forth as a critical point distinguishing statistically reliable rates.

Rates: In interpreting the conditions described by vital statistics rates, considerable caution must be observed. In particular, differences in rates from time to time or place to place may arise from a number of population differences and other compounding factors, and appropriate techniques (e.g., standardization) should be utilized in such comparisons.

Population Data: The population data used to calculate rates in this report are from the 1987-1996 Maine Population Projections, Office of Data, Research, and Vital Statistics, Department of Human Services, June, 1988. A display of these population data is included in Appendix Tables P-1 and P-2.

"Selected" Characteristics/Causes of Death: These terms are used to denote tabulations in which the categories displayed are not exhaustive but represent only those of particular interest.

Geographic Classification: In addition to recording vital events occurring in Maine, the Office of Data, Research, and Vital Statistics receives transcripts of birth certificates for children born outside Maine to a mother who is a resident of Maine. Death certificates for persons who are residents but die outside the boundaries of Maine are also received. Transcripts of non-resident births and deaths are exchanged with all other states and with Canada.

Events are assigned to geographical areas according either to place of residence or to place of occurrence. The basis for classification is identified in each table and should be carefully observed when extracting information.

- "Resident Data" means events have been tabulated according to the area where the person lived regardless of where the event occurred. In the case of infant deaths and births, the reference is to the residence of the mother. It should be noted that in the case of infant deaths, the place of residence at death may differ from the place of residence at birth; when special tabulations are prepared from both birth and death certificates, it is important to note to which residence category they were assigned.

- "Occurrence Data" means events have been tabulated according to where the events took place, regardless of the usual residence of the person. Since nearly all births and most deaths take place in hospitals, the number which occur in counties with many hospital beds will be large for this reason alone.

Births

As noted in previous sections, a revised birth certificate was initiated on January 1, 1983. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies. Two added items were the physician's estimate of gestation and an assessment of the infant's condition at birth. Initial evaluation indicates that the checklist format increased reporting of the medical history items dramatically - as much as five-fold on some items - so comparison with data from previous years must be made with caution.

Pregnancy Outcome

This section deals with the outcome of pregnancies to Maine Resident women including live births, fetal deaths, miscarriages, and induced terminations.

Table P1 is displayed by county and is the only table where it is possible to compare pregnancy rates by regions throughout the State of Maine.

Infant and Fetal Mortality

This section includes all fetal deaths of at least 20 weeks gestation and all neonatal deaths. The birth, death, and fetal death certificates all include information on the place of residence, so events to non-Maine residents can be excluded from tabulations based on resident data. Through the interstate exchange agreement, transcripts of births and deaths which occur outside of the state to Maine residents are obtained for inclusion in tabulations of resident data. Maine started to participate in such exchange for fetal deaths in 1985, so information on pregnancies of Maine women terminating in fetal deaths which occurred outside the state is now available for inclusion in tabulations of resident data.

A revised fetal death certificate was initiated on January 1, 1985, comparable to the 1983 revision of the birth certificate. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies.

Notification of infant death is obtained from the regular death certificate. However, much information relevant to the circumstances of infant death is found on the birth certificate. Birth and death records have, therefore, been matched to produce a composite infant death tape, which is the source of Table F-3. Tables F-1, F-5, and all other death tables, on the other hand, are produced from the general death file. Discrepancies between these two sources are minimal, usually involving only a very small number of deaths.

General Mortality

There are a number of factors which should be considered in order to understand and use the mortality data presented herein.

Mortality Classification: The mortality classification used in this report is the Ninth Revision of the International Classification of Diseases (ICD-9). It consists of a list of 722 categories of diseases and morbid conditions, 192 categories for classification of the external cause of an injury, and 190 categories for the characterization of injuries according to the nature of the lesion.

There are two major limitations in interpreting changes in cause of death statistics. Changes in diagnostic practice may affect the comparability of such statistics over time, as do changes in nomenclature and in the classification scheme. The International Classification of Diseases is revised approximately every ten years to incorporate advances in medical science and to reflect changing medical opinion and practice. The Sixth Revision was used from 1949-1957, the Seventh Revision from 1958-1967, the Eighth Revision from 1968-1978, and the Ninth Revision after 1978.

Under the Ninth Revision, the method for selecting the cause of death for statistical purposes remains the same as the method instituted with the Sixth Revision. The Sixth Revision instituted a method whereby the physician in attendance at death indicates the disease or morbid condition which he considers to be the underlying cause of death. The underlying cause is defined as "(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident which produced fatal injury." Prior to 1981, when two or more causes were jointly recorded, a nosologist in the Office of Vital Statistics selected and coded the underlying cause using the ancillary information provided on the death certificate by the physician. Beginning in 1981, however, all causes mentioned on the certificate are coded. The underlying cause is determined using a computerized procedure: the Automated Classification of Medical Entities (ACME) program. The cause of death information is then subjected to the TRANSAX computer program, which eliminates redundancies in mentioned causes. Information on all associated causes is retained on the computer records for use in further study of certain health problems.

Several groupings by cause of death are utilized in this report. All of the groupings are both exhaustive and exclusive: all causes are assigned to a group or category, and each specific cause is assigned to only one cause group. Deaths by age and sex groups are tabulated using a list of 282 cause groups (Table D-3). Deaths by county and town of residence, site of death, and underlying/non-underlying status are tabulated using 72 cause groups. The analysis of leading causes of death in Table D-1 and D-2 is based on 32 cause groups. The data on fetal and infant deaths, in Tables F-1 and F-2, are categorized into 61 cause groups. In all cases the ICD-9 codes included in each cause group are indicated on the appropriate tables. Tables generally do not include cause groups from which there were no deaths, so the number of groups displayed may be less than the number of groups (i.e., 282, 72, 61, or 32) from which the tables were constructed.*

* Complete lists of causal groups are contained in the following reference manual and may be obtained upon request:

Office of Data, Research, and Vital Statistics, Maine Department of Human Services, Vital Records Manual, 1988. December, 1987.

Years of Life Lost: In Table D-2, "Years of Life Lost" is used as a more sensitive measure of premature death than the death rate itself. The number of years of life lost is calculated for each decedent as the difference between the age at death and the life expectancy at that age. Life expectancy at each age is taken from the 1980 Maine Life Tables, with the sex-specific expectancy estimated using the 1980 United States Life Tables for the white population.** The death of a male infant, for example, represents a total of 71.0 years of life lost. The death of a 50 year old woman represents 30.9 years of life lost, and the death of a 85 year old woman represents 6.4 years of life lost.

Multiple Causes of Death: Most major causes of death are contributing factors to many deaths in which they are not the underlying cause. The relative frequencies with which specific causes are mentioned on death records as underlying or non-underlying causes are displayed in Table D-4.

In Table D-4, cause of death mentions are classified into 72 cause groups, after processing through the ACME and TRANSAX computer programs. Consequently, the term "mentions" refers to causes identified through processing by the computer programs, rather than to causes as mentioned on the death certificate. A cause group is counted only once for each decedent, even if more than one cause in the group was mentioned on the original certificate. Comparisons of data from different sources on "all mentions" of a cause group are valid only if the number and composition of the cause groups used are the same and the counting rules are consistent.

The category of "all mentions" of a cause group usually includes all identifications of it as the underlying cause of death. Occasionally, simultaneous mention of certain causes on the death record leads to the identification, as the underlying cause, of a disease entity which was not itself recorded on the death certificate. In such cases, the ratio of all mentions to underlying cause mentions can be less than 1.00.

Certain causes of death can never be classified as the underlying cause of death as defined in the International Classification of Diseases. In particular, descriptions of the nature of injuries and secondary neoplasms are always recorded on the death certificate in conjunction with one or more entries which identify the underlying cause of death, i.e. the external cause of injury or the primary neoplasm.

Induced Terminations

All induced terminations performed in Maine are required to be reported, regardless of the length of gestation. The report form includes information on the place of residence, so non-resident women receiving abortions in Maine can be excluded from tabulations based on resident data. Approximately 15% of the induced terminations in Maine were obtained by out-of-state residents. Maine does not participate in any interstate program for exchange of induced terminations reports, so complementary data on Maine residents who received terminations in other states are not available.

**Welch, D. Maine Life Tables:1980. Augusta: Maine Department of Human Services, 1985; National Center for Health Statistics, United States Life Tables-1980, 1984.

The numbers of induced terminations reported in 1982 was nearly a third lower than the numbers reported in preceding and subsequent years, due principally to incomplete reporting. In the spring of 1983, a vigorous effort was undertaken to remind and inform physicians, clinics, and hospitals that all induced abortions must be reported to the Department of Human Services on the appropriate form.

Marriages and Divorces

All marriages which occur in Maine are registered in the central Office of Data, Research, and Vital Statistics, whether or not either the bride or the groom are residents of the state. Marriages in which both partners are non-residents are excluded from tabulations based on resident data. However, there is no interstate program for exchange of marriage records of non-residents and hence the complementary data on Maine residents who are married outside Maine are not included in the resident data tabulations. "Resident Data" thus include all marriages occurring in Maine in which either the bride, the groom, or both are residents of Maine.

A similar situation exists in the registration of divorces and annulments. These records are reported to the central office by the clerks of the courts in which the divorce or annulment is finalized. No information is available on divorces or annulments obtained outside the state by Maine residents.

LIVE BIRTHS

TABLE B-1

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND RACE OF CHILD
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

AGE OF MOTHER	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** RACE OF CHILD *****					
			WHITE	BLACK	AMERICAN INDIAN	ASIAN	OTHER	UNKNOWN
ALL BIRTHS								
LESS THAN 15	17	0.10	16	1	0	0	0	0
15	65	0.39	62	0	1	1	0	1
16	123	1.12	124	2	1	1	0	0
17	300	1.79	294	1	4	0	1	0
18	464	2.77	452	4	5	2	1	0
19	742	4.44	725	7	6	0	2	2
20-24	5,364	32.07	5,242	27	57	22	10	6
25-29	5,401	32.29	5,297	46	30	20	8	10
30-34	3,042	18.19	2,991	10	18	7	9	7
35-39	1,020	6.10	997	6	3	6	4	4
40-44	115	0.69	110	1	1	1	1	1
GREATER THAN 44	2	0.01	1	0	0	1	0	0
UNKNOWN	7	0.04	6	0	0	0	0	1
STATE TOTALS	16,727		16,367	105	126	61	36	32
PERCENT DISTRIBUTION		100.00	97.85	0.63	0.75	0.36	0.22	0.19
OUT OF WEDLOCK BIRTHS								
LESS THAN 15	17	0.51	16	1	0	0	0	0
15	59	1.78	57	0	0	1	0	1
16	158	4.76	155	2	0	1	0	0
17	245	7.38	240	0	4	0	1	0
18	293	8.83	284	2	5	1	1	0
19	394	11.87	383	5	4	0	1	1
20-24	1,265	38.10	1,223	6	28	4	3	1
25-29	608	18.31	580	10	10	4	1	3
30-34	198	5.96	193	0	3	1	0	1
35-39	75	2.25	73	1	1	0	0	0
40-44	6	0.18	6	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0
UNKNOWN	2	0.05	2	0	0	0	0	0
STATE TOTALS	3,320		3,212	27	55	12	7	7
PERCENT DISTRIBUTION		100.00	96.75	0.81	1.66	0.36	0.21	0.21

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-2

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND CHILD'S BIRTHWEIGHT
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

			***** MOTHER'S AGE(YRS.) *****															
BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DIST.	LESS THAN 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	GREATER THAN 44	UNKNOWN			
ALL BIRTHS																		
LESS THAN 500	14	0.08	0	0	0	1	0	2	4	3	3	1	0	0	0			
500-999	41	0.25	0	0	3	1	2	2	11	14	4	4	0	0	0			
1000-1499	72	0.43	0	2	2	4	2	3	24	15	15	5	0	0	0			
1500-1999	152	0.91	0	0	2	3	3	13	54	42	27	7	0	1	0			
2000-2499	610	3.65	2	3	6	18	17	36	215	176	100	31	5	0	1			
2500-2999	2,133	12.75	5	11	37	50	66	121	719	672	328	107	16	0	1			
3000-3499	5,854	35.00	4	20	76	100	191	272	1,924	1,872	985	368	40	1	1			
3500-3999	5,540	33.12	3	20	47	92	151	208	1,757	1,825	1,077	321	37	0	2			
4000-4499	1,888	11.29	3	8	11	27	27	75	554	638	393	141	11	0	0			
4500-4999	367	2.19	0	1	2	3	5	7	92	124	100	26	6	0	1			
GREATER THAN 4999	49	0.29	0	0	1	1	0	2	10	18	9	8	0	0	0			
UNKNOWN	7	0.04	0	0	1	0	0	1	1	2	0	1	0	0	1			
STATE TOTALS	16,727		17	65	188	300	464	742	5,365	5,401	3,041	1,020	115	2	7			
PERCENT DIST.		100.00	0.10	0.39	1.12	1.79	2.77	4.44	32.07	32.29	18.18	6.10	0.69	0.01	0.04			
OUT OF WEDLOCK BIRTHS																		
LESS THAN 500	7	0.21	0	0	0	1	0	2	2	1	1	0	0	0	0			
500-999	13	0.39	0	0	3	1	1	1	3	2	0	2	0	0	0			
1000-1499	19	0.57	0	2	1	4	1	1	6	2	1	1	0	0	0			
1500-1999	29	0.87	0	0	1	2	1	6	14	2	1	2	0	0	0			
2000-2499	178	5.36	2	3	5	15	12	18	67	36	14	6	0	0	0			
2500-2999	563	16.96	5	9	32	41	44	73	214	100	33	12	0	0	0			
3000-3499	1,235	37.20	4	18	64	84	123	149	468	226	75	20	4	0	0			
3500-3999	927	27.92	3	18	40	72	95	97	357	171	52	20	1	0	1			
4000-4499	287	8.64	3	8	8	22	11	42	113	56	16	7	1	0	0			
4500-4999	51	1.54	0	1	2	2	5	5	18	10	5	3	0	0	0			
GREATER THAN 4999	9	0.27	0	0	1	1	0	0	3	2	0	2	0	0	0			
UNKNOWN	2	0.06	0	0	1	0	0	0	0	0	0	0	0	0	1			
STATE TOTALS	3,320		17	59	158	245	293	394	1,265	608	198	75	6	0	2			
PERCENT DIST.		100.00	0.51	1.78	4.76	7.38	8.83	11.87	38.10	18.31	5.96	2.26	0.18	0.00	0.06			
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:																		
		19.85	100.00	90.77	84.04	81.67	63.15	53.10	23.58	11.26	6.51	7.35	5.22	0.00	28.57			

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-3

LIVE BIRTHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

COMPLICATIONS OF PREGNANCY CONDITION	NUMBER	%	ILLNESS OR CONDITION AFFECTING PREGNANCY CONDITION	NUMBER	%	COMPLICATIONS OF LABOR CONDITION	NUMBER	%	METHOD OF DELIVERY METHOD	NUMBER	%	CONGENITAL ANOMALIES CONDITION	NUMBER	%
BLEEDING IN EARLY PREGNANCY	332	2.0	TOBACCO USE	1,947	11.6	ABRUPTIO PLACENTA	96	0.6	SPONTANEOUS CONTROLLED	12,118	72.4	ANENCEPHALUS	1	0.0
ECLAMPSIA	8	0.0	HEART DISEASE SYMPTOMATIC	10	0.1	PLACENTA PREVIA	49	0.3	SPONTANEOUS UNCONTROLLED	150	0.9	SPINA BIFIDA	4	0.0
PREECLAMPSIA	342	2.0	HYPERTENSION	268	1.6	CORD PROLAPSE OR COMPRESSION	196	1.2	LOW FORCEPS	331	2.0	OTHER NERVOUS SYSTEM	10	0.1
RH SENSITIZATION	41	0.2	CHRONIC RENAL DISEASE	10	0.1	DYSTOCIA	969	5.8	OTHER FORCEPS PROCEDURE	77	0.5	CLEFT LIP/PALATE	22	0.1
ANEMIA (HGB < 10 GM/HCT < 30%)	145	0.9	PYELOCYSTITIS	28	0.2	BREECH	433	2.6	PRIMARY C-SECTION	2,068	12.4	EYE	2	0.0
AMNIONITIS	20	0.1	DES EXPOSURE	11	0.1	INDUCTION	1	0.0	REPEAT C-SECTION	1,354	8.1	EAR, FACE, NECK	14	0.1
URINARY TRACT INFECTION	290	1.7	ALCOHOL DEPENDENCE	21	0.1	INTRAPARTUM FEVER/CHORIOAMNION.	33	0.2	BREECH DELIVERY	56	0.3	HEART	20	0.1
PREMATURE LABOR (BEFORE 37 WEEKS)	524	3.1	DRUG ADDICTION OR DEPENDENCE	27	0.2	FETAL DISTRESS	614	3.7	VERSION AND EXTRACTION	7	0.0	OTHER CIRCULATORY SYSTEM	4	0.0
PREMATURE DELIVERY (BEFORE 37 WEEKS)	366	2.2	PREVIOUS C-SECTION	646	3.9	LABOR > 18 HRS.	326	1.9	OTHER	131	0.8	RESPIRATORY SYSTEM	11	0.1
PROM (24 HRS. BEFORE DELIVERY)	406	2.4	OBESITY	419	2.5	OTHER	1,684	10.1				DIGESTIVE SYSTEM	14	0.1
OTHER	668	4.0	GESTATIONAL DIABETES	215	1.3	NONE	12,778	76.4				GENITAL ORGANS	26	0.2
NONE	14,249	85.2	CHRONIC DIABETES	20	0.1	UNKNOWN	61	0.4				URINARY SYSTEM	19	0.1
UNKNOWN	55	0.3	OTHER	507	3.0							MUSCULOSKEL.	52	0.3
			NONE	13,043	78.0							INTEGUMENT	23	0.1
			UNKNOWN	87	0.5							CHROMOSOMAL	12	0.1
												OTHER	10	0.1
												NONE	16,462	98.4
												UNKNOWN	52	0.3

NOTES: PERCENTAGES ARE BASED ON THE 16,727 LIVE BIRTHS IN MAINE THIS YEAR.
MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH BIRTH.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-4

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, AND RATIO OF MALE TO FEMALE BIRTHS
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY	TOTAL BIRTHS	***** RISK CHARACTERISTICS *****										MALE/FEMALE RATIO
		5 MIN. APGAR LESS THAN 5		CONGENITAL ANOMALIES		BIRTHWEIGHT < 2500 GRAMS		LESS THAN 37 GESTATION WEEKS				
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT			
ANDROSCOGGIN	1,514	14	0.9	31	2.0	82	5.4	80	5.3		1.01	
AROSTOOK	1,308	4	0.3	29	2.2	69	5.3	65	5.0		1.05	
CUMBERLAND	3,507	22	0.6	23	0.7	181	5.2	164	4.7		1.02	
FRANKLIN	387	3	0.8	5	1.3	34	8.8	32	8.3		1.09	
HANCOCK	629	3	0.5	11	1.7	27	4.3	31	4.9		1.02	
KENNEBEC	1,544	8	0.5	23	1.5	87	5.6	77	5.0		1.06	
KNOX	484	5	1.0	6	1.2	30	6.2	28	5.8		1.05	
LINCOLN	382	4	1.0	5	1.3	24	6.3	26	6.8		1.09	
OXFORD	683	6	0.9	6	0.9	36	5.3	34	5.0		1.20	
PENOBSCOT	1,833	12	0.7	15	0.8	97	5.3	97	5.3		0.98	
PISCATAQUIS	212	2	0.9	5	2.4	9	4.2	12	5.7		0.78	
SAGADAHOC	528	2	0.4	8	1.5	27	5.1	22	4.2		1.16	
SOMERSET	612	4	0.7	8	1.3	31	5.1	24	3.9		1.05	
WALDO	416	4	1.0	10	2.4	18	4.3	20	4.8		0.93	
WASHINGTON	450	3	0.7	4	0.9	17	3.8	18	4.0		0.94	
YORK	2,238	18	0.8	20	0.9	120	5.4	108	4.8		1.05	
STATE TOTALS	16,727	114	0.7	209	1.2	889	5.3	838	5.0		1.03	

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	***** UNKNOWN
ALL BIRTHS											
ANDROSCOGGIN											
LESS THAN 15	1	0.07	1	0	0	1	0	0	0	0	0
15	4	0.26	3	1	0	3	1	0	0	0	0
16	21	1.39	9	12	0	18	3	0	0	0	0
17	38	2.51	19	19	0	30	8	0	0	0	0
18	57	3.76	32	25	0	46	11	0	0	0	0
19	79	5.22	37	42	0	56	15	7	0	0	0
20-24	583	38.51	310	273	0	285	208	74	10	6	0
25-29	460	30.38	221	239	0	146	205	81	17	11	0
30-34	211	13.94	103	108	0	55	83	50	12	11	0
35-39	52	3.43	22	30	0	10	15	7	11	8	1
40-44	7	0.46	2	5	0	2	1	2	0	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.07	1	0	0	0	0	0	0	0	1
COUNTY TOTALS	1,514		760	754	0	652	551	221	50	38	2
PERCENT DISTRIBUTION		100.00	50.20	49.80	0.00	43.06	36.39	14.60	3.30	2.51	0.13
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.28	1	0	0	1	0	0	0	0	0
15	3	0.83	2	1	0	3	0	0	0	0	0
16	18	4.99	7	11	0	16	2	0	0	0	0
17	33	9.14	18	15	0	27	6	0	0	0	0
18	43	11.91	22	21	0	36	7	0	0	0	0
19	46	12.74	22	24	0	29	11	6	0	0	0
20-24	136	37.67	78	58	0	79	39	13	2	3	0
25-29	59	16.34	31	28	0	21	21	6	6	5	0
30-34	15	4.16	3	12	0	2	8	4	0	1	0
35-39	6	1.66	2	4	0	1	0	0	2	2	1
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.28	1	0	0	0	0	0	0	0	1
COUNTY TOTALS	361		187	174	0	215	94	29	10	11	2
PERCENT DISTRIBUTION		100.00	51.80	48.20	0.00	59.56	26.04	8.03	2.77	3.05	0.55
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		23.84	24.61	23.08	0.00	32.98	17.06	13.12	20.00	28.95	100.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE (YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
AROOSTOOK											
LESS THAN 15	1	0.08	1	0	0	1	0	0	0	0	0
15	4	0.31	1	3	0	3	1	0	0	0	0
16	9	0.69	5	4	0	9	0	0	0	0	0
17	20	1.53	12	8	0	20	0	0	0	0	0
18	37	2.83	15	22	0	33	4	0	0	0	0
19	75	5.73	36	39	0	56	16	3	0	0	0
20-24	502	38.38	264	238	0	263	174	51	11	2	1
25-29	413	31.57	203	210	0	143	174	74	19	3	0
30-34	187	14.30	101	86	0	46	78	40	18	5	0
35-39	53	4.05	30	23	0	3	15	10	9	15	1
40-44	6	0.46	1	5	0	1	1	0	1	3	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.08	0	1	0	0	1	0	0	0	0
COUNTY TOTALS	1,308		669	639	0	578	464	178	58	28	2
PERCENT DISTRIBUTION		100.00	51.15	48.85	0.00	44.19	35.47	13.61	4.43	2.14	0.15
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.48	1	0	0	1	0	0	0	0	0
15	4	1.93	1	3	0	3	1	0	0	0	0
16	9	4.35	5	4	0	9	0	0	0	0	0
17	12	5.80	6	6	0	12	0	0	0	0	0
18	20	9.66	8	12	0	20	0	0	0	0	0
19	29	14.01	10	19	0	25	2	2	0	0	0
20-24	81	39.13	39	42	0	51	24	4	1	1	0
25-29	36	17.39	14	22	0	14	14	5	2	1	0
30-34	11	5.31	1	10	0	2	5	3	0	1	0
35-39	4	1.93	3	1	0	0	0	1	0	3	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	207		88	119	0	137	46	15	3	6	0
PERCENT DISTRIBUTION		100.00	42.51	57.49	0.00	66.18	22.22	7.25	1.45	2.90	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.83	13.15	18.62	0.00	23.70	9.91	8.43	5.17	21.43	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1234 GREATER THAN 4 UNKNOWN					
ALL BIRTHS											
CUMBERLAND											
LESS THAN 15	6	0.17	2	4	0	6	0	0	0	0	0
15	14	0.40	6	8	0	13	1	0	0	0	0
16	46	1.31	20	26	0	44	2	0	0	0	0
17	53	1.51	23	30	0	49	4	0	0	0	0
18	66	1.88	37	29	0	53	11	2	0	0	0
19	119	3.39	48	71	0	89	28	2	0	0	0
20-24	859	24.49	416	443	0	481	270	80	21	6	1
25-29	1,174	33.48	615	559	0	523	445	164	26	14	2
30-34	836	23.84	420	416	0	275	332	166	42	19	2
35-39	298	8.50	161	137	0	81	110	68	25	14	0
40-44	32	0.91	17	15	0	9	9	7	3	4	0
GREATER THAN 44	2	0.06	2	0	0	0	0	0	1	1	0
UNKNOWN	2	0.06	2	0	0	2	0	0	0	0	0
COUNTY TOTALS	3,507		1,769	1,738	0	1,625	1,212	489	118	58	5
PERCENT DISTRIBUTION		100.00	50.44	49.56	0.00	46.34	34.56	13.94	3.36	1.65	0.14

25

OUT OF WEDLOCK BIRTHS

LESS THAN 15	6	0.94	2	4	0	6	0	0	0	0	0
15	12	1.89	5	7	0	11	1	0	0	0	0
16	41	6.45	18	23	0	39	2	0	0	0	0
17	47	7.39	20	27	0	44	3	0	0	0	0
18	42	6.60	23	19	0	35	6	1	0	0	0
19	70	11.01	32	38	0	58	11	1	0	0	0
20-24	230	36.16	121	109	0	136	57	28	7	2	0
25-29	116	18.24	59	57	0	49	37	23	3	4	0
30-34	47	7.39	25	22	0	13	14	11	4	5	0
35-39	24	3.77	12	12	0	9	8	3	3	1	0
40-44	1	0.16	0	1	0	0	0	1	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	636		317	319	0	400	139	68	17	12	0
PERCENT DISTRIBUTION		100.00	49.84	50.16	0.00	62.89	21.86	10.69	2.67	1.89	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		18.14	17.92	18.35	0.00	24.62	11.47	13.91	14.41	20.69	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE (YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX *****	*****	*****	***** BIRTH ORDER *****						*****
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN	
ALL BIRTHS												
FRANKLIN												
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0		0
15	1	0.26	1	0	0	1	0	0	0	0		0
16	4	1.03	3	1	0	4	0	0	0	0		0
17	9	2.33	2	7	0	9	0	0	0	0		0
18	7	1.81	4	3	0	3	3	1	0	0		0
19	21	5.43	12	9	0	18	3	0	0	0		0
20-24	135	34.88	70	65	0	51	66	18	0	0		0
25-29	132	34.11	75	57	0	38	57	28	6	3		0
30-34	56	14.47	24	32	0	9	26	10	6	5		0
35-39	22	5.68	11	11	0	5	7	6	3	1		0
40-44	0	0.00	0	0	0	0	0	0	0	0		0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0		0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0		0
COUNTY TOTALS	387		202	185	0	138	162	63	15	9		0
PERCENT DISTRIBUTION		100.00	52.20	47.80	0.00	35.66	41.86	16.28	3.88	2.33		0.00
OUT OF WEDLOCK BIRTHS												
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0		0
15	1	1.15	1	0	0	1	0	0	0	0		0
16	4	4.60	3	1	0	4	0	0	0	0		0
17	6	6.90	2	4	0	6	0	0	0	0		0
18	3	3.45	2	1	0	2	0	1	0	0		0
19	15	17.24	10	5	0	12	3	0	0	0		0
20-24	30	34.48	18	12	0	17	9	4	0	0		0
25-29	16	18.39	8	8	0	4	7	4	0	1		0
30-34	8	9.20	5	3	0	1	3	3	0	1		0
35-39	4	4.60	2	2	0	1	1	0	2	0		0
40-44	0	0.00	0	0	0	0	0	0	0	0		0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0		0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0		0
COUNTY TOTALS	87		51	36	0	48	23	12	2	2		0
PERCENT DISTRIBUTION		100.00	58.62	41.38	0.00	55.17	26.44	13.79	2.30	2.30		0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		22.48	25.25	19.46	0.00	34.78	14.20	19.05	13.33	22.22		0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
HANCOCK											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	3	0.48	2	1	0	3	0	0	0	0	0
16	8	1.27	7	1	0	6	2	0	0	0	0
17	12	1.91	5	7	0	12	0	0	0	0	0
18	19	3.02	10	9	0	15	4	0	0	0	0
19	29	4.61	15	14	0	25	3	1	0	0	0
20-24	197	31.32	97	100	0	103	64	24	4	1	1
25-29	193	30.68	94	99	0	80	80	24	5	4	0
30-34	107	17.01	54	53	0	27	46	23	9	2	0
35-39	57	9.06	33	24	0	13	21	12	9	2	0
40-44	4	0.64	0	4	0	0	2	0	1	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	629		317	312	0	284	222	84	28	10	1
PERCENT DISTRIBUTION		100.00	50.40	49.60	0.00	45.15	35.29	13.35	4.45	1.59	0.16

27

OUT OF WEDLOCK BIRTHS

LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	3	2.26	2	1	0	3	0	0	0	0	0
16	6	4.51	5	1	0	5	1	0	0	0	0
17	11	8.27	4	7	0	11	0	0	0	0	0
18	12	9.02	5	7	0	8	4	0	0	0	0
19	15	11.28	7	8	0	15	0	0	0	0	0
20-24	52	39.10	21	31	0	36	11	4	1	0	0
25-29	27	20.30	17	10	0	14	9	3	1	0	0
30-34	4	3.01	2	2	0	2	0	2	0	0	0
35-39	3	2.26	1	2	0	0	0	1	2	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	133		64	69	0	94	25	10	4	0	0
PERCENT DISTRIBUTION		100.00	48.12	51.88	0.00	70.68	18.80	7.52	3.01	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		21.14	20.19	22.12	0.00	33.10	11.26	11.90	14.29	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
KENNEBEC											
LESS THAN 15	2	0.13	1	1	0	2	0	0	0	0	0
15	6	0.39	3	3	0	5	1	0	0	0	0
16	22	1.42	13	9	0	22	0	0	0	0	0
17	30	1.94	13	17	0	26	4	0	0	0	0
18	36	2.33	16	20	0	28	7	0	0	0	1
19	76	4.92	42	34	0	49	23	4	0	0	0
20-24	496	32.12	249	247	0	258	193	35	10	0	0
25-29	516	33.42	272	244	0	182	217	82	27	7	1
30-34	257	16.65	127	130	0	69	98	58	20	9	3
35-39	93	6.02	51	42	0	19	29	21	12	11	1
40-44	10	0.65	7	3	0	1	2	2	2	3	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,544		794	750	0	661	574	202	71	30	6
PERCENT DISTRIBUTION		100.00	51.42	48.58	0.00	42.81	37.18	13.08	4.60	1.94	0.39

28

OUT OF WEDLOCK BIRTHS

LESS THAN 15	2	0.55	1	1	0	2	0	0	0	0	0
15	5	1.39	3	2	0	4	1	0	0	0	0
16	19	5.26	12	7	0	19	0	0	0	0	0
17	28	7.76	12	16	0	25	3	0	0	0	0
18	25	6.93	10	15	0	19	5	0	0	0	1
19	42	11.63	25	17	0	29	12	1	0	0	0
20-24	135	37.40	70	65	0	66	54	14	1	0	0
25-29	79	21.88	44	35	0	28	30	13	5	3	0
30-34	19	5.26	9	10	0	10	3	3	3	0	0
35-39	6	1.66	2	4	0	2	0	3	0	1	0
40-44	1	0.28	0	1	0	0	0	0	1	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	361		188	173	0	204	108	34	10	4	1
PERCENT DISTRIBUTION		100.00	52.08	47.92	0.00	56.51	29.92	9.42	2.77	1.11	0.28
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		23.38	23.68	23.07	0.00	30.86	18.82	16.83	14.08	13.33	16.67

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
KNOX											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	2	0.41	1	1	0	1	1	0	0	0	0
16	7	1.45	5	2	0	6	1	0	0	0	0
17	10	2.07	4	6	0	9	1	0	0	0	0
18	15	3.11	8	7	0	11	3	1	0	0	0
19	29	6.00	12	17	0	21	6	0	2	0	0
20-24	151	31.26	77	74	0	77	62	9	3	0	0
25-29	151	31.26	71	80	0	52	70	20	8	1	0
30-34	84	17.39	49	35	0	19	30	20	7	8	0
35-39	26	5.38	16	10	0	6	8	6	1	5	0
40-44	8	1.66	4	4	0	2	0	3	0	3	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	483		247	236	0	204	182	59	21	17	0
PERCENT DISTRIBUTION		100.00	51.14	48.86	0.00	42.24	37.68	12.22	4.35	3.52	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.96	0	1	0	1	0	0	0	0	0
16	6	5.77	4	2	0	5	1	0	0	0	0
17	8	7.69	3	5	0	8	0	0	0	0	0
18	9	8.65	6	3	0	6	2	1	0	0	0
19	14	13.46	5	9	0	11	3	0	0	0	0
20-24	38	36.54	21	17	0	21	13	3	1	0	0
25-29	20	19.23	11	9	0	8	7	4	1	0	0
30-34	3	2.88	1	2	0	0	1	1	0	1	0
35-39	4	3.85	2	2	0	1	1	0	0	2	0
40-44	1	0.96	1	0	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	104		54	50	0	61	28	9	2	4	0
PERCENT DISTRIBUTION		100.00	51.92	48.08	0.00	58.65	26.92	8.65	1.92	3.85	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		21.53	21.86	21.19	0.00	29.90	15.38	15.25	9.52	23.53	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
LINCOLN											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	2	0.52	1	1	0	2	0	0	0	0	0
17	7	1.83	2	5	0	6	1	0	0	0	0
18	8	2.09	7	1	0	7	1	0	0	0	0
19	13	3.40	9	4	0	12	1	0	0	0	0
20-24	126	32.98	69	57	0	67	40	15	2	0	2
25-29	115	30.10	57	58	0	41	51	16	2	4	1
30-34	81	21.20	41	40	0	21	28	22	3	6	1
35-39	28	7.33	12	16	0	11	8	5	3	1	0
40-44	2	0.52	1	1	0	0	1	1	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	382		199	183	0	167	131	59	10	11	4
PERCENT DISTRIBUTION		100.00	52.09	47.91	0.00	43.72	34.29	15.45	2.62	2.88	1.05

30

OUT OF WEDLOCK BIRTHS

LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	1	1.72	0	1	0	1	0	0	0	0	0
17	6	10.34	1	5	0	5	1	0	0	0	0
18	6	10.34	5	1	0	6	0	0	0	0	0
19	5	8.62	3	2	0	5	0	0	0	0	0
20-24	27	46.55	18	9	0	17	5	4	0	0	1
25-29	7	12.07	2	5	0	0	4	3	0	0	0
30-34	4	6.90	1	3	0	2	0	1	0	0	1
35-39	2	3.45	1	1	0	0	0	2	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	58		31	27	0	36	10	10	0	0	2
PERCENT DISTRIBUTION		100.00	53.45	46.55	0.00	62.07	17.24	17.24	0.00	0.00	3.45
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.18	15.58	14.75	0.00	21.56	7.63	16.95	0.00	0.00	50.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****						UNKNOWN
						1	2	3	4	GREATER THAN 4		
ALL BIRTHS												
OXFORD												
LESS THAN 15	1	0.15	1	0	0	1	0	0	0	0	0	
15	2	0.29	0	2	0	2	0	0	0	0	0	
16	8	1.17	6	2	0	8	0	0	0	0	0	
17	14	2.05	7	7	0	11	3	0	0	0	0	
18	29	4.25	13	16	0	23	6	0	0	0	0	
19	28	4.10	10	18	0	17	8	2	1	0	0	
20-24	241	35.29	138	103	0	128	83	23	7	0	0	
25-29	230	33.67	119	111	0	82	99	35	11	3	0	
30-34	93	13.62	56	37	0	21	40	26	4	2	0	
35-39	31	4.54	22	9	0	6	10	8	4	3	0	
40-44	5	0.73	1	4	0	1	2	0	1	1	0	
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0	
UNKNOWN	1	0.15	0	1	0	0	0	0	0	0	1	
COUNTY TOTALS	683		373	310	0	300	251	94	28	9	1	
PERCENT DISTRIBUTION		100.00	54.61	45.39	0.00	43.92	36.75	13.76	4.10	1.32	0.15	
OUT OF WEDLOCK BIRTHS												
LESS THAN 15	1	0.70	1	0	0	1	0	0	0	0	0	
15	2	1.40	0	2	0	2	0	0	0	0	0	
16	6	4.20	4	2	0	6	0	0	0	0	0	
17	10	6.99	6	4	0	8	2	0	0	0	0	
18	17	11.89	8	9	0	14	3	0	0	0	0	
19	11	7.69	3	8	0	7	3	0	1	0	0	
20-24	58	40.56	32	26	0	32	20	5	1	0	0	
25-29	27	18.88	17	10	0	5	12	6	2	2	0	
30-34	8	5.59	7	1	0	2	4	2	0	0	0	
35-39	1	0.70	1	0	0	0	1	0	0	0	0	
40-44	1	0.70	0	1	0	0	1	0	0	0	0	
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0	
UNKNOWN	1	0.70	0	1	0	0	0	0	0	0	1	
COUNTY TOTALS	143		79	64	0	77	46	13	4	2	1	
PERCENT DISTRIBUTION		100.00	55.24	44.76	0.00	53.85	32.17	9.09	2.80	1.40	0.70	
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		20.94	21.18	20.65	0.00	25.67	18.33	13.83	14.29	22.22	100.00	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX *****	*****	*****	***** BIRTH ORDER *****						*****
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN	
ALL BIRTHS												
PENOBSCOT												
LESS THAN 15	1	0.05	1	0	0	1	0	0	0	0	0	0
15	6	0.33	5	1	0	5	1	0	0	0	0	0
16	13	0.71	7	6	0	13	0	0	0	0	0	0
17	25	1.36	9	16	0	21	4	0	0	0	0	0
18	54	2.95	29	25	0	43	9	2	0	0	0	0
19	78	4.26	27	51	0	54	22	1	1	0	0	0
20-24	626	34.15	316	310	0	332	222	57	14	1	0	0
25-29	622	33.93	312	310	0	250	251	95	20	6	0	0
30-34	310	16.91	151	159	0	88	129	57	29	7	0	0
35-39	83	4.53	43	40	0	16	30	20	8	9	0	0
40-44	14	0.76	8	6	0	2	3	2	3	4	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.05	1	0	0	1	0	0	0	0	0	0
COUNTY TOTALS	1,833		909	924	0	826	671	234	75	27	0	0
PERCENT DISTRIBUTION		100.00	49.59	50.41	0.00	45.06	36.61	12.77	4.09	1.47	0.00	0.00
OUT OF WEDLOCK BIRTHS												
LESS THAN 15	1	0.28	1	0	0	1	0	0	0	0	0	0
15	6	1.70	5	1	0	5	1	0	0	0	0	0
16	9	2.55	5	4	0	9	0	0	0	0	0	0
17	19	5.38	7	12	0	18	1	0	0	0	0	0
18	28	7.93	14	14	0	22	6	0	0	0	0	0
19	44	12.46	13	31	0	31	11	1	1	0	0	0
20-24	144	40.79	88	56	0	91	36	11	5	1	0	0
25-29	67	18.98	36	31	0	24	22	18	2	1	0	0
30-34	29	8.22	15	14	0	10	12	3	3	1	0	0
35-39	5	1.42	2	3	0	3	0	1	0	1	0	0
40-44	1	0.28	1	0	0	0	0	0	0	1	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	353		187	166	0	214	89	34	11	5	0	0
PERCENT DISTRIBUTION		100.00	52.97	47.03	0.00	60.62	25.21	9.63	3.12	1.42	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:												
		19.26	20.57	17.97	0.00	25.91	13.26	14.53	14.67	18.52	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
PISCATAQUIS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.47	1	0	0	1	0	0	0	0	0
16	5	2.36	2	3	0	5	0	0	0	0	0
17	4	1.89	0	4	0	3	1	0	0	0	0
18	5	2.36	1	4	0	5	0	0	0	0	0
19	12	5.66	4	8	0	9	3	0	0	0	0
20-24	79	37.26	37	42	0	40	29	8	2	0	0
25-29	67	31.60	34	33	0	20	28	13	6	0	0
30-34	29	13.68	11	18	0	6	15	7	1	0	0
35-39	8	3.77	3	5	0	1	5	2	0	0	0
40-44	2	0.94	0	2	0	0	2	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	212		93	119	0	90	83	30	9	0	0
PERCENT DISTRIBUTION		100.00	43.87	56.13	0.00	42.45	39.15	14.15	4.25	0.00	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	1	2.08	1	0	0	1	0	0	0	0	0
16	4	8.33	2	2	0	4	0	0	0	0	0
17	4	8.33	0	4	0	3	1	0	0	0	0
18	0	0.00	0	0	0	0	0	0	0	0	0
19	8	16.67	2	6	0	6	2	0	0	0	0
20-24	17	35.42	7	10	0	11	5	1	0	0	0
25-29	11	22.92	7	4	0	4	3	3	1	0	0
30-34	2	4.17	1	1	0	0	1	1	0	0	0
35-39	1	2.08	0	1	0	0	0	1	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	48		20	28	0	29	12	6	1	0	0
PERCENT DISTRIBUTION		100.00	41.67	58.33	0.00	60.42	25.00	12.50	2.08	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		22.64	21.51	23.53	0.00	32.22	14.46	20.00	11.11	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	***** UNKNOWN
ALL BIRTHS											
SAGADAHOC											
LESS THAN 15	1	0.19	0	1	0	1	0	0	0	0	0
15	1	0.19	0	1	0	1	0	0	0	0	0
16	1	0.19	1	0	0	1	0	0	0	0	0
17	8	1.52	3	5	0	8	0	0	0	0	0
18	17	3.22	10	7	0	15	2	0	0	0	0
19	21	3.98	11	10	0	16	4	1	0	0	0
20-24	145	27.46	78	67	0	73	59	10	2	1	0
25-29	198	37.50	112	86	0	76	81	34	6	1	0
30-34	108	20.45	55	53	0	25	44	25	10	4	0
35-39	26	4.92	13	13	0	3	10	10	1	2	0
40-44	2	0.38	0	2	0	1	0	0	1	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	528		283	245	0	220	200	80	20	8	0
PERCENT DISTRIBUTION		100.00	53.60	46.40	0.00	41.67	37.88	15.15	3.79	1.52	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	1.19	0	1	0	1	0	0	0	0	0
15	1	1.19	0	1	0	1	0	0	0	0	0
16	0	0.00	0	0	0	0	0	0	0	0	0
17	5	5.95	1	4	0	5	0	0	0	0	0
18	15	17.86	10	5	0	13	2	0	0	0	0
19	11	13.10	6	5	0	9	2	0	0	0	0
20-24	33	39.29	18	15	0	18	11	3	0	1	0
25-29	14	16.67	3	11	0	5	6	1	1	1	0
30-34	3	3.57	3	0	0	2	0	0	1	0	0
35-39	1	1.19	0	1	0	0	0	1	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	84		41	43	0	54	21	5	2	2	0
PERCENT DISTRIBUTION		100.00	48.81	51.19	0.00	64.29	25.00	5.95	2.38	2.38	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.91	14.49	17.55	0.00	24.55	10.50	6.25	10.00	25.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX *****	*****	*****	***** BIRTH ORDER *****	*****	*****	*****	*****	*****
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
SOMERSET											
LESS THAN 15	1	0.16	0	1	0	1	0	0	0	0	0
15	8	1.31	4	4	0	8	0	0	0	0	0
16	12	1.96	6	6	0	12	0	0	0	0	0
17	8	1.31	5	3	0	6	2	0	0	0	0
18	29	4.74	13	16	0	26	3	0	0	0	0
19	41	6.70	21	20	0	36	5	0	0	0	0
20-24	241	39.38	122	119	0	115	91	29	6	0	0
25-29	154	25.16	83	71	0	51	52	33	13	5	0
30-34	88	14.38	47	41	0	22	30	20	13	3	0
35-39	25	4.08	11	14	0	3	9	6	4	3	0
40-44	5	0.82	2	3	0	1	0	0	1	3	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	612		314	298	0	281	192	88	37	14	0
PERCENT DISTRIBUTION		100.00	51.31	48.69	0.00	45.92	31.37	14.38	6.05	2.29	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.61	0	1	0	1	0	0	0	0	0
15	8	4.88	4	4	0	8	0	0	0	0	0
16	11	6.71	6	5	0	11	0	0	0	0	0
17	6	3.66	4	2	0	6	0	0	0	0	0
18	24	14.63	10	14	0	22	2	0	0	0	0
19	22	13.41	13	9	0	19	3	0	0	0	0
20-24	61	37.20	26	35	0	36	19	5	1	0	0
25-29	18	10.98	10	8	0	7	2	5	2	2	0
30-34	11	6.71	8	3	0	2	3	1	4	1	0
35-39	2	1.22	0	2	0	1	0	0	1	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	164		81	83	0	113	29	11	8	3	0
PERCENT DISTRIBUTION		100.00	49.39	50.61	0.00	68.90	17.68	6.71	4.88	1.83	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		26.80	25.80	27.85	0.00	40.21	15.10	12.50	21.62	21.43	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
WALDO											
LESS THAN 15	1	0.24	0	1	0	1	0	0	0	0	0
15	2	0.48	0	2	0	2	0	0	0	0	0
16	10	2.40	4	6	0	10	0	0	0	0	0
17	9	2.16	2	7	0	9	0	0	0	0	0
18	14	3.37	8	6	0	10	4	0	0	0	0
19	21	5.05	12	9	0	9	8	4	0	0	0
20-24	133	31.97	64	69	0	71	48	12	2	0	0
25-29	118	28.37	68	50	0	29	49	27	8	4	1
30-34	71	17.07	29	42	0	19	21	17	9	5	0
35-39	33	7.93	13	20	0	6	15	5	4	3	0
40-44	4	0.96	0	4	0	0	3	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	416		200	216	0	166	148	65	23	13	1
PERCENT DISTRIBUTION		100.00	48.08	51.92	0.00	39.90	35.58	15.63	5.53	3.13	0.24
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	1.12	0	1	0	1	0	0	0	0	0
15	2	2.25	0	2	0	2	0	0	0	0	0
16	7	7.87	3	4	0	7	0	0	0	0	0
17	9	10.11	2	7	0	9	0	0	0	0	0
18	4	4.49	2	2	0	4	0	0	0	0	0
19	10	11.24	6	4	0	6	3	1	0	0	0
20-24	34	38.20	15	19	0	17	10	5	2	0	0
25-29	14	15.73	7	7	0	4	6	3	0	1	0
30-34	6	6.74	3	3	0	3	0	3	0	0	0
35-39	1	1.12	0	1	0	1	0	0	0	0	0
40-44	1	1.12	0	1	0	0	1	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	89		38	51	0	54	20	12	2	1	0
PERCENT DISTRIBUTION		100.00	42.70	57.30	0.00	60.67	22.47	13.48	2.25	1.12	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		21.39	19.00	23.61	0.00	32.53	13.51	18.46	8.70	7.69	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	***** UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
WASHINGTON											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	4	0.39	3	1	0	3	1	0	0	0	0
16	4	0.89	3	1	0	3	1	0	0	0	0
17	16	3.56	9	7	0	16	0	0	0	0	0
18	18	4.00	7	11	0	15	3	0	0	0	0
19	27	6.00	13	14	0	19	5	2	1	0	0
20-24	170	37.78	85	85	0	74	62	26	5	3	0
25-29	124	27.56	58	66	0	40	49	18	11	5	1
30-34	66	14.67	30	36	0	13	26	14	8	5	0
35-39	18	4.00	8	10	0	5	2	4	4	3	0
40-44	3	0.67	2	1	0	0	2	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	450		218	232	0	188	151	64	29	17	1
PERCENT DISTRIBUTION		100.00	48.44	51.56	0.00	41.78	33.56	14.22	6.44	3.78	0.22

OUT OF WEDLOCK BIRTHS

LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	3	2.08	2	1	0	2	1	0	0	0	0
16	4	2.78	3	1	0	3	1	0	0	0	0
17	14	9.72	8	6	0	14	0	0	0	0	0
18	13	9.03	5	8	0	11	2	0	0	0	0
19	14	9.72	8	6	0	12	2	0	0	0	0
20-24	60	41.67	32	28	0	29	20	9	1	1	0
25-29	29	20.14	14	15	0	8	5	9	6	1	0
30-34	5	3.47	3	2	0	0	2	2	0	1	0
35-39	2	1.39	1	1	0	2	0	0	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	144		76	68	0	81	33	20	7	3	0
PERCENT DISTRIBUTION		100.00	52.78	47.22	0.00	56.25	22.92	13.89	4.86	2.08	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		32.00	34.86	29.31	0.00	43.09	21.85	31.25	24.14	17.65	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	***** UNKNOWN
ALL BIRTHS											
YORK											
LESS THAN 15	2	0.09	1	1	0	2	0	0	0	0	0
15	7	0.31	1	6	0	7	0	0	0	0	0
16	16	0.71	11	5	0	13	3	0	0	0	0
17	37	1.65	22	15	0	36	1	0	0	0	0
18	53	2.37	27	26	0	48	5	0	0	0	0
19	73	3.26	41	32	0	54	16	1	1	0	1
20-24	680	30.37	359	321	0	354	239	74	11	2	0
25-29	734	32.78	373	361	0	289	272	135	30	8	0
30-34	458	20.46	216	242	0	138	176	97	30	17	0
35-39	167	7.46	89	78	0	37	56	44	17	13	0
40-44	11	0.49	6	5	0	3	1	3	1	3	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.04	0	1	0	0	0	0	1	0	0
COUNTY TOTALS	2,239		1,146	1,093	0	981	769	354	91	43	1
PERCENT DISTRIBUTION		100.00	51.18	48.82	0.00	43.81	34.35	15.81	4.06	1.92	0.04
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	2	0.57	1	1	0	2	0	0	0	0	0
15	7	2.01	1	6	0	7	0	0	0	0	0
16	13	3.74	9	4	0	10	3	0	0	0	0
17	27	7.76	16	11	0	27	0	0	0	0	0
18	32	9.20	15	17	0	30	2	0	0	0	0
19	38	10.92	20	18	0	24	13	0	1	0	0
20-24	129	37.07	66	63	0	68	36	22	3	0	0
25-29	68	19.54	32	36	0	24	22	13	9	0	0
30-34	23	6.61	10	13	0	8	5	8	2	0	0
35-39	9	2.59	5	4	0	2	1	4	2	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	348		175	173	0	202	82	47	17	0	0
PERCENT DISTRIBUTION		100.00	50.29	49.71	0.00	58.05	23.56	13.51	4.89	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		15.54	15.27	15.83	0.00	20.59	10.66	13.28	18.68	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

STATE AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
MAINE SUMMARY											
LESS THAN 15	17	0.10	8	9	0	17	0	0	0	0	0
15	65	0.39	31	34	0	58	7	0	0	0	0
16	188	1.12	103	85	0	176	12	0	0	0	0
17	300	1.79	137	163	0	271	29	0	0	0	0
18	464	2.77	237	227	0	381	76	6	0	0	1
19	742	4.44	350	392	0	540	167	28	6	0	1
20-24	5,364	32.07	2,751	2,613	0	2,772	1,910	545	110	22	5
25-29	5,401	32.29	2,767	2,634	0	2,042	2,180	879	215	79	6
30-34	3,042	18.19	1,514	1,528	0	853	1,202	652	221	108	6
35-39	1,020	6.10	538	482	0	225	350	234	115	93	3
40-44	115	0.69	51	64	0	23	29	20	14	29	0
GREATER THAN 44	2	0.01	2	0	0	0	0	0	1	1	0
UNKNOWN	7	0.04	4	3	0	3	1	0	1	0	2
STATE TOTALS	16,727		8,493	8,234	0	7,361	5,963	2,364	683	332	24
PERCENT DISTRIBUTION		100.00	50.77	49.23	0.00	44.01	35.65	14.13	4.08	1.98	0.14

39

OUT OF WEDLOCK BIRTHS

LESS THAN 15	17	0.51	8	9	0	17	0	0	0	0	0
15	59	1.78	27	32	0	54	5	0	0	0	0
16	158	4.76	86	72	0	148	10	0	0	0	0
17	245	7.38	110	135	0	228	17	0	0	0	0
18	293	8.83	145	148	0	248	41	3	0	0	1
19	394	11.87	185	209	0	298	81	12	3	0	0
20-24	1,265	38.10	670	595	0	725	369	135	26	9	1
25-29	608	18.31	312	296	0	219	207	119	41	22	0
30-34	198	5.96	97	101	0	59	61	48	17	12	1
35-39	75	2.26	34	41	0	23	12	17	12	10	1
40-44	6	0.18	2	4	0	0	2	1	1	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	2	0.06	1	1	0	0	0	0	0	0	2
STATE TOTALS	3,320		1,677	1,643	0	2,019	805	335	100	55	6
PERCENT DISTRIBUTION		100.00	50.51	49.49	0.00	60.81	24.25	10.09	3.01	1.66	0.18
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		19.85	19.75	19.95	0.00	27.43	13.50	14.17	14.64	16.57	25.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
ANDROSCOGGIN								
LESS THAN 1000	9	0.59	2	3	0	0	1	3
1000-1499	9	0.59	5	1	1	0	1	1
1500-1999	10	0.66	7	2	1	0	0	0
2000-2499	54	3.57	25	17	10	1	1	0
2500-2999	205	13.54	115	49	33	6	1	1
3000-3499	548	36.20	304	163	66	13	1	1
3500-3999	505	33.36	282	145	59	15	3	1
4000-4499	146	9.64	75	46	22	3	0	0
4500-4999	22	1.45	15	5	2	0	0	0
GREATER THAN 4999	4	0.26	2	0	2	0	0	0
UNKNOWN	2	0.13	0	1	0	0	0	1
COUNTY TOTALS	1,514		832	432	196	38	8	8
PERCENT DISTRIBUTION		100.00	54.95	28.53	12.95	2.51	0.53	0.53
AROSTOOK								
LESS THAN 1000	3	0.23	2	0	0	0	1	0
1000-1499	3	0.23	2	0	1	0	0	0
1500-1999	17	1.30	9	4	4	0	0	0
2000-2499	46	3.52	22	13	9	2	0	0
2500-2999	151	11.54	89	29	23	6	1	3
3000-3499	489	37.39	295	122	54	8	0	10
3500-3999	419	32.03	248	97	60	8	1	5
4000-4499	154	11.77	82	46	18	3	1	4
4500-4999	23	1.76	13	8	1	0	0	1
GREATER THAN 4999	2	0.15	1	0	1	0	0	0
UNKNOWN	1	0.08	0	0	0	0	0	1
COUNTY TOTALS	1,308		763	319	171	27	4	24
PERCENT DISTRIBUTION		100.00	58.33	24.39	13.07	2.06	0.31	1.83

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
CUMBERLAND								
LESS THAN 1000	11	0.31	4	2	1	1	0	3
1000-1499	11	0.31	6	4	1	0	0	0
1500-1999	25	0.71	12	6	4	2	0	1
2000-2499	134	3.82	66	42	18	4	0	4
2500-2999	441	12.57	223	111	74	21	3	9
3000-3499	1,198	34.16	646	340	156	36	1	19
3500-3999	1,156	32.96	646	331	135	35	2	7
4000-4499	430	12.26	240	125	55	7	0	3
4500-4999	85	2.42	55	19	7	3	0	1
GREATER THAN 4999	16	0.46	9	5	2	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	3,507		1,907	985	453	109	6	47
PERCENT DISTRIBUTION		100.00	54.38	28.09	12.92	3.11	0.17	1.34
FRANKLIN								
LESS THAN 1000	4	1.03	2	1	0	0	1	0
1000-1499	2	0.52	1	0	0	0	0	1
1500-1999	5	1.29	2	1	2	0	0	0
2000-2499	23	5.94	15	6	1	0	0	1
2500-2999	41	10.59	24	10	6	1	0	0
3000-3499	128	33.07	78	28	14	4	0	4
3500-3999	128	33.07	82	33	11	2	0	0
4000-4499	44	11.37	31	9	3	0	0	1
4500-4999	10	2.58	5	3	2	0	0	0
GREATER THAN 4999	2	0.52	2	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	387		242	91	39	7	1	7
PERCENT DISTRIBUTION		100.00	62.53	23.51	10.08	1.81	0.26	1.81

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
HANCOCK								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	4	0.64	2	1	1	0	0	0
1500-1999	7	1.11	2	3	2	0	0	0
2000-2499	16	2.54	8	4	4	0	0	0
2500-2999	85	13.51	39	31	12	2	0	1
3000-3499	208	33.07	110	56	35	5	0	2
3500-3999	205	32.59	116	52	33	1	0	3
4000-4499	87	13.83	41	29	14	3	0	0
4500-4999	17	2.70	7	8	2	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	629		325	184	103	11	0	6
PERCENT DISTRIBUTION		100.00	51.67	29.25	16.38	1.75	0.00	0.95
KENNEBEC								
LESS THAN 1000	3	0.19	2	0	0	0	0	1
1000-1499	8	0.52	7	1	0	0	0	0
1500-1999	17	1.10	11	5	1	0	0	0
2000-2499	59	3.82	35	14	7	2	1	0
2500-2999	186	12.05	109	37	33	2	0	5
3000-3499	567	36.72	332	160	67	5	0	3
3500-3999	509	32.97	304	131	62	6	0	6
4000-4499	157	10.17	105	38	13	0	0	1
4500-4999	33	2.14	18	11	3	1	0	0
GREATER THAN 4999	5	0.32	5	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	1,544		928	397	186	16	1	16
PERCENT DISTRIBUTION		100.00	60.10	25.71	12.05	1.04	0.06	1.04

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL CARE BEGAN 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
KNOX								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	3	0.62	2	1	0	0	0	0
1500-1999	7	1.45	2	3	2	0	0	0
2000-2499	20	4.13	10	4	6	0	0	0
2500-2999	62	12.81	29	15	14	3	0	1
3000-3499	146	30.17	67	41	33	2	0	3
3500-3999	172	35.54	85	54	28	2	0	3
4000-4499	56	11.57	31	17	8	0	0	0
4500-4999	16	3.31	6	6	3	0	0	1
GREATER THAN 4999	2	0.41	2	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	484		234	141	94	7	0	8
PERCENT DISTRIBUTION		100.00	48.35	29.13	19.42	1.45	0.00	1.65
LINCOLN								
LESS THAN 1000	4	1.05	2	0	0	0	1	1
1000-1499	2	0.52	2	0	0	0	0	0
1500-1999	4	1.05	3	0	1	0	0	0
2000-2499	14	3.66	8	1	1	3	0	1
2500-2999	38	9.95	20	10	5	1	1	1
3000-3499	127	33.25	61	29	26	8	0	3
3500-3999	132	34.55	79	26	16	9	1	1
4000-4499	51	13.35	32	13	3	1	0	2
4500-4999	8	2.09	4	4	0	0	0	0
GREATER THAN 4999	2	0.52	1	0	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	382		212	83	53	22	3	9
PERCENT DISTRIBUTION		100.00	55.50	21.73	13.87	5.76	0.79	2.36

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
OXFORD								
LESS THAN 1000	3	0.44	2	0	0	0	0	1
1000-1499	2	0.29	0	2	0	0	0	0
1500-1999	7	1.02	3	1	3	0	0	0
2000-2499	24	3.51	13	5	4	1	0	1
2500-2999	89	13.03	41	25	19	2	1	1
3000-3499	242	35.43	121	76	36	8	0	1
3500-3999	232	33.97	120	64	40	8	0	0
4000-4499	68	9.96	31	22	14	0	0	1
4500-4999	13	1.90	5	6	2	0	0	0
GREATER THAN 4999	3	0.44	2	0	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	683		338	201	119	19	1	5
PERCENT DISTRIBUTION		100.00	49.49	29.43	17.42	2.78	0.15	0.73
PENOBSCOT								
LESS THAN 1000	6	0.33	4	1	0	0	0	1
1000-1499	8	0.44	3	3	1	1	0	0
1500-1999	17	0.93	7	3	7	0	0	0
2000-2499	66	3.60	36	12	15	3	0	0
2500-2999	273	14.89	151	68	48	5	0	1
3000-3499	645	35.19	438	120	64	18	3	2
3500-3999	579	31.59	408	101	60	9	0	1
4000-4499	197	10.75	141	36	17	3	0	0
4500-4999	35	1.91	27	4	3	0	0	1
GREATER THAN 4999	5	0.27	2	1	1	1	0	0
UNKNOWN	2	0.11	2	0	0	0	0	0
COUNTY TOTALS	1,833		1,219	349	216	40	3	6
PERCENT DISTRIBUTION		100.00	66.50	19.04	11.78	2.18	0.16	0.33

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
PISCATAQUIS								
LESS THAN 1000	1	0.47	0	1	0	0	0	0
1000-1499	1	0.47	0	1	0	0	0	0
1500-1999	1	0.47	0	1	0	0	0	0
2000-2499	6	2.83	2	1	3	0	0	0
2500-2999	23	10.85	12	8	3	0	0	0
3000-3499	83	39.15	47	26	8	2	0	0
3500-3999	68	32.08	39	20	9	0	0	0
4000-4499	26	12.26	14	10	1	1	0	0
4500-4999	3	1.42	2	1	0	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	212		116	69	24	3	0	0
PERCENT DISTRIBUTION		100.00	54.72	32.55	11.32	1.42	0.00	0.00
SAGADAHOC								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	2	0.38	2	0	0	0	0	0
1500-1999	2	0.38	2	0	0	0	0	0
2000-2499	23	4.36	17	5	1	0	0	0
2500-2999	64	12.12	41	12	11	0	0	0
3000-3499	180	34.09	103	46	24	7	0	0
3500-3999	181	34.28	95	50	31	4	1	0
4000-4499	63	11.93	39	9	11	4	0	0
4500-4999	11	2.08	6	4	1	0	0	0
GREATER THAN 4999	2	0.38	1	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	528		306	127	79	15	1	0
PERCENT DISTRIBUTION		100.00	57.95	24.05	14.96	2.84	0.19	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
SOMERSET								
LESS THAN 1000	2	0.33	2	0	0	0	0	0
1000-1499	3	0.49	2	1	0	0	0	0
1500-1999	5	0.82	3	1	1	0	0	0
2000-2499	21	3.43	9	6	2	3	1	0
2500-2999	94	15.36	38	36	19	1	0	0
3000-3499	216	35.29	101	70	39	5	0	1
3500-3999	196	32.03	105	66	20	5	0	0
4000-4499	62	10.13	32	18	12	0	0	0
4500-4999	13	2.12	7	3	2	1	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	612		299	201	95	15	1	1
PERCENT DISTRIBUTION		100.00	48.86	32.84	15.52	2.45	0.16	0.16
WALDO								
LESS THAN 1000	1	0.24	1	0	0	0	0	0
1000-1499	2	0.48	2	0	0	0	0	0
1500-1999	5	1.20	4	0	1	0	0	0
2000-2499	10	2.40	1	5	3	1	0	0
2500-2999	58	13.94	30	15	11	1	0	1
3000-3499	152	36.54	84	36	27	5	0	0
3500-3999	130	31.25	71	39	17	2	0	1
4000-4499	52	12.50	33	11	7	1	0	0
4500-4999	5	1.20	3	2	0	0	0	0
GREATER THAN 4999	1	0.24	0	0	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	416		229	108	67	10	0	2
PERCENT DISTRIBUTION		100.00	55.05	25.96	16.11	2.40	0.00	0.48

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE, COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL CARE BEGAN 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
WASHINGTON								
LESS THAN 1000	2	0.44	2	0	0	0	0	0
1000-1499	2	0.44	1	1	0	0	0	0
1500-1999	4	0.89	3	0	1	0	0	0
2000-2499	9	2.00	3	3	3	0	0	0
2500-2999	57	12.67	33	9	11	2	1	1
3000-3499	150	33.33	74	49	17	3	0	7
3500-3999	157	34.89	77	46	28	2	0	4
4000-4499	56	12.44	32	15	8	0	0	1
4500-4999	11	2.44	4	3	1	2	0	1
GREATER THAN 4999	1	0.22	0	1	0	0	0	0
UNKNOWN	1	0.22	0	0	1	0	0	0
COUNTY TOTALS	450		229	127	70	9	1	14
PERCENT DISTRIBUTION		100.00	50.89	28.22	15.56	2.00	0.22	3.11
YORK								
LESS THAN 1000	6	0.27	5	0	1	0	0	0
1000-1499	10	0.45	6	1	1	0	1	1
1500-1999	19	0.85	12	3	2	0	0	2
2000-2499	85	3.80	40	22	11	6	3	3
2500-2999	266	11.89	144	63	41	16	1	1
3000-3499	775	34.63	438	200	114	22	1	0
3500-3999	771	34.45	445	192	106	23	1	4
4000-4499	239	10.68	146	58	26	9	0	0
4500-4999	62	2.77	34	19	7	2	0	0
GREATER THAN 4999	4	0.18	2	0	2	0	0	0
UNKNOWN	1	0.04	0	0	0	0	0	1
COUNTY TOTALS	2,238		1,272	558	311	78	7	12
PERCENT DISTRIBUTION		100.00	56.84	24.93	13.90	3.49	0.31	0.54

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

STATE AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
MAINE SUMMARY								
LESS THAN 1000	55	0.33	30	8	2	1	4	10
1000-1499	72	0.43	43	17	6	1	2	3
1500-1999	152	0.91	82	33	32	2	0	3
2000-2499	610	3.65	310	160	98	26	6	10
2500-2999	2,133	12.75	1,138	528	363	69	9	26
3000-3499	5,854	35.00	3,299	1,562	780	151	6	56
3500-3999	5,540	33.12	3,202	1,447	715	131	9	36
4000-4499	1,888	11.29	1,105	502	232	35	1	13
4500-4999	367	2.19	211	106	36	9	0	5
GREATER THAN 4999	49	0.29	29	8	11	1	0	0
UNKNOWN	7	0.04	2	1	1	0	0	3
STATE TOTALS	16,727		9,451	4,372	2,276	426	37	165
PERCENT DISTRIBUTION		100.00	56.50	26.14	13.61	2.55	0.22	0.99

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ANDROSCOGGIN											
0	8	0	0.00	0	0.00	0	0.00	8	100.00	0	0.00
1	5	0	0.00	1	20.00	4	80.00	0	0.00	0	0.00
2	8	0	0.00	2	25.00	6	75.00	0	0.00	0	0.00
3	6	2	33.33	1	16.67	3	50.00	0	0.00	0	0.00
4	19	6	31.58	8	42.11	5	26.32	0	0.00	0	0.00
5	26	9	34.62	9	34.62	8	30.77	0	0.00	0	0.00
6	29	12	41.38	12	41.38	4	13.79	0	0.00	1	3.45
7	61	32	52.46	27	44.26	2	3.28	0	0.00	0	0.00
8	102	65	63.73	34	33.33	3	2.94	0	0.00	0	0.00
9	148	124	83.78	23	15.54	1	0.68	0	0.00	0	0.00
GREATER THAN 9	1,093	1,011	92.50	79	7.23	2	0.18	0	0.00	1	0.09
UNKNOWN	9	3	33.33	0	0.00	0	0.00	0	0.00	6	66.67
COUNTY TOTALS	1,514	1,264	83.49	196	12.95	38	2.51	8	0.53	8	0.53
AROOSTOOK											
0	4	0	0.00	0	0.00	0	0.00	4	100.00	0	0.00
1	5	2	40.00	0	0.00	3	60.00	0	0.00	0	0.00
2	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
3	8	3	37.50	1	12.50	4	50.00	0	0.00	0	0.00
4	9	4	44.44	2	22.22	3	33.33	0	0.00	0	0.00
5	12	5	41.67	6	50.00	1	8.33	0	0.00	0	0.00
6	28	11	39.29	14	50.00	3	10.71	0	0.00	0	0.00
7	29	13	44.83	14	48.28	2	6.90	0	0.00	0	0.00
8	70	41	58.57	28	40.00	1	1.43	0	0.00	0	0.00
9	87	55	63.22	27	31.03	4	4.60	0	0.00	1	1.15
GREATER THAN 9	1,035	948	91.59	79	7.63	5	0.48	0	0.00	3	0.29
UNKNOWN	20	0	0.00	0	0.00	0	0.00	0	0.00	20	100.00
COUNTY TOTALS	1,308	1,082	82.72	171	13.07	27	2.06	4	0.31	24	1.83

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
CUMBERLAND											
0	6	0	0.00	0	0.00	0	0.00	6	100.00	0	0.00
1	16	4	25.00	1	6.25	9	56.25	0	0.00	2	12.50
2	17	1	5.88	2	11.76	14	82.35	0	0.00	0	0.00
3	23	8	34.78	2	8.70	10	43.48	0	0.00	3	13.04
4	34	8	23.53	10	29.41	15	44.12	0	0.00	1	2.94
5	52	21	40.38	20	38.46	9	17.31	0	0.00	2	3.85
6	74	32	43.24	28	37.84	13	17.57	0	0.00	1	1.35
7	133	83	62.41	38	28.57	10	7.52	0	0.00	2	1.50
8	209	144	68.90	54	25.84	7	3.35	0	0.00	4	1.91
9	276	203	73.55	63	22.83	8	2.90	0	0.00	2	0.72
GREATER THAN 9	2,650	2,388	90.11	233	8.79	14	0.53	0	0.00	15	0.57
UNKNOWN	17	0	0.00	2	11.76	0	0.00	0	0.00	15	88.24
COUNTY TOTALS	3,507	2,892	82.46	453	12.92	109	3.11	6	0.17	47	1.34
FRANKLIN											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	3	0	0.00	1	33.33	2	66.67	0	0.00	0	0.00
5	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
6	11	4	36.36	6	54.55	1	9.09	0	0.00	0	0.00
7	19	10	52.63	8	42.11	1	5.26	0	0.00	0	0.00
8	31	29	93.55	1	3.23	1	3.23	0	0.00	0	0.00
9	41	35	85.37	6	14.63	0	0.00	0	0.00	0	0.00
GREATER THAN 9	272	252	92.65	16	5.88	0	0.00	0	0.00	4	1.47
UNKNOWN	5	2	40.00	0	0.00	0	0.00	0	0.00	3	60.00
COUNTY TOTALS	387	333	86.05	39	10.08	7	1.81	1	0.26	7	1.81

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
HANCOCK											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
2	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
3	4	0	0.00	3	75.00	1	25.00	0	0.00	0	0.00
4	3	1	33.33	2	66.67	0	0.00	0	0.00	0	0.00
5	8	1	12.50	3	37.50	3	37.50	0	0.00	1	12.50
6	24	13	54.17	10	41.67	1	4.17	0	0.00	0	0.00
7	17	11	64.71	5	29.41	1	5.88	0	0.00	0	0.00
8	52	37	71.15	14	26.92	1	1.92	0	0.00	0	0.00
9	67	52	77.61	13	19.40	2	2.99	0	0.00	0	0.00
GREATER THAN 9	446	394	88.34	52	11.66	0	0.00	0	0.00	0	0.00
UNKNOWN	5	0	0.00	0	0.00	0	0.00	0	0.00	5	100.00
COUNTY TOTALS	629	509	80.92	103	16.38	11	1.75	0	0.00	6	0.95
KENNEBEC											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
2	4	1	25.00	1	25.00	2	50.00	0	0.00	0	0.00
3	8	1	12.50	6	75.00	1	12.50	0	0.00	0	0.00
4	8	4	50.00	3	37.50	1	12.50	0	0.00	0	0.00
5	12	7	58.33	4	33.33	1	8.33	0	0.00	0	0.00
6	22	7	31.82	11	50.00	4	18.18	0	0.00	0	0.00
7	26	11	42.31	12	46.15	3	11.54	0	0.00	0	0.00
8	64	38	59.38	23	35.94	2	3.13	0	0.00	1	1.56
9	55	41	74.55	14	25.45	0	0.00	0	0.00	0	0.00
GREATER THAN 9	1,323	1,211	91.53	111	8.39	0	0.00	0	0.00	1	0.08
UNKNOWN	19	4	21.05	1	5.26	0	0.00	0	0.00	14	73.68
COUNTY TOTALS	1,544	1,325	85.82	186	12.05	16	1.04	1	0.06	16	1.04

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
KNOX											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	2	1	50.00	0	0.00	0	0.00	0	0.00	1	50.00
3	2	0	0.00	2	100.00	0	0.00	0	0.00	0	0.00
4	2	0	0.00	1	50.00	0	0.00	0	0.00	1	50.00
5	3	2	66.67	1	33.33	0	0.00	0	0.00	0	0.00
6	6	2	33.33	4	66.67	0	0.00	0	0.00	0	0.00
7	17	5	29.41	6	35.29	5	29.41	0	0.00	1	5.88
8	19	9	47.37	10	52.63	0	0.00	0	0.00	0	0.00
9	28	18	64.29	10	35.71	0	0.00	0	0.00	0	0.00
GREATER THAN 9	399	335	83.96	60	15.04	1	0.25	0	0.00	3	0.75
UNKNOWN	4	2	50.00	0	0.00	0	0.00	0	0.00	2	50.00
COUNTY TOTALS	483	374	77.43	94	19.46	7	1.45	0	0.00	8	1.66
LINCOLN											
0	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	3	0	0.00	0	0.00	3	100.00	0	0.00	0	0.00
3	5	1	20.00	0	0.00	4	80.00	0	0.00	0	0.00
4	4	0	0.00	0	0.00	4	100.00	0	0.00	0	0.00
5	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
6	10	3	30.00	4	40.00	3	30.00	0	0.00	0	0.00
7	14	6	42.86	4	28.57	4	28.57	0	0.00	0	0.00
8	20	10	50.00	9	45.00	1	5.00	0	0.00	0	0.00
9	27	20	74.07	7	25.93	0	0.00	0	0.00	0	0.00
GREATER THAN 9	286	253	88.46	29	10.14	2	0.70	0	0.00	2	0.70
UNKNOWN	8	1	12.50	0	0.00	0	0.00	0	0.00	7	87.50
COUNTY TOTALS	382	295	77.23	53	13.87	22	5.76	3	0.79	9	2.36

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
OXFORD											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
2	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
3	7	2	28.57	3	42.86	2	28.57	0	0.00	0	0.00
4	14	7	50.00	4	28.57	2	14.29	0	0.00	1	7.14
5	19	5	26.32	11	57.89	3	15.79	0	0.00	0	0.00
6	36	15	41.67	16	44.44	4	11.11	0	0.00	1	2.78
7	57	40	70.18	15	26.32	2	3.51	0	0.00	0	0.00
8	65	49	75.38	14	21.54	1	1.54	0	0.00	1	1.54
9	67	57	85.07	10	14.93	0	0.00	0	0.00	0	0.00
GREATER THAN 9	411	363	88.32	46	11.19	2	0.49	0	0.00	0	0.00
UNKNOWN	2	0	0.00	0	0.00	0	0.00	0	0.00	2	100.00
COUNTY TOTALS	683	539	78.92	119	17.42	19	2.78	1	0.15	5	0.73
PENOBSCOT											
0	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
1	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
2	5	1	20.00	1	20.00	3	60.00	0	0.00	0	0.00
3	12	4	33.33	5	41.67	3	25.00	0	0.00	0	0.00
4	16	5	31.25	3	18.75	8	50.00	0	0.00	0	0.00
5	19	6	31.58	9	47.37	4	21.05	0	0.00	0	0.00
6	107	74	69.16	28	26.17	5	4.67	0	0.00	0	0.00
7	98	76	77.55	20	20.41	1	1.02	0	0.00	1	1.02
8	246	201	81.71	39	15.85	6	2.44	0	0.00	0	0.00
9	137	107	78.10	29	21.17	1	0.73	0	0.00	0	0.00
GREATER THAN 9	1,180	1,090	92.37	82	6.95	6	0.51	0	0.00	2	0.17
UNKNOWN	8	4	50.00	0	0.00	1	12.50	0	0.00	3	37.50
COUNTY TOTALS	1,833	1,568	85.54	216	11.78	40	2.18	3	0.16	6	0.33

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
PISCATAQUIS											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
5	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
6	5	2	40.00	3	60.00	0	0.00	0	0.00	0	0.00
7	11	5	45.45	6	54.55	0	0.00	0	0.00	0	0.00
8	14	11	78.57	3	21.43	0	0.00	0	0.00	0	0.00
9	25	22	88.00	3	12.00	0	0.00	0	0.00	0	0.00
GREATER THAN 9	151	142	94.04	8	5.30	1	0.66	0	0.00	0	0.00
UNKNOWN	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
COUNTY TOTALS	212	185	87.26	24	11.32	3	1.42	0	0.00	0	0.00
SAGadahoc											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	3	0	0.00	2	66.67	1	33.33	0	0.00	0	0.00
3	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
4	7	1	14.29	2	28.57	4	57.14	0	0.00	0	0.00
5	12	3	25.00	6	50.00	3	25.00	0	0.00	0	0.00
6	11	2	18.18	7	63.64	2	18.18	0	0.00	0	0.00
7	18	7	38.89	9	50.00	2	11.11	0	0.00	0	0.00
8	39	28	71.79	11	28.21	0	0.00	0	0.00	0	0.00
9	53	39	73.58	14	26.42	0	0.00	0	0.00	0	0.00
GREATER THAN 9	382	353	92.41	28	7.33	1	0.26	0	0.00	0	0.00
UNKNOWN	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
COUNTY TOTALS	528	433	82.01	79	14.96	15	2.84	1	0.19	0	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
SOMERSET											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
3	5	1	20.00	2	40.00	2	40.00	0	0.00	0	0.00
4	4	0	0.00	2	50.00	2	50.00	0	0.00	0	0.00
5	5	1	20.00	3	60.00	1	20.00	0	0.00	0	0.00
6	14	3	21.43	10	71.43	1	7.14	0	0.00	0	0.00
7	19	8	42.11	8	42.11	3	15.79	0	0.00	0	0.00
8	31	24	77.42	6	19.35	1	3.23	0	0.00	0	0.00
9	31	21	67.74	9	29.03	0	0.00	0	0.00	1	3.23
GREATER THAN 9	500	441	88.20	55	11.00	4	0.80	0	0.00	0	0.00
UNKNOWN	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
COUNTY TOTALS	612	500	81.70	95	15.52	15	2.45	1	0.16	1	0.16
WALDO											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
2	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
3	2	0	0.00	1	50.00	0	0.00	0	0.00	1	50.00
4	6	3	50.00	1	16.67	2	33.33	0	0.00	0	0.00
5	13	7	53.85	4	30.77	2	15.38	0	0.00	0	0.00
6	22	11	50.00	9	40.91	2	9.09	0	0.00	0	0.00
7	22	12	54.55	9	40.91	1	4.55	0	0.00	0	0.00
8	43	33	76.74	9	20.93	1	2.33	0	0.00	0	0.00
9	30	26	86.67	4	13.33	0	0.00	0	0.00	0	0.00
GREATER THAN 9	273	243	89.01	28	10.26	2	0.73	0	0.00	0	0.00
UNKNOWN	3	1	33.33	1	33.33	0	0.00	0	0.00	1	33.33
COUNTY TOTALS	416	337	81.01	67	16.11	10	2.40	0	0.00	2	0.48

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
WASHINGTON											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	4	0	0.00	3	75.00	1	25.00	0	0.00	0	0.00
4	6	3	50.00	0	0.00	3	50.00	0	0.00	0	0.00
5	5	3	60.00	2	40.00	0	0.00	0	0.00	0	0.00
6	13	5	38.46	8	61.54	0	0.00	0	0.00	0	0.00
7	20	11	55.00	7	35.00	2	10.00	0	0.00	0	0.00
8	40	29	72.50	10	25.00	1	2.50	0	0.00	0	0.00
9	49	33	67.35	15	30.61	1	2.04	0	0.00	0	0.00
GREATER THAN 9	294	270	91.84	24	8.16	0	0.00	0	0.00	0	0.00
UNKNOWN	16	2	12.50	0	0.00	0	0.00	0	0.00	14	87.50
COUNTY TOTALS	450	356	79.11	70	15.56	9	2.00	1	0.22	14	3.11
YORK											
0	7	0	0.00	0	0.00	0	0.00	7	100.00	0	0.00
1	9	1	11.11	0	0.00	8	88.89	0	0.00	0	0.00
2	11	3	27.27	2	18.18	6	54.55	0	0.00	0	0.00
3	19	2	10.53	6	31.58	11	57.89	0	0.00	0	0.00
4	17	2	11.76	9	52.94	5	29.41	0	0.00	1	5.88
5	54	20	37.04	24	44.44	10	18.52	0	0.00	0	0.00
6	73	35	47.95	26	35.62	12	16.44	0	0.00	0	0.00
7	84	56	66.67	20	23.81	7	8.33	0	0.00	1	1.19
8	167	112	67.07	45	26.95	10	5.99	0	0.00	0	0.00
9	189	152	80.42	33	17.46	4	2.12	0	0.00	0	0.00
GREATER THAN 9	1,595	1,443	90.47	144	9.03	5	0.31	0	0.00	3	0.19
UNKNOWN	14	5	35.71	2	14.29	0	0.00	0	0.00	7	50.00
COUNTY TOTALS	2,239	1,831	81.78	311	13.89	78	3.48	7	0.31	12	0.54

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

STATE AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MAINE SUMMARY											
0	37	0	0.00	0	0.00	0	0.00	37	100.00	0	0.00
1	48	8	16.67	4	8.33	34	70.83	0	0.00	2	4.17
2	63	10	15.87	11	17.46	41	65.08	0	0.00	1	1.59
3	106	24	22.64	35	33.02	43	40.57	0	0.00	4	3.77
4	154	44	28.57	49	31.82	57	37.01	0	0.00	4	2.60
5	245	92	37.55	103	42.04	47	19.18	0	0.00	3	1.22
6	485	231	47.63	196	40.41	55	11.34	0	0.00	3	0.62
7	645	386	59.84	208	32.25	46	7.13	0	0.00	5	0.78
8	1,212	860	70.96	310	25.58	36	2.97	0	0.00	6	0.50
9	1,310	1,005	76.72	280	21.37	21	1.60	0	0.00	4	0.31
GREATER THAN 9	12,290	11,137	90.62	1,074	8.74	45	0.37	0	0.00	34	0.28
UNKNOWN	132	26	19.70	6	4.55	1	0.76	0	0.00	99	75.00
STATE TOTALS	16,727	13,823	82.64	2,276	13.61	426	2.55	37	0.22	165	0.99

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	NONE	UNKNOWN
ANDROSCOGGIN								
LESS THAN GRADE 9	58	3.83	21	13	19	3	1	1
GRADES 9-11	263	17.37	95	74	72	15	4	3
GRADE 12	729	48.15	411	222	75	18	3	0
GREATER THAN GRADE 12	462	30.52	305	123	30	2	0	2
UNKNOWN	2	0.13	0	0	0	0	0	2
COUNTY TOTALS	1,514		832	432	196	38	8	8
PERCENT DISTRIBUTION		100.00	54.95	28.53	12.95	2.51	0.53	0.53
AROOSTOOK								
LESS THAN GRADE 9	20	1.53	8	8	2	2	0	0
GRADES 9-11	155	11.85	69	37	38	9	1	1
GRADE 12	682	52.14	399	166	97	10	3	7
GREATER THAN GRADE 12	433	33.10	286	106	34	6	0	1
UNKNOWN	18	1.38	1	2	0	0	0	15
COUNTY TOTALS	1,308		763	319	171	27	4	24
PERCENT DISTRIBUTION		100.00	58.33	24.39	13.07	2.06	0.31	1.83
CUMBERLAND								
LESS THAN GRADE 9	60	1.71	22	18	14	6	0	0
GRADES 9-11	353	10.07	140	83	97	28	2	3
GRADE 12	1,268	36.16	697	320	181	49	2	19
GREATER THAN GRADE 12	1,804	51.44	1,039	560	159	25	2	19
UNKNOWN	22	0.63	9	4	2	1	0	6
COUNTY TOTALS	3,507		1,907	985	453	109	6	47
PERCENT DISTRIBUTION		100.00	54.38	28.09	12.92	3.11	0.17	1.34

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
FRANKLIN								
LESS THAN GRADE 9	7	1.81	2	4	1	0	0	0
GRADES 9-11	50	12.92	21	16	9	1	0	3
GRADE 12	217	56.07	140	49	23	2	1	2
GREATER THAN GRADE 12	112	28.94	78	22	6	4	0	2
UNKNOWN	1	0.26	1	0	0	0	0	0
COUNTY TOTALS	387		242	91	39	7	1	7
PERCENT DISTRIBUTION		100.00	62.53	23.51	10.08	1.81	0.26	1.81
HANCOCK								
LESS THAN GRADE 9	12	1.91	4	5	2	1	0	0
GRADES 9-11	81	12.88	25	23	29	2	0	2
GRADE 12	276	43.88	143	86	40	7	0	0
GREATER THAN GRADE 12	258	41.02	153	70	31	1	0	3
UNKNOWN	2	0.32	0	0	1	0	0	1
COUNTY TOTALS	629		325	184	103	11	0	6
PERCENT DISTRIBUTION		100.00	51.67	29.25	16.38	1.75	0.00	0.95
KENNEBEC								
LESS THAN GRADE 9	32	2.07	20	8	4	0	0	0
GRADES 9-11	188	12.18	86	50	47	4	0	1
GRADE 12	733	47.47	417	212	90	7	1	6
GREATER THAN GRADE 12	578	37.44	401	127	44	5	0	1
UNKNOWN	13	0.84	4	0	1	0	0	8
COUNTY TOTALS	1,544		928	397	186	16	1	16
PERCENT DISTRIBUTION		100.00	60.10	25.71	12.05	1.04	0.06	1.04

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	UNKNOWN
KNOX								
LESS THAN GRADE 9	14	2.90	3	3	6	2	0	0
GRADES 9-11	67	13.87	23	22	17	1	0	4
GRADE 12	237	49.07	107	76	49	2	0	3
GREATER THAN GRADE 12	164	33.95	100	40	21	2	0	1
UNKNOWN	1	0.21	0	0	1	0	0	0
COUNTY TOTALS	483		233	141	94	7	0	8
PERCENT DISTRIBUTION		100.00	48.24	29.19	19.46	1.45	0.00	1.66
LINCOLN								
LESS THAN GRADE 9	3	0.79	1	1	1	0	0	0
GRADES 9-11	50	13.09	21	10	9	8	2	0
GRADE 12	173	45.29	95	36	24	13	1	4
GREATER THAN GRADE 12	153	40.05	95	35	19	1	0	3
UNKNOWN	3	0.79	0	1	0	0	0	2
COUNTY TOTALS	382		212	83	53	22	3	9
PERCENT DISTRIBUTION		100.00	55.50	21.73	13.87	5.76	0.79	2.36
OXFORD								
LESS THAN GRADE 9	14	2.05	7	4	0	3	0	0
GRADES 9-11	99	14.49	45	21	25	6	1	1
GRADE 12	353	51.68	159	116	68	7	0	3
GREATER THAN GRADE 12	216	31.63	127	60	25	3	0	1
UNKNOWN	1	0.15	0	0	1	0	0	0
COUNTY TOTALS	683		338	201	119	19	1	5
PERCENT DISTRIBUTION		100.00	49.49	29.43	17.42	2.78	0.15	0.73

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN ***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
PENOBSCOT								
LESS THAN GRADE 9	20	1.09	11	8	1	0	0	0
GRADES 9-11	226	12.33	107	50	51	16	0	2
GRADE 12	884	48.23	574	179	115	12	2	2
GREATER THAN GRADE 12	701	38.24	526	112	49	11	1	2
UNKNOWN	2	0.11	1	0	0	1	0	0
COUNTY TOTALS	1,833		1,219	349	216	40	3	6
PERCENT DISTRIBUTION		100.00	66.50	19.04	11.78	2.18	0.16	0.33
PISCATAQUIS								
LESS THAN GRADE 9	7	3.30	3	4	0	0	0	0
GRADES 9-11	37	17.45	19	11	6	1	0	0
GRADE 12	95	44.81	47	34	12	2	0	0
GREATER THAN GRADE 12	73	34.43	47	20	6	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	212		116	69	24	3	0	0
PERCENT DISTRIBUTION		100.00	54.72	32.55	11.32	1.42	0.00	0.00
SAGADAHOC								
LESS THAN GRADE 9	10	1.89	2	3	5	0	0	0
GRADES 9-11	75	14.20	35	23	15	2	0	0
GRADE 12	225	42.61	126	55	40	3	1	0
GREATER THAN GRADE 12	218	41.29	143	46	19	10	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	528		306	127	79	15	1	0
PERCENT DISTRIBUTION		100.00	57.95	24.05	14.96	2.84	0.19	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
SOMERSET								
LESS THAN GRADE 9	15	2.45	6	4	4	1	0	0
GRADES 9-11	105	17.16	37	28	32	7	1	0
GRADE 12	319	52.12	156	111	46	5	0	1
GREATER THAN GRADE 12	171	27.94	99	57	13	2	0	0
UNKNOWN	2	0.33	1	1	0	0	0	0
COUNTY TOTALS	612		299	201	95	15	1	1
PERCENT DISTRIBUTION		100.00	48.86	32.84	15.52	2.45	0.16	0.16
WALDO								
LESS THAN GRADE 9	11	2.64	5	3	3	0	0	0
GRADES 9-11	61	14.66	28	17	11	5	0	0
GRADE 12	199	47.84	115	43	37	4	0	0
GREATER THAN GRADE 12	144	34.62	81	45	16	1	0	1
UNKNOWN	1	0.24	0	0	0	0	0	1
COUNTY TOTALS	416		229	108	67	10	0	2
PERCENT DISTRIBUTION		100.00	55.05	25.96	16.11	2.40	0.00	0.48
WASHINGTON								
LESS THAN GRADE 9	10	2.22	4	4	2	0	0	0
GRADES 9-11	86	19.11	40	20	19	6	1	0
GRADE 12	214	47.56	115	61	34	3	0	1
GREATER THAN GRADE 12	126	28.00	70	41	15	0	0	0
UNKNOWN	14	3.11	0	1	0	0	0	13
COUNTY TOTALS	450		229	127	70	9	1	14
PERCENT DISTRIBUTION		100.00	50.89	28.22	15.56	2.00	0.22	3.11

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL CARE BEGAN 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
YORK								
LESS THAN GRADE 9	33	1.47	15	6	8	2	2	0
GRADES 9-11	269	12.01	108	56	78	22	2	3
GRADE 12	986	44.04	564	238	140	36	2	6
GREATER THAN GRADE 12	940	41.98	580	256	84	17	1	2
UNKNOWN	11	0.49	5	3	1	1	0	1
COUNTY TOTALS	2,239		1,272	559	311	78	7	12
PERCENT DISTRIBUTION		100.00	56.81	24.97	13.89	3.48	0.31	0.54
MAINE SUMMARY								
LESS THAN GRADE 9	326	1.95	134	96	72	20	3	1
GRADES 9-11	2,165	12.94	899	541	555	133	14	23
GRADE 12	7,590	45.38	4,265	2,004	1,071	180	16	54
GREATER THAN GRADE 12	6,553	39.18	4,130	1,720	571	90	4	38
UNKNOWN	93	0.56	22	12	7	3	0	49
STATE TOTALS	16,727		9,450	4,373	2,276	426	37	165
PERCENT DISTRIBUTION		100.00	56.50	26.14	13.61	2.55	0.22	0.99

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-9

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - NUMBER OF BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1987 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20 YRS.	NON- WHITE	NO PRENATAL CARE	WITH COMP. PREG.	C-SECTION	CONGEN. ANOM- ALIES	BIRTHWEIGHT IN GRAMS UNDER 2500	OVER 4999
BATH MEMORIAL HOSPITAL	282	42	21	3	0	27	47	2	16	3
BLUE HILL MEMORIAL HOSP.	246	55	27	6	0	25	16	2	3	0
CALAIS REGIONAL HOSPITAL	176	77	32	40	0	32	38	2	2	0
CARY MEDICAL CENTER	323	62	42	3	0	39	52	5	17	0
CENTRAL MAINE MEDICAL CENTER	1,053	233	132	21	7	221	173	21	59	5
CHARLES A. DEAN MEMORIAL HOSP.	26	6	2	0	0	2	2	0	0	0
DOWN EAST COMMUNITY HOSPITAL	129	39	20	2	1	16	21	0	1	1
EASTERN MAINE MED CTR	1,740	315	143	39	2	215	196	6	122	4
FRANKLIN MEMORIAL HOSPITAL	524	112	52	4	2	85	68	8	27	2
HENRIETTA D. GOODALL HOSP.	372	72	30	7	2	69	45	3	18	1
HOULTON REGIONAL HOSPITAL	218	48	27	13	1	43	46	4	14	1
J. A. TAYLOR OSTEOPATHIC HOSP.	22	2	0	1	0	3	4	2	0	1
KEN VALLEY MED CTR-AUGUSTA	728	198	98	15	0	178	92	17	34	1
MAINE COAST MEMORIAL HOSP.	238	53	35	10	0	48	21	5	11	0
MAINE MEDICAL CENTER	2,992	555	280	29	5	153	260	12	321	16
MAYO REGIONAL HOSPITAL	254	56	39	2	0	48	37	9	8	1
MERCY HOSPITAL	583	76	34	8	0	47	88	4	11	1
MID-MAINE MEDICAL CTR-SETON	972	207	115	4	2	192	129	12	36	1
MILES MEMORIAL HOSPITAL	159	30	18	0	1	30	22	1	5	1
MILLINOCKET REGIONAL HOSP.	141	37	17	1	0	16	18	0	8	1
MOUNT DESERT ISLAND HOSPITAL	106	17	9	0	0	22	15	4	1	0
NORTH CUMBERLAND MEM. HOSP.	133	27	25	1	0	9	27	1	3	0
NORTHERN MAINE MEDICAL CTR	97	19	8	1	0	32	11	3	1	0
OSTEOPATHIC HOSPITAL OF MAINE	402	100	48	7	0	55	57	4	15	2
PARKVIEW MEMORIAL HOSPITAL	850	128	77	26	0	65	126	19	29	1
PENOBSCOT BAY MEDICAL CETER	492	101	59	4	0	150	84	9	21	1
PENOBSCOTT VALLEY HOSPITAL	128	29	26	1	1	17	23	3	3	1
REDINGTON-FAIRVIEW HOSP.	231	94	46	5	1	58	42	5	11	0
RUMFORD COMMUNITY HOSPITAL	114	41	14	3	1	14	7	0	4	2
SEBASTICOOK VALLEY HOSPITAL	1	1	0	0	0	0	0	0	0	0
ST MARYS GENERAL HOSPITAL	436	98	56	4	1	25	79	6	12	1
ST. ANDREWS HOSPITAL	20	1	0	1	0	2	2	0	0	0
STEPHENS MEMORIAL HOSPITAL	304	63	44	4	0	48	43	2	10	1
THE AROOS MED CTR-PRESQUE ISLE	308	62	38	11	0	50	34	5	18	1
US AIR FORCE HOSPITAL	319	10	27	31	1	64	23	11	10	0
WALDO COUNTY GENERAL HOSPITAL	186	42	34	7	0	32	31	5	6	1
WATERVILLE OSTEOPATHIC HOSP.	116	29	14	1	0	27	19	1	4	1
WEBBER HOSPITAL	482	104	59	7	4	137	67	10	19	0
YORK HOSPITAL	1	0	0	0	0	0	0	0	0	0
AT HOME	132	18	4	6	6	17	0	1	7	0
BORN ON WAY TO HOSPITAL	4	2	0	2	0	0	0	0	0	0
OTHER SPECIFIED PLACE	2	0	0	0	1	0	0	0	0	0
OUT PATIENT FACILITY	58	12	4	0	0	3	0	1	1	0
STREET ADDRESS	11	1	0	1	0	3	0	0	0	0
STATE TOTALS	16,111	3,274	1,756	331	39	2,319	2,065	205	888	52

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-10

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - PERCENTAGE OF TOTAL BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1987 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	***** PERCENTAGE OF THE TOTAL BIRTHS IN EACH BIRTH SITE *****								
		OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20 YRS.	NON- WHITE	NO PRENATAL CARE	WITH COMP. PREG.	C-SECTION	CONGEN. ANOM- ALIES	BIRTHWEIGHT UNDER 2500	OVER 4999
BATH MEMORIAL HOSPITAL	282	14.89	7.45	1.06	0.00	9.57	16.67	0.71	5.67	1.06
BLUE HILL MEMORIAL HOSP.	246	22.36	10.98	2.44	0.00	10.16	6.50	0.81	1.22	0.00
CALAIS REGIONAL HOSPITAL	176	43.75	18.18	22.73	0.00	18.18	21.59	1.14	1.14	0.00
CARY MEDICAL CENTER	323	19.20	13.00	0.93	0.00	12.07	16.10	1.55	5.26	0.00
CENTRAL MAINE MEDICAL CENTER	1,053	22.13	12.54	1.99	0.66	20.99	16.43	1.99	5.60	0.47
CHARLES A. DEAN MEMORIAL HOSP.	26	23.08	7.69	0.00	0.00	7.69	7.69	0.00	0.00	0.00
DOWN EAST COMMUNITY HOSPITAL	129	30.23	15.50	1.55	0.78	12.40	16.28	0.00	0.78	0.78
EASTERN MAINE MED CTR	1,740	18.10	8.22	2.24	0.11	12.36	11.26	0.34	7.01	0.23
FRANKLIN MEMORIAL HOSPITAL	524	21.37	9.92	0.76	0.38	16.22	12.98	1.53	5.15	0.38
HENRIETTA D. GOODALL HOSP.	372	19.35	8.06	1.88	0.54	18.55	12.10	0.81	4.84	0.27
HOULTON REGIONAL HOSPITAL	218	22.02	12.39	5.96	0.46	19.72	21.10	1.83	6.42	0.46
J. A. TAYLOR OSTEOPATHIC HOSP.	22	9.09	0.00	4.55	0.00	13.64	18.18	9.09	0.00	4.55
KEN VALLEY MED CTR-AUGUSTA	728	27.20	13.46	2.06	0.00	24.45	12.64	2.34	4.67	0.14
MAINE COAST MEMORIAL HOSP.	238	22.27	14.71	4.20	0.00	20.17	8.82	2.10	4.62	0.00
MAINE MEDICAL CENTER	2,992	18.55	9.36	0.97	0.17	5.11	8.69	0.40	10.73	0.53
MAYO REGIONAL HOSPITAL	254	22.05	15.35	0.79	0.00	18.90	14.57	3.54	3.15	0.39
MERCY HOSPITAL	583	13.04	5.83	1.37	0.00	8.06	15.09	0.69	1.89	0.17
MID-MAINE MEDICAL CTR-SETON	972	21.30	11.83	0.41	0.21	19.75	13.27	1.23	3.70	0.10
MILES MEMORIAL HOSPITAL	159	18.87	11.32	0.00	0.63	18.87	13.84	0.63	3.14	0.63
MILLINOCKET REGIONAL HOSP.	141	26.24	12.06	0.71	0.00	11.35	12.77	0.00	5.67	0.71
MOUNT DESERT ISLAND HOSPITAL	106	16.04	8.49	0.00	0.00	20.75	14.15	3.77	0.94	0.00
NORTH CUMBERLAND MEM. HOSP.	133	20.30	18.80	0.75	0.00	6.77	20.30	0.75	2.26	0.00
NORTHERN MAINE MEDICAL CTR	97	19.59	8.25	1.03	0.00	32.99	11.34	3.09	1.03	0.00
OSTEOPATHIC HOSPITAL OF MAINE	402	24.88	11.94	1.74	0.00	13.68	14.18	1.00	3.73	0.50
PARKVIEW MEMORIAL HOSPITAL	850	15.06	9.06	3.06	0.00	7.65	14.82	2.24	3.41	0.12
PENOBSCOT BAY MEDICAL CETER	492	20.53	11.99	0.81	0.00	30.49	17.07	1.83	4.27	0.20
PENOBSCOTT VALLEY HOSPITAL	128	22.66	20.31	0.78	0.78	13.28	17.97	2.34	2.34	0.78
REDINGTON-FAIRVIEW HOSP.	231	40.69	19.91	2.16	0.43	25.11	18.18	2.16	4.76	0.00
RUMFORD COMMUNITY HOSPITAL	114	35.96	12.28	2.63	0.88	12.28	6.14	0.00	3.51	1.75
SEBASTICOOK VALLEY HOSPITAL	1	100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ST MARYS GENERAL HOSPITAL	436	22.48	12.84	0.92	0.23	5.73	18.12	1.38	2.75	0.23
ST. ANDREWS HOSPITAL	20	5.00	0.00	5.00	0.00	10.00	10.00	0.00	0.00	0.00
STEPHENS MEMORIAL HOSPITAL	304	20.72	14.47	1.32	0.00	15.79	14.14	0.66	3.29	0.33
THE AROOS MED CTR-PRESQUE ISLE	308	20.13	12.34	3.57	0.00	16.23	11.04	1.62	5.84	0.32
US AIR FORCE HOSPITAL	319	3.13	8.46	9.72	0.31	20.06	7.21	3.45	3.13	0.00
WALDO COUNTY GENERAL HOSPITAL	186	22.58	18.28	3.76	0.00	17.20	16.67	2.69	3.23	0.54
WATERVILLE OSTEOPATHIC HOSP.	116	25.00	12.07	0.86	0.00	23.28	16.38	0.86	3.45	0.86
WEBBER HOSPITAL	482	21.58	12.24	1.45	0.83	28.42	13.90	2.07	3.94	0.00
YORK HOSPITAL	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AT HOME	132	13.64	3.03	4.55	4.55	12.88	0.00	0.76	5.30	0.00
BORN ON WAY TO HOSPITAL	4	50.00	0.00	50.00	0.00	0.00	0.00	0.00	0.00	0.00
OTHER SPECIFIED PLACE	2	0.00	0.00	0.00	50.00	0.00	0.00	0.00	0.00	0.00
OUT PATIENT FACILITY	58	20.69	6.90	0.00	0.00	5.17	0.00	1.72	1.72	0.00
STREET ADDRESS	11	9.09	0.00	9.09	0.00	27.27	0.00	0.00	0.00	0.00
STATE PERCENTAGES	16,111	20.32	10.90	2.05	0.24	14.39	12.82	1.27	5.51	0.32

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-11

LIVE BIRTHS BY BIRTHWEIGHT
MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1987 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS		***** BIRTHWEIGHT IN GRAMS *****								UNKNOWN WEIGHT	
	NUMBER	PERCENT	< 1000 NUMBER	PERCENT	1000-1499 NUMBER	PERCENT	< 1500 NUMBER	PERCENT	1500 AND OVER NUMBER	PERCENT	NUMBER	PERCENT
BATH MEMORIAL HOSPITAL	282	100.0	1	0.4	1	0.4	2	0.7	280	99.3	0	0.0
BLUE HILL MEMORIAL HOSP.	246	100.0	0	0.0	0	0.0	0	0.0	246	100.0	0	0.0
CALAIS REGIONAL HOSPITAL	176	100.0	1	0.6	0	0.0	1	0.6	175	99.4	0	0.0
CARY MEDICAL CENTER	323	100.0	0	0.0	0	0.0	0	0.0	323	100.0	0	0.0
CENTRAL MAINE MEDICAL CENTER	1,053	100.0	7	0.7	6	0.6	13	1.2	1,040	98.8	0	0.0
CHARLES A. DEAN MEMORIAL HOSP	26	100.0	0	0.0	0	0.0	0	0.0	26	100.0	0	0.0
DOWN EAST COMMUNITY HOSPITAL	129	100.0	0	0.0	0	0.0	0	0.0	129	100.0	0	0.0
EASTERN MAINE MED CTR	1,740	100.0	7	0.4	13	0.7	20	1.1	1,718	98.7	2	0.1
FRANKLIN MEMORIAL HOSPITAL	524	100.0	2	0.4	1	0.2	3	0.6	521	99.4	0	0.0
HENRIETTA D. GOODALL HOSP	372	100.0	2	0.5	1	0.3	3	0.8	369	99.2	0	0.0
HCULTON REGIONAL HOSPITAL	218	100.0	1	0.5	0	0.0	1	0.5	217	99.5	0	0.0
JAMES A. TAYLOR OSTEOP HOSP	22	100.0	0	0.0	0	0.0	0	0.0	22	100.0	0	0.0
KEN VALLEY MED CTR-AUGUSTA	728	100.0	2	0.3	2	0.3	4	0.5	724	99.5	0	0.0
MAINE COAST MEM. HOSPITAL	238	100.0	0	0.0	0	0.0	0	0.0	238	100.0	0	0.0
MAINE MEDICAL CENTER	2,992	100.0	26	0.9	43	1.4	69	2.3	2,922	97.7	1	0.0
MAYO REGIONAL HOSPITAL	254	100.0	0	0.0	0	0.0	0	0.0	254	100.0	0	0.0
MERCY HOSPITAL	583	100.0	0	0.0	0	0.0	0	0.0	583	100.0	0	0.0
MID-MAINE MEDICAL CTR-SETON	972	100.0	1	0.1	0	0.0	1	0.1	971	99.9	0	0.0
MILES MEMORIAL HOSPITAL	159	100.0	0	0.0	0	0.0	0	0.0	159	100.0	0	0.0
MILLINOCKET REGIONAL HOSP	141	100.0	0	0.0	0	0.0	0	0.0	140	99.3	1	0.7
MOUNT DESERT ISLAND HOSPITAL	106	100.0	0	0.0	0	0.0	0	0.0	106	100.0	0	0.0
NORTH CUMBERLAND MEM. HOSP.	133	100.0	0	0.0	1	0.8	1	0.8	132	99.2	0	0.0
NORTHERN MAINE MEDICAL CTR	97	100.0	0	0.0	0	0.0	0	0.0	97	100.0	0	0.0
OSTEOPATHIC HOSPITAL OF MAINE	402	100.0	2	0.5	0	0.0	2	0.5	400	99.5	0	0.0
PARKVIEW MEMORIAL HOSPITAL	850	100.0	1	0.1	1	0.1	2	0.2	848	99.8	0	0.0
PENOBSCOT BAY MEDICAL CENTER	492	100.0	0	0.0	0	0.0	0	0.0	492	100.0	0	0.0
PENOBSCOT VALLEY HOSPITAL	128	100.0	0	0.0	0	0.0	0	0.0	128	100.0	0	0.0
REDINGTON-FAIRVIEW HOSP	231	100.0	0	0.0	2	0.9	2	0.9	229	99.1	0	0.0
RUMFORD COMMUNITY HOSPITAL	114	100.0	0	0.0	0	0.0	0	0.0	114	100.0	0	0.0
SEBASTICOOK VALLEY HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
ST. ANDREWS HOSPITAL	20	100.0	0	0.0	0	0.0	0	0.0	20	100.0	0	0.0
ST MARYS GENERAL HOSPITAL	436	100.0	0	0.0	0	0.0	0	0.0	435	99.8	1	0.2
STEPHENS MEMORIAL HOSPITAL	304	100.0	0	0.0	1	0.3	1	0.3	303	99.7	0	0.0
THE AROOS MED CTR-PRESQUE ISLE	308	100.0	0	0.0	0	0.0	0	0.0	308	100.0	0	0.0
US AIR FORCE HOSPITAL	319	100.0	0	0.0	2	0.6	2	0.6	317	99.4	0	0.0
WALDO COUNTY GENERAL HOSPITAL	186	100.0	0	0.0	1	0.5	1	0.5	185	99.5	0	0.0
WATERVILLE OSTEOPATHIC HOSP.	116	100.0	0	0.0	0	0.0	0	0.0	116	100.0	0	0.0
WEBBER HOSPITAL	482	100.0	1	0.2	1	0.2	2	0.4	480	99.6	0	0.0
YORK HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
AT HOME	132	100.0	1	0.8	2	1.5	3	2.3	129	97.7	0	0.0
BORN OR DIED ON WAY TO HOSP	4	100.0	0	0.0	0	0.0	0	0.0	4	100.0	0	0.0

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-11

LIVE BIRTHS BY BIRTHWEIGHT
MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1987 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS		***** BIRTHWEIGHT IN GRAMS *****									
	NUMBER	PERCENT	< 1000		1000-1499		< 1500		1500 AND OVER		UNKNOWN WEIGHT	
OTHER SPECIFIED PLACE	2	100.0	0	0.0	0	0.0	0	0.0	2	100.0	0	0.0
OUT PATIENT FACILITY	58	100.0	0	0.0	0	0.0	0	0.0	58	100.0	0	0.0
STREET ADDRESS	11	100.0	0	0.0	0	0.0	0	0.0	11	100.0	0	0.0
STATE TOTALS	16,111	100.0	55	0.3	78	0.5	133	0.8	15,973	99.1	5	0.0

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

PREGNANCY OUTCOME

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES		LIVE BIRTHS		INDUCED TERMINATIONS##		MISCARRIAGES##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
ANDROSCOGGIN											
ALL PREGNANCIES											
LESS THAN 15	10,700	3	###	1	###	2	###		###		###
15	*	9	###	4	###	5	###		###		###
16	*	28	*	21	*	7	###		###		###
17	*	58	*	38	*	20	*		###		###
18	*	76	*	57	*	18	*	1	###		###
19	*	102	*	79	*	20	*	1	###	2	###
15-19	3,800	273	71.8	199	52.4	70	18.4	2	###	2	###
20-24	4,400	717	163.0	583	132.5	117	26.6	12	2.7	5	###
25-29	4,350	531	122.1	460	105.7	62	14.3	8	###	1	###
30-34	4,100	242	59.0	211	51.5	24	5.9	6	###	1	###
35-39	3,650	64	17.5	52	14.2	10	2.7	1	###	1	###
40-44	3,000	11	3.7	7	###	4	###		###		###
GREATER THAN 44	19,250	9	###	1	###	7	###	1	###		###
COUNTY TOTALS	53,250	1,850	34.7	1,514	28.4	296	5.6	30	0.6	10	0.2

71

OUT OF WEDLOCK PREGNANCIES

LESS THAN 15	10,700	3	###	1	###	2	###		###		###
15	*	8	###	3	###	5	###		###		###
16	*	25	*	18	*	7	###		###		###
17	*	53	*	33	*	20	*		###		###
18	*	61	*	43	*	17	*	1	###		###
19	*	64	*	46	*	17	*		###	1	###
15-19	3,800	211	55.5	143	37.6	66	17.4	1	###	1	###
20-24	4,400	236	53.6	136	30.9	93	21.1	4	###	3	###
25-29	4,350	104	23.9	59	13.6	44	10.1	1	###		###
30-34	4,100	30	7.3	15	3.7	15	3.7		###		###
35-39	3,650	15	4.1	6	###	9	###		###		###
40-44	3,000	1	###		###	1	###		###		###
GREATER THAN 44	19,250	8	###	1	###	6	###	1	###		###
COUNTY TOTALS	53,250	608	11.4	361	6.8	236	4.4	7	###	4	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1987 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 10 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 15 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES		LIVE BIRTHS		INDUCED TERMINATIONS##		MISCARRIAGES##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
AROOSTOOK											
ALL PREGNANCIES											
LESS THAN 15	9,250	1	###	1	###		###		###		###
15	*	5	###	4	###	1	###		###		###
16	*	20	*	9	###	11	*		###		###
17	*	36	*	20	*	15	*	1	###		###
18	*	49	*	37	*	11	*		###	1	###
19	*	89	*	75	*	14	*		###		###
15-19	3,500	199	56.9	145	41.4	52	14.9	1	###	1	###
20-24	3,950	567	143.5	502	127.1	52	13.2	8	###	5	###
25-29	3,700	449	121.4	413	111.6	23	6.2	10	2.7	3	###
30-34	3,450	209	60.6	187	54.2	16	4.6	4	###	2	###
35-39	3,000	59	19.7	53	17.7	4	###	2	###		###
40-44	2,450	8	###	6	###	2	###		###		###
GREATER THAN 44	14,550	8	###	1	###	7	###		###		###
COUNTY TOTALS	43,850	1,500	34.2	1,308	29.8	156	3.6	25	0.6	11	0.3

OUT OF WEDLOCK PREGNANCIES

LESS THAN 15	9,250	1	###	1	###		###		###		###
15	*	5	###	4	###	1	###		###		###
16	*	20	*	9	###	11	*		###		###
17	*	28	*	12	*	15	*	1	###		###
18	*	31	*	20	*	10	*		###	1	###
19	*	42	*	29	*	13	*		###		###
15-19	3,500	126	36.0	74	21.1	50	14.3	1	###	1	###
20-24	3,950	126	31.9	81	20.5	43	10.9	1	###	1	###
25-29	3,700	57	15.4	36	9.7	17	4.6	2	###	2	###
30-34	3,450	23	6.7	11	3.2	10	2.9	1	###	1	###
35-39	3,000	6	###	4	###	2	###		###		###
40-44	2,450		###		###		###		###		###
GREATER THAN 44	14,550	4	###		###	4	###		###		###
COUNTY TOTALS	43,850	343	7.8	207	4.7	126	2.9	5	###	5	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1987 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 10 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 15 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES		LIVE BIRTHS		INDUCED TERMINATIONS##		MISCARRIAGES##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
CUMBERLAND											
ALL PREGNANCIES											
LESS THAN 15	23,500	9	###	6	###	3	###		###		###
15	*	34	*	14	*	20	*		###		###
16	*	77	*	46	*	29	*	1	###	1	###
17	*	105	*	53	*	50	*	1	###	1	###
18	*	139	*	66	*	73	*		###		###
19	*	205	*	119	*	84	*	1	###	1	###
15-19	8,650	560	64.7	298	34.5	256	29.6	3	###	3	###
20-24	9,500	1,272	133.9	859	90.4	394	41.5	19	2.0		###
25-29	10,500	1,435	136.7	1,174	111.8	242	23.0	14	1.3	5	###
30-34	9,900	1,001	101.1	836	84.4	146	14.7	13	1.3	6	###
35-39	9,350	346	37.0	298	31.9	43	4.6	4	###	1	###
40-44	7,750	52	6.7	32	4.1	18	2.3	2	###		###
GREATER THAN 44	42,100	32	0.8	4	###	16	0.4	4	###	8	###
COUNTY TOTALS	121,250	4,707	38.8	3,507	28.9	1,118	9.2	59	0.5	23	0.2

OUT OF WEDLOCK PREGNANCIES

LESS THAN 15	23,500	9	###	6	###	3	###		###		###
15	*	32	*	12	*	20	*		###		###
16	*	72	*	41	*	29	*	1	###	1	###
17	*	99	*	47	*	50	*	1	###	1	###
18	*	113	*	42	*	71	*		###		###
19	*	147	*	70	*	76	*	1	###		###
15-19	8,650	463	53.5	212	24.5	246	28.4	3	###	2	###
20-24	9,500	571	60.1	230	24.2	334	35.2	7	###		###
25-29	10,500	297	28.3	116	11.0	176	16.8	1	###	4	###
30-34	9,900	133	13.4	47	4.7	78	7.9	3	###	5	###
35-39	9,350	45	4.8	24	2.6	21	2.2		###		###
40-44	7,750	9	###	1	###	8	###		###		###
GREATER THAN 44	42,100	24	0.6		###	12	0.3	4	###	8	###
COUNTY TOTALS	121,250	1,551	12.8	636	5.2	878	7.2	18	0.1	19	0.2

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1987 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 10 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 15 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES		LIVE BIRTHS		INDUCED TERMINATIONS##		MISCARRIAGES##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
FRANKLIN											
ALL PREGNANCIES											
LESS THAN 15	3,040		###		###		###		###		###
15	*	2	###	1	###		###	1	###		###
16	*	5	###	4	###		###	1	###		###
17	*	10	*	9	###		###	1	###		###
18	*	14	*	7	###	6	###	1	###		###
19	*	27	*	21	*	5	###	1	###		###
15-19	1,080	58	53.7	42	38.9	11	10.2	5	###		###
20-24	1,350	163	120.7	135	100.0	18	13.3	9	###	1	###
25-29	1,340	155	115.7	132	98.5	15	11.2	7	###	1	###
30-34	1,260	68	54.0	56	44.4	4	###	7	###	1	###
35-39	1,120	28	25.0	22	19.6	2	###	4	###		###
40-44	930	3	###		###	1	###	2	###		###
GREATER THAN 44	5,100		###		###		###		###		###
COUNTY TOTALS	15,220	475	31.2	387	25.4	51	3.4	34	2.2	3	###

OUT OF WEDLOCK PREGNANCIES

LESS THAN 15	3,040		###		###		###		###		###
15	*	1	###	1	###		###		###		###
16	*	5	###	4	###		###	1	###		###
17	*	7	###	6	###		###	1	###		###
18	*	10	*	3	###	6	###	1	###		###
19	*	21	*	15	*	5	###	1	###		###
15-19	1,080	44	40.7	29	26.9	11	10.2	4	###		###
20-24	1,350	46	34.1	30	22.2	13	9.6	3	###		###
25-29	1,340	26	19.4	16	11.9	9	###	1	###		###
30-34	1,260	10	7.9	8	###	2	###		###		###
35-39	1,120	6	###	4	###	2	###		###		###
40-44	930	2	###		###	1	###	1	###		###
GREATER THAN 44	5,100		###		###		###		###		###
COUNTY TOTALS	15,220	134	8.8	87	5.7	38	2.5	9	###		###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1987 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 10 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 15 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES		LIVE BIRTHS		INDUCED TERMINATIONS##		MISCARRIAGES##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
HANCOCK											
ALL PREGNANCIES											
LESS THAN 15	4,550	1	###		###	1	###		###		###
15	*	5	###	3	###	1	###	1	###		###
16	*	15	*	8	###	6	###	1	###		###
17	*	19	*	12	*	7	###		###		###
18	*	39	*	19	*	17	*	1	###	2	###
19	*	40	*	29	*	11	*		###		###
15-19	1,530	118	77.1	71	46.4	42	27.5	3	###	2	###
20-24	1,650	239	144.8	197	119.4	38	23.0	3	###	1	###
25-29	1,650	214	129.7	193	117.0	20	12.1	1	###		###
30-34	1,550	127	81.9	107	69.0	17	11.0	3	###		###
35-39	1,640	74	45.1	57	34.8	10	6.1	5	###	2	###
40-44	1,360	8	###	4	###	4	###		###		###
GREATER THAN 44	8,800	2	###		###	2	###		###		###
COUNTY TOTALS	22,730	783	34.4	629	27.7	134	5.9	15	0.7	5	###

OUT OF WEDLOCK PREGNANCIES

LESS THAN 15	4,550	1	###		###	1	###		###		###
15	*	5	###	3	###	1	###	1	###		###
16	*	13	*	6	###	6	###	1	###		###
17	*	17	*	11	*	6	###		###		###
18	*	30	*	12	*	17	*	1	###		###
19	*	26	*	15	*	11	*		###		###
15-19	1,530	91	59.5	47	30.7	41	26.8	3	###		###
20-24	1,650	85	51.5	52	31.5	33	20.0		###		###
25-29	1,650	39	23.6	27	16.4	12	7.3		###		###
30-34	1,550	14	9.0	4	###	10	6.5		###		###
35-39	1,640	7	###	3	###	4	###		###		###
40-44	1,360	3	###		###	3	###		###		###
GREATER THAN 44	8,800	2	###		###	2	###		###		###
COUNTY TOTALS	22,730	242	10.6	133	5.9	106	4.7	3	###		###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1987 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 10 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 15 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES		LIVE BIRTHS		INDUCED TERMINATIONS##		MISCARRIAGES##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
KENNEBEC											
ALL PREGNANCIES											
LESS THAN 15	11,300	3	###	2	###	1	###		###		###
15	*	11	*	6	###	5	###		###		###
16	*	37	*	22	*	15	*		###		###
17	*	42	*	30	*	8	###	4	###		###
18	*	67	*	36	*	27	*	3	###	1	###
19	*	106	*	76	*	28	*	2	###		###
15-19	4,200	263	62.6	170	40.5	83	19.8	9	###	1	###
20-24	4,950	633	127.9	496	100.2	126	25.5	10	2.0	1	###
25-29	4,800	598	124.6	516	107.5	64	13.3	17	3.5	1	###
30-34	4,550	292	64.2	257	56.5	27	5.9	8	###		###
35-39	4,320	121	28.0	93	21.5	22	5.1	5	###	1	###
40-44	3,580	23	6.4	10	2.8	12	3.4	1	###		###
GREATER THAN 44	20,900	1	###		###		###	1	###		###
COUNTY TOTALS	58,600	1,934	33.0	1,544	26.3	335	5.7	51	0.9	4	###

OUT OF WEDLOCK PREGNANCIES

LESS THAN 15	11,300	3	###	2	###	1	###		###		###
15	*	10	*	5	###	5	###		###		###
16	*	34	*	19	*	15	*		###		###
17	*	40	*	28	*	8	###	4	###		###
18	*	54	*	25	*	26	*	2	###	1	###
19	*	71	*	42	*	27	*	2	###		###
15-19	4,200	209	49.8	119	28.3	81	19.3	8	###	1	###
20-24	4,950	246	49.7	135	27.3	108	21.8	3	###		###
25-29	4,800	134	27.9	79	16.5	47	9.8	7	###	1	###
30-34	4,550	43	9.5	19	4.2	21	4.6	3	###		###
35-39	4,320	18	4.2	6	###	9	###	2	###	1	###
40-44	3,580	9	###	1	###	8	###		###		###
GREATER THAN 44	20,900	1	###		###		###	1	###		###
COUNTY TOTALS	58,600	663	11.3	361	6.2	275	4.7	24	0.4	3	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1987 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 10 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 15 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES		LIVE BIRTHS		INDUCED TERMINATIONS##		MISCARRIAGES##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
KNOX											
ALL PREGNANCIES											
LESS THAN 15	3,700		###		###		###		###		###
15	*	2	###	2	###		###		###		###
16	*	11	*	7	###	4	###		###		###
17	*	15	*	10	*	5	###		###		###
18	*	21	*	15	*	6	###		###		###
19	*	36	*	29	*	7	###		###		###
15-19	1,290	85	65.9	63	48.8	22	17.1		###		###
20-24	1,350	175	129.6	151	111.9	24	17.8		###		###
25-29	1,230	165	134.1	151	122.8	14	11.4		###		###
30-34	1,170	95	81.2	84	71.8	9	###	1	###	1	###
35-39	1,310	34	26.0	26	19.8	7	###	1	###		###
40-44	1,090	10	9.2	8	###	2	###		###		###
GREATER THAN 44	7,350	4	###	1	###	2	###		###	1	###
COUNTY TOTALS	18,490	568	30.7	484	26.2	80	4.3	2	###	2	###

OUT OF WEDLOCK PREGNANCIES

LESS THAN 15	3,700		###		###		###		###		###
15	*	1	###	1	###		###		###		###
16	*	10	*	6	###	4	###		###		###
17	*	13	*	8	###	5	###		###		###
18	*	15	*	9	###	6	###		###		###
19	*	20	*	14	*	6	###		###		###
15-19	1,290	59	45.7	38	29.5	21	16.3		###		###
20-24	1,350	58	43.0	38	28.1	20	14.8		###		###
25-29	1,230	30	24.4	20	16.3	10	8.1		###		###
30-34	1,170	8	###	3	###	5	###		###		###
35-39	1,310	9	###	4	###	5	###		###		###
40-44	1,090	3	###	1	###	2	###		###		###
GREATER THAN 44	7,350	3	###		###	2	###		###	1	###
COUNTY TOTALS	18,490	170	9.2	104	5.6	65	3.5		###	1	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1987 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 10 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 15 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES		LIVE BIRTHS		INDUCED TERMINATIONS##		MISCARRIAGES##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
LINCOLN											
ALL PREGNANCIES											
LESS THAN 15	3,170		###		###		###		###		###
15	*	5	###		###	5	###		###		###
16	*	6	###	2	###	3	###	1	###		###
17	*	15	*	7	###	7	###	1	###		###
18	*	17	*	8	###	9	###		###		###
19	*	19	*	13	*	6	###		###		###
15-19	1,020	62	60.8	30	29.4	30	29.4	2	###		###
20-24	1,200	166	138.3	126	105.0	37	30.8	3	###		###
25-29	950	141	148.4	115	121.1	22	23.2	3	###	1	###
30-34	900	98	108.9	81	90.0	15	16.7	2	###		###
35-39	1,150	36	31.3	28	24.3	7	###	1	###		###
40-44	950	4	###	2	###	2	###		###		###
GREATER THAN 44	5,600	2	###		###	2	###		###		###
COUNTY TOTALS	14,940	509	34.1	382	25.6	115	7.7	11	0.7	1	###

OUT OF WEDLOCK PREGNANCIES

LESS THAN 15	3,170		###		###		###		###		###
15	*	5	###		###	5	###		###		###
16	*	5	###	1	###	3	###	1	###		###
17	*	14	*	6	###	7	###	1	###		###
18	*	14	*	6	###	8	###		###		###
19	*	10	*	5	###	5	###		###		###
15-19	1,020	48	47.1	18	17.6	28	27.5	2	###		###
20-24	1,200	54	45.0	27	22.5	26	21.7	1	###		###
25-29	950	24	25.3	7	###	16	16.8	1	###		###
30-34	900	10	11.1	4	###	5	###	1	###		###
35-39	1,150	4	###	2	###	2	###		###		###
40-44	950	1	###		###	1	###		###		###
GREATER THAN 44	5,600	2	###		###	2	###		###		###
COUNTY TOTALS	14,940	143	9.6	58	3.9	80	5.4	5	###		###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1987 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 10 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 15 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES		LIVE BIRTHS		INDUCED TERMINATIONS##		MISCARRIAGES##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
OXFORD											
ALL PREGNANCIES											
LESS THAN 15	5,200	3	###	1	###	2	###		###		###
15	*	4	###	2	###	2	###		###		###
16	*	9	###	8	###	1	###		###		###
17	*	26	*	14	*	11	*		###	1	###
18	*	44	*	29	*	15	*		###		###
19	*	40	*	28	*	7	###	4	###	1	###
15-19	1,830	123	67.2	81	44.3	36	19.7	4	###	2	###
20-24	2,300	286	124.3	241	104.8	34	14.8	10	4.3	1	###
25-29	1,770	264	149.2	230	129.9	24	13.6	8	###	2	###
30-34	1,680	108	64.3	93	55.4	12	7.1	2	###	1	###
35-39	1,750	43	24.6	31	17.7	10	5.7	2	###		###
40-44	1,450	7	###	5	###	2	###		###		###
GREATER THAN 44	10,000	3	###	1	###	1	###		###	1	###
COUNTY TOTALS	25,980	837	32.2	683	26.3	121	4.7	26	1.0	7	###

OUT OF WEDLOCK PREGNANCIES

LESS THAN 15	5,200	3	###	1	###	2	###		###		###
15	*	4	###	2	###	2	###		###		###
16	*	7	###	6	###	1	###		###		###
17	*	20	*	10	*	10	*		###		###
18	*	32	*	17	*	15	*		###		###
19	*	19	*	11	*	6	###	2	###		###
15-19	1,830	82	44.8	46	25.1	34	18.6	2	###		###
20-24	2,300	86	37.4	58	25.2	24	10.4	4	###		###
25-29	1,770	43	24.3	27	15.3	14	7.9	2	###		###
30-34	1,680	15	8.9	8	###	7	###		###		###
35-39	1,750	3	###	1	###	2	###		###		###
40-44	1,450	2	###	1	###	1	###		###		###
GREATER THAN 44	10,000	2	###	1	###	1	###		###		###
COUNTY TOTALS	25,980	236	9.1	143	5.5	85	3.3	8	###		###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1987 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 10 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 15 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES		LIVE BIRTHS		INDUCED TERMINATIONS##		MISCARRIAGES##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
PENOBSCOT											
ALL PREGNANCIES											
LESS THAN 15	13,650	2	###	1	###	1	###		###		###
15	*	16	*	6	###	10	*		###		###
16	*	21	*	13	*	7	###	1	###		###
17	*	43	*	25	*	17	*		###	1	###
18	*	90	*	54	*	36	*		###		###
19	*	108	*	78	*	29	*	1	###		###
15-19	5,050	278	55.0	176	34.9	99	19.6	2	###	1	###
20-24	5,650	804	142.3	626	110.8	174	30.8	1	###	3	###
25-29	7,200	723	100.4	622	86.4	94	13.1	5	###	2	###
30-34	6,800	351	51.6	310	45.6	37	5.4	2	###	2	###
35-39	5,000	105	21.0	83	16.6	19	3.8	1	###	2	###
40-44	4,150	17	4.1	14	3.4	1	###	1	###	1	###
GREATER THAN 44	23,350	10	0.4	1	###	9	###		###		###
COUNTY TOTALS	70,850	2,290	32.3	1,833	25.9	434	6.1	12	0.2	11	0.2
OUT OF WEDLOCK PREGNANCIES											
LESS THAN 15	13,650	2	###	1	###	1	###		###		###
15	*	16	*	6	###	10	*		###		###
16	*	16	*	9	###	7	###		###		###
17	*	37	*	19	*	17	*		###	1	###
18	*	64	*	28	*	36	*		###		###
19	*	72	*	44	*	28	*		###		###
15-19	5,050	205	40.6	106	21.0	98	19.4		###	1	###
20-24	5,650	292	51.7	144	25.5	147	26.0		###	1	###
25-29	7,200	136	18.9	67	9.3	67	9.3	1	###	1	###
30-34	6,800	57	8.4	29	4.3	28	4.1		###		###
35-39	5,000	16	3.2	5	###	11	2.2		###		###
40-44	4,150	2	###	1	###		###		###	1	###
GREATER THAN 44	23,350	7	###		###	7	###		###		###
COUNTY TOTALS	70,850	717	10.1	353	5.0	359	5.1	1	###	4	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1987 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 10 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 15 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES		LIVE BIRTHS		INDUCED TERMINATIONS##		MISCARRIAGES##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
PISCATAQUIS											
ALL PREGNANCIES											
LESS THAN 15	1,940	1	###		###	1	###		###		###
15	*	2	###	1	###	1	###		###		###
16	*	8	###	5	###	1	###	2	###		###
17	*	4	###	4	###		###		###		###
18	*	6	###	5	###		###	1	###		###
19	*	13	*	12	*	1	###		###		###
15-19	680	33	48.5	27	39.7	3	###	3	###		###
20-24	760	94	123.7	79	103.9	12	15.8	3	###		###
25-29	640	80	125.0	67	104.7	9	###	3	###	1	###
30-34	610	37	60.7	29	47.5	5	###	3	###		###
35-39	660	12	18.2	8	###	4	###		###		###
40-44	540	2	###	2	###		###		###		###
GREATER THAN 44	3,500		###		###		###		###		###
COUNTY TOTALS	9,330	259	27.8	212	22.7	34	3.6	12	1.3	1	###

OUT OF WEDLOCK PREGNANCIES

LESS THAN 15	1,940	1	###		###	1	###		###		###
15	*	2	###	1	###	1	###		###		###
16	*	7	###	4	###	1	###	2	###		###
17	*	4	###	4	###		###		###		###
18	*	1	###		###		###	1	###		###
19	*	9	###	8	###	1	###		###		###
15-19	680	23	33.8	17	25.0	3	###	3	###		###
20-24	760	28	36.8	17	22.4	11	14.5		###		###
25-29	640	16	25.0	11	17.2	4	###		###	1	###
30-34	610	3	###	2	###	1	###		###		###
35-39	660	3	###	1	###	2	###		###		###
40-44	540		###		###		###		###		###
GREATER THAN 44	3,500		###		###		###		###		###
COUNTY TOTALS	9,330	74	7.9	48	5.1	22	2.4	3	###	1	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1987 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 10 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 15 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES		LIVE BIRTHS		INDUCED TERMINATIONS##		MISCARRIAGES##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
SAGADAHOC											
ALL PREGNANCIES											
LESS THAN 15	3,950	1	###	1	###		###		###		###
15	*	2	###	1	###	1	###		###		###
16	*	6	###	1	###	4	###	1	###		###
17	*	15	*	8	###	6	###	1	###		###
18	*	26	*	17	*	9	###		###		###
19	*	28	*	21	*	7	###		###		###
15-19	1,300	77	59.2	48	36.9	27	20.8	2	###		###
20-24	1,250	176	140.8	145	116.0	23	18.4	7	###	1	###
25-29	1,260	228	181.0	198	157.1	26	20.6	4	###		###
30-34	1,190	139	116.8	108	90.8	21	17.6	7	###	3	###
35-39	1,260	34	27.0	26	20.6	4	###	4	###		###
40-44	1,040	5	###	2	###	2	###	1	###		###
GREATER THAN 44	5,150	1	###		###	1	###		###		###
COUNTY TOTALS	16,400	661	40.3	528	32.2	104	6.3	25	1.5	4	###
OUT OF WEDLOCK PREGNANCIES											
LESS THAN 15	3,950	1	###	1	###		###		###		###
15	*	2	###	1	###	1	###		###		###
16	*	4	###		###	3	###	1	###		###
17	*	11	*	5	###	6	###		###		###
18	*	24	*	15	*	9	###		###		###
19	*	18	*	11	*	7	###		###		###
15-19	1,300	59	45.4	32	24.6	26	20.0	1	###		###
20-24	1,250	51	40.8	33	26.4	14	11.2	4	###		###
25-29	1,260	30	23.8	14	11.1	16	12.7		###		###
30-34	1,190	13	10.9	3	###	8	###		###	2	###
35-39	1,260	4	###	1	###	2	###	1	###		###
40-44	1,040		###		###		###		###		###
GREATER THAN 44	5,150	1	###		###	1	###		###		###
COUNTY TOTALS	16,400	159	9.7	84	5.1	67	4.1	6	###	2	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1987 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 10 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 15 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES		LIVE BIRTHS		INDUCED TERMINATIONS##		MISCARRIAGES##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
SOMERSET											
ALL PREGNANCIES											
LESS THAN 15	5,100	2	###	1	###	1	###		###		###
15	*	10	*	8	###	2	###		###		###
16	*	18	*	12	*	6	###		###		###
17	*	16	*	8	###	8	###		###		###
18	*	44	*	29	*	15	*		###		###
19	*	57	*	41	*	11	*	5	###		###
15-19	1,900	145	76.3	98	51.6	42	22.1	5	###		###
20-24	2,150	295	137.2	241	112.1	43	20.0	9	###	2	###
25-29	1,700	180	105.9	154	90.6	19	11.2	6	###	1	###
30-34	1,600	98	61.3	88	55.0	9	###	1	###		###
35-39	1,700	33	19.4	25	14.7	6	###	2	###		###
40-44	1,400	7	###	5	###	2	###		###		###
GREATER THAN 44	8,850	2	###		###	2	###		###		###
COUNTY TOTALS	24,400	762	31.2	612	25.1	124	5.1	23	0.9	3	###

83

OUT OF WEDLOCK PREGNANCIES

LESS THAN 15	5,100	2	###	1	###	1	###		###		###
15	*	10	*	8	###	2	###		###		###
16	*	17	*	11	*	6	###		###		###
17	*	14	*	6	###	8	###		###		###
18	*	39	*	24	*	15	*		###		###
19	*	37	*	22	*	11	*	4	###		###
15-19	1,900	117	61.6	71	37.4	42	22.1	4	###		###
20-24	2,150	100	46.5	61	28.4	31	14.4	6	###	2	###
25-29	1,700	37	21.8	18	10.6	15	8.8	4	###		###
30-34	1,600	17	10.6	11	6.9	6	###		###		###
35-39	1,700	4	###	2	###	1	###	1	###		###
40-44	1,400	1	###		###	1	###		###		###
GREATER THAN 44	8,850	1	###		###	1	###		###		###
COUNTY TOTALS	24,400	279	11.4	164	6.7	98	4.0	15	0.6	2	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1987 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 10 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 15 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES		LIVE BIRTHS		INDUCED TERMINATIONS##		MISCARRIAGES##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
WALDO											
ALL PREGNANCIES											
LESS THAN 15	3,450	1	###	1	###		###		###		###
15	*	4	###	2	###	1	###	1	###		###
16	*	14	*	10	*	3	###		###	1	###
17	*	14	*	9	###	5	###		###		###
18	*	19	*	14	*	2	###	3	###		###
19	*	22	*	21	*	1	###		###		###
15-19	1,140	73	64.0	56	49.1	12	10.5	4	###	1	###
20-24	1,350	150	111.1	133	98.5	16	11.9	1	###		###
25-29	1,130	131	115.9	118	104.4	8	###	5	###		###
30-34	1,070	83	77.6	71	66.4	11	10.3	1	###		###
35-39	1,200	42	35.0	33	27.5	7	###	1	###	1	###
40-44	1,000	5	###	4	###	1	###		###		###
GREATER THAN 44	5,150	1	###		###	1	###		###		###
COUNTY TOTALS	15,490	486	31.4	416	26.9	56	3.6	12	0.8	2	###

OUT OF WEDLOCK PREGNANCIES

LESS THAN 15	3,450	1	###	1	###		###		###		###
15	*	4	###	2	###	1	###	1	###		###
16	*	11	*	7	###	3	###		###	1	###
17	*	14	*	9	###	5	###		###		###
18	*	9	###	4	###	2	###	3	###		###
19	*	11	*	10	*	1	###		###		###
15-19	1,140	49	43.0	32	28.1	12	10.5	4	###	1	###
20-24	1,350	49	36.3	34	25.2	15	11.1		###		###
25-29	1,130	21	18.6	14	12.4	5	###	2	###		###
30-34	1,070	12	11.2	6	###	6	###		###		###
35-39	1,200	3	###	1	###	1	###		###	1	###
40-44	1,000	2	###	1	###	1	###		###		###
GREATER THAN 44	5,150	1	###		###	1	###		###		###
COUNTY TOTALS	15,490	138	8.9	89	5.7	41	2.6	6	###	2	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1987 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 10 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 15 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES		LIVE BIRTHS		INDUCED TERMINATIONS##		MISCARRIAGES##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
WASHINGTON											
ALL PREGNANCIES											
LESS THAN 15	3,650	2	###		###	2	###		###		###
15	*	7	###	4	###	3	###		###		###
16	*	7	###	4	###	3	###		###		###
17	*	18	*	16	*	2	###		###		###
18	*	25	*	18	*	7	###		###		###
19	*	34	*	27	*	7	###		###		###
15-19	1,150	91	79.1	69	60.0	22	19.1		###		###
20-24	1,400	198	141.4	170	121.4	26	18.6	2	###		###
25-29	1,290	139	107.8	124	96.1	14	10.9	1	###		###
30-34	1,210	73	60.3	66	54.5	7	###		###		###
35-39	1,150	21	18.3	18	15.7	2	###	1	###		###
40-44	950	3	###	3	###		###		###		###
GREATER THAN 44	6,700	2	###		###	2	###		###		###
COUNTY TOTALS	17,500	529	30.2	450	25.7	75	4.3	4	###		###

OUT OF WEDLOCK PREGNANCIES

LESS THAN 15	3,650	2	###		###	2	###		###		###
15	*	6	###	3	###	3	###		###		###
16	*	7	###	4	###	3	###		###		###
17	*	16	*	14	*	2	###		###		###
18	*	20	*	13	*	7	###		###		###
19	*	21	*	14	*	7	###		###		###
15-19	1,150	70	60.9	48	41.7	22	19.1		###		###
20-24	1,400	79	56.4	60	42.9	19	13.6		###		###
25-29	1,290	40	31.0	29	22.5	11	8.5		###		###
30-34	1,210	10	8.3	5	###	5	###		###		###
35-39	1,150	3	###	2	###	1	###		###		###
40-44	950		###		###		###		###		###
GREATER THAN 44	6,700	2	###		###	2	###		###		###
COUNTY TOTALS	17,500	206	11.8	144	8.2	62	3.5		###		###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1987 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 10 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 15 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES		LIVE BIRTHS		INDUCED TERMINATIONS##		MISCARRIAGES##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
YORK											
ALL PREGNANCIES											
LESS THAN 15	17,400	5	###	2	###	3	###		###		###
15	*	17	*	7	###	10	*		###		###
16	*	41	*	16	*	24	*	1	###		###
17	*	63	*	37	*	25	*	1	###		###
18	*	89	*	53	*	36	*		###		###
19	*	124	*	73	*	49	*	1	###	1	###
15-19	6,250	334	53.4	186	29.8	144	23.0	3	###	1	###
20-24	6,800	830	122.1	680	100.0	143	21.0	4	###	3	###
25-29	6,350	834	131.3	734	115.6	95	15.0	1	###	4	###
30-34	6,000	500	83.3	457	76.2	40	6.7	3	###		###
35-39	6,400	181	28.3	167	26.1	14	2.2		###		###
40-44	5,300	15	2.8	11	2.1	4	###		###		###
GREATER THAN 44	28,150	8	###	1	###	7	###		###		###
COUNTY TOTALS	82,650	2,707	32.8	2,238	27.1	450	5.4	11	0.1	8	###

98

OUT OF WEDLOCK PREGNANCIES

LESS THAN 15	17,400	5	###	2	###	3	###		###		###
15	*	17	*	7	###	10	*		###		###
16	*	38	*	13	*	24	*	1	###		###
17	*	53	*	27	*	25	*	1	###		###
18	*	67	*	32	*	35	*		###		###
19	*	84	*	38	*	46	*		###		###
15-19	6,250	259	41.4	117	18.7	140	22.4	2	###		###
20-24	6,800	252	37.1	129	19.0	119	17.5	3	###	1	###
25-29	6,350	136	21.4	68	10.7	64	10.1	1	###	3	###
30-34	6,000	50	8.3	23	3.8	26	4.3	1	###		###
35-39	6,400	17	2.7	9	###	8	###		###		###
40-44	5,300	1	###		###	1	###		###		###
GREATER THAN 44	28,150	6	###		###	6	###		###		###
COUNTY TOTALS	82,650	726	8.8	348	4.2	367	4.4	7	###	4	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1987 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 10 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 15 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREGNANCIES		LIVE BIRTHS		INDUCED TERMINATIONS##		MISCARRIAGES##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
MAINE SUMMARY											
ALL PREGNANCIES											
LESS THAN 15	123,550	34	0.3	17	0.1	17	0.1		###		###
15	8,628	135	15.6	65	7.5	67	7.8	3	###		###
16	9,059	323	35.7	188	20.8	124	13.7	9	###	2	###
17	9,014	499	55.4	300	33.3	186	20.6	10	1.1	3	###
18	8,658	767	88.6	464	53.6	289	33.4	10	1.2	4	###
19	9,011	1,050	116.5	742	82.3	287	31.8	16	1.8	5	###
15-19	44,370	2,774	62.5	1,759	39.6	953	21.5	48	1.1	14	0.3
20-24	50,010	6,768	135.3	5,364	107.3	1,280	25.6	101	2.0	23	0.5
25-29	49,860	6,268	125.7	5,401	108.3	752	15.1	93	1.9	22	0.4
30-34	47,040	3,523	74.9	3,041	64.6	402	8.5	63	1.3	17	0.4
35-39	44,660	1,234	27.6	1,020	22.8	172	3.9	34	0.8	8	###
40-44	36,940	181	4.9	115	3.1	58	1.6	7	###	1	###
GREATER THAN 44	214,500	90	0.4	10	0.0	64	0.3	6	###	10	0.0
STATE TOTALS	610,930	20,872	34.2	16,727	27.4	3,698	6.1	352	0.6	95	0.2

87

OUT OF WEDLOCK PREGNANCIES

LESS THAN 15	123,550	34	0.3	17	0.1	17	0.1		###		###
15	8,628	128	14.8	59	6.8	67	7.8	2	###		###
16	9,059	291	32.1	158	17.4	123	13.6	8	###	2	###
17	9,014	440	48.8	245	27.2	184	20.4	9	###	2	###
18	8,658	586	67.7	293	33.8	282	32.6	9	###	2	###
19	9,011	672	74.6	394	43.7	267	29.6	10	1.1	1	###
15-19	44,370	2,117	47.7	1,149	25.9	923	20.8	38	0.9	7	###
20-24	50,010	2,362	47.2	1,265	25.3	1,053	21.1	36	0.7	8	###
25-29	49,860	1,171	23.5	608	12.2	528	10.6	23	0.5	12	0.2
30-34	47,040	450	9.6	198	4.2	235	5.0	9	###	8	###
35-39	44,660	163	3.6	75	1.7	82	1.8	4	###	2	###
40-44	36,940	37	1.0	6	###	29	0.8	1	###	1	###
GREATER THAN 44	214,500	68	0.3	2	###	51	0.2	6	###	9	###
STATE TOTALS	610,930	6,402	10.5	3,320	5.4	2,918	4.8	117	0.2	47	0.1

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1987 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 10 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 15 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-2

FETAL DEATHS, MISCARRIAGES, AND INDUCED TERMINATIONS BY WEEKS OF GESTATION
MAINE STATE TOTALS, 1987 (RESIDENT DATA)*

GESTATION WEEKS	TOTAL	FETAL DEATHS		MISCARRIAGES		INDUCED TERMINATIONS	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
0-4	17	0	0.00	14	3.97	3	0.08
5-8	1,994	0	0.00	137	38.81	1,857	50.22
9-12	1,542	0	0.00	132	37.39	1,410	38.13
13-19	380	0	0.00	47	13.31	333	9.00
20-23	22	22	23.16	0	0.00	0	0.00
24-27	8	8	8.42	0	0.00	0	0.00
28-31	6	6	6.32	0	0.00	0	0.00
32-35	16	16	16.84	0	0.00	0	0.00
36-38	11	11	11.58	0	0.00	0	0.00
> 39	22	22	23.16	0	0.00	0	0.00
88 UNKNOWN	128	10	10.53	23	6.52	95	2.57
STATE TOTALS	4,146	95	100.00	353	100.00	3,698	100.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON O TERMINATION RECORDS WERE BLANKMAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

INFANT AND FETAL MORTALITY

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
SEPTICEMIA (038)					
FEMALE	2	1	50.00	1	50.00
TOTALS	2	1	50.00	1	50.00
MENINGITIS (320-322)					
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS (323-389)					
MALE	1	0	0.00	1	100.00
FEMALE	2	2	100.00	0	0.00
TOTALS	3	2	66.67	1	33.33
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
PNEUMONIA (480-486)					
MALE	2	0	0.00	2	100.00
TOTALS	2	0	0.00	2	100.00
REMAINDER OF DISEASES OF RESPIRATORY SYSTEM (470-478, 492-519)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
ANENCEPHALUS AND SIMILAR ANOMALIES (740)					
MALE	1	0	0.00	1	100.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	1	50.00	1	50.00
SPINA BIFIDA (741)					
MALE	1	1	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE (742.0-742.2, 742.4-742.9, 743)					
MALE	1	0	0.00	1	100.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	1	50.00	1	50.00
CONGENITAL ANOMALIES OF HEART (745-746)					
MALE	2	0	0.00	2	100.00
FEMALE	3	2	66.67	1	33.33
TOTALS	5	2	40.00	3	60.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
(CONT.)					
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)					
MALE	3	1	33.33	2	66.67
FEMALE	1	1	100.00	0	0.00
TOTALS	4	2	50.00	2	50.00
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)					
MALE	4	4	100.00	0	0.00
FEMALE	3	3	100.00	0	0.00
TOTALS	7	7	100.00	0	0.00
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM (752-753)					
MALE	4	4	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	5	5	100.00	0	0.00
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM (754-756)					
MALE	3	3	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
OTHER CHROMOSOMAL ANOMALIES (758.1-758.9)					
MALE	3	2	66.67	1	33.33
FEMALE	2	2	100.00	0	0.00
TOTALS	5	4	80.00	1	20.00
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)					
MALE	3	1	33.33	2	66.67
TOTALS	3	1	33.33	2	66.67
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (761)					
MALE	2	2	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)					
MALE	4	4	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)					
MALE	5	5	100.00	0	0.00
FEMALE	8	8	100.00	0	0.00
TOTALS	13	13	100.00	0	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER PERCENT		POSTNEONATAL DEATHS NUMBER PERCENT	
(CONT.)					
FETAL DISTRESS IN LIVEBORN INFANT (768.2-768.4)					
MALE	2	1	50.00	1	50.00
FEMALE	1	1	100.00	0	0.00
TOTALS	3	2	66.67	1	33.33
BIRTH ASPHYXIA (768.5-768.9)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
RESPIRATORY DISTRESS SYNDROME (769)					
MALE	4	4	100.00	0	0.00
FEMALE	2	0	0.00	2	100.00
TOTALS	6	4	66.67	2	33.33
OTHER RESPIRATORY CONDITIONS OF NEWBORN (770)					
MALE	3	2	66.67	1	33.33
FEMALE	3	3	100.00	0	0.00
TOTALS	6	5	83.33	1	16.67
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)					
MALE	1	1	100.00	0	0.00
FEMALE	3	3	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (775.2-775.9, 776.1-779)					
MALE	5	4	80.00	1	20.00
FEMALE	3	2	66.67	1	33.33
TOTALS	8	6	75.00	2	25.00
SUDDEN INFANT DEATH SYNDROME (798.0)					
MALE	18	0	0.00	18	100.00
FEMALE	6	1	16.67	5	83.33
TOTALS	24	1	4.17	23	95.83
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT (E911-E912)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
ACCIDENTAL MECHANICAL SUFFOCATION (E913)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER PERCENT		POSTNEONATAL DEATHS NUMBER PERCENT	
(CONT.)					
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS (E800-E910,E914-E949)					
MALE	2	0	0.00	2	100.00
FEMALE	1	0	0.00	1	100.00
TOTALS	3	0	0.00	3	100.00
ALL OTHER CAUSES (RESIDUAL)					
MALE	5	1	20.00	4	80.00
FEMALE	4	2	50.00	2	50.00
TOTALS	9	3	33.33	6	66.67
STATE					
MALE	84	43	51.19	41	48.81
FEMALE	52	38	73.08	14	26.92
TOTALS	136	81	59.56	55	40.44

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-2

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	***** GESTATION WEEKS *****					
			20-23	24-27	28-31	32-35	36-39	OVER 39
ANENCEPHALUS AND SIMILAR ANOMALIES (740)								
MALE	1	1.05	0	0	1	0	0	0
FEMALE	1	1.05	0	0	0	1	0	0
TOTALS	2	2.11	0	0	1	1	0	0
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM (749-751)								
MALE	1	1.05	1	0	0	0	0	0
TOTALS	1	1.05	1	0	0	0	0	0
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM (752-753)								
MALE	1	1.05	1	0	0	0	0	0
TOTALS	1	1.05	1	0	0	0	0	0
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM (754-756)								
MALE	1	1.05	1	0	0	0	0	0
TOTALS	1	1.05	1	0	0	0	0	0
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)								
MALE	2	2.11	0	0	0	0	0	2
FEMALE	1	1.05	0	0	0	0	0	1
TOTALS	3	3.16	0	0	0	0	0	3
NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (760)								
MALE	6	6.32	2	2	0	1	0	1
FEMALE	2	2.11	0	0	0	0	0	2
TOTALS	8	8.42	2	2	0	1	0	3
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (761)								
MALE	4	4.21	4	0	0	0	0	0
FEMALE	4	4.21	3	0	1	0	0	0
TOTALS	8	8.42	7	0	1	0	0	0
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)								
MALE	15	15.79	3	0	1	1	3	7
FEMALE	16	16.84	1	0	1	3	2	9
TOTALS	31	32.63	4	0	2	4	5	16
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)								
MALE	2	2.11	1	1	0	0	0	0
FEMALE	3	3.16	1	0	0	2	0	0
TOTALS	5	5.26	2	1	0	2	0	0
BIRTH ASPHYXIA (768.5-768.9)								
MALE	4	4.21	0	1	0	1	1	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-2

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	***** GESTATION WEEKS *****					
			20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
FEMALE	5	5.26	0	1	0	2	1	1
TOTALS	9	9.47	0	2	0	3	2	2
OTHER RESPIRATORY CONDITIONS OF NEWBORN (770)								
MALE	1	1.05	0	0	0	0	1	0
TOTALS	1	1.05	0	0	0	0	1	0
HEMOLYTIC DISEASE OF NEWBORN, DUE TO ISOIMMUNIZATION, AND OTHER PERINATAL JAUNDICE (773-774)								
MALE	2	2.11	0	0	1	0	1	0
TOTALS	2	2.11	0	0	1	0	1	0
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (775.2-775.9, 776.1-779)								
MALE	4	4.21	1	0	0	1	0	2
FEMALE	2	2.11	0	0	0	1	1	0
TOTALS	6	6.32	1	0	0	2	1	2
SYMPTOMS, SIGNS, AND ALL OTHER ILL-DEFINED CONDITIONS (780-797, 798.1-799)								
MALE	12	12.63	1	3	1	2	2	3
FEMALE	5	5.26	2	0	0	0	2	1
TOTALS	17	17.89	3	3	1	2	4	4
STATE								
MALE	56	58.95	15	7	4	6	8	16
FEMALE	39	41.05	7	1	2	9	6	14
TOTALS	95	100.00	22	8	6	15	14	30

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-3

LIVE BIRTHS, NEONATAL DEATHS, AND ESTIMATED NEONATAL DEATH RATES BY BIRTHWEIGHT
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	LIVE BIRTHS		NEONATAL DEATHS		NEONATAL DEATH RATE
	NUMBER	PERCENT	NUMBER	PERCENT	
LESS THAN 500	14	0.08	13	16.05	928.6
500-999	41	0.25	15	18.52	365.9
1000-1499	72	0.43	8	9.88	111.1
1500-1999	152	0.91	5	6.17	32.9
2000-2499	610	3.65	8	9.88	13.1
2500-2999	2,133	12.75	6	7.41	2.8
3000-3499	5,854	35.00	8	9.88	1.4
3500-3999	5,540	33.12	8	9.88	1.4
4000-4499	1,888	11.29	0	0.00	0.0
4500-4999	367	2.19	3	3.70	8.2
GREATER THAN 4999	49	0.29	0	0.00	0.0
UNKNOWN	7	0.04	7	8.64	1000.0
STATE TOTALS	16,727	100.00	81	100.00	4.8

NOTE: NEONATAL DEATH RATES ARE ESTIMATED BY DIVIDING 1987 NEONATAL DEATHS BY 1987 LIVE BIRTHS AND MULTIPLYING BY 1,000. SUCH RATES ARE ESTIMATED RATHER THAN ACTUAL BECAUSE SOME BIRTHS RELATING TO THE 1987 NEONATAL DEATH COHORT OCCURRED IN 1986.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-4

FETAL DEATHS BY SELECTED COMPLICATIONS, GESTATION, AND AGE OF PATIENT
MAINE STATE TOTALS, 1987 (RESIDENT DATA)*

WEEKS OF GESTATION	TOTAL** FETAL DEATHS	PERCENT DISTRIBUTION	***** COMPLICATIONS *****			
			PREGNANCY	LABOR OR DELIVERY	CONCURRENT ILLNESSES	CONGENITAL ANOMALIES
20-23	22	23.16	20	12	8	1
24-27	8	8.42	4	3	4	0
28-31	6	6.32	1	1	3	1
32-35	15	15.79	6	3	9	1
36-39	14	14.74	4	8	7	1
OVER 39	30	31.58	8	12	12	3
UNKNOWN	0	0.00	0	0	0	0
STATE TOTALS	95		43	39	43	7
PERCENT DISTRIBUTION		100.00	45.26	41.05	45.26	7.37
AGE OF PATIENT(YRS.)						
LESS THAN 15	0	0.00	0	0	0	0
15	0	0.00	0	0	0	0
16	2	2.11	0	0	1	0
17	3	3.16	2	1	2	0
18	4	4.21	0	1	2	0
19	5	5.26	2	2	2	1
20-24	23	24.21	8	9	9	2
25-29	22	23.16	16	11	10	1
30-34	17	17.89	7	5	6	2
35-39	8	8.42	1	6	5	1
40-44	1	1.05	0	0	0	0
OVER 44	10	10.53	7	4	6	0
UNKNOWN	0	0.00	0	0	0	0
TEENAGE TOTALS	14	14.74	4	4	7	1
STATE TOTALS	95		43	39	43	7
PERCENT DISTRIBUTION		100.00	45.26	41.05	45.26	7.37

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

** THE SUM OF COMPLICATIONS MAY EXCEED TOTAL FETAL DEATHS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-5

DEATHS AND DEATH RATES - TOTAL, INFANT, NEONATAL, POSTNEONATAL, AND PERINATAL
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS		***** INFANT DEATHS *****				PERINATAL	
	NUMBER	RATE	TOTAL NUMBER	RATE	NEONATAL NUMBER	RATE	POSTNEONATAL NUMBER	RATE
ANDROSCOGGIN	1,032	10.1	13	8.6	9	5.9	4	2.6
AROSTOOK	777	8.9	9	6.9	6	4.6	3	2.3
CUMBERLAND	2,096	9.1	29	8.3	19	5.4	10	2.9
FRANKLIN	222	7.6	1	2.6	1	2.6	0	0.0
HANCOCK	503	11.3	4	6.4	2	3.2	2	3.2
KENNEBEC	1,075	9.5	8	5.2	4	2.6	4	2.6
KNOX	400	11.2	4	8.3	2	4.1	2	4.1
LINCOLN	305	10.5	3	7.9	2	5.2	1	2.6
OXFORD	577	11.4	5	7.3	3	4.4	2	2.9
PENOBSCOT	1,219	8.8	14	7.6	9	4.9	5	2.7
PISCATAQUIS	223	12.3	3	14.2	1	4.7	2	9.4
SAGadahoc	295	9.1	7	13.3	2	3.8	5	9.5
SOMERSET	434	9.1	2	3.3	1	1.6	1	1.6
WALDO	282	9.2	6	14.4	5	12.0	1	2.4
WASHINGTON	424	12.5	4	8.9	4	8.9	0	0.0
YORK	1,374	8.5	24	10.7	11	4.9	13	5.8
STATE TOTALS	11,238	9.5	136	8.1	81	4.8	55	3.3
							176	10.5

NOTES: INFANT DEATH IS UNDER 1 YEAR, NEONATAL UNDER 28 DAYS AND POSTNEONATAL 28 DAYS TO ONE YEAR.
PERINATAL DEATHS ARE NEONATAL DEATHS AND FETAL DEATHS, 20 GESTATION WEEKS AND OVER.

TOTAL DEATH RATE IS PER 1,000 POPULATION (BASED ON MAINE POPULATION PROJECTIONS FOR 1987, PUBLISHED JUNE 1988),
INFANT DEATH RATE IS PER 1,000 LIVE BIRTHS AND PERINATAL DEATH RATE IS PER 1,000 LIVE BIRTHS AND FETAL DEATHS.

* FETAL DEATH DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-6

FETAL DEATHS BY SELECTED CHARACTERISTICS
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)*

COUNTY	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	OUT OF WEDLOCK	AUTOPSY	IN HOSPITAL	**** TRIMESTER IN WHICH **** **** PRENATAL CARE BEGAN ****					AGE OF PATIENT(YRS.)	
						1	2	3	NONE	UNKNOWN	LESS THAN 20	OVER 35
ANDROSCOGGIN	10	10.53	4	7	10	4	5	0	0	1	2	0
AROOSTOOK	11	11.58	3	9	11	10	1	0	0	0	1	0
CUMBERLAND	23	24.21	1	3	23	10	0	9	1	3	3	8
FRANKLIN	3	3.16	0	2	2	3	0	0	0	0	0	0
HANCOCK	5	5.26	0	2	5	2	2	1	0	0	2	2
KENNEBEC	4	4.21	3	3	4	2	0	1	0	1	1	0
KNOX	2	2.11	1	1	2	2	0	0	0	0	0	1
LINCOLN	1	1.05	0	1	1	1	0	0	0	0	0	0
OXFORD	7	7.37	0	3	7	4	1	1	1	0	2	1
PENOBSCOT	11	11.58	1	2	11	8	1	0	0	2	1	2
PISCATAQUIS	1	1.05	0	1	1	0	0	0	0	1	0	0
SAGADAHOC	4	4.21	0	3	4	4	0	0	0	0	0	0
SOMERSET	3	3.16	1	2	3	2	0	0	0	1	0	0
WALDO	2	2.11	2	2	2	1	1	0	0	0	1	0
WASHINGTON	0	0.00	0	0	0	0	0	0	0	0	0	0
YORK	8	8.42	0	4	8	4	1	2	0	1	1	0
STATE TOTALS	95		16	45	94	57	12	14	2	10	14	14
PERCENT OF ALL FETAL DEATHS WITH SPECIFIED CHARACTERISTICS												
		100.00	16.84	47.37	98.95	60.00	12.63	14.74	2.11	10.53	14.74	14.74

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-7

FETAL DEATHS, SELECTED RISK CHARACTERISTICS, AND RATIO OF MALES TO FEMALES
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS	***** RISK CHARACTERISTICS *****									
		CONGENITAL ANOMALIES		***** FETAL WEIGHT *****				LESS THAN 28 GESTATION WEEKS		MALE/FEMALE RATIO	
		NUMBER	PERCENT	< 500 GRAMS		< 2500 GRAMS		NUMBER	PERCENT		
				NUMBER	PERCENT	NUMBER	PERCENT				
ANDROSCOGGIN	10	1	10.0	2	20.0	4	40.0	3	30.0	1.00	
AROOSTOOK	11	2	18.2	2	18.2	8	72.7	3	27.3	1.20	
CUMBERLAND	23	2	8.7	1	4.3	5	21.7	11	47.8	1.88	
FRANKLIN	3	0	0.0	0	0.0	0	0.0	0	0.0	0.00	
HANCOCK	5	0	0.0	0	0.0	0	0.0	0	0.0	1.50	
KENNEBEC	4	0	0.0	1	25.0	4	100.0	2	50.0	3.00	
KNOX	2	0	0.0	0	0.0	2	100.0	0	0.0	1.00	
LINCOLN	1	0	0.0	0	0.0	1	100.0	1	100.0	0.00	
OXFORD	7	1	14.3	0	0.0	3	42.9	3	42.9	1.33	
PENOBSCOT	11	0	0.0	1	9.1	3	27.3	2	18.2	0.83	
PISCATAQUIS	1	0	0.0	0	0.0	0	0.0	1	100.0	0.00	
SAGadahoc	4	1	25.0	0	0.0	0	0.0	0	0.0	1.00	
SOMERSET	3	0	0.0	0	0.0	1	33.3	2	66.7	2.00	
WALDO	2	0	0.0	0	0.0	1	50.0	0	0.0	1.00	
WASHINGTON	0	0	0.0	0	0.0	0	0.0	0	0.0	0.00	
YORK	8	0	0.0	0	0.0	3	37.5	2	25.0	1.67	
STATE TOTALS	95	7	7.4	7	7.4	35	36.8	30	31.6	1.44	

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-8

FETAL DEATHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

COMPLICATIONS OF PREGNANCY CONDITION	NUMBER	%	ILLNESS OR CONDITION AFFECTING PREGNANCY CONDITION	NUMBER	%	COMPLICATIONS OF LABOR CONDITION	NUMBER	%	METHOD OF DELIVERY METHOD	NUMBER	%	CONGENITAL ANOMALIES CONDITION	NUMBER	%
BLEEDING IN EARLY PREGNANCY	7	7.4	TOBACCO USE	27	28.4	ABRUPTIO PLACENTA	4	4.2	SPONTANEOUS CONTROLLED	55	57.9	ANENCEPHALUS	2	2.1
ECLAMPSIA	0	0.0	HEART DISEASE SYMPTOMATIC	0	0.0	PLACENTA PREVIA	3	3.2	SPONTANEOUS UNCONTROLLED	6	6.3	SPINA BIFIDA	0	0.0
PREECLAMPSIA	2	2.1	HYPERTENSION	2	2.1	CORD PROLAPSE OR COMPRESSION	5	5.3	LOW FORCEPS	1	1.1	OTHER NERVOUS SYSTEM	1	1.1
RH SENSITIZATION	1	1.1	CHRONIC RENAL DISEASE	0	0.0	DYSTOCIA	1	1.1	OTHER FORCEPS PROCEDURE	0	0.0	CLEFT LIP/PALATE	1	1.1
ANEMIA(HGB < 10 GM/HCT < 30%)	0	0.0	PYELOCYSTITIS	0	0.0	BREECH	10	10.5	PRIMARY C-SECTION	9	9.5	EYE	0	0.0
AMNIONITIS	4	4.2	DES EXPOSURE	0	0.0	INDUCTION	0	0.0	REPEAT C-SECTION	4	4.2	EAR, FACE, NECK	0	0.0
URINARY TRACT INFECTION	0	0.0	ALCOHOL DEPENDENCE	2	2.1	INTRAPARTUM FEVER/ CHORIOAMNION.	4	4.2	BREECH DELIVERY	8	8.4	HEART	2	2.1
PREMATURE LABOR(BEFORE 37 WEEKS)	19	20.0	DRUG ADDICTION OR DEPENDENCE	0	0.0	FETAL DISTRESS	7	7.4	VERSION AND EXTRACTION	0	0.0	OTHER CIRCULATORY SYSTEM	0	0.0
PREMATURE DELIVERY(BEFORE 37 WEEKS)	16	16.8	PREVIOUS C-SECTION	4	4.2	LABOR>18 HRS.	0	0.0	OTHER	3	3.2	RESPIRATORY SYSTEM	0	0.0
PROM(24 HRS. BEFORE DELIVERY)	4	4.2	OBESITY	5	5.3	OTHER	14	14.7				DIGESTIVE SYSTEM	3	3.2
OTHER	19	20.0	GESTATIONAL DIABETES	3	3.2	NONE	47	49.5				GENITAL ORGANS	0	0.0
NONE	44	46.3	CHRONIC DIABETES	0	0.0	UNKNOWN	10	10.5				URINARY SYSTEM	0	0.0
UNKNOWN	9	9.5	OTHER	13	13.7							MUSCULOSKEL.	2	2.1
			NONE	44	46.3							INTEGUMENT	0	0.0
			UNKNOWN	8	8.4							CHROMOSOMAL	1	1.1
												OTHER	0	0.0
												NONE	82	86.3
												UNKNOWN	6	6.3

NOTES: PERCENTAGES ARE BASED ON THE 95 FETAL DEATHS IN MAINE THIS YEAR.
MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH FETAL DEATH.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

GENERAL MORTALITY

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

	***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF	DEATHS		TOTAL	MALE	FEMALE
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: TOTAL FOR ALL AGES									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	4,155	2,081	2,074	1	1	1	350.2	361.7	339.5
MALIGNANT NEOPLASMS (140-208)	2,683	1,421	1,262	2	2	2	226.2	247.0	206.6
CEREBROVASCULAR DISEASE (430-438)	759	300	459	3	3	3	64.0	52.1	75.1
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	458	293	165	4	4	5	38.6	50.9	27.0
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	404	263	141	5	5	6	34.1	45.7	23.1
PNEUMONIA & INFLUENZA (480-487)	363	154	209	6	6	4	30.6	26.8	34.2
DIABETES MELLITUS (250)	202	89	113	7	8	7	17.0	15.5	18.5
ATHEROSCLEROSIS (440)	169	57	112	8	10	8	14.2	9.9	18.3
SUICIDE (E950-E959)	167	143	24	9	7	16	14.1	24.9	3.9
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	131	86	45	10	9	11	11.0	14.9	7.4
TOTAL FOR AGE GROUP	11,238	5,731	5,507				947.3	996.1	901.4
AGE: UNDER 1 YEAR									
PERINATAL CONDITIONS (760-779)	49	27	22	1	1	1	283.2	303.5	261.7
CONGENITAL ANOMALIES (740-759)	38	25	13	2	2	2	219.6	281.0	154.7
HEART DISEASE (390-398,402,404-429)	7	4	3	3	3	3	###	###	###
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	5	3	2	4	4	4	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	2	0	2	5	8	4	###	###	###
MENINGITIS (320-322)	2	2	0	6	5	6	###	###	###
PNEUMONIA & INFLUENZA (480-487)	2	2	0	7	5	6	###	###	###
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	1	1	0	8	7	6	###	###	###
TOTAL FOR AGE GROUP	136	84	52				786.0	944.1	618.7

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1987, PUBLISHED JULY 1988.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

	***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF	DEATHS		TOTAL	MALE	FEMALE
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 1 TO 14 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	21	10	11	1	1	1	8.8	8.2	9.6
MALIGNANT NEOPLASMS (140-208)	11	6	5	2	2	2	4.6	###	###
CONGENITAL ANOMALIES (740-759)	7	5	2	3	3	3	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	2	1	1	4	6	4	###	###	###
HEART DISEASE (390-398,402,404-429)	2	2	0	5	4	5	###	###	###
SUICIDE (E950-E959)	2	2	0	6	4	5	###	###	###
BENIGN NEOPLASMS (210-239)	1	1	0	7	6	5	###	###	###
MENINGITIS (320-322)	1	1	0	8	6	5	###	###	###
CEREBROVASCULAR DISEASE (430-438)	1	1	0	9	6	5	###	###	###
TOTAL FOR AGE GROUP	60	39	21				25.2	31.8	18.2
AGE: 15 TO 24 YEARS									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	79	64	15	1	1	1	41.6	66.9	15.9
SUICIDE (E950-E959)	25	25	0	2	2	8	13.2	26.1	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	7	4	3	3	3	3	###	###	###
MALIGNANT NEOPLASMS (140-208)	6	2	4	4	4	2	###	###	###
CONGENITAL ANOMALIES (740-759)	3	1	2	5	6	4	###	###	###
HEART DISEASE (390-398,402,404-429)	2	2	0	6	4	8	###	###	###
BENIGN NEOPLASMS (210-239)	1	0	1	7	7	5	###	###	###
CEREBROVASCULAR DISEASE (430-438)	1	0	1	8	7	5	###	###	###
PNEUMONIA & INFLUENZA (480-487)	1	0	1	9	7	5	###	###	###
TOTAL FOR AGE GROUP	142	107	35				74.7	111.8	37.1

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1987, PUBLISHED JULY 1988.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

	***** TOTAL	DEATHS MALE	***** FEMALE	***** TOTAL	RANK BY NUMBER OF	***** DEATHS MALE	***** FEMALE	*** TOTAL	RATE PER 100,000 POPULATION MALE	*** FEMALE
AGE: 25 TO 34 YEARS										
CAUSE OF DEATH										
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	60	43	17	1	1	1		31.1	44.8	17.5
SUICIDE (E950-E959)	43	37	6	2	2	3		22.3	38.5	###
MALIGNANT NEOPLASMS (140-208)	22	13	9	3	3	2		11.4	13.5	###
HEART DISEASE (390-398,402,404-429)	16	12	4	4	4	4		8.3	12.5	###
CEREBROVASCULAR DISEASE (430-438)	5	4	1	5	5	6		###	###	###
DIABETES MELLITUS (250)	4	4	0	6	5	10		###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	3	2	1	7	7	6		###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	2	1	1	8	8	6		###	###	###
CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS (574-575)	2	1	1	9	8	6		###	###	###
CONGENITAL ANOMALIES (740-759)	2	0	2	10	10	5		###	###	###
TOTAL FOR AGE GROUP	171	124	47					88.6	129.2	48.5
AGE: 35 TO 44 YEARS										
MALIGNANT NEOPLASMS (140-208)	64	29	35	1	3	1		39.4	35.8	42.9
HEART DISEASE (390-398,402,404-429)	56	39	17	2	1	2		34.5	48.2	20.8
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	35	30	5	3	2	3		21.5	37.1	###
SUICIDE (E950-E959)	22	17	5	4	4	3		13.5	21.0	###
DIABETES MELLITUS (250)	8	6	2	5	5	7		###	###	###
CEREBROVASCULAR DISEASE (430-438)	7	3	4	6	6	5		###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	6	2	4	7	10	5		###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	5	3	2	8	6	7		###	###	###
BENIGN NEOPLASMS (210-239)	4	2	2	9	10	7		###	###	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	4	3	1	10	6	12		###	###	###
TOTAL FOR AGE GROUP	249	160	89					153.2	197.8	109.1

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1987, PUBLISHED JULY 1988.

THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

	***** DEATHS *****		***** RANK *****		*** RATE PER 100,000 ***				
	TOTAL	MALE	FEMALE	BY NUMBER OF	DEATHS	POPULATION			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE			
AGE: 45 TO 64 YEARS									
CAUSE OF DEATH									
MALIGNANT NEOPLASMS (140-208)	703	365	338	1	2	1	315.2	342.6	290.1
HEART DISEASE (390-398,402,404-429)	614	441	173	2	1	2	275.3	413.9	148.5
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	71	41	30	3	5	3	31.8	38.5	25.8
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	63	48	15	4	3	7	28.2	45.0	12.9
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	62	43	19	5	4	5	27.8	40.4	16.3
CEREBROVASCULAR DISEASE (430-438)	53	29	24	6	7	4	23.8	27.2	20.6
SUICIDE (E950-E959)	39	34	5	7	6	11	17.5	31.9	###
DIABETES MELLITUS (250)	36	18	18	8	8	6	16.1	16.9	15.5
PNEUMONIA & INFLUENZA (480-487)	27	16	11	9	9	8	12.1	15.0	9.4
INFECTIOUS & PARASITIC DISEASES (001-139)	17	10	7	10	10	9	7.6	9.4	###
TOTAL FOR AGE GROUP	1,862	1,157	705				834.8	1,085.9	605.2
AGE: 65 TO 74 YEARS									
HEART DISEASE (390-398,402,404-429)	905	560	345	1	1	1	992.3	1,406.7	671.3
MALIGNANT NEOPLASMS (140-208)	816	480	336	2	2	2	894.7	1,205.7	653.8
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	130	89	41	3	3	4	142.5	223.6	79.8
CEREBROVASCULAR DISEASE (430-438)	116	62	54	4	4	3	127.2	155.7	105.1
DIABETES MELLITUS (250)	58	26	32	5	6	5	63.6	65.3	62.3
PNEUMONIA & INFLUENZA (480-487)	46	29	17	6	5	7	50.4	72.8	33.1
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	44	24	20	7	7	6	48.2	60.3	38.9
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	38	24	14	8	7	8	41.7	60.3	27.2
INFECTIOUS & PARASITIC DISEASES (001-139)	24	15	9	9	9	10	26.3	37.7	###
SUICIDE (E950-E959)	21	15	6	10	9	12	23.0	37.7	###
TOTAL FOR AGE GROUP	2,481	1,493	988				2,720.4	3,750.3	1,922.6

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1987, PUBLISHED JULY 1988.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (730-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

	***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF	DEATHS		TOTAL	MALE	FEMALE
				TOTAL	MALE	FEMALE			
AGE: 75 TO 84 YEARS									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	1,323	638	685	1	1	1	2,474.3	3,253.4	2,023.0
MALIGNANT NEOPLASMS (140-208)	755	402	353	2	2	2	1,412.0	2,050.0	1,042.5
CEREBROVASCULAR DISEASE (430-438)	283	119	164	3	3	3	529.3	606.8	484.3
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	173	116	57	4	4	5	323.5	591.5	168.3
PNEUMONIA & INFLUENZA (480-487)	116	51	65	5	5	4	216.9	260.1	192.0
DIABETES MELLITUS (250)	64	26	38	6	7	6	119.7	132.6	112.2
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	57	29	28	7	6	7	106.6	147.9	82.7
ATHEROSCLEROSIS (440)	45	17	28	8	9	7	84.2	86.7	82.7
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	44	24	20	9	8	10	82.3	122.4	59.1
INFECTIOUS & PARASITIC DISEASES (001-139)	40	14	26	10	10	9	74.8	71.4	76.8
TOTAL FOR AGE GROUP	3,383	1,670	1,713				6,326.9	8,516.1	5,059.1
AGE: 85 YEARS AND OLDER									
HEART DISEASE (390-398,402,404-429)	1,230	383	847	1	1	1	6,784.3	7,185.7	6,617.2
MALIGNANT NEOPLASMS (140-208)	306	124	182	2	2	3	1,687.8	2,326.5	1,421.9
CEREBROVASCULAR DISEASE (430-438)	293	82	211	3	3	2	1,616.1	1,538.5	1,648.4
PNEUMONIA & INFLUENZA (480-487)	169	54	115	4	4	4	932.2	1,013.1	898.4
ATHEROSCLEROSIS (440)	99	25	74	5	6	5	546.1	469.0	578.1
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	78	45	33	6	5	6	430.2	844.3	257.8
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	41	17	24	7	7	7	226.1	318.9	187.5
INFECTIOUS & PARASITIC DISEASES (001-139)	34	12	22	8	8	9	187.5	225.1	171.9
DIABETES MELLITUS (250)	32	9	23	9	10	8	176.5	###	179.7
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	30	12	18	10	8	10	165.5	225.1	140.6
TOTAL FOR AGE GROUP	2,754	897	1,857				15,190.3	16,829.3	14,507.8

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1987, PUBLISHED JULY 1988.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-2 YEARS OF LIFE LOST - NUMBER, PERCENT, RANK, AND AVERAGE PER DEATH BY 32 CAUSE OF DEATH GROUPS AND SEX
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH	**YEARS OF LIFE LOST**			PERCENT YEARS OF LIFE LOST			RANK BY YEARS OF LIFE LOST			AVERAGE YEARS OF LIFE LOST PER DEATH		
	TOTAL	MALE	FEMALE	TOT.	MALE	FEM.	TOT.	MALE	FEM.	TOT.	MALE	FEM.
HEART DISEASE (390-398,402,404-429)	45,780	24,110	21,670	29.6	29.5	29.8	1	1	1	11	12	10
MALIGNANT NEOPLASMS (140-208)	38,709	18,284	20,425	25.0	22.3	28.1	2	2	2	14	13	16
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	12,883	8,723	4,160	8.3	10.7	5.7	3	3	4	32	33	30
CEREBROVASCULAR DISEASE (430-438)	7,155	2,820	4,335	4.6	3.4	6.0	4	6	3	9	9	9
SUICIDE (E950-E959)	5,450	4,696	754	3.5	5.7	1.0	5	4	13	33	33	31
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	5,209	2,930	2,279	3.4	3.6	3.1	6	5	5	11	10	14
CONGENITAL ANOMALIES (740-759)	3,948	2,270	1,678	2.6	2.8	2.3	7	7	8	55	58	51
PERINATAL CONDITIONS (760-779)	3,606	1,890	1,716	2.3	2.3	2.4	8	8	7	74	70	78
PNEUMONIA & INFLUENZA (480-487)	3,319	1,479	1,840	2.1	1.8	2.5	9	9	6	9	10	9
DIABETES MELLITUS (250)	2,799	1,296	1,503	1.8	1.6	2.1	10	11	9	14	15	13
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2,240	1,475	765	1.4	1.8	1.1	11	10	12	17	17	17
INFECTIOUS & PARASITIC DISEASES (001-139)	1,692	752	940	1.1	0.9	1.3	12	13	10	14	13	14
OTHER DIS. OF ARTERIES, ARTERIOLES, AND CAPIL. (441-448)	1,610	970	640	1.0	1.2	0.9	13	12	14	11	11	10
ATHEROSCLEROSIS (440)	1,269	446	823	0.8	0.5	1.1	14	16	11	8	8	7
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	1,024	501	523	0.7	0.6	0.7	15	15	15	10	9	11
HOMICIDE & LEGAL INTERVENTION (E960-E978)	884	532	352	0.6	0.7	0.5	16	14	18	38	33	50
BENIGN NEOPLASMS (210-239)	691	309	382	0.4	0.4	0.5	17	17	17	15	15	15
HYPERTENSION (401,403)	567	155	412	0.4	0.2	0.6	18	20	16	11	9	13
ULCER OF STOMACH & DUODENUM (531-533)	364	187	177	0.2	0.2	0.2	19	19	20	10	9	10
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	342	88	254	0.2	0.1	0.3	20	22	19	10	10	10
MENINGITIS (320-322)	266	210	56	0.2	0.3	0.1	21	18	24	53	70	28
CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS (574-575)	205	53	152	0.1	0.1	0.2	22	24	21	15	27	13
ANEMIAS (280-285)	180	112	68	0.1	0.1	0.1	23	21	23	10	12	8
NUTRITIONAL DEFICIENCIES (260-269)	159	55	104	0.1	0.1	0.1	24	23	22	7	6	7
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	59	12	47	0.0	0.0	0.1	25	28	25	7	6	8
KIDNEY INFECTIONS (590)	32	32	0	0.0	0.0	0.0	26	25	26	6	6	0
HYPERPLASIA OF PROSTATE (600)	26	26	0	0.0	0.0	0.0	27	26	26	9	9	0
APPENDICITIS (540-543)	16	16	0	0.0	0.0	0.0	28	27	26	16	16	0
ALL OTHER EXTERNAL CAUSES (E980-E999)	402	221	181	0.3	0.3	0.2				37	28	60
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	2,663	1,767	896	1.7	2.2	1.2				33	40	24
ALL OTHER CAUSES (RESIDUAL)	11,020	5,409	5,611	7.1	6.6	7.7				12	13	12
ALL CAUSES	154,569	81,826	72,743	100.	100.	100.				14	14	13

NOTES: PERCENTAGES MAY NOT ADD TO 100.0 DUE TO ROUNDING.
SEE TEXT FOR METHOD OF COMPUTING YEARS OF LIFE LOST.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003.005)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)																		
MALE	3	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2	
TOTALS	3	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2	
OTHER TUBERCULOSIS (013-018)																		
MALE	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	
TOTALS	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	
MENINGOCOCCAL INFECTION (036)																		
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
SEPTICEMIA (038)																		
MALE	38	0	1	0	0	0	0	0	1	2	1	4	2	8	4	7	8	
FEMALE	47	2	0	0	0	0	0	0	0	0	0	3	3	3	7	13	16	
TOTALS	85	2	1	0	0	0	0	0	1	2	1	7	5	11	11	20	24	
ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	
VIRAL HEPATITIS (070)																		
MALE	2	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	3	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	1	
OTHER VIRAL DISEASES (046-049,051-054,057-061,065,066,071-079)																		
MALE	13	0	0	0	0	1	0	4	3	2	1	1	1	0	0	0	0	
FEMALE	9	0	1	0	0	0	0	1	0	0	0	0	0	1	2	0	4	
TOTALS	22	0	1	0	0	1	0	5	3	2	1	1	1	1	2	0	4	
NEUROSYPHILIS (094)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	
MYCOSES (110-118)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	
LATE EFFECTS OF TUBERCULOSIS (137)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
LATE EFFECTS OF ACUTE POLIOMYELITIS (138)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (100-104, 130-136, 139)																	
MALE	3	0	0	0	0	0	0	1	0	0	0	1	0	1	0	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1
TOTALS	6	0	0	0	0	0	0	1	0	0	0	2	0	2	0	0	1
MALIGNANT NEOPLASMS OF: LIP (140)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
MALIGNANT NEOPLASMS OF: TONGUE (141)																	
MALE	5	0	0	0	0	0	0	0	0	0	1	1	2	0	1	0	0
FEMALE	5	0	0	0	0	0	0	0	0	0	1	2	0	1	0	0	1
TOTALS	10	0	0	0	0	0	0	0	0	0	2	3	2	1	1	0	1
MALIGNANT NEOPLASMS OF: PHARYNX (146-149.0)																	
MALE	14	0	0	0	0	0	0	0	1	2	2	1	3	2	2	1	0
FEMALE	15	0	0	0	0	0	0	0	0	1	0	2	5	2	2	1	2
TOTALS	29	0	0	0	0	0	0	0	1	3	2	3	8	4	4	2	2
MALIGNANT NEOPLASMS OF: OTHER SITES WITHIN THE LIP ORAL CAVITY AND PHARYNX (142-145, 149.1-149.9)																	
MALE	7	0	0	0	0	0	0	0	0	1	0	1	1	2	0	1	1
FEMALE	4	0	0	0	0	0	0	0	0	1	0	0	1	0	1	1	0
TOTALS	11	0	0	0	0	0	0	0	0	2	0	1	2	2	1	2	1
MALIGNANT NEOPLASMS OF: ESOPHAGUS (150)																	
MALE	41	0	0	0	0	0	0	0	2	2	6	6	10	10	4	1	0
FEMALE	11	0	0	0	0	0	0	0	0	2	0	2	0	3	2	2	0
TOTALS	52	0	0	0	0	0	0	0	2	4	6	8	10	13	6	3	0
MALIGNANT NEOPLASMS OF: STOMACH (151)																	
MALE	48	0	0	0	0	0	0	0	1	0	5	9	8	12	8	2	3
FEMALE	36	0	0	0	0	0	0	0	1	1	1	1	3	8	9	7	5
TOTALS	84	0	0	0	0	0	0	0	2	1	6	10	11	20	17	9	8
MALIGNANT NEOPLASMS OF: SMALL INTESTINE, INCLUDING DUODENUM (152)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
MALIGNANT NEOPLASMS OF: HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0, 153.1, 153.7)																	
MALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1
MALIGNANT NEOPLASMS OF: DESCENDING COLON (153.2)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1
MALIGNANT NEOPLASMS OF: SIGMOID COLON (153.3)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0	1
FEMALE	4	0	0	0	0	0	0	0	0	1	1	0	1	0	0	1	0
TOTALS	9	0	0	0	0	0	0	0	0	1	1	0	3	1	1	1	1
MALIGNANT NEOPLASMS OF: CECUM, APPENDIX AND ASCENDING COLON (153.4-153.6)																	
MALE	5	0	0	0	0	0	0	0	1	0	0	0	1	0	1	2	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																	OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84			
(CONT.)																			
FEMALE	9	0	0	0	0	0	0	0	0	0	0	1	3	1	1	1	2		
TOTALS	14	0	0	0	0	0	0	0	1	0	0	1	4	1	2	3	2		
MALIGNANT NEOPLASMS OF: OTHER AND COLON, UNSPECIFIED (153.8-153.9)																			
MALE	118	0	0	0	0	0	0	0	0	5	8	10	20	17	27	19	12		
FEMALE	120	0	0	0	0	0	0	0	2	6	6	10	16	19	10	28	23		
TOTALS	238	0	0	0	0	0	0	0	2	11	14	20	36	36	37	47	35		
MALIGNANT NEOPLASMS OF: RECTUM, RECTOSIGMOID JUNCTION AND ANUS (154)																			
MALE	38	0	0	0	0	0	0	1	0	3	2	3	8	7	7	4	3		
FEMALE	26	0	0	0	0	0	0	0	1	1	0	3	3	5	4	3	6		
TOTALS	64	0	0	0	0	0	0	1	1	4	2	6	11	12	11	7	9		
MALIGNANT NEOPLASMS OF: LIVER, PRIMARY (155.0)																			
MALE	8	0	0	0	0	0	0	0	0	0	2	2	3	0	1	0	0		
FEMALE	6	0	0	0	0	0	0	0	0	0	1	0	1	0	3	1	0		
TOTALS	14	0	0	0	0	0	0	0	0	0	3	2	4	0	4	1	0		
MALIGNANT NEOPLASMS OF: INTRAHEPATIC BILE DUCTS (155.1)																			
MALE	3	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1		
FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0		
TOTALS	5	0	0	0	0	0	0	0	0	0	0	2	0	0	2	0	1		
MALIGNANT NEOPLASMS OF: LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)																			
MALE	6	0	0	0	0	0	0	0	0	0	2	0	1	1	1	0	1		
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	2	1	2	1	3		
TOTALS	15	0	0	0	0	0	0	0	0	0	2	0	3	2	3	1	4		
MALIGNANT NEOPLASMS OF: GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)																			
MALE	9	0	0	0	0	0	0	0	0	1	1	1	1	1	1	2	1		
FEMALE	8	0	0	0	0	0	0	0	0	0	0	2	1	2	1	0	2		
TOTALS	17	0	0	0	0	0	0	0	0	1	1	3	2	3	2	2	3		
MALIGNANT NEOPLASMS OF: PANCREAS (157)																			
MALE	62	0	0	0	0	0	0	1	0	7	6	10	12	9	9	4	4		
FEMALE	54	0	0	0	0	0	0	0	1	0	1	7	7	9	13	7	9		
TOTALS	116	0	0	0	0	0	0	1	1	7	7	17	19	18	22	11	13		
MALIGNANT NEDPLASMS OF: RETROPERITONEUM, PERITONEUM AND OTHER SITES WITHIN THE DIGESTIVE ORGANS (158-159)																			
MALE	13	0	0	0	0	0	0	0	1	0	1	0	2	5	3	0	1		
FEMALE	12	0	0	0	0	0	0	0	1	0	0	1	0	1	3	1	5		
TOTALS	25	0	0	0	0	0	0	0	2	0	1	1	2	6	6	1	6		
MALIGNANT NEOPLASMS OF: LARYNX (161)																			
MALE	18	0	0	0	0	0	0	0	0	1	2	4	1	1	4	2	3		
FEMALE	6	0	0	0	0	0	0	0	0	0	0	1	1	1	2	1	0		
TOTALS	24	0	0	0	0	0	0	0	0	1	2	5	2	2	6	3	3		
MALIGNANT NEOPLASMS OF: TRACHEA, BRONCHUS, AND LUNG (162)																			
MALE	470	0	0	0	0	0	0	0	8	38	39	76	74	89	77	45	24		
FEMALE	233	0	0	0	0	0	0	0	2	27	32	42	35	34	27	18	16		
TOTALS	703	0	0	0	0	0	0	0	10	65	71	118	109	123	104	63	40		
MALIGNANT NEOPLASMS OF: ALL OTHER SITES WITHIN THE RESPIRATORY SYSTEM & INTRATHORACIC ORGANS (160,163-165)																			
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0		

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	4	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	1
TOTALS	6	0	0	0	0	0	0	0	0	0	1	2	0	0	0	2	1
MALIGNANT NEOPLASMS OF: BONE AND ARTICULAR CARTILAGE (170)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
FEMALE	4	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	2
TOTALS	6	0	0	0	0	0	0	1	0	0	0	1	0	0	1	1	2
MALIGNANT NEOPLASMS OF: CONNECTIVE AND OTHER SOFT TISSUE (171)																	
MALE	8	0	0	0	0	0	0	2	0	0	0	2	1	1	1	1	0
FEMALE	8	0	0	0	0	0	0	0	0	1	1	1	1	1	2	1	0
TOTALS	16	0	0	0	0	0	0	2	0	1	1	3	2	2	3	2	0
MALIGNANT NEOPLASMS OF: MELANOMA OF SKIN (172)																	
MALE	23	0	0	0	0	0	0	0	3	2	3	2	5	4	3	1	0
FEMALE	13	0	0	0	0	0	0	1	1	2	2	1	1	2	1	2	0
TOTALS	36	0	0	0	0	0	0	1	4	4	5	3	6	6	4	3	0
MALIGNANT NEOPLASMS OF: OTHER MALIGNANT NEOPLASM OF SKIN (173)																	
MALE	10	0	0	0	0	0	0	0	1	0	0	0	2	0	2	0	5
FEMALE	4	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1
TOTALS	14	0	0	0	0	0	0	0	1	0	1	0	2	0	3	1	6
MALIGNANT NEOPLASMS OF: FEMALE BREAST (174)																	
FEMALE	190	0	0	0	0	0	0	5	13	21	16	24	25	25	18	18	25
TOTALS	190	0	0	0	0	0	0	5	13	21	16	24	25	25	18	18	25
MALIGNANT NEOPLASMS OF: MALE BREAST (175)																	
MALE	4	0	0	0	0	0	0	0	0	1	0	0	2	0	1	0	0
TOTALS	4	0	0	0	0	0	0	0	0	1	0	0	2	0	1	0	0
MALIGNANT NEOPLASMS OF: CERVIX UTERI (180)																	
FEMALE	34	0	0	0	0	0	0	0	2	6	4	2	4	4	4	5	3
TOTALS	34	0	0	0	0	0	0	0	2	6	4	2	4	4	4	5	3
MALIGNANT NEOPLASMS OF: OTHER PARTS OF UTERUS (179,181-182)																	
FEMALE	33	0	0	0	0	0	0	0	1	2	6	3	4	5	6	2	4
TOTALS	33	0	0	0	0	0	0	0	1	2	6	3	4	5	6	2	4
MALIGNANT NEOPLASMS OF: OVARY AND OTHER UTERINE ADNEXA (183)																	
FEMALE	74	0	0	0	0	0	0	0	1	7	3	13	13	9	12	12	4
TOTALS	74	0	0	0	0	0	0	0	1	7	3	13	13	9	12	12	4
MALIGNANT NEOPLASMS OF: OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)																	
FEMALE	8	0	0	0	0	0	0	0	1	0	0	0	0	2	1	0	4
TOTALS	8	0	0	0	0	0	0	0	1	0	0	0	0	2	1	0	4
MALIGNANT NEOPLASMS OF: PROSTATE (185)																	
MALE	140	0	0	0	0	0	0	0	0	2	5	8	12	27	35	21	30
TOTALS	140	0	0	0	0	0	0	0	0	2	5	8	12	27	35	21	30
MALIGNANT NEOPLASMS OF: TESTIS (186)																	
MALE	3	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0
TOTALS	3	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF: PENIS AND OTHER MALE GENITAL ORGANS (187)																	
MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF: BLADDER (188)																	
MALE	47	0	0	0	0	0	0	0	0	0	0	4	7	8	10	10	8

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

		***** AGE AT DEATH(YRS.) *****																
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
FEMALE	26	0	0	0	0	0	0	0	0	0	0	1	1	1	7	6	10	
TOTALS	73	0	0	0	0	0	0	0	0	0	0	5	8	9	17	16	18	
MALIGNANT NEOPLASMS OF: KIDNEY AND OTHER UNSPECIFIED URINARY ORGANS (189)																		
MALE	46	0	0	0	0	0	0	0	0	3	4	6	12	7	7	7	0	
FEMALE	39	0	0	0	0	0	1	0	1	0	2	6	5	7	7	1	9	
TOTALS	85	0	0	0	0	0	1	0	1	3	6	12	17	14	14	8	9	
MALIGNANT NEOPLASMS OF: BRAIN (191)																		
MALE	30	0	1	0	0	1	0	3	2	3	1	2	5	5	4	1	2	
FEMALE	28	0	0	0	1	0	0	0	1	5	3	2	1	7	2	3	3	
TOTALS	58	0	1	0	1	1	0	3	3	8	4	4	6	12	6	4	5	
MALIGNANT NEOPLASMS OF: OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)																		
MALE	4	0	0	0	0	0	0	0	0	0	1	2	0	1	0	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
TOTALS	5	0	0	0	0	0	0	0	0	0	1	2	0	1	1	0	0	
MALIGNANT NEOPLASMS OF: THYROID GLAND, OTHER ENDOCRINE GLANDS, RELATED STRUCTURES (193-194)																		
MALE	7	0	2	1	0	0	0	1	0	0	0	0	1	1	0	0	1	
FEMALE	9	0	2	1	0	0	0	0	0	1	1	1	1	0	1	1	0	
TOTALS	16	0	4	2	0	0	0	1	0	1	1	1	2	1	1	1	1	
MALIGNANT NEOPLASMS OF: ALL OTHER AND UNSPECIFIED SITES (195-199)																		
MALE	102	0	0	0	0	0	0	1	2	3	8	15	20	15	13	13	12	
FEMALE	100	0	0	0	0	0	0	1	2	4	1	12	11	10	16	23	20	
TOTALS	202	0	0	0	0	0	0	2	4	7	9	27	31	25	29	36	32	
LYMPHOSARCOMA AND RETICULOSARCOMA (200)																		
MALE	10	0	0	0	0	0	0	0	0	2	1	0	0	1	2	4	0	
FEMALE	9	0	0	0	0	0	0	0	0	0	2	0	2	1	3	1	0	
TOTALS	19	0	0	0	0	0	0	0	0	2	3	0	2	2	5	5	0	
HODGKIN'S DISEASE (201)																		
MALE	7	0	0	0	0	0	0	1	0	1	1	1	1	2	0	0	0	
FEMALE	8	0	0	0	0	1	1	0	2	1	0	3	0	0	0	0	0	
TOTALS	15	0	0	0	0	1	1	1	2	2	1	4	1	2	0	0	0	
OTHER MALIGNANT NEOPLASM OF LYMPHOID AND HISTIOCYTIC TISSUE (202)																		
MALE	15	0	0	0	0	0	0	0	2	0	2	0	2	5	1	2	1	
FEMALE	47	0	0	0	1	0	1	0	0	5	1	3	5	8	6	10	7	
TOTALS	62	0	0	0	1	0	1	0	2	5	3	3	7	13	7	12	8	
MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)																		
MALE	27	0	0	0	0	0	0	0	0	1	1	3	4	6	5	5	2	
FEMALE	19	0	0	0	0	0	0	0	0	0	2	1	2	4	3	3	4	
TOTALS	46	0	0	0	0	0	0	0	0	1	3	4	6	10	8	8	6	
LYMPHOID LEUKEMIA (204)																		
MALE	19	0	1	0	1	0	1	0	0	1	1	0	2	0	3	5	4	
FEMALE	9	0	0	0	0	0	0	0	0	0	0	1	2	1	2	1	2	
TOTALS	28	0	1	0	1	0	1	0	0	1	1	1	4	1	5	6	6	
MYELOID LEUKEMIA (205)																		
MALE	22	0	0	0	0	0	0	1	1	3	1	1	1	7	2	5	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	19	0	0	0	0	0	0	1	2	2	0	1	1	2	5	1	4
TOTALS	41	0	0	0	0	0	0	2	3	5	1	2	2	9	7	6	4
MONOCYTIC LEUKEMIA (206)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
OTHER AND UNSPECIFIED LEUKEMIA (207-208)																	
MALE	18	0	0	0	0	0	0	0	3	0	0	2	2	5	1	2	3
FEMALE	11	0	0	0	0	0	0	0	0	1	0	0	1	1	2	3	3
TOTALS	29	0	0	0	0	0	0	0	3	1	0	2	3	6	3	5	6
BENIGN NEOPLASMS OF EYE, BRAIN AND OTHER PARTS OF NERVOUS SYSTEM (224-225)																	
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1
BENIGN NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
TOTALS	3	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1	0
NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	1
FEMALE	9	0	0	0	0	0	0	0	0	1	0	0	0	0	3	0	5
TOTALS	14	0	0	0	0	0	0	0	0	1	0	0	1	1	5	0	6
NEOPLASMS OF UNSPECIFIED NATURE (239)																	
MALE	14	0	0	1	0	0	0	0	2	0	2	0	1	3	2	2	1
FEMALE	11	0	0	0	0	1	0	0	1	1	0	0	0	2	2	1	3
TOTALS	25	0	0	1	0	1	0	0	3	1	2	0	1	5	4	3	4
DISORDERS OF THYROID GLAND (240-246)																	
MALE	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
TOTALS	5	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	3
DIABETES MELLITUS (250)																	
MALE	89	0	0	0	0	0	0	4	6	8	3	7	13	13	15	11	9
FEMALE	113	0	0	0	0	0	0	0	2	5	6	7	13	19	23	15	23
TOTALS	202	0	0	0	0	0	0	4	8	13	9	14	26	32	38	26	32
CYSTIC FIBROSIS (277.0)																	
MALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
FEMALE	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
TOTALS	3	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0
OBESITY (278.0)																	
FEMALE	5	0	0	0	0	0	0	1	1	0	0	1	0	0	0	1	1
TOTALS	5	0	0	0	0	0	0	1	1	0	0	1	0	0	0	1	1
ALL OTHER ENDOCRINE, METABOLIC DISEASES & IMMUNITY DISORD. (251-252,256-259,270,276,277.1-277.9,278.1-279)																	
MALE	21	0	0	0	0	0	0	0	2	1	2	1	1	5	3	1	5
FEMALE	22	1	0	0	0	0	0	0	1	0	0	4	1	1	5	2	7
TOTALS	43	1	0	0	0	0	0	0	3	1	2	5	2	6	8	3	12
NUTRITIONAL MARASMUS (261)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
OTHER PROTEIN-CALORIE MALNUTRITION (262-263)																	
MALE	7	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	3
FEMALE	11	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	7
TOTALS	18	0	0	0	0	0	0	0	0	0	0	0	0	0	3	5	10
ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2
DEFICIENCY ANEMIAS (280-281)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
HEMOLYTIC ANEMIAS (282-283)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	0
APLASTIC ANEMIA (284)																	
MALE	2	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
TOTALS	4	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	1
OTHER AND UNSPECIFIED ANEMIAS (285)																	
MALE	5	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	3
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
TOTALS	8	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	6
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)																	
MALE	12	0	0	0	0	0	0	0	0	1	0	2	3	3	2	1	0
FEMALE	11	0	0	0	0	0	0	1	0	0	0	1	2	0	4	2	1
TOTALS	23	0	0	0	0	0	0	1	0	1	0	3	5	3	6	3	1
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)																	
MALE	18	0	0	0	0	0	0	0	0	0	1	0	0	0	3	2	12
FEMALE	35	0	0	0	0	0	0	0	0	0	0	0	2	1	7	4	21
TOTALS	53	0	0	0	0	0	0	0	0	0	1	0	2	1	10	6	33
ALCOHOLIC PSYCHOSES (291)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0
ALL OTHER PHYCHOSES (292-299)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	3	0	2	0	0
FEMALE	14	0	0	0	0	0	0	0	0	0	0	0	0	0	4	2	8
TOTALS	19	0	0	0	0	0	0	0	0	0	0	0	3	0	6	2	8

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
ALCOHOL DEPENDENCE SYNDROME (303)																	
MALE	20	0	0	0	0	1	0	0	4	3	2	3	1	2	4	0	0
FEMALE	6	0	0	0	0	0	0	0	0	2	0	1	1	1	1	0	0
TOTALS	26	0	0	0	0	1	0	0	4	5	2	4	2	3	5	0	0
OTHER NEUROTIC, PERSONALITY AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)																	
MALE	9	0	0	0	0	0	2	0	0	0	0	1	1	1	0	0	4
FEMALE	20	0	0	0	0	0	0	0	0	0	0	0	0	1	4	3	12
TOTALS	29	0	0	0	0	0	2	0	0	0	0	1	1	2	4	3	16
MENTAL RETARDATION (317-319)																	
MALE	5	0	1	1	0	0	0	2	1	0	0	0	0	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
TOTALS	7	0	1	1	0	0	0	2	1	0	0	1	0	0	0	0	1
MENINGITIS (320-322)																	
MALE	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
TOTALS	5	2	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0
PARKINSON'S DISEASE (332)																	
MALE	36	0	0	0	0	0	0	0	0	0	0	2	1	9	12	7	5
FEMALE	22	0	0	0	0	0	0	0	0	0	0	1	2	4	3	6	6
TOTALS	58	0	0	0	0	0	0	0	0	0	0	3	3	13	15	13	11
OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)																	
MALE	61	1	0	0	1	0	0	0	0	3	1	4	6	10	10	12	13
FEMALE	73	0	0	0	0	0	0	1	0	1	2	3	5	6	11	12	32
TOTALS	134	1	0	0	1	0	0	1	0	4	3	7	11	16	21	24	45
MULTIPLE SCLEROSIS (340)																	
MALE	5	0	0	0	0	1	0	0	1	1	0	1	1	0	0	0	0
FEMALE	5	0	0	0	0	0	0	0	1	0	0	0	1	1	2	0	0
TOTALS	10	0	0	0	0	1	0	0	2	1	0	1	2	1	2	0	0
INFANTILE CEREBRAL PALSY (343)																	
FEMALE	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
EPILEPSY (345)																	
MALE	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1
TOTALS	4	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1	1
OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)																	
MALE	19	0	0	0	0	1	1	2	1	4	0	3	1	2	2	2	0
FEMALE	10	2	0	0	0	0	0	0	1	0	0	4	0	0	1	1	1
TOTALS	29	2	0	0	0	1	1	2	2	4	0	7	1	2	3	3	1
ACUTE RHEUMATIC FEVER (390-392)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
DISEASES OF MITRAL VALVE (394)																	
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
FEMALE	9	0	0	0	0	0	0	0	1	0	0	3	2	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
TOTALS	10	0	0	0	0	0	0	0	1	1	0	3	2	0	0	0	3
ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)																	
MALE	4	0	0	0	0	0	0	0	0	1	0	0	1	1	1	0	0
FEMALE	6	0	0	0	0	0	0	0	0	1	1	0	2	0	1	1	0
TOTALS	10	0	0	0	0	0	0	0	0	2	1	0	3	1	2	1	0
ESSENTIAL HYPERTENSION (401)																	
MALE	6	0	0	0	0	0	0	0	0	1	0	0	2	0	1	2	0
FEMALE	21	0	0	0	0	0	0	0	0	1	1	4	3	4	1	1	6
TOTALS	27	0	0	0	0	0	0	0	0	2	1	4	5	4	2	3	6
HYPERTENSIVE HEART DISEASE (402)																	
MALE	25	0	0	0	0	0	0	0	1	3	0	4	4	5	2	4	2
FEMALE	36	0	0	0	0	0	0	0	1	0	2	0	2	3	5	4	19
TOTALS	61	0	0	0	0	0	0	0	2	3	2	4	6	8	7	8	21
HYPERTENSIVE RENAL DISEASE (403)																	
MALE	12	0	0	0	0	0	0	0	0	0	0	0	1	1	2	4	4
FEMALE	11	0	0	0	0	0	0	0	0	1	0	0	0	1	3	1	5
TOTALS	23	0	0	0	0	0	0	0	0	1	0	0	1	2	5	5	9
HYPERTENSIVE HEART AND RENAL DISEASE (404)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4	3
TOTALS	11	0	0	0	0	0	0	0	0	0	0	0	0	2	1	5	3
ACUTE MYOCARDIAL INFARCTION (410)																	
MALE	811	0	0	0	0	0	0	2	19	61	62	85	114	119	157	96	96
FEMALE	652	0	0	0	0	0	0	0	4	20	20	33	48	96	111	130	190
TOTALS	1,463	0	0	0	0	0	0	2	23	81	82	118	162	215	268	226	286
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)																	
MALE	22	0	0	0	0	0	0	1	0	2	3	5	4	4	1	1	1
FEMALE	8	0	0	0	0	0	0	0	0	1	1	0	0	2	0	1	3
TOTALS	30	0	0	0	0	0	0	1	0	3	4	5	4	6	1	2	4
ANGINA PECTORIS (413)																	
MALE	7	0	0	0	0	0	0	0	0	1	0	1	1	1	0	2	1
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	1
TOTALS	11	0	0	0	0	0	0	0	0	1	0	1	3	2	0	2	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)																	
MALE	668	0	0	0	0	0	0	1	6	28	39	39	73	100	124	95	163
FEMALE	719	0	0	0	0	0	0	0	2	11	14	22	50	47	96	147	330
TOTALS	1,387	0	0	0	0	0	0	1	8	39	53	61	123	147	220	242	493
DISEASES OF PULMONARY CIRCULATION (415-417)																	
MALE	32	1	0	0	0	0	1	0	1	4	3	4	3	4	4	2	5
FEMALE	37	0	0	0	0	0	0	0	2	2	1	2	4	8	4	7	7
TOTALS	69	1	0	0	0	0	1	0	3	6	4	6	7	12	8	9	12
ACUTE AND SUBACUTE ENDOCARDITIS (421)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
ACUTE PERICARDITIS, ACUTE MYOCARDITIS AND OTHER DISEASES OF PERICARDIUM (420,422-423)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
FEMALE	2	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
TOTALS	3	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	
MITRAL VALVE DISORDERS (424.0)																		
MALE	5	0	0	0	0	0	0	0	0	0	0	0	1	1	3	0	0	
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	2	
TOTALS	11	0	0	0	0	0	0	0	0	0	0	0	1	3	3	2	2	
AORTIC VALVE DISORDERS (424.1)																		
MALE	22	0	0	0	0	0	0	0	1	1	1	0	4	1	5	4	5	
FEMALE	25	0	0	0	0	0	0	0	0	0	1	0	2	3	3	5	11	
TOTALS	47	0	0	0	0	0	0	0	1	1	2	0	6	4	8	9	16	
ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)																		
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	
FEMALE	11	0	0	0	0	0	0	0	0	1	0	0	0	0	1	4	5	
TOTALS	15	0	0	0	0	0	0	0	0	1	0	0	0	1	3	4	6	
HEART FAILURE (428)																		
MALE	85	0	1	0	0	0	0	0	0	3	2	1	6	12	13	13	34	
FEMALE	128	0	0	0	0	0	0	0	1	2	1	2	5	9	9	23	76	
TOTALS	213	0	1	0	0	0	0	0	1	5	3	3	11	21	22	36	110	
MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)																		
MALE	4	0	0	0	0	0	0	0	0	2	0	1	0	1	0	0	0	
FEMALE	3	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	2	
TOTALS	7	0	0	0	0	0	0	1	0	2	0	1	0	1	0	0	2	
ALL OTHER FORMS OF HEART DISEASE (425-427,429.2-429.9)																		
MALE	377	3	0	1	0	0	0	4	8	28	21	31	51	47	50	58	75	
FEMALE	414	2	0	0	0	0	0	2	6	6	11	13	17	37	56	69	195	
TOTALS	791	5	0	1	0	0	0	6	14	34	32	44	68	84	106	127	270	
SUBARACHNOID HEMORRHAGE (430)																		
MALE	10	0	0	0	0	0	0	3	1	2	1	0	1	2	0	0	0	
FEMALE	17	0	0	0	0	0	1	0	2	2	1	2	1	2	2	3	1	
TOTALS	27	0	0	0	0	0	1	3	3	4	2	2	2	4	2	3	1	
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)																		
MALE	51	0	0	1	0	0	0	1	2	2	3	4	3	13	9	8	5	
FEMALE	61	0	0	0	0	0	0	1	0	2	6	4	2	11	15	8	12	
TOTALS	112	0	0	1	0	0	0	2	2	4	9	8	5	24	24	16	17	
OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
FEMALE	6	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	4	
TOTALS	7	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	4	
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)																		
MALE	40	0	0	0	0	0	0	0	0	2	2	1	2	3	6	12	12	
FEMALE	47	0	0	0	0	0	0	0	1	0	0	2	1	3	6	11	23	
TOTALS	87	0	0	0	0	0	0	0	1	2	2	3	3	6	12	23	35	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
CEREBRAL EMBOLISM (434.1)																		
MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	2	
ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)																		
MALE	153	0	0	0	0	0	0	0	0	1	2	8	15	19	35	32	41	
FEMALE	268	0	0	0	0	0	0	0	1	1	0	3	8	20	37	65	133	
TOTALS	421	0	0	0	0	0	0	0	1	2	2	11	23	39	72	97	174	
OTHER CEREBROVASCULAR DISEASE (435,437-438)																		
MALE	42	0	0	0	0	0	0	0	0	0	0	1	2	1	8	7	23	
FEMALE	57	0	0	0	0	0	0	0	0	0	0	0	2	2	6	10	37	
TOTALS	99	0	0	0	0	0	0	0	0	0	0	1	4	3	14	17	60	
ATHEROSCLEROSIS (440)																		
MALE	57	0	0	0	0	0	0	0	0	1	1	3	4	6	8	9	25	
FEMALE	112	0	0	0	0	0	0	0	0	0	0	0	4	6	5	23	74	
TOTALS	169	0	0	0	0	0	0	0	0	1	1	3	8	12	13	32	99	
AORTIC ANEURYSM (441)																		
MALE	70	0	0	0	0	0	0	0	1	1	3	5	9	12	17	14	8	
FEMALE	45	0	0	0	0	0	0	0	0	1	1	1	6	2	4	9	21	
TOTALS	115	0	0	0	0	0	0	0	1	2	4	6	15	14	21	23	29	
ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)																		
MALE	19	0	0	1	0	0	0	0	1	0	2	2	1	4	1	3	4	
FEMALE	19	0	0	0	0	0	0	0	0	0	1	0	2	1	7	0	8	
TOTALS	38	0	0	1	0	0	0	0	1	0	3	2	3	5	8	3	12	
PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)																		
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	0	0	4	2	0	
OTHER DISEASES OF VEINS, LYMPHATICS, AND CIRCULATORY SYSTEM (454-459)																		
MALE	9	0	0	0	0	0	0	0	0	0	0	2	1	0	2	3	1	
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	5	
TOTALS	16	0	0	0	0	0	0	0	0	0	0	2	1	2	2	3	6	
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)																		
MALE	5	1	2	1	0	0	0	0	0	0	0	0	0	1	0	0	0	
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	
TOTALS	9	1	2	1	0	0	0	0	0	0	0	0	1	2	1	0	1	
OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	4	
TOTALS	8	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	5	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
VIRAL PNEUMONIA (480)																		
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	
PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)																		
MALE	12	0	0	0	0	0	0	0	0	0	2	2	1	1	1	0	5	
FEMALE	12	0	0	0	0	0	0	0	0	1	2	0	2	0	1	3	3	
TOTALS	24	0	0	0	0	0	0	0	0	1	4	2	3	1	2	3	8	
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)																		
MALE	13	2	0	0	0	0	0	0	0	1	0	0	2	2	4	1	1	
FEMALE	17	0	0	0	0	0	0	0	0	0	1	1	0	0	3	1	11	
TOTALS	30	2	0	0	0	0	0	0	0	1	1	1	2	2	7	2	12	
PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)																		
MALE	127	0	0	0	0	0	0	0	2	3	3	5	12	11	16	27	48	
FEMALE	170	0	0	0	0	1	0	0	0	1	1	3	5	9	23	29	98	
TOTALS	297	0	0	0	0	1	0	0	2	4	4	8	17	20	39	56	146	
INFLUENZA (487)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	
FEMALE	7	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2	3	
TOTALS	9	0	0	0	0	0	0	0	0	0	0	1	0	0	2	3	3	
BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
CHRONIC BRONCHITIS (491)																		
MALE	11	0	0	0	0	0	0	0	0	1	0	0	1	1	3	1	4	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	2	
TOTALS	16	0	0	0	0	0	0	0	0	1	0	0	2	1	5	1	6	
EMPHYSEMA (492)																		
MALE	61	0	0	0	0	0	0	0	0	1	2	8	14	9	12	9	6	
FEMALE	18	0	0	0	0	0	0	0	0	1	0	2	5	2	2	2	4	
TOTALS	79	0	0	0	0	0	0	0	0	2	2	10	19	11	14	11	10	
ASTHMA (493)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	
FEMALE	15	0	0	0	0	0	0	0	1	2	2	0	2	3	2	1	2	
TOTALS	17	0	0	0	0	0	0	0	1	2	2	0	2	5	2	1	2	
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)																		
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
FEMALE	2	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	
TOTALS	3	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	0	
CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)																		
MALE	217	0	0	0	0	0	0	0	2	4	9	15	32	30	54	37	34	
FEMALE	124	0	0	0	0	0	0	0	2	5	8	10	12	16	28	19	24	
TOTALS	341	0	0	0	0	0	0	0	4	9	17	25	44	46	82	56	58	
PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)																		
MALE	16	0	0	0	0	0	0	0	0	0	0	0	0	0	3	9	4	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
FEMALE	13	0	0	0	0	0	0	0	1	0	0	0	0	0	1	4	7
TOTALS	29	0	0	0	0	0	0	0	1	0	0	0	0	0	4	13	11
PLEURISY (511)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)																	
MALE	42	0	0	0	0	0	0	0	0	3	0	2	7	7	7	5	11
FEMALE	36	1	0	0	0	0	0	0	0	2	3	0	4	3	7	7	9
TOTALS	78	1	0	0	0	0	0	0	0	5	3	2	11	10	14	12	20
DISEASES OF ORAL CAVITY, SALIVARY GLANDS AND JAWS (520-529)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
GASTRIC ULCER (531)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	0	1	4	0	0
FEMALE	5	0	0	0	0	0	0	0	0	1	0	0	1	0	2	0	1
TOTALS	10	0	0	0	0	0	0	0	0	1	0	0	1	1	6	0	1
DUODENAL ULCER (532)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	2
FEMALE	8	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	5
TOTALS	13	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2	7
PEPTIC ULCER, SITE UNSPECIFIED (533)																	
MALE	10	0	0	0	0	0	0	0	0	0	0	2	3	2	0	1	2
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	2
TOTALS	15	0	0	0	0	0	0	0	0	0	0	2	3	3	2	1	4
GASTRITIS AND DUODENITIS (535)																	
MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
TOTALS	4	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	2
APPENDICITIS (540-543)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)																	
MALE	9	0	0	0	0	0	0	0	0	0	0	1	2	2	2	1	1
FEMALE	26	0	0	0	0	0	0	0	1	0	0	1	1	2	1	7	13
TOTALS	35	0	0	0	0	0	0	0	1	0	0	2	3	4	3	8	14
REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2
ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)																	
MALE	9	0	0	0	0	0	0	0	0	0	0	2	2	1	0	0	4
FEMALE	17	0	0	0	1	0	0	0	0	1	1	0	1	4	2	3	4
TOTALS	26	0	0	0	1	0	0	0	0	1	1	2	3	5	2	3	8

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
DIVERTICULA OF INTESTINE (562)																		
MALE	10	0	0	0	0	0	0	0	0	0	0	1	1	1	4	1	2	
FEMALE	15	0	0	0	0	0	0	0	0	0	0	0	0	2	1	3	9	
TOTALS	25	0	0	0	0	0	0	0	0	0	0	1	1	3	5	4	11	
CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)																		
MALE	45	0	0	0	0	0	0	0	2	13	11	6	5	4	2	2	0	
FEMALE	12	0	0	0	0	0	0	0	1	3	3	2	1	1	1	0	0	
TOTALS	57	0	0	0	0	0	0	0	3	16	14	8	6	5	3	2	0	
CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)																		
FEMALE	6	0	0	0	0	0	0	0	0	0	0	1	2	1	1	1	0	
TOTALS	6	0	0	0	0	0	0	0	0	0	0	1	2	1	1	1	0	
CIRRHOSIS OF LIVER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)																		
MALE	41	0	0	0	0	0	0	0	1	6	5	7	7	8	3	3	1	
FEMALE	27	0	0	0	0	0	0	0	0	0	2	4	4	5	5	5	2	
TOTALS	68	0	0	0	0	0	0	0	1	6	7	11	11	13	8	8	3	
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)																		
MALE	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	
FEMALE	12	0	0	0	0	0	0	1	0	0	0	1	0	0	3	2	5	
TOTALS	14	0	0	0	0	0	0	2	0	0	0	1	0	0	3	3	5	
ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)																		
MALE	52	0	0	0	0	0	0	1	3	2	7	1	2	8	8	11	9	
FEMALE	74	0	0	0	0	0	0	1	1	1	2	3	5	4	6	17	34	
TOTALS	126	0	0	0	0	0	0	2	4	3	9	4	7	12	14	28	43	
NEPHROTIC SYNDROME (581)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, AND RENAL SCLEROSIS (582-583,587)																		
MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	
RENAL FAILURE (584-586,588-589)																		
MALE	52	1	0	0	0	0	0	0	0	0	2	1	3	9	14	10	12	
FEMALE	46	0	0	0	0	0	0	0	2	0	1	1	2	3	5	14	18	
TOTALS	98	1	0	0	0	0	0	0	2	0	3	2	5	12	19	24	30	
INFECTIONS OF KIDNEY (590)																		
MALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	
URINARY CALCULUS (592,594)																		
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	
ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)																		
MALE	24	0	0	0	0	0	0	0	0	1	0	2	2	3	2	2	12	
FEMALE	24	0	0	0	0	0	0	0	0	1	0	0	1	0	1	9	12	
TOTALS	48	0	0	0	0	0	0	0	0	2	0	2	3	3	3	11	24	
HYPERPLASIA OF PROSTATE (600)																		
MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	
OTHER DISEASES OF MALE GENITAL ORGANS (601-608)																		
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
OTHER DISEASES OF FEMALE GENITAL ORGANS (614-629)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)																		
MALE	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1	
TOTALS	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1	
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES (714)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
FEMALE	8	0	0	0	0	0	0	0	0	0	0	0	1	1	0	3	3	
TOTALS	9	0	0	0	0	0	0	0	0	0	0	0	1	1	0	4	3	
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)																		
MALE	8	0	0	0	0	0	0	0	0	0	2	2	1	2	0	1	0	
FEMALE	12	0	0	0	0	1	0	0	1	0	0	0	0	2	3	1	4	
TOTALS	20	0	0	0	0	1	0	0	1	0	2	2	1	4	3	2	4	
DORSOPATHIES (720-724)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
RHEUMATISM, EXCLUDING THE BACK (725-729)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	1	
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	3	0	1	0	2	
OSTEOPATHIES, CHONDROPATHIES AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)																		
FEMALE	8	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	5	
TOTALS	8	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	5	
SPINA BIFIDA (741)																		
MALE	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)																		
MALE	5	2	0	2	0	0	0	0	0	0	0	0	0	0	1	0	0	
FEMALE	4	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	9	4	2	2	0	0	0	0	0	0	0	0	0	0	1	0	0	
CONGENITAL ANOMALIES OF HEART (745-746)																		
MALE	6	2	0	0	0	0	1	0	0	0	1	0	1	0	1	0	0	
FEMALE	13	3	0	0	0	2	0	1	0	2	2	0	0	1	1	1	0	
TOTALS	19	5	0	0	0	2	1	1	0	2	3	0	1	1	2	1	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)																		
MALE	7	3	1	0	0	0	0	0	0	1	0	0	1	1	0	0	0	
FEMALE	3	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	
TOTALS	10	4	1	0	0	0	0	0	1	1	0	0	1	1	0	0	1	
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)																		
MALE	19	17	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
FEMALE	12	6	0	0	0	0	0	1	1	1	0	0	0	0	1	1	1	
TOTALS	31	23	1	0	0	0	0	1	1	2	0	0	0	0	1	1	1	
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA AND RESPIRATORY DISTRESS SYNDROME (768-769)																		
MALE	7	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
FEMALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	10	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)																		
MALE	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
FEMALE	19	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	39	39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)																		
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	
SYMPTOMS, SIGNS AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)																		
MALE	44	18	2	0	0	0	1	0	3	3	0	1	1	1	6	3	5	
FEMALE	32	6	0	0	0	1	1	1	0	1	0	0	2	2	2	6	10	
TOTALS	76	24	2	0	0	1	2	1	3	4	0	1	3	3	8	9	15	
RAILWAY ACCIDENTS (E800-E807)																		
MALE	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH TRAIN (E810)																		
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)																		
MALE	60	1	0	0	1	5	7	9	8	4	2	4	4	5	4	3	3	
FEMALE	29	1	1	0	0	3	2	5	1	2	1	2	0	4	4	1	2	
TOTALS	89	2	1	0	1	8	9	14	9	6	3	6	4	9	8	4	5	
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH PEDESTRIAN (E814)																		
MALE	18	0	0	0	1	0	0	3	2	2	1	2	2	2	1	2	0	
FEMALE	9	0	0	0	2	0	0	1	1	0	1	0	2	1	1	0	0	
TOTALS	27	0	0	0	3	0	0	4	3	2	2	2	4	3	2	2	0	
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)																		
MALE	15	0	0	0	1	3	4	5	2	0	0	0	0	0	0	0	0	
FEMALE	7	0	0	0	0	0	0	3	1	0	0	1	0	0	2	0	0	
TOTALS	22	0	0	0	1	3	4	8	3	0	0	1	0	0	2	0	0	
MOTOR VEHICLE TRAFFIC ACCIDENTS NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)																		
MALE	58	0	1	0	0	13	20	12	4	1	1	2	1	1	2	0	0	
FEMALE	14	0	0	0	0	3	2	2	1	4	0	0	1	0	1	0	0	
TOTALS	72	0	1	0	0	16	22	14	5	5	1	2	2	1	3	0	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX:	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
MOTOR VEHICLE TRAFFIC ACCIDENTS OF UNSPECIFIED NATURE (E819)																		
MALE	3	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0	0	
FEMALE	2	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
TOTALS	5	0	1	0	0	0	1	2	0	0	0	0	0	0	1	0	0	
MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)																		
MALE	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	
OTHER ROAD VEHICLE ACCIDENTS (E826-E829)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	
WATER TRANSPORT ACCIDENTS (E830-E838)																		
MALE	6	0	0	0	0	1	1	3	0	0	1	0	0	0	0	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
TOTALS	7	0	0	0	0	1	1	3	0	0	1	1	0	0	0	0	0	
AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)																		
MALE	2	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	
ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS (E850-E858)																		
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	
ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)																		
MALE	2	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	
ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)																		
MALE	3	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	4	0	0	0	0	0	1	1	0	0	0	0	0	0	0	2	0	
MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)																		
MALE	6	0	0	0	0	0	0	0	0	1	2	0	0	1	0	1	1	
FEMALE	8	0	0	0	0	0	0	0	0	0	1	2	1	0	1	2	1	
TOTALS	14	0	0	0	0	0	0	0	0	1	3	2	1	1	1	3	2	
FALL FROM ONE LEVEL TO ANOTHER (E880-E884)																		
MALE	6	0	0	0	0	0	0	0	1	0	0	1	3	0	1	0	0	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	2	1	0	2	0	
TOTALS	11	0	0	0	0	0	0	0	1	0	0	1	5	1	1	2	0	
FALL ON SAME LEVEL (E885-E886)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)																		
MALE	11	0	0	0	0	0	0	0	0	1	0	0	1	1	1	1	6	
FEMALE	22	0	0	0	0	0	1	0	0	0	2	0	0	1	2	3	13	
TOTALS	33	0	0	0	0	0	1	0	0	1	2	0	1	2	3	4	19	
ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)																		
MALE	16	1	4	0	0	0	1	1	4	1	0	1	0	0	1	2	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
FEMALE	17	0	3	2	1	1	2	2	0	0	0	0	1	2	2	0	1	
TOTALS	33	1	7	2	1	1	3	3	4	1	0	1	1	2	3	2	1	
ACCIDENTAL DROWNING AND SUBMERSION (E910)																		
MALE	7	0	0	0	1	1	0	0	2	0	1	1	0	1	0	0	0	
FEMALE	2	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	
TOTALS	9	0	0	1	1	1	1	0	2	0	1	1	0	1	0	0	0	
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING SUFFOCATION (E911-E912)																		
MALE	15	1	0	0	0	0	0	0	0	0	1	2	0	1	2	4	4	
FEMALE	12	0	0	0	0	0	0	0	0	0	0	1	0	3	2	1	5	
TOTALS	27	1	0	0	0	0	0	0	0	0	1	3	0	4	4	5	9	
ACCIDENT CAUSED BY HANDGUN (E922.0)																		
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
ACCIDENT CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS (E922.1-E922.9)																		
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
ACCIDENT CAUSED BY EXPLOSIVE MATERIAL (E923)																		
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	
ACCIDENT CAUSED BY ELECTRIC CURRENT (E925)																		
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	
ALL OTHER ACCIDENTS (E900-E906,E908-E909,E913-E921,E927-E929)																		
MALE	24	0	0	0	1	1	1	5	5	3	2	3	0	0	0	0	3	
FEMALE	8	1	0	0	0	0	0	1	0	0	0	0	1	0	2	1	2	
TOTALS	32	1	0	0	1	1	1	6	5	3	2	3	1	0	2	1	5	
SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)																		
MALE	11	0	0	0	0	0	1	3	1	1	3	1	1	0	0	0	0	
FEMALE	12	0	0	0	0	0	0	4	2	0	1	1	2	1	0	0	1	
TOTALS	23	0	0	0	0	0	1	7	3	1	4	2	3	1	0	0	1	
SUICIDE BY OTHER SOLID OR LIQUID SUBSTANCES (E950.6-E950.9)																		
MALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
SUICIDE BY GASES AND VAPORS (E951-E952)																		
MALE	8	0	0	0	0	0	1	4	1	1	0	0	0	0	0	1	0	
FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
TOTALS	9	0	0	0	0	0	1	4	2	1	0	0	0	0	0	1	0	
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)																		
MALE	27	0	0	0	0	2	5	6	1	5	2	1	3	1	0	0	1	
FEMALE	3	0	0	0	0	0	0	1	0	0	0	0	0	1	1	0	0	
TOTALS	30	0	0	0	0	2	5	7	1	5	2	1	3	2	1	0	1	
SUICIDE BY HANDGUN (E955.0)																		
MALE	21	0	0	0	0	0	3	8	5	2	0	0	0	0	1	1	1	
TOTALS	21	0	0	0	0	0	3	8	5	2	0	0	0	0	1	1	1	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)																		
MALE	71	0	0	0	2	7	5	13	9	9	6	3	5	4	2	4	2	
FEMALE	5	0	0	0	0	0	0	1	2	1	0	0	1	0	0	0	0	
TOTALS	76	0	0	0	2	7	5	14	11	10	6	3	6	4	2	4	2	
SUICIDE BY ALL OTHER MEANS (E954,E955.5-E959)																		
MALE	4	0	0	0	0	0	0	3	0	0	0	0	0	1	0	0	0	
FEMALE	3	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0	
TOTALS	7	0	0	0	0	0	0	3	0	1	0	1	0	2	0	0	0	
ASSAULT BY HANDGUN (E965.0)																		
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)																		
MALE	10	0	0	0	0	0	3	2	2	3	0	0	0	0	0	0	0	
FEMALE	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	
TOTALS	12	0	0	0	0	0	4	3	2	3	0	0	0	0	0	0	0	
ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)																		
MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	
ASSAULT BY ALL OTHER MEANS (E960-E964,E965.5-E965.9,E967-E969)																		
MALE	4	0	0	0	0	1	0	0	0	1	0	0	0	1	0	1	0	
FEMALE	4	0	0	0	0	1	0	0	2	1	0	0	0	0	0	0	0	
TOTALS	8	0	0	0	0	2	0	0	2	2	0	0	0	1	0	1	0	
INJURY INFLICTED FROM POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS (E980.0-E980.5)																		
MALE	5	0	0	0	0	1	0	1	1	1	0	0	1	0	0	0	0	
FEMALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	6	0	0	0	0	2	0	1	1	1	0	0	1	0	0	0	0	
INJURY INFLICTED BY ALL OTHER MEANS (E981-E984,E985.5-E989)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
FEMALE	2	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	
TOTALS	4	0	0	0	0	0	2	0	0	0	0	0	0	0	1	0	1	
INJURY RESULTING FROM OPERATIONS OF WAR (E990-E999)																		
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
STATE																		
MALE	5,731	84	21	9	9	43	64	124	160	333	336	488	694	799	932	738	897	
FEMALE	5,507	52	10	5	6	17	18	47	89	196	197	312	421	567	778	935	1,857	
TOTALS	11,238	136	31	14	15	60	82	171	249	529	533	800	1,115	1,366	1,710	1,673	2,754	
PERCENT DISTRIBUTION																		
MALE	100.00	1.47	0.37	0.16	0.16	0.75	1.12	2.16	2.79	5.81	5.86	8.52	12.11	13.94	16.26	12.88	15.65	
FEMALE	100.00	0.94	0.18	0.09	0.11	0.31	0.33	0.85	1.62	3.56	3.58	5.67	7.64	10.30	14.13	16.98	33.72	
TOTALS	100.00	1.21	0.28	0.12	0.13	0.53	0.73	1.52	2.22	4.71	4.74	7.12	9.92	12.16	15.22	14.89	24.51	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-4

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS
AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
SHIGELLOSIS & AMEBIASIS (004,006)	0	0	0.000
OTHER INTESTINAL INFECTIONS (007-009)	4	7	1.750
TUBERCULOSIS OF RESP. SYSTEM (010-012)	3	8	2.666
OTHER TUBERCULOSIS (013-018)	2	5	2.500
WHOOPING COUGH (033)	0	0	0.000
STREP., SCARLATINA & ERYSIPELAS (034-035)	0	0	0.000
MENINGOCOCCAL INFECTION (036)	1	1	1.000
SEPTICEMIA (038)	85	390	4.588
ACUTE POLIOMYELITIS (045)	0	0	0.000
MEASLES (055)	0	0	0.000
VIRAL HEPATITIS (070)	3	3	1.000
SYPHILIS (090-097)	2	11	5.500
ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL)	24	57	2.375
MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149)	51	61	1.196
MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159)	660	777	1.177
MAL. NEO. RESPIRATORY & THORACIC ORG. (160-165)	733	814	1.110
MAL. NEO. BREAST (174-175)	194	261	1.345
MAL. NEO. GENITAL ORGANS (179-187)	293	371	1.266
MAL. NEO. URINARY ORGANS (188-189)	158	192	1.215
MAL. NEO. ALL OTHER & UNSPEC. (170-173, 190-199)	353	659	1.866
LEUKEMIA (204-208)	99	119	1.202
OTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203)	142	170	1.197
BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239)	46	82	1.782
DIABETES MELLITUS (250)	202	883	4.371
NUTRITIONAL DEFICIENCIES (260-269)	23	183	7.956
ANEMIAS (280-285)	18	216	12.000
MENINGITIS (320-322)	5	9	1.800
RHEUM. FEVER & RHEUM. HEART DIS. (390-398)	22	49	2.227
HYPERTENSIVE HEART DISEASE (402)	61	163	2.672
HYPERTENSIVE HEART & RENAL DIS. (404)	23	31	1.347
ACUTE MYOCARDIAL INFARCTION (410)	1,463	1,615	1.103
OTHER ACUTE & SUBACUTE I.H.D. (411)	30	68	2.266
ANGINA PECTORIS (413)	11	77	7.000
ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414)	1,387	2,508	1.808
OTHER DISEASES OF ENDOCARDIUM (424)	73	166	2.273
ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429)	1,085	4,400	4.055
HYPERTENSION W/WO RENAL DISEASE (401, 403)	50	566	11.320
INTRACEREBRAL HEMORRHAGE (431-432)	112	149	1.330
CEREB. THROM. & UNSPEC. OCCLUSION (434.0, 434.9)	87	147	1.689

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

* SEE THE NOTES AT THE END OF THIS TABLE.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-4

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS
AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
CEREBRAL EMBOLISM (434.1)	6	15	2.500
ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438)	554	1,047	1.889
ATHEROSCLEROSIS (440)	169	675	3.994
OTHER DIS. ARTERIES & CAPIL. (441-448)	153	296	1.934
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	8	21	2.625
PNEUMONIA (480-486)	354	964	2.723
INFLUENZA (487)	9	17	1.888
BRONCHITIS CHRONIC & UNSPEC. (490-491)	18	46	2.555
EMPHYSEMA (492)	79	190	2.405
ASTHMA (493)	17	54	3.176
OTHER CHRONIC OBSTR. PUL. DIS. (494-496)	344	911	2.648
ULCER OF STOMACH & DUODENUM (531-533)	38	91	2.394
APPENDICITIS (540-543)	1	3	3.000
HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560)	35	110	3.142
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	131	186	1.419
CHOLELITHIASIS & GALLBLAD. DIS. (574-575)	14	39	2.785
ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581)	1	5	5.000
CHRON. GLOMERUL. & RENAL SCLEO. UNSPEC. (582-583, 587)	2	9	4.500
RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589)	98	525	5.357
INFECTIONS OF KIDNEY (590)	5	13	2.600
HYPERPLASIA OF PROSTATE ALL (600)	3	15	5.000
PREGNANCY WITH ABORTIVE OUTCOME (630-638)	0	0	0.000
OTHER COMPLICATIONS OF PREG. (640-676)	0	0	0.000
CONGENITAL ANOMALIES (740-759)	72	100	1.388
BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769)	10	22	2.200
OTHER COND. IN PERINATAL PERIOD (760-766, 770-779)	39	67	1.717
SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799)	81	2,231	27.543
ALL OTHER DISEASES (RESIDUAL)	887	3,348	3.774
MOTOR VEHICLE ACCIDENTS (E810-E825)	218	220	1.009
OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949)	186	520	2.795
SUICIDE (E950-E959)	167	168	1.005
HOMICIDE & LEGAL INTERVENTION (E960-E978)	23	24	1.043
ALL OTHER EXTERNAL CAUSES (E980-E999)	11	11	1.000
 TOTAL FOR ALL CAUSES	 11,238	 27,161	 2.416

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

* FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS. IN ADDITION CERTAIN CAUSES ARE NEVER CLASSIFIABLE AS UNDERLYING. MENTIONS OF THESE CAUSES ARE NOT INCLUDED IN THIS TABLE. MENTIONS OF CAUSES NOT CLASSIFIABLE AS UNDERLYING ARE AS FOLLOWS:

NATURE OF INJURY MENTIONS: 1272; SECONDARY NEOPLASM MENTIONS 458
SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-5

DEATHS - TOTAL AND PERCENT BY SITE OF DEATH
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY	TOTAL DEATHS	***** PERCENT OF TOTAL DEATHS BY SITE OF DEATH *****								
		MAINE HOSPITAL	OUT OF STATE HOSPITAL	EN ROUTE TO HOSPITAL	SKILLED NURSING CARE	INTERMEDIATE CARE FACILITY	STATE PENAL INSTITUTIONS	OUT PATIENT FACILITY	AT HOME	OTHER PLACES
ANDROSCOGGIN	1,032	52.13	1.36	0.58	2.71	27.62	0.10	0.00	12.69	2.81
ARDOOSTOOK	777	57.14	1.67	1.80	0.39	20.33	0.00	0.13	14.41	4.12
CUMBERLAND	2,096	54.63	1.43	1.00	0.33	22.85	0.00	0.00	17.03	2.72
FRANKLIN	222	53.60	1.35	0.45	0.00	21.17	0.00	0.00	17.12	6.31
HANCOCK	503	48.51	0.60	0.99	0.00	23.46	0.00	0.00	23.26	3.18
KENNEBEC	1,075	50.60	1.30	1.67	0.56	22.98	0.00	0.09	20.28	2.51
KNOX	400	49.75	1.00	3.75	0.25	27.00	0.25	0.00	15.25	2.75
LINCOLN	305	51.48	2.62	1.31	0.00	20.66	0.00	0.00	21.64	2.30
OXFORD	577	47.14	2.43	0.69	0.69	27.73	0.00	0.00	16.81	4.51
PENOBSCOT	1,219	52.75	1.31	3.04	0.00	20.18	0.00	0.00	19.03	3.69
PISCATAQUIS	223	48.88	0.90	1.35	0.00	26.46	0.00	0.00	16.59	5.83
SAGadahoc	295	52.20	1.02	1.69	0.34	17.63	0.00	0.00	21.36	5.76
SOMERSET	434	49.31	1.61	2.76	0.00	21.66	0.00	0.00	20.97	3.69
WALDO	282	47.52	1.42	1.42	0.00	15.96	0.00	0.00	29.43	4.26
WASHINGTON	424	54.01	0.71	1.42	0.00	21.23	0.00	0.00	18.63	4.01
YORK	1,374	51.09	9.68	2.91	0.07	17.69	0.00	0.00	15.50	3.06
STATE TOTALS	11,238	52.03	2.41	1.74	0.45	22.19	0.02	0.02	17.75	3.39

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-6

DEATHS IN HOSPITALS - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN HOSPITALS	***** PERCENT OF TOTAL DEATHS OCCURRING IN HOSPITALS *****								
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS * MOTOR VEHICLE (E800- E825)	OTHER (E807)
ANDROSCOGGIN	558	5.73	5.38	13.80	14.52	1.25	0.72	1.79	1.43	1.08
AROOSTOOK	470	5.74	7.87	18.09	11.06	1.70	0.85	2.98	1.49	2.34
CUMBERLAND	1,195	7.11	7.62	11.80	10.79	1.26	0.59	1.76	0.92	1.17
FRANKLIN	123	12.20	6.50	13.82	8.94	1.63	1.63	4.07	1.63	0.81
HANCOCK	251	6.37	7.17	18.33	5.18	2.39	0.40	3.19	1.20	0.80
KENNEBEC	576	5.73	7.99	17.71	13.37	1.56	0.52	2.60	1.56	1.91
KNOX	218	6.42	7.80	17.89	8.72	2.29	0.46	2.75	0.46	1.38
LINCOLN	169	3.55	10.06	17.16	10.06	1.18	0.00	3.55	2.96	0.59
OXFORD	290	9.31	8.28	20.34	10.00	1.38	1.03	2.07	1.38	1.38
PENOBSCOT	696	5.46	7.76	13.79	9.63	1.72	0.72	3.45	1.44	2.30
PISCATAQUIS	114	7.89	7.89	11.40	6.14	0.88	0.88	3.51	0.88	1.75
SAGadahoc	162	4.94	8.64	15.43	13.58	1.85	0.00	4.94	2.47	1.23
SOMERSET	232	7.33	7.76	14.22	6.47	1.29	0.43	3.45	1.72	1.72
WALDO	142	8.45	7.04	9.86	9.86	0.00	0.70	4.93	0.70	2.11
WASHINGTON	236	7.63	4.66	18.22	4.66	1.27	0.85	2.54	1.69	1.27
YORK	875	4.23	7.43	17.26	9.83	1.49	0.57	1.60	2.51	1.94
STATE TOTALS	6,307	6.25	7.44	15.38	10.31	1.47	0.63	2.57	1.52	1.59

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-7

DEATHS IN INTERMEDIATE CARE FACILITIES - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN ICF	***** CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	***** PERCENT OF CANCER OF RESPIRATORY SYSTEM (160-165)	TOTAL DEATHS OCCURRING IN INTERMEDIATE CARE FACILITIES ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS * MOTOR VEHICLE (E810- E825)	OTHER (E800- E807)
ANDROSCOGGIN	285	2.11	1.40	2.11	16.84	1.05	2.11	4.21	0.00	0.35
AROOSTOOK	158	3.80	1.27	10.76	24.68	1.27	0.00	5.70	0.00	0.00
CUMBERLAND	479	3.34	1.46	5.22	18.37	1.04	3.97	4.59	0.00	0.42
FRANKLIN	47	4.26	2.13	10.64	0.00	0.00	0.00	10.64	0.00	0.00
HANCOCK	118	3.39	2.54	6.78	11.02	0.00	1.69	9.32	0.00	0.00
KENNEBEC	247	6.07	3.64	6.07	20.24	0.81	1.62	6.88	0.00	0.40
KNOX	108	3.70	2.78	5.56	14.81	0.93	0.00	6.48	0.93	0.00
LINCOLN	63	1.59	1.59	4.76	12.70	0.00	3.17	17.46	0.00	0.00
OXFORD	160	2.50	5.63	8.75	20.63	0.00	1.88	6.25	0.00	0.00
PENOBSCOT	246	3.66	2.03	4.07	10.57	0.41	0.81	8.54	0.00	1.22
PISCATAQUIS	59	3.39	0.00	5.08	6.78	0.00	0.00	6.78	0.00	3.39
SAGadahoc	52	1.92	0.00	9.62	21.15	0.00	0.00	7.69	0.00	0.00
SOMERSET	94	6.38	2.13	7.45	20.21	0.00	0.00	8.51	0.00	1.06
WALDO	45	11.11	6.67	4.44	4.44	0.00	2.22	2.22	0.00	0.00
WASHINGTON	90	5.56	4.44	3.33	12.22	0.00	2.22	5.56	0.00	0.00
YORK	243	3.70	2.88	9.88	18.52	0.00	0.41	4.12	0.00	0.00
STATE TOTALS	2,494	3.81	2.41	6.13	16.56	0.56	1.68	6.30	0.04	0.40

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-8

DEATHS AT HOME - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1987 (RESIDENT DATA)

COUNTY	TOTAL DEATHS AT HOME	***** CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	***** CANCER OF RESPIRATORY SYSTEM (160-165)	***** ACUTE MYOCARDIAL INFARCTION (410)	***** CHRONIC ISCHEMIC HEART DISEASE (411-414)	***** CEREBRAL HEMORRHAGE (431-432)	***** CEREBRAL THROMBOSIS (434.0, 434.9)	***** PNEUMONIA (480-486)	***** * ACCIDENTS * MOTOR VEHICLE (E800- (E810- E825)	***** OTHER (E800- E807)
ANDROSCOGGIN	131	7.63	6.87	15.27	32.06	0.00	0.00	0.00	0.76	0.76
AROSTOOK	112	9.82	7.14	11.61	12.50	0.89	0.00	0.00	0.89	6.25
CUMBERLAND	357	7.56	8.40	10.08	19.05	0.28	1.12	1.12	0.56	1.12
FRANKLIN	38	7.89	7.89	23.68	15.79	0.00	0.00	0.00	0.00	0.00
HANCOCK	117	7.69	7.69	19.66	14.53	0.00	0.00	0.85	0.00	3.42
KENNEBEC	218	10.55	6.42	15.14	15.14	0.92	0.00	1.83	0.92	0.92
KNOX	61	4.92	8.20	8.20	19.67	0.00	0.00	4.92	0.00	0.00
LINCOLN	66	6.06	12.12	13.64	19.70	0.00	0.00	0.00	0.00	0.00
OXFORD	97	11.34	7.22	11.34	14.43	0.00	0.00	3.09	0.00	2.06
PENOBSCOT	232	5.17	11.21	14.22	9.05	0.00	0.00	1.72	0.86	2.16
PISCATAQUIS	37	5.41	8.11	29.73	5.41	0.00	0.00	2.70	0.00	0.00
SAGadahoc	63	4.76	19.05	14.29	11.11	0.00	0.00	3.17	1.59	1.59
SOMERSET	91	5.49	9.89	16.48	18.68	0.00	0.00	1.10	1.10	3.30
WALDO	83	8.43	8.43	16.87	14.46	0.00	0.00	2.41	1.20	2.41
WASHINGTON	79	7.59	8.86	36.71	16.46	0.00	1.27	0.00	1.27	3.80
YORK	213	7.04	7.98	12.68	14.55	0.47	0.00	1.88	0.47	3.76
STATE TOTALS	1,995	7.57	8.72	14.89	16.14	0.25	0.25	1.45	0.65	2.11

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

INDUCED TERMINATIONS

TABLE A-2

INDUCED TERMINATIONS OF PREGNANCY BY GESTATION AND TYPE OF TERMINATION PROCEDURES
MAINE STATE TOTALS, 1987 (OCCURRENCE DATA)

TERMINATION PROCEDURES			***** WEEKS OF GESTATION *****														UNK
	TOTAL	PERCENT	LESS	9	10	11	12	13	14	15	16	17	18	19	GREATER		
PRIMARY PROCEDURE THAT	TERMINATIONS	DISTPIBUTION	THAN 9												THAN 19		
TERMINATED PREGNANCY																	
SUCTION CURETTAGE	4,732	99.27	2,193	683	532	297	206	158	231	163	104	62	1	0	0	102	
SHARP CURETTAGE	23	0.48	18	1	0	2	1	0	1	0	0	0	0	0	0	0	
SALINE INSTILLATION	1	0.02	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
PROSTAGLANDIN INSTILLATION	2	0.04	0	0	0	0	0	0	0	0	1	0	0	1	0	0	
HYSTEROTOMY	2	0.04	0	0	0	0	0	0	0	0	1	1	0	0	0	0	
HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OTHER	7	0.15	3	0	0	0	0	0	0	0	0	0	0	1	0	3	
STATE TOTALS	4,767		2,214	684	532	299	207	158	232	163	106	63	1	3	0	105	
PERCENT DISTRIBUTION		100.00	46.44	14.35	11.16	6.27	4.34	3.31	4.87	3.42	2.22	1.32	0.02	0.06	0.00	2.20	
ADDITIONAL PROCEDURES USED																	
NONE	1,732	36.32	978	271	216	102	64	9	8	2	2	1	1	1	0	77	
SUCTION CURETTAGE	11	0.23	9	0	0	2	0	0	0	0	0	0	0	0	0	0	
SHARP CURETTAGE	3,017	63.26	1,225	412	316	195	143	149	223	161	104	61	0	0	0	28	
SALINE INSTILLATION	4	0.08	3	1	0	0	0	0	0	0	0	0	0	0	0	0	
PROSTAGLANDIN INSTILLATION	2	0.04	0	0	0	0	0	0	0	0	0	1	0	1	0	0	
HYSTEROTOMY	1	0.02	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OTHER	2	0.04	0	1	0	0	0	0	1	0	0	0	0	0	0	0	
STATE TOTALS	4,769		2,215	685	532	299	207	158	232	163	106	63	1	3	0	105	
PERCENT DISTRIBUTION		100.00	46.45	14.36	11.16	6.27	4.34	3.31	4.86	3.42	2.22	1.32	0.02	0.06	0.00	2.20	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-3

INDUCED TERMINATIONS OF PREGNANCY BY GESTATION, AGE OF PATIENT, AND RACE
MAINE STATE TOTALS, 1987 (RESIDENT DATA)*

AGE OF PATIENT(YRS.)	TOTAL TERMINATIONS	PERCENT DISTRIBUTION	***** WEEKS OF GESTATION *****													GREATER THAN 19	UNKNOWN
			LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19			
LESS THAN 15	17	0.46	10	0	1	3	1	1	1	0	0	0	0	0	0	0	
15	67	1.81	24	13	10	7	5	2	3	2	1	0	0	0	0	0	
16	124	3.35	41	19	19	11	8	8	6	6	2	1	0	0	0	3	
17	186	5.03	76	33	26	8	11	6	6	7	4	6	0	0	0	3	
18	289	7.82	138	51	31	16	15	5	15	3	6	2	0	0	0	7	
19	287	7.76	114	44	41	22	20	10	15	8	2	2	0	0	0	9	
20-24	1,280	34.61	661	178	171	81	42	17	51	24	16	10	1	0	0	28	
25-29	752	20.34	409	119	81	48	30	18	12	8	6	2	0	1	0	18	
30-34	402	10.87	223	67	47	26	9	10	2	1	3	0	0	0	0	14	
35-39	172	4.65	102	31	16	2	5	2	3	1	0	1	0	2	0	7	
40-44	58	1.57	35	10	4	2	3	2	0	1	1	0	0	0	0	0	
GREATER THAN 44	6	0.16	3	1	0	0	1	0	0	0	0	1	0	0	0	0	
UNKNOWN	58	1.57	24	9	5	5	2	0	3	2	1	1	0	0	0	6	
STATE TOTALS	3,698		1,860	575	452	231	152	81	117	63	42	26	1	3	0	95	
PERCENT DISTRIBUTION		100.00	50.30	15.55	12.22	6.25	4.11	2.19	3.16	1.70	1.14	0.70	0.03	0.08	0.00	2.57	
RACE OF PATIENT																	
WHITE	3,570	96.54	1,789	549	441	229	147	81	115	61	39	26	1	1	0	91	
BLACK	22	0.59	13	1	2	0	1	0	0	2	2	0	0	0	0	1	
AMERICAN INDIAN	11	0.30	6	4	0	1	0	0	0	0	0	0	0	0	0	0	
OTHER	95	2.57	52	21	9	1	4	0	2	0	1	0	0	2	0	3	
STATE TOTALS	3,698		1,860	575	452	231	152	81	117	63	42	26	1	3	0	95	
PERCENT DISTRIBUTION		100.00	50.30	15.55	12.22	6.25	4.11	2.19	3.16	1.70	1.14	0.70	0.03	0.08	0.00	2.57	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON O RECORDS WERE BLANK.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-4

INDUCED TERMINATIONS OF PREGNANCY BY GESTATION, AGE OF PATIENT, AND RACE
MAINE STATE TOTALS, 1987 (OCCURRENCE DATA)

AGE OF PATIENT(YRS.)	TOTAL TERMINATIONS	PERCENT DISTRIBUTION	***** WEEKS OF GESTATION *****													GREATER THAN 19	UNKNOWN
			LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19			
LESS THAN 15	24	0.50	10	1	1	3	3	2	1	1	2	0	0	0	0	0	
15	108	2.27	31	18	14	10	7	6	7	7	5	2	0	0	0	1	
16	243	5.10	67	28	26	13	15	24	21	24	12	9	0	0	0	4	
17	386	8.10	138	45	39	19	23	23	36	29	18	11	0	0	0	5	
18	359	7.53	148	60	35	23	18	10	28	13	12	4	0	0	0	8	
19	357	7.49	133	50	48	27	24	13	21	19	7	6	0	0	0	9	
20-24	1,566	32.85	756	209	190	98	56	40	79	48	37	21	1	0	0	31	
25-29	894	18.75	474	138	98	58	38	22	23	14	6	4	0	1	0	18	
30-34	472	9.90	255	76	53	39	9	13	6	2	4	1	0	0	0	14	
35-39	210	4.41	125	35	19	2	7	3	5	2	0	2	0	2	0	8	
40-44	69	1.45	41	12	4	2	3	2	1	1	1	1	0	0	0	1	
GREATER THAN 44	7	0.15	3	1	0	0	2	0	0	0	0	1	0	0	0	0	
UNKNOWN	72	1.51	33	11	5	5	2	0	4	3	2	1	0	0	0	6	
STATE TOTALS	4,767		2,214	684	532	299	207	158	232	163	106	63	1	3	0	105	
PERCENT DISTRIBUTION		100.00	46.44	14.35	11.16	6.27	4.34	3.31	4.87	3.42	2.22	1.32	0.02	0.06	0.00	2.20	

RACE OF PATIENT

WHITE	4,613	96.77	2,132	654	519	294	202	158	227	160	101	63	1	1	0	101
BLACK	27	0.57	15	1	2	2	1	0	1	2	2	0	0	0	0	1
AMERICAN INDIAN	12	0.25	6	4	0	1	0	0	0	1	0	0	0	0	0	0
OTHER	115	2.41	61	25	11	2	4	0	4	0	3	0	0	2	0	3
STATE TOTALS	4,767		2,214	684	532	299	207	158	232	163	106	63	1	3	0	105
PERCENT DISTRIBUTION		100.00	46.44	14.35	11.16	6.27	4.34	3.31	4.87	3.42	2.22	1.32	0.02	0.06	0.00	2.20

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-5

INDUCED TERMINATIONS OF PREGNANCY BY RACE, MARITAL STATUS AND AGE OF PATIENT
MAINE STATE TOTALS, 1987 (RESIDENT DATA)*

MARITAL STATUS	TOTAL TERMINATIONS	***** RACE *****							
		WHITE		BLACK		AMERICAN INDIAN		OTHER	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	780	742	95.13	4	0.51	2	0.26	32	4.10
NOT MARRIED	2,693	2,621	97.33	15	0.56	8	0.30	49	1.82
UNKNOWN	225	207	92.00	3	1.33	1	0.44	14	6.22
STATE TOTALS	3,698	3,570	96.54	22	0.59	11	0.30	95	2.57
AGE OF PATIENT(YRS.)									
LESS THAN 15	17	17	100.00	0	0.00	0	0.00	0	0.00
15	67	65	97.01	0	0.00	0	0.00	2	2.99
16	124	123	99.19	0	0.00	0	0.00	1	0.81
17	186	179	96.24	3	1.61	0	0.00	4	2.15
18	289	283	97.92	2	0.69	2	0.69	2	0.69
19	287	280	97.56	2	0.70	2	0.70	3	1.05
20-24	1,280	1,243	97.11	9	0.70	5	0.39	23	1.80
25-29	752	723	96.14	1	0.13	2	0.27	26	3.46
30-34	402	381	94.78	2	0.50	0	0.00	19	4.73
35-39	172	162	94.19	1	0.58	0	0.00	9	5.23
40-44	58	55	94.83	0	0.00	0	0.00	3	5.17
GREATER THAN 44	6	6	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN	58	53	91.38	2	3.45	0	0.00	3	5.17
TEENAGE TOTALS	970	947	97.63	7	0.72	4	0.41	12	1.24
STATE TOTALS	3,698	3,570	96.54	22	0.59	11	0.30	95	2.57

NOTES: PERCENTAGES ARE BASED ON TOTAL TERMINATIO
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON O RECORDS WERE BLANK.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-6

INDUCED TERMINATIONS OF PREGNANCY BY RACE, MARITAL STATUS AND AGE OF PATIENT
MAINE STATE TOTALS, 1987 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL TERMINATIONS	***** RACE *****							
		WHITE		BLACK		AMERICAN INDIAN		OTHER	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	914	874	95.62	5	0.55	2	0.22	33	3.61
NOT MARRIED	3,571	3,480	97.45	19	0.53	9	0.25	63	1.76
UNKNOWN	282	259	91.84	3	1.06	1	0.35	19	6.74
STATE TOTALS	4,767	4,613	96.77	27	0.57	12	0.25	115	2.41
AGE OF PATIENT (YRS.)									
LESS THAN 15	24	24	100.00	0	0.00	0	0.00	0	0.00
15	108	104	96.30	0	0.00	0	0.00	4	3.70
16	243	239	98.35	0	0.00	0	0.00	4	1.65
17	386	375	97.15	5	1.30	0	0.00	6	1.55
18	359	353	98.33	2	0.56	2	0.56	2	0.56
19	357	349	97.76	2	0.56	2	0.56	4	1.12
20-24	1,566	1,523	97.25	10	0.64	5	0.32	28	1.79
25-29	894	860	96.20	3	0.34	3	0.34	28	3.13
30-34	472	451	95.55	2	0.42	0	0.00	19	4.03
35-39	210	200	95.24	1	0.48	0	0.00	9	4.29
40-44	69	66	95.65	0	0.00	0	0.00	3	4.35
GREATER THAN 44	7	7	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN	72	62	86.11	2	2.78	0	0.00	8	11.11
TEENAGE TOTALS	1,477	1,444	97.77	9	0.61	4	0.27	20	1.35
STATE TOTALS	4,767	4,613	96.77	27	0.57	12	0.25	115	2.41

NOTES: PERCENTAGES ARE BASED ON TOTAL TERMINATIONS.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-7

INDUCED TERMINATIONS OF PREGNANCY BY COMPLICATIONS OF PREGNANCY, GESTATION, AND AGE OF PATIENT
MAINE STATE TOTALS, 1987 (OCCURRENCE DATA)

WEEKS OF GESTATION	TOTAL* TERMINATIONS	PERCENT DISTRIBUTION	***** COMPLICATIONS OF PREGNANCY *****							
			NONE	HEMORRHAGE	INFECTION	UTERINE PERFORATION	CERVICAL LACERATION	RETAINED PRODUCTS	OTHER	UNKNOWN
LESS THAN 9	2,214	46.44	1,997	2	1	1	1	1	3	204
9	684	14.35	605	0	0	0	0	1	0	78
10	532	11.16	471	2	0	0	0	1	0	59
11	299	6.27	256	0	0	0	1	0	1	40
12	207	4.34	189	0	0	0	0	0	0	18
13	158	3.31	150	1	1	0	0	1	1	4
14	232	4.87	214	0	0	0	0	1	2	16
15	163	3.42	149	0	0	0	0	0	0	13
16	106	2.22	98	0	0	0	0	0	0	8
17	63	1.32	60	0	0	0	0	0	0	3
18	1	0.02	1	0	0	0	0	0	0	0
19	3	0.06	0	1	0	0	0	0	2	0
GREATER THAN 19	0	0.00	0	0	0	0	0	0	0	0
UNKNOWN	105	2.20	80	0	0	0	0	0	2	22
STATE TOTALS	4,767		4,270	6	2	1	2	5	11	465
PERCENT DISTRIBUTION		100.00	89.57	0.13	0.04	0.02	0.04	0.10	0.23	9.75

144

AGE OF PATIENT(YRS.)

LESS THAN 15	24	0.50	23	0	0	0	0	0	0	1
15	108	2.27	98	0	0	0	1	0	0	9
16	243	5.10	224	0	0	0	0	0	0	18
17	386	8.10	359	1	0	0	0	1	0	26
18	359	7.53	327	1	0	0	0	0	1	28
19	357	7.49	323	0	0	0	0	0	0	33
20-24	1,566	32.85	1,404	0	1	0	0	1	1	155
25-29	894	18.75	791	2	1	0	1	2	2	98
30-34	472	9.90	408	1	0	0	0	1	3	58
35-39	210	4.41	183	1	0	1	0	0	4	21
40-44	69	1.45	62	0	0	0	0	0	0	7
GREATER THAN 44	7	0.15	7	0	0	0	0	0	0	0
UNKNOWN	72	1.51	61	0	0	0	0	0	0	11
TEENAGE TOTALS	1,477	30.98	1,354	2	0	0	1	1	1	115
STATE TOTALS	4,767		4,270	6	2	1	2	5	11	465
PERCENT DISTRIBUTION		100.00	89.57	0.13	0.04	0.02	0.04	0.10	0.23	9.75

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* THE SUM OF COMPLICATIONS OF PREGNANCY MAY EXCEED TOTAL TERMINATIONS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-8 INDUCED TERMINATIONS OF PREGNANCY BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES; MARITAL STATUS, AND AGE OF PATIENT
MAINE STATE TOTALS, 1987 (RESIDENT DATA)*

MARITAL STATUS	TOTAL TERMINATIONS	***** LIVE BIRTHS *****						***** OUTCOME OF PREVIOUS PREGNANCIES ***** ***** INDUCED TERMINATIONS *****						***** SPONTANEOUS TERMINATIONS *****					
		0	1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK
MARRIED	780	135	200	204	75	23	143	402	216	49	16	4	93	512	107	21	3	3	134
NOT MARRIED	2,693	1,736	414	172	48	12	311	1,710	580	134	46	12	211	2,165	141	29	4	6	348
UNKNOWN	225	99	43	32	10	4	37	115	54	19	3	3	31	163	18	6	1	1	36
STATE TOTALS	3,698	1,970	657	408	133	39	491	2,227	850	202	65	19	335	2,840	266	56	8	10	518
PERCENT DIST.	100.00	53.27	17.77	11.03	3.60	1.05	13.28	60.22	22.99	5.46	1.76	0.51	9.06	76.80	7.19	1.51	0.22	0.27	14.01
AGE OF PATIENT(YRS.)																			
LESS THAN 15	17	15	0	0	0	0	2	15	0	0	0	0	2	15	0	0	0	0	2
15	67	63	1	0	0	0	3	60	4	0	0	0	3	64	0	0	0	0	3
16	124	106	6	0	0	0	12	102	15	0	0	0	7	111	3	0	0	0	10
17	186	154	16	0	0	0	16	154	15	0	0	0	17	164	4	0	0	0	18
18	289	228	26	3	3	0	29	223	35	3	0	0	28	246	6	2	0	0	35
19	287	198	42	18	0	1	28	210	53	2	2	1	19	249	7	0	0	0	31
20-24	1,280	753	268	101	19	4	135	785	314	67	13	5	96	1,042	73	12	2	4	147
25-29	752	292	145	132	41	9	133	336	221	77	32	7	79	509	77	22	3	1	140
30-34	402	103	88	83	38	9	91	188	118	32	12	5	47	261	48	14	0	3	76
35-39	172	33	43	47	20	7	22	92	47	13	4	0	16	107	31	5	2	1	26
40-44	58	4	8	15	9	8	14	31	12	4	2	1	8	31	13	1	0	1	12
GREATER THAN 44	6	0	0	5	1	0	0	4	1	1	0	0	0	5	1	0	0	0	0
UNKNOWN	58	21	14	4	2	1	16	27	15	3	0	0	13	36	3	0	1	0	18
TEENAGE TOTALS	970	764	91	21	3	1	90	764	122	5	2	1	76	849	20	2	0	0	99
PERCENT DIST.	100.00	78.76	9.38	2.16	0.31	0.10	9.28	78.76	12.58	0.52	0.21	0.10	7.84	87.53	2.05	0.21	0.00	0.00	10.21
STATE TOTALS	3,698	1,970	657	408	133	39	491	2,227	850	202	65	19	335	2,840	266	56	8	10	518
PERCENT DIST.	100.00	53.27	17.77	11.03	3.60	1.05	13.28	60.22	22.99	5.46	1.76	0.51	9.06	76.80	7.19	1.51	0.22	0.27	14.01

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 0 RECORDS WERE BLANK.

TABLE A-9 INDUCED TERMINATIONS OF PREGNANCY BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT
MAINE STATE TOTALS, 1987 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL TERMINATIONS	***** LIVE BIRTHS *****							***** OUTCOME OF PREVIOUS PREGNANCIES *****							***** SPONTANEOUS TERMINATIONS *****						
		0	1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK			
MARRIED	914	159	238	248	90	30	149	478	257	62	17	5	95	621	123	22	4	5	139			
NOT MARRIED	3,571	2,454	504	208	52	17	336	2,363	734	177	52	12	233	2,976	168	33	8	6	380			
UNKNOWN	282	139	49	35	11	4	44	154	61	20	4	4	39	209	21	6	1	1	44			
STATE TOTALS	4,767	2,752	791	491	153	51	529	2,995	1,052	259	73	21	367	3,806	312	61	13	12	563			
PERCENT DIST.	100.00	57.73	16.59	10.30	3.21	1.07	11.10	62.83	22.07	5.43	1.53	0.44	7.70	79.84	6.54	1.28	0.27	0.25	11.81			
AGE OF PATIENT(YRS.)																						
LESS THAN 15	24	22	0	0	0	0	2	22	0	0	0	0	2	21	0	1	0	0	2			
15	108	102	1	0	0	0	5	97	6	0	0	0	5	103	0	0	0	0	5			
16	243	224	6	0	0	0	13	203	29	1	1	0	9	228	4	0	0	0	11			
17	386	344	25	0	0	0	17	333	30	2	0	0	21	357	7	0	0	0	22			
18	359	289	32	3	3	1	31	276	48	4	1	0	30	313	6	2	0	0	38			
19	357	256	50	20	0	1	30	268	62	2	2	1	22	313	10	0	0	0	34			
20-24	1,566	957	317	117	21	6	148	966	386	90	15	5	104	1,296	87	14	3	4	162			
25-29	894	352	184	161	48	11	138	412	267	93	34	7	81	628	92	24	4	1	145			
30-34	472	130	100	107	43	9	83	226	136	43	14	6	47	322	54	14	1	3	78			
35-39	210	42	52	56	25	11	24	114	57	16	4	1	18	137	35	5	2	3	28			
40-44	69	6	10	17	10	11	15	39	15	4	2	1	8	40	13	1	2	1	12			
GREATER THAN 44	7	0	0	6	1	0	0	5	1	1	0	0	0	6	1	0	0	0	0			
UNKNOWN	72	28	14	4	2	1	23	34	15	3	0	0	20	42	3	0	1	0	26			
TEENAGE TOTALS	1,477	1,237	114	23	3	2	98	1,199	175	9	4	1	89	1,335	27	3	0	0	112			
PERCENT DIST.	100.00	83.75	7.72	1.56	0.20	0.14	6.64	81.18	11.85	0.61	0.27	0.07	6.03	90.39	1.83	0.20	0.00	0.00	7.58			
STATE TOTALS	4,767	2,752	791	491	153	51	529	2,995	1,052	259	73	21	367	3,806	312	61	13	12	563			
PERCENT DIST.	100.00	57.73	16.59	10.30	3.21	1.07	11.10	62.83	22.07	5.43	1.53	0.44	7.70	79.84	6.54	1.28	0.27	0.25	11.81			

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-10

INDUCED TERMINATION OF PREGNANCY BY STATE OR COUNTRY OF RESIDENCE
MAINE STATE TOTALS, 1987 (OCCURRENCE DATA)

STATE/COUNTRY	TERMINATIONS	STATE/COUNTRY	TERMINATIONS	STATE/COUNTRY	TERMINATIONS
ALASKA	0	MASSACHUSETTS	277	SOUTH DAKOTA	0
ALABAMA	0	MICHIGAN	1	TENNESSEE	0
ARIZONA	0	MINNESOTA	0	TEXAS	0
ARKANSAS	0	MISSISSIPPI	0	UTAH	0
CALIFORNIA	2	MISSOURI	0	VERMONT	19
COLORADO	2	MONTANA	0	VIRGINIA	2
CONNECTICUT	3	NEBRASKA	0	WASHINGTON	2
DELAWARE	0	NEVADA	0	WEST VIRGINIA	0
FLORIDA	5	NEW HAMPSHIRE	461	WISCONSIN	0
GEORGIA	0	NEW JERSEY	3	WYOMING	0
HAWAII	2	NEW MEXICO	0	DIST OF COLUMBIA	1
IDAHO	0	NEW YORK	9	PUERTO RICO	0
ILLINOIS	2	NORTH CAROLINA	1	VIRGIN ISLANDS	0
INDIANA	1	NORTH DAKOTA	0	GUAM	0
IOWA	0	OHIO	1	CANADA	257
KANSAS	0	OKLAHOMA	0	CUBA	0
KENTUCKY	0	OREGON	0	MEXICO	0
LOUISIANA	0	PENNSYLVANIA	2	OTHER W. HEMISPHERE	0
MAINE	3,698	RHODE ISLAND	6	REST OF THE WORLD	0
MARYLAND	0	SOUTH CAROLINA	0	UNKNOWN	10
				TOTAL	4,767

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

MARRIAGES AND DIVORCES

TABLE M-1

MARRIAGES BY AGE OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1987 (RESIDENT DATA)*

AGE OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DIST.	***** AGE OF BRIDE(YRS.) *****														
			UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
UNDER 16	1	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16-17	29	0.26	3	11	12	2	1	0	0	0	0	0	0	0	0	0	0
18-19	479	4.37	3	74	262	104	17	7	7	1	3	1	0	0	0	0	0
20-21	1,102	10.05	5	84	386	398	138	39	24	7	12	7	2	0	0	0	0
22-23	1,534	13.99	4	48	278	447	432	165	73	32	44	6	5	0	0	0	0
24-25	1,407	12.83	1	12	134	291	378	303	121	69	67	20	6	1	1	3	0
26-27	1,171	10.68	0	12	64	157	254	258	202	87	103	26	5	3	0	0	0
28-29	953	8.69	0	4	46	75	133	172	146	149	157	56	10	2	2	1	0
30-34	1,521	13.87	0	2	24	87	151	181	235	224	407	154	37	14	5	0	0
35-39	1,054	9.61	1	0	5	21	41	75	93	118	317	265	81	31	6	0	0
40-44	609	5.55	0	0	7	4	11	25	41	38	139	164	116	53	11	0	0
45-49	366	3.34	0	0	1	3	2	11	11	19	58	94	89	59	19	0	0
50-64	552	5.03	0	0	1	4	6	5	5	9	30	54	108	108	204	18	0
OVER 64	190	1.73	0	0	0	0	0	0	0	0	2	0	12	15	76	85	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	10,968		18	247	1,220	1,593	1,564	1,241	958	753	1,339	847	471	286	324	107	0
PERCENT DISTRIBUTION		100.00	0.16	2.25	11.12	14.52	14.26	11.31	8.73	6.87	12.21	7.72	4.29	2.61	2.95	0.98	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE M-2

MARRIAGES BY YEARS OF EDUCATION OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1987 (RESIDENT DATA)*

EDUCATION OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DISTRIBUTION	***** EDUCATION OF BRIDE(YRS.) *****											
			UNDER 8	8	9	10	11	12	13	14	15	16	OVER 16	UNKNOWN
UNDER 8	101	0.92	13	13	12	13	10	28	4	1	4	1	0	2
8	227	2.07	3	35	25	23	24	89	8	9	1	4	2	4
9	257	2.34	2	14	41	27	25	116	11	11	2	5	2	1
10	427	3.89	1	24	30	57	47	223	17	19	3	5	0	1
11	447	4.08	0	12	27	61	55	237	18	27	3	4	1	2
12	5,180	47.23	8	56	110	226	252	3,191	427	427	120	262	79	22
13	663	6.04	1	3	4	13	18	257	130	100	34	66	33	4
14	1,044	9.52	1	4	13	17	16	408	143	183	50	161	44	4
15	315	2.87	0	0	1	3	3	93	36	46	45	61	24	3
16	1,263	11.52	0	2	0	5	9	265	63	192	80	517	123	7
OVER 16	647	5.90	1	0	2	2	1	95	42	73	38	191	198	4
UNKNOWN	397	3.62	0	2	3	7	5	35	6	3	4	4	1	327
STATE TOTALS	10,968		30	165	268	454	465	5,037	905	1,091	384	1,281	507	381
PERCENT DISTRIBUTION		100.00	0.27	1.50	2.44	4.14	4.24	45.92	8.25	9.95	3.50	11.68	4.62	3.47

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE M-3

MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS, FOR BRIDES AND FOR GROOMS
MAINE STATE TOTALS, 1987 (RESIDENT DATA)*

PREVIOUS MARITAL STATUS	TOTAL MARRIAGES	PERCENT DIST.	***** AGE OF BRIDE(YRS.) *****														OVER 64	UNKNOWN
			UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64			
BRIDE																		
SINGLE	6,926	63.15	18	246	1,204	1,509	1,377	979	587	386	430	130	32	12	8	8	0	
WIDOWED	322	2.94	0	0	0	0	5	1	6	5	28	25	29	32	116	75	0	
DIVORCED	3,707	33.80	0	1	16	84	182	260	365	359	877	689	409	241	200	24	0	
ANNULLED	13	0.12	0	0	0	0	0	1	0	3	4	3	1	1	0	0	0	
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
BRIDE TOTALS	10,968		18	247	1,220	1,593	1,564	1,241	958	753	1,339	847	471	286	324	107	0	
PERCENT DIST.		100.00	0.16	2.25	11.12	14.52	14.26	11.31	8.73	6.87	12.21	7.72	4.29	2.61	2.95	0.98	0.00	

			***** AGE OF GROOM(YRS.) *****															
	TOTAL MARRIAGES	PERCENT DIST.	UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN	
GROOM																		
SINGLE	6,968	63.53	1	29	478	1,082	1,445	1,263	922	653	718	252	78	14	26	7	0	
WIDOWED	320	2.92	0	0	0	0	1	0	4	1	9	16	14	18	131	126	0	
DIVORCED	3,670	33.46	0	0	1	20	88	142	242	299	792	786	515	334	394	57	0	
ANNULLED	10	0.09	0	0	0	0	0	2	3	0	2	0	2	0	1	0	0	
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
GROOM TOTALS	10,968		1	29	479	1,102	1,534	1,407	1,171	953	1,521	1,054	609	366	552	190	0	
PERCENT DIST.		100.00	0.01	0.26	4.37	10.05	13.99	12.83	10.68	8.69	13.87	9.61	5.55	3.34	5.03	1.73	0.00	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE M-4

MARRIAGES BY NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND OF GROOM
MAINE STATE TOTALS, 1987 (RESIDENT DATA)*

NUMBER OF PREVIOUS MARRIAGES OF GROOM	TOTAL MARRIAGES	PERCENT DISTRIBUTION	***** NUMBER OF PREVIOUS MARRIAGES OF BRIDE *****									
			0	1	2	3	4	5	6	7	8	UNKNOWN
0	6,970	63.55	5,673	1,122	131	41	1	0	0	0	2	0
1	3,063	27.93	1,067	1,551	363	59	13	7	0	1	2	0
2	757	6.90	168	365	171	43	9	1	0	0	0	0
3	142	1.29	14	70	39	13	4	2	0	0	0	0
4	25	0.23	3	7	10	2	1	2	0	0	0	0
5	6	0.05	2	1	1	1	1	0	0	0	0	0
6	2	0.02	0	0	1	0	0	0	1	0	0	0
7	0	0.00	0	0	0	0	0	0	0	0	0	0
8	3	0.03	1	0	0	0	0	0	0	0	2	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	10,968		6,928	3,116	716	159	29	12	1	1	6	0
PERCENT DISTRIBUTION		100.00	63.17	28.41	6.53	1.45	0.26	0.11	0.01	0.01	0.05	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE M-5

DIVORCES BY NUMBER OF MINOR CHILDREN, PLAINTIFF, DECREE GRANTED, AND BY NUMBER OF YEARS MARRIED
MAINE STATE TOTALS, 1987 (OCCURRENCE DATA)

NUMBER OF YEARS MARRIED	TOTAL DIVORCES	PERCENT DISTRIBUTION	*****	NUMBER OF MINOR CHILDREN					*****	***** PLAINTIFF *****		*****	** DECREE GRANTED **		
			0	1	2	3	4	OVER 4		WIFE	HUSBAND	BOTH	WIFE	HUSBAND	BOTH
UNDER 1	238	4.05	194	34	8	1	1	0		145	93	0	68	44	126
1-2	1,006	17.11	670	272	57	3	1	3		631	375	0	296	154	556
3-4	1,036	17.63	534	329	148	23	1	1		670	364	2	264	135	636
5-6	807	13.73	337	228	209	28	5	0		538	267	2	205	104	498
7-8	609	10.36	210	160	181	46	9	3		405	204	0	177	72	360
9-10	404	6.87	127	101	133	32	9	2		253	151	0	102	51	251
11-12	317	5.39	69	65	126	45	9	3		202	115	0	82	37	198
13-14	282	4.80	62	62	104	40	9	5		176	106	0	65	35	182
15-16	270	4.59	47	53	111	42	13	4		179	91	0	68	31	171
17-18	249	4.24	42	69	100	26	6	6		164	85	0	54	23	172
19-20	145	2.47	27	56	34	19	6	3		100	45	0	36	14	95
21-22	120	2.04	37	52	22	9	0	0		85	35	0	29	11	80
23-24	100	1.70	51	35	13	1	0	0		64	36	0	15	10	75
25-26	79	1.34	42	30	5	2	0	0		51	28	0	17	8	54
27-28	57	0.97	44	9	3	0	0	1		39	18	0	14	7	36
29-30	40	0.68	32	7	0	1	0	0		27	13	0	12	7	21
31-34	67	1.14	58	8	1	0	0	0		43	24	0	14	8	45
35-39	28	0.48	27	1	0	0	0	0		16	12	0	7	3	18
OVER 39	24	0.41	24	0	0	0	0	0		15	9	0	5	5	14
UNKNOWN	0	0.00	0	0	0	0	0	0		0	0	0	0	0	0
STATE TOTALS	5,878		2,634	1,571	1,255	318	69	31		3,803	2,071	4	1,530	759	3,588
PERCENT DIST.		100.00	44.81	26.73	21.35	5.41	1.17	0.53		64.70	35.23	0.07	26.03	12.91	61.04

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
MINOR CHILDREN ARE UNDER 18 YEARS OF AGE.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

APPENDICES

128771 - M

Table C-1
STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
CERTIFICATE OF LIVE BIRTH

CHILD	CHILD—NAME FIRST MIDDLE LAST			SEX	DATE OF BIRTH (Mo., Day, Yr.)	HOUR
	1. HOSPITAL—NAME (If not in hospital, give street and number)			2. CITY, TOWN OR LOCATION OF BIRTH	3a. COUNTY OF BIRTH	3b. M
CERTIFIER	4a. I certify that the stated information concerning this child is true to the best of my knowledge and belief.			4b. DATE SIGNED (Mo., Day, Yr.)	4c. NAME AND TITLE OF ATTENDANT AT BIRTH IF OTHER THAN CERTIFIER (Type or print)	
	5a. (Signature) CERTIFIER—NAME AND TITLE (Type or print)			5b. MAILING ADDRESS (Street or R.F.D. No., City or Town, State, Zip)	5c. DATE RECEIVED BY REGISTRAR (Mo., Day, Yr.)	
	5d. REGISTRAR			5e. (Signature)		
MOTHER	MOTHER—MAIDEN NAME FIRST MIDDLE LAST			AGE (At time of this birth)	STATE OF BIRTH (If not in U.S.A., name country)	
	7a. STATE OF RESIDENCE	7b. COUNTY OF RESIDENCE	7c. CITY, TOWN OR LOCATION OF RESIDENCE	7d. STREET AND NUMBER OF RESIDENCE	7e. YEARS LIVING IN PRESENT TOWN	
	8a. MOTHER'S MAILING ADDRESS—If same as above, enter Zip Code only			8b. YEARS LIVING IN PRESENT TOWN		
FATHER	FATHER—NAME FIRST MIDDLE LAST			AGE (At time of this birth)	STATE OF BIRTH (If not U.S.A., name country)	
	10a. I certify that the personal information provided on this certificate is correct to the best of my knowledge and belief. (Signature of Parent or other Informant)			10b. RELATION TO CHILD	10c. (Signature of Parent or other Informant)	

CONFIDENTIAL INFORMATION FOR MEDICAL AND HEALTH USE ONLY					
12. RACE—MOTHER (e.g. White, Black, American Indian, etc.) (Specify)	13. RACE—FATHER (e.g. White, Black, American Indian, etc.) (Specify)	14. BIRTH WEIGHT	15a. THIS BIRTH—Single, twin, triplet, etc. (Specify)	15b. IF NOT SINGLE BIRTH—Born first, second, third, etc. (Specify)	16. IS MOTHER MARRIED? (Specify yes or no)

VS-R183

PREGNANCY HISTORY	LIVE BIRTHS (Do not include this child)	Now Living (Number)	Now Dead (Number)	DATE OF LAST LIVE BIRTH (Month, Year)
	17a. Before 20 weeks (Number)	17b. After 20 weeks (Number)	17c. DATE OF LAST OTHER TERMINATION (as indicated in 17d or 17e)	17d. Spontaneous and induced
MOTHER	ORIGIN OR DESCENT—MOTHER (Specify Italian, Mexican, English, etc.)	EDUCATION—(highest grade completed) Elementary or Secondary (0-12) College (1-4 or 5+)	OCCUPATION—MOTHER	INDUSTRY—MOTHER
	18a. ORIGIN OR DESCENT—FATHER (Specify Italian, Mexican, English, etc.)	18b. EDUCATION (0-12) (1-4 or 5+)	18c. OCCUPATION—FATHER	18d. INDUSTRY—FATHER
MOTHER	DATE LAST NORMAL MENSTRUATION BEGAN (Month, Day, Year)	MONTH OF PREGNANCY PRENATAL CARE BEGAN (First, Second, etc.) (Specify)	PRENATAL VISITS Total Number (if none, so state)	19a. PRENATAL VISITS
	20. 1 Min. APGAR SCORE 5 Min.	21a. GESTATIONAL AGE ASSESSMENT by Examining Baby (Weeks)	21b. CONDITION OF INFANT AT BIRTH (Specify) Normal Respiratory Distress Birth Injury Other (Specify)	21c. 22a. 22b.

THIS PREGNANCY - MARK AT LEAST ONE CATEGORY IN EACH COLUMN				
25. COMPLICATIONS OF PREGNANCY (check all which apply)	26. ILLNESS OR CONDITIONS AFFECTING PREGNANCY (Check all which apply)	27. COMPLICATIONS OF LABOR (Check all which apply)	28. METHOD OF DELIVERY (check one)	29. CONGENITAL ANOMALIES (check all which apply)
Bleeding in Early Pregnancy a. <input type="checkbox"/> Eclampsia b. <input type="checkbox"/> Preeclampsia c. <input type="checkbox"/> Rh Sensitization d. <input type="checkbox"/> Anemia (Hgb. < 10 gm/Hct < 30%) g. <input type="checkbox"/> Amnionitis h. <input type="checkbox"/> Urinary Tract Infection i. <input type="checkbox"/> Premature Labor (before 37 weeks) j. <input type="checkbox"/> Premature Delivery (before 37 weeks) k. <input type="checkbox"/> PRDM (> 24 hours before delivery) l. <input type="checkbox"/> Other (specify) y. <input type="checkbox"/> None z. <input type="checkbox"/>	Tobacco Use a. <input type="checkbox"/> Heart Disease b. <input type="checkbox"/> Hypertension c. <input type="checkbox"/> Chronic Renal Disease d. <input type="checkbox"/> Pyelocystitis e. <input type="checkbox"/> DES Exposure f. <input type="checkbox"/> Alcohol Dependence g. <input type="checkbox"/> Drug Addiction or Dependence h. <input type="checkbox"/> Previous C-section (specify number) i. <input type="checkbox"/> Obesity j. <input type="checkbox"/> Gestational Diabetes k. <input type="checkbox"/> Chronic Diabetes l. <input type="checkbox"/> Other (specify) y. <input type="checkbox"/> None z. <input type="checkbox"/>	Abruptio Placenta a. <input type="checkbox"/> Placenta Previa b. <input type="checkbox"/> Cord Prolapse or Compression c. <input type="checkbox"/> Dystocia (Specify type) d. <input type="checkbox"/> Breech e. <input type="checkbox"/> Intrapartum Fever/Chorioamnionitis g. <input type="checkbox"/> Fetal Distress h. <input type="checkbox"/> Labor > 18 hrs i. <input type="checkbox"/> Other (specify) y. <input type="checkbox"/> None z. <input type="checkbox"/>	Spontaneous Controlled a. <input type="checkbox"/> Spontaneous Uncontrolled b. <input type="checkbox"/> Low Forceps c. <input type="checkbox"/> Other Forceps Procedure d. <input type="checkbox"/> Primary C-Section e. <input type="checkbox"/> Repeat C-Section f. <input type="checkbox"/> Breech Delivery g. <input type="checkbox"/> Version and Extraction h. <input type="checkbox"/> Other (specify) y. <input type="checkbox"/> None z. <input type="checkbox"/>	Anencephalus a. <input type="checkbox"/> Spina Bifida b. <input type="checkbox"/> Other Nervous System (specify) c. <input type="checkbox"/> Cleft Lip/Palate (specify) d. <input type="checkbox"/> Of Eye (specify) e. <input type="checkbox"/> Of Ear, Face, Neck (specify) f. <input type="checkbox"/> Of Heart (specify) g. <input type="checkbox"/> Of Other Circulatory System (specify) h. <input type="checkbox"/> Of Respiratory System (specify) i. <input type="checkbox"/> None z. <input type="checkbox"/> Of Digestive System (specify) j. <input type="checkbox"/> Of Genital Organs (specify) k. <input type="checkbox"/> Of Urinary System (specify) l. <input type="checkbox"/> Of Musculoskeletal (specify) m. <input type="checkbox"/> Of Integument (specify) n. <input type="checkbox"/> Chromosomal (specify) o. <input type="checkbox"/> Other (specify) y. <input type="checkbox"/> None z. <input type="checkbox"/>

VS-R183

NOT A LEGAL COPY

UPON COMPLETION SEND THIS SHEET TO: Department of Human Services, Vital Records Office
State House Station #11, Augusta, Maine 04333

PLEASE TYPEWRITE OR PRINT WITH A BALLPOINT PEN SO THAT ALL COPIES WILL BE LEGIBLE

CEMETERY OR CREMATORY - NAME

160

ORIGINAL
COPY
STATE

Table C-3
STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
CERTIFICATE OF DEATH

DECEDENT - NAME				SEX		DATE OF DEATH (Mo., Day, Yr.)	
FIRST				MIDDLE		LAST	
1. RACE - (e.g., White, Black, American Indian, etc.) (Specify)				2. AGE - Last Birthday (Yr.)		3. COUNTY OF DEATH	
4. CITY, TOWN OR LOCATION OF DEATH				5. HOSPITAL OR OTHER INSTITUTION - Name (If not in either, give street and number)		6. IF HOSP. OR INST. Indicate DO, OP/Emer. Rm., Inpatient (Specify)	
7a. STATE OF BIRTH (If not in U.S.A., name country)				7b. CITIZEN OF WHAT COUNTRY		7c. ORIGIN OR DESCENT (e.g., Italian, Mexican, German, etc.)	
8. SOCIAL SECURITY NUMBER				9. VETERAN Yes No		10. MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (Specify)	
11. RESIDENCE - STATE				12. COUNTY		13. USUAL OCCUPATION (Give kind of work done during most of working life, even if retired)	
14a. CITY, TOWN OR LOCATION				14b. STREET AND NUMBER		15. SURVIVING SPOUSE (If wife, give maiden name)	
16. FATHER - NAME FIRST MIDDLE LAST				17. MOTHER - MAIDEN NAME FIRST MIDDLE LAST		18. Mailing Address	
19. INFORMANT - NAME (Type or Print)				20. Mailing Address		21. CITY OR TOWN STATE ZIP	
22. BURIAL, CREMATION, REMOVAL, OTHER				23. MO., DAY, YEAR		24. CEMETERY OR CREMATORY NAME	
25. FUNERAL SERVICE LICENSEE or authorized person (Signature)				26. NAME OF FACILITY		27. ADDRESS OF FACILITY - CITY OR TOWN	
28. To be Completed by CERTIFYING PHYSICIAN Only				29. To be Completed by MEDICAL EXAMINER Only		30. To be Completed by MEDICAL EXAMINER Only	
31. DATE SIGNED (Mo., Day, Yr.)				32. HOUR OF DEATH		33. I DID NOT VIEW THE BODY AFTER DEATH	
34. NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER (Type or Print)				35. PRONOUNCED DEAD (Mo., Day, Yr.)		36. PRONOUNCED DEAD (Hour)	
37. NAME AND ADDRESS OF CERTIFIER (PHYSICIAN, MEDICAL EXAMINER OR CORONER) (Type or Print)				38. DATE SIGNED (Mo., Day, Yr.)		39. HOUR OF DEATH	
40. IMMEDIATE CAUSE (ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c).)				41. Interval between onset and death		42. Interval between onset and death	
43. PART I (a) DUE TO, OR AS A CONSEQUENCE OF				44. Interval between onset and death		45. Interval between onset and death	
46. PART II OTHER SIGNIFICANT CONDITIONS - Conditions contributing to death but not related to cause given in PART I (a)				47. AUTOPSY (Specify Yes or No)		48. WAS CASE REFERRED TO MEDICAL EXAMINER? (Specify Yes or No)	
49. ACC., SUICIDE, HOM., UNDET., OR PENDING INVEST (Specify)				50. DATE OF INJURY (Mo., Day, Yr.)		51. HOUR OF INJURY	
52. INJURY AT WORK (Specify Yes or No)				53. PLACE OF INJURY - At home, farm, street, factory, office building, etc. (Specify)		54. LOCATION	
55. REGISTRAR				56. DATE RECEIVED BY REGISTRAR (Mo., Day, Yr.)		57. DATE RECEIVED BY REGISTRAR (Mo., Day, Yr.)	

VS-3R585

Table C-4

STATE OF MAINE – DEPARTMENT OF HUMAN SERVICES
REPORT OF ABORTION (Spontaneous and Induced)

1 FACILITY NAME (IF NOT INSTITUTION GIVE ADDRESS)		2(a) COUNTY OF ABORTION		2(b) CITY OR TOWN OF ABORTION	
3 REPORT NUMBER No 17494		4 AGE OF PATIENT		6 DATE OF ABORTION	
7(a) RESIDENCE OF PATIENT (STATE)		7(b) COUNTY		7(c) CITY OR TOWN	
9 RACE (CHECK) <input type="checkbox"/> White <input type="checkbox"/> Black <input type="checkbox"/> American Indian <input type="checkbox"/> Other		10 EDUCATION (0-17) HIGHEST GRADE COMPLETED		8 TYPE OF ABORTION SPONTANEOUS <input type="checkbox"/> INDUCED <input type="checkbox"/>	
		PREVIOUS PREGNANCIES (COMPLETE EACH SECTION)			
		LIVE BIRTHS		OTHER TERMINATIONS	
		Now Living Number _____ 11(a) None <input type="checkbox"/>		Now Dead Number _____ 11(b) None <input type="checkbox"/>	
		Spontaneous Number _____ 11(c) None <input type="checkbox"/>		Induced Number _____ 11(d) None <input type="checkbox"/>	
TERMINATION PROCEDURE			COMPLICATIONS OF PREGNANCY		
PROCEDURE THAT TERMINATED PREGNANCY (CHECK ONE ONLY) <input type="checkbox"/> SPONTANEOUS ABORTION—NOT APPLICABLE <input type="checkbox"/> SUCTION CURETTAGE <input type="checkbox"/> <input type="checkbox"/> SHARP CURETTAGE <input type="checkbox"/> <input type="checkbox"/> INTRA-UTERINE SALINE INSUFFLATION <input type="checkbox"/> <input type="checkbox"/> . INTRA-UTERINE PROSTAGLANDIN INSTILLATION. <input type="checkbox"/> <input type="checkbox"/> HYSTEROTOMY <input type="checkbox"/> <input type="checkbox"/> HYSTERECTOMY <input type="checkbox"/> <input type="checkbox"/> OTHER (SPECIFY)..... <input type="checkbox"/> 12(a) _____			ADDITIONAL PROCEDURES USED IF ANY (CHECK ALL THAT APPLY) CHECK ALL THAT APPLY NONE <input type="checkbox"/> HEMORRHAGE <input type="checkbox"/> INFECTION <input type="checkbox"/> UTERINE PERFORATION <input type="checkbox"/> CERVICAL LACERATION <input type="checkbox"/> RETAINED PRODUCTS <input type="checkbox"/> OTHER (SPECIFY) <input type="checkbox"/> _____ 12(b) _____		
13 SIGNATURE OF ATTENDING PHYSICIAN		14 ADDRESS OF PHYSICIAN IF NON FACILITY ABORTION			
15 PHYSICIAN'S ESTIMATE OF GESTATIONAL AGE		16 NAME OF PERSON COMPLETING REPORT IF NOT ATTENDING PHYSICIAN			

VS 4A R0180

Table C-5

ORIGINAL-
CITY OR TOWNSTATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
LICENSE AND CERTIFICATE OF MARRIAGE

GROOM	GROOM NAME FIRST MIDDLE LAST			AGE
	1 USUAL RESIDENCE-STREET AND NUMBER			2 CITY, TOWN OR LOCATION
	3A COUNTY	3B STATE	3C BIRTHPLACE (STATE OR FOREIGN COUNTRY)	4 DATE OF BIRTH (MO. DAY, YR.)
	5A FATHER-NAME	5B BIRTHPLACE (STATE OR FOREIGN COUNTRY)	5C MOTHER-MAIDEN NAME	6 BIRTHPLACE (STATE OR FOREIGN COUNTRY)
BRIDE	BRIDE-NAME FIRST MIDDLE LAST			7 AGE
	8A USUAL RESIDENCE-STREET AND NUMBER			8B CITY, TOWN OR LOCATION
	9A COUNTY	9B STATE	9C BIRTHPLACE (STATE OR FOREIGN COUNTRY)	10 DATE OF BIRTH (MO. DAY, YR.)
	11A FATHER-NAME	11B BIRTHPLACE (STATE OR FOREIGN COUNTRY)	11C MOTHER-MAIDEN NAME	12 BIRTHPLACE (STATE OR FOREIGN COUNTRY)
LICENSE TO MARRY	I CERTIFY THAT THE INFORMATION ABOVE IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.		13 GROOM'S SIGNATURE	14 BRIDE'S SIGNATURE
	15 DATE INTENTIONS FILED		16 LICENSE ISSUED DATE	17 LICENSE VALID UNTIL (DATE)
	18 ANY DULY AUTHORIZED PERSON IS HEREBY AUTHORIZED TO MARRY THE ABOVE-NAMED PARTIES UNDER THE LAWS OF MAINE.		19 SIGNATURE OF CLERK	20 CITY OR TOWN
	19A SIGNATURE OF CLERK		20A DATE RECEIVED	
CEREMONY	THE LAWS OF MAINE PROVIDE THAT ONLY AUTHORIZED PERSONS MAY SOLEMNIZE MARRIAGES IN MAINE			
	I CERTIFY THE ABOVE NAMED PERSONS WERE MARRIED ON		WHERE MARRIED-CITY	
	PERSON PERFORMING CEREMONY (SIGNATURE)		PRINTED NAME	
	18D ADDRESS OF ABOVE PERSON		18E WITNESS TO CEREMONY-TYPE OR PRINT	
CLERK	19A SIGNATURE OF CLERK		19B DATE RECEIVED	
	20A (SIGNATURE)		20B	
GROOM-MARITAL STATUS		BRIDE-MARITAL STATUS		
NUMBER OF THIS MARRIAGE	IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED	NUMBER OF THIS MARRIAGE	IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED	
SPECIFY (FIRST, SECOND, ETC.)	BY DEATH, DIVORCE, DISSOLUTION OR ANNULMENT (SPECIFY) DATE (MO. DAY, YR.)	SPECIFY (FIRST, SECOND, ETC.)	BY DEATH, DIVORCE, DISSOLUTION OR ANNULMENT (SPECIFY) DATE (MO. DAY, YR.)	
21	22A 22B	23	24A 24B	
INFORMATION FOR STATISTICAL PURPOSES ONLY				
GROOM-RACE	GROOM-EDUCATION (SPECIFY ONLY HIGHEST GRADE COMPLETED)	BRIDE-RACE	BRIDE-EDUCATION (SPECIFY ONLY HIGHEST GRADE COMPLETED)	
SPECIFY (E.G. WHITE, BLACK, AMERICAN INDIAN, ETC.)	ELEMENTARY OR SECONDARY (10-12) COLLEGE (13-16 OR 5+)	SPECIFY (E.G. WHITE, BLACK, AMERICAN INDIAN, ETC.)	ELEMENTARY OR SECONDARY (10-12) COLLEGE (13-16 OR 5+)	
25	26A 26B	27	28A 28B	

Table C-6

Form VS-5 R-777

STATE OF MAINE

State File No.

RECORD OF DIVORCE OR ANNULMENT

DEPARTMENT OF HUMAN SERVICES

HUSBAND	1. NAME OF HUSBAND — FIRST	MIDDLE	LAST
	2. USUAL RESIDENCE - CITY OR TOWN	COUNTY	STATE
WIFE	3. NAME OF WIFE — FIRST	MIDDLE	LAST
	4. USUAL RESIDENCE - CITY OR TOWN	COUNTY	STATE
MARRIAGE	5. PLACE OF MARRIAGE — CITY OR TOWN AND STATE		6. DATE OF MARRIAGE
DIVORCE OR ANNULMENT	7. TYPE OF DECREE DIVORCE <input type="checkbox"/> ANNULMENT <input type="checkbox"/>	8. PLAINTIFF HUSBAND <input type="checkbox"/> WIFE <input type="checkbox"/>	9. DECREE GRANTED TO HUSBAND <input type="checkbox"/> WIFE <input type="checkbox"/>
	10. DATE OF DECREE		
MINOR CHILDREN	11. LEGAL GROUNDS FOR JUDGEMENT		
	12. NAMES OF MINOR CHILDREN	13. AGES	14. CUSTODY
Use Reverse Side for Additional Names			
CERTIFICATION	15. I HEREBY CERTIFY THAT THE ABOVE ITEMS OF INFORMATION ARE TRUE AND CORRECT AS SHOWN IN THE ORIGINAL RECORD ON FILE IN THIS COURT.		
	16. SIGNATURE OF CLERK	17. NAME OF COURT	18. LOCATION OF COURT

TABLE E-1

PROJECTED TOTAL POPULATION
MAINE COUNTIES AND STATE TOTAL, - JULY 1, 1987

COUNTY	PROJECTED RESIDENT POPULATION JULY 1, 1987
STATE TOTAL	1,186,350
ANDROSCOGGIN	101,850
AROOSTOOK	87,650
CUMBERLAND	231,200
FRANKLIN	29,300
HANCOCK	44,700
KENNEBEC	112,850
KNOX	35,600
LINCOLN	28,950
OXFORD	50,700
PENOBSCOT	139,000
PISCATAQUIS	18,150
SAGADAHOC	32,250
SOMERSET	47,700
WALDO	30,600
WASHINGTON	34,050
YORK	161,800

SOURCE: WELCH, D. POPULATION PROJECTIONS BY MINOR CIVIL DIVISIONS, SEX, AGE GROUP AND COUNTY.
MAINE: 1987-1996. AUGUSTA: MAINE DEPARTMENT OF HUMAN SERVICES, JULY, 1988.

TABLE E-2

PROJECTED POPULATION BY AGE GROUP AND SEX
MAINE STATE TOTALS, - JULY 1, 1987

AGE GROUP (YEARS)	PROJECTED RESIDENT POPULATION JULY 1, 1987		
	MALE	FEMALE	TOTAL
ALL AGES - TOTAL	575,370	610,930	1,186,350
UNDER 1	8,897	8,405	17,302
1-14	122,553	115,145	237,698
15-24	95,720	94,380	190,100
25-34	96,000	96,900	192,900
35-44	80,900	81,600	162,500
45-64	106,550	116,500	223,050
65-74	39,810	51,390	91,200
75-84	19,610	33,860	53,470
85 AND OLDER	5,330	12,800	18,130

SOURCES: WELCH, D. POPULATION PROJECTIONS BY MINOR CIVIL DIVISIONS, SEX, AGE GROUP AND COUNTY. MAINE: 1987-1996. AUGUSTA: MAINE DEPARTMENT OF HUMAN SERVICES, JULY, 1988

Table H-1

HISTORICAL VITAL STATISTICS DATA
POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES;
RATES FOR BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS
MAINE STATE TOTALS, 1900-1950 (Every Fifth Year) and 1951-1987 (Yearly)

Year	Population	Live Births	Birth Rate per 1,000 Population	Deaths (All Ages)	Death Rate per 1,000 Population	Infant Death Rate ^d	Neonatal Death Rate ^d	Fetal Death Rate ^d	Marriages	Divorces
1900	694,466	14,095	20.3	11,389	16.4	267.5	-	43.6 ^a	5,482	801
1905	719,000	15,294	21.3	11,381	15.8	234.2	-	46.5 ^a	6,264	848
1910	742,371	15,798	21.3	12,439	16.7	249.2	30.4	42.5 ^a	5,900	911
1915	757,000	16,671	22.0	11,541	15.2	135.7	25.4	41.3 ^a	6,672	1,006
1920	768,014	17,495	22.7	11,850	15.3	102.8	41.2	42.8 ^a	7,884	1,364
1925	782,700	17,706	22.6	10,874	13.8	75.6	51.8	-	6,226	1,228
1930	797,423	16,199	20.3	11,084	13.9	75.4	41.5	35.9 ^a	6,438	1,466
1935	822,300	15,715	19.1	11,042	13.4	62.3	37.8	33.6 ^a	7,089	1,474
1940	847,226	15,285	18.0	10,640	12.6	52.9	34.0	24.8 ^a	8,475	1,537
1945	880,500	16,647	18.9	9,966	11.3	46.6	27.0	24.1 ^a	7,569	2,497
1950	914,950	21,239	23.2	9,962	10.9	31.2	22.0	19.4 ^a	8,617	2,162
1951	919,524	21,142	23.0	10,139	11.0	30.8	21.5	16.8 ^a	8,027	2,040
1952	924,088	21,199	22.9	9,942	10.8	30.0	21.7	17.6 ^a	8,079	2,202
1953	929,128	21,774	23.4	9,817	10.6	26.2	17.9	17.8 ^a	8,197	2,163
1954	934,790	22,439	24.0	9,878	10.6	24.7	16.8	16.2 ^a	7,986	2,079
1955	940,841	22,753	24.2	10,140	10.8	24.5	17.3	28.4 ^a	8,263	1,954
1956	946,692	22,402	23.7	10,183	10.8	25.0	17.9	25.8 ^a	8,176	1,918
1957	952,706	23,062	24.2	10,117	10.6	25.2	18.7	23.3 ^a	7,878	1,890
1958	959,357	23,155	24.1	10,465	10.9	26.3	17.5	20.2 ^a	7,564	1,873
1959	964,896	23,141	24.0	10,817	11.2	26.4	19.1	19.1 ^a	7,599	1,960
1960	970,689	23,282	24.0	10,752	11.1	25.2	18.6	17.7 ^a	7,860	2,025
1961	976,511	23,553	24.1	10,765	11.0	25.6	19.0	17.5 ^a	7,908	2,021
1962	983,023	22,998	23.4	11,083	11.3	25.3	18.2	17.1 ^a	7,980	2,078
1963	986,603	21,919	22.2	11,003	11.2	24.0	17.9	16.3 ^a	8,121	2,193
1964	990,391	21,204	21.4	10,862	11.0	23.5	16.9	17.4 ^a	8,269	2,400
1965	993,236	19,796	19.9	10,778	10.9	22.4	16.9	17.5 ^a	8,726	2,502
1966	994,714	18,526	18.6	10,915	11.0	22.6	17.1	15.0 ^a	8,983	2,630
1967	995,134	17,976	18.1	10,066	10.1	23.1	16.4	16.1 ^a	9,210	3,049
1968	994,632	16,866	17.0	11,085	11.1	21.6	15.9	16.0 ^a	10,179	3,088
1969	993,907	17,364	17.5	10,898	11.0	19.7	15.3	11.8 ^a	10,428	3,375
1970	997,357	17,837	17.9	11,066	11.1	20.9	16.1	13.8 ^a	10,975	3,841
1971	1,012,257	17,850	17.6	10,830	10.7	18.1	13.3	13.2 ^a	11,193	3,905
1972	1,025,775	16,269	15.9	11,147	10.9	17.7	12.8	12.2 ^a	11,741	4,132
1973	1,038,291	15,730	15.1	10,837	10.4	16.1	11.6	13.3 ^a	11,925	4,551
1974	1,050,181	15,110	14.4	10,705	10.2	16.1	12.6	9.9 ^b	11,546	4,850
1975	1,062,640	15,232	14.3	10,253	9.6	13.2	9.0	10.8 ^b	11,190	5,526
1976	1,074,653	15,046	14.0	10,422	9.7	11.0	7.6	8.3 ^b	11,302	5,522
1977	1,087,650	16,252	14.9	10,055	9.2	9.4	6.1	8.6 ^b	11,446	5,655
1978	1,101,186	15,919	14.5	10,168	9.2	10.2	6.0	8.9 ^{b,c}	11,658	6,164
1979	1,115,044	16,435	14.7	10,278	9.2	9.7	5.8	7.2 ^{b,c}	11,918	6,158
1980	1,125,027	16,474	14.6	10,768	9.6	9.3	5.9	7.1 ^{b,c}	12,040	6,189
1981	1,132,849	16,567	14.6	10,331	9.1	10.6	6.6	5.7 ^{b,c}	12,290	6,351
1982	1,136,199	16,695	14.7	10,451	9.2	8.7	6.0	6.9 ^{b,c}	12,388	5,804
1983	1,145,730	16,576	14.5	10,916	9.5	8.7	5.9	6.5 ^b	12,478	5,939
1984	1,156,485	16,631	14.4	10,826	9.4	8.0	4.8	6.8 ^b	12,525	5,795
1985	1,163,850	16,905	14.5	11,392	9.8	8.9	6.3	6.0 ^b	12,248	6,070
1986	1,172,200	16,717	14.3	11,178	9.5	8.7	5.6	5.9 ^b	11,983	5,621
1987	1,186,350	16,727	14.1	11,238	9.5	8.1	4.8	5.7 ^b	12,124	5,878

Notes:^aFetal death rate calculated based on all reported terminations of pregnancy, regardless of gestational age.

In 1973, 12.0% of such terminations were for fetuses of less than 20 weeks gestation.

^bFetal death rate calculated based on reported fetal deaths of gestational age 20 weeks or more.

^cOccurrence data. ^dRate per 1,000 live births in the same year.

All data for births and deaths pertain to Maine residents, only, starting in 1935. Data on marriages and divorces describe all such events which occurred in Maine.

Table H-2

HISTORICAL VITAL STATISTICS DATA

Induced Terminations, Number and Rate:
Maine State Totals, 1978-1986

Year	Births	Induced Terminations	Induced Terminations per 1,000 Live Births
1978	15,919	4,011	252.0 ^a
1979	16,435	3,963	241.1 ^a
1980	16,474	3,594	218.2 ^b
1981	16,567	2,881	173.9 ^b
1982	16,695	2,419	144.9 ^b
1983	16,576	3,279	197.8 ^b
1984	16,631	3,767	226.5 ^b
1985	16,905	3,784	223.8 ^b
1986	16,717	3,521	210.6 ^b
1987	16,727	3,698	221.1 ^b

Notes: Data prior to 1978 not given because of severe underreporting.

^aOccurrence data.

^bResidence data.