MAINE STATE LEGISLATURE

The following document is provided by the

LAW AND LEGISLATIVE DIGITAL LIBRARY

at the Maine State Law and Legislative Reference Library

http://legislature.maine.gov/lawlib



Reproduced from scanned originals with text recognition applied (searchable text may contain some errors and/or omissions)

DEC 19 1989

MAINE

STATE AND TOTALLY

VILAL

STATISTICS

1988

HA 413 .M25 1988 STATE OF MAINE DEPARTMENT OF HUMAN SERVICES

John R. McKernan, Jr. Governor

Rollin Ives Commissioner

NON-DISCRIMINATION NOTICE

In accordance with Title VI of the Civil Rights Act of 1964 (42 U.S.C. \$2000d et seq.), Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. \$794), the Age Discrimination Act of 1975, as amended (42 U.S.C. \$6101 et seq.), and Title IX of the Education Amendments of 1972, the Maine Department of Human Services does not discriminate on the basis of sex, race, color, national origin, handicap or age in admission or access to or treatment or employment in its programs or activities. Ann Twombly, Affirmative Action Officer, has been designated to coordinate our efforts to comply with the U.S. Department of Health and Human Services regulations (45 C.F.R. Parts 80, 84 and 91) and the U.S. Department of Education (34 C.F.R. Part 106) implementing these Federal laws. Inquiries concerning the application of these regulations and our grievance procedures for resolution of complaints alleging discrimination may be referred to Ann Twombly at 221 State Street, Augusta, Maine 04333, Telephone Number: (207) 289-3488 (Voice) or 1-800-332-1003 (TTY), or to the Assistant Secretary of the Office of Civil Rights, Washington, D.C.

(ANNUAL.VS)

STATE OF MAINE DEPARTMENT OF HUMAN SERVICES

OFFICE OF DATA, RESEARCH, AND VITAL STATISTICS

ANNUAL STATISTICAL REPORT

FOR THE CALENDAR YEAR

1988

Ellen M. Naor State Registrar of Vital Statistics



John R. McKernan, Jr. Governor

Rollin Ives Commissioner

Published in August, 1989 As Required by Statute 22 MRSA §2701 under approp. 1305-1065

ACKNOWLEDGEMENTS

This report contains a summary of vital statistics for the State of Maine for the calendar year 1988. The Department of Human Services has the dual responsibility of maintaining an effective system of vital registration and of making vital statistics available to the public. Within the Department itself, these data are needed for planning, managing, and evaluating programs that will improve the health and welfare of Maine people. The data are widely used, as well, for estimating and projecting population characteristics and changes.

This document is the result of the cooperative efforts of many individuals and groups. Chief among these are the municipal clerks of Maine's towns and counties, who serve as local registrars for vital records. The conscientious efforts of physicians, medical records administrators, and funeral directors also deserve special mention.

Maine Vital Statistics has been compiled and produced under the general supervision and direction of Ellen M. Naor, State Registrar of Vital Statistics and Director, Office of Data, Research, and Vital Statistics. Staff most significantly involved in the production of the 1988 annual report include:

Carl Gerry, Director, Technical Operations - Primary responsibility for systems analysis and revision, table design and production.

Michael Morin, William Turner, Paul Bizier and Ted Clark - Vital statistics systems maintenance and programming of vital statistics series reports.

Dale Welch, Senior Researcher - Population statistics.

Sue Whitley, Word Processing Supervisor - Manuscript preparation.

The joint efforts of all the staff of the Office's Vital Records Unit are necessary to produce the data contained in this publication. Special acknowledgement is made to:

Lorraine Gerard, Deputy State Registrar - Supervision of the Vital Records Unit which is responsible for data collection, coding and editing.

Carol Crane, Field Agent - Coordination with cities and towns to produce the data in a timely fashion.

Re: Maine Annual Vital Statistics Report, 1988

Selected medical risk factors, complications of labor and/or delivery, and congenital anomalies are known to be seriously underreported through the 1988 birth certificate. The following tables are affected:

- B-3 Live Births by Selected Medical History Characteristics, Maine State Totals, 1988 (Resident Data);
- B-4 Live Births by Selected Risk Characteristics, and Ratio of Male to Female Births, Maine Counties and State Totals, 1988 (Resident Data);
- B-9 Live Births by Selected Risk Characteristics
 Number of Births, Maine Hospital, Other
 Birth Sites, and State Total, 1988
 (Occurrence Data); and
- B-10 Live Births by Selected Risk Characteristics Percentage of Total Births, Maine Hospital, Other Birth Sites, and State Total, 1988 (Occurrence Data).

Caution should be used in interpreting these data.

		1
		1
		1
		1
		'
		1
		1
		1
		1
		1
		<i>y</i> [
		1

TABLE OF CONTENTS

	Page	No.
Acknowledgements	ii	
Table of Contents	iii	
List of Tables	v	
List of Supplemental Tables Available on Request	х	
Introduction	1	
Definitions of Terms	3	
Definitions of Rates	7	
Technical Notes	9	
General Considerations. Live Births Pregnancy Outcome Infant and Fetal Mortality General Mortality Induced Terminations Marriages and Divorces Tables (See List of Tables for detailed titles)	9 12 12 12 13 15	
Live Births Pregnancy Outcome Infant and Fetal Mortality General Mortality Induced Terminations Marriages and Divorces	17 69 89 103 145 157	
Appendices	165	
Maine Vital Records Certificates and Reports		
Certificate of Live Birth	167 168 169 171 173	
Report of Termination (Spontaneous and Induced)	174	

TABLE OF CONTENTS (Continued)

	Page No.
Population Projections	
Projected Total Population: Maine Counties and	
State Total Projected Population by Age Group and Sex: Maine	175
State Totals	176
Historical Vital Statistics Data	
Population, Live Births, Deaths, Marriages	
and Divorces; Rates for Births, Deaths,	
Infant Deaths, Neonatal Deaths, and Fetal	
Deaths: Maine State Totals, from 1900	177
Induced Terminations, Number and Rate: Maine State	
Totals, from 1978	178

LIST OF TABLES

Table No	. <u>Table Title</u>	Page No.
	LIVE BIRTHS	
TABLE B	l All Live Births and Out of Wedlock Live Births, by Mother's Age and Race of Child: Maine State Totals, 1988 (Resident Data)	. 19
TABLE B	2 All Live Births and Out of Wedlock Live Births, by Mother's Age and Child's Birthweight: Maine State Totals, 1988 (Resident Data)	. 20
TABLE B	Live Births by Selected Medical History [Selected Characteristics: Complications of Labor, Medical Risk Factors, Other Risk Factors, Method of Delivery, Obstetric Procedures, Congenital Anomalies	. 21
TABLE B	4 Live Births by Selected Risk Characteristics, and Ratio of Male to Female Births: Maine Counties and State Totals, 1988 (Resident Data) [Selected Characteristics: 5 Minute Apgar Score Less Than 5, Congenital Anomalies, Birthweight Less Than 2,500 Grams, Gestation Less Than 37 Weeks]	. 22
TABLE B	5 All Live Births and Out of Wedlock Live Births, by Mother's Age, Sex of Child and Birth Order: Maine Counties and State Totals, 1988 (Resident Data)	. 23
TABLE B	6 Live Births by Month Prenatal Care Began and Birthweight: Maine Counties and State Totals, 1988 (Resident Data)	. 40
TABLE B	7 Live Births by Trimester Prenatal Care Began and Number of Prenatal Visits: Maine Counties and State Totals, 1988 (Resident Data)	. 49
TABLE B	8 Live Births by Month Prenatal Care Began and Mother's Education: Maine Counties and State Totals, 1988 (Resident Data)	. 58
TABLE B	9 Live Births by Selected Risk CharacteristicsNumber of Births: Maine Hospitals, Other Birth Sites, and State Totals, 1988 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Medical Risk Factors, Pregnancy, Casarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]	. 64
TABLE B-	10 Live Births by Selected Risk Characteristics Percentage of Total Births: Maine Hospitals, Other Birth Sites, and State Totals, 1988 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]	65

Table No.	Table Title	Page No.
TABLE 8-11	Live Births by Birthweight: Maine Hospitals, Other Birth Sites, and State Totals, 1988 (Occurrence Data)	66
	PREGNANCY OUTCOME	
TABLE P-1	All Pregnancies by Outcome, Marital Status and Age of Mother: Maine Counties and Maine State Totals, 1988 (Resident Data)	. 71
TABLE P-2	Fetal Deaths, Miscarriages, and Induced Terminations by Weeks of Gestation: Maine State Totals, 1988 (Resident Data)	. 88
	INFANT AND FETAL MORTALITY	
TABLE F-1	Infant, Neonatal, and Postneonatal Deaths by Sex for 61 Cause of Death Groups: Maine State Totals, 1988 (Resident Data)	91
TABLE F-2	Fetal Deaths by Gestation and Sex for 61 Cause of Death Groups: Maine State Totals, 1988 (Resident Data)	95
TABLE F-3	Live Births, Neonatal Deaths, and Estimated Neonatal Death Rates by Birthweight: Maine State Totals, 1988 (Resident Data)	97
TABLE F-4	Fetal Deaths by Selected Complications, Gestation, and Age of Patient: Maine State Totals, 1988 (Resident Data) [Selected Complications: Complications of Pregnancy, Complications of Labor or Delivery, Concurrent Illnesses, Congenital Anomalies]	98
TABLE F-5	Deaths and Death RatesTotal, Infant, Neonatal, Postneonatal, and Perinatal: Maine Counties and State Totals, 1988 (Resident Data)	99
TABLE F-6	Fetal Deaths by Selected Characteristics: Maine Counties and State Totals, 1988 (Resident Data) [Selected Characteristics: Out of Wedlock, Autopsy, In Hospital, Trimester Prenatal Care Began, Age of Patient]	100
TABLE F-7	Fetal Deaths, Selected Risk Characteristics, and Ratio of Males to Females: Maine Counties and State Totals, 1988 (Resident Data) [Selected Characteristics: Congenital Anomalies, Fetal Weight, Gestation Less Than 28 Weeks]	101
TABLE F-8	Fetal Deaths by Selected Medical History Characteristics: Maine State Totals, 1988 (Resident Data) [Selected Medical History: Complications of Labor, Medical Risk Factors, Other Risk Factors, Method of Delivery, Obstetric Procedures, Congenital Anomalies]	102

Table No.	Table Title	Page No.
	GENERAL MORTALITY	
TABLE D-1	Deaths, Rank by Number of Deaths, and Death Rate Total, Male, and Female for Ten Leading Causes of Death by Age Group: Maine State Totals, 1988 (Resident Data)	105
TABLE D-2	Years of Life LostNumber, Percent, Rank and Average per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1988 (Resident Data)	. 110
TABLE D-3	Deaths by Age and Sex for 282 Cause of Death Groups: Maine State Totals, 1988 (Resident Data)	. 111
TABLE D-4	Underlying Cause Mentions and All Mentions of 72 Cause of Death Groups, and Ratio of All Mentions to Underlying Cause Mentions: Maine State Totals, 1988 (Resident Data)	130
TABLE D-5	DeathsTotal, and Percent by Site of Death: Maine Counties and State Totals, 1988 (Resident Data)	132
TABLE D-6	Deaths in HospitalsTotal and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1988 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	133
TABLE D-7	Deaths in Intermediate Care FacilitiesTotal and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1988 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	134
TABLE D-8	Deaths at HomeTotal and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1988 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	135
TABLE D-9	Deaths by Sex, Age, and OccupationMaine State Totals, 1988 (Resident Data)	136
TABLE D-10	Acquired Immune Deficiency SyndromeRelated Deaths by Status of Mention, Maine State Totals, 1988 (Resident Data)	139
TABLE D-11		133
	(Resident Data)	140

Table No.	Table Title	Page No
	INDUCED TERMINATIONS	
TABLE A-2	Induced Terminations by Gestation and Type of Termination Procedures: Maine State Totals, 1988 (Occurrence Data)	147
TABLE A-3	Induced Terminations by Gestation, Age of Patient, and Race: Maine State Totals, 1988 (Resident Data)	148
TABLE A-4	Induced Terminations by Gestation, Age of Patient, and Race: Maine State Totals, 1988 (Occurrence Data)	149
TABLE A-5	Induced Terminations by Race, Marital Status and Age of Patient: Maine State Totals, 1988 (Resident Data)	150
TABLE A-6	Induced Terminations by Race, Marital Status and Age of Patient: Maine State Totals, 1988 (Occurrence Data)	151
TABLE A-7	Induced Terminations by Marital Status and Age of Patient: Maine State Totals, 1988 (Resident and Occurrence Data)	152
TABLE A-8	Induced Terminations by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1988 (Resident Data)	. 153
TABLE A-9	Induced Terminations by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1988 (Occurrence Data)	. 154
TABLE A-10	Induced Terminations by State or Country of Residence: Maine State Totals, 1988 (Occurrence Data)	
	MARRIAGES AND DIVORCES	
TABLE M-1	Marriages by Age of Bride and of Groom: Maine State Totals, 1988 (Resident Data)	. 159
TABLE M-2	Marriages by Years of Education of Bride and of Groom: Maine State Totals, 1988 (Resident Data)	. 160
TABLE M-3	Marriages by Age and Previous Marital Status, for Brides and for Grooms: Maine State Totals, 1988 (Resident Data)	. 161
TABLE M-4	Marriages by Number of Previous Marriages of Bride and of Groom: Maine State Totals, 1988 (Resident Data)	. 162
TABLE M-5	Divorces by Number of Minor Children, Plaintiff, Decree Granted, and by Number of Years Married: Maine State Totals, 1988 (Occurrence Data)	. 163

Table No.	Table Title	Page No.
	APPENDICES	
TABLE C-1	Copy of Maine Birth Certificate	167
TABLE C-2	Copy of Maine Fetal Death Certificate	168
TABLE C-3	Copy of Maine Death Certificate	169
TABLE C-4	Copy of Maine Marriage Certificate	171
TABLE C-5	Copy of Maine Divorce Certificate	173
TABLE C-6	Copy of Maine Report of Termination of Pregnancy (Spontaneous and Induced)	174
TABLE E-1	Projected Total Population: Maine Counties and State Total, July 1, 1988	175
TABLE E-2	Projected Population by Age Group and Sex: Maine State Totals, July 1, 1988	176
TABLE H-1	Historical Vital Statistics Data, Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, 1900-1955 (every fifth year) and 1956-1988 (yearly)	177
TABLE H-2	Historical Vital Statistics Data, Induced Terminations, Number and Rate: Maine State Totals, 1978-1988	178

Table No.

- S-A-2 Induced Abortions--Total, and by Selected Characteristics:
 Maine Towns over 3,500 Population, Counties and State Totals,
 1988 (Resident Data) [Selected Characteristics: Out of Wedlock,
 Patient's Age, No Previous Pregnancies, No Previous Abortions,
 Education, Abortions in Hospital]
- S-A-3 Induced Abortions to Canadian Residents by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Canada Totals, 1988 (Occurrence Data)
- S-A-4 Induced Abortions to Canadian Residents by Gestation, Age of Patient, and Race: Canada Totals, 1988 (Occurrence Data)
- S-A-5 Induced Abortions to Canadian Residents by Gestation and Type of Termination Procedures: Canada Totals, 1988 (Occurrence Data)
- S-B-l All Live Births and Out of Wedlock Live Births by Adequacy of Prenatal Care, Mother's Age, Child's Birthweight, and Apgar Score: Maine State Totals, 1988 (Resident Data)
- S-B-2 Live Births -- Total, and by Selected Risk Characteristics:
 Maine Towns, Counties and State Totals, 1988
 (Resident Data) [Selected Characteristics: Out of
 Wedlock, Under 2,500 Grams, Congenital Anomalies,
 Mother Under Age 20 Years, No Prenatal Care]
- S-BD-1 Births and Deaths by Month, Maine Towns, Counties and State Totals, 1988 (Resident Data)
- S-D-l Deaths, Rank by Number of Deaths, and Death Rate Highlighting Motor Vehicle Traffic Deaths -- Total, Male, and Female for Ten Leading Causes of Death (Selected from 32 Cause-of-Death Classifications) by Age Group Maine State Totals, 1988 (Resident Data)
- S-D-2 Deaths by 72 Cause of Death Groups: Six Largest Cities or Towns in Each Maine County, County Totals, and State Totals, 1988 (Resident Data)
- S-D-3 Deaths by Age and Sex for 72 Cause of Death Groups Maine State Totals, 1988 (Resident Data)
- S-D-4 Deaths by Age and Sex for 32 Cause of Death Groups Maine State Totals, 1988 (Resident Data)

^{*}Supplemental tables are available at the cost of reproduction.

- S-D-5 Alcohol and Drug Related Deaths by Status of Mention: Maine State Totals, 1988 (Resident Data)
- S-D-6 Deaths by Origin or Descent: Maine Counties and State Totals, 1988 (Resident Data)
- S-D-7 Deaths by Referral to Medical Examiner, Autopsy Status, Certifier, Traumatic and Non-traumatic Deaths: Maine State Totals, 1988 (Occurrence Data)
- S-D-8 Deaths by Method of Disposition and Age: Maine Counties and State Totals, 1988 (Occurrence Data)
- S-D-9 Years of Life Lost Before Age 75 Number, Percent, Rank, and Average Per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1988 (Resident Data)
- S-F-l Neonatal Deaths and Estimated Neonatal Rates by Birthweight: Maine Hospitals of Birth, Other Birth Sites, and State Total, 1988 (Occurrence Data)
- S-F-2 Infant, Neonatal, and Fetal Deaths by Sex, Non-white Race, Low Birthweight, and Congenital Anomalies: Maine Towns, Counties, and State Total, 1988 (Resident Data)
- S-M-l Marriages by Selected Characteristics: Maine Towns, Counties, and State Totals, 1988 (Occurrence and Residence Data) [Selected Characteristics: Religious Ceremony, Bride and Groom Residence, Under Age 20 Years, Education Under 12 Years, First Marriage]
- S-M-2 Wives Involved in Divorces and Annulments by Residence of Husband and Number of Minor Children: Maine Towns, Counties, and State Totals, 1988 (Resident Data)

^{*}Supplemental tables are available at the cost of reproduction.



INTRODUCTION

In order to speed the process of making these data available to the public, the annual vital statistics report does not contain interpretive comments or charts. Information necessary to use the tables is included in the technical notes. The tabulations most frequently requested are presented in this report. Supplemental tables, available at the cost of reproduction, are listed on page x. Special tabulations can also be obtained, generally at a charge that may include preparation as well as reproduction costs. Comments and requests for additional information should be directed to:

Maine Department of Human Services
Office of Data, Research, and Vital Statistics
32 Winthrop Street
State House Station #11
Augusta, Maine 04333-0011

Telephone: (207) 289-3001

DEFINITIONS OF TERMS

All Mentioned Causes of Death

All causes of death mentioned on the death certificate, whether underlying or associated. All mentioned causes are also referred to as "multiple causes of death."

Apgar Score

A summary indicator for evaluating the health of a newborn infant, the score ranges from 0 (very poor) to 10 (excellent). It is assigned by the delivery room personnel one minute and five minutes after birth.

Associated Cause of Death

Condition other than the underlying cause of death which may have contributed to the death.

Birth Order

Number of live births to the mother of the newborn, including this birth.

Birthweight

Weight of fetus or infant at time of delivery (normally measured in grams).

Fetal Death

Death prior to the complete expulsion or extraction from its mother of a product of conception; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Fetal deaths of at least 20 weeks of gestation must be reported on the "Fetal Death Report." Fetal deaths of less than 20 weeks gestation are reported on the "Report of Abortion (Spontaneous and Induced)."

Gestation

Clinical assessment of the number of weeks since conception.

Hospital

A licensed acute care health facility with permanent inpatient beds offering facilities and services for the diagnosis and treatment of illness, injury and deformity for a continuing period of time. A hospital has an organized medical staff and offers continuous 24 hour professional nursing care and emergency treatment.

Induced Abortion

Induced abortion means the intentional interruption of a pregnancy by the application of external agents, whether chemical or physical, or the ingestion of chemical agents with an intention other than to produce a live birth or to remove a dead fetus. All induced abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)," regardless of the length of gestation.

DEFINITIONS OF TERMS (Continued)

Infant Death

Death occurring to a live born infant less than one year of age.

Intermediate Care Facility

A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, health related services, and licensed nursing supervision (8 hours per day).

Live Birth

A live birth is the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Maternal Deaths

Those deaths of women wherein the physician has designated a maternal condition as the underlying cause of death.

Minor Civil Division

In Maine, minor civil divisions generally are areas covered by the local or city/town level of civil government.

Miscarriage

Spontaneous abortion (see definition).

Multiple Causes of Death

All causes of death mentioned on the death certificate, whether underlying or associated. Multiple causes are also referred to as "all mentioned causes."

Neonatal Death

Death occurring to a live born infant before completing 27 days of life.

Occurrence

Refers to data tabulated by place the event occurred.

Out of Wedlock Birth

Births in which the mother was not married either at the time of conception or at the time of delivery.

Perinatal Death

Fetal deaths of at least 20 weeks gestation and all neonatal deaths.

DEFINITIONS OF TERMS (Continued)

Postneonatal Death

Death occurring to a live born infant between the ages of 28 days and 364 days, inclusive.

Race

Race of mother, father, or decedent is as stated on certificate. Race of child is determined from the race of the parents.

Residence

Refers to data tabulated by usual place of residence of the person to whom event occurred. For births, fetal deaths, and abortions, residence is defined as the mother's place of residence.

Site of Birth

Hospital or type of non-hospital site (e.g. home, on way to hospital, out-patient facility) where birth occurred.

Site of Death

Hospital or type of non-hospital site (e.g. home, on way to hospital, nursing home) where death occurred.

Skilled Nursing Facility

A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, medical services, continuous skilled nursing services and health-related services, diagnosis and treatment.

Spontaneous Abortion

A termination of pregnancy, at less than 20 weeks gestation, through natural causes and without the aid of mechanical or medicinal agents. All spontaneous abortions are required to be reported on the "Report of Termination (Spontaneous and Induced)."

Underlying Cause of Death

That condition giving rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. For this report, underlying causes are selected through processing of death certificate data by the ACME and TRANSAX computer programs (see Technical Notes).

	5		

DEFINITIONS OF RATES*

Age-Specific Death Rate	=	Resident Deaths in Specific Age Group Total Resident Population in Specific Age Group		100,000
Birth Rate	=	Resident Live Births Total Resident Population	X	1,000
Cause-Specific Death Rate	=	Resident Deaths from Specific Cause Total Resident Population	X	100,000
Death Rate	=	Resident Deaths Total Resident Population	X	1,000
Divorce Rate	=	Divorces Total Resident Population	x	1,000
Fetal Death Rate	=	Resident Fetal Deaths Total Resident Live Births and Resident Fetal Deaths	x	1,000
Infant Death Rate	=	Resident Infant Deaths Total Resident Live Births	X	1,000
Marriage Rate	=	Marriages Performed Total Resident Population	x	. 1,000
Maternal Death Rate	==	Resident Maternal Deaths Total Resident Live Births	X	10,000
Neonatal Death Rate	=	Resident Neonatal Deaths Total Resident Live Births	X	1,000
Perinatal Death Rate	=	Resident Fetal Deaths and Neonatal Deaths Total Resident Fetal Deaths and Live Births	x	1,000
Postneonatal Death Rate	=	Resident Postneonatal Deaths Total Resident Live Births	X	1,000
Sex-Specific Death Rate	=	Resident Deaths of Indicated Sex Total Resident Population of Indicated Sex	x	100,000

^{*}Event denominators for rates are registered totals for the calendar year. Population denominators are mid-calendar year estimates.

TECHNICAL NOTES

General Considerations

Sources of Vital Records Data: Birth, death, fetal death, abortion, marriage, and divorce certificates are the source documents for data on vital events in Maine. A copy of each is included in Appendix Tables C-1 through C-6.

The cut off dates for the data in this report are: Divorces and Induced Terminations, March 15, 1989; Deaths, Fetal Deaths, and Marriages, April 1, 1989; and Births, April 15, 1989. Any data pertaining to 1988 events for which certificates were filed after the above cut off dates are not included in this report.

Birth certificates and induced termination reports are usually completed by hospital or clinic personnel. Death and fetal death certificates are usually completed by funeral directors, who obtain the medical certifications of cause of death from physicians. Marriage certificates are completed by the appropriate municipal clerks, while divorce reports are sent to the Office of Data, Research, and Vital Statistics by the clerks of courts.

Completeness of Registration: A birth certificate test in 1950 indicated that about one percent of births in Maine at that time were not recorded. It is assumed that registration has continued to be at least this complete.

Although no test of death registration has ever been done, it is assumed that death registration is reasonably complete, because burial permit laws and regulations require the filing of a death certificate before a burial permit for the disposition of the body is issued.

Reporting of all terminations of pregnancy at any gestation, whether spontaneous or induced, has been required in Maine for many years. Analysis of fetal death rates over time, however, indicates that there has been considerable variation in the completeness of registration. A specific reporting form for abortions (spontaneous and induced) was introduced in 1978. Comparison with independent data sources suggests that induced terminations may be underreported by 10 to 15%.

In addition to unrecorded vital events, other vital events may not be included in this report for several reasons: failure of the person required to report the event to make a timely report; failure of a municipal clerk to make a timely report to the State Registrar; or failure of other states to make timely exchanges of nonresident transcripts of births and deaths.

<u>Data Quality</u>: Data in this report are based upon original certificates of births and deaths, copies of original certificates of marriages prepared by city and town clerks, and abstracts of decrees of divorces prepared by the clerks of courts. Errors in data may be

introduced by persons giving information for the original certificate, persons involved in the actual preparation of the original certificate, persons responsible for the preparation of the copies or abstracts of the original certificates, or those involved in the coding and processing of the data in the State Office of Data, Research, and Vital Statistics.

Extensive reorganization and revision in 1983 of reporting procedures, data input procedures, and computer systems have reduced eliminated many of the problems experienced in previous years. Office of Data, Research, and Vital Statistics maintains several improving the quality and completeness of programs aimed at on certificates and information received its translation statistical form. A "query" system is used to followback to physicians, hospital personnel and funeral directors incomplete or conflicting information on the certificates themselves. The followback, which is done by both mail and telephone, is based on both manual and computer editing procedures.

In addition, the vital statistics field agent works directly with the data providers to improve the quality of reported information. The field agent conducts various seminars, workshops, and site visits to educate hospital and medical personnel, funeral directors, and municipal clerks in the importance of accurate and complete vital statistics data.

Finally, the National Center for Health Statistics (NCHS) monitors State coding of statistical data. The NCHS has established a two percent upper limit for coding differences involving any one data item, with the exception of cause of death. A five percent limit is used for this item due to the complexity of the coding process.

Comparison with Earlier Years: In 1983, a number of changes were introduced into the vital registration program and associated data processing, computer systems, and analytic procedures. These must be borne in mind in any comparisons with earlier years and analyses of time trends. Specific changes include the following:

- Implementation of a new birth certificate on January 1, 1983 and a new fetal death certificate on January 1, 1985. The new certificates use a checklist format for reporting medical history items related to pregnancy and delivery. These items are recorded on a separate page mailed directly to the Vital Records Unit.
- Intensive field and education activities directed to appropriate medical providers to promote more complete reporting of induced abortions performed at any time during pregnancy.
- The computerized data systems for records of births, deaths, fetal deaths, marriages, divorces, and abortions were completely revised in 1983 to promote more accurate and timely registration activities and statistical products. Comprehensive and rigorous edit procedures were developed for data input and a number of consistency checks were incorporated.

Small Frequencies: The numbers of births or deaths reported for a community represent complete counts of these events. As such, they are not subject to sampling error or variation, although they are subject to errors in the collection and processing procedures. However, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same general circumstances. The probable range of values may be estimated from the actual figures according to certain statistical assumptions (Vital Statistics for the U.S., Vol. 1, 1959, p. 1-20). When the figures are used for comparison of frequencies and rates over a time period or for different areas, appropriate statistical methods should be used to assess the significance of the comparisons.

Frequencies of and rates based on fewer than 10 events should be used carefully because they are subject to large random fluctuations. The number "10" is arbitrary, however, and is not set forth as a critical point distinguishing statistically reliable rates.

Rates: In interpreting the conditions described by vital statistics rates, considerable caution must be observed. In particular, differences in rates from time to time or place to place may arise from a number of population differences and other compounding factors, and appropriate techniques (e.g., standardization) should be utilized in such comparisons.

Population Data: The population data used to calculate rates in this report are from the 1988-1997 Maine Population Projections, Office of Data, Research, and Vital Statistics, Department of Human Services, June, 1989. A display of these population data is included in Appendix Tables E-1 and E-2.

"Selected" Characteristics/Causes of Death: These terms are used to denote tabulations in which the categories displayed are not exhaustive but represent only those of particular interest.

Geographic Classification: In addition to recording vital events occurring in Maine, the Office of Data, Research, and Vital Statistics receives transcripts of birth certificates for children born outside Maine to a mother who is a resident of Maine. Death certificates for persons who are residents but die outside the boundaries of Maine are also received. Transcripts of non-resident births and deaths are exchanged with all other states and with Canada.

Events are assigned to geographical areas according either to place of residence or to place of occurrence. The basis for classification is identified in each table and should be carefully observed when extracting information.

"Resident Data" means events have been tabulated according to the area where the person lived regardless of where the event occurred. In the case of infant deaths and births, the reference is to the residence of the mother. It should be noted that in the case of infant deaths, the place of residence at death may differ from the place of residence at birth; when special tabulations are prepared from both birth and death certificates, it is important to note to which residence category they were assigned.

"Occurrence Data" means events have been tabulated according to where the events took place, regardless of the usual residence of the person. Since nearly all births and most deaths take place in hospitals, the number which occur in counties with many hospital beds will be large for this reason alone.

Live Births

As noted in previous sections, a revised birth certificate was initiated on January 1, 1983. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies. Two added items were the physician's estimate of gestation and an assessment of the infant's condition at birth. Initial evaluation indicates that the checklist format increased reporting of the medical history items dramatically - as much as five-fold on some items - so comparison with data from previous years must be made with caution.

Pregnancy Outcome

This section deals with the outcome of pregnancies to Maine Resident women including live births, fetal deaths, miscarriages, and induced terminations.

Table Pl is displayed by county and is the only table where it is possible to compare pregnancy rates by regions throughout the State of Maine.

Infant and Fetal Mortality

This section includes all fetal deaths of at least 20 weeks gestation and all neonatal deaths. The birth, death, and fetal death certificates all include information on the place of residence, so events to non-Maine residents can be excluded from tabulations based on resident data. Through the interstate exchange agreement, transcripts of births and deaths which occur outside of the state to Maine residents are obtained for inclusion in tabulations of resident data. Maine started to participate in such exchange for fetal deaths in 1985, so information on pregnancies of Maine women terminating in fetal deaths which occurred outside the state is now available for inclusion in tabulations of resident data.

A revised fetal death certificate was initiated on January 1, 1985, comparable to the 1983 revision of the birth certificate. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies.

Notification of infant death is obtained from the regular death certificate. However, much information relevant to the circumstances of infant death is found on the birth certificate. Birth and death records have, therefore, been matched to produce a composite infant death tape, which is the source of Table F-3. Tables F-1, F-5, and all other death tables, on the other hand, are produced from the general death file. Discrepancies between these two sources are minimal, usually involving only a very small number of deaths.

General Mortality

There are a number of factors which should be considered in order to understand and use the mortality data presented herein.

Mortality Classification: The mortality classification used in this report is the Ninth Revision of the International Classification of Diseases (ICD-9). It consists of a list of 722 categories of diseases and morbid conditions, 192 categories for classification of the external cause of an injury, and 190 categories for the characterization of injuries according to the nature of the lesion.

There are two major limitations in interpreting changes in cause of death statistics. Changes in diagnostic practice may affect the comparability of such statistics over time, as do changes in nomenclature and in the classification scheme. The International Classification of Diseases is revised approximately every ten years to incorporate advances in medical science and to reflect changing medical opinion and practice. The Sixth Revision was used from 1949-1957, the Seventh Revision from 1958-1967, the Eighth Revision from 1968-1978, and the Ninth Revision after 1978.

Under the Ninth Revision, the method for selecting the cause of death for statistical purposes remains the same as the method instituted with the Sixth Revision. The Sixth Revision instituted a method whereby the physician in attendance at death indicates the disease or morbid condition which he considers to be the underlying cause of death. The underlying cause is defined as "(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident which produced fatal injury." Prior to 1981, when two or more causes were jointly recorded, a nosologist in the Office of Vital Statistics selected and coded the underlying cause using the ancillary information provided on the death certificate by the physician. Beginning in 1981, however, all causes mentioned on the certificate are coded. The underlying cause is determined using a computerized procedure: the Automated Classification of Medical Entities (ACME) program. The cause of death information is then subjected to the TRANSAX computer program, which eliminates redundancies in mentioned causes. Information on all associated causes is retained on the computer records for use in further study of certain health problems.

Several groupings by cause of death are utilized in this report. All of the groupings are both exhaustive and exclusive: all causes are assigned to a group or category, and each specific cause is assigned to only one cause group. Deaths by age and sex groups are tabulated using a list of 282 cause groups (Table D-3). Deaths by county and town of residence, site of death, and underlying/non-underlying status are tabulated using 72 cause groups. The analysis of leading causes of death in Table D-1 and D-2 is based on 32 cause groups. The data on fetal and infant deaths, in Tables F-1 and F-2, are categorized into 61 cause groups. In all cases the ICD-9 codes included in each cause group are indicated on the appropriate tables. Tables generally do not include cause groups from which there were no deaths, so the number of groups displayed may be less than the number of groups (i.e., 282, 72, 61, or 32) from which the tables were constructed.*

^{*} Complete lists of causal groups are contained in the following reference manual and may be obtained upon request:

Office of Data, Research, and Vital Statistics, Maine Department of Human Services, Vital Records Manual, 1989. December, 1988.

Years of Life Lost: In Table D-2, "Years of Life Lost" is used as a more sensitive measure of premature death than the death rate itself. The number of years of life lost is calculated for each decedent as the difference between the age at death and the life expectancy at that age. Life expectancy at each age is taken from the 1980 Maine Life Tables, with the sex-specific expectancy estimated using the 1980 United States Life Tables for the white population.** The death of a male infant, for example, represents a total of 71.0 years of life lost. The death of a 50 year old woman represents 30.9 years of life lost, and the death of a 85 year old woman represents 6.4 years of life lost.

Multiple Causes of Death: Most major causes of death are contributing factors to many deaths in which they are not the underlying cause. The relative frequencies with which specific causes are mentioned on death records as underlying or non-underlying causes are displayed in Table D-4.

In Table D-4, cause of death mentions are classified into 72 cause groups, after processing through the ACME and TRANSAX computer programs. Consequently, the term "mentions" refers to causes identified through processing by the computer programs, rather than to causes as mentioned on the death certificate. A cause group is counted only once for each decedent, even if more than one cause in the group was mentioned on the original certificate. Comparisons of data from different sources on "all mentions" of a cause group are valid only if the number and composition of the cause groups used are the same and the counting rules are consistent.

The category of "all mentions" of a cause group usually includes all identifications of it as the underlying cause of death. Occasionally, simultaneous mention of certain causes on the death record leads to the identification, as the underlying cause, of a disease entity which was not itself recorded on the death certificate. In such cases, the ratio of all mentions to underlying cause mentions can be less than 1.00.

Certain causes of death can never be classified as the underlying cause of death as defined in the International Classification of Diseases. In particular, descriptions of the nature of injuries and secondary neoplasms are always recorded on the death certificate in conjunction with one or more entries which identify the underlying cause of death, i.e. the external cause of injury or the primary neoplasm.

Table D-11 displays only those 72 cause groups for which the ratio of all mentions to underlying cause mentions on Table D-4 is generally 2,000 or higher and the number of underlying cause mentions is ten or more.

^{**}Welch, D. Maine Life Tables:1980. Augusta: Maine Department of Human Services, 1985; National Center for Health Statistics, United States Life Tables-1980, 1984.

Induced Terminations

All induced terminations performed in Maine are required to be reported, regardless of the length of gestation. The report form includes information on the place of residence, so non-resident women receiving abortions in Maine can be excluded from tabulations based on resident data. Approximately 15% of the induced terminations in Maine were obtained by out-of-state residents. Maine does participate in the interstate program for exchange of induced terminations reports, so complementary data on Maine residents who received terminations in other states are available, but only one or two records are received each year from other states indicating that very few Maine residents receive induced terminations in neighboring states.

The numbers of induced terminations reported in 1982 was nearly a third lower than the numbers reported in preceding and subsequent years, due principally to incomplete reporting. In the spring of 1983, a vigorous effort was undertaken to remind and inform physicians, clinics, and hospitals that all induced terminations must be reported to the Department of Human Services on the appropriate form.

Marriages and Divorces

All marriages which occur in Maine are registered in the central Office of Data, Research, and Vital Statistics, whether or not either the bride or the groom are residents of the state. Marriages in which both partners are non-residents are excluded from tabulations based on resident data. However, there is no interstate program for exchange of marriage records of non-residents and hence the complementary data on Maine residents who are married outside Maine are not included in the resident data tabulations. "Resident Data" thus include all marriages occurring in Maine in which either the bride, the groom, or both are residents of Maine.

A similar situation exists in the registration of divorces and annulments. These records are reported to the central office by the clerks of the courts in which the divorce or annulment is finalized. No information is available on divorces or annulments obtained outside the state by Maine residents.

·			

AGE OF MOTHER	TOTAL BIRTHS	PERCENT DISTRIBUTION	WHITE	BLACK	AMERICAN INDIAN	ASIAN	OTHER	UNKNOWN
ALL BIRTHS								
LESS THAN 15	17	0.10	17	0	0	0	0	0
15	78	0.45	74	1	2	0	0	1
16	165	0.96	156	1	5	1	0	2
17	. 339	1.97	330	2	4	0	0	3
.18	502	2.92	488	1	5	0	2	6
19 .	753	4.39	731	7	7	4	0	4
20-24	5,158	30.05	4,980	45	52	26	7	48
25-29	5,610	32.68	5,435	36	30	35	14	60
30-34	3,283	19.13	3,172	21	23	14	11	42
35-39	1,046	6.09	1,015	6	3	6	2	14
40-44	142	0.83	138	0	0	3	1	0
GREATER THAN 44	8	0.05	7	0	1	0	0	0
UNKNOWN	65	0.38	63	0	.О	1	0	1
STATE TOTALS	17,166		16,606	120	132	90	37	181
PERCENT DISTRIBUTION		100.00	96.74	0.70	0.77	0.52	0.22	1.05
OUT OF WEDLOCK BIRTHS								
LESS THAN 15	16	0.46	16	0	0	0	0	0
15	75	2.15	71	1	2	0	0	1
16	146	4.19	138	1	5	0	0	2
17	256	7.34	250	1	3	0	0	2
18	321	9.21	310	0	3	0	2	6
19	387	11.10	378	1	3	3	0	2
20-24	1,349	38.69	1,300	9	20	1	2	17
25-29	615	17.64	589	7	6	1	3	9
30-34	227	6.51	215	4	3	2	0	3
35-39	71	2.04	69	0	0 ·	0	0	2
40-44	12	0.34	12	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0
UNKNOWN	12	0.34	11	0	0	0	0	1
STATE TOTALS	3,487		3,359	24	45	7	7	45
PERCENT DISTRIBUTION		100.00	96.33	0.69	1.29	0.20	0.20	1.29

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-2 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND CHILD'S BIRTHWEIGHT
MAINE STATE TOTALS, 1988 (RESIDENT DATA)

			******	*****	*****	*****	*****	MOTHER	R'S AGE((YRS.) *	*****	*****	*****	******	*****
BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DIST.	Γ LESS THAI 15	N ₁ 15	16	17	18	19		25-29		35-39		GREATER THAN 44	UNKNOWN
ALL BIRTHS															
LESS THAN 500	12	0.07	0	O	0	0	0	0	3	4	2	2	1	0	0
500-999	44	0.26	0	1	1	1	3	3	6	14	7	5	0	0	3
1000-1499	75	0.44	0	1	1	1	1	2	25	22	14	5	1	2	0
1500-1999	142	0.83	1	1	3	2	1	7	36	41	32	13	4	0	1
2000-2499	559	3.26	1	8	8	17	17	32	172	162	93	35	7	1	6
2500-2999	2,187	12.74	3	10	23	54	79	113	728	685	344	124	15	1	8
3000-3499	5,953	34.68	5	32	66	137	199	272	1,854	1,905	1,090	321	44	3	25
3500-3999	5,723	33.34	4	17	46	86	154	241	1,671	1,950	1,129	368	44	0	13
4000-4499	1,970	11.48	3	6	10	30	39	67	528	664	468	128	19	1	7
4500-4999	386	2.25	0	2	2	7	4	12	113	124	80	38	3	0	1
GREATER THAN 4999	9 52	0.30	0	0	2	3	0	0	12	18	15	0	2	0	0
UNKNOWN	63	0.37	0	0	3	1	5	4	10	21	9	7	2	0	1
STATE TOTALS	17,166		17	78	165	339	502	753	5,158	5,610	3,283	1,046	142	8	65
PERCENT DIST.		100.00	0.10	0.45	0.96	1:97	2.92	4.39	30.05	32.68	19.13	6.09	0.83	0.05	0.38
OUT OF WEDLOCK BIR	THS														
LESS THAN 500	3	0.09	0	0	0	0	0	0	1	1	1	0	0	0	0
500-999	11	0.32	0	1	1	1	1	1	3	3	0	0	0	0	0
1000-1499	20	0.57	0	1	1	1	0	2	10	3	1	1	0	0	0
1500-1999	. 50	1.43	1	1	3	2	0	4	20	9	6	2	1	0	1
2000-2499	170	4.88	1	8	8	9	13	18	56	35	15	4	0	0	3
2500-2999	587	16.83	3	10	20	46	55	64	218	114	44	11	1	0	1
3000-3499	1,297	37.20	4	30	57	111	130	148	504	217	62	26	5	0	3
3500-3999	966	27.70	4	17	41	61	89	114	386	161	. 68	19	3	0	3
4000-4499	304	8.72	3	6	9	19	27	29	123	55	25	6	1	0	1
4500-4999	50	1.43	0	1	2	. 4	2	3	20	14	3	1	0	0	0
GREATER THAN 4999	-	0.29	0	0	2	2	0	0	4	1	0	. O	1	0	0
UNKNOWN	19	0.54	0	0	2	0	4	4	4	2	2	1	0	0	0
STATE TOTALS	3,487		16	75	146	256	321	387	1,349	615	227	71	12	0	12
PERCENT DIST.		100.00	0.46	2.15	4.19	7.34	9.21	11:10	38.69	17.64	6.51	2.04	0.34	0.00	0.34
PERCENT OF ALI	L BIRTHS														
		20.31	94.12	96.15	88.48	75 <i>.</i> 52	63.94	51.39	26.15	10.96	6.91	6.79	8.45	0.00	18.46

COMPLICATIONS OF LABOR CONDITION NUMBER %	MEDICAL RISK FACTORS CONDITION NUMBER %	OTHER RISK FACTORS CONDITION NUMBER %	METHOD OF DELIVERY METHOD NUMBER %	CONGENITAL ANOMALIES CONDITION NUMBER %
FEBRILE >100 F 54 0.3			•	ANENCEPHALUS 0 0.0
MECONIUM 815 4.7	CARDIAC DISEASE 22 O.	· · · · · · · · · · · · · · · · · · ·	VAGINAL AFTER	SPINA BIFIDA 3 0.0
PREMATURE RUPTURE	ACUTE OR CHRONIC			HYDROCEPHALUS 2 0.0
MEMBRANE >12 HRS 476 2.8			1 PRIMARY	MICROCEPHALUS 0 0.0
ABRUPTIO	DIABETES/	AVG DRINKS	C-SECTION 2,012 11.7	
PLACENTA 53 0.3	GESTATIONAL 274 1.	· - · · · · · · · · · · · · · · · · · ·	5 REPEAT	
PLACENTA	DIABETES	AVG WEIGHT GAIN 29 LBS		HEART 21 O.1
PREVIA 36 0.2			·	OTHER CIRCULATORY SYSTEM 8 0.0
EXCESSIVE	GENITAL HERPES 134 O.	B ABNORMAL CONDITIONS OF THE NEWBORN		SYSTEM 8 0.0 RECTAL ATRESIA 1 0.0
BLEEDING 84 0.5	HYDRAMNIOS/			TRACHEO-ESOPHAGEAL
SEIZURES DURING	OLIGOHYDRAMNIOS 45 O. HEMOGLOBINOPATHY 3 O.		UNKNOWN 145 0.8	FISTULA 1 0.0
LABOR 4 0.0 PRECIPITOUS	HYPERTENSION	ANEMIA 37 O.	2	OMPHALOCELE/
LABOR <3 HRS 271 1.6		B BIRTH INJURY 22 O.	_	GASTROSCHISIS 1 0.0
PROLONGED	HYPERTENSION	FETAL ALCOHOL 2 O.		OTHER
LABOR >20 HRS 330 1.9		D HYALINE MEMBRANE	O	GASTROINTESTINAL 7 0.0
DYSFUNCTIONAL		1 DISEASE 77 O.	4 OBSTETRIC PROCEDURES	MALFORMED / 0.0
LABOR 495 2.9	INCOMPETENT	MECONIUM // O.	4 OBSTETRIC PROCEDURES	GENITALIA 13 0.1
BREECH 500 2.9		==	3 CONDITION NUMBER %	RENAL AGENESIS 1 0.0
CEPHALOPELVIC/	PREVIOUS INFANT	ASSISTED <30 MIN	3 CONDITION NOMBER %	OTHER UROGENITAL 17 O.1
DISPROPORTION 714 4.2	· · · · - · • - · · · · · · · · ·		8 AMNIOCENTHSIS 501 2.9	CLEFT LIP/PALATE 12 0.1
CORD PROLAPSE 37 0.2		3 ASSISTED >30 MIN	ELECTRIC FETAL	POLYDACTYLY 12 0.1
ANESTHETIC .		- ·	3 MONITORING 9.387 54.7	
COMPLICATIONS 6 0.0				DIAPHRAGMATIC
FETAL DISTRESS 625 3.6	UTERINE	-	8 STIMULATION	HERNIA 3 0.0
OTHER 1,569 9.1	_	_ · · · · _ · · · _ · · _ · · _ · ·	- · - · · · · · · · · · · · · · · ·	MUSCULOSKELETAL 32 0.2
NONE 12,188 71.0		- •	.,	DOWNS SYNDROME 8 0.0
UNKNOWN 173 1.0	NONE 14,000 81.	=		CHROMOSOMAL 5 0.0
5141(140)114	UNKNOWN 191 1.	4		OTHER 43 0.3
	5.0.0.5	1 · · · · · ·	NONE 5.480 31.9	
				UNKNOWN 169 1.0
			014101414 1-1	014104114

NOTES: PERCENTAGES ARE BASED ON THE 17,166 LIVE BIRTHS IN MAINE THIS YEAR.

MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH BIRTH.

TABLE B-4 LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, AND RATIO OF MALE TO FEMALE BIRTHS

MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY	TOTAL BIRTHS	5 MIN.					WEIGHT	LESS TI		MALE/FEMALE RATIO
ANDROSCOGGIN	1,564	10	0.6	30	1.9	90	5.8	96	6.1	1.15
AROOSTOOK	1,220	10	0.8	17	1.4	69	5.7	63	5.2	1.04
CUMBERLAND	3,526	26	0.7	22	0.6	167	4.7	204	5.8	1.00
FRANKLIN	392	1	0.3	3	0.8	18	4.6	20	5.1	1.20
HANCOCK	632	5	0.8	15	2.4	28	4 - 4	29	4.6	1.09
KENNEBEC	1,430	9	0.6	14	1.0	56	3.9	71	5.0	1.14
KNOX	503	5	1.0	2	0.4	20	4.0	28	5.6	1.08
LINCOLN	407	3	0.7	6	1.5	16	3.9	21	5.2	1.05
OXFORD	715	2	0.3	9	1.3	35	4.9	39	5.5	0.93
PENOBSCOT	1,919	13	0.7	10	0.5	103	5.4	104	5.4	1.03
PISCATAQUIS	214	3	1.4	4	1.9	7	3.3	12	5.6	0.80
SAGADAHOC	535	1	0.2	6	1.1	19	3.6	23	4.3	1.23
SOMERSET	636	5	0.8	10	1.6	40	6.3	27	4.2	1.04
WALDO	466	5	1.1	3	0.6	24	5.2	31	6.7	1.16
WASHINGTON	473	3	0.6	3	0.6	23	4.9	29	6.1	1.16
YORK	2,534	11	0.4	26	1.0	117	4.6	134	5.3	1.05
STATE TOTALS	17,166	112	0.7	180	1.0	832	4.8	931	5.4	1.06

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

TABLE 8-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****	**** SEX	******	**		****	**** BI	RTH ORDER ******	******
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ANDROSCOGGIN											
ALL BIRTHS											1
LESS THAN 15	1	0.06	1	0	0	1	0	0	0	0	0
15	11	0.70	3	8	Ö	11	Ō	Ō	0	10	Ó
16	19	1.21	11	8	0	19	0	0	0	0	0
17	38	2.43	19	19	0	34	4	0	0	0	0
18	53	3.39	32	21	0	39	10	3	1	0	0
19	79	5.05	39	40	0	60	16	1	2	0	0
20-24	562	35.93	305	257	. 0	289	193	59	14	6	1
25-29	514	32.86	274	240	0	149	224	96	30	14	1
30-34	224	14.32	114	110	0	57	88	52	14	13	0
35-39	55	3.52	33	22	0	14	14	12	6	9	0
40-44	5	0.32	3	2	0	2	1	0	1	1	0
GREATER THAN 44	0	0.00	0	0	. 0	0	0	0	0	0	0
UNKNOWN	3	0.19	1	2	0	1	0	2	0	0	0
COUNTY TOTALS	1,564		835	729	0	676	550	225	68	43	2
PERCENT DISTRIBUTION	.,	100.00	53.39	46.61	0.00		35.17		4.35	2.75	0.13
,				•							
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.26	1	0	0	1	0	0	0	0	0
15	11	2.81	3	8	Ö	11	0	Ó	0	0	0
16	17	4.35	10	7	0	17	0	0	0	0	0
17	31	7.93	17	14	Ö	27	4	Ō	Ó	0	0
18	40	10.23	22	18	0	29	7	3	1	0	0
19	42	10.74	21	21	Ō	31	8	1	2	Ö	Ō
20-24	160	40.92	98	62	Ô	81	58	13	5	2	1
25-29	66	16.88	37	29	Õ	15	25	12	11	3	0
30-34	16	4.09	7	9	Õ	7	4	3	Ö	2	ŏ
35-39	6	1.53	4	2	ŏ	3	ò	1	Õ	2	ŏ
40-44	ő	0.00	Ö	ō	Õ	Ö	Õ	. 0	ŏ	0	ŏ
GREATER THAN 44	Ö	0.00	Ö	ŏ	0	o o	Ö	. 0	Ö	ŏ	ŏ
UNKNOWN	1	0.00	. 0	1	0	1	0	0	0	0	Ö
COUNTY TOTALS	39 1	0.20	220	171	0	223	106	33	19	9	1
PERCENT DISTRIBUTION	331	100.00	56.27	43.73	0.00	57.03	-	8.44	4.86	2.30	0.26
PERCENT DISTRIBUTION PERCENT OF ALL BIRTHS	WHICH VE			40.73	0.00	37.03	2/. 11	0.74	4.00	2.30	0.20
FERCEINI OF ALL BIRINS	#CITOR AF	25.00	26.35	23.46	0.00	32.99	19.27	14.67	27.94	20.93	50.0Q

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

CGUNTY AND	TOTAL	PERCENT			******	**	*****				******
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAI	N 4 UNKNOWN
AROOSTOOK											
ALL BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	. 0	0	O	0
15	5	0.41	2	3	0	5	0	0	0	0	Ō
16	7	0.57	4	3	0	5	2	0	0	0	0
17	19	1.56	7	12	0	17	2	0	0	0	0
18	4 1	3.36	18	23	0	35	G	0	0	0	O
19	40	3.28	24	16	0	32	8	0	0	0	Ö
20-24	445	36.48	226	219	0	233	148	50	13	0	1
25-29	408	33.44	204	204	Ō	149	159	77	13	8	2
30-34	203	16.64	110	93	0	36	79	56	26	6	Õ
35-39	40	3.28	18	22	Ō	11	14	6	3	6	Ŏ
40-44	3	0.25	2	1	Ō	0	0	1	1	1	Ö
GREATER THAN 44	Ö	0.00	ō	Ó	Õ	Ö	Õ	0	Ö	Ö	Ö
UNKNOWN	9	0.74	8	1	Ö	6	3	Õ	Õ	ŏ	Ö
COUNTY TOTALS	1,220	0.,,	623	597	Ô	529	421	190	56	21	3
PERCENT DISTRIBUTION	1,220	100.00	51.07	48.93	0.00	43.36			4.59	1.72	0.25
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	5	2.65	2	3	Õ	5	Ŏ	Ö	Ŏ	ŏ	ŏ
16	7	3.70	4	3	Õ	5	2	ő	Õ	ŏ	ŏ
17	12	6.35	6	6	Õ	10	2	Ö	Ŏ	Ö	Ö
18	22	11.64	9	13	Ö	21	1	. 0	Ô	Ŏ	ŏ
19	16	8.47	6	10	o o	13	3	Õ	Õ	0	Ô
20-24	78	41.27	46	32	ő	40	23	11	4	Ö	Ö
25-29	34	17.99	15	19	Ö	11	11	10	2	Ö	Ö
30-34	10	5.29	7	3	Ô	2	4	2	Õ	2	0
35-39	4	2.12	ó	4	0	1	2	ó	o	1	0
40-44	0	0.00	Ö	ō	0	0	0	0	0	Ö	0
GREATER THAN 44	0	0.00	0	0	0	0	0	Ö	0	0	0
UNKNOWN	1	0.53	1	Ö	Ö	0	1	ŏ	0	0	0
COUNTY TOTALS	189	0.00	95	93	Ô	108	49	23	6	3	0
PERCENT DISTRIBUTION	105	100.00	50.79	49.21	0.00	57.14			3.17	1.59	0.00
PERCENT OF ALL BIRTHS	WHICH AD			73.21	0.00	37.14	_3.53	12.1/	5.17	1.33	0.00
PERCENT OF ALL BIRTHS	, HILCH AP	15.49	15.41	15.58	0.00	20.42	11.64	12.11	10.71	14.29	0.00

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

MOTHER'S AGE(YRS.)		PERCENT	****		******	**	*****	*****	**** RI	RTH ORDER ******	
MOTTER 3 AGE(TRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
CUMBERLAND											
ALL BIRTHS											
LESS THAN 15	3	0.09	1	2	0	3	0	0	0	0	0
15	11	0.31	5	6	0	10	1.1	Ö	0	0	0
16	37	1.05	22	15	0	30	5	0	0	1	1
17	55	1.56	27	28	0	49	6	0	0	0	0
18	91	2.58	43	48	0	77	9	3	0	2	0
19	120	3.40	63	57	0	87	26	5	0	0	2
20-24	826	23.43	415	411	0	439	268	77	15	21	6
25-29	1,175	33.32	587	588	0	509	434	160	37	25	10
30-34	865	24.53	437	428	0	292	326	156	53	27	11
35-39	291	8.25	142	149	0	8 1	110	57	18	22	3
40-44	44	1,25	18	26	0	5	13	9	8	9	0
GREATER THAN 44	2	0.06	0	2	0	0	2	0	0	0	0
UNKNOWN	6	0.17	5	1	0	1	5	0	0	Ο	0
COUNTY TOTALS	3,526		1,765	1,761	0	1,583	1,205	467	131	107	33
PERCENT DISTRIBUTION		100.00	50.06	49.94	0.00	44.90	34.17	13.24	3.72	3.03	0.94
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	3	0.47	1	2	0	3	0	0	0	0	0
15	11	1.74	5	6	0	10	1	0	0	Ö	ő
16	33	5.22	20	13	Ö	26	5	Ö	Ö	1	1
17	45	7.12	23	22	0	41	4	0	0	Ö	0
18	67	10.60	30	37	0	58	7	. 1	Ö	1	Ö
19	61	9.65	36	25	0	45	12	3	Ö	Ö	1
20-24	246	38.92	126	120	Ö	136	74	24	3	7	. 2
25-29	102	16.14	50	52	0 -	37	28	24	6	· 4	3
30-34	43	6.80	18	25	0	19	13	4	Ö	6	1
35-39	17	2.69	6	11	ŏ	3	7	4	1	1	1
40-44	3	0.47	0	3	Õ	Õ	1	ò	2	0	Ö
GREATER THAN 44	0	0.00	0	0	Ö	0	. 0	0	Ó	Ö	ő
UNKNOWN	1	0.16	ŏ	1	Ö	0	1	Ö	Ö	Ö	ŏ
COUNTY TOTALS	632	0.10	315	317	0	378	153	60	12	20	9
PERCENT DISTRIBUTION		100.00	49.84	50.16	0.00		24.21	9.49	1.90	3.16	1.42
PERCENT OF ALL BIRTH				50.10	0.00	33.31	~7.21	J. 4 J	1.50	0.10	1
LINGER! OF ALL BIRTH	U WILLOW ME	17.92	17.85	18.00	0.00	23.88	12.70	12.85	9.16	18.69	27.27

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT			******	**	*****	*****		RTH ORDER ******	
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	NNKNOMN	1	2	3	4	GREATER THAN 4	NNKNOMN
FRANKLIN											
ALL BIRTHS											
LESS THAN 15	1	0.26	1	0	0	1	0	, 0	0	0	0
15	2	0.51	2	ŏ	ő	2	ő	ő	Õ	Ö	Ö
16	7	1.79	4	3	ŏ	4	3	ŏ	ŏ	Ö	ŏ
17	, 5	1.28	3	2	Ö	4	1	Ö	Ö	Ö	Ö
18	14	3.57	8	6	ő	10	3	Ö	Ô	ŏ	1
19	19	4.85	9	10	ő	14	3	2	Õ	Ö	ò
20-24	143	36.48	82	61	Õ	69	57	17	ŏ	ő	Ö
25-29	96	24.49	49	47	ŏ	18	48	21	8	1	0
30-34	78	19.90	43	35	ő	23	21	18	9	7	Ö
35-39	22	5.61	10	12	Ö	4	4	5	5	4	Ö
40-44	4	1.02	2	2	ŏ	1	1	1	Ö	1	Ö
GREATER THAN 44	ō	0.00	Õ	ō	ő	Ö	Ö	Ö	Ö	Ö	Ö
UNKNOWN	1	0.26	1	ő	ő	0	Ö	1	Ö	Ö	Ö
COUNTY TOTALS	392	0.20	214	178	Ö	150	141	65	22	13	1
PERCENT DISTRIBUTION	392	100.00	54.59	45.41	0.00		35.97		5.61	3.32	0.26
OUT OF WEDLOCK BIRTHS											
				-							
LESS THAN 15	1	1.00	1	0	0	1	0	0	0	0	0
15	2	2.00	2	0	0	2	0	0	0	0	0
16	5	5.00	4	1	0	3	2	0	0	0	0
17	4	4.00	2	2	0	4	0	0	0	0	0
18	12	12.00	7	5	0	9	2	0	0	0	1
19	11	11.00	3	8	0	7	2	2	0	0	0
20-24	4 1	41.00	23	18	0	25	14	2	0	0	0
25-29	14	14.00	5	9	0	4	6	3	1	0	0
30-34	5	5.00	4	1	0	0	0	2	0	3	0
35-39	4	4.00	1	3	0	1	0	2	0	1	0
40-44	1	1.00	1	0	0	1	0	. 0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	100		53	47	0	57	26	1.1	1	4	1
PERCENT DISTRIBUTION		100.00	53.00	47.00	0.00	57.00	26.00	11.00	1.00	4.00	1.00
PERCENT OF ALL BIRTH	S WHICH AF										
		25.51	24.77	26.40	0.00	38.00	18.44	16.92	4.55	30.77	100.00

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE. SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****	**** SEX	*****	**	*****	*****	**** BI	RTH ORDER ******	******
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	NNKNOMN	1	2	3	4	GREATER THAN 4	UNKNO
HANCOCK											
ALL BIRTHS	•										
LESS THAN 15	2	0.32	0	2	0	2	0	0	0	Э	(
15	1	0.16	1	0	0	1	0	0	0	0	
16	4	0.63	1	3	0	4	0	0	0	0	
17	10	1.58	7	3	0	10	0	0	0	0	
18	15	2.37	8	7	0	12	3	0	0	0	
19	34	5.38	19	15	0	22	10	2	0	0	
20-24	196	31.01	96	100	0	96	80	13	5	2	
25-29	189	29.91	111	78	0	70	77	31	9	2	
30-34	119	18.83	58	61	Ō	37	52	16	11	2	
35-39	55	8.70	24	31	Ō	14	21	13	6	1	
40-44	5	0.79	3	2	Ō	2	2	Ō	1	0	
GREATER THAN 44	1	0.16	ō	1	ŏ	1	ō	ŏ	Ö	Ö	
UNKNOWN	1	0.16	1	o O	Ö		1	Ö	Ö	ŏ	
COUNTY TOTALS	632	0.10	329	303	ŏ	271	246	75	32	7	
PERCENT DISTRIBUTION		100.00	52.06	47.94	0.00		38.92		5.06	1.11	0.1
OUT OF WEDLOCK BIRTHS											
OUT OF WEDLOCK BIRTHS LESS THAN 15	2	1.36	0	. 2	0	2	0	0	0	0	
LESS THAN 15	2 1		O 1	2 0	0	2	0	0	0	0	
LESS THAN 15 15		0.68	O 1 1					0			
LESS THAN 15 15 16	1	0.68 2.72	O 1 1 5	3 O	0	1 4	0	0	0	0	
LESS THAN 15 15 16 17	1 4 7	0.68 2.72 4.76	1 1 5	0 3 2	0 0 0	1 4 7	0	0 0 0	0 0 0	0 0 0	
LESS THAN 15 15 16 17 18	1 4 7 10	0.68 2.72 4.76 6.80	1 1 5 6	0 3 2 4	0	1 4 7 9	0 0 0	0 0 0	0 0 0	0 0 0 0	
LESS THAN 15 15 16 17 18	1 4 7 10 18	0.68 2.72 4.76 6.80 12.24	1 1 5 6 10	O 3 2 4 8	0 0 0 0	1 4 7 9 10	0 0 0 1 6	0 0 0 0 2	0 0 0	0 0 0 0	
LESS THAN 15 15 16 17 18 19 20-24	1 4 7 10 18 59	0.68 2.72 4.76 6.80 12.24 40.14	1 5 6 10 29	0 3 2 4 8 30	0 0 0 0	1 4 7 9 10 31	0 0 0 1 6 20	0 0 0 0 2 5	0 0 0 0	0 0 0 0 0 2	
LESS THAN 15 15 16 17 18 19 20-24 25-29	1 4 7 10 18 59 28	0.68 2.72 4.76 6.80 12.24 40.14 19.05	1 1 5 6 10 29 16	0 3 2 4 8 30 12	0 0 0 0 0	1 4 7 9 10 31 9	0 0 1 6 20 7	0 0 0 0 2 5 9	0 0 0 0	0 0 0 0 0 2	
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34	1 4 7 10 18 59 28 12	0.68 2.72 4.76 6.80 12.24 40.14 19.05 8.16	1 5 6 10 29 16 6	0 3 2 4 8 30 12 6	0 0 0 0 0	1 4 7 9 10 31 9 5	0 0 0 1 6 20	0 0 0 2 5 9 3	0 0 0 0 1 3	0 0 0 0 0 2 0	
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39	1 4 7 10 18 59 28 12 5	0.68 2.72 4.76 6.80 12.24 40.14 19.05 8.16 3.40	1 1 5 6 10 29 16	0 3 2 4 8 30 12 6 3	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 4 7 9 10 31 9 5	0 0 0 1 6 20 7 3	0 0 0 0 2 5 9 3	0 0 0 0 0	0 0 0 0 0 2 0 0	
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44	1 4 7 10 18 59 28 12 5	0.68 2.72 4.76 6.80 12.24 40.14 19.05 8.16 3.40 0.68	1 1 5 6 10 29 16 6 2	0 3 2 4 8 30 12 6 3 0	0 0 0 0 0 0	1 4 7 9 10 31 9 5 2	0 0 0 1 6 20 7 3 1	0 0 0 0 2 5 9 3 1	0 0 0 0 0 1 3 1 1	0 0 0 0 0 2 0 0	
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44	1 4 7 10 18 59 28 12 5	0.68 2.72 4.76 6.80 12.24 40.14 19.05 8.16 3.40 0.68 0.00	1 1 5 6 10 29 16 6 2 1	0 3 2 4 8 30 12 6 3 0	0 0 0 0 0 0 0 0 0 0 0	1 4 7 9 10 31 9 5 2 0	0 0 0 1 6 20 7 3 1	0 0 0 2 5 9 3 1 0	0 0 0 0 0 1 3 1 1	0 0 0 0 0 2 0 0 0	
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN	1 4 7 10 18 59 28 12 5 1 0	0.68 2.72 4.76 6.80 12.24 40.14 19.05 8.16 3.40 0.68	1 1 5 6 10 29 16 6 2 1	0 3 2 4 8 30 12 6 3 0 0	0 0 0 0 0 0 0 0 0 0 0 0	1 4 7 9 10 31 9 5 2 0 0	0 0 0 1 6 20 7 3 1 0	0 0 0 2 5 9 3 1 0	0 0 0 0 1 3 1 1	0 0 0 0 0 2 0 0 0	
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	1 4 7 10 18 59 28 12 5 1 0 0	0.68 2.72 4.76 6.80 12.24 40.14 19.05 8.16 3.40 0.68 0.00	1 1 5 6 10 29 16 6 2 1 0 0 77	0 3 2 4 8 30 12 6 3 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 4 7 9 10 31 9 5 2 0 0 80	0 0 0 1 6 20 7 3 1 0 0 0 38	0 0 0 2 5 9 3 1 0 0 0 2	0 0 0 0 0 1 3 1 1 1 0 0	0 0 0 0 0 2 0 0 0 0	
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	1 4 7 10 18 59 28 12 5 1 0	0.68 2.72 4.76 6.80 12.24 40.14 19.05 8.16 3.40 0.68 0.00	1 1 5 6 10 29 16 6 2 1 0 0 77 52.38	0 3 2 4 8 30 12 6 3 0 0	0 0 0 0 0 0 0 0 0 0 0 0	1 4 7 9 10 31 9 5 2 0 0 80	0 0 0 1 6 20 7 3 1 0	0 0 0 2 5 9 3 1 0 0 0 2	0 0 0 0 1 3 1 1	0 0 0 0 0 2 0 0 0	
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	1 4 7 10 18 59 28 12 5 1 0	0.68 2.72 4.76 6.80 12.24 40.14 19.05 8.16 3.40 0.68 0.00	1 1 5 6 10 29 16 6 2 1 0 0 77 52.38	0 3 2 4 8 30 12 6 3 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 4 7 9 10 31 9 5 2 0 0 80 54.42	0 0 0 1 6 20 7 3 1 0 0 0 38	0 0 0 0 2 5 9 3 1 0 0 0 0 2 13.61	0 0 0 0 0 1 3 1 1 1 0 0 7	0 0 0 0 0 2 0 0 0 0	

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****	**** SEX	******	* *	*****	*****	**** B]	RTH ORDER ******	******
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
KENNEBEC											
ALL BIRTHS											
LESS THAN 15	1	0.07	0	1	0	1	0	0	0	0	0
15	9	0.63	6	3	Ŏ	9	ŏ	Ö	Ö	ŏ	ŏ
16	12	0.84	7	5	Ö	12	Õ	Ŏ	Õ	Ö	Ö
17	36	2.52	24	12	Õ	26	9	1	Ö	O	ŏ
18	41	2.87	26	15	Ŏ	33	6	2	Ŏ	Ö	Ö
19	71	4.97	42	29	ŏ	56	12	3	Ö	Ö	Ö
20-24	423	29.58	238	185	Ŏ	227	143	39	8	4	2
25-29	459	32.10	229	230	Ŏ	148	187	81	34	8	1
30-34	271	18.95	141	130	Ŏ	63	117	56	26	8	i
35-39	87	6.08	40	47	Ö	12	38	17	10	10	, O
40-44	16	1.12	7	9	ŏ	2	5	5	3	1	ŏ
GREATER THAN 44	1	0.07	1	Õ	Ö	Ō	1	Ö	0	Ö	ŏ
UNKNOWN	3	0.21	1	2	Ö	3	Ö	Ô	0	Ŏ	0
COUNTY TOTALS	1,430	0.21	762	668	Ö	592	518	204	81	31	4
PERCENT DISTRIBUTION	1,430	100.00	53.29	46.71	0.00	41.40			5.66	2,17	0.28
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.32	0	1	0	1	0	0	0	0	0
15	9	2.87	6	3	0	9	0	0	0	0	0
16	12	3.82	7	5	Ö	12	0	0	0	0	0
17	26	8.28	20	6	0	22	4	0	. 0	0	0
18	26	8.28	17	9	0	21	4	1	0	0	0
19	38	12.10	20	18	. 0	31	4	3	0	0	0
20-24	103	32.80	57	46	0	55	30	13	3	, 2	0
25-29	69	21.97	29	40	0	16	24	16	10	2	1
30-34	20	6.37	15	5	0	6	6	4	2	2	0
35-39	7	2.23	2	5	0	2	1	1	2	1	0
40-44	3	0.96	1	2	O	0	0	2	1	0	0
GREATER THAN 44	O	0.00	0	0	0	0	0	0	0	0	O
UNKNOWN	Õ	0.00	Ō	Ō	Ō	Ō	Ō	Õ	Ō	Ō	Ō
COUNTY TOTALS	314		174	140	Ō	175	73	40	18	7	1
PERCENT DISTRIBUTION		100.00	55.41	44.59	0.00	55.73			5.73	2.23	0.32
PERCENT OF ALL BIRTH	S WHICH AF				-						
		21.96	22.83	20.96	0.00	29.56	14.09	19.61	22.22	22.58	25.00

TABLE B-5 ALL LIVE BIRTHS AND GUT OF WEDLOCK LIVE BIRTHS. BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****	**** SEX	*****	***	****	*****	**** BI	RTH ORDER ***	*****
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNO₩N	1	2	3	4	GREATER THAI	N 4 UNKNOWN
KNOX											
ALL BIRTHS											
LESS THAN 15	2	0.40	1	1	0	2	0	0	0	0	0
15	1	0.20	1	0	0	1	0	0	0	0	0
16	2	0.40	2	0	0	2	0	0	0	0	0
17	12	2.39	8	4	0	10	1	0	0	0	1
18	24	4.77	9	15	0	14	10	0	0	O	0
19	25	4.97	12	13	0	15	6	1	1	0	2
20-24	152	30.22	83	69	0	76	42	22	5	3	4
25-29	153	30.42	83	70	0	49	63	27	7	5	2
30-34	87	17.30	43	44	0	24	28	22	9	4	0
35-39	41	8.15	18	23	0	11	. 17	6	2	5	0
40-44	3	0.60	1	2	0	1	2	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.20	0	1	0	0	1	0	0	0	0
COUNTY TOTALS	503		261	242	0	205	170	78	24	17	9
PERCENT DISTRIBUTION		100.00	51.89	48.11	0.00	40.76 3	33.80	15.51	4.77	3.38	1.79
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	2	1.89	1	1	0	2	0	0	0	0	0
15	ō	0.00	Ó	0	Ö	0	Ō	Ö	Ō	0	O
16	2	1.89	2	Ō	Ö	2	ō	ō	ō	Ō	Ō
17	7	6.60	4	3	ő	7	ŏ	. 0	ŏ	Ö	Ö
18	15	14.15	5	10	Õ	9	6	Ö	ō	Ō	Ō
19	13	12.26	3	. 10	0	8	3	Ō	1	Ō	1
20-24	37	34.91	20	17	Õ	20	7	7	1	, 2	. 0
25-29	24	22.64	13	11	Ō	6	13	2	1	2	0
30-34	4	3.77	1	3	Ö	1	0	3	0	0	Ō
35-39	2	1.89	1	1	Ō	0	0	0	0	2	0
40-44	ō	0.00	0	0	Õ	Ö	Ō	ō	Ō	0	0
GREATER THAN 44	Õ	0.00	ŏ	. 0	ŏ	Ö	ŏ	ŏ	ŏ	ŏ	ŏ
UNKNOWN	Ö	0.00	ŏ	Ŏ	ŏ	Ö	Ŏ	ŏ	Õ	Ö	Ö
COUNTY TOTALS	106	5.00	50	56	Ö	55	29	12	3	6	1
PERCENT DISTRIBUTION		100.00	47.17	52.83	0.00	51.89 2			2.83	5.66	0.94
PERCENT OF ALL BIRTH				52.50	0.00	2				2.23	0.0 ,
. 2.132.11. 3. 2.12 32.1111		21.07	19.16	23.14	0.00	26.83	17.06	15.38	12.50	35.29	11.11

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	***************	* * 1	****** 2	*****	**** BI	RTH ORDER ********* GREATER THAN 4	**************************************
LINCOLN											
ALL BIRTHS											
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	3 1 2 5 6 14 98 152 87 31 6 0 2	0.74 0.25 0.49 1.23 1.47 3.44 24.08 37.35 21.38 7.62 1.47 0.00 0.49	1 0 2 2 2 8 44 83 50 12 3 0 1	2 1 0 3 4 6 54 69 37 19 3 0 1	000000000000000000000000000000000000000	3 1 2 4 6 12 48 61 18 8 3 0 1	00 00 11 00 234 59 39 10 •1	0 0 0 0 0 0 15 26 18 9 1 0	0 0 0 0 0 0 0 5 7 1 0 0	0 0 0 0 0 0 1 0 3 3 1 0 0 0	000000000000000000000000000000000000000
PERCENT DISTRIBUTION		100.00	51.11	48.89	0.00	41.03	35.87	17.20	3.19	1.97	0.74
OUT OF WEDLOCK BIRTHS											
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION PERCENT OF ALL BIRTHS	3 0 1 3 4 7 23 16 7 0 0 0 1 65			2 0 0 2 2 4 16 9 2 0 0 0 1 38 58.46	000000000000000000000000000000000000000	3 0 1 2 4 6 13 5 2 0 0 0 1 37 56.92			0 0 0 0 0 0 0 1 1 0 0 0 0 0	0 0 0 0 0 1 0 1 0 0 0 0 2 3.08	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		15.97	12.98	19.10	0.00	22.16	9.59	14.29	15.38	25.00	0.00

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	**************************************	**** 1	*****	***** 3	**** BI 4	RTH ORDER ******** GREATER THAN 4	********* UNKNOWN
OXFORD											
ALL BIRTHS											
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	2 1 4 12 28 42 241 210 116 31 6 0 22 715	0.28 0.14 0.56 1.68 3.92 5.87 33.71 29.37 16.22 4.34 0.84 0.00 3.08	1 1 3 8 11 19 125 98 50 16 3 0 10 345 48.25	1 0 1 4 17 23 116 112 66 15 3 0 12 370 51.75	0000	2 1 4 9 23 31 101 66 24 8 1 0 8 278 38.88 37	0 0 0 3 5 9 104 86 40 12 1 0 10 270 7.76	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 3 15 13 3 0 0 0 34 4.76	0 0 0 0 0 0 2 4 10 3 3 0 0 0 2 2	0 0 0 0 0 1 2 3 0 0 0 0
OUT OF WEDLOCK BIRTHS											
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TUTALS PERCENT DISTRIBUTION PERCENT DF ALL BIRTH				1 0 1 3 10 11 35 8 6 2 1 0 3 81 51.27	000000000000000000000000000000000000000	1 0 4 8 16 16 36 5 2 0 0 0 3 91 57.59 25			0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 1 1 1 2 1 0 0 5 3.16	0 0 0 0 0 1 0 1 0 0 0 0 2
		22.10	22.32	21.89	0.00	32.73 14	4.81	17.14	5.88	22.73	33.33

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT		_	*****	* *	*****		**** BI		******
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER TH	AN 4 UNKNOWN
PENOBSCOT											
ALL BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	8	0.42	3	5	0	8	0	0	0	0	0
16	18	0.94	9	9	0	16	2	0	0	0	0
17	40	2.08	24	16	0	31	9	0	0	0	0
18	49	2.55	30	19	0	42	5	2	0	0	0
19	89	4.64	42	47	0	. 67	18	4	0	0	0
20-24	578	30.12	294	284	0	305	190	61	12	8	2
25-29	664	34.60	323	341	0	248	273	110	27	5	1
30-34	358	18.66	189	169	0	78	174	72	19	11	4
35-39	97	5.05	48	49	0	26	29	21	12	9	0
40-44	12	0.63	9	3	0	2	3	3	2	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	6	0.31	3	3	0	4	2	0	0	0	0
COUNTY TOTALS	1,919		974	945	0	827	705	273	72	35	7
PERCENT DISTRIBUTION	1	100.00	50.76	49.24	0.00	43.10	36.74	14.23	3.75	1.82	0.36
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	8	2.12	3	5	Ō	8	Ō	Ō	Ō	Ō	Ō
16	16	4.24	8	8	Ō	15	1	Ō	Ō	Ō	Ö
17	31	8.22	19	12	0	25	6	. 0	Ō	Ō	Ō
18	20	5.31	13	7	Ó	18	2	0	Ō	Ō	Ō
19	43	11.41	24	· 19	Ō	34	7	2	Ō	Ō	Ō
20-24	149	39.52	72	77	0	82	48	16	2	, 0	1
25-29	73	19.36	35	38	0	29	25	12	6	0	1
30-34	32	8.49	20	12	0	13	8	4	4	2	1
35-39	3	0.80	2	1	0	0	0	0	1	2	0
40-44	Ó	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	Ö	0.00	Ö	Ö	Ö	Ō	Ö	Ō	Ö	Ö	Ö
UNKNOWN	2	0.53	1	1	Ō	2	Ō	Ō	Ō	Ō	Ō
COUNTY TOTALS	377		197	180	Ö	226	97	34	13	4	3
PERCENT DISTRIBUTION		100.00	52.25	47.75	0.00	59.95		9.02	3.45	1.06	0.80
PERCENT OF ALL BIRTH					- •						
		19.65	20.23	19.05	0.00	27.33	13.76	12.45	18.06	11.43	42.86

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT			******	****	******		RTH ORDER ******	
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1 2	3	4	GREATER THAN 4	UNKNOWN
PISCATAQUIS										
ALL BIRTHS										
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	0 0 7 6 8 11 70 65 28 15 4 0 0	0.00 0.00 3.27 2.80 3.74 5.14 32.71 30.37 13.08 7.01 1.87 0.00 0.00	0 0 3 2 4 5 35 26 10 8 2 0 95 44.39	O 4 4 4 6 35 39 18 7 2 0 0 119 55.61	000000000000000000000000000000000000000	0 7 6 6 11 35 2 22 2 5 1 4 0 0	5 13 1 9 4 4 2 0 0 0 0 0 1 33	0 0 0 0 0 0 0 4 3 1 1 0 0 9	0 0 0 0 0 0 1 1 1 0 0 4 1.87	0 0 0 0 0 0 0 0 1 0 0
OUT OF WEDLOCK BIRTHS										
LESS THAN 15 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION PERCENT OF ALL BIRTHS	0 0 4 4 7 6 21 14 0 1 0 0 57	0.00 0.00 7.02 7.02 12.28 10.53 36.84 24.56 0.00 1.75 0.00 0.00 0.00	0 0 2 2 4 3 7 4 0 0 0 0 0 22 38.60	0 0 2 2 3 3 14 10 0 1 0 0 35 61.40	0 0 0 0 0 0 0 0	0 4 4 6 10 4 0 1 0 0 0 0 35 1 61.40 24.5		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
TEROCIAL OF ALL BIRTHS	S WIII ON AN	26.64	23.16	29.41	0.00	36.46 19.7	2 15.15	33.33	0.00	0.00

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX	**************************************	* * 1	*****	***** 3	**** BI	RTH ORDER ******* GREATER THAN 4	**************************************
MOTHER S AGE(TRS.)	DIKINS	DISTRIBUTION	MACE	PEMALE	ONKINOWIN	'	2	3	4	GREATER THAN 4	OldKidowid
SAGADAHOC											
ALL BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	4	0.75	3	1	0	4	0	0	0	О	0
16	8	1.50	5	3	0	7	1	0	0	0	0
17	5	0.93	3	2	0	5	0	0	. 0	Ο	0
18	9	1.68	4	5	0	5	4	0	0	O	0
19	27	5.05	15	12	0	17	9	1	0	0	0
20-24	148	27.66	81	67	0	77	57	1 1	3	0	0
25-29	193	36.07	104	89	0	72	74	4 1	5	1	0
30-34	97	18.13	5 5	42	0	24	4 1	21	8	2	1
35-39	41	7.66	24	17	0	10	12	12	3	4	0
40-44	2	0.37	1	1	0	0	0	1	1	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.19	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	535		295	240	0	222	198	87	20	7	1
PERCENT DISTRIBUTION	ļ	100.00	55.14	44.86	0.00	41.50	37.01	16.26	3.74	1.31	0.19
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	4	4.71	3	1	0	4	0	0	0	0	0
16	8	9.41	5	3	0	7	1	0	0	0	0
17	3	3.53	1	2	0	3	0	0	0	0	0
18	5	5.88	3	2	0	4	1	0	0	0	0
19	15	17.65	7	8	0	1 1	4	0	0	0	0
20-24	22	25.88	14	8	0	14	6	2	Q	0	0
25-29	17	20.00	8	9	0	6	4	4	3	0	0
30-34	7	8.24	3	4	0	1	4	2	0	0	0
35-39	4	4.71	4	0	0	3	0	0	0	1	0
40-44	0	0.00	0	0	0	0	0 -	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	85		48	37	0	53	20	8	3	1	0
PERCENT DISTRIBUTION		100.00	56.47	43.53	0.00	62.35	23.53	9.41	3.53	1.18	0.00
PERCENT OF ALL BIRTH	IS WHICH AF										
		15.89	16.27	15.42	0.00	23.87	10.10	9.20	15.00	14.29	0.00

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****	**** SEX	******	**	*****	*****	**** BI	RTH ORDER ******	******
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
SOMERSET											
ALL BIRTHS								•			
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	2	0.31	1	1	Ö	1	1	0	0	0	0
16	7	1.10	5	2	ŏ	7	Ö	Ö	Ö	ŏ	Ö
17	18	2.83	9	9	ŏ	18	ő	Ö	Ö	Ö	ŏ
18	27	4.25	15	12	ŏ	21	6	Ö	Õ	Ö	Õ
19	48	7.55	20	28	ŏ	37	8	1	Ö	Ö	2
20-24	249	39.15	124	125	Ô	114	106	24	4	1	· ō
25-29	172	27.04	86	86	Ö	47	67	43	11	4	ő
30-34	79	12.42	43	36	Ō	13	29	24	4	7	2
35-39	28	4.40	16	12	Ö	8	7	5	1	7	ō
40-44	5	0.79	4	1	ŏ	Õ	Ó	1	1	3	Ö
GREATER THAN 44	Ö	0.00	0	Ö	Ö	Ö	Ö	Ó	0	0	Ö
UNKNOWN	1	0.16	1	ŏ	ŏ	ŏ	ő	1	ŏ	Ö	ŏ
COUNTY TOTALS	636	0	324	312	ŏ	266	224	99	21	22	. 4
PERCENT DISTRIBUTION		100.00	50.94	49.06	0.00	41.82			3.30	3.46	0.63
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	0	0
15	2	1.05	1	1	Ŏ	1	1	ŏ	o.	Ö	· ŏ
16	7	3.66	5	2	Ö	7	0	ō	Ö	Ö	Ö
17	16	8.38	8	8	Ö	16	ŏ	Ö	Ö	0	ŏ
18	23	12.04	12	11	Ö	19	4	Ö	Ö	0	ŏ
19	27	14.14	12	15	Ö	23	3	ō	Ö	Ö	1
20-24	78	40.84	46	32	ō	40	30	8	ō	Ō	Ó
25-29	22	11.52	7	15	Ō	8	6	5	2	1	0
30-34	11	5.76	7	4	0	4	1	3	2	1	0
35-39	4	2.09	4	0	Ō	1	1	1	0	1	. 0
40-44	1	0.52	1	0	0	0	Ο.	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	Ō	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	191		103	88	0	119	46	17	4	4	1
PERCENT DISTRIBUTION		100.00	53.93	46.07	0.00	62.30	24.08	8.90	2.09	2.09	0.52
PERCENT OF ALL BIRTH		RE OUT OF WEDLOCK	K:								
		30.03	31.79	28.21	0.00	44.74	20.54	17.17	19.05	18.18	25.00

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD. AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****	*** SEX	******	**	*****	*****	**** BI	RTH ORDER ******	******
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	NNKNOMN
WALDO											
ALL BIRTHS											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	Ο,	0
15	3	0.64	2	1	0	3	0	0	0	0	0
16	6	1.29	2	4	0	6	0	0	0	0	0
17	17	3.65	6	11	0	14	3	0	0	0	0
18	20	4.29	10	10	0	14	6	0	0	0	0
19	26	5.58	16	10	O	15	9	2	0	0	0
20-24	145	31,12	81	64	0	74	45	20	5	0	1
25-29	119	25.54	63	56	. 0	36	50	24	2	6	1
30-34	89	19.10	48	41	0	24	28	23	9	3	2
35-39	27	5.79	16	11	Ō	8	5	7	3	3	1
40-44	9	1.93	5	4	0	Ō	4	2	2	1	Ó
GREATER THAN 44	1	0.21	1	Ö	Ô	Õ	Ó	ō	ō	1	Ŏ
UNKNOWN	4	0.86	0	4	Ō	4	ō	ō	Õ	Ó	Ō
COUNTY TOTALS	466	0.120	250	216	ŏ	198	150	78	21	14	5
PERCENT DISTRIBUTION		100.00	53.65	46.35	0.00	42.49			4.51	3.00	1.07
OUT OF WEDLOCK BIRTHS											
4											
LESS THAN 15	0	0.00	0	0	0	0	0	0	0	O	0
15	3	2.75	2	1	0	3	0	0	0	0	0
16	6	5.50	2	4	. 0	6	0	0	0	0	0
17	9	8.26	3	6	0	6	3	0	0	0	0
18	10	9.17	5	5	0	7	3	0	0	0	0
19	15	13.76	10	, _. 5	0	10	4	1	0	0	0
20-24	30	27.52	18	12	0	17	9	3	1	О	0
25-29	17	15.60	14	3	0	3	8	3	0	2	1
30-34	15	13.76	6	9	0	5	3	4	2	0	1
35-39	2	1.83	1	1	0	0	1	0	0	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	2	1.83	0	2	0	2	0	0	0	0	0
COUNTY TOTALS	109		61	48	0	59	31	11	3	3	2
PERCENT DISTRIBUTION	N	100.00	55.96	44.04	0.00	54.13	28.44	10.09	2.75	2.75	1.83
PERCENT OF ALL BIRT		RE OUT OF WEDLOCK	K:								
		23.39	24.40	22.22	0.00	29.80	20.67	14.10	14.29	21.43	40.00

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT			******	* * *	**+**	*****	**** BI	RTH ORDER ******	
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALÉ	UNKNOWN	1	2	3	4	GREATER THAN 4	NNKNOMÚ
WASHINGTON											
ALL BIRTHS											
LESS THAN 15	1	0.21	0	1	0	1	0	0	0	0	0
15	1	0.21	1	Ó	Ō	1	ō	Ō	ō	Ō	Ō
16	8	1.69	3	5	Ô	8	0	0	0	0	0
17	12	2.54	8	4	Ō	10	2	0	0	0	0
18	23	4.86	11	12	0	18	4	1	0	0	0
19	28	5.92	16	12	0	18	10	0	0	0	0
20-24	185	39.11	105	80	0	84	72	22	6	1	0
25-29	115	24.31	62	53	0	38	50	22	3	2	0
30-34	78	16.49	40	38	0	18	22	25	10	3	0
35-39	19	4.02	7	12	0	4	4	6	3	2	0
40-44	2	0.42	1	1	0	0	O	1	1	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.21	0	1	0	0	0	1	0	0	0
COUNTY TOTALS	473		254	219	0	200	164	78	23	8	0
PERCENT DISTRIBUTION		100.00	53.70	46.30	0.00	42.28	34.67	16.49	4.86	1.69	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.78	0	1	0	1	0	0	. 0	0	0
15	1	0.78	1	0	0	1	0	0	0	0	0
16	6	4.65	2	4	0	6	0	0	0	0	0
17	7	5.43	5	2	0	6	1	0	0	0	0
18	10	7.75	6	4	0	7	3	. 0	0	0	0
19	12	9.30	8	4	0	9	3	0	0	0	0
20-24	65	50.39	39	. 26	0	31	21	10	3	0	0
25-29	16	12.40	11	5	0	6	3	6	0	1	0
30-34	7	5.43	5	2	0	1	2	2	1	1	0
35-39	3	2.33	2	1	0	0	1	2	0	O	0
40-44	1	0.78	1	0	0	0	0	1	0	0	0
GREATER THAN 44	0	0.00	O	0	Ō	0	0	0	0	O	0
NNKWOMN	0	0.00	0	0	. 0	0	0	0	0	O	0
COUNTY TOTALS	129		80	49	0	68	34	21	4	2	0
PERCENT DISTRIBUTION		100.00	62.02	37.98	0.00	52.71	26.36	16.28	3.10	1.55	0.00
PERCENT OF ALL BIRTH	S WHICH AR										
		27.27	31.50	22.37	0.00	34.00	20.73	26.92	1/.39	25.00	0.00

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	UNKNOWN	* * 1	****** 2	*****	**** BI	RTH ORDER ******* GREATER THAN 4	**************************************
YORK											
ALL BIRTHS											
LESS THAN 15	1	0.04	0	1	0	1	0	0	0	0	0
15	18	0.71	5	13	0	18	0	0	0	0	0
16	17	0.67	7	10	0	16	1	0	0	0	0
17	49	1.93	25	24	0	44	4	1	0	0	0
18	53	2.09	34	19	0	44	8	1	0	0	0
19	80	3.16	42	38	0	51	20	6	1	1	1
20-24	697	27.51	350	347	0	372	229	78	12	5	1
25-29	926	36.54	474	452	0	378	338	159	38	11	2
30-34	504	19.89	267	237	0	145	181	108	47	22	1
35-39	166	6.55	87	79	O	35	55	45	19	10	2
40-44	16	0.63	5	1 1	0	2	6	3	0	5	0
GREATER THAN 44	3	0.12	1	2	0	2	0	1	0	0	0
UNKNOWN	4	0.16	3	1	0	2	2	0	0	0	0
COUNTY TOTALS	2,534		1,300	1,234	0	1,110	844	402	117	54	7
PERCENT DISTRIBUTION		100.00	51.30	48.70	0.00	43.80	33.31	15.86	4.62	2.13	0.28
DUT OF WEDLOCK BIRTHS											
LESS THAN 15	1	0.23	0	1	0	1	0	0	0	0	0
15	18	4.12	5	13	0	18	0	0	0	0	0
16	14	3.20	6	8	0	14	0	0	0	0	0
17	40	9.15	20	20	0	37	3	0	0	О	0
18	30	6.86	18	12	O	27	3	0	0	0	0
19	4 1	9.38	26	15	0	30	10	0	0	1	0
20-24	175	40.05	78	97	0	89	57	22	6	1	0
25-29	85	19.45	44	4 1	0	35	22	20	7	1	0
30-34	27	6.18	17	10	0	8	5	8	3	3	0
35-39	5	1.14	3	2	0	1	1	0	2	1	0
40-44	1	0.23	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	O.	0	0	Ο	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	437		217	220	0	260	101	50	18	8	0
PERCENT DISTRIBUTION		100.00	49.66	50.34	0.00	59.50	23.11	11.44	4.12	1.83	0.00
PERCENT OF ALL BIRTH	S WHICH AF										
		17.25	16.69	17.83	0.00	23.42	11.97	12.44	15.38	14.81	0.00

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

STATE AND	TOTAL	PERCENT			******	* -	*****	******		RTH ORDER *****	
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
MAINE SUMMARY											
ALL BIRTHS											
LESS THAN 15	17	0.10	6	11	0	17	0	. 0	0	0	0
15	78	0.45	36	42	0	76	2	0	0	0	0
16	165	0.96	90	75	0	149	14	0	0	1	1
17	339	1.97	182	157	0	291	45	2	0	0	1
18	502	2.92	265	237	0	399	87	12	1	2	1
19	753	4.39	391	362	0	545	166	30	4	1	7
20-24	5,158.	30.05	2,684	2,474	0	2,639	1,795	545	105	55	19
25-29	5,610	32.68	2,856	2,754	0	2,060	2.214	968	248	97	23
30-34	3,283	19.13	1,698	1,585	Ō		1.276	702	268	128	28
35-39	1,046	6.09	519	527	Ö	258	356	230	96	99	7
40-44	142	0.83	69	73	Ō	21	41	29	22	29	Ô
GREATER THAN 44	8	0.05	3	5	Ö	3	3	1	0	1	Ö
UNKNOWN	65	0.38	35	30	Ō	31	24	10	Ö	0	Ö
STATE TOTALS	17,166	0.00	8.834	8,332	ő	-	6,023		744	413	87
PERCENT DISTRIBUT		100.00	51.46	48.54	0.00		35.09		4.33	2.41	0.51
								•			
OUT OF WEDLOCK BIRTHS				·							
LESS THAN 15	16	0.46	5	11	0	16	0	0	0	0	0
15	75	2.15	34	41	Ō	73	2	ō	ō	Ō	Ō
16	146	4.19	82	64	0	133	11	0	0	1	1
17	256	7.34	144	112	0	225	31	Ō	Ō	0	0
18	321	9.21	169	152	Ö	264	49	5	1	1	1
19	387	11.10	203	184	ő	290	75	15	3	1	3
20-24	1,349	38.69	707	642	0	720	428	150	29	17	5
25-29	615	17.64	305	310	Ö	199	199	138	56	17	6
30-34	227	6.51	126	101	ő	76	57	48	18	24	4
35-39	71	2.04	34	37	ŏ	18	16	13	7	16	1
40-44	12	0.34	5	7	0	1	1	3	4	3	Ö
GREATER THAN 44	0	0.00	0	ó	0	Ö	Ö	0	0	Ö	Ö
UNKNOWN	12	0.34	3	9	0	9	2	· ·	0	Ö	Ö
STATE TOTALS	3,487	0.34	1.817	1,670	0	2,024	871	373	118	80	21
PERCENT DISTRIBUT		100.00	52.11	47.89	0.00			10.70		2.29	0.60
				47.05	0.00	30.04	24.30	10.70	3.30	2.25	0.00
PERCENT OF ALL BI	KIU2 MHICH W			20.01	0.00	07.40	44 40	14 75	15 06	40.07	01 11
		20.31	20.57	20.04	0.00	27.46	14.46	14.75	15.86	19.37	24.14

TABLE B-6
LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******** 1ST+2ND MONTH	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	******** NONE	**************************************
ANDROSCOGGIN								
LESS THAN 1000	5	0.32	2	2	1	0	0	0
1000-1499	6	0.38	3	2	0	0	0	1
1500-1999	20	1.28	7	6	3	2	0	2
2000-2499	59	3.77	28	18	12	0	0	1
2500-2999	225	14.39	104	62	44	9	6	0
3000-3499	580	37.08	278	194	88	16	3	1
3500-3999	497	31.78	269	142	75	11	0	0
4000-4499	144	9.21	89	32	19	4	0	0
4500-4999	21	1.34	14	5	1	1	0	0
GREATER THAN 4999	5	0.32	2	1	2	0	0	0
UNKNOWN	2	0.13	0	0	0	0	0	2
COUNTY TOTALS	1,564		796	464	245	43	9	7
PERCENT DISTRIBUTION		100.00	50.90	29.67	15.66	2.75	0.58	0.45
AROOSTOOK								
LESS THAN 1000	10	0.82	5	2	2	0	0	1
1000-1499	11	0.90	6	0	2	1	0	2
1500-1999	13	1.07	8	0	5	0	0	0
2000-2499	35	2.87	21	7	6	1	0	0
2500-2999	159	13.03	83	42	23	7	2	2
3000-3499	416	34.10	237	97	66	11	1	4
3500-3999	407	33.36	237	109	54	6	0	1
4000-4499	141	11.56	82	31	23	1	0	4
4500-4999	23	1.89	9	10	4	0	0	0
GREATER THAN 4999	2	0.16	. 2	0	0	0	0	0
UNKNOWN	3	0.25	3	0	0	Ο,	0	0
COUNTY TOTALS	1,220		693	298	185	27 ´	3	14
PERCENT DISTRIBUTION		100.00	56.80	24.43	15.16	2.21	0.25	1.15

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT

MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	********* 1ST+2ND MONTH	********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	******** NONE	**************************************
CUMBERLAND								
LESS THAN 1000	14	0.40	12	2	0	0	0	0
1000-1499	16	0.45	7	4	4	0	0	1
1500-1999	22	0.62	13	5	2	0	0	2
2000-2499	115	3.26	59	26	20	5	0	5
2500-2999	444	12.59	228	134	51	14	0	17
3000-3499	1,135	32.19	622	317	133	27	0	36
3500-3999	1,225	34.74	673	350	144	33	2	23
4000-4499	432	12.25	242	122	43	9	0	16
4500-4999	80	2.27	47	23	7	2	0	1
GREATER THAN 4999	8	0.23	2	5	1	0	0	0
UNKNOWN	35	0.99	15	4	0	1	0	15
COUNTY TOTALS	3,526		1,920	992	405	91	2	116
PERCENT DISTRIBUTION		100.00	54.45	28.13	11.49	2.58	0.06	3.29
FRANKLIN								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	2	0.51	1	1	0	0	0	0
2000-2499	16	4.08	10	2	3	1	0	0
2500-2999	51	13.01	28	15	7	1	0	0
3000-3499	127	32.40	71	30	25	1	0	0
3500-3999	142	36.22	81	40	19	2	0	0
4000-4499	47	11.99	28	11	8 .	0	0	0
4500-4999	5	1.28	4	1	Ō	Ō	Ö	Ō
GREATER THAN 4999	1	0.26	1	0	Ō	Ō	Ö	0
UNKNOWN	1	0.26	0	Ō	Ö	Ō	Ö	1
COUNTY TOTALS	392	-	224	100	62	5	0	1
PERCENT DISTRIBUTION		100.00	57.14	25.51	15.82	1.28	0.00	0.26

TABLE B-6 LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND					MONTH PRENATAL	CARE BEGAN		
BIRTHWEIGHT	TOTAL	PERCENT	1ST+2ND	3RD	4TH-6TH	7TH-9TH	NONE	UNKNOWN
IN GRAMS	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH		
HANCOCK								
LESS THAN 1000	2	0.32	2	0	0	0	0	0
1000-1499	4	0.63	3	0	0	1	0	0
1500-1999	5	0.79	3	1	1	0	0	0
2000-2499	17	2.69	9	5	3	0	0	0
2500-2999	76	12.03	40	23	12	1	0	0
3000-3499	213	33.70	104	68	36	5	0	0
3500-3999	209	33.07	104	62	38	4	0	1
4000-4499	87	13.77	45	32	9	1	0	0
4500-4999	17	2.69	7	6	3	1	0	0
GREATER THAN 4999	1	0.16	0	1	0	0	0	0
UNKNOWN	1	0.16	0	0	0	0	0	1
COUNTY TOTALS	632		317	198	102	13	0	2
PERCENT DISTRIBUTION		100.00	50.16	31.33	16.14	2.06	0.00	0.32
KENNEBEC								
LESS THAN 1000	4	0.28	4	0	0	0	0	0
1000-1499	6	0.42	2	2	1	Ō	Ö	1
1500-1999	4	0.28	4	0	0	0	0	0
2000-2499	42	2.94	19	12	8	1	0	2
2500-2999	180	12.59	93	54	26	4	1	2
3000-3499	517	36.15	279	171	52	12	1	2
3500-3999	463	32.38	278	130	43	9	3	0
4000-4499	167	11.68	98	51	17	1	0	0
4500-4999	42	2.94	25	12	5	0	0	0
GREATER THAN 4999	5	0.35	1	3	1	0	0	0
UNKNOWN	0	0.00	0	0	0	. 0	0	O
COUNTY TOTALS	1,430		803	435	153	27	5	7
PERCENT DISTRIBUTION		100.00	56.15	30.42	10.70	1.89	0.35	0.49

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

TABLE B-6 LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	********* 1ST+2ND MONTH	********** 3RD MONTH	MONTH PRENATA 4TH-6TH MONTH	L CARE BEGAN 7TH-9TH MONTH	********* NONE	**************************************
KNOX								
LESS THAN 1000	2	0.40	0	1	1	0	0	0
1000-1499	1	0.20	0	0	1	0	0	0
1500-1999	2	0.40	0	0	1	0	0	1
2000-2499	15	2.98	6	8	0	0	0	1
2500-2999	70	13.92	34	21	11	3	0	1
3000-3499	156	31.01	89	47	16	4	0	0
3500-3999	179	35.59	109	43	22	4	1	0
4000-4499	63	12.52	43	10	4	5	0	1
4500-4999	14	2.78	12 .	0	2	0	0	0
GREATER THAN 4999	1	0.20	0	0	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	503		293	130	59	16	1	4
PERCENT DISTRIBUTION		100.00	58.25	25.84	11.73	3.18	0.20	0.80
LINCOLN								
LESS THAN 1000	1	0.25	1	0	0	0	0	0
1000-1499	2	0.49	1	0	0	0	0	1
1500-1999	7	1.72	3	1	0	0	0	3
2000-2499	6	1.47	3	1	2	0	0	0
2500~2999	39	9.58	19	14	5	0	0	1
3000-3499	141	34.64	84	31	24	0	0	2
3500-3999	147	36.12	78	46	20	3	0	0
4000-4499	48	11.79	29	12	6	1	0	0
4500-4999	13	3.19	7	4	2	0	0	0
GREATER THAN 4999	1	0.25	0	1	0	0	0	0
UNKNOWN	2	0.49	1	0	0	0	0	1
COUNTY TOTALS	407		226	110	59	4	0	8
PERCENT DISTRIBUTION		100.00	55.53	27.03	14.50	0.98	0.00	1.97

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT

MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	********* 1ST+2ND MONTH	********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	**************************************
OXFORD								
LESS THAN 1000	1	0.14	0	0	0	0	0	1
1000-1499	6	0.84	1	2	0	0	0	3
1500-1999	6	0.84	3	0	0	0	1	2
2000-2499	22	3.08	9	6	4	1	0	2
2500-2999	99	13.85	44	30	16	6	1	2
3000-3499	266	37.20	129	79	51	6	0	1
3500-3999	229	32.03	108	76	40	4	0	1
4000-4499	67	9.37	37	18	9	3	0	0
4500-4999	15	2.10	7	4	3	1	0	0
GREATER THAN 4999	3	0.42	. 2	0	1	0	0	0
UNKNOWN	1	0.14	0	0	0	0	0	1
COUNTY TOTALS	715		340	215	124	21	2	13
PERCENT DISTRIBUTION		100.00	47.55	30.07	17.34	2.94	0.28	1.82
PENOBSCOT								
LESS THAN 1000	4	0.21	1	1	0	0	0	2
1000-1499	9	0.47	4	3	1	0	1	0
1500-1999	18	0.94	7	5	5	0	1	0
2000-2499	72	3.75	28	19	20	2	3	Ō
2500-2999	224	11.67	123	65	31	4	1	0
3000-3499	673	35.07	369	173	113	15	1	2
3500-3999	630	32.83	385	128	92	21	2	2
4000-4499	228	11.88	138	46	40	4	0	0
4500-4999	45	2.34	32	5	7	1	0	0
GREATER THAN 4999	11	0.57	9	1	1	0	Ō	Ō
UNKNOWN	5	0.26	. 3	0	1	Ō	Ō	1
COUNTY TOTALS	1,919		1,099	446	311	47 ^	9	7
PERCENT DISTRIBUTION	•	100.00	57.27	23.24	16.21	2.45	0.47	0.36

TABLE B-6
LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND			******	******	MONTH PRENATAL	CARE BEGAN	*******	******
BIRTHWEIGHT	TOTAL	PERCENT	1ST+2ND	3RD	4TH-6TH	7TH-9TH	NONE	UNKNOWN
IN GRAMS	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH		
PISCATAQUIS								
LESS THAN 1000	0	0.00	0	0	0	0	0	. 0
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	1	0.47	1	0	0	0	0	0
2000-2499	6	2.80	2	2	2	0	0	0
2500-2999	18	8.41	6	5	6	1	0	0
3000-3499	90	42.06	46	27	15	1	1	0
3500-3999	59	27.57	21	29	7	2	0	0
4000-4499	29	13.55	13	7	8	1	0	0
4500-4999	8	3.74	6	1	1	0	0	0
GREATER THAN 4999	3	1.40	2	0	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	214		97	71	40	5	1	0
PERCENT DISTRIBUTION		100.00	45.33	33.18	18.69 ,	2.34	0.47	0.00
SAGADAHOC								
LESS THAN 1000	1	0.19	1	0	0	0	0	0
1000-1499	2	0.37	0	2	0	0	0	0
1500-1999	4	0.75	1	2	0	0	1	0
2000-2499 .	12	2.24	6	2	4	0	0	0
2500-2999	75	14.02	41	19	14	1	0	0
3000-3499	199	37.20	105	52	35	6	0	1
3500-3999	163	30.47	84	51	24	3	1	0
4000-4499	64	11.96	32	15	15	1	0	1
4500~4999	15	2.80	9	5	1	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	535		279	148	93	11	2	2
PERCENT DISTRIBUTION		100.00	52.15	27.66	17.38	2.06	0.37	0.37

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT

MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT	TOTAL	PERCENT	********* 1ST+2ND	********* 3RD	MONTH PRENATAL 4TH-6TH	CARE BEGAN 7TH-9TH	******** NONE	**************************************
IN GRAMS	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH	110112	OTTA TO WITE
SOMERSET					٥			
LESS THAN 1000	3	0.47	2	1	0	0	0	0
1000-1499	2	0.31	1	0	0	0	0	1
1500-1999	11	1.73	6	2	2	1	0	0
2000-2499	24	3.77	12	7	5	0	0	0
2500-2999	92	14.47	46	30	13	2	1	0
3000-3499	225	35.38	103	70	43	6	2	1
3500-3999	206	32.39	93	60	45	6	1	1
4000-4499	59	9.28	31	19	9	0	0	0
4500-4999	13	2.04	11	2	. 0	0	0	0
GREATER THAN 4999	1	0.16	1	0	0	0	0	0
UNKNOWN	. 0	0.00	0	0	0	0	0	0
COUNTY TOTALS	636		306	191	117	15	4	3
PERCENT DISTRIBUTION		100.00	48.11	30.03	18.40	2.36	0.63	0.47
WALDO								
LESS THAN 1000	1	0.21	0	0	1	0	0	0
1000-1499	2	0.43	1	0	0	1	0	0
1500-1999	3	0.64	1	1	0	1	0	0
2000-2499	18	3.86	11	4	3	0	0	0
2500-2999	64	13.73	39	15	7	3	0	0
3000-3499	148	31.76	88	40	15	5	0	0
3500-3999	165	35.41	110	31	18	6	0	0
4000-4499	49	10.52	26	11	10	2	0 -	0
4500-4999	13	2.79	9	3	1	0	0	0
GREATER THAN 4999	1	0.21	1	0	0	0	0	0
UNKNOWN	2	0.43	0	0	1	0	0	1
COUNTY TOTALS	466		286	105	56	18	0	1
PERCENT DISTRIBUTION		100.00	61.37	22.53	12.02	3.86	0.00	0.21

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT

MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	********* 1ST+2ND MONTH	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	**************************************
WASHINGTON								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	3	0.63	3	0	0	0	0	0
1500-1999	6	1.27	2	3	1	0	0	0
2000-2499	-14	2.96	7	3	3	1	0	0
2500-2999	53	11.21	21	19	9	2	0	2
3000-3499	179	37.84	104	35	37	2	0	1
3500-3999	144	30.44	69	41	28	5	0	1
4000-4499	58	12.26	30	16	8	4	0	0
4500-4999	13	2.75	8	1	4	0	0	0
GREATER THAN 4999	2	0.42	2	0	0	0	0	0
UNKNDWN	1	0.21	1	0	0	0	0	0
COUNTY TOTALS	473		247	118	90	14	0	4
PERCENT DISTRIBUTION		100.00	52.22	24.95	19.03	2.96	0.00	0.85
YORK								
LESS THAN 1000	8	0.32	5	1	0	0	1	1
1000-1499	5	0.20	2	1	1	Ō	0	1
1500-1999	18	0.71	7	7	3	1	Ō	0
2000-2499	86	3.39	44	20	16	4	Ō	2
2500-2999	318	12.55	159	91	49	9	3	7
3000-3499	888	35.04	488	231	131	23	5	10
3500-3999	858	33.86	485	239	104	22	0	8
4000-4499	287	11.33	166	72	37	7	1	4
4500-4999	49	1.93	30	11	6	1	0	1
GREATER THAN 4999	7	0.28	5	2	Ō	0	Ō	0
UNKNOWN	10	0.39	7	1	Ō	Ó	Ö	2
COUNTY TOTALS	2,534		1,398	676	347	67	10	36
PERCENT DISTRIBUTION	•	100.00	55 ₋ 17	26.68	13.69	2.64	0.39	1.42

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT

MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

STATE AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	********* 1ST+2ND MONTH	******** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	**************************************
MAINE SUMMARY								
LESS THAN 1000	56	0.33	35	10	5	0	1	5
1000-1499	75	0.44	34	16	10	3	1	11
1500-1999	142	0.83	67	34	23	5	3	10
2000-2499	559	3.26	274	142	111	16	3	13
2500-2999	2,187	12.74	1,108	639	324	67	15	34
3000-3499	5,953	34.68	3,196	1,662	880	140	14	61
3500-3999	5,723	33.34	3,184	1,577	773	141	10	38
4000-4499	1,970	11.48	1,129	505	265	44	1	26
4500-4999	386	2.25	237	93	47	7	0	2
GREATER THAN 4999	52	0.30	30	14	8	0	0	0
UNKNOWN	63	0.37	30	5	2	1	0	25
STATE TOTALS	17,166		9,324	4,697	2,448	424	48	225
PERCENT DISTRIBUTION		100.00	54.32	27.36	14.26	2.47	0.28	1.31

TABLE B-7 LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS

MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY	TOTAL	*****				TRIMESTER PRENATAL CARE BEGAN ************************************				*****	
AND NUMBER OF PRENATAL VISITS	BIRTHS		RST PERCENT		OND PERCENT		PERCENT		PERCENT		NOWN PERCENT
ANDROSCOGGIN											
0	9	0	0.00	0	0.00	0	0.00	9	100.00	0	0.00
1	5	0	0.00	1	20.00	4	80.00	0	0.00	0	0.00
2	7	0	0.00	3	42.86	4	57.14	0	0.00	0	0.00
3	9	2	22.22	3	33.33	4	44.44	0	0.00	0	0.00
4	13	5	38.46	3	23.08	5	38.46	0	0.00	0	0.00
5	28	7	25.00	12	42.86	9	32.14	0	0.00	0	0.00
6	27	13	48.15	9	33.33	5	18.52	0	0.00	0	0.00
7	55	17	30.91	32	58.18	6	10.91	0	0.00	0	0.00
8	79	49	62.03	28	35.44	2	2.53	0	0.00	0	0.00
9	121	85	70.25	35	28.93	1	0.83	0	0.00	0	0.00
GREATER THAN 9	1,203	1,081	89.86	119	9.89	3	0.25	Ó	0.00	0	0.00
UNKNOWN	. 8	, 1	12.50	0	0.00	0	0.00	0	0.00	7	87.50
COUNTY TOTALS	1,564	1,260	80.56	245	15.66	43	2.75	9	0.58	7	0.45
AROOSTOOK											
0	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
1	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
2	5	0	0.00	0	0.00	5	100.00	0	0.00	0	0.00
3	6	2	33.33	2	33.33	2	33.33	0	0.00	0	0.00
4	9	1	11.11	5	55.56	3	33.33	0	0.00	0	0.00
5	. 20	4	20.00	11	55.00	5	25.00	0	0.00	0	0.00
6	29	9	31.03	17	58.62	3	10.34	0	0.00	0	0.00
7	48	31	64.58	16	33.33	1	2.08	0	0.00	0	0.00
8	72	53	73.61	19	26.39	0	0.00	0	0.00	0	0.00
9	104	70	67.31	32	30.77	2	1.92	0	0.00	0	0.00
GREATER THAN 9	907	821	90.52	81	8.93	5	0.55	ō	0.00	0	0.00
UNKNOWN	15	0	0.00	1 -	6. 67	Ō	0.00	Ō	0.00	14	93.33
COUNTY TOTALS	1,220	991	81.23	185	15.16	27	2.21	3	,0.25	14	1.15

TABLE B-7 LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY	TOTAL ************************************							EGAN ***********				
AND NUMBER OF	BIRTHS	FI	FIRST SECOND		TH	HIRD	N	ONE	UNK	NOWN		
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	
CUMBERLAND												
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00	
1	10	1	10.00	1	10.00	8	80.00	0	0.00	0	0.00	
2	16	2	12.50	3	18.75	11	68.75	0	0.00	0	0.00	
3	35	11	31.43	10	28.57	11	31.43	0	0.00	3	8.57	
4	34	17	50.00	6	17.65	10	29.41	0	0.00	1	2.94	
5	52	22	42.31	19	36.54	11	21.15	0	0.00	0	0.00	
6	77	39	50.65	28	36.36	7	9.09	0	0.00	3	3.90	
7	109	68	62.39	28	25.69	13	11.93	0	0.00	0	0.00	
8	214	161	75.23	43	20.09	5	2.34	0	0.00	5	2.34	
9	305	234	76.72	62	20.33	7	2.30	0	0.00	2	0.66	
GREATER THAN 9	2,574	2,352	91.38	205	7.96	8	0.31	0	0.00	9	0.35	
UNKNOWN	98	5	5.10	0	0.00	0	0.00	0	0.00	93	94.90	
COUNTY TOTALS	3,526	2,912	82.59	405	11.49	91	2.58	2	0.06	116	3.29	
FRANKLIN												
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00	
2	1	0	0.00	1	100.00	0	0.00	0	0.00	Ō	0.00	
3	4	2	50.00	2	50.00	0	0.00	0	0.00	0	0.00	
4	0	0	0.00	0	0.00	0	0.00	0	0.00	Ō	0.00	
5	7	0	0.00	5	71.43	2	28.57	Ō	0.00	Ō	0.00	
6	10	3	30.00	6	60.00	1	10.00	0	0.00	Ō	0.00	
7	12	7 .	58.33	5	41.67	0	0.00	0	0.00	Ō	0.00	
8	31	16	51.61	15	48.39	0	0.00	0	0.00	Ō	0.00	
9	34	26	76.47	7	20.59	1	2.94	Ō	0.00	Ō	0.00	
GREATER THAN 9	291	270	92.78	21	7.22	Ö	0.00	Ö	0.00	Ö	0.00	
UNKNOWN	1	Ō	0.00	0	0.00	ō	0.00	Ö	0.00	1	100.00	
COUNTY TOTALS	392	324	82.65	62	15.82	5	1.28	ŏ	0.00	1	0.26	

TABLE B-7 LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY	TOTAL	*****	*****	******	***** TRIME	RIMESTER PRENATAL CARE BEGAN *********				*******		
AND NUMBER OF	BIRTHS	FI	RST	SEC	COND	TH	HIRD	NO	NE	UNK	NOWN	
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	
HANCOCK												
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00	
2	2	0	0.00	2	100.00	0	0.00	0	0.00	0	0.00	
3	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00	
4	10	0	0.00	6	60.00	4	40.00	0	0.00	0	0.00	
5	6	3	50.00	2	33.33	1	16.67	0	0.00	Ō	0.00	
6	25	9	36.00	13	52.00	3	12.00	0	0.00	Ō	0.00	
7	25	13	52.00	10	40.00	2	8.00	Ō	0.00	Ō	0.00	
8	50	36	72.00	13	26.00	1	2.00	Ō	0.00	Ō	0.00	
9	48	35	72.92	13	27.08	Ó	0.00	Ō	0.00	Ō	0.00	
GREATER THAN 9	461	419	90.89	42	9.11	ō	0.00	ō	0.00	ō	0.00	
UNKNOWN	2	0	0.00	0	0.00	Ō	0.00	Ō	0.00	2	100.00	
COUNTY TOTALS	632	515	81.49	102	16.14	13	2.06	Ö	0.00	2	0.32	
KENNEBEC												
0	5	0	0.00	0	0.00	0	0.00	5	100.00	0	0.00	
1	5	0	0.00	0	0.00	5	100.00	0	0.00	0	0.00	
2	6	1	16.67	3	50.00	2	33.33	0	0.00	Ō	0.00	
3	6	1	16.67	1	16.67	3	50.00	0	0.00	1	16.67	
4	8	5	62.50	1	12.50	2	25.00	Ō	0.00	Ó	0.00	
5	15	5	33.33	6	40.00	4	26.67	ō	0.00	Ö	0.00	
6	27	11	40.74	13	48.15	3	11.11	ō	0.00	Ō	0.00	
7	24	14	58.33	8	33.33	2	8.33	Ö	0.00	ŏ	0.00	
8	45	28	62.22	14	31.11	2	4.44	Ö	0.00	1	2.22	
9	62	41	66.13	20	32.26	1	1.61	ŏ	0.00	Ö	0.00	
GREATER THAN 9	1,220	1,130	92.62	87	7.13	3	0.25	ŏ	0.00	ŏ	0.00	
UNKNOWN	7	2	28.57	o,	0.00	Ö	0.00	ŏ	0.00	5	71.43	
COUNTY TOTALS	1,430	1,238	86.57	153	10.70	27	1.89	5	0.35	7	0.49	

TABLE B-7 LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND NUMBER OF	TOTAL BIRTHS	**************************************					TAL CARE BE		**************************************	**************************************		
PRENATAL VISITS	DIKIU2		PERCENT		PERCENT		PERCENT		PERCENT	NUMBER	PERCENT	
KNOX												
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00	
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	
2	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00	
3	3	0	0.00	2	66.67	1	33.33	0	0.00	0	0.00	
4	4	1	25.00	1	25.00	2	50.00	0	0.00	0	0.00	
5	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00	
6	18	7	38.89	7	38.89	4	22.22	0	0.00	0	0.00	
7	11	4	36.36	5	45.45	2	18.18	0	0.00	0	0.00	
8	25	18	72.00	` 4	16.00	3	12.00	0	0.00	0	0.00	
9	24	17	70.83	6	25.00	1	4.17	0	0.00	0	0.00	
GREATER THAN 9	405	370	91.36	32	7.90	3	0.74	Ō	0.00	ō	0.00	
UNKNOWN	9	4	44.44	1	11.11	0	0.00	Ō	0.00	4	44.44	
COUNTY TOTALS	503	423	84.10	59	11.73	16	3.18	1	0.20	4	0.80	
LINCOLN		•										
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	
1	0	Ö	0.00	0	0.00	0	0.00	Ó	0.00	0	0.00	
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	
3	3	1	33.33	1	33.33	1	33.33	Ō	0.00	Ō	0.00	
4	1	1	100.00	0	0.00	0	0.00	0	0.00	Ô	0.00	
5	. 3	1	33.33	2	66.67	0	0.00	Ō	0.00	Ō	0.00	
6	7	5	71.43	2	28.57	0	0.00	Ō	0.00	Ō	0.00	
7	9	4	44.44	4	44.44	Ō	0.00	Ō	0.00	1	11.11	
8	23	14	60.87	9	39.13	ō	0.00	Ö	0.00	Ö	0.00	
9	29	20	68.97	8	27.59	1	3.45	. 0	0.00	ŏ	0.00	
GREATER THAN 9	324	289	89.20	33	10.19	2	0.62	Ö	0.00	ŏ	0.00	
UNKNOWN	8	1	12.50	0.	0.00	ō	0.00	ŏ	0.00	7	87.50	
COUNTY TOTALS	407	336	82.56	59	14.50	4	0.98	ŏ	,0.00	8	1.97	

TABLE B-7 LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY	TOTAL	**************************************				TRIMESTER PRENATAL CARE BEGAN ************************************					
AND NUMBER OF	BIRTHS						HIRD		DNE		NOWN
PRENATAL VISITS		NUMBER	PERCENŢ	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
OXFORD											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	Ō	0.00	Ō	0.00
2	2	Ö	0.00	1	50.00	Ì	50.00	Ö	0.00	ŏ	0.00
3	9	Ö	0.00	3	33.33	6	66.67	Ö	0.00	ŏ	0.00
4	11	1	9.09	9	81.82	1	9.09	Ö	0.00	Ŏ	0.00
5	10	2	20.00	5	50.00	3	30.00	Õ	0.00	Ö	0.00
6	19	6	31.58	10	52.63	3	15.79	Ö	0.00	Ö	0.00
7	33	12	36.36	20	60.61	3	3.03	0	0.00	0	0.00
8	61	43	70.49	17	27.87	<u>.</u>	1.64	0	0.00	0	0.00
9	66	53	80.30	12				_		1	
GREATER THAN 9	488		89.55	47	18.18	0	0.00	0	0.00		1.52
		437			9.63	4	0.82	0	0.00	0	0.00
UNKNOWN	13	1	7.69	0	0.00	0	0.00	0	0.00	12	92.31
COUNTY TOTALS	715	555	77.62	124	17.34	21	2.94	2	0.28	13	1.82
PENOBSCOT											
0	9	0	0.00	0	0.00	0	0.00	9	100.00	0	0.00
1	1	Ō	0.00	Ō	0.00	1	100.00	Ō	0.00	Ö	0.00
2	7	Ö	0.00	Ö	0.00	7	100.00	Ö	0.00	ŏ	0.00
3	9	3	33.33	3	33.33	3	33.33	Ö	0.00	ŏ	0.00
4	21	5	23.81	9	42.86	7	33.33	Ô	0.00	ŏ	0.00
5	18	7	38.89	7	38.89	4	22.22	ŏ	0.00	ŏ	0.00
6	100	44	44.00	45	45.00	11	11.00	ŏ	0.00	Ö	0.00
7	77	49	63.64	26	33.77	2	2.60	ŏ	0.00	Ö	0.00
8	328	248	75.61	77	23.48	3	0.91	Ö	0.00	0	0.00
9	123	103	83.74	18	14.63	2	1.63	0	0.00		0.00
GREATER THAN 9		_								0	-
	1,219	1,085	89.01	126	10.34	6	0.49	0	0.00	2	0.16
UNKNOWN	, , , ,	1 - 1 -	14.29	0 .	000	1	14.29	0	0.00	5	71.43
COUNTY TOTALS	1,919	1,545	80.51	311	16.21	47	2.45	9	,0.47	7	0.36

TABLE B-7 LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND NUMBER OF	TOTAL	BIRTHS FIRST			***** TRIME		ATAL CARE BEGAN ************************************			**************************************		
PRENATAL VISITS	DIKIU2	NUMBER	_	NUMBER			PERCENT		PERCENT	NUMBER		
TREMATRE VISITS		NOMBER	LKOLITI	NOMBER	LKOCITI	ROMBER	LICOLIVI	NOMBER	LICENT	NOMBER	FERGEINI	
PISCATAQUIS												
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00	
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00	
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	
3	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00	
4	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00	
5	4	1	25.00	3	75.00	0	0.00	0	0.00	0	0.00	
6	9	5	55.56	4	44.44	0	0.00	0	0.00	0	0.00	
7	5	2	40.00	3	60.00	0	0.00	0	0.00	0	0.00	
8	25	17	68.00	7	28.00	1	4.00	0	0.00	0	0.00	
9	15	11	73.33	3	20.00	1	6.67	0	0.00	0	0.00	
GREATER THAN 9	151	132	87.42	18	11.92	1	0.66	0	0.00	0	0.00	
UNKNOWN	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	
COUNTY TOTALS	214	168	78.50	40	18.69	5	2.34	1	0.47	0	0.00	
SAGADAHOC	*											
SAGADANOC												
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00	
1	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00	
2	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00	
3	5	1	20.00	0	0.00	4	80.00	0	0.00	0	0.00	
4	4	0	0.00	2	50.00	2	50.00	0	0.00	0	0.00	
5	13	5	38.46	7	53.85	1	7.69	0	0.00	0	0.00	
6	17	6	35.29	10	58.82	1	5.88	0	0.00	0	0.00	
7	21	13	61.90	6	28.57	2	9.52	0	0.00	0	0.00	
8	40	24	60.00	16	40.00	0	0.00	0	0.00	0	0.00	
9	40	29	72.50	11	27.50	0	0.00	Ó	0.00	Ō	0.00	
GREATER THAN 9	388	347	89.43	41	10.57	Ō	0.00	Ō	0.00	Õ	0.00	
UNKNOWN	2	0	0.00	0	0.00	Ō	0.00	Ö	0.00	2	100.00	
COUNTY TOTALS	535	427	79.81	93	17.38	11	2.06	2	0.37	2	0.37	

TABLE B-7 LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS

MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY	TOTAL	**************************************				TRIMESTER PRENATAL CARE BEGAN ************************************					
AND NUMBER OF	BIRTHS	FI	RST	SEC	COND	Τf	HIRD	NO	DNE		NOWN
PRENATAL VISITS		NUMBER	PERCENT	NUMBÉR	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
SOMERSET											
0	4	0	0.00	0	0.00	0	0.00	4	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	3	1	33.33	0	0.00	2	66.67	0	0.00	0	0.00
3	4	2	50.00	1	25.00	1	25.00	0	0.00	0	0.00
4	4	0	0.00	4	100.00	0	0.00	0	0.00	0	0.00
5	7	3	42.86	3	42.86	1	14.29	0	0.00	0	. 0.00
6	17	4	23.53	8	47.06	5	29.41	Ó	0.00	0	0.00
7	10	1	10.00	9	90.00	0	0.00	Ō	0.00	0	0.00
8	45	28	62.22	16	35.56	1	2.22	ŏ	0.00	Ö	0.00
9	31	23	74.19	7	22.58	i	3.23	ŏ	0.00	ŏ	0.00
GREATER THAN 9	507	435	85.80	69	13.61	3	0.59	ŏ	0.00	ŏ	0.00
UNKNOWN	3	0	0.00	Õ	0.00	Ö	0.00	ŏ	0.00	3	100.00
COUNTY TOTALS	636	497	78.14	117	18.40	15	2.36	4	0.63	3	0.47
WALDO											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	Ō	0.00	Ó	0.00	1	100.00	Ó	0.00	0	0.00
2	4	1	25.00	Ö	0.00	3	75.00	Ō	0.00	Ō	0.00
3	4	0	0.00	2	50.00	2	50.00	ō	0.00	Ö	0.00
4	6	2	33.33	2	33.33	2	33.33	Õ	0.00	Ŏ	0.00
5	7	4	57.14	1	14.29	2	28.57	Ō	0.00	Ó	0.00
6	18	8	44.44	7	38.89	3	16.67	Ō	0.00	Ö	0.00
7	17	11	64.71	4	23.53	2	11.76	ŏ	0.00	ŏ	0.00
8	43	35	81.40	7	16.28	1	2.33	ő	0.00	ŏ	0.00
9	29	24	82.76	3	10.28	2	6.90	ŏ	0.00	ő	0.00
GREATER THAN 9	333	303	90.99	30	9.01	0	0.00	ŏ	0.00	Ö	0.00
UNKNOWN	333	303	75.00	0	0.00	0	0.00	0	0.00	1	25.00
	4 466	391	83.91	56	12.02	18	3.86	0	0.00	1	0.21
COUNTY TOTALS	400	331	03.31	96	12.02	18	3.00	O	0.00	'	0.2

TABLE B-7 LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS

MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY	TOTAL	**************************************									
AND NUMBER OF	BIRTHS		RST				HIRD		DNE		NOWN
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
WASHINGTON											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
2	4	1	25.00	3	75.00	0	0.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	2	Ô	0.00	1	50.00	1	50.00	0	0.00	O	0.00
5	8	2	25.00	5	62.50	1	12.50	Ō	0.00	Ō	0.00
6	18	8	44.44	8	44.44	2	11.11	Ŏ	0.00	ŏ	0.00
7	26	7	26.92	16	61.54	3	11.54	ŏ	0.00	ő	0.00
é	45	32	71.11	10	22.22	3	6.67	ŏ	0.00		0.00
0	33	24	72.73	9	27.27	0	0.00	ŏ	0.00	Ö	0.00
CDEATED THAN O		290	87.88	38	11.52	2	0.61	Ö	0.00	0	0.00
GREATER THAN 9	330	290								-	
UNKNOWN	5	1	20.00	0	0.00	0	0.00	0	0.00	4	80.00
COUNTY TOTALS	473	365	77.17	90	19.03	14	2.96	0	0.00	4	0.85
YORK											
0	10	0	0.00	0	0.00	0	0.00	10	100.00	0	0.00
1	5	1	20.00	1	20.00	2	40.00	0	0.00	1	20.00
2	17	2	11.76	4	23.53	11	64.71	Ō	0.00	0	0.00
3	28	8	28.57	10	35.71	9	32.14	Ō	0.00	1	3.57
4	40	9	22.50	22	55.00	9	22.50	Ō	0.00	Ó	0.00
5	. 54	17	31.48	29	53.70	8	14.81	ŏ	0.00	ŏ	0.00
6	91	53	58.24	31	34.07	6	6.59	ŏ	0.00	1	1.10
7	159	110	69.18	41	25.79	8	5.03	ŏ	0.00	ó	0.00
,	189	-	79.89	32	16.93	6	3.03	0	0.00	9	0.00
8		151		42	15.56	5	1.85		0.00	2	0.74
9	270	221	81.85	· -				. 0		_	
GREATER THAN 9	1,638	1,499	91.51	132	8.06	3	0.18	0	0.00	4	0.24
UNKNOWN	33	3	9.09	3 '	9.09	0	0.00	0	0.00	27	81.82
COUNTY TOTALS	2,534	2,074	81.85	347	13.69	67	2.64	10	۰0.39	36	1.42

TABLE B-7 LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS

MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

STATE AND NUMBER OF	TOTAL BIRTHS	************** FIRST		************* TRIMI		MESTER PRENATAL CARE			***************	**************************************	
PRENATAL VISITS	52111710	NUMBER	PERCENT	NUMBER		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MAINE SUMMARY											
0	48	0	0.00	0	0.00	0	0.00	48	100.00	0	0.00
1	38	3	7.89	4	10.53	30	78.95	0	0.00	1	2.63
2	77	10	12.99	21	27.27	46	59.74	0	0.00	0	0.00
3	128	33	25.78	42	32.81	48	37.50	0	0.00	5	3.91
4	169	47	27.81	72	42.60	49	28.99	0	0.00	1	0.59
5	253	84	33.20	117	46.25	52	20.55	0	0.00	0	0.00
6	509	230	45.19	218	42.83	57	11.20	0	0.00	4	0.79
7	641	363	56.63	233	36.35	44	6.86	0	0.00	1	0.16
8	1,315	953	72.47	327	24.87	29	2.21	0	0.00	6	0.46
9	1,334	1,016	76.16	288	21.59	25	1.87	0	0.00	5	0.37
GREATER THAN 9	12,439	11,260	90.52	1,121	9.01	43	0.35	0	0.00	15	0.12
UNKNOWN	215	22	10.23	5	2.33	1	0.47	0	0.00	187	86.98
STATE TOTALS	17,166	14,021	81.68	2,448	14.26	424	2.47	48	0.28	225	1.31

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION

MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******** 1ST+2ND MONTH	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	******** NONE	********** UNKNOWN
ANDROSCOGGIN								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	67 293 732 467 5 1,564	4.28 18.73 46.80 29.86 0.32	26 119 365 286 0 796 50.90	15 82 235 130 2 464 29.67	18 73 107 45 2 245 15.66	7 12 19 5 0 43 2.75	0 4 5 0 0 9 0.58	1 3 1 1 1 7 0.45
AROOSTOOK								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	19 120 625 440 16 1,220	1.56 9.84 51.23 36.07 1.31	7 43 362 277 4 693 56.80	7 35 149 106 1 298 24.43	3 30 103 49 0 185 15.16	2 9 11 5 0 27 2.21	0 3 0 0 0 3 0.25	0 0 0 3 11 14 1.15
CUMBERLAND								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	64 348 1,244 1,791 79 3,526	1.82 9.87 35.28 50.79 2.24	28 150 654 1,068 20 1,920 54.45	15 84 365 516 12 992 28.13	16 82 154 151 2 405 11.49	3 17 41 24 6 91 2.58	0 2 0 0 0 2	2 13 30 32 39 116 3.29

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND MOTHER'S	TOTAL	PERCENT	********* 1ST+2ND	**************************************	MONTH PRENATAL 4TH~6TH	CARE BEGAN 7TH-9TH	**************************************	**************************************
EDUCATION	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH		
FRANKLIN	-							
LESS THAN GRADE 9	7	1.79	2	0	5	0	0	0
GRADES 9-11	52	13.27	23	19	7	3	0	O
GRADE 12	196	50.00	110	50	36	0	. 0	0
GREATER THAN GRADE 12	136	34.69	89	31	14	2	0	0
UNKNOWN	1	0.26	0	0	0	0	0	1
COUNTY TOTALS	392		224	100	62	5	0	1
PERCENT DISTRIBUTION		100.00	57.14	25.51	15.82	1.28	0.00	0.26
HANCOCK								
LESS THAN GRADE 9	10	1.58	4	1	5	0	0	0
GRADES 9-11	77	12.18	27	24	20	6	0	0
GRADE 12	277	43.83	139	91	42	5	0	0
GREATER THAN GRADE 12	267	42.25	147	82	35	2	0	1
UNKNOWN	1	0.16	0	0	0	0	0	1
COUNTY TOTALS	632		317	198	102	13	0	2
PERCENT DISTRIBUTION		100.00	50.16	31.33	16.14	2.06	0.00	0.32
4								
KENNEBEC					•			
LESS THAN GRADE 9	27	1.89	11	7	5	2	1	1
GRADES 9-11	159	11.12	59	47	43	8	1	1
GRADE 12	662	46.29	373	209	67	9	2	2
GREATER THAN GRADE 12	571	39.93	358	171	34	5	1	2
UNKNOWN	11	0.77	2	1	4	3	0	1
COUNTY TOTALS	1,430		803	435	153	27	5	7
PERCENT DISTRIBUTION		100.00	56.15	30.42	10.70	1.89	0.35	0.49

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION

MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******** 1ST+2ND MONTH	********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	**************************************	*********** UNKNOWN
KNOX								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	13 75 229 178 8 503	2.58 14.91 45.53 35.39 1.59	3 36 133 118 3 293 58.25	5 21 61 42 1 130 25.84	3 12 26 16 2 59 11.73	1 6 8 1 0 16 3.18	0 0 0 1 0 1	1 0 1 0 2 4 0.80
LINCOLN								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	8 43 199 152 5 407	1.97 10.57 48.89 37.35 1.23	3 21 102 99 1 226 55.53	1 14 57 37 1 110 27.03	2 5 34 16 2 59 14.50	1 1 0 1 4 0.98	0 0 0 0 0 0	1 2 5 0 0 8 1.97
OXFORD								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	11 123 364 209 8 715	1.54 17.20 50.91 29.23 1.12	6 39 173 122 O 340 47.55	4 35 109 66 1 215 30.07	0 39 68 16 1 124	0 10 9 1 1, 21 2.94	0 0 0 2 0 2 0 2	1 0 5 2 5 13 1.82

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION

MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	********* 1ST+2ND MONTH	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	******** NONE	********* UNKNOWN
PENOBSCOT								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	32 220 884 775 8 1,919	1.67 11.46 46.07 40.39 0.42	10 86 486 513 4 1,099 57.27	7 59 216 163 1 446 23.24	8 60 159 84 0 311 16.21	4 11 18 13 1 47 2.45	3 2 4 0 0 9	0 2 1 2 2 7 0.36
PISCATAQUIS								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	6 32 109 65 2 214	2.80 14.95 50.93 30.37 0.93	0 8 55 33 1 97 45.33	4 12 31 23 1 71 33.18	2 8 21 9 0 40 18.69	0 4 1 0 0 5 2.34	0 0 1 0 0 1 0-47	0 0 0 0 0 0
SAGADAHOC								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	7 61 226 236 5 5	1.31 11.40 42.24 44.11 0.93	2 23 113 140 1 279 52.15	3 15 70 59 1 148 27.66	2 16 40 34 1 93	0 6 2 3 0 11	0 1 1 0 0 2 0.37	0 0 0 0 2 2 2

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION **

MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	********* 1ST+2ND MONTH	********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	**************************************
SOMERSET								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	18 93 355 167 3 636	2.83 14.62 55.82 26.26 0.47	8 46 155 96 1 306 48.11	4 21 111 55 0 191 30.03	5 21 77 14 0 117 18.40	0 4 8 2 1 15 2.36	0 1 3 0 0 4 0.63	1 0 1 0 1 3 0.47
WALDO								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	8 68 236 148 6 466	1.72 14.59 50.64 31.76 1.29	3 36 147 99 1 286 61.37	1 19 50 33 2 105 22.53	3 6 34 12 1 56 12.02	1 7 5 4 1 18 3.86	0 0 0 0 0	0 0 0 0 1 1 0.21
WASHINGTON								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	20 84 241 125 3 473	4.23 17.76 50.95 26.43 0.63	7 40 130 70 0 247 52.22	5 16 63 34 0 118 24.95	7 23 41 19 0 90 19.03	1 5 7 1 0 14 2.96	0 0 0 0 0 0	0 0 0 1 3 4 0.85

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY AND			*******	******	MONTH PRENATAL	CARE BEGAN	*******	******
MOTHER'S	TOTAL	PERCENT	1ST+2ND	3RD	4TH-6TH	7TH-9TH	NONE	UNKNOWN
EDUCATION	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH		
YORK								
LESS THAN GRADE 9	62	2.45	22	15	17	7	1	0
GRADES 9-11	296	11.68	120	72	74	25	2	3
GRADE 12	1,075	42.42	587	295	154	22	4	13
GREATER THAN GRADE 12	1,078	42.54	665	288	99	12	3	11
UNKNOWN	23	0.91	4	6	3	1	0	9
COUNTY TOTALS	2,534		1,398	676	347	67	10	36
PERCENT DISTRIBUTION		100.00	55.17	26.68	13.69	2.64	0.39	1.42
MAINE SUMMARY								
LESS THAN GRADE 9	379	2.21	142	94	101	29	5	8
GRADES 9-11	2,144	12.49	876	575	519	134	16	24
GRADE 12	7,654	44.59	4,084	2,162	1,163	166	20	59
GREATER THAN GRADE 12	6,805	39.64	4,180	1,836	647	80	7	55
UNKNOWN	184	1.07	42	30	18	15	0	79
STATE TOTALS	17,166		9,324	4,697	2,448	424	48	225
PERCENT DISTRIBUTION		100.00	54.32	27.36	14.26	2.47	0.28	1.31

TABLE B-9 LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - NUMBER OF BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1988 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	OUT OF WEDLOCK BIRTHS	MOTHER Under Age 20 Y	NON- WHITE RS.	NO PRENATAL CARE	MEDICAL RISK FACTORS	C-SECTION	CONGEN. ANOM- ALIES	BIRTHWEIG UNDER 2500	HT IN GRAMS OVER 4999
BATH MEMORIAL HOSPITAL	343	50	36	13	0	71	83	4	11	0
BLUE HILL MEMORIAL HOSP.	249	58	27	3	0	44	34	4	8	0
CALAIS REGIONAL HOSPITAL	118	32	23	12	Ó	19	33	1	4	Ó
CARY MEDICAL CENTER	196	32	13	2	1	31	41	0	8	0
CENTRAL MAINE MEDICAL CENTER	1,023	235	137	26	8	284	251	26	54	3
CHARLES A.DEAN MEMORIAL HOSP.	38	10	5	Ō	ō	2	9	1	1	1
DOWN EAST COMMUNITY HOSPITAL	210	60	31	12	Ō	32	30	1	8	2
EASTERN MAINE MED CTR	1,804	370	185	33	7	207	347	7	142	8
FRANKLIN MEMORIAL HOSPITAL	498	125	55	7	1	119	83	4	23	1
HENRIETTA D.GOODALL HOSP.	384	90	61	14	2	101	95	5	14	i
HOULTON REGIONAL HOSPITAL	227	53	37	10	1	90	61	3	12	1
J.A.TAYLOR OSTEOPATHIC HOSP.	2	1	0	Ô	Ó	1	0	Ŏ	0	ò
KEN VALLEY MED CTR-AUGUSTA	664	171	100	19	3	180	132	4	15	2
MAINE COAST MEMORIAL HOSP.	221	48	22	7	Ō	68	30	3	4	1
MAINE MEDICAL CENTER	3.068	565	280	150	5	4	412	1	247	8
MAYO REGIONAL HOSPITAL	218	54	35	4	2	81	60	5	6	2
MERCY HOSPITAL	663	86	28	12	0	64	135	7	14	2
MID-MAINE MEDICAL CTR-SETON	907	182	94	10	2	200	159	14	23	1
MID-MAINE MEDICAL CTR-THAYER	38	6	5	4	ō	8	7	Ó	3	ò
MILES MEMORIAL HOSPITAL	161	23	8	6	ŏ	41	32	4	5	Õ
MILLINOCKET REGIONAL HOSP.	158	30	24	2	ŏ	20	45	Ó	5	1
MOUNT DESERT ISLAND HOSPITAL	128	34	16	5	ŏ	26	25	9	3	ò
NORTH CUMBERLAND MEM.HOSP.	125	32	15	6	ŏ	22	37	2	7	1
NORTHERN MAINE MEDICAL CTR	98	14	5	ō	1	27	19	1	1	ò
OSTEOPATHIC HOSPITAL OF MAINE	383	83	38	11	1	54	95	7	23	ĭ
PARKVIEW MEMORIAL HOSPITAL	856	114	71	36	i	151	186	16	35	2
PENOBSCOT BAY MEDICAL CETER	512	105	66	7	ò	230	131	1	13	2
PENOBSCOTT VALLEY HOSPITAL	135	26	17	3	ŏ	14	31	3	3	2
REDINGTON-FAIRVIEW HOSP.	245	103	5 8	. 5	ŏ	6 5	50	4	13	1
RUMFORD COMMUNITY HOSPITAL	128	45	21	5	ŏ	49	24	ŏ	3	ò
ST. ANDREWS HOSPITAL	26	6	ō	3	ŏ	1	1	ŏ	ŏ	Ö
ST. MARYS GENERAL HOSPITAL	482	129	56	15	2	115	159	4	23	2
STEPHENS MEMORIAL HOSPITAL	348	84	51	6	1	89	95	5	9	3
THE AROOS MED CTR-PRESQUE ISLE	370	82	39	11	1	96	61	7	19	Ö
US AIR FORCE HOSPITAL	301	11	23	39	Ö	60	51	4	8	Õ
WALDO COUNTY GENERAL HOSPITAL	216	55	42	3	1	53	53	1	13	ŏ
WATERVILLE OSTEOPATHIC HOSP.	159	46	27	4	1	51	30	i	4	1
WEBBER HOSPITAL	550	144	66	7	3	43	128	12	29	ì
YORK HOSPITAL	80	9	6	1	ŏ	12	11	1	2	ò
AT HOME	126	14	3	16	3	15	ò	Ö	1	ŏ
BORN ON WAY TO HOSPITAL	2	1	ŏ	0	ŏ	0	ŏ	ŏ	i	Õ
DOCTOR'S OFFICE	1	ò	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ó	ŏ
OTHER SPECIFIED PLACE	3	2	ŏ	ŏ	ŏ	1	ŏ	ŏ	ŏ	Ö
OUT PATIENT FACILITY	46	9	3	4	ŏ	à	ŏ	1	1	Õ
STREET ADDRESS	10	ō	Ö	ó	ŏ	3	ŏ	ò	ż	ŏ
STATE TOTALS	16,520	3,429	1,829	533	47	2,848	3,266	173	82 0	50

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

TABLE B-10 LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - PERCENTAGE OF TOTAL BIRTHS MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1988 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	OUT OF WEDLOCK	MOTHER UNDER	NON- WHITE	NO PRENATAL	MEDICAL RISK	RTHS IN EACH C-SECTION	CONGEN. ANOM-	BIRTHWEIG UNDER	HT IN GRAMS OVER
		BIRTHS	AGE 20 YR	S.	CARE	FACTORS		ALIES	2500	4999
BATH MEMORIAL HOSPITAL	343	14.58	10.50	3.79	0.00	20.70	24.20	1.17	3.21	0.00
BLUE HILL MEMORIAL HOSP.	249	23.29	10.84	1.20	0.00	17.67	13.65	1.61	3.21	0.00
CALAIS REGIONAL HOSPITAL	118	27.12	19.49	10.17	0.00	16.10	27.97	0.85	3.39	0.00
CARY MEDICAL CENTER	196	16.33	6.63	1.02	0.51	15.82	20.92	0.00	4.08	0.00
CENTRAL MAINE MEDICAL CENTER	1,023	22.97	13.39	2.54	0.78	27.76	24.54	2.54	5.28	0.29
CHARLES A.DEAN MEMORIAL HOSP.	38	26.32	13.16	0.00	0.00	5.26	23.68	2.63	2.63	2.63
DOWN EAST COMMUNITY HOSPITAL	210	28.57	14.76	5.71	0.00	15.24	14.29	0.48	3.81	0.95
EASTERN MAINE MED CTR	1.804	20.51	10.25	1.83	0.39	11.47	19.24	0.39	7.87	0.44
FRANKLIN MEMORIAL HOSPITAL	498	25.10	11.04	1.41	0.20	23.90	16.67	0.80	4.62	0.20
HENRIETTA D.GOODALL HOSP.	384	23.44	15.89	3.65	0.52	26.30	24.74	1.30	3.65	0.26
HOULTON REGIONAL HOSPITAL	227	23.35	16.30	4.41	0.44	39.65	26.87	1.32	5.29	0.44
J.A.TAYLOR OSTEOPATHIC HOSP.	2	50.00	0.00	0.00	0.00	50.00	0.00	0.00	0.00	0.00
KEN VALLEY MED CTR-AUGUSTA	664	25.75	15.06	2.86	0.45	27.11	19.88	0.60	2.26	0.30
MAINE COAST MEMORIAL HOSP.	221	21.72	9.95	3.17	0.00	30.77	13.57	1.36	1.81	0.45
MAINE MEDICAL CENTER	3,068	18.42	9.13	4.89	0.16	0.13	13.43	0.03	8.05	0.26
MAYO REGIONAL HOSPITAL	218	24.77	16.06	1.83	0.92	37.16	27.52	2.29	2.75	0.92
MERCY HOSPITAL	663	12.97	4.22	1.81	0.00	9.65	20.36	1.06	2.11	0.30
MID-MAINE MEDICAL CTR-SETON	907	20.07	10.35	1.10	0.22	22.05	17.53	1,54	2.54	0.11
MID-MAINE MEDICAL CTR-THAYER	38	15.79	13.16	10.53	0.00	21.05	18.42	0.00	7.89	0.00
MILES MEMORIAL HOSPITAL	161	14.29	4.97	3.73	0.00	25.47	19.88	2.48	3.11	0.00
MILLINOCKET REGIONAL HOSP.	158	18.99	15.19	1.27	0.00	12.66	28.48	0.00	3.16	0.53
MOUNT DESERT ISLAND HOSPITAL	128	26.56	12.50	3,91	0.00	20.31	19.53	7.03	2.34	0.00
NORTH CUMBERLAND MEM. HOSP.	125	25.60	12.00	4.80	0.00	17.60	29.60	1.60	5.60	0.80
NORTHERN MAINE MEDICAL CTR	98	14.29	5.10	0.00	1.02	27.55	19.39	1.02	1.02	0.00
OSTEOPATHIC HOSPITAL OF MAINE	383	21.67	9.92	2.87	0.26	14.10	24.80	1.83	6.01	0.26
PARKVIEW MEMORIAL HOSPITAL	856	13.32	8.29	4.21	0.12	17.64	21.73	1.87	4.09	0.23
PENOBSCOT BAY MEDICAL CETER	512	20.51	12.89	1.37	0.00	44.92	25.59	0.20	2.54	0.39
PENOBSCOTT VALLEY HOSPITAL	135	19.26	12.59	2.22	0.00	10.37	22.96	2.22	2.22	1.48
REDINGTON-FAIRVIEW HOSP.	245	42.04	23.67	2.04	0.00	26.53	20.41	1.63	5.31	0.41
RUMFORD COMMUNITY HOSPITAL	128	35.16	16.41	3.91	0.00	38.28	18.75	0.00	2.34	0.00
ST. ANDREWS HOSPITAL	26	23.08	0.00	11.54	0.00	3.85	3.85	0.00	0.00	0.00
ST. MARYS GENERAL HOSPITAL	482	26.76	11.62	3.11	0.41	23.86	32.99	0.83	4.77	0.41
STEPHENS MEMORIAL HOSPITAL	348	24.14	14.66	1.72	0.29	25.57	27.30	1.44	2.59	0.86
THE AROOS MED CTR-PRESQUE ISLE	370	22.16	10.54	2.97	0.27	25.95	16.49	1.89	5.14	0.00
US AIR FORCE HOSPITAL	301	3.65	7.64	12.96	0.00	19.93	16.94	1.33	2.66	0.00
WALDO COUNTY GENERAL HOSPITAL	216	25.46	19.44	1.39	0.46	24.54	24.54	0.46	6.02	0.00
WATERVILLE OSTEOPATHIC HOSP.	159	28.93	16.98	2.52	0.63	32.08	18.87	0.63	2.52	0.63
WEBBER HOSPITAL	550	26.18	12.00	1.27	0.55	7.82	23.27	2.18	5.27	0.18
YORK HOSPITAL	80	11.25	7.50	1.25	0.00	15.00	13.75	1.25	2.50	0.00
AT HOME	126	11.11	2.38	12.70	2.38	11.90	0.00	0.00	0.79	0.00
BORN ON WAY TO HOSPITAL	2	50.00	0.00	0.00	0.00	0.00	0.00	0.00	50.00	0.00
DOCTOR'S OFFICE	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OTHER SPECIFIED PLACE	3	66.67	0.00	0.00	0.00	33.33	0.00	0.00	0.00	0.00
OUT PATIENT FACILITY	46	19.57	6.52	8.70	0.00	8.70	0.00	2.17	2.17	0.00
STREET ADDRESS	10	0.00	0.00	0.00	0.00	30.00	0.00	0.00	20.00	0.00
STATE PERCENTAGES	16,520	20.76	11.07	3.23	0.28	17.24	19.77	1.05	4.96	0.30

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

LIVE BIRTHS BY BIRTHWEIGHT MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1988 (OCCURRENCE DATA)

	TOTAL	BIRTHS		000		- 1499	< 1	500		ND OVER	UNKNOWN	WEIGHT
BIRTH SITE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
BATH MEMORIAL HOSPITAL	343	100.0	0	0.0	0	0.0	0	0.0	242	100.0	0	0.0
	249		0	0.0	-		1	0.0	343	100.0 99.6	0	0.0
BLUE HILL MEMORIAL HOSP.		100.0	-		1	0.4		0.4	248		0	0.0
CALAIS REGIONAL HOSPITAL	118	100.0	0	0.0	0	0.0	O Ò	0.0	117	99.2	1	0.8
CARY MEDICAL CENTER	196	100.0	0	0.0	0	0.0	-	0.0	196	100.0	0	0.0
CENTRAL MAINE MEDICAL CENTER	1,023	100.0	1	0.1	4	0.4	5	0.5	1,018	99.5	0	0.0
CHARLES A. DEAN MEMORIAL HOSP	38	100.0	0	0.0	0	0.0	0	0.0	38	100.0	O	0.0
DOWN EAST COMMUNITY HOSPITAL	210	100.0	0	0.0	0	0.0	0	0.0	210	100.0	0	0.0
EASTERN MAINE MED CTR	1,804	100.0	5	0.3	23	1.3	28	1.6	1,771	98.2	5	0.3
FRANKLIN MEMORIAL HOSPITAL	498	100.0	0	0.0	0	0.0	0 *	0.0	498	100.0	0	0.0
HENRIETTA D. GOODALL HOSP	384	100.0	1	0.3	0	0.0	1	0.3	383	99.7	0	0.0
HOULTON REGIONAL HOSPITAL	227	100.0	0	0.0	1	0.4	1	0.4	226	99.6	0	0.0
JAMES A. TAYLOR OSTEOP HOSP	2	100.0	0	0.0	0	0.0	0	0.0	2	100.0	0	0.0
KEN VALLEY MED CTR-AUGUSTA	664	100.0	1	0.2	0	0.0	1	0.2	663	99.8	. 0	0.0
MAINE COAST MEM. HOSPITAL	221	100.0	0	0.0	0	0.0	0	0.0	221	100.0	0	0.0
MAINE MEDICAL CENTER	3,068	100.0	31	1.0	41	1.3	72	2.3	2,947	96.1	49	1.6
MAYO REGIONAL HOSPITAL	218	100.0	0	0.0	0	0.0	0	0.0	218	100.0	0	0.0
MERCY HOSPITAL	663	100.0	0	0.0	0	0.0	0	0.0	663	100.0	0	0.0
MID-MAINE MEDICAL CTR-SETON	907	100.0	1	0.1	0	0.0	1	0.1	906	99.9	0	0.0
MID-MAINE MEDICAL CTR-THAYER	38	100.0	0	0.0	0	0.0	0	0.0	38	100.0	0	0.0
MILES MEMORIAL HOSPITAL	161	100.0	1	0.6	0	0.0	1	0.6	160	99.4	0	0.0
MILLINOCKET REGIONAL HOSP	158	100.0	0	0.0	0	0.0	0	0.0	158	100.0	Ō	0.0
MOUNT DESERT ISLAND HOSPITAL	128	100.0	0	0.0	0	0.0	0	0.0	128	100.0	Ō	0.0
NORTH CUMBERLAND MEM. HOSP.	125	100.0	0	0.0	0	0.0	0	0.0	125	100.0	Ö	0.0
NORTHERN MAINE MEDICAL CTR	98	100.0	0	0.0	Ō	0.0	Ō	0.0	98	100.0	Õ	0.0
OSTEOPATHIC HOSPITAL OF MAINE	383	100.0	3	0.8	Ō	0.0	3	0.8	380	99.2	Ö	0.0
PARKVIEW MEMORIAL HOSPITAL	856	100.0	2	0.2	1	0.1	3	0.4	853	99.6	ŏ	0.0
PENOBSCOT BAY MEDICAL CENTER	512	100.0	1	0.2	Ó	0.0	1	0.2	511	99.8	Ô	0.0
PENOBSCOT VALLEY HOSPITAL	135	100.0	Ö	0.0	ŏ	0.0	Ö	0.0	135	100.0	ŏ	0.0
REDINGTON-FAIRVIEW HOSP	245	100.0	Ö	0.0	Ö	0.0	Ô	0.0	245	100.0	ŏ	0.0
RUMFORD COMMUNITY HOSPITAL	128	100.0	Ö	0.0	Ö	0.0	Õ	0.0	128	100.0	Ô	0.0
ST. ANDREWS HOSPITAL	26	100.0	Ö	0.0	Ö	0.0	Õ	0.0	26	100.0	Ö	0.0
ST MARYS GENERAL HOSPITAL	482	100.0	Ö	0.0	ŏ	0.0	Ö	0.0	482	100.0	. 0	0.0
STEPHENS MEMORIAL HOSPITAL	348	100.0	Ö	0.0	ŏ	0.0	ŏ	0.0	348	100.0	. 0	0.0
THE AROOS MED CTR-PRESQUE ISLE	370	100.0	2	0.5	1	0.3	3	0.8	364	98.4	3	0.8
US AIR FORCE HOSPITAL	301	100.0	1	0.3	i	0.3	2 .		299	99.3	0	0.0
WALDO COUNTY GENERAL HOSPITAL	216	100.0	Ö	0.0	i	0.5	1	0.5	215	99.5	0	0.0
WATERVILLE OSTEOPATHIC HOSP.	159	100.0	0	0.0	1	0.5	1	0.6	158	99.4	0	
WEBBER HOSPITAL	550	100.0	0	0.0	0	0.0	0	0.0			_	0.0
YORK HOSPITAL	350 80		-	0.0	. 0		0	0.0	550	100.0	0	0.0
	80 126	100.0	0		, 0	0.0	0		80	100.0	0	0.0
AT HOME	. — -	100.0	0	0.0	0	0.0	-	0.0	118	93.7	8	6.3
BORN OR DIED ON WAY TO HOSP	2	100.0	O	0.0	O	0.0	0	0.0	2	100.0	0	0.0

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

TABLE B-11

LIVE BIRTHS BY BIRTHWEIGHT

MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1988 (OCCURRENCE DATA)

			***	******	******	***** E	BIRTHWEIG	HT IN GRA	MS ****	*******	*****	*****
	TOTAL	BIRTHS	< 1	1000	1000-1499		< 1500		1500 AND OVER		UNKNOWN WEIGH	
BIRTH SITE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
DOCTOR'S OFFICE	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
OTHER SPECIFIED PLACE	3	100.0	0	0.0	0	0.0	0	0.0	3	100.0	0	0.0
OUT PATIENT FACILITY	46	100.0	0	0.0	0	0.0	0	0.0	46	100.0	0	0.0
STREET ADDRESS	10	100.0	0	0.0	2	20.0	2	20.0	8	80.0	0	0.0
STATE TOTALS	16,520	100.0	50	0.3	77	0.5	127	0.8	16,327	98.8	66	0.4

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

PREGNANCY OUTCOME

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY, Marital status	PROJECTED FEMALE	ALL DDE	GNANCIES	1 TVE	BIRTHS	INDU	JCED ATIONS##	MISCARR	TACES##	FETAL	DEATHS
AND AGE	POPULATION	NUMBER		NUMBER		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
ANDROSCOGGIN											
ALL PREGNANCIES											
LESS THAN 15	10,850	3	###	. 1	###	2	###	0	###	0	###
15	*	18	*	11	*	7	###	0	###	0	###
16	*	36	*	19	*	17	*	0	###	0	###
17	*	59	*	38	*	20	.*	1	###	0	###
18	*	77	*	53	*	21	*	2	###	1	###
19	*	111	*	79	*	27	*	4	###	1	###
15-19	3,750	301	80.3	200	53.3	92	24.5	7	###	2	###
20-24	4,200	696	165.7	562	133.8	117	27.9	14	3.3	3	###
25-29	4,375	585	133.7	514	117.5	58	13.3	10	2.3	3	###
30-34	4,125	259	62.8	224	54.3	33	8.0	0	###	2	###
35-39	3,383	67	19.8	55	16.3	11	3.3	0	###	1	###
40-44	3,317	8	###	5	###	3	###	0	###	0	###
GREATER THAN 44	19,600	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	7		3		3		0		1	
COUNTY TOTALS	53,600	1,926	35.9	1,564	29.2	319	6.0	31	0.6	12	0.2
OUT OF WEDLOCK PR	REGNANCIES										
LESS THAN 15	10,850	3	###	1	###	2	###	0	###	0	###
15	*	18	*	11	*	7	###	0	###	0	###
16	*	33	*	17	*	16	*	Ö	###	Ŏ	###
17	*	52	*	31	*	20	*	1	###	0	###
18 .	*	62	*	40	*	20	*	1	###	1	###
19	*	65	*	42	*	21	*	2	###	0	###
15-19	3,750	230	61.3	141	37.6	84	22.4	4	###	1	###
20-24	4,200	265	63.1	160	38.1	97	23.1	6	###	2	###
25-29	4,375	108	24.7	66	15.1	41	9.4	1	###	0	###
30-34	4,125	39	9.5	16	3.9	23	5.6	O	###	Ö	###
35-39	3,383	11	3.3	6	###	5	###	Ō	###	Ō	###
40-44	3,317	2	###	Ö	###	2	###	Ö	###	Õ	###
GREATER THAN 44	19,600	0	###	Ö	###	0	###	Ŏ	###	Ö	###
UNKNOWN	0	5	** ** **	1		3		Ŏ		1	
COUNTY TOTALS	53,600	663	12.4	391	7.3	257	4.8	11	0.2	4	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1988 POPULATION PROJECTIONS.

^{##} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 44 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 9 RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY,	PROJECTED	ALL DDE	CNANCIES	LTVE	DIDILLE	INDU		MICCADD	TACEC##	CCT AL	DEATHS
MARITAL STATUS AND AGE	FEMALE POPULATION	NUMBER	GNANCIES RATE#	NUMBER	BIRTHS RATE#	NUMBER	ATIONS## RATE#	MISCARR NUMBER	RATE#	FETAL NUMBER	RATE#
AROOSTOOK											
ALL PREGNANCIES											
LESS THAN 15	9,100	2	###	0	###	2	###	0	###	0	###
15	*	9	###	5	###	4	###	0	###	0	###
16	*	13	*	7	###	6	###	0	###	0	###
17	*	27	*	19	*	6	###	2	###	0	###
18	*	69	* .	41	*	25	*	3	###	0	###
19	*	52	*	40	*	9	###	3	###	0	###
15-19	3,400	170	50.0	112	32.9	50	14.7	8	###	0	###
20-24	3,650	516	141.4	445	121.9	64	17.5	4	###	3	###
25-29	3,505	442	126.1	408	116.4	24	6.8	8	###	2	###
30-34	3,545	215	60.6	203	57.3	6	###	5	###	1	###
35-39	2,847	47	16.5	40	14.0	7	###	0	###	0	###
40-44	2,603	6	###	3	###	2	###	1	###	0	###
GREATER THAN 44	14,800	1	###	0	###	1	###	0	###	0	###
UNKNOWN	0	15		9		4		0		2	
COUNTY TOTALS	43,450	1,414	32.5	1,220	28.1	160	3.7	26	0.6	8	###
										-	
OUT OF WEDLOCK PR	EGNANCIES									e	
LESS THAN 15	9,100	2	###	0	###	2	###	0	###	0	###
15	*	9	###	5	###	4	###	0	###	0	###
16	*	12	*	7	###	5	### -	0	###	0	###
17	*	20	*	12	*	6	###	2	###	0	###
18	*	46	*	22	· *	22	*	2	###	0	###
19	*	25	*	16	*	8	###	†	###	0	###
15-19	3,400	112	32.9	62	18.2	45	13.2	5	###	0	###
20-24	3,650	134	36.7	78	21.4	53	14.5	1	###	2	###
25-29	3,505	49	14.0	34	9.7	14	4.0	1	###	0	###
30-34	3,545	13	3.7	10	2.8	3	###	0	###	0	###
35-39	2,847	8	###	4	###	4	###	0	###	0	###
40-44	2,603	2	###	0	###	2	###	0	###	0	###
GREATER THAN 44	14,800	1	###	0	###	1	###	0	###	0	###
UNKNOWN	0	6		1		4		0		1	
COUNTY TOTALS	43,450	327	7.5	189	4.3	128	2.9	7	###	3	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1988 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 44 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 9 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY. MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PRE NUMBER	GNANCIES RATE#	LIVE I NUMBER	BIRTHS RATE#	INDL TERMINA NUMBER	JCED XTIONS## RATE#	MISCARR NUMBER	IAGES## RATE#	FETAL NUMBER	DEATHS RATE#
CUMBERLAND											
ALL PREGNANCIES											
LESS THAN 15	24,450	4	###	3	###	1	###	0	###	0	###
15	*	26	*	11	*	15	*	0	###	0	###
16	*	79	*	37	*	42	*	0	###	0	###
17	*	114	*	55	*	57	*	2	###	0	###
18	*	162	*	91	*	7 1	*	0	###	0	###
19	*	221	*	120	*	100	*	0	###	1	###
15-19	8,600	602	70.0	314	36.5	285	33.1	2	###	1	###
20-24	9,300	1,262	135.7	826	88.8	417	44.8	16	1.7	3	###
25-29	10,273	1,435	139.7	1,175	114.4	239	23.3	17	1.7	4	###
30-34	10,477	1,021	97.5	865	82.6	136	13.0	8	###	12	1.1
35-39	9,825	343	34.9	291	29.6	48	4.9	4	###	0	###
40-44	8,075	65	8.0	44	5.4	19	2.4	2	###	0	###
GREATER THAN 44	43,500	3	###	2	###	1	###	0	###	0	###
UNKNOWN	0	22		6		15		0		1	
COUNTY TOTALS	124,500	4,757	38.2	3,526	28.3	1,161	9.3	49	0.4	21	0.2
OUT OF WEDLOCK PR	EGNANCIES										
LESS THAN 15	24,450	4	###	3	###	1	###	0	###	0	###
15	*	26	*	11	*	15	*	0	###	0	###
16	*	74	*	33	*	41	*	0	###	0	###
17	*	102	*	45	*	55	*	2	###	0	###
18	*	137	*	[.] 67	*	70	*	0	###	0	###
19	*	154	*	61	*	93	*	Ť	###	0	###
15-19	8,600	493	57.3	217	25.2	274	31.9	2	###	0	###
20-24	9,300	616	66.2	246	26.5	363	39.0	5	###	2	###
25-29	10,273	290	28.2	102	9.9	184	17.9	4	###	0	###
30-34	10,477	134	12.8	43	4.1	88	8.4	1	###	2	###
35-39	9,825	40	4.1	17	1.7	22	2.2	1	###	0	###
40-44	8,075	14	1.7	3	###	11	1.4	0	###	0	###
GREATER THAN 44	43.500	0	###	Ō	###	0	###	0	###	0	###
UNKNOWN	0	16		1	**	14		Ō		1	
COUNTY TOTALS	124,500	1,607	12.9	632	5.1	957	7.7	13	0 - 1	5	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1988 POPULATION PROJECTIONS.

^{##} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 44 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 9 RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY,	PROJECTED	*** 555			7.7.7.1.0	INDL			~		
MARITAL STATUS AND AGE	FEMALE POPULATION	NUMBER	GNANCIES RATE#	NUMBER	BIRTHS RATE#	NUMBER	TIONS## RATE#	MISCARR NUMBER	IAGES## RATE#	FETAL NUMBER	RATE#
FRANKLIN											
ALL PREGNANCIES											
LESS THAN 15	3,040	2	###	1	###	1	###	0	###	0	###
15	*	4	###	2	###	2	###	0	###	0	###
16	*	7	###	7	###	0	###	0	###	0	###
17	*	8	###	5	###	1	# , ##	2	###	0	###
18	*	18	*	14	*	3	###	1	###	0	###
19	*	25	*	19	*	6	###	0	###	0	###
15-19	1,040	62	59.6	47	45.2	12	11.5	3	###	0	###
20-24	1,300	173	133.1	143	110.0	22	16.9	8	###	. 0	###
25-29	1,332	113	84.8	96	72.1	9	###	8	###	0	###
30-34	1,268	89	70.2	78	61.5	8	###	3	###	0	###
35-39	922	30	32.5	22	23.9	2	###	5	###	1	###
40-44	1,078	7	###	4	###	3	###	0	###	0	###
GREATER THAN 44	5,100	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	1		1		0		0		0	
COUNTY TOTALS	15,080	477	31.6	392	26.0	57	3.8	27	1.8	1	###
OUT OF WEDLOCK PR	EGNANCIES										
LESS THAN 15	3,040	2	###	1	###	1	###	0	###	0	###
15	*	4	###	2	###	2	###	0	###	0	###
16	*	. 5	###	5	###	0	###	0	###	0	###
17	*	6	###	4	###	1	###	1	###	0	###
18	*	15	*	12	*	3	###	0	###	0	###
19	*	17	*	11	*	6	###	0	###	0	###
15-19	1,040	47	45.2	34	32.7	12	11.5	1	###	0	###
20-24	1,300	61	46.9	41	31.5	17	13.1	3	###	0	###
25-29	1,332	18	13.5	14	10.5	4	###	0	###	0	###
30-34	1,268	10	7.9	5	###	5	###	0	###	Ō	###
35-39	922	8	###	4	###		###	2	###	1	###
40-44	1,078	3	###	1	###	2	###	ō	###	0	###
GREATER THAN 44	5,100	ō	###	Ó	###	ō	###	Ö	###	Ô	###
UNKNOWN	0	Õ		Ö		Ö		Ö		Ö	** ** **
COUNTY TOTALS	15,080	149	9.9	100	6.6	42	2.8	6	###	1	###
	,		-	· -		_	_	=		•	

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1988 POPULATION PROJECTIONS. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON 44 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 9 RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY,	PROJECTED					INDL					
MARITAL STATUS	FEMALE		GNANCIES		BIRTHS		TIONS##	MISCARR			DEATHS
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
HANCOCK											
ALL PREGNANCIES											
LESS THAN 15	4,600	6	###	2	###	4	###	0	###	0	###
15	*	1	###	1	###	0	###	0	###	0	###
16	*	8	###	4	###	4	###	0	###	0	###
17	*	16	*	10	*	6	#_##	0	###	0	###
18	*	23	*	15	*	8	###	0	###	Ō	###
19	*	45	*	34	*	9	###	2	###	0	###
15-19	1,530	93	60.8	64	41.8	27	17.6	2	###	0	###
20-24	1,650	234	141.8	196	118.8	33	20.0	5	###	0	###
25-29	1,508	233	154.5	189	125.3	38	25.2	5	###	1	###
30-34	1,842	140	76.0	119	64.6	18	9.8	3	###	Ö	###
35-39	1,669	65	38.9	55	33.0	8	###	1	###	1	###
40-44	1,431	8	###	5	###	2	###	1	###	0	###
GREATER THAN 44	9,100	1	###	1	###	0	###	0	###	0	###
UNKNOWN	0	3		1				. 1		0	
COUNTY TOTALS	23,330	783	33.6	632	27.1	131	5.6	18	0.8	2	###
OUT OF WEDLOCK PR	EGNANCIES										
LESS THAN 15	4,600	6	###	2	###	4	###	0	###	0	###
15	*	1	###	1	###	0	###	0	###	0	###
16	*	8	###	4	###	4	###	0	###	0	###
17	*	13	*	7	###	6	###	0	###	0	###
18	*	17	*	10	*	7	###	0	###	0	###
19	*	28	*	18	*	8	###	2	###	0	###
15-19	1,530	67	43.8	40	26.1	25	16.3	2	###	0	###
20-24	1,650	86	52.1	59	35.8	25	15.2	2	###	0	ı ###
25-29	1,508	57	37.8	28	18.6	28	18.6	1	###	0	###
30-34	1,842	24	13.0	12	6.5	11	6.0	1	###	0	###
35-39	1,669	10	6.0	5	###	5	###	0	###	0	###
40-44	1,431	2	###	1	###	1	###	0	###	0	###
GREATER THAN 44	9,100	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0		0	
COUNTY TOTALS	23,330	252	10.8	147	6.3	99	4.2	6	###	0	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1988 POPULATION PROJECTIONS.

^{##} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 44 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 9 RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY, MARITAL STATUS	PROJECTED FEMALE	AII DDE	GNANCIES	LIVE	BIRTHS	INDU	JCED ATIONS##	MISCARR	TACES##	EETAI	DEATHS
AND AGE	POPULATION	NUMBER		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
KENNEBEC											
ALL PREGNANCIES											
LESS THAN 15	11,800	3	###	1	###	2	###	0	###	0	###
15	*	16	*	9	###	7	###	0	###	0	###
16	*	26	*	12	*	12	*	1	###	1	###
17	*	53	*	36	*	15	*	2	###	0	###
18	*	66	*	41	*	23	*	2	###	0	###
19	*	109	*	71	*	32	*	6	###	0	###
15-19	4,150	270	65.1	169	40.7	89	21.4	11	2.7	1	###
20-24	4,850	550	113.4	423	87.2	114	23.5	11	2.3	2	###
25-29	4,632	544	117.4	459	99.1	72	15.5	10	2.2	3	###
30-34	4,968	321	64.6	271	54.5	42	8.5	7	###	1	###
35-39	4,381	118	26.9	87	19.9	26	5.9	5	###	0	###
40-44	3,719	20	5.4	16	4.3	4	###	0	###	0	###
GREATER THAN 44	21,550	2	###	1	###	1	###	0	###	0	###
UNKNOWN	0	13		3		6		0		4	
COUNTY TOTALS	60,050	1,841	30.7	1,430	23.8	356	5.9	44	0.7	11	0.2
OUT OF WEDLOCK PR	EGNANCIES										
LESS THAN 15	11,800	3	###	1	###	2	###	0	###	0	###
15	*	16	*	9	###	7	###	0	###	0	###
16	*	26	*	12	*	12	* .	1	###	1	###
17	*	42	*	26	*	15	*	1	###	0	###
18	*	49	*	26	*	22	*	1	###	0	###
19	*	72	*	38	*	30	*	4	###	0	###
15-19	4,150	205	49.4	111	26.7	86	20.7	7	###	1	###
20-24	4,850	199	41.0	103	21.2	90	18.6	5	###	1	###
25-29	4,632	118	25.5	69	14.9	45	9.7	3	###	1	###
30-34	4,968	49	9.9	20	4.0	27	5.4	2	###	0	###
35-39	4,381	24	5.5	7	###	15	3.4	2	###	0	###
40-44	3,719	3	###	3	###	0	###	0	###	0	###
GREATER THAN 44	21,550	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	5		0		5		0		0	
COUNTY TOTALS	60,050	606	10.1	314	5.2	270	4.5	19	0.3	3	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1988 POPULATION PROJECTIONS.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 44 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 9 RECORDS.
RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY. MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PRE	GNANCIES RATE#	LIVE NUMBER	BIRTHS RATE#	INDU TERMINA NUMBER		MISCARR NUMBER	IAGES## RATE#	FETAL NUMBER	DEATHS RATE#
AND AGE	POPULATION	NUMBER	RAIL#	NOMBER	KAIE#	NOMBER	KAIE#	NOMBER	KAIE#	NUMBER	RAIL#
KNOX											
ALL PREGNANCIES											
LESS THAN 15	3,700	3	###	2	###	1	###	0	###	0	###
15	*	1	###	1	###	0	###	0	###	0	###
16	*	5	###	2	###	3	###	0	###	0	###
17	*	15	*	12	*	3	###	0	###	0	###
18	*	31	*	24	*	7	###	0	###	0	###
19	*	33	*	25	*	8	###	0	###	0	###
15-19	1,300	85	65.4	64	49.2	21	16.2	0	###	0	###
20-24	1,350	164	121.5	152	112.6	12	8.9	0	###	0	###
25-29	1,061	169	159.3	153	144.2	14	13.2	2	###	0	###
30-34	1,389	100	72.0	87	62.6	12	8.6	1	###	0	###
35-39	1,454	54	37.1	41	28.2	13	8.9	0	###	0	###
40-44	1,046	5	###	3	###	2	###	0	###	0	###
GREATER THAN 44	7,300	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	_ 4		1		2		0		1	###
COUNTY TOTALS	18,600	584	31.4	503	27.0	77	4.1	3	###	1	###
OUT OF WEDLOCK PR	EGNANCIES										
LESS THAN 15	3,700	3	###	2	###	1	###	0	###	0	###
15	*	0	###	0	###	0	###	0	###	0	###
16	*	5	###	2	###	3	###	0	###	0	###
17	*	10	*	. 7	. ###	3	###	0	###	0	###
18	*	22	*	15	*	7	###	Ò	###	0	###
19	*	19	*	13	*	6	###	0	###	0	###
15-19	1,300	56	43.1	37	28.5	19	14.6	0	###	0	###
20-24	1,350	46	34.1	37	27.4	9	###	0	###	0	###
25-29	1,061	33	31.1	24	22.6	9	###	0	###	0	###
30-34	1,389	13	9.4	4	###	8	###	1	###	0	###
35-39	1,454	11	7.6	2	###	9	###	0	###	0	###
40-44	1,046	2	###	0	###	2	###	0	###	0	###
GREATER THAN 44	7,300	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0		0	
COUNTY TOTALS	18,600	165	8.9	106	5.7	58	3.1	1	###	0	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1988 POPULATION PROJECTIONS.

^{##} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 44 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 9 RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PRE NUMBER	GNANCIES RATE#	LIVE E NUMBER		INDU TERMINA NUMBER	JCED ATIONS## RATE#	MISCARR NUMBER	IAGES## RATE#	FETAL NUMBER	DEATHS RATE#
LINCOLN											
ALL PREGNANCIES							•				
LESS THAN 15	3,090	3	###	3	###	0	###	0	###	0	###
15	*	2	###	1	###	1	###	0	###	0	###
16	*	7	###	2	###	5	###	0	###	0	###
17	*	9	###	5	###	4	###	0	###	0	###
18	*	19	*	6	###	12	*	1	###	0	###
19	*	18	*	14	*	4	###	0	###	0	###
15-19	1,010	55	54.5	28	27.7	26	25.7	1	###	0	###
20-24	1,200	122	101.7	98	81.7	23	19.2	1	###	. 0	###
25-29	867	186	214.5	152	175.3	27	31.1	4	###	3	###
30-34	1,083	101	93.3	87	80.3	11	10.2	2	###	1	###
35-39	1,094	41	37.5	31	28.3	9	###	1	###	0	###
40-44	1,056	11	10.4	6	###	5	###	0	###	0	###
GREATER THAN 44	5,750	1	###	0	###	1	###	0	###	0	###
UNKNOWN	0	2		2		0		0		0	
COUNTY TOTALS	15,150	522	34.5	407	26.9	102	6.7	9	###	4	###
OUT OF WEDLOCK PR	EGNANCIES										
LESS THAN 15	3,090	3	###	3	###	0	###	0	###	0	###
15	*	1	###	0	###	1	###	0	###	0	###
16	*	6	###	1	###	5	###	0	###	0	###
17	*	7	###	3	###	4	###	0	###	0	###
18	*	15	*	4	###	10	*	1	###	0	###
19	*	10	*	7	###	3	###	0	###	0	###
15-19	1,010	39	38.6	15	14.9	23	22.8	1	###	0	###
20-24	1,200	41	34.2	23	19.2	17	14.2	1	###	0	###
25-29	867	34	39.2	16	18.5	16	18.5	2	###	0	###
30-34	1,083	13	12.0	7	###	6	###	0	###	0	###
35-39	1,094	6	###	0	###	6	###	0	###	0	###
40-44	1,056	1	###	O	###	1	###	0	###	0	###
GREATER THAN 44	5,750	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	1		1		0		0		0	
COUNTY TOTALS	15,150	138	9.1	65	4.3	69	4.6	4	###	0	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1988 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 44 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 9 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY, MARITAL STATUS	PROJECTED FEMALE	ALL DDF	GNANCIES	LIVE	BIRTHS	INDU	JCED ATIONS##	MISCARR	T A G F S # #	FETAL	DEATHS
AND AGE	POPULATION	NUMBER		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
OXFORD											
ALL PREGNANCIES											
LESS THAN 15 15	5,200	2 2	### ###	2 1	### ###	0	### ###	0	### ###	0	### ###
16	*	12	### *	4	###	8	###	0	###	0	###
17	*	29	*	12	*	17	**	0	###	0	###
18	*	39	*	28	*	10	*	1	###	0	###
19	*	55	*	42	*	13	*.	Ö	###	ŏ	###
15-19	1,840	137	74.5	87	47.3	49	26.6	1	###	Ö	###
20-24	2,200	295	134.1	241	109.5	44	20.0	9	###	1	###
25-29	1,610	237	147.2	210	130.4	24	14.9	3	###	0	###
30-34	2,040	130	63.7	116	56.9	12	5.9	2	###	0	###
35-39	1,771	42	23.7	31	17.5	9	###	2	###	0	###
40-44	1,479	8	###	6	###	2	###	0	###	0	###
GREATER THAN 44	10,250	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	24		22		0		0		2	
COUNTY TOTALS	26,390	875	33.2	715	27.1	140	5.3	17	0.6	3	###
OUT OF WEDLOCK PR	EGNANCIES										
						_		_		_	
LESS THAN 15	5,200	1	###	1	###	0	###	0	###	0	###
15	*	1	###	0	###	1	###	0	###	0	###
16	*	12	*	4	###	8	###	0	### ###	0	###
17	*	28	*	11 20	*	17 10	*	0	### ###	0	### ###
18 19	*	31 35	*	20	*	13	*	0	### ###	0	###
19 15-19	1,840	107	* 58.2	57	31.0	49	26.6	1	###	0	###
20-24	2,200	100	45.5	62	28.2	33	15.0	5	###	0	###
25-29	1,610	28	45.5 17.4	18	11.2	9	##.#	1	###	0	###
30-34	2,040	28 19	9.3	11	5.4	7	###	1	###	0	###
35-39	1,771	8	9.3 ###	4	###	4	###	Ö	###	0	###
40-44	1,771	1	###	1	###	0	###	0	###	0	###
GREATER THAN 44	10,250	0	###	Ó	###	0	###	0	###	0	###
UNKNOWN	0,250	5	πππ	4	гип	0	ппп	Ö	W 10 11	1	
COUNTY TOTALS	26,390	269	10.2	158	6.0	102	3.9	8	###	1	###
JUDITI TOTALS	20,000	200		, 55	~.~	. 52		-			

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1988 POPULATION PROJECTIONS.

^{##} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 44 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 9 RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY.	PROJECTED					INDU	JCED				
MARITAL STATUS	FEMALE	ALL PREG	SNANCIES	LIVE	BIRTHS	TERMINA	ATIONS##	MISCARR	IAGES##	FETAL	DEATHS
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
PENOBSCOT											
ALL PREGNANCIES											
LESS THAN 15	13,900	1	###	0	###	0	###	1	###	0	###
15	*	17	*	8	###	9	###	0	###	0	###
16	*	31	*	18	*	13	*	0	###	0	###
17	*	71	*	40	*	29	*	2	###	0	###
18	*	89	*	49	*	38	*	2	###	0	###
19	*	137	*	89	*	45	*	2	###	1	###
15~19	4,900	345	70.4	204	41.6	134	27.3	6	###	1	###
20-24	5,450	749	137.4	578	106.1	159	29.2	11	2.0	1	###
25-29	7,714	773	100.2	664	86.1	94	12.2	10	1.3	5	###
30-34	6,436	413	64.2	358	55.6	51	7.9	4	###	0	###
35-39	4,952	123	24.8	97	19.6	22	4.4	4	###	0	###
40-44	4,498	16	3.6	12	2.7	2	###	1	###	1	###
GREATER THAN 44	24,150	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	19		6		9		0		4	
COUNTY TOTALS	72,000	2,439	33.9	1,919	26.7	471	6.5	37	0.5	12	0.2
OUT OF WEDLOCK PR	REGNANCIES										
LESS THAN 15	13,900	1	###	0	###	0	###	1	###	0	###
15	*	17	*	8	###	9	###	0	###	0	###
16	*	29	*	16	*	13	*	0	###	0	###
17	*	62	*	31	*	29	*	2	###	0	###
18	*	59	*	20	*	37	*	2	###	0	###
19	*	90	*	43	*	45	*	1'	###	1	###
15-19	4,900	257	52.4	118	24.1	133	27.1	5	###	1	###
20-24	5,450	300	55.0	149	27.3	144	26.4	6	###	1	###
25-29	7,714	146	18.9	- 73	9.5	66	8.6	4	###	3	###
30-34	6,436	63	9.8	32	5.0	31	4.8	0	###	0	###
35-39	4,952	17	3.4	3	###	14	2.8	0	###	0	###
40-44	4,498	0	###	0	###	0	###	0	###	0	###
GREATER THAN 44	24,150	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	8		. 2		5		0		1	
COUNTY TOTALS	72,000	792	11.0	377	5.2	393	5.5	16	0.2	6	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1988 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 44 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 9 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY, Marital Status	PROJECTED FEMALE	ALL DDE	GNANCIES	LIVE E	TOTUE	INDU TERMINA		MISCARR:	TACES##	EETAI	DEATHS
AND AGE	POPULATION	NUMBER		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
PISCATAQUIS											
ALL PREGNANCIES											
LESS THAN 15	1,940	0	###	0	###	0	###	0	###	0	###
15	*	0	###	0	###	0	###	0	###	0	###
16	*	8	###	7	###	1	###	0	###	0	###
17	*	9	###	6	###	2	###	1	###	0	###
18	*	14	*	8	###	6	###	0	###	0	###
19	*	16	*	11	*	3	###	2	###	0	###
15-19	650	47	72.3	32	49.2	12	18.5	3	###	0	###
20-24	740	86	116.2	70	94.6	12	16.2	4	###	0	###
25-29	667	78	116.9	65	97.5	8	###	5	###	0	###
30-34	633	39	61.6	28	44.2	9	###	2	###	0	###
35-39	637	17	26.7	15	23.5	2	###	0	###	0	###
40-44	563	5	###	4	###	1	###	0	###	0	###
GREATER THAN 44	3,650	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1	,	0		0	
COUNTY TOTALS	9,480	273	28.8	214	22.6	45	4.7	14	1.5	0	###
OUT OF WEDLOCK PR	REGNANCIES										
LESS THAN 15	1,940	0	###	0	###	0	###	0	###	0	###
15	*	0	###	0	###	0	###	0	###	0	###
16	*	5	###	4	###	1	###	0	###	0	###
17	*	6	###	, 4	. ###	2	###	0	###	0	###
18	*	13	*	7	###	6	###	O	###	0	###
19	*	10	*	6	###	3	###	1	###	0	###
15-19	650	34	52.3	21	32.3	12	18.5	1	###	0	###
20-24	740	31	41.9	21	28.4	9	###	1	###	0	###
25-29	667	23	34.5	14	21.0	8	###	. 1	###	0	###
30-34	633	7	###	0	###	6	###	1	###	0	###
35-39	637	3	###	1	###	2	###	0	###	0	###
40-44	563	0	###	0	###	0	###	0	###	0	###
GREATER THAN 44	3,650	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0		0	
COUNTY TOTALS	9,480	99	10.4	57	6.0	38	4.0	4	###	0	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1988 POPULATION PROJECTIONS.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 44 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 9 RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PRE NUMBER	GNANCIES RATE#	LIVE NUMBER	BIRTHS RATE#	INDU TERMINA NUMBER	JCED ATIONS## RATE#	MISCARR Number	IAGES## RATE#	FETAL NUMBER	DEATHS RATE#
AND AGE	FOFGLATION	NOMBER	KATE#	NOMBER	KATE#	NOMBER	NATE#	NOMBER	KAIL#	NOMBER	KAILH
SAGADAHOC											
ALL PREGNANCIES											
LESS THAN 15	3,900	1	###	0	###	1	###	0	###	0	###
15	*	7	###	4	###	2	###	1	###	0	###
16	*	12	*	8	###	3	###	1	###	0	###
17	*	12	*	5	###	7	###	0	###	0	###
18	*	16	*	9	###	7	###	0	###	0	###
19	*	34	*	27	*	6	###	0	###	1	###
15-19	1,280	81	63.3	53	41.4	25	19.5	2	###	1	###
20-24	1,250	181	144.8	148	118.4	28	22.4	4	###	1	###
25-29	1,248	227	181.9	193	154.6	3 1	24.8	3	###	0	###
30-34	1,252	118	94.2	97	77.5	15	12.0	3	###	3	###
35-39	1,297	50	38.6	41	31.6	7	###	2	###	0	###
40-44	1,103	5	###	2	###	1	###	2	###	0	###
GREATER THAN 44	5,250	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	1		1		0		0		0	
COUNTY TOTALS	16,580	664	40.0	535	32.3	108	6.5	16	1.0	5	###
OUT OF WEDLOCK PR	REGNANCIES										
LESS THAN 15	3,900	1	###	0	###	1	###	0	###	0	###
15	*	7	###	4	###	2	###	1	###	0	###
16	*	12	*	8	###	3	###	1	###	0	###
17	*	9	###	3	###	6	###	0	###	0	###
18	*	12	*	5	###	7	###	0	###	0	###
19	*	22	*	15	*	6	###	0	###	1	###
15-19	1,280	62	48.4	35	27.3	24	18.8	2	###	1	###
20-24	1,250	48	38.4	22	17.6	25	20.0	1	###	0	###
25-29	1,248	36	28.8	17	13.6	19	15.2	0	###	0	###
30-34	1,252	16	12.8	7	###	9	###	0	###	0	###
35-39	1,297	8	###	4	###	3	###	1	###	0	###
40-44	1,103	0	###	0	###	0	###	0	###	0	###
GREATER THAN 44	5,250	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0		0	
COUNTY TOTALS	16,580	1 71	10.3	85	5.1	81	4.9	4	###	1	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1988 POPULATION PROJECTIONS.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 44 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 9 RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY, MARITAL STATUS	PROJECTED FEMALE	ALL PRE	GNANCIES	LIVE	BIRTHS	INDU TERMINA	JCED ATIONS##	MISCARR	IAGES##	FETAL	DEATHS
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
SOMERSET											
ALL PREGNANCIES											
LESS THAN 15	5,050	2	###	0	###	2	###	0	###	0	###
15	*	8	###	2	###	6	###	0	###	0	###
16	*	13	*	7	###	5	###	0	###	1	###
17	*	27	*	18	*	8	###	1	###	0	###
18	*	41	*	27	*	11	*	2	###	1	###
19	*	59	*	48	*	9	###	1	###	1	###
15-19	1,880	148	78.7	102	54.3	39	20.7	4	###	3	###
20-24	2,100	304	144.8	249	118.6	45	21.4	9	###	1	###
25-29	1,481	198	133.7	172	116.1	20	13.5	6	###	0	###
30-34	1,919	93	48.5	79	41.2	13	6.8	1	###	0	###
35-39	1,804	34	18.8	28	15.5	4	###	2	###	0	###
40-44	1,346	7	###	5	###	2	###	0	###	0	###
GREATER THAN 44	8,850	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	3		1		2		0		0	
COUNTY TOTALS	24,430	789	32.3	636	26.0	127	5.2	. 22	0.9	4	###
OUT OF WEDLOCK PR	EGNANCIES										
LESS THAN 15	5,050	2	###	0	###	2	###	0	###	0	###
15	*	8	###	2	###	6	###	0	###	0	###
16	*	13	*	7	###	5	###	0	###	1	###
17	*	24	*	16	*	8	###	0	###	0	###
18	sk:	36	*	23	*	11	*	2	###	0	###
19	*	38	*	27	*	9	###	1	###	1	###
15-19	1,880	119	63.3	75	39.9	39	20.7	3	###	2	###
20-24	2,100	122	58.1	78	37.1	37	17.6	6	###	1	###
25-29	1,481	36	24.3	22	14.9	13	8.8	1	###	0	###
30-34	1,919	18	9.4	11	5.7	7	###	0	###	0	###
35-39	1,804	7	###	4	###	3	###	0	###	0	###
40-44	1,346	2	###	1	###	1	###	0	###	0	###
GREATER THAN 44	8.850	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	1		Ō		1		0		0	
COUNTY TOTALS	24,430	307	12.6	191	7.8	103	4.2	10	0.4	3	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1988 POPULATION PROJECTIONS.

^{##} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 44 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 9 RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	PROJECTED FEMALE POPULATION	ALL PREG NUMBER	GNANCIES RATE#	LIVE E NUMBER	BIRTHS RATE#	INDU TERMINA NUMBER		MISCARR: NUMBER	IAGES## RATE#	FETAL NUMBER	DEATHS RATE#
WALDO											
ALL PREGNANCIES											
LESS THAN 15	3,450	0	###	0	###	0	###	0	###	0	###
15	*	4	###	3	###	1	###	0	###	0	###
16	*	9	###	6	###	3	###	0	###	0	###
17	*	17	*	17	*	0	###	0	###	0	###
18	*	27	*	20	*	7	###	0	###	0	###
19	*	30	*	26	*	4	###	0	###	0	###
15-19	1,140	87	76.3	72	63.2	15	13.2	0	###	0	###
20-24	1,300	169	130.0	145	111.5	19	14.6	4	###	1	###
25-29	1,055	126	119.4	119	112.8	6	###	0	###	1	###
30-34	1,245	96	77.1	89	71.5	5	###	2	###	0	###
35-39	1,256	33	26.3	27	21.5	5	###	1	###	0	###
40-44	1,044	13	12.5	9	### ###	¹ 2	### ###	0	### ###	2	### ###
GREATER THAN 44	5,350	1	###	1 4	###	0	###	0	###	0	###
UNKNOWN COUNTY TOTALS	0 15,840	4 529	33.4	4 466	29.4	52	3.3	7	###	4	###
	,										
OUT OF WEDLOCK PR	EGNANCIES										
LESS THAN 15	3,450	0	###	0	###	0	###	0	###	0	###
15	*	4	###	3	###	1	###	0	###	0	###
16	*	8	###	6	. ###	2	###	0	###	0	###
17	*	9	###	, 9	. ###	0	###	0	###	0	###
18	*	17	*	10	*	7	###	Õ	###	0	###
19	*	19	*	15	*	4	###	Ó	###	0	###
15-19	1,140	57	50.0	43	37.7	14	12.3	0	###	0	###
20-24	1,300	48	36.9	30	23.1	15	11.5	3	###	0	###
25-29	1,055	22	20.9	17	16.1	4	###	0	###	1	###
30-34	1,245	20	16.1	15	12.0	5	###	0	###	0	###
35-39	1,256	4	###	2	###	2	###	0	###	0	###
40-44	1,044	1	###	0	###	1	###	0	###	0	###
GREATER THAN 44	5,350	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	2		2		0		0		0	** ** **
COUNTY TOTALS	15,840	154	9.7	109	6.9	41	2.6	3	###	1	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1988 POPULATION PROJECTIONS.

^{##} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 44 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 9 RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY. Marital status and age	PROJECTED FEMALE POPULATION	ALL PRE	GNANCIES RATE#	LIVE NUMBER	BIRTHS RATE#	INDU TERMINA NUMBER	JCED XTIONS## RATE#	MISCARR: NUMBER	IAGES## RATE#	FETAL NUMBER	DEATHS RATE#
WASHINGTON											
ALL PREGNANCIES											
LESS THAN 15	3,600	1	###	1	###	0	###	0	###	0	###
15	*	1	###	1	###	0	###	0	###	0	###
16	*	10	*	8	###	2	###	0	###	0	###
17	*	19	*	12	*	6	###	1	###	0	###
18	*	30	*	23	*	5	###	1 ·	###	1	###
19	*	33	*	28	*	4	###	1	###	0	###
15-19	1,160	93	80.2	72	62.1	17	14.7	3	###	1	###
20-24	1,350	219	162.2	185	137.0	27	20.0	5	###	2	###
25-29	1,333	129	96.8	115	86.3	12	9.0	2	###	0	###
30-34	1,217	82	67.4	78	64.1	4	###	0	###	0	###
35-39	1,132	21	18.6	19	16.8	2	###	0	###	0	###
40-44	1,018	2	###	2	###	0	###	0	###	0	###
GREATER THAN 44	6,900	0	###	0	###	0	###	0	###	0	###
UNKNOWN	0	4		1		3		0		0	
COUNTY TOTALS	17,710	551	31.1	473	26.7	65	3.7	10	0.6	3	###
OUT OF WEDLOCK PR	EGNANCIES										
LESS THAN 15	3,600	1	###	1	###	0	###	0	###	0	###
15	*	1	###	1	###	Ŏ	###	Ö	###	Ö	###
16	*	8	###	6	###	2	###	Õ	###	ŏ	###
17	*	13	*	7	###	6	###	Ô	###	Ŏ	###
18	*	16	*		* *	4	###	1	###	1	###
19	*	17	*	12	*	4	###	-1	###	Ö	###
15-19	1,160	55	47.4	36	31.0	16	13.8	2	###	1	###
20-24	1,350	91	67.4	65	48.1	24	17.8	1	###	. i	###
25-29	1,333	27	20.3	16	12.0	10	7.5	1	###	0	###
30-34	1,217	10	8.2	7	###	3	###	Ö	###	0	###
35-39	1.132	5	###	3	###	2	###	Ö	###	0	###
40-44	1,018	1	###	1	###	0	###	0	###	0	###
GREATER THAN 44	6.900	0	###	0	###	0	###	0	###	0	###
UNKNOWN	6,900 O	3	n n n	0	###	3	# # #	0	ппп	0	ппп
COUNTY TOTALS	17,710	193	10.9	129	7.3	58	3.3	4	###	2	###
COUNTY TOTALS	17,710	. 193	10.9	129	1.3	58	3.3	*+	###	2	ппп

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1988 POPULATION PROJECTIONS.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 44 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 9 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS. 1988 (RESIDENT DATA)

COUNTY, Marital status	PROJECTED FEMALE		GNANCIES		BIRTHS		ATIONS##	MISCARR		FETAL I	
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
YORK											
ALL PREGNANCIES							•				
LESS THAN 15	17,850	4	###	1	###	3	###	0	###	0	###
15	*	28	*	18	*	10	*	0	###	0	###
16	*	40	*	17	*	23	*	0	###	0	###
17	*	84	*	49	*	35	*	0	###	0	###
18	*	97	*	53	*	43	*	0	###	1	###
19	*	116	*	80	*	34	*	0	###	2	###
15-19	6,200	365	58.9	217	35.0	145	23.4	0	###	3	###
20-24	6,800	824	121.2	697	102.5	119	17.5	5	###	3	###
25-29	5,786	1,027	177.5	926	160.0	95	16.4	2	###	4	###
30-34	7,114	552	77.6	504	70.8	41	5.8	2	###	5	###
35-39	6,829	192	28.1	166	24.3	24	3.5 ###	0	###	2	###
40-44 ODEATED THAN 44	5,571	24	4.3	16	2.9	8		0	###	0	###
GREATER THAN 44	29,150	3 7	###	3 4	###	0 3	###	0	###	0	###
UNKNOWN COUNTY TOTALS	0 85,300	2,998	35.1	2,534	29.7	438	5.1	O 9	и и и	0	
COUNTY TOTALS	85,300	2,998	35.1	2,534	29.7	438	5.1	9	###	17	0.2
			•								
OUT OF WEDLOCK PR	EGNANCIES										
LESS THAN 15	17,850	3	###	1	###	2	###	0	###	0	###
15	*	28	*	18	*	10	*	Ö	###	Ö	###
16	*	37	*	14	*	23	*	ŏ	###	ő	###
17	*	75	*	40	*	35	*	Ö	###	Ö	###
18	*	73	*	30	*	42	*	Ô	###	1	###
19	*	77	*	41	*	34	*	Ö	###	2	###
15-19	6,200	290	46.8	143	23.1	144	23.2	Õ	###	3	###
20-24	6,800	282	41.5	175	25.7	102	15.0	5	###	Ō	###
25-29	5,786	149	25.8	85	14.7	63	10.9	Ō	###	1	###
30-34	7,114	53	7.5	27	3.8	25	3.5	Ō	###	1	###
35-39	6,829	15	2.2	5	###	10	1.5	Ö	###	Ó	###
40-44	5,571	5	###	1	###	4	###	Ō	###	Ō	###
GREATER THAN 44	29,150	0	###	0	###	0	###	O	###	Ō	###
UNKNOWN	0	2		0		2		0		0	
COUNTY TOTALS	85,300	799	9.4	437	5.1	352	4.1	5	###	5	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1988 POPULATION PROJECTIONS.

^{##} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 44 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 9 RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

COUNTY,

PROJECTED

TABLE P-1 ALL REPORTED PREGNANCIES BY OUTCOME, MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

MARITAL STATUS	FEMALE	ALL DOF	GNANCIES	LIVE	BIRTHS	TEDMINA	TIONS##	MISCARR	TAGES##	FFTAI	DEATHS
AND AGE	POPULATION	NUMBER		NUMBER		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
MAINE SUMMARY				•							
ALL PREGNANCIES											
LESS THAN 15	125,520	37	0.3	17	0.1	19	0.2	1	###	0	###
15	8,029	144	17.9	78	9.7	65	8.1	1	###	0	###
16	8,416	316	37.5	165	19.6	147	17.5	2	###	2	###
17	9,188	570	62.0	339	36.9	217	23.6	14	1.5	0	###
18	9,232	818	88.6	502	54.4	297	32.2	15	1.6	4	###
19	8,965	1,095	122.1	753	84.0	314	35.0	21	2.3	7	###
15-19	43,830	2,943	67.1	1,837	41.9	1,040	23.7	53	1.2	13	0.3
20-24	48,690	6,548	134.5	5,158	105.9	1,259	25.9	110	2.3	21	0.4
25-29	48,447	6,502	134.2	5,610		771	15.9	95	2.0	26	0.5
30-34	50,553	3,771	74.6	3,283	64.9	418	8.3	45	0.9	25	0.5
35-39	45,253	1,277	28.2	1,046	23.1	199	4.4	27	0.6	5	###
40-44	38,947	210	5.4	142	3.6	58	1.5	7	###	3	###
GREATER THAN 44	220,250	12	0.1	8	###	4	###	0	###	0	###
UNKNOWN	0	131		65		50		1		15	
STATE TOTALS	621,490	21,431	34.5	17,166	27.6	3,818	6.1	. 339	0.5	108	0.2
OUT OF WEDLOCK PR	EGNANCIES										
LESS THAN 15	125,520	35	0.3	16	0.1	18	0.1	1	###	0	###
15	8,029	141	17.6	75	9.3	65	8.1	1	###	0	###
16	8,416	293	34.8	146	17.3	143	17.0	2	###	2	###
17	9,188	479	52.1	256	27.9	214	23.3	9	###	0	###
18	9,232	620	67.2	321	34.8	285	30.9	11	1.2	3	###
19	8,965	699	78.0	387	43.2	294	32.8	13	1.5	5	###
15-19	43,830	2,232	50.9	1,185	27.0	1,001	22.8	36	0.8	10	0.2
20-24	48,690	2,474	50.8	1,349	27.7	1,064	21.9	51	1.0	10	0.2
25-29	48,447	1,174	24.2	615	12.7	533	11.0	20	0.4	6	###
30-34	50,553	503	9.9	227	4.5	266	5.3	7	###	3	###
35-39	45,253	185	4.1	71	1.6	107	2.4	6	###	1	###
40-44	38,947	39	1.0	12	0.3	27	0.7	0	###	0	###
GREATER THAN 44	220,250	1	###	0	###	1	###	0	###	0	###
UNKNOWN	0	57		12		40		0		5	
STATE TOTALS	621,490	6,700	10.8	3,487	5.6	3,057	4.9	121	0.2	35	0.1

INDUCED

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE 1988 POPULATION PROJECTIONS.

^{##} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 44 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 9 RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FDR ACCURATE ESTIMATES OF RATES.

TABLE P-2 FETAL DEATHS, MISCARRIAGES, AND INDUCED TERMINATIONS BY WEEKS OF GESTATION MAINE STATE TOTALS, 1988 (RESIDENT DATA)*

GESTATION WEEKS	TOTAL		ETAL EATHS R PERCENT		ARRIAGES R PERCENT	TERMI	DUCED NATIONS PERCENT
0-4	13	0	0.00	6	1.77	7	0.18
5-8	1,871	0	0.00	133	39.23	1,738	45.52
9-12	1,810	0	0.00	109	32.15	1,701	44.55
13-19	344	0	0.00	42	12.39	302	7.91
20-23	24	22	20.37	0	0.00	2	0.05
24-27	10	10	9.26	0	0.00	0	0.00
28-31	4	4	3.70	0	0.00	0	0.00
32-35	9	9	8.33	0	0.00	0	0.00
36-38	14	14	12.96	0	0.00	0	0.00
> 39	10	10	9.26	0	0.00	0	0.00
UNKNOWN	156	39	36.11	49 .	14.45	68	1.78
STATE TOTALS	4,265	108	100.00	339	100.00	3,818	100.00

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O TERMINATION RECORDS WERE BLANK

INFANT AND FETAL MORTALITY

	L.	

TABLE F-1 INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS

MAINE STATE TOTALS, 1988 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER PERCENT		NATAL DEATHS R PERCENT
REMAINDER OF INFECTIOUS AND PARASITIC D	ISEASES (001-007,010-032,034-035,	037,039-041,080-088,091-139)	
MALE	1	1 100.00	0	0.00
TOTALS	1	1 100.00	0	0.00
MENINGITIS (320-322)				
MALE	1	0 0.00	1	100.00
TOTALS	1	0 0.00	1	100.00
OTHER DISEASES OF NERVOUS SYSTEM AND SEI	NSE ORGANS (323-389)			•
MALE	1	0 0.00	1	100.00
TOTALS	1	0 0.00	1	100.00
PNEUMONIA (480-486)				
MALE	2	0 0.00	2	100.00
TOTALS	2	0 0.00	2	100.00
REMAINDER OF DISEASES OF RESPIRATORY SY	STEM (470-478 492-519)			
MALE	1	0 0.00	1	100.00
FEMALE	1	1 100.00	0	0.00
TOTALS	2	1 50.00	1	50.00
REMAINDER OF DISEASES OF DIGESTIVE SYST	EM (520-534 536-543 562-579)			
FEMALE	1	1 100.00	0	0.00
TOTALS	1	1 100.00	0	0.00
ANENCEPHALUS AND SIMILAR ANOMALIES (740	\			
FEMALE FEMALE	2	2 100.00	0	0.00
TOTALS	2	2 100.00	Ö	0.00
OTHER CONGENITAL ANOMALIES OF CENTRAL NI	. '		0	0.00
TOTALS	2 2	2 100.00 2 100.00	, 0	0.00
TOTACS	-	2 100.00	ŭ	0.00
CONGENITAL ANOMALIES OF HEART (745-746)				50.00
MALE FEMALE	4 6	2 50.00 2 33.33	2	50.00 66.67
TOTALS	10	4 40.00	4 6	60.00
TOTALS	10	4 40.00	0	30.00
OTHER CONGENITAL ANOMALIES OF CIRCULATOR	. ,			
FEMALE	3	2 66.67	1	33.33
TOTALS	3	2 66.67	1	33.33

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE F-1 INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1988 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS		AL DEATHS R PERCENT		NATAL DEATHS R PERCENT
(CONT.)					
CONGENITAL ANOMALIES OF RESPIRATOR	Y SYSTEM (748)				
MALE	5		. 100.00	0	0.00
FEMALE	3	3	100.00	0	0.00
TOTALS	8	8	100.00	0	0.00
CONGENITAL ANOMALIES OF GENITOURIN	ARY SYSTEM (752-753)				
MALE	2	2	1,00.00	0	0.00
TOTALS	2	2	100.00	0	0.00
CONGENITAL ANOMALIES OF MUSCULOSKE	LETAL SYSTEM (754~756)				
MALE	2	2	100.00	0	0.00
FEMALE	1	0	0.00	1	100.00
TOTALS	3	2	66.67	1	33.33
DOWN'S SYNDROME (758.0)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
OTHER CHROMOSOMAL ANOMALIES (758.1	-758.9)				
MALE	1	1	100.00	0	0.00
FEMALE	3	2	66.67	1	33.33
TOTALS	4	3	75.00	1	25.00
ALL OTHER AND UNSPECIFIED CONGENITA	AL ANOMALIES (744,757,759)				
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
NEWBORN AFFECTED BY MATERNAL CONDI	TIONS WHICH MAY BE UNRELATED TO PRESENT	PREGNANCY (760))		
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
NEWBORN AFFECTED BY COMPLICATIONS (OF PLACENTA, CORD, AND MEMBRANES (762)				
MALE	2	2	100.00	0	0.00
FEMALE	4	4	100.00	Ō	0.00
TOTALS	6	6	100.00	0	0.00

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE F-1 INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1988 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS				ATAL DEATHS PERCENT
(CONT.)					
DISORDERS RELATING TO SHORT GESTATION	AND UNSPECIFIED LOW BIRTHWEIGHT (765)			
MALE	4	4 .		0	0.00
FEMALE	9	8	88.89	1	11.11
TDTALS	13	12	92.31	1	7.69
BIRTH TRAUMA (767)					
FEMALE	1	1	.100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
FETAL DISTRESS IN LIVEBORN INFANT (76	3.2-768.4)				
FEMALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
BIRTH ASPHYXIA (768.5-768.9)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
RESPIRATORY DISTRESS SYNDROME (769)					
MALE	10	9	90.00	1	10.00
FEMALE	4	4	100.00	0	0.00
TOTALS	14	13	92.86	1	7.14
OTHER RESPIRATORY CONDITIONS OF NEWBO	RN (770)				
MALE	2	1	50.00	1	50.00
FEMALÉ	3	3	100.00	0	0.00
TOTALS	5	4	80.00	1	20.00
INFECTIONS SPECIFIC TO THE PERINATAL	PERIOD (771)				
MALE	3	3	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
NEONATAL HEMORRHAGE (772)					
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE F-1 INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS

MAINE STATE TOTALS, 1988 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS		AL DEATHS R PERCENT		NATAL DEATHS R PERCENT
(CONT.)					
ALL OTHER AND ILL-DEFINED CONDITION	S ORIGINATING IN THE PERINATAL PERIOR	D (775.2-775.9,77	76.1-779)		
FEMALE	3	3	100.00	0	0.00
TOTALS	. 3	3	100.00	0	0.00
SUDDEN INFANT DEATH SYNDROME (798.0					
MALF	15	3	20.00	12	80.00
FEMALE	12	1	8.33	11	91.67
TOTALS	27	4	14.81	23	85.19
SYMPTOMS SIGNS AND ALL OTHER III.	DEFINED CONDITIONS (780-797,798.1-79	9)			
FEMALE	3	1	33.33	2	66.67
TOTALS	3	1	33.33	2	66.67
TOTALS	ŏ	ı	33.33	2	00.07
OTHER ACCIDENTAL CAUSES AND ADVERSE	E EFFECTS (E800-E910,E914-E949)				
MALE	1	0	0.00	1	100.00
FEMALE	2	0	0.00	2	100.00
TOTALS	3	0	0.00	3	100.00
ALL OTHER CAUSES (RESIDUAL)					
MALE	3	2	66.67	1	33.33
FEMALE	4	2	50.00	2	50.00
TOTALS	7	4	57.14	3	42.86
STATE					
MALE	65	41	63.08	24	36.92
FEMALE	71	46	64.79	25	35.21
TOTALS	136 , _	87	63.97	49	36.03
	•				

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE F-2 FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1988 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	****** 20-23	********* 24-27	* GESTATI 28-31	ON WEEKS : 32-35	********* 36-39	********* OVER 39
	CINOMA IN SITU, AND N	EOPLASMS OF UNCERTAIN BEHAVIOR	AND OF UN	SPEC. NATURE	(210-239))		
FEMALE	2	1.85	1	0	0	0	0	1
TOTALS	2	1.85	1	0	0	0	0	1
ANENCEPHALUS AND SIMIL	AR ANOMALIES (740)							
MALE	1	0.93	0	0	0	0	0	1
TOTALS	1	0.93	0	O .	0	0	0	1
SPINA BIFIDA (741)								
FEMALE	1	0.93	0	0	0	0	0	1
TOTALS	1	0.93	0	0	0	0	0	1
OTHER CONGENITAL ANOMA	LIES OF CENTRAL NERV	OUS SYSTEM AND EYE (742.0-742.	2,742.4-74	2.9,743)				
MALE	1	0.93	0	0	1	0	0	0
TOTALS	1	0.93	0	0	1	0	0	0
CONGENITAL ANOMALIES (OF HEART (745-746)							
FEMALE	2	1.85	0	0	0	0	0	2
TOTALS	2	1.85	0	0	0	0	0	2
CONGENITAL ANOMALIES (F MUSCULOSKELETAL SY	STEM (754-756)						
MALE	1	0.93	0	0	0	0	0	1
TOTALS	1	0.93	0	0	0	0	, o	1
DOWN'S SYNDROME (758.0))							
FEMALE	1	0.93	0	0	0	0	1	0
TOTALS	1	0.93	0	0	0	0	1	0
NEWBORN AFFECTED BY MA	ATERNAL CONDITIONS WH	ICH MAY BE UNRELATED TO PRESEN	T PREGNANC	Y (760)				
MALE	8	7.41	1	Ò	0	. 1	1 .	5
TOTALS	8	7.41	1	0	0	1	1	5
NEWBORN AFFECTED BY MA	ATERNAL COMPLICATIONS	OF PREGNANCY (761)					,	
MALE	6	5.56	4	0	0	0	0	2
TOTALS	6	5.56	4	0	0	0	0	2
NEWBORN AFFECTED BY CO	MPLICATIONS OF PLACE	NTA. CORD. AND MEMBRANES (762)						
MALE	21	19,44	6	2	1	3	1	8
FEMALE	22	20.37	4	2	1	2	6	7
TOTALS	43	39.81	10	4	2	5	7	15
NEWBORN AFFECTED BY OT	THER COMPLICATIONS OF	LABOR AND DELIVERY (763)						
MALE	1	0.93	0	0	0	0	1	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE F-2 FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1988 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS	TOTAL	PERCENT	*****	*******	*** GESTAT	ION WEEKS >	*******	*******
AND SEX	FETAL DEATHS	DISTRIBUTION	20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
TOTALS	1	0.93	0	0	0	o	1	o
DISORDERS RELATING TO	SHORT GESTATION AND	UNSPECIFIED LOW BIRTHWEIGHT	(765)					
MALE	6	5.56	2	0	0	0	0	4
FEMALE	3	2.78	2	1	Ó	Ó	Ó	Ó
UNKNOWN	1	0.93	ō	o´	Ŏ	Ö	Ŏ	1
TOTALS	10	9.26	4	1	Ó	Ö	Ó	5
BIRTH ASPHYXIA (768.5-	·768.9)							
MALE	7	5.48	1	1	0	. 1	0	A
FEMALE	7	6.48	Ò	ò	Ô	i	1	5
TOTALS	14	12.96	1	1	Ö	2	1	9
NEONATAL HEMORRHAGE (7	772)							
MALE	1	0.93	0	0	0	1	0	0
TOTALS	i	0.93	ŏ	ŏ	ŏ	· i	ŏ	ŏ
	_			_				
	A DIABETIC MOTHER A	ND NEONATAL DIABETES MELLITU		•	_	_		
MALE	1	0.93	O	0	0	0	1	0
TOTALS	1	0.93	0	0	0	0	1	0
ALL OTHER AND ILL-DEFI	NED CONDITIONS ORIG	INATING IN THE PERINATAL PER	IOD (775.2-77	5.9,776.1-	779)			
MALE	7	6.48	0	1	1	0	3	2
FEMALE	5	4.63	0	1	0	0	2	2
TOTALS	12	1 1 . 11	0	2	1	0	5	4
SYMPTOMS, SIGNS, AND A	ALL OTHER ILL-DEFINE	D CONDITIONS (780-797,798.1-	799)					
MALE	2	1.85	0	0	0	0	0	2
FEMALE	1	0.93	0	0	0	0	0	1
TOTALS	3	2.78	0	0	0	0	0	3
STATE								
MALE	63	58.33	14	4	3	6	7	29
FEMALE	44	40.74	7	4	1	3	10	19
UNKNOWN	1	0.93	O	ó	ò	ŏ	0	1
TOTALS	108	100.00	21	8	4	9	17	49
=	•							

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE F-3 LIVE BIRTHS, NEONATAL DEATHS, AND ESTIMATED NEONATAL DEATH RATES BY BIRTHWEIGHT MAINE STATE TOTALS, 1988 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	LIVE NUMBER	BIRTHS PERCENT	NEONAT NUMBER	AL DEATHS PERCENT	NEONATAL DEATH RATE
LESS THAN 500	12	0.07	11	12.64	916.7
500-999	44	0.26	26	29.89	590.9
1000-1499	75	0.44	3	3.45	40.0
1500-1999	142	0.83	4	4.60	28.2
2000-2499	559	3.26	7	8.05	12.5
2500-2999	2,187	12.74	8	9.20	3.7
3000-3499	5,953	34.68	13	14.94	2.2
3500-3999	5,723	33.34	4	4.60	0.7
4000-4499	1,970	11.48	1	1.15	0.5
4500-4999	386	2.25	0	0.00	0.0
GREATER THAN 4999	52	0.30	1	1.15	19.2
UNKNOWN	63	0.37	9	10.34	142.9
STATE TOTALS	17,166	100.00	87	100.00	5.1

NOTE: NEONATAL DEATH RATES ARE ESTIMATED BY DIVIDING 1988 NEONATAL DEATHS BY 1988 LIVE BIRTHS AND MULTIPLYING BY 1,000. SUCH RATES ARE ESTIMATED RATHER THAN ACTUAL BECAUSE SOME BIRTHS RELATING TO THE 1988 NEONATAL DEATH COHORT OCCURRED IN 1987.

TABLE F-4 FETAL DEATHS BY SELECTED COMPLICATIONS, GESTATION, AND AGE OF PATIENT MAINE STATE TOTALS, 1988 (RESIDENT DATA)*

			*********	***** COM	PLICATIONS *******	******
WEEKS OF GESTATION	TOTAL** FETAL DEATHS	PERCENT DISTRIBUTION	MEDICAL RISK FACTORS	LABOR OR DELIVERY	TOBACCO/ALCOHOL USE	CONGENITAL ANOMALIES
20-23	21	19.44	5	15	9	2
24-27	8	7.41	4	5	2	0
28-31	4	3.70	0	3	1	2
32-35	9	8.33	3	6	4	0 *
36-39	17	15.74	7	8	3	2
OVER 39	49	45.37	8	13	4	2
UNKNOWN	0	0.00	0	0	0	0
STATE TOTALS	108		27	50	23	8
PERCENT DISTRIBUTION		100.00	25.00	46.30	21.30	7 - 41
AGE OF PATIENT(YRS.)						
LESS THAN 15	0	0.00	0	O -	0	O ·
15	0	0.00	0	0	0	0
16	2	1.85	1	1	1	0
17	. 0	0.00	0	. 0	0	0
18	4	3.70	2	2	1	0
19	7	6.48	1	3	2	0
20-24	21	19.44	4	11	7	3
25-29 ·	26	24.07	6	12	6	2
30-34	25	23.15	7	11	4	0
35-39	5	4.63	3	2	2	0
40-44	. 3	2.78	0	2	0	1
OVER 44	0	0.00	0	0	0	0
UNKNOWN	15	13.89	3	6	0	2
TEENAGE TOTALS	13	12.04	. 0	0	0	0
STATE TOTALS	108		27 .	50	23	8
PERCENT DISTRIBUTION		100.00	25.00	46.30	21.30	7.41

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

^{**} THE SUM OF COMPLICATIONS MAY EXCEED TOTAL FETAL DEATHS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

TABLE F-5

DEATHS AND DEATH RATES - TOTAL, INFANT, NEONATAL, POSTNEONATAL, AND PERINATAL
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)*

COUNTY	TOTAL (DFATHS	****** TOT/		***** INFANT D		**************************************		PERIN	ΙΔΤΔΙ
33 111.	NUMBER		NUMBER		NUMBER		NUMBER		NUMBER	
ANDROSCOGGIN	1,066	10.4	14	9.0	7	4.5	7	4.5	19	12.1
AROOSTOOK	841	9.7	13	10.7	8	6.6	5	4.1	16	13.0
CUMBERLAND	2,100	8.8	37	10.5	25	7.1	12	3.4	46	13.0
FRANKLIN	237	8.2	1	2.6	0	0.0	1	2.6	1	2.5
HANCOCK	497	10.9	2	3.2	2	3.2	0	0.0	4	6.3
KENNEBEC	1,102	9.6	10	7.0	9	6.3	1	0.7	20	13.9
KNOX	401	11.2	2	4.0	2	4.0	0	0.0	3	6.0
LINCOLN	309	10.5	2	4.9	0	0.0	2	4.9	4	9.7
OXFORD	590	11.5	3	4.2	1	1.4	2	2.8	4	5.6
PENOBSCOT	1,231	8.7	14	7.3	9	4.7	5	2.6	21	10.9
PISCATAQUIS	226	12.2	2	9.3	1	4.7	1	4.7	1	4.7
SAGADAHOC	. 265	8.2	2	3.7	1	1.9	1	1.9	6	11.1
SOMERSET	496	10.4	8	12.6	4	6.3	4	6.3	8	12.5
WALDO	301	9.6	3	6.4	2	4.3	1	2.1	6	12.8
WASHINGTON	418	12.0	3	6.3	0	0.0	3	6.3	3	6.3
YORK	1,402	8.4	20	7.9	16	6.3	4	1.6	33	12.9
STATE TOTALS	11,482	9.5	136	7.9	87	5.1	49	2.9	195	11.3

NOTES: INFANT DEATH IS UNDER 1 YEAR, NEONATAL UNDER 28 DAYS AND POSTNEONATAL 28 DAYS TO ONE YEAR. PERINATAL DEATHS ARE NEONATAL DEATHS AND FETAL DEATHS, 20 GESTATION WEEKS AND OVER.

TOTAL DEATH RATE IS PER 1,000 POPULATION(BASED ON MAINE POPULATION PROJECTIONS FOR 1988, PUBLISHED JULY 1989), INFANT DEATH RATE IS PER 1,000 LIVE BIRTHS AND PERINATAL DEATH RATE IS PER 1,000 LIVE BIRTHS AND FETAL DEATHS.

^{*} FETAL DEATH DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE F-6 FETAL DEATHS BY SELECTED CHARACTERISTICS
MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)*

COUNTY	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	OUT OF WEDLOCK	AUTOPSY	IN HOSPITAI	**			IN WH CARE B NONE	EGAN ****	AGE OF PATIE LESS THAN 20	NT(YRS.) OVER 35
ANDROSCOGGIN	12	11.11	1	3	12	9	1	0	1	1	2	0
AROOSTOOK	. 8	7.41	2	4	8	7	0	. 0	0	1	0	0
CUMBERLAND	21	19.44	3	, 5	21	7	0	0	0	14	1	0
FRANKLIN	1	0.93	0	0	1	0	1	0	0	0	0	1
HANCOCK	2	1.85	0	1	2	2	0	ó	0	0	0	1
KENNEBEC	11	1019	2	6	11	6	1	0	0	4	1	0
KNOX	1	0.93	0	1	1	1	0	0	0	0	0	0
LINCOLN	4 .	3.70	0	1	4	1	0	0	0	3	0	0
OXFDRD	3	2.78	0	2	3	2	0	0	0	1	0	0
PENOBSCOT	12	11.11	6	3	12	6	0	0	2	4	1	· 1
PISCATAQUIS	0	0.00	0	0	0	0	0	0	0	0		0
SAGADAHOC	5	4.63	1	1	5	2	0	0	0	3	1	0
SOMERSET	4	3.70	3	2	4	4	0	0	0	0	3	0
WALDO	4	3.70	1	0	4	2	1	0	1	0	0	2
WASHINGTON	3	2.78	. 2	0	3	3	0	0	0	0	1	0
YORK	17	15.74	4	5	17	9	3	0	0	5	3	1
STATE TOTALS	108		25	34	108	61	7	0	4	36	13	6
PERCENT OF AL	L FETAL DEATHS	WITH SPECIFIED	CHARACTER] 23.15	STICS 31.48	100.00	56.48	6.48	0.00	3.70	33.33	12.04	5.56

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE F-7 FETAL DEATHS, SELECTED RISK CHARACTERISTICS, AND RATIO OF MALES TO FEMALES

MAINE COUNTIES AND STATE TOTALS. 1988 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS	CONGE ANOMA	NITAL	*****		ISK CHARACT WEIGHT *** < 2500 NUMBER	*****	GESTATI	**************************************	MALE/FEMALE RATIO
ANDROSCOGGIN	12	3	25.0	1	8.3	6	50.0	4	33.3	3.00
AROOSTOOK	8	1	12.5	0	0.0	3	37.5	2	25.0	3.00
CUMBERLAND	21	0	0.0	2	9.5	5	23.8	3	14.3	1.00
FRANKLIN	1	0	0.0	0	0.0	0	0,.0	1	100.0	0.00
HANCOCK	2	0	0.0	0	0.0	0	0.0	1	50.0	1.00
KENNEBEC	11	0	0.0	0	0.0	2	18.2	4	36.4	0.83
KNOX	1	0	0.0	0	0.0	0	0.0	0	0.0	0.00
LINCOLN	4	0	0.0	0	0.0	1	25.0	1	25.0	3.00
OXFORD	3	0	0.0	0	0.0	2	66.7	0	0.0	2.00
PENOBSCOT	12	2	16.7	2	16.7	3	25.0	3	25.0	1.00
PISCATAQUIS	0	0	0.0	0	0.0	0	0.0	0	0.0	0.00
SAGADAHOC	5	0	0.0	1	20.0	1	20.0	1	20.0	0.25
SOMERSET	4	0	0.0	0	0.0	3	75.0	2	50.0	0.33
WALDO	4	1	25.0	0	0.0	2	50.0	0	0.0	3.00
WASHINGTON	3	0	0.0	0	0.0	0	0.0	2	66.7	2.00
YORK	17	1	5.9	3	17.6	6	35.3	5	29.4	3.25
STATE TOTALS	108	8	7.4	9	8.3	34	31.5	29	26.9	1.43

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE F-8

FETAL DEATHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS MAINE STATE TOTALS, 1988 (RESIDENT DATA)

COMPLICATIONS OF LABOR CONDITION NUMBER % MEDICAL RISK FACTORS CONDITION NUMBER % CONDITION NUMBER % METHOD OF OELIVERY CONGENITAL ANOMALIES CONDITION NUMBER % METHOD OF OELIVERY CONGENITAL ANOMALIES & METHOD OF OELIVERY CONGENITAL ANOMALIES & METHOD OF OELIVERY CONDITION NUMBER % METHOD OF OELIVERY CONDITION NUMBER % METHOD OF OELIVERY CONGENITAL ANOMALIES & METHOD OF OELIVERY CONDITION NUMBER % METHOD OF OELIVERY CONDI
MECONIUM 8 7.4 CARDIAC DISEASE O O.O AVG CIGARETTES VAGINAL AFTER SPINA BIFIDA 1 O.9 PREMATURE RUPTURE ACUTE OR CHRONIC PER DAY 20 77.3 C-SECTION 1 O.9 HYDROCEPHALUS 1 O.9 MEMBRANE >12 HRS 4 3.7 LUNG DISEASE 1 O.S ALCOHOL USE 4 3.7 PRIMARY MICROCEPHALUS O O.O ABRUPTIO DIABETES/ AVG DRINKS C-SECTION 4 3.7 OTHER PLACENTA 9 8.3 GESTATIONAL 4 3.7 PER WEEK 1 50.0 REPEAT NERVOUS SYSTEM O O.O PLACENTA DIABETES AVG WEIGHT GAIN 22 LBS C-SECTION 5 4.6 HEART O O.O PREVIA 1 O.9 PRE-EXISTING O O.O FORCEPS 2 1.9 OTHER CIRCULATORY EXCESSIVE GENITAL HERPES 1 O.9 HYDRAMNIOS/ SEIZURES DURING OLIGOHYDRAMNIOS O O.O HYSTERECTOMY/ RECTAL ATRESIA O O.O SEIZURES DURING OO.O TRACHEO-ESOPHAGEAL
MECONIUM 8 7.4 CARDIAC DISEASE O O.O AVG CIGARETTES VAGINAL AFTER SPINA BIFIDA 1 O.9 PREMATURE RUPTURE ACUTE OR CHRONIC PER DAY 20 77.3 C-SECTION 1 O.9 HYDROCEPHALUS 1 O.9 MEMBRANE >12 HRS 4 3.7 LUNG DISEASE 1 O.S ALCOHOL USE 4 3.7 PRIMARY MICROCEPHALUS O O.O ABRUPTIO DIABETES/ AVG DRINKS C-SECTION 4 3.7 OTHER PLACENTA 9 8.3 GESTATIONAL 4 3.7 PER WEEK 1 50.0 REPEAT NERVOUS SYSTEM O O.O PLACENTA DIABETES AVG WEIGHT GAIN 22 LBS C-SECTION 5 4.6 HEART O O.O PREVIA 1 O.9 PRE-EXISTING O O.O FORCEPS 2 1.9 OTHER CIRCULATORY EXCESSIVE GENITAL HERPES 1 O.9 HYDRAMNIOS/ SEIZURES DURING OLIGOHYDRAMNIOS O O.O HYSTERECTOMY O O.O TRACHEO-ESOPHAGEAL
MECONIUM 8 7.4 CARDIAC DISEASE O O.O AVG CIGARETTES VAGINAL AFTER SPINA BIFIDA 1 O.9 PREMATURE RUPTURE ACUTE OR CHRONIC PER DAY 20 77.3 C-SECTION 1 O.9 HYDROCEPHALUS 1 O.9 MEMBRANE >12 HRS 4 3.7 LUNG DISEASE 1 O.S ALCOHOL USE 4 3.7 PRIMARY MICROCEPHALUS O O.O ABRUPTIO DIABETES/ AVG DRINKS C-SECTION 4 3.7 OTHER PLACENTA 9 8.3 GESTATIONAL 4 3.7 PER WEEK 1 50.0 REPEAT NERVOUS SYSTEM O O.O PLACENTA DIABETES AVG WEIGHT GAIN 22 LBS C-SECTION 5 4.6 HEART O O.O PREVIA 1 O.9 PRE-EXISTING O O.O FORCEPS 2 1.9 OTHER CIRCULATORY EXCESSIVE GENITAL HERPES 1 O.9 HYDRAMNIOS/ SEIZURES DURING OLIGOHYDRAMNIOS O O.O HYSTERECTOMY/ RECTAL ATRESIA O O.O SEIZURES DURING OO.O TRACHEO-ESOPHAGEAL
PREMATURE RUPTURE MEMBRANE >12 HRS 4 3.7 LUNG DISEASE 1 0.9 ALCOHOL USE 4 3.7 PRIMARY ABRUPTIO DIABETES/ PLACENTA PREVIA DIABETES
MEMBRANE >12 HRS 4 3.7 LUNG DISEASE 1 0.9 ALCOHOL USE 4 3.7 PRIMARY MICROCEPHALUS 0 0.0 ABRUPTIO DIABETES/ AVG DRINKS C-SECTION 4 3.7 OTHER PLACENTA 9 8.3 GESTATIONAL 4 3.7 PER WEEK 1 50.0 REPEAT NERVOUS SYSTEM 0 0.0 PLACENTA DIABETES AVG WEIGHT GAIN 22 LBS C-SECTION 5 4.6 HEART 0 0.0 PREVIA 1 0.9 PRE-EXISTING 0 0.0 EXCESSIVE GENITAL HERPES 1 0.9 VACUUM 0 0.0 SYSTEM 0 0.0 BLEEDING 1 0.9 HYDRAMNIOS/ FUNDAMNIOS/ FUNDAM
ABRUPTIO DIABETES/ AVG DRINKS C-SECTION 4 3.7 OTHER PLACENTA 9 8.3 GESTATIONAL 4 3.7 PER WEEK 1 50.0 REPEAT NERVOUS SYSTEM 0 0.0 PLACENTA DIABETES AVG WEIGHT GAIN 22 LBS C-SECTION 5 4.6 HEART 0 0.0 PREVIA 1 0.9 PRE-EXISTING 0 0.0 EXCESSIVE GENITAL HERPES 1 0.9 TOTHER CIRCULATORY BLEEDING 1 0.9 HYDRAMNIOS/ SEIZURES DURING OLIGOHYDRAMNIOS 0 0.0
PLACENTA 9 8.3 GESTATIONAL 4 3.7 PER WEEK 1 50.0 REPEAT NERVOUS SYSTEM 0 0.0 PLACENTA DIABETES AVG WEIGHT GAIN 22 LBS C-SECTION 5 4.6 HEART 0 0.0 PREVIA 1 0.9 PRE-EXISTING 0 0.0 FORCEPS 2 1.9 OTHER CIRCULATORY VACUUM 0 0.0 SYSTEM 0 0.0 BLEEDING 1 0.9 HYDRAMNIOS/
PLACENTA DIABETES AVG WEIGHT GAIN 22 LBS C-SECTION 5 4.6 HEART O O.O PREVIA 1 0.9 PRE-EXISTING O O.O FORCEPS 2 1.9 OTHER CIRCULATORY EXCESSIVE GENITAL HERPES 1 0.9 VACUUM O O.O SYSTEM O O.O SEIZURES DURING O OLIGOHYDRAMNIOS O O.O O.O O.O TRACHEO-ESOPHAGEAL
PREVIA 1 0.9 PRE-EXISTING 0 0.0 FORCEPS 2 1.9 OTHER CIRCULATORY EXCESSIVE GENITAL HERPES 1 0.9 VACUUM 0 0.0 SYSTEM 0 0.0 BLEEDING 1 0.9 HYDRAMNIOS/ HYSTEROTOMY/ RECTAL ATRESIA 0 0.0 SEIZURES DURING 0 0.0 HYSTERECTOMY 0 0.0 TRACHEO-ESOPHAGEAL
EXCESSIVE GENITAL HERPES 1 0.9 VACUUM 0 0.0 SYSTEM 0 0.0 BLEEDING 1 0.9 HYDRAMNIOS/ HYSTEROTOMY/ RECTAL ATRESIA 0 0.0 SEIZURES DURING OLIGOHYDRAMNIOS 0 0.0 HYSTERECTOMY 0 0.0 TRACHEO-ESOPHAGEAL
BLEEDING 1 0.9 HYDRAMNIOS/ HYSTEROTOMY/ RECTAL ATRESIA O 0.0 SEIZURES DURING OLIGOHYDRAMNIOS O 0.0 HYSTERECTOMY O 0.0 TRACHEO-ESOPHAGEAL
SEIZURES DURING OLIGOHYDRAMNIOS O 0.0 HYSTERECTOMY O 0.0 TRACHEO-ESOPHAGEAL
LABOR O O.O HEMOGLOBINOPATHY O O.O OTHER 7 6.5 FISTULA O O.O
PRECIPITOUS HYPERTENSION UNKNOWN 35 32.4 OMPHALOCELE/
LABOR <3 HRS 1 0.9 CHRONIC 2 1.9 GASTROSCHISIS 0 0.0
PROLONGED HYPERTENSION OTHER
LABOR >20 HRS 2 1.9 PREGNANCY ASSOC. 4 3.7 GASTROINTESTINAL 1 0.9
DYSFUNCTIONAL ECLAMPSIA O O.O OBSTETRIC PROCEDURES MALFORMED
LABOR 1 0.9 INCOMPETENT . GENITALIA 0 0.0
BREECH 8 7.4 CERVIX O O.O CONDITION NUMBER % RENAL AGENESIS O O.O
CEPHALOPELVIC/ PREVIOUS INFANT O 0.0
DISPROPORTION 1 0.9 4000+ GRAMS 0 0.0 AMNIOCENTHSIS 4 3.7 CLEFT LIP/PALATE 1 0.9
CORD PROLAPSE 2 1.9 PREVIOUS PRETERM 5 4.6 ELECTRIC FETAL POLYDACTYLY O O.O
ANESTHETIC RENAL DISEASE 1 0.9 MONITORING 11 10.2 CLUB FOOT 0 0.0
COMPLICATIONS O O.O RH SENSITIZATION O O.O INDUCED LABOR 24 22.2 DIAPHRAGMATIC
FETAL DISTRESS O O.O UTERINE STIMULATION HERNIA O O.O
OTHER 33 30.6 BLEEDING 4 3.7 OF LABOR : 8 7.4 MUSCULOSKELETAL O 0.0
NONE 22 20.4 OTHER 11 10.2 TOCOLYSIS 1 0.9 DOWNS SYNDROME 1 0.9
UNKNOWN 37 34.3 NONE 40 37.0 ULTRA SOUND 39 36.1 CHROMOSOMAL 1 0.9
UNKNOWN 41 38.0 OTHER 4 3.7 OTHER 15 13.9
NONE 12 11.1 NONE 58 53.7
UNKNOWN 37 34.3 UNKNOWN 29 26.9

NOTES: PERCENTAGES ARE BASED ON THE 108 FETAL DEATHS IN MAINE THIS YEAR MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH FETAL DEATH.

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1988 (RESIDENT DATA)

		****** TOTAL		***** FEMALE		BER OF	****** DEATHS FEMALE	F	PER 100, POPULATION MALE		
	AGE: TOTAL FOR ALL AGES										
	CAUSE OF DEATH										
	HEART DISEASE (390-398,402,404-429)	3,988	2,009	1,979	1	1	1	330.5	343.4	318.4	
	MALIGNANT NEOPLASMS (140-208)	2,722	1,427	1,295		2	2	225.6	243.9	208.4	
	CEREBROVASCULAR DISEASE (430-438)	775	294	481	2 3	2 5	3	64.2	50.2	77.4	
	CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	552	321	231	4	3	4	45.7	54.9	37.2	
	ACCIDENTS & ADVERSE EFFECTS (E800-E949)	474	305	169	5	4	6	39.3	52.1	27.2	
	PNEUMONIA & INFLUENZA (480-487)	351	152	199	5 6	6 8	5	29.1	26.0	32.0	
	DIABETES MELLITUS (250)	276	113	163	7	8	7	22.9	19.3	26.2	
	ATHEROSCLEROSIS (440)	174	55	119	8	11	8	14.4	9.4	19.1	
	SUICIDE (E950-E959)	162	140	22	9	7	17	13.4	23.9	3.5	
	CHRONIC LIVER DISEASE & CIRRHOSIS (571)	127	79	48	10	9	10	10.5	13.5	7.7	
	TOTAL FOR AGE GROUP	11,482	5,755	5,727				951.6	983.6	921.5	
	AGE: UNDER 1 YEAR										
5	PERINATAL CONDITIONS (760-779)	52	24	28	1	1	1	293.6	264.3	324.3	
П	CONGENITAL ANOMALIES (740-759)	36	16	20	2	2 3 5 3 5	2	203.2	176.2	231.6	
	HEART DISEASE (390-398,402,404-429)	4	2	2	3	3	3	###	###	###	
	ACCIDENTS & ADVERSE EFFECTS (E800-E949)	3	1	2	4	5	3	###	###	###	
	PNEUMONIA & INFLUENZA (480-487)	2	2	0	5	3	5	###	###	###	
	INFECTIOUS & PARASITIC DISEASES (001-139)	1	1	0	6	5	5	###	###	###	
	MENINGITIS (320-322)	1	1	0	7	. 5	5	###	###	###	
	TOTAL FOR AGE GROUP	136	65	71				767.8	715.9	822.3	

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1988, PUBLISHED JULY 1989. THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

TABLE D-1

DEATHS. RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1988 (RESIDENT DATA)

	****** TOTAL		***** FEMALE			****** DEATHS		POPULATION	
				TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 1 TO 14 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	33	19	14	1	1	1	13.7	15.3	12.0
CONGENITAL ANOMALIES (740-759)	10	9	1	2	2	4	4.1	###	###
MALIGNANT NEOPLASMS (140-208)	5	3	2	3	3	2	###	###	###
SUICIDE (E950-E959)	4	3	1	4	3	4	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	2	0	2	5 6	5	2	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	0	1		5 5 5	4	###	###	###
MENINGITIS (320-322)	1	0	1	7	5	4	###	###	###
HEART DISEASE (390-398,402,404-429)	1	0	1	8		4	###	###	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	1	0	1	9	5	4	###	###	###
TOTAL FOR AGE GROUP	72	40	32				29.9	32,2	27.4
AGE: 15 TO 24 YEARS									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	92	64	28	1	1	1	49.3	68.1	30.3
SUICIDE (E950-E959)	34	32	2	2	2	4	18.2	34.0	###
MALIGNANT NEOPLASMS (140~208)	8	4	4	3	3	2	###	###	###
HEART DISEASE (390-398,402,404-429)	6	3	3	4	4	3	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	4	2	2	5	5 6	4	###	###	###
PNEUMONIA & INFLUENZA (480-487)	2	1	1	6		6	###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	2	1	1	7	6	6	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	1	0	8	6	9	###	###	###
BENIGN NEOPLASMS (210-239)	1	1	0	9	6	9	###	###	###
MENINGITIS (320-322)	1	1	0	10	6	9	###	###	###
TOTAL FOR AGE GROUP	164	118	46				87.9	125.5	49.7

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1988, PUBLISHED JULY 1989.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

^{*} CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1988 (RESIDENT DATA)

	****** TOTAL		***** FEMALE		BER OF			POPULATION MALE	,
				TOTAL	MALL	LIMALL	IOIAL	MACE	LINALE
AGE: 25 TO 34 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	84	72	12	1	1	1	42.6	73.4	12.1
SUICIDE (E950-E959)	25	20	5	2	2	4	12.7	20.4	###
MALIGNANT NEOPLASMS (140-208)	20	8	12	3	4	1	10.1	###	12.1
HEART DISEASE (390-398,402,404-429)	20	12	8	4	3	3,	10.1	12.2	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	10	8	2	5 6	4	5	5.1	###	###
CONGENITAL ANOMALIES (740-759)	3	3	0		6	12	###	###	###
DIABETES MELLITUS (250)	2	0	2	7	9	5	###	###	###
PNEUMONIA & INFLUENZA (480-487)	2	1	1	8	7	8	###	###	###
COMPL. OF PREGNANCY, CHILDBIRTH & PUERPERIUM (630-676)	2	0	2	9	9	5	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	0	1	10	9	8	###	###	###
TOTAL FOR AGE GROUP	187	137	50				94.9	139.6	50.5
AGE: 35 TO 44 YEARS									
MALIGNANT NEOPLASMS (140-208)	66	28	38	1	3	1	39.3	33.5	45.1
HEART DISEASE (390-398,402,404-429)	62	48	14	2	1	2	37.0	57.5	16.6
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	48	37	11	3	2	3	28.6	44.3	13.1
SUICIDE (E950-E959)	25	23	2	4	4	8	14.9	27.5	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	11	8	3	5	5	6	6.6	###	###
DIABETES MELLITUS (250)	10	6	4	6	7	4	6.0	###	###
CEREBROVASCULAR DISEASE (430-438)	10	7	3	7	6	6	6.0	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	7	3	4	8	8	4	###	###	###
PNEUMONIA & INFLUENZA (480-487)	3	1	2	9	11	8	###	###	###
CONGENITAL ANOMALIES (740-759)	3	3	0	10	8	13	###	###	###
TOTAL FOR AGE GROUP	278	182	96				165.7	217.8	114.0

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1988, PUBLISHED JULY 1989. THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

TABLE D-1 DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1988 (RESIDENT DATA)

	****** TOTAL		***** FEMALE			****** DEATHS		E PER 100 POPULATIO	
				TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 45 TO 64 YEARS									
CAUSE OF DEATH	733	374	359	4	2	4	220 0	342.8	200 8
MALIGNANT NEOPLASMS (140-208) HEART DISEASE (390-398,402,404-429)	733 593	374 449	359 144	1 2	2 1	2	320.9 259.6	411.5	300.9 120.7
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	76	50	26	3	2	4	33.3	45.8	21.8
DIABETES MELLITUS (250)	76 56	28	28	4	3 7	3	24.5	25.7	23.5
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	55	39	16	5	4	6	24.3	35.7	13.4
CEREBROVASCULAR DISEASE (430-438)	47	32	15	6	5	7	20.6	29.3	12.6
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	47	28	19	7	5 7	5	20.6	25.7	15.9
SUICIDE (E950-E959)	38	32	6	8	5	10	16.6	29.3	###
BENIGN NEOPLASMS (210-239)	17	11	6	9	9	10	7.4	10.1	###
PNEUMONIA & INFLUENZA (480-487)	17	10	7	10	10	8	7.4	9.2	###
TOTAL FOR AGE GROUP	1,894	1,181	713				829.2	1,082.5	597.7
AGE: 65 TO 74 YEARS									
MALIGNANT NEOPLASMS (140-208)	849	482	367	1	2	1	903.0	1,174.8	692.6
HEART DISEASE (390-398,402,404-429)	835	516	319	2	1	2		1,257.6	502.0
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	162	93	6 9	3	3 4 5 7	3	172.3	225.7	130.2
CEREBROVASCULAR DISEASE (430-438)	124	63	61	4	4	4	131.9	153.5	115.1
DIABETES MELLITUS (250)	79	31	48	5	5	5	84.0	75.6	90.6
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	48	25	23	6		6	51.1	60.9	43.4
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	47	30	17	7	- 6	8	50.0	73.1	32.1
PNEUMONIA & INFLUENZA (480-487)	44	24	20	8	8	7	46.8	58.5	37.7
INFECTIOUS & PARASITIC DISEASES (001-139)	21	6	15	9	12	9	22.3	###	28.3
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	21	14	7	10	10	10-	22.3	34.1	###
TOTAL FOR AGE GROUP	2,541	1,469	1,072				2,702.6	3,580.3	2,023.0

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1988, PUBLISHED JULY 1989.
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

DEATHS. RANK BY NUMBER OF DEATHS. AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1988 (RESIDENT DATA)

		****** TOTAL		***** FEMALE			****** DEATHS		E PER 100 POPULATIO	,
					TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
	AGE: 75 TO 84 YEARS CAUSE OF DEATH									
	HEART DISEASE (390-398,402,404-429)	1,254	618	636	1	- 1	1	2,270.5	3,048.8	1,819.2
	MALIGNANT NEOPLASMS (140-208)	729	409	320	2	2	2		2,017.8	915.3
	CEREBROVASCULAR DISEASE (430-438)	256	102	154	3	4	3	463.5	503.2	440.5
	CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	208	116	92	4	3	4	376.6	572.3	263.2
	PNEUMUNIA & INFLUENZA (480-487)	95	47	48	5 6	5 6	6 5	172.0	231.9	137.3
	DIABETES MELLITUS (250)	88 56	34 24	54 32	7	7	5 7	159.3	167.7 118.4	154.5 91.5
	ACCIDENTS & ADVERSE EFFECTS (E800-E949) ATHEROSCLEROSIS (440)	40	20	20	, 8	9	9	101.4 72.4	98.7	57.2
	NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	36	23	13	9	8	10	65.2	113.5	37.2 37.2
	INFECTIOUS & PARASITIC DISEASES (001-139)	34	12	22	10	10	8	61.6	59.2	62.9
	TOTAL FOR AGE GROUP	3,297	1,644	1,653				5,969.6	8,110.5	4,728.3
	AGE: 85 YEARS AND OLDER									
=	HEART DISEASE (390-398,402,404-429)	1,213	361	852	1	1	1		6,446.4	
09	CEREBROVASCULAR DISEASE (430-438)	337	90	247	2	3 2			1,607.1	
	MALIGNANT NEOPLASMS (140-208)	312	119	193	3	2	3		2,125.0	
	PNEUMONIA & INFLUENZA (480-487) ATHEROSCLEROSIS (440)	186 113	66 19	120 94	4 5	4 7	4 5	607.5	1,178.6 339.3	923.1 723.1
	CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	103	60	43	6	5	6		1,071.4	330.8
	ACCIDENTS & ADVERSE EFFECTS (E800-E949)	55	24	31	7	. 6	7	295.7	428.6	238.5
	DIABETES MELLITUS (250)	41	14	27	8	9	8	220.4	250.0	207.7
	NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	31	15	16	9	8	11	166.7	267.9	123.1
	INFECTIOUS & PARASITIC DISEASES (001-139)	26	4	22	10	12	9.	139.8	###	169.2
	TOTAL FOR AGE GROUP	2,913	919	1,994				15,661.3	16,410.7	15,338.5

NOTES: BASED ON MAINE POPULATION PROJECTIONS FOR 1988, PUBLISHED JULY 1989. THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

TABLE D-2 YEARS OF LIFE LOST - NUMBER, PERCENT, RANK, AND AVERAGE PER DEATH BY 32 CAUSE OF DEATH GROUPS AND SEX MAINE STATE TOTALS, 1988 (RESIDENT DATA)

HEART DISEASE (390-398,402,404-429) 43,714 23,322 20,392 27.3 28.4 26.2 1 1 2 11	12 10 13 17 35 31	
HEART DISEASE (390-398.402.404-429) 43,714 23,322 20,392 27.3 28.4 26.2 1 1 2 11		
MALIGNANT NEOPLASMS (140-208) 39,585 18,124 21,461 24.7 22.0 27.5 2 2 1 15	25 21	7
MALIGNANT NEOPLASMS (140-208) 39,585 18,124 21,461 24.7 22.0 27.5 2 2 1 15 ACCIDENTS & ADVERSE EFFECTS (E800-E949) 15,892 10,716 5,176 9.9 13.0 6.6 3 3 3 34	33 31	1
1 FREEDINASCIII AD TITSEASE 1430-4381	9 9	9
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496) 6,010 3,153 2,857 3.8 3.8 3.7 5 5 5 11	10 12	2
SUICIDE (E950-E959) 5,336 4,606 730 3.3 5.6 0.9 6 4 13 33	33 33	3
PERINATAL CONDITIONS (760-779) 3,864 1,680 2,184 2.4 2.0 2.8 7 8 7 74	70 78	8
CONGENITAL ANDMALIES (740-759) 3,836 2,110 1,726 2.4 2.6 2.2 8 7 9 56	53 60	0
DIABETES MELLITUS (250) 3,769 1,437 2,332 2.4 1.7 3.0 9 9 6 14	13 14	4
PNEUMONIA & INFLUENZA (480-487) 3,149 1,363 1,786 2.0 1.7 2.3 10 10 8 9	9 9	9
CHRONIC LIVER DISEASE & CIRRHOSIS (571) 2,266 1,259 1,007 1.4 1.5 1.3 11 11 10 18	16 21	1
OTHER DIS. OF ARTERIES, ARTERIOLES, AND CAPIL. (441-448) 1,700 973 727 1.1 1.2 0.9 12 12 14 10	10 11	1
INFECTIOUS & PARASITIC DISEASES (001-139) 1,422 461 961 0.9 0.6 1.2 13 15 11 14	14 14	4
HOMICIDE & LEGAL INTERVENTION (E960-E978) 1,378 738 640 0.9 0.9 0.8 14 13 15 38	35 43	
ATHEROSCLEROSIS (440) 1,253 429 824 0.8 0.5 1.1 15 17 12 7	8 7	7
ATHEROSCLEROSIS (440) 1,253 429 824 0.8 0.5 1.1 15 17 12 7 BENIGN NEOPLASMS (210-239) 904 446 458 0.6 0.5 0.6 16 16 16 14 NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589) 865 485 380 0.5 0.6 0.5 17 14 17 9	18 11	1
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589) 865 485 380 0.5 0.6 0.5 17 14 17 9	9 10	0
HYPERTENSION (401,403) 475 170 305 0.3 0.2 0.4 18 18 11	11 11	1
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560) 318 143 175 0.2 0.2 0.2 19 21 19 8	10 7	7
CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS (574-575) 281 144 137 0.2 0.2 0.2 20 20 21 12	14 10	0
MENINGITIS (320-322) 217 127 90 0.1 0.2 0.1 21 22 24 54	64 45	5
ULCER OF STOMACH & DUODENUM (531-533) 213 145 68 0.1 0.2 0.1 22 19 26 9	10 7	7
COMPL. OF PREGNANCY, CHILDBIRTH & PUERPERIUM (630-676) 161 0 161 0.1 0.0 0.2 23 28 20 54	0 54	4
NUTRITIONAL DEFICIENCIES (260-269) 155 40 115 0.1 0.0 0.1 24 24 22 6	6 7	7
ANEMIAS (280-285) 126 33 93 0.1 0.0 0.1 25 25 23 8	11 8	8
ACUTE BRONCHITIS & BRONCHIOLITIS (466) 75 0 75 0.0 0.0 0.1 26 28 25 19	0 19	9
APPENDICITIS (540-543) 72 57 15 0.0 0.1 0.0 27 23 27 36	57 15	5
KIDNEY INFECTIONS (590) 30 16 14 0.0 0.0 0.0 28 27 28 10	8 14	4
NUTRITIONAL DEFICIENCIES (260-269) 155 40 115 0.1 0.0 0.1 24 24 22 6 ANEMIAS (280-285) 126 33 93 0.1 0.0 0.1 25 25 23 8 ACUTE BRONCHITIS & BRONCHIOLITIS (466) 75 0 75 0.0 0.0 0.1 26 28 25 19 APPENDICITIS (540-543) 72 57 15 0.0 0.1 0.0 27 23 27 36 KIDNEY INFECTIONS (590) 30 16 14 0.0 0.0 0.0 28 27 28 10 HYPERPLASIA OF PROSTATE (600) 24 24 0 0.0 0.0 0.0 29 26 29 6	6 (0
ALL OTHER EXTERNAL CAUSES (E980-E999) 375 254 121 0.2 0.3 0.2 42	36 61	1
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799) 3.188 1.568 1.620 2.0 1.9 2.1 35	35 36	
ALL OTHER CAUSES (RESIDUAL) 12,556 5,508 7,048 7.8 6.7 9.0 12	12 12	
721 0 712 0 713 0	, _ 12	_
ALL CAUSES 160,188 82,227 77,961 100. 100. 100. 14	14 14	

NOTES: PERCENTAGES MAY NOT ADD TO 100.0 DUE TO ROUNDING. SEE TEXT FOR METHOD OF COMPUTING YEARS OF LIFE LOST.

CAUSE OF DEATH GROUPS	TOTAL	****** UNDER	***** 1_1				****** 0-24 25										
AND SEX	DEATHS	1	1 4	3-9 10) 14 1	1-19 20	J 24 25	1-34 3	3 44 4.	J-J4 9.	, J9 0t	J-04 0.	J-09 /	J-74 7	3.79 6	0-84	84
OTHER SALMONELLA INFECTIONS	AND OTHE	R FOOD PO	ISONI	ING (BAC	CTERIAL	_) (00:	3,005)										
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	Ο.	0
TOTALS	1	0	0	0	0	0	0	0	0	. 0	0	0	0	0	1	0	0
ILL-DEFINED INTESTINAL INFE	CTIONS (0	09)															
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TUBERCULOSIS OF RESPIRATORY	′ SYSTEM (010-012)															
MALE	2	0	0	0	0	0	0	0	0	٠.٥	1	0	0	0	1	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
TOTALS	4	0	. 0	0	0	0	0	0	0	0	1	0	0	1	1	0	1
OTHER TUBERCULOSIS (013-018	3)																
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
MENIGOCOCCAL INFECTION (036	5)																
FEMALE	1	0	1	0	0	0	. 0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SEPTICEMIA (O38)						•											
MALE	14	0	0	0	0	0	0	0	0	1	2	1	1	2	3	3	1
FEMALE	32	0	0	0	0	0	0	1	1	1	1	0	5	4	3	5	11
TOTALS	46	0	0	0	0	0	0	1	1	2	3	1	6	6	6	8	12
ALL OTHER BACTERIAL DISEASE	S (020-02	2,024-031	1,039-	-041)													
MALE	5	1	0	0	0	0	0	0	0	0	1	0	1	1	0	1	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTALS	7	1	0	0	0	0	0	0	0	0	1	0	1	1	0	2	1
VIRAL HEPATITIS (070)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
TOTALS	4	0	0	0	0	0	0	0	0	0	1	2	0	0	0	1	0
OTHER VIRAL DISEASES (046-0	049,051-05	4,057-061	1,065,	,066,07°	1-079)												
MALE	19	0	0	0	0	0	2	5	9	0	0	0	0	1	0	1	1
FEMALE	13	0	0	0	0	0	0	1	0	0	0	1	2	1	2	1	5
TOTALS	32	0	0	0	0	0	2	6	9	0	0	1	2	2	2	2	6
MYCOSES (110-118)																	
MALE	3	0	0	0	0	0	0	0	0	Ó	0	0	1	0	1	1	0
FEMALE	6	0	0	0	0	0	0	0	1	i	0	1	0	0	2	1	0
TOTALS	9	0	0	0	0	0	0	0	1	1	0	1	1	0	3	2	0
LATE EFFECTS OF TUBERCULOSI											_		_	_			
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0
TOTALS	5	0	0	0	0	0	0	0	0	0	0	1	0	1	2	0	1

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1988 (RESIDENT DATA)

			*****	*****				*****										***
	DEATH GROUPS D SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 1	0-14 19	5-19 :	20-24 2	5-34 3	5-44 4	5-54 55	5-59 6	0-64 6	5-69 7	0-74 7	5-79 8	0-84	OVER 84
(CONT.)																		
LATE EFFE	CTS OF ACUTE	POLIOMYELITIS ((138)															
FEMALE		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	INFECTIOUS	AND PARASITIC D			_ ,	-136,13												
MALE		1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE		7	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1	3
TOTALS		8	0	0	0	0	0	0	0	0	1	0	0	0	1	2	1	3
	NEOPLASMS O	F: TONGUE (141)	0	_	_	_	^	^	^	^	^	1	1	_		_	_	_
MALE		3	0	0	0	0	0	0	0	0	0	0	0	0 1	1	0	0	0 1
FEMALE TOTALS		4 7	0	0	0	0	0	0	0	0	1	1	1	1	2	0	0	1
	NEODI ACMO O	F: PHARYNX (146-	•	O	O	U	O	U	U	U	1	'	1	'	2	O	O	'
MALE	NEUPLASMS U	15	0	0	0	0	0	0	0	0	3	0	2	1	4	3	2	0
FEMALE		13	0	0	o o	0	0	0	0	0	Ô	2	2	2	4	1	1	1
TOTALS		28	0	Ô	Õ	Ô	Õ	Õ	0	Ô	3	2	4	3	8	4	3	1
	NEOPLASMS O	F: OTHER SITES V	VITHIN T	•	•	CAVIT	Y AND	PHARYN	X (142	- 145. 1	49.1-14	_	,	Ū	J		ŭ	•
MALE		7	0	0	0	0	0	0	0	1	1	0	0	1	1	3	0	0
FEMALE		3	o o	ō	ō	Ō	Ō	Ō	Ō	1	0	Ö	Ō	1	0	0	1	Ō
TOTALS		10	Ō	Ö	0	Ó	0	0	0	2	1	0	Ó	2	1	3	1	0
MALIGNANT	NEOPLASMS O	F: ESOPHAGUS (15	50)															
MALE		38	. 0	0	0	0	0	0	0	1	5	5	5	11	3	5	3	0
FEMALE		13	0	0	0	0	0	0	0	0	0	1	2	2	2	3	0	3
TOTALS		51	0	0	0	0	0	0	0	1	5	6	7	13	5	8	3	3
MALIGNANT	NEOPLASMS O	F: STOMACH (151))															
MALE		43	0	0	0	0	0	0	1	0	4	3	5	9	6	8	5	2
FEMALE		31	0	0	0	0	0	0	0	0	1	. 3	1	6	4	3	4	9
TOTALS		74	0	0	0	0	. 0	0	1	0	5	6	6	15	10	11	9	11
	NEOPLASMS O	F: SMALL INTEST:		LUDING			- /	_		•	•	_	•	_	•			_
MALE		5	0	0	0	0	0	0	1	0	0	0	0	, 0	2	1	1	0
TOTALS	NEOD! LONG O	5	0	0	0	O TRANS	0	COLON	(450.0	0	0 - 153 - 7	•	O	0	2	1	1	O
	NEUPLASMS U	F: HEPATIC AND	O	P LEXUR	ES AND	O		COLON	0	,	, 153.7	,	0	1	0	0	0	0
MALE TOTALS	•	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	NEODI ASMS O	F: DESCENDING CO		3.2)	O	0	O	O	O	O	O	O	O		O	O	O	O
FEMALE	NEUPLASMS U	. DESCENDING CO	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS		1	0	0	0	Ô	Õ	0	0	Õ	Ô	0	Õ	0	Ô	i	0	0
	NEODI ASMS O	F: SIGMOID COLOR			J	Ū	J	Ŭ	Ū	Ŭ	•	Ū	•	•	•	•	Ŭ	J
MALE		5 5	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1
FEMALE		3	Ö	Ö	Ö	ŏ	Ö	ŏ	ŏ	ŏ	Ö	Ö	ŏ	Ö	Ö	1	1	1
TOTALS		8	Ö	ō	Ö	Ō	Õ	Ō	Ö	Ö	Ö	Ö	Ö	1	1	- 2	2	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

CAUSE OF DEATH GROUPS		********* NDER 1-4	****** 5-9					AT DEAT 35-44 45				***** 5-69 7	****** '0-74 7	***** '5-79 8	*****	**** OVER
AND SEX	DEATHS	1														84
(CONT.)																
MALIGNANT NEOPLASMS OF:	CECUM, APPENDIX	AND ASCEN	DING CO	OLON (1	153.4-	153.6)										
MALE	7	0 0	0	o`	0	o o	0	0	0	1	0	0	1	3	1	1
FEMALE	1	0 0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	8	0 0	0	0	0	0	0	0	0	1	0	0	1	4	1	1
MALIGNANT NEOPLASMS OF:	OTHER AND COLON,	, UNSPECIF	IED (19	53.8-15	53.9)											
MALE	107	0 0	0	0	0	0	0	1	6	6	11	20	13	19	19	12
FEMALE	148	0 0	0	0	0	0	0	2	7	10	6	23	17	21	25	37
TOTALS	255	0 0	0	0	0	0	0	3	13	16	17	43	30	40	44	49
MALIGNANT NEOPLASMS OF:			TION AN			,										
MALE	23	0 0	0	0	0	0	0	0	1	3	7	3	2	2	3	2
FEMALE	24	0 0	0	0	0	0	0	0	1	1	3	2	5	4	2	6
TOTALS	47	0 0	0	0	0	0	0	0	2	4	10	5	7	6	5	8
MALIGNANT NEOPLASMS OF:		(155.0)	_	_												
MALE	3	0 0	0	0	0	0	0	1	0	0	0	1	1	0	0	0
FEMALE	5	0 0	0	0	0	0	0	0	0	2	1	0	2	0	0	0
TOTALS	8	0 0	0	0	0	0	0	1	0	2	1	1	3	0	0	0
MALIGNANT NEOPLASMS OF:			,	_	_	_	_	_	_	_			_	_	_	_
MALE FEMALE	4	0 1	0	0	0	0	0	0	0	0	0	1	2	0	0	0
TOTALS	6 10	0 0	0	0	0	0	0	0	1	1 1	1	0	1 3	1	1	0
MALIGNANT NEOPLASMS OF:		•	RIMARY	•	CONDARY	•	•	O	1	7	1	1	3	1	1	0
MALE .	LIVER, NOT SPECI	0 0	C C	OK 25C	O	0	2)	0	0	0 .	1	3	1	0	_	1
FEMALE	3	0 0	0	0	0	0	0	0	0	0	1	0	2	0	2 0	0
TOTALS	11	0 0	0	0	0	0	0	0	0	0	2	3	3	0	2	1
MALIGNANT NEOPLASMS OF:		0	•	•	~	•	Ü	O	0	O	2	3	3	O	2	1
MALE	1	0 0	0	0	0	0	0	0	0	. 0	0	0	0	4	0	0
FEMALE	13	0 0	0	0	0	0	0	Ö	2	0	0	2	3	2	1	3
TOTALS	14	0 0	Ö	Ó	. 0	0	0	0	2	0	Ö	2	3	3	1	3
MALIGNANT NEOPLASMS OF:		· ·	•	Ŭ	•	Ů	·	Ü	-	•	,	-	•	•	•	•
MALE	69	0 0	0	0	0	0	0	0	4	6	13	10	10	12	7	7
FEMALE	- 65	0 0	Ô	Ô	Õ	Õ	Õ	Õ	3	6	8	9	12	6	10	11
TOTALS	134	o o	ŏ	ŏ	Ö	Ô	Õ	Õ	7	12	21	19	22	18	17	18
MALIGNANT NEOPLASMS OF:	RETROPERITONEUM.	PERITONE	UM AND	OTHER	SITES	WITHIN	THE	DIGESTIV	E ORG		58-159)				
MALE	10	0 0	0	0	0	0	0	0	1	0	0	´ 2	0	0	5	2
FEMALE	20	0 0	0	0	Ō	0	0	Ō	0	1	Ō	2	1	7	2	7
TOTALS	30	0 0	0	0	0	0	0	0	1	1	0	4	1	7	7	9
MALIGNANT NEOPLASMS OF:	LARYNX (161)															
MALE	16	0 0	0	0	0	0	0	0	1	2	1	4	5	3	0	0
FEMALE	4	0 0	0	0	0	0	0	0	0	0	1	0	1	2	0	0
TOTALS	20	0 0	0	0	0	0	0	0	1	2	2	4	6	5	0	0

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1988 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	******* UNDER 1		****** 5-9 10		****** 5-19 20											OVER
AND SEX	DEATHS	l															84
(CONT.)																	
MALIGNANT NEOPLASMS OF:	TRACHEA, BRO	NCHUS, AN	ID LUN	IG (162)													
MALE	496	Ó	0	Ò	0	0	0	0	11	29	50	79	96	85	70	54	22
FEMALE	261	0	0	0	0	0	0	1	3	30	31	33	48	44	34	19	18
TOTALS	757	0	0	0	0	0	0	1	14	59	81	112	144	129	104	73	40
MALIGNANT NEOPLASMS OF:	ALL OTHER SI	TES WITHI	N THE	RESPIR	ATORY	SYSTEM	1I &	NTRATHO	RACIC	ORGANS	(160	, 163-1	65)				
MALE	4	0	0	0	0	0	0	0	0	Ó	0	0	2	1	0	0	1
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1	2
MALIGNANT NEOPLASMS OF:	BONE AND ART	ICULAR CA	RTILA	GE (170)												
MALE	5	0	0	0	0	0	1	0	0	1	0	1	1	0	0	1	0
FEMALE	2	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0
TOTALS	7	0	0	0	0	1	1	0	0	1	0	1	1	0	1	1	0
MALIGNANT NEOPLASMS OF:			SOFT	. 1000	(171)												
MALE	13	0	0	0	1	0	0	1	0	1	3	1	2	1	2	0	1
FEMALE	6	0	0	0	0	0	0	0	0	2	0	2	0	1	1	0	0
TOTALS	19	0	0	0	1	0	0	1	0	3	3	3	2	2	3	0	1
MALIGNANT NEOPLASMS OF:																	
MALE	16	0	0	0	0	0	0	0	2	2	2	0	5	2	1	1	1
FEMALE	15	0	0	0	0	0	0	1	0	2	2	2	1	2	2	2	1
TOTALS	31	0	0	0	0	0	0	1	2	4	4	2	6	4	3	3	2
MALIGNANT NEOPLASMS OF:					(173)		_	_	_		_			_	_		
MALE	8	0	0	0	0	0	0	0	0	1	2	0	1	2	2	0	0
FEMALE	4	0	0	0	0	0	0	0	1	0	0	0	0	3	0	0	0
TOTALS	12	O .	0	0	0	0	0	0	1.	1	2	0	1	5	2	0	0
MALIGNANT NEOPLASMS OF:		, ,	_	_	_		_	_	4.55		0.77						
FEMALE	229 229	0	0	0	0	0	0	3 3	17	33	27	27	29	33	22	16	22
TOTALS		0	0	O	0	O	O	3	17	33	27	27	29	33	22	16	22
MALIGNANT NEOPLASMS OF:	•	(180)	0	0	0	0		0	_	4	^	_		_	4	_	_
FEMALE TOTALS	22 22	0	0	0	0	0	1	0	2 2	4 4	2	5 5	4	0	1	0	3
MALIGNANT NEOPLASMS OF:		•	•	0 9.181-18		O	1	O	2	4	2	5	4	O	1	0	3
FEMALE	OTHER PARTS	OF DIERUS	0	0, 181-18 0	2)	0	0	0	0	2 .	3	4	8	8	7	^	^
TOTALS	34	0	0	0	0	0	0	0	0	2 · 2	3	4	8	8	7	0	2 2
MALIGNANT NEOPLASMS OF:		-	•	•	83)	O	O	O	U	2	3	4	۰	8	,	O	. 2
FEMALE	55	O O	O O	0	0	0	0	4	4	7	5	4	3	3	11	9	8
TOTALS	55 55	0	0	0	0	0	0	1	4	7	5	4	3	3	11	9	8
MALIGNANT NEOPLASMS OF:		•	-	-	•	•	184)	1		1	J	4	3	3	1 1	9	٥
FEMALE	9	0	O	0	0	0	0	0	1	0	4	0	1	4	0	2	3
TOTALS	9	0	0	0	0	0	0	0	i	0	1	0	1	1	0	2	3
MALIGNANT NEOPLASMS OF:	•	•	J	0	0	J	0	U	•	U	'	J	'	,	J	~	3
MALIGNANT NEOFEASMS OF.	163	0	0	0	0	0	0	0	0	2	4	8	19	19	43	34	34
TOTALS	163	0	0	0	Õ	0	Ô	0	0	2	4	8	19	19	43	34	34
	, 55	Č	ŭ	Ŭ	-	J	•	Ü	J	-		J	. 3	. 3	, 0	5 -	5 -

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

CAUSE	OF DEATH GROUPS	TOTAL	***** UNDER	***** 1-4	****** 5-9 10			****** 20-24 25										**** OVER
37.002	AND SEX	DEATHS	1			0 14 1	5 15 2	.0 24 2		5 44 4	5 54 5.	3 33 0	0 04 0	13 03 /	0 14 1	3 /3 8	0 04	84
(CONT	r.)																	
MALIGN	NANT NEOPLASMS OF:	TESTIS (186)																
MAL		1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTA		1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	NANT NEOPLASMS OF:	PENIS AND OTH	HER MALE	GENI	TAL ORG	ANS (1	87)											
MALE		2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
TOTA	-	2	0	0	0	0	0	0	0	0	<u>,</u> 1	0	0	0	1	0	0	0
	NANT NEOPLASMS OF:	BLADDER (188)																
MALE		36	0	0	0	0	0	0	0	0	0	2	1	8	7	5	6	7
FEMA	/LE	24	0	0	0	0	0	0	0	0	0	2	0	2	3	3	4	10
TOTA		60	0	0	0	0	0	0	0	0	0	4	1	10	10	8	10	17
MALIGN	NANT NEOPLASMS OF:	KIDNEY AND 01	THER UNSI	PECIF	IED URII	NARY O	RGANS	(189)										
MALE		40	0	0	0	0	0	0	0	1	1	4	3	9	7	8	4	3
FEMA		24	0	1	0	0	0	0	0	0	4	2	5	1	2	3	4	2
TOTA	\LS	64	0	1	0	0	0	0	0	1	5	6	8	10	9	11	8	5
MALIGN	NANT NEOPLASMS OF:	EYE (190)																
FEMA	\LE	2	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTA	ALS	2	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0
MALIGN	NANT NEOPLASMS OF:	BRAIN (191)																
MALE		36	0	0	0	0	0	1	2	2	6	4	2	2	9	4	1	3
FEM.	\LE	23	0	0	0	0	0	0	2	2	1	4	2	3	1	4	1	3
TOTA	\LS	59	0	0	0	0	0	1	4	4	7	8	4	5	10	8	2	6
MALIGN	NANT NEOPLASMS OF:	OTHER AND UNS	PECIFIE	D PART	TS OF N	ERVOUS	SYSTE	M (192))									
MALE		4	0	0	0	0	0	0 -	0	0	1	0	0	2	0	0	1	0
FEM.	\LE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	Ō
TOTA	\LS	5	0	0	0	0	0	0	0	0	1	0	0	2	0	ō	2	ō
MALIGN	NANT NEOPLASMS OF:	THYROID GLAND	O, OTHER	ENDO	CRINE GI	LANDS.	RELAT	ED STRU	JCTURE	S (193	-194)							_
MALE	Ξ	5	0	0	0	0	0	O	0	Ò	1	0	1	0	1	1	0	1
FEMA	\LE	1	0	0	0	0	0	0	0	0	1	Ō	0	Ō	O	Ó	ō	Ó
TOTA	\LS	6	0	0	Ō	0	Ō	Ō	Ō	Ō	2	Õ	1	Õ	1	1	Õ	1
MALIGN	NANT NEOPLASMS OF:	ALL OTHER AND	UNSPEC	IFIED	SITES	(195-1	99)	-	•	-		•		•			•	
MALE		123	0	0	0	. 0	Ō	0	1	2	7	10	16	25	23	14	17	8
FEM.	\LE	110	Ō	Ö	Ō	Ō	1	Ō	Ó	2	3	3	10	14	19	17	15	26
TOTA	\LS	233	0	0	Ö	Ô	1	Ō	1	4	10	13	26	39	42	31	32	34
LYMPHO	SARCOMA AND RETIC	ULOSARCOMA (20	00)					•			. •					• •	-	•
MALE		12	0	0	0	0	0	0	0	0	2	3	2	1	0	1	1	2
FEMA	\LE	13	Ö	ō	Ö	Ö	Ö	Ö	1	Ö	ō	Ö	ō	2	1	5	1	3
TOTA		25	Ö	ŏ	Ö	Ö	Õ	Õ	i	Õ	2	3	2	3	i	6	2	5
	N'S DISEASE (201)		-	-	-	-	•	-	•	•	_	-	_	-	•	_	_	J
MALE		. 3	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0
FEMA		3	Õ	Õ	ŏ	ŏ	Õ	ŏ	Õ	Õ	ò	ŏ	1	Ö	1	Ö	1	Ö
TOTA		6	Õ	õ	Ô	Ô	Õ	Õ	Ô	Ô	1	0	2	1	i	Ô	i	0
	- -	-	•	•	Ŭ	•	•	•	•	•	•	~	_	•	•	•		9

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1988 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** UNDER 1		****** 5-9 10			******)-24 25										**** OVER 84
(CONT.)	•																
OTHER MALIGNANT NEOPLASM (OF LYMPHOID	AND HIS	TIOCYT	IC TISS	SUE (20	02)											
MALE	32	0	0	1	0	0	0	1	0	5	3	4	6	4	2	3	3
FÉMALE	30	0	0	0	0	0	0	1	0	3	2	4	3	4	7	4	2
TOTALS	62	0	0	1	0	0	0	2	0	8	5	8	9	8	9	7	5
MULTIPLE MYELOMA AND IMMUN	NOPROLIFERAT	IVE NEO	PLASMS	(203)													
MALE	14	0	0	0	0	0	0	0	1	0	1	1	2	2	4	2	1
FEMALE	31	0	0	0	0	0	0	0	1	1	2	5	3	8	3	4	4
TOTALS	45	0	0	0	0	0	0	0	2	1	3	6	5	10	7	6	5
LYMPHOID LEUKEMIA (204)																	
MALE	13	0	0	0	0	1	1	0	0	1	0	1	1	3	0	3	2
FEMALE	10	0	0	0	0	0	0	1	0	0	0	0	1	1	2	3	2
TOTALS	23	0	0	0	0	1	1	1	0	1	0	1	2	4	2	6	4
MYELOID LEUKEMIA (205)																	
MALE	23	0	0	0	0	0	0	0	3	0	0	3	4	4	5	4	0
FEMALE	16	0	0	0	0	0	1	1	1	1	1	2	0	3	1	3	2
TOTALS	39	0	0	0	0	0	1	1	4	1	1	5	4	7	6	7	2
MONOCYTIC LEUKEMIA (206)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
OTHER AND UNSPECIFIED LEUR	KEMIA (207-2	08)															
MALE .	13	0	0	0	0	0	0	0	2	1	0	0	2	1	2	3	2
FEMALE	10	0	0	0	0	0	0	0	1	0	2	1	1	0	2	2	1
TOTALS	23	0	0	0	0	0	0	0	3	1	2	1	3	1	4	5	3
BENIGN NEOPLASMS OF EYE, 8	BRAIN AND OT	HER PAR	TS OF	NERVOUS	SYSTE	EM (224	4-225)										
FEMALE	7	0	0	0	0	0	0	0	0	0	. 0	0	2	0	1	2	2
TOTALS	7	0	0	0	0	0	0	0	0	0	0	0	2	0	1	2	2
CARCINOMA OF ALL OTHER AND	O UNSPECIFIE	D SITES	(230-	232,234	1) .												
MALE	1	0	0	0	0	0	0	0	0	0	0	0	, 0	1	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
NEOPLASMS OF UNCERTAIN BEH	HAVIOR (235-																
MALE	7	0	0	0	0	0	0	0	0	1	1	1	0	1	1	1	۱1
FEMALE	14	0	0	0	0	0	0	1	0	1	1	1	0	0	0	3	7
TOTALS	21	0	0	0	0	0	0	1	0	2	2	2	0	1	1	4	8
NEOPLASMS OF UNSPECIFIED N	NATURE (239)																
MALE	17	0	0	0	0	1	0	0	2	5	1	2	0	2	1	1	2
FEMALE	19	0	0	0	0	0	0	0	0	0	0	3	0	3	4	3	6
TOTALS	36	0	0	0	0	1	0	0	2	5	1	5	0	5	5	4	8
DISORDERS OF THYROID GLAND	0 (240-246)																
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	4
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	4

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1988 (RESIDENT DATA)

		*****	*****	*****	*****	****	*****	* AGE	AT DEA	TH(YRS	.) ***	*****	*****	*****	*****	****	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10	0-14 15	-19 20	0-24 2	5-34 3	35-44 4	5-54 5	5-59 6	0-64 6	55-69	70-74 7	75-79 8	30-84	OVER 84
(CONT.)																	
DIABETES MELLITUS (250)																	
MALE	113	0	0	0	0	0	0	0	6	6	9	13	17	14	21	13	14
FEMALE	163	0	0	0	0	0	0	2	4	6	9	13	21	27	23	31	27
TOTALS	276	0	0	0	0	0	0	2	10	12	18	26	38	41	44	44	41
DISORDERS OF THE PITUITARY	GLAND AND				,	253)		_	_	^		^	_	_	_	_	_
FEMALE TOTALS	1	0	0	0	0	0	. 0	0	0	0	1	0	0	0	0	0	0
DISORDERS OF ADRENAL GLANDS	•	O	O	0	O	O	O	0	O	O	1	0	O	O	O	O	O
FEMALE	5 (255) 2	0	^	0	0	0	0	0	0	0	^	0	1	0	0	1	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
CYSTIC FIBROSIS (277.0)	2	U	U	O	O	O	U	O	O	O	U	U	'	O	U		U
MALE	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
FEMALE	2	0	0	0	0	0	0	1	1	0	0	0.0	0	0	0	0	0
TOTALS	4	0	0	0	0	0	1	2	4	0	0	0	0	0	0	0	0
OBESITY (278.0)	4	O	U	O	O	O	'	2	'	O	U	U	U	O	0	O	O
MALE	6	0	0	0	0	0	0	0	0	0	2	2	1	0	0	1	0
FEMALE	6	0	0	0	0	0	0	0	0	1	Õ	Ô	Ċ	0	2	2	1
TOTALS	12	0	o o	Ô	0	0	0	0	0	1	2	2	1	0	2	3	1
ALL OTHER ENDOCRINE. METABO		•	-	-	•	•	•	•	276,27		_	_	,	0	~	3	'
MALE	23	0	0	0	0	0	0	0	1	5	1	4	1	3	2	2	4
FEMALE	30	2	Õ	Õ	Ö	Õ	Õ	Õ	2	2	3	1	2	4	4	5	5
TOTALS	53	2	Õ	Õ	Õ	Õ	Õ	Õ	3	7	4	5	3	7	6	7	9
NUTRITIONAL MARASMUS (261)			•	•		•	•	•	•			-	-				
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	Ō	Ō	Ō	0	0	Ō	Õ	Ö	Ō	Õ	Ō	Ö	1	Ō
OTHER PROTEIN-CALORIE MALNU	JTRITION (:	262-263)													_		
MALE	7	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	5
FEMALE	15	Ō	0	0	Ö	. 0	0	0	Ö	0	0	0	0	0	0	4	11
TOTALS	22	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4	16
ALL OTHER NUTRITIONAL DEFI	CIENCIES (:	260,264-2	269)														
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
DEFICIENCY ANEMIAS (280-28	1)																
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
HEMOLYTIC ANEMIAS (282-283)																
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0,	0	0	0	0	0	0	1	0
APLASTIC ANEMIA (284)																	
MALE	2	0	0	0	0	0	0	0	0	0	. 0	1	0	1	0	0	0
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2
TOTALS	6	0	0	0	0	0	0	0	0	0	0	1	0	1	2	0	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

- DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1988 (RESIDENT DATA)

		*****	*****	****	*****	*****	*****	* AGE	AT DEA	TH(YRS.) ***	*****	*****	*****	*****	****	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 1	0-14 1	5-19 20	0-24 2	5-34 3	5-44 4	5-54 55	5-59 60)-64 _, 65	5-69 7	0-74 7	5-79 8	0-84	OVER 84
(CONT.)																	
OTHER AND UNSPECIFIED ANE	MIAS (285)																
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	2
TOTALS	7	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	2
PURPURA AND OTHER HEMORRH	AGIC CONDIT	IONS (28	7)														
MALE	2	0	0	1	0	0	1	0	0	G	0	0	0	0	0	0	0
FEMALE	2	Ō	0	0	0	0	0	0	0	Ō	Ó	0	Ô	1	Ó	1	ō
TOTALS	4	0	0	1	0	0	1	Ō	0	Ō	0	Ō	Ō	1	Ō	1	Õ
ALL OTHER DISEASES OF BLO	OD AND BLOOK	D-FORMING	G ORGA	NS (28	6.288-	289)				-							•
MALE	· 5	0	0	Ò	0	Ó	0	0	0	0	0	0	1	1	3	0	0
FEMALE	6	Ö	1	ō	Ō	Õ	Ō	Ö	Õ	ō	Ō	Ö	Ó	Ó	1	2	2
TOTALS	11	Õ	1	Ô	Õ	Õ	Õ	Õ	Õ	Õ	Ô	Õ	1	1	4	2	2
SENILE AND PRESENILE ORGA	NIC PSYCHOT	TO CONDI.	TTONS	(290)	•	•	•	•	·	•	·	•		•	·	_	~
MALE	26	0	0	0	0	0	0	0	0	0	0	0	0	2	4	8	12
FEMALE -	45	Ö	Ö	Ö	Õ	ő	Ö	Ö	Ö	Ö	Ô	Ö	Ö	Õ	4	12	29
TOTALS	71	0	Ô	0	0	0	0	0	0	0	0	Ô	Ô	2	8	20	41
ALCOHOLIC PSYCHOSES (291)	7 1	U	U	O	O	O	O	O	U	O	O	U	O	2	0	20	41
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	4
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1
ALL OTHER PHYCHOSES (292-	_	U	O	U	O	O	O	O	U	U	O	O	O	O	ı	'	ı
MALE MALE	299 <i>)</i> 13	0	0	0	0	0	0	0	0	1	1	0	1	1	1	^	_
FEMALE	7	0	0	0	0	0	0	0	0	Ó	0	0	Ö	Ö	2	2 1	6 4
	*	-	0		_	_	_	0	_	1.	1	-	-	-			•
TOTALS	20	0	0	0	0	0	0	O	0	1,	1	0	1	1	3	3	10
ALCOHOL DEPENDENCE SYNDRO	, ,	_	_	_	_	_	_		_	_	_	_	_		_		_
MALE	28	. 0	0	0	0	0	0	1	2	7	6	5	5	1	0	1	0
FEMALE	5	0	0	0	0	0	0	0	0	0	1	2	1	0	1	0	0
TOTALS	33	0	0	0	0	0	0	1	2	7	7	7	6	1	1	1	0
OTHER NEUROTIC, PERSONALI					RDERS	(300-30	- , -	- /			_	_			_		
MALE	21	0	o.	0	0	1	0	0	1	1	0	0	1	1	3	3	10
FEMALE	16	0	1	0	0	0	0	0	0	0	0	1	1	1	1	1	10
TOTALS	37	0	1	0	0	1	0	0	1	1	0	1	2	2	4	4	20
MENTAL RETARDATION (317-3																	
MALE	2	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	1	Ο.	0	0	0	0	0	1	0
TOTALS	4	0	0	0	0	0	0	0	2	0	0 .	• 1	0	0	0	1	0
MENINGITIS (320-322)																	
MALE	2	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
FEMALE	2	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	4	1	1	0	0	1	0	0	0	0	0	0	0	1	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

CAUSE	OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** UNDER 1	*****	******* 5-9 10	***** 9-14 1!	****** 5-19 2(***** 0-24	** AGE A 25-34 35	AT DEAT 5-44 49	TH(YRS 5-54 5!	.) *** 5-59 6	*****)-64 6	***** 5-69 7	****** 70-74 7	****** '5-79 8	***** 0-84	***** OVER 84
(cov	IT.)																	
PARKI	NSON'S DISEASE (332)																	
MAL		28	0	0	0	0	0	0	0	0	0	0	0	3	9	6	7	3
FEM	IALE	28	0	0	0	0	0	0	0	0	0	0	0	2	1	. 4	13	8
	ALS	56	0	0	0	0	0	0	0	0	0	0	0	5	10	10	20	11
	HEREDITARY AND DEGEN	NERATIVE DI	SEASES OF	THE	CENTRAL	– .	OUS SYS	STEM	(330-33	1,333-0	337)							
MAL		57	1	1	0	0	0	0	1	0	1	1	4	4	5	10	13	16
	MALE	87	0	0	0	1	0	1	1	0	1	0	1	4	9	9	16	44
	ALS	144	1	1	0	1	0	1	2	0	2	1	5	8	14	19	29	60
	PLE SCLEROSIS (340)																	
MAL		6	0	0	0	0	0	0	0	1	0	1	2	1	1	0	0	0
	MALE	14	0	0	0	0	0	0	0	2	1	2	4	2	2	1	0	0
	ALS	20	0	0	0	0	0	0	0	3	1	3	6	3	3	1	0	0
	ITILE CEREBRAL PALSY (, ,																
MAL		3	0	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0
	ALS ,	3	0	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0
	EPSY (345)																	
MAL		5	0	0	0	0	0	0	2	0	0	0	0	2	0	0	1	0
	IALE	2	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0
	ALS	7	0	0	1	0	0	0	2	0	0	0	1	2	0	0	1	0
	DISEASES OF THE NERV					*	- /	_		_	_		_	_	_			
MAL		27	0	0	0	1	2	0	1	3	2	0	3	3	3	3	4	2
	1ALE	15	0	1	0	0	0	0	0	1	1	3	2	1	3	1	2	0
	ALS	42	0	1	0	1	2	0	1	4	3	3	5	4	6	4	6	2
	RHEUMATIC FEVER (390)-392)	_	_	_	_	_	_	_	_	_	_	_	_	_			
	ALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	ALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	SES OF MITRAL VALVE (_	_	_	_	_	_	_	_	_	_		_	_	_		
MAL		3	0	0	0	0	0	0	0	0	0	. 2	1	0	0	0	0	0
	ALE	17	0	0	0	0	0	0	0	1	0	1	3	2	2	3	2	3
_	ALS	20	0	0	0	0	0	0	0	1	0	3	4	2	2	3	2	3
	SES OF MITRAL AND AOF		(396)	_	•	•	_	_	•	•	^	_	_	•	_	_	_	
MAL		1	•	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
. –	1A LE	4	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	2
	ALS	5	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	3
	THER CHRONIC RHEUMATI			- ,	,	0	^	^	•	^			_	•	_	1	_	
MAL		4	0	0	0	•	0	0	0	0	1	1	0	0	0	,	0	1
	ALE	14	0	0	0	0	0	0	0	0	1 2	0	0	3	4 4	3	2	1
	ALS	18	0	O	0	O	O	0	0	U	2	1	O	3	4	4	2	2
	TIAL HYPERTENSION (40)1 <i>)</i> 5	0	0	0	0	0	0	0	0	4	0	2	0	0	4	4	_
MAL		່ວ 16	0	0	-	0	0	-	-	-	1	0	1	-	-	1	1	0
	ALE	16 21	0	0	0	0	0	0	0	1	1	0	1 3	1	2	1	3 4	7 7
101	ALS	21	U	U	U	J	J	U	U	1	ı	Ü	3	1	2	2	4	/

TABLE D-3 DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1988 (RESIDENT DATA)

		****	****	*****	*****	*****	*****	* AGE	AT DEA	TH(YRS	.) ***	*****	******	*****	*****	*****	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14 1	5-19 2	20-24 2	5-34 (35-44 4	5-54 5	5-59 6	60-64 6	55-69 7	70-74	75-79 8	80-84	OVER 84
(CONT.)																	
HYPERTENSIVE HEART DISEAS	SE (402)																
MALE	22	0	0	0	0	0	0	0	1	1	0	3	1	2	4	3	7
FEMALE	50	Ō	Ō	Ō	0	0	0	0	0	1	0	1	4	4	8	11	21
TOTALS	72	ō	ŏ	Ö	Ŏ	ō	Ō	Ō	1	2	Ō	4	5	6	12	14	28
HYPERTENSIVE RENAL DISEAS	F (403)	•	•	•	•	•	•	•			•						
MALE	10	0	0	0	0	0	0	0	0	1	0	1	0	3	1	2	2
FEMALE	13	Õ	Ô	ŏ	Ö	Õ	ŏ	Ö	Ö	Ö	Õ	Ó	1	2	3	3	4
TOTALS	23	0	Õ	Õ	0	Ô	ŏ	Ô	Õ	1	Õ	1	•	5	4	5	6
HYPERTENSIVE HEART AND RE	_	0		O	0	0	0	O	O	•	•	į.	•	Ü	-	•	Ŭ
MALE	8	(404)	0	0	0	0	0	0	0	0	0	0	0	4	4	2	- 1
FEMALE	2	0	Õ	0	0	0	0	0	0	0	Õ	Ô	0	4	ō	Ó	4
TOTALS	10	0	0	0	0	0	0	0	0	0	Ô	Ô	0	2	4	2	2
ACUTE MYOCARDIAL INFARCTI		O	U	U	U	U	U	U	U	U	U	U	U	2	4	2	2
MALE	765	0	0	0	0	0	0	4	20	58	74	89	88	125	107	106	94
		•	0	-	0	0	-		4				62			137	-
FEMALE	640	0	•	0	•	0	0	3 7		10	16	36	-	64	114		194
TOTALS	1,405	0	0	0	0	•	0	/	24	68	90	125	150	189	221	243	288
OTHER ACUTE AND SUBACUTE				DISEASE	-			_		_		_	_	_	_	_	_
MALE	19	0	0	0	0	0	0	0	1	0	1	3	0	5	2	2	5
FEMALE	6	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1	2
TOTALS	25	0	0	0	0	0	0	0	1	0	2	3	0	5	4	3	7
ANGINA PECTORIS (413)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2
FEMALE	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2
TOTALS	7	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	4
ALL OTHER FORMS OF CHRONI	C ISCHEMIC	HEART DI	SEASE	(412,4	414)												
MALE	673	0	0	. 0	0	0	0	0	8	30	39	56	77	93	108	113	149
FEMALE	713	0	0	0	0	0	0	1	4	6	10	21	38	61	77	131	364
TOTALS	1,386	0	0	0	0 '	. 0	0	1	12	36	49	77	115	154	185	244	513
DISEASES OF PULMONARY CIR	CULATION (4	15-417)											•				
MALE	22	0	0	0	0	0	0	0	0	4	1	0	3	4	6	4	0
FEMALE	36	0	0	0	0	0	2	1	1	3	3	3	2	3	6	2	10
TOTALS	58	ō	ō	Ō	Ō	Ô	2	1	1	7	4	3	5	7	12	6	10
ACUTE AND SUBACUTE ENDOCA	RDITIS (421)	-	-	-	•	_	·	·		·	_	-	•		_	
MALE	2	´ o	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
FEMALE	2	Õ	Õ	Õ	Ô	Ô	Ô	Ô	Ò	1	Ô	Ô	Õ	Õ	1	o o	Õ
TOTALS	1	0	0	Ô	Ĉ	Ô	Ô	Õ	1	2	Ô	Ô	Ô	Ô	4	0	0
ACUTE PERICARDITIS, ACUTE	. W∧U⊂VDUILI	_	_		~	_	~	_	2-423)	~	0	0	0	J		0	•
MALE	2 MINOCARDIII	S AND OT	nek D.	O	0	O) I UM (4.	20,42.	4	4	0	0	0	0	4	0	0
FEMALE	ى 1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	1	0	0	0	0	0	0	0	•	1	0	0	0	0	2	0	0
TOTALS	4	J	O	U	U	U	U	O	1	'	U	U	U	U	2	O	J

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

CAUSE OF DEATH GROUPS TOTAL UNDER 1-4 5-9 10-14 15-19 20-24 25-34 35-44 45-54 55-59 60-64 65-69 70-74 75-79 80- AND SEX DEATHS 1	84 OVER 84
•	
(CONT.)	
MITRAL VALVE DISORDERS (424.0)	
MALE 3 0 0 0 0 0 0 0 0 0 1 1 0	0 1
FEMALE 7 0 0 0 0 0 0 0 0 0 1 1	4 1
TOTALS 10 0 0 0 0 0 0 0 0 0 1 2 1	4 2
AORTIC VALVE DISORDERS (424.1)	
MALE 21 0 0 0 0 0 0 0 0 3 4 3 3	7 1
FEMALE 32 0 0 0 0 0 0 0 0 2 0 2 3	9 16
TOTALS 53 0 0 0 0 0 0 0 0 5 4 5 6	16 * 17
ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)	
MALE 6 0 0 0 0 0 0 1 0 0 0 1 1	2 1
FEMALE 5 0 0 0 0 0 0 1 0 0 0 0 1	0 3
TOTALS 11 0 0 0 0 0 0 2 0 0 0 1 2	2 4
HEART FAILURE (428)	
MALE 73 0 0 0 0 0 0 0 2 1 5 4 8 15	21 17
FEMALE 110 0 0 0 0 0 0 0 0 3 4 8 13	23 59
TOTALS 183 0 0 0 0 0 0 0 2 1 8 8 16 28	44 76
MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)	
MALE 5 0 0 0 0 0 1 0 0 0 1 1 0	0 2
FEMALE . 2 0 0 0 0 1 0 0 0 0 0 0 0 0	1 . 0
TOTALS 7 0 0 0 0 1 0 1 0 0 0 0 1 1 0	1 2
ALL OTHER FORMS OF HEART DISEASE (425-427,429.2-429.9)	
MALE : 359 2 0 0 0 1 1 2 6 22 22 28 49 43 47	57 79
FEMALE 333 2 0 0 1 0 0 2 3 4 9 7 29 25 34	44 173
	01 252
SUBARACHNOID HEMORRHAGE (430)	
MALE 9 0 0 0 0 0 0 2 2 0 0 1 3 0	0 1
FEMALE 20 0 0 0 0 0 1 1 1 2 1 4 1 3	4 2
TOTALS 29 0 0 0 0 0 1 3 3 2 1 5 4 3	4 3
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)	
MALE 30 0 0 0 0 0 0 1 2 2 6 2 3 4	4 6
FEMALE 49 0 0 0 0 0 0 0 2 0 3 5 7 11	5 16
TOTALS 79 0 0 0 0 0 0 1 4 2 9 7 10 15	9 22
OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)	
MALE_ 5 0 0 0 0 0 0 0 0 0 1 2	1 1
FEMALE 5 0 0 0 0 0 0 0 0 0 0 1	2 2
TOTALS 10 0 0 0 0 0 0 0 0 0 1 3	3 3
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)	
MALE 43 0 0 0 0 0 0 0 0 5 3 7 8	3 14
FEMALE 60 0 0 0 0 0 1 0 0 0 3 6	20 30
TOTALS 103 0 0 0 0 0 0 4 0 0 5 3 10 14	23 44

TABLE D-3 DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1988 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL UDEATHS	****** JNDER 1	****** 1-4 5		******)-14 15						,						***** OVER 84
(CONT.)														•		•	
CEREBRAL EMBOLISM (434.1)																
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
ACUTE BUT ILL-DEFINED CE				_	_	_	_	_		_	_	_					
MALE	169	0	0	0	0	0	0	0	1	2	5	8	11	25	31	34	52
FEMALE	276 445	0	0	0	0	0	0	0	1 2	,1 3	2 7	3 11	11 22	26 51	35 66	48	149
TOTALS OTHER CEREBROVASCULAR DI		•	O	U	U	U	O	O	2	3	/	11	22	51	99	82	201
MALE	38 3EASE (435,437"	0	0	0	0	0	0	O.	0	0	0	0	2	5	6	9	16
FEMALE	70	Ô	0	Ö	Õ	Õ	Ô	O.	Õ	Õ	Õ	Õ	1	2	9	10	48
TOTALS	108	Õ	ō	ō	Õ	ō	Õ	Ö	Ö	Õ	Ö	ō	3	7	15	19	64
ATHEROSCLEROSIS (440)																	
MALE	55	0	0	0	0	0	0	0	0	0	1	3	5	7	7	13	19
FEMALE	119	0	0	0	0	0	0	0	0	0	1	1	1	2	5	15	94
TOTALS	174	0	0	0	0	0	0	0	0	0	2	4	6	9	12	28	113
AORTIC ANEURYSM (441)		_	_	_	_	_	_	_		_	_	_					
MALE -	78	0	0	0	0	0	0	2	1	3	0	3	11	13	17	19	9
FEMALE	36 114	0	0	0	0	0	0	0	0	3	1	0	3 14	3 16	10 27	9 28	10 19
TOTALS ALL OTHER DISEASES OF AR		-	AND CAPI	-	•	42-448	. •	2	1	3	'	3	14	16	21	28	19
MALE	17	0	0	O	0	0	, ,	0	0	1	1	0	1	3	4	3	4
FEMALE .	32	Õ	Ô	Õ	Õ	Ô	Õ	Õ	1	Ö	i	2	4	1	8	3	12
TOTALS	49	Ö	Ö	Ö	Ō	Ō	Ö	Õ	†	1	2	2	5	4	12	6	16
PHLEBITIS, THROMBOPHLEBI	TIS, AND VENOUS	EMBOL	ISM AND	THR	OMBOSIS	S (451	-453)										
MALE	5	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	0
FEMALE	6	0	0	0	0	0	0	0	0	1	1	1	1	1	1	0	0
TOTALS	11	0	0	0	0	0	, o	0	0	1	1	2	2	2	2	1	0
OTHER DISEASES OF VEINS,							•	_	_		_		_		_		
MALE	6	0	0	0	0	0	0	0	0	0	0	1	0	1	2	1 3	1 3
FEMALE TOTALS	13	0	0	0	0	0	0	0	0	0	0	1	0	1	3	3 4	4
ACUTE UPPER RESPIRATORY	· •	•	O	O	O	Ü	0	O	Ŭ	0	O	'	O	•	3	-	-
MALE	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	1	Ö	Ö	Ó	Ö	Ö	Ö	ŏ	1	Ö	Ö	ŏ	Ö	ŏ	ŏ	Ö	ŏ
TOTALS	2	0	O	1	0	0	0	0	1	0	0	Ō	Ō	O	Ō	Ŏ	Ō
OTHER DISEASES OF UPPER	RESPIRATORY TRA	ACT (47	70-478)														
FEMALE	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
TOTALS	2	. 0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
ACUTE BRONCHITIS AND BRO			•	•	•	^	0	•		0	•		•	_	_	•	
FEMALE	4	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	2 2
TOTALS	4	O	O	O	U	U	O	U	'	U	U	I	U	U	O	J	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1988 (RESIDENT DATA)

		*****	*****	*****													****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10)-14 1	5-19 20	0-24 2!	5-34 3	5-44 4	5-54 59	5-59 6	0-64 6	5-69 7	0-74 7	5-79 8	0-84	OVER 84
(CONT.)																	
VIRAL PNEUMONIA (480)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
FEMALE	4	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	1
TOTALS	6	0	0	0	0	0	0	0	0	0	1	1	1	0	0	2	1
PNEUMOCOCCAL AND OTHER BA	_	•	181-48	-,													
MALE	11	0	0	0	0	0	0	0	0	0	0	1	0	2	2	2	4
FEMALE	. 5	0	0	0	0	0	0	0	0	٥	0	0	2	1	0	0	2
TOTALS	16	0	0	0	0	0	0	0	0	0	0	1	2	3	2	2	6
BRONCHOPNEUMONIA, ORGANIS			_	_	_	_	_	_	_	_	_						
MALE	16	2	0	0	0	0	0	0	0	0	0	1	0	1	1	2	9
FEMALE	17	0	0	0	0	0	0	0	1	0	0	0	0	1	0	3	12
TOTALS . PNEUMONIA DUE TO OTHER AN	33	2	0	0	0	0	0	0	1	0	0	1	0	2	1	5	21
MALE	120	D UKGAN,		,,		1	^			^	_	_	_				
FEMALE	163	0	0	0	0	1	0	1	1	2	0	5	5	15	15	23	52
TOTALS	283	0	0	0	0	2	-	1 2	1	0	2	4	5	10	12	29	98
INFLUENZA (487)	203	O	U	O	O	2	0	2	2	2	2	9	10	25	27	52	150
MALE	3	0	0	0	0	0	0 .	0	0	0	^	^	^			_	
FEMALE	10	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1
TOTALS	13	0	0	0	0	0	0	0	0	0	0	0	0	0 1	1 2	2 2	7 8
BRONCHITIS, NOT SPECIFIED		•	•	•	O	O	V	O	O	O	U	U	U	1	2	2	8
MALE MALE	3	0	0	, 0	0	0	0	0	0	0	0	0	0	0	2	0	1
FEMALE	3	Õ	Õ	0	0	Ô	Õ	Ö	Ö	0	0	1	0	Ô	1	0	1
TOTALS	6	Õ	0	Õ	Ô	0	0	0	0	0	Ô	<u> </u>	Õ	0	3	0	2
CHRONIC BRONCHITIS (491)	ŭ	Ŭ	•	•	0	0	0	O	V	O	0	Į.	U	U	3	U	2
MALE	10	0	0	0	0	0	0	0	0	0	0	2	2	. 1	2	1	2
FEMALE	14	Ö	ŏ	Ö	Ö	Ö	ŏ	ŏ	ŏ	Ö	Õ	ō	1	3	3	Ó	7
TOTALS	24	Ô	Õ	Ö	Õ	Õ	ŏ	Õ	Ö	Ö	Ö	2	3	4	5	1	9
EMPHYSEMA (492)				_	-	-	_	•	•	-	•	_	-		•	•	•
MALE	52	0	0	0	0	0	0	0	0	1	3	6	8	12	6	10	6
FEMALE	38	O	0	Ö	Ö	ō	ō	ō	ō	3	1	3	6	3	15	5	2
TOTALS	90	0	0	0	0	Ó	0	Ō	Ō	4	4	9	14	15	21	15	8
ASTHMA (493)																	
MALE	8	0	0	0	0	0	1	0	1	2	1	1	0	1	0	1	0
FEMALE	18	0	0	0	0	1	0	0	0	1	3	2	4	1	3	1	2
TOTALS	26	0	0	0	0	1	1	0	1	3	4	3	4	2	3	2	2
BRONCHIECTASIS AND EXTRIN	NSIC ALLERGIC	: ALVEOL	TIS (494-495)												
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	0	. 0	0	0	1
TOTALS	4	0 .	0	0	0	0	0	0	0	0	0	1	0	1	0 .	1	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1988 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** UNDER 1		****** 5-9 1		***** 5-19 20											**** OVER 84
(CONT.)																	
CHRONIC AIRWAYS OBSTRUCTION	•																
MALE	246	0	0	0	0	0	0	0	0	1	12	21	24	44	50	43	51
FEMALE	156	0	0	0	0	0	0	0	0	0	4	7	17	34	37	27	30
TOTALS	402	0	0	0	0	. 0	0	0	0	1	′ 16	28	41	78	87	70	81
PNEUMOCONIOSES AND OTHER L	-					(500-50											
MALE	23	0	0	0	0	0	0	0	0	2	1	0	3	2	3	3	9
FEMALE	11	0	0	0	0	0	0	0	0	0	0	1	0	1	0	3	6
TOTALS	34	0	. 0	Ō	0	0	0	0	0	2	1	1	3	3	3	6	15
EMPYEMA AND ABSCESS OF LUN	G AND MEDIA		(510,5	,													
MALE	3	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1
TOTALS	7	0	0	0	0	0	0	0	0	0	1	0	0	1	3	1	1
PLEURISY (511)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	o o	0	Ó	0	0	0	0	0	0	0	0	0	0	1	0	0
ALL OTHER DISEASES OF RESP		STEM (51:	,		_												
MALE	35	1	0	0	0	0	0	0	0	1	2	4	5	6	6	1	9
FEMALE	37	1	1	0	0	0	0	0	0	2	0	0	4	3	8	6	12
TOTALS	72	2	1	0	0	0	0	0	0	3	2	4	9	9	14	7	21
DISEASES OF ORAL CAVITY, S.	ALIVARY GLA			(520-5	•	_		_	_	_	_	_	_				
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
GASTRIC ULCER (531)	_		_	_	_	_	_	_	_						_		
MALE	6	0	0	0	0	0	0	0	0	0	0	1	0	1	2	1	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1
TOTALS	9	0	0	0	0	0	0	0	0	0	. 0	1	0	1	3	2	2
DUODENAL ULCER (532)		_	_	_			_	_		_	_		_				
MALE	4	0	0	0	0	. 0	0	0	0	0	0	0	0	2	1	1	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	, 0	0	0	0	2
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	2
PEPTIC ULCER, SITE UNSPECI	FIED (533)	_	_	•	^	_	_	_	_		_	_		_	_	_	_
MALE	4	0	0	0	0	0	0	0	0	1	0	0	1	2	0	0	0
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4
TOTALS	9	0	0	0	0	0	0	0	0	1	0	0	1	2	0	1	4
GASTRITIS AND DUODENITIS (•	_	_	_	^	_	_	_	•		_	_	_	_	_	_	
MALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0
TOTALS	5	0	0	0	0	0	0	0	0	1	0	0	1	0	1	1	1
APPENDICITIS (540-543)		^	^	_	_		^	^	^	^	^	^	_	^	^	^	^
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	2	O	0	0	0	1	0	0	O	0	0	0	0	1	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** UNDER 1				******** 15-19 20											***** OVER 84
(CONT.)																	
HERNIA OF ABDOMINAL CAVITY	AND INTES	TINAL OB:	STRUCT	TION WIT	THOUT	MENTION	OF	HERNIA	(550-5	53,560)							
MALE	14	0	0	0	0	0	0	0	0	2	0	1	1	0	2	3	5
FEMALE	24	0	0	0	0	0	0	0	0	0	0	0	2	0	1	3	18
TOTALS	38	0	0	0	0	0	0	0	0	2	0	1	3	0	3	6	23
REGIONAL ENTERITIS AND IDI	OPATHIC PRO	DCTOCOLI,	TIS (5	555-556))												
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
FEMALE	6	0	0	0	0	0	0	0	0	1	0	1	0	0	1	1	2
TOTALS	8	0	0	0	0	0	0	0	0	1	0	1	0	1	1	1	3
ALL OTHER NONINFECTIVE GAS	TROENTERIT:	IS AND CO	OLITIS	5 (557-5	558)												
MALE	10	0	0	0	0	0	0	0	0	0	2	0	2	0	1	1	4
FEMALE	24	0	0	0	0	0	0	0	0	0	3	1	0	0	4	6	10
TOTALS	34	0	O	0	0	0	0	0	0	0	5	1	2	0	5	7	14
DIVERTICULA OF INTESTINE ((562)																
MALE	5	0	0	0	0	0	0	0	0	1	0	0	2	0	1	0	1
FEMALE	21	Ō	ō	ō	ō	Ō	Õ	ō	Ō	2	Ö	Õ	3	2	2	3	9
TOTALS	26	Ō	Õ	Õ	Ō	Ō	Õ	Ô	Õ	3	Õ	Õ	5	2	3	3	10
CHRONIC LIVER DISEASE AND		SPECIFI	ED AS	ALCOHOL	IC (571.0-57	1.3)	ŭ		_	•	•	_	_	•	-	
MALE	42	0	0	0	0	0	0	0	5	2	4	6	10	8	4	3	0
FEMALE	24	Õ	Ô	Õ	Õ	ŏ	Ö	Ö	2	2	2	7	6	4	Ō	1	ŏ
TOTALS	66	Õ	Õ	Õ	Õ	Õ	Õ	Õ	7	4	6	13	16	12	4	4	Õ
CHRONIC HEPATITIS AND BILI		STS (571	4 57	(6)	Ŭ	Ü	J	•	•	-	J				7	7	Ŭ
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
FEMALE	5 .	Õ	õ	0	Õ	Ö	Ô	0	Ô	0	2	Ö	Ö	1	1	1	Ö
TOTALS	7	0	0	0	Õ	0	0	0	0	0	2	1	Õ		2	1	0
CIRRHOSIS OF LIVER AND UNS	DECTETED OF	0	•	•	•	OUT MENT	•	•	•	71.5.57	. Z	71 0)	O	ı.	2		O
MALE	35	O C	O	0 0	WIIU	O MENT	0	OF ALCO	3 JUOF (2	71.5,57	2	6	6	6	2	2	4
FEMALE	19	0	4	0	0	0	0	0	1	2	1	3	4	2	2	2	4
TOTALS	19 54	0	1	0	0,	0	0	0	4	9	3	9	10	2 8	1	4	2
CHOLELITHIASIS AND OTHER D		_	*DDED	(574-57	•	U	U	O	4	9	3	9	, 10	8	4	4	2
					/5 <i>)</i>	0	0	. 1	0	^	1	^	2	3	2	^	4
MALE FEMALE	10 14	0	0	0	0	0	0	. 1	0	0 1	0	0	2 1	2	2	0 4	6
		0	•	0	0	0	-	1	0	1	0	0	3	5	2	4	7
TOTALS ALL OTHER DISEASES OF DIGE	24	-	-0	•	~	•	O	•	•	1	1	O	3	5	2	4	/
		, ,				- ,			,	_	_	_	_	_	4.0	4.0	
MALE	64	0	0	0	0	0	0	0	0	3	3	6	5	9	12	12	14
FEMALE	83	1	0	0	0	0	0	0	1	2	4	2	5	14	. 5	8	41
TOTALS	147	1 -	0	0	0	0	0	0	1	5	7	8	10	23	17	20	55
NEPHROTIC SYNDROME (581)	_	•	_	_	_	_	_	_	_	_	_	_			_	_	_
MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
FEMALE TOTALS	1 3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
								0			0	0					

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** UNDER 1			******** O-14 15-					•	,						***** OVER 84
(CONT.)																	
CHRONIC GLOMERULONEPHRITIS,																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	1	О	0	2	1
RENAL FAILURE (584-586,588-		•	_	_	_	^	_	^	•	•	_		7	_	•	40	4.4
MALE	52	0	0	0	0	0	0	0	0	,3 O	0	1 3	7	5 4	9 6	13	14
FEMALE	36	0	0	0	0	0	0	0	0	3	0	3 4	2	9	15	6	15
TOTALS	88	0	O	0	O	O	0	O	O	3	O	4	9	9	15	19	29
INFECTIONS OF KIDNEY (590)	2	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	
MALE	2	_	0	0	0	0	0	0	0	-	0	0	_	1	0	-	1
FEMALE	1 3	0	0	0	0	0	0	. 0	0	0	0	0	0	2	0	0	0
TOTALS	3	O	O	U	O	O	O	O	O	0	O	O	O	2	O	O	1
URINARY CALCULUS (592,594)	3	0	0	0	0	0	0	0	0	1	0	0	^	0	^		
FEMALE TOTALS	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1
ALL OTHER DISEASES OF URINA	_	U	_	•	O	O	O	O	U	'	U	U	U	O	O	'	
MALE	12	(591,58	0	0	0	0	0	0	0	0	1	0	1	0	3	4	3
FEMALE	35	0	0	0	0	0	0	Õ	0	1	Ö	2	Ö	1	5	5	21
TOTALS	47	0	0	0	0	0	0	Ô	0	i	1	2	1	4	8	9	24
HYPERPLASIA OF PROSTATE (60		O	O	U	O	O	O	O	O	'	'	~	'	'		3	24
MALE (00	4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3
TDTALS	4	0	0	Ô	0	Ô	Ô	Õ	. 0	0	0	0	Ô	4	Ô	Ö	3
OTHER DISEASES OF FEMALE GE	NITTAL OPGA	•	•	•	J	Ü	· ·	Ŭ	. 0	J	O	O	0	'	•	· ·	•
FEMALE GE	2	0	023)	0	0	0	0	0	0	0	0	1	1	0	0	0	0
TOTALS	2	Ô	Ô	Ô	Ô	Ô	Ô	Õ	Ö	Õ	Ô	i	1	Ô	Ô	Ö	Ö
COMPLICATIONS OF THE PUERPE	_	•	Ŭ	ŭ	J	Ū	J	·	Ū		•	•	•	·	·	J	Ŭ
FEMALE	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0
TOTALS	2	Ö	Õ	ō	Ō	1	Ō	1	Õ	ō	Ö	Ō	Ö	Ö	Ô	ō	Ö
OTHER DIRECT OBSTETRIC CAUS	ES (642.0-0	642.3.6	_	6.651-6	59.661-6	665.6	67-669)	_	•	•	•	•	•	·	•	·
FEMALE	1	o o	0	0	0	o	0	1	0	0	Ο.	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	Ō
INFECTIONS OF SKIN AND SUBC	UTANEOUS T	ISSUE (680-68	36)													
MALE	3	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	1	Ō	0	1
TOTALS	6	0	0	0	0	0	0	0	1	0	0	0	1	1	0	1	2
ALL OTHER DISEASES OF SKIN	AND SUBCUTA	ANEOUS	TISSUE	(690~	709)												
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3
RHEUMATOID ARTHRITIS AND OT	HER INFLAM	MATORY	POLYAF	RTHROPA	THIES (714)											
MALE	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	2
FEMALE	20	0	0	0	0	0	0	0	0	0	1	3	3	1	5	3	4
TOTALS	25	0	0	0	0	0	0	0	0	0	1	3	3	2	5	5	6

CAUSE OF DEATH GROUPS	TOTAL	****** UNDER				******* 15-19 20											**** OVER
AND SEX	DEATHS	1	, -	3 3 10	, , ,	15 15 20	0 24 2.	, ,, ,,	J 77 7	J J J J.	, ,, ,,	0 04 0.	3 03 7	J 74 7.	3 73 6	0 04	84
(CONT.)																	
OTHER ARTHROPATHIES AND	RELATED DISO	RDERS (7	10-71:	2,715-7	19)												
MALE	5	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	1
FEMALE	13	0	0	0	0	0	0	1	0	1	0	1	2	2	2	1	3
TOTALS	18	0	0	0	0	0	0	1	0	1	0	1	2	4	2	3	4
RHEUMATISM, EXCLUDING TH	E BACK (725-	729)															
MALE	1	0	0	0	0	0	0	0	0	Q	0	0	0	0	0	0	1
FEMALE	3	0	0	0	0	0	0	0	0	Ó	0	0	0	0	2	0	
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2
OSTEOPATHIES, CHONDROPAT	HIES AND ACO	UIRED MUS	SCULO	SKELĒTAI	_ DĒF	ORMITIES	s (730-	-739)	-	-	-	-	•	•	_	-	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	(
FEMALE	5	Õ	ŏ	Õ	Ö	ŏ	Ŏ.	Ö	Õ	ŏ	Õ	Ö	ŏ	1	Õ	Ö	2
TOTALS	6	Õ	Ô	Õ	Ô	Õ	Ö	Ô	Ô	Ô	Õ	Ô	Ö	1	Ô	1	_
ALL OTHER CONGENITAL AND	MALTES OF NE	•	•	(740,742	•	Ŭ	Ŭ	•	•	•	•	•	•		•		
MALE	2	0	1	0	- / 0	0	0	0	0	0	0	0	0	0	1	0	(
FEMALE	7	4	Ó	Ö	1	0	ŏ	Ö	Õ	1	ő	ő	ő	ő	1	Ö	(
TOTALS	,	4	1	0	1	0	0	0	0	1	Ô	0	0	0	2	0	
CONGENITAL ANOMALIES OF	UEADT (745-7		'	O	'	O	O	O	O	'	O	O	O	O	2	U	
MALE MALE	14	40)	3	0	0	1	0	1	2	1	0	0	0	1	0	0	-
	7	6	0	0	0	0	0	Ó	0	Ó	0	0	0	Ó	0	0	
FEMALE	0,4	10	3	0	0	0	0	0	2	_	0	0	0	1	0	0	,
TOTALS	21		_	•	U	1	O	1	2	1	O	O	Ü	1	0	O	2
OTHER CONGENITAL ANOMALI				(747)		_	_	_	_	_	_	_	_	_		_	
MALE	2	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	
FEMALE	5	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	,
TOTALS	7	3	0	0	1	0	0	0	0	0	0	0	0	0	1	1	7
ALL OTHER CONGENITAL AND	- •					_	_	_			_			_		_	
MALE	22	12	4	0	0	0	0	2	1	0	0	0	1	0	1	0	•
FEMALE	10	7	0	0	0	0	0	0	0	0	1	0	0	0	0	1	
TOTALS	32	19	4	0	0	0	0	2	1	0	1	0	1	0	1	1	:
BIRTH TRAUMA (767)																	
FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
TOTALS	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
INTRAUTERINE HYPOXIA, BI	RTH ASPHYXIA	AND RESE	PIRAT	ORY DIST	TRESS	SYNDRO	ME (768	3-769)									
MALE	11	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
FEMALE	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	17	17	0	0	0	Ō	0	0	0	0	0	0	0	0	0	0	
OTHER CONDITIONS ORIGINA	TING IN THE	PERINATAL	PER	IOD (760)~7 <u>6</u> 6	5.770-779	9)	-									
MALE	13	13	0	ò	Ö	0	0	0	0	0	0	0	0	0	0	0	
FEMALE	21	21	ŏ	Õ	ŏ	ŏ	Ö	Ö	Ö	ŏ	Ö	Ö	Ö	Ö	Ö	ŏ	Č
TOTALS	34	34	õ	Õ	Õ	Õ	Õ	Õ	Õ	Õ	Ö	ŏ	ŏ	Õ	ŏ	Õ	Č
TOTALO	.	٠,	•	•	~	•	·	~	~	•	•	•	•	•	-	•	•

TABLE D-3 DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1988 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10	0-14 1	5-19 2	0-24 2	5-34 3	35-44 4	5-54 55	5-59 6	0-64 6	5-69 7	0-74 7	5-79 80	0-84	OVER 84
(CONT.)																	
SENILITY WITHOUT MENTION O	F PSYCHOSIS	(797)															
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9
TOTALS	9	0	0	0_	0	Ó	0	0	0	0	0	0	0	0	0	0	9
SYMPTOMS, SIGNS AND OTHER					5,798-			_	_	_				_		_	
MALE	45	15	0	0	1	0	0	3	2	2	0	1	4	3	7	3	4
FEMALE .	36	15	2	0	0	0	1	0	0	0	1	0	3	1	3	2	8
TOTALS	81	30	2	0	1	0	1	3	2	2	1	1	7	4	10 -	5	12
RAILWAY ACCIDENTS (E800-E8	37)	_	0	0	0	0	0		0	0	^	0	^	0	^	^	^
MALE TOTALS	1	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0
MOTOR VEHICLE TRAFFIC ACCI	I DENTS INVOL	•	-	•	•	IER MOT	-	TCLE (0 (E811-E	•	O	O	O	O	0	O	O
MALE	54	.VING CU	0	חודיא ואוע	2	7	UK VEH.	14	5	3	1	4	5	3	4	2	0
FEMALE	29	0	0	0	0	4	6	5	3	1	Ö	2	2	2	3	1	0
TOTALS	83	0	0	1	2	11	15	19	8	4	1	3	7	5	4	3	0
MOTOR VEHICLE TRAFFIC ACCI		•	-		PEDES		(E814)	13	J	7		5	,		7		O
MALE	26	0	0	2	2	1	3	6	4	1	1	0	0	0	3	1	2
FEMALE	10	Ö	Õ	3	1	Ò	1	1	1	2	•	ŏ	ŏ	ŏ	Ô	Ö	ō
TOTALS	36	Õ	Õ	5	3	1	4	7	5	3	2	Õ	Õ	Õ	3	1	2
MOTOR VEHICLE TRAFFIC ACCID	DENTS INVOL	VING CO	LLIŠIO	HTIW NO	OTHER	VEHIC	LE OR	OBJECT	Г (E813	.E815)	_	•	•	•	_	-	_
MALE	13	0	0	1	1	3	1	5	1	1	0	0	0	0	0	0	0
FEMALE	5	0	0	0	0	1	0	1	1	0	0	0	0	0	1	1	0
TOTALS	18	0	0	1	1	4	1	6	2	1	0	0	0	0	1	1	0
MOTOR VEHICLE TRAFFIC ACCI	DENTS NOT I	NVOLVIN	G COLL	_ISION (ON HIG	HWAY (E816-E	818)									
MALE	70	0	0	0	0	14	14	20	9	5	5	0	1	0	0	1	1
FEMALE	18	0	1	0	0	4	2	2	3	0	1	1	1	3	0	0	0
TOTALS	88	0	1	0	0	18	16	22	12	5	6	1	2	3	0	1	1
MOTOR VEHICLE TRAFFIC ACCI	DENTS OF UN	SPECIFI	ED NAT	TURE (E8	319)												
MALE	7	0	0	1	0	· 1	0	1	0	1	1	0	0	1	0	1	0
FEMALE	7	0	0	0	0	0	2	1	1	0	0	0	1	2	0	0	0
TOTALS	14	0	0	1	0	1	2 .	2	1	1	1	0	1	3	0	1	0
MOTOR VEHICLE NONTRAFFIC A				_													
MALE	6	0	0	0	0	1	1	1	2	1	0	0	0	0	0	0	0
FEMALE	1_	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	(0	0	0	0	1	2	1	2	1	0	0	0	0	0	0	0
OTHER ROAD VEHICLE ACCIDENT	IS (E826-E8	,	_	^	_		_	_	_	_	_	_	•	•	_	_	_
FEMALE]	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
TOTALS	(E000 E000)	•	0	O	U	1	0	O	0	O	O	0	0	0	0	0	0
WATER TRANSPORT ACCIDENTS MALE	(E830-E838)	0	0	0	0	0	0	4	2	1	0	0	0	0	0	0	0
FEMALE	2	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0
TOTALS	9	0	0	0	0	1	0	4	2	1	0	0	0	1	0	0	0
ISTALS	3	0	J	J	J	'	O	7	~	'	0	J	0	•	J	Ü	J

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

			*****	*****	*****	*****	*****	****	* AGE A	T DEAT	H(YRS.) ***:	*****	****	*****	****	*****	****
	CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10)-14 1!	5-19 20	-24 2	5-34 35	5-44 45	-54 55	5-59 60)-64 69	5-69 7	0-74 7	5-79 8	0-84	OVER 84
-	(CONT.)																	
	AIR AND SPACE TRANSPORT	ACCIDENTS (E8	40-E845)														
	MALE	3	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0
	TOTALS	3	0	0	0	0	0	. 0	0	0	3	0	0	0	0	0	0	0
	ACCIDENTAL POISONING BY						50-E858)										
	MALE	7	0	0	0	0	0	0	2	2	0	0	0	1	0	0	2	0
	FEMALE	_. 3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0
	TOTALS	10	0	0	0	0	0	0	2	2	0	0	0	1	0	1	4	0
	ACCIDENTAL POISONING BY	OTHER SOLID O	R LIQUI	D SUBS	TANCES	(E860	-E866)											
	FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	ACCIDENTAL POISONING BY	GASES AND VAP	ORS (E8	67-E86	9)													
	MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0
	TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0
	MISADVENTURES DURING ME	DICAL CARE, AB	NORMAL	REACTI	ONS, AN	ND LAT	E COMPL	ICATI	ONS (E8	370-E87	9)							
	MALE	7	0	0	0	0	0	0	0	1	0	1	1	0	0	0	1	3
	FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	2
	TOTALS	13	0	0	0	0	0	0	0	1	0	1	1	0	0	3	2	5
	FALL FROM ONE LEVEL TO	ANOTHER (E880-	E884)															
	MALE	9	0	0	0	0	0	0	3	2	0	1	0	0	2	1	0	0
	FEMALE	4	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	1
	TOTALS	13	0	0	0	0	0	0	3	2	1	1	0	0	2	3	0	1
	FALL ON SAME LEVEL (E88	5-E886)																
	MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
	TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
	FRACTURE, CAUSE UNSPECI	FIED, AND OTHE	R AND U	NSPECI	FIIED F	FALLS	(E887-E	888)										
	MALE	25	0	0	0	0	0	0	0	1	2	. 0	0	2	2	3	0	15
	FEMALE	31	0	0	0	0	0	0	0	0	0	0	0	1	1	0	8	21
	TOTALS	56	0	0	0	O	. 0	0	0	1	2	0	0	3	3	3	8	36
	ACCIDENTS CAUSED BY FIR	_		,										•				
	MALE	12	0	3	1	0	0	0	2	1	0	0	2	0	0	0	3	0
	FEMALE	17	2	3	2	0	1	2	0	1	1	0	0	3	1	0	0	1
	TOTALS	29	2	6	3	0	1	2	2	2	1	0	2	3	1	0	3	1
	ACCIDENTAL DROWNING AND	SUBMERSION (E	910)															
	MALE	14	0	2	0	1	1	2	0	5	1	0	1	0	0	0	1	0
	FEMALE	8	0	Ο,	1	1	0	1	0	0	2	0	2	0	1	0	0	0
	TOTALS	22	0	2	1	2	1	3	0	5	3	0	3	0	1	0	1	0
	INHALATION AND INGESTIO	N OF FOOD OR C	THER OB	JECT C	CAUSING	SUFFO	CATION	(E911	-E912)									
	MALE	5	0	0	0	0	0	0	0	0	1	0	0	1	2	0	1	0
	FEMALE	13	0	0	0	1	0	0	0	1	0	1	1	0	2	3	1	Έ,
	TOTALS	18	0	0	0	1	0	0	0	1	1	1	1	1	4	3	2	3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

CAUSE OF DEATH GROUPS	TOTAL	UNDER		****** 5-9 10						TH(YRS 5-54 5							OVER
AND SEX	DEATHS	1															84
(CONT.)																	
ACCIDENT CAUSED BY ALL OTHER	R AND UNSE	PECIFIED	FIRE	ARMS (ES	922.1-	E922.9)										
MALE	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0
ACCIDENT CAUSED BY ELECTRIC	CURRENT	(E925) _.															
MALE	4	1	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0
TOTALS	4	1	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0
ALL OTHER ACCIDENTS (E900-E	,		3-E921	•	E929)					•							
MALE	28	0	1	0	1	3	2	9	2	2	0	2	1	2	0	0	3
FEMALE	13	0	1	0	0	0	1	1	0	0	0	0	1	1	3	2	3
TOTALS	41	0	2	0 -	1	3	3	10	2	2	0	2	2	3	3	2	6
SUICIDE BY DRUGS, MEDICAMEN	- •		- ,	950.0-E9	/	_	_		_		_	_	_	_			
MALE	8	0	0	0	0	0	0	3	3	2	0	0	0	0	0	0	0
FEMALE	4	0	0	0	0	0	0	1	0	0	1	0	0	1	1	0	0
TOTALS	12	0	0	0	0,0	0	0	4	3	2	1	0	0	1	1	0	0
SUICIDE BY OTHER SOLID OR L	IONID 20R;			.6-E950.	/		_	_	_	_	_	_	_	_	_	_	_
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS SUICIDE BY GASES AND VAPORS	∠ (F0E4 F05		U	O	O	ı	O	O	O	0	O	O	0	1	0	0	0
MALE	13	0 0	0	0	0	0	0	1	3	2	2	0	0	1	1	•	
FEMALE	4	0	0	0	0	0	1	ó	1	0	0	1	0	0	0	2 0	1
TOTALS	17	0	Ô	0	0	0	i	1	4	2	2	1	0	1	1	2	2
SUICIDE BY HANGING, STRANGU	• •	•	•	•	•	O	'	'	-	2	2	'	O	'	J	2	2
MALE	13	0	0	0	2	2	5	2	1	0	0	0	1	0	0	0	0
FEMALE	2	ŏ	ő	Õ	ō	ō	Ö	2	Ö	Õ	ŏ	Ô	Ö	Ö	0	Ö	0
TOTALS	15	Õ	Õ	Ô	2	ž	5	4	1	Ô	Ô	Ô	1	Ô	0	0	Ô
SUICIDE BY HANDGUN (E955.0)	,	Ŭ	Ŭ	Ŭ	_	-		-		•	•	•	'	J	J	0	U
MALE	17	0	0	0	0	2	2	2	2	0	0	2	1	1	1	2	2
FEMALE	2	ŏ	ŏ	Ö	ŏ	ō	ō	ō	1	1	ŏ	õ	Ö	Ö	Ö	ō	õ
TOTALS	19	Ō	Ō	0	Ō	2	2	2	3	1	ō	2	1	1	1	2	2
SUICIDE BY ALL OTHER AND UN	SPECIFIED	FIREARMS	(E95	55.1-E95	55.4)											_	~
MALE	79	0	0	0	o o	9	11	11	13	13	5 ๋	4	8	2	2	1	0
FEMALE	7	0	0	0	1	1	0	2	0	1.	0	1	0	0	1	0	ō.
TOTALS	86	0	0	0	1	10	11	13	13	14	5	5	8	2	3	1	0
SUICIDE BY ALL OTHER MEANS	(E954,E959	5.5-E959))														
MALE	8	0	0	0	1	0	0	1	1	2	0	0	0	3	0	0	0
FÉMALE	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
TOTALS .	10	0	0	0	1	0	0	1	1	2	0	1	0	4	0	0	0
ASSAULT BY HANDGUN (E965.0)																	
MALE	8	0	0	0	0	0	2	5	1	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	9	Ω	0	0	0	0	3	5	1	0	0	0	0	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)													•				
ASSAULT BY ALL OTHER AN	D UNSPECIFIED	FIREAR	MS (E9	65.1-E	965.4)												
MALE	7	0	Ō	0	o o	0	0	3	1	1	0	1	0	0	0	1	0
FEMALE	7	Ō	Ō	Ō	1	Ō	Ō	1	2	3	Ö	Ó	ō	Ö	Ö	Ó	Ö
TOTALS	14	Ō	ō	Õ	1	Ō	Ō	4	3	4	Õ	1	Õ		Õ	1	Ô
ASSAULT BY CUTTING AND	PIERCING INST	RUMENT	(E966)	-		_			_		•	•		•	•		·
MALE	2	0	Ò	0	0	0	0	0	1	4	0	0	0	0	0	0	0
TOTALS	2	Ō	ō	Ō	ō	Ô	Õ	Õ	1	1	Ô	Õ	Õ		Ô	Õ	Ô
ASSAULT BY ALL OTHER ME	ANS (E960-E96	4,E965.	5-E965	.9,E96	7-E969	1)	_	_			-	-	-	-	_	-	_
MALE	4	0	0	0	0	. 0	0	0	0	4	0	0	0	0	0	0	0
FEMALE	7	0	0	0	1	0	1	1	2	0	Ō	1	Ō	Ō	Ō	ō	1
TOTALS	11	0	0	0	1	0	1	1	2	4	Ō	1	ō		ō	Ō	1
INJURY INFLICTED FROM P	OISONING BY D	RUGS, M	EDICAM	IENTS A	ND BIO	LOGICA	LS (ES	80.0~E	980.5)	ı							
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0		0	0	0
INJURY INFLICTED BY ALL	OTHER AND UN	SPECIFI	ED FIR	EARMS	(E985.	1-E985	(4)										
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	1	0	0	0	0	0	0	0		0	0	Ō
INJURY INFLICTED BY ALL	OTHER MEANS	(E981-E	984,E9	85.5-E	989)												
MALE	5	1	0	0	0	0	0	0	2	0	0	0	0	1	1	0	0
FEMALE	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
TOTALS	7	1	0	0	0	1	1	0	2	0	0	0	0	1	1	0	. 0
STATE																	
MALE	5,755	65	17	9	14	57	61	137	182	330	342	509	679	790	826	818	919
FEMALE	5,727	71	15	8	9	20	26	50	96	189	217	307	479	593	757	896	1,994
TOTALS	11,482	136	32	17	23	77	87	187	278	519	559	816	1,158	1,383	1,583	1,714	2,913
PERCENT DISTRIBUTION																	
MALE	100.00	1.13	0.30	0.16	0.24	0.99	1.06	2.38	3.16	5.73	5.94	8.84	11.80	13.73	14.35	14.21	15.97
FEMALE	100.00	1.24	0.26	0.14	0.16	0.35	0.45	0.87	1.68	3.30	3.79	5.36	8.36	10.35	13.22	15.65	34.82
TOTALS	100.00	1.18	0.28	0.15	0.20	0.67	0.76	1.63	2.42	4.52	4.87	7.11	10.09	12.04	13.79	14.93	25.37

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-4

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS MAINE STATE TOTALS, 1988 (RESIDENT DATA)

SHIGELLOSIS & AMEBIASIS (OO4,OO6) OTHER INTESTINAL INFECTIONS (OO7-OO9) TUBERCULOSIS OF RESP. SYSTEM (O10-O12) OTHER TUBERCULOSIS (O13-O18) WHOOPING COUGH (O33) STREP., SCARLATINA & ERYSIPELAS (O34-O35) MENINGOCOCCAL INFECTION (O36) SEPTICEMIA (O38) ACUTE POLIOMYELITIS (O45) MEASLES (O55) VIRAL HEPATITIS (O70) SYPHILIS (O90-O97) ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL) MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149) MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149) MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159) MAL. NEO. BREAST (174-175) MAL. NEO. GENITAL ORGANS (179-187) MAL. NEO. GENITAL ORGANS (179-187) MAL. NEO. ALL OTHER & UNSPEC. (170-173, 190-199) LEUKEMIA (204-208) OTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203) BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239) DIABETES MELLITUS (250) NUTRITIONAL DEFICIENCIES (260-269) ANEMIAS (280-285) MENINGITIS (320-322) RHEUM. FEVER & RHEUM. HEART DIS. (390-398) HYPPERTENSIVE HEART DISEASE (402) HYPERTENSIVE HEART DISEASE (402) HYPERTENSIVE HEART DISEASE (402) HYPERTENSIVE HEART & RENAL DIS. (404) ACUTE MYOCARDIAL INFARCTION (410) OTHER ACUTE & SUBACUTE I.H.D. (411) ANGINA PECTORIS (413) ALL OTHER FORMS OF HEART DISEASE (401, 403) INTRACEREBRAL HEMORRHAGE (431-442) CEREB. THROM. & UNSPEC. OCCLUSION (434.0, 434.9)	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
SHIGELLOSIS & AMEBIASIS (004,006)	0	0	0.000
OTHER INTESTINAL INFECTIONS (007-009)	1	1	1.000
TUBERCULOSIS OF RESP. SYSTEM (010-012)	4	5	1.250
OTHER TUBERCULOSIS (013-018)	. 1	2	2.000
WHOOPING COUGH (033)	0	0	0.000
STREP., SCARLATINA & ERYSIPELAS (034-035)	0	0	0.000
MENINGOCOCCAL INFECTION (036)	1	1	1.000
SEPTICEMIA (038)	46	396	8.608
ACUTE POLIOMYELITIS (045)	0	0	0.000
MEASLES (055)	0	0	0.000
VIRAL HEPATITIS (070)	4	6	1.500
SYPHILIS (090-097)	0	8	0.000
ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL)	46	92	2.000
MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149)	45	55	1.222
MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159)	657	747	1.136
MAL. NEO. RESPIRATORY & THORACIC ORG. (160-165)	783	844	1.077
MAL. NEO. BREAST (174-175)	229	271	1.183
MAL. NEO. GENITAL ORGANS (179-187)	286	352	1.230
MAL. NEO. URINARY ORGANS (188-189)	124	166	1.338
MAL. NEO. ALL OTHER & UNSPEC. (170-173, 190-199)	374	626	1.673
LEUKEMIA (204-208)	86	113	1.313
OTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203)	138	182	1.318
BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239)	65	112	1.723
DIABETES MELLITUS (250)	276	928	3.362
NUTRITIONAL DEFICIENCIES (260-269)	24	231	9.625
ANEMIAS (280-285)	15	211	14.066
MENINGITIS (320-322)	4	9	2.250
RHEUM. FEVER & RHEUM. HEART DIS. (390-398)	44	81	1.840
HYPERTENSIVE HEART DISEASE (402)	72	181	2.513
HYPERTENSIVE HEART & RENAL DIS. (404)	27	35	1.296
ACUTE MYOCARDIAL INFARCTION (410)	1,405	1,646	1.171
OTHER ACUTE & SUBACUTE I.H.D. (411)	25	69	2.760
ANGINA PECTORIS (413)	7	92	13.142
ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414)	1,386	2,623	1.892
OTHER DISEASES OF ENDOCARDIUM (424)	74	183	2.472
ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429)	948	4,133	4.359
HYPERTENSION W/WO RENAL DISEASE (401, 403)	44	643	14.613
INTRACEREBRAL HEMORRHAGE (431-432)	79	126	1.594
CEREB. THROM. & UNSPEC. OCCLUSION (434.0, 434.9)	103	162	1.572

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

^{*} SEE THE NOTES AT THE END OF THIS TABLE.

TABLE D-4 UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS MAINE STATE TOTALS, 1988 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	
CEREBRAL EMBOLISM (434.1)	1	10	10.000
	592	1,112	1.878
ATHEROSCLEROSIS (440)	174	687	3.948
OTHER DIS. ARTERIES & CAPIL. (441-448)	163	336	2.061
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	4	16	4.000
PNEUMONIA (480-486)	338	1,033	3.056
INFLUENZA (487)	13	15	1.153
ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438) ATHEROSCLEROSIS (440) OTHER DIS. ARTERIES & CAPIL. (441-448) ACUTE BRONCHITIS & BRONCHIOLITIS (466) PNEUMONIA (480-486) INFLUENZA (487) BRONCHITIS CHRONIC & UNSPEC. (490-491) EMPHYSEMA (492) ASTHMA (493) OTHER CHRONIC OBSTR. PUL. DIS. (494-496) ULCER OF STOMACH & DUODENUM (531-533) APPENDICITIS (540-543) HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560) CHRONIC LIVER DISEASE & CIRRHOSIS (571) CHOLELITHIASIS & GALLBLAD. DIS. (574-575) ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581) CHRON. GLOMERUL. & RENAL SCLEO. UNSPEC. (582-583, 587) RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589) INFECTIONS OF KIDNEY (590) HYPERPLASIA OF PROSTATE ALL (600) PREGNANCY WITH ABORTIVE OUTCOME (630-638) OTHER COMPLICATIONS OF PREG. (640-676) CONGENITAL ANOMALIES (740-759) BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769) OTHER COND. IN PERINATAL PERIOD (760-766, 770-779) SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799) ALL OTHER DISEASES (RESIDUAL) MOTOR VEHICLE ACCIDENTS (E810-E825) OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949) SUICIDE (E950-E959) HOMICIDE & LEGAL INTERVENTION (F960-E978)	30	62	2.066
EMPHYSEMA (492)	90	168	1.866
ASTHMA (493)	26	60	2.307
OTHER CHRONIC OBSTR. PUL. DIS. (494~496)	406	1,084	2.669
ULCER OF STOMACH & DUODENUM (531-533)	24	84	3.500
APPENDICITIS (540-543)	2	3	1 . 500
HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560)	38	127	3.342
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	127	188	1.480
CHOLELITHIASIS & GALLBLAD. DIS. (574-575)	24	53	2.208
ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581)	3	8	2.666
CHRON. GLOMERUL. & RENAL SCLEO. UNSPEC. (582-583, 587)	4	15	3.750
RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589)	88	557	6.329
INFECTIONS OF KIDNEY (590)	3	10	3.333
HYPERPLASIA OF PROSTATE ALL (600)	4	28	7.000
PREGNANCY WITH ABORTIVE DUTCOME (630-638)	0	0	0.000
OTHER COMPLICATIONS OF PREG. (640-676)	3	3	1.000
CONGENITAL ANOMALIES (740-759)	69	100	1.449
BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769)	18	30	1.666
OTHER COND. IN PERINATAL PERIOD (760-766, 770-779)	34	75	2.205
SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799)	90	2,248	24.977
ALL OTHER DISEASES (RESIDUAL)	1,010	3,515	3.480
MOTOR VEHICLE ACCIDENTS (E810-E825)	246	. 247	1.004
OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949)	228	600	2.631
SUICIDE (E950-E959)	162	161	0.993
		36	1.000
ALL OTHER EXTERNAL CAUSES (E980-E999)	9	9	1.000
TOTAL FOR ALL CAUSES	11,482	28,012	2 . 439

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

NATURE OF INJURY MENTIONS: 1424; SECONDARY NEOPLASM MENTIONS 498 SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

^{*} FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS. IN ADDITION CERTAIN CAUSES ARE NEVER CLASSIFIABLE AS UNDERLYING. MENTIONS OF THESE CAUSES ARE NOT INCLUDED IN THIS TABLE. MENTIONS OF CAUSES NOT CLASSIFIABLE AS UNDERLYING ARE AS FOLLOWS:

TABLE D-5

DEATHS - TOTAL AND PERCENT BY SITE OF DEATH

MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

		*****				EATHS BY SITE O	F DEATH *****		*****	*****
COUNTY	TOTAL	MAINE	OUT OF STATE	EN ROUTE TO HOSPITAL	SKILLED NURSING CARE	INTERMEDIATE CARE FACILITY	STATE PENAL	OUT PATIENT	AT	OTHER
	DEATHS	HOSPITAL	HOSPITAL	HUSPITAL	NURSING CARE	CARE FACILITY	INSTITUTIONS	FACILITY	HOME	PLACES
ANDROSCOGGIN	1,066	50.66	0.66	0.66	0.38	29.46	0.00	0.00	15.76	2.44
AROOSTOOK	841	58.38	1.55	1.31	0.12	17.24	0.00	0.24	16.53	4.64
CUMBERLAND	2,100	55.57	1.43	1.57	0.00	22.57	0.10	0.00	15.48	3.29
FRANKLIN	237	50.63	1.69	4.22	0.00	21.52	0.00	0.00	16.03	5.91
HANCOCK	497	49.30	1.61	1.21	0.00	26.16 ⁻	0.00	0.00	17.51	4.23
KENNEBEC	1,102	50.64	1.27	2.09	0.00	23.50	0.18	0.09	17.70	4.54
KNOX	401	51.37	0.75	4.49	0.00	22.44	0.00	0.50	15.46	4.99
LINCOLN	309	44.01	0.65	1.94	0.00	21.68	0.00	0.00	26.86	4.85
OXFORD	590	46.95	1.36	1.86	0.00	28.47	0.00	0.00	14.58	6.78
PENOBSCOT	1,231	53.86	1.30	2.52	0.00	19.66	0.49	0.16	17.95	4.06
PISCATAQUIS	226	47.35	2.65	1.77	0.44	27.43	0.00	0.00	16.81	3.54
SAGADAHOC	265	53.58	1.13	3.77	0.00	19.25	0.00	0.00	16.98	5.28
SOMERSET	496	56.45	0.60	1.61	0.00	23.59	0.00	0.20	13.71	3.83
WALDO	301	53.16	2.66	1.33	0.00	11.63	0.00	0.00	23.59	7.64
WASHINGTON	418	52.87	0.96	1.20	0.00	21.29	0.00	0.00	18.90	4.78
YORK	1,402	50.64	9.20	1.85	0.07	19.47	0.07	0.07	15.69	2.92
STATE TOTALS	11,482	52.46	2.25	1.86	0.06	22.36	0.10	0.08	16.77	4.08

		**********	***** PE	RCENT OF TOT	AL DEATHS OCCU	RRING IN HOS	SPITALS ***	******	*****	*****
COUNTY	TOTAL DEATHS IN HOSPITALS	CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)		CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)		OTHER
ANDRDSCOGGIN	554	5.96	8.12	11.91	16.25	1.62	0.54	1.26	2.35	1.99
ÁRDOSTOOK	515	5.44	8.74	17.86	10.29	0.78	1.17	1.94	1.36	0.97
CUMBERLAND	1,229	5.86	8.46	14.65	10.17	1, 22	1.22	3.50	1.38	2.12
FRANKLIN	134	6.72	7.46	17.91	10.45	1.49	0.00	2.99	0.75	4.48
HANCOCK	259	7.72	11.20	14.29	7.72	1.16	2.32	3.09	1.93	2.32
KENNEBEC	595	3.87	7.56	13.95	11.26	1.01	1.34	2.18	1.85	1.68
KNOX	227	5.73	8.81	21.15	9.69	0.00	1.32	1.32	3.08	2.20
LINCOLN	144	5.56	7.64	12.50	12.50	0.69	2.78	3.47	1.39	2.78
OXFORD	295	6.44	7.46	11.53	11.86	1.69	0.34	2.37	3.39	2.03
PENOBSCOT	710	5.35	9.15	13.52	7.32	0.70	0.56	3.10	0.85	1.55
PISCATAQUIS	117	5.98	7.69	15.38	6.84	0.85	0.00	1.71	1.71	0.00
SAGADAHOC	155	7.74	9.03	17.42	5.81	0.65	1.29	3.23	3.87	1.94
SOMERSET	291	6.53	7.90	11.34	9.97	1.03	0.00	1.72	1.03	1.72
WALDO	172	6.98	8.72	13.37	8.72	0.00	0.00	1.74	2.33	2.91
WASHINGTON	230	6.52	5.65	10.87	10.87	1.30	0.43	3.04	1.30	1.30
YORK	863	6.26	8.92	13.56	10.43	0.81	0.81	2.32	1.62	2.20
STATE TOTALS	6,490	5.89	8.43	14.19	10.35	1.00	0.92	2.53	1.71	1.93

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

TABLE D-7 DEATHS IN INTERMEDIATE CARE FACILITIES - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS

MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN ICF	**************************************	* PERCENT OF CANCER OF RESPIRATORY SYSTEM (160-165)	TOTAL DEATHS ACUTE MYOCARDIAL INFARCTION (410)	OCCURRING IN CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE	E CARE FACI CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA	* ACCI	DENTS * OTHER
ANDROSCOGGIN	314	2.87	5.10	4.14	14.97	0.00	2.55	3.82	0.32	1.27
AROOSTOOK	145	4.83	3.45	6.21	24.83	1.38	0.69	2.76	0.00	0.69
CUMBERLAND	474	2.95	1.90	6.75	17.72	0.21	1.90	5.91	0.00	0.42
FRANKLIN	51	5.88	11.76	3.92	7.84	1.96	0.00	3.92	0.00	0.00
HANCOCK	130	6.15	1.54	5.38	16.15	0.00	1.54	6.15	0.00	0.77
KENNEBEC	259	3.09	4.25	10.42	19.31	0.39	2.32	5.79	0.00	1.16
KNOX	90	0.00	1.11	7.78	13.33	0.00	0.00	6.67	0.00	1.11
LINCOLN	67	1.49	2.99	2.99	26.87	0.00	1.49	5.97	0.00	2.99
OXFORD	168	4.76	2.38	5.36	16.67	1.19	1.79	5.95	0.00	1.19
PENOBSCOT	242	4.13	2.48	4.96	7.85	0.00	0.41	9.09	0.00	1.65
PISCATAQUIS	, 62	4.84	4.84	0.00	6.45	0.00	1.61	14.52	0.00	0.00
SAGADAHOC	5 1	3.92	1.96	7.84	23.53	0.00	1.96	7.84	0.00	1.96
SOMERSET	117	5.13	1.71	2.56	14.53	0.00	0.85	7.69	0.00	0.00
WALDO	35	2.86	2.86	. 0-00	11.43	0.00	0.00	8.57	0.00	2.86
WASHINGTON	89	6.74	2.25	0.00	11.24	1.12	0.00	3.37	0.00	0.00
YORK	273	4.76	3.30	5.13	14.29	0.37	0.73	4.40	0.00	1.47
STATE TOTALS	2,567	3.86	3.12	5.49	15.78	0.35	1.40	5.88	0.04	1.01

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

TABLE D-8

DEATHS AT HOME - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS

MAINE COUNTIES AND STATE TOTALS, 1988 (RESIDENT DATA)

COUNTY	TOTAL DEATHS AT HOME	CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	************* CANCER OF RESPIRATORY SYSTEM (160-165)	PERCENT OF ACUTE MYOCARDIAL INFARCTION (410)	TOTAL DEATHS OF CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE		PNEUMONIA	********* * ACCID MOTOR VEHICLE (E810- E825)	* OTHER
ANDROSCOGGIN	168	7.74	8.33	12.50	23.81	0.00	0.00	0.60	0.00	0.60
AROOSTOOK	139	6.47	4.32	8.63	20.14	0.72	.0.00	0.72	0.00	2.16
CUMBERLAND	325	6.15	5.85	14.77	17.85	0.31	0.31	0.31	0.31	2.15
FRANKLIN	38	10.53	2,63	21.05	15.79	0.00	0.00	0.00	0.00	2.63
HANCOCK	87	4.60	4.60	28.74	16.09	1.15	0.00	0.00	1.15	2.30
KENNEBEC	195	11.28	11.79	13.33	14.87	0.00	0.51	3.08	0.00	1.03
KNOX	62	9.68	6.45	11.29	12.90	0.00	0.00	3.23	1.61	0.00
LINCOLN	83	12.05	9.64	13.25	16.87	0.00	1.20	1.20	0.00	0.00
OXFORD	86	5.81	5.81	20.93	11.63	1.16	0.00	0.00	0.00	4.65
PENOBSCOT	221	11.31	9.95	14.93	12.67	0.00	0.00	0.45	0.45	0.90
PISCATAQUIS	38	13.16	0.00	10.53	7.89	0.00	0.00	0.00	0.00	5.26
SAGADAHOC	45	6.67	11.11	28.89	8.89	0.00	0.00	2.22	0.00	0.00
SOMERSET	68	7.35	13.24	8.82	19.12	0.00	0.00	0.00	0.00	0.00
WALDO	71	7.04	4.23	16.90	14.08	0.00	0.00	1.41	0.00	1.41
WASHINGTON	79	6.33	5.06	26.58	13.92	0.00	2.53	1.27	0.00	2.53
YORK	220	5.91	6.82	12.73	10.45	0.00	0.45	0.91	0.00	3.18
STATE TOTALS	1,925	8.00	7.38	15.22	15.53	0.21	0.31	0.94	0.21	1.77

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

TABLE D-9

DEATHS BY SEX, AGE, AND OCCUPATION

MAINE STATE TOTALS, 1988 (RESIDENT DATA)

		******	*******	******	*****	·*** OCCUPAT	ION *****	*******	*****	*****	*****
SEX AND AGE	TOTAL DEATHS	MANAGE- RIAL, PROFES- SIONAL	TECHNICAL, SALES, ADMINIS- TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC- TION, REPAIR, CRAFT	OPER- ATORS, FABRI- CATORS, LABORERS	TRANSPOR- TATION	HOME- Maker	STUDENT	OTHER AND NOT REPORTED
MALE										•	
LESS THAN 15	105	0	0	1	0	0	0	0	0	17	87
15-19	57	. 0	2	3	1	4	12	1	0	31	3
20-24	61	3	2	4	2	14	25	3	0	6	2
25-29	70	10	9	4	5	17	14	2	0	5	4
30-34	67	5	11	3	5	15	18	5	0	0	5
35-39	81	15	13	13	5	11	12	4	0	1	7
40-44	101	18	11	10	4	32	11	6	0	0	9
45-49	127	20	20	8	10	29	23	11	0	0	6
50-54	203	39	16	16	14	50	35	14	0	0	19
55-59	342	46	44	25	. 24	85	67	30	1	0	20
60-64	509	75	65	33	39	145	92	38	0	0	22
65-69	679	117	98	40	59	177	105	49	1	0	33
70-74	790	115	135	40	71	192	150	56	2	0	29
75-79	826	131	119	55	92	207	_. 159	45	1	0	17
80-84	818	137	109	46	125	206	157	22	0	0	16
85-89	546	82	76	27	76	147	108	18	1	0	11
90-94	266	38	36	17	59	63	37	11	1	0	4
GREATER THAN 94	107	23	18	6	29	16	13	2	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,755	874	784	351	620	1,410	1,038	317	7	60	294
PERCENT DISTRIBUTION	100.00	15.19	13.62	6.10	10.77	24.50	18.04	5.51	0.12	1.04	5.11

TABLE D-9 DEATHS BY SEX, AGE, AND OCCUPATION MAINE STATE TOTALS, 1988 (RESIDENT DATA)

•		******	*****	*******	*****	*** OCCUPAT	TON *****	********	******	******	*****
SEX AND AGE	TOTAL DEATHS	MANAGE- RIAL, PROFES- SIONAL	TECHNICAL, SALES, ADMINIS- TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC- TION, REPAIR, CRAFT	OPER- ATORS, FABRI- CATORS, LABORERS	TRANSPOR- TATION	HOME- MAKER	STUDENT	OTHER AND NOT REPORTED
FEMALE							•				
LESS THAN 15	103	0	0	0	0	0	0	0	0	13	90
15-19	20	0	1	2	0	1	1	0	0	13	2
20-24	. 26	1	9	3	0	0	1	0	7	0	5
25-29	20	0	4	4	2	1	3	0	5	1	0
30-34	30	2	5	5	0	4	, 3	0	10	0	1
35-39	39	6	4	7	0	2	. 5	0	12	0	3
40-44	57	15	12	9	0	0	5	0	12	· 1	3
45-49	74	15	15	8	1	0	11	0	23	0	1
50-54	115	18	29	11	0	1	13	1	36	0	6
55-59	217	29	47	26	2	8	26	2	77	0	0
60-64	307	42	58	33	2	8	40	0	119	0	5
65-69	479	49	79	45	3	13	81	1	201	, 0	7
70-74	593	77	99	56	2	8	103	0	239	0	9
75-79	757	115	127	56	2	10	110	0	327	0	10
80-84	896	152	136	71	3	19	116	0	392	0	7
85-89	928	144	138	41	6	13	107	1	467	1	10
90-94	700	119	76	4 1	2	15	61	0	377	0	9
GREATER THAN 94	366	64	37	20	1	8	28	0	205	0	3
UNKNOWN	0	0	0	0	0	0	0	0	0	. 0	0
STATE TOTALS	5,727	848	876	438	26	111	714	5	2,509	29	171
PERCENT DISTRIBUTION	100.00	14.81	15.30	7.65	0.45	1.94	12.47	0.09	43.81	0.51	2.99

TABLE D-9 DEATHS BY SEX, AGE, AND OCCUPATION MAINE STATE TOTALS, 1988 (RESIDENT DATA)

		******	*****	*****	******	*** OCCUPAT	ION *****	******	******	******	******
SEX AND AGE	TOTAL DEATHS	MANAGE- RIAL, PROFES- SIONAL	TECHNICAL, SALES, ADMINIS- TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC- TION, REPAIR, CRAFT	OPER- ATORS, FABRI- CATORS, LABORERS	TRANSPOR- TATION	HOME~ MAKER	STUDENT	OTHER AND NOT REPORTED
BOTH SEXES		•									
. LESS THAN 15	208	0	0	1	0	0	0	0	0	30	177
15-19	77	0	3	5	1	5	13	1	0	44	5
20-24	87	4	11	7	2	14	26	3	7	6	7
25-29	90	10	13	8	7	18	17	2	5	6	4
30-34	97	7	16	8	5	19	21	5	10	0	6
35-39	120	21	17	20	5	13	17	4 .	12	1	10
40-44	158	33	23	19	4	32	16	6	12	1	12
45-49	201	35	35	16	11	29	34	11	23	0	7
50-54	318	57	45	27	14	51	48	15	36	0	25
55-59	559	75	91	51	26	93	93	32	78	0	20
60-64	816	117	123	66	41	153	132	38	119	0	27
65-69	1,158	166	177	85	62	190	186	50	202	0	40
70-74	1,383	192	234	96	73	200	253	56	241	0	38
75-79	1,583	246	246	111	94	217	269	45	328	0	27
80-84	1,714	289	245	117	128	225	273	22	392	0	23
85-89	1,474	226	214	68	82	160	215	19	468	1	21
90-94	966	157	112	58	61	78	98	11	378	0	13
GREATER THAN 94	473	87	55	26	30	24	41	2	205	0	3
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS .	11,482	1,722	1,660	789	646	1,521	1,752	322	2,516	89	465
PERCENT DISTRIBUTION	100.00	15.00	14.46	6.87	5.63	13.25	15.26	2.80	21.91	0.78	4.05

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

TABLE D-10 ACQUIRED IMMUNE DEFICIENCY SYNDROME RELATED DEATHS BY STATUS OF MENTION MAINE STATE TOTALS, 1988 (RESIDENT DATA)

SEX AND AGE	TOTAL MENTIONS (042.0-044.9,795.8)	TOTAL AIDS MENTIONS (042.0-044.9)	UNDERLYING AIDS MENTIONS (042.0-044.9)	NON-UNDERLYING AIDS MENTIONS (042.0-044.9)	SERO-POSITIVE MENTIONS (795.8)
LESS THAN 20 20-24 25-34 35-44 45-54 55-64 GREATER THAN 64 UNKNOWN STATE TOTALS	0 1 6 9 1 1 1 0	0 1 6 9 1 1 1 0	0 1 5 9 0 0 1 0	0 0 1 0 1 1 0 0 3	0 0 0 0 0 0 0
FEMALE					
LESS THAN 20 20-24 25-34 35-44 45-54 55-64 GREATER THAN 64 UNKNOWN STATE TOTALS	0 0 1 0 0 0 0	0 0 1 0 0 0 0	0 0 1 0 0 0 0	· · · · · · · · · · · · · · · · · · ·	0 0 0 0 0 0
BOTH SEXES					
LESS THAN 20 20-24 25-34 35-44 45-54 55-64 GREATER THAN 64 UNKNOWN STATE TOTALS	0 1 7 9 1 1 1 0	0 1 7 9 1 1 1 0	0 1 6 9 0 0 1 0	0 0 1 0 1 1 0 0	0 0 0 0 0 0 0 0 0

UNDERLYING	TOT 11						YING CAUSES			********	
CAUSE	TOTAL	03			CTIOUS DIS	25			-269		-285
ICD-9 CODE	DEATHS	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	46	0	0.0	0	0.0	5	10.9	0	0.0	1	2.2
OTH INFECTIOUS DIS	63	3	4.8	0	0.0	5	7.9	2	3.2	1	1.6
250	276	20	7.2	3	1.1	0	0.0	4	1.4	2	0.7
260-269	24	1	4.2	1	4.2	0	0.0	0	0.0	0	0.0
280-285	15	4	26.7	0	0.0	1	6.7	1	6.7	0	0.0
390-398	44	2	4.5	1	2.3	1	2.3	0	0.0	1	2.3
402	72	0	0.0	0	0.0	2	2.8	1	1.4	2	2.8
411	25	0	0.0	0	0.0	1	4.0 .	0	0.0	1	4.0
413	7	0	0.0	0	0.0	0	0.0	1	14.3	1	14.3
424	74	2	2.7	0	0.0	4	5.4	1	1.4	2	2.7
415-423,425-429	948	8	0.8	5	0.5	63	6.6	2	0.2	9	0.9
401,403	44	0	0.0	0	0.0	4	9.1	1	2.3	2	4.5
440	174	4	2.3	0	0.0	8	4.6	3	1.7	2	1,1
480-486	338	22	6.5	1	0.3	18	5.3	5	1.5	3	0.9
490-491	30	2	6.7	0	0.0	1	3.3	2	6.7	1	3.3 `
492	90	1	1.1	1	1.1	5	5.6	3	3.3	1	1.1
493	26	0	0.0	0	0.0	1	3.8	0	0.0	0	0.0
494-496	406	7	1.7	5	1.2	15	3.7	10	2.5	6	1.5
531-533	24	0	0.0	0	0.0	1	4.2	0	0.0	0	0.0
550-553,560	221	13	5.9	3	1.4	10	4.5	. 8	3.6	4	1.8
574-575	24	6	25.0	0	0.0	3	12.5	0	0.0	1	4.2
584-586,588-589	88	2	2.3	0	0.0	4	4.5	2	2.3	5	5.7
780-799	90	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807,E826-E949	228	12	5.3	2	0.9	6	2.6	3	1.3	5	2.2
RESIDUAL	8,105	241	3.0	27	0.3	494	6.1	158	1.9	146	1.8
STATE TOTALS	11,482	350	3.0	49	0.4	652	5.7	207	1.8	196	1.7

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

UNDERLYING	*****	******	*****	******	* NON UNDERL	YING CAUSES	5 *******	*******	*****	*****
CAUSE	390	-398	40	2	4 1	1	41	3	42	4
ICD-9 CODE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	1	2.2	0	0.0	0	0.0	0	0.0	1	2.2
OTH INFECTIOUS DIS	1	1.6	0	0.0	0	0.0	0	0.0	0	0.0
250	ο '	0.0	11	4.0	1	0.4	4	1.4	2	0.7
260-269	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
280-285	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
390-398	0	0.0	0	0.0	0	0.0	0	0.0	1	2.3
402	1	1.4	0	0.0	0	0.0	~ 0	0.0	1	1.4
411	1	4.0	0	0.0	0	0.0	0	0.0	0	0.0
413	0	0.0	0	0.0	1	14.3	0	0.0	0	0.0
424	0	0.0	0	0.0	0	0.0	3	4.1	0	0.0
415-423,425-429	7	0.7	2	0.2	0	0.0	2	0.2	12	1.3
401,403	0	0.0	0	0.0	0	0.0	0	0.0	1	2.3
440	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
480-486	1	0.3	1	0.3	0	0.0	0	0.0	4	1.2
490-491	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
492	0	0.0	0	0.0	0	0.0	4	4.4	0	0.0
493	0	0.0	0	0.0	0	0.0	1	3.8	0	0.0
494-496	1	0.2	0	0.0	0	0.0	2	0.5	1	0.2
531-533	2	8.3	0	0.0	0	0.0	0	0.0	0	0.0
550-553,560	0	0.0	0	0.0	0	0.0	0	0.0	2	0.9
574-575	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
584-586,588-589	1	1.1	0	0.0	1	1.1	0	0.0	3	3.4
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807,E826-E949	0	0.0	1	0.4	Ō	0.0	1	0.4	1	0.4
RESIDUAL	21	0.3	95	1.2	41	0.5	68	0.8	80	1.0
STATE TOTALS	37	0.3	110	1.0	44	0.4	85	0.7	109	0.9

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

UNDERLYING	*****	******	********	*****	* NON UNDERL	YING CAUSES	*******	******	*****	*****
CAUSE	415-423	3,425-429	401	,403	44	10	480	-486	490	-491
ICD-9 CODE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	15	32.6	0	0.0	1	2.2	2	4.3	0	0.0
OTH INFECTIOUS DIS	16	25.4	1	1.6	0	0.0	8	12.7	0	0.0
250	141	51. 1	31	11.2	25	9.1	12	4.3	0	0.0
260-269	8	33.3	0	0.0	0	0.0	3	12.5	0	0.0
280-285	4	26.7	0	0.0	1	6.7	5	33.3	0	0.0
390-398	32	72.7	1	2.3	0	0.0	1	2.3	0	0.0
402	35	48.6	1	1.4	7	9.7	6	8.3	1	1.4
411	21	84.0	2	8.0	3	12.0	0	0.0	0	0.0
413	5	71.4 `	1	14.3	1	14.3	0	0.0	0	0.0
424	59	79.7	2	2.7	2	2.7	1	1.4	0	0.0
415-423,425-429	0	0.0	33	3.5	6	0.6	50	5.3	4	0.4
401,403	10	22.7	0	0.0	15	34.1	3	6.8	0	0.0
440	101	58.0	0	0.0	0	0.0	20	11.5	1	0.6
480-486	67	19.8	14	4.1	6	1.8	0	0.0	1	0.3
490-491	9	30.0	2	6.7	0	0.0	7	23.3	0	0.0
492	30	33.3	3	3.3	2	2.2	18	20.0	0	0.0
493	11	42.3	2	7.7	0	0.0	0	0.0	1	3.8
494-496	137	33.7	10	2.5	13	3.2	95	23.4	0	0.0
531-533	7	29.2	0	0.0	0	0.0	O	0.0	0	0.0
550-553,560	70	31.7	4	1.8	6	2.7	4	1.8	0	0.0
574-575	9	37.5	1	4.2	1	4.2	1	4.2	0	0.0
584-586,588-589	36	40.9	0	0.0	2	2.3	12	13.6	0	0.0
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807,E826-E949 ·	46	20.2	6	2.6	0	0.0	6	2.6	1	0.4
RESIDUAL	2,316	28.6	487	6.0	422	5.2	441	5.4	23	0.3
STATE TOTALS	3,185	27.7	601	5.2	513	4.5	695	6.1	32	0.3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

UNDERLYING	************			* NON UNDERL	YING CAUSES							
CAUSE	49	2	49	3	494	1-496	531	-533	550-5	53,560		
ICD-9 CODE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT		
038	0	0.0	0	0.0	2	4.3	0	0.0	6	13.0		
OTH INFECTIOUS DIS	0	0.0	0	0.0	8	12.7	1	1.6	25	39.7		
250	0	0.0	0	0.0	11	4.0	2	0.7	38	13.8		
260-269	1	4.2	0	0.0	2	8.3	1	4.2	10	41.7		
280-285	0	0.0	0	0.0	1	6.7	0	0.0	7	46.7		
390-398	1	2.3	0	0.0	2	4.5	0	0.0	8	18.2		
402	1	1.4	2	2.8	7	9.7	1	1.4	20	27.8		
411	0	0.0	0	0.0	2	8.0	0	0.0	3	12.0		
413	0	0.0	0	0.0	0	0.0	0	0.0	1	14.3		
424	0	0.0	0	0.0	2	2.7	0	0.0	6	8.1		
415-423,425-429	11	1.2	3	0.3	79	8.3	5	0.5	176	18.6		
401,403	0	0.0	0	0.0	4	9.1	. 0	0.0	7	15.9		
440	1	0.6	0	0.0	8	4.6	0	0.0	33	19.0		
480-486	4	1.2	0	0.0	23	6.8	1	0.3	338	100.0		
490-491	0	0.0	0	0.0	0	0.0	0	0.0	30	100.0		
492	0	0.0	1	1.1	0	0.0	0	0.0	90	100.0		
493	0	0.0	0	0.0	0	0.0	0	0.0	26	100.0		
494-496	0	0.0	0	0.0	0	0.0	3	0.7	406	100.0		
531-533	1	4.2	0	0.0	2	8.3	0	0.0	24	100.0		
550-553,560	2	0.9	1	0.5	13	5.9	5	2.3	0	0.0		
574-575	0	0.0	0	0.0	2	8.3	0	0.0	4	16.7		
584-586,588~589	0	0.0	0	0.0	5	5.7	0	0.0	26	29.5		
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
E800-E807,E826-E949 ·	0	0.0	1	0.4	11	4.8	0	0.0	32	14.0		
RESIDUAL	56	0.7	27	0.3	494	6.1	41	0.5	1,476	18.2		
STATE TOTALS	78	0.7	35	0.3	678	5.9	60	0.5	2,792	24.3		

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949). ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

UNDERLYING	*****	******	******	******	* NON UNDERL	YING CAUSES	*******	******	******	*****
CAUSE	574	-575	584-586	,588-589	780)-799	E800-E807	.E826-E949	RESI	DUAL
ICD-9 CODE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	0	0.0	5	10.9	15	32.6	1	2.2	0	0.0
OTH INFECTIOUS DIS	0	0.0	3	4.8	18	28.6	5	7.9	0	0.0
250	4	1.4	42	15.2	43	15.6	8	2.9	14	5.1
260-269	0	0.0	1	4.2	7	29.2	2	8.3	0	0.0
280-285	0	0.0	1	6.7	5	33.3	1	6.7	0	0.0
390-398	0	0.0	0	0.0	3	6.8	4	9.1	6	13.6
402	0	0.0	1	1.4	10	13.9	3	4.2	12	16.7
411	0	0.0	1	4.0	2	8.0	1	4.0	3	12.0
413	0	0.0	0	0.0	1	14.3	2	28.6	3	42.9
424	0	0.0	5	6.8	13	17.6	2	2.7	11	14.9
415-423,425-429	2	0.2	52	5.5	142	15.0	26	2.7	175	18.5
401,403	0	0.0	0	0.0	11	25.0	2	4.5	10	22.7
· 440	0	0.0	20	11.5	33	19.0	5	2.9	32	18.4
480-486	0	0.0	11	3.3	99	29.3	6	1.8	124	36.7
490-491	0	0.0	2	6.7	12	40.0	Ō	0.0	8	26.7
492	0	0.0	2.	2.2	50	55.6	5	5.6	24	26.7
493	0	0.0	0	0.0	16	61.5	2	7.7	5	19.2
494-496	1	0.2	8	2.0	211	52.0	12	3.0	143	35.2
531-533	Ó	0.0	3	12.5	5	20.8	6	25.0	7	29.2
550-553,560	2	0.9	10	4.5	90	40.7	24	10.9	72	32.6
574-575	0	0.0	2	8.3	3	12.5	9	37.5	7	29.2
584-586.588-589	1	1.1	ō	0.0	23	26.1	3	3.4	32	36.4
780-799	Ò	0.0	ŏ	0.0	0	0.0	Ô	0.0	0	0.0
E800-E807,E826-E949	Õ	0.0	6	2.6	35	15.4	Õ	0.0	56	24.6
RESIDUAL	19	0.2	294	3.6	1,311	16.2	589	7.3	0	0.0
STATE TOTALS	29	0.3	469	4.1	2,158	18.8	718	6.3	744	6.5

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

HYSTEROTOMY

OTHER

HYSTERECTOMY

STATE TOTALS

PERCENT DISTRIBUTION

************************ WEEKS OF GESTATION ***************** 14 15 TERMINATION PROCEDURES TOTAL PERCENT LESS 11 12 13 16 17 19 GREATER UNK TERMINATIONS DISTRIBUTION THAN 9 THAN 19 PRIMARY PROCEDURE THAT TERMINATED PREGNANCY SUCTION CURETTAGE 3,495 74.00 1,336 SHARP CURETTAGE 0.93 1,156 24.48 DILATION AND EVACUATION SALINE INSTILLATION 0.00 PROSTAGLANDIN INSTILLATION 0.00 HYSTEROTOMY 0.00 HYSTERECTOMY 0.00 - 0 OTHER 0.59 1.956 434 281 163 144 148 102 STATE TOTALS 4,723 41.41 16.13 12.75 9.19 5.95 3.45 3.05 3.13 2.16 0.68 0.08 0.06 0.04 1.91 PERCENT DISTRIBUTION 100.00 ADDITIONAL PROCEDURES USED NONE 2,009 42.47 SUCTION CURETTAGE 0.08 SHARP CURETTAGE 2,684 56.74 Ω DILATION AND EVACUATION 0.63 SALINE INSTILLATION 0.02 PROSTAGLANDIN INSTILLATION 0.00

41.35 16.11 12.75

163 145 150

9.20 5.96 3.45 3.07 3.17 2.18 0.68 0.08 0.06 0.04

1.956

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

0.00

0.00

0.04

100.00

4,730

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

1.90

TABLE A-3 INDUCEO TERMINATIONS OF PREGNANCY BY GESTATION, AGE OF PATIENT, AND RACE MAINE STATE TOTALS, 1988 (RESIDENT DATA)*

			****	****	*****	****	****	*** WE	EEKS 0	F GES	STATIO	IN ***	****	*****	*******	*****
AGE OF PATIENT(YRS.)	TOTAL TERMINATIONS	PERCENT DISTRIBUTION	LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNKNOWN
LESS THAN 15	19	0.50	4	5	5	2	0	1	0	0	2	0	0	0	0	0
15	65	1.70	30	12	5	5	7	0	3	2	0	0	0	0	0	1
16	147	3.85	63	22	23	11	11	6	6	1	3	0	0	0	0	1
17	217	5.68	73	32	40	19	17	12	5	8	3	2	1	0	0	5
18	297	7.78	96	57	43	39	25	11	5	5	6	2	0	0	0	8
19	314	8.22	135	55	42	26	22	11	6	8	3	3	0	0	0	3
20-24	1,259	32.98	5 57	225	175	109	71	31	20	21	20	7	1	1	1	20
25-29	771	20.19	388	125	93	68	33	14	11	9	3	3	2	1	1	20
30-34	418	10.95	236	75	51	21	16	10	0	3	2	0	0	0	0	4
35-39	199	5.21	112	30	23	8	6	2	6	5	3	0	0	1	0	3
40-44	58	1.52	31	9	4	6	3	1	3	0	0	1	0	0	0	0
GREATER THAN 44	4	0.10	0	1	2	1	0	0	0	0	0	0	0	0	0	0
UNKNOWN	50	1.31	20	8	6	5	2	1	2	2	1	0	0	0	0	3
STATE TOTALS	3,818		1,745	656	512	320	213	100	67	64	46	18	4	3	2	68
PERCENT DISTRIBUTION	N	100.00	45.70	17.18	13.41	8.38	5.58	2.62	1.75	1.68	1.20	0.47	0.10	0.08	0.05	1.78
RACE OF PATIENT																
WHITE BLACK AMERICAN INDIAN OTHER STATE TOTALS PERCENT DISTRIBUTION	3,673 25 31 89 3,818	96.20 0.65 0.81 2.33	1,687 8 7 43 1,745 45.70	632 6 6 12 656 17 - 18	487 3 5 17 512 13.41	310 3 4 3 320 8.38	208 3 1 1 213 5.58	95 0 0 5 100 2.62	62 0 2 3 67 1.75	63 0 1 0 64 1.68	41 2 0 3 46 1.20	18 0 0 0 18 0.47	4 0 0 0 4 0.10	3 0 0 0 3 0.08	2 0 0 0 2 0.05	61 O 5 2 68 1.78

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O RECORDS WERE BLANK.

TABLE A-4 INDUCED TERMINATIONS OF PREGNANCY BY GESTATION, AGE OF PATIENT, AND RACE MAINE STATE TOTALS, 1988 (OCCURRENCE DATA)

			****	****	*****	****	****	*** W[EEKS C	F GES	STATIO	N **	****	*****	******	******
AGE OF PATIENT(YRS.)	TOTAL TERMINATIONS	PERCENT DISTRIBUTION	LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNKNOWN
LESS THAN 15	29	0.61	5	6	5	6	1	1	2	0	2	0	0	0	0	1
15	93	1.97	31	15	7	9	11	1	9	3	5	1	0	0	0	1
16	246	5.21	79	32	28	25	22	13	18	11	15	0	0	0	0	3
17	382	8.09	95	47	59	38	34	32	21	31	13	5	1	0	0	6
18	361	7.64	105	70	46	50	30	18	9	11	9	3	0	0	0	10
19	378	8.00	147	61	51	34	29	16	13	14	5	5	0	0	0	3
20-24	1,480	31.34	619	248	196	142	84	40	35	42	33	11	1	1	1	27
25-29	872	18.46	417	140	103	8 1	37	23	17	16	6	4	2	1	۹,	24
30-34	474	10.04	254	82	60	26	17	12	1	10	5	0	0	0	0	7
35-39	231	4.89	131	33	23	10	6	4	9	5	4	2	0	1	0	3
40-44	64	1.36	35	10	4	6	3	1	3	1	0	1	0	0	0	0
GREATER THAN 44	4	0.08	0	1	2	1	0	0	0	0	0	0	0	0	0	0
UNKNOWN	109	2.31	38	17	18	6	7	2	7	4	5	0	0	0	0	5
STATE TOTALS	4,723		1,956	762	602	434	281	163	144	148	102	32	4	3	2	90
PERCENT DISTRIBUTIO	DN .	100.00	41.41	16.13	12.75	9.19	5.95	3.45	3.05	3.13	2.16	0.68	0.08	0.06	0.04	1.91
RACE OF PATIENT																
														_		
WHITE	4,500	95.28	1,870	729	566	418	268	154	137	143	93	32	4	3	2	81
BLACK	46	0.97	14	7	5	7	6	2	1	1	3	0	0	0	0	0
AMERICAN INDIAN	38	0.80	10	6	6	5	1	0	2	2	1	0	0	0	0	5
OTHER	139	2.94	62	20	25	4	6	7		2	5	0	0	0	0	4
STATE TOTALS	4,723		1,956	762	602	434	281	163	144	148	102	32	4	3	2	90
PERCENT DISTRIBUTIO)N	100.00	41.41	16.13	12.75	9.19	5.95	3.45	3.05	3.13	2.16	U.68	0.08	0.06	0.04	1.91

TABLE A-5 INDUCED TERMINATIONS OF PREGNANCY BY RACE, MARITAL STATUS AND AGE OF PATIENT MAINE STATE TOTALS, 1988 (RESIDENT DATA)*

						RACE ******			
MARITAL STATUS	TOTAL TERMINATIONS		HITE PERCENT	NUMBER	BLACK PERCENT		CAN INDIAN PERCENT		THER PERCENT
MARRIED	761	720		6	0.79	5	0.66	30	3.94
NOT MARRIED	2,818	2,738	97.16	16	0.57	. 23	0.82	41	1.45
UNK NOMN	239	215	89.96	3	1.26	3	1.26	18	7.53
STATE TOTALS	3,818	3,673	96.20	25	0.65	31	0.81	89	2.33
						•			
AGE OF PATIENT(YRS.)									
LESS THAN 15	19	18	94.74	0	0.00	1	5.26	0	0.00
15	65	65	100.00	0	0.00	0	0.00	0	0.00
16	147	145	98.64	1	0.68	0	0.00	1	0.68
17	217	209	96.31	1	0.46	2	0.92	5	2.30
18	297	291	97.98	1	0.34	1	0.34	4	1.35
19	314	303	96.50	2	0.64	2	0.64	7	2.23
20-24	1,259	1,212	96.27	14	1.11	11	0.87	22	1.75
25-29	77 t	737	95.59	4	0.52	8	1.04	22	2.85
30-34	418	402	96.17	0	0.00	3	0.72	13	3.11
35-39	199	191	95.98	2	1.01	1	0.50	5	2.51
40-44	58	53	91.38	0	0.00	1	1.72	4	6.90
GREATER THAN 44	4	4	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN	50	43	36.00	0	0.00	1	2.00	6	12.00
TEENAGE TOTALS	1,059	1,031	97.36	5	0.47	6	0.57	17	1.61
STATE TOTALS	3,818	3,673	96.20	25	0.65	31	0.81	89	2.33

NOTES: PERCENTAGES ARE BASED ON TOTAL TERMINATIONS.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O RECORDS WERE BLANK.

MARITAL STATUS	TOTAL TERMINATIONS		ITE	******** B NUMBER	LACK	RACE		*********** AN INDIAN PERCENT	0	******** THER PERCENT
MARRIED	872	824	94.50	8	0.92		5	0.57	35	4.01
NOT MARRIED	3,542	3,419	96.53	35	0.99		30	0.85	58	1.64
NNKNOMN	309	257	83.17	3	0.97		3	0.97	46	14.89
STATE TOTALS	4,723	4,500	95.28	46	0.97		38	0.80	139	2.94
AGE OF PATIENT(YRS.)						•				
LESS THAN 15	29	28	96.55	0	0.00		1	3.45	0	0.00
15	93	91	97.85	1	1.08		0	0.00	1	1.08
16	246	235	95.53	6	2.44		0	0.00	5	2.03
17	382	366	95.81	6	1.57		3	0.79	7	1.83
18	361	352	97.51	2	0.55		2	0.55	5	1.39
19	378	364	96.30	3	0.79		3	0.79	8	2.12
20-24	1,480	1,425	96.28	17	1.15		13	0.88	25	1.69
25-29	872	829	95.07	. 8	0.92		9	1.03	26	2.98
30-34	474	456	96.20	0	0.00		3	0.63	15	3.16
35-39	231	222	96.10	2	0.87		1	0.43	6	2.60
40-44	64	59	92.19	0	0.00		1	1.56	4	6.25
GREATER THAN 44	4	4	100.00	0	0.00		0	0.00	0	0.00
NKNOMN ,	109	69	63.30	1	0.92		2	1.83	37	33.94
TEENAGE TOTALS	1,489	1,436	96.44	18	1.21		9	0.60	26	1.75
STATE TOTALS	4,723	4,500	95.28	46	0.97		38	0.80	139	2.94

NOTES: PERCENTAGES ARE BASED ON TOTAL TERMINATIONS.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

TABLE A-7 INDUCED TERMINATIONS OF PREGNANCY BY MARITAL STATUS AND AGE OF PATIENT MAINE STATE TOTALS, 1988 (RESIDENT* AND OCCURRENCE DATA)

**************************************							****** OCCURR			
AGE OF PATIENT(YRS.)	TOTAL TERMINATIONS	PERCENT DISTRIBUTION	MARRIED	NOT MARRIED	UNKNO₩N	TOTAL TERMINATIONS	PERCENT DISTRIBUTION	MARRIED	NOT MARRIED	UNKNOWN
LESS THAN 15	19	0.50	1	18	0	29	0.61	1	28	0
15	65	1.70	0	64	1	93	1.97	0	92	1
16	147	3.85	4	135	8	246	5.21	4	231	11
17	217	5.68	3	196	18	382	8.09	6	353	23
18	297	7.78	12	267	18	361	7.64	17	323	21
19	314	8.22	20	278	16	378	8.00	23	336	19
20-24	1,259	32.98	195	982	82	1,480	31.34	230	1,157	93
25-29	771	20.19	238	484	49	872	18.46	261	559	52
30-34	418	10.95	152	242	24	474	10.04	177	269	28
35-39	199	5.21	92	97	10	231	4.89	108	111	12
40-44	58	1.52	31	23	4	64	1.36	32	26	6
GREATER THAN 44	4	0.10	3	1	0	4	0.08	3	1	0
UNKNOWN	50	1.31	10	31	9	109	2.31	10	56	43
TEENAGE TOTALS	1,059	27.74	40	958	61	1,489	31.53	51	1,363	75
STATE TOTALS	3,818		761	2,818	239	4,723		872	3,542	309
PERCENT DISTRIBUTION	N	100.00	19.93	73.81	6.26		100.00	18.46	74.99	6.54

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O RECORDS WERE BLANK.

TABLE A-8 INDUCED TERMINATIONS OF PREGNANCY BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT MAINE STATE TOTALS, 1988 (RESIDENT DATA)*

MARITAL STATUS	TOTAL TERMINATION:	**	****** ******		***** BIRTHS		***** ****		TCOME O *** IND 1					***** S O	****** PONTAN 1			***** NATIO 4+	
MARRIED	761	148	208	244	77	18	66	470	173	46	17	4	51	555	112	29	10	4	51
NOT MARRIED	2,818	1,901	472	187	72	23		1,912	563	152	39	21		2,414	178	42	9	2	173
UNKNOWN	239	104	44	22	17	7	45	139	45	17	2	2	34	177	19	4	1	0	38
STATE TOTALS	3,818	2,153	724	453	166	48	274	2,521	781	215	58	27	216	3,146	309	75	20	6	262
PERCENT DIST.	100.00	56.39	18.96	11.86	4.35	1.26		66.03	20.46	5.63	1.52	0.71	5.66	82.40	8.09	1.96	0.52	0.16	6.86
								, -						4.					
AGE OF PATIENT(Y	RS.)																		
LESS THAN 15	19	18	0,	0	0	0	1	18	0	0	0	0	1	18	0	0	0	0	1
15	65	62	0	0	0	0	3	62	1	0	0	0	2	63	0	0	0	0	2
16	147	137	4	0	0	0	6	129	9	0	0	. 0	9	138	0	1	0	0	8
17	217	191	14	2	0	0	10	186	21	1	1	0	8	206	3	0	0	0	8
18	297	260	25	3	0	1	8	249	33	5	0	0	10	281	3	1	0	0	12
19	314	235	43	11	2	0	23	245	42	7	0	0	20	268	24	2	0	0	20
20-24	1,259	761	272	110	25	5	86	840	279	56	11	3	70	1,048	96	19	3	1	92
25-29	771	319	185	139	60	12	56	398	229	76	22	10	36	606	77	25	6	3	54
30-34	418	107	106	106	42	15	42	222	101	37	17	9	32	303	64	14	5	1	31
35-39	199	36	49	52	24	8	30	. 99	47	23	6	5	19	130	29	10	4	1	25
40-44	58	1	1 1	23	10	5	8	36	7	8	0	0	7	36	10	2	2	0	8
GREATER THAN 44	4	0	1	1	1	1	0	3	0	0	0	0	1	3	1	0	0	0	0
UNKNOWN	50	26	14	6	2	1	1	34	12	2	1	0	1	46	2	1	0	0	1
TEENAGE TOTAL	S 1,059	903	86	16	2	1	5 1	889	106	13	1	0	50	974	30	4	0	0	51
PERCENT DIST.	100.00	85.27	8.12	1.51	0.19	0.09	4.82	83.95	10.01	1.23	0.09	0.00	4.72	91.97	2.83	0.38	0.00	0.00	4.82
STATE TOTALS	3,818	2,153	724	453	166	48	274	2,521	781	215	58	27	216	3,146	309	75	20	6	262
PERCENT DIST.	100.00	56.39	18.96	11.86	4.35	1.26	7.18	66.03	20.46	5.63	1.52	0.71	5.66	82.40	8.09	1.96	0.52	0.16	6.86

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O RECORDS WERE BLANK.

TABLE A-9 INDUCED TERMINATIONS OF PREGNANCY BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT
MAINE STATE TOTALS, 1988 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL TERMINATION	* [*]	****** O 1	* LIVE 2	3 RIKIH	**** 4+	UNK	*		UCED 1	3 EKMINA	4+	****	0	SPUNTAN 1	EUUS 2	1 ERMI	NAT10 4+	NS UNK
MARRIED :	872	171	241	283	90	19	68	544	194	55	21	6	52	646	129	29	11	4	53
NOT MARRIED	3,542	2,499	553	212	79	23	176	2,472	685	179	42 .	22	142	3,097	204	44	11	2	184
UNKNOWN	309	131	49	25	18	7	79	166	54	17	4	2	66	209	24	4	1	0	71
STATE TOTALS	4,723	2,801	843	520	187	49	323	3,182	933	251	67	30	260	3,952	357	77	23	6	308
PERCENT DIST.	100.00	59.31	17.85	11.01	3.96	1.04	6.84	67.37	19.75	5.31	1.42	Ó.64	5.50	83.68	7.56	1.63	0.49	0.13	6.52
AGE OF PATIENT(Y	RS.)																		
LESS THAN 15	29	28	0	0	0	0	1	28	0	0	0	0	1	27	1	0	0	0	1
15	93	90	0	0	0	0	3	87	4	0	0	0	2	91	0	0	0	0	2
16	246	235	5	0	0	0	6	217	18	2	0	0	9	236	1	1	0	0	8
17	382	347	22	2	0	0	11	329	41	2	1	0	9	369	4	0	0	0	9
18	361	318	30	4	0	1	8	298	47	5	0	0	11	344	4	1	0	0	12
19	378	289	51	13	2	0	23	293	57	8	0	0	20	328	28	2	0	0	20
20-24	1,480	915	316	128	25	5	91	999	324	65	13	5	74	1,256	104	19	3	1	97
25-29	872	368	208	155	65	12	64	456	251	88	25	11	41	685	89	27	9	3	59
30-34	474	120	122	123	49	15	45	256	113	45	19	9	32	346	75	14	5	1	33
35-39	231	42	54	63	32	9	31	119	53	26	7	5	21	154	35	10	4	1	27
40-44	64	2	15	24	10	5	8	41	8	8	0	0	7	41	11	2	2	0	8
GREATER THAN 44	4	0	1	1	1	1	0	3	0	0	0	0	1	3	1	0	0	0	0
UNKNOWN	109	47	19	7	3	1	32	56	17	2	2	0	32	72	4	1	0	0	32
TEENAGE TOTAL	S 1,489	1,307	108	19	2	1	52	1,252	167	17	1	0	52	1,395	38	4	0	0	52
PERCENT DIST.	100.00	87.78	7.25	1.28	0.13	0.07	3.49	84.08	11.22	1.14	0.07	0.00	3.49	93.69	2.55	0.27	0.00	0.00	3.49
STATE TOTALS	4,723	2,801	843	520	187	49	323	3,182	933	251	67	30	260	3,952	357	77	23	6	308
PERCENT DIST.	100.00	59.31	17.85	11.01	3.96	1.04	6.84	67.37	19.75	5.31	1.42	0.64	5.50	83.68	7.56	1.63	0.49	0.13	6.52

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

TABLE A-10 INDUCED TERMINATION OF PREGNANCY BY STATE OR COUNTRY OF RESIDENCE MAINE STATE TOTALS, 1988 (OCCURRENCE DATA)

STATE/COUNTRY	TERMINATIONS	STATE/COUNTRY	TERMINATIONS	STATE/COUNTRY	TERMINATIONS
ALABAMA	0	MARYLAND	2	SOUTH CAROLINA	0
ALASKA	0	MASSACHUSETTS	259	SOUTH DAKOTA	0
ARIZONA	0	MICHIGAN	1	TENNËSSEE	0
ARKANSAS	0	MINNESOTA	0	TEXAS	2
CALIFORNIA	0	MISSISSIPPI	0	UTAH -	0
COLORADO	2	MISSOURI	0	VERMONT	10
CONNECTICUT	3	MONTANA	0	VIRGINIA	2
DELAWARE	0	NEBRASKA	. 0	WASHINGTON	O .
DIST OF COLUMBIA	0	NEVADA	0	WEST VIRGINIA	0
FLORIDA	3	NEW HAMPSHIRE	395	WISCONSIN	0
GEORGIA	0	NEW JERSEY	1	WYOMING	0
HAWAII	0	NEW MEXICO	2	PUERTO RICO	0
IDAHO	0	NEW YORK	5	VIRGIN ISLANDS	0
ILLINOIS	0	NORTH CAROLINA	2	GUAM	0
INDIANA	0	NORTH DAKOTA	0 -	CANADA	163
IOWA	0	OHIO	0	CUBA	0
KANSAS	1	OKLAHOMA	0	MEXICO	C
KENTUCKY	0	OREGON	0	OTHER W. HEMISPHERE	3
LOUISIANA	0	PENNSYLVANIA	1	REST OF THE WORLD	3 .
MAINE	3,818	RHODE ISLAND	4	UNKNOWN	41
				TOTAL	4,723

MARRIAGES AND DIVORCES

AOF 05	TOTAL	DEDOENT	****	*****							E(YRS.	,					******
AGE OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DIST.	16	16-1/	18-19	9 20-21	1 22-23	3 24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	64	UNKNOWN
UNDER 16	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16-17	28	0.25	1	14	7	4	0	2	0	0	. 0	0	0	0	0	0	0
18-19	440	3.90	2	64	233	94	21	9	8	4	3	2	0	0	0	0	0
20-21	1,076	9.54	1	78	361	386	135	56	25	12	14	7	1	0	0	0	0
22-23	1,471	13.04	3	34	250	443	396	170	59	47	[*] 50	14	4	- 0	0	1	0
24-25	1,449	12.85	0	22	133	277	414	302	145	62	61	23	7	1	2	0	0
26-27	1,187	10.52	0	10	60	171	252	256	205	99	101	21	9	1	1	1	0
28-29	924	8.19	1	4	35	80	128	167	167	123	162	40	14	1	1	1	0
30-34	1,667	14.78	1	1	36	72	154	219	249	251	448	164	51	17	3	1	0
35-39	1,051	9.32	0	1	12	29	45	59	115	107	295	247	100	38	3	0	0
40-44	754	6.69	0	0	5	7	18	30	42	40	186	186	159	56	23	2	0
45-49	463	4.11	0	0	3	3	2	8	10	17	60	105	1 15	103	37	0	0
50-64	561	4.97	0	0	1	0	4	6	3	10	32	63	102	134	191	15	0
OVER 64	207	1.84	0	0	2	0	0	0	2	1	3	3	4	10	91	91	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	11,278		9	228	1,138	1,566	1,569	1,284	1,030	773	1,415	875	566	361	352	112	0
PERCENT DISTRIBUTION	N	100.00	0.08	2.02	10.09	13.89	13.91	11.38	9.13	6.85	12.55	7.76	5.02	3.20	3.12	0.99	0.00

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

TABLE M-2 MARRIAGES BY YEARS OF EDUCATION OF BRIDE AND OF GROOM MAINE STATE TOTALS, 1988 (RESIDENT DATA)*

EDUCATION OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DISTRIBUTION	UNDER 8	8	9	10	11	12	13	14	15	16	OVER 16	UNKNOWN
UNDER 8	67	0.59	7	6	7	9	5	25	3	4	0	0	1	0
8	251	2.23	5	43	17	16	24	115	15	8	1	6	1	0
9	276	2 - 45	7	16	30	39	41	112	15	10	3	2	0	1
10	434	3.85	3	13	25	62	38	225	24	21	5	10	5	3
11	457	4.05	2	12	22	40	57	256	33	20	4	8	3	0
12	5,516	48.91	13	62	112	188	250	3,510	444	433	133	278	77	16
13	660	5.85	1	8	8	16	16	247	127	102	33	73	27	2
14	1,048	9.29	0	3	8	14	15	402	130	232	69	134	39	2
15	304	2.70	0	3	4	3	1	87	31	59	29	60	25	2
16	1,257	11.15	1	1	6	3	9	237	95	172	66	537	126	4
OVER 16	675	5.99	0	1	1	2	2	112	37	73	55	200	191	1
UNKNOWN	333	2.95	0	2	5	1	1	19	3	2	2	5	2	291
STATE TOTALS	11,278		39	170	245	393	459	5,347	957	1,136	400	1,313	497	322
PERCENT DISTRIBUTI	ON	100.00	0.35	1.51	2.17	3.48	4.07	47.41	8.49	10.07	3.55	11.64	4.41	2.86

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

TABLE M-3 MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS, FOR BRIDES AND FOR GROOMS MAINE STATE TOTALS, 1988 (RESIDENT DATA)*

PREVIOUS MARITAL STATUS	TOTAL MARRIAGES	PERCENT DIST.							AGE 0 26-27			•				****** OVER 64	******* UNKNOWN
BRIDE																	
SINGLE	6,984	61.93	9	228	1,118	1,495	1,388	993	678	406	480	133	31	12	8	5	0
WIDOWED	385	3.41	0	0	0	2	1	6	10	9	26	29	31	52	140	79	0
DIVORCED	3,897	34.55	0	0	20	69	179	284	341	357	907	709	503	297	204	27	0
ANNULLED	12	0.11	0	0	0	0	1	1	1	1	2	4	1	0	0	1	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRIDE TOTALS	11,278		9	228	1,138	1,566	1,569	1,284	1,030	773	1,415	875	566	361	352	112	0
PERCENT DIST.		100.00	0.08	2.02	10.09	13.89	13.91	11.38	9.13	6.85	12.55	7.76	5.02	3.20	3.12	0.99	0.00

			****	****	*****	*****	*****	*****	AGE O	F GROO	M(YRS.) ****	*****	*****	*****	*****	*****
	TOTAL MARRIAGES	PERCENT DIST.	UNDER 16	16-17	18-19	20-2	22-23	3 24-25	26-27	28-29	9 30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
GROOM																	
SINGLE	7,035	62.38	0	28	436	1,058	1,400	1,313	936	648	800	268	79	35	27	7	0
WIDOWED	334	2.96	0	0	0	0	0	1	1	5	11	13	26	25	118	134	0
DIVORCED	3,896	34.55	0	0	4	18	71	135	249	271	851	767	648	403	415	64	0
ANNULLED	13	0.12	0	0	0	0	0	0	1	0	5	3	1	0	1	2	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	. 0	0	0
GRDOM TOTALS	11,278		0	28	440	1,076	1,471	1,449	1,187	924	1,667	1,051	754	463	561	207	0
PERCENT'DIST.		100.00	0.00	0.25	3.90	9.54	13.04	12.85	10.52	8.19	14.78	9.32	6.69	4.11	4.97	1.84	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

TABLE M-4 MARRIAGES BY NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND OF GROOM MAINE STATE TOTALS, 1988 (RESIDENT DATA)*

			***	******	******	NUMBER OF	F PREVIOUS	MARRIAGES	OF BRIDE	*****	******	*****
NUMBER OF PREVIOUS MARRIAGES OF GROOM	TOTAL MARRIAGES	PERCENT DISTRIBUTIO	0 N	1	2	3	4	5	6	7	8	UNKNOWN
0	7,036	62.39	5,689	1,132	170	29	12	3	1	0	0	0
1	3,201	28.38	1,086	1,604	414	79	15 .	3	0	0	0	0
2	812	7.20	178	413	176	32	8	4	1	0	0	0
3	170	1.51	22	81	39	25	3 .	0	0	0	0	0
4	46	0.41	7	23	7	5	2 .	0	1	0	1	0
5	9	0.08	2	3	2	1	0	1	0	0	0	0
6	2	0.02	0	1	0	1	0	0	0	0	0	0
7	1	0.01	0	0	1	0	0	0	0	0	0	0
8	1	0.01	0	0	1	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	11,278		6,984	3,257	810	172	40	11	3	0	1	0
PERCENT DISTRIBUTIO	N	100.00	61.93	28.88	7.18	1.53	0.35	0.10	0.03	0.00	0.01	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

^{**} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

NUMBER OF YEARS MARRIED	TOTAL DIVORCES	PERCENT DISTRIBUTION	**** O	NUME	BER OF	MINOR C	HILDREN 4	1 ***** OVER 4		PLAINTIFF HUSBAND	**** BOTH	** DE WIFE	ECREE GRAN HUSBAND	TED *** BOTH
UNDER 1	267	4.42	222	22	18	4	1	0	165	101	1	72	29	166
1-2	991	16.40	657	279	47	8	0	0	674	316	1	250	115	626
3-4	1,013	16.77	525	330	133	24	1	0	672	341	0	241	112	660
5-6	825	13.66	367	256	163	36	2	1	551	274	0	190	70	564
7-8	658	10.89	203	177	213	54	9	2	432	225	1	135	68	455
9-10	418	6.92	119	95	141	47	15	1	259	157	2	70	42	306
11-12	357	5.91	87	78	142	43	5	2	239	118	0	80	30	247
13-14	283	4.68	69	62	100	36	14	2	190	92	1	55	32	196
15-16 .	283	4.68	45	68	115	47	7	1	194	89	0	59	21	203
17-18	231	3.82	40	49	91	41	8	2	145	86	0	36	22	173
19-20	185	3.06	47	66	52	14	4	2	129	56	0	36	18	131
21-22	133	2.20	54	53	19	5	2	0	76	57	0	30	20	83
23-24	108	1.79	58	36	11	1	1	1	7 1	37	0	19	10	79
25-26	70	1.16	45	24	1	0	0	0	40	30	0	10	8	52
27-28	62	1.03	44	15	3	0	0	0	31	31	0	12	8	42
29-30	37	0.61	29	7	1	0	0	0	22	15	0	4	6	27
31-34	46	0.76	38	5	3	0	0	0	33	13	0	11	6	29
35-39	39	0.65	37	2	0	0	0	0	20	19	0	6	1	32
OVER 39	35	0.58	35	0	0	0	0	0	21	14	0	7	4	24
UNKNOWN	0	0.00	•	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	6,041		2,721	1,624	1,253	360	69	14	3,964	2,071	6	1,323	622	4,095
PERCENT DIST.		100.00	45.04 2	26.88	20.74	5.96	1.14	0.23	65.62	34.28	0.10	21.90	10.30	67.79

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
MINOR CHILDREN ARE UNDER 18 YEARS OF AGE.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

м- 0(0381	L01	Ta	ble C-1		EPART	STATE OF MA MENT OF HUMA ICATE OF L	IN SER		(118)		State File No	
1	1. CHILD'S	NAME (First, Mid	tio, Last)		<u>Marina</u> ni	-			2.	DATE OF BIRT	H (Mo., Day, Y		17H AM PM
HILD	4. SEX	S. CITY, TOWN, C	H LOCA	TION OF BIRTH						6. COU	ITY OF BIRTH		
<u> </u>	7. PLACE C	FВІЯТН: ☐ Но	pital	Freestanding Birthing C	yezine			8. F	ACILITY NAME	(Il not institute	n, gíve street a	ind number)	
l	□ C Osher	hnic/Doctor's Offic	•	Residence									
	9. I certify	that this child was id time and on the			10. 8	E SIC	O (No., Day, Yr.)	11. ATTE	HOANT'S NAME	AND TITLE (#	other than cert	titer) (Type/Print)	
								Hame	D. 🗆 D.O.	□ c.n.w. (Other Midwil	le le	
IFIER/	Signature	.			Ĺ			Other (mber or Rural Route Number,	
NDANT	12. CERTII Nama .	FIER'S NAME AND	TITLE (()pull				Cay or	r Town, State, Z	p Code)	SBeer End Nur	moer or Hural Houte Number,	
. [. 🗆 D.O. 🗓		AA DONM. D	Other Mi	dwife						•	
`		H (Specily) TRAR'S SIGNATU)' 						15. DATE F	ED BY REGIS	STRAR (Mo., Day, Yr.)	
	18 MOTH	ER'S NAME (First,	Middle, L	ASI)] 17.	MAIDEN S	URNAME			18. DATE OF BIRTH (Mo., Day, Yr.)	**********
IER	19 BIRTH	PLACE (State or F	oreign Ci	ountry)	20. RES	IDENCE-	STATE		21. COUNTY			22. CITY, TOWN, OR LOCATION	
	23. STREE	T AND NUMBER			24	MOTHE	R'S MAILING ADDRES	S (II same .	as residence, en	ter Zıp Codə o	147)	25. YEARS LIVING IN PRESENT TOWN	
	26 FATHE	R'S NAME (First,)	dickile, Li	151)			27. DATE C	F BIRTH (I	Mo , Day, Yr.)	 7	28. BIRTHPLA	CE (State or Foreign Country)	
	>	***************************************		on provided on this certifice	- Drown				.,				
ANT (re of Parent or Oti			18 CO.	ect to the	oest or my knownscape a	and Devon.					
1/88					-			·- ·- · · · ·			(*	MOTHER MARRIEOT (AI birth or conception Yea No	n)
	,	ONESDENITA	U - NE	ITHED MADITAL C	FATUR	NOO.	THE INCODMATI	ION BEI	OWN	ABDE AD C	N CEOTIE	IED COPIES OF THE RECORD	
		PRI	GNANC	Y HISTORY	IAIUS		I. DATE LAST NORMA			APPEAR C	(Mo., D		J.
F		IVE BIRTHS	. ignate ex	OTHER TERMINA (Sponlaneous and									
3		pacify below) 35. Now Dead		any time after con	ception)	3	2. MONTH OF PREGN BEQAN First, Seco	ANCY PRE	etc. (Specily)			ENATAL VISITS - Total Number none, so stare)	
N	umber	l Number		Number		3	7. BIRTH WEIGHT (Sp.	ecity unit)			38. CL	INICAL ESTIMATE OF GESTATION (IVANA	•)
	None	None		None							Ì		
7	(Month, Yea			TERMINATION (Mon.	th, Year)	4	PLURALITY - Single (Specify)	r, Twon, Trip	plet, etc.			NOT SINGLE BIRTH - Born First, Second, rd, etc. (Specify)	
-		GAR SCORE		45. MOTHER TRANSFER	BRED PE	BOB TO C	ELIVERY? [] No. [Yes H	Yes enter name	of facility trans	herred troon:		
4	3. 1 Minute	44. 5 Minutes							100, 0110, 11211		and non.		
l				48. INFANT TRANSFERI	RED7 []	№ □	Yes If Yes, enter nav	me of facile	ty transferred to				
1	ANCESTRY English, kish (Specify balo	, MC.	Black.	- American Indian. White, etc ly below)	(Sp.		DUCATION highest grade completes	a)		PATION PAST	YEAR	USUAL BUSINESSANDUSTRY P	AST YEAR
	(44)	-,	(opac	,,		Elementan Secondan (0 12)	/ College / (1-4 or 5+)	1	(56	acify below)		(Specify below)	
	47.		48.		49.			50.				51.	
	52.		53.		54.			55.				56.	
	57. MEDIC	AL RISK FACTOR	S FOR TI	IIS PREGNANCY	Щ	60. COM	PLICATIONS OF LABO	AND/OR	DELIVERY		63. CONGEN	IITAL ANOMALIES OF CHILD	
	Anemia (H						ck all that apply)					i that epply)	
-	Acute or cl	ronic lung dramase			¢. □	Premat	um, moderate / heavy ure rupture of membran	на (> 12 hou	urs)	c. D	Spina bilida	a / Meningocele	b. E
	Genital her	pes			1.0	Placent	o placenta			8. 🗓	Other centr	al nervous system anomalies	
ξΥ Υ	Hemoglob/	nopathy			h. CJ	Seizure Precipi	s duning labor			g . £3		mmalions	• f. G
W.	Hypertensi Ectampsia	on, pregnancy-ass	crated .		∦U k.U	Dyslun	ped labor (> 20 hours) . ctional labor . / Majoresentation				(Specif		h . i
	Previous in	fant 4000 + grams		al age infant	mυ	Cephal	opelvic disproportion .			a 1 🗆	Tracheo esc	ophageal fistula / Esophageal atresia le / Gastroschista	
	Renal dise	150			0. 🛭		stress				(Specif)		
	Other				q. 🗆 . y. 🗆	(50	waty)			y. ()	Renal agen	genitaka	
					z. CI	61. METH	OD OF DELIVERY (Ch	nack ona)			(Specif)		
	(Compt	RISK FACTORS I				Vaginal Primary	birth after previous C-e C-section	section		b. 🛭	Polydactyly Club foot	/ Syndactyly / Adactyly	p. (
		e number cigarette		Yes□	No 🗆	Forceps	C-section			a . D	Other musc	stic hernia	
		during pregnancy e number drinks p		Yes 🗆	No 🗆	Other _	Specify			0' ri	Down's syn	drome	•- [
	Weight gas	ned during pregna	юу	bs.		62. ABNO	ORMAL CONDITIONS C				(Specify	r)	u. E
	(Check	TRIC PROCEDUR all that apply) 1515				Birth in	(Hct.<39 / Hgb.<13) . jury			b. D	(Specify		-
	Electronic I	etal monitoring			b.() c.()	Hyaline	membrane disease / R um aspiration syndrome	DS		d. ()			
	Stimulation Tocolytis	of labor			a.(.)	Assiste Assiste	d ventilation ≤30 min. d ventilation ≥30 min. s			t D			
	Other				y. (1	Other _		160		y.O			

	Ta	MAME ble C-2		EPARTME	ATE OF MA	N SERV					
THIS	1 FACILITY HAME (II n	ot institution, give street and nui						2 DATE OF DELIVERY	(Mo . Day, Y	r.) 3	TIME OF DELIVERY
DELIVERY	4. SEX OF FETUS 5	CITY, TOWN, OR LOCATION O	OF DELIVERY					6 COUNTY OF DELIV	ERY		LJ PM
	7 MOTHER'S NAME (F	ust, Middle, Lastj						8 MAIDEN SURNAME		9 DATE (OF BIRTH (Mo Day, Yr.)
MOTHER	10 RESIDENCE - STA	TE 11 COUNTY	12.7	N OWIL	COCATION		·	13. STREET AND NUM	BER	,	
	14. MOTHER'S MAILIN	G ADDRESS (II same sees to	200 p	ta only)				15. YEARS LIVING IN F	PRESENT TO	WN 16 BIRTHP	LACE raign County)
FATHER	17. FATHER'S NAME (F	ust the Last						18 DATE OF BIRTH (A	lo . Day. Yr.)	19. BIRTHP (State or Fo	LACE regn (autry)
	20 I certify that the state knowledge	sd information concerning this d	ekvery is true to t	he bast of my		21 CERTI	FIER NAME AND TITLE	(Type/Print)			31-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
CERTIFIER	Signature				}	□ M.D.	D.O. Hospit	al Admin.			
	22. DATÉ SIGNED (Mo.	, Day, Yr.) 23. ATTENDANT	'S NAME AND TI	TLE (II other ti	han certifier) (Typa/P.	nnt)		, 00	A.D. 🗆 O. Other (Specify)		Other Mid-wife
	24 SIGNATURE OF FU	NERAL DIRECTOR OR AUTHO	RIZED PERSON	25 NA	ME AND ADDRESS	OF FACILIT	Y OR AUTHORIZED PE	RSON			
DISPOSITION	26 REGISTRAR'S SIGN	ATURE		27. DATE	FILED (A40., Day, Yr.	,	28 METHOD O Burial O Cremation Laboralory	29. PLACE OF DISPOSITE	OH (Name of	cemalery, cremai	ory, or other place)
	PART I. Fetal or mail condition de				Enter only one ca	use per lin	for a., b., and c.				
	Causing tels	ioeath. { INNE	DIATE CAUSE							Specif	y Fetal or Majernal
	M M O D Felal and/or maternal		TO (OR AS A CO	NSEQUENCE	OF):					Specif	Fetal or Meternal
CAUSE O FETAL	conditions, if any, gives to the immediate cause(s), stating the immediate	ing DUE	TO (OR AS A CO	NSEQUENCE	OF).					Specif	y Fetal or Maternal
DEATH	- Z	c	her contributing to	o telal, death be	ut not resulting in the	underlying	causes given in Part I		31	FETUS DED	SEFORE LABOR [
	ONFI									DURING LABOR	OR DELIVERY
	(WAS AN AUTOPSY PERFORMED?	33. WERE AUTOPSY FRADINGS AVAIL- ABLE PRIOR TO COMPLETION OF CAUSE OF DEATH?
	VS-4R1/88							7	34. MOTHER	YES □ NO MARRIED? (AI b □ Yes □	I YES NO
	2011	EIDENTIM NEITUED			. TUE MEO. 5			N 05DEISIER 000	150 OF T		
	ANCESTRY French, En Irish, etc. (Specify below	FIDENTIAL: NEITHER glish, PACE - Ame Black, White			1	EDUCAT		USUAL OCCUPATIO			USINESSANDUSTRY PAST YEAR
	35.	36.			Elementary/Se (0-12) 37.	condary	College (1-4 or 5+)	(Specify be	low)	39.	Specify below)
MOTHER	\$	41.			42.			43		44.	
FATHER	<u>(</u>	41,	opportunities and the second of the second	armonia, and a second	42.		! ! !				
	(PREGNANO (Complete e				*``	DATE LAST NORMAL N	RENSES BEGAN	(Mo., Da)	y. Yr)	
	Liv	E BIRTHS	(5)	OTHER TERMI contanuous an	d induced at	46.	MONTH OF PREGNANC	CY PRENATAL CARE	47. PRE	NATAL VISIT - T	otal Number
PREGNANCY HISTORY	48. How Living	l Now Dead	49. (Do not a	nclude this fell	us)	- -	BEGAN - First, Second, atc. (Specify)	INIO	la ve	one, so state)	
HISTORY	Number	Number	Number			50.	BIRTH WEIGHT (Specify Unit)		51. CLIN	ICAL ESTIMATE	OF GESTATION (Weeks)
	□ None	None	☐ None			54.	PLURALITY - Single, To (Specify)	vin, Triplet, etc.	55. IF No Third	OT SINGLE BIRT	H - Born First, Second,
	(Month, Year)	IVE BIRTH	(Month,	Year)	R TERMINATION						
	(Check all that apply Amerika (Hct <30/Hqb	<10)	, . , a. 🗆	(Chack i	TRIC PROCEDURES withat apply) tesis			58. CONGENITAL (Check all that Anencophalus	soply)		
	Diabetes pastational	50350	4.0	Induction of Stimulation	oflabor			Hydrocephalus Microcephalus			
	Gental herpes Hydramnios/Oligohydrar Hemoglobinopathy Hypertension, chronic	minitos.		Other				I.D. (Specify)	ons		0.0
	Incompotent cervix	y-associated .		None				t. D (Specify)	lenosis		g D
MEDICAL	Previous preterm or sms Renal disease Rh sensitization	uli-for-gestational age infant	() () ()	(Check a Febrile (> 1				Omphalocele / G Other gastrointes	astroschisis . tinal anomass		
AND HEALTH INFORMATION	Other (Specify)			Premature Abruptio p	tupture of membran facenta) (> 12 hou	IS)	E. D. Malformed genita E. D. Renal agenesis	don		
	(Complete all items) Tobacco use during pre	gnancy		Other exce Seizures d	ssive bleeding luring labor			(Specify) Cleft palate / lip.		ctyty	n. 🗅
	Alcohol use during pregi Average number dri Weight gained during pr 61. METHOD OF DELIV	nancy riks per week Ru	Yes D No O	Protonged Dystunctio	labor (> 20 hours) nal labor			Club foot	ипа sietal / integu		O.1
	VagunaJ		a () b () c ()	Cord prota Anesthetic	pse			I. El (Specify)			
	Repeat C section Forceps Vacuum	ere en	4 II 8 Li 1 Li	Helal disks Other (Speci	III)			(Specify) (Specify) (Specify)			y. U

STATE OF MAINE DEPARTMENT OF HUMAN SERVICES

/				RTIFICATE		(118)	Stat	le File No.	
ſ	1. DECEDENT'S NAME (Firs	t, Middle, Last)				2	. DATE OF DEATH (Mo.,		3. SEX
	4. SOCIAL SECURITY NUMBER	ER 5a. AGE (Yrs.) 5b Last Birthday Mor	UNDER 1 YEAR	5c. UNDER	1 DAY 6. DATE C	F BIRTH (Mo., Day, Y	7. BIRTHPLACE (C	City and State or Fore	ign Coun
	EVER IN U.S.	9. PLACE OF DEATH (Check HOSPITAL	. 🔻 🔏	OTHER					-
<u> </u>	ARMED FORCES? Yes No 10. FACILITY NAME (If not ins	☐ Inpatient	2/Outpatient	DOA OTHER D	ursing Home			12. COUNTY OF DE	ATH
	IO. FACILITI NAME (II NO! INS	antonon, give street and pane			THE COLLEGE AT	ION OF DEATH		, E. COUNTY OF DE	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
13.63	40 MADITAL OTATIO	14 MOST PEOPLY		46 PEOPPERSON	CHAL OCCUPATION	· · · · · · · · · · · · · · · · · · ·	16 VIND OF BUOINESS	LINDICTOV	
ENT	13. MARITAL STATUS Married, Never Married, Widowed, Divorced (Specify)	14. MOST RECENT S. DU. (If wile, and	Living Decease	Do <u>not</u> use retired	k done during most of working	life.	16. KIND OF BUSINESS) INDUSTRY	
F	17. DECEDENT	EDUCATI	18. ANCESTF	RY - French, English, Irish	, etc. (Specify)	19. RA	CE – American Indian, Bl	ack, White, etc. (Spec	cify)
ĒĪ	(Specify only hig	colle (1-4 or 5+)							
			00 0000 000	WILLOW TON		20.07	REET AND NUMBER		
20	20. RESIDENCE - STATE 21.	COUNTY	ZZ. CITY, TO	WN, OR LOCATION	•	23. 811	NEE AND NUMBER		
_ \						ĺ			
	24. FATHER'S NAME (First,	Middle, Last)		25	. MOTHER'S NAME (First, Mid	ddle, Maiden Surname	>)		
NTS									
/	26. INFORMANT - NAME (1	Type/Print)	27 MAILING	ADDRESS (Street and More	mber or Rural Route Number,	City of Town State 7	IP Code)	AND THE STREET	
ANT	20. INFORMANT - NAME (I	ispen mig	27. WAILING	Number and Number	mpor or murar model Number, I	ong or rown, state, 21	, Jouey		
Li Li Li									
	28. METHOD OF DISPOSIT	ION	29. PLACE	OF DISPOSITION (Name of	of cemetery, crematory, or other	place) 30. LOCATIO	N - City or Town, State		
ſ	☐ Burial ☐ Crematic	n Removal from State							
TION —	☐ Donation ☐ Other 31. SIGNATURE OF FUNEF		122 11	AME AND ADDRESS OF	FACILITY OR AUTHORIZED P	ERSON		33. DATE OF	DISPASIT
	OR AUTHORIZED PERS	SON	32. 14	THE AND ADDRESS OF I	ACIENT ON ACTRONIZED P			(Mo., Day,	
	. ▶				•				
	34. MEDICAL On EXAMINER dai	the basis of examination and te and place and due to the o	I/or investigation, in r ause(s) and manner	ny opinion, death occurred	at the time,		35. DATE SIGNED (Mo., Day, Yr.)		36. VIEV BOD
Ĺ	Signature and Title								DEA
नहार		the best of my knowledge, d use(s) and manner as stated.	eath occurred at the t	irne, date, and place, and	due to the		38. TIME OF DEATI	□ ам	☐ Yes
	Signature and Title 39. NAME OF ATTENDING	PHYSICIAN IF OTHER THAN	CERTIFIER (Type/P	rint) 40. NAME AND A	DDRESS OF CERTIFIER (Type	e/Print)		□ PM	L
(
	41. REGISTRAR'S SIGNATU	URE				42, DATE FILED	(Mo., Day, Yr.)		***************************************
						i			
		LAS MANINED OF DEATH	146 143 5	ATC OF BUILDY	Las preceipt nouse we	N OCCUPATE			
1	43. WAS AN AUTOPSY PERFORMED?	45. MANNER OF DEATH	INJURY (A	ATE OF INJURY Io., Day, Yr.)	48. DESCRIBE HOW INJUR	Y OCCURRED			
1	PERFORMED?	☐ Natural ☐ Accident	INJURY (A	ATE OF INJURY to., Day, Yr.)	48. DESCRIBE HOW INJUF	Y OCCURRED			
	PERFORMED?	☐ Natural	INJURY (A. WORK?	fo., Day, Yr.)			acion, effice building	(Spacify)	
	PERFORMED? Yes No 44. WERE AUTOPSY FINDINGS AVAIL- ABLE PRIOR TO	☐ Natural ☐ Accident ☐ Suicide ☐ Homicide ☐ Pending	INJURY (A. WORK?	(o., Day, Yr.) ME OF INJURY	50. PLACE OF INJURY - A		actory, office building, etc	. (Specify)	
	PERFORMED? Yes No 44. WERE AUTOPSY FINDINGS AVAIL-	☐ Natural ☐ Accident ☐ Suicide ☐ Homicide ☐ Pending ☐ Investigation ☐ Could not be	INJURY (A. WORK?	fo., Day, Yr.)	50. PLACE OF INJURY - A	l home, farm, street, fr			
	PERFORMED? Ves No 44. WERE AUTOPSY FINDINGS AVAIL- ABLE PRIOR TO COMPLETION OF	│ Natural │ Accident │ Suicide │ Homicide │ Pending Investigation	INJURY (A) AT WORK? Yes 49. TI	ME OF INJURY	50. PLACE OF INJURY - A	l home, farm, street, fr			
	PERFORMED? Yes No 44. WERE AUTOPSY FINDINGS AVAIL- ABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? Yes No 52. PART I. Er	│ Natural │ Accident │ Suicide │ Homicide │ Pending │ Investigation │ Could not be determined	INJURY AT WORK? Yes 49. Ti	ME OF INJURY AM PM Caused the death, Do not e	50. PLACE OF INJURY - A	i home, farm, street, fa Number or Rural Rout	e Number, City er Town,	State) Approx Betwee	imate inter
	PERFORMED? Yes No 44. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? Yes No S2. PART I. Er ar	Natural Accident Suicide Homicide Pending Investigation Could not be determined	INJURY AT WORK? Yes 49. Ti	ME OF INJURY AM PM Caused the death, Do not e	50. PLACE OF INJURY – A 51. LOCATION (Street and	i home, farm, street, fa Number or Rural Rout	e Number, City er Town,	State) Approx	imate inte in Onset a
	PERFORMED? Yes No 44. WERE AUTOPSY FINDINGS AVAIL- ABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? Yes No 52. PART I. Er	Natural Accident Suicide Homicide Pending Investigation Could not be determined	INJURY AT WORK? Yes 49. Ti No complications which ist only one cause pa	ME OF INJURY AM PM caused the death, Do not or each line.	50. PLACE OF INJURY – A 51. LOCATION (Street and	i home, farm, street, fa Number or Rural Rout	e Number, City er Town,	State) Approx Betwee	imate Inter in Onset a
	PERFORMED? Yes No 44. WERE AUTOPSY FINDINGS AVAIL- ABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? Yes No 52. PART I. Er ar IMMEDIATE CAUS disease or conditio resulting in death.)	Natural Accident Suicide Homicide Pending Investigation Could not be determined	INJURY AT WORK? Yes 49. Ti No complications which ist only one cause pa	ME OF INJURY AM PM Caused the death, Do not e	50. PLACE OF INJURY – A 51. LOCATION (Street and	i home, farm, street, fa Number or Rural Rout	e Number, City er Town,	State) Approx Betwee	imate inter
	PERFORMED? Yes No 44. WERE AUTOPSY FINDINGS AVAIL- ABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? Yes No 52. PART I. Er ar IMMEDIATE CAUS disease or conditio resulting in death.)	Natural Accident Suicide Homicide Pending Investigation Could not be determined Accident Suicide Homicide Accident Acci	INJURY AT WORK? Yes 49. TI No No Or AS A COMPANY OF A COMPANY OF AS A COMPANY OF AS A COMPANY OF AS A COMPAN	ME OF INJURY AM PM caused the death, Do not or each line.	50. PLACE OF INJURY – A 51. LOCATION (Street and	i home, farm, street, fa Number or Rural Rout	e Number, City er Town,	State) Approx Betwee	imate inter
	PERFORMED? Yes No 44. WERE AUTOPSY FINDINGS AVAIL- ABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? Yes No 52. PART I. Er ar IMMEDIATE CAUS disease or conditio resulting in death.)	Natural Accident Suicide Homicide Pending Investigation Could not be determined March 1997 Ma	INJURY AT WORK? Yes 49. TI No No Or AS A COMPANY OF A COMPANY OF AS A COMPANY OF AS A COMPANY OF AS A COMPAN	ME OF INJURY AM PM caused the death. Do not or each line.	50. PLACE OF INJURY – A 51. LOCATION (Street and	i home, farm, street, fa Number or Rural Rout	e Number, City er Town,	State) Approx Betwee	imate inter in Onset a
	PERFORMED? Yes No 44. WERE AUTOPSY FINDINGS AVAIL- ABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? Yes No 52. PART I. Er ar IMMEDIATE CAUS disease or conditio resulting in death.)	Natural Accident Suicide Homicide Pending Investigation Could not be determined Accident Accid	INJURY AT WORK? Yes 49. TI No No DUE TO (OR AS A 1)	ME OF INJURY AM PM caused the death. Do not or each line.	50. PLACE OF INJURY – A 51. LOCATION (Street and	i home, farm, street, fa Number or Rural Rout	e Number, City er Town,	State) Approx Betwee	imate intein Onset a
	PERFORMED? Yes	Natural Accident Suicide Homicide Pending Investigation Could not be determined her the diseases, injuries, or rest, shock, or heart failure, L SE (Final a. Inditions, Inmediate EELYING or injury ts LAST d.	INJURY AT WORK? Yes 49. TI No No DUE TO (OR AS A COUNTY OF AS A CO	ME OF INJURY AM AM Beaused the death. Do not or each line. CONSEQUENCE OF: CONSEQUENCE OF:	50. PLACE OF INJURY - A 51. LOCATION (Street and I	i home, farm, street, fa Number or Rural Rout	e Number, City er Town,	State) Approx Betwee	imate inter
	PERFORMED? Yes	Natural Accident Suicide Homicide Pending Investigation Could not be determined Accident Accid	INJURY AT WORK? Yes 49. TI No No DUE TO (OR AS A COUNTY OF AS A CO	ME OF INJURY AM AM Beaused the death. Do not or each line. CONSEQUENCE OF: CONSEQUENCE OF:	50. PLACE OF INJURY - A 51. LOCATION (Street and I	i home, farm, street, fa Number or Rural Rout	e Number, City er Town,	State) Approx Betwee	imate intern Onset a

SHADED AREAS FOR MEDICAL EXAMINER USE ONLY 171

If the death occurred in a hospital, check the box indicating the decedent's status at the institution (inpatient, emergency room/outpatient or dead on arrival (DOA)). If death occurred elsewhere, check the box indicating whether death occurred at a nursing home, residence or other location. If other is checked, specify where death occurred, e.g. a physician's office, the place where the accident occurred or at work.

Items 20-23. - Residence of Decedent

Residence of the decedent is the place where he or she actually resided. This is not necessarily the same as "home state" or "legal residence." Never enter a temporary residence such as one used during a visit, business trip or a vacation. Place of residence during a tour of military duty or during attendance at college is not considered as temporary and should be considered as the place of residence.

If a decedent had been living in a facility where an individual usually resides for a long period of time such as a group home, mental institution, nursing home, penitentiary or hospital for the chronically ill, report the location of that facility in items 20 through 23.

If the decedent was an infant who never resided at home, the place of residence is that of the parent(s) or legal guardian. Do not use an acute care hospital's location as the place of residence of an infant.

Items 34-51 — Medical Certification

When the circumstances of death make it a medical examiner case as defined in 22 MRSA §3025, the MEDICAL EXAMINER is responsible for completing all items in this section. The shaded areas, item 34 and items 46-51 are to be used only by the Medical Examiner. If the manner of death indicated in item 45 is anything other than natural causes, the certificate must be completed by a medical examiner.

CONFIDENTIAL INFORMATION

Sequentially list conditions,

if any, leading to immediate cause, Enter UNDERLYING

CAUSE (Disease or injury

which initiated events resulting in death) LAST

The cause of death means the disease, abnormality, injury or poisoning that caused the death, not the mode of dying, such as cardiac or respiratory

In Part I, the immediate cause of death is reported on line (a). Antecedent conditions, if any, which gave rise to the cause are reported on lines (b), (c), and (d). The underlying cause should be reported on the last line used in Part I. NO entry is necessary on lines (b), (c) and (d) if the immediate cause of death on line (a) describes completely the train of events. ONLY ONE CAUSE SHOULD BE ENTERED ON A LINE. Additional lines may be added if necessary. Provide the best estimate of the interval between the onset of each condition and death. Do not leave the interval blank; if unknown, so specify.

In Part II, enter other important diseases or conditions_that may have contributed to death but did not result in the underlying cause of death given in Part I. See examples below. MANNER OF DEATH INJURY (Mo., Day, Yr.) PERFORMED? X Natural WORK? ☐ Accident X Yes 🗆 No ☐ Suicide WERE AUTOPSY FINDINGS AVAIL-49. TIME OF INJURY 50. PLACE OF INJURY - At home, farm, street, factory, office building, etc. (Specify) ☐ Yes ☐ Homicide ABLE PRIOR TO COMPLETION OF □ AM 51. LOCATION (Street and Number or Rural Route Number, City or Town, State) □ РМ CAUSE OF DEATH? ☐ No X Yes 🗆 No PART I. Enter the diseases, injuries, or complications which caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure. List only one cause per each line. Between Onset and IMMEDIATE CAUSE (Final Rupture of myocardium Mins. disease or condition resulting in death.) DUE TO (OR AS A CONSEQUENCE OF): CONFIDENTIAL INFORMATION Acute myocardial infarction 6 days Sequentially list conditions, if any, leading to immediate DUE TO (OR AS A CONSEQUENCE OF): cause. Enter UNDERLYING Chronic ischemic heart disease 5 years CAUSE (Disease or injury DUE TO (OR AS A CONSEQUENCE OF): which initiated events resulting in death) LAST PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in Part I. If not specified in Part I, indicate if the decedent was pregnant or less than 90 days postpartum at time of death Diabetes, Chronic obstructive pulmonary disease, smoking 43. WAS AN AUTOPSY 45. MANNER OF DEATH 48. DESCRIBE HOW INJURY OCCURRED 47. DATE OF INJURY INJURY PERFORMED? (Mo., Day, Yr.) ☐ Natural AT WORK? X Accident ☐ Yes (X No 11/15/85 2 car collision—driver ☐ Suicide WERE AUTOPSY 49. TIME OF INJURY 50. PLACE OF INJURY - At home, farm, street, factory, office building, etc. (Specify) □ Yes ☐ Homicide FINDINGS AVAIL-ABLE PRIOR TO ☐ Pending Street □ ам COMPLETION OF 51. LOCATION (Street and Number or Rural Route Number, City or Town, State) 1:00 X PM CAUSE OF DEATH? X No ☐ Yes 💢 No Route 4, Raleigh, North Carolina PART I. Enter the diseases, injuries, or complications which caused the death. Do not enter Approximate Interval arrest, shock, or heart failure. List only one cause per each line Between Onset and IMMEDIATE CAUSE (Final Cerebral laceration 10 mins. disease or condition resulting in death.)

10 mins.

10 mins.

DUE TO (OR AS A CONSEQUENCE OF):

DUE TO (OR AS A CONSEQUENCE OF):

DUE TO (OR AS A CONSEQUENCE OF):

Open skull fracture

Automobile accident

PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in Part I. If not specified in Part I, indicate if the decedent was pregnant or less than 90 days postpartum at time of death.

STATE OF MAINE DEPARTMENT OF HUMAN SERVICES (118) LICENSE AND CERTIFICATE OF MARRIAGE

					State File No.
1. GROOM'S NAME (First,	Middle, Last)				2. AGE LAST BIRTHDAY
3. RESIDENCE - STREET	AND NUMBER		4. CITY, TOWN, OR LOCATION	ı	
6 COUNTY			1		
5. COUNTY		6. SATE	7. BIRTHPLACE (State or Foreig	n Country)	8. DATE OF BIRTH (Mo., Day, Yr.)
9. FATHER'S NAME (First,	Middle Last)	10. BIRTHPLACE (State or	11. MOTHER'S NAME (First, M.	ddlo Maidan Surnamo)	12. BIRTHPLACE (State or
S. TATTETO NAME (FISS),	anddie, Edsty	Foreign Country)	11. MOTHER O WATE (First, MI	uule, malusii Surramej	Foreign Country)
13. BRIDE'S NAME (First, I	Middle, Last)		14. MAIDEN SURNAME (II diffe	rent)	15. AGE LAST BIRTHDAY
16. RESIDENCE - STREE	NUI ZR		17. CITY, TOWN, OR LOCATIO	N	
18. COUNTY	7	19. STATE	20. BIRTHPLACE (State or Fore	ian Country)	21. DATE OF BIRTH (Mo., Day, Yr.)
				3 ,	
22. FATHER'S NAME (First	I, Middle, Last)	23. BIRTHPLACE (State or Foreign Country)	24. MOTHER'S NAME (First, Mi	ddle, Maiden Surname)	25. BIRTHPLACE (State or Foreign Country)
					,
	GROOM			BRIDE	
NUMBER OF THIS MARRIAGE	27. IF PREVIOUSLY MA	RRIED, LAST MARRIAGE ENDED	NUMBER OF THIS MARRIAGE	29. IF PREVIOUSLY	MARRIED, LAST MARRIAGE ENDED
26. First, Second, etc (Specify)	☐ DEATH ☐ DIVORCE	DATE (Mo., Day, Yr.)	28. First, Second, etc. (Specity)	☐ DEATH ☐ DIVORCE	DATE (Mo., Day, Yr.)
	ANNULMENT	!		ANNULMENT	
1 HE	First cousing	s are required by law to obtai HE INFORMATION PROVIDE	in a certificate of genetic	counseling by a physician.	IGE AND BELIEF
S 30. GROOM'S SIGNATURE		AND THAT I AM FREE TO N			OC MID BELLE
SO. GROOM S SIGNATURE	:		SI. BRIDE S SIGNATURE		
>-	32. DATE INTENTION	S FILED (Mo., Day, Yr.)	33. DATE LICENSE ISSUED (M	o., Day, Yr.) 34. LICENSE VALID	UNTIL (Mo., Day, Yr.)
ANY DULY AUTHORIZED FO					
THE ABOVE-NAMED PARTIES					
	UNDER 35. SIGNATURE OF IS	SSUING CLERK	36. CITY	OR TOWN OF ISSUE	
THE LAWS OF MAINE.	UNDER 35. SIGNATURE OF IS				
THE LAWS OF MAINE.	UNDER 35. SIGNATURE OF IS	OVIDE THAT ONLY AUTI			RRIAGES IN MAINE
THE LAWS OF MAINE. THE	LAWS OF MAINE PRO		HORIZED PERSONS I		RRIAGES IN MAINE
THE LAWS OF MAINE.	LAWS OF MAINE PRO	OVIDE THAT ONLY AUTI	HORIZED PERSONS I	MAY SOLEMNIZE MAF	RRIAGES IN MAINE
THE LAWS OF MAINE. THE 37. I CERTIFY THAT THE ABOVE NAMED PERSO WERE MARRIED ON: 40. SIGNATURE OF PERSO	LAWS OF MAINE PRO	OVIDE THAT ONLY AUTI	HORIZED PERSONS I	MAY SOLEMNIZE MAF	
THE LAWS OF MAINE. THE 37. I CERTIFY THAT THE ABOVE NAMED PERSON WERE MARRIED ON: 40. SIGNATURE OF PERSON	LAWS OF MAINE PRO (Ma., Day, Yr.) ON PERFORMING CEREMONY	OVIDE THAT ONLY AUTI 38. WHERE MARRIED - CTI 41. NAME (Type/Print)	HORIZED PERSONS I	MAY SOLEMNIZE MAP 39. COUNTY 42. TITLE	43. DATE OF COMMISSION OR LICE (Mo., Day, Yr.)
THE LAWS OF MAINE. THE 37. I CERTIFY THAT THE ABOVE NAMED PERSON WERE MARRIED ON: 40. SIGNATURE OF PERSON	LAWS OF MAINE PRO	OVIDE THAT ONLY AUTI 38. WHERE MARRIED - CT 41. NAME (Type/Print)	HORIZED PERSONS I	MAY SOLEMNIZE MAF	43. DATE OF COMMISSION OR LICE (Mo., Day, Yr.)
THE LAWS OF MAINE. THE 37. I CERTIFY THAT THE ABOVE NAMED PERSON WERE MARRIED ON: 40. SIGNATURE OF PERSON	LAWS OF MAINE PRO (Ma., Day, Yr.) ON PERFORMING CEREMONY F PERSON PERFORMING CEREM	OVIDE THAT ONLY AUTI 38. WHERE MARRIED - CTI 41. NAME (Type/Print)	HORIZED PERSONS I	MAY SOLEMNIZE MAP 39. COUNTY 42. TITLE	43. DATE OF COMMISSION OR LICE (Mo., Day, Yr.) (Type/Print Name)
THE LAWS OF MAINE. THE 1 37. I CERTIFY THAT THE ABOVE NAMED PERSON WERE MARRIED ON: 40. SIGNATURE OF PERSON 44. MAILING ADDRESS OF	LAWS OF MAINE PRO (Ma., Day, Yr.) ON PERFORMING CEREMONY F PERSON PERFORMING CEREM	OVIDE THAT ONLY AUTI 38. WHERE MARRIED - CTI 41. NAME (Type/Print)	HORIZED PERSONS I	39. COUNTY 42. TITLE 46. WITNESS TO CEREMONY	43. DATE OF COMMISSION OR LICE (Mo., Day, Yr.) (Type/Print Name)
THE LAWS OF MAINE. THE 37. I CERTIFY THAT THE ABOVE NAMED PERSIVE WERE MARRIED ON: 40. SIGNATURE OF PERSIPHER ABOVE A	LAWS OF MAINE PRO (Ma., Day, Yr.) ONS ON PERFORMING CEREMONY F PERSON PERFORMING CEREM	OVIDE THAT ONLY AUTI 38. WHERE MARRIED - CTI 41. NAME (Type/Print)	HORIZED PERSONS I	39. COUNTY 42. TITLE 46. WITNESS TO CEREMONY 48. DATE FILED (Mo., Day, Yr.)	43. DATE OF COMMISSION OR LICE (Mo., Day, Yr.) (Type/Print Name)
THE LAWS OF MAINE. THE 37. I CERTIFY THAT THE ABOVE NAMED PERSIVE WERE MARRIED ON: 40. SIGNATURE OF PERSIVE AND ADDRESS OF AMAILING ADDRESS OF ATT. REGISTRAR'S SIGNAT	LAWS OF MAINE PRO (Mo., Day, Yr.) ON PERFORMING CEREMONY PERSON PERFORMING CEREMONY URE	38. WHERE MARRIED - CT 41. NAME (Type/Print) 45. WITNESS TO CEREMON	HORIZED PERSONS I	39. COUNTY 42. TITLE 46. WITNESS TO CEREMONY 48. DATE FILED (Mo., Day, Yr.	43. DATE OF COMMISSION OR LICE (Mo., Day, Yr.) (Type/Print Name)
THE LAWS OF MAINE. THE 1 37. I CERTIFY THAT THE ABOVE NAMED PERSON WERE MARRIED ON: 40. SIGNATURE OF PERSON 44. MAILING ADDRESS OF 47. REGISTRAR'S SIGNAT CONFIDENT GROOM'S RACE	LAWS OF MAINE PRO (Mo., Day, Yr.) ON PERFORMING CEREMONY PERSON PERFORMING CEREMONY URE	OVIDE THAT ONLY AUTI 38. WHERE MARRIED - CI 41. NAME (Type/Print) ONY 45. WITNESS TO CEREMON TION BELOW WILL NO	HORIZED PERSONS I	39. COUNTY 42. TITLE 46. WITNESS TO CEREMONY 48. DATE FILED (Mo., Day, Yr.	43. DATE OF COMMISSION OR LICE (Mo., Day, Yr.) (Type/Print Name)) HE RECORD.

COPY STATE

		CONSENT OF PARENTS OR G	BUARDIAN	
	WE HEREBY GIVE CONSENT TO THE MARRIAGE OF OUR DAL	JGHTER OR WARD		
CONSENT	SIGNATURE OF PARENT OR GUARDIAN	ТО	SIGNATURE OF PARENT OR GUARDIAN	
FOR	SIGNATURE OF FARENT OF GOARDIAN		SIGNATURE OF PARENT OF COARDIAN	
BRIDE				
DITIDL	SIGNED BEFORE ME	CLERK OR DEPUTY	TOWN	
	WE HEREBY GIVE CONSENT TO THE MARRIAGE OF OUR SOI	NI OR WARD		
	WE HEREBY GIVE CONSENT TO THE MANNIAGE OF OUR SOL	N OH WARD	•	
		то		
CONSENT	SIGNATURE OF PARENT OR GUARDIAN		SIGNATURE OF PARENT OR GUARDIAN	
FOR				
GROOM	SIGNED BEFORE ME ON	CLERK OR DEPUTY	TOWN	
		SAMP DISSOLUTION: OF FORMER M		
	DIVORCE (NAME OF FORMER SPOUSE)	DATE OF DIVORCE	NAME AND LOCATION OF COURT	
GROOM	ANNULMENT (NAME OF FORMER SPOUSE)	DATE OF ANNULMENT	NAME AND LOCATION OF COURT	
GROOM				
· ·	DEATH (NAME OF FORMER SPOUSE)	DATE OF DEATH	PLACE OF DEATH	
7.				
	DIVORCE (NAME OF FORMER SPOUSE)	DATE OF DIVORCE	NAME AND LOCATION OF COURT	
	DIVONCE (NAME OF FORMEN SPOUSE)	DATE OF DIVORCE	NAME AND ECCATION OF COORT	
•				
*	ANNULMENT (NAME OF FORMER SPOUSE)	DATE OF ANNULMENT	NAME AND LOCATION OF COURT	
BRIDE				
	DEATH (NAME OF FORMER SPOUSE)	DATE OF DEATH	PLACE OF DEATH	
•	1	1		

Form VS-5 R-777

STATE OF MAINE

RECORD OF DIVORCE OR ANNULMENT

DEPARTMENT OF HUMAN SERVICES

			entreprise (colorise and colorise considerate)		
A MIODANIA	1. NAME OF HUSBAND — FIRST	MIDDLE		LAST	
HUSBAND	2. USUAL RESIDENCE - CITY OR TOWN	COUNTY		STATE	
WIFE	3. NAME OF WIFE — FIRST	MIDDLE		LAST	
WIFE	4. USUAL RESIDENCE - CITY DE ON	JUNTY		STATE	
MARRIAGE	5. PLACE OF MAR A GEN CITY OR TO	OWN AND STATE	6. DATE O	F MARRIAG	SE .
	7. TYPE ECREE	8. PLAINTIFF		9. DECR	EE GRANTED TO
DIVORCE	DIVORCE	HUSBAND			HUSBAND
OR	ANNULMENT	WIFE			WIFE
ANNULMENT		,			
	10. DATE OF DECREE	11. LEGAL GROUNDS FOR	JUDGEMENT		
_	12. NAMES OF MINOR CHILDREN		13. AGES	14. CUST	ODY
MINOR					
CHILDREN		- Market Room Regular - Control of the Control of t			
				·	
Use Reverse Side for Additional				_, , , , , , , , , , , , , , , , , , ,	
Names					
	15. I HEREBY CERTIFY THAT THE ABO		ARE TRUE A	ND CORRE	ECT AS SHOWN IN THE
CERTIFICATION	16. SIGNATURE OF CLERK	17. NAME OF COU	RT		18. LOCATION OF COURT

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
REPORT OF TERMINATION OF PREGNANCY (Spontaneous and Induced) (20)

FACILITY NAME (If not clinic or hospital, give address)	2. LOCATION OF PREGNANCY COUNTY	TERMINATION 3. PATIENT CITY OR TOWN MARRIED? YES NO UNKNOWN
	OF PATIENT 6. RESIDENCE O	F PATIENT COUNTY CITY OR TOWN
TERMINATION (Month, Day, Year)		COUNTY CITY OR TOWN
7. PATIENT'S ANCESTRY . 8. French, English, Irish, etc. (Specify Below)	RACI.	9. EDUCATION (Specify only highest grade completed)
(Specify Below)	Write Other (Specify)	Elementary/Secondary College (0-12) (1-4 or 5+)
10. DATE LAST 11. CLINICAL	1 Other (Specify)	
NORMAL MENSES ESTIMATE BEGAN OF GESTATION	PREVIOUS PREG	SNANCIES (Complete each section)
(Month, Day, Year) (Weeks)	. LIVE BIRTHS	OTHER TERMINATIONS (Do not include this termination)
	12. Now Living 13. Now Dead	14. Spontaneous 15. Induced
	Number Number _	Number Number Number
	☐ None ☐ None	☐ None ☐ None
	TERMINATION PROCEDURES	
PROCEDURE THAT TERMINATED PREGNANCY	16. TYPE OF TERMINATION PROCEI	USED FOR THIS TERMINATION, IF ANY
(Check only one)		(Check all that apply)
	US TERMINATION — NOT APPLICABL	
	Suction Curettage	
	Sharp Curettage	
	Intra-Uterine Prostaglandin Instillatio	
	Hysterotomy	
	Hysterectomy	
	Other (Specify)	⊔
17. SIGNATURE OF ATTENDING PHYSICIAN	I 18 NAME OF PE	RSON COMPLETING REPORT (Type/Print)
	13. 10.1112	
LVS4A-R1/88		

PROJECTED TOTAL POPULATION MAINE COUNTIES AND STATE TOTAL, - JULY 1, 1988

COUNTY	PROJECTED RESIDENT POPULATION JULY 1, 1988
STATE TOTAL	1,205,900
ANDROSCOGGIN	102,200
AROOSTOOK	86,400
CUMBERLAND	237,950
FRANKLIN	28,850
HANCOCK	45,750
KENNEBEC	115,250
KNOX	35,900
LINCOLN	29,550
OXFORD	51,450
PENOBSCOT	140,900
PISCATAQUIS	18,500
SAGADAHOC	32,500
SOMERSET	47,650
WALDO	31,350
WASHINGTON	34,700
YORK	166,950

SOURCE: WELCH, D. POPULATION PROJECTIONS BY MINOR CIVIL DIVISIONS, SEX, AGE GROUP AND COUNTY. MAINE: 1988-1997. AUGUSTA: MAINE DEPARTMENT OF HUMAN SERVICES, JULY, 1989.

TABLE E-2

PROJECTED POPULATION BY AGE GROUP AND SEX MAINE STATE TOTALS, - JULY 1, 1988

AGE GROUP (YEARS)		PROJECTED RESIDENT POPULATION JULY 1, 1988				
	MALE	FEMALE	TOTAL			
ALL AGES - TOTAL	585,090	621,490	1,206,580			
UNDER 1	9,080	8,634	17,714			
1-14	124,320	116,886	241,206			
15-24	93,990	92,520	186,510			
25-34	98,150	99,000	197,150			
35-44	83,550	84,200	167,750			
45-64	109,100	119,300	228,400			
65-74	41,030	52,990	94,020			
75-84	20,270	34,960	55,230			
85 AND OLDER	5,600	13,000	18,600			

SOURCES: WELCH, D. POPULATION PROJECTIONS BY MINOR CIVIL DIVISIONS, SEX, AGE GROUP AND COUNTY. MAINE: 1988-1997. AUGUSTA: MAINE DEPARTMENT OF HUMAN SERVICES, JULY, 1989

HISTORICAL VITAL STATISTICS DATA

POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES;

RATES FOR BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS

MAINE STATE TOTALS, 1900-1955 (Every Fifth Year) and 1956-1988 (Yearly)

			MAINE SIAIE IL	71MLD, 1700-1					<u>′</u>	
			Birth Rate	N+	Death Rate	Infant	Neonatal	fetal		
· ·		Live	per 1,000	Deaths	per 1,000	Death Rate ^d	Death Rate ^d	Death Rate ^d	Manadana.	D:
Year	Population	Births	Population 2000	(All Ages)					<u>Marriages</u>	Divorces
1900	694,466	14,095	20.3	11,389	16.4	267.5	· <u>-</u>	43.6ª	5,482	801
1905	719,000	15,294	21.3	11,381	15.8	234.2	- 20 /	46.5ª	6,264	848
1910	742,371	15,798	21.3	12,439	16.7	249.2	30.4	42.5ª	5,900	911
1915	757,000	16,671	22.0	11,541	15.2	135.7	25.4	41.3ª	6,672	1,006
1920	768,014	17,495	22.7	11,850	15.3	102.8	41.2	42.8ª	7,884	1,364
1925	782,700	17,706	22.6	10,874	13.8	75.6	51.8		6,226	1,228
1930	797,423	16,199	.20.3	11,084	13.9	75.4	41.5	35.9ª	6,438	1,466
1935	822,300	15,715	19.1	11,042	13.4	62.3	37.8	33.6ª	7,089	1,474
1940	847,226	15,285	18.0	10,640	12.6	52.9	34.0	24.8ª	8,475	1,537
1945	880,500	16,647	18.9	9,966	11.3	46.6	27.0	24.1ª	7,569	2,497
1950	914,950	21,239	23.2	9,962	10.9	31.2	22.0	19.4ª	8,617	2,162
1955	940,841	22,753	24.2	10,140	10.8	24.5	17.3	28.4ª	8,263	1,954
1956	946,692	22,402	23.7	10,183	10.8	25.0	17 . 9	25.8ª	8,176	1,918
1957	952,706	23,062	24.2	10,117	10.6	25.2	18.7	23.3ª	1,878	1,890
1958	959,357	23,155	24.1	10,465	10.9	26.3	17.5	20.2ª	7,564	1,873
1959	964,896	23,141	24.0	10,817	11.2	26.4	19.1	19.1ª	7,599	1,960
1960	970,689	23,282	24.0	10,752	11.1	25.2	18.6	. 17.7ª	7,860	2,025
1961	976,511	23,553	24.1	10,765	11.0	25.6	19.0	17.5ª	7,908	2,021
1962	983,023	22,998	23.4	11,083	11.3	25.3	18.2	17.1ª	7,980	2,078
1963	986,603	21,919	22.2	11,003	11.2	24.0	17.9	16.3ª	8,121	2,193
1964	990,391	21,204	21.4	10,862	11.0	23.5	16.9	17.4ª	8,269	2,400
1965	993,236	19,796	19.9	10,778	10.9	22.4	16.9	17.5ª	8,726	2,502
1966	994,714	18,526	18.6	10,915	11.0	22.6	17.1	15.0ª	8,983	2,630
1967	995,134	17,976	18.1	10,066	10.1	23.1	16.4	16.1ª	9,210	3,049
1968	994,632	16,866	17.0	11,085	11.1	21.6	15 .9	16.0ª	10,179	3,088
1969	993,907	17,364	17.5	10,898	11.0	19.7	15.3	11.8ª	10,428	3,375
1970	997,357	17,837	17.9	11,066	11.1	20.9	16.1	13.8ª	10,975	3,841
1971	1,012,257	17,850	17.6	10,830	10.7	18.1	13.3	13.2ª	11,193	3,905
1972	1,025,775	16,269	15.9	11,147	10.9	17.7	12.8	12.2ª	11,741	4,132
1973	1,038,291	15,730	15.1	10,837	10.4	16.1	11.6	13.3ª	11,925	4,551
1974	1,050,181	15,110	14.4	10,705	10.2	16.1	12.6	9.95	11,546	4,850
1975	1,062,640	15,232	14.3	10,253	9.6	13.2	9.0	10.8 ^b	11,190	5,526
1976	1,074,653	15,046	14.0	10,422	9.7	11.0	7.6	8.3 ^b	11,302	5,522
1977	1,087,650	16,252	14.9	10,055	9.2	9.4	6.1	8.6b	11,446	5,655
1978	1,101,186	15,919	14.5	10,168	9.2	10.2	6.0	8.9b,c	11,658	6,164
1979	1,115,044	16,435	14.7	10,278	9.2	9.7	5.8	7.2 ^{b,c}		6,158
1980	1,125,027	16,474	14.6	10,768	9.6	9 . 3	5.9	7.1b,c		6,189
		16,567	14.6	10,780	7.0 9.1	10.6	6.6	5.7b,c	12,290	6,351
1981	1,132,849		14.7	10,451	9.2	8.7	6.0	6.9b,c	12,270	5,804
1982	1,136,199	16,695		10,431	7.c 9.5	8.7	5.9	6.5 ^b	12,478	5,939
1983	1,145,730	16,576	14.5					6.8b		
1984	1,156,485	16,631	14.4	10,826	9.4	8.0	4.8	6.0 ^b	12,525	5,795 4,070
1985	1,163,850	16,905	14.5	11,392	9.8	8.9	6. 3		12,248	6,070
1986	1,172,200	16,717	14.3	11,178	9.5	8.7	5.6	5.9 ^b	11,983	5,621
1987	1,186,350	16,727	14.1	11,238	9. 5.	8.1	4.8	5.7 ^b	12,124	5,878
1988	1,205,900	17,166	14.2	11,482	9.5	7.9	5.1	6.3 ^b	11,278	6,041

Notes: ^afetal death rate calculated based on all reported terminations of pregnancy, regardless of gestational age.
In 1973, 12.0% of such terminations were for fetuses of less than 20 weeks gestation.

bFetal death rate calculated based on reported fetal deaths of gestational age 20 weeks or more.

COccurrence data.

dRate per 1,000 live births in the same year.

All data for births and deaths pertain to Maine residents, only, starting in 1935. Data on marriages and divorces describe all such events which occurred in Maine.

Table H-2

HISTORICAL VITAL STATISTICS DATA

Induced Terminations of Pregnancy, Number and Rate:

Maine State Totals, 1978-1988

			Induced
		_ , .	Terminations
		Induced	per 1,000
Year	Births	Terminations	Live Births
1978	15,919	4,011	252.0ª
1979	16,435	3,963	241.1ª
1980	16,474	3,594	218.2 ^b
1981	16,567	2,881	173.9b
1982	16,695	2,419	144.9b
1983	16,576	3,279	197.8 ^b
1984	16,631	3,767	226.5 ^b
1985	16,905	3,784	223.8 ^b
1986	16,717	3,521	210.6 ^b
1987	16,727	3,698	221.1 ^b
1988	17,166	3,818	222.1 ^b

Notes: Data prior to 1978 not given because of severe underreporting.

aOccurrence data.

bResidence data.