

MAINE VITAL STATISTICS 1990 STATE LAW LIBRARY

HA 413 .M25 1990 TE OF MAINE ARTMENT OF HUMAN SERVICES

John R. McKernan, Jr. Governor



SEP 28 1992

AUGUSTA, MAINE

Rollin Ives Commissioner

NON-DISCRIMINATION NOTICE

In accordance with Title VI of the Civil Rights Act of 1964 (42 U.S.C. §2000d et seq.), Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. §794), the Age Discrimination Act of 1975, as amended (42 U.S.C. §6101 et seq.), and Title IX of the Education Amendments of 1972, the Maine Department of Human Services does not discriminate on the basis of sex, race, color, national origin, handicap or age in admission or access to or treatment of employment in its programs or activities. Ann Twombly, Affirmative Action Officer, has been designated to coordinate our efforts to comply with the U.S. Department of Health and Human Services regulations (45 C.F.R. Parts 80, 84 and 91) and the U.S. Department of Education (34 C.F.R. Part 106) implementing these Federal laws. Inquiries concerning the application of these regulations and our grievance procedures for resolution of complaints, alleging discrimination may be referred to Ann Twombly at 221 State Street, Augusta, Maine 04333, Telephone Number: (207) 289-3488 (Voice) or 1-800-332-1003 (TTY), or to the Assistant Secretary of the Office of Civil Rights, Washington, D.C.

(ANNUAL.VS/sw)

STATE OF MAINE DEPARTMENT OF HUMAN SERVICES

OFFICE OF DATA, RESEARCH, AND VITAL STATISTICS

ANNUAL STATISTICAL REPORT

FOR THE CALENDAR YEAR

1990



John R. McKernan, Jr. Governor Rollin Ives Commissioner

Ellen M. Naor State Registrar of Vital Statistics

Published in May, 1992 As Required by Statute 22 MRSA §2701 Under Appropriation **#** 010-10A-1110-01

ACKNOWLEDGEMENTS

This report contains a summary of vital statistics for the State of Maine for the calendar year 1990. The Department of Human Services has the dual responsibility of maintaining an effective system of vital registration and of making vital statistics available to the public. Within the Department itself, these data are needed for planning, managing, and evaluating programs that will improve the health and welfare of Maine people. The data are widely used, as well, for estimating and projecting population characteristics and changes.

This document is the result of the cooperative efforts of many individuals and groups. Chief among these are the municipal clerks of Maine's towns and counties, who serve as local registrars for vital records. The conscientious efforts of physicians, medical records administrators, and funeral directors also deserve special mention.

<u>Maine Vital Statistics</u> has been compiled and produced under the general supervision and direction of Ellen M. Naor, State Registrar of Vital Statistics and Director, Office of Data, Research, and Vital Statistics. Staff most significantly involved in the production of the 1990 annual report include:

Carl Gerry, Director, Technical Operations - Primary responsibility for systems analysis and revision, table design and production.

William Turner - Vital statistics systems maintenance and programming of vital statistics series reports.

Brenda Corkum, Planning and Research Associate - Population statistics.

Sue Whitley, Word Processing Supervisor - Manuscript preparation.

The joint efforts of all the staff of the Office's Vital Records Unit are necessary to produce the data contained in this publication. Special acknowledgement is made to:

Lorraine Gerard, Deputy State Registrar - Supervision of the Vital Records Unit which is responsible for data collection, coding and editing.

Carol Crane, Field Agent - Coordination with cities and towns to produce the data in a timely fashion.

Page No.

Acknowledgements	ii
List of Tables	v
List of Supplemental Tables Available on Request	х
Introduction	1
Definitions of Terms	3
Definitions of Rates	7
Technical Notes	9
General Considerations. Live Births. Pregnancy Outcome. Infant and Fetal Mortality. General Mortality. Induced Abortions. Marriages and Divorces.	9 12 12 12 13 15 15
Tables (See List of Tables for detailed titles)	
Live Births. Pregnancy Outcome. Infant and Fetal Mortality. General Mortality. Induced Abortions. Marriages.	17 67 89 103 147 159
Appendices	165
Maine Vital Records Certificates and Reports	
Certificate of Live Birth Certificate of Fetal Death Certificate of Death License and Certificate of Marriage Record of Divorce or Annulment. Report of Induced Abortions	167 169 171 173 175 177

Page No.

1000 General Deputation Maine Granting of	179
1990 Census Population: Maine Counties and State Total 1990 Census Population by Age Group and Sex: Maine	713
State Totals	180
Historical Vital Statistics Data	
Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal	
Deaths: Maine State Totals, from 1900	181
Totals, from 1978	182

ìv

Table No.	<u>Table Title</u>	Page No.
	LIVE BIRTHS	
TABLE B-1	All Live Births and Out of Wedlock Live Births, by Mother's Age and Race of Child: Maine State Totals, 1990 (Resident Data)	. 19
TABLE B-2	All Live Births and Out of Wedlock Live Births, by Mother's Age and Child's Birthweight: Maine State Totals, 1990 (Resident Data)	. 20
TABLE B-3	Live Births by Selected Medical History Characteristics Maine State Totals, 1990 (Resident data) [Selected Characteristics: Complications of Labor, Medical Risk Factors, Other Risk Factors, Method of Delivery, Obstetric Procedures, Congenital Anomalies]	. 21
TABLE B-4	Live Births by Selected Risk Characteristics, and Ratio of Male to Female Births: Maine Counties and State Totals, 1990 (Resident Data) [Selected Characteristics: 5 Minute Apgar Score Less Than 5, Congenital Anomalies, Birthweight Less Than 2,500 Grams, Gestation Less Than 37 Weeks]	. 22
TABLE B-5	All Live Births and Out of Wedlock Live Births, by Mother's Age, Sex of Child and Birth Order: Maine Counties and State Totals, 1990 (Resident Data)	. 23
TABLE B-6	Live Births by Month Prenatal Care Began and Birthweight: Maine Counties and State Totals, 1990 (Resident Data)	. 40
TABLE B-7	Live Births by Trimester Prenatal Care Began and Number of Prenatal Visits: Maine Counties and State Totals, 1990 (Resident Data)	. 49
TABLE B-8	Live Births by Month Prenatal Care Began and Mother's Education: Maine Counties and State Totals, 1990 (Resident Data)	. 58
TABLE B-9	Live Births by Selected Risk CharacteristicsNumber of Births: Maine Hospitals, Other Birth Sites, and State Total, 1990 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Medical Risk Factors, Pregnancy, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams}	. 64
TABLE B-10	Live Births by Selected Risk Characteristics Percentage of Total Births: Maine Hospital, Other Birth Sites, and State Total, 1990 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]	65

Table No. Table Title

TABLE	B-11	Live Births by Birthweight: Maine Hospitals, Other Birth Sites, and State Totals, 1990 (Occurrence Data)	66
		PREGNANCY OUTCOME	
TABLE	P-1	All Live Births, Induced Abortions, and Fetal Deaths by Outcome, Marital Status, and Age of Mother: Maine Counties and Maine State Totals, 1989 (Resident Data)	69
TABLE	P-2	Fetal Deaths, 1990 and Induced Abortions by Weeks of Gestation: Maine State Totals, 1990 (Resident Data)	87
		INFANT AND FETAL MORTALITY	
TABLE	F-1	Infant, Neonatal, and Postneonatal Deaths by Sex for 61 Cause of Death Groups: Maine State Totals, 1990 (Resident Data)	91
TABLE	F-2	Fetal Deaths by Gestation and Sex for 61 Cause of Death Groups: Maine State Totals, 1990 (Resident Data)	95
TABLE	F-3	Live Births, Neonatal Deaths, and Estimated Neonatal Death Rates by Birthweight: Maine State Totals, 1990 (Resident Data)	97
TABLE	F-4	Fetal Deaths by Selected Complications, Gestation, and Age of Patient: Maine State Totals, 1990 (Resident Data) {Selected Complications: Medical Risk Factors, Complications of Labor or Delivery, Tobacco/Alcohol Use, Congenital Anomalies	98
TABLE	F-5	Deaths and Death RatesTotal, Infant, Neonatal, Postneonatal, and Perinatal: Maine Counties and State Totals, 1990 (Resident Data)	99
TABLE	F-6	Fetal Deaths by Selected Characteristics: Maine Counties and State Totals, 1990 (Resident Data) [Selected Characteristics: Out of Wedlock, Autopsy, In Hospital, Trimester Prenatal Care Began, Age of Patient]	100
TABLE	F-7	Fetal Deaths, Selected Risk Characteristics, and Ratio of Males to Females: Maine Counties and State Totals, 1990 (Resident Data) [Selected Characteristics: Congenital Anomalies, Fetal Weight,	101
TABLE	F-8	Gestation Less Than 28 Weeks] Fetal Deaths by Selected Medical History Characteristics: Maine State Totals, 1990 (Resident Data) [Selected Medical History: Complications of Labor, Medical Risk Factors, Other Risk Factors, Method of Delivery, Obstetric Procedures,	101
		Congenital Anomalies]	102

Page No.

Table No. Table Title

Page No.

	GENERAL MORTALITY	
TABLE D-1	Deaths, Rank by Number of Deaths, and Death Rate Total, Male, and Female for Ten Leading Causes of Death by Age Group: Maine State Totals, 1990 (Resident Data)	105
TABLE D-2	Years of Life LostNumber, Percent, Rank, and Average per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1990 (Resident Data)	110
TABLE D-3	Deaths by Age and Sex for 282 Cause of Death Groups: Maine State Totals, 1990 (Resident Data)	111
TABLE D-4	Underlying Cause Mentions and All Mentions of 72 Cause of Death Groups and Ratio of All Mentions to Underlying Cause Mentions: Maine State Totals, 1990 (Resident Data)	132
TABLE D-5	DeathsTotal, and Percent by Site of Death: Maine Counties and State Totals, 1990 (Resident Data)	134
TABLE D-6	Deaths in HospitalsTotal and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1990 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	135
TABLE D-7	Deaths in Intermediate Care FacilitiesTotal and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1990 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	136
TABLE D-8	Deaths at HomeTotal and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1990 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	137
TABLE D-9	Deaths by Sex, Age, and Occupation: Maine State Totals, 1990 (Resident Data)	138
TABLE D-10	Acquired Immune Deficiency SyndromeRelated Deaths by Status of Mention: Maine State Totals, 1990 (Resident Data)	141
TABLE D-11	Deaths by Underlying Cause Mention and All Mentions for Selected 72 Cause of Death Groups: Maine State Totals, 1990	1.40
	(Resident Data)	142

vii

INDUCED ABORTIONS

TABLE A-2	Induced Abortions by Gestation and Type of Termination Procedures: Maine State Totals, 1990 (Occurrence Data)	149
TABLE A-3	Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1990 (Resident Data)	150
TABLE A-4	Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1990 (Occurrence Data)	151
TABLE A-5	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1990 (Resident Data)	152
TABLE A-6	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1990 (Occurrence Data)	153
TABLE A-7	Induced Abortions by Marital Status and Age of Patient: Maine State Totals, 1990 (Resident and Occurrence Data)	154
TABLE A-8	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1990 (Resident Data)	155
TABLE A-9	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1990 (Occurrence Data)	156
TABLE A-10	Induced Abortions by State or Country of Residence; Maine State Totals, 1990 (Occurrence Data)	157
	MARRIAGES	
TABLE M-1	Marriages by Age of Bride and of Groom: Maine State Totals, 1990 (Resident Data)	161
TABLE M-2	Marriages by Years of Education of Bride and of Groom: Maine State Totals, 1990 (Resident Data)	162
TABLE M-3	Marriages by Age and Previous Marital Status, for Brides and for Grooms: Maine State Totals, 1990 (Resident Data)	163
TABLE M-4	Marriages by Number of Previous Marriages of Bride and of Groom: Maine State Totals, 1990 (Resident Data)	164

.

Table No. Table Title

APPENDICES
ULL PHOTODO

TABLE C-1	Copy of Maine Birth Certificate	167
TABLE C-2	Copy of Maine Fetal Death Certificate	169
TABLE C-3	Copy of Maine Death Certificate	171
TABLE C-4	Copy of Maine Marriage Certificate	173
TABLE C-5	Copy of Maine Record of Divorce	175
TABLE C-6	Copy of Maine Report of Induced Abortion	177
TABLE E-1	1990 Census Population: Maine Counties and State Total, issued 1991	179
TABLE E-2	1990 Census Population by Age Group and Sex: Maine State Totals, issued 1991	180
TABLE H-1	Historical Vital Statistics Data, Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, 1900-1955 (every fifth year) and 1955-1990 (yearly)	181
TABLE H-2	Historical Vital Statistics Data, Induced Abortions, Number and Rate: Maine State Totals, 1978-1990	182

Table No.

- S-A-2 Induced Abortions--Total, and by Selected Characteristics: Maine Towns over 3,500 Population, Counties and State Totals, 1990 (Resident Data) [Selected Characteristics: Out of Wedlock, Patient's Age, No Previous Pregnancies, No Previous Abortions, Education, Abortions in Hospital]
- S-A-3 Induced Abortions to Canadian Residents by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Canada Totals, 1990 (Occurrence Data)
- S-A-4 Induced Abortions to Canadian Residents by Gestation, Age of Patient, and Race: Canada Totals, 1990 (Occurrence Data)
- S-A-5 Induced Abortions to Canadian Residents by Gestation and Type of Termination Procedures: Canada Totals, 1990 (Occurrence Data)
- S-B-1 All Live Births and Out of Wedlock Live Births by Adequacy of Prenatal Care, Mother's Age, Child's Birthweight, and Apgar Score: Maine State Totals, 1990 (Resident Data)
- S-B-2 Live Births -- Total, and by Selected Risk Characteristics: Maine Towns, Counties and State Totals, 1990 (Resident Data) [Selected Characteristics: Out of Wedlock, Under 2,500 Grams, Congenital Anomalies, Mother Under Age 20 Years, No Prenatal Care]
- S-BD-1 Births and Deaths by Month, Maine Towns, Counties and State Totals, 1990 (Resident Data)
- S-D-1 Deaths, Rank by Number of Deaths, and Death Rate Highlighting Motor Vehicle Traffic Deaths -- Total, Male, and Female for Ten Leading Causes of Death (Selected from 32 Cause-of-Death Classifications) by Age Group Maine State Totals, 1990 (Resident Data)
- S-D-2 Deaths by 72 Cause of Death Groups: Six Largest Cities or Towns in Each Maine County, County Totals, and State Totals, 1990 (Resident Data)
- S-D-3 Deaths by Age and Sex for 72 Cause of Death Groups Maine State Totals, 1990 (Resident Data)
- S-D-4 Deaths by Age and Sex for 32 Cause of Death Groups Maine State Totals, 1990 (Resident Data)

*Supplemental tables are available at the cost of reproduction.

X

- S-D-5 Alcohol and Drug Related Deaths by Status of Mention: Maine State Totals, 1990 (Resident Data)
- S-D-6 Deaths by Origin or Descent: Maine Counties and State Totals, 1990 (Resident Data)
- S-D-7 Deaths by Referral to Medical Examiner, Autopsy Status, Certifier, Traumatic and Non-traumatic Deaths: Maine State Totals, 1990 (Occurrence Data)
- S-D-8 Deaths by Method of Disposition and Age: Maine Counties and State Totals, 1990 (Occurrence Data)
- S-D-9 Years of Life Lost Before Age 75 Number, Percent, Rank, and Average Per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1990 (Resident Data)
- S-F-1 Neonatal Deaths and Estimated Neonatal Rates by Birthweight: Maine Hospitals of Birth, Other Birth Sites, and State Total, 1990 (Occurrence Data)
- S-F-2 Infant, Neonatal, and Fetal Deaths by Sex, Non-white Race, Low Birthweight, and Congenital Anomalies: Maine Towns, Counties, and State Total, 1990 (Resident Data)
- S-M-1 Marriages by Selected Characteristics: Maine Towns, Counties, and State Totals, 1990 (Occurrence and Residence Data) [Selected Characteristics: Religious Ceremony, Bride and Groom Residence, Under Age 20 Years, Education Under 12 Years, First Marriage]

*Supplemental tables are available at the cost of reproduction.

INTRODUCTION

In order to speed the process of making these data available to the public, the annual vital statistics report does not contain interpretive comments or charts. Information necessary to use the tables is included in the technical notes. The tabulations most frequently requested are presented in this report. Supplemental tables, available at the cost of reproduction, are listed on page x. Special tabulations can also be obtained, generally at a charge that may include preparation as well as reproduction costs. Comments and requests for additional information should be directed to:

> Maine Department of Human Services Office of Data, Research, and Vital Statistics 35 Anthony Avenue State House Station #11 Augusta, Maine 04333-0011

Telephone: (207) 626-5445

DEFINITIONS OF TERMS

All Mentioned Causes of Death

Associated Cause of Death

Apgar Score

A summary indicator for evaluating the health of a newborn infant, the score ranges from 0 (very poor) to 10 (excellent). It is assigned by the delivery room personnel one minute and five minutes after birth.

All causes of death mentioned on the death certificate, whether underlying

associated. All mentioned causes are also referred to as "multiple causes of death."

or

Condition other than the underlying cause of death which may have contributed to the death.

Number of live births to the mother of the newborn, including this birth.

Weight of fetus or infant at time of delivery (normally measured in grams).

Death prior to the complete expulsion or extraction from its mother of a product of conception; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Fetal deaths of at least 20 weeks of gestation must be reported on the "Fetal Death Report." Fetal deaths of less than 20 weeks gestation are reported on the "Report of Abortion (Spontaneous and Induced)."

Clinical assessment of the number of weeks since conception.

A licensed acute care health facility with permanent inpatient beds offering facilities and services for the diagnosis and treatment of illness, injury and deformity for a continuing period of time. A hospital has an organized medical staff and offers continuous 24 hour professional nursing care and emergency treatment.

Induced abortion means the intentional interruption of a pregnancy by the application of external agents, whether chemical or physical, or the ingestion of chemical agents with an intention other than to produce a live birth or to remove a dead fetus. All induced abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)," regardless of the length of gestation.

Birth Order

Birthweight

Fetal Death

Gestation

Hospital

Induced Abortion

3

Infant Death

Intermediate Care Facility

Live Birth

Maternal Deaths

Minor Civil Division

Multiple Causes of Death

Neonatal Death

Occurrence

Out-of-Wedlock Birth

Perinatal Death

Death occurring to a live born infant less than one year of age.

A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, health related services, and licensed nursing supervision (8 hours per day).

A live birth is the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Those deaths of women wherein the physician has designated a maternal condition as the underlying cause of death.

In Maine, minor civil divisions generally are areas covered by the local or city/town level of civil government.

All causes of death mentioned on the death certificate, whether underlying or associated. Multiple causes are also referred to as "all mentioned causes."

Death occurring to a live born infant before completing 27 days of life.

Refers to data tabulated by place the event occurred.

Births in which the mother was not married either at the time of conception or at the time of delivery.

Fetal deaths of at least 20 weeks gestation and all neonatal deaths.

Postneonatal Death

Race

Residence

Site of Birth

Site of Death

Skilled Nursing Facility

Spontaneous Abortion

Underlying Cause of Death

Death occurring to a live born infant between the ages of 28 days and 364 days, inclusive.

Race of mother, father, or decedent is as stated on certificate. Race of child is determined from the race of the parents.

Refers to data tabulated by usual place of residence of the person to whom event occurred. For births, fetal deaths, and abortions, residence is defined as the mother's place of residence.

Hospital or type of non hospital site (e.g. home, on way to hospital, out-patient facility) where birth occurred.

Hospital or type of non-hospital site (e.g. home, on way to hospital, nursing home) where death occurred.

A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, medical services, continuous skilled nursing services and health-related services, diagnosis and treatment.

A termination of pregnancy, at less than 20 weeks gestation, through natural causes and without the aid of mechanical or medicinal agents.

That condition giving rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. For this report, underlying causes are selected through processing of death certificate data by the ACME and TRANSAX computer programs (see Technical Notes).

5

Age-Specific Death Rate	=	Resident Deaths in Specific Age Group Total Resident Population in Specific Age Group	X	100,000
Birth Rate	=	Resident Live Births Total Resident Population	X	1,000
Cause-Specific Death Rate	=	Resident Deaths from Specific Cause Total Resident Population	X	100,000
Death Rate	=	Resident Deaths Total Resident Population	X	1,000
Divorce Rate	=	Divorces Total Resident Population	X	1,000
Fetal Death Rate	. =	Resident Fetal Deaths Total Resident Live Births and Resident Fetal Deaths	X	1,000
Infant Death Rate	=	Resident Infant Deaths Total Resident Live Births	X	1,000
Marriage Rate	=	Marriages Performed Total Resident Population	X	1,000
Maternal Death Rate	-	Resident Maternal Deaths Total Resident Live Births	X	10,000
Neonatal Death Rate	=	Resident Neonatal Deaths Total Resident Live Births	X	1,000
Perinatal Death Rate	=	Resident Fetal Deaths and Neonatal Deaths Total Resident Fetal Deaths and Live Births	X	1,000
Postneonatal Death Rate	=	Resident Postneonatal Deaths Total Resident Live Births	X	1,000
Sex-Specific Death Rate	=	Resident Deaths of Indicated Sex Total Resident Population of Indicated Sex	X	100,000

*Event denominators for rates are registered totals for the calendar year. Population denominators are mid-calendar year estimates.

General Considerations

Sources of Vital Records Data: Birth, death, fetal death, induced abortions, marriage, and divorce certificates are the source documents for data on vital events in Maine. A copy of each is included in Appendix Tables C-1 through C-6.

The cut off dates for the data in this report are: Divorces and Induced Abortions, March 15, 1991; Deaths, Fetal Deaths, and Marriages, April 1, 1991; and Births, April 15, 1991. Any data pertaining to 1990 events for which certificates were filed after the above cut off dates are not included in this report and will be filed in the vital records office as late certificates.

Birth certificates and induced abortion reports are usually completed by hospital or clinic personnel. Death and fetal death certificates are usually completed by funeral directors, who obtain the medical certifications of cause of death from physicians. Marriage certificates are completed by the appropriate municipal clerks, while divorce reports are sent to the Office of Data, Research, and Vital Statistics by the clerks of courts.

<u>Completeness of Registration</u>: A birth certificate test in 1950 indicated that about one percent of births in Maine at that time were not recorded. It is assumed that registration has continued to be at least this complete.

Although no test of death registration has ever been done, it is assumed that death registration is reasonably complete, because burial permit laws and regulations require the filing of a death certificate before a burial permit for the disposition of the body is issued.

Reporting of all induced abortions at any gestation has been required in Maine for many years. Analysis of fetal death rates over time, however, indicates that there has been considerable variation in the completeness of registration. A specific reporting form for induced abortions was introduced in 1978. Comparison with independent data sources suggests that induced abortions may be underreported by 10 to 15%.

In addition to unrecorded vital events, other vital events may not be included in this report for several reasons: failure of the person required to report the event to make a timely report; failure of a municipal clerk to make a timely report to the State Registrar; or failure of other states to make timely exchanges of nonresident transcripts of births and deaths.

<u>Data</u> <u>Quality</u>: Data in this report are based upon original certificates of births and deaths, copies of original certificates of marriages prepared by city and town clerks, and abstracts of decrees of divorces prepared by the clerks of courts. Errors in data may be

introduced by persons giving information for the original certificate, persons involved in the actual preparation of the original certificate, persons responsible for the preparation of the copies or abstracts of the original certificates, or those involved in the coding and processing of the data in the State Office of Data, Research, and Vital Statistics.

Extensive reorganization and revision in 1983 of reporting procedures, data input procedures, and computer systems have reduced or eliminated many of the problems experienced in previous years. The Office of Data, Research, and Vital Statistics maintains several programs aimed at improving the quality and completeness of on certificates and its translation into information received statistical form. A "query" system is used to followback to personnel and funeral directors concerning physicians, hospital incomplete or conflicting information on the certificates themselves. The followback, which is done by both mail and telephone, is based on computer editing procedures.

In addition, the vital statistics field agent works directly with the data providers to improve the quality of reported information. The field agent conducts various seminars, workshops, and site visits to educate hospital and medical personnel, funeral directors, and municipal clerks in the importance of accurate and complete vital statistics data.

Finally, the National Center for Health Statistics (NCHS) monitors State coding of statistical data. The NCHS has established a two percent upper limit for coding differences involving any one data item, with the exception of cause of death. A five percent limit is used for this item due to the complexity of the coding process.

<u>Comparison with Earlier Years</u>: In 1983, a number of changes were introduced into the vital registration program and associated data processing, computer systems, and analytic procedures. These must be borne in mind in any comparisons with earlier years and analyses of time trends. Specific changes include the following:

- Implementation of a new birth certificate on January 1, 1983 and a new fetal death certificate on January 1, 1985. The new certificates use a checklist format for reporting medical history items related to pregnancy and delivery. These items are recorded on a separate page mailed directly to the Vital Records Unit.
- Intensive field and education activities directed to appropriate medical providers to promote more complete reporting of induced abortions performed at any time during pregnancy.
- The computerized data systems for records of births, deaths, fetal deaths, marriages, divorces, and abortions were completely revised in 1983 to promote more accurate and timely registration activities and statistical products. Comprehensive and rigorous edit procedures were developed for data input and a number of consistency checks were incorporated.

<u>Small Frequencies</u>: The numbers of births or deaths reported for a community represent complete counts of these events. As such, they are not subject to sampling error or variation, although they are subject to errors in the collection and processing procedures. However, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same general circumstances. The probable range of values may be estimated from the actual figures according to certain statistical assumptions (Vital Statistics for the U.S., Vol. 1, 1959, p. 1-20). When the figures are used for comparison of frequencies and rates over a time period or for different areas, appropriate statistical methods should be used to assess the significance of the comparisons.

Frequencies of and rates based on fewer than 10 events should be used carefully because they are subject to large random fluctuations. The number "10" is arbitrary, however, and is not set forth as a critical point distinguishing statistically reliable rates.

Rates: In interpreting the conditions described by vital statistics rates, considerable caution must be observed. In particular, differences in rates from time to time or place to place may arise from a number of population differences and other compounding factors, and appropriate techniques (e.g., standardization) should be utilized in such comparisons.

<u>Population Data</u>: The population data used to calculate rates in this report are from the 1990 census of population and housing summary tape file 1A, United State Department of Commerce, Bureau of the Census, issued 1991. A display of these population data is included in Appendix Tables E-1 and E-2.

"Selected" Characteristics/Causes of Death: These terms are used to denote tabulations in which the categories displayed are not exhaustive but represent only those of particular interest.

<u>Geographic Classification</u>: In addition to recording vital events occurring in Maine, the Office of Data, Research, and Vital Statistics receives transcripts of birth certificates for children born outside Maine to a mother who is a resident of Maine. Death certificates for persons who are residents but die outside the boundaries of Maine are also received. Transcripts of non-resident births and deaths are exchanged with all other states and with Canada.

Events are assigned to geographical areas according either to place of residence or to place of occurrence. The basis for classification is identified in each table and should be carefully observed when extracting information.

"Resident Data" means events have been tabulated according to the area where the person lived regardless of where the event occurred. In the case of infant deaths and births, the reference is to the residence of the mother. It should be noted that in the case of infant deaths, the place of residence at death may differ from the place of residence at birth; when special tabulations are prepared from both birth and death certificates, it is important to note to which residence category they were assigned.

11

 "Occurrence Data" means events have been tabulated according to where the events took place, regardless of the usual residence of the person. Since nearly all births and most deaths take place in hospitals, the number which occur in counties with many hospital beds will be large for this reason alone.

Live Births

As noted in previous sections, a revised birth certificate was initiated on January 1, 1983. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies. Two added items were the physician's estimate of gestation and an assessment of the infant's condition at birth. Initial evaluation indicates that the checklist format increased reporting of the medical history items dramatically - as much as five-fold on some items - so comparison with data from previous years must be made with caution. In 1990, a revised method was used for the distribution of adequacy of prenatal care for Table S-B-1 and the results from this table is not compatible with earlier years.

Pregnancy Outcome

This section deals with the outcome of pregnancies to Maine Resident women including live births, fetal deaths, and induced abortions.

Table Pl is displayed by county and is the only table where it is possible to compare pregnancy rates by regions throughout the State of Maine.

Infant and Fetal Mortality

This section includes all fetal deaths of at least 20 weeks gestation and all neonatal deaths. The birth, death, and fetal death certificates all include information on the place of residence, so events to non-Maine residents can be excluded from tabulations based on resident data. Through the interstate exchange agreement, transcripts of births and deaths which occur outside of the state to Maine residents are obtained for inclusion in tabulations of resident data. Maine started to participate in such exchange for fetal deaths in 1985, so information on pregnancies of Maine women terminating in fetal deaths which occurred outside the state is now available for inclusion in tabulations of resident data.

A revised fetal death certificate was initiated on January 1, 1985, comparable to the 1983 revision of the birth certificate. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies.

Notification of infant death is obtained from the regular death certificate. However, much information relevant to the circumstances of infant death is found on the birth certificate. Birth and death records have, therefore, been matched to produce a composite infant death tape, which is the source of Table F-3. Tables F-1, F-5, and all other death tables, on the other hand, are produced from the general death file. Discrepancies between these two sources are minimal, usually involving only a very small number of deaths.

General Mortality

There are a number of factors which should be considered in order to understand and use the mortality data presented herein.

<u>Mortality Classification</u>: The mortality classification used in this report is the Ninth Revision of the International Classification of Diseases (ICD-9). It consists of a list of 722 categories of diseases and morbid conditions, 192 categories for classification of the external cause of an injury, and 190 categories for the characterization of injuries according to the nature of the lesion.

There are two major limitations in interpreting changes in cause of death statistics. Changes in diagnostic practice may affect the comparability of such statistics over time, as do changes in nomenclature and in the classification scheme. The International Classification of Diseases is revised approximately every ten years to incorporate advances in medical science and to reflect changing medical opinion and practice. The Sixth Revision was used from 1949-1957, the Seventh Revision from 1958-1967, the Eighth Revision from 1968-1978, and the Ninth Revision after 1978.

Under the Ninth Revision, the method for selecting the cause of death for statistical purposes remains the same as the method instituted with the Sixth Revision. The Sixth Revision instituted a method whereby the physician in attendance at death indicates the disease or morbid condition which he considers to be the underlying cause of death. The underlying cause is defined as "(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident which produced fatal injury." Prior to 1981, when two or more causes were jointly recorded, a nosologist in the Office of Vital Statistics selected and coded the underlying cause using the ancillary information provided on the death certificate by the physician. Beginning in 1981, however, all causes mentioned on the certificate are coded. The underlying cause is determined using a computerized procedure: the Automated Classification of The cause of death information is then Medical Entities (ACME) program. subjected to the TRANSAX computer program, which eliminates redundancies in mentioned causes. Information on all associated causes is retained on the computer records for use in further study of certain health problems.

Several groupings by cause of death are utilized in this report. All of the groupings are both exhaustive and exclusive: all causes are assigned to a group or category, and each specific cause is assigned to only one cause group. Deaths by age and sex groups are tabulated using a list of 282 cause groups (Table D-3). Deaths by county and town of residence, site of death, and underlying/non-underlying status are tabulated using 72 cause groups. The analysis of leading causes of death in Table D-1 and D-2 is based on 32 cause groups. The data on fetal and infant deaths, in Tables F-1 and F-2, are categorized into 61 cause groups. In all cases the ICD-9 codes included in each cause group are indicated on the appropriate tables. Tables generally do not include cause groups from which there were no deaths, so the number of groups displayed may be less than the number of groups (i.e., 282, 72, 61, or 32) from which the tables were constructed.*

* Complete lists of causal groups are contained in the following reference manual and may be obtained upon request: Office of Data, Research, and Vital Statistics, Maine Department of Human Services, Maine Vital Records Manual, 1992. Years of Life Lost: In Table D-2, "Years of Life Lost" is used as a more sensitive measure of premature death than the death rate itself. The number of years of life lost is calculated for each decedent as the difference between the age at death and the life expectancy at that age. Life expectancy at each age is taken from the <u>1980 Maine Life Tables</u>, with the sex-specific expectancy estimated using the <u>1980 United States Life</u> <u>Tables</u> for the white population.** The death of a male infant, for example, represents a total of 71.0 years of life lost. The death of a 50 year old woman represents 30.9 years of life lost, and the death of a 85 year old woman represents 6.4 years of life lost.

<u>Multiple Causes of Death</u>: Most major causes of death are contributing factors to many deaths in which they are not the underlying cause. The relative frequencies with which specific causes are mentioned on death records as underlying or non-underlying causes are displayed in Table D-4.

In Table D-4, cause of death mentions are classified into 72 cause groups, after processing through the ACME and TRANSAX computer programs. Consequently, the term "mentions" refers to causes identified through processing by the computer programs, rather than to causes as mentioned on the death certificate. A cause group is counted only once for each decedent, even if more than one cause in the group was mentioned on the original certificate. Comparisons of data from different sources on "all mentions" of a cause group are valid only if the number and composition of the cause groups used are the same and the counting rules are consistent.

The category of "all mentions" of a cause group usually includes all identifications of it as the underlying cause of death. Occasionally, simultaneous mention of certain causes on the death record leads to the identification, as the underlying cause, of a disease entity which was not itself recorded on the death certificate. In such cases, the ratio of all mentions to underlying cause mentions can be less than 1.00.

Certain causes of death can never be classified as the underlying cause of death as defined in the International Classification of Diseases. In particular, descriptions of the nature of injuries and secondary neoplasms are always recorded on the death certificate in conjunction with one or more entries which identify the underlying cause of death, i.e. the external cause of injury or the primary neoplasm.

Table D-11 displays only those 72 cause groups for which the ratio of all mentions to underlying cause mentions on Table D-4 is generally 2,000 or higher and the number of underlying cause mentions is ten or more.

^{**}Welch, D. Maine Life Tables:1980. Augusta: Maine Department of Human Services, 1985; National Center for Health Statistics, United States Life Tables-1980, 1984.

Induced Abortions

All induced abortions performed in Maine are required to be reported, regardless of the length of gestation. The report form includes information on the place of residence, so non-resident women receiving abortions in Maine can be excluded from tabulations based on resident data. Approximately 15% of the induced abortions in Maine were obtained by out-of-state residents. Maine does participate in the interstate program for exchange of induced abortions reports, so complementary data on Maine residents who received abortions in other states are available, but only one or two records are received each year from other states and are not included in this report, indicating that very few Maine residents receive induced abortions in neighboring states.

The numbers of induced abortions reported in 1982 was nearly a third lower than the numbers reported in preceding and subsequent years, due principally to incomplete reporting. In the spring of 1983, a vigorous effort was undertaken to remind and inform physicians, clinics, and hospitals that all induced abortions must be reported to the Department of Human Services on the appropriate form.

Marriages and Divorces

All marriages which occur in Maine are registered in the central Office of Data, Research, and Vital Statistics, whether or not either the bride or the groom are residents of the state. Marriages in which both partners are non-residents are excluded from tabulations based on resident data. However, there is no interstate program for exchange of marriage records of non-residents and hence the complementary data on Maine residents who are married outside Maine are not included in the resident data tabulations. "Resident Data" thus include all marriages occurring in Maine in which either the bride, the groom, or both are residents of Maine.

A similar situation exists in the registration of divorces and annulments. These records are reported to the central office by the clerks of the courts in which the divorce or annulment is finalized. No information is available on divorces or annulments obtained outside the state by Maine residents.

. .

.

.

: .

.

LIVE BIRTHS

TABLE B-1

.

19

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND RACE MAINE STATE TOTALS, 1990 (RESIDENT DATA)

			******	*****	****** RACE OF	MOTHER *****	*****	*****
AGE OF MOTHER	TOTAL BIRTHS	PERCENT DISTRIBUTION	WHITE	BLACK	AMERICAN INDIAN	ASIAN	OTHER	UNKNOWN
ALL BIRTHS								
LESS THAN 10	0	0.00	0	0	0	0	0	0
10-14	10	0.06	9	1	ŏ	ŏ	ŏ	ŏ
15	62	0.36	61	i	õ	ŏ	ŏ	ŏ
16	155	0.90	149	2	2	ĭ	ŏ	1
17	353	2.04	341	2	· 5	2	ŏ	3
· 18	507	2.93	487	7	7	- 1	ž	3
19	776	4:48	755	6	6	. 4	2	3
20-24	4,873	28.14	4,756	36	38	27	5	11
25-29	5,697	32.90	5,581	24	28	39	14	11
30-34	3,536	20.42	3,476	13	10	16	11	10
35-39	1,176	6.79	1,146	. 3	6	7	6	8
40-44	154	0.89	150	ō	Ō	1	Ō	3
GREATER THAN 44	6	0.03	5	Ō	Ō	1	Ō	ō
UNKNOWN	9	0.05	8	õ	Ō	Ó	õ	1
STATE TOTALS	17,314		16,924	95	102	99	40	54
PERCENT DISTRIBUTION		100.00	97.75	0.55	0.59	0.57	0.23	0.31
OUT OF WEDLOCK BIRTHS								
LESS THAN 10	0	0.00	0	0	. 0	0	ο	0
10-14	10	0.26	9	Ĩ	õ	õ	ŏ	õ
15	61	1.56	60	1	Ō	Ō	ŏ	õ
16	·136	3.47	133	1	0	1	Ō	1
17	294	7.50	284	2	4	.1	0	3
18	379	9.67	362	6	6	1	2	2
· 19	490	12.50	477	3	5	1	1	3
20-24	1,428	36.42	1,385	11	19	7	2	4
25-29	696	17.75	668	8	12	4	0	4
30-34	305	7.78	295	2	4	2	2	0
35-39	106	2.70	101	1	. 1	1	1	1
40-44	16	0.41	15	0	· 0	0	0	1
GREATER THAN 44	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	. 0	0
STATE TOTALS	3,921		3,789	36	51	18	8	19
PERCENT DISTRIBUTION	1	100.00	96.63	0.92	1.30	0.46	0.20	0.48

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

TABLE B-2 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND CHILD'S BIRTHWEIGHT MAINE STATE TOTALS, 1990 (RESIDENT DATA)

			********	******	****	*****	*****	*****	MOTHER	'S AGE	YRS.) *	******	*****	*****	******	*****
BIRTHWEIGHT	TOTAL	PERCENT	LESS THAN	10-14	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	GREATER	UNKNOWN
IN GRAMS	BIRTHS	DIST.	10												THAN 44	
ALL BIRTHS																
LESS THAN 500	14	0.08	0	0	o	0	о	1	1	5	4	2	1	0	0	0
500-999	61	0.35	0	0	2	1	2	1	2	19	21	4	8	1	0	0
1000-1499	85	0.49	0	1	1	1	4	4	3	26	24	14	5	2	0	0
1500-1999	180	1.04	0	0	1	2	3	8	10	52	54	33	14	3	0	0
2000-2499	556	3.21	0	0	3	4	22	17	34	145	173	119	32	6	0	1
2500-2999	2,191	12.65	0	2	7	19	64	82	126	670	642	426	138	14	0	1
3000-3499	6,013	34.73	0	2	18	58	135	169	288	1,771	1,973	1,172	387	34	3	3
3500-3999	5,819	33.61	0	5	20	53	97	163	237	1,559	1,957	1,253	416	54	2	3
4000-4499	1,976	11.41	0	0	10	13	24	52	68	538	687	414	143	25	1	1
4500-4999	365	2.11	0	0	0	2	2	9	6	81	142	87	27	9	0	0
GREATER THAN 4999	37	0.21	0	0	0	0	0	0	0	6	16	7	4	4	0	0
UNKNOWN	17	0.10	0	0	0	2	0	1	1	1	4	5	1	2	0	0
STATE TOTALS	17,314		0	10	62	155	353	507	776	4,873	5,697	3,536	1,176	154	6	9
PERCENT DIST.		100.00	0.00	0.06 ().36	0.90	2.04	2.93	4.48	28.14	32.90	20.42	6.79	0.89	0.03	0.05
OUT OF WEDLOCK BIRT	HS															
LESS THAN 500	3	0.08	0	0	0	0	0	1	1	1	0	0	0	0	0	0
500-999	18	0.46	0	0	2	1	2	0	0	7	3	0	2	1	0	0
1000-1499	28	0.71	0	1	1	1	3	3	1	8	4	5	0	1	0	0
1500-1999	49	1.25	0	0	· 1	2	2	6	5	18	6	6	2	1	0	0
2000-2499	155	3.95	0	0	3	4	19	12	19	51	25	18	2	2	0	0
2500-2999	623	15.89	0	2	7	19	56	62	84	226	95	52	19	1	0	0
3000-3499	1,477	37.67	0	2	18	47	116	129	187	551	273	116	35	3	0	0
3500-3999	1,159	29.56	0	5	19	47	79	122	151	425	198	76	34	3	0	0
4000-4499	344	8.77	0	0	10	11	16	39	37	122	73	25	9	2	0	0
4500-4999	54	1.38	0	0	0	2	1	4	4	18	16	6	3	0	0	0
GREATER THAN 4999	7	0.18	0	0	0	0	0	0	0	1	3	1	0	2	0	0
UNKNOWN	4	0.10	0	0	0	2	0	1	1	0	0	0	0	0	0	0
STATE TOTALS	3,921		0	10	61	136	294	379	490	1,428	696	305	106	16	0	0
PERCENT DIST.		100.00	0.00		1.56	3.47	7.50	9.67	12.50	36.42	17.75	7.78	2.70	0.41	0.00	0.00
PERCENT OF ALL	BIRTHS	S WHICH A	ARE OUT OF ¥	EDLOCK	:							•				
		22.65	0.00	0.00 98	3.39	87.74	83.29	74.75	63.14	29.30	12.22	8.63	9.01	10.39	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

20

.

LIVE BIRTHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

.

COMPLICATIONS C CONDITION M)F LABOR NUMBER	%	MEDICAL RISK FACTOR CONDITION NUMBER	-	OTHER RISK FACTORS	%	METHOD OF DELIVER METHOD NUMBER		CONGENITAL ANOMALI CONDITION NUMBER	
FEBRILE >100 F	98	0.6	ANEMIA 155		TOBACCO USE 6,148	35.5		69.9	ANENCEPHALUS	0.0
MECONIUM	1,033	6.0	CARDIAC DISEASE 31	0.2	AVG CIGARETTES		VAGINAL AFTER		SPINA BIFIDA 7	• • •
PREMATURE RUPTU		0 F	ACUTE OR CHRONIC	~ ~	PER DAY 4		C-SECTION 438	2.5	HYDROCEPHALUS 10 MICROCEPHALUS 0	
MEMBRANE >12 HF ABRUPTIO	RS 607	3.5	LUNG DISEASE 45 DIABETES/	0.3	ALCOHOL USE 659 AVG DRINKS	3.8	PRIMARY C-SECTION 2.298	12 2		0.0
PLACENTA	98	0.6	GESTATIONAL 340	2.0		62.8	REPEAT 2,298	13.3		0.0
PLACENTA	50	0.0	DIABETES	2.0	AVG WEIGHT GAIN 34		C-SECTION 1,371	79	HEART 25	-
PREVIA	47	0.3	PRE-EXISTING 51	0.3	Avd werden darn of	200	FORCEPS 186		OTHER CIRCULATORY	0
EXCESSIVE			GENITAL HERPES 135	0.8	ABNORMAL CONDITIONS		VACUUM 836	4.8	SYSTEM	0.0
BLEEDING	107	0.6	HYDRAMNIOS/		OF THE NEWBORN		OTHER 17	0.1	RECTAL ATRESIA	0.0
SEIZURES DURING	3		OLIGOHYDRAMNIOS 114	0.7	CONDITION NUMBER	%	UNKNOWN 51	0.3	TRACHEO-ESOPHAGEAL	
LABOR	8	0.0	HEMOGLOBINOPATHY 7	0.0						0.0
PRECIPITOUS			HYPERTENSION		ANEMIA 21	0.1			OMPHALOCELE/	
LABOR <3 HRS	438	2.5	CHRONIC 132	0.8	BIRTH INJURY 28					0.0
PROLONGED			HYPERTENSION		FETAL ALCOHOL 5	0.0			OTHER	
LABOR >20 HRS	321	1.9	PREGNANCY ASSOC. 574		HYALINE MEMBRANE					0.0
DYSFUNCTIONAL			ECLAMPSIA 28	0.2	DISEASE 66	0.4	OBSTETRIC PROCEDUR	RES	MALFORMED	
LABOR	709	4.1	INCOMPETENT		MECONIUM				GENITALIA 14	
BREECH	660	3.8	CERVIX 40	0.2	ASPIRATION 33	0.2	CONDITION NUMBER	%	RENAL AGENESIS	
CEPHALOPELVIC/	770		PREVIOUS INFANT	~ ~	ASSISTED <30 MIN VENTILATION 187		AMNIOCENTHSIS 664	2 0	OTHER UROGENITAL 29 CLEFT LIP/PALATE 22	
DISPROPORTION CORD PROLAPSE	772 41	4.5	4000+ GRAMS 159 PREVIOUS PRETERM 236		VENTILATION 187 ASSISTED >30 MIN	1.1	AMNIOCENTHSIS 664 ELECTRIC FETAL	3.8	POLYDACTYLY 17	
ANESTHETIC	41	0.2	REVIOUS FRETERM 238		VENTILATION 91	05		76 A	CLUB FOOT	
COMPLICATIONS	8	0.0	RH SENSITIZATION 63		SEIZURES 8		INDUCED LABOR 2,241			0.1
FETAL DISTRESS		4.0	UTERINE	0.4	OTHER 713		STIMULATION	12, 10		0.0
OTHER	2,114		BLEEDING 121	0.7				11.3	MUSCULOSKELETAL 3	
NONE	11,117		OTHER 1,863	-			TOCOLYSIS 419		DOWNS SYNDROME	-
UNKNOWN		0.2	NONE 13,636	78.8		••••			CHROMOSOMAL 1	0.1
			UNKNOWN 25	0.1			OTHER 267	1.5	OTHER 78	0.5
							NONE 2,103	12.1	NONE 17,050	98.5
							UNKNOWN 15	0.1	UNKNOWN 1	0.1

.

NOTES: PERCENTAGES ARE BASED ON THE 17,314 LIVE BIRTHS IN MAINE THIS YEAR.

. MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH BIRTH.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

Data in this table are incomplete; some hospitals did not report medical history during this year.

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, AND RATIO OF MALE TO FEMALE BIRTHS MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY	TOTAL BIRTHS	5 MIN.		CONGE ANOMA	RISK CHARA NITAL LIES PERCENT		WEIGHT	LESS T		MALE/FEMALE RATIO
ANDROSCOGGIN	1,518	6	0.4	28	1.8	67	4.4	90	5.9	1.09
AROOSTOOK	1,248	5	0.4	20	1.6	54	4.3	72	5.8	1.01
CUMBERLAND	3,515	17	0.5	41	1.2	172	4.9	201	5.7	1.05
FRANKLIN	395	3	0.8	5	1.3	17	4.3	30	7.6	0.97
HANCOCK	610	4	0.7	11	1.8	34	5.6	42	6.9	1.09
KENNEBEC	1,580	19	1.2	17	1.1	97	6.1	111	7.0	1.12
KNOX	496	6	1.2	3	0.6	28	5.6	33	6.7	0.96
LINCOLN	394	4	1.0	8	2.0	14	3.6	19	4.8	1.15
OXFORD	758	3	0.4	18	2.4	40	5.3	44	5.8	1.02
PENOBSCOT	1,959	14	0.7	6	0.3	107	5.5	120	6.1	1.00
PISCATAQUIS	242	2	0.8	4	1.7	14	5.8	12	5.0	1.12
SAGADAHOC	551	2	0.4	13	2.4	23	4.2	23	4.2	0.89
SOMERSET	631	4	0.6	8	1.3	44	7.0	36	5.7	1.03
WALDO	467	3	0.6	9	1.9	26	5.6	24	5.1	0.89
WASHINGTON	431	1	0.2	11	2.6	28	6.5	29	6.7	1.20
YORK	2,519	16	0.6	39	1.5	131	5.2	152	6.0	1.03
STATE TOTALS	17,314	109	0.6	241	1.4	896	5.2	1,038	6.0	1.04

,

•

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH CDUNTY AND STATE.

.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

•

.

:

23

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

.

	TOTAL BIRTHS	PERCENT	***** Male	**** SEX FEMALE	********* UNKNOWN	· ** 1	******	*****	**** BI 4	RTH ORDER ******* GREATER THAN 4	********* UNKNOWN
MOTHER'S AGE(YRS.)	BIKIU2	DISTRIBUTION	MALE	FEMALE	UNKINUWIN	1	2	3	4	GREATER THAN 4	UNKNUWN
ANDROSCOGGIN											
ALL BIRTHS	•										
LESS THAN 10	0	0.00	0	0	o	0	0	o	о	0	0
10-14	ž	0.13	ž	ŏ	. Õ	2	ŏ	ŏ	ŏ	õ	ŏ
15	7	0.46	4	3	õ	7	ŏ	ŏ	ŏ	Ō	Ō
16	29	1.91	16	13	õ	28	1	õ	õ	· o	Ō
17	40	2.64	25	15	0	34	6	0	0	0	0
18	54	3.56	31	23	Ō	40	12	2	0	0	Ó
19	71	4.68	35	36	Ó	54	14	3	0	0	0
20-24	481	31.69	255	226	0	227	169	66	16	3	0
25-29	529	34.85	269	260	0	187	214	90	32	6	0
30-34	236	15.55	122	114	0	60	89	46	27	14	0
35-39	64	4.22	31	33	.0	19	22	11	8	4	0
40-44	5	0.33	2	3	0	2	0	0	1	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,518		792	726	0	660	527	218	84	29	0
PERCENT DISTRIBUTION		100.00	52.17	47.83	0.00	43.48	34.72	14.36	5.53	1.91	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	2	0.49	2	0	0	2	0	0	0	0	0
15	7	1.70	4	3	0	7	0	0	0	0	0
16	28	6.80	15	13	0	27	1	0	0	0	0
17	35	8.50	21	14	0	30	5	0	0	0	0
18	45 52	10.92 12.62	26 30	19 22	0	33 42	10 8	2 2	0	· 0 0 ·	0
19			30 74	22 74	ő		45	25	6	0 :	ŏ
20-24	148 68	35.92 16.50	29	39	ő	71 17	43 24	17	7	3	0
25-29			13	39	0	7	∠4 5	3	4	2	0
30-34	21	5.10	2	′°2	ŏ	2	1	0	4	2	ŏ
35-39	4	0.97		_	-	o o		-	1	0	ŏ
40-44 ODEATED TUAN 44	2 0	0.49 0.00	1 0	1 0	· 0	0	0	0	1	1 O	0
GREATER THAN 44	-		-	0	-	0	0	0	0	0	ŏ
	0	0.00	0	-	0	238	99	49 ·	19	7	0
COUNTY TOTALS	412	100.00	217 52.67	195 47.33	0 0.00	238 57.77			4.61	1.70	0.00
PERCENT DISTRIBUTION PERCENT OF ALL BIRTHS				41.33	0.00	57.77	24.03	11.09	4.01	1.70	0.00
PERCENT OF ALL BIRTHS	S WILLIN AN	27.14	27.40	26.86	0.00	36.06	18.79	22.48	22.62	24.14	0.00

•

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

•

24

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTÀL BIRTHS	PERCENT DISTRIBUTION	***** Male	**** SEX FEMALE	********* UNKNOWN	**	***** 2	***** 3	**** BI 4	RTH ORDER ***** GREATER THAN 4	
	DIRING	DIGINIZOTION			ontrout		-	0	-	GREATER THAT 4	onnount
AROOSTOOK											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	· 0	0	0	0	0	0	0
10-14	1	0.08	0	1	0	1	0	0	0	0	0
15	2	0.16	1	1	0	2	0	0	0	0	0
16	10	0.80	5	5	0	9	1	0	0	0	0
17	17	1.36	13	4	0	16	1	0	0	0	0
18	34	2.72	17	17	0	28	5	1	0	0	0
19	61	4.89	29	32	0	45	13	3	0	0	0
20-24	450	36.06	222	228	0	227	162	49	6	6	0
25-29	422	33.81	217	205	0	146	179	65	27	· 5	0
30-34	193	15.46	96	97	0	45	68	47	22	11	0
35-39	49	3.93	21	28	0	5	14	19	6	5	0
40-44	6	0.48	3	3	0	· 0	2	2	1	· 1	Ō
GREATER THAN 44	0	0.00	0	0	0	0.	0	0	0	· 0	0
UNKNOWN	3	0.24	2	1	0	1	1	1	0	0	0
COUNTY TOTALS	1,248		626	622	0	525	446	187	62	28	Ō
PERCENT DISTRIBUTION	•	100.00	50.16	49.84	0.00	42.07	35.74	14.98	4.97	2.24	0.00
•											
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.45	0	1	0	1	0	0	0	0	· 0
15	2	0.91	1	1	0	2	0	0	0	0	0
16	6	2.73	3	3	0	5	1	0	0	0	Ō
17	14	6.36	11	3	0	14	0	0	0	0	0
18	25	11.36	11	14	Ō	22	2	1	ō	ō	õ
19	27	12.27	11	16	0	21	5	1	Ō	Ō	Ō
20-24	93	42.27	38	' 55	Ō	52	23	13	3	2	õ
25-29	30	13.64	11	19	õ	. 7	15	5	3	ō	õ
30-34	16	7.27	4	12	õ	6	3	3	2	2	Õ
35-39	6	2.73	1	5	õ	2	1	3	ō	ō	ŏ
40-44	õ	0.00	ò	õ	õ	ō	ò	ŏ	ŏ	, õ	ŏ
GREATER THAN 44	ŏ	0.00	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ
UNKNOWN	ŏ	0.00	ŏ	ŏ	ŏ	ŏ	õ	ŏ	ŏ	ŏ	ŏ
COUNTY TOTALS	220	0.00	91	129	ŏ	132	50	26	8	4	ŏ
PERCENT DISTRIBUTION	220	100.00	41.36	58.64	0.00	60.00			3.64	1.82	0.00
PERCENT DISTRIBUTION				30.04	0.00	50.00	22.13	11.02	0.04	1.02	0.00
PERCENT OF ALL DIRING	HILCH AK	17.63	14.54	20.74	0.00	25.14	11 21	13 90	12 90	14.29	0.00
•		17.00	14.04	20.74	0.00	20.14		10.90	12.30	14,23	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** Male	***** SEX FEMALE	********** UNKNOWN	*: 1	****** 2	***** 3	**** BI 4	RTH ORDER ******* GREATER THAN 4	********* UNKNOWN
CUMBERLAND											
ALL BIRTHS											
LESS THAN 10	о	0.00	0	0	0	о	0	0	о	0	0
10-14	1	0.03	0	1 -	0	1	0	0	0	0	0
. 15 [.]	5	0.14	1	4	0	3	2	0	0	0	0
16 [']	25	0.71	13	12	0	23	2	0	0	0	0
17	64	1.82	32	32	0	54	8	2	0	0	0
18	· 77	2.19	41	36	0	62	11.	4	0	0	0
19	131	3.73	62	69	0	102	22	7	0	0	0
· 20-24	777	22.11	426	351	0	399	270	82	19	7	0
25-29	1,126	32.03	586	540	0	523	374	169	47	13	Ö
30-34	935	26.60	447	488	0	296	384	180	59	16	0
35-39	336	9.56	169	167	. 0	76	143	81	24	12	0
40-44	35	1.00	23	12	0	7	16	4	4	4	0
GREATER THAN 44	2	0.06	1	1	0	1	0	0	1	0	Ō
UNKNOWN	1	0.03	0	1	0	1	Ō	Ō	0	Ō	õ
COUNTY TOTALS	3,515		1,801	1,714	0	1,548	1,232	529	154	52	Ō
PERCENT DISTRIBUTION		100.00	51.24	48.76	0.00		35.05		4.38	1.48	0.00
හ ' පා OUT OF WEDLOCK BIRTHS			、								
				_		-					_
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.15	0	1	0	1	0	0	0	0	O:
15	5	0.74	1	4	0	3	2	0	0	0	0
16	23	3.38	13	10	0	21	2	0	0	0	· 0
17	58	8.53	30	28	0	50	6	2	0	0	0
18	60	8.82	. 29	31	0	46	10	4	0	0	, O
19	91	13.38	44	47	0	75	12	4	Ο.	0	0
20-24	261	38.38	152	109	0	141	78	30	8	4	0
25-29	116	17.06	61	55	0	42	42	22	9	1	0
30-34	51	7.50	25	26	0	20	11	7	11	2	0
35-39	12	1.76	4	8	0	2	6	2	2	0	0
40-44	· 2 .	0.29	1	1	0	2	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	ο.	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	680		360	320	0	403	169	71	30	7	0
PERCENT DISTRIBUTION		100.00	52.94	47.06	0.00	59.26	24.85	10.44	4.41	1.03	0.00
PERCENT OF ALL BIRTHS	5 WHICH AF										
		19.35	19.99	18.67	0.00	26.03	13.72	13.42	19.48	13.46	0.00

.

NOTE: PERCENTAGES MAY NDT ADD TO 100.00 DUE TO ROUNDING.

. .

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

•

.

.

TABLE B-5ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

.

.

					•						
COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	***** SEX FEMALE	********* UNKNOWN	** 1	****** 2	****** 3	**** BI 4	RTH ORDER ******* GREATER THAN 4	********* UNKNOW
FRANKLIN											
ALL BIRTHS		·				-					
LESS THAN 10	0	0.00	0	0	0	0	0	0	o	0	0
10-14	ŏ	0.00	. õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ
15	1	0.25	1	ō	õ	1	ō	ō	ō	ō	Ō
16	i	0.25	1	ŏ	ō	1	Ō	ŏ	ŏ	õ	õ
17	13	3.29	5	8	õ	10	2	1	ō	õ	ō
18	10	2.53	4	6	ō	7	1	2	ō	ō	ŏ
19	20	5.06	7	13	õ	16	3	1	ŏ	õ	ō
20-24	134	33.92	63	71	õ	64	49	14	7	0	ŏ
25-29	124	31.39	63	61	õ	46	39	29	9	1	ō
30-34	70	17.72	38	32	ŏ	18	24	17	3	8	ŏ
35-39	21	5.32	12	9	ŏ	3	10	5	1	2	ŏ
40-44	1	0.25	ō	1	ŏ	ō	Ö	ŏ	ò	-	ŏ
GREATER THAN 44	ò	0.00	ŏ	o O	ŏ	ŏ	ŏ	ŏ	ŏ	o O	ŏ
UNKNOWN	ŏ	0.00	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ő
COUNTY TOTALS	395	0.00	194	201	ŏ	166	128	69	20	12	ŏ
PERCENT DISTRIBUTION	050	100.00	49.11	50.89	0.00	42.03			5.06	3.04	0.00
							•				
OUT OF WEDLOCK BIRTHS										•	
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	1	1.01	1	0	0	1	0	· 0	0	0	0
16	. 1	1.01	1	0	0	1	0	0	0	0	0
17	. 10	10.10	2	8	0	8	2	0	0	0	0
18	8	8.08	3	5	0	7	0	1	0	0	0
19	11	11.11	6	5	0	10	1	0	0	0	0
20-24	44	44.44	25	19	0	· 24	15	3	2	0	0
25-29	14	14.14	7	7	Ó	3	4	5	2	0	Ō
30-34	8	8.08	5	3	0	2	2	2	0	2	Ō
35-39	2	2.02	2	0	0	0	1	1	Ó	0	Ó
40-44	ō	0.00	ō	ō	ŏ	ŏ	ò	Ó	ŏ	õ	ŏ
GREATER THAN 44	ŏ	0.00	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	õ	ŏ
UNKNOWN	ŏ	0.00	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ
COUNTY TOTALS	99	0.00	52	47	ŏ	56	25	12	4	2	ŏ
PERCENT DISTRIBUTION		100.00	52.53	47.47	0.00	56.57			4.04	2.02	0.00
PERCENT OF ALL BIRTHS	. WHICH A				0.00	55.57	0				0.00
TERGENT OF ALL BIRING	ALLCH AP	25.06	26.80	23.38	0.00	33.73	19 53	17 39	20.00	16.67	0.00
		20.00	20.00	20.00	0.00				-0.00		0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

•

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

~

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

HANCOCK ALL BIRTHS LESS THAN 10 0 0 0.00 0 0 0 0 0 0 0 0 0 0 0 0 0 0	COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	********** UNKNOWN	** 1	***** 2	******	**** BI 4	RTH ORDER ******* GREATER THAN 4	********** UNKNOWN
LESS THAN 10 0 0.00 0	· -				, ENALL		•	-	Ū	-1	GREATER THAN 4	GINNIGHI
10-14 0 0.00 0<	ALL BIRTHS											
10-14 0 0.00 0<	LESS THAN 10		0.00	0	0	0	•	~	•	•	•	
15 3 0.49 1 2 0 3 0 0 0 0 17 10 1.64 4 6 0 10 0 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>												
16 2 0.33 2 0 0 2 0 <td></td> <td>-</td> <td></td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>•</td> <td></td>		-		-	-	-	-	-	-	-	•	
17 10 1.64 4 6 0 10 0 0 0 0 18 16 2.62 7 9 0 14 2 0 0 0 20-24 185 30.33 97 88 0 98 65 18 4 0 0 25-29 167 27.38 88 79 0 65 68 28 5 1 0 35-39 50 8.20 27 23 0 8 20 16 5 1 0 40-44 5 0.82 5 0 0 1 0 0 4 0 GREATER THAN 44 1 0.16 1 0 </td <td></td> <td></td> <td></td> <td>•</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td>-</td>				•							-	-
18 16 2.62 7 9 0 14 2 0 0 0 19 34 5.57 16 18 0 30 1 3 0 0 0 0 20-24 185 30.33 97 88 0 98 65 18 4 0 0 30-31 197 22.46 71 66 0 37 56 21 14 9 0 30-34 197 22.46 71 66 0 37 56 21 14 9 0 30-34 107 22.46 7 23 0 8 20 16 5 1 0 40-44 5 0.82 5 0				_	-	-		-		-	-	
19 34 5.57 16 18 0 30 1 3 0 0 0 25-29 167 27.38 88 79 0 65 68 28 5 1 0 35-39 50 8.20 27 23 0 87 56 21 14 9 0 40-44 5 0.82 5 0 0 0 10 0 4 0 GREATER THAN 44 1 0.16 0	18			7	-	-		-		-	•	-
20-24 185 30.33 97 88 0 98 65 18 4 0 0 30-34 137 22.46 71 66 0 37 56 21 14 9 0 35-39 50 8.20 27 23 0 8 20 16 5 1 0 40-44 5 0.82 5 0 0 0 1 0 0 4 0 GREATER THAN 44 1 0.16 0 1 0<	19	34	5.57	16	18	-	30			ō	-	
30-34 35-39 50 40-44 GREATER THAN 44 1 0 0 COUNTY TOTALS 0 0 0 0 0 0 0 0 0 0 0 0 0		· 185	30.33	97	88	0	98	65		4	Ō	
35-39 50 8.20 27 23 0 8 20 16 5 1 0 GREATER THAN 44 1 0.16 0 1 0 0 4 0 UNKNOWN 0 0.00 0			27.38	88	79	0	65	68	28	5	1	0
40-44 1 0 1 0 0 1 0 0 1 0 0 0 1 0 <td></td> <td></td> <td></td> <td></td> <td></td> <td>0</td> <td>37</td> <td></td> <td>21</td> <td></td> <td>9</td> <td>0</td>						0	37		21		9	0
GREATER THAN 44 1 0.16 0		-								-	1	
UNKNOWN 0 0 0.00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0						-	-		-	-	4	-
COUNTY TOTALS 610 318 292 0 267 213 86 29 15 0 PERCENT DISTRIBUTION 100.00 52.13 47.87 0.00 43.77 34.92 14.10 4.75 2.46 0.00 OUT OF WEDLOCK BIRTHS 0 <td></td> <td>•</td> <td></td> <td></td> <td>•</td> <td>-</td> <td>-</td> <td></td> <td>-</td> <td>-</td> <td>-</td> <td></td>		•			•	-	-		-	-	-	
PERCENT DISTRIBUTION 100.00 52.13 47.87 0.00 43.77 34.92 14.10 4.75 2.46 0.00 OUT OF WEDLOCK BIRTHS LESS THAN 10 0 0.00 0		•	0.00	-		-	-		-	-		-
OUT OF WEDLOCK BIRTHS LESS THAN 10 0 0.00 0		610	100.00			•						-
LESS THAN 10 0 0.00 0			100.00	52.13	4/.8/	0.00	43.//	34.92	14.10	4.75	2.46	0.00
10-14 0 0.00 0<	OUT OF WEDLOCK BIRTHS											
10-14 0 0.00 0<	LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
15 3 1.97 1 2 0 3 0 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td>-</td> <td>-</td> <td></td>								-		-	-	
16 1 0.66 1 0 0 1 0 0 0 0 0 0 17 6 3.95 3 3 0 6 0 0 0 0 0 18 12 7.89 6 6 0 11 1 0 0 0 0 19 16 10.53 5 11 0 14 1 1 0 0 0 20-24 61 40.13 33 28 0 36 20 4 1 0 0 0 25-29 25 16.45 17 8 0 8 6 8 3 0 0 30-34 22 14.47 12 10 0 4 9 4 1 4 0 35-39 4 2.63 3 1 0 1 2 1 0 0 0 0 0 0 0 0 0 0 0 0	15	3	1.97	1	2					-		
18 12 7.89 6 6 0 11 1 0 0 0 19 16 10.53 5 11 0 14 1 1 0 0 0 20-24 61 40.13 33 28 0 36 20 4 1 0 0 0 25-29 25 16.45 17 8 0 8 6 8 3 0 0 30-34 22 14.47 12 10 0 4 9 4 4 0 35-39 4 2.63 3 1 0 1 2 1 0 0 0 40-44 2 1.32 2 0 </td <td>16</td> <td>1</td> <td>0.66</td> <td>1</td> <td>0</td> <td>0</td> <td>1</td> <td>Ó</td> <td></td> <td>ō</td> <td>ō</td> <td>õ</td>	16	1	0.66	1	0	0	1	Ó		ō	ō	õ
19 16 10.53 5 11 0 14 1 1 0 0 20-24 61 40.13 33 28 0 36 20 4 1 0 0 25-29 25 16.45 17 8 0 8 6 8 3 0 0 30-34 22 14.47 12 10 0 4 9 4 1 4 0 35-39 4 2.63 3 1 0 1 2 1 0 0 0 40-44 2 1.32 2 0 0 0 0 0 0 0 0 0 GREATER THAN 44 0 0.00 0	17	6	3.95	3	3	0	6	0		Ó		õ
20-24 61 40.13 33 28 0 36 20 4 1 0 0 25-29 25 16.45 17 8 0 8 6 8 3 0 0 30-34 22 14.47 12 10 0 4 9 4 1 4 0 35-39 4 2.63 3 1 0 1 2 1 0		12	7.89	6	6	0	11	1	0	0	0	0
25-29 25 16.45 17 8 0 8 6 8 3 0 0 30-34 22 14.47 12 10 0 4 9 4 1 4 0 35-39 4 2.63 3 1 0 1 2 1 0 0 0 0 0 0 40-44 2 1.32 2 0<		16		5		0	14	1	1	0	0	0
30-34 22 14.47 12 10 0 4 9 4 1 4 0 35-39 4 2.63 3 1 0 1 2 1 0 0 40-44 2 1.32 2 0 0 0 0 0 2 0 GREATER THAN 44 0 0.00 0						0	36		4	1	' O	0
35-39 4 2.63 3 1 0 1 2 1 0<						-	8		8	3	0	0
40-44 2 1.32 2 0<					10	•	4	-	4	1		0
GREATER THAN 44 O O.00 O							1		1			0
UNKNOWN 0 0.00 0					-	•	-	-		-		0
COUNTY TOTALS 152 83 69 0 84 39 18 5 6 0 PERCENT DISTRIBUTION 100.00 54.61 45.39 0.00 55.26 25.66 11.84 3.29 3.95 0.00 PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK: 0 0 0 55.26 25.66 11.84 3.29 3.95 0.00		-		+	-	•	•	-	-	-	-	•
PERCENT DISTRIBUTION 100.00 54.61 45.39 0.00 55.26 25.66 11.84 3.29 3.95 0.00 PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		-	0.00	-	-	-	-	-	-	-	•	-
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		152	100			-				-		-
					45.39	0.00	55.26	25.66	11.84	3.29	3.95	0.00
24.92 26.10 23.63 0.00 31.46 18.31 20.93 17.24 40.00 0.00	PERCENT OF ALL BIRTHS	S WHICH AR	E OUT OF WEDLOCK 24.92	<: 26.10	23.63	0.00	31.46	18.31	20.93	17.24	40.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	********** UNKNOWN	**	******* 2	***** 3	**** BI 4	RTH ORDER ******* GREATER THAN 4	********* UNKNOWN
MOTTLER 3 AGE(TR3.)	BIRINS	DISTRIBUTION		LUALE		•	2	0	-	GREATER THAN 4	ONKNOWN
KENNEBEC						•					
ALL BIRTHS									•		
LESS THAN 10	· 0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	4	0.25	3	1	0	4	0	0	0	0	0
16	14	0.89	8	6	0	14	0	0	0	0	0
17	27	1.71	11	16	0	23	4	0	0	0	0
18	56	3.54	· 26	30	0	40	14	2	0	0	0
19	63	3.99	30	33	0	47	14	2	0	0	0
20-24	464	29.37	256	208	0	243	151	51	14	5	0
25-29	536	33.92	266	270	0	201	230	79	23	3	0
30-34	302	19.11	172	130	0	90	115	67	27	3	0
35-39	92	5.82	51	41	0	20	25	27	11	. 9	0
40-44 ·	21	1.33	10	11	0	6	• 5	7	2	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.06	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	1,580		833	747	0	689	558	235	77	21	0
PERCENT DISTRIBUTION		100.00	52.72	47.28	0.00	43.61	35.32	14.87	4.87	1.33	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	o	0	0	0	0	o	0	0
10-14	ŏ	0.00	ŏ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ
15	4	1.08	3	1	ŏ	4	ŏ.	-	ŏ	ŏ	ŏ
16	13	3.52	7	6	ő	13	ŏ	ŏ	ŏ	õ	ŏ
17	20	5.42	, 9	11	ŏ	16	4	ő	ő	ŏ	ŏ
18	37	10.03	15	22	0	27	10	0	ŏ	· 0	0
19	42	11.38	21	21	0	33	8	1	ŏ	0	0
20-24	147	39.84	67	80	0	88	38	13	6	2	0
25-29	52	14.09	30	22	ŏ	18	24	8	2	0	
30-34	37	10.03	16	21	0	15	24	7	6	0	0
35-39	15	4.07	7	8	0	2	3	7	1	0	-
			ó	8 2	-	∠ 1	-			2	0
40-44 ODEATED THAN 44	2	0.54	-		0	1	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
	0	0.00	0	0	0	-	-	0	0	0	0
COUNTY TOTALS	369	400.00	175	194	0	217	96	36	15	5	0
PERCENT DISTRIBUTION		100.00	47.43	52.57	0.00	58.81	26.02	9.76	4.07	1.36	0.00
PERCENT OF ALL BIRTHS	5 WHICH AF	23.35	<: 21.01	25.97	0.00	31.49	17.20	15.32	19.48	23.81	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

,

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

28

ALL LIVE BIRTHS AND OUT OF WEDLQCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****	***** SEX	*******	**	*****	*****	**** BI	RTH ORDER ******	******
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOW
KNOX	•										•
ALL BIRTHS											
LESS THAN 10	0	0.00	0	о	0	о	0	о	о	0	0
10-14	1	0.20	0	1	0	1	0	0	0	0	0
15	5	1.01	2	3	0	4	1	0	0	0	0
16	5	1.01	1	4	0	5	0	0	0	0	0
17	11	2.22	7	4	ō	11	Ō	ō	ō	Ō	Ō
18	23	4.64	10	13	õ	14	7	2	ō	ō	ō
19	29	5.85	18	11	õ	25	4	ō	ŏ	Ő	ō
20-24	129	26.01	62	67	ŏ	62	42	19	5	1	ŏ
25-29	132	26.61	58	74	ŏ	40	47	37	8	ò	ŏ
30-34	108	21.77	59	49	ő	23	43	27	5	10	ŏ
35-39	45	9.07	23	22	ŏ	23	16	15	1	3	0
40-44	45 8	1.61	23	5	0	1	5	1	o o	3	ő
-	_		-			•			-	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	-
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	496		243	253	0	193	165	101	22	15	0
PERCENT DISTRIBUTION		100.00	48.99	51.01	0.00	38.91	33.27	20.36	4.44	3.02	0.00
OUT OF WEDLOCK BIRTHS											
	•	0.00	•	0	0	0	•	0	0	0	0
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	-	-
10-14	1	0.74	0	1	0	1	0	0	0	0	0
15	5	3.68	2	3	0	4	1	0	0	0	0
16	5	3.68	1	4	0	5	0	0	0	0	0
17	9	6.62	7	2	0	9	0	0	. 0	0	0
18	14	10.29	5	9	0	10	3	1	0	0	0
19	24	17.65	14	10	0	20	4	0	0	0	0
20-24	43	31.62	24	19	. 0	23	14	4	1	1	0
25-29	19	13.97	- 5	14	0	9	2	8	0	0	0
30-34	11	8.09	8	3	0	5 '	0	3	1	2	0
35-39	5	3.68	3	2	0	1	1	2	1	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	Ō	0.00	Ō	Ō	0	0	0	0	0	0	0
UNKNOWN	ŏ	0.00	ō	ō	Ō	ō	. 0	Ō	Ō	0	0
· COUNTY TOTALS	136		69	67	õ	87	25	18	3	3	ō
PERCENT DISTRIBUTION		100.00	50.74	49.26	· 0.00	63.97			2.21	2.21	0.00
											0.00
PERCENT OF ALL BIRTHS	WHICH AP		ζ.								

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT			******	**	*****	*****		RTH ORDER *******	
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4 [.]	GREATER THAN 4	UNKNOWN
LINCOLN											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	o	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	<u>,</u> З	0.76	3	0	0	3	0	0	0	· 0	0
16	1	0.25	1	0	0	1	0	0	0	0	0
17	3	0.76	1	2	0	3	0	0	0	0	0
18	6	1.52	1	5	0	· 5	1	0	0	0	0
19	9	2.28	5	4	0	8	0	1	0	0	0
20-24	116	29.44	65	51	0	68	39	7	2	0	0
25-29	133	33.76	72	61	0	45	47	27	12	2	0
30-34	75	19.04	42	33	0	23	26	14	7	5	0
35-39	41	10.41	18	23	0	9	15	10	5	2	0
40-44	6	1.52	. 2	4	0	1	2	0	2	1	0
GREATER THAN 44	1	0.25	1	0	0	0	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	· 0	0	0	0	0	0
COUNTY TOTALS	394		211	183	0	166	131	59	28	10	0
PERCENT DISTRIBUTION		100.00	53.55	46.45	0.00	42.13	33.25	14.97	7.11	2.54	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	3	3.90	3	0	0	3	0	0	0	0	0
16	1	1.30	1	• O	0	• 1	0	· 0	+ O	0	0
17	3	3.90	· 1	2	0	3	0	0	0	0	0
18	5	6.49	1	4	0	5	0	0	0	0	0
19	8	10.39	5	3	0	7	0	1	0	0	0
20-24	29	37.66	19	10	0	18	10	0	1	0	0
25-29	16	20.78	10	6	0	5	7	2	2	0	0
30-34	4	5.19	3	1	0	0	1	. 3	0	0	0
35-39	6	7.79	4	2	0	1	2	1	1	1	0
40-44	2	2.60	0	2	0	0	1	0	1	0	Ó
GREATER THAN 44	ō	0.00	Ō	ō	ō	Ó	0	Ó	0	Ō	ō
	ŏ	0.00	ŏ	ŏ	ŏ	ō	ŏ	õ	ō	õ	ŏ
COUNTY TOTALS	77	••••	47	30	ŏ	43	21	7	5	1	õ
PERCENT DISTRIBUTION		100.00	61.04	38.96	0.00	55.84		9.09	6.49	1.30	0.00
PERCENT OF ALL BIRTHS	S WHICH AR									·	
		19.54	22.27	16.39	0.00	25.90	16.03	11.86	17.86	10.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

•

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

<u>3</u>

•

.

B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

.

COUNTY AND Mother's Age(yrs.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	***** SEX FEMALE	********* ÚNKNOWN	, ** 1	***** 2	****** 3	**** B] 4	RTH ORDER GREATER	**************************************
OXFORD	•										
ALL BIRTHS		,									
LESS THAN 10 10-14	0	0.00 0.13	0	0	0	0	0	0	0	Q	•
15	1	0.13	1	1	0	1	0	0	0	0	•
16	8	1.06	2	6	ŏ	8	ò	ŏ	ŏ		
17	18	2.37	11	7	ŏ	17	1	ŏ	. ŏ		•
18	21	2.77	15	6	õ	15	6	ō	Ō	õ	
19	43	5.67	23	20	õ	35	5	3	õ	Č	-
20-24	212	27.97	98	114	0	98	79	29	5	1	Ō
25-29	252	33.25	135	117	0	82	104	46	15	5	0
30-34	144	19.00	69	75	0	31	51	32	19	11	0
35-39	47	6.20	21	26	0	10	16	10	5	6	0
40-44	9	1.19	6	3	0	1	4	3	1	C	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	C	•
UNKNOWN	1	0.13	1	0	0	0	1	0	0	C	•
COUNTY TOTALS	758		382	376	0	299	268	123	45	23	
PERCENT DISTRIBUTION		100.00	50.40	49.60	0.00	39.45	35.36	16.23	5.94	3.03	0.00
د ۲											
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	. 0	0.00	o	0	0	0	0	0	ο	C	0
10-14	1	0.48	ŏ	1	õ	1	ŏ	ŏ	ŏ	Ğ	-
15	1	0.48	1	0	Ō	1	Ō	Ō	Ō	Ċ	o o
16	7	3.35	2	5	0	7	0	0	0	C	0
17	14	6.70	9	5	0	13	1	0	0	C	0
⁻ 18	18	8.61	13	5	0	13	5	0	· O	0	0
19	28	13.40	16	12	0	23	3	2	0	C	•
20-24	70	33.49	31	39	0	39	23	5	3	0	•
25-29	48	22.97	27	21	0	· 18	16	10	4	0	•
30-34	19	9.09	11	8	0	5	4	4	2	4	• O
35-39	3	1.44	1	2	0	0	1	0	1	. 1	0
40-44 0054755 TUAN 44	0	0.00	0	0	0	0	0	0	0	. 0	-
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	C	
	0	0.00	0	0	0	0	0	0	0	C	•
COUNTY TOTALS PERCENT DISTRIBUTION	209	100.00	111 53.11	98	0	120 57.42	53	21	10	5	•
PERCENT DISTRIBUTION				46.89	0.00	57.42	25.36	10.05	4.78	2.39	0.00
PERCENT OF ALL BIRTH	S WHICH AR	27.57	29.06	26.06	0.00	40.13	19.78	17.07	22.22	21.74	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

.

.

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	********** UNKNOWN	** 1	***** 2	***** 3	**** BI 4	RTH ORDER ******* GREATER THAN 4	********* UNKNOWN
PENOBSCOT											
· ALL BIRTHS											
LESS THAN 10	0	0.00	о	0	0	о	0	0	0	0	0
10-14	2	0.10	1	1	0	2	0	0	0	0	0
15	10	0.51	6	4	0	10	0	0	0	0	0
16	13	0.66	7	6	0	12	1	0	0	0	0
17	35	1.79	16	19	0	29	6	0	0	0	0
18	69	3.52	27	. 42	0	54	14	1	0	0	0
19	95	4.85	48	47	0	72	21	1	1	0	· 0
20-24	566	28.89	269	297	0	299	199	50	17	1	0
25-29	687	35.07	357	330	0	248	272	124	35	8	0
30-34	370	18.89	192	178	0	107	144	79	33	7	0
35-39	99	5.05	50	49	0	23	38	21	9	8	0
40-44	13	0.66	6	7	0	3	5	1	2	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,959		979	980	0	859	700	277	97	26	0
PERCENT DISTRIBUTION		100.00	49.97	50.03	0.00	43.85	35.73	14.14	4.95	1.33	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	2	0.45	1	1	0	2	0	0	0	0	0
15	10	2.27	6	4	0	10	0	0	0	0	0
16	11	2.49	6	5	0	10	1	0	0	0	0
17	27	6.12	10	17	0	23	4	0	0	0	0
18 .	51	11.56	19	32	0	41	10	0	0	0	0
19	62	14.06	27	35	0	50	11	0	1	. 0	0
20-24	147	33.33	73	74	0	85	40	16	5	1	0
25-29	92	20.86	51	41	0	31	. 33	25	2	1	0
30-34	29	6.58	14	15	0	8	8	9	4	0	0
35-39	10	2.27	4	6	0	2	3	4	0	1	. 0
40-44	0	0.00	. 0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	. 0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	441		211	230	0	262	110	54	12	3	0
PERCENT DISTRIBUTION		100.00	47,.85	52.15	0.00	59.41	24.94	12.24	2.72	0.68	0.00
PERCENT OF ALL BIRTHS	5 WHICH AR					~					
•		22.51	21.55	23.47	0.00	30.50	15.71	19.49	12.37	11.54	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

.

· 22

TABLE 8-5

ယ ယ

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

.

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** Male	***** SEX FEMALE	********* UNKNOWN	** 1	******	****** 3	**** BI 4	RTH ORDER ****** GREATER THAN 4	*********** UNKNOWN
PISCATAQUIS											
ALL BIRTHS										•	
LESS THAN 10	0	0.00	0	0	0	о	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	3	1.24	<u> </u>	, 2	0	3	0	0	0	0	0
16	5	2.07	3	2	0	5	0	0	0	0	0
17 '	10	4.13	5	5	0	10	0	0	0	0	0
18	10	4 . 13	5	5	0	6	4	0	0	0	0
19	11	4.55	6	5	0	6	4	1	0	0	0
20-24	74	30.58	36	38	0	33	33	6	2	0	0
25-29	68	28.10	37	31	0	16	35	14	3	0	0
30-34	41	16.94	26	15	0	12	14	11	4	0	0
35-39	17	7.02	8	9	0	2	2	5	6	2	0
40-44	3	1.24	1	2	0	0	2	0	0	. 1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	` O
COUNTY TOTALS	242		128	114	0	93	94	37	15	3	0
PERCENT DISTRIBUTION		100.00	52.89	47.11	0.00	38,43	38.84	15.29	6.20	1.24	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	3	4.35	1	2	0	3	0	0	0	0	0
16	3	4.35	1	2	0	3	0	0	0	0	0
17	6	8.70	3	3	0	6	0	0	0	0	0
18	7	10.14	3	4	0	5	2	0	, O	0	0
19	2	2.90	0	2	0	1	1	0	0	0	0
20-24	27	39.13	16	11	0	15	10	2	0	0	0
25-29	13	18.84	10	3	0	2	7	2	2	0	0
30-34	5	7.25	4	1	0	0	2	2	1	0	0
35-39	3	4.35	1	2	0	0	0	0	2	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	. O	0.00	0	0	0	0	0	0	. 0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	69		39	30	0	35	22	6	5	1	0
PERCENT DISTRIBUTION		100.00	56.52	43.48	0.00	50.72	31.88	8.70	7.25	1.45	0.00
PERCENT OF ALL BIRTHS	S WHICH AF	RE OUT OF WEDLOC									
		28.51	30.47	26.32	0.00	37.63	23.40	16.22	33.33 [,]	33.33	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	***** SEX > FEMALE	********** UNKNOWN	**** 1	*****	***** 3	**** BI 4	RTH ORDER ****** GREATER THAN 4	*********** UNKNOWN
SAGADAHOC											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	· 0	0	. 0	0	0	о	0	ο
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	2	0.36	1	1	0	2	0	0	0	0	0
16	5	0.91	3	2	0	5	0	0	0	0	0
17	5	0.91	3	2	0	4	1	0	0	· · O	0
18	21	3.81	14	7	0	15	6	0	0	0	0
19	18	3.27	7	11	0	12	5	1	0	0	0
20-24	152	27.59	69	83	0	87	43	17	4	1	0
25-29	192	34.85	85	107	0	71	81	34	6	0	0
30-34	108	19.60	57	51	0	34	46	20	5	3	· 0
35-39	43	7.80	19	24	0	12	8	11	6	6	0
40-44	5	0.91	2	3	0	0	1	1	3	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS PERCENT DISTRIBUTION	551	100.00	260 47.19	291 52.81	0	242 43.92 34	191	84	24	10	0
PERCENT DISTRIBUTION		100.00	47.19	52.01	0.00	43.92 34	+.00	15.25	4.36	1.81	0.00
·											
OUT OF WEDLOCK BIRTHS											•
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	2	2.30	1	1	0	2	0	0	0	0	0
16	3	3.45	3	0	0	3	0	0	0	0	0
17	3	3.45	2	1	0	2	1	0	0	0	0
18	14	16.09	8	6	0	12	2	0	0	0	0
19	4	4.60	2	2 '	0	3	1	0	0	0	0
20-24	30	34.48	15	15	0	21	6	1	2	0	0
25-29	18	20.69	7	11	0	7	8	3	0	0	. O
30-34	8	9.20	4	4	0	3	2	2	1	0	0
35-39	5	5.75	2	ى 3		1	1	1	1	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	. 0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	87		44	43	0	54	21	7	4	1	0
PERCENT DISTRIBUTION		100.00	50.57	49.43	0.00	62.07 24	1.14	8.05	4.60	1.15	0.00
PERCENT OF ALL BIRTHS	S WHICH AR										
		15.79	16.92	14.78	·0.00	22.31 10).99	8.33	16.67	10.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

· •

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

~

.

ယ ၁

AL

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	********* UNKNOWN	**	****** 2	***** 3	**** BI 4	RTH ORDER ****** GREATER THAN 4	************ UNKNOWN
SOMERSET											
ALL BIRTHS											
LESS THAN 10	0	0.00	о	0	0	o	0	0	o	0	0
10-14	ŏ	0.00	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	õ
15	2	0.32	2	ŏ	ŏ	2	Ō	ŏ	ŏ	õ	ŏ
16	5	0.79	4	Ĩ	Ō	5	ō	ō	Ō	Ō	Ő
17	18 ·	2.85	8	10	ŏ	16	2	ŏ	ŏ	õ	ŏ
18	26	4.12	15	11	Ō	15	11	Ō	ō	Ō	· õ
19	41	6.50	18	23	Ó	29	11	1	Ó	ō	Ō
20-24	211	33.44	108	103	Ó	123	64	21	2	1	0
25-29	201	31.85	99	102	0	72	82	37	8	2	0
30-34	95,	15.06	52	43	0	25	29	20	13	8	0
35-39	26	4.12	. 11	15	0	5	9	5	2	5	0
40-44	5	0.79	3	2	· 0	0	2	0	0	3	0
GREATER THAN 44	Ö	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.16	0	1	0	0	1	0	0	0	0
COUNTY TOTALS	631		320	311	0	. 292	211	84	25	19	0
PERCENT DISTRIBUTION		100.00	50.71	49.29	0.00	46.28	33.44	13.31	3.96	3.01	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	o	· 0	0
10-14	ŏ	0.00	0	0	ŏ	. 0	Q	ő	ő	0	0
15	2	1.03	2	ŏ	ŏ	2	Ö	ŏ	ŏ	0	Ö
16	5	2.58	4	1	ŏ	5	ŏ	ŏ	ŏ	0	ő
17	18	9.28	8	10	ŏ	16	2	ŏ	ŏ	ŏ	ŏ
18	18	9.28	11	7	ŏ	13	5	ŏ	ŏ	õ .	õ
19	30	15.46	14	16	° Ö.	22	8	ŏ	ŏ	õ	ŏ
20-24	62·	31.96	31	31	ŏ	33	23	5	1	õ	ŏ
25-29	39	20.10	21	18	ŏ	17	16	4	2	ŏ	ŏ
30-34	16	8.25	8	.0	ŏ,	6	3	4	2	1	ŏ
35-39	4	2.06	3	1	ŏ	. 1	1	2	ō	0 ·	õ
40-44	Ŏ	0.00	ŏ	ò	ŏ	Ó	ò	õ	ŏ	ŏ	ŏ
GREATER THAN 44	ŏ	0.00	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ
UNKNOWN	ŏ	0.00	ŏ	ŏ	. 0	. Ö	ŏ	ŏ	ŏ	0	ŏ
COUNTY TOTALS	194	0.00	102	92	ŏ	115	58	-15	5	ĭ	ŏ
PERCENT DISTRIBUTION	19-1	100.00	52.58	47.42	0.00	59.28		7.73	2.58	0.52	0.00
PERCENT OF ALL BIRTHS	S WHICH AR			7/.72	0.00	55.20	20.00	,	2.00	0.02	0.00
		30.74	31.88	29.58	0.00	39.38	27.49	17.86	20.00	5.26	0.00

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

•

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND MDTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT S DISTRIBUTION	***** MALE	**** SEX FEMALE	********* UNKNOWN	**	****** 2	·****** 3	**** BI 4	RTH ORDER ****** GREATER THAN 4	********** UNKNOWN
Mother 5 Ade(1131)	DININ		MALL	,	011110	•	-	U			<u>o</u> ra a to a
WASHINGTON											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	O	0	0	0	0	o	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.23	1	0	0	1	0	0	0	, O	0
16	5	1.16	3	2	0	5	0	0	0	0	0
17	17	3.94	9	8	0	16	1	0	0	0	0
18	15	3.48	4	11	0	11	4	0	0	0	0
19	17	3.94	10	_7	0	13	3	1	0	0	0
20-24	163	37.82	88	75	0	73	60	24	3	3	0
25-29	117	27.15	61	56	0	27	58	22	7	3	0
30-34	73	16.94	43	30	0	12	27	21	9	4	0
35-39	21	4.87	14	7	0	5	3	7	2	4	0
40-44	2	0.46	2	•	0	0	0	-	0	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0 431	0.00	235	196	0	163	156	75	21	16	0
COUNTY TDTALS	431	100,00	235 54.52	45.48	0.00		36.19		4.87	3.71	0.00
PERCENT DISTRIBUTION		100.00	54.52	45.40	0.00	37.02	30.19	17.40	4.0/	5.71	0.00
OUT OF WEDLOCK BIRTHS			,								
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	1	0	0	0	0	0
15 16	15	0.80 4.00	3	2	0	5	0	0	0	. 0	0
		10.40	6	27	0	13	0	0	0	0	0
17	13	8.00	4	6	0	. 8	2	0	0	0	0
18	10 13	10.40		5	ŏ	11	2	ő	ő	. 0	0
19	48	38.40	28	20	Ö	24	18	6	ŏ	. 0	0
20-24 25-29	48 25	20.00	12	13	Ö	24	14	6	ŏ	0	. O
30-34	25	7.20	6	3	ŏ	2	3	3	1	ò	ŏ
35-39		0.80	1	0	ŏ	ō	ő	1	ò	ő	ŏ
40-44	0	0.00	0	ő	0	ő	ŏ	ò	ŏ	ő	ŏ
GREATER THAN 44	0	0.00	ŏ	ŏ	ŏ	ŏ	ő	ŏ	ŏ	ŏ	· 0
UNKNOWN	0	0.00	0	ő	ő	ő	ő	ŏ	ŏ	0	0
COUNTY TOTALS	125	0.00	69	56	ŏ	68	39	16	1	1	0
PERCENT DISTRIBUTION	120	100.00	55.20	44.80	0.00			12.80	0.80	0.80	0.00
PERCENT DISTRIBUTION	พมากม			44.50	0.00	34.40	51.20	12.00	0.00	0.00	0.00
PERCENT OF ALL BIRINS		29.00	29.36	28.57	0.00	41 72	25 00	21.33	4 76	6.25	0.00
•		23.00	25.00	20.07	0.00	71.14	20.00	21.00	4.70	0.20	0.00

,

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

· ·

37

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	****** Male	**** SEX FEMALE	********* UNKNOWN	***	***** 2	***** 3	**** BI 4	RTH ORDER ******* GREATER THAN 4	********* UNKNOWN
WALDO							_		·		
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	2	0.43	1	1	0	2	0	0	0	0	0
16	4	0.86	3	1	0	4	0	0	0	0	0
17	15	3.21	6	9	0	15	0	0	0	0	0
18	18	3.85	10	8	0	11	6	1	0	0	0
19	35	7.49	17	18	0	. 21	13	1	0	0	0
20-24	131	28.05	59	72	0	62	53	13	3	0	0
25-29	134	28.69	59	75	0	47	51	25	11	0	0
30-34	87	18.63	47	40	0	· 18	35	16	12	6	0
35-39	35	7.49	17	18	0	8	18	4	3	2	0
40-44	6	1.28	1	5	0	0	1	2	1	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS PERCENT DISTRIBUTION	467	100.00	220	247	0	188	177	62	30	10	0
PERCENT DISTRIBUTION		100.00	47.11	52.89	0.00	40.26 3	37.90	13.28	6.42	2.14	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	2	1.41	1	1	0	2	0	0	0	. O	0
16	3	2.11	3	0	0	З	0	0	0	0	0
17	13	9.15	5	8	0	13	0	0	0	0	0
18	15	10.56	. 9	6	.0	9	5	1	0	0	0
19	19	13.38	9	10	0	15	3	1	Ο.	0	0
20-24	50	35.21	20	30	0	28	16	4	2	0	0
25-29	25	17.61	15	10	0	13	7	4	1	0	0
30-34	6	4.23	2	4	0	3	1	1	0	1	0
35-39	8	5.63	5	3	0	2	2	2	0	2	0
40-44	1	0.70	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	142		69	73	0	88	34	13	3	4	0
PERCENT DISTRIBUTION		100.00	48.59	51.41	0.00	61.97 :	23.94	9.15	2.11	2.82	0.00
PERCENT OF ALL BIRTHS	S WHICH AR									_	
•		30.41	31.36	29.55	0.00	46.81	19.21	20.97	10.00	40.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

*

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

V

.

3 8

.

.

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND , MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** Male	**** SEX FEMALE	********* UNKNOWN	** 1	******		**** BI 4	RTH ORDER ******** GREATER THAN 4	********** UNKNOWN
MOTHER 5 AGE(TRS.)	BIRINS	DISTRIBUTION	110 66		Sharto an		- .	0	-	UNCATER THAN 4	
YORK											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	2	0.08	1	1	0	1	1	0	0	0	0
15	10	0.40	6	4	0	9	1	0	0	0	0
16	23	0.91	15	8	0	23	0	0	0	0	0
17	50	1.98	28	22	0	46	4	0	0	0	0
18	51	2.02	31	20	0	38	13	0	0	0	0
19	98	3.89	43	55	0	73	21	3	1	0	0
20-24	628	24.93	314	314	0	330	217	66	12	3	0
25-29	877	34.82	463	414	0	368	328	116	52	13	0
30-34	562	22.31	268	294	0	158	224	118	45	17	0
35-39	190	7.54	91	99	0	44	76	47	18	5	0
40-44	24	0.95	15	9	0	7	5	4	5	3	0
GREATER THAN 44	2	0.08	0	2	0	0	1	0	0	1	0
UNKNOWN	2	0.08	1	1	0	1	1	0	0	0	0
COUNTY TOTALS	2,519		1,276	1,243	0	1,098	892	354	133	42	0
PERCENT DISTRIBUTION		100.00	50.66	49.34	0.00	43.59	35.41	14.05	5.28	1.67	0.00
OUT OF WEDLOCK BIRTHS	[,] 0 2	0.00 0.39	0 1	0	0	0	0. 1	0	0	0	0
10-14 3 15		1.96	6	4	0	9	1	0	0	0	-
	10 21	4.13	13	8	ő	21	ö	ŏ	ŏ	0	0
16 17	45	8.84	26	19	ő	43	2	0	ŏ	0	0
	45	7.86	. 24	19	ŏ	33	7	ő	ŏ	0	0
18 19	61	11.98	, 24 32	29	0	47	12	2	ŏ	0	0
20-24	168	33.01	91	29 77	ő	102	42	21	3	0	ŏ
	96	18,86	50	46	ő	39	29	16	8	4	ŏ
25-29	43	8.45	18	25	0	39	29 15	10	4	4	0
30-34			9	25	Ö	2	3	10	2	5	ŏ
35-39	18	3.54	9	9 1	ő	2 1	0	-	2 1	2	-
³ 40-44	5	0.98		•		-	-	1	•		0
GREATER THAN 44	0	0.00	, O	0	0	0	· 0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	509	400.00	274	235	0	307	112	60	18	12	0
PERCENT DISTRIBUTION		100.00	53.83	46.17	0.00	60.31	22.00	11.79	3.54	2.36	0.00
PERCENT OF ALL BIRTH	S WHICH AR	E OUT OF WEDLOCH 20.21	<: 21.47	18.91	0.00	27.96	12.56	16.95	13.53	28.57	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

38

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

.

STATE AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT	****** MALE	**** SEX FEMALE	********* UNKNOWN	***:	*****	*****	**** BI 4	RTH ORDER ******* GREATER THAN 4	********** UNKNOWN
MOTTER 5 Ade(TRST)	DIRITS	DISTRIBUTION	MALL) EMALL	ONKINOWIN		~	5	-	GREATER THAN 4	ONKIGOWIG
MAINE SUMMARY											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	о
10-14	10	0.06	4	6	õ	9.	1	õ	0	õ	õ
· 15	62	0.36	35	27	0	57 [.]	5	0	0	0	0
16	155	0.90	87	68	0	150	5	0	0	. 0	0
17	353	2.04	184	169	0	314	36	3	õ	0	0
18	507	2.93	258	249	0	375	117	15	0	0	0
19	776	4.48	374	402	0	588	154	32	2	0	0
20-24	4,873	28.14	2,487	2,386	0	2,493 1		532	121	32	0
25-29	5,697	32.90	2,915	2,782	0	2,184 2		942	300	62	0
30-34	3,536	20.42	1,801	1,735	0	989 1		736	304	132	0
35-39	1,176	6.79	583	593	0	256	435	294	115	76	0
40-44	154	0.89	84	70	· O	28	51	25	22	28	0
GREATER THAN 44	6	0.03	2	4	0	1	2	0	2	1 .	0
UNKNOWN	9	0.05	4	5	0	4	4	1	0	0	0
STATE TOTALS	17,314	100.00	8,818	8,496	0	7,448 6			866	331	0
PERCENT DISTRIBUTIC	IN	100.00	50.93	49.07	0.00	43.02 3	5.17	14.90	5.00	1.91	0.00
OUT OF WEDLOCK BIRTHS LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN STATE TOTALS	0 10 61 136 294 379 490 1,428 696 305 106 16 0 0 3,921	0.00 0.26 1.56 3.47 7.50 9.67 12.50 36.42 17.75 7.78 2.70 0.41 0.00 0.00	0 4 35 77 153 187 244 737 363 153 52 8 0 0 2,013	0 6 26 59 141 192 246 691 333 152 54 8 0 0 1,908		0 9 57 131 265 295 394 800 240 95 19 4 0 0 2,309 58,89 2	0 1 4 5 27 74 80 421 254 78 28 28 28 1 0 973	0 0 0 10 15 145 67 1 0 0 429	0 0 0 0 0 1 44 47 40 12 3 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000
PERCENT DISTRIBUTION PERCENT OF ALL BIRT		100.00 RE OUT OF WEDLOCH	51.34 <:	48.66	0.00				3.75	1.61	0.00
		22.65	22.83	22.46	0.00	31.00 1	5.98	16.63	16.97	19.03	0.00

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

.

		-						
COUNTY AND					MONTH PRENATAL			
BIRTHWEIGHT	TOTAL	PERCENT	1ST+2ND	3RD	4TH-6TH	7TH-9TH	NONE	UNKNOWN
IN GRAMS	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH		
ANDROSCOGGIN								
LESS THAN 1000	6	0.40	5	1	0	o [.]	0	0
· 1000-1499	6	0.40	2	2	1	0	0	1
1500-1999	20	1.32	8	8	3	0	0	1
2000-2499	35	2.31	16	13	4	0	2	0
2500-2999	236	15.55	124	66	39	4	3	0
3000-3499	551	36.30	289	169	73	17	2	1
3500-3999	495	32.61	268	166	48	10	3	0
4000-4499	144	9.49	73	. 46	22	3	0	0
4500-4999	21	1.38	12	9	0	0	0	0
GREATER THAN 4999	2	0.13	2	0	0	0	0	0
UNKNOWN	2	0.13	1	0	0	0	1	0
COUNTY TOTALS	1,518		800	480	190	34	11	3
PERCENT DISTRIBUTION		100.00	52.70	31.62	12.52	2.24	0.72	0.20
AROOSTOOK								
LESS THAN 1000	3	0.24	2	0	1 ·	ο	ο	о
1000-1499	6	0.48	2	2	1	0	0	1
1500-1999	16	1.28	7	3	4	1	1	0
2000-2499	29	2.32	15	5	9	0	0	0
2500-2999	158	12.66	87	38	24	6	3	0
3000-3499	433	34.70	232	125	62	10	0	4
3500-3999	435	34.86	203	151	69	6	1	5
4000-4499	145	11.62	83	47	11	3	0	1
4500-4999	21	1.68	12	4	3	2	Ō	0
GREATER THAN 4999	1	0.08	0	0	1	0	0	0
UNKNOWN	1	0.08	0	1	0	0	Ö .	0
COUNTY TOTALS	1,248		643	376	185	28	5	11
PERCENT DISTRIBUTION	·	100.00	51.52	30.13	14.82	2.24	0.40	0.88

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

.

.

4

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT - IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** 1ST+2ND MONTH	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	********* UNKNOWN
CUMBERLAND								
LESS THAN 1000	11	0.31	4	0	0	0	1	6
1000-1499	16	0.46	7	2	3	1	0	3
1500-1999	43	1.22	21	16	5	0	1	0
2000-2499	102	2.90	58	28	12	1	1	2
2500-2999	397	11.29	209	116	53	10	4	5
3000-3499	1,241	35.31	694	359	128	37	2	21
3500-3999	1,192	33.91	661 .	393	112	16	3	7
4000-4499	423	12.03	235	130	42	11	2	3
4500-4999	78	2.22	42	24	9	2	0	1
GREATER THAN 4999	8	0.23	5	2	1	0	· 0	0
UNKNOWN	4	0.11	2	1	0	0	1	0
COUNTY TOTALS	3,515		1,938	1,071	365	78	15	48
PERCENT DISTRIBUTION		100.00	55.14	30.47	10.38	2.22	0.43	1.37
FRANKLIN								
LESS THAN 1000	1	0.25	1	O	0	0	о	0
1000-1499	4	1.01	0	1	0	0	0	3
1500-1999	1	0.25	0	0	0	0	0	1
2000-2499	11	2.78	8	3	0	0	0	0
2500-2999	57	14.43	39	9	7	1	1	0
3000-3499	149	37.72 .	102	.29	18	0	0	0
3500-3999	128	32.41	93	19	14	1	ō	1
4000-4499	33	8.35	20	10	2	0	1	Ó
4500-4999	10	2.53		Õ	2	ŏ	1	ŏ
GREATER THAN 4999	0	0.00	Ó	ŏ	ō	ŏ	ò	õ
UNKNOWN	1	0.25	õ	ŏ	ŏ	ŏ	õ	1
COUNTY TOTALS	395		270	71	43	2	š	6
PERCENT DISTRIBUTION		100.00	68.35	17.97	10.89	0.51	0.76	1.52

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** 1ST+2ND MONTH	************ 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	********** UNKNOWN
HANCOCK								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	2	0.33	1	0	1	0	0	0
1500-1999	5	0.82	1	3	· · · · 1	0	0	0
2000-2499	27	4.43	9 .	14	2	0	0	2
2500-2999	79	12.95	34	28	13	3	0	1
3000-3499	191	31.31	98	55	29	· 8	0	1
3500-3999	212	34.75	105	77	22	7	1	0
4000-4499	75	12.30	38	32	5	0	0	0
4500-4999	16	2.62	7	6	3	0	0	0
GREATER THAN 4999	2	0.33	1	1	0	0	0	0
UNKNOWN	. 1	0.16	0	0	0	0	0	1
COUNTY TOTALS	610		294	216	76	18	1	5
PERCENT DISTRIBUTION		100.00	48.20	35.41	12.46	2.95	0.16	0.82
KENNEBEC								
LESS THAN 1000	15	0.95	3	6	о	0	4	2
1000-1499	7	0.44	3	2	0	1	0	1
1500-1999	18	1.14	10	4	1	0	2	1
2000-2499	57	3.61	34	12	6	1	0	4
2500-2999	211	13.35	104	72	30	1	2	2
3000-3499	553	35.00	301	194	55	1	ō	2
3500-3999	522	33.04	297	162	53	6	1	3
4000-4499	163	10.32	85	62	15	ō	1	ō
4500-4999	29	1.84	18	6	5	õ	Ó	õ
GREATER THAN 4999	4	0.25	3	1	õ	õ	õ	ŏ
UNKNOWN	i	0.06	1	Ó	ŏ	ŏ	õ	ŏ
COUNTY TOTALS	1,580		859	521	165	10	10	15
PERCENT DISTRIBUTION	.,	100.00	54.37	32.97	10.44	0.63	0.63	0.95

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

-

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE-OF DATA, RESEARCH AND VITAL STATISTICS

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	**************************************	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	********** UNKNOWN
KNOX								
LESS THAN 1000	3	0.60	2	0	0	0	0	1
1000-1499	4	0.81	2	0	0	0	1	1
1500-1999	5	1.01	2	1	2	0	0	0
2000-2499	16	3.23	11	1	3	0	1	0
2500-2999	55	11.09	34	10	8	2	0	1
3000-3499	154	31.05	101	33	17	1	0	2
3500-3999	181	36.49	122	37	19	3	0	0
4000-4499	65	13.10	44	14	7	0	0	0
4500-4999	13	2.62	9	4	0	0	0	0
GREATER THAN 4999	0	0.00	0	Ο,	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	496		327	100	56	6	2	5
PERCENT DISTRIBUTION		100.00	65.93	20.16	11.29	1.21	0.40	1.01
LINCOLN								
LESS THAN 1000	3	0.76	2	0	0	0	0	1
1000-1499	1	0.25	1	õ	Ó	Ō	ō	Ó
1500-1999	2	0.51	2	Ō	Ó	Ō	Ō	Ō
2000-2499	8	2.03	7	1	0	Ō	ō	0
2500-2999	53	13.45	28	13	8	2	ō	2
3000-3499	132	33.50	68	43	18	3	0	0
3500-3999	133	33.76	74	32	20	6	0	1
4000-4499	51	12.94	29	16	6	0	0	0
4500-4999	9	2.28	6	1	1	0	0	1
GREATER THAN 4999	1	0.25	0	1	0	Ō	Ō	0
UNKNOWN	1	0.25	0	1	0	0	0	0
COUNTY TOTALS	394		217	108	53	11	0	5
PERCENT DISTRIBUTION		100.00	55.08	27.41	13.45	2.79	0.00	1.27

.

٠

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

-

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

÷.

.

44

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	*********** 1ST+2ND MONTH	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	*********** UNKNOWN
OXFORD								
LESS THAN 1000	4	0.53	2	0	0	0	1	1
1000-1499	5	0.66	2	0	1	0	0	2
1500-1999	5	0.66	3	0	0	0	0	2
2000-2499	26	3.43	8	9	7	0	1	1
2500-2999	98	12.93	41	32	23	1	0	1
3000-3499	289	38.13	130	99	52	7	1	0
3500-3999	236	31.13	110	81	37	5	2	1
4000-4499	77	10.16	35	28	13	1	0	0
4500-4999	14	1.85	6	7	1	0	Ο.	0
GREATER THAN 4999	3	0.40	2	0	1	0	0	0
UNKNOWN	1	0.13	0	0	1	0	0	0
COUNTY TOTALS	758		339	256	136	14	5	8
PERCENT DISTRIBUTION		100.00	44.72	33.77	17.94	1.85	0.66	1.06
PENOBSCOT								
LESS THAN 1000	9	0.46	5	1	1	0	0	2
1000-1499	9	0.46	4	4	1	0	0	0
1500-1999	19	0.97	11	5	2	1	0	0
2000-2499	70	3.57	43	10	11	6	0	0
2500-2999	249	12.71	135	71	33	8	1	1
3000-3499	649	33.13	405	138	89	13	4	0
3500-3999	665	33.95	450	143	58	10	1	3
4000-4499	236	12.05	156	42	30	8	0	0
4500-4999	45	2.30	30	8	7	0	Ó	0
GREATER THAN 4999	. 6	0.31	4	1	1	Ō	Ō	õ
UNKNOWN	2	0.10	o'	ò	ò	õ	ŏ	2
COUNTY TOTALS	1,959	00	1,243	423	233	46	ő	
PERCENT DISTRIBUTION	.,555	100.00	63.45	21.59	11.89	2.35	0.31	0.41

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

. . .

.

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

.

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** 1ST+2ND MONTH	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	*********** UNKNOWN
PISCATAQUIS								
LESS THAN 1000	о	0.00	0	о	0	0	0	0
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	2	0.83	1	0	1	0	0	0
2000-2499	12	4.96	10	1	1	0	0	0
2500-2999	31	12.81	16	6	6	1	0	2
3000-3499	86	35.54	43	26	10	4	2	1
3500-3999	63	26.03	35	16	9	3	0	0
4000-4499	41	16.94	23	12	6	0	0	0
4500-4999	, 5	2.07	4	1	0	0	0	0
GREATER THAN 4999	1	0.41	0	1	0	0	0	0
UNKNOWN	1	0.41	0	0	0	0	0	1
COUNTY TOTALS	242		132	63	33	8	2	4
PERCENT DISTRIBUTION		100.00	54.55	26.03	13.64	3.31	0.83	1.65
SAGADAHOC								
4 5 LESS THAN 1000	3	0.54	4	0	· 0	2	0	0
1000-1499	3	0.18		ŏ	0	0	0	U 1
1500-1999	3	0.54	1	ŏ	0	0	U 1	
2000-2499	16	2.90	11	3	1	1	0	
2500-2999	76	13.79	40	21	14		0	0
3000-3499	202	36.66	109	54	31	3	0	U I
						-	4	
3500-3999	186	33.76	113	54	17	2	0	0
4000-4499	53	9.62	35	11	/	0	0	0
4500-4999	11	2.00	7	2	2	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	o	0
COUNTY TOTALS	551		317	145	72	9	5	3
PERCENT DISTRIBUTION		100.00	57.53	26.32	13.07	1.63	0.91	0.54

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

۲

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

•

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	**************************************	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	*********** UNKNOWN
SOMERSET								
LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	2 6 8 28 85 224 204 63 10 1 0 631	0.32 0.95 1.27 4.44 13.47 35.50 32.33 9.98 1.58 0.16 0.00	0 2 1 15 28 106 100 30 4 1 0 287 45,48	1 2 1 8 40 79 77 20 5 0 5 0 233 36.93	1 0 2 5 14 36 25 11 1 0 95 15.06	0 0 1 3 2 0 0 0 0 0 6 0.95	0 0 1 0 0 0 1 0 0 2 0.32	0 2 3 0 2 0 0 1 0 0 8 1.27
WALDO								
LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	1 4 7 14 74 139 155 58 13 1 1 467	0.21 0.86 1.50 3.00 15.85 29.76 33.19 12.42 2.78 0.21 0.21 100.00	0 0 3 7 47 90 91 31 9 0 0 278 59.53	0 1 2 3 18 27 40 18 2 1 0 112 23.98	0 2 1 4 6 17 22 9 2 0 0 63 13.49	0 0 2 3 2 0 0 0 0 7 7 1.50	0 0 0 0 0 0 0 0 1 1 0.21	1 1 0 1 2 0 0 0 0 0 0 0 0 0 0 1.28

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

. ·

,

47

•

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

-

COUNTY AND BIRTHWEIGHT	TOTAL	PERCENT	1ST+2ND	3RD	MONTH PRENATAL 4TH-6TH	7TH-9TH	********* NONE	********** UNKNOWN
IN GRAMS	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH		
WASHINGTON								
LESS THAN 1000	3	0.70	2	1	0	0	0	0
1000-1499	2	0.46	0	0	2	0	0	Ó
1500-1999	4	0.93	4	0	0	0	0	0
2000-2499	19	4.41	10	3	5	1	0	0
2500-2999	43	9.98	24	8	10	1	0	0
3000-3499	138	32.02	85	32	20	0	1	0
3500-3999	145	33.64	76	42	23	4	0	0
4000-4499	62	14.39	33	19	9	0	1	Ó
4500-4999	13	3.02	7	5	1	Ó	0	Ó
GREATER THAN 4999	2	0.46	0	Ó	2	Ō	Ō	õ
UNKNOWN	0	0.00	Ó	Ó	0	õ	Ō	õ
COUNTY TOTALS	431		241	110	72	6	2	õ
PERCENT DISTRIBUTION		100.00	55.92	25.52	16.71	1.39	0.46	0.00
YORK								
LESS THAN 1000	11	0.44	6	2	2	о	0	1
1000-1499	12	0.48	5	2	0	0	2	3
1500-1999	22	0.87	16	2	1	0	1	2
2000-2499	86	3.41	41	16	17	2	3	7
2500-2999	289	11.47	152	70	47	11	3	6
3000-3499	882	35.01	526	215	110	18	6	7
3500-3999	867	34.42	521	220	98	21	4	3
4000-4499	287	11.39	174	80	24	7	0	2
4500-4999	57	2.26	39	9	6	2	Ō	1
GREATER THAN 4999	5	0.20	3	2	o ·	0	Ō	0
UNKNOWN	1	0.04	0	0	0	Ó	Ó	1
COUNTY TOTALS	2,519		1,483	618	305	61	19	33
PERCENT DISTRIBUTION		100.00	58.87	24.53	12.11	2.42	0.75	1.31

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

STATE AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	*********** 1ST+2ND MONTH	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	*********** UNKNOWN
MAINE SUMMARY								
LESS THAN 1000	75	0.43	35	12	5	2	6	15
1000-1499	85	0.49	31	18	12	2	3	19
1500-1999	180	1.04	91	45	23	2	7	12
2000-2499	556	3.21	303	130	87	12	8	16
2500-2999	2,191	12.65	1,142	618	335	55	17	24
3000-3499	6,013	34.73	3,379	1,677	765	128	22	42
3500-3999	5.819	33.61	3,319	1,710	646	104	16	24
4000-4499	1,976	11.41	1,124	587	219	33	6	7
4500-4999	365	2.11	219	93	43	6	1	3
GREATER THAN 4999	37	0.21	21	10	6	. O	0	0
UNKNOWN	17	0.10	4	3	1	0	3	6
STATE TOTALS	17,314		9,668	4,903	2,142	344	89	168
PERCENT DISTRIBUTION	·	100.00	55.84	28.32	12.37	1.99	0.51	0.97

•

•

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

49

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND NUMBER OF	TOTAL BIRTHS		*********** RST		***** TRIME		ATAL CARE E HIRO		***********)NE		******** NOWN
PRENATAL VISITS	2	NUMBER		NUMBER		NUMBER		NUMBER			PERCENT
ANDROSCOGGIN											
0	9	0	0.00	0	0.00	0	0.00	9	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
3	5	1	20.00	0	0.00	4	80.00	0	0.00	0	0.00
4	4	3	75.00	1	25.00	0	0.00	0	0.00	0	0.00
5	12	0	0.00	8	66.67	4	33,33	0	0.00	0	0.00
6	24	11	45.83	8	33.33	5	20.83	0	0.00	0	0.00
7	32	11	34.38	14	43.75	6	18.75	0	0.00	1	3.13
8	60	26	43.33	27	45.00	7	11.67	0	0.00	0	0.00
9	68	42	61.76	22	32.35	4	5.88	0	0.00	0	0.00
GREATER THAN 9	1,291	1,180	91.40	108	8.37	3	0.23	0	0.00	0	0.00
UNKNOWN	11	. 6	54.55	1	9.09	0	0.00	2	18.18	2	18.18
COUNTY TOTALS	1,518	1,280	84.32	190	12.52	34	2.24	11	0.72	3	0.20
AROOSTOOK											
0	4	о	0.00	о	0.00	0	0.00	4	100.00	о	0.00
1	4	1	25.00	2	50.00	1	25.00	0	0.00	0	0.00
2	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
3	4	2	50.00	1	25.00	1	25.00	0	0.00	0	0.00
4	5	0	0.00	3	60.00	2	40.00	0	0.00	0	0.00
5	10	2	20.00	3	30.00	5	50.00	0	0.00	0	0.00
6	11	3	27.27	4	36.36	4	36.36	0	0.00	0	0.00
7	24	9	37.50	13	54.17	2	8.33	Ó	0.00	0	0.00
8	33	17	51.52	13	39.39	2	6.06	õ	0.00	Ĩ	3.03
9	71	41	57.75	27	38.03	2	2.82	Ō	0.00	1	1.41
GREATER THAN 9	1,064	937	88.06	119	11.18	7	0.66	ŏ	0.00	1	0.09
UNKNOWN	16	7	43.75	0	0.00	, O	0.00	1	6.25	8	50.00
COUNTY TOTALS	1,248	1,019	81.65	185	14.82	28	2.24	5	0.40	11	0.88

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

	COUNTY	TOTAL		*********	•			TAL CARE BE				
F	AND NUMBER OF PRENATAL VISITS	BIRTHS	NUMBER	IRST PERCENT	NUMBER	OND PERCENT	NUMBER	IRD PERCENT		DNE PERCENT	NUMBER	NOWN PERCENT
C	UMBERLAND			·								
	0	7	0	0.00	о	0.00	0	0.00	7	100.00	0	0.00
	1	7	4	57.14	1	14.29	2	28.57	0	0.00	0	0.00
	2	17	5	29.41	4	23.53	8	47.06	0	0.00	0	0.00
	3	29	13	44.83	6	20.69	10	34.48	0	0.00	0	0.00
	4	37	17	45.95	7	18.92	13	35.14	0	0.00	0	0.00
	5	53	18	33.96	23	43.40	12	22.64	0	0.00	0	0.00
	6	71	35	49.30	25	35.21	10	14.08	0	0.00	1	1.41
	7	108	76	70.37	24	22.22	8	7.41	0	0.00	0	0.00
	8	164	118	71.95	41	25.00	5	3.05	0	0.00	0	0.00
	9	274	230	83.94	43	15.69	1	0.36	0	0.00	0	0.00
	GREATER THAN 9	2,682	2,478	92.39	191	7.12	7	0.26	0	0.00	6	0.22
	UNKNOWN	66	15	22.73	0	0.00	2	3.03	8	12.12	41	62.12
	COUNTY TOTALS	3,515	3,009	85.60	365	10.38	78	2.22	15	0.43	48	1.37
F	RANKLIN											
613	0	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
50	1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	2	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
	З .	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	4	2	2	100.00	0	0.00	0	0.00	0	0.00	0	0.00
	5	5	4	80.00	0	0.00	1	20.00	0	0.00	0	0.00
	6	8	3	37.50	5	62.50	0	0.00	0	0.00	0	0.00
	7	10	6	60.00	4	40.00	0	0.00	Q	0.00	0	0.00
	8	30	21	70.00	9	30.00	0	0.00	0	0.00	0	0.00
	9	28	21	75.00	7	25.00	0	0.00	0	0.00	0	0.00
	GREATER THAN 9	303	284	93.73	18	5.94	0	0.00	0	0.00	1	0.33
	UNKNOWN	5	0	0.00	0	0.00	0	0.00	0	0.00	5	100.00
	COUNTY TOTALS	395	341	86.33	43	10.89	2	0.51	3	0.76	6	1.52

•

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

СЛ

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY	TOTAL						TAL CARE BE		*****	*****	*****
AND NUMBER OF	BIRTHS		RST		OND		IRD		DNE		KNOWN
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
HANCOCK											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	1	0	0.00	Ó	0.00	1	100.00	Ó	0.00	ō	0.00
2	3	0	0.00	1	33.33	2	66.67	ō	0.00	ŏ	0.00
3	6	0	0.00	2	33.33	4	66.67	Ō	0.00	ŏ	0.00
4	6	1	16.67	4	66.67	1	16.67	õ	0.00	ŏ	0.00
5	8	i	12.50	4	50.00	3	37.50	Ō	0.00	ŏ	0.00
6	11	6	54.55	3	27.27	1	9.09	ŏ	0.00	1	9.09
7	26	10	38.46	14	53.85	2	7.69	õ	0.00	ò	0.00
8	42	24	57.14	18	42.86	õ	0.00	ŏ	0.00	ŏ	0.00
9	38	33	86.84	5	13.16	ŏ	0.00	ŏ	0.00	ŏ	0.00
GREATER THAN 9	463	434	93.74	25	5.40	4	0.86	ŏ	0.00	ŏ	0.00
UNKNOWN	5	1	20.00	0	0.00	ŏ	0.00	ŏ	0.00	4	80.00
COUNTY TOTALS	610	510	83.61	76	12.46	18	2.95	1	0.16	5	0.82
KENNEBEC											
. 0	6	0	0.00	0	0.00	0	0.00	6	100.00	0	0.00
1	1	ō	0.00	1	100.00	ŏ	0.00	Õ	0.00	ŏ	0.00
2	4	1	25.00	2	50.00	1	25.00	õ	0.00	ŏ	0.00
3	8	5	62.50	2	25.00	1	12.50	ō	0.00	ŏ	0.00
4	6	4	66,67	1	16.67	1	16.67	ō	0.00	ŏ	0.00
5	5	4	80.00	1	20.00	Ó	0.00	ō	0.00	ŏ	0.00
6	17	8	47.06	6	35.29	2	11.76	õ	0.00	1	5.88
7	18	4	22.22	14	77.78	ō	0.00	ŏ	0.00	ò	0.00
8	47	32	68.09	13	27.66	2	4.26	õ	0.00	ŏ	0.00
9	65	45	69.23	20	30.77	õ	0.00	ŏ	0.00	ŏ	0.00
GREATER THAN 9	1,384	1,275	92.12	105	7.59	2	0.14	ŏ	0.00	2	0.14
	19	2	10.53	0	0.00		5.26	4	21.05	12	63.16
COUNTY TOTALS	1,580	1,380	87.34	165	10.44	10	0.63	10	0.63	15	0.95

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

1

۰.

.

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY	TOTAL	*****			***** TRIME					******	*****
AND NUMBER OF	BIRTHS		IRST		COND		IRD		INE		KNOWN
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
KNOX											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	Ó	Ó	0.00	0	0.00	0	0.00	Ó	0.00	ŏ	0.00
2	2	ŏ	0.00	Í	50.00	1	50.00	õ	0.00	õ	0.00
3	4	3	75.00	0	0.00	1	25.00	õ	0.00	õ	0.00
4	Í	ō	0.00	1	100.00	0	0.00	õ	0.00	õ	0.00
5	6	4	66.67	2	33.33	õ	0.00	õ	0.00	ŏ	0.00
6	2	i	50.00	1	50.00	õ	0.00	ŏ	0.00	ŏ	0.00
7	9	5	55.56	4	44.44	õ	0.00	ŏ	0.00	ŏ	0.00
8	21	14	66.67	7	33.33	õ	0.00	ŏ	0.00	ŏ	0.00
9	18		50.00	8	44.44	1	5.56	ŏ	0.00	ŏ	0.00
GREATER THAN 9	428	391	91.36	32	7.48	3	0.70	ŏ	0.00	2	0.47
UNKNOWN	5	0	0.00	0	0.00	õ	0.00	2	40.00	3	60.00
COUNTY TOTALS	496	427	86.09	56	11.29	ĕ	1.21	2	0.40	5	1.01
LINCOLN											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	ŏ	ŏ	0.00	ŏ	0.00	ŏ	0.00	ŏ	0.00	ŏ	0.00
2	2	ž	100.00	ŏ	0.00	ŏ	0.00	ŏ	0.00	ŏ	0.00
3	4		25.00	3	75.00	ŏ	0.00	ŏ	0.00	ŏ	0.00
4	2	i i	50.00	ŏ	0.00	ĭ	50.00	ŏ	0.00	ő	0.00
7	9	3	33.33	5	55.56	÷	11.11	ŏ	0.00	0	0.00
5	9	4	44.44	1	11.11	1	44.44	. 0	0.00	0	0.00
8	15	11	73.33	2	13.33	2	13.33	0	0.00	0	0.00
/ 8	16	10	62.50	5	31.25	2	6,25		0.00	0	0.00
8	19	· 15	78.95	4	21.05		0.00	0			
J ODEATED THAN O				33		0		0	0.00	0	0.00
GREATER THAN 9	314	278	88.54		10.51	2	0.64	0	0.00	1	0.32
	4	0	0.00	0	0.00	0	0.00	0	0.00	4	100.00
COUNTY TOTALS	394	325	82.49	53	13.45	11	2.79	0	0.00	5	1.27

•

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

•

÷ -,

`

.

ບັ ຜ .

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND NUMBER OF	TOTAL BIRTHS		********** RST		***** TRIME		ATAL CARE BE		*********** ONE		******** NOWN
PRENATAL VISITS	DIRINS		PERCENT		PERCENT	NUMBER			PERCENT		PERCENT
OXFORD			,								
0	4	0	0.00	0	0.00	0	0.00	4	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	. 0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	8	2	25.00	2	25.00	4	50.00	0	0.00	0	0.00
4	7	1	14.29	6	85.71	0	0.00	0	0.00	0	0.00
5	15	7	46.67	6	40.00	2	13.33	0	0.00	0	0.00
6	18	10	55.56	5	27.78	3	16.67	0	0.00	0	0.00
7	35	15	42.86	17	48.57	3	8.57	0	0.00	0	0.00
8	43	28	65.12	15	34.88	0 .	0.00	0	0.00	0	0.00
9	70	52	74.29	17	24.29	1	1.43	0	0.00	0	0.00
GREATER THAN 9	547	478	87.39	68	12.43	0	0.00	0	0.00	1	0.18
UNKNOWN	10	2	20.00	0	0.00	Ō	0.00	1	10.00	7	70.00
COUNTY TOTALS	758	595	78.50	136	17.94	14	1.85	5	0.66	8	1.06
PENOBSCOT		·									
0	5	0	0.00	о	0.00	о	0.00	5	100.00	o	0.00
1	4	1	25.00	0	0.00	3	75.00	0	0.00	0	0.00
2	10	0	0.00	2	20.00	8	80.00	0	0.00	0	0.00
3	5	0	0.00	. 2	40.00	3	60.00	0	0.00	0	0.00
4	14	5	35.71	3	21.43	6	42.86	0	0.00	0	0.00
5	52	16	30.77	21	40.38	14	26.92	0	0.00	1	1.92
6	61	36	59.02	19	31.15	6	9.84	0	0.00	0	0.00
7	64	35	54.69	26	40.63	3	4.69	0	0.00	0	0.00
8	124	87	70.16	36	29.03	1	0.81	Ō	0.00	0	0.00
9	146	108	73.97	36	24.66	1	0.68	Ō	0.00	1	0.68
GREATER THAN 9	1,465	1,376	93.92	88	6.01	1	0.07	õ	0.00	Ó	0.00
UNKNOWN	9	2	22.22	0	0.00	Ó	0.00	1	11.11	6	66.67
COUNTY TOTALS	1,959	1,666	85.04	233	11.89	46	2.35	6	0.31	8	0.41

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY	TOTAL	*****	******		***** TRIME	-			******	********	*****
AND NUMBER OF	BIRTHS		RST	•	COND		HIRD		DNE		NOWN
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
PISCATAQUIS											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
4	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
5	7	1	14.29	2	28.57	3	42.86	0	0.00	1	14.29
6	6	2	33.33	3	50.00	1	16.67	0	0.00	0	0.00
7	4	1	25.00	1	25.00	2	50.00	0	0.00	0	0.00
8	7	6	85.71	1	14.29	0	0.00	0	0.00	0	0.00
9	18	14	77.78	4	22.22	0	0.00	0	0.00	0	0.00
GREATER THAN 9	192	171	89.06	20	10.42	1	0.52	0	0.00	0	0.00
UNKNOWN	3	0	0.00	0	0.00	0	0.00	0	0.00	: 3	100.00
COUNTY TOTALS	242	195	80.58	33	13.64	8	3.31	2	0.83	4	1.65
SAGADAHOC											
0	3	0	0.00	0	0.00	o	0.00	3	100.00	0	0.00
1	3	2	66.67	0	0.00	1	33.33	0	0.00	Ō	0.00
2	1	0	0.00	1	100.00	0	0.00	Ō	0.00	Ō	0.00
3	0	Ō	0.00	0	0.00	0	0.00	Ō	0.00	Ō	0.00
4	5	1	20.00	4	80.00	0	0.00	Ō	0.00	Ō	0.00
5	2	0	0.00	1	50.00	1	50.00	0	0.00	Ō	0.00
6	7	3	42.86	4	57.14	0	000	Ō	0.00	Ō	0.00
7	15	6	40.00	6	40.00	3	20.00	Ō	0.00	Ō	0.00
8	36	19	52.78	15	41.67	2	5.56	õ	0.00	ŏ	0.00
9	46	29	63.04	17	36.96	ō	0.00	ō	0.00	ō	0.00
GREATER THAN 9	425	401	94.35	24	5.65	ō	0.00	õ	0.00	õ	0.00
UNKNOWN	8	1	12.50	0	0.00	2	25.00	2	25.00	· 3	37.50
COUNTY TOTALS	551	462	83.85	72	13.07	9	1.63	5	0.91	3	0.54

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND NUMBER OF							ATAL CARE BE HIRD		************)NE	**************************************	
PRENATAL VISITS	DINING				PERCENT		PERCENT		PERCENT		PERCENT
SOMERSET											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
3	3	1	33.33	1	33.33	1	33.33	0	0.00	0	0.00
4	4	1	25.00	2	50.00	1	25.00	0	0.00	0	0.00
5	З	2	66.67	1	33.33	0	0.00	0	0.00	0	0.00
6	7	2	28.57	4	57.14	Ō	0.00	0	0.00	1	14.29
` 7	10	3	30.00	7	70.00	0	0.00	0	0.00	0	0.00
8	16	7	43.75	9	56.25	Ō	0.00	Ō	0.00	Ō	0.00
9	23	15	65.22	7	30.43	1	4.35	0	0.00	0	0.00
GREATER THAN 9	552	487	88.22	64	11.59	1	0.18	ō	0.00	Ō	0.00
UNKNOWN	9	2	22.22	0	0.00	0	0.00	Ō	0.00	7	77.78
COUNTY TOTALS	631	520	82.41	95	15.06	6	0.95	2	0.32	8	1.27
WALDO											
` O	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	1	1	100.00	Ō	0.00	0	0.00	Ó	0.00	0	0.00
2	1	0	0.00	1	100.00	Ō	0.00	Ō	0.00	Ō	0.00
3	4	1	25.00	0	0.00	3	75.00	Ō	0.00	Ō	0.00
4	3	3	100.00	0	0.00	0	0.00	0	0.00	0	0.00
5	11	6	54.55	3	27.27	2	18.18	Ō	0.00	0	0.00
6	17	9	52.94	7	41.18	1	5.88	Ō	0.00	0	0.00
7	20	14	70.00	5	25.00	1	5.00	Ō	0.00	Ō	0.00
8	35	25	71.43	8	22.86	Ó	0.00	Ō	0.00	2	5.71
9	35	27	77.14	8	22.86	Ō	0.00	Ō	0.00	0	0.00
GREATER THAN 9	333	303	90.99	30	9.01	õ	0.00	ŏ	0.00	ō	0.00
UNKNOWN	6	1	16.67	1	16.67	ō	0.00	ō	0.00	4	66.67
COUNTY TOTALS	467	390	83.51	63	13.49	7	1.50	1	0.21	6	1.28

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

TABLE B-7 LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND NUMBER OF	TOTAL BIRTHS	FI	IRST	SEC	***** TRIME	T⊢	HIRD	N	DNE	UNK	NOWN
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
WASHINGTON			-								
0	2	о	0.00	о	0.00	0	0.00	2	100.00	0	0.00
1	0	0	0.00	0	0.00	. 0	0.00	0	0.00	0	0.00
2	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
5	9	4	44.44	5	55.56	0	0.00	0	0.00	0	0.00
6	14	4	28.57	8	57.14	2	14.29	0	0.00	0	0.00
7	13	8	61.54	4	30.77	1	7.69	0	0.00	0	0.00
8	24	11	45.83	13	54.17	0	0.00	0	0.00	0	0.00
9	37	26	70.27	10	27.03	1	2.70	0	0.00	0	0.00
GREATER THAN 9	326	296	90.80	30	9.20	0	0.00	0	0.00	0	0.00
UNKNOWN	3	1	33.33	1	33.33	1	33.33	0	0.00	0	0.00
COUNTY TOTALS	431	351	81.44	72	16.71	6	1.39	2	0.46	0	0.00
YORK											
0	13	о	0.00	o	0.00	1	7.69	11	84.62	1	7.69
1	13	5	38,46	2	15.38	6	46.15	0	0.00	0	0.00
2	14	3	21.43	4	28.57	7	50.00	0	0.00	Ō	0.00
3	19	3	15.79	9	47.37	6	31.58	Ó	0.00	1	5.26
4	40	11	27.50	21	52.50	7	17.50	0	0.00	1	2.50
5	59	27	45.76	22	37.29	9	15.25	0	0.00	1	1.69
6	105	72	68.57	23	21.90	10	9.52	0	0.00	0	0.00
7	157	129	82.17	25	15.92	3	1.91	0	0.00	Ō	0.00
8	217	168	77.42	48	22.12	1	0.46	0	0.00	Ó	0.00
9	224	183	81.70	38	16.96	2	0.89	Ō	0.00	1	0.45
GREATER THAN 9	1.615	1,491	92.32	113	7.00	7	0.43	1	0.06	3	0.19
UNKNOWN	43	. 9	20.93	0	0.00	2	4.65	7	16.28	25	58.14
COUNTY TOTALS	2,519	2,101	83.41	305	12.11	61	2.42	19	0.75	33	1.31

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

١

. .

•

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

STATE AND NUMBER OF	TOTAL BIRTHS		FIRST SECOND			RIMESTER PRENATAL CARE BEGAN THIRD			NONE		**************************************	
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	
MAINE SUMMARY												
0	62	0	0.00	0	0.00	1	1.61	60	96.77	1	1.61	
1	36	14	38.89	6	16.67	16	44.44	0	0.00	0	0.00	
2	62	11	17.74	18	29.03	33	53.23	0	0.00	0	0.00	
3	101	32	31.68	29	28.71	39	38.61	0	0.00	1	0.99	
4	138	51	36.96	54	39.13	32	23.19	0	0.00	1	0.72	
5	266	99	37.22	107	40.23	57	21.43	0	0.00	3	1.13	
6	388	209	53.87	126	32.47	49	12.63	0	0.00	4	1.03	
7	560	343	61.25	180	32.14	36	6.43	0	0.00	1	0.18	
8	915	613	66.99	278	30.38	21	2.30	0	0.00	3	0.33	
9	1,180	890	75.42	273	23.14	14	1.19	0	0.00	3	0.25	
GREATER THAN	9 13,384	12,260	91.60	1,068	7.98	38	0.28	1	0.01	17	0.13	
UNKNOWN	222	49	22.07	3	1.35	8	3.60	28	12.61	134	60.36	
STATE TOTALS	S 17,314	14,571	84.16	2,142	12.37	344	1.99	89	0.51	168	0.97	

,

.

.

.

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

۰.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION ANDROSCOGGIN	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** 1ST+2ND MONTH	********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	********** UNKNOWN
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 - GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	68 247 .707 493 3 1,518	4.48 16.27 46.57 32.48 0.20 100.00	28 111 355 306 0 800 52.70	25 72 232 151 0 480 31.62	10 48 102 30 0 190 12.52	4 10 14 6 0 34 2.24	1 6 3 0 1 11 0.72	0 0 1 0 2 3 0.20
AROOSTOOK LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	17 152 626 446 7 1,248	1.36 12.18 50.16 35.74 0.56 100.00	9 51 321 262 0 643 51.52	5 55 192 124 0 376 30.13	1 38 96 49 1 185 14.82	1 6 13 8 0 28 2.24	1 2 0 0 5 0.40	0 2 3 6 11 0.88
CUMBERLAND LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	56 370 1,231 1,837 21 3,515	1.59 10.53 35.02 52.26 0.60 100.00	28 144 657 1,101 8 1,938 55.14	13 91 359 600 8 1,071 30,47	. 12 99 162 90 2 365 10.38	2 20 27 27 2 78 2.22	1 6 5 3 0 15 . 0.43	0 10 21 16 1 48 1.37

1

•

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

,

•

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	*********** 1ST+2ND MONTH	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	*********** UNKNOWN
FRANKLIN								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	1 51 189 152 2 395	0.25 12.91 47.85 38.48 0.51 100.00	0 26 131 112 1 270 68.35	1 8 35 27 0 71 17.97	0 15 18 10 0 43 10.89	0 0 1 1 0 2 0.51	0 1 1 0 3 0.76	0 1 3 1 1 6 1,52
HANCOCK								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	10 75 265 258 2 610	1.64 12.30 43.44 42.30 0.33 100.00	2 31 116 145 0 294 48.20	3 22 101 89 1 216 35.41	4 14 39 19 0 76 12.46	0 9 3 0 18 2.95	0 0 1 0 1 0.16	1 2 0 1 1 5 0.82
KENNEBEC		-	i			F		
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	17 184 757 608 14 1,580	1.08 11.65 47.91 38.48 0.89 100.00	8 79 412 351 9 859 54.37	5 56 251 208 1 521 32.97	4 40 80 41 0 165 10.44	0 4 1 1 10 0.63	0 4 5 1 0 10 0.63	0 1 5 6 3 15 0.95

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

· ·

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

•

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND Mother's Education	TOTAL	PERCENT DISTRIBUTION	********** 1ST+2ND MONTH	********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	********* UNKNOWN
KNOX								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	10 75 224 185 2 496	2.02 15.12 45.16 37.30 0.40	5 42 137 142 1 327 65.93	i 17 51 30 1 100 20.16	2 14 28 12 0 56 11.29	0 2 4 0 0 6 1.21	0 2 0 0 2 0.40	2 0 1 0 5 1.01
LINCOLN								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	8 40 184 162 0 394	2.03 10.15 46.70 41.12 0.00	4 15 97 101 0 217 55.08	2 11 53 42 0 108 27.41	1 11 27 14 0 53 13.45	1 2 4 4 0 11 2.79	0 0 0 0 0 0.00	0 1 3 1 0 5 1.27
OXFORD								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	13 110 368 266 1 758	1.72 14.51 48.55 35.09 0.13 100.00	4 33 170 132 0 339 44.72	4 34 118 100 0 256 33.77	5 36 70 25 0 136 17.94	0 3 6 4 1 14 1.85	0 2 1 0 5 0.66	0 2 4 0 8 1.06

,

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	**************************************	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	. CARE BEGAN 7TH-9TH MONTH	********** NONE	********** UNKNOWN
PENOBSCOT								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	34 246 858 815 6 1,959	1.74 12.56 43.80 41.60 0.31	18 114 497 614 0 1,243 63.45	5 60 224 132 2 423 21.59	7 54 114 57 1 233 11.89	3 14 18 11 0 46 2.35	1 2 0 1 6 0.31	0 2 3 1 2 8 0.41
PISCATAQUIS								•
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	3 39 137 61 2 242	1.24 16.12 56.61 25.21 0.83 100.00	2 17 76 37 0 132 54.55	0 10 40 13 0 63 26.03	0 8 18 7 0 33 13.64	0 2 3 1 8 3.31	0 1 0 1 0 2 0.83	1 1 0 1 4 1_65
SAGADAHOC								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	7 59 232 250 3 551	1.27 10.71 42.11 45.37 0.54 100.00	2 26 122 164 3 317 57.53	2 17 - 61 65 0 145 26 - 32	2 11 45 14 0 72 13.07	0 3 1 5 0 9 1.63	1 2 1 0 5 0.91	0 1 1 0 3 0.54

.

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

•

с О

٠

-

~

•

•

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY AND Mother's Education	TOTAL BIRTHS	PERCENT DISTRIBUTION	*********** 1ST+2ND MONTH	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	********** UNKNOWN
SOMERSET								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	14 87 321 206 3 631	2.22 13.79 50.87 32.65 0.48 100.00	3 44 136 103 1 287 45.48	6 18 123 84 2 233 36.93	4 20 56 15 0 95 15.06	1 2 3 0 0 6 0.95	0 1 0 0 2 0.32	0 2 4 0 8 1.27
WALDO	,							
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	12 65 230 160 0 467	2.57 13.92 49.25 34.26 0.00 1Q0.00	4 27 140 107 0 278 59.53	2 16 61 33 0 112 23.98	6 17 25 15 0 63 13.49	0 2 3 0 7 1.50	0 0 1 0.21	0 3 2 1 0 6 1.28
3								
WASHINGTON		•						
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	8 80 197 143 3 431	1.86 18.56 45.71 33.18 0.70 100.00	3 42 107 89 0 241 55.92	1 19 55 35 0 110 25.52	4 17 33 16 2 72 16.71	0 1 2 1 6 1.39	0 1 0 1 0 2 0.46	0 0 0 0 0 0 0

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

.

· .

•

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

. COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRI <u>B</u> UTION	********** 1ST+2ND MONTH	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	*********** UNKNOWN
YORK								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	46 292 1,098 1,076 7 2,519	1.83 11.59 43.59 42.72 0.28 100.00	20 107 632 720 4 1,483 58.87	8 70 278 259 3 618 24.53	14 86 137 68 0 305 12.11	4 17 27 13 0 61 2.42	0 5 10 4 0 19 0.75	0 7 14 12 0 33 1.31
MAINE SUMMARY								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN STATE TOTALS PERCENT DISTRIBUTION	324 2,172 7,624 7,118 76 17,314	1.87 12.54 44.03 41.11 0.44	140 909 4,106 4,486 27 9,668 55.84	83 576 2,234 1,992 18 4,903 28.32	76 528 1,050 482 6 2,142 12.37	16 94 137 91 6 344 1.99	5 32 35 15 2 89 0.51	4 33 62 52 17 168 0.97

.

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

•

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

· ·

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - NUMBER OF BIRTHS MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1990 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	OUT OF WEDLOCK BIRTHS	MOTHER Under Age 20 yf	NON- WHITE S.	NO PRENATAL CARE	MEDICAL RISK FACTORS	C-SECTION	CONGEN. ANOM- ALIES	BIRTHWEIG UNDER 2500	HT IN GRAMS Over 4999
AT HOME	178	28	7	18	6	22	0	0	3	3
BATH MEMORIAL HOSPITAL	372	40	22	11	0	58	97	10	11	1
BLUE HILL MEMORIAL HOSPITAL	229	60	24	3	1	36	40	5	5	2
BORN ON WAY TO HOSPITAL	8	2	0	0	⁻ 1	1	0	0	1	0
BRIGHTON MEDICAL CENTER	461	126	60	9	0	61	104	4	19	2
CALAIS REGIONAL HOSPITAL	90	23	10	16	0	10	27	5	3	1
CARY MEDICAL CENTER	225	51	28	5	1	58	57	4	10	0
CENTRAL MAINE MEDICAL CENTER	1.124	298	147	26	6	290	260	19	50	2
DOWN EAST COMMUNITY HOSPITAL	226	66	30	23	0	34	30	2	12	0
EASTERN MAINE MEDICAL CENTER	1.938	424	193	49	8	379	426	7	151	6
FRANKLIN MEMORIAL HOSPITAL	472	129	51	7	3	117	106	7	11	0
HENRIETTA D. GOODALL HOSPITAL	371	113	45	22	2	73	75	10	13	Ó
HOULTON REGIONAL HOSPITAL	240	65	32	18	0	63	66	5	6	1
ISLAND COMMUNITY MEDICAL CTR.	3	0	1	0	0	1	Ó	0	0	0
KENNEBEC VALLEY MEDICAL CTR.	758	190	90	39	2	237	146	13	34	3
LITTLE RIVER MATERNITY CENTER	2	0	0	0	0	0	0	0	0	0
MAINE COAST MEMORIAL HOSPITAL	233	65	32	5	1	64	46	7	15	0
MAINE MEDICAL CENTER	2,973	608	249	76	35	506	638	43	325	7.
MAYO REGIONAL HOSPITAL	243	77	37	7	1	95	57	. 6	12	1
MERCY HOSPITAL	704	88	47	21	0	81	136	6	13	2
MID-MAINE MEDICAL CENTER	1,016	231	107	16	3	248	169	9	48	1
MILES MEMORIAL HOSPITAL	121	40	13	2	0	29	15	5	0	0 .
MILLINOCKET REGIONAL HOSPITAL	74	22	16	0	1	26	24	0	4	0
MOUNT DESERT ISLAND HOSPITAL	121	25	11	1	0	17	27	2	4	0
NEW ENGLAND REHAB. HOSPITAL	1	0	0	0	0	0	0	0	0	0
NORTH CUMBERLAND MEM. HOSPITAL	109	29	16	4	1	20	31	4	4	· O
NORTH MAINE MEDICAL CENTER	108	23	10	0	0	35	22	2	3	0
OTHER SPECIFIED PLACE	3	3	1	0	2	1	0	0	0	0
PARKVIEW MEMORIAL HOSPITAL	886	147	73	39	3	165	201	16	26	1
PENOBSCOT BAY MEDICAL CENTER	539	144	72	7	0	204	136	3	15	0
PENOBSCOT VALLEY HOSPITAL	146	39	24	1	· 1	16	35	2	2	0
REDINGTON-FAIRVIEW HOSPITAL	252	114	53	4	1	74	61	1	15	1
RUMFORD COMMUNITY HOSPITAL	124	42	22	6	0	24	26	3	4	1
ST. ANDREW'S HOSPITAL	1	1	0	O,	0	0	0	0	0	0
ST. MARY'S HOSPITAL	410	93	39	8	4	86	105	6	10	0
SOUTHERN MAINE MEDICAL CENTER	523	134	61	18	4	45	129	6	14	0
STEPHENS MEMORIAL HOSPITAL	320	109	52	10.	1	56	91	11	17	0
STREET ADDRESS	1	0	0	0	0	0	0	0	0	0
THE AROOSTOOK MEDICAL CENTER	346	68	33	13	1	107	42	3	12	0
US AIR FORCE HOSPITAL	311	15	22	43	0	56	54	2	5	0
WALDO COUNTY GENERAL HOSPITAL	197	70	47	1	0	58	46	5	7	0
WATERVILLE OSTEOPATHIC HOSP.	165	42	18	5	1	45	30	1	6	0
WISCASSET BIRTHING CENTER	· 2	0	0	0	0	0	0	0	0	0
YORK HOSPITAL	233	37	16	7	0	40	24	0	4	0
STATE TOTALS	16,859	3,881	1,811	540	90	3,538	3,579	234	894	35

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED. BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

64

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - PERCENTAGE OF TOTAL BIRTHS MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1990 (OCCURRENCE DATA)

			*****				RTHS IN EACH			
BIRTH SITE	TOTAL	OUT OF	MOTHER	NON-	NO	MEDICAL	C-SECTION	CONGEN.		HT IN GRAMS
	BIRTHS	WEDLOCK	UNDER	WHITE	PRENATAL	RISK		ANOM-	UNDER	OVER
		BIRTHS	AGE 20 YRS		CARE	FACTORS		ALIES	2500	4999
AT HOME	178	15.73	3.93	10.11	3.37	12.36	0.00	0.00	1.69	1.69
BATH MEMORIAL HOSPITAL	372	10.75	5.91	2.96	0.00	15.59	26.08	2.69	2.96	0.27
BLUE HILL MEMORIAL HOSPITAL	229	26.20	10.48	1.31	0.44	15.72	17.47	2.18	2.18	0.87
BORN ON WAY TO HOSPITAL	8	25.00	0.00	0.00	12.50	12.50	0.00	0.00	12.50	0.00
BRIGHTON MEDICAL CENTER	461	27.33	13.02	1.95	0.00	13.23	22.56	0.87	4.12	0.43
CALAIS REGIONAL HOSPITAL	90	25.56	11.11	17.78	0.00	11.11	30.00	5.56	3.33	1.11
CARY MEDICAL CENTER	225	22.67	12.44	2.22	0.44	25.78	25.33	1.78	4.44	0.00
CENTRAL MAINE MEDICAL CENTER	1,124	26.51	13.08	2.31	0.53	25.80	23.13	1.69	4.45	0.18
DOWN EAST COMMUNITY HOSPITAL	226	29.20	13.27	10.18	0.00	15.04	13.27	0.88	5.31	0.00
EASTERN MAINE MEDICAL CENTER	1,938	21.88	9.96	2.53	0.41	19.56	21.98	0.36	7.79	0.31
FRANKLIN MEMORIAL HOSPITAL	472	27.33	10.81	1.48	0.64	24.79	22.46	1.48	2.33	0.00
HENRIETTA D. GOODALL HOSPITAL	371	30.46	12.13	5.93	0.54	19.68	20.22	2.70	3.50	0.00
HOULTON REGIONAL HOSPITAL	240	27.08	13.33	7.50	0.00	26.25	27.50	2.08	2.50	0.42
ISLAND COMMUNITY MEDICAL CTR.	3	0.00	33.33	0.00	0.00	33.33	0.00	0.00	0.00	0.00
KENNEBEC VALLEY MEDICAL CTR.	758	25.07	11.87	5.15	0.26	31.27	19.26	1.72	4.49	0.40
LITTLE RIVER MATERNITY CENTER	2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MAINE COAST MEMORIAL HOSPITAL	233	27.90	13.73	2.15	0.43	27.47	19.74	3.00	6.44	0.00
MAINE MEDICAL CENTER	2,973	20.45	8.38	2.56	1.18	17.02	21.46	1.45	10.93	0.24
MAYO REGIONAL HOSPITAL	243	31.69	15.23	2.88	0.41	39.09	23.46	2.47	4.94	0.41
MERCY HOSPITAL	704	12.50	6,68	2.98	0.00	11.51	19.32	0.85	1.85	0.28
MID-MAINE MEDICAL CENTER	1,016	22.74	10.53	1.57	0.30	24.41	16.63	0.89	4.72	0.10
MILES MEMORIAL HOSPITAL	121	33.06	10.74	1.65	0.00	23.97	12.40	4.13	0.00	0.00
MILLINOCKET REGIONAL HOSPITAL	74	29.73	21.62	0.00	1.35	35.14	32.43	0.00	5.41	0.00
MOUNT DESERT ISLAND HOSPITAL	121	20.66	9.09	0.83	0.00	14.05	22.31	1.65	3.31	0.00
NEW ENGLAND REHAB, HOSPITAL	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NORTH CUMBERLAND MEM. HOSPITAL	109	26.61	14.68	3.67	0.92	18.35	28.44	3.67	3.67	0.00
NORTH MAINE MEDICAL CENTER	108	21.30	9.26	0.00	0.00	32.41	20.37	1.85	2.78	0.00
OTHER SPECIFIED PLACE	3	100.00	33.33	0.00	66.67	33.33	0.00	0.00	0.00	0.00
PARKVIEW MEMORIAL HOSPITAL	886	16.59	8.24	4.40	0.34	18.62	22.69	1.81	2.93	0.11
PENOBSCOT BAY MEDICAL CENTER	539	26.72	13.36	1.30	0.00	37.85	25.23	0.56	2.78	0.00
PENOBSCOT VALLEY HOSPITAL	146	26.71	16.44	0.68	0.68	10.96	23.97	1.37	1.37	0.00
REDINGTON-FAIRVIEW HOSPITAL	252	45.24	21.03	1.59	0.40	29.37	24.21	0.40	5.95	0.40
RUMFORD COMMUNITY HOSPITAL	124	33.87	17.74	4.84	0.00	19.35	20.97	2.42	3.23	0.81
ST: ANDREW'S HOSPITAL	1	100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ST. MARY'S HOSPITAL	410	22.68	9.51	1.95	0.98	20.98	25.61	1.46	2.44	0.00
SOUTHERN MAINE MEDICAL CENTER	523	25.62	11.66	3.44	0.76	8.60	24.67	1.15	2.68	0.00
STEPHENS MEMORIAL HOSPITAL	320	34.06	16.25	3.13	0.31	17.50	28.44	3.44	5.31	0.00
STREET ADDRESS	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
THE AROOSTOOK MEDICAL CENTER	346	19.65	9.54	3.76	0.29	30.92	12.14	0.87	3.47	0.00
US AIR FORCE HOSPITAL	311	4.82	7.07	13.83	0.00	18.01	17.36	0.64	1.61	0.00
WALDO COUNTY GENERAL HOSPITAL	197	35.53	23.86	0.51	0.00	29.44	23.35	2.54	3.55	0.00
WATERVILLE OSTEOPATHIC HOSPITAL	165	25.45	10.91	3.03	0.61	27.27	18.18	0.61	3.64	0.00
WISCASSET BIRTHING CENTER	2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
YORK HOSPITAL	233	15.88	6.87	3.00	0.00	17.17	10.30	0.00	1.72	0.00
STATE TOTALS	16.859	23.02	10.74	3.20	0.53	20.99	21.23	1.39	5.30	0.21
JIAL IVIALS	10,003	20.02	10.74	0.20	0.00	20.33	41.23	1.35	5.30	0.21

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED. BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

LIVE BIRTHS BY BIRTHWEIGHT MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1990 (OCCURRENCE DATA)

			****	*******	******	***** R	TRTHWEIG	HT IN GRA	MS ****	*******	*******	• ******
	TOTAL	BIRTHS		000		- 1499		500		AND OVER UNKNOWN WEIGHT		
BIRTH SITE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ΑΤ ΗΟΜΕ	178	100.0	0	0.0	0	0.0	0	0.0	171	96.1	7	3.9
BATH MEMORIAL HOSPITAL	372	100.0	0	0.0	0	0.0	0	0.0	372	100.0	0	0.0
BLUE HILL MEMORIAL HOSPITAL	229	100.0	0	0.0	0	0.0	0	0.0	229	100.0	0	0.0
BORN ON WAY TO HOSPITAL	8	100.0	0	0.0	0	0.0	0	0.0	8	100.0	0	0.0
BRIGHTON MEDICAL CENTER	461	100.0	1	0.2	0	0.0	1	0.2	460	99.8	0	0.0
CALAIS REGIONAL HOSPITAL	90	100.0	0	0.0	0	0.0	0	0.0	90	100.0	0	0.0
CARY MEDICAL CENTER	225	100.0	0	0.0	0	0.0	0	0.0	225	100.0	0	0.0
CENTRAL MAINE MEDICAL CENTER	1,124	100.0	1	0.1	4	0.4	5	0.4	1,118	99.5	1	0.1
DOWN EAST COMMUNITY HOSPITAL	226	100.0	0	0.0	0	0.0	0	0.0	226	100.0	0	0.0
EASTERN MAINE MEDICAL CENTER	1,938	100.0	10	0.5	18	0.9	28	1.4	1,910	98.6	0	0.0
FRANKLIN MEMORIAL HOSPITAL	472	100.0	1	0.2	0	0.0	1	0.2	471	99.8	0	0.0
HENRIETTA D. GOODALL HOSPITAL	371	100.0	0	0.0	0	0.0	0	0.0	371	100.0	0	0.0
HOULTON REGIONAL HOSPITAL	240	100.0	0	0.0	0	0.0	0	0.0	240	100.0	0	0.0
ISLAND COMMUNITY MEDICAL CTR.	3	100.0	0	0.0	0	0.0	0	0.0	3	100.0	0	0.0
KENNEBEC VALLEY MEDICAL CTR.	758	100.0	4	0.5	3	0.4	7	0.9	751	99.1	0	0.0
LITTLE RIVER MATERNITY CENTER	2	100.0	0	0.0	0	0.0	0	0.0	2	100.0	0	0.0
MAINE COAST MEMORIAL HOSPITAL	233	100.0	1	0.4	0	0.0	1	0.4	232	99.6	0	0.0
MAINE MEDICAL CENTER	2,973	100.0	48	1.6	53	1.8	101	3.4	2,867	96.4	5	0.2
MAYO REGIONAL HOSPITAL	243	100.0	0	0.0	0	0.0	0	0.0	243	100.0	0	0.0
MERCY HOSPITAL	704	100.0	0	0.0	0	0.0	0	0.0	704	100.0	0	0.0
MID-MAINE MEDICAL CENTER	1,016	100.0	3	0.3	4	0.4	7	0.7	1,009	99.3	0	0.0
MILES MEMORIAL HOSPITAL	121	100.0	0	0.0	0	0.0	0	0.0	121	100.0	0	0.0
MILLINOCKET REGIONAL HOSPITAL	74	100.0	0	0.0	0	0.0	0	0.0	74	100.0	0	0.0
MOUNT DESERT ISLAND HOSPITAL	121	100.0	0	0.0	0	0.0	0	0.0	121	100.0	0	0.0
NEW ENGLAND REHAB. HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
NORTH CUMBERLAND MEM. HOSPITAL	109	100.0	0	0.0	0	0.0	0	0.0	109	100.0	0	0.0
NORTH MAINE MEDICAL CENTER	108	100.0	0	0.0	0	0.0	0	0.0	108	100.0	0	0.0
OTHER SPECIFIED PLACE	3	100.0	0	0.0	0	0.0	0	0.0	2	66.7	1	33.3
PARKVIEW MEMORIAL HOSPITAL	886	100.0	1	0.1	1	0.1	2	0.2	884	99.8	0	0.0
PENOBSCOT BAY MEDICAL CENTER	539	100.0	2	0.4	0	0.0	2	0.4	537	99.6	0	0.0
PENOBSCOT VALLEY HOSPITAL	146	100.0	0	0.0	0	0.0	0	0.0	146	100.0	0	0.0
REDINGTON-FAIRVIEW HOSPITAL	252	100.0	1	0.4	0	0.0	1	0.4	251	99.6	0	0.0
RUMFORD COMMUNITY HOSPITAL	124	100.0	0	0.0	0	0.0	0	0.0	124	100.0	0	0.0
ST. ANDREW'S HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
ST. MARY'S HOSPITAL	410	100.0	0	0.0	0	0.0	0	0.0	410	100.0	0	0.0
SOUTHERN MAINE MEDICAL CENTER	523	100.0	0	0.0	0	0.0	0	0.0	523	100.0	0	0.0
STEPHENS MEMORIAL HOSPITAL	320	100.0	0	0.0	2	0.6	2	0.6	317	99.1	1	0.3
STREET ADDRESS	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
THE AROOSTOOK MEDICAL CENTER	346	100.0	3	0.9	1	0.3	4	1.2	341	98.6	1	0.3
US AIR FORCE HOSPITAL	311	100.0	0	0.0	0	0.0	0	0.0	311	100.0	0	0.0
WALDO COUNTY GENERAL HOSPITAL	197	100.0	0	0.0	0	0.0	0	0.0	. 197	100.0	0	0.0
WATERVILLE OSTEOPATHIC HOSP.	165	100.0	0	0.0	, 0	0.0	0	0.0	164	99.4	1	0.6
WISCASSET BIRTHING CENTER	2	100.0	0	0.0	0	0.0	0	0.0	2	100.0	0	0.0
YORK HOSPITAL	233	100.0	0	0.0	0	0.0	0	0.0	233	100.0	0	0.0
STATE TOTALS	16,859	100.0	76	0.5	· 86	0.5	162	1.0	16,680	98.9	17	0.1

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED. BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

PREGNANCY OUTCOME

}.

-.

COUNTY,	CENSES			INDUCED	
MARITAL STATUS	FEMALE	TOTAL	LIVE BIRTHS	ABORTIONS##	FETAL DEATHS
AND AGE	POPULATION	NUMBER RATE#	NUMBER RATE#	NUMBER RATE#	NUMBER RATE#

ANDROSCOGGIN

ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS

LESS THAN 10	7,498	0	###	0	###	0	###	0	###
10-14	3,632	3	###	2	###	1	###	0	###
15	*	15	*	7	###	4	###	4	###
16	*	35	*	29	*	6	###	0	###
17	*	59	*	40	*	19	*	0	###
18	*	83	*	54	*	29	*	0	###
19	*	107	*	71	*	36	*	0	###
15-19	3,788	299	78.9	201	53.1	94	24.8	4	###
20-24	4,107	611	148.8	481	117.1	129	31.4	1	###
25-29	4,569	587	128.5	529	115.8	56	12.3	2	###
30-34	4,482	276	61.6	236	52.7	40	8.9	0	###
35-39	4,018	85	21.2	64	15.9	21	5.2	0	###
40-44	3,613	8	###	5	###	3	###	0	###
GREATER THAN 44	18,638	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	54,345	1,869	34.4	1,518	27.9	344	6.3	7	###

.

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	7,498	0	###	0	###	0	###	0	###
10-14	3,632	3	###	2	###	1	###	0	###
15	*	11	*	7	###	4	###	0	###
16	*	34	*	28	*	6	###	0	###
17	*	53	*	35	*	18	*	0	###
18	*	73	*	45	*	28	*	0	###
19	*	87	*	52	*	35	*	0	###
15-19	3,788	258	68.1	167	44.1	91	24.0	0	###
20-24	4,107	255	62.1	148	36.0	107	26.1	0	###
25-29	4,569	101	22.1	68	14.9	33	7.2	0	###
30-34	4,482	44	9.8	21	4.7	23	5.1	0	###
35-39	4,018	11	2.7	4	###	7	###	0	###
40-44	3,613	3	###	2	###	1	###	0	###
GREATER THAN 44	18,638	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	54,345	675	12.4	412	7.6	263	4.8	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A U.S. DEP. OF COMM. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 26 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

COUNTY, MARITAL STATUS	CENSES FEMALE	TOT			TOTUC	INDUCE			
AND AGE	POPULATION	TOT NUMBER	AL RATE#	LIVE 8 NUMBER	RATE#	ABORTI NUMBER	RATE#	FETAL DE NUMBER	RATE#
AROOSTOOK									
ALL LIVE BIRTHS, IND	DUCED ABORTIONS, A	ND FETAL DEAT	HS						
LESS THAN 10	5,847	0	###	0	###	0	###	0	###
10-14	3,045	2	###	1	###	1	###	0	###
15	*	3	###	2	###	1	###	0	###
16	*	12	*	10	*	2	###	Ō	###
17	*	22	*	17	*	5	###	0	###
18	*	39	*	34	*	4	###	1	###
19	*	70	*	61	*	9	###	Ó	###
15-19	3,058	146	47.7	124	40.5	21	6.9	1	###
20-24	2,873	497	173.0	450	156.6	45	15.7	2	###
25-29	3,459	444	128.4	422	122.0	21	6.1	- 1	###
30-34	3,408	210	61.6	193	56.6	17	5.0	o	###
35-39	3,414	55	16.1	49	14.4	6	###	ŏ	###
40-44	2,890	6	###		###	0	###	ŏ	###
GREATER THAN 44	15,018	0 0	###	Ő	###	0	###	0	###
UNKNOWN	0	6	~ ~ ~	3	***	3	###	0	###
COUNTY TOTALS	43,012	1,366	31.8	1,248	29.0	3 114	2.7	4	###
	40,012	1,000	01.0		20.0	114	2	4	
OUT OF WEDLOCK LIVE	BIRTHS, ABORTIONS	, AND FETAL D	EATHS						
LESS THAN 10	5,847	0	###	0	###	0	###	0	###
10-14	3,045	2	###	1	###	1	###	0	###
15	*	3	###	2	###	1	###	0	###
16	*	8	###	6	###	2	###	0	###
17	*	18	*	14	*	4	###	Ō	###
18	*	29	*	25	*	3	###	1	###
19	*	36	*	27	*	- 9	###	ò	###
15-19	3,058	94	30.7	74	24.2	19	6.2	Ť	###
20-24	2,873	136	47.3	93	32.4	42	14.6	1	###
25-29	3,459	39	11.3	30	8.7	9	###	Ö	###
30-34	3,408	25	7.3	16	4.7	9	###	0	###
35-39	3,414	10	2.9	6	4.7 ###	9 4	###	0	###
40-44	2,890	0	2.5 ###	0	###	4	###	0	### ###
GREATER THAN 44		0	###	0	###				
GREATER THAN 44	15,018	0	###	0	###	0	###	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A U.S. DEP. OF COMM. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

0

5.1

220

RESIDENCE AREA ON 26 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

0

43,012

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

3

7.2

309

0

2

###

з

2.0

87

UNKNOWN

COUNTY TOTALS

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY, MARITAL STATUS	CENSES FEMALE	тот	AL	LIVE B	IRTHS	INDUCE ABORTI		FETAL DE	EATHS
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
CUMBERLAND									
ALL LIVE BIRTHS, IN	DUCED ABORTIONS, AN	ND FETAL DEAT	HS						
LESS THAN 10	16,122	0	###	0	###	0	###	** •*	###
10-14	7,206	5	###	1	###	4	###	0	###
15	*	20	*	5	###	15	*	0	###
16	*	51	*	25	*	26	*	0	###
17	*	121	*	64	*	57	*	0	###
18	*	143	*	77	*	65	*	1	###
19	*	220	*	131	*	89	*	0	###
15-19	8,106	555	68.5	302	37.3 .	252	31.1	1	###
20-24	9,458	1,236	130.7	777	82.2	457	48.3	2	###
25-29	11,014	1,424	129.3	1,126	102.2	291	26.4	7	###
30-34	11,601	1,097	94.6	935	80.6	156	13.4	, 6	###
35-39			37.5					3	
	10,844	407		336	31.0	68	6.3		###
40-44	9,228	64	6.9	35	3.8	29	3.1	0	###
GREATER THAN 44	42,696	2	###	2	###	0	###	0	###
UNKNOWN	0	5		1		4		0	
COUNTY TOTALS	126,275	4,795	38.0	3,515	27.8	1,261	10.0	19	0.2
OUT OF WEDLOCK LIVE	BIRTHS, ABORTIONS,	, AND FETAL D	EATHS						
LESS THAN 10	16,122	. 0	###	0	###	0	###	0	###
10-14	7,206	5	###	ĭ	###	4	###	ŏ	###
15	*	20	*	5	###	15	*	ő	###
16		49	*	23	*	26	*	0	###
17	* +		· *				*	0	
	*	114	*	58	*	56	*	0	###
18	*	124	*	60	*	63	*	1	###
19	*	176	*	91	*	85	*	0	###
15-19	8,106	483	59.6	237	29.2	245	30.2	1	###
20-24	9,458	657	69.5	261	27.6	396	41.9	0	###
25-29	11,014	328	29.8	116	10.5	209	19.0	3	###
30-34	11,601	158	13.6	51	4.4	103	8.9	4	###
35-39	10,844	55	5.1	12	1.1	41	3.8	2	###
40-44	9,228	14	1.5	2	###	12	1.3	ō	###
GREATER THAN 44	42,696	0	###	ō	###	0	###	ŏ	###
UNKNOWN	42,000	1		ŏ		4		ŏ	
COUNTY TOTALS	126,275	1,701	13.5	680	5.4	1,011	8.0	10	0.1

RATES ARE PER 1,000 FEMALE POPULATION BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A U.S. DEP. OF COMM. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 26 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

COUNTY, ARITAL STATUS	CENSES FEMALE	тот	۹L	LIVE B	IRTHS	INDUCED THS ABORTIONS##			FETAL DEATHS		
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RAT		
ANKLIN											
L LIVE BIRTHS, IN	DUCED ABORTIONS, A	ND FETAL DEAT	ЧS								
LESS THAN 10	2,020	0	###	0	###	0	###	0	##		
10-14	1,022	0	###	0	###	0	###	0	##		
15	*	3	###	1	###	2	###	0	#.		
16	*	1	###	1	###	0	###	0	#		
17	*	18	*	13	*	5	###	0	#		
18	*	14	*	10	*	4	###	Ō	#		
19	*	27	*	20	*	7	###	õ	#		
15-19	1,341	63	47.0	45	33.6	18	13.4	ŏ	#		
20-24	1,233	162	131.4	134	108.7	28	22.7	õ	#		
25-29	1,087	146	134.3	124	114.1	21	19.3	1	#		
30-34	1,147	79	68.9	70	61.0	9	###	, o	#		
35-39	1,146	29	25.3	21	18.3	8	###	0	#		
40-44	1,074	29	23.3 ###	1	###	ő	###	0	#		
				0	###	0	###	0	# #		
GREATER THAN 44 UNKNOWN	4,956 0	0	###	0	###	0	###	0	H		
	-	-	<u>.</u>	-	00.0	•	5.6	1	,		
COUNTY TOTALS	15,026	480	31.9	395	26.3	84	5.6	1	#		
	BIRTHS, ABORTIONS										
LESS THAN 10				0	###		###	0	ц		
10-14	2,020	0	### ###	0	### ###	0	### ###	0	#		
10-14 15	1,022	0		0		0		0			
	*	3	###	1	###	2	###	0	f.		
16	*	1	###	1	###	0	###	0	#		
17	* .	15	*	10	*	5	###	0	ŧ		
18	*	12	*	8	###	. 4	###	0	÷		
19	*	18	*	11	*	7	###	0	ŧ		
15-19	1,341	49	36.5	31	23.1	18	13.4	0	ŧ		
20-24	1,233	67	54.3	44	35.7	23	18.7	0	ŧ		
25-29	1,087	29	26.7	14	12.9	14	12.9	1	#		
30-34	1,147	14	12.2	8	###	6	###	0	ŧ		
35-39	1,146	7	###	2	###	5	###		ŧ.		
40-44	1,074	0	###	0	###	0	###	0	#		
GREATER THAN 44	4,956	0	###	0	###	0	###	0	ŧ.		
LINIKNOWN	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0		Ō		Ō		-			

RATES ARE PER 1,000 FEMALE POPULATION BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A U.S. DEP. OF COMM. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

0

99

6.6

RESIDENCE AREA ON 26 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

0

15,026

UNKNOWN

COUNTY TOTALS

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

0

11.0

166

٠

0

1

###

0

4.4

66

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY, MARITAL STATUS	CENSES FEMALE	TOTAL		LIVE B	IRTHS	INDUCE ABORTI		FETAL D	EATHS
AND AGE	POPULATION	NUMBER R.	ATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
HANCOCK									
ALL LIVE BIRTHS, I	NDUCED ABORTIONS, AN	ND FETAL DEATHS							
LESS THAN 10	3,189	0	###	· 0	###	0	###	0	###
10-14	1,454	0	###	0	###	0	###	0	###
15	*	4	###	3	###	1	###	0	###
16	*	8	###	2	###	6	###	0	###
17	*	18	*	10	*	8	###	Ō	###
18	*	29	*	16	*	12	*	1	###
19	*	51	*	34	*	17	*	Ó	###
15-19	1,363	-	0.7	65	47.7	44	32.3	1	###
20-24	1,374		3.2	185	134.6	52	37.8	4	###
25-29	1,760		7.4	167	94.9	21	11.9	4	###
30-34	1,976		0.0					ó	###
35-39	1,943			137	69.3	21	10.6	=	
40-44			9.9	50	25.7	8	###	0	###
	1,813		###	5	###	3	###	0	###
GREATER THAN 44			###	1	###	0	###	0	###
UNKNOWN	0	3		0		2		1	
COUNTY TOTALS	23,937	765 3	2.0	610	25.5	151	6.3	4	###
	E BIRTHS, ABORTIONS,	, AND FEIAL DEAT	HS						
LESS THAN 10	3,189		###	0	###	0	###	0	###
10-14	1,454	0	###	0	###	0	###	0	###
15	*	4	###	3	###	1	###	0	###
16	*	7	###	1	###	6	###	0	###
17	*	14	*	6	###	8	`###	0	###
18	*	24	*	12	*	12	*	0	###
19	*	31	*	16	*	15	*	0	###
15-19	1,363	80 5	8.7	38	27.9	42	30.8	0	###
20-24	1,374		7.1	61	44.4	44	32.0	1	###
25-29	1,760		1.0	25	14.2	12	6.8	Ó	###
30-34	1,976		7.7	22	11.1	13	6.6	ŏ	###
35-39	1,943		/./ ###	4	###	3	###	ő	###
40-44	1,813		###	2	###	2	###	0	###
GREATER THAN 44	9,065	•	###	0	###	2	###	0	###
UNKNOWN	9,005	2	m m M	0	***	1	###	1	***
COUNTY TOTALS			1 2	-	6 4	•	4 0	2	###
COUNTY TUTALS	20,931	2/1 1	1.3	152	6.4	117	4.9	2	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A U.S. DEP. OF COMM. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 26 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOT NUMBER	AL RATE#	LIVE B NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER	ED IONS## RATE#	FETAL DE NUMBER	EATHS RATE#
KENNEBEC									
ALL LIVE BIRTHS, IN	NDUCED ABORTIONS, A	ND FETAL DEAT	HS						
LESS THAN 10	8,011	0	###	о	###	0	###	0	###
10-14	3,994	1	###	0	###	1	###	Ō	###
15	*	10	*	4	###	4	###	2	###
16	*	26	*	14	*	12	*	0	###
17	*	44	* .	27	*	17	*	0	###
18	*	84	*	56	*	27	*	1	###
19	*	92	*	63	*	29	*	0	###
15-19	4,251	256	60.2	164	38.6	89	20.9	3	###
20-24	3,965	578	145.8	464	117.0	112	28.2	2	###
25-29	4,563	619	135.7	536	117.5	80	17.5	3	###
30-34	4,999	344	68.8	302	60.4	40	8.0	2	###
35-39	4,893	102	20.8	92	18.8	10	2.0	0	###
40-44	4,443	26	5.9	21	4.7	5	###	0	###
GREATER THAN 44	20,897	0	###	0	###	0	###	0	###
UNKNOWN	0	2		1		1		0	•
COUNTY TOTALS	60,016	1,928	32.1	1,580	26.3	338	5.6	10	0.2
OUT OF WEDLOCK LIVE	E BIRTHS, ABORTIONS	, AND FETAL D	EATHS						
LESS THAN 10	8,011	0	###	0	###	0	###	0	###
10-14	3,994	1	###	õ	###	1	###	ŏ	###
15	*	9	###	4	###	3	###	2	###
16	*	25	*	13	*	12	*	ō	###
17	*	37	*	20	*	17	*	õ	###
18	*	64	*	37	*	27	*	ŏ	###
19	*	70	*	42	*	28	*	õ	###
15~19	4,251	205	48.2	116	27.3	. 87	20.5	2	###
20-24	3,965	244	61.5	147	37.1	97	20.5	õ	###
25-29	4,563	103	22.6	52	11.4	51	11.2	ŏ	###
30-34	4,999	64	12.8	37	7.4	27	5.4	0	# # # # # #
35-39	4,995	20	4.1	15	3.1	27 5	5.4 ###	0	###
40-44	4,893	20 5	4.1 ###	2	3.1 ###	3	###	0	# # # # # #
GREATER THAN 44		5	# # # # # #		### ###				
	20,897	•	H H H	0	###	0	###	0	###
	0	• 1	10.7	0	c 1	1	4 5	0	
COUNTY TOTALS	60,016	643	10.7	369	6.1	272	4.5	2	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A U.S. DEP. OF COMM. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 26 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

COUNTY, ARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOT. NUMBER	AL RATE#	LIVE B NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DE NUMBER	EATHS RAT
VOX									
L LIVE BIRTHS, INC	DUCED ABORTIONS, A	ND FETAL DEAT	ЧS						
LESS THAN 10	2,488	0	###	0	###	0	###	0	##
10-14	1,190	1	###	ĭ	###	ŏ	###	ŏ	#
15	*	5	###	5	###	ŏ	###	ŏ	#
16	*	13	*	5	###	ě.	###	õ	#
17	*	16	*	11	*	5	###	õ	#
18	*	25	*	23	*	2	###	ŏ	#
19	*	36	*	29	*	6	###	1	#
15-19	1,081	95	87.9	73	67.5	21	19.4	1	, n
20-24	914	157	171.8	129	141.1	27	29.5	1	, ,
25-29	1,196	150	125.4	132	110.4	18	15.1	0	#
30-34	1,509	128	84.8	108	71.6	18	11.9	2	, f
35-39	1,582	51	32.2	45	28.4	6	###	Ō	
40-44	1,368	14	10.2		###	6	###	ŏ	, t
GREATER THAN 44	7,379	1	###	0	###	1	###	0 0	, i
UNKNOWN	0	0	ппп	0	πππ	0	***	ŏ	7
COUNTY TOTALS	18,707	597	31.9	496	26.5	97	5.2	4	Á
COUNTY TOTALS	18,707	557	31.5	490	20.5	57	5.2	4	#
• •									
T OF WEDLOCK LIVE	BIRTHS, ABORTIONS	, AND FETAL D	EATHS						
LESS THAN 10	2,488	0	###	0	###	0	###	0	ŧ
10-14	1,190	1	###	1	###	0	###	0	ŧ
15	*	5	###	5	###	0	###	0	#
16	*	13	*	5	###	. 8	###	0	ŧ
17	*	14	*	9	###	5	###	0	ŧ
18	*	15	*	14	*	1	###	0	ŧ
19	*	30	*	24	*	6	###	0	#
15-19	1,081	77	71.2	57	52.7	20	18.5	0	ŧ
20-24	914	68	74.4	43	47.0	24	26.3	1	ħ
25-29	1,196	33	27.6	19	15.9	14	11.7	0	Æ
30-34	1,509	22	14.6	11	7.3	10	6.6	· 1	ħ
35-39	1,582	8	###	5	###	3	###	0	ŧ
40-44	1,368	4	###	Ō	###	4	###	Ō	Æ
GREATER THAN 44	7,379	Ó	###	Ő	###	0	###	Ō	ŧ
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ő		ő		ő		ő	

RATES ARE PER 1,000 FEMALE POPULATION BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A U.S. DEP. OF COMM. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

0

7.3

136

RESIDENCE AREA ON 26 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

0

18,707

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

0

213 11.4

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

0

2

###

0

4.0

75

UNKNOWN

COUNTY TOTALS

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY, MARITAL STATUS	CENSES FEMALE	TOT	-	LIVE B			ONS##	FETAL DE	
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
LINCOLN									
ALL LIVE BIRTHS, IN	NDUCED ABORTIONS, AN	ID FETAL DEAT	HS						
LESS THAN 10	2,055	0	###	· 0	###	0	###	o	###
10-14	1,010	1	###	0	###	1	###	0	###
15	1,010	4	###	3	###	4	###	ŏ	###
16	*	4	###	1	###	3	###	ŏ	###
17	*	8	###	3	###	5	###	ŏ	###
18	*	10	*	6	###	4	###	ŏ	###
19	*	23	*	9	###	14	*	ŏ	###
15-19	957	49	51.2	22	23.0	27	28.2	ŏ	###
20-24	703	139	197.7	116	165.0	23	32.7	ŏ	###
25-29	932	163	174.9	133	142.7	30	32.2	ŏ	###
30-34	1,224	90	73.5	75	61.3	15	12.3	ŏ	###
35-39	1,315	60	45.6	41	31.2	19	14.4	ŏ	###
40-44	1,190	14	11.8		###	8	###	ŏ	###
GREATER THAN 44	6,184	2	###	U 1	###	1	###	ŏ	###
UNKNOWN	0,104	õ	πππ	Ó		Ó	ппп	ŏ	" " "
COUNTY TOTALS	15,570	518	33.3	394	25.3	124	8.0	õ	###
OUT OF WEDLOCK LIVE	E BIRTHS, ABORTIONS,	AND FETAL D	EATHS						
LESS THAN 10	2,055	0	###	0	###	0	###	0	###
10-14	1,010	1	###	ŏ	###	ĭ	###	ŏ	###
15	*	4	###	ů 3	###	i	###	ŏ	###
16	*	4	###	1	###	3	###	ŏ	###
17	*	. 8	###	3	###	5		õ	###
18	*	9	###	5	###	4	###	õ	###
19	*	22	*	8	###	14	*	ŏ	###
15-19	957	47	49.1	20	20.9	27	28.2	ŏ	###
20-24	703	48	68.3	29	41.3	19	27.0	ŏ	###
25-29	932	34	36.5	16	17.2	18	19.3	ŏ	###
30-34	1,224	16	13.1	4	###	18	9.8	0	###
35-39	1,315	15	11.4	4	###	9	9.0 ###	0	###
40-44	1, 190	15	11.4 ###	2	###	9	###	0	# # # # # #
-		8	###	2	###	0	### ###	0	###
GREATER THAN 44	6,184	0	ĦĦĦ	0	ннн	0	ннн	-	нян
	0	169	10.9	77	4.9	92	5.9	O O	###
COUNTY TOTALS	15,570	169	10.9	//	4.9	92	5.9	0	нян

RATES ARE PER 1,000 FEMALE POPULATION BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A U.S. DEP. OF COMM. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 26 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY,	CENSES			INDUCED	
MARITAL STATUS	FEMALE	TOTAL	LIVE BIRTHS	ABORTIONS##	FETAL DEATHS
AND AGE	POPULATION	NUMBER RATE#	NUMBER RATE#	NUMBER RATE#	NUMBER RATE#

OXFORD

ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS

LESS THAN 10	3,815	0	###	0	###	0		0	###
10-14	1.875	3	###	1	###	2	###	0	###
15	*	6	###	2	###	4	###	0	###
16	*	14	*	8	###	6	###	0	###
17	*	23	*	18	*	5	###	0	###
18	*	26	*	21	*	5	###	0	###
19	*	53	*	43	*	10	*	0	###
15-19	1,682	122	72.5	92	54.7	30	17.8	0	###
20-24	1,399	251	179.4	212	151.5	37	26.4	2	###
25-29	2,009	291	144.8	252	125.4	38	18.9	1	###
30-34	2,311	163	70.5	144	62.3	18	7.8	1	###
35-39	2,098	54	25.7	47	22.4	7	###	0	###
40-44	1,804	12	6.7	9	###	3	###	0	###
GREATER THAN 44	9,985	0	###	0	###	0	###	0	###
UNKNOWN	0	1		1		Ó		Ó	
COUNTY TOTALS	26,978	897	33.2	758	28.1	135	5.0	4	###

77

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	3,815	0	###	0	###	0	###	0	###
		0	###	0		0		0	
10-14	1,875	3	###	1	###	2	###	0	###
15	*	4	###	1	###	3	###	0	###
16	*	12	*	7	###	5	###	0	###
17	*	19	*	14	*	5	###	0	###
18	*	23	*	18	*	5	###	0	###
19	*	38	*	28	*	10	*	0	###
15-19	1,682	96	57.1	68	40.4	28	16.6	0	###
20-24	1,399	103	73.6	70	50.0	32	22.9	1	###
25-29	2,009	72	35.8	48	23.9	24	11.9	0	###
30-34	2,311	32	13.8	19	8.2	12	5.2	1	###
35-39	2,098	6	###	3	###	3	###	0	###
40-44	1.804	3	###	0	###	3	###	0	###
GREATER THAN 44	9,985	0	###	0	### -	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	26,978	315	11.7	209	7.7	104	3.9	2	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A U.S. DEP. OF COMM. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 26 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOT, NUMBER	AL RATE#	LIVE B NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DE NUMBER	ATHS RATE#
PENOBSCOT									
ALL LIVE BIRTHS, IN	DUCED ABORTIONS, A	ND FETAL DEAT	₽S						
LESS THAN 10	9,592	O	###	0	###	0	###	0	###
10-14	4,838	4	###	2	###	2	###	0	###
15	*	16	*	10	*	4	###	2	###
16	*	22	*	13	*	9	###	0	###
17	*	47	*	35	*	12	*	0	###
18	*	103	*	69	*	- 33	*	1	###
19	*	135	*	95	*	40	*	0	###
15-19	6,071	323	53.2	222	36.6	98	16.1	3	###
·20-24 25-29	6,420	729	113.6	566	88.2	161	25.1	2 4	###
30-34	6,046 6,409	787 434	130.2 67.7	687 370	113.6 57.7	96	15.9 9.8	4	###
35-39	5,982	126	21.1	370 99	16.5	63 25	4.2	2	### ###
40-44	5,206	120	3.6	13	2.5	25	4.2 ###	0	###
GREATER THAN 44	24,398	19 0	###	0	###	0	###	0	###
UNKNOWN	24,335	0	ппп	ő	ппп	0	nnn	ŏ	
COUNTY TOTALS	74,962	2,422	32.3	1,959	26.1	451	6.0	12	0,2
OUT OF WEDLOCK LIVE	BIRTHS, ABORTIONS	, AND FETAL D	EATHS						
LESS THAN 10	9,592	0	###	0	###	0	###	0	###
10-14	4,838	4	###	2	###	ž	###	ŏ	###
15	*	16	*	10	*	4	###	2	###
16	*	20	*	11	*	9	###	Ō	###
17	*	39	*	27	*	12	*	0	###
18	*	84	*	51	*	32	*	1	###
19	*	101	*	62	*	39	*	0	###
15-19	6,071	260	42.8	161	26,5	96	15.8	3	###
20-24	6,420	286	44.5	147	22.9	138	21.5	1	###
25-29	6,046	160	26.5	92	15.2	66	10.9	2	###
30-34	6,409	78	12.2	29	4.5	48	7.5	1	###
35-39	5,982	24	4.0	10	1.7	13	2.2	1	###
40-44	5,206	3	###	0	###	3	###	0	###
GREATER THAN 44	24,398	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	74,962	815	10.9	441	5.9	366	4.9	8	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A U.S. DEP. OF COMM. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 26 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

COUNTY,	CENSES			INDUCED		
MARITAL STATUS	FEMALE	TOTAL	LIVE BIRTHS	ABORTIONS##	FETAL DEATHS	
AND AGE	POPULATION	NUMBER RATE#	NUMBER RATE#	NUMBER RATE#	NUMBER RATE#	

PISCATAQUIS

ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS

LESS THAN 10	1,247	0	###	. 0	###	0	###		0	###
10-14	708	0	###	. 0	###	0	###		0	###
15	*	4	###	3	###	1	###	•	0	###
16	*	5	###	5	###	0	###		0	###
17	*	11	*	10	*	1	###		0	###
18	*	14	*	10	*	4	###		0	###
19	*	14	*	11	*	3	###		0	###
15-19	654	48	73.4	39	59.6	9	###		0	###
20-24	461	81	175.7	74	160.5	6	###		1	###
25-29	605	79	130.6	68	112.4	10	16.5		1	###
30-34	753	47	62.4	4 1	54.4	6	###		0	###
35-39	747	19	25.4	17	22.8	2	. ###		0	###
40-44	678	4	###	3	###	1	###		Ō	###
GREATER THAN 44	3,700	0	###	0	###	0	###		0	###
UNKNOWN	0	ō		Ō		Ō			Ō	
COUNTY TOTALS	9,553	278	29.1	242	25.3	34	3.6		2	###

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	1,247	0	###	0	###	0	###	0	###
10-14	708	0	###	0	###	0	###	0	###
15	*	4	###	3	###	1	###	0	###
16	*	3	###	3	###	0	###	0	###
17	*	7	###	6	###	1	###	0	###
18	*	10	*	7	###	3	###	0	###
19	*	5	###	2	###	3	###	0	###
15-19	654	29	44.3	21	32.1	8	###	0	###
20-24	461	31	67.2	27	58.6	4	###	0	###
25-29	605	19	31.4	13	21.5	6	###	0	###
30-34	753	9	###	5	###	4	###	0	###
35-39	747	4	###	3	###	1	###	0	###
40-44	678	0	###	0	###	0	###	0	###
GREATER THAN 44	3,700	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	9,553	92	9.6	69	7.2	23	2.4	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A U.S. DEP. OF COMM. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 26 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOD SMALL FOR ACCURATE ESTIMATES OF RATES.

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY, Marital status AND age	CENSES FEMALE POPULATION	TOT NUMBER	AL RATE#	LIVE B NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DE NUMBER	EATHS RATE#
SAGADAHOC									
ALL LIVE BIRTHS, I	NDUCED ABORTIONS, AN	D FETAL DEAT	HS						
LESS THAN 10	2,597	0	###	0	###	0	###	0	###
10-14	1,160	1	###	Ō	###	1	###	Ō	###
15	*	5	###	2	###	3	###	0	###
16	*	13	*	5	###	8	###	0	###
17	*	9	###	5	###	4	###	0	###
18	*	30	*	21	*	8	###	1	###
19	*	28	*	18	*	10	*	0	###
15-19	1,063	85	80.0	51	48.0	33	31.0	1	###
20-24	1,049	183	174.5	152	144.9	29	27.6	2	###
25-29	1,476	216	146.3	192	130.1	24	16.3	0	###
30-34	1,588	124	78.1	108	68.0	15	9.4	1	###
35-39	1,502	54	36.0	43	28.6	11	7.3	. O	###
40-44	1,277	5	###	5	###	0	###	0	###
GREATER THAN 44	5,271	0	###	0	###	0	###	· 0	###
UNKNOWN	0	3		0		3		0	
COUNTY TOTALS	16,983	671	39.5	551	32.4	116	6.8	. 4	###
OUT OF WEDLOCK LIV	E BIRTHS, ABORTIONS,	AND FETAL D	EATHS						
LESS THAN 10	2,597	0	###	0	###	0	###	0	###
10-14	1,160	1	###	Õ	###	1	###	Ō	###
15	*	5	###	2	###	3	###	Ō	###
16	*	11	*	3	###	8	###	Ő	###
17	*	7	###	3	###	4	###	õ	###
18	*	22	*	14	*	7	###	1	###
19	*	12	*	4	###	8	###	, O	###
15-19	1,063	57	53.6	26	24.5	30	28.2	ĩ	###
20-24	1,049	53	50.5	30	28.6	21	20.0	2	###
25-29	1,476	34	23.0	18	12.2	16	10.8	õ	###
30-34	1,588	20	12.6	8	###	12	7.6	ŏ	###
35~39	1,502	12	8.0	5	###	7	###	ŏ	###
40-44	1,277	0	###	ő	###	Ó	###	ŏ	###
GREATER THAN 44	•	ŏ	###	ő	###	0	###	0	###
UNKNOWN	0	1		0		1	ппп	0	n n n
COUNTY TOTALS		178	10.5	87	5.1	88	5.2	3	###
	10,000	170	.0.0	07	0.1	00	J.L	5	<u>n n</u> n

RATES ARE PER 1,000 FEMALE POPULATION BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A U.S. DEP. OF COMM. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 26 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

COUNTY, MARITAL STATUS			AL.	LIVE B	IRTHS	INDUCED ABORTIONS## FETAL DEATHS				
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	

SOMERSET

ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS

LESS THAN 10	3,538	0	###	0	###	0	###	0	###
10-14	1,866	0	###	0	###	0	###	0	###
15	*	7	###	2	###	3	###	2	###
16	*	10	*	5	###	5	###	0	###
17	*	28	*	18	*	10	*	0	###
18	*	38	*	26	*	12	*	0	###
19	*	52	*	41	*	11	*	0	###
15-19	1,841	135	73.3	92	50.0	4 1	22.3	2	###
20-24	1,594	249	156.2	211	132.4	37	23.2	1	###
25-29	1,883	224	119.0	201	106.7	21	11.2	2	###
30-34	2,097	111	52.9	95	45.3	16	7.6	0	###
35-39	1,999	40	20.0	26	13.0	13	6.5	1	###
40-44	1,831	7	###	5	###	0	###	2	###
GREATER THAN 44	8,762	0	###	Ō	###	Ō	###	0	###
UNKNOWN	0	1		1		õ		õ	
COUNTY TOTALS	25,411	767	30.2	631	24.8	128	5.0	8	###

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	3,538	0	###	0	###	0	###	0	###
10-14	1,866	0	###	0	###	0	###	0	###
15	*	6	###	2	###	3	###	1	###
16	*	10	*	5	###	5	###	0	###
17	*	28	*	18	*	10	*	0	###
18	*	30	*	18	*	12	*	0	###
19	*	39	*	. 30	*	9	###	0	###
15-19	1,841	113	61.4	73	39.7	39	21.2	. 1	###
20-24	1,594	97	60.9	62	38.9	34	21.3	1	###
25-29	1,883	55	29.2	39	20.7	16	8.5	0	###
30-34	2,097	24	11.4	16	7.6	8	###	0	###
35-39	1,999	10	5.0	4	###	6	###	0	###
40-44	1,831	0	###	0	###	0	###	0	###
GREATER THAN 44	8,762	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	25,411	299	11.8	194	7.6	103	4.1	2	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A U.S. DEP. OF COMM. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 26 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOT NUMBER	AL .RATE#	LIVE B NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DI NUMBER	EATHS RATE#
WALDO									
ALL LIVE BIRTHS, I	NDUCED ABORTIONS, AN	ND FETAL DEAT	HS						
LESS THAN 10	2,421	0	###	0	###	0	###	0	###
10-14	1,225	0	###	0	###	0	###	0	###
15	*	5	###	2	###	3	###	0	###
16	*	8	###	4	###	4	###	0	###
17	*	18	*	15	*	3	###	0	###
18	*	22	*	18	*	4	###	0	###
19	*	43	*	35	*	8	###	. 0	###
15-19	1,070	96	89.7	74	69.2	22	20.6	0	###
20-24	929	144	155.0	131	141.0	12	12.9	1	###
25-29	1,177	146	124.0	134	113.8	12	10.2	0	###
30-34	1,428	96	67.2	87	60.9	9	###	0	###
35-39	, 1,430	39	27.3	35	24.5	4	###	0	###
40-44	1,382	8	###	6	###	2	###	0	###
GREATER THAN 44	5,753	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	16,815	529	31.5	467	27.8	61	3.6	1	###
	E BIRTHS, ABORTIONS	· · ·							
LESS THAN 10	2,421	0	###	0	###	0	###	0	###
10-14	1,225	0	###	0	###	0	###	0	###
15	*	5	###	2	###	3	###	0	###
16	*	7	###	3	###	4	###	0	###
17	*	16	*	13	*	3	###	0	###
18	*	19	*	15	*	4	###	0	###
19	*	26	*	19	*	7	###	0	###
15-19	1,070	73	68.2	52	48.6	21	19.6	0	###
20-24	929	60	64.6	50	53.8	10	10.8	0	###
25-29	1,177	34	28.9	25	21.2	9	###	0	###
30-34	1,428	13	9.1	6	###	7	###	0	###
35-39	1,430	11	7.7	8	###	3	###	0	###
40-44	1,382	3	###	1	###	2	###	0	###
GREATER THAN 44	5,753	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	16,815	194	11.5	142	8.4	52	3.1	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A U.S. DEP. OF COMM. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 26 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

COUNTY,	CENSES			INDUCED	
MARITAL STATUS	FEMALE	TOTAL	LIVE BIRTHS	ABORTIONS##	FETAL DEATHS
AND AGE	POPULATION	NUMBER RATE#	NUMBER RATE#	NUMBER RATE#	NUMBER RATE#

WASHINGTON

ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS

LESS THAN 10	2,384	0	###	0	###	0	###	0	###
10-14	1,335	2	###	0	###	2	###	0	###
15	*	1	###	1	###	0	###	0	###
16	*	7	###	5	###	1	###	1	###
17	*	20	*	17	*	3	###	0	###
18	*	20	*	15	*	5	###	0	###
19	*	23	*	17	*	6	###	0	###
15-19	1,184	71	60.0	55	46.5	15	12.7	1	###
20-24	1,070	186	173.8	163	152.3	23	21.5	0	###
25-29	1,162	123	105.9	117	100.7	6	###	0	###
30-34	1,418	78	55.0	73	51.5	5	###	0	###
35-39	1,329	26	19.6	21	15.8	5	###	0	###
40-44	1,164	2	###	2	###	0	###	0	###
GREATER THAN 44	6,977	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	18,023	488	27.1	431	23.9	56	3.1	1	###

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	2,384	· 0	###	0	###	0	###	0	###
10-14	1,335	2	###	0	###	2	###	0	###
15	*	1	###	1	###	0	###	. 0	###
16	· *	7	###	5	###	1	###	1	###
17	*	16	*	13	*	3	###	0	###
18	*	15	*	10	*	5	###	0	###
19	*	19	*	13	*	6	###	0	###
15-19	1,184	58	49.0	42	35.5	15	12.7	1	###
20-24	1,070	68	63.6	48	44.9	20	18.7	0	###
25-29	1,162	30	25.8	25	21.5	5	###	0	###
30-34	1,418	11	7.8	9	###	2	###	0	###
35-39	1,329	3	###	1	###	2	###	0	###
40-44	1,164	0	###	0	###	0	###	0	###
GREATER THAN 44	6,977	Ō	###	0	###	0	###	Ō	###
UNKNOWN	0	Ō		ō		ō		Ō	
COUNTY TOTALS	18,023	172	9.5	125	6.9	46	2.6	1	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A U.S. DEP. OF COMM. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 26 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY,	CENSES					INDUCE			
MARITAL STATUS	FEMALE	тот		LIVE B		ABORT		FETAL DE	
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE
YORK									
ALL LIVE BIRTHS. IN	DUCED ABORTIONS.	AND FETAL DEAT	HS						
			###	0	###	0	###	0	###
LESS THAN 10 10-14	11,984	0 7	###	0 2	###	0 5	### ###	0	###
- · · ·	5,593	•				5		-	
15	*	17	*	10	*		###	0	###
16	*	· 35	*	23	*	12	*	0	###
17	*	72	*	50	*	22	*	0	###
18	*	77	*	51	*	26	*	0	###
19	*	138	*	98	*	40	*	0	###
15-19	5,344	339	63.4	232	43.4	107	20.0	0	###
20-24	5,184	818	157.8	628	121.1	188	36.3	2	###
25-29	7,043	990	140.6	877	124.5	112	15.9	1	###
30-34	7,811	631	80.8	562	71.9	64	8.2	5	###
35-39	7,324	227	31.0	190	25.9	37	5.1	0	###
40-44	6,217	31	5.0	24	3.9	6	###	1	###
GREATER THAN 44	27,965	2	###	2	###	0	###	0	###
UNKNOWN	0	3		2		Ť		õ	
COUNTY TOTALS	84,465	3,048	36.1	2,519	29.8	520	6.2	9	###
OUT OF WEDLOCK LIVE	BIRTHS, ABORTION	S, AND FETAL D	EATHS						
				0		0		0	нны
LESS THAN 10	11,984	0	###	0	### ###	0	### ###	0	
LESS THAN 10 10-14	11,984 5,593	0 7	### ###	2	###	5	###	0	###
LESS THAN 10 10-14 15	11,984	0 7 17	### ### *	2 10	### *	5 7	# # # # # #	0 0	### ###
LESS THAN 10 10-14 15 16	11,984 5,593	0 7 17 33	### ### *	2 10 21	### * *	5 7 12	### ### *	0 0 0	### ### ###
LESS THAN 10 10-14 15 16 17	11,984 5,593 * * *	0 7 17 33 67	### ### * *	2 10 21 45	### * *	5 7 12 22	### ### *	0 0 0 0	### ### ### #•##
LESS THAN 10 10-14 15 16 17 18	11,984 5,593 * * * * *	0 7 17 33 67 66	### ### * * *	2 10 21 45 40	### * * *	5 7 12 22 26	### ### * *	0 0 0 0 0	### ### ### ####
LESS THAN 10 10-14 15 16 17 18 19	11,984 5,593 * * * * *	0 7 33 67 66 101	### ### * * *	2 10 21 45 40 61	### * * *	5 7 12 22 26 40	### ### * * *	0 0 0 0 0	### ### ### ### ###
LESS THAN 10 10-14 15 16 17 18 19 15-19	11,984 5,593 * * * * * 5,344	0 7 33 67 66 101 284	### ### * * * 53.1	2 10 21 45 40 61 177	### * * * 33.1	5 7 12 22 26 40 107	### ### * * 20.0	0 0 0 0 0 0	##K ##K ##K ##K ##K
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24	11,984 5,593 * * * * 5,344 5,184	0 7 33 67 66 101 284 326	### ### * * 53.1 62.9	2 10 21 45 40 61 177 168	### * * * 33.1 32.4	5 7 12 22 26 40 107 158	### ### * * 20.0 30.5	0 0 0 0 0 0 0	##* ##* ##* ##* ##*
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29	11,984 5,593 * * * 5,344 5,184 7,043	0 7 33 67 66 101 284 326 173	### ### * * 53.1 62.9 24.6	2 10 21 45 40 61 177 168 96	### * * 33.1 32.4 13.6	5 7 12 22 26 40 107 158 77	### ### * * 20.0 30.5 10.9		##* ##* ##* ##* ##*
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29 30-34	11,984 5,593 * * * 5,344 5,184 7,043 7,811	0 7 17 33 67 66 101 284 326 173 79	### ### * * 53.1 62.9 24.6 10.1	2 10 21 45 40 61 177 168 96 43	### * * 33.1 32.4 13.6 5.5	5 7 12 22 26 40 107 158 77 36	### ### * * 20.0 30.5 10.9 4.6	0 0 0 0 0 0 0 0 0	### #### #### #### #### #### ####
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29	11,984 5,593 * * * 5,344 5,184 7,043	0 7 33 67 66 101 284 326 173	### ### * * 53.1 62.9 24.6	2 10 21 45 40 61 177 168 96	### * * 33.1 32.4 13.6	5 7 12 22 26 40 107 158 77	### ### * * 20.0 30.5 10.9		### ### ### ### ### ### ### ###
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29 30-34	11,984 5,593 * * * 5,344 5,184 7,043 7,811	0 7 17 33 67 66 101 284 326 173 79	### ### * * 53.1 62.9 24.6 10.1	2 10 21 45 40 61 177 168 96 43	### * * 33.1 32.4 13.6 5.5	5 7 12 22 26 40 107 158 77 36	### ### * * 20.0 30.5 10.9 4.6	0 0 0 0 0 0 0 0 0	### #### #### #### ### ### ###
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39	11,984 5,593 * * * 5,344 5,184 7,043 7,811 7,324	0 7 17 33 67 66 101 284 326 173 79 35	### ### * * 53.1 62.9 24.6 10.1 4.8	2 10 21 45 40 61 177 168 96 43 18	### * * 33.1 32.4 13.6 5.5 2.5	5 7 12 22 26 40 107 158 77 36 17	### ### * * 20.0 30.5 10.9 4.6 2.3	0 0 0 0 0 0 0 0 0 0	####################################
10-14 15 16 17 18 19 15-19 20-24 20-24 25-29 30-34 .35-39 40-44	11,984 5,593 * * * 5,344 5,184 7,043 7,811 7,324 6,217	0 7 17 33 67 66 101 284 326 173 79 35 8	### ### * * 53.1 62.9 24.6 10.1 4.8 ###	2 10 21 45 40 61 177 168 96 43 18 5	### * * 33.1 32.4 13.6 5.5 2.5 ###	5 7 12 22 26 40 107 158 77 36 17 3	### ### * * 20.0 30.5 10.9 4.6 2.3 ###		++++ ++++ ++++ ++++ ++++ ++++ ++++ ++++ ++++

RATES ARE PER 1,000 FEMALE POPULATION BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A U.S. DEP. OF COMM. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 26 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

COUNTY,	CENSES		e -	INDUCED	
MARITAL STATUS	FEMALE	TOTAL	LIVE BIRTHS	ABORTIONS##	FETAL DEATHS
AND AGE	POPULATION	NUMBER RATE#	NUMBER RATE#	NUMBER RATE#	NUMBER RATE#

UNKNOWN

ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS

LESS THAN 10	0	0	###	0	###	0	###	0	###
10-14	õ	ŏ	###	ŏ	###	õ	###	õ	###
15	*	õ	###	õ	###	ŏ	###	Ō	###
16	*	1	###	ō	###	1	###	0	###
17	*	2	###	õ	###	2	###	Ō	###
18	*	0	###	ō	###	Ō	###	Ō	###
19	*	2	###	Ó	###	2	###	0	###
15-19	0	5	###	0	###	5	###	0	###
20-24	0	1	###	0	###	1	###	0	###
25-29	0	4	###	0	###	4	###	0	###
30-34	0	1	###	0	###	· 1	###	0	###
35-39	0	1	###	0	###	1	###	0	###
40-44	0	1	###	0	###	1	###	.0	###
GREATER THAN 44	0	0	###	0	###	0	###	. 0	###
UNKNOWN	0	1		0		1		0	
COUNTY TOTALS	0	14	0.0	0	###	14	0.0	0	###

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	0	0	###	0	###	0	###	0	###
10-14	0	0	###	0	###	0	###	0	###
15	*	0	###	0	###	0	###	0	###
16	*	1	###	0	###	1	###	0	###
17	*	2	###	0	###	2	###	0	###
18	*	0	###	0	###	0	###	0	###
19	*	2	###	0	###	2	###	0	###
15-19	0	5	###	0	###	5	###	0	###
20-24	0	1	###	0	###	1	###	0	###
25-29	0	4	###	0	###	4	###	0	###
30-34	0	0	###	0	###	0	###	0	###
35-39	Ο.	1	###	0	###	1	###	0	###
40-44	0	1	###	0	###	1	###	0	###
GREATER THAN 44	0	0	###	0	###	0	###	0	###
UNKNOWN	Ó	1		Ō		1		0	
COUNTY TOTALS	0	13	0.0	0	###	13	0.0	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A U.S. DEP. OF COMM. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 26 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY, MARITAL STATUS	CENSES FEMALE	τοτ	۱L	LIVE B	IRTHS	INDUCE ABORTI		FETAL DE	ATHS
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
MAINE SUMMARY									
ALL LIVE BIRTHS, IN	DUCED ABORTIONS, A	ND FETAL DEATH	IS						
LESS THAN 10	84,808	0	###	0	###	0	###	0	###
10-14	41,153	30	0.7	10	0.2	20	0.5	0	###
15	7,929	125	15.8	62	7.8	53	6.7	10	1.3
16	8,091	265	32.8	155	19.2	109	13.5	1	###
17	8,381	536	64.0	353	42.1	183	21.8	0	###
18	8,900	757	85.1	507	57.0	244	27.4	6	###
19	9,553	1,114	116.6	776	81.2	337	35.3	1	###
15-19	42,854	2,797	65.3	1,853	43.2	926	21.6	18	0.4
20-24	42,733	6,260	146.5	4,873	114.0	1,367	32.0	20	0.5
25-29	49,981	6,582	131.7	5,697	114.0	861	17.2	20	0.5
30-34	54,161	•	75.1	3,536	65.3	513	9.5	18	0.3
35-39	-	4,067				251	9.5 4.9	6	###
	51,566	1,433	27.8	1,176	22.8			3	
40-44	45,178	230	5.1	154	3.4	73	1.6		###
GREATER THAN 44	217,644	8	###	6	###	2	###	0	###
UNKNOWN	0	25	04.0	9	07 F	15	C 4	1	• •
STATE TOTALS	630,078	21,432	34.0	17,314	27.5	4,028	6.4	90	0.1
									•
OUT OF WEDLOCK LIVE			ATHS						
BOT OF WEDECOK EIVE	BIRINS, ABORITONS	, AND ILIAL DI	ATTIS						
LESS THAN 10	84,808	0	###	0	###	0	###	0	###
10-14	41,153	30	0.7	10	0.2	20	0.5	0	###
15	7,929	117	14.8	61	7.7	51	6.4	5	###
16	8,091	245	30.3	136	16.8	108	13.3	1	###
17	8,381	474	56.6	294	35.1	180	21.5	0	###
18	8,900	619	69.6	379	42.6	236	26.5	4	###
19	9,553	813	85.1	490	51.3	323	33.8	0	###
15-19	42,854	2,268	52.9	1,360	31.7	898	21.0	10	0.2
20-24	42,733	2,606	61.0	1,428	33.4	1,170	27.4	8	###
25-29	49,981	1,285	25.7	696	13.9	583	11.7	6	###
30-34	54,161	644	11.9	305	5.6	332	6.1	7	###
35-39	51,566	239	4.6	106	2.1	130	2.5	3	###
	•	239		108		40		3	###
40-44	45,178		1.2		0.4		0.9	-	
GREATER THAN 44	217,644	0	###	0	###	0	###	0	###
	0	9		0	6.0	8	FO	1	0.1
STATE TOTALS	630,078	7,137	11.3	3,921	6.2	3,181	5.0	35	0.1

RATES ARE PER 1,000 FEMALE POPULATION BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A U.S. DEP. OF CDMM. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 26 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

FETAL DEATHS AND INDUCED ÀBORTIONS BY WEEKS OF GESTATION MAINE STATE TOTALS, 1990 (RESIDENT DATA)*

GESTATION WEEKS	TOTAL	FETAL-	FETAL-DEATHS		BORTIONS
		NUMBER	PERCENT	NUMBER	PERCENT
0-4	5	0	0.00	5	0.12
5-8	2,104	0	0.00	2,104	52.23
9-12	1,641	· 0	0.00	1,641	40.74
13-19	238	0	0.00	238	5.91
20-23	31	23	25.56	8	0.20
24-27	12	12	13.33	0	0.00
28-31	11	11	12.22	0	0.00
32-35	9	9	10.00	0	0.00
36-38	11	11	12.22	0	0.00
> 39	4	4	4.44	0	0.00
UNKNOWN	52	20	22.22	32	0.79
STATE TOTALS	4,118	90	100.00	4,028	100.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O ABORTION RECORDS WERE BLANK.

> MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

> > .

•

INFANT AND FETAL MORTALITY

×.

Δ.

.

.

TABLE F-1

9

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS		L DEATHS PERCENT		NATAL DEATHS R PERCENT
SEPTICEMIA (038) MALE	1	0	0.00	1	100.00
TOTALS	1	ő	0.00	i	100.00
OTHER DISEASES OF NERVOUS SYSTEM AND	SENSE ORGANS (323-389)				
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
PNEUMONIA (480-486)			100.00	<u> </u>	0.00
MALE TOTALS	1	1	100.00 100.00	0	0.00 0.00
		·		Ũ	0.00
REMAINDER OF DISEASES OF RESPIRATORY MALE	(SYSTEM (470-478,492-519)	0	0.00	1	100.00
TOTALS	i	ŏ	0.00	1	100.00
DEMATNEED OF STOCACED OF STOCETTIVE O					
REMAINDER OF DISEASES OF DIGESTIVE S MALE	1 (520-534,536-543,562-579)	0	0.00	1	100.00
TOTALS	1	Ō	0.00	1	100.00
ANENCEPHALUS AND SIMILAR ANOMALIES (740)				
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
CONGENITAL HYDROCEPHALUS (742.3)					
MALE	1	1	100.00	: O	0.00
FEMALE TOTALS	2	2	100.00 100.00	0	0.00 0.00
	-	-		v	0.00
OTHER CONGENITAL ANOMALIES OF CENTRA FEMALE	AL NERVOUS SYSTEM AND EYE (742.0-742.	.2,742.4-742.9,74 1	3) 100.00	0	0.00
TOTALS	1	1	100.00	0.	0.00
CONGENITAL ANOMALIES OF HEART (745-7 MALE	3	2	66.67	1	33.33
FEMALE	4	3	75.00	1	25.00
TOTALS	7	5	71.43	2	28.57
OTHER CONGENITAL ANOMALIES OF CIRCUL	ATORY SYSTEM (747)				
MALE	1	1	100.00	0	0.00
TOTALS	1	. 1	100.00	0	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE F-1

92

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

•

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS		AL DEATHS R PERCENT		NATAL DEATHS R PERCENT
(CONT.)					
CONGENITAL ANOMALIES OF RESPIRATORY	SYSTEM (748)				
MALE	, 4 ·	4	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TDTALS	5	5	100.00	0	0.00
CONGENITAL ANOMALIES OF DIGESTIVE S	YSTEM (749-751)				•
MALE	1	0	0.00	1	100.00
FEMALE	1	0	0.00	1	100.00
TOTALS	2	0	0.00	2	100.00
CONGENITAL ANOMALIES OF GENITOURINA	RY SYSTEM (752-753)				
MALE	3	3	100.00	0	0.00
TOTALS	3	3	100.00	Ō	0.00
	ETAL OVETEN (ZEA ZEC)				
CONGENITAL ANOMALIES OF MUSCULOSKEL FEMALE	ETAL SYSTEM (754-756)	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
101425	•	•		Ũ	0.00
OTHER CHROMOSOMAL ANOMALIES (758.1-	758.9)				
MALE	1	1	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
ALL OTHER AND UNSPECIFIED CONGENITA	L ANOMALIES (744,757,759)				
MALE	- · · · · · · · · · · · · · · · · · · ·	1	100.00	0	0.00
FEMALE	1	0	0.00	1	100.00
TOTALS	2	1	50.00	1	50.00
NEWBORN AFFECTED BY MATERNAL COMPLI	CATIONS OF PREGNANCY (761)				
FEMALE	3	3	100.00	0	0.00
TOTALS	3	3	100.00	ŏ	0.00
	F PLACENTA, CORD, AND MEMBRANES (762)	•		-	0.00
FEMALE TOTALS	3 3	3	100.00 100.00	0	0.00 0.00
IUTALS	3	3	100.00	0	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. INFANT DEATH IS UNDER 1 YEAR, NEDNATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE F-1

93

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS		AL DEATHS R PERCENT	POSTNEONATAL DEATHS NUMBER PERCENT		
(CONT.)						
DISORDERS RELATING TO SHORT GESTATION	AND UNSPECIFIED LOW BIRTHWEIGHT (7	765)				
MALE	8	. 8	100.00	0	0.00	
FEMALE	11	11	100.00	0	0.00	
TOTALS	19	19	100.00	0	0.00	
FETAL DISTRESS IN LIVEBORN INFANT (76)	8.2-768.4)					
MALE	2	2	100.00	0	0.00	
TOTALS	2	2	100.00	Ō	0.00	
RESPIRATORY DISTRESS SYNDROME (769)						
MALE	7	7	100.00	0	0.00	
FEMALE	1	1	100.00	ŏ	0.00	
TOTALS '	8	8	100.00	õ	0.00	
OTHER RESPIRATORY CONDITIONS OF NEWBO	RN (770)					
MALE	2	2	100.00	0	0.00	
FEMALE	1	1	100.00	õ	0.00	
TOTALS	3	3	100.00	0	0.00	
INFECTIONS SPECIFIC TO THE PERINATAL	PERIOD (771)					
MALE	4	3	75,00	1	25.00	
FEMALE	2	2	100.00	0	0.00	
TOTALS	6	5	83.33	1	16.67	
NEONATAL HEMORRHAGE (772)						
FEMALE	1	1	100.00	0	0.00	
TOTALS	1	1	100.00	· 0	0.00	
ALL OTHER AND ILL-DEFINED CONDITIONS (DRIGINATING IN THE PERINATAL PERIO) (775.2-775.9.7	76.1-779)			
MALE	1	1	100.00	0	0.00	
FEMALE	3	3	100.00	Ō	0.00	
TOTALS	4	4	100.00	0	0.00	
SUDDEN INFANT DEATH SYNDROME (798.0)						
MALE	9	0	0.00	9	100.00	
FEMALE	5	Ō	0.00	5	100.00	
TOTALS	14	0	0.00	14	100.00	
		,				

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

•

94

INFANT. NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS		AL DEATHS PERCENT	POSTNEONATAL DEATHS NUMBER PERCENT		
(CONT.)						
SYMPTOMS, SIGNS, AND ALL OTHER ILL-DE	FINED CONDITIONS (780-797,798.1-799))				
MALE	1	0	. 0.00	1	100.00	
FEMALE	1	0	0.00	1	100.00	
TOTALS	2	0	0.00	2	. 100.00	
OTHER ACCIDENTAL CAUSES AND ADVERSE E	FFECTS (E800-E910,E914-E949)					
MALE	1	0	0.00	1	100.00	
TOTALS	1	0	0.00	1	100.00	
OTHER HOMICIDE (E960-E966,E968-E969)						
MALE	2	2	100.00	0	0.00	
TOTALS	2	2	100.00	0	0.00	
ALL OTHER CAUSES (RESIDUAL)						
MALE	1	1	100.00	. 0	0.00	
FEMALE	1	1	100.00	0	0.00	
TOTALS	2	2	100.00	0	0.00	
STATE						
MALE	57	40	70.18	17	29.82	
FEMALE	46	36	78.26	10	21.74	
TOTALS	103	76	73.79	27	26.21	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR. CAUSE OF OEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)*

CAUSE OF DEATH GROU		PERCENT			*** GESTAT			
AND SEX	FETAL DEATHS	DISTRIBUTION	20-23	24-27	28-31	32-35	36-39	OVER 39
SPINA BIFIDA (741)								•
FEMALE	1	1.11	0	1	0	0	0	0
TOTALS	i	1.11	ŏ	i	õ	ŏ	õ	õ
	·				•		-	-
OTHER CHROMOSOMAL A	NOMALIES (758.1-758.9)							
FEMALE	1	1.11	0	0	0	0	1	0
TOTALS	1	1.11	0	0	0	0	1	0
ALL OTHER AND UNSPE	CIFIED CONGENITAL ANOMA	LIES (744.757.759)						
MALE	1	1.11	1	0	0	0	0	0
FEMALE	2	2.22	1	õ	Ō	0	Ó	1
TOTALS	3	3.33	2	õ	õ	õ	õ	1
NEWBORN AFFECTED BY	MATERNAL CONDITIONS WH	IICH MAY BE UNRELATED TO PR	ESENT PREGNANC	Y (760)				
MALE	3	3.33	0	0	· 1	1	0	1
FEMALE	2	2.22	0	2	0	0	0	0
TOTALS	5	5.56	0	2	1	1	0	1
NEWBORN AFFECTED BY	MATERNAL COMPLICATIONS	OF PREGNANCY (761)						
MALE	3	3.33	1	2	0	0	0	0
FEMALE	4	4.44	2	õ	õ	Ó	1	1
TDTALS	7	7.78	3	2	ō	ò ·	1	1
NEWRODN AFFECTED BY		NTA, CORD, AND MEMBRANES (762)					
MALE	24	26.67	3	1	4	5	5	6
FEMALE	19	21.11	5	1	2	2	1	6
TOTALS	43	47.78	10	2	6	7	6	12
TOTALS	45	47.78	10	~	0	. '	0	12
DISORDERS RELATING	TO SHORT GESTATION AND	UNSPECIFIED LOW BIRTHWEIGH	T (765)					
MALE	1	1.11	0	1	0	0	0	0
FEMALE	3	3.33	1	2	0	0	0	0
TOTALS -	4	4.44	1	3	0	0	0	0
FETAL DISTRESS IN L	IVEBORN INFANT (768.2-7	(68.4)						
MALE	1	1.11	0	0	1	0	0	0
FEMALE	1	1.11	0	0	0	0	1	0
TOTALS	2	2.22	0	0	1	0	1	0
NEONATAL HEMORRHAGE	(772)							
MALE	1	1.11	1	0	0	0	0	0
TOTALS	1	1.11	1	ō	ō	ō	ō	õ
	·			-	-			

SYNDROME OF INFANT OF A DIABETIC MOTHER AND NEONATAL DIABETES MELLITUS (775.0-775.1)

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

95

.

.

96

.

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	****** 20-23	********** 24-27	*** GESTAT: 28-31	ION WEEKS 32-35	********** 36-39	********* OVER 39
(CONT.)								
FEMALE TOTALS	1 1	1.11 1.11	0 0	0 0	0 0	0 0	1 1	0 0
ALL OTHER AND ILL-DEF	INED CONDITIONS ORIGI	NATING IN THE PERINATAL PERIO	D (775.2-77	5.9,776.1-7	79)			
MALE	11	12.22	4	0	1	0	1	5
FEMALE	10	11.11	1	0	1	1	4	3
TOTALS	21	23.33	5	Ō	2	1	5	3 8
OTHER ACCIDENTAL CAUS	ES AND ADVERSE EFFECT	S (E800-E910,E914-E949)						
MALE	1	1.11	0	1	0	0	0	0
TOTALS	1	1121 <u>1</u>	Ō	1	Ō	Ō	Ō	Ō
STATE								
MALE	46	51.11	10	5	7	6	6	12
FEMALE	44	48.89	12	6	3	3	9	11
TOTALS	90	100.00	22	11	10	9	15	23

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

LIVE BIRTHS, NEONATAL DEATHS, AND ESTIMATED NEONATAL DEATH RATES BY BIRTHWEIGHT MAINE STATE TOTALS, 1989 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	LIVE NUMBER	BIRTHS PERCENT	NEONATA NUMBER	L DEATHS PERCENT	NEONATAL OEATH RATE
LESS THAN 500	8	0.05	7	8.43	875.0
500-999	52	0.30	26	31.33	500.0
1000-1499	80	0.46	13	15.66	162.5
1500-1999	129	0.74	5	6.02	38.8
2000-2499	579	3.32	0	0.00	0.0
2500-2999	2,159	12.36	11	13.25	5.1
3000-3499	6,060	34.70	11	13.25	1.8
3500-3999	5,914	33.86	4	4.82	0.7
4000-4499	2,020	11.57	0	0.00	0.0
4500-4999	395	2.26	1	1.20	2.5
GREATER THAN 4999	42	0.24	0	0.00	0.0
UNKNOWN	. 26	0.15	5	6.02	192.3
STATE TOTALS	17,464	100.00	83	100.00	4.8

NOTE: NEONATAL DEATH RATES ARE ESTIMATED BY DIVIDING 1989 NEONATAL DEATHS BY 1989 LIVE BIRTHS AND MULTIPLYING BY 1,000. SUCH RATES ARE ESTIMATED RATHER THAN ACTUAL BECAUSE SOME BIRTHS RELATING TO THE 1989 NEONATAL DEATH COHORT OCCURRED IN 1988.

BIRNEOD

FETAL DEATHS BY SELECTED COMPLICATIONS, GESTATION, AND AGE OF PATIENT MAINE STATE TOTALS, 1990 (RESIDENT DATA)*

			*******	********* CON	PLICATIONS *********	****
WEEKS OF GESTATION	TOTAL** FETAL DEATHS	PERCENT DISTRIBUTION	MEDICAL RISK FACTORS	LABOR OR DELIVERY	TOBACCO/ALCOHOL USE	CONGENITAL ANOMALIES
20-23	22	24.44	8	11	7	3
24-27	11	12.22	4	4	3	2
28-31	10	11.11	4	6	3	1
32-35	9	10.00	6	4	2	0
36-39	15	16.67	6	5	3	2
OVER 39	23	25.56	2	7	2	1
UNKNOWN	Ö	0.00	0	0	0	0
STATE TOTALS	. 90		30	37	20	9
PERCENT DISTRIBUTION		100.00	33.33	41.11	22.22	10.00
AGE OF PATIENT(YRS.)						
LESS THAN 10	0	0.00	0	0	0	0
10-14	ŏ	0.00	ŏ	0	ő	õ
15	10	11.11	2	4	3	õ
16	1	1.11	-	4	ő	õ
17	ò	0.00	ò	Ó	õ	õ
18	6	6.67	2	3	2	õ
19	1	1.11	1	ō	1	ō
20-24	20	22.22	5	8	6	2
25-29	24	26.67	7	9	3	3
30-34	18	20.00	7	7	3	2
35-39	6	6.67	1	3	0	1
40-44	3	3.33	3	2	1	1
OVER 44	0	0.00	0	0	0	0
UNKNOWN	1	1.11	1	0	1	0
TEENAGE TOTALS	18	20.00	6	8	6	0
STATE TOTALS	90		30	37	20	9
PERCENT DISTRIBUTION		100.00	33.33	41.11	22.22	10.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

** THE SUM OF COMPLICATIONS MAY EXCEED TOTAL FETAL DEATHS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

•

TABLE F-4

86

DEATHS AND DEATH RATES - TOTAL, INFANT, NEONATAL, POSTNEONATAL, AND PERINATAL MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)*

COUNTY	TOTAL I Number		******* TOT/ NUMBER		N	EONAT/		************* POSTNE(NUMBER	NATAL	PERIN/ NUMBER	
ANDROSCOGGIN	1,000	9.5	8	5.3		3	2.0	5	3.3	10	6.6
AROOSTOOK	812	9.3	9	7.2		7	5.6	2	1.6	11	8.8
CUMBERLAND	2,032	8.4	27	7.7	1	8	5.1	9	2.6	37	10.5
FRANKLIN	264	9.1	0	0.0		0	0.0	0	0.0	1	2.5
HANCOCK	494	10.5	4	6.6		3	4.9	1	1.6	7	11.4
KENNEBEC	1,035	8.9	13	8.2	1	2	7.6	1	0.6	22	13.8
KNOX	42 1	11.6	3	6.0		3	6.0	0	0.0	7	14.0
LINCOLN	310	10.2	4	10.2		4	10.2	0	0.0	4	10.2
OXFORD	537	10.2	4	5.3		4	5.3	0	0.0	8	10.5
PENOBSCOT	1,189	8.1	10	5.1		9	4.6	1	0.5	21	10.7
PISCATAQUIS	192	10.3	2	8.3		1	4.1	1	4.1	3	12.3
SAGADAHOC	277	8.3	3	5.4		2	3.6	1	1.8	6	10.8
SOMERSET	463	9.3	2	3.2		2	3.2	0	0.0	10	15.6
WALDO	262	7.9	4	8.6		3	6.4	. 1	2.1	4	8.5
WASHINGTON	391	11.1	1	2.3		0	0.0	1	2.3	1	2.3
YORK	1,344	8.2	9	3.6		5	2.0	4	1.6	14	5.5
STATE TOTALS	11,023	9.0	103	5.9	7	6	4.4	27	1.6	166	9.5

NOTES: INFANT DEATH IS UNDER 1 YEAR, NEONATAL UNDER 28 DAYS AND POSTNEONATAL 28 DAYS TO ONE YEAR. PERINATAL DEATHS ARE NEONATAL DEATHS AND FETAL DEATHS, 20 GESTATION WEEKS AND OVER.

TOTAL DEATH RATE IS PER 1,000 POPULATION(BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE, ISSUED 1991). INFANT DEATH RATE IS PER 1,000 LIVE BIRTHS AND PERINATAL DEATH RATE IS PER 1,000 LIVE BIRTHS AND FETAL DEATHS.

* FETAL DEATH DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

. - . . .

:

FETAL DEATHS BY SELECTED CHARACTERISTICS MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)*

COUNTY	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	OUT OF WEDLOCK	AUTOPSY	IN HOSPITAL	**			IN WH CARE E NONE	EGAN ****	AGE OF PATI LESS THAN 20	
ANDROSCOGGIN	7	7.78	0	7	7	5	1	о	1	0	4	0
AROOSTOOK	4	4.44	2	2	4	3	1	0	о	0	1	0
CUMBERLAND	19	21.11	2	8	[°] 19	12	о	0	1	6	1	3
FRANKLIN	1	1.11	0	0	1	о	о	0	0	1	о	0
HANCOCK	4	4.44	2	3	4	2	0	0	1	1	¹ 1	0
KENNEBEC	10	11.11	1	3	10	5	о	0	0	5	3	0
KNOX	4	4.44	1	2	4	2	1	0	0	1	. 1	0
LINCOLN	о	0.00	0	ο	0	0	0	0	0	0	о	0
OXFORD	· 4	4.44	2	3	4	4	0	0	0	0	o	0
PENOBSCOT	12	13.33	6	6	12	10	1	0	0	1	3	2
PISCATAQUIS	2	2.22	0	2	2	1	0	0	0	1	о	0
SAGADAHOC	4	4.44	0	1	4	2	0	0	0	2	1	0
SOMERSET	8	8.89	2	. 5	8	4	1	0	о	3	2	3
WALDO	1	1.11	o	0	1	1	0	0	0	0	0	0
WASHINGTON	1	1.11	1	ο	1	1	0	0	0	о	1	0
YORK	9	10.00	0	4	9	4	2	0	0	3	0	1
STATE TOTALS	90		19	46	90	56	7	0	3	24	18	9
PERCENT OF AL	L FETAL DEATHS	WITH SPECIFIED 100.00	CHARACTERI 21.11	STICS 51.11	100.00	62.22	7.78	0.00	3.33	26.67	20.00	10.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

FETAL DEATHS, SELECTED RISK CHARACTERISTICS, AND RATIO OF MALES TO FEMALES MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS	******* CONGE ANOMA NUMBER	NITAL	*****		RISK CHARACT WEIGHT *** < 2500 NUMBER	******	*********** LESS T GESTATI NUMBER		************* MALE/FEMALE RATIO
ANDROSCOGGIN	7	1	14.3	0	0.0	6	85.7	2	28.6	1.33
AROOSTOOK	4	1	25.0	1	25.0	3	75.0	2	50.0	0.33
CUMBERLAND	19	1	5.3	6	31.6	8	42.1	9	47.4	1.71
FRANKLIN	1	0	0.0	0	0.0	0	0.0	0	0.0	0.00
HANCOCK	4	0	0.0	0	0.0	3	75.0	1	25.0	0.33
KENNEBEC	10	2	20.0	1	10.0	5	50.0	4	40.0	2.33
KNOX	4	0	0.0	0	0.0	1	25.0	2	50.0	3.00
LINCOLN	0	0	0.0	0	0.0	0	0.0	0	0.0	0.00
OXFORD	4	1	25.0	1	25.0	3	75.0	2	50.0	0.33
PENOBSCOT	12	1	8.3	1	8.3	6	50.0	2	16.7	2.00
PISCATAQUIS	2	0	0.0	1	50.0	1	50.0	1	50.0	0.00
SAGADAHOC	4	0	0.0	0	0.0	0	0.0	1	25.0	1.00
SOMERSET	8	2	25.0	1	12.5	4	50.0	4	50.0	0.60
WALDO	1	о	0.0	0	0.0	0	0.0	0	0.0	0.00
WASHINGTON	1	0	0.0	0	0.0	1	100.0	1	100.0	0.00
YORK	9	о	0.0	1	11.1	3	33.3	2	22.2	0.80
STATE TOTALS	90	9	10.0	13	14.4	44	48.9	33	36.7	1.05

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

FETAL DEATHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

COMPLICATIONS OF CONDITION NUMB		MEDICAL RISK FA CONDITION NUM		%	OTHER RISK FA CONDITION NU	CTORS MBER	%	METHOD OF METHOD	DELIVER NUMBER	۲ %	CONGENITAL AND CONDITION N	DMALIE JMBER	S %
FEBRILE >100 F	4 4.4	ANEMIA	2	2.2	TOBACCO USE	17	18.9	VAGINAL	54	60.0	ANENCEPHALUS	0	0.0
MECONIUM	5 5.6	CARDIAC DISEASE	0	0.0	AVG CIGARETTES			VAGINAL AFTER	र [:]		SPINA BIFIDA	Ō	0.0
PREMATURE RUPTURE		ACUTE OR CHRONIC			PER DAY	13	58.8	C-SECTION	4	4.4	HYDROCEPHALUS	1	1.1
MEMBRANE >12 HRS	4 4.4	LUNG DISEASE	0	0.0	ALCOHOL USE	6	6.7	PRIMARY			MICROCEPHALUS	Ó	0.0
ABRUPTIO		DIABETES/			AVG DRINKS			C-SECTION	6	6.7	OTHER		
PLACENTA	8 8.9	GESTATIONAL	з	3.3	PER WEEK	135	66.7	REPEAT			NERVOUS SYSTEM	1	1.1
PLACENTA		DIABETES			AVG WEIGHT GAIN	40	LBS	C-SECTION	2	2.2	HEART ·	0	0.0
PREVIA	0 0.0	PRE-EXISTING	1	1.1				FORCEPS	1		OTHER CIRCULATO	RY	
EXCESSIVE		GENITAL HERPES	0	0.0				VACUUM	3	3.3	SYSTEM	1	1.1
BLEEDING	0 0.0	HYDRAMNIOS/						HYSTEROTOMY/			RECTAL ATRESIA	1	1.1
SEIZURES DURING		OLIGOHYDRAMNIOS	0	0.0				HYSTERECTOMY	1	1.1	TRACHEO-ESOPHAG	EAL	
LABOR	0 0.0	HEMOGLOBINOPATHY	1	1.1				OTHER	0		FISTULA	0	0.0
PRECIPITOUS		HYPERTENSION						UNKNOWN	18	20.0	OMPHALOCELE/	-	
LABOR <3 HRS	2 2.2	CHRONIC	4	4.4							GASTROSCHISIS	1	1.1
PROLONGED		HYPERTENSION									OTHER		
LABOR >20 HRS	Ϋ 1.1		1	1.1							GASTROINTESTINA	LO	0.0
DYSFUNCTIONAL		ECLAMPSIA	Ó	0.0				OBSTETRIC P	ROCEDUR	ES	MALFORMED		
LABOR	1 1.1	INCOMPETENT									GENITALIA	0	0.0
BREECH	9 10.0	CERVIX	1	1.1				CONDITION	NUMBER	%	RENAL AGENESIS	Ō	0.0
CEPHALOPELVIC/		PREVIOUS INFANT									OTHER UROGENITA	L Í	1.1
DISPROPORTION	0 0.0	4000+ GRAMS	0	0.0				AMNIOCENTHSIS	5 з	3.3	CLEFT LIP/PALAT		1.1
CORD PROLAPSE	1 1.1	PREVIOUS PRETERM	1	1.1				ELECTRIC FETA	AL -		POLYDACTYLY	Ó	0.0
ANESTHETIC		RENAL DISEASE	1	1.1				MONITORING	23	25.6	CLUB FOOT	ō	0.0
COMPLICATIONS	0 0.0	RH SENSITIZATION	1	1.1				INDUCED LABOR	र 31	34.4	DIAPHRAGMATIC	-	
FETAL DISTRESS	1 1.1	UTERINE						STIMULATION			HERNIA	0	0.0
OTHER	20 22.2	BLEEDING	1	1.1				OF LABOR	8	8.9	MUSCULOSKELETAL	ō	0.0
NONE	35 38.9	OTHER	17	18.9				TOCOLYSIS	1	1.1	DOWNS SYNDROME	1	1.1
UNKNOWN	18 20.0	NONE	41	45.6				ULTRA SOUND	34	37.8	CHROMOSOMAL	Ó	0.0
		UNKNOWN	19	21.1				OTHER	3	3.3	OTHER	3	3.3
								NONE	10	11.1	NONE	65	72.2
								UNKNOWN			UNKNOWN		17.8
		•											-

.

NOTES: PERCENTAGES ARE BASED ON THE 90 FETAL DEATHS IN MAINE THIS YEAR. MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH FETAL DEATH.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

GENERAL MORTALITY

,

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1990 (RESIDENT DATA)

	******* TOTAL		TOTAL MALE FEMALE		BY NUMBER OF DEATHS			*** RATE PER 100,000 *** POPULATION		
				TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	
AGE: TOTAL FOR ALL AGES Cause of Death										
HEART DISEASE (390-398,402,404-429)	3,700	1.853	1,847	1	1	1	301.3	309,9	293.1	
MALIGNANT NEOPLASMS (140-208)	2,776	1,480	1,296	2	2	2	226.1	247.6	205.7	
CEREBROVASCULAR DISEASE (430-438)	716	294	422	3	3	3	58.3	49.2	67.0	
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	559	293	266	4	4	4	45.5	49.0	42.2	
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	411	276	135	5	5	7	33.5	46.2	21.4	
PNEUMONIA & INFLUENZA (480-487)	403	164	239	5	5	5	32.8	27.4	37.9	
DIABETES MELLITUS (250)	242	105	137	7	8	6	19.7	17.6	21.7	
SUICIDE (E950-E959)	154	122	32	8	7	14	12.5	20.4	5.1	
ATHEROSCLEROSIS (440)	117	43	74	9	12	8	9.5	7.2	11.7	
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	109	69	40	10	9	11	8.9	11.5	6.3	
TOTAL FOR AGE GROUP	11,023	5,546	5,477				897.7	927.7	869.3	
AGE: UNDER 1 YEAR										
PERINATAL CONDITIONS (760-779)	49	24	25	1	1	1	336,4	323.6	349.7	
CONGENITAL ANOMALIES (740-759)	28	15	13	2	2	2	192.2	202.2	181.8	
HEART DISEASE (390-398,402,404-429)	2	1	1	3	4	3	###	###	###	
HOMICIDE & LEGAL INTERVENTION (E960-E978)	2	2	ò	4	3	4	###	###	###	
INFECTIOUS & PARASITIC DISEASES (001-139)	1	1	ŏ	5	4	4	###	###	###	
PNEUMONIA & INFLUENZA (480-487)	i	i	ŏ	5	4	4	###	###	###	
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	1	1	Ŏ	7	4	4	###	###	###	
· TOTAL FOR AGE GROUP	103	57	46				707.1	768.5	643.4	

NOTES: BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE 1A, U.S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS ISSUED 1991 THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES: OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

- SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799) All other external causes (E980-E999)
- ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

,

901

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1990 (RESIDENT DATA)

	******* TOTAL		***** Female		BER OF	****** DEATHS FEMALE	F	E PER 100, POPULATION MALE	
AGE: 1 TO 14 YEARS									
CAUSE OF DEATH		••							
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	38	22	16	1	1	1	15.6	17.5	13.5
MALIGNANT NEOPLASMS (140-208) HEART DISEASE (390-398,402,404-429)	8 ⁻ 3	2 2	6 1	2 3	2 2	2 4	### ###	### ###	### ###
CONGENITAL ANOMALIES (740-759)	3	1	2	4	2	3	### ###	###	### ###
INFECTIOUS & PARASITIC DISEASES (001-139)	ĭ	ò	ĩ	5	7	4	###	###	###
CEREBROVASCULAR DISEASE (430-438)	1	ŏ	1	5	7	4	###	###	###
PERINATAL CONDITIONS (760-779)	1	0	1	7	7	4	###	###	###
SUICIDE (E950-E959)	1	1	0	8	4	8	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	1	1	0	9	4	8	###	###	###
TOTAL FOR AGE GROUP	63	30	33				25.8	23.9	27.8
AGE: 15 TO 24 YEARS									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	72	56	16	1	1	1	41.4	63.4	18.7
SUICIDE (E950-E959)	27	18	9	2 3	2 7	2	15.5	20.4	###
MALIGNANT NEOPLASMS (140-208)	5 5 3	1	4			3	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	5	4	1	4	3	4	###	###	###
HEART DISEASE (390-398,402,404-429)	3	3	0	5 6	4	9	###	###	###
CONGENITAL ANOMALIES (740-759)	3	2	1	6	5	4	###	###	###
BENIGN NEOPLASMS (210-239)	2	2	0	7		9	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139) Pneumonia & Influenza (480-487)	1	0	1	8 9	9 9	4 4	### ###	### ###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	1	ő	1	9 10	9	4	### ###	### ###	### ###
	•		•		5	- -	11 11 11	πππ	πππ
TOTAL FOR AGE GROUP	126	90	36				72.4	101.8	42.1

NOTES: BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE 1A, U.S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS ISSUED 1991 THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES: OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799) ALL OTHER EXTERNAL CAUSES (E980-E999) ALL OTHER DISEASES (RESIDUAL). ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

.

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* Maine State Totals, 1990 (resident data)

· ·	******* TOTAL	-	***** Female		IBER OF	****** DEATHS FEMALE	F	E PER 100, POPULATION MALE	
AGE: 25 TO 34 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	71	53	18	1	1	1	34.6	52.4	17.3
SUICIDE (E950-E959)	28	25	3	2	2	4	13.6	24.7	###
HEART DISEASE (390-398,402,404-429)	24	23	1	3	3	7	11.7	22.8	###
MALIGNANT NEOPLASMS (140-208)	19 7	11	, 8 5	4	4 6	2	9.3	10.9	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	1	2	5	56	5	3 7	###	###	###
CEREBROVASCULAR DISEASE (430-438) Infectious & Parasitic Diseases (001-139)	4	3	1	5	56	7	### ###	###	### ###
DIABETES MELLITUS (250)	3	1	2	8	8	5	### ###	### ###	### ###
BENIGN NEOPLASMS (210-239)	2		2	9	11	5	### ###	###	###
HYPERTENSION (401,403)	1	1	0	10	8	12	###	###	###
	•		Ŭ	10	0	14	ппп	πππ	πππ
TOTAL FOR AGE GROUP	185	137	48				90.1	135.5	46.1
AGE: 35 TO 44 YEARS			,						
MALIGNANT NEOPLASMS (140-208)	72	27	45	1	3	1	37.2	28.0	46.5
HEART DISEASE (390-398,402,404-429)	68	56	12	2	1	2	35.2	58.0	12.4
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	40	33	7	3	2	4	20.7	34.2	###
SUICIDE (E950-E959)	35	26	9	4	4	3	18.1	26.9	###
CEREBROVASCULAR DISEASE (430-438)	8	5	3	5	6	5	###	###	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	8	7	1	6	5 7	9	###	###	###
DIABETES MELLITUS (250)	7	4	3	7		5	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	5	3	2	8	8	8	###	###	###
PNEUMONIA & INFLUENZA (480-487)	4	1	3	9	12	5	###	###	###
BENIGN NEOPLASMS (210-239)	3	2	1	10	9	9	###	###	###
TOTAL FOR AGE GROUP	284	189	95				146.9	195.7	98.2

NOTES: BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE 1A, U.S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS ISSUED 1991 THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES: OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799) ALL OTHER EXTERNAL CAUSES (E880-E999) ALL OTHER DISEASES (RESIDUAL). ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

80

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1990 (RESIDENT DATA)

	******* Total		***** Female		BER OF	****** DEATHS FEMALE		E PER 100 POPULATIO MALE	
AGE: 45 TO 64 YEARS									
CAUSE OF DEATH							•		
MALIGNANT NEOPLASMS (140-208)	683	373	310	1	1	1	292.9	327.9	259.5
HEART DISEASE (390-398,402,404-429)	485	349	136	2 3	2 3	2	208.0	306.8	113.9
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	60	43	17	3	3	6	25.7	37.8	14.2
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	56	21	35	4	8	3	24.0	18.5	29.3
CEREBROVASCULAR DISEASE (430-438)	55	30	25	5	4	4	23.6	26.4	20.9
DIABETES MELLITUS (250)	46 40	24	22	6 7	6 5	5 7	19.7	21.1	18.4
CHRONIC LIVER DISEASE & CIRRHOSIS (571) Suicide (E950-E959)	40	29 23	11	8.	57	12	17.2 11.6	25.5	9.2 ###
PNEUMONIA & INFLUENZA (480-487)	20	14	4	9	9	9	8.6	20.2 12.3	###
INFECTIOUS & PARASITIC DISEASES (001-139)	14	9	5	10	10	11	6.0	###	###
TOTAL FOR AGE GROUP	1,692	1,036	656				725.6	910.8	549.2
AGE: 65 TO 74 YEARS Malignant Neoplasms (140-208)	871	496	375	4	0	4	950.0	1 004 5	724 0
HEART DISEASE (390-398,402,404-429)	788	501	287	2	4	2	950.9 860.3	1,224.5 1,236.8	734.0 561.7
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	169	97	72	3	3	3	184.5	239.5	140.9
CEREBROVASCULAR DISEASE (430-438)	126	64	62	4	34	4	137.6	158.0	121.3
DIABETES MELLITUS (250)	71	36	35	5	5	5	77.5	88.9	68.5
PNEUMONIA & INFLUENZA (480-487)	45	28	17	5	5	6	49.1	69.1	33.3
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	42	26	16	7	7	7	45,9	64.2	31.3
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	30	18	12	8	8	8	32.8	44.4	23.5
SUICIDE (E950-E959)	21	15	6	9	9	11	22.9	37.0	###
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	20	9	11	10	10	9	21.8	###	21.5
TOTAL FOR AGE GROUP	2,480	1,466	1,014				2,707.4	3,619.1	1,984.6

NOTES: BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE 1A, U.S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS ISSUED 1991 THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

.

109

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1990 (RESIDENT DATA)

	******* Total		***** Female		BER OF	******* DEATHS FEMALE		E PER 100 POPULATIO MALE	
AGE: 75 TO 84 YEARS									
CAUSE OF DEATH							_		
HEART DISEASE (390-398,402,404-429)	1,268	630	638	1	1	1	2,368.0	•	1,898.8
MALIGNANT NEOPLASMS (140-208)	751	417	334	2	2	2	1,402.5	2,090.5	994.0
CEREBROVASCULAR DISEASE (430-438)	273	120	153	3	4	3	509.8	601.6	455.4
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	222	126	96	4	3	4	414.6	631.7	285.7
PNEUMONIA & INFLUENZA (480-487)	115	58	57	5	56	5	214.8	290.8	169.6
DIABETES MELLITUS (250)	75	27	48	6 7	6 7	6 9	140.1	135.4	142.9
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	44	26	18	8	8	-	82.2	130.3	53.6
INFECTIOUS & PARASITIC DISEASES (001-139)	39	19	20	8		7	72.8	95.3	59.5
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	31 25	14 5	17 20	9 10	9 14	10 7	57.9 46.7	70.2 ###	50.6 59.5
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	25	5	20	10	14	/	40.7	ĦĦĦ	59.5
TOTAL FOR AGE GROUP	3,372	1,690	1,682				6,297.3	8,472.5	5,006.0
AGE: 85 YEARS AND OLDER									
HEART DISEASE (390-398,402,404-429)	1,059	288	771	1	1	1	5,810.4		
MALIGNANT NEOPLASMS (140-208)	367	153	214	2	2 3 4	2	2,013.6		1,585.3
CEREBROVASCULAR DISEASE (430-438)	249	72	177	3	3	3	1,366.2		1,311.2
PNEUMONIA & INFLUENZA (480-487)	216	62	154	4	4	4		1,311.6	1,140.8
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	110	49	61	5 6	5 6 8	5		1,036.6	451.9
ATHEROSCLEROSIS (440)	71	17	54	6	6	6	389.6	359.6	400.0
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	43	16	27	7	8	7	235.9	338.5	200.0
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	42	17	25	8	6 9	9	230.4	359.6	185.2
DIABETES MELLITUS (250)	40	13	27	9		7	219.5	275.0	200.0
INFECTIOUS & PARASITIC DISEASES (001-139)	25	13	12	10	9	10	137.2	275.0	88.9
TOTAL FOR AGE GROUP	2,718	851	1,867				14,912.8	18,003.0	13,830.7

NOTES: BASED ON 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE 1A, U.S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS ISSUED 1991 THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES: OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799) ALL OTHER EXTERNAL CAUSES (E980-E999)

- ALL OTHER DISEASES (RESIDUAL).
- ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

TABLE D-2 YEARS OF LIFE LOST - NUMBER, PERCENT, RANK, AND AVERAGE PER DEATH BY 32 CAUSE OF DEATH GROUPS AND SEX MAINE STATE TOTALS, 1990 (RESIDENT DATA)

CAUSE OF DEATH	**YEARS Total	OF LIFE MALE	LOST** FEMALE		ENT Y IFE L MALE	OST	RANK OF L TOT. N	IFE L	OST	OF L	AGE Y IFE L DEAT MALE	OST H
HEART DISEASE (390-398,402,404-429)	40,525	21.858	18,667	27.1	28.4	25.7	1	1	2	11	12	10
MALIGNANT NEOPLASMS (140-208)		18.318	20,974	26.2	23.8	28.8	2	2	1	14	12	16
MALIGNANT NEOPLASMS (140-208) ACCIDENTS & ADVERSE EFFECTS (E800-E949)	39,292 14,067	9,588	4,479		12.5		3	3	3	34	35	33
	6,985	2,823	4,162	4.7	3.7	5.7	4	5	4	10	10	10
CEREBROVASCULAR DISEASE (430-438) CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	5,896	2,609	3,287	3.9	3.4	4.5	5	6	5	11	9	12
SUICIDE (E950-E959)	5,085	3,804	1,281	3.4	4.9	1.8	6	4	10	33	31	40
PERINATAL CONDITIONS (760-779)	3,759	1,731	2,028	2.5	2.2	2.8	7	7	7	74	69	78
PNEUMONIA & INFLUENZA (480-487)	3,459	1,406	2,053	2.3	1.8	2.8	8	8	6	9	9	9
SUICIDE (E950-E959) PERINATAL CONDITIONS (760-779) PNEUMONIA & INFLUENZA (480-487) DIABETES MELLITUS (250) CONGENITAL ANOMALIES (740-759)	3,283	1,379	1,904	2.2	1.8	2.6	9	9	8	14	13	14
CONGENITAL ANOMALIES (740-759)	2,741	1,361	1,380	1.8	1.8	1.9	10	10	9	54	50	58
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	1,803	1,124	679	1.2	1.5	0.9	11	11	14	17	16	17
OTHER DIS. OF ARTERIES, ARTERIOLES, AND CAPIL. (441-448)		934	783		1.2		12	12	11	11	11	11
INFECTIOUS & PARASITIC DISEASES (001-139)	1,502	730	772	1.0	0.9	1.1	13	13	12	14	14	15
HOMICIDE & LEGAL INTERVENTION (E960-E978)	1,053	686	367	0.7	0.9	0.5	14	14	17	44	40	52
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)		345	697		-	1.0	15	17	13	10	8	11
ATHEROSCLEROSIS (440)	991	446	545			0.7	16	15	15	8	10	7
BENIGN NEDPLASMS (210-239)	874	356	518		0.5		17	16	16	16	18	16
HYPERTENSION (401,403)	409	228	181		0.3		18	18	19	10	11	10
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	371	67	304		0.1		19	22	18	9	8	9
ULCER OF STOMACH & DUODENUM (531-533)	245	121	124		0.2		20	19	20	11	12	10
ANEMIAS (280-285)	196	101	95		0.1		21	20	21	9	8	10
CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS (574-575)	154	68	86		0.1		22	21	22	9	11	8
NUTRITIONAL DEFICIENCIES (260-269)	105	41	64		0.1		23	23	24	6	6	6
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	85	12	73		0.0		24	25	23	14	12	15
MENINGITIS (320-322)	41	25	16		0.0		25	24	27	21	25	16
KIDNEY INFECTIONS (590)	40	6	34		0.0		26	27	25	8	6	9
APPENDICITIS (540-543)	18	0	18		0.0		27	28	26	18	0	18
HYPERPLASIA OF PROSTATE (600)	12	12	0	0.0	0.0	0.0	28	25	28	6	6	0
ALL OTHER EXTERNAL CAUSES (E980-E999)	168	137	31	0.1	0.2	0.0				28	27	31
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780–799)	1,824	1,124	700	1.2	1.5	1.0				26	30	21
ALL OTHER CAUSES (RESIDUAL)	11,949	5,519	6,430	8.0	7.2	8.8				12	12	11
	140 604	70 050	70 700	100 1	<u> </u>	~~		÷				40
ALL CAUSES	149,691	/0,959	72,732	100.1	00.1	00.				14	14	13

NOTES: PERCENTAGES MAY NOT ADD TO 100.0 DUE TO ROUNDING. SEE TEXT FOR METHOD OF COMPUTING YEARS OF LIFE LOST.

> MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

111

.

.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

CAUSE (DF DEATH GROUPS AND SEX	TOTAL DEATHS	******* UNDER 1													****** 75-79		
ILL-DEF	INED INTESTINAL INFE	CTIONS (O))															
FEMAL		2	O	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
TOTAL	S	2	ō	ō	Ō	ō	ō	õ	ō	ŏ	õ	ŏ	ŏ	ō	_	õ	õ	õ
	JLOSIS OF RESPIRATORY	-	210 - 012	•	•	•	•	Ŭ	•	-		· ·	•	•	-	v	•	•
FEMAL		1	0	0	0	0	Ο.	0	0	0	0	0	1	0	0	0	0	0
TOTAL		Í	ŏ	ŏ	õ	õ	õ	ō	õ	õ	ŏ	ō	Í	õ	-	õ	ŏ	õ
	TUBERCULOSIS (013-018	3)	•	v	v	Ŭ	•	Ŭ	Ŭ	·		v	•		Ŷ	Ŷ	v	Ū
MALE		·/ 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTAL	_S	1	ō	ŏ	ō	ŏ	ŏ	ŏ	ō	ŏ	ŏ	ŏ	ŏ	ō	-	ŏ	1	ŏ
	COCCAL INFECTION (036	;)	0	•	v	•	Ū	•	Ŭ	-	Ū	Ū	Ŭ	Ũ	Ŭ	Ŭ	•	Ũ
MALE		´´1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
FEMAL	E	2	· õ	ŏ	ō	1	õ	ō	ō	Ó	ŏ	ŏ	ŏ	ō	-	1	ŏ	õ
TOTAL		3	ŏ	ŏ	ō	1	õ	ŏ	ŏ	1	õ	õ	ŏ	ŏ	-	i	ŏ	ŏ
	EMIA (038)	-	•	Ū	•	•	· ·	Ũ	·	•	Ŭ	· ·	·	•	Ŭ	•	·	Ū
MALE	(00-)	36	1	0	0	0	0	0	0	1	0	1	2	2	3	7	8	11
FEMAL	F	32	Ó	ŏ	ŏ	ŏ	ŏ	ŏ	-0	1	1	1	2	2		3	10	9
TOTAL		68	Ť	ŏ	ō	ŏ	õ	ŏ	ŏ	2	İ	2	4	4	6	10	18	20
	HER BACTERIAL DISEASE		2.024-03	-	041)	0	Ŷ	Ŷ	Ť	_	•	-		•	· ·			
FEMAL		3	0	0	ó	0	0	0	0	0	0	0	0	0	0	1	1	1
TOTAL		3	õ	ŏ	ŏ	ō	ō	ŏ	õ	ō	ō	õ	ŏ	ŏ		i	Í	1
	HEPATITIS (070)			-	-	-	•		-		•	•	•	-				
MALE		1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTAL	_S	1	Ó	Ó	Ō	Ō	Ó	Õ	1	Ò	Ō	Ó	Ō	ō	ō	Ō	Ó	õ
	/IRAL DISEASES (046-0	49.051-054	4.057-06	1.065.	066.0	71-079)	•		•	•	•	•	-	-	•	•	•
MALE		43	0	0	0	0	Ó	0	13	14	7	5	1	1	0	0	0	2
FEMAL	_E	4	õ	ŏ	ŏ	ŏ	õ	ō	1	1	-	ō	ó	Ó	-	ŏ	ŏ	2
TOTAL		47	ŏ	ō	ŏ	ō	ō	ō	14	15	7	5	1	Ť	ŏ	ō	· 0	4
	5 (110-118)		-	-			•								-	-	-	
MALE		4	0	0	0	0	0	0	0	0	2	0	0	0	0	1	1	0
FEMAL	_E	3	0	0	0	Ō	0	1	1	Ó	0	Ó	Ó	Ó	ō	0	1	Ó
TOTAL	S	7	õ	ō	0	0	ō	1	1	0	2	Ō	Ō	. Õ	õ	1	2	õ
LATE EF	FECTS OF TUBERCULUSI	S (137)	-	-	-		-					-			-			-
FEMAL		3	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0
TOTAL		3	ŏ	ō	ō	ō	ō	ō	õ	ō	ō	ŏ	ŏ	1	1	1	ō	õ
	FECTS OF ACUTE POLIC	MYELITIS	(138)	· ·	•	Ũ	•	•	v	•	•	•	•		•	•	•	•
MALE		1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTAL	_S	1	õ	ŏ	ŏ	õ	ŏ	ŏ	ō	ō	i	ŏ	ŏ	ŏ	-	ŏ	ŏ	ŏ
	HER INFECTIOUS AND PA	RASITIC D	ISEASES	(100-1	04, 13	0-136.	139)	-	-			-	-	•	•	-	-	-
MALE		3	0	Ō	0	0	Ó	0	0	0	0	1	0	1	0	0	1	0
FEMAL	_E ·	3	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	õ	ŏ	Ó	ŏ	1	ŏ	ŏ	2	ŏ
TOTAL		6	ŏ	ŏ	ŏ	õ	ŏ	Ō.	ŏ	õ	õ	1	ŏ	2	õ	õ	3	õ
	-	-	-	-	,	-	-	-	-		÷		-		-	-		-

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

112

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

			*****	******	****	*****		*****							*****	*****	****	****
	DEATH GROUPS D _. SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 1	0-14 15	5-19 2	20-24 25	5-34 3	35-44 4	5-54 5	5-59 6	0-64 6	5-69 7	0-74 7	5-79 8	0-84	OVER 84
(CONT.)																		
MALIGNANT	NEOPLASMS OF:	LIP (140)																
FEMALE		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	NEOPLASMS OF:	TONGUE (141)																
MALE		6	0	0	0	0	0	0	0	0	1	1	2	1	0	1	0	0
FEMALE		1	0	0	0	0	0	0	0	. 0	0	1	0	0	0	0	0	0
TOTALS		7	0	0	0	0	0	0	0	0	[,] 1	2	2	1	0	1	0	0
	NEOPLASMS OF:	PHARYNX (146-		•	•	•	~	•	~	•	•		•	•	•	~		
MALE		11	0	0	0	0	0	0	0	0	2	1	2	2	2	0	1	1
FEMALE		8	0	0	0	0	0	0	0	0	02	0	1 3	1 3	2	2 2	1	1
TOTALS		19	0	0	0	O CAVIT)	•	PHARYN	•	-	2 49.1-14	· · · ·	3	3	4	2	2	2
	NEOPLASMS OF:	OTHER SITES W			ORAL			O	X (142 O	2-145,1	49.1-14 0	,	3	з	~	1		
MALE		10 4	0	0	0	0	0	0	0	ö	0	0	3	3	0	3	1	
FEMALE		4 14	0	0	ő	0	0	ŏ	0	1	0	ő	3	4	ő	4	1	4
TOTALS	NEOPLASMS OF:			υ.	0	0	U	U	0	I I	0	0	3	4	U	4	1	1
MALIGNANT	NEUPLASMS UF:	29 ESUPHAGUS (15	0	0	0	0	0	0	0	0	2	3	11	7	3	3	2	. 8
FEMALE		20	ŏ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	1	ŏ	1	6	4	3	3	2
TOTALS		59	õ	õ	õ	õ	õ	ŏ	õ	ŏ	3	3	12	13	7	6	5	10
		STOMACH (151)	Ū	0	0	0	Ŭ	v	0	· ·	0	U	12	10	'	v	5	10
MALE	NEOFEASING OF .	310 Actin (131)	0	0	0	0	0	0	0	1	1	5	4	6	6	4	8	3
FEMALE		27	ŏ	õ	ŏ	õ	ŏ	ŏ	1	ò	3	2	1	2	2	4	3	9
TOTALS		65	ŏ	õ	ŏ	õ	ŏ	õ	÷	1	4	7	5	8	8	8	11	12
	NEOPLASMS OF	SMALL INTESTI			DUODE	•	. •	Ŭ	•		-	,	0	U	0	U		
MALE	NEOI EASIIS OF	1	0	0	0	0	- 0	0	0	0	0	0	1	0	0	0	0	0
FEMALE		2 .	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	õ	ŏ	ŏ	ò	ŏ	ŏ	ĭ	Ť	ŏ
TOTALS		3	õ	õ	ŏ	õ	ŏ	õ	ō	ŏ	õ	ŏ	1	õ	ŏ	i	Í	õ
	NEOPLASMS OF:	HEPATIC AND S	PIENIC F	LEXURE	S AND	TRANS	VERSE	COLON	(153.0). 153.1	. 153.7)		•	Ũ	•	•	•
FEMALE	NEDI ERGING DI I	1	0	0	0	0	0	0	0	0	0	Ó	0	0	0	0	0	1
TOTALS		1	õ	ŏ	ō	ŏ	ō	ō	õ	Ō	ŏ	ō	õ	ō	ŏ	ō	ŏ	1
	NEOPLASMS OF:	SIGMOID COLON	(153.3))	•	•	-	-	-	-	-	-	-	•	•	•	•	
MALE		3	0	Ó	0	0	0	0	0	0	0	0	0	0	1	0	2	0
FEMALE		2	ŏ	ŏ	ō	ō	ŏ	ō	ō	1	ō	ŏ	ō	ŏ	Ó	õ	ō	1
TOTALS		5	õ	õ	ō	ō	ō	Ō	Ō	1	ō	Ó	ō	ō	1	Ō	2	1
	NEOPLASMS OF:	CECUM, APPEND	IX AND A	SCENDI	NGCO	LON (15	53.4-1	53.6)										
MALE		7	0	0	0	o	0	o	0	0	2	0	0	0	1	1	2	1
FEMALE		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
TOTALS		9	Ō	Ō	0	0	0	0	0	0	2	0	0	0	1	1	2	З
	NEOPLASMS OF:	OTHER AND COL	ON, UNSF	PECIFIE	D (15	3.8-153	3.9)											
MALE		125	0	0	ò	0	ò	0	1	1	5	6	13	23	16	23	20	17
FEMALE		137	0	0	0	0	0	0	1	4	3	7	8	12	23	15	27	37
TOTALS		262	0	0	0	0	0	0	.2	5	8	13	21	35	39	38	47	54
		•							•									

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

113

.

.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

CAUSE	OF DE AND	ATH GROUP	PS	TOTAL DEATHS	******** UNDER 1 1	**** -4	***** 5-9 1	****** 0-14 1		****** 0-24 2		AT DE/ 35-44 4					****** 70-74	****** 75-79 8	***** 0-84	***** OVER 84
(CONT	г.)																			
MALIGN	NANT N	EOPLASMS	OF:	RECTUM. RECTO	SIGMOID J		ION AN	D ANUS	(154)											
MALE				22	0	0	0	0	0	0	0	1	2	2	1	5	5	4	1	1
FEMA	ALE.			30	Ō	Ō	Ō	ō	Ō	Ō	ō	1	3	ō	2	3	3	5	3	10
TOTA	ALS			52	0	0	0	0	0	0	0	2	5	2	3	8	8	9	4	11
MALIGN	NANT N	EOPLASMS	OF:	LIVER, PRIMAR	RY (155.0)	l.														
MALE	Ξ			10	0	0	0	0	0	0	0	1	0	0	0	3	4	1	1	0
, FEMA	ALE .			5	0	0	0	1	0	0	1	0	1	0	0	1	0	0	0	1
TOTA	-			15	0	0	0	1	0	0	1	1	1	0	0	4	4	1	1	1
MALIGN	NANT N	EOPLASMS	OF:	INTRAHEPATIC	BILE DUCT	'S (1	55.1)													
MALE	_			2	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
FEMA				6	0	0	0	0	0	0	0	0	0	1	0	1	1	1	1	1 *
τοτα				8	0	0	0	0	0	0	0	0	0	1	2	1	1	1	1	1
		EOPLASMS	OF:						ONDARY	•										
MALE				11	0	0	0	0	0	0	0	1	1	1	1	2	1	0	1	3
FEMA				3	0	0	0	0	• 0	0	0	0	0	0	.0	0	Q	0	0	3
TOTA				14	0	0	0	0	0	0	0	1	1	1	1	2	1	0	1	6
		IEOPLASMS	OF:	GALLBLADDER A				· ·				-		-	-	_	_			
MALE				14	0	0	0	0	0	0	0	0	1	0	0	3	3	2	4	1
FEMA				16	0	0	0	0	0	0	0	0	2	0	3	0	1	2	3	5
TOTA	-		~ -	30	0	0	0	0	0	0	0	0	3	0	3	3	4	4	7	6
		IEUPLASMS	UF:	PANCREAS (157	•	•	-	_	•	•	-	•		-				-		_
MALE				68	0	0	0	0	0	0	0	0	5	6	11	12	14	9	4	7
FEMA				63	0	0	0	0	0	0	0	1	2 7	3	8	7	9	14	7	12
TOTA			05.	131	0	•	0	0	0	0					19	, 19	23	23	11	19
		IEUPLASMS	UF:	RETROPERITON			M AND O	OTHER O	SITES	WITHIN	I THE	DIGESTI	IVE ORG	ANS (1	58-159		~	•	•	2
MALE FEMA				6 10	0	0	0	0	0	0	0	0	0	0	0 2	1	0 2	0 2	2 0	2
TOTA				16	0	0	0	. 0	0	0	· 0	0	0	9	2	2	2	2	2	ა 5
	-		05.	LARYNX (161)	0	0	0	. 0	0	0	. 0	0	0	1	2	2	2	2	2	5
MALIGN		LOPLASMS	UF:	17	0	0	0	0	0	0	0	0	3	2	6	2	1	2	o	
FEMA				7	0	õ	0	0	ŏ	0	0	ő	1	2	1	õ	2	õ	2	Ö
TOTA				24	0	õ	õ	0	ő	0	0	ő	4	3	7	2	23	2	2	0
				TRACHEA. BRON	•	•	. •		0	0	0	U	4	3	/	~	3	2	2	
MALIGN		LOP LA SHIS	01.	507	0			´ 0	0	0	1	4	39	54	58	96	98	87	48	22
FEMA				282	ŏ	ŏ	ŏ	ŏ	õ	ŏ	ò	7	31	20	45	57	54	32	15	21
TOTA				789	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ĭ	11	70	74	103	153	152	119	63	43
			OF:	ALL OTHER SIT	•	-	-	RATORY	-	•	•	ORACIC	ORGANS		163-16		104		00	70
MALIGN			0	6 G	0	0	0	0	0	Ö.	0	1	00000	0	0	,3, 1	2	0	2	0
FEMA	-			2	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ò	ŏ	ŏ	ŏ	ò	õ	ŏ	õ	2
TOTA				8	ŏ	ŏ	ŏ	õ	ŏ	ŏ	ŏ	ĭ	ŏ	ŏ	ŏ	1	2	ŏ	2	2
1915				Ŭ	Ũ	•	v	Ŭ	v	v	v	•	Ŭ	U	Ŭ	•	e -	v	~	e _

.

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

•

114

.

۰.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

CAUSE OF	DEATH GROUPS	TOTAL	******* UNDER	***** 1-4	****** 5-9 10			***** 0-24 2			•							**** OVER
AN	D SEX	DEATHS	1															84
(CONT.)																		
MALIGNANT	NEOPLASMS OF:	BONE AND ART	CULAR CA	RTILA	GE (170))												
MALE		4	0	0	0	0	0	0	1	0	0	0	0	0	2	1	0	0
FEMALE		5	0	0	0	0	1	0	0	0	1	0	1	0	1	0	0	1
TOTALS		9	0	0	0	0	1	0	1	0	1	0	1	0	3	1	0	1.
	NEOPLASMS OF:	CONNECTIVE AN			TISSUE	(171)		0		4	0	0		0		~	0	
MALE FEMALE		3	0	0	0	0	ŏ	0	ŏ	ŏ	0	1	0	0	1	3 0	1	
TOTALS		12	0	0	0	ő	1	ŏ	1	1	ő	1	1	ő	2	3	1	1
	NEOPLASMS OF:		•	•	U	U		U		•	0	I	•	U	2	3		
MALE	NEOLENGING OF .	21	Ŏ	´ o	0	0	0	0	1	5	2	0	2	2	4	0	3	2
FEMALE		10	Ō	Ō	Ō	Ō	0	0	1	З	1	Ō	0	2	0	2	0	1
TOTALS		31	0	0	0	0	0	0	2	8	3	0	2	4	4	2	3	3
	NEOPLASMS OF:					(173)		_	_		_	_	_	_	_			_
MALE		8	0	0	0	0	0	0	0	1	0	2	0	0	0	1	1	3
FEMALE		2	0	0	0	0	0	0	0	0	0	0 2	0	1	0	0	0	1
TOTALS	NEOPLASMS OF:	10	-	0	0	0	0	0	0	1	0	2	0	1	0	1	1	4
FEMALE	NEUPLASMS UF:	223	0	0	0	0	0	0	1	16	27	24	21	31	26	35	18	24
TOTALS	•	223	ő	õ	ŏ	ŏ	ŏ	ŏ	i	16	27	24	21	31	26	35	18	24
	NEOPLASMS OF:			·	Ŭ	Ū	· ·	•	·					•	_0			
MALE		3	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
TOTALS		3	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
	NEOPLASMS OF:									_	_							
FEMALE		19	0	0	0	0	0	1	1	2	3	2	2	2	2	0	2	2
TOTALS		19 01/150 04015 (0	0	0	0	1	1	2	3	2	2	2	2	0	2	2
FEMALE	NEOPLASMS OF:	20		0	, 181-18 O	o∠)	0	0	0	ο	2	1	2	1	7	2	2	3
TOTALS		20	0	õ	õ	õ	õ	õ	ŏ	õ	2	4	2	i	7	2	2	3
	NEOPLASMS OF:		-	•	•	183)	Ŭ	Ŭ	Ŭ	Ũ	-	•	-	•		-	-	Ŭ
FEMALE		67	0	0	0	ó	0	0	0	5	7	6	6	9	12	8	8	6
TOTALS		67	· 0	0	0	0	0	0	0	5	7	6	6	9	12	8	8	6
MALIGNANT	NEOPLASMS OF:				LE GENI	TAL O	RGANS	(184)										
FEMALE		3	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1
TOTALS		3	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1
MALIGNANI	NEOPLASMS OF:	173) 0	ο	0	0	0	0	0	0	з	3	9	19	34	30	43	32
TOTALS		173	0	0	õ	0	õ	ő	0	ŏ	3	3	9	19	34	30	43	32
	NEOPLASMS OF:		v	v	v	v	v	v	v	v	Ŭ	Ŭ	5	10	04			VL
MALE		1	0	0	0	0	о	0	ο	0	1	0	0	о	0	0	0	0
TOTALS		1	Ō	ō	Ō	Ō	Ō	Ō	Ō	Ō	1	Ō	Ō	Ō	Ō	Ō	Ō	Ō
	NEOPLASMS OF:	PENIS AND OTH		GENIT			,											
MALE		1	0	0	0	0	0	0	0	0	0	1	0	0.	0	0	0	0
TOTALS		1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

•

•

115

.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS		***** 1-4							ATH(YRS 45-54 5							***** OVER 84
(CONT.)																	
MALIGNANT NEOPLASMS OF:	• •																
MALE	54	0	0	0	0	0	0	0	0	2	2	6	6	6	11	10	11
FEMALE	25	0	0	0	0	0	0	0	0	1	0	0	3	4	4	4	9
TOTALS	79	0	0	0	0	0	0	· 0	0	3	2	6	9	10	15	14	20
MALIGNANT NEOPLASMS OF:						RGANS	(189)	_	-	_	_	_	_			_	
MALE	41	0	0	0	0	0	0	0	3	3	2	2	8	11	2	6	4
FEMALE	29	0	0	0	0	0	0	0	0	1	1	0	4	7	5	5	6
TOTALS	70	0	0	0	0	0	0	0	З	4	3	2	12	18	7	11	10
MALIGNANT NEOPLASMS OF:	EYE (190)																
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
MALIGNANT NEOPLASMS OF:		-	_			_	-			-		_			_		
MALE	31	0	0	1	1	0	.0	1	1	6	2	5	4	1	6	2	1
FEMALE	25	0	1	1	1	0	0	0	0	0	2	1	4	1	9	2	3
TOTALS	56	0	1	2	2	0	0	1	1	6	4	6	8	2	15	4	4
MALIGNANT NEOPLASMS OF:					LANDS,	RELA		RUCTURE	S (193	3-194)							
MALE	5	0	0	0	0	0	0	0	1	1	0	1	0	0	1	1	0
FEMALE	5	0	1	1	0	0	0	0	0	0	0	1	0	1	0	0	1
TOTALS	10	0	1	1	0	0	0	0	1	1	0	2	0	1	1	1	1
MALIGNANT NEOPLASMS OF:				SITES	(195-1	/				_						_	
MALE	99	0	0	0	0	0	0	2	1	7	7	10	19	16	16	7	14
FEMALE	108	0	0	0	0	0	0	0	0	2	8	13	9	18	21	19	18
TOTALS	207	0	0	0	0	0	0	2	1	9	15	23	28	34	37	26	32
LYMPHOSARÇOMA AND RETICU				_	_	-	-	_	_								
MALE	7	0	0	0	0	0	0	0	0	1	1	0	1	2	1	0	1
FEMALE	11	0	0	0	0	0	0	0	0	1	0	1	1	2	3	1	2
TOTALS	18	0	0	0	0	0	0	0	0	2	1	1	2	4	4	1	3
HODGKIN'S DISEASE (201)		-	_	_		-	_		-								_
MALE	4	0	0	0	0	0	0	1	0	0	0	1	1	0	0	1	0
FEMALE	7	0	0	0	0	1	0	0	1	1	1	0	1	0	2	0	0
TOTALS	11	0	0	0	0	1	0	1	. 1	1	1	1	2	0	2	1	0
OTHER MALIGNANT NEOPLAS						202)		-				_	-	_	-	-	-
MALE	37	0	0	0	0	0	0	0	2	4	1	5	6	5	6	2	6
FEMALE	37	0	0	0	0	0	0	0	1	3	0	3	4	9	6	2	9
TOTALS	74	0	0	0	0	0	0	0	3	7	1	8	10	14	12	4	15
MULTIPLE MYELOMA AND IM					_	-	-	-		•	-	-		_			
MALE	24	0	0	0	0	0	0	0	0	0	0	6	4	5	4	1	4
FEMALE	21	0	0	0	0	0	0	0	0	1	0	0	3	4	2	6	5
TOTALS	45	0	0	0	0	0	0	0	0	1	0	6	•7	9	6	7	9
1																	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

		******	*****	*****	*****	*****	*****	* AGE	AT DEA	TH(YRS	.) ***	*****	*****	*****	*****	*****	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10	D-14 19	5-19 20	0-24 2	5-34 3	5-44 4	5-54 5	5-59 6	0-64 6	5-69 7	0-74 7	5-79 8	0-84	OVER 84
(CONT.)																	
LYMPHOID LEUKEMIA (204)				•													
MALE	21	0	0	0	0	0	0	1	1	1	2	2	2	1	3	5	3
FEMALE	13	0	0	0	0	1	0	0	0	0	1	1	2	3	3	2	0
TOTALS	34	0	0	0	0	1	0	1	1	1	3	3	4	4	6	7	3
MYELOID LEUKEMIA (205)																	
MALE	14	0	0	0	0	0	0	1	0	1	0	2	З	2	4	1	0
FEMALE .	17	0	0	0	0	0	0	1	2	1	2	0	1	1	2	3	4
TOTALS	31	0	0	0	0	0	0	2	2	2	2	2	4	3	6	4	4
MONOCYTIC LEUKEMIA (206)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
OTHER AND UNSPECIFIED LEUKI	•	-	-		-	~	•	•	•		•	-		•		-	~
MALE	19	0	0	0	0	0	0	0	0	1	o	3	4	2	2	5	2
FEMALE	15	0	0	0	0	0	0	0	1	0	1	1	0	3 5	2	2	5 7
TOTALS	34	0	0	0	0	0	0	0	1	1	1	4	4	5	4	7	/
BENIGN NEOPLASMS OF EYE, B				NERVOUS				~	~	~	~			~		~	^
FEMALE	3	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0
TOTALS	3	0	0	0	0		0		0	0	0	1	1	0		0	0
BENIGN NEOPLASMS OF ALL OTH		0	0 5116	0	-217,22	0	,226-2.		0	1	o	0	0	0	о	o	4
FEMALE TOTALS	2 2	ő	ŏ	ŏ	õ	ŏ	0	0	ŏ	i	ő	ŏ	ŏ	ŏ	õ	ŏ	4
CARCINOMA OF ALL OTHER AND	_	-		232.234	. •	U	v	0	U		0	0	0	<u>.</u>	U	U	1
MALE		0 31153	0	232,23	, 0	0	0	0	ο	0	o	0	1	0	0	0	0
· · · · - =	1	ő	ŏ	0	0	` õ	ŏ	ŏ	ŏ	ŏ	0	ŏ	1	ŏ	ŏ	· 0	ŏ
TOTALS NEOPLASMS OF UNCERTAIN BEH	AVIOD (225-	÷	U	U	0	U	U	U	0	0	0	U	•	0	U	0	Ŭ
MALE	4VIUR (235- 7	238)	0	0	0	0	0	0	o	0	0	1	0	0	1	2	3
FEMALE	7	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ĩ	ŏ	ŏ	1	ŏ	i	2	2
TOTALS	14	õ	ŏ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	i	ŏ		i	ŏ	2	4	5
NEOPLASMS OF UNSPECIFIED N		•	v	v	v	Ũ	Ŭ	Ŭ	Ŭ	•	Ŭ	•	•	Ũ	-	•	Ū
MALE	12	0	0	0	0	2	0	0	2	2	0	0	2	2	1	0	1
FEMALE	21	ŏ	ŏ	õ	ŏ	ō	õ	2	1	2	õ	1	1	2	2	4	6
TOTALS	33	ŏ	õ	ŏ	õ	2	õ	2	3	4	ŏ	1	3	4	3	4	7
DISORDERS OF THYROID GLAND	(240 - 246)		-		-												
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	7	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	4
TOTALS	8	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	5
DIABETES MELLITUS (250)																	
	U																
MALE	105	о	о	0	о	0	0	1	4	6	9	9	16	20	19	8	13
MALE FEMALE	105 137	0 0	0 0 0	0 0	0 0	0 0 0	0 0	1 2 3	4 3 7	6 7 13	9 4 13	9 11 20	16 11 27	20 24 44	19 30 49	8 18 26	13 27 40

.

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

17

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

		*****	****						AT DEAT								****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10	-14 1	5-19 20	0-24 2	5-34 3	5-44 49	5-54 55	6-59 60	0-64 69	5-69 70	0-74 7	5-79 8	0-84	OVER 84
(CONT.)																	
DISORDERS OF ADRENAL GLAND	S (255)																
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
CYSTIC FIBROSIS (277.0)	-	-	-	-	-		•						-	_		-	_
MALE	2 1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
FEMALE TOTALS	1	0	0	0	1	0	0	0	0 1	0	0	0	0	0	0	0	0
OBESITY (278.0)	3	0	0	0		0	0	1		0	0	0	0	0	0	0	0
MALE	5	0	0	0	0	0	0	0	0	0	2	3	0	0	0	0	0
FEMALE	4	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ō	ŏ	2	ŏ	ŏ	ŏ	2
TOTALS	9	0	0	0	ō	0	0	0	0	0	2	3	2	Ō	ō	ō	2
ALL OTHER ENDOCRINE, METAB	DLIC DISEAS	SES & IMM	UNIT	Y DISORD	. (25	1-252,	256-259	9,270,3	276,273	7.1-277	.9,278	3.1-279	9)				
MALE	20	0	0	0	0	0	0	1	0	1	0	4	4	2	2	5	1
FEMALE	29	0	0	0	0	0	0	0	0	1	3	1	0	4	3	3	14
TOTALS	49	0	0	0	0	0	0	1	0	2	3	5	4	6	5	8	15
OTHER PROTEIN-CALORIE MALN	· · · · · · · · · · · · · · · · · · ·	262-263)	•	0	0	0	0	0	~	0	0	~	~	•		•	-
MALE FEMALE	6 10	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	5 8
TOTALS	16	ŏ	ŏ	0	õ	õ	ŏ	0	ŏ	ŏ	õ	ŏ	ŏ	ŏ	2	1	13
ALL OTHER NUTRITIONAL DEFI		•	•	Ũ	Ũ	Ŭ	Ũ	Ũ	Ŭ	Ũ	U	Ū	Ŭ	v	~	•	10
MALE	1	0	ó	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
DEFICIENCY ANEMIAS (280-28	1)																
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	ຸ 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
HEMOLYTIC ANEMIAS (282-283) 3	0	0	•	0	0	0	0	~	•	0	•			•	•	
MALE FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1 0	1	0	0	1
TOTALS	6	ŏ	ŏ	õ	õ	õ	õ	ŏ	õ	õ	õ	õ	1	2	4	, 1	1
APLASTIC ANEMIA (284)	Ū	Ũ	Ũ	Ũ	Ŭ	Ŭ	Ŭ	Ŭ	Ũ	Ũ	Ũ	Ũ	•	-		•	•
MALE	7	0	0	0	0	0	0	0	0	0	0	0	1	2	3	0	1
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	з	0	0	1
TOTALS	11	0	0	0	0	0	0	0	0	0	0	0	1	5	3	0	2
OTHER AND UNSPECIFIED ANEM	- , ,																
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
FEMALÉ	2	0.	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTALS PURPURA AND OTHER HEMORRHA	4 210 CONDIT	0 IONS (287	$^{\circ}$	0	0	0	0	0	0	0	0	0	0	0	0	1	3
MALE	2	0	, 0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
FEMALE	1	ő	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	1	ò	ò
TOTALS .	3	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	i	1	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

AND SEX DEATHS 1 84 (CONT.) ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289) 8 0 0 0 1 0 2 1 0 0 3 1 0 MALE 8 0 0 0 0 1 0 2 1 0 0 3 1 0 0 0 1 0 2 1 0 0 3 1 0 0 0 0 0 1 0 3 1 0 0 0 0 1 0 0 3 1 0 0 0 0 0 1 0 3 1 0 <th></th> <th></th> <th>******</th> <th>****</th> <th>******</th> <th>****</th> <th>*****</th> <th>*****</th> <th>* AGE</th> <th>AT DEA</th> <th>TH(YRS</th> <th>.) ***</th> <th>*****</th> <th>*****</th> <th>*****</th> <th>*****</th> <th>*****</th> <th>****</th>			******	****	******	****	*****	*****	* AGE	AT DEA	TH(YRS	.) ***	*****	*****	*****	*****	*****	****
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289) MALE 8 0 0 0 0 1 0 2 1 0 0 3 1 0 FEMALE 11 0 0 0 0 0 1 0 0 2 2 1 0 5 TOTALS 19 0 0 0 0 0 2 1 2 2 4 1 5 SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)			UNDER 1	1-4	5-9 10)-14 1	5-19 20	0-24 2	5-34 3	5-44 49	5-54 59	5-59 60	0-64 6!	5-69 7	0-74 7	5-79 8	0-84	
MALE 8 0 0 0 0 0 1 0 2 1 0 0 3 1 0 FEMALE 11 0 0 0 0 0 1 0 0 2 2 1 0 0 5 TOTALS 19 0 0 0 0 0 2 1 2 2 4 1 5 SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)	(CONT.)																	
MALE 8 0 0 0 0 0 1 0 2 1 0 0 3 1 0 FEMALE 11 0 0 0 0 0 1 0 0 2 2 1 0 0 5 TOTALS 19 0 0 0 0 0 2 1 2 2 4 1 5 SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)	ALL OTHER DISEASES OF BLOOD	AND BLOO	D-FORMING	G ORG	ANS (286	,288-	289)											
TOTALS 19 0 0 0 0 0 0 0 2 0 2 1 2 2 4 1 5 SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290) MALE 32 0 0 0 0 0 0 0 0 0 3 3 12 14 FEMALE 51 0 0 0 0 0 0 0 0 0 1 1 7 13 28								0	0	1	0	2	1	0	0	3	1	0
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290) MALE 32 0	FEMALE	11	0	0	0	0	0	0	0	1	0	0	0	2	2	1	0	5
MALE 32 0 <td>TOTALS</td> <td>19</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>2</td> <td>0</td> <td>2</td> <td>1</td> <td>2</td> <td>2</td> <td>4</td> <td>1</td> <td>5</td>	TOTALS	19	0	0	0	0	0	0	0	2	0	2	1	2	2	4	1	5
MALE 32 0 <td>SENILE AND PRESENILE ORGANI</td> <td>C PSYCHOT</td> <td>IC CONDIT</td> <td>IONS</td> <td>(290)</td> <td></td>	SENILE AND PRESENILE ORGANI	C PSYCHOT	IC CONDIT	IONS	(290)													
					Ó	0	0	0	0	0	0	0	0	0	3	3	12	14
TOTALS 83 0 0 0 0 0 0 0 0 0 1 1 4 10 25 42			ō	Ō	Ō	Ō	Ō	0	Ó	0	Ō	Ō	1	1	1	7	13	28
		83	ō	ō	ō	ō	Ō	Ō	Ō	Ö	Ō	Ō	Ť	1	4	10	25	42
ALCOHOLIC PSYCHOSES (291)			-			-										-		
		1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
		2	õ	ō	ō	Ō	ō	ō	ō	Ó	Ó	ō	ō	ō	ŏ	Ō	ō	2
		3	-	-	-	-	-	-	ō	ō		-	-	-	-	-	-	2
ALL OTHER PHYCHOSES (292-299)		9) [°]	Ū.	v	•	•	•	•	•	•	•	•	•	•	•	•	·	-
	·· · · · · · · · · · · · · · · · · ·	,	0	0	0	0	0	0	0	0	0	1	1	1	2	1	4	4
			-	-	-	-	-	-	-	-	-	•	•			•		15
			-	-	-	-	-	-	-	-	-	-	-	-	•	-		19
ALCOHOL DEPENDENCE SYNDROME (303)			Ŭ	Ŭ	Ŭ	Ũ	Ũ	Ŭ	Ū	Ũ	Ŭ	•	•	•	Ŭ	Ū	Ŭ	10
			0	0	0	0	1	0	2	3	6	2	6	5	0	3	1	0
		- +	-	•	-	-	ò	-		-	-		-		-	-	-	ŏ
		-	-	-	-	•	ĭ	-	•	-	-				-	-		ŏ
OTHER NEUROTIC, PERSONALITY AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)		- ·	•	•	•	v	(200-2	•		Ŭ	0	5	'	U	U	5	2	U
										2	2	0	0	^	2	2	0	5
			-	-	-	-	-	-	•	_		-	-	-	-		-	5
		. –	-	-	-	•	-	-	•	•		-	-	•	•	-		12
			0	0	0	0	0	0	0	2	3	0	0	1	3	5	2	12
MENTAL RETARDATION (317-319)	•		•	~		~	•	~	~	~	~	~	~	~	•	~	~	
			-	-		-	-		-	-	-	-	-	-	-	-	-	1
		•	-	-		-	-	-	-	-		-	-	-	•	-	-	0
		3	0	Ø	1	0	0	0	0	0	0	0	0	0	1	0	0	1
MENINGITIS (320-322)			•	~	•	~	•	•	•	•		•	<u> </u>	~	•	•	•	•
		1	•	-	-	•	-	-	-	-	•	-	-	-	-	-	-	0
		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0
		2	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
PARKINSON'S DISEASE (332)			_											_	_			
			-	-	-	-	-	-	-	-	-	-			-			13
			•	-	-	-	-	-	•	-	•	-	•		-		•	11
			•	-	•	•	•	•	•	•	-	0	2	5	9	6	17	24
OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)									330-33	1,333-3					_			
			0	-	-	-	-	-	1	1	-	-	•	-	-			21
	FEMALE		1			1			•	-	-	1	-	-	-			43
TOTALS 168 1 2 0 1 0 0 2 1 0 1 9 7 13 30 37 64	TOTALS	168	1	2	0	1	0	0	2	1	0	1	9	7	13	30	37	64

.

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

•

.

118

119 ·

•

· · · · ·

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** UNDER 1		******* 5~9 1(AT DEA 5-44 4								***** OVER 84
(CONT.)																	
MULTIPLE SCLEROSIS (340)																	
MALE	6	0	0	0	0	0	0	0	0	2	0	1	1	0	2	0	0
FEMALE	13	0	0	0	0	0	0	0	1	2	2	2	1	4	0	1	0
TOTALS	19	0	0	0	0	0	0	0	1	4	2	3	2	4	2	1	0
INFANTILE CEREBRAL PALSY	(343)																
FEMALE .	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
EPILEPSY (345)																	
MALE	3	0	0	0	0	0	0	2	0	0	0	0	0	0	1	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0
TOTAĽS	6	0	0	ο.	0	0	0	2	0	0	1	2	0	0	1	0	0
OTHER DISEASES OF THE NER	VOUS SYSTEM	(323-32	6,341-	342,344	1,346-3	359)											
MALE	16	0	0	Ó	0	ò	1	1	0	1	1	0	3	3	3	1	2
FEMALE	19	0	0	1	0	0	0	0	0	0	1	1	1	3	4	2	6
TOTALS	35	0	0	1	Ó	Ó	1	1	Ó	1	2	1	4	6	7	3	8
DISEASES OF MITRAL VALVE	(394)																
MALE	2	0	0	0	o '	0	0	0	0	0	0	0	0	1	0	1	0
FEMALE	13	0	0	0	0	0	0	0	0	1	0	1	1	3	5	2	ō
TOTALS	15	0	0	0	0	0	0	0	0	1	Ó	1	1	4	5	3	Ó
DISEASE OF AORTIC VALVE (395)																
FEMALE	. 1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	1	0	ò	ò	Ō	Ō	Ō	Ō	õ	ō	ō	ō	ō	1	õ	ō	ŏ
DISEASES OF MITRAL AND AO	RTIC VALVES	(396)	-	_	-	-	-	_	-	-	•	•	•	•	•	-	•
MALE	1	Ó	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE .	3	ŏ	ō	ō	õ	õ	ŏ	ō	ō	ō	õ	ō	ò	ō	ŏ	ŏ	3
TOTALS	4	õ	õ	õ	ō	ō	õ	ō	ō	ŏ	ŏ	ŏ	1	ŏ	õ	ŏ	3
ALL OTHER CHRONIC RHEUMAT	IC HEART DI	SEASE (39	93.397	7-398)	-	-	-	-	-	-	-	-		-	•	-	-
MALE	1	o	Ó	o	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	13	Ó	0	0	õ	ō	Ō	Ō	Ō	ō	ŏ	1	2	1	1	2	6
TOTALS	14	õ	õ	õ	ò	ō	õ	õ	õ	õ	õ	Í	3	i	1	2	6
ESSENTIAL HYPERTENSION (4	01)	-	•	•	•	•	•	•	•	•	Ŭ	•	•	•	•	-	· ·
MALE	.7	0	0	0	0	0	0	1	0	1	0	1	1	1	2	0	0
FEMALE	11	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ò	ŏ	ò	ĭ	1	ò	i	2	ĭ	5
TOTALS	18	õ	ŏ	ŏ	ŏ	õ	ŏ	1	ŏ	1	i i	2	1	2	4	Í	5
HYPERTENSIVE HEART DISEAS		U	Ũ	Ũ	Ŭ	Ŭ	Ŭ	•	Ŭ	•	•	-	•	~	-	•	5
MALE	30	0	0	0	0	0	0	1	1	2	0	1	4	5	7	3	6
FEMALE	45	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ò	i	ō	ŏ	i	5	3	5	8	22
TOTALS	75	ŏ	ŏ	ŏ	õ	ŏ	ŏ	1	2	ž	ŏ	2	9	8	12	11	28
HYPERTENSIVE RENAL DISEAS		÷	v	~	v	v	v	•	-	~	v	-	0	0	12	••	20
MALE	14	0	0	0	0	0	0	0	0	0	0	1	0	з	3	1	6
FEMALE	8	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ò	ŏ	1	1	2	4
TOTALS	22	ŏ	ŏ	ŏ	õ	õ	ŏ	ŏ	õ	ŏ	ŏ	1	õ	4	4	3	10
	~ ~	Ũ	v	v		J	Ũ	v	v	5	0	•	0	-	-	5	.0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

CAUSE OF DEATH GROUPS	TOTAL	****** UNDER	***** 1-4	******			****** 0-24 2										***** OVER
AND SEX	DEATHS	1	• •	001			0 24 24		0 41 4	0 04 0	0 00 0	0 0. 0		• • •			84
(CONT.)																	
HYPERTENSIVE HEART AND R	ENAL DISEASE	(404)															
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
FEMALE	10	0	0	0	0	0	0	0	0	0	0	1	0	1	5	2	1
TOTALS	12	0	0	0	0	0	0	0	0	0	0	1	0	1	5	4	1
ACUTE MYOCARDIAL INFARCT	• •																
MALE	666	0	0	0	0	0	0	4	16	39	24	61	96	105	127	109	85
FEMALE	543	0	0	0	. 0	0	0	0	4	9	20	28	51	65	102	98	166
TOTALS	1,209	0	0	0	0	0	0	4	20	48	44	89	147	170	229	207	251
OTHER ACUTE AND SUBACUTE					(411)		_	_			_						
MALE	6	0	0	ο.	0	0	0	0	0	2	0	1	2	0	0	1	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	. 0	1
TOTALS	8	0	0	0	0	0	0	0	0	2	0	1	3	0	0	1	1
ANGINA PECTORIS (413)							_	_		_		_	_				_
MALE	6	0	0	0	0	0	0	0	1	0	1	0	0	1	2	1	o
FEMALE	10	0	0	Ο.	0	0	0	0	0	0	0	0	1	1	0	3	5
TOTALS	16	0	0	0	0	0	0	0	1	0	1	0	1	2	2	4	5
ALL OTHER FORMS OF CHRON				(412, 4)			-										
MALE	631	0	0	0	0	0	0	1	14	34	25	48	73	87	120	116	113
FEMALE	661	0	0	0	0	0	0	0	2	10	7	18	32	47	98	141	306
TOTALS	1,292	0	0	0	0	0	0	1	16	44	32	66	105	134	218	257	419
DISEASES OF PULMONARY CI	RCULATION (41	5-417)															
MALE	25	0	0	0	0	0	0	1	1	2	2	0	1	6	5	5	2
FEMALE	23	1	0	0	0	0	0	0	0	1	2	1	3	3	4	3	5
TOTALS	48	1	0	0	0	0	0	1	1	3	4	1	4	9	9	8	7
ACUTE AND SUBACUTE ENDOC					_		_	_	_	_		_	_	_	_	_	_
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
FEMALE	2	0	0	0	0	0	0	. 0	0	0	0	0	1	0	0	1	0
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0
ACUTE PERICARDITIS, ACUT						RICARD		20,422		_							
MALE	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0
FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	3	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	0
MITRAL VALVE DISORDERS (
MALE	5	0	0	0	0	0	0	0	0	0	0	1	1	0	1	2	0
FEMALE	7	0	0	0	0	0	0	0	0	1	0	0	0	2	1	2	1
TOTALS	12	0	0	0	0	0	0	0	0	1	0	1	1	2	2	4	1
AORTIC VALVE DISORDERS (•					_				-			_		_	-	_
MALE	26	0	0	0	0	0	0	0	0	2	0	2	3	2	3	5	9
FEMALE	33	0	0	0	0	0	0	0	1	0	0	3	4	3	4	4	14
TOTALS	59	0	0	0	. 0	0	0	0	1	2	0	5	7	5	7	9	23

.

.

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

120

. . •

.

121

.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX TOTAL DEATHS UNDER 1-4 5-9 10-14 15-19 20-24 25-34 35-44 45-54 55-59 60-64 65-69 70-74 75-79 80-84 DVER 84 (CONT.) ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)		*******	******	******	*****	*****	** AGE	AT DE		S.) ***	*****	******	*****	*****	*****	****
ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9) MALE 7 0 0 0 0 0 0 0 0 1 1 0 1 FEMALE 13 0 0 0 0 0 0 1 0 1 2 5 4 TOTALS 20 0 0 0 0 0 0 1 4 0 2 3 5 5 HEART FAILURE (428)			4 5-9													OVER
MALE 7 0 0 0 0 0 0 0 0 0 1 1 0 1 FEMALE 13 0 0 0 0 0 0 0 1 0 1 2 5 4 TOTALS 20 0 0 0 0 0 0 1 4 0 2 3 5 5 HEART FAILURE (428) 73 1 0 0 0 0 0 0 2 3 5 7 9 11 8 27 FEMALE 73 1 0 0 0 0 0 2 3 5 7 9 11 8 27 FEMALE 110 0 0 0 0 0 0 0 2 3 5 7 9 11 8 27 FEMALE 130 0 0 0 0 0 0 2 5 6 10 20 20<	(CONT.)															
FEMALE 13 0 0 0 0 0 1 0 0 1 2 5 4 TOTALS 20 0 0 0 0 0 0 0 1 2 5 4 HEART FAILURE (428) MALE 73 1 0 0 0 0 0 0 0 2 3 5 5 MALE 73 1 0 0 0 0 0 0 0 2 3 5 7 9 11 8 27 FEMALE 110 0 0 0 0 0 0 0 0 2 3 5 7 9 11 8 27 FEMALE 110 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 64 TOTALS 183 1 0 0 0 0 0 0 0 0 0 0	ALL OTHER DISEASES OF ENDOCARDIUM (4	24.2-424.9)														
TOTALS 20 0 0 0 0 0 0 1 4 0 2 3 5 5 HEART FAILURE (428) MALE 73 1 0 0 0 0 0 0 2 3 5 7 9 11 8 27 FEMALE 110 0 0 0 0 0 0 0 0 2 3 5 7 9 11 8 27 FEMALE 110 0 0 0 0 0 0 2 1 3 11 9 20 64 TOTALS 183 1 0 0 0 0 0 2 5 6 10 20 20 28 91 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1) 0 0 0 0 0 0 1 0 0 1 MALE 2 0 0 0 0 0 0 0 0 0	MALE 7	0	o 0	0	0	0	0	0	0	0	4	0	1	1	0	1
HEART FAILURE (428) MALE 73 1 0 0 0 0 2 3 5 7 9 11 8 27 FEMALE 110 0 0 0 0 0 0 2 1 3 11 9 20 64 TOTALS 183 1 0 0 0 0 0 2 5 6 10 20 28 91 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1) 1 0 0 1 0 1 1 0 1 1 1 1 0 0 1 1 0 0 1 1 0 1 <td></td> <td>0</td> <td>0 0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>1</td> <td>0</td> <td>0</td> <td>1</td> <td>2</td> <td>5</td> <td>4</td>		0	0 0	0	0	0	0	0	0	1	0	0	1	2	5	4
MALE 73 1 0 0 0 0 0 2 3 5 7 9 11 8 27 FEMALE 110 0 0 0 0 0 0 0 2 1 3 11 9 20 64 TOTALS 183 1 0 0 0 0 0 2 5 6 10 20 20 28 91 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1) - - - - - - - - 1 0 0 1 0 0 1 MALE 2 0 0 0 0 0 0 0 0 0 0 1 0 0 1	TOTALS 20	0	o o	0	0	0	0	0	0	1	4	0	2	3	5	5
FEMALE 110 0 0 0 0 0 0 0 0 0 0 0 0 0 2 1 3 11 9 20 64 TOTALS 183 1 0 0 0 0 0 2 5 6 10 20 20 28 91 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1) 0 0 0 0 0 0 0 0 1 0 1 MALE 2 0 0 0 0 0 0 0 0 1	HEART FAILURE (428)															
TOTALS 183 1 0 0 0 0 0 2 5 6 10 20 20 28 91 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1) MALE 2 0 0 0 0 0 0 0 0 1 0 1		1	0 0	0	0	0	0	0	2	3	5	7	9	11	8	27
MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1) MALE 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 1	FEMALE 110	0	0 0	0	0	0	0	0	0	2	1	3	11	9	20	64
MALE 2 0 0 0 0 0 0 0 0 0 0 0 1 0 0 1	TOTALS 183	1	0 0	0	0	0	0	0	2	5	6	10	20	20	28	91
	MYOCARDITIS, UNSPECIFIED AND MYOCARD	IAL DEGENER	ATION (4	429.0-4	29.1)											
	MALE 2	0	o o	0	0	0	0	0	0	0	0	0	1	0	0	1
	TOTALS 2	0	0 0	0	0	0	0	0	0	0	0	0	1	0	0	1
ALL OTHER FORMS OF HEART DISEASE (425-427,429.2-429.9)		5-427,429.2	-429.9)													
MALE 330 0 1 0 1 1 2 3 10 24 15 38 41 51 59 40 44		0	1 0	1	1	2	3	10	24	15	38		51	59	40	44
FEMALE 356 0 1 0 0 0 0 4 5 8 13 21 20 52 59 173		•		-	0	-							20		59	173
TOTALS 686 0 2 0 1 1 2 3 14 29 23 51 62 71 111 99 217		0	2 0	1	1	2	3	14	29	23	51	62	71	111	99	217
SUBARACHNOID HEMORRHAGE (430)	SUBARACHNOID HEMORRHAGE (430)															
MALE 7 0 0 0 0 0 0 1 0 0 2 0 1 1 2 0	MALE 7	0	0 0	0	0	0	0	1	0	0	2	0	1	1	2	0
FEMALE 13.0000000040331110		0	0 0	0	0	0	0	0	4	0	3	3	1	1	1	0
TOTALS 20 0 0 0 0 0 0 1 4 0 5 3 2 2 3 0		•	• •	•	0	0	0	1	4	0	5	3	2	2	3	0
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)		HEMORRHAGE	(431-4	32)												
MALE 34 0 0 0 0 0 3 0 7 1 3 2 5 8 1 4		0	0 0	0	0	0	3	0	7	1	3	2	5	8	1	4
FEMALE 56 0 0 0 0 0 1 1 3 2 1 4 11 8 14 11		0		•		0	-						11			11
TOTALS 90 0 0 0 0 0 4 1 10 3 4 6 16 16 15 15		•	• •	0	0	0	4	1	10	3	4	6	16	16	15	15
OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)		L ARTERIES	(433)													
MALE 7 0 0 0 0 0 0 1 0 0 1 1 0 1 1 2	•	•	•	-	•	-	-	•	-	-	•		-	-	-	2
FEMALE 11 0 0 0 0 0 1 0 3 2 0 4		-		-	•	•	•	•	-		-	-			+	4
TOTALS 18 0 0 0 0 0 0 2 1 3 3 1 6		•		•	•	· · ·	•	. –	0	0	2	1	3	3	1	6
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)							,434.9) .								
MALE 39 0 0 0 0 0 0 1 1 0 0 7 8 5 4 13				_	•		-	1	-			-	-			-
FEMALE 39 0 0 0 0 0 0 0 1 0 0 2 5 2 9 20		-			•	-	-	-	•	-	-		-		-	-
TOTALS 78 0 0 0 0 0 0 1 2 0 0 9 13 7 13 33		0	0 0	0	0	0	0	1	2	0	0	9	13	7	13	33
CEREBRAL EMBOLISM (434.1)																
MALE 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0		-		-	-	-	-	-	-		-	-	-	-		-
FEMALE 1 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0			• •	-	-	-	-	-	-	-	-		-	-	-	-
TOTALS 2 0 0 0 0 0 0 0 0 0 0 0 1 1 0		•	•	0	0	0	0	0	0	0	0	0	0	1	1	0
ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)		•	/													
MALE 173 0 0 0 0 0 0 2 4 1 9 12 21 39 41 44		-		-	-					1						
FEMALE 246 0 0 0 1 0 0 0 0 1 9 8 20 37 55 115		-			-	_	_	-	-	•	-	_				
TOTALS 419 0 0 0 1 0 0 0 2 4 2 18 20 41 76 96 159	TOTALS 419	0	0 0	1	0	0	0	2	4	2	18	20	41	76	96	159

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

1

.

.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

		*****	*****	******	*****	*****	*****	* AGE	AT DEA	TH(YRS.) ***	*****	*****	*****	*****	*****	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10	D-14 1	5-19 2(0-24 2	5-34 3	5-44 4	5-54 59	5-59 6	0-64 6	5-69 7	0-74 7	75-79 8	80-84	OVER 84
(CONT.)				•													
OTHER CEREBROVASCULAR DI	SEASE (435.43	37-438)															
MALE	33	0	0	0	0	0	0	0	0	0	0	1	6	1	7	9	9
FEMALE	56	0	0	0	0	0	0	0	1	0	0	0	1	4	11	12	27
TOTALS	89	0	0	0	0	0	0	0	1	0	0	1	• 7	5	18	21	36
ATHEROSCLEROSIS (440)																	
MALE	43	0	0	0	0	0	0	0	2	0	4	3	4	4	7	2	17
FEMALE	74	0	0	0	0	0	0	0	0	0	0	2	2	3	4	9	54
TOTALS	117	0	0	0	0	0	0	0	2	ò	4	5	6	7	11	11	71
AORTIC ANEURYSM (441)																	
MALE	71	0	0	0	0	0	0	0	1	1	з	6	11	16	14	12	7
FEMALE	40	0	0	0	0	0	0	0	Ö	0	2	3	4	2	9	9	11
TOTALS	111	0	· 0	0	0	0	0	0	1	1	5	9	15	18	23	21	18
ALL OTHER DISEASES OF AR	TERIES, ARTER	IOLES, /	AND CA	PILLAR:	IES (4	42-448))										
MALE	· 1 7	0	0	0	0	0	0	0	0	1	1	2	4	1	5	3	0
FEMALE	33	0	0	0	0	0	0	0	0	1	1	0	6	1	4	7	13
TOTALS	50	0	0	0	0	0	0	0	0	2	2	2	10	2	9	10	13
PHLEBITIS, THROMBOPHLEBI	TIS, AND VENC	US EMBOI	LISM A	ND THR	DMBOSI	s (451-	-453)										
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
FEMALE	5	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	2
TOTALS	6	0	0	0	0	0	0	0	1	0	0	2	1	0	0	0	2
OTHER DISEASES OF VEINS,	LYMPHATICS,	AND CIRC	CULATO	DRY SYS	ТЕМ (4	54-459))										
MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1
FEMALE	6	0	0	0	0	0	0	0	0	0	1	0	0	0	1	3	1
TOTALS	9	· 0	0	0	0	0	0	0	0	0	1	0	1	0	2	3	2
ACUTE UPPER RESPIRATORY	INFECTIONS (4	60-465)															
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
OTHER DISEASES OF UPPER	RESPIRATORY 1	RACT (4	70-478	3)													
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	1	0	0	0	0	0	ο΄	0	0	0	0	0	0	1	0	0	0
ACUTE BRONCHITIS AND BRO	NCHIOLITIS (4	66)		-													
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	5	0	0	0	0	0	0	0	1	0	0	0	0	0	1	2	1
TOTALS	6	0	0	0	0	0	0	0	1	0	0	0	1	0	1	2	1
VIRAL PNEUMONIA (480)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	1	ŏ	ŏ	ŏ	ō	ō	ō	ō	ō	Ō	ō	ō	Ō	ō	ō	ō	1
TOTALS	2	ŏ	ó	ŏ	ō	ŏ	õ	ō	ō	ō	õ	ō	ō	ō	ō	ō	2
· · · · · · · · · · · · · · · · · · ·	—	-	-	-	-	-	-	-		-	-	-	-	-	-	-	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

										ATH(YRS							
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10)-14 1	5-19 20	0-24 2	5-34 3	35-44	45-54 59	5-59 E	0-64 6	5-69 7	0-74 7	5-79 8	30-84	OVER 84
(CONT.)																	
PNEUMOCOCCAL AND OTHER E	BACTERIAL PNEU	JMONIA (4	81-48	32)													
MALE	6	0	0	0	0	0	0	0	0	1	0	0	0	1	1	2	1
FEMALE	7	Ó	Ō	ò	ò	Õ.	Ō	Ō	Ō	0	ō	Ō	1	1	Ó	3	2
TOTALS	13	Ó	Ó	Ō	Ó	õ	ō	Ō	Ō	1	ō	Ō	1	2	1	5	3
BRONCHOPNEUMONIA, ORGAN	ISM UNSPECIFIE	ED (485)				-	-	-	-		-	-		-		-	_
MALE	13	0	0	0	0	0	0	0	0	2	0	1	2	1	2	1	4
FEMALE	13	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	1	ō	ŏ	ò	ō	i	1	1	9
TOTALS	26	ŏ	ŏ	õ	ŏ	ŏ	ŏ	ŏ	i	2	ŏ	1	ž	2	3	2	13
PNEUMONIA DUE TO OTHER		•	•	•	, Ŭ	Ŭ	Ũ	Ŭ	•	-	Ŭ	•	-	-	Ŭ	-	10
MALE	137		0	0	0	0	0	0	1	3	2	5	8	15	19	28	55
FEMALE	203	ó	ŏ	ŏ	ŏ	ŏ	1	ŏ	2	3	2	ŏ	4	10	18	30	133
TOTALS	340	Ť	õ	ŏ	õ	õ	1	ŏ	3	ĕ	4	5	12	25	37	58	188
INFLUENZA (487)		•	•	•	· ·	Ŷ	-	v		· ·		•		20	0,		100
MALE	7	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4	1
FEMALE	15	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	1	ŏ	ŏ	ŏ	1	ŏ	ò	1	3	9
TOTALS	22	ŏ	ŏ	õ	ŏ	ŏ	ŏ	4	ő	ő	õ	1	õ	1	2	3 7	10
BRONCHITIS, NOT SPECIFI		•	•	. •	U	U	0	•	0	0	U		U		2	'	10
MALE ·	2 '		0	,, 0	0	0	0	0	0	0	0	0	1	0	0	0	4
FEMALE	5	0	ŏ	ő	ő	ŏ	0	ő	ŏ	0	0	ő	1	ő	+	1	3
TOTALS	5	0	ŏ	ŏ	ŏ	0	ő	õ	0	0	õ	ŏ	2	0	0	1	3
CHRONIC BRONCHITIS (491)	,	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	4
MALE MALE	, 8	0	0	0	0	0	0	0	0	0	0	3	2	0	~		0
•	14	-	ŏ	ő	ő	0	-	ŏ	ő	0	ŏ	-	∠ 3	-	2	1	-
FEMALE TOTALS	22	.0	0	0	ŏ	0	0	0	0	ő	ŏ	2 5	3 5	2	3 5	2 3	2
EMPHYSEMA (492)	22	0	0	0	0	0	0	0	0	0	0	5	5	2	5	3	2
		•	~	~	•	•	•	•	~	•	•	•	-			-	•
MALE	38	0	0	0	0	0	0	0	0	0	0	0	5	11	12	7	3
FEMALE	29	0	0	0	0	0	0	0	0	1	2	2	5	5	8	3	3
TOTALS	67	0	0	0	0	0	0	0	0	1	2	2	10	16	20	10	6
ASTHMA (493)	-	•	~	•	~	•	•	•	~	•	•	· ·	•	•		~	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	3	0	1	0	1
FEMALE	15	0	0	0	0	0	1	0	1	2	0	1	2	1	2	1	4
TOTALS	20	0	0	0	. 0	0	1	0	1	2	0	1	5	1	3	1	5
BRONCHIECTASIS AND EXTR				494-495			•	~			-	-	•	_	-		
MALE	2	0	0	0	0	0	0	0	<i>'</i> 0	Q	0	0	0	0	0	1	1
FEMALE	4	0	0	0	0	0	0	0	0	1	0	0	0	0	2	·1	0
TOTALS	6	0	0	0	0	0	0	0	0	1	0	0	0	0	2	2	1
CHRONIC AIRWAYS OBSTRUC	•			•	•												
MALE	238	0	0	0	0	0	0	0	0	2	4	12	33	42	55	47	43
FEMALE	199	0	0	0	0	0	0	0	0	3	5	16	26	27	36	37	49
TOTALS	437	0	0	0	0	0	0	0	0	5	9	28	59	69	91	84	92

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

123

TABLE D~3

+

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

•

CAUSE OF DEATH GROUPS , AND SEX	TOTAL DEATHS	****** UNDER 1	****** 1-4							TH(YRS. 5-54 55							***** OVER 84
(CONT.)																	
PNEUMOCONIOSES AND OTHER	LUNG DISEASES) FXTF		FNTS	(500-50	08)										
MALE	15	0	0	0	0	0	- ´o	0	0	0	0	0	4	2	2	3	4
FEMALE	14	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ō	õ	ŏ	2	f	ō	1	1	9
TOTALS	29	ŏ	õ	ŏ	õ	ŏ	ŏ	ŏ	ŏ	õ	õ	2	5	ž	3	4	13
EMPYEMA AND ABSCESS OF LU		STINUM ((510.5 ⁻	13)	•	•	•	•	•	•	•	_	-	-	•	•	
MALE	2	0	0	· ´ o	0	0	0	0	0	0	0	1	0	0	0	0	1
FEMALE	1	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	õ	ŏ	1	õ	o /	ŏ	ŏ	ŏ	ŏ	ò
TOTALS	3	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	i	ŏ	Ĩ	ŏ	ŏ	ŏ	ŏ	1
PLEURISY (511)	-	· ·	•	•	•	•	•	-	-		•		-	•	•	•	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
FEMALE	2	ŏ	ŏ	ŏ	ŏ	ō	ō	õ	Ō	ō	õ	Ō	1	ō	1	ŏ	Ó
TOTALS	4	ŏ	ō	ō	ō	ō	ō	ō	Ō	ō	ō	ō	1	ō	2	ō	Ť
ALL OTHER DISEASES OF RES	SPIRATORY SYS	ТЕМ (512	2.514-9	519)													
MALE	43	1	0	ò	0	0	0	1	1	2	1	6	5	11	5	7	3
FEMALE	31	0	0	0	0	0	0	2	0	1	0	2	5	1	4	9	7
TOTALS	74	1	0	0	0	0	0	3	1	3	1	8	10	12	9	16	10
GASTRIC ULCER (531)																	•
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	3	1	0	0
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4
TOTALS	10	0	0	0	0	0	0	0	0	0	0	0	0	3	2	1	4
DUODENAL ULCER (532)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	2
PEPTIC ULCER, SITE UNSPE	CIFIED (533)																
MALE	3	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0
FEMALE	4	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	2
TOTALS	7	0	0	0	0	0	0	0	1	1	0	1	0	0	1	1	2
GASTRITIS AND DUODENITIS	(535)							_	_		_						
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
APPENDICITIS (540-543)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	· 0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
HERNIA OF ABDOMINAL CAVI	TY AND INTEST		STRUCT			MENTION	• -• ••		(550-55	53,560)							
MALE	8	0	0	0	0	0	0	0	0	0	1	0	0	0	1	4	2
FEMALE	34	0	0	0	0	0	0	0	0	1	0	0	1	0	10	10	12
TOTALS	42	0	0	0	0 0	0	0	0	0	1	1	0	1	0	11	14	14
ALL OTHER NONINFECTIVE GA				(557-5	,		•	•	•	•	•	•	~	•		-	-
MALE	15	0	0	0	0	0	0	0	0	2	0	0	2	0	3	2	6
FEMALE	26	0	0	0	0	0	0	0	1	0	0	0	2	0	3	11	9
TOTALS	41	0	0	0	0	0	0	0	1	2	0	0	4	0	6	13	15

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

•

•

.

125

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	******* UNDER 1	***** 1-4		*******)-14 15												***** OVER 84
(CONT.)																	
DIVERTICULA OF INTESTINE	(562)																
MALE	7	0	0	0	0	0	0	0	Ó	0	0	1	2	1	0	2	1
FEMALE	16	Ó	ō	ò	Ó	Ó	Ó	Ó	Ó	Ó	ò	0	0	1	3	4	8
TOTALS	23	õ	õ	õ	õ	õ	õ	õ	Ō	Ö.	ō	1	2	2	3	6	9
CHRONIC LIVER DISEASE AND	CIRRHOSIS.	SPECIFIE	ED AS	ALCOHOL	_IC (57	1.0-5	71.3)	-	-	-	-			_			•
MALE	32	0	0	0	0	õ	0	0	3	6	2	9	3	4	3	1	1
FEMALE	17	ŏ	õ	ŏ	õ	õ	ŏ	1	1	1	3	2	Í	5	2	1	Ó
TOTALS	49	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	1	4	7	5	11	4	9	5	2	Ť
CHRONIC HEPATITIS AND BIL			4 57		· ·	Ŷ	Ũ	•	•	•	•		•	•	•	-	•
MALE	5	0	0	0	0	0	0	0	1	0	0	0	2	0	1	0	1
FEMALE	8	ŏ	ŏ	ŏ	õ	ŏ	ŏ	õ	ò	õ	õ	ŏ	2	ž	3	1	ò
TOTALS	13	ŏ	ŏ	õ	õ	õ	õ	õ	1	õ	õ	ŏ	4	2	4	1	ĭ
CIRRHOSIS OF LIVER AND UN		Ŷ	•	÷	•	•	TION OF	•	ພດບໍ່(ຮວ	•	•	-	-	2	-		•
									3	2		4	4	5	~	4	2
MALE	32	-	-	0	0	0	0	. 0		-	6	4	ő	2	2 3	4 3	2
FEMALE	15	0	0	•	0	0	0	0	03	2	2 8	5	4	2	3 5	3	2
TOTALS	47	0	0	0	÷	0	0	0	ى	4	8	5	4	/	5	/	4
CHOLELITHIASIS AND OTHER				(574-5	-,	•	•	•	•	•	•		•		•	•	•
MALE	6	0	0	0	0	0	0	0	0	0	0	1	2	1	2	0	9
FEMALE	11	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	<u>/</u>
TOTALS	17	0	0	0	0	0	0	0	0	0	0	1	2	3	3	1	7
ALL OTHER DISEASES OF DIG		M (530,5	534,5				573,576	5-579)				_		_			
MALE	61	1	0	0	0	0	1	4	4	1	2	5	6	6	11	6	14
FEMALE	66	0	0	0	0	0	0	1	0	2	1	2	6	6	8	10	30
TOTALS	127	1	0	0	0	0	1	5	4	3	3	7	12	12	19	16	44
ACUTE GLOMERULONEPHRITIS	(580)																
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0
NEPHROTIC SYNDROME (581)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	2	õ	ŏ	õ	ò	ò	Ó	ò	Ó	ò	0	0	0	1	Ó	1	· 0
CHRONIC GLOMERULONEPHRITI	S. NEPHRITIS	AND NEP	HROP		ND RENA	I SCL	EROSIS	(582-	583,587	7)	-						
MALE	1	0	0	0	0	0	0	0	0	Ó	0	0	1	0	0	0	0
FEMALE	5	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	Ť	Í	ŏ	ŏ	2	1
TOTALS	· 6	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	1	2	ŏ	ŏ	2	i
RENAL FAILURE (584-586.58	•	Ŭ	Ŭ	0		0	v	~	~	~	2	•	-	v	v	-	
MALE MAL FAILURE (584-586,58	<u>41</u>	0	0	0	0	0	0	0	0	0	2	2	2	5	5	8	17
FEMALE	55	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ.	ŏ	2	1	4	6	4	6	8	24
TOTALS ·	96	ő	ŏ	ŏ	ŏ	õ	ŏ	õ	õ	2	3	6	8	9	11	16	41
IUIALS ·	30	v	. 0	U	0	0	0	0	0	~	3	0	0	5		10	71

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

-

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

		*****	****	******	*****	*****	*****	* AGE	AT DEA	TH(YRS	.) ***	*****	*****	*****	*****	****	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 1	0-14 1	5-19 2	20-24 2	5-34 3	85-44 4	5-54 59	5-59 6	0-64 6	5-69 70	0-74 7	5-79 8	0-84	OVER 84
(CONT.)																	
INFECTIONS OF KIDNEY (590)	\																
MALE	´ 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0
FEMALE	4	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ĭ	ŏ	ŏ	ò	3
TOTALS	5	ŏ	õ	ŏ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	1	õ	ŏ	1	3
URINARY CALCULUS (592,594)	•	0	U	0	U	U	0	U	0	U	U	U		U	0		3
MALE	, 2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0
FEMALE	2	ő	ő	ŏ	ŏ	ő	ŏ	ŏ	ŏ	ò	ŏ	ŏ	ŏ	ŏ	ŏ	2	ő
TOTALS	. 2	. 0	ő	ő	0	ő	ő	ŏ	ŏ	1	ŏ	ő	ŏ	ő	ŏ	∠ 3	0
ALL OTHER DISEASES OF URI	HADV CVSTEM	•	•	-	0	0	0	U	0	I	0	0	0	0	0	3	0
MALE MALE	21	(591,59	3,595	-599) 0	0	0	0	0	0	0	- 1	0	2	0	4	6	8
FEMALE	37	0	0	ŏ	ŏ	ŏ	ő	ŏ	ŏ	1	1	1	0	1	4	9	21
	58	0	0	-	0	0	-	0	ö	1	-	1	-		3	9 15	
		0	0	0	0	0	0	0	0		2	I	2	1	/	15	29
HYPERPLASIA OF PROSTATE (•	~	0	~	~	~	~	~	~	~	~	~	•	~		
MALE .TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
		•	•	0	0	0	0	0	0	0	0	0	0	0	0	1	1
OTHER DISEASES OF MALE GE	NITAL URGAN			•	~	~	~	~	~	•	~	~			~	~	•
MALE	4	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	0.
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	·0
DISORDERS OF BREAST (610-6	611)	-	-	-		-	-		•	•	-	-	-			_	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
OTHER DISEASES OF FEMALE (-	-														
FEMALE	2	0	0	0	0	• 0	0	0	0	0	0	· 0	0	0	0	0	2
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
INFECTIONS OF SKIN AND SU	BCUTANEOUS 7	-	680-68														
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	2	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0
ALL OTHER DISEASES OF SKI	N AND SUBCU	TANEOUS	TISSU	E (690-	709)												
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1
RHEUMATOID ARTHRITIS AND (OTHER INFLA	MMATORY	POLYAR	RTHROPA	THIES	(714)											
MALE	7	0	0	0	. 0	0	0	0	0	0	1	2	3	1	0	0	0
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	1	2	1	0	2
TOTALS	13	0	0	0	0	0	0	0	0	0	1	2	4	3	1	0	2
OTHER ARTHROPATHIES AND RE	ELATED DISO	RDERS (7	10-71:	2,715-7	19)												
MALE	4	0	0	0	0	0	0	0	0	0	1	0	0	3	0	0	0
FEMALE	18	Ō	Ó	0	0	0	0	0	0	1	3	4	1	1	2	2	4
TOTALS	22	Ō	ō	Õ	Ō	Ō	ō	Ó	Ō	1	4	4	1	4	2	2	4
•																	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

126

27

.

.

•

.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

		*****	******	*****				* AGE A									****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10	0-14 15	5-19 20)-24 29	5-34 35	-44 45	5-54 55	6-59 60	0-64 65	5-69 70	0-74 7!	5-79 80	0-84	OVER 84
(CONT.)																	
DORSOPATHIES (720-724)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS .	2	0	0	0	0	0	0	0	0	0	0	0	· 0	1	1	0	0
RHEUMATISM, EXCLUDING THE	BACK (725-7	'29)															
MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	0
TOTALS	8	0	0	0	0	0	0	0	0	0	0	0	1	1	2	3	1
OSTEOPATHIES, CHONDROPATH	IES AND ACQU	IRED MUS	SCULOSK	ELETAL	_ DEFOR	RMITIES	5 (730-	-739)									
MALE	4	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	1
FEMALE	13	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	9
TOTALS	17	0	0	0	0	0	0	0	0	1	0	0	0	0	1	5	10
SPINA BIFIDA (741)																	
FEMALE	2	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0
TOTALS	2	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0
ALL DTHER CONGENITAL ANOM	ALIES OF NER	VOUS SYS	STEM (7	40,742	2)												
MALE	6	1	0	1	0	0	0	0	0	0	0	0	1	1	0	1	1,
FEMALE	5	4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	11	5	0	1	0	0	0	0	0	0	0	0	1	1	1	1	1
CONGENITAL ANOMALIES OF H	EART (745-74	6)															
MALE	`7	3	0	0	0	0,	1	1	0	0	1	0	0	0	0	1	0
FEMALE	7	4	Ó	Ó	0	0	1	0	1	0	0	0	0	1	Ó	0	0
TOTALS	14	7	ō	ō	Ō	Ō	2	1	1	Ō	1	Ō	ō	1	ō	1	ō
OTHER CONGENITAL ANOMALIE	S OF CIRCULA	TORY SYS	STEM (7	47)	-	-				-		-	-		•	•	-
MALE	2	1	0	Ó	0	1	0	0	0	0	0	0	0	0	0	0	0
TOTALS	2	1	õ	ō	ō	1	ō	ō	ō	ō	ō	ō	ō	ō	ō	ŏ	õ
ALL OTHER CONGENITAL ANOM	ALIES (743-7	44.748-7	759)														
MALE	12	10	Ó	0	0	0	0	0	0	1	0	0	0	0	1	0	0
FEMALE	10	5	1	Ō	0	0	0	ō	ò	1	Ó	1	1	ō	1	Ó	Ó
TOTALS	22	15	1	õ	Ō	Ō	Ō	Ō	Ō	2	Ō	1	1	ō	2	Ō	Ō
INTRAUTERINE HYPOXIA, BIR	TH ASPHYXIA	AND RESP	PIRATOR	AN DIST	RESS S	SYNDROM	ME (768	8-769)									
MALE	9	9	0	0	0	0	ò	0	0	0	0	0	0	0	0	0	0
FEMALE	2	1	1	Ō	0	ò	ò	ō	0	ō	Ō	0	0	ō	ō	0	ō
TOTALS	11	10	1	ō	ō	Ō	Ō	ō	ō	ō	ō	0	0	ō	ō	ō	ō
OTHER CONDITIONS ORIGINAT	ING IN THE P	ERINATAL	PERIC	D (760	0-766.1	770-779	3)	_	-		-			-	-	-	-
MALE	16	15	0	ò	0	0	1	0	0	0	0	0	0	0	0	0	0
FEMALE	24	24	0	ō	0	Ō	0	Ō	0	Ó	Ō	0	Ō	Ō	Ō	0	Ó
TOTALS	40	39	ō	ō	Ō	Ō	1	Ō	ō	0	Ō	ō	Ō	Ō	Ō	Ō	Ō
SENILITY WITHOUT MENTION	OF PSYCHOSIS	(797)				-							-	-	-	-	-
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
FEMALE	5	ŏ	ŏ	ŏ	ō	ō	ō	ō	ō	ō	ŏ	ō	ō	ō	ŏ	· Õ	5
TOTALS	9	ŏ	ŏ	ŏ	ŏ	ō	õ	ŏ	õ	ō	ŏ	ō	õ	õ	ŏ	ŏ	9
		-	-	-		_	_	_		_	-			_		_	

•

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

.

CAUSE OF DEATH GROUPS	TOTAL	****** UNDER	*****	*******	*****				AT DEA 35-44 4					***** 0-74 7	***** 5-79 8	*****	**** OVER
AND SEX	DEATHS	1		551	5 14	10 15 2	24 2	.5 04	00 44 4	5 54 50	55 0	0 04 0	5 05 7	0 14 1	J / J O		84
(CONT.)																	
SYMPTOMS, SIGNS AND OTH	HER ILL-DEFINED	CONDITI	ONS ((780-79	5,798-	-799)	*										
MALE	34	10	0	0	0	0	0	1	3	3	1	З	3	2	1	2	5
FEMALE	28	6	0	0	0	0	0	0	0	0	2	0	0	0	5	5	10
TOTALS	62	16	0	0	0	0	0	1	3	3	3	3	3	2	6	7	15
MOTOR VEHICLE TRAFFIC					= .	•		-				-	-		-	_	
MALE	3	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1
TOTALS MOTOR VEHICLE TRAFFIC /	3	0	0		0	0		0 IICLE	1 (E811-E	0	1	0	0	0	0	0	1
MOTOR VEHICLE TRAFFIC 7	42 42		1 5 1 (12R 1901 6	3	8	6	012) 1	4	4	4	2	з	з	-
FEMALE	33	0	0.	2	ö	2	0	9	2	8	1	1	3	2	2	0	1
TOTALS	75	õ	1	3	ĭ	8	3	17	8	ğ	2	2	7	4	5	3	2
MOTOR VEHICLE TRAFFIC		•	LISIO	ОМ ЖІТН	PEDES	STRIAN	(E814)	• •		5	-	-	,	-	Ŭ	Ŭ	•
MALE	14	0	1	1	2	0	1	1	0	2	1	З	1	1	0	0	0
FEMALE	7	0	0	1	0	2	0	з	0	0	0	0	0	0	0	0	1
TOTALS	21	0	1	2	2	2	1	4	0	2	1	З	1	1	0	0	1
MOTOR VEHICLE TRAFFIC	ACCIDENTS INVOLV	/ING COL	LISIC	ОМ ₩ІТН	OTHER	R VEHIC	CLE OR	OBJEC	T (E813	,E815)							
MALE	17	0	1	0	0	4	4	4	2	2	0	0	0	0	0	0	0
FEMALE	5	0	0	1	0	1	0	0	0	1	0	0	1	0	1 1	0	0
TOTALS	22	0	1	1	0	5	4	4	2	3	0	0	1	0	1	0	0
MOTOR VEHICLE TRAFFIC		NOLVING			DN HIG		(E816-E										
MALE	52	0	1	0	0	11	11	17	5	2	1	0	3	0	1	0	0
FEMALE	14	0	o	0	0	5	1	0	4	1	o	1	1	0	0	1	0
TOTALS	66 • • • • • • • • • • • • • • • • • • •	0	1		0	16	12	17	9	з	1	1	4	0	1	1	0
MOTOR VEHICLE TRAFFIC	ACCIDENTS OF UNS	0	ED NAT		319) O	0	3	4	3	1	0	0	0	0	0	0	0
MALE FEMALE	5	0	0	1	0	ő	3	2	1	ò	0	0	0	0	0	0	0
TOTALS	17	0	1	1	ő	0	4	6	4	1	0	ő	ő	ő	ő	ő	ő
MOTOR VEHICLE NONTRAFFI		•	5) '	•	U	0	ч ,	Ŭ	-	1	U	0	U	0	0	U	0
MALE	7	0	, 0	0	0	1	0	1	3	1	1	0	0	0	0	0	0
FEMALE	1	ŏ	ŏ	ŏ	ŏ	ò	ŏ	i	ŏ	ò	ò	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ
TOTALS	8	õ	ŏ	õ	ŏ	1	õ	2	3	1	1	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ
OTHER ROAD VEHICLE ACC	IDENTS (E826-E82	29)												-	-	-	
FEMALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
WATER TRANSPORT ACCIDE	NTS (E830-E838)																
MALE	9	0	0	0	0	0	0	3	2	2	1	0	1	0	0	0	0
TOTALS'	9	0	0	0	0	0	0	3	2	2	1	0	1	0	0	0	0
AIR AND SPACE TRANSPORT	T ACCIDENTS (E84	10-E845)		-			-	-								_	
MALE	4	0	0	0	0	0	0	2	1	0	1	0	0	0	0	0	0
TOTALS	4	0	0	0	0	0	0	2	1	0	1	0	0	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

-

•

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT DF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

•

۰.

128

•

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** UNDER 1							AT DEA ⁻ 5-44 49								**** OVER 84
(CONT.)																	
ACCIDENTAL POISONING BY MALE	DRUGS, MEDICA		D BIOL		.S (E85	-	•				0		0	•	•	•	•
, FEMALE	4	0	1	0	ő	0	0	1	1 0	1	0	ò	0	0	0 0	0	2
TOTALS	4	0	4	ő	ő	ŏ	ŏ	1	4	1	4	1	õ	õ	ŏ	ŏ	2
ACCIDENTAL POISONING BY			SUBST	•	(E860-	•	0	•				•	U	v	U	U	2
MALE	OTTICK SOLID O		0	0	0	0	0	0	0	4	0	1	0	0	0	0	0
TOTALS	2	0	õ	ŏ	ŏ	0	ŏ	ŏ	ő	1	ŏ	1	ő	ő	ő	ŏ	0
ACCIDENTAL POISONING BY		Ŭ,	•		0	U	v	v	U		0	•	U	v	U	U	0
MALE	GASES AND VAP		0	, 0	0	0	0	0	4	0	0	0	0	0	0	0	0
FEMALE	1	ŏ	õ	õ	õ	õ	õ	õ	ò	õ	õ	ŏ	õ	ŏ	õ	1	õ
TOTALS	2	ŏ	õ	ő	õ	õ	õ	ŏ	1	ő	ő	ŏ	ŏ	ŏ	ŏ	1	ő
MISADVENTURES DURING MEE		•	EACTIO	•		÷	•	•	, 870-E8		U	U	0	U	U		0
MALE	11	O	1	0	0	0	0	0	0	0	1	0	0	3	1	2	3
FEMALE	4	õ	ò	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ò	ŏ	ŏ	ŏ	i	3	õ
TOTALS	15	õ	ĩ	ŏ	ŏ	õ	õ	õ	ŏ	õ	ĩ	ŏ	ŏ	3 3	2	5	3
FALL FROM ONE LEVEL TO A		•	•	0	Ŭ	0	0	0	Ū	0	•	v	v	0	~	5	0
MALE	15	0	1	0	0	1	0	2	1	2	0	1	2	2	1	1	4
FEMALE	7	ŏ	i	ŏ	ŏ	2	ŏ	ō	ò	ō	ŏ	ò	1	ō	3	ò	ò
TOTALS	22	õ	2	ŏ	ŏ	3	ŏ	2	1	2	õ	1	3	2	4	Ť	Ĭ
FALL ON SAME LEVEL (E889		Ū	-	U	v	0	Ū	~	•	-	Ŭ	•	U	~	-4	,	,
MALE	5 2000/ 5	0	1	0	0	1	1	0	0	0	0	0	0	0	0	1	1
FEMALE	1	ŏ	ò	õ	ŏ	ò	ò	ŏ	ō	ŏ	ŏ	ŏ	ō	ŏ	ŏ	ò	1
TOTALS	6	ŏ	1	ŏ	ō	1	1	ŏ	ŏ	õ	ŏ	õ	ŏ	ŏ	ŏ	1	2
FRACTURE, CAUSE UNSPECIE	FIED. AND OTHE	R AND UN	SPECIF	-	ALLS (E887-E	E888)	•	•	•	•	•	•	•	•		_
MALE	14	0	0	0	``	0	ົ່ວ	1	0	1	0	0	0	3	0	5	4
FEMALE	23	Ó	õ	õ	Ó	Ó	õ	Ó	Ō	Ó	Ó	ò	Ō	3	1	2	17
TOTALS	37	õ	õ	õ	õ	õ	õ	1	õ	Ť	õ	õ	õ	6	i	7	21
ACCIDENTS CAUSED BY FIRE	E AND FLAMES (E890-E89	9)	·	•	·	· ·		•	•	· ·	•	•	-	·	•	
MALE	14	1	4	2	0	0	1	1	2	0	0	0 ·	0	1	0	0	2
FEMALE	11	Ó	4	1	ō	õ	Ó	Ó	o	ŏ	Ō	Ō	3	Ö	õ	1	2
TOTALS	25	1	8	3	ò	Ō	Ť	1	2	Ó	Ō	0	3	1	Ō	1	4
LIGHTNING (E907)	. –					•					-				-		
MALE	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
ACCIDENTAL DROWNING AND	SUBMERSION (E	910)															
MALE	13	0	0	3	0	0	1	3	0	3	0	0	1	0	1	1	0
FEMALE	4	õ	2	ō	õ	ŏ	Ó	2	ō	Ō	õ	õ	Ó	õ	Ó	Ó	Ō
TOTALS	17	õ	2	3	ō	ō	1	5	Ō	3	õ	ō	Ť	õ	Ĩ	1	Ō
INHALATION AND INGESTION	N OF FOOD OR C	THER OBJ	ЕСТ СА	USING	SUFFOC	ATION	(E911	-E912)						-			
MALE	11	0	0	0	0	0	1	1	1	0	1	1	0	0	2	2	2
FEMALE	5	Ō	0	Ō	Ó	0	0	0	0	1	0	0	Ó	1	1	0	2
TOTALS	16	0	0	0	0	0	1	1	1	1	1	1	0	1	3	2	4

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

CAUSE OF DEATH GROUPS	TOTAL	****** UNDER	***** 1-4	******					AT DEA 5-44 4	•	•						**** OVER
AND SEX	DEATHS	1	14	551		0 10 20	0 24 2	0 04 0	יד ד ד ט י	5 54 5.	5 55 0	5 04 0	5 05 /	5 74 7	5 / 5 0	0 04	84
(CONT.)																	
ACCIDENT CAUSED BY ALL 01	THER AND UNSP	ECIFIED	FIREA	RMS (E	922.1-1	E922.9)										
MALE	2	0	0	o	0	1	0	0	1	0	0	0	0	0	0	0	0
TOTALS .	2	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0
ACCIDENT CAUSED BY EXPLOS	SIVE MATERIAL	(E923)															
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
ACCIDENT CAUSED BY ELECTR	RIC CURRENT (E925)															
MALE	1	0	0	0	<u> </u>	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
ALL OTHER ACCIDENTS (E900						_		_		_	_						
MALE	20	0	Q	0	0	Ŏ	4	3	2	5	0	1	2	o	1	1	1
FEMALE	9	0	1	1	0	1	0	1	0	1	0	1	0	1	1	0	1
TOTALS	29	0	1		0	1	4	4	2	6	0	2	2	1	2	1	2
SUICIDE BY DRUGS, MEDICAN				50.0-E	•	•				•	•	•	~			•	~
MALE	5	0	0	0	0	0	1	1	1	0	0	0	0	1	1	0	0
FEMALE	10	0	0	0	0	0	1	0	4	1	0	0	3	0	1	0	0
TOTALS	15	0	0	0 6-E950	ر ⁰	0	2	1	5	1	0	0	3	1	2	Ο,	0
SUICIDE BY OTHER SOLID OF			2000.		,	~	0	~	2	~	0	~	~	•	~	~	~
MALE	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
TOTALS		-	0	0	0	0	0	0	2	0	U	0	0	0	0	0	0
SUICIDE BY GASES AND VAPO MALE	JRS (E951-E95 11	0	0	0	0	1	0	2	3	2	0	1	0	0	1	1	0
FEMALE	3	0	0	0	0	ò	0	õ	1	õ	ő	ò	2	0	ò	ò	ő
TOTALS	14	0	0	0	õ	1	0	2	4	2	õ	¥.	2	ő	4	1	ő
SUICIDE BY HANGING, STRAN		•	•	(E953	0		0	~	-	2	0		2	0	•	•	U
MALE	16			0	, o	2	2	4	5	1	1	0	0	0	0	1	0
FEMALE	10	ŏ	ŏ	ŏ	õ	0	õ	ō	1	ò	ò	ő	ŏ	ő	ŏ	ò	ŏ
TOTALS	17	õ	õ	ŏ	õ	2	2	4	6	1	1	õ	ŏ	õ	ŏ	1	ŏ
SUICIDE BY HANDGUN (E955.		U	U	0	U	2	2	-	U		I.	U	U	0	U	•	U
MALE	13	0	0	0	0	1	3	5	2	1	0	1	0	0	0	0	0
FEMALE	8	ŏ	õ	õ	ŏ	2	1	1	2	ò	ĩ	ò	ŏ	1	ŏ.	ŏ	ŏ
TOTALS	21	ŏ	õ	ŏ	ŏ	3	4	6	4	1	1	ĭ	ŏ	i	õ	ŏ	ŏ
SUICIDE BY ALL OTHER AND		•		-	Ψ.	Ŭ		Ū		•	•	•	U	•	Ŭ	Ū	Ū
MALE	68	0	0	0	1	3	4	11	12	6	3	5	5	8	5	2	3
FEMALE	8	ŏ	ŏ	ŏ	, O	2	2	2	1	1	õ	õ	ŏ	ō	ŏ	ō	ŏ
TOTALS	76	õ	õ	õ	1	5	6	13	13	7	3 3	5	5	8	5	2	3 3
SUICIDE BY ALL OTHER MEAN		•	-	v	•	~	v			•	-	~	•	5	~	-	~
MALE	7	0	0	0	0	0	1	2	1	1	0	1	1	0	0	0	0
FEMALE	2	Ö	ŏ	ŏ	ŏ	ĭ	ò	ō	ò	ò	1	ò	ò	ŏ	ŏ	ŏ	ŏ
TOTALS	9	ŏ	ŏ	ŏ	ŏ	i	ĭ	2	1	1	1	1	1	ŏ	ŏ	ŏ	ŏ
	~	-	-	-	-	•	•	_	-					-	-	-	-

.

•

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** UNDER 1	****** 1-4	****** 5-9	****** 10-14	****** 15-19					₹S.) ** 55-59		****** 65-69	******* 70-74	******* 75-79	******* 8 <u>0</u> -84	***** OVER 84
(CONT.)																	
ASSAULT BY ALL OTHER AND	UNSPECIFIED	FIREAR	MS (E9	65.1-E	965.4)												
MALE	11	0	0	1	0	1	3	2	0	. 1	1	1	0	1	0	0	0
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	12	0	0	1	0	1	3	3	0	1	1	1	0	1	0	0	0
ASSAULT BY CUTTING AND P	IERCING INST	RUMENT	(E966)														
MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	ō
FEMALE	3	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0
TOTALS	4	0	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0
ASSAULT BY ALL OTHER MEA	NS (E960-E964	4,E965.	5-E965	.9,E96	7-E969)											
MALE	4	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
FEMALE	3	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0
TOTALS	7	2	0	0	0	0	0	3	1	0	1	0	0	0	0	0	0
OTHER LEGAL INTERVENTION	(E970-E977)																
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
INJURY INFLICTED FROM PO	ISONING BY D	RUGS, M	EDICAM	ENTS A	ND BIO	LOGICA	LS (E9	80.0-E	980.5))							
MALE	3	0	0	0	0	0	0	1	1	0	0	0	0	1	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	4	0	0	0	0	0	0	1	1	1	0	0	0	1	0	0	0
INJURY INFLICTED FROM PO	ISONING BY O	THER SO	LID OR	LIQUI	D SUBS	TANCES	(E980	.6-E98	30.9)								
MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	1	0	0	0	. O	0	0	0	0	0	1	0	0	0	0	0	0
INJURY INFLICTED BY ALL	OTHER MEANS	(E981-E	984,E9	85.5-E	989)												
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	. 0	1	0	0	0	0	0	0	0	0
STATE																	
MALE	5,546	57	13	11	6	39	51	137	189	315	252	469	690	776	889	801	851
FEMALE	5,477	46	16	11	6	23	13	48	95	190	175	291	446	568	795	887	1,867
TOTALS	11,023	103	29	22	12	62	64	185	284	505	427	760	1,136	1,344	1,684	1,688	2,718
PERCENT DISTRIBUTION																	
MALE	100.00	1.03	0.23	0.20	0.11	0.70	0.92	2.47	3.41	5.68	4.54	8.46	12.44	13.99	16.03	14.44	15.34
FEMALE	100.00	0.84	0.29	0.20	0.11	0.42	0.24	0.88	1.73	3.47	3.20	5.31	8.14	10.37	14.52	16.19	34.09
TOTALS	100.00	0.93	0.26	0.20	0.11	0.56	0.58	1.68	2.58	4.58	3.87	6.89	10.31	12.19	15.28	15.31	24.66

.

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

•

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
SHIGELLOSIS & AMEBIASIS (004,006) OTHER INTESTINAL INFECTIONS (007-009) TUBERCULOSIS OF RESP. SYSTEM (010-012) OTHER TUBERCULOSIS (013-018) WHOOPING COUGH (033) STREP., SCARLATINA & ERYSIPELAS (034-035) MENINGOCOCCAL INFECTION (036) SEPTICEMIA (038) ACUTE POLIOMYELITIS (045) MEASLES (055) VIRAL HEPATITIS (070) SYPHILIS (090-097) ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL) MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149) MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149)	0	0	0.000
OTHER INTESTINAL INFECTIONS (007-009)	2	4	2.000
TUBERCULOSIS OF RESP. SYSTEM (010-012)	1	2	2.000
OTHER TUBERCULOSIS (013-018)	1	2	2.000
WHOOPING COUGH (033)	0	2 2 0	0.000
STREP., SCARLATINA & ERYSIPELAS (034-035)	Ō	Ō	0.000
MENINGOCOCCAL INFECTION (036)	3	3	1.000
SEPTICEMIA (038)	68	424	6.235
ACUTE POLIOMYELITIS (045)	0	0	0.000
MEASLES (055)	0	0	0.000
VIRAL HEPATITIS (070)	1	4	4.000
SYPHILIS (090-097)	ò	Ó	0.000
ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL)	30	80	2.666
MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149)	41	54	1.317
MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159)	670	768	1.146
MAL. NED. RESPIRATORY & THORACIC ORG. (160-165)	821	894	1.088
MAL. NEO. BREAST (174-175)	226	276	1.221
MAL. NEO. GENITAL ORGANS (179-187)	284	356	1.253
MAL. NEO. URINARY ORGANS (188-189)	149	191	1.281
MAL. NED. ALL OTHER & UNSPEC. (170-173, 190-199)	336	565	1.681
	101	132	1.306
DTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203) BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239) DIABETES MELLITUS (250)	148	183	1.236
BENIGN NED., NED. UNCERT, & UNSPEC. (210-239)	53	96	1.811
DIABETES MELLITUS (250)	242	891	3.681
NUTRITIONAL DEFICIENCIES (260-269)	17	205	12.058
ANEMIAS (280-285)	22	199	9.045
MENINGITIS (320-322)	2	7	3.500
RHEUM. FEVER & RHEUM. HEART DIS. (390-398)	34	55	1.617
HYPERTENSIVE HEART DISEASE (402)	75	. 151	2.013
HYPERTENSIVE HEART & RENAL DIS. (404)	49	69	1.408
ACUTE MYOCARDIAL INFARCTION (410)	1,209	1,403	1.160
OTHER ACUTE & SUBACUTE I.H.D. (411)	8	44	5.500
ANGINA PECTORIS (413)	16	. 98	6.125
ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414)	1,292	2,411	1.866
OTHER DISEASES OF ENDOCARDIUM (424)	91	209	2.296
ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429)	926	3,860	4.168
HYPERTENSION W/WO RENAL DISEASE (401, 403)	40	648	16.200
INTRACEREBRAL HEMORRHAGE (431-432)	90	126	1.400
CEREB. THROM. & UNSPEC. OCCLUSION (434.0, 434.9)	78	123	1.576

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

* SEE THE NOTES AT THE END OF THIS TABLE.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

132

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

CAUSE OF DEATH		ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
CEREBRAL EMBOLISM (434.1) ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438) ATHEROSCLEROSIS (440) OTHER DIS. ARTERIES & CAPIL. (441-448) ACUTE BRONCHITIS & BRONCHIOLITIS (466) PNEUMONIA (480-486) INFLUENZA (487) BRONCHITIS CHRONIC & UNSPEC. (490-491) EMPHYSEMA (492) ASTHMA (493). OTHER CHRONIC OBSTR. PUL. DIS. (494-496) ULCER OF STOMACH & DUODENUM (531-533) APPENDICITIS (540-543) HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560) CHRONIC LIVER DISEASE & CIRRHOSIS (571) CHOLELITHIASIS & GALLBLAD. DIS. (574-575)	2	11	5.500
ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438)	546	1,072	1.963
ATHEROSCI FROSTS (440)	117	512	4.376
OTHER DIS. ARTERIES & CAPIL. (441-448)	161	324	2.012
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	6	21	3.500
PNEUMONIA (480-486)	381	1,077	2.826
INFLUENZA (487)	22	29	1.318
BRONCHITIS CHRONIC & UNSPEC. (490-491)	29	50	1.724
EMPHYSEMA (492)	67	162	2.417
ASTHMA (493)	20	60	3.000
OTHER CHRONIC OBSTR. PUL. DIS. (494-496)	443	1,162	2.623
ULCER OF STOMACH & DUODENUM (531-533)	23	92	4.000
APPENDICITIS (540-543)		2	2.000
HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560)	42	117	2.785
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	109	179	1.642
CHOLELITHIASIS & GALLBLAD. DIS. (574-575)	17	41	2.411
ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581)	4	11	2.750
CHRON. GLOMERUL. & RENAL SCLED. UNSPEC. (582-583, 587)	6	18	3.000
RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589)	96	568	5.916
INFECTIONS OF KIDNEY (590)	5	18	3.600
HYPERPLASIA OF PROSTATE ALL (600)	2	9	4.500
PREGNANCY WITH ABORTIVE OUTCOME (630-638)	ō	ō	0.000
OTHER COMPLICATIONS OF PREG. (640-676)	õ	õ	0.000
CONGENITAL ANOMALIES (740-759)	51	86	1,686
BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769)	11	18	1.636
OTHER COND. IN PERINATAL PERIOD (760-766, 770-779)	40	68	1.700
SYMPTOMS. SIGNS & ILL-DEF. COND. (780-799)	71	1,912	26.929
ALL OTHER DISEASES (RESIDUAL)	1.030	3,532	3.429
MOTOR VEHICLE ACCIDENTS (E810-E825)	212	218	1.028
OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949)	199	556	2,793
SUICIDE (E950-E959)	154	155	1.006
HOMICIDE & LEGAL INTERVENTION (E960-E978)	24	24	1.000
HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560) CHRONIC LIVER DISEASE & CIRRHOSIS (571) CHOLELITHIASIS & GALLBLAD. DIS. (574-575) ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581) CHRON. GLOMERUL. & RENAL SCLEO. UNSPEC. (582-583, 587) RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589) INFECTIONS OF KIDNEY (590) HYPERPLASIA OF PROSTATE ALL (600) PREGNANCY WITH ABORTIVE OUTCOME (630-638) OTHER COMPLICATIONS OF PREG. (640-676) CONGENITAL ANOMALIES (740-759) BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769) OTHER COND. IN PERINATAL PERIOD (760-766, 770-779) SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799) ALL OTHER DISEASES (RESIDUAL) MOTOR VEHICLE ACCIDENTS (E810-E825) OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949) SUICIDE (E950-E959) HOMICIDE & LEGAL INTERVENTION (E960-E978) ALL OTHER EXTERNAL CAUSES (E980-E999)	6	6	1.000
TOTAL FOR ALL CAUSES	11,023	26,643	2.417
	11,020	20,040	E , T , /

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

* FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS. IN ADDITION CERTAIN CAUSES ARE NEVER CLASSIFIABLE AS UNDERLYING. MENTIONS OF THESE CAUSES ARE NOT INCLUDED IN THIS TABLE. MENTIONS OF CAUSES NOT CLASSIFIABLE AS UNDERLYING ARE AS FOLLOWS:

NATURE OF INJURY MENTIONS: 1218; SECONDARY NEOPLASM MENTIONS 490

SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

DEATHS - TOTAL AND PERCENT BY SITE OF DEATH MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

		******	*****	******* PERC	ENT OF TOTAL D	EATHS BY SITE C)F DEATH *****	******	******	*****
COUNTY	TOTAL DEATHS	MAINE HOSPITAL	OUT OF STATE HOSPITAL	EN ROUTE TD HOSPITAL	SKILLED NURSING CARE	INTERMEDIATE CARE FACILITY	STATE PENAL INSTITUTIONS	OUT PATIENT FACILITY	AT HOME	OTHER PLACES
ANDROSCOGGIN	1,000	47.60	0.90	1.10	0.20	31.60	0.00	0.00	15.80	2.80
AROOSTOOK	812	58.87	1.72	1.48	0.00	18.60	0.00	0.00	16.13	3.20
CUMBERLAND	2,032	57.53	1.28	0.54	0.00	21.75	0.00	0.00	16.73	2.17
FRANKLIN	264	52.65	1.52	0.38	0.00	18.94	0.00	0.00	21.59	4.92
HANCOCK	494	47.17	1.42	0.81	0.00	28.34	0.00	0.20	18.62	3.44
KENNEBEC	1,035	52.85	1.55	0.97	0.10	25.41	0.00	0.00	16.71	2.42
KNOX	421	51.07	0.95	0.95	0.00	25.89	0.00	0.00	18.76	2.38
LINCOLN	310	48.06	1.61	0.97	0.00	23.23	0.00	0.00	22.26	3.87
OXFORD	537	54.75	2.42	1.68	0.00	23.28	0.00	0.00	16.76	1.12
PENOBSCOT	1,189	59.63	0.84	1.77	0.00	17.33	0.00	0.00	17.24	3.20
PISCATAQUIS	192	54.69	1.56	0.52	0.00	20.31	0.00	0.00	19.27	3.65
SAGADAHOC	277	54.51	0.00	1.44	0.00	20.58	0.00	0.00	20.94	2.53
SOMERSET	463	54.00	0.22	1.51	0.00	23.33	0.00	0.00	16.85	4.10
WALDO	262	54.96	1.15	1.53	0.00	18.70	0.00	0:00	21.76	1.91
WASHINGTON	391	53.20	0.77	1.53	0.00	23.79	0.00	0.51	17.14	3.07
YORK	1,344	50.74	7.29	0.67	0.00	20.54	0.00	0.00	18.68	2.08
STATE TOTALS	11,023	53.97	1.96	1.06	0.03	22.64	0.00	0.03	17.62	2.69

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DEATHS IN HOSPITALS - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN HOSPITALS	******************** CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	********* PE CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE ACUTE MYOCARDIAL INFARCTION (410)	AL DEATHS OCCUI CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE	SPITALS **** CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA		DENTS * OTHER
ANDROSCOGGIN	496	7.26	7.66	13.91	14.11	1.41	1.41	2.22	1.41	1.61
AROOSTOOK	504	6.35	6.94	14.88	12.50	1.79	0.40	3.57	.1.19	0.99
CUMBERLAND	1,205	6.72	7.80	10.71	8.88	1.58	1.16	3.82	1.49	1.49
FRANKLIN	144	2.08	13.19	11.81	9.72	0.69	0.00	2.78	0.69	1.39
HANCOCK	244	7.38	10.25	9.84	9.02	0.82	1.23	1.23	1.23	0.41
KENNEBEC	573	6.11	7.50	11.69	12.39	1.75	0.70	2.44	2.27	1.57
KNOX	223	4.93	4.93	13.00	14.80	1.79	0.00	3.14	0.45	2.24
LINCOLN	157	6.37	6.37	8.28	11.46	0.64	0.00	3.82	1.91	1.91
OXFORD	316	6.33	10.13	13.29	10.13	1.58	0.63	3.80	1.90	1.27
PENOBSCOT	740	5.95	9.86	13.51	8.24	0.41	0.54	3.38	1.22	0.81
PISCATAQUIS	109	10.09	4.59	14.68	11.01	0.92	0.00	1.83	1.83	4.59
SAGADAHOC	155	9.68	7.74	18.06	9.03	2.58	0.65	5.16	1.94	3.87
SOMERSET	258	4.65	8.53	15.50	12.79	0.78	0.39	3.10	1.55	1.16
WALDO	151	5.96	7.95	13.91	12.58	1.32	0.66	2.65	1.32	2.65
WASHINGTON	217	6.45	8.29	13.82	9.68	1.38	0.46	4.15	0.92	2.30
YORK	790	6.20	8.48	15.70	8.23	0.63	0.38	1.90	2.28	1.65
STATE TOTALS	6,282	6.37	8.21	13.12	10.43	1.24	0.68	3.06	1.56	1.54

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

COUNTY	TOTAL DEATHS IN ICF	******************** CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	* PERCENT OF CANCER OF RESPIRATORY SYSTEM (160-165)	TOTAL DEATHS ACUTE MYOCARDIAL INFARCTION (410)	OCCURRING IN CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE	E CARE FACI CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA	********* * ACCIE MOTOR VEHICLE (E810- E825)	DENTS * OTHER
ANDROSCOGGIN	317	4.10	5.99	4.73	15.46	0.00	1.58	5.99	0.00	0.32
AROOSTOOK	150	2.00	4.00	6.00	19.33	0.67	0.00	6.00	0.00	2.00
CUMBERLAND	440	3.86	4.32	4.55	17.50	0.23	0.91	6.36	0.00	0.68
FRANKLIN	50	4.00	4.00	8.00	18.00	0.00	2.00	4.00	0.00	0.00
HANCOCK	141	3.55	2.13	3.55	8.51	0.00	3.55	9.22	0.00	1.42
KENNEBEC	263	5.70	4.94	5.70	13.31	0.38	0.76	6.46	0.00	0.38
KNOX	109	6.42	0.92	6.42	. 13.76	0.00	0.00	7.34	0.00	3.67
LINCOLN	7 1	5.63	5.63	9.86	19.72	0.00	4.23	8.45	0.00	0.00
OXFORD	125	4.00	3.20	7.20	17.60	0.80	0.00	7.20	0.00	0.00
PENOBSCOT	206	3.88	4.85	4.85	10.68	0.97	1.46	10.68	0.00	0.97
PISCATAQUIS	39	7.69	5.13	17.95	5.13	0.00	0.00	0.00	0.00	0.00
SAGADAHOC	57	3.51	3.51	5.26	17.54	1.75	0.00	12.28	0.00	0.00
SOMERSET	108	3.70	4.63	2.78	23.15	0.00	0.00	3.70	0.00	0.00
WALDO	49	2.04	4.08	2.04	8.16	0.00	2.04	4.08	0.00	2.04
WASHINGTON	93	2.15	4.30	7.53	6.45	0.00	0.00	4.30	0.00	1.08
YORK	275	5.09	2.91	8.00	14.55	0.36	0.73	8.00	0.00	0.36
STATE TOTALS	2,493	4.21	4.17	5.78	14.88	0.32	1.04	6.90	0.00	0.76

.

 TABLE D-7
 DEATHS IN INTERMEDIATE CARE FACILITIES - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS

 MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

•

DEATHS AT HOME - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS MAINE COUNTIES AND STATE TOTALS, 1990 (RESIDENT DATA)

COUNTY	TOTAL DEATHS AT HOME	********************* CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF CANCER OF RESPIRATORY SYSTEM (160-165)	PERCENT OF ACUTE MYOCARDIAL INFARCTION (410)	TOTAL DEATHS OG CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE	CEREBRAL	PNEUMONIA	********* * ACCIE MOTOR VEHICLE (E810- E825)	DENTS * OTHER
ANDROSCOGGIN	157	8.28	8.92	19.11	20.38	0.00	0.00	0.00	0.00	1.91
AROOSTOOK	131	7.63	9.92	11.45	18.32	0.00	0.00	0.00	0.76	4.58
CUMBERLAND	340	7.35	12.35	7.94	14.12	0.00	0.59	0.29	0.00	0.88
FRANKLIN	57	7.02	5.26	7.02	22.81	0.00	3.51	1.75	0.00	3.51
HANCOCK	91	12.09	6.59	14.29	13.19	0.00	1.10	1.10	0.00	2.20
KENNEBEC	173	8.67	13.87	9.25	17.92	0.00	0.00	1.16	0.00	2.89
KNOX	79	8.86	7.59	8.86	12.66	0.00	1.27	2.53	0.00	3.80
LINCOLN	70	7.14	17.14	10.00	8.57	0.00	0.00	1.43	0.00	1.43
OXFORD	. 89	10.11	14.61	8.99	. 10.11	2.25	0.00	1.12	0.00	2.25
PENOBSCOT	205	8.29	8.29	13.66	12.20	0.49	0.49	0.49	0.49	2.44
PISCATAQUIS	37	10.81	13.51	8.11	13.51	0.00	0.00	0.00	0.00	2.70
SAGADAHOC	58	8.62	6.90	6.90	17.24	1.72	0.00	1.72	0.00	0.00
SOMERSET	78	16.67	6.41	16.67	8.97	0.00	0.00	0.00	0.00	2,56
WALDO	57	1.75	7.02	17.54	7.02	0.00	0.00	1.75	0.00	3.51
WASHINGTON	67	· 2.99	5.97	26.87	4.48	0.00	0.00	0.00	0.00	1.49
YORK	251	6.77	8.37	6.77	11.55	0.00	0.80	1.20	0.40	2.39
STATE TOTALS	5 1,940	8.14	9.95	11.34	13.81	0.21	0.46	0.77	0.15	2.27

.

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

TABLE D-8

DEATHS BY SEX, AGE, AND OCCUPATION MAINE STATE TOTALS, 1990 (RESIDENT DATA)

		******	******	*******	******	**** OCCUPAT	ION *****	******	******	*****	*****
SEX AND AGE	TOTAL DEATHS	MANAGE- RIAL, PROFES- SIONAL	TECHNICAL, SALES, ADMINIS- TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC- TION, REPAIR, CRAFT	OPER- ATORS, FABRI- CATORS, LABORERS	TRANSPOR- TATION	HOME- MAKER	STUDENT	OTHER AND NOT REPORTED
MALE											
LESS THAN 15	87	0	0	0	0	0	0	0	0	11	76
15-19	39	1	1	1	0	5	2	0	0	29	0
20-24	51	2	1	1	4	<u>,</u> 11	16	2	0	6	8
25-29	68	5	6	9	3	20	13	4	0	1	7
30-34	69	8	9	8	3	21	14	1	0	0	5
35-39	74	14	13	5	2	18	14	6	0	0	2
40-44	115	21	20	9	10	24	16	5	0	0	-10
45-49	129	27	17	12	5	31	21	10	0	0	6
50-54	186	40	21	15	20	30	21	27	0	0	12
55-59	252	43	41	24	18	49	43	20	1	0	13
60-64	469	86	71	37	42	103	82	32	0	· 0	16
65-69	690	123	96	51	64	145	143	47	0	0	21
70-74	775	111	132	53	75	197	130	42	0	0	35
75-79	889	115	129	59	101	245	174	47	0	0	19
80-84	801	131	113	58	101	210	139	31	1	0	17
85-89	503	103	60	26	75	124	80	22	2	0	11
90-94	267	48	35	14	39	79	. 37	9	0	0	6
GREATER THAN 94	81	18	8	9	15	23	5	3	0	0	0
UNKNOWN	1	0	0	0	0	1	0	0	0	0	0
STATE TOTALS	5,546	896	773	391	577	1,336	950	308	4	47	264
PERCENT DISTRIBUTION	100.00	16.16	13.94	7.05	10.40	24.09	17.13	5.55	0.07	0.85	4.76

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

139

DEATHS BY SEX, AGE, AND OCCUPATION MAINE STATE TOTALS, 1990 (RESIDENT DATA)

SEX AND AGE	TOTAL DEATHS	MANAGE- RIAL, PROFES- SIONAL	TECHNICAL, SALES, ADMINIS- TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC- TION, REPAIR, CRAFT	OPER- ATORS, FABRI- CATORS, LABORERS	TRANSPOR- TATION	HOME - MAKER	STUDENT	OTHER AND NOT REPORTED
FEMALE											
LESS THAN 15	79	0	0	0	0	ο	0	0	0	13	66
15-19	23	0	0	0	0	0	1	0	· 0	19	3
20-24	13	0	2	1	0	0	1	0	5	1	3
25-29	24	3	4	7	1	0	5	0	2	0	2
30-34	24	2	9	5	0	1	1	0	5	0	1
35-39	37	7	7	6	1	1	1	0	11	0	3
40-44	58	16	19	. 6	1	2	5	0	5	1	3
45-49	79	9	20	12	1	2	9	1	25	0	0
50-54	111	12	25	9	2	5	15	1	40	0	2
55-59	175	26	36	25	1	3	21	0	61	0	2
60-64	291	36	50	27	0	8	35	1	127	0	7
65-69	446	59	64	59	2	9	70	0	179	0	4
70-74	568	58	116	67	4	7	87	0	222	0	7
75-79	795	121	132	74	6	16	103	0	334	1	8
80-84	887	. 152	146	77	6	15	113	0	367	0	11
85-89	832	149	134	64	5	12	98	0	367	0	3
90-94	671	106	96	49	2	11	64	0	337	0	6
GREATER THAN 94	364	67	50	18	3	8	20	0	198	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,477	823	910	506	35	100	649	3	2,285	35	131
PERCENT DISTRIBUTION	100.00	15.03	16.61	9.24	0.64	1.83	11.85	0.05	41.72	0.64	2.39

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DEATHS BY SEX, AGE, AND OCCUPATION MAINE STATE TOTALS, 1990 (RESIDENT DATA)

.

		******	*****	*****	*****	**** OCCUPAT	ION *****	*****	******	******	*****
SEX AND AGE	TOTAL DEATHS	MANAGE- RIAL, PROFES- SIONAL	TECHNICAL, SALES, ADMINIS- TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC- TION, REPAIR, CRAFT	OPER- ATORS, FABRI- CATORS, LABORERS	TRANSPOR- TATION	HOME- MAKER	STUDENT	OTHER AND NOT REPORTED
BOTH SEXES											
LESS THAN 15	166	0	0	0	0	0	0	о	0	24	142
15-19	62	1	1	1	0	5	3	0	0	48	3
20-24	64	2	3	2	4	11	17	2	5	7	11
25-29	92	8	10	16	4	20	18	4	2	1	9
30-34	93	10	18	13	3	22	15	1	5	0	6
35-39	111	21	20	11	3	19	15	6	11	0	5
40-44	173	37	39	15	11	26	21	5	5	1	13
45-49	208	36	37	24	6	33	30	11	25	0	6
50-54	297	52	46	24	22	35	36	28	40	0	14
55-59	427	69	77	49	19	52	64	20	62	0	· 15
60-64	760	122	121	64	42	111	117	33	127	0	23
65-69	1,136	182	160	110	66	154	213	47	179	0	25
70-74	1,343	169	248	120	79	204	217	42	222	0	42
75-79	1,684	236	261	133	107	261	277	47	334	1	27
80-84	1,688	283	259	135	107	225	252	31	368	0	28
85-89	1,335	252	194	90	80	136	178	22	369	0	14
90-94	938	154	131	63	41	90	101	9	337	0	12
GREATER THAN 94	445	85	58	27	18	31	25	3	198	0	0
UNKNOWN	1	0	0	0	0	1	0	0	0	0	0
STATE TOTALS	11,023	1,719	1,683	897	612	1,436	1,599	311	2,289	82	395
PERCENT DISTRIBUTION	100.00	15.59	15.27	8.14	5.55	13.03	14.51	2.82	20.77	0.74	3.58

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

140

TABLE D-10ACQUIRED IMMUNE DEFICIENCY SYNDROME RELATED DEATHS BY STATUS OF MENTION
MAINE STATE TOTALS, 1990 (RESIDENT DATA)

SEX AND AGE	TOTAL MENTIONS (042.0-044.9,795.8)	TOTAL AIDS MENTIONS	UNDERLYING AIDS MENTIONS	NON-UNDERLYING AIDS MENTIONS	SERO-POSITIVE MENTIONS
MALE		(042.0-044.9)	(042.0-044.9)	(042.0-044.9)	(795.8)
LESS THAN 20 20-24 25-34 35-44 45-54 55-64 GREATER THAN 64 UNKNOWN STATE TOTALS	0 0 14 15 6 5 0 0 40	0 0 14 15 6 5 0 0 40	0 0 12 13 6 5 0 0 36	0 2 2 0 0 0 0 4	
FEMALE					
LESS THAN 20 20-24 25-34 35-44 45-54 55-64 GREATER THAN 64 UNKNOWN STATE TOTALS	0 1 0 0 0 0 1	0 1 0 0 0 0 1	0 1 0 0 0 0 1		
BOTH SEXES					
LESS THAN 20 20-24 25-34 35-44 45-54 55-64 GREATER THAN 64 UNKNOWN STATE TOTALS	0 0 15 15 6 5 0 0 41	0 0 15 15 6 5 0 0 41	0 0 13 13 6 5 0 0 37	0 0 2 2 0 0 0 0 0 4	

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

•

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

UNDERLYING CAUSE	**************************************		**************************************	**************************************					***********)-269	***********	********)-285
ICD-9 CODE	DEATHS	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	
038	68 .	0	0.0	1	1.5	6	8.8	3	4.4	0	0.0
OTH INFECTIOUS DIS	67	3	4.5	0	0.0	0	0.0	2	3.0	1	1.5
250	242	18	7.4	1	0.4	0	0.0	2	0.8	2	0.8
260-269	17	2	11.8	2	11.8	0	0.0	0	0.0	0	0.0
280-285	22	2	9.1	0	0.0	3	13.6	0	0.0	0	0.0
390-398	34	0	0.0	1	2.9	1	2.9	0	0.0	2	5.9
402	75	0	0.0	0	0.0	4	5.3	1	1.3	2	2.7
411	8	0	0.0	0	0.0	1	12.5	0	0.0	0	0.0
413	16	0	0.0	0	0.0	1	6.3	0	0.0	Ó	0.0
424	91	3	3.3	0	0.0	6	6.6	1	1.1	3	3.3
415-423,425-429	926	8	0.9	2	0.2	67	7.2	8	0.9	20	2.2
401,403	40	0	0.0	0	0.0	2	5.0	1	2.5	0	0.0
440	117	2	1.7	1	0.9	8	6.8	3	2.6	2	1.7
480-486	381	33	8.7	1	0.3	18	4.7	8	2.1	11	2.9
490-491	29	0	0.0	1	3.4	2	6.9	2	6.9	0	0.0
492	67	1	1.5	1	1.5	1	1.5	3	4.5	1	1.5
493	20	1	5.0	0	0.0	2	10.0	0	0.0	0	0.0
494-496	443	9	2.0	4	0.9	25	5.6	6	1.4	4	0.9
531-533	23	3	13.0	0	0.0	1	4.3	1	4.3	0	0.0
550-553,560	225	16	7.1	0	0.0	11	4.9	11	4.9	5	2.2
574-575	17	5	29.4	0	0.0	2	11.8	1	5.9	1	5.9
584-586,588-589	96	9	9.4	1	1.0	6	6.3	3	3.1	5	5.2
780-799	71	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807,E826-E949	199	8	4.0	0	0.0	5	2.5	3	1.5	1	0.5
RESIDUAL	7,729	233	3.0	27	0.3	477	6.2	129	1.7	117	1.5
STATE TOTALS	11,023	356	3.2	43	0.4	649	5.9	188	1.7	177	1.6

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISCARES OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS. SIGNS AND ILL-DEFINEO CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

MAINE DEPARTMENT OF HUMAN OFFICE OF DATA, RESEARCH AND

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

UNDERLYING	*****	*****	*******	*****	* NON UNDERL	YING CAUSES	********	*****	*****	*****
CAUSE	390	-398	40	2	4 1	11	41	3	42	4
ICD-9 CODE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	0	0.0	0	0.0	0	0.0	0	0.0	1	1.5
OTH INFECTIOUS DIS	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
250	0	0.0	. 8	3.3	1	0.4	0	0.0	4	1.7
260-269	0	0.0	0	0.0	0	0.0	0	0.0	1	5.9
280-285	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
390-398	0	0.0	0	0.0	0	0.0	1	2.9	0	0.0
402	0	0.0	0	0.0	0	0.0	0	0.0	2	2.7
411	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
413	0	0.0	0	0.0	1	6.3	0	0.0	0	0.0
424	2	2.2	0	0.0	0	0.0	3	3.3	0	0.0
415-423,425-429	0	0.0	0	0.0	0	0.0	1	0.1	9	1.0
401,403	0	0.0	0	0.0	0	0.0	0	0.0	2	5.0
440	0	0.0	0	0.0	0	0.0	0	0.0	4	3.4
480-486	1	0.3	1	0.3	0	0.0	2	0.5	5	1.3
490-491	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
492	0	0.0	0	0.0	2	3.0	1	1.5	0	0.0
493	0	0.0	0	0.0	0	0.0	0	0.0	Ō	0.0
494-496	1	0.2	4	0.9	1	0.2	2	0.5	1	0.2
531-533	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
550-553,560	0	0.0	0	0.0	0	0.0	1	0.4	3	1.3
574-575	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
584-586,588-589	0	0.0	0	0.0	0	0.0	0	0.0	4	4.2
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807,E826-E949	0	0.0	1	0.5	1	0.5	1	0.5	0	0.0
RESIDUAL	17	0.2	62	0.8	30	0.4	70	0.9	82	1.1
STATE TOTALS	21	0.2	76	0.7	36	0.3	82	0.7	118	1.1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-0C3, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

UNDERLYING	*****	*****	*******	******	NON UNDERL	YING CAUSES	******	******	******	******
CAUSE	415-423	3,425-429	401	,403	44	10	480	-486	490)-491
ICD-9 CODE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	18	26.5	1	1.5	0	0.0	1	1.5	0	0.0
OTH INFECTIOUS DIS	7	10.4	0	0.0	0	0.0	10	14.9	0	0.0
250	115	47.5	32	13.2	15	6.2	14	5.8	2	0.8
260-269	4	23.5	0	0.0	0	0.0	4	23.5	0	0.0
280-285	4	18.2	1	4.5	· 1	4.5	3	13.6	0	0.0
390-398	24	70.6	0	0.0	0	0.0	1	2.9	0	0.0
402	27	36.0	0	0.0	5	6.7	3	4.0	2	2.7
411	6	75.0	2	25.0	2	25.0	0	0.0	0	0.0
413	15	93.8	2	12.5	3	18.8	1	6.3	0	0.0
424	68	74.7	2	2.2	0	0.0	6	6.6	0	0.0
415-423,425-429	0	0.0	36	3.9	7	0.8	43	4.6	1	0.1
401,403	. 17	42.5	0	0.0	14	35.0	2	5.0	0	0.0
440	76	65.0	0	0.0	0	0.0	12	10.3	0	0.0
480-486	97	25.5	17	4.5	11	2.9	0	0.0	1	0.3
490-491	14	48.3	0	0.0	2	6.9	4	13.8	0	0.0
492	17	25.4	4	6.0	0	0.0	14	20.9	0	0.0
493	6	30.0	1	5.0	0	0.0	0	0.0	0	0.0
494-496	131	29.6	9	2.0	6	1.4	109	24.6	0	0.0
531-533	8	34.8	1	4.3	0	0.0	0	0.0	0	0.0
550-553,560	64	28.4	5	2.2	1	0.4	18	8.0	0	0.0
574-575	5	29.4	3	17.6	0	0.0	2	11.8	0	0.0
584-586,588-589	40	41.7	0	0.0	0	0.0	6	6.3	0	0.0
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807,E826-E949	38	19.1	• 6	3.0	1	0.5	7	3.5	1	0.5
RESIDUAL	2,133	27.6	486	6.3	327	4.2	436	5.6	14	0.2
STATE TOTALS	2,934	26.6	608	5.5	395	3.6	696	6.3	21	0.2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

D-11

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

UNDERLYING	******	*****	******	****	* NON UNDERL	YING CAUSES	******	*****	******	******
CAUSE	49	2	49	3	494	1-496	531	-533	550-5	53,560
ICD-9 CODE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	
038	0	0.0	1	1.5	6	8.8	0	0.0	12	17.6
OTH INFECTIOUS DIS	0	0.0	0	0.0	2	3.0	0	0.0	16	23.9
250	1	0.4	0	0.0	10	4.1	2	0.8	32	13.2
260-269	0	0.0	0	0.0	2	11.8	0	0.0	7	41.2
280-285	0	0.0	0	0.0	3	13.6	0	0.0	5	22.7
390-398	0	0.0	0	0.0	2	5.9	0	0.0	4	11.8
402	0	0.0	1	1.3	5	6.7	1	1.3	13	17.3
411	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
413	0	0.0	1	6.3	2	12.5	0	0.0	5	31.3
424	1	1.1	0	0.0	11	12.1	1	1.1	25	27.5
415-423,425-429	9	1.0	6	0.6	84	9.1	4	0.4	192	20.7
401,403	0	0.0	0	0.0	1	2.5	0	0.0	6	15.0
440	0	0.0	0	0.0	2	1.7	0	0.0	14	12.0
480-486	8	2.1	0	0.0	27	7.1	2	0.5	381	100.0
490-491	0	0.0	0	0.0	0	0.0	0	0.0	29	100.0
492	0	0.0	0	0.0	0	0.0	2	3.0	67	100.0
493	1	5.0	0	0.0	0	0.0	0	0.0	20	100.0
494-496	0	0.0	0	0.0	0	0.0	4	0.9	443	100.0
531-533	1	4.3	1	4.3	0	0.0	0	0.0	23	100.0
550-553,560	5	2.2	0	0.0	18	8.0	0	0.0	0	0.0
574-575	0	0.0	0	0.0	2	11.8	0	0.0	7	41.2
584-586,588-589	0	0.0	0	0.0	7	7.3	1	1.0	24	25.0
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807,E826-E949	1	0.5	0	0.0	5	2.5	1	0.5	25	12.6
RESIDUAL	68	0.9	30	0.4	530	6.9	51	0.7	1,479	19.1
STATE TOTALS	95	0.9	40	0.4	719	6.5	69	0.6	2,829	25.7

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1990 (RESIDENT DATA)

UNDERLYING ***		*****	*****	**********	NON UNDERL	YING CAUSES	*******	*****	*****	*****
CAUSE	574	-575	584-586	5,588-589	780)-799	E800-E807	,E826-E949	RESI	DUAL
ICD-9 CODE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	0	0.0	6	8.8	29	42.6	3	4.4	0	0.0
OTH INFECTIOUS DIS	0	0.0	5	7.5	12	17.9	4	6.0	0	0.0
250	0	0.0	42	17.4	. 24	9.9	7	2.9	11	4.5
260-269	0	0.0	2	11.8	7	41.2	0	0.0	1	5.9
280-285	0	0.0	2	9.1	5	22.7	0	0.0	4	18.2
390-398	1	2.9	2	5.9	7	20.6	3	8.8	7	20.6
402	0	0.0	1	1.3	6	8.0	1	1.3	18	24.0
411	0	0.0	0	0.0	0	0.0	0	0.0	1	12.5
413	0	0.0	0	0.0	1	6.3	0	0.0	5	31.3
424	1	1.1	11	12.1	14	15.4	12	13.2	23	25.3
415-423,425-429	2	0.2	56	6.0	111	12.0	27	2.9	173	18.7
401,403	0	0.0	3	7.5	6	15.0	0	0.0	4	10.0
440	0	0.0	12	10.3	36	30.8	5	4.3	34	29.1
480-486	3	0.8	13	3.4	97	25.5	4	1.0	160	42.0
490-491	0	0.0	3	10.3	14	48.3	0	0.0	12	41.4
492	0	0.0	3	4.5	38	56.7	0	0.0	21	31.3
493	0	0.0	2	10.0	11	55.0	0	0.0	4	20.0
494-496	0	0.0	15	3.4	216	48.8	13	2.9	161	36.3
531-533	0	0.0	2	8.7	3	13.0	5	21.7	8	34.8
550-553,560	0	0.0	8	3.6	84	37.3	23	10.2	67	29.8
574-575	0	0.0	3	17.6	6	35.3	1	5.9	4	23.5
584-586,588-589	0	0.0	0	0.0	20	20.8	2	2.1	28	29.2
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807,E826-E949	1	0.5	4	2.0	33	16.6	0	0.0	56	28.1
RESIDUAL	16	0.2	277	3.6	1,061	13.7	538	7.0	0	0.0
STATE TOTALS	24	0.2	472	4.3	1,841	16.7	648	5.9	802	7.3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISCASE OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

INDUCED ABORTIONS

÷

149

INDUCED ABORTIONS BY GESTATION AND TYPE OF ABORTION PROCEDURE MAINE STATE TOTALS, 1990 (OCCURRENCE DATA)

			*****	******	*****	*****	*** W	IEEKS	OF GE	STATI	ON **	****	****	****	******	****
TERMINATION PROCEDURE	TOTAL	PERCENT	LESS	9	10	11	12	13	14	15	16	17	18	19	GREATER	UNK
PRIMARY PROCEDURE THAT TERMINATED PREGNANCY		DISTRIBUTION	THAN 9												THAN 19	
SUCTION CURETTAGE SHARP CURETTAGE DILATION AND EVACUATION SALINE INSTILLATION PROSTAGLANDIN INSTILLATION HYSTEROTOMY HYSTERECTOMY OTHER STATE TOTALS PERCENT DISTRIBUTION	3,089 207 1,301 4 2 0 0 4 4,607	67.05 4.49 28.24 0.09 0.04 0.00 0.00 0.00 100.00	1,479 128 708 2 0 0 0 0 2,317 50.29	463 27. 262 0 0 0 0 0 752 16.32	384 18 158 2 0 0 0 0 562 12.20	288 25 59 0 0 0 0 0 372 8.07	164 9 41 0 0 0 0 214 4.65	171 0 16 0 0 0 0 187 4.06	92 0 11 0 0 0 0 103 2.24	23 0 6 0 0 0 1 30 0.65	2 0 7 0 0 0 0 1 10 0.22	0 5 0 1 0 0 1 7 0.15	0 5 0 0 0 0 5 0.11	0 5 0 1 0 0 0 6 0.13	1 0 7 0 0 0 0 1 9 0.20	22 0 11 0 0 0 33 0.72
ADDITIONAL PROCEDURES USED																
SUCTION CURETTAGE SHARP CURETTAGE DILATION AND EVACUATION SALINE INSTILLATION PROSTAGLANDIN INSTILLATION HYSTEROTOMY HYSTERECTOMY OTHER STATE TOTALS PERCENT DISTRIBUTION	310 2,253 12 0 0 0 0 2,575	12.04 87.50 0.47 0.00 0.00 0.00 0.00 0.00 100.00	125 1,164 8 0 0 0 0 0 1,297 50.37	47 318 3 0 0 0 0 0 368 14.29	48 243 0 0 0 0 291 11.30	34 165 0 0 0 200 7.77	21 82 0 0 0 0 0 0 103 4.00	12 154 0 0 0 0 0 166 6.45	7 92 0 0 0 0 0 99 3.84	6 22 0 0 0 0 0 0 28 1.09	3 2 0 0 0 0 5 0.19	2 1 0 0 0 0 3 0.12	0 0 0 0 0 0 0.00	0 0 0 0 0 0 0	1 0 0 0 0 0 0 2 0.08	4 9 0 0 0 0 0 13 0.50

•

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

1

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE MAINE STATE TOTALS, 1990 (RESIDENT DATA)*

			*****	*****	******	*****	*****	*** WI	EEKS OF	GES	TATIO	N **:	****	*****	******	*****
AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	LESS THAN S	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNKNOWN
LESS THAN 10	0	0.00	0	0	0	0	0	· 0	0	0	0	0	0	0	0	0
10-14	20	0.50	6	4	4	4	1	1	0.	0	0	0	0	0	0	0
15	53	1.32	22	11	7	7	3	1	2	0	0	0	0	0	0	0
16	109	2.71	46	13	16	14	4	10	3	0	0	0	0	0	1	2
17	183	4.54	79	39	20	20	8	10	3	з	0	0	0	0	0	1
18	244	6.06	106	40	36	29	15	11	5	2	0	0	0	0	0	0
19	337	8.37	151	58	46	30	21	19	5	4	0	1	0	0	0	2
20-24	1,367	33.94	686	254	157	112	58	45	27	9	2	1	2	1	1	12
25-29	861	21.38	486	137	104	57	23	23	13	3	1	2	1	1	2	8
30-34	513	12.74	310	77	60	28	14	9	4	0	0	1	0	1	3	6
35-39	251	6.23	162	26	29	13	13	2	0	1	2	0	0	1	2	0
40-44 .	73	1.81	47	7	7	4	4	1	2	0	0	0	0	1	0	0
GREATER THAN 44	2	0.05	1	0	0	0	0	1	0	0	0	0	0	0	0	0
UNKNOWN	15	0.37	7	5	1	1	0	0	0	0	0	1	0	0	0	0
STATE TOTALS	4,028		2,109	671	487	319	164	133	64	22	5'	6	3	5	9	31
PERCENT DISTRIBUTION		100.00	52.36	16.66	12.09	7.92	4.07	3.30	1.59 0	.55 (0.12	0.15	0.07	0.12	0.22	0.77
																•

RACE OF PATIEN	Т
----------------	---

•

WHITE	3,786	93.99	1,994	634	451	293	153	128	60	17	4	6	3	5	9	29
BLACK	50	1.24	23	9	5	8	5	0	0	0	0	0	0	0	0	0
AMERICAN INDIAN	117	2.90	53	14	22	11	5	4	3	З	1	0	0	0	0	1
OTHER	75	1.86	39	14	9	7	1	1	1	2	0	0	0	0	0	1
STATE TOTALS	4,028		2,109	671	487	319	164	133	64	22	5	6	3	5	9	31
PERCENT DISTRIBUTION		100.00	52.36	16.66	12.09	7.92	4.07	3.30	1.59 (D.55	0.12	0.15	0.07	0.12	0.22	0.77

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O RECORDS WERE BLANK.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

,

.

5

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE MAINE STATE TOTALS, 1990 (OCCURRENCE DATA)

			****	*****	*****	*****	*****	*** WE	EEKS O	F GES	TATIC)N ***	*****	****	******	******
AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNKNOWN
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	23	0.50	7	4	4	5	1	2	0	0	0	0	0	0	0	0
15	67	1.45	22	14	10	8	3	6	3	1	0	0	0	0	0	0
16	141	3.06	53	13	20	16	9	16	11	0	0	0	0	0	· 1	2
17	236	5.12	92	45	24	24	14	19	11	5	1	0	0	0	0	1
18	271	5.88	111	47	40	32	19	13	6	2	1	0	· 0	0	0	0
19	376	8.16	164	66	51	33	24	23	8	4	0	1	0	0	0	2
20-24	1,563	33.93	756	275	183	135	77	64	40	12	4	1	2	. 1	1	12
25-29	981	21.29	533	162	121	67	30	26	18	- 5	2	2	2	2	2	9
30-34	568	12.33	339	85	66	33	18	10	4	0	0	1	1	1	3	7
35-39	275	5.97	175	29	32	14	13	5	0	1	2	1	0	1	2	0
40-44	81	1.76	51	7	9	4	5	2	2	0	0	0	0	1	0	0
GREATER THAN 44	2	0.04	1	0	0	0	· 0	1	0	0	0	0	0	0	0	. 0
UNKNOWN	23	0.50	13	5	2	1	1	0	0	0	0	1	0	0	0	0
STATE TOTALS	4,607		2,317	752	562	372	214	187	103	30	10	7	5	6	9	33
PERCENT DISTRIBUTION		100.00	50.29	16.32	12.20	8.07	4.65	4.06	2.24	0.65	0.22	0.15	0.11	0.13	0.20	0.72
					*											
RACE OF PATIENT																·
WHITE	4,434	96.24	2,237	723	539	352	203	183	102	28	10	7	4	6	9	31
BLACK	57	1.24	25	11	6	8	7	0	0	0	0	0	0	0	· 0	0
AMERICAN INDIAN	28	0.61	11	3	6	4	2	2	0	0	0	0	0	0	0	0
OTHER	88	1.91	44	15	11	8	2	2	1	2	0	0	1	0	0	2
STATE TOTALS	4,607		2,317	752	562	372	214	187	103	30	10	7	5	6	· 9	33
PERCENT DISTRIBUTION		100.00	50.29	16.32	12.20	8.07	4.65	4.06	2.24	0.65	0.22	0.15	0.11	0.13	0.20	0.72

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INDUCED ABORTIONS OF PREGNANCY BY RACE, MARITAL STATUS AND AGE OF PATIENT MAINE STATE TOTALS, 1990 (RESIDENT DATA)*

	TOTAL	*****	******	******	***** RA	CE *******	*****	*****	*****
MARITAL STATUS	INDUCED	WH	ITE	E	LACK	AMERIC	AN INDIAN	0	THER
	ABORTIONS	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	847	810	95.63	6	0.71	2	0.24	29	3.42
NOT MARRIED	2,990	2,889	96.62	40	1.34	23	0.77	38	1.27
UNKNOWN	191	174	91.10	- 5	2.62	2	1.05	10	5.24
STATE TOTALS	4,028	3,873	96.15	51	1.27	27	0.67	77	1.91
AGE OF PATIENT(YRS.)									
LESS THAN 10	0	0	0.00	0	0.00	0	0.00	0	0.00
10-14	20	19	95.00	0	0.00	0	0.00	1	5.00
15	53	52	98.11	0	0.00	0	0.00	1	1.89
16	109	107	98.17	0	0.00	1	0.92	1	0.92
17	183	177	96.72	4	2.19	0	0.00	2	1.09
18	244	232	95.08	3	1.23	3	1.23	6	2.46
19	337	323	95.85	8	2.37	2	0.59	4	1.19
20-24	1,367	1,309	95.76	22	1.61	13	0.95	23	1.68
25-29	861	826	95.93		0.93	5	0.58	22	2.56
30-34	513	502	97.86	3	0.58	2	0.39	6	1.17
35-39	251	242	96.41	1	0.40	1	0.40	7	2.79
40-44	73	69	94.52	1	1.37	0	0.00	3	4.11
GREATER THAN 44	2	2	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN	15	13	86.67	1	6.67	0	0.00	1	6.67
TEENAGE TOTALS	944	908	96.19	15	1.59	6	0.64	15	1.59
STATE TOTALS	4,028	3,873	96.15	51	1.27	27	0.67	77	1.91

NOTES: PERCENTAGES ARE BASED ON TOTAL TERMINATIONS. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O RECORDS WERE BLANK.

INDUCED ABORTIONS OF PREGNANCY BY RACE, MARITAL STATUS AND AGE OF PATIENT MAINE STATE TOTALS, 1990 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL INDUCED ABORTIONS	******* WH NUMBER	ITE	*************** BL NUMBER	ACK		*************** AN INDIAN PERCENT		THER
MARRIED	939	899	95.74	6	0.64	2	0.21	32	3.41
NOT MARRIED	3,449	3,334	96.67	45	1.30	24	0.70	46	1.33
UNKNOWN	219	201	91.78	. 6	2.74	2	0.91	10	4.57
STATE TOTALS	4,607	4,434	96.24	57	1.24	28	0.61	88	1.91
AGE OF PATIENT(YRS.)									
LESS THAN 10	0	0	0.00	0	0.00	0	0.00	0	0.00
10-14	23	22	95.65	0	0.00	0	0.00	1	4.35
15	67	65	97.01	0	0.00	0	0.00	2	2.99
16	141	137	97.16	0	0.00	1	0.71	3	2.13
17	236	230	97.46	4	1.69	0	0.00	2	0.85
18	271	257	94.83	4	1.48	3	1.11	7	2.58
19	376	360	95.74	8	2.13	3	0.80	5	1.33
20-24	1,563	1,501	96.03	24	1.54	13	0.83	25	1.60
25-29	981	943	96.13	10	1.02	5	0.51	23	2.34
30-34	568	554	97.54	4	0.70	2	0.35	8	1.41
35-39	275	265	96.36	1	0.36	1	0.36	8	2.91
40-44	81	77	95.06	1	1.23	0	0.00	3	3.70
GREATER THAN 44	2	2	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN	23	21	91.30	1	4.35	0	0.00	1	4.35
TEENAGE TOTALS	1,112	1,069	96.13	16	1.44	7	0.63	20	1.80
STATE TOTALS	4,607	4,434	96.24	57	1.24	28	0.61	88	1.91

NOTES: PERCENTAGES ARE BASED ON TOTAL TERMINATIONS. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

INDUCED ABORTIONS BY MARITAL STATUS AND AGE OF PATIENT MAINE STATE TOTALS, 1990 (RESIDENT* AND OCCURRENCE DATA)

AGE OF PATIENT(YRS.)	*********** Total	***** RESID PERCENT	ENT ***** MARRIED	********** NOT	********* UNKNOWN	*********** TOTAL	******* OCCURR PERCENT	ENCE **** MARRIED	********* NOT	********* UNKNOWN
	ABORTIONS	DISTRIBUTION		MARRIED		ABORTIONS	DISTRIBUTION		MARRIED	
LESS THAN 10	0	0.00	0	0	0	0	0.00	0	0	0
10-14	20	0.50	0	20	0	23	0.50	0	23	0
15	53	1.32	2	48	з	67	1.45	2	62	3
16	109	2.71	1	105	3	141	3.06	1	136	4
17	183	4.54	3	175	5	236	5.12	4	226	6
18	244	6.06	8	227	9	271	5.88	9	251	11
19	337	8.37	14	303	20	376	8.16	16	340	20
20-24	1,367	33.94	197	1,101	69	1,563	33.93	221	1,263	79
25-29	861	21.38	278	551	32	981	21.29	302	637	42
30-34	513	12.74	181	303	29	568	12.33	201	336	31
35-39	251	6.23	121	115	15	275	5.97	135	124	16
40-44	73	1.81	33	37	з	81	1.76	37	4 1	3
GREATER THAN 44	2	0.05	2	0	0	2	0.04	2	0	0
UNKNOWN	15	0.37	7	5	з	23	0.50	9	10	4
TEENAGE TOTALS	944	23.44	28	876	40	1,112	24.14	32	1,036	44
STATE TOTALS	4,028		847	2,990	191	4,607		939	3,449	219
PERCENT DISTRIBUTIO	N	100.00	21.03	74.23	4.74		100.00	20.38	74.86	4.75

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O RECORDS WERE BLANK.

i

. . .

.

INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT MAINE STATE TOTALS, 1990 (RESIDENT DATA)*

	TOTAL	*:	*****	*****	*****	****	****	_	ГСОМЕ О					*****	*****	*****	*****	*****	****
MARITAL STATUS	INDUCED			K LIVE	BIRTHS	****	****	*:	*** INC	UCED T	ERMINA	TIONS	****	S	PONTAN		TERMI	INATIO	INS
	ABORTIONS	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK
MARRIED	847	164	232	287	101	33	30	509	223	63	22	12	18	647	127	39	5	З	26
NOT MARRIED	2,990	1,956	554	278	93	37	72	2,009	665	190	60	25	41	2,664	207	37	8	5	69
UNKNOWN	191	94	50	28	5	4	10		42	16	5	5	9	167	16	1	2	1	4
STATE TOTALS	4,028	2,214	836	593	199	74	112	2,632	930	269	87	42	68	3,478	350	77	15	9	99
PERCENT DIST.	100.00	54.97	20.75	14.72	4.94	1.84		65.34	23.09	6.68	2.16	1.04	1.69	86.35	8.69	1.91	0.37	0.22	2.46
AGE OF PATIENT(YR	s.)		•																
LESS THAN 10	· 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	20	20	Ō	Ō	ō	ō	ō	19	ō	1	ō	ō	ō	20	Ō	Ō	ō	ō	ō
15	53	50	2	Ō	ō	ō	1	50	1	Ó	Ō	Ō	2	51	1	Ō	ō	Ō	1
16	109	101	5	ō	ō	ō	3	100	6	1	ō	ō	2	105	2	ō	ō	ō	2
17	183	162	16	2	ō	ō	3	158	20	Í	1	ō	3	179	2	ō	ō	ō	2
18	244	208	28	4	ŏ	ō	4	202	36	i	i	1	3	232	7	1	ō	ō	4
19	337	266	54	13	ō	1	3	267	59	7	Ó	Ó	4	319	14	2	ō	ō	2
20-24	1,367	866	318	131	19	5	28	935	311	71	28	3	19	1,217	91	21	5	3	30
25-29	861	328	208	202	69	25	29	470	247	87	27	15	15	714	92	25	3	1	26
30-34	513	136	134	133	63	24	23	243	160	63	18	16	13	387	81	17	4	2	22
35-39	251	60	51	79	35	12	14	138	70	25	9	5	4	192	40	9	1	3	6
40-44	73	7	19	25	13	6	3	38	17	11	3	2	2	50	17	1	2	0	3
GREATER THAN 44	2	0	0	1	0	1	Ō	2	0	0	Ō	0	0	1	0	1	ō	Ō	0
UNKNOWN	15	10	1	3	0	0	1	. 10	3	1	0	0	1	11	3	0	0	0	1
TEENAGE TOTALS	944	805	105	19	0	1	14	794	122	11	2	1	14	904	26	3	0	0	11
PERCENT DIST.	100.00	85.28	11.12	2.01	0.00	0.11	1.48	84.11	12.92	1.17	0.21	0.11	1.48	95.76	2.75	0.32	0.00	0.00	1.17
STATE TOTALS	4,028	2,214	836	593	199	74	112	2,632	930	269	87	42	68	3,478	350	77	15	9	99
PERCENT DIST.	100.00	54.97	20.75	14.72	4.94		2.78		23.09	6.68	2.16	1.04		86.35	8.69	1.91	0.37	0.22	2.46

.

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O RECORDS WERE BLANK.

•

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

,

156

INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT MAINE STATE TOTALS, 1990 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL INDUCED	***	*****	****** • LIVE	******	*****	(***** :****		TCOME C *** INC				NCIES		****** PONTAN				****
MARTIAL STATUS	ABORTIONS		0 1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK
MARRIED	939	181	255	330	106	34	33	565	247	70	25	12	20	718	142	40	6	З	30
NOT MARRIED	3,449	2,294	641	304	95	37	78	2,331	763	217	68	26	44	3,080	236	40	11	6	76
UNKNOWN	219	109	56	31	6	4	13	135	45	18	5	5	11	191	16	2	2	1	7
STẠTE TOTALS	4,607	2,584	952	665	207	75	124	3,031	1,055	305	98	43	75	3,989	394	82	19	10	113
PERCENT DIST.	100.00	56.09 2	20.66	14.43	4.49	1.63	2.69	65.79	22.90	6.62	2.13	0.93	1.63	86.59	8.55	1.78	0.41	0.22	2.45
AGE OF PATIENT(YR	s.)																		
LESS THAN 10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	о	0	0	0	0
10-14	23	23	0	0	0	0	0	22	0	1	0	0	0	23	0	0	0	0	0
15	67	64	2	· 0	0	0	1	64	1	0	0	0	2	65	1	0	0	0	1
16	141	132	6	0	0	0	3	131	7	1	0	0	2	137	2	0	0	0	2
17	. 236	212	19	2	0	0	3	206	25	1	1	0	3	231	3	0	0	0	2
18	271	229	31	5	0	0	6	225	39	1	1	1	4	257	7	1	0	0	6
19	376	298	60	13	0	1	4	293	68	10	0	0	5	356	15	2	0	0	3
20-24	1,563	1,003	353	147	22	5	33	1,068	353	84	32	3	23	1,393	104	21	5	3	37
25-29	981	382	248	224	70	25	32	531	290	98	32	15	15	813	105	27	5	. 2	29
30-34	568	150	154	149	66	25	24	276	172	70	19	17	14	428	90	19	6	2	23
35-39	275	67	55	91	36	12	14	156	74	26	10	5	4	209	46	10	1	3	6
40-44	81	10	21	28	13	6	3	42	21	11	3	2	2	57	18	1	2	0	3
GREATER THAN 44	2	0	0	1	0	1	0	2	0	0	0	0	0	1	0	1	0	0	0
UNKNOWN	23	14	3	5	0	0	1	15	5	2	0	0	1	19	3	0	0	0	1
TEENAGE TOTALS	1,112	956	118	20	0	1	17	939	140	14	2	1	16	1,067	28	3	0	0	14
PERCENT DIST.	100.00	85.97 1	10.61	1.80	0.00	0.09	1.53	84.44	12.59	1.26	0.18	0.09	1.44	95.95	2.52	0.27	0.00	0.00	1.26
STATE TOTALS	4,607	2,584	952	665	207	75	124	3,031	1,055	305	98	43	75	3,989	394	82	19	10	113
PERCENT DIST.	100.00	56.09 2	20.66	14.43	4.49	1.63	2.69	65.79	22.90	6.62	2.13	0.93	1.63	86.59	8.55	1.78	0.41	0.22	2.45

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

INDUCED ABORTIONS BY STATE OR COUNTRY OF RESIDENCE MAINE STATE TOTALS, 1990 (OCCURRENCE DATA)

STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS
ALABAMA	0	MARYLAND	1	SOUTH CAROLINA	Ο
ALASKA	0	MASSACHUSETTS	90	SOUTH DAKOTA	0
ARIZONA	1	MICHIGAN	1	TENNESSEE	0
ARKANSAS	0	MINNESOTA	0	TEXAS	1
CALIFORNIA	2 ′	MISSISSIPPI	1	UTAH	0
COLORADO	Ο·	MISSOURI	0	VERMONT	1
CONNECTICUT	2	MONTANA	0	VIRGINIA	2
DELAWARE	0	NEBRASKA	0	WASHINGTON	0
DIST OF COLUMBIA	ο	NEVADA	1	WEST VIRGINIA	0
FLORIDA	4	NEW HAMPSHIRE	224	WISCONSIN	0
GEORGIA	1	NEW JERSEY	0	WYOMING	'ο
HAWAII	0	NEW MEXICO	0	PUERTO RICO	1
IDAHO	0	NEW YORK	4	VIRGIN ISLANDS	· 1
ILLINOIS	2	NORTH CAROLINA	1	GUAM	0
INDIANA	0	NORTH DAKOTA	0	CANADA	202
IOWA	0	OHIO	1	CUBA	0
KANSAS	0	OKLAHOMA	0	MEXICO	0
KENTUCKY	0	OREGON	1	OTHER W. HEMISPHERE	0
LOUISIANA	4	PENNSYLVANIA	3	REST OF THE WORLD	0
MAINE	4,028	RHODE ISLAND	1	UNKNOWN	26

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

4,607

TOTAL

MARRIAGES

MARRIAGES BY AGE OF BRIDE AND OF GROOM MAINE STATE TOTALS, 1990 (RESIDENT DATA)*

.

AGE OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DIST.									DE(YRS. 9 30-34						******* UNKNOWN
UNDER 16	2	0.02	0.	ο	0	2	0	0	о	0	0	о	о	о	0	0	0
16-17	16	0.15	о	5	8	ſ	1	1	0	о	о	о	о	о	0	0	0
18-19	384	3.66	2	58	188	86	23	10	4	4	8	1	о	0	0	0	0
20-21	895	8.52	.2	42	321	307	121	40	33	13	14	1	0	0	1	0	0
22-23	1,256	11.96	2	33	241	371	362	120	58	27	26	10	4	i	о	· 1	0
24-25	1,273	12.12	2	14	101	245	361	254	120	64	77	25	5	1	· 2	2	о
26-27	1,106	10.53	0	6	55	144	221	242	200	91	104	35	6	2	0	0	Ö
28-29	954	9.08	0	2	27	72	144	163	180	151	144	50	18	1	2	0	o
30-34	1,630	15.51	0	4	23	56	145	194	233	233	469	197	59	13	4	0	0
35-39	1,018	9.69	0	2	5	15	35	48	83	103	330	252	100	35	10	0	0
40-44	755	7.19	0	0	о	6	11	21	36	41	160	211	192	60	17	0	0
45-49	448	4.26	0	0	2	4	4	6	18	6	60	104	131	84	26	З	0
50-64	58 1	5.53	0	0	4	2	3	2	2	2	34	61	106	137	208	20	о
OVER 64	188	1.79	0	, o	0	1	1	0	о	о	2	3	5	16	71	89	о
UNKNOWN	0	0.00	0	0	0	0	0	о	0	0	0	0	0	0	0	0	о
STATE TOTALS	10,506		8	166	975	1,312	1,432	1,101	967	735	1,428	950	626	350	341	.115	о
PERCENT DISTRIBUTIO	. NC.	100.00	0.08	1.58	9.28	12.49	13.63	10.48	9.20	7.00	13.59	9.04	5.96	3.33	3.25	1.09	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

> MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

· •

MARRIAGES BY YEARS OF EDUCATION OF BRIDE AND OF GROOM MAINE STATE TOTALS, 1990 (RESIDENT DATA)*

			*****	******	*****	******	EDUCA	TION OF	BRIDE(YRS.) *	******	*****	*****	*****
EDUCATION OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DISTRIBUTION	UNDER 8	8	9	10	11	12	13	14	15	16	OVER 16	UNKNOWN
UNDER 8	73	0.69	7	11	8	5	5	23	6	2	1	3	1	1
8	207	1.97	7	23	16	18	21	99	13	5	2	2	1	о
9	200	1.90	0	10	24	23	17	103	12	7	1	3	0	о
10	337	3.21	3	21	21	33	26	176	25	22	4	3	2	1
11	422	4.02	5	11	30	28	69	217	28	16	2	10	З	3
12	4,683	44.57	18	53	124	166	181	2,856	400	433	117	252	57	26
13	618	5.88	2	3	7	15	20	240	133	92	26	62	17	1
14	963	9.17	1	5	6	13	12	359	139	191	43	158	33	3
15	300	2.86	0	1	4	8	2	92	40	53	30	51	18	1
16	1,185	11.28	1	0	4	4	7	210	90	180	63	488	134	4
OVER 16	520	4.95	1	<u>_</u> 1	1	5	о	77	26	53	36	159	160	1
UNKNOWN	998	9.50	0	3	0	2	1	22	4	0	1	1	0	964
STATE TOTALS	10,506		45	142	245	320	36 1	4,474	916	1,054	326	1,192	426	1,005
PERCENT DISTRIBUTIO	N	100.00	0.43	1.35	2.33	3.05	3.44	42.59	8.72	10.03	3.10	11.35	4.05	9.57

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS, FOR BRIDES AND FOR GROOMS MAINE STATE TOTALS, 1990 (RESIDENT DATA)*

PREVIOUS MARITAL STATUS	TOTAL MARRIAGES	PERCENT DIST.	***** UNDER 16								DE(YRS. 30-34						******** UNKNOWN
BRIDE																	
SINGLE	6,327	60.22	8	166	966	1,251	1,283	865	657	394	502	153	44	19	9	10	0
WIDOWED	294	2.80	0	0	0	1	1	0	2	4	27	21	29	34	93	82	0
DIVORCED	3,873	36.86	0	0	9	60	147	235	307	336	. 895	776	552	295	238	23	0
ANNULLED	12	0.11	0	0	0	0	1	. 1	1	1	4	0	1	2	1	0	0
UNKNOWN	0	0.00	` 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRIDE TOTALS	10,506		8	166	975	1,312	1,432	1,101	967	735	1,428	950	626	350	341	115	0
PERCENT DIST.		100.00	0.08	1.58	9.28	12.49	13.63	10.48	9.20	7.00	13.59	9.04	5.96	3.33	3.25	1.09	0.00

163

			**************************************							** AGE OF GROOM(YRS.) ************************************							
	TOTAL MARRIAGES	PERCENT DIST.	UNDER 16	16-17	18-19	20-21	22-23	3 24-25	5 26-27	28-29	9 30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN
GROOM																	
SINGLE	6,534	62.19	2	16	384	882	1,210	1,143	903	692	848	286	107	30	23	8	0
WIDOWED	285	2.71	0	0	0	0	0	2	2	3	3	9	17	19	109	121	0
DIVORCED	3,680	35.03	0	о	0	13	45	128	200	259	777	723	629	398	449	59	0
ANNULLED	7	0.07	0	0	0	0	1	0	1	0	2	0	2	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GROOM TOTALS	10,506		2	16	384	895	1,256	1,273	1,106	954	1,630	1,018	755	448	58 1	188	0
PERCENT DIST.		100.00	0.02	0.15	3.66	8.52	11.96	12.12	10.53	9.08	15.51	9.69	7.19	4.26	5.53	1.79	0.00
	·																

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

MARRIAGES BY NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND OF GROOM MAINE STATE TOTALS, 1990 (RESIDENT DATA)*

			***	*******	*****	NUMBER OF	PREVIOUS	MARRIAGES	OF BRIDE	******	*******	*****
NUMBER OF PREVIOUS MARRIAGES OF GROOM	TOTAL MARRIAGES	PERCENT DISTRIBUTIC	0 JN	1	2	3	4	5	6	7	8	UNKNOWN
0	6,534	62.19	5,171	1,119	197	37	9	0	0	0	1	0
1	2,954	28,12	980	1,500	397	61	15	0	1	0	0	0
2	808	7.69	152	378	204	56	16	2	0	0	0	0
3	176	1.68	22	81	51	15	6	1	0	0	0	0
4	20	0.19	2	11	5	1	1	0	0	0	0	0
5	9	0.09	0	4	1	2	1	1	0	0	0	0
6	4	0.04	о	2	2	0	0	0	0	0	0	0
7	0	0.00	0	0	0	0	0	0	0	0	0	0
8	0	0.00	0	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.01	0	0	1	0	0	0	0	Ó	0	0
STATE TOTALS	10,506		6,327	3,095	858	172	48	4	1	0	1	0
PERCENT DISTRIBUTI	ON	100.00	60.22	29.46	8.17	1.64	0.46	0.04	0.01	0.00	0.01	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

APPENDICES

 $(\cdot, \cdot)^{*}$

.

·

M-	011	8431					OF MAINE HUMAN SER		118)		Table C-1
	1a. FIRST	NAME		16. MIDDLE NA			Ic. LAST			······································	State Fee No 1d JR, ETC 2. SEX
CHILD	3. DATE OF B	RTH (Mo., Day, Yr.) 4	. TIME OF BIRTH		ITY OF E	IRTH	6.	CITY OR TOWN OF	BIRTH	· · · · · · · · · · · · · · · · · · ·	<u> </u>
	7. PLACE	OF BIRTH: C Hospit	al 🗋 Freeslan	ding Birthing Center			8.	FACILITY NAME (//	not institut	ion, give street and numbe	1)
	ι	Clinic/Doctor's Office	🗋 Res	idence							
	9. 1 certity	t (Specily) that this child was bor nd time and on the dat	n alive at the estated.	10	. DATE S	SIGNED (Mo., Da	y, Yr.) 11. ATTE	NDANT'S NAME AN	ND TITLE (Il other than certilier) (Type	v/Print)
							Nam	.0. 0 0.0. 0			
ertifier/	Signature							(Specify)	C.N.M.		
TENDANT	· ·	IFIER'S NAME AND TI	TLE (Type/Print)				13. ATTE City	NDANT'S MAILING & Town, State, Zip C	ADDRESS Code)	S (Street and Number or R	ıral Route Number,
	Nате □ м.	D. D.O. DHO	spital Admin. 🛛	C.N.M. Other	Midmile						
		her (Specify)					<u> </u>	j1	5. DATE F	LED BY REGISTRAR (M	o., Day, Yr.j
	►			¢.							
	16a. FIAS	TNAME		16b. MIDE	DLE NAM	É		17. MAIDEN	SURNAME		
OTHER	18. DATE OF E	BIRTH (Mo., Day, Yr.)	19. BIRTHPLACE	(State or Foreign Co	untry)	20. RESIDENCE	-STATE	21. COUNTY		22. CITY	OR TOWN
ottien	23. STRE	ET AND NUMBER			24. MOT	HER'S MAILING	ADDRESS (If same	es residence, enter	Zip Code (only)	25 YEARS LIVING IN
	\sum										PRESENT TOWN
	26a, FIRS	TNAME		266, MIDC	ILE NAM	E		26c. LAST NA	AME		26d. JR. ETC
ATHER	27. DATE	OF BIRTH (Mo., Day,	Yr.)	I		2	8. BIRTHPLACE (SI	rign Co	X R		
	29. I certif	y that the personal info	rmation provided	on this certificate is c	orrect to	the best of my kr	nowledge and belief.				<u> i Barrann</u>
ORMANT	Signal	ure of Parent or Other	Informant 🕨								MARRIED? (At birth or conception)
							AL - STAT			· · · · · · · · · · · · · · · · · · ·	
		PREGNANCY HISTO			JS NO		T NORMAL MENSE			32. Parental Perm	PIES OF THE RECORD.
	(Do noi	IVE BIRTHS include this child)		HER TERMINATIONS			F PREGNANCY PRE		.	Security Num	□ Yes □ No SITS - Total Number
		pecily bolow) 1 35b. Now Dead 1	(Do not in this bit	nchude Ì (Donot⊭	nclude	BEGAN - I	First, Second, Third,	etc. (Specily)		(il none, so si	9/6)
THER	Number	Number	Number	Number		37. BIRTH WE	IGHT (Specify unit)			38. CLINICAL ES	NMATE OF GESTATION (Weeks)
HILD		AST LIVE BIRTH	40. DATE	OF LAST OTHER NATION (Month, Yee		41. PLURALITY (Specify)	Y - Single, Twn, Tri	plet, etc.		42. IF NOT SINGL Third, etc. (Sp	E BIRTH - Born First, Second, ecily)
		GAR SCORE	45 1011	ER TRANSFERRED					acility tran		
	43. 1 Minute	44. 5 Minutes									
į, į	\mathbf{i}		46. INFAN	T TRANSFERRED? [Li No	LíYes tíYes,	enter name of lacily	y transferred to:			
(\succ	1		ANCESTRY - French, English, kish, etc.	RAC Ame Black	E - ncan Indian, k, White, elc.		CATION est grade completed)	USUAL	OCCUPATION PAST YEA	
	sc	CIAL SECURITY NUN	1859	(Specify belon)	(\$pe	city below)	Elementary/ Secondary (0-12)	College (1-4 or 5+)	1	(Specily below)	(Specify below)
DTHER	47.			46.	49.		50.	1	51.		52.
	53.			54.	55.		56.	1	57.		58.
THER	<u> </u>			-				1 1 1			
ſ	(Check	AL RISK FACTORS FO all that apply) :t. < 30/Hgb. < 10)			10	heck all that appl				65. CONGENITAL ANON (Check all that apply)	
	Cardiac dis	ease		b. 🗆	Mac	onium, moderate	38°C.)		D. 🖬	Spina bifida / Meningo	
	Diabeles, p	estational			Abru	plio placenta	membrane (> 12 ho		d. 🗆		c. 🗆
THIS		pes			Olhe	r excessive blee	ding			Other central nervous : (Specify)	system anomalies
GNANCY ARK AT		nopathy			Prec	ipitous labor (<3	hours)		h.🛛	Heart mailormations (Specify)	
EAST ONE		on, pregnancy-associat			Dyst	unctional labor .) hours)			Other circulatory / resp	vatory anomalies
TEGORY EACH	Incompeter	at cervix			Cepi	nalopelvic disproj	110n			(Specify) Rectal atresia / stenosu	
OLUMN	Previous pr	elerm or small-for-gest	ational age infant	n . G			ons				tula / Esophageal atresia
	An sensitiz	ation		p. 🗆		distress				Other gastrointestinal a	nomaties
	Utenne ble Olher	eding	· · · · · <i>· ·</i> · · · · ·	q. 🗆		(Spacity)			_,		
	(Spe	aly)		z .D			VERY (Check one)			Renai agenesis Other urogenital anomi	m. 🗆
ł	60. OTHER	RISK FACTORS FOR to all items)			Vagi	nal birth alter pre	wious C-section			(Specify) Cleft tip / palate	
		e during prognancy		Yes 🗆 No 🗗	Repo	at C-section			. d. 🗗	Polydactyty / Syndactyt	y / Adactyly
		e number cigarettes pe		- -	Vacu	um			1.63	Diaphragmatic hernia	· · · · · · · · · · · · · · · · · · ·
		e number drinks per w		Yes 🗅 No 🗗	Oltiu				_ g ເມິ	(Specify)	r integumental anomalies
	Weight gav	ned during pregnancy		lbs.	64. AB	NORMAL COND	ITIONS OF THE NE	WBORN		Down's syndrome	omalies
ŀ		TRIC PROCEDURES			Aner	nia (Hct. < 39 / H	% gb.<13}			(Specify)	v. O
- A.	Amniocente	sis			Fetal	alcohol syndrom	10		., c. 🛛	(Specity)	
	Induction of Stamulation	labor		c. 🛛	Meco	nium aspiration	souse / HUS		e. 🗆		
	Tocolysis			e. 🗆	Assis	ited ventilation >	30 min				D THIS SHEET TO: OF VITAL STATISTICS
1	Other			y. D	Othe	f			- y O	State	e House Station #11
(<i>city)</i>		z.u	None		167	••••••	. 2.13	Augus	ta, Maine 04333-0011

*

	L				STATE OF MA ARTMENT OF HUMAN FICATE OF FE	SERVICES (11	8)		File Ho.	Tabl	le C-2
THIS	1. FACILITY NAME (II	not institution, giv	re street and n				2.	DATE OF DELIVERY	(Mo , Day, Yr)	1 7155	
DELIVERY	4. SEX OF FETUS	5. COUNTY	OF DELIVERY			6. CITY OR TOWN OF DELL	VERY				
	74. FIRST NAME			75. MIDDLE	NAME	8. MAIDEN	SURNAN	VE			
MOTHER	9. DATE OF BIRTH (A	10., Day, Yr./ 10	. BIRTHPLAC	E (State or Foroign Coun	13. RESIDENCE STATE	12. COUNTY		1	3. CITY OIL TO	WN	
	14. STREET AND NUM	MDER		12	S. MOTHER'S MAILING ADOR	ESS (Il same as tosidence, el	nior ZIP C	ode only)	16. YE PA	ARS LIVENS 'N ESENT TOAN	
	171. FIRST NAME			176. MIOOLE		170. US	NAME		I		וא שרבוכ
FATHER	18 DATE OF BUILTING	Wa , Day, Yej			19. BULT	IPLACE (Suite or Foreign Cours	(Y)				
	20. Signature 🕨	•		•		I.] М.О. □ D.O. □ Ноя □ Other (Specify)	pilal Adm	sin.			
ERTIFIER	22. DATE SIGNED (MA				ll olhor than certilior) (TyperPri			_ o	.D. D.O.	DONM. [Other Mid mile
ISPOSITION	24. SIGNATURE OF F		OR OR AUTH		25. NAME AND ADDRESS OF				_		
	PC. TREGISTINAT'S SIC	INATURE		27	. DATE FILED (440 . Day. Yr.)	28. METHOO E) Bural D Cremation B Laboratory	29. P	LACE OF DISPOSITIO	N (Namo of con	wiory, crocalory, i	or olive place)
	30. PART I. Folal or ma condition d causing let	krocily	·	EDIATE CAUSE	Enter only one caus	ie per line for a., b., and c.		n. 13		Frank Fa	a or Matemai
	RNIATION		{		the for	<u> </u>		NE			
	C Fetal and/or materna	<u>ب</u>	Ć	TO (OR AS A CONSED	Martin California	R A I	č		57		al or Maternal
CAUSE O FETAL DEATH	Z conditions, if any, gi rise to the immediat cause(s), stating the hying cause last.	wing le I Under-	{	TO (OR AS A CONSEC	NUENCE OFF.	· · · · · · · · · · · · · · · · · · ·	•			Scroly Fel	al or Maternal
DEATH	Z U PART II. Other sky	nilicant conditions	of letus or mo	wher contributing to fetal	death but not resulting in the u	ndorlying causes givon in Pa	л.			ETUS DED DEFO	OELIVENY L
					-				32. W		UNKNOWN
										ES D NO 1	
	VS4-R1/90				IGINAL COPY S					□Yes □No	
	CON ANCESTRY: French, Er Insh, elc. <i>(Specily bolow</i>	nglish,	RACE - Am		IS NOR THE INFO BE	LOW WILL APPEAR EDUCATION highest grade completed		SUAL OCCUPATION			ESSANDUSTRY
	35.		36.		ElomonLary/Socor (0-12) 37.	ndary (Colloge (1-4 or 5+)	38.	(Speedy held	*)	PAST (Sixxin) 39	YEAR Y bridge)
MOTHER	×10					1	43				
CARLING.			41.		42.		43.			44	
FATHER	<u> </u>		41.		42.	45. DATE LAST NORMA		S BEGAN	(Mo, Day. Yr		
FATHER	<u>}</u>		PREGNANC	TY HISTORY Ach section		45. DATE LAST NORMA		S DEGAN	(No , Day. Yr		
FAIRER		/E BIRTHS	PREGNANC	hich section)	TERMINATIONS	46. MONTH OF PREGIV BEGAN - FIRL SPCO	MENSE	ENATAL CARE) VL VISIT - Total N	umber
FATHER PREGNANCY HISTORY	482 Now Living	/E BIRTHS 1 ^{485,} Now De: 1	PREGNANC (Complete e	nich section) OTHER	TERMINATIONS	46. MONTH OF PREGIU BEGAN = First, Seco etc. (Specify)	MENSE	ENATAL CARE	47. PRENAT) VL VISIT - Total N	umber
PREGNANCY	482. Now Living Number	1 485. Now Del Number	PREGNANC (Complete e Id	inch section) OTHER 49a. SPONTANEOUS (Do not include this fe Number	I TERJUKATIONS 450. INDUCED 100 not include this lenu Humber	46. MONTH OF PREGIU BEGAN = First, Seco etc. (Specify)	MENSE	ENATAL CARE	47. PRENAT	j L. VISIT - Total N <i>io slatej</i>	umber ESTATION (Hrong)
PREGNANCY	481. Now Living Number None 122 GATE OF LAST L	1 485. Now Del 1 Number 1 Number	PREGNANC (Complete e Id	Anter Section) OTHER OTH	1 TERUHATIONS 450. INDUCED (Do not include the fetu	45. MONTH OF PREGIU BEGAN - Firl, Seco ec. (Specify) J	L MENSE	ENATAL CARE	47. PRENATI (17 none, 1 51. CLINICAL 55. IF NOT 5) L VISIT - Total N Io dany ESTIMATE OF GE	
PREGNANCY	482 Now Living Number Nono 52 DATE OF LAST I (Monuh, Yaw) 56. MEDICAL HISK FAC	1 485. Now De	PREGNANC (Complete e	Antipolitation of the section of the		45. MONTH OF PRECIN BEGAN - Frit, Seco etc. (Specify) 50. FETUS WEIGHT (Specify Ung) 54. PLURALITY - Single	L MENSE	ENATAL CARE	47. PRENAT. (1 none.) 51. CLUNCAL 55. IF NOT S Thurd, etc.) L. VISIT - TOW N 6 44447 ESTIMUTE OF GE INGLE BATH - B	STATION (WORLS)
PREGNANCY	481 Now Living Number Number None 52. DATE OF LAST I (Horuh, Yaw) 54. MEDICAL HISK FAC (Chock all Ibar Apply Aremia (Hel, < 301Hpc) Gardiac Graesa	1 485. Now Det Number Number Number Nore BIRTH STOLIS FOIL TIGS (< 10)	PREGNANCY	Ach section) OTHER IPAL SPONTANEOUS (Do not include Unis fe Number Number D None D T T T T T T T T T T T T T T T T T T T	I TERUHATIONS 450. INDUCED 100 not include the fetue Number 100 None 0 THER TERUMINATION SUSTETIUC PHOCEDUTIES Chock all that apply niccentess	45. MONTH OF PREGIN BECAN - Fris. Seco etc. (Specify) 50. FETUS WEICHT (Specify Und) 54. PLURALITY - Single (Specify)	L MENSE	ENATAL CARE	47. PRENAT. (7 none, 1 51. CLIHICAL 53. IF NOT S Thurd, etc. NOMALIES OF 0 Py1 NOCE	J VI VISIT - Total N O SERVIJ ESTIMATE OF GE INGLE BATH - B (SPACY) SINLD	STATION (WORLS)
PREGNANCY	481 Now Living Number None None None None None Sz DATE OF LAST I (Month, Year) Sd. MEDICAL HISK FAC (Check all Ibar) Condiac dealast Acres of check song Dabetes, persibilitional Dabetes, persibilitional Dabetes, persibilitional Dabetes, persibilitional Dabetes, persibilitional None (Monther Medical) None (Monther Medic	1 485. Now Det Number Number Nore BIRTH STORIS FOR THOS 4 < 101	PAEGNANC (Compile of Magental compiles of the second secon		TERUNATIONS 450. INDUCED 450. INDUCED 450. INDUCED 100 not include that lense Number Distribut PrioceDuties Chock at mai apply Distribut PrioceDuties Distribut PrioceDut	45. MONTH OF PRECIN BECAN - Fris, Seco etc. (Specily) 30. FETUS WEIGHT (Specily Unit) 54. PLURAUTY - Single (Specily)		plot, etc. 51. CONGENITAL AN (Chock all Bhat age Anancephains Spina builds / Menit Hydrocephaius Dithe central show (Specify)	47. PRENAT. (8 none, 1 51. CLUHCAL 55. IF NOT S Thurd, etc. NOMALIES Of 6 99/9) (L VISIT - Total N o stand) ESTIMATE OF GE INGLE BATH - B (Spec)) THILD 	STATION (Works) orn First, Second,
PREGNANCY	481 Now Living Number Number Number None Sc DATE OF LAST I (Month, Year) Sd. MEDICAL HISK FAC (Check all Ital Apply Admit (Hel. < 30H)(Check all Ital Apply Admit (Hell (He	1 485. Now Det Number Number □ None Det BIRTH STOILS FOIL HOS (< 10)	PREGNANCY		TERUNATIONS 450. INDUCED 450. INDUCED 450. INDUCED 100 not include that lense Number Distribut PrioceDuties Chock at mai apply Distribut PrioceDuties Distribut PrioceDut	45. MONTH OF PREGIN BEGAN - FIFL Seco etc. (Specify) 1 50. FETUS WEIGHT (Specify Unit) 54. PLURALITY - Single (Specify)	L MENSE UNCY PRE d, Third Trida, Tri d, D b, D c, D c	GI, CONGENITAL A (Chock all hold (Chock all hold Anencophuls Other central nervo (Spech) Host maliomation (Spech) (Spech) Other central nervo (Spech) Other central nervo (Spech)	47. PRENAT. (8 none, 1 51. CLUHCAL 55. IF NOT S Thurds, etc. NOMALIES OF 6 997) L VIST - Total N is stary ESTIMATE OF GE INGLE BATH - B (Specty) TIULD 	STATION (Weeks) orn Fast, Second,
PREGNANCY History	ABL Now Living Number Number Number Sc DATE OF LAST I (Month, Year) Sc. MEDICAL HISK FAC (Check all Intel Apple Aomia (Hel, < 30H)BC Cardiac desase Acula or chonck lung Cardiac desase Hypertention, provinci Incompolent comm. Promous Intal 4000 e Promous proteint or sim Rend desase	I 485. Now Det Number Number I None Birth Storis FOILTIOS (< 10)	PREGNANC (Complete e Id PILEGNANCY	CONTREASED CONTREAS	I TERUHRATIONS 450. INDUCED 100 not include the fetut Number 10 None 0 None 10 None 10 None 10 None 10 None 10 None 10 None 10 None 10 None 1	45. MONTH OF PREGIN BEGAN - Frs. Seco etc. (Specify) 50. FETUS WEIGHT (Specify Und) 54. PLURALITY - Smyle (Specify)	. A D , A D , C D	ENATAL CARE plot, etc. G1. CONGENITAL AI (Cooch all that ap Amerophulus Spins bides All Ameri Hydrocephulus Other central ameri (Speech) Heast mallomation (Speech) Meast mallomation (Speech) Meast mallomation (Speech) Meast mallomation (Speech) Meast mallomation (Speech) Meast mallomation (Speech) Meast Meast Alter Trachuo expertupou	47. PRENAT. (7 none, 1 (7 no	J U VISIT - Total N o state ESTIMATE OF GE INGLE BATH - B (Specty) TINLD 	STATION (Weeks) orn Fast, Second,
PREGNANCY HISTORY HISTORY MEDICAL AND HEALTH	ABL Now Living Number Number Solution None Solution Solutin Solution Solutin Solutin Solutin So	1485 Now Del Number Number INF BIRTH CTOILS FOIL 1105 d < 10) Stolls FOIL 1105 d Stolls FOIL 1105 d Stolls FOIL 1105 d Stoll 100 Stolls FOIL 100 Stoll	PREGNANCY (Complete e Md PREGNANCY	Achieve Section) OTHER Apple SPONTANEOUS (Do not include Unis fe Number D None 3.7 DATE OF LUST (Monto, Year) S.8 0.0 0	I TERMINATIONS 450. INDUCED 1007 100 not include that fetue Number None OTHER TERMINATION DISTETIOC PHOCEDURIES Chock af that apply niccentests Chock af that apply Note (> 100° F. or 33° C.) Communiccentestheaty Nature of methodare (Note (Not	45. MONTH OF PREGIN BECAN - Fris. Seco etc. (Specify) 50. FETUS WEIGHT (Specify Und 54. PLURALITY - Single (Specify) NDKOR DELIVERY	I MENSE NCY PRE A, Third Tmo, Yn 4, D 4, D	CINCONCENTIAL A COOK AND AND A COOK AND AND A COOK AND AND A COOK AND AND A Association And A Microcophalus . Microcophalus . Microcophalus . Microcophalus . Microcophalus . Microcophalus . Microcophalus . Microcophalus . Microcophalus . Contra canada and a Microcology in the Microcology in the Microcology in the Microcology in the Microcology in the Second Second	47. PRENAT. (P none, 1 (P no) L. VISIT - Total N ESTIMATE OF GE INGLE EATH - B (Specty) SINLD	STATION (Works) orn First, Second, b 11 b 11 c 12 c 12 c 12 c 12 c 12 c 12 c 12 c
PREGNANCY HISTORY HISTORY MEDICAL AND HEALTH	ABL Now Living Numbor Numbor Softer OF LAST L (Month, Yau) Softer All INIS FAG (Month, All INISK FAG	1 480. Now De: Number NE BIRTH CTOILS FOIL THIS CTOILS FOIL THIS CTOILS FOIL THIS TOILS FOIL THIS P. CORS FOR THIS P. CORS FOR THIS P.	PREGNANCY		I TERUHRATIONS 450. INDUCED 100 not include that fetue Number 100 None 101 None	45. MONTH OF PREGIN BECAN - Fris. Seco etc. (Specify) 50. FETUS WEICHT (Specify Und) 54. PLURALITY - Smyle (Specify) NDKOR DELIVERY	. A.D . A.D . C.D . C.D	ENATAL CARE plot, etc. G1. CONSENITAL A (Chock all half a Anencophuls Spins bida Manie Hydrocephuls a. Other central nervo (Speedy) Hast maliomaton (Speedy) Maltomet genislas Ronal algoenss (Speedy) Maltomet genislas (Speedy) Maltomet genislas (Speedy) (Chet publis I fo)	47. PRENAT, (P cone,) 51. CLIHICAL 53. IF NOT S Thurd, etc. 1004ALIES OF 0 10142 1014 10142 1014 1	J U VISIT - Total N O SLAND ESTIMATE OF GE INGLE BATH - B (Specify) TINLD Alters alters Alters	STATION (MICHAU) on Filst, Second, b ii b ii c ii d ii c ii d ii c ii d ii c ii c
PREGNANCY HISTORY MISTORY MEDICAL AND HEALTH	ABL Now Living Numbor Numbor Sc. DATE OF LAST I (Month, Yaa) Sc. MEDICAL IIISA APP) Armin (HeL, CSORigo, Cardiac Grasse Concelling (Internet) Sc. MEDICAL IIISA FAC (Concelling) Armin (HeL, CSORigo, Cardiac Grasse (Concelling) Cardiac Grasse (Concelling) Cardiac Grasse (Concelling)	1480. Now Del Number Number In None Stolis Foli Triss (< 10) Stolis Foli Triss (vasse yassociated yass Stoly Jon day Dis FOR This P. ORS FOR This P. ORS FOR This P.	PREGNANCY	Arr Barrier (Monthe Percision) OTHER Apa. SPONTANEOUS (Do not include Unit fe None B3. DATE OF LLST (Month, Year) D.D EE C.D Ind C.D	TERJUNATIONS 490. INDUCED 490. INDUCED 490. INDUCED 100 not include that lense Number DTHER TERJUNATION OTHER TERJUNATION OTHER TERJUNATION OTHER TERJUNATION OTHER TERJUNATION OTHER TERJUNATION OTHER Chock at mut apply indicenters Chock at mut apply indicenters Chock at mut apply indicenters Construction of labor Construction	45. MONTH OF PREDIN BECAN - FILL Seco etc. (Specify) 50. FETUS WEIGHT (Specify Unit 54. PLURALITY - Single, (Specify) 54. PLURALITY - Single, (Specify) 54. PLURALITY - Single, 12. PLURALITY - Single, 13. PLURALITY - Single, 14. PLURALITY - Single, 15. PLURALITY - Single		Charles and Speech 1 Conservation of the second se	47. PRENAT. (P none, 1 (P no	J L VISIT - Total N ESTIMATE OF GE INGLE EATH - B (Specty) SIIILD 	STATION (Werky) on Fisi, Second, a () b ii b ii c c l: c c c c c c c c c c c c c c c c c c c
PREGNANCY HISTORY MEDICAL AND	ABL Now Living Number Number Number Science Statement Scien	I 485 Now Det Number Number I None ETOILS FOIL THIS (< 10)	PREGNANCY	A A	I TERMINATIONS 490. INDUCED 100 not include that fetue Number None OTHER TERMINATION DISTETINC PHOCEDURES Chock af that appyr niccenters Chock af that appyr niccenters Chock af that appyr Chock af that	45. MONTH OF PREGIN BECAN - FILL Seco etc. (Specify) 50. FETUS WEIGHT (Specify Und) 54. PLURALITY - Single (Specify) NDKOH DELIVENY	. MENSE NCY PRI d, Third 	ENATAL CARE plot, etc. G1. CONGENITAL AI (Chock all built (Speech)) Hear mailemation (Speech) Mail mailemation (Speech) Mail mailemation (Speech) Mailmed genatiat Ronal ageness . (Shock all i flo Paydactry (Speech) Choc unogoniat i flo Paydactry (Speech)	47. PRENAT. 17. PRENAT. 18. CLUHCAL 55. IF NOT S Thurd, etc. 55. IF NOT S Thurd, etc. 10. Status 2014 10. Status 2014	J L VISIT - Total N ESTIMATE OF GE INGLE EATH - B (Specty) SIIILD 	STATION (Werky) orn First, Second,

Ł ł ł 1 Ł 1 ł ł ,

Ł

ł

	1a. FIRST NAME		16. MIDDLE NAM			LAST NAME	(118)	State File No.
	2. DATE OF DEATH (Mo., Day, Y)	() 3. SEX	4. SOCIAL SECURITY I	NI 110000	5a. AGE (Yrs.)	5b. UNDER 1 YEAR	5c. UNDER 1 DAY	6. DATE OF BIRTH
	E ORIE OF DEATH (MO., Day, 1)	., J. JEA .			- Last Birthday	5b. UNDER 1 YEAR Months Days	5c. UNDER 1 DAY Hours (Minute t	
	7. BIRTHPLACE (City and State or	Foreign Country)	. WAS DECEDENT EVER IN U.S. ARMED FORCES?	HOSPITAL		ופ, see instructions on other s O		Residence DOther (Spec.
	10. FACILITY NAME (II not inst	itution, give street and	Yes No		11. COUNT	Patient DOA Y OF DEATH	12. CITY OR TOWN C	
				-				`
DECEDENT	13. MARITAL STATUS - 1 Marned, Never Married, Widowed, Divorced (Specify)	4. MOST RECENT S (Il wile, give maide		(Give kind o		PATION most of working life.	16. KIND OF BUSINE	ESS / INDUSTRY
			D Dece					
•	17. DECEDENT'S (Specify only highes		18. ANCE	STAY - French, English,	Irish, etc. (Specify,	<i>)</i>	19. RACE - American Indian	, Black, White, etc. (Specify)
	Elementary/Secondary (0-12)	College (1-4 or 5	+)					
	20. RESIDENCE - STATE 21.	COUNTY	22. CITY	OR TOWN			23. STREET AND NUMBER	
	FATHER'S	ME	24b. MIDDLE N	AME	24c. LAST NAM	16		
PARENTS	25a, FIRST NA	MF	25b. MIDDLE N		25c. MAIDEN S		· · · · · · · · · · · · · · · · · · ·	
	MOTHER'S							
	26. INFORMANT - NAME (Ty	pe/Print)	27. MAILI	NG ADDRESS (Street and	1 Number or Rural	Route Number, City or Town	. State, ZIP Code)	
INFORMANT	(v			
		DN C Entombed	29. PL	ACE OF DISPOSITION (N	lame of cemetery, cre	ematory, or other place) 30.	LOCATION - City or Town, Stat	9
	Burial Cremation		State					
DISPOSITION	31. SIGNATURE OF FUNERA	L DIRECTOR		NAME AND ADDRESS	OR FACILITY OR	AUTHORIZED PERSON	······	33. DATE OF DIS
	OR AUTHORIZED PERSC)N						(Mo., Døy, Yr.)
	34. MEDICAL On t EXAMINER	he basis of examinati	on and/or investigation;	in my opinion, death occu	urred at the time,		35. DATE SIGNE	ED 36.
	Signature and Title			Alto Sales and			(Mo., Day, Yr.)	
CERTIFIER	PHYSICIAN caus	ne best of my knowled e(s) and manner as s	ige, death occurred at ti tated.	he time, date, and place,	and due to the		38. TIME OF DE	
	Signature and Title 39. NAME OF ATTENDING PI	HYSICIAN IF OTHER	THAN CERTIFIER (Typ	e/Print) 40. NAME AN	ID ADDRESS OF C	CERTIFIER (Type/Print)		
	41. REGISTRAR'S SIGNATUR	٩E				42. DA	TE FILED (Mo., Day, Yr.)	
	43. WAS AN AUTOPSY PERFORMED?	45. MANNER OF DE	AT	Mo, Day, Yr.)	48. DESCRI	IBE HOW INJURY OCCURRI	ED	
	□Yes □No	Accident	WORK7	A Dervers +				
	44. WERE AUTOPSY FINDINGS AVAIL-	Homicide	Yes 49	TIME OF INJURY	50. PLACE		street, factory, office building,	Hc. (Specify)
	ABLE PRIOR TO COMPLETION OF CAUSE OF DEATH?	Investigation Could not be	No		AM PM 51, LOCATE	ON (Street and Number or B	ural Route Number, City or Town	n, State)
1	□ Yes □ No	determined						
_ 1			es, or complications white ure. List only one cause		not enter the mode	of dying, such as cardiac or	respiratory	Approximate Between Or Death
	IMMEDIATE CAUSE disease or condition	(Final						
	· resulting in death.)		DUE TO (OR AS	A CONSEQUENCE OF):				
	NUL Sequentially list cond ULV if any, leading to imm	nediate	DUE TO (OR AS	A CONSEQUENCE OF):	<u>,</u>			
	TVILUE Sequentially list conc if any, leading to imm CAUSE (Disease or i VHICh initiated event resulting in death) LA	njury {c	DUE TO (OR AS	A CONSEQUENCE OF):	<u></u>			
		d.		-			-	1
				nt resulting in the underly nt or less than 90 days po				
l	\mathbf{X}					_		

•

If the death occurred in a hospital, check the box indicating the decedent's status at the institution (inpatient, emergency room/outpatient, or dead on arrival (DOA)). If death occurred elsewhere, check the box indicating whether death occurred at a nursing home, residence or other location, if other is checked, specify where death occurred, e.g. a physician's office, the place where the accident occurred or at work.

Items 20-23. - Residence of Decedent

Residence of the decedent is the place where he or she actually resided. This is not necessarily the same as "home state" or "legal residence." Never enter a temporary residence such as one used during a visit, business trip or a vacation. Place of residence during a tour of military duty or during attendance at college is not considered as temporary and should be considered as the place of residence.

If a decedent had been living in a facility where an individual usually resides for a long period of time such as a group home, mental institution, nursing home, penitentiary or hospital for the chronically ill, report the location of that facility in items 20 through 23.

If the decedent was an infant who never resided at home, the place of residence is that of the parent(s) or legal guardian. Do not use an acute care hospital's location as the place of residence of an infant.

Items 34-51 - Medical Certification

When the circumstances of death make it a medical examiner case as defined in 22 MRSA §3025, the MEDICAL EXAMINER is responsible for completing all items in this section. The shaded areas, item 34 and items 46-51 are to be used <u>only</u> by the Medical Examiner. If the manner of death indicated in item 45 is <u>anything other than natural causes</u>, the certificate <u>must</u> be completed by a medical examiner.

Item 52. - Cause of Death

The cause of death means the disease, abnormality, injury or poisoning that caused the death. not the mode of dying, such as cardiac or respiratory arrest, shock or heart failure.

In Part I, the immediate cause of death is reported on line (a). Antecedent conditions, if any, which gave rise to the cause are reported on lines (b). (c), and (d). The underlying cause should be reported on the last line used in Part I. NO entry is necessary on lines (b), (c) and (d) if the immediate cause of death on line (a) describes completely the train of events. ONLY ONE CAUSE SHOULD BE ENTERED ON A LINE. Additional lines may be added if necessary. Provide the best estimate of the interval between the onset of each condition and death. Do not leave the interval blank; if unknown, so specify.

In Part II, enter other important diseases or conditions that may have contributed to death but did not result in the underlying cause of death given in Part I.

				<u>+</u>	ула токалат Ала токалат
43, WAS AN AUTOPSY	45. MANNER OF DEATH	146.	47. DATE OF INJURY	48. DESCRIBE HOW INJURY OCCURRED	
PERFORMED?	دوهه به در از از المهم واریده د. در	INJURY	V (16, Day Yr)	6/0.022750A 5/402444 77	The second second
1	X Natural	AT WORK?			
1	Accident				
🗙 Yes 🗆 No	C Suicide				
44. WERE AUTOPSY		TYes.	49. TIME OF INJURY	50. PLACE OF INJURY - At home, farm, street, factory, office building, etc.	(Specify)
FINOINGS AVAIL-				and the second secon	for Bray is in
ABLE PRIOR TO COMPLETION OF	Pending Investigation		🗆 AM	تاريخ الدوالي تشتهمون مومرهان	•
CAUSE OF DEATH?	•		🖸 РМ		tate) ;
	Could not be determined			and a start of the start of t	
				sected could and the sector of	
	er the diseases, injuries, or cleast, another, Lister, Short, Short, States, Lister, L			enter the mode of dying, such as cardiad or respiratory	Approximate Interval Between Onset and
	(Forai		-	an in the sub-time state and the state of the	i Oeath I
disease or condition	a Hup	oture of	MYOCardium		Mins.
resulting in death.)	1	DUE TO (OR	AS A CONSEQUENCE OF):		1
NA C	Δου	te mivo	cardial infarction		6 davs
Sequentially list cond	b. <u>AUU</u>	te myo	AS A CONSEQUENCE OF :		
if any, leading to imm	mép 3:0	DOF 10 (OR	AS A CONSECUENCE OF :		
ULL Sequentially list cond if any, leading to imm GILL CAUSE (Disease or which initiated event resulting in death) C	Chr	onic isc	hemic heart disea	se sus sus sus sus sus sus sus sus sus s	5 years
CAUSE (Disease or Which initiated events	`		AS A CONSEQUENCE OF):		, , , , , , , , , , , , , , , , , , , ,
OZ resulting in death)					ì
0=			n an an ann an suithe san an an	n na	- · · ·
PART II. Other sign	ttat conditions contributin	c to death bu	t not resulting in the underlying c	ause given in Part I.	
43. WAS AN AUTOPSY PERFORMEO?	45 MANNER OF DEATH	INJURY	47. DATE OF INJURY (Mo., Day, Yr.)	48. DESCRIBE HOW INJURY OCCURRED	
	Natural	AT WORK?		· ·	
	🗙 Accident			· · · ·	
🗆 Yes 🕅 No	C Suicide		11/15/88	2 car collision-driver	
44. WERE AUTOPSY	_ Homicide	□ Yes	-9. TIME OF INJURY	50. PLACE OF INJURY - At nome, farm, street, factory, office building, etc.	Spearly
FINDINGS AVAIL-					
ABLE PRIOR TO	Pending Investigation		🗆 AM	Street	
COMPLETION OF 1	Could not not	XNC	1:00 XPM	51. LOCAT ON (Street and Number or Rural Route Number, City or Town, S	
COMPLETION OF CAUSE OF DEATH?			1.00 24 - 11	and the set of the set and the set of the set here in the set of t	(a;֥
CAUSE OF DEATH?	auterninis :			Route 4, Augusta, Maine	iatėv .
CAUSE OF DEATH?	auterninis :	n pircations -	which caused the death. Do not e		Autril Diare oteria Batwerr Dreet and Deart
CAUSE OF DEATH?	autorer nik : r mai a seasas i micheal un li, sti anacku on hoart takkroli u s	n preations - they one ca	unich dausen me deatri. Do not e use per each tine.	Route 4, Augusta, Maine	Aust, mara nterva Betwern Draet and Death
CAUSE OF DEATH?	autorer nik : r mai a seasas i micheal un li, sti anacku on hoart takkroli u s	n preations - they one ca	unich dausen me deatri. Do not e use per each tine.	Route 4, Augusta, Maine	Aboru in are interna Betwein Draet and
CAUSE OF DEATH?	autorer nik : r mai a seasas i micheal un li, sti anacku on hoart takkroli u s	n preations - they one ca	which caused the death. Do not e	Route 4, Augusta, Maine	Aust, mara nterva Betwern Draet and Death
CAUSE OF DEATH?	autoroninia strata di soases in Londi uni strata di Nosti ta Nosti uni strata di Cerri	ebral la	unch baused ing beath. Do not e ush ber each The. Ceration AS A CONSEQUENCE OF:	Route 4, Augusta, Maine	Auto dare menta Between Dreat and Deat 10 mins.
CAUSE OF DEATH?	autornomia strategical de la companya de la compan	ebral la sue to ion	centioused the beam Doing of the barrier of the barriers of th	Route 4, Augusta, Maine	Aust, mara nterva Betwern Draet and Death
CAUSE OF DEATH?	autoreness statemenes statemenes statemenes statemenes statemenes a <u>Cert</u> a <u>Cert</u> b <u>Ope</u> t tens.	ebral la cue to ion skull cue to ion	unch baused ing doath. Do not e ceration AS A CONSEQUENCE OF: fracture AS A CONSEQUENCE OF:	Route 4, Augusta, Maine	Auto dare menta Between Dreat and Deat 10 mins.
CAUSE OF DEATH?	atterninks strate of board takens us strate of board takens us a <u>Cerr</u> a <u>Cerr</u> b: crass crass b: 0000 crass cr	ebral la cue to ion skull cue to ion	unch baused ing doath. Do not e ceration AS A CONSEQUENCE OF: fracture AS A CONSEQUENCE OF:	Route 4, Augusta, Maine	Auto dare menta Between Dreat and Deat 10 mins.
CAUSE OF DEATH?	subtractions =	ebral la sue to ion en skull sue to ion omobile	centionsen in Joan Donne Donote Lish per each ins. Ceration AS A CONSEQUENCE OF	Route 4, Augusta, Maine	Auto Date mens Between Dreet and Deat 10 mins.
CAUSE OF DEATH?	atterning a construction beat taken to a const bit of a construction beat taken to a construction beat taken to bit of a construction beat taken to a construction beat taken to bit of a construction beat taken to a construction beat taken	ebral la sue to ion en skull sue to ion omobile	ench bausen ing death. Do not e ceration As A CONSEQUENCE OF: fracture As A CONSEQUENCE OF: accident	Route 4, Augusta, Maine	Auto Date mens Between Dreet and Deat 10 mins.
Vise OF DEATH? Vis X N: S2. PAPT I. Eric Arrest S3. PAPT I. Eric Arrest VISE OF DEATH? S2. PAPT I. Eric Arrest VISE CAUSE VISE OF DEATH? S2. PAPT I. Eric Arrest VISE CAUSE VISE OF DEATH? VISE VISE VISE VISE VISE OF DEATH? VISE	atterning a sease in child of a sease in child	ebral la bue to ion sue to ion con skull bue to ion bue to ion	Ceration AS A CONSEQUENCE OF: accident AS A CONSEQUENCE OF: accident AS A CONSEQUENCE OF):	Route 4. Augusta, Maine	Auto Date mens Between Dreet and Deat 10 mins.
Vise OF DEATH? Vis X N: S2. PAPT I. Eric Arrest S3. PAPT I. Eric Arrest VISE OF DEATH? S2. PAPT I. Eric Arrest VISE CAUSE VISE OF DEATH? S2. PAPT I. Eric Arrest VISE CAUSE VISE OF DEATH? VISE VISE VISE VISE VISE OF DEATH? VISE	atterning a sease in child of a sease in child	ebral la bue to ion sue to ion con skull bue to ion bue to ion	ench bausen ing death. Do not e ceration As A CONSEQUENCE OF: fracture As A CONSEQUENCE OF: accident	Route 4. Augusta, Maine	Auto Date Maria Bather Dreet and Deat 10 mins.
CAUSE OF DEATH? Tyus X htt S2. PAPT I. Enter Arrest S3. PAPT I. Enter S4. State S5. PAPT I. Enter S5. PAPT I. PAPT I. Enter S5. PAPT I. PAPT I. Enter S5. PAPT I. PAPT	atterning a sease in child of a sease in child	ebral la bue to ion sue to ion con skull bue to ion bue to ion	Ceration AS A CONSEQUENCE OF: accident AS A CONSEQUENCE OF: accident AS A CONSEQUENCE OF):	Route 4. Augusta, Maine	Auto Date Maria Bather Dreet and Deat 10 mins.
CAUSE OF DEATH? Yus X 1:: S2. PAPT I. Erts arrest IMMEDIATE CAUSE disease or condition resulting in ceating I any, feading to imm CAUSE (Disease or in which initiated events resulting in ceatin) CA	atterning a sease in child of a sease in child	ebral la bue to ion sue to ion con skull bue to ion bue to ion	Ceration AS A CONSEQUENCE OF: accident AS A CONSEQUENCE OF: accident AS A CONSEQUENCE OF):	Route 4. Augusta, Maine	Auto Date Maria Bather Dreet and Deat 10 mins.

Table C-4

STATE OF MAINE DEPARTMENT OF HUMAN SERVICES (118) LICENSE AND CERTIFICATE OF MARRIAGE

									State File No.	
	1a. FIRST NAME		1b. MIDDLE N	AME		1c. LAST NAME				1d. JR., ETC.
	2. AGE LAST BIRTHDAY 3	RESIDENCE - STATE	4. COUNTY	<u> </u>	5. CITY, OR	TOWN				<u>i </u>
GROOM	6. STREET AND NUMBER							·		
	6. STREET AND NUMBER					7. BIRTHPLACE (State or Foreign Country)			8. DATE OF BIRTH (Mo.: Day, Yr.)	
	9. FATHER'S NAME (First, M	ddle, Lasi)		HPLACE (State or ign Country)	11. MOTHER	'S NAME (First, Mi	ddle, Maiden S	Surname)	12. BIRTHPLACE (State or Foreign Country)	
	13a, FIRST NAME		13b. MIDDLE I			14. MAIDEN S				
	Ioa. I with the		ISD. MIDDLE	TAME		14. MAIDEN S	OTINAMIC			
	15. AGE LAST BIRTHDAY	5. RESIDENCE - STATE	17. COUNTY		18. CITY OR T	NWC			<u> </u>	
BRIDE	19. COUNTY			<u></u>		CE (State or Foreig	n Country)		21. DATE OF BIRTH (Mo., Da	v Yrl
							,, county,			
	22. FATHER'S NAME (First, M	liddle. Lasi)		HPLACE (State or ign Country)	24. MOTHER'S	NAME (First, Midd	dle, Maiden Su	irname)	25. BIRTHPLACE (State or Foreign Country)	
		GRO	DM					BRIDE	<u> </u>	
MARITAL	NUMBER OF THIS MARRIAG	E 27. IF PREVIO		AST MARRIAGE ENDED		THIS MARRIAGE		29. IF PREVIOUSLY MAR	RIED, LAST MARRIAGE ENDE	D
STATUS	26. First, Second, etc (Specify)	DEATH	i DATE I I	(Мо., Day, Yr.)	28. First, Sec (Specify)	ond, etc.			DATE (Mo., Day, Yr.)	
SIGNATURES	ANY DULY AUTHORIZED	32. DATE T		ORMATION PROVIDE HAT AM FREE TO M		ECT TO THE DER THE LAW SIGNATURE		MY KNOWLEDGE		
LICENSE TO MARRY	IS HEREBY AUTHORIZED T THE ABOVE-NAMED PARTIE THE LAWS OF MAINE.	O MARRY	URE OF ISSUING C	LERK	,	36. CITY (OR TOWN OF	ISSUE		
	ТНЕ	LAWS OF MAI	NE PROVIDE	THAT ONLY AUTH	IORIZED I	PERSONS	MAY SOL	EMNIZE MARRI	AGES IN MAINE	
	37. I CERTIFY THAT THE ABOVE NAMED PER WERE MARRIED ON	SONS	Day, Yr.)	38. WHERE MARRIED - CIT	Y OR TOWN		39. COU	NTY	<u>, , , , , , , , , , , , , , , , , , , </u>	
CEREMONY	40. SIGNATURE OF PER	SON PERFORMING CER	EMONY	41. NAME (Type/Print)			42. TITLI	E	43. DATE OF COMMISSION C (Mo., Day, Yr.) ADMITTED	
	44A. RESIDENCE OF PE	RSON PERFORMING CEI	REMONY	44B. MAILING ADDRESS	OF PERSON PE	RFORMING CERE	MONY			
WITNESSES	45A. SIGNATURE OF WITH	NESS TO CEREMONY		* <u></u>	45B. TY	PED OR PRINTED	NAME OF W	ITNESS		
SIGNATURES	46A. SIGNATURE OF WITH	NESS TO CEREMONY		* <u>************************************</u>	46B. TY	PED OR PRINTED	NAME OF W	ITNESS		<u>1628-19-10</u>
CLERK	47. REGISTRAR'S SIGNA	TURE	· · · · · · · · · · · · · · · · · · ·	· ·			48. DATE	E FILED (Mo., Day, Yr.)		
				<u></u>					· · · · · · · · · · · · · · · · · · ·	

VS2-R1/90

CONFIDENTIAL. THE INFORMATION BELOW WILL NOT APPEAR ON CERTIFIED COPIES OF THE RECORD.

GROOM'S RACE	GROOM'S EDUCATION (Spec	BRIDE'S RACE		BRIDE'S EDUCATION – (Specify only highest grade completed)			
49. American Indian, Black, 50.	Elementary/Secondary	College	51. American Indian, Black,	52.	Elementary/Secondary	College	
White, etc. <i>(Spacify)</i>	(0-12)	(1-4 or 5+)	White, etc. (Specify)		(0-12)	(1-4 or 5+)	

COPY - STATE

CONSENT OF PARENTS OR GUARDIAN

	TO											
CONSENT FOR BRIDE	SIGNATURE OF PARENT OR GUARDIAN		SIGNATURE OF PARENT OR GUARDIAN									
	SIGNED BEFORE ME	CLERK OR DEPUTY		TOWN								
	WE HEREBY GIVE CONSENT TO THE MARRIAGE OF OUR SCN OR WARD											
		70										
CONSENT FOR GROOM	SIGNATURE OF PARENT OR GUARDIAN		SIGNATURE OF PARENT OR	GUARDIAN								
GROOM	SIGNED BEFORE ME ON	CLERK OR DEPUTY		TOWN								



\$

DISSOLUTION OF FORMER MARRIAGE

	DIVORCE (NAME OF FORMER SPOUSE)	DATE OF DIVORCE	NAME AND LOCATION OF COURT	
GROOM	ANNULMENT (NAME OF FORMER SPOUSE)	DATE OF ANNULMENT	NAME AND LOCATION OF COURT	
	DEATH (NAME OF FORMER SPOUSE)	DATE OF DEATH	PLACE OF DEATH	
	DIVORCE (NAME OF FORMER SPOUSE)	DATE OF DIVORCE	NAME AND LOCATION OF COURT	
BRIDE	ANNULMENT (NAME OF FORMER SPOUSE)	DATE OF ANNULMENT	NAME AND LOCATION OF COURT	
	DEATH (NAME OF FORMER SPOUSE)	DATE OF DEATH	PLACE OF DEATH	

STATE OF MAINE

RECORD OF DIVORCE OR ANNULMENT

DEPARTMENT OF HUMAN SERVICES

				ł	(118)	S	tate File No.	
	1a. NAME OF HUSBAND - FIRST	1b. MIDDLE		1c. LAST	[.			1d. JR., ETC.
HUSBAND	2a. USUAL RESIDENCE - STATE	2b.COUNTY	2c.CITY/TOW				l	
WIFE	3a. NAME OF WIFE - FIRST	3b. MIDDLE		3c. LAST				
	4a. USUAL RESIDENCE – STATE	4b. COUNTY		L	40	. CITY/TOWN		
MARRIAGE	5. PLACE OF MARRIAGE - STATE, COUNTY, AND CIT	Y OR TOWN			6. Date (OF MARRIAGE		
DIVORCE OR ANNULMENT	7. TYPE OF OECREE DIVORCE ANNULMENT	8. PLAINT	IFF HUSBAND WIFE	[9. decree gr	HUSBAND WIFE	
	10. DATE OF DECREE	11. LEGAL	GROUNDS FOR JUDGEN	1ENT				
MINOR CHILDREN	12. NAMES OF MINOR CHILDREN	РЦ		13.	AGES	14. CUSTODY		
for Additional Names								
CERTIFICATION	15. I HEREBY CERTIFY THAT THE ABOVE ITEMS OF INF AND CORRECT AS SHOWN IN THE ORIGINAL RECORD SIGNATURE OF CLERK	ormation are true on file in this court	16. NAME OF COURT	IRT				
VS5 - R 1⁄90	SI	END TO: Office of Vital S State House St	Statistics ation # 11, Augusta, Mai	ine 04333-04	011			

175

			PARTMENT O			ľ	(118)		State File No.	
1. FACILITY NAME (If not clini	ic or hospital, giv	e address)	2. COU	NTY OF ABO	rtion	3. CITY/T	own of abortion		4. PATIENT MARRIED?	
									□ YES □ NO □ UNKNOWN	
5. DATE OF ABORTION (Mont	5. DATE OF ABORTION (Month, Day, Year) 6. AGE OF PATIE				NCE STATE	8. Coun	8. COUNTY 9.		CITY/TOWN	
10. ANCESTRY French, English, Irish, Etc. (Specify Below)	French, English, Irish, Etc.					12.	EDU(Specify only highes)	L CATION t grade co	mpleted)	
					/		Elementary/Secondary (0-12)		College (1-4 or 5 +)	
13. DATE LAST NORMAL MENSES BEGAN	MAL MENSES OF GESTATION (Weeks)				GNANCY HISTORY	((Comple	te each section)			
(Month, Day, Year)				LIVE BIR	THS			OTHER TERMINATIONS (Do not include this termination)		
			15a. Now livir	w living 1 15b. Now dead			16a. Spontaneous 16a.		. Induced	
			I I Number Number				Number	1 	Number	
			None	. 1	None		🗆 None	Ì	None	
			TERMI	NATION I	PROCEDURES	6				
17a. PROCEDURE THA PREGNANCY	t terminated		TYPE OF TERMIN	ATION PROC	CEDURES		USED	FOR THIS		
(Che	eck only one)	S	AN/					TERMINATION, IF ANY (Check all that apply)		
	□		Su	ction Curett	age	¢ 	🗆	l		
	□				-		□			
	□						····· □			
							0			
				•	-		🗆			
				-			0			
—	□		utier (Spe							
18. SIGNATURE OF ATTENDING	g Physician				NAME OF PERSON	N COMPLE	eting Report (Type/Print)			
VS4 - R 160			Office of Vital Statis State House Statior		a, Maine 04333-0011					

...

·

•

TABLE E-1

MAINE POPULATION BY COUNTIES AND STATE TOTAL, 1990

COUNTY STATE TOTAL	RESIDENT POPULATION 1,227,928
ANDROSCOGGIN	105,259
ARODSTOOK	86,936
CUMBERLAND	243, 135
FRANKLIN	29,008
HANCOCK	46,948
KENNEBEC	115,904
KNOX	36,310
LINCOLN	30,357
OXFORD	52,602
PENOBSCOT	146,601
PISCATAQUIS	18,653
SAGADAHOC	33,535
SOMERSET	49,767
WALDO	33,018
WASHINGTON	35,308
YORK	164,587
-	47

SOURCE: 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A, U. S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS, ISSUED 1991. TABLE E-2

POPULATION BY AGE GROUP AND SEX Maine State Totals, - April 1, 1990

AGE GROUP (YEARS)	RESIDENT POPULATION APRIL 1, 1990							
	MALE	FEMALE	TOTAL					
ALL AGES - TOTAL	597,850	630,078	1,227,928					
UNDER 1	7,417	7,150	14,567					
1-14	125,429	118,811	244,240					
15-24	88,380	85,587	173,967					
25-34	101,093	104,142	205,235					
35-44	96,601	96,744	193,345					
45-64	113,749	119,452	233,201					
65-74	40,507	51,093	91,600					
75-84	19,947	33,600	53,547					
85 AND OLDER	4,727	13,499	18,226					

SOURCE: 1990 CENSUS OF POPULATION AND HOUSING SUMMARY TAPE FILE 1A, U. S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS, ISSUED 1991.

HISTORICAL VITAL STATISTICS DATA POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES; RATES FOR BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS

			MAINE STATE TO							
			Birth Rate	///////////////////////////////////////	Death Rate	Infant	Neonatal	Fetal		
		Live	per 1,000	Deaths	per 1,000	Death	Death	Death		
Year	Population	Births	Population	(All Ages)	Population	Rated	Rated	Rated	Marriages	Divorces
1900	694,466	14,095	20.3	11,389	16.4	267.5	-	43.6ª	5,482	801
1905	719,000	15,294	21.3	11,381	15.8	234.2		46.5 ^a	6,264	848
1910	742,371	15,798	21.3	12,439	16.7	247.2	30.4	42.5 ^a	5,900	911
1915	757,000	16,671	22.0	11,541	15.2	135.7	25.4	41.3 ⁴	6,672	1,006
1920	768,014	17,495	22.7	11,850	15.3	102.8	41.2	42.8 ³	7,884	1,364
1925	782,700	17,706	22.6	10,874	13.8	75.6	51.8	-	6,226	1,228
1930	797,423	16,199	20.3	11,084	13.9	75.4	41.5	35.9 ^a	6,438	1,466
1935	822,300	15,715	19.1	11,042	13.4	62.3	37.8	33.6 ^a	7,089	1,474
1940	847,226	15,285	18.0	10,640	12.6	52.9	34.0	24.8 ^a	8,475	1,537
1945	880,500	16,647	18.9	9,966	11.3	46.6	27.0	24.1 ^a	7,569	2,497
1950	914,950	21,239	23.2	9,962	10.9	31.2	22.0	19.4 ^a	8,617	2,162
1955	940,841	22,753	24.2	10,140	10.8	24,5	17.3	28.4 ^a	8,263	1,954
1956	946,692	22,402	23.7	10,183	10.8	25.0	17.9	25.8 ^a	8,176	1,718
.1957	952,706	23,062	24.2	10,117	10.6	25.2	18.7	23.3 ^a	7,878	1,890
1958	959,357	23,155	24.1	10,465	10.9	26.3	17.5	20.2 ^a	7,564	1,873
1959	964,896	23,141	24.0	10,817	11.2	26.4	19.1	19.1 ^a	7,599	1,960
1960	970,689	23,282	24.0	10,752	11.1	25.2	18.6	17.7ª	7,860	2,025
1961	976,511	23,553	24.1	10,765	11.0	25.6	19.0	17.5 ^a	7,908	2,021
1962	983,023	22,998	23.4	11,083	11.3	25.3	18.2	17.1 ^a	7,980	2,078
1963	986,603	21,919	22.2	11,003	11.2	24.0	17.9	16.3 ³	8,121	2,193
1964	990,391	21,204	21.4	10,862	11.0	23.5	16.9	17.4 ^a	8,269	2,400
1965	993,236	19,796	19.9	10,778	10.9	22.4	16.9	17.5 ^a	8,726	2,502
1966	994,714	18,526	18.6	10,915	11.0	22.6	17.1	15.0 ^a	8,983	2,630
1967	995,134	17,976	18.1	10,066	10.1	23.1	16.4	16.1 ^a	9,210	3,049
1968	994,632	16,866	17.0	11,085	11.1	21.6	15.9	16.0ª	10,179	3,088
1969	993,907	17,364	17.5	10,898	11.0	19.7	15.3	11.8 ^a	10,428	3,375
1970	997,357	17,837	17.9	11,066	11.1	20.9	16.1	13.8 ^a	10,975	3,841
1971	1,012,257	17,850	17.6	10,830	10.7	18.1	13.3	13.2 ^a	11,193	3,905
1972	1,025,775	16,269	15.9	11,147	10.9	17.7	12.8	12.2 ^a	11,741	4,132
1973	1,038,291	15,730	15.1	10,837	10.4	16.1	11.6	13.3 ^a	11,925	4,551
1974	1,050,181	15,110	14.4	10,705	10.2	16.1	12.6	9.9 ^b	11,546	4,850
1975	1,062,640	15,232	14.3	10,253	9.6	13.2	9.0	10.8 ⁰	11,190	5,526
1976	1,074,653	15,846	14.0	10,422	9.7	11.0	7.6	8.3 ^b	11,302	5,522
1977	1,087,650	16,252	. 14.9	10,055	9.2	9.4	6.1	8.6 ^b	11,446	5,655
1978	1,101,186	15,919	14.5	10,168	9.2	10.2	6.0	8.9 ^{b,c}	11,658	6,164
1979	1,115,044	16,435	14.7	10,278	9.2	9.7	5.8	7.2 ^{b,c}	11,918	6,158
1980	1,125,027	16,474	14.6	10,768	9.6	9.3	5.9	7.1 ^{b,c}	12,040	6,189
1981	1,132,849	16,567	14.6	10,331	9.1	10.6	6.6	5.7 ^{b,c}	12,290	6,351
1982	1,136,199	16,695	14.7	10,451	9.2	8.7	6.0	6.9b,c		5,804
1983	1,145,730	16,576	14.5	10,916	9.5	8.7	5.9	6.5 ^b	12,478	5,939
1984	1,156,485	16,631	14.4	10,826	9.4	8.0	4.8	6.8 ^b	12,525	5,795
1985	1,163,850	16,905	14.5	11,392	9.8	8.9	6.3	6.0 ⁵	12,248	6,070
1986	1,172,200	16,717	14.3	11,178	9.5	8.7	5.6	5.9 ^b	11,983	5,621
1987	1,186,350	16,727	14.1	11,238	9.5	8.1	4.8	5.7 ^b	12,124	5,878
1988	1,205,900	17,166	14.2	11,482	9.5	7.9	5.1	6.3 ⁵	12,553	6,041
1989	1,216,050	17,464	14.4	11,090	9.1	7.0	4.8	5.6 ^b	11,894	5,469
1990	1,227,928	17,314	14.1	11,023	9.0	5.9	4.3	<u>5.2</u> b	11,914	5,164

Notes:^aFetal death rate calculated based on all reported terminations of pregnancy, regardless of gestational age. In 1973, 12.0% of such terminations were for fetuses of less than 20 weeks gestation. ^bFetal death rate calculated based on reported fetal deaths of gestational age 20 weeks or more. ^cOccurrence data.

 $^{\mathrm{d}}\mathrm{Rate}$ per 1,000 live births in the same year.

All data for births and deaths pertain to Maine residents, only, starting in 1935. Data on marriages and divorces describe all such events which occurred in Maine.

HISTORICAL VITAL STATISTICS DATA

			Induced Abortions per 1,000		
		Induced			
Year	Births	Abortions	Live Births		
1978	15,919	4,011	252.0ª		
1979	16,435	3,963	241.1ª		
1980	16,474	3,594	218.2 ^b		
1981	16,567	2,881	173.9b		
1982	16,695	2,419	144.9b		
1983	16,576	3,279	197.8 ^b		
1984	16,631	3,767	226.5b		
1985	16,905	3,784	223.8 ^b		
1986	16,717	3,521	210.6 ^b		
1987	16,727	3,698	221.1 ^b		
1988	17,166	3,818	222.4 ^b		
1989	17,464	3,921	224.5b		
1990	17,314	4,028	232.6 ^b		

Induced Abortions of Pregnancy, Number and Rate: Maine State Totals, 1978-1990

Notes: Data prior to 1978 not given because of severe underreporting.

^aOccurrence data. ^bResidence data.

Maine Department of Human Services Office of Data, Research, and Vital Statistics State House Station #11 32 Winthrop Street Augusta, Maine 04333

> SPECIAL FOURTH CLASS — Book Rate —