

# MAINE STATE LEGISLATURE


The following document is provided by the  
**LAW AND LEGISLATIVE DIGITAL LIBRARY**  
at the Maine State Law and Legislative Reference Library  
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied  
(searchable text may contain some errors and/or omissions)

STATE LAW LIBRARY  
AUGUSTA, MAINE

# MAINE VITAL STATISTICS 1991



HA  
413  
.M25  
1991

STATE OF MAINE  
DEPARTMENT OF HUMAN SERVICES

John R. McKernan, Jr.  
Governor



APR 27 1993

Jane Sheehan  
Commissioner

#### NON-DISCRIMINATION NOTICE

In accordance with Title VI of the Civil Rights Act of 1964 (42 U.S.C. §2000d et seq.), Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. §794), the Age Discrimination Act of 1975, as amended (42 U.S.C. §6101 et seq.), and Title IX of the Education Amendments of 1972, the Maine Department of Human Services does not discriminate on the basis of sex, race, color, national origin, handicap or age in admission or access to or treatment or employment in its programs or activities. Ann Twombly, Affirmative Action Officer, has been designated to coordinate our efforts to comply with the U.S. Department of Health and Human Services regulations (45 C.F.R. Parts 80, 84 and 91) and the U.S. Department of Education (34 C.F.R. Part 106) implementing these federal laws. Inquiries concerning the application of these regulations and our grievance procedures for resolution of complaints alleging discrimination may be referred to Ann Twombly at 221 State Street, Augusta, Maine 04333, Telephone Number: (207) 287-3488 (Voice) or 1-800-332-1003 (TTY), or to the Assistant Secretary of the Office of Civil Rights, Washington, D.C.

STATE OF MAINE  
DEPARTMENT OF HUMAN SERVICES

OFFICE OF DATA, RESEARCH, AND VITAL STATISTICS

ANNUAL STATISTICAL REPORT  
FOR THE CALENDAR YEAR

1991



John R. McKernan, Jr.  
Governor

Jane Sheehan  
Commissioner

Ellen M. Naor  
State Registrar of Vital Statistics

Published in February, 1993  
As Required by Statute 22 MRSA §2701  
Under Appropriation # 010-10A-1110-01

## ACKNOWLEDGEMENTS

This report contains a summary of vital statistics for the State of Maine for the calendar year 1991. The Department of Human Services has the dual responsibility of maintaining an effective system of vital registration and of making vital statistics available to the public. Within the Department itself, these data are needed for planning, managing, and evaluating programs that will improve the health and welfare of Maine people. The data are widely used, as well, for estimating and projecting population characteristics and changes.

This document is the result of the cooperative efforts of many individuals and groups. Chief among these are the municipal clerks of Maine's towns and counties, who serve as local registrars for vital records. The conscientious efforts of physicians, medical records administrators, and funeral directors also deserve special mention.

Maine Vital Statistics has been compiled and produced under the general supervision and direction of Ellen M. Naor, State Registrar of Vital Statistics and Director, Office of Data, Research, and Vital Statistics. Staff most significantly involved in the production of the 1991 annual report include:

Carl Gerry, Director, Technical Operations - Primary responsibility for systems analysis and revision, table design and production.

William Turner - Vital statistics systems maintenance and programming of vital statistics series reports.

Brenda Corkum, Planning and Research Associate - Population statistics.

Sue Whitley, Word Processing Supervisor - Manuscript preparation.

The joint efforts of all the staff of the Office's Vital Records Unit are necessary to produce the data contained in this publication. Special acknowledgement is made to:

Lorraine Clarkson, Deputy State Registrar - Supervision of the Vital Records Unit which is responsible for data collection, coding and editing.

Carol Crane, Field Agent - Coordination with cities and towns to produce the data in a timely fashion.



# TABLE OF CONTENTS

	<u>Page No.</u>
Acknowledgements.....	ii
List of Tables.....	v
List of Supplemental Tables Available on Request.....	x
Introduction.....	1
Definitions of Terms.....	3
Definitions of Rates.....	7
Technical Notes.....	9
General Considerations.....	9
Live Births.....	12
Pregnancy Outcome.....	12
Infant and Fetal Mortality.....	12
General Mortality.....	13
Induced Abortions.....	15
Marriages and Divorces.....	15
Tables (See List of Tables for detailed titles)	
Live Births.....	17
Pregnancy Outcome.....	67
Infant and Fetal Mortality.....	89
General Mortality.....	103
Induced Abortions.....	147
Marriages.....	159
Appendices.....	165
Maine Vital Records Certificates and Reports	
Certificate of Live Birth.....	167
Certificate of Fetal Death.....	169
Certificate of Death.....	171
License and Certificate of Marriage.....	173
Record of Divorce or Annulment.....	175
Report of Induced Abortions.....	177

# TABLE OF CONTENTS (Continued)

Page No.

## Population Estimates

U.S. Dep. of Comm, Bureau of the Census, December 1992; Maine Counties and State Total.....	179
U.S. Dep. of Comm, Bureau of the Census, April 1992, by Age Group and Sex: Maine State Totals.....	180

## Historical Vital Statistics Data

Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, from 1900 .....	181
Induced Abortions, Number and Rate: Maine State Totals, from 1978.....	182

# LIST OF TABLES

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
	LIVE BIRTHS	
TABLE B-1	All Live Births and Out of Wedlock Live Births, by Mother's Age and Race: Maine State Totals, 1991 (Resident Data).....	19
TABLE B-2	All Live Births and Out of Wedlock Live Births, by Mother's Age and Child's Birthweight: Maine State Totals, 1991 (Resident Data).....	20
TABLE B-3	Live Births by Selected Medical History Characteristics Maine State Totals, 1991 (Resident data) [Selected Characteristics: Complications of Labor, Medical Risk Factors, Other Risk Factors, Method of Delivery, Obstetric Procedures, Congenital Anomalies].....	21
TABLE B-4	Live Births by Selected Risk Characteristics, and Ratio of Male to Female Births: Maine Counties and State Totals, 1991 (Resident Data) [Selected Characteristics: 5 Minute Apgar Score Less Than 5, Congenital Anomalies, Birthweight Less Than 2,500 Grams, Gestation Less Than 37 Weeks].....	22
TABLE B-5	All Live Births and Out of Wedlock Live Births, by Mother's Age, Sex of Child and Birth Order: Maine Counties and State Totals, 1991 (Resident Data).....	23
TABLE B-6	Live Births by Month Prenatal Care Began and Birthweight: Maine Counties and State Totals, 1991 (Resident Data).....	40
TABLE B-7	Live Births by Trimester Prenatal Care Began and Number of Prenatal Visits: Maine Counties and State Totals, 1991 (Resident Data).....	49
TABLE B-8	Live Births by Month Prenatal Care Began and Mother's Education: Maine Counties and State Totals, 1991 (Resident Data).....	58
TABLE B-9	Live Births by Selected Risk Characteristics--Number of Births: Maine Hospitals, Other Birth Sites, and State Total, 1991 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Medical Risk Factors, Pregnancy, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams].....	64
TABLE B-10	Live Births by Selected Risk Characteristics-- Percentage of Total Births: Maine Hospital, Other Birth Sites, and State Total, 1991 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams].....	65



<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
TABLE B-11	Live Births by Birthweight: Maine Hospitals, Other Birth Sites, and State Totals, 1991 (Occurrence Data).....	66
	PREGNANCY OUTCOME	
TABLE P-1	All Live Births, Induced Abortions, and Fetal Deaths by Outcome, Marital Status, and Age of Mother: Maine Counties and Maine State Totals, 1991 (Resident Data).....	69
TABLE P-2	Fetal Deaths, 1991 and Induced Abortions by Weeks of Gestation: Maine State Totals, 1991 (Resident Data).....	87
	INFANT AND FETAL MORTALITY	
TABLE F-1	Infant, Neonatal, and Postneonatal Deaths by Sex for 61 Cause of Death Groups: Maine State Totals, 1991 (Resident Data).....	91
TABLE F-2	Fetal Deaths by Gestation and Sex for 61 Cause of Death Groups: Maine State Totals, 1991 (Resident Data).....	95
TABLE F-3	Live Births, Neonatal Deaths, and Estimated Neonatal Death Rates by Birthweight: Maine State Totals, 1991 (Resident Data).....	97
TABLE F-4	Fetal Deaths by Selected Complications, Gestation, and Age of Patient: Maine State Totals, 1991 (Resident Data) [Selected Complications: Medical Risk Factors, Complications of Labor or Delivery, Tobacco/Alcohol Use, Congenital Anomalies..	98
TABLE F-5	Deaths and Death Rates--Total, Infant, Neonatal, Postneonatal, and Perinatal: Maine Counties and State Totals, 1991 (Resident Data).....	99
TABLE F-6	Fetal Deaths by Selected Characteristics: Maine Counties and State Totals, 1991 (Resident Data) [Selected Characteristics: Out of Wedlock, Autopsy, In Hospital, Trimester Prenatal Care Began, Age of Patient].....	100
TABLE F-7	Fetal Deaths, Selected Risk Characteristics, and Ratio of Males to Females: Maine Counties and State Totals, 1991 (Resident Data) [Selected Characteristics: Congenital Anomalies, Fetal Weight, Gestation Less Than 28 Weeks].....	101
TABLE F-8	Fetal Deaths by Selected Medical History Characteristics: Maine State Totals, 1991 (Resident Data) [Selected Medical History: Complications of Labor, Medical Risk Factors, Other Risk Factors, Method of Delivery, Obstetric Procedures, Congenital Anomalies].....	102

GENERAL MORTALITY

TABLE D-1	Deaths, Rank by Number of Deaths, and Death Rate-- Total, Male, and Female for Ten Leading Causes of Death by Age Group: Maine State Totals, 1991 (Resident Data).....	105
TABLE D-2	Years of Life Lost--Number, Percent, Rank, and Average per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1991 (Resident Data).....	110
TABLE D-3	Deaths by Age and Sex for 282 Cause of Death Groups: Maine State Totals, 1991 (Resident Data).....	111
TABLE D-4	Underlying Cause Mentions and All Mentions of 72 Cause of Death Groups and Ratio of All Mentions to Underlying Cause Mentions: Maine State Totals, 1991 (Resident Data).....	132
TABLE D-5	Deaths--Total, and Percent by Site of Death: Maine Counties and State Totals, 1991 (Resident Data).....	134
TABLE D-6	Deaths in Hospitals--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1991 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	135
TABLE D-7	Deaths in Intermediate Care Facilities--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1991 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	136
TABLE D-8	Deaths at Home--Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1991 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	137
TABLE D-9	Deaths by Sex, Age, and Occupation: Maine State Totals, 1991 (Resident Data).....	138
TABLE D-10	Acquired Immune Deficiency Syndrome--Related Deaths by Status of Mention: Maine State Totals, 1991 (Resident Data).....	141
TABLE D-11	Deaths by Underlying Cause Mention and All Mentions for Selected 72 Cause of Death Groups: Maine State Totals, 1991 (Resident Data).....	142

# INDUCED ABORTIONS

TABLE A-2	Induced Abortions by Gestation and Type of Termination Procedures: Maine State Totals, 1991 (Occurrence Data).....	149
TABLE A-3	Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1991 (Resident Data).....	150
TABLE A-4	Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1991 (Occurrence Data).....	151
TABLE A-5	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1991 (Resident Data).....	152
TABLE A-6	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1991 (Occurrence Data).....	153
TABLE A-7	Induced Abortions by Marital Status and Age of Patient: Maine State Totals, 1991 (Resident and Occurrence Data).....	154
TABLE A-8	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1991 (Resident Data).....	155
TABLE A-9	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1991 (Occurrence Data).....	156
TABLE A-10	Induced Abortions by State or Country of Residence: Maine State Totals, 1991 (Occurrence Data).....	157

# MARRIAGES

TABLE M-1	Marriages by Age of Bride and of Groom: Maine State Totals, 1991 (Resident Data).....	161
TABLE M-2	Marriages by Years of Education of Bride and of Groom: Maine State Totals, 1991 (Resident Data).....	162
TABLE M-3	Marriages by Age and Previous Marital Status, for Brides and for Grooms: Maine State Totals, 1991 (Resident Data).....	163
TABLE M-4	Marriages by Number of Previous Marriages of Bride and of Groom: Maine State Totals, 1991 (Resident Data).....	164

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
APPENDICES		
TABLE C-1	Copy of Maine Birth Certificate.....	167
TABLE C-2	Copy of Maine Fetal Death Certificate.....	169
TABLE C-3	Copy of Maine Death Certificate.....	171
TABLE C-4	Copy of Maine Marriage Certificate.....	173
TABLE C-5	Copy of Maine Record of Divorce.....	175
TABLE C-6	Copy of Maine Report of Induced Abortion.....	177
TABLE E-1	Estimated Maine Population: Maine Counties and State Total, July 1, 1991.....	179
TABLE E-2	Estimated Maine Population by Age Group and Sex: Maine State Totals, July 1, 1991.....	180
TABLE H-1	Historical Vital Statistics Data, Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, 1900-1960 (every fifth year) and 1961-1991 (yearly).....	181
TABLE H-2	Historical Vital Statistics Data, Induced Abortions, Number and Rate: Maine State Totals, 1978-1991.....	182

LIST OF SUPPLEMENTAL TABLES AVAILABLE ON REQUEST\*

Table No.

- S-A-2 Induced Abortions--Total, and by Selected Characteristics:  
Maine Towns over 3,500 Population, Counties and State Totals,  
1991 (Resident Data) [Selected Characteristics: Out of Wedlock,  
Patient's Age, No Previous Pregnancies, No Previous Abortions,  
Education, Abortions in Hospital]
- S-A-3 Induced Abortions to Canadian Residents by Number and Outcome  
of Previous Pregnancies, Marital Status, and Age of Patient:  
Canada Totals, 1991 (Occurrence Data)
- S-A-4 Induced Abortions to Canadian Residents by Gestation, Age of  
Patient, and Race: Canada Totals, 1991 (Occurrence Data)
- S-A-5 Induced Abortions to Canadian Residents by Gestation and Type  
of Termination Procedures: Canada Totals, 1991  
(Occurrence Data)
- S-B-1 All Live Births and Out of Wedlock Live Births by Adequacy  
of Prenatal Care, Mother's Age, Child's Birthweight, and  
Apgar Score: Maine State Totals, 1991 (Resident Data)
- S-B-2 Live Births -- Total, and by Selected Risk Characteristics:  
Maine Towns, Counties and State Totals, 1991  
(Resident Data) [Selected Characteristics: Out of  
Wedlock, Under 2,500 Grams, Congenital Anomalies,  
Mother Under Age 20 Years, No Prenatal Care]
- S-BD-1 Births and Deaths by Month, Maine Towns, Counties  
and State Totals, 1991 (Resident Data)
- S-D-1 Deaths, Rank by Number of Deaths, and Death Rate - Highlighting  
Motor Vehicle Traffic Deaths -- Total, Male, and Female for Ten Leading  
Causes of Death (Selected from 32 Cause-of-Death Classifications)  
by Age Group: Maine State Totals, 1991 (Resident Data)
- S-D-2 Deaths by 72 Cause of Death Groups: Six Largest Cities  
or Towns in Each Maine County, County Totals, and  
State Totals, 1991 (Resident Data)
- S-D-3 Deaths by Age and Sex for 72 Cause of Death Groups  
Maine State Totals, 1991 (Resident Data)
- S-D-4 Deaths by Age and Sex for 32 Cause of Death Groups  
Maine State Totals, 1991 (Resident Data)

---

\*Supplemental tables are available at the cost of reproduction.

- S-D-5 Alcohol and Drug Related Deaths by Status of Mention:  
Maine State Totals, 1991 (Resident Data)
- S-D-6 Deaths by Origin or Descent: Maine Counties and State Totals,  
1991 (Resident Data)
- S-D-7 Deaths by Referral to Medical Examiner, Autopsy Status,  
Certifier, Traumatic and Non-traumatic Deaths: Maine  
State Totals, 1991 (Occurrence Data)
- S-D-8 Deaths by Method of Disposition and Age: Maine Counties and  
State Totals, 1991 (Occurrence Data)
- S-D-9 Years of Life Lost Before Age 75 - Number, Percent, Rank,  
and Average Per Death by 32 Cause of Death Groups and Sex:  
Maine State Totals, 1991 (Resident Data)
- S-F-1 Neonatal Deaths and Estimated Neonatal Rates by Birthweight:  
Maine Hospitals of Birth, Other Birth Sites, and State Total,  
1991 (Occurrence Data)
- S-F-2 Infant, Neonatal, and Fetal Deaths by Sex, Non-white Race,  
Low Birthweight, and Congenital Anomalies: Maine Towns,  
Counties, and State Total, 1991 (Resident Data)
- S-M-1 Marriages by Selected Characteristics: Maine  
Towns, Counties, and State Totals, 1991  
(Occurrence and Residence Data) [Selected  
Characteristics: Religious Ceremony, Bride and  
Groom Residence, Under Age 20 Years, Education  
Under 12 Years, First Marriage]

---

\*Supplemental tables are available at the cost of reproduction.





## INTRODUCTION

In order to speed the process of making these data available to the public, the annual vital statistics report does not contain interpretive comments or charts. Information necessary to use the tables is included in the technical notes. The tabulations most frequently requested are presented in this report. Supplemental tables, available at the cost of reproduction, are listed on page x. Special tabulations can also be obtained, generally at a charge that may include preparation as well as reproduction costs. Comments and requests for additional information should be directed to:

Maine Department of Human Services  
Office of Data, Research, and Vital Statistics  
35 Anthony Avenue  
State House Station #11  
Augusta, Maine 04333-0011

Telephone: (207) 624-5445



## DEFINITIONS OF TERMS

All Mentioned Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. All mentioned causes are also referred to as "multiple causes of death."
Apgar Score	A summary indicator for evaluating the health of a newborn infant, the score ranges from 0 (very poor) to 10 (excellent). It is assigned by the delivery room personnel one minute and five minutes after birth.
Associated Cause of Death	Condition other than the underlying cause of death which may have contributed to the death.
Birth Order	Number of live births to the mother of the newborn, including this birth.
Birthweight	Weight of fetus or infant at time of delivery (normally measured in grams).
Fetal Death	Death prior to the complete expulsion or extraction from its mother of a product of conception; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Fetal deaths of at least 20 weeks of gestation must be reported on the "Fetal Death Report." Fetal deaths of less than 20 weeks gestation are reported on the "Report of Abortion (Spontaneous and Induced)."
Gestation	Clinical assessment of the number of weeks since conception.
Hospital	A licensed acute care health facility with permanent inpatient beds offering facilities and services for the diagnosis and treatment of illness, injury and deformity for a continuing period of time. A hospital has an organized medical staff and offers continuous 24 hour professional nursing care and emergency treatment.
Induced Abortion	Induced abortion means the intentional interruption of a pregnancy by the application of external agents, whether chemical or physical, or the ingestion of chemical agents with an intention other than to produce a live birth or to remove a dead fetus. All induced abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)," regardless of the length of gestation.

DEFINITIONS OF TERMS (Continued)

Infant Death	Death occurring to a live born infant less than one year of age.
Intermediate Care Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, health related services, and licensed nursing supervision (8 hours per day).
Live Birth	A live birth is the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.
Maternal Deaths	Those deaths of women wherein the physician has designated a maternal condition as the underlying cause of death.
Minor Civil Division	In Maine, minor civil divisions generally are areas covered by the local or city/town level of civil government.
Multiple Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. Multiple causes are also referred to as "all mentioned causes."
Neonatal Death	Death occurring to a live born infant before completing 27 days of life.
Occurrence	Refers to data tabulated by place the event occurred.
Out-of-Wedlock Birth	Births in which the mother was not married either at the time of conception or at the time of delivery.
Perinatal Death	Fetal deaths of at least 20 weeks gestation and all neonatal deaths.

DEFINITIONS OF TERMS (Continued)

Postneonatal Death	Death occurring to a live born infant between the ages of 28 days and 364 days, inclusive.
Race	Race of mother, father, or decedent is as stated on certificate.
Residence	Refers to data tabulated by usual place of residence of the person to whom event occurred. For births, fetal deaths, and abortions, residence is defined as the mother's place of residence.
Site of Birth	Hospital or type of non-hospital site (e.g. home, on way to hospital, out-patient facility) where birth occurred.
Site of Death	Hospital or type of non-hospital site (e.g. home, on way to hospital, nursing home) where death occurred.
Skilled Nursing Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, medical services, continuous skilled nursing services and health-related services, diagnosis and treatment.
Spontaneous Abortion	A termination of pregnancy, at less than 20 weeks gestation, through natural causes and without the aid of mechanical or medicinal agents.
Underlying Cause of Death	That condition giving rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. For this report, underlying causes are selected through processing of death certificate data by the ACME and TRANSAX computer programs (see Technical Notes).



# DEFINITIONS OF RATES\*

Age-Specific Death Rate	=	$\frac{\text{Resident Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}}$	X	100,000
Birth Rate	=	$\frac{\text{Resident Live Births}}{\text{Total Resident Population}}$	X	1,000
Cause-Specific Death Rate	=	$\frac{\text{Resident Deaths from Specific Cause}}{\text{Total Resident Population}}$	X	100,000
Death Rate	=	$\frac{\text{Resident Deaths}}{\text{Total Resident Population}}$	X	1,000
Divorce Rate	=	$\frac{\text{Divorces}}{\text{Total Resident Population}}$	X	1,000
Fetal Death Rate	=	$\frac{\text{Resident Fetal Deaths}}{\text{Total Resident Live Births and Resident Fetal Deaths}}$	X	1,000
Infant Death Rate	=	$\frac{\text{Resident Infant Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Marriage Rate	=	$\frac{\text{Marriages Performed}}{\text{Total Resident Population}}$	X	1,000
Maternal Death Rate	=	$\frac{\text{Resident Maternal Deaths}}{\text{Total Resident Live Births}}$	X	10,000
Neonatal Death Rate	=	$\frac{\text{Resident Neonatal Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Perinatal Death Rate	=	$\frac{\text{Resident Fetal Deaths and Neonatal Deaths}}{\text{Total Resident Fetal Deaths and Live Births}}$	X	1,000
Postneonatal Death Rate	=	$\frac{\text{Resident Postneonatal Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Sex-Specific Death Rate	=	$\frac{\text{Resident Deaths of Indicated Sex}}{\text{Total Resident Population of Indicated Sex}}$	X	100,000

---

\*Event denominators for rates are registered totals for the calendar year.  
Population denominators are mid-calendar year estimates.





## TECHNICAL NOTES

### General Considerations

Sources of Vital Records Data: Birth, death, fetal death, induced abortions, marriage, and divorce certificates are the source documents for data on vital events in Maine. A copy of each is included in Appendix Tables C-1 through C-6.

The cut off dates for the data in this report are: Divorces and Induced Abortions, March 15, 1992; Deaths, Fetal Deaths, and Marriages, April 1, 1992; and Births, April 15, 1992. Any data pertaining to 1991 events for which certificates were filed after the above cut off dates are not included in this report and will be filed in the vital records office as late certificates.

Birth certificates and induced abortion reports are usually completed by hospital or clinic personnel. Death and fetal death certificates are usually completed by funeral directors, who obtain the medical certifications of cause of death from physicians. Marriage certificates are completed by the appropriate municipal clerks, while divorce reports are sent to the Office of Data, Research, and Vital Statistics by the clerks of courts.

Completeness of Registration: A birth certificate test in 1950 indicated that about one percent of births in Maine at that time were not recorded. It is assumed that registration has continued to be at least this complete.

Although no test of death registration has ever been done, it is assumed that death registration is reasonably complete, because burial permit laws and regulations require the filing of a death certificate before a burial permit for the disposition of the body is issued.

Reporting of all induced abortions at any gestation has been required in Maine for many years. Analysis of fetal death rates over time, however, indicates that there has been considerable variation in the completeness of registration. A specific reporting form for induced abortions was introduced in 1978. Comparison with independent data sources suggests that induced abortions may be underreported by 10 to 15%.

In addition to unrecorded vital events, other vital events may not be included in this report for several reasons: failure of the person required to report the event to make a timely report; failure of a municipal clerk to make a timely report to the State Registrar; or failure of other states to make timely exchanges of nonresident transcripts of births and deaths.

Data Quality: Data in this report are based upon original certificates of births and deaths, copies of original certificates of marriages prepared by city and town clerks, and abstracts of decrees of divorces prepared by the clerks of courts. Errors in data may be

introduced by persons giving information for the original certificate, persons involved in the actual preparation of the original certificate, persons responsible for the preparation of the copies or abstracts of the original certificates, or those involved in the coding and processing of the data in the State Office of Data, Research, and Vital Statistics.

Extensive reorganization and revision in 1983 of reporting procedures, data input procedures, and computer systems have reduced or eliminated many of the problems experienced in previous years. The Office of Data, Research, and Vital Statistics maintains several programs aimed at improving the quality and completeness of information received on certificates and its translation into statistical form. A "query" system is used to followback to physicians, hospital personnel and funeral directors concerning incomplete or conflicting information on the certificates themselves. The followback, which is done by both mail and telephone, is based on computer editing procedures.

In addition, the vital statistics field agent works directly with the data providers to improve the quality of reported information. The field agent conducts various seminars, workshops, and site visits to educate hospital and medical personnel, funeral directors, and municipal clerks in the importance of accurate and complete vital statistics data.

Finally, the National Center for Health Statistics (NCHS) monitors State coding of statistical data. The NCHS has established a two percent upper limit for coding differences involving any one data item, with the exception of cause of death. A five percent limit is used for this item due to the complexity of the coding process.

Comparison with Earlier Years: In 1983, a number of changes were introduced into the vital registration program and associated data processing, computer systems, and analytic procedures. These must be borne in mind in any comparisons with earlier years and analyses of time trends. Specific changes include the following:

- Implementation of a new birth certificate on January 1, 1983 and a new fetal death certificate on January 1, 1985. The new certificates use a checklist format for reporting medical history items related to pregnancy and delivery. These items are recorded on a separate page mailed directly to the Vital Records Unit.
- Intensive field and education activities directed to appropriate medical providers to promote more complete reporting of induced abortions performed at any time during pregnancy.
- The computerized data systems for records of births, deaths, fetal deaths, marriages, divorces, and abortions were completely revised in 1983 to promote more accurate and timely registration activities and statistical products. Comprehensive and rigorous edit procedures were developed for data input and a number of consistency checks were incorporated.

Small Frequencies: The numbers of births or deaths reported for a community represent complete counts of these events. As such, they are not subject to sampling error or variation, although they are subject to errors in the collection and processing procedures. However, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same general circumstances. The probable range of values may be estimated from the actual figures according to certain statistical assumptions (Vital Statistics for the U.S., Vol. 1, 1959, p. 1-20). When the figures are used for comparison of frequencies and rates over a time period or for different areas, appropriate statistical methods should be used to assess the significance of the comparisons.

Frequencies of and rates based on fewer than 10 events should be used carefully because they are subject to large random fluctuations. The number "10" is arbitrary, however, and is not set forth as a critical point distinguishing statistically reliable rates.

Rates: In interpreting the conditions described by vital statistics rates, considerable caution must be observed. In particular, differences in rates from time to time or place to place may arise from a number of population differences and other compounding factors, and appropriate techniques (e.g., standardization) should be utilized in such comparisons.

Population Data: The Estimated Maine population data used to calculate rates in this report are derived from the United State Department of Commerce, Bureau of the Census. A display of these population data is included in Appendix Tables E-1 and E-2.

"Selected" Characteristics/Causes of Death: These terms are used to denote tabulations in which the categories displayed are not exhaustive but represent only those of particular interest.

Geographic Classification: In addition to recording vital events occurring in Maine, the Office of Data, Research, and Vital Statistics receives transcripts of birth certificates for children born outside Maine to a mother who is a resident of Maine. Death certificates for persons who are residents but die outside the boundaries of Maine are also received. Transcripts of non-resident births and deaths are exchanged with all other states and with Canada.

Events are assigned to geographical areas according either to place of residence or to place of occurrence. The basis for classification is identified in each table and should be carefully observed when extracting information.

"Resident Data" means events have been tabulated according to the area where the person lived regardless of where the event occurred. In the case of infant deaths and births, the reference is to the residence of the mother. It should be noted that in the case of infant deaths, the place of residence at death may differ from the place of residence at birth; when special tabulations are prepared from both birth and death certificates, it is important to note to which residence category they were assigned.

- ▲ "Occurrence Data" means events have been tabulated according to where the events took place, regardless of the usual residence of the person. Since nearly all births and most deaths take place in hospitals, the number which occur in counties with many hospital beds will be large for this reason alone.

### Live Births

As noted in previous sections, a revised birth certificate was initiated on January 1, 1983. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies. Two added items were the physician's estimate of gestation and an assessment of the infant's condition at birth. Initial evaluation indicates that the checklist format increased reporting of the medical history items dramatically - as much as five-fold on some items - so comparison with data from previous years must be made with caution. In 1990, a revised method was used for the distribution of adequacy of prenatal care for Table S-B-1 and the results from this table is not compatible with earlier years.

### Pregnancy Outcome

This section deals with the outcome of pregnancies to Maine Resident women including live births, fetal deaths, and induced abortions.

Table Pl is displayed by county and is the only table where it is possible to compare pregnancy rates by regions throughout the State of Maine.

### Infant and Fetal Mortality

This section includes all fetal deaths of at least 20 weeks gestation and all neonatal deaths. The birth, death, and fetal death certificates all include information on the place of residence, so events to non-Maine residents can be excluded from tabulations based on resident data. Through the interstate exchange agreement, transcripts of births and deaths which occur outside of the state to Maine residents are obtained for inclusion in tabulations of resident data. Maine started to participate in such exchange for fetal deaths in 1985, so information on pregnancies of Maine women terminating in fetal deaths which occurred outside the state is now available for inclusion in tabulations of resident data.

A revised fetal death certificate was initiated on January 1, 1985, comparable to the 1983 revision of the birth certificate. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies.

Notification of infant death is obtained from the regular death certificate. However, much information relevant to the circumstances of infant death is found on the birth certificate. Birth and death records have, therefore, been matched to produce a composite infant death tape, which is the source of Table F-3. Tables F-1, F-5, and all other death tables, on the other hand, are produced from the general death file. Discrepancies between these two sources are minimal, usually involving only a very small number of deaths.

## General Mortality

There are a number of factors which should be considered in order to understand and use the mortality data presented herein.

Mortality Classification: The mortality classification used in this report is the Ninth Revision of the International Classification of Diseases (ICD-9). It consists of a list of 722 categories of diseases and morbid conditions, 192 categories for classification of the external cause of an injury, and 190 categories for the characterization of injuries according to the nature of the lesion.

There are two major limitations in interpreting changes in cause of death statistics. Changes in diagnostic practice may affect the comparability of such statistics over time, as do changes in nomenclature and in the classification scheme. The International Classification of Diseases is revised approximately every ten years to incorporate advances in medical science and to reflect changing medical opinion and practice. The Sixth Revision was used from 1949-1957, the Seventh Revision from 1958-1967, the Eighth Revision from 1968-1978, and the Ninth Revision after 1978.

Under the Ninth Revision, the method for selecting the cause of death for statistical purposes remains the same as the method instituted with the Sixth Revision. The Sixth Revision instituted a method whereby the physician in attendance at death indicates the disease or morbid condition which he considers to be the underlying cause of death. The underlying cause is defined as "(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident which produced fatal injury." Prior to 1981, when two or more causes were jointly recorded, a nosologist in the Office of Vital Statistics selected and coded the underlying cause using the ancillary information provided on the death certificate by the physician. Beginning in 1981, however, all causes mentioned on the certificate are coded. The underlying cause is determined using a computerized procedure: the Automated Classification of Medical Entities (ACME) program. The cause of death information is then subjected to the TRANSAX computer program, which eliminates redundancies in mentioned causes. Information on all associated causes is retained on the computer records for use in further study of certain health problems.

Several groupings by cause of death are utilized in this report. All of the groupings are both exhaustive and exclusive: all causes are assigned to a group or category, and each specific cause is assigned to only one cause group. Deaths by age and sex groups are tabulated using a list of 282 cause groups (Table D-3). Deaths by county and town of residence, site of death, and underlying/non-underlying status are tabulated using 72 cause groups. The analysis of leading causes of death in Table D-1 and D-2 is based on 32 cause groups. The data on fetal and infant deaths, in Tables F-1 and F-2, are categorized into 61 cause groups. In all cases the ICD-9 codes included in each cause group are indicated on the appropriate tables. Tables generally do not include cause groups from which there were no deaths, so the number of groups displayed may be less than the number of groups (i.e., 282, 72, 61, or 32) from which the tables were constructed.\*

\* Complete lists of causal groups are contained in the following reference manual and may be obtained upon request:

Office of Data, Research, and Vital Statistics, Maine Department of Human Services, Maine Vital Records Manual, 1993.

Years of Life Lost: In Table D-2, "Years of Life Lost" is used as a more sensitive measure of premature death than the death rate itself. The number of years of life lost is calculated for each decedent as the difference between the age at death and the life expectancy at that age. Life expectancy at each age is taken from the 1990 Maine Life Tables, with the sex-specific expectancy estimated. The death of a male infant, for example, represents a total of 72.7 years of life lost. The death of a 50 year old woman represents 31.4 years of life lost, and the death of a 85 year old woman represents 6.4 years of life lost.

Multiple Causes of Death: Most major causes of death are contributing factors to many deaths in which they are not the underlying cause. The relative frequencies with which specific causes are mentioned on death records as underlying or non-underlying causes are displayed in Table D-4.

In Table D-4, cause of death mentions are classified into 72 cause groups, after processing through the ACME and TRANSAX computer programs. Consequently, the term "mentions" refers to causes identified through processing by the computer programs, rather than to causes as mentioned on the death certificate. A cause group is counted only once for each decedent, even if more than one cause in the group was mentioned on the original certificate. Comparisons of data from different sources on "all mentions" of a cause group are valid only if the number and composition of the cause groups used are the same and the counting rules are consistent.

The category of "all mentions" of a cause group usually includes all identifications of it as the underlying cause of death. Occasionally, simultaneous mention of certain causes on the death record leads to the identification, as the underlying cause, of a disease entity which was not itself recorded on the death certificate. In such cases, the ratio of all mentions to underlying cause mentions can be less than 1.00.

Certain causes of death can never be classified as the underlying cause of death as defined in the International Classification of Diseases. In particular, descriptions of the nature of injuries and secondary neoplasms are always recorded on the death certificate in conjunction with one or more entries which identify the underlying cause of death, i.e. the external cause of injury or the primary neoplasm.

Table D-11 displays only those 72 cause groups for which the ratio of all mentions to underlying cause mentions on Table D-4 is generally 2,000 or higher and the number of underlying cause mentions is ten or more.



## Induced Abortions

All induced abortions performed in Maine are required to be reported, regardless of the length of gestation. The report form includes information on the place of residence, so non-resident women receiving abortions in Maine can be excluded from tabulations based on resident data. Approximately 15% of the induced abortions in Maine were obtained by out-of-state residents. Maine does participate in the interstate program for exchange of induced abortions reports, so complementary data on Maine residents who received abortions in other states are available, but only one or two records are received each year from other states and are not included in this report, indicating that very few Maine residents receive induced abortions in neighboring states.

The numbers of induced abortions reported in 1982 was nearly a third lower than the numbers reported in preceding and subsequent years, due principally to incomplete reporting. In the spring of 1983, a vigorous effort was undertaken to remind and inform physicians, clinics, and hospitals that all induced abortions must be reported to the Department of Human Services on the appropriate form.

## Marriages and Divorces

All marriages which occur in Maine are registered in the central Office of Data, Research, and Vital Statistics, whether or not either the bride or the groom are residents of the state. Marriages in which both partners are non-residents are excluded from tabulations based on resident data. However, there is no interstate program for exchange of marriage records of non-residents and hence the complementary data on Maine residents who are married outside Maine are not included in the resident data tabulations. "Resident Data" thus include all marriages occurring in Maine in which either the bride, the groom, or both are residents of Maine.

A similar situation exists in the registration of divorces and annulments. These records are reported to the central office by the clerks of the courts in which the divorce or annulment is finalized. No information is available on divorces or annulments obtained outside the state by Maine residents.



**LIVE BIRTHS**



TABLE B-1

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND RACE  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

AGE OF MOTHER	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** RACE OF MOTHER *****					
			WHITE	BLACK	AMERICAN INDIAN	ASIAN	OTHER	UNKNOWN
ALL BIRTHS								
LESS THAN 10	0	0.00	0	0	0	0	0	0
10-14	16	0.10	16	0	0	0	0	0
15	66	0.39	63	0	2	0	1	0
16	164	0.98	155	2	7	0	0	0
17	336	2.01	328	0	2	2	0	4
18	478	2.85	470	1	5	1	0	1
19	759	4.53	738	4	8	6	0	3
20-24	4,758	28.40	4,649	35	25	33	0	16
25-29	5,406	32.26	5,299	22	23	39	2	21
30-34	3,382	20.19	3,314	10	9	31	2	16
35-39	1,220	7.28	1,190	4	2	17	0	7
40-44	157	0.94	147	2	1	2	0	5
GREATER THAN 44	5	0.03	3	0	0	0	0	2
UNKNOWN	8	0.05	7	0	0	0	0	1
STATE TOTALS	16,755		16,379	80	84	131	5	76
PERCENT DISTRIBUTION		100.00	97.76	0.48	0.50	0.78	0.03	0.45

## OUT OF WEDLOCK BIRTHS

LESS THAN 10	0	0.00	0	0	0	0	0	0
10-14	15	0.36	15	0	0	0	0	0
15	64	1.53	61	0	2	0	1	0
16	154	3.68	145	2	7	0	0	0
17	289	6.91	282	0	2	2	0	3
18	357	8.53	349	1	5	1	0	1
19	490	11.71	477	3	6	3	0	1
20-24	1,625	38.85	1,581	12	16	11	0	5
25-29	743	17.76	729	3	9	0	0	2
30-34	328	7.84	322	0	1	3	0	2
35-39	104	2.49	101	0	0	3	0	0
40-44	14	0.33	13	0	0	0	0	1
GREATER THAN 44	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
STATE TOTALS	4,183		4,075	21	48	23	1	15
PERCENT DISTRIBUTION		100.00	97.42	0.50	1.15	0.55	0.02	0.36

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-2

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND CHILD'S BIRTHWEIGHT  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

			***** MOTHER'S AGE(YRS.) *****															
BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DIST.	LESS THAN 10	10-14	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	GREATER THAN 44	UNKNOWN		
ALL BIRTHS																		
LESS THAN 500	17	0.10	0	0	0	2	0	0	1	3	5	4	1	1	0	0		
500-999	57	0.34	0	0	0	0	2	2	2	16	19	12	4	0	0	0		
1000-1499	77	0.46	0	2	0	2	2	5	6	16	20	14	6	3	0	1		
1500-1999	172	1.03	0	1	1	3	2	10	7	44	47	34	22	1	0	0		
2000-2499	596	3.56	0	2	9	5	20	21	35	168	178	104	49	5	0	0		
2500-2999	2,150	12.83	0	1	10	29	66	72	128	682	649	358	136	18	0	1		
3000-3499	5,904	35.24	0	6	29	58	116	190	256	1,775	1,919	1,125	382	45	1	2		
3500-3999	5,408	32.28	0	3	13	49	93	135	229	1,436	1,787	1,198	408	53	2	2		
4000-4499	1,949	11.63	0	1	3	14	32	37	75	533	637	429	166	20	0	2		
4500-4999	361	2.15	0	0	0	2	3	5	17	73	125	85	39	11	1	0		
GREATER THAN 4999	31	0.19	0	0	0	0	0	1	1	6	7	14	2	0	0	0		
UNKNOWN	33	0.20	0	0	1	0	0	0	2	6	13	5	5	0	1	0		
STATE TOTALS	16,755		0	16	66	164	336	478	759	4,758	5,406	3,382	1,220	157	5	8		
PERCENT DIST.		100.00	0.00	0.10	0.39	0.98	2.01	2.85	4.53	28.40	32.26	20.19	7.28	0.94	0.03	0.05		
OUT OF WEDLOCK BIRTHS																		
LESS THAN 500	6	0.14	0	0	0	2	0	0	1	1	2	0	0	0	0	0		
500-999	12	0.28	0	0	0	0	2	2	1	3	2	0	2	0	0	0		
1000-1499	26	0.62	0	2	0	2	1	3	4	8	3	3	0	0	0	0		
1500-1999	51	1.21	0	1	1	3	2	7	4	13	12	5	2	1	0	0		
2000-2499	200	4.74	0	2	9	5	19	18	21	67	33	20	5	1	0	0		
2500-2999	691	16.39	0	1	8	26	60	53	87	251	134	46	21	4	0	0		
3000-3499	1,578	37.44	0	5	29	56	94	140	164	639	283	125	39	3	0	1		
3500-3999	1,179	27.97	0	3	13	46	81	106	144	456	202	100	25	3	0	0		
4000-4499	398	9.44	0	1	3	12	28	26	53	174	65	26	8	1	0	1		
4500-4999	58	1.38	0	0	0	2	2	4	12	11	17	6	3	1	0	0		
GREATER THAN 4999	6	0.14	0	0	0	0	0	0	0	3	0	3	0	0	0	0		
UNKNOWN	10	0.24	0	0	1	0	0	0	0	4	2	0	3	0	0	0		
STATE TOTALS	4,215		0	15	64	154	289	359	491	1,630	755	334	108	14	0	2		
PERCENT DIST.		100.00	0.00	0.36	1.52	3.65	6.86	8.52	11.65	38.67	17.91	7.92	2.56	0.33	0.00	0.05		
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:																		
	25.16		0.00	93.75	96.97	93.90	86.01	75.10	64.69	34.26	13.97	9.88	8.85	8.92	0.00	25.00		

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHAGE

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-3

LIVE BIRTHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

COMPLICATIONS OF LABOR			MEDICAL RISK FACTORS			OTHER RISK FACTORS			METHOD OF DELIVERY			CONGENITAL ANOMALIES		
CONDITION	NUMBER	%	CONDITION	NUMBER	%	CONDITION	NUMBER	%	METHOD	NUMBER	%	CONDITION	NUMBER	%
FEBRILE >100 F	138	0.8	ANEMIA	137	0.8	TOBACCO USE	3,561	21.3	VAGINAL	11,803	70.4	ANENCEPHALUS	2	0.0
MECONIUM	970	5.8	CARDIAC DISEASE	40	0.2	AVG CIGARETTES			VAGINAL AFTER			SPINA BIFIDA	5	0.0
PREMATURE RUPTURE			ACUTE OR CHRONIC			PER DAY	14		C-SECTION	450	2.7	HYDROCEPHALUS	4	0.0
MEMBRANE >12 HRS	731	4.4	LUNG DISEASE	52	0.3	ALCOHOL USE	331	2.0	PRIMARY			MICROCEPHALUS	3	0.0
ABRUPTIO			DIABETES/			AVG DRINKS			C-SECTION	2,270	13.5	OTHER		
PLACENTA	112	0.7	GESTATIONAL	375	2.2	PER WEEK	2		REPEAT			NERVOUS SYSTEM	7	0.0
PLACENTA			DIABETES			AVG WEIGHT GAIN	31	LBS	C-SECTION	1,284	7.7	HEART	27	0.2
PREVIA	51	0.3	PRE-EXISTING	35	0.2				FORCEPS	127	0.8	OTHER CIRCULATORY		
EXCESSIVE			GENITAL HERPES	154	0.9	ABNORMAL CONDITIONS			VACUUM	728	4.3	SYSTEM	9	0.1
BLEEDING	123	0.7	HYDRAMNIOS/			OF THE NEWBORN			OTHER	31	0.2	RECTAL ATRESIA	1	0.0
SEIZURES DURING			OLIGOHYDRAMNIOS	141	0.8	CONDITION	NUMBER	%	UNKNOWN	62	0.4	TRACHEO-ESOPHAGEAL		
LABOR	1	0.0	HEMOGLOBINOPATHY	3	0.0							FISTULA	1	0.0
PRECIPITOUS			HYPERTENSION			ANEMIA	31	0.2				OMPHALOCELE/		
LABOR <3 HRS	532	3.2	CHRONIC	149	0.9	BIRTH INJURY	15	0.1				GASTROSCHISIS	9	0.1
PROLONGED			HYPERTENSION			FETAL ALCOHOL	3	0.0				OTHER		
LABOR >20 HRS	292	1.7	PREGNANCY ASSOC.	582	3.5	HYALINE MEMBRANE						GASTROINTESTINAL	5	0.0
DYSFUNCTIONAL			ECLAMPSIA	23	0.1	DISEASE	71	0.4	OBSTETRIC PROCEDURES			MALFORMED		
LABOR	770	4.6	INCOMPETENT			MECONIUM						GENITALIA	17	0.1
BREECH	734	4.4	CERVIX	28	0.2	ASPIRATION	33	0.2	CONDITION	NUMBER	%	RENAL AGENESIS	1	0.0
CEPHALOPELVIC/			PREVIOUS INFANT			ASSISTED <30 MIN						OTHER UROGENITAL	41	0.2
DISPROPORTION	811	4.8	4000+ GRAMS	230	1.4	VENTILATION	180	1.1	AMNIOCENTESIS	801	4.8	CLEFT LIP/PALATE	18	0.1
CORD PROLAPSE	46	0.3	PREVIOUS PRETERM	269	1.6	ASSISTED >30 MIN			ELECTRIC FETAL			POLYDACTYLY	17	0.1
ANESTHETIC			RENAL DISEASE	35	0.2	VENTILATION	113	0.7	MONITORING	13,701	81.8	CLUB FOOT	11	0.1
COMPLICATIONS	9	0.1	RH SENSITIZATION	79	0.5	SEIZURES	9	0.1	INDUCED LABOR	2,518	15.0	DIAPHRAGMATIC		
FETAL DISTRESS	659	3.9	UTERINE			OTHER	586	3.5	STIMULATION			HERNIA	1	0.0
OTHER	2,158	12.9	BLEEDING	108	0.6	NONE	15,741	93.9	OF LABOR	2,227	13.3	MUSCULOSKELETAL	52	0.3
NONE	10,180	60.8	OTHER	1,819	10.9	UNKNOWN	62	0.4	TOCOLYSIS	413	2.5	DOWNS SYNDROME	8	0.0
UNKNOWN	78	0.5	NONE	12,953	77.3				ULTRA SOUND	11,055	66.0	CHROMOSOMAL	8	0.0
			UNKNOWN	90	0.5				OTHER	283	1.7	OTHER	77	0.5
									NONE	1,139	6.8	NONE	16,426	98.0
									UNKNOWN	66	0.4	UNKNOWN	39	0.2

NOTES: PERCENTAGES ARE BASED ON THE 16,755 LIVE BIRTHS IN MAINE THIS YEAR.  
MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH BIRTH.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS



TABLE B-4

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, AND RATIO OF MALE TO FEMALE BIRTHS  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY	TOTAL BIRTHS	***** RISK CHARACTERISTICS *****								MALE/FEMALE RATIO
		5 MIN. APGAR LESS THAN 5		CONGENITAL ANOMALIES		BIRTHWEIGHT < 2500 GRAMS		LESS THAN 37 GESTATION WEEKS		
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	
ANDROSCOGGIN	1,523	6	0.4	19	1.2	87	5.7	97	6.4	1.02
AROOSTOOK	1,199	11	0.9	16	1.3	59	4.9	77	6.4	1.02
CUMBERLAND	3,491	14	0.4	51	1.5	211	6.0	225	6.4	1.03
FRANKLIN	380	1	0.3	2	0.5	13	3.4	25	6.6	1.12
HANCOCK	578	5	0.9	14	2.4	25	4.3	24	4.2	1.13
KENNEBEC	1,541	4	0.3	27	1.8	97	6.3	93	6.0	0.98
KNOX	432	1	0.2	3	0.7	23	5.3	31	7.2	1.15
LINCOLN	372	3	0.8	9	2.4	21	5.6	25	6.7	0.97
OXFORD	660	4	0.6	9	1.4	36	5.5	46	7.0	1.01
PENOBSCOT	1,852	22	1.2	23	1.2	94	5.1	135	7.3	1.06
PISCATAQUIS	226	1	0.4	9	4.0	11	4.9	18	8.0	1.09
SAGADAHOC	512	3	0.6	9	1.8	24	4.7	30	5.9	1.25
SOMERSET	672	9	1.3	14	2.1	43	6.4	41	6.1	1.09
WALDO	444	2	0.5	9	2.0	27	6.1	32	7.2	0.89
WASHINGTON	427	1	0.2	10	2.3	21	4.9	23	5.4	1.12
YORK	2,446	12	0.5	66	2.7	127	5.2	140	5.7	1.05
STATE TOTALS	16,755	99	0.6	290	1.7	919	5.5	1,062	6.3	1.04

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

BENVIND

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
ANDROSCOGGIN											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	3	0.20	1	2	0	3	0	0	0	0	0
15	8	0.53	4	4	0	8	0	0	0	0	0
16	22	1.44	9	13	0	22	0	0	0	0	0
17	46	3.02	26	20	0	37	9	0	0	0	0
18	62	4.07	32	30	0	46	15	1	0	0	0
19	80	5.25	41	39	0	55	21	4	0	0	0
20-24	498	32.70	251	247	0	231	193	59	13	2	0
25-29	496	32.57	248	248	0	167	201	99	27	2	0
30-34	229	15.04	122	107	0	59	93	54	17	6	0
35-39	69	4.53	31	38	0	11	31	13	7	7	0
40-44	9	0.59	4	5	0	2	2	2	0	3	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.07	1	0	0	0	0	1	0	0	0
COUNTY TOTALS	1,523		770	753	0	641	565	233	64	20	0
PERCENT DISTRIBUTION		100.00	50.56	49.44	0.00	42.09	37.10	15.30	4.20	1.31	0.00

## OUT OF WEDLOCK BIRTHS

LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	3	0.62	1	2	0	3	0	0	0	0	0
15	8	1.65	4	4	0	8	0	0	0	0	0
16	20	4.12	8	12	0	20	0	0	0	0	0
17	39	8.04	24	15	0	32	7	0	0	0	0
18	43	8.87	21	22	0	30	12	1	0	0	0
19	61	12.58	28	33	0	45	14	2	0	0	0
20-24	198	40.82	101	97	0	96	75	22	5	0	0
25-29	76	15.67	44	32	0	24	29	17	6	0	0
30-34	30	6.19	18	12	0	8	9	9	3	1	0
35-39	6	1.24	2	4	0	1	2	1	1	1	0
40-44	1	0.21	1	0	0	0	1	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	485		252	233	0	267	149	52	15	2	0
PERCENT DISTRIBUTION		100.00	51.96	48.04	0.00	55.05	30.72	10.72	3.09	0.41	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		31.85	32.73	30.94	0.00	41.65	26.37	22.32	23.44	10.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	UNKNOWN
AROOSTOOK											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	3	0.25	2	1	0	2	1	0	0	0	0
15	5	0.42	3	2	0	5	0	0	0	0	0
16	8	0.67	6	2	0	8	0	0	0	0	0
17	21	1.75	9	12	0	20	1	0	0	0	0
18	34	2.84	21	13	0	29	5	0	0	0	0
19	76	6.34	42	34	0	58	15	2	1	0	0
20-24	389	32.44	197	192	0	194	141	47	4	3	0
25-29	404	33.69	207	197	0	146	163	71	17	7	0
30-34	192	16.01	87	105	0	34	77	47	24	10	0
35-39	57	4.75	26	31	0	13	14	16	8	6	0
40-44	9	0.75	3	6	0	0	2	1	3	3	0
GREATER THAN 44	1	0.08	1	0	0	0	0	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,199		604	595	0	509	419	185	57	29	0
PERCENT DISTRIBUTION		100.00	50.38	49.62	0.00	42.45	34.95	15.43	4.75	2.42	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	3	1.19	2	1	0	2	1	0	0	0	0
15	5	1.98	3	2	0	5	0	0	0	0	0
16	8	3.16	6	2	0	8	0	0	0	0	0
17	16	6.32	5	11	0	16	0	0	0	0	0
18	29	11.46	17	12	0	25	4	0	0	0	0
19	28	11.07	17	11	0	25	2	0	1	0	0
20-24	96	37.94	46	50	0	57	26	11	0	2	0
25-29	49	19.37	26	23	0	16	22	6	1	4	0
30-34	14	5.53	4	10	0	2	4	3	3	2	0
35-39	4	1.58	3	1	0	0	2	2	0	0	0
40-44	1	0.40	0	1	0	0	1	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	253		129	124	0	156	62	22	5	8	0
PERCENT DISTRIBUTION		100.00	50.99	49.01	0.00	61.66	24.51	8.70	1.98	3.16	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		21.10	21.36	20.84	0.00	30.65	14.80	11.89	8.77	27.59	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	***** UNKNOWN
CUMBERLAND											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.03	1	0	0	1	0	0	0	0	0
15	8	0.23	4	4	0	8	0	0	0	0	0
16	24	0.69	14	10	0	24	0	0	0	0	0
17	56	1.60	30	26	0	48	7	1	0	0	0
18	77	2.21	37	40	0	56	19	2	0	0	0
19	118	3.38	50	68	0	86	24	6	2	0	0
20-24	759	21.74	382	377	0	392	256	85	18	8	0
25-29	1,116	31.97	566	550	0	467	413	171	44	21	0
30-34	913	26.15	478	435	0	321	338	186	49	19	0
35-39	369	10.57	176	193	0	107	131	92	27	12	0
40-44	47	1.35	29	18	0	7	19	8	5	8	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	3	0.09	2	1	0	1	1	1	0	0	0
COUNTY TOTALS	3,491		1,769	1,722	0	1,518	1,208	552	145	68	0
PERCENT DISTRIBUTION		100.00	50.67	49.33	0.00	43.48	34.60	15.81	4.15	1.95	0.00

## OUT OF WEDLOCK BIRTHS

LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.13	1	0	0	1	0	0	0	0	0
15	8	1.07	4	4	0	8	0	0	0	0	0
16	23	3.06	14	9	0	23	0	0	0	0	0
17	50	6.66	26	24	0	43	6	1	0	0	0
18	64	8.52	33	31	0	47	15	2	0	0	0
19	86	11.45	38	48	0	63	18	3	2	0	0
20-24	267	35.55	136	131	0	142	80	32	8	5	0
25-29	158	21.04	80	78	0	56	53	31	9	9	0
30-34	59	7.86	26	33	0	17	16	14	10	2	0
35-39	29	3.86	17	12	0	11	8	6	3	1	0
40-44	4	0.53	3	1	0	1	1	1	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	2	0.27	2	0	0	0	1	1	0	0	0
COUNTY TOTALS	751		380	371	0	412	198	91	32	18	0
PERCENT DISTRIBUTION		100.00	50.60	49.40	0.00	54.86	26.36	12.12	4.26	2.40	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		21.51	21.48	21.54	0.00	27.14	16.39	16.49	22.07	26.47	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	UNKNOWN
FRANKLIN											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.26	1	0	0	0	1	0	0	0	0
15	2	0.53	2	0	0	2	0	0	0	0	0
16	3	0.79	1	2	0	3	0	0	0	0	0
17	6	1.58	4	2	0	5	1	0	0	0	0
18	13	3.42	7	6	0	7	6	0	0	0	0
19	13	3.42	9	4	0	8	4	0	1	0	0
20-24	130	34.21	72	58	0	62	49	17	1	1	0
25-29	123	32.37	62	61	0	32	63	22	4	2	0
30-34	58	15.26	24	34	0	13	21	21	1	2	0
35-39	24	6.32	13	11	0	2	8	6	4	4	0
40-44	7	1.84	6	1	0	0	3	1	0	3	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	380		201	179	0	134	156	67	11	12	0
PERCENT DISTRIBUTION		100.00	52.89	47.11	0.00	35.26	41.05	17.63	2.89	3.16	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	2	1.92	2	0	0	2	0	0	0	0	0
16	2	1.92	0	2	0	2	0	0	0	0	0
17	6	5.77	4	2	0	5	1	0	0	0	0
18	8	7.69	5	3	0	5	3	0	0	0	0
19	6	5.77	5	1	0	5	1	0	0	0	0
20-24	49	47.12	31	18	0	24	19	6	0	0	0
25-29	19	18.27	8	11	0	4	13	1	0	1	0
30-34	8	7.69	4	4	0	3	2	3	0	0	0
35-39	4	3.85	3	1	0	1	0	0	2	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	104		62	42	0	51	39	10	2	2	0
PERCENT DISTRIBUTION		100.00	59.62	40.38	0.00	49.04	37.50	9.62	1.92	1.92	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		27.37	30.85	23.46	0.00	38.06	25.00	14.93	18.18	16.67	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** BIRTH ORDER ***** 1 2 3 4 GREATER THAN 4 UNKNOWN
HANCOCK				
ALL BIRTHS				
LESS THAN 10	0	0.00	0 0 0	0 0 0 0 0 0
10-14	0	0.00	0 0 0	0 0 0 0 0 0
15	2	0.35	1 1 0	2 0 0 0 0 0
16	0	0.00	0 0 0	0 0 0 0 0 0
17	7	1.21	6 1 0	7 0 0 0 0 0
18	8	1.38	2 6 0	7 1 0 0 0 0
19	31	5.36	14 17 0	27 4 0 0 0 0
20-24	183	31.66	105 78 0	91 67 19 6 0 0
25-29	181	31.31	104 77 0	56 73 38 12 2 0
30-34	118	20.42	50 68 0	41 43 25 8 1 0
35-39	43	7.44	20 23 0	9 15 12 5 2 0
40-44	4	0.69	4 0 0	1 0 1 0 2 0
GREATER THAN 44	1	0.17	1 0 0	0 0 0 1 0 0
UNKNOWN	0	0.00	0 0 0	0 0 0 0 0 0
COUNTY TOTALS	578		307 271 0	241 203 95 32 7 0
PERCENT DISTRIBUTION		100.00	53.11 46.89 0.00	41.70 35.12 16.44 5.54 1.21 0.00
OUT OF WEDLOCK BIRTHS				
LESS THAN 10	0	0.00	0 0 0	0 0 0 0 0 0
10-14	0	0.00	0 0 0	0 0 0 0 0 0
15	2	1.63	1 1 0	2 0 0 0 0 0
16	0	0.00	0 0 0	0 0 0 0 0 0
17	7	5.69	6 1 0	7 0 0 0 0 0
18	4	3.25	1 3 0	3 1 0 0 0 0
19	16	13.01	8 8 0	14 2 0 0 0 0
20-24	57	46.34	36 21 0	28 20 6 3 0 0
25-29	19	15.45	12 7 0	5 9 3 2 0 0
30-34	13	10.57	7 6 0	8 2 3 0 0 0
35-39	3	2.44	2 1 0	1 2 0 0 0 0
40-44	2	1.63	2 0 0	1 0 0 0 1 0
GREATER THAN 44	0	0.00	0 0 0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0 0	0 0 0 0 0 0
COUNTY TOTALS	123		75 48 0	69 36 12 5 1 0
PERCENT DISTRIBUTION		100.00	60.98 39.02 0.00	56.10 29.27 9.76 4.07 0.81 0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:				
		21.28	24.43 17.71 0.00	28.63 17.73 12.63 15.63 14.29 0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
KENNEBEC											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.06	0	1	0	1	0	0	0	0	0
15	5	0.32	2	3	0	5	0	0	0	0	0
16	13	0.84	9	4	0	12	0	1	0	0	0
17	34	2.21	19	15	0	29	5	0	0	0	0
18	44	2.86	14	30	0	32	10	1	1	0	0
19	57	3.70	23	34	0	40	16	1	0	0	0
20-24	452	29.33	235	217	0	243	152	46	9	2	0
25-29	541	35.11	269	272	0	239	194	78	25	5	0
30-34	290	18.82	131	159	0	89	110	59	21	11	0
35-39	85	5.52	48	37	0	20	33	17	9	6	0
40-44	18	1.17	10	8	0	2	7	5	3	1	0
GREATER THAN 44	1	0.06	1	0	0	0	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	1,541		761	780	0	712	528	208	68	25	0
PERCENT DISTRIBUTION		100.00	49.38	50.62	0.00	46.20	34.26	13.50	4.41	1.62	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.25	0	1	0	1	0	0	0	0	0
15	5	1.23	2	3	0	5	0	0	0	0	0
16	13	3.21	9	4	0	12	0	1	0	0	0
17	29	7.16	16	13	0	26	3	0	0	0	0
18	31	7.65	9	22	0	25	6	0	0	0	0
19	42	10.37	19	23	0	30	11	1	0	0	0
20-24	163	40.25	86	77	0	106	42	12	3	0	0
25-29	76	18.77	31	45	0	37	24	9	5	1	0
30-34	39	9.63	13	26	0	12	13	8	5	1	0
35-39	6	1.48	2	4	0	2	1	0	2	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	405		187	218	0	256	100	31	15	3	0
PERCENT DISTRIBUTION		100.00	46.17	53.83	0.00	63.21	24.69	7.65	3.70	0.74	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		26.28	24.57	27.95	0.00	35.96	18.94	14.90	22.06	12.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
KNOX											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.23	1	0	0	1	0	0	0	0	0
16	4	0.93	4	0	0	4	0	0	0	0	0
17	9	2.08	4	5	0	7	2	0	0	0	0
18	12	2.78	6	6	0	11	1	0	0	0	0
19	25	5.79	13	12	0	14	7	4	0	0	0
20-24	128	29.63	62	66	0	64	44	16	2	2	0
25-29	113	26.16	69	44	0	43	44	16	8	2	0
30-34	83	19.21	41	42	0	24	21	29	6	3	0
35-39	48	11.11	28	20	0	11	17	7	7	6	0
40-44	9	2.08	3	6	0	4	1	3	1	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	432		231	201	0	183	137	75	24	13	0
PERCENT DISTRIBUTION		100.00	53.47	46.53	0.00	42.36	31.71	17.36	5.56	3.01	0.00

## OUT OF WEDLOCK BIRTHS

LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.85	1	0	0	1	0	0	0	0	0
16	4	3.39	4	0	0	4	0	0	0	0	0
17	7	5.93	2	5	0	5	2	0	0	0	0
18	9	7.63	4	5	0	9	0	0	0	0	0
19	13	11.02	7	6	0	9	3	1	0	0	0
20-24	49	41.53	27	22	0	28	14	6	1	0	0
25-29	17	14.41	11	6	0	8	4	3	2	0	0
30-34	12	10.17	4	8	0	1	4	4	3	0	0
35-39	5	4.24	3	2	0	3	0	0	1	1	0
40-44	1	0.85	0	1	0	1	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	118		63	55	0	69	27	14	7	1	0
PERCENT DISTRIBUTION		100.00	53.39	46.61	0.00	58.47	22.88	11.86	5.93	0.85	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		27.31	27.27	27.36	0.00	37.70	19.71	18.67	29.17	7.69	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS



TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	SEX FEMALE	***** UNKNOWN	***** BIRTH ORDER *****					*****	
						1	2	3	4	GREATER THAN 4	UNKNOWN	
LINCOLN												
ALL BIRTHS												
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	
10-14	1	0.27	0	1	0	1	0	0	0	0	0	
15	3	0.81	2	1	0	3	0	0	0	0	0	
16	3	0.81	2	1	0	3	0	0	0	0	0	
17	6	1.61	4	2	0	6	0	0	0	0	0	
18	14	3.76	9	5	0	12	2	0	0	0	0	
19	12	3.23	4	8	0	10	2	0	0	0	0	
20-24	114	30.65	55	59	0	62	40	10	1	1	0	
25-29	112	30.11	57	55	0	37	50	18	7	0	0	
30-34	67	18.01	33	34	0	19	26	15	4	3	0	
35-39	35	9.41	13	22	0	7	12	11	4	1	0	
40-44	5	1.34	4	1	0	0	3	1	0	1	0	
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0	
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	
COUNTY TOTALS	372		183	189	0	160	135	55	16	6	0	
PERCENT DISTRIBUTION		100.00	49.19	50.81	0.00	43.01	36.29	14.78	4.30	1.61	0.00	

## OUT OF WEDLOCK BIRTHS

LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	1.12	0	1	0	1	0	0	0	0	0
15	3	3.37	2	1	0	3	0	0	0	0	0
16	3	3.37	2	1	0	3	0	0	0	0	0
17	5	5.62	3	2	0	5	0	0	0	0	0
18	10	11.24	8	2	0	9	1	0	0	0	0
19	7	7.87	2	5	0	6	1	0	0	0	0
20-24	34	38.20	16	18	0	19	14	1	0	0	0
25-29	13	14.61	7	6	0	7	4	0	2	0	0
30-34	9	10.11	7	2	0	3	2	2	1	1	0
35-39	3	3.37	1	2	0	1	0	1	1	0	0
40-44	1	1.12	0	1	0	0	1	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	89		48	41	0	57	23	4	4	1	0
PERCENT DISTRIBUTION		100.00	53.93	46.07	0.00	64.04	25.84	4.49	4.49	1.12	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		23.92	26.23	21.69	0.00	35.63	17.04	7.27	25.00	16.67	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY, AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	SEX FEMALE	***** UNKNOWN	***** BIRTH ORDER *****						*****
						1	2	3	4	GREATER THAN 4	UNKNOWN	
OXFORD												
ALL BIRTHS												
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	
10-14	0	0.00	0	0	0	0	0	0	0	0	0	
15	7	1.06	3	4	0	6	1	0	0	0	0	
16	11	1.67	6	5	0	11	0	0	0	0	0	
17	13	1.97	6	7	0	12	1	0	0	0	0	
18	16	2.42	10	6	0	13	3	0	0	0	0	
19	32	4.85	15	17	0	24	8	0	0	0	0	
20-24	206	31.21	98	108	0	102	73	27	4	0	0	
25-29	202	30.61	103	99	0	52	93	39	15	3	0	
30-34	121	18.33	69	52	0	32	48	27	9	5	0	
35-39	47	7.12	17	30	0	9	15	14	4	5	0	
40-44	5	0.76	4	1	0	0	1	1	1	2	0	
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0	
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	
COUNTY TOTALS	660		331	329	0	261	243	108	33	15	0	
PERCENT DISTRIBUTION		100.00	50.15	49.85	0.00	39.55	36.82	16.36	5.00	2.27	0.00	

## OUT OF WEDLOCK BIRTHS

LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	6	3.14	3	3	0	5	1	0	0	0	0
16	9	4.71	4	5	0	9	0	0	0	0	0
17	10	5.24	5	5	0	10	0	0	0	0	0
18	13	6.81	8	5	0	12	1	0	0	0	0
19	21	10.99	11	10	0	15	6	0	0	0	0
20-24	73	38.22	38	35	0	42	24	6	1	0	0
25-29	35	18.32	16	19	0	12	14	4	5	0	0
30-34	22	11.52	12	10	0	7	5	7	2	1	0
35-39	1	0.52	0	1	0	0	0	0	0	1	0
40-44	1	0.52	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	191		97	94	0	112	51	17	8	3	0
PERCENT DISTRIBUTION		100.00	50.79	49.21	0.00	58.64	26.70	8.90	4.19	1.57	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		28.94	29.31	28.57	0.00	42.91	20.99	15.74	24.24	20.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX MALE	***** SEX FEMALE	***** SEX UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
PENOBSCOT											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	3	0.16	3	0	0	3	0	0	0	0	0
15	4	0.22	4	0	0	4	0	0	0	0	0
16	24	1.30	11	13	0	23	1	0	0	0	0
17	38	2.05	24	14	0	35	3	0	0	0	0
18	55	2.97	27	28	0	45	8	2	0	0	0
19	84	4.54	40	44	0	57	25	1	1	0	0
20-24	561	30.29	297	264	0	308	179	59	13	2	0
25-29	602	32.51	304	298	0	236	240	95	27	4	0
30-34	359	19.38	180	179	0	88	153	82	26	10	0
35-39	105	5.67	57	48	0	19	38	24	15	9	0
40-44	16	0.86	4	12	0	3	2	3	5	3	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.05	1	0	0	0	0	0	1	0	0
COUNTY TOTALS	1,852		952	900	0	821	649	266	88	28	0
PERCENT DISTRIBUTION		100.00	51.40	48.60	0.00	44.33	35.04	14.36	4.75	1.51	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	3	0.63	3	0	0	3	0	0	0	0	0
15	4	0.84	4	0	0	4	0	0	0	0	0
16	22	4.59	9	13	0	21	1	0	0	0	0
17	31	6.47	20	11	0	30	1	0	0	0	0
18	38	7.93	19	19	0	32	6	0	0	0	0
19	56	11.69	26	30	0	38	17	1	0	0	0
20-24	183	38.20	102	81	0	112	47	17	7	0	0
25-29	91	19.00	44	47	0	33	30	20	8	0	0
30-34	37	7.72	21	16	0	8	14	10	3	2	0
35-39	12	2.51	5	7	0	4	2	3	3	0	0
40-44	2	0.42	0	2	0	0	1	0	1	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	479		253	226	0	285	119	51	22	2	0
PERCENT DISTRIBUTION		100.00	52.82	47.18	0.00	59.50	24.84	10.65	4.59	0.42	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		25.86	26.58	25.11	0.00	34.71	18.34	19.17	25.00	7.14	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
PISCATAQUIS											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	2	0.88	1	1	0	2	0	0	0	0	0
17	7	3.10	5	2	0	7	0	0	0	0	0
18	4	1.77	2	2	0	3	1	0	0	0	0
19	14	6.19	7	7	0	11	3	0	0	0	0
20-24	80	35.40	45	35	0	39	30	10	1	0	0
25-29	62	27.43	26	36	0	20	30	10	2	0	0
30-34	37	16.37	24	13	0	10	11	10	4	2	0
35-39	20	8.85	8	12	0	5	3	9	2	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	226		118	108	0	97	78	39	9	3	0
PERCENT DISTRIBUTION		100.00	52.21	47.79	0.00	42.92	34.51	17.26	3.98	1.33	0.00

## OUT OF WEDLOCK BIRTHS

LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	2	3.13	1	1	0	2	0	0	0	0	0
17	7	10.94	5	2	0	7	0	0	0	0	0
18	3	4.69	2	1	0	3	0	0	0	0	0
19	8	12.50	3	5	0	7	1	0	0	0	0
20-24	25	39.06	14	11	0	14	8	3	0	0	0
25-29	10	15.63	5	5	0	3	5	2	0	0	0
30-34	5	7.81	4	1	0	2	0	2	1	0	0
35-39	4	6.25	2	2	0	0	1	3	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	64		36	28	0	38	15	10	1	0	0
PERCENT DISTRIBUTION		100.00	56.25	43.75	0.00	59.38	23.44	15.63	1.56	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		28.32	30.51	25.93	0.00	39.18	19.23	25.64	11.11	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

.COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX *****			***** BIRTH ORDER *****					
			MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
SAGADAHOC											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.20	1	0	0	1	0	0	0	0	0
16	7	1.37	6	1	0	7	0	0	0	0	0
17	12	2.34	6	6	0	12	0	0	0	0	0
18	16	3.13	12	4	0	13	2	1	0	0	0
19	20	3.91	11	9	0	14	5	1	0	0	0
20-24	128	25.00	61	67	0	63	44	19	2	0	0
25-29	173	33.79	99	74	0	74	61	30	5	3	0
30-34	116	22.66	68	48	0	30	44	27	12	3	0
35-39	35	6.84	17	18	0	11	13	6	3	2	0
40-44	4	0.78	3	1	0	3	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	512		284	228	0	228	169	84	22	9	0
PERCENT DISTRIBUTION		100.00	55.47	44.53	0.00	44.53	33.01	16.41	4.30	1.76	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.92	1	0	0	1	0	0	0	0	0
16	7	6.42	6	1	0	7	0	0	0	0	0
17	12	11.01	6	6	0	12	0	0	0	0	0
18	8	7.34	6	2	0	6	1	1	0	0	0
19	10	9.17	6	4	0	8	2	0	0	0	0
20-24	34	31.19	19	15	0	20	11	3	0	0	0
25-29	22	20.18	10	12	0	9	9	2	1	1	0
30-34	10	9.17	6	4	0	4	3	1	2	0	0
35-39	5	4.59	1	4	0	1	1	1	2	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	109		61	48	0	68	27	8	5	1	0
PERCENT DISTRIBUTION		100.00	55.96	44.04	0.00	62.39	24.77	7.34	4.59	0.92	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		21.29	21.48	21.05	0.00	29.82	15.98	9.52	22.73	11.11	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE (YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	UNKNOWN
SOMERSET											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	5	0.74	3	2	0	5	0	0	0	0	0
16	10	1.49	5	3	2	10	0	0	0	0	0
17	16	2.38	10	6	0	14	2	0	0	0	0
18	33	4.91	15	18	0	29	4	0	0	0	0
19	38	5.65	19	19	0	25	11	2	0	0	0
20-24	225	33.48	116	109	0	104	83	27	10	1	0
25-29	204	30.36	105	99	0	67	83	40	12	2	0
30-34	103	15.33	54	49	0	25	33	24	14	7	0
35-39	34	5.06	21	13	0	1	10	8	7	8	0
40-44	4	0.60	1	3	0	0	0	0	2	2	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	672		349	321	2	280	226	101	45	20	0
PERCENT DISTRIBUTION		100.00	51.93	47.77	0.30	41.67	33.63	15.03	6.70	2.98	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	5	2.22	3	2	0	5	0	0	0	0	0
16	9	4.00	4	3	2	9	0	0	0	0	0
17	16	7.11	10	6	0	14	2	0	0	0	0
18	28	12.44	11	17	0	25	3	0	0	0	0
19	26	11.56	13	13	0	19	6	1	0	0	0
20-24	79	35.11	38	41	0	43	22	10	4	0	0
25-29	37	16.44	22	15	0	13	12	8	4	0	0
30-34	19	8.44	8	11	0	5	7	3	3	1	0
35-39	5	2.22	1	4	0	0	1	3	0	1	0
40-44	1	0.44	0	1	0	0	0	0	1	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	225		110	113	2	133	53	25	12	2	0
PERCENT DISTRIBUTION		100.00	48.89	50.22	0.89	59.11	23.56	11.11	5.33	0.89	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		33.48	31.52	35.20	100.00	47.50	23.45	24.75	26.67	10.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS.

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					
						1	2	3	4	GREATER THAN 4	UNKNOWN
WALDO											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.23	1	0	0	1	0	0	0	0	0
15	4	0.90	1	3	0	4	0	0	0	0	0
16	5	1.13	2	3	0	3	2	0	0	0	0
17	12	2.70	6	6	0	11	1	0	0	0	0
18	17	3.83	9	8	0	15	2	0	0	0	0
19	29	6.53	13	16	0	21	7	1	0	0	0
20-24	138	31.08	68	70	0	63	52	21	2	0	0
25-29	113	25.45	49	64	0	48	32	18	10	5	0
30-34	83	18.69	46	37	0	19	26	20	9	9	0
35-39	36	8.11	10	26	0	5	11	12	3	5	0
40-44	5	1.13	4	1	0	2	0	1	2	0	0
GREATER THAN 44	1	0.23	0	1	0	1	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	444		209	235	0	193	133	73	26	19	0
PERCENT DISTRIBUTION		100.00	47.07	52.93	0.00	43.47	29.95	16.44	5.86	4.28	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.75	1	0	0	1	0	0	0	0	0
15	4	3.01	1	3	0	4	0	0	0	0	0
16	5	3.76	2	3	0	3	2	0	0	0	0
17	11	8.27	5	6	0	10	1	0	0	0	0
18	15	11.28	8	7	0	13	2	0	0	0	0
19	18	13.53	9	9	0	14	4	0	0	0	0
20-24	51	38.35	26	25	0	23	19	8	1	0	0
25-29	18	13.53	10	8	0	10	4	3	1	0	0
30-34	6	4.51	6	0	0	0	1	3	1	1	0
35-39	4	3.01	2	2	0	0	0	2	0	2	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	133		70	63	0	78	33	16	3	3	0
PERCENT DISTRIBUTION		100.00	52.63	47.37	0.00	58.65	24.81	12.03	2.26	2.26	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		29.95	33.49	26.81	0.00	40.41	24.81	21.92	11.54	15.79	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	UNKNOWN
WASHINGTON											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	4	0.94	2	2	0	3	1	0	0	0	0
16	8	1.87	5	3	0	8	0	0	0	0	0
17	7	1.64	3	4	0	7	0	0	0	0	0
18	15	3.51	6	9	0	13	2	0	0	0	0
19	31	7.26	16	15	0	22	7	2	0	0	0
20-24	151	35.36	86	65	0	76	49	20	5	1	0
25-29	111	26.00	60	51	0	24	44	27	14	2	0
30-34	64	14.99	33	31	0	19	20	14	11	0	0
35-39	30	7.03	12	18	0	6	5	8	5	6	0
40-44	4	0.94	2	2	0	0	0	1	1	2	0
GREATER THAN 44	1	0.23	0	1	0	0	0	1	0	0	0
UNKNOWN	1	0.23	1	0	0	0	0	1	0	0	0
COUNTY TOTALS	427		226	201	0	178	128	74	36	11	0
PERCENT DISTRIBUTION		100.00	52.93	47.07	0.00	41.69	29.98	17.33	8.43	2.58	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	4	2.72	2	2	0	3	1	0	0	0	0
16	8	5.44	5	3	0	8	0	0	0	0	0
17	5	3.40	3	2	0	5	0	0	0	0	0
18	12	8.16	4	8	0	10	2	0	0	0	0
19	19	12.93	8	11	0	15	3	1	0	0	0
20-24	64	43.54	37	27	0	33	18	10	3	0	0
25-29	22	14.97	16	6	0	6	9	3	4	0	0
30-34	11	7.48	5	6	0	3	5	2	1	0	0
35-39	2	1.36	1	1	0	1	0	1	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	147		81	66	0	84	38	17	8	0	0
PERCENT DISTRIBUTION		100.00	55.10	44.90	0.00	57.14	25.85	11.56	5.44	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		34.43	35.84	32.84	0.00	47.19	29.69	22.97	22.22	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS



TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	UNKNOWN
YORK											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	2	0.08	2	0	0	2	0	0	0	0	0
15	7	0.29	4	3	0	7	0	0	0	0	0
16	20	0.82	9	11	0	17	3	0	0	0	0
17	46	1.88	20	26	0	44	2	0	0	0	0
18	58	2.37	34	24	0	46	11	1	0	0	0
19	99	4.05	52	47	0	72	23	4	0	0	0
20-24	616	25.18	300	316	0	338	213	47	15	3	0
25-29	853	34.87	446	407	0	340	321	132	40	20	0
30-34	549	22.44	286	263	0	148	231	115	38	17	0
35-39	183	7.48	100	83	0	48	70	34	17	14	0
40-44	11	0.45	0	11	0	4	3	2	2	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	2	0.08	0	2	0	2	0	0	0	0	0
COUNTY TOTALS	2,446		1,253	1,193	0	1,068	877	335	112	54	0
PERCENT DISTRIBUTION		100.00	51.23	48.77	0.00	43.66	35.85	13.70	4.58	2.21	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	2	0.37	2	0	0	2	0	0	0	0	0
15	6	1.11	4	2	0	6	0	0	0	0	0
16	19	3.53	9	10	0	17	2	0	0	0	0
17	38	7.05	16	22	0	37	1	0	0	0	0
18	44	8.16	23	21	0	35	9	0	0	0	0
19	74	13.73	39	35	0	59	14	1	0	0	0
20-24	208	38.59	107	101	0	127	65	10	5	1	0
25-29	93	17.25	54	39	0	31	29	18	9	6	0
30-34	40	7.42	16	24	0	10	21	6	1	2	0
35-39	15	2.78	10	5	0	4	3	5	2	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	539		280	259	0	328	144	40	17	10	0
PERCENT DISTRIBUTION		100.00	51.95	48.05	0.00	60.85	26.72	7.42	3.15	1.86	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		22.04	22.35	21.71	0.00	30.71	16.42	11.94	15.18	18.52	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

STATE AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	UNKNOWN
MAINE SUMMARY											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	16	0.10	11	5	0	14	2	0	0	0	0
15	66	0.39	37	29	0	64	2	0	0	0	0
16	164	0.98	90	72	2	157	6	1	0	0	0
17	336	2.01	182	154	0	301	34	1	0	0	0
18	478	2.85	243	235	0	377	92	8	1	0	0
19	759	4.53	369	390	0	544	182	28	5	0	0
20-24	4,758	28.40	2,430	2,328	0	2,432	1,665	529	106	26	0
25-29	5,406	32.26	2,774	2,632	0	2,048	2,105	904	269	80	0
30-34	3,382	20.19	1,726	1,656	0	971	1,295	755	253	108	0
35-39	1,220	7.28	597	623	0	284	426	289	127	94	0
40-44	157	0.94	81	76	0	28	43	30	25	31	0
GREATER THAN 44	5	0.03	3	2	0	1	1	2	1	0	0
UNKNOWN	8	0.05	5	3	0	3	1	3	1	0	0
STATE TOTALS	16,755		8,548	8,205	2	7,224	5,854	2,550	788	339	0
PERCENT DISTRIBUTION		100.00	51.02	48.97	0.01	43.12	34.94	15.22	4.70	2.02	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	15	0.36	10	5	0	14	1	0	0	0	0
15	64	1.52	37	27	0	62	2	0	0	0	0
16	154	3.65	83	69	2	148	5	1	0	0	0
17	289	6.86	156	133	0	264	24	1	0	0	0
18	359	8.52	179	180	0	289	66	4	0	0	0
19	491	11.65	239	252	0	372	105	11	3	0	0
20-24	1,630	38.67	860	770	0	914	504	163	41	8	0
25-29	755	17.91	396	359	0	274	270	130	59	22	0
30-34	334	7.92	161	173	0	93	108	80	39	14	0
35-39	108	2.56	55	53	0	30	23	28	17	10	0
40-44	14	0.33	6	8	0	3	5	1	2	3	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	2	0.05	2	0	0	0	1	1	0	0	0
STATE TOTALS	4,215		2,184	2,029	2	2,463	1,114	420	161	57	0
PERCENT DISTRIBUTION		100.00	51.81	48.14	0.05	58.43	26.43	9.96	3.82	1.35	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		25.16	25.55	24.73	100.00	34.09	19.03	16.47	20.43	16.81	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
ANDROSCOGGIN								
LESS THAN 1000	5	0.33	2	2	0	0	1	0
1000-1499	6	0.39	2	1	1	0	1	1
1500-1999	15	0.98	7	5	1	0	1	1
2000-2499	61	4.01	26	27	8	0	0	0
2500-2999	220	14.45	90	88	33	5	3	1
3000-3499	546	35.85	236	208	94	4	3	1
3500-3999	483	31.71	215	189	70	7	2	0
4000-4499	148	9.72	77	44	25	2	0	0
4500-4999	32	2.10	12	16	4	0	0	0
GREATER THAN 4999	4	0.26	2	2	0	0	0	0
UNKNOWN	3	0.20	0	1	1	0	0	1
COUNTY TOTALS	1,523		669	583	237	18	11	5
PERCENT DISTRIBUTION		100.00	43.93	38.28	15.56	1.18	0.72	0.33
AROOSTOOK								
LESS THAN 1000	5	0.42	2	2	0	0	1	0
1000-1499	5	0.42	2	0	0	1	1	1
1500-1999	10	0.83	2	4	3	0	0	1
2000-2499	39	3.25	15	17	6	1	0	0
2500-2999	165	13.76	68	68	23	4	2	0
3000-3499	442	36.86	215	146	69	7	4	1
3500-3999	365	30.44	172	135	42	12	4	0
4000-4499	134	11.18	66	42	25	1	0	0
4500-4999	32	2.67	17	8	5	1	1	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	2	0.17	0	1	1	0	0	0
COUNTY TOTALS	1,199		559	423	174	27	13	3
PERCENT DISTRIBUTION		100.00	46.62	35.28	14.51	2.25	1.08	0.25

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
CUMBERLAND								
LESS THAN 1000	14	0.40	8	4	0	0	1	1
1000-1499	27	0.77	15	5	2	0	3	2
1500-1999	46	1.32	19	16	3	0	7	1
2000-2499	124	3.55	71	34	13	1	4	1
2500-2999	427	12.23	198	148	55	3	13	10
3000-3499	1,225	35.09	590	439	119	15	37	25
3500-3999	1,158	33.17	624	364	91	16	41	22
4000-4499	395	11.31	218	109	36	7	18	7
4500-4999	69	1.98	39	24	4	0	2	0
GREATER THAN 4999	3	0.09	2	1	0	0	0	0
UNKNOWN	3	0.09	1	0	0	0	1	1
COUNTY TOTALS	3,491		1,785	1,144	323	42	127	70
PERCENT DISTRIBUTION		100.00	51.13	32.77	9.25	1.20	3.64	2.01
FRANKLIN								
LESS THAN 1000	1	0.26	0	0	1	0	0	0
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	1	0.26	0	0	1	0	0	0
2000-2499	11	2.89	9	0	1	0	1	0
2500-2999	55	14.47	37	8	7	1	2	0
3000-3499	145	38.16	86	42	15	2	0	0
3500-3999	120	31.58	71	34	12	3	0	0
4000-4499	36	9.47	20	9	5	1	1	0
4500-4999	9	2.37	6	2	0	1	0	0
GREATER THAN 4999	1	0.26	1	0	0	0	0	0
UNKNOWN	1	0.26	0	1	0	0	0	0
COUNTY TOTALS	380		230	96	42	8	4	0
PERCENT DISTRIBUTION		100.00	60.53	25.26	11.05	2.11	1.05	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BWGHTED

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL CARE BEGAN 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
HANCOCK								
LESS THAN 1000	2	0.35	0	1	0	0	0	1
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	7	1.21	5	2	0	0	0	0
2000-2499	16	2.77	5	9	2	0	0	0
2500-2999	68	11.76	27	30	11	0	0	0
3000-3499	207	35.81	92	77	29	7	2	0
3500-3999	192	33.22	92	70	24	5	1	0
4000-4499	71	12.28	33	29	9	0	0	0
4500-4999	13	2.25	9	3	0	1	0	0
GREATER THAN 4999	2	0.35	0	2	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	578		263	223	75	13	3	1
PERCENT DISTRIBUTION		100.00	45.50	38.58	12.98	2.25	0.52	0.17
KENNEBEC								
LESS THAN 1000	3	0.19	1	0	0	0	0	2
1000-1499	8	0.52	4	3	1	0	0	0
1500-1999	21	1.36	5	6	3	0	4	3
2000-2499	65	4.22	36	16	6	0	6	1
2500-2999	184	11.94	98	64	19	1	2	0
3000-3499	526	34.13	310	151	52	6	7	0
3500-3999	515	33.42	298	163	38	4	11	1
4000-4499	183	11.88	109	49	22	2	1	0
4500-4999	27	1.75	20	6	1	0	0	0
GREATER THAN 4999	3	0.19	3	0	0	0	0	0
UNKNOWN	6	0.39	2	2	1	0	0	1
COUNTY TOTALS	1,541		886	460	143	13	31	8
PERCENT DISTRIBUTION		100.00	57.50	29.85	9.28	0.84	2.01	0.52

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
KNOX								
LESS THAN 1000	3	0.69	1	0	0	0	2	0
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	6	1.39	4	0	0	0	1	1
2000-2499	14	3.24	8	4	1	0	1	0
2500-2999	46	10.65	26	12	6	1	1	0
3000-3499	150	34.72	86	34	25	3	2	0
3500-3999	127	29.40	80	30	13	4	0	0
4000-4499	70	16.20	44	19	5	1	1	0
4500-4999	14	3.24	10	4	0	0	0	0
GREATER THAN 4999	2	0.46	1	1	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	432		260	104	50	9	8	1
PERCENT DISTRIBUTION		100.00	60.19	24.07	11.57	2.08	1.85	0.23
LINCOLN								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	8	2.15	5	3	0	0	0	0
2000-2499	13	3.49	6	3	1	1	1	1
2500-2999	52	13.98	37	9	4	1	1	0
3000-3499	118	31.72	83	22	10	2	1	0
3500-3999	108	29.03	71	25	12	0	0	0
4000-4499	60	16.13	37	17	6	0	0	0
4500-4999	12	3.23	10	1	1	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	1	0.27	1	0	0	0	0	0
COUNTY TOTALS	372		250	80	34	4	3	1
PERCENT DISTRIBUTION		100.00	67.20	21.51	9.14	1.08	0.81	0.27

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BWGHTED

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
OXFORD								
LESS THAN 1000	3	0.45	2	0	0	0	0	1
1000-1499	3	0.45	1	1	0	1	0	0
1500-1999	5	0.76	2	2	1	0	0	0
2000-2499	25	3.79	12	5	4	0	3	1
2500-2999	103	15.61	41	41	19	0	2	0
3000-3499	230	34.85	100	84	37	5	3	1
3500-3999	199	30.15	99	70	28	1	1	0
4000-4499	69	10.45	39	22	6	2	0	0
4500-4999	20	3.03	8	8	4	0	0	0
GREATER THAN 4999	2	0.30	2	0	0	0	0	0
UNKNOWN	1	0.15	0	0	0	0	0	1
COUNTY TOTALS	660		306	233	99	9	9	4
PERCENT DISTRIBUTION		100.00	46.36	35.30	15.00	1.36	1.36	0.61
PENOBSCOT								
LESS THAN 1000	11	0.59	8	1	0	0	1	1
1000-1499	13	0.70	11	1	1	0	0	0
1500-1999	13	0.70	6	4	2	0	1	0
2000-2499	57	3.08	35	9	9	1	3	0
2500-2999	247	13.34	145	55	32	11	3	1
3000-3499	650	35.10	402	150	82	11	3	2
3500-3999	601	32.45	401	135	49	11	4	1
4000-4499	222	11.99	158	43	19	1	1	0
4500-4999	30	1.62	21	6	3	0	0	0
GREATER THAN 4999	4	0.22	2	2	0	0	0	0
UNKNOWN	4	0.22	2	0	0	0	0	2
COUNTY TOTALS	1,852		1,191	406	197	35	16	7
PERCENT DISTRIBUTION		100.00	64.31	21.92	10.64	1.89	0.86	0.38

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
PISCATAQUIS								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	1	0.44	0	0	1	0	0	0
1500-1999	2	0.88	1	1	0	0	0	0
2000-2499	8	3.54	4	2	2	0	0	0
2500-2999	39	17.26	19	14	6	0	0	0
3000-3499	74	32.74	39	18	16	0	1	0
3500-3999	70	30.97	36	15	17	2	0	0
4000-4499	22	9.73	9	8	5	0	0	0
4500-4999	8	3.54	6	1	1	0	0	0
GREATER THAN 4999	2	0.88	0	1	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	226		114	60	49	2	1	0
PERCENT DISTRIBUTION		100.00	50.44	26.55	21.68	0.88	0.44	0.00
SAGadahoc								
LESS THAN 1000	3	0.59	2	0	1	0	0	0
1000-1499	2	0.39	1	0	0	0	0	1
1500-1999	3	0.59	2	1	0	0	0	0
2000-2499	16	3.13	7	8	1	0	0	0
2500-2999	70	13.67	52	14	3	1	0	0
3000-3499	154	30.08	111	26	17	0	0	0
3500-3999	183	35.74	116	47	13	4	3	0
4000-4499	69	13.48	45	14	9	0	1	0
4500-4999	12	2.34	8	1	3	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	512		344	111	47	5	4	1
PERCENT DISTRIBUTION		100.00	67.19	21.68	9.18	0.98	0.78	0.20

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS



TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
SOMERSET								
LESS THAN 1000	7	1.04	4	1	1	0	0	1
1000-1499	5	0.74	3	1	1	0	0	0
1500-1999	6	0.89	3	3	0	0	0	0
2000-2499	25	3.72	9	10	3	1	2	0
2500-2999	69	10.27	24	32	10	2	1	0
3000-3499	244	36.31	116	80	40	5	1	2
3500-3999	218	32.44	103	86	20	7	2	0
4000-4499	78	11.61	37	28	12	1	0	0
4500-4999	14	2.08	5	6	1	2	0	0
GREATER THAN 4999	2	0.30	0	2	0	0	0	0
UNKNOWN	4	0.60	2	2	0	0	0	0
COUNTY TOTALS	672		306	251	88	18	6	3
PERCENT DISTRIBUTION		100.00	45.54	37.35	13.10	2.68	0.89	0.45
WALDO								
LESS THAN 1000	3	0.68	1	0	0	0	2	0
1000-1499	1	0.23	1	0	0	0	0	0
1500-1999	2	0.45	1	1	0	0	0	0
2000-2499	21	4.73	10	3	8	0	0	0
2500-2999	44	9.91	28	11	4	0	1	0
3000-3499	151	34.01	94	34	18	4	1	0
3500-3999	155	34.91	102	33	18	2	0	0
4000-4499	52	11.71	32	11	9	0	0	0
4500-4999	13	2.93	9	3	1	0	0	0
GREATER THAN 4999	1	0.23	0	1	0	0	0	0
UNKNOWN	1	0.23	0	1	0	0	0	0
COUNTY TOTALS	444		278	98	58	6	4	0
PERCENT DISTRIBUTION		100.00	62.61	22.07	13.06	1.35	0.90	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
WASHINGTON								
LESS THAN 1000	1	0.23	1	0	0	0	0	0
1000-1499	2	0.47	1	0	0	0	1	0
1500-1999	3	0.70	2	1	0	0	0	0
2000-2499	15	3.51	8	2	4	1	0	0
2500-2999	62	14.52	26	20	14	2	0	0
3000-3499	159	37.24	81	52	22	3	0	1
3500-3999	138	32.32	65	47	20	5	1	0
4000-4499	33	7.73	11	16	5	1	0	0
4500-4999	9	2.11	5	4	0	0	0	0
GREATER THAN 4999	1	0.23	0	1	0	0	0	0
UNKNOWN	4	0.94	0	0	0	0	2	2
COUNTY TOTALS	427		200	143	65	12	4	3
PERCENT DISTRIBUTION		100.00	46.84	33.49	15.22	2.81	0.94	0.70
YORK								
LESS THAN 1000	13	0.53	7	3	0	0	2	1
1000-1499	4	0.16	2	2	0	0	0	0
1500-1999	24	0.98	16	5	3	0	0	0
2000-2499	86	3.52	44	17	11	4	6	4
2500-2999	299	12.22	169	79	33	7	7	4
3000-3499	883	36.10	535	214	100	13	12	9
3500-3999	776	31.73	461	188	94	11	13	9
4000-4499	307	12.55	198	71	25	2	8	3
4500-4999	47	1.92	20	21	5	0	0	1
GREATER THAN 4999	4	0.16	2	1	0	0	0	1
UNKNOWN	3	0.12	0	2	1	0	0	0
COUNTY TOTALS	2,446		1,454	603	272	37	48	32
PERCENT DISTRIBUTION		100.00	59.44	24.65	11.12	1.51	1.96	1.31

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

STATE AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
MAINE SUMMARY								
LESS THAN 1000	74	0.44	39	14	3	0	10	8
1000-1499	77	0.46	43	14	7	2	6	5
1500-1999	172	1.03	80	54	17	0	14	7
2000-2499	596	3.56	305	166	80	10	27	8
2500-2999	2,150	12.83	1,085	693	279	39	38	16
3000-3499	5,904	35.24	3,176	1,777	745	87	77	42
3500-3999	5,408	32.28	3,006	1,631	561	94	83	33
4000-4499	1,949	11.63	1,133	531	223	21	31	10
4500-4999	361	2.15	205	114	33	5	3	1
GREATER THAN 4999	31	0.19	15	14	1	0	0	1
UNKNOWN	33	0.20	8	10	4	0	3	8
STATE TOTALS	16,755		9,095	5,018	1,953	258	292	139
PERCENT DISTRIBUTION		100.00	54.28	29.95	11.66	1.54	1.74	0.83

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ANDROSCOGGIN											
0	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	2	0	0.00	2	100.00	0	0.00	0	0.00	0	0.00
4	6	2	33.33	1	16.67	3	50.00	0	0.00	0	0.00
5	13	7	53.85	2	15.38	4	30.77	0	0.00	0	0.00
6	23	8	34.78	13	56.52	2	8.70	0	0.00	0	0.00
7	24	4	16.67	15	62.50	5	20.83	0	0.00	0	0.00
8	39	15	38.46	23	58.97	0	0.00	1	2.56	0	0.00
9	58	32	55.17	26	44.83	0	0.00	0	0.00	0	0.00
GREATER THAN 9	1,335	1,176	88.09	154	11.54	4	0.30	0	0.00	1	0.07
UNKNOWN	20	8	40.00	1	5.00	0	0.00	7	35.00	4	20.00
COUNTY TOTALS	1,523	1,252	82.21	237	15.56	18	1.18	11	0.72	5	0.33
AROOSTOOK											
0	4	0	0.00	0	0.00	0	0.00	4	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	4	1	25.00	0	0.00	3	75.00	0	0.00	0	0.00
4	15	6	40.00	3	20.00	5	33.33	1	6.67	0	0.00
5	11	2	18.18	4	36.36	5	45.45	0	0.00	0	0.00
6	10	2	20.00	6	60.00	2	20.00	0	0.00	0	0.00
7	25	9	36.00	14	56.00	2	8.00	0	0.00	0	0.00
8	32	16	50.00	12	37.50	3	9.38	1	3.13	0	0.00
9	63	36	57.14	24	38.10	3	4.76	0	0.00	0	0.00
GREATER THAN 9	1,024	910	88.87	110	10.74	3	0.29	1	0.10	0	0.00
UNKNOWN	10	0	0.00	1	10.00	0	0.00	6	60.00	3	30.00
COUNTY TOTALS	1,199	982	81.90	174	14.51	27	2.25	13	1.08	3	0.25

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
CUMBERLAND											
0	9	0	0.00	0	0.00	0	0.00	8	88.89	1	11.11
1	3	1	33.33	0	0.00	1	33.33	1	33.33	0	0.00
2	8	3	37.50	0	0.00	5	62.50	0	0.00	0	0.00
3	16	4	25.00	6	37.50	6	37.50	0	0.00	0	0.00
4	17	6	35.29	8	47.06	3	17.65	0	0.00	0	0.00
5	27	10	37.04	13	48.15	4	14.81	0	0.00	0	0.00
6	47	24	51.06	22	46.81	1	2.13	0	0.00	0	0.00
7	66	38	57.58	21	31.82	5	7.58	2	3.03	0	0.00
8	161	117	72.67	37	22.98	3	1.86	3	1.86	1	0.62
9	238	184	77.31	43	18.07	3	1.26	6	2.52	2	0.84
GREATER THAN 9	2,695	2,476	91.87	170	6.31	10	0.37	28	1.04	11	0.41
UNKNOWN	204	66	32.35	3	1.47	1	0.49	79	38.73	55	26.96
COUNTY TOTALS	3,491	2,929	83.90	323	9.25	42	1.20	127	3.64	70	2.01
FRANKLIN											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
2	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
3	3	1	33.33	0	0.00	2	66.67	0	0.00	0	0.00
4	4	0	0.00	2	50.00	2	50.00	0	0.00	0	0.00
5	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
6	7	1	14.29	5	71.43	1	14.29	0	0.00	0	0.00
7	5	1	20.00	4	80.00	0	0.00	0	0.00	0	0.00
8	12	8	66.67	3	25.00	1	8.33	0	0.00	0	0.00
9	12	11	91.67	1	8.33	0	0.00	0	0.00	0	0.00
GREATER THAN 9	328	303	92.38	25	7.62	0	0.00	0	0.00	0	0.00
UNKNOWN	5	1	20.00	0	0.00	0	0.00	4	80.00	0	0.00
COUNTY TOTALS	380	326	85.79	42	11.05	8	2.11	4	1.05	0	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
HANCOCK											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
3	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
4	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
5	5	3	60.00	1	20.00	1	20.00	0	0.00	0	0.00
6	15	7	46.67	7	46.67	1	6.67	0	0.00	0	0.00
7	24	9	37.50	13	54.17	2	8.33	0	0.00	0	0.00
8	42	31	73.81	9	21.43	2	4.76	0	0.00	0	0.00
9	62	49	79.03	13	20.97	0	0.00	0	0.00	0	0.00
GREATER THAN 9	417	381	91.37	31	7.43	4	0.96	1	0.24	0	0.00
UNKNOWN	7	4	57.14	0	0.00	0	0.00	2	28.57	1	14.29
COUNTY TOTALS	578	486	84.08	75	12.98	13	2.25	3	0.52	1	0.17
KENNEBEC											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
1	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	4	1	25.00	3	75.00	0	0.00	0	0.00	0	0.00
4	5	2	40.00	2	40.00	0	0.00	1	20.00	0	0.00
5	7	3	42.86	1	14.29	3	42.86	0	0.00	0	0.00
6	11	0	0.00	7	63.64	3	27.27	1	9.09	0	0.00
7	15	5	33.33	9	60.00	1	6.67	0	0.00	0	0.00
8	33	22	66.67	9	27.27	1	3.03	1	3.03	0	0.00
9	38	25	65.79	12	31.58	1	2.63	0	0.00	0	0.00
GREATER THAN 9	1,390	1,277	91.87	98	7.05	3	0.22	11	0.79	1	0.07
UNKNOWN	34	11	32.35	1	2.94	0	0.00	15	44.12	7	20.59
COUNTY TOTALS	1,541	1,346	87.35	143	9.28	13	0.84	31	2.01	8	0.52

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
KNOX											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
4	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
5	4	1	25.00	1	25.00	2	50.00	0	0.00	0	0.00
6	10	4	40.00	4	40.00	1	10.00	1	10.00	0	0.00
7	12	8	66.67	3	25.00	1	8.33	0	0.00	0	0.00
8	15	12	80.00	1	6.67	2	13.33	0	0.00	0	0.00
9	15	12	80.00	2	13.33	1	6.67	0	0.00	0	0.00
GREATER THAN 9	364	325	89.29	38	10.44	0	0.00	1	0.27	0	0.00
UNKNOWN	8	1	12.50	1	12.50	0	0.00	5	62.50	1	12.50
COUNTY TOTALS	432	364	84.26	50	11.57	9	2.08	8	1.85	1	0.23
LINCOLN											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
5	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
6	5	3	60.00	2	40.00	0	0.00	0	0.00	0	0.00
7	11	6	54.55	4	36.36	1	9.09	0	0.00	0	0.00
8	10	7	70.00	2	20.00	0	0.00	1	10.00	0	0.00
9	21	17	80.95	4	19.05	0	0.00	0	0.00	0	0.00
GREATER THAN 9	309	289	93.53	19	6.15	1	0.32	0	0.00	0	0.00
UNKNOWN	12	8	66.67	2	16.67	0	0.00	1	8.33	1	8.33
COUNTY TOTALS	372	330	88.71	34	9.14	4	1.08	3	0.81	1	0.27

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
OXFORD											
0	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
1	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
2	3	1	33.33	0	0.00	2	66.67	0	0.00	0	0.00
3	3	0	0.00	3	100.00	0	0.00	0	0.00	0	0.00
4	7	2	28.57	2	28.57	2	28.57	1	14.29	0	0.00
5	8	4	50.00	2	25.00	1	12.50	1	12.50	0	0.00
6	11	10	90.91	1	9.09	0	0.00	0	0.00	0	0.00
7	26	16	61.54	10	38.46	0	0.00	0	0.00	0	0.00
8	31	21	67.74	9	29.03	1	3.23	0	0.00	0	0.00
9	45	32	71.11	13	28.89	0	0.00	0	0.00	0	0.00
GREATER THAN 9	503	443	88.07	58	11.53	2	0.40	0	0.00	0	0.00
UNKNOWN	18	9	50.00	1	5.56	0	0.00	4	22.22	4	22.22
COUNTY TOTALS	660	539	81.67	99	15.00	9	1.36	9	1.36	4	0.61
PENOBSCOT											
0	11	0	0.00	0	0.00	0	0.00	10	90.91	1	9.09
1	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
2	5	0	0.00	2	40.00	3	60.00	0	0.00	0	0.00
3	9	3	33.33	1	11.11	4	44.44	0	0.00	1	11.11
4	13	5	38.46	3	23.08	5	38.46	0	0.00	0	0.00
5	48	11	22.92	28	58.33	9	18.75	0	0.00	0	0.00
6	57	24	42.11	26	45.61	6	10.53	0	0.00	1	1.75
7	69	38	55.07	27	39.13	4	5.80	0	0.00	0	0.00
8	121	92	76.03	28	23.14	1	0.83	0	0.00	0	0.00
9	202	177	87.62	24	11.88	1	0.50	0	0.00	0	0.00
GREATER THAN 9	1,300	1,242	95.54	56	4.31	1	0.08	1	0.08	0	0.00
UNKNOWN	15	5	33.33	1	6.67	0	0.00	5	33.33	4	26.67
COUNTY TOTALS	1,852	1,597	86.23	197	10.64	35	1.89	16	0.86	7	0.38

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS



TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
PISCATAQUIS											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	3	0	0.00	2	66.67	1	33.33	0	0.00	0	0.00
4	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
5	2	0	0.00	2	100.00	0	0.00	0	0.00	0	0.00
6	10	3	30.00	7	70.00	0	0.00	0	0.00	0	0.00
7	12	6	50.00	6	50.00	0	0.00	0	0.00	0	0.00
8	20	14	70.00	6	30.00	0	0.00	0	0.00	0	0.00
9	29	21	72.41	8	27.59	0	0.00	0	0.00	0	0.00
GREATER THAN 9	146	129	88.36	17	11.64	0	0.00	0	0.00	0	0.00
UNKNOWN	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
COUNTY TOTALS	226	174	76.99	49	21.68	2	0.88	1	0.44	0	0.00
SAGadahoc											
0	2	0	0.00	0	0.00	0	0.00	1	50.00	1	50.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
3	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
4	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
5	4	2	50.00	1	25.00	1	25.00	0	0.00	0	0.00
6	6	3	50.00	3	50.00	0	0.00	0	0.00	0	0.00
7	11	7	63.64	4	36.36	0	0.00	0	0.00	0	0.00
8	21	18	85.71	2	9.52	1	4.76	0	0.00	0	0.00
9	31	26	83.87	4	12.90	1	3.23	0	0.00	0	0.00
GREATER THAN 9	423	391	92.43	31	7.33	1	0.24	0	0.00	0	0.00
UNKNOWN	9	6	66.67	0	0.00	0	0.00	3	33.33	0	0.00
COUNTY TOTALS	512	455	88.87	47	9.18	5	0.98	4	0.78	1	0.20

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
SOMERSET											
0	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
1	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
2	3	0	0.00	1	33.33	2	66.67	0	0.00	0	0.00
3	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
4	5	3	60.00	0	0.00	2	40.00	0	0.00	0	0.00
5	14	6	42.86	7	50.00	1	7.14	0	0.00	0	0.00
6	15	6	40.00	4	26.67	5	33.33	0	0.00	0	0.00
7	13	8	61.54	5	38.46	0	0.00	0	0.00	0	0.00
8	31	18	58.06	12	38.71	0	0.00	1	3.23	0	0.00
9	32	18	56.25	12	37.50	2	6.25	0	0.00	0	0.00
GREATER THAN 9	546	494	90.48	45	8.24	5	0.92	1	0.18	1	0.18
UNKNOWN	7	3	42.86	1	14.29	0	0.00	1	14.29	2	28.57
COUNTY TOTALS	672	557	82.89	88	13.10	18	2.68	6	0.89	3	0.45
WALDO											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
3	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
4	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
5	7	2	28.57	5	71.43	0	0.00	0	0.00	0	0.00
6	19	8	42.11	11	57.89	0	0.00	0	0.00	0	0.00
7	18	11	61.11	7	38.89	0	0.00	0	0.00	0	0.00
8	27	22	81.48	4	14.81	1	3.70	0	0.00	0	0.00
9	37	30	81.08	6	16.22	1	2.70	0	0.00	0	0.00
GREATER THAN 9	326	301	92.33	23	7.06	1	0.31	1	0.31	0	0.00
UNKNOWN	7	2	28.57	2	28.57	0	0.00	3	42.86	0	0.00
COUNTY TOTALS	444	376	84.68	58	13.06	6	1.35	4	0.90	0	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
WASHINGTON											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	5	2	40.00	3	60.00	0	0.00	0	0.00	0	0.00
5	10	1	10.00	5	50.00	4	40.00	0	0.00	0	0.00
6	10	4	40.00	4	40.00	2	20.00	0	0.00	0	0.00
7	16	10	62.50	5	31.25	1	6.25	0	0.00	0	0.00
8	37	29	78.38	7	18.92	1	2.70	0	0.00	0	0.00
9	34	25	73.53	8	23.53	1	2.94	0	0.00	0	0.00
GREATER THAN 9	307	272	88.60	33	10.75	1	0.33	1	0.33	0	0.00
UNKNOWN	6	0	0.00	0	0.00	0	0.00	3	50.00	3	50.00
COUNTY TOTALS	427	343	80.33	65	15.22	12	2.81	4	0.94	3	0.70
YORK											
0	14	0	0.00	0	0.00	0	0.00	12	85.71	2	14.29
1	3	0	0.00	0	0.00	1	33.33	2	66.67	0	0.00
2	6	3	50.00	0	0.00	2	33.33	1	16.67	0	0.00
3	20	5	25.00	10	50.00	5	25.00	0	0.00	0	0.00
4	23	6	26.09	11	47.83	6	26.09	0	0.00	0	0.00
5	36	21	58.33	12	33.33	3	8.33	0	0.00	0	0.00
6	82	56	68.29	21	25.61	4	4.88	1	1.22	0	0.00
7	100	76	76.00	19	19.00	2	2.00	3	3.00	0	0.00
8	178	135	75.84	39	21.91	4	2.25	0	0.00	0	0.00
9	182	150	82.42	29	15.93	2	1.10	0	0.00	1	0.55
GREATER THAN 9	1,727	1,579	91.43	129	7.47	6	0.35	7	0.41	6	0.35
UNKNOWN	75	26	34.67	2	2.67	2	2.67	22	29.33	23	30.67
COUNTY TOTALS	2,446	2,057	84.10	272	11.12	37	1.51	48	1.96	32	1.31

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

STATE AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MAINE SUMMARY											
0	54	0	0.00	0	0.00	0	0.00	49	90.74	5	9.26
1	17	3	17.65	3	17.65	8	47.06	3	17.65	0	0.00
2	33	8	24.24	4	12.12	20	60.61	1	3.03	0	0.00
3	71	17	23.94	29	40.85	24	33.80	0	0.00	1	1.41
4	109	36	33.03	38	34.86	32	29.36	3	2.75	0	0.00
5	199	73	36.68	85	42.71	40	20.10	1	0.50	0	0.00
6	338	163	48.22	143	42.31	28	8.28	3	0.89	1	0.30
7	447	252	56.38	166	37.14	24	5.37	5	1.12	0	0.00
8	810	577	71.23	203	25.06	21	2.59	8	0.99	1	0.12
9	1,099	845	76.89	229	20.84	16	1.46	6	0.55	3	0.27
GREATER THAN 9	13,140	11,988	91.23	1,037	7.89	42	0.32	53	0.40	20	0.15
UNKNOWN	438	151	34.47	16	3.65	3	0.68	160	36.53	108	24.66
STATE TOTALS	16,755	14,113	84.23	1,953	11.66	258	1.54	292	1.74	139	0.83

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL CARE BEGAN 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
ANDROSCOGGIN								
LESS THAN GRADE 9	58	3.81	18	26	12	2	0	0
GRADES 9-11	249	16.35	85	87	68	7	2	0
GRADE 12	722	47.41	322	269	117	6	6	2
GREATER THAN GRADE 12	491	32.24	244	201	39	3	3	1
UNKNOWN	3	0.20	0	0	1	0	0	2
COUNTY TOTALS	1,523		669	583	237	18	11	5
PERCENT DISTRIBUTION		100.00	43.93	38.28	15.56	1.18	0.72	0.33
AROOSTOOK								
LESS THAN GRADE 9	24	2.00	8	10	5	0	1	0
GRADES 9-11	147	12.26	48	53	34	8	3	1
GRADE 12	599	49.96	271	227	82	12	5	2
GREATER THAN GRADE 12	422	35.20	232	133	51	6	0	0
UNKNOWN	7	0.58	0	0	2	1	4	0
COUNTY TOTALS	1,199		559	423	174	27	13	3
PERCENT DISTRIBUTION		100.00	46.62	35.28	14.51	2.25	1.08	0.25
CUMBERLAND								
LESS THAN GRADE 9	49	1.40	21	12	9	2	4	1
GRADES 9-11	334	9.57	144	94	66	15	10	5
GRADE 12	1,250	35.81	622	423	136	13	31	25
GREATER THAN GRADE 12	1,826	52.31	987	602	109	11	78	39
UNKNOWN	32	0.92	11	13	3	1	4	0
COUNTY TOTALS	3,491		1,785	1,144	323	42	127	70
PERCENT DISTRIBUTION		100.00	51.13	32.77	9.25	1.20	3.64	2.01

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	3RD MONTH	***** MONTH PRENATAL CARE BEGAN 4TH-6TH MONTH	***** 7TH-9TH MONTH	NONE	UNKNOWN
FRANKLIN								
LESS THAN GRADE 9	8	2.11	6	1	1	0	0	0
GRADES 9-11	37	9.74	14	11	11	1	0	0
GRADE 12	180	47.37	109	42	22	4	3	0
GREATER THAN GRADE 12	155	40.79	101	42	8	3	1	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	380		230	96	42	8	4	0
PERCENT DISTRIBUTION		100.00	60.53	25.26	11.05	2.11	1.05	0.00
HANCOCK								
LESS THAN GRADE 9	8	1.38	0	4	4	0	0	0
GRADES 9-11	47	8.13	16	17	12	1	1	0
GRADE 12	298	51.56	135	119	35	8	0	1
GREATER THAN GRADE 12	225	38.93	112	83	24	4	2	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	578		263	223	75	13	3	1
PERCENT DISTRIBUTION		100.00	45.50	38.58	12.98	2.25	0.52	0.17
KENNEBEC								
LESS THAN GRADE 9	26	1.69	14	10	0	0	2	0
GRADES 9-11	172	11.16	78	58	29	2	4	1
GRADE 12	703	45.62	405	194	77	8	16	3
GREATER THAN GRADE 12	633	41.08	387	197	37	3	6	3
UNKNOWN	7	0.45	2	1	0	0	3	1
COUNTY TOTALS	1,541		886	460	143	13	31	8
PERCENT DISTRIBUTION		100.00	57.50	29.85	9.28	0.84	2.01	0.52

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
KNOX								
LESS THAN GRADE 9	10	2.31	3	2	4	1	0	0
GRADES 9-11	61	14.12	30	16	10	3	2	0
GRADE 12	187	43.29	112	46	24	2	2	1
GREATER THAN GRADE 12	172	39.81	113	40	12	3	4	0
UNKNOWN	2	0.46	2	0	0	0	0	0
COUNTY TOTALS	432		260	104	50	9	8	1
PERCENT DISTRIBUTION		100.00	60.19	24.07	11.57	2.08	1.85	0.23
LINCOLN								
LESS THAN GRADE 9	9	2.42	5	3	1	0	0	0
GRADES 9-11	36	9.68	14	13	9	0	0	0
GRADE 12	178	47.85	118	35	19	3	3	0
GREATER THAN GRADE 12	148	39.78	112	29	5	1	0	1
UNKNOWN	1	0.27	1	0	0	0	0	0
COUNTY TOTALS	372		250	80	34	4	3	1
PERCENT DISTRIBUTION		100.00	67.20	21.51	9.14	1.08	0.81	0.27
OXFORD								
LESS THAN GRADE 9	9	1.36	5	4	0	0	0	0
GRADES 9-11	119	18.03	45	35	36	3	0	0
GRADE 12	302	45.76	143	108	38	6	4	3
GREATER THAN GRADE 12	228	34.55	112	86	25	0	5	0
UNKNOWN	2	0.30	1	0	0	0	0	1
COUNTY TOTALS	660		306	233	99	9	9	4
PERCENT DISTRIBUTION		100.00	46.36	35.30	15.00	1.36	1.36	0.61

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	***** NONE	UNKNOWN
PENOBSCOT								
LESS THAN GRADE 9	37	2.00	10	12	12	0	2	1
GRADES 9-11	207	11.18	88	57	42	13	7	0
GRADE 12	838	45.25	511	204	102	16	2	3
GREATER THAN GRADE 12	767	41.41	582	132	41	6	5	1
UNKNOWN	3	0.16	0	1	0	0	0	2
COUNTY TOTALS	1,852		1,191	406	197	35	16	7
PERCENT DISTRIBUTION		100.00	64.31	21.92	10.64	1.89	0.86	0.38
PISCATAQUIS								
LESS THAN GRADE 9	7	3.10	3	2	2	0	0	0
GRADES 9-11	35	15.49	12	8	15	0	0	0
GRADE 12	110	48.67	55	29	23	2	1	0
GREATER THAN GRADE 12	74	32.74	44	21	9	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	226		114	60	49	2	1	0
PERCENT DISTRIBUTION		100.00	50.44	26.55	21.68	0.88	0.44	0.00
SAGadahoc								
LESS THAN GRADE 9	5	0.98	0	4	1	0	0	0
GRADES 9-11	52	10.16	30	12	9	0	1	0
GRADE 12	223	43.55	151	48	20	3	0	1
GREATER THAN GRADE 12	227	44.34	163	45	14	2	3	0
UNKNOWN	5	0.98	0	2	3	0	0	0
COUNTY TOTALS	512		344	111	47	5	4	1
PERCENT DISTRIBUTION		100.00	67.19	21.68	9.18	0.98	0.78	0.20

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS



TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	3RD MONTH	4TH-6TH MONTH	MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	UNKNOWN
SOMERSET								
LESS THAN GRADE 9	16	2.38	9	5	1	0	1	0
GRADES 9-11	101	15.03	37	36	18	7	1	2
GRADE 12	359	53.42	155	141	52	8	2	1
GREATER THAN GRADE 12	191	28.42	101	69	17	3	1	0
UNKNOWN	5	0.74	4	0	0	0	1	0
COUNTY TOTALS	672		306	251	88	18	6	3
PERCENT DISTRIBUTION		100.00	45.54	37.35	13.10	2.68	0.89	0.45
WALDO								
LESS THAN GRADE 9	7	1.58	2	3	1	1	0	0
GRADES 9-11	71	15.99	39	16	16	0	0	0
GRADE 12	206	46.40	128	40	33	2	3	0
GREATER THAN GRADE 12	158	35.59	108	39	8	3	0	0
UNKNOWN	2	0.45	1	0	0	0	1	0
COUNTY TOTALS	444		278	98	58	6	4	0
PERCENT DISTRIBUTION		100.00	62.61	22.07	13.06	1.35	0.90	0.00
WASHINGTON								
LESS THAN GRADE 9	15	3.51	7	4	3	1	0	0
GRADES 9-11	79	18.50	29	27	19	3	1	0
GRADE 12	193	45.20	96	65	28	3	1	0
GREATER THAN GRADE 12	135	31.62	68	47	15	5	0	0
UNKNOWN	5	1.17	0	0	0	0	2	3
COUNTY TOTALS	427		200	143	65	12	4	3
PERCENT DISTRIBUTION		100.00	46.84	33.49	15.22	2.81	0.94	0.70

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN ***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
YORK								
LESS THAN GRADE 9	40	1.64	16	8	13	1	1	1
GRADES 9-11	288	11.77	114	73	73	12	11	5
GRADE 12	1,060	43.34	633	274	115	14	14	10
GREATER THAN GRADE 12	1,035	42.31	679	242	67	10	22	15
UNKNOWN	23	0.94	12	6	4	0	0	1
COUNTY TOTALS	2,446		1,454	603	272	37	48	32
PERCENT DISTRIBUTION		100.00	59.44	24.65	11.12	1.51	1.96	1.31
MAINE SUMMARY								
LESS THAN GRADE 9	328	1.96	127	110	69	8	11	3
GRADES 9-11	2,035	12.15	823	613	467	75	43	14
GRADE 12	7,408	44.21	3,966	2,264	923	110	93	52
GREATER THAN GRADE 12	6,887	41.10	4,145	2,008	481	63	130	60
UNKNOWN	97	0.58	34	23	13	2	15	10
STATE TOTALS	16,755		9,095	5,018	1,953	258	292	139
PERCENT DISTRIBUTION		100.00	54.28	29.95	11.66	1.54	1.74	0.83

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-9

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - NUMBER OF BIRTHS  
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1991 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20	NON- WHITE YRS.	NO PRENATAL CARE	MEDICAL RISK FACTORS	C-SECTION	CONGEN. ANOM- ALIES	BIRTHWEIGHT UNDER 2500	IN GRAMS OVER 4999
AT HOME	167	21	5	16	11	24	0	2	5	0
BATH MEMORIAL HOSPITAL	308	49	29	10	1	45	74	2	5	0
BLUE HILL MEMORIAL HOSPITAL	242	41	15	7	2	43	37	7	8	2
BORN ON WAY TO HOSPITAL	5	2	1	0	0	1	0	0	1	0
BRIGHTON MEDICAL CENTER	485	128	52	7	0	44	112	8	14	0
CALAIS REGIONAL HOSPITAL	91	35	14	11	0	17	36	3	2	0
CARY MEDICAL CENTER	242	64	33	4	2	77	71	3	7	0
CENTRAL MAINE MEDICAL CENTER	1,216	398	180	25	2	342	268	14	77	3
DOCTOR'S OFFICE	2	0	0	1	0	0	0	0	0	0
DOWN EAST COMMUNITY HOSPITAL	232	81	36	29	0	31	26	5	6	1
EASTERN MAINE MEDICAL CENTER	1,829	441	181	49	11	369	337	12	129	2
FRANKLIN MEMORIAL HOSPITAL	450	116	46	6	0	91	110	3	16	0
HENRIETTA D. GOODALL HOSPITAL	396	110	56	19	9	86	84	23	14	0
HOULTON REGIONAL HOSPITAL	244	53	40	16	1	40	63	2	10	0
ISLAND COMMUNITY MEDICAL CTR.	1	1	0	0	0	0	0	0	0	0
KENNEBEC VALLEY MEDICAL CTR.	747	223	90	16	16	201	130	11	31	2
MAINE COAST MEMORIAL HOSPITAL	195	53	24	6	0	42	40	4	8	0
MAINE MEDICAL CENTER	2,878	593	223	103	198	677	754	62	351	6
MAYO REGIONAL HOSPITAL	234	75	37	5	2	76	44	10	6	1
MERCY HOSPITAL	738	154	49	21	3	80	142	7	15	1
MID-MAINE MEDICAL CENTER	958	239	97	24	0	284	190	28	46	4
MILES MEMORIAL HOSPITAL	122	38	18	2	1	34	20	6	2	0
MILLINOCKET REGIONAL HOSPITAL	71	25	14	0	0	25	21	5	1	0
MOUNT DESERT ISLAND HOSPITAL	107	21	6	0	2	14	14	4	4	0
NORTH CUMBERLAND MEM. HOSPITAL	88	35	14	1	1	18	35	2	3	0
NORTH MAINE MEDICAL CENTER	113	23	6	2	1	31	21	3	7	0
OTHER SPECIFIED PLACE	1	0	0	0	0	0	0	0	0	0
PARKVIEW MEMORIAL HOSPITAL	822	158	74	26	3	157	150	18	29	0
PENOBSCOT BAY MEDICAL CENTER	463	122	56	6	3	159	104	2	13	2
PENOBSCOT VALLEY HOSPITAL	157	54	22	7	1	27	49	4	6	2
REDINGTON-FAIRVIEW HOSPITAL	253	125	56	5	2	53	67	4	10	0
RUMFORD COMMUNITY HOSPITAL	140	64	24	6	0	29	22	0	4	0
ST. ANDREW'S HOSPITAL	6	2	0	0	0	2	0	0	0	0
ST. MARY'S HOSPITAL	351	77	24	18	1	83	80	5	17	1
SEBASTICOOK VALLEY HOSPITAL	1	1	1	1	1	0	0	0	0	0
SOUTHERN MAINE MEDICAL CENTER	642	194	66	7	9	66	140	9	32	1
STEPHENS MEMORIAL HOSPITAL	262	79	38	2	2	52	60	3	8	1
THE AROOSTOOK MEDICAL CENTER	358	105	55	10	4	123	44	3	16	0
US AIR FORCE HOSPITAL	228	4	9	34	0	63	46	2	7	0
WALDO COUNTY GENERAL HOSPITAL	192	73	32	4	0	44	51	3	9	1
WATERVILLE OSTEOPATHIC HOSP.	157	43	23	6	3	43	32	1	6	0
YORK HOSPITAL	234	37	28	12	2	43	32	6	6	0
STATE TOTALS	16,428	4,153	1,774	524	294	3,636	3,506	286	931	30

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

BIRHOS

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-10

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - PERCENTAGE OF TOTAL BIRTHS  
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1991 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	***** PERCENTAGE OF THE *****					TOTAL BIRTHS IN EACH BIRTH SITE *****			
		OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20 YRS.	NON- WHITE	NO PRENATAL CARE	MEDICAL RISK FACTORS	C-SECTION	CONGEN. ANOM- ALIES	BIRTHWEIGHT UNDER 2500	IN GRAMS OVER 4999
AT HOME	167	12.57	2.99	9.58	8.59	14.37	0.00	1.20	2.99	0.00
BATH MEMORIAL HOSPITAL	308	15.91	9.42	3.25	0.32	14.61	24.03	0.65	1.62	0.00
BLUE HILL MEMORIAL HOSPITAL	242	16.94	6.20	2.89	0.83	17.77	15.29	2.89	3.31	0.83
BORN ON WAY TO HOSPITAL	5	40.00	20.00	0.00	0.00	20.00	0.00	0.00	20.00	0.00
BRIGHTON MEDICAL CENTER	485	25.98	10.72	1.44	0.00	9.07	23.09	1.65	2.89	0.00
CALAIS REGIONAL HOSPITAL	91	38.48	15.38	12.09	0.00	18.68	39.56	3.30	2.20	0.00
CARY MEDICAL CENTER	242	26.45	13.64	1.65	0.83	31.82	29.34	1.24	2.89	0.00
CENTRAL MAINE MEDICAL CENTER	1,216	32.57	14.80	2.08	0.16	28.13	22.04	1.15	6.33	0.25
DOCTOR'S OFFICE	2	0.00	0.00	50.00	0.00	0.00	0.00	0.00	0.00	0.00
DOWN EAST COMMUNITY HOSPITAL	232	34.91	15.52	12.50	0.00	13.36	11.21	2.16	2.59	0.43
EASTERN MAINE MEDICAL CENTER	1,829	24.11	9.90	2.68	0.60	20.17	18.43	0.66	7.05	0.11
FRANKLIN MEMORIAL HOSPITAL	450	25.78	10.22	1.33	0.00	20.22	24.44	0.67	3.56	0.00
HENRIETTA D. GOODALL HOSPITAL	396	27.78	14.14	4.80	2.27	21.72	21.21	5.81	3.54	0.00
HOULTON REGIONAL HOSPITAL	244	21.72	16.39	6.56	0.41	16.39	25.82	0.82	4.10	0.00
ISLAND COMMUNITY MEDICAL CTR.	1	100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
KENNEBEC VALLEY MEDICAL CTR.	747	29.85	12.05	2.14	2.14	26.91	17.40	1.47	4.15	0.27
MAINE COAST MEMORIAL HOSPITAL	195	27.18	12.31	3.08	0.00	21.54	20.51	2.05	4.10	0.00
MAINE MEDICAL CENTER	2,878	20.60	7.75	3.58	6.88	23.52	26.20	2.15	12.20	0.21
MAYO REGIONAL HOSPITAL	234	32.05	15.81	2.14	0.85	32.48	18.80	4.27	2.56	0.43
MERCY HOSPITAL	738	20.87	8.64	2.85	0.41	10.84	19.24	0.95	2.03	0.14
MID-MAINE MEDICAL CENTER	958	24.95	10.13	2.51	0.00	29.65	19.83	2.92	4.80	0.42
MILES MEMORIAL HOSPITAL	122	31.15	14.75	1.64	0.82	27.87	16.39	4.92	1.64	0.00
MILLINOCKET REGIONAL HOSPITAL	71	35.21	19.72	0.00	0.00	35.21	29.58	7.04	1.41	0.00
MOUNT DESERT ISLAND HOSPITAL	107	19.63	5.61	0.00	1.87	13.08	13.08	3.74	3.74	0.00
NORTH CUMBERLAND MEM. HOSPITAL	88	39.77	15.91	1.14	1.14	20.45	39.77	2.27	3.41	0.00
NORTH MAINE MEDICAL CENTER	113	20.35	5.31	1.77	0.88	27.43	18.58	2.65	6.19	0.00
OTHER SPECIFIED PLACE	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PARKVIEW MEMORIAL HOSPITAL	822	19.22	9.00	3.16	0.36	19.10	18.25	2.19	3.53	0.00
PENOBSCOT BAY MEDICAL CENTER	463	26.35	12.10	1.30	0.65	34.34	22.46	0.43	2.81	0.43
PENOBSCOT VALLEY HOSPITAL	157	34.39	14.01	4.46	0.64	17.20	31.21	2.55	3.82	1.27
REDINGTON-FAIRVIEW HOSPITAL	253	49.41	22.13	1.98	0.79	20.95	26.48	1.58	3.95	0.00
RUMFORD COMMUNITY HOSPITAL	140	45.71	17.14	4.29	0.00	20.71	15.71	0.00	2.86	0.00
ST. ANDREW'S HOSPITAL	6	33.33	0.00	0.00	0.00	33.33	0.00	0.00	0.00	0.00
ST. MARY'S HOSPITAL	351	21.94	6.84	5.13	0.28	23.65	22.79	1.42	4.84	0.28
SEBASTICOOK VALLEY HOSPITAL	1	100.00	100.00	100.00	100.00	0.00	0.00	0.00	0.00	0.00
SOUTHERN MAINE MEDICAL CENTER	642	30.22	10.28	1.09	1.40	10.28	21.81	1.40	4.98	0.16
STEPHENS MEMORIAL HOSPITAL	262	30.15	14.50	0.76	0.76	19.85	22.90	1.15	3.05	0.38
THE AROOSTOOK MEDICAL CENTER	358	29.33	15.36	2.79	1.12	34.36	12.29	0.84	4.47	0.00
US AIR FORCE HOSPITAL	228	1.75	3.95	14.91	0.00	27.63	20.18	0.88	3.07	0.00
WALDO COUNTY GENERAL HOSPITAL	192	38.02	16.67	2.08	0.00	22.92	26.56	1.56	4.69	0.52
WATERVILLE OSTEOPATHIC HOSP.	157	27.39	14.65	3.82	1.91	27.39	20.38	0.64	3.82	0.00
YORK HOSPITAL	234	15.81	11.97	5.13	0.85	18.38	13.68	2.56	2.56	0.00
STATE TOTALS	16,428	25.28	10.80	3.19	1.79	22.13	21.34	1.74	5.67	0.18

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

BIRHOS

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-11

LIVE BIRTHS BY BIRTHWEIGHT  
MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1991 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS		***** BIRTHWEIGHT IN GRAMS *****									
			< 1000		1000-1499		< 1500		1500 AND OVER		UNKNOWN WEIGHT	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
AT HOME	167	100.0	0	0.0	0	0.0	0	0.0	157	94.0	10	6.0
BATH MEMORIAL HOSPITAL	308	100.0	0	0.0	0	0.0	0	0.0	308	100.0	0	0.0
BLUE HILL MEMORIAL HOSPITAL	242	100.0	0	0.0	0	0.0	0	0.0	242	100.0	0	0.0
BORN ON WAY TO HOSPITAL	5	100.0	0	0.0	0	0.0	0	0.0	5	100.0	0	0.0
BRIGHTON MEDICAL CENTER	485	100.0	0	0.0	0	0.0	0	0.0	485	100.0	0	0.0
CALAIS REGIONAL HOSPITAL	91	100.0	0	0.0	1	1.1	1	1.1	90	98.9	0	0.0
CARY MEDICAL CENTER	242	100.0	0	0.0	1	0.4	1	0.4	241	99.6	0	0.0
CENTRAL MAINE MEDICAL CENTER	1,216	100.0	2	0.2	3	0.2	5	0.4	1,210	99.5	1	0.1
DOCTOR'S OFFICE	2	100.0	0	0.0	0	0.0	0	0.0	2	100.0	0	0.0
DOWN EAST COMMUNITY HOSPITAL	232	100.0	0	0.0	0	0.0	0	0.0	232	100.0	0	0.0
EASTERN MAINE MEDICAL CENTER	1,829	100.0	11	0.6	18	1.0	29	1.6	1,798	98.3	2	0.1
FRANKLIN MEMORIAL HOSPITAL	450	100.0	2	0.4	1	0.2	3	0.7	443	98.4	4	0.9
HENRIETTA D. GOODALL HOSPITAL	396	100.0	0	0.0	0	0.0	0	0.0	396	100.0	0	0.0
HOULTON REGIONAL HOSPITAL	244	100.0	0	0.0	1	0.4	1	0.4	242	99.2	1	0.4
ISLAND COMMUNITY MEDICAL CTR.	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
KENNEBEC VALLEY MEDICAL CTR.	747	100.0	0	0.0	2	0.3	2	0.3	744	99.6	1	0.1
MAINE COAST MEMORIAL HOSPITAL	195	100.0	1	0.5	0	0.0	1	0.5	194	99.5	0	0.0
MAINE MEDICAL CENTER	2,878	100.0	51	1.8	46	1.6	97	3.4	2,779	96.6	2	0.1
MAYO REGIONAL HOSPITAL	234	100.0	1	0.4	0	0.0	1	0.4	233	99.6	0	0.0
MERCY HOSPITAL	738	100.0	0	0.0	0	0.0	0	0.0	738	100.0	0	0.0
MID-MAINE MEDICAL CENTER	958	100.0	1	0.1	4	0.4	5	0.5	946	98.7	7	0.7
MILES MEMORIAL HOSPITAL	122	100.0	0	0.0	0	0.0	0	0.0	122	100.0	0	0.0
MILLINOCKET REGIONAL HOSPITAL	71	100.0	0	0.0	0	0.0	0	0.0	71	100.0	0	0.0
MOUNT DESERT ISLAND HOSPITAL	107	100.0	0	0.0	0	0.0	0	0.0	107	100.0	0	0.0
NORTH CUMBERLAND MEM. HOSPITAL	88	100.0	0	0.0	1	1.1	1	1.1	87	98.9	0	0.0
NORTH MAINE MEDICAL CENTER	113	100.0	1	0.9	0	0.0	1	0.9	112	99.1	0	0.0
OTHER SPECIFIED PLACE	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
PARKVIEW MEMORIAL HOSPITAL	822	100.0	0	0.0	1	0.1	1	0.1	821	99.9	0	0.0
PENOBSCOT BAY MEDICAL CENTER	463	100.0	0	0.0	0	0.0	0	0.0	463	100.0	0	0.0
PENOBSCOT VALLEY HOSPITAL	157	100.0	0	0.0	0	0.0	0	0.0	157	100.0	0	0.0
REDINGTON-FAIRVIEW HOSPITAL	253	100.0	3	1.2	0	0.0	3	1.2	250	98.8	0	0.0
RUMFORD COMMUNITY HOSPITAL	140	100.0	0	0.0	0	0.0	0	0.0	140	100.0	0	0.0
ST. ANDREW'S HOSPITAL	6	100.0	0	0.0	0	0.0	0	0.0	6	100.0	0	0.0
ST. MARY'S HOSPITAL	351	100.0	0	0.0	1	0.3	1	0.3	350	99.7	0	0.0
SEBASTICOOK VALLEY HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
SOUTHERN MAINE MEDICAL CENTER	642	100.0	1	0.2	1	0.2	2	0.3	639	99.5	1	0.2
STEPHENS MEMORIAL HOSPITAL	262	100.0	0	0.0	0	0.0	0	0.0	262	100.0	0	0.0
THE AROOSTOOK MEDICAL CENTER	358	100.0	3	0.8	1	0.3	4	1.1	354	98.9	0	0.0
US AIR FORCE HOSPITAL	228	100.0	0	0.0	0	0.0	0	0.0	227	99.6	1	0.4
WALDO COUNTY GENERAL HOSPITAL	192	100.0	0	0.0	0	0.0	0	0.0	192	100.0	0	0.0
WATERVILLE OSTEOPATHIC HOSP.	157	100.0	0	0.0	0	0.0	0	0.0	156	99.4	1	0.6
YORK HOSPITAL	234	100.0	0	0.0	0	0.0	0	0.0	233	99.6	1	0.4
STATE TOTALS	16,428	100.0	77	0.5	82	0.5	159	1.0	16,237	98.8	32	0.2

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

BLOCWT

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

**PREGNANCY OUTCOME**



TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
ANDROSCOGGIN									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	7,412	0	###	0	###	0	###	0	###
10-14	3,720	4	###	3	###	1	###	0	###
15	*	12	*	8	###	4	###	0	###
16	*	32	*	22	*	10	*	0	###
17	*	53	*	46	*	6	###	1	###
18	*	89	*	62	*	27	*	0	###
19	*	96	*	80	*	16	*	0	###
15-19	3,523	282	80.0	218	61.9	63	17.9	1	###
20-24	4,106	589	143.4	498	121.3	89	21.7	2	###
25-29	4,350	558	128.3	496	114.0	59	13.6	3	###
30-34	4,548	269	59.1	229	50.4	36	7.9	4	###
35-39	4,064	89	21.9	69	17.0	20	4.9	0	###
40-44	3,727	11	3.0	9	###	1	###	1	###
GREATER THAN 44	18,463	0	###	0	###	0	###	0	###
UNKNOWN	0	1		1		0		0	
COUNTY TOTALS	53,913	1,803	33.4	1,523	28.2	269	5.0	11	0.2

## OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	7,412	0	###	0	###	0	###	0	###
10-14	3,720	4	###	3	###	1	###	0	###
15	*	11	*	8	###	3	###	0	###
16	*	30	*	20	*	10	*	0	###
17	*	46	*	39	*	6	###	1	###
18	*	67	*	43	*	24	*	0	###
19	*	77	*	61	*	16	*	0	###
15-19	3,523	231	65.6	171	48.5	59	16.7	1	###
20-24	4,106	271	66.0	198	48.2	72	17.5	1	###
25-29	4,350	111	25.5	76	17.5	33	7.6	2	###
30-34	4,548	51	11.2	30	6.6	21	4.6	0	###
35-39	4,064	17	4.2	6	###	11	2.7	0	###
40-44	3,727	1	###	1	###	0	###	0	###
GREATER THAN 44	18,463	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	53,913	686	12.7	485	9.0	197	3.7	4	###

# RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1991.

## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 5 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

\* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.



TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
AROOSTOOK									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	5,903	0	###	0	###	0	###	0	###
10-14	3,041	3	###	3	###	0	###	0	###
15	*	5	###	5	###	0	###	0	###
16	*	10	*	8	###	2	###	0	###
17	*	26	*	21	*	5	###	0	###
18	*	51	*	34	*	16	*	1	###
19	*	85	*	76	*	7	###	2	###
15-19	3,118	177	56.8	144	46.2	30	9.6	3	###
20-24	2,817	427	151.6	389	138.1	37	13.1	1	###
25-29	3,287	439	133.6	404	122.9	34	10.3	1	###
30-34	3,453	205	59.4	192	55.6	13	3.8	0	###
35-39	3,462	64	18.5	57	16.5	7	###	0	###
40-44	3,071	10	3.3	9	###	1	###	0	###
GREATER THAN 44	15,108	1	###	1	###	0	###	0	###
UNKNOWN	0	2		0		2		0	
COUNTY TOTALS	43,260	1,328	30.7	1,199	27.7	124	2.9	5	###

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	5,903	0	###	0	###	0	###	0	###
10-14	3,041	3	###	3	###	0	###	0	###
15	*	5	###	5	###	0	###	0	###
16	*	10	*	8	###	2	###	0	###
17	*	21	*	16	*	5	###	0	###
18	*	45	*	29	*	15	*	1	###
19	*	37	*	28	*	7	###	2	###
15-19	3,118	118	37.8	86	27.6	29	9.3	3	###
20-24	2,817	123	43.7	96	34.1	27	9.6	0	###
25-29	3,287	69	21.0	49	14.9	19	5.8	1	###
30-34	3,453	23	6.7	14	4.1	9	###	0	###
35-39	3,462	9	###	4	###	5	###	0	###
40-44	3,071	1	###	1	###	0	###	0	###
GREATER THAN 44	15,108	0	###	0	###	0	###	0	###
UNKNOWN	0	2		0		2		0	
COUNTY TOTALS	43,260	348	8.0	253	5.8	91	2.1	4	###

# RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1991.

## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 5 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

\* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
CUMBERLAND									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	16,447	0	###	0	###	0	###	0	###
10-14	7,358	5	###	1	###	4	###	0	###
15	*	20	*	8	###	12	*	0	###
16	*	52	*	24	*	28	*	0	###
17	*	105	*	56	*	48	*	1	###
18	*	137	*	77	*	59	*	1	###
19	*	204	*	118	*	85	*	1	###
15-19	7,536	518	68.7	283	37.6	232	30.8	3	###
20-24	9,322	1,137	122.0	759	81.4	374	40.1	4	###
25-29	10,598	1,368	129.1	1,116	105.3	246	23.2	6	###
30-34	11,597	1,079	93.0	913	78.7	164	14.1	2	###
35-39	11,017	461	41.8	369	33.5	91	8.3	1	###
40-44	9,881	68	6.9	47	4.8	21	2.1	0	###
GREATER THAN 44	43,057	1	###	0	###	1	###	0	###
UNKNOWN	0	15		3		12		0	
COUNTY TOTALS	126,813	4,652	36.7	3,491	27.5	1,145	9.0	16	0.1

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	16,447	0	###	0	###	0	###	0	###
10-14	7,358	5	###	1	###	4	###	0	###
15	*	20	*	8	###	12	*	0	###
16	*	47	*	23	*	24	*	0	###
17	*	98	*	50	*	47	*	1	###
18	*	120	*	64	*	55	*	1	###
19	*	168	*	86	*	81	*	1	###
15-19	7,536	453	60.1	231	30.7	219	29.1	3	###
20-24	9,322	590	63.3	267	28.6	320	34.3	3	###
25-29	10,598	345	32.6	158	14.9	186	17.6	1	###
30-34	11,597	156	13.5	59	5.1	95	8.2	2	###
35-39	11,017	76	6.9	29	2.6	47	4.3	0	###
40-44	9,881	17	1.7	4	###	13	1.3	0	###
GREATER THAN 44	43,057	1	###	0	###	1	###	0	###
UNKNOWN	0	11		2		9		0	
COUNTY TOTALS	126,813	1,654	13.0	751	5.9	894	7.0	9	###

# RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1991.

## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 5 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

\* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
FRANKLIN									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	2,004	0	###	0	###	0	###	0	###
10-14	1,034	2	###	1	###	1	###	0	###
15	*	5	###	2	###	3	###	0	###
16	*	5	###	3	###	2	###	0	###
17	*	11	*	6	###	5	###	0	###
18	*	15	*	13	*	2	###	0	###
19	*	17	*	13	*	3	###	1	###
15-19	1,139	53	46.5	37	32.5	15	13.2	1	###
20-24	1,461	155	106.1	130	89.0	25	17.1	0	###
25-29	1,034	131	126.7	123	119.0	8	###	0	###
30-34	1,161	67	57.7	58	50.0	9	###	0	###
35-39	1,154	27	23.4	24	20.8	3	###	0	###
40-44	1,135	8	###	7	###	1	###	0	###
GREATER THAN 44	5,010	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	15,132	443	29.3	380	25.1	62	4.1	1	###

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	2,004	0	###	0	###	0	###	0	###
10-14	1,034	1	###	0	###	1	###	0	###
15	*	5	###	2	###	3	###	0	###
16	*	4	###	2	###	2	###	0	###
17	*	11	*	6	###	5	###	0	###
18	*	10	*	8	###	2	###	0	###
19	*	9	###	6	###	2	###	1	###
15-19	1,139	39	34.2	24	21.1	14	12.3	1	###
20-24	1,461	72	49.3	49	33.5	23	15.7	0	###
25-29	1,034	24	23.2	19	18.4	5	###	0	###
30-34	1,161	15	12.9	8	###	7	###	0	###
35-39	1,154	6	###	4	###	2	###	0	###
40-44	1,135	1	###	0	###	1	###	0	###
GREATER THAN 44	5,010	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	15,132	158	10.4	104	6.9	53	3.5	1	###

# RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1991.

## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 5 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

\* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOTAL		LIVE BIRTHS		INDUCED ABORTIONS##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
HANCOCK									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	3,183	0	###	0	###	0	###	0	###
10-14	1,513	1	###	0	###	1	###	0	###
15	*	2	###	2	###	0	###	0	###
16	*	3	###	0	###	3	###	0	###
17	*	14	*	7	###	7	###	0	###
18	*	15	*	8	###	7	###	0	###
19	*	39	*	31	*	8	###	0	###
15-19	1,407	73	51.9	48	34.1	25	17.8	0	###
20-24	1,355	222	163.8	183	135.1	38	28.0	1	###
25-29	1,626	207	127.3	181	111.3	26	16.0	0	###
30-34	2,004	131	65.4	118	58.9	13	6.5	0	###
35-39	1,979	53	26.8	43	21.7	9	###	1	###
40-44	1,952	6	###	4	###	2	###	0	###
GREATER THAN 44	9,182	1	###	1	###	0	###	0	###
UNKNOWN	0	4		0		4		0	
COUNTY TOTALS	24,201	698	28.8	578	23.9	118	4.9	2	###

## OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	3,183	0	###	0	###	0	###	0	###
10-14	1,513	1	###	0	###	1	###	0	###
15	*	2	###	2	###	0	###	0	###
16	*	3	###	0	###	3	###	0	###
17	*	14	*	7	###	7	###	0	###
18	*	11	*	4	###	7	###	0	###
19	*	23	*	16	*	7	###	0	###
15-19	1,407	53	37.7	29	20.6	24	17.1	0	###
20-24	1,355	89	65.7	57	42.1	31	22.9	1	###
25-29	1,626	37	22.8	19	11.7	18	11.1	0	###
30-34	2,004	21	10.5	13	6.5	8	###	0	###
35-39	1,979	10	5.1	3	###	6	###	1	###
40-44	1,952	3	###	2	###	1	###	0	###
GREATER THAN 44	9,182	0	###	0	###	0	###	0	###
UNKNOWN	0	4		0		4		0	
COUNTY TOTALS	24,201	218	9.0	123	5.1	93	3.8	2	###

# RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1991.

## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 5 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

\* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
KENNEBEC									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	7,976	0	###	0	###	0	###	0	###
10-14	4,100	3	###	1	###	2	###	0	###
15	*	10	*	5	###	5	###	0	###
16	*	22	*	13	*	9	###	0	###
17	*	43	*	34	*	9	###	0	###
18	*	61	*	44	*	17	*	0	###
19	*	75	*	57	*	18	*	0	###
15-19	4,096	211	51.5	153	37.4	58	14.2	0	###
20-24	4,217	561	133.0	452	107.2	108	25.6	1	###
25-29	4,310	605	140.4	541	125.5	61	14.2	3	###
30-34	5,017	333	66.4	290	57.8	43	8.6	0	###
35-39	4,923	103	20.9	85	17.3	16	3.3	2	###
40-44	4,733	23	4.9	18	3.8	5	###	0	###
GREATER THAN 44	21,220	1	###	1	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	60,592	1,840	30.4	1,541	25.4	293	4.8	6	###

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	7,976	0	###	0	###	0	###	0	###
10-14	4,100	2	###	1	###	1	###	0	###
15	*	10	*	5	###	5	###	0	###
16	*	22	*	13	*	9	###	0	###
17	*	37	*	29	*	8	###	0	###
18	*	48	*	31	*	17	*	0	###
19	*	60	*	42	*	18	*	0	###
15-19	4,096	177	43.2	120	29.3	57	13.9	0	###
20-24	4,217	254	60.2	163	38.7	90	21.3	1	###
25-29	4,310	114	26.5	76	17.6	38	8.8	0	###
30-34	5,017	67	13.4	39	7.8	28	5.6	0	###
35-39	4,923	16	3.3	6	###	8	###	2	###
40-44	4,733	4	###	0	###	4	###	0	###
GREATER THAN 44	21,220	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	60,592	634	10.5	405	6.7	226	3.7	3	###

# RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1991.

## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 5 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

\* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOTAL		LIVE BIRTHS		INDUCED ABORTIONS##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
KNOX									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	2,494	0	###	0	###	0	###	0	###
10-14	1,225	1	###	0	###	1	###	0	###
15	*	1	###	1	###	0	###	0	###
16	*	7	###	4	###	3	###	0	###
17	*	15	*	9	###	5	###	1	###
18	*	23	*	12	*	11	*	0	###
19	*	31	*	25	*	6	###	0	###
15-19	1,168	77	65.9	51	43.7	25	21.4	1	###
20-24	900	160	177.8	128	142.2	31	34.4	1	###
25-29	1,137	131	115.2	113	99.4	18	15.8	0	###
30-34	1,484	93	62.7	83	55.9	10	6.7	0	###
35-39	1,595	49	30.7	48	30.1	1	###	0	###
40-44	1,488	10	6.7	9	###	1	###	0	###
GREATER THAN 44	7,418	0	###	0	###	0	###	0	###
UNKNOWN	0	2		0		2		0	
COUNTY TOTALS	18,909	523	27.7	432	22.8	89	4.7	2	###

## OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	2,494	0	###	0	###	0	###	0	###
10-14	1,225	1	###	0	###	1	###	0	###
15	*	1	###	1	###	0	###	0	###
16	*	7	###	4	###	3	###	0	###
17	*	13	*	7	###	5	###	1	###
18	*	19	*	9	###	10	*	0	###
19	*	18	*	13	*	5	###	0	###
15-19	1,168	58	49.7	34	29.1	23	19.7	1	###
20-24	900	73	81.1	49	54.4	24	26.7	0	###
25-29	1,137	32	28.1	17	15.0	15	13.2	0	###
30-34	1,484	16	10.8	12	8.1	4	###	0	###
35-39	1,595	6	###	5	###	1	###	0	###
40-44	1,488	1	###	1	###	0	###	0	###
GREATER THAN 44	7,418	0	###	0	###	0	###	0	###
UNKNOWN	0	2		0		2		0	
COUNTY TOTALS	18,909	189	10.0	118	6.2	70	3.7	1	###

# RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1991.

## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 5 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

\* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
LINCOLN									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	2,037	0	###	0	###	0	###	0	###
10-14	1,034	1	###	1	###	0	###	0	###
15	*	4	###	3	###	1	###	0	###
16	*	6	###	3	###	3	###	0	###
17	*	11	*	6	###	5	###	0	###
18	*	20	*	14	*	6	###	0	###
19	*	16	*	12	*	4	###	0	###
15-19	976	57	58.4	38	38.9	19	19.5	0	###
20-24	705	150	212.8	114	161.7	36	51.1	0	###
25-29	894	130	145.4	112	125.3	18	20.1	0	###
30-34	1,167	84	72.0	67	57.4	17	14.6	0	###
35-39	1,293	41	31.7	35	27.1	5	###	1	###
40-44	1,273	7	###	5	###	2	###	0	###
GREATER THAN 44	6,226	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	15,605	470	30.1	372	23.8	97	6.2	1	###

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	2,037	0	###	0	###	0	###	0	###
10-14	1,034	1	###	1	###	0	###	0	###
15	*	4	###	3	###	1	###	0	###
16	*	6	###	3	###	3	###	0	###
17	*	10	*	5	###	5	###	0	###
18	*	15	*	10	*	5	###	0	###
19	*	11	*	7	###	4	###	0	###
15-19	976	46	47.1	28	28.7	18	18.4	0	###
20-24	705	65	92.2	34	48.2	31	44.0	0	###
25-29	894	28	31.3	13	14.5	15	16.8	0	###
30-34	1,167	19	16.3	9	###	10	8.6	0	###
35-39	1,293	4	###	3	###	1	###	0	###
40-44	1,273	1	###	1	###	0	###	0	###
GREATER THAN 44	6,226	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	15,605	164	10.5	89	5.7	75	4.8	0	###

# RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1991.

## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 5 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

\* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOTAL		LIVE BIRTHS		INDUCED ABORTIONS##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
OXFORD									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	3,759	0	###	0	###	0	###	0	###
10-14	1,918	1	###	0	###	1	###	0	###
15	*	10	*	7	###	3	###	0	###
16	*	17	*	11	*	6	###	0	###
17	*	23	*	13	*	10	*	0	###
18	*	24	*	16	*	8	###	0	###
19	*	41	*	32	*	8	###	1	###
15-19	1,770	115	65.0	79	44.6	35	19.8	1	###
20-24	1,354	238	175.8	206	152.1	32	23.6	0	###
25-29	1,842	237	128.7	202	109.7	33	17.9	2	###
30-34	2,249	135	60.0	121	53.8	14	6.2	0	###
35-39	2,143	57	26.6	47	21.9	9	###	1	###
40-44	1,925	12	6.2	5	###	6	###	1	###
GREATER THAN 44	9,915	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0	
COUNTY TOTALS	26,875	796	29.6	660	24.6	131	4.9	5	###

## OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	3,759	0	###	0	###	0	###	0	###
10-14	1,918	1	###	0	###	1	###	0	###
15	*	9	###	6	###	3	###	0	###
16	*	14	*	9	###	5	###	0	###
17	*	20	*	10	*	10	*	0	###
18	*	21	*	13	*	8	###	0	###
19	*	29	*	21	*	8	###	0	###
15-19	1,770	93	52.5	59	33.3	34	19.2	0	###
20-24	1,354	98	72.4	73	53.9	25	18.5	0	###
25-29	1,842	57	30.9	35	19.0	22	11.9	0	###
30-34	2,249	29	12.9	22	9.8	7	###	0	###
35-39	2,143	5	###	1	###	3	###	1	###
40-44	1,925	6	###	1	###	4	###	1	###
GREATER THAN 44	9,915	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	26,875	289	10.8	191	7.1	96	3.6	2	###

# RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1991.

## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 5 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

\* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.



TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
PENOBSCOT									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	9,623	0	###	0	###	0	###	0	###
10-14	4,866	4	###	3	###	1	###	0	###
15	*	9	###	4	###	5	###	0	###
16	*	31	*	24	*	6	###	1	###
17	*	51	*	38	*	13	*	0	###
18	*	73	*	55	*	18	*	0	###
19	*	118	*	84	*	34	*	0	###
15-19	5,214	282	54.1	205	39.3	76	14.6	1	###
20-24	7,090	707	99.7	561	79.1	142	20.0	4	###
25-29	5,777	664	114.9	602	104.2	58	10.0	4	###
30-34	6,396	404	63.2	359	56.1	42	6.6	3	###
35-39	6,072	126	20.8	105	17.3	21	3.5	0	###
40-44	5,572	18	3.2	16	2.9	2	###	0	###
GREATER THAN 44	24,602	0	###	0	###	0	###	0	###
UNKNOWN	0	2		1		1		0	
COUNTY TOTALS	75,212	2,207	29.3	1,852	24.6	343	4.6	12	0.2

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	9,623	0	###	0	###	0	###	0	###
10-14	4,866	4	###	3	###	1	###	0	###
15	*	9	###	4	###	5	###	0	###
16	*	29	*	22	*	6	###	1	###
17	*	44	*	31	*	13	*	0	###
18	*	55	*	38	*	17	*	0	###
19	*	90	*	56	*	34	*	0	###
15-19	5,214	227	43.5	151	29.0	75	14.4	1	###
20-24	7,090	316	44.6	183	25.8	132	18.6	1	###
25-29	5,777	132	22.8	91	15.8	41	7.1	0	###
30-34	6,396	67	10.5	37	5.8	28	4.4	2	###
35-39	6,072	26	4.3	12	2.0	14	2.3	0	###
40-44	5,572	3	###	2	###	1	###	0	###
GREATER THAN 44	24,602	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0	
COUNTY TOTALS	75,212	776	10.3	479	6.4	293	3.9	4	###

# RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1991.

## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 5 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

\* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
PISCATAQUIS									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	1,167	0	###	0	###	0	###	0	###
10-14	727	0	###	0	###	0	###	0	###
15	*	2	###	0	###	2	###	0	###
16	*	4	###	2	###	2	###	0	###
17	*	9	###	7	###	2	###	0	###
18	*	7	###	4	###	3	###	0	###
19	*	18	*	14	*	3	###	1	###
15-19	727	40	55.0	27	37.1	12	16.5	1	###
20-24	452	88	194.7	80	177.0	7	###	1	###
25-29	575	65	113.0	62	107.8	3	###	0	###
30-34	732	38	51.9	37	50.5	1	###	0	###
35-39	747	22	29.5	20	26.8	2	###	0	###
40-44	706	3	###	0	###	3	###	0	###
GREATER THAN 44	3,726	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	9,559	256	26.8	226	23.6	28	2.9	2	###

79 OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	1,167	0	###	0	###	0	###	0	###
10-14	727	0	###	0	###	0	###	0	###
15	*	2	###	0	###	2	###	0	###
16	*	4	###	2	###	2	###	0	###
17	*	9	###	7	###	2	###	0	###
18	*	6	###	3	###	3	###	0	###
19	*	10	*	8	###	2	###	0	###
15-19	727	31	42.6	20	27.5	11	15.1	0	###
20-24	452	32	70.8	25	55.3	6	###	1	###
25-29	575	12	20.9	10	17.4	2	###	0	###
30-34	732	5	###	5	###	0	###	0	###
35-39	747	4	###	4	###	0	###	0	###
40-44	706	3	###	0	###	3	###	0	###
GREATER THAN 44	3,726	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	9,559	87	9.1	64	6.7	22	2.3	1	###

# RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1991.

## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 5 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

\* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
SAGADAHOC									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	2,657	0	###	0	###	0	###	0	###
10-14	1,157	0	###	0	###	0	###	0	###
15	*	1	###	1	###	0	###	0	###
16	*	9	###	7	###	2	###	0	###
17	*	19	*	12	*	7	###	0	###
18	*	27	*	16	*	11	*	0	###
19	*	27	*	20	*	6	###	1	###
15-19	1,103	83	75.2	56	50.8	26	23.6	1	###
20-24	1,017	172	169.1	128	125.9	42	41.3	2	###
25-29	1,323	193	145.9	173	130.8	19	14.4	1	###
30-34	1,615	133	82.4	116	71.8	16	9.9	1	###
35-39	1,545	44	28.5	35	22.7	9	###	0	###
40-44	1,337	5	###	4	###	1	###	0	###
GREATER THAN 44	5,335	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	17,089	630	36.9	512	30.0	113	6.6	5	###

08 OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	2,657	0	###	0	###	0	###	0	###
10-14	1,157	0	###	0	###	0	###	0	###
15	*	1	###	1	###	0	###	0	###
16	*	9	###	7	###	2	###	0	###
17	*	19	*	12	*	7	###	0	###
18	*	18	*	8	###	10	*	0	###
19	*	16	*	10	*	6	###	0	###
15-19	1,103	63	57.1	38	34.5	25	22.7	0	###
20-24	1,017	64	62.9	34	33.4	29	28.5	1	###
25-29	1,323	36	27.2	22	16.6	13	9.8	1	###
30-34	1,615	18	11.1	10	6.2	8	###	0	###
35-39	1,545	11	7.1	5	###	6	###	0	###
40-44	1,337	0	###	0	###	0	###	0	###
GREATER THAN 44	5,335	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	17,089	192	11.2	109	6.4	81	4.7	2	###

# RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1991.

## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 5 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

\* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
SOMERSET									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	3,493	0	###	0	###	0	###	0	###
10-14	1,902	3	###	0	###	3	###	0	###
15	*	8	###	5	###	3	###	0	###
16	*	14	*	10	*	4	###	0	###
17	*	22	*	16	*	6	###	0	###
18	*	36	*	33	*	3	###	0	###
19	*	43	*	38	*	5	###	0	###
15-19	1,954	123	62.9	102	52.2	21	10.7	0	###
20-24	1,531	250	163.3	225	147.0	23	15.0	2	###
25-29	1,826	224	122.7	204	111.7	20	11.0	0	###
30-34	2,068	119	57.5	103	49.8	16	7.7	0	###
35-39	2,085	46	22.1	34	16.3	11	5.3	1	###
40-44	1,933	5	###	4	###	1	###	0	###
GREATER THAN 44	8,902	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0	
COUNTY TOTALS	25,694	771	30.0	672	26.2	96	3.7	3	###

## OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	3,493	0	###	0	###	0	###	0	###
10-14	1,902	3	###	0	###	3	###	0	###
15	*	7	###	5	###	2	###	0	###
16	*	13	*	9	###	4	###	0	###
17	*	22	*	16	*	6	###	0	###
18	*	31	*	28	*	3	###	0	###
19	*	31	*	26	*	5	###	0	###
15-19	1,954	104	53.2	84	43.0	20	10.2	0	###
20-24	1,531	101	66.0	79	51.6	20	13.1	2	###
25-29	1,826	50	27.4	37	20.3	13	7.1	0	###
30-34	2,068	29	14.0	19	9.2	10	4.8	0	###
35-39	2,085	9	###	5	###	3	###	1	###
40-44	1,933	2	###	1	###	1	###	0	###
GREATER THAN 44	8,902	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0	
COUNTY TOTALS	25,694	299	11.6	225	8.8	71	2.8	3	###

# RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1991.

## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 5 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

\* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
WALDO									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	2,467	0	###	0	###	0	###	0	###
10-14	1,266	2	###	1	###	1	###	0	###
15	*	6	###	4	###	2	###	0	###
16	*	11	*	5	###	6	###	0	###
17	*	14	*	12	*	2	###	0	###
18	*	24	*	17	*	7	###	0	###
19	*	31	*	29	*	2	###	0	###
15-19	1,140	86	75.4	67	58.8	19	16.7	0	###
20-24	934	166	177.7	138	147.8	28	30.0	0	###
25-29	1,076	122	113.4	113	105.0	9	###	0	###
30-34	1,417	97	68.5	83	58.6	14	9.9	0	###
35-39	1,462	41	28.0	36	24.6	5	###	0	###
40-44	1,463	8	###	5	###	3	###	0	###
GREATER THAN 44	5,933	1	###	1	###	0	###	0	###
UNKNOWN	0	1		0		1		0	
COUNTY TOTALS	17,158	524	30.5	444	25.9	80	4.7	0	###

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	2,467	0	###	0	###	0	###	0	###
10-14	1,266	2	###	1	###	1	###	0	###
15	*	6	###	4	###	2	###	0	###
16	*	11	*	5	###	6	###	0	###
17	*	12	*	11	*	1	###	0	###
18	*	22	*	15	*	7	###	0	###
19	*	20	*	18	*	2	###	0	###
15-19	1,140	71	62.3	53	46.5	18	15.8	0	###
20-24	934	69	73.9	51	54.6	18	19.3	0	###
25-29	1,076	23	21.4	18	16.7	5	###	0	###
30-34	1,417	14	9.9	6	###	8	###	0	###
35-39	1,462	7	###	4	###	3	###	0	###
40-44	1,463	0	###	0	###	0	###	0	###
GREATER THAN 44	5,933	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0	
COUNTY TOTALS	17,158	187	10.9	133	7.8	54	3.1	0	###

# RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1991.

## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 5 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

\* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOTAL		LIVE BIRTHS		INDUCED ABORTIONS##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
WASHINGTON									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	2,359	0	###	0	###	0	###	0	###
10-14	1,345	0	###	0	###	0	###	0	###
15	*	5	###	4	###	1	###	0	###
16	*	8	###	8	###	0	###	0	###
17	*	11	*	7	###	4	###	0	###
18	*	19	*	15	*	4	###	0	###
19	*	36	*	31	*	5	###	0	###
15-19	1,240	79	63.7	65	52.4	14	11.3	0	###
20-24	1,095	167	152.5	151	137.9	15	13.7	1	###
25-29	1,118	120	107.3	111	99.3	9	###	0	###
30-34	1,400	74	52.9	64	45.7	10	7.1	0	###
35-39	1,382	35	25.3	30	21.7	5	###	0	###
40-44	1,208	6	###	4	###	2	###	0	###
GREATER THAN 44	7,062	1	###	1	###	0	###	0	###
UNKNOWN	0	1		1		0		0	
COUNTY TOTALS	18,209	483	26.5	427	23.4	55	3.0	1	###

## OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	2,359	0	###	0	###	0	###	0	###
10-14	1,345	0	###	0	###	0	###	0	###
15	*	5	###	4	###	1	###	0	###
16	*	8	###	8	###	0	###	0	###
17	*	9	###	5	###	4	###	0	###
18	*	15	*	12	*	3	###	0	###
19	*	24	*	19	*	5	###	0	###
15-19	1,240	61	49.2	48	38.7	13	10.5	0	###
20-24	1,095	77	70.3	64	58.4	13	11.9	0	###
25-29	1,118	30	26.8	22	19.7	8	###	0	###
30-34	1,400	17	12.1	11	7.9	6	###	0	###
35-39	1,382	6	###	2	###	4	###	0	###
40-44	1,208	1	###	0	###	1	###	0	###
GREATER THAN 44	7,062	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	18,209	192	10.5	147	8.1	45	2.5	0	###

# RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1991.

## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 5 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

\* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
YORK									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	12,018	0	###	0	###	0	###	0	###
10-14	5,719	6	###	2	###	3	###	1	###
15	*	14	*	7	###	7	###	0	###
16	*	36	*	20	*	16	*	0	###
17	*	71	*	46	*	25	*	0	###
18	*	93	*	58	*	35	*	0	###
19	*	129	*	99	*	30	*	0	###
15-19	5,424	343	63.2	230	42.4	113	20.8	0	###
20-24	5,027	777	154.6	616	122.5	159	31.6	2	###
25-29	6,546	942	143.9	853	130.3	87	13.3	2	###
30-34	7,764	621	80.0	549	70.7	68	8.8	4	###
35-39	7,416	220	29.7	183	24.7	36	4.9	1	###
40-44	6,708	19	2.8	11	1.6	8	###	0	###
GREATER THAN 44	28,207	0	###	0	###	0	###	0	###
UNKNOWN	0	4		2		2		0	
COUNTY TOTALS	84,829	2,932	34.6	2,446	28.8	476	5.6	10	0.1

84

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	12,018	0	###	0	###	0	###	0	###
10-14	5,719	6	###	2	###	3	###	1	###
15	*	13	*	6	###	7	###	0	###
16	*	35	*	19	*	16	*	0	###
17	*	63	*	38	*	25	*	0	###
18	*	77	*	44	*	33	*	0	###
19	*	103	*	74	*	29	*	0	###
15-19	5,424	291	53.7	181	33.4	110	20.3	0	###
20-24	5,027	344	68.4	208	41.4	136	27.1	0	###
25-29	6,546	158	24.1	93	14.2	64	9.8	1	###
30-34	7,764	78	10.0	40	5.2	38	4.9	0	###
35-39	7,416	38	5.1	15	2.0	22	3.0	1	###
40-44	6,708	4	###	0	###	4	###	0	###
GREATER THAN 44	28,207	0	###	0	###	0	###	0	###
UNKNOWN	0	2		0		2		0	
COUNTY TOTALS	84,829	921	10.9	539	6.4	379	4.5	3	###

# RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1991.

## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 5 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

\* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
UNKNOWN									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	0	0	###	0	###	0	###	0	###
10-14	0	0	###	0	###	0	###	0	###
15	*	0	###	0	###	0	###	0	###
16	*	0	###	0	###	0	###	0	###
17	*	0	###	0	###	0	###	0	###
18	*	0	###	0	###	0	###	0	###
19	*	0	###	0	###	0	###	0	###
15-19	0	0	###	0	###	0	###	0	###
20-24	0	0	###	0	###	0	###	0	###
25-29	0	1	###	0	###	1	###	0	###
30-34	0	0	###	0	###	0	###	0	###
35-39	0	0	###	0	###	0	###	0	###
40-44	0	0	###	0	###	0	###	0	###
GREATER THAN 44	0	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	0	1	###	0	###	1	###	0	###

85

## OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	0	0	###	0	###	0	###	0	###
10-14	0	0	###	0	###	0	###	0	###
15	*	0	###	0	###	0	###	0	###
16	*	0	###	0	###	0	###	0	###
17	*	0	###	0	###	0	###	0	###
18	*	0	###	0	###	0	###	0	###
19	*	0	###	0	###	0	###	0	###
15-19	0	0	###	0	###	0	###	0	###
20-24	0	0	###	0	###	0	###	0	###
25-29	0	1	###	0	###	1	###	0	###
30-34	0	0	###	0	###	0	###	0	###
35-39	0	0	###	0	###	0	###	0	###
40-44	0	0	###	0	###	0	###	0	###
GREATER THAN 44	0	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	0	1	###	0	###	1	###	0	###

# RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1991.

## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 5 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

\* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.



TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	CENSES FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
MAINE SUMMARY									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	84,999	0	###	0	###	0	###	0	###
10-14	41,925	36	0.9	16	0.4	19	0.5	1	###
15	7,948	114	14.3	66	8.3	48	6.0	0	###
16	7,964	267	33.5	164	20.6	102	12.8	1	###
17	8,126	498	61.3	336	41.3	159	19.6	3	###
18	8,290	714	86.1	478	57.7	234	28.2	2	###
19	9,207	1,006	109.3	759	82.4	240	26.1	7	###
15-19	41,535	2,599	62.6	1,803	43.4	783	18.9	13	0.3
20-24	43,383	5,966	137.5	4,758	109.7	1,186	27.3	22	0.5
25-29	47,319	6,137	129.7	5,406	114.2	709	15.0	22	0.5
30-34	54,072	3,882	71.8	3,382	62.5	486	9.0	14	0.3
35-39	52,339	1,478	28.2	1,220	23.3	250	4.8	8	###
40-44	48,112	219	4.6	157	3.3	60	1.2	2	###
GREATER THAN 44	219,366	6	###	5	###	1	###	0	###
UNKNOWN	0	34		8		26		0	
STATE TOTALS	633,050	20,357	32.2	16,755	26.5	3,520	5.6	82	0.1

98 OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	84,999	0	###	0	###	0	###	0	###
10-14	41,925	34	0.8	15	0.4	18	0.4	1	###
15	7,948	110	13.8	64	8.1	46	5.8	0	###
16	7,964	252	31.6	154	19.3	97	12.2	1	###
17	8,126	448	55.1	289	35.6	156	19.2	3	###
18	8,290	580	70.0	359	43.3	219	26.4	2	###
19	9,207	726	78.9	491	53.3	231	25.1	4	###
15-19	41,535	2,116	50.9	1,357	32.7	749	18.0	10	0.2
20-24	43,383	2,638	60.8	1,630	37.6	997	23.0	11	0.3
25-29	47,319	1,259	26.6	755	16.0	498	10.5	6	###
30-34	54,072	625	11.6	334	6.2	287	5.3	4	###
35-39	52,339	250	4.8	108	2.1	136	2.6	6	###
40-44	48,112	48	1.0	14	0.3	33	0.7	1	###
GREATER THAN 44	219,366	1	###	0	###	1	###	0	###
UNKNOWN	0	24		2		22		0	
STATE TOTALS	633,050	6,995	11.0	4,215	6.7	2,741	4.3	39	0.1

# RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1991.

## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 5 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

\* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-2

FETAL DEATHS AND INDUCED ABORTIONS BY WEEKS OF GESTATION  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)\*

GESTATION WEEKS	TOTAL	FETAL-DEATHS		INDUCED-ABORTIONS	
		NUMBER	PERCENT	NUMBER	PERCENT
0-4	2	0	0.00	2	0.06
5-8	1,782	0	0.00	1,782	50.63
9-12	1,527	0	0.00	1,527	43.38
13-19	172	0	0.00	172	4.89
20-23	34	16	19.51	18	0.51
24-27	10	9	10.98	1	0.03
28-31	7	7	8.54	0	0.00
32-35	14	14	17.07	0	0.00
36-38	13	13	15.85	0	0.00
> 39	10	10	12.20	0	0.00
UNKNOWN	31	13	15.85	18	0.51
STATE TOTALS	3,602	82	100.00	3,520	100.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.  
RESIDENCE AREA ON 0 ABORTION RECORDS WERE BLANK.MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS



# **INFANT AND FETAL MORTALITY**



TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
CERTAIN INTESTINAL INFECTIONS (008-009)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
MENINGOCOCCAL INFECTION (036)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
MENINGITIS (320-322)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS (323-389)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
BRONCHITIS AND BRONCHIOLITIS (466,490-491)					
MALE	1	0	0.00	1	100.00
FEMALE	1	0	0.00	1	100.00
TOTALS	2	0	0.00	2	100.00
PNEUMONIA (480-486)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
REMAINDER OF DISEASES OF RESPIRATORY SYSTEM (470-478,492-519)					
MALE	1	0	0.00	1	100.00
FEMALE	2	2	100.00	0	0.00
TOTALS	3	2	66.67	1	33.33
ANENCEPHALUS AND SIMILAR ANOMALIES (740)					
MALE	1	1	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
SPINA BIFIDA (741)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER PERCENT		POSTNEONATAL DEATHS NUMBER PERCENT	
(CONT.)					
CONGENITAL HYDROCEPHALUS (742.3)					
FEMALE	2	0	0.00	2	100.00
TOTALS	2	0	0.00	2	100.00
OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE (742.0-742.2,742.4-742.9,743)					
MALE	1	0	0.00	1	100.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	1	50.00	1	50.00
CONGENITAL ANOMALIES OF HEART (745-746)					
MALE	5	3	60.00	2	40.00
FEMALE	2	2	100.00	0	0.00
TOTALS	7	5	71.43	2	28.57
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)					
MALE	1	0	0.00	1	100.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	1	50.00	1	50.00
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM (752-753)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
DOWN'S SYNDROME (758.0)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
OTHER CHROMOSOMAL ANOMALIES (758.1-758.9)					
MALE	3	2	66.67	1	33.33
TOTALS	3	2	66.67	1	33.33
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
(CONT.)					
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (761)					
MALE	8	8	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	9	9	100.00	0	0.00
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)					
MALE	1	1	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)					
MALE	7	7	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	9	9	100.00	0	0.00
FETAL DISTRESS IN LIVEBORN INFANT (768.2-768.4)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
BIRTH ASPHYXIA (768.5-768.9)					
MALE	4	4	100.00	0	0.00
FEMALE	3	3	100.00	0	0.00
TOTALS	7	7	100.00	0	0.00
RESPIRATORY DISTRESS SYNDROME (769)					
MALE	3	3	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	5	5	100.00	0	0.00
OTHER RESPIRATORY CONDITIONS OF NEWBORN (770)					
MALE	8	8	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	9	9	100.00	0	0.00
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)					
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS



TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER PERCENT		POSTNEONATAL DEATHS NUMBER PERCENT	
(CONT.)					
HEMOLYTIC DISEASE OF NEWBORN, DUE TO ISOIMMUNIZATION, AND OTHER PERINATAL JAUNDICE (773-774)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (775.2-775.9,776.1-779)					
MALE	3	3	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	5	5	100.00	0	0.00
SUDDEN INFANT DEATH SYNDROME (798.0)					
MALE	10	1	10.00	9	90.00
FEMALE	7	0	0.00	7	100.00
TOTALS	17	1	5.88	16	94.12
ACCIDENTAL MECHANICAL SUFFOCATION (E913)					
MALE	1	0	0.00	1	100.00
FEMALE	1	0	0.00	1	100.00
TOTALS	2	0	0.00	2	100.00
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS (E800-E910,E914-E949)					
MALE	1	1	100.00	0	0.00
FEMALE	1	0	0.00	1	100.00
TOTALS	2	1	50.00	1	50.00
OTHER HOMICIDE (E960-E966,E968-E969)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
ALL OTHER CAUSES (RESIDUAL)					
MALE	4	2	50.00	2	50.00
FEMALE	2	1	50.00	1	50.00
TOTALS	6	3	50.00	3	50.00
STATE					
MALE	74	50	67.57	24	32.43
FEMALE	38	24	63.16	14	36.84
TOTALS	112	74	66.07	38	33.93

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-2

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)\*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	***** GESTATION WEEKS *****					
			20-23	24-27	28-31	32-35	36-39	OVER 39
ANENCEPHALUS AND SIMILAR ANOMALIES (740)								
FEMALE	1	1.22	0	1	0	0	0	0
TOTALS	1	1.22	0	1	0	0	0	0
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)								
FEMALE	1	1.22	0	0	0	0	1	0
TOTALS	1	1.22	0	0	0	0	1	0
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM (749-751)								
FEMALE	1	1.22	0	0	0	1	0	0
TOTALS	1	1.22	0	0	0	1	0	0
OTHER CHROMOSOMAL ANOMALIES (758.1-758.9)								
FEMALE	1	1.22	1	0	0	0	0	0
TOTALS	1	1.22	1	0	0	0	0	0
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)								
FEMALE	2	2.44	0	0	1	0	0	1
TOTALS	2	2.44	0	0	1	0	0	1
NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (760)								
MALE	2	2.44	0	0	1	1	0	0
FEMALE	2	2.44	0	0	0	0	1	1
TOTALS	4	4.88	0	0	1	1	1	1
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (761)								
MALE	2	2.44	0	0	0	0	0	2
FEMALE	2	2.44	1	0	0	0	0	1
TOTALS	4	4.88	1	0	0	0	0	3
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)								
MALE	17	20.73	3	1	1	3	4	5
FEMALE	16	19.51	1	1	1	3	4	6
TOTALS	33	40.24	4	2	2	6	8	11
NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY (763)								
MALE	1	1.22	0	0	0	0	0	1
TOTALS	1	1.22	0	0	0	0	0	1
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)								
MALE	4	4.88	4	0	0	0	0	0
FEMALE	3	3.66	2	1	0	0	0	0
TOTALS	7	8.54	6	1	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-2

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)\*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	***** GESTATION WEEKS *****					
			20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
BIRTH TRAUMA (767)								
MALE	4	4.88	1	2	0	1	0	0
FEMALE	5	6.10	0	0	0	0	2	3
TOTALS	9	10.98	1	2	0	1	2	3
SYNDROME OF INFANT OF A DIABETIC MOTHER AND NEONATAL DIABETES MELLITUS (775.0-775.1)								
MALE	1	1.22	0	1	0	0	0	0
TOTALS	1	1.22	0	1	0	0	0	0
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (775.2-775.9, 776.1-779)								
MALE	11	13.41	1	2	2	2	3	1
FEMALE	6	7.32	2	0	1	1	1	1
TOTALS	17	20.73	3	2	3	3	4	2
STATE								
MALE	42	51.22	9	6	4	7	7	9
FEMALE	40	48.78	7	3	3	5	9	13
TOTALS	82	100.00	16	9	7	12	16	22

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.  
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.  
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-3

LIVE BIRTHS, NEONATAL DEATHS, AND ESTIMATED NEONATAL DEATH RATES BY BIRTHWEIGHT  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	LIVE BIRTHS		NEONATAL DEATHS		NEONATAL DEATH RATE
	NUMBER	PERCENT	NUMBER	PERCENT	
LESS THAN 500	17	0.10	15	20.27	882.4
500-999	57	0.34	20	27.03	350.9
1000-1499	77	0.46	5	6.76	64.9
1500-1999	172	1.03	2	2.70	11.6
2000-2499	596	3.56	7	9.46	11.7
2500-2999	2,150	12.83	4	5.41	1.9
3000-3499	5,904	35.24	14	18.92	2.4
3500-3999	5,408	32.28	2	2.70	0.4
4000-4499	1,949	11.63	2	2.70	1.0
4500-4999	361	2.15	0	0.00	0.0
GREATER THAN 4999	31	0.19	0	0.00	0.0
UNKNOWN	33	0.20	3	4.05	90.9
STATE TOTALS	16,755	100.00	74	100.00	4.4

NOTE: NEONATAL DEATH RATES ARE ESTIMATED BY DIVIDING 1991 NEONATAL DEATHS BY 1991 LIVE BIRTHS AND MULTIPLYING BY 1,000. SUCH RATES ARE ESTIMATED RATHER THAN ACTUAL BECAUSE SOME BIRTHS RELATING TO THE 1991 NEONATAL DEATH COHORT OCCURRED IN 1990.

BIRNEOD

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-4

FETAL DEATHS BY SELECTED COMPLICATIONS, GESTATION, AND AGE OF PATIENT  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)\*

WEEKS OF GESTATION	TOTAL** FETAL DEATHS	PERCENT DISTRIBUTION	***** COMPLICATIONS *****			
			MEDICAL RISK FACTORS	LABOR OR DELIVERY	TOBACCO/ALCOHOL USE	CONGENITAL ANOMALIES
20-23	16	19.51	3	6	3	2
24-27	9	10.98	5	5	2	2
28-31	7	8.54	3	3	3	1
32-35	12	14.63	6	3	2	2
36-39	16	19.51	8	5	5	0
OVER 39	22	26.83	7	11	4	1
UNKNOWN	0	0.00	0	0	0	0
STATE TOTALS	82		32	33	19	8
PERCENT DISTRIBUTION		100.00	39.02	40.24	23.17	9.76
AGE OF PATIENT(YRS.)						
LESS THAN 10	0	0.00	0	0	0	0
10-14	1	1.22	0	1	0	0
15	0	0.00	0	0	0	0
16	1	1.22	0	1	0	0
17	3	3.66	2	1	0	0
18	2	2.44	1	0	2	0
19	7	8.54	3	5	1	3
20-24	22	26.83	7	7	8	2
25-29	22	26.83	9	10	5	2
30-34	14	17.07	4	3	2	0
35-39	8	9.76	5	4	1	1
40-44	2	2.44	1	1	0	0
OVER 44	0	0.00	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0
TEENAGE TOTALS	14	17.07	6	8	3	3
STATE TOTALS	82		32	33	19	8
PERCENT DISTRIBUTION		100.00	39.02	40.24	23.17	9.76

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

\*\* THE SUM OF COMPLICATIONS MAY EXCEED TOTAL FETAL DEATHS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-5

DEATHS AND DEATH RATES - TOTAL, INFANT, NEONATAL, POSTNEONATAL, AND PERINATAL  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)\*

COUNTY	TOTAL DEATHS NUMBER RATE		*****		INFANT DEATHS		*****		PERINATAL NUMBER RATE	
			TOTAL NUMBER	RATE	NEONATAL NUMBER	RATE	POSTNEONATAL NUMBER	RATE		
ANDROSCOGGIN	998	9.5	10	6.6	4	2.6	6	3.9	4	2.6
AROOSTOOK	762	8.7	14	11.7	10	8.3	4	3.3	10	8.3
CUMBERLAND	2,111	8.6	17	4.9	14	4.0	3	0.9	14	4.0
FRANKLIN	242	8.3	0	0.0	0	0.0	0	0.0	0	0.0
HANCOCK	491	10.3	6	10.4	3	5.2	3	5.2	3	5.2
KENNEBEC	1,037	8.9	8	5.2	4	2.6	4	2.6	4	2.6
KNOX	410	11.2	0	0.0	0	0.0	0	0.0	0	0.0
LINCOLN	335	11.0	3	8.1	1	2.7	2	5.4	1	2.7
OXFORD	540	10.3	3	4.5	3	4.5	0	0.0	3	4.5
PENOBSCOT	1,239	8.4	18	9.7	15	8.1	3	1.6	15	8.1
PISCATAQUIS	208	11.1	1	4.4	1	4.4	0	0.0	1	4.4
SAGADAHOC	267	7.9	5	9.8	4	7.8	1	2.0	4	7.8
SOMERSET	503	10.0	10	14.9	8	11.9	2	3.0	8	11.9
WALDO	326	9.7	4	9.0	3	6.8	1	2.3	3	6.8
WASHINGTON	371	10.4	2	4.7	1	2.3	1	2.3	1	2.3
YORK	1,349	8.2	11	4.5	3	1.2	8	3.3	3	1.2
STATE TOTALS	11,189	9.1	112	6.7	74	4.4	38	2.3	74	4.4

NOTES: INFANT DEATH IS UNDER 1 YEAR, NEONATAL UNDER 28 DAYS AND POSTNEONATAL 28 DAYS TO ONE YEAR.  
PERINATAL DEATHS ARE NEONATAL DEATHS AND FETAL DEATHS, 20 GESTATION WEEKS AND OVER.

TOTAL DEATH RATE IS PER 1,000 POPULATION (BASED ON ESTIMATED MAINE POPULATION JULY 1, 1991).  
INFANT DEATH RATE IS PER 1,000 LIVE BIRTHS AND PERINATAL DEATH RATE IS PER 1,000 LIVE BIRTHS AND FETAL DEATHS.

\* FETAL DEATH DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-6

FETAL DEATHS BY SELECTED CHARACTERISTICS  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)\*

COUNTY	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	OUT OF WEDLOCK	AUTOPSY	IN HOSPITAL	**** TRIMESTER IN WHICH **** **** PRENATAL CARE BEGAN ****					AGE OF PATIENT(YRS.)	
						1	2	3	NONE	UNKNOWN	LESS THAN 20	OVER 35
ANDROSCOGGIN	11	13.41	3	5	11	10	1	0	0	0	1	1
AROSTOOK	5	6.10	4	4	5	3	1	0	1	0	3	0
CUMBERLAND	16	19.51	6	8	16	7	1	0	8	0	3	0
FRANKLIN	1	1.22	1	1	1	1	0	0	0	0	1	0
HANCOCK	2	2.44	0	0	2	1	0	0	1	0	0	0
KENNEBEC	6	7.32	3	4	6	3	0	0	3	0	0	2
KNOX	2	2.44	1	0	2	1	0	0	1	0	1	0
LINCOLN	1	1.22	0	0	1	1	0	0	0	0	0	1
OXFORD	5	6.10	2	2	5	4	0	0	1	0	1	2
PENOBSCOT	12	14.63	4	9	12	10	1	0	1	0	1	0
PISCATAQUIS	2	2.44	1	1	2	2	0	0	0	0	1	0
SAGadahoc	5	6.10	0	1	5	2	1	0	2	0	1	0
SOMERSET	3	3.66	3	2	3	2	1	0	0	0	0	1
WALDO	0	0.00	0	0	0	0	0	0	0	0	0	0
WASHINGTON	1	1.22	0	0	1	1	0	0	0	0	0	0
YORK	10	12.20	2	5	10	7	1	1	1	0	1	1
STATE TOTALS	82		30	42	82	55	7	1	19	0	14	8
PERCENT OF ALL FETAL DEATHS WITH SPECIFIED CHARACTERISTICS												
		100.00	36.59	51.22	100.00	67.07	8.54	1.22	23.17	0.00	17.07	9.76

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-7

FETAL DEATHS, SELECTED RISK CHARACTERISTICS, AND RATIO OF MALES TO FEMALES  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)\*

COUNTY	TOTAL DEATHS	***** RISK CHARACTERISTICS *****								MALE/FEMALE RATIO
		CONGENITAL ANOMALIES		***** FETAL WEIGHT *****				LESS THAN 28 GESTATION WEEKS		
		NUMBER	PERCENT	< 500 GRAMS		< 2500 GRAMS		NUMBER	PERCENT	
				NUMBER	PERCENT	NUMBER	PERCENT			
ANDROSCOGGIN	11	2	18.2	0	0.0	4	36.4	5	45.5	2.67
AROOSTOOK	5	0	0.0	0	0.0	0	0.0	1	20.0	0.00
CUMBERLAND	16	1	6.3	0	0.0	4	25.0	3	18.8	0.78
FRANKLIN	1	1	100.0	0	0.0	0	0.0	0	0.0	0.00
HANCOCK	2	0	0.0	0	0.0	0	0.0	0	0.0	1.00
KENNEBEC	6	0	0.0	1	16.7	2	33.3	2	33.3	1.00
KNOX	2	0	0.0	0	0.0	1	50.0	2	100.0	1.00
LINCOLN	1	0	0.0	1	100.0	1	100.0	0	0.0	0.00
OXFORD	5	0	0.0	1	20.0	3	60.0	2	40.0	1.50
PENOBSCOT	12	1	8.3	1	8.3	7	58.3	4	33.3	0.50
PISCATAQUIS	2	1	50.0	1	50.0	1	50.0	1	50.0	1.00
SAGADAHOC	5	1	20.0	0	0.0	4	80.0	2	40.0	1.50
SOMERSET	3	1	33.3	0	0.0	1	33.3	0	0.0	0.50
WALDO	0	0	0.0	0	0.0	0	0.0	0	0.0	0.00
WASHINGTON	1	0	0.0	0	0.0	1	100.0	1	100.0	0.00
YORK	10	0	0.0	0	0.0	5	50.0	2	20.0	0.25
STATE TOTALS	82	8	9.8	5	6.1	34	41.5	25	30.5	1.05

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS



TABLE F-8

FETAL DEATHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

[illegible]

NOTES: PERCENTAGES ARE BASED ON THE 82 FETAL DEATHS IN MAINE THIS YEAR.  
MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH FETAL DEATH.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

**GENERAL MORTALITY**



TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE  
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP\*  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

	***** TOTAL	DEATHS MALE	***** FEMALE	***** BY NUMBER OF TOTAL	RANK MALE	***** DEATHS FEMALE	*** TOTAL	RATE PER 100,000 POPULATION MALE	*** FEMALE
AGE: TOTAL FOR ALL AGES									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	3,697	1,838	1,859	1	1	1	299.4	305.5	293.7
MALIGNANT NEOPLASMS (140-208)	2,926	1,525	1,401	2	2	2	237.0	253.5	221.3
CEREBROVASCULAR DISEASE (430-438)	662	284	398	3	4	3	53.6	43.9	62.9
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	526	293	233	4	3	4	42.6	48.7	36.8
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	395	253	142	5	5	7	32.0	42.1	22.4
PNEUMONIA & INFLUENZA (480-487)	374	173	201	6	6	5	30.3	28.8	31.8
DIABETES MELLITUS (250)	298	137	159	7	8	6	24.0	22.8	25.1
SUICIDE (E950-E959)	171	144	27	8	7	13	13.9	23.9	4.3
INFECTIOUS & PARASITIC DISEASES (001-139)	160	85	75	9	9	8	13.0	14.1	11.8
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	138	80	58	10	10	11	11.0	13.3	8.8
TOTAL FOR AGE GROUP	11,189	5,614	5,575				906.3	933.3	880.7
AGE: UNDER 1 YEAR									
PERINATAL CONDITIONS (760-779)	50	37	13	1	1	1	298.9	431.4	159.5
CONGENITAL ANOMALIES (740-759)	24	14	10	2	2	2	143.5	163.2	122.7
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	4	2	2	3	3	3	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	2	1	1	4	4	4	###	###	###
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	2	1	1	5	4	4	###	###	###
MENINGITIS (320-322)	1	1	0	6	4	6	###	###	###
HEART DISEASE (390-398,402,404-429)	1	1	0	7	4	6	###	###	###
PNEUMONIA & INFLUENZA (480-487)	1	1	0	8	4	6	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	1	1	0	9	4	6	###	###	###
TOTAL FOR AGE GROUP	112	74	38				669.5	862.9	466.1

NOTES: U.S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS ESTIMATE ISSUED APRIL 1992.

THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIDLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

\* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

DCAU10

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE  
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP\*  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

	***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF	DEATHS		TOTAL	MALE	FEMALE
AGE: 1 TO 14 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	16	13	3	1	1	1	6.6	10.4	###
MALIGNANT NEOPLASMS (140-208)	10	7	3	2	2	1	4.1	###	###
CONGENITAL ANOMALIES (740-759)	9	6	3	3	3	1	###	###	###
SUICIDE (E950-E959)	2	2	0	4	4	8	###	###	###
BENIGN NEOPLASMS (210-239)	1	1	0	5	5	8	###	###	###
HEART DISEASE (390-398,402,404-429)	1	0	1	6	7	4	###	###	###
CEREBROVASCULAR DISEASE (430-438)	1	0	1	7	7	4	###	###	###
ULCER OF STOMACH & DUODENUM (531-533)	1	0	1	8	7	4	###	###	###
PERINATAL CONDITIONS (760-779)	1	1	0	9	5	8	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	1	0	1	10	7	4	###	###	###
TOTAL FOR AGE GROUP	51	36	15				20.9	28.7	12.6
AGE: 15 TO 24 YEARS									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	79	52	27	1	1	1	45.7	59.1	31.8
SUICIDE (E950-E959)	32	29	3	2	2	2	18.5	33.0	###
MALIGNANT NEOPLASMS (140-208)	5	3	2	3	4	3	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	5	4	1	4	3	6	###	###	###
HEART DISEASE (390-398,402,404-429)	4	2	2	5	5	3	###	###	###
CEREBROVASCULAR DISEASE (430-438)	3	1	2	6	6	3	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	1	0	7	6	8	###	###	###
BENIGN NEOPLASMS (210-239)	1	1	0	8	6	8	###	###	###
PNEUMONIA & INFLUENZA (480-487)	1	1	0	9	6	8	###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	1	0	1	10	11	6	###	###	###
TOTAL FOR AGE GROUP	142	102	40				82.2	116.0	47.1

NOTES: U.S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS ESTIMATE ISSUED APRIL 1992.

THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

\* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE  
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP\*  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

	***** TOTAL	DEATHS MALE	***** FEMALE	***** TOTAL	RANK BY NUMBER OF	***** DEATHS MALE	***** FEMALE	*** TOTAL	RATE PER 100,000 POPULATION	*** MALE	*** FEMALE
AGE: 25 TO 34 YEARS											
CAUSE OF DEATH											
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	57	45	12	1	1	2		28.5	45.6	11.8	
SUICIDE (E950-E959)	43	31	12	2	2	2		21.5	31.4	11.8	
MALIGNANT NEOPLASMS (140-208)	27	12	15	3	4	1		13.5	12.1	14.8	
INFECTIOUS & PARASITIC DISEASES (001-139)	19	16	3	4	3	4		9.5	16.2	###	
DIABETES MELLITUS (250)	7	4	3	5	7	4		###	###	###	
HEART DISEASE (390-398,402,404-429)	7	7	0	6	5	11		###	###	###	
HOMICIDE & LEGAL INTERVENTION (E980-E978)	7	5	2	7	6	6		###	###	###	
CEREBROVASCULAR DISEASE (430-438)	4	3	1	8	9	7		###	###	###	
PNEUMONIA & INFLUENZA (480-487)	4	4	0	9	7	11		###	###	###	
CONGENITAL ANOMALIES (740-759)	3	2	1	10	10	7		###	###	###	
TOTAL FOR AGE GROUP	202	142	60					100.9	143.7	59.2	
AGE: 35 TO 44 YEARS											
MALIGNANT NEOPLASMS (140-208)	105	55	50	1	1	1		52.2	54.7	49.8	
HEART DISEASE (390-398,402,404-429)	55	48	9	2	2	3		27.4	45.7	###	
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	41	25	16	3	3	2		20.4	24.8	15.9	
SUICIDE (E950-E959)	25	21	4	4	4	4		12.4	20.9	###	
INFECTIOUS & PARASITIC DISEASES (001-139)	23	19	4	5	5	4		11.4	18.9	###	
DIABETES MELLITUS (250)	8	6	2	6	6	6		###	###	###	
CEREBROVASCULAR DISEASE (430-438)	5	4	1	7	7	8		###	###	###	
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	5	3	2	8	8	6		###	###	###	
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	3	2	1	9	9	8		###	###	###	
BENIGN NEOPLASMS (210-239)	2	1	1	10	11	8		###	###	###	
TOTAL FOR AGE GROUP	310	206	104					154.2	204.7	103.5	

NOTES: U.S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS ESTIMATE ISSUED APRIL 1992.

THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

\* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

DCAU10

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE  
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP\*  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

	***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF	DEATHS		TOTAL	MALE	FEMALE
AGE: 45 TO 64 YEARS									
CAUSE OF DEATH									
MALIGNANT NEOPLASMS (140-208)	725	395	330	1	1	1	310.1	346.1	275.7
HEART DISEASE (390-398,402,404-429)	493	360	133	2	2	2	210.9	315.5	111.1
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-498)	81	39	42	3	3	3	34.6	34.2	35.1
DIABETES MELLITUS (250)	60	30	30	4	8	4	25.7	26.3	25.1
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	51	38	13	5	4	6	21.8	33.3	10.9
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	49	36	13	6	5	6	21.0	31.5	10.9
CEREBROVASCULAR DISEASE (430-438)	48	33	15	7	7	5	20.5	28.9	12.5
SUICIDE (E950-E959)	40	36	4	8	5	10	17.1	31.5	###
PNEUMONIA & INFLUENZA (480-487)	25	18	7	9	9	8	10.7	15.8	###
INFECTIOUS & PARASITIC DISEASES (001-139)	14	10	4	10	10	10	6.0	8.8	###
TOTAL FOR AGE GROUP	1,767	1,100	667				755.8	963.9	557.3
AGE: 65 TO 74 YEARS									
MALIGNANT NEOPLASMS (140-208)	879	486	393	1	2	1	949.9	1,190.9	759.7
HEART DISEASE (390-398,402,404-429)	770	489	281	2	1	2	832.1	1,198.3	543.2
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-498)	134	71	63	3	3	3	144.8	174.0	121.8
CEREBROVASCULAR DISEASE (430-438)	116	71	45	4	3	4	125.4	174.0	87.0
DIABETES MELLITUS (250)	82	42	40	5	5	5	88.6	102.9	77.3
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	42	25	17	6	6	6	45.4	61.3	32.9
PNEUMONIA & INFLUENZA (480-487)	35	22	13	7	7	7	37.8	53.9	25.1
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	31	20	11	8	8	9	33.5	49.0	21.3
INFECTIOUS & PARASITIC DISEASES (001-139)	30	18	12	9	9	8	32.4	44.1	23.2
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	19	10	9	10	11	10	20.5	24.5	###
TOTAL FOR AGE GROUP	2,432	1,411	1,021				2,628.1	3,457.6	1,973.7

NOTES: U.S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS ESTIMATE ISSUED APRIL 1992.

THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

\* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE  
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP\*  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

	***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF	DEATHS		POPULATION		
				TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
<b>AGE: 75 TO 84 YEARS</b>									
<b>CAUSE OF DEATH</b>									
HEART DISEASE (390-398,402,404-429)	1,155	564	591	1	1	1	2,118.3	2,749.7	1,737.5
MALIGNANT NEOPLASMS (140-208)	834	434	400	2	2	2	1,529.5	2,115.9	1,176.0
CEREBROVASCULAR DISEASE (430-438)	211	94	117	3	4	3	387.0	458.3	344.0
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	208	124	84	4	3	4	381.5	604.6	246.9
PNEUMONIA & INFLUENZA (480-487)	107	52	55	5	5	5	196.2	253.5	161.7
DIABETES MELLITUS (250)	89	40	49	6	6	6	163.2	195.0	144.1
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	43	20	23	7	8	7	78.9	97.5	67.6
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	42	21	21	8	7	9	77.0	102.4	61.7
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	40	19	21	9	9	9	73.4	92.6	61.7
INFECTIOUS & PARASITIC DISEASES (001-139)	34	12	22	10	11	8	62.4	58.5	64.7
<b>TOTAL FOR AGE GROUP</b>	<b>3,281</b>	<b>1,614</b>	<b>1,667</b>				<b>6,017.3</b>	<b>7,868.9</b>	<b>4,900.8</b>
<b>AGE: 85 YEARS AND OLDER</b>									
HEART DISEASE (390-398,402,404-429)	1,211	369	842	1	1	1	6,454.9	7,654.0	6,040.2
MALIGNANT NEOPLASMS (140-208)	341	133	208	2	2	3	1,817.6	2,758.8	1,492.1
CEREBROVASCULAR DISEASE (430-438)	274	58	216	3	4	2	1,460.5	1,203.1	1,549.5
PNEUMONIA & INFLUENZA (480-487)	199	74	125	4	3	4	1,060.7	1,535.0	896.7
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	99	57	42	5	5	6	527.7	1,182.3	301.3
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	63	32	31	6	6	8	335.8	663.8	222.4
ATHEROSCLEROSIS (440)	59	13	46	7	8	5	314.5	269.7	330.0
DIABETES MELLITUS (250)	50	15	35	8	7	7	266.5	311.1	251.1
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	41	12	29	9	9	9	218.5	248.9	208.0
INFECTIOUS & PARASITIC DISEASES (001-139)	37	8	29	10	10	9	197.2	###	208.0
<b>TOTAL FOR AGE GROUP</b>	<b>2,892</b>	<b>929</b>	<b>1,963</b>				<b>15,415.0</b>	<b>19,269.9</b>	<b>14,081.8</b>

NOTES: U.S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS ESTIMATE ISSUED APRIL 1992.  
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:  
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)  
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)  
ALL OTHER EXTERNAL CAUSES (E980-E999)  
ALL OTHER DISEASES (RESIDUAL).  
ICD-9 CODES ARE SHOWN IN PARENTHESES.

\* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.



TABLE D-2 YEARS OF LIFE LOST - NUMBER, PERCENT, RANK, AND AVERAGE PER DEATH BY 32 CAUSE OF DEATH GROUPS AND SEX  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH	**YEARS OF LIFE LOST**			PERCENT YEARS OF LIFE LOST			RANK BY YEARS OF LIFE LOST			AVERAGE YEARS OF LIFE LOST PER DEATH		
	TOTAL	MALE	FEMALE	TOT.	MALE	FEM.	TOT.	MALE	FEM.	TOT.	MALE	FEM.
MALIGNANT NEDPLASMS (140-208)	41,723	19,723	22,000	27.9	25.1	31.0	1	2	1	14	13	16
HEART DISEASE (390-398,402,404-429)	37,715	19,919	17,796	25.2	25.3	25.1	2	1	2	10	11	10
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	12,342	8,099	4,243	8.2	10.3	6.0	3	3	3	31	32	30
CEREBROVASCULAR DISEASE (430-438)	6,096	2,526	3,570	4.1	3.2	5.0	4	7	4	9	10	9
SUICIDE (E950-E959)	5,876	4,779	1,097	3.9	6.1	1.5	5	4	9	34	33	41
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	5,632	2,621	3,011	3.8	3.3	4.2	6	6	5	11	9	13
DIABETES MELLITUS (250)	4,055	1,804	2,251	2.7	2.3	3.2	7	9	6	14	13	14
PERINATAL CDNDITIONS (760-779)	3,749	2,735	1,014	2.5	3.5	1.4	8	5	11	74	72	78
PNEUMONIA & INFLUENZA (480-487)	3,126	1,570	1,556	2.1	2.0	2.2	9	11	7	8	9	8
INFECTIOUS & PARASITIC DISEASES (001-139)	3,035	2,019	1,016	2.0	2.6	1.4	10	8	10	19	24	14
CONGENITAL ANOMALIES (740-759)	2,871	1,640	1,231	1.9	2.1	1.7	11	10	8	57	61	54
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2,039	1,177	862	1.4	1.5	1.2	12	12	13	15	15	15
OTHER DIS. OF ARTERIES, ARTERIOLES, AND CAPIL. (441-448)	1,766	871	895	1.2	1.1	1.3	13	13	12	10	10	11
HOMICIDE & LEGAL INTERVENTION (E960-E978)	1,020	724	296	0.7	0.9	0.4	14	14	17	43	40	49
ATHEROSCLEROSIS (440)	823	352	471	0.5	0.4	0.7	15	16	15	7	8	7
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	819	284	535	0.5	0.4	0.8	16	17	14	8	7	9
BENIGN NEOPLASMS (210-239)	750	467	283	0.5	0.6	0.4	17	15	18	15	18	12
HYPERTENSION (401,403)	428	86	342	0.3	0.1	0.5	18	20	16	10	8	10
ULCER OF STOMACH & DUODENUM (531-533)	374	103	271	0.2	0.1	0.4	19	19	19	11	8	13
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	313	77	236	0.2	0.1	0.3	20	21	20	9	9	9
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	155	77	78	0.1	0.1	0.1	21	21	22	52	39	78
ANEMIAS (280-285)	153	48	105	0.1	0.1	0.1	22	24	21	9	8	10
MENINGITIS (320-322)	150	112	38	0.1	0.1	0.1	23	18	26	30	37	19
CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS (574-575)	124	57	67	0.1	0.1	0.1	24	23	24	8	7	8
NUTRITIONAL DEFICIENCIES (260-269)	104	28	76	0.1	0.0	0.1	25	25	23	6	5	7
COMPL. OF PREGNANCY, CHILDBIRTH & PUERPERIUM (630-676)	49	0	49	0.0	0.0	0.1	26	28	25	49	0	49
KIDNEY INFECTIONS (590)	43	11	32	0.0	0.0	0.0	27	26	27	9	6	11
HYPERPLASIA OF PROSTATE (600)	8	8	0	0.0	0.0	0.0	28	27	29	4	4	0
APPENDICITIS (540-543)	6	0	6	0.0	0.0	0.0	29	28	28	6	0	6
ALL OTHER EXTERNAL CAUSES (E980-E999)	186	186	0	0.1	0.2	0.0				37	37	0
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	2,080	1,155	925	1.4	1.5	1.3				26	33	21
ALL OTHER CAUSES (RESIDUAL)	12,103	5,415	6,688	8.1	6.9	9.4				12	12	11
ALL CAUSES	149,713	78,673	71,040	100.	100.	100.				13	14	13

NOTES: PERCENTAGES MAY NOT ADD TO 100.0 DUE TO ROUNDING.  
SEE TEXT FOR METHOD OF COMPUTING YEARS OF LIFE LOST.

DEAYLL

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																	OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84			
CHOLERA AND TYPHOID AND PARATYPHOID FEVERS (001-002)																			
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)																			
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	
ILL-DEFINED INTESTINAL INFECTIONS (009)																			
FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)																			
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
OTHER TUBERCULOSIS (013-018)																			
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	0	
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	0	0	
MENINGOCOCCAL INFECTION (036)																			
MALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SEPTICEMIA (038)																			
MALE	30	0	0	0	0	0	0	1	2	1	3	2	5	4	2	3	7	7	
FEMALE	43	0	0	0	0	0	0	0	0	1	0	0	1	4	5	8	24	24	
TOTALS	73	0	0	0	0	0	0	1	2	2	3	2	6	8	7	11	31	31	
ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)																			
MALE	4	0	0	0	0	0	0	1	1	0	0	0	1	0	1	0	0	0	
FEMALE	3	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	
TOTALS	7	0	0	0	0	0	0	1	1	0	1	0	1	0	2	1	0	0	
VIRAL HEPATITIS (070)																			
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
FEMALE	3	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1	0	0	
TOTALS	4	0	0	0	0	0	0	0	2	0	0	0	0	0	1	1	0	0	
OTHER VIRAL DISEASES (046-049,051-054,057-061,065,066,071-079)																			
MALE	39	0	0	0	0	0	1	14	15	4	0	0	2	2	0	1	0	0	
FEMALE	6	0	0	0	0	0	0	3	1	0	0	0	1	1	0	0	0	0	
TOTALS	45	0	0	0	0	0	1	17	16	4	0	0	3	3	0	1	0	0	
MYCOSES (110-118)																			
MALE	5	0	0	0	0	0	0	0	0	0	0	0	0	3	2	0	0	0	
FEMALE	5	0	0	0	0	0	0	0	2	0	1	0	0	1	0	1	0	0	
TOTALS	10	0	0	0	0	0	0	0	2	0	1	0	0	4	2	1	0	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
LATE EFFECTS OF TUBERCULOSIS (137)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)																	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	1	0	2	0	1	1
TOTALS	5	0	0	0	0	0	0	0	0	0	0	1	0	2	0	1	1
MALIGNANT NEOPLASMS OF: TONGUE (141)																	
MALE	7	0	0	0	0	0	0	0	0	3	0	0	3	1	0	0	0
FEMALE	4	0	0	0	0	0	0	1	0	0	0	2	0	0	0	1	0
TOTALS	11	0	0	0	0	0	0	1	0	3	0	2	3	1	0	1	0
MALIGNANT NEOPLASMS OF: PHARYNX (146-149.0)																	
MALE	18	0	0	0	0	0	0	0	1	2	3	2	4	3	3	0	0
FEMALE	10	0	0	0	0	0	0	0	0	0	1	1	4	2	2	0	0
TOTALS	28	0	0	0	0	0	0	0	1	2	4	3	8	5	5	0	0
MALIGNANT NEOPLASMS OF: OTHER SITES WITHIN THE LIP, ORAL CAVITY AND PHARYNX (142-145,149.1-149.9)																	
MALE	13	0	0	0	0	0	0	0	1	0	3	2	2	1	3	0	1
FEMALE	7	0	0	0	0	0	0	0	0	3	0	0	0	1	2	1	0
TOTALS	20	0	0	0	0	0	0	0	1	3	3	2	2	2	5	1	1
MALIGNANT NEOPLASMS OF: ESOPHAGUS (150)																	
MALE	41	0	0	0	0	0	0	0	1	4	2	7	4	7	8	6	2
FEMALE	13	0	0	0	0	0	0	0	0	2	1	0	1	1	5	2	1
TOTALS	54	0	0	0	0	0	0	0	1	6	3	7	5	8	13	8	3
MALIGNANT NEOPLASMS OF: STOMACH (151)																	
MALE	50	0	0	0	0	0	0	1	2	4	3	6	9	11	7	4	3
FEMALE	34	0	0	0	0	0	0	1	1	1	2	3	0	5	5	7	9
TOTALS	84	0	0	0	0	0	0	2	3	5	5	9	9	16	12	11	12
MALIGNANT NEOPLASMS OF: SMALL INTESTINE, INCLUDING DUODENUM (152)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	1
FEMALE	7	0	0	0	0	0	0	0	0	1	1	0	1	4	0	0	0
TOTALS	12	0	0	0	0	0	0	0	0	1	1	0	2	5	2	0	1
MALIGNANT NEOPLASMS OF: HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0,153.1,153.7)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
MALIGNANT NEOPLASMS OF: SIGMOID COLON (153.3)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0
MALIGNANT NEOPLASMS OF: CECUM, APPENDIX AND ASCENDING COLON (153.4-153.6)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																	
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84		
(CONT.)																			
MALIGNANT NEOPLASMS OF: OTHER AND COLON, UNSPECIFIED (153.8-153.9)																			
MALE	127	0	0	0	0	0	0	0	3	8	5	19	25	25	18	14	10		
FEMALE	129	0	0	0	0	0	0	0	2	5	4	10	18	22	25	16	27		
TOTALS	256	0	0	0	0	0	0	0	5	13	9	29	43	47	43	30	37		
MALIGNANT NEOPLASMS OF: RECTUM, RECTOSIGMOID JUNCTION AND ANUS (154)																			
MALE	31	0	0	0	0	0	0	0	4	1	4	2	6	4	3	4	3		
FEMALE	32	0	0	0	0	0	0	0	1	1	2	0	3	5	5	2	13		
TOTALS	63	0	0	0	0	0	0	0	5	2	6	2	9	9	8	6	16		
MALIGNANT NEOPLASMS OF: LIVER, PRIMARY (155.0)																			
MALE	15	0	0	0	0	0	0	0	0	2	0	1	5	2	2	2	1		
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0		
TOTALS	18	0	0	0	0	0	0	0	0	2	0	1	6	4	2	2	1		
MALIGNANT NEOPLASMS OF: INTRAHEPATIC BILE DUCTS (155.1)																			
MALE	3	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0	0		
FEMALE	6	0	0	0	0	0	0	0	0	2	0	1	0	1	1	1	0		
TOTALS	9	0	0	0	0	0	0	0	1	2	1	1	1	1	1	1	0		
MALIGNANT NEOPLASMS OF: LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)																			
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0		
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	1		
MALIGNANT NEOPLASMS OF: GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)																			
MALE	3	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0		
FEMALE	11	0	0	0	0	0	0	0	0	0	2	2	0	0	1	2	4		
TOTALS	14	0	0	0	0	0	0	0	0	0	2	3	0	1	1	3	4		
MALIGNANT NEOPLASMS OF: PANCREAS (157)																			
MALE	53	0	0	0	0	0	0	0	3	2	4	9	8	9	9	7	2		
FEMALE	70	0	0	0	0	0	0	0	1	3	2	6	12	6	17	10	13		
TOTALS	123	0	0	0	0	0	0	0	4	5	6	15	20	15	26	17	15		
MALIGNANT NEOPLASMS OF: RETROPERITONEUM, PERITONEUM AND OTHER SITES WITHIN THE DIGESTIVE ORGANS (158-159)																			
MALE	8	0	0	0	0	0	0	0	0	0	0	1	0	0	4	2	1		
FEMALE	21	0	0	0	0	0	0	0	0	0	1	0	4	0	1	6	9		
TOTALS	29	0	0	0	0	0	0	0	0	0	1	1	4	0	5	8	10		
MALIGNANT NEOPLASMS OF: LARYNX (161)																			
MALE	17	0	0	0	0	0	0	0	0	2	0	3	5	1	3	1	2		
FEMALE	9	0	0	0	0	0	0	0	0	2	1	0	4	1	0	1	0		
TOTALS	26	0	0	0	0	0	0	0	0	4	1	3	9	2	3	2	2		
MALIGNANT NEOPLASMS OF: TRACHEA, BRONCHUS, AND LUNG (162)																			
MALE	537	0	0	0	0	0	0	1	7	45	51	79	95	94	86	54	25		
FEMALE	325	0	0	0	0	0	0	2	11	24	29	43	54	54	54	36	18		
TOTALS	862	0	0	0	0	0	0	3	18	69	80	122	149	148	140	90	43		

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
MALIGNANT NEOPLASMS OF: ALL OTHER SITES WITHIN THE RESPIRATORY SYSTEM & INTRATHORACIC ORGANS (160,163-165)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0
TOTALS	4	0	0	0	0	0	0	0	0	0	1	0	0	1	2	0	0
MALIGNANT NEOPLASMS OF: BONE AND ARTICULAR CARTILAGE (170)																	
MALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2
MALIGNANT NEOPLASMS OF: CONNECTIVE AND OTHER SOFT TISSUE (171)																	
MALE	9	0	0	0	0	0	0	1	1	0	0	0	2	2	1	1	1
FEMALE	5	0	1	0	0	0	0	2	1	0	0	0	1	0	0	0	0
TOTALS	14	0	1	0	0	0	0	3	2	0	0	0	3	2	1	1	1
MALIGNANT NEOPLASMS OF: MELANOMA OF SKIN (172)																	
MALE	21	0	0	0	0	0	0	0	5	3	1	0	1	4	2	4	1
FEMALE	9	0	0	0	0	0	0	0	0	2	1	1	0	2	1	2	0
TOTALS	30	0	0	0	0	0	0	0	5	5	2	1	1	6	3	6	1
MALIGNANT NEOPLASMS OF: OTHER MALIGNANT NEOPLASM OF SKIN (173)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	2
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1
TOTALS	7	0	0	0	0	0	0	0	0	0	0	1	0	1	2	0	3
MALIGNANT NEOPLASMS OF: FEMALE BREAST (174)																	
FEMALE	218	0	0	0	0	0	0	5	14	25	20	27	24	21	29	26	27
TOTALS	218	0	0	0	0	0	0	5	14	25	20	27	24	21	29	26	27
MALIGNANT NEOPLASMS OF: MALE BREAST (175)																	
MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF: CERVIX UTERI (180)																	
FEMALE	28	0	0	0	0	0	0	2	4	5	0	2	4	4	2	0	5
TOTALS	28	0	0	0	0	0	0	2	4	5	0	2	4	4	2	0	5
MALIGNANT NEOPLASMS OF: OTHER PARTS OF UTERUS (179,181-182)																	
FEMALE	30	0	0	0	0	0	0	0	0	2	1	2	5	6	6	5	3
TOTALS	30	0	0	0	0	0	0	0	0	2	1	2	5	6	6	5	3
MALIGNANT NEOPLASMS OF: OVARY AND OTHER UTERINE ADNEXA (183)																	
FEMALE	89	0	0	0	0	0	0	0	5	10	10	10	11	8	17	9	9
TOTALS	89	0	0	0	0	0	0	0	5	10	10	10	11	8	17	9	9
MALIGNANT NEOPLASMS OF: OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)																	
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	1	2	1	1	2
TOTALS	7	0	0	0	0	0	0	0	0	0	0	0	1	2	1	1	2
MALIGNANT NEOPLASMS OF: PROSTATE (185)																	
MALE	181	0	0	0	0	0	1	0	0	2	3	15	20	33	43	30	34
TOTALS	181	0	0	0	0	0	1	0	0	2	3	15	20	33	43	30	34

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																	
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84		
(CONT.)																			
MALIGNANT NEOPLASMS OF: TESTIS (186)																			
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF: PENIS AND OTHER MALE GENITAL ORGANS (187)																			
MALE	3	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0
MALIGNANT NEOPLASMS OF: BLADDER (188)																			
MALE	38	0	0	0	0	0	0	0	0	2	2	4	3	4	10	3	10		
FEMALE	21	0	0	0	0	0	0	0	0	0	0	0	3	3	2	9	4		
TOTALS	59	0	0	0	0	0	0	0	0	2	2	4	6	7	12	12	14		
MALIGNANT NEOPLASMS OF: KIDNEY AND OTHER UNSPECIFIED URINARY ORGANS (189)																			
MALE	29	0	0	1	0	0	0	0	1	3	3	5	2	3	8	1	2		
FEMALE	19	0	0	0	0	0	0	1	0	2	2	1	2	5	2	2	2		
TOTALS	48	0	0	1	0	0	0	1	1	5	5	6	4	8	10	3	4		
MALIGNANT NEOPLASMS OF: BRAIN (191)																			
MALE	33	0	1	0	1	0	0	3	9	6	2	3	1	3	2	1	1		
FEMALE	27	0	0	0	0	0	0	0	4	2	0	4	2	6	6	0	3		
TOTALS	60	0	1	0	1	0	0	3	13	8	2	7	3	9	8	1	4		
MALIGNANT NEOPLASMS OF: OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)																			
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
MALIGNANT NEOPLASMS OF: THYROID GLAND, OTHER ENDOCRINE GLANDS, RELATED STRUCTURES (193-194)																			
MALE	2	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0		
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	1		
TOTALS	6	0	1	0	0	0	0	0	0	0	1	0	2	0	1	0	1		
MALIGNANT NEOPLASMS OF: ALL OTHER AND UNSPECIFIED SITES (195-199)																			
MALE	124	0	0	0	0	0	0	1	4	6	6	14	20	19	23	15	16		
FEMALE	118	0	1	0	0	0	0	0	0	3	10	5	13	23	19	11	33		
TOTALS	242	0	1	0	0	0	0	1	4	9	16	19	33	42	42	26	49		
LYMPHOSARCOMA AND RETICULOSARCOMA (200)																			
MALE	10	0	0	0	0	0	0	0	2	1	1	0	1	2	1	2	0		
FEMALE	9	0	0	0	0	0	0	0	0	1	1	1	0	0	2	1	3		
TOTALS	19	0	0	0	0	0	0	0	2	2	2	1	1	2	3	3	3		
HODGKIN'S DISEASE (201)																			
MALE	5	0	0	0	0	0	0	1	2	0	0	0	0	0	1	1	0		
FEMALE	5	0	0	0	0	0	0	0	2	0	0	1	0	0	1	1	0		
TOTALS	10	0	0	0	0	0	0	1	4	0	0	1	0	0	2	2	0		
OTHER MALIGNANT NEOPLASM OF LYMPHOID AND HISTIOCYTIC TISSUE (202)																			
MALE	37	0	0	0	0	0	1	0	4	5	1	2	5	3	8	3	5		
FEMALE	49	0	0	0	0	0	0	0	1	1	0	6	5	9	6	13	8		
TOTALS	86	0	0	0	0	0	1	0	5	6	1	8	10	12	14	16	13		

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.  
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)																		
MALE	36	0	0	0	0	0	0	0	2	1	3	3	6	7	6	7	1	
FEMALE	19	0	0	0	0	0	0	0	1	2	1	1	1	5	2	3	3	
TOTALS	55	0	0	0	0	0	0	0	3	3	4	4	7	12	8	10	4	
LYMPHOID LEUKEMIA (204)																		
MALE	16	0	1	0	1	1	0	0	1	0	1	1	5	2	2	0	1	
FEMALE	10	0	0	0	0	0	0	0	0	1	0	1	1	1	2	2	2	
TOTALS	26	0	1	0	1	1	0	0	1	1	1	2	6	3	4	2	3	
MYELOID LEUKEMIA (205)																		
MALE	21	0	0	0	0	0	0	3	1	2	1	3	1	1	4	3	2	
FEMALE	26	0	0	0	0	0	2	1	1	1	3	1	2	5	4	2	4	
TOTALS	47	0	0	0	0	0	2	4	2	3	4	4	3	6	8	5	6	
MONOCYTIC LEUKEMIA (206)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
FEMALE	2	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	
TOTALS	3	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	0	
OTHER AND UNSPECIFIED LEUKEMIA (207-208)																		
MALE	17	0	1	0	0	0	0	0	0	1	1	2	1	2	4	1	4	
FEMALE	11	0	1	0	0	0	0	0	0	1	0	1	2	3	1	2	0	
TOTALS	28	0	2	0	0	0	0	0	0	2	1	3	3	5	5	3	4	
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS (218-221)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
BENIGN NEOPLASMS OF EYE, BRAIN AND OTHER PARTS OF NERVOUS SYSTEM (224-225)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
BENIGN NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)																		
MALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	
TOTALS	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	
NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)																		
MALE	6	0	0	0	0	0	0	0	0	0	0	1	0	1	2	1	1	
FEMALE	8	0	0	0	0	0	0	0	1	1	1	0	0	0	3	0	2	
TOTALS	14	0	0	0	0	0	0	0	1	1	1	1	0	1	5	1	3	
NEOPLASMS OF UNSPECIFIED NATURE (239)																		
MALE	18	0	0	1	0	0	1	2	1	1	1	1	2	1	2	3	2	
FEMALE	14	0	0	0	0	0	0	0	0	0	0	0	2	1	1	1	9	
TOTALS	32	0	0	1	0	0	1	2	1	1	1	1	4	2	3	4	11	
DISORDERS OF THYROID GLAND (240-246)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
DIABETES MELLITUS (250)																	
MALE	137	0	0	0	0	0	0	4	6	12	10	8	17	25	24	16	15
FEMALE	159	0	0	0	0	0	0	3	2	12	12	6	24	16	24	25	35
TOTALS	296	0	0	0	0	0	0	7	8	24	22	14	41	41	48	41	50
DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
DISORDERS OF ADRENAL GLANDS (255)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
OBESITY (278.0)																	
MALE	4	0	0	0	0	0	0	0	0	0	2	0	1	0	1	0	0
FEMALE	3	0	0	0	0	0	0	1	1	0	0	0	1	0	0	0	0
TOTALS	7	0	0	0	0	0	0	1	1	0	2	0	2	0	1	0	0
ALL OTHER ENDOCRINE, METABOLIC DISEASES & IMMUNITY DISORD. (251-252, 256-259, 270, 276, 277.1-277.9, 278.1-279)																	
MALE	27	2	2	0	1	0	0	1	2	2	2	3	1	4	3	1	3
FEMALE	22	2	0	0	0	0	0	1	1	0	1	1	2	0	0	4	10
TOTALS	49	4	2	0	1	0	0	2	3	2	3	4	3	4	3	5	13
NUTRITIONAL MARASMUS (261)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
OTHER PROTEIN-CALORIE MALNUTRITION (262-263)																	
MALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4
FEMALE	10	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	8
TOTALS	16	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	12
DEFICIENCY ANEMIAS (280-281)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
HEMOLYTIC ANEMIAS (282-283)																	
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
TOTALS	3	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1
APLASTIC ANEMIA (284)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	1
TOTALS	8	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	3
OTHER AND UNSPECIFIED ANEMIAS (285)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	4	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	3
TOTALS	5	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	4

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.  
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS



TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)																	
MALE	2	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0
FEMALE	4	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	2
TOTALS	6	0	0	0	0	0	0	1	0	1	0	0	0	1	1	0	2
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)																	
MALE	14	0	0	0	0	1	0	0	1	0	1	1	1	0	2	2	5
FEMALE	8	0	0	0	0	0	0	0	0	0	2	0	1	0	2	2	1
TOTALS	22	0	0	0	0	1	0	0	1	0	3	1	2	0	4	4	6
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)																	
MALE	20	0	0	0	0	0	0	0	0	0	0	0	1	0	2	6	11
FEMALE	60	0	0	0	0	0	0	0	0	0	0	0	2	2	9	20	27
TOTALS	80	0	0	0	0	0	0	0	0	0	0	0	3	2	11	26	38
ALCOHOLIC PSYCHOSES (291)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
ALL OTHER PHYCHOSES (292-299)																	
MALE	19	0	0	0	0	0	0	1	2	0	0	0	2	2	4	2	6
FEMALE	20	0	0	0	0	0	0	0	0	0	0	1	0	1	1	4	13
TOTALS	39	0	0	0	0	0	0	1	2	0	0	1	2	3	5	6	19
ALCOHOL DEPENDENCE SYNDROME (303)																	
MALE	19	0	0	0	0	0	0	0	2	2	1	6	6	0	1	0	1
FEMALE	5	0	0	0	0	0	0	0	0	0	0	1	2	2	0	0	0
TOTALS	24	0	0	0	0	0	0	0	2	2	1	7	8	2	1	0	1
DRUG DEPENDENCE (304)																	
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
OTHER NEUROTIC, PERSONALITY AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)																	
MALE	10	0	0	0	0	0	0	1	0	0	0	2	1	2	0	0	4
FEMALE	18	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	12
TOTALS	28	0	0	0	0	0	0	1	0	0	0	2	1	2	1	5	16
MENTAL RETARDATION (317-319)																	
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
MENINGITIS (320-322)																	
MALE	3	1	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0
TOTALS	5	1	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0
PARKINSON'S DISEASE (332)																	
MALE	34	0	0	0	0	0	0	0	0	0	0	1	4	4	9	7	9
FEMALE	25	0	0	0	0	0	0	0	0	0	0	0	0	2	5	6	12
TOTALS	59	0	0	0	0	0	0	0	0	0	0	1	4	6	14	13	21

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)																		
MALE	71	1	0	0	0	0	1	0	3	1	3	3	5	8	10	13	23	
FEMALE	115	0	0	0	0	0	0	0	0	0	0	2	5	17	12	28	51	
TOTALS	186	1	0	0	0	0	1	0	3	1	3	5	10	25	22	41	74	
MULTIPLE SCLEROSIS (340)																		
FEMALE	6	0	0	0	0	0	0	1	2	0	0	2	1	0	0	0	0	
TOTALS	6	0	0	0	0	0	0	1	2	0	0	2	1	0	0	0	0	
INFANTILE CEREBRAL PALSY (343)																		
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
FEMALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	
EPILEPSY (345)																		
MALE	3	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	
TOTALS	3	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	
OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)																		
MALE	19	0	0	0	0	3	0	1	1	0	2	2	0	4	2	2	2	
FEMALE	11	0	0	0	0	1	0	0	1	1	1	0	1	1	0	2	3	
TOTALS	30	0	0	0	0	4	0	1	2	1	3	2	1	5	2	4	5	
DISEASES OF MITRAL VALVE (394)																		
MALE	6	0	0	0	0	0	0	0	1	0	0	0	0	2	1	0	2	
FEMALE	9	0	0	0	0	0	0	0	0	0	1	2	0	1	1	3	1	
TOTALS	15	0	0	0	0	0	0	0	1	0	1	2	0	3	2	3	3	
DISEASES OF MITRAL AND AORTIC VALVES (396)																		
MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	
FEMALE	4	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	1	
TOTALS	7	0	0	0	0	0	0	0	0	0	1	0	1	4	0	0	1	
ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)																		
MALE	4	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	
FEMALE	10	0	0	0	0	0	0	0	0	1	1	0	2	1	1	2	2	
TOTALS	14	0	0	0	0	0	0	0	0	1	1	0	3	2	1	3	3	
ESSENTIAL HYPERTENSION (401)																		
MALE	4	0	0	0	0	0	0	0	0	0	0	0	1	2	1	0	0	
FEMALE	18	0	0	0	0	0	0	0	0	1	0	0	2	2	2	3	8	
TOTALS	22	0	0	0	0	0	0	0	0	1	0	0	3	4	3	3	8	
HYPERTENSIVE HEART DISEASE (402)																		
MALE	31	0	0	0	0	0	0	0	1	3	5	3	3	3	5	3	5	
FEMALE	53	0	0	0	0	0	0	0	0	0	1	3	2	8	7	4	28	
TOTALS	84	0	0	0	0	0	0	0	1	3	6	6	5	11	12	7	33	
HYPERTENSIVE RENAL DISEASE (403)																		
MALE	7	0	0	0	0	0	0	0	0	0	0	0	1	0	2	2	2	
FEMALE	16	0	0	0	0	0	0	0	0	0	0	1	2	3	2	4	4	
TOTALS	23	0	0	0	0	0	0	0	0	0	0	1	3	3	4	6	6	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
HYPERTENSIVE HEART AND RENAL DISEASE (404)																	
MALE	4	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	2
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	4
TOTALS	13	0	0	0	0	0	0	0	0	0	1	0	0	0	2	4	6
ACUTE MYOCARDIAL INFARCTION (410)																	
MALE	659	0	0	0	0	0	0	2	19	51	46	61	87	89	95	107	102
FEMALE	521	0	0	0	0	0	0	0	3	12	13	24	46	57	90	109	167
TOTALS	1,180	0	0	0	0	0	0	2	22	63	59	85	133	146	185	216	269
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)																	
MALE	11	0	0	0	0	0	0	0	0	1	0	3	3	2	1	1	0
FEMALE	8	0	0	0	0	0	0	0	0	2	1	2	2	0	0	1	0
TOTALS	19	0	0	0	0	0	0	0	0	3	1	5	5	2	1	2	0
ANGINA PECTORIS (413)																	
MALE	5	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	2
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
TOTALS	7	0	0	0	0	0	0	0	0	1	0	0	1	0	1	2	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)																	
MALE	631	0	0	0	0	0	0	2	15	28	29	44	71	100	102	97	143
FEMALE	711	0	0	0	0	0	0	0	3	7	8	20	29	57	91	127	369
TOTALS	1,342	0	0	0	0	0	0	2	18	35	37	64	100	157	193	224	512
DISEASES OF PULMONARY CIRCULATION (415-417)																	
MALE	20	1	0	0	0	0	0	1	1	2	2	0	4	3	5	0	1
FEMALE	28	0	0	0	0	0	0	0	1	2	1	2	3	7	5	1	6
TOTALS	48	1	0	0	0	0	0	1	2	4	3	2	7	10	10	1	7
ACUTE AND SUBACUTE ENDOCARDITIS (421)																	
MALE	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
ACUTE PERICARDITIS, ACUTE MYOCARDITIS AND OTHER DISEASES OF PERICARDIUM (420,422-423)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0
FEMALE	2	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
TOTALS	6	0	0	0	0	0	0	0	0	1	0	1	0	2	0	2	0
MITRAL VALVE DISORDERS (424.0)																	
MALE	6	0	0	0	0	0	0	1	0	0	0	0	1	0	1	1	2
FEMALE	12	0	0	0	0	0	0	0	0	0	1	0	0	1	0	2	8
TOTALS	18	0	0	0	0	0	0	1	0	0	1	0	1	1	1	3	10
AORTIC VALVE DISORDERS (424.1)																	
MALE	34	0	0	0	0	0	0	0	1	1	4	2	1	4	6	5	10
FEMALE	34	0	0	0	0	0	0	0	0	0	0	1	0	2	4	6	21
TOTALS	68	0	0	0	0	0	0	0	1	1	4	3	1	6	10	11	31

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.  
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																	OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84			
(CONT.)																			
ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)																			
MALE	7	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	5		
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	4		
TOTALS	14	0	0	0	0	0	0	0	0	0	0	0	1	0	0	4	9		
HEART FAILURE (428)																			
MALE	86	0	0	0	0	0	0	1	0	0	0	7	13	5	16	17	27		
FEMALE	121	0	0	0	0	0	0	0	0	1	1	0	3	7	6	24	79		
TOTALS	207	0	0	0	0	0	0	1	0	1	1	7	16	12	22	41	106		
MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)																			
MALE	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1		
TOTALS	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1		
ALL OTHER FORMS OF HEART DISEASE (425-427, 429.2-429.9)																			
MALE	323	0	0	0	0	0	1	0	8	16	21	27	39	51	48	46	66		
FEMALE	328	0	0	1	0	2	0	0	2	2	5	16	19	31	41	57	152		
TOTALS	651	0	0	1	0	2	1	0	10	18	26	43	58	82	89	103	218		
SUBARACHNOID HEMORRHAGE (430)																			
MALE	13	0	0	0	0	0	1	2	1	1	2	2	1	1	1	1	0		
FEMALE	13	0	0	0	0	0	1	0	0	2	2	3	1	1	1	0	2		
TOTALS	26	0	0	0	0	0	2	2	1	3	4	5	2	2	2	1	2		
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)																			
MALE	32	0	0	0	0	0	0	1	1	0	2	3	6	4	5	6	4		
FEMALE	56	0	0	0	0	0	1	1	1	1	1	4	4	8	7	12	16		
TOTALS	88	0	0	0	0	0	1	2	2	1	3	7	10	12	12	18	20		
OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)																			
MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0		
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2		
TOTALS	7	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	2		
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0, 434.9)																			
MALE	25	0	0	0	0	0	0	0	0	1	0	1	5	3	3	7	5		
FEMALE	40	0	1	0	0	0	0	0	0	1	0	0	2	0	6	8	22		
TOTALS	65	0	1	0	0	0	0	0	0	2	0	1	7	3	9	15	27		
CEREBRAL EMBOLISM (434.1)																			
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2		
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2		
ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)																			
MALE	170	0	0	0	0	0	0	0	2	4	3	13	17	29	21	38	43		
FEMALE	223	0	0	0	0	0	0	0	0	0	0	1	8	14	29	42	129		
TOTALS	393	0	0	0	0	0	0	0	2	4	3	14	25	43	50	80	172		
OTHER CEREBROVASCULAR DISEASE (435, 437-438)																			
MALE	22	0	0	0	0	0	0	0	0	0	1	0	0	3	4	8	6		
FEMALE	59	0	0	0	0	0	0	0	0	0	0	0	2	5	4	5	43		
TOTALS	81	0	0	0	0	0	0	0	0	0	1	0	2	8	8	13	49		

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
ATHEROSCLEROSIS (440)																	
MALE	42	0	0	0	0	0	0	0	0	3	1	1	2	5	10	7	13
FEMALE	68	0	0	0	0	0	0	0	0	0	0	0	1	4	5	12	46
TOTALS	110	0	0	0	0	0	0	0	0	3	1	1	3	9	15	19	59
AORTIC ANEURYSM (441)																	
MALE	67	0	0	0	0	0	0	0	0	1	2	5	13	9	15	12	10
FEMALE	44	0	0	0	0	0	0	0	0	1	1	2	3	8	7	10	12
TOTALS	111	0	0	0	0	0	0	0	0	2	3	7	16	17	22	22	22
ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)																	
MALE	23	0	0	0	0	0	0	0	0	3	2	2	3	1	2	4	6
FEMALE	38	0	0	0	0	0	0	0	1	1	0	4	4	4	5	7	12
TOTALS	61	0	0	0	0	0	0	0	1	4	2	6	7	5	7	11	18
PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)																	
MALE	4	0	0	0	0	0	0	0	2	0	1	0	0	0	0	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	5	0	0	0	0	0	0	0	2	0	1	0	0	0	0	0	2
OTHER DISEASES OF VEINS, LYMPHATICS, AND CIRCULATORY SYSTEM (454-459)																	
MALE	7	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1	3
FEMALE	14	0	0	0	0	0	0	0	0	0	1	0	1	2	2	2	6
TOTALS	21	0	0	0	0	0	0	0	0	0	2	1	1	3	2	3	9
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)																	
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)																	
MALE	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	3	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
VIRAL PNEUMONIA (480)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)																	
MALE	17	0	0	0	0	0	0	0	0	0	2	2	2	0	4	3	4
FEMALE	6	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	2
TOTALS	23	0	0	0	0	0	0	0	0	0	2	3	3	0	5	4	6
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)																	
MALE	12	0	0	0	0	1	0	0	0	0	1	0	0	0	0	3	7
FEMALE	15	0	0	0	0	0	0	0	1	0	0	0	0	0	2	1	11
TOTALS	27	0	0	0	0	1	0	0	1	0	1	0	0	0	2	4	18

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.  
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)																	
MALE	139	1	0	0	0	0	0	4	1	3	5	4	8	11	20	22	60
FEMALE	172	0	0	0	0	0	0	0	0	1	1	4	3	9	14	34	106
TOTALS	311	1	0	0	0	0	0	4	1	4	6	8	11	20	34	56	166
INFLUENZA (487)																	
MALE	4	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	3
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	6
TOTALS	11	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	9
BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
FEMALE	3	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	2
TOTALS	5	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	3
CHRONIC BRONCHITIS (491)																	
MALE	7	0	0	0	0	0	0	0	0	0	0	1	0	0	3	1	2
FEMALE	8	0	0	0	0	0	0	0	0	0	0	1	0	4	1	0	2
TOTALS	15	0	0	0	0	0	0	0	0	0	0	2	0	4	4	1	4
EMPHYSEMA (492)																	
MALE	44	0	0	0	0	0	0	0	0	1	2	4	5	10	9	7	6
FEMALE	38	0	0	0	0	0	0	0	0	3	0	3	2	12	5	7	6
TOTALS	82	0	0	0	0	0	0	0	0	4	2	7	7	22	14	14	12
ASTHMA (493)																	
MALE	6	0	0	0	0	0	0	0	1	0	0	2	0	0	1	1	1
FEMALE	12	0	0	0	0	0	0	0	1	1	1	0	2	1	1	2	3
TOTALS	18	0	0	0	0	0	0	0	2	1	1	2	2	1	2	3	4
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	1
CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)																	
MALE	231	0	0	0	0	0	0	0	1	5	5	19	26	28	56	44	47
FEMALE	170	0	0	0	0	0	0	0	0	7	7	19	20	22	37	30	28
TOTALS	401	0	0	0	0	0	0	0	1	12	12	38	46	50	93	74	75
PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)																	
MALE	21	0	0	0	0	0	0	0	0	0	0	0	1	7	1	6	6
FEMALE	16	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1	13
TOTALS	37	0	0	0	0	0	0	1	0	0	0	0	1	8	1	7	19
EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	4	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
PLEURISY (511)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)																	
MALE	42	1	0	0	1	0	1	0	0	2	0	2	2	9	12	7	5
FEMALE	45	2	0	0	0	0	1	0	1	4	2	3	5	5	6	5	11
TOTALS	87	3	0	0	1	0	2	0	1	6	2	5	7	14	18	12	16
DISEASES OF ORAL CAVITY, SALIVARY GLANDS AND JAWS (520-529)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
GASTRIC ULCER (531)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0
FEMALE	8	0	0	0	1	0	0	0	0	0	1	0	1	0	1	3	1
TOTALS	12	0	0	0	1	0	0	0	0	0	1	0	2	2	1	4	1
DUODENAL ULCER (532)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	1
FEMALE	6	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	2
TOTALS	11	0	0	0	0	0	0	0	0	0	0	1	0	2	3	2	3
PEPTIC ULCER, SITE UNSPECIFIED (533)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	3
TOTALS	11	0	0	0	0	0	0	0	0	0	0	0	1	3	1	3	3
GASTRITIS AND DUODENITIS (535)																	
MALE	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
TOTALS	4	0	0	0	0	0	0	0	0	1	1	0	0	1	1	0	0
APPENDICITIS (540-543)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)																	
MALE	9	0	0	0	0	0	0	0	0	1	0	1	0	0	3	1	3
FEMALE	25	0	0	0	0	0	0	0	0	0	1	1	1	2	6	5	9
TOTALS	34	0	0	0	0	0	0	0	0	1	1	2	1	2	9	6	12
REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)																	
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)																	
MALE	13	0	0	1	0	0	0	0	0	0	0	0	3	3	1	4	1
FEMALE	35	0	0	0	0	0	0	0	1	0	0	1	3	3	3	9	15
TOTALS	48	0	0	1	0	0	0	0	1	0	0	1	6	6	4	13	16

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
DIVERTICULA OF INTESTINE (562)																	
MALE	2	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0
FEMALE	21	0	0	0	0	0	0	0	0	0	1	0	1	1	2	6	10
TOTALS	23	0	0	0	0	0	0	0	1	0	1	0	2	1	2	6	10
CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)																	
MALE	35	0	0	0	0	0	0	0	3	5	7	8	2	4	4	2	0
FEMALE	15	0	0	0	0	0	0	1	1	2	2	3	0	2	3	1	0
TOTALS	50	0	0	0	0	0	0	1	4	7	9	11	2	6	7	3	0
CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)																	
MALE	3	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0
FEMALE	8	0	0	0	0	0	0	0	0	0	0	1	1	1	2	1	2
TOTALS	11	0	0	0	0	0	0	0	0	0	1	2	1	1	2	2	2
CIRRHOSIS OF LIVER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)																	
MALE	42	0	0	0	0	0	0	0	0	4	3	7	8	6	6	7	1
FEMALE	33	0	0	0	0	0	0	0	1	2	0	3	3	4	12	4	4
TOTALS	75	0	0	0	0	0	0	0	1	6	3	10	11	10	18	11	5
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)																	
MALE	8	0	0	0	0	0	0	0	0	0	0	0	1	1	3	1	2
FEMALE	8	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	6
TOTALS	16	0	0	0	0	0	0	0	0	0	1	0	1	1	3	2	8
ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)																	
MALE	54	0	0	0	0	0	0	0	1	1	1	6	3	8	9	11	14
FEMALE	64	0	0	1	0	0	0	1	2	5	2	5	3	4	7	9	25
TOTALS	118	0	0	1	0	0	0	1	3	6	3	11	6	12	16	20	39
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, AND RENAL SCLEROSIS (582-583,587)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3
RENAL FAILURE (584-586,588-589)																	
MALE	39	0	0	0	0	0	0	0	0	1	0	0	2	7	7	12	10
FEMALE	59	0	0	0	0	0	0	0	0	1	1	0	5	4	8	12	28
TOTALS	98	0	0	0	0	0	0	0	0	2	1	0	7	11	15	24	38
INFECTIONS OF KIDNEY (590)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2
TOTALS	5	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	3
URINARY CALCULUS (592,594)																	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS



TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)																		
MALE	20	0	0	0	0	0	0	1	1	0	0	2	0	1	3	4	8	
FEMALE	39	0	0	0	0	0	0	0	0	1	1	0	2	4	7	7	17	
TOTALS	59	0	0	0	0	0	0	1	1	1	1	2	2	5	10	11	25	
HYPERPLASIA OF PROSTATE (600)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
OTHER DISEASES OF MALE GENITAL ORGANS (601-608)																		
MALE	3	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	1	
TOTALS	3	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	1	
COMPLICATIONS OF THE PUERPERIUM (670-676)																		
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES (714)																		
MALE	3	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	
FEMALE	13	0	0	0	0	0	0	0	0	0	1	2	1	2	4	2	1	
TOTALS	16	0	0	0	0	0	0	0	0	1	1	3	2	2	4	2	1	
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)																		
MALE	7	0	0	0	0	0	0	0	0	1	0	1	0	1	3	0	1	
FEMALE	13	0	0	0	0	0	0	1	0	1	0	1	0	3	1	1	5	
TOTALS	20	0	0	0	0	0	0	1	0	2	0	2	0	4	4	1	6	
DORSOPATHIES (720-724)																		
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	
RHEUMATISM, EXCLUDING THE BACK (725-729)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
OSTEOPATHIES, CHONDROPATHIES AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
FEMALE	5	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	2	
TOTALS	6	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1	2	
SPINA BIFIDA (741)																		
MALE	2	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	2	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)																		
MALE	4	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	6	5	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
TOTALS	10	7	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
CONGENITAL ANOMALIES OF HEART (745-746)																		
MALE	10	5	2	0	0	0	1	1	0	0	0	0	0	1	0	0	0	0
FEMALE	5	2	1	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
TOTALS	15	7	3	0	0	0	1	1	0	1	0	0	0	1	0	0	1	0
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)																		
MALE	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	3	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)																		
MALE	9	5	1	0	0	0	0	1	1	0	0	1	0	0	0	0	0	0
FEMALE	11	2	1	1	0	0	0	1	0	1	0	2	1	0	1	1	1	0
TOTALS	20	7	2	1	0	0	0	2	1	1	0	3	1	0	1	1	1	0
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA AND RESPIRATORY DISTRESS SYNDROME (768-769)																		
MALE	8	7	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	14	13	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)																		
MALE	30	30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	7	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	37	37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5
TOTALS	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	6
SYMPTOMS, SIGNS AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)																		
MALE	34	10	1	0	0	0	0	0	3	3	4	2	1	1	0	4	5	5
FEMALE	38	7	0	0	0	0	0	1	2	1	0	0	0	1	2	7	17	17
TOTALS	72	17	1	0	0	0	0	1	5	4	4	2	1	2	2	11	22	22
RAILWAY ACCIDENTS (E800-E807)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH TRAIN (E810)																		
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)																		
MALE	48	0	1	2	1	8	7	11	3	3	1	2	2	3	1	2	1	1
FEMALE	40	0	1	0	0	6	3	8	5	1	2	2	1	7	2	1	1	1
TOTALS	88	0	2	2	1	14	10	19	8	4	3	4	3	10	3	3	2	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH PEDESTRIAN (E814)																		
MALE	6	0	0	0	0	1	1	0	0	0	0	1	0	2	0	0	1	
FEMALE	4	0	0	0	0	1	0	0	1	0	0	0	0	0	2	0	0	
TOTALS	10	0	0	0	0	2	1	0	1	0	0	1	0	2	2	0	1	
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)																		
MALE	10	0	0	0	1	2	0	1	2	2	0	0	0	1	1	0	0	
FEMALE	5	0	0	0	0	0	1	0	2	1	0	0	0	0	0	1	0	
TOTALS	15	0	0	0	1	2	1	1	4	3	0	0	0	1	1	1	0	
MOTOR VEHICLE TRAFFIC ACCIDENTS NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)																		
MALE	45	0	0	0	2	9	9	7	6	4	1	1	1	1	2	0	2	
FEMALE	20	0	0	0	0	11	3	1	2	0	0	0	2	0	1	0	0	
TOTALS	65	0	0	0	2	20	12	8	8	4	1	1	3	1	3	0	2	
MOTOR VEHICLE TRAFFIC ACCIDENTS OF UNSPECIFIED NATURE (E819)																		
MALE	4	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	
FEMALE	3	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	0	
TOTALS	7	0	0	0	0	0	2	2	1	0	0	0	1	1	0	0	0	
MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)																		
MALE	5	0	0	0	0	0	1	3	1	0	0	0	0	0	0	0	0	
TOTALS	5	0	0	0	0	0	1	3	1	0	0	0	0	0	0	0	0	
OTHER ROAD VEHICLE ACCIDENTS (E826-E829)																		
MALE	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	
WATER TRANSPORT ACCIDENTS (E830-E838)																		
MALE	8	0	0	1	1	1	0	2	2	1	0	0	0	0	0	0	0	
FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
TOTALS	9	0	0	1	1	1	1	2	2	1	0	0	0	0	0	0	0	
AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)																		
MALE	4	0	0	0	0	0	0	1	0	2	1	0	0	0	0	0	0	
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
TOTALS	5	0	0	0	0	0	0	2	0	2	1	0	0	0	0	0	0	
VEHICLE ACCIDENTS NOT ELSEWHERE CLASSIFIABLE (E846-E848)																		
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS (E850-E858)																		
MALE	7	0	0	0	0	0	0	4	1	1	0	0	0	0	0	0	1	
FEMALE	2	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	
TOTALS	9	0	0	0	0	0	0	4	2	1	0	0	0	1	0	0	1	
ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)																		
MALE	2	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
***** AGE AT DEATH(YRS.) *****																	
(CONT.)																	
ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)																	
MALE	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
TOTALS	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)																	
MALE	3	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1
FEMALE	5	1	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1
TOTALS	8	1	0	0	0	0	0	0	0	1	0	2	0	1	0	1	2
FALL FROM ONE LEVEL TO ANOTHER (E880-E884)																	
MALE	19	0	0	0	0	1	1	4	3	2	0	0	4	3	0	1	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	20	0	0	0	0	1	1	4	3	2	0	0	5	3	0	1	0
FALL ON SAME LEVEL (E885-E886)																	
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	4	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	1
FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)																	
MALE	21	0	0	0	0	0	0	0	1	0	1	0	1	1	1	4	12
FEMALE	36	0	0	0	0	0	0	0	1	1	0	0	0	2	3	5	24
TOTALS	57	0	0	0	0	0	0	0	2	1	1	0	1	3	4	9	36
ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)																	
MALE	6	0	0	0	0	0	1	1	0	1	0	1	0	1	0	0	1
FEMALE	6	0	0	1	0	0	1	1	1	0	1	0	0	0	0	1	0
TOTALS	12	0	0	1	0	0	2	2	1	1	1	1	0	1	0	1	1
ACCIDENTAL DROWNING AND SUBMERSION (E910)																	
MALE	12	0	2	0	0	3	1	1	1	1	2	0	1	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	13	0	2	0	0	3	1	1	2	1	2	0	1	0	0	0	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING SUFFOCATION (E911-E912)																	
MALE	10	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	5
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
TOTALS	12	0	0	0	0	0	0	0	0	0	0	0	0	0	3	4	5
ACCIDENT CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS (E922.1-E922.9)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
ACCIDENT CAUSED BY EXPLOSIVE MATERIAL (E923)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
ACCIDENT CAUSED BY HOT SUBSTANCE OR OBJECT, CAUSTIC OR CORROSIVE MATERIAL (E924,E926)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																	OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84			
(CONT.)																			
ACCIDENT CAUSED BY ELECTRIC CURRENT (E925)																			
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
ALL OTHER ACCIDENTS (E900-E906,E908-E909,E913-E921,E927-E929)																			
MALE	29	2	0	1	1	1	2	5	3	1	1	2	3	0	2	0	5	5	
FEMALE	13	1	1	0	0	0	0	1	1	2	1	0	0	0	1	1	4	4	
TOTALS	42	3	1	1	1	1	2	6	4	3	2	2	3	0	3	1	9	9	
SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)																			
MALE	6	0	0	0	0	0	0	0	3	1	1	1	0	0	0	0	0	0	
FEMALE	7	0	0	0	0	0	0	2	3	0	1	0	0	0	0	0	1	1	
TOTALS	13	0	0	0	0	0	0	2	6	1	2	1	0	0	0	0	1	1	
SUICIDE BY GASES AND VAPORS (E951-E952)																			
MALE	12	0	0	0	0	0	0	2	4	3	0	2	0	0	1	0	0	0	
FEMALE	3	0	0	0	0	0	1	1	0	0	0	0	0	1	0	0	0	0	
TOTALS	15	0	0	0	0	0	1	3	4	3	0	2	0	1	1	0	0	0	
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)																			
MALE	20	0	0	0	0	1	3	5	4	2	0	3	0	0	1	0	1	1	
FEMALE	4	0	0	0	0	0	0	2	0	1	0	0	0	0	1	0	0	0	
TOTALS	24	0	0	0	0	1	3	7	4	3	0	3	0	0	2	0	1	1	
SUICIDE BY HANDGUN (E955.0)																			
MALE	21	0	0	0	0	3	4	6	2	2	2	1	0	1	0	0	0	0	
FEMALE	7	0	0	0	0	0	1	4	0	1	0	0	0	1	0	0	0	0	
TOTALS	28	0	0	0	0	3	5	10	2	3	2	1	0	2	0	0	0	0	
SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)																			
MALE	78	0	0	0	2	7	9	18	7	10	2	3	5	6	7	1	1	1	
FEMALE	5	0	0	0	0	1	0	3	1	0	0	0	0	0	0	0	0	0	
TOTALS	83	0	0	0	2	8	9	21	8	10	2	3	5	6	7	1	1	1	
SUICIDE BY ALL OTHER MEANS (E954,E955.5-E959)																			
MALE	7	0	0	0	0	1	1	0	1	0	2	1	0	0	1	0	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
TOTALS	8	0	0	0	0	1	1	0	1	0	2	2	0	0	1	0	0	0	
ASSAULT BY HANDGUN (E965.0)																			
MALE	2	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	
FEMALE	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	
TOTALS	4	0	0	0	0	1	0	0	0	1	1	1	0	0	0	0	0	0	
ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)																			
MALE	3	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	
FEMALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	4	0	0	0	0	1	0	2	1	0	0	0	0	0	0	0	0	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.  
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)																	
MALE	5	0	0	0	0	0	3	1	0	0	0	1	0	0	0	0	0
TOTALS	5	0	0	0	0	0	3	1	0	0	0	1	0	0	0	0	0
ASSAULT BY ALL OTHER MEANS (E960-E964,E965.5-E965.9,E967-E969)																	
MALE	8	1	0	0	0	0	0	2	1	3	1	0	0	0	0	0	0
FEMALE	3	0	1	0	0	0	0	2	0	0	0	0	0	0	0	0	0
TOTALS	11	1	1	0	0	0	0	4	1	3	1	0	0	0	0	0	0
INJURY INFLICTED FROM POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS (E980.0-E980.5)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
INJURY INFLICTED BY ALL OTHER AND UNSPECIFIED FIREARMS (E985.1-E985.4)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
INJURY INFLICTED BY ALL OTHER MEANS (E981-E984,E985.5-E989)																	
MALE	3	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0
TOTALS	3	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0
STATE																	
MALE	5,614	74	16	7	13	48	54	142	206	321	299	480	652	759	857	757	929
FEMALE	5,575	38	9	4	2	24	16	60	104	193	184	290	425	596	758	909	1,963
TOTALS	11,189	112	25	11	15	72	70	202	310	514	483	770	1,077	1,355	1,615	1,666	2,892
PERCENT DISTRIBUTION																	
MALE	100.00	1.32	0.29	0.12	0.23	0.86	0.96	2.53	3.67	5.72	5.33	8.55	11.61	13.52	15.27	13.48	16.55
FEMALE	100.00	0.68	0.16	0.07	0.04	0.43	0.29	1.08	1.87	3.46	3.30	5.20	7.62	10.69	13.60	16.30	35.21
TOTALS	100.00	1.00	0.22	0.10	0.13	0.64	0.63	1.81	2.77	4.59	4.32	6.88	9.63	12.11	14.43	14.89	25.85

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.  
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-4

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS  
AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
SHIGELLOSIS & AMEBIASIS (004.006)	0	0	0.000
OTHER INTESTINAL INFECTIONS (007-009)	5	8	1.600
TUBERCULOSIS OF RESP. SYSTEM (010-012)	1	4	4.000
OTHER TUBERCULOSIS (013-018)	5	9	1.800
WHOOPING COUGH (033)	0	0	0.000
STREP., SCARLATINA & ERYSIPELAS (034-035)	0	0	0.000
MENINGOCOCCAL INFECTION (036)	1	1	1.000
SEPTICEMIA (038)	73	404	5.534
ACUTE POLIOMYELITIS (045)	0	0	0.000
MEASLES (055)	0	0	0.000
VIRAL HEPATITIS (070)	4	8	2.000
SYPHILIS (090-097)	0	0	0.000
ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL)	71	108	1.521
MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149)	59	62	1.050
MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159)	673	765	1.136
MAL. NEO. RESPIRATORY & THORACIC ORG. (160-165)	892	969	1.086
MAL. NEO. BREAST (174-175)	219	288	1.315
MAL. NEO. GENITAL ORGANS (179-187)	339	409	1.206
MAL. NEO. URINARY ORGANS (188-189)	107	140	1.308
MAL. NEO. ALL OTHER & UNSPEC. (170-173, 190-199)	363	581	1.600
LEUKEMIA (204-208)	104	134	1.288
OTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203)	170	201	1.182
BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239)	50	76	1.520
DIABETES MELLITUS (250)	296	938	3.168
NUTRITIONAL DEFICIENCIES (260-269)	17	179	10.529
ANEMIAS (280-285)	17	222	13.058
MENINGITIS (320-322)	5	11	2.200
RHEUM. FEVER & RHEUM. HEART DIS. (390-398)	36	67	1.861
HYPERTENSIVE HEART DISEASE (402)	84	188	2.238
HYPERTENSIVE HEART & RENAL DIS. (404)	13	25	1.923
ACUTE MYOCARDIAL INFARCTION (410)	1,180	1,395	1.182
OTHER ACUTE & SUBACUTE I.H.D. (411)	19	41	2.157
ANGINA PECTORIS (413)	7	78	11.142
ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414)	1,342	2,429	1.809
OTHER DISEASES OF ENDOCARDIUM (424)	100	210	2.100
ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429)	916	3,844	4.196
HYPERTENSION W/WO RENAL DISEASE (401, 403)	45	645	14.333
INTRACEREBRAL HEMORRHAGE (431-432)	88	127	1.443
CEREB. THROM. & UNSPEC. OCCLUSION (434.0, 434.9)	65	120	1.846

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

\* SEE THE NOTES AT THE END OF THIS TABLE.

DEARAT

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-4

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS  
AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
CEREBRAL EMBOLISM (434.1)	2	9	4.500
ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438)	507	1,059	2.088
ATHEROSCLEROSIS (440)	110	489	4.445
OTHER DIS. ARTERIES & CAPIL. (441-448)	172	326	1.895
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	3	8	2.666
PNEUMONIA (480-486)	363	1,012	2.787
INFLUENZA (487)	11	13	1.181
BRONCHITIS CHRONIC & UNSPEC. (490-491)	20	50	2.500
EMPHYSEMA (492)	82	165	2.012
ASTHMA (493)	18	63	3.500
OTHER CHRONIC OBSTR. PUL. DIS. (494-496)	406	1,091	2.687
ULCER OF STOMACH & DUODENUM (531-533)	34	78	2.294
APPENDICITIS (540-543)	1	3	3.000
HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560)	34	111	3.264
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	136	203	1.492
CHOLELITHIASIS & GALLBLAD. DIS. (574-575)	16	38	2.375
ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581)	0	5	0.000
CHRON. GLOMERUL. & RENAL SCLEO. UNSPEC. (582-583, 587)	5	14	2.800
RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589)	98	611	6.234
INFECTIONS OF KIDNEY (590)	5	15	3.000
HYPERPLASIA OF PROSTATE ALL (600)	2	12	6.000
PREGNANCY WITH ABORTIVE OUTCOME (630-638)	0	0	0.000
OTHER COMPLICATIONS OF PREG. (640-676)	1	1	1.000
CONGENITAL ANOMALIES (740-759)	50	76	1.520
BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769)	14	19	1.357
OTHER COND. IN PERINATAL PERIOD (760-766, 770-779)	37	64	1.729
SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799)	79	1,962	24.835
ALL OTHER DISEASES (RESIDUAL)	1,022	3,525	3.449
MOTOR VEHICLE ACCIDENTS (E810-E825)	191	195	1.020
OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949)	204	537	2.632
SUICIDE (E950-E959)	171	173	1.011
HOMICIDE & LEGAL INTERVENTION (E960-E978)	24	25	1.041
ALL OTHER EXTERNAL CAUSES (E980-E999)	5	5	1.000
<b>TOTAL FOR ALL CAUSES</b>	<b>11,189</b>	<b>26,643</b>	<b>2.381</b>

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

\* FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS.

IN ADDITION CERTAIN CAUSES ARE NEVER CLASSIFIABLE AS UNDERLYING. MENTIONS OF THESE CAUSES ARE NOT INCLUDED IN THIS TABLE.  
MENTIONS OF CAUSES NOT CLASSIFIABLE AS UNDERLYING ARE AS FOLLOWS:

NATURE OF INJURY MENTIONS: 1229; SECONDARY NEOPLASM MENTIONS 555  
SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

DEARAT

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS



TABLE D-5

DEATHS - TOTAL AND PERCENT BY SITE OF DEATH  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY	TOTAL DEATHS	***** PERCENT OF TOTAL DEATHS BY SITE OF DEATH *****								
		MAINE HOSPITAL	OUT OF STATE HOSPITAL	EN ROUTE TO HOSPITAL	SKILLED NURSING CARE	INTERMEDIATE CARE FACILITY	STATE PENAL INSTITUTIONS	OUT PATIENT FACILITY	AT HOME	OTHER PLACES
ANDROSCOGGIN	998	49.70	0.60	1.00	0.00	32.26	0.00	0.10	14.23	2.10
AROSTOOK	762	58.53	2.49	1.31	0.00	18.37	0.00	0.00	16.40	2.89
CUMBERLAND	2,111	52.72	1.37	0.90	0.00	24.02	0.00	0.00	19.33	1.66
FRANKLIN	242	47.11	1.24	1.24	0.00	24.38	0.00	0.00	20.25	5.79
HANCOCK	491	57.23	0.61	1.22	0.00	21.38	0.00	0.20	16.90	2.44
KENNEBEC	1,037	46.77	1.93	1.16	0.10	28.83	0.00	0.00	18.42	2.80
KNOX	410	48.29	0.49	1.95	0.00	28.05	0.00	0.00	20.49	0.73
LINCOLN	335	50.15	2.69	0.60	0.30	26.27	0.00	0.00	18.81	1.19
OXFORD	540	52.22	2.04	0.74	0.00	26.67	0.00	0.00	14.63	3.70
PENOBSCOT	1,239	57.71	1.21	1.29	0.00	16.95	0.00	0.00	20.42	2.42
PISCATAQUIS	208	48.56	0.96	0.96	0.00	25.48	0.00	0.00	21.63	2.40
SAGadahoc	267	53.56	0.75	2.25	0.00	16.48	0.00	0.00	23.97	3.00
SOMERSET	503	54.47	1.99	0.80	0.00	20.28	0.00	0.00	19.68	2.78
WALDO	326	54.29	0.00	1.84	0.00	19.94	0.00	0.00	20.25	3.68
WASHINGTON	371	55.80	1.08	0.81	0.00	20.22	0.00	0.81	17.25	4.04
YORK	1,349	48.41	9.12	1.26	0.00	19.42	0.00	0.00	19.42	2.37
STATE TOTALS	11,189	52.31	2.31	1.14	0.02	23.15	0.00	0.04	18.56	2.47

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-6

DEATHS IN HOSPITALS - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN HOSPITALS	***** PERCENT OF TOTAL DEATHS OCCURRING IN HOSPITALS *****								
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS * MOTOR VEHICLE (E800- E810- E825)	OTHER (E800- E807.)
ANDROSCOGGIN	512	5.27	6.64	14.65	11.33	0.78	0.39	1.95	0.78	2.54
AROOSTOOK	474	5.06	9.07	11.18	10.76	1.27	1.05	3.38	1.27	1.27
CUMBERLAND	1,161	6.12	9.91	11.20	10.77	1.21	0.34	2.07	1.38	2.50
FRANKLIN	120	6.67	10.00	13.33	9.17	1.67	0.83	0.83	1.67	0.83
HANCOCK	290	5.17	10.34	12.07	9.66	0.69	0.69	2.76	1.03	2.07
KENNEBEC	519	5.20	9.83	13.68	10.98	1.93	0.39	2.89	0.77	1.93
KNOX	208	5.77	10.10	11.54	11.54	0.48	0.48	3.85	0.48	5.29
LINCOLN	179	5.59	8.38	14.53	7.82	2.23	1.68	1.68	1.68	2.23
OXFORD	298	7.38	8.72	12.42	13.09	0.00	1.01	4.03	1.68	1.01
PENOBSCOT	747	7.10	8.97	12.58	9.64	2.01	0.13	2.28	1.47	2.14
PISCATAQUIS	106	7.55	7.55	13.21	3.77	0.00	0.00	3.77	0.94	0.94
SAGadahoc	151	6.62	8.61	12.58	11.92	2.65	0.00	4.64	0.00	3.97
SOMERSET	288	4.17	10.07	11.81	13.89	0.35	0.35	3.47	2.43	2.08
WALDO	183	1.64	9.29	21.31	5.46	0.00	0.00	3.83	1.64	0.55
WASHINGTON	215	5.12	10.70	13.02	9.77	0.47	0.47	2.33	0.93	1.86
YORK	793	6.94	8.45	12.61	10.59	1.77	0.00	1.89	1.01	1.39
STATE TOTALS	6,244	5.89	9.14	12.73	10.51	1.25	0.42	2.59	1.22	2.05

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-7

DEATHS IN INTERMEDIATE CARE FACILITIES - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN ICF	***** CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	PERCENT OF CANCER OF RESPIRATORY SYSTEM (160-165)	TOTAL DEATHS OCCURRING IN INTERMEDIATE CARE FACILITIES ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS * MOTOR VEHICLE (E810- E825)	OTHER (E800- E807)
ANDROSCOGGIN	322	3.73	4.97	4.97	21.43	0.00	1.55	5.28	0.31	0.31
AROOSTOOK	139	4.32	3.60	2.88	20.14	0.72	1.44	5.04	0.00	1.44
CUMBERLAND	507	4.14	3.94	4.73	18.15	0.59	2.37	6.11	0.00	0.59
FRANKLIN	59	5.08	1.69	1.69	8.47	0.00	0.00	10.17	0.00	0.00
HANCOCK	105	5.71	2.86	5.71	12.38	0.00	2.86	4.76	0.00	1.90
KENNEBEC	295	4.75	3.73	5.08	12.20	0.34	1.69	8.47	0.00	0.68
KNOX	115	2.61	4.35	10.43	12.17	0.87	0.87	4.35	0.00	1.74
LINCOLN	87	0.00	4.60	5.75	12.64	0.00	1.15	8.05	1.15	0.00
OXFORD	143	5.59	3.50	9.09	14.69	0.00	1.40	7.69	0.00	1.40
PENOBSCOT	209	1.44	3.35	4.78	6.70	0.48	0.48	12.92	0.00	0.96
PISCATAQUIS	52	3.85	1.92	5.77	1.92	0.00	3.85	15.38	0.00	0.00
SAGadahoc	44	2.27	0.00	6.82	27.27	0.00	0.00	11.36	0.00	0.00
SOMERSET	102	4.90	10.78	6.86	14.71	0.00	0.00	1.96	0.00	0.00
WALDO	65	9.23	4.62	1.54	4.62	0.00	0.00	12.31	0.00	3.08
WASHINGTON	74	12.16	5.41	5.41	13.51	0.00	2.70	2.70	0.00	2.70
YORK	261	4.60	3.45	4.60	18.77	0.00	0.00	6.51	0.00	0.00
STATE TOTALS	2,579	4.30	4.07	5.27	15.24	0.27	1.40	7.10	0.08	0.78

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-8

DEATHS AT HOME - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS  
MAINE COUNTIES AND STATE TOTALS, 1991 (RESIDENT DATA)

COUNTY	TOTAL DEATHS AT HOME	***** PERCENT OF TOTAL DEATHS OCCURRING AT HOME *****								
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS *	
									MOTOR VEHICLE (E810- E825)	OTHER (E800- E807)
ANDROSCOGGIN	140	7.86	5.71	9.29	27.14	0.00	0.00	0.00	0.00	2.86
AROSTOOK	124	7.26	9.68	8.87	16.13	0.81	0.00	0.81	0.00	0.00
CUMBERLAND	401	7.48	10.72	6.98	15.46	0.00	0.50	0.25	0.00	1.00
FRANKLIN	49	6.12	14.29	18.37	20.41	0.00	0.00	0.00	0.00	0.00
HANCOCK	82	12.20	3.66	14.63	9.76	0.00	1.22	0.00	0.00	2.44
KENNEBEC	190	10.00	13.16	7.89	14.21	0.00	0.00	1.05	0.00	0.53
KNOX	83	3.61	6.02	12.05	18.07	0.00	0.00	1.20	0.00	1.20
LINCOLN	62	14.52	11.29	11.29	6.45	0.00	0.00	4.84	0.00	1.61
OXFORD	75	6.67	4.00	9.33	26.67	0.00	0.00	1.33	0.00	1.33
PENOBSCOT	248	6.85	10.89	10.89	11.69	0.00	0.00	1.61	0.00	2.02
PISCATAQUIS	45	4.44	11.11	22.22	8.89	0.00	0.00	0.00	0.00	0.00
SAGadahoc	63	17.46	14.29	6.35	7.94	0.00	0.00	0.00	0.00	3.17
SOMERSET	97	7.22	15.46	24.74	17.53	0.00	0.00	0.00	0.00	1.03
WALDO	64	7.81	6.25	12.50	9.38	0.00	0.00	0.00	0.00	1.56
WASHINGTON	61	11.48	11.48	31.15	6.56	0.00	0.00	1.64	0.00	0.00
YORK	261	11.49	10.73	9.58	11.11	0.77	0.00	1.15	0.38	0.77
STATE TOTALS	2,045	8.70	10.17	11.20	14.57	0.15	0.15	0.83	0.05	1.22

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-9

DEATHS BY SEX, AGE, AND OCCUPATION  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

SEX AND AGE	TOTAL DEATHS	MANAGE- RIAL, PROFES- SIONAL	TECHNICAL, SALES, ADMINIS- TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC- TION, REPAIR, CRAFT	OPER- ATORS, FABRI- CATORS, LABORERS	TRANSPOR- TATION	HOME- MAKER	STUDENT	OTHER AND NOT REPORTED
MALE											
LESS THAN 15	110	0	0	0	0	0	0	0	0	18	92
15-19	48	0	4	2	1	3	6	0	0	26	6
20-24	54	5	2	2	3	15	13	1	0	9	4
25-29	68	4	5	8	4	14	19	5	0	2	7
30-34	74	13	6	6	7	16	10	4	0	4	8
35-39	82	17	4	7	8	20	14	2	0	1	9
40-44	124	25	16	14	4	26	16	7	0	1	15
45-49	146	33	16	8	8	34	25	14	0	0	8
50-54	175	21	24	6	11	45	39	17	0	0	12
55-59	299	52	39	25	21	58	62	24	0	0	18
60-64	480	81	72	30	21	113	99	37	0	0	27
65-69	652	104	99	33	52	168	122	41	1	0	32
70-74	759	134	113	43	69	194	141	44	1	0	20
75-79	857	143	122	48	94	200	180	54	1	0	15
80-84	757	153	99	52	85	192	124	39	1	0	12
85-89	527	102	72	27	80	130	76	27	1	0	12
90-94	303	63	35	10	56	81	39	14	2	0	3
GREATER THAN 94	99	18	15	5	19	19	19	3	0	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,614	968	743	326	543	1,328	1,004	333	7	61	301
PERCENT DISTRIBUTION	100.00	17.24	13.23	5.81	9.67	23.66	17.88	5.93	0.12	1.09	5.36

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-9

DEATHS BY SEX, AGE, AND OCCUPATION  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

SEX AND AGE	TOTAL DEATHS	***** OCCUPATION *****									
		MANAGE- RIAL, PROFES- SIONAL	TECHNICAL, SALES, ADMINIS- TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC- TION, REPAIR, CRAFT	OPER- ATORS, FABRI- CATORS, LABORERS	TRANSPOR- TATION	HOME- MAKER	STUDENT	OTHER AND NOT REPORTED
FEMALE											
LESS THAN 15	53	0	0	0	0	0	0	0	0	4	49
15-19	24	0	1	1	0	0	3	0	1	15	3
20-24	16	3	1	1	0	0	1	0	2	5	3
25-29	30	6	8	6	0	0	1	0	3	2	4
30-34	30	3	7	4	0	1	1	0	11	0	3
35-39	45	10	7	7	0	3	4	0	13	0	1
40-44	59	15	17	1	0	1	4	1	16	1	3
45-49	81	13	11	14	0	4	12	0	26	0	1
50-54	112	20	21	14	0	2	12	0	38	0	5
55-59	184	32	39	24	3	2	26	0	56	0	2
60-64	290	31	45	29	2	10	45	1	121	0	6
65-69	425	55	80	49	3	9	51	3	170	0	5
70-74	596	80	115	49	2	10	79	1	252	0	8
75-79	758	108	135	75	4	16	118	0	292	0	10
80-84	909	156	158	78	4	15	116	0	372	0	10
85-89	897	151	148	74	2	17	101	1	398	1	4
90-94	681	105	101	43	3	8	71	1	345	0	4
GREATER THAN 94	385	55	37	23	2	8	37	1	219	0	3
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,575	843	931	492	25	106	682	9	2,335	28	124
PERCENT DISTRIBUTION	100.00	15.12	16.70	8.83	0.45	1.90	12.23	0.16	41.88	0.50	2.22

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-9

DEATHS BY SEX, AGE, AND OCCUPATION  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

SEX AND AGE	TOTAL DEATHS	***** MANAGE- RIAL, PROFES- SIONAL	***** TECHNICAL, SALES, ADMINIS- TRATIVE	***** SERVICE INDUSTRY	***** FARMING, FORESTRY, FISHING	***** PRECISION PRODUC- TION, REPAIR, CRAFT	***** OPER- ATORS, FABRI- CATORS, LABORERS	***** TRANSPOR- TATION	***** HOME- MAKER	***** STUDENT	***** OTHER AND NOT REPORTED
BOTH SEXES											
LESS THAN 15	163	0	0	0	0	0	0	0	0	22	141
15-19	72	0	5	3	1	3	9	0	1	41	9
20-24	70	8	3	3	3	15	14	1	2	14	7
25-29	98	10	13	14	4	14	20	5	3	4	11
30-34	104	16	13	10	7	17	11	4	11	4	11
35-39	127	27	11	14	8	23	18	2	13	1	10
40-44	183	40	33	15	4	27	20	8	16	2	18
45-49	227	46	27	22	8	38	37	14	26	0	9
50-54	287	41	45	20	11	47	51	17	38	0	17
55-59	483	84	78	49	24	60	88	24	56	0	20
60-64	770	112	117	59	23	123	144	38	121	0	33
65-69	1,077	159	179	82	55	177	173	44	171	0	37
70-74	1,355	214	228	92	71	204	220	45	253	0	28
75-79	1,615	251	257	123	98	216	298	54	293	0	25
80-84	1,666	309	257	130	89	207	240	39	373	0	22
85-89	1,424	253	220	101	82	147	177	28	399	1	16
90-94	984	168	136	53	59	89	110	15	347	0	7
GREATER THAN 94	484	73	52	28	21	27	56	4	219	0	4
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	11,189	1,811	1,674	818	568	1,434	1,686	342	2,342	89	425
PERCENT DISTRIBUTION	100.00	16.19	14.96	7.31	5.08	12.82	15.07	3.06	20.93	0.80	3.80

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-10 ACQUIRED IMMUNE DEFICIENCY SYNDROME RELATED DEATHS BY STATUS OF MENTION  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

SEX AND AGE	TOTAL MENTIONS (042.0-044.9,795.8)	TOTAL AIDS MENTIONS (042.0-044.9)	UNDERLYING AIDS MENTIONS (042.0-044.9)	NON-UNDERLYING AIDS MENTIONS (042.0-044.9)	SERO-POSITIVE MENTIONS (795.8)
MALE					
LESS THAN 20	0	0	0	0	0
20-24	1	1	1	0	0
25-34	15	15	14	1	0
35-44	17	17	15	2	0
45-54	4	4	4	0	0
55-64	1	1	0	1	0
GREATER THAN 64	1	1	1	0	0
UNKNOWN	0	0	0	0	0
STATE TOTALS	39	39	35	4	0
FEMALE					
LESS THAN 20	0	0	0	0	0
20-24	0	0	0	0	0
25-34	3	3	3	0	0
35-44	1	1	1	0	0
45-54	0	0	0	0	0
55-64	0	0	0	0	0
GREATER THAN 64	1	1	0	1	0
UNKNOWN	0	0	0	0	0
STATE TOTALS	5	5	4	1	0
BOTH SEXES					
LESS THAN 20	0	0	0	0	0
20-24	1	1	1	0	0
25-34	18	18	17	1	0
35-44	18	18	16	2	0
45-54	4	4	4	0	0
55-64	1	1	0	1	0
GREATER THAN 64	2	2	1	1	0
UNKNOWN	0	0	0	0	0
STATE TOTALS	44	44	39	5	0

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS



TABLE D-11

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

UNDERLYING CAUSE ICD-9 CODE	TOTAL DEATHS	***** NON UNDERLYING CAUSES *****									
		038		OTH INFECTIOUS DIS		250		260-269		280-285	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	73	0	0.0	0	0.0	9	12.3	2	2.7	1	1.4
OTH INFECTIOUS DIS	71	4	5.6	0	0.0	6	8.5	3	4.2	3	4.2
250	296	20	6.8	1	0.3	0	0.0	2	0.7	4	1.4
260-269	17	4	23.5	0	0.0	1	5.9	0	0.0	2	11.8
280-285	17	1	5.9	0	0.0	1	5.9	1	5.9	0	0.0
390-398	36	0	0.0	0	0.0	2	5.6	0	0.0	0	0.0
402	84	1	1.2	1	1.2	12	14.3	0	0.0	1	1.2
411	19	0	0.0	0	0.0	2	10.5	0	0.0	1	5.3
413	7	0	0.0	0	0.0	1	14.3	0	0.0	0	0.0
424	100	2	2.0	1	1.0	5	5.0	0	0.0	1	1.0
415-423, 425-429	916	6	0.7	2	0.2	47	5.1	4	0.4	11	1.2
401, 403	45	0	0.0	0	0.0	6	13.3	1	2.2	3	6.7
440	110	2	1.8	3	2.7	8	7.3	0	0.0	3	2.7
480-486	363	19	5.2	2	0.6	23	6.3	6	1.7	8	2.2
490-491	20	0	0.0	0	0.0	1	5.0	0	0.0	1	5.0
492	82	0	0.0	1	1.2	3	3.7	2	2.4	0	0.0
493	18	1	5.6	0	0.0	0	0.0	0	0.0	0	0.0
494-496	406	7	1.7	0	0.0	11	2.7	4	1.0	1	0.2
531-533	34	6	17.6	0	0.0	0	0.0	0	0.0	1	2.9
550-553, 560	224	11	4.9	1	0.4	8	3.6	3	1.3	3	1.3
574-575	16	6	37.5	0	0.0	1	6.3	0	0.0	1	6.3
584-586, 588-589	98	4	4.1	0	0.0	4	4.1	2	2.0	4	4.1
780-799	79	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807, E826-E949	204	10	4.9	1	0.5	5	2.5	3	1.5	4	2.0
RESIDUAL	7,854	227	2.9	24	0.3	486	6.2	130	1.7	152	1.9
STATE TOTALS	11,189	331	3.0	37	0.3	642	5.7	163	1.5	205	1.8

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMIA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.  
SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-11

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

UNDERLYING CAUSE ICD-9 CODE	***** NON UNDERLYING CAUSES *****									
	390-398		402		411		413		424	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	0	0.0	0	0.0	0	0.0	0	0.0	2	2.7
OTH INFECTIOUS DIS	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4
250	1	0.3	6	2.0	0	0.0	3	1.0	5	1.7
260-269	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
280-285	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
390-398	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
402	1	1.2	0	0.0	0	0.0	0	0.0	1	1.2
411	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
413	0	0.0	0	0.0	0	0.0	0	0.0	1	14.3
424	1	1.0	0	0.0	0	0.0	3	3.0	0	0.0
415-423, 425-429	2	0.2	4	0.4	0	0.0	1	0.1	6	0.7
401, 403	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
440	0	0.0	0	0.0	0	0.0	0	0.0	1	0.9
480-486	1	0.3	1	0.3	0	0.0	3	0.8	3	0.8
490-491	0	0.0	0	0.0	0	0.0	1	5.0	0	0.0
492	0	0.0	1	1.2	1	1.2	2	2.4	0	0.0
493	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
494-496	2	0.5	1	0.2	0	0.0	4	1.0	3	0.7
531-533	0	0.0	1	2.9	0	0.0	0	0.0	1	2.9
550-553, 560	0	0.0	1	0.4	0	0.0	1	0.4	4	1.8
574-575	0	0.0	0	0.0	0	0.0	1	6.3	0	0.0
584-586, 588-589	0	0.0	1	1.0	0	0.0	0	0.0	2	2.0
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807, E826-E949	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5
RESIDUAL	23	0.3	89	1.1	21	0.3	52	0.7	79	1.0
STATE TOTALS	31	0.3	105	0.9	22	0.2	71	0.6	110	1.0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMIA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-11

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

UNDERLYING CAUSE ICD-9 CODE	***** NON UNDERLYING CAUSES *****									
	415-423,425-429		401,403		440		480-486		490-491	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	22	30.1	2	2.7	0	0.0	4	5.5	0	0.0
OTH INFECTIOUS DIS	13	18.3	4	5.6	0	0.0	4	5.6	0	0.0
250	128	43.2	39	13.2	24	8.1	10	3.4	1	0.3
260-269	4	23.5	0	0.0	0	0.0	4	23.5	0	0.0
280-285	7	41.2	0	0.0	0	0.0	1	5.9	0	0.0
390-398	26	72.2	4	11.1	0	0.0	0	0.0	0	0.0
402	35	41.7	1	1.2	4	4.8	2	2.4	2	2.4
411	14	73.7	2	10.5	1	5.3	0	0.0	0	0.0
413	6	85.7	0	0.0	1	14.3	0	0.0	0	0.0
424	78	78.0	10	10.0	0	0.0	4	4.0	0	0.0
415-423,425-429	0	0.0	32	3.5	7	0.8	57	6.2	2	0.2
401,403	14	31.1	0	0.0	11	24.4	2	4.4	0	0.0
440	61	55.5	0	0.0	0	0.0	10	9.1	0	0.0
480-486	78	21.5	4	1.1	4	1.1	0	0.0	3	0.8
490-491	6	30.0	0	0.0	0	0.0	2	10.0	0	0.0
492	17	20.7	0	0.0	2	2.4	19	23.2	0	0.0
493	8	44.4	0	0.0	0	0.0	0	0.0	1	5.6
494-496	117	28.8	13	3.2	3	0.7	83	20.4	0	0.0
531-533	10	29.4	0	0.0	0	0.0	0	0.0	0	0.0
550-553,560	62	27.7	5	2.2	1	0.4	14	6.3	0	0.0
574-575	4	25.0	1	6.3	0	0.0	2	12.5	0	0.0
584-586,588-589	37	37.8	1	1.0	3	3.1	8	8.2	0	0.0
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807,E826-E949	47	23.0	6	2.9	0	0.0	10	4.9	3	1.5
RESIDUAL	2,135	27.2	477	6.1	318	4.0	413	5.3	18	0.2
STATE TOTALS	2,929	26.2	601	5.4	379	3.4	649	5.8	30	0.3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMIA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.  
SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

UNDERLYING CAUSE ICD-9 CODE	***** NON UNDERLYING CAUSES *****									
	492		493		494-496		531-533		550-553,560	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	1	1.4	1	1.4	3	4.1	0	0.0	16	21.9
OTH INFECTIOUS DIS	0	0.0	1	1.4	4	5.6	1	1.4	12	16.9
250	1	0.3	0	0.0	12	4.1	1	0.3	33	11.1
260-269	1	5.9	0	0.0	1	5.9	0	0.0	7	41.2
280-285	0	0.0	0	0.0	0	0.0	0	0.0	2	11.8
390-398	0	0.0	0	0.0	3	8.3	1	2.8	5	13.9
402	0	0.0	1	1.2	8	9.5	0	0.0	15	17.9
411	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
413	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
424	1	1.0	1	1.0	5	5.0	0	0.0	14	14.0
415-423, 425-429	7	0.8	1	0.1	78	8.5	4	0.4	184	20.1
401, 403	1	2.2	0	0.0	4	8.9	0	0.0	8	17.8
440	0	0.0	0	0.0	7	6.4	0	0.0	16	14.5
480-486	7	1.9	2	0.6	29	8.0	1	0.3	363	100.0
490-491	0	0.0	0	0.0	0	0.0	0	0.0	20	100.0
492	0	0.0	3	3.7	0	0.0	1	1.2	82	100.0
493	0	0.0	0	0.0	0	0.0	0	0.0	18	100.0
494-496	0	0.0	0	0.0	0	0.0	1	0.2	406	100.0
531-533	0	0.0	0	0.0	2	5.9	0	0.0	34	100.0
550-553, 560	3	1.3	2	0.9	14	6.3	0	0.0	0	0.0
574-575	0	0.0	0	0.0	2	12.5	0	0.0	4	25.0
584-586, 588-589	1	1.0	0	0.0	2	2.0	1	1.0	22	22.4
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807, E826-E949	1	0.5	0	0.0	9	4.4	1	0.5	40	19.6
RESIDUAL	59	0.8	33	0.4	502	6.4	32	0.4	1,441	18.3
STATE TOTALS	83	0.7	45	0.4	685	6.1	44	0.4	2,742	24.5

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMIA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.  
SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-11

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)

UNDERLYING CAUSE ICD-9 CODE	***** NON UNDERLYING CAUSES *****									
	574-575		584-586, 588-589		780-799		E800-E807, E826-E949		RESIDUAL	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	0	0.0	12	16.4	22	30.1	1	1.4	0	0.0
OTH INFECTIOUS DIS	0	0.0	3	4.2	16	22.5	1	1.4	0	0.0
250	0	0.0	53	17.9	47	15.9	14	4.7	10	3.4
260-269	1	5.9	0	0.0	8	47.1	1	5.9	1	5.9
280-285	1	5.9	2	11.8	1	5.9	1	5.9	1	5.9
390-398	0	0.0	3	8.3	9	25.0	6	16.7	9	25.0
402	0	0.0	0	0.0	8	9.5	2	2.4	17	20.2
411	0	0.0	0	0.0	0	0.0	1	5.3	0	0.0
413	0	0.0	1	14.3	1	14.3	0	0.0	3	42.9
424	0	0.0	10	10.0	15	15.0	7	7.0	19	19.0
415-423, 425-429	2	0.2	46	5.0	124	13.5	28	3.1	175	19.1
401, 403	0	0.0	4	8.9	9	20.0	1	2.2	6	13.3
440	1	0.9	18	16.4	25	22.7	1	0.9	29	26.4
480-486	2	0.6	18	5.0	82	22.6	2	0.6	161	44.4
490-491	0	0.0	0	0.0	10	50.0	0	0.0	6	30.0
492	0	0.0	2	2.4	41	50.0	2	2.4	32	39.0
493	0	0.0	1	5.6	6	33.3	1	5.6	6	33.3
494-496	0	0.0	13	3.2	195	48.0	15	3.7	150	36.9
531-533	1	2.9	2	5.9	8	23.5	4	11.8	10	29.4
550-553, 560	2	0.9	11	4.9	75	33.5	20	8.9	65	29.0
574-575	0	0.0	2	12.5	2	12.5	2	12.5	4	25.0
584-586, 588-589	1	1.0	0	0.0	21	21.4	2	2.0	42	42.9
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807, E826-E949	0	0.0	4	2.0	39	19.1	0	0.0	66	32.4
RESIDUAL	11	0.1	308	3.9	1,119	14.2	514	6.5	0	0.0
STATE TOTALS	22	0.2	513	4.6	1,883	16.8	626	5.6	812	7.3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMIA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.  
SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

**INDUCED ABORTIONS**



TABLE A-2

INDUCED ABORTIONS BY GESTATION AND TYPE OF ABORTION PROCEDURE  
MAINE STATE TOTALS, 1991 (OCCURRENCE DATA)

TERMINATION PROCEDURE	TOTAL	PERCENT DISTRIBUTION	***** LESS THAN 9 *****	9	10	11	12	13	14	15	16	17	18	19	***** GREATER THAN 19 *****	UNK
PRIMARY PROCEDURE THAT TERMINATED PREGNANCY																
SUCTION CURETTAGE	3,414	89.21	1,710	646	446	253	172	111	52	8	2	0	0	0	1	13
SHARP CURETTAGE	48	1.25	22	10	7	7	0	0	0	1	0	0	0	0	1	0
DILATION AND EVACUATION	285	7.45	144	69	29	1	3	0	1	1	4	5	7	6	14	1
SALINE INSTILLATION	1	0.03	0	0	0	0	0	0	0	0	0	0	0	0	1	0
PROSTAGLANDIN INSTILLATION	1	0.03	0	0	0	0	0	0	0	0	0	0	0	0	1	0
HYSTEROTOMY	1	0.03	0	0	0	0	0	0	1	0	0	0	0	0	0	0
HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	15	0.39	6	1	1	1	1	1	0	1	0	1	0	0	1	1
UNKNOWN	62	1.62	29	11	7	8	1	2	1	0	0	0	0	0	0	3
STATE TOTALS	3,827		1,911	737	490	270	177	114	55	11	6	6	7	6	19	18
PERCENT DISTRIBUTION		100.00	49.93	19.26	12.80	7.06	4.63	2.98	1.44	0.29	0.16	0.16	0.18	0.16	0.50	0.47
ADDITIONAL PROCEDURES USED																
SUCTION CURETTAGE	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SHARP CURETTAGE	2,025	99.41	1,108	337	225	142	67	84	49	6	0	0	0	0	1	6
DILATION AND EVACUATION	12	0.59	6	1	0	1	1	0	2	1	0	0	0	0	0	0
SALINE INSTILLATION	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROSTAGLANDIN INSTILLATION	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HYSTEROTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	2,037		1,114	338	225	143	68	84	51	7	0	0	0	0	1	6
PERCENT DISTRIBUTION		100.00	54.69	16.59	11.05	7.02	3.34	4.12	2.50	0.34	0.00	0.00	0.00	0.00	0.05	0.29

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS



TABLE A-3

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)\*

AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	***** WEEKS OF GESTATION *****													GREATER THAN 19	UNKNOWN
			LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19			
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10-14	19	0.54	8	1	3	5	0	0	2	0	0	0	0	0	0	0	
15	48	1.36	25	6	5	4	5	2	1	0	0	0	0	0	0	0	
16	102	2.90	41	18	16	10	8	4	3	0	0	0	0	0	0	2	
17	159	4.52	65	34	22	13	11	9	0	2	0	1	0	0	0	2	
18	234	6.65	107	45	32	18	18	8	5	0	0	0	0	0	1	0	
19	240	6.82	101	45	43	24	14	8	2	2	0	0	0	0	1	0	
20-24	1,186	33.69	585	236	150	93	53	38	14	4	2	2	0	3	4	2	
25-29	709	20.14	373	139	98	40	20	14	9	1	2	1	3	1	3	5	
30-34	486	13.81	272	102	44	26	16	8	4	0	1	1	1	2	7	2	
35-39	250	7.10	152	44	27	10	4	4	1	0	0	1	3	0	2	2	
40-44	60	1.70	42	10	5	1	1	0	0	0	1	0	0	0	0	0	
GREATER THAN 44	1	0.03	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
UNKNOWN	26	0.74	13	1	5	2	0	1	0	0	0	0	0	0	1	3	
STATE TOTALS	3,520		1,784	681	450	246	150	97	41	9	6	6	7	6	19	18	
PERCENT DISTRIBUTION		100.00	50.68	19.35	12.78	6.99	4.26	2.76	1.16	0.26	0.17	0.17	0.20	0.17	0.54	0.51	
RACE OF PATIENT																	
WHITE	3,346	95.06	1,695	645	429	238	141	91	40	8	6	6	7	6	18	16	
BLACK	34	0.97	16	5	6	2	1	3	0	1	0	0	0	0	0	0	
AMERICAN INDIAN	25	0.71	10	6	5	1	1	1	1	0	0	0	0	0	0	0	
OTHER	115	3.27	63	25	10	5	7	2	0	0	0	0	0	0	1	2	
STATE TOTALS	3,520		1,784	681	450	246	150	97	41	9	6	6	7	6	19	18	
PERCENT DISTRIBUTION		100.00	50.68	19.35	12.78	6.99	4.26	2.76	1.16	0.26	0.17	0.17	0.20	0.17	0.54	0.51	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.  
RESIDENCE AREA ON O RECORDS WERE BLANK.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-4

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE  
MAINE STATE TOTALS, 1991 (OCCURRENCE DATA)

AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	***** WEEKS OF GESTATION *****													GREATER THAN 19	UNKNOWN
			LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19			
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10-14	19	0.50	8	1	3	5	0	0	2	0	0	0	0	0	0	0	
15	56	1.46	29	7	5	4	5	3	3	0	0	0	0	0	0	0	
16	118	3.08	45	21	17	12	9	6	6	0	0	0	0	0	0	2	
17	185	4.83	71	36	28	15	14	12	4	2	0	1	0	0	0	2	
18	249	6.51	116	46	34	19	19	8	6	0	0	0	0	0	1	0	
19	261	6.82	105	48	46	27	17	12	3	2	0	0	0	0	1	0	
20-24	1,289	33.68	632	261	161	102	58	42	15	5	2	2	0	3	4	2	
25-29	767	20.04	399	149	106	42	28	16	10	2	2	1	3	1	3	5	
30-34	523	13.67	286	111	48	30	21	9	4	0	1	1	1	2	7	2	
35-39	268	7.00	163	45	31	10	5	4	2	0	0	1	3	0	2	2	
40-44	62	1.62	43	11	5	1	1	0	0	0	1	0	0	0	0	0	
GREATER THAN 44	2	0.05	0	0	0	1	0	1	0	0	0	0	0	0	0	0	
UNKNOWN	28	0.73	14	1	6	2	0	1	0	0	0	0	0	0	1	3	
STATE TOTALS	3,827		1,911	737	490	270	177	114	55	11	6	6	7	6	19	18	
PERCENT DISTRIBUTION		100.00	49.93	19.26	12.80	7.06	4.63	2.98	1.44	0.29	0.16	0.16	0.18	0.16	0.50	0.47	

## RACE OF PATIENT

WHITE	3,639	95.09	1,814	700	466	262	167	108	53	10	6	6	7	6	18	16
BLACK	38	0.99	18	5	7	2	1	3	1	1	0	0	0	0	0	0
AMERICAN INDIAN	28	0.73	12	6	5	1	2	1	1	0	0	0	0	0	0	0
OTHER	122	3.19	67	26	12	5	7	2	0	0	0	0	0	0	1	2
STATE TOTALS	3,827		1,911	737	490	270	177	114	55	11	6	6	7	6	19	18
PERCENT DISTRIBUTION		100.00	49.93	19.26	12.80	7.06	4.63	2.98	1.44	0.29	0.16	0.16	0.18	0.16	0.50	0.47

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-5

INDUCED ABORTIONS OF PREGNANCY BY RACE, MARITAL STATUS AND AGE OF PATIENT  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)\*

MARITAL STATUS	TOTAL INDUCED ABORTIONS	***** RACE *****							
		WHITE		BLACK		AMERICAN INDIAN		OTHER	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	779	729	93.58	9	1.16	5	0.64	36	4.62
NOT MARRIED	2,552	2,456	96.24	20	0.78	20	0.78	56	2.19
UNKNOWN	189	161	85.19	5	2.65	0	0.00	23	12.17
STATE TOTALS	3,520	3,346	95.06	34	0.97	25	0.71	115	3.27
AGE OF PATIENT(YRS.)									
LESS THAN 10	0	0	0.00	0	0.00	0	0.00	0	0.00
10-14	19	19	100.00	0	0.00	0	0.00	0	0.00
15	48	46	95.83	1	2.08	0	0.00	1	2.08
16	102	100	98.04	0	0.00	0	0.00	2	1.96
17	159	149	93.71	1	0.63	3	1.89	6	3.77
18	234	226	96.58	1	0.43	2	0.85	5	2.14
19	240	223	92.92	5	2.08	5	2.08	7	2.92
20-24	1,186	1,131	95.36	11	0.93	8	0.67	36	3.04
25-29	709	676	95.35	7	0.99	4	0.56	22	3.10
30-34	486	461	94.86	6	1.23	1	0.21	18	3.70
35-39	250	236	94.40	2	0.80	2	0.80	10	4.00
40-44	60	58	96.67	0	0.00	0	0.00	2	3.33
GREATER THAN 44	1	1	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN	26	20	76.92	0	0.00	0	0.00	6	23.08
TEENAGE TOTALS	801	762	95.13	8	1.00	10	1.25	21	2.62
STATE TOTALS	3,520	3,346	95.06	34	0.97	25	0.71	115	3.27

NOTES: PERCENTAGES ARE BASED ON TOTAL TERMINATIONS.  
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.  
RESIDENCE AREA ON O RECORDS WERE BLANK.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-6

INDUCED ABORTIONS OF PREGNANCY BY RACE, MARITAL STATUS AND AGE OF PATIENT  
MAINE STATE TOTALS, 1991 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL INDUCED ABORTIONS	***** RACE *****							
		WHITE		BLACK		AMERICAN INDIAN		OTHER	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	824	772	93.69	10	1.21	5	0.61	37	4.49
NOT MARRIED	2,801	2,694	96.18	23	0.82	22	0.79	62	2.21
UNKNOWN	202	173	85.64	5	2.48	1	0.50	23	11.39
STATE TOTALS	3,827	3,639	95.09	38	0.99	28	0.73	122	3.19
AGE OF PATIENT(YRS.)									
LESS THAN 10	0	0	0.00	0	0.00	0	0.00	0	0.00
10-14	19	19	100.00	0	0.00	0	0.00	0	0.00
15	56	53	94.64	1	1.79	1	1.79	1	1.79
16	118	116	98.31	0	0.00	0	0.00	2	1.69
17	185	173	93.51	2	1.08	3	1.62	7	3.78
18	249	241	96.79	1	0.40	2	0.80	5	2.01
19	261	244	93.49	5	1.92	5	1.92	7	2.68
20-24	1,289	1,229	95.35	12	0.93	9	0.70	39	3.03
25-29	767	733	95.57	8	1.04	4	0.52	22	2.87
30-34	523	496	94.84	6	1.15	2	0.38	19	3.63
35-39	268	252	94.03	2	0.75	2	0.75	12	4.48
40-44	62	59	95.16	1	1.61	0	0.00	2	3.23
GREATER THAN 44	2	2	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN	28	22	78.57	0	0.00	0	0.00	6	21.43
TEENAGE TOTALS	887	845	95.26	9	1.01	11	1.24	22	2.48
STATE TOTALS	3,827	3,639	95.09	38	0.99	28	0.73	122	3.19

NOTES: PERCENTAGES ARE BASED ON TOTAL TERMINATIONS.  
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-7

INDUCED ABORTIONS BY MARITAL STATUS AND AGE OF PATIENT  
MAINE STATE TOTALS, 1991 (RESIDENT\* AND OCCURRENCE DATA)

AGE OF PATIENT(YRS.)	***** RESIDENT *****					***** OCCURRENCE *****				
	TOTAL ABORTIONS	PERCENT DISTRIBUTION	MARRIED	NOT MARRIED	UNKNOWN	TOTAL ABORTIONS	PERCENT DISTRIBUTION	MARRIED	NOT MARRIED	UNKNOWN
LESS THAN 10	0	0.00	0	0	0	0	0.00	0	0	0
10-14	19	0.54	1	18	0	19	0.50	1	18	0
15	48	1.36	2	45	1	56	1.46	2	52	2
16	102	2.90	5	94	3	118	3.08	6	109	3
17	159	4.52	3	150	6	185	4.83	5	174	6
18	234	6.65	15	212	7	249	6.51	17	224	8
19	240	6.82	9	217	14	261	6.82	9	237	15
20-24	1,186	33.69	189	942	55	1,289	33.68	198	1,033	58
25-29	709	20.14	211	453	45	767	20.04	224	494	49
30-34	486	13.81	199	260	27	523	13.67	211	283	29
35-39	250	7.10	114	119	17	268	7.00	119	131	18
40-44	60	1.70	27	29	4	62	1.62	28	30	4
GREATER THAN 44	1	0.03	0	0	1	2	0.05	0	1	1
UNKNOWN	26	0.74	4	13	9	28	0.73	4	15	9
TEENAGE TOTALS	801	22.76	35	735	31	887	23.18	40	813	34
STATE TOTALS	3,520		779	2,552	189	3,827		824	2,801	202
PERCENT DISTRIBUTION		100.00	22.13	72.50	5.37		100.00	21.53	73.19	5.28

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.  
RESIDENCE AREA ON O RECORDS WERE BLANK.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-8

INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)\*

MARITAL STATUS	TOTAL INDUCED ABORTIONS	***** OUTCOME OF PREVIOUS PREGNANCIES *****																	
		***** LIVE BIRTHS *****						**** INDUCED TERMINATIONS ****						SPONTANEOUS TERMINATIONS					
		0	1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK
MARRIED	779	163	203	234	84	35	60	457	188	69	20	6	39	597	99	23	8	7	45
NOT MARRIED	2,552	1,599	469	241	73	41	129	1,669	546	182	52	23	80	2,204	187	40	9	3	109
UNKNOWN	189	79	34	40	9	6	21	108	46	12	5	3	15	153	16	0	1	0	19
STATE TOTALS	3,520	1,841	706	515	166	82	210	2,234	780	263	77	32	134	2,954	302	63	18	10	173
PERCENT DIST.	100.00	52.30	20.06	14.63	4.72	2.33	5.97	63.47	22.16	7.47	2.19	0.91	3.81	83.92	8.58	1.79	0.51	0.28	4.91
AGE OF PATIENT(YRS.)																			
LESS THAN 10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	19	17	0	0	0	0	2	17	0	0	0	0	2	16	0	1	0	0	2
15	48	47	0	0	0	0	1	45	2	0	0	0	1	47	0	0	0	0	1
16	102	90	6	1	0	0	5	87	9	1	0	0	5	94	2	0	0	0	6
17	159	145	12	1	0	0	1	144	13	1	0	0	1	153	5	0	0	0	1
18	234	189	38	1	1	0	5	200	24	4	1	0	5	222	5	1	0	0	6
19	240	182	40	14	0	0	4	190	38	8	1	0	3	220	9	2	1	1	7
20-24	1,186	712	261	113	26	9	65	778	258	80	14	9	47	1,023	94	14	4	0	51
25-29	709	262	176	148	43	27	53	377	191	86	21	5	29	566	82	15	6	3	36
30-34	486	130	96	136	61	21	42	222	153	49	29	12	21	369	62	18	1	0	36
35-39	250	48	60	74	30	19	19	135	66	27	10	3	9	184	34	9	6	4	13
40-44	60	9	12	22	5	5	7	28	19	6	0	3	4	41	9	2	0	1	7
GREATER THAN 44	1	0	0	1	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0
UNKNOWN	26	10	5	4	0	1	6	10	7	1	1	0	7	18	0	0	0	1	7
TEENAGE TOTALS	801	670	96	17	1	0	17	683	86	14	2	0	16	752	21	4	1	1	22
PERCENT DIST.	100.00	83.65	11.99	2.12	0.12	0.00	2.12	85.27	10.74	1.75	0.25	0.00	2.00	93.88	2.62	0.50	0.12	0.12	2.75
STATE TOTALS	3,520	1,841	706	515	166	82	210	2,234	780	263	77	32	134	2,954	302	63	18	10	173
PERCENT DIST.	100.00	52.30	20.06	14.63	4.72	2.33	5.97	63.47	22.16	7.47	2.19	0.91	3.81	83.92	8.58	1.79	0.51	0.28	4.91

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 0 RECORDS WERE BLANK.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-9

INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT  
MAINE STATE TOTALS, 1991 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL INDUCED ABORTIONS	***** OUTCOME OF PREVIOUS PREGNANCIES *****																	
		***** LIVE BIRTHS *****						**** INDUCED TERMINATIONS ****						***** SPONTANEOUS TERMINATIONS *****					
		0	1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK
MARRIED	824	176	212	245	92	36	63	480	203	71	23	7	40	637	101	24	8	7	47
NDT MARRIED	2,801	1,775	509	256	77	41	143	1,841	581	204	57	27	91	2,425	201	40	9	3	123
UNKNOWN	202	87	37	41	9	7	21	120	47	12	5	3	15	166	16	0	1	0	19
STATE TOTALS	3,827	2,038	758	542	178	84	227	2,441	831	287	85	37	146	3,228	318	64	18	10	189
PERCENT DIST.	100.00	53.25	19.81	14.16	4.65	2.19	5.93	63.78	21.71	7.50	2.22	0.97	3.81	84.35	8.31	1.67	0.47	0.26	4.94
AGE OF PATIENT(YRS.)																			
LESS THAN 10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	19	17	0	0	0	0	2	17	0	0	0	0	2	16	0	1	0	0	2
15	56	55	0	0	0	0	1	53	2	0	0	0	1	55	0	0	0	0	1
16	118	105	6	1	0	0	6	100	11	1	0	0	6	109	2	0	0	0	7
17	185	170	12	1	0	0	2	164	18	1	0	0	2	178	5	0	0	0	2
18	249	204	38	1	1	0	5	212	27	4	1	0	5	236	6	1	0	0	6
19	261	196	45	14	0	0	6	208	39	8	1	0	5	237	12	2	1	1	8
20-24	1,289	786	279	116	27	9	72	846	277	87	17	10	52	1,115	98	14	4	0	58
25-29	767	289	194	157	45	27	55	409	202	94	25	7	30	618	85	16	6	3	39
30-34	523	145	101	147	65	22	43	244	160	55	30	12	22	401	65	19	1	0	37
35-39	268	50	64	78	35	19	22	147	68	29	10	4	10	199	35	9	6	4	15
40-44	62	10	12	22	5	6	7	28	20	6	0	4	4	42	10	2	0	1	7
GREATER THAN 44	2	0	1	1	0	0	0	2	0	0	0	0	0	2	0	0	0	0	0
UNKNOWN	28	11	6	4	0	1	6	11	7	2	1	0	7	20	0	0	0	1	7
TEENAGE TOTALS	887	747	101	17	1	0	21	754	97	14	2	0	20	831	25	4	1	1	25
PERCENT DIST.	100.00	84.22	11.39	1.92	0.11	0.00	2.37	85.01	10.94	1.58	0.23	0.00	2.25	93.69	2.82	0.45	0.11	0.11	2.82
STATE TOTALS	3,827	2,038	758	542	178	84	227	2,441	831	287	85	37	146	3,228	318	64	18	10	189
PERCENT DIST.	100.00	53.25	19.81	14.16	4.65	2.19	5.93	63.78	21.71	7.50	2.22	0.97	3.81	84.35	8.31	1.67	0.47	0.26	4.94

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

TABLE A-10

INDUCED ABORTIONS BY STATE OR COUNTRY OF RESIDENCE  
MAINE STATE TOTALS, 1991 (OCCURRENCE DATA)

STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS
ALABAMA	1	MARYLAND	0	SOUTH CAROLINA	0
ALASKA	0	MASSACHUSETTS	47	SOUTH DAKOTA	0
ARIZONA	0	MICHIGAN	0	TENNESSEE	0
ARKANSAS	0	MINNESOTA	0	TEXAS	1
CALIFORNIA	3	MISSISSIPPI	0	UTAH	0
COLORADO	0	MISSOURI	0	VERMONT	3
CONNECTICUT	4	MONTANA	0	VIRGINIA	1
DELAWARE	0	NEBRASKA	0	WASHINGTON	0
DIST OF COLUMBIA	0	NEVADA	0	WEST VIRGINIA	0
FLORIDA	1	NEW HAMPSHIRE	117	WISCONSIN	0
GEORGIA	1	NEW JERSEY	4	WYOMING	0
HAWAII	0	NEW MEXICO	1	PUERTO RICO	0
IDAHO	0	NEW YORK	6	VIRGIN ISLANDS	0
ILLINOIS	0	NORTH CAROLINA	1	GUAM	0
INDIANA	0	NORTH DAKOTA	0	CANADA	105
IOWA	0	OHIO	2	CUBA	0
KANSAS	0	OKLAHOMA	0	MEXICO	0
KENTUCKY	0	OREGON	0	OTHER W. HEMISPHERE	0
LOUISIANA	0	PENNSYLVANIA	1	REST OF THE WORLD	2
MAINE	3,520	RHODE ISLAND	1	STATE/CNTRY UNKNOWN	5
				TOTAL	3,827

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS





**MARRIAGES**



TABLE M-1

MARRIAGES BY AGE OF BRIDE AND OF GROOM  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)\*

AGE OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DIST.	***** AGE OF BRIDE(YRS.) *****															OVER 64	UNKNOWN
			UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64				
UNDER 16	2	0.02	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0		
16-17	13	0.13	0	1	7	1	0	0	1	1	0	1	0	0	0	1	0		
18-19	314	3.17	5	45	162	70	13	8	5	3	3	0	0	0	0	0	0		
20-21	796	8.03	3	41	260	284	109	41	24	14	13	4	1	2	0	0	0		
22-23	1,174	11.84	1	25	187	367	333	125	61	30	27	11	6	0	0	1	0		
24-25	1,206	12.17	0	7	85	223	350	274	114	63	65	17	6	1	0	1	0		
26-27	1,086	10.96	0	9	49	131	212	252	200	92	116	18	3	4	0	0	0		
28-29	879	8.87	1	3	35	81	102	147	159	147	145	44	11	2	2	0	0		
30-34	1,568	15.82	0	0	22	74	112	192	237	230	456	166	56	22	1	0	0		
35-39	996	10.05	0	1	4	23	21	47	90	89	289	282	114	28	8	0	0		
40-44	717	7.23	0	0	1	5	10	22	27	56	160	186	169	61	20	0	0		
45-49	453	4.57	0	0	0	2	5	12	15	12	62	91	125	90	38	1	0		
50-64	510	5.14	0	0	1	2	4	3	6	5	29	52	100	116	180	12	0		
OVER 64	199	2.01	0	0	0	1	1	0	0	1	1	3	2	12	83	95	0		
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
STATE TOTALS	9,913		10	132	813	1,265	1,272	1,123	939	743	1,366	875	594	338	332	111	0		
PERCENT DISTRIBUTION		100.00	0.10	1.33	8.20	12.76	12.83	11.33	9.47	7.50	13.78	8.83	5.99	3.41	3.35	1.12	0.00		

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.  
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE M-2

MARRIAGES BY YEARS OF EDUCATION OF BRIDE AND OF GROOM  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)\*

EDUCATION OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DISTRIBUTION	***** EDUCATION OF BRIDE(YRS.) *****											
			UNDER 8	8	9	10	11	12	13	14	15	16	OVER 16	UNKNOWN
UNDER 8	48	0.48	2	5	7	3	2	21	1	3	1	2	0	1
8	149	1.50	4	19	11	12	11	64	10	11	3	2	1	1
9	190	1.92	2	10	20	19	21	95	9	10	1	1	2	0
10	312	3.15	4	14	18	41	28	170	8	19	1	7	2	0
11	331	3.34	4	7	16	40	40	169	22	22	3	4	2	2
12	4,378	44.16	8	48	95	150	172	2,670	346	419	120	274	59	17
13	575	5.80	2	1	2	9	22	244	101	88	23	58	21	4
14	880	8.88	2	5	5	7	9	285	114	193	59	157	39	5
15	277	2.79	0	1	0	5	4	80	35	47	26	51	26	2
16	1,085	10.95	2	1	0	7	6	166	74	172	58	472	120	7
OVER 16	560	5.65	0	1	0	5	2	77	40	70	34	135	192	4
UNKNOWN	1,128	11.38	0	3	2	1	4	25	4	10	0	2	4	1,073
STATE TOTALS	9,913		30	115	176	299	321	4,066	764	1,064	329	1,165	468	1,116
PERCENT DISTRIBUTION		100.00	0.30	1.16	1.78	3.02	3.24	41.02	7.71	10.73	3.32	11.75	4.72	11.26

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.  
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE M-3

MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS, FOR BRIDES AND FOR GROOMS  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)\*

PREVIOUS MARITAL STATUS	TOTAL MARRIAGES	PERCENT DIST.	***** AGE OF BRIDE(YRS.) *****														OVER 64	UNKNOWN
			UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64			
BRIDE																		
SINGLE	6,075	61.28	10	132	807	1,216	1,165	899	656	429	521	157	56	14	10	3	0	
WIDOWED	310	3.13	0	0	0	0	0	1	6	8	22	25	32	41	100	75	0	
DIVORCED	3,518	35.49	0	0	6	49	105	223	276	305	821	692	506	282	220	33	0	
ANNULLED	10	0.10	0	0	0	0	2	0	1	1	2	1	0	1	2	0	0	
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
BRIDE TOTALS	9,913		10	132	813	1,265	1,272	1,123	939	743	1,366	875	594	338	332	111	0	
PERCENT DIST.		100.00	0.10	1.33	8.20	12.76	12.83	11.33	9.47	7.50	13.78	8.83	5.99	3.41	3.35	1.12	0.00	

	TOTAL	PERCENT	***** AGE OF GROOM(YRS.) *****															
	MARRIAGES	DIST.	UNDER 16	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-34	35-39	40-44	45-49	50-64	OVER 64	UNKNOWN	
GROOM																		
SINGLE	6,130	61.84	2	13	314	786	1,137	1,090	889	627	793	316	110	23	24	6	0	
WIDOWED	289	2.92	0	0	0	0	0	0	5	3	10	16	15	15	89	136	0	
DIVORCED	3,488	35.19	0	0	0	10	37	115	190	249	765	664	591	415	396	56	0	
ANNULLED	4	0.04	0	0	0	0	0	0	1	0	0	0	1	0	1	1	0	
UNKNOWN	2	0.02	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	
GROOM TOTALS	9,913		2	13	314	796	1,174	1,206	1,086	879	1,568	996	717	453	510	199	0	
PERCENT DIST.		100.00	0.02	0.13	3.17	8.03	11.84	12.17	10.96	8.87	15.82	10.05	7.23	4.57	5.14	2.01	0.00	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.  
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE M-4

MARRIAGES BY NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND OF GROOM  
MAINE STATE TOTALS, 1991 (RESIDENT DATA)\*

NUMBER OF PREVIOUS MARRIAGES OF GROOM	TOTAL MARRIAGES	PERCENT DISTRIBUTION	***** NUMBER OF PREVIOUS MARRIAGES OF BRIDE *****									
			0	1	2	3	4	5	6	7	8	UNKNOWN
0	6,130	61.84	4,892	1,041	162	24	9	2	0	0	0	0
1	2,855	28.80	1,002	1,401	357	69	19	3	3	1	0	0
2	754	7.61	159	362	170	53	7	2	0	0	1	0
3	136	1.37	16	58	42	15	4	0	1	0	0	0
4	28	0.28	3	11	10	3	1	0	0	0	0	0
5	6	0.06	1	1	2	2	0	0	0	0	0	0
6	1	0.01	0	0	1	0	0	0	0	0	0	0
7	0	0.00	0	0	0	0	0	0	0	0	0	0
8	0	0.00	0	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	9,913		6,075	2,875	744	166	40	7	4	1	1	0
PERCENT DISTRIBUTION		100.00	61.28	29.00	7.51	1.67	0.40	0.07	0.04	0.01	0.01	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

\* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.  
RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAINE DEPARTMENT OF HUMAN SERVICES  
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

# **APPENDICES**





1a. FIRST NAME		1b. MIDDLE NAME		1c. LAST NAME		1d. JR. ETC.		2. SEX	
3. DATE OF BIRTH (Mo., Day, Yr.)		4. TIME OF BIRTH <input type="checkbox"/> AM <input type="checkbox"/> PM		5. COUNTY OF BIRTH		6. CITY OR TOWN OF BIRTH			
7. PLACE OF BIRTH: <input type="checkbox"/> Hospital <input type="checkbox"/> Freestanding Birthing Center <input type="checkbox"/> Clinic/Doctor's Office <input type="checkbox"/> Residence <input type="checkbox"/> Other (Specify) _____		8. FACILITY NAME (If not institution, give street and number)							
9. I certify that this child was born alive at the place and time and on the date stated.		10. DATE SIGNED (Mo., Day, Yr.)		11. ATTENDANT'S NAME AND TITLE (If other than caregiver) (Type/Print) Name _____ <input type="checkbox"/> M.D. <input type="checkbox"/> D.O. <input type="checkbox"/> C.N.M. <input type="checkbox"/> Other Midwife <input type="checkbox"/> Other (Specify) _____					
12. CERTIFIER'S NAME AND TITLE (Type/Print) Name _____ <input type="checkbox"/> M.D. <input type="checkbox"/> D.O. <input type="checkbox"/> Hospital Admin. <input type="checkbox"/> C.N.M. <input type="checkbox"/> Other Midwife <input type="checkbox"/> Other (Specify) _____		13. ATTENDANT'S MAILING ADDRESS (Street and Number or Rural Route Number, City or Town, State, Zip Code)							
14. REGISTRAR'S SIGNATURE		15. DATE FILED BY REGISTRAR (Mo., Day, Yr.)							
16a. FIRST NAME		16b. MIDDLE NAME		16c. LAST NAME		16d. JR. ETC.		17. MAIDEN SURNAME	
18. DATE OF BIRTH (Mo., Day, Yr.)		19. BIRTHPLACE (State or Foreign Country)		20. RESIDENCE-STATE		21. COUNTY		22. CITY OR TOWN	
23. STREET AND NUMBER		24. MOTHER'S MAILING ADDRESS (If same as residence, enter Zip Code only)						25. YEARS LIVING IN PRESENT TOWN	
26a. FIRST NAME		26b. MIDDLE NAME		26c. LAST NAME		26d. JR. ETC.		27. DATE OF BIRTH (Mo., Day, Yr.)	
28. BIRTHPLACE (State or Foreign Country)		29. I certify that the personal information provided on this certificate is correct to the best of my knowledge and belief. Signature of Parent or Other Informant _____							
30. MOTHER MARRIED? (At birth or conception) <input type="checkbox"/> Yes <input type="checkbox"/> No									

ORIGINAL - STATE

CONFIDENTIAL: NEITHER MARITAL STATUS NOR THE INFORMATION BELOW WILL APPEAR ON CERTIFIED COPIES OF THE RECORD.

PREGNANCY HISTORY (Complete each section)		31. DATE LAST NORMAL MENSES BEGAN (Mo., Day, Yr.)		32. Parental Permission for issuance of Social Security Number <input type="checkbox"/> Yes <input type="checkbox"/> No	
LIVE BIRTHS (Do not include this child) (Specify below) 35a. Now Living 1 35b. Now Dead Number _____ Number _____ <input type="checkbox"/> None <input type="checkbox"/> None		OTHER TERMINATIONS (Do not include this birth) 36a. Spontaneous 36b. Induced (Do not include this birth) Number _____ Number _____ <input type="checkbox"/> None <input type="checkbox"/> None		33. MONTH OF PREGNANCY PRENATAL CARE BEGAN - First, Second, Third, etc. (Specify)	
39. DATE OF LAST LIVE BIRTH (Month, Year)		40. DATE OF LAST OTHER TERMINATION (Month, Year)		34. PRENATAL VISITS - Total Number (If none, so state)	
APGAR SCORE 43. 1 Minute 44. 5 Minutes		45. MOTHER TRANSFERRED PRIOR TO DELIVERY? <input type="checkbox"/> No <input type="checkbox"/> Yes If Yes, enter name of facility transferred from:		37. BIRTH WEIGHT (Specify unit)	
46. INFANT TRANSFERRED? <input type="checkbox"/> No <input type="checkbox"/> Yes If Yes, enter name of facility transferred to:		41. PLURALITY - Single, Twin, Triplet, etc. (Specify)		38. CLINICAL ESTIMATE OF GESTATION (Weeks)	
42. IF NOT SINGLE BIRTH - Born First, Second, Third, etc. (Specify)					
SOCIAL SECURITY NUMBER		ANCESTRY - French, English, Irish, etc. (Specify below)		RACE - American Indian, Black, White, etc. (Specify below)	
47. _____		48. _____		49. _____	
50. _____		51. _____		52. _____	
53. _____		54. _____		55. _____	
56. _____		57. _____		58. _____	
59. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply)		60. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items)		61. OBSTETRIC PROCEDURES (Check all that apply)	
Anemia (Hct. <30 Hgb. <10) _____ a. <input type="checkbox"/> Cardiac disease _____ b. <input type="checkbox"/> Acute or chronic lung disease _____ c. <input type="checkbox"/> Diabetes, gestational _____ d. <input type="checkbox"/> Diabetes, pre-existing _____ e. <input type="checkbox"/> Genital herpes _____ f. <input type="checkbox"/> Hydramnios/Oligohydramnios _____ g. <input type="checkbox"/> Hemoglobinopathy _____ h. <input type="checkbox"/> Hypertension, chronic _____ i. <input type="checkbox"/> Hypertension, pregnancy-associated _____ j. <input type="checkbox"/> Eclampsia _____ k. <input type="checkbox"/> Incompetent cervix _____ l. <input type="checkbox"/> Previous infant 4000+ grams _____ m. <input type="checkbox"/> Previous preterm or small-for-gestational age infant _____ n. <input type="checkbox"/> Renal disease _____ o. <input type="checkbox"/> Rh sensitization _____ p. <input type="checkbox"/> Uterine bleeding _____ q. <input type="checkbox"/> Other _____ y. <input type="checkbox"/> (Specify) _____ z. <input type="checkbox"/> None _____ z. <input type="checkbox"/>		Tobacco use during pregnancy _____ Yes <input type="checkbox"/> No <input type="checkbox"/> Average number cigarettes per day _____ Alcohol use during pregnancy _____ Yes <input type="checkbox"/> No <input type="checkbox"/> Average number drinks per week _____ Weight gained during pregnancy _____ lbs.		Amniocentesis _____ a. <input type="checkbox"/> Electronic fetal monitoring _____ b. <input type="checkbox"/> Induction of labor _____ c. <input type="checkbox"/> Stimulation of labor _____ d. <input type="checkbox"/> Tocolysis _____ e. <input type="checkbox"/> Ultrasound _____ f. <input type="checkbox"/> Other _____ y. <input type="checkbox"/> (Specify) _____ z. <input type="checkbox"/> None _____ z. <input type="checkbox"/>	
62. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply)		63. METHOD OF DELIVERY (Check one)		64. ABNORMAL CONDITIONS OF THE NEWBORN (Check all that apply)	
Fetor (100° F. or 38° C.) _____ a. <input type="checkbox"/> Macrom, moderate / heavy _____ b. <input type="checkbox"/> Premature rupture of membrane (>12 hours) _____ c. <input type="checkbox"/> Abruptio placenta _____ d. <input type="checkbox"/> Placenta previa _____ e. <input type="checkbox"/> Other excessive bleeding _____ f. <input type="checkbox"/> Seizures during labor _____ g. <input type="checkbox"/> Precipitous labor (<3 hours) _____ h. <input type="checkbox"/> Prolonged labor (>20 hours) _____ i. <input type="checkbox"/> Dysfunctional labor _____ j. <input type="checkbox"/> Breech / Malpresentation _____ k. <input type="checkbox"/> Cephalopelvic disproportion _____ l. <input type="checkbox"/> Cord prolapse _____ m. <input type="checkbox"/> Anesthetic complications _____ n. <input type="checkbox"/> Fetal distress _____ o. <input type="checkbox"/> Other _____ y. <input type="checkbox"/> (Specify) _____ z. <input type="checkbox"/> None _____ z. <input type="checkbox"/>		Vaginal _____ a. <input type="checkbox"/> Vaginal birth after previous C-section _____ b. <input type="checkbox"/> Primary C-section _____ c. <input type="checkbox"/> Repeat C-section _____ d. <input type="checkbox"/> Forceps _____ e. <input type="checkbox"/> Vacuum _____ f. <input type="checkbox"/> Other _____ y. <input type="checkbox"/> (Specify) _____ z. <input type="checkbox"/>		Anemia (Hct. <30 / Hgb. <10) _____ a. <input type="checkbox"/> Birth injury _____ b. <input type="checkbox"/> Fetal alcohol syndrome _____ c. <input type="checkbox"/> Hyaline membrane disease / RDS _____ d. <input type="checkbox"/> Meconium aspiration syndrome _____ e. <input type="checkbox"/> Assisted ventilation <30 min _____ f. <input type="checkbox"/> Assisted ventilation >30 min _____ g. <input type="checkbox"/> Seizures _____ h. <input type="checkbox"/> Other _____ y. <input type="checkbox"/> (Specify) _____ z. <input type="checkbox"/> None _____ z. <input type="checkbox"/>	
65. CONGENITAL ANOMALIES OF CHILD (Check all that apply)					
Anencephalus _____ a. <input type="checkbox"/> Spina bifida / Meningocele _____ b. <input type="checkbox"/> Hydrocephalus _____ c. <input type="checkbox"/> Microcephalus _____ d. <input type="checkbox"/> Other central nervous system anomalies (Specify) _____ e. <input type="checkbox"/> Heart malformations (Specify) _____ f. <input type="checkbox"/> Other circulatory / respiratory anomalies (Specify) _____ g. <input type="checkbox"/> Rectal atresia / stenosis _____ h. <input type="checkbox"/> Tracheo-esophageal fistula / Esophageal atresia _____ i. <input type="checkbox"/> Omphalocele / Gastroschisis _____ j. <input type="checkbox"/> Other gastrointestinal anomalies (Specify) _____ k. <input type="checkbox"/> Malformed genitalia _____ l. <input type="checkbox"/> Renal agenesis _____ m. <input type="checkbox"/> Other urogenital anomalies (Specify) _____ n. <input type="checkbox"/> Cleft lip / palate _____ o. <input type="checkbox"/> Polydactyly / Syndactyly / Adactyly _____ p. <input type="checkbox"/> Club foot _____ q. <input type="checkbox"/> Diaphragmatic hernia _____ r. <input type="checkbox"/> Other musculoskeletal / integumental anomalies (Specify) _____ s. <input type="checkbox"/> Down's syndrome _____ t. <input type="checkbox"/> Other chromosomal anomalies (Specify) _____ u. <input type="checkbox"/> Other _____ y. <input type="checkbox"/> (Specify) _____ z. <input type="checkbox"/> None _____ z. <input type="checkbox"/>					

SEND THIS SHEET TO:  
OFFICE OF VITAL STATISTICS  
State House Station #11  
Augusta, Maine 04333-0011



DEPARTMENT OF HUMAN SERVICES  
**CERTIFICATE OF FETAL DEATH** (118)

Table C-2

<b>THIS DELIVERY</b>	1. FACILITY NAME (If not institution, give street and number)			2. DATE OF DELIVERY (Mo., Day, Yr.)		3. TIME OF DELIVERY <input type="checkbox"/> AM <input type="checkbox"/> PM	
	4. SEX OF FETUS		5. COUNTY OF DELIVERY		6. CITY OR TOWN OF DELIVERY		
<b>MOTHER</b>	7a. FIRST NAME		7b. MIDDLE NAME		8. MAIDEN SURNAME		
	9. DATE OF BIRTH (Mo., Day, Yr.)		10. BIRTHPLACE (State or Foreign Country)		11. RESIDENCE STATE		12. COUNTY
	13. CITY OR TOWN		14. STREET AND NUMBER		15. MOTHER'S MAILING ADDRESS (If same as residence, enter ZIP Code only)		16. YEARS LIVED IN PRESENT TOWN
<b>FATHER</b>	17a. FIRST NAME		17b. MIDDLE NAME		17c. LAST NAME		18. ETC.
	19. DATE OF BIRTH (Mo., Day, Yr.)		20. BIRTHPLACE (State or Foreign Country)				
<b>CERTIFIER</b>	21. SIGNATURE			22. DATE SIGNED (Mo., Day, Yr.)			
	23. ATTENDANT'S NAME AND TITLE (If other than certifier) (Type/print)			24. SIGNATURE OF FUNERAL DIRECTOR OR AUTHORIZED PERSON			
<b>DISPOSITION</b>	25. NAME AND ADDRESS OF FACILITY OR AUTHORIZED PERSON			26. METHOD <input type="checkbox"/> M.D. <input type="checkbox"/> D.O. <input type="checkbox"/> Hospital Admin. <input type="checkbox"/> Other (Specify) _____			
	27. DATE FILED (Mo., Day, Yr.)			28. PLACE OF DISPOSITION (Name of cemetery, crematory, or other place)			
<b>CAUSE OF FETAL DEATH</b>	29. REGISTRIAR'S SIGNATURE						
	30. Enter only one cause per line for a, b, and c. PART I. Fetal or maternal condition directly causing fetal death. a. IMMEDIATE CAUSE b. DUE TO (OR AS A CONSEQUENCE OF): c. DUE TO (OR AS A CONSEQUENCE OF):						
	Specify Fetal or Maternal						
	Specify Fetal or Maternal						
PART II. Other significant conditions of fetus or mother contributing to fetal death but not resulting in the underlying causes given in Part I.							
31. FETUS DIED BEFORE LABOUR <input type="checkbox"/> DURING LABOUR OR DELIVERY <input type="checkbox"/> UNKNOWN <input type="checkbox"/>							
32. WAS AN AUTOPSY PERFORMED? <input type="checkbox"/> YES <input type="checkbox"/> NO							
33. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? <input type="checkbox"/> YES <input type="checkbox"/> NO							
34. MOTHER MARRIED? (At delivery or conception) <input type="checkbox"/> Yes <input type="checkbox"/> No							

VS4-R1/90

ORIGINAL COPY STATE

CONFIDENTIAL: NEITHER MARITAL STATUS NOR THE INFO BELOW WILL APPEAR ON CERTIFIED COPIES OF THE RECORD.

<b>MOTHER</b>	35. ANCESTRY: French, English, Irish, etc. (Specify below)		36. RACE - American Indian, Black, White, etc. (Specify below)		37. EDUCATION (Specify only highest grade completed) Elementary/Secondary (9-12)      College (1-4 or 5+)		38. USUAL OCCUPATION PAST YEAR (Specify below)		39. USUAL BUSINESS/INDUSTRY PAST YEAR (Specify below)					
	40. FATHER		41.		42.		43.		44.					
<b>PREGNANCY HISTORY</b>	PREGNANCY HISTORY (Complete each section)					45. DATE LAST NORMAL MENSTRUATION BEGAN (Mo., Day, Yr.)								
	LIVE BIRTHS					OTHER TERMINATIONS					46. MONTH OF PREGNANCY PRENATAL CARE BEGAN - First, Second, Third, etc. (Specify)		47. PRENATAL VISIT - Total Number (If none, so state)	
	48a. Now Living		48b. Now Dead		49a. SPONTANEOUS (Do not include this fetus)		49b. INDUCED (Do not include this fetus)		50. FETUS WEIGHT (Specify line)		51. CLINICAL ESTIMATE OF GESTATION (Weeks)			
	Number _____		Number _____		Number _____		Number _____		52. PLURAILITY - Single, Twin, Triplet, etc. (Specify)		53. IF NOT SINGLE BIRTH - Born First, Second, Third, etc. (Specify)			
<b>MEDICAL AND HEALTH INFORMATION</b>	54. DATE OF LAST LIVE BIRTH (Month, Year)					55. DATE OF LAST OTHER TERMINATION (Month, Year)					56. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply)			
	57. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items)					58. OBSTETRIC PROCEDURES (Check all that apply)					59. CONGENITAL ANOMALIES OF CHILD (Check all that apply)			
	59. METHOD OF DELIVERY (Check one)					60. COMPLICATIONS OF LABOUR AND/OR DELIVERY (Check all that apply)					61. CONGENITAL ANOMALIES OF CHILD (Check all that apply)			
	62. OTHER (Specify)					63. OTHER (Specify)					64. OTHER (Specify)			



DECEDENT

PARENTS

INFORMANT

DISPOSITION

CERTIFIER

1a. FIRST NAME		1b. MIDDLE NAME		1c. LAST NAME		1d. JR. E			
2. DATE OF DEATH (Mo., Day, Yr.)		3. SEX	4. SOCIAL SECURITY NUMBER		5a. AGE (Yrs.) - Last Birthday	5b. UNDER 1 YEAR Months   Days	5c. UNDER 1 DAY Hours   Minutes	6. DATE OF BIRTH (Mo., Day, Yr.)	
7. BIRTHPLACE (City and State or Foreign Country)			8. WAS DECEDENT EVER IN U.S. ARMED FORCES? <input type="checkbox"/> Yes <input type="checkbox"/> No		9. PLACE OF DEATH (Check only one, see instructions on other side) HOSPITAL <input type="checkbox"/> Inpatient <input type="checkbox"/> ER/Outpatient <input type="checkbox"/> DOA <input type="checkbox"/> OTHER <input type="checkbox"/> Nursing Home <input type="checkbox"/> Residence <input type="checkbox"/> Other (Specify)				
10. FACILITY NAME (If not institution, give street and number)				11. COUNTY OF DEATH		12. CITY OR TOWN OF DEATH			
13. MARITAL STATUS - Married, Never Married, Widowed, Divorced (Specify)		14. MOST RECENT SPOUSE (If wife, give maiden name) <input type="checkbox"/> Living <input type="checkbox"/> Deceased		15. DECEDENT'S USUAL OCCUPATION (Give kind of work done during most of working life. Do not use retired.)			16. KIND OF BUSINESS / INDUSTRY		
17. DECEDENT'S EDUCATION (Specify only highest grade completed) Elementary/Secondary (0-12)   College (1-4 or 5+)				18. ANCESTRY - French, English, Irish, etc. (Specify)			19. RACE - American Indian, Black, White, etc. (Specify)		
20. RESIDENCE - STATE		21. COUNTY		22. CITY OR TOWN			23. STREET AND NUMBER		
FATHER'S		24a. FIRST NAME		24b. MIDDLE NAME		24c. LAST NAME		24d. JR. E	
MOTHER'S		25a. FIRST NAME		25b. MIDDLE NAME		25c. MAIDEN SURNAME			
26. INFORMANT - NAME (Type/Print)				27. MAILING ADDRESS (Street and Number or Rural Route Number, City or Town, State, ZIP Code)					
28. METHOD OF DISPOSITION <input type="checkbox"/> Entombed <input type="checkbox"/> Burial <input type="checkbox"/> Cremation <input type="checkbox"/> Removal from State <input type="checkbox"/> Donation <input type="checkbox"/> Other (Specify)				29. PLACE OF DISPOSITION (Name of cemetery, crematory, or other place)		30. LOCATION - City or Town, State			
31. SIGNATURE OF FUNERAL DIRECTOR OR AUTHORIZED PERSON				32. NAME AND ADDRESS OF FACILITY OR AUTHORIZED PERSON			33. DATE OF DISPOSITION (Mo., Day, Yr.)		
34. MEDICAL EXAMINER On the basis of examination and/or investigation, in my opinion, death occurred at the time, date and place and due to the cause(s) and manner as stated. Signature and Title				35. DATE SIGNED (Mo., Day, Yr.)			36. VIEWED BODY AFTER DEATH?		
37. CERTIFYING PHYSICIAN To the best of my knowledge, death occurred at the time, date, and place, and due to the cause(s) and manner as stated. Signature and Title				38. TIME OF DEATH <input type="checkbox"/> AM <input type="checkbox"/> PM			<input type="checkbox"/> Yes <input type="checkbox"/> No		
39. NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER (Type/Print)				40. NAME AND ADDRESS OF CERTIFIER (Type/Print)					
41. REGISTRAR'S SIGNATURE						42. DATE FILED (Mo., Day, Yr.)			
43. WAS AN AUTOPSY PERFORMED? <input type="checkbox"/> Yes <input type="checkbox"/> No		45. MANNER OF DEATH <input type="checkbox"/> Natural <input type="checkbox"/> Accident <input type="checkbox"/> Suicide <input type="checkbox"/> Homicide <input type="checkbox"/> Pending Investigation <input type="checkbox"/> Could not be determined		46. INJURY AT WORK? <input type="checkbox"/> Yes <input type="checkbox"/> No	47. DATE OF INJURY (Mo., Day, Yr.)	48. DESCRIBE HOW INJURY OCCURRED			
44. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? <input type="checkbox"/> Yes <input type="checkbox"/> No					49. TIME OF INJURY <input type="checkbox"/> AM <input type="checkbox"/> PM	50. PLACE OF INJURY - At home, farm, street, factory, office building, etc. (Specify)			
						51. LOCATION (Street and Number or Rural Route Number, City or Town, State)			
52. PART I. Enter the diseases, injuries, or complications which caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure. List only one cause per each line.								Approximate Interval Between Onset and Death	
IMMEDIATE CAUSE (Final disease or condition resulting in death.) Sequently list conditions, if any, leading to immediate cause. Enter UNDERLYING CAUSE (Disease or injury which initiated events resulting in death) LAST								a. DUE TO (OR AS A CONSEQUENCE OF):	
								b. DUE TO (OR AS A CONSEQUENCE OF):	
								c. DUE TO (OR AS A CONSEQUENCE OF):	
								d. DUE TO (OR AS A CONSEQUENCE OF):	
PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in Part I, if not specified in Part I, indicate if the decedent was pregnant or less than 90 days postpartum at time of death.									

If the death occurred in a hospital, check the box indicating the decedent's status at the institution (inpatient, emergency room/outpatient, or on arrival (DOA)). If death occurred elsewhere, check the box indicating whether death occurred at a nursing home, residence or other location. If other is checked, specify where death occurred, e.g. a physician's office, the place where the accident occurred or at work.

#### Items 20-23. — Residence of Decedent

Residence of the decedent is the place where he or she actually resided. This is not necessarily the same as "home state" or "legal residence." Never enter a temporary residence such as one used during a visit, business trip or a vacation. Place of residence during a tour of military duty during attendance at college is not considered as temporary and should be considered as the place of residence.

If a decedent had been living in a facility where an individual usually resides for a long period of time such as a group home, mental institution, nursing home, penitentiary or hospital for the chronically ill, report the location of that facility in items 20 through 23.

If the decedent was an infant who never resided at home, the place of residence is that of the parent(s) or legal guardian. Do not use an acute hospital's location as the place of residence of an infant.

#### Items 34-51 — Medical Certification

When the circumstances of death make it a medical examiner case as defined in 22 MRSA §3025, the MEDICAL EXAMINER is responsible for completing all items in this section. The shaded areas, item 34 and items 46-51 are to be used only by the Medical Examiner. If the manner of death indicated in item 45 is anything other than natural causes, the certificate must be completed by a medical examiner.

#### Item 52. — Cause of Death

The cause of death means the disease, abnormality, injury or poisoning that caused the death, not the mode of dying, such as cardiac or respiratory arrest, shock or heart failure.

In Part I, the immediate cause of death is reported on line (a). Antecedent conditions, if any, which gave rise to the cause are reported on lines (c), and (d). The underlying cause should be reported on the last line used in Part I. NO entry is necessary on lines (b), (c) and (d) if the immediate cause of death on line (a) describes completely the train of events. ONLY ONE CAUSE SHOULD BE ENTERED ON A LINE. Additional lines may be added if necessary. Provide the best estimate of the interval between the onset of each condition and death. Do not leave the interval blank or unknown, so specify.

In Part II, enter other important diseases or conditions that may have contributed to death but did not result in the underlying cause of death given in Part I.

See examples below.

43. WAS AN AUTOPSY PERFORMED? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	45. MANNER OF DEATH <input checked="" type="checkbox"/> Natural <input type="checkbox"/> Accident <input type="checkbox"/> Suicide <input type="checkbox"/> Homicide <input type="checkbox"/> Pending Investigation <input type="checkbox"/> Could not be determined	46. INJURY AT WORK? <input type="checkbox"/> Yes <input type="checkbox"/> No	47. DATE OF INJURY (Mo., Day, Yr.)  49. TIME OF INJURY <input type="checkbox"/> AM <input type="checkbox"/> PM	48. DESCRIBE HOW INJURY OCCURRED  50. PLACE OF INJURY - At home, farm, street, factory, office building, etc. (Specify)  51. LOCATION (Street and Number or Rural Route Number, City or Town, State)
52. PART I. Enter the diseases, injuries, or complications which caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure. List only one cause per each line.				
<div style="display: flex; justify-content: space-between;"> <div style="width: 30%;"> <p>IMMEDIATE CAUSE (Final disease or condition resulting in death.)</p> <p>Sequentially list conditions, if any, leading to immediate cause. Enter UNDERLYING CAUSE (Disease or injury which initiated events resulting in death) LAST</p> </div> <div style="width: 60%;"> <p>a. Rupture of myocardium DUE TO (OR AS A CONSEQUENCE OF):</p> <p>b. Acute myocardial infarction DUE TO (OR AS A CONSEQUENCE OF):</p> <p>c. Chronic ischemic heart disease DUE TO (OR AS A CONSEQUENCE OF):</p> <p>d.</p> </div> <div style="width: 10%; text-align: right;"> <p>Approximate Interval Between Onset and Death</p> <p>Mins.</p> <p>6 days</p> <p>5 years</p> </div> </div>				
PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in Part I.				
Diabetes, Chronic obstructive pulmonary disease, smoking				

43. WAS AN AUTOPSY PERFORMED? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	45. MANNER OF DEATH <input type="checkbox"/> Natural <input checked="" type="checkbox"/> Accident <input type="checkbox"/> Suicide <input type="checkbox"/> Homicide <input type="checkbox"/> Pending Investigation <input type="checkbox"/> Could not be determined	46. INJURY AT WORK? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	47. DATE OF INJURY (Mo., Day, Yr.) 11/15/88 49. TIME OF INJURY 1:00 <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM	48. DESCRIBE HOW INJURY OCCURRED 2 car collision—driver 50. PLACE OF INJURY - At home, farm, street, factory, office building, etc. (Specify) Street 51. LOCATION (Street and Number or Rural Route Number, City or Town, State) Route 4, Augusta, Maine
52. PART I. Enter the diseases, injuries, or complications which caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure. List only one cause per each line.				
<div style="display: flex; justify-content: space-between;"> <div style="width: 30%;"> <p>IMMEDIATE CAUSE (Final disease or condition resulting in death.)</p> <p>Sequentially list conditions, if any, leading to immediate cause. Enter UNDERLYING CAUSE (Disease or injury which initiated events resulting in death) LAST</p> </div> <div style="width: 60%;"> <p>a. Cerebral laceration DUE TO (OR AS A CONSEQUENCE OF):</p> <p>b. Open skull fracture DUE TO (OR AS A CONSEQUENCE OF):</p> <p>c. Automobile accident DUE TO (OR AS A CONSEQUENCE OF):</p> <p>d.</p> </div> <div style="width: 10%; text-align: right;"> <p>Approximate Interval Between Onset and Death</p> <p>10 mins.</p> <p>10 mins.</p> <p>10 mins.</p> </div> </div>				
PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in Part I.				

STATE OF MAINE  
DEPARTMENT OF HUMAN SERVICES (118)  
LICENSE AND CERTIFICATE OF MARRIAGE

State File No.

1d. JR., E

<b>GROOM</b>	1a. FIRST NAME			1b. MIDDLE NAME			1c. LAST NAME			1d. JR., E		
	2. AGE LAST BIRTHDAY		3. RESIDENCE - STATE		4. COUNTY		5. CITY, OR TOWN					
	6. STREET AND NUMBER						7. BIRTHPLACE (State or Foreign Country)			8. DATE OF BIRTH (Mo., Day, Yr.)		
	9. FATHER'S NAME (First, Middle, Last)				10. BIRTHPLACE (State or Foreign Country)		11. MOTHER'S NAME (First, Middle, Maiden Surname)			12. BIRTHPLACE (State or Foreign Country)		
<b>BRIDE</b>	13a. FIRST NAME			13b. MIDDLE NAME			14. MAIDEN SURNAME					
	15. AGE LAST BIRTHDAY		16. RESIDENCE - STATE		17. COUNTY		18. CITY OR TOWN					
	19. COUNTY						20. BIRTHPLACE (State or Foreign Country)			21. DATE OF BIRTH (Mo., Day, Yr.)		
	22. FATHER'S NAME (First, Middle, Last)				23. BIRTHPLACE (State or Foreign Country)		24. MOTHER'S NAME (First, Middle, Maiden Surname)			25. BIRTHPLACE (State or Foreign Country)		
<b>MARITAL STATUS</b>	<b>GROOM</b>						<b>BRIDE</b>					
	NUMBER OF THIS MARRIAGE		27. IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED				NUMBER OF THIS MARRIAGE		29. IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED			
<b>SIGNATURES</b>	26. First, Second, etc. (Specify)		<input type="checkbox"/> DEATH <input type="checkbox"/> DIVORCE <input type="checkbox"/> ANNULMENT		DATE (Mo., Day, Yr.)		28. First, Second, etc. (Specify)		<input type="checkbox"/> DEATH <input type="checkbox"/> DIVORCE <input type="checkbox"/> ANNULMENT		DATE (Mo., Day, Yr.)	
	30. GROOM'S SIGNATURE						31. BRIDE'S SIGNATURE					
<b>LICENSE TO MARRY</b>	ANY DULY AUTHORIZED PERSON IS HEREBY AUTHORIZED TO MARRY THE ABOVE-NAMED PARTIES UNDER THE LAWS OF MAINE.						32. DATE INTENTIONS FILED (Mo., Day, Yr.)		33. DATE LICENSE ISSUED (Mo., Day, Yr.)		34. LICENSE VALID UNTIL (Mo., Day, Yr.)	
							35. SIGNATURE OF ISSUING CLERK				36. CITY OR TOWN OF ISSUE	
THE LAWS OF MAINE PROVIDE THAT ONLY AUTHORIZED PERSONS MAY SOLEMNIZE MARRIAGES IN MAINE												
<b>CEREMONY</b>	37. I CERTIFY THAT THE ABOVE NAMED PERSONS WERE MARRIED ON:				(Mo., Day, Yr.)				38. WHERE MARRIED - CITY OR TOWN			
	40. SIGNATURE OF PERSON PERFORMING CEREMONY				41. NAME (Type/Print)				42. TITLE		43. DATE OF COMMISSION OR LICENSE (Mo., Day, Yr.) ADMITTED TO ME.	
	44A. RESIDENCE OF PERSON PERFORMING CEREMONY				44B. MAILING ADDRESS OF PERSON PERFORMING CEREMONY							
<b>WITNESSES SIGNATURES</b>	45A. SIGNATURE OF WITNESS TO CEREMONY						45B. TYPED OR PRINTED NAME OF WITNESS					
	46A. SIGNATURE OF WITNESS TO CEREMONY						46B. TYPED OR PRINTED NAME OF WITNESS					
<b>CLERK</b>	47. REGISTRAR'S SIGNATURE						48. DATE FILED (Mo., Day, Yr.)					

VS2-R1/90

CONFIDENTIAL. THE INFORMATION BELOW WILL NOT APPEAR ON CERTIFIED COPIES OF THE RECORD.

GROOM'S RACE		GROOM'S EDUCATION (Specify only highest grade completed)		BRIDE'S RACE		BRIDE'S EDUCATION - (Specify only highest grade completed)	
49. American Indian, Black, White, etc. (Specify)	50. Elementary/Secondary (0-12)	College (1-4 or 5+)		51. American Indian, Black, White, etc. (Specify)	52. Elementary/Secondary (0-12)	College (1-4 or 5+)	

COPY — STATE



### CONSENT OF PARENTS OR GUARDIAN

<b>CONSENT FOR BRIDE</b>	WE HEREBY GIVE CONSENT TO THE MARRIAGE OF OUR DAUGHTER OR WARD		
	SIGNATURE OF PARENT OR GUARDIAN		TO SIGNATURE OF PARENT OR GUARDIAN
	SIGNED BEFORE ME	CLERK OR DEPUTY	TOWN
<b>CONSENT FOR GROOM</b>	WE HEREBY GIVE CONSENT TO THE MARRIAGE OF OUR SON OR WARD		
	SIGNATURE OF PARENT OR GUARDIAN		TO SIGNATURE OF PARENT OR GUARDIAN
	SIGNED BEFORE ME ON	CLERK OR DEPUTY	TOWN

# SAMPLE

### DISSOLUTION OF FORMER MARRIAGE

<b>GROOM</b>	DIVORCE (NAME OF FORMER SPOUSE)	DATE OF DIVORCE	NAME AND LOCATION OF COURT
	ANNULMENT (NAME OF FORMER SPOUSE)	DATE OF ANNULMENT	NAME AND LOCATION OF COURT
	DEATH (NAME OF FORMER SPOUSE)	DATE OF DEATH	PLACE OF DEATH
<b>BRIDE</b>	DIVORCE (NAME OF FORMER SPOUSE)	DATE OF DIVORCE	NAME AND LOCATION OF COURT
	ANNULMENT (NAME OF FORMER SPOUSE)	DATE OF ANNULMENT	NAME AND LOCATION OF COURT
	DEATH (NAME OF FORMER SPOUSE)	DATE OF DEATH	PLACE OF DEATH

## STATE OF MAINE

**RECORD OF DIVORCE OR ANNULMENT**

DEPARTMENT OF HUMAN SERVICES

(118)

State File No.

<b>HUSBAND</b>	1a. NAME OF HUSBAND - FIRST	1b. MIDDLE	1c. LAST	1d. JR., ETC.
	2a. USUAL RESIDENCE - STATE	2b. COUNTY		2c. CITY/TOWN
<b>WIFE</b>	3a. NAME OF WIFE - FIRST	3b. MIDDLE	3c. LAST	
	4a. USUAL RESIDENCE - STATE	4b. COUNTY		4c. CITY/TOWN
<b>MARRIAGE</b>	5. PLACE OF MARRIAGE - STATE, COUNTY, AND CITY OR TOWN			6. DATE OF MARRIAGE
<b>DIVORCE OR ANNULMENT</b>	7. TYPE OF DECREE DIVORCE <input type="checkbox"/> ANNULMENT <input type="checkbox"/>		8. PLAINTIFF HUSBAND <input type="checkbox"/> WIFE <input type="checkbox"/>	
	10. DATE OF DECREE		9. DECREE GRANTED TO HUSBAND <input type="checkbox"/> WIFE <input type="checkbox"/>	
<b>MINOR CHILDREN</b>  Use Reverse Side for Additional Names	12. NAMES OF MINOR CHILDREN		13. AGES	14. CUSTODY
	<b>SAMPLE</b>			
<b>CERTIFICATION</b>	15. I HEREBY CERTIFY THAT THE ABOVE ITEMS OF INFORMATION ARE TRUE AND CORRECT AS SHOWN IN THE ORIGINAL RECORD ON FILE IN THIS COURT.  SIGNATURE OF CLERK ▶		16. NAME OF COURT	
			17. LOCATION OF COURT	



STATE OF MAINE  
DEPARTMENT OF HUMAN SERVICES  
**REPORT OF INDUCED ABORTION**

(118)

State File No.

1. FACILITY NAME <i>(If not clinic or hospital, give address)</i>		2. COUNTY OF ABORTION		3. CITY/TOWN OF ABORTION		4. PATIENT MARRIED? <input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> UNKNOWN	
5. DATE OF ABORTION <i>(Month, Day, Year)</i>		6. AGE OF PATIENT		7. RESIDENCE - STATE		8. COUNTY	
10. ANCESTRY French, English, Irish, Etc. <i>(Specify Below)</i>		11. RACE <input type="checkbox"/> American Indian <input type="checkbox"/> Black <input type="checkbox"/> White <input type="checkbox"/> Other <i>(Specify)</i> _____		12. EDUCATION <i>(Specify only highest grade completed)</i>			
				Elementary/Secondary <i>(0-12)</i>		College <i>(1-4 or 5+)</i>	
13. DATE LAST NORMAL MENSES BEGAN <i>(Month, Day, Year)</i>		14. CLINICAL ESTIMATE OF GESTATION <i>(Weeks)</i>		PREGNANCY HISTORY <i>(Complete each section)</i>			
				LIVE BIRTHS		OTHER TERMINATIONS <i>(Do not include this termination)</i>	
				15a. Now living  Number _____ <input type="checkbox"/> None		15b. Now dead  Number _____ <input type="checkbox"/> None	
TERMINATION PROCEDURES							
17a. PROCEDURE THAT TERMINATED PREGNANCY  <i>(Check only one)</i>		<div style="font-size: 2em; font-weight: bold; margin: 0;">SAMPLE</div>				17b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY  <i>(Check all that apply)</i>	
<input type="checkbox"/> Suction Curettage <input type="checkbox"/> Sharp Curettage <input type="checkbox"/> Dilation and Evacuation (D&E) <input type="checkbox"/> Intra-Uterine Saline Instillation <input type="checkbox"/> Intra-Uterine Prostaglandin Instillation <input type="checkbox"/> Hysterotomy <input type="checkbox"/> Hysterectomy <input type="checkbox"/> Other <i>(Specify)</i> _____						<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
18. SIGNATURE OF ATTENDING PHYSICIAN  ▶				19. NAME OF PERSON COMPLETING REPORT <i>(Type/Print)</i>			



TABLE E-1

ESTIMATED MAINE POPULATION  
BY COUNTIES AND STATE TOTAL, 1991

COUNTY	RESIDENT POPULATION
STATE TOTAL	1,234,597
ANDROSCOGGIN	104,534
AROOSTOOK	87,453
CUMBERLAND	244,368
FRANKLIN	29,204
HANCOCK	47,541
KENNEBEC	117,098
KNOX	36,728
LINCOLN	30,458
OXFORD	52,443
PENOBSCOT	147,171
PISCATAQUIS	18,659
SAGadahoc	33,724
SOMERSET	50,413
WALDO	33,712
WASHINGTON	35,686
YORK	165,405

SOURCE: U. S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS, DECEMBER 1992.

TABLE E-2

ESTIMATED POPULATION BY AGE GROUP AND SEX  
MAINE STATE TOTALS, - JULY 1, 1991

AGE GROUP (YEARS)	RESIDENT POPULATION APRIL 1, 1991		
	MALE	FEMALE	TOTAL
ALL AGES - TOTAL	601,547	633,050	1,234,597
UNDER 1	8,576	8,152	16,728
1-14	125,380	118,772	244,152
15-24	87,914	84,918	172,832
25-34	98,783	101,391	200,174
35-44	100,634	100,451	201,085
45-64	114,119	119,680	233,799
65-74	40,809	51,731	92,540
75-84	20,511	34,015	54,526
85 AND OLDER	4,821	13,940	18,761

SOURCE: U.S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS, APRIL 1992

Table H-1

HISTORICAL VITAL STATISTICS DATA  
POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES;  
RATES FOR BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS  
MAINE STATE TOTALS, 1900-1960 (Every Fifth Year) and 1961-1991 (Yearly)

Year	Population	Live Births	Birth Rate per 1,000 Population	Deaths (All Ages)	Death Rate per 1,000 Population	Infant Death Rate <sup>d</sup>	Neonatal Death Rate <sup>d</sup>	Fetal Death Rate <sup>d</sup>	Marriages	Divorces
1900	694,466	14,095	20.3	11,389	16.4	267.5	-	43.6 <sup>a</sup>	5,482	801
1905	719,000	15,294	21.3	11,381	15.8	234.2	-	46.5 <sup>a</sup>	6,264	848
1910	742,371	15,798	21.3	12,439	16.7	249.2	30.4	42.5 <sup>a</sup>	5,900	911
1915	757,000	16,671	22.0	11,541	15.2	135.7	25.4	41.3 <sup>a</sup>	6,672	1,006
1920	768,014	17,495	22.7	11,850	15.3	102.8	41.2	42.8 <sup>a</sup>	7,884	1,364
1925	782,700	17,706	22.6	10,874	13.8	75.6	51.8	-	6,226	1,228
1930	797,423	16,199	20.3	11,084	13.9	75.4	41.5	35.9 <sup>a</sup>	6,438	1,466
1935	822,300	15,715	19.1	11,042	13.4	62.3	37.8	33.6 <sup>a</sup>	7,089	1,474
1940	847,226	15,285	18.0	10,640	12.6	52.9	34.0	24.8 <sup>a</sup>	8,475	1,537
1945	880,500	16,647	18.9	9,966	11.3	46.6	27.0	24.1 <sup>a</sup>	7,569	2,497
1950	914,950	21,239	23.2	9,962	10.9	31.2	22.0	19.4 <sup>a</sup>	8,617	2,162
1955	940,841	22,753	24.2	10,140	10.8	24.5	17.3	28.4 <sup>a</sup>	8,263	1,954
1960	970,689	23,282	24.0	10,752	11.1	25.2	18.6	17.7 <sup>a</sup>	7,860	2,025
1961	976,511	23,553	24.1	10,765	11.0	25.6	19.0	17.5 <sup>a</sup>	7,908	2,021
1962	983,023	22,998	23.4	11,083	11.3	25.3	18.2	17.1 <sup>a</sup>	7,980	2,078
1963	986,603	21,919	22.2	11,003	11.2	24.0	17.9	16.3 <sup>a</sup>	8,121	2,193
1964	990,391	21,204	21.4	10,862	11.0	23.5	16.9	17.4 <sup>a</sup>	8,269	2,400
1965	993,236	19,796	19.9	10,778	10.9	22.4	16.9	17.5 <sup>a</sup>	8,726	2,502
1966	994,714	18,526	18.6	10,915	11.0	22.6	17.1	15.0 <sup>a</sup>	8,983	2,630
1967	995,134	17,976	18.1	10,066	10.1	23.1	16.4	16.1 <sup>a</sup>	9,210	3,049
1968	994,632	16,866	17.0	11,085	11.1	21.6	15.9	16.0 <sup>a</sup>	10,179	3,088
1969	993,907	17,364	17.5	10,898	11.0	19.7	15.3	11.8 <sup>a</sup>	10,428	3,375
1970	997,357	17,837	17.9	11,066	11.1	20.9	16.1	13.8 <sup>a</sup>	10,975	3,841
1971	1,012,257	17,850	17.6	10,830	10.7	18.1	13.3	13.2 <sup>a</sup>	11,193	3,905
1972	1,025,775	16,269	15.9	11,147	10.9	17.7	12.8	12.2 <sup>a</sup>	11,741	4,132
1973	1,038,291	15,730	15.1	10,837	10.4	16.1	11.6	13.3 <sup>a</sup>	11,925	4,551
1974	1,050,181	15,110	14.4	10,705	10.2	16.1	12.6	9.9 <sup>b</sup>	11,546	4,850
1975	1,062,640	15,232	14.3	10,253	9.6	13.2	9.0	10.8 <sup>b</sup>	11,190	5,526
1976	1,074,653	15,046	14.0	10,422	9.7	11.0	7.6	8.3 <sup>b</sup>	11,302	5,522
1977	1,087,650	16,252	14.9	10,055	9.2	9.4	6.1	8.6 <sup>b</sup>	11,446	5,655
1978	1,101,186	15,919	14.5	10,168	9.2	10.2	6.0	8.9 <sup>b,c</sup>	11,658	6,164
1979	1,115,044	16,435	14.7	10,278	9.2	9.7	5.8	7.2 <sup>b,c</sup>	11,918	6,158
1980	1,125,027	16,474	14.6	10,768	9.6	9.3	5.9	7.1 <sup>b,c</sup>	12,040	6,189
1981	1,132,849	16,567	14.6	10,331	9.1	10.6	6.6	5.7 <sup>b,c</sup>	12,290	6,351
1982	1,136,199	16,695	14.7	10,451	9.2	8.7	6.0	6.9 <sup>b,c</sup>	12,388	5,804
1983	1,145,730	16,576	14.5	10,916	9.5	8.7	5.9	6.5 <sup>b</sup>	12,478	5,939
1984	1,156,485	16,631	14.4	10,826	9.4	8.0	4.8	6.8 <sup>b</sup>	12,525	5,795
1985	1,163,850	16,905	14.5	11,392	9.8	8.9	6.3	6.0 <sup>b</sup>	12,248	6,070
1986	1,172,200	16,717	14.3	11,178	9.5	8.7	5.6	5.9 <sup>b</sup>	11,983	5,621
1987	1,186,350	16,727	14.1	11,238	9.5	8.1	4.8	5.7 <sup>b</sup>	12,124	5,878
1988	1,205,900	17,166	14.2	11,482	9.5	7.9	5.1	6.3 <sup>b</sup>	12,553	6,041
1989	1,216,050	17,464	14.4	11,090	9.1	7.0	4.8	5.6 <sup>b</sup>	11,894	5,469
1990	1,227,928	17,314	14.1	11,023	9.0	5.9	4.3	5.2 <sup>b</sup>	11,914	5,164
1991	1,234,597	16,755	13.6	11,189	9.1	6.7	4.4	4.9 <sup>b</sup>	11,306	5,645

Notes:<sup>a</sup>Fetal death rate calculated based on all reported terminations of pregnancy, regardless of gestational age.

In 1973, 12.0% of such terminations were for fetuses of less than 20 weeks gestation.

<sup>b</sup>Fetal death rate calculated based on reported fetal deaths of gestational age 20 weeks or more.

<sup>c</sup>Occurrence data.

<sup>d</sup>Rate per 1,000 live births in the same year.

All data for births and deaths pertain to Maine residents, only, starting in 1935. Data on marriages and divorces describe all such events which occurred in Maine.





Table H-2

## HISTORICAL VITAL STATISTICS DATA

Induced Abortions of Pregnancy, Number and Rate:  
Maine State Totals, 1978-1991

Year	Births	Induced Abortions	Induced Abortions per 1,000 Live Births
1978	15,919	4,011	252.0 <sup>a</sup>
1979	16,435	3,963	241.1 <sup>a</sup>
1980	16,474	3,594	218.2 <sup>b</sup>
1981	16,567	2,881	173.9 <sup>b</sup>
1982	16,695	2,419	144.9 <sup>b</sup>
1983	16,576	3,279	197.8 <sup>b</sup>
1984	16,631	3,767	226.5 <sup>b</sup>
1985	16,905	3,784	223.8 <sup>b</sup>
1986	16,717	3,521	210.6 <sup>b</sup>
1987	16,727	3,698	221.1 <sup>b</sup>
1988	17,166	3,818	222.4 <sup>b</sup>
1989	17,464	3,921	224.5 <sup>b</sup>
1990	17,314	4,028	232.6 <sup>b</sup>
1991	16,755	3,520	210.1 <sup>b</sup>

Notes: Data prior to 1978 not given because of severe underreporting.

<sup>a</sup>Occurrence data.

<sup>b</sup>Residence data.



MAINE DEPARTMENT OF HUMAN SERVICES  
Office of Data, Research, and Vital Statistics  
State House Station 11  
35 Anthony Avenue  
Augusta, Maine 04333-0011

*SPECIAL FOURTH CLASS*  
*Book Rate*