

STATE OF MAINE DEPARTMENT OF HUMAN SERVICES

OFFICE OF DATA, RESEARCH, AND VITAL STATISTICS

ANNUAL STATISTICAL REPORT

FOR THE CALENDAR YEAR

1992

í

John R. McKernan, Jr. Governor Jane Sheehan Commissioner

Ellen M. Naor State Registrar of Vital Statistics

Published in June, 1994 As Required by Statute 22 MRSA §2701 Under Appropriation # 010-10A-1110-01

ACKNOWLEDGEMENTS

This report contains a summary of vital statistics for the State of Maine for the calendar year 1992. The Department of Human Services has the dual responsibility of maintaining an effective system of vital registration and of making vital statistics available to the public. Within the Department itself, these data are needed for planning, managing, and evaluating programs that will improve the health and welfare of Maine people. The data are widely used, as well, for estimating and projecting population characteristics and changes.

This document is the result of the cooperative efforts of many individuals and groups. Chief among these are the municipal clerks of Maine's towns and counties, who serve as local registrars for vital records. The conscientious efforts of physicians, medical records administrators, and funeral directors also deserve special mention.

<u>Maine Vital Statistics</u> has been compiled and produced under the general supervision and direction of Ellen M. Naor, State Registrar of Vital Statistics and Director, Office of Data, Research, and Vital Statistics. Staff most significantly involved in the production of the 1991 annual report include:

Donald Lemieux, Director, Statistical Services - supervision and general direction, preparation of population statistics.

William Turner - Vital statistics systems maintenance and programming of vital statistics series reports.

Sue Whitley, Word Processing Supervisor - Manuscript preparation.

The joint efforts of all the staff of the Office's Vital Records Unit are necessary to produce the data contained in this publication. Special acknowledgement is made to:

Lorraine Clarkson, Deputy State Registrar - Supervision of the Vital Records Unit which is responsible for data collection, coding and editing.

Carol Crane, Field Agent - Coordination with cities and towns to produce the data in a timely fashion.

Page No.

Acknowledgements	ii
List of Tables	v
List of Supplemental Tables Available on Request	x
Introduction	1
Definitions of Terms	3
Definitions of Rates	7
Technical Notes	9
General Considerations Live Births. Pregnancy Outcome. Infant and Fetal Mortality. General Mortality. Induced Abortions. Marriages and Divorces.	9 12 12 13 15 15
Tables (See List of Tables for detailed titles)	
Live Births Pregnancy Outcome Infant and Fetal Mortality General Mortality Induced Abortions Marriages	17 67 89 103 147 159
Appendices	165
Maine Vital Records Certificates and Reports	
Certificate of Live Birth Certificate of Fetal Death Certificate of Death License and Certificate of Marriage Record of Divorce or Annulment Report of Induced Abortions	167 169 171 173 175 177

Page No.

Population Estimates

U.S. Dep. of Comm, Bureau of the Census, December 1992:	
Maine Counties and State Total	179
U.S. Dep. of Comm, Bureau of the Census, April 1992,	
by Age Group and Sex: Maine State Totals	180

Historical Vital Statistics Data

Population, Live Births, Deaths, Marriages	
and Divorces; Rates for Births, Deaths,	
Infant Deaths, Neonatal Deaths, and Fetal	,
Deaths: Maine State Totals, from 1900	181
Induced Abortions, Number and Rate: Maine State	
Totals, from 1978	182

Table No.	Table Title	Page No.
	LIVE BIRTHS	
TABLE B-1	All Live Births and Out of Wedlock Live Births, by Mother's Age and Race: Maine State Totals, 1991 (Resident Data)	. 19
TABLE B-2	All Live Births and Out of Wedlock Live Births, by Mother's Age and Child's Birthweight: Maine State Totals, 1991 (Resident Data)	. 20
TABLE B-3	Live Births by Selected Medical History Characteristics Maine State Totals, 1991 (Resident data) [Selected Characteristics: Complications of Labor, Medical Risk Factors, Other Risk Factors, Method of Delivery, Obstetric Procedures, Congenital Anomalies]	. 21
TABLE B-4	Live Births by Selected Risk Characteristics, and Ratio of Male to Female Births: Maine Counties and State Totals, 1991 (Resident Data) [Selected Characteristics: 5 Minute Apgar Score Less Than 5, Congenital Anomalies, Birthweight Less Than 2,500 Grams, Gestation Less Than 37 Weeks]	. 22
TABLE B-5	All Live Births and Out of Wedlock Live Births, by Mother's Age, Sex of Child and Birth Order: Maine Counties and State Totals, 1991 (Resident Data)	. 23
TABLE B-6	Live Births by Month Prenatal Care Began and Birthweight: Maine Counties and State Totals, 1991 (Resident Data)	. 40
TABLE B-7	Live Births by Trimester Prenatal Care Began and Number of Prenatal Visits: Maine Counties and State Totals, 1991 (Resident Data)	. 49
TABLE B-8	Live Births by Month Prenatal Care Began and Mother's Education: Maine Counties and State Totals, 1991 (Resident Data)	. 58
TABLE B-9	Live Births by Selected Risk CharacteristicsNumber of Births: Maine Hospitals, Other Birth Sites, and State Total, 1991 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Medical Risk Factors, Pregnancy, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]	. 64
TABLE B-10	Live Births by Selected Risk Characteristics Percentage of Total Births: Maine Hospital, Other Birth Sites, and State Total, 1991 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Complications of Pregnancy, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]	65

Table No.	<u>Table Title</u>	Page No.
TABLE B-11	Live Births by Birthweight: Maine Hospitals, Other Birth Sites, and State Totals, 1991 (Occurrence Data)	66
·	PREGNANCY OUTCOME	
TABLE P-1	All Live Births, Induced Abortions, and Fetal Deaths by Outcome, Marital Status, and Age of Mother: Maine Counties and Maine State Totals, 1991 (Resident Data)	. 69
TABLE P-2	Fetal Deaths, 1991 and Induced Abortions by Weeks of Gestation: Maine State Totals, 1991 (Resident Data)	. 87
	INFANT AND FETAL MORTALITY	
TABLE F-1	Infant, Neonatal, and Postneonatal Deaths by Sex for 61 Cause of Death Groups: Maine State Totals, 1991 (Resident Data)	91
TABLE F-2	Fetal Deaths by Gestation and Sex for 61 Cause of Death Groups: Maine State Totals, 1991 (Resident Data)	95
TABLE F-3	Live Births, Neonatal Deaths, and Estimated Neonatal Death Rates by Birthweight: Maine State Totals, 1991 (Resident Data)	97
TABLE F-4	Fetal Deaths by Selected Complications, Gestation, and Age of Patient: Maine State Totals, 1991 (Resident Data) [Selected Complications: Medical Risk Factors, Complications of Labor or Delivery, Tobacco/Alcohol Use, Congenital Anomalies	98
TABLE F-5	Deaths and Death RatesTotal, Infant, Neonatal, Postneonatal, and Perinatal: Maine Counties and State Totals, 1991 (Resident Data)	99
TABLE F-6	Fetal Deaths by Selected Characteristics: Maine Counties and State Totals, 1991 (Resident Data) [Selected Characteristics: Out of Wedlock, Autopsy, In Hospital, Trimester Prenatal Care Began, Age of Patient]	100
TABLE F-7	Fetal Deaths, Selected Risk Characteristics, and Ratio of Males to Females: Maine Counties and State Totals, 1991 (Resident Data) [Selected Characteristics: Congenital Anomalies, Fetal Weight,	
TABLE F-8	Gestation Less Than 28 Weeks] Fetal Deaths by Selected Medical History Characteristics: Maine State Totals, 1991 (Resident Data) [Selected Medical History: Complications of Labor, Medical Risk Factors, Other Risk Factors, Method of Delivery, Obstetric Procedures, Congenital Anomalies]	101

۱

Table No. Table Title

GENERAL MORTALITY

TABLE D-1	Deaths, Rank by Number of Deaths, and Death Rate Total, Male, and Female for Ten Leading Causes of Death by Age Group: Maine State Totals, 1991 (Resident Data)	105
TABLE D-2	Years of Life LostNumber, Percent, Rank, and Average per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1991 (Resident Data)	110
TABLE D-3	Deaths by Age and Sex for 282 Cause of Death Groups: Maine State Totals, 1991 (Resident Data)	111
TABLE D-4	Underlying Cause Mentions and All Mentions of 72 Cause of Death Groups and Ratio of All Mentions to Underlying Cause Mentions: Maine State Totals, 1991 (Resident Data)	132
TABLE D-5	DeathsTotal, and Percent by Site of Death: Maine Counties and State Totals, 1991 (Resident Data)	134
TABLE D-6	Deaths in HospitalsTotal and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1991 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	135
TABLE D-7	Deaths in Intermediate Care FacilitiesTotal and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1991 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	136
TABLE D-8	Deaths at HomeTotal and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1991 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	137
TABLE D-9	Deaths by Sex, Age, and Occupation: Maine State Totals, 1991 (Resident Data)	138
TABLE D-10	Acquired Immune Deficiency SyndromeRelated Deaths by Status of Mention: Maine State Totals, 1991 (Resident Data)	141
TABLE D-11	Deaths by Underlying Cause Mention and All Mentions for Selected 72 Cause of Death Groups: Maine State Totals, 1991 (Resident Data)	142

INDUCED ABORTIONS

TABLE	A-2	Induced Abortions by Gestation and Type of Termination Procedures: Maine State Totals, 1991 (Occurrence Data)	149
TABLE	A-3	Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1991 (Resident Data)	150
TABLE	A-4	Induced Abortions by Gestation, Age of Patient, and Race: Maine State Totals, 1991 (Occurrence Data)	151
TABLE	A-5	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1991 (Resident Data)	152
TABLE	A-6	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1991 (Occurrence Data)	153
TABLE	A7	Induced Abortions by Marital Status and Age of Patient: Maine State Totals, 1991 (Resident and Occurrence Data)	154
TABLE	A-8	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1991 (Resident Data)	155
TABLE	A-9	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1991 (Occurrence Data)	156
TABLE	A-10	Induced Abortions by State or Country of Residence: Maine State Totals, 1991 (Occurrence Data)	157
		MARRIAGES	
TABLE	M-1	Marriages by Age of Bride and of Groom: Maine State Totals, 1991 (Resident Data)	161
TABLE	M-2	Marriages by Years of Education of Bride and of Groom: Maine State Totals, 1991 (Resident Data)	162
TABLE	M- 3	Marriages by Age and Previous Marıtal Status, for Brides and for Grooms:- Maine State Totals, 1991 (Resident Data)	163
TABLE	M-4	Marriages by Number of Previous Marriages of Bride and of Groom: Maine State Totals, 1991 (Resident Data)	164

Table No. Table Title

APPENDICES

TABLE C-1	Copy of Maine Birth Certificate	167
TABLE C-2	Copy of Maine Fetal Death Certificate	169
TABLE C-3	Copy of Maine Death Certificate	171
TABLE C-4	Copy of Maine Marriage Certificate	173
TABLE C-5	Copy of Maine Record of Divorce	175
TABLE C-6	Copy of Maine Report of Induced Abortion	177
TABLE E-1	Estimated Maine Population: Maine Counties and State Total, July 1, 1991	179
TABLE E-2	Estimated Maine Population by Age Group and Sex: Maine State Totals, July 1, 1991	180
TABLE H-1	Historical Vital Statistics Data, Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, 1900-1960 (every fifth year) and 1961-1991 (yearly)	181
TABLE H-2	Historical Vital Statistics Data, Induced Abortions, Number and Rate: Maine State Totals, 1978-1991	182

Table No.

- S-A-2 Induced Abortions--Total, and by Selected Characteristics: Maine Towns over 3,500 Population, Counties and State Totals, 1991 (Resident Data) [Selected Characteristics: Out of Wedlock, Patient's Age, No Previous Pregnancies, No Previous Abortions, Education, Abortions in Hospital]
- S-A-3 Induced Abortions to Canadian Residents by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Canada Totals, 1991 (Occurrence Data)
- S-A-4 Induced Abortions to Canadian Residents by Gestation, Age of Patient, and Race: Canada Totals, 1991 (Occurrence Data)
- S-A-5 Induced Abortions to Canadian Residents by Gestation and Type of Termination Procedures: Canada Totals, 1991 (Occurrence Data)
- S-B-1 All Live Births and Out of Wedlock Live Births by Adequacy of Prenatal Care, Mother's Age, Child's Birthweight, and Apgar Score: Maine State Totals, 1991 (Resident Data)
- S-B-2 Live Births -- Total, and by Selected Risk Characteristics: Maine Towns, Counties and State Totals, 1991 (Resident Data) [Selected Characteristics: Out of Wedlock, Under 2,500 Grams, Congenital Anomalies, Mother Under Age 20 Years, No Prenatal Care]
- S-BD-1 Births and Deaths by Month, Maine Towns, Counties and State Totals, 1991 (Resident Data)
- S-D-1 Deaths, Rank by Number of Deaths, and Death Rate Highlighting Motor Vehicle Traffic Deaths -- Total, Male, and Female for Ten Leading Causes of Death (Selected from 32 Cause-of-Death Classifications) by Age Group Maine State Totals, 1991 (Resident Data)
- S-D-2 Deaths by 72 Cause of Death Groups: Six Largest Cities or Towns in Each Maine County, County Totals, and State Totals, 1991 (Resident Data)
- S-D-3 Deaths by Age and Sex for 72 Cause of Death Groups Maine State Totals, 1991 (Resident Data)
- S-D-4 Deaths by Age and Sex for 32 Cause of Death Groups Maine State Totals, 1991 (Resident Data)

^{*}Supplemental tables are available at the cost of reproduction.

- S-D-5 Alcohol and Drug Related Deaths by Status of Mention: Maine State Totals, 1991 (Resident Data)
- S-D-6 Deaths by Origin or Descent: Maine Counties and State Totals, 1991 (Resident Data)
- S-D-7 Deaths by Referral to Medical Examiner, Autopsy Status, Certifier, Traumatic and Non-traumatic Deaths: Maine State Totals, 1991 (Occurrence Data)
- S-D-8 Deaths by Method of Disposition and Age: Maine Counties and State Totals, 1991 (Occurrence Data)
- S-D-9 Years of Life Lost Before Age 75 Number, Percent, Rank, and Average Per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1991 (Resident Data)
- S-F-1 Neonatal Deaths and Estimated Neonatal Rates by Birthweight: Maine Hospitals of Birth. Other Birth Sites, and State Total, 1991 (Occurrence Data)
- S-F-2 Infant, Neonatal, and Fetal Deaths by Sex, Non-white Race, Low Birthweight, and Congenital Anomalies: Maine Towns, Counties, and State Total, 1991 (Resident Data)
- S-M-1 Marriages by Selected Characteristics: Maine Towns, Counties, and State Totals, 1991 (Occurrence and Residence Data) [Selected Characteristics: Religious Ceremony, Bride and Groom Residence, Under Age 20 Years, Education Under 12 Years, First Marriage]

*Supplemental tables are available at the cost of reproduction.

INTRODUCTION

In order to speed the process of making these data available to the public, the annual vital statistics report does not contain interpretive comments or charts. Information necessary to use the tables is included in the technical notes. The tabulations most frequently requested are presented in this report. Supplemental tables, available at the cost of reproduction, are listed on page x. Special tabulations can also be obtained, generally at a charge that may include preparation as well as reproduction costs. Comments and requests for additional information should be directed to:

Maine Department of Human Services Office of Data, Research, and Vital Statistics 35 Anthony Avenue State House Station #11 Augusta, Maine 04333-0011

Telephone: (207) 624-5445

·

DEFINITIONS OF TERMS

All Mentioned Causes of Death All causes of death mentioned on the death certificate, whether underlying or associated. All mentioned causes are also referred to as "multiple causes of death." A summary indicator for evaluating the health Apgar Score of a newborn infant, the score ranges from 0 (very poor) to 10 (excellent). It is assigned by the delivery room personnel one minute and five minutes after birth. Associated Cause of Death Condition other than the underlying cause of death which may have contributed to the death. Birth Order Number of live births to the mother of the newborn, including this birth. Weight of fetus or infant at time of delivery Birthweight (normally measured in grams). Death prior to the complete expulsion or Fetal Death extraction from its mother of a product of conception; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Fetal deaths of at least 20 weeks of gestation must be reported on the "Fetal Death Report." Fetal deaths of less than 20 weeks gestation are reported on the "Report of Abortion (Spontaneous and Induced)." Clinical assessment of the number of weeks Gestation since conception. A licensed acute care health facility with Hospital permanent inpatient beds offering facilities and services for the diagnosis and treatment of illness, injury and deformity for a continuing period of time. A hospital has an organized medical staff and offers continuous 24 hour professional nursing care and emergency treatment. Induced abortion means the intentional Induced Abortion interruption of a pregnancy by the application of external agents, whether chemical or physical, or the ingestion of chemical agents with an intention other than to produce a live birth or to remove a dead fetus. All induced abortions are required to be reported on the "Report of Abortion (Spontaneous and Induced)," regardless of the

length of gestation.

Infant Death Death occurring to a live born infant less than one year of age. Intermediate Care Facility A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, health related services, and licensed nursing supervision (8 hours per day). A live birth is the complete expulsion or extraction from its mother of a product of Live Birth conception, irrespective of the duration of pregnancy, which after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Maternal Deaths Those deaths of women wherein the physician has designated a maternal condition as the underlying cause of death. Minor Civil Division In Maine, minor civil divisions generally are areas covered by the local or city/town level of civil government. Multiple Causes of Death All causes of death mentioned on the death certificate, whether underlying or associated. Multiple causes are also referred to as "all mentioned causes." Neonatal Death Death occurring to a live born infant before completing 27 days of life. Occurrence Refers to data tabulated by place the event occurred. Out-of-Wedlock Birth Births in which the mother was not married either at the time of conception or at the time of delivery. Perinatal Death Fetal deaths of at least 20 weeks gestation and all neonatal deaths.

Postneonatal Death

Race

Residence

Site of Birth

*

Site of Death

Skilled Nursing Facility

Spontaneous Abortion

Underlying Cause of Death

Death occurring to a live born infant between the ages of 28 days and 364 days, inclusive.

Race of mother, father, or decedent is as stated on certificate.

Refers to data tabulated by usual place of residence of the person to whom event occurred. For births, fetal deaths, and abortions, residence is defined as the mother's place of residence.

Hospital or type of non-hospital site (e.g. home, on way to hospital, out-patient facility) where birth occurred.

Hospital or type of non-hospital site (e.g. home, on way to hospital, nursing home) where death occurred.

A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, medical services, continuous skilled nursing services and health-related services, diagnosis and treatment.

A termination of pregnancy, at less than 20 weeks gestation, through natural causes and without the aid of mechanical or medicinal agents.

That condition giving rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. For this report, underlying causes are selected through processing of death certificate data by the ACME and TRANSAX computer programs (see Technical Notes).

5

Age-Specific Death Rate	=	Resident Deaths in Specific Age Group Total Resident Population in Specific Age Grou	x p	100,000
Birth Rate	-	Resident Live Births Total Resident Population	Х	1,000
Cause-Specific Death Rate	=	Resident Deaths from Specific Cause Total Resident Population	x	100,000
Death Rate	22	Resident Deaths Total Resident Population	X	1,000
Divorce Rate	=	Divorces Total Resident Population	Х	1,000
Fetal Death Rate	=	Resident Fetal Deaths Total Resident Live Births and Resident Fetal Deaths	X	1,000
Infant Death Rate	Ŧ	Resident Infant Deaths Total Resident Live Births	х	1,000
Marriage Rate	=	Marriages Performed Total Resident Population	Х	1,000
Maternal Death Rate	=	Resident Maternal Deaths Total Resident Live Births	Х	10,000
Neonatal Death Rate	=	Resident Neonatal Deaths Total Resident Live Births	Х	1,000
Perinatal Death Rate	æ	Resident Fetal Deaths and Neonatal Deaths Total Resident Fetal Deaths and Live Births	X	1,000
Postneonatal Death Rate	=	Resident Postneonatal Deaths Total Resident Live Births	Х	1,000
Sex-Specific Death Rate	E	Resident Deaths of Indicated Sex Total Resident Population of Indicated Sex	X	100,000

*Event denominators for rates are registered totals for the calendar year. Population denominators are mid-calendar year estimates.

General Considerations

Sources of Vital Records Data: Birth, death, fetal death, induced abortions, marriage, and divorce certificates are the source documents for data on vital events in Maine. A copy of each is included in Appendix Tables C-1 through C-6.

The cut off dates for the data in this report are: Divorces and Induced Abortions, March 15, 1993; Deaths, Fetal Deaths, and Marriages, April 1, 1993; and Births, April 15, 1993. Any data pertaining to 1992 events for which certificates were filed after the above cut off dates are not included in this report and will be filed in the vital records office as late certificates.

Birth certificates and induced abortion reports are usually completed by hospital or clinic personnel. Death and fetal death certificates are usually completed by funeral directors, who obtain the medical certifications of cause of death from physicians. Marriage certificates are completed by the appropriate municipal clerks, while divorce reports are sent to the Office of Data, Research, and Vital Statistics by the clerks of courts.

<u>Completeness of Registration</u>: A birth certificate test in 1950 indicated that about one percent of births in Maine at that time were not recorded. It is assumed that registration has continued to be at least this complete.

Although no test of death registration has ever been done, it is assumed that death registration is reasonably complete, because burial permit laws and regulations require the filing of a death certificate before a burial permit for the disposition of the body is issued.

Reporting of all induced abortions at any gestation has been required in Maine for many years. Analysis of fetal death rates over time, however, indicates that there has been considerable variation in the completeness of registration. A specific reporting form for induced abortions was introduced in 1978. Comparison with independent data sources suggests that induced abortions may be underreported by 10 to 15%.

In addition to unrecorded vital events, other vital events may not be included in this report for several reasons: failure of the person required to report the event to make a timely report; failure of a municipal clerk to make a timely report to the State Registrar; or failure of other states to make timely exchanges of nonresident transcripts of births and deaths.

Data Quality: Data in this report are based upon original certificates of births and deaths, copies of original certificates of marriages prepared by city and town clerks, and abstracts of decrees of divorces prepared by the clerks of courts. Errors in data may be

introduced by persons giving information for the original certificate, persons involved in the actual preparation of the original certificate, persons responsible for the preparation of the copies or abstracts of the original certificates, or those involved in the coding and processing of the data in the State Office of Data, Research, and Vital Statistics.

Extensive reorganization and revision in 1983 of reporting procedures, data input procedures, and computer systems have reduced or eliminated many of the problems experienced in previous years. The Office of Data, Research, and Vital Statistics maintains several programs aimed at improving the quality and completeness οĒ received on certificates and its translation into form. A "query" system is used to followback to information statistical form. physicians, hospital personnel and funeral directors concerning incomplete or conflicting information on the certificates themselves. The followback, which is done by both mail and telephone, is based on computer editing procedures.

In addition, the vital statistics field agent works directly with the data providers to improve the quality of reported information. The field agent conducts various seminars, workshops, and site visits to educate hospital and medical personnel, funeral directors, and municipal clerks in the importance of accurate and complete vital statistics data.

Finally, the National Center for Health Statistics (NCHS) monitors State coding of statistical data. The NCHS has established a two percent upper limit for coding differences involving any one data item, with the exception of cause of death. A five percent limit is used for this item due to the complexity of the coding process.

Comparison with Earlier Years: In 1983, a number of changes were introduced into the vital registration program and associated data processing, computer systems, and analytic procedures. These must be borne in mind in any comparisons with earlier years and analyses of time trends. Specific changes include the following:

- Implementation of a new birth certificate on January 1, 1983 and a new fetal death certificate on January 1, 1985. The new certificates use a checklist format for reporting medical history items related to pregnancy and delivery. These items are recorded on a separate page mailed directly to the Vital Records Unit.
 - Intensive field and education activities directed to appropriate medical providers to promote more complete reporting of induced abortions performed at any time during pregnancy.
 - The computerized data systems for records of births, deaths, fetal deaths, marriages, divorces, and abortions were completely revised in 1983 to promote more accurate and timely registration activities and statistical products. Comprehensive and rigorous edit procedures were developed for data input and a number of consistency checks were incorporated.

<u>Small Frequencies</u>: The numbers of births or deaths reported for a community represent complete counts of these events. As such, they are not subject to sampling error or variation, although they are subject to errors in the collection and processing procedures. However, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same general circumstances. The probable range of values may be estimated from the actual figures according to certain statistical assumptions (Vital Statistics for the U.S., Vol. 1, 1959, p. 1-20). When the figures are used for comparison of frequencies and rates over a time period or for different areas, appropriate statistical methods should be used to assess the significance of the comparisons.

Prequencies of and rates based on fewer than 10 events should be used carefully because they are subject to large random fluctuations. The number "10" is arbitrary, however, and is not set forth as a critical point distinguishing statistically reliable rates.

-<u>Rates</u>: In interpreting the conditions described by vital statistics rates, -considerable caution must be observed. In particular, differences in rates from time to time or place to place may arise from a number of population differences and other compounding factors, and appropriate techniques (e.g., standardization) should be utilized in such comparisons.

<u>Population Data</u>: The population data used to calculate rates in this report are derived from the Estimated Maine United State Department of Commerce, Bureau of the Census. A display of these population data is included in Appendix Tables E-1 and E-2.

"Selected" Characteristics/Causes of Death: These terms are used to denote tabulations in which the categories displayed are not exhaustive but represent only those of particular interest.

<u>Geographic Classification</u>: In addition to recording vital events occurring in Maine, the Office of Data, Research, and Vital Statistics receives transcripts of birth certificates for children born outside Maine to a mother who is a resident of Maine. Death certificates for persons who are residents but die outside the boundaries of Maine are also received. Transcripts of non-resident births and deaths are exchanged with all other states and with Canada.

Events are assigned to geographical areas according either to place of residence or to place of occurrence. The basis for classification is identified in each table and should be carefully observed when extracting information.

"Resident Data" means events have been tabulated according to the area where the person lived regardless of where the event occurred. In the case of infant deaths and births, the reference is to the residence of the mother. It should be noted that in the case of infant deaths, the place of residence at death may differ from the place of residence at birth; when special tabulations are prepared from both birth and death certificates, it is important to note to which residence category they were assigned.

11

"Occurrence Data" means events have been tabulated according to where the events took place, regardless of the usual residence of the person. Since nearly all births and most deaths take place in hospitals, the number which occur in counties with many hospital beds will be large for this reason alone.

Live Births

٥

As noted in previous sections, a revised birth certificate was initiated on January 1, 1983. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies. Two added items were the physician's estimate of gestation and an assessment of the infant's condition at birth. Initial evaluation indicates that the checklist format increased reporting of the medical history items dramatically - as much as five-fold on some items - so comparison with data from previous years must be made with caution. In 1990, a revised method was used for the distribution of adequacy of prenatal care for Table S-B-1 and the results from this table is not compatible with earlier years.

Pregnancy Outcome

This section deals with the outcome of pregnancies to Maine Resident women including live births, fetal deaths, and induced abortions.

Table Pl is displayed by county and is the only table where it is possible to compare pregnancy rates by regions throughout the State of Maine.

Infant and Fetal Mortality

This section includes all fetal deaths of at least 20 weeks gestation and all neonatal deaths. The birth, death, and fetal death certificates all include information on the place of residence, so events to non-Maine residents can be excluded from tabulations based on resident data. Through the interstate exchange agreement, transcripts of births and deaths which occur outside of the state to Maine residents are obtained for inclusion in tabulations of resident data. Maine started to participate in such exchange for fetal deaths in 1985, so information on pregnancies of Maine women terminating in fetal deaths which occurred outside the state is now available for inclusion in tabulations of resident data.

A revised fetal death certificate was initiated on January 1, 1985, comparable to the 1983 revision of the birth certificate. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies.

Notification of infant death is obtained from the regular death certificate. However, much information relevant to the circumstances of infant death is found on the birth certificate. Birth and death records have, therefore, been matched to produce a composite infant death tape, which is the source of Table F-3. Tables F-1, F-5, and all other death tables, on the other hand, are produced from the general death file. Discrepancies between these two sources are minimal, usually involving only a very small number of deaths.

General Mortality

There are a number of factors which should be considered in order to understand and use the mortality data presented herein.

Mortality Classification: The mortality classification used in this report is the Ninth Revision of the International Classification of Diseases (ICD-9). It consists of a list of 722 categories of diseases and morbid conditions, 192 categories for classification of the external cause of an injury, and 190 categories for the characterization of injuries according to the nature of the lesion.

There are two major limitations in interpreting changes in cause of death statistics. Changes in diagnostic practice may affect the comparability of such statistics over time, as do changes in nomenclature and in the classification scheme. The International Classification of Diseases is revised approximately every ten years to incorporate advances in medical science and to reflect changing medical opinion and practice. The Sixth Revision was used from 1949-1957, the Seventh Revision from 1958-1967, the Eighth Revision from 1968-1978, and the Ninth Revision after 1978.

Under the Ninth Revision, the method for selecting the cause of death for statistical purposes remains the same as the method instituted with the Sixth Revision. The Sixth Revision instituted a method whereby the physician in attendance at death indicates the disease or morbid condition which he considers to be the underlying cause of death. The underlying cause is defined as "(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident which produced fatal injury." Prior to 1981, when two or more causes were jointly recorded, a nosologist in the Office of Vital Statistics selected and coded the underlying cause using the ancillary information provided on the death certificate by the physician. Beginning in 1981, however, all causes mentioned on the certificate are coded. The underlying cause is determined using a computerized procedure: the Automated Classification of Medical Entities (ACME) program. The cause of death information is then subjected to the TRANSAX computer program, which eliminates redundancies in mentioned causes. Information on all associated causes is retained on the computer records for use in further study of certain health problems.

Several groupings by cause of death are utilized in this report. All of the groupings are both exhaustive and exclusive: all causes are assigned to a group or category, and each specific cause is assigned to only one cause group. Deaths by age and sex groups are tabulated using a list of 282 cause groups (Table D-3). Deaths by county and town of residence, site of death, and underlying/non-underlying status are tabulated using 72 cause groups. The analysis of leading causes of death in Table D-1 and D-2 is based on 32 cause groups. The data on fetal and infant deaths, in Tables F-1 and F-2, are categorized into 61 cause groups. In all cases the ICD-9 codes included in each cause group are indicated on the appropriate tables. Tables generally do not include cause groups from which there were no deaths, so the number of groups displayed may be less than the number of groups (i.e., 282, 72, 61, or 32) from which the tables were constructed.*

^{*} Complete lists of causal groups are contained in the following reference manual and may be obtained upon request: Office of Data, Research, and Vital Statistics, Maine Department of Human Services, Maine Vital Records Manual, 1993.

Years of Life Lost: In Table D-2, "Years of Life Lost" is used as a more sensitive measure of premature death than the death rate itself. The number of years of life lost is calculated for each decedent as the difference between the age at death and the life expectancy at that age. Life expectancy at each age is taken from the 1990 Maine Life Tables, with the sex-specific expectancy. The death of a male infant, for example, represents a total of 72.7 years of life lost. The death of a 50 year old woman represents 31.4 years of life lost, and the death of a 85 year old woman represents 6.4 years of life lost.

<u>Multiple Causes of Death</u>: Most major causes of death are contributing factors to many deaths in which they are not the underlying cause. The relative frequencies with which specific causes are mentioned on death records as underlying or non-underlying causes are displayed in Table D-4.

In Table D-4, cause of death mentions are classified into 72 cause groups, after processing through the ACME and TRANSAX computer programs. Consequently, the term "mentions" refers to causes identified through processing by the computer programs, rather than to causes as mentioned on the death certificate. A cause group is counted only once for each decedent, even if more than one cause in the group was mentioned on the original certificate. Comparisons of data from different sources on "all mentions" of a cause group are valid only if the number and composition of the cause groups used are the same and the counting rules are consistent.

The category of "all mentions" of a cause group usually includes all identifications of it as the underlying cause of death. Occasionally, simultaneous mention of certain causes on the death record leads to the identification, as the underlying cause, of a disease entity which was not itself recorded on the death certificate. In such cases, the ratio of all mentions to underlying cause mentions can be less than 1.00.

Certain causes of death can never be classified as the underlying cause of death as defined in the International Classification of Diseases. In particular, descriptions of the nature of injuries and secondary neoplasms are always recorded on the death certificate in conjunction with one or more entries which identify the underlying cause of death, i.e. the external cause of injury or the primary neoplasm.

Table D-11 displays only those 72 cause groups for which the ratio of all mentions to underlying cause mentions on Table D-4 is generally 2,000 or higher and the number of underlying cause mentions is ten or more.

Induced Abortions

All induced abortions performed in Maine are required to be reported, regardless of the length of gestation. The report form includes information on the place of residence, so non-resident women receiving abortions in Maine can be excluded from tabulations based on resident data. Approximately 11% of the induced abortions in Maine were obtained by out-of-state residents. Maine does participate in the interstate program for exchange of induced abortions in other states are available, but only one or two records are received each year from other states and are not included in this report, indicating that very few Maine residents receive induced abortions in neighboring states.

The numbers of induced abortions reported in 1982 was nearly a third lower than the numbers reported in preceding and subsequent years, due principally to incomplete reporting. In the spring of 1983, a vigorous effort was undertaken to remind and inform physicians, clinics, and hospitals that all induced abortions must be reported to the Department of Ruman Services on the appropriate form.

Marriages

All marriages which occur in Maine are registered in the central Office of Data, Research, and Vital Statistics, whether or not either the bride or the groom are residents of the state. Marriages in which both partners are non-residents are excluded from tabulations based on resident data. However, there is no interstate program for exchange of marriage records of non-residents and hence the complementary data on Maine residents who are married outside Maine are not included in the resident data tabulations. "Resident Data" thus include all marriages occurring in Maine in which either the bride, the groom, or both are residents of Maine.

LIVE BIRTHS

TABLE B-1

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND RACE MAINE STATE TOTALS, 1992 (RESIDENT DATA)

AGE OF MOTHER	TOTAL BIRTHS	PERCENT DISTRIBUTION	WHITE	. BLACK	AMERICAN INDIAN	ASIAN	OTHER	UNKNOWN	
ALL BIRTHS									
LESS THAN 10	0	0.00	0	0	0	0	0	0	
10-14	15	0.09	14	1	õ	ŏ	ŏ	ő	
15	61	0.38	59	0	1	õ	õ	1	
16	156	0.97	153	Ō	2	õ	õ	1	
17	289	1.80	283	1	4	1	õ	Ó	
18	441	2.75	431	2	5	2	Ō	1	
19	673	4.20	661	5	5	1	0	1	
20-24	4,372	27.30	4,277	30	18	26	4	17	
25-29	5,040	31.47	4,920	19	24	52	8	17	
30-34	3,530	22.04	3,449	16	5	44	0	16	
35-39	1,242	7.76	1,209	7	6	11	1	8	
40-44	180	1.12	177	1	0	0	1 ·	1	
GREATER THAN 44	4	0.02	4	0	0	0	0	0	
UNKNOWN	10	0.06	9	0	0	0	0	1	
STATE TOTALS	16,013		15,646	82	70	137	14	64	
PERCENT DISTRIBUTION		100.00	97.71	0.51	0.44	0.86	0.09	0.40	
OUT OF WEDLOCK BIRTHS									
LESS THAN 10	0	0.00	0	0	0	0	0	0	
10-14	14	0.35	13	1	0	0	0	0	
15	60	1.48	58	0	1	0	0	1	
16	139	3.43	138	0	1	0	0	0	
17 18	254	6.27	249	1	4	0	0	0	
	341	8.42	334	2	2	2	0	1	
19	435	10.74	427	5	3	0	0	0	
20-24 25-29	1,595	39.38	1,555	15	. 9	8	2	6	
	736	18.17	712	2	11	4	2	5	
30-34 35-39	321	7.93	309	4	2	2	0	4	
	133	3.28	128	0	1	2	0	2	
40-44 GREATER THAN 44	19	0.47	19	0	0	0	0	0	
	1	0.02	1	0	0	0	0	0	
UNKNOWN	2	0.05	2	0	0	0	0	0	
STATE TOTALS	4,050	100.00	3,945	30	34	18	4	19	
PERCENT DISTRIBUTION		100.00	97.41	0.74	0.84	0.44	0.10	0.47	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGRACE

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-2

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND CHILD'S BIRTHWEIGHT MAINE STATE TOTALS, 1992 (RESIDENT DATA)

			*****	*****	****	*****	* * * * * * *	*****	MOTHER	YS AGE(YRS.) *	*****	*****	*****.*	******	*****
BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DIST.	LESS THAN 10	10-14	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	GREATER THAN 44	UNKNOWN
ALL BIRTHS																
LESS THAN 500	15	0.09	0	0	0	0	1	0	1	2	8	1	2	0	0	0
500-999	48	0.30	0	0	1	0	1	1	4	9	15	10	5	2	0	0
1000-1499	74	0.46	0	1	0	2	2	4	3	18	23	16	4	0	0	1
1500-1999	146	0.91	0	0	2	4	3	6	7	41	4 1	26	14	2	0	0
2000-2499	520	3.25	0	2	2	5	10	17	35	142	148	96	50	13	0	0
2500-2999	2,114	13.20	0	1	11	30	43	73	116	617	653	392	148	27	1	2
3000-3499	5,512	34.42	0	7	25	54	116	175	245	1,582	1,717	1,154	383	50	0	4
3500-3999	5,300	33.10	, 0	3	12	4 1	85	116	195	1,400	1,709	1,254	428	54	0	3
4000-4499	1,827	11.41	0	1	8	16	22	42	54	462	575	456	161	27	3	0
4500-4999	374	2.34	0	0	0	4	6	6	12	86	119	98	39	. 4	0	0
GREATER THAN 499	9 39	0.24	0	0	0	0	0	0	0	5	15	14	5	0	0	0
UNKNOWN	44	0.27	0	0	0	0	0	1	1	8	17	13	3	1	0	0
	16,013		0	15	61	156	289	441	673	4,372	5,040	3,530	1,242	180	4	10
PERCENT DIST.		100.00	0.00	0.09	0.38	0.97	1.80	2.75	4.20	27.30	31.47	22.04	7.76	1.12	0.02	0.06
OUT OF WEDLOCK BIR	THS															
LESS THAN 500	4	0.10	0	0	0	0	1	0	1	0	2	0	0	0	0	0
500-999	16	0.39	0	0	1	0	1	1	1	4	5	3	0	0	0	0
1000-1499	31	0.76	0	1	0	2	2	2	0	10	11	2	0	0	0	1
1500-1999	65	1.59	0	0	2	3	3	5	5	23	14	6	4	0	0	0
2000-2499	179	4.37	0	2	2	5	10	13	23	66	30	14	12	2	0	0
2500-2999	697	17.03	0	1	11	26	37	61	85	270	116	57	26	5	1	1
3000-3499	1,487	36.33	0	6	25	49	102	138	162	576	281	99	41	6	0	2
3500-3999	1,166	28.49	0	3	11	37	74	89	118	486	198	105	39	5	0	1
4000-4499	363	8.87	0	1	8	14	19	32	38	143	67	30	10	1	0	0
4500-4999	65	1.59	0	0	0	4	5	3	8	20	16	5	4	0	0	0
GREATER THAN 499	9 7	0.17	0	0	0	0	0	0	0	3	3	1	0	0	0	0
UNKNOWN	13	0.32	0	Ō	0	0	0	Ō	0	6	4	3	Ō	Ō	ō	õ
STATE TOTALS	4,093		Ō	14	60	140	254	344	441	1,607	747	325	136	19	.1	5
PERCENT DIST.		100.00	0.00	0.34	1.47	3.42			10.77	39.26	18.25	7.94	3.32	0.46	0.02	0.12
PERCENT OF AL		S WHICH			:	–			-							
		25.56		93.33 9		89.74	87.89	78.00	65.53	36.76	14.82	9.21	10.95	10.56	25.00	50.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

OFFICE

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BWGHAGE

TABLE B-3

LIVE BIRTHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

COMPLICATIONS OF LABOR CONDITION NUMBER %	MEDICAL RISK FACTOR CONDITION NUMBER	RS OTHER RISK FACTORS % CONDITION NUMBER	METHOD OF DELIVERY % METHOD NUMBER %	CONGENITAL ANOMALIES CONDITION NUMBER %
CONDITION NUMBER 9		& CONDITION NOMBER	% METHOD NUMBER %	CUNDITION NUMBER %
FEBRILE >100 F 109 0.			20.6 VAGINAL 11,226 70.1	
MECONIUM 956 6.		O.2 AVG CIGARETTES		SPINA BIFIDA 3 0.0
PREMATURE RUPTURE	ACUTE OR CHRONIC	PER DAY 14		HYDROCEPHALUS 2 0.0
MEMBRANE >12 HRS 657 4.				MICROCEPHALUS 1 0.0
ABRUPTIO	DIABETES/	AVG DRINKS	C-SECTION 2,138 13.4	OTHER
PLACENTA 129 O.	B GESTATIONAL 441	2.8 PER WEEK 2	REPEAT	NERVOUS SYSTEM 4 0.0
PLACENTA	DIABETES	AVG WEIGHT GAIN 31	LBS C-SECTION 1,270 7.9	HEART 22 0.1
PREVIA 43 O	PRE-EXISTING 53	0.3	FORCEPS 142 0.9	OTHER CIRCULATORY
EXCESSIVE	GENITAL HERPES 161	1.0 ABNORMAL CONDITIONS	VACUUM 702 4.4	SYSTEM 6 0.0
BLEEDING 116 O.	HYDRAMNIOS/	OF THE NEWBORN	0THER 35 0.2	RECTAL ATRESIA 2 0.0
SEIZURES DURING	OLIGOHYDRAMNIOS 135	0.8 CONDITION NUMBER	% UNKNOWN 84 0.5	TRACHEO-ESOPHAGEAL
LABOR 6 0	HEMOGLOBINOPATHY 1	0.0		FISTULA 3 0.0
PRECIPITOUS	HYPERTENSION	ANEMIA 31	0.2	OMPHALOCELE/
LABOR <3 HRS 528 3	B CHRONIC 164	1.0 BIRTH INJURY 26	0.2	GASTROSCHISIS 6 0.0
PROLONGED	HYPERTENSION	FETAL ALCOHOL O	0.0	OTHER
LABOR >20 HRS 295 1	B PREGNANCY ASSOC. 664	4.1 HYALINE MEMBRANE		GASTROINTESTINAL 13 0.1
DYSFUNCTIONAL	ECLAMPSIA 46	0.3 DISEASE 45	0.3 OBSTETRIC PROCEDURES	MALFORMED
LABOR 857 5	INCOMPETENT	MECONIUM		GENITALIA 15 0.1
BREECH 708 4	CERVIX 44	0.3 ASPIRATION 37	O.2 CONDITION NUMBER %	RENAL AGENESIS 5 0.0
CEPHALOPELVIC/	PREVIOUS INFANT	ASSISTED <30 MIN		OTHER UROGENITAL 40 0.2
DISPROPORTION 728 4	5 4000+ GRAMS 209	1.3 VENTILATION 166	1.0 AMNIDCENTHSIS 829 5.2	CLEFT LIP/PALATE 10 0.1
CORD PROLAPSE 42 0		1.6 ASSISTED >30 MIN		POLYDACTYLY 13 0.1
ANESTHETIC	RENAL DISEASE 29	0.2 VENTILATION 115		
COMPLICATIONS 14 0		O.6 SEIZURES 9	0.1 INDUCED LABOR 2.391 14.9	
FETAL DISTRESS 666 4		OTHER 435		HERNIA 4 0.0
OTHER 2,047 12				MUSCULOSKELETAL 43 0.3
NONE 9,579 59		10.2 UNKNOWN 98	• =	DOWNS SYNDROME 6 0.0
UNKNOWN 120 0			ULTRA SOUND 11.524 72.0	
120 0	UNKNOWN 145	0.9		OTHER 61 0.4
		0.0		NONE 15.669 97.9
				UNKNOWN 94 0.6
				54 0.0

NOTES: PERCENTAGES ARE BASED ON THE 16,013 LIVE BIRTHS IN MAINE THIS YEAR. MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH BIRTH.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BMEDHIS

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, AND RATIO OF MALE TO FEMALE BIRTHS MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY	TOTAL BIRTHS	******* 5 MIN. LESS NUMBER		*********** CONGE ANOMA NUMBER	LIES		WEIGHT	LESS T		MALE/FEMALE RATIO
ANDROSCOGGIN	1,386	7	0.5	16	1.2	59	4.3	65	4.7	1.01
AROOSTOOK	1,150	3	0.3	23	2.0	62	5.4	92	8.0	1.01
CUMBERLAND	3,294	18	0.5	42	1.3	171	5.2	257	7.8	1.05
FRANKLIN	361	3	0.8	3	0.8	23	6.4	24	6.6	1.03
HANCOCK	550	2	0.4	8	1.5	19	3.5	31	5.6	0.97
KENNEBEC	1,463	10	0.7	25	1.7	70	4.8	89	6.1	1.10
KNOX	427	3	0.7	4	0.9	19	4.4	25	5.9	1.36
LINCOLN	373	1	0.3	12	3.2	18	4.8	29	7.8	1.29
OXFORD	674	2	0.3	13	1.9	38	5.6	4 1	6.1	0.97
PENOBSCOT	1,717	14	0.8	18	1.0	84	4.9	128	7.5	1.06
PISCATAQUIS	188	2	1.1	6	3.2	8	4.3	7	3.7	0.92
SAGADAHOC	487	1	0.2	8	1.6	16	3.3	26	5.3	0.91
SOMERSET	664	1	0.2	13	2.0	39	5.9	46	6.9	0.96
WALDO	453	2	0.4	8	1.8	23	5.1	23	5.1	1.11
WASHINGTON	427	6	1.4	10	2.3	31	7.3	30	7.0	1.08
YORK	2,399	11	0.5	4 1	1.7	123	5.1	177	7.4	1.00
STATE TOTALS	16,013	86	0.5	250	1.6	803	5.0	1,090	6.8	1.04

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BENVIND

TABLE B-5ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS. BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH DRDER
MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****	**** SEX	*****	**	*****	*****	**** BI	RTH ORDER *******	****
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
ANDROSCOGGIN											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	о	0	0	0	0	0	0	•
10-14	3 3	0.22	3	ŏ	ŏ	3	0	0	0	0	0
15	10	0.72	5	5	ŏ	10	ő	0	ŏ	0	0
16	19	1.37	9	10	ŏ	18	1	0	0	0	0
17	27	1.95	12	15	ŏ	23	4	0	ŏ	0	0
18	47	3.39	21	26	ŏ	32	13	2	0	0	0
19	72	5,19	36	36	ŏ	45	21	5	1	0	0
20-24	393	28.35	226	167	ő	189	136	57	8	3	0
25-29	481	34.70	213	268	ŏ	155	216	83	19	8	0
30-34	257	18.54	129	128	ŏ	42	107	74	24	10	0
35-39	67	4.83	33	34	ŏ	10	25	20	- 6	6	0
40-44	10	0.72	8	2	ŏ	4	- 3	2	ŏ	1	0
GREATER THAN 44	0	0.00	õ	ō	ŏ	ō	0	õ	ŏ	0	
UNKNOWN	ō	0.00	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	0	0
COUNTY TOTALS	1.386	0.00	695	691	ŏ	531	526	•	58	-	0
PERCENT DISTRIBUTION	1,000	100.00	50.14	49.86	0.00		37.95	243	58 4.18	28	0
		100:00	50.14	45.80	0.00	30.91	37.95	17.53	4.18	2.02	0.00
•											
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	о	0	0
10-14	3	0.73	3	0	0	3	0	0	Ó	õ	ŏ
15	10	2.43	5	5	0	10	Ō	Ō	õ	ō	ŏ
16	17	4.13	8	9	Ó	16	1	ŏ	ŏ	ŏ	ŏ
17	25	6.07	11	14	Ō	21	4	ŏ	ŏ	ŏ	ŏ
18	36	8.74	15	21	Ō	25	9	2	ŏ	õ	ŏ
19	44	_ 10.68	24	20	0	28	13	3	ŏ	ŏ	ŏ
20-24	159	38.59	90	69 .	0	79	52	22	4	2	ŏ
25-29	86	20.87	36	50	0	27	38	16	4	1	ŏ
30-34	21	5.10	9	12	0	5	9	6	0	1 .	õ
35-39	9	2.18	8	1	Ó	2	1	4	2	o o	ŏ
40-44	2	0.49	1	1	0	0	1	Ó	ō	1	ŏ
GREATER THAN 44	0	0.00	0	0	Ō	Ō	Ó	ŏ	ŏ	o	ŏ
UNKNOWN	0	0.00	õ	. 0	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ő
COUNTY TOTALS	412		210	202	ŏ	216	128	53	10	5	ŏ
PERCENT DISTRIBUTION		100.00	50.97	49.03	0.00	52.43		12.86	2.43	1.21	0.00
PERCENT OF ALL BIRTHS	S WHICH A		<:		0.00	52.0	,		1.40	1.21	0.00
		29.73	30.22	29.23	0.00	40.68	24.33	21.81	17_24	17.86	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES. OFFICE DF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT			*****	**	*****	*****	**** BI	RTH ORDER *******	*****
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
AROOSTOOK											
ALL BIRTHS											
LESS THAN 10	о	0.00	0	0	о	0	0	о	0	0	о
10-14	. 1	0.09	0	1	0	1	0	0	0	0	0
15	7	0.61	6	1	0	6	1	0	0	0	0
16	9	0.78	4	5	0	8	1	0	0	0	0
17	23	2.00	8	15	0	22	1	0	· 0	0	0
18	41	3.57	24	17	0	36	3	2	Ó	0	Ō
19	48	4.17	22	26	Ó	40	8	0	õ	Ō	Ō
20-24	423	36.78	211	212	Ō	227	138	46	11	1	ō
25-29	347	30.17	174	173	õ	115	155	53	20	4	ō
30-34	194	16.87	107	87	õ	30	81	54	19	10	õ
35-39	48	4.17	19	29	õ	7	14	16	6	5	ō
40-44	7	0.61	3	4	õ	1	1	1	1	3	ŏ
GREATER THAN 44	1	0.09	õ	1	ŏ	o	ò	o	1	ŏ	ŏ
UNKNOWN	4	0.09	ŏ	i	ŏ	1	ŏ	ŏ	ò	õ	ŏ
COUNTY TOTALS	1.150	0.05	578	572	ŏ	494	403	172	58	23	ŏ
PERCENT DISTRIBUTIO		100.00	50.26	49.74	0.00		35.04		5.04	2.00	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.38	0	1	0	1	0	0	0	0	0
15	7	2.68	6	1	0	6	1	0	0	0	0
16	8	3.07	4	4	0	7	1	0	0	0	0
17	19	7.28	6	13	0	19	0	0	0	0	0
18	27	10.34	16	11	0	26	1	Ō	õ	0	Ō
19	29	11.11	10	19	0	28	1	0	0	0	0
20-24	109	41.76	66	43	0	65	26	12	6	Ō	ō
25-29	37	14.18	17	20	0	11	11	13	2	ō	Ō
. 30-34	18	6.90	10	8	0	3	5	5	2	3	Ō
35-39	4	1.53	1	3	õ	ō	1	2	1	ō	ŏ
40-44	1	0.38		õ	ō	õ	o	ō	o.	1	õ
GREATER THAN 44	0	0.00	Ó	ŏ	ő	ŏ	ő	ő	ŏ	ò	ŏ
UNKNOWN	Ĭ	0.00	ŏ	1	ő	1	ő	ŏ	ő	ŏ	ŏ
COUNTY TOTALS	261	0.56	137	124	0	167	47	32	11	4	0
PERCENT DISTRIBUTIO		100.00	52.49	47.51	0.00			12.26	4.21	1.53	0.00
				47.01	0.00	55.96	10.01	12.20	4.21	1.55	0.00
PERCENT OF ALL BIRT	HI WHICH AN	22.70	K: 23.70	21.68	0.00	33.81	11.66	18.60	18.97	17.39	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****	**** SEX	******	**	*****	******	**** BI	RTH ORDER ******	*****
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
CUMBERLAND											
ALL BIRTHS											
LESS THAN 10	0	0.00	o	0	0	0	ο	o	o	0	0
10-14	2	0.06	õ	2	ŏ	2	ő	0	0	0	0
15	5	0.15	3	2	ŏ	5	ŏ	ŏ	ŏ	0	0
16	23	0.70	10	13	õ	22	1	ŏ	ŏ	0	ő
17	46	1.40	21	25	ō	39	6	1	ŏ	0	0
18	70	2.13	40	30	õ	54	14	1	ĭ	ŏ	ŏ
19	108	3.28	60	48	ō	82	20	5	i	ő	. 0
20-24	665	20.19	333	332	õ	346	201	95	19	4	ŏ
25-29	996	30.24	519	477	Ō	448	377	128	36	7	ŏ
30-34	942	28.60	481	460	1	316	374	170	67	15 .	0
35-39	369	11.20	182	187	Ó	96	133	90	30	20	ŏ
40-44	65	1.97	34	31	õ	17	23	15	5	5	· 0
GREATER THAN 44	1	0.03	1	0	õ	1	20	0	õ	0	0
UNKNOWN	2	0.06	1	1	ŏ	1	ŏ	1	ŏ	0	0
COUNTY TOTALS	3,294	••••	1,685	1.608	1	1 429	1,149	506	159	51	0
PERCENT DISTRIBUTION	•	100.00	51.15	48.82	0.03	12 20	34.88		4.83	1.55	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	
10-14	2	0.28	ŏ	2	ŏ	2	ő	ő	0	0	0
15	5	0.71	3	2	ŏ	5	0	0	0	0	0
16	21	2.96	9	12	ŏ	20	1	ő	ŏ	-	0
17	42	5.92	20	22	ő	35	6		0	0	0
18	59	8.32	33	26	ŏ	46	11		0	0	0
19	79	11.14	45	34	0	62	12	4	1	0	0
20-24	258	36.39	125	133	0	139	74	4 35	1	0	0
25-29	131	18.48	64	67	ő	48	45			2	0
30-34	70	9.87	36	34	0	48 28		27	10	1	0
35-39	36	5.08	19	17	ő	20 17	14	11	13	4	0
40-44	4	0.56	15	3	-		7	4	3	5	0
GREATER THAN 44	ō	0.00	0		0	3	0	1	0	0	0
UNKNOWN	2	0.00	-	0	0	0	0	0	0	0	0
COUNTY TOTALS	2 709	0.28	1	1	0	. 1	0	1	0	0	0
PERCENT DISTRIBUTION	109	100.00	356	353	0	406	170	85	36	12	0
PERCENT OF ALL BIRTH			50.21	49.79	0.00	57.26	23.98	11.99	5.08	1.69	0.00
FERGENI OF ALL BIRTH	S WILLI AN			0 4 OF	0.00						
		21.52	21.13	21.95	0.00	28.41	14.80	16.80	22.64	23.53	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

TABLE B~5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

· · · · · ·

.

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** Male	**** SEX FEMALE	********* UNKNOWN	**	*****	*****	**** BI 4	RTH ORDER ***** GREATER THAN 4	
	DIRING	DISTRIBUTION	MALL	ILMALL	UNKNOWN		2	5	4	GREATER THAN 4	DINKNOWN
FRANKLIN											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	1	0.28	0	1	0	1	0	0	0	0	0
16	4	1.11	2	2	0	4	0	0	0	0	0
17	4	1.11	3	1	0	3	1	0	0	0	0
18	15	4.16	10	5	0	14	0	· 1	0	0	0
19	14	3.88	7	7	0	8	5	1	õ	0	0
20-24	109	30.19	56	53	0	53	40	11	5	0	0
25-29	120	33.24	57	63 32	0	32 17	54 19	19 18	12 6	3	0
30-34	68	18.84 5.82	36 · 9	32 12	0	4	19	18	2	8	0
35-39 40-44	21 5	1.39	3	2	0	4	5	2	2	4	0
	0	0.00	0	2 0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	361	0.00	183	178	Ö	136	125	58	26	16	0
PERCENT DISTRIBUTION	301	100.00	50.69	49.31	0.00	37.67		-	7.20	4.43	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	ŏ	0.00	õ	õ	õ	õ	ō	Ō	ŏ	õ	Ō
15	1	1.03	0	1	0	1	0	0	Ó	0	0
16	4	4.12	2	2	0	4	0	0	0	0	0
17	4	4.12	3	1	0	3	1	0	0	0	0
18	13	13.40	8	5	0	12	0	1	0	0	0
19	10	10.31	4	6	0	7	3	0	0	0	0
20-24	35	36.08	21	14	0	16	15	3	1	0	0
25-29	17	17.53	8	9	0	2	9	1	4	1	0
30-34	8	8.25	З	5	0	1	1	4	1	1	0
35-39	3	3.09	2	1	0	2	0	0	0	1	0
40-44	2	2.06	1	1	0	0	0	2	0	0	0
GREATER THAN 44	0	0.00	0	0	0	۰'	0	0	0	0	0
UNKNOWN	Ō	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	97		52	45	0	48	29	11	6	3	0
PERCENT DISTRIBUTION		100.00	53.61	46.39	0.00	·49.48	29.90	11.34	6.19	3.09	0.00
PERCENT OF ALL BIRTH						· -				-	
		26.87	28.42	25.28	0.00	35.29	23.20	18.97	23.08	18.75	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND Mother's age(yrs.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	****** Male	**** SEX FEMALE	********* UNKNOWN	** 1	******	***** 3	**** B 4	IRTH ORDER ******* GREATER THAN 4	********** UNKNOWN
HANCOCK											
ALL BIRTHS											
LESS THAN 10	o	0.00	0	0	0	0	0	0	о	0	0
10-14	0	0.00	0	0	0	0	Ó	Ō	ŏ	õ	ŏ
15	0	0.00	0	0	0	0	0	0	0	Ō	õ
16	2	0.36	1	1	0	2	0	0	0	0	Ō
17	10	1.82	2	8	0	10	0	0	0	0	Ō
18	14	2.55	8	6	0	12	2	0	0	0	õ
19	24	4.36	12	12	0	19	5	0	0	0	0
20-24	167	30.36	87	80	0	93	61	11	2	0	0
25-29	162	29.45	76	86	0	55	73	24	.5	5	0
30-34 35-39	121	22.00	56	65	0	4 1	46	27	6	1	0
40-44	41	7.45	25	16	0	10	15	7	2	7	0
	8	1.45	3	5	0	2	1	2	2	1	С
GRÉATER THAN 44 UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS		0.18	1	0	0	0	1	0	0	O	0
PERCENT DISTRIBUTION	550	100.00	271	279		244	204	71	17	14	. 0
FERGENT DISTRIBUTION		100.00	49.27	50.73	0.00	44.36	37.09	12.91	3.09	2.55	0.00
OUT OF WEDLOCK BIRTHS	•										
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16 17	2	1.27	1	1	0	2	0	0	0	0	0
18	9	5.73	2	7 .	0	9	0	0	0	0	0
18	10	6.37	6	4	0	8	2	Ò	0	0	0
20-24	19 67	12.10	10	9	0	14	5	0	0	0	0
25-29	30	42.68	32	35	0	44	-17	5	1	0	0
30-34		19.11	15	15	0	10	13	5	0	2	0
35-39	13 5	8.28	6	7	0	5	3	5	0	0	0
40-44	2	3.18 1.27	1	4	0	1	1	3	0	0	0
GREATER THAN 44	2	0.00	1	1	0	2	0	0	0	0	0
	0		0	0	0	0	0	0	0	0	0
COUNTY TOTALS	157	0.00	0	0	0	0	0	0	0	0	0
PERCENT DISTRIBUTION		100.00	74	83	0	95	41	18	1	2	0
PERCENT OF ALL BIRTH		100.00	47.13	52.87	0.00	60.51	26.11	11.46	0.64	1.27	0.00
TERCERT OF ALL BIRTH	S WIITCH AF	28.55	27.31	29.75	0.00	38.93	20.10	25.35	5.88	14.29	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

.

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****	**** SEX	*****	**	*****	*****	**** BI	RTH ORDER *******	******
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
KENNEBEC											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	о	0	ο	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	2	0.14	1	1	0	2	0	0	0	0	0
16	. 10	0.68	8	2	0	10	0	0	0	0	0
17	29	1.98	17	12	0	25	4	0	0	0	0
18	46	3.14	26	20	0	34	10	2	0	0	0
19	57	3.90	34	23	0	42	11	3	1	0	0
20-24	435	29.73	243	192	0	253	126	45	9	2	0
25-29	464	31.72	227	237	0	179	193	64	20	8	0
30-34	291	19.89	149	142	0	87	105	62	23	14	0
35-39	114	7.79	56	58	0	25	40	26	12	11	0
40-44	13	0.89	5	8	0	2	4	4	2	1	0
GREATER THAN 44	1	0.07	0	1	0	0	0	1	0	0	0
UNKNOWN	1	0.07	0	1	0	0	1	0	0	0	0
COUNTY TOTALS	1,463		766	697	0	659	494	207	67	36	0
PERCENT DISTRIBUTION		100.00	52.36	47.64	0.00	45.04	33.77	14.15	4.58	2.46	0.00
OUT OF WEDLOCK BIRTHS					3						
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	2	0.51	1	1	0	2	0	0	0	0	0
16	10	2.54	8	2	0	10	0	0	0	0	0
17	24	6.11	16	8	0	20	4	0	0	. 0	0
18	33	8.40	19	14	0	25	6	2	0	0	0
19	36	9.16	18	18	0	28	6	1	1	0	0
20-24	165	41.98	86	79	0	106	39	16	З	1	0
25-29	83	21.12	33	50	0	32	30	11	6	4	0
30-34	23	5.85	12	11	0	6	9	4	1	3	0
35-39	15	3.82	3	12	0	3	7	2	1	2	0
40-44	1	0.25	0	1	0	0	1	0	0	0	0
GREATER THAN 44	1	0.25	ō	1	Ō	ō	0	1	ŏ	ō	Ō
UNKNOWN	0	0.00	õ	Ó	õ	ŏ	õ	Ó	ŏ	0	õ
COUNTY TOTALS	393	0.00	196	197	ŏ	232	102	37	12	10	õ
PERCENT DISTRIBUTION		100.00	49.87	50.13	0.00		25.95	9.41	3.05	2.54	0.00
PERCENT OF ALL BIRTH					0.00	20.00					0.00
	5 A	26.86	25.59	28.26	0.00	35.20	20.65	17.87	17.91	27.78	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

MUTHER'S AGE(YRS.) BIRTHS DISTRIBUTION MALE FEMALE UNKNOWN 1 2 3 4 GREATER THAN 4 UNKNOWN KNOX ALL BIRTHS LESS THAN 10 0 0.00 0	COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	****	**	*****	*****		RTH ORDER *******	
ALL BIRTHS LESS THAN 10 0 0.000 0 <td></td> <td>DIKINS</td> <td>DISTRIBUTION</td> <td>MALE</td> <td>FEMALE</td> <td>UNKNUWN</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>GREATER THAN 4</td> <td>UNKNOWN</td>		DIKINS	DISTRIBUTION	MALE	FEMALE	UNKNUWN	1	2	3	4	GREATER THAN 4	UNKNOWN
LESS THAN 10 0 0.00 0	KNOX											
10-14 1 0.23 1 0 0 1 0<	ALL BIRTHS											
10-14 1 0.23 1 0 0 1 0<	LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
152 0.47 020200000162 0.47 020200000175 1.17 320401000188 1.87 35071000019245.621590148200020-2411426.706747048491430025-2912529.277649049491593030-349522.2556390372817103035-394410.3021230914966040-4471.644301231000UNKNOWN00.00000000000000COUNTY TOTALS42724618101741516129120	10-14	1					-			-		
162 0.47 0202000001751.173204010001881.8735071000019245.621590148200020-2411426.706747048491430025-2912529.277649049491593030-349522.2556390372817103035-394410.3021230914966040-4471.644301231000UNKNOWN00.000000000000UNKNOWN00.0000000000000COUNTY TOTALS42724618101741516129120		2	0.47	0	2	-				-		
17 5 1.17 3 2 0 4 0 1 0 0 0 18 8 1.87 3 5 0 7 1 0 0 0 0 19 24 5.62 15 9 0 14 8 2 0 0 0 20-24 114 26.70 67 47 0 48 49 14 3 0 0 25-29 125 29.27 76 49 0 49 49 15 9 3 0 30-34 95 22.25 56 39 0 37 28 17 10 3 0 35-39 44 10.30 21 23 0 9 14 9 6 6 0 40-44 7 1.64 4 3 0 1 2 3 1 0 0 0 0 0 0 0 0 0 0 0 0 0		2	0.47	0	2	-			-	-		-
18 8 1.87 3 5 0 7 1 0 0 0 0 19 24 5.62 15 9 0 14 8 2 0 0 0 20-24 114 26.70 67 47 0 48 49 14 3 0 0 20-24 114 26.70 67 47 0 48 49 14 3 0 0 25-29 125 29.27 76 49 0 49 49 15 9 3 0 30-34 95 22.25 56 39 0 37 28 17 10 3 0 35-39 44 10.30 21 23 0 9 14 9 6 6 0 40-44 7 1.64 4 3 0 1 2 3 1 0 0 0 0 0 0 0 0 0 0 0 0	17	5	1.17	3						-		
19 24 5.62 15 9 0 14 8 2 0 0 0 20-24 114 26.70 67 47 0 48 49 14 3 0 0 25-29 125 29.27 76 49 0 49 49 15 9 3 0 30-34 95 22.25 56 39 0 37 28 17 10 3 0 35-39 44 10.30 21 23 0 9 14 9 6 6 0 40-44 7 1.64 4 3 0 1 2 3 1 0	18	8	1.87	3		-			0	-	-	-
20-24 114 26.70 67 47 0 48 49 14 3 0 0 25-29 125 29.27 76 49 0 49 49 15 9 3 0 30-34 95 22.25 56 39 0 37 28 17 10 3 0 35-39 44 10.30 21 23 0 9 14 9 6 6 0 40-44 7 1.64 4 3 0 1 2 3 1 0 0 GREATER THAN 44 0 0.00 0 </td <td>19</td> <td>24</td> <td></td> <td></td> <td></td> <td>-</td> <td>•</td> <td>•</td> <td>-</td> <td>-</td> <td></td> <td>•</td>	19	24				-	•	•	-	-		•
25-29 125 29.27 76 49 0 49 49 15 9 3 0 30-34 95 22.25 56 39 0 37 28 17 10 3 0 35-39 44 10.30 21 23 0 9 14 9 6 6 0 40-44 7 1.64 4 3 0 1 2 3 1 0 0 GREATER THAN 44 0 0.00 0 </td <td>20-24</td> <td>114</td> <td>26.70</td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td>	20-24	114	26.70			-				-		
30-34 95 22.25 56 39 0 37 28 17 10 3 0 35-39 44 10.30 21 23 0 9 14 9 6 6 0 40-44 7 1.64 4 3 0 1 2 3 1 0 0 GREATER THAN 44 0 0.00 0 </td <td>25-29</td> <td>125</td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td>-</td>	25-29	125				-					-	-
35-39 44 10.30 21 23 0 9 14 9 6 6 0 40-44 7 1.64 4 3 0 1 2 3 1 0 0 GREATER THAN 44 0 0.00 0 </td <td>30-34</td> <td></td> <td>•</td>	30-34											•
40-44 7 1.64 4 3 0 1 2 3 1 0 0 GREATER THAN 44 0 0.00 0	35-39					-				-	-	-
GREATER THAN 44 0 0.00 0	40-44					-	-		-		-	•
UNKNOWN 0 0.00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					-	-	•				-	
COUNTY TOTALS 427 246 181 0 174 151 61 29 12 0			_	-	-	-	-	-	-	-	-	-
		-	0.00	-		-	-	-	-	-		-
			100,00									-
	PERCENT DISTRIBUTION		100.00	57.61	42.39	0.00	40.75	35.36	14.29	6.79	2.81	0.00
OUT OF WEDLOCK BIRTHS	OUT OF WEDLOCK BIRTHS											
	-											
LESS THAN 10 0 0.00 0 0 0 0 0 0 0 0 0 0	LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
		1	0.93	1					-			
15 2 1.85 0 2 0 2 0 0 0 0 0	15	2	1.85	0	2		2					•
	16	2	1.85	Ō		-			-			-
17 4 3.70 2 2 0 4 0 0 0 0	17	4	3.70					-	-	-	•	-
18 5 4.63 2 3 0 5 0 0 0 0	18	5	4,63			-			-	-		-
19 18 16.67 11 7 0 10 7 1 0 0 0	19	18		_	-	-	-		-	-	•	-
20-24 34 31.48 17 17 0 11 18 5 0 0 0	20-24					-	-		•	-		-
25-29 03 04 20 40 0 0 0 0 0	25-29	23				-				-		-
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30-34	_				-					1	-
35-39	35-39					-			-		0	-
40-44	40-44					-	•	_	-		1	•
CREATED THAN 44		•		-	-	-	-	-	•	-		-
		-		-	-	•	-	-	-	-	-	-
		-	0.00	-		-	-		-	-	-	-
			100.00		-	-						-
PERCENT DISTRIBUTION 100.00 53.70 46.30 0.00 47.22 34.26 12.96 3.70 1.85 0.00 PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:				53.70	46.30	0.00	47.22	34.26	12.96	3.70	1.85	0.00
25.29 23.58 27.62 0.00 29.31 24.50 22.95 13.79 16.67 0.00	PERCENT OF ALL BIRTH	S WHICH AN			27.62	0.00	29.31	24.50	22.95	13.79	16.67	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

•

COUNTY AND	TOTAL	PERCENT			*****	**	*****	*****		RTH ORDER *******	
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
LINCOLN											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	о	0	0	о	о	0	0
10-14	ō	0.00	Ó	Ō	Ō	Ō	Ō	ō	Ō	Ō	Ō
15	1	0.27	0	1	0	1	0	0	0	0	0
16	7	1.88	3	4	0	7	0	Ō	0	0	0
17	6	1.61	3	3	0	5	1	0	0	0	0
18	5	1.34	3	2	0	4	1	0	0	0	0
19	14	3.75	9	5	0	12	2	0	0	0	0
20-24	89	23.86	53	36	0	51	22	14	2	0	0
25-29	101	27.08	57	44	Ō	35	42	18	5	1	Ō
30-34	106	28.42	60	46	0	36	35	22	6	7	0
35-39	39	10.46	20	19	Ó	10	11	8	7	3	Ö
40-44	4	1.07	1	3	0	0	0	1	2	1	0
GREATER THAN 44	1	0.27	1	0	0	0	Ó	1	0	0	0
UNKNOWN	0	0.00	0	0	0	Ō	Ó	0	Ō	0	Ō
COUNTY TOTALS	373		210	163	Ó	161	114	64	22	12	ō
PERCENT DISTRIBUTION		100.00	56.30	43.70	0.00	43.16			5.90	3.22	0.00
OUT OF WEDLOCK BIRTHS											
	_				-	-	-			_	
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	1	1.27	0	1	0	1	0	0	0	0	0
16	7	8.86	3	4	0	7	0	0	0	0	0
17	5	6.33	2	3	0	4	1	0	0	0	0
18	4	5.06	2	2	0	3	1	0	0	0	0
19	10	12.66	6	4	0	9	1	0	0	0	0
20-24	29	36.71	17	12	0	16	8	5	0	0	0
25-29	9	11.39	5	4	0	4	3	1	1	0	0
30-34	10	12.66	7	3	0	1	3	1	1	4	0
35-39	4	5.06	3	1	0	1	0	0	2	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	79		45	34	0	. 46	17	7	4	5	0
PERCENT DISTRIBUTION	1	100.00	56.96	43.04	0.00	58.23	21.52	8.86	5.06	6.33	0.00
PERCENT OF ALL BIRTH	IS WHICH AR	E OUT OF WEDLOC	к:								
		21.18	21.43	20.86	0.00	28.57	14.91	10.94	18.18	41.67	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

TABLE B-5ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS. 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE		******	**	*****	******		RTH ORDER ******	
	DIRIUS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
OXFORD											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	o	о	0	0	0
10-14	1	0.15	ŏ	1	ŏ	1	0	0	· 0	0	0 0
15	2	0.30	õ	2	ŏ	2	ŏ	ŏ	ő	0	0
16	10	1.48	5	5	ŏ	10	ŏ	ŏ	ŏ	ŏ	o
17	17	2.52	10	7	ŏ	16	1	ŏ	ŏ	0	0
18	28	4.15	9	19	ŏ	20	. 8	ŏ	ŏ	0	. 0
19	29	4.30	16	13	Ō	21	7	1	ŏ	õ	0
20-24	217	32.20	101	116	ŏ	102	78	29	6	2	0
25-29	193	28.64	98	95	õ	67	83	36	7	õ	0
30-34	131	19.44	75	56	õ	32	51	29	11	8	0
35-39	39	5.79	14	25	õ	7	13	14	3	2	0
40-44	6	0.89	3		ŏ	2	2	Ō	õ	2	0
GREATER THAN 44	0	0.00	õ	õ	ŏ	ō	ō	ŏ	ŏ	0	-
UNKNOWN	1	0.15	1	ŏ	õ	ĩ	ŏ	ŏ	õ	0	0
COUNTY TOTALS	674	••••	332	342	ŏ	281	243	109	27	14	0
PERCENT DISTRIBUTION		100.00	49.26	50.74	0.00	41.69			4.01	2.08	0 0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.49	ŏ	ĩ	ŏ	1	ŏ	ŏ	ŏ	ŏ	0
15	2	0.98	õ	2	õ	2	ŏ	ŏ	ŏ	0	0
16	9.	4.41	5	4	ŏ	9	ŏ	ŏ	ŏ	0	0
17	13	6.37	7	6	ŏ	12	1	ő	ŏ	0	0
18	23	11.27	9	14	ŏ	18	5	ŏ	ő	0	0
19	19	9.31	9	10	ŏ	17	2	ŏ	ŏ	Ö	ŏ
20-24	78	38.24	43	35	ŏ	48	21	7	2	õ	ŏ
25-29	34	16.67	15	19	õ	12	18	4	ō	ŏ	ŏ
30-34	17	8.33	7	10	õ	5	5	3	1	3	ő
35-39	7	3.43	3	4	ŏ	1	3	3 3	ò	ő	ŏ
40-44	1	0.49	1	Ó	ŏ	O	1	ŏ	ŏ	Ő	ŏ
GREATER THAN 44	0	0.00	ò	ŏ	ŏ	ŏ	ò	ő	0	0	0
UNKNOWN	õ	0.00	ŏ	ŏ	ŏ	ŏ	0	0	0	0	
COUNTY TOTALS	204	0.00	99	105	0	125	56	17	3	3	0
PERCENT DISTRIBUTION		100.00	48.53	51.47	0.00	61.27		8.33	3 1.47	3 1.47	0
PERCENT OF ALL BIRTHS	S WHICH AF		<: (:	51.47	0.00	UI.2/	27.40	0.03	1.4/	1.4/	0.00
		30.27	29.82	30.70	0.00	44.48	23.05	15.60	11.11	21.43	0.00
NOTE . DEBOENTAGES MAY NOT											

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	********* UNKNOWN	** 1	******	*****	**** BI 4	RTH ORDER ***** GREATER THAN 4	
PENOBSCOT											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	о	0	0	0	0
10-14	4	0.23	2	2	0	4	0	0	0	0	0
15	4	0.23	3	1	0	4	0	0	0	. 0	0
16	23	1.34	13	10	0	23 27	0 3	0	0	0	0
17 18	30 37	1.75 2.15	15 17	15 20	0	27	3 8	0	0	0	0
19	90	5.24	46	44	ŏ	64	23	3	ŏ	0	ő
20-24	468	27.26	242	226	ŏ	258	154	43	10	3	ŏ
25-29	568	33.08	308	260	õ	210	240	85	22	11	õ
30-34	373	21.72	186	187	õ	100	148	90	29	6	ō
35-39	110	6.41	45	65	0	20	35	32	15	8	0
40-44	10	0.58	7	З	0	0	4	2	4	0	0
GREATER THAN 44	0	0.00	0	0	0	· 0	0	0	0	0	0
UNKNOWN	0	0.00	0	. 0	0	0	0	0	0	0	0
COUNTY TOTALS	1,717		884	833	0	739	615	255	80	28	0
PERCENT DISTRIBUTION		100.00	51.49	48.51	0.00	43.04	35.82	14.85	4.66	1.63	0.00
OUT OF WEDLOCK BIRTHS LESS THAN 10	0	0.00	0	 0	0	0	0	0	0	o	0
10-14	3	0.64	1	2	ō	3	ō	ō	õ	õ	0
15	4	0.86	3	1	Ō	4	Ō	Ō	Ō	0	0
16	21	4.50	11	10	0	21	0	0	0	0	0
17	25	5.35	12	13	0	23	2	0	0	0	0
18	31	6.64	14	17	0	26	5	0	0	0	0
19	54	11.56	28	26	0	45	9	0	0	0	0
20-24	189	40.47	95	94	0	106	60	16	6	1	0
25-29	89	19.06	47	42	0	31	29	18	9	2	0
30-34	39	8.35	17	22	0	10	16	8	3	2	· 0
35-39	12	2.57	4	8	0	3	3	2	3	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	-	0	0	•	•	-
UNKNOWN	0 467	0.00	0 232	0 235	0	0 272	0 124	0 44	0 21	0 6	0
COUNTY TOTALS	40/	100.00	232 49.68	235 50.32	0.00		26.55	9.42	4.50	1.28	0.00
PERCENT DISTRIBUTION PERCENT OF ALL BIRTH	с мытсн м	100.00 RE DUT DE WEDLOCI		50.32	0.00	JU.24	20.99	5.42	4.50	1.20	0.00
FERGENT OF ALL BIRTH.		27.20	26.24	28.21	0.00	36.81	20.16	17.25	26.25	21.43	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

.E B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****	**** SEX	*****	**	*****	*****	**** R1	IRTH ORDER *******	****
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
PISCATAQUIS											
ALL BIRTHS											
LESS THAN 10	0	0.00		•					_		
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	U 1		0	0	0	0	0	0	0	0	0
16	1	0.53	1	0	0	1	0	0	0	0	0
17	2	1.06	0	2	0	2	0	0	0	0	0
	4	2.13	3	. 1	0	4	0	0	0	0	0
18	8	4.26	3	5	0	6	2	0	0	0	Ó
19	13	6.91	9	4	0	10	3	0	0	Ó	ō
20-24	76	40.43	33	43	0	40	26	5	4	1	ŏ
25-29	42	22.34	18	24	ō	16	16	3	· 4	3	ő
30-34	31	16.49	18	13	ŏ	4	10	9	6	2	0
35-39	10	5.32	5	5	ŏ		5	3	1	0	-
40-44	1	0.53	ŏ	1	ő	ò	1	-		-	0
GREATER THAN 44	ò	0.00	0		-	-	•	0	0	0	0
UNKNOWN	-		-	0	0	0	0	0	0	0	C
	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	188		90	98	0	84	63	20	15	6	0
PERCENT DISTRIBUTION		100.00	47.87	52.13	0.00	44.68	33.51	10.64	7.98	3.19	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	Ο ·	0	0	0	0	0	ō
15	1	1.64	1	0	0	1	0	0	0	Ō	õ
16	2	3.28	0	2	0	2	Ō	õ	ō	õ	ŏ
17	4	6.56	3		ō	4	ŏ	ŏ	ŏ	ŏ	0
18	4	6.56	3	i	ŏ	3	1	ŏ	ŏ		0
19	9	14.75	7	2	ŏ	8	1	ŏ	ŏ	0	0
20-24	26	42.62	10	16	ŏ			-	0	0	0
25-29	11	18.03	4	7		16	9	0	1	0	0
30-34	3	4.92			0	6	3	1	1	0	0
35-39	-		2	1	0	0	2	1	0	0	0
	1	1.64	1	0	0	0	0	1	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	Ó
UNKNOWN	0	0.00	0	0	0	Ō	Ō	ō	õ	õ	ŏ
COUNTY TOTALS	61		31	30	õ	40	16	3 3	2	ŏ	ŏ
PERCENT DISTRIBUTION		100.00	50.82	49.18	0.00	65.57		4.92	3.28	0.00	-
PERCENT OF ALL BIRTH	S WHICH ∆R	RE OUT OF WEDLOCK	()	40.10	0.00	55.57	20.23	4.92	5.20	0.00	0.00
		32.45	34.44	30.61	0.00	47.62		45 00	10 00	0.00	0.00
		JZ . 4 J	34.44			4/ 6/					~ ~ ~ ~ ~

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

ယူ

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

34

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****	**** SEX	*****	**	*****	*****	**** BI	RTH ORDER ******	* * * * * * * * * * *
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
SAGADAHOC											
ALL BIRTHS											
LESS THAN 10	о	0.00	o	0	0	0	0	0	o	0	0
10-14	õ	0.00	ŏ	ŏ	ŏ	ŏ	0	ő	0	0 0	0
15	1	0.21	Ĩ	ŏ	ő	1	ŏ	ŏ	ŏ	0	0
16	4	0.82	1	3	ŏ	4	ŏ	ŏ	ŏ	ŏ	ő
17	11	2.26	5	. 6	õ	11	ŏ	ŏ	ŏ	ŏ	ŏ
18	14	2.87	3	11	õ	12	2	ŏ	ŏ	ŏ	ŏ
19	20	4.11	10	10	Ō	16	. 3	Ĩ	ŏ	ŏ	õ
20-24	134	27.52	66	68	Ó	65	49	16	3	1	ŏ
25-29	161	33.06	76	85	0	60	75	·20	5	1	ŏ
30-34	108	22.18	55	53	0	34	44	21	7	2	ŏ
35-39	31	6.37	15	16	0	6	10	8	5	2	ŏ
40-44	3	0.62	0	3	0	2	1	0	0	0	õ
GREATER THAN 44	0	0.00	0	0	0	0	0	Ó	õ	õ	ŏ
UNKNOWN	0	0.00	0	0	0	0	0	0	Ó	Ō	ŏ
COUNTY TOTALS	487		232	255	0	211	184	66	20	6	ŏ
PERCENT DISTRIBUTION		100.00	47.64	52.36	0.00	43.33	37.78	13.55	4.11	1.23	0.00
OUT OF WEDLOCK BIRTHS											
SOT OF WEDEBOOK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	о	0	0
10-14	Ō	0.00	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	0
15	1	0.98	1	ŏ	ŏ	1	ŏ	ŏ	0	0	-
16	4	3.92	i	3	ŏ	4	ŏ	ő	ŏ	0	0
17	11	10.78	5	6	ŏ	11	ŏ	ŏ	ŏ	õ	ŏ
18	13	12.75	3	10	õ	11	2	ŏ	ŏ	ŏ	ŏ
19	10	9.80	5	5	Ŏ	9	ĩ	ŏ	ŏ	ŏ	ŏ
20-24	42	41.18	23	19	õ	30	10	2	ŏ	ŏ	ŏ
25-29	11	10.78	4	7	Ō	5	5	1	ŏ	ŏ	ŏ
30-34	7	6.86	4	3	Ó	3	3	ò	ĩ	õ	ŏ
35-39	3	2.94	0	3	ŏ	ō	1	ŏ	1	· · · · · · · · · · · · · · · · · · ·	ŏ
40-44	0	0.00	Ó	Ō	õ	ŏ	Ó	ŏ	ò	ò	ŏ
GREATER THAN 44	Ō	0.00	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	0
UNKNOWN	Ó	0.00	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	0	•
COUNTY TOTALS	102		46	56	ŏ	74	22	3	2	•	0
PERCENT DISTRIBUTION		100.00	45.10	54.90	0.00	72.55		2.94	1.96	0.98	0.00
PERCENT OF ALL BIRTHS	WHICH A		(:		0.00	, 2.00	~ • • • • • /	2.54	1.50	0.36	0.00
		20.94	19.83	21.96	0.00	35.07	11 96	4.55	10.00	16.67	0.00
					2.00	20.07		4.55		10.07	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILO, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND Mother's age(yrs.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	****** MALE	**** SEX FEMALE	********* UNKNOWN	**	******	****** 3	**** BI 4	RTH ORDER ******* GREATER THAN 4	********** UNKNOWN
SOMERSET											0,1110,111
ALL BIRTHS											
LESS THAN 10	О	0.00	o	0	0	0	0	0	о	0	0
10-14	1	0.15	ō	ĭ	ŏ	1	ŏ	ŏ	ŏ	0	0
15	9	1.36	5	4	ŏ	. 9	ŏ	ŏ	ŏ	0	0
16	16	2.41	8	8	ō	16	õ	ŏ	ŏ	õ	ŏ
17	26	3.92	13	13	õ	23	2	1	ŏ	0	0
18	21	3.16	11	10	ŏ	17	3		ŏ	õ	ŏ
19	31	4.67	15	16	õ	21	7	3	ŏ	0	0
20-24	233	35.09	112	121	ŏ	121	77	32	2	1	0
25-29	201	30.27	108	93	ŏ	68	83	32	14	1	0
30-34	83	12.50	34	49	õ	19	36	14	6	4 8	0
35-39	34	5.12	16	18	ŏ	3	11	7	6	8	0
40-44	7	1.05	3	4	õ	ŏ	2	2	0	3	
GREATER THAN 44	Ó	0.00	õ	õ	ŏ	ő	o 0	õ	0	3	0
UNKNOWN	2	0.30	ŏ	2	ŏ	1	U 1	0	-	-	0
COUNTY TOTALS	664	0.00	325	339	0	299	000	-	0	0	0
PERCENT DISTRIBUTION		100.00	48.95	51.05	0.00		222	92	28	23	0
		100.00	40.95	51.05	0.00	45.03	33.43	13.86	4.22	3.46	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	1	0.45	Ó	1	õ	1	ŏ	ŏ	ŏ	õ	ŏ
15	9	4.04	5	4	ŏ	. 9	ŏ	ŏ	ŏ	0	0
16	12	5.38	6	6	ŏ	12	ŏ	ŏ	ŏ	0	0
17	21	9.42	10	11	õ	19	2	· 0	ŏ	0	
18	16	7.17	.0	7	ŏ	15	õ	1	ő	0	0
19	23	10.31	13	10	ŏ	-18	3	2	ŏ	0	
20-24	91	40.81	42	49	ŏ	49	26	15	1	0	0
25-29	36	16.14	19	17	ŏ	15	10	8	3	0	
30-34	9	4.04	. 6	3	Ö	2	3	•	3		0
35-39	3	1.35	ž	1	ŏ	õ	0			2	0
40-44	1	0.45		0	-	-	-		1	1	0
GREATER THAN 44	ò	0.45	Ó	-	0	0	0	1	0	0	0
UNKNOWN	•	0.00		0	0	0	0	0	0	0	0
COUNTY TOTALS	223	0.45	0	1	0	1	0	0	0	0	0
PERCENT DISTRIBUTION		100.00	113	110	0	141	44	29	6	3	0
		100.00	50.67	49.33	0.00	63.23	19.73	13.00	2.69	1.35	0.00
PERCENT OF ALL BIRTH	S WHICH AR										
		33.58	34.77	32.45	0.00	47.16	19.82	31.52	21.43	13.04	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

ω

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH DRDER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT			*****	**	******	*****		RTH ORDER *******	
MOTHER S AGE(TRS.)	DIKINS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
WALDO											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	o	0	0	о	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	ō
15	5	1.10	3	2	0	4	1	0	0	0	0
16	10	2.21	4	6	0	40	0	0	0	0	0
17	4	0.88	1	3	0	3	1	0	0	0	0
18	19	4.19	13	6	0	13	5	1	0	0	0
19	15	3.31	5	10	0	9	5	1	0	0	0
20-24	135	29.80	72	63	0	68	46	20	1	0	0
25-29	130	28.70	71	59	0	45	59	15	8	3	0
30-34 35-39	96	21.19	49	47	0	28	33	16	13	6	0
40-44	31 8	6.84	16	15	0	7	8	11	3	2	0
GREATER THAN 44	-	1.77	4	4	0	0	2	3	3	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	453	0.00	0 238	0 215	0	0 187	0	0	0	0	0
PERCENT DISTRIBUTION		100.00	238 52.54	47.46	0.00		160 35.32	67	28 6.18	11 2.43	0
		100.00	02.04	47.40	0.00	41.20	00.02	14.73	0.18	2.43	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	о	0	о	o	0	0	о	0	0
10-14	0	0.00	0	0	0	Ō	Ō	ŏ	ō	õ	ő
15	4	2.94	З	1	0	3	1	ō	ŏ	õ	ŏ
16	8	5.88	3	5	0	8	0	0	Ō	ō	ō
17	3	2.21	1	2	0	3	0	0	0	ō	ō
18	14	10.29	10	4	0	9	4	1	0	0	Ō
19	11	8.09	5	6	0	7	4	0	0	0	0
20-24	56	41.18	35	21	0	31	16	9	0	0	Ó
25-29	29	21.32	17	12	0	9	8	7	4	1	0
30-34	6	4.41	3	3	0	1	2	1	1	1	0
35-39	4	2.94	2	2	0	1	1	2	0	0	0
40-44	1	0.74	0	1	0	0	1	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	Ō	ō	ŏ
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	õ
COUNTY TOTALS	136		79	57	0	72	37	20	5	2	õ
PERCENT DISTRIBUTION		100.00	58.09	41.91	0.00	52.94	27.21	14.71	3.68	1.47	0.00
PERCENT OF ALL BIRTH	S WHICH AR				0.00						
		30.02	33,19	26.51	0.00	38.50	23.13	29.85	17.86	18.18	0.00

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BAGESEX

.

37

5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND Mother's Age(yrs.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	********* UNKNOWN	**	******	******	**** E 4	3IRTH ORDER ***** GREATER THAN 4	
WASHINGTON			_			·	~	5	-	GREATER THAN 4	UNKNOWN
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	Ō	õ
15 16	3	0.70	3	0	0	3	0	0	0	0	0
17	3	0.70	1	2	0	3	0	0	0	0	0
18	13 11	3.04	8	5	0	13	0	0	0	0	0
19	16	2.58 3.75	7	4	0	9	2	0	0	0	0
20-24	145	3.75	5	•11	0	10	5	1	0	0	0
25-29	136	33.96	76	69	0	72	55	13	4	1	0
30-34	65	15.22	74 34	62	0	40	49	35	10	2	0
35-39	31	7.26	34 13	31 18	0	14	20	20	7	4	0
40-44	4	0.94	ر ۱	3	0	9 2	9	9	1	3	0
GREATER THAN 44	ō	0.00	0	0	0	2	0	0	2	0	0
UNKNOWN	õ	0.00	ŏ	ŏ	0	0	0	0	0	0	0
COUNTY TOTALS	427	0.00	222	205	ő	175	140	78	0 24	0	0
PERCENT DISTRIBUTION		100.00	51.99	48.01	0.00		32.79		5.62	10 2.34	0 0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	0	0
15	3	2.05	3	õ	õ	3 3	ŏ	ŏ	ŏ	ŏ	0
16	2	1.37	1	1	õ	2	ŏ	ŏ	ŏ	ŏ	ŏ
17	12	8.22	7	5	õ	12	ŏ	ŏ	ŏ	ŏ	Ő
18	9	6.16	6	З	õ	8	1	ŏ	ŏ	ŏ	ŏ
19	9	6.16	1	8	õ	6	3	ŏ	ŏ	ŏ	ŏ
20-24	62	42.47	29	33	0	33	19	ő	3 3	1	õ
25-29	28	19.18	17	11	Ō	7	8	11	2	ò	ő
30-34	14	9.59	8	6	0	3	3	6	1	1	ŏ
35-39	7	4.79	1	6	0	1	0	3	1	2	ŏ
40-44	0	0.00	0	0	0	0	0	0	0	Ō	õ
GREATER THAN 44	0	0.00	0	0	0	0	0	0	Ó	õ	õ
UNKNOWN	0	0.00	0	0	0	0	Ō	Ō	ō	õ	ŏ
COUNTY TOTALS	146		73	73	0	75	34	26	7	4	õ
PERCENT DISTRIBUTION		100.00	50.00	50.00	0.00	51.37	23.29	17.81	4.79	2.74	0.00
PERCENT OF ALL BIRTH	HS WHICH AR		<:								
		34.19	32.88	35.61	0.00	42.86	24.29	33.33	29.17	40.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

~

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	********** UNKNOWN	**	******	***** 3	**** BII 4	RTH ORDER * GREATER T	
MOTHER S AGE (TRS.)	BIRINS	DISTRIBUTION	MALL	FEMALE	UNKNOWN	1	2	3	4	GREATER	
YORK											
ALL BIRTHS											
LESS THAN 10	о	0.00	0	о	о	о	0	о	0	0	0
10-14	2	0.08	1	1	0	2	0	0	0	0	0
15	8	0.33	4	4	0	8	0	0	0	0	0
16	12	0.50	4	8	0	11	1	0	0	0	0
17	34	1.42	20	14	0	27	7	0	0	0	0
18	57	2.38	32	25	0	48	8	1	0	0	0
19	98	4.09	45	53	0	73	23	2	0	0	· 0
20-24	569	23.72	284	285	0	316	182	61	10	0	0
25-29	813	33.89	393	420	0	317	334	114	36	12	0
30-34	569	23.72	295	274	0	160	230	115	44	20	0
35-39	213	8.88	112	101	0	48	74	56	22	13	0
40-44	22	0.92	10	12	0	6	4	2	4	6	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	2	0.08	1	1	0	1	1	0	0	0	0
COUNTY TOTALS	2,399		1,201	1,198	0	1,017	864	351	116	51	0
PERCENT DISTRIBUTION		100.00	50.06	49.94	0.00	42.39	36.02	14.63	4.84	2.13	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	•	0		0
10-14	2	0.00	0	1	0	0	0	0	0	0	0
15	28	1.49	4	4	0	∠ 8	0		0	0	0
16	11	2.04	4	7	0	10	1	0	0	0	0. 0
17	33	6.13	20	13	0	27	6	0	0	0	0
18	47	8.74	20	19	0	27 39	8	0	0	0	0
19	61	11.34	26	35	Ö	47	12	2	0	0	0
20-24	207	38.48	107	100	ő	138	47	19	3	0	0
25-29	93	17.29	49	44	ŏ	31	32	19	5	6	0
30-34	54	10.04	31	23	ŏ	15	20	12	4	3	· Õ
35-39	18	3.35	11		ŏ	4	4	4	3	3	ŏ
40-44	3	0.56	1	2	ŏ	ò	1	1	1	ő	0
GREATER THAN 44	õ	0.00	ò	ō	ŏ	ŏ	ò	ò	ò	ő	0
UNKNOWN	1	0.19	1	ő	ő	ő	1	ő	õ	ŏ	0
COUNTY TOTALS	538	0.15	283	255	0	321	132	57	16	12	0
PERCENT DISTRIBUTION	555	100.00	52,60	47.40	0.00		24.54		2.97	2.23	0.00
PERCENT OF ALL BIRTH	S WHICH AF				0.00	20.07		.0.05	±,	2,20	0.00
PERCENT OF ALL DIRM.		22.43	23.56	21.29	0.00	31.56	15.28	16.24	13.79	23.53	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

 TABLE B-5
 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER

 MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

STATE AND	TOTAL	PERCENT	*****	**** SEX	****	**	*****	*****	**** BI	RTH ORDER *******	****
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	З	4	GREATER THAN 4	UNKNOWN
MAINE SUMMARY											
ALL BIRTHS											
LESS THAN 10	о	0.00	0	0	0	0	0	0	0	0	0
10-14	15	0.09	7	8	Ō	15	Ō	Ō	Ō	ō	Ó
15	61	0.38	35	26	0	59	2	0	0	0	0
16	156	0.97	73	83	0	152	4	0	0	0	0
17	289	1.80	144	145	0	255	31	3	0	0	0
18	441	2.75	230	211	0	347	82	11	1	0	0
19	673	4.20	346	327	0	486	156	28	3	0	0
20-24	4,372	27.30	2,262	2,110	0	2,302	1,440	512	99	19	0
25-29	5,040	31.47	2,545	2,495	0	1,891	2,098	744	232	75	0
30-34	3,530	22.04	1,820	1,709	1	997	1,367	758	284	124	0
35-39	1,242	7.76	601	641	0	272	422	322	127	99	0
40-44	180	1.12	89	91	0	39	51	39	27	24	0
GREATER THAN 44	4	0.02	2	2	0	1	0	2	1	0	0
UNKNOWN	10	0.06	4	6	0	5	4	1	0	0	0
STATE TOTALS	16,013		8,158	7,854	1	6,821			774	341	0
PERCENT DISTRIBUT	ION	100.00	50.95	49.05	0.01	42.60	35.33	15.11	4.83	2.13	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	14	0.34	6	8	0	14	0	0	0	0	0
15	60	1.47	35	25	0	58	2	0	0	0	0
16	140	3.42	66	74	0	136	4	0	0	0	0
17	254	6.21	127	127	0	226	27	1	0	0	0
18	344	8.40	183	161	0	279	56	8	1	0	0
19	441	10.77	222	219	0	343	83	13	2	0	0
20-24	1,607	39.26	838	769	0	927	457	177	39	7	0
25-29	747	18.25	363	384	0	261	270	145	52	19	0
30-34	325	7.94	171	154	0	92	100	73	32	28	0
35-39	136	3.32	63	73	0	37	31	31	19	18	0
40-44	19	0.46	8	11	0	5	5	6	1	2	0
GREATER THAN 44	1	0.02	0	1	0	0	0	1	0	0	0
UNKNOWN	5	0.12	2	3	0	3	1	1	0	0	0
STATE TOTALS	4,093		2,084	2,009	0		1,036	456	146	74	0
PERCENT DISTRIBUT		100.00	50.92	49.08	0.00	58.17	25.31	11.14	3.57	1.81	0.00
PERCENT OF ALL BI	RTHS WHICH A										
		25.56	25.55	25.58	0.00	34.91	18.31	18.84	18.86	21.70	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

39

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	************ 1ST+2ND MONTH	************ 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	********** UNKNOWN
ANDROSCOGGIN								
LESS THAN 1000	6	0.43	5	0	1	0	0	0
1000-1499	6	0.43	3	2	0	0	0	1
1500-1999	8	0.58	3	4	1	0	0	0
2000-2499	39	2.81	13	17	9	0	0	0
2500-2999	185	13.35	82	76	19	3	4	1
3000-3499	532	38.38	255	204	62	10	1	0
3500-3999	417	30.09	214	159	36	5	2	1
4000-4499	157	11.33	79	54	21	3	0	0
4500-4999	28	2.02	13	13	2	0	0	0
GREATER THAN 4999	5	0.36	3	2	0	0	0	0
UNKNOWN	3	0.22	1	1	1	0	0	0
COUNTY TOTALS	1,386		671	532	152	21	7	3
PERCENT DISTRIBUTION		100.00	48.41	38.38	10.97	1.52	0.51	0.22
AROOSTOOK								
LESS THAN 1000	2	0.17	0	2	0	0	о	0
1000-1499	9	0.78	3	3	1	0	.O	2
1500-1999	10	0.87	6	3	1	0	0	0
2000-2499	41	3.57	21	13	5	1	1	0
2500-2999	159	13.83	82	43	26	6	0	2
3000-3499	429	37.30	213	123	77	12	2	2
3500-3999	339	29.48	178	100	52	7	0	2
4000-4499	135	11.74	69	40	23	2	0	1
4500-4999	22	1.91	6	10	4	2	0	0
GREATER THAN 4999	2	0.17	2	0	0	0	Ō	Ō
UNKNOWN	2	0.17	1	Ō	Ō	ō	ō	1
COUNTY TOTALS	1,150		581	337	189	30	3	10
PERCENT DISTRIBUTION	·	100.00	50.52	29.30	16.43	2.61	0.26	0.87

×.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	**************************************	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	********* UNKNOWN
CUMBERLAND								
LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	18 15 33 105 448 1,118 1,093 395 57 7 5 3,294	0.55 0.46 1.00 3.19 13.60 33.94 33.18 11.99 1.73 0.21 0.15	13 8 61 222 530 552 189 33 5 5 1,636 49.67	2 4 8 29 164 436 423 156 18 2 0 1,242 37.70	3 2 6 10 42 116 84 34 5 0 0 302 9.17	0 0 1 4 8 15 15 6 0 0 0 49 1.49	0 0 3 1 0 0 0 0 4 0.12	0 1 9 20 19 10 1 0 61 1.85
FRANKLIN								
LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	2 4 5 12 52 126 115 38 6 0 1 361	0.55 1.11 1.39 3.32 14.40 34.90 31.86 10.53 1.66 0.00 0.28 100.00	0 1 2 8 31 70 59 19 4 0 194 53.74	0 2 3 14 44 43 15 2 0 0 125 34.63	0 1 0 1 6 10 11 3 0 0 0 0 32 8.86	0 0 0 1 1 1 1 0 0 0 3 0.83	0 0 1 0 1 0 0 0 2 0.55	2 0 1 0 0 0 0 0 1 5 1.39

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BWGHTED

4

.

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND Birthweight In grams	TOTAL BIRTHS	PERCENT DISTRIBUTION	**************************************	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	. CARE BEGAN 7TH-9TH MONTH	********** NONE	********** UNKNOWN
HANCOCK								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	1	O.18	1	0	0	0	0	0
1500-1999	4	0.73	2	0	1	0	1	0
2000-2499	14	2.55	5	4	4	0	0	1
2500-2999	79	14.36	31	40	6	1	0	1
3000-3499	167	30.36	75	64	25	1	0	2
3500-3999	190	34.55	74	84	23	6	0	3
4000-4499	69	12.55	33	26	9	1	0	0
4500-4999	17	3.09	7	8	1	0	0	1
GREATER THAN 4999	3	0.55	2	1	0	0	0	0
UNKNOWN	6	1.09	0	1	0	0	0	5
COUNTY TOTALS	550		230	228	69	9	1	13
PERCENT DISTRIBUTION		100.00	41.82	41.45	12.55	1.64	0.18	2.36
KENNEBEC								
LESS THAN 1000	2	0.14	1	1	0	0	0	0
1000-1499	7	0.48	3	2	1	0	0	1
1500-1999	12	0.82	6	2	3	0	0	1
2000-2499	49	3.35	2.7	13	4	3	0	2
2500-2999	211	14.42	112	65	25	4	2	3
3000-3499	508	34.72	289	167	45	2	0	5
3500-3999	469	32.06	285	141	35	2	1	5
4000-4499	151	10.32	89	50	7	2	0	3
4500-4999	43	2.94	2.3	17	2	1	0	0
GREATER THAN 4999	2	0.14	2	0	Ō	Ó	Ō	0
UNKNOWN	9	0.62	2	6	1	Ō	Ō	0
COUNTY TOTALS	1,463		839	464	123	14	3	20
PERCENT DISTRIBUTION		100.00	57.35	31.72	8.41	0.96	0.21	1.37

•

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BWGHTED

.

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	**************************************	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	*********** UNKNOWN
KNOX								
LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	3 1 3 12 53 119 161 54 15 3 3 427	0.70 0.23 0.70 2.81 12.41 27.87 37.70 12.65 3.51 0.70 0.70 100.00	2 1 1 33 83 106 43 11 3 2 292 68.38	1 0 2 2 8 24 34 8 4 0 0 83 19.44	0 0 2 8 10 20 3 0 0 1 44 10.30	0 0 0 1 2 1 0 0 0 0 4 0.94	0 0 0 0 0 0 0 0 0 0	0 0 1 3 0 0 0 0 0 0 4 0.94
LINCOLN								
LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	3 2 3 10 46 123 130 35 17 3 1 373	0.80 0.54 0.80 2.68 12.33 32.98 34.85 9.38 4.56 0.80 0.27 100.00	1 2 7 28 81 78 22 13 2 0 235 63.00	0 0 2 11 31 42 10 3 0 1 100 26.81	1 0 0 6 10 8 2 1 1 1 0 30 8.04	0 1 1 0 1 2 0 0 0 0 5 1.34	1 0 0 0 0 0 0 0 0 1 0.27	0 0 1 0 1 0 0 2 0.54

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

.

					•			
COUNTY AND			*******	*****	MONTH PRENATAL	CARE BEGAN	******	*****
BIRTHWEIGHT	TOTAL	PERCENT	1ST+2ND	3RD	4TH-6TH	7TH-9TH	NONE	UNKNOWN
IN GRAMS	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH		
	01							
OXFORD								
LESS THAN 1000	1	0.15	0	0	0	0	0	1
1000-1499	4	0.59	3	0	1	0	0	0
1500-1999	7	1.04	4	2	1	0	0	0
2000-2499	26	3.86	15	9	2	0	0	0
2500-2999	90	13.35	30	42	14	3	0	1
3000-3499	238	35.31	119	71	37	7	2	2
3500-3999	209	31.01	90	84	28	4	1	2
4000-4499	70	10.39	29	26	12	1	1	1
4500-4999	23	3.41	9	12	2	0	0	0
GREATER THAN 4999	3	0.45	Ō	1	1	Ō	ō	1
UNKNOWN	3	0.45	2	0	Ó	ō	Ō	1
COUNTY TOTALS	674		301	247	98	15	4	9
PERCENT DISTRIBUTION		100.00	44.66	36.65	14.54	2.23	0.59	1.34
PENOBSCOT								
LESS THAN 1000	7	0.41	2	4	0	о	0	1
1000-1499	2	0.12	0	2	Ō	Ō	Ō	0
1500-1999	17	0.99	10	4	1	ō	ō	2
2000-2499	58	3.38	45	9	3	1	õ	ō
2500-2999	202	11.76	139	37	20	1	5	Ō
3000-3499	612	35.64	429	123	50	7	1	2
3500-3999	588	34.25	424	107	44	10	Ó	3
4000-4499	186	10.83	130	40	15	1	õ	õ
4500-4999	42	2.45	26	7	6	2	õ	1
GREATER THAN 4999	2	0.12	2	ò	õ	ō	õ	0
UNKNOWN	1	0.06	ō	ŏ	ŏ	õ	1	õ
COUNTY TOTALS	1,717	0.00	1,207	333	139	22	7	9
PERCENT DISTRIBUTION	••••	100.00	70.30	19.39	8.10	1.28	0.41	0.52

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT	TOTAL	PERCENT	********* 1ST+2ND	********* 3RD	MONTH PRENATA 4TH-6TH	L CARE BEGAN 7TH-9TH	********* NONE	********** UNKNOWN
IN GRAMS	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH	NONE	
PISCATAQUIS								
LESS THAN 1000	0	0.00	0	0	0	0	0	о
1000-1499	2	1.06	õ	2	õ	ŏ	õ	õ
1500-1999	1	0.53	1	0	Ő	õ	õ	õ
2000-2499	5	2.66	2	3	õ	õ	õ	õ
2500-2999	24	12.77	13	8	1	· 1	ŏ	1
3000-3499	68	36.17	41	17	9	1	õ	Ó
3500-3999	57	30.32	35	14	8	0	Ō	ō
4000-4499	25	13.30	12	6	7	Ō	õ	Ō
4500-4999	. 6	3.19	3	2	1	Ō	õ	Ō
GREATER THAN 4999	0	0.00	0	· 0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	188		107	52	26	2	0	1
PERCENT DISTRIBUTION		100.00	56.91	27.66	13.83	1.06	0.00	0.53
SAGADAHOC								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	3	0.62	3	0	0	0	0	0
1500-1999	4	0.82	1	3	0	0	0	0
2000-2499	9	1,85	3	4	1	0	1	0
2500-2999	54	11.09	36	14	4	0	0	0
3000-3499	169	34.70	109	42	17	1	0	0
3500-3999	187	38.40	128	46	13	0	0	0
4000-4499	46	9.45	30	11	5	0	0	0
4500-4999	15	3.08	7	7	1	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	· 0
COUNTY TOTALS	487		317	127	4 1	1	1	0
PERCENT DISTRIBUTION		100.00	65.09	26.08	8.42	0.21	0.21	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	*************************************	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	*********** UNKNOWN
SOMERSET								
LESS THAN 1000	4	0.60	1	2	1	0	о	0
1000-1499	3	0.45	0	1	1	0	1	0
1500-1999	10	1.51	6	0	2	0	0	2
2000-2499	22	3.31	10	8	4	0	0	0
2500-2999	102	15.36	39	47	15	1	0	0
3000-3499	221	33.28	103	83	31	2	1	. 1
3500-3999	214	32.23	99	79	33	1	0	2
4000-4499	69	10.39	31	26	9	0	0	3
4500-4999	13	1.96	4	8	1	0	0	0
GREATER THAN 4999	1	0.15	1	0	0	0	0	0
UNKNOWN	5	0.75	0	4	0	0	0	. 1
COUNTY TOTALS	664		294	258	97	4	2	9
PERCENT DISTRIBUTION		100.00	44.28	38.86	14.61	0.60	0.30	1.36
WALDO								
LESS THAN 1000	1	0.22	1	0	0	0	о	о
1000-1499	3	0.66	3	0	0	0	0	0
1500-1999	2	0.44	1	1	0	0	0	0
2000-2499	17	3.75	9	3	5	0	0	0
2500-2999	55	12.14	31	17	7	0	0	0
3000-3499	145	32.01	89	41	13	0	0	2
3500-3999	160	35.32	98	45	15	0	1	1
4000-4499	59	13.02	36	9	12	1	1	0
4500-4999	7	1.55	4	3	0	0	0	0
GREATER THAN 4999	3	0.66	2	1	0	0	0	0
UNKNOWN	1	0.22	0	1	0	0	0	0
COUNTY TOTALS	453		274	121	52	1	2	3
PERCENT DISTRIBUTION		100.00	60.49	26.71	11.48	0.22	0.44	0.66

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

47

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	*********** 1ST+2ND MONTH	********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	********** UNKNOWN
WASHINGTON								
LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	5 2 5 19 39 139 149 53 12 2 2 427	1.17 0.47 1.17 4.45 9.13 32.55 34.89 12.41 2.81 0.47 0.47 100.00	2 1 4 8 14 68 82 23 6 1 0 209 48.95	2 1 1 7 12 38 40 22 4 0 1 128 29,98	0 0 4 11 32 19 7 2 1 0 76 17.80	0 0 2 0 7 1 0 0 0 0 10 2.34	0 0 0 0 0 0 0 0 0 0 0 0 0	1 0 0 0 1 1 0 0 0 1 4 0.94
YORK LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499	9 10 22 82 315 798	0.38 0.42 0.92 3.42 13.13 33.26	6 4 11 27 168 491	1 3 33 79 205	1 0 4 12 53 84	0 0 1 5 10 6	1 0 0 2 1	0 3 5 3 11
3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	822 285 51 3 2 2,399	34.26 11.88 2.13 0.13 0.08 100.00	500 172 27 0 1 1,407 58.65	228 87 19 1 0 659 27.47	76 24 4 0 258 10.75	7 0 2 .0 31 1.29	1 0 0 0 5 0.21	10 2 1 0 1 39 1.63

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

STATE AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	**************************************	3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	********** UNKNOWN
MAINE SUMMARY								
LESS THAN 1000	63	0.39	34	15	7	0	2	5
1000-1499	74	0.46	35	22	8	0	1	8
1500-1999	146	0.91	78	35	20	3	1	9
2000-2499	520	3.25	268	159	66	15	2	10
2500-2999	2,114	13.20	1,091	677	263	41	17	25
3000-3499	5,512	34.42	3,045	1,713	628	68	9	49
3500-3999	5,300	33.10	3,002	1,669	505	68	7	49
4000-4499	1,827	11.41	1,006	586	193	19	2	21
4500-4999	374	2.34	196	137	32	5	0	4
GREATER THAN 4999	39	0.24	25	8	3	2	0	1
UNKNOWN	44	0.27	14	15	3	0	1	11
STATE TOTALS	16,013		8,794	5,036	1,728	221	42	192
PERCENT DISTRIBUTION	·	100.00	54,92	31.45	10.79	1.38	0,26	1.20

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

٠

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

48

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY	TOTAL		*******				TAL CARE BE			****	*****
AND NUMBER OF	BIRTHS		RST		OND		IIRD		DNE		NOWN
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ANDROSCOGGIN											
0	7	0	0.00	0	0.00	0	0.00	7	100.00	0	0.00
1	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
2	4	3	75.00	0	0.00	1	25.00	0	0.00	0	0.00
3	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
4	5	2	40.00	1	20.00	2	40.00	Ó	0.00	0	0.00
5	7	2	28.57	. 1	14.29	4	57.14	Ō	0.00	0	0.00
6	18	8	44.44	7	38.89	3	16.67	ō	0.00	Ō	0.00
7	12	3	25.00	7	58.33	2	16.67	Ō	0.00	Ō	0.00
8	37	14	37.84	18	48.65	5	13.51	ō	0.00	ō	0.00
9	57	31	54.39	24	42.11	2	3.51	Ō	0.00	Ō	0.00
GREATER THAN 9	1,230	1,137	92.44	93	7.56	ō	0.00	õ	0.00	ŏ	0.00
UNKNOWN	6	2	33.33	ō	0.00	Ĩ	16.67	ō	0.00	ŝ	50.00
COUNTY TOTALS	1,386	1,203	86.80	152	10.97	21	1.52	7	0.51	3	0.22
AROOSTOOK											
0	3	0	0.00	0	0.00	0	0.00	' 3	100.00	0	0.00
1	ō	õ	0.00	õ	0.00	õ	0.00	ō	0.00	õ	0.00
2	4	1	25.00	2	50.00	1	25.00	0	0.00	0	0.00
3	4	1	25.00	ō	0.00	3	75.00	Ō	0.00	ŏ	0.00
4	5	1	20.00	ĩ	20.00	3	60.00	ō	0.00	õ	0.00
5	7	1	14.29	3	42.86	2	28.57	Ō	0.00	1	14.29
6	17	5	29.41	6	35.29	6	35.29	õ	0.00	0	0.00
7	23	10	43.48	7	30.43	4	17.39	õ	0.00	2	8.70
8	32	15	46.88	16	50.00	1	3.13	õ	0.00	ō	0.00
9	77	46	59.74	30	38.96	i	1.30	õ	0.00	õ	0.00
GREATER THAN 9	970	836	86.19	124	12.78	9	0.93	ŏ	0.00	1	0.10
UNKNOWN	8	2	25.00	0	0.00	õ	0.00	ŏ	0.00	6	75.00
COUNTY TOTALS	1,150	918	79.83	189	16.43	30	2.61	3	0.26	10	0.87

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY	TOTAL	******					ATAL CARE BE			*****	
AND NUMBER OF	BIRTHS		RST		OND		HIRD				NOWN
PRENATAL VISITS		NUMBER	PERCENT	NOWRER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
CUMBERLAND											
0	4	0	0.00	0	0.00	о	0.00	4	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	9	2	22.22	2	22.22	5	55.56	0	0.00	0	0.00
3	14	4	28.57	6	42.86	4	28.57	0	0.00	0	0.00
4	32	11	34.38	13	40.63	8	25.00	0	0.00	0	0.00
5	32	12	37.50	13	40.63	6	18.75	0	0.00	t	3.13
6	55	35	63.64	15	27.27	5	9.09	0	0.00	0	0.00
7	66	41	62.12	19	28.79	6	9.09	0	0.00	0	0.00
8	140	101	72.14	34	24.29	4	2.86	0	0.00	1	0.71
9	208	168	80.77	32	15.38	5	2.40	0	0.00	3	1.44
GREATER THAN 9	2,686	2,489	92.67	167	6.22	5	0.19	0	0.00	25	0.93
UNKNOWN	47	15	31.91	1	2.13	0	0.00	0	0.00	31	65.96
COUNTY TOTALS	3,294	2,878	87.37	302	9.17	49	1.49	4	0.12	61	1.85
FRANKLIN											
0	2	0	0.00	o	0.00	0	0.00	2	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
5	3	0	0.00	2	66.67	1	33.33	0	0.00	0	0.00
6	6	3	50.00	2	33.33	1	16.67	0	0.00	0	0.00
7	7	3	42.86	4	57.14	0	0.00	0	0.00	0	0.00
8	14	8	57.14	6	42.86	Ō	0.00	Ō	0.00	Õ	0.00
9	8	6	75.00	2	25.00	Ó	0.00	0	0.00	0	- 0.00
GREATER THAN 9	313	296	94.57	15	4.79	1	0.32	õ	0.00	1	0.32
UNKNOWN	6	2	33.33	0	0.00	0	0.00	õ	0.00	4	66.67
COUNTY TOTALS	361	319	88.37	32	8.86	3	0.83	2	0.55	5	1.39

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BPRENAT

50

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY	TOTAL			******	**** TRIME	STER PRENA	TAL CARE BE	GAN *****	******	*****	*****
AND NUMBER OF	BIRTHS	FI	RST	SEC	OND	TH	HIRD		DNE		NOWN
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
HANCOCK											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
3	5	1	20.00	2	40.00	2	40.00	0	0.00	0	0.00
4	3	1	33.33	2	66.67	0	0.00	0	0.00	0	0.00
5	5	2	40.00	2	40.00	1	20.00	Ó	0.00	Ó	0.00
6	21	6	28.57	10	47.62	4	19.05	0	0.00	1	4.76
7	29	24	82.76	4	13.79	0	0.00	0	0.00	1	3.45
8	46	31	67.39	14	30.43	Ō	0.00	0	0.00	1	2.17
9	63	53	84.13	9	14.29	Ó	0.00	0	0.00	1	1.59
GREATER THAN 9	369	338	91.60	26	7.05	1	0.27	0	0.00	4	1.08
UNKNOWN	7	2	28.57	0	0.00	0	0.00	0	0.00	5	71.43
COUNTY TOTALS	550	458	83.27	69	12.55	9	1.64	1	0.18	13	2.36
KENNEBEC											
0	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
1	1	1	100.00	Ō	0.00	Ó	0.00	0	0.00	0	0.00
2	2	1	50.00	Ō	0.00	1	50.00	0	0.00	0	0.00
3	2	· 1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
4	7	2	28.57	3	42.86	2	28.57	0	0.00	0	0.00
5	7	3	42.86	2	28.57	2	28.57	0	0.00	0	0.00
6	13	9	69.23	4	30.77	0	0.00	0	0.00	Ó	0.00
7	12	5	41.67	3	25.00	4	33.33	0	0.00	0	0.00
8	33	19	57.58	12	36.36	0	0.00	Ó	0.00	2	6.06
9	47	28	59.57	17	36.17	1	2.13	0	0.00	1	2.13
GREATER THAN 9	1,324	1,229	92.82	81	6.12	4	0.30	Ō	0.00	10	0.76
UNKNOWN	12	5	41.67	0	0.00	Ó	0.00	Ō	0.00	7	58.33
COUNTY TOTALS	1,463	1,303	89.06	123	8.41	14	0.96	3	0.21	20	1.37

NDTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES DFFICE DF DATA, RESEARCH AND VITAL STATISTICS

BPRENAT

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND NUMBER OF	TOTAL BIRTHS		*********** [RST		**** TRIME		ATAL CARE BE HIRD		********** NE		******* NOWN
PRENATAL VISITS	DIRTIS		PERCENT		PERCENT	NUMBER		NUMBER			PERCENT
KNOX											
0	0	0	0.00	0	0.00	0	0.00	Ú	0.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
3	1	0	0.00	0	0.00	1	100.00	Ó	0.00	0	0.00
4	. 3	1	33,33	1	33.33	1	33.33	0	0.00	0	0.00
5	1	1	100.00	0	0.00	0	0.00	Ō	0.00	0	0.00
6	0	Ó	0.00	Ō	0.00	Ō	0.00	Ō	0.00	Ō	0.00
7	12	6	50.00	5	41.67	1	8.33	õ	0.00	õ	0.00
8	13	8	61.54	5	38.46	Ó	0.00	õ	0.00	õ	0.00
9	18	12	66.67	6	33.33	õ	0.00	õ	0.00	õ	0.00
GREATER THAN 9	375	345	92.00	27	7.20	1	0.27	õ	0.00	2	0.53
UNKNOWN	3	1	33.33	0	0.00	ò	0.00	ŏ	0.00	2	66.67
COUNTY TOTALS	427	375	87.82	44	10.30	4	0.94	õ	0.00	4	0.94
LINCOLN											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	о	0.00
1	0	õ	0.00	Ó	0.00	Ō	0.00	Ó	0.00	Ō	0.00
2	2	ŕ	50.00	1	50.00	õ	0.00	ō	0.00	ō	0.00
3	1	Ó	0.00	Ó	0.00	Ť	100.00	õ	0.00	õ	0.00
4	0	õ	0.00	Ō	0.00	Ó	0.00	õ	0.00	õ	0.00
5	2	1	50.00	1	50.00	õ	0.00	ŏ	0.00	õ	0.00
6	2	1	50.00	Ó	0.00	1	50.00	õ	0.00	· O	0.00
7	7	4	57.14	2	28.57	1	14.29	ŏ	0.00	ŏ	0.00
8	12	9	75.00	3	25.00	ò	0.00	õ	0.00	ŏ	0.00
9	13	7	53.85	6	46.15	ő	0.00	ŏ	0.00	ŏ	0.00
GREATER THAN 9	331	310	93.66	17	5.14	2	0.60	ŏ	0.00	2	0.60
UNKNOWN	2	2	100.00	0	0.00	õ	0.00	ő	0.00	õ	0.00
COUNTY TOTALS	373	335	89.81	30	8.04	5	1.34	1	0.00	2	0.54
CODITI TOTALS	3/3	335	03.01	50	3.0-	J	1.37	I	0.21	2	0.04

-

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BPRENAT

.

TABLE 8-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY	TOTAL						TAL CARE BE				****
AND NUMBER OF	BIRTHS		RST		OND		IRD		DNE		NOWN
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
OXFORD											
0	4	0	0.00	0	0.00	0	0.00	4	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
3	7	1	14.29	1	14.29	3	42.86	0	0.00	2	28.57
4	7	1	14.29	4	57.14	2	28.57	Ó	0.00	0	0.00
5	7	5	71.43	1	14.29	1	14.29	0	0.00	0	0.00
6	16	6	37.50	6	37.50	4	25.00	Ó	0.00	Ó	0.00
7	21	13	61.90	7	33.33	1	4.76	Ō	0.00	Ó	0.00
8	32	21	65.63	10	31.25	Ó	0.00	õ	0.00	1	3.13
9	45	34	75.56	10	22.22	1	2.22	õ	0.00	Ó	0.00
GREATER THAN 9	529	466	88.09	58	10.96	1	0.19	õ	0.00	4	0.76
UNKNOWN	3	1	33.33	0	0.00	Ó	0.00	õ	0.00	2	66.67
COUNTY TOTALS	674	548	81.31	98	14.54	15	2.23	4	0.59	9	1.34
PENOBSCOT											
0	7	0	0.00	0	0.00	0	0.00	7	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	3	2	66.67	Ó	0.00	1	33.33	0	0.00	0	0.00
3	10	3	30.00	3	30.00	4	40.00	0	0.00	0	0.00
4	10	4	40.00	4	40.00	2	20.00	0	0.00	0	0.00
5	12	2	16.67	5	41.67	5	41.67	0	0.00	0	0.00
6	42	22	52.38	14	33,33	4	9.52	Ö	0.00	2	4.76
7	90	58	64.44	30	33.33	2	2.22	Ó	0.00	0	0.00
8	112	90	80.36	19	16.96	3	2.68	Ó	0.00	0	0.00
9	187	173	92.51	13	6.95	1	0.53	Ó	0.00	Ó	0.00
GREATER THAN 9	1,237	1,183	95.63	50	4.04	ò	0.00	õ	0.00	4	0.32
UNKNOWN	7	3	42.86		14.29	õ	0.00	õ	0.00	3	42.86
COUNTY TOTALS	1,717	1,540	89.69	139	8.10	22	1.28	7	0.41	9	0.52

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND NUMBER OF	TOTAL BIRTHS		*********** [RST		***** TRIME	-	ATAL CARE BE		*********	*****	******
PRENATAL VISITS	BIKIN2		PERCENT		PERCENT		PERCENT		NE PERCENT		NOWN PERCENT
FRENATAE VISITS		NUMBER	FERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	FERCENT
PISCATAQUIS											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
4	1	1	100.00	0	0.00	0	0.00	. 0	0.00	0	0.00
5	2	1	50.00	0	0.00	0	0.00	0	0.00	1	50.00
6	4	1	25.00	3	75.00	0	0.00	0	0.00	0	0.00
7	11	4	36.36	6	54.55	1	9.09	0	0.00	0	0.00
8	6	5	83.33	1	16.67	0	0.00	0	0.00	0	0.00
9	16	13	81.25	3	18.75	0	0.00	0	0.00	0	0.00
GREATER THAN 9	147	134	91.16	13	8.84	O	0.00	0	0.00	0	0:00
UNKNOWN	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
COUNTY TOTALS	188	159	84.57	26	13.83	2	1.06	0	0.00	. 1	0.53
SAGADAHOC											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	·* 0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	Ó	Õ	0.00	Ō	0.00	Ó	0.00	Ō	0.00	Ó	0.00
4	2	1	50.00	1	50.00	Ó	0.00	õ	0.00	õ	0.00
5	4	3	75.00	1	25.00	0	0.00	Ō	0.00	Ō	0.00
6	7	2	28.57	4	57.14	1	14.29	õ	0.00	ō	0.00
7	15	11	73.33	4	26.67	0	0.00	õ	0.00	õ	0.00
8	15	11	73.33	4	26.67	Ō	0.00	õ	0.00	õ	0.00
9	28	24	85.71	4	14.29	õ	0.00	ŏ	0.00	· Õ	0.00
GREATER THAN 9	414	391	94.44	23	5.56	õ	0.00	ŏ	0.00	õ	0.00
UNKNOWN	1	1	100.00	0	0.00	ŏ	0.00	õ	0.00	ŏ	0.00
COUNTY TOTALS	487	444	91.17	41	8.42	1	0.21	1	0.21	Ŏ	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND NUMBER OF	TOTAL BIRTHS	******	********* RST		***** TRIME COND		TAL CARE BE		**********	*****	*****
PRENATAL VISITS	51000		PERCENT		PERCENT		PERCENT		DNE PERCENT		NOWN PERCENT
					. 2002.00	. TO ME EN	T ENGLIST	NOMBER	TERGENT	NOMBER	FERGENT
SOMERSET											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
1	1	ō	0.00	1	100.00	ő	0.00	· 0	0.00	0	0.00
2	1	ŏ	0.00	1	100.00	ŏ	0.00	ő	0.00	0	0.00
3	3	2	66.67	, 1	33.33	ő	0.00	0	0.00	0	0.00
4	2	ō	0.00	2	100.00	ŏ	0.00	0	0.00	0	0.00
5	3	2	66.67	- 1	33.33	õ	0.00	ŏ	0.00	0	0.00
6	11	6	54.55	2	18,18	2	18.18	ő	0.00	0	9.09
7	15	9	60.00	6	40.00	õ	0.00	ő	0.00	0	0.00
8	16	8	50.00	7	43.75	1	6.25	0	0.00	0	0.00
9	26	21	80.77	5	19.23	Ö	0.00	0	0.00	0	0.00
GREATER THAN 9	576	500	86.81	71	12.33	1	0.17	0	0.00	4	0.69
UNKNOWN	8	4	50.00	Ó	0.00	0	0.00	0	0.00	4	
COUNTY TOTALS	664	552	83.13	97	14.61	4	0.60	2	0.30	4 9	50.00 1.36
		002	00.10	57	14.01	4	0.00	2	0.30	9	1.30
WALDO											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
1	2	1	50.00	1	50.00	õ	0.00	ō	0.00	õ	0.00
2	0	0	0.00	0	0.00	õ	0.00	õ	0.00	õ	0.00
3	0	Ó	0.00	õ	0.00	õ	0.00	õ	0.00	ŏ	0.00
4	3	2	66.67	1	33.33	õ	0.00	ŏ	0.00	ŏ	0.00
5	7	3	42.86	3	42.86	1	14.29	õ	0.00	ŏ	0.00
6	9	7	77.78	2	22.22	ò	0.00	õ	0.00	ŏ	0.00
7	22	15	68.18	7	31.82	õ	0.00	ŏ	0.00	ŏ	0.00
8	31	26	83.87	5	16.13	õ	0.00	õ	0.00	ŏ	0.00
9	38	34	89.47	4	10.53	ŏ	0.00	ŏ	0.00	ŏ	0.00
GREATER THAN 9	336	305	90.77	29	8.63	ő	0.00	ő	0.00	2	0.60
UNKNOWN	3	2	66.67	0	0.00	ŏ	0.00	ŏ	0.00	2	33.33
COUNTY TOTALS	453	395	87.20	52	11.48	1	0.22	2	0.44	3	0.66
				01			0.22	2	0.44	3	0.00

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY	TOTAL						TAL CARE BE		*****		****
AND NUMBER OF	BIRTHS		IRST	-	OND		HIRD		INE		NOWN
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
WASHINGTON											
0	0	о	0.00	0	0.00	· 0	0.00	о	0.00	о	0.00
1	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	Ó	0.00	0	0.00
3	2	2	100.00	0	0.00	0	0.00	0	0.00	0	0.00
4	5	2	40.00	õ	0.00	3	60.00	Õ	0.00	Ō	0.00
5	5	3	60.00	1	20.00	1	20.00	Ō	0.00	ō	0.00
6	12	3	25.00	7	58.33	2	16.67	õ	0.00	ŏ	0.00
7	31	14	45.16	14	45.16	3	9.68	ŏ	0.00	õ	0.00
8	32	19	59.38	12	37.50	õ	0.00	ŏ	0.00	1	3.13
9	37	23	62.16	14	37.84	ŏ	0.00	ő	0.00	, O	0.00
GREATER THAN 9	299	270	90.30	28	9.36	ŏ	0.00	ŏ	0.00	1	0.33
UNKNOWN	235	2,0	0.00	20	0.00	ŏ	0.00	ŏ	0.00	2	100.00
COUNTY TOTALS	427	337	78.92	76	17.80	10	2.34	Ö	0.00	4	0.94
COSINIT TOTALS	721	557	10.52	70	17.00	10	2.04	Ŭ	0.00	7	0.34
YORK											
0	5	0	0.00	0	0.00	0	0.00	5	100.00	0	0.00
1	1	Ō	0.00	ō	0.00	1	100.00	õ	0.00	ō	0.00
2	7	1	14.29	3	42.86	3	42.86	ō	0.00	õ	0.00
3	7	1	14.29	2	28.57	4	57.14	õ	0.00	ō	0.00
4	21	3	14.29	13	61,90	4	19.05	õ	0.00	1	4.76
5	22	9	40.91	10	45.45	3	13.64	õ	0.00	Ó	0.00
6	47	27	57.45	15	31.91	4	8.51	ō	0.00	1	2.13
7	62	38	61.29	20	32.26	3	4.84	ŏ	0.00	1	1.61
8	146	116	79.45	26	17.81	4	2.74	ŏ	0.00	ò	0.00
9	140	110	78.57	26	18,57	2	1.43	ŏ	0.00	2	1.43
GREATER THAN 9	1,895	1.745	92.08	142	7.49	3	0.16	ŏ	0.00	5	0,26
UNKNOWN	46	1, 743	34.78	1	2.17	0	0.00	ŏ	0.00	29	63.04
COUNTY TOTALS	2.399	2,066	86.12	258	10.75	31	1.29	5	0.00	29	1.63
COUNTY TUTALS	2,399	2,000	00.12	258	10.75	31	1.29	5	0.21	39	1.03

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

STATE AND NUMBER OF	TOTAL BIRTHS		*********** [RST		***** TRIM COND	ESTER PRENA TH	TAL CARE B		************ ONE		********* (NOWN
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MAINE SUMMARY											
0	42	0	0.00	0	0.00	0	0.00	42	100.00	0	0.00
1	10	4	40.00	2	20.00	4	40.00	0	0.00	0	0.00
2	36	12	33.33	10	27.78	14	38.89	0	0.00	0	0.00
3	59	16	27.12	17	28.81	24	40.68	0	0.00	2	3.39
4	108	33	30.56	47	43.52	27	25.00	0	0.00	1	0.93
5	126	50	39.68	46	36.51	27	21.43	0	0.00	3	2.38
6	280	141	50.36	97	34.64	37	13.21	0	0.00	5	1.79
7	435	258	59.31	145	33.33	28	6.44	0	0.00	4	0.92
8	717	501	69.87	192	26.78	18	2.51	0	0.00	6	0.84
9	1,008	783	77.68	205	20.34	13	1.29	0	0.00	7	0.69
GREATER THAN 9	13,031	11,974	91.89	964	7.40	28	0.21	0	0.00	65	0.50
UNKNOWN	161	58	36.02	3	1.86	1	0.62	0	0.00	99	61.49
STATE TOTALS	16,013	13,830	86.37	1,728	10.79	221	1.38	42	0.26	192	1.20

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

57

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * * * * * * * * 1 S T + 2 ND MON T H	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	********** UNKNOWN
ANDROSCOGGIN								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	53 179 662 488 4 1,386	3.82 12.91 47.76 35.21 0.29 100.00	18 65 315 270 3 671 48.41	18 72 259 182 1 532 38.38	12 34 75 31 0 152 10.97	4 6 9 2 0 21 1.52	1 3 2 0 7 0.51	0 1 1 0 3 0.22
AROOSTOOK								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	24 136 550 438 2 1,150	2.09 11.83 47.83 38.09 0.17 100.00	8 57 263 252 1 581 50.52	5 31 175 126 0 337 29.30	10 37 97 44 1 189 16.43	1 10 7 12 0 30 2.61	0 1 2 0 3 0,26	0 1 7 2 0 10 0.87
CUMBERLAND								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	43 287 1,084 1,843 37 3,294	1.31 8.71 32.91 55.95 1.12	12 117 504 990 13 1,636 49.67	17 99 398 713 15 1,242 37.70	9 56 141 95 1 302 9.17	4 10 21 9 5 49 1.49	0 1 2 1 0 4 0, 12	1 4 35 3 61 1.85

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BWGHTED

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	************ 1ST+2ND MONTH	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	********** UNKNOWN
FRANKLIN								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	9 46 157 147 2 361	2.49 12.74 43.49 40.72 0.55 100.00	4 25 80 85 0 194 53.74	1 15 55 53 1 125 34.63	3 5 19 5 0 32 8.86	0 2 1 0 3 0.83	0 1 0 0 2 0.55	1 0 3 1 5 1.39
HANCOCK								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	5 55 245 238 7 550	0.91 10.00 44.55 43.27 1.27 100.00	1 19 103 107 0 230 41_82	3 21 104 98 2 228 41.45	0 13 31 24 1 69 12.55	0 1 2 5 1 9 1.64	0 0 1 0 1 0.18	1 5 3 13 2.36
KENNEBEC								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	20 173 673 592 5 1,463	1.37 11.83 46.00 40.46 0.34 100.00	13 85 370 371 0 839 57.35	3 49 220 191 1 464 31.72	4 28 66 21 4 123 8.41	0 3 8 3 0 14 0.96	0 3 0 0 3 0.21	0 8 6 0 20 1.37

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BWGHTED

59

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	************ 1ST+2ND MONTH	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	. CARE BEGAN 7TH-9TH MONTH	1 ********** NONE	********** UNKNOWN
KNOX								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	14 46 194 168 5 427	3.28 10.77 45.43 39.34 1.17 100.00	7 27 128 126 4 292 68.38	5 10 36 31 1 83 19.44	1 8 26 9 0 44 10.30	1 2 0 0 4 0.94	0 0 0 0 0 0	0 2 2 0 4 0.94
LINCOLN								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	5 32 170 163 3 373	1.34 8.58 45.58 43.70 0.80 100.00	5 15 105 107 3 235 63.00	0 11 46 43 0 100 26.81	0 4 16 10 0 30 8.04	0 2 1 2 0 5 1.34	0 1 0 1 0.27	0 0 1 1 0 2 0.54
OXFORD								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	16 108 329 219 2 674	2.37 16.02 48.81 32.49 0.30 100.00	8 38 142 112 1 301 44.66	4 35 128 80 0 247 36.65	3 23 51 21 0 98 14.54	0 10 4 1 0 15 2.23	1 0 3 0 4 0.59	0 2 1 5 1 9 1.34

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BWGHTED

BWGHTED

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTIDN	*********** 1ST+2ND MONTH	********** 3RD MONTH	MONTH PRENATA 4TH-6TH MONTH	L CARE BEGAN 7TH-9TH MONTH	********** NONE	********** UNKNOWN
PENOBSCOT								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	32 186 725 769 5 1,717	1.86 10.83 42.22 44.79 0.29	17 93 491 604 2 1,207 70.30	9 47 162 113 2 333 19.39	4 37 56 41 1 39 8.10	0 6 9 7 0 22 1.28	1 3 2 0 7 0.41	1 2 4 2 0 9 0.52
PISCATAQUIS								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	8 26 98 56 0 188	4.26 13.83 52.13 29.79 0.00 100.00	3 12 58 34 0 107 56.91	0 8 28 16 0 52 27.66	4 6 12 4 0 26 13.83	1 0 1 0 2 1.06	0 0 0 0 0 0.00	0 0 1 0.53
SAGADAHOC								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	5 58 197 226 1 487	1.03 11.91 40.45 46.41 0.21	0 27 128 161 1 317 65.09	4 21 48 54 0 127 26.08	1 10 21 9 0 41 8.42	0 0 1 0 1 0.21	0 0 1 0 1 0.21	0 0 0 0 0 0 0

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

•

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND Mother's Education	TOTAL BIRTHS	PERCENT DISTRIBUTION	************ 1ST+2ND MONTH	********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	********** UNKNOWN
SOMERSET								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	16 119 309 218 2 664	2.41 17.92 46.54 32.83 0.30	6 43 137 108 0 294 44.28	5 44 130 79 0 258 38.86	5 27 38 25 2 97 14_61	0 3 0 1 0 4 0.60	0 0 1 1 0 2 0.30	0 2 3 4 0 9 1.36
WALDO								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	10 59 212 170 2 453	2.21 13.02 46.80 37.53 0.44 100.00	5 29 127 113 0 274 60.49	3 16 59 42 1 121 26.71	2 13 23 13 1 52 11.48	0 0 1 0 1 0.22	0 1 1 0 2 0.44	0 1 2 0 0 3 0.66
WASHINGTON								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	8 63 186 168 2 427	1.87 14.75 43.56 39.34 0.47 100.00	1 25 89 94 0 209 48,95	4 18 52 54 0 128 29.98	3 17 36 19 1 76 17.80	0 3 6 1 0 10 2,34	0 0 0 0 0 0.00	0 3 0 1 4 0.94

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BWGHTED

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	*********** 1ST+2ND MONTH	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	********** UNKNOWN
YORK								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	38 251 993 1,101 16 2,399	1.58 10.46 41.39 45.89 0.67	17 115 567 702 6 1,407 58.65	8 58 279 309 5 659 27.47	10 58 118 70 2 258 10.75	2 13 11 5 0 31 1.29	1 2 1 1 0 5 0.21	0 5 17 14 3 9 1.63
MAINE SUMMARY								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN STATE TOTALS PERCENT DISTRIBUTION	306 1,824 6,784 7,004 95 16,013	1.91 11.39 42.37 43.74 0.59 100.00	125 792 3,607 4,236 34 8,794 54,92	89 555 2,179 2,184 29 5,036 31.45	71 376 826 441 14 1,728 10.79	13 68 82 52 6 221 1.38	4 5 20 12 0 42 0.26	4 27 70 79 12 192 1.20

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - NUMBER OF BIRTHS MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1992 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	OUT OF WEDLOCK BIRTHS	MOTHER Under Age 20 yf	NON- WHITE RS.	NO PRENATAL CARE	MEDICAL RISK FACTORS	C-SECTION	CONGEN. ANOM- ALIES	BIRTHWEIG UNDER 2500	HT IN GRAMS Over 4999
AT HOME	154	24	4	11	2	17	0	2	2	2
BATH MEMORIAL HOSPITAL	286	45	26	15	1	34	84	6	9	0
BLUE HILL MEMORIAL HOSPITAL	200	42	14	3	0	33	28	2	4	0
BORN ON WAY TO HOSPITAL	7	3	1	1	1	0	0	0	0	0
BRIGHTON MEDICAL CENTER	427	117	35	8	0	39	103	5	15	0
CALAIS REGIONAL HOSPITAL	102	40	15	11	0	20	29	6	6	0
CARY MEDICAL CENTER	239	66	28	3	1	75	76	5	15	0
CENTRAL MAINE MEDICAL CENTER	1,133	363	157	28	5	321	279	10	43	7
DOWN EAST COMMUNITY HOSPITAL	225	81	19	19	0	40	29	4	6	2
EASTERN MAINE MEDICAL CENTER	1,674	425	152	46	6	296	356	9	117	4
FRANKLIN MEMORIAL HOSPITAL	384	106	38	4	4	108	81	3	17	0
HENRIETTA D. GOODALL HOSPITAL	379	130	58	17	0	106	57	9	10	1
HOULTON REGIONAL HOSPITAL	259	69	36	18	1	61	68	4	12	0
ISLAND COMMUNITY MEDICAL CTR.	1	0	0	0	0	0	0	0	0	0
KENNEBEC VALLEY MEDICAL CTR.	751	201	80	-24	1	226	144	10	24	3
MAINE COAST MEMORIAL HOSPITAL	219	48	29	34	0	46	40	3	10	0
MAINE MEDICAL CENTER	2,754	561	191	124	6	740	730	50	326	9
MAYO REGIONAL HOSPITAL	194	68	38	3	1	74	35	7	4	0
MERCY HOSPITAL	731	137	40	26	0	106	141	13	18	0
MID-MAINE MEDICAL CENTER	880	235	83	13	4	232	138	19	27	3
MILES MEMORIAL HOSPITAL	149	43	18	7	1	54	39	3	2	0
MILLINOCKET REGIONAL HOSPITAL	77	32	16	2	1	29	18	8	4	0
MOUNT DESERT ISLAND HOSPITAL	104	33	5	6	0	19	15	3	3	0
NORTH CUMBERLAND MEM. HOSPITAL	75	29	13	2	0	10	23	1	4	0
NORTH MAINE MEDICAL CENTER	110	34	9	1	0	34	14	3	1	0
NOT CLASSIFIABLE	31	11	2	1	0	8	5	0	2	0
OTHER SPECIFIED PLACE	1	0	0	0	0	0	0	0	0	0
PARKVIEW MEMORIAL HOSPITAL	790	171	79	37	0	159	146	12	25	
PENOBSCOT BAY MEDICAL CENTER	447	116 36	41 17	10 7	0	125	42 31	. –	15 3	4
PENOBSCOT VALLEY HOSPITAL REDINGTON-FAIRVIEW HOSPITAL	122 298	125	63	5	0	18 73	82	· 0 7	3 12	0
RUMFORD COMMUNITY HOSPITAL	140	60	31	2	1	46	31	3	8	0
ST. ANDREW'S HOSPITAL	140	4	2	1	ò	40	0	2	ő	õ
ST. MARY'S HOSPITAL	294	47	14	3	1	42	54	3	9	ŏ
SOUTHERN MAINE MEDICAL CENTER	585	172	64	14	1	70	151	2	17	ŏ
STEPHENS MEMORIAL HOSPITAL	294	92	44	7	· 3	56	82	3	9	õ
THE AROOSTOOK MEDICAL CENTER	310	76	37	10	1	104	39	3.	15	1
US AIR FORCE HOSPITAL	219	12	17	29	o	91	37	ő	5	1
WALDO COUNTY GENERAL HOSPITAL	197	74	31	2	1	45	41	6	9	Ó
WATERVILLE OSTEOPATHIC HOSP.	197	59	18	10	o	48	35	4	6	õ
YORK HOSPITAL	266	58	22	13	ŏ	66	45	8	6	ŏ
STATE TOTALS	15.716	4.045	1,587	577	43	3,672	3,348	247	820	38
			•				•			

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED. BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BIRHOS

TABLE B-9

64

TABLE B-10

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - PERCENTAGE OF TOTAL BIRTHS MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1992 (OCCURRENCE DATA)

		******	***********	PERCEN	TAGE OF THE	TOTAL BI	RTHS IN EACH	BIRTH SIT	E *******	*****
BIRTH SITE	TOTAL	OUT OF	MOTHER	NON-	NO	MEDICAL	C-SECTION	CONGEN.		HT IN GRAMS
	BIRTHS	WEDLOCK	UNDER	WHITE	PRENATAL	RISK		ANOM-	UNDER	OVER
		BIRTHS	AGE 20 YRS	•	CARE	FACTORS		ALIES	2500	4999
AT HOME	154	15.58	2.60	7.14	1.30	11.04	0.00	1.30	1.30	1.30 [/]
BATH MEMORIAL HOSPITAL	286	15.73	9.09	5.24	0.35	11.89	29.37	2.10	3,15	0.00
BLUE HILL MEMORIAL HOSPITAL	200	21.00	7.00	1.50	0.00	16.50	14.00	1.00	2.00	0.00
BORN ON WAY TO HOSPITAL	7	42.86	14.29	14.29	14.29	0.00	0.00	0.00	0,00	0.00
BRIGHTON MEDICAL CENTER	427	27.40	8.20	1.87	0.00	9.13	24.12	1.17	3.51	0.00
CALAIS REGIONAL HOSPITAL	102	39.22	14.71	10.78	0.00	19.61	28.43	5.88	5.88	0.00
CARY MEDICAL CENTER	239	27.62	11.72	1.26	0.42	31.38	31.80	2.09	6.28	0.00
CENTRAL MAINE MEDICAL CENTER	1,133	32.04	13.86	2.47	0.44	28.33	24.62	0.88	3.80	0.62
DOWN EAST COMMUNITY HOSPITAL	225	36.00	8.44	8.44	0.00	17.78	12.89	1.78	2.67	0.89
EASTERN MAINE MEDICAL CENTER	1,674	25.39	9.08	2.75	0.36	17.68	21.27	0.54	6.99	0.24
FRANKLIN MEMORIAL HOSPITAL	384	27.60	9.90	1.04	1.04	28.13	21.09	0.78	4.43	0.00
HENRIETTA D. GOODALL HOSPITAL	379	34.30	15.30	4.49	0.00	27.97	15.04	2.37	2.64	0.26
HOULTON REGIONAL HOSPITAL	259	26.64	13.90	6.95	0.39	23.55	26.25	1.54	4.63	0.00
ISLAND COMMUNITY MEDICAL CTR.	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
KENNEBEC VALLEY MEDICAL CTR.	751	26.76	10.65	3.20	0.13	30.09	19.17	1.33	3.20	0.40
MAINE COAST MEMORIAL HOSPITAL	219	21.92	13.24	15.53	0.00	21.00	18.26	1.37	4.57	0.00
MAINE MEDICAL CENTER	2,754	20.37	6.94	4.50	0.22	26.87	26.51	1.82	11.84	0.33
MAYO REGIONAL HOSPITAL	194	35.05	19.59	1.55	0.52	38.14	18.04	3.61	2.06	0.00
MERCY HOSPITAL	731	18.74	5.47	3.56	0.00	14.50	19.29	1.78	2.46	0.00
MID-MAINE MEDICAL CENTER	880	26.70	9.43	1.48	0.45	26.36	15.68	2.16	3.07	0.34
MILES MEMORIAL HOSPITAL	149	28.86	12.08	4.70	0.67	36.24	26.17	2.01	1.34	0.00
MILLINOCKET REGIONAL HOSPITAL	77	41.56	20.78	2.60	1.30	37.66	23.38	10.39	5.19	0.00
MOUNT DESERT ISLAND HOSPITAL	104	31.73	4.81	5.77	0.00	18.27	14.42	2.88	2.88	0.00
NORTH CUMBERLAND MEM. HOSPITAL	75	38.67	17.33	2.67	0.00	13.33	30.67	1.33	5.33	0.00
NORTH MAINE MEDICAL CENTER	110	30.91	8.18	0.91	0.00	30.91	12.73	2.73	0.91	0.00
NOT CLASSIFIABLE	31	35.48	6.45	3.23	0.00	25.81	16.13	0.00	6.45	0.00
OTHER SPECIFIED PLACE	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PARKVIEW MEMORIAL HOSPITAL	790	21.65	10.00	4.68	0.00	20.13	18.48	1.52	3.16	0.13
PENOBSCOT BAY MEDICAL CENTER	447	25.95	9.17	2.24	0.00	27.96	9.40	0.67	3.36	0.89
PENOBSCOT VALLEY HOSPITAL	122	29.51	13.93	5.74	0.00	14.75	25.41	0.00	2.46	0.00
REDINGTON-FAIRVIEW HOSPITAL	298	41.95	21.14	1.68	0.00	24.50	27.52	2.35	4.03	0.00
RUMFORD COMMUNITY HOSPITAL	140	42.86	22.14	1.43	0.71	32.86	22.14	2.14	5,71	0.00
ST. ANDREW'S HOSPITAL	11	36.36	18.18	9.09	0.00	9.09	0.00	18.18	0.00	0.00
ST. MARY'S HOSPITAL	294	15.99	4.76	1.02	0.34	14.29	18.37	1.02	3.06	0.00
SOUTHERN MAINE MEDICAL CENTER	585	29.40	10.94	2.39	0.17	11.97	25.81	0.34	2.91	0.00
STEPHENS MEMORIAL HOSPITAL	294	31.29	14.97	2.38	1.02	19.05	27.89	1.02	3.06	0.00
THE AROOSTOOK MEDICAL CENTER	310	24.52	11.94	3.23	0.32	33.55	12.58	0.97	4.84	0.32
US AIR FORCE HOSPITAL	219	5.48	7.76	13.24	0.00	41.55	16.89	2.74	2.28	0.46
WALDO COUNTY GENERAL HOSPITAL	197	37.56	15.74	1.02	0.51	22.84	20.81	3.05	4.57	0.00
WATERVILLE OSTEOPATHIC HOSP.	197	29.95	9.14	5.08	0.00	24.37	17.77	2.03	3.05	0.00
YORK HOSPITAL	266	21.80	8.27	4.89	0.00	24.81	16.92	3.01	2.26	0.00
STATE TOTALS	15,716	25.74	10.10	3.67	0.27	23.36	21.30	1.57	5.22	0.24

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED. BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BIRHOS

LIVE BIRTHS BY BIRTHWEIGHT MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1992 (OCCURRENCE DATA)

			****	******	******	*****	IRTHWEIG	HT IN GRA	MS ****	*****	*****	*****
	TOTAL	BIRTHS		000		- 1499 -		500		ND OVER	UNKNOWN	
BIRTH SITE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER		NUMBER	
АТ НОМЕ	154	100.0	0	0.0	0	0.0	0	0.0	151	98.1	3	1.9
BATH MEMORIAL HOSPITAL	286	100.0	0	0.0	0	0.0	0	0.0	286	100.0	0	0.0
BLUE HILL MEMORIAL HOSPITAL	200	100.0	0	0.0	0	0.0	0	0.0	200	100.0	0	0.0
BORN ON WAY TO HOSPITAL	7	100.0	0	0.0	0	0.0	0	0.0	6	85.7	1	14.3
BRIGHTON MEDICAL CENTER	427	100.0	1	0.2	1	0.2	2	0.5	425	99.5	0	0.0
CALAIS REGIONAL HOSPITAL	102	100.0	0	0.0	0	0.0	0	0.0	102	100.0	0	0.0
CARY MEDICAL CENTER	239	100.0	0	0.0	0	0.0	0	0.0	239	100.0	0	0.0
CENTRAL MAINE MEDICAL CENTER	1,133	100.0	5	0.4	3	0.3	8	0.7	1,118	98.7	7	0.6
DOWN EAST COMMUNITY HOSPITAL	225	100.0	1	0.4	0	0.0	1	0.4	224	99.6	0	0.0
EASTERN MAINE MEDICAL CENTER	1,674	100.0	8	0.5	9	0.5	17	1.0	1,656	98.9	1	0.1
FRANKLIN MEMORIAL HOSPITAL	384	100.0	0	0.0	1	0.3	1	0.3	382	99.5	1	0.3
HENRIETTA D. GOODALL HOSPITAL	379	100.0	1	0.3	0	0.0	1	0.3	377	99.5	1	0.3
HOULTON REGIONAL HOSPITAL	259	100.0	1	0.4	0	0.0	t	0.4	257	99.2	1	0.4
ISLAND COMMUNITY MEDICAL CTR.	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
KENNEBEC VALLEY MEDICAL CTR.	751	100.0	1	0.1	1	0.1	2	0.3	746	99.3	3	0.4
MAINE COAST MEMORIAL HOSPITAL	219	100.0	0	0.0	0	0.0	0	0.0	214	97.7	5	2.3
MAINE MEDICAL CENTER	2,754	100.0	43	1.6	58	2.1	101	3.7	2,652	96.3	1	0.0
MAYO REGIONAL HOSPITAL	194	100.0	0	0.0	0	0.0	0	0.0	194	100.0	0	0.0
MERCY HOSPITAL	731	100.0	ō	0.0	0	0.0	0	0.0	729	99.7	2	0.3
MID-MAINE MEDICAL CENTER	880	100.0	Ō	0.0	2	0.2	2	0.2	869	98.8	9	1.0
MILES MEMORIAL HOSPITAL	149	100.0	1	0.7	0	0.0	1	0.7	148	99.3	0	0.0
MILLINOCKET REGIONAL HOSPITAL	77	100.0	0	0.0	0	0.0	0	0.0	77	100.0	0	0.0
MOUNT DESERT ISLAND HOSPITAL	104	100.0	Ō	0.0	Ó	0.0	ò	0.0	104	100.0	Ó	0.0
NORTH CUMBERLAND MEM. HOSPITAL	75	100.0	ō	0.0	Ó	0.0	0	0.0	75	100.0	0	0.0
NORTH MAINE MEDICAL CENTER	110	100.0	õ	0.0	Ó	0.0	Ó	0.0	109	99.1	1	0.9
NOT CLASSIFIABLE	31	100.0	õ	0.0	1	3.2	1	3.2	30	96.8	0	0.0
OTHER SPECIFIED PLACE	1	100.0	ō	0.0	0	0.0	0	0.0	1	100.0	0	0.0
PARKVIEW MEMORIAL HOSPITAL	790	100.0	õ	0.0	3	0.4	3	0.4	787	99.6	õ	0.0
PENOBSCOT BAY MEDICAL CENTER	447	100.0	1	0.2	ō	0.0	1	0.2	443	99.1	3	0.7
PENOBSCOT VALLEY HOSPITAL	122	100.0	Ó	0.0	ō	0.0	Ó	0.0	122	100.0	ō	0.0
REDINGTON-FAIRVIEW HOSPITAL	298	100.0	ĩ	0.3	õ	0.0	1	0.3	294	98.7	3	1.0
RUMFORD COMMUNITY HOSPITAL	140	100.0	Ó	0.0	õ	0.0	Ó	0.0	139	99.3	1	0.7
ST. ANDREW'S HOSPITAL	11	100.0	ŏ	0.0	õ	0.0	õ	0.0	11	100.0	Ó	0.0
ST. MARY'S HOSPITAL	294	100.0	ĩ	0.3	ō	0.0	1	0.3	293	99.7	ō	0.0
SOUTHERN MAINE MEDICAL CENTER	585	100.0	ò	0.0	1	0.2	1	0.2	583	99.7	1	0.2
STEPHENS MEMORIAL HOSPITAL	294	100.0	ŏ	0.0	Ó	0.0	Ó	0.0	294	100.0	Ó	0.0
THE AROOSTOOK MEDICAL CENTER	310	100.0	0	0.0	2	0.6	2	0.6	308	99.4	ŏ	0.0
US AIR FORCE HOSPITAL	219	100.0	0	0.0	0	0.0	õ	0.0	219	100.0	ŏ	0.0
WALDO COUNTY GENERAL HOSPITAL	197	100.0	0	0.0	1	0.5	1	0.5	196	99.5	ŏ	0.0
WATERVILLE OSTEOPATHIC HOSPITAL	197	100.0	0	0.0	0	0.5	0	0.5	196	100.0	0	0.0
YORK HOSPITAL	266	100.0	1	0.0	0	0.0	1	0.0	265	99.6	0	0.0
					83	0.0	149	0.4	15,523	99.8	44	0.0
STATE TOTALS	15,716	100.0	66	0.4	03	0.5	149	0.9	13,523	30.0	44	0.3

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED. BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

66

BLOCWT

PREGNANCY OUTCOME

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS	FEMALE	тот	AL	LIVE B	IRTHS	INDUCE ABORTI		FETAL DE	ATHS
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
AROOSTOOK									
ALL LIVE BIRTHS, IN	DUCED ABORTIONS, A	ND FETAL DEAT	HS						
LESS THAN 10	5,683	. 0	###	0	###	о	###	0	###
10-14	3,122	2	###	1	###	1	###	0	###
15	*	11	*	7	###	4	###	0	###
16	*	15	*	9	###	- 5	###	1.	###
17	*	27	*	23	*	4	###	0	###
18	*	47	*	41	*	6	###	0	###
19	*	61	*	48	*	13	*	0	###
15-19 [,]	2,848	161	56.5	128	44.9	32	11.2	1	###
20-24	2,905	471	162.1	423	145.6	47	16.2	1	###
25-29	3,080	376	122.1	347	112.7	27	8.8	2	###
30-34	3,379	209	61.9	194	57.4	12	3.6	3	###
35-39	3,481	52	14.9	48	13.8	4	###	Ο.	###
40-44	3,073	9	###	7	###	2	###	0	###
GREATER THAN 44	15,356	1	###	1	###	0	###	0	###
UNKNOWN	0	6		1		5		0	
COUNTY TOTALS	42,927	1,287	30.0	1,150	26.8	130	3.0	7	###
OUT OF WEDLOCK LIVE	BIRTHS, ABORTIONS	5, AND FETAL D	EATHS						
LESS THAN 10	5,683	0	###	0	###	0	###	0	###
10-14	3,122	2	###	1	###	1	###	0	###
15	*	11	*	7	###	4	###	0	###
16	*	14	*	8	###	5	###	1	###
17	*	23	*	19	*	4	###	0	###
18	*	33	*	27	*	6	###	0	###
19	*	42	*	29	*	13	*	0	###
15-19	2,848	123	43.2	90	31.6	32	11.2	1	###
20-24	2,905	150	51.6	109	37.5	41	14.1	0	###
25-29	3,080	53	17.2	37	12.0	16	5.2	Ő	###
30-34	3,379	26	7.7	18	5.3	7	###	1	###
35-39	3,481	20	###	4	###	2	###	0	###
40-44	3,481	2	###	4	###	1	###	0	###
GREATER THAN 44	15,356	2	###	0	###	0	###	0	###
UNKNOWN	15,350	6	####	1	***	5	nnn	0	n n fi
COUNTY TOTALS	42,927	368	8.6	261	6.1	105	2.4	2	###
COUNTY TUTALS	42,321	308	0.0	201	0.1	105	~ . 4	2	n n ll

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1 , 1992. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, Marital Status	FEMALE	тот	A 1	LIVE B	птис	INDUCE ABORTI		FETAL DE	ATUS
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
CUMBERLAND									
ALL LIVE BIRTHS, IN			-10						
ALL LIVE DIRING, INC	DOCED ABORTIONS, A	IND FETAL DEAT	13						
LESS THAN 10	15,745	0	###	0	###	0	###	0	###
10-14	7,414	7	###	2	###	5	###	0	###
15	*	7	###	5	###	2	###	0	###
16	*	40	*	23	*	17	*	0	###
17	*	76	*	46	*	30	*	0	###
18	*	112	*	70	*	42	*	0	###
19	*	151	*	108	*	43	*	0	###
15-19	7,720	386	50.0	252	32.6	134	17.4	0	###
20-24	9,625	974	101.2	665	69.1	308	32.0	1	###
25-29	9,909	1,193	120.4	996	100.5	190	19.2	7	###
30-34	11,415	1,085	95.1	942	82.5	142	12.4	1	###
35-39	11,221	447	39.8	369	32.9	76	6.8	2	###
40-44	9,741	82	8.4	65	6.7	16	1.6	1	###
GREATER THAN 44	43,948	1	###	1	###	0	###	0	###
UNKNOWN	0	9		2		7		0	
COUNTY TOTALS	126,738	4,184	33.0	3,294	26.0	878	6.9	12	0.1
									-
		•							
			-						
OUT OF WEDLOCK LIVE	BIRINS, ABURITUNS	, AND FEIAL D	EATHS						
LESS THAN 10	15,745	0	###	0	###	0	###	0	###
10-14	7,414	7	###	2	###	5	###	0	###
15	*	7	###	5	###	2	###	0	###
16	*	38	*	21	*	17	*	0	###
17	*	72	*	42	*	30	*	0	###
18	*	99	*	59	*	40	*	0	###
19	*	118	*	79	*	39	*	0	###
15-19	7,720	334	43.3	206	26.7	128	16.6	0	###
20-24	9,625	530	55.1	258	26.8	271	28.2	1	###
25-29	9,909	272	27.4	131	13.2	141	14.2	0	###
30-34	11,415	160	14.0	70	6.1	90	7.9	Ő	###
35-39	11,221	70	6.2	36	3.2	34	3.0	õ	###
40-44	9,741	, 0 7	###	4	###	3	###	õ	###
GREATER THAN 44	43,948	, O	###	, O	###	õ	###	õ	###
	40,548	9		2		7		ŏ	
COUNTY TOTALS	126,738	1,389	11.0	709	5.6	679	5.4	1	###
SOUTH TOTALS	,20,,00	.,505		.05	0.0	575	0. 7		

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992. ## DATA EXCLUDE ALL EVENTS OCCURRING DUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, Marital status	FEMALE	тот	AL	LIVE B	IRTHS	INDUCE ABORTI		FETAL DE	ATHS
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	
FRANKLIN									
ALL LIVE BIRTHS, 1	INDUCED ABORTIONS, A	ND FETAL DEAT	HS						
LESS THAN 10	1,998	о	###	0	###	о	###	О	###
10-14	1,065	0	###	0	###	0	###	0	###
15	*	1	###	1	###	0	###	0	###
16	*	9	###	4	###	5	###	0	###
17	*	7	###	4	###	3	###	0	###
18	*	16	*	15	*	1	###	0	###
19	*	19	*	14	*	5	###	0	###
15-19	1,289	52	40.3	38	29.5	14	10.9	0	###
20-24	1,271	127	99.9	109	85.8	. 18	14.2	0	###
25-29	988	131	132.6	. 120	121.5	10	10.1	1	###
30-34	1,162	74	63.7	68	58.5	6	###	0	###
35-39	1,176	26	22.1	21	17.9	5	###	0	###
40-44	1,179	10	8.5	5	###	5	###	0	###
GREATER THAN 44	4 5,135	0	H H H	0	###	0	###	0	###
UNKNOWN	0	1		0		0		1	
COUNTY TOTALS	S 15, 263	421	27.6	361	23.7	58	3.8	2	###
OUT OF WEDLOCK LIV									
	VE BIRIHS ABURITUNS	ΔΝΟ ΕΕΤΔΙ Ο	FATHS						
LESS THAN 40				~	ллл	^	нин	2	иии
LESS THAN 10	1,998	0	###	0	###	0	###	0	###
10-14	1,998 1,065		# # # # # #	0	###	0	###	0	###
10-14 15	1,998 1,065 *	0 0 1	# # # # # # # # #	0 1	# # # # # #	0 0	# # # # # #	0 0	# # # # # #
10-14 15 16	1,998 1,065 * *	0 0 1 9	# # # # # # # # # # # #	0 1 4	# # # # # # # # #	0 0 5	# # # # # # # # #	0 0 0	# # # # # # # # #
10-14 15 16 17	1,998 1,065 * *	0 0 1 9 7	H H H H H H H H H H H H H H H	0 1 4 4	# # # # # # # # # # # #	0 0	# # # # # # # # # # # #	0 0 0 0	# # # # # # # # # # # #
10-14 15 16 17 18	1,998 1,065 * * *	0 0 1 9 7 14	H	0 1 4 4 13	### ### ### *	0 0 5 3 1	# # # # # # # # # # # # # # #	0 0 0 0 0	# # # # # # # # # # # #
10-14 15 16 17 18 19	1,998 1,065 * * * *	0 0 1 9 7 14 15	# # # # # # # # # # # # # * *	0 1 4 13 10	### ### ### * *	0 5 3 1 5	#	0 0 0 0 0 0	# # # # # # # # # # # # # # #
10-14 15 16 17 18 19 15-19	1,998 1,065 * * * * * 1,289	0 0 1 9 7 14 15 46	### ### ### ### * 35.7	0 1 4 13 13 10 32	### ### ### * * 24.8	0 5 3 1 5 14	### ### ### ### ### 10.9	0 0 0 0 0 0 0	H
10-14 15 16 17 18 19 15-19 20-24	1,998 1,065 * * * * * 1,289 1,271	0 0 1 9 7 14 15 46 51	### ### ### ### * * 35.7 40.1	0 1 4 13 10 32 35	### ### ### * 24.8 27.5	0 5 3 1 5 14 . 16	### ### ### ### 10.9 12.6	0 0 0 0 0 0	# # # # # # # # # # # # # # # # # #
10-14 15 16 17 18 19 15-19 20-24 25-29	1,998 1,065 * * * * 1,289 1,271 988	0 0 1 9 7 14 15 46 51 22	### ### ### ### 35.7 40.1 22.3	0 1 4 13 10 32 35 17	### ### ### 24.8 27.5 17.2	0 5 3 1 5 14	### ### ### ### 10.9 12.6 ###		H
10-14 15 16 17 18 19 15-19 20-24 25-29 30-34	1,998 1,065 * * * 1,289 1,271 988 1,162	0 0 1 9 7 14 15 46 51 22 12	### ### ### ### 35.7 40.1 22.3 10.3	0 1 4 13 10 32 35 17 8	### ### ### * 24.8 27.5 17.2 ###	0 5 3 1 5 14 . 16	### ### ### ### 10.9 12.6	0 0 0 0 0 0 0 0	H
10-14 15 16 17 18 19 15-19 20-24 25-29	1,998 1,065 * * * * 1,289 1,271 988	0 0 1 9 7 14 15 46 51 22	### ### ### ### 35.7 40.1 22.3	0 1 4 13 10 32 35 17	### ### ### 24.8 27.5 17.2	0 5 3 1 5 14 5 5	### ### ### ### 10.9 12.6 ###		H
10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44	1,998 1,065 * * * 1,289 1,271 988 1,162 1,176 1,179	0 0 1 9 7 14 15 46 51 22 12	### ### ### ### 35.7 40.1 22.3 10.3	0 1 4 13 10 32 35 17 8	### ### ### * 24.8 27.5 17.2 ###	0 5 3 1 5 14 16 5 4	### ### ### ### 10.9 12.6 ### ###		H H H H H H
10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39	1,998 1,065 * * * 1,289 1,271 988 1,162 1,176 1,179	0 0 1 9 7 14 15 46 51 22 12 5	### ### ### ### 35.7 40.1 22.3 10.3 ###	0 1 4 13 10 32 35 17 8 3	### ### ### * 24.8 27.5 17.2 ### ###	0 5 3 1 5 14 16 5 4 2	### ### ### ### ### 10.9 12.6 ### ### ###		H H H H H H
10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44	1,998 1,065 * * * 1,289 1,271 988 1,162 1,176 1,179	0 0 1 9 7 14 15 46 51 22 12 5 5	### ### ### ### \$ 35.7 40.1 22.3 10.3 ### ###	0 1 4 13 10 32 35 17 8 3 2	### ### ### * 24.8 27.5 17.2 ### ###	0 5 3 1 5 14 16 5 4 2 3	### ### ### ### ### 10 - 9 12 - 6 ### ### ### ###		H

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS. ### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

LESS THAN 10	3,161	0	###	0	###	0	###	0	###
10-14	1,465	õ	###	ŏ	###	õ	###	ő	###
15	*	1	###	Õ	###	1	###	õ	###
16	*	4	###	2	###	2	###	Ō	###
17	*	18	*	10	*	8	###	Ō	###
18	*	21	*	14	*	6	###	1	###
19	*	30	*	24	*	5	###	1	###
15-19	1,345	74	55.0	50	37.2	22	16.4	2	###
20-24	1,405	210	149.5	167	118.9	41	29.2	2	###
25-29	1,601	190	118.7	162	101.2	27	16.9	1	###
30-34	1,993	139	69.7	121	60.7	17	8.5	1	###
35-39	2,048	51	24.9	41	20.0	10	4.9	0	###
40-44	1,928	10	5.2	8	###	1	###	1	###
GREATER THAN 44	9,464	0	###	0	###	0	###	0	###
UNKNOWN	0	5	,	1		4		0	
COUNTY TOTALS	24,410	679	27.8	550	22.5	122	5.0	7	###
T OF WEDLOCK LIVE E	BIRTHS, ABORTIONS	, AND FETAL D	EATHS						
LESS THAN 10	3,161	0	###	0	###	0	###	0	###
10-14	1,465	0	###	0	###	0	###	0	###
15	*	1	###	0	H H H	1	###	0	###
16	*	4	###	2	###	2	###	0	###
17	*	17	*	9	###	8	###	0	###
18	*	16	+	10	*	5	###	1	###
19	*	25	*	19	*	5	###	1	###
15-19	1,345	63	46.8	40	29.7	21	15.6	2	
20-24			70 0	67	A 7 7	35	24.9	0	###
	1,405	102	72.6	07	47.7		24.9		### ###
25-29	1,405 1,601	102 49	30.6	30	18.7	19	11.9	Ō	
25-29 30-34	1,601 1,993		30.6 11.0		18.7 6.5	19 9	11.9 ###	0	# # # # # # # # #
25-29	1,601	49	30.6	30	18.7	19	11.9	•	# # # # # #

0

0

157

###

6.4

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

LIVE BIRTHS

NUMBER RATE#

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

0

4

252

###

10.3

TOTAL

NUMBER RATE#

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

9,464

24,410

0

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

###

3.8

0

4

93

INDUCED

ABORTIONS##

NUMBER RATE#

FETAL DEATHS

NUMBER RATE#

###

###

0 0

2

GREATER THAN 44

COUNTY TOTALS

UNKNOWN

COUNTY.

AND AGE

HANCOCK

MARITAL STATUS

FEMALE

POPULATION

ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS

 TABLE P-1
 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER

 MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, Marital status AND AGE	FEMALE POPULATION	TOŤ NUMBER	AL RATE#	LIVE B NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DE NUMBER	EATHS RATE#
AND AGE	PUPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	KAIG#
KENNEBEC									
ALL LIVE BIRTHS, IN	DUCED ABORTIONS, A	ND FETAL DEAT	HS						
LESS THAN 10	7,922	0	###	0	###	0	###	0	###
10-14	4,108	3	###	0	###	3	###	0	###
15	*	6	###	2	###	4	###	0	###
16	*	15	*	10	*	5	###	0	###
17	*	39	*	29	*	10	*	0	###
18	*	63	*	46	*	17	*	0	###
19	*	74	*	57	*	17	*	0	###
15-19	4,029	197	48.9	144	35.7	53	13.2	0	###
20-24	4,050	515	127.2	435	107.4	78	19.3	2	###
25-29	4,143	519	125.3	464	112.0	54	13.0	1	###
30-34	4,961	323	65.1	291	58.7	31	6.2	1	###
35-39	5,055	130	25.7	114	22.6	15	3.0	1	###
40-44	4,732	20	4.2	13	2.7	7	###	0	###
GREATER THAN 44	21,658	2	# # #	1	###	1	###	õ	###
UNKNOWN	0	5		1		2		2	
COUNTY TOTALS	60,658	1,714	28.3	1,463	24.1	244	4.0	7	###
OUT OF WEDLOCK LIVE	BIRTHS, ABORTIONS	5, AND FETAL D	EATHS						
LESS THAN 10	7,922	0	###	0	###	0	###	0	###
10-14	4,108	3	###	0	###	3	###	0	###
15	*	6	###	2	###	4	###	0	###
16	*	15	*	10	*	5	###	0	###
17	*	34	*	24	*	10	*	0	###
18	*	49	*	33	*	16	*	0	###
19	*	53	*	36	*	17	*	0	###
15-19	4,029	157	39.0	105	26.1	52	12.9	0	###
20-24	4,050	232	57.3	165	40.7	65	16.0	2	###
25-29	4,143	124	29.9	83	20.0	41	9.9	0	###
30-34	4,961	41	8.3	23	4.6	17	3.4	1	###
35-39	5,055	26	5.1	15	3.0	11	2.2	Ó	###
40-44	4,732	4	###	1	###	3	###	õ	###
GREATER THAN 44	21,658	1	###	1	###	ő	###	ŏ	###
	21,038	4		0		2		2	
COUNTY TOTALS	60,658	592	9.8	393	6.5	194	3.2	5	###
COUNTY TUTALS	00,000	592	9.0	393	0.5	194	J.Z	5	

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

.

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS	FEMALE	тот	71	LIVE B	TRTHS	INDUCE ABORTI		FETAL DE	ATHS
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE
KNOX									
ALL LIVE BIRTHS, IM	NDUCED ABORTIONS, AN	ND FETAL DEAT	łS						
LESS THAN 10	2,452	0	###	0	###	0	###	0	###
10-14	1,226	2	###	1	###	1	###	0	###
15	*	3	###	2	###	1	###	0	###
16	*	4	###	2	###	2	###	0	##;
17	*	10	*	5	###	5	###	0	##
18	*	12	*	8	###	4	###	0	##
19	*	26	*	24	*	2	###	0	##
15-19	1,026	55	53,6	41	40.0	14	13.6	0	##
20-24	919	144	156.7	114	124.0	30	32.6	0	##
25-29	1,089	137	125.8	125	114.8	12	11.0	0	##
30-34	1,527	107	70.1	95	62.2	12	7.9	0	##
35-39	1,619	54	33.4	44	27.2	10	6.2	0	##
40-44	1,475	8	###	7	###	1	###	Ō	##
GREATER THAN 44	7,599	Í	###	0	###	1	###	Ō	##
UNKNOWN	0	Ö		õ		0 0		0	
COUNTY TOTALS	18,932	508	26.8	427	22.6	81	4.3	Ő	##
	E BIRTHS, ABORTIONS	, AND FETAL D	EATHS						
LESS THAN 10	2,452	0	###	0	###	0	###	0	
10-14	2,452 1,226	2	###	1	###	0 1	###	0	##
10- 14 15		23	H H H H H H	1 2	### ###	1	# # # # # #	0 0	# # # #
10- 14 15 16	1,226	2 3 4	H H H H H H H H H	1 2 2	#	1 1 2	# # # # # # # # #	0 0 0	# # # # # #
10-14 15 16 17	1,226	2 3 4 9	H H H H H H H H H H H H	1 2 2 4	# # # # # # # # # # # #	1 1 2 5	# # # # # # # # # # # #	0 0	# # # # # #
10-14 15 16 17 18	1,226 * *	2 3 4 9 9	H H H H H H H H H H H H H H H	1 2 2 4 5	# # # # # # # # # # # # # # #	1 1 2 5 4	H H H H H H H H H H H H H H H	0 0 0 0	# # # # # # # #
10-14 15 16 17	1,226 * * * *	2 3 4 9	H H H H H H H H H H H H	1 2 2 4	#	1 1 2 5	# # # # # # # # # # # #	0 0 0 0	# # # # # # # #
10-14 15 16 17 18 19 15-19	1,226 * * * * * * 1,026	2 3 4 9 20 45	### ### ### ### # 43.9	1 2 4 5 18 31	### ### ### ### 30.2	1 1 2 5 4 2 14	### ### ### ### ### 13.6	0 0 0 0	#
10-14 15 16 17 18 19	1,226 * * * *	2 3 4 9 9 20	H H H H H H H H H H H H H H H	1 2 4 5 18 31 34	### ### ### ### 30.2 37.0	1 1 2 5 4 2 14 26	H H H H H H H H H H H H H H H H H H	0 0 0 0 0 0 0 0	#
10-14 15 16 17 18 19 15-19	1,226 * * * * * * 1,026	2 3 4 9 20 45	### ### ### ### # 43.9	1 2 4 5 18 31	### ### ### ### 30.2	1 1 2 5 4 2 14	### ### ### ### ### 13.6	0 0 0 0 0 0	# # # # # # # # # # # #
10-14 15 16 17 18 19 15-19 20-24	1,226 * * * 1,026 919 1,089 1,527	2 3 4 9 20 45 60	### ### ### ### * 43.9 65.3	1 2 4 5 18 31 34	### ### ### * 30.2 37.0 21.1 8.5	1 1 2 5 4 2 14 26	### ### ### ### 13.6 28.3	0 0 0 0 0 0 0 0	# # # # # # # # # # # #
10-14 15 16 17 18 19 15-19 20-24 25-29	1,226 * * * 1,026 919 1,089	2 3 4 9 20 45 60 32	### ### ### ### \$ 43.9 65.3 29.4	1 2 4 5 18 31 34 23	### ### ### ### 30.2 37.0 21.1	1 1 2 5 4 2 14 26 9	### ### ### ### 13 - 6 28 - 3 ###		# # # # # # # # # # # # # # # # # #
10-14 15 16 17 18 19 15-19 20-24 25-29 30-34	1,226 * * * 1,026 919 1,089 1,527	2 3 4 9 20 45 60 32 21	### ### ### ### 43.9 65.3 29.4 13.8	1 2 4 5 18 31 34 23 13	### ### ### * 30.2 37.0 21.1 8.5	1 1 2 5 4 2 14 26 9 8	### ### ### ### 13.6 28.3 ### ###		# # # # # # # # # # # # # # # # # # #
10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39	1,226 * * * 1,026 919 1,089 1,527 1,619	2 3 4 9 9 20 45 60 32 21 13	### ### ### 43.9 65.3 29.4 13.8 8.0	1 2 4 5 18 31 34 23 13 5	### ### ### ### 30.2 37.0 21.1 8.5 ###	1 2 5 4 2 14 26 9 8 8	### ### ### ### 13.6 28.3 ### ### ###		######################################
10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44	1,226 * * * 1,026 919 1,089 1,527 1,619 1,475	2 3 4 9 9 20 45 60 32 21 13 2	### ### ### 43.9 65.3 29.4 13.8 8.0 ###	1 2 4 5 18 31 34 23 13 5 1	### ### ### ### ### 30.2 37.0 21.1 8.5 ### ###	1 2 5 4 2 14 26 9 8 8 8 1	### ### ### ### 13.6 28.3 ### ### ### ###		# #

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1 , 1992. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

- 1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS	FEMALE	тот	AL	LIVE B	IRTHS	INDUCE		FETAL DE	ATHS
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE
LINCOLN									
ALL LIVE BIRTHS, IN	DUCED ABORTIONS, A	ND FETAL DEAT	HS						
LESS THAN 10	2,015	о	H H H	0	###	0	###	0	###
10-14	1,030	1	###	0	###	1	###	0	###
15	*	4	###	1	###	2	###	1	##1
16	*	10	*	7	###	3	###	0	. ##
17	*	8	###	6	###	2	###	0	##
18	*	8	###	5	###	3	###	0	##
19	*	20	*	14	*	6	###	0	##
15-19	893	50	56.0	33	37.0	16	17.9	1	##
20-24	713	106	148.7	89	124.8	17	23.8	0	##
25-29	859	118	137.4	101	117.6	14	16.3	3	##
30-34	1,203	121	100.6	106	88.1	15	12.5	0	##
35-39	1,341	50	37.3	39	29.1	11	8.2	Õ	##
40-44	1,271	8	###	4	###	4	###	ŏ	##
GREATER THAN 44	6,353	1	###	1	###	, O	###	ŏ	##
	0,000	Ö	пан	Ö	ппп	0	ппп	ő	пп
COUNTY TOTALS	15,678	455	29.0	373	23.8	78	5.0	4	##
									-
DUT OF WEDLOCK LIVE	BIRTHS, ABORTIONS	, AND FETAL D	EATHS						
LESS THAN 10	2,015	0	###	0	###	0	###	0	<i>#</i> #
10-14	1,030	1	###	0	###	1	###	0	##
15	*	4	###	1	###	2	###	1	##
16	*	10	*	7	###	3	###	0	##
17	*	7	###	5	# # #	2	###	0	##
18	*	7	# # #	4	# # #	3	###	0	##
19	*	14	*	10	*	4	###	Ō	##
15-19	893	42	47.0	27	30.2	14	15.7	1	##
20-24	713	43	60.3	29	40.7	14	19.6	Ó	##
25-29	859	18	21.0	9	###	8	###	1	##
30-34	1,203	19	15.8	10	8.3	9	###	ò	##
35-39	1,341	9	###	4	###	5	###	0	##
40-44	1,271	1	###	4	###	1	###	0	. ##
GREATER THAN 44	6.353	0	###	0	###	0	###	0	
UNKNOWN	0,353	0	# # #	0	нин	0	###	0	HH
	-		0 F	-	5.0	-	2.2	-	ц и
CDUNTY TOTALS	15,678	133	8.5	79	5.0	52	3.3	2	##

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992. ## DATA EXCLUDE ALL EVENTS DCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS. ### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

75

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, Marital status	FEMALE	тот	۸L	LIVE B	IRTHS	INDUCE ABORTI		FETAL DE	ATHS
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
OXFORD ·									
ALL LIVE BIRTHS, IN	DUCED ABORTIONS, A	ND FETAL DEAT	HS						
LESS THAN 10	3,701	0	###	0	###	0	###	0	###
10-14	1,908	2	###	1	###	1	###	0	###
15	*	5	###	2	###	3	###	0	###
16	*	12	*	10	*	2	###	0	###
17	*	19	*	17	*	2	###	0	###
18	*	35	*	28	*	7	###	Ō	###
19	*	37	*	29	*	7	###	1	###
15-19	1,562	108	69.1	86	55.1	21	13.4	1	###
20-24	1,444	248	171.7	217	150.3	31	21.5	0	###
25-29	1,794	222	123.7	193	107.6	26	14.5	3	###
30-34	2,283	144	63.1	131	57.4	13	5.7	õ	###
35-39	2,283	48	22.2	39	18.0	9	###	ŏ	###
40-44	1,874	40	~~.~ ###	6	###	2	###	0	###
-	-	ő	###	0	###	2	###	0	###
GREATER THAN 44	10,240	-	###	0	###	2	###	0	###
UNKNOWN	0	3	00.0	674	25.0	105	3.9	4	###
COUNTY TOTALS	26,971	783	29.0	674	25.0	105	3.9	4	### ~
OUT OF WEDLOCK LIVE	- BIRTHS ABORTIONS	AND FETAL D	FATHS						
LESS THAN 10	3,701	0	###	0	###	0	###	0	###
10-14	1,908	2	###	1	###	1	###	0	###
15	*	5	###	2	###	3	###	0	###
16	*	11	*	9	###	2	###	0	###
17	*	15	*	13	*	2	###	0	###
18	*	29	*	23	*	6	###	0	###
19	*	25	*	19	*	6	###	0	###
15-19	1,562	85	54.4	66	42.3	19	12.2	0	###
20-24	1,444	108	74,8	78	54.0	30	20.8	0	###
25-29	1,794	56	31.2	34	19.0	21	11.7	1	###
30-34	2,283	27	11.8	17	7.4	10	4.4	0	###
35-39	2,165	11	5.1	7	###	4	###	0	###
40-44	1,874	3	###	1	###	2	###	Ō	###
GREATER THAN 44	10,240	õ	###	Ö	###	õ	###	õ	###
	0	1		ŏ		5 †		õ	
COUNTY TOTALS	26,971	293	10.9	204	7.6	88	3.3	1	###
Societt formes	20,071	200	.0.0	~04		50	0.0	•	

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

76

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, Marital status AND Age	FEMALE POPULATION	TOT/ NUMBER	AL RATE#	LIVE B NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DE NUMBER	EATHS RATE#
	1 OF BEATTON	NOMBER	RATER	NOMBER	RAIL	NOMBER	KAIL"	NOPBER	KATE#
PENOBSCOT									
ALL LIVE BIRTHS, IN	DUCED ABORTIONS, AN	ND FETAL DEATH	IS						
LESS THAN 10	9,393	0	###	0	###	0	###	0	###
10-14	4,920	4	###	4	###	0	###	0	###
15	*	5	###	4	###	1	###	0	###
16	*	31	*	23	*	8	###	0	###
17	*	4 1	*	30	*	11	*	0	###
18	*	59	'*	37	*	22	*	0	###
19	*	110	*	90	*	20	*	0	###
15-19	5,835	246	42.2	184	31.5	62	10.6	0	###
20-24	6,457	591	91.5	468	72.5	121	18.7	2	###
25-29	5,385	645	119.8	568	105.5	73	13.6	4	###
30-34	6,264	427	68.2	373	59.5	54	8.6	0	###
35-39	6,158	131	21.3	110	17.9	19	3.1	2	###
40-44	5,520	17	3.1	10	1.8	7	###	0	###
GREATER THAN 44	24,972	0	###	0	###	0	###	0	###
UNKNOWN	0	4		0		4		0	
COUNTY TOTALS	74,904	2,065	27.6	1,717	22.9	340	4.5	8	###
OUT OF WEDLOCK LIVE	BIRTHS, ABORTIONS	, AND FETAL D	EATHS						
LESS THAN 10	9,393	0	###	0	###	0	###	0	###
10-14	4,920	3	###	3	###	õ	###	ŏ	###
15	4,520	5	###	4	###	1	###	õ	###
16	*	29	*	21	*	8	###	õ	###
17	*	36	*	25	*	11	*	õ	###
18	*	53	*	31	*	22	*	õ	###
19	*	71	*	54	*	17	*	õ	###
15-19	5,835	194	33.2	135	23.1	59	10.1	õ	###
20-24	6,457	294	45.5	189	29.3	104	16.1	1	###
25-29		141	26.2	89	16.5	52	9.7	0	###
30-34	5,385				6.2	38		0	### ###
-	6,264	77	12.3	39			6.1	0	### ###
35-39	6,158	25	4.1	12	1.9	13	2.1	0	### ###
•40-44	5,520	4	###	0	###	4	###	0	# # # # # #
GREATER THAN 44	24,972	0	###	0	###	0	###	-	няя
	0	3		0	C D	3	2.6	0	
COUNTY TOTALS	74,904	741	9.9	467	6.2	273	3.6	1 (###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1 , 1992. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY DUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, Marital status	FEMALE	тот,	۱L	LIVE B	IRTHS	INDUCE ABORTI		FETAL DE	ATHS
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
PISCATAQUIS									
ALL LIVE BIRTHS, IN	NDUCED ABORTIONS, A	ND FETAL DEATH	IS						
LESS THAN 10	1,206	0	###	0	###	0	###	0	###
10-14	735	1	###	0	###	1	###	0	###
15	*	1	###	1	###	0	###	0	###
16	*	3	###	2	###	1	###	0	###
17	*	5	###	4	###	1	###	0	###
18	*	10	*	8	###	2	###	Ō	###
19	*	15	*	13	*	2	###	Ō	###
15~19	610	34	55.7	28	45.9	6	###	Ō	###
20-24	485	88	181.4	76	156.7	12	24.7	õ	###
25-29	544	52	95.6	42	77.2	10	18.4	õ	###
30-34	756	40	52.9	31	41.0	8	###	Ĩ	###
35-39	750	14	18.7	10	13.3	2	###	2	###
40-44	717	3	###	1	###	2	###	0	###
GREATER THAN 44	3,795	0	###	0	###	ō	###	õ	###
UNKNOWN	0	0		0		Ó		Ō	
COUNTY TOTALS	9,598	232	24.2	188	19.6	4 1	4.3	3	###
OUT OF WEDLOCK LIVE	BIRTHS, ABORTIONS	. AND FETAL D	ATHS						
LESS THAN 10	,			0		<u>_</u>		<u>_</u>	
10-14	1,206 735	0	### ###	0	### ###	0	###	0	###
	/35	1		0		1	###	0	###
15	*	1	###		###	0	###	0	###
16	*	3	###	2	###	1	###	0	###
17 18	*	5	###	4	### ###	1	###	0	###
	*		### *	4 9	###	2	###	0	###
19		11				2	###	0	###
15-19	610	26	42.6	20	32.8	6	###	0	###
20-24	485	34	70.1	26	53.6	8	###	0	###
25-29	544	18	33.1	11	20.2	7	###	0	###
30-34	756	9	###	3	###	6	###	0	###
35-39	750	3	###	1	###	1	###	1	###
40-44	717	1	###	0	###	1	###	0	###
GREATER THAN 44	3,795	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0	. .	0		0	
COUNTY TOTALS	9,598	92	9.6	61	6.4	30	3.1	1	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS	FEMALE	тот,	A1 .	LIVE B	TDTUS	INDUCE ABORTI		FETAL DE	ATUC
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE
AGADAHOC									
LL LIVE BIRTHS, IN	DUCED ABORTIONS, A	ND FETAL DEAT	-IS						
LESS THAN 10	2,582	0	###	0	###	0	###	0	##
10-14	1,182	1	###	0	###	1	###	0	##
15	*	2	###	1	###	1	###	0	##
16	*	6	###	4	###	2	###	0	# 1
17	*	. 16	*	11	*	5	###	0	##
18	*	20	*	14	*	6	###	õ	##
19	*	25	*	20	*	5	###	õ	##
15-19	1.039	69	66.4	50	48.1	19	18.3	Ō	# #
20-24	1,088	163	149.8	134	123.2	28	25.7	1	#
25-29	1,328	182	137.0	161	121.2	20	15.1	1	#
30-34	1,573	124	78.8	108	68.7	14	8.9	2	#
35-39	1,557	38	24.4	31	19.9	7	###	0	#
40-44	1,375	6	###	3	###	3	###	Ō	#
GREATER THAN 44	5,466	Ō	###	Ō	###	Ō	###	Ō	#
UNKNÓWN	0	õ		ŏ		õ		õ	
COUNTY TOTALS	17, 190	583	33.9	487	28.3	92	5.4	4	#
	,								
JT OF WEDLOCK LIVE	BIRTHS, ABORTIONS	, AND FETAL D	EATHS						
LESS THAN 10	2,582	0	###	0	###	0	###	0	#
10-14	1,182	1	###	0	###	1	###	0	#
15	*	2	###	1	###	1	###	0	#
16	*	6	###	4	###	2	###	0	#
17	*	16	*	11	*	5	###	Ō	#
18	*	19	*	13	*	6	###	õ	#
19	*	15	*	10	*	5	###	Ő	#
15-19	1,039	58	55.8	39	37.5	19	18.3	ŏ	#
20~24	1,088	68	62.5	42	38.6	26	23.9	Ő	#
25-29	1,328	22	16.6	11	8.3	11	8.3	0	#
30~34	1,573	13	8.3	7	###	6	###	0	#
35-39	1,573	7	8.3 ###	3	###	4	###	0	#
40-44	1,375	0	###	0	###	4	###	0	#
				-	###	-		0	#
GREATER THAN 44	5,466	0	###	0	H H H	0	###		Ħ
UNKNOWN	0	0		0		0		0	

102

5.9

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

169

9.8

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

17,190

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

79

0

###

67

3.9

-

COUNTY TOTALS

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOT/ NUMBER	AL RATE#	LIVE B	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DI NUMBER	EATHS RATE#
SOMERSET									
ALL LIVE BIRTHS, IN	DUCED ABORTIONS, A	ND FETAL DEATH	IS						
LESS THAN 10	3,502	0	###	0	###	0	###	0	###
10-14	1,963	2	###	1	###	1	###	0	###
15	*	9	###	9	###	0	###	0	###
16	*	17	*	16	*	1	###	0	###
17	*	30	*	26	*	4	###	0	###
18	*	29	*	21	*	8	###	0	###
19	*	42	*	31	*	11	*	0	###
15-19	1,741	127	72.9	103	59.2	24	13.8	0	###
20-24	1,621	264	162.9	233	143.7	29	17.9	2	###
25-29	1.719	219	127.4	201	116.9	18	10.5	0	###
30-34	2,139	91	42.5	83	38.8	7	###	1	###
35-39	2,075	40	19.3	34	16.4	5	###	1	###
40-44	1,990	13	6.5	7	###	6	###	0	###
GREATER THAN 44	9,134	0	###	0	###	0	###	0	###
UNKNOWN	0	3		2		0		1	
COUNTY TOTALS	25,884	759	29.3	664	25.7	90	3.5	5	###
OUT OF WEDLOCK LIVE	E BIRTHS, ABORTIONS	, AND FETAL D	EATHS						
LESS THAN 10	3,502	0	###	0	###	0	###	0	###
10-14	1,963	2	###	1	###	1	###	ŏ	###
15	*	2 9	###	9	###	0	###	ŏ	###
16	*	13	*	12	*	1	###	ŏ	###
17	*	25	*	21	*	4	###	Ő	###
18	*	24	*	16	*	8	###	ŏ	###
19	*	34	*	23	*	11	*	ŏ	###
15-19	1,741	105	60.3	81	46.5	24	13.8	õ	###
20-24	1,621	115	70.9	91	56.1	23	14.2	1	###
25-29	1,719	50	29.1	36	20.9	14	8.1	Ó	###
30-34	2,139	17	7.9	9	###	7	###	1	###
35-39	2,075	6	###	3	###	3	###	0	###
40-44	1,990	3	###	1	###	2	###	ŏ	###
GREATER THAN 44	9,134	3	###	Ó	###	0	###	0	###
UNKNOWN	9,134	2	11 11 11	1		0	11 11 11	1	
COUNTY TOTALS	25,884	300	11.6	223	8.6	74	2.9	3	# # #
COUNTY FORAES	20,004	500	,	2.20	0.0		2.5	5	

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

PRGALL

 TABLE P-1
 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER

 MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS · AND AGE	FEMALE POPULATION	TOT NUMBER	AL RATE#	LIVE B NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DE NUMBER	EATHS RATE#
WALDO									
ALL LIVE BIRTHS, IN	DUCED ABORTIONS, AN	ND FETAL DEAT	HS						
LESS THAN 10	2,442	0	###	0	###	0	###	0	###
10-14	1,305	1	###	0	###	1	###	0	###
15	*	7	###	5	###	2	###	0	###
16	*	14	*	. 10	*	4	###	Ο.	###
17	*	12	*	4	###	8	###	0	###
18	*	21	*	19	*	2	###	0	###
19	*	17	*	15	*	2	###	0	###
15-19	1,042	71	68.1	53	50.9	18	17.3	0	###
20-24	968	156	161.2	135	139.5	20	20.7	1	###
25-29	1,080	145	134.3	130	120.4	15	13.9	0	###
30-34	1,457	104	71.4	96	65.9	8	###	0	###
35-39	1,501	37	24.7	31	20.7	6	###	0	###
40-44	1,505	9	###	8	###	1	###	0	###
GREATER THAN 44	6,123	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0.		1		0	
COUNTY TOTALS	17,423	524	30.1	453	26.0	70	4.0	1	###
OUT OF WEDLOCK LIVE	BIRTHS, ABORTIONS	. AND FETAL D	EATHS						
LESS THAN 10	2,442	0	###	0	###	0	###	0	###
10-14	1,305	1	###	0	###	· 1	###	.0	###
15	*	6	###	4	###	2	###	0	###
16	*	12	*	8	###	4	###	0	###
17	*	11	+	3	###	8	###	0	###

14

11

40

56

29

6

4

1

0

0

136

*

*

38.4

57.9

26.9

###

###

###

###

7.8

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE ROPULATION JULY 1 , 1992. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

16

13

58

75

39

9

6

1

0

1

190

٠

*

55.7

77.5

36.1

###

###

###

###

10.9

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

*

*

968

1,042

1,080

1,457

1,501

1,505

6,123

17,423

0

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

2

2

18

19

10

3

2

0

0

1

54

###

###

17.3

19.6

9.3

###

###

###

###

3.1

0

0

0

0

0

0

0

0

0

0

0

###

###

###

###

###

###

###

###

###

###

18

19

15-19

20-24

25-29

30-34

35-39

40-44

UNKNOWN

GREATER THAN 44

COUNTY TOTALS

ΤA	BL	E	Ρ	-	1
----	----	---	---	---	---

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, Marital Status	FEMALE	тот		LIVE B		INDUCE ABORT 1	ONS##	FETAL DE	
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
WASHINGTON									
ALL LIVE BIRTHS. IN	DUCED ABORTIONS AN	ND FFTAL DEATH	łS						
LESS THAN 10	2,371	0	###	0	###	0	###	0	###
10-14	1,372	0	# # #	0	###	0	###	0	###
15	*	3	###	3	###	0	###	0	###
16	*	5	###	3	###	2	###	0	###
17	*	16	*	13	*	3	###	0	###
18	*	17	*	11	*	6	###	0	###
19	*	22	*	16	*	6	###	0	###
15~19	1,147	63	54.9	46	40.1	17	14.8	0	###
20-24	1,091	162	148.5	145	132.9	15	13.7	2	###
25-29	1,069	145	135.6	136	127.2	8	###	1	###
30-34	1,405	70	49.8	65	46.3	5	###	0	###
35-39	1,362	34	25.0	31	22.8	3	###	0	###
40-44	1,234	6	###	4	###	2	###	Ō	###
GREATER THAN 44	7,262	õ	###	Ó	###	ō	###	ŏ	###
UNKNOWN	,,,202	1		õ		1		ŏ	
COUNTY TOTALS	18,313	481	26.3	427	23.3	51	2.8	3	###
COUNTY TOTALS	18,313	401	20.5	421	23.5	51	2.0	3	-
OUT OF WEDLOCK LIVE	BIRTHS. ABORTIONS	. AND FETAL D	EATHS						
		,							
LESS THAN 10	2,371	0	###	0	###	0	###	. O	###
10-14	1,372	0	###	0	###	0	###	0	###
15	*	3	# # H	3	###	0	###	0	###
16	*	4	###	2	###	2	###	0	###
17	*	15	*	12	*	3	###	0	###
18	*	15	*	9	###	6	###	0	###
19	*	14	*	9	###	5	###	0	###
15-19	1,147	51	44.5	35	30.5	16	13.9	0	###
20-24	1,091	74	67.8	62	56.8	12	11.0	0	###
25-29	1,069	35	32.7	28	26.2	7	###	Ō	###
30-34	1,405	18	12.8	14	10.0	4	###	ŏ	###
35-39	1,362	9	###	7	###	2	###	ŏ	###
40-44	1,234	5	###	0	###	2	###	0	###
GREATER THAN 44		0		0	###	0		0	
UNKNOWN	7,262	0	###	0	###	0	###	0	###
	0	•	10.2	-	8.0	1	2 2	0	нии
COUNTY TOTALS	18,313	189	10.3	146	8.0	43	2.3	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, Marital status	FEMALE	тот	AL	LIVE B	IRTHS	INDUCE ABORT		FETAL DE	ATHS
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
YORK									
ALL LIVE BIRTHS, IN	DUCED ABORTIONS, A	ND FETAL DEAT	HS						
LESS THAN 10	11,839	0	###	0	###	0	###	0	###
10-14	5,795	2	###	2	###	0	###	0	###
15	*	12	*	8	###	4	###	0	###
16	*	16	*	12	*	4	###	0	###
17	*	47	*	34	*	13	*	0	###
18	* •	73	*	57	*	15	*	1	###
19	*	115	*	98	*	16	*	1	###
15-19	5,043	263	52.2	209	41.4	52	10.3	2	###
20-24	5,367	667	124.3	569	106.0	97	18.1	1	###
25-29	6,382	900	141.0	813	127.4	86	13.5	1	###
30-34	7,753	627	80.9	569	73.4	56	7.2	2	###
35-39	7,664	244	31.8	213	27.8	31	4.0	0	###
40-44	6,667	28	4.2	22	3.3	6	###	Ō	###
GREATER THAN 44	29,052	0	###	0	###	Ō	###	Õ	###
UNKNOWN	0	9		2		6		1	
COUNTY TOTALS	85,562	2,740	32.0	2,399	28.0	334	3.9	7	###
			EATUC						
OUT OF WEDLOCK LIVE	BIRINS, ABURITUNS	, AND FEIAL L	EATHS						
LESS THAN 10		-							
	11,839	0	###	0	###	0	###	0	###
10-14	11,839 5,795	2	###	2	###	0	###	0	###
10-14 15		2 12	###	2 8	# # # # # #	0 4	# # # # # #	0 0	# # # # # #
10-14 15 16	5,795 * *	2 12 .15	### * *	2 8 11	### ### *	0 4 4	#	0 0 0	# # # # # # # # #
10-14 15 16 17		2 12 15 46	### * *	2 8 11 33	### ### *	0 4 4 13	### ### ###	0 0 0 0	# # # # # # # # # # # #
10-14 15 16 17 18	5,795 * * *	2 12 15 46 61	### * * *	2 8 11 33 47	# # # # # # * *	0 4 13 14	### ### ### *	0 0 0 0	# # # # # # # # # # # #
10-14 15 16 17 18 19	5,795 * * * *	2 12 15 46 61 76	### * * * *	2 8 11 33 47 61	### ### * * *	0 4 13 14 15	### ### ### * *	0 0 0 0 0	# # # # # # # # # # # # # # #
10-14 15 16 17 18 19 15-19	5,795 * * * * * 5,043	2 12 15 46 61 76 210	### * * * * 41.6	2 8 11 33 47 61 160	### ### * * 31.7	0 4 13 14 15 50	### ### * * 9.9	0 0 0 0	# # # # # # # # # # # # # # # # # #
10-14 15 16 17 18 19 15-19 20-24	5,795 * * * 5,043 5,367	2 12 15 46 61 76 210 291	### * * * 41.6 54.2	2 8 11 33 47 61 160 207	### ### * * 31.7 38.6	0 4 13 14 15 50 83	### ### ### * 9.9 15.5	0 0 0 0 0	# # # # # # # # # # # # # # #
10-14 15 16 17 18 19 15-19 20-24 25-29	5,795 * * * 5,043 5,367 6,382	2 12 15 46 61 76 210 291 153	### * * 41.6 54.2 24.0	2 8 11 33 47 61 160 207 93	### ### * * 31.7	0 4 13 14 15 50	### ### * * 9.9 15.5 9.2		# # # # # # # # # # # # # # # # # #
10-14 15 16 17 18 19 15-19 20-24 25-29 30-34	5,795 * * * 5,043 5,367	2 12 15 46 61 76 210 291	### * * * 41.6 54.2	2 8 11 33 47 61 160 207	### ### * * 31.7 38.6	0 4 13 14 15 50 83	### ### ### * 9.9 15.5	0 0 0 0 0 0 0 0 1	#
10-14 15 16 17 18 19 15-19 20-24 25-29	5,795 * * * 5,043 5,367 6,382	2 12 15 46 61 76 210 291 153	### * * 41.6 54.2 24.0	2 8 11 33 47 61 160 207 93	### ### * * 31.7 38.6 14.6	0 4 13 14 15 50 83 59	### ### * * 9.9 15.5 9.2	0 0 0 0 0 0 0 0 1	H H H H H H
10-14 15 16 17 18 19 15-19 20-24 25-29 30-34	5,795 * * * 5,043 5,367 6,382 7,753	2 12 15 46 61 76 210 291 153 93	### * * 41.6 54.2 24.0 12.0	2 8 11 33 47 61 160 207 93 54	### ### * * 31.7 38.6 14.6 7.0	0 4 13 14 15 50 83 59 38	### ### * * 9.9 15.5 9.2 4.9	0 0 0 0 0 0 0 1 1 1	# #
10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39	5,795 * * * 5,043 5,367 6,382 7,753 7,664	2 12 15 46 61 76 210 291 153 93 36	### * * 41.6 54.2 24.0 12.0 4.7	2 8 11 33 47 61 160 207 93 54 18	### ### * * 31.7 38.6 14.6 7.0 2.3	0 4 13 14 15 50 83 59 38 18	### ### * * 9.9 15.5 9.2 4.9 2.3	0 0 0 0 0 0 0 1 1 1 1	# # # # # #
10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44	5,795 * * * 5,043 5,367 6,382 7,753 7,664 6,667	2 12 15 46 61 76 210 291 153 93 36 5	### * * 41.6 54.2 24.0 12.0 4.7 ###	2 8 11 33 47 61 160 207 93 54 18 3	### ### * * 31.7 38.6 14.6 7.0 2.3 ###	0 4 13 14 15 50 83 59 38 18 2	### ### * * 9.9 15.5 9.2 4.9 2.3 ###	0 0 0 0 0 0 0 1 1 1 1 0 0	# # # # # # # # # # # # # # # # # #

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS. ### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

,

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS	FEMALE	TOTAL	LIVE BIR	THS	INDUCE ABORTI		FETAL DE	ATHS
AND AGE	POPULATION	NUMBER RATE#		RATE#	NUMBER	RATE#	NUMBER	RATE#
UNKNOWN								
ALL LIVE BIRTHS, 3	INDUCED ABORTIONS, A	ND FETAL DEATHS						
LESS THAN 10	0	O ###	0	###	0	H H H	Ο,	###
10-14	0	O ###	0	<i>.</i> + + + +	0	###	0	###
15	* *	O ###	0	###	0	###	0	###
16	*	O ###	0	###	0	###	0	###
17	*	0 ###	Ō	###	Ō	###	0	###
18	*	O ###	õ	###	õ	###	Ō	###
19	*	0 ###	õ	###	õ	###	Õ.	###
15-19	0	O · ###	ŏ	###	õ	###	ŏ	###
20-24	ő	0 ###	ŏ	###	ŏ	###	ŏ	###
25-29	0	O ###	ő	###	Ő	###	ŏ	###
	0	O ###	ŏ	###	ő	###	ŏ	###
30-34		-	0	###	0	###	0	###
35-39	0	O ###			-		-	
40-44	0	0 ###	0	###	0	###	0	###
GREATER THAN 44		0 ###	0	###	0	###	0	###
UNKNOWN	0	0	0		0		0	
COUNTY TOTAL	S O	O ###	0	###	0	###	0	###
OUT OF WEDLOCK LI	VE BIRTHS ABORTIONS							
	TE BIRRING; ABOR 2010	, AND FEIAL DEATHS						
LESS THAN 10	0	O ###	0	###	0	###	0	###
	0	O ###	0	# # # # # #		# # # # # #	0	# # # # # #
10-14		0 ### 0 ###	0	###	Ō	###	0	###
10-14 15	0	0 ### 0 ### 0 ###	0 0	#	0	### ###	0	### ###
10-14 15 16	0	0 ### 0 ### 0 ### 0 ###	0 0 0	#	0 0 0	# # # # # # # # #	0 0 0	# # # # # # # # #
10-14 15 16 17	0	0 ### 0 ### 0 ### 0 ### 0 ###	0 0 0 0	#	0 0 0	# # # # # # # # # # # #	0 0 0	# # # # # # # # # # # #
10-14 15 16 17 18	0	0 ### 0 ### 0 ### 0 ### 0 ###	0 0 0 0	### ### ### ###		# # # # # # # # # # # # # # #		# # # # # # # # # # # #
10-14 15 16 17 18 19	O O * * * *	0 ### 0 ### 0 ### 0 ### 0 ### 0 ###	0 0 0 0 0	H H H H H H H H H H H H H H H H H H		# # # # # # # # # # # # # # #		# # # # # # # # # # # # # # #
10-14 15 16 17 18 19 15-19	0 0 * * * * *	0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ###	0 0 0 0 0	H H H H H H H H H H H H H H H H H H		# # # # # # # # # # # # # # # # # #		# # # # # # # # # # # # # # # # # #
10-14 15 16 17 18 19 15-19 20-24	0 0 * * * * * 0 0	0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ###		H H		H H		H
10-14 15 16 17 18 19 15-19 20-24 25-29	0 0 * * * * * 0 0 0	0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ###		H H H H H H		H H H H H H		H
10-14 15 16 17 18 19 15-19 20-24 25-29 30-34	0 0 * * * * 0 0 0 0	0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ###		H H H H H H		H H H H H H		H H H H H H
10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39	0 0 * * * * * * 0 0 0 0 0	· · · · · · · · · · · · · ·		H H H H H H		H H H H H H		H H H H H H
10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44	0 0 * * * * * * * 0 0 0 0 0 0	0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ###		H H H H H H		H H H H H H		H H H H H H
10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39	0 0 * * * * * * * 0 0 0 0 0 4 0	0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ###		H H H H H H		H H H H H H		H
10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44	0 0 * * * * * * * 0 0 0 0 0 0	0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ### 0 ###		H H H H H H		H H H H H H		H

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1 , 1992. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

84

122

38

. .

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

ARITAL STATUS	FEMALE	тот	۹L	LIVE B	IRTHS	INDUCE ABORT		FETAL DE	ATHS
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE
AINE SUMMARY									
L LIVE BIRTHS, INC	DUCED ABORTIONS, A	ND FETAL DEAT	HS						
LESS THAN 10	83,184	0	###	0	###	0	###	0	###
10-14	42,282	31	0.7	15	0.4	16	0.4	0	##
15	8,075	89	11.0	61	7.6	27	3.3	1	##
16	7.727	225	29.1	156	20.2	68	8.8	1	##
17	8,187	414	50.6	289	35.3	125	15.3	O	##
18	8,014	606	75.6	441	55.0	162	20.2	ů 3	##
19	8.659	850	98.2	673	77.7	174	20.1	3	##
15-19	40,662	2,184	53.7	1,620	39.8	556	13.7	8	##
20-24	43,510	5,357	123.1	4,372	100.5	969	22.3	16	Ő.
25-29	-								
	45,001	5,702	126.7	5,040	112.0	633	14.1	29	0
30-34	53,633	3,971	74.0	3,530	65.8	425	7.9	16	0.
35-39	53,179	1,480	27.8	1,242	23.4	229	4.3	9	#
40-44	48,050	254	5.3	180	3.7	72	1.5	2	#
GREATER THAN 44	224,348	7	###	4	###	3	###	0	#
UNKNOWN	0	47		10		32		5	
STATE TOTALS	633,849	19,033	30.0	16,013	25.3	2,935	4.6	85	0.
JT OF WEDLOCK LIVE	BIRTHS, ABORTIONS	5, AND FETAL D	EATHS						
	•			0		0	H H H	0	H
LESS THAN 10	83,184	0	###	0	### 0_3	0	### -	0	
LESS THAN 10 10-14	83,184 42,282	0 30	### 0.7	14	0.3	16	0.4	Ō	#
LESS THAN 10 10-14 15	83,184 42,282 8,075	0 30 88	### 0.7 10.9	14 60	0.3 7.4	16 27	0.4 3.3	-	# #
LESS THAN 10 10-14 15 16	83,184 42,282 8,075 7,727	0 30 88 209	### 0.7 10.9 27.0	14 60 140	0.3 7.4 18.1	16 27 68	0.4 3.3 8.8	0 1 1	# # #
LESS THAN 10 10-14 15 16 17	83,184 42,282 8,075 7,727 8,187	0 30 88 209 378	### 0.7 10.9 27.0 46.2	14 60 140 254	0.3 7.4 18.1 31.0	16 27 68 124	0.4 3.3 8.8 15.1	0 1 1 0	# # #
LESS THAN 10 10-14 15 16 17 18	83,184 42,282 8,075 7,727 8,187 8,014	0 30 88 209 378 502	### 0.7 10.9 27.0 46.2 62.6	14 60 140 254 344	0.3 7.4 18.1 31.0 42.9	16 27 68 124 156	0.4 3.3 8.8 15.1 19.5	0 1 1	# # # #
LESS THAN 10 10-14 15 16 17 18 19	83,184 42,282 8,075 7,727 8,187 8,014 8,659	0 30 88 209 378 502 604	### 0.7 10.9 27.0 46.2 62.6 69.8	14 60 140 254 344 441	0.3 7.4 18.1 31.0 42.9 50.9	16 27 68 124 156 162	0.4 3.3 8.8 15.1 19.5 18.7	0 1 1 0 2 1	# # # #
LESS THAN 10 10-14 15 16 17 18 19 15-19	83,184 42,282 8,075 7,727 8,187 8,014 8,659 40,662	0 30 88 209 378 502 604 1,781	### 0.7 10.9 27.0 46.2 62.6 69.8 43.8	14 60 140 254 344 441 1,239	0.3 7.4 18.1 31.0 42.9 50.9 30.5	16 27 68 124 156 162 537	0.4 3.3 8.8 15.1 19.5 18.7 13.2	0 1 1 0 2 1 5	# # # # #
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24	83,184 42,282 8,075 7,727 8,187 8,014 8,659 40,662 43,510	0 30 88 209 378 502 604 1,781 2,450	### 0.7 10.9 27.0 46.2 62.6 69.8 43.8 56.3	14 60 140 254 344 441 1,239 1,607	0.3 7.4 18.1 31.0 42.9 50.9 30.5 36.9	16 27 68 124 156 162 537 836	0.4 3.3 8.8 15.1 19.5 18.7 13.2 19.2	0 1 1 0 2 1 5 7	# # # # # # # #
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29	83,184 42,282 8,075 7,727 8,187 8,014 8,659 40,662 43,510 45,001	0 30 88 209 378 502 604 1,781	### 0.7 10.9 27.0 46.2 62.6 69.8 43.8 56.3 26.7	14 60 140 254 344 441 1,239 1,607 747	0.3 7.4 18.1 31.0 42.9 50.9 30.5	16 27 68 124 156 162 537	0.4 3.3 8.8 15.1 19.5 18.7 13.2	0 1 1 0 2 1 5	# # # # # # #
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24	83,184 42,282 8,075 7,727 8,187 8,014 8,659 40,662 43,510	0 30 88 209 378 502 604 1,781 2,450	### 0.7 10.9 27.0 46.2 62.6 69.8 43.8 56.3	14 60 140 254 344 441 1,239 1,607	0.3 7.4 18.1 31.0 42.9 50.9 30.5 36.9	16 27 68 124 156 162 537 836	0.4 3.3 8.8 15.1 19.5 18.7 13.2 19.2	0 1 1 0 2 1 5 7	# # # # # #
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29	83,184 42,282 8,075 7,727 8,187 8,014 8,659 40,662 43,510 45,001	0 30 88 209 378 502 604 1,781 2,450 1,201	### 0.7 10.9 27.0 46.2 62.6 69.8 43.8 56.3 26.7	14 60 140 254 344 441 1,239 1,607 747	0.3 7.4 18.1 31.0 42.9 50.9 30.5 36.9 16.6	16 27 68 124 156 162 537 836 451	0.4 3.3 8.8 15.1 19.5 18.7 13.2 19.2 10.0	0 1 1 0 2 1 5 7	# # # # # #
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29 30-34	83,184 42,282 8,075 7,727 8,187 8,014 8,659 40,662 43,510 45,001 53,633	0 30 88 209 378 502 604 1,781 2,450 1,201 601	### 0.7 10.9 27.0 46.2 62.6 69.8 43.8 56.3 26.7 11.2	14 60 140 254 344 441 1,239 1,607 747 325	0.3 7.4 18.1 31.0 42.9 50.9 30.5 36.9 16.6 6.1	16 27 68 124 156 162 537 836 451 272	0.4 3.3 8.8 15.1 19.5 18.7 13.2 19.2 10.0 5.1	0 1 1 0 2 1 5 7 3 4	# # # # # # #
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39	83,184 42,282 8,075 7,727 8,187 8,014 8,659 40,662 43,510 45,001 53,633 53,179 48,050	0 30 88 209 378 502 604 1,781 2,450 1,201 601 259	### 0.7 10.9 27.0 46.2 62.6 69.8 43.8 56.3 26.7 11.2 4.9	14 60 140 254 344 441 1,239 1,607 747 325 136	0.3 7.4 18.1 31.0 42.9 50.9 30.5 36.9 16.6 6.1 2.6	16 27 68 124 156 162 537 836 451 272 121	0.4 3.3 8.8 15.1 19.5 18.7 13.2 19.2 10.0 5.1 2.3	0 1 1 0 2 1 5 7 3 4 2	#; #; #; #; #; #; #; #;
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44	83,184 42,282 8,075 7,727 8,187 8,014 8,659 40,662 43,510 45,001 53,633 53,179	0 30 88 209 378 502 604 1,781 2,450 1,201 601 259 48	### 0.7 10.9 27.0 46.2 62.6 69.8 43.8 56.3 26.7 11.2 4.9 1.0	14 60 140 254 344 441 1,239 1,607 747 325 136 19	0.3 7.4 18.1 31.0 42.9 50.9 30.5 36.9 16.6 6.1 2.6 0.4	16 27 68 124 156 162 537 836 451 272 121 29	0.4 3.3 8.8 15.1 19.5 18.7 13.2 19.2 10.0 5.1 2.3 0.6	0 1 1 0 2 1 5 7 3 4 2 0	#

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1 , 1992. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS. ### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTA NUMBER	L RATE#	LIVE BI NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DE NUMBER	ATHS RATE#
ANDROSCOGGIN									
ALL LIVE BIRTHS, IN	NDUCED ABORTIONS, AN	ND FETAL DEATH	IS						
LESS THAN 10	7,172	0	###	0	###	0	###	0	###
10-14	3,672	3	###	3	###	Ō	###	Ō	###
15	*	12	*	10	*	2	###	0	###
16	*	24	+	19	*	5	###	0	###
17	*	43	*	27	*	16	*	0	###
18	*	63	*	47	*	15	*	1	###
19	*	86	*	72	*	14	*	0	###
15-19	3,493	228	65.3	175	50.1	52	14.9	1	###
20-24	4,101	471	114.9	393	95. 8	77	18.8	1	###
25-29	4,031	528	131.0	481	119.3	43	10.7	4	###
30-34	4,363	286	65.6	257	58.9	25	5.7	4	###
35-39	4,006	84	21.0	67	16.7	16	4.0	1	###
40-44	3,769	17	4.5	10	2.7	7	###	0	###
GREATER THAN 44	18,791	1	###	0	###	1	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	53,398	1,618	30.3	1,386	26.0	221	4.1	- 11	0.2
OUT OF WEDLOCK LIVE	E BIRTHS, ABORTIONS,	, AND FETAL DE	ATHS						
LESS THAN 10	7,172	0	###	0	###	0	###	0	###
10-14	3,672	3	###	3	###	0	###	0	###
15	3,072	12	*	10	*	2	###	0	###
16	* \	22	*	17	*	5	###	Ö	###
17	*	40	*	25	*	15	*	0 0	###
18	*	52	*	36	*	15	*	1	###
19	*	58	*	44	*		*	ò	###
15-19	3,493	184	52.7	132	37.8	51	14.6	1	###
20-24	4,101	223	54.4	159	38.8	63	15.4	1	###
25-29	4,031	117	29.0	86	21.3	31	7.7	ò	###
30-34	4,363	37	8.5	21	4.8	16	3.7	0	###
35-39	4,006	17	4.2	9	###	7	###	1	### •
40-44	3,769	7	###	2	###	, 5	###	0	###
GREATER THAN 44	18,791	1	###	õ	###	1	###	0	###
UNKNOWN	0	0		0		0		0	11 17 11
COUNTY TOTALS	53,398	589	11.0	412	7.7	174	3.3	3	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1992. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 68 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

FETAL DEATHS AND INDUCED ABORTIONS BY WEEKS OF GESTATION MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

GESTATION WEEKS	TOTAL	FETAL-	DEATHS	INDUCED-A	BORTIONS
		NUMBER	PERCENT	NUMBER	PERCENT
0-4	5	0	0.00	5	0.17
5-8	1,341	0	0.00	1,341	45.69
9-12	1,386	0	0.00	1,386	47.22
13-19	137	0	0.00	137	4.67
20-23	26	13	15.29	13	0.44
24-27	6	6	7.06	0	0.00
28-31	15	15	17.65	0	0.00
32-35	12	12	14.12	0	0.00
36-38	10	10	11.76	0	0.00
> 39	12	12	14.12	0	0.00
UNKNOWN	70	17	20.00	53	1.81 ~
STATE TOTALS	3,020	85	100.00	2,935	100.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O ABORTION RECORDS WERE BLANK.

TRMWKR

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

INFANT AND FETAL MORTALITY

.

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS		AL DEATHS R PERCENT		ATAL DEATHS
REMAINDER OF INFECTIOUS AND PARASITIC DI MALE	SEASES (001-007,010-032,034-035, 1	,037,039-041,080- 1	-088,091-139) 100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
DISEASES OF BLOOD AND BLOOD-FORMING ORGA	NS (280-289)				
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	, 1	100.00
MENINGITIS (320-322)					
FEMALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
OTHER DISEASES OF NERVOUS SYSTEM AND SEN	ISE ORGANS (323-389)				
MALE	2	0	0.00	2	100.00
TOTALS	2	0	0.00	2	100.00
ACUTE UPPER RESPIRATORY INFECTIONS (460-	465)				
MALE (400	2	0	0.00	2	100.00
FEMALE	1	1	100.00	0	0.00
TOTALS	3	1	33.33	2	66.67
BRONCHITIS AND BRONCHIOLITIS (466,490-49)))				-
MALE	2	0	0.00	2	100.00
TOTALS	2	0	0.00	2	100.00
REMAINDER OF DISEASES OF RESPIRATORY SYS	TEM (470-478,492-519)				
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
REMAINDER OF DISEASES OF DIGESTIVE SYSTE	M (520-534,536-543,562-579)				
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
SPINA BIFIDA (741)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
CONGENITAL HYDROCEPHALUS (742.3)					
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	Ō	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

91

IAGESX61

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS		L DEATHS PERCENT	_	ATAL DEATHS
(CONT.)					
OTHER CONGENITAL ANOMALIES OF CENTRAL	NERVOUS SYSTEM AND EYE (742.0-742	.2,742.4-742.9,74	3)		
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
CONGENITAL ANOMALIES OF HEART (745-74	16)				
MALE	4	.2	50.00	2	50.00
FEMALE	3	2	66.67	1	33.33
TOTALS	7	4	57.14	3	42.86
OTHER CONGENITAL ANOMALIES OF CIRCULA	ATORY SYSTEM (747)				
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
CONGENITAL ANOMALIES OF RESPIRATORY	SYSTEM (748)				
MALE	3	3	100.00	0	0.00
FEMALE	1	1	100.00	Ō	0.00
TOTALS	4	4	100.00	Ō	0.00
CONGENITAL ANOMALIES OF DIGESTIVE SYS	STEM (749-751)				
MALE	1	1	100.00	0	0.00 -
TOTALS	1	1	100.00	Ō	0.00
CONGENITAL ANOMALIES OF GENITOURINAR	(SYSTEM (752-753)				
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
CONGENITAL ANOMALIES OF MUSCULOSKELE	TAL SYSTEM (754-756)				
MALE	1	1	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	2	100.00	Ō	0.00
DOWN'S SYNDROME (758.0)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
OTHER CHROMOSOMAL ANOMALIES (758.1-7	38 9)				
FEMALE	4	3	75.00	1	25.00
TOTALS	4	3	75.00	1	25.00
· · · · · · · · · · · · · · · · · · ·	·	Ū.			10.00

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

IAGESX61

TABLE F-1

92

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS		AL DEATHS R PERCENT	POSTNEONA NUMBER	TAL DEATHS PERCENT
(CONT.)					
ALL OTHER AND UNSPECIFIED CONGENITAL A	NOMALIES (744,757,759)				
MALE	1	1	100.00 100.00	0	0.00 0.00
TOTALS	1	1	100.00	0	0.00
NEWBORN AFFECTED BY MATERNAL COMPLICAT	IONS OF PREGNANCY (761)				
MALE	1	1	100.00	0	0.00
FEMALE	3	3	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
NEWBORN AFFECTED BY COMPLICATIONS OF F	PLACENTA CORD AND MEMBRANES (762)				
MALE	4	4	100.00	0	0.00
FEMALE	4	4	100.00	0	0.00
TOTALS	8	8	100.00	0	0.00
DISORDERS RELATING TO SHORT GESTATION	AND UNSPECIFIED LOW BIRTHWEIGHT (765	3)			
FEMALE	4	4	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
FETAL DISTRESS IN LIVEBORN INFANT (768	0-769 4)				
MALE MALE	2	2	100.00	0	0.00 -
TOTALS	2	2	100.00	õ	0.00
BIRTH ASPHYXIA (768.5-768.9)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
RESPIRATORY DISTRESS SYNDROME (769)					
MALE	2	2	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
OTHER RESPIRATORY CONDITIONS OF NEWBOR	2N (770)				
MALE	2	2	100.00	0	0.00
FEMALE	1	1	100.00	õ	0.00
TOTALS	3	3	100.00	0	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

IAGESX61

TABLE F-1

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER PERCENT		NATAL DEATHS R PERCENT
(CONT.)				
INFECTIONS SPECIFIC TO THE PERINATAL PERIN	OD (771)			
MALE	2	1 50.00	1	50.00
FEMALE	1	1 100.00	0	0.00
TOTALS	3	2 66.67	1	33.33
ALL OTHER AND ILL-DEFINED CONDITIONS ORIG	INATING IN THE PERINATAL PERIO	D (775.2-775.9.776.1-779)		
MALE	1	1 100.00	0	0.00
TOTALS	1	1 100.00	0	0.00
SUDDEN INFANT DEATH SYNDROME (798.0)				
MALE	7	0 0.00	7	100.00
FEMALE	5	1 20.00	4	80.00
TOTALS	12	1 8.33	11	91.67
SYMPTOMS, SIGNS, AND ALL OTHER ILL-DEFINE	CONDITIONS (780-797 798 1-79	9)		
MALE	3	0 0.00	3	100.00
FEMALE	· 1	0 0.00	1	100.00
TOTALS	4	0 0.00	4	100.00
ACCIDENTAL MECHANICAL SUFFOCATION (E913)				
MALE	1	0 0.00	1	100.00
TOTALS	1	0 0.00	1	100.00
OTHER HOMICIDE (E960-E966,E968-E969)				
FEMALE	1	1 100.00	0	0.00
TOTALS	1	1 100.00	0	0.00
ALL OTHER CAUSES (RESIDUAL)				
MALE	2	2 100.00	0	0.00
FEMALE	1	1 100.00	0	0.00
TOTALS	3	3 100.00	0	0.00
STATE				
MALE	51	28 54.90	23	45.10
FEMALE	.38	29 76.32	9	23.68
TOTALS	89	57 64.04	32	35.96

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

94

IAGESX61

TABLE F-1

95

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

CAUSE OF DEATH GROUP	PS TOTAL	PERCENT	*****	****	*** GESTAT	TON WEEKS	*******	****
AND SEX	FETAL DEATHS	DISTRIBUTION	20-23	24-27	28-31	32-35	36-39	OVER 39
ANENCEPHALUS AND SIM	MILAR ANOMALIES (740)		,					
FEMALE	1	1.18	0	0	0	1	0	0
TOTALS	1	1.18	0	Ō	0	1	0	Ō
CONGENITAL ANDMALIES	S OF RESPIRATORY SYSTEM	(748)						
MALE	1	1.18	0	1	0	0	0	0
TOTALS	1	1.18	0	1	0	O .	0	0
DOWN'S SYNDROME (758	3.0)							
MALE	2	2.35	2	0	0	0	0	0
TOTALS	2	2.35	2	ō	Ō	0	ō	0
OTHER CHROMOSOMAL AN	NOMALIES (758.1-758.9)							
MALE	1	1.18	1	0	0	0	0	0
TOTALS	1	1.18	1	Ō	Ō	0	Ō	0
ALL OTHER AND UNSPEC	CIFIED CONGENITAL ANOMA	ALIES (744,757,759)						
MALE	1	1.18	0	0	1	0	0	0
FEMALE	1	1.18	õ	- 1	0	ō	Ō	Ō
TOTALS	2	2.35	ō	1	ī	Ō	Ō	Ō
NEWBORN AFFECTED BY	MATERNAL CONDITIONS WH	ICH MAY BE UNRELATED TO PR	ESENT PREGNANC	Y (760)				-
MALE	2	2.35	0	Ó	0	0	1	1
FEMALE	1	1.18	0	0	0	1	0	0
TOTALS	3	3.53	0	0	0	1	1	1
NEWBORN AFFECTED BY	MATERNAL COMPLICATIONS	5 OF PREGNANCY (761)						
FEMALE	2	2.35	1	0	0	0	0	1 -
TOTALS	2	2.35	1	0	0	0	0	<u>1</u>
NEWBORN AFFECTED BY	COMPLICATIONS OF PLACE	ENTA, CORD, AND MEMBRANES (762)					
MALE	31	36.47	6	3	4	4	3	11
FEMALE	14	16.47	2	1	1	3	2	5
TOTALS	45	52.94	8	4	5	7	5	16
SLOW FETAL GROWTH A	ND FETAL MALNUTRITION ((764)						
FEMALE	1	1.18	0	0	1	0	0	0
TOTALS	1	1.18	0	0	1	0	0	0
DISORDERS RELATING	TO SHORT GESTATION AND	UNSPECIFIED LOW BIRTHWEIGH	T (765)					
FEMALE	1	1.18	0	0	0	0	0	1
TOTALS	1	1.18	Ō	0	0	0	0	1

NOTES: 1CD-9 CODES ARE SHOWN IN PARENTHESES. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF OATA, RESEARCH AND VITAL STATISTICS

FAGESX61

Т	А	В	L	E	F	-2
---	---	---	---	---	---	----

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

CAUSE OF DEATH GROUP		PERCENT	******	******		TOUL WEEKS	*****	*****
AND SEX	FETAL DEATHS	DISTRIBUTION	20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
BIRTH ASPHYXIA (768.	5-768.9)							
MALE	1	1.18	0	0	0	0	0	1
FEMALE	1	1.18	0	0	0	1	0	0
TOTALS	2	2.35	0	0	0	1	0	1
NEONATAL HEMORRHAGE	(772)							
MALE	1	1.18	0	0	0	0	1	0
TOTALS	1	1.18	0	0	Ō	Ō	1	0
HEMOLYTIC DISEASE OF	NEWBORN DUE TO ISOIM	MUNIZATION, AND OTHER PERI	NATAL JAUNDICE	(773 - 774)				
MALE	3	3.53	0	0	1	1	0	1
FEMALE	5	5.88	Ō	ō	2	Ó	2	Í
UNKNOWN	1	1.18	Ō	Ō	ō	Ō	0	1
TOTALS	9	10.59	0	0	3	1	2	3
ALL OTHER AND ILL-DE	FINED CONDITIONS ORIGI	NATING IN THE PERINATAL PE	RIOD (775.2-77	5.9.776.1-	779)			
MALE	3	3.53	0	0	Ó	0	1	2
FEMALE	10	11.76	1	0	5	0	2	2 2
TOTALS	13	15.29	1	0	5	0	3	4
ALL OTHER CAUSES (RE	SIDUAL)							
FEMALE	1	1.18	0	0	0	0	1	0
TOTALS	1	1.18	0	0	0	0	1	0
STATE								
MALE	46	54.12	9	4	6	5	6	16
FEMALE	38	44.71	4	2	9	6	7	10
UNKNOWN	1	1.18	0	0	0	0	0	1
TOTALS	85	100.00	13	6	15	11	13	27

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

FAGESX61

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

LIVE BIRTHS, NEONATAL DEATHS, AND ESTIMATED NEONATAL DEATH RATES BY BIRTHWEIGHT MAINE STATE TOTALS, 1992 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	LIVE NUMBER	BIRTHS PERCENT	NEONATAL DEATHS NUMBER PERCENT	NEONATAL DEATH RATE
LESS THAN 500	15	0.09	15 26.32	1000.0
500-999	48	0.30	9 15.79	187.5
1000-1499	74	0.46	7 12.28	94.6
1500-1999	146	0.91	4 7.02	27.4
2000-2499	520	3.25	3 5.26	5.8
2500-2999	2,114	13.20	4 7.02	1.9
3000-3499	5,512	34.42	9 15.79	1.6
3500-3999	5,300	33.10	4 7.02	O.8
4000-4499	1,827	11.41	1 1.75	0.5
4500-4999	374	2.34	0 0.00	0.0
GREATER THAN 4999	39	0.24	0 0.00	0.0
UNKNOWN	44	0.27	1 1.75	22.7
STATE TOTALS	16,013	100.00	57 100.00	3.6

NOTE: NEONATAL DEATH RATES ARE ESTIMATED BY DIVIDING 1992 NEONATAL DEATHS BY 1992 LIVE BIRTHS AND MULTIPLYING BY 1,000. SUCH RATES ARE ESTIMATED RATHER THAN ACTUAL BECAUSE SOME BIRTHS RELATING TO THE 1992 NEONATAL DEATH COHORT OCCURRED IN 1991.

BIRNEOD

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-3

FETAL	DEATHS	ΒY	SEI.ECTED	COMPLIC	ATIONS	, GESTATION	N, AND	AGE	٥F	PATIENT
		M	AINE STAT	E TOTALS	, 1992	(RESIDENT D	*(ATA)			

WEEKS OF GESTATION	TOTAL** FETAL DEATHS	PERCENT DISTRIBUTION	*************** MEDICAL RISK FACTORS	********** COM LABOR OR DELIVERY	PLICATIONS ********* TOBACCO/ALCOHOL USE	**************** CONGENITAL ANOMALIES
20-23	13	15.29	3	9	2	3
24-27	6	7.06	2	2	1	2
28-31	15	17.65	3	6	6	1
32-35	11	12.94	3	5	2	1
36-39	13	15.29	9	9	5	0
OVER 39	27	31.76	3	13	6	2
UNKNOWN	0	0.00	0	0	0	0
STATE TOTALS	85		23	44	22	9
PERCENT DISTRIBUTION		100.00	27.06	51.76	25.88	10.59
AGE OF PATIENT(YRS.)						
LESS THAN 10	0	0.00	0	0	0	0
10-14	ő	0.00	ŏ	Ő	Ő	Ő
15	1	1.18	1	õ	õ	1
16	1	1.18	Ó	õ	õ	1
17	Ó	0.00	0	õ	õ	0 -
18	3	3.53	2	1	1	0
19	3	3.53	1	2	1	õ
20-24	16	18.82	5	9	4	2
25-29	29	34.12	6	16	6	3
30-34	16	18,82	4	7	7	0
35-39	9	10.59	3	4	1	0
40-44	2	2.35	0 .	1	0	1
OVER 44	0	0.00	0	0	0	0
UNKNOWN	5	5.88	1	4	2	1
TEENAGE TOTALS	8	9.41	4	3	2	2
STATE TOTALS	85		23	44	22	9
PERCENT DISTRIBUTION		100.00	27.06	51.76	25.88	10.59

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

** THE SUM OF COMPLICATIONS MAY EXCEED TOTAL FETAL DEATHS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

FCOMPPRG

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-4

DEATHS AND DEATH RATES - TOTAL, INFANT, NEONATAL, POSTNEONATAL, AND PERINATAL MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)*

.

COUNTY	TOTAL I NUMBER		******* TOT/ NUMBER	AL .	*** INFANT D NEONA NUMBER	EATHS ** TAL RATE	************* POSTNEO NUMBER	***** NATAL RATE	PERINA	ATAL RATE
ANDROSCOGGIN	982	9.5	11	7.9	7	5.1	4	2.9	18	12.9
AROOSTOOK	778	8.9	3	2.6	1	0.9	2	1.7	8	6.9
CUMBERLAND	2,129	8.7	16	4.9	11	3.3	5	1.5	23	7.0
FRANKLIN	223	7.6	3	8.3	3	8.3	0	0.0	5	13.8
HANCOCK	518	10.8	3	5.5	1	1.8	2	3.6	8	14.4
KENNEBEC	1,085	9.3	2	1.4	2	1.4	0	0.0	9	6.1
KNOX	402	10.9	4	9.4	3	7.0	1	2.3	3	7.0
LINCOLN	306	10.0	2	5.4	2	5.4	0	0.0	6	15.9
OXFORD	494	9.4	6	8.9	4	5.9	2	3.0	8	11.8
PENOBSCOT	1,199	8.2	11	6.4	8	4.7	3	1.7	16	9.3
PISCATAQUIS	227	12.1	· · 1	5.3	1	5.3	0	0.0	4	20.9
SAGADAHOC	253	7.4	2	4.1	1	2.1	1	2.1	5	10.2
SOMERSET	453	8.9	4	6.0	1	1.5	3	4.5	6	9.0
WALDO	304	8.9	2	4.4	0	0.0	2	4.4	1	2.2
WASHINGTON	422	11.8	8	18.7	. 4	9.4	4	9.4	7	16.3
YORK	1,270	7.6	11	4.6	8	3.3	3	1.3	15	6.2
STATE TOTALS	11,045	8.9	89	5.6	57	3.6	32	2.0	142	8.8

NOTES: INFANT DEATH IS UNDER 1 YEAR, NEONATAL UNDER 28 DAYS AND POSTNEONATAL 28 DAYS TO ONE YEAR. PERINATAL DEATHS ARE NEONATAL DEATHS AND FETAL DEATHS, 20 GESTATION WEEKS AND OVER.

TOTAL DEATH RATE IS PER 1,000 POPULATION (BASED ON ESTIMATED MAINE POPULATION JULY 1, 1992). INFANT DEATH RATE IS PER 1,000 LIVE BIRTHS AND PERINATAL DEATH RATE IS PER 1,000 LIVE BIRTHS AND FETAL DEATHS.

* FETAL DEATH DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DMSTAR

99

, atia

.

FETAL DEATHS BY SELECTED CHARACTERISTICS MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)*

COUNTY	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	OUT OF WEDLOCK	AUTOPSY	IN HOSPITAL	**				ICH **** Egan **** Unknown	AGE OF PATII LESS THAN 20	ENT(YRS.) OVER 35
ANDROSCOGGIN	11	12.94	3	4	11	9	0	0	1	1	1	0
AROOSTOOK	7	8.24	1	3	7	4	2	0	0	1	1	0
CUMBERLAND	12	14.12	1	3	12	9	0	ο	2	1	ο	3
FRANKLIN	2	2.35	ο	0	2	2	ο	0	0	0	0	0
HANCOCK	7	8.24	2	4	6	6	1	0	0	0	2	1
KENNEBEC	7	8.24	4	3	7	3	ο	0	1	3	0	1
KNOX	ο	0.00	0	0	0	0	0	0	ο	ο	0	0
LINCOLN	4	4.71	2	3	4	4	0	ο	ο	ο	1	0
OXFORD	4	4.71	1	1	3	2	0	0	1	1	1	0
PENOBSCOT	8	9.41	1	6	8	7	0	0	1	0	ο	2
PISCATAQUIS	3	3.53	0	1	3	3	о	0	0	0	0	2 -
SAGADAHOC	4	4.71	ο	1	4	2	0	0	1	1	0	0
SOMERSET	5	5.88	2	1	4	2	1	0	0	2	ο	1
WALDO	1	1.18	0	0	1	0	0	0	1	0	о	0
WASHINGTON	3	3.53	0	2	3	2	о	1	0	0	0	0
YORK	7	8.24	3	2	7	7	ο	0	o	о	2	0
STATE TOTALS	85		20	34	82	62	4	1	8	10	8	10
	L FETAL DEATHS	100.00	23.53	40.00	96.47	72.94	4.71	1.18	9.41	11.76	9.41	11.76

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

FDCHAR

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

FETAL DEATHS, SELECTED RISK CHARACTERISTICS, AND RATIO OF MALES TO FEMALES MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS	CONGE ANOMA	NITAL	******		RISK CHARACT WEIGHT *** < 2500 NUMBER	*****	LESS T GESTATI		************* MALE/FEMALE RATIO
ANDROSCOGGIN	11	1	9.1	2	18.2	7	63.6	3	27.3	1.75
AROOSTOOK	7	2	28.6	0	0.0	1	14.3	2	28.6	0.75
CUMBERLAND	12	1	8.3	0	0.0	1	8.3	1	8.3	1.20
FRANKLIN	2	0	0.0	1	50.0	2	100.0	1	50.0	0.00
HANCOCK	7	1	14.3	3	42.9	5	71.4	3	42.9	6.00
KENNEBEC	7	1	14.3	0	0.0	2	28.6	1	14.3	6.00
KNOX	0	0	0.0	0	0.0	0	0.0	0	0.0	0.00
LINCOLN	4	1	25.0	0	0.0	2	50.0	0	0.0	0.00
OXFORD	4	0	0.0	1	25.0	2	50.0	2	50.0	0.33
PENOBSCOT	8	0	0.0	0	0.0	2	25.0	2	25.0	0.60
PISCATAQUIS	3	о	0.0	0	0.0	2	66.7	0	0.0	0.50
SAGADAHOC	4	0	0.0	1	25.0	3	75.0	1	25.0	0.33
SOMERSET	5	1	20.0	0	0.0	1	20.0	0	0.0	1.50
WALDO	1	о	0.0	1	100.0	1	100.0	1	100.0	0.00
WASHINGTON	3	1	33.3	0	0.0	2	66.7	1	33.3	0.50
YORK	7	ο	0.0	1	14.3	5	71.4	1	14.3	2.50
STATE TOTALS	85	9	10.6	10	11.8	38	44.7	19	22.4	1.21

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

FENVRES

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

FETAL DEATHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

COMPLICATIONS OF UCONDITION NUMBER		MEDICAL RISK FAC CONDITION NUM			OTHER RISK F	FACTORS	%	METHOD OF METHOD	DELIVER NUMBER	Y %	CONGENITAL AN CONDITION N	IOMALIE IUMBER	S %
FEBRILE >100 F	3 3.5		0		TOBACCO USE	42	49.4	VAGINAL	-	68.2	ANENCEPHALUS	1	1.2
MECONIUM	2 2.4		0	0.0				VAGINAL AFTER			SPINA BIFIDA	0	0.0
PREMATURE RUPTURE		ACUTE OR CHRONIC	-		PER DAY	12		C-SECTION	2	2.4	HYDROCEPHALUS	0	0.0
MEMBRANE >12 HRS	4 4.7		0	0.0	ALCOHOL USE	1	1.2	PRIMARY	5		MICROCEPHALUS	0	0.0
ABRUPTIO PLACENTA	8 9.4	DIABETES/ GESTATIONAL	3	3.5	AVG DRINKS PER WEEK	•		C-SECTION REPEAT	5	5.9	OTHER	~	
PLACENTA	8 9.4	DIABETES	3	3.5	AVG WEIGHT GA	0 IN 22	LBS	C-SECTION			NERVOUS SYSTEM HEART	0	
PREVIA	1 1.2	-	•	0.0	AVG WEIGHT GA.	IN 22	L82	FORCEPS	4		OTHER CIRCULAT	2	2.4
EXCESSIVE	1 1.4	GENITAL HERPES	0	0.0				VACUUM	0		SYSTEM	1 17	1.2
BLEEDING	2 2.4		0	0.0				HYSTEROTOMY/	•	1.2	RECTAL ATRESIA	0	
SEIZURES DURING	Z Z.4	OLIGOHYDRAMNIOS	4	4.7				HYSTERECTOMY	0	0 0	TRACHEO-ESOPHAG	-	0.0
LABOR	0 0.0		ō	0.0				OTHER	2		FISTULA		0.0
PRECIPITOUS	0 0.0	HYPERTENSION	Ū	0.0				UNKNOWN	_		OMPHALOCELE/	U	0.0
LABOR <3 HRS	1 1.2		3	3.5					15	13.5	GASTROSCHISIS	0	0.0
PROLONGED		HYPERTENSION	0	0.0							OTHER	Ŭ	0.0
LABOR >20 HRS	2 2.4		6	7.1							GASTROINTESTIN	M 0	0.0
DYSFUNCTIONAL		ECLAMPSIA	ŏ	0.0				OBSTETRIC	PROCEDUR	ES	MALFORMED	•	0.0
LABOR	0 0.0	_	•	••••							GENITALIA	0	0.0
BREECH	4 4.7		0	0.0				CONDITION	NUMBER	%	RENAL AGENESIS	ŏ	0.0
CEPHALOPELVIC/		PREVIOUS INFANT	•	• • •							OTHER UROGENIT	AL Ö	0.0
DISPROPORTION	0 0.0	-	1	1.2				AMNIOCENTHSI	S 11	12.9	CLEFT LIP/PALA		Ő.Ö
CORD PROLAPSE	4 4.7	PREVIOUS PRETERM	1	1.2				ELECTRIC FET.	AL		POLYDACTYLY	0	0.0
ANESTHETIC		RENAL DISEASE	1	1.2				MONITORING	16	18.8	CLUB FOOT	2	2.4
COMPLICATIONS	0 0.0	RH SENSITIZATION	0	0.0				INDUCED LABO	R 32	37.6	DIAPHRAGMATIC		
FETAL DISTRESS	2 2.4	UTERINE						STIMULATION			HERNIA	0	0.0
OTHER	27 31.8	BLEEDING	3	3.5				OF LABOR	7	8.2	MUSCULOSKELETA	2	2.4
NONE	22 25.9	OTHER	-	10.6				TOCOLYSIS	2		DOWNS SYNDROME	3	3.5
UNKNOWN	19 22.4	NONE		57.6				ULTRA SOUND	50	58.8	CHROMOSOMAL	1	1.2
		UNKNOWN	13	15.3				DTHER	5		OTHER	2	2.4
								NONE	6		NONE		64.7
								UNKNOWN	11	12.9	UNKNOWN	21	24.7

NOTES: PERCENTAGES ARE BASED ON THE 85 FETAL DEATHS IN MAINE THIS YEAR. MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH FETAL DEATH.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

102

-

FMDHIS

GENERAL MORTALITY

5 d

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1992 (RESIDENT DATA)

	******* TOTAL		***** Female	BY NUM	BER OF	DEATHS	F	PER 100, POPULATION	
				TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: TOTAL FOR ALL AGES									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	3,426	1,697	1,729	1	1	1	277.1	281.7	272.8
MALIGNANT NEOPLASMS (140-208)	2,902	1,496	1,406	2	2	2	234.7	248.3	221.8
CEREBROVASCULAR DISEASE (430-438)	738	276	462	3	4	3	59.7	45.8	72.9
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	626	359	267	4	3 5 6	4	50.6	59.6	42.1
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	399	256	143	5	5	7	32.3	42.5	22.6
PNEUMONIA & INFLUENZA (480-487)	338	154	184	6	6	5	27.3	25.6	29.0
DIABETES MELLITUS (250)	320	144	176	7	7	6	25.9	23.9	27.8
INFECTIOUS & PARASITIC DISEASES (001-139)	166	98	68	8	9	9	13.4	16.3	10.7
SUICIDE (E950-E959)	152	133	19	9	8	15	12.3	22.1	3.0
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	126	88	38	10	10	11	10.2	14.6	6.0
TOTAL FOR AGE GROUP	11,045	5,500	5,545				893.4	912.9	874.8
AGE: UNDER 1 YEAR									
PERINATAL CONDITIONS (760-779)	29	14	15	1	2	1	179.4	168.8	190.5
CONGENITAL ANOMALIES (740-759)	26	15	11	2 3	1	_	4 160.8	180.9	139.7
MENINGITIS (320-322)	2	0	2	3	7	3	###	###	###
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	2	2	0	4	3	6	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	1	0	5	4	6	###	###	###
HEART DISEASE (390-398,402,404-429)	1	1	0	6	4	6	###	###	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	1	0	1	7	7	4	###	###	###
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	1	1	0	8	4	6	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	1	0	1	9	7	4	###	###	###
TOTAL FOR AGE GROUP	89	51	38				550.5	615.1	482.5

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1992 THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES: OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799) ALL OTHER EXTERNAL CAUSES (E980-E999) ALL OTHER DISEASES (RESIDUAL). ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1992 (RESIDENT DATA)

	****** Total		***** FEMALE		HBER OF	DEATHS	F	E PER 100, POPULATION	
				TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 1 TO 14 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	16	8	8	1	1	1	6.6	###	###
MALIGNANT NEOPLASMS (140-208)	9	6	3	2	2 3 5	3	###	###	###
CONGENITAL ANOMALIES (740-759)	8	4	4	3	3	2	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	3	1	2	4	5	4	###	###	###
SUICIDE (E950-E959)	3	3	0	5 6 7	4	8	###	###	###
HEART DISEASE (390-398,402,404-429)	2	1	1	6	5	5	###	###	###
CEREBROVASCULAR DISEASE (430-438)	2	1	1	-	5	5	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	2	1	1	8	5	5	###	###	###
TOTAL FOR AGE GROUP	52	29	23				21.5	23.4	19.6
AGE: 15 TO 24 YEARS		· · ·		2					
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	65	48	17	1	1	1	38.1	55.4	20.2
SUICIDE (E950-E959)	25	22	3 5 3	2 3	2 3	3	14.6	25.4	###
MALIGNANT NEOPLASMS (140-208)	9	4	5	3	3	2	###	###	###
HEART DISEASE (390-398,402,404-429)	6	3	3	4	4	3	' ###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	3	1	2	5 6	5 5 5	5	###	###	###
BENIGN NEOPLASMS (210-239)	1	1	0	6	5	8	###	###	###
ANEMIAS (280-285)	1	1	0	7	5	8	###	###	###
CEREBROVASCULAR DISEASE (430-438)	1	1	0	8	5	8	###	###	###
PNEUMONIA & INFLUENZA (480-487)	1	1	0	9		8	###	###	###
COMPL. OF PREGNANCY, CHILDBIRTH & PUERPERIUM (630-676)	1	0	1	10	10	6	###	###	###
TOTAL FOR AGE GROUP	121	87	34				70.8	100.4	40.4

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1992 THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES: OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799) ALL OTHER EXTERNAL CAUSES (E980-E999) ALL OTHER DISEASES (RESIDUAL). ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1992 (RESIDENT DATA)

	******* TOTAL		***** FEMALE		BER OF	****** DEATHS FEMALE	F	PER 100, POPULATION MALE	
AGE: 25 TO 34 YEARS CAUSE OF DEATH ACCIDENTS & ADVERSE EFFECTS (E800-E949) SUICIDE (E950-E959) INFECTIOUS & PARASITIC DISEASES (001-139) HEART DISEASE (390-398,402,404-429) MALIGNANT NEOPLASMS (140-208) HOMICIDE & LEGAL INTERVENTION (E960-E978) DIABETES MELLITUS (250) CEREBROVASCULAR DISEASE (430-438) CONGENITAL ANOMALIES (740-759) CHRONIC LIVER DISEASE & CIRRHOSIS (571) TOTAL FOR AGE GROUP	58 26 17 15 14 9 3 3 3 2 180	48 21 15 10 8 2 2 2 2 132	10 5 2 5 6 1 1 1 1 0 48	1 2 3 4 5 6 7 8 9 10	1 2 3 4 5 7 7 7 7 7 7	1 3 5 3 7 7 7 7 12	29.8 13.4 8.7 7.7 7.2 ### ### ### ### 92.5	50.0 21.9 15.6 10.4 ### ### ### ### ### 137.6	10.1 ### ### ### ### ### ### ### 48.7
AGE: 35 TO 44 YEARS MALIGNANT NEOPLASMS (140-208) HEART DISEASE (390-398,402,404-429) ACCIDENTS & ADVERSE EFFECTS (E800-E949) SUICIDE (E950-E959) INFECTIOUS & PARASITIC DISEASES (001-139) DIABETES MELLITUS (250) HOMICIDE & LEGAL INTERVENTION (E960-E978) CHRONIC LIVER DISEASE & CIRRHOSIS (571) CEREBROVASCULAR DISEASE (430-438) CONGENITAL ANOMALIES (740-759)	76 53 53 30 22 9 9 8 7 5	31 43 41 26 20 7 4 7 3 4	48 10 12 4 2 5 1 4 1	1 2 3 4 5 6 7 8 9 10	3 1 2 4 5 6 8 6 10 8	1 3 5 7 4 11 5 11	37.5 26.2 26.2 14.8 10.9 ### ### ### ###	30.6 42.4 40.4 25.6 19.7 ### ### ### ###	44.5 9.9 11.9 ### ### ### ### ###
TOTAL FOR AGE GROUP	303	200	103				149.5	197.2	101.7

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1992 THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES: OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799) ALL OTHER EXTERNAL CAUSES (E980-E999) ALL OTHER DISEASES (RESIDUAL). ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1992 (RESIDENT DATA)

	******* TOTAL		***** Female			****** DEATHS		E PER 100 POPULATIO	
				TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 45 TO 64 YEARS Cause of Death									
MALIGNANT NEOPLASMS (140-208)	697	381	316	1	1	1	287.7	321.5	255.3
HEART DISEASE (390-398,402,404-429)	453	339	114	2	2	2	187.0	286.1	92.1
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	90	50	40	3	3	3	37.2	42.2	32.3
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	63	40	23	4	4	4	26.0	33.8	18.6
DIABETES MELLITUS (250)	51	29	22	5 6	7	5	21.1	24.5	17.8
CEREBROVASCULAR DISEASE (430-438)	49	29	20	6	7	6	20.2	24.5	16.2
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	46	36	10	7	5	7	19.0	30.4	8.1
SUICIDE (E950-E959)	35	31	4	8	6	10	14.4	26.2	###
INFECTIOUS & PARASITIC DISEASES (001-139)	29	21	8	9	9	8	12.0	17.7	###
PNEUMONIA & INFLUENZA (480-487)	14	7	7	10	10	9	5.8	###	###
TOTAL FOR AGE GROUP	1,703	1,061	642				703.0	895.3	518.8
AGE: 65 TO 74 YEARS									
MALIGNANT NEOPLASMS (140-208)	853	45 1	402	1	1	1	910.3	1,086.2	770.4
HEART DISEASE (390-398,402,404-429)	692	395	297	2	2	2	738.5	951.3	569.2
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	177	108	69	3	3	3	188.9	260.1	132.2
CEREBROVASCULAR DISEASE (430-438)	130	64	66	4	4	4	138.7	154.1	126.5
DIABETES MELLITUS (250)	77	37	40	5 6	5 6	5	82.2	89.1	76.7
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	40	28	12	6	6	8	42.7	67.4	23.0
PNEUMONIA & INFLUENZA (480-487)	39	22	17	7	8	6	41.6	53.0	32.6
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	39	26	13	8	7	7	41.6	62.6	24.9
INFECTIOUS & PARASITIC DISEASES (001-139)	27	15	12	9	10	8	28.8	36.1	23.0
SUICIDE (E950-E959)	16	16	0	10	9	19	17.1	38.5	###
TOTAL FOR AGE GROUP	2,387	1,324	1,063				2,547.4	3,188.7	2,037.1

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1992 THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES: OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799) ALL OTHER EXTERNAL CAUSES (E980-E999) ALL OTHER DISEASES (RESIDUAL). ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1992 (RESIDENT DATA)

	******* TOTAL		***** FEMALE	BY NUM	IBER OF	DEATHS		E PER 100 POPULATIO	Ń
				TOTAL	MALE	FEMALE	TUTAL	MALE	FEMALE
AGE: 75 TO 84 YEARS						,			
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	1,087	552	535	1	1	1		2,615.2	
MALIGNANT NEOPLASMS (140-208)	866	456	410	2	2	2			1,189.9
CEREBROVASCULAR DISEASE (430-438)	247	104	143	3	4	3	444.5	492.7	415.0
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	232	137	95	4	3 6 5	4	417.5	649.1	275.7
DIABETES MELLITUS (250)	108	46	62	5	6	5	194.4	217.9	179.9
PNEUMONIA & INFLUENZA (480-487)	103	51	52	6		6	185.4	241.6	150.9
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	44	22	22	7	7	7	79.2	104.2	63.8
INFECTIOUS & PARASITIC DISEASES (001-139)	28	11	17	8	11	8	50.4	52.1	49.3
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	26 24	14 13	12 11	9 10	8	10 11	46.8	66.3 61.6	34.8 31.9
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	24	13	11	10	Э	11	43.2	61.6	31.9
TOTAL FOR AGE GROUP	3,240	1,637	1,603				5,831.2	7,755.7	4,652.3
AGE: 85 YEARS AND OLDER									
HEART DISEASE (390-398,402,404-429)	1,117	353	764	1	1	1		7,207.0	
MALIGNANT NEOPLASMS (140-208)	378	159	219	2	2	3	2,005.2		1,569.6
CEREBROVASCULAR DISEASE (430-438)	299	72	227	3	3 3 5 6	2	1,586.1		1,626.9
PNEUMONIA & INFLUENZA (480-487)	180	72	108	4	3	4	954.9		774.0
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	124	63	61	5	5	5	657.8	•	437.2
DIABETES MELLITUS (250)	72	23	49	6		6	381.9	469.6	351.2
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	60	22	38	7	7	8	318.3	449.2	272.3
ATHEROSCLEROSIS (440)	57	11	46	8	10	7	302.4	224.6	329.7
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	45	18	27	9	8	9	238.7	367.5	193.5
INFECTIOUS & PARASITIC DISEASES (001-139)	39	14	25	10	9	10	206.9	285.8	179.2
TOTAL FOR AGE GROUP	2,970	979	1,991				15,755.1	19,987.8	14,269.3

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1992 THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES: OTHER DISEASES OF ARTERIES, ARTERIDLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799) ALL OTHER EXTERNAL CAUSES (E980-E999) ALL OTHER DISEASES (RESIDUAL). ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-2 YEARS OF LIFE LOST - NUMBER, PERCENT, RANK, AND AVERAGE PER DEATH BY 32 CAUSE OF DEATH GROUPS AND SEX MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH	**YEARS Total	OF LIFE MALE	LOST** FEMALE		ENT Y IFE L MALE	OST	RANK OF LI Tot. N	FE LO	DST	OF L1	DEATH	DST H
MALIGNANT NEDPLASMS (140-208) HEART DISEASE (390-398,402,404-429) ACCIDENTS & ADVERSE EFFECTS (E800-E949) CEREBROVASCULAR DISEASE (430-438)	39,653	18,219	21,434	27.5	24.7	30.4	1	2	1	14	12	15
HEART DISEASE (390-398,402,404-429)	35,563	18,447	17,116	24.7	25.0	24.3	2	1	2	10	11	10
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	12,033	8,177	3,856	8.3	11.1	5.5	З	з	4	30	32	27
CEREBROVASCULAR DISEASE (430-438)	6,758	2,496	4,262	4.7	3.4	6.0	4	6	3	9	9	9
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	6,419	3,204	3,215	4.5	4.3	4.6	5	5	5	10	9	12
SUICIDE (E950-E959)	4,972	4,230	742	3.4	5.7	1.1	6	4	12	33	32	39
DIABETES MELLITUS (250)	3,808	1,743	2,065	2.6	2.4	2.9	7	8	6	12	12	12
INFECTIOUS & PARASITIC DISEASES (001-139) Congenital anomalies (740-759)	3,287	2,299	988	2.3	3.1	1.4	8	7	10	20	23	15
CONGENITAL ANDMALIES (740-759)	3,004	1,626	1,378	2.1	2.2	2.0	9	9	8	59	54	66
PNEUMONIA & INFLUENZA (480-487)	2,591	1,073	1,518	1.8	1.5	2.2	10	11	7	8	7	8
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2,228	1,525	703	1.5	2.1	1.0	11	10	13	18	17	19
PERINATAL CONDITIONS (760-779)	2,178	1,008	1,170	1.5	1.4	1.7	12	12	9	75	72	78
OTHER DIS. OF ARTERIES, ARTERIOLES, AND CAPIL. (441-448)	1,544	694	850	1.1	0.9	1.2	13	13	11	10	8	12
HOMICIDE & LEGAL INTERVENTION (E960-E978)	1,213	634	579	0.8	0.9	0.8	14	14	15	45	42	48
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	822	359	463	0.6	0.5	0.7	15	15	16	9	8	9
ATHEROSCLEROSIS (440)	793	208	585	0.6	0.3	0.8	16	18	14	8	7	8
BENIGN NEOPLASMS (210-239)	508	237	271	0.4	0.3	0.4	17	16	17	15	13	16
HYPERTENSION (401,403)	462	226	236	0.3	0.3	0.3	18	17	18	9	8	9
ANEMIAS (280-285)	269	160	109	0.2	0.2	0.2	19	19	23	11	11	10
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	255	74	181	0.2	0.1	0.3	20	22	19	8	7	8
MENINGITIS (320-322)	198	42	156	0.1	0.1	0.2	21	25	21	50	21	78
NUTRITIONAL DEFICIENCIES (260-269)	169	59	110	0.1	0.1	0.2	22	24	22	8	10	7
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	168	153	15	0.1	0.2	0.0・	23	, 20	27	34	51	8
CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS (574-575)	166	90	76	0.1	0.1	0.1	24	21	25	9	11	7
COMPL. OF PREGNANCY, CHILDBIRTH & PUERPERIUM (630-676)	164	0	164	0.1	0.0	0.2	25	29	20	55	0	55
ULCER OF STOMACH & DUODENUM (531-533)	161	70	91	0.1	0.1	0.1	26	23	24	9	9	9
HYPERPLASIA OF PROSTATE (600)	27	27	0	0.0	0.0	0.0	27	26	29	7	7	0
APPENDICITIS (540-543)	26	4	22	0.0	0.0	0.0	28	28	26	9	4	11
KIDNEY INFECTIONS (590)	25	14	11	0.0	0.0	0.0	29	27	28	8	7	11
ALL OTHER EXTERNAL CAUSES (E980-E999)	7	7	0	0.0	0.0	0.0	•			7	7	о
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	1,761	1,011	750	1.2	1.4	1.1				28	35	22
ALL OTHER CAUSES (RESIDUAL)	12,905	5,542	7,363	9.0	7.5	10.4				12	12	11

ALL CAUSES

110

144,137 73,658 70,479 100. 100. 100.

13 13 13

NOTES: PERCENTAGES MAY NOT ADD TO 100.0 DUE TO ROUNDING. SEE TEXT FOR METHOD OF COMPUTING YEARS OF LIFE LOST.

> MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEAYLL

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

		*****	*****	******	*******	****	******	AGE	AT DE	ATH(YR	5.) ***	*****	*****	*****	*****	****	
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 1	0-14 15-	19 2	20-24 25	5-34	35-44	45-54	55-59 6	0-64 6	5-69 7	0-74 7	5-79 8	0-84	OVER 84
OTHER SALMONELLA INFECTIONS	S AND OTHER	R FOOD P	OISON	ING (BA	CTERIAL	()	03.005)										
FEMALE	1	0	0	ò	0	ò	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	Ó	ō	Ō	Ō	õ	ŏ	õ	õ	õ	õ	õ	õ	õ	õ	õ	4
INTESTINAL INFECTIONS DUE	TO OTHER SP	PECIFIED	ORGAN	VISMS (007-008	· · ·	-	•	Ũ	Ũ	Ŭ	0	Ŭ	0	0	U	
MALÉ	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	3
TOTALS	4	Ō	Ō	Ó	Ó	õ	ŏ	õ	ŏ	õ	ŏ	õ	1	õ	õ	ŏ	3
TUBERCULOSIS OF RESPIRATOR	Y SYSTEM (((10-012)				-	Ū.	•	•	Ŭ	Ũ	Ŭ	•	0	0	0	5
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
TOTALS	2	0	0	0	0	Ō	ō	õ	ō	õ	ŏ	ŏ	õ	2	õ	õ	ŏ
SEPTICEMIA (038)						-	-	•	-	•	Ŭ	Ũ	Ũ	-	Ŭ	Ŭ	0
MALE	29	0	0	0	0	0	0	0	0	1	2	3	4	3	5	3	8
FEMALE	46	0	0	0	0	0	ō	1	1	1	2	2	2	7	4	6	20
TOTALS	75	0	Ó	. 0	Ō	ō	Ō	1	1	2	4	5	6	10	9	ğ	28
ALL OTHER BACTERIAL DISEASE	ES (020-022	2,024-03	1,039	-041)			-			_		-	-	1.0	5	J	20
MALE	5	1	0	Ó	0	0	0	Ö	0	0	0	0	2	0	2	0	0
FEMALE	4	0	0	0	1	0	Ó	0	Ō	õ	ō	ō	ō	1	1	1	ŏ
TOTALS	9	1	0	0	1	0	0	0	Ō	õ	õ	õ	2	1	3	1	õ
VIRAL HEPATITIS (070)										-	•	-	-	•	Ų	·	v
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	Ó	ō	ō	ō	1	õ	ō	ŏ
OTHER VIRAL DISEASES (046-0	049,051-054	1,057~06	1,065	066,07	1-079)	-			-	-	-	•	•	•	0	Ū	Ũ
MALE	49	0	0	0	0	0	0	15	18	12	0	2	0	1	0	0	1
FEMALE	13	0	0	1	0	0	0	1	1	1	2	ō	-	1	õ	1	4
TOTALS	62	0	0	1	0	0	Ō	16	19	13	2	2	-1	2	ŏ	1	5
NEUROSYPHILIS (094)															-		•
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	Ó	Ó	Ō	Ō	1	ō	ō	õ
MYCOSES (110-118)												-			-	-	•
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	Ō	1	0	ŏ
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	Ō	1	1	ō
HELMINTHIASES (120-129)																	-
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	ο.	0	0.	0	0	΄O	0	0	0	0	0	0	0	1
LATE EFFECTS OF ACUTE POLIC	DMYELITIS ((138)															
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	Ō
TOTALS	3	0	0	0	0	0	0	0	1	0	0	0	0	Ō	1	1	ō
ALL OTHER INFECTIOUS AND PA	RASITIC DI	ISEASES	(100-	104,130	-136,139))											
MALE	4	0	0	0	1	0	0	0	1	0	0	1	0	0	0	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	. 5	0	0	0	1	0	0	0	1	0	0	1	Ō	Ō	Ō	1	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GRUPPS TOTAL UNDER 1-4 5-9 10-14 15-19 20-24 25-34 35-44 45-55 60-64 65-69 70-74 75-79 80-84 VURE MALE 1 0				*****	*****	* * * * * *	*******	****	*****	AGE	AT DE	ATH(YR	5.) ***	*****	*****	*****	*****	****	* * * * *
MALIGNANT NEOPLASMS OF: LIP (140) MALE 1 0	-				1-4	5-9 1	0-14 15	5-19	20-24 25	5-34	35-44	45-54 !	55-59 6	0-64 6	5-69 7	0-74 7	5-79 8	0-84	
MALE I O	(CONT.)																		
TOTALS 1 0 1 0 0 0 1 0 <td>MALIGNANT NEC</td> <td>DPLASMS OF:</td> <td>LIP (140)</td> <td></td>	MALIGNANT NEC	DPLASMS OF:	LIP (140)																
MALT DRAWT NEOPLASMS OF: TONGUE (141) O	MALE		1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
MALE 5 0 0 0 0 0 0 0 0 1 0 0 1 FEMALE 3 0 0 0 0 0 0 0 0 0 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 0 1 1 0 0 1 1 0 0 0 1 1 0 0 0 1 1 0 0 0 0 0 0 0 0 1 1 0 0 0 0 0 0 0 1 1 0 0 0 0 0 0 1 1 1 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 <th< td=""><td>TOTALS</td><td></td><td>1</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td></td><td></td><td>1</td><td></td><td></td><td>-</td></th<>	TOTALS		1	0	0	0	0	0	0	0	0	0	0			1			-
FEMALE 3 0 1 1 0 <td>MALIGNANT NEC</td> <td>DPLASMS OF:</td> <td>TONGUE (141)</td> <td></td> <td>-</td> <td>-</td>	MALIGNANT NEC	DPLASMS OF:	TONGUE (141)															-	-
TOTALS B O <td>MALE</td> <td></td> <td>5</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>2</td> <td>1</td> <td>0</td> <td>1</td> <td>0</td> <td>0</td> <td>1</td>	MALE		5	0	0	0	0	0	0	0	0	0	2	1	0	1	0	0	1
TOTALS B O <td>FEMALE</td> <td></td> <td>3</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>1</td> <td>0</td> <td>0</td> <td>1</td> <td>1</td> <td>Ó</td> <td>0</td>	FEMALE		3	0	0	0	0	0	0	0	0	0	1	0	0	1	1	Ó	0
MALE 27 0 0 0 0 0 1 4 2 3 3 5 5 2 2 TOTALS 35 0 0 0 0 0 0 0 1 3 4 6 6 5 2 4 MALTONATN ROPLASMS OF: OTHER SITES WITHIN THE LIP, ORAL CAVITY AND PHAR'NX (142-145, 149, 1-149, 9) """"""""""""""""""""""""""""""""""""	TOTALS		8	0	0	0	0	0	0	0	0	0	3	1	Ó	2	1	-	1
FEMALE B O <td>MALIGNANT NEC</td> <td>PLASMS OF:</td> <td>PHARYNX (146-</td> <td>149.0)</td> <td></td> <td>•</td> <td></td>	MALIGNANT NEC	PLASMS OF:	PHARYNX (146-	149.0)														•	
TOTALS 35 0 0 0 0 0 0 1 1 0 1 2 1 1 1 0 0 3 1 1 0 1 2 1 2 1 1 1 0 0 3 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 1 0 0 3 2 2 1 1 0 0 3 2 2 1 1 0 0 3 2 2 1 1 1 0 0 3 2 2 1 1 1 0 0 3 2 2 1 1 1 1 1 1 1 3 2 2 1 1 1 1 3 3 5 3 3 5 3 1 1 1 1 3 3 5 </td <td>MALE</td> <td></td> <td>27</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>1</td> <td>4</td> <td>2</td> <td>3</td> <td>3</td> <td>5</td> <td>5</td> <td>2</td> <td>2</td>	MALE		27	0	0	0	0	0	0	0	1	4	2	3	3	5	5	2	2
MALICONANT NEOPLASMS OF: DTHER SITES WITHIN THE IP, DRAL CAVITY AND PHARYNX (142-145,149,1-149.3) O <t< td=""><td>FEMALE</td><td></td><td>8</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>1</td><td>1</td><td>3</td><td>1</td><td>0</td><td>0</td><td>2</td></t<>	FEMALE		8	0	0	0	0	0	0	0	0	0	1	1	3	1	0	0	2
MALIGNANT NEOPLASMS OF: DTHER SITES WITHIN THE LIP, ORAL CAVITY AND PHARYNX (142-145, 149.1-149.9) MALE 6 0 <	TOTALS		35	0	0	0	0	0	0	0	1	4	3	4	6	6	5		4
FEMALE 6 0 0 0 0 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 0 1 1 1 1 0 1 <td>MALIGNANT NEC</td> <td>PLASMS OF:</td> <td>OTHER SITES W</td> <td>ITHIN T</td> <td>HE LIP</td> <td>, ORAL</td> <td>CAVITY</td> <td>AND</td> <td>PHARYNX</td> <td>(14</td> <td>2-145,</td> <td>149.1-</td> <td>149.9)</td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td>	MALIGNANT NEC	PLASMS OF:	OTHER SITES W	ITHIN T	HE LIP	, ORAL	CAVITY	AND	PHARYNX	(14	2-145,	149.1-	149.9)					-	
FEMALE 6 0 0 0 0 1 0 0 3 2 2 1 4 MALIGNANT NEOPLASMS OF: ESOPHAGUS (150) 0 0 0 0 1 0 1 3 2 2 1 4 MALIGNANT NEOPLASMS OF: ESOPHAGUS (150) 0 0 0 0 0 0 1 1 3 2 2 1 4 3 5 7 11 7 4 3 5 7 11 7 4 3 5 7 11 7 4 3 5 7 11 7 4 3 5 7 11 7 4 3 5 7 11 7 4 4 7 7 0	MALE		9	0	0	0	0	0	0	0	0 Í	1	o	1	2	1	2	1	1
MALIGNANT NEOPLASMS OF: ESOPHAGUS (150) 0 0 0 0 1 0 1 0 1 0 1	FEMALE		6	0	0	0	0	0	0	1	0	0	0	0	1	1		Ó	3
MALE 52 0 0 0 0 0 1 8 6 5 7 11 7 4 3 FEMALE 20 0 0 0 0 0 0 0 1 1 3 4 3 3 5 TOTALS 71 0 0 0 0 0 0 0 1 1 3 4 3 3 5 MALE 20 0 0 0 0 0 0 4 4 1 1 4 4 7 7 8 MALE 27 0	TOTALS		15	0	0	0	0	0	0	1	0	1	0	1	3	2	2	1	4
FEMALE 20 0 0 0 0 0 0 1 <th1< th=""> 1 <th1< th=""> <th1< th=""></th1<></th1<></th1<>	MALIGNANT NEC	PLASMS OF:	ESOPHAGUS (15	0)															
TOTALS 72 0 0 0 0 0 1 8 7 6 10 15 10 7 8 MALIGNANT NEOPLASMS OF: STDMACH (151) <td< td=""><td>MALE</td><td></td><td>52</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>1</td><td>8</td><td>6</td><td>5</td><td>7</td><td>11</td><td>7</td><td>4</td><td>3</td></td<>	MALE		52	0	0	0	0	0	0	0	1	8	6	5	7	11	7	4	3
MALIGNANT NEOPLASMS OF: STOMACH (151) Image: Stromach (151) </td <td>FEMALE</td> <td></td> <td>20</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0.</td> <td>0</td> <td>0</td> <td>1</td> <td>1</td> <td>3</td> <td>4</td> <td>3</td> <td>3</td> <td>5</td>	FEMALE		20	0	0	0	0	0	0	0.	0	0	1	1	3	4	3	3	5
MALE 29 0 0 0 0 0 4 4 1 1 4 4 4 7 FEMALE 27 0 0 0 0 0 2 0 1 1 0 6 2 15 TOTALS 56 0 0 0 0 0 0 6 4 2 4 10 6 22 MALE 1 0 <t< td=""><td>TOTALS</td><td></td><td>72</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>1</td><td>8</td><td>7</td><td>6</td><td>10</td><td>15</td><td>10</td><td>7</td><td>8</td></t<>	TOTALS		72	0	0	0	0	0	0	0	1	8	7	6	10	15	10	7	8
FEMALE 27 0 0 0 0 0 0 0 0 1 1 0 6 2 15 TOTALS 56 0 0 0 0 0 0 6 4 2 2 4 10 6 22 MALIGNANT NEOPLASMS DF: SMALL INCLUDING DUDDENUM (152)	MALIGNANT NEC	DPLASMS OF:	STOMACH (151)																
TOTALS 56 0 0 0 0 0 6 4 2 2 4 10 6 22 MALIGNANT NEDPLASMS DF: SMALL INTESTINE, INCLUDING DUDDENUM (152)	MALE		29	0	0	0	0	0	0	0	0	4	4	1	1	4	4	4	7
TOTALS 56 0 0 0 0 6 4 2 2 4 10 6 22 MALIGNANT NEDPLASMS DF: SMALL INTESTINE, INCLUDING DUDDENUM (152)	FEMALE		27	0	0	0	0	0	0	0	0	2	0	1	1	Ó	6	2	15
MALIGNANT NEDPLASMS OF: SMALL INTESTINE, INCLUDING DUDDENUM (152) MALE 1 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 0 1 0 0 1 0 0 1 0 0 1 0 0	TOTALS		56	0	0	0	0	0	Ó	ò	Ó		4	2	2	4	10		• +
FEMALE 4 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 1 1 0 0 1 1 0 0 1 1 0 0 1 1 0 0 1 1 0 0 1 1 0 0 1 1 0 0 1 1 0 0 1 1 0 0 1 1 0 0 1 1 0 0 1 1 0 0 1 0 0 1 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 <td>MALIGNANT NEC</td> <td>PLASMS OF:</td> <td>SMALL INTESTI</td> <td>NE, INC</td> <td>LUDING</td> <td>DUDDE</td> <td>NUM (15</td> <td>52)</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td>-</td> <td></td> <td></td> <td>•</td> <td></td>	MALIGNANT NEC	PLASMS OF:	SMALL INTESTI	NE, INC	LUDING	DUDDE	NUM (15	52)						-	-			•	
FEMALE 4 0 0 0 0 0 0 0 0 0 1 0 1 0 1 0 <td>MALE</td> <td></td> <td>1</td> <td>0</td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td>	MALE		1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS 5 0 0 0 0 0 0 2 0 0 1 1 0 0 1 MALIGNANT NEOPLASMS OF: HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0, 153.1, 153.7) - - 1 0 0 1 1 0 0 1 1 1 0	FEMALE		4	0	0	0	0	0	Ō	Ō	Ō	2	ō	-	ò	-	-	-	-
MALIGNANT NEOPLASMS OF: HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0,153.1,153.7) FEMALE 2 0 0 0 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0	TOTALS		5	0	0	0	0	0	Ó	0	Ō	2	Ō	ō	-	1	-		1
TDTALS 2 0 0 0 0 0 0 0 1 1 0 0 0 2 1 1 1 0 0 1 <td>MALIGNANT NEC</td> <td>PLASMS OF:</td> <td>HEPATIC AND S</td> <td>PLENIC</td> <td>FLEXUR</td> <td>ES AND</td> <td>TRANS</td> <td>/ERSE</td> <td>COLON (</td> <td>(153.</td> <td>0.153.</td> <td></td> <td>7) Č</td> <td>•</td> <td></td> <td></td> <td>Ŭ</td> <td>Ŭ</td> <td></td>	MALIGNANT NEC	PLASMS OF:	HEPATIC AND S	PLENIC	FLEXUR	ES AND	TRANS	/ERSE	COLON ((153.	0.153.		7) Č	•			Ŭ	Ŭ	
TDTALS 2 0 0 0 0 0 0 1 0 <td>FEMALE</td> <td></td> <td>2</td> <td>0</td> <td>1</td> <td>0</td> <td>0</td> <td>1</td> <td>0</td> <td>0</td>	FEMALE		2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
MALIGNANT NEOPLASMS OF: SIGMOID COLDN (153.3) MALE 7 0 0 0 0 0 0 0 2 0 2 2 0 1 MALE 7 0 0 0 0 0 0 0 0 0 2 0 2 2 0 1 FEMALE 2 0 2 0 2 0 0 0 2 0 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 0 0 0 1 1 1 1 1 1 1 1 1 1 1 <th< td=""><td>TOTALS</td><td></td><td>2</td><td>Ó</td><td>Ó</td><td>Ó</td><td>0</td><td>Ó</td><td>Ō</td><td>Ō</td><td></td><td></td><td></td><td>1</td><td></td><td></td><td>1</td><td></td><td></td></th<>	TOTALS		2	Ó	Ó	Ó	0	Ó	Ō	Ō				1			1		
FEMALE 2 0 1 1 0 0 1 1 0 0 1 1 0 0 1 1 0 0 1 1 0 0 1 1 0 0 1 1 0 0 1 1 1 0 0 1 1 1 1 1 0 0 1 <td>MALIGNANT NEC</td> <td>PLASMS OF:</td> <td>SIGMOID COLON</td> <td>(153.3</td> <td>)</td> <td></td> <td></td> <td></td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td></td> <td>•</td> <td>•</td> <td></td> <td>•</td> <td>•</td>	MALIGNANT NEC	PLASMS OF:	SIGMOID COLON	(153.3)				-	-	-	-	-		•	•		•	•
FEMALE 2 0 1 1 0 0 0 1 1 0 0 0 0 0 0 0 0 0 0 1 1 1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 <td>MALE</td> <td></td> <td>7</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>· 0</td> <td>0</td> <td>0</td> <td>2</td> <td>0</td> <td>2</td> <td>2</td> <td>0</td> <td>1</td>	MALE		7	0	0	0	0	0	0	0	· 0	0	0	2	0	2	2	0	1
TDTALS 9 0 0 0 0 0 0 0 2 0 2 2 0 3 MALIGNANT NEOPLASMS OF: CECUM, APPENDIX AND ASCENDING COLON (153.4-153.6) MALE 4 0 0 0 0 0 1 1 1 0 0 1 MALE 4 0 0 0 0 0 0 1 1 0 0 1 2 0 1 2 0 1 2 0 1 2 0 1 2 0 1 2 0 1 2 0 1 2 0 1 2 0 1 2 0 1 2 0 1 2 0 1 2 0 1 2 0 1 2 0 1 2 0 1 2 0 1 2 0 1 2 0 1 3 3 3 3 3 3 3 3 3 3 3 3 3	FEMALE		2	Ó	Ō	Ó	0	Ó	õ	ō	-	-			-			-	-
MALIGNANT NEOPLASMS OF: CECUM, APPENDIX AND ASCENDING COLON (153.4-153.6) MALE 4 0 0 0 0 1 0 1 1 0 0 1 FEMALE 4 0 0 0 0 0 0 0 0 1 1 0 0 1 2 TOTALS 8 0 0 0 0 0 0 1 1 1 0 0 1 2 MALIGNANT NEDPLASMS DF: DTHER AND COLDN, UNSPECIFIED (153.8-153.9) MALE 119 0 0 0 1 4 7 11 11 17 19 30 12 7 FEMALE 143 0 0 0 0 1 4 7 11 11 17 19 30 12 7	TOTALS		9	0	0	0	0	Ó	Ō	ō	-		-	-		-		-	
FEMALE 4 0 0 0 0 0 0 0 1 0 0 1 2 1 0 0 1 2 1 1 0 1 2 1 1 0 1 2 1 <th1< th=""> 1 <th1< th=""> <th1< th=""></th1<></th1<></th1<>	MALIGNANT NEC	PLASMS OF:	CECUM, APPEND	IX AND	ASCEND	ING CO	LON (15	53.4-	153.6)		-	•	•	-	Ū	-	-	Ť	-
FEMALE 4 0 0 0 0 0 0 0 0 1 0 1 2 TOTALS 8 0 0 0 0 0 0 0 1 0 1 2 0 0 1 2 MALIGNANT NEDPLASMS DF: DTHER AND COLDN, UNSPECIFIED (153.8-153.9) 1	MALE		4	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	1
TOTALS 8 0 0 0 0 0 1 2 0 1 3 MALIGNANT NEDPLASMS DF: DTHER AND COLDN, UNSPECIFIED (153.8-153.9) (153.8-153.9) 0 0 0 1 4 7 11 11 17 19 30 12 7 MALE 143 0 0 0 0 0 0 2 5 3 13 16 25 25 22 32	FEMALE		4	0	0	0	0	0	0	Ó	Ō	Ó		Ó		ō			2
MALE 119 0 0 0 0 0 1 4 7 11 11 17 19 30 12 7 FEMALE 143 0 0 0 0 0 0 2 5 3 13 16 25 25 22 32	TOTALS		8	0	0	0	0	0		Ō	-		-	-	2	-	-		
FEMALE 143 0 0 0 0 0 2 5 3 13 16 25 22 32	MALIGNANT NEC	PLASMS OF:	OTHER AND COL	DN, UNS	PECIFI	ED (15	3.8-153	3.9)					-			-	-		
FEMALE 143 0 0 0 0 0 0 0 2 5 3 13 16 25 25 22 32	MALE		1 1 9	0	0	0	0	0	0	1	4	7	11	11	17	19	30	12	7
	FEMALE		143	0	0	0	0	0	0	0	2	5	3	13	16	25	25	22	32
	TOTALS		262	0	0	0	0	0	0	1	6	12	14	24	33	44	55	34	39

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

112

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEA AND S			***** IDER 1	***** 1-4	***** 5-9 1					AT DEA 35-44 4					****** 0-74 7	****** '5-79 8	***** 0-84	•**** OVER 84
(CONT.)																		
MALIGNANT NE	OPLASMS OF:	RECTUM, RECTOSIG	MOID	JUNCTI	ON AN	D ANUS	(154)	1										
MALE		28	0	0	0	0	0	0	0	0	1	2	4	7	6	1	4	3
FEMALE		23	0	0	0	0	0	0	0	0	3	0	3	4	3	2	4	4
TOTALS		51	0	्०	0	0	0	0	0	0	4	2	7	11	9	3	8	7
	OPLASMS OF:	,,	155.0	,														
MALE		8	0	0	0	0	0	1	0	0	0	0	0	3	1	1	0	2
FEMALE		6	0	0	0	0	0	0	0	0	1	3	0	0	0	1	0	1
TOTALS		14	0	0	0	0	0	1	0	0	1	3	0	3	1	2	0	3
	UPLASMS UF:	INTRAHEPATIC BIL	-	- •	-	~	~	•	~		~	•	•	•		•	•	
MALE		5 8	0	0 .	0	0	0	0	0	0	0	0	2	0	0	2	0	1
FEMALE TOTALS		13	- O O	0	0	0	0	0	0	0	1	0	1	2	2	2 4	0	0
		· •	-	•	•	•	-	•	•	0	1	0	3	2	2	4	0	1
MALIGNANT NE MALE	UPLASMS UF:	LIVER, NOT SPECI	0	AS PRI	MARY O	OR SEC	ONDAR) O	0	2)	0	1	0	0	0			1	
FEMALE		5	0	0	0	0	0	0	0	0	0	0	2	0	ò	0	1	0
TOTALS		4	0	0	0	0	0	0	0	0	1	0	2	0	1	•	23	1
		GALLBLADDER AND	•	-		•	•	-	0	U U	1	0	2	0		I	3	1
MALIGNANT NE MALE	UPLASMS UP.	4	0	0			0	,, ,,	0	0	1	1	0	0	1	0	1	0
FEMALE		16	õ	ŏ	ŏ	ŏ	ŏ	ő	ő	ő	ò	i	1	ő	3	4	i	6
TOTALS		20	0	0	ö	ő	0	0	0	0	1	2	1	ö	4	4	2	6
	OPLASMS DE .	PANCREAS (157)	U	0	Ŭ	0	0	. 0	0	0	'	2	•	Ŭ	-	-	2	0
MALE		70	0	0	0	0	0	0	0	2	2	9	13	8	10	11	9	6
FEMALE		77	õ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	õ	4	2	13	14	11	11	7	15
TOTALS		147	õ	õ	ŏ	õ	ŏ	õ	õ	2	6	11	26	22	21	22	16	21
MALIGNANT NE	OPLASMS OF:	RETROPERITONEUM.	PERI	TONEUM		OTHER	SITES	WITHIN	THE	DIGESTI	VE ORG	ANS (158-159	3)				
MALE		8	0	0	0	0	0	0	0	0	1	1	0	0	1	1	3	1
FEMALE		20	ō	Ō	Ō	Ō	Ō	Ó	Ō	ō	Ó	0	2	Ō	5	4	4	5
TOTALS		28	õ	ō	Ō	Ó	ō	Ō	ō	ō	1	1	2	Ō	6	5	7	6
MALIGNANT NE	OPLASMS OF:	LARYNX (161)																
MALE		20	0	0	0	0	0	0	0	0	0	3	з	3	1	5	1	4
FEMALE		3	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0
TOTALS		23	0	0	0	0	0	0	0	0	0	3	3	5	2	5	1	4
MALIGNANT NE	OPLASMS OF:	TRACHEA, BRONCHL	JS, AN	ID LUNG	i (162	2)												•
MALE		488	0	0	0	0	0	0	0	8	45	40	61	72	82	90	54	36
FEMALE		305	0	0	0	0	0	0	0	6	28	26	34	49	62	51	29	20
TOTALS		793	0	0	0	0	0	0	0	14	73	66	95	121	144	141	83	56
	OPLASMS OF:	ALL DTHER SITES	WITHI	N THE		IRATORY					ORGANS		, 163-16	,				
MALE		8	0	0	0	0	0	0	0	0	1	0	1	3	3	0	0	0
FEMALE		3	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1
TOTALS		11	0	0	0	0	0	0	0	0	1	0	1	5	З	0	0	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DAGE282

113

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEA AND S	· · · · · · ·	TOTAL DEATHS	******* UNDER 1	**** 1-4							EATH(YR 45-54				******* 70-74 7	****** 75-79 8	***** 0-84	**** OVER 84
(CONT.)																		
MALIGNANT NE	OPLASMS OF:					- ,												
MALE		2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0
FEMALE		4	0	0	1	0	0	1	0	0	0	o.	0	0	1	0	0	1
TOTALS		6		0	TICCUE	0	0	1	0	0	0	1	0	1	1	0	0	1
MALIGNANT NE MALE	UPLASMS UF:	CUNNECTIVE A		SOFT	TISSUE	•	· /	~	•	~		,	~	• ,	~	•	-	
FEMALE		15	0	0	0	0	0	0	0	0	1	1 0	0 3	1 3	0	2	2	0
TOTALS		22	0	1	0	0	0	0	1	1	1	1	3	3	0	2	2 4	2
MALIGNANT NE	OPLASMS OF		•	•	0	0	0	0	1	1	I	1	3	4	0	4	4	2
MALE	OF LASING OF .	18	0	0	0	0	0	1	0		4		4	4	1	~	~	~
FEMALE		14	0	ŏ	ő	ő	0	ò	0	3	4	1	4	4	1	2 3	0	0
TOTALS		32	õ	ŏ	õ	ő	õ	1	ŏ	4	5	2	8	4	2	5	1	ő
	OPLASMS OF:	OTHER MALIGN	-	-	-		•		v	-	5	2	0	4	2	5		0
MALE		11	0	0	0	0	, 0	0	0	1	2	0	3	1	0	1	1	2
FEMALE		5	õ	õ	õ	ŏ	ŏ	õ	ŏ	, o	1	ŏ	õ	, O	ĩ	1	ò	2
TOTALS		16	ō	ō	ō	ō	Ō	ō	õ	1	3	õ	š	1	1	2	1	4
MALIGNANT NE	OPLASMS OF:	FEMALE BREAS	T (174)								-	•	-			-		
FEMALE		221	0	0	0	0	0	0	1	14	23	13	23	31	22	34	35	25
TOTALS		221	0	0	. 0	0	0	0	1	14	23	13	23	31	22	34	35	25
MALIGNANT NE	OPLASMS OF:	MALE BREAST	(175)															
MALE		1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS		1	0	0	0	0	· 0	0	0	0	0	1	0	ď	0	0	0	0
	OPLASMS OF:	CERVIX UTERI	(180)															
FEMALE		22	0	0	0	0	0	0	0	2	6	1	1	0	4	3	4	1
TOTALS		22	0	0	0	0	0	0	0	2	6	1	1	0	4	3	4	1
MALIGNANT NE	OPLASMS OF:				9,181-1	/												
FEMALE		35	0	0	0	0	0	1	0	1	2	0	3	7	4	8	4	5
TOTALS		35	0	0	0	0	0	1	0	1	2	0	3	7	4	8	4	5
	OPLASMS OF:	OVARY AND OT				183)	•				-		•			_	_	_
FEMALE		83	0	0	0	0	0	0	0	4	8	4	13	15	15	8	9	7
TOTALS	ODLACHE OF	83		0		0	0	0	0	4	8	4	13	15	15	8	9	7
MALIGNANT NE FEMALE	UPLASMS UF:	UTHER AND UN	0) FEM. O	ALE GEN O	IITAL O	ORGANS	• • • • • •	, 0	0		~	0		•	•	•	
TOTALS		8	0	0	0	0	0	0	0	0	1	0	0	1	0	0	2 2	4
MALIGNANT NE	OPLASMS OF	•	-	0	0	0	0	0	0	0	I	0	0	1	0	0	2	4
MALE	OF EAGING OF .	178	0	0	0	0	. 0	0	0	0	4	1	6	13	33	40	45	36
TOTALS		178	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	Ő	4	1	6	13	33	40	45	36
MALIGNANT NE	OPLASMS OF:		Ū	0	Ū	Ū		•	Ū	Ũ	•	•	0	10	00	40	45	00
MALE		2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
TOTALS		2	ō	ō	Ō	Ō	ō	ō	õ	2	ō	õ	õ	õ	ŏ	õ	ŏ	ŏ
MALIGNANT NE	OPLASMS OF:	BLADDER (188)			-			-	_	-	-	-	-	-	-	-	-
MALE	,	39	0	0	0	0	0	0	0	0	1	1	З	10	7	10	3	4
FEMALE		18	0	0	0	0	0	0	0	0	1	1	Ō	2	0	5	5	4
TOTALS		57	0	0	0	0	0	0	0	0	2	2	3	12	7	15	8	8

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	******* UNDER 1	******* 1~4	****** 5~9 10	***** 0-14 1	****** 5~19 2	20-24 25	∗ AGE A 5~34 35	T DE/ -44	ATH(YRS. 45-54 55) *** 5-59 6	***** 0-64 6	****** 5-69 7	***** 0-74 7	***** 5-79 8	***** 0-84	**** OVER 84
(CONT.)																	
MALIGNANT NEDPLASMS OF:		-		ED URI	NARY O	RGANS	(189)										
MALE	51	0	0	0	0	0	0	0	1	3	4	8	4	10	8	4	9
FEMALE	25	0	0	0	0	0	0	0	2	1	0	2	з	2	5	4	6
TOTALS	76	0	0	0	0	0	0	0	З	4	4	10	7	12	13	8	15
MALIGNANT NEOPLASMS OF:		_															
MALE	25	0	0	0	0	0	0	2	4	4	1	1	5	2	0	2	4
FEMALE	28	0	0	0	1	0	0	1	2	3	1	4	7	3	. 4	1	1
TOTALS	53	0	0	0	1	0	0	3	6	7	2	5	12	5	4	3	5
MALIGNANT NEOPLASMS OF:	,		ENDOCE		LANDS.	RELAT	FED STRU	JCTURES	(19	3-194)							
MALE	5	0	1	0	1	0	0	0	0	2	0	0	0	1	0	0	0
FEMALE	7	0	0	0	0	0	0	1 -	0	0	0	1	1	1	2	0	1
TOTALS	12	0	1	0	1	0	0	1	0	2	0	1	1	2	2	0	1
MALIGNANT NEOPLASMS OF:				SITES	(195-1	99)											
MALE	110	0	0	0	0	0	1	1	2	4	6	12	14	27	14	15	14
FEMALE	114	0	0	0	0	0	0	0	4	5	4	10	13	13	18	23	24
TOTALS	224	0	0	0	0	0	1	1	6	9	10	22	27	40	32	38	38
LYMPHOSARCOMA AND RETIC	ULOSARCOMA (200))															
MALE	11	0	0	0	0	0	0	0	0	0	0	1	1	4	2	2	1
FEMALE	6	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	2
TOTALS	17	0	0	0	. 0	0	0	0	0	0	0	2	1	5	2	4	3
HODGKIN'S DISEASE (201)																	
MALE	4	0	0	ο.	0	0	0	1	1	1	0	0	Ó	0	1	0	0
FEMALE	3	0	0	0	0	0	1	1	0	0	Ō	õ	ō	õ	1	ŏ	ŏ
TOTALS	7	0	0	0	0	0	1	2	1	1	Ō	ō	ō	Ō	2	õ	õ
OTHER MALIGNANT NEOPLAS	M OF LYMPHOID A	ND HIST	TIOCYT	IC TIS	SUE (2	02)					•	•	Ū	Ū	-	Ŭ	Ŭ
MALE	53	0	0	0	0	0	1	0	1	5	2	7	6	7	7	13	4
FEMALE	47	0	0	0	ō	ō	Ó	ō	i	3	2	5	2	11	14	5	4
TOTALS	100	Ō	ō	õ	õ	õ	Ĩ	ŏ	2	8	4	12	8	18	21	18	8
MULTIPLE MYELOMA AND IM	MUNOPROLIFERATI	VE NEOF	LASMS	(203)	-	-	·	•	-	0	•		0	.0	- 1	10	0
MALE	17	0	0	0	0	0	0	0	0	0	0	3	4	4	2	1	3
FEMALE	21	Ō	ō	õ	ŏ	ō	õ	ŏ	ŏ	2	ĭ	1	6	4	4	1	2
TOTALS	38	õ	ō	õ	ŏ	ŏ	õ	õ	ŏ	2	1	4	10	8	6	2	5
LYMPHOID LEUKEMIA (204)		•	•	· ·	· ·	•	Ũ	Ū	Ŭ	-		-	10	0	0	2	5
MALE	20	0	0	2	0	0	0	0	0	0	0	2	1	6	3	4	2
FEMALE	11	ŏ	ŏ	ō	ŏ	1	ŏ	ŏ	ŏ	ŏ	ŏ	0	1	0	2	4	2 3
TOTALS	31	õ	õ	2	õ	1	õ	ŏ	0	0	0	2	2	6	2	4 8	3 5
MYELOID LEUKEMIA (205)	0,	v	v	~	U	•	0	v	0	0	U	2	2	0	5	0	5
MALE	24	0	0	0	0	0	0	3	4	3	2		~	~	-	3	~
FEMALE	19	0	ő	0	0	0	1	3	1	3	2	1	0	3 3	5	3	3
TOTALS	43	0	ŏ	0	0	0	1	3	•	4		0	3			•	4
101625	40	0	v	0	0	0	I	3	2	4	3	1	3	6	6	7	7

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS .

DAGE 282

115

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS	TOTAL	***** UNDER				****** 5-19 2(**** OVER
AND SEX	DEATHS	1			• • • •			, - ,					,	••••	0,50	0 04	84
(CONT.)																	
MONOCYTIC LEUKEMIA (206)	,																
MALE	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
TOTALS	2	Ō	Ó	ō	õ	Ó	õ	Ō	1	1	õ	õ	õ	õ	ŏ	ŏ	õ
OTHER AND UNSPECIFIED LEU	JKEMIA (207-20	(8)															
MALE	18	0	0	1	1	0	0	0	0	1	1	5	2	1	3	з	0
FEMALE	16	0	0	0	0	0	0	0	2	1	0	0	2	1	з	0	7
TOTALS	34	0	0	1	1	0	0	0	2	2	1	5	4	2	6	З	7
BENIGN NEOPLASMS OF EYE,				NERVOU													
MALE	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	.1	0	0	0	0	0	0	1	0
TOTALS	4	0	0	0	0	0	0	0	1	0	1	0	1	0	0	1	0
BENIGN NEOPLASMS OF ALL C MALE	JIHER AND UNSP			• • • •		22-223	,	,	•	•	~	~	•	~		~	•
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
NEOPLASMS OF UNCERTAIN BE	2 EUAVIOD (225-2	•	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
MALE MALE	LIAVIUR (235-2	.38)	0	0	0	0	0	0	0	1	0	0	0	1	0	1	4
FEMALE	1	ŏ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ò	1	ŏ	õ	ò	ŏ	ò	ò
TOTALS	5	ŏ	õ	õ	õ	õ	õ	ŏ	õ	1	1	õ	õ	1	ŏ	1	1
NEOPLASMS OF UNSPECIFIED	NATURE (239)	Ŭ	Ŭ	Ŭ	Ŭ	v	Ŭ	Ŭ	Ŭ	,	,	0	Ŭ	'	0	•	'
MALE	11	0	0	0	0	0	1	0	0	1	1	1	Ŷ	2	1	0	4
FEMALE	13	ŏ	ŏ	ŏ	õ	ō	ò	1	ĩ	Ó	ò	1	ŏ	- 1	4	ž	3
TOTALS	24	ō	Ō	ō	Ō	ō	1	1	1	1	1	2	õ	3	5	2	7
DISORDERS OF THYROID GLAM	ND (240-246)											_	-	-	-		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	2
DIABETES MELLITUS (250)																	
MALE	144	0	0	0	0	0	0	2	7	8	8	13	14	23	31	15	23
FEMALE	176	0	0	0	0	0	0	1	2	4	9	9	17	23	30	32	49
TOTALS	320	0	0	0	0	0	0	3	9	12	17	22	31	46	61	47	72
DISORDERS OF THE PITUITAR	RY GLAND AND I					(253)											
FEMALE	1	.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
DISORDERS OF ADRENAL GLAN	NDS (255)	-		_	~	•	~						_		_	_	
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS CYSTIC FIBROSIS (277.0)	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
FEMALE	2	0	0	ο	4	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	2	U	0	v	,	U	,	0	0	0	U	U	U	0	U	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DAGE282

.

DAGE282

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE	OF DEATH GROUPS AND SEX	TOTAL DEATHS	******* UNDER 1		******** 5-9 10-													0VER 84
(CON	т.)																	
OBESI	TY (278.0)																	
MAL	E	6	0	0	0	0	0	0	0	0	1	4	Ο.	1	0	0	0	0
FEM	ALE	4	0	0	0	Ο.	0	0	0	1	2	0	0	0	0	0	1	0
TOT	ALS	10	0	0	0	0	0	0	0	1	3	4	0	1	0	0	1	0
ALL O	THER ENDOCRINE, MET	ABOLIC DISEAS	SES & IMN		(DISORD.	(251		256-259	9,270,2	276,277		.9,278	8.1-279)				
MAL		24	0	2	0	0	0	0	1	1	2	1	2	3	4	2	2	4
FEM		31	1	0	0	0	0	0	0	0	2	3	1	1	6	1	5	11
тот		55	1	2	0	0	0	0	1	1	4	4	3	4	10	3	7	15
	TIONAL MARASMUS (26	1)	_	_	_		_		_		_	_		_	_	_		-
MAL		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOT		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	PROTEIN-CALORIE MA			~		•	•	•	•		~	^	•	~	•			~
MAL		5	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1	2
FEM	— —	14	0	0	0	0	0	0	0	0	0	0	0	0	1	0	5	8
TOT		19 5 1015 NOTEC (2	0	0	0	0	0	0	0	1	0	0	0	0	1.	1	6	10
	THER NUTRITIONAL DE	· · ·	260,264-2		-		•	•	~	~	•	~	~	~	•	•	~	0
		2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2 2
	ALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
	IENCY ANEMIAS (280-: Ale	281)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 1
			0	0	0	0	0	ŏ	0	0	0	0	0	ő	0	ő	0	4
	ALS YTIC ANEMIAS (282-2)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	ALE	83)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	о	1
	ALS	1	0	0	0	0	0	0	ő	0	0	0	0	0	0	0	0	1
	TIC ANEMIA (284)	I	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MAL		7	0	0	0	0	1	0	0	0	0	Ο.	0	0	3	2	1	0
		5	0	0	0	0	ŏ	0	ŏ	0	ő	0	1	2	0	2 1	ò	1
	ALS	5 12	0	0	0	0	1	õ	0	0	0	õ	1	2	3	3	1	1
	AND UNSPECIFIED AN	. –	0	0	0	0		0	U	0	0	U		2	5	5		•
MAL		ZMIAS (200) 7	0	0	0	0	0	0	0	0	1	0	0	0	0	3	0	3
		4	õ	õ	ŏ	õ	ŏ	ŏ	ŏ	ŏ	ò	ŏ	ŏ	ŏ	ŏ	1	ĭ	2
_	ALS	11	ŏ	õ	ŏ	õ	õ	ŏ	ŏ	õ	ĭ	ŏ	ŏ	ŏ	õ	4	i	5
	IRA AND OTHER HEMORR	• •	(ONS (28)	· ·	Ŭ	Ŭ	Ŭ	Ū	Ŭ	Ŭ	•	Ū	•	Ũ	Ū	•	•	-
MAL		1	0	, , 	0	0	0	0	0	0	0	0	0	0	0	0	1	0
		3	õ	õ	ŏ	õ	õ	ō	õ	õ	1	ō	õ	1	1	õ	Ó	Ō
	ALS	4	ŏ	õ	õ	õ	õ	ŏ	ŏ	٠ŏ	1	õ	õ	1	1	ŏ	1	ŏ
	THER DISEASES OF BL		•	•	•	288-2	, v	v	v	5	•	-	~	•	•	Ŭ	·	-
MAL		11	1	0	0	0	0	0	0	0	0	1	1	1	1	2	3	1
	ALE	10	ò	ŏ	ŏ	ŏ	ŏ	ŏ	1	ĭ	1	ò	2	2	1	1	ō	1
	ALS	21	1	ō	õ	õ	Ō	ō	1	1	1	1	3	3	2	3	3	2
				-	-	-												

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

117

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** UNDER 1	***** 1-4	5-9 10	*****)-14 1	****** 5-19 2(****** 0-24 2	* AGE 4 5-34 35	AT DEA 5-44 4	TH(YRS. 5-54 55) **** 5-59 60	*****)~64 65	****** 5-69 7(*****)-74 7!	***** 5-79 8	***** 0-84	0VER 84
(CONT.)																	
SENILE AND PRESENILE ORGAN	ИС РЕУСНОТ	IC CONDI	TIONS	(290)													
MALE	25	0	0	0	0	0	0	0	0	0	0	0	0	1	5	6	13
FEMALE	75	Ō	ō	Ō	ō	ō	ō	õ	ō	ō	ŏ	1	1	3	4	13	53
TOTALS	100	0	0	0	0	0	0	0	0	0	Ō	1	1	4	9	19	66
ALCOHOLIC PSYCHOSES (291)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
ALL OTHER PHYCHOSES (292-2	299)																
MALE	16	0	0	0	0	0	0	0	0	0	0	0	1	0	1	7	7
FEMALE	38	0	0	0	0	0	0	0	0	0	0	0	0	1	1	9	27
TOTALS	54	0	0	0	0	0	0	0	0	0	0	0	1	1	2	16	34
ALCOHOL DEPENDENCE SYNDROM	1E (303)																
MALE	12	0	0	0	0	0	1	2	1	0	1	5	2	0	0	0	0
FEMALE	9	0	0	0	0	0	0	1	1	1	2	3	1	0	0	0	0
TOTALS	21	0	0	0	0	0	1	3	2	1	3	8	3	0	0	0	0
DRUG DEPENDENCE (304)																	
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
OTHER NEUROTIC, PERSONALIT	Y AND NONP	SYCHOTIC	MENT		RDERS	(300-30	02,305	-316)									
MALE	5	0	0	0	0	0	0	0	1	0	0	0	Q	0	0	1	з
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	4
TOTALS	12	0	0	0	0	0	0	0	1	0	0	0	0	1	1	2	7
MENTAL RETARDATION (317-31	9)																
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
FEMALE	3	0	0	1	0	0	0	2	0	0	0	0	0	0	0	0	0
TOTALS	4	0	0	1	0	0	0	2	1	0	0	0	0	0	0	0	0
MENINGITIS (320-322)																	
MALE	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
FEMALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	4	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
PARKINSON'S DISEASE (332)																	
MALE	24	0	0	0	0	0	0	0	0	0	0	0	0	3	8	6	7
FEMALE	22	0	0	0	0	0	0	0	0	0	0	0	0	3	0	6	13
TOTALS	46	0	0	0	0	0	0	0	0	0	0	0	0	6	8	12	20
OTHER HEREDITARY AND DEGEN		SEASES O	–	CENTRAL				330-33									
MALE	69	1	0	0	0	0	0	1	2	2	1	3	9	9	8	13	20
FEMALE	124	0	1	0	0	0	0	0	0	1	1	4	5	7	10	24	71
TOTALS	193	1	1	0	0	0	0	1	2	З	2	7	14	16	18	37	91

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

		*****	*****	*****	*****	** + * * *	*****	* AGE	AT DE	ATH(YRS	.) ***	* * * * * *	*****	*****	*****	*****	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 1	0-14 15	5-19 2	20-24 2	5-34 3	5-44	45-54 5	5-59 6	0-64 6	5-69 7	0-74 7	5-79 8	80-84	OVER 84
(CONT.)																	
MULTIPLE SCLEROSIS (340)																	
MALE	6	0	0	0	0	0	0	0	1	2	0	1	1	0	0	1	0
FEMALE	21	0	0	0	0	0	0	1	5	5	3	1	2	1	2	1	ŏ
TOTALS	27	0	0	0	0	0	0	1	6	7	3	2	3	1	2	2	õ
INFANTILE CEREBRAL PALSY	(343)											_			-	-	•
MALE	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	ō	õ	ō	ō
TOTALS	3	0	0	0	0	0	0	0	0	1	Ō	1	1	ō	ō	.0	ō
EPILEPSY (345)														•	•	•	•
MALE	4	0	1	1	0	1	0	0	1	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	Ō	Ō	Ó	ō
TOTALS	5	0	1	1	0	1	0	0	1	0	0	0	1	ō	ō	ō	ō
OTHER DISEASES OF THE NER	RVOUS SYSTEM	(323-32)	6,341	-342.34	4,346-3	359)											-
MALE	16	1	0	0	0	1	0	3	0	3	0	0	1	З	1	1	2
FEMALE	21	0	0	0	0	0	0	0	1	1	2	2	1	0	5	4	5
TOTALS	37	1	0	0	0	1	0	3	1	4	2	2	2	з	6	5	7
DISEASES OF MITRAL VALVE	(394)																
MALE	4	0	0	0	0	0	0	1	0	0	0	0	0	1	1	. o	1
FEMALE	13	0	0	0	0	0	0	0	2	1	0	1	2	1	2	2	2
TOTALS	17	0	0	0	0	0	0	1	2	1	0	1	2	2	3	2	3
DISEASE OF AORTIC VALVE ((395)																
MALE	3	0	0	0	0	0	0	0	0	1	0	0	Ó	0	1	0	1
TOTALS	3	0	· 0	0	0	0	0	0	0	1	0	0	0	Ő	1	0	1
DISEASES OF MITRAL AND AC	DRTIC VALVES	(396)															
FEMALE	5	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	2
TOTALS	5	0	0	0	0	0	0	0	0	0	0	1	0	· 1	Ō	1	2
ALL OTHER CHRONIC RHEUMAT	FIC HEART DI	SEASE (3	93,39	7-398)													
MALE	1	0	0	0	0	Ο.	0	0	0	0	0	0	0	0	0	0	1
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	0	4	2	1
TOTALS	8	0	0	0	0	0	0	0	0	0	0	0	0	0	4	2	2
ESSENTIAL HYPERTENSION (4	401)																
MALE	11	0	0	0	0	0	0	0	0	1	0	3	1	2	1	3	0
FEMALE	10	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	6
TOTALS	21	0	0	0	0	0	0	0	0	1	0	3	2	з	1	5	6
HYPERTENSIVE HEART DISEAS																	
MALE	24	0	0	0	0	0	0	0	2	2	0	1	5	3	4	4	З
FEMALE	45	0	0	0	0	0	0	0	0	0	2	0	2	2	7	7	25
TOTALS	69	0	0	0	0	0	0	0	2	2	2	1	7	5	11	11	28
HYPERTENSIVE RENAL DISEAS	• •																
MALE	17	0	0	0	0	0	0	0	0	0	0	0	0	1	3	б	7
FEMALE	16	0	0	0	0	0	0	0	0	1	0	0	0	З	2	3	7
TOTALS	33	0	0	0	0	0	0	0	0	1	0	0	0	4	5	9	14

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

		* * * * * *		****	** ** ***	*****	*****	* AGE	AT DEA	TH(YRS	.) ***	*****	*****	*****	*****	*****	* * * * *
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10	0-14 19	5-19 2	0-24 2	5-34 3	5-44 4	5-54 5	5-59 6	0-64 6	65-69 7	70-74 7	75-79 8	30-84	OVER 84
(CONT.)																	
HYPERTENSIVE HEART AND RE	NAL DISEASE	(404)															
MALE	9	Ó	0	0	0	0	0	0	0	1	0	0	0	2	0	3	3
FEMALE	5	0	0	0	0	0	0	Ó	õ	0	õ	õ	ŏ	ō	1	1	3
TOTALS	14	0	0	0	0	0	0	Ō	ō	Ť	ō	ō	ŏ	2	1	4	ě
ACUTE MYOCARDIAL INFARCTI	ON (410)																
MALE	580	0	0	0	0	0	0	1	21	46	28	66	58	83	96	91	90
FEMALE	535	0	0	0	0	0	0	0	7	16	9	18	56	66	73	107	183
TOTALS	1,115	0	0	0	0	0	0	1	28	62	37	84	114	149	169	198	273
OTHER ACUTE AND SUBACUTE	FORMS OF ISC	неміс н	EART D	ISEASE	(411)											• -	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2
FEMALE	4	0	0	0	0	0	0	0	0	0	0	Ō	Ō	0	ō	ō	4
TOTALS	8	0	0	0	0	0	0	0	0	0	0	0	Ó	2	Ō	Ō	6
ANGINA PECTORIS (413)																-	_
MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1
FEMALE	7	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	4
TOTALS	10	0	0	0	0	0	0	0	0	0	1	Ō	1	ō	2	1	5
ALL OTHER FORMS OF CHRONI	C ISCHEMIC H	EART DI	SEASE	(412, 4)	14)												
MALE	583	0	0	0	0	0	0	5	12	40	26	40	53	77	88	103	139
FEMALE	587	0	0	0	0	0	1	4	1	10	8	10	31	51	63	111	297
TOTALS	1,170	0	0	0	. 0	0	1	9	13	50	34	50	84	128	151	214	436
DISEASES OF PULMONARY CIR	CULATION (41	5-417)															
MALE	22	1	0	0	0	0	0	1	0	2	1	1	4	5	З	3	1
FEMALE	28	0	0	0	0	0	1	1	0	2	3	2	3	4	3	4	5
TOTALS	50	1	0	0	0	0	1	2	0	4	4	3	7	9	6	7	6
ACUTE AND SUBACUTE ENDOCA	RDITIS (421)																
MALE	1	0	0 -	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	Ō
TOTALS	4	0	0	0	0	0	0	0	Ó	0	ō	ō	õ	ō	3	1	õ
ACUTE PERICARDITIS, ACUTE	MYOCARDITIS	AND OT	HER DI	SEASES	OF PEF	RICARD	IUM (4:	20,422	-423)								
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
MITRAL VALVE DISORDERS (4	24.0)																
MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
FEMALE	12	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	7
TOTALS	14	0	0	0	0	0	0	0	0	0	0	· O	2	0	2	3	7
AORTIC VALVE DISORDERS (4	24.1)																
MALE	31	0	0	0	0	0	0	0	0	1	0	, 2	3	5	4	6	10
FEMALE	26	0	0	0	0	0	0	0	0	0	0	Ó	1	2	4	6	13
TOTALS	57	0	0	0	0	0	ō	Ō	õ	1	õ	2	4	7	8	12	23

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DAGE282

,

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

		*****	*****	*****	******	*****	*****	* AGE A	T DEA	TH(VRS) ***	*****	*****	*****	*****		
CAUSE OF DEATH GROUPS	TOTAL		1-4	5-9 10	0-14 15	5-19 20	0-24 2	5-34 35	6-44 4	5-54 5	., 5-59 6	0-64 6	5-69 7	0-74 7	5-79 8	0-84	OVER
AND SEX	DEATHS	1															84
(CONT.)																	
ALL OTHER DISEASES OF EN	DOCARDIUM (42	4.2-424	.9)														
MALE	8	0	0	0	0	0	0	0	0	1	0	0	0	0	0	3	4
FEMALE	9	0	0	0	0	0	0	0	0	0	0	1	1	1	Ō	2	4
TOTALS	17	0	0	0	0	0	0	0	0	1	0	1	1	1	Ō	5	8
HEART FAILURE (428)																	
MALE	79	0	0	0	0	0	0	0	0	1	1	4	7	8	15	14	29
FEMALE	137	0	0	0	0	0	0	0	0	0	1	3	3	12	15	25	78
TOTALS	216	. 0	0	0	0	0	0	0	0	1	2	7	10	20	30	39	107
MYOCARDITIS, UNSPECIFIED	AND MYOCARDI	AL DEGEI	NERATI	ON (429	9.0-429	9.1)											
FEMALE	1	0	0.	0	1	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	Ō
ALL OTHER FORMS OF HEART	DISEASE (425	-427,42	9.2-42	29.9)													
MALE	342	0	1	0	0	2	1	2	8	19	20	34	30	47	54	5 6	68
FEMALE	305	0	0	0	0	0	1	0	0	7	4	14	23	34	39	47	136
TOTALS	647	0	1	0	0	2	2	2	8	26	24	48	53	81	93	103	204
SUBARACHNOID HEMORRHAGE																	
MALE	13	0	0	0	0	0	0	1	1	1	4	2	1	1	1	1	0
FEMALE	25	0	1	0	0	0	0	0	4	5	0	2	. 3	з	2	2	3
TOTALS	38	0	1	0	0	0	0	1	5	6	4	4	4	4	3	3	3
INTRACEREBRAL AND OTHER			AGE (4														
MALE	35	0	1	0	0	0	1	0	0	3	1	1	2	5	7	9	5
FEMALE	43	0	0	0	0	0	0	0	0	2	0	4	5	5	5	11	11
TOTALS	78	0	1	0	0	0	1	0	0	5	1	5	7	10	12	20	16
OCCLUSION AND STENDSIS O		-		- ,													
MALE	6	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0	2
FEMALE	6	0	. 0	0	0	0	0	0	0	0	1	0	1	1	0	2	1
TOTALS	12	0	0	0	0	0	0	0	0	0	1	0	3	2	1	2	3
CEREBRAL THROMBOSIS AND			N OF C	EREBRAI	_ ARTER	RIES (4	434.0,	434.9)									
MALE	· 29	0	0	0	0	0	0	0	1	1	0	4	3	3	3	4	10
FEMALE	46	0	0	0	0	0	0	0	0	0	1	1	2	5	7	9	21
TOTALS	75	0	0	0	0	0	0	0	1	1	1	5	5	8	10	13	31
CEREBRAL EMBOLISM (434.1	,	•															
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
ACUTE BUT ILL-DEFINED CE				.,													
MALE	147	0	0	0	0	0	0	0	1	2	2	5	13	25	24	39	36
FEMALE	273	0	0	0	0	0	0	0	0	0	0	4	11	25	39	53	141
TDTALS	420	0	0	0	0	0	0	0	1	2	2	9	24	50	63	92	177
OTHER CEREBROVASCULAR DI			•						_								
MALE	46	0	0	0	0	0	0	1	0	1	0	· 2	3	5	6	9	19
FEMALE	68	0	0	0	0	0	0	1	0	0	0	0	0	4	4	9	50
TOTALS	114	0	0	0	0	0	0	2	0	1	0	2	3	9	10	18	69

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** UNDER 1				5-19 20											OVER 84
(CONT.)																	
ATHEROSCLEROSIS (440)																	
MALE	28	0	0	0	0	0	0	0	0	0	1	3	1	4	2	6	11
FEMALE	73	0	0	0	0	0	0	0	0	Ō	1	1	3	7	5	10	46
TOTALS	101	0	0	0	0	0	0	0	0	Ō	2	4	4	11	7	16	57
AORTIC ANEURYSM (441)																	
MALE	59	0	0	0	0	0	0	0	0	1	1	1	6	15	12	10	13
FEMALE	41	0	Ō	Ō	Ō	Ō	Ō	1	1	1	Ó	ò	5	4	7	9	13
TOTALS	100	õ	ō	õ	Ō	ō	õ	1	1	2	1	1	11	19	19	19	26
ALL OTHER DISEASES OF AR	TERIES. ARTER	RIOLES.		PILLAR	IES (4	42-448)	•	•	-	•	•	•••			10	20
MALE	26	0	0	0	0	0	်ဝ	0	0	0	0	1	3	5	7	4	6
FEMALE	31	ō	ō	õ	õ	õ	õ	1	1	õ	ŏ	1	2	6	6	2	12
TOTALS	57	ō	ō	ō	ō	ō	ō	1	1	õ	õ	2	5	11	13	6	18
PHLEBITIS, THROMBOPHLEBI	TIS, AND VENO	DUS EMBO	LISM A	ND THR	OMBOSI	S (451	-453)			•	•	-	-			-	
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0
FEMALE	1	0	0	0	0	0	1	Ō	ō	õ	Ō	ō	ō	Ó	Ó	ō	õ
TOTALS	5	Ō	Ō	Ō	ō	Ō	-1	ō	ō	ō	õ	õ	õ	1	1	2	õ
OTHER DISEASES OF VEINS,	LYMPHATICS.	AND CIR	CULATO	RY SYS	TEM (4	54-459)'	-	-	-	•	•	-		-	_	-
MALE	9	1	0	0	0	0	Ó	0	0	0	0	1	3	0	1	1	2
FEMALE	6	Ó	õ	õ	ō	ō	õ	õ	õ	ŏ	õ	ò	ō	õ	ò	1	5
TOTALS	15	1	õ	õ	õ	õ	ō	õ	õ	õ	õ	1	3	õ	1	2	7
ACUTE UPPER RESPIRATORY	INFECTIONS (4	160-465)	•	-	-	•	•	•	•	0	0	•	-	0	•	~	•
MALE	4	2	0	0	0	0	1	0	0	0	0	0	ó	0	0	1	0
FEMALE	1	1	õ	ŏ	õ	õ	ò	õ	õ	ŏ	ŏ	ŏ	õ	ŏ	ŏ	ò	ŏ
TOTALS	5	3	õ	õ	õ	ō	1	õ	õ	õ	õ	õ	õ	õ	õ	1	õ
OTHER DISEASES OF UPPER	RESPIRATORY	RACT (4	70-478)	Ŭ	Ũ		•	Ŭ	Ŭ	Ŭ.	Ŭ	Ŭ	Ŭ	U		Ŭ
FEMALE	2	0	0	ÓO	0	0	0	1	0	0	0	0	0	0	0	0	1
TOTALS	2	ŏ	õ	õ	õ	õ	õ	i	õ	õ	õ	ŏ	õ	õ	õ	ő	i
ACUTE BRONCHITIS AND BROM	_	-	Ŭ	Ŭ	Ŭ	Ũ	v	•	Ŭ	Ŭ	v	0	Ŭ	v	Ŭ	Ŭ	
MALE	3	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
FEMALE	2	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ő	ŏ	ő	ò	1	ő	1
TOTALS	5	2	õ	ŏ	ŏ	õ	ŏ	ŏ	õ	ŏ	õ	õ	õ	1	1	ŏ	1
VIRAL PNEUMONIA (480)	5	2	0	0	U	U	Ŭ	U	U	U	0	U	0			0	1
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
FEMALE	2	õ	õ	õ	õ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	1	1
TOTALS	4	õ	õ	õ	õ	õ	ŏ	õ	õ	õ	õ	õ	õ	õ	õ	1	3
PNEUMOCOCCAL AND OTHER B		0	Ų	•	Ũ	Ŭ	v	0	U	0	v	0	0	0	0		5
MALE	6	0	0	-´ 0	0	0	0	0	0	0	0	2	0	0	0	1	3
FEMALE	11	ŏ	0	õ	ŏ	õ	ŏ	ŏ	ŏ	1	ŏ	1	1	1	õ	1	6
TOTALS	17	0	ő	ŏ	õ	õ	ŏ	ő	ŏ	1.	õ	3	1	1	0	2	Q Q

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DAGE282

122

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** UNDER 1						∗ AGE A 5-34 35			. ,						***** OVER 84
(CONT.)																	
BRONCHOPNEUMONIA, ORGANI	SM UNSPECIFIE	D (485)															
MALE	7	0	0	0	0	0	0	0	0	0	0	0	1	0	2	3	1
FEMALE	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	5
TOTALS	15	0	0	0	0	0	0	0	0	0	0	0	1	0	2	6	6
PNEUMONIA DUE TO OTHER A	ND UNSPECIFIE	D ORGANI	ISM (48	33,486)													
MALE	130	0	0	0	0	1	0	0	1	1	1	3	11	9	16	26	61
FEMALE	148	0	0	0	0	0	0	0	0	2	0	2	6	9	19	24	86
TOTALS	278	0	0	0	0	1	0	0	1	3	1	5	17	18	35	50	147
INFLUENZA (487)																	
MALE	9	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3	5
FEMALE	15	0	0	0	0	0	0	0	0	0	0	1	0	0	1	3	10
TOTALS	24	0	0	0	0	0	0	0	0	0	0	1	1	0	1	6	15
BRONCHITIS, NOT SPECIFIE	D AS ACUTE OF	CHRONIC	(490))													
FEMALE	1	0	0	0	0	υ	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
CHRONIC BRONCHITIS (491)																	
MALE	20	0	0	0	0	0	0	0	0	0	2	6	2	з	2	3	2
FEMALE	18	0	0	0	0	0	0	0	0	0	0	3	1	1	5	2	6
TOTALS	38	0	0	0	0	0	0	0	0	0	2	9	3	4	7	5	8
EMPHYSEMA (492)																	
MALE	57	0	0	0	0	0	0	0	0	1	2	4	З	14	11	11	11
FEMALE	30	0	0	0	0	0	0	0	1	1	1	2	7	1	9	3	5
TOTALS	87	0	0	0	0	0	0	0	1	2	3	6	10	15	20	14	16
ASTHMA (493)																	
MALE	9	0	0	0	0	0	0	0	0	1	1	0	2	1	2	1	1
FEMALE	13	0	0	0	0	0	0	0	1	2	0	0	1	1	4	2	2
TOTALS	22	0	0	0	0	0	0	0	1	3	1	0	3	2	6	3	3
BRONCHIECTASIS AND EXTRI	NSIC ALLERGIC	ALVEOL:	ITIS (4	494-495	5)												
MALE	́З	0	0	0	0	0	0	0	0	1	0	0	0	2	· O	0	0
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2
TOTALS	8	0	0	0	0	0	0	0	0	1	0	0	0	З	1	1	2
CHRONIC AIRWAYS OBSTRUCT	TION, NOT ELSE	EWHERE CI	LASSIF	IED (49	96)												
MALE	270	0	0	0	0	0	0	0	1	2	11	19	25	56	50	57	49
FEMALE	200	0	0	0	0	0	0	0	0	1	4	26	25	31	35	33	45
TOTALS	470	0	0	0	0	0	0	0	1	3	15	45	50	87	85	90	94
PNEUMOCONIOSES AND OTHER	R LUNG DISEASE	ES DUE TO	D EXTER	RNAL AG	BENTS	(500-5	08)										
MALE	17	1	0	0	0	0	0	0	0	0	0	1	0	1	3	3	8
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2
TOTALS	22	1	0	0	0	0	0	0	0	0	0	1	0	1	5	4	10

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** UNDER 1								TH(YRS. 5-54 55							***** OVER 84
(CONT.)																	
EMPYEMA AND ABSCESS OF LUN	G AND MEDIA	STINUM	(510,5	513)													
MALE	4	0	0	0	0	0	0	Ο.	0	0	0	0	1	0	2	1	0
TOTALS	4	0	0	0	0	0	0	0	0	0	0	Ō	1	ō	2	1	ō
PLEURISY (511)																	
MALE	1	0	0	0	0	- 0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	2	0	0	0	Ο.	0	0	0	0	0	0	0	· 0	0	1	0	1
ALL OTHER DISEASES OF RESP			2,514-	- ,													
MALE	50	0	0	0	0	0.	0	1	0	0	3	6	5	10	8	9	8
FEMALE	42	0	0	0	0	0	0	2	0	0	2	1	5	6	8	8	10
TOTALS	92	0	0	0	0	0	0	3	0	0	5	7	10	16	16	17	18
DISEASES OF ORAL CAVITY, S	ALIVARY GLA			(520-5			~			-	-	_	-			_	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
GASTRIC ULCER (531) MALE	0	•	~	~	~	•	~	~	~	•	•	•	~	~	~	-	~
MALE FEMALE	2 3	0	0	0 0	0	0	0	0	0	0	0	0	2	0	0	0	0
TOTALS	35	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0
DUODENAL ULCER (532)	5	0	0	0	0	0	0	0	0	0	0	0	3	1	1	0	0
MALE	2	0	0	0	0	0	0	0	0	0	0	~	~	1		~	0
FEMALE	2	0	ő	ő	ő	0	ő	0	0	0	0	0	. Q 0	Ö	1	0	0 3
TOTALS	- 6	ő	õ	õ	ŏ	õ	õ	õ	õ	0	0	0	0	1	2	0	3
PEPTIC ULCER, SITE UNSPECI	•	0	U	0	0	0	0	0	0	U	0	0	0	1	2	0	3
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	4	1	4
FEMALE	3	ő	ŏ	ŏ	ŏ	ŏ	ŏ	0	0	0	0	0	0	0	1	1	1
TOTALS	7	õ	õ	õ	õ	õ	õ	õ	õ	ŏ	0	ő	0	1	2	2	2
GASTRITIS AND DUODENITIS (535)	U	Ŭ	v	Ŭ	v	Ŭ	0	0	U	0	0	0	I	2	2	2
MALE	4	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	1
FEMALE	3	õ	õ	õ	õ	ŏ	ŏ	õ	ŏ	ò	1	õ	ŏ	1	ŏ	ò	1
TOTALS	7	ő	ŏ	õ	õ	õ	ŏ	õ	õ	í	2	õ	õ	1	õ	1	2
APPENDICITIS (540-543)		Ū	•	Ũ	•	•	•	Ŭ	Ŭ	•	-	Ŭ	Ũ	•	Ũ	•	-
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	2	ŏ	ŏ	õ	ö	õ	ŏ	ŏ	õ	õ	ŏ	ŏ	ŏ	ŏ	2	ŏ	ò
TOTALS	3	õ	õ	Ō	Ó	Ō	õ	õ	õ	õ	õ	õ	õ	ŏ	2	ŏ	1
HERNIA OF ABDOMINAL CAVITY	AND INTEST	INALOB	-	-	тнойт	MENTIO	-	•	•	53,560)			Ť	Ť	-		•
MALE	10	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	6
FEMALE	24	õ	Ó	Ō	0	ō	Ō	Ō	õ	õ	õ	Ó	2	1	2	3	16
TOTALS	34	Ō	Ō	Ō	Ó	Ō	Õ	õ	ō	õ	õ	1	3	3	2	3	22

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

124

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	******* UNDER 1	****** 1-4						AT DEAT 5-44 45							****** 0-84	0VER 84
(CONT.)																	
REGIONAL ENTERITIS AND I	DIOPATHIC PRO	DCTOCOLI	TIS (59	55-556)													
MALE	3	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1
FEMALE	1	ō	ō	ō	õ	ō	õ	õ	ŏ	1	ò	ō	Ó	õ	õ	ŏ	Ó
TOTALS	4	Ō	Ō	ō	0	Ō	ō	Ō	õ	1	1	ō	1	ō	ō	0	1
ALL OTHER NONINFECTIVE G	ASTROENTERIT	IS AND CO	DLITIS	(557-5	58)	-	•	•	-			•	•	-	•	•	
MALE	19	0	0	0	0	0	0	1	0	1	1	0	3	2	6	2	3
FEMALE	39	ō	õ	ō	õ	õ	ō	ò	õ	1	Ó	3	2	3	3	6	21
TOTALS	58	Ō	ō	ō	õ	Ō	ō	1	õ	2	1	3	5	5	9	8	24
DIVERTICULA OF INTESTINE	(562)	•	•	•	•	•	•		v			-	-	-		-	
MALE	6	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	2
FEMALE	21	õ	õ	ŏ	õ	ŏ	õ	õ	õ	ŏ	ŏ	ŏ	ŏ	2	1	3	15
TOTALS	27	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	õ	4	3	3	17
CHRONIC LIVER DISEASE AN		SPECIEI		ALCOHOL	10 (57	1 0-57	•	Ũ	Ŭ	Ũ	Ū	Ū	0	•	•	U	•••
MALE	44	0	0	0	0	0	0	1	5	6	6	7	9	7	2	1	0
FEMALE	12	ŏ	ŏ	ŏ	ŏ	ŏ	õ	ò	õ	3	1	2	5	ò	1	ò	ŏ
TOTALS	56	õ	õ	õ	õ	õ	õ	1	5	9	7	9	14	7	3	ĩ	ŏ
CHRONIC HEPATITIS AND BI		-	•	•	U	Ŭ	0		5	5	'	5	1-4	'	5		0
MALE	4	0	0	.0,	0	, O	0	0	0	1	0	0	0	0	0	0	0
FEMALE	7	ŏ	õ	õ	õ	õ	õ	õ	õ	ò	1	1	1	1	1	1	1
TOTALS	,	0	0	0	0	õ	õ	0	õ	4	4	4	1	4	4	-	1
CIRRHOSIS OF LIVER AND U	INSPECTATED CI	•	•	ISEASE	WITHOU	•		•	HOL (57	74 5 5	1 71 0	71 0)	I	1			
MALE	43			0	0	0	0	- ALCOR	2	9	2	5	5	7	5	5	2
FEMALE	43 19	0	0	0	0	0	0	0	∠ 1	9 1	2	5 1	2	3	5	5	2
TOTALS	62		0	0	0	õ	0	1	3	10	2	6	27	10	12	6	2 4
CHOLELITHIASIS AND OTHER			•	(574-57	•	0	0	I	3	10	2	0	/	10	12	0	4
MALE MALE	8	O GALLBL	O	(5/4-5/	0	0	0	0	ο	0	2	1	1	0	1	1	2
FEMALE	8 11	0	0	0	0	0	0	0	0	0	2 0	1	0	4	0	3	2
TOTALS	11 19	0	0	0	0	0	0	0	0	0	2	0	1	4	1	3	9
ALL OTHER DISEASES OF DI		•	•		•	<u> </u>	0	0	0	0	2	1		I		4	9
						0,572-:	0	1 1 1 1 1 1 1	~	-	1	F	~	•	7		16
MALE	62	0	0	0	0	-	0	1	2	5	4	5 7	6 5	8 6	9	· 11	40
FEMALE	80	0	0	0	0	0	0	-	•	0 5	4 5	12	11	14	9 16	18	40
TOTALS	142	0	0	0	0	0	0	2	3	5	5	12	11	14	16	18	50
NEPHROTIC SYNDROME (581)	,		•	~	•	•	•		•	•	~			~	~	•	~
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS		0	0		0	0	0	0	0	, 0	0	0	1	0	0	0	0
CHRONIC GLOMERULONEPHRIT				•		L SCLE		•	583,587	-	~	~	~	~	~		~
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0
RENAL FAILURE (584-586.5	,	_										-		_	-	_	
MALE	44	0	0	0	0	0	0	1	0	0	2	3	4	2	8	6	18
FEMALE	46	0	0	0	0	0	0	0	0	1	1	1	3	4	5	4	27
TOTALS	90	0	0	0	0	0	0	1	0	1	3	4	7	6	13	10	45

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

		*****	*****	*****	*****	*****	*****	* AGE) + * *		*****		***		
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 1	0-14 1	15-19 2	0-24 2	5-34 3	5-44 4	5-54 55	5-59 60	D-64 65	5-69 7	0-74 7	5-79 8	0-84	0VER 84
(CONT.)																	
INFECTIONS OF KIDNEY (590)																
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
FEMALE	1	0	0	0	0	0	0	0	Ō	õ	ō	õ	õ	ò	1	ŏ	ò
TOTALS	3	0	0	0	0	0	0	0	0	0	0	Ō	Ō	1	1	ō	1
URINARY CALCULUS (592,594)											-	-			-	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	Ō
ALL OTHER DISEASES OF URI	NARY SYSTEM ((591,59	3,595-	599)													
MALE	25	0	0	0	0	0	0	1	0	1	0	0	1	5	6	3	8
FEMALE	34	0	0	0	0	0	0	0	0	0	1	0	1	З	3	4	22
TOTALS	59	0	0	0	0	0	0	1	0	1	1	0	2	8	9	7	30
HYPERPLASIA OF PROSTATE (600)																
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2
OTHER DISEASES OF MALE GE	NITAL ORGANS		08)														
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	. 0	0	0	0	0	0	0	0	0	0	0	0	0	1
OTHER DISEASES OF FEMALE	GENITAL ORGAN	- • - ·	-629)														
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
LEGALLY INDUCED ABORTION	(635)																
FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	Ó	0	0	0	0
TOTALS	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
COMPLICATIONS OF THE PUER		,															
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
INDIRECT OBSTETRIC CAUSES	(647-648)																
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	. 0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
INFECTIONS OF SKIN AND SU	BCUTANEDUS TI	、	680-68	- /													
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
ALL OTHER DISEASES OF SKI			TISSUE		,												
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3
RHEUMATOID ARTHRITIS AND				THROPA		(714)											
MALE	6	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2	0
FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	2	0	2	2	1
TOTALS	13	0	0	0	0	0	0	0	0	0	0	0	3	1	4	4	1
OTHER ARTHROPATHIES AND R					19)		-	-	-	-	~		_	_			•
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
	11	0	0	0	0	0	0	0	1	0	0	0	0	3	1	2	4
TOTALS	13	0	0	0	0	0	0	0	1	0	0	1	0	3	1	2	5

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

		*****	*****	*****	*****	* * * * * * *	*****	* AGE A	T DEAT	TH(YRS.	.) ***>	*****	*****	* * * * * *	*****	*****	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 1(D-14 1!	5-19 20	0~24 2	5-34 35	5-44 45	5-54 55	5-59 60	0-64 65	5-69 70	0-74 7	5-79 80	0-84	OVER 84
(CONT.)																	
DORSOPATHIES (720-724)												•					
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
RHEUMATISM, EXCLUDING TH	E BACK (725-7:				_												
FEMALE TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
OSTEOPATHIES, CHONDROPATI		•			0	0	0	0	0	0	0	0	0	0	0	0	1
MALE	ALCO			O		RMITIES	• • • • •	,	~	~	•						
FEMALE	5	ŏ	0	0	0	0	0 O	0	0	0	0	1	1	0	1	1	0
TOTALS	9	õ	ő	õ	õ	0	0	0	0	0	0	1	1	1	0	1	3
SPINA BIFIDA (741)	5	0	0	0	0	0	0	0	0	0	0	1	1	1	1	2	ى
MALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	1	õ	õ	ŏ	ŏ	ŏ	õ	õ	õ	ŏ	õ	õ	õ	õ	0	õ
ALL OTHER CONGENITAL AND	MALIES OF NER	vous sy	STEM (740,742	2)	· ·	Ū	•	Ŭ	Ū	0	Ũ	Ũ	0	0	U	Ŭ
MALE	3	2	0	Ó	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	4	0	0	2	1	0	1	0	Ō	ō	ō	ō	ō	ō	ō	ō	ò
TOTALS	7	2	0	2	1	0	1	0	0	0	0	Ō	Ō	ō	ō	ō	1
CONGENITAL ANOMALIES OF	HEART (745-740	5)										-	-	-	-	-	
MALE	10	4	2	0	0	0	0	1	з	0	0	0	0	0	0	0	0
FEMALE	5	3	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
TOTALS	15	7	2	0	0	0	0	2	4	0	0	0	. 0	0	0	0	0
OTHER CONGENITAL ANOMALI				747)													
MALE	3	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	4	2	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
ALL OTHER CONGENITAL ANO	13 MALIES	• • • •	/59) 2	0	~		•			_			_	_			
FEMALE	13	6 8	2	0	0	0	0	1	0	0	1	1	0	0	1	0	1
TOTALS	24	14	2	0		0	0	0	0	1	0	1	0	0	0	0	0
INTRAUTERINE HYPOXIA, BI					RESS	SYNDRO	•	8-769)	0	1	1	2	0	0	1	0	1
MALE	4	4	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0	0
FEMALE	2	2	õ	ŏ	õ	õ	õ	ŏ	õ	ő	ŏ	ő	0	0	ŏ	0	0
TOTALS	- 6	6	õ	õ	õ	õ	õ	õ	õ	ő	õ	õ	õ	ő	õ	ő	ő
OTHER CONDITIONS ORIGINA	TING IN THE PI	FRINATA	L PERI	0D (760)-766 ·	770-779	-	0	U	v	0	0	v	0	0	0	0
MALE	10	10	0	ò	0	0	ο γ	0	0	0	0	0	0	0	0	0	0
FEMALE	13	13	Ō	ō	ō	õ	ō	õ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ
TOTALS	23	23	0	0	υ	Ō	Ō	Ō	ō	ō	ō	ō	ō	ŏ	ŏ	ŏ	õ
SENILITY WITHOUT MENTION	OF PSYCHOSIS	(797)															
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6
TOTALS	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

127

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

		*****	****	*****	*****	*****	*****	* AGE	AT DEAT	H(YRS.) ***	****	*****	*****	*****	*****	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10	0-14 1	5-19 2	0-24 2	5-34 :	35-44 45	5-54 55	-59 60	0-64 65	5-69 70)-74 75	5-79 80	D-84	OVER 84
(CONT.)																	
SYMPTOMS, SIGNS AND OTHE	R ILL-DEFINED		IONS (8,798-	799)											
MALE	28	10	0	0	0	1	0	1	1	2	1	1	0	3	1	1	6
FEMALE	28	6	0	0	0	0	0	1	0	0	0	1	2	З	2	2	11
TOTALS	56	16	0	0	0	1	0	2	1	2	1	2	2	6	3	3	17
RAILWAY ACCIDENTS (E800-	-E807)																
MALE	<u> </u>	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	ο.	0	0	1	0	0	Q	0	0	0	0	0	0	0
MOTOR VEHICLE TRAFFIC AC					ANOTH	IER MOT			(E811~E8								
MALE	40	0	0	0	1	3	5	6	5	6	1	2	3	2	2	1	3
FEMALE	32	0	0	0	1	6	2	3	4	7	1	2	2	1	1	1	1
TOTALS	72	0	0	0	2	9	7	9	9	13	2	4	5	3	3	2	4
MOTOR VEHICLE TRAFFIC AC							(E814)										
MALE	12	0	0	0	0	0	1	2	1	1	2	0	1	0	1	0	3
FEMALE	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	14	0	1	0	0	0	1	2	1	1	2	0	1	0	1	0	4
MOTOR VEHICLE TRAFFIC AC	CIDENTS INVOLV	/ING COL	LISIC			VEHIC		OBJEC	,	,E815)							
MALE	22	0	0	0	0	4	3	8	З	0	1	0	0	2	1	0	0
FEMALE	12	0	0	0	3	0	0	2	з	1	0	0	0	0	2	0	1
TOTALS	34	0	0	0	3	4	З	10	6	1	1	0	0	2	з	0	1
MOTOR VEHICLE TRAFFIC AC	CIDENTS NOT IN	VOLVING	G COLL	ISION (DN HIG	HWAY (E816-E	818)									
MALE	50	0	0	0	0	7	7	16	11	2	1	0	1	1	1	З	0
FEMALE	16	0	0	0	1	3	2	1	з	3	1	1	ò	1	0	0	0
TOTALS	66	0	0	0	1	10	9	17	14	5	2	1	1	2	1	3	0
MOTOR VEHICLE TRAFFIC AC	CCIDENTS OF UNS	SPECIFIE	D NAT	TURE (E	B19)												
MALE	10	0	0	0	0	2	2	2	1	0	0	0	0	1	0	1	1
FEMALE	4	0	0	0	0	2	0	1	0	0	0	0	0	0	0	0	1
TOTALS	14	0	0	0	0	4	2	3	1	0	0	0	0	1	0	1	2
MOTOR VEHICLE NONTRAFFIC	C ACCIDENTS (E8	320-E825	5)														
MALE	7	0	1	0.	1	1	0	2	0	1	0	1	0	0	0	0	0
FEMALE	1	Ō	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	8	ō	2	Ō	1	1	0	2	Ō	1	0	1	Ō	0	0	0	0
WATER TRANSPORT ACCIDENT	TS (E830-E838)	-	_	-													
MALE	5	0	0	0	0	0	0	0	1	2	0	0	1	1	0	0	0
FEMALE	1	Ō	ŏ	ŏ	ō	õ	ō	ō	1	ō	ō	õ	ò	Ó	õ	ō	ō
TOTALS	6	ŏ	ŏ	ŏ	ŏ	õ	ŏ	ŏ	2	ž	ŏ	ŏ	1	1	ŏ	ŏ	õ
AIR AND SPACE TRANSPORT	ACCIDENTS (F84	40-E845`) -	-	-		_	2	_		-	-	-		-	-	
MALE	3	0	Ó O	0	0	0	0	1	2	0	0	0	0	0	0	0	0
FEMALE	1	õ	ŏ	õ	ō	ō	õ	1	ō	õ	ō	ō	õ	õ	õ	ō	Ō
TOTALS	4	ŏ	ŏ	ŏ	. 0	ō	ŏ	2	2	õ	ŏ	ŏ	ŏ	õ	ō	ŏ	ō
	•	•	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	******** UNDER 1						* AGE A 5-34 35									0VER 84
(CONT.)																	
ACCIDENTAL POISONING BY	DRUGS, MEDICAN	MENTS AND	D BIOL	OGICAL	.S (E83	50-E 85 8	3)										
MALE	10	0	0	0	0	0	1	3	4	01	0	0	1	0	1	0	0
FEMALE	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0
TOTALS	12	0	0	0	0	0	1	4	4	1	0	0	1	0	1	0	0
ACCIDENTAL POISONING BY	OTHER SOLID OF	-			(E860-	,		_	_		_	_		_		_	
MALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	1.	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
ACCIDENTAL POISONING BY	GASES AND VAPO				•		~	•	~	~	•	•	•	~	•	•	•
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	1	0	0	0	0	0 0	0 0	0	0	0	0
TOTALS MISADVENTURES DURING MEE		-	EACTIC	0	JD LATE		LICATIO	Ç	о 370-Е87	•	U	0	0	0	0	0	0
FEMALE	2	NURMAL RE		лу <u>5</u> , ар О			0	7142 (E5	0	0	0	0	1	0	0	o	4
TOTALS	2	0	0	0	ő	ő	0	ŏ	0	õ	õ	0	4	ő	ŏ	ő	1
FALL FROM ONE LEVEL TO A	-		0	0	0	0	0	U	0	0	0	0		U	0	U	
MALE	11	0	0	0	0	0	2	0	0	2	3	0	0	2	0	1	1
FEMALE	6	õ	õ	õ	õ	ŏ	ō	1	ŏ	1	õ	ŏ	ŏ	ō	ŏ	ò	4
TOTALS	17	ŏ	õ	õ	õ	õ	2	1	õ	3	3	õ	ŏ	ž	õ	1	5
FALL ON SAME LEVEL (E88	••	U	•	Ŭ	Ŭ	Ŭ	-	•	•	0	Ū	Ŭ	Ŭ	-	Ũ	•	-
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
FEMALE	3	õ	õ	ŏ	õ	ŏ	õ	ò	ŏ	õ	õ	ĭ	· ŏ	õ	ŏ	ŏ	2
TOTALS	4	õ	ō	Ō	ō	ō	ō	1	õ	ō	ō	1	ŏ	ō	õ	õ	2
FRACTURE, CAUSE UNSPECIE	FIED, AND OTHER	R AND UNS	SPECIF	IIED F	ALLS ((E887-I	E888)										
MALE	14	0	0	0	0	0	0	0	0	0	2	1	0	3	1	0	7
FEMALE	34	0	0	0	0	0	0	0	1	0	0	1	1	1	1	9	20
TOTALS	48	Q	0	0	0	0	0	0	1	0	2	2	1	4	2	9	27
ACCIDENTS CAUSED BY FIRE	E AND FLAMES (I	E890-E899	9)														
MALE	15	0	0	1	0	1	1	2	3	3	0	0	2	0	1	1	0
FEMALE	7	0	0	1	0	0	0	0	0	1	1	0	0	1	1	1	1
TOTALS	22	0	0	2	0	1	1	2	з	4	1	0	2	1	2	2	1
ACCIDENTAL DROWNING AND	SUBMERSION (E	910)															
MALE	12	0	0	0	1	1	З	2	1	0	1	1	0	1	1	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0
TOTALS	15	0	0	0	1	1	3	2	1	0	1	1	1	1	2	1	0
INHALATION AND INGESTION				AUSING		CATION	(E911	-E912)								_	
MALE	6	0	1	0	0	0	0	0	0	0	0	0	0	0	1	3	1
FEMALE	10	0	0	0	0	0	0	0	0	0	0	0	1	3	1	1	4
TOTALS	16	0	1	0	0	0	्०	0	0	0	0	0	· 1	3	2	4	5
ACCIDENT CAUSED BY ALL				RMS (ES						-	_	-		•	•	•	•
MALE	5	.0	0	0	1	0	0	1	1	2	0	0	0	0	0	0	0
TOTALS	5	0	0	0	1	0	0	1	1	2	0	0	0	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

		*****	*****	*****	*****	*****	*****	* AGE /	AT DEAT	H(YRS) ****	****	*****	*****	*****	*****	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1							5-44 45								OVER 84
(CONT.)																	
ALL OTHER ACCIDENTS (ES	900-E906,E908-E	909.E91	3-E921	.E927-	E929)												
MALE	30	1	1	0	0 Ó	1	0	2	8	2	1	2	3	1	1	1	6
FEMALE	5	0	0	0	0	0	ť	0	Ō	Ō	0	Ō	õ	Ó	1	1	2
TOTALS	35	1	1	0	0	1	1	2	8	2	1	2	3	1	2	2	8
DRUGS, MEDICAMENTS AND	BIOLOGICAL SUB	STANCES	CAUSI	NG ADV	ERSE E	FFECTS	IN TH	ERAPEU	TIC USE	(E930)-E949)						
FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
SUICIDE BY DRUGS, MEDIC	CAMENTS, AND BI	OLOGICA	LS (E9		950.5))											
MALE	8	0	0	0	0	1	1	1	3	0	2	O ·	0	0	0	0	0
FEMALE	3	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0
TOTALS	11	0	0	0	0	1	1	2	4	1	2	0	0	0	0	0	0
SUICIDE BY GASES AND VA							•										
MALE	3	0	0	0	0	0	0	1	0	1	0	0	0	0	1	0	0
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	4	0	0	0	0	0	0	1	0	2	0	0	0	0	1	0	0
SUICIDE BY HANGING, STR					·	•					-		_			-	
MALE	22	0	0	0	1	2	2	4	4	6	2	0	0	0	0	0	1
FEMALE	3	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1
TOTALS	25	0	0	0	1	2	2	5	5	6	2	0	0	0	0	0	2
SUICIDE BY HANDGUN (E95 MALE		~	0	0	~	~	0					~		•	~		~
FEMALE	22	0	0	0	0	0	0	4	4	4	1	0	1	2	3	1	2
	23	0	0	0	0	0	1	0	0	0 4	0	0	1	0	0 3	0	0
TOTALS		0	•	5.1-E9	•	0	1	4	4	4	1	0	1	2	3	1	2
SUICIDE BY ALL OTHER AN MALE	69		5 (E95 0	0.1-69	25.4	8	7	11	40	7	~	2	5	-	2	3	
FEMALE	9	0	0	0	2	1	1	3	12 2		2 0	2	5	7 0	2	-	0
TOTALS	9 78	0	0	0	2	9	8	14	14	2 9	2	2	5	7	2	0 3	1
SUICIDE BY ALL OTHER ME		0	-	0	2	9	0	14	14	9	2	2	5	/	2	3	
MALE	ANS (ESJ4,ESSJ	.5~2959	΄ ο	0	0	0	1	0	3	2	ł	1	1	0	0	0	0
FEMALE	2	ŏ	õ	ŏ	ŏ	ŏ	ò	ŏ	õ	õ	ò	ò	ò	ő	õ	1	1
TOTALS	11	õ	õ	õ	õ	õ	1	õ	3	2	ĩ	ĭ	1	õ	õ	i	
ASSAULT BY HANDGUN (E96	65.0)	Ũ	,	· ·		•	•	•		-			•	Ŭ	Ŭ		
MALE	2	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0
FEMALE .	2	ŏ	ŏ	ŏ	Ó	ŏ	ŏ	t	1	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ
TOTALS	4	ŏ	ŏ	õ	1	ŏ	ŏ	2	1	ŏ	ŏ	ŏ	õ	õ	õ	ŏ	õ
ASSAULT BY ALL OTHER AN	ND UNSPECIFIED	FIREARM	S (E96	5.1-E9	65.4)	-	-	-		-	-	-	-	÷	•	-	2
MALE	5	0	0	0	0	0	0	2	3	0	0	0	0	0	0	0	0
FEMALE	3	Ō	ō	0	ō	Ō	1	0	t	ō	Ō	1	Ō	Ō	ō	ō	Ō
TOTALS	8	Ō	0	0	Ó	Ō	1	2	4	Ō	Ō	t	Ō	õ	Ō	Ō	Ō

.

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DAGE282

130

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	**** UNDER 1	****** 1-4	***** 5-9	****** 10-14		***** 20-24	_			- · ·	***** 60-64	****** 65-69	***** 70-74	****** 75-79	****** 80-84	***** OVER 84
(CONT.)																	
ASSAULT BY CUTTING AND P	IERCING INST	RUMENT	(E966)														
MALE	2	0	0	0	· 0	0	· 0	2	Ο [΄]	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	· 0	0	2	0	0	0	0	Ō	0	0	0	0
ASSAULT BY ALL OTHER MEA	NS (E960-E964	,E965.	5-E965	.9,E96	7-E969)											
MALE	5	0	0	0	0	0	1	3	1	0	0	0	0	0	0	0	0
FEMALE	6	1	1	0	0	0	1	0	3	0	0	0	0	0	0	0	0
TOTALS	11	1	1	0	0	0	2	3	4	0	0	0	0	0	0	0	0
OTHER LEGAL INTERVENTION	I (E970-E977)																
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
INJURY INFLICTED BY ALL	OTHER MEANS	(E981-E	984,E9	85.5-E	989)												
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
STATE																	
MALE	5,500	51	13	5	11	39	48	132	200	347	267	447	544	780	833	804	979
FEMALE	5,545	38	6	6	11	13	21	48	103	206	143	293	468	595	730	873	1,991
TOTALS	11,045	89	19	11	22	52	69	180	303	553	4 10	740	1,012	1,375	1,563	1,677	2,970
PERCENT DISTRIBUTION																	
MALE	100.00	0.93	0.24	0.09	0.20	0.71	0.87	2.40	3.64	6.31	4.85	8.13	9.89	14.18	15.15	14.62	17.80
FEMALE	100.00	0.69	0.11	0.11	0.20	0.23	0.38	0.87	1.86	3.72	2.58	5.28		10.73			
TOTALS	100.00	0.81	0.17	0.10	0.20	0.47	0.62	1.63	2.74	5.01	3.71	6.70	9.16	12.45	14.15	15.18	26.89

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
SHIGELLOSIS & AMEBIASIS (004.006) OTHER INTESTINAL INFECTIONS (007-009) TUBERCULOSIS OF RESP. SYSTEM (010-012) OTHER TUBERCULOSIS (013-018) WHOOPING COUGH (033) STREP., SCARLATINA & ERYSIPELAS (034-035)	0	0	0,000
OTHER INTESTINAL INFECTIONS (007-009)	4	9	2.250
TUBERCULOSIS OF RESP. SYSTEM (010-012)	2	8	4.000
OTHER TUBERCULOSIS (013-018)	ō	2	0.000
WHOOPING COUGH (033)	ō	2 0	0.000
STREP., SCARLATINA & ERYSIPELAS (034-035)	Ó	0	0.000
MENINGOCOCAL INFECTION (036) SEPTICEMIA (038) ACUTE POLIOMYELITIS (045) MEASLES (055) VIRAL HEPATITIS (070) SYPHILIS (090-097) ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL) MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149) MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159) MAL. NEO. DESDIBATORY & THORAGIC ORG. (150-159)	0	0	0.000
SEPTICEMIA (038)	75	411	5.480
ACUTE POLIOMYELITIS (045)	0	0	0.000
MEASLES (055)	0	0	0.000
VIRAL HEPATITIS (070)	1	5	5.000
SYPHILIS (090-097)	1	2	2.000
ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL)	83	118	1.421
MAL. NED. LIP, ORAL CAV., PHARYNX (140-149)	59	75	1.271
MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159)	696	790	1.135
MAL. NEO. RESPIRATORY & THORACIC ORG. (160-165)	827	907	1.096
MAL. NED. DIGESTIVE & PERITUNEUM URG. (150-159) MAL. NED. RESPIRATORY & THORACIC ORG. (160-165) MAL. NED. BREAST (174-175) MAL. NED. GENITAL ORGANS (179-187) MAL. NED. URINARY ORGANS (188-189) MAL. NED. ALL OTHER & UNSPEC. (170-173, 190-199)	222	281	1.265
MAL. NED. GENITAL ORGANS (179-187)	328	420	1.280
MAL. NEO. URINARY ORGANS (188-189)	133	175	1,315
MAL. NED. ALL OTHER & UNSPEC. (170-173, 190-199)	365	553	1.515
LEUKEMIA (204-208)	110	138	1.254
OTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203)	162	203	1,253
BENIGN NED., NED. UNCERT. & UNSPEC. (210-239)	35	74	2.114
DIABETES MELLITUS (250)	320	940	2.937
NUTRITIONAL DEFICIENCIES (260-269)	22	219	9.954
ANEMIAS (280-285)	25	208	8.320
MENINGITIS (320-322)	4	13	3.250
RHEUM. FEVER & RHEUM. HEART DIS. (390-398)	33	58	1.757
HYPERTENSIVE HEART DISEASE (402)	69	145	2.101
HYPERTENSIVE HEART & RENAL DIS. (404)	14	26	1.857
<pre>MAL. NED. ALL OTHER & UNSPEC. (170-173, 190-199) LEUKEMIA (204-208) OTHER MAL. NED. LYMPH & HEMD. TISSUE (200-203) BENIGN NED., NED. UNCERT. & UNSPEC. (210-239) DIABETES MELLITUS (250) NUTRITIONAL DEFICIENCIES (260-269) ANEMIAS (280-285) MENINGITIS (320-322) RHEUM. FEVER & RHEUM. HEART DIS. (390-398) HYPERTENSIVE HEART DISEASE (402) HYPERTENSIVE HEART & RENAL DIS. (404) ACUTE MYOCARDIAL INFARCTION (410) OTHER ACUTE & SUBACUTE I.H.D. (411) ANGINA PECTORIS (413) ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414) OTHER DISEASES OF ENDOCARDIUM (424)</pre>	1,115	1,324	1.187
OTHER ACUTE & SUBACUTE I.H.D. (411)	8	21	2.625
ANGINA PECTORIS (413)	10	60	6.000
ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414)	1,170	2,268	1.938
OTHER DISEASES OF ENDOCARDIUM (424)	88	189	2.147
ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414) OTHER DISEASES OF ENDOCARDIUM (424) ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429) HYPERTENSION W/WO RENAL DISEASE (401, 403) INTRACEREBRAL HEMORRHAGE (431-432)	919	3,702	4.028
HYPERTENSION W/WO RENAL DISEASE (401, 403)	54	621	11.500
INTRACEREBRAL HEMORRHAGE (431-432)	78	125	1.602
CEREB. THROM. & UNSPEC. OCCLUSION (434.0, 434.9)	75	115	1.533

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

* SEE THE NOTES AT THE END OF THIS TABLE.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEARAT

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	
CEREBRAL EMBOLISM (434.1)	1	11	11.000
ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438)	584	1,114	1.907
ATHEROSCLEROSIS (440)	101	464	4.594
ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438) ATHEROSCLEROSIS (440) OTHER DIS. ARTERIES & CAPIL. (441-448) ACUTE BRONCHITIS & BRONCHIOLITIS (466) PNEUMONIA (480-486) INFLUENZA (487) BRONCHITIS CHRONIC & UNSPEC. (490-491) EMPHYSEMA (492) ASTHMA (493) OTHER CHRONIC OBSTR. PUL. DIS. (494-496) ULCER OF STOMACH & DUODENUM (531-533) APPENDICITIS (540-543) HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560) CHRONIC LIVER DISEASE & CIRRHOSIS (571) CHOLELITHIASIS & GALLBLAD. DIS. (574-575) ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581) CHRON. GLOMERUL. & NEPHROTIC SYN. (580-581) CHRON. GLOMERUL. & RENAL SCLED. UNSPEC. (582-583, 587) RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589) INFECTIONS OF KIDNEY (590) HYPERPLASIA OF PROSTATE ALL (600) PREGNANCY WITH ABORTIVE OUTCOME (630-638) OTHER COMPLICATIONS OF PREG. (640-676) CONGENITAL ANOMALIES (740-759) BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769) OTHER COND. IN PERINATAL PERIOD (760-766, 770-779) SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799) ALL OTHER DISEASES (RESIDUAL) MOTOR VEHICLE ACCIDENTS (E810-E825)	157	309	1.968
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	- 5	19	3.800
PNEUMONIA (480-486)	314	970	3.089
INFLUENZA (487)	24	32	1.333
BRONCHITIS CHRONIC & UNSPEC. (490-491)	39	76	1,948
EMPHYSEMA (492)	87	150	1.724
ASTHMA (493)	22	55	2.500
OTHER CHRONIC OBSTR. PUL. DIS. (494-496)	478	1,148	2.401
ULCER OF STOMACH & DUODENUM (531-533)	18	72	4.000
APPENDICITIS (540-543)	3	4	1.333
HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560)	34	118	3.470
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	126	177	1.404
CHOLELITHIASIS & GALLBLAD. DIS. (574-575)	19	43	2.263
ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581)	1	7	7.000
CHRON. GLOMERUL. & RENAL SCLED. UNSPEC. (582-583, 587)	3	16	5.333
RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589)	90	619	6.877
INFECTIONS OF KIDNEY (590)	3	15	5.000
HYPERPLASIA OF PROSTATE ALL (600)	4	16	4.000
PREGNANCY WITH ABORTIVE OUTCOME (630-638)	1	1	1.000
OTHER COMPLICATIONS OF PREG. (640-676)	2	3	1.500
CONGENITAL ANOMALIES (740-759)	51	65	1.274
BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769)	6	15	[*] 2.500
OTHER COND. IN PERINATAL PERIOD (760-766, 770-779)	23	48	2.086
SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799)	63	1,937	30.746
ALL OTHER DISEASES (RESIDUAL) MOTOR VEHICLE ACCIDENTS (E810-E825) OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949)	1,100	3,574	3.249
MOTOR VEHICLE ACCIDENTS (E810-E825)	208	212	1.019
OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949)	191	573	3.000
SUICIDE (E950-E959)	152	154	1.013
HOMICIDE & LEGAL INTERVENTION (E960-E978)	27	27	1.000
SUICIDE (E950-E959) HOMICIDE & LEGAL INTERVENTION (E960-E978) ALL OTHER EXTERNAL CAUSES (E980-E999)	1	1	1.000
TOTAL FOR ALL CAUSES	11,045	26,250	2.376

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT. EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

* FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS. IN ADDITION CERTAIN CAUSES ARE NEVER CLASSIFIABLE AS UNDERLYING. MENTIONS OF THESE CAUSES ARE NOT INCLUDED IN THIS TABLE. MENTIONS OF CAUSES NOT CLASSIFIABLE AS UNDERLYING ARE AS FOLLOWS:

NATURE OF INJURY MENTIONS: 1253; SECONDARY NEOPLASM MENTIONS 486

SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA. RESEARCH AND VITAL STATISTICS

DEARAT

DEATHS - TOTAL AND PERCENT BY SITE OF DEATH MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

				****					1	
COUNTY	TOTAL DEATHS	MAINE HOSPITAL	OUT OF STATE HOSPITAL	EN ROUTE TO HOSPITAL	SKILLED NURSING CARE	DEATHS BY SITE C INTERMEDIATE CARE FACILITY	STATE PENAL INSTITUTIONS	OUT PATIENT FACILITY	AT HOME	OTHER PLACES
ANDROSCOGGIN	982	48.78	0.92	0.61	0.00	34.11	0.00	0.00	13.85	1.73
AROOSTOOK	778	53.98	3.60	0.90	0.00	22.37	0.00	0.00	15.55	3.60
CUMBERLAND	2,129	50.54	1.41	0.99	0.00	25.22	0.00	0.00	20.06	1.78
FRANKLIN	223	55.16	1.35	2.24	0.00	17.94	0.00	0.00	20.63	2.69
HANCOCK	518	50.97	2.32	1.16	0.00	22.39	0.00	0.19	19.69	3.28
KENNEBEC	1,085	52.63	0.74	1.11	0.00	24.15	0.00	0.00	18.34	3.04
KNOX	402	47.51	1.49	2.74	0.00	25.37	0.00	0.00	20.90	1.99
LINCOLN	306	44.12	0.65	0.33	0.00	22.88	0.00	0.00	29.41	2.61
OXFORD	494	48.99	2.43	2.63	0.00	26.32	0.00	0.00	17.00	2.63
PENOBSCOT	1,199	54.46	0.83	1.08	0.00	20.35	0.00	0.00	20.93	2.34
PISCATAQUIS	227	53.30	2.20	0.00	0.00	22.03	0.00	0.00	19.82	2.64
SAGADAHOC	253	44.27	3.56	3.16	0.00	18.97	0.00	, 0.00	28.85	1.19
SOMERSET	453	52.54	1.10	1.10	0.00	22.74	0.00	0.00	19.87	2.65
WALDO	304	58.22	1.32	2.30	0.00	17.76	0.00	0.00	15.79	4.61
WASHINGTON	422	55.21	1.66	0.47	0.00	20.85	0.00	0.95	16.11	4.74
YORK	1,270	50.39	7.09	0.63	0.00	20.00	0.00	0.00	20.24	1.65
STATE TOTALS	11,045	51.38	2.17	1.13	0.00	23.60	0.00	0.05	19.20	2.46

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TD ROUNDING.

DPLARES

DEATHS IN HOSPITALS - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN HOSPITALS	************************* CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	********* PE CANCER DF RESPIRATORY SYSTEM (160-165)	RCENT OF TOT ACUTE MYOCARDIAL INFARCTION (410)	AL DEATHS OCCU CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE		PNEUMONIA	********* * ACCID MOTOR VEHICLE (E810- E825)	DENTS * OTHER
ANDROSCOGGIN	494	5.67	6.88	11.74	12.55	2.02	0.40	1.42	1.01	1.42
AROOSTOOK	455	5.93	9.23	11.43	8.57	0.66	0.44	1.98	1.76	1.10
CUMBERLAND	1,126	5.86	7.28	10.21	9.24	0.98	0.71	2.84	0.98	1.87
FRANKLIN	131	4.58	6.87	20.61	9.16	0.00	0.00	2.29	0.76	2.29
HANCOCK	282	6.38	9.57	13.83	8.87	0.35	1.06	1.42	1.42	1.06
KENNEBEC	591	4.91	9.64	14.38	7.45	1.35	O.85	3.38	1.35	1.69
KNOX	207	5.31	6.76	13.04	10.14	0.00	0.48	0.48	3.38	1.93
LINCOLN	138	4.35	10.14	3.62	7.97	2.90	2.90	2.17	3.62	0.72
OXFORD	266	9.40	7.52	12.78	10.90	0.75	0.75	2.26	0.75	1.50
PENOBSCOT	676	5.03	6.36	13.02	10.06	0.74	0.74	3.40	1.63	2.22
PISCATAQUIS	126	3.97	11.90	10.32	3.97	1.59	0.79	, 3.97	0.00	1.59
SAGADAHOC	129	5.43	7.75	13.95	9.30	0.78	0.78	2.33	3.88	3.10
SOMERSET	248	6.45	10.48	12.10	10.89	0.81	1.61	1.61	1.21	1.61
WALDO	188	4.79	11.17	12.77	10.11	2.13	1.06	3.72	3.19	2.13
WASHINGTON	242	7.02	6.61	15.29	6.61	1.65	0.41	4.55	1.65	1.65
YORK	738	6.50	9.62	13.69	9.89	1.49	0.54	2.44	1.63	1.76
STATE TOTALS	6,037	5.83	8.30	12.47	9.39	1.13	0.75	2.58	1.52	1.72

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

DCAUHOS

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

COUNTY	TOTAL DEATHS IN ICF	CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	* PERCENT OF CANCER OF RESPIRATORY SYSTEM (160-165)	TOTAL DEATHS ACUTE MYOCARDIAL INFARCTION (410)	OCCURRING IN CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE	E CARE FACI CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA	********* * ACCID MOTOR VEHICLE (E810- E825)	ENTS * OTHER
ANDROSCOGGIN	334	5.09	6.59	3.29	13.47	0.30	2.99	4.49	0.00	0.90
AROOSTOOK	174	4.60	1.72	4.02	17.24	0.00	0.57	2.87	0.00	0.00
CUMBERLAND	536	4.10	3.73	4.29	13.62	0.56	0.75	5.78	0.00	0.75
FRANKLIN	40	5.00	0.00	7.50	7.50	0.00	0.00	2.50	0.00	2.50
HANCOCK	116	1.72	2.59	2.59	15.52	0.00	1.72	10.34	0.00	0.00
KENNEBEC	262	3.44	5.34	9.54	13.36	0.38	0.76	4.58	0.38	0.00
KNOX	102	O.98	0.98	2.94	10.78	0.00	0.00	6.86	0.00	1.96
LINCOLN	70	4.29	2.86	2.86	11.43	1.43	1.43	8.57	0.00	1.43
OXFORD	130	4.62	7.69	6.92	14.62	0.00	0.77	4.62	0.00	0.77
PENOBSCOT	243	3.70	3.29	2.88	9.47	1.23	0.41	10.70	0.00	0.41
PISCATAQUIS	50	6.00	0.00	4.00	2.00	0.00	0.00	6.00	0.00	0.00
SAGADAHOC	48	0.00	4.17	8.33	16.67	0.00	2.08	8.33	0.00	0.00
SOMERSET	103	12.62	4.85	2.91	8.74	0.00	1.94	2.91	0.00	0.00
WALDO	54	9.26	1.85	5.56	9.26	0.00	0.00	1.85	0.00	0.00
WASHINGTON	88	5.68	7.95	2.27	9.09	0.00	0.00	2.27	0.00	0.00
YORK	250	5.60	3.60	7.60	18.00	0.00	0.80	3.60	0.40	0.00
STATE TOTALS	5 2,600	4.58	4.12	4.85	13.12	0.35	1.04	5.50	0.08	0.50

TABLE D-7 DEATHS IN INTERMEDIATE CARE FACILITIES - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

DCAUICF

DEATHS AT HOME - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS MAINE COUNTIES AND STATE TOTALS, 1992 (RESIDENT DATA)

COUNTY	TOTAL DEATHS AT HOME	CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	PERCENT OF ACUTE MYOCARDIAL INFARCTION (410)	TOTAL DEATHS OG CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE	—	PNEUMONIA	* ACCID	OTHER
ANDROSCOGGIN	136	7.35	9.56	15.44	15.44	0.00	0.00	0.74	0.00	0.74
AROOSTOOK	121	6.61	12.40	8.26	13.22	0.83	0.00	0.00	0.00	3.31
CUMBERLAND	428	9.11	9.35	4.91	15.42	0.00	0.47	0.47	0.00	1.87
FRANKLIN	46	8.70	4.35	17.39	13.04	0.00	0.00	2.17	0.00	2.17
HANCOCK	102	6.86	7.84	14.71	13.73	0.00	0.00	0.98	0.00	0.98
KENNEBEC	199	13.07	8.54	11.56	10.05	0.00	0.50	1.01	0.00	1.51
KNOX	83	12.05	4.82	13.25	9.64	0.00	0.00	0.00	0.00	0.00
LINCOLN	90	11.11	11.11	10.00	13.33	0.00	0.00	0.00	0.00	1.11
OXFORD	84	13.10	16.67	4.76	14.29	0.00	0.00	0.00	0.00	3.57
PENOBSCOT	251	12.35	11.95	10.36	9.96	0.00	0.00	0.40	0.00	1.20
PISCATAQUIS	44	9.09	15.91	6.82	11.36	0.00	0.00	0.00	0.00	2.27
SAGADAHOC	73	12.33	19.18	10.96	4.11	0.00	0.00	1.37	0.00	0.00
SOMERSET	90	8.89	6.67	17.78	15.56	0.00	0.00	0.00	0.00	3.33
WALDO	48	10.42	2.08	20.83	12.50	0.00	0.00	2.08	0.00	4.17
WASHINGTON	68	10.29	13.24	13.24	7.35	0.00	0.00	2.94	0.00	1.47
YORK	258	12.40	11.24	9.30	10.47	0.00	0.00	0.78	0.00	1.94
STATE TOTALS	5 2,121	10.42	10.33	10.28	12.26	0.05	0.14	0.66	0.00	1.74

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

DCAUHOM

DEATHS BY SEX, AGE, AND OCCUPATION MAINE STATE TOTALS, 1992 (RESIDENT DATA)

SEX AND AGE	TOTAL DEATHS	MANAGE- RIAL, PROFES- SIONAL	TECHNICAL, SALES, ADMINIS- TRATIVE	SERVICE	FARMING, FORESTRY, FISHING	**** OCCUPAT PRECISION PRODUC- TION, REPAIR, CRAFT	ION ****** OPER- ATORS, FABRI- CATORS, LABORERS	************ TRANSPOR- TATION	******** HOME - MAKER	********** STUDENT	********* OTHER AND NOT REPORTED
MALE											
LESS THAN 15	80	1	0	0	0	0	0	0	0	12	67
15-19	39	0	2	3	0	0	5	0	0	27	2
20-24	48	3	9	4	4	4	14	0	0	6	4
25-29	52	5	10	5	3	12	10	1	0	1	5
30-34	80	5	9	6	9	20	17	2	0	3	9
35-39	89	11	9	2	12	30	12	9	0	1	3
40-44	111	22	12	11	5	28	18	9	0	0	6
45-49	157	36	19	14	6	33	29	11	1	0	8
50-54	190	4.1	22	13	9	44	30	22	0	0	9
55-59	267	40	38	19	20	6 İ	46	17	0	0	26
60-64	447	63	60	35	33	98	85	35	0	0	38
65-69	544	106	67	33	39	129	99	38	0	0	33
70-74	780	140	114	45	60	192	142	55	1	0	31
75-79	833	149	117	57	67	192	165	51	0	0	35
80-84	804	135	127	39	76	201	160	41	0	0	25
85-89	564	94	96	34	74	129	94	23	0	0	20
90-94	298	67	42	16	40	71	40	15	1	0	6
GREATER THAN 94	117	19	19	7	32	24	8	7	0	0	. 1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,500	937	772	343	489	1,268	974	336	. 3	50	328
PERCENT DISTRIBUTION	100.00	17.04	14.04	6.24	8.89	23.05	17.71	6.11	0.05	0.91	5.96

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DASO

DFATHS BY SEX, AGE, AND OCCUPATION MAINE STATE TOTALS, 1992 (RESIDENT DATA)

		******	*****	*****	***	*** OCCUPAT	ION *****	*****	******	*****	******
SEX AND AGE	TOTAL DEATHS	MANAGE- RIAL, PROFES- SIONAL	TECHNICAL. SALES, ADMINIS- TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC- TION, REPAIR, CRAFT	OPER- ATORS, FABRI- CATORS, LABORERS	TRANSPOR- TATION	HOME- MAKER	STUDENT	OTHER AND NOT REPORTED
FEMALE											
LESS THAN 15	61	0	0	0	0	0	0	о	0	14	47
15-19	13	0	0	1	0	0	0	0	1	11	0
20-24	21	1	4	8	0	0	2	0	1	3	2
25-29	21	1	2	5	0	0	2	0	5	1	5
30-34	27	2	6	5	1	3	2	0	4	2	2
35~39	45	5	7	11	1	1	11	0	7	1	1
40-44	58	12	17	4	0	1	5	0	14	0	5
45-49	106	20	28	16	0	3	10	1	23	0	5
50-54	100	16	21	16	1	3	15	1	25	0	2
5 5-59	143	19	32	15	0	5	11	2	54	0	5
60-64	293	48	56	30	1	10	29	1	112	0	6
65~69	468	53	84	55	1	9	71	З	181	0	11
70-74	595	82	111	74	3	17	82	1	207	1	17
75-79	730	86	131	91	6	12	107	1	289	0	7
80-84	873	148	147	74	5	16	122	1	348	1	11
85-89	913	167	143	82	4	16	116	2	376	0	7
90-94	700	104	100	51	3	12	65	0	358	0	7
GREATER THAN 94	378	59	50	26	4	7	29	0	201	0	2
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,545	823	939	564	30	115	679	13	2,206	34	142
PERCENT DISTRIBUTION	100.00	14.84	16.93	10.17	0.54	2.07	12.25	0.23	39.78	0.61	2.56

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DASO

139

DEATHS BY SEX, AGE, AND OCCUPATION MAINE STATE TOTALS, 1992 (RESIDENT DATA)

		******	****	******	*****	**** OCCUPAT	ION +****	******	******	******	*****
SEX AND AGE	TOTAL DEATHS	MANAGE- RIAL, PROFES- SIONAL	TECHNICAL, SALES, ADMINIS- TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC- TION, REPAIR, CRAFT	OPER- ATORS, FABRI- CATORS, LABORERS	TRANSPOR- TATION	HOME - MAKER	STUDENT	OTHER AND NOT REPORTED
BOTH SEXES											
LESS THAN 15	141	1	0	0	0	0	0	0	0	26	114
15-19	52	0	2	4	0	0	5	0	1	38	2
20-24	69	4	13	12	4	4	16	0	1	9	6
25-29	73	6	12	10	3	12	12	1	5	2	10
30-34	107	7	15	11	10	23	19	2	4	5	11
35-39	134	16	16	13	13	31	23	9	7	2	4
40-44	169	34	29	15	5	29	23	9	14	0	11
45-49	263	56	47	30	6	36	39	12	24	0	13
50-54	290	57	43	29	10	47	45	23	25	0	11
55-59	410	59	70	34	20	66	57	19	54	0	31
60-64	740	111	116	65	34	108	114	36	112	0	44
65-69	1,012	159	151	88	40	138	170	4 1	181	0	44
70-74	1,375	222	225	119	63	209	224	56	208	1	48
75-79	1,563	235	248	148	73	204	272	52	289	0	42
80-84	1,677	283	274	113	81	217	282	42	348	1	36
85-89	1,477	261	239	116	78	145	210	25	376	0	27
90-94	998	171	142	67	43	83	105	15	359	0	13
GREATER THAN 94	495	78	69	33	36	31	37	7	201	0	3
UNKNOWN	0	0	0	0	0	0	0	0	, 0	0	0
STATE TOTALS	11,045	1,760	1,711	907	519	1,383	1,653	349	2,209	84	470
PERCENT DISTRIBUTION	100.00	15.93	15.49	8.21	4.70	12.52	14.97	3.16	20.00	0.76	4.26

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DASO

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

140

TABLE D-10ACQUIRED IMMUNE DEFICIENCY SYNDROME RELATED DEATHS BY STATUS OF MENTION
MAINE STATE TOTALS, 1992 (RESIDENT DATA)

SEX AND AGE	TOTAL MENIIONS (042.0-044.9,795.8)	TOTAL AIDS MENTIONS	UNDERLYING AIDS MENTIONS	NON-UNDERLYING AIDS MENTIONS	SERO-POSITIVE MENTIONS
MALE		(042.0-044.9)	(042.0-044.9)	(042.0-044.9)	(795.8)
LESS THAN 20	0	0	0	0	0
20-24	1	1	0	1	0
25-34	16	15	15	0	1
35-44	18	18	18	0	0
45-54	13	13	1,1	2	0
55-64	2	2	2	0	0
GREATER THAN 64	1	1	1	0	0
UNKNOWN	0	0	0	. 0	0
STATE TOTALS	51	50	47	3	1
FEMALE					
LESS THAN 20	0	0	0	0	0
20-24	Ō	ō	Ō	0	0
25-34	1	1	1	0	0
35-44	1	1	1	0	0
45-54	0	0	0	0	0
55-64	0	0	0	0	0
GREATER THAN 64	0	0	0	0	0
UNKNOWN	0	0	0	0	0
STATE TOTALS	2	2	2	0	0
BOTH SEXES					
LESS THAN 20	0	0	0	0	0
20-24	1	1	0	1	0
25-34	17	16	16	0	1
35-44	19	19	19	0	0
45-54	13	13	11	2	0
55-64	2	2	2	0	0
GREATER THAN 64	1	1	1	0	0
UNKNOWN	0	0	0	0	0
STATE TOTALS	53	52	49	3	1

AIDS

141

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

. .

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

UNDERLYING		*****	*******	******			YING CAUSE		*****		******
CAUSE	TOTAL	03			CTIOUS DIS	25			-269		-285
ICD-9 CODE	DEATHS	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	75	0	0.0	0	0.0	7	9.3	0	0.0	1	1.3
OTH INFECTIOUS DIS	83	4	4.8	0	0.0	3	3.6	3	3.6	2	2.4
250	320	21	6.6	0	0.0	0	0.0	2	0.6	7	2.2
260-269	22	2	9.1	0	0.0	0	0.0	0	0.0	0	0.0
280-285	25	5	20.0	0	0.0	0	0.0	0	0.0	0	0.0
390-398	33	1	3.0	0	0.0	1	3.0	1	3.0	2	6.1
402	69	0	0.0	0	0.0	6	8.7	. 1	1.4	2	2.9
411	8	0	0.0	0	0.0	1	12.5	0	0.0	0	0.0
413	10	0	0.0	0	0.0	.0	0.0	0	0.0	1	10.0
424	88	2	2.3	0	0.0	6	6.8	1	1.1	5	5.7
415-423,425-429	919	16	1.7	5	0.5	85	9.2	12	1.3	11	1.2
401,403	54	0	0.0	0	0.0	4	7.4	1	1.9	0	0.0
440	101	2	2.0	0	0.0	6	5.9	0	0.0	4	4.0
480-486	314	26	8.3	0	0.0	24	7.6	3	1.0	8	2.5
490-491	39	1	2.6	0	0.0	2	5.1	0	0.0	1	2.6
492	87	0	0.0	0	0.0	1	1.1	2	2.3	0	0.0
493	22	0	0.0	0	0.0	4	18.2	0	0.0	0	0.0
494-496	478	8	1.7	1	0.2	23	4.8	20	4.2	2	0.4
531-533	18	1	5.6	1	5.6	0	0.0	• 0	0.0	0	0.0
550-553,560	239	17	7.1	0	0.0	10	4.2	4	1.7	9	3.8
574-575	19	6	31.6	0	0.0	0	0.0	0	0.0	0	0.0
584-586,588-589	90	4	4.4	0	0.0	7	7.8	0	0.0	1	1.1
780-799	63	0	0.0	0	0.0	0	0.0	0	0,0	0	0.0
E800-E807,E826-E949	191	6	3.1	0	0.0	6	3.1	1	0.5	2	1.0
RESIDUAL	7,678	214	2.8	28	0.4	424	5.5	146	1.9	125	1.6
STATE TOTALS	11,045	336	3.0	35	0.3	620	5.6	197	1.8	183	1.7

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHERDSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

.

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

UNDERLYING	*****			****		YING CAUSES		*******		
CAUSE	390	-398	40		4 1	1	4 1	13	42	4
ICD-9 CODE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	0	0.0	о	0.0	0	0.0	1	1.3	0	0.0
OTH INFECTIOUS DIS	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
250	1	0.3	7	2.2	0	0.0	3	0.9	1	0.3
260-269	0	0.0	Ō	0.0	0	0.0	0	0.0	0	0.0
280-285	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
390-398	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
402	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
411	0	0.0	0	0.0	0	0.0	1	12.5	0	0.0
413	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0
424	4	4.5	0	0.0	· 0	0.0	1	1.1	0	0.0
415-423,425-429	3	0.3	3	0.3	0	0.0	2	0.2	5	0.5
401,403	0	0.0	0	0.0	0	0.0	0	0.0	3	5.6
440	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
480-486	0	0.0	1	0.3	1	0.3	2	0.6	5	1.6
490-491	0	0.0	0	0.0	1	2.6	2	5.1	0	0.0
492	0	0.0	0	0.0	0	0.0	1	1.1	1	1.1
493	0	0.0	0	0.0	0	0.0	2	9.1	0	0.0
494-496	0	0.0	3	0.6	0	0.0	2	0.4	3	0.6
531-533	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
550-553,560	0	0.0	2	0.8	0	0.0	2	0.8	3	1.3
574-575	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
584-586,588-589	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807,E826-E949	0	0.0	0	0.0	0	0.0	1	0.5	5	2.6
RESIDUAL	17	0.2	62	0.8	11	0.1	30	0.4	73	1.0
STATE TOTALS	25	0.2	78	0.7	13	0.1	50	0.5	101	0.9

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

143

D21CAU

TABLE D-11 DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

UNDERLYING	******	******	*****	* * * * * * * * * * * *	NDN UNDERL	YING CAUSES	*****	*****	******	*****
CAUSE	415-423	3,425-429	401	, 403	44	0	480	-486	490	-491
ICD-9 CODE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	18	24.0	2	2.7	0	0.0	5	6.7	1	1.3
OTH INFECTIOUS DIS	9	10.8	2	2.4	0	0.0	6	7.2	0	0.0
250	142	44.4	57	17.8	25	7.8	16	5.0	1	0.3
260-269	2	9.1	0	0.0	0	0.0	6	27.3	0	0.0
280-285	7	28.0	2	8.0	1	4.0	2	8.0	0	0.0
390-398	24	72.7	1	3.0	0	0.0	0	0.0	1	3.0
402	32	46.4	2	2.9	1	1.4	1	1.4	1	1.4
411	7	87.5	1	12.5	0	0.0	0	0.0	0	0.0
413	9	90.0	2	20.0	0	0.0	1	10.0	0	0.0
424	68	77.3	2	2.3	0	0.0	2	2.3	0	0.0
415-423,425-429	0	0.0	32	3.5	7	0.8	60	6.5	3	0.3
401,403	15	27.8	0	0.0	11	20.4	2	3.7	0	0.0
440	66	65.3	0	0.0	0	0.0	10	9.9	0	0.0
480-486	71	22.6	11	3.5	11	3.5	0	0.0	3	1.0
490-491	14	35.9	2	5.1	0	0.0	5	12.8	0	0.0
492	28	32.2	2	2.3	3	3.4	19	21.8	0	0.0
493	12	54.5	1	4.5	0	0.0	1	4.5	0	0.0
494-496	159	33.3	8	1.7	6	1.3	97	20.3	0	0.0
531-533	6	33.3	0	0.0	1	5.6	1	5.6	0	0.0
550-553,560	70	29.3	3	1.3	4	1.7	13	5.4	2	0.8
574-575	1	5.3	1	5.3	0	0.0	0	0.0	0	0.0
584-586,588-589	37	41.1	0	0.0	1	1.1	9	10.0	0	0.0
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807,E826-E949	28	14.7	6	3.1	0	0.0	7	3.7	2	1.0
RESIDUAL	1,958	25.5	430	5.6	292	3.8	393	5.1	23	0.3
STATE TOTALS	2,783	25.2	567	5.1	363	3.3	656	5.9	37	0.3

NOTES: ICD-9 CDDES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269). ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA DF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

11

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

UNDERLYING CAUSE	49	12	49	:************* 13		YING CAUSES	53	-533	550-5	553,560
ICD-9 CODE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	
038	0	0.0	0	0.0	5	6.7	2	2.7	15	20.0
OTH INFECTIOUS DIS	0	0.0	0	0.0	2	2.4	0	0.0	12	14.5
250	1	0.3	0	0.0	16	5.0	1	0.3	44	13.8
260-269	0	0.0	0	0.0	0	0.0	0	0.0	9	40.9
280-285	0	0.0	0	0.0	1	4.0	Ò	0.0	5	20.0
390-398	0	0.0	0	0.0	1	. 3.0	0	0.0	2	6.1
402	. 0	0.0	1	1.4	3	4.3	0	0.0	8	11.6
411	0	0.0	0	0.0	0	0.0	0	0.0	1	12.5
413	0	0.0	0	0.0	2	20.0	1	10.0	4	40.0
424	1	1.1	0	0.0	7	8.0	0	0.0	19	21.6
415-423,425-429	8	0.9	5	0.5	82	8.9	4	0.4	186	20.2
401.403	0	0.0	0	0.0	4	7.4	2	3.7	10	18.5
440	1	1.0	1	1.0	3	3.0	0	0.0	19	18.8
480-486	6	1.9	2	0.6	30	9.6	1	0.3	314	100.0
490-491	0	0.0	2	5.1	0	0.0	0	0.0	39	100.0
492	0	0.0	0	0.0	Ó	0.0	Ō	0.0	87	100.0
493	1	4.5	0	0.0	1	4.5	Ō	0.0	22	100.0
494-496	1	0.2	0	0.0	0	0.0	5	1.0	478	100.0
531-533	1	5.6	Ō	0.0	1	5.6	0	0.0	18	100.0
550-553,560	0	0.0	1	0.4	23	9.6	3	1.3	0	0.0
574-575	0	0.0	0	0.0	1	5.3	0	0.0	4	21.1
584-586,588-589	1	1.1	0	0.0	4	4.4	Ō	0.0	21	23.3
780-799	0	0.0	Ō	0.0	0	0.0	Ó	0.0	0	0.0
E800-E807,E826-E949	2	1.0	2	1.0	4	2.1	1	0.5	27	14.1
RESIDUAL	40	0.5	19	0.2	481	6.3	34	0.4	1,349	17.6
STATE TOTALS	63	0.6	33	0.3	671	6.1	54	0.5	2,693	24.4

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC DESTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTIAN OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS. SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

> MAINE DEPARIMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

45

D21CAU

,

0-11

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1992 (RESIDENT DATA)

UNDERLYING	* * * * * *	****	*****	****	NON UNDERL	YING CAUSES	*****	****	****	******
CAUSE	574	-575	584-586	,588-589	780)-799	E800-E807	,E826-E949	RESI	DUAL
ICD-9 CODE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	0	0.0	12	16.0	25	33.3	2	2.7	• 0	0.0
OTH INFECTIOUS DIS	1	1.2	2	2.4	23	27.7	5	6.0	t	1.2
250	1	0.3	52	16.3	38	11.9	8	2.5	9	2.8
260-269	0	0.0	2	9.1	13	59.1	0	0.0	0	0.0
280-285	0	0.0	2	8.0	5	20.0	0	0.0	3	12.0
390-398	1	3.0	1	3.0	2	6.1	4	12.1	4	12.1
402	0	0.0	1	1.4	5	7.2	3	4.3	23	33.3
411	0	0.0	1	12.5	1	12.5	0	0.0	1	. 12.5
413	0	0.0	1	10.0	1	10.0	0	0.0	0	0.0
424	Ō	0.0	10	11.4	13	14.8	7	8.0	12	13.6
415-423,425-429	1	0.1	60	6.5	149	16.2	29	3.2	159	17.3
401,403	0	0.0	1	1.9	3	5.6	1	1.9	13	24.1
440	0	0.0	11	10.9	27	26.7	5	5.0	30	29.7
480-486	Ō	0.0	18	5.7	75	23.9	3	1.0	117	37.3
490-491	1	2.6	3	7.7	19	48.7	4	10.3	13	33.3
492	2	2.3	· 3	3.4	39	44.8	1	1.1	33	37.9
493	0	0.0	0	0.0	9	40.9	0	0.0	4	18.2
494-496	1	0.2	25	5.2	240	50.2	16	3.3	172	36.0
531-533	0	0.0	0	0.0	5	27.8	2	11.1	6	33.3
550-553,560	0	0.0	15	6.3	97	40.6	29	12.1	77	32.2
574-575	0	0.0	1	5.3	5	26.3	3	15.8	8	42.1
584-586,588-589	0	0.0	0	0.0	20	22.2	2	2.2	39	43.3
780-799	õ	0.0	Ō	0.0	Ó	0.0	ō	0.0	0	0.0
E800-E807.E826-E949	ŏ	0.0	8	4.2	36	18.8	ŏ	0.0	59	30.9
RESIDUAL	16	0.2	300	3.9	1,024	13.3	536	7.0	0	0.0
STATE TOTALS	24	0.2	529	4.8	1.874	17.0	660	6.0	783	7.1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

INDUCED ABORTIONS

·

INDUCED ABORTIONS BY GESTATION AND TYPE OF ABORTION PROCEDURE MAINE STATE TOTALS, 1992 (OCCURRENCE DATA)

			*****	******	*****	*****	*** V	VEEKS	OF GE	STATI	ON **	****	*****	****	******	****
TERMINATION PROCEDURE	TOTAL	PERCENT	LESS	9	10	11	12	13	14	15	16	17	18	19	GREATER	
PRIMARY PROCEDURE THAT TERMINATED PREGNANCY		DISTRIBUTION	THAN 9												THAN 19	
SUCTION CURETTAGE	3,104	96.22	1,441	579	440	302	169	96	21	5	2	2	3	1	2	41
SHARP CURETTAGE	7	0.22	1	3	1	2	0	0	0	0	0	0	0	0	0	0
DILATION AND EVACUATION	60	1.86	13	6	1	4	0	1	1	0	5	4	7	4	11	3
SALINE INSTILLATION	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROSTAGLANDIN INSTILLATION	1	0.03	0	0	0	0	0	0	0	0	0	0	0	0	1	0
HYSTEROTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HYSTERECTOMY	2	0.06	2	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	31	0.96	6	9	2	0	0	з	0	0	0	0	1	0	0	10
UNKNOWN	21	0.65	6	5	2	2	1	1	0	0	1	0	0	0	2	1
STATE TOTALS	3,226		1,469	602	446	310	170	101	22	5	8	6	11	5	16	55
PERCENT DISTRIBUTION		100.00	45.54	18.66	13.83	9.61	5.27	3.13	0.68	0.15	0.25	0.19	0.34	0.15	0.50	1.70
ADDITIONAL PROCEDURES USED																
SUCTION CURETIAGE	2	0 10	0	2	0	0	0	0	0	0	0	0	0	0	0	0

2	0.10	0	2	0	0	0	0	0	0	0	0	0	0	0	0
1,925	98.97	1,005	308	253	171	75	70	21	4	2	2	1	1	0	12
14	0.72	5	3	2	0	1	1	0	0	0	, 0	0	0	0	2
1	0.05	. 0	1	0	0	0	0	0	0	0	0	0	0	0	0
0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0.15	0	0	0	0	1	0	0	0	0	0	Ó	0	1	1
1,945		1,010	314	255	171	77	71	21	4	2	2	1	1	1	15
	100.00	51.93	16.14	13.11	8.79	3.96	3.65	1.08	0.21	0.10	0.10	0.05	0.05	0.05	0.77
	14 1 0 0 3	1,925 98.97 14 0.72 1 0.05 0 0.00 0 0.00 0 0.00 3 0.15 1,945	1.925 98.97 1.005 14 0.72 5 1 0.05 0 0 0.00 0 0 0.00 0 0 0.00 0 0 0.00 0 3 0.15 0 1,945 1,010	$\begin{array}{cccccccccccccccccccccccccccccccccccc$											

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

AWKTRMO

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

			****	*****	*****	*****	****	** WE	EEKS OF	GES	TATION	***	****	****	*****	*****
AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	LESS THAN S	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNKNOWN
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	16	0.55	5	1	3	3	1	2	1	0	0	0	0	0	0	0
15	27	0.92	12	5	6	2	2	0	0	0	0	0	0	0	0	0
16	68	2.32	23	16	13	7	4	3	0	0	0	0	0	0	0	2
17	125	4.26	33	23	21	15	12	10	2	0	0	0	1	0	2	6
18	162	5.52	51	35	23	23	15	10	2	0	0	0	0	0	0	3
19	174	5.93	65	36	26	20	13	4	2	0	1	0	0	0	2	5
20-24	969	33.02	442	187	140	99	49	29	8	2	0	2	0	0	2	9
25-29	633	21.57	298	116	89	50	31	17	1	0	2	1	3	4	7	14
30-34	425	14.48	219	81	53	36	17	7	0	1	1	2	4	1	0	3
35-39	229	7.80	145	33	21	6	11	5	0	1	2	0	0	0	2	3
40-44	72	2.45	40	9	10	5	1	2	0	0	1	1	1	0	1	1
GREATER THAN 44	3	0.10	2	0	0	0	0	0	0	0	1	0	0	0	0	0
UNKNOWN	32	1.09	11	5	4	6	2	0	0	0	0	0	0	0	0	4
STATE TOTALS	2,935		1,346	547	409	272	158	89	16	4	8	.6	9	5	16	50
PERCENT DISTRIBUTION	·	100.00	45.86	18.64	13.94	9.27	5.38	3.03	0.55 0). 14	0.27 0	0.20	0.31	0.17	0.55	1.70

RACE OF PATIENT																
WHITE	2,791	95.09	1,278	530	382	258	151	85	15	4	8	6	9	5	15	45
BLACK	22	0.75	11	3	3	4	0	0	1	0	0	0	0	0	0	0
AMERICAN INDIAN	22	0.75	7	1	8	2	3	1	0	0	0	0	0	0	0	0
OTHER	100	3.41	50	13	16	8	4	3	0	0	0	0	0	0	1	5
STATE TOTALS	2,935		1.346	547	409	272	158	89	16	4	8	6	9	5	16	50
PERCENT DISTRIBUTION		100.00	45.86	18.64	13.94	9.27	5.38	3.03	0.55	0.14	0.27	0.20	0.31	0.17	0.55	1.70

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O RECORDS WERE BLANK.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

•

ARACAGER

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE MAINE STATE TOTALS, 1992 (OCCURRENCE DATA)

			****	******	*****	*****	*****	*** WE	EKS OF	GES		1 ***	*****	****	*****	*****
AGE OF PATIENT(YRS.)	TOTAL	PERCENT	LESS	9	10	11	12	13	14	15	16	17	18	19	GREATER	UNKNOWN
	ABORTIONS	DISTRIBUTION	THAN 9	9											THAN 19	
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	19	0.59	5	1	4	4	1	3	1	0	0	0	0	0	0	0
15	34	1.05	13	6	6	6	2	1	0	0	0	0	0	0	0	0
16	75	2.32	24	17	14	8	5	4	1	0	0	0	0	0	0	2
17	146	4.53	40	26	26	16	14	11	3	0	0	0	2	0	2	6
18	173	5.36	55	40	25	23	15	10	2	0	0	0	0	0	0	3
19	191	5.92	71	40	30	21	13	5	3	0	1	0	0	0	2	5
20-24	1,054	32.67	474	204	151	112	55	32	10	2	0	2	0	0	2	10
25-29	697	21.61	327	123	99	60	32	21	1	0	2	1	3	4	7	17
30-34	471	14.60	244	92	54	40	18	7	1	2	1	2	5	1	0	4
35-39	246	7.63	156	36	22	8	11	5	0	1	2	0	0	0	2	3
40-44	79	2.45	44	10	11	6	1	2	0	0	1	1	1	0	1	1
GREATER THAN 44	3	0.09	2	0	0	0	0	0	0	0	1	0	0	0	0	0
UNKNOWN	38	1.18	14	7	4	6	3	0	0	0	0	0	0	0	0	4
STATE TOTALS	3,226		1,469	602	446	310	170	101	22	5	8	6	11	5	16	55
PERCENT DISTRIBUTION		100.00	45.54	18.66	13.83	9.61	5.27	3.13	0.68 0	. 15	0.25 (D. 19	0.34	0.15	0.50	1.70

RACE OF PATIENT

WHITE	3,064	94.98	1,396	581	417	293	160	96	21	5	8	6	11	5	15	50
BLACK	25	0.77	12	3	4	4	1	0	1	0	0	0	0	0	0	0
AMERICAN INDIAN	23	0.71	7	1	8	3	3	1	0	0	0	0	0	0	0	0
OTHER	114	3.53	54	17	17	10	6	4	0	0	0	0	0	0	1	5
STATE TOTALS	3,226		1,469	602	446	310	170	101	22	5	8	6	11	5	16	55
PERCENT DISTRIBUTION		100.00	45.54	18.66	13.83	9.61	5.27	3.13	0.68 (0.15 0).25	0.19	0.34	0.15	0.50	1.70

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

ARACAGEO

INDUCED ABORTIONS OF PREGNANCY BY RACE, MARITAL STATUS AND AGE OF PATIENT MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

	TOTAL	*****	*****	******	***** R/	ACE *******	* * * * * * * * * * * * *	*****	****
MARITAL STATUS	INDUCED	WH	ITE	В	LACK	AMERIC	AN INDIAN	0	THER
	ABORTIONS	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	642	598	93.15	7	1.09	5	0.78	32	4.98
NOT MARRIED	2,154	2,068	96.01	15	0.70	16	0.74	55	2.55
UNKNOWN	139	125	89.93	0	0.00	1	0.72	13	9.35
STATE TOTALS	2,935	2,791	95.09	22	0.75	22	0.75	100	3.41
AGE OF PATIENT(YRS.)									
LESS THAN 10	0	0	0.00	0	0.00	0	0.00	0	0.00
10-14	16	15	93.75	0	0.00	0	0.00	1	6.25
15	27	27	100.00	0	0.00	0	0.00	0	0.00
16	68	68	100.00	0	0.00	0	0.00	0	0.00
17	125	119	95.20	0	0.00	1	0.80	5	4.00
18	162	151	93.21	3	1.85	3	1.85	5	3.09
19	174	163	93.68	1	0.57	3	1.72	. 7	4.02
20-24	969	927	95.67	8	0.83	5	0.52	29	2.99
25-29	633	611	96.52	5	0.79	4	0.63	13	2.05
30-34	425	400	94.12	2	0.47	3	0.71	20	4.71
35-39	229	214	93.45	1	0.44	1	0.44	13	5.68
40-44	72	65	90.28	2	2.78	1	1.39	4	5.56
GREATER THAN 44	3	3	100.00	0	0.00	Ö	0.00	0	0.00
UNKNOWN	32	28	87.50	0	0.00	1	3.13	3	9.38
TEENAGE TOTALS	572	543	94.93	4	0.70	7	1.22	18	3.15
STATE TOTALS	2,935	2,791	95.09	22	0.75	22	0.75	100	3.41

NOTES: PERCENTAGES ARE BASED ON TOTAL TERMINATIONS. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O RECORDS WERE BLANK.

ALEGAGEO

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

s, #1

INDUCED ABORTIONS OF PREGNANCY BY RACE, MARITAL STATUS AND AGE OF PATIENT MAINE STATE TOTALS, 1992 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL INDUCED Abortions	***** WH NUMBER	ITE		********** F _ACK _PERCENT	-	AN INDIAN	0	******** THER PERCENT
MARRIED	688	637	92.59	9	1.31	100MBER 6	0.87	36	5.23
NOT MARRIED	2,385	2,291	96.06	16	0.67	16	0.67	62	2.60
UNKNOWN	153	136	88.89	0	0.00	1	0.65	16	10.46
STATE TOTALS	3,226	3,064	94.98	25	0.77	23	0.71	114	3.53
AGE OF PATIENT(YRS.)									
LESS THAN 10	0	0	0.00	0	0.00	0	0.00	0	0.00
10-14	19	17	89.47	1	5.26	0	0.00	1	5.26
15	34	34	100.00	0	0.00	0	0.00	0	0.00
16	75	75	100.00	0	0.00	0	0.00	0	0.00
17	146	138	94.52	0	0.00	1	0.68	7	4.79
18	173	162	93.64	3	1.73	3	1.73 ,	5	2.89
19	191	178	93.19	1	0.52	З	1.57	9	4.71
20-24	1,054	1,008	95.64	8	0.76	5	0.47	33	3.13
25-29	697	672	96.41	5	0.72	4	0.57	16	2.30
30-34	471	445	94.48	2	0.42	4	0.85	20	4.25
35-39	246	230	93.50	2	0.81	1	0.41	13	5.28
40-44	79	72	91.14	2	2.53	1	1.27	4	5.06
GREATER THAN 44	З	3	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN	38	30	78.95	1	2.63	1	2.63	6	15.79
TEENAGE TOTALS	638	604	94.67	5	0.78	7	1.10	22	3.45
STATE TOTALS	3,226	3,064	94.98	25	0.77	23	0.71	114	3.53

NOTES: PERCENTAGES ARE BASED ON TOTAL TERMINATIONS.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

153

ALEGAGER

INDUCED ABORTIONS BY MARITAL STATUS AND AGE OF PATIENT MAINE STATE TOTALS, 1992 (RESIDENT* AND OCCURRENCE DATA)

AGE OF PATIENT(YRS.)	************ TOTAL ABORTIONS	********* RESID PERCENT DISTRIBUTION	ENT ***** MARRIED	********** NOT MARRIED	********* UNKNOWN	************ TOTAL ABORTIONS	******* OCCURR PERCENT DISTRIBUTION	ENCE **** MARRIED	NOT MARRIED	********* UNKNOWN
LESS THAN 10	0	0.00	0	0	0	0	0.00	0	0	0
10-14	16	0.55	0	16	0	19	0.59	0	19	0
15	27	0.92	0	25	2	34	1.05	0	32	2
16	68	2.32	0	65	3	75	2.32	0	71	4
17	125	4.26	1	121	3	146	4.53	1	142	3
18	162	5.52	6	151	5	173	5.36	6	161	6
19	174	5.93	12	149	13	191	5.92	12	164	15
20-24	969	33.02	133	791	45	1,054	32.67	144	862	48
25-29	633	21.57	182	422	29	697	21.61	192	473	32
30-34	425	14.48	153	254	18	471	14.60	166	287	18
35-39	229	7.80	108	109	12	246	7.63	115	119	12
40-44	72	2.45	43	25	4	79	2.45	46	28	5
GREATER THAN 44	3	0.10	1	2	0	3	0.09	1	2	0
UNKNOWN	32	1.09	3	24	5	38	1.18	5	25	8
TEENAGE TOTALS	572	19.49	19	527	26	638	19.78	19	589	30
STATE TOTALS	2,935		642	2,154	139	3,226		688	2,385	153
PERCENT DISTRIBUTIO	N	100.00	21.87	73.39	4.74		100.00	21.33	73.93	4.74

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O RECORDS WERE BLANK.

> MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

AWKAGEO

TABLE A-8 INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

	TOTAL	*1	******	******	*****	****	*****	*** OU	ГСОМЕ О	F PREV	IOUS P	REGNAN	ICIES	*****	*****	*****	****	****	****
MARITAL STATUS	INDUCED	**	******	⊧ LIVE	BIRTHS	; ****	****	* *	*** IND	UCED. T	ERMINA	TIONS	****	S	PONTAN	EOUS	TERMI	NATIO	NS
	ABORTIONS	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	з	4+	UNK
M. 55755	.								. – .			-					-		
MARRIED	642	100	165	227	65	34	51	373	174	43	18	9	25	483	92	23	9	6	29
NOT MARRIED	2,154	1,220	451	256	76	22		1,357	526	143	46	19	63	1,822	181	34	9	2	106
UNKNOWN	139	57	27	16	6	1	32	73	29	10	2	1	24	91	18	3	0	0	27
STATE TOTALS	2,935	1,377	643	499	147	57		1,803	729	196	66	29		2,396	291	60	18	8	162
PERCENT DIST.	100.00	46.92	21.91	17.00	5.01	1.94	7.22	61.43	24.84	6.68	2.25	0.99	3.82	81.64	9.91	2.04	0.61	0.27	5.52
AGE OF PATIENT(YR	5)							•											
LESS THAN 10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	16	16	ŏ	ŏ	ŏ	ŏ	ŏ	12	4	ŏ	ŏ	ŏ	ŏ	15	õ	1	ŏ	ŏ	ŏ
15	27	25	1	õ	ŏ	ŏ	1	25	1	õ	ŏ	ŏ	Ĭ	26	õ		ŏ	õ	1
16	68	65	,	õ	ŏ	ŏ		60	, e	1	ŏ	ŏ		67	õ	ŏ	ŏ	ŏ	
17	125	105	8	2	Ň	Ň	10	102	17	Å	ő	0	6	111	2	2	õ	õ	- 0
18	162	129	-	2	0	0	11	129	• •	0	•	0	12	147	3	~	Š		
19	174		20 41	2 9	0	0			21	0	0				3	0	0		11
		119		~	- 0	0	5	127	35	6	1	-	4	157	- 9	4	0	U U	4
20-24	969	538	239	114	22	4	52	656	220	41	15	/	30	832	76	12	3	1	45
25-29	633	212	161	135	48	11	66	334	182	59	20	8	30	488	77	15	5	1	47
30-34	425	104	116	115	40	16	34	185	145	53	20	8	14	314	67	14	3	2	25
35-39	229	43	35	88	25	17	21	116	72	25	6	3	7	167	37	8	3	2	12
40-44	72	8	13	26	11	8	6	39	20	4	4	2	3	46	15	4	3	0	4
GREATER THAN 44	3	0	1	0	0	1	1	0	1	1	0	0	1	2	0	0	0	1	0
UNKNOWN	32	13	6	8	1	0	4	18	5	6	0	0	3	24	4	0	1	0	3
TEENAGE TOTALS	572	459	72	13	0	0	28	455	84	7	1	1	24	523	15	7	0	1	26
PERCENT DIST.	100.00	80.24	12.59	2.27	0.00	0.00	4.90	79.55	14.69	1.22	0.17	0.17	4.20	91.43	2,62	1.22	0.00	0.17	4.55
STATE TOTALS	2,935	1,377	643	499	147	57	212	1.803	729	196	66	29	112	2,396	291	60	18	8	162
PERCENT DIST.	100.00	•	21.91		5.01			•	24.84	6.68	2.25			81.64	9.91	2.04	0.61	0.27	5.52

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O RECORDS WERE BLANK.

ALEGAGEO

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

1 ភភ

TABLE A-9 INDUCED ABORTIONS BY NUMBER AND OUTCOME DF PREVIDUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT MAINE STATE TOTALS, 1992 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL INDUCED	k ak k ak	* * * * * * *	****** * LIVE	***** BIRTHS		*****		COME O		-			***** S	******		***** TERMI	***** NATIO	**** NS
	ABORTIONS		0 1	2	3	4+	UNK	0	1	2	3	4+	UNK	0	1	2	3	4+	UNK
MARRIED	688	113	181	237	69	35	53	400	183	48	20	10	27	522	98	23	9	6	30
NOT MARRIED	2,385	1,357	493	284	81	24	146	1,508	573	159	51	19	75	2,016	201	38	10	2	118
UNKNOWN	153	64	29	16	7	1	36	81	30	11	2	1	28	100	19	3	0	о	31
STATE TOTALS	3,226	1,534	703	537	157	60	235	1,989	786	218	73	30	130	2,638	318	64	19	8	179
PERCENT DIST.	100.00	47.55	21.79	16.65	4.87	1.86	7.28	61.66	24.36	6.76	2,26	0.93	4.03	81.77	9.86	1.98	0.59	0.25	5.55
AGE OF PATIENT(YR	S.)																		
LESS THAN 10	0	0	0	0	0	0	o	0	o	0	0	о	0	0	0	o	о	о	o
10-14	19	19	о	0	о	о	о	15	4	о	O	о	о	18	о	1	о	о	о
15	34	32	1	0	о	о	1	32	1	0	о	о	1	33	о	0	о	о	1
16	75	72	2	0	o	o	1	67	6	1	0	0	1	74	0	0	о	о	1
17	146	122	10	2	o	0	12	118	19	1	0	o	8	130	4	2	о	о	10
18	173	137	21	2	0	o	13	136	21	2	0	o	14	156	4	0	о	1	12
19	191	135	41	. 9	0	о	6	142	35	7	1	1	5	173	9,	4	0	о	5
20-24	1,054	592	255	124	25	4	54	715	239	46	15	7	32	907	84	13	з	1	46
25-29	697	235	184	143	49	12	74	366	200	65	22	9	35	537	84	. 16	5	1	54
30-34	471	119	129	128	42	16	37	208	158	58	24	8	15	351	74	14	з	2	27
35-39	246	48	39	93	27	18	21	126	76	27	7	З	7	179	40	9	4	2	12
40-44	79	8	13	28	13	9	8	43	21	4	4	2	5	51	15	5	З	о	5
GREATER THAN 44	3	0	1	о	о	1	1	0	1	1	0	о	1	2	о	0	о	1	о
UNKNOWN	38	15	7	8	Ĩ	о	7	21	5	6	0	о	6	27	4	0	1	о	6
TEENAGE TOTALS	638	517	75	13	о	о	33	510	86	11	1	1	. 29	584	17	7	о	1	29
PERCENT DIST.	100.00	81.03	11.76	2.04	0.00	0.00	5.17	79.94	13.48	1.72	0.16	0.16	4.55	91.54	2.66	1.10	0.00	0.16	4.55
STATE TOTALS	3,226	1,534	703	537	157	60	235	1,989	786	218	73	30	130	2,638	318	64	19	8	179
PERCENT DIST.	100.00	47.55	21.79	16.65	4.87	1.86	7.28	61.66	24.36	6.76	2.26	0.93	4.03	81.77	9.86	1.98	0.59	0.25	5.55

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

.

ALEGAGER

INDUCED ABORTIONS BY STATE OR COUNTRY OF RESIDENCE MAINE STATE TOTALS, 1992 (OCCURRENCE DATA)

STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS
ALABAMA	1	MARYLAND	0	SOUTH CAROLINA	0
ALASKA	0	MASSACHUSETTS	34	SOUTH DAKOTA	0
ARIZONA	0	MICHIGAN	0	TENNESSEE	0
ARKANSAS	0	MINNESOTA	0	TEXAS	0
CALIFORNIA	0	MISSISSIPPI	0	UTAH	0
COLORADO	0	MISSOURI	0	VERMONT	1
CONNECTICUT	1	MONTANA	0	VIRGINIA	1
DELAWARE	0	NEBRASKA	0	WASHINGTON	0
DIST OF COLUMBIA	0	NEVADA	0	WEST VIRGINIA	0
FLORIDA	1	NEW HAMPSHIRE	105	WISCONSIN	0
GEORGIA	0	NEW JERSEY	0	WYOMING	0
HAWAII	0	NEW MEXICO	0	PUERTO RICO	0
IDAHO	0	NEW YORK	1	VIRGIN ISLANDS	0
ILLINOIS	0	NORTH CAROLINA	0	GUAM	0
INDIANA	0	NORTH DAKOTA	0	CANADA	76
IOWA	0	OHIO	О	CUBA	0
KANSAS	0	OKLAHOMA	0	MEXICO	0
KENTUCKY	0	OREGON	0	OTHER W. HEMISPHERE	0
LOUISIANA	0	PENNSYLVANIA	1	REST OF THE WORLD	1
MAINE	2,935	RHODE ISLAND	0	STATE/CNTRY UNKNOWN	68
				TOTAL	3,226

. 157

ASTCNTY

MARRIAGES

٠

·

·

MARRIAGES BY AGE OF BRIDE AND OF GROOM MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

AGE OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DIST.									E(YRS. 30-34		****** 40-44			0VER 64	******** UNKNOWN
UNDER 16	1	0.01	0	0	0	0	1	0	0	0	0	0	0	0	0	0	. 0
16-17	14	0.14	0	5	6	2	0	0	1	0	0	0	0	0	0	0	о
18~19	281	2.84	3	28	148	62	18	7	7	2	5	1	0	0	0	0	0
20-21	775	7.84	2	46	251	283	109	48	13	8	8	4	2	0	о	0	1
22-23	1,066	10.78	1	16	148	312	354	116	55	21	35	5	2	0	0	0	1
24-25	1,183	11.96	1	7	74	242	332	265	110	58	63	24	7	0	0	0	0
26-27	1,032	10.44	. 0	3	35	123	200	227	198	97	110	27	10	2	0	0	0
28-29	919.	9.29	0	2	26	68	137	175	162	146	144	39	12	7	1	0	0
30-34	1,626	16.44	0	1	25	59	131	177	234	250	471	196	58	22	1	1	0
35-39	1,045	10.57	0	0	3	28	30	60	83	94	311	294	106	31	5	0	0
40-44	704	7.12	0	0	0	3	12	21	21	36	151	191	170	83	16	0	0
45-49	470	4.75	0	0	1	3	6	9	12	16	60	97	122	101	43	0	0
50-64	559	5.65	0	1	1	2	2	0	6	7	30	52	100	์ 150	195	13	0
OVER 64	212	2.14	0	0	0	0	0	0	0	1	1	7	13	17	80	93	0
UNKNOWN	1	0.01	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	9,888		7	109	718	1,188	1,332	1,105	902	736	1,389	937	602	413	341	107	2
PERCENT DISTRIBUTIO	N	100.00 '	0.07	1.10	7.26	12.01	13.47	11.18	9.12	7.44	14.05	9.48	6.09	4.18	3.45	1.08	0.02

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

> MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

MAGERES

161

MARRIAGES BY YEARS OF EDUCATION OF BRIDE AND OF GROOM MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

			*****	******	******	******	EDUCA	TION OF	BRIDE(YRS.) *:	*****	*****	*****	******
EDUCATION OF GROOM(YRS.)	TOTAL MARRIAGES	PERCENT DISTRIBUTION	UNDER 8	8	9	10	11	12	13	14	15	16	OVER 16	UNKNOWN
UNDER 8	63	O.64	13	8	5	3	11	18	1	3	0	0	0	1
8	164	1.66	7	24	8	16	16	74	6	6	2	4	0	1
9	179	1.81	0	9	27	11	21	78	12	9	1	6	5	0
10	291	2.94	3	8	16	39	24	165	15	10	2	6	3	0
11	315	3.19	3	12	22	31	43	158	20	12	5	6	3	0
12	4,111	41.58	12	44	77	125	175	2,354	389	441	123	272	82	17
13	599	6.06	2	5	7	9	10	231	113.	94	32	68	23	5
14	929	9.40	0	1	3	9	8	348	115	181	51	162	49	2
15	278	2.81	0	1	0	2	1	73	28	46	31	70	25	1
16	1,092	11.04	2	4	2	5	3	199	74	145	65	473	119	1
OVER 16	538.	5.44	0	1	0	0	1	72	38	51	23	168	181	3
UNKNOWN	1,329	13.44	1	0	0	0	З	19	5	4	2	2	1	1,292
STATE TOTALS	9,888		43	117	167	250	316	3,789	816	1,002	337	1,237	491	1,323
PERCENT DISTRIBUTION	1	100.00	0.43	1.18	1.69	2 53	3.20	38.32	8.25	10.13	3.41	12.51	4.97	13.38

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MEDUCR

-

TABLE M-3

MARRIAGES BY AGE AND PREVIOUS MARITAL STATUS, FOR BRIDES AND FOR GROOMS MAINE STATE TOTALS, 1992 (RESIDENT DATA)*

PREVIOUS MARITAL STATUS	TOTAL MARRIAGES	PERCENT DIST.	***** UNDER 16						-		E(YRS. 30-34						******** UNKNOWN
BRIDE																	
SINGLE	5,963	60.31	6	109	712	1,146	1,212	915	624	418	522	182	80	23	9	3	2
WIDOWED	332	3.36	0	0	1	. 1	1	2	1	2	17	40	42	40	105	80	0
DIVORCED	3,586	36.27	1	0	5	41	119	188	276	315	849	713	479	350	226	24	0
ANNULLED	5	0.05	0	0	0	0	0	0	1	0	1	1	1	0	1	0	0
UNKNOWN	2	0.02	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
BRIDE TOTALS	9,888		7	109	718	1,188	1,332	1,105	902	736	1,389	937	602	413	341	107	2
PERCENT DIST.		100.00	0.07	1.10	7.26	12.01	13.47	11.18	9.12	7.44	14.05	9.48	6.09	4.18	3.45	1.08	0.02

	TOTAL MARRIAGES	PERCENT DIST.	***** UNDER 16	****** 16-17	****** 18-19	****** 20-2		******* 3 24-25)M(YRS. 9 30-34					****** OVER 64	******** UNKNDWN
GROOM														,			
SINGLE	6,105	61.74	1	14	281	762	1,027	1,071	867	689	880	308	137	36	26	5	1
WIDOWED	317	3.21	0	0	0	0	0	0	1	0	17	15	15	26	97	146	0
DIVORCED	3,459	34.98	0	0	0	13	39	110	164	229	728	721	550	408	436	61	0
ANNULLED	4	0.04	0	0	0	0	0	0	0	0	1	1	2	0	0	0	0
UNKNOWN	3	0.03	О	0	0	0	0	2	0	1	0	0	0	0	0	0	0
GROOM TOTALS	9,888		1	14	281	775	1,066	1,183	1,032	919	1,626	1,045	704	470	559	212	1
PERCENT DIST.		100.00	0.01	0.14	2.84	7.84	10.78	11.96	10.44	9.29	16.44	10.57	7.12	4.75	5.65	2.14	0.01

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MAGESTA

MARRIAGES BY NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND OF GROOM MAINE STATE TOTALS. 1992 (RESIDENT DATA)*

NUMBER OF PREVIOUS MARRIAGES OF GROOM	TOTAL MARRIAGES	PERCENT DISTRIBUTIC	*** 0 N	*********	********* 2	NUMBER OF 3	PREVIOUS 4	MARRIAGES 5	DF BRIDE 6	****** 7	******** 8	****** UNKNOWN
0	6,105	61.74	4,824	1,056	182	37	4	0	2	0	0	0
1	2,847	28.79	937	1,403	390	87	25	3	1	0	0	1
2	750	7.58	177	351	160	44	10	5	2	0	1	0
3	143	1.45	20	62	30	25	4	2	ο	0	0	0
4	37	0.37	4	17	8	6	1	1	0	0	0	0
5	2	0.02	0	0	2	о	о	0	0	о	о	0
6	1	0.01	0	0	1	0	0	0	0	· 0	0	0
7	0	0.00	о	0	0	0	0	0	0	0	о	о
8	0	0.00	0	0	0	о	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	o ^	0	0
STATE TOTALS	9,888		5,964	2,890	773	199	44	11	5	0	1	1
PERCENT DISTRIBUTI	ON	100.00	60.32	29.23	7.82	2.01	0.44	0.11	0.05	0.00	0.01	0.01
NOTE DEBOSNITAOSS NA	WOT ADD TO	400 00 DUE T		10					. 4			

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENT DATA IS BASED ON RESIDENCE OF EITHER BRIDE OR GROOM.

MPREMAR

APPENDICES

× 4 [°]

 $\phi = \mathbf{x}$


)2033						HUMAN SE		118)				Tab]	
	Te FIELST	NAME		16. MIDDLE NUL		FICATE	OF LIVE	ST NAME			- <u></u>	State File No	14. JR, ETC	2. SEX
CHILD	3. DATE OF BIF	RTH (Mo. Dey, Yr) 4 TH			ITY OF BE	ATH	L	6. CITY OR TOWN OF	BARTH				[_ <u></u>
	7. PLACE O	F BIRTH. 🗋 Hospital		ng Bhibing Center				. FACILITY NAME (H	not institut	on, give street a	nd number)			
		Inic/Doctor's Office (Specify)	C Resid	ence				•						
	9 1 certity I place an	that this chrid was born A'n id time and on the date sta	ve al the Red.	10.	DATE SP	GNED (Mo , De	1	TENDANT'S NAME A	NO TITLE /	l other then cen	iler) (TyperF	Yrint)		
					•			M.D. 0 D.D. 0						
HTIFIER/ TENDANT	Signature	FIER'S NAME AND TITLE	(TyperPrint)		- <u></u>		13. A	TENDANT'S MAILING	ADDRESS					
	Name.). [] (0.D, [] Hospital		ски. Пожит	Michwile .									
		er (Specifi)							S. DATE F	ILEO BY REGIS	TRAB (Mo.	0 m. 11)		
							<u> </u>							
1	164. FIRST	NAME	166	MIDDLE NAME			6C. LÀST NAME			17.	MAIDEN SU	HNAME		
otheh	18. DATE OF BI	IRTH (140 , Day, Yr.) 19. 1	BIRTHPLACE (State or Foreign Cou	untry) 20	D. RESIDENCE	STATE	21. COUNTY			22. CITY O	R TOWN		
	23. MOTHE	ER S MAILING ADDRESS	<u> </u>		~ I ~							24. ZIP CODE	25. YEA	RS LIVING IN
	261 FIRST	NAME		266. MIDD	LE NAME			260. LAST N	AME	,				266. JR. ETC.
THEH	27. DATE C	DF BIRTH (Mo., Day, Yr.)	<u></u>			2	8. BIRTHPLACE	State or Foreign Count	n					
	29 1 cardha	that the personal informati	on provided on	this cashients a co	ward to th		conteston and has		C	ĽΔ	\mathbf{A}	_41		
DAMANT		re of Parent or Other Infor	•	ins centricate is co	STOCT TO D			7						
1-11132						301.1		D? (At birth of concept Yes' D No	in the second	¥"	CHILD LEO	VITINATE?		
	U	UNFIDENTIAL: NE		MITAL DIATU			ORIGINA	-STATE			EU GOP	IES OF TH	е несон	41.7
(\square	PREGNATICY HISTORY	(Complete exc)					SES BEGAN (Mo. Day		32. Pare		sion for essuance		
	(Do not (Si	Include this child) pecify below) 1 35b. Now Dead		neous 36b. Induc	-1	33 MONTH O BEGAN - I	F PREGNANCY F	RENATAL CARE			NATAL VISI	IS - Total Num		
	Number	l I feumber	Number		_	37. BIRTH WEIGHT (Specify und)			<u> </u>	38. CLINICAL ESTIMATE OF GESTATION (WWW1)				
	39. DATE OF LA		40 DĂTE OI TERMIN	LAST OTHER ATION (Month, Year	4	41. PLURAUT	Y - Single, Twin,	Triplet, etc.		42. IF N	OT SINGLE	BIRTH - Born	First, Second	
ļ					. 1	(Specify)				The	d, etc. (Spec	creby)		
	AFC	GAB SCORE		TRANSETROOP		DELIVERY2		N No						
		GAR SCORE						If Yes, enter name of I	lacility Itan	slerred kom;				
				TRANSFERRED? [J No [] Y#4 11 Yes,			lacility Iran	slerred kom;				
ĺ	13. 1 Minute		48. INFANT		RACE] Y#4 11 Yes,	, enter name of la Eff (Specify only h	olity translarrad to: DUCATION ghast grade completed	·		PAST YEAR	USUAL BUS	INESSANOUS (Specify ber	
) 	13. 1 Minute	44, 5 Minutes	48. INFANT	TRANSFERRED?	RACE	Yee UYes,	, enter name of la	- Cility translarrad to: DUCATION	·	OCCUPATION F	PAST YEAR	USUAL BUS		
) 	13. 1 Minute	44, 5 Minutes	48. INFANT	TRANSFERRED? (ANCESTRY - Florch, English, bish, ec (Spacify bekw) 48.	RACE Ameri Black /Sovio	Yee UYes,	enter name of la ISpecify only h Elementary Secondary (0.12) 50.	DUCATION ghest grade completed College	USUAL 51.	OCCUPATION F	PAST YEAR	52.		
THEN	13. 1 Minute	44, 5 Minutes	48. INFANT	TRANSFERRED? (ANCESTRY - Flerch, English, Insh, etc. (Specify below)	AACE	Yee UYes,	enter name of la El (Specify only h Elementand	DUCATION ghest grade completed College	·	OCCUPATION F	PAST YEAR)	USUAL BUS 52. 56.		
THEN	43 1 Minute 50 53 59 MEDICA (Check a	44, 5 Minutes	46. WEANT	TRANSFERRED? [Ancestrav- Fraces, English, etc. (Socialy betway) 48. 54. 54.	→ No C America Black /Sowo 49. 55. 62 CO <i>(Ch</i>	Yee UYes, 	enter name of la (Spech) only Elementary (0-12) 50. 58. OF LABOR AND/ 5/	DUCATION DUCATION Shall prade component (Controp 1 (14 or 5+) 1 1 1 1 1 1 1 1 1 1 1 1 1	51. 57.	OCCUPATION I (Specify beby	.) 	52.	(Specify bei	STRY PAST YEAR
THEN	43 1 Menute SO 47 53 59 MEDICA Cardiac das Anternia (I)ct Cardiac das Acute or chi		18. WEANT	TRANSFERRED? [Priceston - Friens. Broken, Imb. ec (Soarly betw) 48. 54 54 54 54 	AACE Ameri Black /Seven 49. 55. 62 CO (Ch Febril Meco	Vee UYes, When the an When and When and Wh	enter name of la (Spect) only Elemanuary Secondary	kty bansland (p: DUCATION Sprat grade completed (14 or 5+) (14 or 5+)))))))))))))))))))	51. 57.	ОССИРАТЮН ((Specify befor (Sheck at) (Check at) Аленсерлац Spra befar	TAL ANOMA Met acoty Is I Maningoce	52. 58. ALIES OF CHILI	(Specify bei	
THEN	43 1 Merute 50 47 53 59 MEDICA 59 MEDICA 59 MEDICA Check Ja Amerik filot Clinda da Amerik filot Disketis, pr Disketis, pr Disketis, pr	44. 5 Minutes CAL SECURITY HUMBER	48. WEANT	TRANSFERRED? C ANCESTRY - French, English, bash, etc. Formation 1000000 Formation 48. S 49. S 40. S 51 S 52 C 54 C 55 C 54 C 55 C 54 C 55 C 54 C 55 C	Acce Amer Black ISpec 49. 55. 55. 55. 55. 55. 55. 55. 55. 55. 5	Vee UYes, where we where we	enter name of la (Spect) only h Exempting Second yr (0-12) 50. 51. 55. 07 LABOR AND 71. 58° C)	Alty sensened to: DUCATION Shift grade completed College (14 or 5+) 1 0 0 0 0 0 0 0 0 0 0 0 0 0	51. 57. 57.	65 CONGEN (Specify below (Check all Anencephal) Spin birds Hirdrocephal	TAL ANOMA thei acoly is i Meningoce ul	58. SUES OF CHILI	(Soechy be-	
THEN	43 1 Menute 50 50 47 53 53 59 MEDICA 60 Check Au 7 50 ALEDICA 60 Check Au 7 50 ALEDICA 60 Check Au 7 50 Check Au 50 Check Au 7 50 Check Au 7 50 Check Au 7 50 Check Au 7 5	CIAL SECUNITY HUMBER	48. WEANT	TRANSFERRED? C AVICESTRY - Flerch, Explore, Society John, etc. Flerch, Explore, Society Johnson 46. Site 51 Site CY C	Acce Ameri Back ISpec 49. 49. 55. 55. 55. 62 CO (Ch Febrit Meco Prem, Abrup, Pince Other 56:200	AIPELICATIONS MIPELI	enter name of la 15pecty only h Etermentary 5econdy (0-12) 50. 56. Of LABOR ANCU 57. 58. Of LABOR ANCU 59. 59. 59. 50. 50. 50. 50. 50. 50. 50. 50	City bansland to: DUCATION phas (prad completed College (14 or s+) 0 0 0 0 0 0 0 0 0 0 0 0 0	51. 57. 57.	65 CONGEN (Specify below (Check all Anencephal) Spin birds Hirdrocephal	TÁL ANOMA TÁL ANOMA thời scopij is i Meningoce vii i neivous sy)	52. 58. ALIES OF CHILI	(Soechy be-	
THEN	43 1 Merute 50 50 53 59 MEPICA Ciffred a Anemia file Candid dee Acute or the Disbeties, or Disbeties, or the Disbeties, or Disbeties, or Disbe	44. 5 Minutes 44. 5 Minutes CAL SECURITY HUMBER	46. WFANT	TRAMSFERRED? C AVICESTRY - Faerch, Explore, Sec. 9 - faerch, Explore, Sec. 9 - 68. - 54. - 54. - 54. - 54. - 54. - 54. - 54. - 54. - 54. - 54. - 54. - 55. - 54. - 55. - 54. - 55. - 54. - 55. - 54. - 55. - 56. - 57. - 58. - 59. - 50. - 51. - 52. - 53. - 54. - 55.	Ho C PACC Anner Bisch ISPRC 49. 49. 55. 55. 55. 55. 62 CO (Ch Febril Veco Piren Offer Piren Offer Piren Offer Piren Offer Piren	Yee UYee, icin Indian, Whee, alc whee, alc whee all that app le (> 100° F. or non-model all allow a tuble of plo placenta recetsing labor icing lab	enter name of la (Spect) only h Eterminary (0-12) 50. 50. 50. 50. 50. 50. 50. 50.	Ally vanished to: DUCATION Shift grade completed (1-1 or 5+) (1-1 or 5+) 0 0 0 0 0 0 0 0 0 0 0 0 0	51. 57. 57. 57. 57. 57. 57. 57. 57. 57. 57	65 CONGENT (Specify before (Check all Anencephal Spina birda Hirdiocephal Other creation (Specify) Heart mailton (Specify)	TAL ANOMA thei acpiyi is i Meningoce us i nervous sy maliona iony / trappi	52. 58. ALIES OF CHILI	D	••••••••••••••••••••••••••••••••••••••
THER	43 1 Merute 50 50 53 53 53 53 53 53 53 53 53 53 54 54 55 55 55 55 55 55 55 55 55 55 55	44. S Minutes CAL SECURITY HUMBER CL INSK FACTORS FOR The state of th	de, WFANT	TRANSFERRED? C ANCESTINY - Friench, English, trait, etc. (Solicity Joekw) 48. 54 54 54 54 54 54 54 54 54 54	Aner Bitch ISST 49. 55. 55. 55. 55. 55. 55. 7600 7000 7000 7000 7000 7000 7000 700	Vee UYee, icon bolan, Whee, alc whee, alc whee alc alcon bolan whee alc alcon bolan whee alcon whee alcon alcon bolan bolan alcon bolan	enter name of la (Spect) only h Eterminary (C-12) 50. 50. 51. 52. 53. 54. 55. 55. 55. 55. 55. 55. 55	Afty pansared to: DUCATION Shart grade completed (14 or 5+) 000 DELIVERY Nours)	57. 57. 57. 57. 57. 57. 57. 57.	65 CONGENI (Specify before (Chick all Americephali Microsphali Microsphali Microsphali Microsphali Microsphali (Specify Hear malter (Specify) Diher ercyla	TAL ANOLIA that apply s	52. 58. LLIES OF CHILI Ne story promalies	(Specify bei	•
THER	43 1 Merute 50 50 47 59 MEDICA 59 MEDICA 59 MEDICA 59 MEDICA 59 MEDICA 59 MEDICA 59 MEDICA 59 MEDICA 50 ME	44. 5 Minutes 64. 5 Minutes CUAL SECURITY HUMBER	de WFANT	TRANSFERRED? [ANCESTRY- French, English, bash, etc. /Social Joseph 48. 54. 54. 54. 54. 54. 54. 54. 54	Aner Bick of Sec. 1990 149. 55. 55. 55. 55. 162 CO (Ch Febril Birec Offer Birl Birec Corphing Birl Birec Corphing Birl Birl Corphing Birl Corphing Birl Corphing Birl Corphing Birl Corphing Birl Corphing Birl Corphing Birl Corphing Birl Corphing Birl Corphing Birl Corphing Birl Corphing Birl Corphing Birl Corphing Birl Corphing Birl Corphing Birl Corphing Birl Corphing Corphing Birl Corphing Birl Corphing Birl Corphing Corp	Ve UYes, icon bolan, Whee, alc Whee, alc whee place of balance whee place is an interplace is an interplace is a place is a plac	enter name of la (15pect) orb, f Eternistraty (0-12) 50. 50. 51. 56. Of LABOR AND 57. 58° C) 7 memblene (> 12 drig 1 horrs) 10 horrs)	Afty sensered to: DUCATION Shart grade completed College (1.4 or 5+) 	57. 57. 57. 57. 57. 57. 57. 57. 57. 57.	65 CONGENT (Specify technologies) (Check af Anencephaly Spin birds Hirdrosephaly Other cents (Specify) Other encode (Specify) Rectal anest (Specify) Rectal anest	TAL ANOLIA the acony f Menngoce us I nervous sy lawsons tory / respira a f atenosis shageal fistu	52. 58. LLES OF CHILL 44. Story anomalies story anomalies	(Steerity bei	
THER	43 1 Marute 50 50 47 53 53 53 54 56 MEDICA 56	44. S Minutes	46. WEANT	TRAMSFERRED? C	ACC AND A CONTRACT AN	Ve UYes, icon Inden, Where, HC Where, HC Where, HC Where, HC How HC HC HC HC HC HC HC HC HC HC	enter name of la (15pect) orb, f Eternistraty (0-12) 50. 50. 51. 56. Of LABOR AND 57. 58° C) 7 memblene (> 12 drig 1 horrs) 10 horrs)	Chiry Bansleried (p: DUCATION Sense grade completed (1-1 or 5+) (1-1 or 5+) (1	57. 57. 57. 57. 57. 57. 57. 57. 57. 57.	65 CONDENI (Specify below (Check all Anencephal) (Specify below (Check all Anencephal) (Specify) Hear malter (Specify) Rectal anest Tracheo esco Omphacette gastrol (Specify)	TAL ANOMA Mer acopy Samooce Managed Full In errors maliona In errors Maliona In errors Maliona In errors Maliona In errors In	52. 50. LLES OF CHILL 44. story geomalies 44. f Exophage and bits consider	(Steerity bei	•••) ••••• ••••• ••••• ••••• ••••• ••••• ••••
THER	43 1 Merute 50 50 53 53 53 MEDICA (Check C	44. S Minutes	4. WEANT	TRANSFERRED? C	AACE AACE Beck ISee 49. 49. 55. 55. 55. 55. 55. 760 760 760 760 760 760 760 760 760 760	APPLICATIONS ANDELICATIONS MARE at: When at: When at: When at: When at: When at: When at: When at: When at: And at application at a start at a start at a start at a start at a start at a start at a start at a st	enter name of la ISpecty only A Eternetizy Secondry 50 50 50 50 50 50 50 50 50 50	City bansland to:	51. 51. 57. 57. 57. 57. 57. 57. 57. 57	OCCUPATION I (Specify befor (Check all (Check all Anencophil Spina brids Hidrocephil Marcoephil Anencophil (Seecify Other erectal (Seecify Other and (Seecify Other and (Seecify) Mailmed g Bend agene	TAL ANOMA the acply s J Janingoce us cry / respin tory / respin tory / respin a / stenosis chages instrong 	44	(Snectly bei	
THEN	43 1 Merure 50 50 53 53 53 53 59 MEDICA 60 Check a Check a Che	44. 5 Minutes 44. 5 Minutes CIAL SECURITY HUMBER	de WFANT	TRANSFERRED? [AVICESTRY- Friench, English, toth, etc. /Society helm.] 48. 54. 54. 54. 54. 54. 54. 54. 54	ALCC ALCC Back Black Star Sec (Ch Febri Meco Other Beizu Biec Dylau Breck Produ Dylau Breck Produ Confi Fein Abrug Produ Dylau Breck Confi Anes None Care	Vee UVee, whe we when an	enter name of la (Speci) only h Etermentary (0-12) 50. 50. 50. 50. 50. 50. 50. 50.	Chily Pansarad (p: DUCATION Shirst grade computed (14 to 5 +) College (14 to 5 +) College Colle	, USUAL 51. 57. 57. 57. 57. 57. 57. 57. 57. 57. 57	65 CONDENT (Specify before (Check all Specify before (Check all Specify before (Check all Anencephali Specify) Heart mallen (Specify) Heart mallen (Specify) Dinter gradu (Specify) Dinter gradu (Specify) Mallorme (Specify)	TAL ANOLAA Met acpty i Stansaction of the acpty i Stansaction of the acpty i Mahona In percent of the acpt i mahona In percend	52. 58. 59. 11 JES OF CHILL 14. 14. 15. 15. 15. 15. 15. 15. 15. 15	C C C C C C C C C C C C C C C C C C C	•••)
THEN	43 1 Merute 50 50 53 53 53 54 53 53 53 53 53 53 54 54 55 55 55 55 55 55 55 55 55 55 55	44. 5 Minutes	4. WEANT	TRANSFERRED? C	► No ■ ■ AACE ■ ■ AACE ■ ■ Bitch ∩ ■ Bitch ∩ ■ Bitch ∩ ■ Bitch □ ■ Bitch □ ■ S5 □ ■ S6 □	APPLICATIONS icon Inden Where, with Where, with Where, with Where, with Where, with Where, with Where, with Where, with where, with and	enter name of la 15pect) only h Eterminitary (0-12) 50. 50. 51. 56. Of LABOR ANDU 57 C) 58. Of LABOR ANDU 59. 51. 52. 53. 54. 55. 56. 57.<	DUCATION Shall grade completed (14 or s+) (14 or s+	51. 51. 57. 57. 57. 57. 57. 57. 57. 57	65 CONDENI (Specify before (Check all Anencephal) Microcephali Microcephali Microcephali Microcephali Microcephali Microcephali Microcephali Microcephali Microcephali (Specify) Other create Specify Microcephali Microcephali (Specify) Chen bo (pall Chen bo (pall Portacety) (Specify) Cite to (pall Portacety) (Specify)) TAL ANOUNT IN A ROPHY IS Menogoce I Menogoce I	52. 58. 58. 19. 19. 19. 19. 19. 19. 19. 19	avera	
THEN	43 1 Merute 43 1 Merute 50 50 57 MEDICA 59 MEDICA 59 MEDICA 59 MEDICA 59 MEDICA 59 MEDICA 59 MEDICA 59 MEDICA 59 MEDICA 59 MEDICA 50 MEDICA	44. S Minutes 44. S Minutes CUL SECURITY HUMBER	46. WEANT	TRAMSFERRED? [ANCESTRY- French, English, toth, etc. /Society betwy 46. 54. 54. 54. 54. 54. 54. 54. 54	► No ■ ■ AACE ■ ■ AACE ■ ■ Bitch ● ■ Bitch ■ ■ Bitch <td>Vee UVee, icon Inden, Whee, etc. Whee, /td> <td>enter name of la (Specify only here Secondary (C-12) 50. 50. 51. 52. 53. 54. 55. 55. 55. 55. 55. 55. 55</td> <td>Atly vanished to:</td> <td>51. 51. 57. 57. 57. 57. 57. 57. 57. 57</td> <td>65 CONGENT (Speerly befor (Speerly befor (Check at Anencephal) Speerly befor Hotosephal Merocephal Merocephal Merocephal Merocephal (Speerly) Rectal areas (Speerly) Rectal areas (Speerly) Malorned gene Other oper (Speerly) Malorned gene Other oper (Speerly) Enh to 1 par Portacety I Check to 2 parts</td> <td>) TAL ANOUNT TAL ANOUNT TAL ANOUNT TAL ANOUNT STATEMENT A Second Statement A Second Statement A Second Statement A Second Statement Second Stateme</td> <td>52. 58. 59. 19. 19. 19. 19. 19. 19. 19. 1</td> <td>D</td> <td></td>	Vee UVee, icon Inden, Whee, etc. Whee,	enter name of la (Specify only here Secondary (C-12) 50. 50. 51. 52. 53. 54. 55. 55. 55. 55. 55. 55. 55	Atly vanished to:	51. 51. 57. 57. 57. 57. 57. 57. 57. 57	65 CONGENT (Speerly befor (Speerly befor (Check at Anencephal) Speerly befor Hotosephal Merocephal Merocephal Merocephal Merocephal (Speerly) Rectal areas (Speerly) Rectal areas (Speerly) Malorned gene Other oper (Speerly) Malorned gene Other oper (Speerly) Enh to 1 par Portacety I Check to 2 parts) TAL ANOUNT TAL ANOUNT TAL ANOUNT TAL ANOUNT STATEMENT A Second Statement A Second Statement A Second Statement A Second Statement Second Stateme	52. 58. 59. 19. 19. 19. 19. 19. 19. 19. 1	D	
THER	43 1 Merure 50 50 53 53 53 53 53 53 53 54 59 MEDICA 60 Chiefa 10 Porton 10 P	EAL SECURITY HUMBER CLAL SECURITY HUMBER CLAL SECURTY CLAL	4. WEANT	TRANSFERRED? [ANCESTRY- Filench, Broden, ISonch Neew] 48. 54 54 54 54 54 54 54 54 54 54	No Intermediate Anne Back Anne Back Back ISere IS SS. IS None IS None IS Vagn Ford Vagn Require Vagn Ford Vagn	Yee UYee, Whe, ac Whe, ac Whe, ac MPLICATIONS Methic ac Attainage	enter name of la Elippecity only in Secondary (0-12) 50. 50. 50. 50. 50. 50. 50. 50.	Chiry Pansland (p: DUCATION SPAIL of add completed (1-1 or 5 +) College (1-1 or 5 +) College (1-1 or 5 +) College Col	5 USUAL 51. 57. 57. 57. 57. 57. 57. 57. 57	65 CONDENI (Specify below (Specify below (Check eff (Check eff Spink blids Hindrosephal) (Specify) Rectal areas Trachio-areas Dimphalocrifi (Specify) Mellomed g Renal gastro (Specify) Mellomed of (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify)) TAL ANOUNT Mal appy) / Managoce / Ma		O o o o o o o o o o o o o o o o o o o o	(w) 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.
THER	43 1 Merure 50 50 53 53 53 53 53 54 59 MEDICA CROID 54 53 53 53 53 54 59 MEDICA CROID 59 MEDICA CROID 59 MEDICA CROID 59 MEDICA CROID 59 MEDICA CROID 59 MEDICA CROID 59 MEDICA CROID 59 MEDICA CROID 59 MEDICA CROID 50 MEDICA 10 Provide 50 70 MEDICA 50 70 MEDICA 10 Provide 50 70 MEDICA 50 70 M	EAL S Minutes EAL S Minutes EAL SECURITY HUMBER EAL SECURITY EAL SECURITY HUMBER EAL SECURITY EAL SECURITY EAL SECURITY EAL SECURITY EAL SECURITY EAL SECURITY	4. WEANT	TRAMSFERRED? [ANCESTRY- French, English, toth, etc. /Society betwy 46. 54. 54. 54. 54. 54. 54. 54. 54	No Intermediate Intermediate In	Yee UYee, Whe, ac whe ac wh	enter name of la El ISpecty only El Elementary (0-12) Seconary (0-12) Seconary (0-12) Seconary Seconary (0-12) Seconary Seconary (0-12) Seconary Seconary		5 USUAL 51. 57. 57. 57. 57. 57. 57. 57. 57	65 CONDENI (Specify below (Specify below (Check eff (Check eff Spink blids Hindrosephal) (Specify) Rectal areas Trachio-areas Dimphalocrifi (Specify) Mellomed g Renal gastro (Specify) Mellomed of (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify) (Specify)) TAL ANOUN IN ANOUNT IN ANOUN	52. 58. 58. 19. 19. 19. 19. 19. 19. 19. 19	O o o o o o o o o o o o o o o o o o o o	•••) •••• ••• ••• ••• ••• ••• ••• •••
DTHER	43 1 Merure 50 50 50 53 53 53 53 54 59 MEDICA (Check a Check a	EAL SECURITY HUMBER COAL SECURITY	48. WEANT	TRAMSFERRED? [ANCESTRY- Filench, Broßh, Vest, etc. /Society betwy 48. 54. 54. 54. 54. 54. 54. 54. 54	No C Anner Bitch Bitch C Assess SS SS C CO IGD Prem Prem Abroy Prem Prem Prem Corph Prem Corph Prem Corph Prem Base Corph Product Corph Corph Prem Base Corph Product Corph Corph Prem Base Corph Product Corph Corph Corph </td <td>Yee UYee, Control of the second and and and and and and and and and a</td> <td>enter name of la 15pecty off, if 15pecty off, if Eterminitary (0-12) 50. 50. 50. 50. 50. 51. 52. 53. 54. 57. <</td> <td>All y Banslered ID: DUCATION Shall grade competend (14 or 5+) (14 or 5+)</td> <td>51. 57. 57. 57. 57. 57. 57. 57. 57</td> <td>CCUPATION I (Specify before (Check all Specify before (Check all Spin a bida histocephali Spin a bida histocephali Specify Heart mallon (Specify) Heart mallon (Specify) Heart mallon (Specify) Heart mallon (Specify) Heart mallon (Specify) Heart mallon (Specify) Cher be (pair Polyacyty) Cher be (pair Polyacyty) Cher be (pair Polyacyty) Cher be (pair Polyacyty) Cher be (pair Specify) Cher b</td> <td>) TAL ANOUND TAL ANOUN</td> <td>52. 58. 58. 19. 19. 19. 19. 19. 19. 19. 19</td> <td>O o o o o o o o o o o o o o o o o o o o</td> <td></td>	Yee UYee, Control of the second and and and and and and and and and a	enter name of la 15pecty off, if 15pecty off, if Eterminitary (0-12) 50. 50. 50. 50. 50. 51. 52. 53. 54. 57. <	All y Banslered ID: DUCATION Shall grade competend (14 or 5+) (14 or 5+)	51. 57. 57. 57. 57. 57. 57. 57. 57	CCUPATION I (Specify before (Check all Specify before (Check all Spin a bida histocephali Spin a bida histocephali Specify Heart mallon (Specify) Heart mallon (Specify) Heart mallon (Specify) Heart mallon (Specify) Heart mallon (Specify) Heart mallon (Specify) Cher be (pair Polyacyty) Cher be (pair Polyacyty) Cher be (pair Polyacyty) Cher be (pair Polyacyty) Cher be (pair Specify) Cher b) TAL ANOUND TAL ANOUN	52. 58. 58. 19. 19. 19. 19. 19. 19. 19. 19	O o o o o o o o o o o o o o o o o o o o	
(As I Merule So	44. S Minutes 44. S Minutes CUAL SECUTITY HUMBER CUAL SECUTITY CUAL SECUTIT	46. WEANT	TRAMSFERRED? [AV/CESTRY - Farench, English, and, etc. //sec.ly helm 46. 54 54 54 54 54 54 54 54 54 54 54 55 54 55 55	No C Anner Bitch Bitch Fisher Differ Fisher Differ Fisher Differ Fisher Differ Fisher Bitch Fisher Bitch Fisher Bitch Annere Bitch Annere Bitch Maccon	AMPLICATIONS icon Indian, Where, arc where arc where arc where arc where arc arcestance arcestance arcestance arcestance arcestance between arc arcestance between arc arcestance between arc arcestance between arc arcestance between arc arcestance between arc arcestance between arc arcestance between arc arcestance between arc arcestance arcestance arcestance arc arcestance arc arc arc arc arc arc arc arc	enter name of la 15pecty ont E 15pecty ont E Etermentary Second yru (0-12) 50. 54. Of LABOR AN(U) 57. 58. Of LABOR AN(U) 59. 50. 50. 50. 50. 50. 50. 50. 50. 50. 50. 50. 50. 50. 50. 50. 50.	An and a second	51. 51. 51. 57. 57. 57. 57. 57. 57. 57. 57	COUPATION I (Specify Debu (Specify Debu (Specify Debu (Specify Debu (Specify Debu (Specify Debu (Specify) (Specify Debu (Specify)	r) TAL ANOUNT Mar appy) Mar appy) Mar appy Mar appy Ma		a liresa	
THER	Arrong and and arrow be a construction of the construction of	EAL S Minutes EAL S Minutes CAL SECURITY HUMBER CAL SECURITY CAL SECURITY HUMBER CAL SECURITY HUMBER CAL SECURITY HUMBER CAL SECURITY CAL SECURTY	48. WEANT	TRAMSFERRED? [ANCESTRY- Freest-BogEn, Vers, etc. //orciv/ best- /	No E AACCE American Bitch ISSEE Bitch	Yee UYee, Wree, ac where ac	enter name of la 15pecty orb, El 15pecty orb, El Etermentary (0-12) 50. 54. Of LABOR AND 57. 58. Of LABOR AND 59. 59. 59. 59. 59. 59. 59. 59. 59. 59. 50. <	Atly pansared to: DUCATION Sheat grade completed (14 to 5+) 000 DELIVERY 000 DELIVERY 1 1 1 1 1 1 1 1 1 1 1 1 1	51. 51. 51. 52. 52. 53. 55. 55. 55. 57. 50. 50. 50. 50. 50. 50. 50. 50	CONDENTION I (Speechy before (Speechy before (Speechy before (Speechy before (Speechy) (Speechy) (Speechy) (Speechy) (Speechy) Matlormed go (Speechy) (Speechy) (Speechy) (Speechy) (Speechy) (Speechy) (Speechy)) TAL ANOUNT TAL ANOUN	52. 58. 59. 59. 59. 50. 50. 50. 50. 51. 51. 52. 53. 54. 54. 55. 55. 55. 55. 55. 55. 55. 55	(Soectly be-	

NOT A LEGAL COPY

1 ł. ł Ł

1 ł 1

ł.



		iound to Phys	DE		E MOINE HUMAN SERVICE		Table C	-	
	12 FAST NAME			E .	IC LAST A	IAME		<u>ata Fila No</u>	مر ۲۰
	2. DATE OF DEATH (MOL. O	ny, Y/J 3. SEX 4.			SAL AGE (V/L) So.	UNDER 1 YEAR	SC. UNDER 1 DAY	& DATE OF BUTH	(Ano
	7. BIRTHPLACE (Cay and Si		NAS DECEDENT MER IN U.S. MINED FORCEST Yes [] No	HITSPITAL	Di (Chace only and, per	670 M		iona 🛛 One (Sou	
	10. FACILITY NAME (I RO	ramanica, pro prosi and na		-	11. COUNTY OF D	EATH	12. GTY OR TOWN OF	DEATH	
DECEDENT	12. MARITAL STATUS - Manual North Listed Washing Doctor (State	14. MOST RECENT SPOR		(Gree and of De na use n	S USUAL OCCUPATION more cone curry most c mend.)	r worning ble.	16. KIND OF BUSINESS	I INDUSTRY	
		(T'S EDUCATION prest grade continent) Contege (1-4 or 5-)	18 ANCES	TRY - French, English, I	nah, ec. (Soechy)	1	1, RACE - American Indian, Bi	acz. Winna. acc. (Scacety)	t
	20. RESIDENCE - STATE	21. COUNTY	22. GTY OF	R TOWN		2	1. STREET AND NUMBER		
	FATHERTS	NAME	240. MIDDLE NAM	15	24C LAST NAME				246. JI
PARENTS	254 FIRST	NAME	250. MIDOLE NAM	le	25- MAIDEN SURNAM	E			
	25. INFORMANT - NAME	(Type/Print)	27. MAILING	ADDRESS (Server and	winner of Runal Route In	unter, City or Teem, Sta	m, 21P Coos)		
INFORMANT			129.245				ATION - Cay or Town, Sizes		
	ZL. METHOD OF DISPOS Bunai Crana Donason Com	aan 🛛 Removal tren State	i						
ISPOSITION	31. SIGNATURE OF FUN OR AUTHORIZED PEI		12.1	S S				SL DATE OF DISP Base Day, Yr.)	
ſ	Seman and The	in the pasts of commuter at	stor investoration, in (cause(s) and marrier				ALL DATE SIGNED		VIEWE BODY DEATH
GERMINER	Signature and Tide	o the best of my internedge, o substit) and marvier as associated physician if Other that			ADDRESS OF CERTIFIE				
ί	41. REGISTRAR'S SIGNAT	WAE				42 DATE FI	LED (Ma., Day, Trj		
	AL WAS AN AUTOPSY PERFORMED?	44. MANNER OF DEATH	44. 47. D.	ATE OF DUURY	4 DESCRIBE HOW	HUURY OCCURRED			
		Accesters Succeste Normade	1.1.7						
	44. WERE AUTOPSY FINDINGS AVAIL- ABLE PRICE TO COMPLETION OF CAUSE OF DEATH?	Pendang Streetingsson Could not be determined			SI, LOCATION (STR	N and Number of Parel F	e, lacory, elice tubility, es. (
		MARY VIA CLASSICAL PROPERTY OF WEEL SPICEL OF MARY SALES L	COMPACIALIZING MARCE (caused the delival () o not	enter The chocks of dying,	Autor an Cardinal of Hills	nery	Approximate Barnesen Oras Dast	PLANALA PL
	BAREDIATE CAUX Sectors of context realizing in Sector,	· · · ·	DUE TO OR AS A C	CONSEQUENCE OF:		<u></u>			
	CONFIDENCE CONFID	ERLYING	DUE TO (OR AS & C	CONSEQUENCE OF:	- 	M			
			DUE TO (OR AS A C	-				1 1 2	
	PART L. Other as apechies	onnicant conducins communication of the deca	ng 10 death but not re ident was pregnant or	sulling in the underlying links lines 90 ditys postp	cause given in Part L & A enum at time of death.		<u></u>		
vs	53-R1/90	SHAD	ED ABEAS	FOR MEDIC		USE ONLY		<u> </u>	

ORIGINAL COPY STATE

Item 9. - Place of Death

If the death occurred in a hospital, check the box indicating the decedent's status at the institution (inpatient, emergency room/outpatient, or deac on arrival (DOA)). If death occurred elsewhere, check the box indicating whether death occurred at a nursing home, residence or other location. If other is checked, specify where death occurred, e.g. a physician's office, the place where the accident occurred or at work.

Items 20-23. - Residence of Decedent

Residence of the decedent is the place where he or she actually resided. This is not necessarily the same as "home state" or "legal residence." Never enter a temporary residence such as one used during a visit, business trip or a vacation. Place of residence during a tour of military duty or during attendance at college is not considered as temporary and should be considered as the place of residence.

If a decedent had been living in a facility where an individual usually resides for a long period of time such as a group home, mental institution, nursing home, penitentiary or hospital for the chronically ill, report the location of that facility in items 20 through 23.

If the decedent was an infant who never resided at home, the place of residence is that of the parent(s) or legal guardian. Do not use an acute care hospital's location as the place of residence of an infant.

Items 34-51 - Medical Certification

When the circumstances of death make it a medical examiner case as defined in 22 MRSA §3025, the MEDICAL EXAMINER is responsible for completing all items in this section. The shaded areas, item 34 and items 46-51 are to be used <u>only</u> by the Medical Examiner. If the manner of death indicated in item 45 is <u>anything other than natural causes</u>, the certificate <u>must</u> be completed by a medical examiner.

Item 52. - Cause of Death

The cause of death means the disease, abnormality, injury or poisoning that caused the death, not the mode of dying, such as cardiac or respiratory arrest, shock or heart failure.

In Part I, the immediate cause of death is reported on line (a). Antecedent conditions, if any, which gave rise to the cause are reported on lines (b), (c), and (d). The underlying cause should be reported on the last line used in Part I. NO entry is necessary on lines (b), (c) and (d) if the immediate cause of death on line (a) describes completely the train of events. ONLY ONE CAUSE SHOULD BE ENTERED ON A LINE. Additional lines may be added if necessary. Provide the best estimate of the interval between the onset of each condition and death. Do not leave the interval blank; if unknown, so specify.

In Part II, enter other important diseases or conditions that may have contributed to death but did not result in the underlying cause of death given

See examples below.

43. WAS AN AUTOPSY PERFORMED?	45. MANNER OF DEATH X Natural Accidnnt Suicide Homicide Pending Investigation Could not be determined	46. 147. DATE OF INJURY INJURY (Ma. Day, Yr) AT WORKT □ Yes 49. TIME OF INJURY □ No □ No	51. LOCATION (Street and Number or Rural Route Number, Cey or Town, Sta	20)
IMMEDIATE CAU disasse or condition resulting in death, INNUTIAN UNITE INNUTIAN INNUT	sndibions, mmediate ERLYING UST	Interpretations which caused the oeath. Do not e tonly one cause per each line. TUPE Of MYOCARDIUM DUE TO (OR AS A CONSEQUENCE OF): The MYOCARDIAL Infarction DUE TO (OR AS A CONSEQUENCE OF): DOILC ISCHEMIC HEART DISEA DUE TO (OR AS A CONSEQUENCE OF): TO death but not resulting in the underlying of	enter the mode of dying, such as cardiac or respiratory Se	Approximate Interval Between Onset and Death Mins. 6 days 5 years
A3. WAS AN AUTOPSY PERFORMED?	As. MANNER OF DEATH	46. 47. DATE OF NAUDRY 48. 47. DATE OF NAUDRY АТ МАС., DAY, YL) АТ 11/15/88 Уез 49. TIME OF INJURY Дам. 11/15/88 Ц. Уез 49. TIME OF INJURY Дам. 1:00	As. DESCRIBE HOW INJURY OCCURRED 2 car collision—driver 50. PLACE OF INJURY - At home, farm, street, factory, offer building, etc. (S Street 51. LOCATION (Street and Number or Rural Route Number, Cry or Torm, Stat Route 4, Augusta, Maine	
	ter the diseases, injunes, or con rest, shock, or heart failure. List		ater the mode of dying, such as cardiac or respiratory	I Approximate interval I Between Onset and I Death
IMMEDIATE CAUS disease or conditio resulting in death.) 그	n Cere	Boral laceration UE TO (OR AS A CONSEQUENCE OF):		10 mins.
NOILE Sequentially list co If any, leading to in CAUSE (Disease o CAUSE (Disease o Which initiated ever which initiated ever resulting in death)	nditions. nmediate ERLYING r injury rs c. <u>Auto</u>	n skull fracture ue to (or as a consequence of): mobile accident ue to (or as a consequence of):	10 mins. 10 mins.	
U	La.	to death but not resulting in the underlying ca	ause given in Part I.	<u> </u>

STATE OF MAINE DEPARTMENT OF HUMAN SERVICES (118)

Table C	-4
---------	----

1a. FIRST NAME		L.		SE AND CERTIFI	CATE OF I	VIANNIAG	E		State File for	
		10.1	MIDDLE NA	ME		1c. LAST NAME				115 UF 27
2. AGE LAST BIRTHDAY	B. RESIDENCE - STAT	re 4.000	UNTY		5. CITY. OR TOWN			<u></u>		
6. STREET AND NUMBER	······		7. BIRTHPLACE IState or		E iState or Foreig	n Countryi	<u> </u>	8 DATE OF BIRTH IMP	8 DATE OF BIRTH IMC Day Y	
9. FATHER'S NAME IFITST. A	icole, Last)			PLACE (State or n Country)	11 MOTHER'S NAME (First, Middle, Malden Surname		Surname	12. BIRTHPLACE iState of Foreign Country		
13a FIRST NAME		1.124								
138. FINST NAME		130.	13b. MIDDLE NAME			13c. MAIDEN SÜRNAME				
14. CURRENT LAST NAME		15. AGE LAST	BIRTHDAY	16. RESIDENCE - STATE	17. COUNTY	1		18. CITY OR TOW	N	
19. STREET AND NUMBER					20. BIRTHPLAC	E (State or Foreig	n Country)		21. DATE OF BIRTH (Mo., Day, Yr.)	
22. FATHER'S NAME (First.	ATHER'S NAME (First, Middle, Last)			PLACE (State or Country)	24 MOTHER'S	NAME (First. Miad	tie. Maigen Si	urnamê)	25. BIRTHPLACE (State or Foreign Country)	
\rightarrow	GF	NOOR			BRIDE					
NUMBER OF THIS MARRIA	E 27. IF PR	EVIOUSLY MAI	Y MARRIED, LAST MARRIAGE ENDED		NUMBER OF THIS MARRIAGE 29. IF PRE		29. IF PREVIOUSLY M	REVIOUSLY MARRIED LAST MARRIAGE ENDED		
26. First, Second, etc (Specify)			I DATE //	Mo., Day. Yr.i	28. First. Second. etc. (Specity)		DEATH I DIVORCE I ANNULMENT			
30. GROOM'S SIGNATU	First c I HEREBY CERTIFY TH 30. GROOM'S SIGNATURE			AT LAW FREE TO P	ARRY UNDER THE LAWS OF MAINE 31. BRIDE'S SIGNATURE 33. DATE LICENSE ISSUED ICC. DARTY 34. UCINSENAL		N' & Al	6 19 1		
>	32. DA		S FILED IMC	o., Day. Yr.)		l.	200	ATTAL IN ALIGA	HTIL (Mo., Day, Yr)	
ANY DULY AUTHORIZED IS HEREBY AUTHORIZED I'S HEREBY AUTHORIZED I'S THE LAWS OF MAINE.	PERSON O MARRY ES UNDER 35. SIG	TE INTENTION				NSE ISSUED	Day Francisco	34. HERNSEWALING		
IS HEREBY AUTHORIZED T THE ABOVE-NAMED PARTI THE LAWS OF MAINE.	PERSON O MARRY ES UNDER 35. SIG	NATURE OF IS	SUING CLE	ERK	33. DATE LICE	NSE ISSUED 10	OR TOWN OF	34. U GE NS E V ALI BA ISSUE		
IS HEREBY AUTHORIZED T THE ABOVE-NAMED PARTI THE LAWS OF MAINE. THE 37. I CERTIFY THAT TH	PERSON O MARRY IS UNDER LAWS OF M	NATURE OF IS	SSUING CLE	ERK	33. DATE LICE	NSE ISSUED 10	OR TOWN OF	34. UCENSE VALIER	HTIL (Mo., Day, Yr)	
IS HEREBY AUTHORIZED T THE ABOVE-NAMED PARTI THE LAWS OF MAINE.	ELAWS OF M	NATURE OF IS AINE PRO		THAT ONLY AUT	33. DATE LICE	NSE ISSUED 10	DR TOWN OF	34. UGENSEVALIA ISSUE EMNIZE MAR	HTIL (MO., Day, Yr) RIAGES IN MAINE	
THE LAWS OF MAINE.	ELAWS OF M	NATURE OF IS AINE PRO (Mo., Day, Yr.) CEREMONY		THAT ONLY AUT 38. WHERE MARRIED - CI 41. NAME (Type/Print)	33. DATE LICE	INSE ISSUED A	MAY SOL 39. COU 42. TITL	34. UGENSEVALIA ISSUE EMNIZE MAR	HTIL (Mo., Day, Yr)	
THE LAWS OF MAINE. 37. I CERTIFY THAT TH ABOVE NAMED PER 37. I CERTIFY THAT TH ABOVE NAMED PER WERE MARRIED ON 40. SIGNATURE OF PER	ELAWS OF M	NATURE OF IS AINE PRO (Mo., Day, Yr.) CEREMONY		THAT ONLY AUT	33. DATE LICE	INSE ISSUED A	MAY SOL 39. COU 42. TITL	34. UGENSEVALIA ISSUE EMNIZE MAR	HTIL (MO., Day, Yr) RIAGES IN MAINE	
IS HEREBY AUTHORIZED 3 THE ABOVE-NAMED PARTI THE LAWS OF MAINE. THE 37. I CERTIFY THAT TH ABOVE NAMED PER WERE MARRIED ON 40. SIGNATURE OF PER 44A. RESIDENCE OF PER 45A. SIGNATURE OF WIT	PERSON O MARRY ES UNDER LAWS OF M SONS SONS SCN PERFORMING I	AINE PRO		THAT ONLY AUT 38. WHERE MARRIED - CI 41. NAME (Type/Print)	ACTION OF PERSON PER	INSE ISSUED A	MAY SOL 39. COU 42. TITL MONY	33. UQENSEVALIEL ISSUE EMNIZE MAR NTY E	HTIL (MO., Day, Yr) RIAGES IN MAINE	
E IS HEREBY AUTHORIZED 1 IS HEREBY AUTHORIZED 1 THE LAWS OF MAINE. THE LAWS OF MAINE. THE LAWS OF MAINE. 37. I CERTIFY THAT TH ABOVE NAMED PER WERE MARRIED ON 40. SIGNATURE OF PER 44A. RESIDENCE OF PER 45A. SIGNATURE OF WIT	PERSON O MARRY ES UNDER LAWS OF M SONS SCN PERFORMING I RSON PERFORMING	AINE PRO Main Day, Yr., CEREMONY		THAT ONLY AUT 38. WHERE MARRIED - CI 41. NAME (Type/Print)	ACT PERSON PER	INSE ISSUED IN 36. CITY (ERSONS M FORMING CERE	MAY SOL 39. COU 42. TITL MONY NAME OF W	33. UQENSEVALIEL ISSUE EMNIZE MAR NTY E	HTIL (MO., Day, Yr) RIAGES IN MAINE	
SE IS HEREBY AUTHORIZED I THE ABOVENAMED PARTI THE LAWS OF MAINE. THE LAWS OF MAINE. 37. I CERTIFY THAT TH ABOVE NAMED PER WERE MARRIED ON 40. SIGNATURE OF PER 44A. RESIDENCE OF PER 445A. SIGNATURE OF WIT	PERSON O MARRY ES UNDER LAWS OF M SONS SONS SCN PERFORMING RESON PERFORMING NESS TO CEREMONY	AINE PRO Main Day, Yr., CEREMONY		THAT ONLY AUT 38. WHERE MARRIED - CI 41. NAME (Type/Print)	ACT PERSON PER	INSE ISSUED IN 36. CITY O ERSONS M FORMING CERE ED OR PRINTEC	MAY SOL 39. COU 42. TITL MONY NAME OF W	33. UQENSEVALIEL ISSUE EMNIZE MAR NTY E	HTIL (Mo., Day, Yr) RIAGES IN MAINE 43. DATE OF COMMISSION (Mo., Day, Yr) ADMITTE	

CONFIDENTIAL. THE INFORMATION BELOW WILL NOT APPEAR ON CERTIFIED COPIES OF THE RECORD.

GROOM'S RACE	GROOM'S EDUCATION	Specify only highest grade completed)	BRIDE'S RACE	BRIDE'S EDUCATION - (Specify only highest grade completed)			
49. American Indian, Black.	50. Elementary/Secondary	College	51, American indian, Black.	52. Elementary/Secondary	College		
White, etc. (Specify)	(0-12)	(1-4 or 5+)	White, etc. (Specify)	(0-12)	(1-4 or 5+)		

COPY - STATE

`

		CONSENT OF PARENTS OR G	BUARDIAN						
	WE MEREBY GIVE CONSENT TO THE LARRINGE OF OUR DAUGHTER CR								
CONSENT FOR BRIDE	SIGNATURE OF PARENT OF GUARDIAN								
	SIGNATURE OF PAREST OF GUARDIAN		SOMETURE IT MARE . UN	ι χωα ^ρ ψ					
	SIGNED BEFORE ME	CLEAK OR DEPUTY		TOWN					
				·					
······································	I WE HEREBY GIVE CONSENT TO THE MARRIAGE OF CU								
CONSENT FOR GROOM	SIGNATURE OF PARENT OR GUARDIAN		SIGNATURE OF PARENT OR						
0.000	SIGNED BEFORE ME ON	CLERK OR DEPUTY		TOWN					

SAMPLE

DISSOLUTION OF FORMER MARRIAGE

DIVORCE (NAME OF FORMER SPOUSE)	DATE OF DIVORCE	NAME AND LOCATION OF COURT	
ANNULMENT (NAME OF FORMER SPOUSE)	DATE OF ANNULMENT	NAME AND LOCATION OF COURT	
DEATH (NAME OF FORMER SPOUSE)	DATE OF DEATH	PLACE OF DEATH	
DIVORCE (NAME OF FORMER SPOUSE)	DATE OF DIVORCE	NAME AND LOCATION OF COURT	
ANNULMENT (NAME OF FORMER SPOUSE)	DATE OF ANNULMENT	NAME AND LOCATION OF COURT	
DEATH (NAME OF FORMER SPOUSE)	DATE OF DEATH	PLACE OF DEATH	<u> </u>
	ANNULMENT (NAME OF FORMER SPOUSE) DEATH (NAME OF FORMER SPOUSE) DIVORCE (NAME OF FORMER SPOUSE) ANNULMENT (NAME OF FORMER SPOUSE)	ANNULMENT (NAME OF FORMER SPOUSE) DEATH (NAME OF FORMER SPOUSE) DATE OF DEATH DIVORCE (NAME OF FORMER SPOUSE) DATE OF DIVORCE ANNULMENT (NAME OF FORMER SPOUSE) DATE OF ANNULMENT	ANNULMENT (NAME OF FORMER SPOUSE) DATE OF ANNULMENT NAME AND LOCATION OF COURT DEATH (NAME OF FORMER SPOUSE) DATE OF DEATH DIVORCE (NAME OF FORMER SPOUSE) DATE OF DIVORCE NAME AND LOCATION OF COURT ANNULMENT (NAME OF FORMER SPOUSE) DATE OF ANNULMENT NAME AND LOCATION OF COURT

1. FACILITY NAME (If not cli	nic or bosnital ni	ve addressi	2 000	NTY OF ABORTION	1.011	TOWN OF ABORTION	4. PATIENT MARI	
	ar a nospila, yi	re 800 633/						
5. DATE OF ABORTION (Mo	nth, Day, Year)	6. AGE DF P	PATIENT 7. RESIDENCE - STATE		8. COU	NTY	9. CITY/TOWN	
10. ANCESTRY French, English, Irish, Etc. (Specify Below)		ACE American Indian Black	Lui,	12		JCATION Ist grade completed)		
			White		- Be	mentary/Secondary (0-12)	Callege (1-4 or 5 +)	
13. OATE LAST NORMAL MENSES BEGAN	14. CLINICAL E DF GESTAT	stimate Ion <i>(Weeks)</i>		PREGNANCY HIST	ORY <i>(Comple</i>	te each section)		
(Month, Day, Year)			live Biaths				ER TERMINATIONS of include this termination)	
	-		15a. Now livin	g 15b. Now de	ad	15a, Spomaneous	16b. Induced	
			Number	i i Number_		Number	: i Number	
				None ! None		None		
			TERMI	NATION PROCEDUR	ES			
17a. PROCEDURE THA PREGNANCY	T TERMINATED					USEI	ittonal procedures) for this Mination, if any	
ري م	ect anly ane)	J	AIV	IPLE		(Check all that apply)		
		••••••	Sh	arp Curettage				
	•		Dilation a	nd Evacuation (D&E)		🗆	3	
x				ne Saline Instillation Prostaglandin Instillation				
				lysterotomy				
				ysterectomy				
	<u> </u>		Other (Spec	ify))	
18. SIGNATURE OF ATTENDIN	G PHYSICIAN	· <u>····</u> ·····		19. NAME OF PERS	ON COMPLE	TING REPORT (Type/Print)		

.

•

.

TABLE E-1

ESTIMATED MAINE POPULATION BY COUNTIES AND STATE TOTAL, 1992

COUNTY STATE TOTAL	RESIDENT POPULATION 1,236,348
ANDROSCOGGIN	103,844
AROOSTOOK	87,109
CUMBERLAND	244,378
FRANKLIN	29,435
HANCOCK	47,963
KENNEBEC	117,143
KNOX	36,760
LINCOLN	30,602
OXFORD	52,612
PENOBSCOT	146,388
PISCATAQUIS	18,751
SAGADAHOC	33,963
SOMERSET	50,770
WALDO	34 , 130
WASHINGTON	35,897
YORK	165,602

SOURCE: U. S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS, DECEMBER 1993.

TABLE E-2

ESTIMATED POPULATION BY AGE GROUP AND SEX MAINE STATE TOTALS, - JULY 1, 1992

AGE GROUP (YEARS)		RESIDENT POPULATION JULY 1, 1992	
	MALE	FEMALE	TOTAL
ALL AGES - TOTAL	602 , 499	633,849	1,236,348
UNDER 1	8,292	7,875	16,167
1-14	124,168	117,591	241,759
15-24	86,654	84,172	170,826
25-34	95,955	98 , 634	194,589
35-44	101,400	101,229	202,629
45-64	118,503	123,757	242,260
65-74	41,522	52,182	93,704
75-84	21,107	34,456	55,563
85 AND OLDER	4,898	13,953	18,851

SOURCE: MAINE DEPT. OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS DEC 93

Table H-1

HISTORICAL VITAL STATISTICS DATA

.

POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES;

RATES FOR BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS

				MAINE STATE TO)TALS, 1900-14		th Year)	and 1961-199)	
				Birth Rate		Death Rate	Infant	Neonatal	Fetal		
			Live	per 1,000	Deaths	per 1,000	Death	Death	Death	-	. <u>.</u>
	Year	Population		كراد متشالك فلك فبكاك أشتكم المتصلب بالسيبسيبينين	(All Ages)	Population	Rated	Rated	Rated		Divorces ^C
	1900	694,466	14,095	20.3	11,389	16.4	267.5	-	43.6 ^a	5.482	8 0 1
	1905	719,000	15,294	21.3	11,381	15.8	234.2	-	46.5 ^a	6,264	848
	1910	742,371	15,798	21.3	12,439	16.7	249.2	30.4	42.5ª	5,900	911
	1915	757,000	16,671	22.0	11,541	15.2	135.7		41.3 ^a	6,672	1,006
	1920	768,014	17,495	22.7	11,850	15.3	102.8	41.2	42.8 ^a	7.884	1,364
	1925	782,700	17,706	22.6	10,874	13-8	75.6	51.8	-	6,226	1,228
	1930	797,423	16, 199	20.3	11,084	13.9	75.4	41.5	35.9 ^a	6,438	1,466
	1935	822,300	15,715	19.1	11,042	13.4	62.3	37.8	33.6 ^a	7,089	1,474
	1940	847,226	15,285	18.0	10,640	12.6	52.9	34.0	24.8 ^a	8,475	1,537
	1945	880,500	16,647	18.9	9,966	11.3	46.6	27.0	24.1 ^a	7,569	2,497
	1950	914,950	21,239	23.2	9,962	10.9	31.2	22.0	19.4 ^{-a}	8,617	2,162
	1955	940,841	22,753	24.2	10,14Ū	10.8	24.5	17.3	28.4 ^a	8,263	1,954
	1960	970,689	23,282	24.Ū	10,752	11.1	25.2	18.6	17.7 ^a	7,860	2,025
	1961	976,511	23,553	24.1	10,765	11.0	25.6	19.0	17.5 ^a	7,908	2,021
	1962	983,023	22,998	23.4	11,083	11.3	25.3	18.2	17.1 ⁴	7,9 8 Ū	2,078
	1963	986,603	21,919	22.2	11,003	11.2	24.0	17.9	16.3 ^a	8,121	2,193
	1964	990,391	21,204	21.4	10,862	11.0	23.5	16.9	17.4 ^a	8,269	2,400
	1965	993,236	19,796	19.9	10,778	10.9	22.4	16.9	17.5 ^a	8,726	2,502
	1966	994,714	18,526	18.6	1Ū, 915	11.0	22.6	17.1	15.0ª	8,983	2,630
	1967	995,134	17,976	18.1	10,066	18.1	23.1	16.4	16.1ª	9,210	3,049
	1968	994,632	16,866	17.0	11,085	11.1	21.6	15.9	16.0ª	10,179	
	1969	993,907	17,364	17.5	10,898	11.0	19.7	15.3	11.8 ⁻³	10,428	3,375
		997,357	17,837	17.9	11,066	11.1	20.9	16.1	13.8ª	10,975	3,841
	1971	1,012,257	17,850	17.6	10,830	10.7	18.1	13.3	13,2ª	11,193	3,905
	1972	1,025,775	16,269	15.9	11,147	10.9	17.7	12.8	12.2ª	11,741	4,132
	1973	1,038,291	15,730	15.1	10,837	10.4	16.1	11.6	13.3 ^a	11,925	4,551
	1974	1,050,181	15,110	14.4	10,705	10.2	16.1	12.6	9,9 ⁵	11,546	4,850
	1975	1,062,640	15,232	14.3	10,253	9.6	13.2	9.Ū	10.8 ⁰	11,190	5,526
	1976	1,074,653	15,046	14.0	10,422	9.7	11.0	7.6	8.3 ^b	11,302	5,522
	1977	1,087,650	16,252	14.9	10,055	9.2	9.4	6.1	8.6 ^D	11,446	5,655
	1978	1,101,186	15,919	14.5	10,168	9.2	10.2	6.0		11,658	6,164
	1979	1,115,044	16,435	14.7	10,278	9.2	9.7	5.8		11,918	6,158
1	1980	1,125,027	16,474	14.6	10,768	9.6	9.3	5.9		12,040	6,189
	1981	1,132,849	16,567	14.6	10,331	9.1	10.6	6.6		12,290	6,351
		1,136,199			10,451	9.2	8.7			12,388	
	1983	1,145,730	16,576	14.5	10,916	9.5	8.7	5.9	6.5 ^b	12,478	5,939
	1984	1,156,485	16,631	14.4	10,826	9.4	8.0	4.8	6.8 ⁰	12,525	5,795
	1985	1,163,850	16,905	14.5	11,392	9.8	8.9	6.3	6.0 ^b	12,248	6,070
	1986	1,172,200	16,717	14.3	11,178	9.5	8.7	5.6	5.9 ^b	11,983	5,621
	1987	1,186,350	16,727	14.1	11,238	7.5	8.1	<u></u> 4.8	5.7 ⁰	12,124	5,878
	1988	1,205,900	17,166	14.2	11,482	9.5	7.9	4.0 5.1	6.3 ⁰	12,553	5,878 6,841
	1989	1,216,050	17,186	14.4	11,482	7.3 9.1	7.0	ے۔ ر 4.8	5.6 ^b	11,894	5,469
	1990	1,227,928	17,404	14.4	11,023	9.0	5.9		5.2 ^b	11,914	
								4.3			5,164
	1991	1,234,597	16,755	13.6	11,189	9.1	6.7	4.4	4,9 ⁰ 5 ob	11,306	5,645
	1992	1,236,348	16,013	13.0	11,045	8.9	5.6	3.6	5.3 ^D	11,305	6,257

Notes:^aFetal death rate calculated based on all reported terminations of pregnancy, regardless of gestational age. In 1973, 12.0% of such terminations were for fetuses of less than 20 weeks gestation.

^bFetal death rate calculated based on reported fetal deaths of gestational age 20 weeks or more. ^COccurrence data.

^dRate per 1,000 live births in the same year.

All data for births and deaths pertain to Maine residents, only, starting in 1935. Data on marriages and divorces describe all such events which occurred in Maine.

NON-DISCRIMINATION NOTICE

In accordance with Title VI of the Civil Rights Act of 1964 (42 U.S.C. \$2000d et seq.), Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. 1794), the Age Discrimination Act of 1975, as amended (42 U.S.C. 16101 et seq.), and Title IX of the Education Amendments of 1972, the Maine Department of Human Services does not discriminate on the basis of sex, race, color, national origin, handicap or age in admission or access to or treatment or employment in its programs or activities. Ann Twombly, Affirmative Action Officer, has been designated to coordinate our efforts to comply with the U.S. Department of Health and Human Services regulations (45 C.F.R. Parts 80, 84 and 91) and the U.S. Department of Education (34 C.F.R. Part 106) implementing these Federal laws. Inquiries concerning the application of these regulations and our grievance procedures for resolution of complaints alleging discrimination may be referred to Ann Twombly at 221 State Street, Augusta, Maine 04333, Telephone Number: (207) 287-3488 (Voice) or 1-800-332-1003 (TTY), or to the Assistant Secretary of the Office of Civil Rights, Washington, D.C.

(ANNUAL.VS/sw)

MAINE DEPARTMENT OF HUMAN SERVICES Office of Data, Research, and Vital Statistics State House Station 11 35 Anthony Avenue Augusta, Maine 04333-0011

> SPECIAL FOURTH CLASS Book Rate