

MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)



MAINE VITAL STATISTICS 1993



Angus S. King, Jr.
Governor



Kevin W. Concannon
Commissioner



STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES



HA
413
.M25
1993

**STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
BUREAU OF HEALTH
OFFICE OF DATA, RESEARCH, AND VITAL STATISTICS**

**ANNUAL STATISTICAL REPORT
FOR THE CALENDAR YEAR**

1993

Angus S. King, Jr.
Governor



Kevin W. Concannon
Commissioner

Ellen M. Naor
State Registrar of Vital Statistics

Published in February, 1996
As Required by Statute 22 MRSA §2701
Under Appropriation # 010-10A-1110-01

ACKNOWLEDGEMENTS

This report contains a summary of vital statistics for the State of Maine for the calendar year 1993. The Department of Human Services has the dual responsibility of maintaining an effective system of vital registration and of making vital statistics available to the public. Within the Department itself, these data are needed for planning, managing, and evaluating programs that will improve the health and welfare of Maine people. The data are widely used, as well, for estimating and projecting population characteristics and changes.

This document is the result of the cooperative efforts of many individuals and groups. Chief among these are the municipal clerks of Maine's towns and counties, who serve as local registrars for vital records. The conscientious efforts of physicians, medical records administrators, and funeral directors also deserve special mention.

Maine Vital Statistics has been compiled and produced under the general supervision and direction of Ellen M. Naor, State Registrar of Vital Statistics and Director, Office of Data, Research, and Vital Statistics. Staff most significantly involved in the production of the 1993 annual report include:

Donald Lemieux, Director, Statistical Services - supervision and general direction, preparation of population statistics.

Catherine St. Pierre - Planning and Research Associate - review and update of the text.

William Turner - Programmer Analyst -vital statistics systems maintenance and programming of vital statistics series reports.

Sue Whitley - Word Processing Supervisor - manuscript preparation.

The joint efforts of all the staff of the Office's Vital Records Unit are necessary to produce the data contained in this publication. Special acknowledgement is made to:

Lorraine Clarkson - Deputy State Registrar - Supervision of the Vital Records Unit which is responsible for data collection, coding and editing.

TABLE OF CONTENTS

	<u>Page No.</u>
Acknowledgements.....	ii
List of Tables.....	v
List of Supplemental Tables Available on Request.....	x
Introduction.....	1
Definitions of Terms.....	3
Definitions of Rates.....	7
Technical Notes.....	9
General Considerations.....	9
Live Births.....	12
Pregnancy Outcome.....	12
Infant and Fetal Mortality.....	12
General Mortality.....	13
Induced Abortions.....	15
Marriages.....	15
Divorces.....	15
Miscarriages.....	15
Tables (See List of Tables for detailed titles)	
Live Births.....	17
Pregnancy Outcome.....	67
Infant and Fetal Mortality.....	89
General Mortality.....	103
Induced Abortions.....	147
Appendices.....	159
Maine Vital Records Certificates and Reports	
Certificate of Live Birth.....	161
Certificate of Fetal Death.....	162
Certificate of Death.....	163
License and Certificate of Marriage.....	164
Record of Divorce or Annulment.....	165
Report of Induced Abortions.....	166
Monthly Miscarriage Report Register.....	167
Report of Miscarriage.....	168

TABLE OF CONTENTS (Continued)

	<u>Page No.</u>
Population Estimates	
Estimated Maine Population by Counties and State, Total - July 1, 1993.....	169
Estimated Population by Age Group and Sex, Maine State Totals - July 1, 1993.....	170
Historical Vital Statistics Data	
Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, from 1900.....	171
Induced Abortions of Pregnancy, Number and Rate: Maine State Totals, from 1978.....	172

LIST OF TABLES

Page No.

<u>Table No.</u>	<u>Table Title</u>	
	LIVE BIRTHS	
TABLE B-1	All Live Births and Out of Wedlock Live Births, by Mother's Age and Race: Maine State Totals, 1993 (Resident Data).....	19
TABLE B-2	All Live Births and Out of Wedlock Live Births, by Mother's Age and Child's Birthweight: Maine State Totals, 1993 (Resident Data).....	20
TABLE B-3	Live Births by Selected Medical History Characteristics Maine State Totals, 1993 (Resident Data) [Selected Characteristics: Complications of Labor, Medical Risk Factors, Other Risk Factors, Method of Delivery, Obstetric Procedures, Congenital Anomalies].....	21
TABLE B-4	Live Births by Selected Risk Characteristics, and Ratio of Male to Female Births: Maine Counties and State Totals, 1993 (Resident Data) [Selected Characteristics: 5 Minute Apgar Score Less Than 5, Congenital Anomalies, Birthweight Less than 2,500 Grams, Gestation Less than 37 Weeks].....	22
TABLE B-5	All Live Births and Out of Wedlock Live Births, By Mother's Age, Sex of Child and Birth Order: Maine Counties and State Totals, 1993 (Resident Data).....	23
TABLE B-6	Live Births by Month Prenatal Care Began and Birthweight: Maine Counties and State Totals, 1993 (Resident Data).....	40
TABLE B-7	Live Births by Trimester Prenatal Care Began and Number of Prenatal Visits: Maine Counties and State Totals, 1993 (Resident Data).....	49
TABLE B-8	Live Births by Month Prenatal Care Began and Mother's Education: Maine Counties and State Totals, 1993 (Resident Data).....	58
TABLE B-9	Live Births by Selected Risk Characteristics -- Number of Births: Maine Hospital, Other Birth Sites, and State Total, 1993 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Medical Risk Factors, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams].....	64
TABLE B-10	Live Births by Selected Risk Characteristics -- Percentage of Total Births: Maine Hospital, Other Birth Sites, and State Total, 1993 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Medical Risk Factors, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams].....	65

<u>Table No.</u>	<u>Table Title</u>	
TABLE B-11	Live Births by Birthweight: Maine Hospitals, Other Birth Sites, and State Totals, 1993 (Occurrence Data).....	66
	PREGNANCY OUTCOME	
TABLE P-1	All Live Births, Induced Abortions, and Fetal Deaths by Outcome, Marital Status and Age of Mother: Maine Counties and Maine State Totals, 1993 (Resident Data).....	69
TABLE P-2	Fetal Deaths and Induced Abortions by Weeks of Gestation: Maine State Totals, 1993 (Resident Data).....	87
	INFANT AND FETAL MORTALITY	
TABLE F-1	Infant, Neonatal, and Postneonatal Deaths by Sex for 61 Cause of Death Groups: Maine State Totals, 1993 (Resident Data).....	91
TABLE F-2	Fetal Deaths by Gestation and Sex for 61 Cause of Death Groups: Maine State Totals, 1993 (Resident Data).....	95
TABLE F-3	Live Births, Neonatal Deaths, and Estimated Neonatal Death Rates by Birthweight: Maine State Totals, 1993 (Resident Data).....	97
TABLE F-4	Fetal Deaths by Selected Complications, Gestation, and Age of Patient: Maine State Totals, 1993 (Resident Data) [Selected Complications: Medical Risk Factors, Complications of Labor or Delivery, Tobacco/Alcohol Use, Congenital Anomalies].....	98
TABLE F-5	Deaths and Death Rates--Total, Infant, Neonatal, Postneonatal, and Perinatal: Maine Counties and State Totals, 1993 (Resident Data).....	99
TABLE F-6	Fetal Deaths by Selected Characteristics: Maine Counties and State Totals, 1993 (Resident Data) [Selected Characteristics: Out of Wedlock, Autopsy, In Hospital, Trimester Prenatal Care Began, Age of Patient].....	100
TABLE F-7	Fetal Deaths, Selected Risk Characteristics, and Ratio of Males to Females: Maine Counties and State Totals, 1993 (Resident Data) [Selected Characteristics: Congenital Anomalies, Fetal Weight, Gestation Less Than 28 Weeks].....	101
TABLE F-8	Fetal Deaths by Selected Medical History Characteristics: Maine State Totals, 1993 (Resident Data) [Selected Medical History: Complications of Labor, Medical Risk Factors, Other Risk Factors, Method of Delivery, Obstetric Procedures, Congenital Anomalies].....	102

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
GENERAL MORTALITY		
TABLE D-1	Deaths, Rank by Number of Deaths, and Death Rate -- Total, Male, and Female For Ten Leading Causes of Death by Age Group: Maine State Totals, 1993 (Resident Data).....	105
TABLE D-2	Years of Life Lost -- Number, Percent, Rank, and Average per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1993 (Resident Data).....	110
TABLE D-3	Deaths by Age and Sex for 282 Cause of Death Groups: Maine State Totals, 1993 (Resident Data).....	111
TABLE D-4	Underlying Cause Mentions and All Mentions of 72 Cause of Death Groups and Ratios of All Mentions to Underlying Cause Mentions: Maine State Totals, 1993 (Resident Data).....	131
TABLE D-5	Deaths -- Total and Percent by Site of Death: Maine Counties and State Totals, 1993 (Resident Data).....	133
TABLE D-6	Deaths in Hospitals -- Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1993 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	134
TABLE D-7	Deaths in Intermediate Care Facilities -- Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1993 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	135
TABLE D-8	Deaths at Home -- Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1993 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia and Accidents].....	136
TABLE D-9	Deaths by Sex, Age, and Occupation: Maine State Totals, 1993 (Resident Data).....	137
TABLE D-10	Acquired Immune Deficiency Syndrome Related Deaths by Status of Mention: Maine State Totals, 1993 (Resident Data).....	140
TABLE D-11	Deaths by Underlying Cause Mention and All Mentions for Selected 72 Cause of Death Groups: Maine State Totals, 1993 (Resident Data).....	141

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
	INDUCED ABORTIONS	
TABLE A-2	Induced Abortions by Gestation and Type of Termination Procedures: Maine State Totals, 1993 (Occurrence Data).....	149
TABLE A-3	Induced Abortions by Gestation, Age of Patient and Race: Maine State Totals, 1993 (Resident Data).....	150
TABLE A-4	Induced Abortions by Gestation, Age of Patient and Race: Maine State Totals, 1993 (Occurrence Data).....	151
TABLE A-5	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1993 (Resident Data).....	152
TABLE A-6	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1993 (Occurrence Data).....	153
TABLE A-7	Induced Abortions by Marital Status and Age of Patient: Maine State Totals, 1993 (Resident and Occurrence Data).....	154
TABLE A-8	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1993 (Resident Data).....	155
TABLE A-9	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1993 (Occurrence Data).....	156
TABLE A-10	Induced Abortions by State or Country of Residence: Maine State Totals, 1993 (Occurrence Data).....	157

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
APPENDICES		
TABLE C-1	Copy of Maine Birth Certificate.....	161
TABLE C-2	Copy of Maine Fetal Death Certificate.....	162
TABLE C-3	Copy of Maine Death Certificate.....	163
TABLE C-4	Copy of Maine Marriage Certificate.....	164
TABLE C-5	Copy of Maine Record of Divorce or Annulment.....	165
TABLE C-6	Copy of Maine Report of Induced Abortion.....	166
TABLE C-7	Copy of Maine Monthly Miscarriage Report Register.....	167
TABLE C-8	Copy of Maine Report of Miscarriage.....	168
TABLE E-1	Estimated Maine Population: Maine Counties and State Total, July 1, 1993.....	169
TABLE E-2	Estimated Maine Population by Age Group and Sex: Maine State Totals, July 1, 1993.....	170
TABLE H-1	Historical Vital Statistics Data, Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, 1900-1965 (every fifth year) and 1996-1993 (yearly).....	171
TABLE H-2	Historical Vital Statistics Data, Induced Abortions of Pregnancy, Number and Rate: Maine State Totals, 1978-1993.....	172

LIST OF SUPPLEMENTAL TABLES AVAILABLE ON REQUEST*

Table No.

S-A-2	Induced Abortions -- Total, and by Selected Characteristics: Maine Towns over 3,500 Population, Counties and State Totals, 1993 (Resident Data) [Selected Characteristics: Out of Wedlock, Patient's Age, No. Previous Pregnancies, No. Previous Abortions, Education, Abortions in Hospital]
S-A-3	Induced Abortions to Canadian Residents by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Canada Totals, 1993 (Occurrence Data)
S-A-4	Induced Abortions to Canadian Residents by Gestation, Age of Patient and Race: Canada Totals, 1993 (Occurrence Data)
S-A-5	Induced Abortions to Canadian Residents by Gestation and Type of Termination Procedures: Canada Totals, 1993 (Occurrence Data)
S-B-1	All Live Births and Out of Wedlock Live Births by Adequacy of Prenatal Care, Mother's Age, Child's Birthweight, and Apgar Score: Maine State Totals, 1993 (Resident Data)
S-B-2	Live Births -- Total, and by Selected Risk Characteristics: Maine Towns, Counties and State Totals, 1993 (Resident Data) [Selected Characteristics: Out of Wedlock, Under 2,500 Grams, Congenital Anomalies, Mother Under Age 20 Years, No Prenatal Care]
S-BD-1	Births and Deaths by Month, Maine Towns, Counties and State Totals, 1993 (Resident Data)
S-D-1	Deaths, Rank By Number of Deaths, and Death Rate - Highlighting Motor Vehicle Traffic Deaths -- Total, Male, and Female for Ten Leading Causes of Death (Selected from 32 Cause-of-Death Classifications) by Age Group, Maine State Totals, 1993 (Resident Data)
S-D-2	Deaths by 72 Cause of Death Groups: Six Largest Cities or Towns in Each Maine County, County Totals, and State Totals, 1993 (Resident Data)
S-D-3	Deaths by Age and Sex for 72 Cause of Death Groups, Maine State Totals, 1993 (Resident Data)
S-D-4	Deaths by Age and Sex for 32 Cause of Death Groups, Maine State Totals, 1993 (Resident Data)

*Supplemental tables are available at the cost of reproduction.

- S-D-5 Alcohol and Drug Related Deaths by Status of Mention: Maine State Totals, 1993
 (Resident Data)
- S-D-6 Deaths by Origin or Descent: Maine Counties and State Totals, 1993 (Resident Data)
- S-D-7 Deaths by Referral to Medical Examiner, Autopsy Status, Certifier, Traumatic and
 Non-traumatic Deaths: Maine State Totals, 1993 (Occurrence Data)
- S-D-8 Deaths by Method of Disposition and Age: Maine Counties and State Totals, 1993
 (Occurrence Data)
- S-D-9 Years of Life Lost Before Age 75 - Number, Percent, Rank, and Average Per Death by
 32 Cause of Death Groups and Sex: Maine State Totals, 1993 (Resident Data)
- S-F-1 Neonatal Deaths and Estimated Neonatal Death Rates by Birthweight: Maine Hospitals of
 Birth, Other Birth Sites, and State Total, 1993 (Occurrence Data)
- S-F-2 Infant, Neonatal, and Fetal Deaths by Sex, Non-white Race, Low Birthweight, and
 Congenital Anomalies: Maine Towns, Counties, and State Total, 1993 (Resident Data)

*Supplemental tables are available at the cost of reproduction.

INTRODUCTION

In order to speed the process of making these data available to the public, the annual vital statistics report does not contain interpretive comments or charts. Information necessary to use the tables is included in the technical notes. The tabulations most frequently requested are presented in this report. Supplemental tables, available at the cost of reproduction, are listed on pages x and xi. Special tabulations can also be obtained, generally at a charge that may include preparation as well as reproduction costs. Comments and requests for additional information should be directed to:

Office of Data, Research, and Vital Statistics
Bureau of Health
Department of Human Services
11 State House Station
35 Anthony Avenue
Augusta, Maine 04333-0011

Telephone (207) 624-5445

DEFINITIONS OF TERMS

All Mentioned Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. All mentioned causes are also referred to as “multiple causes of death.”
Apgar Score	A summary indicator for evaluating the health of a newborn infant, the score ranges from 0 (very poor) to 10 (excellent). It is assigned by the delivery room personnel one minute and five minutes after birth.
Associated Cause of Death	Condition other than the underlying cause of death which may have contributed to the death.
Birth Order	Number of live births to the mother of the newborn, including this birth.
Birthweight	Weight of fetus or infant at time of delivery (normally measured in grams).
Fetal Death	Death prior to the complete expulsion or extraction from its mother of a product of conception; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Fetal deaths of at least 20 weeks of gestation must be reported on the “Fetal Death Report”. Fetal deaths of less than 20 weeks gestation are reported on the “Monthly Miscarriage Report Register” or individual “Report of Miscarriage”.
Gestation	Clinical assessment of the number of weeks since conception.
Hospital	A licensed acute care health facility with permanent inpatient beds offering facilities and services for the diagnosis and treatment of illness, injury and deformity for a continuing period of time. A hospital has an organized medical staff and offers continuous 24 hour professional nursing care and emergency treatment.
Induced Abortion	Induced abortion means the intentional interruption of a pregnancy by the application of external agents, whether chemical or physical, or the ingestion of chemical agents with an intention other than to produce a live birth or to remove a dead fetus. All induced abortions are required to be reported on the “Report of Induced Abortion,” regardless of the length of gestation.
Infant Death	Death occurring to a live born infant less than one year of age.

DEFINITIONS OF TERMS (Continued)

Intermediate Care Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, health related services, and licensed nursing supervision (8 hours per day).
Live Birth	A live birth is the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.
Maternal Deaths	Those deaths of women wherein the physician has designated a maternal condition as the underlying cause of death.
Minor Civil Division	In Maine, minor civil divisions are generally areas defined as cities, towns, plantations, and unorganized townships.
Multiple Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. Multiple causes are also referred to as “all mentioned causes”.
Neonatal Death	Death occurring to a live born infant before completing 27 days of life.
Occurrence	Refers to data tabulated by place the event occurred.
Out-of-Wedlock Birth	Births in which the mother was not married either at the time of conception or at the time of delivery.
Perinatal Death	Fetal deaths of at least 20 weeks gestation and all neonatal deaths.
Postneonatal Death	Death occurring to a live born infant between the ages of 28 days and 364 days, inclusive.
Race	Race of mother, father, or decedent is as stated on certificate.
Residence	Refers to data tabulated by usual place of residence of the person to whom the event occurred. For births, fetal deaths, and abortions, residence is defined as the mother’s place of residence.
Site of Birth	Hospital or type of non-hospital site (e.g. home, on way to hospital, out-patient facility) where birth occurred.

DEFINITIONS OF TERMS (Continued)

Site of Death	Hospital or type of non-hospital site (e.g. home, on way to hospital, nursing home) where death occurred.
Skilled Nursing Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, medical services, continuous skilled nursing services and health-related services, diagnosis and treatment.
Spontaneous Abortion	A termination of pregnancy, at less than 20 weeks gestation, through natural causes and without the aid of mechanical or medicinal agents.
Underlying Cause of Death	That condition giving rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. For this report, underlying causes are selected through processing of death certificate data by the ACME and TRANSAX computer programs (see Technical Notes).

DEFINITIONS OF RATES*

Age-Specific Death Rate	=	$\frac{\text{Resident Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}}$	X	100,000
Birth Rate	=	$\frac{\text{Resident Live Births}}{\text{Total Resident Population}}$	X	1,000
Cause-Specific Death Rate	=	$\frac{\text{Resident Deaths from Specific Cause}}{\text{Total Resident Population}}$	X	100,000
Death Rate	=	$\frac{\text{Resident Deaths}}{\text{Total Resident Population}}$	X	1,000
Divorce Rate	=	$\frac{\text{Divorces}}{\text{Total Resident Population}}$	X	1,000
Fetal Death Rate	=	$\frac{\text{Resident Fetal Deaths}}{\text{Total Resident Live Births and Resident Fetal Deaths}}$	X	1,000
Infant Death Rate	=	$\frac{\text{Resident Infant Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Marriage Rate	=	$\frac{\text{Marriages Performed}}{\text{Total Resident Live Births}}$	X	1,000
Maternal Death Rate	=	$\frac{\text{Resident Maternal Deaths}}{\text{Total Resident Live Births}}$	X	10,000
Neonatal Death Rate	=	$\frac{\text{Resident Neonatal Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Perinatal Death Rate	=	$\frac{\text{Resident Fetal Deaths and Neonatal Deaths}}{\text{Total Resident Fetal Deaths and Live Births}}$	X	1,000
Postneonatal Death Rate	=	$\frac{\text{Resident Postneonatal Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Sex-Specific Death Rate	=	$\frac{\text{Resident Deaths of Indicated Sex}}{\text{Total Resident Population of Indicated Sex}}$	X	100,000

*Event denominators for rates are registered totals for the calendar year.
Population denominators are mid-calendar year estimates.

TECHNICAL NOTES

GENERAL CONSIDERATIONS

Sources of Vital Records Data: Birth, death, fetal death, induced abortion, miscarriage registers and individual reports of miscarriage, marriage, and divorce certificates are the source documents for data on vital events in Maine. A copy of each is included in Appendix Tables C-1 through C-8.

The cut off dates for the data in this report are: Marriages, Divorces, Fetal Deaths, and Induced Abortions, 3/15/94; Deaths, 4/1/94; and Births, 4/15/94. Any data pertaining to 1993 events for which certificates were filed after the above cut off dates are not included in this report and will be filed in the vital records office as late certificates.

Birth certificates and induced abortion reports are usually completed by hospital or clinic personnel. Death and fetal death certificates are usually completed by funeral directors, who obtain the medical certifications of cause of death from physicians. Marriage certificates are completed by the appropriate municipal clerks, while divorce reports are sent to the Office of Data, Research, and Vital Statistics by the clerks of courts.

Completeness of Registration: A birth certificate test in 1950 indicated that about one percent of births in Maine at that time were not recorded. It is assumed that registration has continued to be at least that complete.

Although no test of death registration has ever been done, it is assumed that death registration is reasonably complete, because burial permit laws and regulations require the filing of a death certificate before a burial permit for the disposition of the body is issued.

Reporting of all induced abortions at any gestation has been required in Maine for many years. Analysis of fetal death rates over time, however, indicates that there has been considerable variation in the completeness of registration. A specific reporting form for induced abortions was introduced in 1978. Comparison with independent data sources suggests that induced abortions may be underreported by 10 to 15%.

In addition to unrecorded vital events, other vital events may not be included in this report for several reasons: failure of the person required to report the event to make a timely report; failure of a municipal clerk to make a timely report to the State Registrar; or failure of other states to make timely exchanges of nonresident transcripts of births and deaths.

Data Quality: Data in this report are based upon original certificates of births and deaths, copies of original certificates of marriages prepared by city and town clerks, and abstracts of decrees of divorces prepared by the clerks of courts. Errors in data may be introduced by persons giving information for the original certificate, persons involved in the actual preparation of the original certificate, persons responsible for the preparation of the copies or abstracts of the original certificates, or those involved in the coding and processing of the data in the State Office of Data, Research, and Vital Statistics.

Extensive reorganization and revision in 1983 of reporting procedures, data input procedures, and computer systems have reduced or eliminated many of the problems experienced in previous years. The Office of Data, Research, and Vital Statistics maintains several programs aimed at improving the quality and completeness of information received on certificates and its translation into statistical form. A "query" system is used to followback to physicians, hospital personnel and funeral directors concerning incomplete or conflicting information on the certificates themselves. The followback, which is done by both mail and telephone, is based on computer editing procedures.

Finally, the National Center for Health Statistics (NCHS) monitors State coding of statistical data. The NCHS has established a two percent upper limit for coding differences involving any one data item, with the exception of cause of death. A five percent limit is used for this item due to the complexity of the coding process.

Comparison with Earlier Years: In 1983, a number of changes were introduced into the vital registration program and associated data processing, computer systems, and analytic procedures. These must be borne in mind in any comparisons with earlier years and analyses of time trends. Specific changes include the following:

- Implementation of a new birth certificate on January 1, 1983 and a new fetal death certificate on January 1, 1985. The new certificates use a checklist format for reporting medical history items related to pregnancy and delivery. These items are recorded separately and transmitted or mailed directly to the Office of Data, Research and Vital Statistics.
- Intensive field and education activities directed to appropriate medical providers to promote more complete reporting of induced abortions performed at any time during pregnancy.
- The computerized data systems for records of births, deaths, fetal deaths, marriages, divorces, and abortions were completely revised in 1983 to promote more accurate and timely registration activities and statistical products. Comprehensive and rigorous edit procedures were developed for data input and a number of consistency checks were incorporated.

Small Frequencies: The numbers of births or deaths reported for a community represent complete counts of these events. As such, they are not subject to sampling error or variation, although they are subject to errors in the collection and processing procedures. However, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same general circumstances. The probable range of values may be estimated from the actual figures according to certain statistical assumptions (Vital Statistics for the U.S., Vol. 1, 1959, p.1-20). When the figures are used for comparison of frequencies and rates over a time period or for different areas, appropriate statistical methods should be used to assess the significance of the comparisons.

Frequencies of and rates based on fewer than 10 events should be used carefully because they are subject to large random fluctuations. The number “10” is arbitrary, however, and is not set forth as a critical point distinguishing statistically reliable rates.

Rates: In interpreting the conditions described by vital statistics rates, considerable caution must be observed. In particular, differences in rates from time to time or place to place may arise from a number of population differences and other compounding factors, and appropriate techniques (e.g., standardization) should be utilized in such comparisons.

Population Data: The population data used to calculate rates in this report are derived from the 1993 Maine population estimates prepared by the Office of Data, Research, and Vital Statistics. A display of these population data is included in Appendix Tables E-1 and E-2.

“Selected” Characteristics/Causes of Death: These terms are used to denote tabulations in which the categories displayed are not exhaustive but represent only those of particular interest.

Geographic Classification: In addition to recording vital events occurring in Maine, the Office of Data, Research, and Vital Statistics receives transcripts of birth certificates for children born outside Maine to a mother who is a resident of Maine. Death certificates for persons who are residents but die outside the boundaries of Maine are also received. Transcripts of non-resident births and deaths are exchanged with all other states and with Canada.

Events are assigned to geographical areas according either to place of residence or to place of occurrence. The basis for classification is identified in each table and should be carefully observed when extracting information.

- “Resident Data” means events have been tabulated according to the area where the person lived regardless of where the event occurred. In the case of infant deaths and births, the reference is to the residence of the mother. It should be noted that in the case of infant deaths, the place of residence at death may differ from the place of residence at birth; when special tabulations are prepared from both birth and death certificates, it is important to note to which residence category they were assigned.
- “Occurrence Data” means events have been tabulated according to where the events took place, regardless of the usual residence of the person. Since nearly all births and most deaths take place in hospitals, the number which occur in counties with many hospital beds will be large for this reason alone.

LIVE BIRTHS

As noted in previous sections, a revised birth certificate was initiated on January 1, 1983. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies. Two added items were the physician's estimate of gestation and an assessment of the infant's condition at birth. Initial evaluation indicates that the checklist format increased reporting of the medical history items dramatically - as much as five-fold on some items - so comparison with data from previous years must be made with caution. In 1990, a revised method was used for the distribution of adequacy of prenatal care for Table S-B-1 and the results from this table is not compatible with earlier years.

PREGNANCY OUTCOME

This section deals with the outcome of pregnancies to Maine resident women including live births, fetal deaths, and induced abortions.

Table P1 is displayed by county and is the only table where it is possible to compare pregnancy rates by regions throughout the State of Maine.

INFANT AND FETAL MORTALITY

This section includes all fetal deaths of at least 20 weeks gestation and all neonatal deaths. The birth, death, and fetal death certificates all include information on the place of residence, so events to non-Maine residents can be excluded from tabulations based on resident data. Through the interstate exchange agreement, transcripts of births and deaths which occur outside of the state to Maine residents are obtained for inclusion in tabulations of resident data. Maine started to participate in such exchange for fetal deaths in 1985, so information on pregnancies of Maine women terminating in fetal deaths which occurred outside the state is now available for inclusion in tabulations of resident data.

A revised fetal death certificate was initiated on January 1, 1985, comparable to the 1983 revision of the birth certificate. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies.

Notification of infant death is obtained from the regular death certificate. However, much information relevant to the circumstances of infant death is found on the birth certificate. Birth and death records have, therefore, been matched to produce a composite infant death file, which is the source of Table F-3. Tables F-1, F-5; all other death tables, on the other hand, are produced from the general death file. Discrepancies between these two sources are minimal, usually involving only a very small number of deaths.

GENERAL MORTALITY

There are a number of factors which should be considered in order to understand and use the mortality data presented herein.

Mortality Classification: The mortality classification used in this report is the Ninth Revision of the International Classification of Diseases (ICD-9). It consists of a list of 722 categories of diseases and morbid conditions, 192 categories for classification of the external cause of an injury, and 190 categories for the characterization of injuries according to the nature of the lesion.

There are two major limitations in interpreting changes in cause of death statistics. Changes in diagnostic practice may affect the comparability of such statistics over time, as do changes in nomenclature and in the classification scheme. The International Classification of Diseases is revised approximately periodically to incorporate advances in medical science and to reflect changing medical opinion and practice. The Sixth Revision was used from 1949-1957, the Seventh Revision from 1958-1967, the Eighth Revision from 1968-1978, and the Ninth Revision after 1978.

Under the Ninth Revision, the method for selecting the cause of death for statistical purposes remains the same as the method instituted with the Sixth Revision. The Sixth Revision instituted a method whereby the physician in attendance at death indicates the disease or morbid condition which he considers to be the underlying cause of death. The underlying cause is defined as “(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident which produced fatal injury.” Prior to 1981, when two or more causes were jointly recorded, a nosologist in the Office of Vital Statistics selected and coded the underlying cause using the ancillary information provided on the death certificate by the physician. Beginning in 1981, however, all causes mentioned on the certificate are coded. The underlying cause is determined using a computerized procedure: the Automated Classification of Medical Entities (ACME) program. The cause of death information is then subjected to the TRANSAX computer program, which eliminates redundancies in mentioned causes. Information on all associated causes is retained on the computer records for use in further study of certain health problems.

Several groupings by cause of death are utilized in this report. All of the groupings are both exhaustive and exclusive: all causes are assigned to a group or category, and each specific cause is assigned to only one cause group. Deaths by age and sex groups are tabulated using a list of 282 cause groups (Table D-3). Deaths by county and town of residence, site of death, and underlying/non-underlying status are tabulated using 72 cause groups. The analysis of leading causes of death in Table D-1 and D-2 is based on 32 cause groups. The data on fetal and infant deaths, in Tables F-1 and F-2, are categorized into 61 cause groups. In all cases, the ICD-9 codes included in each cause group are indicated on the appropriate tables. Tables generally do not include cause groups from which there were no deaths, so the number of groups displayed may be less than the number of groups (i.e., 282, 72, 61, or 32) from which the tables were constructed.*

*Complete lists of causal groups are contained in the following reference manual and may be obtained upon request from: Office of Data, Research, and Vital Statistics, Maine Department of Human Services, Maine Vital Records Manual, 1996.

Years of Life Lost: In Table D-2, “Years of Life Lost” is used as a more sensitive measure of premature death than the death rate itself. The number of years of life lost is calculated for each decedent as the difference between the age at death and the life expectancy at that age. Life expectancy at each age is taken from the 1990 Maine Life Tables, with the sex-specific expectancy. The death of a male infant, for example, represents a total of 72.7 years of life lost. The death of a 50 year old woman represents 31.4 years of life lost, and the death of a 85 year old woman represents 6.4 years of life lost.

Multiple Causes of Death: Most major causes of death are contributing factors to many deaths in which they are not the underlying cause. The relative frequencies with which specific causes are mentioned on death records as underlying or non-underlying causes are displayed in Table D-4.

In Table D-4, cause of death mentions are classified into 72 cause groups, after processing through the ACME and TRANSAX computer programs. Consequently, the term “mentions” refers to causes identified through processing by the computer programs, rather than to causes as mentioned on the death certificate. A cause group is counted only once for each decedent, even if more than one cause in the group was mentioned on the original certificate. Comparisons of data from different sources on “all mentions” of a cause group are valid only if the number and composition of the cause groups used are the same and the counting rules are consistent.

The category of “all mentions” of a cause group usually includes all identifications of it as the underlying cause of death. Occasionally, simultaneous mention of certain causes on the death record leads to the identification, as the underlying cause, of a disease entity which was not itself recorded on the death certificate. In such cases, the ratio of all mentions to underlying cause mentions can be less than 1.

Certain causes of death can never be classified as the underlying cause of death as defined in the International Classification of Diseases. In particular, descriptions of the nature of injuries and secondary neoplasms are always recorded on the death certificate in conjunction with one or more entries which identify the underlying cause of death, i.e. the external cause of injury or the primary neoplasm.

Table D-11 displays only those 72 cause groups for which the ratio of all mentions to underlying cause mentions on Table D-4 is generally 2.0 or higher and the number of underlying cause mentions is ten or more.

INDUCED ABORTIONS

All induced abortions performed in Maine are required to be reported, regardless of the length of gestation. The report form includes information on the place of residence, so non-resident women receiving abortions in Maine can be excluded from tabulations based on resident data. In 1993, approximately 6% of the induced abortions in Maine were obtained by out-of-state residents. Maine does participate in the interstate program for exchange of induced abortions reports, so complementary data on Maine residents who received abortions in other states are available from those states in which induced abortions are reported, but only one or two records are received each year from other states and are not included in this report.

The numbers of induced abortions reported in 1982 was nearly a third lower than the numbers reported in preceding and subsequent years, due principally to incomplete reporting. In the spring of 1983, a vigorous effort was undertaken to remind and inform physicians, clinics, and hospitals that all induced abortions must be reported to the Department of Human Services on the appropriate form.

MARRIAGES

All marriages which occur in Maine are registered in the central Office of Data, Research, and Vital Statistics. No tabulations of marriage data are included in this publication.

DIVORCES

All divorces which occur in Maine are registered in the central Office of Data, Research, and Vital Statistics. No tabulations of divorce data are included in this publication.

MISCARRIAGES

All miscarriages which occur in Maine are reported to the Office of Data, Research, and Vital Statistics. No tabulations of miscarriage data are included in this publication.

LIVE BIRTHS

TABLE B-1

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND RACE
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

AGE OF MOTHER	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** WHITE *****	***** BLACK *****	RACE OF MOTHER ***** AMERICAN INDIAN	***** ASIAN *****	***** OTHER *****	***** UNKNOWN *****
ALL BIRTHS								
LESS THAN 10	0	0.00	0	0	0	0	0	0
10-14	17	0.11	16	0	1	0	0	0
15	59	0.39	57	2	0	0	0	0
16	169	1.12	161	2	5	1	0	0
17	260	1.73	251	4	3	1	0	1
18	411	2.73	399	0	3	8	0	1
19	604	4.01	583	7	7	5	0	2
20-24	4,089	27.16	3,992	19	34	32	1	11
25-29	4,710	31.29	4,612	11	22	44	0	21
30-34	3,319	22.05	3,253	11	14	27	1	13
35-39	1,187	7.88	1,165	0	1	17	0	4
40-44	205	1.36	197	1	0	3	0	4
GREATER THAN 44	14	0.09	13	0	0	0	0	1
UNKNOWN	10	0.07	9	0	0	0	0	1
STATE TOTALS	15,054		14,708	57	90	138	2	59
PERCENT DISTRIBUTION		100.00	97.70	0.38	0.60	0.92	0.01	0.39
OUT OF WEDLOCK BIRTHS								
LESS THAN 10	0	0.00	0	0	0	0	0	0
10-14	17	0.42	16	0	1	0	0	0
15	57	1.40	55	2	0	0	0	0
16	156	3.84	149	2	4	1	0	0
17	226	5.57	217	4	3	1	0	1
18	331	8.16	322	0	2	6	0	1
19	411	10.13	395	4	6	4	0	2
20-24	1,628	40.12	1,582	5	20	15	0	6
25-29	741	18.26	716	4	10	5	0	6
30-34	346	8.53	334	0	4	5	0	3
35-39	118	2.91	117	0	1	0	0	0
40-44	23	0.57	23	0	0	0	0	0
GREATER THAN 44	2	0.05	2	0	0	0	0	0
UNKNOWN	2	0.05	2	0	0	0	0	0
STATE TOTALS	4,058		3,930	21	51	37	0	19
PERCENT DISTRIBUTION		100.00	96.85	0.52	1.26	0.91	0.00	0.47

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGRACE

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-2

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND CHILD'S BIRTHWEIGHT
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DIST.	***** MOTHER'S AGE (YRS.) *****															GREATER THAN 44	UNKNOWN
			LESS THAN 10	10-14	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44					
ALL BIRTHS																			
LESS THAN 500	11	0.07	0	0	0	0	0	0	1	5	4	1	0	0	0	0			
500-999	44	0.29	0	0	1	1	1	1	1	7	17	8	6	1	0	0			
1000-1499	77	0.51	0	0	0	1	1	5	3	14	22	18	11	2	0	0			
1500-1999	126	0.84	0	0	1	2	4	6	12	27	27	33	12	2	0	0			
2000-2499	554	3.68	0	0	4	14	15	25	20	143	157	121	48	5	2	0			
2500-2999	1,985	13.19	0	3	8	31	40	75	91	598	594	398	120	22	4	1			
3000-3499	5,315	35.31	0	7	22	64	106	159	236	1,492	1,659	1,079	407	75	6	3			
3500-3999	4,869	32.34	0	7	15	41	71	94	177	1,317	1,573	1,117	394	58	0	5			
4000-4499	1,696	11.27	0	0	7	14	19	39	49	398	543	450	149	27	1	0			
4500-4999	309	2.05	0	0	0	0	3	5	12	76	96	77	32	8	0	0			
GREATER THAN 4999	34	0.23	0	0	1	0	0	1	1	7	11	8	5	0	0	0			
UNKNOWN	34	0.23	0	0	0	1	0	1	1	5	7	9	3	5	1	1			
STATE TOTALS	15,054		0	17	59	169	260	411	604	4,089	4,710	3,319	1,187	205	14	10			
PERCENT DIST.		100.00	0.00	0.11	0.39	1.12	1.73	2.73	4.01	27.16	31.29	22.05	7.88	1.36	0.09	0.07			
OUT OF WEDLOCK BIRTHS																			
LESS THAN 500	4	0.10	0	0	0	0	0	0	0	3	0	1	0	0	0	0			
500-999	14	0.34	0	0	1	1	0	1	1	4	5	1	0	0	0	0			
1000-1499	27	0.66	0	0	0	1	1	4	3	6	2	7	3	0	0	0			
1500-1999	35	0.86	0	0	1	2	4	5	5	9	3	5	1	0	0	0			
2000-2499	216	5.31	0	0	4	14	11	18	14	72	41	29	11	0	2	0			
2500-2999	696	17.10	0	3	7	28	38	67	67	273	130	56	21	6	0	0			
3000-3499	1,495	36.72	0	7	22	57	88	120	162	617	266	111	33	11	0	1			
3500-3999	1,159	28.47	0	7	14	39	64	77	119	493	218	93	31	3	0	1			
4000-4499	358	8.79	0	0	7	14	17	33	31	134	65	39	15	3	0	0			
4500-4999	56	1.38	0	0	0	0	3	4	9	20	14	3	3	0	0	0			
GREATER THAN 4999	6	0.15	0	0	1	0	0	1	1	1	0	1	1	0	0	0			
UNKNOWN	5	0.12	0	0	0	1	0	1	0	1	1	1	0	0	0	0			
STATE TOTALS	4,071		0	17	57	157	226	331	412	1,633	745	347	119	23	2	2			
PERCENT DIST.		100.00	0.00	0.42	1.40	3.86	5.55	8.13	10.12	40.11	18.30	8.52	2.92	0.56	0.05	0.05			
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		27.04	0.00	0.00	96.61	92.90	86.92	80.54	68.21	39.94	15.82	10.45	10.03	11.22	14.29	20.00			

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHAGE

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-3

LIVE BIRTHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

COMPLICATIONS OF LABOR			MEDICAL RISK FACTORS			OTHER RISK FACTORS			METHOD OF DELIVERY			CONGENITAL ANOMALIES		
CONDITION	NUMBER	%	CONDITION	NUMBER	%	CONDITION	NUMBER	%	METHOD	NUMBER	%	CONDITION	NUMBER	%
FEBRILE >100 F	148	1.0	ANEMIA	216	1.4	TOBACCO USE	3,080	20.5	VAGINAL	10,657	70.8	ANENCEPHALUS	1	0.0
MECONIUM	784	5.2	CARDIAC DISEASE	35	0.2	AVG CIGARETTES			VAGINAL AFTER			SPINA BIFIDA	5	0.0
PREMATURE RUPTURE			ACUTE OR CHRONIC			PER DAY	13		C-SECTION	438	2.9	HYDROCEPHALUS	4	0.0
MEMBRANE >12 HRS	593	3.9	LUNG DISEASE	45	0.3	ALCOHOL USE	200	1.3	PRIMARY			MICROCEPHALUS	0	0.0
ABRUPTIO			DIABETES/			AVG DRINKS			C-SECTION	1,995	13.3	OTHER		
PLACENTA	124	0.8	GESTATIONAL	448	3.0	PER WEEK	1		REPEAT			NERVOUS SYSTEM	7	0.0
PLACENTA			DIABETES			AVG WEIGHT GAIN	31	LBS	C-SECTION	1,159	7.7	HEART	20	0.1
PREVIA	41	0.3	PRE-EXISTING	51	0.3				FORCEPS	145	1.0	OTHER CIRCULATORY		
EXCESSIVE			GENITAL HERPES	163	1.1	ABNORMAL CONDITIONS			VACUUM	965	6.4	SYSTEM	6	0.0
BLEEDING	102	0.7	HYDRAMNIOS/			OF THE NEWBORN			OTHER	62	0.4	RECTAL ATRESIA	1	0.0
SEIZURES DURING			OLIGOHYDRAMNIOS	195	1.3	CONDITION	NUMBER	%	UNKNOWN	16	0.1	TRACHEO-ESOPHAGEAL		
LABOR	4	0.0	HEMOGLOBINOPATHY	7	0.0							FISTULA	0	0.0
PRECIPITOUS			HYPERTENSION			ANEMIA	23	0.2				OMPHALOCELE/		
LABOR <3 HRS	479	3.2	CHRONIC	139	0.9	BIRTH INJURY	19	0.1				GASTROSCHISIS	4	0.0
PROLONGED			HYPERTENSION			FETAL ALCOHOL	2	0.0				OTHER		
LABOR >20 HRS	255	1.7	PREGNANCY ASSOC.	650	4.3	HYALINE MEMBRANE						GASTROINTESTINAL	11	0.1
DYSFUNCTIONAL			ECLAMPSIA	21	0.1	DISEASE	48	0.3	OBSTETRIC PROCEDURES			MALFORMED		
LABOR	723	4.8	INCOMPETENT			MECONIUM			CONDITION	NUMBER	%	GENITALIA	15	0.1
BREECH	601	4.0	CERVIX	34	0.2	ASPIRATION	28	0.2				RENAL AGENESIS	5	0.0
CEPHALOPELVIC/			PREVIOUS INFANT			ASSISTED <30 MIN						OTHER UROGENITAL	34	0.2
DISPROPORTION	738	4.9	4000+ GRAMS	222	1.5	VENTILATION	129	0.9	AMNIOCENTHESIS	737	4.9	CLEFT LIP/PALATE	16	0.1
CORD PROLAPSE	45	0.3	PREVIOUS PRETERM	215	1.4	ASSISTED >30 MIN			ELECTRIC FETAL			POLYDACTYLY	13	0.1
ANESTHETIC			RENAL DISEASE	30	0.2	VENTILATION	119	0.8	MONITORING	12,657	84.1	CLUB FOOT	11	0.1
COMPLICATIONS	5	0.0	RH SENSITIZATION	118	0.8	SEIZURES	12	0.1	INDUCED LABOR	2,550	16.9	DIAPHRAGMATIC		
FETAL DISTRESS	642	4.3	UTERINE			OTHER	524	3.5	STIMULATION			HERNIA	3	0.0
OTHER	1,932	12.8	BLEEDING	167	1.1	NONE	14,198	94.3	OF LABOR	1,981	13.2	MUSCULOSKELETAL	29	0.2
NONE	9,189	61.0	OTHER	1,689	11.2	UNKNOWN	30	0.2	TOCOLYSIS	369	2.5	DOWNS SYNDROME	9	0.1
UNKNOWN	49	0.3	NONE	11,219	74.5				ULTRA SOUND	10,714	71.2	CHROMOSOMAL	5	0.0
			UNKNOWN	46	0.3				OTHER	337	2.2	OTHER	73	0.5
									NONE	811	5.4	NONE	14,796	98.3
									UNKNOWN	29	0.2	UNKNOWN	22	0.1

NOTES: PERCENTAGES ARE BASED ON THE 15,054 LIVE BIRTHS IN MAINE THIS YEAR.
MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH BIRTH.

BMEDHIS

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-4

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, AND RATIO OF MALE TO FEMALE BIRTHS
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY	TOTAL BIRTHS	***** RISK CHARACTERISTICS *****								MALE/FEMALE RATIO
		5 MIN. APGAR LESS THAN 5		CONGENITAL ANOMALIES		BIRTHWEIGHT < 2500 GRAMS		LESS THAN 37 GESTATION WEEKS		
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	
ANDROSCOGGIN	1,361	12	0.9	12	0.9	76	5.6	87	6.4	1.03
AROSTOOK	1,061	8	0.8	20	1.9	73	6.9	83	7.8	1.04
CUMBERLAND	3,089	11	0.4	42	1.4	175	5.7	216	7.0	1.06
FRANKLIN	320	2	0.6	6	1.9	12	3.8	22	6.9	1.09
HANCOCK	569	0	0.0	9	1.6	31	5.4	50	8.8	1.09
KENNEBEC	1,386	11	0.8	23	1.7	71	5.1	95	6.9	1.12
KNOX	409	1	0.2	2	0.5	22	5.4	25	6.1	1.14
LINCOLN	332	0	0.0	9	2.7	14	4.2	17	5.1	1.31
OXFORD	596	3	0.5	7	1.2	38	6.4	45	7.6	1.04
PENOBSCOT	1,683	6	0.4	16	1.0	63	3.7	94	5.6	1.10
PISCATAQUIS	164	0	0.0	4	2.4	11	6.7	11	6.7	0.80
SAGADAHOC	462	2	0.4	8	1.7	23	5.0	31	6.7	1.16
SOMERSET	563	8	1.4	14	2.5	33	5.9	37	6.6	1.05
WALDO	426	2	0.5	9	2.1	27	6.3	20	4.7	1.13
WASHINGTON	446	2	0.4	9	2.0	26	5.8	34	7.6	1.28
YORK	2,187	13	0.6	46	2.1	117	5.3	167	7.6	1.04
STATE TOTALS	15,054	81	0.5	236	1.6	812	5.4	1,034	6.9	1.08

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

BENVIND

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** BIRTH ORDER ***** 1 2 3 4 GREATER THAN 4 UNKNOWN
ANDROSCOGGIN				
ALL BIRTHS				
LESS THAN 10	0	0.00	0 0	0 0 0 0 0 0
10-14	2	0.15	1 1	0 2 0 0 0 0
15	9	0.66	3 6	0 9 0 0 0 0
16	23	1.69	10 13	0 23 0 0 0 0
17	38	2.79	15 23	0 33 5 0 0 0
18	42	3.09	19 23	0 33 8 1 0 0
19	74	5.44	40 34	0 50 20 3 1 0
20-24	406	29.83	210 196	0 212 138 38 16 2
25-29	437	32.11	220 217	0 158 178 74 21 6
30-34	230	16.90	122 108	0 53 91 56 23 7
35-39	85	6.25	42 43	0 14 35 19 10 7
40-44	10	0.73	5 5	0 3 2 3 0 2
GREATER THAN 44	3	0.22	3 0	0 0 2 1 0 0
UNKNOWN	2	0.15	1 1	0 2 0 0 0 0
COUNTY TOTALS	1,361		691 670	0 592 479 195 71 24
PERCENT DISTRIBUTION		100.00	50.77 49.23	0.00 43.50 35.19 14.33 5.22 1.76 0.00
OUT OF WEDLOCK BIRTHS				
LESS THAN 10	0	0.00	0 0	0 0 0 0 0 0
10-14	2	0.48	1 1	0 2 0 0 0 0
15	9	2.14	3 6	0 9 0 0 0 0
16	21	5.00	9 12	0 21 0 0 0 0
17	34	8.10	13 21	0 31 3 0 0 0
18	32	7.62	11 21	0 27 5 0 0 0
19	54	12.86	31 23	0 38 14 2 0 0
20-24	151	35.95	79 72	0 88 38 19 5 1
25-29	69	16.43	29 40	0 12 30 21 4 2
30-34	36	8.57	27 9	0 6 14 10 5 1
35-39	8	1.90	4 4	0 5 1 1 1 0
40-44	2	0.48	1 1	0 0 0 1 0 1
GREATER THAN 44	1	0.24	1 0	0 0 1 0 0 0
UNKNOWN	1	0.24	1 0	0 1 0 0 0 0
COUNTY TOTALS	420		210 210	0 240 106 54 15 5
PERCENT DISTRIBUTION		100.00	50.00 50.00	0.00 57.14 25.24 12.86 3.57 1.19 0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		30.86	30.39 31.34	0.00 40.54 22.13 27.69 21.13 20.83 0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** BIRTH ORDER ***** 1 2 3 4 GREATER THAN 4 UNKNOWN
AROOSTOOK				
ALL BIRTHS				
LESS THAN 10	0	0.00	0 0	0 0 0 0 0 0
10-14	1	0.09	1 0	1 0 0 0 0 0
15	4	0.38	3 1	4 0 0 0 0 0
16	12	1.13	5 7	11 1 0 0 0 0
17	18	1.70	10 8	15 3 0 0 0 0
18	37	3.49	21 16	31 6 0 0 0 0
19	51	4.81	24 27	40 11 0 0 0 0
20-24	349	32.89	174 175	194 109 33 10 3 0
25-29	342	32.23	180 162	129 137 60 15 1 0
30-34	184	17.34	95 89	48 70 41 17 8 0
35-39	55	5.18	27 28	10 21 12 6 6 0
40-44	6	0.57	1 5	3 2 1 0 0 0
GREATER THAN 44	0	0.00	0 0	0 0 0 0 0 0
UNKNOWN	2	0.19	0 2	1 0 0 0 1 0
COUNTY TOTALS	1,061		541 520	487 360 147 48 19 0
PERCENT DISTRIBUTION		100.00	50.99 49.01	0.00 45.90 33.93 13.85 4.52 1.79 0.00
OUT OF WEDLOCK BIRTHS				
LESS THAN 10	0	0.00	0 0	0 0 0 0 0 0
10-14	1	0.38	1 0	1 0 0 0 0 0
15	3	1.14	2 1	3 0 0 0 0 0
16	12	4.55	5 7	11 1 0 0 0 0
17	15	5.68	9 6	14 1 0 0 0 0
18	27	10.23	17 10	24 3 0 0 0 0
19	32	12.12	16 16	27 5 0 0 0 0
20-24	96	36.36	46 50	54 27 8 5 2 0
25-29	42	15.91	22 20	20 11 7 3 1 0
30-34	22	8.33	13 9	6 7 4 2 3 0
35-39	11	4.17	2 9	2 5 2 0 2 0
40-44	3	1.14	1 2	1 1 1 0 0 0
GREATER THAN 44	0	0.00	0 0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0	0 0 0 0 0 0
COUNTY TOTALS	264		134 130	163 61 22 10 8 0
PERCENT DISTRIBUTION		100.00	50.76 49.24	0.00 61.74 23.11 8.33 3.79 3.03 0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		24.88	24.77 25.00	0.00 33.47 16.94 14.97 20.83 42.11 0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** BIRTH ORDER ***** 1 2 3 4 GREATER THAN 4 UNKNOWN
CUMBERLAND				
ALL BIRTHS				
LESS THAN 10	0	0.00	0 0	0 0 0 0 0 0
10-14	2	0.06	1 1	0 2 0 0 0 0
15	12	0.39	4 8	0 11 1 0 0 0
16	24	0.78	11 13	0 22 2 0 0 0
17	32	1.04	15 17	0 29 3 0 0 0
18	57	1.85	34 23	0 49 7 1 0 0
19	78	2.53	34 44	0 58 16 3 1 0
20-24	585	18.94	305 279	1 327 175 69 11 3
25-29	969	31.37	501 468	0 435 363 114 41 16
30-34	913	29.56	457 456	0 305 351 179 54 24
35-39	362	11.72	187 175	0 88 150 79 22 23
40-44	52	1.68	35 17	0 9 20 15 4 4
GREATER THAN 44	3	0.10	2 1	0 1 0 1 1 0
UNKNOWN	0	0.00	0 0	0 0 0 0 0 0
COUNTY TOTALS	3,089		1,586 1,502	1 1,336 1,088 461 134 70
PERCENT DISTRIBUTION		100.00	51.34 48.62	0.03 43.25 35.22 14.92 4.34 2.27 0.00
OUT OF WEDLOCK BIRTHS				
LESS THAN 10	0	0.00	0 0	0 0 0 0 0 0
10-14	2	0.30	1 1	0 2 0 0 0 0
15	12	1.79	4 8	0 11 1 0 0 0
16	24	3.57	11 13	0 22 2 0 0 0
17	30	4.46	15 15	0 28 2 0 0 0
18	49	7.29	32 17	0 42 6 1 0 0
19	64	9.52	30 34	0 47 14 2 1 0
20-24	267	39.73	136 130	1 149 80 32 4 2
25-29	124	18.45	72 52	0 48 34 27 8 7
30-34	70	10.42	33 37	0 24 18 13 8 7
35-39	28	4.17	16 12	0 9 8 5 3 3
40-44	1	0.15	1 0	0 1 0 0 0 0
GREATER THAN 44	1	0.15	1 0	0 1 0 0 0 0
UNKNOWN	0	0.00	0 0	0 0 0 0 0 0
COUNTY TOTALS	672		352 319	1 384 165 80 24 19
PERCENT DISTRIBUTION		100.00	52.38 47.47	0.15 57.14 24.55 11.90 3.57 2.83 0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:				
		21.75	22.19 21.24	100.00 28.74 15.17 17.35 17.91 27.14 0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** 1 2 3 4 BIRTH ORDER ***** GREATER THAN 4 UNKNOWN
FRANKLIN				
ALL BIRTHS				
LESS THAN 10	0	0.00	0 0 0	0 0 0 0 0 0
10-14	2	0.63	1 1 0	2 0 0 0 0 0
15	2	0.63	2 0 0	2 0 0 0 0 0
16	4	1.25	1 3 0	4 0 0 0 0 0
17	5	1.56	4 1 0	4 1 0 0 0 0
18	9	2.81	3 6 0	8 1 0 0 0 0
19	11	3.44	6 5 0	9 2 0 0 0 0
20-24	100	31.25	51 49 0	45 40 11 4 0 0
25-29	103	32.19	58 45 0	43 34 19 6 1 0
30-34	56	17.50	25 31 0	17 23 12 3 1 0
35-39	24	7.50	13 11 0	5 7 8 1 3 0
40-44	3	0.94	2 1 0	1 0 0 1 1 0
GREATER THAN 44	0	0.00	0 0 0	0 0 0 0 0 0
UNKNOWN	1	0.31	1 0 0	0 0 1 0 0 0
COUNTY TOTALS	320		167 153 0	140 109 50 15 6 0
PERCENT DISTRIBUTION		100.00	52.19 47.81 0.00	43.75 34.06 15.63 4.69 1.88 0.00
OUT OF WEDLOCK BIRTHS				
LESS THAN 10	0	0.00	0 0 0	0 0 0 0 0 0
10-14	2	1.90	1 1 0	2 0 0 0 0 0
15	2	1.90	2 0 0	2 0 0 0 0 0
16	3	2.86	0 3 0	3 0 0 0 0 0
17	4	3.81	3 1 0	4 0 0 0 0 0
18	6	5.71	1 5 0	5 1 0 0 0 0
19	7	6.67	4 3 0	7 0 0 0 0 0
20-24	43	40.95	19 24 0	25 11 5 2 0 0
25-29	27	25.71	17 10 0	11 10 4 2 0 0
30-34	5	4.76	2 3 0	0 2 0 2 1 0
35-39	4	3.81	0 4 0	1 0 1 0 2 0
40-44	2	1.90	2 0 0	1 0 0 1 0 0
GREATER THAN 44	0	0.00	0 0 0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0 0	0 0 0 0 0 0
COUNTY TOTALS	105		51 54 0	61 24 10 7 3 0
PERCENT DISTRIBUTION		100.00	48.57 51.43 0.00	58.10 22.86 9.52 6.67 2.86 0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		32.81	30.54 35.29 0.00	43.57 22.02 20.00 46.67 50.00 0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** 1	***** 2	***** 3	***** 4	BIRTH ORDER GREATER THAN 4	***** UNKNOWN
HANCOCK									
ALL BIRTHS									
LESS THAN 10	0	0.00	0 0	0	0	0	0	0	0
10-14	0	0.00	0 0	0	0	0	0	0	0
15	4	0.70	2 2	0	4	0	0	0	0
16	10	1.76	5 5	0	10	0	0	0	0
17	8	1.41	7 1	0	7	1	0	0	0
18	8	1.41	6 2	0	7	1	0	0	0
19	28	4.92	15 13	0	25	3	0	0	0
20-24	156	27.42	76 80	0	77	64	14	1	0
25-29	165	29.00	83 82	0	54	67	29	14	1
30-34	139	24.43	73 66	0	33	53	33	15	5
35-39	39	6.85	23 16	0	9	9	12	6	3
40-44	12	2.11	7 5	0	4	3	2	1	2
GREATER THAN 44	0	0.00	0 0	0	0	0	0	0	0
UNKNOWN	0	0.00	0 0	0	0	0	0	0	0
COUNTY TOTALS	569		297 272	0	230	201	90	37	11
PERCENT DISTRIBUTION		100.00	52.20 47.80	0.00	40.42	35.33	15.82	6.50	1.93
OUT OF WEDLOCK BIRTHS									
LESS THAN 10	0	0.00	0 0	0	0	0	0	0	0
10-14	0	0.00	0 0	0	0	0	0	0	0
15	3	1.94	2 1	0	3	0	0	0	0
16	10	6.45	5 5	0	10	0	0	0	0
17	8	5.16	7 1	0	7	1	0	0	0
18	6	3.87	5 1	0	6	0	0	0	0
19	22	14.19	13 9	0	20	2	0	0	0
20-24	62	40.00	33 29	0	37	17	8	0	0
25-29	20	12.90	7 13	0	5	7	4	3	1
30-34	18	11.61	7 11	0	3	9	3	3	0
35-39	5	3.23	2 3	0	1	1	2	0	1
40-44	1	0.65	0 1	0	1	0	0	0	0
GREATER THAN 44	0	0.00	0 0	0	0	0	0	0	0
UNKNOWN	0	0.00	0 0	0	0	0	0	0	0
COUNTY TOTALS	155		81 74	0	93	37	17	6	2
PERCENT DISTRIBUTION		100.00	52.26 47.74	0.00	60.00	23.87	10.97	3.87	1.29
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:									
		27.24	27.27 27.21	0.00	40.43	18.41	18.89	16.22	18.18

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	***** UNKNOWN
KENNEBEC											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	2	0.14	0	2	0	2	0	0	0	0	0
15	7	0.51	5	2	0	7	0	0	0	0	0
16	13	0.94	3	10	0	12	0	1	0	0	0
17	17	1.23	7	10	0	12	5	0	0	0	0
18	42	3.03	20	22	0	34	6	2	0	0	0
19	61	4.40	33	28	0	42	14	5	0	0	0
20-24	381	27.49	205	176	0	183	139	46	9	4	0
25-29	472	34.05	235	237	0	177	210	68	11	6	0
30-34	277	19.99	157	120	0	59	123	60	22	13	0
35-39	97	7.00	56	41	0	19	31	26	13	8	0
40-44	16	1.15	11	5	0	5	5	1	1	4	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.07	1	0	0	0	1	0	0	0	0
COUNTY TOTALS	1,386		733	653	0	552	534	209	56	35	0
PERCENT DISTRIBUTION		100.00	52.89	47.11	0.00	39.83	38.53	15.08	4.04	2.53	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	2	0.47	0	2	0	2	0	0	0	0	0
15	7	1.66	5	2	0	7	0	0	0	0	0
16	12	2.84	3	9	0	11	0	1	0	0	0
17	16	3.79	6	10	0	12	4	0	0	0	0
18	34	8.06	16	18	0	29	4	1	0	0	0
19	44	10.43	24	20	0	33	8	3	0	0	0
20-24	170	40.28	97	73	0	85	55	21	6	3	0
25-29	90	21.33	39	51	0	29	41	15	3	2	0
30-34	34	8.06	20	14	0	10	9	7	4	4	0
35-39	12	2.84	9	3	0	3	3	4	1	1	0
40-44	1	0.24	0	1	0	0	0	0	0	1	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	422		219	203	0	221	124	52	14	11	0
PERCENT DISTRIBUTION		100.00	51.90	48.10	0.00	52.37	29.38	12.32	3.32	2.61	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		30.45	29.88	31.09	0.00	40.04	23.22	24.88	25.00	31.43	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** BIRTH ORDER ***** 1 2 3 4 GREATER THAN 4 UNKNOWN
KNOX				
ALL BIRTHS				
LESS THAN 10	0	0.00	0 0	0 0 0 0 0 0
10-14	0	0.00	0 0	0 0 0 0 0 0
15	0	0.00	0 0	0 0 0 0 0 0
16	3	0.73	1 2	0 3 0 0 0 0
17	9	2.20	7 2	0 8 1 0 0 0
18	14	3.42	4 10	0 9 4 1 0 0
19	15	3.67	7 8	0 11 4 0 0 0
20-24	129	31.54	75 54	0 69 39 16 5 0
25-29	111	27.14	57 54	0 39 42 22 7 1
30-34	74	18.09	40 34	0 21 25 19 6 3
35-39	40	9.78	22 18	0 11 12 10 3 4
40-44	14	3.42	5 9	0 3 5 3 2 1
GREATER THAN 44	0	0.00	0 0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0	0 0 0 0 0 0
COUNTY TOTALS	409		218 191	0 174 132 71 23 9
PERCENT DISTRIBUTION		100.00	53.30 46.70	0.00 42.54 32.27 17.36 5.62 2.20 0.00

OUT OF WEDLOCK BIRTHS

LESS THAN 10	0	0.00	0 0	0 0 0 0 0 0
10-14	0	0.00	0 0	0 0 0 0 0 0
15	0	0.00	0 0	0 0 0 0 0 0
16	3	2.63	1 2	0 3 0 0 0 0
17	7	6.14	6 1	0 6 1 0 0 0
18	13	11.40	4 9	0 8 4 1 0 0
19	10	8.77	3 7	0 7 3 0 0 0
20-24	56	49.12	25 31	0 32 16 7 1 0
25-29	14	12.28	5 9	0 4 5 4 1 0
30-34	8	7.02	1 7	0 3 2 3 0 0
35-39	2	1.75	1 1	0 1 0 1 0 0
40-44	1	0.88	0 1	0 0 0 0 1 0
GREATER THAN 44	0	0.00	0 0	0 0 0 0 0 0
UNKNOWN	0	0.00	0 0	0 0 0 0 0 0
COUNTY TOTALS	114		46 68	0 64 31 16 3 0
PERCENT DISTRIBUTION		100.00	40.35 59.65	0.00 56.14 27.19 14.04 2.63 0.00 0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		27.87	21.10 35.60	0.00 36.78 23.48 22.54 13.04 0.00 0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	***** UNKNOWN
LINCOLN											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	2	0.60	1	1	0	2	0	0	0	0	0
16	5	1.51	5	0	0	4	1	0	0	0	0
17	11	3.31	6	5	0	9	2	0	0	0	0
18	7	2.11	2	5	0	6	1	0	0	0	0
19	15	4.52	6	9	0	12	3	0	0	0	0
20-24	83	25.00	49	34	0	46	27	7	3	0	0
25-29	111	33.43	66	45	0	39	46	20	6	0	0
30-34	72	21.69	42	30	0	23	27	18	3	1	0
35-39	21	6.33	8	13	0	5	9	4	2	1	0
40-44	4	1.20	2	2	0	2	1	0	0	1	0
GREATER THAN 44	1	0.30	1	0	0	0	0	0	0	1	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	332		188	144	0	148	117	49	14	4	0
PERCENT DISTRIBUTION		100.00	56.63	43.37	0.00	44.58	35.24	14.76	4.22	1.20	0.00
-											
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	2	2.27	1	1	0	2	0	0	0	0	0
16	4	4.55	4	0	0	3	1	0	0	0	0
17	11	12.50	6	5	0	9	2	0	0	0	0
18	5	5.68	2	3	0	4	1	0	0	0	0
19	10	11.36	3	7	0	8	2	0	0	0	0
20-24	34	38.64	19	15	0	22	10	2	0	0	0
25-29	18	20.45	9	9	0	6	10	2	0	0	0
30-34	4	4.55	3	1	0	1	2	1	0	0	0
35-39	0	0.00	0	0	0	0	0	0	0	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	88		47	41	0	55	28	5	0	0	0
PERCENT DISTRIBUTION		100.00	53.41	46.59	0.00	62.50	31.82	5.68	0.00	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		26.51	25.00	28.47	0.00	37.16	23.93	10.20	0.00	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** 1 2 3 4	BIRTH ORDER ***** GREATER THAN 4 UNKNOWN
OXFORD					
ALL BIRTHS					
LESS THAN 10	0	0.00	0 0 0	0 0 0 0	0 0
10-14	2	0.34	2 0 0	2 0 0 0	0 0
15	3	0.50	1 2 0	3 0 0 0	0 0
16	7	1.17	4 3 0	7 0 0 0	0 0
17	16	2.68	12 4 0	12 4 0 0	0 0
18	25	4.19	12 13 0	17 7 1 0	0 0
19	21	3.52	12 9 0	15 4 2 0	0 0
20-24	190	31.88	94 96 0	91 74 17 6	2 0
25-29	165	27.68	82 83 0	61 64 30 7	3 0
30-34	114	19.13	59 55 0	36 36 25 12	5 0
35-39	48	8.05	23 25 0	9 21 10 5	3 0
40-44	4	0.67	2 2 0	1 0 1 1	1 0
GREATER THAN 44	1	0.17	1 0 0	0 1 0 0	0 0
UNKNOWN	0	0.00	0 0 0	0 0 0 0	0 0
COUNTY TOTALS	596		304 292 0	254 211 86 31	14 0
PERCENT DISTRIBUTION		100.00	51.01 48.99 0.00	42.62 35.40 14.43 5.20	2.35 0.00
OUT OF WEDLOCK BIRTHS					
LESS THAN 10	0	0.00	0 0 0	0 0 0 0	0 0
10-14	2	1.14	2 0 0	2 0 0 0	0 0
15	3	1.70	1 2 0	3 0 0 0	0 0
16	7	3.98	4 3 0	7 0 0 0	0 0
17	12	6.82	9 3 0	10 2 0 0	0 0
18	23	13.07	11 12 0	15 7 1 0	0 0
19	11	6.25	5 6 0	7 3 1 0	0 0
20-24	75	42.61	36 39 0	41 25 5 3	1 0
25-29	20	11.36	8 12 0	8 5 6 1	0 0
30-34	14	7.95	11 3 0	4 5 1 3	1 0
35-39	8	4.55	2 6 0	2 2 1 3	0 0
40-44	1	0.57	1 0 0	0 0 0 0	1 0
GREATER THAN 44	0	0.00	0 0 0	0 0 0 0	0 0
UNKNOWN	0	0.00	0 0 0	0 0 0 0	0 0
COUNTY TOTALS	176		90 86 0	99 49 15 10	3 0
PERCENT DISTRIBUTION		100.00	51.14 48.86 0.00	56.25 27.84 8.52 5.68	1.70 0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		29.53	29.61 29.45 0.00	38.98 23.22 17.44 32.26	21.43 0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** 1 2 3 4	BIRTH ORDER GREATER THAN 4	***** UNKNOWN
PENOBSCOT						
ALL BIRTHS						
LESS THAN 10	0	0.00	0 0	0 0 0 0	0	0
10-14	1	0.06	1 0	1 0 0 0	0	0
15	4	0.24	4 0	4 0 0 0	0	0
16	24	1.43	12 12	24 0 0 0	0	0
17	28	1.66	14 14	24 4 0 0	0	0
18	53	3.15	28 25	41 11 1 0	0	0
19	63	3.74	35 28	45 15 3 0	0	0
20-24	488	29.00	244 244	267 169 45 6	1	0
25-29	532	31.61	293 239	187 247 78 15	5	0
30-34	346	20.56	180 166	88 156 66 25	11	0
35-39	113	6.71	51 62	30 37 24 13	9	0
40-44	30	1.78	18 12	8 8 5 3	6	0
GREATER THAN 44	0	0.00	0 0	0 0 0 0	0	0
UNKNOWN	1	0.06	1 0	1 0 0 0	0	0
COUNTY TOTALS	1,683		881 802	720 647 222 62	32	0
PERCENT DISTRIBUTION		100.00	52.35 47.65	42.78 38.44 13.19 3.68	1.90	0.00
OUT OF WEDLOCK BIRTHS						
LESS THAN 10	0	0.00	0 0	0 0 0 0	0	0
10-14	1	0.21	1 0	1 0 0 0	0	0
15	4	0.85	4 0	4 0 0 0	0	0
16	23	4.90	12 11	23 0 0 0	0	0
17	25	5.33	12 13	21 4 0 0	0	0
18	39	8.32	21 18	32 7 0 0	0	0
19	37	7.89	18 19	30 7 0 0	0	0
20-24	202	43.07	103 99	131 51 17 2	1	0
25-29	84	17.91	54 30	28 31 20 3	2	0
30-34	39	8.32	20 19	9 13 11 2	4	0
35-39	10	2.13	6 4	3 3 2 1	1	0
40-44	5	1.07	4 1	0 0 2 2	1	0
GREATER THAN 44	0	0.00	0 0	0 0 0 0	0	0
UNKNOWN	0	0.00	0 0	0 0 0 0	0	0
COUNTY TOTALS	469		255 214	282 116 52 10	9	0
PERCENT DISTRIBUTION		100.00	54.37 45.63	60.13 24.73 11.09 2.13	1.92	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		27.87	28.94 26.68	39.17 17.93 23.42 16.13	28.13	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER ***** 1	2	3	4	GREATER THAN 4	***** UNKNOWN
PISCATAQUIS											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	2	1.22	2	0	0	2	0	0	0	0	0
17	1	0.61	1	0	0	1	0	0	0	0	0
18	5	3.05	2	3	0	4	0	1	0	0	0
19	7	4.27	5	2	0	6	1	0	0	0	0
20-24	58	35.37	23	35	0	27	21	9	1	0	0
25-29	43	26.22	19	24	0	18	16	7	1	1	0
30-34	33	20.12	12	21	0	11	14	4	2	2	0
35-39	12	7.32	7	5	0	1	5	3	3	0	0
40-44	2	1.22	1	1	0	1	0	1	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.61	1	0	0	0	0	0	0	1	0
COUNTY TOTALS	164		73	91	0	71	57	25	7	4	0
PERCENT DISTRIBUTION		100.00	44.51	55.49	0.00	43.29	34.76	15.24	4.27	2.44	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	0	0.00	0	0	0	0	0	0	0	0	0
17	1	1.92	1	0	0	1	0	0	0	0	0
18	4	7.69	1	3	0	3	0	1	0	0	0
19	5	9.62	4	1	0	5	0	0	0	0	0
20-24	26	50.00	10	16	0	12	10	3	1	0	0
25-29	9	17.31	6	3	0	4	5	0	0	0	0
30-34	4	7.69	2	2	0	3	0	0	1	0	0
35-39	3	5.77	2	1	0	0	1	1	1	0	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0
COUNTY TOTALS	52		26	26	0	28	16	5	3	0	0
PERCENT DISTRIBUTION		100.00	50.00	50.00	0.00	53.85	30.77	9.62	5.77	0.00	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		31.71	35.62	28.57	0.00	39.44	28.07	20.00	42.86	0.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					***** UNKNOWN	
						1	2	3	4	GREATER THAN 4		
SAGADAHOC												
ALL BIRTHS												
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	
10-14	0	0.00	0	0	0	0	0	0	0	0	0	
15	0	0.00	0	0	0	0	0	0	0	0	0	
16	3	0.65	1	2	0	3	0	0	0	0	0	
17	8	1.73	5	3	0	7	1	0	0	0	0	
18	14	3.03	12	2	0	9	5	0	0	0	0	
19	17	3.68	9	8	0	11	4	2	0	0	0	
20-24	114	24.68	61	53	0	61	35	15	3	0	0	
25-29	136	29.44	71	65	0	59	46	21	9	1	0	
30-34	119	25.76	58	61	0	35	43	27	12	2	0	
35-39	43	9.31	27	16	0	10	16	9	3	5	0	
40-44	7	1.52	4	3	0	1	3	2	0	1	0	
GREATER THAN 44	1	0.22	0	1	0	0	1	0	0	0	0	
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	
COUNTY TOTALS	462		248	214	0	196	154	76	27	9	0	
PERCENT DISTRIBUTION		100.00	53.68	46.32	0.00	42.42	33.33	16.45	5.84	1.95	0.00	
OUT OF WEDLOCK BIRTHS												
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	
10-14	0	0.00	0	0	0	0	0	0	0	0	0	
15	0	0.00	0	0	0	0	0	0	0	0	0	
16	3	3.23	1	2	0	3	0	0	0	0	0	
17	6	6.45	3	3	0	6	0	0	0	0	0	
18	11	11.83	10	1	0	7	4	0	0	0	0	
19	11	11.83	5	6	0	8	2	1	0	0	0	
20-24	39	41.94	20	19	0	24	8	7	0	0	0	
25-29	15	16.13	4	11	0	6	6	2	1	0	0	
30-34	5	5.38	3	2	0	3	1	0	1	0	0	
35-39	1	1.08	0	1	0	0	1	0	0	0	0	
40-44	2	2.15	0	2	0	0	0	2	0	0	0	
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0	
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	
COUNTY TOTALS	93		46	47	0	57	22	12	2	0	0	
PERCENT DISTRIBUTION		100.00	49.46	50.54	0.00	61.29	23.66	12.90	2.15	0.00	0.00	
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		20.13	18.55	21.96	0.00	29.08	14.29	15.79	7.41	0.00	0.00	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE FEMALE UNKNOWN	***** 1	***** 2	***** 3	***** 4	BIRTH ORDER GREATER THAN 4	***** UNKNOWN
SOMERSET									
ALL BIRTHS									
LESS THAN 10	0	0.00	0 0	0	0	0	0	0	0
10-14	0	0.00	0 0	0	0	0	0	0	0
15	5	0.89	3 2	0	5	0	0	0	0
16	9	1.60	4 5	0	7	2	0	0	0
17	18	3.20	5 13	0	17	1	0	0	0
18	17	3.02	11 6	0	16	0	1	0	0
19	28	4.97	15 13	0	25	3	0	0	0
20-24	204	36.23	105 99	0	99	75	25	5	0
25-29	173	30.73	86 87	0	59	74	25	10	5
30-34	80	14.21	46 34	0	24	31	17	5	3
35-39	23	4.09	11 12	0	7	3	6	4	3
40-44	6	1.07	3 3	0	1	1	1	1	2
GREATER THAN 44	0	0.00	0 0	0	0	0	0	0	0
UNKNOWN	0	0.00	0 0	0	0	0	0	0	0
COUNTY TOTALS	563		289 274	0	260	190	75	25	13
PERCENT DISTRIBUTION		100.00	51.33 48.67	0.00	46.18	33.75	13.32	4.44	2.31
									0.00
OUT OF WEDLOCK BIRTHS									
LESS THAN 10	0	0.00	0 0	0	0	0	0	0	0
10-14	0	0.00	0 0	0	0	0	0	0	0
15	5	2.60	3 2	0	5	0	0	0	0
16	8	4.17	4 4	0	6	2	0	0	0
17	16	8.33	5 11	0	15	1	0	0	0
18	17	8.85	11 6	0	16	0	1	0	0
19	20	10.42	11 9	0	18	2	0	0	0
20-24	80	41.67	47 33	0	40	28	10	2	0
25-29	31	16.15	16 15	0	14	8	5	3	1
30-34	12	6.25	7 5	0	5	3	3	1	0
35-39	3	1.56	1 2	0	0	0	0	2	1
40-44	0	0.00	0 0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0 0	0	0	0	0	0	0
UNKNOWN	0	0.00	0 0	0	0	0	0	0	0
COUNTY TOTALS	192		105 87	0	119	44	19	8	2
PERCENT DISTRIBUTION		100.00	54.69 45.31	0.00	61.98	22.92	9.90	4.17	1.04
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:									
		34.10	36.33 31.75	0.00	45.77	23.16	25.33	32.00	15.38
									0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					*****	
						1	2	3	4	GREATER THAN 4	UNKNOWN	
WALDO												
ALL BIRTHS												
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	
10-14	1	0.23	1	0	0	1	0	0	0	0	0	
15	2	0.47	1	1	0	2	0	0	0	0	0	
16	6	1.41	4	2	0	5	1	0	0	0	0	
17	9	2.11	4	5	0	9	0	0	0	0	0	
18	16	3.76	7	9	0	12	4	0	0	0	0	
19	27	6.34	15	12	0	18	7	2	0	0	0	
20-24	139	32.63	70	69	0	64	50	23	2	0	0	
25-29	116	27.23	61	55	0	37	44	26	8	1	0	
30-34	76	17.84	41	35	0	15	32	12	12	5	0	
35-39	27	6.34	18	9	0	6	8	6	4	3	0	
40-44	5	1.17	2	3	0	0	2	1	1	1	0	
GREATER THAN 44	1	0.23	1	0	0	0	1	0	0	0	0	
UNKNOWN	1	0.23	1	0	0	1	0	0	0	0	0	
COUNTY TOTALS	426		226	200	0	170	149	70	27	10	0	
PERCENT DISTRIBUTION		100.00	53.05	46.95	0.00	39.91	34.98	16.43	6.34	2.35	0.00	
OUT OF WEDLOCK BIRTHS												
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	
10-14	1	0.70	1	0	0	1	0	0	0	0	0	
15	2	1.41	1	1	0	2	0	0	0	0	0	
16	4	2.82	2	2	0	4	0	0	0	0	0	
17	7	4.93	2	5	0	7	0	0	0	0	0	
18	12	8.45	6	6	0	9	3	0	0	0	0	
19	17	11.97	8	9	0	14	2	1	0	0	0	
20-24	53	37.32	26	27	0	24	18	10	1	0	0	
25-29	26	18.31	12	14	0	8	8	5	4	1	0	
30-34	15	10.56	5	10	0	5	3	1	4	2	0	
35-39	5	3.52	4	1	0	2	1	0	2	0	0	
40-44	0	0.00	0	0	0	0	0	0	0	0	0	
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0	
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	
COUNTY TOTALS	142		67	75	0	76	35	17	11	3	0	
PERCENT DISTRIBUTION		100.00	47.18	52.82	0.00	53.52	24.65	11.97	7.75	2.11	0.00	
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		33.33	29.65	37.50	0.00	44.71	23.49	24.29	40.74	30.00	0.00	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	SEX ***** FEMALE	***** UNKNOWN	***** 1	***** 2	***** 3	***** 4	BIRTH ORDER GREATER THAN 4	***** UNKNOWN
WASHINGTON											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	2	0.45	1	1	0	2	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	7	1.57	3	4	0	7	0	0	0	0	0
17	13	2.91	9	4	0	12	1	0	0	0	0
18	14	3.14	7	7	0	13	1	0	0	0	0
19	32	7.17	18	14	0	23	9	0	0	0	0
20-24	153	34.30	85	68	0	69	59	17	7	1	0
25-29	129	28.92	73	56	0	45	50	21	8	5	0
30-34	71	15.92	40	31	0	18	23	16	8	6	0
35-39	20	4.48	12	8	0	5	7	1	5	2	0
40-44	3	0.67	2	1	0	0	1	0	1	1	0
GREATER THAN 44	1	0.22	0	1	0	1	0	0	0	0	0
UNKNOWN	1	0.22	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	446		250	196	0	196	151	55	29	15	0
PERCENT DISTRIBUTION		100.00	56.05	43.95	0.00	43.95	33.86	12.33	6.50	3.36	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	2	1.18	1	1	0	2	0	0	0	0	0
15	0	0.00	0	0	0	0	0	0	0	0	0
16	7	4.14	3	4	0	7	0	0	0	0	0
17	10	5.92	7	3	0	9	1	0	0	0	0
18	11	6.51	4	7	0	10	1	0	0	0	0
19	15	8.88	8	7	0	13	2	0	0	0	0
20-24	67	39.64	34	33	0	34	23	8	2	0	0
25-29	37	21.89	22	15	0	13	15	4	2	3	0
30-34	15	8.88	9	6	0	1	5	4	3	2	0
35-39	4	2.37	3	1	0	1	1	0	1	1	0
40-44	0	0.00	0	0	0	0	0	0	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0
UNKNOWN	1	0.59	0	1	0	1	0	0	0	0	0
COUNTY TOTALS	169		91	78	0	91	48	16	8	6	0
PERCENT DISTRIBUTION		100.00	53.85	46.15	0.00	53.85	28.40	9.47	4.73	3.55	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		37.89	36.40	39.80	0.00	46.43	31.79	29.09	27.59	40.00	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** SEX ***** MALE	FEMALE	UNKNOWN	***** BIRTH ORDER *****					*****	
						1	2	3	4	GREATER THAN 4	UNKNOWN	
YORK												
ALL BIRTHS												
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	
10-14	2	0.09	0	2	0	2	0	0	0	0	0	
15	5	0.23	3	2	0	5	0	0	0	0	0	
16	17	0.78	10	7	0	17	0	0	0	0	0	
17	29	1.33	11	18	0	26	3	0	0	0	0	
18	51	2.33	20	31	0	40	10	1	0	0	0	
19	76	3.48	37	39	0	59	15	1	1	0	0	
20-24	554	25.33	282	272	0	284	199	55	13	3	0	
25-29	706	32.28	370	336	0	284	290	102	25	5	0	
30-34	535	24.46	271	264	0	145	221	131	18	20	0	
35-39	178	8.14	93	85	0	39	86	38	12	3	0	
40-44	31	1.42	18	13	0	5	8	10	5	3	0	
GREATER THAN 44	3	0.14	1	2	0	1	0	0	0	2	0	
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	
COUNTY TOTALS	2,187		1,116	1,071	0	907	832	338	74	36	0	
PERCENT DISTRIBUTION		100.00	51.03	48.97	0.00	41.47	38.04	15.45	3.38	1.65	0.00	
OUT OF WEDLOCK BIRTHS												
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	
10-14	2	0.37	0	2	0	2	0	0	0	0	0	
15	5	0.93	3	2	0	5	0	0	0	0	0	
16	16	2.97	9	7	0	16	0	0	0	0	0	
17	24	4.46	8	16	0	22	2	0	0	0	0	
18	42	7.81	17	25	0	33	8	1	0	0	0	
19	53	9.85	24	29	0	42	9	1	1	0	0	
20-24	212	39.41	112	100	0	119	64	22	5	2	0	
25-29	119	22.12	57	62	0	47	39	26	6	1	0	
30-34	46	8.55	27	19	0	14	15	8	4	5	0	
35-39	15	2.79	10	5	0	3	4	5	3	0	0	
40-44	4	0.74	2	2	0	1	2	0	1	0	0	
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	0	
UNKNOWN	0	0.00	0	0	0	0	0	0	0	0	0	
COUNTY TOTALS	538		269	269	0	304	143	63	20	8	0	
PERCENT DISTRIBUTION		100.00	50.00	50.00	0.00	56.51	26.58	11.71	3.72	1.49	0.00	
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:		24.60	24.10	25.12	0.00	33.52	17.19	18.64	27.03	22.22	0.00	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-5

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

STATE AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	***** FEMALE	***** UNKNOWN	***** 1	***** 2	***** 3	***** 4	BIRTH ORDER GREATER THAN 4	***** UNKNOWN
MAINE SUMMARY											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	17	0.11	9	8	0	17	0	0	0	0	0
15	59	0.39	32	27	0	58	1	0	0	0	0
16	169	1.12	81	88	0	161	7	1	0	0	0
17	260	1.73	132	128	0	225	35	0	0	0	0
18	411	2.73	208	203	0	329	72	10	0	0	0
19	604	4.01	311	293	0	449	131	21	3	0	0
20-24	4,089	27.16	2,109	1,979	1	2,115	1,413	440	102	19	0
25-29	4,710	31.29	2,455	2,255	0	1,824	1,908	716	204	58	0
30-34	3,319	22.05	1,718	1,601	0	931	1,319	716	237	116	0
35-39	1,187	7.88	620	567	0	268	457	267	112	83	0
40-44	205	1.36	118	87	0	47	61	46	21	30	0
GREATER THAN 44	14	0.09	9	5	0	3	5	2	1	3	0
UNKNOWN	10	0.07	6	4	0	6	2	0	0	2	0
STATE TOTALS	15,054		7,808	7,245	1	6,433	5,411	2,219	680	311	0
PERCENT DISTRIBUTION		100.00	51.87	48.13	0.01	42.73	35.94	14.74	4.52	2.07	0.00
OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	17	0.42	9	8	0	17	0	0	0	0	0
15	57	1.40	31	26	0	56	1	0	0	0	0
16	157	3.86	73	84	0	150	6	1	0	0	0
17	226	5.55	112	114	0	202	24	0	0	0	0
18	331	8.13	169	162	0	270	54	7	0	0	0
19	412	10.12	207	205	0	324	75	11	2	0	0
20-24	1,633	40.11	842	790	1	917	481	184	39	12	0
25-29	745	18.30	379	366	0	263	265	152	44	21	0
30-34	347	8.52	190	157	0	97	108	69	43	30	0
35-39	119	2.92	62	57	0	33	31	25	18	12	0
40-44	23	0.56	12	11	0	5	3	6	5	4	0
GREATER THAN 44	2	0.05	2	0	0	1	1	0	0	0	0
UNKNOWN	2	0.05	1	1	0	2	0	0	0	0	0
STATE TOTALS	4,071		2,089	1,981	1	2,337	1,049	455	151	79	0
PERCENT DISTRIBUTION		100.00	51.31	48.66	0.02	57.41	25.77	11.18	3.71	1.94	0.00
PERCENT OF ALL BIRTHS WHICH ARE OUT OF WEDLOCK:											
		27.04	26.75	27.34	100.00	36.33	19.39	20.50	22.21	25.40	0.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGESEX

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
ANDROSCOGGIN								
LESS THAN 1000	8	0.59	6	0	1	0	0	1
1000-1499	9	0.66	1	4	2	0	1	1
1500-1999	11	0.81	8	1	2	0	0	0
2000-2499	48	3.53	28	15	3	1	1	0
2500-2999	203	14.92	86	74	36	6	1	0
3000-3499	491	36.08	230	190	61	6	4	0
3500-3999	416	30.57	210	152	46	6	1	1
4000-4499	145	10.65	75	55	13	2	0	0
4500-4999	23	1.69	13	7	1	2	0	0
GREATER THAN 4999	5	0.37	4	1	0	0	0	0
UNKNOWN	2	0.15	0	1	0	0	0	1
COUNTY TOTALS	1,361		661	500	165	23	8	4
PERCENT DISTRIBUTION		100.00	48.57	36.74	12.12	1.69	0.59	0.29
ARROOSTOOK								
LESS THAN 1000	4	0.38	2	1	0	0	0	1
1000-1499	9	0.85	4	4	0	0	0	1
1500-1999	12	1.13	6	4	2	0	0	0
2000-2499	48	4.52	23	15	9	0	0	1
2500-2999	157	14.80	87	49	17	3	1	0
3000-3499	364	34.31	208	101	42	8	1	4
3500-3999	349	32.89	211	92	39	3	0	4
4000-4499	96	9.05	59	28	8	1	0	0
4500-4999	17	1.60	9	4	4	0	0	0
GREATER THAN 4999	2	0.19	1	0	1	0	0	0
UNKNOWN	3	0.28	0	0	0	0	0	3
COUNTY TOTALS	1,061		610	298	122	15	2	14
PERCENT DISTRIBUTION		100.00	57.49	28.09	11.50	1.41	0.19	1.32

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
CUMBERLAND								
LESS THAN 1000	5	0.16	1	2	1	0	0	1
1000-1499	21	0.68	9	8	4	0	0	0
1500-1999	20	0.65	10	5	5	0	0	0
2000-2499	129	4.18	63	50	15	1	0	0
2500-2999	388	12.56	194	150	33	4	4	3
3000-3499	1,103	35.71	600	399	83	14	2	5
3500-3999	1,014	32.83	598	323	86	4	2	1
4000-4499	343	11.10	210	111	16	4	1	1
4500-4999	57	1.85	36	16	3	1	0	1
GREATER THAN 4999	4	0.13	2	2	0	0	0	0
UNKNOWN	5	0.16	1	2	0	0	0	2
COUNTY TOTALS	3,089		1,724	1,068	246	28	9	14
PERCENT DISTRIBUTION		100.00	55.81	34.57	7.96	0.91	0.29	0.45
FRANKLIN								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	1	0.31	0	1	0	0	0	0
1500-1999	2	0.63	0	0	2	0	0	0
2000-2499	9	2.81	4	3	1	1	0	0
2500-2999	38	11.88	25	8	5	0	0	0
3000-3499	110	34.38	71	24	13	2	0	0
3500-3999	117	36.56	60	36	19	2	0	0
4000-4499	30	9.38	19	9	2	0	0	0
4500-4999	8	2.50	6	2	0	0	0	0
GREATER THAN 4999	3	0.94	3	0	0	0	0	0
UNKNOWN	2	0.63	0	0	1	0	0	1
COUNTY TOTALS	320		188	83	43	5	0	1
PERCENT DISTRIBUTION		100.00	58.75	25.94	13.44	1.56	0.00	0.31

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
HANCOCK								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	4	0.70	3	0	0	0	0	1
1500-1999	5	0.88	3	2	0	0	0	0
2000-2499	22	3.87	10	11	1	0	0	0
2500-2999	73	12.83	36	29	7	1	0	0
3000-3499	197	34.62	85	77	34	1	0	0
3500-3999	173	30.40	66	83	23	0	1	0
4000-4499	71	12.48	28	33	10	0	0	0
4500-4999	19	3.34	6	9	4	0	0	0
GREATER THAN 4999	2	0.35	0	2	0	0	0	0
UNKNOWN	3	0.53	0	0	0	0	0	3
COUNTY TOTALS	569		237	246	79	2	1	4
PERCENT DISTRIBUTION		100.00	41.65	43.23	13.88	0.35	0.18	0.70
KENNEBEC								
LESS THAN 1000	6	0.43	3	2	0	0	0	1
1000-1499	3	0.22	3	0	0	0	0	0
1500-1999	10	0.72	3	6	1	0	0	0
2000-2499	52	3.75	33	10	9	0	0	0
2500-2999	172	12.41	88	65	14	1	1	3
3000-3499	484	34.92	294	142	38	5	0	5
3500-3999	452	32.61	282	136	27	3	2	2
4000-4499	170	12.27	115	44	6	1	1	3
4500-4999	32	2.31	22	7	3	0	0	0
GREATER THAN 4999	4	0.29	2	1	1	0	0	0
UNKNOWN	1	0.07	1	0	0	0	0	0
COUNTY TOTALS	1,386		846	413	99	10	4	14
PERCENT DISTRIBUTION		100.00	61.04	29.80	7.14	0.72	0.29	1.01

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
KNOX								
LESS THAN 1000	2	0.49	1	0	1	0	0	0
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	3	0.73	1	2	0	0	0	0
2000-2499	17	4.16	12	1	4	0	0	0
2500-2999	40	9.78	31	5	3	1	0	0
3000-3499	136	33.25	105	22	6	3	0	0
3500-3999	136	33.25	100	22	12	0	1	1
4000-4499	62	15.16	48	9	5	0	0	0
4500-4999	10	2.44	8	1	0	0	0	1
GREATER THAN 4999	1	0.24	1	0	0	0	0	0
UNKNOWN	2	0.49	1	1	0	0	0	0
COUNTY TOTALS	409		308	63	31	4	1	2
PERCENT DISTRIBUTION		100.00	75.31	15.40	7.58	0.98	0.24	0.49
LINCOLN								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	2	0.60	1	1	0	0	0	0
1500-1999	4	1.20	2	1	1	0	0	0
2000-2499	8	2.41	5	1	2	0	0	0
2500-2999	46	13.86	26	13	5	1	0	1
3000-3499	123	37.05	82	34	7	0	0	0
3500-3999	107	32.23	64	30	11	1	0	1
4000-4499	34	10.24	20	9	3	1	0	1
4500-4999	7	2.11	5	0	2	0	0	0
GREATER THAN 4999	1	0.30	0	0	1	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	332		205	89	32	3	0	3
PERCENT DISTRIBUTION		100.00	61.75	26.81	9.64	0.90	0.00	0.90

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
OXFORD								
LESS THAN 1000	4	0.67	2	2	0	0	0	0
1000-1499	4	0.67	2	2	0	0	0	0
1500-1999	4	0.67	1	1	1	0	0	1
2000-2499	26	4.36	8	9	5	0	3	1
2500-2999	87	14.60	31	37	16	2	0	1
3000-3499	196	32.89	87	79	26	2	2	0
3500-3999	194	32.55	81	87	23	2	0	1
4000-4499	64	10.74	28	24	10	0	1	1
4500-4999	11	1.85	7	3	1	0	0	0
GREATER THAN 4999	4	0.67	2	2	0	0	0	0
UNKNOWN	2	0.34	0	0	0	0	0	2
COUNTY TOTALS	596		249	246	82	6	6	7
PERCENT DISTRIBUTION		100.00	41.78	41.28	13.76	1.01	1.01	1.17
PENOBSCOT								
LESS THAN 1000	4	0.24	3	0	1	0	0	0
1000-1499	4	0.24	3	1	0	0	0	0
1500-1999	13	0.77	11	2	0	0	0	0
2000-2499	42	2.50	30	8	3	0	0	1
2500-2999	228	13.55	152	46	22	3	2	3
3000-3499	592	35.18	389	123	68	5	3	4
3500-3999	566	33.63	391	118	48	6	1	2
4000-4499	205	12.18	130	55	14	4	1	1
4500-4999	23	1.37	18	4	0	1	0	0
GREATER THAN 4999	4	0.24	3	0	1	0	0	0
UNKNOWN	2	0.12	0	0	0	0	0	2
COUNTY TOTALS	1,683		1,130	357	157	19	7	13
PERCENT DISTRIBUTION		100.00	67.14	21.21	9.33	1.13	0.42	0.77

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
PISCATAQUIS								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	2	1.22	2	0	0	0	0	0
2000-2499	9	5.49	6	2	1	0	0	0
2500-2999	26	15.85	15	9	2	0	0	0
3000-3499	66	40.24	34	17	14	1	0	0
3500-3999	48	29.27	25	14	6	3	0	0
4000-4499	10	6.10	6	4	0	0	0	0
4500-4999	3	1.83	2	1	0	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	164		90	47	23	4	0	0
PERCENT DISTRIBUTION		100.00	54.88	28.66	14.02	2.44	0.00	0.00
SAGadahoc								
LESS THAN 1000	3	0.65	0	2	1	0	0	0
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	4	0.87	1	3	0	0	0	0
2000-2499	16	3.46	10	3	1	2	0	0
2500-2999	62	13.42	38	15	8	1	0	0
3000-3499	176	38.10	92	58	21	5	0	0
3500-3999	140	30.30	84	37	14	4	0	1
4000-4499	49	10.61	32	12	5	0	0	0
4500-4999	10	2.16	7	2	1	0	0	0
GREATER THAN 4999	2	0.43	1	0	0	1	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	462		265	132	51	13	0	1
PERCENT DISTRIBUTION		100.00	57.36	28.57	11.04	2.81	0.00	0.22

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL CARE BEGAN 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
SOMERSET								
LESS THAN 1000	3	0.53	2	0	0	0	1	0
1000-1499	6	1.07	3	1	1	0	1	0
1500-1999	3	0.53	3	0	0	0	0	0
2000-2499	21	3.73	10	9	1	0	0	1
2500-2999	75	13.32	35	26	12	0	1	1
3000-3499	201	35.70	95	79	23	3	0	1
3500-3999	174	30.91	75	63	32	1	1	2
4000-4499	61	10.83	30	18	10	0	0	3
4500-4999	16	2.84	7	5	4	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	3	0.53	0	1	0	1	0	1
COUNTY TOTALS	563		260	202	83	5	4	9
PERCENT DISTRIBUTION		100.00	46.18	35.88	14.74	0.89	0.71	1.60
WALDO								
LESS THAN 1000	3	0.70	2	1	0	0	0	0
1000-1499	0	0.00	0	0	0	0	0	0
1500-1999	4	0.94	4	0	0	0	0	0
2000-2499	20	4.69	13	3	1	2	0	1
2500-2999	62	14.55	38	16	6	1	1	0
3000-3499	153	35.92	91	42	16	2	1	1
3500-3999	132	30.99	83	32	16	0	1	0
4000-4499	38	8.92	26	7	2	2	0	1
4500-4999	13	3.05	7	2	2	0	0	2
GREATER THAN 4999	1	0.23	1	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	426		265	103	43	7	3	5
PERCENT DISTRIBUTION		100.00	62.21	24.18	10.09	1.64	0.70	1.17

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
WASHINGTON								
LESS THAN 1000	1	0.22	0	1	0	0	0	0
1000-1499	4	0.90	4	0	0	0	0	0
1500-1999	6	1.35	2	2	2	0	0	0
2000-2499	15	3.36	9	3	1	1	0	1
2500-2999	60	13.45	28	17	13	1	0	1
3000-3499	142	31.84	57	62	16	2	3	2
3500-3999	159	35.65	64	66	28	1	0	0
4000-4499	48	10.76	26	15	7	0	0	0
4500-4999	10	2.24	5	2	3	0	0	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	1	0.22	1	0	0	0	0	0
COUNTY TOTALS	446		196	168	70	5	3	4
PERCENT DISTRIBUTION		100.00	43.95	37.67	15.70	1.12	0.67	0.90
YORK								
LESS THAN 1000	12	0.55	6	4	2	0	0	0
1000-1499	10	0.46	3	6	0	0	0	1
1500-1999	23	1.05	15	4	3	0	0	1
2000-2499	72	3.29	41	21	8	1	0	1
2500-2999	268	12.25	163	57	40	5	1	2
3000-3499	781	35.71	465	208	77	17	5	9
3500-3999	692	31.64	430	182	65	8	0	7
4000-4499	270	12.35	174	68	22	4	0	2
4500-4999	50	2.29	33	13	3	1	0	0
GREATER THAN 4999	1	0.05	0	1	0	0	0	0
UNKNOWN	8	0.37	1	0	0	0	1	6
COUNTY TOTALS	2,187		1,331	564	220	36	7	29
PERCENT DISTRIBUTION		100.00	60.86	25.79	10.06	1.65	0.32	1.33

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

STATE AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
MAINE SUMMARY								
LESS THAN 1000	55	0.37	28	15	7	0	1	4.
1000-1499	77	0.51	36	28	7	0	2	4
1500-1999	126	0.84	72	33	19	0	0	2
2000-2499	554	3.68	305	164	65	9	4	7
2500-2999	1,985	13.19	1,073	616	239	30	12	15
3000-3499	5,315	35.31	2,985	1,657	545	76	21	31
3500-3999	4,869	32.34	2,824	1,473	495	44	10	23
4000-4499	1,696	11.27	1,026	501	133	19	4	13
4500-4999	309	2.05	191	78	31	5	0	4
GREATER THAN 4999	34	0.23	20	9	4	1	0	0
UNKNOWN	34	0.23	5	5	1	1	1	21
STATE TOTALS	15,054		8,565	4,579	1,546	185	55	124
PERCENT DISTRIBUTION		100.00	56.90	30.42	10.27	1.23	0.37	0.82

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ANDROSCOGGIN											
0	8	0	0.00	0	0.00	0	0.00	8	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	6	0	0.00	1	16.67	5	83.33	0	0.00	0	0.00
3	4	1	25.00	2	50.00	1	25.00	0	0.00	0	0.00
4	5	3	60.00	0	0.00	2	40.00	0	0.00	0	0.00
5	9	5	55.56	2	22.22	1	11.11	0	0.00	1	11.11
6	24	10	41.67	8	33.33	6	25.00	0	0.00	0	0.00
7	16	4	25.00	10	62.50	2	12.50	0	0.00	0	0.00
8	34	17	50.00	16	47.06	1	2.94	0	0.00	0	0.00
9	51	28	54.90	20	39.22	3	5.88	0	0.00	0	0.00
GREATER THAN 9	1,200	1,092	91.00	106	8.83	2	0.17	0	0.00	0	0.00
UNKNOWN	4	1	25.00	0	0.00	0	0.00	0	0.00	3	75.00
COUNTY TOTALS	1,361	1,161	85.30	165	12.12	23	1.69	8	0.59	4	0.29
AROOSTOOK											
0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	3	0	0.00	1	33.33	1	33.33	0	0.00	1	33.33
3	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
4	8	4	50.00	1	12.50	3	37.50	0	0.00	0	0.00
5	10	2	20.00	5	50.00	3	30.00	0	0.00	0	0.00
6	8	6	75.00	2	25.00	0	0.00	0	0.00	0	0.00
7	33	19	57.58	13	39.39	1	3.03	0	0.00	0	0.00
8	39	21	53.85	17	43.59	1	2.56	0	0.00	0	0.00
9	64	43	67.19	17	26.56	2	3.13	0	0.00	2	3.13
GREATER THAN 9	882	810	91.84	65	7.37	3	0.34	0	0.00	4	0.45
UNKNOWN	9	2	22.22	0	0.00	0	0.00	0	0.00	7	77.78
COUNTY TOTALS	1,061	908	85.58	122	11.50	15	1.41	2	0.19	14	1.32

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
CUMBERLAND											
0	9	0	0.00	0	0.00	0	0.00	9	100.00	0	0.00
1	5	1	20.00	0	0.00	4	80.00	0	0.00	0	0.00
2	7	0	0.00	1	14.29	6	85.71	0	0.00	0	0.00
3	7	2	28.57	3	42.86	2	28.57	0	0.00	0	0.00
4	13	5	38.46	4	30.77	4	30.77	0	0.00	0	0.00
5	20	9	45.00	9	45.00	1	5.00	0	0.00	1	5.00
6	33	19	57.58	12	36.36	2	6.06	0	0.00	0	0.00
7	50	26	52.00	22	44.00	2	4.00	0	0.00	0	0.00
8	92	64	69.57	26	28.26	2	2.17	0	0.00	0	0.00
9	136	106	77.94	28	20.59	2	1.47	0	0.00	0	0.00
GREATER THAN 9	2,704	2,556	94.53	141	5.21	3	0.11	0	0.00	4	0.15
UNKNOWN	13	4	30.77	0	0.00	0	0.00	0	0.00	9	69.23
COUNTY TOTALS	3,089	2,792	90.39	246	7.96	28	0.91	9	0.29	14	0.45
FRANKLIN											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
4	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
5	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
6	8	3	37.50	4	50.00	1	12.50	0	0.00	0	0.00
7	16	11	68.75	3	18.75	2	12.50	0	0.00	0	0.00
8	23	16	69.57	7	30.43	0	0.00	0	0.00	0	0.00
9	26	21	80.77	5	19.23	0	0.00	0	0.00	0	0.00
GREATER THAN 9	241	220	91.29	21	8.71	0	0.00	0	0.00	0	0.00
UNKNOWN	1	0	0.00	0	0.00	0	0.00	0	0.00	1	100.00
COUNTY TOTALS	320	271	84.69	43	13.44	5	1.56	0	0.00	1	0.31

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
HANCOCK											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
5	13	11	84.62	1	7.69	1	7.69	0	0.00	0	0.00
6	15	10	66.67	4	26.67	1	6.67	0	0.00	0	0.00
7	23	13	56.52	10	43.48	0	0.00	0	0.00	0	0.00
8	43	31	72.09	12	27.91	0	0.00	0	0.00	0	0.00
9	79	64	81.01	15	18.99	0	0.00	0	0.00	0	0.00
GREATER THAN 9	389	353	90.75	36	9.25	0	0.00	0	0.00	0	0.00
UNKNOWN	4	0	0.00	0	0.00	0	0.00	0	0.00	4	100.00
COUNTY TOTALS	569	483	84.89	79	13.88	2	0.35	1	0.18	4	0.70
KENNEBEC											
0	4	0	0.00	0	0.00	0	0.00	4	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	2	1	50.00	0	0.00	0	0.00	0	0.00	1	50.00
3	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
4	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
5	4	3	75.00	0	0.00	1	25.00	0	0.00	0	0.00
6	11	5	45.45	3	27.27	3	27.27	0	0.00	0	0.00
7	11	6	54.55	3	27.27	2	18.18	0	0.00	0	0.00
8	31	21	67.74	9	29.03	1	3.23	0	0.00	0	0.00
9	42	31	73.81	10	23.81	0	0.00	0	0.00	1	2.38
GREATER THAN 9	1,269	1,185	93.38	73	5.75	3	0.24	0	0.00	8	0.63
UNKNOWN	10	6	60.00	0	0.00	0	0.00	0	0.00	4	40.00
COUNTY TOTALS	1,386	1,259	90.84	99	7.14	10	0.72	4	0.29	14	1.01

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
KNOX											
0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
5	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
6	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
7	4	2	50.00	1	25.00	1	25.00	0	0.00	0	0.00
8	7	5	71.43	2	28.57	0	0.00	0	0.00	0	0.00
9	7	7	100.00	0	0.00	0	0.00	0	0.00	0	0.00
GREATER THAN 9	385	355	92.21	27	7.01	2	0.52	0	0.00	1	0.26
UNKNOWN	1	0	0.00	0	0.00	0	0.00	0	0.00	1	100.00
COUNTY TOTALS	409	371	90.71	31	7.58	4	0.98	1	0.24	2	0.49
LINCOLN											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4	1	0	0.00	0	0.00	0	0.00	0	0.00	1	100.00
5	2	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00
6	5	4	80.00	1	20.00	0	0.00	0	0.00	0	0.00
7	3	1	33.33	2	66.67	0	0.00	0	0.00	0	0.00
8	14	9	64.29	3	21.43	2	14.29	0	0.00	0	0.00
9	25	19	76.00	6	24.00	0	0.00	0	0.00	0	0.00
GREATER THAN 9	277	257	92.78	19	6.86	0	0.00	0	0.00	1	0.36
UNKNOWN	4	3	75.00	0	0.00	0	0.00	0	0.00	1	25.00
COUNTY TOTALS	332	294	88.55	32	9.64	3	0.90	0	0.00	3	0.90

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
OXFORD											
0	6	0	0.00	0	0.00	0	0.00	6	100.00	0	0.00
1	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
2	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
3	3	2	66.67	1	33.33	0	0.00	0	0.00	0	0.00
4	3	1	33.33	1	33.33	1	33.33	0	0.00	0	0.00
5	12	7	58.33	3	25.00	1	8.33	0	0.00	1	8.33
6	10	4	40.00	6	60.00	0	0.00	0	0.00	0	0.00
7	21	8	38.10	10	47.62	2	9.52	0	0.00	1	4.76
8	19	10	52.63	8	42.11	1	5.26	0	0.00	0	0.00
9	32	25	78.13	7	21.88	0	0.00	0	0.00	0	0.00
GREATER THAN 9	481	435	90.44	45	9.36	0	0.00	0	0.00	1	0.21
UNKNOWN	5	1	20.00	0	0.00	0	0.00	0	0.00	4	80.00
COUNTY TOTALS	596	495	83.05	82	13.76	6	1.01	6	1.01	7	1.17
PENOBSCOT											
0	7	0	0.00	0	0.00	0	0.00	7	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
3	4	1	25.00	2	50.00	1	25.00	0	0.00	0	0.00
4	12	4	33.33	4	33.33	4	33.33	0	0.00	0	0.00
5	34	20	58.82	12	35.29	2	5.88	0	0.00	0	0.00
6	44	24	54.55	18	40.91	1	2.27	0	0.00	1	2.27
7	90	61	67.78	24	26.67	4	4.44	0	0.00	1	1.11
8	142	124	87.32	16	11.27	1	0.70	0	0.00	1	0.70
9	151	129	85.43	17	11.26	4	2.65	0	0.00	1	0.66
GREATER THAN 9	1,187	1,119	94.27	63	5.31	0	0.00	0	0.00	5	0.42
UNKNOWN	11	5	45.45	0	0.00	2	18.18	0	0.00	4	36.36
COUNTY TOTALS	1,683	1,487	88.35	157	9.33	19	1.13	7	0.42	13	0.77

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
PISCATAQUIS											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
4	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
5	5	2	40.00	2	40.00	1	20.00	0	0.00	0	0.00
6	8	4	50.00	2	25.00	2	25.00	0	0.00	0	0.00
7	4	2	50.00	1	25.00	1	25.00	0	0.00	0	0.00
8	15	12	80.00	3	20.00	0	0.00	0	0.00	0	0.00
9	20	17	85.00	3	15.00	0	0.00	0	0.00	0	0.00
GREATER THAN 9	111	99	89.19	12	10.81	0	0.00	0	0.00	0	0.00
UNKNOWN	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
COUNTY TOTALS	164	137	83.54	23	14.02	4	2.44	0	0.00	0	0.00
SAGadahoc											
0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	5	3	60.00	1	20.00	1	20.00	0	0.00	0	0.00
3	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
4	4	1	25.00	0	0.00	3	75.00	0	0.00	0	0.00
5	4	1	25.00	2	50.00	1	25.00	0	0.00	0	0.00
6	12	3	25.00	7	58.33	2	16.67	0	0.00	0	0.00
7	14	6	42.86	6	42.86	2	14.29	0	0.00	0	0.00
8	17	13	76.47	4	23.53	0	0.00	0	0.00	0	0.00
9	24	20	83.33	4	16.67	0	0.00	0	0.00	0	0.00
GREATER THAN 9	379	348	91.82	27	7.12	3	0.79	0	0.00	1	0.26
UNKNOWN	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
COUNTY TOTALS	462	397	85.93	51	11.04	13	2.81	0	0.00	1	0.22

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPrenat

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
SOMERSET											
0	4	0	0.00	0	0.00	0	0.00	4	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
3	2	0	0.00	2	100.00	0	0.00	0	0.00	0	0.00
4	3	2	66.67	1	33.33	0	0.00	0	0.00	0	0.00
5	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
6	8	4	50.00	3	37.50	1	12.50	0	0.00	0	0.00
7	13	6	46.15	5	38.46	1	7.69	0	0.00	1	7.69
8	18	11	61.11	6	33.33	1	5.56	0	0.00	0	0.00
9	24	14	58.33	10	41.67	0	0.00	0	0.00	0	0.00
GREATER THAN 9	482	421	87.34	55	11.41	1	0.21	0	0.00	5	1.04
UNKNOWN	5	2	40.00	0	0.00	0	0.00	0	0.00	3	60.00
COUNTY TOTALS	563	462	82.06	83	14.74	5	0.89	4	0.71	9	1.60
WALDO											
0	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
3	3	1	33.33	0	0.00	2	66.67	0	0.00	0	0.00
4	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
5	6	1	16.67	3	50.00	2	33.33	0	0.00	0	0.00
6	10	7	70.00	2	20.00	0	0.00	0	0.00	1	10.00
7	10	7	70.00	3	30.00	0	0.00	0	0.00	0	0.00
8	25	21	84.00	2	8.00	2	8.00	0	0.00	0	0.00
9	44	36	81.82	8	18.18	0	0.00	0	0.00	0	0.00
GREATER THAN 9	317	293	92.43	24	7.57	0	0.00	0	0.00	0	0.00
UNKNOWN	5	1	20.00	0	0.00	0	0.00	0	0.00	4	80.00
COUNTY TOTALS	426	368	86.38	43	10.09	7	1.64	3	0.70	5	1.17

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
WASHINGTON											
0	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
2	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
3	4	1	25.00	0	0.00	2	50.00	0	0.00	1	25.00
4	4	1	25.00	1	25.00	1	25.00	0	0.00	1	25.00
5	7	3	42.86	4	57.14	0	0.00	0	0.00	0	0.00
6	10	5	50.00	3	30.00	2	20.00	0	0.00	0	0.00
7	17	12	70.59	4	23.53	0	0.00	0	0.00	1	5.88
8	30	22	73.33	8	26.67	0	0.00	0	0.00	0	0.00
9	28	21	75.00	7	25.00	0	0.00	0	0.00	0	0.00
GREATER THAN 9	339	297	87.61	42	12.39	0	0.00	0	0.00	0	0.00
UNKNOWN	3	2	66.67	0	0.00	0	0.00	0	0.00	1	33.33
COUNTY TOTALS	446	364	81.61	70	15.70	5	1.12	3	0.67	4	0.90
YORK											
0	7	0	0.00	0	0.00	0	0.00	7	100.00	0	0.00
1	6	2	33.33	1	16.67	3	50.00	0	0.00	0	0.00
2	6	1	16.67	2	33.33	3	50.00	0	0.00	0	0.00
3	13	2	15.38	4	30.77	6	46.15	0	0.00	1	7.69
4	20	4	20.00	9	45.00	7	35.00	0	0.00	0	0.00
5	29	9	31.03	14	48.28	5	17.24	0	0.00	1	3.45
6	48	27	56.25	19	39.58	2	4.17	0	0.00	0	0.00
7	50	27	54.00	21	42.00	2	4.00	0	0.00	0	0.00
8	98	75	76.53	19	19.39	4	4.08	0	0.00	0	0.00
9	106	85	80.19	19	17.92	1	0.94	0	0.00	1	0.94
GREATER THAN 9	1,765	1,648	93.37	110	6.23	1	0.06	0	0.00	6	0.34
UNKNOWN	39	15	38.46	2	5.13	2	5.13	0	0.00	20	51.28
COUNTY TOTALS	2,187	1,895	86.65	220	10.06	36	1.65	7	0.32	29	1.33

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

STATE AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	***** TRIMESTER PRENATAL CARE BEGAN *****									
		FIRST		SECOND		THIRD		NONE		UNKNOWN	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MAINE SUMMARY											
0	55	0	0.00	0	0.00	0	0.00	55	100.00	0	0.00
1	16	5	31.25	1	6.25	10	62.50	0	0.00	0	0.00
2	36	8	22.22	9	25.00	17	47.22	0	0.00	2	5.56
3	49	14	28.57	17	34.69	16	32.65	0	0.00	2	4.08
4	80	27	33.75	24	30.00	27	33.75	0	0.00	2	2.50
5	158	74	46.84	60	37.97	20	12.66	0	0.00	4	2.53
6	256	136	53.13	95	37.11	23	8.98	0	0.00	2	0.78
7	375	211	56.27	138	36.80	22	5.87	0	0.00	4	1.07
8	647	472	72.95	158	24.42	16	2.47	0	0.00	1	0.15
9	859	666	77.53	176	20.49	12	1.40	0	0.00	5	0.58
GREATER THAN 9	12,408	11,488	92.59	866	6.98	18	0.15	0	0.00	36	0.29
UNKNOWN	115	43	37.39	2	1.74	4	3.48	0	0.00	66	57.39
STATE TOTALS	15,054	13,144	87.31	1,546	10.27	185	1.23	55	0.37	124	0.82

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL CARE BEGAN 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
ANDROSCOGGIN								
LESS THAN GRADE 9	48	3.53	21	14	13	0	0	0
GRADES 9-11	209	15.36	71	73	54	10	1	0
GRADE 12	615	45.19	282	240	78	10	5	0
GREATER THAN GRADE 12	487	35.78	286	173	20	3	2	3
UNKNOWN	2	0.15	1	0	0	0	0	1
COUNTY TOTALS	1,361		661	500	165	23	8	4
PERCENT DISTRIBUTION		100.00	48.57	36.74	12.12	1.69	0.59	0.29
AROOSTOOK								
LESS THAN GRADE 9	12	1.13	5	3	3	1	0	0
GRADES 9-11	121	11.40	61	32	22	4	1	1
GRADE 12	479	45.15	259	148	60	6	0	6
GREATER THAN GRADE 12	444	41.85	285	114	37	4	1	3
UNKNOWN	5	0.47	0	1	0	0	0	4
COUNTY TOTALS	1,061		610	298	122	15	2	14
PERCENT DISTRIBUTION		100.00	57.49	28.09	11.50	1.41	0.19	1.32
CUMBERLAND								
LESS THAN GRADE 9	43	1.39	18	8	15	1	1	0
GRADES 9-11	235	7.61	109	77	41	7	1	0
GRADE 12	1,020	33.02	530	364	108	10	5	3
GREATER THAN GRADE 12	1,773	57.40	1,062	615	81	10	2	3
UNKNOWN	18	0.58	5	4	1	0	0	8
COUNTY TOTALS	3,089		1,724	1,068	246	28	9	14
PERCENT DISTRIBUTION		100.00	55.81	34.57	7.96	0.91	0.29	0.45

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** MONTH PRENATAL CARE BEGAN 4TH-6TH MONTH	***** 7TH-9TH MONTH	***** NONE	***** UNKNOWN
FRANKLIN								
LESS THAN GRADE 9	10	3.13	5	2	3	0	0	0
GRADES 9-11	31	9.69	15	3	12	1	0	0
GRADE 12	134	41.88	67	42	21	4	0	0
GREATER THAN GRADE 12	143	44.69	100	36	7	0	0	0
UNKNOWN	2	0.63	1	0	0	0	0	1
COUNTY TOTALS	320		188	83	43	5	0	1
PERCENT DISTRIBUTION		100.00	58.75	25.94	13.44	1.56	0.00	0.31
HANCOCK								
LESS THAN GRADE 9	11	1.93	5	5	1	0	0	0
GRADES 9-11	64	11.25	15	30	19	0	0	0
GRADE 12	226	39.72	102	92	29	1	1	1
GREATER THAN GRADE 12	264	46.40	115	118	30	1	0	0
UNKNOWN	4	0.70	0	1	0	0	0	3
COUNTY TOTALS	569		237	246	79	2	1	4
PERCENT DISTRIBUTION		100.00	41.65	43.23	13.88	0.35	0.18	0.70
KENNEBEC								
LESS THAN GRADE 9	33	2.38	16	9	7	1	0	0
GRADES 9-11	153	11.04	69	52	26	3	2	1
GRADE 12	619	44.66	377	185	45	3	1	8
GREATER THAN GRADE 12	575	41.49	381	164	21	3	1	5
UNKNOWN	6	0.43	3	3	0	0	0	0
COUNTY TOTALS	1,386		846	413	99	10	4	14
PERCENT DISTRIBUTION		100.00	61.04	29.80	7.14	0.72	0.29	1.01

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	MONTH PRENATAL CARE BEGAN 4TH-6TH MONTH	7TH-9TH MONTH	***** NONE	***** UNKNOWN
KNOX								
LESS THAN GRADE 9	5	1.22	5	0	0	0	0	0
GRADES 9-11	47	11.49	31	8	7	1	0	0
GRADE 12	203	49.63	154	27	17	3	1	1
GREATER THAN GRADE 12	153	37.41	118	27	7	0	0	1
UNKNOWN	1	0.24	0	1	0	0	0	0
COUNTY TOTALS	409		308	63	31	4	1	2
PERCENT DISTRIBUTION		100.00	75.31	15.40	7.58	0.98	0.24	0.49
LINCOLN								
LESS THAN GRADE 9	4	1.20	2	0	2	0	0	0
GRADES 9-11	44	13.25	22	13	8	1	0	0
GRADE 12	162	48.80	95	47	17	2	0	1
GREATER THAN GRADE 12	121	36.45	86	29	5	0	0	1
UNKNOWN	1	0.30	0	0	0	0	0	1
COUNTY TOTALS	332		205	89	32	3	0	3
PERCENT DISTRIBUTION		100.00	61.75	26.81	9.64	0.90	0.00	0.90
OXFORD								
LESS THAN GRADE 9	11	1.85	3	5	1	1	1	0
GRADES 9-11	105	17.62	31	43	24	3	3	1
GRADE 12	259	43.46	112	111	31	0	1	4
GREATER THAN GRADE 12	219	36.74	103	87	26	2	1	0
UNKNOWN	2	0.34	0	0	0	0	0	2
COUNTY TOTALS	596		249	246	82	6	6	7
PERCENT DISTRIBUTION		100.00	41.78	41.28	13.76	1.01	1.01	1.17

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
PENOBSCOT								
LESS THAN GRADE 9	24	1.43	18	5	0	0	0	1
GRADES 9-11	160	9.51	73	49	33	3	1	1
GRADE 12	754	44.80	492	168	76	9	4	5
GREATER THAN GRADE 12	740	43.97	544	134	48	7	2	5
UNKNOWN	5	0.30	3	1	0	0	0	1
COUNTY TOTALS	1,683		1,130	357	157	19	7	13
PERCENT DISTRIBUTION		100.00	67.14	21.21	9.33	1.13	0.42	0.77
PISCATAQUIS								
LESS THAN GRADE 9	3	1.83	1	0	2	0	0	0
GRADES 9-11	17	10.37	6	4	7	0	0	0
GRADE 12	78	47.56	46	20	9	3	0	0
GREATER THAN GRADE 12	64	39.02	37	21	5	1	0	0
UNKNOWN	2	1.22	0	2	0	0	0	0
COUNTY TOTALS	164		90	47	23	4	0	0
PERCENT DISTRIBUTION		100.00	54.88	28.66	14.02	2.44	0.00	0.00
SAGADAHOC								
LESS THAN GRADE 9	5	1.08	3	1	1	0	0	0
GRADES 9-11	45	9.74	14	11	16	3	0	1
GRADE 12	186	40.26	117	48	16	5	0	0
GREATER THAN GRADE 12	226	48.92	131	72	18	5	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	462		265	132	51	13	0	1
PERCENT DISTRIBUTION		100.00	57.36	28.57	11.04	2.81	0.00	0.22

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
SOMERSET								
LESS THAN GRADE 9	12	2.13	2	5	4	1	0	0
GRADES 9-11	82	14.56	38	28	14	1	1	0
GRADE 12	285	50.62	121	109	45	3	3	4
GREATER THAN GRADE 12	180	31.97	98	59	20	0	0	3
UNKNOWN	4	0.71	1	1	0	0	0	2
COUNTY TOTALS	563		260	202	83	5	4	9
PERCENT DISTRIBUTION		100.00	46.18	35.88	14.74	0.89	0.71	1.60
WALDOO								
LESS THAN GRADE 9	8	1.88	7	0	1	0	0	0
GRADES 9-11	54	12.68	26	14	11	2	0	1
GRADE 12	209	49.06	135	46	19	4	2	3
GREATER THAN GRADE 12	155	36.38	97	43	12	1	1	1
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	426		265	103	43	7	3	5
PERCENT DISTRIBUTION		100.00	62.21	24.18	10.09	1.64	0.70	1.17
WASHINGTON								
LESS THAN GRADE 9	12	2.69	4	4	2	1	1	0
GRADES 9-11	81	18.16	25	32	21	2	1	0
GRADE 12	198	44.39	93	71	28	2	1	3
GREATER THAN GRADE 12	155	34.75	74	61	19	0	0	1
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	446		196	168	70	5	3	4
PERCENT DISTRIBUTION		100.00	43.95	37.67	15.70	1.12	0.67	0.90

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** 1ST+2ND MONTH	***** 3RD MONTH	***** 4TH-6TH MONTH	***** MONTH PRENATAL CARE BEGAN 7TH-9TH MONTH	***** NONE	***** UNKNOWN
YORK								
LESS THAN GRADE 9	38	1.74	18	10	6	4	0	0
GRADES 9-11	217	9.92	109	44	49	11	2	2
GRADE 12	903	41.29	546	221	106	15	4	11
GREATER THAN GRADE 12	1,010	46.18	654	286	56	6	1	7
UNKNOWN	19	0.87	4	3	3	0	0	9
COUNTY TOTALS	2,187		1,331	564	220	36	7	29
PERCENT DISTRIBUTION		100.00	60.86	25.79	10.06	1.65	0.32	1.33
MAINE SUMMARY								
LESS THAN GRADE 9	279	1.85	133	71	61	10	3	1
GRADES 9-11	1,665	11.06	715	513	364	52	13	8
GRADE 12	6,330	42.05	3,528	1,939	705	80	28	50
GREATER THAN GRADE 12	6,709	44.57	4,171	2,039	412	43	11	33
UNKNOWN	71	0.47	18	17	4	0	0	32
STATE TOTALS	15,054		8,565	4,579	1,546	185	55	124
PERCENT DISTRIBUTION		100.00	56.90	30.42	10.27	1.23	0.37	0.82

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-9

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - NUMBER OF BIRTHS
 MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1993 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20 YRS.	NON- WHITE	NO PRENATAL CARE	MEDICAL RISK FACTORS	C-SECTION	CONGEN. ANOM- ALIES	BIRTHWEIGHT UNDER 2500	IN GRAMS OVER 4999
AT HOME	153	34	5	3	6	27	0	0	3	1
BATH MEMORIAL HOSPITAL	264	38	12	10	0	38	65	4	8	1
BLUE HILL MEMORIAL HOSPITAL	222	52	21	0	0	47	24	3	7	1
BORN ON WAY TO HOSPITAL	6	3	1	1	1	1	0	0	0	0
BRIGHTON MEDICAL CENTER	462	128	47	12	0	43	88	8	15	4
CALAIS REGIONAL HOSPITAL	102	43	18	19	0	25	15	4	2	0
CARY MEDICAL CENTER	239	57	28	6	0	88	57	2	14	1
CENTRAL MAINE MEDICAL CENTER	1,106	356	158	38	6	352	267	7	58	6
DOCTOR'S OFFICE	3	0	0	0	0	1	0	0	1	0
DOWN EAST COMMUNITY HOSPITAL	242	92	34	23	1	42	30	1	8	0
EASTERN MAINE MEDICAL CENTER	1,655	418	149	57	4	342	338	7	110	5
FRANKLIN MEMORIAL HOSPITAL	378	129	38	5	0	105	79	5	9	2
HENRIETTA D. GOODALL HOSPITAL	331	126	48	15	1	97	54	13	15	0
HOULTON REGIONAL HOSPITAL	193	77	30	15	0	43	49	5	9	1
KENNEBEC VALLEY MEDICAL CTR.	685	229	89	12	1	181	136	7	23	2
MAINE COAST MEMORIAL HOSPITAL	233	74	31	7	2	67	36	8	6	1
MAINE MEDICAL CENTER	2,488	551	172	75	7	687	622	50	329	3
MAYO REGIONAL HOSPITAL	141	51	13	1	1	37	26	5	6	0
MERCY HOSPITAL	732	143	44	12	1	129	145	10	15	0
MID-MAINE MEDICAL CENTER	699	193	57	9	3	210	113	18	23	0
MILES MEMORIAL HOSPITAL	107	36	18	1	0	26	28	3	3	0
MILLINOCKET REGIONAL HOSPITAL	82	22	9	0	0	32	30	1	3	0
MOUNT DESERT ISLAND HOSPITAL	80	24	6	0	0	14	12	1	3	0
NORTH CUMBERLAND MEM. HOSPITAL	76	18	4	1	1	14	22	1	4	0
NORTH MAINE MEDICAL CENTER	123	37	8	3	0	26	18	3	10	0
NOT CLASSIFIABLE	6	1	0	0	0	1	0	0	0	0
OTHER SPECIFIED PLACE	1	1	1	0	1	1	0	0	1	0
PARKVIEW MEMORIAL HOSPITAL	728	140	61	36	0	164	146	10	21	2
PENOBSCOT BAY MEDICAL CENTER	421	115	42	3	0	151	77	0	10	1
PENOBSCOT VALLEY HOSPITAL	137	43	19	4	2	26	38	6	2	0
REDINGTON-FAIRVIEW HOSPITAL	235	105	45	3	2	80	61	4	15	0
RUMFORD COMMUNITY HOSPITAL	64	31	15	1	1	18	14	2	4	0
ST. ANDREW'S HOSPITAL	25	10	2	0	0	10	7	0	0	0
ST. MARY'S HOSPITAL	319	66	22	4	3	61	77	5	9	1
SOUTHERN MAINE MEDICAL CENTER	562	164	49	5	5	86	149	5	19	0
STEPHENS MEMORIAL HOSPITAL	274	93	41	5	2	54	67	3	9	1
THE AROOSTOOK MEDICAL CENTER	327	88	42	8	2	126	46	5	13	0
US AIR FORCE HOSPITAL	151	10	15	18	1	111	36	3	5	0
WALDO COUNTY GENERAL HOSPITAL	235	94	46	1	2	33	60	7	16	0
WATERVILLE OSTEOPATHIC HOSP.	274	93	35	6	1	76	47	2	13	1
YORK HOSPITAL	256	41	12	10	0	60	42	3	6	0
STATE TOTALS	14,817	4,026	1,487	429	57	3,732	3,121	221	827	34

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.
 BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

BIRHOS

MAINE DEPARTMENT OF HUMAN SERVICES
 OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-10

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - PERCENTAGE OF TOTAL BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1993 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	***** OUT OF WEDLOCK BIRTHS	MOTHER UNDER AGE 20 YRS.	NON- WHITE	NO PRENATAL CARE	TOTAL BIRTHS IN EACH MEDICAL RISK FACTORS	C-SECTION	BIRTH SITE ***** CONGEN. ANOM- ALIES	BIRTHWEIGHT IN GRAMS ***** UNDER 2500	OVER 4999
AT HOME	153	22.22	3.27	1.96	3.92	17.65	0.00	0.00	1.96	0.65
BATH MEMORIAL HOSPITAL	264	14.39	4.55	3.79	0.00	14.39	24.62	1.52	3.03	0.38
BLUE HILL MEMORIAL HOSPITAL	222	23.42	9.46	0.00	0.00	21.17	10.81	1.35	3.15	0.45
BORN ON WAY TO HOSPITAL	6	50.00	16.67	16.67	16.67	16.67	0.00	0.00	0.00	0.00
BRIGHTON MEDICAL CENTER	462	27.71	10.17	2.60	0.00	9.31	19.05	1.73	3.25	0.87
CALAIS REGIONAL HOSPITAL	102	42.16	17.65	18.63	0.00	24.51	14.71	3.92	1.96	0.00
CARY MEDICAL CENTER	239	23.85	11.72	2.51	0.00	36.82	23.85	0.84	5.86	0.42
CENTRAL MAINE MEDICAL CENTER	1,106	32.19	14.29	3.44	0.54	31.83	24.14	0.63	5.24	0.54
DOCTOR'S OFFICE	3	0.00	0.00	0.00	0.00	33.33	0.00	0.00	33.33	0.00
DOWN EAST COMMUNITY HOSPITAL	242	38.02	14.05	9.50	0.41	17.36	12.40	0.41	3.31	0.00
EASTERN MAINE MEDICAL CENTER	1,655	25.26	9.00	3.44	0.24	20.66	20.42	0.42	6.65	0.30
FRANKLIN MEMORIAL HOSPITAL	378	34.13	10.05	1.32	0.00	27.78	20.90	1.32	2.38	0.53
HENRIETTA D. GOODALL HOSPITAL	331	38.07	14.50	4.53	0.30	29.31	16.31	3.93	4.53	0.00
HOULTON REGIONAL HOSPITAL	193	39.90	15.54	7.77	0.00	22.28	25.39	2.59	4.66	0.52
KENNEBEC VALLEY MEDICAL CTR.	685	33.43	12.99	1.75	0.15	26.42	19.85	1.02	3.36	0.29
MAINE COAST MEMORIAL HOSPITAL	233	31.76	13.30	3.00	0.86	28.76	15.45	3.43	2.58	0.43
MAINE MEDICAL CENTER	2,488	22.15	6.91	3.01	0.28	27.61	25.00	2.01	13.22	0.12
MAYO REGIONAL HOSPITAL	141	36.17	9.22	0.71	0.71	26.24	18.44	3.55	4.26	0.00
MERCY HOSPITAL	732	19.54	6.01	1.64	0.14	17.62	19.81	1.37	2.05	0.00
MID-MAINE MEDICAL CENTER	699	27.61	8.15	1.29	0.43	30.04	16.17	2.58	3.29	0.00
MILES MEMORIAL HOSPITAL	107	33.64	16.82	0.93	0.00	24.30	26.17	2.80	2.80	0.00
MILLINOCKET REGIONAL HOSPITAL	82	26.83	10.98	0.00	0.00	39.02	36.59	1.22	3.66	0.00
MOUNT DESERT ISLAND HOSPITAL	80	30.00	7.50	0.00	0.00	17.50	15.00	1.25	3.75	0.00
NORTH CUMBERLAND MEM. HOSPITAL	76	23.68	5.26	1.32	1.32	18.42	28.95	1.32	5.26	0.00
NORTH MAINE MEDICAL CENTER	123	30.08	6.50	2.44	0.00	21.14	14.63	2.44	8.13	0.00
NOT CLASSIFIABLE	6	16.67	0.00	0.00	0.00	16.67	0.00	0.00	0.00	0.00
OTHER SPECIFIED PLACE	1	100.00	100.00	0.00	100.00	100.00	0.00	0.00	100.00	0.00
PARKVIEW MEMORIAL HOSPITAL	728	19.23	8.38	4.95	0.00	22.53	20.05	1.37	2.88	0.27
PENOBSCOT BAY MEDICAL CENTER	421	27.32	9.98	0.71	0.00	35.87	18.29	0.00	2.38	0.24
PENOBSCOT VALLEY HOSPITAL	137	31.39	13.87	2.92	1.46	18.98	27.74	4.38	1.46	0.00
REDINGTON-FAIRVIEW HOSPITAL	235	44.68	19.15	1.28	0.85	34.04	25.96	1.70	6.38	0.00
RUMFORD COMMUNITY HOSPITAL	64	48.44	23.44	1.56	1.56	28.13	21.88	3.13	6.25	0.00
ST. ANDREW'S HOSPITAL	25	40.00	8.00	0.00	0.00	40.00	28.00	0.00	0.00	0.00
ST. MARY'S HOSPITAL	319	20.69	6.90	1.25	0.94	19.12	24.14	1.57	2.82	0.31
SOUTHERN MAINE MEDICAL CENTER	562	29.18	8.72	0.89	0.89	15.30	26.51	0.89	3.38	0.00
STEPHENS MEMORIAL HOSPITAL	274	33.94	14.96	1.82	0.73	19.71	24.45	1.09	3.28	0.36
THE AROOSTOOK MEDICAL CENTER	327	26.91	12.84	2.45	0.61	38.53	14.07	1.53	3.98	0.00
US AIR FORCE HOSPITAL	151	6.62	9.93	11.92	0.66	73.51	23.84	1.99	3.31	0.00
WALDO COUNTY GENERAL HOSPITAL	235	40.00	19.57	0.43	0.85	14.04	25.53	2.98	6.81	0.00
WATERVILLE OSTEOPATHIC HOSP.	274	33.94	12.77	2.19	0.36	27.74	17.15	0.73	4.74	0.36
YORK HOSPITAL	256	16.02	4.69	3.91	0.00	23.44	16.41	1.17	2.34	0.00
STATE TOTALS	14,817	27.17	10.04	2.90	0.38	25.19	21.06	1.49	5.58	0.23

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

BIRHOS

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-11

LIVE BIRTHS BY BIRTHWEIGHT
MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1993 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS		***** BIRTHWEIGHT IN GRAMS *****									
	NUMBER	PERCENT	< 1000		1000-1499		< 1500		1500 AND OVER		UNKNOWN WEIGHT	
			NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
AT HOME	153	100.0	2	1.3	0	0.0	2	1.3	134	87.6	17	11.1
BATH MEMORIAL HOSPITAL	264	100.0	0	0.0	0	0.0	0	0.0	264	100.0	0	0.0
BLUE HILL MEMORIAL HOSPITAL	222	100.0	0	0.0	0	0.0	0	0.0	222	100.0	0	0.0
BORN ON WAY TO HOSPITAL	6	100.0	0	0.0	0	0.0	0	0.0	6	100.0	0	0.0
BRIGHTON MEDICAL CENTER	462	100.0	0	0.0	0	0.0	0	0.0	462	100.0	0	0.0
CALAIS REGIONAL HOSPITAL	102	100.0	0	0.0	0	0.0	0	0.0	102	100.0	0	0.0
CARY MEDICAL CENTER	239	100.0	0	0.0	3	1.3	3	1.3	236	98.7	0	0.0
CENTRAL MAINE MEDICAL CENTER	1,106	100.0	4	0.4	6	0.5	10	0.9	1,095	99.0	1	0.1
DOCTOR'S OFFICE	3	100.0	0	0.0	0	0.0	0	0.0	3	100.0	0	0.0
DOWN EAST COMMUNITY HOSPITAL	242	100.0	0	0.0	1	0.4	1	0.4	241	99.6	0	0.0
EASTERN MAINE MEDICAL CENTER	1,655	100.0	9	0.5	13	0.8	22	1.3	1,631	98.5	2	0.1
FRANKLIN MEMORIAL HOSPITAL	378	100.0	0	0.0	0	0.0	0	0.0	376	99.5	2	0.5
HENRIETTA D. GOODALL HOSPITAL	331	100.0	1	0.3	0	0.0	1	0.3	328	99.1	2	0.6
HOULTON REGIONAL HOSPITAL	193	100.0	0	0.0	0	0.0	0	0.0	193	100.0	0	0.0
KENNEBEC VALLEY MEDICAL CTR.	685	100.0	2	0.3	1	0.1	3	0.4	682	99.6	0	0.0
MAINE COAST MEMORIAL HOSPITAL	233	100.0	0	0.0	0	0.0	0	0.0	233	100.0	0	0.0
MAINE MEDICAL CENTER	2,488	100.0	33	1.3	55	2.2	88	3.5	2,399	96.4	1	0.0
MAYO REGIONAL HOSPITAL	141	100.0	0	0.0	0	0.0	0	0.0	141	100.0	0	0.0
MERCY HOSPITAL	732	100.0	0	0.0	0	0.0	0	0.0	729	99.6	3	0.4
MID-MAINE MEDICAL CENTER	699	100.0	0	0.0	1	0.1	1	0.1	698	99.9	0	0.0
MILES MEMORIAL HOSPITAL	107	100.0	0	0.0	0	0.0	0	0.0	107	100.0	0	0.0
MILLINOCKET REGIONAL HOSPITAL	82	100.0	0	0.0	0	0.0	0	0.0	82	100.0	0	0.0
MOUNT DESERT ISLAND HOSPITAL	80	100.0	0	0.0	0	0.0	0	0.0	80	100.0	0	0.0
NORTH CUMBERLAND MEM. HOSPITAL	76	100.0	0	0.0	0	0.0	0	0.0	76	100.0	0	0.0
NORTH MAINE MEDICAL CENTER	123	100.0	0	0.0	0	0.0	0	0.0	121	98.4	2	1.6
NOT CLASSIFIABLE	6	100.0	0	0.0	0	0.0	0	0.0	6	100.0	0	0.0
OTHER SPECIFIED PLACE	1	100.0	0	0.0	1	100.0	1	100.0	0	0.0	0	0.0
PARKVIEW MEMORIAL HOSPITAL	728	100.0	0	0.0	0	0.0	0	0.0	728	100.0	0	0.0
PENOBSCOT BAY MEDICAL CENTER	421	100.0	0	0.0	0	0.0	0	0.0	420	99.8	1	0.2
PENOBSCOT VALLEY HOSPITAL	137	100.0	0	0.0	0	0.0	0	0.0	137	100.0	0	0.0
REDINGTON-FAIRVIEW HOSPITAL	235	100.0	2	0.9	1	0.4	3	1.3	230	97.9	2	0.9
RUMFORD COMMUNITY HOSPITAL	64	100.0	1	1.6	0	0.0	1	1.6	63	98.4	0	0.0
ST. ANDREW'S HOSPITAL	25	100.0	0	0.0	0	0.0	0	0.0	25	100.0	0	0.0
ST. MARY'S HOSPITAL	319	100.0	0	0.0	1	0.3	1	0.3	318	99.7	0	0.0
SOUTHERN MAINE MEDICAL CENTER	562	100.0	1	0.2	0	0.0	1	0.2	561	99.8	0	0.0
STEPHENS MEMORIAL HOSPITAL	274	100.0	0	0.0	0	0.0	0	0.0	274	100.0	0	0.0
THE AROOSTOOK MEDICAL CENTER	327	100.0	0	0.0	0	0.0	0	0.0	327	100.0	0	0.0
US AIR FORCE HOSPITAL	151	100.0	1	0.7	0	0.0	1	0.7	150	99.3	0	0.0
WALDO COUNTY GENERAL HOSPITAL	235	100.0	1	0.4	0	0.0	1	0.4	234	99.6	0	0.0
INLAND HOSPITAL	274	100.0	0	0.0	0	0.0	0	0.0	274	100.0	0	0.0
YORK HOSPITAL	256	100.0	0	0.0	0	0.0	0	0.0	255	99.6	1	0.4
STATE TOTALS	14,817	100.0	57	0.4	83	0.6	140	0.9	14,643	98.8	34	0.2

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

BLOCWT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

PREGNANCY OUTCOME



TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
ANDROSCOGGIN									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	7,169	0	###	0	###	0	###	0	###
10-14	3,753	6	###	2	###	4	###	0	###
15	*	10	*	9	###	1	###	0	###
16	*	25	*	23	*	2	###	0	###
17	*	47	*	38	*	9	###	0	###
18	*	59	*	42	*	17	*	0	###
19	*	92	*	74	*	18	*	0	###
15-19	3,356	233	69.4	186	55.4	47	14.0	0	###
20-24	3,863	492	127.4	406	105.1	85	22.0	1	###
25-29	4,068	494	121.4	437	107.4	56	13.8	1	###
30-34	4,565	257	56.3	230	50.4	27	5.9	0	###
35-39	4,270	102	23.9	85	19.9	16	3.7	1	###
40-44	3,677	16	4.4	10	2.7	6	###	0	###
GREATER THAN 44	18,823	3	###	3	###	0	###	0	###
UNKNOWN	0	7		2		4		1	
COUNTY TOTALS	53,544	1,610	30.1	1,361	25.4	245	4.6	4	###

69

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	7,169	0	###	0	###	0	###	0	###
10-14	3,753	6	###	2	###	4	###	0	###
15	*	10	*	9	###	1	###	0	###
16	*	23	*	21	*	2	###	0	###
17	*	43	*	34	*	9	###	0	###
18	*	47	*	32	*	15	*	0	###
19	*	72	*	54	*	18	*	0	###
15-19	3,356	195	58.1	150	44.7	45	13.4	0	###
20-24	3,863	224	58.0	151	39.1	73	18.9	0	###
25-29	4,068	106	26.1	69	17.0	37	9.1	0	###
30-34	4,565	54	11.8	35	7.7	19	4.2	0	###
35-39	4,270	15	3.5	8	###	7	###	0	###
40-44	3,677	4	###	2	###	2	###	0	###
GREATER THAN 44	18,823	1	###	1	###	0	###	0	###
UNKNOWN	0	5		1		4		0	
COUNTY TOTALS	53,544	610	11.4	419	7.8	191	3.6	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1993.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 33 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
AROOSTOOK									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	5,556	0	###	0	###	0	###	0	###
10-14	2,972	1	###	1	###	0	###	0	###
15	*	7	###	4	###	3	###	0	###
16	*	16	*	12	*	4	###	0	###
17	*	21	*	18	*	3	###	0	###
18	*	44	*	37	*	7	###	0	###
19	*	57	*	51	*	6	###	0	###
15-19	2,997	145	48.4	122	40.7	23	7.7	0	###
20-24	2,786	383	137.5	349	125.3	30	10.8	4	###
25-29	2,793	360	128.9	342	122.4	17	6.1	1	###
30-34	3,311	202	61.0	184	55.6	18	5.4	0	###
35-39	3,366	62	18.4	55	16.3	7	###	0	###
40-44	3,085	7	###	6	###	1	###	0	###
GREATER THAN 44	15,838	0	###	0	###	0	###	0	###
UNKNOWN	0	4		2		2		0	
COUNTY TOTALS	42,704	1,164	27.3	1,061	24.8	98	2.3	5	###

70

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	5,556	0	###	0	###	0	###	0	###
10-14	2,972	1	###	1	###	0	###	0	###
15	*	6	###	3	###	3	###	0	###
16	*	16	*	12	*	4	###	0	###
17	*	18	*	15	*	3	###	0	###
18	*	34	*	27	*	7	###	0	###
19	*	38	*	32	*	6	###	0	###
15-19	2,997	112	37.4	89	29.7	23	7.7	0	###
20-24	2,786	120	43.1	96	34.5	23	8.3	1	###
25-29	2,793	51	18.3	42	15.0	9	###	0	###
30-34	3,311	31	9.4	22	6.6	9	###	0	###
35-39	3,366	14	4.2	11	3.3	3	###	0	###
40-44	3,085	4	###	3	###	1	###	0	###
GREATER THAN 44	15,838	0	###	0	###	0	###	0	###
UNKNOWN	0	2		0		2		0	
COUNTY TOTALS	42,704	335	7.8	264	6.2	70	1.6	1	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1993.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 33 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
CUMBERLAND									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	16,239	0	###	0	###	0	###	0	###
10-14	7,746	9	###	2	###	7	###	0	###
15	*	23	*	12	*	11	*	0	###
16	*	44	*	24	*	20	*	0	###
17	*	73	*	32	*	41	*	0	###
18	*	99	*	57	*	41	*	1	###
19	*	138	*	78	*	60	*	0	###
15-19	7,050	377	53.5	203	28.8	173	24.5	1	###
20-24	8,689	915	105.3	585	67.3	326	37.5	4	###
25-29	9,781	1,174	120.0	969	99.1	203	20.8	2	###
30-34	11,544	1,053	91.2	913	79.1	136	11.8	4	###
35-39	11,404	447	39.2	362	31.7	84	7.4	1	###
40-44	10,170	75	7.4	52	5.1	20	2.0	3	###
GREATER THAN 44	44,900	4	###	3	###	1	###	0	###
UNKNOWN	0	10		0		9		1	
COUNTY TOTALS	127,523	4,064	31.9	3,089	24.2	959	7.5	16	0.1

71

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	16,239	0	###	0	###	0	###	0	###
10-14	7,746	9	###	2	###	7	###	0	###
15	*	22	*	12	*	10	*	0	###
16	*	44	*	24	*	20	*	0	###
17	*	69	*	30	*	39	*	0	###
18	*	88	*	49	*	38	*	1	###
19	*	119	*	64	*	55	*	0	###
15-19	7,050	342	48.5	179	25.4	162	23.0	1	###
20-24	8,689	539	62.0	267	30.7	271	31.2	1	###
25-29	9,781	260	26.6	124	12.7	136	13.9	0	###
30-34	11,544	151	13.1	70	6.1	81	7.0	0	###
35-39	11,404	69	6.1	28	2.5	41	3.6	0	###
40-44	10,170	5	###	1	###	4	###	0	###
GREATER THAN 44	44,900	2	###	1	###	1	###	0	###
UNKNOWN	0	7		0		7		0	
COUNTY TOTALS	127,523	1,384	10.9	672	5.3	710	5.6	2	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1993.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 33 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
FRANKLIN									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	1,909	0	###	0	###	0	###	0	###
10-14	1,078	2	###	2	###	0	###	0	###
15	*	4	###	2	###	2	###	0	###
16	*	4	###	4	###	0	###	0	###
17	*	9	###	5	###	3	###	1	###
18	*	14	*	9	###	5	###	0	###
19	*	17	*	11	*	5	###	1	###
15-19	1,023	48	46.9	31	30.3	15	14.7	2	###
20-24	1,483	120	80.9	100	67.4	19	12.8	1	###
25-29	1,022	116	113.5	103	100.8	12	11.7	1	###
30-34	1,141	67	58.7	56	49.1	11	9.6	0	###
35-39	1,180	30	25.4	24	20.3	6	###	0	###
40-44	1,114	5	###	3	###	2	###	0	###
GREATER THAN 44	5,313	0	###	0	###	0	###	0	###
UNKNOWN	0	2		1		1		0	
COUNTY TOTALS	15,263	390	25.6	320	21.0	66	4.3	4	###

72

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	1,909	0	###	0	###	0	###	0	###
10-14	1,078	2	###	2	###	0	###	0	###
15	*	4	###	2	###	2	###	0	###
16	*	3	###	3	###	0	###	0	###
17	*	7	###	4	###	2	###	1	###
18	*	11	*	6	###	5	###	0	###
19	*	13	*	7	###	5	###	1	###
15-19	1,023	38	37.1	22	21.5	14	13.7	2	###
20-24	1,483	55	37.1	40	27.0	15	10.1	0	###
25-29	1,022	34	33.3	27	26.4	7	###	0	###
30-34	1,141	14	12.3	5	###	9	###	0	###
35-39	1,180	6	###	3	###	3	###	0	###
40-44	1,114	3	###	2	###	1	###	0	###
GREATER THAN 44	5,313	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	15,263	152	10.0	101	6.6	49	3.2	2	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1993.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 33 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
HANCOCK									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	3,086	0	###	0	###	0	###	0	###
10-14	1,669	0	###	0	###	0	###	0	###
15	*	4	###	4	###	0	###	0	###
16	*	12	*	10	*	2	###	0	###
17	*	12	*	8	###	4	###	0	###
18	*	13	*	8	###	5	###	0	###
19	*	38	*	28	*	10	*	0	###
15-19	1,410	79	56.0	58	41.1	21	14.9	0	###
20-24	1,377	196	142.3	156	113.3	40	29.0	0	###
25-29	1,453	182	125.3	165	113.6	16	11.0	1	###
30-34	2,032	160	78.7	139	68.4	20	9.8	1	###
35-39	2,035	47	23.1	39	19.2	8	###	0	###
40-44	1,965	15	7.6	12	6.1	3	###	0	###
GREATER THAN 44	9,668	0	###	0	###	0	###	0	###
UNKNOWN	0	2		0		2		0	
COUNTY TOTALS	24,695	681	27.6	569	23.0	110	4.5	2	###

73

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	3,086	0	###	0	###	0	###	0	###
10-14	1,669	0	###	0	###	0	###	0	###
15	*	3	###	3	###	0	###	0	###
16	*	11	*	9	###	2	###	0	###
17	*	12	*	8	###	4	###	0	###
18	*	9	###	6	###	3	###	0	###
19	*	32	*	22	*	10	*	0	###
15-19	1,410	67	47.5	48	34.0	19	13.5	0	###
20-24	1,377	98	71.2	62	45.0	36	26.1	0	###
25-29	1,453	29	20.0	20	13.8	9	###	0	###
30-34	2,032	30	14.8	18	8.9	11	5.4	1	###
35-39	2,035	11	5.4	5	###	6	###	0	###
40-44	1,965	1	###	1	###	0	###	0	###
GREATER THAN 44	9,668	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	24,695	236	9.6	154	6.2	81	3.3	1	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1993.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 33 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
KENNEBEC									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	7,559	0	###	0	###	0	###	0	###
10-14	4,249	3	###	2	###	1	###	0	###
15	*	15	*	7	###	8	###	0	###
16	*	20	*	13	*	7	###	0	###
17	*	33	*	17	*	16	*	0	###
18	*	63	*	42	*	21	*	0	###
19	*	76	*	61	*	14	*	1	###
15-19	3,917	207	52.8	140	35.7	66	16.8	1	###
20-24	4,267	456	106.9	381	89.3	70	16.4	5	###
25-29	3,911	518	132.4	472	120.7	43	11.0	3	###
30-34	4,889	321	65.7	277	56.7	43	8.8	1	###
35-39	5,025	119	23.7	97	19.3	21	4.2	1	###
40-44	4,678	21	4.5	16	3.4	5	###	0	###
GREATER THAN 44	22,085	0	###	0	###	0	###	0	###
UNKNOWN	0	2		1		1		0	
COUNTY TOTALS	60,580	1,647	27.2	1,386	22.9	250	4.1	11	0.2

74

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	7,559	0	###	0	###	0	###	0	###
10-14	4,249	3	###	2	###	1	###	0	###
15	*	14	*	7	###	7	###	0	###
16	*	19	*	12	*	7	###	0	###
17	*	32	*	16	*	16	*	0	###
18	*	54	*	34	*	20	*	0	###
19	*	55	*	43	*	12	*	0	###
15-19	3,917	174	44.4	112	28.6	62	15.8	0	###
20-24	4,267	230	53.9	169	39.6	60	14.1	1	###
25-29	3,911	107	27.4	89	22.8	18	4.6	0	###
30-34	4,889	62	12.7	34	7.0	28	5.7	0	###
35-39	5,025	26	5.2	12	2.4	14	2.8	0	###
40-44	4,678	3	###	1	###	2	###	0	###
GREATER THAN 44	22,085	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	60,580	605	10.0	419	6.9	185	3.1	1	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1993.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 33 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL		LIVE BIRTHS		INDUCED ABORTIONS##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
KNOX									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	2,330	0	###	0	###	0	###	0	###
10-14	1,293	2	###	0	###	2	###	0	###
15	*	3	###	0	###	3	###	0	###
16	*	4	###	3	###	1	###	0	###
17	*	14	*	9	###	5	###	0	###
18	*	20	*	14	*	5	###	1	###
19	*	24	*	15	*	8	###	1	###
15-19	1,191	65	54.6	41	34.4	22	18.5	2	###
20-24	990	164	165.7	129	130.3	35	35.4	0	###
25-29	998	124	124.2	111	111.2	13	13.0	0	###
30-34	1,366	85	62.2	74	54.2	11	8.1	0	###
35-39	1,603	52	32.4	40	25.0	11	6.9	1	###
40-44	1,538	17	11.1	14	9.1	3	###	0	###
GREATER THAN 44	7,659	0	###	0	###	0	###	0	###
UNKNOWN	0	3		0		3		0	
COUNTY TOTALS	18,968	512	27.0	409	21.6	100	5.3	3	###

75

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	2,330	0	###	0	###	0	###	0	###
10-14	1,293	1	###	0	###	1	###	0	###
15	*	3	###	0	###	3	###	0	###
16	*	4	###	3	###	1	###	0	###
17	*	11	*	7	###	4	###	0	###
18	*	19	*	13	*	5	###	1	###
19	*	18	*	10	*	7	###	1	###
15-19	1,191	55	46.2	33	27.7	20	16.8	2	###
20-24	990	85	85.9	56	56.6	29	29.3	0	###
25-29	998	23	23.0	14	14.0	9	###	0	###
30-34	1,366	15	11.0	8	###	7	###	0	###
35-39	1,603	10	6.2	2	###	8	###	0	###
40-44	1,538	4	###	1	###	3	###	0	###
GREATER THAN 44	7,659	0	###	0	###	0	###	0	###
UNKNOWN	0	2		0		2		0	
COUNTY TOTALS	18,968	195	10.3	114	6.0	79	4.2	2	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1993.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 33 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

CDUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL		LIVE BIRTHS		INDUCED ABORTIONS##		FETAL DEATHS	
		NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
LINCOLN									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	1,973	0	###	0	###	0	###	0	###
10-14	1,057	1	###	0	###	1	###	0	###
15	*	3	###	2	###	1	###	0	###
16	*	6	###	5	###	1	###	0	###
17	*	15	*	11	*	4	###	0	###
18	*	11	*	7	###	4	###	0	###
19	*	20	*	15	*	5	###	0	###
15-19	1,006	55	54.7	40	39.8	15	14.9	0	###
20-24	802	107	133.4	83	103.5	20	24.9	4	###
25-29	808	120	148.5	111	137.4	9	###	0	###
30-34	1,083	80	73.9	72	66.5	7	###	1	###
35-39	1,289	28	21.7	21	16.3	6	###	1	###
40-44	1,282	9	###	4	###	5	###	0	###
GREATER THAN 44	6,526	1	###	1	###	0	###	0	###
UNKNOWN	0	1		0		1		0	
COUNTY TOTALS	15,826	402	25.4	332	21.0	64	4.0	6	###

76

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	1,973	0	###	0	###	0	###	0	###
10-14	1,057	1	###	0	###	1	###	0	###
15	*	3	###	2	###	1	###	0	###
16	*	5	###	4	###	1	###	0	###
17	*	15	*	11	*	4	###	0	###
18	*	9	###	5	###	4	###	0	###
19	*	14	*	10	*	4	###	0	###
15-19	1,006	46	45.7	32	31.8	14	13.9	0	###
20-24	802	47	58.6	33	41.1	12	15.0	2	###
25-29	808	25	30.9	18	22.3	7	###	0	###
30-34	1,083	8	###	4	###	4	###	0	###
35-39	1,289	2	###	0	###	2	###	0	###
40-44	1,282	2	###	0	###	2	###	0	###
GREATER THAN 44	6,526	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	15,826	131	8.3	87	5.5	42	2.7	2	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1993.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 33 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
OXFORD									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	3,576	0	###	0	###	0	###	0	###
10-14	1,996	3	###	2	###	1	###	0	###
15	*	5	###	3	###	2	###	0	###
16	*	9	###	7	###	2	###	0	###
17	*	21	*	16	*	5	###	0	###
18	*	38	*	25	*	13	*	0	###
19	*	26	*	21	*	5	###	0	###
15-19	1,805	99	54.8	72	39.9	27	15.0	0	###
20-24	1,452	218	150.1	190	130.9	27	18.6	1	###
25-29	1,595	182	114.1	165	103.4	17	10.7	0	###
30-34	2,181	126	57.8	114	52.3	12	5.5	0	###
35-39	2,269	55	24.2	48	21.2	7	###	0	###
40-44	1,975	6	###	4	###	2	###	0	###
GREATER THAN 44	10,256	1	###	1	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	27,105	690	25.5	596	22.0	93	3.4	1	###

77

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	3,576	0	###	0	###	0	###	0	###
10-14	1,996	3	###	2	###	1	###	0	###
15	*	5	###	3	###	2	###	0	###
16	*	9	###	7	###	2	###	0	###
17	*	17	*	12	*	5	###	0	###
18	*	35	*	23	*	12	*	0	###
19	*	16	*	11	*	5	###	0	###
15-19	1,805	82	45.4	56	31.0	26	14.4	0	###
20-24	1,452	97	66.8	75	51.7	22	15.2	0	###
25-29	1,595	28	17.6	20	12.5	8	###	0	###
30-34	2,181	18	8.3	14	6.4	4	###	0	###
35-39	2,269	9	###	8	###	1	###	0	###
40-44	1,975	1	###	1	###	0	###	0	###
GREATER THAN 44	10,256	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	27,105	238	8.8	176	6.5	62	2.3	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1993.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 33 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

PRGALL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
PENOBSCOT									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	9,107	0	###	0	###	0	###	0	###
10-14	4,958	4	###	1	###	2	###	1	###
15	*	9	###	4	###	5	###	0	###
16	*	31	*	24	*	7	###	0	###
17	*	41	*	28	*	13	*	0	###
18	*	82	*	53	*	28	*	1	###
19	*	89	*	63	*	26	*	0	###
15-19	5,518	252	45.7	172	31.2	79	14.3	1	###
20-24	7,050	631	89.5	488	69.2	140	19.9	3	###
25-29	5,574	613	110.0	532	95.4	78	14.0	3	###
30-34	6,244	397	63.6	346	55.4	49	7.8	2	###
35-39	6,326	138	21.8	113	17.9	24	3.8	1	###
40-44	5,687	37	6.5	30	5.3	7	###	0	###
GREATER THAN 44	25,437	0	###	0	###	0	###	0	###
UNKNOWN	0	3		1		2		0	
COUNTY TOTALS	75,901	2,075	27.3	1,683	22.2	381	5.0	11	0.1

78

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	9,107	0	###	0	###	0	###	0	###
10-14	4,958	4	###	1	###	2	###	1	###
15	*	9	###	4	###	5	###	0	###
16	*	29	*	23	*	6	###	0	###
17	*	38	*	25	*	13	*	0	###
18	*	68	*	39	*	28	*	1	###
19	*	59	*	37	*	22	*	0	###
15-19	5,518	203	36.8	128	23.2	74	13.4	1	###
20-24	7,050	323	45.8	202	28.7	120	17.0	1	###
25-29	5,574	125	22.4	84	15.1	40	7.2	1	###
30-34	6,244	67	10.7	39	6.2	28	4.5	0	###
35-39	6,326	23	3.6	10	1.6	13	2.1	0	###
40-44	5,687	7	###	5	###	2	###	0	###
GREATER THAN 44	25,437	0	###	0	###	0	###	0	###
UNKNOWN	0	2		0		2		0	
COUNTY TOTALS	75,901	754	9.9	469	6.2	281	3.7	4	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1993.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 33 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
PISCATAQUIS									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	1,102	0	###	0	###	0	###	0	###
10-14	724	0	###	0	###	0	###	0	###
15	*	1	###	0	###	1	###	0	###
16	*	3	###	2	###	1	###	0	###
17	*	3	###	1	###	2	###	0	###
18	*	5	###	5	###	0	###	0	###
19	*	10	*	7	###	3	###	0	###
15-19	737	22	29.9	15	20.4	7	###	0	###
20-24	534	72	134.8	58	108.6	13	24.3	1	###
25-29	499	50	100.2	43	86.2	7	###	0	###
30-34	684	40	58.5	33	48.2	7	###	0	###
35-39	778	13	16.7	12	15.4	1	###	0	###
40-44	701	3	###	2	###	1	###	0	###
GREATER THAN 44	3,862	0	###	0	###	0	###	0	###
UNKNOWN	0	2		1		1		0	
COUNTY TOTALS	9,621	202	21.0	164	17.0	37	3.8	1	###

79

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	1,102	0	###	0	###	0	###	0	###
10-14	724	0	###	0	###	0	###	0	###
15	*	1	###	0	###	1	###	0	###
16	*	1	###	0	###	1	###	0	###
17	*	3	###	1	###	2	###	0	###
18	*	4	###	4	###	0	###	0	###
19	*	8	###	5	###	3	###	0	###
15-19	737	17	23.1	10	13.6	7	###	0	###
20-24	534	36	67.4	26	48.7	10	18.7	0	###
25-29	499	14	28.1	9	###	5	###	0	###
30-34	684	9	###	4	###	5	###	0	###
35-39	778	4	###	3	###	1	###	0	###
40-44	701	1	###	0	###	1	###	0	###
GREATER THAN 44	3,862	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0	
COUNTY TOTALS	9,621	82	8.5	52	5.4	30	3.1	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1993.
DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 33 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.
RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
SAGADAHOC									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	2,556	0	###	0	###	0	###	0	###
10-14	1,226	0	###	0	###	0	###	0	###
15	*	0	###	0	###	0	###	0	###
16	*	4	###	3	###	1	###	0	###
17	*	12	*	8	###	4	###	0	###
18	*	18	*	14	*	4	###	0	###
19	*	23	*	17	*	6	###	0	###
15-19	1,100	57	51.8	42	38.2	15	13.6	0	###
20-24	1,026	137	133.5	114	111.1	23	22.4	0	###
25-29	1,143	152	133.0	136	119.0	16	14.0	0	###
30-34	1,585	131	82.6	119	75.1	12	7.6	0	###
35-39	1,557	52	33.4	43	27.6	8	###	1	###
40-44	1,375	7	###	7	###	0	###	0	###
GREATER THAN 44	5,610	1	###	1	###	0	###	0	###
UNKNOWN	0	2		0		2		0	
COUNTY TOTALS	17,178	539	31.4	462	26.9	76	4.4	1	###

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	2,556	0	###	0	###	0	###	0	###
10-14	1,226	0	###	0	###	0	###	0	###
15	*	0	###	0	###	0	###	0	###
16	*	4	###	3	###	1	###	0	###
17	*	9	###	6	###	3	###	0	###
18	*	14	*	11	*	3	###	0	###
19	*	17	*	11	*	6	###	0	###
15-19	1,100	44	40.0	31	28.2	13	11.8	0	###
20-24	1,026	56	54.6	39	38.0	17	16.6	0	###
25-29	1,143	24	21.0	15	13.1	9	###	0	###
30-34	1,585	12	7.6	5	###	7	###	0	###
35-39	1,557	5	###	1	###	3	###	1	###
40-44	1,375	2	###	2	###	0	###	0	###
GREATER THAN 44	5,610	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0	
COUNTY TOTALS	17,178	144	8.4	93	5.4	50	2.9	1	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1993.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 33 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1

ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
SOMERSET									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	3,400	0	###	0	###	0	###	0	###
10-14	1,900	3	###	0	###	3	###	0	###
15	*	6	###	5	###	1	###	0	###
16	*	11	*	9	###	2	###	0	###
17	*	22	*	18	*	4	###	0	###
18	*	22	*	17	*	5	###	0	###
19	*	36	*	28	*	8	###	0	###
15-19	1,931	97	50.2	77	39.9	20	10.4	0	###
20-24	1,633	231	141.5	204	124.9	26	15.9	1	###
25-29	1,733	191	110.2	173	99.8	18	10.4	0	###
30-34	2,016	92	45.6	80	39.7	12	6.0	0	###
35-39	2,166	29	13.4	23	10.6	6	###	0	###
40-44	1,934	8	###	6	###	2	###	0	###
GREATER THAN 44	9,364	0	###	0	###	0	###	0	###
UNKNOWN	0	2		0		1		1	
COUNTY TOTALS	26,077	653	25.0	563	21.6	88	3.4	2	###

81

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	3,400	0	###	0	###	0	###	0	###
10-14	1,900	3	###	0	###	3	###	0	###
15	*	6	###	5	###	1	###	0	###
16	*	10	*	8	###	2	###	0	###
17	*	20	*	16	*	4	###	0	###
18	*	22	*	17	*	5	###	0	###
19	*	27	*	20	*	7	###	0	###
15-19	1,931	85	44.0	66	34.2	19	9.8	0	###
20-24	1,633	104	63.7	80	49.0	24	14.7	0	###
25-29	1,733	44	25.4	31	17.9	13	7.5	0	###
30-34	2,016	20	9.9	12	6.0	8	###	0	###
35-39	2,166	5	###	3	###	2	###	0	###
40-44	1,934	1	###	0	###	1	###	0	###
GREATER THAN 44	9,364	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0	
COUNTY TOTALS	26,077	263	10.1	192	7.4	71	2.7	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1993.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 33 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
WALDO									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	2,410	0	###	0	###	0	###	0	###
10-14	1,336	2	###	1	###	1	###	0	###
15	*	4	###	2	###	2	###	0	###
16	*	9	###	6	###	3	###	0	###
17	*	12	*	9	###	3	###	0	###
18	*	17	*	16	*	1	###	0	###
19	*	30	*	27	*	3	###	0	###
15-19	1,200	72	60.0	60	50.0	12	10.0	0	###
20-24	1,012	161	159.1	139	137.4	21	20.8	1	###
25-29	982	131	133.4	116	118.1	15	15.3	0	###
30-34	1,376	88	64.0	76	55.2	12	8.7	0	###
35-39	1,503	35	23.3	27	18.0	8	###	0	###
40-44	1,480	6	###	5	###	1	###	0	###
GREATER THAN 44	6,430	1	###	1	###	0	###	0	###
UNKNOWN	0	2		1		0		1	
COUNTY TOTALS	17,729	498	28.1	426	24.0	70	3.9	2	###

82

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	2,410	0	###	0	###	0	###	0	###
10-14	1,336	2	###	1	###	1	###	0	###
15	*	4	###	2	###	2	###	0	###
16	*	6	###	4	###	2	###	0	###
17	*	10	*	7	###	3	###	0	###
18	*	13	*	12	*	1	###	0	###
19	*	20	*	17	*	3	###	0	###
15-19	1,200	53	44.2	42	35.0	11	9.2	0	###
20-24	1,012	69	68.2	53	52.4	16	15.8	0	###
25-29	982	34	34.6	25	25.5	9	###	0	###
30-34	1,376	24	17.4	15	10.9	9	###	0	###
35-39	1,503	13	8.6	5	###	8	###	0	###
40-44	1,480	0	###	0	###	0	###	0	###
GREATER THAN 44	6,430	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	17,729	195	11.0	141	8.0	54	3.0	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1993.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 33 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
WASHINGTON									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	2,266	0	###	0	###	0	###	0	###
10-14	1,328	2	###	2	###	0	###	0	###
15	*	2	###	0	###	2	###	0	###
16	*	8	###	7	###	1	###	0	###
17	*	15	*	13	*	2	###	0	###
18	*	17	*	14	*	3	###	0	###
19	*	37	*	32	*	5	###	0	###
15-19	1,311	79	60.3	66	50.3	13	9.9	0	###
20-24	1,114	170	152.6	153	137.3	16	14.4	1	###
25-29	1,090	137	125.7	129	118.3	8	###	0	###
30-34	1,330	80	60.2	71	53.4	8	###	1	###
35-39	1,457	23	15.8	20	13.7	3	###	0	###
40-44	1,255	4	###	3	###	1	###	0	###
GREATER THAN 44	7,274	1	###	1	###	0	###	0	###
UNKNOWN	0	2		1		1		0	
COUNTY TOTALS	18,425	498	27.0	446	24.2	50	2.7	2	###

83

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	2,266	0	###	0	###	0	###	0	###
10-14	1,328	2	###	2	###	0	###	0	###
15	*	2	###	0	###	2	###	0	###
16	*	8	###	7	###	1	###	0	###
17	*	12	*	10	*	2	###	0	###
18	*	14	*	11	*	3	###	0	###
19	*	20	*	15	*	5	###	0	###
15-19	1,311	56	42.7	43	32.8	13	9.9	0	###
20-24	1,114	79	70.9	67	60.1	11	9.9	1	###
25-29	1,090	41	37.6	37	33.9	4	###	0	###
30-34	1,330	22	16.5	15	11.3	7	###	0	###
35-39	1,457	5	###	4	###	1	###	0	###
40-44	1,255	0	###	0	###	0	###	0	###
GREATER THAN 44	7,274	0	###	0	###	0	###	0	###
UNKNOWN	0	1		1		0		0	
COUNTY TOTALS	18,425	206	11.2	169	9.2	36	2.0	1	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1993.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 33 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
YORK									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	11,822	0	###	0	###	0	###	0	###
10-14	5,992	3	###	2	###	1	###	0	###
15	*	12	*	5	###	7	###	0	###
16	*	30	*	17	*	13	*	0	###
17	*	48	*	29	*	19	*	0	###
18	*	66	*	51	*	14	*	1	###
19	*	97	*	76	*	21	*	0	###
15-19	5,400	253	46.9	178	33.0	74	13.7	1	###
20-24	5,090	699	137.3	554	108.8	143	28.1	2	###
25-29	5,710	798	139.8	706	123.6	92	16.1	0	###
30-34	7,539	587	77.9	535	71.0	51	6.8	1	###
35-39	7,769	201	25.9	178	22.9	23	3.0	0	###
40-44	6,843	45	6.6	31	4.5	14	2.0	0	###
GREATER THAN 44	29,721	3	###	3	###	0	###	0	###
UNKNOWN	0	3		0		2		1	
COUNTY TOTALS	85,886	2,592	30.2	2,187	25.5	400	4.7	5	###

84

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	11,822	0	###	0	###	0	###	0	###
10-14	5,992	3	###	2	###	1	###	0	###
15	*	12	*	5	###	7	###	0	###
16	*	29	*	16	*	13	*	0	###
17	*	42	*	24	*	18	*	0	###
18	*	54	*	42	*	12	*	0	###
19	*	73	*	53	*	20	*	0	###
15-19	5,400	210	38.9	140	25.9	70	13.0	0	###
20-24	5,090	335	65.8	212	41.7	121	23.8	2	###
25-29	5,710	174	30.5	117	20.5	57	10.0	0	###
30-34	7,539	76	10.1	46	6.1	30	4.0	0	###
35-39	7,769	28	3.6	15	1.9	13	1.7	0	###
40-44	6,843	12	1.8	4	###	8	###	0	###
GREATER THAN 44	29,721	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0	
COUNTY TOTALS	85,886	839	9.8	536	6.2	301	3.5	2	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1993.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 33 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
UNKNOWN									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	0	0	###	0	###	0	###	0	###
10-14	0	0	###	0	###	0	###	0	###
15	*	1	###	0	###	1	###	0	###
16	*	0	###	0	###	0	###	0	###
17	*	0	###	0	###	0	###	0	###
18	*	0	###	0	###	0	###	0	###
19	*	0	###	0	###	0	###	0	###
15-19	0	1	###	0	###	1	###	0	###
20-24	0	0	###	0	###	0	###	0	###
25-29	0	2	###	0	###	2	###	0	###
30-34	0	2	###	0	###	2	###	0	###
35-39	0	1	###	0	###	1	###	0	###
40-44	0	0	###	0	###	0	###	0	###
GREATER THAN 44	0	0	###	0	###	0	###	0	###
UNKNOWN	0	2		0		2		0	
COUNTY TOTALS	0	8	###	0	###	8	###	0	###

85

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	0	0	###	0	###	0	###	0	###
10-14	0	0	###	0	###	0	###	0	###
15	*	1	###	0	###	1	###	0	###
16	*	0	###	0	###	0	###	0	###
17	*	0	###	0	###	0	###	0	###
18	*	0	###	0	###	0	###	0	###
19	*	0	###	0	###	0	###	0	###
15-19	0	1	###	0	###	1	###	0	###
20-24	0	0	###	0	###	0	###	0	###
25-29	0	2	###	0	###	2	###	0	###
30-34	0	1	###	0	###	1	###	0	###
35-39	0	1	###	0	###	1	###	0	###
40-44	0	0	###	0	###	0	###	0	###
GREATER THAN 44	0	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	0	5	###	0	###	5	###	0	###

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1993.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 33 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BIRTHS NUMBER	RATE#	INDUCED ABORTIONS## NUMBER	RATE#	FETAL DEATHS NUMBER	RATE#
MAINE SUMMARY									
ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS									
LESS THAN 10	82,060	0	###	0	###	0	###	0	###
10-14	43,277	41	0.9	17	0.4	23	0.5	1	###
15	8,329	109	13.1	59	7.1	50	6.0	0	###
16	8,072	236	29.2	169	20.9	67	8.3	0	###
17	8,099	398	49.1	260	32.1	137	16.9	1	###
18	8,078	588	72.8	411	50.9	173	21.4	4	###
19	8,374	810	96.7	604	72.1	203	24.2	3	###
15-19	40,952	2,141	52.3	1,503	36.7	630	15.4	8	###
20-24	43,168	5,152	119.3	4,089	94.7	1,034	24.0	29	0.7
25-29	43,160	5,344	123.8	4,710	109.1	622	14.4	12	0.3
30-34	52,886	3,768	71.2	3,319	62.8	438	8.3	11	0.2
35-39	53,997	1,434	26.6	1,187	22.0	240	4.4	7	###
40-44	48,759	281	5.8	205	4.2	73	1.5	3	###
GREATER THAN 44	228,766	15	0.1	14	0.1	1	###	0	###
UNKNOWN	0	49		10		34		5	
STATE TOTALS	637,025	18,225	28.6	15,054	23.6	3,095	4.9	76	0.1

88

OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS

LESS THAN 10	82,060	0	###	0	###	0	###	0	###
10-14	43,277	40	0.9	17	0.4	22	0.5	1	###
15	8,329	105	12.6	57	6.8	48	5.8	0	###
16	8,072	221	27.4	156	19.3	65	8.1	0	###
17	8,099	358	44.2	226	27.9	131	16.2	1	###
18	8,078	495	61.3	331	41.0	161	19.9	3	###
19	8,374	601	71.8	411	49.1	188	22.5	2	###
15-19	40,952	1,780	43.5	1,181	28.8	593	14.5	6	###
20-24	43,168	2,497	57.8	1,628	37.7	860	19.9	9	###
25-29	43,160	1,121	26.0	741	17.2	379	8.8	1	###
30-34	52,886	614	11.6	346	6.5	267	5.0	1	###
35-39	53,997	246	4.6	118	2.2	127	2.4	1	###
40-44	48,759	50	1.0	23	0.5	27	0.6	0	###
GREATER THAN 44	228,766	3	###	2	###	1	###	0	###
UNKNOWN	0	23		2		21		0	
STATE TOTALS	637,025	6,374	10.0	4,058	6.4	2,297	3.6	19	0.0

RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1993.

DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 33 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR 0 RECORDS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-2

FETAL DEATHS AND INDUCED ABORTIONS BY WEEKS OF GESTATION
MAINE STATE TOTALS, 1993 (RESIDENT DATA)*

GESTATION WEEKS	TOTAL	FETAL-DEATHS		INDUCED-ABORTIONS	
		NUMBER	PERCENT	NUMBER	PERCENT
0-4	2	0	0.00	2	0.06
5-8	1,492	0	0.00	1,492	48.21
9-12	1,445	0	0.00	1,445	46.69
13-19	113	0	0.00	113	3.65
20-23	18	10	13.16	8	0.26
24-27	14	14	18.42	0	0.00
28-31	11	11	14.47	0	0.00
32-35	17	17	22.37	0	0.00
36-38	14	14	18.42	0	0.00
> 39	5	5	6.58	0	0.00
UNKNOWN	40	5	6.58	35	1.13
STATE TOTALS	3,171	76	100.00	3,095	100.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON O ABORTION RECORDS WERE BLANK.

TRMWKR

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

INFANT AND FETAL MORTALITY

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
SEPTICEMIA (038)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
REMAINDER OF INFECTIOUS AND PARASITIC DISEASES (001-007,010-032,034-035,037,039-041,080-088,091-139)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)					
MALE	1	0	0.00	1	100.00
FEMALE	1	0	0.00	1	100.00
TOTALS	2	0	0.00	2	100.00
BRONCHITIS AND BRONCHIOLITIS (466,490-491)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
PNEUMONIA (480-486)					
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
REMAINDER OF DISEASES OF RESPIRATORY SYSTEM (470-478,492-519)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
ANENCEPHALUS AND SIMILAR ANOMALIES (740)					
FEMALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
CONGENITAL HYDROCEPHALUS (742.3)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE (742.0-742.2,742.4-742.9,743)					
FEMALE	4	4	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
CONGENITAL ANOMALIES OF HEART (745-746)					
MALE	4	3	75.00	1	25.00
FEMALE	4	3	75.00	1	25.00
TOTALS	8	6	75.00	2	25.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

IAGESX61

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
(CONT.)					
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)					
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)					
MALE	2	2	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM (749-751)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM (752-753)					
MALE	1	1	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
DOWN'S SYNDROME (758.0)					
MALE	1	1	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)					
MALE	1	0	0.00	1	100.00
FEMALE	2	1	50.00	1	50.00
TOTALS	3	1	33.33	2	66.67
NEWBORN AFFECTED BY MATERNAL CONOITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (760)					
MALE	2	2	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (761)					
MALE	3	3	100.00	0	0.00
FEMALE	1	0	0.00	1	100.00
TOTALS	4	3	75.00	1	25.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER PERCENT		POSTNEONATAL DEATHS NUMBER PERCENT	
(CONT.)					
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)					
MALE	1	1	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)					
MALE	6	6	100.00	0	0.00
FEMALE	5	5	100.00	0	0.00
TOTALS	11	11	100.00	0	0.00
RESPIRATORY DISTRESS SYNDROME (769)					
MALE	2	2	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
OTHER RESPIRATORY CONDITIONS OF NEWBORN (770)					
MALE	3	2	66.67	1	33.33
FEMALE	2	2	100.00	0	0.00
TOTALS	5	4	80.00	1	20.00
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)					
FEMALE	4	4	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (775.2-775.9, 776.1-779)					
MALE	2	2	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	3	3	100.00	0	0.00
SUDDEN INFANT DEATH SYNDROME (798.0)					
MALE	7	0	0.00	7	100.00
FEMALE	3	0	0.00	3	100.00
TOTALS	10	0	0.00	10	100.00
SYMPTOMS, SIGNS, AND ALL OTHER ILL-DEFINED CONDITIONS (780-797, 798.1-799)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

IAGESX61

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS		POSTNEONATAL DEATHS	
		NUMBER	PERCENT	NUMBER	PERCENT
(CONT.)					
ACCIDENTAL MECHANICAL SUFFOCATION (E913)					
MALE	1	0	0.00	1	100.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	1	50.00	1	50.00
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS (E800-E910,E914-E949)					
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
CHILD BATTERING AND OTHER MALTREATMENT (E967)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
OTHER HOMICIDE (E960-E966,E968-E969)					
MALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	1	100.00
ALL OTHER CAUSES (RESIDUAL)					
MALE	6	4	66.67	2	33.33
FEMALE	3	0	0.00	3	100.00
TOTALS	9	4	44.44	5	55.56
STATE					
MALE	52	31	59.62	21	40.38
FEMALE	45	32	71.11	13	28.89
TOTALS	97	63	64.95	34	35.05

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

IAGESX61

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-2

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	***** GESTATION WEEKS *****					
			20-23	24-27	28-31	32-35	36-39	OVER 39
ANENCEPHALUS AND SIMILAR ANOMALIES (740)								
FEMALE	1	1.32	0	0	1	0	0	0
TOTALS	1	1.32	0	0	1	0	0	0
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)								
FEMALE	1	1.32	1	0	0	0	0	0
TOTALS	1	1.32	1	0	0	0	0	0
DOWN'S SYNDROME (758.0)								
FEMALE	1	1.32	0	0	1	0	0	0
TOTALS	1	1.32	0	0	1	0	0	0
OTHER CHROMOSOMAL ANOMALIES (758.1-758.9)								
MALE	1	1.32	0	0	0	0	1	0
TOTALS	1	1.32	0	0	0	0	1	0
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)								
MALE	1	1.32	0	1	0	0	0	0
TOTALS	1	1.32	0	1	0	0	0	0
NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (760)								
FEMALE	2	2.63	0	1	1	0	0	0
TOTALS	2	2.63	0	1	1	0	0	0
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (761)								
FEMALE	1	1.32	1	0	0	0	0	0
TOTALS	1	1.32	1	0	0	0	0	0
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)								
MALE	13	17.11	1	2	0	5	4	1
FEMALE	18	23.68	2	2	0	6	5	3
UNKNOWN	1	1.32	0	1	0	0	0	0
TOTALS	32	42.11	3	5	0	11	9	4
SLOW FETAL GROWTH AND FETAL MALNUTRITION (764)								
MALE	1	1.32	0	0	1	0	0	0
TOTALS	1	1.32	0	0	1	0	0	0
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)								
MALE	2	2.63	1	1	0	0	0	0
TOTALS	2	2.63	1	1	0	0	0	0
BIRTH ASPHYXIA (768.5-768.9)								
MALE	1	1.32	0	0	0	1	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
 PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
 CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE F-2

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	***** GESTATION WEEKS *****					
			20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
TOTALS	1	1.32	0	0	0	1	0	0
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)								
FEMALE	1	1.32	0	0	0	0	0	1
TOTALS	1	1.32	0	0	0	0	0	1
NEONATAL HEMORRHAGE (772)								
MALE	1	1.32	0	0	0	1	0	0
TOTALS	1	1.32	0	0	0	1	0	0
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (775.2-775.9,776.1-779)								
MALE	18	23.68	3	4	3	3	3	2
FEMALE	8	10.53	0	2	1	0	2	3
UNKNOWN	1	1.32	0	0	0	1	0	0
TOTALS	27	35.53	3	6	4	4	5	5
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS (E800-E910,E914-E949)								
MALE	2	2.63	0	0	2	0	0	0
FEMALE	1	1.32	1	0	0	0	0	0
TOTALS	3	3.95	1	0	2	0	0	0
STATE								
MALE	40	52.63	5	8	6	10	8	3
FEMALE	34	44.74	5	5	4	6	7	7
UNKNOWN	2	2.63	0	1	0	1	0	0
TOTALS	76	100.00	10	14	10	17	15	10

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

PAGESX61

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-3

LIVE BIRTHS, NEONATAL DEATHS, AND ESTIMATED NEONATAL DEATH RATES BY BIRTHWEIGHT
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	LIVE BIRTHS		NEONATAL DEATHS		NEONATAL DEATH RATE
	NUMBER	PERCENT	NUMBER	PERCENT	
LESS THAN 500	11	0.07	9	14.29	818.2
500-999	44	0.29	13	20.63	295.5
1000-1499	77	0.51	8	12.70	103.9
1500-1999	126	0.84	4	6.35	31.7
2000-2499	554	3.68	8	12.70	14.4
2500-2999	1,985	13.19	3	4.76	1.5
3000-3499	5,315	35.31	11	17.46	2.1
3500-3999	4,869	32.34	3	4.76	0.6
4000-4499	1,696	11.27	0	0.00	0.0
4500-4999	309	2.05	0	0.00	0.0
GREATER THAN 4999	34	0.23	0	0.00	0.0
UNKNOWN	34	0.23	4	6.35	117.6
STATE TOTALS	15,054	100.00	63	100.00	4.2

NOTE: NEONATAL DEATH RATES ARE ESTIMATED BY DIVIDING 1993 NEONATAL DEATHS BY 1993 LIVE BIRTHS AND MULTIPLYING BY 1,000. SUCH RATES ARE ESTIMATED RATHER THAN ACTUAL BECAUSE SOME BIRTHS RELATING TO THE 1993 NEONATAL DEATH COHORT OCCURRED IN 1992.

BIRNEOD

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-4

FETAL DEATHS BY SELECTED COMPLICATIONS, GESTATION, AND AGE OF PATIENT
MAINE STATE TOTALS, 1993 (RESIDENT DATA)*

WEEKS OF GESTATION	TOTAL** FETAL DEATHS	PERCENT DISTRIBUTION	***** COMPLICATIONS *****			
			MEDICAL RISK FACTORS	LABOR OR DELIVERY	TOBACCO/ALCOHOL USE	CONGENITAL ANOMALIES
20-23	10	13.16	0	2	1	0
24-27	14	18.42	7	6	3	1
28-31	10	13.16	2	5	0	2
32-35	17	22.37	8	7	5	1
36-39	15	19.74	6	5	3	2
OVER 39	10	13.16	4	5	1	0
UNKNOWN	0	0.00	0	0	0	0
STATE TOTALS	76		27	30	13	6
PERCENT DISTRIBUTION		100.00	35.53	39.47	17.11	7.89

AGE OF PATIENT(YRS.)

LESS THAN 10	0	0.00	0	0	0	0
10-14	1	1.32	1	1	1	0
15	0	0.00	0	0	0	0
16	0	0.00	0	0	0	0
17	1	1.32	1	1	0	0
18	4	5.26	4	3	1	0
19	3	3.95	1	2	1	0
20-24	29	38.16	13	9	6	3
25-29	12	15.79	2	6	0	0
30-34	11	14.47	0	4	3	1
35-39	7	9.21	3	2	1	0
40-44	3	3.95	1	0	0	2
OVER 44	0	0.00	0	0	0	0
UNKNOWN	5	6.58	1	2	0	0
TEENAGE TOTALS	9	11.84	7	7	3	0
STATE TOTALS	76		27	30	13	6
PERCENT DISTRIBUTION		100.00	35.53	39.47	17.11	7.89

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

** THE SUM OF COMPLICATIONS MAY EXCEED TOTAL FETAL DEATHS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

FCOMPPRG

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-5

DEATHS AND DEATH RATES - TOTAL, INFANT, NEONATAL, POSTNEONATAL, AND PERINATAL
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS		***** INFANT DEATHS *****				***** POSTNEONATAL *****				PERINATAL	
	NUMBER	RATE	TOTAL NUMBER	RATE	NEONATAL NUMBER	RATE	POSTNEONATAL NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
ANDROSCOGGIN	1,031	9.9	10	7.3	6	4.4	4	2.9			10	7.3
AROOSTOOK	771	9.0	6	5.7	5	4.7	1	0.9			10	9.4
CUMBERLAND	2,169	8.8	17	5.5	10	3.2	7	2.3			26	8.4
FRANKLIN	239	8.1	2	6.3	1	3.1	1	3.1			5	15.4
HANCOCK	551	11.4	0	0.0	0	0.0	0	0.0			2	3.5
KENNEBEC	1,089	9.3	12	8.7	7	5.1	5	3.6			18	12.9
KNOX	412	11.1	2	4.9	1	2.4	1	2.4			4	9.7
LINCOLN	347	11.2	1	3.0	1	3.0	0	0.0			7	20.7
OXFORD	537	10.2	5	8.4	3	5.0	2	3.4			4	6.7
PENOBSCOT	1,298	8.9	10	5.9	7	4.2	3	1.8			18	10.6
PISCATAQUIS	203	10.8	0	0.0	0	0.0	0	0.0			1	6.1
SAGadahoc	289	8.5	4	8.7	3	6.5	1	2.2			4	8.6
SOMERSET	483	9.5	7	12.4	4	7.1	3	5.3			6	10.6
WALDO	309	8.9	0	0.0	0	0.0	0	0.0			2	4.7
WASHINGTON	394	10.9	2	4.5	2	4.5	0	0.0			4	8.9
YORK	1,418	8.5	19	8.7	13	5.9	6	2.7			18	8.2
STATE TOTALS	11,540	9.3	97	6.4	63	4.2	34	2.3			139	9.2

NOTES: INFANT DEATH IS UNDER 1 YEAR, NEONATAL UNDER 28 DAYS AND POSTNEONATAL 28 DAYS TO ONE YEAR.
PERINATAL DEATHS ARE NEONATAL DEATHS AND FETAL DEATHS, 20 GESTATION WEEKS AND OVER.

TOTAL DEATH RATE IS PER 1,000 POPULATION (BASED ON ESTIMATED MAINE POPULATION JULY 1, 1993).

INFANT DEATH RATE IS PER 1,000 LIVE BIRTHS AND PERINATAL DEATH RATE IS PER 1,000 LIVE BIRTHS AND FETAL DEATHS.

* FETAL DEATH DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

DMSTAR

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-6

FETAL DEATHS BY SELECTED CHARACTERISTICS
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)*

COUNTY	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	OUT OF WEDLOCK	AUTOPSY	IN HOSPITAL	**** TRIMESTER IN WHICH **** **** PRENATAL CARE BEGAN ****					AGE OF PATIENT(YRS.)	
						1	2	3	NONE	UNKNOWN	LESS THAN 20	OVER 35
ANDROSCOGGIN	4	5.26	0	1	4	3	1	0	0	0	0	1
AROOSTOOK	5	6.58	1	2	5	2	1	0	0	2	0	0
CUMBERLAND	16	21.05	2	6	16	11	1	0	0	4	1	4
FRANKLIN	4	5.26	2	2	4	4	0	0	0	0	2	0
HANCOCK	2	2.63	1	1	2	1	0	0	0	1	0	0
KENNEBEC	11	14.47	1	5	11	6	1	0	0	4	1	1
KNOX	3	3.95	2	0	3	2	1	0	0	0	2	1
LINCOLN	6	7.89	2	6	6	2	2	0	0	2	0	1
OXFORD	1	1.32	0	0	1	1	0	0	0	0	0	0
PENOBSCOT	11	14.47	4	5	10	8	1	0	0	2	2	1
PISCATAQUIS	1	1.32	0	0	1	1	0	0	0	0	0	0
SAGadahoc	1	1.32	1	1	1	1	0	0	0	0	0	1
SOMERSET	2	2.63	0	0	2	2	0	0	0	0	0	0
WALDO	2	2.63	0	1	2	0	1	0	0	1	0	0
WASHINGTON	2	2.63	1	1	2	2	0	0	0	0	0	0
YORK	5	6.58	2	2	5	5	0	0	0	0	1	0
STATE TOTALS	76		19	33	75	51	9	0	0	16	9	10
PERCENT OF ALL FETAL DEATHS WITH SPECIFIED CHARACTERISTICS												
						100.00	25.00	43.42	98.68	67.11 11.84	0.00 0.00 21.05	11.84 13.16

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

FDCHAR

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-7

FETAL DEATHS, SELECTED RISK CHARACTERISTICS, AND RATIO OF MALES TO FEMALES
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)*

COUNTY	TOTAL DEATHS	***** RISK CHARACTERISTICS *****								MALE/FEMALE RATIO
		CONGENITAL ANOMALIES		***** FETAL WEIGHT *****				LESS THAN 28 GESTATION WEEKS		
		NUMBER	PERCENT	< 500 GRAMS		< 2500 GRAMS		NUMBER	PERCENT	
				NUMBER	PERCENT	NUMBER	PERCENT			
ANDROSCOGGIN	4	0	0.0	0	0.0	1	25.0	1	25.0	3.00
AROOSTOOK	5	0	0.0	1	20.0	3	60.0	2	40.0	0.67
CUMBERLAND	16	2	12.5	1	6.3	6	37.5	4	25.0	0.67
FRANKLIN	4	1	25.0	0	0.0	1	25.0	0	0.0	1.00
HANCOCK	2	0	0.0	1	50.0	1	50.0	1	50.0	1.00
KENNEBEC	11	0	0.0	3	27.3	7	63.6	6	54.5	1.75
KNOX	3	0	0.0	0	0.0	1	33.3	1	33.3	0.00
LINCOLN	6	0	0.0	1	16.7	4	66.7	2	33.3	0.67
OXFORD	1	0	0.0	0	0.0	1	100.0	0	0.0	0.00
PENOBSCOT	11	1	9.1	0	0.0	7	63.6	4	36.4	0.57
PISCATAQUIS	1	0	0.0	1	100.0	1	100.0	1	100.0	0.00
SAGADAHOC	1	0	0.0	0	0.0	1	100.0	0	0.0	0.00
SOMERSET	2	1	50.0	1	50.0	2	100.0	2	100.0	0.00
WALDO	2	0	0.0	0	0.0	0	0.0	0	0.0	1.00
WASHINGTON	2	1	50.0	0	0.0	1	50.0	0	0.0	0.00
YORK	5	0	0.0	0	0.0	3	60.0	0	0.0	4.00
STATE TOTALS	76	6	7.9	9	11.8	40	52.6	24	31.6	1.18

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

FENVRES

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-8

FETAL DEATHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

COMPLICATIONS OF LABOR CONDITION	NUMBER	%	MEDICAL RISK FACTORS CONDITION	NUMBER	%	OTHER RISK FACTORS CONDITION	NUMBER	%	METHOD OF DELIVERY METHOD	NUMBER	%	CONGENITAL ANOMALIES CONDITION	NUMBER	%
FEBRILE >100 F	2	2.6	ANEMIA	0	0.0	TOBACCO USE	13	17.1	VAGINAL	51	67.1	ANENCEPHALUS	1	1.3
MECONIUM	3	3.9	CARDIAC DISEASE	0	0.0	AVG CIGARETTES			VAGINAL AFTER			SPINA BIFIDA	2	2.6
PREMATURE RUPTURE			ACUTE OR CHRONIC			PER DAY	14		C-SECTION	2	2.6	HYDROCEPHALUS	0	0.0
MEMBRANE >12 HRS	1	1.3	LUNG DISEASE	0	0.0	ALCOHOL USE	1	1.3	PRIMARY			MICROCEPHALUS	0	0.0
ABRUPTIO			DIABETES/			AVG DRINKS			C-SECTION	7	9.2	OTHER		
PLACENTA	6	7.9	GESTATIONAL	0	.0	PER WEEK	0		REPEAT			NERVOUS SYSTEM	0	0.0
PLACENTA			DIABETES			AVG WEIGHT GAIN	22	LBS	C-SECTION	2	2.6	HEART	0	0.0
PREVIA	0	0.0	PRE-EXISTING	1	1.3				FORCEPS	0	0.0	OTHER CIRCULATORY		
EXCESSIVE			GENITAL HERPES	0	0.0				VACUUM	2	2.6	SYSTEM	0	0.0
BLEEDING	0	0.0	HYDRAMNIOS/						HYSTEROTOMY/			RECTAL ATRESIA	0	0.0
SEIZURES DURING			OLIGOHYDRAMNIOS	2	2.6				HYSTERECTOMY	0	0.0	TRACHEO-ESOPHAGEAL		
LABOR	0	0.0	HEMOGLOBINOPATHY	0	0.0				OTHER	0	0.0	FISTULA	0	0.0
PRECIPITOUS			HYPERTENSION						UNKNOWN	14	18.4	OMPHALOCELE/		
LABOR <3 HRS	1	1.3	CHRONIC	2	2.6							GASTROSCHISIS	0	0.0
PROLONGED			HYPERTENSION									OTHER		
LABOR >20 HRS	0	0.0	PREGNANCY ASSOC.	2	2.6							GASTROINTESTINAL	1	1.3
DYSFUNCTIONAL			ECLAMPSIA	2	2.6							MALFORMED		
LABOR	0	0.0	INCOMPETENT									GENITALIA	0	0.0
BREECH	5	6.6	CERVIX	0	0.0				OBSTETRIC PROCEDURES			RENAL AGENESIS	0	0.0
CEPHALOPELVIC/			PREVIOUS INFANT						CONDITION	NUMBER	%	OTHER UROGENITAL	0	0.0
DISPROPORTION	0	0.0	4000+ GRAMS	2	2.6				AMNIOCENTHESIS	7	9.2	CLEFT LIP/PALATE	1	1.3
CORD PROLAPSE	1	1.3	PREVIOUS PRETERM	2	2.6				ELECTRIC FETAL			POLYDACTYLY	1	1.3
ANESTHETIC			RENAL DISEASE	0	0.0				MONITORING	18	23.7	CLUB FOOT	0	0.0
COMPLICATIONS	0	0.0	RH SENSITIZATION	0	0.0				INDUCED LABOR	19	25.0	DIAPHRAGMATIC		
FETAL DISTRESS	2	2.6	UTERINE						STIMULATION			HERNIA	0	0.0
OTHER	12	15.8	BLEEDING	1	1.3				OF LABOR	6	7.9	MUSCULOSKELETAL	1	1.3
NONE	29	38.2	OTHER	16	21.1				TOCOLYSIS	2	2.6	DOWN'S SYNDROME	0	0.0
UNKNOWN	17	22.4	NONE	34	44.7				ULTRA SOUND	41	53.9	CHROMOSOMAL	0	0.0
			UNKNOWN	15	19.7				OTHER	1	1.3	OTHER	2	2.6
									NONE	6	7.9	NONE	48	63.2
									UNKNOWN	14	18.4	UNKNOWN	22	28.9

NOTES: PERCENTAGES ARE BASED ON THE 76 FETAL DEATHS IN MAINE THIS YEAR.
MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH FETAL DEATH.

FMDHIS

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

GENERAL MORTALITY

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

	***** TOTAL	DEATHS MALE	***** FEMALE	***** TOTAL	RANK BY NUMBER OF MALE	***** FEMALE	DEATHS TOTAL	*** RATE PER 100,000 POPULATION	*** MALE	*** FEMALE
AGE: TOTAL FOR ALL AGES										
CAUSE OF DEATH										
HEART DISEASE (390-398,402,404-429)	3,645	1,750	1,895	1	1	1	294.0	290.3	297.5	
MALIGNANT NEOPLASMS (140-208)	2,996	1,591	1,405	2	2	2	241.7	264.0	220.6	
CEREBROVASCULAR DISEASE (430-438)	742	283	459	3	4	3	59.8	47.0	72.1	
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	605	311	294	4	3	4	48.8	51.6	46.2	
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	378	241	137	5	5	7	30.5	40.0	21.5	
PNEUMONIA & INFLUENZA (480-487)	365	166	199	6	6	5	29.4	27.5	31.2	
DIABETES MELLITUS (250)	280	115	165	7	9	6	22.6	19.1	25.9	
INFECTIOUS & PARASITIC DISEASES (001-139)	199	123	76	8	8	8	16.1	20.4	11.9	
SUICIDE (E950-E959)	180	147	33	9	7	12	14.5	24.4	5.2	
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	116	58	58	10	11	9	9.4	9.6	9.1	
TOTAL FOR AGE GROUP	11,540	5,646	5,894				930.8	936.7	925.2	
AGE: UNDER 1 YEAR										
PERINATAL CONDITIONS (760-779)	36	19	17	1	1	2	239.1	247.1	230.8	
CONGENITAL ANOMALIES (740-759)	29	11	18	2	2	1	192.6	143.1	244.4	
HEART DISEASE (390-398,402,404-429)	5	3	2	3	3	3	###	###	###	
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	3	1	2	4	6	3	###	###	###	
INFECTIOUS & PARASITIC DISEASES (001-139)	2	2	0	5	4	7	###	###	###	
CEREBROVASCULAR DISEASE (430-438)	2	1	1	6	6	5	###	###	###	
HOMICIDE & LEGAL INTERVENTION (E960-E978)	2	2	0	7	4	7	###	###	###	
PNEUMONIA & INFLUENZA (480-487)	1	0	1	8	9	5	###	###	###	
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	1	1	0	9	6	7	###	###	###	
TOTAL FOR AGE GROUP	97	52	45				644.3	676.4	610.9	

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1, 1993

THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

	***** TOTAL	DEATHS MALE	***** FEMALE	***** TOTAL	RANK BY NUMBER OF	***** DEATHS MALE	***** FEMALE	*** TOTAL	RATE PER 100,000 POPULATION	*** FEMALE
AGE: 1 TO 14 YEARS										
CAUSE OF DEATH										
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	20	11	9	1	1	1		8.3	8.9	###
MALIGNANT NEOPLASMS (140-208)	6	4	2	2	2	3		###	###	###
CONGENITAL ANOMALIES (740-759)	5	3	2	3	3	3		###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	4	1	3	4	6	2		###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	3	2	1	5	5	5		###	###	###
SUICIDE (E950-E959)	3	3	0	6	3	9		###	###	###
BENIGN NEOPLASMS (210-239)	1	0	1	7	9	5		###	###	###
HEART DISEASE (390-398,402,404-429)	1	0	1	8	9	5		###	###	###
CEREBROVASCULAR DISEASE (430-438)	1	0	1	9	9	5		###	###	###
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	1	1	0	10	6	9		###	###	###
TOTAL FOR AGE GROUP	58	33	25					24.0	26.6	21.2
AGE: 15 TO 24 YEARS										
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	70	56	14	1	1	1		41.1	65.1	16.6
SUICIDE (E950-E959)	26	20	6	2	2	2		15.3	23.3	###
MALIGNANT NEOPLASMS (140-208)	5	3	2	3	4	3		###	###	###
PNEUMONIA & INFLUENZA (480-487)	4	4	0	4	3	5		###	###	###
HEART DISEASE (390-398,402,404-429)	3	2	1	5	5	4		###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	2	2	0	6	5	5		###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	2	2	0	7	5	5		###	###	###
DIABETES MELLITUS (250)	1	1	0	8	8	5		###	###	###
CEREBROVASCULAR DISEASE (430-438)	1	1	0	9	8	5		###	###	###
ULCER OF STOMACH & DUODENUM (531-533)	1	1	0	10	8	5		###	###	###
TOTAL FOR AGE GROUP	129	104	25					75.8	120.9	29.7

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1, 1993
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

	***** DEATHS *****		***** RANK *****		*** RATE PER 100,000 ***			
	TOTAL	MALE	FEMALE	BY NUMBER OF	DEATHS	TOTAL	POPULATION	FEMALE
				TOTAL	MALE	FEMALE	MALE	
AGE: 25 TO 34 YEARS								
CAUSE OF DEATH								
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	56	39	17	1	1	1	29.7	42.1
SUICIDE (E950-E959)	35	31	4	2	2	3	18.6	33.5
INFECTIOUS & PARASITIC DISEASES (001-139)	26	22	4	3	3	3	13.8	23.8
MALIGNANT NEOPLASMS (140-208)	17	7	10	4	4	2	9.0	###
HEART DISEASE (390-398,402,404-429)	6	2	4	5	5	3	###	###
CONGENITAL ANOMALIES (740-759)	4	1	3	6	8	6	###	###
CEREBROVASCULAR DISEASE (430-438)	3	1	2	7	8	7	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	3	2	1	8	5	8	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	3	2	1	9	5	8	###	###
BENIGN NEOPLASMS (210-239)	1	1	0	10	8	10	###	###
TOTAL FOR AGE GROUP	176	125	51				93.3	135.0
								53.1
AGE: 35 TO 44 YEARS								
MALIGNANT NEOPLASMS (140-208)	78	36	42	1	2	1	38.0	35.1
HEART DISEASE (390-398,402,404-429)	50	44	6	2	1	4	24.4	42.9
SUICIDE (E950-E959)	43	36	7	3	2	2	20.9	35.1
INFECTIOUS & PARASITIC DISEASES (001-139)	36	33	3	4	4	6	17.5	32.2
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	36	29	7	5	5	2	17.5	28.3
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	10	6	4	6	6	5	4.9	###
DIABETES MELLITUS (250)	6	4	2	7	7	7	###	###
CEREBROVASCULAR DISEASE (430-438)	3	1	2	8	10	7	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	3	3	0	9	8	11	###	###
BENIGN NEOPLASMS (210-239)	2	1	1	10	10	9	###	###
TOTAL FOR AGE GROUP	308	222	86				150.0	216.5
								83.7

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1, 1993

THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

	***** TOTAL	DEATHS MALE	***** FEMALE	***** TOTAL	RANK BY NUMBER OF	***** DEATHS FEMALE	*** TOTAL	RATE PER 100,000 POPULATION	*** TOTAL
AGE: 45 TO 64 YEARS									
CAUSE OF DEATH									
MALIGNANT NEOPLASMS (140-208)	682	373	309	1	1	1	274.8	307.5	243.5
HEART DISEASE (390-398,402,404-429)	470	340	130	2	2	2	189.4	280.3	102.4
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	79	35	44	3	3	3	31.8	28.8	34.7
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	63	33	30	4	4	4	25.4	27.2	23.6
CEREBROVASCULAR DISEASE (430-438)	53	30	23	5	5	5	21.4	24.7	18.1
DIABETES MELLITUS (250)	45	24	21	6	8	6	18.1	19.8	16.5
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	39	28	11	7	6	7	15.7	23.1	8.7
SUICIDE (E950-E959)	37	26	11	8	7	7	14.9	21.4	8.7
INFECTIOUS & PARASITIC DISEASES (001-139)	25	17	8	9	9	9	10.1	14.0	###
PNEUMONIA & INFLUENZA (480-487)	22	16	6	10	10	10	8.9	13.2	###
TOTAL FOR AGE GROUP	1,700	1,037	663				684.9	854.8	522.5
AGE: 65 TO 74 YEARS									
MALIGNANT NEOPLASMS (140-208)	918	531	387	1	1	1	967.6	1,262.6	732.7
HEART DISEASE (390-398,402,404-429)	708	437	271	2	2	2	746.3	1,039.1	513.1
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	192	102	90	3	3	3	202.4	242.5	170.4
CEREBROVASCULAR DISEASE (430-438)	117	61	56	4	4	4	123.3	145.0	106.0
DIABETES MELLITUS (250)	87	43	44	5	5	5	91.7	102.2	83.3
PNEUMONIA & INFLUENZA (480-487)	38	22	16	6	6	7	40.1	52.3	30.3
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	32	15	17	7	9	6	33.7	35.7	32.2
INFECTIOUS & PARASITIC DISEASES (001-139)	26	15	11	8	9	8	27.4	35.7	20.8
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	26	22	4	9	6	10	27.4	52.3	###
SUICIDE (E950-E959)	21	18	3	10	8	12	22.1	42.8	###
TOTAL FOR AGE GROUP	2,470	1,421	1,049				2,603.5	3,378.7	1,986.2

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1, 1993

THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)

ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE
TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP*
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

	***** DEATHS *****			***** RANK *****			*** RATE PER 100,000 ***		
	TOTAL	MALE	FEMALE	BY NUMBER OF	MALE	FEMALE	TOTAL	MALE	FEMALE
	TOTAL			DEATHS			POPULATION		
AGE: 75 TO 84 YEARS									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	1,136	554	582	1	1	1	2,013.1	2,567.4	1,670.0
MALIGNANT NEOPLASMS (140-208)	886	464	422	2	2	2	1,570.1	2,150.3	1,210.9
CEREBROVASCULAR DISEASE (430-438)	253	111	142	3	4	3	448.4	514.4	407.4
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	224	123	101	4	3	4	397.0	570.0	289.8
PNEUMONIA & INFLUENZA (480-487)	106	56	50	5	5	6	187.8	259.5	143.5
DIABETES MELLITUS (250)	80	24	56	6	8	5	141.8	111.2	160.7
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	62	35	27	7	6	7	109.9	162.2	77.5
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	46	26	20	8	7	8	81.5	120.5	57.4
INFECTIOUS & PARASITIC DISEASES (001-139)	34	19	15	9	9	9	60.3	88.1	43.0
ATHEROSCLEROSIS (440)	27	15	12	10	10	11	47.8	69.5	34.4
TOTAL FOR AGE GROUP	3,417	1,664	1,753				6,055.4	7,711.6	5,030.0
AGE: 85 YEARS AND OLDER									
HEART DISEASE (390-398,402,404-429)	1,266	368	898	1	1	1	6,574.2	7,281.4	6,322.6
MALIGNANT NEOPLASMS (140-208)	404	173	231	2	2	3	2,097.9	3,423.0	1,626.4
CEREBROVASCULAR DISEASE (430-438)	309	77	232	3	3	2	1,604.6	1,523.5	1,633.5
PNEUMONIA & INFLUENZA (480-487)	193	67	126	4	4	4	1,002.2	1,325.7	887.1
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	105	48	57	5	5	5	545.3	949.7	401.3
DIABETES MELLITUS (250)	60	18	42	6	6	7	311.6	356.2	295.7
ATHEROSCLEROSIS (440)	55	12	43	7	9	6	285.6	237.4	302.8
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	46	18	28	8	6	9	238.9	356.2	197.1
INFECTIOUS & PARASITIC DISEASES (001-139)	45	11	34	9	10	8	233.7	217.6	239.4
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	42	15	27	10	8	10	218.1	296.8	190.1
TOTAL FOR AGE GROUP	3,185	988	2,197				16,539.4	19,548.9	15,468.6

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1, 1993
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-2 YEARS OF LIFE LOST - NUMBER, PERCENT, RANK, AND AVERAGE PER DEATH BY 32 CAUSE OF DEATH GROUPS AND SEX
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH	**YEARS OF LIFE LOST**			PERCENT YEARS OF LIFE LOST			RANK BY YEARS OF LIFE LOST			AVERAGE YEARS OF LIFE LOST PER DEATH		
	TOTAL	MALE	FEMALE	TOT.	MALE	FEM.	TOT.	MALE	FEM.	TOT.	MALE	FEM.
MALIGNANT NEOPLASMS (140-208)	39,989	18,983	21,006	26.8	24.9	28.9	1	1	1	13	12	15
HEART DISEASE (390-398,402,404-429)	36,728	18,643	18,085	24.6	24.4	24.9	2	2	2	10	11	10
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	11,921	7,852	4,069	8.0	10.3	5.6	3	3	4	32	33	30
CEREBROVASCULAR DISEASE (430-438)	6,763	2,491	4,272	4.5	3.3	5.9	4	7	3	9	9	9
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	6,503	2,947	3,556	4.4	3.9	4.9	5	6	5	11	9	12
SUICIDE (E950-E959)	6,009	4,797	1,212	4.0	6.3	1.7	6	4	10	33	33	37
INFECTIOUS & PARASITIC DISEASES (001-139)	4,326	3,239	1,087	2.9	4.2	1.5	7	5	11	22	26	14
DIABETES MELLITUS (250)	3,424	1,444	1,980	2.3	1.9	2.7	8	8	6	12	13	12
PNEUMONIA & INFLUENZA (480-487)	3,050	1,420	1,630	2.0	1.9	2.2	9	10	8	8	9	8
CONGENITAL ANOMALIES (740-759)	3,045	1,205	1,840	2.0	1.6	2.5	10	11	7	57	55	59
PERINATAL CONDITIONS (760-779)	2,756	1,430	1,326	1.8	1.9	1.8	11	9	9	74	72	78
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	1,916	1,067	849	1.3	1.4	1.2	12	12	13	17	17	18
OTHER DIS. OF ARTERIES, ARTERIOLES, AND CAPIL. (441-448)	1,693	827	866	1.1	1.1	1.2	13	13	12	10	10	10
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	924	438	486	0.6	0.6	0.7	14	15	14	8	8	8
HOMICIDE & LEGAL INTERVENTION (E960-E978)	883	601	282	0.6	0.8	0.4	15	14	17	46	43	56
ATHEROSCLEROSIS (440)	633	232	401	0.4	0.3	0.6	16	17	15	7	7	7
BENIGN NEOPLASMS (210-239)	563	240	323	0.4	0.3	0.4	17	16	16	14	14	15
HYPERTENSION (401,403)	419	209	210	0.3	0.3	0.3	18	18	18	9	10	8
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	367	198	169	0.2	0.3	0.2	19	19	21	9	12	7
ULCER OF STOMACH & DUODENUM (531-533)	339	165	174	0.2	0.2	0.2	20	20	20	12	15	10
NUTRITIONAL DEFICIENCIES (260-269)	250	66	184	0.2	0.1	0.3	21	21	19	7	7	7
ANEMIAS (280-285)	155	49	106	0.1	0.1	0.1	22	22	22	7	6	8
CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS (574-575)	84	31	53	0.1	0.0	0.1	23	24	23	6	6	7
MENINGITIS (320-322)	77	46	31	0.1	0.1	0.0	24	23	26	39	46	31
KIDNEY INFECTIONS (590)	47	8	39	0.0	0.0	0.1	25	27	24	8	8	8
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	39	0	39	0.0	0.0	0.1	26	28	24	13	0	13
HYPERPLASIA OF PROSTATE (600)	29	29	0	0.0	0.0	0.0	27	25	27	5	5	0
APPENDICITIS (540-543)	21	21	0	0.0	0.0	0.0	28	26	27	21	21	0
ALL OTHER EXTERNAL CAUSES (E980-E999)	231	213	18	0.2	0.3	0.0				39	43	18
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	1,754	1,061	693	1.2	1.4	1.0				23	30	17
ALL OTHER CAUSES (RESIDUAL)	14,134	6,345	7,789	9.5	8.3	10.7				12	13	11
ALL CAUSES	149,072	76,297	72,775	100.	100.	100.				13	14	12

NOTES: PERCENTAGES MAY NOT ADD TO 100.0 DUE TO ROUNDING.
SEE TEXT FOR METHOD OF COMPUTING YEARS OF LIFE LOST.

DEAYLL

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)																		
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	2	
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	
OTHER TUBERCULOSIS (013-018)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
STREPTOCOCCAL SORE THROAT, SCARLATINA AND ERYSIPELAS (034-035)																		
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
SEPTICEMIA (038)																		
MALE	35	1	1	1	0	0	1	0	1	1	0	1	3	6	4	7	8	
FEMALE	46	0	0	0	0	0	0	0	1	0	2	2	4	3	2	8	24	
TOTALS	81	1	1	1	0	0	1	0	2	1	2	3	7	9	6	15	32	
ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	
VIRAL HEPATITIS (070)																		
MALE	4	0	0	0	0	0	0	0	0	0	1	0	1	1	0	1	0	
FEMALE	4	0	0	0	0	0	0	1	0	0	0	0	0	1	1	0	1	
TOTALS	8	0	0	0	0	0	0	1	0	0	1	0	1	2	1	1	1	
OTHER VIRAL DISEASES (046-049,051-054,057-061,065,066,071-079)																		
MALE	69	0	0	0	0	0	1	22	31	9	3	0	1	1	1	0	0	
FEMALE	11	0	1	0	0	0	0	3	1	1	0	0	0	0	0	0	5	
TOTALS	80	0	1	0	0	0	1	25	32	10	3	0	1	1	1	0	5	
MYCOSES (110-118)																		
MALE	2	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
FEMALE	3	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	
TOTALS	5	1	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	
HELMINTHIASES (120-129)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	
LATE EFFECTS OF TUBERCULOSIS (137)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
LATE EFFECTS OF ACUTE POLIOMYELITIS (138)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)																	
MALE	5	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	2
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1
TOTALS	8	0	0	0	0	0	0	0	0	1	0	0	1	0	1	2	3
MALIGNANT NEOPLASMS OF: LIP (140)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
MALIGNANT NEOPLASMS OF: TONGUE (141)																	
MALE	2	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
FEMALE	6	0	0	0	0	0	0	0	0	2	0	0	1	1	0	0	2
TOTALS	8	0	0	0	0	0	0	0	0	2	1	0	1	1	1	0	2
MALIGNANT NEOPLASMS OF: PHARYNX (146-149.0)																	
MALE	13	0	0	0	0	0	0	0	0	3	1	1	2	2	1	1	2
FEMALE	8	0	0	0	0	0	0	0	0	0	1	3	2	1	0	0	1
TOTALS	21	0	0	0	0	0	0	0	0	3	2	4	4	3	1	1	3
MALIGNANT NEOPLASMS OF: OTHER SITES WITHIN THE LIP, ORAL CAVITY AND PHARYNX (142-145,149.1-149.9)																	
MALE	6	0	0	0	0	0	0	0	1	2	0	0	1	0	2	0	0
FEMALE	8	0	0	0	0	0	0	0	0	1	0	0	1	1	0	3	2
TOTALS	14	0	0	0	0	0	0	0	1	3	0	0	2	1	2	3	2
MALIGNANT NEOPLASMS OF: ESOPHAGUS (150)																	
MALE	48	0	0	0	0	0	0	0	2	5	4	6	7	11	6	4	3
FEMALE	22	0	0	0	0	0	0	0	0	1	0	3	2	6	7	2	1
TOTALS	70	0	0	0	0	0	0	0	2	6	4	9	9	17	13	6	4
MALIGNANT NEOPLASMS OF: STOMACH (151)																	
MALE	43	0	0	0	0	0	0	0	4	5	2	3	2	8	9	6	4
FEMALE	23	0	0	0	0	0	0	0	2	0	2	2	2	4	4	3	4
TOTALS	66	0	0	0	0	0	0	0	6	5	4	5	4	12	13	9	8
MALIGNANT NEOPLASMS OF: SMALL INTESTINE, INCLUDING DUODENUM (152)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	5	0	0	0	0	0	0	0	0	1	0	1	0	1	1	1	0
TOTALS	6	0	0	0	0	0	0	0	0	1	0	1	1	1	1	1	0
MALIGNANT NEOPLASMS OF: SIGMOID COLON (153.3)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
FEMALE	7	0	0	0	0	0	0	0	0	0	0	1	2	1	0	1	2
TOTALS	9	0	0	0	0	0	0	0	0	0	0	1	2	2	0	1	3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
MALIGNANT NEOPLASMS OF: CECUM, APPENDIX AND ASCENDING COLON (153.4-153.6)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	3	
TOTALS	7	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	4	
MALIGNANT NEOPLASMS OF: OTHER AND COLON, UNSPECIFIED (153.8-153.9)																		
MALE	126	0	0	0	0	0	0	1	1	5	11	11	20	22	20	13	22	
FEMALE	137	0	0	0	1	0	0	0	0	6	3	12	12	21	26	22	34	
TOTALS	263	0	0	0	1	0	0	1	1	11	14	23	32	43	46	35	56	
MALIGNANT NEOPLASMS OF: RECTUM, RECTOSIGMOID JUNCTION AND ANUS (154)																		
MALE	21	0	0	0	0	0	0	0	3	0	0	2	3	4	5	3	1	
FEMALE	25	0	0	0	0	0	0	0	0	1	1	4	4	1	7	2	5	
TOTALS	46	0	0	0	0	0	0	0	3	1	1	6	7	5	12	5	6	
MALIGNANT NEOPLASMS OF: LIVER, PRIMARY (155.0)																		
MALE	12	0	0	0	0	0	0	0	0	2	1	0	2	3	4	0	0	
FEMALE	6	0	0	0	0	0	0	0	0	1	1	1	0	2	0	0	1	
TOTALS	18	0	0	0	0	0	0	0	0	3	2	1	2	5	4	0	1	
MALIGNANT NEOPLASMS OF: INTRAHEPATIC BILE DUCTS (155.1)																		
MALE	4	0	0	0	0	0	0	0	0	1	1	0	0	0	1	1	0	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	
TOTALS	6	0	0	0	0	0	0	0	0	1	1	0	0	1	1	2	0	
MALIGNANT NEOPLASMS OF: LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)																		
MALE	4	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	
FEMALE	9	0	0	0	0	0	0	0	2	0	1	2	0	1	0	1	2	
TOTALS	13	0	0	0	0	0	0	0	2	0	1	3	1	2	0	2	2	
MALIGNANT NEOPLASMS OF: GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)																		
MALE	7	0	0	0	0	0	0	0	0	0	0	1	2	1	2	1	0	
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	2	5	0	2	0	
TOTALS	16	0	0	0	0	0	0	0	0	0	0	1	4	6	2	3	0	
MALIGNANT NEOPLASMS OF: PANCREAS (157)																		
MALE	60	0	0	0	0	0	0	0	3	4	6	7	10	12	5	8	5	
FEMALE	75	0	0	0	0	0	0	0	2	2	3	5	9	9	17	14	14	
TOTALS	135	0	0	0	0	0	0	0	5	6	9	12	19	21	22	22	19	
MALIGNANT NEOPLASMS OF: RETROPERITONEUM, PERITONEUM AND OTHER SITES WITHIN THE DIGESTIVE ORGANS (158-159)																		
MALE	11	0	0	0	0	0	0	0	0	0	2	1	2	2	1	1	2	
FEMALE	14	0	0	0	0	0	0	0	0	0	0	1	1	1	2	3	6	
TOTALS	25	0	0	0	0	0	0	0	0	0	2	2	3	3	3	4	8	
MALIGNANT NEOPLASMS OF: LARYNX (161)																		
MALE	15	0	0	0	0	0	0	0	0	1	2	2	2	1	1	4	2	
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	
TOTALS	18	0	0	0	0	0	0	0	0	1	2	2	4	1	1	4	3	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
MALIGNANT NEOPLASMS OF: TRACHEA, BRONCHUS, AND LUNG (162)																	
MALE	540	0	0	0	0	0	0	0	8	33	46	88	99	100	78	61	27
FEMALE	324	0	0	0	0	0	0	2	9	28	22	36	52	61	58	27	29
TOTALS	864	0	0	0	0	0	0	2	17	61	68	124	151	161	136	88	56
MALIGNANT NEOPLASMS OF: ALL OTHER SITES WITHIN THE RESPIRATORY SYSTEM & INTRATHORACIC ORGANS (160, 163-165)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	1
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
TOTALS	6	0	0	0	0	0	0	0	0	0	0	1	2	2	0	0	1
MALIGNANT NEOPLASMS OF: BONE AND ARTICULAR CARTILAGE (170)																	
MALE	3	0	0	0	0	0	1	0	0	0	1	0	1	0	0	0	0
FEMALE	2	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0
TOTALS	5	0	0	0	0	1	1	0	1	0	1	0	1	0	0	0	0
MALIGNANT NEOPLASMS OF: CONNECTIVE AND OTHER SOFT TISSUE (171)																	
MALE	6	0	0	0	0	0	0	0	0	1	1	1	1	0	2	0	0
FEMALE	5	0	0	0	0	0	0	0	1	0	0	0	1	0	0	2	1
TOTALS	11	0	0	0	0	0	0	0	1	1	1	1	2	0	2	2	1
MALIGNANT NEOPLASMS OF: MELANOMA OF SKIN (172)																	
MALE	21	0	0	0	0	0	0	0	2	1	0	2	5	7	3	0	1
FEMALE	20	0	0	0	0	0	1	0	2	0	2	1	2	3	6	3	0
TOTALS	41	0	0	0	0	0	1	0	4	1	2	3	7	10	9	3	1
MALIGNANT NEOPLASMS OF: OTHER MALIGNANT NEOPLASM OF SKIN (173)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	1	0	2	1	0	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0
TOTALS	8	0	0	0	0	0	0	0	0	0	0	1	0	2	1	3	1
MALIGNANT NEOPLASMS OF: FEMALE BREAST (174)																	
FEMALE	224	0	0	0	0	0	0	1	15	30	16	22	24	23	33	27	33
TOTALS	224	0	0	0	0	0	0	1	15	30	16	22	24	23	33	27	33
MALIGNANT NEOPLASMS OF: MALE BREAST (175)																	
MALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
TOTALS	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
MALIGNANT NEOPLASMS OF: CERVIX UTERI (180)																	
FEMALE	25	0	0	0	0	0	0	1	3	4	4	1	2	2	2	3	3
TOTALS	25	0	0	0	0	0	0	1	3	4	4	1	2	2	2	3	3
MALIGNANT NEOPLASMS OF: OTHER PARTS OF UTERUS (179, 181-182)																	
FEMALE	37	0	0	0	0	0	0	0	0	1	4	3	6	5	5	6	7
TOTALS	37	0	0	0	0	0	0	0	0	1	4	3	6	5	5	6	7
MALIGNANT NEOPLASMS OF: OVARY AND OTHER UTERINE ADNEXA (183)																	
FEMALE	70	0	0	0	0	0	0	1	1	8	3	8	13	7	10	11	8
TOTALS	70	0	0	0	0	0	0	1	1	8	3	8	13	7	10	11	8
MALIGNANT NEOPLASMS OF: OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)																	
FEMALE	11	0	0	0	0	0	0	0	0	1	0	0	0	2	1	2	5
TOTALS	11	0	0	0	0	0	0	0	0	1	0	0	0	2	1	2	5

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
MALIGNANT NEOPLASMS OF: PROSTATE (185)																		
MALE	184	0	0	0	0	0	0	0	0	1	6	7	31	28	28	39	44	
TOTALS	184	0	0	0	0	0	0	0	0	1	6	7	31	28	28	39	44	
MALIGNANT NEOPLASMS OF: TESTIS (186)																		
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
MALIGNANT NEOPLASMS OF: PENIS AND OTHER MALE GENITAL ORGANS (187)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	
MALIGNANT NEOPLASMS OF: BLADDER (188)																		
MALE	60	0	0	0	0	0	0	0	2	0	4	5	7	8	10	10	14	
FEMALE	21	0	0	0	0	0	0	0	0	2	2	1	1	1	4	4	6	
TOTALS	81	0	0	0	0	0	0	0	2	2	6	6	8	9	14	14	20	
MALIGNANT NEOPLASMS OF: KIDNEY AND OTHER UNSPECIFIED URINARY ORGANS (189)																		
MALE	49	0	0	0	0	0	0	0	0	2	3	2	8	13	14	5	2	
FEMALE	24	0	0	0	0	0	0	0	0	0	0	3	5	3	5	3	5	
TOTALS	73	0	0	0	0	0	0	0	0	2	3	5	13	16	19	8	7	
MALIGNANT NEOPLASMS OF: BRAIN (191)																		
MALE	35	0	0	1	0	0	0	2	1	2	2	4	3	11	5	4	0	
FEMALE	21	0	0	0	0	0	0	1	1	2	1	3	4	3	3	2	1	
TOTALS	56	0	0	1	0	0	0	3	2	4	3	7	7	14	8	6	1	
MALIGNANT NEOPLASMS OF: OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
MALIGNANT NEOPLASMS OF: THYROID GLAND, OTHER ENDOCRINE GLANDS, RELATED STRUCTURES (193-194)																		
MALE	3	0	0	1	0	0	0	0	0	0	0	0	0	1	1	0	0	
FEMALE	4	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	1	
TOTALS	7	0	0	1	0	0	0	0	0	0	1	1	0	1	1	1	1	
MALIGNANT NEOPLASMS OF: ALL OTHER AND UNSPECIFIED SITES (195-199)																		
MALE	145	0	0	0	0	0	1	0	3	10	7	13	21	28	17	24	21	
FEMALE	131	0	0	0	0	0	0	1	0	4	5	10	16	22	22	19	32	
TOTALS	276	0	0	0	0	0	1	1	3	14	12	23	37	50	39	43	53	
LYMPHOSARCOMA AND RETICULOSARCOMA (200)																		
MALE	9	0	0	0	0	0	0	2	2	0	0	1	2	1	0	1	0	
FEMALE	12	0	0	0	0	0	0	0	0	1	0	0	1	2	4	3	1	
TOTALS	21	0	0	0	0	0	0	2	2	1	0	1	3	3	4	4	1	
HODGKIN'S DISEASE (201)																		
MALE	7	0	0	0	0	0	0	2	1	2	0	0	0	1	1	0	0	
FEMALE	2	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	
TOTALS	9	0	0	0	0	0	0	2	2	2	0	0	0	1	2	0	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
OTHER MALIGNANT NEOPLASM OF LYMPHOID AND HISTIOCYTIC TISSUE (202)																	
MALE	41	0	0	0	0	0	0	0	1	6	7	2	1	2	7	9	6
FEMALE	47	0	0	0	0	0	0	1	2	1	2	3	8	8	9	3	10
TOTALS	88	0	0	0	0	0	0	1	3	7	9	5	9	10	16	12	16
MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)																	
MALE	26	0	0	0	0	0	0	0	0	2	0	3	2	6	6	4	3
FEMALE	24	0	0	0	0	0	0	0	0	0	1	4	4	2	6	5	2
TOTALS	50	0	0	0	0	0	0	0	0	2	1	7	6	8	12	9	5
LYMPHOID LEUKEMIA (204)																	
MALE	22	0	0	0	1	0	0	0	0	0	2	1	1	2	5	5	5
FEMALE	10	0	1	0	0	0	0	0	0	0	1	0	0	1	1	5	1
TOTALS	32	0	1	0	1	0	0	0	0	0	3	1	1	3	6	10	6
MYELOID LEUKEMIA (205)																	
MALE	25	0	0	0	0	0	0	0	1	1	0	0	4	4	7	6	2
FEMALE	14	0	0	0	0	0	0	1	0	1	1	1	3	1	0	1	5
TOTALS	39	0	0	0	0	0	0	1	1	2	1	1	7	5	7	7	7
MONOCYTIC LEUKEMIA (206)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
OTHER AND UNSPECIFIED LEUKEMIA (207-208)																	
MALE	24	0	0	0	1	0	1	0	0	0	1	4	3	3	7	3	1
FEMALE	5	0	0	0	0	0	0	1	0	0	0	1	0	0	0	1	2
TOTALS	29	0	0	0	1	0	1	1	0	0	1	5	3	3	7	4	3
BENIGN NEOPLASMS OF EYE, BRAIN AND OTHER PARTS OF NERVOUS SYSTEM (224-225)																	
MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2
TOTALS	4	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	2
NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	3	0	0	2	0
FEMALE	7	0	0	0	0	0	0	0	0	0	1	0	0	1	2	1	2
TOTALS	12	0	0	0	0	0	0	0	0	0	1	0	3	1	2	3	2
NEOPLASMS OF UNSPECIFIED NATURE (239)																	
MALE	11	0	0	0	0	0	0	1	1	1	1	0	1	0	1	3	2
FEMALE	12	0	0	1	0	0	0	0	1	0	1	0	1	0	3	2	3
TOTALS	23	0	0	1	0	0	0	1	2	1	2	0	2	0	4	5	5
DISORDERS OF THYROID GLAND (240-246)																	
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	4
TOTALS	10	0	0	0	0	0	0	0	0	1	0	0	0	0	2	3	4

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
DIABETES MELLITUS (250)																		
MALE	115	0	0	0	0	0	1	1	4	9	6	9	19	24	19	5	18	
FEMALE	165	0	0	0	0	0	0	0	2	9	4	8	19	25	21	35	42	
TOTALS	280	0	0	0	0	0	1	1	6	18	10	17	38	49	40	40	60	
DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
CYSTIC FIBROSIS (277.0)																		
MALE	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	
FEMALE	3	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0	
TOTALS	5	0	0	0	1	0	2	2	0	0	0	0	0	0	0	0	0	
OBESITY (278.0)																		
MALE	4	0	0	0	0	0	0	0	2	0	1	0	0	1	0	0	0	
FEMALE	8	0	0	0	0	0	0	0	1	4	0	1	2	0	0	0	0	
TOTALS	12	0	0	0	0	0	0	0	3	4	1	1	2	1	0	0	0	
ALL OTHER ENDOCRINE, METABOLIC DISEASES & IMMUNITY DISORD. (251-252, 256-259, 270, 276, 277.1-277.9, 278.1-279)																		
MALE	29	1	0	1	1	0	1	3	4	4	1	0	0	4	2	1	6	
FEMALE	36	0	0	0	0	0	0	0	0	2	0	0	3	4	5	8	14	
TOTALS	65	1	0	1	1	0	1	3	4	6	1	0	3	8	7	9	20	
OTHER PROTEIN-CALORIE MALNUTRITION (262-263)																		
MALE	9	0	0	0	0	0	0	0	0	0	0	0	0	3	2	1	3	
FEMALE	22	0	0	0	0	0	0	0	0	0	0	0	1	0	1	5	15	
TOTALS	31	0	0	0	0	0	0	0	0	0	0	0	1	3	3	6	18	
ALL OTHER NUTRITIONAL DEFICIENCIES (260, 264-269)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	
HEMOLYTIC ANEMIAS (282-283)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
APLASTIC ANEMIA (284)																		
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	5	
TOTALS	13	0	0	0	0	0	0	0	0	0	0	0	0	2	5	0	6	
OTHER AND UNSPECIFIED ANEMIAS (285)																		
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	
TOTALS	8	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	5	
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)																		
MALE	3	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1	
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	
TOTALS	6	0	0	0	0	0	0	0	1	0	0	0	1	0	2	1	1	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)																		
MALE	14	0	0	0	0	0	0	0	0	0	1	0	2	2	3	3	3	
FEMALE	9	0	0	0	0	0	0	0	0	0	0	1	1	1	1	2	3	
TOTALS	23	0	0	0	0	0	0	0	0	0	1	1	3	3	4	5	6	
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)																		
MALE	42	0	0	0	0	0	0	0	0	0	1	1	1	4	7	12	16	
FEMALE	103	0	0	0	0	0	0	0	0	0	1	0	3	7	10	20	62	
TOTALS	145	0	0	0	0	0	0	0	0	0	2	1	4	11	17	32	78	
ALCOHOLIC PSYCHOSES (291)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
ALL OTHER PHYCHOSES (292-299)																		
MALE	22	0	0	0	0	0	0	0	0	0	0	0	0	1	5	8	8	
FEMALE	48	0	0	0	0	0	0	0	0	0	0	0	0	1	4	5	38	
TOTALS	70	0	0	0	0	0	0	0	0	0	0	0	0	2	9	13	46	
ALCOHOL DEPENDENCE SYNDROME (303)																		
MALE	18	0	0	0	0	0	0	0	4	8	1	3	2	0	0	0	0	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	1	3	1	0	0	0	
TOTALS	23	0	0	0	0	0	0	0	4	8	1	4	5	1	0	0	0	
DRUG DEPENDENCE (304)																		
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
OTHER NEUROTIC, PERSONALITY AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)																		
MALE	10	0	0	1	0	0	1	0	1	0	0	1	2	0	2	0	2	
FEMALE	9	0	0	0	0	0	0	0	0	1	0	1	0	2	0	1	4	
TOTALS	19	0	0	1	0	0	1	0	1	1	0	2	2	2	2	1	6	
MENINGITIS (320-322)																		
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	
PARKINSON'S DISEASE (332)																		
MALE	25	0	0	0	0	0	0	0	0	0	0	1	2	2	6	8	6	
FEMALE	40	0	0	0	0	0	0	0	0	0	0	0	2	5	9	9	15	
TOTALS	65	0	0	0	0	0	0	0	0	0	0	1	4	7	15	17	21	
OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)																		
MALE	67	0	0	0	0	0	0	2	1	5	0	4	6	7	13	6	23	
FEMALE	116	0	1	0	0	0	0	0	0	2	2	3	6	8	16	20	58	
TOTALS	183	0	1	0	0	0	0	2	1	7	2	7	12	15	29	26	81	
MULTIPLE SCLEROSIS (340)																		
MALE	7	0	0	0	0	0	0	0	2	3	0	0	0	2	0	0	0	
FEMALE	16	0	0	0	0	0	0	0	4	4	0	2	2	3	0	0	1	
TOTALS	23	0	0	0	0	0	0	0	6	7	0	2	2	5	0	0	1	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
INFANTILE CEREBRAL PALSY (343)																		
MALE	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	3	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	0
EPILEPSY (345)																		
FEMALE	4	0	1	0	0	0	0	0	1	1	0	0	0	0	1	0	0	0
TOTALS	4	0	1	0	0	0	0	0	1	1	0	0	0	0	1	0	0	0
OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)																		
MALE	18	0	1	0	0	1	1	1	0	2	3	2	0	3	2	1	1	1
FEMALE	16	0	0	1	0	0	0	0	0	0	2	1	2	1	4	1	4	4
TOTALS	34	0	1	1	0	1	1	1	0	2	5	3	2	4	6	2	5	5
ACUTE RHEUMATIC FEVER (390-392)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
DISEASES OF MITRAL VALVE (394)																		
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	2
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	3	2	2	1	1	1
TOTALS	13	0	0	0	0	0	0	0	0	0	0	0	3	3	3	1	3	3
DISEASES OF MITRAL AND AORTIC VALVES (396)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3	3
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	4	4
ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)																		
MALE	3	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	2	2
TOTALS	9	0	0	0	0	0	0	0	0	1	0	1	0	0	2	2	3	3
ESSENTIAL HYPERTENSION (401)																		
MALE	7	0	0	0	0	0	0	0	1	0	0	1	2	0	1	1	1	1
FEMALE	11	0	0	0	0	0	0	0	0	0	1	0	0	1	1	1	7	7
TOTALS	18	0	0	0	0	0	0	0	1	0	1	1	2	1	2	2	8	8
HYPERTENSIVE HEART DISEASE (402)																		
MALE	30	0	0	0	0	0	0	0	4	0	3	4	3	3	3	1	9	9
FEMALE	50	0	0	0	0	0	0	1	0	1	1	1	2	5	5	6	28	28
TOTALS	80	0	0	0	0	0	0	1	4	1	4	5	5	8	8	7	37	37
HYPERTENSIVE RENAL DISEASE (403)																		
MALE	13	0	0	0	0	0	0	0	0	0	1	0	3	3	1	1	4	4
FEMALE	16	0	0	0	0	0	0	0	0	0	0	0	0	2	0	3	11	11
TOTALS	29	0	0	0	0	0	0	0	0	0	1	0	3	5	1	4	15	15
HYPERTENSIVE HEART AND RENAL DISEASE (404)																		
MALE	5	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	3	3
FEMALE	8	0	0	0	0	0	0	0	0	0	1	0	0	1	0	3	3	3
TOTALS	13	0	0	0	0	0	0	0	0	0	1	0	0	2	1	3	6	6

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
ACUTE MYOCARDIAL INFARCTION (410)																	
MALE	552	0	0	0	0	0	0	0	16	41	29	63	75	72	91	85	80
FEMALE	502	0	0	0	0	0	0	1	3	13	8	29	27	62	83	103	173
TOTALS	1,054	0	0	0	0	0	0	1	19	54	37	92	102	134	174	188	253
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)																	
MALE	5	0	0	0	0	0	0	0	0	3	0	1	0	0	0	1	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	6	0	0	0	0	0	0	0	0	3	0	1	0	0	0	1	1
ANGINA PECTORIS (413)																	
MALE	8	0	0	0	0	0	0	0	0	1	0	1	0	1	2	1	2
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	1
TOTALS	13	0	0	0	0	0	0	0	0	1	0	1	0	1	5	2	3
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)																	
MALE	679	0	0	0	0	0	0	1	9	34	28	55	71	103	113	121	144
FEMALE	693	0	0	0	0	0	0	1	2	4	12	20	27	49	96	111	371
TOTALS	1,372	0	0	0	0	0	0	2	11	38	40	75	98	152	209	232	515
DISEASES OF PULMONARY CIRCULATION (415-417)																	
MALE	21	0	0	0	0	0	0	1	0	1	1	1	4	4	5	1	3
FEMALE	27	0	0	0	0	0	0	0	0	0	2	2	4	2	6	5	6
TOTALS	48	0	0	0	0	0	0	1	0	1	3	3	8	6	11	6	9
ACUTE AND SUBACUTE ENDOCARDITIS (421)																	
MALE	5	0	0	0	0	0	0	0	1	0	0	1	0	1	1	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	6	0	0	0	0	0	0	0	1	0	0	1	0	1	1	0	2
ACUTE PERICARDITIS, ACUTE MYOCARDITIS AND OTHER DISEASES OF PERICARDIUM (420,422-423)																	
MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
FEMALE	5	0	0	0	0	0	1	0	1	0	0	0	2	0	0	1	0
TOTALS	7	0	0	0	0	0	1	0	1	0	0	0	3	0	1	1	0
MITRAL VALVE DISORDERS (424.0)																	
MALE	7	0	0	0	0	0	0	0	0	0	0	2	0	0	3	2	0
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	6
TOTALS	16	0	0	0	0	0	0	0	0	0	0	2	0	1	3	4	6
AORTIC VALVE DISORDERS (424.1)																	
MALE	26	0	0	0	0	0	0	0	1	1	0	1	2	4	3	6	8
FEMALE	35	0	0	0	0	0	0	0	0	0	0	0	1	3	3	8	20
TOTALS	61	0	0	0	0	0	0	0	1	1	0	1	3	7	6	14	28
ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)																	
MALE	5	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	3
FEMALE	16	0	0	0	0	0	0	0	0	0	0	1	0	3	3	3	6
TOTALS	21	0	0	0	0	0	0	0	0	0	0	1	0	4	4	3	9

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
HEART FAILURE (428)																		
MALE	85	0	0	0	0	0	0	0	0	1	0	6	2	8	12	12	44	
FEMALE	166	0	0	0	0	0	0	0	0	1	0	3	6	9	13	26	108	
TOTALS	251	0	0	0	0	0	0	0	0	2	0	9	8	17	25	38	152	
MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)																		
MALE	2	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
FEMALE	2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	4	1	0	0	1	0	0	0	0	1	0	0	0	0	0	0	1	
ALL OTHER FORMS OF HEART DISEASE (425-427,429.2-429.9)																		
MALE	309	2	0	0	0	0	2	0	13	21	15	23	40	39	45	42	67	
FEMALE	356	2	0	0	0	0	0	1	0	12	6	13	27	34	41	53	167	
TOTALS	665	4	0	0	0	0	2	1	13	33	21	36	67	73	86	95	234	
SUBARACHNOID HEMORRHAGE (430)																		
MALE	11	0	0	0	0	0	0	0	1	2	0	2	2	1	2	0	1	
FEMALE	17	0	0	0	0	0	0	1	1	2	0	3	2	2	1	3	2	
TOTALS	28	0	0	0	0	0	0	1	2	4	0	5	4	3	3	3	3	
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)																		
MALE	34	0	0	0	0	0	0	1	0	4	4	4	7	2	3	5	4	
FEMALE	45	0	0	0	0	0	0	1	0	3	2	3	0	8	10	7	11	
TOTALS	79	0	0	0	0	0	0	2	0	7	6	7	7	10	13	12	15	
OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)																		
MALE	3	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	4	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	2	
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)																		
MALE	23	0	0	0	0	0	1	0	0	2	1	2	1	2	1	6	7	
FEMALE	35	0	0	0	0	0	0	0	0	0	0	0	0	3	3	8	21	
TOTALS	58	0	0	0	0	0	1	0	0	2	1	2	1	5	4	14	28	
CEREBRAL EMBOLISM (434.1)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2	
ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)																		
MALE	170	0	0	0	0	0	0	0	0	1	1	5	16	24	29	50	44	
FEMALE	302	0	0	0	0	0	0	0	0	3	1	5	7	25	43	57	161	
TOTALS	472	0	0	0	0	0	0	0	0	4	2	10	23	49	72	107	205	
OTHER CEREBROVASCULAR DISEASE (435,437-438)																		
MALE	40	1	0	0	0	0	0	0	0	1	0	0	0	5	8	7	18	
FEMALE	57	1	0	1	0	0	0	0	1	0	0	1	2	5	6	4	36	
TOTALS	97	2	0	1	0	0	0	0	1	1	0	1	2	10	14	11	54	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
ATHEROSCLEROSIS (440)																		
MALE	33	0	0	0	0	0	0	0	0	0	0	4	1	1	9	6	12	
FEMALE	58	0	0	0	0	0	0	0	0	0	0	0	0	3	5	7	43	
TOTALS	91	0	0	0	0	0	0	0	0	0	0	4	1	4	14	13	55	
AORTIC ANEURYSM (441)																		
MALE	64	0	0	0	0	0	0	0	0	2	2	2	7	18	13	14	6	
FEMALE	55	0	0	0	0	0	0	1	0	0	1	2	2	4	11	10	24	
TOTALS	119	0	0	0	0	0	0	1	0	2	3	4	9	22	24	24	30	
ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)																		
MALE	21	0	0	0	0	0	0	1	0	0	1	2	2	5	2	5	3	
FEMALE	36	0	0	0	0	0	0	0	0	1	0	0	4	1	6	12	12	
TOTALS	57	0	0	0	0	0	0	1	0	1	1	2	6	6	8	17	15	
PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)																		
MALE	3	0	0	0	0	0	0	1	0	1	0	0	1	0	0	0	0	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	
TOTALS	5	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	1	
OTHER DISEASES OF VEINS, LYMPHATICS, AND CIRCULATORY SYSTEM (454-459)																		
MALE	5	1	0	0	0	0	0	0	0	1	0	0	1	0	1	0	1	
FEMALE	10	0	0	0	0	0	0	0	0	0	0	2	1	1	0	2	4	
TOTALS	15	1	0	0	0	0	0	0	0	1	0	2	2	1	1	2	5	
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)																		
MALE	2	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
FEMALE	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
TOTALS	5	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2	
OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)																		
FEMALE	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2	
TOTALS	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2	
VIRAL PNEUMONIA (480)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	
PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)																		
MALE	10	0	0	0	0	1	0	0	1	0	1	0	0	1	1	1	4	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	2	
TOTALS	15	0	0	0	0	1	0	0	1	0	1	1	0	2	2	1	6	
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)																		
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	
FEMALE	10	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	6	
TOTALS	14	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	10	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)																		
MALE	150	0	0	0	0	0	3	0	0	4	5	6	6	14	22	31	59	
FEMALE	172	1	0	0	0	0	0	0	0	1	2	2	8	4	14	28	112	
TOTALS	322	1	0	0	0	0	3	0	0	5	7	8	14	18	36	59	171	
INFLUENZA (487)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
FEMALE	11	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	6	
TOTALS	12	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4	6	
BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	
CHRONIC BRONCHITIS (491)																		
MALE	13	1	0	0	0	0	0	0	0	1	0	1	2	2	3	2	1	
FEMALE	20	0	0	0	0	0	0	0	0	1	1	2	4	2	5	3	2	
TOTALS	33	1	0	0	0	0	0	0	0	2	1	3	6	4	8	5	3	
EMPHYSEMA (492)																		
MALE	52	0	0	0	0	0	0	1	0	0	1	5	11	8	11	10	5	
FEMALE	35	0	0	0	0	0	0	0	0	0	1	7	7	8	2	6	4	
TOTALS	87	0	0	0	0	0	0	1	0	0	2	12	18	16	13	16	9	
ASTHMA (493)																		
MALE	6	0	0	0	0	0	0	0	0	1	0	0	0	0	1	3	1	
FEMALE	16	0	0	0	0	0	0	1	1	1	2	1	1	3	3	1	2	
TOTALS	22	0	0	0	0	0	0	1	1	2	2	1	1	3	4	4	3	
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)																		
MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	1	
CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)																		
MALE	236	0	0	0	0	0	0	1	0	6	10	10	31	46	41	51	40	
FEMALE	220	0	0	0	0	0	0	0	0	1	5	22	13	51	44	36	48	
TOTALS	456	0	0	0	0	0	0	1	0	7	15	32	44	97	85	87	88	
PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)																		
MALE	19	0	0	0	0	0	0	0	0	0	0	1	0	1	2	5	10	
FEMALE	12	0	0	0	0	0	0	0	0	0	0	1	0	0	2	5	4	
TOTALS	31	0	0	0	0	0	0	0	0	0	0	2	0	1	4	10	14	
EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)																		
MALE	3	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	1	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	4	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	2	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
PLEURISY (511)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2
ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)																	
MALE	46	1	0	0	0	0	0	0	2	1	2	1	6	6	12	5	10
FEMALE	55	0	0	0	0	0	0	0	2	0	2	0	4	5	9	13	20
TOTALS	101	1	0	0	0	0	0	0	4	1	4	1	10	11	21	18	30
GASTRIC ULCER (531)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	0
FEMALE	4	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	3
TOTALS	8	0	0	0	0	0	0	0	0	0	1	1	0	1	0	2	3
DUODENAL ULCER (532)																	
MALE	4	0	0	0	0	0	1	0	0	0	0	1	0	1	1	0	0
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	2
TOTALS	9	0	0	0	0	0	1	0	0	0	0	1	0	3	2	0	2
PEPTIC ULCER, SITE UNSPECIFIED (533)																	
MALE	3	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1
FEMALE	8	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	3
TOTALS	11	0	0	0	0	0	0	0	0	1	0	2	1	1	1	1	4
GASTRITIS AND DUODENITIS (535)																	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
APPENDICITIS (540-543)																	
MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)																	
MALE	17	0	1	0	0	0	0	0	0	0	0	1	1	4	4	2	4
FEMALE	23	0	0	0	0	0	0	0	0	0	0	0	2	0	1	5	15
TOTALS	40	0	1	0	0	0	0	0	0	0	0	1	3	4	5	7	19
REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)																	
MALE	4	0	0	0	0	0	0	0	0	0	1	0	0	1	2	0	0
FEMALE	4	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0
TOTALS	8	0	0	0	0	0	0	0	0	0	1	1	1	2	2	1	0
ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)																	
MALE	13	0	1	0	0	0	0	0	0	0	1	2	1	1	0	2	5
FEMALE	37	0	0	0	0	0	0	0	0	0	1	1	3	2	4	7	19
TOTALS	50	0	1	0	0	0	0	0	0	0	2	3	4	3	4	9	24
DIVERTICULA OF INTESTINE (562)																	
MALE	8	0	0	0	0	0	0	0	0	1	0	1	0	1	0	2	3
FEMALE	26	0	0	0	0	0	0	0	0	0	0	2	0	3	2	7	12
TOTALS	34	0	0	0	0	0	0	0	0	1	0	3	0	4	2	9	15

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84	
(CONT.)																		
CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)																		
MALE	38	0	0	0	0	0	0	1	6	6	5	8	5	4	3	0	0	
FEMALE	22	0	0	0	0	0	0	0	2	4	0	4	5	2	4	1	0	
TOTALS	60	0	0	0	0	0	0	1	8	10	5	12	10	6	7	1	0	
CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	2	0	2	1	0	
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	2	0	2	2	0	
CIRRHOSIS OF LIVER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)																		
MALE	24	0	0	0	0	0	0	0	2	2	3	4	1	5	7	1	1	
FEMALE	20	0	0	0	0	0	0	0	2	2	0	1	4	4	5	0	2	
TOTALS	44	0	0	0	0	0	0	0	2	4	3	5	5	9	12	1	3	
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)																		
MALE	5	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	
FEMALE	8	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	4	
TOTALS	13	0	0	0	0	0	0	0	0	0	0	0	0	1	2	4	6	
ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)																		
MALE	69	0	1	0	0	1	0	1	2	5	2	4	6	6	11	10	20	
FEMALE	74	0	1	0	0	0	0	0	1	2	0	2	4	9	8	9	38	
TOTALS	143	0	2	0	0	1	0	1	3	7	2	6	10	15	19	19	58	
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, AND RENAL SCLEROSIS (582-583,587)																		
MALE	6	0	0	0	0	0	0	0	1	0	0	1	0	2	0	0	2	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	
TOTALS	11	0	0	0	0	0	0	0	1	0	0	1	0	2	1	1	5	
RENAL FAILURE (584-586,588-589)																		
MALE	52	0	0	0	0	0	0	0	0	1	1	1	2	5	7	19	16	
FEMALE	53	0	0	0	0	0	0	0	0	0	0	0	2	8	10	8	25	
TOTALS	105	0	0	0	0	0	0	0	0	1	1	1	4	13	17	27	41	
INFECTIONS OF KIDNEY (590)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	3	
URINARY CALCULUS (592,594)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	
ALL OTHER DISEASES OF URINARY SYSTEM (591,593,595-599)																		
MALE	30	0	0	0	0	0	0	0	0	1	4	2	0	2	3	2	16	
FEMALE	33	0	0	0	0	0	0	2	0	0	0	0	1	3	2	7	18	
TOTALS	63	0	0	0	0	0	0	2	0	1	4	2	1	5	5	9	34	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

PAGE282

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
HYPERPLASIA OF PROSTATE (600)																		
MALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4	
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4	
OTHER DISEASES OF FEMALE GENITAL ORGANS (614-629)																		
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (680-686)																		
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	
ALL OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE (690-709)																		
FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4	
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4	
RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES (714)																		
MALE	3	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	0	
FEMALE	13	0	0	0	0	0	0	0	0	1	0	0	0	3	5	2	2	
TOTALS	16	0	0	0	0	0	0	0	0	2	0	0	0	3	7	2	2	
OTHER ARTHROPATHIES AND RELATED DISORDERS (710-712,715-719)																		
MALE	4	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	1	
FEMALE	15	0	0	0	0	0	0	0	0	1	1	1	0	1	2	3	3	
TOTALS	19	0	0	0	0	0	0	0	1	2	2	1	1	2	2	3	4	
DORSOPATHIES (720-724)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
RHEUMATISM, EXCLUDING THE BACK (725-729)																		
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	
OSTEOPATHIES, CHONDROPATHIES AND ACQUIRED MUSCULOSKELETAL DEFORMITIES (730-739)																		
MALE	5	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	3	
FEMALE	11	0	0	0	0	0	0	0	0	0	0	1	1	0	0	2	7	
TOTALS	16	0	1	0	0	0	0	0	0	0	0	1	2	0	0	2	10	
ALL OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM (740,742)																		
MALE	2	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
FEMALE	11	7	0	2	0	0	0	1	0	0	0	0	0	0	1	0	0	
TOTALS	13	7	1	2	0	0	0	2	0	0	0	0	0	0	1	0	0	
CONGENITAL ANOMALIES OF HEART (745-746)																		
MALE	5	4	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
FEMALE	8	4	0	0	0	0	0	1	0	0	0	0	1	1	1	0	0	
TOTALS	13	8	0	0	0	0	0	1	1	0	0	0	1	1	1	0	0	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****																OVER 84
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84		
(CONT.)																		
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)																		
MALE	3	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
TOTALS	4	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)																		
MALE	12	5	0	2	0	0	1	0	1	0	0	1	2	0	0	0	0	0
FEMALE	11	7	0	0	0	0	0	1	0	2	0	0	0	0	0	1	0	0
TOTALS	23	12	0	2	0	0	1	1	1	2	0	1	2	0	0	1	0	0
INTRAUTERINE HYPDIXIA, BIRTH ASPHYXIA AND RESPIRATORY DISTRESS SYNDROME (768-769)																		
MALE	3	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	5	4	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)																		
MALE	17	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	15	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	32	32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)																		
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9
TOTALS	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
SYMPTOMS, SIGNS AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)																		
MALE	34	8	0	0	0	0	2	1	3	2	1	1	5	2	4	1	4	4
FEMALE	31	3	0	0	0	1	0	0	0	3	2	1	0	3	3	6	9	9
TOTALS	65	11	0	0	0	1	2	1	3	5	3	2	5	5	7	7	13	13
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)																		
MALE	32	0	1	1	0	5	5	6	7	2	0	0	2	1	0	2	0	0
FEMALE	25	0	0	1	1	2	1	5	3	2	4	2	0	0	2	1	1	1
TOTALS	57	0	1	2	1	7	6	11	10	4	4	2	2	1	2	3	1	1
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH PEDESTRIAN (E814)																		
MALE	10	0	0	0	1	1	0	0	2	0	0	0	1	0	2	1	2	2
FEMALE	6	0	1	0	0	1	0	2	0	1	0	0	1	0	0	0	0	0
TOTALS	16	0	1	0	1	2	0	2	2	1	0	0	2	0	2	1	2	2
MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)																		
MALE	17	0	0	0	0	2	3	4	1	3	2	0	0	1	0	1	0	0
FEMALE	10	0	0	1	3	1	0	1	0	3	0	1	0	0	0	0	0	0
TOTALS	27	0	0	1	3	3	3	5	1	6	2	1	0	1	0	1	0	0
MOTOR VEHICLE TRAFFIC ACCIDENTS NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)																		
MALE	40	0	0	1	0	13	6	11	4	1	1	1	0	0	0	1	1	1
FEMALE	19	0	0	0	0	5	2	4	2	4	0	0	0	0	2	0	0	0
TOTALS	59	0	0	1	0	18	8	15	6	5	1	1	0	0	2	1	1	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
MOTOR VEHICLE TRAFFIC ACCIDENTS OF UNSPECIFIED NATURE (E819)																	
MALE	5	0	0	0	0	1	1	0	0	1	0	0	0	0	1	1	0
FEMALE	3	0	0	0	0	0	0	1	0	1	0	1	0	0	0	0	0
TOTALS	8	0	0	0	0	1	1	1	0	2	0	1	0	0	1	1	0
MOTOR VEHICLE NONTRAFFIC ACCIDENTS (E820-E825)																	
MALE	10	0	1	0	1	3	0	1	1	1	1	0	0	0	0	1	0
TOTALS	10	0	1	0	1	3	0	1	1	1	1	0	0	0	0	1	0
OTHER ROAD VEHICLE ACCIDENTS (E826-E829)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
WATER TRANSPORT ACCIDENTS (E830-E838)																	
MALE	8	0	0	0	0	2	2	2	2	0	0	0	0	0	0	0	0
TOTALS	8	0	0	0	0	2	2	2	2	0	0	0	0	0	0	0	0
AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)																	
MALE	3	0	0	0	0	0	0	1	0	0	0	0	0	2	0	0	0
TOTALS	3	0	0	0	0	0	0	1	0	0	0	0	0	2	0	0	0
ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS (E850-E858)																	
MALE	12	0	0	0	0	0	0	5	3	1	0	0	0	0	2	1	0
FEMALE	6	0	0	0	0	0	0	1	0	0	2	1	0	0	0	1	1
TOTALS	18	0	0	0	0	0	0	6	3	1	2	1	0	0	2	2	1
ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)																	
MALE	2	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0
ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)																	
MALE	3	0	0	0	0	0	0	0	1	1	0	0	0	1	0	0	0
TOTALS	3	0	0	0	0	0	0	0	1	1	0	0	0	1	0	0	0
MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)																	
MALE	4	0	0	0	0	0	0	0	0	0	0	1	0	0	2	1	0
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2
TOTALS	7	0	0	0	0	0	0	0	0	0	0	1	1	0	2	1	2
FALL FROM ONE LEVEL TO ANOTHER (E880-E884)																	
MALE	11	0	0	0	0	0	1	1	1	1	0	2	0	2	1	2	0
FEMALE	7	0	0	0	0	0	0	0	0	0	1	0	0	1	2	1	2
TOTALS	18	0	0	0	0	0	1	1	1	1	1	2	0	3	3	3	2
FALL ON SAME LEVEL (E885-E886)																	
MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
FEMALE	3	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0
TOTALS	4	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	0
FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)																	
MALE	24	0	0	0	0	1	0	0	1	1	0	0	2	0	4	6	9
FEMALE	24	0	0	0	0	0	0	0	0	0	0	1	0	0	2	7	14
TOTALS	48	0	0	0	0	1	0	0	1	1	0	1	2	0	6	13	23

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)																	
MALE	14	0	4	0	0	0	1	1	0	1	0	2	2	0	1	1	1
FEMALE	8	0	1	0	0	0	2	0	1	1	0	2	0	0	0	1	0
TOTALS	22	0	5	0	0	0	3	1	1	2	0	4	2	0	1	2	1
ACCIDENTAL DROWNING AND SUBMERSION (E910)																	
MALE	13	0	0	0	0	2	5	3	1	1	0	0	0	1	0	0	0
TOTALS	13	0	0	0	0	2	5	3	1	1	0	0	0	1	0	0	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING SUFFOCATION (E911-E912)																	
MALE	6	0	0	0	0	0	0	0	1	1	0	0	0	1	2	0	1
FEMALE	13	0	0	0	0	0	0	1	0	0	0	0	0	1	2	4	5
TOTALS	19	0	0	0	0	0	0	1	1	1	0	0	0	2	4	4	6
ACCIDENT CAUSED BY HANDGUN (E922.0)																	
MALE	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0
ACCIDENT CAUSED BY EXPLOSIVE MATERIAL (E923)																	
MALE	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
ACCIDENT CAUSED BY ELECTRIC CURRENT (E925)																	
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
ALL OTHER ACCIDENTS (E900-E906,E908-E909,E913-E921,E927-E929)																	
MALE	20	1	1	0	0	0	0	2	2	3	0	3	1	4	1	1	1
FEMALE	10	2	1	0	0	0	0	1	0	0	2	1	0	0	0	1	2
TOTALS	30	3	2	0	0	0	0	3	2	3	2	4	1	4	1	2	3
SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)																	
MALE	9	0	0	0	0	0	1	1	5	1	0	0	1	0	0	0	0
FEMALE	10	0	0	0	0	0	3	1	2	1	0	1	1	1	0	0	0
TOTALS	19	0	0	0	0	0	4	2	7	2	0	1	2	1	0	0	0
SUICIDE BY GASES AND VAPORS (E951-E952)																	
MALE	11	0	0	0	0	1	1	2	4	2	0	0	1	0	0	0	0
FEMALE	4	0	0	0	0	1	0	0	0	1	2	0	0	0	0	0	0
TOTALS	15	0	0	0	0	2	1	2	4	3	2	0	1	0	0	0	0
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)																	
MALE	32	0	0	0	0	4	4	7	8	4	0	0	1	1	1	1	1
FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	33	0	0	0	0	4	5	7	8	4	0	0	1	1	1	1	1
SUICIDE BY HANDGUN (E955.0)																	
MALE	23	0	0	0	1	0	2	4	5	1	1	1	2	3	1	1	1
FEMALE	5	0	0	0	0	0	0	2	2	1	0	0	0	0	0	0	0
TOTALS	28	0	0	0	1	0	2	6	7	2	1	1	2	3	1	1	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** AGE AT DEATH(YRS.) *****															
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)																	
MALE	61	0	0	0	2	3	4	16	13	5	3	5	4	1	3	2	0
FEMALE	10	0	0	0	0	1	0	1	3	4	1	0	0	0	0	0	0
TOTALS	71	0	0	0	2	4	4	17	16	9	4	5	4	1	3	2	0
SUICIDE BY ALL OTHER MEANS (E954,E955.5-E959)																	
MALE	11	0	0	0	0	0	0	1	1	3	0	0	1	3	0	1	1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0
TOTALS	14	0	0	0	0	0	0	1	1	3	0	0	1	4	1	2	1
ASSAULT BY HANDGUN (E965.0)																	
MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)																	
MALE	6	0	0	0	0	1	1	1	1	2	0	0	0	0	0	0	0
FEMALE	2	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	8	0	0	0	1	1	1	2	1	2	0	0	0	0	0	0	0
ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
ASSAULT BY ALL OTHER MEANS (E960-E964,E965.5-E965.9,E967-E969)																	
MALE	4	2	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0
FEMALE	2	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	6	2	0	2	1	0	0	1	0	0	0	0	0	0	0	0	0
OTHER LEGAL INTERVENTION (E970-E977)																	
MALE	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
INJURY INFLICTED FROM POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS (E980.0-E980.5)																	
MALE	3	0	0	0	0	1	0	2	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
TOTALS	4	0	0	0	0	1	0	2	0	0	0	0	1	0	0	0	0
INJURY INFLICTED BY ALL OTHER MEANS (E981-E984,E985.5-E989)																	
MALE	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0
STATE																	
MALE	5,646	52	14	10	9	46	58	125	222	326	266	445	633	788	839	825	988
FEMALE	5,894	45	8	8	9	13	12	51	86	202	158	303	427	622	818	935	2,197
TOTALS	11,540	97	22	18	18	59	70	176	308	528	424	748	1,060	1,410	1,657	1,760	3,185
PERCENT DISTRIBUTION																	
MALE	100.00	0.92	0.25	0.18	0.16	0.81	1.03	2.21	3.93	5.77	4.71	7.88	11.21	13.96	14.86	14.61	17.50
FEMALE	100.00	0.76	0.14	0.14	0.15	0.22	0.20	0.87	1.46	3.43	2.68	5.14	7.24	10.55	13.88	15.86	37.28
TOTALS	100.00	0.84	0.19	0.16	0.16	0.51	0.61	1.53	2.67	4.58	3.67	6.48	9.19	12.22	14.36	15.25	27.60

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE D-4

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS
AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
SHIGELLOSIS & AMEBIASIS (004,006)	0	0	0.000
OTHER INTESTINAL INFECTIONS (007-009)	6	12	2.000
TUBERCULOSIS OF RESP. SYSTEM (010-012)	2	9	4.500
OTHER TUBERCULOSIS (013-018)	1	3	3.000
WHOOPING COUGH (033)	0	0	0.000
STREP., SCARLATINA & ERYSIPELAS (034-035)	1	2	2.000
MENINGOCOCCAL INFECTION (036)	0	0	0.000
SEPTICEMIA (038)	81	393	4.851
ACUTE POLIOMYELITIS (045)	0	0	0.000
MEASLES (055)	0	0	0.000
VIRAL HEPATITIS (070)	8	14	1.750
SYPHILIS (090-097)	0	3	0.000
ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL)	100	134	1.340
MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149)	44	56	1.272
MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159)	680	774	1.138
MAL. NEO. RESPIRATORY & THORACIC ORG. (160-165)	888	963	1.084
MAL. NEO. BREAST (174-175)	226	286	1.265
MAL. NEO. GENITAL ORGANS (179-187)	330	407	1.233
MAL. NEO. URINARY ORGANS (188-189)	154	198	1.285
MAL. NEO. ALL OTHER & UNSPEC. (170-173, 190-199)	405	604	1.491
LEUKEMIA (204-208)	101	128	1.267
OTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203)	168	194	1.154
BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239)	39	76	1.948
DIABETES MELLITUS (250)	280	991	3.539
NUTRITIONAL DEFICIENCIES (260-269)	35	237	6.771
ANEMIAS (280-285)	22	243	11.045
MENINGITIS (320-322)	2	9	4.500
RHEUM. FEVER & RHEUM. HEART DIS. (390-398)	28	53	1.892
HYPERTENSIVE HEART DISEASE (402)	80	151	1.887
HYPERTENSIVE HEART & RENAL DIS. (404)	13	27	2.076
ACUTE MYOCARDIAL INFARCTION (410)	1,054	1,229	1.166
OTHER ACUTE & SUBACUTE I.H.D. (411)	6	19	3.166
ANGINA PECTORIS (413)	13	81	6.230
ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414)	1,372	2,426	1.768
OTHER DISEASES OF ENDOCARDIUM (424)	98	213	2.173
ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429)	981	3,944	4.020
HYPERTENSION W/NO RENAL DISEASE (401, 403)	47	737	15.680
INTRACEREBRAL HEMORRHAGE (431-432)	79	115	1.455
CEREB. THROM. & UNSPEC. OCCLUSION (434.0, 434.9)	58	99	1.706

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

* SEE THE NOTES AT THE END OF THIS TABLE.

DEARAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-4

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS
AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
CEREBRAL EMBOLISM (434.1)	4	19	4.750
ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438)	601	1,185	1.971
ATHEROSCLEROSIS (440)	91	396	4.351
OTHER DIS. ARTERIES & CAPIL. (441-448)	176	343	1.948
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	3	12	4.000
PNEUMONIA (480-486)	353	980	2.776
INFLUENZA (487)	12	16	1.333
BRONCHITIS CHRONIC & UNSPEC. (490-491)	35	72	2.057
EMPHYSEMA (492)	87	187	2.149
ASTHMA (493)	22	66	3.000
OTHER CHRONIC OBSTR. PUL. DIS. (494-496)	461	1,196	2.594
ULCER OF STOMACH & DUODENUM (531-533)	28	77	2.750
APPENDICITIS (540-543)	1	2	2.000
HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560)	40	135	3.375
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	110	186	1.690
CHOLELITHIASIS & GALLBLAD. DIS. (574-575)	13	34	2.615
ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581)	0	6	0.000
CHRON. GLOMERUL. & RENAL SCLED. UNSPEC. (582-583, 587)	11	21	1.909
RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589)	105	638	6.076
INFECTIONS OF KIDNEY (590)	6	15	2.500
HYPERPLASIA OF PROSTATE ALL (600)	6	23	3.833
PREGNANCY WITH ABORTIVE OUTCOME (630-638)	0	0	0.000
OTHER COMPLICATIONS OF PREG. (640-676)	0	0	0.000
CONGENITAL ANOMALIES (740-759)	53	73	1.377
BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769)	5	14	2.800
OTHER COND. IN PERINATAL PERIOD (760-766, 770-779)	32	54	1.687
SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799)	75	1,959	26.120
ALL OTHER DISEASES (RESIDUAL)	1,225	3,808	3.108
MOTOR VEHICLE ACCIDENTS (E810-E825)	177	177	1.000
OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949)	201	542	2.696
SUICIDE (E950-E959)	180	181	1.005
HOMICIDE & LEGAL INTERVENTION (E960-E978)	19	19	1.000
ALL OTHER EXTERNAL CAUSES (E980-E999)	6	7	1.166
 TOTAL FOR ALL CAUSES	 11,540	 27,273	 2.363

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

* FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS. IN ADDITION CERTAIN CAUSES ARE NEVER CLASSIFIABLE AS UNDERLYING. MENTIONS OF THESE CAUSES ARE NOT INCLUDED IN THIS TABLE. MENTIONS OF CAUSES NOT CLASSIFIABLE AS UNDERLYING ARE AS FOLLOWS:

NATURE OF INJURY MENTIONS: 1167; SECONDARY NEOPLASM MENTIONS 465
SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

DEARAT

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-5

DEATHS - TOTAL AND PERCENT BY SITE OF DEATH
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY	TOTAL DEATHS	***** MAINE HOSPITAL	***** OUT OF STATE HOSPITAL	***** EN ROUTE TO HOSPITAL	***** PERCENT OF TOTAL DEATHS BY SITE OF DEATH SKILLED NURSING CARE	***** INTERMEDIATE CARE FACILITY	***** STATE PENAL INSTITUTIONS	***** OUT PATIENT FACILITY	***** AT HOME	***** OTHER PLACES
ANDROSCOGGIN	1,031	47.72	0.58	0.48	0.00	33.95	0.00	0.00	14.35	2.91
AROOSTOOK	771	49.68	1.04	1.17	0.00	23.61	0.00	0.00	21.79	2.72
CUMBERLAND	2,169	49.56	1.01	1.01	0.00	25.91	0.00	0.05	20.84	1.61
FRANKLIN	239	46.03	0.00	0.42	0.00	24.27	0.00	0.00	25.10	4.18
HANCOCK	551	46.64	0.73	0.73	0.00	25.77	0.00	0.18	23.41	2.54
KENNEBEC	1,089	42.42	1.38	1.10	0.09	29.29	0.00	0.00	23.32	2.39
KNOX	412	41.50	0.24	2.43	0.00	27.67	0.00	0.00	24.51	3.64
LINCOLN	347	39.77	1.44	0.86	0.00	25.65	0.00	0.00	27.38	4.90
OXFORD	537	50.09	2.05	1.49	0.00	24.58	0.00	0.00	19.37	2.42
PENOBSCOT	1,298	51.16	0.77	1.16	0.00	22.19	0.00	0.08	21.96	2.70
PISCATAQUIS	203	50.25	0.99	1.48	0.00	17.73	0.00	0.00	26.11	3.45
SAGadahoc	289	52.25	1.04	0.35	0.00	20.76	0.00	0.00	23.88	1.73
SOMERSET	483	51.97	0.00	1.24	0.00	23.81	0.00	0.00	20.29	2.69
WALDO	309	59.87	1.29	0.32	0.00	16.83	0.00	0.00	18.45	3.24
WASHINGTON	394	54.82	1.27	0.00	0.00	20.56	0.00	0.25	19.54	3.55
YORK	1,418	48.94	6.56	0.85	0.00	20.38	0.00	0.07	21.30	1.90
STATE TOTALS	11,540	48.70	1.64	0.97	0.01	24.86	0.00	0.04	21.25	2.53

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DPLARES

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-6

DEATHS IN HOSPITALS - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN HOSPITALS	***** PERCENT OF TOTAL DEATHS OCCURRING IN HOSPITALS *****								
		CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION (410)	CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS * MOTOR VEHICLE (E810- E825)	OTHER (E800- E807)
ANDROSCOGGIN	503	5.77	7.16	11.13	12.13	0.99	0.20	1.79	1.99	0.40
AROOSTOOK	400	5.75	8.25	11.75	12.75	0.00	0.75	1.50	0.50	3.00
CUMBERLAND	1,119	5.36	8.13	10.19	10.72	1.16	0.89	2.41	1.61	1.43
FRANKLIN	111	5.41	7.21	6.31	8.11	3.60	0.90	5.41	1.80	1.80
HANCOCK	266	9.77	7.89	12.41	5.64	0.38	0.75	1.50	1.88	1.50
KENNEBEC	489	4.70	9.00	12.27	12.47	2.04	0.82	2.25	1.64	2.45
KNOX	182	5.49	9.34	12.09	11.54	1.65	0.00	4.40	4.40	2.20
LINCOLN	146	4.11	4.79	13.70	9.59	1.37	0.68	6.16	1.37	2.74
OXFORD	288	4.86	7.64	12.50	12.50	2.43	0.00	1.74	0.35	1.04
PENOBSCOT	690	5.80	9.13	13.62	9.57	1.74	0.29	2.32	0.72	2.32
PISCATAQUIS	107	2.80	8.41	10.28	9.35	0.00	0.00	1.87	0.93	2.80
SAGadahoc	156	6.41	6.41	10.26	10.90	1.28	0.00	3.21	1.92	0.00
SOMERSET	257	4.67	7.39	11.67	12.45	1.17	0.78	5.06	0.39	1.17
WALDO	190	2.11	14.21	7.89	5.79	3.16	0.00	5.26	2.11	1.58
WASHINGTON	222	4.50	7.66	11.26	9.01	0.90	0.90	3.60	2.25	1.80
YORK	799	6.38	8.39	11.64	13.02	0.63	0.38	2.75	1.25	1.75
STATE TOTALS	5,925	5.52	8.29	11.46	10.94	1.27	0.52	2.72	1.43	1.72

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

DCAUHOS

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-7

DEATHS IN INTERMEDIATE CARE FACILITIES - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY	TOTAL DEATHS IN ICF	***** CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	***** PERCENT OF CANCER OF RESPIRATORY SYSTEM (160-165)	TOTAL DEATHS ACUTE MYOCARDIAL INFARCTION (410)	OCcurring IN INTERMEDIATE CARE FACILITIES CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	***** * ACCIDENTS * MOTOR VEHICLE (E810- E825)	***** OTHER (E800- E807)
ANDROSCOGGIN	349	5.16	3.72	3.72	14.04	0.00	1.72	5.16	0.00	0.57
AROOSTOOK	181	3.31	3.87	3.87	23.20	0.00	0.55	4.42	0.00	1.10
CUMBERLAND	561	3.57	3.39	3.74	15.51	0.00	1.07	5.35	0.00	0.89
FRANKLIN	58	1.72	5.17	10.34	22.41	0.00	1.72	6.90	0.00	0.00
HANCOCK	140	1.43	3.57	4.29	9.29	0.00	1.43	10.71	0.00	0.00
KENNEBEC	319	2.19	5.33	5.64	15.36	0.00	1.57	6.27	0.00	0.63
KNOX	114	2.63	5.26	4.39	13.16	0.00	0.00	2.63	0.00	0.88
LINCOLN	88	1.14	3.41	1.14	14.77	0.00	0.00	5.68	0.00	0.00
OXFORD	132	4.55	4.55	7.58	19.70	0.00	0.00	5.30	0.00	1.52
PENOBSCOT	287	3.83	1.39	3.48	9.76	0.00	0.00	6.97	0.00	0.70
PISCATAQUIS	36	0.00	0.00	2.78	2.78	0.00	2.78	8.33	0.00	5.56
SAGadahoc	59	6.78	3.39	1.69	10.17	0.00	1.69	10.17	0.00	1.69
SOMERSET	114	6.14	5.26	4.39	14.91	0.00	0.00	3.51	0.00	0.00
WALDO	52	3.85	5.77	1.92	9.62	1.92	0.00	5.77	0.00	1.92
WASHINGTON	81	1.23	9.88	7.41	8.64	0.00	0.00	11.11	0.00	2.47
YORK	288	2.43	3.13	10.07	18.06	0.35	0.00	4.17	0.00	0.35
STATE TOTALS	2,859	3.36	3.88	4.90	14.80	0.07	0.80	5.84	0.00	0.80

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

DCAUICF

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-8

DEATHS AT HOME - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1993 (RESIDENT DATA)

COUNTY	TOTAL DEATHS AT HOME	***** CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	***** CANCER OF RESPIRATORY SYSTEM (160-165)	PERCENT OF ACUTE MYOCARDIAL INFARCTION (410)	TOTAL DEATHS OCCURRING AT HOME CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE (431-432)	CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA (480-486)	* ACCIDENTS * MOTOR VEHICLE (E810- E825)	OTHER (E800- E807)
ANDROSCOGGIN	149	11.41	9.40	5.37	16.78	0.00	0.00	0.67	0.00	2.01
AROSTOOK	168	11.31	7.74	9.52	10.12	0.60	0.60	1.79	0.60	3.57
CUMBERLAND	452	11.95	12.83	5.75	13.27	0.00	0.44	0.66	0.22	1.55
FRANKLIN	59	10.17	13.56	15.25	5.08	0.00	0.00	0.00	0.00	1.69
HANCOCK	130	8.46	5.38	12.31	16.15	0.00	0.00	1.54	0.00	3.08
KENNEBEC	253	6.32	13.44	6.32	13.44	0.00	0.40	0.79	0.00	1.19
KNOX	101	7.92	8.91	8.91	17.82	0.00	0.00	0.00	0.00	0.99
LINCOLN	95	9.47	11.58	8.42	8.42	0.00	0.00	2.11	0.00	1.05
OXFORD	104	11.54	7.69	13.46	10.58	0.00	0.00	0.00	0.00	0.96
PENOBSCOT	282	10.28	10.64	8.51	10.64	0.00	0.00	1.42	0.00	2.13
PISCATAQUIS	53	9.43	9.43	11.32	9.43	0.00	0.00	0.00	0.00	1.89
SAGadahoc	69	15.94	10.14	10.14	10.14	0.00	0.00	0.00	0.00	0.00
SOMERSET	98	8.16	14.29	10.20	10.20	1.02	0.00	0.00	0.00	0.00
WALDO	57	10.53	7.02	5.26	24.56	0.00	0.00	3.51	0.00	1.75
WASHINGTON	76	5.26	7.89	22.37	13.16	0.00	0.00	1.32	0.00	0.00
YORK	303	11.55	15.18	8.58	9.24	0.00	0.00	0.66	0.00	1.65
STATE TOTALS	2,449	10.21	11.19	8.78	12.29	0.08	0.16	0.90	0.08	1.63

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

DCAUHM

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-9

DEATHS BY SEX, AGE, AND OCCUPATION
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

SEX AND AGE	TOTAL DEATHS	***** OCCUPATION *****									
		MANAGE- RIAL, PROFES- SIONAL	TECHNICAL, SALES, ADMINIS- TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC- TION, REPAIR, CRAFT	OPER- ATORS, FABRI- CATORS, LABORERS	TRANSPOR- TATION	HOME- MAKER	STUDENT	OTHER AND NOT REPORTED
MALE											
LESS THAN 15	85	0	0	0	0	0	0	0	1	16	68
15-19	46	0	1	6	1	3	3	0	0	29	3
20-24	58	1	8	9	5	7	5	1	0	14	8
25-29	55	7	10	2	6	9	9	0	1	4	7
30-34	70	10	11	5	5	17	12	4	0	0	6
35-39	106	12	17	6	7	22	19	12	0	0	11
40-44	116	29	9	16	7	21	15	2	1	1	15
45-49	142	27	19	16	8	34	24	8	0	1	5
50-54	184	33	33	13	16	33	29	19	0	0	8
55-59	266	38	37	14	27	68	39	21	1	0	21
60-64	445	69	66	46	34	94	73	36	0	0	27
65-69	633	122	94	45	40	151	108	38	0	0	35
70-74	788	139	125	54	70	202	119	42	0	0	37
75-79	839	162	133	57	78	214	130	41	0	0	24
80-84	825	144	123	53	95	216	136	32	0	0	26
85-89	585	136	90	27	66	141	85	24	4	0	12
90-94	287	67	42	19	44	53	50	7	1	0	4
GREATER THAN 94	116	29	22	4	18	22	11	6	3	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,646	1,025	840	392	527	1,307	867	293	12	65	318
PERCENT DISTRIBUTION	100.00	18.15	14.88	6.94	9.33	23.15	15.36	5.19	0.21	1.15	5.63

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DEASAO

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-9

DEATHS BY SEX, AGE, AND OCCUPATION
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

SEX AND AGE	TOTAL DEATHS	***** MANAGE- RIAL, PROFES- SIONAL	***** TECHNICAL, SALES, ADMINIS- TRATIVE	***** SERVICE INDUSTRY	***** FARMING, FORESTRY, FISHING	***** PRECISION PRODUC- TION, REPAIR, CRAFT	***** OPER- ATORS, FABRI- CATORS, LABORERS	***** TRANSPOR- TATION	***** HOME- MAKER	***** STUDENT	***** OTHER AND NOT REPORTED
FEMALE											
LESS THAN 15	70	0	0	0	0	0	0	0	1	16	53
15-19	13	0	0	1	0	0	0	0	0	11	1
20-24	12	0	3	3	0	0	1	0	2	2	1
25-29	19	3	3	4	0	1	0	0	7	1	0
30-34	32	6	11	3	0	0	4	0	7	1	0
35-39	37	5	9	8	0	0	3	0	9	0	3
40-44	49	13	11	9	0	3	2	1	10	0	0
45-49	88	16	21	14	1	3	9	0	22	1	1
50-54	114	19	26	20	1	3	13	0	29	0	3
55-59	158	26	26	22	2	5	20	2	51	0	4
60-64	303	42	50	43	2	14	42	1	106	0	3
65-69	427	41	85	45	1	13	64	1	169	0	8
70-74	622	83	128	70	3	22	85	2	219	0	10
75-79	818	109	162	90	3	22	128	3	296	0	5
80-84	935	162	160	102	4	19	130	2	341	2	13
85-89	1,028	180	177	92	2	12	139	2	416	0	8
90-94	736	120	123	54	1	20	79	1	333	0	5
GREATER THAN 94	433	79	48	39	2	8	35	0	219	0	3
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,894	904	1,043	619	22	145	754	15	2,237	34	121
PERCENT DISTRIBUTION	100.00	15.34	17.70	10.50	0.37	2.46	12.79	0.25	37.95	0.58	2.05

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DEASAO

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-9

DEATHS BY SEX, AGE, AND OCCUPATION
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

SEX AND AGE	TOTAL DEATHS	***** MANAGE- RIAL, PROFES- SIONAL	***** TECHNICAL, SALES, ADMINIS- TRATIVE	***** SERVICE INDUSTRY	***** FARMING, FORESTRY, FISHING	***** PRECISION PRODUC- TION, REPAIR, CRAFT	***** OPER- ATORS, FABRI- CATORS, LABORERS	***** TRANSPOR- TATION	***** HOME- MAKER	***** STUDENT	***** OTHER AND NOT REPORTED
BOTH SEXES											
LESS THAN 15	155	0	0	0	0	0	0	0	2	32	121
15-19	59	0	1	7	1	3	3	0	0	40	4
20-24	70	1	11	12	5	7	6	1	2	16	9
25-29	74	10	13	6	6	10	9	0	8	5	7
30-34	102	16	22	8	5	17	16	4	7	1	6
35-39	143	17	26	14	7	22	22	12	9	0	14
40-44	165	42	20	25	7	24	17	3	11	1	15
45-49	230	43	40	30	9	37	33	8	22	2	6
50-54	298	52	59	33	17	36	42	19	29	0	11
55-59	424	64	63	36	29	73	59	23	52	0	25
60-64	748	111	116	89	36	108	115	37	106	0	30
65-69	1,060	163	179	90	41	164	172	39	169	0	43
70-74	1,410	222	253	124	73	224	204	44	219	0	47
75-79	1,657	271	295	147	81	236	258	44	296	0	29
80-84	1,760	306	283	155	99	235	266	34	341	2	39
85-89	1,613	316	267	119	68	153	224	26	420	0	20
90-94	1,023	187	165	73	45	73	129	8	334	0	9
GREATER THAN 94	549	108	70	43	20	30	46	6	222	0	4
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	11,540	1,929	1,883	1,011	549	1,452	1,621	308	2,249	99	439
PERCENT DISTRIBUTION	100.00	16.72	16.32	8.76	4.76	12.58	14.05	2.67	19.49	0.86	3.80

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DEASAO

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-10 ACQUIRED IMMUNE DEFICIENCY SYNDROME RELATED DEATHS BY STATUS OF MENTION
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

SEX AND AGE	TOTAL MENTIONS (042.0-044.9,795.8)	TOTAL AIDS MENTIONS (042.0-044.9)	UNDERLYING AIDS MENTIONS (042.0-044.9)	NON-UNDERLYING AIDS MENTIONS (042.0-044.9)	SERO-POSITIVE MENTIONS (795.8)
MALE					
LESS THAN 20	0	0	0	0	0
20-24	1	1	1	0	0
25-34	23	23	22	1	0
35-44	34	33	31	2	1
45-54	9	9	9	0	0
55-64	3	3	3	0	0
GREATER THAN 64	2	2	2	0	0
UNKNOWN	0	0	0	0	0
STATE TOTALS	72	71	68	3	1
FEMALE					
LESS THAN 20	0	0	0	0	0
20-24	0	0	0	0	0
25-34	3	3	3	0	0
35-44	1	1	1	0	0
45-54	1	1	1	0	0
55-64	0	0	0	0	0
GREATER THAN 64	0	0	0	0	0
UNKNOWN	0	0	0	0	0
STATE TOTALS	5	5	5	0	0
BOTH SEXES					
LESS THAN 20	0	0	0	0	0
20-24	1	1	1	0	0
25-34	26	26	25	1	0
35-44	35	34	32	2	1
45-54	10	10	10	0	0
55-64	3	3	3	0	0
GREATER THAN 64	2	2	2	0	0
UNKNOWN	0	0	0	0	0
STATE TOTALS	77	76	73	3	1

AIDS

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-11

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

UNDERLYING CAUSE ICD-9 CODE	TOTAL DEATHS	***** O38 *****				***** NON UNDERLYING CAUSES *****				***** 280-285 *****			
		O38		OTH INFECTIOUS DIS		250		260-269		280-285			
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
O38	81	0	0.0	0	0.0	8	9.9	1	1.2	0	0.0		
OTH INFECTIOUS DIS	100	2	2.0	0	0.0	5	5.0	1	1.0	4	4.0		
250	280	18	6.4	1	0.4	0	0.0	4	1.4	6	2.1		
260-269	35	2	5.7	0	0.0	2	5.7	0	0.0	0	0.0		
280-285	22	2	9.1	0	0.0	1	4.5	0	0.0	0	0.0		
390-398	28	1	3.6	0	0.0	1	3.6	0	0.0	3	10.7		
402	80	2	2.5	0	0.0	12	15.0	1	1.3	2	2.5		
411	6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
413	13	0	0.0	0	0.0	3	23.1	0	0.0	0	0.0		
424	98	2	2.0	0	0.0	6	6.1	1	1.0	4	4.1		
415-423, 425-429	981	12	1.2	4	0.4	66	6.7	10	1.0	19	1.9		
401, 403	47	0	0.0	0	0.0	3	6.4	3	6.4	4	8.5		
440	91	0	0.0	0	0.0	4	4.4	1	1.1	5	5.5		
480-486	353	16	4.5	2	0.6	16	4.5	4	1.1	7	2.0		
490-491	35	0	0.0	0	0.0	2	5.7	0	0.0	1	2.9		
492	87	1	1.1	0	0.0	6	6.9	1	1.1	1	1.1		
493	22	0	0.0	1	4.5	1	4.5	0	0.0	1	4.5		
494-496	460	6	1.3	0	0.0	22	4.8	5	1.1	4	0.9		
531-533	28	6	21.4	0	0.0	1	3.6	2	7.1	1	3.6		
550-553, 560	247	17	6.9	2	0.8	13	5.3	7	2.8	0	0.0		
574-575	13	8	61.5	1	7.7	0	0.0	0	0.0	0	0.0		
584-586, 588-589	105	4	3.8	0	0.0	5	4.8	2	1.9	4	3.8		
780-799	75	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
E800-E807, E826-E949	201	4	2.0	0	0.0	11	5.5	5	2.5	3	1.5		
RESIDUAL	8,052	209	2.6	23	0.3	523	6.5	154	1.9	152	1.9		
STATE TOTALS	11,540	312	2.7	34	0.3	711	6.2	202	1.8	221	1.9		

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMIA (O38), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.
SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

TABLE D-11

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

UNDERLYING CAUSE ICD-9 CODE	***** 390-398 *****		***** 402 *****		***** 411 *****		***** 413 *****		***** 424 *****	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	0	0.0	0	0.0	0	0.0	0	0.0	1	1.2
0TH INFECTIOUS DIS	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
250	0	0.0	3	1.1	0	0.0	2	0.7	3	1.1
260-269	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
280-285	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
390-398	0	0.0	1	3.6	0	0.0	1	3.6	0	0.0
402	0	0.0	0	0.0	0	0.0	0	0.0	2	2.5
411	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
413	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
424	0	0.0	1	1.0	0	0.0	3	3.1	0	0.0
415-423, 425-429	2	0.2	2	0.2	0	0.0	0	0.0	15	1.5
401, 403	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
440	1	1.1	0	0.0	0	0.0	0	0.0	4	4.4
480-486	0	0.0	1	0.3	0	0.0	4	1.1	4	1.1
490-491	0	0.0	1	2.9	0	0.0	0	0.0	0	0.0
492	0	0.0	0	0.0	0	0.0	1	1.1	0	0.0
493	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
494-496	1	0.2	2	0.4	0	0.0	7	1.5	3	0.7
531-533	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
550-553, 560	2	0.8	0	0.0	0	0.0	2	0.8	0	0.0
574-575	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
584-586, 588-589	1	1.0	0	0.0	0	0.0	0	0.0	1	1.0
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807, E826-E949	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5
RESIDUAL	18	0.2	61	0.8	13	0.2	48	0.6	81	1.0
STATE TOTALS	25	0.2	72	0.6	13	0.1	68	0.6	115	1.0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMIA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.
SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

TABLE D-11

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

UNDERLYING CAUSE ICD-9 CODE	***** 415-423, 425-429 *****		***** 401, 403 *****		***** NON UNDERLYING CAUSES 440 *****		***** 480-486 *****		***** 490-491 *****	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	23	28.4	4	4.9	1	1.2	6	7.4	0	0.0
OTH INFECTIOUS DIS	12	12.0	4	4.0	1	1.0	5	5.0	1	1.0
250	125	44.6	51	18.2	23	8.2	19	6.8	1	0.4
260-269	9	25.7	3	8.6	1	2.9	2	5.7	0	0.0
280-285	4	18.2	0	0.0	0	0.0	3	13.6	0	0.0
390-398	20	71.4	0	0.0	0	0.0	0	0.0	0	0.0
402	38	47.5	1	1.3	2	2.5	5	6.3	0	0.0
411	3	50.0	2	33.3	0	0.0	0	0.0	0	0.0
413	13	100.0	3	23.1	1	7.7	2	15.4	0	0.0
424	77	78.6	6	6.1	1	1.0	4	4.1	0	0.0
415-423, 425-429	0	0.0	40	4.1	2	0.2	39	4.0	2	0.2
401, 403	12	25.5	0	0.0	8	17.0	1	2.1	0	0.0
440	50	54.9	0	0.0	0	0.0	6	6.6	0	0.0
480-486	87	24.6	13	3.7	4	1.1	0	0.0	0	0.0
490-491	9	25.7	1	2.9	0	0.0	0	0.0	0	0.0
492	28	32.2	4	4.6	1	1.1	17	19.5	0	0.0
493	7	31.8	0	0.0	0	0.0	0	0.0	1	4.5
494-496	145	31.5	14	3.0	7	1.5	101	22.0	0	0.0
531-533	12	42.9	2	7.1	1	3.6	1	3.6	0	0.0
550-553, 560	57	23.1	7	2.8	1	0.4	8	3.2	1	0.4
574-575	3	23.1	0	0.0	1	7.7	1	7.7	0	0.0
584-586, 588-589	44	41.9	0	0.0	2	1.9	5	4.8	0	0.0
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807, E826-E949	35	17.4	10	5.0	0	0.0	3	1.5	0	0.0
RESIDUAL	2,150	26.7	525	6.5	248	3.1	399	5.0	31	0.4
STATE TOTALS	2,963	25.7	690	6.0	305	2.6	627	5.4	37	0.3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMIA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.
SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

TABLE D-11

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

UNDERLYING CAUSE ICD-9 CODE	***** NON UNDERLYING CAUSES *****				*****				*****	
	492 NUMBER	PERCENT	493 NUMBER	PERCENT	494-496 NUMBER	PERCENT	531-533 NUMBER	PERCENT	550-553,560 NUMBER	PERCENT
038	1	1.2	0	0.0	2	2.5	1	1.2	13	16.0
OTH INFECTIOUS DIS	0	0.0	0	0.0	2	2.0	1	1.0	16	16.0
250	2	0.7	1	0.4	15	5.4	1	0.4	51	18.2
260-269	0	0.0	0	0.0	2	5.7	0	0.0	8	22.9
280-285	1	4.5	0	0.0	0	0.0	0	0.0	6	27.3
390-398	0	0.0	0	0.0	3	10.7	1	3.6	3	10.7
402	0	0.0	2	2.5	4	5.0	0	0.0	13	16.3
411	0	0.0	0	0.0	1	16.7	0	0.0	1	16.7
413	1	7.7	0	0.0	0	0.0	0	0.0	3	23.1
424	2	2.0	0	0.0	2	2.0	0	0.0	15	15.3
415-423,425-429	6	0.6	6	0.6	77	7.8	3	0.3	170	17.3
401,403	0	0.0	0	0.0	4	8.5	0	0.0	5	10.6
440	0	0.0	0	0.0	9	9.9	1	1.1	17	18.7
480-486	2	0.6	1	0.3	20	5.7	3	0.8	353	100.0
490-491	0	0.0	1	2.9	0	0.0	1	2.9	35	100.0
492	0	0.0	0	0.0	0	0.0	0	0.0	87	100.0
493	0	0.0	0	0.0	0	0.0	0	0.0	22	100.0
494-496	1	0.2	0	0.0	0	0.0	1	0.2	460	100.0
531-533	0	0.0	1	3.6	2	7.1	0	0.0	28	100.0
550-553,560	3	1.2	1	0.4	20	8.1	1	0.4	0	0.0
574-575	0	0.0	0	0.0	2	15.4	1	7.7	4	30.8
584-586,588-589	0	0.0	0	0.0	5	4.8	0	0.0	17	16.2
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807,E826-E949	0	0.0	1	0.5	6	3.0	1	0.5	16	8.0
RESIDUAL	81	1.0	31	0.4	560	7.0	33	0.4	1,490	18.5
STATE TOTALS	100	0.9	45	0.4	736	6.4	49	0.4	2,833	24.5

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMIA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.
SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-11

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1993 (RESIDENT DATA)

UNDERLYING CAUSE ICD-9 CODE	***** 574-575 *****		***** 584-586, 588-589 *****		***** NON UNDERLYING CAUSES *****		***** E800-E807, E826-E949 *****		***** RESIDUAL *****	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	0	0.0	12	14.8	20	24.7	2	2.5	0	0.0
OTH INFECTIOUS DIS	2	2.0	1	1.0	22	22.0	2	2.0	0	0.0
250	0	0.0	55	19.6	25	8.9	4	1.4	14	5.0
260-269	1	2.9	3	8.6	12	34.3	3	8.6	1	2.9
280-285	0	0.0	3	13.6	6	27.3	0	0.0	2	9.1
390-398	1	3.6	2	7.1	2	7.1	3	10.7	3	10.7
402	0	0.0	1	1.3	7	8.8	1	1.3	17	21.3
411	0	0.0	0	0.0	0	0.0	0	0.0	1	16.7
413	0	0.0	0	0.0	3	23.1	0	0.0	5	38.5
424	2	2.0	13	13.3	10	10.2	10	10.2	24	24.5
415-423, 425-429	0	0.0	68	6.9	137	14.0	23	2.3	178	18.1
401, 403	0	0.0	0	0.0	8	17.0	1	2.1	11	23.4
440	0	0.0	9	9.9	28	30.8	4	4.4	41	45.1
480-486	2	0.6	23	6.5	78	22.1	3	0.8	150	42.5
490-491	0	0.0	1	2.9	24	68.6	0	0.0	11	31.4
492	0	0.0	3	3.4	44	50.6	4	4.6	27	31.0
493	0	0.0	0	0.0	9	40.9	0	0.0	4	18.2
494-496	1	0.2	10	2.2	200	43.5	10	2.2	170	37.0
531-533	0	0.0	2	7.1	5	17.9	2	7.1	8	28.6
550-553, 560	1	0.4	9	3.6	99	40.1	30	12.1	70	28.3
574-575	0	0.0	1	7.7	2	15.4	1	7.7	1	7.7
584-586, 588-589	0	0.0	0	0.0	16	15.2	5	4.8	41	39.0
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807, E826-E949	0	0.0	7	3.5	30	14.9	0	0.0	59	29.4
RESIDUAL	11	0.1	310	3.8	1,097	13.6	477	5.9	0	0.0
STATE TOTALS	21	0.2	533	4.6	1,884	16.3	585	5.1	838	7.3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMIA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.
SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

INDUCED ABORTIONS

TABLE A-2

INDUCED ABORTIONS BY GESTATION AND TYPE OF ABORTION PROCEDURE
MAINE STATE TOTALS, 1993 (OCCURRENCE DATA)

TERMINATION PROCEDURE	TOTAL	PERCENT DISTRIBUTION	***** LESS THAN 9 *****	9	10	11	12	13	WEEKS OF GESTATION	14	15	16	17	18	19	GREATER THAN 19	UNK
PRIMARY PROCEDURE THAT TERMINATED PREGNANCY																	
SUCTION CURETTAGE	3,203	97.03	1,546	536	497	322	167	89	5	2	1	2	0	3	0		33
SHARP CURETTAGE	2	0.06	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0
DILATION AND EVACUATION	41	1.24	9	3	3	1	0	0	1	2	2	3	4	4	8		1
SALINE INSTILLATION	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROSTAGLANDIN INSTILLATION	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HYSTEROTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	21	0.64	6	4	0	2	0	0	0	3	1	0	1	1	0		3
UNKNOWN	34	1.03	19	5	2	6	1	0	0	0	0	0	0	1	0		0
STATE TOTALS	3,301		1,580	548	503	331	168	89	6	7	5	5	5	9	8		37
PERCENT DISTRIBUTION		100.00	47.86	16.60	15.24	10.03	5.09	2.70	0.18	0.21	0.15	0.15	0.15	0.27	0.24		1.12
ADDITIONAL PROCEDURES USED																	
SUCTION CURETTAGE	3	0.17	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0
SHARP CURETTAGE	1,744	98.98	880	269	270	177	72	63	5	1	0	0	0	2	0		5
DILATION AND EVACUATION	14	0.79	8	2	2	0	0	0	0	1	1	0	0	0	0	0	0
SALINE INSTILLATION	1	0.06	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
PROSTAGLANDIN INSTILLATION	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HYSTEROTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HYSTERECTOMY	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	1,762		889	271	273	179	72	63	5	2	1	0	0	2	0		5
PERCENT DISTRIBUTION		100.00	50.45	15.38	15.49	10.16	4.09	3.58	0.28	0.11	0.06	0.00	0.00	0.11	0.00		0.28

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

AWKTRMO

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-3

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE
MAINE STATE TOTALS, 1993 (RESIDENT DATA)*

AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	***** WEEKS OF GESTATION *****													GREATER THAN 19	UNKNOWN
			LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19			
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10-14	23	0.74	6	4	2	6	0	2	0	0	1	0	0	0	1	1	
15	50	1.62	16	10	10	5	7	2	0	0	0	0	0	0	0	0	
16	67	2.16	28	9	14	9	3	2	0	0	0	0	0	0	0	2	
17	137	4.43	54	27	28	15	6	6	0	0	0	0	0	0	0	1	
18	173	5.59	72	25	31	24	11	8	0	0	0	1	0	0	0	1	
19	203	6.56	75	44	37	22	15	5	0	0	0	0	0	0	0	5	
20-24	1,034	33.41	483	172	155	114	57	28	2	2	1	1	2	3	0	14	
25-29	622	20.10	314	91	93	49	35	15	3	0	1	1	3	4	5	8	
30-34	438	14.15	229	76	62	46	11	7	0	3	0	1	0	0	1	2	
35-39	240	7.75	151	36	31	8	5	3	0	1	2	1	0	0	1	1	
40-44	73	2.36	46	11	10	4	1	1	0	0	0	0	0	0	0	0	
GREATER THAN 44	1	0.03	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
UNKNOWN	34	1.10	20	5	5	2	1	1	0	0	0	0	0	0	0	0	
STATE TOTALS	3,095		1,494	510	478	304	153	80	5	6	5	5	5	7	8	35	
PERCENT DISTRIBUTION		100.00	48.27	16.48	15.44	9.82	4.94	2.58	0.16	0.19	0.16	0.16	0.16	0.23	0.26	1.13	
RACE OF PATIENT																	
WHITE	2,918	94.28	1,407	486	446	290	143	72	5	6	5	5	5	6	8	34	
BLACK	36	1.16	20	7	3	2	2	2	0	0	0	0	0	0	0	0	
AMERICAN INDIAN	24	0.78	10	1	5	1	4	2	0	0	0	0	0	1	0	0	
OTHER	117	3.78	57	16	24	11	4	4	0	0	0	0	0	0	0	1	
STATE TOTALS	3,095		1,494	510	478	304	153	80	5	6	5	5	5	7	8	35	
PERCENT DISTRIBUTION		100.00	48.27	16.48	15.44	9.82	4.94	2.58	0.16	0.19	0.16	0.16	0.16	0.23	0.26	1.13	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON O RECORDS WERE BLANK.

ARACAGER

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-4

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE
MAINE STATE TOTALS, 1993 (OCCURRENCE DATA)

AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	***** WEEKS OF GESTATION *****													GREATER THAN 19	UNKNOWN
			LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19			
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10-14	23	0.70	6	4	2	6	0	2	0	0	1	0	0	0	1	1	
15	54	1.64	17	11	11	5	7	3	0	0	0	0	0	0	0	0	
16	76	2.30	30	12	15	9	5	3	0	0	0	0	0	0	0	2	
17	143	4.33	54	28	29	18	6	6	1	0	0	0	0	0	0	1	
18	180	5.45	73	27	32	25	11	10	0	0	0	1	0	0	0	1	
19	216	6.54	78	45	39	25	17	6	0	0	0	0	0	0	0	6	
20-24	1,109	33.60	518	189	162	123	62	29	2	2	1	1	2	3	0	15	
25-29	665	20.15	335	96	100	55	37	17	3	0	1	1	3	4	5	8	
30-34	469	14.21	244	81	65	49	14	8	0	3	0	1	0	1	1	2	
35-39	251	7.60	156	38	32	10	6	3	0	1	2	1	0	0	1	1	
40-44	75	2.27	46	11	10	4	1	1	0	1	0	0	0	1	0	0	
GREATER THAN 44	1	0.03	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
UNKNOWN	39	1.18	23	6	6	2	1	1	0	0	0	0	0	0	0	0	
STATE TOTALS	3,301		1,580	548	503	331	168	89	6	7	5	5	5	9	8	37	
PERCENT DISTRIBUTION		100.00	47.86	16.60	15.24	10.03	5.09	2.70	0.18	0.21	0.15	0.15	0.15	0.27	0.24	1.12	

RACE OF PATIENT

WHITE	3,115	94.37	1,490	522	469	316	157	81	6	7	5	5	5	8	8	36
BLACK	39	1.18	21	8	4	2	2	2	0	0	0	0	0	0	0	0
AMERICAN INDIAN	25	0.76	11	1	5	1	4	2	0	0	0	0	0	1	0	0
OTHER	122	3.70	58	17	25	12	5	4	0	0	0	0	0	0	0	1
STATE TOTALS	3,301		1,580	548	503	331	168	89	6	7	5	5	5	9	8	37
PERCENT DISTRIBUTION		100.00	47.86	16.60	15.24	10.03	5.09	2.70	0.18	0.21	0.15	0.15	0.15	0.27	0.24	1.12

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

ARACAGEO

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-5

INDUCED ABORTIONS OF PREGNANCY BY RACE, MARITAL STATUS AND AGE OF PATIENT
MAINE STATE TOTALS, 1993 (RESIDENT DATA)*

MARITAL STATUS	TOTAL INDUCED ABORTIONS	***** RACE *****							
		WHITE		BLACK		AMERICAN INDIAN		OTHER	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	649	589	90.76	11	1.69	8	1.23	41	6.32
NOT MARRIED	2,297	2,193	95.47	24	1.04	13	0.57	67	2.92
UNKNOWN	149	136	91.28	1	0.67	3	2.01	9	6.04
STATE TOTALS	3,095	2,918	94.28	36	1.16	24	0.78	117	3.78
AGE OF PATIENT(YRS.)									
LESS THAN 10	0	0	0.00	0	0.00	0	0.00	0	0.00
10-14	23	21	91.30	1	4.35	1	4.35	0	0.00
15	50	49	98.00	0	0.00	0	0.00	1	2.00
16	67	64	95.52	1	1.49	0	0.00	2	2.99
17	137	133	97.08	0	0.00	0	0.00	4	2.92
18	173	166	95.95	2	1.16	2	1.16	3	1.73
19	203	189	93.10	1	0.49	0	0.00	13	6.40
20-24	1,034	983	95.07	14	1.35	8	0.77	29	2.80
25-29	622	582	93.57	8	1.29	9	1.45	23	3.70
30-34	438	417	95.21	2	0.46	3	0.68	16	3.65
35-39	240	217	90.42	5	2.08	1	0.42	17	7.08
40-44	73	67	91.78	1	1.37	0	0.00	5	6.85
GREATER THAN 44	1	1	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN	34	29	85.29	1	2.94	0	0.00	4	11.76
TEENAGE TOTALS	652	621	95.25	5	0.77	3	0.46	23	3.53
STATE TOTALS	3,095	2,918	94.28	36	1.16	24	0.78	117	3.78

NOTES: PERCENTAGES ARE BASED ON TOTAL TERMINATIONS.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON O RECORDS WERE BLANK.

ALEGAGEO

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-6

INDUCED ABORTIONS OF PREGNANCY BY RACE, MARITAL STATUS AND AGE OF PATIENT
MAINE STATE TOTALS, 1993 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL INDUCED ABORTIONS	***** RACE *****							
		WHITE		BLACK		AMERICAN INDIAN		OTHER	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	679	617	90.87	11	1.62	9	1.33	42	6.19
NOT MARRIED	2,463	2,353	95.53	27	1.10	13	0.53	70	2.84
UNKNOWN	159	145	91.19	1	0.63	3	1.89	10	6.29
STATE TOTALS	3,301	3,115	94.37	39	1.18	25	0.76	122	3.70
AGE OF PATIENT(YRS.)									
LESS THAN 10	0	0	0.00	0	0.00	0	0.00	0	0.00
10-14	23	21	91.30	1	4.35	1	4.35	0	0.00
15	54	53	98.15	0	0.00	0	0.00	1	1.85
16	76	72	94.74	2	2.63	0	0.00	2	2.63
17	143	139	97.20	0	0.00	0	0.00	4	2.80
18	180	173	96.11	2	1.11	2	1.11	3	1.67
19	216	202	93.52	1	0.46	0	0.00	13	6.02
20-24	1,109	1,055	95.13	16	1.44	8	0.72	30	2.71
25-29	665	622	93.53	8	1.20	9	1.35	26	3.91
30-34	469	447	95.31	2	0.43	4	0.85	16	3.41
35-39	251	228	90.84	5	1.99	1	0.40	17	6.77
40-44	75	69	92.00	1	1.33	0	0.00	5	6.67
GREATER THAN 44	1	1	100.00	0	0.00	0	0.00	0	0.00
UNKNOWN	39	33	84.62	1	2.56	0	0.00	5	12.82
TEENAGE TOTALS	691	659	95.37	6	0.87	3	0.43	23	3.33
STATE TOTALS	3,301	3,115	94.37	39	1.18	25	0.76	122	3.70

NOTES: PERCENTAGES ARE BASED ON TOTAL TERMINATIONS.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

ALEGAGER

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-7

INDUCED ABORTIONS BY MARITAL STATUS AND AGE OF PATIENT
MAINE STATE TOTALS, 1993 (RESIDENT* AND OCCURRENCE DATA)

AGE OF PATIENT(YRS.)	***** RESIDENT *****					***** OCCURRENCE *****				
	TOTAL ABORTIONS	PERCENT DISTRIBUTION	MARRIED	NOT MARRIED	UNKNOWN	TOTAL ABORTIONS	PERCENT DISTRIBUTION	MARRIED	NOT MARRIED	UNKNOWN
LESS THAN 10	0	0.00	0	0	0	0	0.00	0	0	0
10-14	23	0.74	0	22	1	23	0.70	0	22	1
15	50	1.62	1	48	1	54	1.64	1	52	1
16	67	2.16	1	65	1	76	2.30	1	74	1
17	137	4.43	2	131	4	143	4.33	2	137	4
18	173	5.59	9	161	3	180	5.45	9	168	3
19	203	6.56	8	188	7	216	6.54	8	201	7
20-24	1,034	33.41	128	860	46	1,109	33.60	132	928	49
25-29	622	20.10	199	379	44	665	20.15	212	406	47
30-34	438	14.15	151	267	20	469	14.21	161	287	21
35-39	240	7.75	98	127	15	251	7.60	101	133	17
40-44	73	2.36	45	27	1	75	2.27	45	28	2
GREATER THAN 44	1	0.03	0	1	0	1	0.03	0	1	0
UNKNOWN	34	1.10	7	21	6	39	1.18	7	26	6
TEENAGE TOTALS	652	21.07	21	614	17	691	20.93	21	653	17
STATE TOTALS	3,095		649	2,297	149	3,301		679	2,463	159
PERCENT DISTRIBUTION		100.00	20.97	74.22	4.81		100.00	20.57	74.61	4.82

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON O RECORDS WERE BLANK.

AWKAGEO

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-8

INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT
MAINE STATE TOTALS, 1993 (RESIDENT DATA)*

MARITAL STATUS	TOTAL INDUCED ABORTIONS	***** OUTCOME OF PREVIOUS PREGNANCIES *****							***** SPONTANEOUS TERMINATIONS *****										
		***** LIVE BIRTHS *****						***** INDUCED TERMINATIONS *****						***** SPONTANEOUS TERMINATIONS *****					
		O	1	2	3	4+	UNK	O	1	2	3	4+	UNK	O	1	2	3	4+	UNK
MARRIED	649	120	170	216	70	34	39	368	157	71	15	9	29	495	90	24	6	3	31
NOT MARRIED	2,297	1,361	512	255	74	33	62	1,528	505	148	39	20	57	2,003	190	34	8	6	56
UNKNOWN	149	64	29	28	8	3	17	79	38	13	4	1	14	116	13	4	1	0	15
STATE TOTALS	3,095	1,545	711	499	152	70	118	1,975	700	232	58	30	100	2,614	293	62	15	9	102
PERCENT DIST.	100.00	49.92	22.97	16.12	4.91	2.26	3.81	63.81	22.62	7.50	1.87	0.97	3.23	84.46	9.47	2.00	0.48	0.29	3.30
AGE OF PATIENT(YRS.)																			
LESS THAN 10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	23	22	0	0	0	0	1	22	1	0	0	0	0	23	0	0	0	0	0
15	50	45	2	0	0	1	2	45	3	0	0	0	2	47	1	0	0	0	2
16	67	64	3	0	0	0	0	65	1	0	0	0	1	64	2	0	0	0	1
17	137	122	12	1	0	1	1	125	9	0	1	0	2	131	5	0	0	0	1
18	173	142	26	3	0	0	2	156	14	1	0	0	2	164	8	0	0	0	1
19	203	160	35	5	0	0	3	163	35	3	0	0	2	190	6	4	0	0	3
20-24	1,034	602	250	115	20	7	40	688	237	53	13	7	36	897	85	8	3	4	37
25-29	622	198	186	149	34	16	39	325	176	64	20	9	28	489	79	20	5	1	28
30-34	438	104	124	123	47	22	18	217	130	58	12	7	14	337	63	16	4	2	16
35-39	240	53	50	78	39	11	9	108	69	39	8	6	10	190	30	9	0	2	9
40-44	73	11	13	23	12	11	3	39	15	12	3	1	3	51	12	5	2	0	3
GREATER THAN 44	1	1	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0
UNKNOWN	34	21	10	2	0	1	0	22	9	2	1	0	0	30	2	0	1	0	1
TEENAGE TOTALS	652	554	78	9	0	2	9	575	63	4	1	0	9	618	22	4	0	0	8
PERCENT DIST.	100.00	84.97	11.96	1.38	0.00	0.31	1.38	88.19	9.66	0.61	0.15	0.00	1.38	94.79	3.37	0.61	0.00	0.00	1.23
STATE TOTALS	3,095	1,545	711	499	152	70	118	1,975	700	232	58	30	100	2,614	293	62	15	9	102
PERCENT DIST.	100.00	49.92	22.97	16.12	4.91	2.26	3.81	63.81	22.62	7.50	1.87	0.97	3.23	84.46	9.47	2.00	0.48	0.29	3.30

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON O RECORDS WERE BLANK.

ALEGAGED

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-9 INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT
MAINE STATE TOTALS, 1993 (OCCURRENCE DATA)

MARITAL STATUS	TOTAL INDUCED ABORTIONS	***** OUTCOME OF PREVIOUS PREGNANCIES *****																	
		***** LIVE BIRTHS *****						***** INDUCED TERMINATIONS *****						***** SPONTANEOUS TERMINATIONS *****					
		O	1	2	3	4+	UNK	O	1	2	3	4+	UNK	O	1	2	3	4+	UNK
MARRIED	679	131	176	226	71	35	40	387	167	71	16	9	29	520	92	26	6	3	32
NOT MARRIED	2,463	1,470	550	269	75	34	65	1,642	540	162	41	20	58	2,149	204	37	8	7	58
UNKNOWN	159	67	31	31	8	3	19	86	40	13	4	1	15	124	13	4	1	0	17
STATE TOTALS	3,301	1,668	757	526	154	72	124	2,115	747	246	61	30	102	2,793	309	67	15	10	107
PERCENT DIST.	100.00	50.53	22.93	15.93	4.67	2.18	3.76	64.07	22.63	7.45	1.85	0.91	3.09	84.61	9.36	2.03	0.45	0.30	3.24
AGE OF PATIENT(YRS.)																			
LESS THAN 10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	23	22	0	0	0	0	1	22	1	0	0	0	0	23	0	0	0	0	0
15	54	49	2	0	0	1	2	49	3	0	0	0	2	51	1	0	0	0	2
16	76	72	4	0	0	0	0	74	1	0	0	0	1	73	2	0	0	0	1
17	143	128	12	1	0	1	1	131	9	0	1	0	2	137	5	0	0	0	1
18	180	149	26	3	0	0	2	161	16	1	0	0	2	170	8	1	0	0	1
19	216	171	37	5	0	0	3	174	37	3	0	0	2	202	7	4	0	0	3
20-24	1,109	653	267	120	20	7	42	740	254	58	13	7	37	967	88	8	3	4	39
25-29	665	220	199	155	34	16	41	351	188	67	21	9	29	525	83	21	5	1	30
30-34	469	114	133	134	48	22	18	232	141	61	14	7	14	359	69	18	4	3	16
35-39	251	55	52	82	40	12	10	117	70	40	8	6	10	199	31	10	0	2	9
40-44	75	11	13	23	12	12	4	39	16	13	3	1	3	51	13	5	2	0	4
GREATER THAN 44	1	1	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0
UNKNOWN	39	23	12	3	0	1	0	25	10	3	1	0	0	35	2	0	1	0	1
TEENAGE TOTALS	691	590	81	9	0	2	9	610	67	4	1	0	9	655	23	5	0	0	8
PERCENT DIST.	100.00	85.38	11.72	1.30	0.00	0.29	1.30	88.28	9.70	0.58	0.14	0.00	1.30	94.79	3.33	0.72	0.00	0.00	1.16
STATE TOTALS	3,301	1,668	757	526	154	72	124	2,115	747	246	61	30	102	2,793	309	67	15	10	107
PERCENT DIST.	100.00	50.53	22.93	15.93	4.67	2.18	3.76	64.07	22.63	7.45	1.85	0.91	3.09	84.61	9.36	2.03	0.45	0.30	3.24

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

ALEGAGER

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE A-10

INDUCED ABORTIONS BY STATE OR COUNTRY OF RESIDENCE
MAINE STATE TOTALS, 1993 (OCCURRENCE DATA)

STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS
ALABAMA	0	MARYLAND	0	SOUTH CAROLINA	0
ALASKA	0	MASSACHUSETTS	19	SOUTH DAKOTA	0
ARIZONA	1	MICHIGAN	1	TENNESSEE	0
ARKANSAS	2	MINNESOTA	0	TEXAS	0
CALIFORNIA	0	MISSISSIPPI	0	UTAH	0
COLORADO	1	MISSOURI	0	VERMONT	3
CONNECTICUT	2	MONTANA	0	VIRGINIA	0
DELAWARE	0	NEBRASKA	0	WASHINGTON	0
DIST OF COLUMBIA	1	NEVADA	0	WEST VIRGINIA	0
FLORIDA	0	NEW HAMPSHIRE	52	WISCONSIN	0
GEORGIA	1	NEW JERSEY	0	WYOMING	1
HAWAII	0	NEW MEXICO	0	PUERTO RICO	0
IDAHO	0	NEW YORK	4	VIRGIN ISLANDS	0
ILLINOIS	0	NORTH CAROLINA	0	GUAM	0
INDIANA	0	NORTH DAKOTA	0	CANADA	77
IOWA	0	OHIO	1	CUBA	0
KANSAS	0	OKLAHOMA	0	MEXICO	0
KENTUCKY	3	OREGON	0	OTHER W. HEMISPHERE	1
LOUISIANA	0	PENNSYLVANIA	3	REST OF THE WORLD	0
MAINE	3,095	RHODE ISLAND	0	STATE/CNTRY UNKNOWN	33
				TOTAL	3,301

ASTCNTY

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

APPENDICES

M- 0226840

 STATE OF MAINE
 DEPARTMENT OF HUMAN SERVICES (118)
 CERTIFICATE OF LIVE BIRTH

1. FIRST NAME		11. MIDDLE NAME		12. LAST NAME		16. JR. ETC.		2. SEX	
3. DATE OF BIRTH (Mo., Day, Yr.)		4. TIME OF BIRTH ☐ AM ☐ PM		5. COUNTY OF BIRTH		6. CITY OR TOWN OF BIRTH			
7. PLACE OF BIRTH: ☐ Hospital ☐ Freestanding Birthing Center ☐ Clinic/Doctor's Office ☐ Residence ☐ Other (Specify) _____		8. FACILITY NAME (If not institution, give street and number)							
9. I certify that this child was born alive at the place and time and on the date stated.		10. DATE SIGNED (Mo., Day, Yr.)		11. ATTENDANT'S NAME AND TITLE (If other than certified) (Type/print) Name _____ ☐ M.D. ☐ D.O. ☐ C.N.M. ☐ Other Midwife ☐ Other (Specify) _____ PRIMARY SPECIALTY: PRACTICE: GEN ☐ FAM ☐ OB-GYN ☐ OTHER ☐					
12. CERTIFIER'S NAME AND TITLE (Type/print) Name _____ ☐ M.D. ☐ D.O. ☐ Hospital Admin. ☐ C.N.M. ☐ Other Midwife ☐ Other (Specify) _____		13. ATTENDANT'S MAILING ADDRESS (Street and Number or Rural Route Number, City or Town, State, Zip Code)							
14. REGISTRAR'S SIGNATURE		15. DATE FILED BY REGISTRAR (Mo., Day, Yr.)							
19a. FIRST NAME		19b. MIDDLE NAME		19c. LAST NAME		17. MAIDEN SURNAME			
18. DATE OF BIRTH (Mo., Day, Yr.)		19. BIRTHPLACE (State or Foreign Country)		20. RESIDENCE-STATE		21. COUNTY		22. CITY OR TOWN	
23. MOTHER'S MAILING ADDRESS						24. ZIP CODE		25. YEARS LIVING IN PRESENT TOWN	
26a. FIRST NAME		26b. MIDDLE NAME		26c. LAST NAME		26d. JR. ETC.			
27. DATE OF BIRTH (Mo., Day, Yr.)		28. BIRTHPLACE (State or Foreign Country)							
29. I certify that the personal information provided on this certificate is correct to the best of my knowledge and belief.									
30a. MOTHER MARRIED (At birth or conception) ☐ Yes ☐ No									
30b. CHILD LEGITIMATE ☐ Yes ☐ No									

 ORIGINAL-STATE
 CONFIDENTIAL: NEITHER MARITAL STATUS NOR THE INFORMATION BELOW WILL APPEAR ON CERTIFIED COPIES OF THE RECORD.

35a. LIVE BIRTHS (Do not include this child) (Specify below) Number _____ ☐ None ☐ None		36a. Spontaneous (Do not include this birth) Number _____ ☐ None ☐ None		36b. Induced (Do not include this birth) Number _____ ☐ None ☐ None		31. DATE LAST NORMAL MENSTRUATION BEGAN (Mo., Day, Yr.)		32. Parental Permission for issuance of Social Security Number ☐ Yes ☐ No	
35b. DATE OF LAST LIVE BIRTH (Month, Year)		40. DATE OF LAST OTHER TERMINATION (Month, Year)		33. MONTH OF PREGNANCY PRENATAL CARE BEGAN - First, Second, Third, etc. (Specify)		34. PRENATAL VISITS - Total Number (If none, so state)		36. CLINICAL ESTIMATE OF GESTATION (Weeks)	
41. PLURALITY - Single, Twin, Triplet, etc. (Specify)		42. IF NOT SINGLE BIRTH - Born First, Second, Third, etc. (Specify)		43. APGAR SCORE 43. 1 minute 44. 5 minutes		45. MOTHER TRANSFERRED PRIOR TO DELIVERY? ☐ No ☐ Yes If Yes, enter name of facility transferred to:		46. INFANT TRANSFERRED? ☐ No ☐ Yes If Yes, enter name of facility transferred to:	
47. SOCIAL SECURITY NUMBER		48. ANCESTRY - French, English, Irish, etc. (Specify below)		49. RACE - American Indian, Black, White, etc. (Specify below)		50. EDUCATION (Specify only highest grade completed) Elementary Secondary (9-12) College (1-4 or 5+)		51. USUAL OCCUPATION PAST YEAR (Specify below)	
52. USUAL BUSINESS/INDUSTRY PAST YEAR (Specify below)		53.		54.		55.		56.	
59. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply) Anemia (Hct. <30% Hgb. <10) ☐ A ☐ B Carotid disease ☐ C ☐ D Acute or chronic lung disease ☐ E ☐ F Diabetes, gestational ☐ G ☐ H Diabetes, pre-existing ☐ I ☐ J Central nervous system ☐ K ☐ L Hydronephrosis/Oligohydramnios ☐ M ☐ N Hemoglobinopathy ☐ O ☐ P Hypertension, chronic ☐ Q ☐ R Hypertension, pregnancy-associated ☐ S ☐ T Eclampsia ☐ U ☐ V Incompetent cervix ☐ W ☐ X Previous injury >4000 g grams ☐ Y ☐ Z Previous problem or small-for-gestational age infant ☐ AA ☐ AB Renal disease ☐ AC ☐ AD Rh sensitization ☐ AE ☐ AF Uterine bleeding ☐ AG ☐ AH Other (Specify) ☐ AI ☐ AJ None ☐ AK		62. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply) Fever (>100° F. or 38° C.) ☐ A ☐ B Macromol., moderate / heavy ☐ C ☐ D Prolonged rupture of membranes (>18 hours) ☐ E ☐ F Abruptio placenta ☐ G ☐ H Placenta previa ☐ I ☐ J Other excessive bleeding ☐ K ☐ L Self-rupture during labor ☐ M ☐ N Precipitous labor (<3 hours) ☐ O ☐ P Prolonged labor (>20 hours) ☐ Q ☐ R Dysfunctional labor ☐ S ☐ T Breech / Malpresentation ☐ U ☐ V Cephalopelvic disproportion ☐ W ☐ X Cord prolapse ☐ Y ☐ Z Anesthetic complications ☐ AA ☐ AB Fetal distress ☐ AC ☐ AD Other (Specify) ☐ AE ☐ AF None ☐ AG		63. METHOD OF DELIVERY (Check one) Vaginal ☐ A ☐ B Vaginal birth after previous C-section ☐ C ☐ D Primary C-section ☐ E ☐ F Repeat C-section ☐ G ☐ H Forceps ☐ I ☐ J Vacuum ☐ K ☐ L Other (Specify) ☐ M ☐ N None ☐ O		64. ABNORMAL CONDITIONS OF THE NEWBORN (Check all that apply) Anemia (Hct. <30 / Hgb. <10) ☐ A ☐ B Birth injury ☐ C ☐ D Fetal alcohol syndrome ☐ E ☐ F Hyaline membrane disease / RDS ☐ G ☐ H Meconium aspiration syndrome ☐ I ☐ J Assisted ventilation <30 min ☐ K ☐ L Assisted ventilation >30 min ☐ M ☐ N Seizures ☐ O ☐ P Other (Specify) ☐ Q ☐ R None ☐ S		65. CONGENITAL ANOMALIES OF CHILD (Check all that apply) Anencephalus ☐ A ☐ B Spina bifida / Meningocele ☐ C ☐ D Hydrocephalus ☐ E ☐ F Microcephalus ☐ G ☐ H Other central nervous system anomalies (Specify) ☐ I ☐ J Heart malformations ☐ K ☐ L Other circulatory / respiratory anomalies (Specify) ☐ M ☐ N Rectal atresia / stenosis ☐ O ☐ P Tracheo-esophageal fistula / Esophageal atresia ☐ Q ☐ R Omphalocele / Gastroschisis ☐ S ☐ T Other gastrointestinal anomalies (Specify) ☐ U ☐ V Malformed genitalia ☐ W ☐ X Renal agenesis ☐ Y ☐ Z Other urogenital anomalies (Specify) ☐ AA ☐ AB Club foot / talipes ☐ AC ☐ AD Polydactyly / Syndactyly / Adactyly ☐ AE ☐ AF Club foot ☐ AG ☐ AH Diaphragmatic hernia ☐ AI ☐ AJ Other musculoskeletal / integumentary anomalies (Specify) ☐ AK ☐ AL Down's syndrome ☐ AM ☐ AN Other chromosomal anomalies (Specify) ☐ AO ☐ AP Other ☐ AQ ☐ AR None ☐ AS	

 SEND THIS SHEET TO:
 OFFICE OF VITAL STATISTICS
 State House Station #11
 Augusta, Maine 04333-0011

NOT A LEGAL COPY

TABLE C-2

NAME		STATE OF MAINE DEPARTMENT OF HUMAN SERVICES (118) CERTIFICATE OF FETAL DEATH		
THIS DELIVERY	1. FACILITY NAME (If not institution, give street and number)		2. DATE OF DELIVERY (Mo., Day, Yr.)	3. TIME OF DELIVERY ☐ AM ☐ PM
	4. SEX OF FETUS	5. COUNTY OF DELIVERY	6. CITY OR TOWN OF DELIVERY	
MOTHER	7a. FIRST NAME	7b. MIDDLE NAME	8. MAIDEN SURNAME	
	9. DATE OF BIRTH (Mo., Day, Yr.)	10. BIRTHPLACE (State or Foreign Country)	11. RESIDENCE-STATE	12. COUNTY
FATHER	14. STREET AND NUMBER	15. MOTHER'S MAILING ADDRESS (If same as residence, enter ZIP Code only)		16. YEARS LIVING IN PRESENT TOWN
	17a. FIRST NAME	17b. MIDDLE NAME	17c. LAST NAME	18. REC.
CERTIFIER	18. DATE OF BIRTH (Mo., Day, Yr.)	19. BIRTHPLACE (State or Foreign Country)		
	20. SIGNATURE	21. ☐ M.D. ☐ D.O. ☐ Hospital Admin. ☐ Other (Specify) _____		
DISPOSITION	22. DATE SIGNED (Mo., Day, Yr.)	23. ATTENDANT'S NAME AND TITLE (If other than certifier) (Type Print)		☐ M.D. ☐ D.O. ☐ C.N.M. ☐ Other Mid-wife ☐ Other (Specify) _____
	24. SIGNATURE OF FUNERAL DIRECTOR OR AUTHORIZED PERSON	25. NAME AND ADDRESS OF FACILITY OR AUTHORIZED PERSON		
CAUSE OF FETAL DEATH	26. REGISTRAR'S SIGNATURE	27. DATE FILED (Mo., Day, Yr.)	28. METHOD ☐ Burial ☐ Cremation ☐ Laboratory	29. PLACE OF DISPOSITION (Name of cemetery, crematory, or other place)
	30. Enter only one cause per line for a., b., and c. PART I. Fetal or maternal condition directly causing fetal death. Fetal and/or maternal conditions, if any, giving rise to the immediate cause(s), stating the underlying cause last. IMMEDIATE CAUSE a. DUE TO (OR AS A CONSEQUENCE OF): _____ Specify Fetal or Maternal b. DUE TO (OR AS A CONSEQUENCE OF): _____ Specify Fetal or Maternal c. _____ Specify Fetal or Maternal			
PART II. Other significant conditions of fetus or mother contributing to fetal death but not resulting in the underlying causes given in Part I.				31. FETUS DIED BEFORE LABOR ☐ DURING LABOR OR DELIVERY ☐ UNKNOWN ☐ 32. WAS AN AUTOPSY PERFORMED? ☐ YES ☐ NO 33. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? ☐ YES ☐ NO 34. MOTHER MARRIED? (At delivery or conception) ☐ Yes ☐ No
VS4-R1/90 ORIGINAL COPY STATE				
CONFIDENTIAL: NEITHER MARITAL STATUS NOR THE INFO BELOW WILL APPEAR ON CERTIFIED COPIES OF THE RECORD.				
MOTHER	35. ANCESTRY: French, English, Irish, etc. (Specify below)	36. RACE - American Indian, Black, White, etc. (Specify below)	EDUCATION (Specify only highest grade completed) Elementary/Secondary (9-12) _____ College (14 or 15+) _____	
	37. USUAL OCCUPATION PAST YEAR (Specify below)	38. USUAL BUSINESS/INDUSTRY PAST YEAR (Specify below)		
FATHER	39. ANCESTRY: French, English, Irish, etc. (Specify below)	40. RACE - American Indian, Black, White, etc. (Specify below)	EDUCATION (Specify only highest grade completed) Elementary/Secondary (9-12) _____ College (14 or 15+) _____	
	41. USUAL OCCUPATION PAST YEAR (Specify below)	42. USUAL BUSINESS/INDUSTRY PAST YEAR (Specify below)		
PREGNANCY HISTORY	PREGNANCY HISTORY (Complete each section) LIVE BIRTHS 43a. Now Living Number _____ ☐ None OTHER TERMINATIONS 43b. SPONTANEOUS (Do not include this fetus) Number _____ ☐ None 43c. INDUCED (Do not include this fetus) Number _____ ☐ None		44. DATE LAST NORMAL MENSES BEGAN (Mo., Day, Yr.)	
	45. DATE OF LAST LIVE BIRTH (Month, Year) 46. DATE OF LAST OTHER TERMINATION (Month, Year)		47. MONTH OF PREGNANCY PRENATAL CARE BEGAN - First, Second, Third etc. (Specify) 48. FETUS WEIGHT (Specify Unit) 49. PLURALITY - Single, Twin, Triplet, etc. (Specify) 50. CLINICAL ESTIMATE OF GESTATION (Weeks) 51. IF NOT SINGLE BIRTH - Born First, Second, Third, etc. (Specify)	
MEDICAL AND HEALTH INFORMATION	52. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply) Anemia (Hct. <30%lg. <10) _____ a. ☐ Cardiac disease _____ b. ☐ Acute or chronic lung disease _____ c. ☐ Diabetes, gestational _____ d. ☐ Diabetes, pre-existing _____ e. ☐ Genital herpes _____ f. ☐ Hydatidiform mole/Oligohydramnios _____ g. ☐ Hemoglobinopathy _____ h. ☐ Hypertension, chronic _____ i. ☐ Hypertension, pregnancy-associated _____ j. ☐ Eclampsia _____ k. ☐ Incomplete cervix _____ l. ☐ Previous infant 4000+ grams _____ m. ☐ Previous preterm or small-for-gestational age infant _____ n. ☐ Renal disease _____ o. ☐ Rh sensitization _____ p. ☐ Uterine bleeding _____ q. ☐ Other (Specify) _____ r. ☐ None _____ z. ☐		53. OBSTETRIC PROCEDURES (Check all that apply) Amniocentesis _____ a. ☐ Electronic fetal monitoring _____ b. ☐ Induction of labor _____ c. ☐ Stimulation of labor _____ d. ☐ Tococytosis _____ e. ☐ Ultrasound _____ f. ☐ Other _____ g. ☐ None _____ z. ☐	
	54. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items) Tobacco use during pregnancy _____ Yes ☐ No ☐ Average number cigarettes per day _____ Yes ☐ No ☐ Alcohol use during pregnancy _____ Yes ☐ No ☐ Average number drinks per week _____ Yes ☐ No ☐ Weight gained during pregnancy _____ lbs.		55. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply) Febrile (>100° F. or 38° C.) _____ a. ☐ Prolonged labor (>20 hours) _____ b. ☐ Meconium, moderate/heavy _____ c. ☐ Premature rupture of membrane (>12 hours) _____ d. ☐ Abruptio placenta _____ e. ☐ Placenta previa _____ f. ☐ Other excessive bleeding _____ g. ☐ Seizures during labor _____ h. ☐ Precipitous labor (<3 hours) _____ i. ☐ Prolonged labor (>20 hours) _____ j. ☐ Dysfunctional labor _____ k. ☐ Breech/Malpresentation _____ l. ☐ Cephalopelvic disproportion _____ m. ☐ Cord prolapse _____ n. ☐ Anesthetic complications _____ o. ☐ Fetal distress _____ p. ☐ Other _____ q. ☐ None _____ z. ☐	
56. CONGENITAL ANOMALIES OF CHILD (Check all that apply) Anencephalus _____ a. ☐ Spina bifida / Meningocele _____ b. ☐ Hydrocephalus _____ c. ☐ Microcephalus _____ d. ☐ Other central nervous system anomalies (Specify) _____ e. ☐ Heart malformations _____ f. ☐ Other circulatory / respiratory anomalies (Specify) _____ g. ☐ Racial atresia / stenosis _____ h. ☐ Tracheo-esophageal fistula / Esophageal atresia _____ i. ☐ Omphalocele / Gastroschisis _____ j. ☐ Other gastrointestinal anomalies (Specify) _____ k. ☐ Malformed genitalia _____ l. ☐ Renal agenesis _____ m. ☐ Other urogenital anomalies (Specify) _____ n. ☐ Cleft palate / lip _____ o. ☐ Polydactyly / Syndactyly / Adactyly _____ p. ☐ Club foot _____ q. ☐ Diaphragmatic hernia _____ r. ☐ Other musculoskeletal / integumental anomalies (Specify) _____ s. ☐ Down's syndrome _____ t. ☐ Other chromosomal anomalies (Specify) _____ u. ☐ Other _____ v. ☐ None _____ z. ☐				

SEND THIS SHEET TO: Office of Vital Statistics
State House Station #11, Augusta, Maine 04333-0011

NAME KNOWN TO PHYSICIAN		STATE OF MAINE DEPARTMENT OF HUMAN SERVICES CERTIFICATE OF DEATH (118)				State File No.
1a. FIRST NAME		1b. MIDDLE NAME		1c. LAST NAME		1d. JR. ETC.
2. DATE OF DEATH (Mo., Day, Yr.)		3. SEX	4. SOCIAL SECURITY NUMBER		5a. AGE (Yrs.) - Last Birthday	5b. UNDER 1 YEAR Months Days
7. BIRTHPLACE (City and State or Foreign Country)		8. WAS DECEDENT EVER IN U.S. ARMED FORCES? ☐ Yes ☐ No	9. PLACE OF DEATH (Check only one, see instructions on other side) HOSPITAL ☐ Inpatient ☐ ER/Outpatient ☐ DOA ☐ OTHER ☐ Nursing Home ☐ Residence ☐ Other (Specify)			
10. FACILITY NAME (If not institution, give street and number)			11. COUNTY OF DEATH		12. CITY OR TOWN OF DEATH	
13. MARITAL STATUS - Married, Never Married, Widowed, Divorced (Specify)		14. MOST RECENT SPOUSE (If wife, give maiden name) ☐ Living ☐ Deceased		15. DECEDENT'S USUAL OCCUPATION (Give kind of work done during most of working life. Do not use retired.)		16. KIND OF BUSINESS / INDUSTRY
17. DECEDENT'S EDUCATION (Specify only highest grade completed) Elementary/Secondary (0-12) College (1-4 or 5+)		18. ANCESTRY - French, English, Irish, etc. (Specify)		19. RACE - American Indian, Black, White, etc. (Specify)		
20. RESIDENCE - STATE		21. COUNTY		22. CITY OR TOWN		23. STREET AND NUMBER
FATHER'S		24a. FIRST NAME		24b. MIDDLE NAME		24c. LAST NAME
MOTHER'S		25a. FIRST NAME		25b. MIDDLE NAME		25c. MAIDEN SURNAME
26. INFORMANT - NAME (Type/Print)		27. MAILING ADDRESS (Street and Number or Rural Route Number, City or Town, State, ZIP Code)				
28. METHOD OF DISPOSITION ☐ Burial ☐ Cremation ☐ Removal from State ☐ Donation ☐ Other (Specify)		29. PLACE OF DISPOSITION (Name of cemetery, crematory, or other place)			30. LOCATION - City or Town, State	
31. SIGNATURE OF FUNERAL DIRECTOR OR AUTHORIZED PERSON (22 MRSA § 2846)			32. NAME AND ADDRESS OF FACILITY OR AUTHORIZED PERSON			33. DATE OF DISPOSITION (Mo., Day, Yr.)
34. MEDICAL EXAMINER: Signature and Title		On the basis of examination and/or investigation, in my opinion, death occurred at the time, date and place and due to the cause(s) and manner as stated.			35. DATE SIGNED (Mo., Day, Yr.)	
37. CERTIFYING PHYSICIAN Signature and Title		To the best of my knowledge, death occurred at the time, date, and place, and due to the cause(s) and manner as stated.			38. TIME OF DEATH ☐ AM ☐ PM	
39. NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER (Type/Print)		40. NAME AND ADDRESS OF CERTIFIER (Type/Print)				
41. REGISTRAR'S SIGNATURE		42. DATE FILED (Mo., Day, Yr.)				
43. WAS AN AUTOPSY PERFORMED? ☐ Yes ☐ No		45. MANNER OF DEATH ☐ Natural ☐ Accident ☐ Suicide ☐ Homicide ☐ Pending Investigation ☐ Could not be determined		46. INJURY: AT WORK? ☐ Yes ☐ No		47. DATE OF INJURY (Mo., Day, Yr.)
44. WERE AUTOPSY FINDINGS AVAIL- ABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? ☐ Yes ☐ No		49. TIME OF INJURY ☐ AM ☐ PM		48. DESCRIBE HOW INJURY OCCURRED: 50. PLACE OF INJURY - At home, farm, street, factory, office building, etc. (Specify) 51. LOCATION (Street and Number or Rural Route Number, City or Town, State)		
52. PART I. Enter the diseases, injuries, or complications which caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure. List only one cause per each line.						Approximate Interval Between Onset and Death
IMMEDIATE CAUSE (Final disease or condition resulting in death.) → a. DUE TO (OR AS A CONSEQUENCE OF):						
Sequentially list conditions, if any, leading to immediate cause. Enter UNDERLYING CAUSE (Disease or injury which initiated events resulting in death) LAST b. DUE TO (OR AS A CONSEQUENCE OF):						
c. DUE TO (OR AS A CONSEQUENCE OF):						
d. DUE TO (OR AS A CONSEQUENCE OF):						
PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in Part I. If not specified in Part I, indicate if the decedent was pregnant or less than 90 days postpartum at time of death.						

VS3-R1/90

SHADED AREAS FOR MEDICAL EXAMINER USE ONLY

ORIGINAL COPY STATE

TABLE C-4

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES (118)
LICENSE AND CERTIFICATE OF MARRIAGE

State File No.

	1a. FIRST NAME	1b. MIDDLE NAME	1c. LAST NAME	1d. JR., ETC.
GROOM	2. AGE LAST BIRTHDAY	3. RESIDENCE - STATE	4. COUNTY	5. CITY, OR TOWN
	6. STREET AND NUMBER		7. BIRTHPLACE (State or Foreign Country)	
	9. FATHER'S NAME (First, Middle, Last)		10. BIRTHPLACE (State or Foreign Country)	11. MOTHER'S NAME (First, Middle, Maiden Surname)
	12. BIRTHPLACE (State or Foreign Country)			
BRIDE	13a. FIRST NAME	13b. MIDDLE NAME	13c. MAIDEN SURNAME	
	14. CURRENT LAST NAME	15. AGE LAST BIRTHDAY	16. RESIDENCE - STATE	17. COUNTY
	18. CITY OR TOWN			
MARITAL STATUS	19. STREET AND NUMBER		20. BIRTHPLACE (State or Foreign Country)	
	21. DATE OF BIRTH (Mo., Day, Yr.)			
	22. FATHER'S NAME (First, Middle, Last)		23. BIRTHPLACE (State or Foreign Country)	24. MOTHER'S NAME (First, Middle, Maiden Surname)
	25. BIRTHPLACE (State or Foreign Country)			
SIGNATURES	GROOM		BRIDE	
	NUMBER OF THIS MARRIAGE	27. IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED	NUMBER OF THIS MARRIAGE	29. IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED
	26. First, Second, etc. (Specify)	DATE (Mo., Day, Yr.) ☐ DEATH ☐ DIVORCE ☐ ANNULMENT	28. First, Second, etc. (Specify)	DATE (Mo., Day, Yr.) ☐ DEATH ☐ DIVORCE ☐ ANNULMENT
LICENSE TO MARRY	First cousins are required by law to obtain a certificate of genetic counseling by a physician. I HEREBY CERTIFY THAT THE INFORMATION PROVIDED IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND THAT I AM FREE TO MARRY UNDER THE LAWS OF MAINE			
	30. GROOM'S SIGNATURE		31. BRIDE'S SIGNATURE	
	32. DATE INTENTIONS FILED (Mo., Day, Yr.)		33. DATE LICENSE ISSUED (Mo., Day, Yr.)	
	34. LICENSE VALID UNTIL (Mo., Day, Yr.)			
CEREMONY	35. SIGNATURE OF ISSUING CLERK		36. CITY OR TOWN OF ISSUE	
	THE LAWS OF MAINE PROVIDE THAT ONLY AUTHORIZED PERSONS MAY SOLEMNIZE MARRIAGES IN MAINE			
	37. I CERTIFY THAT THE ABOVE NAMED PERSONS WERE MARRIED ON: (Mo., Day, Yr.)		38. WHERE MARRIED - CITY OR TOWN	
	39. COUNTY			
WITNESSES SIGNATURES	40. SIGNATURE OF PERSON PERFORMING CEREMONY		41. NAME (Type/Print)	
	42. TITLE		43. DATE OF COMMISSION OR LICENSE (Mo., Day, Yr.) ADMITTED TO ME. BAR	
	44A. RESIDENCE OF PERSON PERFORMING CEREMONY		44B. MAILING ADDRESS OF PERSON PERFORMING CEREMONY	
CLERK	45A. SIGNATURE OF WITNESS TO CEREMONY		45B. TYPED OR PRINTED NAME OF WITNESS	
	46A. SIGNATURE OF WITNESS TO CEREMONY		46B. TYPED OR PRINTED NAME OF WITNESS	
	47. REGISTRAR'S SIGNATURE		48. DATE FILED (Mo., Day, Yr.)	

VS2-RS/90

ORIGINAL — ISSUING CITY OR TOWN

49. American Indian, Black, White, etc. (Specify)	50. Elementary/Secondary (0-12)	College (1-4 or 5+)	51. American Indian, Black, White, etc. (Specify)

STATE OF MAINE

RECORD OF DIVORCE OR ANNULMENT

DEPARTMENT OF HUMAN SERVICES

(118)

State File No.

HUSBAND	1a. NAME OF HUSBAND – FIRST	1b. MIDDLE	1c. LAST	1d. JR., ETC.
	2a. USUAL RESIDENCE – STATE	2b. COUNTY		2c. CITY/TOWN
WIFE	3a. NAME OF WIFE - FIRST	3b. MIDDLE	3c. LAST	
	4a. USUAL RESIDENCE – STATE	4b. COUNTY		4c. CITY/TOWN
MARRIAGE	5. PLACE OF MARRIAGE – STATE, COUNTY, AND CITY OR TOWN			6. DATE OF MARRIAGE
DIVORCE OR ANNULMENT	7. TYPE OF DECREE		8. PLAINTIFF	9. DECREE GRANTED TO
	DIVORCE ☐ ANNULMENT ☐		HUSBAND ☐ WIFE ☐	HUSBAND ☐ WIFE ☐
	10. DATE OF DECREE		11. LEGAL GROUNDS FOR JUDGEMENT	
MINOR CHILDREN	12. NAMES OF MINOR CHILDREN		13. AGES	14. CUSTODY
CERTIFICATION	15. I HEREBY CERTIFY THAT THE ABOVE ITEMS OF INFORMATION ARE TRUE AND CORRECT AS SHOWN IN THE ORIGINAL RECORD ON FILE IN THIS COURT.		16. NAME OF COURT	
	SIGNATURE OF CLERK ▶		17. LOCATION OF COURT	

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
REPORT OF INDUCED ABORTION

(118)

State File No.

1. FACILITY NAME (If not clinic or hospital, give address)		2. COUNTY OF ABORTION		3. CITY/TOWN OF ABORTION		4. PATIENT MARRIED? ☐ YES ☐ NO ☐ UNKNOWN	
5. DATE OF ABORTION (Month, Day, Year)		6. AGE OF PATIENT		7. RESIDENCE - STATE		8. COUNTY	
10. ANCESTRY French, English, Irish, Etc. (Specify Below)		11. RACE ☐ American Indian ☐ Black ☐ White ☐ Other (Specify) _____		12. EDUCATION (Specify only highest grade completed)			
				Elementary/Secondary (0-12)		College (1-4 or 5+)	
13. DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)		14. CLINICAL ESTIMATE OF GESTATION (Weeks)		PREGNANCY HISTORY (Complete each section)			
				LIVE BIRTHS		OTHER TERMINATIONS (Do not include this termination)	
				15a. Now living Number _____ ☐ None		15b. Now dead Number _____ ☐ None	
16b. Induced Number _____ ☐ None							
TERMINATION PROCEDURES							
17a. PROCEDURE THAT TERMINATED PREGNANCY (Check only one)		TYPE OF TERMINATION PROCEDURES (Check all that apply)				17b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY (Check all that apply)	
		☐ Suction Curettage				☐	
		☐ Sharp Curettage				☐	
		☐ Dilation and Evacuation (D&E)				☐	
		☐ Intra-Uterine Saline Instillation				☐	
		☐ Intra-Uterine Prostaglandin Instillation				☐	
		☐ Hysterotomy				☐	
		☐ Hysterectomy				☐	
		☐ Other (Specify) _____				☐	
18. SIGNATURE OF ATTENDING PHYSICIAN ▶				19. NAME OF PERSON COMPLETING REPORT (Type/Print)			

VS4 - R 1/80

SEND TO: Office of Vital Statistics
State House Station #11, Augusta, Maine 04333-0011

MONTHLY MISCARRIAGE REPORT REGISTER

Month _____ Year _____



John R. McKernan, Governor
Jane Sheehan, Commissioner

Facility Name: (1)

Signature of Attending Physician: (2) _____

[illegible]

* Usual occupation in past year
**At the time the pregnancy failed

PLEASE SEND THIS REPORT TO:

**Office of Vital Statistics
State House Station #11
Augusta, Maine 04333-0011**

VS - 48a

DS:MISCAR
Rev: 060993

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
REPORT OF MISCARRIAGE

(118)

State File No.

THIS DELIVERY	1. FACILITY NAME (If not institution, give street and number)		2. DATE OF OCCURRENCE (Mo., Day, Yr.)		3. TIME OF OCCURRENCE ☐ AM ☐ PM	
	4. SEX OF FETUS	5. COUNTY OF OCCURRENCE	6. CITY/TOWN OF OCCURRENCE			
MOTHER	7a. FIRST NAME		7b. MIDDLE NAME		8. MAIDEN SURNAME	
	9. DATE OF BIRTH (Mo., Day, Yr.)	10. BIRTHPLACE (State or Foreign Country)	11. RESIDENCE - STATE	12. COUNTY	13. CITY/TOWN	
FATHER	14. STREET AND NUMBER		15. MOTHER'S MAILING ADDRESS (If same as residence, enter ZIP Code only)		16. YEARS LIVING IN PRESENT TOWN	
	17. DATE OF BIRTH (Mo., Day, Yr.)		18. BIRTHPLACE (State or Foreign Country)	19. MOTHER MARRIED? ☐ YES ☐ NO ☐ UNKNOWN (At miscarriage or conception)		
ATTENDANT	20. SIGNATURE OF ATTENDING PHYSICIAN Signature _____		21. ATTENDANT NAME AND TITLE (Type/Print) NAME _____ ☐ M.D. ☐ D.O. ☐ Other (Specify) _____			
	22. PART I. Fetal or maternal condition directly causing miscarriage Enter only one cause per line for a., b., and c.					
CAUSE OF MISCARRIAGE	Fetal and/or maternal condition, if any, giving rise to the immediate cause(s), starting the underlying cause last.		IMMEDIATE CAUSE		Specify Fetal or Maternal	
			a. _____		Specify Fetal or Maternal	
			b. _____		Specify Fetal or Maternal	
			c. _____		Specify Fetal or Maternal	
PART II. Other significant conditions of fetus or mother contributing to MISCARRIAGE but not resulting in the underlying causes given in Part I						
ANCESTRY French, English, Irish, etc. (Specify below) RACE - American Indian, Black, White, etc. (Specify below) EDUCATION (Specify only highest grade completed) Elementary/Secondary (0-12) College (1-4 or 5+) USUAL OCCUPATION PAST YEAR (Specify below) USUAL BUSINESS/INDUSTRY PAST YEAR (Specify below)						
MOTHER	25.	26.	27.	28.	29.	
	30.	31.	32.	33.	34.	
FATHER	35. DATE LAST NORMAL MENSTRUATION BEGAN (Mo., Day, Yr.)		36. CLINICAL ESTIMATE OF GESTATION (Weeks)			
	37. MONTH OF PREGNANCY PRENATAL CARE BEGAN - First, Second, Third, etc. (Specify)		38. PRENATAL VISITS - Total Number (If none, so state)			
PREGNANCY HISTORY	39a. Now living Number _____ ☐ None		39b. Now dead Number _____ ☐ None		40a. SPONTANEOUS Number _____ ☐ None	
	40b. INDUCED Number _____ ☐ None		41. DATE OF LAST LIVE BIRTH (Month, Year)			
MEDICAL AND HEALTH INFORMATION	42. DATE OF LAST TERMINATION (Month, Year)		43. PLURALITY - Single, Twin, Triplet, etc. (Specify)		44. IF NOT SINGLE - First, Second, Third, etc. (Specify)	
	45. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply)			46. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items)		
Anemia (Hct. <30/Hgb. <10) _____ a. ☐ Cardiac disease _____ b. ☐ Acute or chronic lung disease _____ c. ☐ Diabetes gestational _____ d. ☐ Diabetes, pre-existing _____ e. ☐ Genital herpes _____ f. ☐ Hydranmios/Oligohydramnios _____ g. ☐ Hemoglobinopathy _____ h. ☐ Hypertension, chronic _____ i. ☐ Hypertension, pregnancy-associated _____ j. ☐ Eclampsia _____ k. ☐			Incompetent cervix _____ l. ☐ Previous infant 4000+ grams _____ m. ☐ Previous preterm or small-for gestational age infant _____ n. ☐ Renal disease _____ o. ☐ Rh sensitization _____ p. ☐ Uterine bleeding _____ q. ☐ Other (Specify) _____ r. ☐ None _____ z. ☐		Tobacco use during pregnancy _____ ☐ Yes ☐ No Average number of cigarettes per day _____ Alcohol use during pregnancy _____ ☐ Yes ☐ No Average number drinks per week _____ Weight gained during pregnancy _____ lbs.	

VS48-146

SEND TO: Office of Vital Statistics
State House Station # 11, Augusta, Maine 04333-0011

TABLE E-1

ESTIMATED MAINE POPULATION
BY COUNTIES AND STATE, TOTAL - JULY 1, 1993

COUNTY	RESIDENT POPULATION
STATE TOTAL	1,239,779
ANDROSCOGGIN	103,892
AROOSTOOK	85,887
CUMBERLAND	246,069
FRANKLIN	29,427
HANCOCK	48,509
KENNEBEC	117,158
KNOX	37,014
LINCOLN	30,909
OXFORD	52,797
PENOBSCOT	146,205
PISCATAQUIS	18,752
SAGadahoc	33,875
SOMERSET	51,063
WALDO	34,704
WASHINGTON	36,033
YORK	167,485

SOURCE: U. S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS.

TABLE E-2

ESTIMATED POPULATION BY AGE GROUP AND SEX
MAINE STATE TOTALS, - JULY 1, 1993

AGE GROUP (YEARS)	RESIDENT POPULATION JULY 1, 1993		
	MALE	FEMALE	TOTAL
ALL AGES - TOTAL	602,754	637,025	1,239,779
UNDER 1	7,688	7,366	15,054
1-14	123,947	117,971	241,918
15-24	85,993	84,120	170,113
25-34	92,590	96,046	188,636
35-44	102,528	102,756	205,284
45-64	121,319	126,897	248,216
65-74	42,057	52,815	94,872
75-84	21,578	34,851	56,429
85 AND OLDER	5,054	14,203	19,257

SOURCE: MAINE DEPT. OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS OCT 95

Table H-1

HISTORICAL VITAL STATISTICS DATA
POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES:
RATES FOR BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS
MAINE STATE TOTALS, 1900-1965 (Every Fifth Year) and 1966-1993 (Yearly)

Year	Population	Live Births	Birth Rate per 1,000 Population	Deaths (All Ages)	Death Rate per 1,000 Population	Infant Death Rate ^d	Neonatal Death Rate ^d	Fetal Death Rate ^d	Marriages ^c	Divorces ^c
1900	694,466	14,095	20.3	11,389	16.4	267.5	-	43.6 ^a	5,482	801
1905	719,000	15,294	21.3	11,381	15.8	234.2	-	46.5 ^a	6,264	848
1910	742,371	15,798	21.3	12,439	16.7	249.2	30.4	42.5 ^a	5,900	911
1915	757,000	16,671	22.0	11,541	15.2	135.7	25.4	41.3 ^a	6,672	1,006
1920	768,014	17,495	22.7	11,850	15.3	102.8	41.2	42.8 ^a	7,884	1,364
1925	782,700	17,706	22.6	10,874	13.8	75.6	51.8	-	6,226	1,228
1930	797,423	16,199	20.3	11,084	13.9	75.4	41.5	35.9 ^a	6,438	1,466
1935	822,300	15,715	19.1	11,042	13.4	62.3	37.8	33.6 ^a	7,089	1,474
1940	847,226	15,285	18.0	10,640	12.6	52.9	34.0	24.8 ^a	8,475	1,537
1945	880,500	16,647	18.9	9,966	11.3	46.6	27.0	24.1 ^a	7,569	2,497
1950	914,950	21,239	23.2	9,962	10.9	31.2	22.0	19.4 ^a	8,617	2,162
1955	940,841	22,753	24.2	10,140	10.8	24.5	17.3	28.4 ^a	8,263	1,954
1960	970,689	23,282	24.0	10,752	11.1	25.2	18.6	17.7 ^a	7,860	2,025
1965	993,236	19,796	19.9	10,778	10.9	22.4	16.9	17.5 ^a	8,726	2,502
1966	994,714	18,526	18.6	10,915	11.0	22.6	17.1	15.0 ^a	8,983	2,630
1967	995,134	17,976	18.1	10,066	10.1	23.1	16.4	16.1 ^a	9,210	3,049
1968	994,632	16,866	17.0	11,085	11.1	21.6	15.9	16.0 ^a	10,179	3,088
1969	993,907	17,364	17.5	10,898	11.0	19.7	15.3	11.8 ^a	10,428	3,375
1970	997,357	17,837	17.9	11,066	11.1	20.9	16.1	13.8 ^a	10,975	3,841
1971	1,012,257	17,850	17.6	10,830	10.7	18.1	13.3	13.2 ^a	11,193	3,905
1972	1,025,775	16,269	15.9	11,147	10.9	17.7	12.8	12.2 ^a	11,741	4,132
1973	1,038,291	15,730	15.1	10,837	10.4	16.1	11.6	13.3 ^a	11,925	4,551
1974	1,050,181	15,110	14.4	10,705	10.2	16.1	12.6	9.9 ^b	11,546	4,850
1975	1,062,640	15,232	14.3	10,253	9.6	13.2	9.0	10.8 ^b	11,190	5,526
1976	1,074,653	15,046	14.0	10,422	9.7	11.0	7.6	8.3 ^b	11,302	5,522
1977	1,087,650	16,252	14.9	10,055	9.2	9.4	6.1	8.6 ^b	11,446	5,655
1978	1,101,186	15,919	14.5	10,168	9.2	10.2	6.0	8.9 ^{b,c}	11,658	6,164
1979	1,115,044	16,435	14.7	10,278	9.2	9.7	5.8	7.2 ^{b,c}	11,918	6,158
1980	1,125,027	16,474	14.6	10,768	9.6	9.3	5.9	7.1 ^{b,c}	12,040	6,189
1981	1,132,849	16,567	14.6	10,331	9.1	10.6	6.6	5.7 ^{b,c}	12,290	6,351
1982	1,136,199	16,695	14.7	10,451	9.2	8.7	6.0	6.9 ^{b,c}	12,388	5,804
1983	1,145,730	16,576	14.5	10,916	9.5	8.7	5.9	6.5 ^b	12,478	5,939
1984	1,156,485	16,631	14.4	10,826	9.4	8.0	4.8	6.8 ^b	12,525	5,795
1985	1,163,850	16,905	14.5	11,392	9.8	8.9	6.3	6.0 ^b	12,248	6,070
1986	1,172,200	16,717	14.3	11,178	9.5	8.7	5.6	5.9 ^b	11,983	5,621
1987	1,186,350	16,727	14.1	11,238	9.5	8.1	4.8	5.7 ^b	12,124	5,878
1988	1,205,900	17,166	14.2	11,482	9.5	7.9	5.1	6.3 ^b	12,553	6,041
1989	1,216,050	17,464	14.4	11,090	9.1	7.0	4.8	5.6 ^b	11,894	5,469
1990	1,227,928	17,314	14.1	11,023	9.0	5.9	4.3	5.2 ^b	11,914	5,164
1991	1,234,597	16,755	13.6	11,189	9.1	6.7	4.4	4.9 ^b	11,306	5,645
1992	1,236,348	16,013	13.0	11,045	8.9	5.6	3.6	5.3 ^b	11,305	6,257
1993	1,239,779	15,054	12.1	11,540	9.3	6.4	4.2	5.0 ^b	11,207	5,997

Notes: ^aFetal death rate calculated based on all reported terminations of pregnancy, regardless of gestational age. In 1973, 12.0% of such terminations were for fetuses of less than 20 weeks gestation.

^bFetal death rate calculated based on reported fetal deaths of gestational age 20 weeks or more.

^cOccurrence data.

^dRate per 1,000 live births in the same year.

All data for births and deaths pertain to Maine residents only, starting in 1935. Data on marriages and divorces describe all such events which occurred in Maine.

Table H-2

HISTORICAL VITAL STATISTICS DATA
 INDUCED ABORTIONS OF PREGNANCY, NUMBER AND RATE:
 MAINE STATE TOTALS, 1978-1993

Year	Births	Induced Abortions	Induced Abortions per 1,000 Live Births
1978	15,919	4,011	252.0 ^a
1979	16,435	3,963	241.1 ^a
1980	16,474	3,594	218.2 ^b
1981	16,567	2,881	173.9 ^b
1982	16,695	2,419	144.9 ^b
1983	16,576	3,279	197.8 ^b
1984	16,631	3,767	226.5 ^b
1985	16,905	3,784	223.8 ^b
1986	16,717	3,521	210.6 ^b
1987	16,727	3,698	221.1 ^b
1988	17,166	3,818	222.4 ^b
1989	17,464	3,921	224.5 ^b
1990	17,314	4,028	232.6 ^b
1991	16,755	3,520	210.1 ^b
1992	16,013	2,935	183.3 ^b
1993	15,054	3,095	205.6 ^b

Notes: Data prior to 1978 not given because of severe underreporting.

^aOccurrence data.

^bResidence data.

NON-DISCRIMINATION NOTICE

In accordance with Title VI of the Civil Rights Act of 1964, as amended by the Civil Rights Restoration Act of 1991 (42 U.S.C. Section 1981, 2000e et seq.) Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. Section 794, the Age Discrimination Act of 1975, as amended (42 U.S.C. Section 6101 et seq.), Title II of the Americans with Disabilities Act of 1990 (42 U.S.C. Section 12101 et seq.), and Title IX of the Education Amendments of 1972, the Maine Department of Human Services does not discriminate on the basis of sex, race, color, national origin, disability or age in admission or access to or treatment or employment in its programs and activities.

Ann Twombly, Affirmative Action Coordinator, has been designated to coordinate our efforts to comply with the U.S. Department of Health and Human Services regulation (45 C.F.R. Parts 80, 84, and 91) and the U.S. Department of Education regulations (34 C.F.R. Part 106) implementing these Federal laws. Inquiries concerning the application of these regulations and our grievance procedures for resolution of complaints alleging discrimination may be referred to Ann Twombly at 221 State Street, 11 State House Station, Augusta, Maine 04333-0011. Telephone number: (207) 287-2488 (Voice) or 1-800-332-1003 (TTD), or the Assistant Secretary of the Office of Civil Rights, Washington, D.C.

[NONDISCR]

OFFICE OF DATA, RESEARCH AND VITAL STATISTICS
MAINE DEPARTMENT OF HUMAN SERVICES
11 STATE HOUSE STATION
35 ANTHONY AVENUE
AUGUSTA, MAINE 04333-0011

- SPECIAL FOURTH CLASS -
BOOK RATE