MAINE STATE LEGISLATURE

The following document is provided by the


LAW AND LEGISLATIVE DIGITAL LIBRARY

at the Maine State Law and Legislative Reference Library

http://legislature.maine.gov/lawlib



Reproduced from scanned originals with text recognition applied (searchable text may contain some errors and/or omissions)



STATE OF MAINE DEPARTMENT OF HUMAN SERVICES BUREAU OF HEALTH OFFICE OF DATA, RESEARCH, AND VITAL STATISTICS

ANNUAL STATISTICAL REPORT

FOR THE CALENDAR YEAR

1994

Angus S. King, Jr. Governor



Kevin W. Concannon Commissioner

Ellen M. Naor State Registrar of Vital Statistics

Published in May, 1996 As Required by Statute 22 MRSA §2701 Under Appropriation # 010-10A-1110-01

ACKNOWLEDGEMENTS

This report contains a summary of vital statistics for the State of Maine for the calendar year 1994. The Department of Human Services has the dual responsibility of maintaining an effective system of vital registration and of making vital statistics available to the public. Within the Department itself, these data are needed for planning, managing, and evaluating programs that will improve the health and welfare of Maine people. The data are widely used, as well, for estimating and projecting population characteristics and changes.

This document is the result of the cooperative efforts of many individuals and groups. Chief among these are the municipal clerks of Maine's towns and counties, who serve as local registrars for vital records. The conscientious efforts of physicians, medical records administrators, and funeral directors also deserve special mention.

Maine Vital Statistics has been compiled and produced under the general supervision and direction of Ellen M. Naor, State Registrar of Vital Statistics and Director, Office of Data, Research, and Vital Statistics. Staff most significantly involved in the production of the 1994 annual report include:

Donald Lemieux, Director, Statistical Services - supervision and general direction, preparation of population statistics.

Catherine St. Pierre - Planning and Research Associate - review and update of the text.

William Turner - Programmer Analyst -vital statistics systems maintenance and programming of vital statistics series reports.

Sue Whitley - Word Processing Supervisor - manuscript preparation.

The joint efforts of all the staff of the Office's Vital Records Unit are necessary to produce the data contained in this publication. Special acknowledgement is made to:

Lorraine Clarkson - Deputy State Registrar - Supervision of the Vital Records Unit which is responsible for data collection, coding and editing.

TABLE OF CONTENTS

	Page No.
Acknowledgements	ii
List of Tables.	v
List of Supplemental Tables Available on Request	X
Introduction	1
Definitions of Terms	3
Definitions of Rates	. 7
Technical Notes	9
General Considerations Live Births Pregnancy Outcome Infant and Fetal Mortality General Mortality Induced Abortions Marriages Divorces Miscarriages Tables (See List of Tables for detailed titles) Live Births Pregnancy Outcome Infant and Fetal Mortality General Mortality Induced Abortions	9 12 12 13 15 15 15 15 17 67 89 103 149
Appendices	161
Maine Vital Records Certificates and Reports	
Certificate of Live Birth Certificate of Fetal Death Certificate of Death License and Certificate of Marriage Record of Divorce or Annulment Report of Induced Abortions	163 165 167 169 171 173

TABLE OF CONTENTS (Continued)

	Page No
Population Estimates	
Estimated Maine Population by Counties and State, Total - July 1, 1994	175
Estimated Population by Age Group and Sex, Maine State Totals - July 1, 1994	176
Historical Vital Statistics Data	
Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, from 1900	177
Induced Abortions of Pregnancy, Number and Rate: Maine State Totals, from 1978	178

LIST OF TABLES

Page No.

Table No.	Table Title	
	LIVE BIRTHS	
TABLE B-1	All Live Births and Out of Wedlock Live Births, by Mother's Age and Race: Maine State Totals, 1994 (Resident Data)	19
TABLE B-2	All Live Births and Out of Wedlock Live Births, by Mother's Age and Child's Birthweight: Maine State Totals, 1994 (Resident Data)	20
TABLE B-3	Live Births by Selected Medical History Characteristics Maine State Totals, 1994 (Resident Data) [Selected Characteristics: Complications of Labor, Medical Risk Factors, Other Risk Factors, Method of Delivery, Obstetric Procedures, Congenital Anomalies]	21
TABLE B-4	Live Births by Selected Risk Characteristics, and Ratio of Male to Female Births: Maine Counties and State Totals, 1994 (Resident Data) [Selected Characteristics: 5 Minute Apgar Score Less Than 5, Congenital Anomalies, Birthweight Less than 2,500 Grams, Gestation Less than 37 Weeks]	22
TABLE B-5	All Live Births and Out of Wedlock Live Births, By Mother's Age, Sex of Child and Birth Order: Maine Counties and State Totals, 1994 (Resident Data)	23
TABLE B-6	Live Births by Month Prenatal Care Began and Birthweight: Maine Counties and State Totals, 1994 (Resident Data)	40
TABLE B-7	Live Births by Trimester Prenatal Care Began and Number of Prenatal Visits: Maine Counties and State Totals, 1994 (Resident Data)	49
TABLE B-8	Live Births by Month Prenatal Care Began and Mother's Education: Maine Counties and State Totals, 1994 (Resident Data)	58
TABLE B-9	Live Births by Selected Risk Characteristics Number of Births: Maine Hospital, Other Birth Sites, and State Total, 1994 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Medical Risk Factors, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]	64
TABLE B-10	Live Births by Selected Risk Characteristics Percentage of Total Births: Maine Hospital, Other Birth Sites, and State Total, 1994 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Medical Risk Factors, Cesarean Section, Congenital Anomalies,	
	Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]	65

Table No.	Table Title	Page No.
TABLE B-11	Live Births by Birthweight: Maine Hospitals, Other Birth Sites, and State Totals, 1994 (Occurrence Data)	66
	PREGNANCY OUTCOME	
TABLE P-1	All Live Births, Induced Abortions, and Fetal Deaths by Outcome, Marital Status and Age of Mother: Maine Counties and Maine State Totals, 1994 (Resident Data)	69
TABLE P-2	Fetal Deaths and Induced Abortions by Weeks of Gestation: Maine State Totals, 1994 (Resident Data)	87
	INFANT AND FETAL MORTALITY	
TABLE F-1	Infant, Neonatal, and Postneonatal Deaths by Sex for 61 Cause of Death Groups: Maine State Totals, 1994 (Resident Data)	91
TABLE F-2	Fetal Deaths by Gestation and Sex for 61 Cause of Death Groups: Maine State Totals, 1994 (Resident Data)	95
TABLE F-3	Live Births, Neonatal Deaths, and Estimated Neonatal Death Rates by Birthweight: Maine State Totals, 1994 (Resident Data)	97
TABLE F-4	Fetal Deaths by Selected Complications, Gestation, and Age of Patient: Maine State Totals, 1994 (Resident Data) [Selected Complications: Medical Risk Factors, Complications of Labor or Delivery, Tobacco/Alcohol Use, Congenital Anomalies]	98
TABLE F-5	Deaths and Death RatesTotal, Infant, Neonatal, Postneonatal, and Perinatal: Maine Counties and State Totals, 1994 (Resident Data)	99
TABLE F-6	Fetal Deaths by Selected Characteristics: Maine Counties and State Totals, 1994 (Resident Data) [Selected Characteristics: Out of Wedlock, Autopsy, In Hospital, Trimester Prenatal Care Began, Age of Patient]	100
TABLE F-7	Fetal Deaths, Selected Risk Characteristics, and Ratio of Males to Females: Maine Counties and State Totals, 1994 (Resident Data) [Selected Characteristics: Congenital Anomalies, Fetal Weight, Gestation Less Than 28 Weeks]	101
TABLE F-8	Fetal Deaths by Selected Medical History Characteristics: Maine State Totals, 1994 (Resident Data) [Selected Medical History: Complications of Labor, Medical Risk Factors, Other Risk Factors, Method of Delivery, Obstetric Procedures, Congenital Anomalies]	102

Table No.	Table Title	Page No.
	GENERAL MORTALITY	
TABLE D-1	Deaths, Rank by Number of Deaths, and Death Rate Total, Male, and Female For Ten Leading Causes of Death by Age Group: Maine State Totals, 1994 (Resident Data)	105
TABLE D-2	Years of Life Lost Number, Percent, Rank, and Average per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1994 (Resident Data)	110
TABLE D-3	Deaths by Age and Sex for 282 Cause of Death Groups: Maine State Totals, 1994 (Resident Data)	111
TABLE D-4	Underlying Cause Mentions and All Mentions of 72 Cause of Death Groups and Ratios of All Mentions to Underlying Cause Mentions: Maine State Totals, 1994 (Resident Data)	133
TABLE D-5	Deaths Total and Percent by Site of Death: Maine Counties and State Totals, 1994 (Resident Data)	135
TABLE D-6	Deaths in Hospitals Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1994 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	136
TABLE D-7	Deaths in Intermediate Care Facilities Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1994 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	137
TABLE D-8	Deaths at Home Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1994 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia and Accidents]	138
TABLE D-9	Deaths by Sex, Age, and Occupation: Maine State Totals, 1994 (Resident Data)	139
TABLE D-10	Acquired Immune Deficiency Syndrome Related Deaths by Status of Mention: Maine State Totals, 1994 (Resident Data)	142
TABLE D-11	Deaths by Underlying Cause Mention and All Mentions for Selected 72 Cause of Death Groups: Maine State Totals, 1994 (Resident Data)	143

Table No.	Table Title	Dogo No
	INDUCED ABORTIONS	Page No
TABLE A-2	Induced Abortions by Gestation and Type of Termination Procedures: Maine State Totals, 1994 (Occurrence Data)	151
TABLE A-3	Induced Abortions by Gestation, Age of Patient and Race: Maine State Totals, 1994 (Resident Data)	152
TABLE A-4	Induced Abortions by Gestation, Age of Patient and Race: Maine State Totals, 1994 (Occurrence Data)	153
TABLE A-5	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1994 (Resident Data)	154
TABLE A-6	Induced Abortions by Race, Marital Status and Age of Patient: Maine State Totals, 1994 (Occurrence Data)	155
TABLE A-7	Induced Abortions by Marital Status and Age of Patient: Maine State Totals, 1994 (Resident and Occurrence Data)	156
TABLE A-8	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1994 (Resident Data)	157
TABLE A-9	Induced Abortions by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Maine State Totals, 1994 (Occurrence Data)	158
TABLE A-10	Induced Abortions by State or Country of Residence: Maine State Totals, 1994 (Occurrence Data)	159

Table No.	<u>Table Title</u>	D M-
	APPENDICES	Page No.
TABLE C-1	Copy of Maine Birth Certificate	163
TABLE C-2	Copy of Maine Fetal Death Certificate	165
TABLE C-3	Copy of Maine Death Certificate	167
TABLE C-4	Copy of Maine Marriage Certificate	169
TABLE C-5	Copy of Maine Record of Divorce or Annulment	171
TABLE C-6	Copy of Maine Report of Induced Abortion	173
TABLE E-1	Estimated Maine Population: Maine Counties and State Total, July 1, 1994	175
TABLE E-2	Estimated Maine Population by Age Group and Sex: Maine State Totals, July 1, 1994	176
TABLE H-1	Historical Vital Statistics Data, Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, 1900-1965 (every fifth year) and 1996-1994 (yearly)	177
TABLE H-2	Historical Vital Statistics Data, Induced Abortions of Pregnancy, Number and Rate: Maine State Totals, 1978-1994	178

LIST OF SUPPLEMENTAL TABLES AVAILABLE ON REQUEST*

Table No.	
S-A-2	Induced Abortions Total, and by Selected Characteristics: Maine Towns over 3,500 Population, Counties and State Totals, 1994 (Resident Data) [Selected Characteristics: Out of Wedlock, Patient's Age, No. Previous Pregnancies, No. Previous Abortions, Education, Abortions in Hospital]
S-A-3	Induced Abortions to Canadian Residents by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Canada Totals, 1994 (Occurrence Data)
S-A-4	Induced Abortions to Canadian Residents by Gestation, Age of Patient and Race: Canada Totals, 1994 (Occurrence Data)
S-A-5	Induced Abortions to Canadian Residents by Gestation and Type of Termination Procedures: Canada Totals, 1994 (Occurrence Data)
S-B-1	All Live Births and Out of Wedlock Live Births by Adequacy of Prenatal Care, Mother's Age Child's Birthweight, and Apgar Score: Maine State Totals, 1994 (Resident Data)
S-B-2	Live Births Total, and by Selected Risk Characteristics: Maine Towns, Counties and State Totals, 1994 (Resident Data) [Selected Characteristics: Out of Wedlock, Under 2,500 Grams, Congenital Anomalies, Mother Under Age 20 Years, No Prenatal Care]
S-BD-1	Births and Deaths by Month, Maine Towns, Counties and State Totals, 1994 (Resident Data)
S-D-1	Deaths, Rank By Number of Deaths, and Death Rate - Highlighting Motor Vehicle Traffic Deaths Total, Male, and Female for Ten Leading Causes of Death (Selected from 32 Cause-of-Death Classifications) by Age Group, Maine State Totals, 1994 (Resident Data)
S-D-2	Deaths by 72 Cause of Death Groups: Six Largest Cities or Towns in Each Maine County, County Totals, and State Totals, 1994 (Resident Data)
S-D-3	Deaths by Age and Sex for 72 Cause of Death Groups, Maine State Totals, 1994 (Resident Data)
S-D-4	Deaths by Age and Sex for 32 Cause of Death Groups, Maine State Totals, 1994 (Resident Data)

^{*}Supplemental tables are available at the cost of reproduction.

S-D-5	Alcohol and Drug Related Deaths by Status of Mention: Maine State Totals, 1994 (Resident Data)
S-D-6	Deaths by Origin or Descent: Maine Counties and State Totals, 1994 (Resident Data)
S-D-7	Deaths by Referral to Medical Examiner, Autopsy Status, Certifier, Traumatic and Non-traumatic Deaths: Maine State Totals, 1994 (Occurrence Data)
S-D-8	Deaths by Method of Disposition and Age: Maine Counties and State Totals, 1994 (Occurrence Data)
S-D-9	Years of Life Lost Before Age 75 - Number, Percent, Rank, and Average Per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1994 (Resident Data)
S-F-1	Neonatal Deaths and Estimated Neonatal Death Rates by Birthweight: Maine Hospitals of Birth, Other Birth Sites, and State Total, 1994 (Occurrence Data)
S-F-2	Infant, Neonatal, and Fetal Deaths by Sex, Non-white Race, Low Birthweight, and Congenital Anomalies: Maine Towns, Counties, and State Total, 1994 (Resident Data)

^{*}Supplemental tables are available at the cost of reproduction.

			1
			1
			1
			1
			1
			1
			1
			1
			1
			1
			1
			1
			4
			1
			1
			1
			1
			1
			1
			1
			1
			'

INTRODUCTION

In order to speed the process of making these data available to the public, the annual vital statistics report does not contain interpretive comments or charts. Information necessary to use the tables is included in the technical notes. The tabulations most frequently requested are presented in this report. Supplemental tables, available at the cost of reproduction, are listed on pages x and xi. Special tabulations can also be obtained, generally at a charge that may include preparation as well as reproduction costs. Comments and requests for additional information should be directed to:

Office of Data, Research, and Vital Statistics Bureau of Health Department of Human Services 11 State House Station 35 Anthony Avenue Augusta, Maine 04333-0011

Telephone (207) 624-5445

DEFINITIONS OF TERMS

All Mentioned Causes of Death All causes of death mentioned on the death certificate, whether

underlying or associated. All mentioned causes are also referred to as

"multiple causes of death."

Apgar Score A summary indicator for evaluating the health of a newborn infant,

the score ranges from 0 (very poor) to 10 (excellent). It is assigned by

the delivery room personnel one minute and five minutes after birth.

Associated Cause of Death Condition other than the underlying cause of death which may have

contributed to the death.

Birth Order Number of live births to the mother of the newborn, including this

birth.

Birthweight Weight of fetus or infant at time of delivery (normally measured in

grams).

Fetal Death Death prior to the complete expulsion or extraction from its mother of a

product of conception; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Fetal deaths of at least 20 weeks of gestation must be reported on the "Fetal Death Report". Fetal deaths of less than 20 weeks gestation are reported on the "Monthly Miscarriage Report

Register" or individual "Report of Miscarriage".

Gestation Clinical assessment of the number of weeks since conception.

Hospital A licensed acute care health facility with permanent inpatient beds

offering facilities and services for the diagnosis and treatment of illness, injury and deformity for a continuing period of time. A hospital has an organized medical staff and offers continuous 24 hour professional

nursing care and emergency treatment.

Induced Abortion Induced abortion means the intentional interruption of a pregnancy by

the application of external agents, whether chemical or physical, or the ingestion of chemical agents with an intention other than to produce a live birth or to remove a dead fetus. All induced abortions are required to be reported on the "Report of Induced Abortion," regardless of the

length of gestation.

Infant Death Death occurring to a live born infant less than one year of age.

DEFINITIONS OF TERMS (Continued)

Intermediate Care Facility A licensed nursing home that provides permanent facilities, including

inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, health

related services, and licensed nursing supervision (8 hours per day).

Live Birth A live birth is the complete expulsion or extraction from its mother of a

product of conception, irrespective of the duration of pregnancy, which after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite

movement of voluntary muscles.

Maternal Deaths Those deaths of women wherein the physician has designated a

maternal condition as the underlying cause of death.

Minor Civil Division In Maine, minor civil divisions are generally areas defined as cities,

towns, plantations, and unorganized townships.

Multiple Causes of Death All causes of death mentioned on the death certificate, whether

underlying or associated. Multiple causes are also referred to as "all

mentioned causes".

Neonatal Death Death occurring to a live born infant before completing 27 days of life.

Occurrence Refers to data tabulated by place the event occurred.

Out-of-Wedlock Birth Births in which the mother was not married either at the time of

conception or at the time of delivery.

Perinatal Death Fetal deaths of at least 20 weeks gestation and all neonatal deaths.

Postneonatal Death Death occurring to a live born infant between the ages of 28 days and

364 days, inclusive.

Race of mother, father, or decedent is as stated on certificate.

Residence Refers to data tabulated by usual place of residence of the person to

whom the event occurred. For births, fetal deaths, and abortions,

residence is defined as the mother's place of residence.

Site of Birth Hospital or type of non-hospital site (e.g. home, on way to hospital,

out-patient facility) where birth occurred.

DEFINITIONS OF TERMS (Continued)

Site of Death

Hospital or type of non-hospital site (e.g. home, on way to hospital, nursing home) where death occurred.

Skilled Nursing Facility

A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, medical services, continuous skilled nursing services and health-related services, diagnosis and treatment.

Spontaneous Abortion

A termination of pregnancy, at less than 20 weeks gestation, through natural causes and without the aid of mechanical or medicinal agents.

Underlying Cause of Death

That condition giving rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. For this report, underlying causes are selected through processing of death certificate data by the ACME and TRANSAX computer programs (see Technical Notes).

				1 1 1 1 1
				1 1 1 1
				1 1 1 1
				1 1 1 1
			,	

DEFINITIONS OF RATES*

Age-Specific Death Rate	=	Resident Deaths in Specific Age Group Total Resident Population in Specific Age Grou		100,000
Birth Rate	=	Resident Live Births Total Resident Population	X	1,000
Cause-Specific Death Rate	=	Resident Deaths from Specific Cause Total Resident Population	X	100,000
Death Rate	=	Resident Deaths Total Resident Population	X	1,000
Divorce Rate	=	<u>Divorces</u> Total Resident Population	X	1,000
Fetal Death Rate	=	Resident Fetal Deaths Total Resident Live Births and Resident Fetal Deaths	X	1,000
Infant Death Rate	=	Resident Infant Deaths Total Resident Live Births	X	1,000
Marriage Rate	=	Marriages Performed Total Resident Population	X	1,000
Maternal Death Rate	=	Resident Maternal Deaths Total Resident Live Births	X	10,000
Neonatal Death Rate	=	Resident Neonatal Deaths Total Resident Live Births	X	1,000
Perinatal Death Rate	=	Resident Fetal Deaths and Neonatal Deaths Total Resident Fetal Deaths and Live Births	X	1,000
Postneonatal Death Rate	=	Resident Postneonatal Deaths Total Resident Live Births	X	1,000
Sex-Specific Death Rate		Resident Deaths of Indicated Sex Total Resident Population of Indicated Sex	X	100,000

^{*}Event denominators for rates are registered totals for the calendar year. Population denominators are mid-calendar year estimates.

			1
			1
			1
			ı
			!
			1
			1
			1

TECHNICAL NOTES

GENERAL CONSIDERATIONS

Sources of Vital Records Data: Birth, death, fetal death, induced abortion, miscarriage registers and individual reports of miscarriage, marriage, and divorce certificates are the source documents for data on vital events in Maine. A copy of each is included in the Appendix.

The cut off dates for the data in this report are: Marriages, Divorces, Fetal Deaths, and Induced Abortions, 3/15/94; Deaths, 4/1/94; and Births, 4/15/94. Any data pertaining to 1994 events for which certificates were filed after the above cut off dates are not included in this report and will be filed in the vital records office as late certificates.

Birth certificates and induced abortion reports are usually completed by hospital or clinic personnel. Death and fetal death certificates are usually completed by funeral directors, who obtain the medical certifications of cause of death from physicians. Marriage certificates are completed by the appropriate municipal clerks, while divorce reports are sent to the Office of Data, Research, and Vital Statistics by the clerks of courts.

<u>Completeness of Registration</u>: A birth certificate test in 1950 indicated that about one percent of births in Maine at that time were not recorded. It is assumed that registration has continued to be at least that complete.

Although no test of death registration has ever been done, it is assumed that death registration is reasonably complete, because burial permit laws and regulations require the filing of a death certificate before a burial permit for the disposition of the body is issued.

Reporting of all induced abortions at any gestation has been required in Maine for many years. Analysis of fetal death rates over time, however, indicates that there has been considerable variation in the completeness of registration. A specific reporting form for induced abortions was introduced in 1978. Comparison with independent data sources suggests that induced abortions may be underreported by 10 to 15%.

In addition to unrecorded vital events, other vital events may not be included in this report for several reasons: failure of the person required to report the event to make a timely report; failure of a municipal clerk to make a timely report to the State Registrar; or failure of other states to make timely exchanges of nonresident transcripts of births and deaths.

<u>Data Quality</u>: Data in this report are based upon original certificates of births and deaths, copies of original certificates of marriages prepared by city and town clerks, and abstracts of decrees of divorces prepared by the clerks of courts. Errors in data may be introduced by persons giving information for the original certificate, persons involved in the actual preparation of the original certificate, persons responsible for the preparation of the copies or abstracts of the original certificates, or those involved in the coding and processing of the data in the State Office of Data, Research, and Vital Statistics.

Extensive reorganization and revision in 1983 of reporting procedures, data input procedures, and computer systems have reduced or eliminated many of the problems experienced in previous years. The Office of Data, Research, and Vital Statistics maintains several programs aimed at improving the quality and completeness of information received on certificates and its translation into statistical form. A "query" system is used to followback to physicians, hospital personnel and funeral directors concerning incomplete or conflicting information on the certificates themselves. The followback, which is done by both mail and telephone, is based on computer editing procedures.

Finally, the National Center for Health Statistics (NCHS) monitors State coding of statistical data. The NCHS has established a two percent upper limit for coding differences involving any one data item, with the exception of cause of death. A five percent limit is used for this item due to the complexity of the coding process.

Comparison with Earlier Years: In 1983, a number of changes were introduced into the vital registration program and associated data processing, computer systems, and analytic procedures. These must be borne in mind in any comparisons with earlier years and analyses of time trends. Specific changes include the following:

- o Implementation of a new birth certificate on January 1, 1983 and a new fetal death certificate on January 1, 1985. The new certificates use a checklist format for reporting medical history items related to pregnancy and delivery. These items are recorded separately and transmitted or mailed directly to the Office of Data, Research and Vital Statistics.
- o Intensive field and education activities directed to appropriate medical providers to promote more complete reporting of induced abortions performed at any time during pregnancy.
- The computerized data systems for records of births, deaths, fetal deaths, marriages, divorces, and abortions were completely revised in 1983 to promote more accurate and timely registration activities and statistical products. Comprehensive and rigorous edit procedures were developed for data input and a number of consistency checks were incorporated.

<u>Small Frequencies</u>: The numbers of births or deaths reported for a community represent complete counts of these events. As such, they are not subject to sampling error or variation, although they are subject to errors in the collection and processing procedures. However, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same general circumstances. The probable range of values may be estimated from the actual figures according to certain statistical assumptions (<u>Vital Statistics for the U.S.</u>, Vol. 1, 1959, p.1-20). When the figures are used for comparison of frequencies and rates over a time period or for different areas, appropriate statistical methods should be used to assess the significance of the comparisons.

Frequencies of and rates based on fewer than 10 events should be used carefully because they are subject to large random fluctuations. The number "10" is arbitrary, however, and is not set forth as a critical point distinguishing statistically reliable rates.

<u>Rates</u>: In interpreting the conditions described by vital statistics rates, considerable caution must be observed. In particular, differences in rates from time to time or place to place may arise from a number of population differences and other compounding factors, and appropriate techniques (e.g., standardization) should be utilized in such comparisons.

<u>Population Data</u>: The population data used to calculate rates in this report are derived from the 1994 Maine population estimates prepared by the Office of Data, Research, and Vital Statistics. A display of these population data is included in Appendix Tables E-1 and E-2.

<u>"Selected" Characteristics/Causes of Death</u>: These terms are used to denote tabulations in which the categories displayed are not exhaustive but represent only those of particular interest.

Geographic Classification: In addition to recording vital events occurring in Maine, the Office of Data, Research, and Vital Statistics receives transcripts of birth certificates for children born outside Maine to a mother who is a resident of Maine. Death certificates for persons who are residents but die outside the boundaries of Maine are also received. Transcripts of non-resident births and deaths are exchanged with all other states and with Canada.

Events are assigned to geographical areas according either to place of residence or to place of occurrence. The basis for classification is identified in each table and should be carefully observed when extracting information.

- "Resident Data" means events have been tabulated according to the area where the person lived regardless of where the event occurred. In the case of infant deaths and births, the reference is to the residence of the mother. It should be noted that in the case of infant deaths, the place of residence at death may differ from the place of residence at birth; when special tabulations are prepared from both birth and death certificates, it is important to note to which residence category they were assigned.
- "Occurrence Data" means events have been tabulated according to where the events took place, regardless of the usual residence of the person. Since nearly all births and most deaths take place in hospitals, the number which occur in counties with many hospital beds will be large for this reason alone.

LIVE BIRTHS

As noted in previous sections, a revised birth certificate was initiated on January 1, 1983. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies. Two added items were the physician's estimate of gestation and an assessment of the infant's condition at birth. Initial evaluation indicates that the checklist format increased reporting of the medical history items dramatically - as much as five-fold on some items - so comparison with data from previous years must be made with caution. In 1990, a revised method was used for the distribution of adequacy of prenatal care for Table S-B-1 and the results from this table are not compatible with earlier years.

PREGNANCY OUTCOME

This section deals with the outcome of pregnancies to Maine resident women including live births, fetal deaths, and induced abortions.

Table P1 is displayed by county and is the only table where it is possible to compare pregnancy rates by regions throughout the State of Maine.

INFANT AND FETAL MORTALITY

This section includes all fetal deaths of at least 20 weeks gestation and all neonatal deaths. The birth, death, and fetal death certificates all include information on the place of residence, so events to non-Maine residents can be excluded from tabulations based on resident data. Through the interstate exchange agreement, transcripts of births and deaths which occur outside of the state to Maine residents are obtained for inclusion in tabulations of resident data. Maine started to participate in such exchange for fetal deaths in 1985, so information on pregnancies of Maine women terminating in fetal deaths which occurred outside the state is now available for inclusion in tabulations of resident data.

A revised fetal death certificate was initiated on January 1, 1985, comparable to the 1983 revision of the birth certificate. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies.

Notification of infant death is obtained from the regular death certificate. However, much information relevant to the circumstances of infant death is found on the birth certificate. Birth and death records have, therefore, been matched to produce a composite infant death file, which is the source of Table F-3. Tables F-1, F-5; all other death tables, on the other hand, are produced from the general death file. Discrepancies between these two sources are minimal, usually involving only a very small number of deaths.

GENERAL MORTALITY

There are a number of factors which should be considered in order to understand and use the mortality data presented herein.

Mortality Classification: The mortality classification used in this report is the Ninth Revision of the International Classification of Diseases (ICD-9). It consists of a list of 722 categories of diseases and morbid conditions, 192 categories for classification of the external cause of an injury, and 190 categories for the characterization of injuries according to the nature of the lesion.

There are two major limitations in interpreting changes in cause of death statistics. Changes in diagnostic practice may affect the comparability of such statistics over time, as do changes in nomenclature and in the classification scheme. The International Classification of Diseases is revised approximately periodically to incorporate advances in medical science and to reflect changing medical opinion and practice. The Sixth Revision was used from 1949-1957, the Seventh Revision from 1958-1967, the Eighth Revision from 1968-1978, and the Ninth Revision after 1978.

Under the Ninth Revision, the method for selecting the cause of death for statistical purposes remains the same as the method instituted with the Sixth Revision. The Sixth Revision instituted a method whereby the physician in attendance at death indicates the disease or morbid condition which he considers to be the underlying cause of death. The underlying cause is defined as "(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident which produced fatal injury." Prior to 1981, when two or more causes were jointly recorded, a nosologist in the Office of Vital Statistics selected and coded the underlying cause using the ancillary information provided on the death certificate by the physician. Beginning in 1981, however, all causes mentioned on the certificate are coded. The underlying cause is determined using a computerized procedure: the Automated Classification of Medical Entities (ACME) program. The cause of death information is then subjected to the TRANSAX computer program, which eliminates redundancies in mentioned causes. Information on all associated causes is retained on the computer records for use in further study of certain health problems.

Several groupings by cause of death are utilized in this report. All of the groupings are both exhaustive and exclusive: all causes are assigned to a group or category, and each specific cause is assigned to only one cause group. Deaths by age and sex groups are tabulated using a list of 282 cause groups (Table D-3). Deaths by county and town of residence, site of death, and underlying/non-underlying status are tabulated using 72 cause groups. The analysis of leading causes of death in Table D-1 and D-2 is based on 32 cause groups. The data on fetal and infant deaths, in Tables F-1 and F-2, are categorized into 61 cause groups. In all cases, the ICD-9 codes included in each cause group are indicated on the appropriate tables. Tables generally do not include cause groups from which there were no deaths, so the number of groups displayed may be less than the number of groups (i.e., 282, 72, 61, or 32) from which the tables were constructed.*

^{*}Complete lists of causal groups are contained in the following reference manual and may be obtained upon request from: Office of Data, Research, and Vital Statistics, Maine Department of Human Services, Maine Vital Records Manual, 1996.

Years of Life Lost: In Table D-2, "Years of Life Lost" is used as a more sensitive measure of premature death than the death rate itself. The number of years of life lost is calculated for each decedent as the difference between the age at death and the life expectancy at that age. Life expectancy at each age is taken from the 1990 Maine Life Tables, with the sex-specific expectancy. The death of a male infant, for example, represents a total of 72.7 years of life lost. The death of a 50 year old woman represents 31.4 years of life lost, and the death of a 85 year old woman represents 6.4 years of life lost.

<u>Multiple Causes of Death</u>: Most major causes of death are contributing factors to many deaths in which they are not the underlying cause. The relative frequencies with which specific causes are mentioned on death records as underlying or non-underlying causes are displayed in Table D-4.

In Table D-4, cause of death mentions are classified into 72 cause groups, after processing through the ACME and TRANSAX computer programs. Consequently, the term "mentions" refers to causes identified through processing by the computer programs, rather than to causes as mentioned on the death certificate. A cause group is counted only once for each decedent, even if more than one cause in the group was mentioned on the original certificate. Comparisons of data from different sources on "all mentions" of a cause group are valid only if the number and composition of the cause groups used are the same and the counting rules are consistent.

The category of "all mentions" of a cause group usually includes all identifications of it as the underlying cause of death. Occasionally, simultaneous mention of certain causes on the death record leads to the identification, as the underlying cause, of a disease entity which was not itself recorded on the death certificate. In such cases, the ratio of all mentions to underlying cause mentions can be less than 1.

Certain causes of death can never be classified as the underlying cause of death as defined in the International Classification of Diseases. In particular, descriptions of the nature of injuries and secondary neoplasms are always recorded on the death certificate in conjunction with one or more entries which identify the underlying cause of death, i.e. the external cause of injury or the primary neoplasm.

Table D-11 displays only those 72 cause groups for which the ratio of all mentions to underlying cause mentions on Table D-4 is generally 2.0 or higher and the number of underlying cause mentions is ten or more.

INDUCED ABORTIONS

All induced abortions performed in Maine are required to be reported, regardless of the length of gestation. The report form includes information on the place of residence, so non-resident women receiving abortions in Maine can be excluded from tabulations based on resident data. In 1994, approximately 6% of the induced abortions in Maine were obtained by out-of-state residents. Maine does participate in the interstate program for exchange of induced abortions reports, so complementary data on Maine residents who received abortions in other states are available from those states in which induced abortions are reported, but only one or two records are received each year from other states and are not included in this report.

The numbers of induced abortions reported in 1982 was nearly a third lower than the numbers reported in preceding and subsequent years, due principally to incomplete reporting. In the spring of 1983, a vigorous effort was undertaken to remind and inform physicians, clinics, and hospitals that all induced abortions must be reported to the Department of Human Services on the appropriate form. Similar reminders were undertaken in 1988 and 1993.

MARRIAGES

All marriages which occur in Maine are registered in the central Office of Data, Research, and Vital Statistics. No tabulations of marriage data are included in this publication.

DIVORCES

All divorces which occur in Maine are registered in the central Office of Data, Research, and Vital Statistics. No tabulations of divorce data are included in this publication.

MISCARRIAGES

All miscarriages which occur in Maine are reported to the Office of Data, Research, and Vital Statistics. No tabulations of miscarriage data are included in this publication.

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND RACE MAINE STATE TOTALS, 1994 (RESIDENT DATA)

			******		***** RACE OF	MOTHER ****	THER ***************		
AGE OF MOTHER	TOTAL BIRTHS	PERCENT DISTRIBUTION	WHITE	BLACK	AMERICAN INDIAN	ASIAN	OTHER	UNKNOWN	
ALL BIRTHS									
LESS THAN 10 10-14 15 16	0 16 51 156	0.00 0.11 0.35 1.08	0 16 48 148	0 0 2 2	0 0 0 6	0 0 1	0 0 0	0 0 0	
17 18 19 20-24	247 404 599 3,795	1.72 2.81 4.16 26.36	238 396 578 3,687	2 2 5 28	3 4 5 34	3 1 10 38	0 0 0	1 1 1	
20-24 25-29 30-34 35-39 40-44	4,395 3,257 1,265	30.53 22.62 8.79 1.35	4,302 3,194 1,234 186	20 22 9 1	17 11 8 0	38 42 31 18 7	0 0	8 12 12 4	
GREATER THAN 44 UNKNOWN STATE TOTALS PERCENT DISTRIBUTION	7 9 14,396	0.05 0.06	7 9 14,043 97.55	0 0 74 0.51	0 0 88 0.61	0 0 151 1.05	0 0 0 0	1 0 0 40 0.28	
OUT OF WEDLOCK BIRTHS									
LESS THAN 10 10-14 15 16 17	0 16 49 150 225 328	0.00 0.39 1.21 3.70 5.54 8.08	0 16 46 143 217 322	0 0 2 2 1	0 0 0 5 3 2	0 0 1 0 3	00000	0 0 0 0	
18 19 20-24 25-29 30-34 35-39	426 1,568 785 364 121	10.50 38.64 19.34 8.97 2.98	410 1,511 764 358 114	2 4 14 6 3	2 4 21 9 2 2	1 7 19 5 0 3	0 0 0 0	1 1 3 1 1	
40-44 GREATER THAN 44 UNKNOWN STATE TOTALS PERCENT DISTRIBUTION	24 0 2 4,058	0.59 0.00 0.05 100.00	24 0 2 3,927 96.77	0 0 0 35 0.86	0 0 0 48 1.18	0 0 0 39 0.96	0 0 0 0	0 0 0 9 0.22	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BAGRACE

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

			******		****	*****		*****		'S AGE(*****	******	*****
BIRTHWEIGHT	TOTAL	PERCENT	LESS THAN	10-14	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	GREATER	UNKNOWN
IN GRAMS	BIRTHS	DIST.	10												THAN 44	
ALL BIRTHS																
LESS THAN 500	8	0.06	. 0	0	0	0	0	0	0	1	3	3	0	1	0	0
500-999	64	0.44	0	0	0	1	3	4	1	18	15	16	6.	0	0	0
1000-1499	82	0.57	0	1	0	1	4	2	4	18	25	20	7	0	0	0
1500-1999	188	1.31	0	1	3	2	2	10	10	48	56	36	18	2	0	Ö
2000-2499	481		0	1	1	3	10	14	19	141	132	110	39	11	0	0
2500-2999	1,979	13.75	0	2	11	19	43	67	105	555	596	391	161	27	0	2
3000-3499	5,130	35.63	0	8	16	64	98	150	235	1,414	1,549	1,160	365	67	1	3
3500-3999	4,483		0	3	16	42	64	113	169	1,148	1,409	1,024	431	56	5	3
4000-4499	1,652		0	0	3,		18	37	51	378	524	416	177	28	1	0
4500-4999	258		0	0	1	3	2	4	3	59	67	63	53	2	0	1
GREATER THAN 499			0	0	0	1	1	1	2	5	7	7	3	1	0	0
UNKNOWN	43		0	0	0	1	2	2	0	10	12	11	5	0	0	0
STATE TOTALS			0	16	51	156	247	404	599	3,795	4,395	3,257	1,265	195	7	9
PERCENT DIST		100.00	0.00	0.11	0.35	1.08	1.72	2.81	4.16	26.36	30.53	22.62	8.79	1.35	0.05	0.06
OUT OF WEDLOCK BI	RTHS															
				•												
LESS THAN 500	3		0	0	0	Q	0	0	Ō	1	2	0	0	0	0	0
500-999	25		0	0	O	1	3	4	1	7	5	4	0	0	0	0
N 1000-1499	19		0	1	0	1	3	2	2	7	. 1	<u>1</u>	1	0	0	0
5 1500-1999 2000-2499	71 165		0	1	3	2	1	8 10	5	25	15	5	4	2	0	O .
2500-2499	666		0	1	11	2 19	8 40	51	13 80	65 237	32 133	23 69	6 20	4 4	0	o o
3000-3499	1,556		0	2	16	62	91	126	166	620	291	133	36	7	0	0
3500-3999	1,146		ŏ	3	14	. 40	58	92	130	451	222	94	35	6	0	0
4000-4499	334		Ô	Ö	3	18	16	31	26	126	71	28	14	9	-	1
4500-4999	54		0 -	Ö	4	3	2	2	20	23	12	20 6	2	0	0	0
GREATER THAN 49			Ö	Ö	Ö	3	4	4	1	. 2	14		0	0	0	1
UNKNOWN	11		ŏ	Ô	Ô	4	2	4	Ó	4	Ó	ó	3	0	0	0
STATE TOTALS	4,058		ŏ	16	49	150	225	328	426	1,568	785	364	121	24	ŏ	0
PERCENT DIST		100.00	0.00		1.21	3.70	5.54	8.08		38.64	19.34	8.97	2.98	0.59	0.00	0.05
PERCENT OF A						00	5.54	0.00	.0.50	30.04	15.54	0.91	4.50	0.59	0.00	0.05
		28.19	0.00	0.00 9		96.15	91.09	81.19	71.12	41.32	17.86	11.18	9.57	12.31	0.00	22.22
										-	· · · · -			,	0.00	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHAGE

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

LIVE BIRTHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS MAINE STATE TOTALS, 1994 (RESIDENT DATA)

	COMPLICATIONS OF CONDITION NUM	LABOR MBER	%	MEDICAL RISK FACONDITION NUM	ACTORS MBER	%	OTHER RIS	K FACTORS NUMBER	%	METHOD OF METHOD	DELIVER NUMBER	Υ %		MALIE MBER	s %
	FEBRILE >100 F MECONIUM	128 787	0.9 5.5	ANEMIA CARDIAC DISEASE	126 37	0.9	TOBACCO USE AVG CIGARET	2,682 TTES	18.6	VAGINAL VAGINAL AFTE	, -	70.7	ANENCEPHALUS SPINA BIFIDA	1 3	0.0
	PREMATURE RUPTURE	•		ACUTE OR CHRONIC			PER DAY	13		C-SECTION	428	3.0	HYDROCEPHALUS	2	0.0
	MEMBRANE >12 HRS ABRUPTIO	589	4.1	LUNG DISEASE DIABETES/	70	0.5	ALCOHOL USE AVG DRINKS	195	1.4	PRIMARY C-SECTION	1,907	13.2	MICROCEPHALUS OTHER	0	0.0
	PLACENTA	106	0.7	GESTATIONAL	424	2.9	PER WEEK	. 2		REPEAT	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		NERVOUS SYSTEM	5	0.0
	PLACENTA		• • •	DIABETES			AVG WEIGHT	GAIN 31	LBS	C-SECTION	1,082	7.5	HEART	20	0.1
	PREVIA	45	0.3	PRE-EXISTING	55	0.4				FORCEPS	130	0.9	OTHER CIRCULATORY	,	
	EXCESSIVE			GENITAL HERPES	127	0.9	ABNORMAL (CONDITIONS		VACUUM	983	6.8	SYSTEM	3	0.0
	BLEEDING	103	0.7	HYDRAMNIOS/			OF THE N	IEWBORN		OTHER	60	0.4	RECTAL ATRESIA	4	0.0
	SEIZURES DURING			OLIGOHYDRAMNIOS	291	2.0	CONDITION	NUMBER	%	UNKNOWN	26	0.2	TRACHEO-ESOPHAGEA	٠L	
	LABOR	6	0.0	HEMOGLOBINOPATHY	4	0.0							FISTULA	5	0.0
	PRECIPITOUS			HYPERTENSION			ANEMIA	26					OMPHALOCELE/		
	LABOR <3 HRS	456	3.2	CHRONIC	157	1.1	BIRTH INJURY		0.3				GASTROSCHISIS	9	0.1
	PROLONGED			HYPERTENSION			FETAL ALCOHO		0.0				OTHER		
	LABOR >20 HRS	316	2.2	PREGNANCY ASSOC.	665		HYALINE MEME						GASTROINTESTINAL	3	0.0
	DYSFUNCTIONAL			ECLAMPSIA	18	0.1	DISEASE	76	0.5	OBSTETRIC	PROCEDUR	RES	MALFORMED		
		1,061	7.4	INCOMPETENT			MECONIUM						GENITALIA	23	0.2
	BREECH	692	4.8	CERVIX	46	0.3	ASPIRATION	26	0.2	CONDITION	NUMBER	%	RENAL AGENESIS	6	0.0
	CEPHALOPELVIC/			PREVIOUS INFANT			ASSISTED <30						OTHER UROGENITAL	22	0.2
	DISPROPORTION	728		4000+ GRAMS	209		VENTILATION	182	1.3	AMNIOCENTHSI		5.2	CLEFT LIP/PALATE		0.1
	CORD PROLAPSE	37	0.3	PREVIOUS PRETERM			ASSISTED >30			ELECTRIC FET			POLYDACTYLY	. 9	0.1
21	ANESTHETIC	_		RENAL DISEASE	27		VENTILATION	128		MONITORING			CLUB FOOT	14	0.1
	COMPLICATIONS	6	0.0	RH SENSITIZATION	83	0.6	SEIZURES	14			R 2,544	17.7	DIAPHRAGMATIC		
	FETAL DISTRESS	601	4.2	UTERINE			OTHER	567		STIMULATION			HERNIA	1	0.0
			14.4	BLEEDING	133		NONE			OF LABOR			MUSCULOSKELETAL	43	0.3
		3,469					UNKNOWN	28	0.2	TOCOLYSIS	363		DOWNS SYNDROME	2	0.0
	UNKNOWN	31	0.2			72.5				ULTRA SOUND			CHROMOSOMAL	6	0.0
				UNKNOWN	47	0.3				OTHER NONE	308 699		OTHER NONE 14.	49 152	0.3
										UNKNOWN	16		UNKNOWN	28	0.2
										CIAVIAOMIA	10	0.1	CIAIMIAOMIA	20	0.2

NOTES: PERCENTAGES ARE BASED ON THE 14,396 LIVE BIRTHS IN MAINE THIS YEAR. MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH BIRTH.

BMEDHIS

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, AND RATIO OF MALE TO FEMALE BIRTHS MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY	TOTAL BIRTHS	5 MIN.	********** APGAR THAN 5 PERCENT		NITAL	CTERISTICS BIRTH < 2500 NUMBER	WEIGHT	LESS T	HAN 37 ON WEEKS	MALE/FEMALE RATIO
ANDROSCOGGIN	1,227	9	0.7	25	2.0	65	5.3	74	6.0	1.20
AROOSTOOK	884	10	1.1	18	2.0	62	7.0	69	7.8	0.99
CUMBERLAND	3,048	8	0.3	47	1.5	163	5.3	238	7.8	1.08
FRANKLIN	329	2	0.6	6	1.8	15	4.6	24	7.3	0.98
HANCOCK	529	. 3	0.6	6	1.1	42	7.9	44	8.3	1.04
KENNEBEC	1,300	13	1.0	15	1.2	82	6.3	113	8.7	1.01
KNOX	386	4	1.0	3	0.8	22	5.7	31	8.0	1.03
LINCOLN	314	2	0.6	7 .	2.2	25	8.0	32	10.2	1.04
OXFORD	577	0	0.0	6	1.0	35	6.1	37	6.4	1.07
PENOBSCOT	1,607	4	0.2	13	0.8	79	4.9	115	7.2	1.04
PISCATAQUIS	173	0	0.0	1	0.6	9	5.2	12	6.9	1.16
SAGADAHOC	420	. 1	0.2	13	3.1	25	6.0	35	8.3	0.83
SOMERSET	615	1	0.2	11	1.8	31	5.0	41	6.7	0.96
WALDO	398	1	0.3	6	1.5	24	6.0	36	9.0	0.99
WASHINGTON	431	1	0.2	5	1.2	23	5.3	23	5.3	0.84
YORK	2,158	9	0.4	34	1.6	121	5.6	169	7.8	1.04
STATE TOTALS	14,396	68	0.5	216	1.5	823	5.7	1,093	7.6	1.04

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

BENVIND

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	********* UNKNOWN	** 1	*****	****** 3	**** BI 4	RTH ORDER **: GREATER TH	**************************************
ANDROSCOGGIN											
ALL BIRTHS											
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	0 4 11 20 22 42 67 350 414 229 59 7 0 2	0.00 0.33 0.90 1.63 1.79 3.42 5.46 28.52 33.74 18.66 4.81 0.57 0.00 0.16	0 3 6 13 8 19 38 201 229 112 37 4 0 0 670 54.60	0 1 5 7 14 23 29 149 185 117 22 3 0 2 557 45.40	000000000000000000000000000000000000000	0 4 8 19 20 33 41 173 151 63 14 1 0 1 528 43.03	0 0 3 1 2 8 23 116 174 83 19 4 0 1 434 35.37	0 0 0 0 0 1 3 51 69 49 14 1 0 0 188 15.32	0 0 0 0 0 0 10 13 24 4 1 0 0 52 4.24	0 0 0 0 0 0 7 10 8 0 0 0 25 2.04	0 0 0 0 0 0 0 0
S OUT OF WEDLOCK BIRTHS											
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION PERCENT OF ALL BIRTHS	0 4 10 20 20 35 47 150 80 33 6 2 0 1 408	0.00 0.98 2.45 4.90 4.90 8.58 11.52 36.76 19.61 8.09 1.47 0.49 0.00 0.25 100.00 0UT OF WEDLOCK 33.25	0 3 6 13 7 16 28 84 43 17 4 1 0 0 222 54.41 <:	0 1 4 7 13 19 66 37 16 2 1 0 1 186 45.59	000000000000000000000000000000000000000	0 4 8 19 19 27 31 75 32 9 1 1 0 1 227 55.64			0 0 0 0 0 0 0 6 5 4 0 0 0 0 15 3.68 28.85	0 0 0 0 0 0 0 1 0 1 0 0 0 2 0.49	0 0 0 0 0 0 0 0 0 0 0

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	********* UNKNOWN	***** 1 2		**** BI 4	RTH ORDER ***** GREATER THAN 4	**************************************
AROOSTOOK										
ALL BIRTHS										
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	0 2 2 18 21 26 43 284 269 158 54 6 0 1 884	0.00 0.23 0.23 2.04 2.38 2.94 4.86 32.13 30.43 17.87 6.11 0.68 0.00 0.11	0 1 0 7 6 13 26 144 130 82 27 2 0 1 439 49.66	0 1 2 11 15 13 17 140 139 76 27 4 0 0 445 50.34	0 0 0 0 0 0 0 0 0	2 2 18 19 24 31 1 150 10 91 11 41 5 10 1	3 25 8 39 7 34 4 16 1 2 0 0 0 0 9 116	0 0 0 0 0 0 6 14 17 9 1 0 0 47 5.32	0 0 0 0 0 0 0 7 9 5 1 0 0 0 22 2.49	000000000000000000000000000000000000000
2 OUT OF WEDLOCK BIRTHS										
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION PERCENT OF ALL BIRTHS	O 2 2 17 20 18 34 107 45 24 4 0 0 0 273	0.00 0.73 0.73 6.23 7.33 6.59 12.45 39.19 16.48 8.79 1.47 0.00 0.00 0.00 0.00 0.00	0 1 0 7 6 9 19 60 18 14 2 0 0 136 49.82	0 1 2 10 14 9 15 47 27 10 2 0 0 0 137 50.18	0 0 0 0 0 0 0 0 0 0 0	2 2 17 18 17 27 69 2 18 1 3 0	5 7 9 6 2 1 0 0 0 0 0 0 4 22 4 8.06	0 0 0 0 0 0 0 0 2 3 2 1 0 0 0 8 2.93	0 0 0 0 0 0 0 0 2 4 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
		3U.88	30.98	30.79	0.00	44.30 20.7	1 18.97	17.02	27.27	0.00

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY AND	TOTAL	PERCENT	*****	**** SEX	******		*****	*****	**** BI	RTH ORDER *****	*******
MOTHER'S AGE(YRS.)	BIRTHS	DISTRIBUTION	MALE	FEMALE	UNKNOWN	1	2	3	4	GREATER THAN 4	UNKNOWN
CUMBERLAND											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	4	0.13	1	3	Ó	4	Ó	Ō	Ö	Ö	Ō
15	6	0.20	4	2	0	5	0	1	Ö	Ó	Ö
16	28	0.92	19	9	Ó	27	1	0	Ö	Ö	Ö
17 .	34	1.12	18	16	0	32	2	Ó	Ó	Ó	Ō
18	50	1.64	30	20	0	42	6	2	Ŏ	Ö	Õ
19	84	2.76	43	41	Ó	64	15	5	Ö	Ö	ŏ
20-24	578	18.96	277	301	Ö	331	175	55	14	3	ŏ
25-29	931	30.54	473	458	Ŏ	428	330	126	33	14	ŏ
30-34	881	28.90	476	405	Ŏ	299	347	154	53	28	ŏ
35-39	385	12.63	203	182	ŏ	95	139	95	37	19	ŏ
40-44	66	2.17	37	29	Õ	20	22	10	5	9	ŏ
GREATER THAN 44	Õ	0.00	Ó	0	ŏ	ō	-0	Ö	ŏ	Ŏ	ŏ
UNKNOWN	ĭ	0.03	ŏ	1	ŏ	ĭ	ŏ	ŏ	ŏ	ŏ	ŏ
COUNTY TOTALS	3.048	0.00	1,581	1,467	· ŏ	1,348		448	142	73	ŏ
PERCENT DISTRIBUTION	0,040	100.00	51.87	48.13	0.00		34.02		4.66	2.40	0.00
N OUT OF WEDLOCK BIRTHS								•			
NOUT OF WEDLOCK BIRTHS											
LESS THAN 10	o	0.00	o	ō	0	0	o		0	. 0	o
LESS THAN 10 10-14	4	0.59	1	3	0	4	O	0	0	0	Ó
LESS THAN 10 10-14 15	4	0.59 0.88	1 4	3 2	0 0	4 5	0	0 1	0	0	0
LESS THAN 10 10-14 15 16	4 6 27	0.59 0.88 3.98	1 4 19	3 2 8	0 0 0	4 5 26	0 0 1	0 1 0	0 0 0	0 0 0	0
LESS THAN 10 10-14 15 16 17	4 6 27 31	0.59 0.88 3.98 4.57	1 4 19 18	3 2 8 13	0 0 0	4 5 26 30	0 0 1 1	0 1 0 0	0 0 0	0 0 0 0	0 0 0
LESS THAN 10 10-14 15 16 17	4 6 27 31 43	0.59 0.88 3.98 4.57 6.34	1 4 19 18 27	3 2 8 13 16	0 0 0 0	4 5 26 30 35	0 0 1 1 6	0 1 0 0 2	0 0 0 0	0 0 0 0	0 0 0
LESS THAN 10 10-14 15 16 17 18	4 6 27 31 43 59	0.59 0.88 3.98 4.57 6.34 8.70	1 4 19 18 27 31	3 2 8 13 16 28	0 0 0 0 0	4 5 26 30 35 46	0 0 1 1 6 11	0 1 0 0 2 2	0 0 0 0 0	0 0 0 0	0 0 0 0
LESS THAN 10 10-14 15 16 17 18 19 20-24	4 6 27 31 43 59 258	0.59 0.88 3.98 4.57 6.34 8.70 38.05	1 4 19 18 27 31 128	3 2 8 13 16 28 130	0 0 0 0 0	4 5 26 30 35 46 157	0 0 1 1 6 11 70	0 1 0 0 2 2 2	0 0 0 0 0	0 0 0 0	0 0 0 0 0
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29	4 6 27 31 43 59 258 150	0.59 0.88 3.98 4.57 6.34 8.70 38.05 22.12	1 4 19 18 27 31 128 84	3 2 8 13 16 28 130 66	0 0 0 0 0	4 5 26 30 35 46 157 62	0 0 1 1 6 11 70 47	0 1 0 0 2 2 2 20 22	0 0 0 0 0 0	0 0 0 0	0 0 0 0 0
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34	4 6 27 31 43 59 258 150 71	0.59 0.88 3.98 4.57 6.34 8.70 38.05 22.12 10.47	1 4 19 18 27 31 128 84	3 2 8 13 16 28 130 66 27	0 0 0 0 0 0 0 0 0	4 5 26 30 35 46 157 62 22	0 0 1 1 6 11 70 47 18	0 1 0 0 2 2 2 20 22 13	0 0 0 0 0 0 10 11	0 0 0 0 0 0 1 8 6	0 0 0 0 0 0 0 0 0
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39	4 6 27 31 43 59 258 150 71 21	0.59 0.88 3.98 4.57 6.34 8.70 38.05 22.12 10.47 3.10	1 4 19 18 27 31 128 84 44	3 2 8 13 16 28 130 66 27 10	0 0 0 0 0 0 0 0 0	4 5 26 30 35 46 157 62 22	0 0 1 1 6 11 70 47 18 8	0 1 0 0 2 2 20 22 13 4	0 0 0 0 0 0 10 11 12 3	0 0 0 0	0 0 0 0 0 0 0 0 0
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44	4 6 27 31 43 59 258 150 71 21	0.59 0.88 3.98 4.57 6.34 8.70 38.05 22.12 10.47 3.10 1.03	1 4 19 18 27 31 128 84 44 11	3 2 8 13 16 28 130 66 27 10 3	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 5 26 30 35 46 157 62 22 4	0 0 1 1 6 11 70 47 18 8	0 1 0 0 2 2 20 22 13 4 2	0 0 0 0 0 10 11 12 3	0 0 0 0 0 1 8 6 2 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44	4 6 27 31 43 59 258 150 71 21	0.59 0.88 3.98 4.57 6.34 8.70 38.05 22.12 10.47 3.10 1.03 0.00	1 4 19 18 27 31 128 84 44 11 4	3 2 8 13 16 28 130 66 27 10	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 5 26 30 35 46 157 62 22	0 0 1 1 6 11 70 47 18 8 1	0 1 0 0 2 2 20 22 13 4 2	0 0 0 0 0 0 10 11 12 3 1	0 0 0 0 0 1 8 6 2 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN	4 6 27 31 43 59 258 150 71 21 7 0	0.59 0.88 3.98 4.57 6.34 8.70 38.05 22.12 10.47 3.10 1.03	1 4 19 18 27 31 128 84 44 11 4 0	3 2 8 13 16 28 130 66 27 10 3 0	000000000000000000000000000000000000000	4 5 26 30 35 46 157 62 22 4 2 0	0 0 1 1 6 11 70 47 18 8 1 0	0 1 0 0 2 2 2 20 22 13 4 2 0 0	0 0 0 0 0 10 11 12 3 1	0 0 0 0 0 1 8 6 2 1 0	000000000000000000000000000000000000000
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	4 6 27 31 43 59 258 150 71 21	0.59 0.88 3.98 4.57 6.34 8.70 38.05 22.12 10.47 3.10 1.03 0.00 0.15	1 4 19 18 27 31 128 84 44 11 4 0 0	3 2 8 13 16 28 130 66 27 10 3 0 1	000000000000000000000000000000000000000	4 5 26 30 35 46 157 62 22 4 2 0 1 394	0 0 1 1 6 11 70 47 18 8 1 0 0 163	0 1 0 0 2 2 2 20 22 13 4 2 0 0 66	0 0 0 0 0 10 11 12 3 1 0 0 37	0 0 0 0 0 1 8 6 2 1 0 0	000000000000000000000000000000000000000
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	4 6 27 31 43 59 258 150 71 21 7 0 1 678	0.59 0.88 3.98 4.57 6.34 8.70 38.05 22.12 10.47 3.10 1.03 0.00 0.15	1 4 19 18 27 31 128 84 44 11 4 0 0 371 54.72	3 2 8 13 16 28 130 66 27 10 3 0	000000000000000000000000000000000000000	4 5 26 30 35 46 157 62 22 4 2 0 1 394	0 0 1 1 6 11 70 47 18 8 1 0	0 1 0 0 2 2 2 20 22 13 4 2 0 0	0 0 0 0 0 10 11 12 3 1	0 0 0 0 0 1 8 6 2 1 0	000000000000000000000000000000000000000
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	4 6 27 31 43 59 258 150 71 21 7 0 1 678	0.59 0.88 3.98 4.57 6.34 8.70 38.05 22.12 10.47 3.10 1.03 0.00 0.15	1 4 19 18 27 31 128 84 44 11 4 0 0 371 54.72	3 2 8 13 16 28 130 66 27 10 3 0 1	000000000000000000000000000000000000000	4 5 26 30 35 46 157 62 22 4 2 0 1 394 58.11	0 0 1 1 6 11 70 47 18 8 1 0 0 163 24.04	0 1 0 0 2 2 2 20 22 13 4 2 0 0 66	0 0 0 0 0 10 11 12 3 1 0 0 37 5.46	0 0 0 0 0 1 8 6 2 1 0 0	000000000000000000000000000000000000000

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** Male	**** SEX FEMALE	********* UNKNOWN		****** 3	**** BI 4	RTH ORDER ***** GREATER THAN 4	**************************************
FRANKLIN										
ALL BIRTHS										
LESS THAN 10	0	0.00	0	0	0	0 (0	0	0	0
10-14	1	0.30	1	0	0	1 (0	0	0	0
15	2	0.61	1	1	0	2 (0	0	0
16	7	2.13	3	4	0	7 (0	0	0	0
17	4	1.22	2	2	0	4 (0	0	0	0
18	13	3.95	6	7	0	11 2		0	0	0
19	14	4.26	7	7	0	10 3	3 1	0	0	0
20-24	93	28.27	50	43	. 0	45 37		1	0	0
25-29	102	31.00	51	51	0	27 46	3 20	5	4	0
30-34	60	18.24	29	31	0	15 26	15	2	2	Ó
35-39	28	8.51	12	16	0	5 9	7	4	3	Ó
40-44	5	1.52	1	4	0	0 3	3 0	0	2	Ó
GREATER THAN 44	0	0.00	0	0	0	0 (0	Ó	. 0	· 0
UNKNOWN	0	0.00	0	0	0	0 (0	0	Ö	Ö
COUNTY TOTALS	329		163	166	0	127 126	5 53	12	11	Ŏ
PERCENT DISTRIBUTION		100.00	49.54	50.46	0.00	38.60 38.30		3.65	3.34	0.00
NO OUT OF WEDLOCK BIRTHS										
LESS THAN 10	0	0.00	0	0	0	0 (0	0	0	0
10-14	1	1.00	1	0	0		0	0	0	0
15	2	2.00	1	1	0	2 (0	0	0	0
16	7	7.00	3	4	0	7 (0	0	0	0
17	4	4.00	2	2	0	4 (0	0	0	0
18	11	11.00	6	5	0		2 0	0	0	0
19	9	9.00	6	3	0		2 0	0	0	0
20-24	31	31.00	17	14	0	19 10		0	0	0
25-29	27	27.00	14	13	0	7 10) 6	2	2	0
30-34	7	7.00	4	3	0	2 2	2 1	1	1	Ó
35-39	1	1.00	1	0	0	0	1 0	0	0	Ō
40-44	0	0.00	0	0	0	0 (0	0	Ó	Ŏ
GREATER THAN 44	Ö	0.00	Ö	Ó	Ó	ō (Ó	ŏ	Ö	ŏ
UNKNOWN	Ŏ	0.00	Ö	Ō	Ō	ō (Ò	Ŏ	Ö	ŏ
COUNTY TOTALS	100		55	45	0	58 27	7 9	3	3	ŏ
PERCENT DISTRIBUTION		100.00	55.00	45.00	0.00	58.00 27.00		3.00	3.00	0.00
PERCENT OF ALL BIRTHS	WHICH AR	E OUT OF WEDLOCK	(:							
		30.40	33.74	27.11	0.00	45.67 21.43	3 16.98	25.00	27.27	0.00

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** Male	**** SEX FEMALE	********* UNKNOWN		***** 2	****** 3	**** BI 4	RTH ORDER ******* GREATER THAN 4	********* UNKNOWN
HANCOCK			•								
ALL BIRTHS											
LESS THAN 10	o	0.00	0	0	0	0	0	0	0	0	0
10-14	O.	0.00	0	0	Ō	o o	0	0	0	0	0
15	1	0.19	0	1	0	1	0	0	0	O	0
16	5	0.95	5	0	o o	5	0	0	0	o o	0
17	6	1.13	2	4	0	6	0	0	0	0	0
18	13 20	2.46 3.78	5	8 14	0	11	2	0	0	0	0
19 20-24	144	27.22	6 76	14 68	- 0	15 85	5	0	0 3	0	0
25-29	154	27.22	76 82	72	0	85 63	44 60	12 24	3	0	0
30-34	124	23.44	52 58	66	Ö	38	49	28	3	4	0
35-39	48	9.07	30	18	ŏ	17	13	14	3	4	0
40-44	12	2.27	6	6	ő	3	6	3	0	0	
GREATER THAN 44	1	0.19	Ö	1	Õ	Ö	ő	0	Ŭ,	Ö	0
UNKNOWN	i	0.19	ŏ	i	ŏ	ő	ŏ	Õ	4	ŏ	Ö
COUNTY TOTALS	529	0.15	270	259	ŏ	244	179	81	18	7	ŏ
PERCENT DISTRIBUTION	023	100.00	51.04	48.96	0.00	46.12 3			3.40	1.32	0.00
27 OUT OF WEDLOCK BIRTHS											
	_				_						
											_
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	Ó	0	Ó	0	0	0	Ō	Ö	0
10-14 15		0.00 0.68	0	0	0	0 1	0	0	0	0	0
10-14 15 16	0 1 4	0.00 0.68 2.74	0 0 4		0 0 0	0 1 4	0	0 0	0 0	0 0 0	0 0 0
10-14 15 16 17	0 1 4 6	0.00 0.68 2.74 4.11	0 0 4 2	0 1 0 4	0 0 0	0 1 4 6	0 0 0	0 0 0	0 0 0	0 0 0 0	0 0 0
10-14 15 16 17 18	0 1 4 6 10	0.00 0.68 2.74 4.11 6.85	0 0 4 2 4	0 1 0 4 6	0 0 0	0 1 4 6 8	0 0 0 0 2	0 0 0 0	0 0 0 0	0 0 0 0 0	0 0 0 0
10-14 15 16 17 18 19	0 1 4 6 10 15	0.00 0.68 2.74 4.11 6.85 10.27	0 0 4 2 4 5	0 1 0 4 6 10	0 0 0 0 0	0 1 4 6 8 14	0 0 0 0 2 1	0 0 0 0 0	0 0 0	0 0 0 0 0	0 0 0 0 0
10-14 15 16 17 18 19 20-24	0 1 4 6 10 15 54	0.00 0.68 2.74 4.11 6.85 10.27 36.99	0 0 4 2 4 5 28	0 1 0 4 6 10 26	0 0 0 0 0	0 1 4 6 8 14 31	0 0 0 0 2 1 20	0 0 0 0 0 2	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0
10-14 15 16 17 18 19 20-24 25-29	0 1 4 6 10 15 54 25	0.00 0.68 2.74 4.11 6.85 10.27 36.99 17.12	0 0 4 2 4 5 28 11	0 1 0 4 6 10 26 14	0 0 0 0 0 0 0	0 1 4 6 8 14 31 9	0 0 0 2 1 20	0 0 0 0 0	0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0
10-14 15 16 17 18 19 20-24 25-29 30-34	0 1 4 6 10 15 54 25 22	0.00 0.68 2.74 4.11 6.85 10.27 36.99 17.12 15.07	0 0 4 2 4 5 28	0 1 0 4 6 10 26 14 11	0 0 0 0 0	O 1 4 6 8 14 31 9 7	0 0 0 2 1 20 13	0 0 0 0 0 2	0 0 0 0 0 0 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0
10-14 15 16 17 18 19 20-24 25-29	0 1 4 6 10 15 54 25	0.00 0.68 2.74 4.11 6.85 10.27 36.99 17.12 15.07 4.11	0 0 4 2 4 5 28 11	0 1 0 4 6 10 26 14 11	0 0 0 0 0 0 0	0 1 4 6 8 14 31 9	0 0 0 2 1 20	0 0 0 0 0 2	0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0
10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44	0 1 4 6 10 15 54 25 22 6	0.00 0.68 2.74 4.11 6.85 10.27 36.99 17.12 15.07	0 0 4 2 4 5 28 11	0 1 0 4 6 10 26 14 11	0 0 0 0 0 0 0 0 0	O 1 4 6 8 14 31 9 7	0 0 0 2 1 20 13 10 2	0 0 0 0 0 2	0 0 0 0 0 0 1 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
10-14 15 16 17 18 19 20-24 25-29 30-34 35-39	0 1 4 6 10 15 54 25 22 6 3	0.00 0.68 2.74 4.11 6.85 10.27 36.99 17.12 15.07 4.11 2.05	0 0 4 2 4 5 28 11 11 4	0 1 0 4 6 10 26 14 11 2 2	000000000000000000000000000000000000000	0 1 4 6 8 14 31 9 7 3	0 0 0 2 1 20 13 10 2	0 0 0 0 0 0 2 3 4 1	0 0 0 0 0 0 1 0	000000000000000000000000000000000000000	0 0 0 0 0 0 0 0 0 0 0 0 0
10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44	0 1 4 6 10 15 54 25 22 6 3 0	0.00 0.68 2.74 4.11 6.85 10.27 36.99 17.12 15.07 4.11 2.05 0.00	0 0 4 2 4 5 28 11 11 4 1	0 1 0 4 6 10 26 14 11 2 2	000000000000000000000000000000000000000	0 1 4 6 8 14 31 9 7 3 1	0 0 0 2 1 20 13 10 2 1	0 0 0 0 0 0 0 2 3 4 1 1	0 0 0 0 0 0 1 0 1 0	000000000000000000000000000000000000000	0 0 0 0 0 0 0 0 0 0
10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN	0 1 4 6 10 15 54 25 22 6 3 0	0.00 0.68 2.74 4.11 6.85 10.27 36.99 17.12 15.07 4.11 2.05 0.00	0 0 4 2 4 5 28 11 11 4 1 0	0 1 0 4 6 10 26 14 11 2 2 0	000000000000000000000000000000000000000	0 1 4 6 8 14 31 9 7 3 1 0	0 0 0 2 1 20 13 10 2 1 0 0 49	0 0 0 0 0 2 3 4 1 1 0 0	0 0 0 0 0 1 0 1 0	000000000000000000000000000000000000000	000000000000000000000000000000000000000
10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN	0 1 4 6 10 15 54 25 22 6 3 0 0	0.00 0.68 2.74 4.11 6.85 10.27 36.99 17.12 15.07 4.11 2.05 0.00 0.00	0 0 4 2 4 5 28 11 11 4 1 0 70 47.95	0 1 0 4 6 10 26 14 11 2 0 0	000000000000000000000000000000000000000	0 1 4 6 8 14 31 9 7 3 1 0 .84	0 0 0 2 1 20 13 10 2 1 0 0 49	0 0 0 0 0 0 0 2 3 4 1 1	0 0 0 0 0 1 0 1 0 0 0	000000000000000000000000000000000000000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	********* UNKNOWN		**** 2	*****	**** BI	RTH ORDER ******* GREATER THAN 4	**************************************
KENNEBEC											
ALL BIRTHS											
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	0 2 2 12 29 40 56 353 415 267 103 17 1 3	0.00 0.15 0.15 0.92 2.23 3.08 4.31 27.15 31.92 20.54 7.92 1.31 0.08 0.23	0 0 3 9 20 29 183 209 139 53 6 0 1 652	0 2 9 20 20 27 169 206 127 50 11 1 2	000000010100002	0 2 12 23 32 47 213 163 68 27 3 0 1 593	0 0 0 0 4 8 9 106 174 115 27 5 0 0 448	0 0 0 0 2 0 0 22 61 56 30 4 0 1 176	0 0 0 0 0 0 0 11 12 16 10 0 0	0 0 0 0 0 0 0 1 5 12 9 5 1 0 33	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
PERCENT DISTRIBUTION OUT OF WEDLOCK BIRTHS		100.00	50.15	49.69	0.15	45.62 3	7.70	10.34	3.85	2.54	0.00
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION PERCENT OF ALL BIRTHS	O 2 2 12 24 29 48 163 78 33 10 2 0 0 403			0 2 2 9 17 15 24 74 42 20 3 1 0 0 209 51.86	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 2 2 12 21 24 40 106 32 10 5 1 0 255 63.28 2		0 0 0 0 1 0 0 9 14 4 2 0 0 0 30 7.44	0 0 0 0 0 0 0 5 3 5 1 0 0 0 14 3.47	0 0 0 0 0 0 0 0 2 3 1 1 0 0 7	000000000000000000000000000000000000000
	·	31.00	29.60	32.35	50.00	43.00 2	1.65	17.05	28.00	21.21	0.00

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** Male	**** SEX FEMALE	**************************************	* * 1	***** 2	***** 3	**** BI 4	RTH ORDER *** GREATER THA	**************************************
KNOX											
ALL BIRTHS											
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	0 0 3 5 9 14 13 136 93 70 32 11 0 386	0.00 0.00 0.78 1.30 2.33 3.63 3.37 35.23 24.09 18.13 8.29 2.85 0.00 0.00	0 0 3 4 5 6 7 67 47 36 14 7 0 196 50.78	0 0 0 1 4 8 6 69 46 34 18 4 0 0 190 49.22	0 0 0 0 0 0 0 0	0 0 3 5 8 11 10 73 33 21 12 1 0 0 177 45.85	0 0 0 0 0 2 3 50 37 25 9 6 0 0 0 132 34.20	0 0 0 0 1 1 1 0 12 12 22 7 3 0 0 58 15.03	0 0 0 0 0 0 0 1 6 1 3 0 0 0	0 0 0 0 0 0 0 0 5 1 1 1 0 0 8 2.07	0 0 0 0 0 0 0 0
COUNTY TOTALS PERCENT DISTRIBUTION	0 0 3 5 9 11 8 50 17 6 3 3 0 0 15	0.00 0.00 2.61 4.35 7.83 9.57 6.96 43.48 14.78 5.22 2.61 2.61 0.00	0 0 3 4 5 5 4 2 2 2 0 0 5 7 4 9	0 0 0 1 4 6 4 25 13 3 1 1 0 0 58 50.43	0 0 0 0 0 0 0 0 0	0 0 3 5 8 9 7 33 4 2 1 1 0 0 73 63.48	0 0 0 0 0 0 1 1 1 4 5 2 0 1 0 0 2 4 7 2 0 1 2 0 7 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 1 1 0 3 3 2 2 2 1 0 0 3 3	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
PERCENT OF ALL BIRTHS	WHICH AR			30.53	0.00	41.24				37.50	0.00

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** Male	**** SEX FEMALE	********* UNKNOWN	**** 1	******		RTH ORDER ***** GREATER THAN 4	
LINCOLN			σ							
ALL BIRTHS										
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	0 2 3 9 10 13 84 90 74 26 3 0 0	0.00 0.00 0.64 0.96 2.87 3.18 4.14 26.75 28.66 23.57 8.28 0.96 0.00 0.00	0 1 0 5 4 8 45 35 12 2 0 0 160 50.96	O 0 1 3 4 6 5 36 45 39 14 1 0 0 154 49.04		35 21 9 0 0	0 0 0 1 3 4 35 36 1 26 2 8 1 0 0	0 4 5 3 2 0 0 0 0 0 8 11	0 0 0 0 0 0 1 1 3 1 0 0 0 6	0 0 0 0 0 0 0 0 0
ω OUT OF WEDLOCK BIRTHS										
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION PERCENT OF ALL BIRTHS	O O O O O O O O O O O O O O O O O O O	0.00 0.00 2.13 3.19 9.57 8.51 9.57 34.04 19.15 7.45 6.38 0.00 0.00 0.00 0.00 100.00 E OUT OF WEDLOCK 29.94	0 0 1 0 5 4 4 17 8 3 2 0 0 4 4 46.81 (: 27.50	0 0 1 3 4 4 5 15 10 4 4 0 0 5 5 5 5 5 5 5 3 4 4 4 7 5 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8	000000000000000000000000000000000000000	0 0 2 3 8 7 7 7 22 7 3 2 0 0 0 61 64.89 24.	0 0 0 1 1 2 9 6 2 2 0 0 0 2 3 47 6.3		0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	********** UNKNOWN	** 1	***** 2	***** 3	**** BI 4	RTH ORDER ****** GREATER THAN 4	*********** UNKNOWN
0 1 2 5 13 22 31 170 180 112 38 3 0 0	0.00 0.17 0.35 0.87 2.25 3.81 5.37 29.46 31.20 19.41 6.59 0.52 0.00 0.00	0 1 1 3 6 12 20 89 88 59 18 1 0 0 298 51.65	0 0 1 2 7 10 11 81 92 53 20 2 0 0 279 48.35	0 0 0 0 0 0 0 0	0 1 2 4 11 17 27 80 62 33 10 0 0 247 42.81	0 0 0 1 2 4 3 70 75 40 14 0 0 209 36.22	0 0 0 0 0 1 1 16 31 28 7 0 0 0 84 14.56	0 0 0 0 0 0 0 3 9 10 4 2 0 0 2 8 4 .85	0 0 0 0 0 0 0 1 3 1 3 1 0 9	000000000000000000000000000000000000000
O 1 2 4 12 18 25 65 38 12 8 0 0 0 185			0 0 1 2 6 7 9 28 19 6 5 0 0 0 83 44.86	0 0 0 0 0 0 0 0 0				0 0 0 0 0 0 0 1 0 2 0 0 0 3 1.62	0 0 0 0 0 0 1 1 1 0 0 0 0	000000000000000000000000000000000000000
_	O 1 2 5 13 222 31 1700 1800 112 38 3 0 0 577 577 O 1 1 2 4 1 2 1 8 2 5 6 5 3 8 1 2 8 0 0 0 1 8 5	O O.00 1 O.17 2 O.35 5 O.87 13 2.25 22 3.81 31 5.37 170 29.46 180 31.20 112 19.41 38 6.59 3 O.52 O O.00 O O.00 577 100.00 O O.00 1 O.54 2 1.08 4 2.16 12 6.49 18 9.73 25 13.51 65 35.14 38 20.54 12 6.49 8 4.32 O O.00	O 0.00 0 1 0.17 1 2 0.35 1 5 0.87 3 13 2.25 6 22 3.81 12 31 5.37 20 170 29.46 89 180 31.20 88 112 19.41 59 38 6.59 18 3 0.52 1 0 0.00 0 0 0.00 0 577 298 100.00 51.65	O	O	BIRTHS DISTRIBUTION MALE FEMALE UNKNOWN 1	BIRTHS DISTRIBUTION MALE FEMALE UNKNOWN 1 2 O	BIRTHS DISTRIBUTION MALE FEMALE UNKNOWN 1 2 3 0 0.00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	DISTRIBUTION MALE FEMALE UNKNOWN 1 2 3 4	BIRTHS DISTRIBUTION MALE FEMALE UNKNOWN 1 2 3 4 GREATER THAN 4 0 0.00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	********* UNKNOWN	** 1	***** 2	***** 3	**** BI 4	RTH ORDER *** GREATER THA	**************************************
PENOBSCOT		*									
ALL BIRTHS											
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	0 0 3 18 24 45 63 473 500 332 125 23 1 0	0.00 0.00 0.19 1.12 1.49 2.80 3.92 29.43 31.11 20.66 7.78 1.43 0.06 0.00	0 0 3 11 15 24 38 239 244 169 64 11 1 0 819 50.96	0 0 7 9 21 25 234 256 163 61 12 0 788 49.04	000000000000000000000000000000000000000	0 0 3 16 23 38 47 268 194 79 22 5 0 0 695 43.25	0 0 0 1 1 7 14 163 189 141 49 7 0 572 35.59	0 0 0 1 0 2 30 86 72 33 3 1 0 228 14.19	0 0 0 0 0 0 0 11 19 31 15 4 0 0 80 4.98	0 0 0 0 0 0 1 12 9 6 4 0 0 32 1.99	000000000000000000000000000000000000000
ω OUT OF WEDLOCK BIRTHS											
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION PERCENT OF ALL BIRTHS	O O 3 18 23 38 41 183 92 41 16 2 O O 457 WHICH AR	0.00 0.00 0.66 3.94 5.03 8.32 8.97 40.04 20.13 8.97 3.50 0.44 0.00 0.00	0 0 3 11 14 21 27 95 40 23 9 1 0 0 244 53.39 (:	0 0 0 7 9 17 14 88 52 18 7 1 0 0 213 46.61 27.03	000000000000000000000000000000000000000		0 0 0 1 1 7 4 48 26 11 6 2 0 0 106 23.19 18.53		0 0 0 0 0 0 0 2 5 10 4 0 0 0 2 1 4 60 26.25	0 0 0 0 0 0 0 0 5 2 2 0 0 0 0 9 1.97	000000000000000000000000000000000000000

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** Male	**** SEX FEMALE	********* UNKNOWN		**** 2	*****	**** BI 4	RTH ORDER **** GREATER THAN	
PISCATAQUIS											
ALL BIRTHS											
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	0 0 1 2 4 6 19 51 56 20 11 3 0 0	0.00 0.00 0.58 1.16 2.31 3.47 10.98 29.48 32.37 11.56 6.36 1.73 0.00 0.00	0 0 1 1 4 6 31 31 13 4 1 0 93 53.76	0 0 0 1 3 2 13 20 25 7 7 2 0 0 80 46.24	000000000000000000000000000000000000000	0 0 1 2 3 6 12 18 12 2 0 0 0 0 5 6 32.37	0 0 0 0 1 0 7 25 29 4 2 1 0 69 39.88	0 0 0 0 0 0 5 11 7 6 0 0 0 29 16.76	0 0 0 0 0 0 0 2 2 5 2 0 0 0 11 6.36	0 0 0 0 0 0 1 2 2 1 2 0 0 8 4.62	0 0 0 0 0 0 0 0 0
ω OUT OF WEDLOCK BIRTHS											
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION PERCENT OF ALL BIRTHS	O O 1 1 2 6 11 25 12 4 3 O O O 65	0.00 0.00 1.54 1.54 3.08 9.23 16.92 38.46 18.46 6.15 4.62 0.00 0.00 0.00 0.00	0 0 1 1 0 4 4 14 7 2 1 0 0 34 52.31 (:	0 0 0 0 2 2 7 11 5 2 2 0 0 0 31 47.69 38.75	0 0 0 0 0 0 0 0 0 0	0 0 1 1 2 6 7 11 0 0 0 0 0 0 29 44.62 3			0 0 0 0 0 0 1 0 2 1 0 0 4 6.15	0 0 0 0 0 0 1 0 0 0 0 1 1.54	0 0 0 0 0 0 0 0 0 0 0

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** Male	**** SEX FEMALE	**************************************		*****	****** 3	**** BI 4	RTH ORDER ***** GREATER THAN 4	
SAGADAHOC											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	o	0
10-14 15	0	0.00 0.00	0	0	0	0	0	0	0	0	0
16	5	1.19	3	2	0	0 5	0	0	0	0	0
17	. 4	0.95	3	1	ŏ	3	1	0	0	0	0
18	10	2.38	3	7	ŏ	9	ó	1	Ö	0	0
19	25	5.95	8	17	ŏ	17	5	2	1	Ö	0
20-24	107	25.48	53	54	ŏ	53	38	11	5	0	Ö
25-29	118	28.10	45	73	ŏ	43	46	19	9	1	Ö
30-34	105	25.00	56	49	ŏ	33	38	25	5	4	Ö
35-39	43	10.24	19	24	ŏ	11	11	13	5	3	ŏ
40-44	3	0.71	1	2	Ö	2	0	0	Ō	Ĭ	ŏ
GREATER THAN 44	0	0.00	0	0	Ö	Ō	Ō	ō	ŏ	Ó	ŏ
UNKNOWN	0	0.00	0	0	0	0	0	Ó	Ó	Ö	Ŏ
COUNTY TOTALS	420		191	229	0	176	139	71	25	9	Ö
PERCENT DISTRIBUTION		100.00	45.48	54.52	0.00	41.90	33.10	16.90	5.95	2.14	0.00
3 OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	. 0	0.00	0	0	0	0	0	0	0	0	0
15	0	0.00	0	O	0	0	0	0	0	0	0
16	5	4.81	3	2	0	5	o	0	0	0	0
17	3	2.88	2	1	0	2	1	0	0	0	0
18 19	8	7.69	3	5 9	0	8	0	0	0	0	0
20-24	12 45	11.54 43.27	3 23	22	0	8 21	2 16	1	1	0	0
25-29	22	21.15	23 8	14	0	∠ I 8	6	4	4	0 0	0
30-34	7	6.73	5	2	Ö	2	2	3	Ö	0	0
35-39	2	1.92	ő	2	ő	1	ō	1	ŏ	0	0
40-44	Õ	0.00	ŏ	ō	Õ	ó	Õ	ó	Ö	0	0
GREATER THAN 44	ŏ	0.00	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	. 0	ŏ
UNKNOWN	ŏ	0.00	ŏ	ŏ	ŏ	ŏ	ő	ő	ŏ	0	0
COUNTY TOTALS	104		47	57	ŏ	55	27	13	9	Ö	0
PERCENT DISTRIBUTION		100.00	45.19	54.81	0.00	52.88			8.65	0.00	0.00
PERCENT OF ALL BIRTHS	WHICH AR							•			0.00
		24.76	24.61	24.89	0.00	31.25	19.42	18.31	36.00	0.00	0.00

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** Male	**** SEX FEMALE	********** UNKNOWN	** 1	***** 2	***** 3	**** BI 4	RTH ORDER ****** GREATER THAN 4	**************************************
SOMERSET											
ALL BIRTHS	•										
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	0 5 4 22 27 38 193 187 109 27 3 0 0	0.00 0.00 0.81 0.65 3.58 4.39 6.18 31.38 30.41 17.72 4.39 0.49 0.00 0.00	0 0 2 3 7 13 18 100 79 59 17 2 0 0 300 48.78	0 0 3 1 15 14 20 93 108 49 10 0 314 51.06	0 0 0 0 0 0 0 1 0 0 0	0 0 5 3 18 20 32 101 66 20 5 0 0 270 43.90	0 0 0 4 7 6 63 78 47 6 1 0 0 212 34.47	0 0 0 1 0 0 27 36 29 9 0 0 0 102 16.59	0 0 0 0 0 0 1 7 6 1 1 0 0 16 2.60	0 0 0 0 0 0 1 0 7 6 1 0 0 0	000000000000000000000000000000000000000
ယ္ OUT OF WEDLOCK BIRTHS					**						
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION PERCENT OF ALL BIRTHS	O O O 5 4 20 22 31 89 36 24 3 1 O O 235	0.00 0.00 2.13 1.70 8.51 9.36 13.19 37.87 15.32 10.21 1.28 0.43 0.00 0.00	0 0 2 3 6 11 13 44 16 12 1 0 0 108 45.96 (:	0 0 3 1 14 11 18 45 20 12 2 1 0 0 127 54.04	0 0 0 0 0 0 0 0 0	0 0 5 3 17 17 26 46 14 3 1 0 0 0 132 56.17			0 0 0 0 0 0 0 1 2 1 0 0 5 2.13	0 0 0 0 0 0 0 1 1 0 2 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	********* UNKNOWN		***** 2	***** 3	**** BI 4	RTH ORDER ** GREATER TI	**************************************
WALDO											
ALL BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	o,	o o	0	0	0	0	0	0	Ō
15	2	0.50	1	1 3	0	2	0	0	0	0	0
16 17	6 8	1.51 2.01	3 4	4	0	6 8	0	0	0	0	0
18	15	3.77	7	8	0	12	2	1	0	0	0
18	18	4.52	9	9	0	15	3	Ö	0	0	0
20-24	131	32.91	62	69	0	63	48	17	3	0	0
25-29	105	26.38	49	56	0	43	43	17	4	U	0
30-34	71	17.84	37	34	Ö	23	29	8	7	1	0
35-39	34	8.54	19	15	Ö	11	12	6	4	1	0
40-44	8	2.01	7	1	ő	2	1	4	Õ	4	0
GREATER THAN 44	Õ	0.00	ó	ó	Õ	0	Ö	ō	0	Ö	0
UNKNOWN	. 0	0.00	ő	ŏ	Ö	ŏ	Ö	Ö	Ö	0	0
COUNTY TOTALS	398	0.00	198	200	ŏ	185	138	53	15	7	Ŏ
PERCENT DISTRIBUTION	030	100.00	49.75	50.25	0.00			13.32	3.77	1.76	0.00
ယ္ OUT OF WEDLOCK BIRTHS											
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0
10-14	0	0.00	0	0	0	0	0	0	0	0	Ö
15	2 ·	1.50	1	1	0	2	0	0	0	0	0
16	6	4.51	3	3	0	6	0	0	0	0	0
17	7	5.26	3	4	0	7	0	0	0	0	0
18	14	10.53	7	7	0	11	2	1	0	0	0
19	9	6.77	3	6	0	8	1	0	0	0	0
20-24	57	42.86	23	34	0	34	15	8	0	0	0
25-29	17	12.78	7	10	0	6	9	1	0	1	0
30-34	15	11.28	6	9	0	4	7	1	2	1	0
35-39	5	3.76	3	2	0	2	1	0	2	0	0
40-44	1	0.75	1	0	0	0	0	1	0	0	0
GREATER THAN 44	0	0.00	0	0	0	0	0	0	0	0	Ō
UNKNOWN	0	0.00	_0	0 76	0	0	0	0	0	0	0
COUNTY TOTALS	133	100.00	57 42.86	76 57.14	0 0.00	80 60.15	35	12	2 04	1 50	0
PERCENT DISTRIBUTION PERCENT OF ALL BIRTHS	WHICH AD	100.00		57.14	0.00	00.15	∠0.32	9.02	3.01	1.50	0.00
PERCENT OF ALL BIRTHS	WHICH AR	33.42	28.79	38.00	0.00	43.24	25.36	22.64	26.67	28.57	0.00

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** MALE	**** SEX FEMALE	********* UNKNOWN	*** 1	***** 2	***** 3	**** BII	RTH ORDER ** GREATER TH	**************************************
WASHINGTON											
ALL BIRTHS											
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	0 1 2 7 11 16 13 144 126 68 33 9 1 0	0.00 0.23 0.46 1.62 2.55 3.71 3.02 33.41 29.23 15.78 7.66 2.09 0.23 0.00	0 1 1 6 5 6 5 73 56 23 18 3 0 0 197 45.71	0 0 1 1 6 10 8 71 70 45 15 6 1 0 234 54.29	000000000000000000000000000000000000000	0 1 2 7 11 12 12 74 45 17 1 2 1 0 185 42.92	0 0 0 0 0 3 1 56 52 21 8 3 0 0 0	0 0 0 0 1 11 23 15 8 2 0 60 13.92	0 0 0 0 0 0 0 3 6 11 12 0 0 0 32 7.42	0 0 0 0 0 0 0 0 4 4 4 2 0 0 10 2.32	0 0 0 0 0 0 0 0 0
3 OUT OF WEDLOCK BIRTHS											·
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION PERCENT OF ALL BIRTHS	O 1 2 7 10 12 8 63 31 14 7 1 0 0 156	0.00 0.64 1.28 4.49 6.41 7.69 5.13 40.38 19.87 8.97 4.49 0.64 0.00 0.00 100.00 E OUT OF WEDLOCK 36.19	0 1 1 6 4 6 3 31 13 7 1 0 0 76 48.72 (:	0 0 1 1 6 6 5 32 18 11 0 0 0 0 80 51.28	0 0 0 0 0 0 0 0 0	0 1 2 7 10 10 7 30 11 4 0 0 83 53.21			0 0 0 0 0 0 0 2 3 3 2 0 0 0 0 6.41	0 0 0 0 0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 0 0 0 0 0

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** Male	**** SEX FEMALE	********* UNKNOWN	*** 1	***** 2	***** 3	**** BI 4	RTH ORDER GREATER	******** UNKNOWN
YORK											
ALL BIRTHS											
LESS THAN 10 . 10-14 . 15 . 16 . 17 . 18 . 19 . 20-24 . 25-29 . 30-34 . 35-39 . 40-44 . GREATER THAN 44 . UNKNOWN . COUNTY TOTALS . PERCENT DISTRIBUTION	0 1 7 11 27 55 82 504 655 577 219 16 3 1	0.00 0.05 0.32 0.51 1.25 2.55 3.80 23.35 30.35 26.74 10.15 0.74 0.14 0.05	0 0 3 4 15 26 43 272 319 298 113 7 1 0	0 1 4 7 12 29 39 232 336 279 106 9 2 1 1,057 48.98	000000000000000000000000000000000000000	0 1 7 10 25 45 70 264 278 156 47 2 0 1 906 41.98 3	0 0 0 1 2 9 11 184 236 232 72 6 0 0 753 84.89	0 0 0 0 1 1 48 105 119 60 5 2 0 341 15.80	0 0 0 0 0 0 6 30 48 22 3 0 0 109 5.05	0 0 0 0 0 0 2 6 22 18 0 1 0 49 2.27	000000000000000000000000000000000000000
ധ OUT OF WEDLOCK BIRTHS											
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION PERCENT OF ALL BIRTHS	O 1 6 10 25 45 60 196 97 44 20 2 0 0 506	0.00 0.20 1.19 1.98 4.94 8.89 11.86 38.74 19.17 8.70 3.95 0.40 0.00 0.00 0.00 100.00 E OUT OF WEDLOCK 23.45	0 0 2 4 14 23 27 104 45 17 12 1 0 0 249 49.21 (: 22.62	0 1 4 6 11 22 33 92 52 27 8 1 0 0 257 50.79	0 0 0 0 0 0 0 0 0 0 0	0 1 6 9 24 36 52 111 28 16 3 0 0 0 286 56.52 2			0 0 0 0 0 0 0 2 7 3 2 0 0 0 14 2.77	0 0 0 0 0 0 0 1 3 3 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0

BAGESEX

TABLE B-5 ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE, SEX OF CHILD, AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

STATE AND MOTHER'S AGE(YRS.)	TOTAL BIRTHS	PERCENT DISTRIBUTION	***** Male	**** SEX FEMALE	********* UNKNOWN		******	**** BI	RTH ORDER ******** GREATER THAN 4	********* UNKNOWN
MAINE SUMMARY										
ALL BIRTHS										
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN STATE TOTALS PERCENT DISTRIBUTI	0 16 51 156 247 404 599 3,795 4,395 3,257 1,265 195 7 9	0.00 0.11 0.35 1.08 1.72 2.81 4.16 26.36 30.53 22.62 8.79 1.35 0.05 0.06	0 8 27 88 111 198 311 1,965 2,177 1,681 660 98 2 2 7,328 50.90	0 8 24 68 136 206 288 1,829 2,218 1,574 605 97 7,065 49.08	0 0 0 0 0 0 1 0 2 0 0 0 0 0 0	0 16 47 149 5 222 22 330 65 459 122 2,032 1,313 1,734 1,723 929 1,286 296 412 42 65 5 6,262 5,015 43.50 34.84	1 2 3 3 5 8 1 1 5 5 9 1 1 5 3 3 5 8 8 1 0 6 8 1 2 3 3 0 3 9 7 7 3 9 1 1 2 1 3 6 5 2 1 3 6	0 0 0 0 0 1 81 172 247 138 17 1 2 659 4.58	0 0 0 0 0 0 11 72 120 89 30 2 0 324 2.25	0 0 0 0 0 0 0 0 0 0
⇔ OUT OF WEDLOCK BIRTHS										
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN STATE TOTALS PERCENT DISTRIBUTI PERCENT OF ALL BIR				0 8 23 64 124 157 209 749 412 181 52 11 0 2 1,992 49.09	0 0 0 0 0 0 0 0 0 0 0 0 0	143	0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 0 0 0 0 0 0 1 37 50 46 19 2 0 0 155 3.82	0 0 0 0 0 0 0 5 28 22 9 2 0 0 66 1.63	000000000000000000000000000000000000000
				49.09 28.20	0.02 33.33	58.40 25.8° 37.85 20.9			1.63 20.37	0.0

BAGESEX

C	DUNTY AND			******	******	MONTH PRENATAL	CARE BEGAN	******	******
В:	IRTHWEIGHT	TOTAL	PERCENT	1ST+2ND	3RD	4TH-6TH	7TH-9TH	NONE	UNKNOWN
:	IN GRAMS	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH		
1A	NDROSCOGGIN								
	LESS THAN 1000	8	0.65	2	4	1	0	0	1
	1000-1499	3	0.24	2	1	0	0	0	0
	1500-1999	18	1.47	10	6	2	0	0	0
	2000-2499	36	2.93	15	19	2	0	0	0
	2500-2999	177	14.43	100	54	18	2	2	1
	3000-3499	436	35.53	217	155	57	6	1	0
	3500-3999	382	31.13	187	138	50	6	1	0
	4000-4499	141	11.49	74	55	8	3	1	0
	4500-4999	18	1.47	8	8	1	1	0	0
	GREATER THAN 4999	4	0.33	2	0	2	0	0	0
	UNKNOWN	4	0.33	3	1	0	0	0	0
	COUNTY TOTALS	1,227		620	441	141	18	5	2
	PERCENT DISTRIBUTION		100.00	50.53	35.94	11.49	1.47	0.41	0.16
ΑI	ROOSTOOK								
	LESS THAN 1000	2	0.23	1	1	0	0	0	0
	1000-1499	9	1.02	8	1	Ö	Ö	ō	Ŏ
4	1500-1999	14	1.58	6	7	0	0	1	Ō
40	2000-2499	37	4.19	12	14	8	2	O	1
	2500-2999	120	13.57	42	40	33	2	0	3
	3000-3499	336	38.01	150	121	52	7	0	6
	3500-3999	253	28.62	123	85	35	3	0	7
	4000-4499	92	10.41	45	32	13	0	0	2
	4500-4999	11	1.24	7	1	2	1	0	0
	GREATER THAN 4999	1	0.11	1	0	0	0	0	0
	UNKNOWN	9	1.02	7	2	0	0	0	0
	COUNTY TOTALS	884		402	304	143	15	1	19
	PERCENT DISTRIBUTION		100.00	45.48	34.39	16.18	1.70	0.11	2.15

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******** 1ST+2ND MONTH	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	********* UNKNOWN
CUMBERLAND		·						
LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	10 19 40 94 410 1,109 969 336 52 4 5	0.33 0.62 1.31 3.08 13.45 36.38 31.79 11.02 1.71 0.13 0.16	8 11 22 54 218 577 558 186 34 2 2 1,672 54.86	1 2 12 29 148 426 330 130 16 2 1 1,097 35.99	1 6 3 11 34 86 72 16 2 0 0 231 7.58	0 0 1 0 9 15 5 1 0 0 0 31 1.02	0 0 1 0 1 3 1 0 0 0 0 6	0 0 1 0 0 2 3 3 0 0 2 11
FRANKLIN								
LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	2 1 4 8 61 109 106 33 5 0 0	0.61 0.30 1.22 2.43 18.54 33.13 32.22 10.03 1.52 0.00 0.00	2 1 3 6 45 71 73 21 3 0 0 225 68.39	0 0 1 2 12 29 24 10 1 0 0 79 24.01	0 0 0 4 6 6 1 0 0 0 17 5.17	0 0 0 0 2 1 1 0 0 0 4	0 0 0 0 0 0 0 0	0 0 0 0 0 1 2 0 1 0 0 4

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

TABLE B-6

ВІ	DUNTY AND IRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******** 1ST+2ND MONTH	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	********* UNKNOWN
НА	ANCOCK					·			
	LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	2 8 10 22 69 185 161 51 16 3 2 529	0.38 1.51 1.89 4.16 13.04 34.97 30.43 9.64 3.02 0.57 0.38	1 6 6 11 41 85 81 20 9 3 2 265 50.09	1 1 3 8 19 72 65 21 6 0 0 196 37.05	0 1 1 3 8 24 12 9 1 0 0 59	0 0 0 0 1 1 1 0 0 0 3	0 0 0 0 1 0 0 0 0	0 0 0 1 2 2 0 0 0 5
KE	ENNEBEC								
42	LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	9 4 22 47 188 461 385 155 23 1 5	0.69 0.31 1.69 3.62 14.46 35.46 29.62 11.92 1.77 0.08 0.38	8 2 14 30 115 283 259 102 17 1 3 834 64.15	1 0 3 12 52 136 91 45 5 0 1 346 26.62	0 1 4 5 18 29 30 8 1 0 0 96 7.38	0 0 0 0 2 7 2 0 0 0 0 11 0.85	0 0 0 0 0 2 1 0 0 0 0 3	0 1 1 0 1 4 2 0 0 0 0 1 10 0.77

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

TABLE B-6

BI	UNTY AND RTHWEIGHT N GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	********* 1ST+2ND MONTH	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	******** NONE	********* UNKNOWN
K١	Iox								
	LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	6 1 4 11 43 144 113 52 9 0 3 386	1.55 0.26 1.04 2.85 11.14 37.31 29.27 13.47 2.33 0.00 0.78	3 1 4 7 31 84 79 41 5 0 2 257 66.58	2 0 0 3 7 38 23 7 1 0 0 81 20.98	1 0 0 1 3 19 8 4 3 0 0 0 39 10.10	0 0 0 0 1 0 0 0 0 0 1 0.26	0 0 0 0 1 0 0 0 0	0 0 0 1 2 3 0 0 0 1 7
L1 43	NCOLN LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	1 1 5 18 39 109 101 31 7 0 2	0.32 0.32 1.59 5.73 12.42 34.71 32.17 9.87 2.23 0.00 0.64	1 1 4 12 25 71 63 19 6 0 1 203 64.65	0 0 1 4 7 28 25 11 0 0 76 24.20	0 0 0 2 5 7 9 1 1 0 0 25 7.96	0 0 0 0 0 3 4 0 0 0 7 2.23	0 0 0 0 2 0 0 0 0 0 2	0 0 0 0 0 0 0 0 0

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

TABLE B-6

COUNTY AND			*******	*******	MONTH PRENATAL	CARE BEGAN	*******	******
BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	1ST+2ND MONTH	ЗRD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
OXFORD								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	2	0.35	2	0	0	0	0	0
1500-1999	12	2.08	8	3	1	0	0	0
2000-2499	21	3.64	11	7	3	0	0	0
2500-2999	83	14.38	42	26	11	2	1	1
3000-3499	212	36.74	103	70	32	6	0	1
3500-3999	169	29.29	79	75	12	2	1	0
4000-4499	67	11.61	30	26	10	Ō	1	Q
4500-4999	11	1.91	5	4	2	O	O	0
GREATER THAN 4999	0	0.00	0	0	0	0	0	0
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	577	100.00	280	211	71	10	3	2
PERCENT DISTRIBUTION		100.00	48.53	36.57	12.31	1.73	0.52	0.35
PENOBSCOT				:				
LESS THAN 1000	. 8	0.50	7	1	0	0	0	0
1000-1499	8	0.50	7	0	1	Ö	Ŏ	Ŏ
1500-1999	14	0.87	10	3	i	Ö	ŏ	ŏ
A 2000-2499	49	3.05	40	7	2	Ó	Ö	Ŏ
2500-2999	195	12.13	163	18	10	Ó	4	Ō
3000-3499	568	35.35	474	69	19	3	2	1
3500-3999	533	33.17	429	76	24	1	3	0
4000-4499	197	12.26	163	20	14	0	0	0
4500-4999	27	1.68	22	4	1	0	0	0
GREATER THAN 4999	7	0.44	5	1	0	0	1	0
UNKNOWN	1	0.06	1	0	0	0	0	0
COUNTY TOTALS	1,607		1,321	199	72	4	10	1
PERCENT DISTRIBUTION		100.00	82.20	12.38	4.48	0.25	0.62	0.06

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

TABLE B-6

вІ	UNTY AND RTHWEIGHT N GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	********* 1ST+2ND MONTH	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	********* UNKNOWN
PI	SCATAQUIS								
	LESS THAN 1000	1	0.58	1	0	0	0	0	o
	1000-1499	1	0.58	. 0	1	0	0	0	0
	1500-1999	2 5	1.16	1	1	0	0	0	0
	2000-2499	20	2.89	11	3	0	0	•	0
	2500-2999	20 61	11.56 35.26	11 28	6 26	3 5	0	0	0
	3000-3499	66	38.15	28 29	31	5	1	0	1
	3500-3999	13		29		4	2	•	0
	4000-4499	3	7.51	,	4	2	0	0	0
	4500-4999	0	1.73	3	0	0	•	0	0
	GREATER THAN 4999	0	0.00	. 0	0	0	0	0	0
	UNKNOWN COUNTY TOTALS	173	0.58	83	72	14	3	0	0
	PERCENT DISTRIBUTION	1/3	100.00	47.98	41.62	8.09	1.73	0.00	0.58
SA	GADAHOC								
	LESS THAN 1000	5	1.19	1	3	0	4	0	0
	1000-1499	1	0.24	ö	1	Ö	Ö	ŏ	ŏ
_	1500-1999	7	1.67	4	2	1	Ö	ŏ	ŏ
45	2000-2499	12	2.86	7	3	2	ŏ	ŏ	ŏ
•	2500-2999	59	14.05	40	12	7	ŏ	ŏ	ŏ
	3000-3499	148	35.24	93	41	13	ĭ	õ	ŏ
	3500-3999	130	30.95	78	36	15	i	ŏ	ŏ
	4000-4499	47	11.19	30	13	4	ó	ŏ	ŏ
	4500-4999	9	2.14	6	2	i	Ŏ	Õ	ŏ
	GREATER THAN 4999	Ŏ	0.00	ŏ	ō	Ó	ŏ	ŏ	ŏ
	UNKNOWN	2	0.48	ŏ	ŏ	ŏ	ŏ	ŏ	ž
	COUNTY TOTALS	420	55	259	113	43	3	ŏ	2
	PERCENT DISTRIBUTION	•	100.00	61.67	26.90	10.24	0.71	0.00	0.48

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

TABLE B-6

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******** 1ST+2ND MONTH	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	******** NONE	**************************************
SOMERSET								
LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	3 5 8 15 89 225 187 67 14 0 2 615	0.49 0.81 1.30 2.44 14.47 36.59 30.41 10.89 2.28 0.00 0.33	1 3 4 10 38 123 114 35 9 0 1 338 54.96	2 1 2 3 44 74 55 24 4 0 0 209 33.98	0 1 2 2 7 21 17 7 1 0 0 58 9.43	0 0 0 0 3 1 0 0 0 4 0.65	0 0 0 0 2 0 0 0 0 2	0 0 0 0 0 2 0 1 0 0 1 4
WALDO -								
LESS THAN 1000 1000-1499 1500-1999 0 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	1 4 5 14 79 120 117 47 7 2 2 398	0.25 1.01 1.26 3.52 19.85 30.15 29.40 11.81 1.76 0.50 0.50	1 3 4 7 52 80 83 35 5 2 0 272 68.34	0 1 0 4 15 30 21 9 0 0 1 81 20.35	0 0 1 2 10 9 10 1 1 0 0 34 8.54	0 0 0 1 1 2 0 1 0 5	0 0 0 1 0 0 0 0 0	0 0 0 1 0 0 1 2 0 0 1 5

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

ΒI	UNTY AND RTHWEIGHT N GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******** 1ST+2ND MONTH	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	********* UNKNOWN
WA	SHINGTON								
	LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	2 0 2 19 57 154 127 59 9 1 1 431	0.46 0.00 0.46 4.41 13.23 35.73 29.47 13.69 2.09 0.23 0.23	1 0 2 9 24 73 56 30 5 1 0 201 46.64	1 0 0 6 19 43 53 17 4 0 0 143 33.18	0 0 0 3 14 35 17 10 0 0 0 79 18.33	0 0 1 0 1 0 2 0 0 0 0 4	0 0 0 0 2 0 0 0 0 0 0 2	0 0 0 0 0 1 0 0 0 1 2
ΥO	RK								
47	LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	12 15 21 73 290 753 684 264 37 5 4 2,158	0.56 0.70 0.97 3.38 13.44 34.89 31.70 12.23 1.71 0.23 0.19	4 8 13 43 167 444 416 173 21 1 0 1,290 59.78	5 6 3 20 93 218 200 63 11 2 0 621 28.78	2 1 3 9 25 70 55 22 5 0 0 192 8.90	0 0 1 1 2 14 5 4 0 0 0 27 1.25	0 0 0 0 2 1 1 0 0 0 4	1 0 1 0 3 5 7 1 0 2 4 24 1.11

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

TABLE B-6

STATE AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	******** 1ST+2ND MONTH	******** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	******** NONE	********* UNKNOWN
MAINE SUMMARY		•						
LESS THAN 1000	72	0.50	42	22	5	1	0	2
1000-1499	82	0.57	55	15	11	0	0	1
1500-1999	188	1.31	115	47	19	2	2	3
2000-2499	481	3.34	276	144	55	4	0	2
2500-2999	1,979	13.75	1,154	572	2 10	21	11	11
3000-3499	5,130	35.63	2,956	1,576	484	71	16	27
3500-3999	4,483	31.14	2,707	1,328	376	36	8	28
4000-4499	1,652	11.48	1,011	487	130	12	3	9
4500-4999	258	1.79	165 .	67	22	3	0	1
GREATER THAN 4999	28	0.19	18	5	2	0	1	2
UNKNOWN	43	0.30	23	6	0	0	0	14
STATE TOTALS	14,396		8,522	4,269	1,314	150	41	100
PERCENT DISTRIBUTION		100.00	59.20	29.65	9.13	1.04	0.28	0.69

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

	COUNTY AND NUMBER OF	TOTAL BIRTHS	FI	RST	SEC	OND	TI	ATAL CARE B	NO	DNE	UNK	NOWN
Р	RENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
Α	NDROSCOGGIN											
	0	5	0	0.00	0	0.00	0	0.00	5	100.00	0	0.00
	1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
	2	, 3	1	33.33	0	0.00	2	66.67	0	0.00	0	0.00
	3	6	1	16.67	1	16.67	4	66.67	0	0.00	0	0.00
	4	7	4	57.14	1	14.29	2	28.57	0	0.00	0	0.00
	5	6	2	33.33	2	33.33	2	33.33	0	0.00	0	0.00
	6	15	6	40.00	6	40.00	3	20.00	. 0	0.00	0	0.00
	7	21	10	47.62	10	47.62	1	4.76	0	0.00	0	0.00
	8	29	11	37.93	18	62.07	0	0.00	0	0.00	0	0.00
	9	45	25	55.56	19	42.22	1	2.22	0	0.00	0	0.00
	GREATER THAN 9	1,082	997	92.14	82	7.58	2	0.18	0	0.00	1	0.09
	UNKNOWN	7	4	57.14	2	28.57	0	0.00	0	0.00	1	14.29
	COUNTY TOTALS	1,227	1,061	86.47	141	11.49	18	1.47	5	0.41	2	Ģ. 16
Α	ROOSTOOK											
	0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
	1	0	Ö	0.00	Ó	0.00	Ö	0.00	Ó	0.00	ō	0.00
	2	1	1	100.00	0	0.00	Ó	0.00	Ö	0.00	ō	0.00
	3	1	0	0.00	0	0.00	1	100.00	0	0.00	Ó	0.00
49	4	0	- 0	0.00 .	0	0.00	0	0.00	Ó	0.00	Ō	0.00
9	5	13	7	53.85	2	15.38	4	30.77	0	0.00	0	0.00
	6 .	7	2	28.57	2	28.57	3	42.86	0	0.00	0	0.00
	7	19	11	57.89	6	31.58	2	10.53	0	0.00	0	0.00
	8	26	13	50.00	9	34.62	2	7.69	0	0.00	2	7.69
	9	42	27	64.29	14	33.33	0	0.00	Ō	0.00	1	2.38
	GREATER THAN 9	762	643	84.38	109	14.30	3	0.39	ō	0.00	7	0.92
	UNKNOWN	12	2	16.67	1	8.33	0	0.00	Ó	0.00	9	75.00
	COUNTY TOTALS	884	706	79.86	143	16.18	15	1.70	1	0.11	19	2.15

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

TABLE B-7

AND	COUNTY NUMBER OF NATAL VISITS	TOTAL BIRTHS	FI	********* RST PERCENT	- · · · · · · · · · · · · · · · · · · ·			ATAL CARE BE HIRD PERCENT	NO	**************************************		NOWN
CUME	BERLAND											
0		6	o	0.00	0	0.00	0	0.00	6	100.00	0	0.00
1		4	2	50.00	0	0.00	2	50.00	Ō	0.00	ŏ	0.00
2		5	0	0.00	2	40.00	3	60.00	ŏ	0.00	ŏ	0.00
3		8	1	12.50	3	37.50	4	50.00	ō	0.00	ŏ	0.00
4		14	8	57.14	1	7.14	5	35.71	ŏ	0.00	ŏ	0.00
5		29	13	44.83	13	44.83	3	10.34	ŏ	0.00	ŏ	0.00
6		42	20	47.62	20	47.62	2	4.76	ŏ	0.00	ŏ	0.00
7		39	28	71.79	9	23.08	2	5.13	ŏ	0.00	ŏ	0.00
8		106	74	69.81	28	26.42	3	2.83	ŏ	0.00	1	0.94
9		109	90	82.57	16	14.68	ž	2.75	ŏ	0.00	ò	0.00
GR	REATER THAN 9	2,673	2,526	94.50	139	5.20	3	0.11	ŏ	0.00	5	0.19
	KNOWN	13	7	53.85	0	0.00	Ĩ	7.69	ŏ	0.00	5	38.46
	COUNTY TOTALS	3,048	2,769	90.85	231	7.58	31	1.02	6	0.20	11	0.36
FRAN	KLIN											
0		0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
1		0	0	0.00	0	0.00	ō	0.00	ŏ	0.00	ŏ	0.00
2		1	Ŏ	0.00	Õ	0.00	1	100.00	ŏ	0.00	ŏ	0.00
3		Ó	Ō	0.00	Õ	0.00	Ó	0.00	ŏ	0.00	ŏ	0.00
сл 4		2	Ŏ	0.00	1	50.00	Ĭ	50.00	ŏ	0.00	ŏ	0.00
50		3	Ĭ	33.33	2	66.67	Ó	0.00	ŏ	0.00	ŏ	0.00
6		4	2	50.00	1	25.00	1	25.00	ŏ	0.00	ŏ	0.00
7		12	6	50.00	5	41.67	1	8.33	ŏ	0.00	ŏ	0.00
8		7	5	71.43	2	28.57	ò	0.00	ŏ	0.00	Õ	0.00
9		18	13	72.22	4	22.22	ŏ	0.00	ŏ	0.00	1	5.56
GR	REATER THAN 9	280	276	98.57	ż	0.71	ŏ	0.00	ŏ	0.00	, '	0.71
	KNOWN	2	1	50.00	ō	0.00	ŏ	0.00	ŏ	0.00	1	50.00
	COUNTY TOTALS	329	304	92.40	17	5.17	4	1.22	ŏ	0.00	4	1.22

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

	COUNTY AND NUMBER OF						********** ONE		******* NOWN			
	PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
	HANCOCK											
	0	1	0	0.00	0	0.00	0	0.00	1	100.00	0	0.00
	1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	2	. 0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	3	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	4	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
	5	5	1	20.00	3	60.00	1	20.00	0	0.00	0	0.00
	6	12	8	66.67	3	25.00	0	0.00	0	0.00	1	8.33
	7	15	7	46.67	8	53.33	0	0.00	0	0.00	0	0.00
	8	41	32	78.05	9	21.95	0	0.00	0	0.00	0	0.00
	9	54	43	79.63	11	20.37	0	0.00	0	0.00	0	0.00
	GREATER THAN 9	395	367	92.91	25	6.33	1	0.25	0	0.00	2	0.51
	UNKNOWN	4	2	50.00	0	0.00	0	0.00	0	0.00	2	50.00
	COUNTY TOTALS	529	461	87.15	59	11.15	3	0.57	1	0.19	5	0.95
	KENNEBEC											
	0	3	0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
	1	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
	2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	3	1	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
51	4	3	2	66.67	1	33.33	0	0.00	0	0.00	0	0.00
_	5	9	4	44.44	2	22.22	3	33.33	0	0.00	0	0.00
	6	22	10	45.45	8	36.36	1	4.55	0	0.00	3	13.64
	7	15	8	53.33	5	33.33	2	13.33	0	0.00	0	0.00
	8	32	22	68.75	7	21.88	2	6.25	0	0.00	1	3.13
	9	39	28	71.79	9	23.08	2	5.13	0	0.00	0	0.00
	GREATER THAN 9	1,166	1,101	94.43	63	5.40	0	0.00	0	0.00	2	0.17
	UNKNOWN	9	4	44.44	0	0.00	1	11.11	Ó	0.00	4	44.44
	COUNTY TOTALS	1,300	1,180	90.77	96	7.38	11	0.85	3	0.23	10	0.77

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

TABLE B-7

	COUNTY AND NUMBER OF	TOTAL BIRTHS	FIRST SECOND					IMESTER PRENATAL CARE BEGAN ************************************					
F	RENATAL VISITS			PERCENT	NUMBER	PERCENT	NUMBER	PERCENT			PERCENT		PERCENT
k	NOX												
	0	1	0	0.00	0	0.00	0	0.00		1	100.00	0	0.00
	1	0	0	0.00	0	0.00	0	0.00		0	0.00	0	0.00
	2	1	1	100.00	0	0.00	0	0.00		0	0.00	0	0.00
	3	1	0	0.00	1	100.00	0	0.00		0	0.00	0	0.00
	4	0	0	0.00	0	0.00	0	0.00	:0:	0	0.00	0	0.00
	5	5	3	60.00	2	40.00	0	0.00		0	0.00	0	0.00
	6	7	5	71.43	1	14.29	1	14.29		0	0.00	0	0.00
	7	3	3	100.00	0	0.00	0	0.00		0	0.00	0	0.00
	8	8	4	50.00	4	50.00	0	0.00		0	0.00	0	0.00
	9	12	10	83.33	2	16.67	0	0.00		0	0.00	0	0.00
	GREATER THAN 9	341	308	90.32	28	8.21	0	0.00		0	0.00	5	1.47
	UNKNOWN	7	4	57.14	1	14.29	0	0.00		0	0.00	2	28.57
	COUNTY TOTALS	386	338	87.56	39	10.10	1	0.26		1	0.26	7	1.81
L	INCOLN												
	0	2	0	0.00	0	0.00	0	0.00		2	100.00	0	0.00
	1	1	0	0.00	0	0.00	1	100.00		0	0.00	Ó	0.00
	2	2	0	0.00	1	50.00	1	50.00		0	0.00	0	0.00
	3	1	0	0.00	0	0.00	1	100.00		0	0.00	Ö	0.00
G	4	1	1	100.00	0	0.00	0	0.00		0	0.00	0	0.00
52	5	2	1	50.00	1	50.00	0	0.00		0	0.00	0	0.00
	6	13	8	61.54	2	15.38	3	23.08		0	0.00	0	0.00
	7	7	4	57.14	2	28.57	1	14.29		0	0.00	0	0.00
	8	7	5	71.43	2	28.57	0	0.00		0	0.00	0	0.00
	9	14	11	78.57	3	21.43	0	0.00		0	0.00	0	0.00
	GREATER THAN 9	261	247	94.64	14	5.36	0	0.00		0	0.00	Ó	0.00
	UNKNOWN	3	2	66.67	0	0.00	0	0.00		0	0.00	Ĩ	33.33
	COUNTY TOTALS	314	279	88.85	25	7.96	7	2.23		2	0.64	1	0.32

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

COUNTY AND NUMBER OF	TOTAL BIRTHS	FIRST SECOND				MESTER PRENATAL CARE BEGAN ************************************					
PRENATAL VISITS	5211110		PERCENT	NUMBER	PERCENT		PERCENT		PERCENT		PERCENT
OXFORD				•							
0	3	. 0	0.00	0	0.00	0	0.00	3	100.00	0	0.00
1	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
2	3	1	33.33	0	0.00	2	66.67	0	0.00	0	0.00
3	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
4	5	2	40.00	1	20.00	2	40.00	0	0.00	0	0.00
5	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
6	9	3	33.33	4	44.44	2	22.22	0	0.00	0	0.00
7	9	5	55.56	. 4	44.44	0	0.00	0	0.00	0	0.00
8	23	15	65.22	6	26.09 ·	1	4.35	0	0.00	1	4.35
9	24	16	66.67	8	33.33	0	0.00	0	0.00	0	0.00
GREATER THAN 9	491	443	90.22	48	9.78	0	0.00	0	0.00	0	0.00
UNKNOWN	6	5	83.33	0	0.00	0	0.00	0	0.00	1	16.67
COUNTY TOTALS	577	491	85.10	71	12.31	10	1.73	3	0.52	2	0.35
PENOBSCOT											
0	10	0	0.00	0	0.00	0	0.00	10	100.00	0	0.00
1	1	0	0.00	. 0	0.00	1	100.00	0	0.00	0	0.00
2	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
3	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
<u>(</u> 1 4	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
ω 5	8	2	25.00	6	75.00	0	0.00	0	0.00	0	0.00
6	23	14	60.87	9	39.13	0	0.00	0	0.00	0	0.00
7	25	15	60.00	10	40.00	0	0.00	0	0.00	0	0.00
8	85	73	85.88	11	12.94	1	1.18	0	0.00	0	0.00
9	131	121	92.37	9	6.87	0	0.00	0	0.00	1	0.76
GREATER THAN 9	1,319	1,292	97.95	27	2.05	Ō	0.00	Ŏ	0.00	Ó	0.00
UNKNOWN	0	0	0.00	Ō	0.00	ō	0.00	Ŏ	0.00	Ö	0.00
COUNTY TOTALS	1,607	1,520	94.59	72	4.48	4	0.25	10	0.62	1	0.06
	-										

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

TABLE B-7

	COUNTY AND NUMBER OF	TOTAL BIRTHS	**************************************							*************		******** (NOWN
	PRENATAL VISITS	DIKIIIS		PERCENT		PERCENT		PERCENT		PERCENT		PERCENT
	PISCATAQUIS											
	0	0	. 0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	1	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	3	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
	4	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	5	4	4	100.00	0	0.00	0	0.00	0	0.00	0	0.00
	6	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
	7	6	5	83.33	1	16.67	0	0.00	0	0.00	0	0.00
	8	11	10	90.91	0	0.00	1	9.09	0	0.00	0	0.00
	9	28	26	92.86	2	7.14	0	0.00	0	0.00	0	0.00
	GREATER THAN 9	121	109	90.08	11	9.09	0	0.00	0	0.00	i	0.83
	UNKNOWN	0	. 0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	COUNTY TOTALS	173	155	89.60	14	8.09	3	1.73	0	0.00	1	0.58
	SAGADAHOC											
	0	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	1	0	0	0.00	0	0.00	0	0.00	0	. 0.00	0	0.00
	2	0	. 0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	3	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
54	4	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
4->	5	2	2	100.00	0	0.00	0	0.00	0	0.00	0	0.00
	6	5	4	80.00	0	0.00	1	20.00	0	0.00	0	0.00
	7	5	2	40.00	3	60.00	0	0.00	0	0.00	0	0.00
	8	8	6	75.00	2	25.00	0	0.00	0	0.00	0	0.00
	9	13	9	69.23	4	30.77	0	0.00	0	0.00	Ō	0.00
	GREATER THAN 9	384	349	90.89	34	8.85	1	0.26	0	0.00	ō	0.00
	UNKNOWN	2	0	0.00	0	0.00	0	0.00	Ō	0.00	2	100.00
	COUNTY TOTALS	420	372	88.57	43	10.24	3	0.71	0	0.00	2	0.48

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

TABLE B-7

	COUNTY AND NUMBER OF	TOTAL BIRTHS		*********** CRST		********* TRIMESTER PRE		ATAL CARE E		************		******** KNOWN
	PRENATAL VISITS	DIKING		PERCENT		PERCENT		PERCENT		PERCENT		PERCENT
	SOMERSET											
	0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
	1	2	0	0.00	0	0.00	2	100.00	0	0.00	0	0.00
	2	0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	3	2	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
	4	1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
	5	8	5	62.50	3	37.50	0	0.00	0	0.00	0	0.00
	6	9	3	33.33	5	55.56	1	11.11	0	0.00	0	0.00
	7	9	7	77.78	1	11.11	1	11.11	0	0.00	0	0.00
	8	17	12	70.59	5	29.41	0	0.00	0	0.00	0	0.00
	9	16	13	81.25	3	18.75	0	0.00	0	0.00	0	0.00
	GREATER THAN 9	545	503	92.29	40	7.34	0	0.00	0	0.00	2	0.37
	UNKNOWN	4	2	50.00	0	0.00	0	0.00	0	0.00	2	50.00
	COUNTY TOTALS	615	547	88.94	58	9.43	4	0.65	2	0.33	4	0.65
	WALDO											
	0	1	0	0.00	0	0.00	. 0	0.00	1	100.00	0	0.00
	1	.0	0 -	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	2	1	. 0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
	3	1	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00
G	4	4	2	50.00	1	25.00	1	25.00	0	0.00	0	0.00
σ	5	8	5	62.50	3	37.50	0	0.00	0	0.00	0	0.00
	6	12	6	50.00	6	50.00	0	0.00	0	0.00	0	0.00
	7	8	5	62.50	3	37.50	0	0.00	0	0.00	0	0.00
	8	22	18	81.82	3	13.64	1	4.55	0	0.00	0	0.00
	9	25	21	84.00	4	16.00	0	0.00	Ó	0.00	Ó	0.00
	GREATER THAN 9	315	296	93.97	14	4.44	Ĩ	0.32	Ō	0.00	4	1.27
	UNKNOWN	1	Ō	0.00	O	0.00	Ó	0.00	Ŏ	0.00	1	100.00
	COUNTY TOTALS	398	353	88.69	34	8.54	5	1.26	1	0.25	5	1.26

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

TABLE B-7

	COUNTY	TOTAL				************* TRIMESTER PRENATAL CARE B SECOND THIRD				******		*****
ı	AND NUMBER OF PRENATAL VISITS	BIRTHS		RST PERCENT	NUMBER	PERCENT		PERCENT	NUMBER	ONE PERCENT	NUMBER	NOWN PERCENT
١	/ASHINGTON											
	0	2	0	0.00	0	0.00	0	0.00	2	100.00	0	0.00
	1	. 0	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	2	2	1	50.00	0	0.00	1	50.00	0	0.00	0	0.00
	3	• 1	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
	4	3	2	66.67	0	0.00	1	33.33	0	0.00	0	0.00
	5	3	2	66.67	1	33.33	0	0.00	0	0.00	0	0.00
	6	8	5	62.50	- 2	25.00	1	12.50	0	0.00	0	0.00
	7	16	6	37.50	9	56.25	1	6.25	. 0	0.00	0	0.00
	8	26	14	53.85	11	42.31	0	0.00	0	0.00	1	3.85
	9	43	29	67.44	14	32.56	0	0.00	0	0.00	0	0.00
	GREATER THAN 9	326	284	87.12	42	12.88	0	0.00	0	0.00	0	0.00
	UNKNOWN	1	0	0.00	0	0.00	0	0.00	Ó	0.00	1	100.00
	COUNTY TOTALS	431	344	79.81	79	18.33	4	0.93	2	0.46	2	0.46
,	ORK											•
	0	4 ·	0	0.00	0	0.00	0	0.00	4	100.00	0	0.00
	1	3	1	33.33	0	0.00	2	66.67	0	0.00	Ö	0.00
	2	5	2	40.00	Ö	0.00	3	60.00	Ō	0.00	Ō	0.00
	3	5	1	20.00	1	20.00	3	60.00	. 0	0.00	Ö	0.00
σ	4	15	5	33.33	7	46.67	. 3	20.00	0	0.00	0	0.00
ŏ.	5	12	4	33.33 ·	6	50.00	2	16.67	0	0.00	Ō	0.00
	6	31	14	45.16	15	48.39	2	6.45	0	0.00	0	0.00
	7	57	39	68.42	14	24.56	2	3.51	0	0.00	2	3.51
	8	82	59	71.95	21	25.61	2	2.44	Ö	0.00	0	0.00
	9	121	93	76.86	25	20.66	3	2.48	Ô	0.00	Ō	0.00
	GREATER THAN 9	1,796	1,685	93.82	101	5.62	5	0.28	Ō	0.00	5	0.28
	UNKNOWN	27	8	29.63	2	7.41	0	0.00	Ō	0.00	17	62.96
	COUNTY TOTALS	2,158	1,911	88.55	192	8.90	27	1.25	4	0.19	24	1.11

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

STATE AND NUMBER OF	TOTAL BIRTHS	*************** FIRST			************* TRIME SECOND		MESTER PRENATAL CARE I THIRD		********** ONE		******* NOWN
PRENATAL VISITS		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MAINE SUMMARY				•							
0	41	0	0.00	0	0.00	0	0.00	41	100.00	0	0.00
1	14	4	28.57	0	0.00	10	71.43	0	0.00	0	0.00
2	25	8	32.00	3	12.00	14	56.00	0	0.00	0	0.00
3	33	6	18.18	8	24.24	19	57.58	0	0.00	0	0.00
4	59	29	49.15	13	22.03	17	28.81	0	0.00	0	0.00
5	119	57	47.90	46	38.66	16	13.45	0	0.00	0	0.00
6	220	111	50.45	84	38.18	21	9.55	0	0.00	4	1.82
7	266	161	60.53	90	33.83	13	4.89	0	0.00	2	0.75
8	530	373	70.38	138	26.04	13	2.45	0	0.00	6	1.13
9	734	575	78.34	147	20.03	9	1.23	0	0.00	3	0.41
GREATER THAN 9	12,257	11.426	93.22	779	6.36	16	0.13	0	0.00	36	0.29
UNKNOWN	98	41	41.84	6	6.12	2	2.04	0	0.00	49	50.00
STATE TOTALS	14,396	12,791	88.85	1,314	9.13	150	1.04	41	0.28	100	0.69

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BPRENAT

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION

MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******** 1ST+2ND MONTH	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	******** NONE	**************************************
ANDROSCOGGIN								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	46 151 574 455 1	3.75 12.31 46.78 37.08 0.08	17 58 279 266 0 620 50.53	15 59 214 152 1 441 35.94	11 28 69 33 0 141 11.49	3 4 8 3 0 18 1.47	0 2 3 0 0 5 0.41	0 0 1 1 0 2 0.16
AROOSTOOK								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	15 106 414 346 3 884	1.70 11.99 46.83 39.14 0.34	3 36 179 184 O 402 45.48	5 40 135 121 3 304 34.39	4 21 84 34 0 143 16.18	2 3 10 0 0 15 1.70	1 0 0 0 0 1	0 6 6 7 0 19 2.15
58								
CUMBERLAND								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	51 226 996 1,761 14 3,048	1.67 7.41 32.68 57.78 0.46	26 79 542 1,022 3 1,672 54.86	17 83 347 643 7 1,097 35.99	6 52 94 78 1 231 7.58	2 10 8 10 1 31 1.02	0 2 1 3 0 6 0.20	0 0 4 5 2 11 0.36

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

TABLE B-8

COUNTY AND			*******	******	MONTH PRENATAL	CARE BEGAN	*******	******
MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	1ST+2ND MONTH	ЗRD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NONE	UNKNOWN
FRANKLIN								
LESS THAN GRADE 9	10	3.04	6	4	0	0	0	0
GRADES 9-11	43	13.07	29	10	3	1	0	0
GRADE 12	152	46.20	111	32	7	1	0	1
GREATER THAN GRADE 12	124	37.69	79	33	7	2	0	3
UNKNOWN	0	0.00	0	0	0	0	0	0
COUNTY TOTALS	329		225	79	17	4	0	4
PERCENT DISTRIBUTION		100.00	68.39	24.01	5.17	1.22	0.00	1.22
HANCOCK								
LESS THAN GRADE 9	6	1.13	1	1	4	0	0	0
GRADES 9-11	51	9.64	23	18	9	1	ŏ	ŏ
GRADE 12	203	38.37	89	91	20	2	Ō	1
GREATER THAN GRADE 12	267	50.47	152	86	25	0	1	3
UNKNOWN	2	0.38	0	0	1	0	0	1
COUNTY TOTALS	529		265	196	59	3	1	5
PERCENT DISTRIBUTION		100.00	50.09	37.05	11.15	0.57	0.19	0.95
59								
KENNEBEC								
LESS THAN GRADE 9	16	1.23	4	5	4	1	0	2
GRADES 9-11	124	9.54	72	31	16	2	2	1
GRADE 12	596	45.85	372	163	51	5	1	4
GREATER THAN GRADE 12	5 5 9	43.00	384	147	25	2	0	1
UNKNOWN	5	0.38	2	0	0	1	0	2
COUNTY TOTALS	1,300		834	346	96	11	3	10
PERCENT DISTRIBUTION		100.00	64.15	26.62	7.38	0.85	0.23	0.77

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

TABLE B-8
LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******** 1ST+2ND MONTH	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	******** NONE	********** UNKNOWN
KNOX		o						
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	9 32 186 155 4 386	2.33 8.29 48.19 40.16 1.04	5 13 121 116 2 257 66.58	2 9 44 25 1 81 20.98	2 8 17 12 0 39 10.10	0 0 1 0 0 1 0.26	0 0 1 0 1 0.26	O 2 3 1 1 7 1.81
LINCOLN						•		
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	5 42 123 139 5 314	1.59 13.38 39.17 44.27 1.59	3 22 81 94 3 203 64.65	1 8 32 34 1 76 24.20	1 9 7 8 0 25 7.96	0 3 2 2 0 7 2.23	0 0 1 1 0 2	0 0 0 0 1 1 0.32
<u>ი</u>		•						
OXFORD								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	10 72 295 200 0 577	1.73 12.48 51.13 34.66 0.00	4 36 135 105 0 280 48.53	2 21 122 66 0 211 36.57	3 13 31 24 0 71 12.31	1 4 4 0 10	0 0 2 1 0 3 0.52	0 1 1 0 0 2 0.35

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

TABLE B-8

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	********* 1ST+2ND MONTH	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	******** NONE	**************************************
PENOBSCOT								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	23 139 682 762 1	1.43 8.65 42.44 47.42 0.06	12 96 537 675 1 1,321 82.20	6 25 106 62 0 199 12.38	4 12 36 20 0 72 4.48	1 0 2 0 4 0.25	0 5 3 2 0 10 0.62	0 0 0 1 0 1 0.06
PISCATAQUIS								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	5 24 91 53 0 173	2.89 13.87 52.60 30.64 0.00	2 12 39 30 0 83 47.98	3 11 38 20 0 72 41.62	0 1 11 2 0 14 8.09	0 0 2 1 0 3 1.73	0 0 0 0 0	0 0 1 0 0 1
61								
SAGADAHOC								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	6 35 186 189 4	1.43 8.33 44.29 45.00 0.95	5 21 112 121 0 259 61.67	0 7 46 58 2 113 26.90	1 6 27 9 0 43 10.24	0 1 1 1 0 3 0.71	0 0 0 0 0	0 0 0 0 2 2 2

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

TABLE B-8 LIVE BIRTHS BY MONTH PRENA

	OUNTY AND MOTHER'S DUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	********* 1ST+2ND MONTH	******** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	******** NONE	**************************************
· s	OMERSET								
	LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	12 73 317 211 2 615	1.95 11.87 51.54 34.31 0.33	7 36 174 121 0 338 54.96	2 24 106 77 0 209 33.98	2 9 35 11 1 58 9.43	1 1 1 0 4 0.65	0 2 0 0 0 2 0.33	0 1 1 1 1 4 0.65
W	ALDO								
	LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	10 44 177 165 2 398	2.51 11.06 44.47 41.46 0.50	7 21 126 117 1 272 68.34	1 11 34 35 0 81 20.35	2 10 11 11 0 34 8.54	0 2 3 0 0 5 1.26	0 0 1 0 0 1 0.25	0 0 2 2 1 5
62 ¥	ASHINGTON								
	LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	8 63 190 169 1 431	1.86 - 14.62 44.08 39.21 0.23	4 27 92 78 0 201 46.64	3 14 61 64 1 143 33.18	1 18 35 25 0 79 18.33	0 3 1 0 0 4 0.93	0 1 0 1 0 2 0.46	0 0 1 1 0 2

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

TABLE B-8

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	******** 1ST+2ND MONTH	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	******** NONE	**************************************
YORK								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	32 188 881 1,043 14 2,158	1.48 8.71 40.82 48.33 0.65	16 102 512 659 1 1,290 59.78	11 45 258 301 6 621 28.78	4 27 92 67 2 192 8.90	0 7 12 7 1 27 1-25	0 2 2 0 4 0.19	1 7 5 7 4 24 1.11
MAINE SUMMARY								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN STATE TOTALS PERCENT DISTRIBUTION	264 1,413 6,063 6,598 58 14,396	1.83 9.82 42.12 45.83 0.40	122 683 3,501 4,203 13 8,522 59.20	78 416 1,829 1,924 22 4,269 29.65	49 242 627 391 5 1,314 9.13	11 40 61 35 3 150	1 14 14 12 0 41	3 18 31 33 15 100 0.69

g

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

TABLE B-9 LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - NUMBER OF BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1994 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	OUT OF WEDLOCK BIRTHS	MOTHER- Under Age 20 yr	NON- WHITE RS.	NO PRENATAL CARE	MEDICAL RISK FACTORS	C-SECTION-	CONGEN. ANOM- ALIES	BIRTHWEIG UNDER 2500	HT IN GRAMS OVER 4999
AT HOME	144	27	4	3	2	33	0	1	7	0
BATH MEMORIAL HOSPITAL	247	64	25	14	0	37	38	3	10	1
BLUE HILL MEMORIAL HOSPITAL	183	41	15	3	0	44	21	1	8	1
BRIGHTON MEDICAL CENTER	473	134	47	11	1	53	103	3	11	0
CALAIS REGIONAL HOSPITAL	128	49	13	17	0	36	27	2	9	0
CARY MEDICAL CENTER	222	53	21	7	0	63	40	2	7	0
CENTRAL MAINE MEDICAL CENTER	951	327	135	28	3	305	218	20	46	2
DOCTOR'S OFFICE	1	1	0	0	0	0	0	0	0	0
DOWN EAST COMMUNITY HOSPITAL	187	73	25	15	1	35	22	2	11	1
EASTERN MAINE MEDICAL CENTER	1,633	424	133	74	6	296	338	6	118	7
FRANKLIN MEMORIAL HOSPITAL	388	134	57	4	0	89	84	5	10	0
HENRIETTA D. GOODALL HOSPITAL	318	117	45	11	0	85	56	7	5	2
HOULTON REGIONAL HOSPITAL	201	70	32	16	0	50	61	3	19	0
KENNEBEC VALLEY MEDICAL CTR.	670	219	86	17	2	198	146	8	24	0
MAINE COAST MEMORIAL HOSPITAL	218	65	18	10	1	67	36	2	10	0
MAINE MEDICAL CENTER	2,458	569	185	89	4	78 6	668	57	369	3
MAYO REGIONAL HOSPITAL	161	66	31	2	1	40	29	2	5	0
MERCY HOSPITAL	844	162	39	20	0	195	122	5	13	1
MID-MAINE MEDICAL CENTER	753	226	65	16	1	233	145	10	18	0
MILES MEMORIAL HOSPITAL	136	54	17	3	2	45	18	2	10	0
MILLINOCKET REGIONAL HOSPITAL	71	26	8	4	1	25	22	3	3	0
MOUNT DESERT ISLAND HOSPITAL	96	35	8	4	0	22	14	1	5	1
NORTH CUMBERLAND MEM. HOSPITAL	61	21	9	3	0	8	13	0	3	0
NORTH MAINE MEDICAL CENTER	110	29	8	2	0	28	12	5	4	0
PARKVIEW MEMORIAL HOSPITAL	654	135	53	27	2	343	159	24	24	0
PENOBSCOT BAY MEDICAL CENTER	400	122	45	9	1	144	76	, 3	11	2
PENOBSCOT VALLEY HOSPITAL	95	39	16	3	1	16	23	1	0	1
REDINGTON-FAIRVIEW HOSPITAL	258	126	63	7	2	94	71	3	6	0
RUMFORD COMMUNITY HOSPITAL	67	29	13	0	2	25	10	3	2	0
ST. ANDREW'S HOSPITAL	18	9	2	1	1	4	2	1	0	0
ST. JOSEPH'S HOSPITAL	2	2	1	0	1	1	0	0	0	0
ST. MARY'S HOSPITAL	319	69	21	10	1	50	59	. 2	12	1
SOUTHERN MAINE MEDICAL CENTER	508	134	45	14	Ō	87	120	6	20	1
STEPHENS MEMORIAL HOSPITAL	265	91	38	2	1	55	61	3	12	1
THE AROOSTOOK MEDICAL CENTER	330	119	49	9	1	121	30	4	17	1
WALDO COUNTY GENERAL HOSPITAL	151	59	28	1	, 0	18	40	2	4	0
INLAND HOSPITAL	226	83	28	3	1	41	32	3	6	1
YORK HOSPITAL	296	46	11	9	0	74	45	3	3	0
STATE TOTALS	14,243	4,049	1,439	468	39	3,846	2,961	208	842	27

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.
BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

TABLE B-10 LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - PERCENTAGE OF TOTAL BIRTHS MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1994 (OCCURRENCE DATA)

BIF	RTH SITE	TOTAL BIRTHS	******** OUT OF WEDLOCK BIRTHS	**************************************	NON- White	TAGE OF THE NO PRENATAL CARE	TOTAL BI MEDICAL RISK FACTORS	RTHS IN EACH C-SECTION	BIRTH SIT CONGEN. ANOM- ALIES		**************************************
	HOME	144	18.75	2.78	2.08	. 1.39	22.92	0.00	0.69	4.86	0.00
	TH MEMORIAL HOSPITAL	247	25.91	10.12	5.67	0.00	14.98	15.38	1.21	4.05	0.40
	JE HILL MEMORIAL HOSPITAL	183	22.40	8.20	1.64	0.00	24.04	11.48	0.55	4.37	0.55
	IGHTON MEDICAL CENTER	473	28.33	9.94	2.33	0.21	11.21	21.78	0.63	2.33	0.00
	LAIS REGIONAL HOSPITAL	128	38.28	10.16	13.28	0.00	28.13	21.09	1.56	7.03	0.00
	RY MEDICAL CENTER	222	23.87	9.46	3.15	0.00	28.38	18.02	0.90	3.15	0.00
	NTRAL MAINE MEDICAL CENTER	951	34.38	14.20	2.94	0.32	32.07	22.92	2.10	4.84	0.21
	CTOR'S OFFICE	1	100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	WN EAST COMMUNITY HOSPITAL	187	39.04	13.37	8.02	0.53	18.72	11.76	1.07	5.88	0.53
	STERN MAINE MEDICAL CENTER	1,633	25.96	8.14	4.53	0.37	18 . 13	20.70	0.37	7.23	0.43
	ANKLIN MEMORIAL HOSPITAL	388	34.54	14.69	1.03	0.00	22.94	21.65	1.29	2.58	0.00
	NRIETTA D. GOODALL HOSPITAL	318	36.79	14.15	3.46	0.00	26.73	17.61	2.20	1.57	0.63
	ULTON REGIONAL HOSPITAL	201	34.83	15.92	7.96	0.00	24.88	30.35	1.49	9.45	0.00
	NNEBEC VALLEY MEDICAL CTR.	670	32.69	12.84	2.54	0.30	29.55	21.79 .	1 . 19	3.58	0.00
		218	29.82	8.26	4.59	0.46	30.73	16.51	0.92	4.59	0.00
	INE MEDICAL CENTER	2,458	23.15	7.53	3.62	0.16	31.98	27.18	2.32	15.01	0.12
	YO REGIONAL HOSPITAL	161	40.99	19.25	1.24	0.62	24.84	18.01	1.24	3.11	0.00
	RCY HOSPITAL	844	19.19	4.62	2.37	0.00	23.10	14.45	0.59	1.54	0.12
	D-MAINE MEDICAL CENTER	753	30.01	8.63	2.12	0.13	30.94	19.26	1.33	2.39	0.00
	LES MEMORIAL HOSPITAL	136	39.71	12.50	2.21	1.47	33.09	13.24	1.47	7.35	0.00
	LLINOCKET REGIONAL HOSPITAL	71	36.62	11.27	5.63	1.41	35.21	30.99	4.23	4.23	0.00
	UNT DESERT ISLAND HOSPITAL	96	36.46	8.33	4.17	0.00	22.92	14.58	1.04	5.21	1.04
	RTH CUMBERLAND MEM. HOSPITAL	61	34.43	14.75	4.92	0.00	13.11	21.31	0.00	4.92	0.00
	RTH MAINE MEDICAL CENTER	110	26.36	7.27	1.82	0.00	25.45	10.91	4.55	3.64	0.00
	RKVIEW MEMORIAL HOSPITAL	654	20.64	8 . 10	4 . 13	0.31	52.45	24.31	3.67	3.67	0.00
	NOBSCOT BAY MEDICAL CENTER	400	30.50	11.25	2.25	0.25	36.00	19.00	0.75	2.75	0.50
	NOBSCOT VALLEY HOSPITAL	95	41.05	16.84	3.16	1.05	16.84	24.21	1.05	0.00	1.05
	DINGTON-FAIRVIEW HOSPITAL	258	48.84	24.42	2.71	0.78	36.43	27.52	1 . 16	2.33	0.00
	MFORD COMMUNITY HOSPITAL	67	43.28	19.40	0.00	2.99	37.31	14.93	4.48	2.99	0.00
	. ANDREW'S HOSPITAL	18	50.00	11.11	5.56	5.56	22.22	11.11	5.56	0.00	0.00
	. JOSEPH'S HOSPITAL	2	100.00	50.00	0.00	50.00	50.00	0.00	0.00	0.00	0.00
	. MARY'S HOSPITAL	319	21.63	6.58	3.13	0.31	15.67	18.50	0.63	3.76	0.31
	UTHERN MAINE MEDICAL CENTER	508	26.38	8.86	2.76	, 0.00	17.13	23.62	1 . 18	3.94	0.20
	EPHENS MEMORIAL HOSPITAL	265	34.34	14.34	0.75	0.38	20.75	23.02	1.13	4.53	0.38
	E AROOSTOOK MEDICAL CENTER	330	36.06	14.85	2.73	0.30	36.67	9.09	1.21	5 . 15	0.30
	LDO COUNTY GENERAL HOSPITAL	151	39.07	18.54	0.66	0.00	11.92	26.49	1.32	2.65	0.00
	LAND HOSPITAL RK HOSPITAL	226	36.73	12.39	1.33	0.44	18.14	14.16	1.33	2.65	0.44
		296	15.54	3.72	3.04	0.00	25.00	15.20	1.01	1.01	0.00
	STATE TOTALS	14,243	28.43	10.10	3.29	0.27	27.00	20.79	1.46	5.91	0.19

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.
BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

LIVE BIRTHS BY BIRTHWEIGHT MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1994 (OCCURRENCE DATA)

				****	******	*****	***** B	BIRTHWEIG	HT IN GRA	MS ****	******	*****	*****	
			BIRTHS	< 1	000	1000	-1499	< 1	500	1500 A	ND OVER	UNKNOWN		
	BIRTH SITE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT		PERCENT	NUMBER	PERCENT	
	AT HOME	144	100.0	1	0.7	0	0.0		0.7	400	00.4			
	BATH MEMORIAL HOSPITAL	247	100.0	ö	0.0	1	0.4	1	0.7	133	92.4	10	6.9	
	BLUE HILL MEMORIAL HOSPITAL	183	100.0	Ö	0.0	Ó	0.4	•	-	246	99.6	0	0.0	
	BRIGHTON MEDICAL CENTER	473	100.0	Ö	0.0	0	0.0	0	0.0	183	100.0	Ō	0.0	
	CALAIS REGIONAL HOSPITAL	128	100.0	ŏ	0.0	0	0.0	0	0.0	473	100.0	0	0.0	
	CARY MEDICAL CENTER	222	100.0	0	0.0	0	0.0	0	0.0	128	100.0	0	0.0	
	CENTRAL MAINE MEDICAL CENTER	951	100.0	2	0.2	2		•	0.0	222	100.0	Ō	0.0	
	DOCTOR'S OFFICE	1	100.0	Õ	0.0	0	0.2 0.0	4	0.4	943	99.2	4	0.4	
	DOWN EAST COMMUNITY HOSPITAL	187	100.0	Ö	0.0	0	0.0	0	0.0	1	100.0	0	0.0	
	EASTERN MAINE MEDICAL CENTER	1,633	100.0	11	0.7	17		0	0.0	187	100.0	0	0.0	
	FRANKLIN MEMORIAL HOSPITAL	388	100.0	0	0.7	. 0	1.0	- 28	1.7	1,604	98.2	1	0.1	
	HENRIETTA D. GOODALL HOSPITAL	318	100.0	0	0.0	0	0.0	0	0.0	388	100.0	0	0.0	
	HOULTON REGIONAL HOSPITAL	201	100.0	Ö	0.0	1	0.0	o o	0.0	318	100.0	0	0.0	
	KENNEBEC VALLEY MEDICAL CTR.	670	100.0	1	0.1	0	0.5 0.0]	0.5	200	99.5	0	0.0	
	MAINE COAST MEMORIAL HOSPITAL	218	100.0	Ó	0.0	4		1	0.1	666	99.4	3	0.4	
	MAINE MEDICAL CENTER	2,458	100.0	-	2.1		0.5	1	0.5	217	99.5	0	0.0	
	MAYO REGIONAL HOSPITAL	161	100.0	.52 0	0.0	53 0	2.2	105	4.3	2,351	95.6	2	0.1	
	MERCY HOSPITAL	844	100.0	0	0.0	0	0.0	0	0.0	161	100.0	0	0.0	
	MID-MAINE MEDICAL CENTER	753	100.0	1	0.0	4	0.0	0	0.0	843	99.9	1	0.1	
	MILES MEMORIAL HOSPITAL	136	100.0	2	1.5	0	0.1	2	0.3	745	98.9	6	0.8	
	MILLINOCKET REGIONAL HOSPITAL	71	100.0	1	1.5	_	0.0	2	1.5	134	98.5	0	0.0	
	MOUNT DESERT ISLAND HOSPITAL	96	100.0	Ó	0.0	0	0.0	1	1.4	70	98.6	0	0.0	
	NORTH CUMBERLAND MEM. HOSPITAL		100.0	1	1.6	0	0.0	o,	0.0	95	99.0	1	1.0	
ð	NORTH MAINE MEDICAL CENTER	110	100.0	0		0	0.0	1	1.6	.60	98.4	0	0.0	
9	PARKVIEW MEMORIAL HOSPITAL	654		-	0.0	•	0.0	0	0.0	109	99.1	1	0.9	
	PENOBSCOT BAY MEDICAL CENTER	400	100.0 100.0	1	0.2	1	0.2	2	0.3	651	99.5	1	0.2	
	PENOBSCOT VALLEY HOSPITAL	400 95	100.0	0	0.0	•	0.3	1	0.3	397	99.3	2	0.5	
	REDINGTON-FAIRVIEW HOSPITAL	258	100.0	0	0.0	0	0.0	0	0.0	95	100.0	0	0.0	-
	RUMFORD COMMUNITY HOSPITAL	238 67	100.0	0	0.0	-	0.0	0.	0.0	258	100.0	0	0.0	
	ST. ANDREW'S HOSPITAL	18	100.0	_		0	0.0	0	0.0	67	100.0	0	0.0	
	ST. JOSEPH'S HOSPITAL	2	100.0	0	0.0	0	0.0	0	0.0	18	100.0	0	0.0	
	ST. MARY'S HOSPITAL	319	100.0	1	0.0 0.3	0	0.0	Ó	0.0	_ 2	100.0	0	0.0	
	SOUTHERN MAINE MEDICAL CENTER	508	100.0	-		0	0.0	1	0.3	318	99.7	0	0.0	
	STEPHENS MEMORIAL HOSPITAL	265	100.0	0	0.0	0	0.0	0	0.0	508	100.0	0	0.0	
	THE AROOSTOOK MEDICAL CENTER	330	100.0	0	0.0	2	0.8	2	0.8	263	99.2	0	0.0	
	WALDO COUNTY GENERAL HOSPITAL	151	100.0	0	0.7	3	0.9	3	0.9	319	96.7	8	2.4	
	INLAND HOSPITAL	226	100.0	0	0.7	1	0.7	2	1.3	149	98.7	Ō	0.0	
	YORK HOSPITAL	296	100.0	0	0.0	0 1	0.0	o o	0.0	226	100.0	0	0.0	
	STATE TOTALS	14,243	100.0	75	0.0	85	0.3 0.6	1 160	0.3	294	99.3	. 1	0.3	
	THE TOTAL O	17,270	.00.0	, 3	0.5	99	0.6	160	1.1	14,042	98.6	41	0.3	

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.
BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE.

MAINE OEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BLOCWT

PREGNANCY OUTCOME

		,

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOT/ NUMBER	AL RATE#	LIVE B: NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DE NUMBER	EATHS RATE#
ANDROSCOGGIN									
ALL LIVE BIRTHS, IND	UCED ABORTIONS, A	ND FETAL DEAT	HS						
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	6,993 3,749 * * * 3,427 3,582 3,894 4,631 4,410 3,780 19,049 0 53,515	0 6 14 25 35 53 87 214 408 471 264 75 10 0 6	### ### * * 62.4 113.9 121.0 57.0 17.0 2.6 ###	0 4 11 20 22 42 67 162 350 414 229 59 7 0 2	### ### * * 47.3 97.7 106.3 49.4 13.4 ###	0 2 3 5 13 11 20 52 58 57 35 16 3 0 3 226	### ### ### * * 15.2 16.2 14.6 7.6 3.6 ###	0 0 0 0 0 0 0 0 0	######################################
OUT OF WEDLOCK LIVE	BIRTHS, ABORTIONS	, AND FETAL D	EATHS						
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	6,993 3,749 * * * 3,427 3,582 3,894 4,631 4,410 3,780 19,049 0 53,515	0 6 13 24 31 46 66 180 200 117 51 12 2 0 2	### ** * * 52.5 55.8 30.0 11.0 2.7 ###	0 4 10 20 20 35 47 132 150 80 33 6 2 0	### ### * * 38.5 41.9 20.5 7.1 ### ###	0 2 3 4 11 11 19 48 50 37 18 6 0 0	### ### * * 14.0 14.0 9.5 3.9 ### ###	000000000000000000000000000000000000000	######################################

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1994. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 24 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOT NUMBER	AL RATE#	LIVE B NUMBER	IRTHS RATE#	I NDUCE ABORT I NUMBER		FETAL DE NUMBER	EATHS RATE#
AROOSTOOK									
ALL LIVE BIRTHS,	INDUCED ABORTIONS, A	ND FETAL DEAT	HS						
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44	5,189 2,799 * * * 2,882 2,677 2,508 3,258 3,258 3,288	0 3 3 22 22 32 49 128 324 283 176 63	### ### * * 44.4 121.0 112.8 54.0 19.2	0 2 18 21 26 43 110 284 269 158 54	### ### * * 38.2 106.1 107.3 48.5 16.4	0 1 1 4 1 6 6 18 40 14 16 9	### ### ### ### 6.2 14.9 5.6 4.9 ###	000000000000000000000000000000000000000	### ### ### ### ### ### ###
GREATER THAN 4 UNKNOWN COUNTY TOTAL	0	0 2 986	### 23.9	0 1 884	### 21.4	0 1 100	### 2.4	0 0 2	###
70 OUT OF WEDLOCK LI	VE BIRTHS, ABORTIONS	, AND FETAL D	EATHS						
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 4 UNKNOWN COUNTY TOTAL	. 0	0 2 3 21 21 23 40 108 137 56 38 9 0 0	##### * * 37.5 51.2 22.3 11.7 #### 8.5	0 2 2 17 20 18 34 91 107 45 24 4 0 0	### ### * * 31.6 40.0 17.9 7.4 ### ###	0 0 1 4 1 5 6 17 30 11 13 5 0 0	### ### ### ### 5.9 11.2 4.4 4.0 ### ###	000000000000000000000000000000000000000	######################################

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1994. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 24 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOT. NUMBER	AL RATE#	LIVE B NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DI NUMBER	EATHS RATE#
CUMBERLAND									
ALL LIVE BIRTHS, IN	DUCED ABORTIONS, A	ND FETAL DEAT	HS						
LESS THAN 10	16,211	0	###	0	###	0	###	0	###
10-14	7,935	6	###	4	###	2	###	0	###
15	*	16	*	6	###	10	*	0	###
16	*	49	*	28	*	21	*	0	###
17	*	58	*	34	*	24	*	0	###
18	*	99	*	50	*	49	*	0	###
19	* .	124	*	84	*	40	*	0	###
15-19	7,069	346	48.9	202	28.6	144	20.4	0	###
20-24	8,083	873	108.0	578	71.5	295	36.5	0	###
25-29	9,298	1,119	120.3	931	100.1	185	19.9	3	###
30-34	11,534	1,017	88.2	881	76.4	135	11.7	1	###
35-39	11,795	468	39.7	385	32.6	82	7.0	1	- ###
40-44	10,534	90	8.5	66	6.3	22	2.1	2	###
GREATER THAN 44	46,034	2	###	0	###	2	###	ō	###
UNKNOWN	. О	7		1		6		Ō	
COUNTY TOTALS	128,493	3,928	30.6	3,048	23.7	873	6.8	7	###
7									
<u>ــَ</u>							•		
OUT OF WEDLOCK LIVE	BIRTHS, ABORTIONS	, AND FETAL D	EATHS						
LESS THAN 10	16,211	0	###	0	###	0	###	0	###
10-14	7,935	6	###	4	###	2	###	Ō	###
15	*	15	*	6	###	9	###	0	###
16	*	48	*	27	*	21	*	Ō	###
17	*	54	*	31	*	23	*	Ō	###
18	*	89	*	43	*	46	*	Ō	###
19	*	96	*	59	*	37	*	ō	###
15-19	7,069	302	42.7	166	23.5	136	19.2	ŏ	###
20-24	8.083	506	62.6	258	31.9	248	30.7	ŏ	###
25-29	9,298	279	30.0	150	16.1	129	13.9	ŏ	###
30-34	11,534	149	12.9	71	6.2	78	6.8	0	###
35-39	11,795	59	5.0	21	1.8	38	3.2	0	###
40-44	10,534	19	1.8	7	###	12	1.1	0	###
GREATER THAN 44	46,034	2	###	, ,	###	. 2	###	0	###
UNKNOWN	40,034	5	πππ	•	πππ	. 2	πππ	_	###
COUNTY TOTALS	128,493	1,327	10.3	1 678	5.3	649	5.1	0	###
COUNTY TOTALS	120,433	1,32/	10.3	0/8	J.J	649	J. 1	O	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1994. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 24 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE	FEMALE TOTAL POPULATION NUMBER RATE#			IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DEATHS NUMBER RATE	
AGE	TOTOLATION	NoIDER	17.7.2.7	NUMBER	NATE#	None	NATE#	NOMBER	KAIE#
FRANKLIN									
ALL LIVE BIRTHS, I	NDUCED ABORTIONS, A	ND FETAL DEATH	S	•					
LESS THAN 10	1,866	0	###	0	###	0	###	0	###
10-14	1,076	2	###	Ť	###	i	###	ŏ	###
15	*	2	###	2	###	Ö	###	ŏ	###
16	*	9	###	7	###	2	###	ŏ	###
17	*	5	###	4	###		###	ŏ	###
18	*	20	*	13	*	7	###	ŏ	###
19	*	21	*	14	*	7	###	ŏ	###
15-19	1,033	57	55.2	40	38.7	17	16.5	Ö	###
20-24	1,388	108	77.8	93	67.0	15	10.8	ŏ	###
25-29	1,082		107.2	102	94.3	14	12.9	Ŏ	###
30-34	1,145	68	59.4	60	52.4	7	###	1	###
35-39	1,196	34	28.4	28	23.4	6	###	ó	###
40-44	1,135	6	###	5	###	1	###	0	###
GREATER THAN 44	5,480	Ö	###	Ö	###	Ó	###	0	
UNKNOWN	0,480	Ö	πππ	0	πππ	. 0	###	0	###
COUNTY TOTALS		391	25.4	329	21.4	61	4.0	O A	###
	F RADTUS ABOUTIONS	AND PETAL DE	ATUC						
	E BIRTHS, ABORTIONS	, AND FETAL DE	AIHS				•		
LESS THAN 10	1,866	0	###	0	###	0	###	0	###
10-14	1,076	2	###	1	###	1	###	0	###
15	*	2	###	2	###	0	###	0	###
16	*	9	###	7	###	2	###	0	###
17	*	5	###	4	###	1	###	ŏ	###
18	*	18	*	11	*	7	###	Ŏ	###
19	*	15	*	9	###	6	###	Ö	###
15~19	1,033	49	47.4	33	31.9	16	15.5	ŏ	###
20-24	1,388	46	33.1	31	22.3	15	10.8	ŏ	###
25-29	1,082	39	36.0	27	25.0	12	11.1	ŏ	###
30-34	1,145	13	11.4	7	###	6	###	ŏ	###
35-39	1,196	4	###		###	3	###	Ŏ	###
40-44	1,135	1	###	Ö	###	1	###	0	###
GREATER THAN 44	5,480	Ö	###	Ö	###	Ö	###	0	
UNKNOWN	0	Ö	" π π	Ö	ππ π	0	###	_	###
COUNTY TOTALS	15,401	154	10.0	100	6.5	54	3.5	0	
COUNTY TOTALS	15,401	104	10.0	100	0.0	54	3.5	0	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1994.

^{##} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 24 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

HANCOCK ALL LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS LESS THAN 10 3,064 0 ### 0 ### 0 ### 100-14 1,707 0 ### 14 ### 1 ###	COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTA NUMBER	AL RATE#	LIVE B NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DI NUMBER	EATHS RATE#
LESS THAN 10 3,064 0 ### 0 ### 0 ### 10-14 1,707 0 ### 1 ### 1 ### 0 ### 1 ###	HANCOCK									
10-14	ALL LIVE BIRTHS, I	NDUCED ABORTIONS, AN	ND FETAL DEATI	HS						
COUNTY TOTALS 24,914 635 25.5 529 21.2 104 4.2 OUT OF WEDLOCK LIVE BIRTHS, ABORTIONS, AND FETAL DEATHS LESS THAN 10 3,064 0 ### 0 ### 0 ### 10-14 1,707 0 ### 0 ### 0 ### 15 * 1 ### 1 ### 0 ### 16 * * 6 ### 4 ### 2 ### 17 * * 11 #* 4 ### 2 ### 18 * 14 * 10 * 4 ### 18 * 14 * 10 * 4 ### 19 * 21 * 15 * 6 ### 19 * 21 * 15 * 6 ### 15-19 1,432 53 37.0 36 25.1 17 11.9 20-24 1,353 95 70.2 54 39.9 40 29.6 25-29 1,391 33 23.7 25 18.0 8 ### 30-34 1,972 31 15.7 22 11.2 9 ### 35-39 2,079 9 ### 6 ### 3 ### 40-44 2,004 4 ### 3 ### GREATER THAN 44 9,912 0 ###	10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44	1,707 * * * 1,432 1,353 1,353 1,391 1,972 2,079 2,004 9,912	0 1 7 11 17 27 63 190 174 137 55	### ### * * 44.0 140.4 125.1 69.5 26.5 7.0	0 1 5 6 13 20 45 144 154 124 48 12	### ### ### * 31.4 106.4 110.7 62.9 23.1 6.0	0 0 2 5 4 7 18 44 20 13 7 2	### ### ### ### 12.6 32.5 14.6 6.4 ###	000000000000000000000000000000000000000	######################################
LESS THAN 10 3,064 0 ### 0 ### 0 ### 10-14 1,707 0 ### 0 ### 0 ### 15 * 1 ### 1 ### 0 ### 16 * 6 ### 4 ### 2 ### 17 * 11 * 6 ### 5 ### 18 * 14 * 10 * 4 ### 19 * 21 * 15 * 6 ### 19 * 21 * 15 * 6 ### 15-19 1,432 53 37.0 36 25.1 17 11.9 20-24 21,353 95 70.2 54 39.9 40 29.6 25-29 1,391 33 23.7 25 18.0 8 ### 30-34 1,972 31 15.7 22 11.2 9 ### 35-39 2,079 9 ### 6 ### 3 ### 40-44 2,004 4 ### 3 ### 1 ### GREATER THAN 44 9,912 0 ### 0 ###		•	635	25.5		21.2	_	4.2	2	###
LESS THAN 10 3,064 0 ### 0 ### 0 ### 10-14 1,707 0 ### 0 ### 0 ### 15 * 1 ### 1 ### 0 ### 16 * 6 ### 4 ### 2 ### 17 * 11 * 6 ### 5 ### 18 * 14 * 10 * 4 ### 19 * 21 * 15 * 6 ### 19 * 21 * 15 * 6 ### 15-19 1,432 53 37.0 36 25.1 17 11.9 20-24 21,353 95 70.2 54 39.9 40 29.6 25-29 1,391 33 23.7 25 18.0 8 ### 30-34 1,972 31 15.7 22 11.2 9 ### 35-39 2,079 9 ### 6 ### 3 ### 40-44 2,004 4 ### 3 ### 1 ### GREATER THAN 44 9,912 0 ### 0 ###										
10-14	OUT OF WEDLOCK LIV	E BIRTHS, ABORTIONS,	AND FETAL D	EATHS				•		
COUNTY TOTALS 24,914 225 9.0 146 5.9 78 3.1	10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN	1,707 * * * 1,432 1,353 1,353 1,391 1,972 2,079 2,004 9,912 0	0 1 6 11 14 21 53 95 33 31 9 4 0	#### ### * * 370.2 23.7 15.7 ####	0 1 4 6 10 15 36 54 25 22 6 3 0	### ### ### * 25.1 39.9 18.0 11.2 ### ###	0 0 2 5 4 6 17 40 8 9 3 1 0	### ### ### 11.9 29.6 ### ### ###	0 0 0 0 0 0 0 0 0 0	######################################

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1994. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

PRGALL

RESIDENCE AREA ON 24 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOT: NUMBER	AL RATE#	LIVE B NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DE NUMBER	EATHS RATE#
KENNEBEC									
ALL LIVE BIRTHS, IN	NDUCED ABORTIONS, A	ND FETAL DEAT	HS .						
LESS THAN 10	7,382	0	###	0	###	o	###	0	###
10-14 15	4,299	3 3	### ###	2	### ###	1	###	0	###
16	*	22	*	2 12	### *	1 10	###	0	###
17	*	40	*	29	*	11	*	0	### ###
18	*	57	*	40	*	16	* 4	1	### .
19	*	77	*	56	*	21	*	Ö	###
15-19	3,928	199	50.7	139	35.4	59	15.0	1	###
20-24	4,041	414	102.4	353	87.4	58	14.4	3	###
25-29	3,788	480	126.7	415	109.6	65	17.2	0	###
30-34	4,831	304	62.9	267	55.3	36	7.5	1	###
35-39	5,106	118	23.1	103	20.2	15	2.9	0	###
40-44 GREATER THAN 44	4,795 22,490	23 2	4.8 ###	17 1	3.5 ###	6	###	0	###
UNKNOWN	22,490	4	###	3	###	1 0	###	0	###
COUNTY TOTALS	60,660	1,547	25.5	1,300	21.4	241	4.0	6	###
7									
OUT OF WEDLOCK LIVE	BIRTHS, ABORTIONS	, AND FETAL D	EATHS						
LESS THAN 10	7,382	0	###	0	###	0	###	0	иии
10-14	4,299	3	###	2	###	1	###	0	### ###
15	*	3	###	2	###	i	###	0	###
16	*	22	*	12	*	10	*	ŏ	###
17	*	34	*	24	*	10	*	ŏ	###
18	*	43	*	29	*	14	*	Ō	###
19	*	68	*	48	*	20	*	0	###
15-19	3,928	170	43.3	115	29.3	55	14.0	0	###
20-24	4,041	214	53.0	163	40.3	49	12.1	2	###
25-29	3,788	121	31.9	78	20.6	43	11.4	0	###
30-34	4,831	49	10.1	33	6.8	16	3.3	0	###
35-39 40-44	5,106	14	2.7	10	2.0	4	###	0	###
40-44	4,795	4	###	2	###	2	###	0	###
GREATER THAN 44 UNKNOWN	22,490 0	0	###	0	###	0	###	0	###
COUNTY TOTALS	60,660	575	9.5	403	6.6	170	2.8	0 2	444
COGNII IDIALS	00,000	3/3	5.5	703	0.0	170	4.0	2	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1994. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 24 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY,						INDUCE			
MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE B NUMBER	IRTHS RATE#	ABORTI NUMBER	ONS## RATE#	FETAL DE NUMBER	EATHS RATE#
KNOX									
ALL LIVE BIRTHS, IN	NDUCED ABORTIONS, A	ND FETAL DEATHS							
LESS THAN 10	2,263	0	###	. О	###	0	###	0	###
10-14	1,322	1	###	. 0	###	1	###	0	###
15	*	3	###	3	###	0	###	0	###
16	*	9	###	5	###	4	###	0	###
17	*	13	*	9	###	4	###	0	###
18	*	23	*	14	*	9	###	0	###
19	*	18	*	13	*	5	###	0	###
15-19	1,196	66	55.2	44	36.8	22	18.4	0	###
20-24	1,017	171 1	88.1	136	133.7	35	34.4	0	###
25-29	911	111 1:	21.8	93	102.1	18	19.8	0	###
30-34	1,304	86	66.0	70	53.7	14	10.7	2	###
35-39	1,612	49	30.4	32	19.9	17	10.5	0	###
40-44	1,580	13	8.2	11	7.0	2	###	0	###
GREATER THAN 44	7,795	1	###	0	###	1	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	19,000	498	26.2	386	20.3	110	5.8	2	###
75 OUT OF WEDLOCK LIVE	E RIDTUS ARODIIONS	AND FETAL DEAT	TUC						
OO! OF WEDLOCK LIVE	E DIKIMS, ABURITUNS	, AND FEIAL DEA	1 173						
LESS THAN 10	2,263	0	###	0	###	0	###	0	###
10-14	1,322	1	###	0	###	1	###	0	###
15	*	3	###	3	###	0	###	0	###
16	*	9	###	5	###	4	###	0	###
17	*	13	*	9	###	4	###	0	###
18	*	20	*	11	*	9	###	0	###
19	*	13	*	8	###	5	###	0	###
15-19	1,196		48.5	36	30.1	22	18.4	0	###
20-24	1,017		75.7	50	49.2	27	26.5	0	###
25-29	911		29.6	17	18.7	10	11.0	0	###
30-34	1,304		10.0	6	###	6	###	1	###
35-39	1,612	9	###	3	###	6	###	0	###
40-44	1,580	4	###	3	###	1	###	0	###
GREATER THAN 44	7,795	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		0		0	
COUNTY TOTALS	19,000	189	9.9	115	6.1	73	3.8	1	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1994. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 24 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOT NUMBER	AL RATE#	LIVE B NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DE NUMBER	EATHS RATE#
LINCOLN									
ALL LIVE BIRTHS, I	NDUCED ABORTIONS, AN	DEAT	HS						
LESS THAN 10	1,897	0	###	0	###	0	###	0	###
10-14	1,082	2	###	0	###	2	###	0	###
15	*	2	###	2	###	0	###	0	###
16	*	3	###	3	###	0	###	Ó	###
17	*	11	*	9	###	2	###	Õ	###
18	*	13	*	10	*	3	###	ŏ	###
19	*	16	*	13	*	3	###	ŏ	###
15-19	1,021	45	44.1	37	36.2	8	###	ŏ	###
20-24	852	107	125.6	84	98.6	23	27.0	ŏ	###
25-29	731	105	143.6	90	123.1	14	19.2	1	###
30-34	1,052	87	82.7	74	70.3	12	11.4	i	###
35-39	1,281	29	22.6	26	20.3	3	###	Ö	###
40-44	1,304	9	###	3	###	6	###	Ö	###
GREATER THAN 44		ő	###	Ö	###	ŏ	###	0	###
UNKNOWN	0,000	ŏ	" " "	Ö	πππ	Ö	πππ	Ö	###
COUNTY TOTALS		384	24.2	314	19.8	68	4.3	2	###
OUT OF WEDLOCK LIV	E BIRTHS, ABORTIONS,	AND FETAL D	EATHS						
LESS THAN 10	1,897	0	###	0	###	0	###	0	###
10-14	1,082	2	###	ŏ	###	ž	###	ŏ	###
15	*	2	###	2	###	ō	###	Ö	###
16	*	3	###	3	###	ŏ	###	Ŏ	###
17	*	11	*	9	###	2	###	Ö	###
18	*	11	*	8	###	3	###	0	###
19	*	12	*	9	###	3	###	-	
15-19	1,021	39	38.2	31	30.4	8		0	###
20-24	852	51	59.9	32	37.6	-	###	0	###
						19	22.3	0	###
25-29	731	29	39.7	18	24.6	11	15.0	0	###
30-34	1,052	14	13.3	7	###	7	###	0	###
35-39	1,281	8	###	6	###	2	###	0	###
40-44	1,304	3	###	0	###	3	###	0	###
GREATER THAN 44		0	###	0	###	0	###	0	###
UNKNOWN	0	0		0		_0		0	
COUNTY TOTALS	15,880	146	9.2	94	5.9	52	3.3	0	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1994.

^{##} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 24 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOT/ NUMBER	AL RATE#	LIVE B NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DE NUMBER	ATHS RATE#
OXFORD			• .						
ALL LIVE BIRTHS, INC	DUCED ABORTIONS, A	ND FETAL DEATH	1S						
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN	3,483 2,009 * * 1,825 1,498 1,446 2,137 2,358 2,041 10,433 0	0 1 3 7 16 25 40 91 194 196 122 46 9	###### ** 49.9 129.5 135.5 19.5 ###	0 1 2 5 13 22 31 73 170 180 112 38 3	### ### * * 40.0 113.5 124.5 52.4 16.1 ###	0 1 2 3 3 9 18 23 16 10 8 5 0 0	### ### ### ### 9.9 15.4 11.1 4.7 ###	000000000000000000000000000000000000000	######################################
COUNTY TOTALS	27,230	659	24.2	577	21.2	80	2.9	2	###
OUT OF WEDLOCK LIVE	BIRTHS, ABORTIONS	, AND FETAL DI	EATHS						
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	3,483 2,009 * * * 1,825 1,498 1,446 2,137 2,358 2,041 10,433 0	0 1 3 6 14 21 34 78 82 48 19 12 3 0 0	###### * * * * 7 7 3 3 8 . 9 5 . 1 # # # # 8 . 9	0 1 2 4 12 18 25 61 65 38 12 8 0 0	###### ** 33.4 26.3 5.# ### 6.8	0 0 1 2 2 3 9 17 17 10 7 4 3 0 0 58	### ### ### ### 9.3 11.3 6.9 ### ### ###	000000000000000000000000000000000000000	######################################

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1994. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 24 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOT/ NUMBER	AL RATE#	LIVE BI NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DI NUMBER	EATHS RATE#
PENOBSCOT									
ALL LIVE BIRTHS, I	NDUCED ABORTIONS, A	ND FETAL DEAT	HS						
LESS THAN 10	8,940	0	###	. 0	###	0	###	. 0	###
10-14	4,997	3	###	. 0	###	3	###	0	###
15	*	4	###	3	###	1	###	0	###
16	*	32	*	18	*	14	*	0	###
17	*	43	*	24	*	19	*	0	###
18	*	70	*	45	*	25	*	0	###
19	*	88	*	63	*	25	*	0	###
15-19	5,452	237	43.5	153	28.1	84	15.4	0	###
20-24	6,423	597 574	92.9	473	73.6	122	19.0	2	###
25-29	5,672 6,279	574 384	101.2 61.2	500 332	88.2 52.9	72 50	12.7	2	###
30-34 35-39	6,279	144	22.3	125	19.3	18	8.0 2.8	2 1	###
40-44	5,832	28	4.8	23	3.9	5	2.8 ###	0	### ###
GREATER THAN 44	25,985	1	###	1	###	ŏ	###	0	###
UNKNOWN	23,383	6	<i>n n n</i>	Ö	ппп	6	πππ	0	###
COUNTY TOTALS	76,048	1,974	26.0	1,607	21.1	360	4.7	7	###
78									
OUT OF WEDLOCK LIVE	E BIRTHS, ABORTIONS	, AND FETAL D	EATHS						
LESS THAN 10	8,940	0	###	0	###	0	###	0	###
10-14	4,997	3	###	Ö	###	3	###	ŏ	###
15	*	4	###	3	###	1	###	ŏ	###
16	*	31	*	18	*	13	*	ō	###
17	*	40	*	23	*	17	*	0	###
18	*	63	*	38	*	25	*	0	###
19	*	66	*	41	*	25	*	0	###
15-19	5,452	204	37.4	123	22.6	81	14.9	.0	###
20-24	6,423	295	45.9	183	28.5	111	17.3	1	###
25-29	5,672	144	25.4	92	16.2	52	9.2	0	###
30-34	6,279	80	12.7	41	6.5	37	5.9	2	###
35-39	6,468	28	4.3	16	2.5	12	1.9	0	###
40-44	5,832	3	###	2	###	1	###	0	###
GREATER THAN 44	25,985	0	###	0.	###	. 0	###	Ō	###
UNKNOWN	0	6		0		6		0	
COUNTY TOTALS	76,048	763	10.0	457	6.0	303	4.0	3	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1994.

^{##} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 24 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOT NUMBER	AL RATE#	LIVE B NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DE NUMBER	ATHS RATE#
PISCATAQUIS									
ALL LIVE BIRTHS, IN	DUCED ABORTIONS, A	ND FETAL DEAT	HS						
LESS THAN 10	1,067	0	###	0	###	0	###	0	###
10-14	703	0	###	0	###	0	###	0	###
15	*	2	###	1	###	1	###	0	###
16	*	4	### .	2	###	2	###	0	###
17	*	5	###	4	###	1	###	0	###
18	*	6	###	6	###	0	###	0	###
19	*	22	*	19	*	3	###	0	###
15-19	716	39	54.5	32	44.7	7	###	0	###
20-24	570	59	103.5	51	89.5	8	###	0	###
25-29	460	60	130.4	56	121.7	3	###	1	###
30-34	651	26	39.9	20	30.7	5	###	1	###
35-39	778	14	18.0	11	14.1	3	###	0	###
40-44	712	5	###	3	###	2	###	0	###
GREATER THAN 44	3,886	0	###	0	###	0	###	0	###
UNKNOWN	0	1		0		1		0	
COUNTY TOTALS	9,543	204	21.4	173	18.1	29	3.0	2	###
79 OUT OF WEDLOCK LIVE	: BIRTHS, ABORTIONS	, AND FETAL D	EATHS						
LESS THAN 10	1,, 067	0	###	0	###	0	###	0	###
10-14	703	ŏ	###	ŏ	###	ŏ	###	ŏ	###
15	*	2	###	1	###	1	###	ŏ	###
16	*	3	###	i	###	2	###	ŏ	###
17	*	3	###	2	###	1	###	ŏ	###
18	*	6	###	6	###	Ö	###	ŏ	###
19	*	14	*	11	*	3	###	ŏ	###
15-19	716	28	39.1	21	29.3	7	###	Ŏ	###
20-24	570	29	50.9	25	43.9	4	###	ŏ	###
25-29	460	15	32.6	12	26.1	3	###	ŏ	###
30-34	651	. 8	###	4	###	4	###	ŏ	###
35-39	778	4	###	3	###	1	###	Ŏ	###
40-44	712		###	ŏ	###	i	###	Ŏ	###
GREATER THAN 44	3,886	ò	###	ŏ	###	ò	###	Ŏ	###
UNKNOWN	0,000	ŏ		ŏ		ŏ		Ö	
COUNTY TOTALS	9,543	85	8.9	65	6.8	20	2.1	Ŏ	###
SOSITI TOTALS	2,210	35			-			J	11

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1994. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 24 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTA NUMBER	AL RATE#	LIVE B NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DI NUMBER	EATHS RATE#
SAGADAHOC									
ALL LIVE BIRTHS, IN	NDUCED ABORTIONS, A	ND FETAL DEATH	ıs						
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	2,510 1,239 * * * 1,110 991 1,029 1,559 1,559 1,591 1,439 5,713 0	0 1 0 10 7 17 33 67 136 136 119 51 1	### ### * ### * 60.4 137.2 132.2 76.3 32.1 ###	0 0 0 5 4 10 25 44 107 118 105 43 3 0 0	### ### ### * 39.6 108.0 114.7 67.4 27.0 ###	0 1 0 5 3 7 7 22 29 18 12 8 4 1 1 96	######### ####### ###### #9.3 17.7 #### 5.6	0 0 0 0 0 0 1 1 1 0 0 2 0 0 0	######################################
© 0017 05 HEDI 00K 1 TV	THE APOPTIONS	AND FETAL DI	TATUS						
OUT OF WEDLOCK LIVE	2,510	, AND FEIAL DI	###	0	###	0	###		###
10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN	1,239 * * * 1,110 991 1,029 1,559 1,591 1,439 5,713 0	1 0 10 6 15 20 51 69 31 13 5 3 0	### ### * # 45.9 69.6 30.1 8.3 ####	0 0 5 3 8 12 28 45 22 7 2 0 0	### ### ### ** 25.2 45.4 21.4 ### ###	1 0 5 3 7 7 22 24 9 6 3 3 0 1	####### ###### 19.2 24.##################################	0 0 0 0 1 1 1 0 0	######################################
COUNTY TOTALS	17,181	174	10.1	104	6.1	69	4.0	1	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1994.

^{##} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.
RESIDENCE AREA ON 24 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY,						INDUCE	D		
MARITAL STATUS	FEMALE	TOT	AL	LIVE B	IRTHS	ABORTI	ONS##	FETAL DE	EATHS
AND AGE	POPULATION	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#	NUMBER	RATE#
SOMERSET									
SUMERSET									
ALL LIVE BIRTHS, I	NDUCED ABORTIONS, A	ND FETAL DEAT	HS						
LESS THAN 10	3,312	0	###	0	###	0	###	. 0	###
10-14	1,908	2	###	ŏ	###	ž	###	ŏ	###
15	*	6	###	5	###	1	###	ŏ	###
16	*	6	###	4	###	2	###	ŏ	###
17	*	25	*	22	*	3	###	ŏ	###
18	* .	34	*	27	*	7	###	ŏ	###
19	*	47	*	38	*	9	###	0	###
15-19	1,930	118	61.1	96	49.7	22	11.4	0	###
20-24	1,674	222	132.6	193	115.3	28	16.7	U	###
25-29	1,610	208	129.2	187	116.1	19	11.8	1	
			61.7		54.2	15	7.5	2	###
30-34	2,010	124 34		109 27	12.2		/.5 ###	0	###
35-39	2,207		15.4			7		0	###
40-44	1,982	7	###	3	###	4	###	0	###
GREATER THAN 44]	###	0	###	1	###	o o	###
UNKNOWN	0	1		0		0		1	
COUNTY TOTALS	26,182	717	27.4	615	23.5	98	3.7	4	###
8 1									
				*					
OUT OF WEDLOCK LIV	E BIRTHS, ABORTIONS	, AND FETAL D	EATHS						
LESS THAN 10	3,312	0	###	0	###	0	###	0	###
10-14	1,908	2	###	ŏ	###	2	###	ŏ	###
15	*	6	###	5	###	1	###	ŏ	###
16	*	. 6	###	4	###	2	###	ŏ	###
17	*	22	*	20	*	2	###	Ö	###
18	**	29	*	22	*	7	###	0	###
19	**	38	*	31	*	7	###	0	###
15-19	1,930	101	52.3	82	42.5	19	9.8	Ö	###
20-24	1,674	110	65.7	89	53.2	21	12.5	0	###
25-29	1,610	50	31.1	36	22.4	13	8.1	1	###
				24	11.9	6	###	0	
30-34 35-39	2,010	30 9	14.9 ###	3	11.9 ###	6	###	0	### ###
	2,207	3		-				_	
40-44 0054455 THAN 44	1,982	-	###	1	###	2 1	###	0	###
GREATER THAN 44		1	###	0	###	•	###	0	###
UNKNOWN	0	0		0		0		o	,,,,,
COUNTY TOTALS	26,182	306	11.7	235	9.0	70	2.7	1	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1994.

^{##} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 24 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOT NUMBER	AL RATE#	LIVE B NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DE NUMBER	EATHS RATE#
WALDO									
ALL LIVE BIRTHS, IN	NDUCED ABORTIONS, A	ND FETAL DEAT	-IS						
LESS THAN 10	2,345	0	###	0	###	0	###	0	###
10-14	1,353	2	###	0	###	2	###	0	###
15	*	4	###	. 2	###	2	###	0	###
16	*	8	###	6	###	2	###	0	###
17	*	14	*	8	###	6	###	0	###
18	*	20	*	15	*	5	###	0	###
19	*	24	*	18	*	6	###	0	###
15-19	1,242	70	56.4	49	39.5	21	16.9	0	###
20-24	1,037	156	150.4	131	126.3	25	24.1	Ó	###
25-29	934	112	119.9	105	112.4	6	###	1	###
30-34	1,315	80	60.8	71	54.0	9	###	0	###
35-39	1,546	41	26.5	34	22.0	7	###	Ō	###
40-44	1,477	8	###	8	###	0	###	Ŏ	###
GREATER THAN 44	6,629	0	###	0	###	0	###	Ŏ	###
UNKNOWN	. 0	0		0		0		Ō	
COUNTY TOTALS	17,878	469	26.2	398	22.3	70	3.9	1	###
OUT OF WEDLOCK LIVE	E BIRTHS, ABORTIONS	, AND FETAL D	EATHS						
LESS THAN 10	2,345	0	###	0	###	0	###	0	###
10-14	1,353	. 2	###	ŏ	###	2	###	0	###
15	*	4	###	2	###	2	###	0	###
16	*	8	###	6	###	2	###	0	###
17	*	13	*	7	###	6	###	0	###
18	*	19	*	14	*	5	###	0	###
19	* *	14	*	9	###	5	###	0	
15-19	1,242	58	46.7	38	30.6	20	16.1	_	###
20-24	1,037	74	71.4	56 57	55.0	17	16.4	0	###
								0	###
25-29	934	22	23.6	17	18.2	5	###	0	###
30-34	1,315	23	17.5	15	11.4	8	###	0	###
35-39	1,546	9	###	5	###	4	###	0	###
40-44	1,477	1	###	1	###	0	###	0	###
GREATER THAN 44	6,629	0	###	0	###	0	###	0	###
UNKNOWN	0	0		0	·	_0		0	
COUNTY TOTALS	17,878	189	10.6	133	7.4	56	3.1	0	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1994.

^{##} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 24 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER RATE#	LIVE BIRTHS NUMBER RATE#	INDUCED ABORTIONS## NUMBER RATE#	FETAL DEATHS NUMBER RATE#
WASHINGTON					
ALL LIVE BIRTHS, IN	NDUCED ABORTIONS, A	ND FETAL DEATHS			
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN COUNTY TOTALS	2,207 1,317 * * * 1,312 1,108 1,053 1,267 1,479 1,286 7,289 0	O ### 2 ### 3 ### 8 ### 15 * 18 * 14 * 58 44.2 163 147.1 134 127.3 76 60.0 40 27.0 10 7.8 1 ### 0 484 26.4	O ### 1 ### 2 ### 7 ### 11 * 16 * 13 * 49 37.3 144 130.0 126 119.7 68 53.7 33 22.3 9 ### 1 ### 0 431 23.5	O ### 1 ### 1 ### 1 ### 2 ### 1 ### 8 ### 17 15.3 8 ### 6 ### 7 ### 1 ### O ### O 48 2.6	O ###
ထည် OUT OF WEDLOCK LIVE	E BIRTHS, ABORTIONS	, AND FETAL DEATHS			
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN	2,207 1,317 * * * 1,312 1,108 1,053 1,267 1,479 1,286 7,289	O ### 2 ### 3 ### 8 ### 14 * 14 * 9 ### 48 36.6 78 70.4 38 36.1 16 12.6 9 ### 0 ### O ###	O ### 1 ### 2 ### 7 ### 10 * 12 * 8 ### 39 29.7 63 56.9 31 29.4 14 11.0 7 ### 0 ### 0 ###	O ### 1 ### 1 ### 1 ### 2 ### 2 ### 8 ### 14 12.6 7 ### 2 ### 2 ### 0 ### O ###	O ###
COUNTY TOTALS	18,318	192 10.5	156 8.5	34 1.9	2 ###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1994. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 24 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.
* POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOT. NUMBER	RATE#	LIVE B NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DE NUMBER	EATHS RATE#
YORK			σ						
ALL LIVE BIRTHS, IN	NDUCED ABORTIONS, A	ND FETAL DEATH	HS						
LESS THAN 10	11,656	0	###	0	###	0	###	0	###
10-14	6,107	2	###	1	###	1	###	0	###
15	*	13	*	7	###	6	###	0	###
16	*	27	*	11	*	15	*	1	###
17	*	40	*	27	*	13	*	0	###
18	*	75	*	₋ 55	*	18	*	2	###
19	*	100	*	82	*	18	*	0	###
15-19	5,461	255	46.7	182	33.3	70	12.8	3	###
20-24	5,011	613	122.3	504	100.6	108	21.6	1	###
25-29	5,228	729	139.4	655	125.3	72	13.8	2	###
30-34	7,438	619	83.2	577	77.6	42	5.6	0	###
35-39	8,003	249	31.1	219	27.4	29	3.6	1	###
40-44	7,129	26	3.6	16	2.2	10	1.4	0	###
GREATER THAN 44	30,478	3	###	3	###	0	###	0	###
UNKNOWN	0	1		1		0		0	
COUNTY TOTALS	86,511	2,497	28.9	2,158	24.9	332	3.8	7	###
∞ A OUT OF WEDLOCK LIVE	BIRTHS, ABORTIONS	, AND FETAL DI	EATHS						
LESS THAN 10	11,656	0	###	0	###	0	###	0	###
10-14	6,107	2	###	1	###	· 1	###	Ŏ	###
15	*	12	*	6	###	6	###	ŏ	###
16 ·	*	26	*	10	*	15	*	1	###
17	*	36	*	25	*	11	*	Ó	###
18	*	60	*	45	*	14	*	Ĭ	###
19	*	75	*	60	*	15	*	Ö	###
15-19	5,461	209	38.3	146	26.7	61	11.2	2	###
20-24	5,011	280	55.9	196	39.1	84	16.8	õ	###
25-29	5,228	138	26.4	97	18.6	41	7.8	ŏ	###
30-34	7,438	69	9.3	44	5.9	25	3.4	ŏ	###
35-39	8,003	36	4.5	20	2.5	15	1.9	1	###
40-44	7,129	7	###	20	###	5	###	0	###
GREATER THAN 44	30,478	ó	###	Õ	###	ő	###	. 0	###
UNKNOWN	0	Ö	"""	Ö	" " "	Ö	πππ	0	###
COUNTY TOTALS	86,511	741	8.6	506	5.8	232	2.7	3	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1994.

^{##} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 24 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTAL NUMBER	RATE#	LIVE BI NUMBER	RTHS RATE#	INDUCE ABORTI NUMBER		FETAL DE NUMBER	EATHS RATE#
UNKNOWN									
ALL LIVE BIRTHS,	INDUCED ABORTIONS, AN	ND FETAL DEATHS		•					
LESS THAN 10	0	0	###	0	###	0	###	0	###
10-14	Ö	0	###	Ö	###	Ō	###	Ŏ	###
15	*	Ō	###	Ō	###	Ó	###	Ŏ	###
16	*	3	###	Ö	###	3	###	ŏ	###
17	*	1	###	ŏ	###	1	###	ŏ	###
18	*	1	###	0	###	1	###	ŏ	###
19	*	1	###	0	###	1	###	Ŏ	###
15-19	0	6	###	0	###	6	###	Ŏ	###
20-24	Ó	6	###	0	###	6	###	Ŏ	###
25-29	Ö	3	###	Ö	###	3	###	ŏ	###
30-34	Ö	2	###	Ö	###	2	###	ŏ	###
35-39	Ö	2	###	Ō	###	2	###	ŏ	###
40-44	Ö	0	###	Ō	###	0	###	Ŏ	###
GREATER THAN 4	4 0	Ō	###	Ŏ	###	Ö	###	ŏ	###
UNKNOWN	. 0	ī		Ö		Ĭ		ŏ	
COUNTY TOTAL	S O	20	0.0	0	###	20	0.0	ŏ	###
m									
8 ₅		•							
OUT OF WEDLOCK LI	VE BIRTHS, ABORTIONS	, AND FETAL DEA	THS						
LESS THAN 10	0	0	###	0	###	0	###	0	###
10-14	0	0	###	0	###	0	###	0	###
15	*	0	###	0	###	0	###	Ō	###
16	*	3	###	0	###	3	###	0	###
17	*	1	###	0	###	1	###	0	###
18	*	1	###	0	###	1	###	0	###
19	*	0	###	0	###	0	###	0	###
15-19	0	5	###	0	###	5	###	0	###
20-24	0	3	###	0	###	3	###	0	###
25-29	0	3	###	0	###	3	###	0	###
30-34	0	1	###	0	###	1	###	0	###
35-39	0	. 1	###	0	###	•1	###	Ō	###
40-44	Ö	0	###	Ō	###	Ó	###	Ŏ	###
GREATER THAN 4	4 0	Ö	###	Ö	###	. 0	###	Ŏ	###
UNKNOWN	Ö	Ì		Ö		Ĭ		ŏ	
COUNTY TOTAL		14	0.0	ō	###	14	0.0	ŏ	###

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1994. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 24 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS. ### RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-1 ALL REPORTED LIVE BIRTHS, INDUCED ABORTIONS, AND FETAL DEATHS BY OUTCOME MARITAL STATUS, AND AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

COUNTY, MARITAL STATUS AND AGE	FEMALE POPULATION	TOTA NUMBER	AL RATE#	LIVE B NUMBER	IRTHS RATE#	INDUCE ABORTI NUMBER		FETAL DE NUMBER	EATHS RATE#
MAINE SUMMARY									
ALL LIVE BIRTHS, IN	DUCED ABORTIONS, A	ND FETAL DEATH	ıs						
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN STATE TOTALS	80,385 43,602 8,538 8,237 8,252 7,817 8,192 41,036 41,035 41,035 52,383 55,197 50,121 232,909 637,973	0 36 79 251 361 580 788 2,059 4,741 5,011 3,691 1,512 272 13 31 17,366	### 0.8 9.3 30.5 43.7 74.2 96.2 50.2 114.8 122.1 70.5 27.4 0.1	0 16 51 156 247 404 599 1,457 3,795 4,395 3,257 1,265 195 7 9	### 0.4 6.0 18.9 29.9 51.7 73.1 35.5 9107.1 62.2 22.9 3.9 ###	0 20 28 94 113 173 188 596 934 604 419 244 74 6	### 0.5 3.3 11.4 13.7 22.1 22.9 14.5 22.6 14.7 8.0 4.4 1.5 ###	0 0 0 1 1 3 1 6 12 15 3 3 0 3 5 4	### ### ### ### 0.3 0.3 ### ###
& OUT OF WEDLOCK LIVE	BIRTHS, ABORTIONS	, AND FETAL DE	EATHS						
LESS THAN 10 10-14 15 16 17 18 19 15-19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN STATE TOTALS	80,385 43,602 8,538 8,237 8,252 7,817 8,192 41,036 41,305 41,035 52,383 55,197 50,121 232,909 637,973	0 35 76 243 329 492 601 1,741 2,346 1,190 617 237 59 3 16	### 0.8 8.9 29.5 39.9 62.9 73.4 42.4 56.8 29.0 11.8 4.3 1.2 ###	0 16 49 150 225 328 426 1,178 1,568 785 364 121 24 0	### 0.4 5.7 18.2 27.3 42.0 52.0 28.7 38.0 19.1 6.9 2.2 0.5 ###	0 19 27 92 103 163 174 559 773 404 249 115 35 3 14 2,171	### 0.4 3.2 11.2 12.5 20.9 21.2 13.6 18.7 9.8 4.8 2.1 0.7 ###	0 0 0 1 1 1 1 4 5 1 4 1 0 0 0 15	### ### ### ### ### ### ### ### ### ##

[#] RATES ARE PER 1,000 FEMALE POPULATION BASED ON MAINE ESTIMATED FEMALE POPULATION JULY 1, 1994. ## DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

RESIDENCE AREA ON 24 RECORDS WERE BLANK AND ONLY STATE RESIDENCE WAS GIVEN FOR O RECORDS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} POPULATION BY SINGLE YEAR OF AGE BY MAINE COUNTIES IS TOO SMALL FOR ACCURATE ESTIMATES OF RATES.

TABLE P-2

FETAL DEATHS AND INDUCED ABORTIONS BY WEEKS OF GESTATION MAINE STATE TOTALS, 1994 (RESIDENT DATA)*

	GESTATION WEEKS	TOTAL	FETAL-	DEATHS	INDUCED-A	BORTIONS
			NUMBER	PERCENT	NUMBER	PERCENT
	0-4	. 0	0	0.00	0	0.00
	5-8	1,547	0	0.00	1,547	53.05
	9-12	1,243	0	0.00	1,243	42.63
	13-19	54	. 0	0.00	54	1.85
	20-23	13	10	18.52	. 3	0.10
	24-27	6	6	11.11	0	0.00
	28-31	8	6	11.11	2	0.07
	32-35	7	7	12.96	0	0.00
	36-38	. 7	7	12.96	0	0.00
	> 39	3	3	5.56	0	0.00
	UNKNOWN	82	15	27.78	67	2.30
2	STATE TOTALS	2,970	54	100.00	2,916	100.00

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O ABORTION RECORDS WERE BLANK.

TRMWKR

INFANT AND FETAL MORTALITY

TABLE F-1 INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1994 (RESIDENT DATA)

	CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS		L DEATHS PERCENT		NATAL DEATHS R PERCENT
	CERTAIN INTESTINAL INFECTIONS (008-00	9)				
	MALE Totals	1	0	0.00	1 1	100.00 100.00
	REMAINDER OF INFECTIOUS AND PARASITIC	DISEASES (001-007.010-032.034-035.	037,039-041,080-	088.091-139)		
	MALE	1	, , , , , ,	0.00	1	100.00
	TOTALS	1	0	0.00	1	100.00
	MENINGITIS (320-322)					
	MALE	1	0	0.00	1	100.00
	TOTALS	1	0	0.00	1	100.00
	OTHER DISEASES OF NERVOUS SYSTEM AND	SENSE ORGANS (323-389)				
	FEMALE	1	0	0.00	1	100.00
	TOTALS	1	0	0.00	1	100.00
	ACUTE UPPER RESPIRATORY INFECTIONS (4					
	MALE	2	0	0.00	2	100.00
	TOTALS	2	0	0.00	2	100.00
	BRONCHITIS AND BRONCHIOLITIS (466,490	-491)				
	MALE	1 ·	0	0.00	1	100.00
9	TOTALS	1	0	0.00	1	100.00
→	REMAINDER OF DISEASES OF RESPIRATORY	SYSTEM (470-478,492-519)				
	MALE	1	0	0.00	1	100.00
	FEMALE .	1	0	0.00	1	100.00
	TOTALS	2 .	0	0.00	2	100.00
	GASTRITIS, DUODENITIS, AND NONINFECTI	VE ENTERITIS AND COLITIS (535,555-5	•			
	MALE	1	0	0.00	1	100.00
	TOTALS	1	0	0.00	1	100.00
	REMAINDER OF DISEASES OF DIGESTIVE SY	STEM (520-534,536-543,562-579)		_		
	MALE	3	1	33.33	2	66.67
	FEMALE	1	0	0.00	1	100.00
	TOTALS	4	1	25.00	. 3	75.00
	ANENCEPHALUS AND SIMILAR ANOMALIES (7	40)	_			
	FEMALE	1	1.	100.00	0	0.00
	TOTALS	1	. 1	100.00	0	0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

IAGESX61

TABLE F-1 INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1994 (RESIDENT DATA)

	CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAI NUMBER	_ DEATHS PERCENT		NATAL DEATHS PERCENT
	(CONT.)					
	CONGENITAL HYDROCEPHALUS (742.3) MALE TOTALS	1 1	1 1	100.00	0	0.00
	OTHER CONGENITAL ANOMALIES OF CENTRAL	NERVOUS SYSTEM AND EYE (742.0-742.	_			
	FEMALE TOTALS	1	0	0.00 0.00	1 1	100.00 100.00
	CONGENITAL ANOMALIES OF HEART (745-74 MALE	6) 3	0	0.00	3	100.00
	FEMALE TOTALS	1 4	1 1	100.00 25.00	3 0	0.00 75.00
	OTHER CONGENITAL ANOMALIES OF CIRCULA FEMALE	TORY SYSTEM (747)	1	100.00	0	0.00
	TOTALS	i	i	100.00	ŏ	0.00
	CONGENITAL ANOMALIES OF RESPIRATORY S MALE TOTALS	YSTEM (748) 2 2	2 2	100.00	0	0.00
92	CONGENITAL ANOMALIES OF DIGESTIVE SYS	TEM (749-751) 1 1	0	0.00 0.00	1 1	100.00 100.00
	CONGENITAL ANOMALIES OF GENITOURINARY MALE TOTALS	SYSTEM (752-753) 1 1	. 1	100.00	0	0.00
	CONGENITAL ANOMALIES OF MUSCULOSKELET FEMALE TOTALS	AL SYSTEM (754-756) 1 1	1 1	100.00	0	0.00
	OTHER CHROMOSOMAL ANOMALIES (758.1-75 MALE FEMALE TOTALS	8.9) 2 1 3	2 1 3	100.00 100.00 100.00	0 0	0.00 0.00 0.00

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

IAGESX61

TABLE F-1 INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1994 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS		L DEATHS PERCENT		NATAL DEATHS R PERCENT
(CONT.)	•				
NEWBORN AFFECTED BY MATERNAL CONDITION	ONS WHICH MAY BE UNRELATED TO PRESENT		•		
MALE	1	1	100.00	. 0	0.00
TOTALS	1	1	100.00	0	0.00
NEWBORN AFFECTED BY MATERNAL COMPLICA	ATIONS OF PREGNANCY (761)	•			
MALE	2	2	100.00	0	0.00
FEMALE	3	3	100.00	0	0.00
TOTALS	5	5	100.00	. 0	0.00
NEWBORN AFFECTED BY COMPLICATIONS OF	PLACENTA, CORD, AND MEMBRANES (762)				
MALE	i	1	100.00	0	0.00
FEMALE	3	3	100.00	0	0.00
TOTALS	4	4	100.00	0	0.00
DISORDERS RELATING TO SHORT GESTATION	N AND UNSPECIFIED LOW BIRTHWEIGHT (769	5)			
MALE	5	5	100.00	0	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	7	7	100.00	0	0.00
BIRTH TRAUMA (767)					
MALE	1	1	100.00	0	0.00
S TOTALS	1	1	100.00	0	0.00
FETAL DISTRESS IN LIVEBORN INFANT (76	68.2-768.4)				
MALE	2	1	50.00	1	50.00
TOTALS	2	1	50.00	1	50.00
DECDIBATORY DISTRESS SYMPROME (700)					
RESPIRATORY DISTRESS SYNDROME (769) MALE	4	4	100.00	^	0.00
FEMALE	2	2	100.00	0	0.00
TOTALS	6	6	100.00	0	0.00
TOTALS	U	· ·	100.00	U	0.00
OTHER RESPIRATORY CONDITIONS OF NEWBO					
MALE	5	4	80.00	1	20.00
FEMALE	1	0	0.00	1	100.00
TOTALS	6	4	66.67	2	33.33

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

TABLE F-1 INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1994 (RESIDENT DATA)

	CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS		_ DEATHS PERCENT		NATAL DEATHS R PERCENT
	(CONT.)					
	INFECTIONS SPECIFIC TO THE PERINATAL PERIO	D (771)				
	MALE	1	1	100.00	0	0.00
	FEMALE TOTALS	2 3	2 3	100.00 100.00	0	0.00
	TOTALS	3	3	100.00	0	0.00
	NEONATAL HEMORRHAGE (772)					
	FEMALE	2	2	100.00	0	0.00
	TOTALS	2	2	100.00	0	0.00
	ALL OTHER AND ILL-DEFINED CONDITIONS ORIGI	NATING IN THE PERINATAL PERIOR	(775.2-775.9.77	3 1-779)		
	MALE	3	3	100.00	0	0.00
	FEMALE	3	3	100.00	0	0.00
	TOTALS	6	6	100.00	0	0.00
	SUDDEN INFANT DEATH SYNDROME (798.0)					
	MALE	2	0	0.00	2	100.00
	FEMALE	3	0	0.00	3	100.00
	TOTALS	5	0	0.00	5	100.00
	SYMPTOMS, SIGNS, AND ALL OTHER ILL-DEFINED	CONDITIONS (780-797.798.1-799	a)			
	MALE	2	1	50.00	1	50.00
94	TOTALS	2	1	50.00	1	50.00
H-2	ACCIDENTAL MECHANICAL SUFFOCATION (E913)					
	MALE	1	1	100.00	0	0.00
	FEMALE	1	Ó	0.00	1	100.00
	TOTALS	2	1	50.00	1	50.00
	OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECT	S (F800-F910 F914-F949)				
	MALE	3	1	33.33	2	66.67
	TOTALS	3	1	33.33	2	66.67
	ALL OTHER CAUSES (RECIPIED)					
	ALL OTHER CAUSES (RESIDUAL) MALE	2	1	50.00	4	FO 00
	FEMALE	1	1	100.00	1	50.00 0.00
	TOTALS	3	2	66.67	· 1	33.33
	STATE					
	MALE	. 55	. 34	61.82	21	38.18
	FEMALE	33	23	69.70	10	30.30
	TOTALS	88	57	64.77	31	35.23

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

IAGESX61

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1994 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	******* 20-23	********* 24-27		ION WEEKS		
AND SEA	FEIAL DEATHS	DISTRIBUTION	20-23	24-27	28-31	32-35	36-39	OVER 39
DISEASES OF BLOOD AND	BLOOD-FORMING ORGAN	S (280-289)						
MALE	1	1.85	0	0	0	0	0	1
TOTALS	1	1.85	0	0	0	0	0	1
DOWN'S SYNDROME (758.0	0)							
MALE	. 1	1.85	0	0	0	0	0	1
TOTALS	1	1.85	0	0	0	0	0	1
ALL OTHER AND UNSPECI	FIED CONGENITAL ANOM	ALIES (744,757,759)						
MALE	1	1.85	0	0	0.	0	0	1
UNKNOWN	1	1.85	1	0	0	0	Ö	0
TOTALS	2	3.70	1	0	0	0	0	1
NEWBORN AFFECTED BY M.	ATERNAL COMPLICATION	S OF PREGNANCY (761)						
MALE	2	3.70	1	1	0	0	0	0
FEMALE	1	1.85	1	0	0	0	0	0
TOTALS	3	5.56	2	1	0	0	0	. 0
NEWBORN AFFECTED BY C	OMPLICATIONS OF PLAC	ENTA, CORD, AND MEMBRANES (76	2)					
MALE	9	16.67	1	0	0	0	3	5
FEMALE	12	22.22	2	2	2	2	1	3
TOTALS	21	38.89	3	2	2	2	4	8
S NEWBORN AFFECTED BY O	THER COMPLICATIONS O	F LABOR AND DELIVERY (763)						
MALE	1	1.85	0	0	0	0	0	1
FEMALE	1	1.85	0	1	0	0	0	0
TOTALS	2	3.70	0	1	0	0	0	1
SLOW FETAL GROWTH AND	FETAL MALNUTRITION	(764)						
MALE	1	1.85	0	0	0	1	0	0
TOTALS	1 .	1.85	0	0	0	1	0	0
	SHORT GESTATION AND	UNSPECIFIED LOW BIRTHWEIGHT	(765)					
FEMALE	2	3.70	1	0	0	0	0	1
TOTALS	2	3.70	1	0	0	0	0	1
BIRTH ASPHYXIA (768.5	-768.9)							
MALE	2	3.70	0	0	0	1	1	0
FEMALE	2	3.70	1	0	1	0	0	0
TOTALS	4	7.41	1	0	1	1	1	0
		INATING IN THE PERINATAL PERI	OD (775.2-775	5.9,776.1-7				
MALE	8	14.81	1	0	3	0	3	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

FAGESX61

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE F-2

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1994 (RESIDENT DATA)*

CAUSE OF DEATH GROUPS		PERCENT	**************************************								
AND SEX	FETAL DEATHS	DISTRIBUTION	20-23	24-27	28-31	32-35	36-39	OVER 39			
(CONT.)											
FEMALE	9	16.67	1	2	0	3	1	. 2			
TOTALS	17	31.48	2	2	3	3	4	3			
STATE											
MALE	26	48.15	3	1	3	2	7	10			
FEMALE	27	50.00	6	5	3	5	2	6			
UNKNOWN	1	1.85	1	0	0	0	0	Ō			
TOTALS	54	100.00	10	6	6	7	9	16			

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

FAGESX61

LIVE BIRTHS, NEONATAL DEATHS, AND ESTIMATED NEONATAL DEATH RATES BY BIRTHWEIGHT MAINE STATE TOTALS, 1994 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	LIVE NUMBER	BIRTHS PERCENT	NEONATAL NUMBER	. DEATHS PERCENT	NEONATAL DEATH RATE
LESS THAN 500	8	0.06	7	12.28	875.0
500-999	64	0.44	26	45.61	406.3
1000-1499	82	0.57	4	7.02	48.8
1500-1999	188	1.31	2	3.51	10.6
2000-2499	481	3.34	4	7.02	8.3
2500-2999	1,979	13.75	2	3.51	1.0
3000-3499	5,130	35.63	6	10.53	1.2
3500-3999	4,483	31.14	2	3.51	0.4
4000-4499	1,652	11.48	2	3.51	1.2
4500-4999	258	1.79	0	0.00	0.0
GREATER THAN 4999	28	0.19	0	0.00	0.0
UNKNOWN	43	0.30	2	3.51	46.5
STATE TOTALS	14,396	100.00	57	100.00	4.0

NOTE: NEONATAL DEATH RATES ARE ESTIMATED BY DIVIDING 1994 NEONATAL DEATHS BY 1994 LIVE BIRTHS AND MULTIPLYING BY 1,000. SUCH RATES ARE ESTIMATED RATHER THAN ACTUAL BECAUSE SOME BIRTHS RELATING TO THE 1994 NEONATAL DEATH COHORT OCCURRED IN 1993.

BIRNEOD

TABLE F-4

FETAL DEATHS BY SELECTED COMPLICATIONS, GESTATION, AND AGE OF PATIENT MAINE STATE TOTALS, 1994 (RESIDENT DATA)*

		*********	************** COMPLICATIONS ***************					
WEEKS OF GESTATION	TOTAL** FETAL DEATHS	PERCENT DISTRIBUTION	MEDICAL RISK FACTORS	LABOR OR DELIVERY	TOBACCO/ALCOHOL USE	CONGENITAL ANOMALIES		
20-23	10	18.52	5	6	3	1		
24-27	6	11.11	3	2	2	0		
28-31	6	11.11	2	5	3	Ō		
32-35	7	12.96	1	6	2	Ō		
36-39	9	16.67	2	7	3	Ī		
OVER 39	16	29.63	4	5	2	1		
UNKNOWN	0	0.00	0	0	Ō	Ó		
STATE TOTALS	54		17	31	15	3		
PERCENT DISTRIBUTION		100.00	31.48	57.41	27.78	5.56		
AGE OF PATIENT(YRS.)								
LESS THAN 10	0	0.00	0	0	0	0		
10-14	Ö	0.00	Ö	Ō	Õ	Õ		
15	· ō	0.00	· 0	Ö	Ö	ŏ		
16	i	1.85	Ö	Ō	i	Õ		
17	1	1.85	Ī	1	i	Õ		
18	3	5.56	0	2	i	Õ		
	1	1.85	0	1	i	Ö		
9 19 8 20-24 9 15 20 20 20 20 20 20 20 20 20 20 20 20 20	12	22.22	5	9	4	Ō		
25-29	12	22.22	3	6	2	· 1		
30-34	15	27.78	5	9	4	2		
35-39	3	5.56	1	1	0	Ō		
40-44	3	5.56	2	1	1	Ö		
OVER 44	0	0.00	0	0	0	Ō		
UNKNOWN	3	5.56	0	1	0	Ō		
TEENAGE TOTALS	6	11.11	1	4	4	Ō		
STATE TOTALS	54		17	31	15	3		
PERCENT DISTRIBUTION		100.00	31.48	57.41	27.78	5.56		

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

FCOMPPRG

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

^{**} THE SUM OF COMPLICATIONS MAY EXCEED TOTAL FETAL DEATHS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

TABLE F-5 DEATHS AND DEATH RATES - TOTAL, INFANT, NEONATAL, POSTNEONATAL, AND PERINATAL MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)*

COUNTY	TOTAL		TOTA	L	****	NEONA	TAL	**************************************	NATAL		NATAL
	NUMBER	RATE	NUMBER	RATE		NUMBER	RATE	NUMBER	RATE	NUMBE	R RATE
ANDROSCOGGIN	1,002	9.6	12	9.8		7	5.7	5	4.1	8	6.5
AROOSTOOK	777	9.5	5	5.7		4	4.5	1	1.1	6	6.8
CUMBERLAND	2,204	8.9	12	3.9		7	2.3	5	1.6	14	4.6
FRANKLIN	282	9.5	4	12.2		3	9.1	1	3.0	4	12.1
HANCOCK	513	10.5	2	3.8		2	3.8	0	0.0	4	7.5
KENNEBEC	1,083	9.2	9	6.9		7	5.4	2	1.5	13	10.0
KNOX	391	10.5	4	10.4		4	10.4	0	0.0	6	15.5
LINCOLN	313	10.1	1	3.2		0	0.0	1	3.2	2	6.3
OXFORD	576	10.9	1	1.7		0	0.0	1	1.7	2	3.5
PENOBSCOT	1,324	9.0	8	5.0		6	3.7	2	1.2	13	8.1
PISCATAQUIS	220	11.9	1	5.8		1	5.8	0	0.0	3	17.1
SAGADAHOC	239	7.1	2	4.8		1	2.4	1	2.4	4	9.5
SOMERSET	495	9.7	5	8.1		3	4.9	2	3.3	7	11.3
WALDO	321	9.2	0	0.0		0	0.0	0	0.0	1	2.5
WASHINGTON	387	10.8	3	7.0		2	4.6	1	2.3	7	16.1
YORK	1,469	8.7	19	8.8		10	4.6	9	4.2	17	7.9
STATE TOTALS	11,596	9.3	88	6.1		57	4.0	31	2.2	111	7.7

NOTES: INFANT DEATH IS UNDER 1 YEAR, NEONATAL UNDER 28 DAYS AND POSTNEONATAL 28 DAYS TO ONE YEAR. PERINATAL DEATHS ARE NEONATAL DEATHS AND FETAL DEATHS, 20 GESTATION WEEKS AND OVER.

TOTAL DEATH RATE IS PER 1,000 POPULATION (BASED ON ESTIMATED MAINE POPULATION JULY 1, 1994).
INFANT DEATH RATE IS PER 1,000 LIVE BIRTHS AND PERINATAL DEATH RATE IS PER 1,000 LIVE BIRTHS AND FETAL DEATHS.

DMSTAR

^{*} FETAL DEATH DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

TABLE F-6

FETAL DEATHS BY SELECTED CHARACTERISTICS MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)*

	COUNTY	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	OUT OF WEDLOCK	AUTOPSY	IN HOSPITAL	**	** TRIN ** PREN 2			CH **** EGAN **** UNKNOWN	AGE OF PATIEN LESS THAN 20	NT(YRS.) OVER 35
	ANDROSCOGGIN	1	1.85	0	0	1	1	0	0	0	0	0	0
	AROOSTOOK	2	3.70	1	1	2	1	0	1	0	0	0	0
	CUMBERLAND	7	12.96	0	3	7	5	0	2	0	0	o	2
	FRANKLIN	1	1.85	0	0	1	0	0	1	0	0	o	0
	HANCOCK	2	3.70	1	1	2	2	0	0	0	0	0	0
	KENNEBEC	6	11.11	2	1	6	1	2	3	0	0	1	0
	KNOX	2	3.70	1	0	2	2	0	0	0	0	0	0
	LINCOLN	2	3.70	0	1	2	2	0	0	0	0	0	0
	OXFORD	2	3.70	0	0	1	1	0	1	0	0	0	1
	PENOBSCOT	7	12.96	3	1	7	7	0	0	0	0	0	1
	PISCATAQUIS	2	3.70	0	0	2	2	0	0	0	0	0	0
100	SAGADAHOC	3	5.56	1	1	3	1	0	2	0	0	1	0
ō	SOMERSET	4	7 - 41	1	2	4	3	0	1	0	0	0	0
	WALDO	1	1.85	0	0	1	1	0	0	0	0	0	0
	WASHINGTON	5	9.26	2	1	5	4	1	0	0	0	1	0
	YORK	7	12.96	3	1	7	3	2	1	1	0	3	1
-	STATE TOTALS	54		15	13	53	36	5	12	1	0	6	5
	PERCENT OF AL	L FETAL DEATHS	WITH SPECIFIED (100.00	CHARACTERI 27.78	STICS 24.07	98.15	66.67	9.26 2	22.22	1.85	0.00	11.11	9.26

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

FDCHAR

TABLE F-7 FETAL DEATHS, SELECTED RISK CHARACTERISTICS, AND RATIO OF MALES TO FEMALES MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)*

С	COUNTY	TOTAL DEATHS		NITAL LIES	*****		ISK CHARACT WEIGHT *** < 2500 NUMBER	******	LESS 7	HAN 28 ON WEEKS	**************************************
	ANDROSCOGGIN	1	. 0	0.0	0	0.0	1	100.0	0	0.0	0.00
	AROOSTOOK	2	1	50.0	1	50.0	1	50.0	1	50.0	1.00
	CUMBERLAND	7	0	0.0	1	14.3	5	71.4	1	14.3	1.33
	FRANKLIN	1	0	0.0	0	0.0	0	0.0	0	0.0	0.00
	HANCOCK	2	0	0.0	0	0.0.	2	100.0	1	50.0	1.00
	KENNEBEC	6	0	0.0	0	0.0	2	33.3	1	16.7	1.00
	KNOX	2	0	0.0	1 .	50.0	2	100.0	1	50.0	1.00
	LINCOLN	2	1	50.0	0	0.0	1	50.0	0	0.0	0.00
	OXFORD	2	0	0.0	0	0.0	1	50.0	0	0.0	1.00
	PENOBSCOT	7	1	14.3	0	0.0	3	42.9	3	42.9	0.50
3	PISCATAQUIS	2	0	0.0	0	0.0	2	100.0	1	50.0	1.00
01	SAGADAHOC	3	0	0.0	. 1	33.3	2	66.7	1	33.3	0.50
	SOMERSET	4	0	0.0	0	0.0	1	25.0	2	50.0	1.00
	WALDO	1	0	0.0	0	0.0	0	0.0	0	0.0	0.00
	WASHINGTON	5	0	0.0	2	40.0	3	60.0	3	60.0	1.50
٠	YORK	7	0	0.0	1	14.3	2	28.6	1	14.3	0.40
	STATE TOTALS	54	3	5.6	7	13.0	28	51.9	16	29.6	0.96

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

FENVRES

FETAL DEATHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS MAINE STATE TOTALS, 1994 (RESIDENT DATA)

COMPLICATIONS	OF LABOR	!	MEDICAL RISK FA	CTORS	;	OTHER RISK FA	CTORS		METHOD OF	DFI TVFR	V	CONGENITAL AND	IMAL TI	FC
CONDITION	NUMBER	%	CONDITION NUM	BER	%		JMBER	%		NUMBER	. %		IMBER	
FEBRILE >100 F	0	0.0	ANEMIA	0	0.0	TOBACCO USE	16	29 6	VAGINAL	36	66 7	ANENCEPHALUS	0	0.0
MECONIUM	5	9.3	CARDIAC DISEASE	Ĭ		AVG CIGARETTES			VAGINAL AFTER		00.7	SPINA BIFIDA	0	
PREMATURE RUPT	URE	•	ACUTE OR CHRONIC			PER DAY	16		C-SECTION		1 9	HYDROCEPHALUS	ő	
MEMBRANE >12 H	RS 2	3.7	LUNG DISEASE	0	0.0	ALCOHOL USE	1	1.9	PRIMARY			MICROCEPHALUS	ŏ	
ABRUPTIO			DIABETES/			AVG DRINKS			C-SECTION	5	9.3	OTHER	V	0.0
PLACENTA	. 6	11.1	GESTATIONAL	0	.0		, 1		REPEAT			NERVOUS SYSTEM	0	0.0
PLACENTA	_		DIABETES			AVG WEIGHT GAIN	۱ 20	LBS	C-SECTION	2	3.7	HEART	ŏ	
PREVIA	0	0.0		0	0.0				FORCEPS	0	0.0	OTHER CIRCULATOR	2Y	
EXCESSIVE			GENITAL HERPES	0	0.0				VACUUM	1	1.9	SYSTEM	0	0.0
BLEEDING	_ 1	1.9	HYDRAMNIOS/	_					HYSTEROTOMY/			RECTAL ATRESIA	0	0.0
SEIZURES DURIN			OLIGOHYDRAMNIOS	0	0.0				HYSTERECTOMY	1	1.9	TRACHEO-ESOPHAGE	AL	
LABOR	O	0.0	HEMOGLOBINOPATHY	0	0.0				OTHER	0		FISTULA	0	0.0
PRECIPITOUS	_		HYPERTENSION						UNKNOWN .	8	14.8	OMPHALOCELE/		
LABOR <3 HRS PROLONGED	O	0.0	CHRONIC	1	1.9							GASTROSCHISIS	0	0.0
	•		HYPERTENSION	_								OTHER		
LABOR >20 HRS DYSFUNCTIONAL	O	0.0	PREGNANCY ASSOC.	0	0.0							GASTROINTESTINAL	. 0	0.0
LABOR	4	4 0	ECLAMPSIA	0	0.0				OBSTETRIC P	ROCEDUR	ES	MALFORMED		
BREECH	1	1.9	INCOMPETENT	٠,٠								GENITALIA	1	1.9
	4	7.4	CERVIX	1	1.9				CONDITION	NUMBER	%	RENAL AGENESIS	0	٠.٠
CEPHALOPELVIC/			PREVIOUS INFANT	_							-	OTHER UROGENITAL		0.0
DISPROPORTION	0	0.0	4000+ GRAMS	0	0.0				AMNIOCENTHSIS		0.0	CLEFT LIP/PALATE	. 0	0.0
CORD PROLAPSE	4	7.4	PREVIOUS PRETERM	2	3.7				ELECTRIC FETA	_		POLYDACTYLY	0	0.0
ANESTHETIC	_		RENAL DISEASE	1	1.9	•			MONITORING			CLUB FOOT	0	0.0
COMPLICATIONS	0	0.0	RH SENSITIZATION	0	0.0				INDUCED LABOR	18	33.3	DIAPHRAGMATIC		
FETAL DISTRESS OTHER		7.4	UTERINE						STIMULATION	_		HERNIA	0	
NONE		27.8 25.9	BLEEDING OTHER	1	1.9				OF LABOR			MUSCULOSKELETAL	0	
UNKNOWN		16.7			25.9				TOCOLYSIS	0		DOWNS SYNDROME	1	1.9
ONKNOWN	9	16.7			51.9				ULTRA SOUND			CHROMOSOMAL	0	
			UNKNOWN	9	16.7	•			OTHER	2		OTHER	1	1.9
									NONE	1		NONE		77.8
									UNKNOWN	8	14.8	UNKNOWN	9	16.7

NOTES: PERCENTAGES ARE BASED ON THE 54 FETAL DEATHS IN MAINE THIS YEAR. MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH FETAL DEATH.

FMDHIS

GENERAL MORTALITY

,			

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS. 1994 (RESIDENT DATA)

		****** TOTAL		***** FEMALE		BER OF	****** DEATHS FEMALE		PER 100, POPULATION MALE	
	•				IUIAL	MALE	FEMALE	IUIAL	MALE	FEMALE
A	AGE: TOTAL FOR ALL AGES		-							
	CAUSE OF DEATH									
	HEART DISEASE (390-398,402,404-429)	3,560	1,738	1,822	1	1	1	287.0	288.6	285.6
	MALIGNANT NEOPLASMS (140-208)	2,947	1,545	1,402	2	2	2	237.6	256.5	219.8
	CEREBROVASCULAR DISEASE (430-438)	759	278	481	3	4	3	61.2	46.2	75.4
	CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	628	324	304	4	3 5 6 7	4	50.6	53.8	47.7
	ACCIDENTS & ADVERSE EFFECTS (E800-E949)	407	253	154	5 6	5	7	32.8	42.0	24.1
	PNEUMONIA & INFLUENZA (480-487)	355	159	196	6	6	5	28.6	26.4	30.7
	DIABETES MELLITUS (250)	317	141	176	7		6	25.6	23.4	27.6
	INFECTIOUS & PARASITIC DISEASES (001-139)	218	132	86	8	9	8	17.6	21.9	13.5
	SUICIDE (E950-E959)	166	134	32	9	8	12	13.4	22.2	5.0
	CHRONIC LIVER DISEASE & CIRRHOSIS (571)	120	72	48	10	10	11	9.7	12.0	7.5
	TOTAL FOR AGE GROUP	11,596	5,662	5,934			·•	935.0	940.1	930.1
10										
л	AGE: UNDER 1 YEAR									
•	PERINATAL CONDITIONS (760-779)	43	25	18	1	1	1	296.6	335.9	255.2
	CONGENITAL ANOMALIES (740-759)	16	9	7	,	ż	,	110.4	###	###
	ACCIDENTS & ADVERSE EFFECTS (E800-E949)	5	4	1	2 3	2 3	3	###	###	###
	INFECTIOUS & PARASITIC DISEASES (001-139)	2	2	ö	4	4	4	###	###	###
	HEART DISEASE (390-398,402,404-429)	- 2	2	ŏ			À	###	###	###
	MENINGITIS (320-322)	1	1	ŏ	6	6	À	###	###	###
	ACUTE BRONCHITIS & BRONCHIOLITIS (466)	i	i	ŏ	5 6 7	4 6 6	4	###	###	###
	CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS (574-575)	i	i	ŏ	8	6	4	###	###	###
	TOTAL FOR AGE GROUP	88	55	33				607.0	738.9	467.8

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1, 1994
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

DCAU10

^{*} CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

TABLE D-1

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1994 (RESIDENT DATA)

		****** TOTAL	_	***** Female	BY NU	MBER OF	DEATHS		PER 100,	
					TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
	AGE: 1 TO 14 YEARS									
	CAUSE OF DEATH ACCIDENTS & ADVERSE EFFECTS (E800-E949)	21	12	٥	1	4	4	8.7	9.7	###
	MALIGNANT NEOPLASMS (140-208)	8	6	9 2 3		2	3	###	9.7 ###	### ###
	HOMICIDE & LEGAL INTERVENTION (E960-E978)	6	3	3	2 3	2 3 4	2	###	###	###
	HEART DISEASE (390-398,402,404-429)	2	2	ŏ	4	4	7	###	###	###
	CONGENITAL ANOMALIES (740-759)	2	2	ŏ		4	7	###	###	###
	INFECTIOUS & PARASITIC DISEASES (001-139)	1	Ō	1	5 6 7	4 7 7	4	###	###	###
	BENIGN NEOPLASMS (210-239)	1	0	1	7	7	4	###	###	###
	CEREBROVASCULAR DISEASE (430-438)	1	0	1	8	7	4	###	###	###
	PNEUMONIA & INFLUENZA (480-487)	1	1	0	9	6	7	###	###	###
	TOTAL FOR AGE GROUP	45	28	17				18.7	22.7	14.5
1(
8	AGE: 15 TO 24 YEARS									
	ACCIDENTS & ADVERSE EFFECTS (E800-E949)	57	37	20	1	1	1	34.3	44.2	24.3
	SUICIDE (E950-E959)	25	18	7	2 3 4	2 3 4 6 5 6	2	15.1	21.5	###
	MALIGNANT NEOPLASMS (140-208)	10	7	3	3	3	3	6.0	###	###
	HOMICIDE & LEGAL INTERVENTION (E960-E978)	5	3	2	4	4	4	###	###	###
	HEART DISEASE (390-398,402,404-429)	3	1	2	5 6	5	4	###	###	###
	CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496) INFECTIOUS & PARASITIC DISEASES (001-139)	3	2	1	9	5	6	###	###	###
	DIABETES MELLITUS (250)	1	ò	- 1	8	10	6 6	### ###	###	###
	CEREBROVASCULAR DISEASE (430-438)	1	Ö	1	9	10	6	### ###	### ###	### ###
	PNEUMONIA & INFLUENZA (480-487)	i	1	ö	10	6	10	###	###	###
	TOTAL FOR AGE GROUP	113	73	40				68 . 1	87.2	48.6

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1, 1994
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

	TOTAL	MALE	FEMALE	BY NU	MBER OF	DEATHS	I	POPULATION	, ·
				TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 25 TO 34 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	58	47	11	1	1	2	31.8	52.7	11.8
SUICIDE (E950-E959)	30	26	4	2 3	. 3	4	16.4	29.2	###
INFECTIOUS & PARASITIC DISEASES (001-139)	23	17	6	3	. З	3	12.6	19.1	###
MALIGNANT NEOPLASMS (140-208)	23	7	16	4	5	1	12.6	###	17.1
HEART DISEASE (390-398,402,404-429)	14	11	3	5	4	5	7.7	12.3	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	6	3	3	6	6 6	5	###	###	###
CEREBROVASCULAR DISEASE (430-438)	4	3	1	7	6	9	###	###	###
BENIGN NEOPLASMS (210-239)	2	1	1	8	9	9	###	###	###
DIABETES MELLITUS (250)	2	2	0	9	8	12	###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	2	0	2	10	10	7	###	###	###
TOTAL FOR AGE GROUP	187	129	58				102.4	144.6	62.1
107									
AGE: 35 TO 44 YEARS									
MALIGNANT NEOPLASMS (140-208)	92	39	53	1	2	1	43.8	37.2	50.3
HEART DISEASE (390-398,402,404-429)	52	42	10	2	1	3	24.7	40.0	9.5
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	46	33	13 5 8	2 3	4	2	21.9	31.5	12.3
INFECTIOUS & PARASITIC DISEASES (001-139)	39	34	5	4	3 5	5	18.6	32.4	###
SUICIDE (E950-E959)	27	19	8	5 6	5	4	12.8	18.1	###
DIABETES MELLITUS (250)	9	5	4		6	6	###	###	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	7	5	2 4	7	6	. 9	###	###	###
CEREBROVASCULAR DISEASE (430-438)	6	2	4	8	9	6	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	6.	4	2	9	8	9	###	###	###
PNEUMONIA & INFLUENZA (480-487)	4	1	3	10	11	8	###	###	###
TOTAL FOR AGE GROUP	324	208	116				154.1	198.3	110.1

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1, 1994
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

DCAU10

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

^{*} CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

	TOTAL	MALE	FEMALE	BY NUI	MBER OF	DEATHS		POPULATIO	Ń
				TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 45 TO 64 YEARS									
CAUSE OF DEATH									
MALIGNANT NEOPLASMS (140-208)	725	395	330	1	1	1	285.6	318.2	254.3
HEART DISEASE (390-398,402,404-429)	449	336	113	2	2	2	176.8	270.6	87.1
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	62	45	17	2 3 4 5 6 7	2 3 8	5	24.4	36.2	13.1
CEREBROVASCULAR DISEASE (430-438)	54	29	25	4	8	3	21.3	23.4	19.3
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	53	31	22	5	6 4 6 5	4	20.9	25.0	17.0
DIABETES MELLITUS (250)	52	37	15	6	4	6 7	20.5	29.8	11.6
INFECTIOUS & PARASITIC DISEASES (001-139)	44	31	13		6		17.3	25.0	10.0
SUICIDE (E950-E959)	44	35	9	8		10	17.3	28.2	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	38	28	10	9	9	8	1 <u>5</u> .0	22.6	7.7
PNEUMONIA & INFLUENZA (480-487)	19	10	9	10	10	10	7.5	8.1	###
TOTAL FOR AGE GROUP	1,754	1, 104	650				690.8	889.3	501.0
AGE: 65 TO 74 YEARS									
MALIGNANT NEOPLASMS (140-208)	890	492	398	1	1	1	930.7	1,152.1	752.0
HEART DISEASE (390-398,402,404-429)	714	435	279	2	2	2	746.6	1,018.7	527.2
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	200	107	93	2 3 4 5 6 7	2 3 4 5 6 7	3	209.1	250.6	175.7
CEREBROVASCULAR DISEASE (430-438)	128	66	62	4	4	4	133.9	154.6	117.1
DIABETES MELLITUS (250)	89	39	50	5	5	5 7	93.1	91.3	94.5
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	48	27	21	6	6	7	50.2	63.2	39.7
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	48	26	22			6	50.2	60.9	41.6
INFECTIOUS & PARASITIC DISEASES (001-139)	31	15	16	8	10	8	32.4	35.1	30.2
PNEUMONIA & INFLUENZA (480-487)	28	16	12	9	9	9	29.3	37.5	22.7
SUICIDE (E950-E959)	21	19	2	10	8	16	22.0	44.5	###
TOTAL FOR AGE GROUP	2,520	1,402	1,118				2,635.2	3,283.1	2,112.4

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1, 1994
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER DISEASES (RESIDUAL).

ICD-9 CODES ARE SHOWN IN PARENTHESES.

^{*} CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

^{###} RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1994 (RESIDENT DATA)

		****** TOTAL		***** FEMALE	BY NUMB	ER OF	DEATHS		E PER 100 POPULATIO	
					TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: 75 TO 84 YEARS CAUSE OF DEATH										
HEART DISEASE (390-	398,402,404-429)	1,129	569	560	1	1	1	1,977.9	2,594.7	1,593.1
MALIGNANT NEOPLASMS	(140-208)	795	426	369	2	2	2	1,392.8	1,942.6	1,049.7
CEREBROVASCULAR DIS	EASE (430-438)	253	102	151	3	4	3	443.2	465.1	429.6
CHRONIC OBSTRUCTIVE	PULMONARY DISEASE (490-496)	235	122	113	4 5 6 7	3 5 6 7	4	411.7	556.3	321.5
PNEUMONIA & INFLUEN	• •	111	61	50	5	5	6	194.5	278.2	142.2
DIABETES MELLITUS (97	36	61	6	6	6 5 7	169.9	164.2	173.5
	EFFECTS (E800-E949)	58	32	26		7		101.6	145.9	74.0
	TIC DISEASES (001-139)	46	24	22	8	8 9	8	80.6	109.4	62.6
	C SYND. & NEPHROSIS (580-589)	37	19	18	9	9	9 10	64.8	86.6	51.2
ATHEROSCLEROSIS (44	(0)	25	12 .	13	10	11	10	43.8	54.7	37.0
TOTAL FOR AGE GR	COUP	3,378	1,686	1,692				5,917.9	7,688.4	4,813.4
O AGE: 85 YEARS AND OLDER										
AGE: 85 YEARS AND OLDER HEART DISEASE (390-		1,195	340	855	1	1	1	5,896.6	6,562.4	5 667 0
MALIGNANT NEOPLASMS		404	173	231	2		3		3,339.1	
CEREBROVASCULAR DIS	·	312	76	236	3	2 3	2		•	1,564.5
PNEUMONIA & INFLUEN		191	69	122	4	4	4	942.5	1,331.8	808.8
	PULMONARY DISEASE (490-496)	135	62	73	5	5	5	666.1	1,196.7	483.9
DIABETES MELLITUS (67	22	45	5 6	5 6 9	7	330.6	424.6	298.3
ATHEROSCLEROSIS (44		62	11	51	7		6	305.9	212.3	338.1
ACCIDENTS & ADVERSE	EFFECTS (E800-E949)	52	17	35	8	7	8	256.6	328.1	232.0
NEPHRITIS, NEPHROTI	C SYND. & NEPHROSIS (580-589)	40	17	23	9	7	9	197.4	328.1	152.5
INFECTIOUS & PARASI	TIC DISEASES (001-139)	30	8	22	10	10	10	148.0	###	145.8
TOTAL FOR AGE GR	COUP	3,187	977	2,210				15,725.8	18,857.4	14,650.3

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1, 1994
THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES:
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799)
ALL OTHER EXTERNAL CAUSES (E980-E999)
ALL OTHER DISEASES (RESIDUAL).
ICD-9 CODES ARE SHOWN IN PARENTHESES.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

^{*} CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

TABLE D-2

YEARS OF LIFE LOST - NUMBER, PERCENT, RANK, AND AVERAGE PER DEATH BY 32 CAUSE OF DEATH GROUPS AND SEX

MAINE STATE TOTALS, 1994 (RESIDENT DATA)

CAUSE OF DEATH	**YEARS TOTAL	OF LIFE MALE	LOST** FEMALE	PERCENT YEARS OF LIFE LOST TOT. MALE FEM.	OF LIFE LOST	OF LIF	GE YEARS FE LOST DEATH ALE FEM	
CAUSE OF DEATH MALIGNANT NEOPLASMS (140-208) HEART DISEASE (390-398,402,404-429) ACCIDENTS & ADVERSE EFFECTS (E800-E949) CEREBROVASCULAR DISEASE (430-438) CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496) SUICIDE (E950-E959) INFECTIOUS & PARASITIC DISEASES (001-139) DIABETES MELLITUS (250) PERINATAL CONDITIONS (760-779) PNEUMONIA & INFLUENZA (480-487) CHRONIC LIVER DISEASE & CIRRHOSIS (571) OTHER DIS. OF ARTERIES, ARTERIOLES, AND CAPIL. (441-448) CONGENITAL ANOMALIES (740-759) HOMICIDE & LEGAL INTERVENTION (E960-E978) NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589) ATHEROSCLEROSIS (440) BENIGN NEOPLASMS (210-239) HYPERTENSION (401,403) ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560) CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS (574-575) ULCER OF STOMACH & DUODENUM (531-533) NUTRITIONAL DEFICIENCIES (260-269) ANEMIAS (280-285) MENINGITIS (320-322) ACUTE BRONCHITIS & BRONCHIOLITIS (466) KIDNEY INFECTIONS (590) APPENDICITIS (540-543) HYPERPLASIA OF PROSTATE (600) ALL OTHER EXTERNAL CAUSES (E980-E999) SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	3,889 3,204 2,812 2,000 1,645 1,571 1,419 1,065 509 316 284 183 147 135 82 51	1,754 1,800 1,186 1,167 839 885 722 421 210 264 244 158 149 161 22 66 105 76 0 241 161	17,273 4,277 4,498 3,4026 1,221 2,135 1,404 1,626 8308 6897 6444 3665 158 157 123 161 81 30 65 10 45	27.7 25.7 29.9 24.1 24.9 23.4 8.2 10.6 5.8 4.6 3.2 6.1 4.2 3.8 4.6 3.4 5.1 1.7 3.2 4.2 2.1 2.6 2.3 2.9 2.1 2.4 1.9 1.6 2.2 1.9 1.6 2.2 1.9 1.6 2.2 1.1 1.1 1.1 1.1 1.2 0.9 0.7 0.6 0.9 0.7 0.6 0.9 0.7 0.6 0.9 0.7 0.6 0.9 0.7 0.6 0.9 0.7 0.6 0.9 0.1 0.1 0.0 0.1 0.1 0.0 0.1 0.1 0.0 0.0 0.0 0.0 0.1 0.2 0.1	2 2 2 3 4 4 7 3 5 6 5 6 4 10 7 5 8 8 9 6 9 8 9 10 10 7 11 11 11 11 12 13 12 14 14 14 13 15 15 15 16 18 16 17 16 17 18 17 18 19 20 20 21 21 21 19 22 26 19 23 24 23 24 22 25 23 26 26 28 24 27 25 27 28 27 27	14 10 30 9 10 31 22 12 75 8 17 9 56 44 10 9 14 10 7 7 34 7 13 11 11	13 10 11 29 9 9 1 29 38 24 18 12 12 72 78 7 16 1 8 10 55 5 42 40 8 1 7 16 13 11 17 12 11 17 17 18 11 17 18 11 18 18 18 18 18 18 18 18 18 18 18 18 1	6989188288707618397297706300
SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799) ALL OTHER CAUSES (RESIDUAL)	1,546 13,848	739 5,880	807 7,968	1.0 1.0 1.1 9.3 7.8 10.8			19 14	4
ALL CAUSES	149,608	75,764	73,844	100. 100. 100.		13	13 12	

NOTES: PERCENTAGES MAY NOT ADD TO 100.0 DUE TO ROUNDING.
SEE TEXT FOR METHOD OF COMPUTING YEARS OF LIFE LOST.

DEAYLL

	CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	******* UNDER 1			****** D-14 1 5												**** OVER 84
	OTHER SALMONELLA INFECTIONS	AND OTHER	FOOD PO	ISONI	NG (BAG	CTERTAL) (00:	3,005)										
	FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	INTESTINAL INFECTIONS DUE TO	D OTHER SP			•													
	FEMALE	3	0	0	0	o	0	0	0	0	0	0	0	O.	1	1	0	1
	TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1
	ILL-DEFINED INTESTINAL INFE	CTIONS (OO	99)	•	•	•	_	•	•	_	_	_	_	_	_	_	_	_
	MALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	TOTALS	CVCTEM (O	1	O	O	U	0	0	0	O	0	0	0	0	0	0	0	0
	TUBERCULOSIS OF RESPIRATORY MALE	SYSTEM (C	010-012)	0	. 0	0	0	٠ ٥	0	0	0	0	0	0	0	_	4	^
	FEMALE	.	0	0	0	Ö	ŏ	ŏ	0	Ö	Ö	0	4	Ö	0	0	0	0
	TOTALS	1	0	0	Ö	Ô	ŏ	Ö	Ö	Ô	0	õ	1	0	ŏ	Ô	1	0
	OTHER TUBERCULOSIS (013-018	۱ - ۲	U	U	U	U	U	U	U	U	U	U	'	U	U	U	•	U
	FEMALE	, 2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	TOTALS	2	ő	Õ	õ	Õ	õ	ŏ	õ	õ	ŏ	Õ	Õ	ŏ	2	õ	Õ	ŏ
	STREPTOCOCCAL SORE THROAT,	_	•	-	•	•	•	•	•	•	•	•	•	•	_	•	·	Ū
	FEMALE	1	0	0	ò	0	0	0	0	1	0	0	0	0	0	0	0	0
	TOTALS	i	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	1	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	õ
	MENIGOCOCCAL INFECTION (036)	•	•	-	_	•	=	-		•	•	•	•	•	_	•	•
	MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
	TOTALS	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	Ō
	SEPTICEMIA (038)																	
_	MALE	46	0	0	0	0	0	0	0	1	3	3	3	4	6	12	6	8
	FEMALE	46	0	1	0	0	0	0	1	0	3	2	0	2	6	2	12	17
	TOTALS	92	0	. 1	, O	0	0	0	1	1	6	5	3	6	12	14	18	25
	ALL OTHER BACTERIAL DISEASE		-		-	_	_	_	_	_			_	_	_		_	
	MALE	3	0	0	0	0	0	0	0	0	0	1	0	2	0	O,	0	0
	FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
	TOTALS	5	0	0	0	0	0	0	0	0	0	1	0	3	0	1	0	Ο,
	VIRAL HEPATITIS (070)	•	•	^	^	0	^	^	^	4	•	^	^	^	^	^	^	•
	MALE	3	0	0	0	0	0	0	0	0	2 0	. 0	0	0	0	0	0	0
	FEMALE TOTALS	2	ŏ	0	Ö	0	0	0	0	4	2	Ö	1	0	0	0	0	1
	OTHER VIRAL DISEASES (046-0	40 OE1 OE	1 057-06	1 065			U	U	U	•	2	U	'	U	U	U	U	•
	MALE	66	+,057-00 0	0	000,07	0	0	0	17	31	12	2	2	0	4	1	0	0
	FEMALE	11	ŏ	ŏ	ŏ	ŏ	ŏ	1	4	4	1	ō	ō	1	ó	Ö	ŏ	ő
	TOTALS	77	ŏ	õ	ŏ	ŏ	õ	i	21	35	13	2	ž	i	1	1	õ	õ
	MYCOSES (110-118)	• •	Ŭ	ŭ	•	-	-	•	- •			-	-	•	•		•	•
	MALE	5	0	0	0	0	0	0	0	0	2	0	1	0	1	1	0	0
	FEMALE	4	Ö	Ŏ	Ŏ	Ö	ō	Ŏ	1	Ō	1	Ō	Ó	1	Ó	Ó	1	ŏ
	TOTALS	9	Ō	0	0	0	0	0	1	0	3	Ó	1	1	1	1	1	Ō

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

C,	AUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	******* UNDER 1	***** 1-4	***** 5-9 10	***** 0-14	***** 15-19	****** 20-24 :	** AGE 25-34	AT DEAT 35-44 45	TH(YRS) 5-54 55	.) *** 5-59 6	***** 0-64 6	***** 5-69 7	***** 0-74 7	***** 5-79 8	***** 0-84	**** OVER 84
	(CONT.)																	
Н	ELMINTHIASES (120-129)																	
	MALE	1	0	0	0	0	0	. O	0	0	0	0	0	0	0	1	0	0
	FEMALE	1	0	0	0	0	0	0	0	0	1	0	Ō	ō	ŏ	Ö	ŏ	Õ
	TOTALS	2	0	0	0	0	0	Ó	0	0	1	0	0	0	ō	1	ō	ŏ
L	ATE EFFECTS OF TUBERCUL	OSIS (137)													_		_	•
	MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
	FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	ō
	TOTALS	6	ͺo	0	0	0	0	0	0	0	0	0	0	2	0	3	1	ō
L	ATE EFFECTS OF ACUTE PO	LIOMYELITIS (138)															-
	MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	ō
	TOTALS	3	0	. 0	0	0	0	0	0	0	1	0	0	0	0	Ĩ	1	ō
Α	LL OTHER INFECTIOUS AND	PARASITIC DI	SEASES ((100-1	04,130	-136,	139)										-	_
	MALE	2	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	FEMALE	6	0	0	0	0	0	0	0	0	0	1	1	Ō	1	ō	1	2
	TOTALS	. 8	1	0	0	0	0	0	0	1	0	1	1	0	1	ō	i	2
M.	ALIGNANT NEOPLASMS OF:	LIP (140)												_		•	•	_
	MALE	1 -	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	TOTALS		0	0	0	0	0	0	0	0	0	0	0	1	ō	Õ	Õ	ŏ
	ALIGNANT NEOPLASMS OF:	TONGUE (141)														•	Ū	·
	MALE	9	0	0	0	0	0	0	0	0	1	1	2	3	2	0	0	0
2	FEMALE	5	0	0	0	0	0	0	0	0	1	0	1	1	0	0	Ō	2
	TOTALS	14	Ο.	0	0	0	0	0	0	0	2	1	3	4	2	0	Ō	2
M.	ALIGNANT NEOPLASMS OF:		,															
	MALE	15	0	0	0	0	0	0	0	1	2	1	4	1	3	1	1	1
	FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	3	1	0	Ó	1
	TOTALS	20	0	0	0	0	0	0	0	1	2	1	4	4	4	1	1	ż
M.	ALIGNANT NEOPLASMS OF:	OTHER SITES W		HE LIP	,	CAVI		PHARY	VX (14	2-145,14	19.1-14	49.9)					•	_
	MALE	7	0	0	0	0	0	0	0	0	3	1	0	1	1	1	0	0
	FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	Ō	ī
	TOTALS	10	, O	0	0	0	0	0	0	0	3	1	0	2	2	1	ō	1
M.	ALIGNANT NEOPLASMS OF:		- ,															
	MALE	41	0	Ō	0	0	0	0	1	0	8	2	5	7	6	5	3	4
	FEMALE	13	0	0	0	0	0	0	0	0	0	0	2	1	3	4	3	Ó
	TOTALS	54	0	0	0	0	0	0	1	0	8	2	7	8	9	9	6	4
M.	ALIGNANT NEOPLASMS OF:																	
	MALE	47	0	0	0	0	0	0	. 0	0	7	3	7	4	10	7	3	6
	FEMALE	25	0	0	0	0	0	0	. 0	2	0	1	2	2	4	5	2	7
	TOTALS	72	0	0	0	0	0	0	0	2	7	4	9	6	14	12	5	13

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

	CALLSE OF F	SEATH OROUG		TOTAL	*****	*****	*****	*****	*****	*****	* AGE /	AT DEA	TH(YRS	.) ***	*****	*****	*****	*****	*****	****
		DEATH GROUP D SEX	' 5	TOTAL DEATHS	UNDER 1	1-4	5-9 1	0-14 1	5-19 20	0-24 2	5-34 3	5-44 4	5-54 5	5-59 6	0-64 6	5-69 7	0-74 7	5-79 8	0-84	OVER 84
	(CONT.)																			
	MALIGNANT	NEOPLASMS	OF:	SMALL INTESTI	NE, INC	LUDING	DUODE	NUM (1	52)											
	MALE			6	0	0	0	o ·	Ô	0	0	1	2	0	1	1	- 1	0	^	^
	FEMALE			2	0	0	0	0	Ó	Ó	Õ	Ó	ō	ŏ	i	ò	Ö	ŏ	ő	1
	TOTALS			8	Ó	0	Ō	0	0	0	0	1	2	ō	2	ĭ	ĭ	ŏ	ŏ	i
		NEOPLASMS	OF:	DESCENDING CO	LON (15	3.2)											•		•	•
	MALE			1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	TOTALS			1	. 0	0	0	0	0	0	0	0	0	0	Ō	ŏ	1	Õ	ŏ	ŏ
	MALIGNANT	NEOPLASMS	OF:	SIGMOID COLON	(153.3	:)										•	•	•	·	Ŭ
	MALE			2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	FEMALE			2	0	0	0	0	0	0	0	0	0	0	Ö	Ŏ	ō	1	1	ŏ
	TOTALS			4	0	0	0	0	0	0	0	0	0	0	Ŏ	Ŏ	2	i	i	ŏ
		NEOPLASMS	OF:	CECUM, APPEND	IX AND		ING CO	LON (1	53.4-19	53 [,] .6)					-	•	_	•		J
	MALE			2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0
	FEMALE			4	o	O	0	0	0	0	0	0	0	0	1	0	Ō	ò	1	2
	TOTALS	NEODI ACMO		6	0	0_	0	0	Ó	0	0	0	1	0	1	0	0	1	1	2
	MALIGNANI	NEUPLASMS	UF:	OTHER AND COL				3.8-15	•											
	MALE			126	0	0	0	0	0	0	0	4	6	11	12	12	21	19	19	22
	FEMALE TOTALS			134	0	0	0	0	0	0	0	1	7	4	7	20	18	17	26	34
		NEODI ACMO	0.5	260	0		0	0	. 0	0	0	5	13	15	19	32	39	36	45	56
	MALIGNANT	NEUPLASMS	UF:	RECTUM, RECTO			ION AN		(154)	_										
_	FEMALE			37	0	0	0	0	0	0	0	1	7	2	3	6	2	6	6	4
ω	TOTALS			26 60	0	0	0	0	0	0	0	0	1	4	4	1	1	3	6	6
		NEOPLASMS	ος.	63	. (455	0	0	0	0	0	0	1	8	6	7	7	3	9	12	10
	MALIGNANI	NEUPLASMS	UF:			-,		_	_	_	_									
	FEMALE			12 6	0	0	1	0	0	0	0	1	1	2	0	2	2	2	0	1
	TOTALS			18	0	0	0	0	0	0	0	o o	0	0	2	1	1	0	1	1
		NEODI ACMO	OF.	INTRAHEPATIC E	~	_	1	0	0	0	0	1	1	2	2	3 -	3	2	1	2
	MALE	NEOF EASINS	OF.	INIKANEFATIO E	216 00	015 (1	00.1	^	^	^	^	_		_						
	FEMALE			ე 4	0	0	0	0	0	0	0	o o	1	0	1	0	1	0	1	1
	TOTALS			9	ŏ	0	Ô	0	0	0	0	1	0	0	o	0	2	0	1	0
		NEODI ASMS	OF.	LIVER, NOT SPI			IMARY	_		(455	~ o	1	1	0	1	0	3	0	2	1
	MALE	MEDI LASMS	01.	LIVER, NOT SPI	CILIED	0 AS FR	O	OK SEC		(155.	_,	_	_				_			
	FEMALE			7	ŏ	Õ	0 .	0	0	0	0	o	0	1	1	1	0	1	0	0
	TOTALS			Q	Ô	Õ	0	0	0	4	0	0	0	0	o,	o ·	1	1	0	1
		NEODI ASMS	Ŋ۴٠	GALLBLADDER AN	•			_	•	` '	U	0	0	1	1	1	1	2	0	1
	MALE		J	5	10 EXIK	O	0	0	5 (156) O	,	0	^		•	_		_			
	FEMALE			11	Ö	ŏ	0	Ö	0	0	0	0	1	0	0	1	2	1	0	0
	TOTALS			16	õ	Õ	õ	Ô	0	ŏ	Ö	0	0	0]	2	1	2	1	4
				, •	Ŭ	Ŭ	•	v	•	J	U	Ų	'	U	1	3	3	3	1	4

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

CAUS		DEATH GROU D SEX	PS	TOTAL DEATHS	***** UNDER 1	***** 1-4	***** 5-9	***** 10-14	***** 15-19	****** 20-24 2	** AGE 25-34	AT DE 35-44	ATH(YRS 45-54 5	;.) **: 5-59 (****** 60-64 6	***** 65-69	****** 70-74	***** 75-79	***** 80-84	**** OVER 84
(cc	ONT.)							• .												
		NEOPLASMS	OF:	PANCREAS (1	57)															
	LE			62	0	0	0	0	0	0	0	1	9	2	9	16	6	5	8	6
	MALE			69	0	0	0	0	0	0	0	0	4	6	4	10	11	14	6	14
	TALS			131	0	0	0	0	0	0	0	1	13	8	13	26	17	19	14	20
		NEOPLASMS	OF:	RETROPERITO	•				SITES		N THE	DIGEST	IVE ORG	ANS (158-159	9)			• •	
	LE.			12	Ó	O	0	0	0	0	0	0	0	0	3	1	3	1	1	3
	MALE			16	0	0	0	0	0	0	0	0	0	0	0	1	1	3	2	9
	TALS	NEODI AGNO		28	、 o	0	, 0	0	0	0	0	0	0	0	3	2	4	4	3	12
		NEUPLASMS	UF:	LARYNX (161	•	_		_		•										
	LE Emale			28	0	0	0	0	0	0	0	0	5	1	3	8	3	3	2	3
	DTALS			6	0	0	0	0	0	0	0	1	0	0	0	1	0	1	2	1
		NEODI ACMO	٥٢.	34 TRACHEA, BR	O	0	0	, 0	0	0	0	1	5	1	3	9	3	4	4	4
	ALE	NEUPLASMS	UF:	483	ONCHUS, A	ND LUN O		-,	•	_	_									
	MALE			341	Ö	õ	0	0	0	0	0	11	39	45	57	109	73	77	38	34
	TALS			824	ŏ	ŏ	õ	0	0	0	0	9	21	21	43	61	72	53	40	21
		NEOPLASMS	OF.	ALL OTHER S								20 HORACIC	60	66	100	170	145	130	78	55
	LE	MEDI EASIIS	O	6	0	0	. KL3F.	0	, 3131 0	O 0	NIKAIF	ORACIC	DRGANS		, 163-16	· · ·	_	_		
	MALE			1	ŏ	ŏ	õ	ŏ	ő	Ö	ó	0	0	1	1	1	0	0	0	1
	TALS			7	ŏ	Õ	ŏ	Õ	Õ	Ô	4	0	1	1	0	0	0	0	0	1
		NEOPLASMS	OF:	BONE AND AR	TTCULAR C	ARTÍLA	•	•	U	U	'	U	1		1	1	0	0	0	2
	LE		• •	4	0	0	0	, 0	1	0	0	0	2	0	0	0	_	_		_
τ(TALS			4	ŏ	ŏ	ŏ	õ	i	Ô	Ô	Õ	2	ő	0	0	0	0	1	0
MALI	GNANT	NEOPLASMS	OF:	CONNECTIVE	AND OTHER	_	TISSUE	. •		Ŭ	•	U	2	U	U	U	U	U	1	0
M.	LE			14	0	1	0	` ` ` `	´ 1	0	1	2	0	1	1	0	3	^		
FF	MALE			8	Ŏ	ò	ŏ	ŏ	Ó	ŏ	i	2	2	ó	i	Ö	0	2 1	1	1
TC	TALS			22	Ō	Ĭ	ŏ	ŏ	1	ŏ	2	4	2	1	2	ŏ	3	3	2	Ö
MAL J	GNANT	NEOPLASMS	OF:	MELANOMA OF	SKIN (17:	2)				_	_	•	_	•		U	3	3	2	'
M.	LE			27	Ò	0	0	0	0	0	1	4	3	2	5	5	3	4	2	4
	MALE			10	0	0	0	0	Ō	Ō	1	1	ŏ	ō	2	1	1	4	2	.
	TALS			37	0	0	0	0	0	0	2	5	3	2	7	6	ά	,	4	
		NEOPLASMS	OF:	OTHER MALIG	NANT NEOP	LASM O	F SKI	N (173)					_	•	Ŭ	-	_	-	2
	LE			7	0	0	0	0	0	0	0	1	2	0	0	0	1	1	2	0
	MALE			6	0	0	0	0	0	0	0	0	0	Ó	Ō	1	ó	i	1	3
	TALS			13	, 0	0	0	0	0	0	0	1	2	0	0	1	1	2	3	3
		NEOPLASMS	OF:	FEMALE BREA	,													_	•	•
	MALE			220	0	0	0	0	0	0	2	18	31	14	18	32	25	28	23	29
	TALS	NEODI ACMO	0.5	220	0	0	0	0	0	0	2	18	31	14	-18	32	25	28	23	29
	MALE	NEUPLASMS	UF:	CERVIX UTER		^	_	_	_		_		_							
	TALS			35 35	0	0	0	0	0	0	4	6	6	2	3	4	5	2	1	2
10	IALS			35	U	U	U	U	J	U	4	6	6	2	3	4	5	2	1	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

			EATH GROU SEX	PS	TOTAL DEATHS	****** UNDER 1	**** 1-4	***** 5-9 1	***** O-14	***** 15-19	****** 20-24 2!	* AGE 5-34 (AT DE 35-44	ATH(YRS 45-54 5	.) *** 5-59 6	***** 0-64 6	***** 5-69 7	***** 0-74 7	***** 5-79 8	***** 0-84	**** OVER 84
	(CONT.	.)																			
	MALIGNA FEMAL		NEOPLASMS	OF:	OTHER PARTS			-		_	_										
	TOTAL	.S			32 32	0	0	0	0	0	0	0	2 2	1	3 3	4 4	2 2	6 6	3 3	1	10 10
	MALIGNA FEMAL		NEOPLASMS	OF:	OVARY AND O	THER UTERI O	NE ADI	NEXA (183)	0	0	0	4	4	8	12	11	8	8		
	TOTAL	.S			70	Ö	ō	ŏ	ŏ	Õ	ŏ	õ	4	4	8	12	11	8	8	8 8	7 7
	MALIGNA	NT	NEOPLASMS	OF:	OTHER AND U	NSPECIFIED	FEMAI	LE GEN	ΙΤΔΙ			•	_	7		12	1.1	٥	8	8	,
	FEMAL				5	0	0	0	0	0	0	0	0	2	0	0	0	^	^		^
	TOTAL	.s			5	ŏ	Õ	õ	õ	Õ	ŏ	õ	Õ	2	Ô	Ô	Ö	0	0	1	2
	MALIGNA	NT	NEOPLASMS	OF:	PROSTATE (1	85)	•	•	·	Ū	J	J	U	2	U	U	U	U	U	1	2
	MALE				180	0	0	0	0	0	0	0	0	0	6	5	15	26	51	40	0.7
	TOTAL	.s			180	ō	Õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	6	5	15	26	51	40 40	37 37
	MALIGNA	NT	NEOPLASMS	OF:	TESTIS (186)	-	•	•	•	Ŭ	·	·	J	·	J	13	20	31	40	31
	MALE				1	0	0	. 0	0	0	1	0	0	0.	0	0	0	0	0	0	0
	TOTAL	_S			1	Ō	ō	ō	ō	ō	i	ŏ	Õ	Ö	Õ	Õ	ŏ	Õ	0	0	0
	MALIGNA	INT	NEOPLASMS	OF:	PENIS AND O	THER MALE	GENIT	AL ÖRG	ANS (187)	•	•	·	Ŭ	U	O	U	U	U	U	O
	MALE				1	0	0	0	····o`	0	0	0	0	0	0	1	0	0	0	0	0
	TOTAL	.S			1	0	Ō	Ō	ō	ō	Ŏ	ŏ	ŏ	ŏ	õ	i	ŏ	ŏ	Ö	ő	0
	MALIGNA	TNA	NEOPLASMS	OF:	BLADDER (18	8)					_	-	_	_	•	•	•	•	•	U	U
	MALE				61	0	0	0	0	0	0	0	0	2	3	5	9	10	5	13	14
_	FEMAL				23	0	0	0	0	0	0	0	Ō	0	1	ŏ	2	3	5	3	9
15	TOTAL				84	0	0	0	0	0	0	0	Ō	2	4	5	11	13	10	16	23
01	MALIGNA	TNA	NEOPLASMS	OF:	KIDNEY AND	OTHER UNSP	ECIFI	ED URI	NARY	ORGANS	(189)			_	•	•	• •				25
	MALE				36	0	0	0	0	0	` o´	0	1	8	4	5	2	7	5	3	4
	FEMAL	-E			23	0	0	0	0	Ō	Ō	Ō	Ó	2	2	1	3	5	1	4	5
	TOTAL	.s			59	0	0	0	0	0	O	Ō	1	10	6	6	5	12	6	7	6
	MALIGNA	TNA	NEOPLASMS	OF:	EYE (190)						_	-			-	J	J	12	J	,	U
	MALE				1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	FEMAL	.Ε			1	0	0	0	0	. 0	0	0	0	Ō	Ō	Ö	ò	ŏ	ŏ	ŏ	1
	TOTAL				2	0	0	0	0	0	0	0	0	0	ŏ	Ö	1	ŏ	õ	Õ	i
		NT	NEOPLASMS	OF:	BRAIN (191)											-	•	•	•	Ŭ	'
	MALE				30	0	1	1	0	1	0	0	4	1	1	1	4	6	4	5	1
	FEMAL				39	0	0	0	1	0	0	2	3	5	1	6	5	6	3	6	i
	TOTAL				69	0	1	1	1	1	0	2	7	6	2	7	9	12	7	11	ن خ
		NT	NEOPLASMS	OF:	OTHER AND U	NSPECIFIED	PART	S OF N	ERVOU	S SYST	EM (192)							-	• •	_
	MALE				1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
	TOTAL				1	0	0	0	0	0	1	0	0	0	0	0	Ō	ō	ō	ŏ	ŏ
		INT	NEOPLASMS	OF:	THYROID GLA				LANDS	, RELA	TED STR	UCTURI	ES (19	3-194)					-	-	_
	MALE	_			3	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0
	FEMAL				1	0	0	0	0	0	Ō	0	0	0	0	0	0	0	0	0	1
	TOTAL	-5			4	0	0	0	0	0	0	0	0	0	2	0	1	0	0	Ó	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE 282

			******	****	******	k ak ak ak ak a	*****	****	ACE	AT DEA	THIVE) at at at	ala ala ala ala ala ala					
	CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10)-14	15-19 20)-24 25	-34 35	5-44 4	5-54 5	.) *** 5-59 6	***** O-64 6	5-69 7	0-74 7	'5-79 8	******	***** OVER 84
	(CONT.)																	
	MALIGNANT NEOPLASMS OF: ALL	OTHER AND	UNSPEC	FIED	SITES (195-	199)											
	MALE	125	0	0	0	0	0	0	0	2	6	10	8	16	28	24	12	19
	FEMALE	125	0	0	0	0	1	0	1	1	13	8	8	13	13	17	18	32
	TOTALS	250	0	0	0	0	1	0	1	3	19	18	16	29	41	41	30	52 51
	LYMPHOSARCOMA AND RETICULOS	ARCOMA (20	0)							•				23	71	41	30	51
	MALE	8	0	0	0	0	0	0	1	0	0	1	0	2	0	4	2	4
	FEMALE	5	0	0	0	0	0	0	Ó	ō	1	ò	1	ō	1	÷	1	Ö
	TOTALS	13	0	0	0	0	Ö	Ō	1	ŏ	i	1	į	2	i	2	3	1
	HODGKIN'S DISEASE (201)							-		·	•	•	•	~	'	~	3	
	MALE	4	0	0	0	0	0	0	1	0	2	0	0	0	1	0	0	0
	FEMALE	8	0	0	0	0	0	0	2	ŏ	1	1	ŏ	2	i	ŏ	ŏ	1
	TOTALS	12	0	0	0	0	0	Ō	3	ŏ	3	i	ŏ	2	2	ő	ő	4
	OTHER MALIGNANT NEOPLASM OF	LYMPHOID .	AND HIST	LOCAL	IC TISS	SUE (202)			•	-	•	•	-	4	U	U	•
	MALE	52	0	0	0	o`	0	0	0	3	5	4	8	5	10	7	9	4
	FEMALE	48	0	0	Ö	ō	ō	Ŏ	1	1	7	ō	3	9	10	6	6	9
	TOTALS	100	Ö	Ō	Ö	ō	ŏ	Õ	i	à	12	4	11	14	16	13	15	_
	MULTIPLE MYELOMA AND IMMUNO	PROLIFERAT	IVE NEOF	LASMS	(203)	_	•	•	•	•		7		1-4	10	13	15	10
	MALE	33	0	0	0	0	0	0	0	0	1	4	4	4	9	5		-
	FEMALE	19	Ō	ŏ	Ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ź	i	4	2	1	3	4	5
	TOTALS	52	Ö	Õ	ŏ	ŏ	ŏ	ŏ	õ	Ô	3	2	8	6	10	_	2	4
_	LYMPHOID LEUKEMIA (204)		_	_	•	•	Ū	Ū	•	U	J	~	•	0	10	8	6	9
	MALE	11	0	0	0	1	0	0	0	0	0	0	0	•	_	•	_	_
g	FEMALE	10	ŏ	ŏ	ĭ	ö	ŏ	ŏ	ŏ	1	ŏ	Ö	0	2	2	2	2	2
	TOTALS	21	ŏ	ŏ	i	1	ŏ	ŏ	ŏ	4	ŏ	õ	ŏ	0 2	1	1	2	4
	MYELOID LEUKEMIA (205)		Ŭ	•	•	•	· ·	U	U	,	U	U	0	2	3	3	4	6
	MALE	16	0	0	1	0	1	0	0	2	0	4	^			_	_	_
	FEMALE	23	ŏ	ŏ	ö	Ö	Ö	ŏ	2	2	_	1	2	1	1	2	2	3
	TOTALS	39	ŏ	ŏ	1	ŏ	1	ŏ	2	0 2	3 3	3	4	2	1	1	4	3
	MONOCYTIC LEUKEMIA (206)	03	O	•		U	1	U	2	2	3	4	6	3	2	3	6	6
	FEMALE	1	0	0	0	0	0	0	0	^	^	_	_		_	_		
	TOTALS	4	ŏ	Õ	Ô	õ	0	Ö	ŏ	0	0	0	0	1	0	0	0	0
	OTHER AND UNSPECIFIED LEUKE	MTA (207-2		0	U	U	U	U	U	0	0	0	0	1	0	0	0	0
	MALE	19	0	0	0	0	_		1	_		_	_	_				
	FEMALE	13	Ö	ŏ	Ö	ö	o	1	Ö	0	1	o,	5	2	2	5	1	1
	TOTALS	32	Ö	ŏ	0	ŏ	;	Ÿ	1	0	o,	1	0	- 1	2	5	2	1
	BENIGN NEOPLASMS OF EYE, BR						TEM (OO	1-225)	1	Ü	1	1	5	3	4	10	3	2
	FEMALE	AIN AND UII	O C	3 UF	0	, 515	1 EM (224	0	0	^		•	_		_			
	TOTALS	4	Õ	Õ	0	ő	0	0	0	0	1	0	0	0	0	0	1	2
	BENIGN NEOPLASMS OF ALL OTH	ED AND LINE			•	•	222-223.	-	-	0	1	0	0	0	0	0	1	2
	MALE	TK AND 01/21	0	0 2115	- (,		- /		_	_	_					
	FEMALE	3	0	-	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	TOTALS	3	0	0	0	0	0	0	1	o,	0	0	0	0	1	1	0	0
	IUIALS	4	U	O	0	0	0	0	1	1	0	0	0	0	1	1	0	0
	NOTES - ICD-9 CODES ARE SHOW	N TN DADEN	THECEC															

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

(CONT.) NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238) MALE 6 0 0 0 0 0 0 0 1 0 0 1 0 2 FEMALE 4 0 0 0 1 0 0 0 1 0 0 0 0 0 TOTALS 10 0 0 1 0 0 0 1 1 0 0 2	0 2 1 1 1 3
MALE 6 0 0 0 0 0 0 0 1 0 0 1 0 0 1 0	•
FEMALE 4 0 0 0 1 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0	•
TOTALS 10 0 0 0 1 0 0 0 1 1 0 2	•
	•
	•
NEOPLASMS OF UNSPECIFIED NATURE (239)	•
MALE 10 0 0 0 0 0 1 1 0 0 2 1 2 1	
FEMALE 16 0 0 0 0 0 0 0 0 1 0 4	2 9
TOTALS 26 0 0 0 0 0 1 1 0 0 2 2 2 5	3 10
DISORDERS OF THYROID GLAND (240-246)	
MALE 1 0 0 0 0 0 0 0 0 0 0 0 1	0 0
FEMALE 12 0 0 0 0 0 0 0 2 0 0 1 0 1	1 7
TOTALS 13 0 0 0 0 0 0 0 2 0 0 1 0 2	1 7
DIABETES MELLITUS (250)	
MALE 141 0 0 0 0 0 2 5 8 12 17 21 18 22	14 22
FEMALE 176 0 0 0 0 1 0 0 4 3 5 7 23 27 35	26 45
TOTALS 317 0 0 0 0 1 0 2 9 11 17 24 44 45 57	40 67
DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)	
FEMALE . 1 0 0 0 0 0 0 0 0 0 0 1	0 0
TOTALS 1 0 0 0 0 0 0 0 0 0 0 0 1	0 0
DISORDERS OF ADRENAL GLANDS (255)	
- MALE 1 0 0 0 0 0 0 0 0 0 0 0 0	0 1
TOTALS 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 1
CYSTIC FIBROSIS (277.0)	
MALE 1 0 0 0 0 0 1 0 0 0 0 0	0 0
TOTALS 1 0 0 0 0 0 1 0 0 0 0 0	0 0
OBESITY (278.0)	
MALE 4 0 0 0 0 0 1 0 0 0 0 3 0	0 0
FEMALE 4 0 0 0 0 0 0 1 1 0 0 0 2	0 0
TOTALS 8 0 0 0 0 0 1 1 1 0 0 0 3 2	0 0
ALL OTHER ENDOCRINE, METABOLIC DISEASES & IMMUNITY DISORD. (251-252,256-259,270,276,277.1-277.9,278.1-279)	
MALE 32 0 0 0 0 0 0 5 3 0 6 4 3	4 7
FEMALE 40 1 0 0 0 0 0 0 1 2 2 2 6 1	9 16
TOTALS 72 1 0 0 0 0 0 0 6 5 2 8 10 4	13 23
NUTRITIONAL MARASMUS (261)	
FEMALE 2 0 0 0 0 0 0 0 0 0 0 1	0 1
TOTALS 2 0 0 0 0 0 0 0 0 0 0 0 1	0 1
OTHER PROTEIN-CALORIE MALNUTRITION (262-263)	
MALE 3 0 0 0 0 0 0 0 0 0 0 0	2 1
FEMALE 20 0 0 0 0 0 0 0 0 0 1 0	4 15
TOTALS 23 0 0 0 0 0 0 0 0 0 0 1 0	6 16

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** UNDER 1	***** 1-4	***** 5-9 1	***** 0-14 1	***** 5-19 2	****** 0-24 2	* AGE . 5-34 3	AT DEA ⁻ 5-44 49	TH(YRS. 5-54 59	.) ***: 5-59 60	***** D-64 6!	***** 5-69 7	***** 0-74 7	***** 5-79 8	***** 0-84	**** OVER 84
(CONT.)																	
ALL OTHER NUTRITIONAL DE	FICIENCIES (2	260.264-2	269)														
MALE	1	0	ó	0	0	0	0	0	0	0	0	0	0	0	4	^	^
FEMALE	2	Ō	ō	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ő	Ö	Ó	0	4
TOTALS	3	0	0	Ō	ō	ō	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ő	1	4	4
HEMOLYTIC ANEMIAS (282-2	83)								_	_	-	•	·	·	,	į	Ū.
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
FEMALE	1	O	0	0	0	0	0	0	0	0	0	0	Ō	Ō	ō	Ĭ	ŏ
TOTALS	. 2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	Ō
APLASTIC ANEMIA (284)	•	_	_	_		_	_										
MALE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2
OTHER AND UNSPECIFIED AN	EMTAS (205)	O	O	0	0	0	0	0	0	0	0	0	0	1	1	2	2
MALE MALE	ZMIA3 (205)	0	0	. 0	0	0	^	_	^	_	_	_	_	_			
FEMALE	7	Ö	Ô	0	0	0	0	0	0	0.	0	0	0	0	0	2	5
TOTALS	14	Ö	ŏ	Õ	Õ	Õ	0	0	0	0	0	0	0	0	0	2	5
PURPURA AND OTHER HEMORR			. •	U	U	U	U	U	U	O	O	O	0	0	0	4	10
MALE	2	0	´ o	0	0	0	0	0	0	0	1	0	_	^	^		_
FEMALE	2	ŏ	ŏ	ŏ	õ	õ	ŏ	ŏ	ŏ	ŏ	Ó	ŏ	0	0	0	1	0
TOTALS	4	ō	ō	ŏ	ŏ	Õ	Õ	õ	õ	Õ	1	Ô	-	ő	õ	0]
→ ALL OTHER DISEASES OF BL	OOD AND BLOOD	-FORMING	ORGA	NS (28	6.288-	289)	•	•	•	· ·	•	U	'	U	U	1	1
→ MALE	11	0	0	ò	0	ó	0	0	1	0	0	1	0	2	4	1	2
FEMALE	15	0	0	0	0	0	ō	ō	ò	ŏ	2	Ö	2	ō	1	3	7
TOTALS	26	0	0	0	0	0	0	0	Ī	ŏ	2	ĭ	2	ž	5	4	9
SENILE AND PRESENILE ORG	ANIC PSYCHOTI	C CONDIT	IONS	(290)							_		_	-	J	7	3
MALE	49	0	0	0	0	0	0	0	0	0	0	1	2	3	7	20	16
FEMALE	117	0	0	0	0	0	0	0	0	0	0	0	ō	6	8	29	74
TOTALS	166	0	0	0	0	0	0	0	0	0	0	1	2	9	15	49	90
ALCOHOLIC PSYCHOSES (291 MALE		•	_	_	_	_											
FEMALE	5	0	0	0	0	0	0	1	o .	1	Ō	0	1	2	0	0	Ò
TOTALS	1 6	0	0	0	0	0	0	0	1	o .	0	0	0	0	0	0	0
ALL OTHER PHYCHOSES (292	•	O	U	U	U	U	0	1	1	1	0	0	1	2	0	0	0
MALE	233)	0	0	0	0	0	0	0	1	0	_	^	_	_	_		
FEMALE	60	ŏ	ŏ	ŏ	ŏ	ŏ	Ö	ő	ó	0	0	0	0	2	2	4	12
TOTALS	81	ŏ`	ő	ŏ	ŏ	Õ	Ö	- 0	1	0	0	0	3 3	2 4	5 7	6	44
ALCOHOL DEPENDENCE SYNDR		•	_	•	•	·	•	J	•	J	U	U	3	4	,	10	56
MALE	22	0	0	0	0	0	0	0	7	6	4	1	1	3	0	0	^
FEMALE	6	0	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	2	ŏ	2	ó	Ó	1	Ö	1	0
TOTALS	28	0	0	0	Ō	Ō	ō	ŏ	9	6	6	ĭ	ĭ	4	Õ	i	0
												•	•	•	•	•	•

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

CAU	SE OF DEATH G AND SEX	ROUPS	TOTAL DEATHS	******* UNDER 1		******** 5-9 10-14												**** OVER 84
(c	ONT.)																	
	ER_NEUROTIC,	PERSONALITY						302,30	•			_		_				
	ALE		9	0	0	0 0	0	0	1	1	0	0	0	1	1	1	2	2
	EMALE		19	0	0	0 0	0	0	0	1 2	0	3	0	0	0	1	4	10
	OTALS	ON (047 040)	. 28	0	0	0 0	0	U	1	2	U	3	U	1	1	2	6	12
	ITAL RETARDATI Emale	UN (31/-319)	,	0	0	0 0	0	0	0	0	0	1	0	0	0	2	0	0
	OTALS		3	ŏ	0	0 0	Ö	Ö	Ö	Ö	Ö	i	. 0	Ö	Ö	2	ő	0
	IINGITIS (320-	222)	3	U	U	0 0	U	U	U	O	U	'	. 0	U	U	2	U	U
	IALE	322)	2	1	0	0 0	0	0	0	0	0	1	1	0	0	0	0	0
	EMALE		1	Ö	ŏ	0 0	ŏ	ő	ŏ	ŏ	1	Ö	Ó	ŏ	Ö	ŏ	ŏ	ŏ
	OTALS		<u>,</u>	1	ŏ	ŏ ŏ	ŏ	ŏ	ŏ	ŏ	i	1	1	ŏ	ŏ	ŏ	ŏ	Õ
	KINSON'S DISE	ASE (332)	•	•	Ū	•	•	·	•	·	•	•	•	·	·	Ū	•	J
	MALE	(002)	34	0	0	0 0	0	0	0	0	0	0	0	3	5	5	9 .	12
	EMALE		36	Ō	ō	ō ō	Ō	Ō	Ō	Ō	ō	ō	1	3	2	8	10	12
	OTALS		70	Ō	Ō	ō o	0	Ō	0	0	. 0	0	1	6	7	13	19	24
OTH	ER HEREDITARY	AND DEGENE	RATIVE C	DISEASES O	F THE C	ENTRAL NER	vous s	YSTEM	(330 - 33)	31,333-	337)							
M	1ALE	•	69	0	0	0 0	0	1	1	1	1	5	5	6	3	11	11	24
F	EMALE		121	1	0	0 0	0	0	0	1	0	1	4	5	14	10	24	61
	OTALS		190	1	0	0 0	0	1	1	2	1	6	9	11	17	21	35	85
	TIPLE SCLEROS	SIS (340)																
	MALE		3	. 0	Ò	0 0	0	0	0	1	1	0	1	0	0	0	0	0
y F	EMALE		10	Ō	Ó	0 0	0	0	1	0	2	0	3	0	2	0	2	0
	TOTALS .		13	0	0	0 0	0	0	1	1	3	0	4	0	2	0	2	0
	ANTILE CEREB	RAL PALSY (3		_	_			_	_	_	_	_		_	_	_	_	_
	MALE		2	0	0	0 0	0	0	0	0	0	2	0	0	0	0	0	0
	TOTALS		2	0	0	0 0	0	0	0	0	0	2	0	0	0	0	0	0
	LEPSY (345)		_	•	_		_	_	_		_	_	_	_	_	•		•
	MALE		2	0	0	0 0	0	0	0	1	0	0	0	0	0	0	1	o o
	FEMALE FOTALS		9	0	0	0 0	0	0	1	2	1	Ö	<u> </u>	2 2	0	0	0	0
	HER DISEASES (THE MEDVO	ue eveti	•	-	•	-320)	U	ı,	2	1	U	'	2	U	U	1	U
	MALE	DI TITE NERVO	20	-M (020 02 0	1	0 0	000)	1	2	0	3	0	2	3	3	3	0	2
	EMALE		24	ŏ	ó	0 0	ő	Ö	ō	1	ŏ	ŏ	2	4	3	4	3	7
	TOTALS		44	ŏ	ĭ	0 0	õ	1	2	i	3	ŏ	4	7	6	7	3	á
	SEASES OF THE	FAR AND MAS		ncess (380	-389)	•	·	•	_	•	•	•	•	•	•	•	•	•
	MALE	EAR AND MAG	1	0	0	0 0	0	0	1	0	0	0	0	0	0	0	0	0
-	TOTALS		i	ŏ	ŏ	0 0	ŏ	ŏ	1	ŏ	ŏ	ŏ	ŏ	Õ	ŏ	ŏ	ŏ	Õ
	SEASES OF MITE	RAL VALVE (3	94)	•	-	- 0	-	•	*	-	-	-	-	-	•	-	•	-
	MALE	(-	2	0	0	0 0	0	0	0	1	0	0	0	0	0	0	1	0
	EMALE		8	Ō	ō	0 0	Ō	0	Ō	0	1	Ō	Ō	1	ŏ	2	3	1
	TOTALS		10	Ö	Ō	0 0	Ō	Ō	Ō	1	1	Ō	Ō	1	Ō	2	4	1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

(CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** UNDER 1	***** 1-4	****** 5-9 10	******)-14 15	***** 5-19 2	***** 0-24 2	* AGE 5-34 3	AT DEA 85-44 4	TH(YRS 5-54 5	.) *** 5-59 6	***** 0-64 6	****** 65-69 7	****** 70-74	****** 75-79 8	***** 30-84	***** OVER 84
	(CONT.)																	
(DISEASE OF AORTIC VALVE (39	95)																
	MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	FEMALE	2	0	0	O	Ō	Ō	Ō	ŏ	ŏ	ĭ	ŏ	ŏ	ŏ	ò	ő	1	ŏ
	TOTALS	3	0	0	Ö	Ō	Ō	Ŏ	Ö	ŏ	1	Õ	ŏ	ŏ	1	ő	4	ŏ
[DISEASES OF MITRAL AND AORT	IC VALVES	(396)		-	_	_	-	•	•		Ů	•	•	•	O		U
	MALE	1	Ó	0	0	0	0	0	0	0	0	0	0	0	4	0	0	0
	FEMALE	1	Ó	Ö	Ŏ	Ŏ	ŏ	ŏ	ŏ	õ	ŏ	ŏ	ŏ	ŏ	ó	ő	1	Ö
	TOTALS	2	Ö	Ö	Ŏ	Ŏ	Õ	ŏ	Õ	ŏ	ŏ	õ	ŏ	Õ	1	Ô	- 1	ŏ
-	ALL OTHER CHRONIC RHEUMATIC	HEART DIS	SEASE (39	93.397	-398)	•	-	•	•	•	•	•	•	O	'	U	1	U
	MALE	3	0	0	O´	0	0	0	0	0	0	0	1	0	0	4	0	4
	FEMALE	5	Ö	Ŏ	ŏ	ō	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	Ö	1	1	3	ŏ	Ó
	TOTALS	8	0	0	Ö	Ō	ō	· ŏ	Õ	Õ	Õ	ñ	1	1	4	4	Õ	¥
Į	ESSENTIAL HYPERTENSION (401	1)		_	•	•	-	-	•	•	•	Ū	•	,	•	4	U	•
	MALE	11	0	0	0	0	0	0	0	1	3	0	1	0	0	2	2	2
	FEMALE	15	0	0	0	0	Ō	ō	ō	Ó	ō	ŏ	i	ž	ŏ	2	4	6
	TOTALS	26	0	Ó	Ŏ	Ö	Õ	Õ	Õ	1	š	Õ	ż	2	Ô	4	6	8
H	HYPERTENSIVE HEART DISEASE	(402)			•	•	•	•	•	•	Ū	•	-	2	U	4	0	0
	MALE	27	0	0	0	0	0	0	0	0	1	2	3	2	1	7	8	3
	FEMALE	33	Ŏ	Ŏ	ŏ	ŏ	ŏ	ŏ	Õ	Õ	i	1	Ö	1	1	8	8	13
	TOTALS	60	ŏ	Õ	ŏ	Ŏ	ŏ	ŏ	ŏ	õ	ż	3	3	3	2	15	16	
. 1	HYPERTENSIVE RENAL DISEASE	(403)	•	•	Ū	•	•	•	•	J	~			3	2	15	16	16
,	MALE	11	0	0	0	0	0	0	0	0	0	0	2	0	4	0	5	_
	FEMALE	16	ŏ	Õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ő	ō	1	3	0	2	3 10
	TOTALS	27	ŏ	Õ	ŏ	Õ	ŏ	ŏ	õ	Õ	ŏ	Õ	2	<u> </u>	4	0	7	
ı	HYPERTENSIVE HEART AND RENA		(404)	·	Ŭ	•	•	•	•	•	U	U	2	'	4	O	′	13
	MALE	5	` · o · ó	0	0	0	0	0	0	0	0	0	0	1	0	^	_	
	FEMALE	7	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ő	Ô	ó	0	0	3	1
	TOTALS	12	ŏ	Õ	ŏ	õ	Õ	ŏ	õ	õ	ő	Ö	0	1	0	0	3 6	4 5
	ACUTE MYOCARDIAL INFARCTION	I (410)	·	·	Ū	•	•	•	•	O	U	U	U	,	U	O	ь	5
	MALE	595	0	0	0	0	0	0	3	15	34	39	69	92	74	404	00	=0
	FEMALE	561	ŏ	Õ	ŏ	õ	ŏ	ŏ	1	6	8	13	23	_	74	101	89	79
	TOTALS	1,156	ŏ	ŏ	ŏ	õ	õ	Õ	4	21	42	52	92	45	81	72	115	197
(DTHER ACUTE AND SUBACUTE FO					(411)	U	U	7	21	42	52	92	137	155	173	204	276
	MALE	1	0	0	0	0	0	0	0	0	0	0	1	^	^	_	_	•
	FEMALE	i	ŏ	ŏ	ŏ	ő	ŏ	ŏ	ŏ	ŏ	ŏ	Ö	ó	0	0	0	0	0
	TOTALS	2	ŏ	ŏ	õ	ŏ	Õ	Õ	ŏ	Õ	0	0	1	0	0	0	0]
1	ANGINA PECTORIS (413)	_	•	Ŭ		•	•	•	J	J	U	U	1	U	U	U	0	1
•	MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	_	^	_
	FEMALE	4	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	Ô	ő	Ô	ŏ	0	. 6	0	9	0
	TOTALS	5	ŏ	ŏ	õ	ŏ	Õ	ŏ	õ	Õ	ő	Ö	Ô	õ	1	1	1	2
		-	_	•	•	-	•	•	_	•		-	v	U	ı	1	1	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

	CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	******* UNDER 1				****** 5-19 20											**** OVER 84
	(CONT.)																*	
	ALL OTHER FORMS OF CHRONIC	ISCHEMIC H	HEART DIS	EASE	(412.41	14)												
	MALE	607	0	0	Ò	Ō	0	1	3	14	25	28	41	55	96	97	114	133
	FEMALE	640	0	0	0	0	0	0	1	2	10	9	15	30	48	78	114	333
	TOTALS	1,247	0	0	0	0	0	1	4	16	35	37	56	85	144	175	228	466
	DISEASES OF PULMONARY CIRCU	LATION (41	15-417)															
	MALE	25	1	0	0	0	0	0	1	2	1	2	2	3	2	6	3	2
	FEMALE	28	0	0	0	0	1	0	0	0	1	3	0	3	3	1	7	9
	TOTALS	53	. 1	0	0	0	1	0	1	2	2	5	2	6	- 5	7	10	11
	ACUTE AND SUBACUTE ENDOCARD	ITIS (421)		_	_	_		_		_	_		_	_	_	_	_	_
	MALE	1	0	0	0	0	0	0	1	0	0	0	o .	0	0	0	0	0
	FEMALE	2 3	0	. 0	0	0	0	0	0	0	0	0	1	0	o	0	0	1
	TOTALS ACUTE PERICARDITIS, ACUTE M	•	O OTL	O		_	O RICARDI	T 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	_	O	0	1	0	0	0	0	1
	FEMALE	2	S AND DIE	O IEK DI	O	OF PE	O	TOM (4)	20,422	-423) O	0	0	0	0	1		0	0
	TOTALS	2	ŏ	Ö	0	Ö	0	0	Ö	Ö	Ö	0	0	0	- 1	-	0	0
	MITRAL VALVE DISORDERS (424	_	U	U	U	U	U	Ų,	U	U	U	U	U	U	I	1	U	U
	MALE MALVE DISORDERS (424	12	0	0	0	0	0	O.	0	0	0	0	1 .	2	2	2	4	4
	FEMALE	7	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	õ	ŏ	1	ó	ō	ō	1	1	Ä
	TOTALS	19	ŏ	õ	Õ	Õ	Õ	Õ	Õ	ŏ	õ	4	1	2	2	3	5	5
	AORTIC VALVE DISORDERS (424		Ū	•	Ū	•	Ū	•	•	•	•	•	•	_	_	•	•	J
	MALE	23	0	0	0	0	0	0	0	1	0	0	0	2	1	2	6	11
21	FEMALE	39	Ŏ	ŏ	Ŏ	ō	ō	ō	ō	Ó	2	ō	Ŏ	ō	1	2	12	22
	TOTALS	62	Ŏ	ŏ	Ŏ	ō	Ŏ	ŏ	ŏ	Ť	2	ŏ	Ŏ	2	2	4	18	33
	ALL OTHER DISEASES OF ENDOC	ARDIUM (4:	24.2-424.	9)														
	MALE	6	0	0	0	0	0	0	0	0	1	0	0	0	0	2	2	1
	FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	5
	TOTALS	15	0	0	0	0	0	0	0	0	1	0	0	0	1	4	3	6
	HEART FAILURE (428)																	
	MALE	86	0	0	0	0	0	0	0	1	1	4	2	6	7	12	20	33
	FEMALE	145	0	0	0	0	0	0	0	1	0	0	1,	3	13	16	22	89
	TOTALS	231	0	0	, ,	0	0	0	0	2	1	4	3	9	20	28	42	122
	ALL OTHER FORMS OF HEART DI		5-427,429	3.2-42	-		_		_									
	MALE	342	1	1	0	1	o o	0	3	8	31	19	28	36	50	47	42	75
	FEMALE	328	0	0	0	0	1	0	1 4	1	7	7	8	15	30	36	48	174
	TOTALS	670	1	1	0	1	1	0	4	9	38	26	36	51	80	83	90	249
	SUBARACHNOID HEMORRHAGE (43	8 8	0	0	0	0	0	0	0	2	0	1	2	´ο	2	0	1	0
	MALE FEMALE	15	0	ŏ	1	0	Ö	ŏ	Ö	2	. 5	Ö	1	1	1	2	2	0
	TOTALS	23	ő	Ö	4	ő	Ö	ŏ	ő	4	. 5 5	1	3	i	3	2	3	0
	IOIALS	20	J	J	'	J	v	J	Ŭ	7	J	•		'	3	~	3	U

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

			*****	****	******	*****	*****	*****	* AGE A	T DEA	TH(YRS	.) ***	*****	*****	*****	*****	****	****
	CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10	D-14 1!	5-19 20	0-24 2	5-34 35	5-44 4	5-54 5	5-59 6)-64 e	55-69 7	70-74 7	'5-79 E	80-84	OVER 84
	(CONT.)																	
	INTRACEREBRAL AND OTHER IN	NTRACRANIAL	HEMORRH	AGE (4	431-432)												
	MALE	36	0	0	0	0	0	0	2	0	2	2	4	3	7	6	7	3
	FEMALE	52	0	0	0	0	0	0	0	1	2	4	2	2	7	8	13	13
	TOTALS	88	0	Q	0	0	0	0	2	1	4	6	6	5	14	14	20	16
	OCCLUSION AND STENOSIS OF	PRECEREBRAI			33)													, ,
	MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	FEMALE	2	o	Ō	0	0	0	0	1	0	0	0	. 0	0	1	Ō	ō	Ó
	TOTALS	4	0	0	0	0	0	0	1	0	0	0	0	0	2	ō	ō	1
	CEREBRAL THROMBOSIS AND U						,	434.0,	434.9)									
	MALE	29	0	0	0	0	0	0	0	0	1	1	4	4	1	5	6	7
	FEMALE	42	0	0	0	0	0	0	0	0	2	0	0	1	8	3	7	21
	TOTALS	71	0	0	0	0	0	0	0	0	3	1	4	5	9	8	13	28
	CEREBRAL EMBOLISM (434.1)		_	_	_	_												
	MALE Female	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2 .	0
	TOTALS	4	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
	ACUTE BUT ILL-DEFINED CERI	5 COLUMN	0		. 0	0	0	0	0	0	0	0	1	0	1	0	2	2
	MALE				-,	_	_	_	_	_								
	FEMALE	150 302	0	0	0	0	0	o .	0	0	2	3	4	13	21	23	39	45
	TOTALS	302 452	0	0	0	0	0	1	0	1	0	1	3	9	25	39 ·		161
	OTHER CEREBROVASCULAR DIS		•	O	O	0	0	1	0	1	2	4	7	22	46	62	101	206
\sim	MALE	EASE (435,4) 51	37-438) O	Ò	0	0	0	_		_	_	_						
2	FEMALE	64	0	0	0	-	-	0	1	0	2	o,	1	5	9	5	8	20
	TOTALS	115	0	0	0	0	0	0	0	0	1	1	2	2	4	3	12	39
	ATHEROSCLEROSIS (440)	113	O	U	U	U	U	O	1	0	3	1	3	7	13	8	20	59
	MALE (440)	30	0	0	0	0	0	0	0	^	^	^	•	_	_	_	_	
	FEMALE	72	ŏ	ő	ŏ	ŏ	Ö	Ö	Ö	0	0	0	2	2	3	6	6	11
	TOTALS	102	ő	ő	Õ	Õ	Ô	õ	0	0	1	0	2 4	1	4	3	10	51
	AORTIC ANEURYSM (441)	102	J	U	J	O	U	O	U	O	'	O	4	3	7	9	16	62
	MALE	70	0	0	0	0	0	0	0	0	1	0	4	-	40			_
	FEMALE	44	ŏ	ŏ	ŏ	Õ	Ö	ŏ	Ö	ŏ	1	2 0	2	5 5	13	21	15	. 9
	TOTALS	114	ŏ	õ	õ	õ	õ	ŏ	Õ	Õ	2	2	6	10	5	10	10	11
	ALL OTHER DISEASES OF ARTI	ERIES. ARTE	RIOLES.	AND CA	APILLARI	[FS (44	•	_	Ŭ	U	_	2	0	10	18	31	25	20
	MALE	30	0	0	0		0	´ o	0	0	0	2	2	2	1		6	•
	FEMALE	39	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	1	ŏ	ŏ	1	Õ	1	2	8 5	12	9 17
	TOTALS	69	Ō	ō	ŏ	ō	ŏ	ŏ	i	õ	ŏ	3	2	3	3	13	18	17 26
	PHLEBITIS, THROMBOPHLEBIT	IS, AND VENO	DUS EMBO	LISM A	AND THRO	OMBOSI:	S (451	-453)	•	•	Ü	Ŭ	_	3	3	13	10	20
	MALE	5	0	0	0	0	Ò	o Ó	0	0	0	0	0	0	2	0	0	3
	FEMALE	3	0	0	0	0	0	0	0	ō	ō	ŏ	ŏ	ŏ	ō	ŏ	1	2
	TOTALS	8	0	0	0	0	0	0	0	Ö	Ö	Ŏ	ŏ	ŏ	2	õ	i	5
	NOTES: TOD O CODES ARE SU	O TAL DARES												-	_	•	•	·

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

	DEATH GROUPS D SEX	TOTAL DEATHS	**************************************	****** 1-4	***** 5-9 1(0-14 1	******* 5-19 20	***** -24 2	* AGE A 5-34 35	T DEA 5-44 4	ΓΗ(YRS 5-54 5!	.) *** 5-59 60	***** O-64 6	***** 5-69 7	***** 0-74 7	***** 5-79 8	***** 0-84	**** OVER 84
(CONT.)																		04
OTHER DISE	EASES OF VEINS,	LYMPHATICS.	AND CIRC	CULATOR	۸ ۵۸۵.	TEM (4	54-459)											
MALE	•	5	0	0	0	0	0	0	0	0	0	0	4	4	_		_	_
FEMALE		6	Ō	Ö	Ö	Ö	ŏ	ŏ	ŏ	ŏ	1	ŏ	Ö	i	0	0	2 1	o
TOTALS		11	0	Ö	Ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	i	õ	1	2	.	1	3	2 2
	R RESPIRATORY	INFECTIONS (4	60-465)				_	_	•	•	•	·	•			'	3	2
MALE		3	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
FEMALE		1	0	0	0	0	0	0	0	0	0	ō	ō	ŏ	Ö	ŏ	ŏ	1
TOTALS		4	2	0	. 0	0	0	. 0	0	0	0	0	ŏ	ō	1	ŏ	ŏ	i
	ASES OF UPPER	RESPIRATORY T		70-478)										-	-	•	•	•
MALE		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
FEMALE		1	0	0	0	0	0	0	0	0	0	0	1	Ō	Ŏ	ŏ	Ó	ŏ
TOTALS	IOUITTIC AND DDG	2	0	0	0	0	0	0	0	0	0	0	1	Ö	ō	ŏ	1	ŏ
	NCHITIS AND BRO	NCHIULIIIS (4	56)	_	_	_												-
MALE Female		2	1	0	0	0	O	0	0	0	0	0	0	0	0	0	0	1
TOTALS		1	0	0	0	0	0	0	Ō	0	0	0	0	0	0	0	0	1
	JMONIA (480)	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
MALE	MUNIA (460)	4	0	•	_	_	_	_		_	_							
FEMALE		1 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	CAL AND OTHER B	ACTERTAL DNELL		481-482	_	U	U	0	0	0	0	0	0	0	0	0	1	1
N MΔIF	AL AND OTTIER D	6	0	0	, ,	0	0	0	0	0	0	_	_	_				
ω FEMALE		8	Õ	ŏ	ŏ	ŏ	ŏ	Ö	0	4	1	0	0	0	1	0	3	2
TOTALS		14	õ	Õ	õ	ŏ	ŏ	õ	0	4	1	1	0	0	1	0	1	3
BRONCHOPNE	UMONIA, ORGANI			O	O	O	O	U	U	'	'	1	0	0	2	0	4	5
MALE	,	2	(100)	0	0	0	0	0	0	0	0	0	_	_	•	_	_	
FEMALE		5	Õ	Õ	Õ	ŏ	ŏ	Ö.	ŏ	0	0	0	0	0	0	0	0	2
TOTALS		7	ŏ	Õ.	ŏ	õ	ŏ	Ö	Õ	Õ	ŏ	0	0	0	0	1	0	4
PNEUMONIA	DUE TO OTHER A	ND UNSPECIFIE	ORGAN:	ISM (48	3.486)	Ū	•	•	0	U	U	U	O	0	1	0	6
MALE		149	0	0	1	o o	0	1	0	1	3	. 2	5	3	12	07	00	- 4
FEMALE		178	Ō	Ŏ	Ó	ŏ	ŏ	ò	ŏ	ż	1	2	4	2	8	27 15	30	64
TOTALS		327	Ō	Ō	Ĭ	ŏ	ŏ	1	Õ	3	4	4	9	5	20	42	30 60	114 178
INFLUENZA	(487)					•	•	•	•	•	•	7	3	3	20	42	90	1/8
MALE		1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE		4	0	0	0	0	0	Ō	ō	ŏ	ŏ	ŏ	ŏ	1	ŏ	2	Ö	4
TOTALS		5	0	0	Ó	ō	Ö	ŏ	ŏ	ŏ	ŏ	ŏ	Õ	ì	Ô	3	0	- 1
	S, NOT SPECIFIE	D AS ACUTE OR	CHRONIC	(490)				-	-	-	•	•	v	•	J	5	U	ı
MALE		2	0	0	0	0	0	0	0	0	0	0	. 0	0	1	1	0	0
FEMALE		1	0	0	0	0	0	Ō	Ō	Ŏ	ŏ	ŏ	ŏ	ŏ	Ö	Ö	Ö	1
TOTALS		3	0	0	0	0	0	0	0	0	Ō	ŏ	ŏ	ŏ	1	1	ŏ	1
													-	-	•	•	•	•

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** UNDER 1	***** 1-4	****** 5-9 1	***** 10-14	****** 15-19 2	****** 20-24 2	* AGE 25-34 3	AT DEA 5-44 4	TH(YRS 5-54 5!	.) *** 5-59 6	***** 0-64 6	***** 5-69 7	****** 70-74 7	****** '5-79 8	***** 0-84	**** OVER 84
(CONT.)																	
CHRONIC BRONCHITIS (491)																	
MALE	7	0	0	0	0	0.	0	0	0	0	0	1	1	2	1	0	2
FEMALE	9	0	0	0	0	0	· O	0	0	0	0	0	0	1	4	2	2
TOTALS	16	0	0	0	0	0	Ò	0	0	0	0	1	1	3	5	2	4
EMPHYSEMA (492)		_	_	_													
MALE	37	0	0	0	0	0	0	0	0	1	2	3	4	9	4	8	6
FEMALE	44	0	0	. 0	0	0	0	0	0	1	1	1	1	9	16	7	8
TOTALS	81	0	0	0	0	0	0	0	0	2	3	4	5	18	20	15	14
ASTHMA (493)		_	_		_	_								<i>'</i>			
MALE	4	0	0	0	0	1	1	0	0	0	0	0	1	1	0	0	0
FEMALE TOTALS	17	0	0	0	0	1	o o	2	0	2	1	1	1	3	1	2	3
BRONCHIECTASIS AND EXTRIN	21	0	0	0	0	2	1	2	0	2	1	1	2	4	1	2	3
MALE MALE		C ALVEUL	,	494-49	/	_	_	_		_							
FEMALE	2 11	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
TOTALS	13	0	0	0	0	0	0	0	0	0	0	0	0	1	0	3	7
CHRONIC AIRWAYS OBSTRUCT						U	0	0	0	0	0	0	0	2	0	3	8
MALE	272	CWILKE C	CASSIL	0	190) O	0	•	_	•	_	_						
FEMALE	222	0	Ö	Ô	0	0	0	0	0	6	5	13 -	35	52	55	53	53
TOTALS	494	ŏ	ő	õ	ő	0	0	0	0	2	3	10	26	51	31	47	52
- PNEUMOCONIOSES AND OTHER						(500-5		U	U	8	8	23	61	103	86	100	105
N MALE	25	0	0 1	O .	0	0	0	0	0	1	0	_		_	_	_	
FEMALE	14	ŏ	ŏ	ő	ŏ	ŏ	ő	ő	Ö	ó	1	0	1	5	5	9	4
TOTALS	39	ŏ	ő	õ	õ	ŏ	Ö	ő	Ô	1			0	1 6	2 7	2	7
EMPYEMA AND ABSCESS OF LU			(510.5	•	· ·	U	U	U	U	'	ı	1	1	ь	7	11	11
MALE	1	0	0,0	, , , ,	0	0	0	0	0	0	0	0	0	0	_		•
FEMALE	1	ŏ	Ö	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	0	0	0	1	0
TOTALS	2	ō	ō	ŏ	ŏ	ŏ	ŏ	õ	õ	õ	õ	Õ	Ö	ő	0	1 2	0
PLEURISY (511)			•	_	•	·	•	•	Ū	Ü	U	U	U	U	U	2	U
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	4
FEMALE	2	0	0	0	0	0	Ō	ō	Ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ó	1	- 1
TOTALS	4	0	0	0	0	0	0	0	Ō	ō	ŏ	ŏ	ŏ	ŏ	1	4	2
ALL OTHER DISEASES OF RES	SPIRATORY SY	STEM (51	2,514-	·519)								_	_		•	•	-
MALE	44	1	1	0	0	0	0	1	0	1	2	3	6	7	9	4	9
FEMALE	48	1	0	0	0	0	0	2	0	1	0	1	9	9	4	8	13
TOTALS	92	2	1	0	0	0	0	3	0	2	2	4	15	16	13	12	22
GASTRIC ULCER (531)	_																
MALE	4	0	0	0	0	0	0	. 0	1	0	0	0	1	0	0	1	1
FEMALE TOTALS	5	0	0	0	0	0	0	0	o o	0	0	1	0	0	1	2	1
TUTALS	9,	, 0	0	0	0	0	0	0	1	0	0	1	1	0	1	3	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	***** UNDER 1	***** 1-4	****** 5-9 1	***** 0-14 1	****** 5-19 2	***** 0-24 2	* AGE 5-34 3	AT DEA 5-44 4	TH(YRS. 5-54 55) *** -59 6	***** 0-64 6	***** 5-69 7	***** 0-74 7	***** 5-79 80	*****)-84	**** OVER 84
(CONT.)																	
DUODENAL ULCER (532)																•	
MALE	7	0	0	0	0	0	0	0	0	1	0	0	1	0	3	4	4
FEMALE	4	0	0	0	0	0	Ó	ō	Ō	ò	ŏ	ŏ	Ó	1	Ö	4	,
TOTALS	11	0	0	0	0	0	0	0	0	Ť	ō	ŏ	1	i	3	2	3
PEPTIC ULCER, SITE UNSPEC	:IFIED (533)								_	-	•	•		•	·	_	3
MALE	4	0	0	. 0	0	0	0	0	0	0	0	1	0	0	2	4	0
FEMALE	4	0	0	0	0	Ö	ŏ	ŏ	ŏ	ŏ	ŏ	ò	ő	2	Õ	Ö	2
TOTALS	8	0	0	Ó	Õ	Ŏ	Ŏ	Õ	ŏ	ŏ	õ	1	Õ	2	2	1	2
GASTRITIS AND DUODENITIS	(535)			-	-	_	•	•	Ū	Ŭ	Ü	•	U	2	2	'	2
MALE	1	0	0	0	0	0	0	0	0	0	0	0	4	0	0	^	_
FEMALE	2	Ó	Ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ő	Ó	Ö	-	0	0
TOTALS	3	Õ	Õ	ŏ	Õ	õ	ñ	õ	ŏ	Ô	0	0	4	0	0	0	2
APPENDICITIS (540-543)		_	•	•	·	Ū	·	•	Ü	O	U	U	ı	U	0	0	2
MALE	. 2	0	0	0	0	0	0	0	0	0	0	4	_	•		_	_
TOTALS	2	Ö	ŏ	ŏ	ŏ	õ	õ	õ	ŏ	Õ	Ô	4	0	0	1	0	o o
HERNIA OF ABDOMINAL CAVIT	Y AND INTEST	INAL OR	STRUCT	LLUN MT.	-	MENTIO			•	53.560)	U	'	U	O	1	0	0
MALE	14	0	0	0	0	0	0	0	(330-3	33,360)	_	^	_				_
FEMALE	22	ŏ	õ	Õ	ŏ	ŏ	Ö	ŏ	,	,	0	2	0	1	4	1	4
TOTALS	36	ŏ	ŏ	Õ	ŏ	Ö	0	0	0	0	0	0	0	3	0	6	13
REGIONAL ENTERITIS AND ID					, ,	U	O	U	1	1	0	2	0	4	4	7	17
→ MALE	יאין סבוווא יסבי	0	113 (0	, o	^	^	_	•		_	_					
N EEMALE	2	ŏ	Õ	0	õ	0	0	0	0	1	0	0	0	0	1	1	0
TOTALS	5	0	õ	0	•	0	0	.0	0	0	0	0	1	0	0	0	1
ALL OTHER NONINFECTIVE GA	STONENTEDITI		OLITIS		0)	0	0	0	0	1	0	0	1	0	1	1	1
MALE	14	S AND C	0		,	•		•	_	_	_						
FEMALE	30	Ó	•	0	0	0	0	0	0	0	0	2	2	0	3	1	5
TOTALS	44	Ý	0	0	0	0	0	0	0	0	0	1	2	4	2	5	16
DIVERTICULA OF INTESTINE		1	U	O	U	0	0	0	0	0	0	3	4	4	5	6	21
MALE	12		0	•	_	_	_	_	_	_							
FEMALE	14	0	0	0	0	0	0	0	0	0	0	1	2	3	2	1	3
TOTALS	26	0	•	0	0	0	0	0	0	0	0	0	0	0	1	2	11
			0	0	0 / _	0 _	_ , 0	0	0	0	0	1	2	3	3	3	14
CHRONIC LIVER DISEASE AND MALE							,										
	35	0	0	0	0	0	0	0	4	9	4	3	6	4	4	1	0
FEMALE	17	0	Q	0	0	0	0	1	2	1	1	1	4	4	2	1	Ŏ
TOTALS	52	. 0	0_	0	0	0	0	1	6	10	5	4	10	8	6	2	ŏ
CHRONIC HEPATITIS AND BIL			.4,571	,												_	•
MALE	3	Ō	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	Ó	2	ŏ	ŏ	ò
TOTALS	5	0	0	0	0	0	0	0	0	1	0	1	Ö	2	ŏ	ŏ	i
															-	-	•

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

C.A	AUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	******* UNDER 1	***** 1-4	****** 5-9 10)-14 15	****** 5-19 20	******)-24 25	* AGE / 5-34 35	AT DEAT 5-44 45	ΓΗ(YRS. 5-54 55) **** 5-59 60	******)-64 65	****** 5-69 70	******)-74 75	***** 5-79 80	*****)-84	**** OVER 84
((CONT.)					σ.												
RH	HEUMATOID ARTHRITIS AND OT	THER INFLAM	MATORY F	POLYAF	RTHROPAT	HIES ((714)											
	MALE	3	0	0	0	0	o´	0	0	0	0	0	0	1	1	1	0	^
	FEMALE	11	0	0	0	ō	Ō	ō	ŏ	ŏ	4	ŏ	ŏ	ż	ò	3	ő	2
	TOTALS	14	0	0	0	0	0	Ö	Ó	Ŏ	4	ō	ŏ	3	1	4	ŏ	2
01	THER ARTHROPATHIES AND REL	ATED DISOR	DERS (7	10-712	2,715-71	9)				=		•	_	•		•	· ·	-
	MALE	3	0	0	0	0	0	0	0	0	1	. 0	0	0	1	0	1	0
	FEMALE	17	0	0	0	0	0	0	1	Ö	2	1	1	2	i	1	1	7
	TOTALS	20	0	0	0	0	0	0	1	Ó	3	1	1	2	2	i	ż	7
DC	DRSOPATHIES (720-724)				•			-				•		_	_	•	_	•
	MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	FEMALE	1	0	0	0	0	0	0	0	0	0	Ō	Ŏ	ō	ŏ	ŏ	ŏ	i
	TOTALS	2	0	0	0	0	0	. 0	0	0	0	0	Ó	ŏ	ŏ	ŏ	ŏ	ż
RH	HEUMATISM, EXCLUDING THE E	3ACK (725-7	729)											-	-	•	•	_
	MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	FEMALE	1	0	0	0	0	0	0	0	0	1	Ó	Ó	Ô	Ŏ	ŏ	ó	Ò
	TOTALS	3	0	0	0	0	0	0	0	0	1	0	Ó	Ô	Ŏ	ō	1	1
	STEOPATHIES, CHONDROPATHIE	ES AND ACQL	JIRED MUS	SCULOS	SKELETAL	. DEFÖF	RMITIES	5 (730·	-739)					-	•	•	•	
	MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0
	FEMALE	10	0	0	0	0	0	0	0	0	0	0	0	Ó	ō	1	ž	7
	TOTALS	13	0	0	0	0	0	0	0	0	0	Ö	Ŏ	1	ō	3	2	7
12 SF	PINA BIFIDA (741)														•	-	_	•
?7	MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	FEMALE	1	0	0	0	0	0	0	0	0	1	0	Ō	Ó	ŏ	ŏ	ŏ	ŏ
	TOTALS	2	0	0	0	0	0	0	0	0	1	0	0	1	ō	ŏ	ŏ	ŏ
	LL OTHER CONGENITAL ANOMAL	_IES OF NER	RVOUS SYS	STEM ((740,742	2)									_	_	•	•
	MALE	3	1	0	0	0	0	0	0	0	0	1	0	0	0.	0	1	0
	FEMALE	3	2	0	0	0	0	0	0	0	0	0	0	Ō	1	ō	Ö	ŏ
	TOTALS	6	3	0	0	0	0	0	0	0	0	1	0	ŏ	1	ō	1	ŏ
	ONGENITAL ANOMALIES OF HEA	ART (745-74	16)													•		~
	MALE	6	3	0	0	2	0	1	0	0	0	0	0	0	0	0	0	0
	FEMALE	3	1	0	0	0	0	0	1	0	0	0	0	Ó	Ö	Ö	1	ŏ
	TOTALS	9	4	0	0	2	0	1	1	0	0	0	0	Ŏ	ō	Ŏ	1	Õ
	THER CONGENITAL ANOMALIES	OF CIRCULA	TORY SYS	STEM ((747)									-	_	•	•	•
	FEMALE	2	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	TOTALS	.2	1	Ō	0	0	0	0	0	1	0	0	0	0	0	ō	Ŏ	ŏ
	LL OTHER CONGENITAL ANOMAL	_IES (743-7	744,748-	759)											-	_	-	-
	MALE	6	5	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	FEMALE	3	3	0	0	0	0	0	0	0	0	0	0	Ó	ō	ŏ	ŏ	ŏ
	TOTALS	9	8	0	0	0	0	0	0	0	0	0	1	ō	ŏ	ŏ	ŏ	õ
															-	-	•	•

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

	CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** UNDER 1				****** 5-19 20											**** OVER 84
	(CONT.)																	
	BIRTH TRAUMA (767)																	
	MALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	TOTALS	1	1	0	0	0	0	0	0	0	0	0	0	0	Ó	Ō	Ō	Ö
	INTRAUTERINE HYPOXIA, BIRTH	ASPHYXIA	AND RESP	IRATO	RY DIST	RESS	SYNDROM	E (768	3-769)									
	MALE	6	6	0	0	0	0	Ó	0	0	0	0	0	0	0	0	0	0
	FEMALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	TOTALS	8	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	OTHER CONDITIONS ORIGINATIN	IG IN THE P	ERINATAL	. PERI	OD (760	766,	770-779)										
	MALE	18	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	FEMALE	16	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	TOTALS	34	34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	SENILITY WITHOUT MENTION OF	PSYCHOSIS	(797)															
	MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	FEMALE	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13
	TOTALS	14	0	0	0_	_0	Ó	0	0	0	0	0	0	0	0	0	0	14
	SYMPTOMS, SIGNS AND OTHER I		CONDITI		780-796		-799)											
	MALE	38	4	0	Ō	0	o	0	1	3	1	4	2	5	2	3	4	9
	FEMALE	43	3	0	0	0	o	2	1	0	o .	1	0	3	2	9	7	15
	TOTALS	81	7	. 0	0	0	0	2	2	3	1	5	2	8	4	12	11	24
	MOTOR VEHICLE TRAFFIC ACCID				N MILH	ANOTE				811-E8	312 <u>)</u>	_			_		_	_
7	MALE	41	0	0	1	1	3	6	11	3	5	0	1	1	5	1	2	1
28	FEMALE	34 75	0	0	4 5	1	4	3	13	4 7	4	0	2 3	2	4	2	1	1
	TOTALS MOTOR VEHICLE TRAFFIC ACCID		VINC COL	0	-	DEDE	TRIAN (E814)	13	,	9	0	3	3	9	3	3	2
	MALE TRAFFIC ACCIL	18	VING CUL		O WILL	0	O O	0	3	4	4	4	4	1	4	3	0	•
	FEMALE	6	Ô	Ö	0	0	0	0	0	2	ó	Ó	Ó	0	1	0	2	0
	TOTALS	24	ŏ	1	Ô	ŏ	Ô	0	3	6	4	4	1	1	2	3	2	9
	MOTOR VEHICLE TRAFFIC ACCID		•	וזאַדר	•	•	•	_	_	(E813.	F815)	•	,	'	3	3	2	2
	MALE	14	0	0	0	1	4	1	4	3	0	0	0	0	0	0	0	4
	FEMALE	5	ŏ	ŏ	Õ	ò	1	ó	Ō	1	2	ŏ	ŏ	ŏ	ŏ	1	ŏ	ó
	TOTALS	19	ŏ	õ	ŏ	1	5	1	4	4	2	õ	Õ	õ	Ô	i	õ	1
	MOTOR VEHICLE TRAFFIC ACCID		พงกเจ้าหล	a căli	TSTON (ON HIG	SHWAY (F	816-E	818) -		_	•	·	•	Ū		J	•
	MALE	43	0	0	1	0	10	6	. é	4	7	1	0	2	1	2	0	1
	FEMALE	14	Ö	ō	Ó	ŏ	4	1	2	1	i	1	1	2	Ö	1	ŏ	ó
	TOTALS	57	ō	ō	Ĭ	ŏ	14	7	10	5	8	2	1	. 4	1	3	ō	1
	MOTOR VEHICLE TRAFFIC ACCID	ENTS OF UN	SPECĪFIE	ED NAT	TURE (E	819)			-					•	•	-	-	•
	MALE	7	0	0	1	Ó	0	2	2	0	0	0	1	0	1	0	0	0
	FEMALE	6	0	0	0	1	0	1	1	0	1	0	0	1	:1	0	0	Ō
	TOTALS	13	0	0	1	1	0	3	. 3	0	1	0	1	1	2	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

	CAUSE OF DEATH GROUN	PS TOTAL DEATHS	****** UNDER 1	***** 1-4	***** 5-9 10	******)-14 15	****** 5-19 20	***** 9-24 2!	* AGE 4 5-34 35	AT DEAT 5-44 45	H(YRS.) **** 5-59 60	******)-64 65	***** 5-69 7(******)-74 7	***** 5-79 80	*****)-84	**** OVER 84
	(CONT.)																	
	MOTOR VEHICLE NONTR	AFFIC ACCIDENTS (E820-E825	5)														
	MALE	8	0	1	0	0	0	0	3	3	0	0	0	0	0	0	0	4
	FEMALE	2	Ô	0	Õ	ō	ŏ	ō	1	1	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	Ö	ó
	TOTALS	10	Ō	Ť	ŏ	ŏ	ŏ	ŏ	4	4	ŏ	õ	õ	õ	ŏ	õ	Ö	Ų
	WATER TRANSPORT ACC	IDENTS (E830-E838)		•	•	•	•	•		•	•	U	U	U	U	U	•
	MALE	4	´ 0	0	0	. 0	0	1	2	1	0	0	0	0	0	0	0	0
	FEMALE	1	Õ	Ĭ	ŏ	ŏ	ŏ	Ö	ō	ó	ŏ	Õ	ŏ	ŏ	ŏ	õ	-	•
	TOTALS	5	Õ	1	Õ	Õ	Õ	1	2	1	Õ	õ	Õ	ŏ	Õ	Õ	0	0
	AIR AND SPACE TRANS	PORT ACCIDENTS (F	840-F845) ·	•	•	Ŭ	•	~	•	U	U	U	U	U	O	0	0
	MALE	3	040 1040	´ o	0	0	0	0	2	0	1	0	^	_	_	_	_	_
	FEMALE	ĭ	ŏ	õ	õ	ŏ	ŏ	ŏ	1	Ö	Ó	-	0	0	0	0	0	O
	TOTALS	į	Ŏ	Õ	Ô	ŏ	Ô	Ô	3	0	1	0	0	0	0	0	0	Ō
	ACCIDENTAL POISONING	G RV DDIIGS MEDIC	AMENTS AN			•	50-E858		3	O	1	O	0	0	0	0	0	0
	MALE	10	0	0	O	-3 (10.	0-500	· 0	^	_	^	_	_	_	_	_		
	FEMALE	3	ŏ	Ô	Õ	Õ	0	0	2 1	6 1	0	0	2	0	0	0	0	0
	TOTALS	13	ŏ	Õ	Õ	0	0	0	3	1 7	1	0	0	0	0	Ō	0	0
	ACCIDENTAL POISONING		•	•	TANCES	(E860-	•	O	3	/	1	0	2	0	0	0	0	0
	MALE	G BT OTHER SOLID	OK LIQUII	0 3063	O	(5860.	,	_		•	_	_		_				
	FEMALE	3	0	0	Ö	•	0	0	1	0	2	0	0	O	0	0	0	0
	TOTALS	1	Ŏ	0	0	0	0	0	o ·	0	0	0	0	0	0	0	0	1
	ACCIDENTAL POISONING	C BY CASES AND VA	0	0 67-E869	•	O	0	0	1	0	2	0	0	0	0	0	0	1
\overline{c}	FEMALE	G BY GASES AND VA	PURS (EB		- /	_		_	_	_	_	_						
9	TOTALS	1	Ů.	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
		1 0 MEDIOAL OADE A	0	0	0	0	1	0	0,	0	_ (0	0	0	Ο.	0	0	0	0
	MISADVENTURES DURING MALE	G MEDICAL CARE, A				ND LATE		ICATI		370-E87	9)							
	FEMALE	5	0	0	0	0	0	0	0	O _.	1	0	0	1	1	1	1	0
			Ö	0	0	0	0	1	0	1	0	0	0	1	0	2	1	1
	TOTALS	12		0	0	0	0	1	0	1	1	0	0	2	1	3	2	1
	FALL FROM ONE LEVEL		-E884)	_	_	_	_											
	MALE	15	1	0	O	0	0	0	0	1	4	0	1	0	1	4	3	0
	FEMALE	7	O	0	0	0	1	1	0	0	0	0	0	0	1	0	3	Ì
	TOTALS	22	1	0	0	0	1	1	0	1	4	0	1	0	2	4	6	1
	FALL ON SAME LEVEL	(E885-E886)																-
	MALE	1	0	0	0	0	0	0	0	.0	0	0	0	0	1	0	0	0
	FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	ŏ	ŏ	1
	TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	1	ō	ō	1
	FRACTURE, CAUSE UNS	PECIFIED, AND OTH	ER AND U	NSPECIF	FIIED F	FALLS ((E887-E	888)								-	•	•
	MALE	14	0	0	0	0	0	0	0	1	0	0	0	70	0	3	2	8
	FEMALE	30	0	0	0	0	0	0	0	0	0	0	1	ō	i	3	6	19
	TOTALS	44	0	0	0	0	0	0	0	1	0	0	1	ŏ	1	6	8	27
																	_	

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

CAUSE OF DEATH GROUPS AND SEX	TOTAL L DEATHS	******* JNDER 1 1	****** -4 5-		****** 15-19											**** OVER 84
(CONT.)																
ACCIDENTS CAUSED BY FIRE	E AND FLAMES (E	390-E899)													
MALE	11	2	1	1 0	0	0	1	0	3	0	1	1	0	1	0	0
FEMALE	5	0	1	0 0		1	1	0	1	0	0	1	0	0	0	0
TOTALS	16	ຸ2	2	1 0	0	1	2	0	4	0	1	2	0	1	0	0
ACCIDENTAL DROWNING AND		10)			_											
MALE	11	Ō	O .	1 1	1	0	4	1	1	1	0	0	1	0	0	0
FEMALE	. 3	0	0	1 0	0	0	1	1	o.	0	0	0	o .	0	0	0
TOTALS	14	0	0	2 1	1	. (504	2	2	1	1	0	0	1	0	0	0
INHALATION AND INGESTION					FOCATIO	N (E911	-E912)	^	4	4	0	0	_	•	0	_
MALE FEMALE	10 11	0	•	0 0	_	0	Ó	0	Ö	Ó	1	0	3 2	2 0	2	2 6
TOTALS	21	0	0	0 0	•	0	ų.	0	1	1	1	0	2 5	2	2	8
ACCIDENT CAUSED BY ALL					1-E922.	•	•	U	'	'	'	U	5	2	2	٥
MALE MALE	OTHER AND UNSPE	0		0 0		<i>∍)</i> :1	0	0	0.	0	0	0	0	0	0	0
TOTALS	i	ŏ	_	0 0	_	i	ŏ	Ô	0	Õ	ŏ	ŏ	Õ	ŏ	Ô	ŏ
ACCIDENT CAUSED BY EXPL	OSIVE MATERIAL	-	J	0	,	•	Ŭ	O	Ū	Ū	Ū	•	•	•	Ū	•
MALE	1	0	0	0 0) 0	0	`1	0	0	0	0	0	0	0	0	0
TOTALS	i	ŏ	ŏ	ŏ d	Ò	Ö	i	ō	ō	ō	ō	ō	ō	ō	ŏ	ō
ACCIDENT CAUSED BY HOT	SUBSTANCE OR OB-	JECT, CA	USTIC C	R CORRC	SIVE MA	TERIAL	(E924,E	926)	•	_	_		_	_	_	_
MALE	1	O,	0	0 0	· 0	0	` o ´	o´ .	0	0	0	0	1	0	0	Ο.
TOTALS	1	0	0	0 0) 0	0	0	0	0	0	0	0	1	0	0	0
S ALL OTHER ACCIDENTS (E9	OO-E906, E908-E90	09,E913-	E921,E9	927-E929	9)											
MALE	31	1	0	0 1	2	0	2	5	5	1	2	2	2	4	3	1
FEMALE	15	1	0	0 0	, ,	0	1	1	0	0	1	4	0	2	0	4
TOTALS	46	2	0	0 1	1 3	0	3	6	5	1 .	3	6	2	6	3	5
DRUGS, MEDICAMENTS AND	BIOLOGICAL SUBS						HERAPEUT	TIC USE	\ -)-E949)			_		_	
MALE	1	0	0	0 (0	0	1	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0 0	,	0	0	0	0	0	0	0	0	0	0	1
TOTALS	2	0	0 (5050	0 5050) 0	0	0	1	0	0	0	0	0	0	0	1
SUICIDE BY DRUGS, MEDIC	AMENIS, AND BIU	LUGICALS	, (E950.	O-E950.	. 5)) ()	0		2	4	0	0	0	0	0	0	0
MALE FEMALE	4 7	0	0	0 (•	2	3	1	0	0	0	0	0	0	0
TOTALS	11	ŏ	Õ	0 0	-	4	3	5	2	Õ	ŏ	Õ	ŏ	Õ	Õ	Õ
SUICIDE BY OTHER SOLID		•	950.6-E	•	, ,	•	0	5	2	U	U	U	U	O	U	U
MALE	2	0	0	0 (0	0	0	0	0	0	1	0	0	1	0	0
TOTALS	2	ŏ	ŏ	•	o o	ŏ	ŏ	ŏ	ŏ	ŏ	i	ŏ	ŏ	i	ŏ	ŏ
SUICIDE BY GASES AND VA	PORS (E951-E952)	-	-	_	3	-	-	-	-	-	=	-	•	-	-
MALE	14	Ó O	0	0 (0	1	7	0	2	1	2	0	0	1	0	0
FEMALE	4	0	0	0 (0 0	0	1	1	1	0	0	0	0	0	1	0
TOTALS	18	0	0	0 (0	1	8	1	3	1	2	0	0	1	1	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1994 (RESIDENT DATA)

•	AUCE OF DE	ATU ORGURA		*****	*****	*****	****	*****	*****	* AGE	AT DEAT	H(YRS.	.) ***	*****	*****	*****	*****	*****	****
C,	AND AND	EATH GROUPS SEX	TOTAL DEATHS	UNOER 1	1-4	5-9 10	0-14	15-19 2	0-24 2	5-34 3!	5-44 45	5-54 55	5-59 60	0-64 6	5-69 7	0-74 7	5-79 8	0-84	OVER 84
	(CONT.)																		
S	JICIDE BY	HANGING, STRANG	GULATION, AND	SUFFO	CATION	(E953)												
	MALE	•	21	0	0	0	o (3	2	6	3	1	2	0	0	2	2	0	^
	FEMALE		2	0.	0	0	0	0	0	0	Ō	Ó	1	ŏ	ŏ	ī	ō	ő	ŏ
	TOTALS		23	0	0	0	0	3	2	6	3	1	3	ŏ	õ	3	2	õ	ŏ
SI	JICIDE BY	HANDGUN (E955.0	o)										-	•	•	•	_	J	U
	MALE		19	0	0	0	0	1	1	1	1	3	5	1	2	0	3	0	1
	FEMALE		4	0	0	0	0	1	1	0	0	1	0	Ó	ō	ĭ	ŏ	ŏ	Ċ
	TOTALS		23	0	0	0	0	2	2	1	1	4	5	1	2	1	3	ŏ	1
SI		ALL OTHER AND U		FIREARM	S (E95	5.1-E9	55.4)											•	•
	MALE		64	0	0	0	0	3	7	11	8	6	3	4	6	8	3	5	0
	FEMALE		_9	0	0	0	0	2	2	1	1	1	2	0	0	0	0	0	ŏ
_	TOTALS		73	0	O	0	0	5	9	12	9	7	5	4	6	8	3	5	Ö
51		ALL OTHER MEANS		.5-E959	•	_	_	_	_	_	_								
	MALE FEMALE		10	0	0	o	0	0	0	0	5	2	0	1	1	0	1	0	0
	TOTALS		6 16	0	0	0	0	0	0	0	3	0	1	1	0	0	0	0	1
٨		HANDGUN (E965.0		U	O	0	O	O	0	0	8	2	1	2	1	0	1	0	1
~	FEMALE	TIANDGON (E965.)	3	0	0	0	0		0	^			_	_	_	_			
	TOTALS	-	3	Õ	õ	ŏ	õ	i	Ö	0	1	1	0	0	0	0	0	0	0
Δ		ALL OTHER AND U						1	O	U	1	1	0	0	0	0	0	0	0
	MALE	ALE OTTIEN AND	13	0	3 (230	1	1	2	1	2	3	1	1	_	^	,	•	_	_
ū	FEMALE		4	õ	. 0	i	ò	ō	ó	0	0	2	Ö	0	0	1 0	0	0	0
	TOTALS		17	ŏ	ŏ	ż	1	2	1	2	3	3	1	Ö	0	1	1	0	0
A	SSAULT BY	CUTTING AND PIE	ERCING INSTR	JMENT (E966)	_	•	_		_	Ū	•	•	U	U	'	'	O	0
	MALE		. 2	0 `	o o	0	0	0	0	1	1	0	0	0	0	0	0	0	^
	FEMALE		1	0	Ö	Ô	ō	Ö	ŏ	i	ò	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	0	0
	TOTALS		3	0	0	Ō	Ō	Ō	ō	2	1	ŏ	ŏ	ŏ	ŏ	ŏ	õ	Ô	0
Α'	SSAULT BY	ALL OTHER MEANS	S (E960-E964	, E965.5	-E965.	9,E967	-E969))				-	•	•	•	·	•	U	U
	MALE		1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	FEMALE		7	0	2	0	0	0	1	2	1	0	0	Ō	ŏ	í	ŏ	ŏ	ŏ
	TOTALS		. 8	0	3	0	0	0	1	2	1	0	Ō	ŏ	ŏ	1	ŏ	ŏ	õ
0		. INTERVENTION ((E970-E977)												_	-	•	•	•
	MALE		1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	TOTALS			0	0	0	0	0	0	0	0	1	0	0	. 0	0	Ó	Ō	Ŏ
11		ICTED FROM POIS	SONING BY DRU	- ,				_OGICAL	•	0.0-E9	80.5)								_
	MALE		1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	FEMALE		1	0	0	0	0	0	0	0	O	0	0	1	0	0	0	0	ō
	TOTALS	TOTED BY ALL ST	2	0	0	- 0	0,0	0	0	0	1	0	0	1	0	0	0	Ó	Ō
11	NOURY INFL MALE	ICTED BY ALL O	•				/	_				_	_						
	FEMALE		3	0	0	0	0	0	Ŏ	2	1	0	o.	0	Ō	0	0	0	0
	TOTALS		1	0	0	0	0	0	0	0	9	0	1	0	0	0	0	0	0
	·OIALS		4	U	U	U	U	U	U	2	1	0	1	0	0	0	0	0	0

NDTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.
CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1994 (RESIDENT DATA)

							*****									*****	
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 84
(CONT.)																	
STATE																	
MALE	5,662	55	9	10	9	35	38	129	208	368	295	441	641	761	869	817	977
FEMALE	5,934	33	5	8	4	22	18	58	116	220	164	266	453	665	715	977	2,210
TOTALS	11,596	88	14	18	13	57	56	187	324	588	459	707	1,094	1,426	1,584	1,794	3,187
PERCENT DISTRIBUTION																	
MALE	100.00	0.97	0.16	0.18	0.16	0.62	0.67	2.28	3.67	6.50	5.21	7.79	11.32	13.44	15.35	14.43	17.26
FEMALE	100.00	0.56	0.08	0.13	0.07	0.37	0.30	0.98	1.95	3.71	2.76	4.48	7.63	11.21	12.05	16.46	37.24
TOTALS	100.00	0.76	0.12	0.16	0.11	0.49	0.48	1.61	2.79	5.07	3.96	6.10	9.43	12.30	13.66	15.47	27.48

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

DAGE282

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS MAINE STATE TOTALS, 1994 (RESIDENT DATA)

CAUSE OF DEATH SHIGELLOSIS & AMEBIASIS (004,006) OTHER INTESTINAL INFECTIONS (007-0 TUBERCULOSIS OF RESP. SYSTEM (010-0 OTHER TUBERCULOSIS (013-018) WHOOPING COUGH (033) STREP., SCARLATINA & ERYSIPELAS (0 MENINGOCOCCAL INFECTION (036) SEPTICEMIA (038) ACUTE POLIOMYELITIS (045) MEASLES (055) VIRAL HEPATITIS (070) SYPHILIS (090-097) ALL OTHER INFECT. & PARASITIC DIS. MAL. NEO. LIP, ORAL CAV., PHARYNX MAL. NEO. DIGESTIVE & PERITONEUM ORAL. NEO. BREAST (174-175) MAL. NEO. BREAST (174-175) MAL. NEO. GENITAL ORGANS (179-187) MAL. NEO. GENITAL ORGANS (179-187) MAL. NEO. ALL OTHER & UNSPEC. (170 LEUKEMIA (204-208) OTHER MAL. NEO. LYMPH & HEMO. TISS BENIGN NEO., NEO. UNCERT. & UNSPEC. 133 NUTRITIONAL DEFICIENCIES (260-269) ANEMIAS (280-285) MENINGITIS (320-322) RHEUM. FEVER & RHEUM. HEART DIS. (4 ACUTE MYOCARDIAL INFARCTION (410) OTHER ACUTE & SUBACUTE I.H.D. (411 ANGINA PECTORIS (413) ALL OTHER FORMS OF CHRONIC I.H.D. OTHER DISEASES OF ENDOCARDIUM (424 ALL OTHER FORMS OF HEART DISEASE (442) HYPERTENSION W/WO RENAL DISEASE (442) HYPERTENSION W/WO RENAL DISEASE (442)		MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
SHIGELLOSIS & AMEBIASIS (004.006)		0	1	0.000
OTHER INTESTINAL INFECTIONS (007-0	009)	4	Ŕ	2.000
TUBERCULOSIS OF RESP. SYSTEM (010-	012)	ż	3	1.500
OTHER TUBERCULOSIS (013-018)		$\bar{2}$	รั	2.500
WHOOPING COUGH (033)		Ō	Õ	0.000
STREP SCARLATINA & ERYSIPELAS (C	34-035)	1	š	3.000
MENINGOCOCCAL INFECTION (036)	, , , , , , , , , , , , , , , , , , , ,	1	1 8 3 5 0 3 1 378	1.000
SEPTICEMIA (038)		92	378	4.108
ACUTE POLIOMYELITIS (045)		0	0,0	0.000
MEASLES (055)		ŏ	ŏ	0.000
VIRAL HEPATITIS (070)		รั	ă	1.800
SYPHILIS (090-097)		Õ	ž	0.000
ALL OTHER INFECT. & PARASITIC DIS.	(RESTOUAL)	111	378 0 0 9 2 152 54 783 935 270 417 171 591 112 212 74	1.369
MAL. NEO. LIP. ORAL CAV PHARYNX	(140-149)	45	54	1.369
MAL. NEO. DIGESTIVE & PERITONEUM O	PRG. (150-159)	678	783	1.154
MAL. NEO. RESPIRATORY & THORACIC O	RG. (160-165)	865	935	1.080
MAL. NEO. BREAST (174-175)		220	270	1.227
MAL. NEO. GENITAL ORGANS (179-187)	i	324	417	1.227
MAL. NEO. URINARY ORGANS (188-189)	· 	143	171	1.195
MAL. NEO. ALL OTHER & UNSPEC. (170)-173. 190-199)	402	591	1.195
LEUKEMIA (204-208)		93	112	1.204
OTHER MAL. NEO. LYMPH & HEMO. TISS	SUE (200-203)	177	212	1.197
BENIGN NEO., NEO. UNCERT. & UNSPEC	c. (210-239)	44	74	1.681
→ DIABETES MELLITUS (250)	,	317	972	3.066
ω NUTRITIONAL DEFICIENCIES (260-269)		28	208	7.428
ANEMIAS (280-285)		22	221	10.045
MENINGITIS (320-322)		4	13	3.250
RHEUM. FEVER & RHEUM. HEART DIS. (390-398)	23	13 41 141 15 1,358	1.782
HYPERTENSIVE HEART DISEASE (402)		60	141	2.350
HYPERTENSIVE HEART & RENAL DIS. (4	104)	12	15	1.250
ACUTE MYOCARDIAL INFARCTION (410)	• •	1.156	1,358	1.174
OTHER ACUTE & SUBACUTE I.H.D. (411	1)	2	9	
ANGINA PECTORIS (413)	•	5	58	11.600
ALL OTHER FORMS OF CHRONIC I.H.D.	(412, 414)	1,247	2.315	1.856
OTHER DISEASES OF ENDOCARDIUM (424	1)	96	225	2.343
ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429)	959	9 58 2,315 225 3,741 729 127	3.900
HYPERTENSION W/WO RENAL DISEASE (4	101, 403)	53	729	13.754
INTRACEREBRAL HEMORRHAGE (431-432)		88	127	1.443
OTHER ACUTE & SUBACUTE I.H.D. (411 ANGINA PECTORIS (413) ALL OTHER FORMS OF CHRONIC I.H.D. OTHER DISEASES OF ENDOCARDIUM (424 ALL OTHER FORMS OF HEART DISEASE (HYPERTENSION W/WO RENAL DISEASE (4 INTRACEREBRAL HEMORRHAGE (431-432) CEREB. THROM. & UNSPEC. OCCLUSION	(434.0, 434.9)	71	113	1.591

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

* SEE THE NOTES AT THE END OF THIS TABLE.

DEARAT

UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS MAINE STATE TOTALS, 1994 (RESIDENT DATA)

	CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	
	CEREBRAL EMBOLISM (434.1) ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438) ATHEROSCLEROSIS (440)	6	18	3.000
	ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438)	594	1,165	1.961
	ATHEROSCLEROSIS (440)	102	397	3.892
	ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438) ATHEROSCLEROSIS (440) OTHER DIS. ARTERIES & CAPIL. (441-448) ACUTE BRONCHITIS & BRONCHIOLITIS (466) PNEUMONIA (480-486) INFLUENZA (487) BRONCHITIS CHRONIC & UNSPEC. (490-491) EMPHYSEMA (492) ASTHMA (493) OTHER CHRONIC OBSTR. PUL. DIS. (494-496) ULCER OF STOMACH & DUODENUM (531-533) APPENDICITIS (540-543) HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560) CHRONIC LIVER DISEASE & CIRRHOSIS (571) CHOLELITHIASIS & GALLBLAD. DIS. (574-575) ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581) CHRON. GLOMERUL. & RENAL SCLEO. UNSPEC. (582-583, 587) RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589) INFECTIONS OF KIDNEY (590) HYPERPLASIA OF PROSTATE ALL (600) PREGNANCY WITH ABORTIVE OUTCOME (630-638) OTHER COMPLICATIONS OF PREG. (640-676) CONGENITAL ANOMALIES (740-759) BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769) OTHER COND. IN PERINATAL PERIOD (760-766, 770-779) SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799) ALL OTHER DISEASES (RESIDUAL) MOTOR VEHICLE ACCIDENTS (E810-E825) OTHER ACCIDENTS & ADV. FEEETCS (E800-E807, E826-E948)	183	341	1.863
	ACUTE BRONCHITIS & BRONCHIOLITIS (466)	3	10	3.333
	PNEUMONIA (480-486)	350	956	2.731
	INFLUENZA (487)	5	11	2.200
	BRONCHITIS CHRONIC & UNSPEC. (490-491)	19	57	3.000
	EMPHYSEMA (492)	81	149	1.839
	ASTHMA (493)	21	60	2.857
	OTHER CHRONIC OBSTR. PUL. DIS. (494-496)	507	1,253	2.471
	ULCER OF STOMACH & DUODENUM (531-533)	28	75	2.678
	APPENDICITIS (540-543)	2	3	. 1.500
	HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560)	36	. 111	3.083
	CHRONIC LIVER DISEASE & CIRRHOSIS (571)	120	178	1.483
	CHOLELITHIASIS & GALLBLAD. DIS. (574-575)	22	47	2.136
	ACUTE GLOMERUL. & NEPHROTIC SYN. (580-581)	2	7	3.500
	CHRON. GLOMERUL. & RENAL SCLEO. UNSPEC. (582-583, 587)	6	23	3.833
	RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589)	104	597	5.740
	INFECTIONS OF KIDNEY (590)	4 :	10	2.500
	HYPERPLASIA OF PROSTATE ALL (600)	1	16	16.000
	PREGNANCY WITH ABORTIVE OUTCOME (630-638)	0	0	0.000
	OTHER COMPLICATIONS OF PREG. (640-676)	0	0	0.000
_	CONGENITAL ANOMALIES (740-759)	28	55	1.964
ĆΛ	BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769)	9	21	2.333
4	OTHER COND. IN PERINATAL PERIOD (760-766, 770-779)	34	55	1.617
	SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799)	95	1,989	20.936
	ALL OTHER DISEASES (RESIDUAL)	1,271	3,735	2.938
	MOTOR VEHICLE ACCIDENTS (E810-E825)	198	199	1.005
	OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949)	209	556	2.660
	SUICIDE (E950-E959)	166	168	1.012
	HOMICIDE & LEGAL INTERVENTION (E960-E978)	32	33	1.031
	ALL OTHER EXTERNAL CAUSES (E980-E999)	6	6	1.000
	TOTAL FOR ALL CAUSES	11,596	26,768	2.308

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

* FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS. IN ADDITION CERTAIN CAUSES ARE NEVER CLASSIFIABLE AS UNDERLYING. MENTIONS OF THESE CAUSES ARE NOT INCLUDED IN THIS TABLE. MENTIONS OF CAUSES NOT CLASSIFIABLE AS UNDERLYING ARE AS FOLLOWS:

NATURE OF INJURY MENTIONS: 1211; SECONDARY NEOPLASM MENTIONS 356 SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEARAT

DEATHS - TOTAL AND PERCENT BY SITE OF DEATH MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

		******	******	***** PERC	ENT OF TOTAL D	DEATHS BY SITE O)F DEATH *****	*****	*****	*****
COUNTY	TOTAL DEATHS	MAINE HOSPITAL	OUT OF STATE HOSPITAL	EN ROUTE TO HOSPITAL	SKILLED NURSING CARE	INTERMEDIATE CARE FACILITY	STATE PENAL INSTITUTIONS	OUT PATIENT FACILITY	AT HOME	OTHER PLACES
ANDROSCO	GGIN 1,002	43.91	1.00	0.40	0.10	34.23	0.00	0.00	18.36	2.00
AROOSTO0	< 777	49.94	1.03	0.90	0.26	25.74	0.00	0.00	19.82	2.32
CUMBERLA	ND 2,204	45.05	0.77	0.86	0.05	29.45	0.00	0.00	22.19	1.63
FRANKLIN	282	39.01	1.06	1.77	0.00	28.01	0.00	0.00	26.95	3.19
HANCOCK	513	45.81	1.17	1.17	0.00	28.27	0.00	0.00	21.44	2.14
KENNEBEC	1,083	42.38	1.11	1.39	0.00	30.47	0.00	0.00	21.79	2.86
KNOX	391	43.48	0.26	1.53	0.26	31.20	0.00	0.00	20.72	2.56
LINCOLN	. 313	34.50	1.92	0.64	0.00	30.35	0.00	0.00	29.71	2.88
OXFORD	576	43.92	2.08	1.74	0.17	27.95	0.00	0.00	21.35	2.78
PENOBSCO	T 1,324	48.94	1.13	1.06	0.00	23.64	0.00	0.08	23.72	1.44
PISCATAQ	UIS 220	53.64	0.91	0.91	0.00	24.55	0.00	0.00	19.55	0.45
ე SAGADAHO	C 239	44.77	0.84	1.67	0.00	22.59	0.00	0.00	27.20	2.93
л SOMERSET	495	49.09	0.20	2.02	0.20	25.66	0.00	0.00	19.80	3.03
WALDO	321	48.91	0.00	0.93	0.00	23.99	0.00	0.00	23.68	2.49
WASHINGT	ON 387	55.56	1.55	1.03	0.00	21.19	0.00	0.00	16.80	3.88
YORK	1,469	45.61	8.37	1.23	0.07	21.72	0.00	0.00	21.10	1.91
STATE	TOTALS 11,596	45.83	1.93	1.11	0.07	27.16	0.00	0.01	21.71	2.18

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DPLARES

DEATHS IN HOSPITALS - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

	COUNTY	TOTAL DEATHS IN HOSPITALS	**************************************	******** PE CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE MYOCARDIAL INFARCTION	AL DEATHS OCCUP CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE	CEREBRAL	PNEUMONIA	******** * ACCID MOTOR VEHICLE (E810- E825)	ENTS * OTHER
	ANDROSCOGGIN	454	7.93	8.59	10.13	14.10	0.66	1.10	3.74	2.20	1.10
	AROOSTOOK	405	4.94	8.64	15.06	13.09	1.98	0.49	1.48	1.98	0.99
	CUMBERLAND	1,031	5.14	6.69	12.80	10.67	1.16	0.78	3.20	1.75	2.62
	FRANKLIN	118	4.24	2.54	19.49	9.32	0.85	0.00	5.93	2.54	0.85
	HANCOCK	247	7.29	10.12	10.12	11.34	2.43	1.62	3.24	1.62	1.62
	KENNEBEC	486	4.73	6.79	14.20	10.49	1.65	0.82	3.91	2.06	2.47
	KNOX	177	6.78	7.34	12.43	7.34	2.26	0.00	4.52	0.00	2.26
	LINCOLN	116	4.31	5.17	13.79	6.03	0.86	3.45	4.31	3.45	0.86
	OXFORD	276	5.43	6.52	14.86	10.87	1.45	0.36	1.81	1.45	1.81
	PENOBSCOT	679	5.01	7.95	13.55	7.66	1.91	0.29	2.65	1.77	1.91
36	PISCATAQUIS	122	4.10	7.38	9.02	9.84	0.82	0.00	2.46	0.82	1.64
	SAGADAHOC	113	2.65	9.73	11.50	6.19	0.00	0.00	4.42	0.00	1.77
	SOMERSET	254	6.69	9.06	11.42	11.42	1.18	0.39	1.18	1.97	2.36
	WALDO	160	4.38	10.00	14.38	7.50	2.50	0.00	2.50	3.75	0.63
	WASHINGTON	226	5.75	7.52	15.49	7.52	2.65	0.88	3.54	2.21	2.21
	YORK	811	5.43	8.01	13.07	10.73	0.86	0.37	2.59	1.36	2.59
	STATE TOTALS	5,675	5.46	7.68	13.11	10.27	1.43	0.63	3.00	1.78	1.99

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

DCAUHOS

TABLE D-7 DEATHS IN INTERMEDIATE CARE FACILITIES - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

	COUNTY	TOTAL DEATHS IN ICF	**************************************	* PERCENT OF CANCER OF RESPIRATORY SYSTEM (160-165)	ACUTE	OCCURRING IN CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE		PNEUMONIA	******** * ACCID MOTOR VEHICLE (E810- E825)	ENTS * OTHER
	ANDROSCOGGIN	328	4.57	4.57	3.05	12.80	0.30	2.13	7.62	0.00	1.22
	AROOSTOOK	185	3.78	2.70	3.24	17.30	0.00	1.08	2.16	0.00	0.00
	CUMBERLAND	550	4.36	3.64	4.73	12.55	0.00	0.73	4.73	0.00	0.91
	FRANKLIN	76	3.95	3.95	3.95	9.21	0.00	0.00	5.26	0.00	0.00
	HANCOCK	135	2.96	3.70	3.70	4.44	0.74	2.96	9.63	0.00	0.74
	KENNEBEC	313	1.92	6.39	7.35	9.27	0.00	0.96	5.11	0.00	0.64
	KNOX	101	2.97	6.93	0.00	8.91	0.00	0.99	0.99	0.00	0.99
	LINCOLN	92	3.26	4.35	0.00	11.96	0.00	1.09	3.26	0.00	2.17
	OXFORD	149	6.04	3.36	6.04	8.72	0.67	0.67	3.36	0.67	0.00
	PENOBSCOT	265	3.02	3.77	6.04	9.43	0.00	0.38	8.30	0.00	1.51
137	PISCATAQUIS	46	2.17	0.00	2.17	10.87	0.00	0.00	8.70	0.00	0.00
	SAGADAHOC	43	0.00	6.98	4.65	11.63	0.00	2.33	0.00	0.00	0.00
	SOMERSET	112	2.68	3.57	2.68	16.07	0.00	0.00	2.68	0.00	0.89
	WALDO	66	10.61	1.52	1.52	3.03	0.00	0.00	0.00	0.00	1.52
	WASHINGTON	71	2.82	4.23	8.45	7.04	0.00	0.00	7.04	0.00	1.41
	YORK	286	3.50	5.59	8.04	17.13	0.35	0.70	3.85	0.00	0.70
	STATE TOTALS	2,818	3.73	4.29	4.76	11.60	0.14	0.96	5.04	0.04	0.85

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

DCAUICF

DEATHS AT HOME - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS MAINE COUNTIES AND STATE TOTALS, 1994 (RESIDENT DATA)

	COUNTY	TOTAL DEATHS AT HOME	**************************************	************* CANCER OF RESPIRATORY SYSTEM (160-165)	PERCENT OF ACUTE MYOCARDIAL INFARCTION (410)	TOTAL DEATHS OF CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE	HOME ***** CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA	******** * ACCID MOTOR VEHICLE (E810- E825)	ENTS * OTHER
	ANDROSCOGGIN	184	8.15	7.07	12.50	12.50	0.00	0.00	0.00	0.54	0.54
	AROOSTOOK	152	16.45	9.21	7.24	14.47	0.00	0.00	0.00	0.00	1.32
	CUMBERLAND	488	9.43	12.91	5.33	14.14	0.20	0.20	0.82	0.00	1.43
	FRANKLIN	75	10.67	14.67	13.33	8.00	0.00	0.00	0.00	0.00	6.67
	HANCOCK	110	9.09	12.73	16.36	7.27	0.00	0.00	2.73	0.00	1.82
	KENNEBEC	234	9.83	14.96	11.97	9.40	0.00	0.43	0.00	0.43	1.28
	KNOX	81	7.41	8.64	6.17	22.22	0.00	0.00	1.23	0.00	1.23
	LINCOLN	93	8.60	12.90	4.30	12.90	0.00	1.08	0.00	0.00	0.00
	OXFORD	122	4.10	9.84	14.75	15.57	0.00	0.00	0.00	1.64	3.28
	PENOBSCOT	313	12.14	10.86	11.50	8.63	0.00	0.00	1.60	0.00	1.60
138	PISCATAQUIS	43	9.30	6.98	4.65	11.63	0.00	0.00	0.00	0.00	0.00
ω	SAGADAHOC	63	11.11	7.94	9.52	1.59	0.00	0.00	0.00	0.00	1.59
	SOMERSET	98	8.16	12.24	15.31	10.20	0.00	0.00	1.02	0.00	1.02
	WALDO	77	7.79	7.79	16.88	11.69	0.00	0.00	1.30	0.00	0.00
	WASHINGTON	63	7.94	14.29	15.87	12.70	0.00	0.00	0.00	0.00	3.17
	YORK	307	9.45	12.38	7.49	10.75	0.00	0.33	1.63	0.33	1.63
	STATE TOTALS	2,503	9.71	11.51	9.91	11.67	0.04	0.16	0.80	0.20	1.56

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

DCAUHOM

DEATHS BY SEX, AGE, AND OCCUPATION MAINE STATE TOTALS, 1994 (RESIDENT DATA)

		*****	******	******	*******	*** OCCUPAT	ION *****	******	******	*****	******
SEX AND AGE	TOTAL DEATHS	MANAGE- RIAL, PROFES- SIONAL	TECHNICAL, SALES, ADMINIS- TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC- TION, REPAIR, CRAFT	OPER- ATORS, FABRI- CATORS, LABORERS	TRANSPOR- TATION	HOME - MAKER	STUDENT	OTHER AND NOT REPORTED
MALE											
LESS THAN 15	83	0	0	0 -	Ο.	0	0	0	0	17	66
15-19	35	0	1	2	2 ·	2	2	0	0	25	1
20-24	38	0	5	1	2	2	10	2	0	6	10
25-29	54	3	8	5	5	12	13	2	0	1	5
30-34	75	10	10	17	6	7	20	2	0	0	3
35-39	90	11	11	. 11	4	18	21	3	0	1	10
40-44	118	21	19	5	5	20	22	8	0	0	18
45-49	167	32	24	11	12	34	23	13	1	1	16
50-54	201	41	27	19	11	48	33	12	0	0	10
55-59	295	55	42	17	24	71	49	15	0	0	22
60-64	441	86	70	21	32	99	72	23	3	0	35
65-69	641	115	78	46	36	146	135	45	2	0	38
70-74	761	124	112	48	75	181	125	53	1	0	42
75-79	869	164	124	51	79	212	159	45	1	0	34
80-84	817	180	111	39	88	198	140	38	1	0	22
85-89	610	119	82	30	86	157	94	25	2	0	15
90-94	267	76	38	12	42	55	31	10	0	0	3
GREATER THAN 94	100	21	19	2	16	28	. 6	4	Ö	Ó	4
C UNKNOWN	Ō	0	0	0	0	0	0	0	0	Ó	0
STATE TOTALS	5,662	1,058	781	337	525	1,290	955	300	11	51	354
PERCENT DISTRIBUTION	100.00	18.69	13.79	5.95	9.27	22.78	16.87	5.30	0.19	0.90	6.25

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DEASAO

DEATHS BY SEX, AGE, AND OCCUPATION MAINE STATE TOTALS, 1994 (RESIDENT DATA)

			******	******	******	*******	*** OCCUPAT	ION *****	******	******	******	*****
•	SEX AND AGE	TOTAL DEATHS	MANAGE- RIAL, PROFES- SIONAL	TECHNICAL, SALES, ADMINIS- TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC- TION, REPAIR, CRAFT	OPER- ATORS, FABRI- CATORS, LABORERS	TRANSPOR- TATION	HOME- MAKER	STUDENT	OTHER AND NOT REPORTED
	FEMALE							•				
	LESS THAN 15	50	0	0	0	0	0	0	0	0	13	37
	15-19	22	0	0	2	0	0	0	0	1	17	2
	20-24	18	1	3	3	0	1	3	0	4	2	1
	25-29	12	1	5	3	0	1	0	0	1	0	1
	30-34	46	6	13	9	0	2	4	0	9	0	3
	35-39	42	6	9	4	1	1	5	2	12	0	2
	40-44	74	19	18	10	1	1	9	0	12	0	4
	45-49	96	19	21	18	0	1	4	0	26	0	7
	50-54	124	17	34	26	0	3	13	0	26	0	5
	55-59	164	28	38	23	0	5	12	3	51	0	4
	60-64	266	43	51	43	2	8	25	0	85	0	9
	65-69	453	48	89	55	2	12	67	2	162	0	16
	70-74	665	93	123	79	6	16	97	0	237	0	14
	75-79	715	109	116	73	6	11	118	3	268	0	11
	80-84	977	160	168	99	6	17	135	0	382	0	10
	85-89	1,024	188	162	98	3	21	133	1	397	1	20
	90-94	718	129	112	62	2	14	72	1	317	0	9
	GREATER THAN 94	468	80	53	34	4	11	48	0	232	Ö	6
	UNKNOWN	Ō	Ō	0	0	0	0	0	Ō	0	Ō	Ö
40	STATE TOTALS	5,934	947	1,015	641	33	125	745	12	2,222	33	161
$\overline{}$	PERCENT DISTRIBUTION	100.00	15.96	17.10	10.80	0.56	2.11	12.55	0.20	37.45	0.56	2.71

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DEASA0

DEATHS BY SEX, AGE, AND OCCUPATION MAINE STATE TOTALS, 1994 (RESIDENT DATA)

SEX AND AGE	TOTAL DEATHS	MANAGE- RIAL, PROFES- SIONAL	TECHNICAL, SALES, ADMINIS- TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC- TION, REPAIR, CRAFT	OPER- ATORS, FABRI- CATORS, LABORERS	TRANSPOR- TATION	HOME- MAKER	STUDENT	OTHER AND NOT REPORTED
						ONA! !	LABORERS				
BOTH SEXES											
LESS THAN 15	133	0	0	0	0	0	0	0	0	30	103
15-19	57	0	1	4	2	2	2	0	1	42	3
20-24	56	1	8	4	2	3	13	2	4	8	11
25-29	66	4	13	8	5	13	13	2	1	1	6
30-34	121	16	23	26	6	9	24	2	9	0	6
35-39	132	17	20	15	5	19	26	5	12	1	12
40-44	192	40	37	15	6	21	31	8	12	0	22
45-49	263	51	45	29	12	35	27	13	27	1	23
50-54	325	58	61	45	11	51	46	12	26	0	15
55-59	459	83	80	40	24	76	61	18	51	Ō	26
60-64	707	129	121	64	34	107	97	23	88	0	44
65-69	1,094	163	167	101	38	158	202	47	164	0	54
70-74	1,426	217	235	127	81	197	222	53	238	Ō	56
75-79	1,584	273	240	124	85	223	277	48	269	0	45
80-84	1,794	340	279	138	94	215	275	38 -	383	0	32
85-89	1,634	307	244	128	89	178	227	26	399	1	35
90-94	985	205	150	74	44	69	103	11	317	0	12
GREATER THAN 94	568	101	72	36	20	39	54	4	232	0	10
→ NNKNOMN	0	0	0	0	0	0	0	0 -	0	0	0
STATE TOTALS	11,596	2,005	1,796	978	558	1,415	1,700	312	2,233	84	515
PERCENT DISTRIBUTION	100.00	17.29	15.49	8.43	4.81	12.20	14.66	2.69	19.26	0.72	4.44

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DEASAO

TABLE D-10 ACQUIRED IMMUNE DEFICIENCY SYNDROME RELATED DEATHS BY STATUS OF MENTION MAINE STATE TOTALS, 1994 (RESIDENT DATA)

	SEX AND AGE	TOTAL MENTIONS (042.0-044.9,795.8)	TOTAL AIDS MENTIONS (042.0-044.9)	UNDERLYING AIDS MENTIONS (042.0-044.9)	NON-UNDERLYING AIDS MENTIONS (042.0-044.9)	SERO-POSITIVE MENTIONS (795.8)
•	LESS THAN 20 20-24 25-34 35-44 45-54 55-64 GREATER THAN 64 UNKNOWN STATE TOTALS	0 0 17 33 17 5 1 0 73	0 0 17 33 17 5 0 0	0 0 17 31 12 4 0 0	0 0 0 2 5 1 0 0	0 0 0 0 0 0 1
	FEMALE		·			
	LESS THAN 20 20-24 25-34 35-44 45-54 55-64 GREATER THAN 64 UNKNOWN STATE TOTALS	0 1 5 3 2 0 0 0	0 1 5 3 2 0 0 0	0 1 4 3 1 0 0 0	0 0 1 0 1 0 0	0 0 0 0 0 0
14	BOTH SEXES					
2	LESS THAN 20 20-24 25-34 35-44 45-54 55-64 GREATER THAN 64 UNKNOWN STATE TOTALS	O 1 22 36 19 5 1 O 84	0 1 22 36 19 5 0 0	0 1 21 34 13 4 0 0	0 0 1 2 6 1 0 0	0 0 0 0 0 1

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

AIDS

UNDERLYING

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS DF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC DESTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

D21CAU

	UNDERLYING	*****	**********	*******	*****		YING CAUSES		******	******	******
	CAUSE)-398	40		41		41		42	
	ICD-9 CODE	NUMBER	PERCENT	NUMBER	PERCENT '	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
	038	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	OTH INFECTIOUS DIS	0	0.0	0	0.0	0	0.0	0	0.0	2	1.8
	250	0	0.0	6	1.9	0	0.0	0	0.0	2	0.6
	260-269	0	0.0	1	3.6	0	0.0	0	0.0	0	0.0
	280-285	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	390-398	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	402	1	1.7	0	0.0	0	0.0	0	0.0	2	3.3
	411	0	0.0	. 0	0.0	0	0.0	0	0.0	0	0.0
	413	0	0.0	0	0.0	Ö	0.0	0	0.0	Ö	0.0
	424	1	1.0	Ó	0.0	Ô	0.0	Ō	0.0	Ō	0.0
	415-423,425-429	1	0.1	4	0.4	Õ	0.0	1	0.1	10	1.0
	401,403	1	1.9	Ó	0.0	Ŏ	0.0	Ó	0.0	1	1.9
	440	ż	2.0	Õ	0.0	Õ	0.0	Õ	0.0	i i	1.0
	480-486	1	0.3	2	0.6	Õ	0.0	3	0.9	4	1.1
	490-491	ó	0.0	ō	0.0	ŏ	0.0	ō	0.0	o.	0.0
	492	ŏ	0.0	ž	2.5	Õ	0.0	Õ	0.0	1	1.2
	493	Ö	0.0	ō	0.0	ŏ	0.0	1	4.8	ò	0.0
	494-496	ŏ	0.0	ŏ	0.0	1	0.2	À	0.8	ž	0.4
	531-533	ŏ	0.0	Õ	0.0	· ò	0.0	ż	7.1	2	7.1
	550-553,560	ŏ	0.0	3	1.3	Õ	0.0	2	0.9		0.4
	574-575	ŏ	0.0	1	4.5	ŏ	0.0	5	0.0	ò	0.0
	584-586,588-589	ŏ	0.0	'n	0.0	ŏ	0.0	ŏ	0.0	ŏ	0.0
14	780-799	ŏ	0.0	Õ	0.0	ŏ	0.0	Õ	0.0	ŏ	0.0
4	E800-E807,E826-E949	ŏ	0.0	. ŏ	0.0	ŏ	0.0	ŏ	0.0	2	1.0
	RESIDUAL	11	0.1	65	0.8	6	0.1	40	0.5	99	1.2
	STATE TOTALS	18	0.2	84	0.7	7	0.1	53	0.5	129	1.1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.
SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1994 (RESIDENT DATA)

	UNDERLYING	*****	********	******	******	NON UNDERL	YING CAUSES	******	******	*******	*****
	CAUSE	415-423	.425-429	401	, 403	44	0	480	-486	490	-491
	ICD-9 CODE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
	038	24	26.1	1	1.1	0	0.0	4	4.3	0	0.0
	OTH INFECTIOUS DIS	8	7.2	2	1.8	0	0.0	2	1.8	0	0.0
	250	146	46.1	46	14.5	23	7.3	12	3.8	1	0.3
	260-269	6	21.4	0	0.0	1	3.6	3	10.7	0	0.0
	280-285	8	36.4	0	0.0	0	0.0	4	18.2	0	0.0
	390-398	15	65.2	1	4.3	1	4.3	1	4.3	0	0.0
	402	26	43.3	3	5.0	3	5.0	2	3.3	1	1.7
	411	2	100.0	1	50.0	1	50.0	1	50.0	0	0.0
	413	4	80.0	1	20.0	0	0.0	1	20.0	0	0.0
	424	67	69.8	. 7	7.3	. 0	0.0	1	1.0	1	1.0
	415-423,425-429	0	0.0	43	4.5	. 2	0.2	43	4.5	5	0.5
	401,403	14	26.4	0	0.0	10	18.9	2	3.8	0	0.0
	440	47	46.1	0	0.0	0	0.0	2	2.0	0	0.0
	480-486	64	18.3	20	5.7	3	0.9	0	0.0	1	0.3
	490-491	4	21.1	3	15.8	0	0.0	0	0.0	0	0.0
	492	31	38.3	3	3.7	1	1.2	12	14.8	0	0.0
	493	8	38.1	0	0.0	0	0.0	0	0.0	0	0.0
	494-496	154	30.4	18	3.6	7 .	1.4	101	19.9	0	0.0
	531-533	- 5	17.9	2	7.1	0	0.0	2	7.1	0	0.0
	550-553,560	52	22.9	4	1.8	2	0.9	10	4.4	0	0.0
	574-575 [°]	6	27.3	1	4.5	0	0.0	0	0.0	0	0.0
_,	584-586,588-589	34	32.7	1	1.0	0	0.0	9	8.7	2	1.9
4	780-799	1	1.1	0	0.0	0	0.0	0	0.0	0	0.0
Ü	E800-E807,E826-E949	44	21.1	. 6	2.9	1	0.5	3	1.4	1	0.5
	RESIDUAL	2,013	25.0	514	6.4	240	3.0	391	4.8	26	0.3
	STATE TOTALS	2,783	24.0	677	5.8	295	2.5	606	5.2	38	0.3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

MAINE DEPARTMENT OF HUMAN SERVICES
OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-11

UNDERLYING	****	*****	******	*****		YING CAUSES		******	******	******
CAUSE	49	12	49	13	494	-496	531	-533	5 50-5	53,560
ICD-9 CODE	NUMBER	PERCENT	NUMBER	PERCENT .	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	0	0.0	0	0.0	6	6.5	0	0.0	22	23.9
OTH INFECTIOUS DIS	0	0.0	1	0.9	4	3.6	0	0.0	18	16.2
250	0	0.0	1	0.3	13	4.1	0	0.0	44	13.9
260-269	0	0.0	0	0.0	2	7.1	0	0.0	5	17.9
280-285	. 0	0.0	Ô	0.0	1	4.5	Ô	0.0	4	18.2
390-398	Ó	0.0	1	4.3	3	13.0	Ó	0.0	6	26.1
402	1	1.7	. 0	0.0	6	10.0	0	0.0	10	16.7
411	0	0.0	0	0.0	0	0.0	0	0.0	1	50.0
413	0	0.0	0	0.0	1	20.0	1	20.0	2	40.0
424	0	0.0	1	1.0	14	14.6	1	1.0	20	20.8
415-423,425-429	7	0.7	4	0.4	88	9.2	5	0.5	189	19.7
401,403	Ó	0.0	0	0.0	4	7.5	1	1.9	9	17.0
440	2	2.0	Ó	0.0	8	7.8	0	0.0	15	14.7
480-486	1	0.3	2	0.6	20	5.7	1	0.3	350	100.0
490-491	0	0.0	1	5.3	. 0	0.0	0	0.0	19	100.0
492	0	0.0	1	1.2	0	0.0	.0	0.0	81	100.0
493	Ó	0.0	0	0.0	, 0	0.0	0	0.0	21	100.Ö
494-496	Ŏ	0.0	Ō	0.0	Ō	0.0	2	0.4	507	100.0
531-533	1	3.6	Ō	0.0	4	14.3	. 0	0.0	28	100.0
550-553,560	i i	0.4	Ŏ	0.0	11	4.8	2	0.9	0	0.0
574-575	Ó	0.0	ŏ	0.0	1	4.5	. 0	0.0	2	9.1
584-586,588-589	Ĭ	1.0	Ŏ	0.0	6	5.8	ŏ	0.0	25	24.0
780-799	Ò	0.0	. 0	0.0	Ō	0.0	Ō	0.0	0	0.0
E800-E807,E826-E949	ŏ	0.0	1	0.5	13	6.2	ĭ	0.5	30	14.4
RESIDUAL	54	0.7	26	0.3	541	6.7	33	0.4	1,419	17.6
STATE TOTALS	68	0.6	39	0.3	746	6.4	47	0.4	2,827	24.4

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES. OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

	UNDERLYING	*****	******	*****	******		YING CAUSES		*****	******	*****
	CAUSE		-575	584-586	,588-589		-799		,E826~E949	RESI	DUAL
	ICD-9 CODE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
	038	0	0.0	8	8.7	24	26.1	4	4.3	0	0.0
	OTH INFECTIOUS DIS	1	0.9	2	1.8	22	19.8	5	4.5	1	0.9
	250	2	0.6	53	16.7	33	10.4	6	1.9	14	4.4
	260-269	0	0.0	0	0.0	8	28.6	0	0.0	1	3.6
	280-285	0	0.0	1	4.5	2	9.1	1	4.5	5	22.7
	390-398	0	0.0	2	8.7	4	17.4	4	17.4	3	13.0
	402	0	0.0	0	0.0	8	13.3	1	1.7	10	16.7
	411	0	0.0	0	0.0	1	50.0	0	0.0	1	50.0
	413	0	0.0	0	0.0	4	80.0	1	20.0	1	20.0
	424	1	1.0	9	9.4	6	6.3	8	8.3	16	16.7
	415-423,425-429	5	0.5	53	5.5	116	12.1	30	3.1	162	16.9
	401,403	0	0.0	4	7.5	10	18.9	4	7.5	19	35.8
	440	0	0.0	18	17.6	- 19	18.6	4	3.9	28	27.5
	480-486	0	0.0	16	4.6	87	24.9	3	0.9	147	42.0
	490-491	1	5.3	0	0.0	13	68.4	2	10.5	7	36.8
	492	2	2.5	· ō	0.0	31	38.3	2	2.5	23	28.4
	493	Ō	0.0	Ō	0.0	11	52.4	1	4.8	3	14.3
	494-496	ì	0.2	13	2.6	232	45.8	10	2.0	152	30.0
	531-533	1	3.6	2	7.1	6	21.4	2	7.1	7	25.0
	550-553,560	i	0.4	14	6.2	87	38.3	13	5.7	58	25.6
	574-575	ò	0.0	1	4.5	5	22.7	6	27.3	4	18.2
	584-586,588-589	ŏ	0.0	ò	0.0	24	23.1	ž	1.9	27	26.0
14	780-799	ŏ	0.0	Õ	0.0	ō	0.0	1	1.1	ō.	0.0
7	E800-E807,E826-E949	ŏ	0.0	ğ	4.3	48	23.0	Ċ	0.0	71	34.0
	RESIDUAL	10	0.1	288	3.6	1,093	13.6	512	6.3	, o	0.0
	STATE TOTALS	25	0.2	493	4.3	1,894	16.3	622	5.4	760	6.6

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

	1
	1
•	1
	1

INDUCED ABORTIONS

		1 1 1 1 1
		•

INDUCED ABORTIONS BY GESTATION AND TYPE OF ABORTION PROCEDURE MAINE STATE TOTALS, 1994 (OCCURRENCE DATA)

	TERMINATION PROCEDURE PRIMARY PROCEDURE THAT TERMINATED PREGNANCY	TOTAL	PERCENT DISTRIBUTION	****** LESS THAN 9	****** 9	***** 10	***** 11	**** W	IEEKS 13	OF GE 14	STATI 15	ON ** 16	***** 17	***** 18		******* GREATER THAN 19	***** UNK
	SUCTION CURETTAGE SHARP CURETTAGE DILATION AND EVACUATION SALINE INSTILLATION PROSTAGLANDIN INSTILLATION HYSTEROTOMY HYSTERECTOMY OTHER UNKNOWN STATE TOTALS PERCENT DISTRIBUTION	2,826 3 77 0 0 0 1 182 3,089	91.49 0.10 2.49 0.00 0.00 0.00 0.00 0.03 5.89	1,521 29 0 0 0 0 1 99 1,652 53.48	460 0 6 0 0 0 0 0 35 501 16.22	391 1 4 0 0 0 0 0 0 32 428 13.86	237 0 2 0 0 0 0 0 3 242 7.83	127 0 2 0 0 0 0 0 3 132 4.27	23 0 3 0 0 0 0 0 0 26 0.84	3 0 2 0 0 0 0 0 0 0 5 0.16	0 0 2 0 0 0 0 0 0 2	0 0 1 0 0 0 0 0 0	0 0 4 0 0 0 0 0 0 0 0	0 0 7 0 0 0 0 0 1 8	0 0 11 0 0 0 0 0 0 11 0.36	2 0 3 0 0 0 0 0 0 5	62 0 1 0 0 0 0 0 9 72 2.33
151	ADDITIONAL PROCEDURES USED SUCTION CURETTAGE SHARP CURETTAGE DILATION AND EVACUATION SALINE INSTILLATION PROSTAGLANDIN INSTILLATION HYSTEROTOMY HYSTERECTOMY OTHER STATE TOTALS PERCENT DISTRIBUTION	15 1,134 15 0 0 0 0 0	1.29 97.42 1.29 0.00 0.00 0.00 0.00	9 637 6 0 0 0 0 0 0 652 56.01	3 182 5 0 0 0 0 190 16.32	3 151 4 0 0 0 0 0 158 13.57	0 92 0 0 0 0 0 0 92 7.90	0 41 0 0 0 0 0 0 41 3.52	0 15 0 0 0 0 0 0 15 1.29	0 3 0 0 0 0 0 0 3 0.26	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 1 0 0 0 0 0 0	0 12 0 0 0 0 0 0

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

AWKTRMO

TABLE A-3

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE MAINE STATE TOTALS, 1994 (RESIDENT DATA)*

			****	****	*****	*****	*****	** WE	EKS 0	F GES	OITAT	k** [****	****	******	*****
AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNKNOWN
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	20	0.69	5	3	4	4	3	0	0	0	0	0	0	0	Ó	1
15	28	0.96	13	7	5	3	0	0	0	0	0	0	0	0	0	0
16	94	3.22	42	16	13	10	8	3	1	0	0	0	0	0	0	1
17	113	3.88	44	27	15	15	6	0	0	0	0	0	0	0	0	6
18	173	5.93	76	29	37	14	10	1	1	0	0	0	0	0	0	5
19	188	6.45	91	34	32	20	6	1	0	0	0	0	1	0	0	3
20-24	934	32.03	468	174	140	75	47	6	0	0	0	4	0	2	2	16
25-29	604	20.71	347	85	80	40	22	6	1	0	0	0	1	6	1	15
30-34	419	14.37	249	61	44	32	12	3	0	0	0	0	3	2	2	11
35-39	244	8.37	146	39	29	9	9	3	0	0	1	0	1	1	0	6
40-44	74	2.54	54	2	7	2	1	1	1	2	0	0	1	0	0	3
GREATER THAN 44	6	0.21	4	2	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN	19	0.65	8	4	3	1	2	1	0	0	0	0	0	0	0	0
STATE TOTALS	2,916		1,547	483	409	225	126	25	4	2	1	4	7	11	5	67
PERCENT DISTRIBUTION		100.00	53.05	16.56	14.03	7.72	4.32	0.86	0.14	0.07	0.03 (0.14	0.24	0.38	0.17	2.30
						:										
RACE OF PATIENT																
52 WHITE	2,760	94.65	1,466	458	384	215	119	22	4	2	1	2	7	8	5	67
BLACK	26	0.89	14	3	6	2	1	0	0	0	0	0	0	0	0	0
AMERICAN INDIAN	37	1.27	13	6	7	3	4	0	0	0	0	2	0	2	0	0
OTHER	93	3.19	54	16	12	5	2	3	0	0	0	0	0	1	0	0
STATE TOTALS	2,916		1,547	483	409	225	126	25	4	2	1	4	7	11	5	67
PERCENT DISTRIBUTION		100.00	53.05	16.56	14.03	7.72	4.32	0.86	0.14	0.07	0.03	0.14	0.24	0.38	0.17	2.30

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

ARACAGER

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O RECORDS WERE BLANK.

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT, AND RACE MAINE STATE TOTALS, 1994 (OCCURRENCE DATA)

	•		****	****	*****	*****	****	** WE	EKS O	F GES	TATIO	N **	****	*****	******	*****
AGE OF PATIENT(YRS.)	TOTAL ABORTIONS	PERCENT DISTRIBUTION	LESS THAN 9	9	10	11	12	13	14	15	16	17	18	19	GREATER THAN 19	UNKNOWN
LESS THAN 10	0	0.00	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	21	0.68	6	3	4	4	3	0	0	0	0	0	0	0	0	1
15	29	0.94	13	7	5	4	0	0	0	0	0	0	0	0	0	0
16	97	3.14	44	16	13	11	8	3	1	0	0	0	0	0	0	1
17	118	3.82	46	27	17	16	6	0	0	0	0	0	0	0	0	6
18	180	5.83	81	29	38	15	10	1	1	0	0	0	0	0	0	5
19	199	6.44	98	34	34	21	6	2	0	0	0	0	1	0	0	3
20-24	995	32.21	505	179	148	81	50	6	1	0	0	4	0	2	2	17
25-29	634	20.52	364	90	83	43	23	6	1	0	0	0	1	6	1	16
30-34	439	14.21	263	63	44	34	13	3	0	0	0	0	3	2	2	12
35-39	258	8.35	154	43	29	10	9	3	0	. 0	1	0	2	1	0	6
40-44	78	2.53	56	3	8	2	1	1	1	2	0	0	1	0	0	3
GREATER THAN 44	6	0.19	4	2	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN	35	1.13	18	5	5	1	3	1	0	0	0	0	0	0	0	2
STATE TOTALS	3,089		1,652	501	428	242	132	26	5	2	1	4	8	11	5	72
PERCENT DISTRIBUTION		100.00	53.48	16.22	13.86	7.83	4.27	0.84	0.16	0.06	0.03	0.13	0.26	0.36	0.16	2.33
															<i>.</i> -	
RACE OF PATIENT																
NHITE	2,912	94.27	1,558	476	398	232	125	23	5	2	1	2	8	8	5	69
BLACK	34	1.10	19	3	9	2	1	0	0	0	0	0	0	0	0	0
AMERICAN INDIAN	37	1.20	13	6	7	3	4	0	0	0	0	2	Ó	2	0	0
OTHER	106	3,43	62	16	14	5	2	3	0	0	0	0	Ō	1	Ó	3
STATE TOTALS	3,089		1,652	501	428	242	132	26	5	2	1	4	8	11	5	72
PERCENT DISTRIBUTION	•	100.00	53.48	16.22	13.86			0.84	0.16	0.06	0.03	0.13	0.26	0.36	0.16	2.33

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

ARACAGEO

TABLE A-5

INDUCED ABORTIONS OF PREGNANCY BY RACE, MARITAL STATUS AND AGE OF PATIENT MAINE STATE TOTALS, 1994 (RESIDENT DATA)*

	TOTAL	*****	******	******	***** RA	CE ******	*****	*******	******
MARITAL STATUS	INDUCED	W	HITE	Е	BLACK	AMERIC	AN INDIAN	C	THER
	ABORTIONS	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MARRIED	574	526	91.64	8	1.39	9	1.57	31	5.40
NOT MARRIED	2,171	2,081	95.85	17	0.78	25	1.15	48	2.21
UNKNOWN	171	153	89.47	1	0.58	3	1.75	14	8.19
STATE TOTALS	2,916	2,760	94.65	26	0.89	37	1.27	93	3.19
AGE OF PATIENT(YRS.)									
LESS THAN 10	0	0	0.00	0	0.00	0	0.00	0	0.00
10-14	20	17	85.00	0	0.00	1	5.00	2	10.00
15	28	26	92.86	1	3.57	0	0.00	1	3.57
16	94	91	96.81	0	0.00	2	2.13	1	1.06
17	113	108	95.58	1	0.88	1	0.88	3	2.65
18	173	165	95.38	0	0.00	4	2.31	4	2.31
19	188	181	96.28	2	1.06	1	0.53	4	2.13
20-24	934	881	94.33	12	1.28	13	1.39	28	3.00
25-29	604	573	94.87	7	1.16	7	1.16	17	2.81
30-34	419	399	95.23	. 2	0.48	4	0.95	14	3.34
35-39	244	228	93.44	0	0.00	3	1.23	13	5.33
40-44	74	66	89.19	1	1.35	1	1.35	6	8.11
GREATER THAN 44	6	6	100.00	0	0.00	0	0.00	Ō	0.00
UNKNOWN	19	19	100.00	Ó	0.00	Ö	0.00	ŏ	0.00
TEENAGE TOTALS	616	588	95.45	4	0.65	9	1.46	15	2.44
STATE TOTALS	2.916	2.760		26	0.89	37	1.27	93	3.19

NOTES: PERCENTAGES ARE BASED ON TOTAL TERMINATIONS.
PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

ALEGAGEO

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O RECORDS WERE BLANK.

TABLE A-6

INDUCED ABORTIONS OF PREGNANCY BY RACE, MARITAL STATUS AND AGE OF PATIENT MAINE STATE TOTALS, 1994 (OCCURRENCE DATA)

	MARITAL STATUS	TOTAL INDUCED ABORTIONS		ITE		ACK	RACE		N INDIAN	**************************************	THER
	MARRIED	598	547	91.47	- 8	1.34		9	1.51	34	5.69
	NOT MARRIED	2,303	2,201	95.57	25	1.09		25	1.09	52	2.26
	UNKNOWN	188	164	87.23	1	0.53		3	1.60	20	10.64
	STATE TOTALS	3,089	2,912	94.27	34	1.10		37	1.20	106	3.43
	AGE OF PATIENT(YRS.)										
	LESS THAN 10	0	0	0.00	0	0.00		0	0.00	0	0.00
	10-14	21	18	85.71	0	0.00		1	4.76	2	9.52
	15	29	27	93.10	1	3.45		0	0.00	1	3.45
	16	97	94	96.91	O	0.00		2	2.06	1	1.03
	17	118	113	95.76	1	0.85		1	0.85	3	2.54
155	18	180	170	94.44	2	1.11		4	2.22	4	2.22
ŬΊ	19	199	192	96.48	2	1.01		1	0.50	4	2.01
	20-24	995	934	93.87	18	1.81		13	1.31	30	3.02
	25-29	634	602	94.95	7	1.10		7	1.10	18	2.84
	30-34	439	419	95.44	2	0.46		4	0.91	14	3.19
	35-39	258	242	93.80	0	0.00		3	1.16	13	5.04
	40-44	78	70	89.74	1	1.28		1	1.28	6	7.69
	GREATER THAN 44	6	6	100.00	0	0.00		0	0.00	. 0	0.00
	UNKNOWN	35	25	71.43	o	0.00		0	0.00	10	28.57
	TEENAGE TOTALS	644	614	95.34	. 6	0.93		9	1.40	15	2.33
	STATE TOTALS	3,089	2,912	94.27	34	1.10		37	1.20	106	3.43

NOTES: PERCENTAGES ARE BASED ON TOTAL TERMINATIONS. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

ALEGAGER

TABLE A-7

INDUCED ABORTIONS BY MARITAL STATUS AND AGE OF PATIENT MAINE STATE TOTALS, 1994 (RESIDENT* AND OCCURRENCE DATA)

AGE OF PATIENT(YRS.)	********** TOTAL ABORTIONS	********** RESID PERCENT DISTRIBUTION	ENT **** MARRIED	******** NOT MARRIED	******** UNKNOWN	********** TOTAL ABORTIONS	******* OCCURE PERCENT DISTRIBUTION	ENCE **** MARRIED	********* NOT MARRIED	******** UNKNOWN
LESS THAN 10	o .	0.00	0	0	0	0	0.00	0	0	0
10-14	20	0.69	0	19	1	21	0.68	0	20	1
15	28	0.96	0	27	1	29	0.94	0	28	1
16	94	3.22	0	92	2	97	3.14	0	95	2
17	113	3.88	. 3	103	. 7	118	3.82	3	107	8
18	173	5.93	3	163	7	180	5.83	3	170	7
19	188	6.45	5	174	9	199	6.44	6	183	10
20-24	934	32.03	99	773	62	995	32.21	103	827	65
25-29	604	20.71	168	404	32	634	20.52	173	428	33
30-34	419	14.37	143	249	27	439	14.21	150	259	30
35-39	244	8.37	112	115	17	258	8.35	115	126	17
40-44	74	2.54	34	35	5	78	2.53	36	37	5
GREATER THAN 44	6	0.21	3	3	0	6	0.19	3	3	0
UNKNOWN	19	0.65	4	14	1	35	1.13	· 6 ·	20	9
TEENAGE TOTALS	616	21.12	11	578	27	644	20.85	12	603	29
STATE TOTALS	2,916		574	2,171	171	3,089		598	2,303	188
PERCENT DISTRIBUTIO	N	100.00	19.68	74.45	5.86		100.00	19.36	74.55	6.09

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O RECORDS WERE BLANK.

AWKAGEO

INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT
MAINE STATE TOTALS, 1994 (RESIDENT DATA)*

	MADITAL CTATUS	TOTAL INDUCED	**	*****	****** * LIVE	*****	****	****** *****		COME (VIOUS P TERMINA		CIES ****	*****	***** PONTAN	*****	**** TERMI	****	****
	MARITAL STATUS	ABORTIONS	Ô	1	2	3	4+	UNK	Ô	1	2	3	4+	UNK	o	1	2	3	4+	UNK
	MARRIED	574	88	109	145	62	28	142	282	99	29		9	138	335	77	14	8	4	136
	NOT MARRIED	2,171	1,045	368	200	76	22	460		391	111	42	11	442	1,529	154	24	7	4	453
	UNKNOWN	171	63	33	17	6	5	47	78	36	11	2	2	42	100	21	1	1	0	48
	STATE TOTALS	2,916	1,196	510	362	144	55		1,534	526	151	61	22	622		252	39	16	8	637
	PERCENT DIST.	100.00	41.02	17.49	12.41	4.94	1.89	22.26	52.61	18.04	5.18	2.09	0.752	1.33	67.35	8.64	1.34	0.55	0.27	21.84
	AGE OF PATIENT(YRS	s.)																		
	LESS THAN 10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10-14	20	16	0	0	0	0	4	15	1	0	0	0	4	16	0	0	0	0	4
	15	28	21	0	0	0	0	7	20	1	0	0	0	7	21	0	0	0	0	7
	16	94	74	3	0	0	0	17	73	2	0	0	0	19	76	1	0	0	0	17
	17	113	89	5	0	0	0	19	90	4	0	0	0	19	92	2	0	0	0	19
	18	173	115	15	1	0	0	42	116	14	1	0	0	42	122	9	0	0	0	42
	19	188	122	23	5	1	0	37	127	21	3	0	0	37	144	6	0	0	1	37
	20-24	934	426	196	77	14	2	219	505	180	31	9	1	208	637	73	6	4	0	214
	25-29	604	171	144	106	30	15	138	283	122	52	13	3	131	397	54	10	5	1	137
	30-34	419	92	67	97	55	15	93	171	89	39		8	89	255	54	10	3	2	95
	35-39	244	49	38	60	30	14	53	90	65	18	15	9	47	147	35	10	2	2	48
	40-44	74 ·	12	14	12	11	7	18	29	20	6	1	1	17	39	13	3	2	2	15
	GREATER THAN 44	6	0	0	2	3	1	0	4	2	0	0	0	0	1	4	0	0	0	1
	UNKNOWN	19	9	5	2	0	1	2	11	5	1	0	0	2	17	1	0	0	0	1
	TEENAGE TOTALS	616	437	46	6	1	0	126	441	43	4	0	0	128	471	18	0	0	1	126
_	PERCENT DIST.	100.00	70.94	7.47	0.97		0.00	20.45	71.59	6.98	0.65		0.002		76.46	2.92		0.00	0.16	20.45
Λ	STATE TOTALS	2,916	1,196	510	362	. 144	55			526		61	22	622		252	39	16	8	637
7	PERCENT DIST.	100.00	41.02	17.49	12.41	4.94	1.89	22.26	52.61	18.04	5.18	2.09	0.752	1.33	67.35	8.64	1.34	0.55	0.27	21.84

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

ALEGAGEO

TABLE A-8

^{*} DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS. RESIDENCE AREA ON O RECORDS WERE BLANK.

TABLE A-9 INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, MARITAL STATUS, AND AGE OF PATIENT MAINE STATE TOTALS, 1994 (OCCURRENCE DATA)

	MARITAL STATUS	TOTAL INDUCED ABORTIONS	**		****** * LIVE 2					COME O *** IND			TIONS	CIES **** UNK	***** S O	***** PONTAN 1			***** NATIO	
	MARRIED	598	92	116	150	65	28	147	295	105	30	17	10	141	353	78	14	8	4	141
	NOT MARRIED	2,303	1,108	384	217	79	23	492	1,244	409	117	46	13	474	1,620	160	25	7	4	487
	UNKNOWN	188	69	34	17	6	5	57	83	38	12	2	2	51	107	21	1	1	0	58
	STATE TOTALS	3,089	1,269	534	384	150	56	696	1,622	552	159	65	25	666	2,080	259	40	16	8	686
	PERCENT DIST.	100.00	41.08	17.29	12.43	4.86	1.81	22.53	52.51	17.87	5.15	2.10	0.812	1.56	67.34	8.38	1.29	0.52	0.26	22.21
	AGE OF PATIENT(YR	s.)																		
	LESS THAN 10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10-14	21	17	0	0	0	0	4	16	1	0	0	0	4	17	0	0	0	0	. 4
	15	29	22	0	0	0	0	7	21	1	0	0	0	7	22	0	0	0	0	7
	16	97	77	3	0	0	0	17	76	2	0	0	0	19	79	1	0	0	0	17
O1	17	118	93	5	0	0	0	20	94	4	. 0	0	0	20	96	2	0	0	0	20
Φ	18	180	119	16	1	0	0	44	120	15	1	0	0	44	127	9	0	0	0	44
	19	199	131	24	5	1	0	38	135	23	3	0	0	38	154	6	0	0	1	38
	20-24	995	454	205	83	14	2	237	539	187	33	11	1	224	678	75	6	4	0	232
	25-29	634	180	152	111	30	15	146	297	127	52	14	4	140	417	55	10	5	1	146
	30-34	439	98	68	104	57	15	97	179	95	41	24	9	91	267	56	11	3	2	100
	35-39	258	53	41	61	33	15	55	95	68	21	15	10	49	157	37	10	2	2	50
	40-44	78	12	15	14	11	7	19	31	21	6	1	1	18	42	13	3	2	2	16
	GREATER THAN 44	6	0	0	2	3	1	0	4	2	0	0	0	0	1	4	0	0	0	1
	UNKNOWN	35	13	5	3	1	1	12	15	6	2	0	0	12	23	1	0	0	0	11
	TEENAGE TOTALS	644	459	48	6	. 1	0	130	462	46	4	0	0	132	495	18	0	0	1	130
	PERCENT DIST.	100.00	71.27	7.45	0.93	0.16	0.00	20.19	71.74	7.14	0.62	0.00	0.002	0.50	76.86	2.80	0.00	0.00	0.16	20.19
	STATE TOTALS	3,089	1,269	534	384	150	56	696	1,622	552	159	65	25	666	2,080	259	40	16	8	686
	PERCENT DIST.	100.00	41.08	17.29	12.43	4.86	1.81	22.53	52.51	17.87	5.15	2.10	0.812	1.56	67.34	8.38	1.29	0.52	0.26	22.21

NOTES: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.
PREVIOUS SPONTANEOUS TERMINATIONS MAY INCLUDE FETAL DEATHS AS WELL AS MISCARRIAGES.

INDUCED ABORTIONS BY STATE OR COUNTRY OF RESIDENCE MAINE STATE TOTALS, 1994 (OCCURRENCE DATA)

	STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS
	ALABAMA	0	MARYLAND	0	SOUTH CAROLINA	0 .
	ALASKA	. 1	MASSACHUSETTS	19	SOUTH DAKOTA	0
	ARIZONA	0	MICHIGAN	1	TENNESSEE	0
	ARKANSAS	0	MINNESOTA	0	TEXAS	0
	CALIFORNIA	1	MISSISSIPPI	0	UTAH	O
	COLORADO	1	MISSOURI	0	VERMONT	0
	CONNECTICUT	4	MONTANA	0	VIRGINIA	1
	DELAWARE	0	NEBRASKA	0	WASHINGTON	0
	DIST OF COLUMBIA	0	NEVADA	0	WEST VIRGINIA	o
	FLORIDA	6	NEW HAMPSHIRE	53	WISCONSIN	0
	GEORGIA	3	NEW JERSEY	1	WYOMING	1 '
	HAWAII	1	NEW MEXICO	0	PUERTO RICO	0
15	IDAHO	0	NEW YORK	7	VIRGIN ISLANDS	0
9	ILLINOIS	0	NORTH CAROLINA	2	GUAM	0
	INDIANA	0	NORTH DAKOTA	0	CANADA	44
	IOWA	0	OHIO	2	CUBA	O
	KANSAS	0	OKLAHOMA	0	MEXICO	0
	KENTUCKY	0	OREGON	0	OTHER W. HEMISPHERE	0
	LOUISIANA	0	PENNSYLVANIA	0	REST OF THE WORLD	1
	MAINE	2,916	RHODE ISLAND	0	STATE/CNTRY UNKNOWN	24
					TOTAL	3,089

·				

M- {	0226840			DEPARTMENT O		RVICES	(118)				
	Ia. FIRST NAME	11	. MIDDLE HA	ERTIFICATI		STHAME			State File No	Id. JR, ETC.	2. SEX
	3. DATE OF BIRTH (Mo., Day, Yr.) 4. TR	UE OF BIRTH	5. COUN	TY OF BIRTH		6. CITY OR TOW	N OF BIRTH				
CHILD	7. PLACE OF BIRTH: Hospital		РМ			• EACH ITY WA	IE /II and institution	n, give street and number)			
•	Clinic/Declar's Office	☐ Freestanding E				o. PAGIGIT IIA	ec (ii iixi raiiiiixi	, greatism and company			
	9. I cerbly that this child was born all		10	DATE SIGNED (Ma. I	Day, Yr.) 11. A	ITENDAVIT'S NA	ME AND TITLE A	other than certifier) (Type/F	rint)	,	
	place and time and on the date str	sted.	.		N.	myo					
CERTIFIER/	Signature				") Other Midwile		GYN OTH	ER 🗆
ATTENDANT	12. CERTIFIER'S NAME AND TITLE	(Type/Print)			13. A)	TENDANT'S MA	rung Address (Zip Code)	Street and Number of Burn	I Route Humb	v.	
	Name Hospite	ai Admin. □ C.N.	ul. 🔲 Othor	Midwile							
	Other (Specify)						I IS. DATE FIL	ED BY REGISTRAR (Mo.	Day, Yc.)		/
	>										
	16a. FIRST NAME	16b. MID	SE NAME		16c. LAST HAME			17. MAIDEN SU	RNAME		
MOTHER	18. DATE OF BIRTH (Ma., Day, Yr.) 19.	BIRTHPLACE (STATE	or Foreign Co	untry) 20. RESIDENC	E-STATE	21. COUN	ΙΥ	22. CITY O	R TOWN		
	23. MOTHER'S MAILING ADDRESS								24. ZIP CODE	25. YEARS	LIVING IN ENT TOWN
	26a. FIRST NAME		Loss, Minn	I F NAME		126-14	ST NAME				26d. JR. ETC.
FATHER	<u> </u>										
PATHER	27. DATÉ OF BIRTH (Mo., Day, Yr.)				28. BIRTHPLACE	State or Foreign	Country)				
INFORMANT	29. I cerbly that the personal informati		certificate is o	orrect to the best of my	knowledge and bell						
VS1-R1/92	Signature of Parent or Other Infor	mant		304	MOTHER MARRIE	DNUL DIAM OF CO	descrition)	30b. CHILD LEG	* 1 * * " * " * "	N. W.	<
						Yes CJ 68		人	☐ Yes	□ No	
	CONFIDENTIAL: NE	THER MARI	AL STATU	IS NOR THE IN	S 100	EFON MILL					
	PREGNANCY HISTORY LIVE BIRTHS		etion) ERMINATIONS		CALPROLIMENT MEN	SES BEGAN (Mo.	, Day, Yr.)	32. Parental Permis: Security Number	•	e of Social No	
	(Do not include this child) (Specify below) 35a. Now thing 35b. Now Dead	36a. Sponlaneou (Do not include this birth)	s 36b. Induc (Do not li this bi	DECAM!	OF PREGIVERCY F	RENATAL CARE d, elc. (Specify)		34, PRENATAL VISI (If none, so state		nbor	
MOTUED	Number Number	Number	Number 4	37; BURTH W	VEIGHT (Specify un	10		38. CLINICAL ESTI	AATE OF GES	TATION (Neols,	
MOTHER CHILD	O None O None 39. DATE OF LAST LIVE BIRTH (Wonth, Year)	40. DATE OF LA		**************************************	ITY - Single, Twin,	Triplet, etc.		42. IF NOT SINGLE Third, etc. (Spec	BIRTH - Bom	First, Second,	
	APGAR SCORE	45. MOTHER TE	ANSFERMENT	RIOR TO BELIVERY?		If Yes, enter nan	ne of facility transfe		-		
	43. 1 Minute 44. 5 Minutes	46. INFANT TRA	100 P	<u> ja</u>	es, enter namo ol fa						
1									,		/
	SOCIAL SECURITY NUMBER	Fra	CESTRY - nch, English, h, etc. ecily bolow)	RACE American Indian, Black, White, etc. (Specify below)	(Specity only h	DUCATION ighest grade com		CCUPATION PAST YEAR (Specify below)	USUAL BUS	INESSANDUSTI (Specify below	RY PAST YEAR
	47.	48		49.	Elementaryi Secondary (0-12)	Colleg (1-4 or 5	51.		52.		
MOTHER						i					
FATHER	53.			55.	58.		67.		58.		J
	59. MEDICAL RISK FACTORS FOR T (Check all that apply)			62. COMPLICATION (Check all that as	IS OF LABOR AND/ PPY/	OR DELIVERY		65. CONGENITAL ANOMA (Check all that apply)	LIES OF CHIL	D	$\neg \overline{}$
	Anemia (Hct, <30/Hgb, <10)	<i></i>	b. 🗆	Febrile (> 100° F. o Meconium, modera				Anencephalus			
	Diabetes, gestational		d.D	Premature rupture Abruptio placenta . Placenta previa			a.	Hydrocephalus		<i></i>	
THIS PREGNANCY	Genital herpes Hydramnios/Oligohydramnios Hemoglobinopathy			Other excessive bit Scizures during lai	eoding			(Specify)	stem anomalie	·	•.□
- MARK AT LEAST	Hypertension, chronic Hypertension, pregnancy-associated		LO	Precipitous labor (Prolonged labor (> Dysfunctional labor	-20 hours)		LO	(Specify)	story anomalie		10
CATEGORY IN EACH	Eclampsia Incompetent cervix Previous infant 4000 + grams		1.0	Breech / Malpresor Cephalopelvic disp	ntation		ko	(Specify) Rectal atresia / stenosis			g.D
COLÚMN	Previous preterm or small-for-gestation Renal disease	Insini eça kın		Cord prolapse Anesthetic complic Fotal distress	ations		n.D	Tracheo-esophageal fish Omphalocele / Gastrosci	/a/Esophage Hsls	elatresia	
	Rh sensitization		q.D	Other	***************************************		у. о	Other gastrointestinal an (Specify)			k.o
	Other(Specify) None		y	None			20	Renal agenesis Other urogenital shomal			
	60. OTHER RISK FACTORS FOR THE (Complete all Rems)			Vaginal	previous C-section		ь. 🗆 📗	(Specify)			
	Tebacco use during pregnancy Average number cigarettes per di		Yes 🗆 Ho 🗆	Repeat C-section .				Polydactyty / Syndactyty Club foot Diaphyagmatic hemis .			4.0
	Alcohol use during pregnancy		Yes 🗆 No 🗆	Other			y.0	Other musculoskeletal I			s.D
	Average number drinks per week Weight gained during pregnancy			64. ABNORMAL CO	HOMONS OF THE	NEWBORN		Down's syndrome Other chromosomal and			
	61. OBSTETRIC PROCEDURES (Check all that apply) Anniocentrals			Anemia (Hct. <39 / Birth Injury Fetal sicohol synds	/ Hgb. < 13)		ь. 🗅	(Specify)			y. D
	Electronic letal monitoring	<i></i>	6.0	Hysline membrane Meconium aspiratio	of sease / RDS on syndrome			None			
	Tocolysis		•.0	Assisted ventilation Assisted ventilation Selzures	n <u>≻</u> 30 m∛n		g. C	OFFICE	OF VITAL	HEET TO: . STATIST	ics
	Other(Specify)		y. 0	Other			y. D			tation #11	

NOT A LEGAL COPY

•		NAME	DEPAR	STATE OF MAINTMENT OF HUMAN	SERVICES (118)	State F	
THIS	ſ	nol institution, give street and	number)			2. DATE OF DELIVERY	
DELIVERY	4. SEX OF FETUS	S. COUNTY OF DELIVER	Ÿ	6	. CITY OR TOWN OF DELIVERY		
	7a. FIRST NAME		76. MIDDLE NAI	ME .	8. MAIDEN SURK	AME	
MOTHER	9. DATE OF BIRTH (A	lo , Day, Ye J 10, BIRTHPLA	CE (State or Foreign Country)	11. RESIDENCE-STATE	12. COUNTY	1:	3. CITY OR TOWN
	14. STREET AND NU	WBER	is. M	OTHER'S MAILING ADORES	SS (If same as residence, enter ZII	Code only)	16. YEARS LIVING IN PRESENT TOWN
	17a. FIRST NAME		176. MIDDLE NA	ME	17c. LAST NAM	E	ON JUST
FATHER	18. DATE OF BIRTH (No. Day, Yr)		19, B:RTH	PLACE (State or Foreign Country)		
	20.						
CERTIFIER	Signature			10	M.D. D.O. Hospital A	dmin.	`
Carmina	22. DATE SIGNED (MA	o., Day, Yr.) 23. ATTENO	UNT'S HAME AND TITLE (If of	her than certifier) (Type/Print)		□ M. □ Ort	D. D.O. C.N.M. Dother Mid-wise her (Specify)
	24. SIGNATURE OF F	UNERAL DIRECTOR OR AUT	HORIZED PERSON 25.	NAME AND ADDRESS OF	FACILITY OR AUTHORIZED PER	SON	
DISPOSITION	26. REGISTRAR'S SIG	NATURE	27. 0.	ATÉ FILEO (Mo., Day, Yr.)	D Burlai	PLACE OF DISPOSITION	N (Name of cemelery, crematory, or other place)
	30. PART I. Fetal or ma			Enter only one cause	per line for a., b., and c.		
	condition of causing set	lirectly _	MEDIATE CAUSE				Specily Fetal or Maternal
	WATIC	₹ • □	JE TO (OR AS A CONSEQUE	NCE OF):			Specify Fetal or Maternal
	CC O II. Fetal and/or matem. Z conditions, if any, g	ы (b. <u>г</u>	E TO OR AS A CONSEQUE	WCE OED:			Specify Fetal or Maternal
CAUSE C FETAL	F rise to the immediat course(s), stating the hying cause last.						
DEATH	PART II. Other sig	nificant conditions of letus or n	nother contributing to fetal dea	th but not resulting in the un	derlying causes given in Part I.		31. FETUS DIED BEFORE LABOR []
	ENOS —						DURING LABOR OR DELIVERY UNIXINOWN UNIXINOMN UNIXINOMN UNIXINOMN UNIXINOMN UNIXINOMN UNIXINOMN UNIXINO
	[_						CAUSE OF DEATH?
	VS4-R1/90		OF	HORNAL COP	(STATE	(Si	WOTHER MARRIED? (At delivery or correspond)
			MARITAL STATU	Mary 11	OW WILL APPEAR ON	CERTIFIED COPIE	S OF THE RECORD.
	ANCESTRY: French, Er Irish, etc. (Specify below	nglish, RACE - A Black, Whi	merican Indian to, etc. (Special)	y only h	DUCATION ighest grade completed)	USUAL OCCUPATION I	
	35.	36.		Elementary/Second (0-12)		38.	(Spacily below)
MOTHER	>	41.	No. of the last of	42.		43.	44.
FATHER							
			each section)		45. DATE LAST NORMAL MEN	SES BEGAN	(Mo., Day, Yr.)
	Liv	/E BIRTHS		RMINATIONS	4A. MONTH OF PREGNANCY		
	489.	i 480	49a, SPONTANEOUS	496. INDUCED	BEGAN - First, Second, Thetc. (Specify)		47. PRENATAL VISIT - Total Number (# none, so state)
PREGNANCY HISTORY	Now Living	Number	(Do not include this fetus) Number	(Do not include this letus)			51, CLINICAL ESTIMATE OF GESTATION (Weeks)
	□ None	□ None	None	None	50. FETUS WEIGHT (Specify Unit)		
	S2. DATE OF LAST I		53. DATE OF LAST OF		54. PLURALITY - Single, Twin, (Specify)	Triplet, etc.	55. IF NOT SINGLE BIRTH - Born First, Second, Third, etc. (Specify)
1	(Month, Year)	CTORS FOR THIS PREGNANC	(Month, Year)	YEYRIC PROCEDURES		Tal CONGENITAL AN	HOMALIES OF CHILD
	(Check all that apply	() <10)	(Che	ck all that apply) centesis		(Check all that ap Anencephalus	p())
	Diabetes, gestational		Stimul	on of labor		Hydrocephalus Microcephalus	d.D
	Hydramnios/Oligohydra Hemoglobinopathy	mnios	g.D Uffrasc	und	y, G	(Specify)	e.□
	Eclampsia	y-associated	k.	Specify		Other circulatory / r	espiratory enomalies g. 🗆
MEDICAL	Renal disease	grams	Frère	RPLICATIONS OF LABOR AT ck all that apply)	ID/OR DELIVERY	Tracheo-esophagea Omphalocele / Gast	nosia
AND HEALTH	Uterine bleeding Other (Spncih)		q.O Mecon	kım, moderate/heavy ture rupture of membrane (>	12 hours)	(Specify)	ka
INFORMATION	57. OTHER RISK FACT	ORS FOR THIS PREGNANCY	Placen Other	ta previa	•	Other progenital an	n. D
	Tobacco use during pre Average number of Alcohol use during preg Average number dr	gnancy	Yes No Setzun	tous labor (<3 hours) ged labor (>20 hours)		Polydectyly / Synda Club fool	
	Vaginal		Cephai	vikiai praeentation	kc	Diaphragmatic hem Other musculoskele (Specify)	ite
	Vaginal birth after previon Primary C-section	ous C-section	b. Cord p	etic complications		Other chromosomal	v.ō
	Vacuum	my		pecify)	y, C	(Specify)	y. 0

SEND THIS SHEET TO: Office of Vital Statistics State House Station #11, Augusta, Maine 04333-0011

	NAME KN	OWN TO PHYSIC	CIAN		STATE OF I	MAN SEF		(118)	Stale	File No.	
1	1a. FIRST NAME		16. MIDDLE	NAME		1c.	LAST NAME				1d. JR. ETC.
	2. DATE OF DEATH (Mo., t	Day, Yr) 3. SEX 4. S	OCIAL SECUR	BMUN YTI	ER 5a.	AGE (Yrs.) ast Birthday	5b. UNDER 1 Y		UNDER 1 DAY s Minutes	6. DATE OF BIR	TH (Mo., Day, Yr.)
	7. BIRTHPLACE (City and S	- ' E	AS DECEDEN VER IN U.S. RMED FORCES Yes \(\Box\) No	7 9. S? HS	PLACE OF DEATH DSPITAL Inpation		y one, see instruction	OTHER	ursing Home Reside	ince Other (S	pecily)
	10. FACILITY NAME (II	nol institution, give street am	d number)			11, COUN	TY OF DEATH	11	2. CITY OR TOWN OF C	DEATH	
DECEDENT	13. MARITAL STATUS - Married, Never Married, Widowed, Divorced (Speci	14. MOST RECENT SPO (If wife, give maiden	name) □ l	living Deceased	15. DECEDENT'S U (Give kind of wo Do <u>not</u> use retire	k done duri	UPATION ng most of working li		6. KIND OF BUSINESS	INDUSTRY	
	(Specify only I	NT'S EDUCATION highest grade completed)	18. At	NCESTRY -	- French, English, Iri	sh, etc. <i>(Sp</i> e	ecity)	19. RAC	CE - American Indian, Bi	lack, White, etc. (Specity)
	Elementary/Secondary (0-12) 20. RESIDENCE – STATE	21. COUNTY	22. CI	TY OR TO	WN			23. STF	EET AND NUMBER		
	FATHER'S 24a, FIRS	ST NAME	24b. MIDDL	E NAME	24	c. LAST NA	ME				24d. JR. ETC.
PARENTS	MOTHER'S 25a, FIRS	ST NAME	25b. MIDDL	Ë NAME	25	c. MAIDEN	SURNAME			,	,
INFORMANT	26. INFORMANT - NAM	IE (Type/Print)	27. MJ	AILING ADI	DRESS (Street and I	Number or F	tural Rayle Number,	City or Town, Sta	le, ZIP Code)		
1	28. METHOD OF DISPO	DSITION		PLACEOF	DISPOSITION (Name	of cemelery	cremetory, of other pla	30. LOCATIO	N ~ City or Town, State		
DISPOSITION	Donation C 31. SIGNATURE OF FU OR AUTHORIZED P			32. NAME	AND POPESS OF	FACIOTY	OR AUTHORIZED F	PERSON		33. DATE OF	DISPOSITION y, Yr.)
ſ	EXAMINER _ C	On the basis of examination a date and place and due to the	and/or investig e cause(s) and	ron, in my manner as	opysion, death occur stated.	red at the tir	ne,	The second	35. DATE SIGNED (Mo., Day, Yr.)	<u> </u>	36. VIEWED BODY AFTER DEATH?
CERTIFIER	Signature and Title 37. CERTIFYING PHYSICIAN Signature and Title	To the best of my knowledge causes(s) and manner as sta	death occurred led.	d at the time		nd due to the	,		38. TIME OF DEATH	H AM	☐ Yes ☐ No
	39, NAME OF ATTENDE	NG PHYSICIAN IF OTHER T	HAN CERTIFIE	R (Турв⁄Рій	10) 40. NAME AND	ADDRESS (OF CERTIFIER (Type	e/Print)			
•	41. REGISTRAR'S SIG	SNATURE						42. DATE FILED	(Mo., Day, Yr.)		
	43. WAS AN AUTOPSY PERFORMED?	45, MANNER OF DEAT Natural Accident	H 46. INJURY AT WORK?		OF INJURY Day, Yr.)	48. DESC	RIBE HOW INJURY	OCCURRED	٠.		
	Yes No 44. WERE AUTOPSY FINDINGS AVAIL- ABLE PRIOR TO	Suicide Homicide Pending	☐ Yes	49. TIME	OF INJURY	50. PLAC	E OF INJURY — AL	home, farm, stree	t, factory, office building.	, etc. (Specify)	<u> </u>
	COMPLETION OF CAUSE OF DEATH!	Investigation	□ No		□ AM □ PM	51. LOCA	TION (Street and No	umber of Rural Ro	ute Number, City or Tox	m, State)	
	IMMEDIATE O					not enter th	e mode of dying, su	ch as cardiac or re	espiratory		imate Interval en Onset and
	disease or cor resulting in de	ath.)			ONSEQUENCE O						
	Sequentially lie sequentially lie if any, leading cause. Enter to CAUSE (Disei which intitiated resulting in de	JNDERLYING ase or injury I events c			ONSEQUENCE O					1	
	PART II. Ot	d. her significant conditions core ecified in Part I, indicate if the	ntributing to dea e decedent was	ath but not o pregnant o	resulting in the unde or less than 90 days p	rlying cause costpartum	given in Part I. If no at time of death.	pt .		1	
,	VS3-B1/00		01145		EAS EOR ME		PV 41401PP	1105.011			

ORIGINAL COPY STATE

Item 9 -- Place of Death

If the death occurred in a hospital, check the box indicating the decedent's status at the institution (inpatient, emergency room/outpatient, or dead on arrival (DOA). If death occurred elsewhere, check the box indicating whether death occurred at a nursing home, residence or other location. If other is checked, specify where death occurred, e.g. a physician's office, the place where the accident occurred or at work.

Items 20-23. - Residence of Decedent

Residence of the decedent is the place where he or she actually resided. This is not necessarily the same as "home state" or "legal residence." Never enter a temporary residence such as one used during a visit, business trip or a vacation. Place of residence during a tour of military duty or during attendance at college is not considered as temporary and should be considered the place of residence.

If a decedent had been living in a facility where an individual usually resides for a long period of time such as a group home, mental institution, nursing home, penitentiary or hospital for the chronically ill, report the location of that facility in items 20 through 23.

If the decedent was an infant who never resided at home, the place of residence is that of the parent(s) or legal guardian. Do <u>not</u> use an acute care hospital's location as the place of residence of an infant.

Items 34-51 - Medical Certification

When the circumstances of death make it a medical examiner case as defined in 22 MRSA §3025, the MEDICAL EXAMINER is responsible for completing all items in this section. The shaded areas, item 34 and items 46-51 are to be used only by the Medical Examiner. If the manner of death indicated in item 45 is anything other than natural causes, the certificate must be completed by a medical examiner.

Item 52 -- Cause of Death

See examples below.

The cause of death means the disease, abnormality, injury or poisoning that caused the death, not the mode of dying, such as cardiac or respiratory arrest, shock or heart failure.

In <u>Part J</u>, the <u>immediate</u> cause of death is reported on line (a). Antecedent conditions, if any, which gave rise to the cause are reported on lines (b), (c), and (d). The <u>underlying</u> cause should be reported on the last line used in Part I. NO entry is necessary on lines (b), (c), and (d) if the immediate cause of death on line (a) describes completely the train of events. ONLY ONE CAUSE SHOULD BE ENTERED ON A LINE. Additional lines may be added if necessary. Provide the best estimate of the interval between the onset of each condition and death. Do not leave the interval blank; if unknown, so specify.

In Part II, enter other important diseases or conditions that may have contributed to death but did not result in the underlying cause of death given in Part I.

				4 0. 19	
43. WAS AN AUTOPSY PERFORMED?	45. MANNER OF DEATH Matural Accident	46. INJURY AT WORK?	47. DATE OF INJURY (Mo., Day, Yr.)	48. DESCRIBE HOW INJUST OCCUPRED	
🛛 Yes 🗆 No	Suicide				
44. WERE AUTOPSY FINDINGS AVAIL- ABLE PRIOR TO	☐ Hornicide	☐ Yes	49. TIME OF INJURY	5g PLACE OF INJURY — At home, farm, street, factory, office building, e	lc. (Specify)
COMPLETION OF	Investigation	-	Tal way	Ex.LCCATION (Street and Number or Rural Route Number, City or Town	Ctatal
CAUSE OF DEATH?	Could not be	□ No		The Control of Street and Monioer of Moral Model Monioer, City of Town	, 31810)
X Yes No	determined		Call Market		
	arrest, shock, or heart failure.	r complica List only o	tions which the last had been been each line.	not enter the mode of dying, such as cardiac or respiratory	Approximate Interval Between Onset and Death
IMMEDIATE CAU disease or conditi		ture of	myocardiym		Mins.
resulting in death.	,	OUE TO	OR ASSA CONSPOUENCE OF	-):	
ΞÓ	# s Acu	te mvo	cardial in arction		6 days
Sequentially list of	mmediate C		OR AS A CONSEQUENCE OF	=):	1
NOUNCE CONTRIBUTION OF CONTRIB	or injury & c Chre	onic is	chemic heart diseas	e	5 years
which inititated ev	rents		OR AS A CONSEQUENCE OF		1 , , , , ,
S =					1
PART II. Other s	significant conditions contribut	ing to dea	th but not resulting in the underly	ring cause given in Part I.	
· 	-				
Diahotes	Chronic obstructiv	a nuln	nonary disease, smo	skina	
Diabetes,	Official Obstructiv	e puni	ionary disease, sino	Ming	/
43. WAS AN AUTOPSY	45. MANNER OF DEATH	46.	47, DATE OF INJURY	48. DESCRIBE HOW INJURY OCCURRED	
PERFORMED?		INJURY	(Mo., Day, Yr.)	46. DESCRIBE ROW INJURY OCCURRED	,
	☐ Natural	AT WORK?			
☐ Yes 🖾 No			11/15/88	2 car collision—driver	
44. WERE AUTOPSY	☐ Homicide	☐ Yes	49. TIME OF INJURY	50. PLACE OF INJURY — At home, farm, street, factory, office building, e	tc. (Specify)
FINDINGS AVAIL- ABLE PRIOR TO	Pending			Street	
COMPLETION OF CAUSE OF DEATH?	Investigation	⊠ No	1:00 M PM	51. LOCATION (Street and Number or Rural Route Number, City or Town	, State)
Yes Kino	Could not be determined		JAJ FM	· ·	•
	1	r complies	tions which caused the death. Dr	Route 4, Augusta, Maine	Approximate Interval
	arrest, shock, or heart failure.			s and and the mode of oping, even as calded on respiratory	Between Onset and Death
IMMEDIATE CAU disease or conditi	ion a. Ceri		aceration		1 10 mins.
resulting in death	.)	DUE TO (OR AS A CONSEQUENCE OF	F):	!
Y O Sequentially list o			I fracture		10 mins.
if any, leading to	immediale t	DUE TO (OR AS A CONSEQUENCE OF	F):	1
NO Nequentially list conditions, if any, leading to immediate cause. Enter UNDERLYING CAUSE (Disease or injury of cause). Automobile accident individual of cause cause. Enter UNDERLYING CAUSE (OR AS A CONSEQUENCE OF): DUE TO (OR AS A CONSEQUENCE OF): DUE TO (OR AS A CONSEQUENCE OF):					
로 일 which inititated ev	Which initiated events O resulting in death) LAST O which finitiated events O Fig. (OR AS A CONSEQUENCE OF):				
ŏ <i>≧</i>	· L.				1
PART II. Other	significant conditions contribu	ling to dea	th but not resulting in the underf	ying cause given in Part I.	
		•		• • •	
<u> </u>					
	4			A	

STATE OF MAINE DEPARTMENT OF HUMAN SERVICES (118)

			Lic	ENSE	E AND CERTIFIC	CATE O	F MARRIAG	E		State File No.	
•	In. FIRST NAME		1b. MIDD	LE NAME			Ic. LAST NAME			0,000 7 10 110	1d. JR., ETC.
	2. AGE LAST BIRTHDAY 3. R	ESIDENCE - STA	ATE 4. COUNTY	7		5. CITY, C	DR TOWN				
GROOM	6. STREET AND NUMBER	6. STREET AND NUMBER					PLACE (State or Fore)	gn Country)		8. DATE OF BIRTH (MC	., Day, Yr.)
	9. FATHER'S NAME (First, Middle, Lest)		10.	BIRTHPI Foreign	LACE (State or Country)	11. MOTHER'S NAME (First, Middle, Halden Surname)			rmama)	12. BIRTHPLACE (State Foreign Country)	i or
	13a. FIRST NAME		136. MIDE	DLE NAM	SE		13c, MAIDEN	SURNAME			
	14. CURRENT LAST NAME		15. AGE LAST BIRT	THDAY	16. RESIDENCE - STATE	17. COUNT	y l		18. CITY OR TOWN		
BRIDE	19. STREET AND NUMBER				•	20. BIRTHE	LACE (State or Foreig	n Country)		21. DATE OF BIRTH (Mo.	, Day, Yr.)
	22. FATHER'S NAME (First, Mid-	fle. Lasi)	123.	BIRTHPI	ACE ISlaid of	24. MOTHE	R'S NAME (First, Mid	die. Maiden Sum	name)	25. BIRTHPLACE (State of	×
		,,,,,,		Foreign	Country)	,				Foreign Country)	
	GROOM								BRIDE		
MARITAL STATUS	NUMBER OF THIS MARRIAGE 26. First, Second, etc.	 	REVIOUSLY MARRIE		MARRIAGE ENDED		OF THIS WATRIAGE			RRIED, LAST MARRIAGE E DATE (Mo., Day, Yr.)	NDED
- T.	(Specify)	DEATH DIVORCE				(Speci	a Africa	D DEATH DIVORCE ANNULM	: ENT		
SIGNATURES	I HEI 30. GROOM'S SIGNATURE	REBY CERT	FIFY THAT THE AN	INFO	Ired by law to obtain RMATION PROVIDE AT I AM FREE TO	ED IS CO	RRECT TO THE NDER THE LAV S'S SIGNATURE	E BEST OF WS OF MAIR	MY KNOWLEDG		
LICENSE TO MARRY	ANY DULY AUTHORIZED P IS HEREBY AUTHORIZED TO THE ABOVE NAMED PARTIES THE LAWS OF MAINE.	ERSON MARRY	IGNATURE OF ISSUE		A Company			OR TOWN OF IS		HIL (MO., Day, Tr.)	
	THE L	AWS OF	MAINE PROV	IDE S	HTUA YOU TAKE	HORIZE	D PERSONS	MAY SOLI	EMNIZE MARE	RIAGES IN MAINE	
					A STATE OF THE STA						
	37. I CERTIFY THAT THE ABOVE NAMED PERSO WERE MARRIED ON:	ens.	(Mo., Day, Yr.)		8. WHERE MARRIED - CIT	Y OH TOW		39. COUN	IIY		
CEREMONY	40. SIGNATURE OF PERSO	ON PERFORMING	G CEREMONY	1	1. NAME (Type/Print)			42. TITLE		43. DATE OF COMMISSI (Mo., Day, Yr.) ADMIT	ON OR LICENSE ITED TO ME, BAR
	44A. RESIDENCE OF PERS	ON PERFORMIN	NG CEREMONY		44B, MAILING ADDRESS	OF PERSON	PERFORMING CER	EMONY		!	
	45A. SIGNATURE OF WITNE	SS TO CEREMO	, YM			45B	. TYPED OR PRINTE	D NAME OF WIT	NESS		
WITNESSES SIGNATURES	48A. SIGNATURE OF WITNE	SS TO CEREMO	PNY			46B	TYPED OR PRINTE	D NAME OF WIT	NESS		
CLERK	47. REGISTRAR'S SIGNATI	URE						48. DATE	FILED (Mo., Day, Yr.)		
		· · · · · · · · · · · · · · · · · · ·					- u				
/S2-R5/90			Ople	CINI	AL — ISSUINO	2 (CIT)	/ OD TOW				
	49. American Indian, Black	50. Elementa	ry/Secondary		College (1-4 or 5+)	51. Ame	ican Indian, Black, b, etc. (Soecily)	<u>.</u>	enlary/Secondary	Colle	ge 5.1
	White, etc. (Specify)	1 '	0-12)		(1-4 0/ 5+)	www	, etc. (specify)		(0-12)	(1-4 or	9+)

COPY - STATE

		CONSENT OF PARENTS OR GUARDIAN							
004105117		WE HEREBY GIVE CONSENT TO THE MARRIAGE OF OUR DAUGHTER OR WARD							
CONSENT FOR BRIDE	SIGNATURE OF PARENT OR GUARDIAN		POF PARENT OR GUARDIAN						
	SIGNED BEFORE ME	CLERK OR DEPUTY	TOWN						
		H. F. F. F.							
001105117	WE HEREBY GIVE CONSENT TO THE MARRIAGE OF C	TUR SON OR WARD							
CONSENT FOR GROOM	SIGNATURE OF PARENT OR GUARDIAN	SIGNATURI	E OF PARENT OR GUARDIAN						
	SIGNED BEFORE ME ON	CLERK OF DEPUTY	TOWN						

		Dissolu	JTION OF FORMER MARRI	IAGE
	DIVORCE (NAME OF FORMER SPOUSE)		DATE OF DIVORCE	NAME AND LOCATION OF COURT
GROOM	ANNULMENT (NAME OF FORMER SPOUSE)		DATE OF ANNULMENT	NAME AND LOCATION OF COURT
	DEATH (NAME OF FORMER SPOUSE)	1	DATE OF DEATH	PLACE OF DEATH
	DIVORCE (NAME OF FORMER SPOUSE)		DATE OF DIVORCE	NAME AND LOCATION OF COURT
BRIDE	ANNULMENT (NAME OF FORMER SPOUSE)		DATE OF ANNULMENT	NAME AND LOCATION OF COURT
	DEATH (NAME OF FORMER SPOUSE)		DATE OF DEATH	PLACE OF DEATH

STATE OF MAINE

RECORD OF DIVORCE OR ANNULMENT

DEPARTMENT OF HUMAN SERVICES

			(118)	State Fil	g No.	
IIII CO AND	1a.' NAME OF HUSBANO FIRST	1b. MIDDLE	1c. LAST		1d. JR., ETC.	
HUSBAND	. 2a. USUAL RESIDENCE – STATE	2b.COUNTY	20	CITY/TOWN		
WIFE	3a. NAME OF WIFE - FIRST	36. MIDOLE	3c. LAST		,	
	4a. USUAL RESIDENCE – STATE	4b. COUNTY	4c. CITY/TOWN			
MARRIAGE	5. PLACE OF MARRIAGE – STATE, COUNTY, AND CITY	OR TOWN	6. DATE OF	MARRIAGE		
DIVORCE OR ANNULMENT	7. TYPE OF DECREE DIVORCE ANNULMENT 10. DATE OF DECREE	8. PLAINTIFF HUSBA WIFE TT: LEGAL GROUNDS FOR JUI		9. DECREE GRANTE	HUSBAND	
MINOR CHILDREN	12. NAMES OF MINOR CHILOREN		13. AGES	14. CUSTODY		
Use Reverse Side for Additional Names						
CERTIFICATION	15. I HEREBY CERTIFY THAT THE ABOVE ITEMS OF INFO AND CORRECT AS SHOWN IN THE ORIGINAL RECORD O SIGNATURE OF CLERK	ORMATION ARE TRUE 16. NAME OF CO		· · · · · · · · · · · · · · · · · · ·		
VS5 - R 1/90	SE	ND TO: Office of Vital Statistics State House Station # 11, Augusta	a, Maine 04333-0011	<u> </u>	· · · · · · · · · · · · · · · · · · ·	

·	
•	

STATE OF MAINE DEPARTMENT OF HUMAN SERVICES REPORT OF INDUCED ABORTION

(118)

		1121 0		OCED ABONTION	<u>'</u>			State File No.
1. FACILITY NAME (If not cli	nic or hospital, giv	re address)	2. COU	NTY OF ABORTION	OF ABORTION 3. CITY/TOWN OF ABORTION			4. PATIENT MARRIED?
								P YES
								- UNKNOWN
5. DATE OF ABORTION (Mor	nth, Day, Year)	6. AGE OF PAT	TENT	7. RESIDENCE - STATE	8. COU	NTY ·	9. CITY	/TOWN
10. ANCESTRY		11. RAC			12.		АПОИ	
French, English, Irish, Etc. (Specify Below)			American Indian Black			(Specify only highest	grade co	ompleted)
			White		Ele	mentary/Secondary (0-12)	ì	Collegs (1-4 or 5 +)
			Other (Specify)			(0-12)	<u> </u>	1/40/57/
13. DATE LAST NORMAL MENSES BEGAN	14. CLINICAL E OF GESTATI	STIMATE ON <i>(Weeks)</i>		PREGNANCY HISTORY	(Comple	te each section)		
(Month, Day, Year)				LIVE BIRTHS				ATIONS is termination)
	1		15a. Now livin	g \$55. Now dead	13	16a. Spontaneous	1 16b	. Induced
		}					1	
*		1	Number	Number		Number	1	Number
	<u> </u>		□ None	□ None		☐ None	!	☐ None
			TERM	ATION PROCEDURES				
17a. PROCEDURE THA PREGNANCY	T TERMINATED	ΥΥ	PE OF TERMINI	TEONEROCEDURES			IONAL P OR THIS	ROCEDURES
FILGHANG							VAΠON,	
/Oh	eck anly one)	£.				(Check all to	hat and M	
, co			And Sur	tion Curettage				
				arp Cwettage				
				nd Evacuation (D&E)				
				ine Saline Instillation			•	
				Prostaglandin Instillation				
☐Hystero								
				ysterectomy				
	U		Diriei (oper	"111				
18. SIGNATURE OF ATTENDING	G PHYSICIAN			19. NAME OF PERSON	COMPLE	TING REPORT (Type/Print)		
)								
S.A. R. Moo		SEND TO: Off	ice of Vital Statisti	CS .				

State House Station #11, Augusta, Maine 04333-0011

*		
		. •
		1
		l I
		1
		1
		1
		1 1

TABLE E-1

ESTIMATED MAINE POPULATION BY COUNTIES AND STATE, TOTAL - JULY 1, 1994

COUNTY STATE TOTAL	RESIDENT POPULATION 1,240,280
ANDROSCOGGIN	103,882
AROOSTOOK	81,920
CUMBERLAND	248,009
FRANKLIN	29,645
HANCOCK	48,837
KENNEBEC	117,262
KNOX	37,074
LINCOLN	31,023
OXFORD	53,031
PENOBSCOT	146,501
PISCATAQUIS	18,549
SAGADAHOC	33,870
SOMERSET	51,219
WALDO	35,002
WASHINGTON	35,883
YORK	168,573

SOURCE: U. S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS.

TABLE E-2

ESTIMATED POPULATION BY AGE GROUP AND SEX MAINE STATE TOTALS, - JULY 1, 1994

AGE GROUP (YEARS)		TION	
	MALE	FEMALE	TOTAL
ALL AGES - TOTAL	602,307	637,973	1,240,280
UNDER 1	7,443	7,054	14,497
1-14	123,124	116,933 `	240,057
15-24	83,686	82,341	166,027
25-34	89,185	93,418	182,603
35-44	104,910	105,318	210,228
45-64	124,146	129,747	253,893
65-74	42,703	52,925	95,628
75-84	21,929	35 , 152	57,081
85 AND OLDER	5,181	15,085	20,266

SOURCE: MAINE DEPARTMENT OF HUMAN SERVICES, OFFICE OF DATA, RESEARCH AND VITAL STATISTICS, FEBRUARY 1996.

HISTORICAL VITAL STATISTICS DATA POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES: RATES FOR BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS MAINE STATE TOTALS, 1900-1965 (Every Fifth Year) and 1966-1994 (Yearly)

Year	Population	Live Births	Birth Rate per 1,000 Population	Deaths (All Ages)	Death Rate per 1,000 Population	Infant Death Rate ^d	Neonatal Death Rate ^d	Fetal Death Rate ^d	Marriages ^c	Divorces ^c
1900	694,466	14,095	20.3	11,389	16.4	267.5	-	43.6ª	5,482	801
1905	719,000	15,294	21.3	11,381	15.8	234.2	-	46.5ª	6,264	848
1910	742,371	15,798	21.3	12,439	16.7	249.2	30.4	42.5ª	5,900	911
1915	757,000	16,671	22.0	11,541	15.2	135.7	25.4	41.3°	6,672	1,006
1920	768,014	17,495	22.7	11,850	15.3	102.8	41.2	42.8^{a}	7,884	1,364
1925	782,700	17,706	22.6	10,874	13.8	75.6	51.8	-	6,226	1,228
1930	797,423	16,199	20.3	11,084	13.9	75.4	41.5	35.9 ^a	6,438	1,466
1935	822,300	15,715	19.1	11,042	13.4	62.3	37.8	33.6ª	7,089	1,474
1940	847,226	15,285	18.0	10,640	12.6	52.9	34.0	24.8 ^a	8,475	1,537
1945	880,500	16,647	18.9	9,966	11.3	46.6	27.0	24.1 ^a	7,569	2,497
1950	914,950	21,239	23.2	9,962	10.9	31.2	22.0	19.4 ^a	8,617	2,162
1955	940,841	22,753	24.2	10,140	10.8	24.5	17.3	28.4ª	8,263	1,954
1960	970,689	23,282	24.0	10,752	11.1	25.2	18.6	17.7 ^a	7,860	2,025
1965	993,236	19,796	19.9	10,778	10.9	22.4	16.9	17.5 ^a	8,726	2,502
1966	994,714	18,526	18.6	10,915	11.0	22.6	17.1	15.0 ^a	8,983	2,630
1967	995,134	17,976	18.1	10,066	10.1	23.1	16.4	16.1 ^a	9,210	3,049
1968	994,632	16,866	17.0	11,085	11.1	21.6	15.9	16.0^{a}	10,179	3,088
1969	993,907	17,364	17.5	10,898	11.0	19.7	15.3	11.8 ^a	10,428	3,375
1970	997,357	17,837	17.9	11,066	11.1	20.9	16.1	13.8 ^a	10,975	3,841
1971	1,012,257	17,850	17.6	10,830	10.7	18.1	13.3	13.2 ^a	11,193	3,905
1972	1,025,775	16,269	15.9	11,147	10.9	17.7	12.8	12.2	11,741	4,132
1973	1,038,291	15,730	15.1	10,837	10.4	16.1	11.6	13.3 ^a 9.9 ^b	11,925	4,551
1974	1,050,181	15,110	14.4	10,705	10.2	16.1	12.6		11,546	4,850
1975	1,062,640	15,232	14.3	10,253	9.6	13.2	9.0	10.8 ^b	11,190	5,526
1976	1,074,653	15,046	14.0	10,422	9.7	11.0	7.6	8.3 ^b 8.6 ^b	11,302	5,522
1977	1,087,650	16,252	14.9	10,055	9.2	9.4	6.1	8.6 8.9 ^{b,c}	11,446	5,655
1978	1,101,186	15,919	14.5	10,168	9.2	10.2 9.7	6.0 5.8	8.9 7 7.2 ^{b,c}	11,658	6,164
1979	1,115,044	16,435	14.7	10,278	9.2	9.7 9.3		7.2 7.1 b,c	11,918	6,158
1980	1,125,027	16,474	14.6	10,768	9.6	9.3 10.6	5.9 6.6	5.7 ^{b.c}	12,040	6,189
1981 1982	1,132,849 1,136,199	16,567 16,695	14.6 14.7	10,331 10,451	9.1 9.2	8.7	6.0	6.9 ^{b,c}	12,290 12,388	6,351 5,804
1982	1,136,199	16,695	14.7	10,431	9.2 9.5	8. <i>7</i> 8.7	5.9	6.5 ^b	12,388	5,804 5,939
1983		16,631	14.5 14.4	10,916	9.3 9.4	8.7 8.0	3.9 4.8	6.8 ^b .	12,478	5,795
	1,156,485	16,905		10,826	9.4 9.8	8.0 8.9	4.8 6.3	6.0 ^b	12,323	6,070
1985	1,163,850	16,717	14.5 14.3	11,392	9.8 9.5	8.9 8.7	5.6	5.9 ^b	12,248	5,621
1986 1987	1,172,200 1,186,350	16,717	14.3 14.1	11,178	9.5 9.5	8. / 8. 1	3.6 4.8	5.7 ^b	12,124	5,878
			14.1	11,482	9.5 9.5	7.9	4.8 5.1	6.3 ^b	12,124	6,041
1988	1,205,900	17,166 17,464	14.2 14.4	11,482	9.3 9.1	7.9 7.0	3.1 4.8	5.6 ^b	12,333	5,469
1989	1,216,050				9.1	7.0 5.9	4.8 4.3	5.2 ^b		5,469 5,164
1990 1991	1,227,928 1,234,597	17,314 16,755	14.1 13.6	11,023 11,189	9.0 9.1	5.9 6.7	4.3 4.4	5.2 4.9 ^b	11,914 11,306	5,164 5,645
1991	1,234,397	16,733	13.0	11,189	9.1 8.9	5.6	4.4 3.6	4.9 5.3 ^b	11,306	5,643 6,257
1992	1,230,348	15,054	13.0	11,043	9.3	5.6 6.4	3.6 4.2	5.0 ^b	11,303	5,997
1993	1,239,779	14,396	11.6	11,540	9.3 9.3	6.1	4.0	3.8 ^b	10,978	5,701
1774	1,240,200	14,370	11.0	11,390	7.3	0.1	4.0	3.6	10,7/0	5,701

Notes: ^aFetal death rate calculated based on all reported terminations of pregnancy, regardless of gestational age. In 1973, 12.0% of such terminations were for fetuses of less than 20 weeks gestation.

[VS.H-1/sw]

^bFetal death rate calculated based on reported fetal deaths of gestational age 20 weeks or more.

^cOccurrence data.

^dRate per 1,000 live births in the same year.

All data for births and deaths pertain to Maine residents only, starting in 1935. Data on marriages and divorces describe all such events which occurred in Maine.

HISTORICAL VITAL STATISTICS DATA INDUCED ABORTIONS OF PREGNANCY, NUMBER AND RATE: MAINE STATE TOTALS, 1978-1994

Year	Births	Induced Abortions	Induced Abortions per 1,000 Live Births
1978	15,919	4,011	252.0 ^a
1979	16,435	3,963	241.1 ^a
1980	16,474	3,594	218.2 ^b
1981	16,567	2,881	173.9 ^b
1982	16,695	2,419	144.9 ^b
1983	16,576	3,279	197.8 ^b
1984	16,631	3,767	226.5 ^b
1985	16,905	3,784	223.8 ^b
1986	16,717	3,521	210.6 ^b
1987	16,727	3,698	221.1 ^b
1988	17,166	3,818	. 222.4 ^b
1989	17,464	3,921	224.5 ^b
1990	17,314	4,028	232.6 ^b
1991	16,755	3,520	210.1 ^b
1993	15,054	3,095	205.6 ^b
1994	14,396	2,916	202.6 ^b

Notes: Data prior to 1978 not given because of severe underreporting.

[VSH-2/sw]

^aOccurrence data.

^bResidence data.

NON-DISCRIMINATION NOTICE

In accordance with Title VI of the Civil Rights Act of 1964, as amended by the Civil Rights Restoration Act of 1991 (42 U.S.C. Section 1981, 2000e et seq.) Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. Section 794, the Age Discrimination Act of 1975, as amended (42 U.S.C. Section 6101 et seq.), Title II of the Americans with Disabilities Act of 1990 (42 U.S.C. Section 12101 et seq.), and Title IX of the Education Amendments of 1972, the Maine Department of Human Services does not discriminate on the basis of sex, race, color, national origin, disability or age in admission or access to or treatment or employment in its programs and activities.

Ann Twombly, Affirmative Action Coordinator, has been designated to coordinate our efforts to comply with the U.S. Department of Health and Human Services regulation (45 C.F.R. Parts 80, 84, and 91) and the U.S. Department of Education regulations (34 C.F.R. Part 106) implementing these Federal laws. Inquiries concerning the application of these regulations and our grievance procedures for resolution of complaints alleging discrimination may be referred to Ann Twombly at 221 State Street, 11 State House Station, Augusta, Maine 04333-0011. Telephone number: (207) 287-2488 (Voice) or 1-800-332-1003 (TTD), or the Assistant Secretary of the Office of Civil Rights, Washington, D.C.

NONDISCR

MAINE DEPARTMENT OF HUMAN SERVICES
Office of Data, Research, and Vital Statistics
State House Station 11
35 Anthony Avenue
Augusta, Maine 04333-0011

SPECIAL FOURTH CLASS
Book Rate