











MAINE VITAL STATISTICS

1995

STATE LAW LIBRARY AUGUSTA, MANYE





Te ha

413 .M25 1995 Angus S. King, Jr. JUL 1 A 1998 Governor



Kevin W. Concannon Commissioner



DEPARTMENT OF HUMAN SERVICES BUREAU OF HEALTH

"Protecting the Health of All Maine People"











NON-DISCRIMINATION NOTICE

In accordance with Title VI of the Civil Rights Act of 1964, as amended by the Civil Rights Restoration Act of 1991 (42 U.S.C. Section 1981, 2000e et seq.) Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. Section 794, the Age Discrimination Act of 1975, as amended (42 U.S.C. Section 6101 et seq.), Title II of the Americans with Disabilities Act of 1990 (42 U.S.C. Section 12101 et seq.), and Title IX of the Education Amendments of 1972, the Maine Department of Human Services does not discriminate on the basis of sex, race, color, national origin, disability or age in admission or access to or treatment or employment in its programs and activities.

Ann Twombly, Affirmative Action Coordinator, has been designated to coordinate our efforts to comply with the U.S. Department of Health and Human Services regulation (45 C.F.R. Parts 80, 84, and 91) and the U.S. Department of Education regulations (34 C.F.R. Part 106) implementing these Federal laws. Inquiries concerning the application of these regulations and our grievance procedures for resolution of complaints alleging discrimination may be referred to Ann Twombly at 221 State Street, 11 State House Station, Augusta, Maine 04333-0011. Telephone number: (207) 287-2488 (Voice) or 1-800-332-1003 (TTD), or the Assistant Secretary of the Office of Civil Rights, Washington, D.C.

STATE OF MAINE DEPARTMENT OF HUMAN SERVICES BUREAU OF HEALTH OFFICES OF HEALTH DATA AND PROGRAM MANAGEMENT DATA, RESEARCH AND VITAL STATISTICS

ANNUAL STATISTICAL REPORT

FOR THE CALENDAR YEAR

1995

Angus S. King, Jr. Governor



Kevin W. Concannon Commissioner

Dora Anne Mills, M.D., M.P.H. State Health Officer

N. Warren Bartlett State Registrar of Vital Statistics

Published in April,1998 As Required by Statute 22 MRSA §2701 Under Appropriation # 010-10A-1110-01

ACKNOWLEDGEMENTS

This report contains a summary of vital statistics for the State of Maine for the calendar year 1995. The Department of Human Services has the dual responsibility of maintaining an effective system of vital registration and of making vital statistics available to the public. Within the Department itself, these data are needed for planning, managing, and evaluating programs that will improve the health and welfare of Maine people. The data are widely used, as well, for estimating and projecting population characteristics and changes.

This document is the result of the cooperative efforts of many individuals and groups. Chief among these are the municipal clerks of Maine's cities and towns, who serve as local registrars for vital records. The conscientious efforts of physicians, medical records administrators, and funeral directors also deserve special mention.

<u>Maine Vital Statistics</u> has been compiled and produced under the general supervision and direction of N. Warren Bartlett, State Registrar of Vital Statistics and Director, Offices of Health Data and Program Management. Staff most significantly involved in the production of the 1995 annual report include:

Donald Lemieux, Director, Office of Data, Research and Vital Statistics - supervision and general direction, preparation of population statistics, programming of vital statistics series reports, review and update of the text.

Judith Hunnewell - Planning and Research Associate - administration of electronic birth certificate system (EBC).

Richard Greenwald - Programmer Analyst - vital statistics systems maintenance and generation of vital statistics series reports.

Francis Kadi - Programmer Analyst - vital statistics systems maintenance.

Sharon Pruett - Planning and Research Assistant - update of fetal death data base.

Lisa Collins - Data Entry Specialist - update of induced termination of pregnancy data base.

The joint efforts of all the staff of the Office of Vital Records are necessary to produce the data contained in this publication. Special acknowledgement is made to:

Lorraine Wilson - Deputy State Registrar - Director of the Office of Vital Records which is responsible for data collection, coding and editing.

TABLE OF CONTENTS

Page No.

Acknowledgements			
List of Tables			
List of Supplemental Tables Available on Request	x		
Introduction	1		
Definitions of Terms	3		
Definitions of Rates	7		
Technical Notes	9		
General Considerations Live Births Pregnancy Outcome Infant and Fetal Mortality General Mortality Induced Abortions Marriages Divorces Miscarriages	9 12 12 13 15 15 15 15		
Tables (See List of Tables for detailed titles)			
Live Births Pregnancy Outcome Infant and Fetal Mortality General Mortality Induced Abortions.	17 67 87 101 145		
Appendices	153		
Maine Vital Records Certificates and Reports			
Certificate of Live Birth Certificate of Fetal Death Certificate of Death License and Certificate of Marriage Record of Divorce or Annulment Report of Induced Abortion.	155 157 159 161 163 165		

TABLE OF CONTENTS (Continued)

Population Estimates

.

.

.

Page No.

Estimated Maine Population by Counties and State, Total - July 1, 1995	167
Estimated Population by Age Group and Sex, Maine State Totals - July 1, 1995	169
Life Expectancy in Maine by Single Year of Age and Sex, 1990	171
Historical Vital Statistics Data	
Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, from 1900	175

<u>Table No.</u>	Table Title	
	LIVE BIRTHS	
TABLE B-1	All Live Births and Out of Wedlock Live Births, by Mother's Age and Race: Maine State Totals, 1995 (Resident Data)	19
TABLE B-2	All Live Births and Out of Wedlock Live Births, by Mother's Age and Child's Birthweight: Maine State Totals, 1995 (Resident Data)	20
TABLE B-3	Live Births by Selected Medical History Characteristics Maine State Totals, 1995 (Resident Data) [Selected Characteristics: Complications of Labor, Medical Risk Factors, Other Risk Factors, Method of Delivery, Obstetric Procedures, Congenital Anomalies]	21
TABLE B-4	Live Births by Selected Risk Characteristics, and Ratio of Male to Female Births: Maine Counties and State Totals, 1995 (Resident Data) [Selected Characteristics: 5 Minute Apgar Score Less Than 5, Birthweight Less than 2,500 Grams, Gestation Less than 37 Weeks]	22
TABLE B-5	All Live Births and Out of Wedlock Live Births, By Mother's Age, Sex of Child and Birth Order: Maine Counties and State Totals, 1995 (Resident Data)	23
TABLE B-6	Live Births by Month Prenatal Care Began and Birthweight: Maine Counties and State Totals, 1995 (Resident Data)	40
TABLE B-7	Live Births by Trimester Prenatal Care Began and Number of Prenatal Visits: Maine Counties and State Totals, 1995 (Resident Data)	49
TABLE B-8	Live Births by Month Prenatal Care Began and Mother's Education: Maine Counties and State Totals, 1995 (Resident Data)	58
TABLE B-9	Live Births by Selected Risk Characteristics Number of Births: Maine Hospital, Other Birth Sites, and State Total, 1995 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Medical Risk Factors, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]	64
TABLE B-10	Live Births by Selected Risk Characteristics Percentage of Total Births: Maine Hospital, Other Birth Sites, and State Total, 1995 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Medical Risk Factors, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams]	65

<u>Table No.</u>	Table Title	<u>Page No.</u>
TABLE B-11	Live Births by Birthweight: Maine Hospitals, Other Birth Sites, and State Totals, 1995 (Occurrence Data)	66
	PREGNANCY OUTCOME	
TABLE P-1	Outcomes for All Reported Pregnancies and Out-of-Wedlock Pregnancies by Age of Mother: Maine Counties and Maine State Totals, 1995 (Resident Data)	69
	INFANT AND FETAL MORTALITY	
TABLE F-1	Infant, Neonatal, and Postneonatal Deaths by Sex for 61 Cause of Death Groups: Maine State Totals, 1995 (Resident Data)	89
TABLE F-2	Fetal Deaths by Gestation and Sex for 61 Cause of Death Groups: Maine State Totals, 1995 (Resident Data)	93
TABLE F-3	Live Births, Neonatal Deaths, and Estimated Neonatal Death Rates by Birthweight: Maine State Totals, 1995 (Resident Data)	95
TABLE F-4	 Fetal Deaths by Selected Complications, Gestation, and Age of Patient: Maine State Totals, 1995 (Resident Data) [Selected Complications: Medical Risk Factors, Complications of Labor or Delivery, Tobacco/Alcohol Use, Congenital Anomalies] 	96
TABLE F-5	Deaths and Death RatesTotal, Infant, Neonatal, Postneonatal, and Perinatal: Maine Counties and State Totals, 1995 (Resident Data)	97
TABLE F-6	Fetal Deaths by Selected Characteristics: Maine Counties and State Totals, 1995 (Resident Data) [Selected Characteristics: Out of Wedlock, Autopsy, In Hospital, Trimester Prenatal Care Began, Age of Patient]	98
TABLE F-7	Fetal Deaths, Selected Risk Characteristics, and Ratio of Males to Females: Maine Counties and State Totals, 1995 (Resident Data) [Selected Characteristics: Congenital Anomalies, Fetal Weight, Gestation Less Than 28 Weeks]	99
TABLE F-8	Fetal Deaths by Selected Medical History Characteristics: Maine State Totals, 1995 (Resident Data) [Selected Medical History: Complications of Labor, Medical Risk Factors, Other Risk Factors, Method of Delivery, Obstetric Procedures, Congenital Anomalies].	100

Table No.	Table Title
	the second se

GENERAL MORTALITY

TABLE D-1	Deaths, Rank by Number of Deaths, and Death Rate Total, Male, and Female For Ten Leading Causes of Death by Age Group: Maine State Totals, 1995 (Resident Data)	
TABLE D-2	Years of Life Lost Number, Percent, Rank, and Average per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1995 (Resident Data)	
TABLE D-3	Deaths by Age and Sex for 282 Cause of Death Groups: Maine State Totals, 1995 (Resident Data)	
TABLE D-4	Underlying Cause Mentions and All Mentions of 72 Cause of Death Groups and Ratios of All Mentions to Underlying Cause Mentions: Maine State Totals, 1995 (Resident Data)	
TABLE D-5	Deaths Total and Percent by Site of Death: Maine Counties and State Totals, 1995 (Resident Data)	
TABLE D-6	Deaths in Hospitals Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1995 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	
TABLE D-7	Deaths in Intermediate Care Facilities Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1995 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents]	•
TABLE D-8	Deaths at Home Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1995 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia and Accidents]	
TABLE D-9	Deaths by Sex, Age, and Occupation: Maine State Totals, 1995 (Resident Data)	
TABLE D-10	Acquired Immune Deficiency Syndrome Related Deaths by Status of Mention: Maine State Totals, 1995 (Resident Data)	
TABLE D-11	Deaths by Underlying Cause Mention and All Mentions for Selected 72 Cause of Death Groups: Maine State Totals, 1995 (Resident Data)	

Table No. Table Title

INDUCED ABORTIONS

TABLE A-2	Induced Abortions by Gestation and Type of Termination Procedure: Maine State Totals, 1995 (Occurrence Data)	147
TABLE A-4	Induced Abortions by Gestation, Age of Patient and Race: Maine State Totals, 1995 (Occurrence Data)	148
TABLE A-6	Induced Abortions by Race, Age of Patient and Marital Status: Maine State Totals, 1995 (Occurrence Data)	149
TABLE A-9	Induced Abortions by Number and Outcome of Previous Pregnancies, Age of Patient and Marital Status: Maine State Totals, 1995 (Occurrence Data)	150
TABLE A-10	Induced Abortions by State or Country of Residence: Maine State Totals, 1995 (Occurrence Data)	151

<u>Page No.</u>

.

<u>Table No.</u>	Table Title	
	APPENDICES	Page No.
TABLE C-1	Copy of Maine Birth Certificate	155
TABLE C-2	Copy of Maine Fetal Death Certificate	157
TABLE C-3	Copy of Maine Death Certificate	159
TABLE C-4	Copy of Maine Marriage Certificate	161
TABLE C-5	Copy of Maine Record of Divorce or Annulment	163
TABLE C-6	Copy of Maine Report of Induced Abortion	165
TABLE E-1	Estimated Maine Population: Maine Counties and State Total, July 1, 1995	167
TABLE E-2	Estimated Maine Population by Age Group and Sex: Maine State Totals, July 1, 1995	169
TABLE LF-1	Life Expectancy in Maine by Single Year of Age and Sex, 1990	171
TABLE H-1	Historical Vital Statistics Data: Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, 1900-1965 (every fifth year) and 1966-1995 (yearly)	175

LIST OF SUPPLEMENTAL TABLES AVAILABLE ON REQUEST*

<u>Table No.</u>

S-A-2	Induced Abortions Total, and by Selected Characteristics: Maine Towns over 3,500 Population, Counties and State Totals, 1995 (Resident Data) [Selected Characteristics: Out of Wedlock, Patient's Age, No. Previous Pregnancies, No. Previous Abortions, Education, Abortions in Hospital]
S-A-3	Induced Abortions to Canadian Residents by Number and Outcome of Previous Pregnancies, Marital Status, and Age of Patient: Canada Totals, 1995 (Occurrence Data)
S-A-4	Induced Abortions to Canadian Residents by Gestation, Age of Patient and Race: Canada Totals, 1995 (Occurrence Data)
S-A-5	Induced Abortions to Canadian Residents by Gestation and Type of Termination Procedures: Canada Totals, 1995 (Occurrence Data)
S-B-1	All Live Births and Out of Wedlock Live Births by Adequacy of Prenatal Care, Mother's Age, Child's Birthweight, and Apgar Score: Maine State Totals, 1995 (Resident Data)
S-B-2	Live Births Total, and by Selected Risk Characteristics: Maine Towns, Counties and State Totals, 1995 (Resident Data) [Selected Characteristics: Out of Wedlock, Under 2,500 Grams, Congenital Anomalies, Mother Under Age 20 Years, No Prenatal Care]
S-BD-1	Births and Deaths by Month, Maine Towns, Counties and State Totals, 1995 (Resident Data)
S-D-1	Deaths, Rank By Number of Deaths, and Death Rate - Highlighting Motor Vehicle Traffic Deaths Total, Male, and Female for Ten Leading Causes of Death (Selected from 32 Cause of Death Classifications) by Age Group, Maine State Totals, 1995 (Resident Data)
S-D-2	Deaths by 72 Cause of Death Groups: Six Largest Cities or Towns in Each Maine County, County Totals, and State Totals, 1995 (Resident Data)
S-D-3	Deaths by Age and Sex for 72 Cause of Death Groups, Maine State Totals, 1995 (Resident Data)
S-D-4	Deaths by Age and Sex for 32 Cause of Death Groups, Maine State Totals, 1995 (Resident Data)

^{*}Supplemental tables are available at the cost of reproduction.

S-D-5	Alcohol and Drug Related Deaths by Status of Mention: Maine State Totals, 1995 (Resident Data)
S-D-6	Deaths by Origin or Descent: Maine Counties and State Totals, 1995 (Resident Data)
S-D-7	Deaths by Referral to Medical Examiner, Autopsy Status, Certifier, Traumatic and Non-traumatic Deaths: Maine State Totals, 1995 (Occurrence Data)
S-D-8	Deaths by Method of Disposition and Age: Maine Counties and State Totals, 1995 (Occurrence Data)
S-D-9	Years of Life Lost Before Age 75 - Number, Percent, Rank, and Average Per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1995 (Resident Data)
S-F-1	Neonatal Deaths and Estimated Neonatal Death Rates by Birthweight: Maine Hospitals of Birth, Other Birth Sites, and State Total, 1995 (Occurrence Data)
S-F-2	Infant, Neonatal, and Fetal Deaths by Sex, Non-white Race, Low Birthweight, and Congenital Anomalies: Maine Towns, Counties, and State Total, 1995 (Resident Data)

^{*}Supplemental tables are available at the cost of reproduction.

INTRODUCTION

In order to speed the process of making these data available to the public, the annual vital statistics report does not contain interpretive comments or charts. Information necessary to use the tables is included in the technical notes. The tabulations most frequently requested are presented in this report. Supplemental tables, available at the cost of reproduction, are listed on pages x and xi. Special tabulations can also be obtained, generally at a charge that may include preparation as well as reproduction costs. Comments and requests for additional information should be directed to:

Office of Data, Research, and Vital Statistics Bureau of Health Department of Human Services 11 State House Station 35 Anthony Avenue Augusta, Maine 04333-0011

1

Telephone: (207) 624-5445 Fax: (207) 624-5470 TTY: (207) 624-5512

1 ł ł ł Ł .

DEFINITIONS OF TERMS

All Mentioned Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. All mentioned causes are also referred to as "multiple causes of death."
Apgar Score	A summary indicator for evaluating the health of a newborn infant, the score ranges from 0 (very poor) to 10 (excellent). It is assigned by the delivery room personnel one minute and five minutes after birth.
Associated Cause of Death	Condition other than the underlying cause of death which may have contributed to the death.
Birth Order	Number of live births to the mother of the newborn, including this birth.
Birthweight	Weight of fetus or infant at time of delivery (normally measured in grams).
Fetal Death	Death prior to the complete expulsion or extraction from its mother of a product of conception; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Fetal deaths of at least 20 weeks of gestation must be reported on the "Fetal Death Report". Fetal deaths of less than 20 weeks gestation are reported on the "Monthly Miscarriage Report Register" or individual "Report of Miscarriage".
Gestation	Unless otherwise noted, clinical assessment of the number of weeks since conception.
Hospital	A licensed acute care health facility with permanent inpatient beds offering facilities and services for the diagnosis and treatment of illness, injury and deformity for a continuing period of time. A hospital has an organized medical staff and offers continuous 24 hour professional nursing care and emergency treatment.
Induced Abortion	Induced abortion means the intentional interruption of a pregnancy by the application of external agents, whether chemical or physical, or the ingestion of chemical agents with an intention other than to produce a live birth or to remove a dead fetus. All induced abortions are required to be reported on the "Report of Induced Abortion," regardless of the length of gestation.
Infant Death	Death occurring to a live born infant less than one year of age.

DEFINITIONS OF TERMS (Continued)

Intermediate Care Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, health related services, and licensed nursing supervision (8 hours per day).
Live Birth	A live birth is the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.
Maternal Deaths	Those deaths of women wherein the physician has designated a maternal condition as the underlying cause of death.
Minor Civil Division	In Maine, minor civil divisions are generally areas defined as cities, towns, plantations, and unorganized townships.
Multiple Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. Multiple causes are also referred to as "all mentioned causes".
Neonatal Death	Death occurring to a live born infant before completing 27 days of life.
Occurrence	Refers to data tabulated by place the event occurred.
Out-of-Wedlock Birth	Births in which the mother was not married either at the time of conception or at the time of delivery.
Perinatal Death	Fetal deaths of at least 20 weeks gestation and all neonatal deaths.
Postneonatal Death	Death occurring to a live born infant between the ages of 28 days and 364 days, inclusive.
Race	Race of mother, father, or decedent is as stated on certificate.
Residence	Refers to data tabulated by usual place of residence of the person to whom the event occurred. For births, fetal deaths, and abortions, residence is defined as the mother's place of residence.
Site of Birth	Hospital or type of non-hospital site (e.g. home, on way to hospital, out-patient facility) where birth occurred.

DEFINITIONS OF TERMS (Continued)

Site of Death	Hospital or type of non-hospital site (e.g. home, on way to hospital, nursing home) where death occurred.
Skilled Nursing Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, medical services, continuous skilled nursing services and health-related services, diagnosis and treatment.
Spontaneous Abortion	A termination of pregnancy, at less than 20 weeks gestation, through natural causes and without the aid of mechanical or medicinal agents.
Underlying Cause of Death	That condition giving rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. For this report, underlying causes are selected through processing of death certificate data by the ACME and TRANSAX computer programs (see Technical Notes).

.

.

۶,

,

DEFINITIONS OF RATES*

Age-Specific Death Rate	=	Resident Deaths in Specific Age Group Total Resident Population in Specific Age Group		100,000
Birth Rate	=	<u>Resident Live Births</u> Total Resident Population	x	1,000
Cause-Specific Death Rate	=	Resident Deaths from Specific Cause Total Resident Population	X	100,000
Death Rate	=	<u>Resident Deaths</u> Total Resident Population	X	1,000
Divorce Rate	=	Divorces Total Resident Population	Х	1,000
Fetal Death Rate	=	Resident Fetal Deaths Total Resident Live Births and Resident Fetal Deaths	Х	1,000
Infant Death Rate	=	<u>Resident Infant Deaths</u> Total Resident Live Births	Х	1,000
Marriage Rate	=	<u>Marriages Performed</u> Total Resident Population	х	1,000
Maternal Death Rate	=	<u>Resident Maternal Deaths</u> Total Resident Live Births	× ,	10,000
Neonatal Death Rate	=	Resident Neonatal Deaths Total Resident Live Births	х	1,000
Perinatal Death Rate	=	Resident Fetal Deaths and Neonatal Deaths Total Resident Fetal Deaths and Live Births	Х	1,000
Postneonatal Death Rate	=	<u>Resident Postneonatal Deaths</u> Total Resident Live Births	x	1,000
Sex-Specific Death Rate	=	<u>Resident Deaths of Indicated Sex</u> Total Resident Population of Indicated Sex	х	100,000

*Event denominators for rates are registered totals for the calendar year. Population denominators are mid-calendar year estimates.

,

TECHNICAL NOTES

GENERAL CONSIDERATIONS

Sources of Vital Records Data: Birth, death, fetal death, marriage and divorce certificates; induced abortion reports; and miscarriage registers and reports are the source documents for data on vital events in Maine. A copy of each is included in the Appendix.

The cut off dates for the data in this report are: Marriages, Divorces, Fetal Deaths, and Induced Abortions, 3/15/96; Deaths, 4/1/96; and Births, 4/15/96. Any data pertaining to 1995 events for which certificates were filed after the above cut off dates are not included in this report and will be filed in the vital records office as late certificates.

Birth certificates and induced abortion reports are usually completed by hospital or clinic personnel. Death and fetal death certificates are usually completed by funeral directors, who obtain the medical certifications of cause of death from physicians. Marriage certificates are completed by the appropriate municipal clerks, while divorce reports are sent to the Office of Data, Research, and Vital Statistics by the clerks of courts.

<u>Completeness of Registration</u>: A birth certificate test in 1950 indicated that about one percent of births in Maine at that time were not recorded. It is assumed that registration has continued to be at least that complete.

Although no test of death registration has ever been done, it is assumed that death registration is reasonably complete, because burial permit laws and regulations require the filing of a death certificate before a burial permit for the disposition of the body is issued.

Reporting of all induced abortions at any gestation has been required in Maine for many years. Analysis of fetal death rates over time, however, indicates that there has been considerable variation in the completeness of registration. A specific reporting form for induced abortions was introduced in 1978. Comparison with independent data sources suggests that induced abortions may be underreported by 10 to 15%.

In addition to unrecorded vital events, other vital events may not be included in this report for several reasons: failure of the person required to report the event to make a timely report; failure of a municipal clerk to make a timely report to the State Registrar; or failure of other states to make timely exchanges of nonresident transcripts of births and deaths.

<u>Data Quality</u>: Data in this report are based upon original certificates of births and deaths, copies of original certificates of marriages prepared by city and town clerks, and abstracts of decrees of divorces prepared by the clerks of courts. Errors in data may be introduced by persons giving information for the original certificate, persons involved in the actual preparation of the original certificate, persons responsible for the preparation of the copies or abstracts of the original certificates, or those involved in the coding and processing of the data in the State Office of Data, Research, and Vital Statistics.

Extensive reorganization and revision in 1983 of reporting procedures, data input procedures, and computer systems have reduced or eliminated many of the problems experienced in previous years. The Office of Data, Research, and Vital Statistics maintains several programs aimed at improving the quality and completeness of information received on certificates and its translation into statistical form. A "query" system is used to followback to physicians, hospital personnel and funeral directors concerning incomplete or conflicting information on the certificates themselves. The followback, which is done by both mail and telephone, is based on computer editing procedures.

Finally, the National Center for Health Statistics (NCHS) monitors State coding of statistical data. The NCHS has established a two percent upper limit for coding differences involving any one data item, with the exception of cause of death. A five percent limit is used for this item due to the complexity of the coding process.

<u>Comparison with Earlier Years</u>: In 1983, a number of changes were introduced into the vital registration program and associated data processing, computer systems, and analytic procedures. These must be borne in mind in any comparisons with earlier years and analyses of time trends. Specific changes include the following:

- Implementation of a new birth certificate on January 1, 1983 and a new fetal death certificate on January 1, 1985. The new certificates use a checklist format for reporting medical history items related to pregnancy and delivery. These items are recorded separately and transmitted or mailed directly to the Office of Data, Research and Vital Statistics.
- Intensive field and education activities directed to appropriate medical providers to promote more complete reporting of induced abortions performed at any time during pregnancy.
- The computerized data systems for records of births, deaths, fetal deaths, marriages, divorces, and abortions were completely revised in 1983 to promote more accurate and timely registration activities and statistical products. Comprehensive and rigorous edit procedures were developed for data input and a number of consistency checks were incorporated.

<u>Small Frequencies</u>: The numbers of births or deaths reported for a community represent complete counts of these events. As such, they are not subject to sampling error or variation, although they are subject to errors in the collection and processing procedures. However, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same general circumstances. The probable range of values may be estimated from the actual figures according to certain statistical assumptions (<u>Vital Statistics for the U.S.</u>, Vol. 1, 1959, p.1-20). When the figures are used for comparison of frequencies and rates over a time period or for different areas, appropriate statistical methods should be used to assess the significance of the comparisons.

Frequencies of and rates based on fewer than 10 events should be used carefully because they are subject to large random fluctuations. The number "10" is arbitrary, however, and is not set forth as a critical point distinguishing statistically reliable rates.

<u>Rates</u>: In interpreting the conditions described by vital statistics rates, considerable caution must be observed. In particular, differences in rates from time to time or place to place may arise from a number of population differences and other compounding factors, and appropriate techniques (e.g., standardization) should be utilized in such comparisons.

<u>Population Data</u>: The population data used to calculate rates in this report are derived from the 1995 Maine population estimates prepared by the Office of Data, Research, and Vital Statistics. A display of these population data is included in Appendix Tables E-1 and E-2.

<u>"Selected" Characteristics/Causes of Death</u>: These terms are used to denote tabulations in which the categories displayed are not exhaustive but represent only those of particular interest.

<u>Geographic Classification</u>: In addition to recording vital events occurring in Maine, the Office of Data, Research, and Vital Statistics receives transcripts of birth certificates for children born outside Maine to a mother who is a resident of Maine. Death certificates for persons who are residents but die outside the boundaries of Maine are also received. Transcripts of non-resident births and deaths are exchanged with all other states and with Canada.

Events are assigned to geographical areas according either to place of residence or to place of occurrence. The basis for classification is identified in each table and should be carefully observed when extracting information.

- "Resident Data" means events have been tabulated according to the area where the person lived regardless of where the event occurred. In the case of infant deaths and births, the reference is to the residence of the mother. It should be noted that in the case of infant deaths, the place of residence at death may differ from the place of residence at birth; when special tabulations are prepared from both birth and death certificates, it is important to note to which residence category they were assigned.
- "Occurrence Data" means events have been tabulated according to where the events took place, regardless of the usual residence of the person. Since nearly all births and most deaths take place in hospitals, the number which occur in counties with many hospital beds will be large for this reason alone.

LIVE BIRTHS

As noted in previous sections, a revised birth certificate was initiated on January 1, 1983. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies. Two added items were the physician's estimate of gestation and an assessment of the infant's condition at birth. Initial evaluation indicates that the checklist format increased reporting of the medical history items dramatically - as much as five-fold on some items - so comparison with data from previous years must be made with caution. In 1990, a revised method was used for the distribution of adequacy of prenatal care for Table S-B-1 and the results from this table are not compatible with earlier years.

PREGNANCY OUTCOME

This section deals with the outcome of pregnancies to Maine resident women including live births, fetal deaths, and induced abortions.

Table P1 is displayed by county and is the only table where it is possible to compare pregnancy rates by regions throughout the State of Maine.

INFANT AND FETAL MORTALITY

This section includes all fetal deaths of at least 20 weeks gestation and all neonatal deaths. The birth, death, and fetal death certificates all include information on the place of residence, so events to non-Maine residents can be excluded from tabulations based on resident data. Through the interstate exchange agreement, transcripts of births and deaths which occur outside of the state to Maine residents are obtained for inclusion in tabulations of resident data. Maine started to participate in such exchange for fetal deaths in 1985, so information on pregnancies of Maine women terminating in fetal deaths which occurred outside the state is now available for inclusion in tabulations of resident data.

A revised fetal death certificate was initiated on January 1, 1985, comparable to the 1983 revision of the birth certificate. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies.

Notification of infant death is obtained from the regular death certificate. However, much information relevant to the circumstances of infant death is found on the birth certificate. Birth and death records have, therefore, been matched to produce a composite infant death file, which is the source of Table F-3. Tables F-1, F-5; all other death tables, on the other hand, are produced from the general death file. Discrepancies between these two sources are minimal, usually involving only a very small number of deaths.

GENERAL MORTALITY

There are a number of factors which should be considered in order to understand and use the mortality data presented herein.

<u>Mortality Classification</u>: The mortality classification used in this report is the Ninth Revision of the International Classification of Diseases (ICD-9). It consists of a list of 722 categories of diseases and morbid conditions, 192 categories for classification of the external cause of an injury, and 190 categories for the characterization of injuries according to the nature of the lesion.

There are two major limitations in interpreting changes in cause of death statistics. Changes in diagnostic practice may affect the comparability of such statistics over time, as do changes in nomenclature and in the classification scheme. The International Classification of Diseases is revised approximately periodically to incorporate advances in medical science and to reflect changing medical opinion and practice. The Sixth Revision was used from 1949-1957, the Seventh Revision from 1958-1967, the Eighth Revision from 1968-1978, and the Ninth Revision after 1978.

Under the Ninth Revision, the method for selecting the cause of death for statistical purposes remains the same as the method instituted with the Sixth Revision. The Sixth Revision instituted a method whereby the physician in attendance at death indicates the disease or morbid condition which he considers to be the underlying cause of death. The underlying cause is defined as "(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident which produced fatal injury." Prior to 1981, when two or more causes were jointly recorded, a nosologist in the Office of Vital Statistics selected and coded the underlying cause using the ancillary information provided on the death certificate by the physician. Beginning in 1981, however, all causes mentioned on the certificate are coded. The underlying cause is determined using a computerized procedure: the Automated Classification of Medical Entities (ACME) program. The cause of death information is then subjected to the TRANSAX computer program, which eliminates redundancies in mentioned causes. Information on all associated causes is retained on the computer records for use in further study of certain health problems.

Several groupings by cause of death are utilized in this report. All of the groupings are both exhaustive and exclusive: all causes are assigned to a group or category, and each specific cause is assigned to only one cause group. Deaths by age and sex groups are tabulated using a list of 282 cause groups (Table D-3). Deaths by county and town of residence, site of death, and underlying/non-underlying status are tabulated using 72 cause groups. The analysis of leading causes of death in Table D-1 and D-2 is based on 32 cause groups. The data on fetal and infant deaths, in Tables F-1 and F-2, are categorized into 61 cause groups. In all cases, the ICD-9 codes included in each cause group are indicated on the appropriate tables. Tables generally do not include cause groups from which there were no deaths, so the number of groups displayed may be less than the number of groups (i.e., 282, 72, 61, or 32) from which the tables were constructed.*

^{*}Complete lists of causal groups are contained in the following reference manual and may be obtained upon request from: Office of Data, Research, and Vital Statistics, Maine Department of Human Services, Maine Vital Records Manual, 1995.

<u>Years of Life Lost</u>: In Table D-2, "Years of Life Lost" is used as a more sensitive measure of premature death than the death rate itself. The number of years of life lost is calculated for each decedent as the difference between the age at death and the life expectancy at that age. Life expectancy at each age is taken from the 1990 Maine Life Tables, with the sex-specific expectancy. The death of a male infant, for example, represents a total of 72.7 years of life lost. The death of a 50 year old woman represents 31.4 years of life lost, and the death of a 85 year old woman represents 6.4 years of life lost.

<u>Multiple Causes of Death</u>: Most major causes of death are contributing factors to many deaths in which they are not the underlying cause. The relative frequencies with which specific causes are mentioned on death records as underlying or non-underlying causes are displayed in Table D-4.

In Table D-4, cause of death mentions are classified into 72 cause groups, after processing through the ACME and TRANSAX computer programs. Consequently, the term "mentions" refers to causes identified through processing by the computer programs, rather than to causes as mentioned on the death certificate. A cause group is counted only once for each decedent, even if more than one cause in the group was mentioned on the original certificate. Comparisons of data from different sources on "all mentions" of a cause group are valid only if the number and composition of the cause groups used are the same and the counting rules are consistent.

The category of "all mentions" of a cause group usually includes all identifications of it as the underlying cause of death. Occasionally, simultaneous mention of certain causes on the death record leads to the identification, as the underlying cause, of a disease entity which was not itself recorded on the death certificate. In such cases, the ratio of all mentions to underlying cause mentions can be less than 1.

Certain causes of death can never be classified as the underlying cause of death as defined in the International Classification of Diseases. In particular, descriptions of the nature of injuries and secondary neoplasms are always recorded on the death certificate in conjunction with one or more entries which identify the underlying cause of death, i.e. the external cause of injury or the primary neoplasm.

Table D-11 displays only those 72 cause groups for which the ratio of all mentions to underlying cause mentions on Table D-4 is generally 2.0 or higher and the number of underlying cause mentions is ten or more.

INDUCED ABORTIONS

All induced abortions performed in Maine are required to be reported, regardless of the length of gestation. The report form includes information on the place of residence, so non-resident women receiving abortions in Maine can be excluded from tabulations based on resident data. In 1995, approximately 4% of the induced abortions in Maine were obtained by out-of-state residents. Maine does participate in the interstate program for exchange of induced abortions reports, so complementary data on Maine residents who received abortions in other states are available from those states in which induced abortions are reported, but only one or two records are received each year from other states and are not included in this report.

The numbers of induced abortions reported in 1982 was nearly a third lower than the numbers reported in preceding and subsequent years, due principally to incomplete reporting. In the spring of 1983, a vigorous effort was undertaken to remind and inform physicians, clinics, and hospitals that all induced abortions must be reported to the Department of Human Services on the appropriate form. Similar reminders were undertaken in 1988 and 1993.

MARRIAGES

All marriages which occur in Maine are registered in the central Office of Vital Records.

DIVORCES

All divorces which occur in Maine are registered in the central Office of Vital Records.

MISCARRIAGES

All miscarriages which occur in Maine are reported to the Office of Vital Records. No tabulations of miscarriage data are included in this publication.

LIVE BIRTHS

•

•

•

•

TABLE B-1

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND RACE MAINE STATE TOTALS, 1995 (RESIDENT DATA)

.

AGE OF MOTHER	TOTAL BIRTHS	PERCENT DISTRIBUTION	******** WHITE	************** BLACK	****** RACE OF American Indian	MOTHER ****** ASIAN	************** OTHER	********** UNKNOWN
ALL BIRTHS								
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN STATE TOTALS PERCENT DISTRIBUTION	0 20 62 159 271 371 541 3,501 4,146 3,282 1,267 236 11 8 13,875	0.00 0.14 0.45 1.15 1.95 2.67 3.90 25.23 29.88 23.65 9.13 1.70 0.08 0.06	0 20 59 151 267 356 518 3,389 4,044 3,213 1,231 231 11 7 13,497 97.28	0 0 2 2 2 2 7 30 16 13 5 0 0 0 77 0.55	0 0 1 3 1 10 5 38 29 16 3 0 0 0 106 0.76	0 2 2 1 2 33 49 31 24 3 0 0 156 1.12	0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 1 0 1 2 10 8 9 4 2 0 1 38 0.27
OUT OF WEDLOCK BIRTHS								
LESS THAN 10 10-14 15 16 17 18 19 20-24 25-29 30-34 35-39 40-44 GREATER THAN 44 UNKNOWN STATE TOTALS PERCENT DISTRIBUTION	0 19 61 145 241 314 370 1,500 664 346 146 38 1 3,848	0.00 0.49 1.59 3.77 6.26 8.16 9.62 38.98 17.26 8.99 3.79 0.99 0.03 0.08	0 19 58 138 238 302 351 1,438 629 332 142 36 1 3 3,687 95.82	0 0 1 1 2 6 17 6 3 1 0 0 0 37 0.96	0 0 1 3 1 7 5 22 18 6 1 0 0 64 1.66	0 2 2 1 2 6 17 9 3 1 2 0 0 45 1,17	0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 1 0 1 2 5 2 2 2 1 0 0 0 14 0.36

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

.

BAGRACE

. .

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

.

ο

TABLE B-2

-2

ALL LIVE BIRTHS AND OUT OF WEDLOCK LIVE BIRTHS, BY MOTHER'S AGE AND CHILD'S BIRTHWEIGHT MAINE STATE TOTALS, 1995 (RESIDENT DATA)

.

			4													
			******	*****	*****	*****	*****	*****	MOTHER	'S AGE(YRS.) *	******	*****	*****	******	******
BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	DIST.	r LESS THAN 10	10-14	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	GREATER THAN 44	UNKNOWN
ALL BIRTHS																
LESS THAN 500	11	0.08	0	0	0	0	1	0	0	4	3	3	о	0	о	0
500-999	54	0.39	0	0	0	2	2	1	0	13	15	14	5	2	0	0
1000-1499	86	0.62	0	0	1	2	2	1	3	23	23	21	6	4	0	0
1500-1999	178	1.28	0	1	0	3	3	2	7	33	47	54	26	2	0	0
2000-2499	512	3.69	0		6	7	16	15	25	134	147	105	41	13	1	1
2500-2999 3000-3499	1,841 4,882	13.27 35.19	0	4 7	12	25 59	42 105	62 130	88 209	534	516	375	152	31	õ	0
3500-3499	4,882	35.19	0	1	16	59 49	74	130	209	1,271	1,451	1,117	435 375	67	5	4
4000-4499	1.654	11.92	ŏ	3	4	49	21	35	38	381	1,328	1,074 427	183	70 39	4	2
4500-4999	276	1.99	ŏ	0		2	2	4	4	66	81	427	38	39	0	1
GREATER THAN 4999		0.22	ŏ	ŏ	ò	ō	1	ō	4	6	9	9	38	6	0	0. 0
UNKNOWN	45	0.32	ŏ	ŏ	ŏ	1	2	1	i i	12	14	11	· 2		0	0
STATE TOTALS	13.875	0.01	õ	20	62	159	271	371	541	3,501	4,146	3,282	1.267	236	11	8
PERCENT DIST.	10,070	100.00	0.00		0.45	1.15	1.95	2.67	3.90	25.23	29.88	23.65	9.13	1.70	0.08	0.06
OUT OF WEDLOCK BIR LESS THAN 500 500-999	3 15	0.08	0	0	0	0	1	0	0	2	0	0 1	0 0	0	0 0	0 0
1000-1499	29	0.75	0	0	1	2	2	1	1	12	5	2	3	0	0	0
1500-1999	51	1.33	0	1	õ	3	2	2	5	15	10	6	7	0	0	0
2000-2499 2500-2999	194 643	5.04 16.71	0	1	5 12	6 24	15 38	13 52	17 61	66 255	43 101	17 67	7	3	0	1
3000-3499	1.402	36.43	0	4	22	50	38	112	146	255 558	238	114	26 45	3 14	0	• •
3500-3999	1,081	28.09	ŏ	4	16	48	64	101	109	418	187	88	45	7	U I	1
4000-4499	351	9.12	ŏ.	3	4		16	28	27	139	57	41	19	8	0	1
4500-4999	54	1.40	ŏ	ŏ	1	2	2	20	3	19	13		13	2	ő	0
GREATER THAN 4999		0.18	ŏ	ŏ	ò	ō	1	ŏ	1	3	1	õ	ò		ő	ŏ
UNKNOWN	18	0.47	ŏ	õ	ŏ	1	2	1	ò	7	5	2	ő	ó	ŏ	ŏ
STATE TOTALS	3,848		õ	19	61	145	241	314	370	1,500	664	346	146	38	1	3
PERCENT DIST.	0,070	100.00	0.00		1.59	3.77	6.26	8.16	9.62	38.98	17.26	8.99	3.79	0.99	0.03	0.08
PERCENT OF ALI												0.00	0.10	0.00	0.00	0.00
		27.73		95.00 9		91.19	88.93	84.64	68.39	42.84	16.02	10.54	11.52	16.10	9.09	37.50

•

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

BWGHAGE

•

20

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-3

LIVE BIRTHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS MAINE STATE TOTALS, 1995 (RESIDENT DATA)

COMPLICATIONS OF LABOR CONDITION NUMBER %	MEDICAL RISK FACTORS CONDITION NUMBER	OTHER RISK FACTORS % CONDITION NUMBER %	METHOD OF DELIVERY METHOD NUMBER %	CONGENITAL ANOMALIES CONDITION NUMBER %
FEBRILE >100 F 123 0.		•••••••••••••••••••••••••••••••••••••••		ANENCEPHALUS 3 0.0
MECONIUM 767 5.		0.4 AVG CIGARETTES	VAGINAL AFTER	SPINA BIFIDA 5 0.0
PREMATURE RUPTURE MEMBRANE >12 HRS 674 4.	ACUTE OR CHRONIC LUNG DISEASE 85	PER DAY 13 O.6 ALCOHOL USE 153 1.	C-SECTION 421 3.0 PRIMARY	HYDROCEPHALUS 3 0.0 MICROCEPHALUS 2 0.0
MEMBRANE >12 HRS 674 4. ABRUPTIO	DIABETES/	AVG DRINKS	C-SECTION 1.864 13.4	
PLACENTA 103 0.		2.6 PER WEEK 2	REPEAT 1,804 13.4	NERVOUS SYSTEM 4 0.0
PLACENTA	DIABETES	AVG WEIGHT GAIN 30 LBS		HEART 12 0.1
PREVIA 40 0.		0.4		OTHER CIRCULATORY
EXCESSIVE	···- · ··· · · · · · · · · · · · · · ·	1.1 ABNORMAL CONDITIONS		SYSTEM 6 0.0
BLEEDING 105 0.	HYDRAMNIOS/	OF THE NEWBORN	OTHER 38 0.3	RECTAL ATRESIA 1 0.0
SEIZURES DURING	OLIGOHYDRAMNIOS 379	2.7 CONDITION NUMBER %	UNKNOWN 3 0.0	TRACHEO-ESOPHAGEAL
LABOR 8 O.	HEMOGLOBINOPATHY 3	0.0		FISTULA 5 0.0
PRECIPITOUS	HYPERTENSION	ANEMIA 27 O.:		OMPHALOCELE/
LABOR <3 HRS 455 3.		0.9 BIRTH INJURY 36 0.1		GASTROSCHISIS 3 0.0
PROLONGED	HYPERTENSION	FETAL ALCOHOL 2 0.)	OTHER
LABOR >20 HRS 287 2.		4.5 HYALINE MEMBRANE		GASTROINTESTINAL 4 0.0
DYSFUNCTIONAL	ECLAMPSIA 50	0.4 DISEASE 185 1.	B OBSTETRIC PROCEDURES	MALFORMED GENITALIA 9 0.1
LABOR 1,037 7. BREECH 633 4.		MECONIUM 0.5 ASPIRATION 19 0.	CONDITION NUMBER %	GENITALIA 9 0.1 RENAL AGENESIS 2 0.0
BREECH 633 4. CEPHALOPELVIC/	PREVIOUS INFANT	ASSISTED <30 MIN	CONDITION NUMBER /	OTHER UROGENITAL 40 0.3
DISPROPORTION 631 4.			AMNIOCENTHSIS 608 4.4	CLEFT LIP/PALATE 17 0.1
CORD PROLAPSE 51 0.		1.7 ASSISTED >30 MIN	ELECTRIC FETAL	POLYDACTYLY 10 0.1
ANESTHETIC	RENAL DISEASE 23		MONITORING 11,923 85.9	
COMPLICATIONS 10 0.			INDUCED LABOR 2,647 19.1	
FETAL DISTRESS 616 4.	UTERINE	OTHER 525 3.	STIMULATION	HERNIA 3 0.0
OTHER 2,226 16.	BLEEDING 140	1.0 NONE 12,838 92.		MUSCULOSKELETAL 48 0.3
NONE 7,953 57.				DOWNS SYNDROME 8 0.1
UNKNOWN 8 O.		71.2		CHROMOSOMAL 9 0.1
	UNKNOWN 7	0.1		OTHER 50 0.4
				NONE 13,571 97.8
			UNKNOWN 4 0.0	UNKNOWN 13 0.1

NOTES: PERCENTAGES ARE BASED ON THE 13,875 LIVE BIRTHS IN MAINE THIS YEAR. MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH BIRTH.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

-

BMEDHIS

.

21

		* * * *	* * * * * *	* RISK CHAR	ACTERISTICS	; * * * * * *	* * * *	
COUNTY	TOTAL		APGAR		weight	Less Th	1an 37	MALE/FEMALE
	BIRTHS	Less	Than 5	< 2500	Grams	Gestation	1 Weeks	RATIO
		Number	Percent	Number	Percent	Number	Percent	
Androscoggin	1,196	6	0.5	52	4.3	82	6.9	1.084
Aroostook	774	7	0.9	51	6.6	68	8.8	0.985
Cumberland	3,043	11	0.4	175	5.8	213	7.0	1.097
Franklin	270	3	1.1	18	6.7	22	8.1	1.077
Hancock	478	3	0.6	27	5.6	32	6.7	1.106
Kennebec	1,235	8	0.6	79	6.4	102	8.3	1.104
Knox	382	0	0.0	13	3.4	29	7.6	1.021
Lincoln	327	2	0.6	26	8.0	34	10.4	1.019
Oxford	557	5	0.9	49	8.8	60	10.8	0.888
Penobscot	1,468	12	0.8	81	5.5	112	7.6	1.042
Piscataquis	202	2	1.0	11	5.4	13	6.4	0.853
Sagadahoc	386	4	1.0	18	4.7	22	5.7	0.865
Somerset	595	4	0.7	46	7.7	53	8.9	0.990
Waldo	399	1	0.3	20	5.0	31	7.8	1.046
Washington	387	3	0.8	24	6.2	32	8.3	0.945
York	2,176	11	0.5	151	6.9	195	9.0	1.043
STATE TOTALS	13,875	82	0.6	841	6.1	1,100	7.9	1.041

TABLE B-4LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, AND RATIO OF MALE TO FEMALE BIRTHS
MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

NOTE: Percentages are based on total births in each county and state.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_B4.SAS, 1/20/1998]

COUNTY,								•			
MARITAL STATUS,	TOTAL	PERCENT	* * * *	* SEX	* * * * *	* * * *	* * * * *	* * BIRTH	ORDER *	* * * * *	* * * * *
AND AGE	BIRTHS	DISTRIBUTION	Male	Female	Unknown	1	2	3	4	5+	Unknown
ANDROSCOGGIN											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	•	0
10-14	1	0.084	1	0	ů 0	1	ő	0	0	0 0	0
15-19	143	11.957	71	72	Ő	124	18	1	0	0	0
20-24	331	27.676	174	157	0 0	176	114	, 34	7	0	0
25-29	372	31.104	193	179	0	137	163	55	, 14		0
30-34	237	19.816	119	118	Ő	38	94	70	30	3 5	0
35-39	100	8.361	59	41	ů 0	14	33	27	18		0
40-44	11	0.920	5	6	ů 0	0	5	3	2	8 1	0
Greater Than 44	0	0.000	0	0	0 0	Ő	ő	0	0	0	0
Unknown	1	0.084	0	1	ů 0	1	0 0	0	0	-	0
TOTAL	1,196		622	574	0	491	427	190	71	0 17	0
PERCENT		100.000	52.007	47.993	0.000	41.054	35.702	15.886	5.936	1.421	0 0.000
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	•	•	
10-14	1	0.258	1	· 0	0	1	0	0 0	0	0	0
15-19	114	29.381	59	55	0 0	101	13	0	0 0	0	0
20-24	152		84	68	õ	81	48	20	3	0	0
25-29	71	18.299	42	29	0 0	28	40 24	14	3 4	0	0
30-34	29	7.474	13	16	0 0	20	11	14	4	1	0
35-39	18	4.639	10	8	0 0	7	6	3	4	2	0
40-44	2	0.515	1	1	. 0	, 0	1	0	0	-	0
Greater Than 44	0	0.000	0	0	· 0	0 0	0	0	-	1	0
Unknown	1	0.258	0	1	0	1	0	0	0	0	0
TOTAL	388		210	178	0	221	103	47	0	0	0
PERCENT		100.000	54.124	45.876	0.000	56.959	26.546	47 12.113	12 3.093	5 1.289	0 0.000

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_B5.SAS, 4/1/1998]

23

COUNTY,											
MARITAL STATUS,	TOTAL	PERCENT	* * * *	ULX	* * * * *	* * * *	* * * * *	* * BIRTH	ORDER *	* * * * *	* * * * *
AND AGE	BIRTHS	DISTRIBUTION	Male	Female	Unknown	1	2	3	4	5+	Unknown
								•			
AROOSTOOK											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	2	0.258	0	2	0	2	0	0	Ō	0	0
15-19	93	12.016	49	44	0	82	11	0	0	0	0
20-24	236	30.491	125	111	0	127	84	20	- 1	2	2
25-29	247	31.912	120	127	0	101	93	34	12	- 7	0
30-34	143	18.475	68	75	0	28	62	31	18	4	0
35-39	48	6.202	20	28	0	15	12	10	4	7	0
40-44	3	0.388	1	2	0	0	1	1	1	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	2	0.258	1	1	0	1	1	0	0	0	0
TOTAL	774		384	390	0	356	264	96	36	20	2
PERCENT		100.000	49.612	50.388	0.000	45.995	34,109	12.403	4.651	2.584	0.258
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	. 0	0	0	0	0	0	0	0
10-14	2	1.010	0	2	0	2	0	0	0	0	0
15-19	70	35.354	40	30	0	65	5	0	0	0	0
20-24	78	39.394	39	39	0	44	24	9	0	1	0
25-29	27	13.636	16	11	0	13	6	4	3	1	0
30-34	13	6.566	8	5	0	4	4	2	0	3	0
35-39	5	2.525	· 1	4	0	0	0	2	1	2	0
40-44	2	1.010	1	1	0	0	1	1	0	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	1	0.505	0	1	0	1	0	0	0	0	0
TOTAL	198		105	93	0	129	40	18	4	7	0
PERCENT		100.000	53.030	46.970	0.000	65.152	20.202	9.091	2.020	3.535	0.000

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

24

	-											
COUNTY,			-									
MARITAL STATUS,	TOTAL	PERCENT	* * * *	* SEX	* * * * *	* * * *	* * * * *	* * BIRTH	ORDER *	* * * * *	* * * * *	
AND AGE	BIRTHS	DISTRIBUTION	Male	Female	Unknown	1	2	3	4	5+	Unknown	
CUMBERLAND												
All Births												
Age												
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0	
10-14	3	0.099	2	1	0	3	0	0	0	0	0	
15-19	192	6.310	99	93	0	164	23	5	0	0	0	
20-24	560	18.403	299	261	0	330	163	53	12	2	0	
25-29	895		436	459	0	398	337	98	45	16	1	
30-34	934		506	428	0	337	369	153	40 50	24	1	
35-39	389		209	180	0 0	92	160	94	27	24 16	0	
40-44	67	2.202	39	28	0	14	25	15	5	8	0	
Greater Than 44	3		2	1	0	1	1	0	1	· 0	0	
Unknown	0		0	0	0	0	0	0	0	0	0	
TOTAL	3,043		1,592	1,451	0	1,339	1,078	418	140	66	2	
PERCENT	-	100.000	52.317	47.683	0.000	44.003	35.426	13.736	4.601	2.169	0.066	
Out of Wedlock Births												
Age												
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0	
10-14	3		2	1	0	3	ů 0	õ	0	0	0	
15-19	161	24.394	88	73	0	139	19	3	0	0	0	
20-24	261	39,545	136	125	0	165	69	21	5	1	0	
25-29	129	19.545	67	62	0	52	34	24	12	6	1	
30-34	75	11.364	43	32	0	28	20	11·	11	5	0	
35-39	24	3.636	15	9	0	11	5	. 3	4	1	0	
40-44	7	1.061	3	4	0	2	3	0	1	1	0	
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0	
Unknown	0	0.000	0	0	0	0	0	0	0	0	0	
TOTAL	660		354	306	· 0	400	150	62	33	14	1	
PERCENT		100.000	53.636	46.364	0.000	60.606	22.727	9.394	5.000	2.121	0.152	

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_B5.SAS, 4/1/1998]

25

ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY,				_							
MARITAL STATUS, AND AGE	TOTAL BIRTHS	PERCENT DISTRIBUTIO		* SEX * Female	* * * * Unknown	* * * * 1	* * * * * 2	* * BIRTH 3	ORDER *	* * * * * 5+	* * * * * Unknown
						-	_	Ū	·	0.	Unknown
FRANKLIN											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	31	11.481	14	17	0	27	4	0	0	0	0
20-24	70	25.926	41	29	0	37	23	10	0	0	0
25-29	81	30.000	43	38	0	24	33	19	3	2	0
30-34	56	20.741	27	29	0	17	19	13	6	1	0
35-39	28	10.370	14	14	0	4	11	· 8	0	5	0
40-44	4	1.481	1	3	0	2	0	0	1	1	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	270		140	130	0	111	90	50	10	9	0
PERCENT		100.000	51.852	48.148	0.000	41.111	33.333	18.519	3.704	3.333	0.000
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	27	30.337	13	14	0	25	2	0	0	0	0
20-24	30	33.708	14	16	0	19	5	6	0	0	0
25-29	16	17.978	10	6	0	4	8	4	0	0	0
30-34	9	10.112	5	4	0	5	2	2	0	0	0
35-39	5	5.618	1	4	0	1	2	0	0	2	0
40-44	2	2.247	0	2	0	1	0	0	0	1	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	89		43	46	0	55	19	12	0	3	0
PERCENT		100.000	48.315	51.685	0.000	61.798	21.348	13.483	0.000	3.371	0.000

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

1

COUNTY,											
MARITAL STATUS,	TOTAL	PERCENT	* * * *	OLA	* * * *	* * * *	* * * * *	* * BIRTH	ORDER *	* * * * *	* * * * *
AND AGE	BIRTHS	DISTRIBUTION	i Male	Female	Unknown	1	2	3	4	5+	Unknown
HANCOCK											
All Births											
Age											
Less Than 10	0	0.000	0,	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	37	7.741	19	18	0	33	3	1	0	0	0
20-24	128	26.778	65	63	0	68	50	8	2	0	0
25-29	150	31.381	84	66	0	72	55	18	5	0	0
30-34	108	22.594	59	49	0	29	43	20	11	3	2
35-39	50	10.460	23	27	0	14	19	12	2	3	0
40-44	5	1.046	1	4	0	0	3	2	0	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0 0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	478		251	227	0	216	173	61	20	6	2
PERCENT		100.000	52.510	47.490	0.000	45.188	36.192	12.762	4.184	1.255	0.418
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	· 0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	31	26.496	16	15	0	29	2	0	0	0	0
20-24	49	41.880	27	22	0	37	8	. 3	1	0	0
25-29	19	16.239	12	7	0	10	6	3	0	0	0
30-34	13	11.111	4	9	0	5	4	4	0	0	0
35-39	5	4.274	4	1	. 0	2	2	1	0	0	0
40-44	0	0.000	0	0	. 0	0	0	0	0	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0 0
Unknown	0	0.000	0	0	0	0	0	0	0	0 0	0
TOTAL	117		63	54	0	83	22	11	1	ů 0	0
PERCENT		100.000	53.846	46.154	0.000	70.940	18.803	9.402	0.855	0.000	0.000

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_B5.SAS, 4/1/1998]

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY,											
MARITAL STATUS,	TOTAL	PERCENT	* * * *	* SEX '	* * * * *	* * * *	* * * * *	* * BIRTH	ORDER *	* * * * *	* * * * *
AND AGE	BIRTHS	DISTRIBUTION	Male	Female	Unknown	1	2	3	4	5+	Unknown
KENNEBEC											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	4	0.324	4	0	0	4	0	0	0	0	0
15-19	128	10.364	70	58	0	110	18	0	0	0	0 0
20-24	343	27.773	173	170	0	184	115	31	12	- 1	0
25-29	377	30.526	202	175	0	156	138	65	14	4	0 0
30-34	269	21.781	142	127	0	65	116	59	20	6	3
35-39	94	7.611	48	46	0	18	36	26	10	4	0
40-44	19	1.538	9	10	0	4	5	7	1	. 2	0 0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0 0
Unknown	1	0.081	0	1	0	0	1	0	0	0	0 0
TOTAL	1,235		648	587	0	541	429	188	57	17	3
PERCENT		100.000	52.470	47.530	0.000	43.806	34.737	15.223	4.615	1.377	0.243
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	. 4	1.047	4	0	0	4	0	0	0	0 0	0
15-19	110	28.796	60	50	0	97	13	0	0 0	ő	0
20-24	145	37.958	72	73	0	85	39	13	7	1	0
25-29	65	17.016	33	32	0	21	23	16	4	1	. 0
30-34	35	9.162	15	20	0	6	13	. 9	5	2	0
35-39	18	4.712	5	13	0	3	7	3	5	0	0
40-44	5	1.309	2	3	0	2	1	1	0	1	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	Ő	0	0	0	0	0
TOTAL	382		191	191	. 0	218	96	42	21	5	0
PERCENT		100.000	50.000	50.000	0.000	57.068	25.131	10.995	5.497	1.309	0.000

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_B5.SAS, 4/1/1998]

28

					· - · · · · · · · · · · · · · · · · · ·	(
COUNTY,											
MARITAL STATUS,	TOTAL	PERCENT	* * * *	* SEX	* * * * *	* * * *	* * * * *	* * BIRTH	ORDER * *	* * * *	* * * * *
AND AGE	BIRTHS	DISTRIBUTION	Male	Female	Unknown	1	2	3	4	5+	Unknown
KNOX											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	•	
10-14	0		0	0	0	0	0	0 0	0	0	0
15-19	37	9.686	22	15	0	33	3		0	0	0
20-24	106		52	54	. 0	67	31	1	0	0	0
25-29	94		46	48	, U 0	34	41	6	2	0	0
30-34	89		40	40	0	34 29	28	13	6	0	0
35-39	44	-	24	20	0	29 12	20 19	16	9	7	0
40-44	12		7	5	0	1	4	10 2	1	2	0
Greater Than 44	0		, 0	0	0	0	4	2	2 0	3	0
Unknown	0		0	0	0	0	0		-	0	0
TOTAL	382		193	189	0	176	126	0	0	0	0
PERCENT	002	100.000	50.524	49.476	0.000	46.073	32.984	48 12.565	20 5.236	12 3.141	0 0.000
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	29	30,526	15	14	0	26	3	0	0 0	0	0
20-24	36	37.895	18	18	0	28	5	2	1	0	0
25-29	12	12.632	8	4	0	1	10	- 1	0	. 0	0
30-34	10		4	6	0	5	4	0	1	0	0
35-39	5		2	3	0	2	3	0	0	0	0
40-44	3		1	2	0	0	1	0	2	. 0	0
Greater Than 44	0		0	0	0	0	0	0	0	0	0
Unknown	0		0	0	0	0	0	0	0	0	0
TOTAL	95		48	47	0	62	26	3	4	0	0
PERCENT		100.000	50.526	49.474	0.000	65.263	27.368	3.158	4.211	0.000	0.000

.

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_B5.SAS, 4/1/1998]

29

TABLE B-5ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDERMAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY,											
MARITAL STATUS,	TOTAL	PERCENT	* * * *	* * SEX	* * * * *	* * * *	* * * * *	* * BIRTH	ORDER *	* * * * *	* * * * *
AND AGE	BIRTHS	DISTRIBUTION	Male	Female	Unknown	1	2	3	4	5+	Unknown
LINCOLN											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	41	12.538	19	22	0	34	7	0	0	0	0
20-24	72	22.018	35	37	0	35	28	8	1	0	0
25-29	88	26.911	· 45	43	0	28	35	18	6	1	0
30-34	77	23.547	42	35	0	30	25	10	6	6	0
35-39	40	12.232	18	22	0	16	16	3	2	3	0
40-44	7	2.141	4	3	0	2	2	1	1	1	0
Greater Than 44	2	0.612	2	0	0	0	1	1	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	327		165	162	0	145	114	41	16	11	0
PERCENT		100.000	50.459	49.541	0.000	44.343	34.862	12.538	4.893	3.364	0.000
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	31	38.272	14	17	0	27	4	0	0	0	0
20-24	23	28.395	8	15	0	13	9	1	0	0	0
25-29	16	19.753	9	7	0	8	3	3	2	0	0
30-34	7	8.642	5	2	0	2	3	2	0	0	0
35-39	4	4.938	1	3	0	4	0	0	0	0	0
40-44	0	0.000	0	0	. 0	0	0	0	0	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	81		37	44	0	54	19	6	2	0	0
PERCENT		100.000	45.679	54.321	0.000	66.667	23.457	7.407	2.469	0.000	0.000

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

30

COUNTY,											
MARITAL STATUS,	TOTAL	PERCENT	* * * *	* SEX *	* * * *	* * * *	* * * * * *	* * BIRTH	ORDER * *	* * * *	* * * * *
AND AGE	BIRTHS D	DISTRIBUTION	Male	Female	Unknown	1	2	3	4	5+	Unknown
OXFORD			-								
All Births Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	2	0.359	2	0	0	2	0	0	0	0	0
15-19	78	14.004	31	47	0	62	15	1	0	0	0
20-24	167	29.982	86	81	0	80	60	21	5	1	0
25-29	142	25.494	57	85	0	57	46	25	6	6	2
30-34	118	21.185	61	57	0	27	49	20	17	5	0
35-39	39	7.002	20	19	0	9	16	10	3	1	0
40-44	11	1,975	5	6	0	1	4	1	1	' 4	. 0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	, 0	0
TOTAL	557		262	295	0	238	190	78	32	17	2
PERCENT		100.000	47.038	52.962	0.000	42.729	34.111	14.004	5.745	3.052	0.359
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0.	0	0	0	0	0	0	0
10-14	2	1.087	2	0	0	2	0	0	0	0	0
15-19	61	33.152	19	42	0	48	13	0	0	0	0
20-24	71	38.587	33	38	0	37	25	6	2	1	0
25-29	25	13.587	10	15	0	8	5	7	2	2	1
30-34	16	8.696	11	5	0	4	9	0	3	0	0
35-39	6	3.261	З	З	0	0	2	3	1	Ó	0
40-44	3	1.630	2	. 1	0	0	1	1	1	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	· 0	0	0	0	0	0	0
TOTAL	184		80	104	0	99	55	17	9	3	1
PERCENT		100.000	43.478	56.522	0.000	53.804	29.891	9.239	4.891	1.630	0.543

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_B5.SAS, 4/1/1998]

.

COUNTY,	70741	DEDOENT									
MARITAL STATUS,	TOTAL	PERCENT	* * * *	0EX	* * * * *	* * * *		* * BIRTH	ORDER * '	* * * * *	* * * * *
AND AGE	BIRTHS	DISTRIBUTION	Male	Female	Unknown	1	2	3	4	5+	Unknown
PENOBSCOT											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	2	0.136	1	1 -	0	2	0	0	0	0	0
15-19	150	10.218	72	78	0	123	22	5	0	0	0
20-24	417	28.406	219	198	0	220	155	30	10	1	1
25-29	458	31.199	238	220	0	204	177	65	10	2	0
30-34	302	20.572	150	152	0	86	125	70	12	9	0
35-39	114	7.766	58	56	0	25	44	21	13	11	0
40-44	22	1.499	10	12	0	7	4	2	4	5	0
Greater Than 44	2	0.136	0	2	0	0	1	1	0	0	0
Unknown	1	0.068	1	0	0	0	1	0	0	0	0
TOTAL	1,468		749	719	0	667	529	194	49	28	1
PERCENT		100.000	51.022	48.978	0.000	45.436	36.035	13.215	3.338	1.907	0.068
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	2	0.499	1	1	0	2	0	0	0	0	0
15-19	115	28.678	53	62	0	99	12	4	0	0	0
20-24	170	42.394	97	73	0	98	52	14	5	0	1
25-29	65	16.209	34	31	0	24	22	16	2	1	0
30-34	33	8.229	16	17	0	6	11	13	2	1	0
35-39	14	3.491	5	9	0	5	4	2	2	1	0
40-44	2	0.499	2	0	0	0	0	0	0	2	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	401		208	193	0	234	101	49	11	5	1
PERCENT		100.000	51.870	48.130	0.000	58.354	25.187	12.219	2.743	1.247	0.249

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

32

COUNTY,											
MARITAL STATUS,	TOTAL	PERCENT	* * * *	* SEX	* * * * *	* * * *	* * * * *	* * BIRTH	ORDER *	* * * * *	* * * * *
AND AGE	BIRTHS	DISTRIBUTION	Male	Female	Unknown	1	2	3	4	5+	Unknown
PISCATAQUIS											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	ů 0	0	ů 0	0
15-19	33	16.337	15	18	0	29	3	1	0	0	0
20-24	60	29.703	30	30	0	31	14	13	2	ů 0	0
25-29	64	31.683	34	30	0	22	26	12	2	2	0
30-34	32	15.842	11	21	0	6	17	7	2	0	ů 0
. 35 - 39	10	4.950	2	8	0	2	0	3	3	2	0
40-44	3	1.485	1	2	0	1	0	1	1	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	202		93	109	0	91	60	37	10	4	0
PERCENT		100.000	46.040	53.960	0.000	45.050	29.703	18.317	4.950	1.980	0.000
Out of Wedlock Births											
Age											
Less Than 10	0		0	. 0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	28	35.000	12	16	0	26	2	0	0	0	0
20-24	23		12	11	0	14	3	5	1	0	0
25-29	17		10	7	0	4	7	4	1	1	0
30-34	7		2	5	0	1	2	3	1	0	0
35-39	3		· 0	3	0	0	0	1	1	1	0
40-44	2		0	2	0	1	0	0	1	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0		0	0	0	0	0	0	0	0	0
TOTAL	80		36	44	0	46	14	13	5	2	0
PERCENT		100.000	45.000	55.000	0.000	57.500	17.500	16.250	6.250	2.500	0.000

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_B5.SAS, 4/1/1998]

ယ ယ

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY,											
MARITAL STATUS,	TOTAL	PERCENT	* * * *	02/	* * * * *	* * * *			ORDER *	* * * * *	* * * * *
AND AGE	BIRTHS	DISTRIBUTION	Male	Female	Unknown	1	2	3	4	5+	Unknown
SAGADAHOC											
All Births											
Age											
Less Than 10	0	0.000	0 -	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0 0	ů 0	0
15-19	32	8.290	18	14	0	29	3	0	0	ů 0	ů O
20-24	94	24.352	51	43	0	51	29	12	2	0	0 0
25-29	121	31.347	49	72	0	43	45	23	8	1	1
30-34	96	24.870	41	55	0	20	49	14	8	4	1
35-39	34	8.808	16	18	0	7	13	6	4	4	0
40-44	9	2.332	4	5	0	3	1	2	1	2	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	386		179	207	0	153	140	57	23	11	2
PERCENT		100.000	46.373	53.627	0.000	39.637	36.269	14.767	5.959	2.850	0.518
Out of Wedlock Births										ι.	
Age											
Less Than 10	0	0.000	0	· 0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	23	25.843	12	11	0	22	1	0	0	0	0
20-24	45	50.562	23	22	0	27	13	5	0	0	0
25-29	13	14.607	7	6	0	4	5	3	1	0	0
30-34	6	6.742	2	4	0	2	2	1	0	1	0
35-39	1	1.124	1	0	· 0	0	0	1	0	0	0
40-44	1	1.124	0	1	· 0	1	0	0	0	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	89		45	44	0	56	21	10	1	1	0
PERCENT		100.000	50.562	49.438	0.000	62.921	23.596	11.236	1,124	1.124	0.000

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

34

						1000 (11201					
COUNTY,											
MARITAL STATUS,	TOTAL	PERCENT	* * * *	* * SEX	* * * * *	* * * *	* * * * *	* * BIRTH	ORDER *	* * * * *	* * * * *
AND AGE	BIRTHS	DISTRIBUTION	Male	Female	Unknown	1	2	3	4	5+	Unknown
SOMERSET											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	89	14.958	46	43	0	67	19	3	0 0	0	0
20-24	179	30.084	91	88	0	91	66	15	4	2	1
25-29	187		. 90	97	0	61	80	31	10	5	0
30-34	105	17.647	53	52	0	28	41	21	15	0	0
35-39	30	5.042	15	15	0		8	9	3	4	0
40-44	4		0	4	0	2	0	0	1		0
Greater Than 44	0		0	0	0	0	ů 0	0	0	0	0
Unknown	1	0.168	1	0	0	0	1	õ	õ	0 0	0
TOTAL	595		296	299	0	255	215	79	33	12	1
PERCENT		100.000	49.748	50.252	0.000	42.857	36.134	13.277	5.546	2.017	0.168
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	70	31.532	36	34	0	56	11	3	0	0	0
20-24	90	40.541	42	48	0	50	30	5	2	2	1
25-29	40	18.018	19	21	0	10	17	8	1	4	0
30-34	15	6.757	7	8	0	4	5	3	3	0	0
35-39	6	2.703	3	3	0	1	2	1	1	1	0
40-44	1	0.450	0	1	0	1	0	0	0	0	0
Greater Than 44	0	0.000	0	0	. O	0	0	0	0	õ	0
Unknown	0	0.000	0	0	0	0	0	0 0	0 0	0	0
TOTAL	222		107	115	0	122	65	20	7	7	1
PERCENT		100.000	48.198	51.802	0.000	54.955	29.279	9.009	3.153	3.153	0.450

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

COUNTY, MARITAL STATUS,	TOTAL	PERCENT	* * * *	* SEX				* * DIDTU	•		
AND AGE		DISTRIBUTION	Male	Female	Unknown				ORDER *	* * * *	* * * * *
	DININO	DISTRIBUTION	Male	remate	UNKNOWN	1	2	3	4	5+	Unknown
WALDO											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	71	17.794	40	31	0	53	17	1	0	0	0
20-24	109	27.318	60	49	0	53	35	16	3	2	0
25-29	105	26.316	52	53	0	34	43	14	10	4	0
30-34	70	17.544	36	34	0	26	23	16	4	1	0
35-39	35	8.772	14	21	0	8	16	6	3	2	0
40-44	9	2.256	2	7	0	1	3	2	2	0	- 1
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	399		204	195	0	175	137	55	22	9	1
PERCENT		100.000	51.128	48.872	0.000	43.860	34.336	13.784	5.514	2.256	0.251
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	. 0	0	0	0	0	0	0	0
15-19	56	41.176	31	25	0	44	11	1	0	0	0
20-24	-46	33.824	24	22	0	29	7	8	2	0	0
25-29	17	12.500	9	8	0	4	7	2	4	0	0
30-34	8	5.882	4	4	0	5	2	0	0	1	0
35-39	8	5.882	. 2	6	0	3	1	3	0	1	0
40-44	1	0.735	0	1	0	0	0	1	0	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	ů 0
TOTAL	136		70	66	0	85	28	15	6	2	0
PERCENT		100.000	51.471	48.529	0.000	62.500	20.588	11.029	4.412	1.471	0.000

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

36

COUNTY, MARITAL STATUS,	TOTAL	PERCENT	* * * *	* * SEX [,]	* * * * *						
AND AGE		DISTRIBUTION	Male	Female	Unknown	1	2	* * BIRIH 3	ORDER * *	* * * * * 5+	* * * * * * Unknown
WASHINGTON											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	2	0.517	2	0	0	2	0	0	0	0	0
15-19	54	13.953	25	29	0	46	8	0	0	0	0
20-24	124	32.041	54	70	0	67	41	14	2	0	0
25-29	102	26.357	53	49	0	30	52	11	7	2	0
30-34	70	18.088	40	30	0	15	23	16	11	5	0
35-39	29	7.494	12	17	0	8	8	6	2	5	0
40-44	5	1.292	2	3	0	0	0	5	0	0	0
Greater Than 44	1	0.258	0	1	0	0	0	0	1	õ	0
Unknown	0	0.000	0	0	0	0	0	0	, O	0	0
TOTAL	387		188	199	0	168	132	52	23	12	0
PERCENT		100.000	48.579	51.421	0.000	43.411	34.109	13.437	5.943	3.101	0.000
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	1	0.741	1	0	0	1	0	0	0	0	0
15-19	42	31.111	21	21	0	37	5	0	0	0	0
20-24	50	37.037	19	· 31	0	28	15	6	1	0	0
25-29	26	19.259	14	12	0	10	11	1	3	1	0 0
30-34	10	7.407	6	4	0	4	3	1	1	1	0
35-39	4	2.963	0	4	0	1	1	0	0	2	0
40-44	1	0.741	1	0	0	0	0	1	0	0	0
Greater Than 44	1	0.741	0	1	0	0	0	0	1	0	0 0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	135		62	73	0	81	35	9	6	4	ő
PERCENT		100.000	45.926	54.074	0.000	60.000	25.926	6.667	4.444	2.963	0.000

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_B5.SAS, 4/1/1998]

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

Data, Resear

COUNTY,											
MARITAL STATUS,	TOTAL	PERCENT	* * * *	ULX	* * * *	* * * *	* * * * *		ORDER *	* * * * *	* * * * *
AND AGE	BIRTHS	DISTRIBUTIO	N Male	Female	Unknown	1	2	3	4	5+	Unknown
YORK			·								
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	4	0.184	2	2	0	4	0	0	0	0	0
15-19	195	8.961	98	97	0	178	· 14	3	0	0	0
20-24	505	23.208	243	262	0	262	176	55	11	0	1
25-29	663	30.469	349	314	0	270	247	107	31	8	0
30-34	576	26.471	300	276	0	165	235	115	40	20	1
35-39	183	8.410	96	87	0	53	59	38	20	12	1
40-44	45	2.068	22	23	0	13	9	14	5	2	2
Greater Than 44	3	0.138	1	2	0	1	0	0	0	2	0
Unknown	2	0.092	0	2	0	0	2	0	0	0	0
TOTAL	2,176		1,111	1,065	0	946	742	332	107	44	5
PERCENT		100.000	51.057	48.943	0.000	43.474	34.099	15.257	4.917	2.022	0.230
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	4	0.677	2	2	0	4	0	0	0	0	0
15-19	163	27.580	85	78	0	149	11	3	0	0	0
20-24	231	39.086	115	116	0	140	71	17	3	0	0
25-29	106	17.936	47	59	0	34	40	23	7	2	0
30-34	60	10.152	37	23	0	14	19	15	8	3	1
35-39	20	3.384	12	8	0	4	6	2	5	3	0
40-44	6	1.015	4	. 2	0	3	0	3	0	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	1	0.169	0	1	0	0	1	0	0	0	0
TOTAL	591		302	289	0	348	148	63	23	8	1
PERCENT		100.000	51.100	48.900	0.000	58.883	25.042	10.660	3.892	1.354	0.169

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

			-								
COUNTY,											
MARITAL STATUS,	TOTAL	PERCENT	* * * *	* * SEX *	* * * * *	* * * *	* * * * *	* * BIRTH	ORDER *	* * * * *	* * * * *
AND AGE	BIRTHS	DISTRIBUTION	Male	Female	Unknown	· 1	2	3	4	5+	Unknown
STATE OF MAINE			•								
All Births											
Age						*					
Less Than 10	0	0.000	0	0	0	0	0	. 0	0	0	0
10-14	20	0.144	14	6	0	20	0	0	Ő	0	0
15-19	1,404	10.119	708	696	0	1,194	188	22	0 0	0	0
20-24	3,501	25.232	1,798	1,703	0	1,879	1,184	346	76	11	5
25-29	4,146	29.881	2,091	2,055	0	1,671	1,611	608	189	63	4
30-34	3,282	23.654	1,697	1,585	0	946	1,318	651	259	100	
35-39	1,267	9.132	648	619	0	303	470	289	115	89	1
40-44	236	1.701	113	123	0	51	66	58	28	30	3
Greater Than 44	11	0.079	5	6	0	2	3	2	2	2	0
Unknown	8	0.058	3	5	0	2	6	0	0	0	Ő
TOTAL	13,875		7,077	6,798	0	6,068	4,846	1,976	669	295	21
PERCENT		100.000	51.005	48.995	0.000	43.733	34.926	14.241	4.822	2.126	0.151
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	19	0.494	13	6	0	19	0	0	Ő	ů 0	0
15-19	1,131	29.392	574	557	0	990	127	14	0	Õ	0 0
20-24	1,500	38.981	763	737	0	895	423	141	33	6	2
25-29	664	17.256	347	317	0	235	228	133	46	20	2
30-34	346	8.992	182	164	0	97	114	76	39	19	- 1
35-39	146	3.794	65	81	0	44	41	25	21	15	0
40-44	38	0.988	17	21	0	11	8		5	6	0
Greater Than 44	1	0.026	0	1	0	0	0	0	1	Ő	0
Unknown	3	0.078	0	3	0	2	1	0	0	0	0
TOTAL	3,848		1,961	1,887	· 0	2,293	942	397	145	66	5
PERCENT		100.000	50.962	49.038	0.000	59.589	24.480	10.317	3.768	1.715	0.130

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_B5.SAS, 4/1/1998]

TABLE 8-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	**************************************	************ 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	*********** UNKNOWN
ANDROSCOGGIN								
LESS THAN 100 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN UNKNOWN CDUNTY TOT PERCENT DI	6 20 21 199 434 357 121 25 4999 4 4	0.42 0.50 1.67 1.76 16.64 36.29 29.85 10.12 2.09 0.33 0.33 100.00	3 5 10 16 121 260 221 74 18 4 3 735 61.45	2 1 8 4 55 134 106 41 7 0 1 359 30.02	0 0 1 1 18 29 24 4 0 0 0 77 6.44	0 0 5 9 5 1 0 0 20 1.67	0 0 2 1 1 0 0 0 5 0.42	
AROOSTOOK								
 LESS THAN 100 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN UNKNDWN COUNTY TOT PERCENT DI 	6 12 29 108 273 247 74 13 4999 0 8	0.52 0.78 1.55 3.75 13.95 35.27 31.91 9.56 1.68 0.00 1.03	2 4 6 14 76 158 153 45 4 0 4 60.21	1 2 5 10 23 65 61 23 7 0 0 197 25.45	1 0 3 4 36 27 4 1 0 0 76 9.82	0 0 2 4 8 3 0 1 0 1 9 2.45	0 0 1 2 1 0 0 0 4 0.52	0 1 0 4 2 2 0 3 12 1,55

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BWGHTED

TABLE 3-6

.

						•			
	OUNTY AND		1	*****	*****	MONTH PRENATAL	CARE BEGAN	******	****
	IRTHWEIGHT	TOTAL	PERCENT	1ST+2ND	3RD	4TH-6TH	7TH-9TH	NONE	UNKNOWN
	IN GRAMS	BIRTHS	DISTRIBUTION	MONTH	MONTH	MONTH	MONTH	NONE	ONKIONI
C	UMBERLAND								
	LESS THAN 1000	18	0.59	13	2	3	ο	0	0
	1000-1499	14	0.46	10	2	õ	ŏ	ŏ	2
	1500-1999	38	1.25	24	11	2	Ĭ	ŏ	0
	2000-2499	105	3.45	47	44	8	ò	3	3
	2500-2999	361	11.86	184	135	36	2	2	3
	3000-3499	1,110	36.48	562	456	72	16	2	2
	3500-3999	956	31.42	483	405	58	7	0	2
	4000-4499	371	12.19	204	144	19	3	ŏ	3
	4500-4999	60	1.97	33	. 23	15	2	ŏ	
	GREATER THAN 4999	5	0.16	3	20	ò	0	ŏ	0
	UNKNOWN	5	0.16	1	2	ŏ	ŏ	ŏ	0
	COUNTY TOTALS	3,043	01.10	1,564	1,226	199	32	7	2
	PERCENT DISTRIBUTION	0,040	100.00	51.40	40.29	6.54	1.05	0.23	15 0.49
F	RANKLIN								
			· ·						
41	LESS THAN 1000	2	0.74	1	1	0	0	0	0
•	1000-1499	2	0.74	1	1	0	0	0	0
	1500-1999	3	1.11	2	1	0	0	0	0
	2000-2499	11	4.07	9	2	0	0	0	0
	2500-2999	40	14.81	28	8	4	0	0	0
	3000-3499	100	37.04	61	29	8	2	0	0
	3500-3999	74	27.41	52	16	6	0	0	0
	4000-4499	32	11.85	18	11	3	0	0	Ó
	4500-4999	5	1.85	4	0	0	0	· 1	0
	GREATER THAN 4999	0	0.00	0	0	0	0	0	0
	UNKNOWN	1	0.37	1	0	0	• 0	Ó	Õ
	COUNTY TOTALS	270		177	69	21	2	1	õ
	PERCENT DISTRIBUTION		100.00	65.56	25.56	7.78	0.74	0.37	0.00

٠

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

B	OUNTY AND IRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	*********** 1ST+2ND MONTH	************* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	********** UNKNOWN
H	ANCOCK		·						
	LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	2 3 5 17 61 171 146 65 6 2 0 478	0.42 0.63 1.05 3.56 12.76 35.77 30.54 13.60 1.26 0.42 0.00	2 3 5 8 30 77 67 33 2 0 0 227 47,49	0 0 3 23 69 53 22 2 2 2 2 0 174 36.40	0 0 4 7 22 21 10 2 0 0 66 13.81	0 0 1 1 3 0 0 0 5 1.05	0 0 1 0 1 1 0 0 0 3 2 0.63	0 0 1 0 1 1 0 0 0 0 0 3 0.63
к									
42	LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	6 15 52 157 393 399 169 31 3 4 1,235	0.49 0.49 1.21 4.21 12.71 31.82 32.31 13.68 2.51 0.24 0.32 100.00	4 2 10 30 246 266 103 19 1 3 784 63.48	1 2 15 37 93 90 43 8 1 1 292 23.64	1 1 7 17 44 38 20 4 0 0 0 133 10.77	0 1 0 2 6 4 2 0 1 0 16 1.30	0 2 0 2 0 0 0 0 4 0.32	0 1 0 1 2 1 1 0 0 0 6 0.49

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

.

TABLE B-6

BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	1ST+2ND MONTH	************* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	NONE	UNKNOWN
KNOX								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	2	0.52	0	2	0	0	0	0
1500-1999	1	0.26	0	1	0	0	0	· Õ
2000-2499	10	2.62	5	3	2	0	ō	õ
2500-2999	43	11.26	26	11	2	1	Ō	3
3000-3499	129	33.77	87	34	6	1	1	ō
3500-3999	119	31.15	86	25	5	1	1	1
4000-4499	59	15.45	42	9	5	2	Ó	1
4500-4999	15	3.93	10	2	2	0	ŏ	1
GREATER THAN 4999	2	0.52	1	0	1	Ō	õ	ò
UNKNOWN	2	0.52	2	0	0	ō	õ	ŏ
COUNTY TOTALS	382		259	87	23	5	2	Ğ
PERCENT DISTRIBUTION		100.00	67.80	22.77	6.02	1.31	0.52	1.57
	•							
LINCOLN								
LESS THAN 1000	0	0.00	0	0	0	0	0	0
1000-1499	3	0.92	1	2	õ	õ	ŏ	ŏ
$\frac{1}{\omega}$ 1500-1999	3	0.92	2 .	1	õ	ŏ	ŏ	ŏ
2000-2499	20	6.12	8	9	3	ŏ	ŏ	· õ
2500-2999	38	11.62	26	6	5	1	ŏ	õ
3000-3499	116	35.47	75	33	6	1	ŏ	ĭ
3500-3999	98	29,97	62	26	9	1	ŏ	, o
4000-4499	42	12.84	24	15	3	ò	ŏ	ŏ
4500-4999	5	1.53	2	3	õ	õ	ŏ	õ
GREATER THAN 4999	2	0.61	1	õ	ĭ	ŏ	ŏ	0
UNKNOWN	ō	0.00	ò	ŏ	ò	ŏ	ŏ	ŏ
COUNTY TOTALS	327	0.00	201	95	27	3	. 0	0
	32,		201	55	21	3	· U	

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

.

8	DUNTY AND IRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	**************************************	********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	********* UNKNOWN
02	KFORD								
	LESS THAN 1000	2	0.36	2	о	о	ο	0	o
	1000-1499	7	1.26	3	2	0	0	0	2
	1500-1999	8	1.44	7	1	0	0	0	0
	2000-2499	32	5.75	13	9	9	1	0	0
	2500-2999	78	14.00	37	29	11	1	0	0
	3000-3499	195	35.01	108	55	25	3	3	1
	3500-3999	153	27.47	84	46	21	2	0	0
	4000-4499	68	12.21	42	18	· 6	2	0	0
	4500-4999	8	1.44	4	2	2	0	Ō	ō
	GREATER THAN 4999	2	0.36	1	· 0	1	0	Ō	ŏ
	UNKNOWN	4	0.72 '	2	0	· 0	Ō	ō	2
	COUNTY TOTALS	557		303	162	75	9	3	5
	PERCENT DISTRIBUTION		100.00	54.40	29.08	13.46	1.62	0.54	0.90
PI	ENOBSCOT								
	LESS THAN 1000	10	0.68	6	3	0	0	. 1	0
	1000-1499	8	0.54	7	0	. 1	0	0	Ö
4	1500-1999	14	0.95	13	1	0	0	0	0
+.	2000-2499	49	3.34	4 1	6	1	1	0	0
	2500-2999	198	13.49	164	20	13	0	1	0
	3000-3499	494	33.65	398	60	29	4	3	0
	3500-3999	503	34.26	400	60	37	. 4	2	0
	4000-4499	163	11.10	136	- 14	9	3	0	1
	4500-4999	26	1.77	20	3	3,	0	0	0
	GREATER THAN 4999	2	0.14	2	0	0	0	0	ō
	UNKNOWN	1	0.07	0	0	0	Ō	Ō	1
	COUNTY TOTALS	1,468		1,187	167	93	12	7	2
	PERCENT DISTRIBUTION		100.00	80.86	11.38	6.34	0.82	0.48	0.14

.

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

83	OUNTY AND IRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTIDN	**************************************	*.*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	********** UNKNOWN
P	ISCATAQUIS								
	LESS THAN 1000	1	0.50	1	0	0	0	0	0
	1000-1499	0	0.00	0	0	0	· 0	0	0
	1500-1999	2	0.99	1	1	0	0	0	0
	2000-2499	8	3.96	8	0	0	0	0	0
	2500-2999	30	14.85	22	3	5	0	0	0
	3000-3499	77	38.12	39	19	15	2	1	1
	3500-3999	58	28.71	31	15	7	4	0	1
	4000-4499	21	10.40	8	9	3	1	0	0
	4500-4999	4 ·	1.98	2	0	2	0	Ó	õ
	GREATER THAN 4999	1	0.50	1	0	0	0	õ	Õ
	UNKNOWN	0	0.00	0	0	Ο.	0	Õ	õ
	COUNTY TOTALS	202		113	47	32	7 .	1	2
	PERCENT DISTRIBUTION		100.00	55.94	23.27	15.84	3.47	0.50	0.99
S	AGADAHOC								
	LESS THAN 1000	2	0.52	2	0	0	0	0	о
	1000-1499	2	0.52	2	ō	õ	ŏ	ŏ	ŏ
5	1500-1999	6	1.55	6	ŏ	ŏ	ŏ	ŏ	õ
01	2000-2499	8	2.07	4	3	1	õ	ŏ	ŏ
	2500-2999	47	12.18	31	10	4	1	ŏ	Ĭ
	3000-3499	147	38.08	102	32	12		ŏ	
	3500-3999	113	29.27	85	21	3	4	ŏ	õ
	4000-4499	52	13.47	38	10	4	. 0	ŏ	õ
	4500-4999	5	1.30	1	2	i	ĭ	ŏ	ŏ
	GREATER THAN 4999	1	0.26	i	õ	ò	ò	ŏ	ŏ
	UNKNOWN	3	0.78	Ö	ŏ	ĩ	ŏ	ŏ	2
	COUNTY TOTALS	386		272	78	26	7	ŏ	· 2
	PERCENT DISTRIBUTION		100.00	70.47	20.21	6.74	1.81	0.00	0.78

\$

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

BI	UNTY AND RTHWEIGHT N GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	*********** 1ST+2ND MONTH	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	********* UNKNOWN
sc	MERSET								
	LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3500-3499 3500-3999 4000-4499 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	3 4 5 34 83 213 170 63 13 2 595	0.50 0.67 0.84 5.71 13.95 35.80 28.57 10.59 2.18 0.34 0.84	2 0 2 18 44 129 110 41 7 0 3 356 59.83	1 3 2 8 23 42 34 14 5 1 1 22.52	0 1 0 6 15 38 23 5 0 1 0 89 14.96	0 0 1 1 2 1 1 - 1 0 0 8 1.34	0 0 0 2 0 1 0 0 3 0.50	0 0 1 0 2 1 0 0 1 5 0.84
WA	LDO								
46	LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	1 4 11 57 132 133 44 10 2 1 399	0.25 1.00 1.00 2.76 14.29 33.08 33.33 11.03 2.51 0.50 0.25 100.00	0 3 1 9 40 94 91 33 8 1 0 280 70.18	0 1 3 2 12 27 29 10 2 0 0 86 21.55	0 0 4 11 10 0 1 0 26 6.52	1 0 0 1 0 3 1 0 0 0 6 1.50	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 1 1 0.25

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE B-6

.

TABLE 3-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

81	DUNTY AND RTHWEIGHT N GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** 1ST+2ND MONTH	********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH ⁻ MONTH	********** NONE	*********** UNKNOWN
W۵	SHINGTON		•						
	LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	0 5 4 15 52 153 107 44 6 1 0 387	0.00 1.29 1.03 3.88 13.44 39.53 27.65 11.37 1.55 0.26 0.00 100.00	0 5 4 20 76 47 24 1 0 0 181 46.77	0 0 6 23 44 41 14 4 1 0 133 34.37	0 0 3 7 26 16 5 1 0 0 58 14,99	0 0 1 1 6 3 1 0 0 0 12 3.10	0 0 1 1 0 0 0 2 0.52	0 0 1 0 0 0 0 0 1 0.26
YC	IRK				·				
47	LESS THAN 1000 1000-1499 1500-1999 2000-2499 2500-2999 3000-3499 3500-3999 4000-4499 4500-4999 GREATER THAN 4999 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	9 14 38 90 289 745 672 266 44 2 7 2,176	0.41 0.64 1.75 4.14 13.28 34.24 30.88 12.22 2.02 0.09 0.32 100.00	3 7 21 41 139 414 376 145 26 1 4 1,177 54.09	3 5 11 29 95 239 216 95 10 1 1 705 32.40	3 2 3 14 47 80 66 22 6 0 0 243 11.17	0 0 1 3 2 7 10 3 1 0 0 27 1.24	0 0 1 2 1 0 0 0 0 1 6 0.28	0 0 1 2 4 4 4 1 1 0 1 1 8 0.83

.

•

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

...

BWGHTED

.

STATE AND BIRTHWEIGHT IN GRAMS	TOTAL BIRTHS	PERCENT DISTRIBUTION	*********** 1ST+2ND MONTH	********* 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	********** UNKNOWN
MAINE SUMMARY								
LESS THAN 1000	65	0.47	41	14	8	1	1	0
1000-1499	86	0.62	53	22	5	1	0	5
1500-1999	178	1.28	114	48	7	З	4	2
2000-2499	512	3.69	275	153	62	9	5	8
2500-2999	1,841	13.27	1,088	513	199	23	. 7	11
3000-3499	4,882	35.19	2,886	1,431	459	69	21	16
3500-3999	4,305	31.03	2,614	1,244	371	55	6	15
4000-4499	1,654	11.92	1,010	492	122	20	2	8
4500-4999	276	1.99	161	. 80	25	7	1	2
GREATER THAN 4999	31	0.22	17	8	5	1	0	0
UNKNOWN	45	0.32	23	6	1	1	1	13
STATE TOTALS	13,875		8,282	4,011	1,264	190	48	80
PERCENT DISTRIBUTION	-	100.00	59.69	28.91	9.11	1.37	0.35	0.58

 \mathbf{r}^{\prime}

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

BWGHTED

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

48

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY AND							
NUMBER OF	TOTAL	PERCENT	* * * * * *	* * * * TRIMESTER	PRENATAL C	ARE BEGAN * * *	* * * * * *
PRENATAL VISITS	BIRTHS	DISTRIBUTION	First	Second	Third	None	Unknown
ANDROSCOGGIN			·				
0	4	0.334	0	0	0	4	0
1	· 2	0.167	1	0	1	0	0
2	3	0.251	1	1	1	0	0
3	2	0.167	1	0	1	0	0
4	4	0.334	. 2	0	2	0	0
5	4	0.334	1	0	3	0	0
6	10	0.836	4	4	2	0	0
7	16	1.338	7	3	6	0	0
8	28	2.341	20	7	1	0	Ő
9	26	2.174	18	7	1	0	ő
Greater Than 9	1,096	91.639	1,038	55	2	ů 0	3 1
Unknown	1	0.084	· 1	0	0	0	0
TOTAL	1,196		1,094	77	20	4	1
PERCENT		100.000	91.472	6.438	1.672	0.334	0.084
AROOSTOOK							
0	4	0.517	` 0	0	0	4	0
1	1	0.129	0	0	1	0	0
2	3	0.388	1	0	2	ů 0	0
3	2	0.258	0	0	2	0	0
4	1	0.129	0	0	1	0	0
5	7	0.904	0	2	4	0	1
6	17	2.196	8 .	5	4	0	0
7	19	2.455	12	7	0	0	0 0
8	24	3.101	20	3	1	0 0	ů 0
9	36	4.651	24	10	2	0	ů O
Greater Than 9	653	84.367	598	49	2	0	8 4
Unknown	7	0,904	0	0	0	õ	7
TOTAL	774		663	76	19	4	, 12
PERCENT		100.000	85.659	9.819	2.455	0.517	1.550

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY AND							
NUMBER OF	TOTAL	PERCENT	* * * * *	* * * * TRIMEST	FER PRENATAL CAR	E BEGAN * * *	* * * * * *
PRENATAL VISITS	BIRTHS	DISTRIBUTION	First	Second	Third	None	Unknown
CUMBERLAND							
0	7	0.230	0	0	0	7	0
1	2	0.066	1	1	0	0	0
2	4	0.131	1	0	3	0	0
3	6	0.197	4	1	1	0	0
4	9	0.296	5	3	1	0	0
5	21	0.690	8	3	10	0	0
6	36	1.183	23	7	6	0	0
7	44	1.446	26	16	2	0	0
8	92	3.023	72	18	2	0	0
9	115	3.779	92	20	2	0	1
Greater Than 9	2,687	88.301	2,550	130	5	0	. 2
Unknown	20	0.657	8	0	0	0	12
TOTAL	3,043		2,790	199	32	7	15
PERCENT		100.000	91.686	6.540	1.052	0.230	0.493
FRANKLIN							
0	1	0.370	0	0	0	1	0
1	0	0.000	0	0	0	0	0
2	0	0.000	0	0	0	0	0
3	1	0.370	1	0	0	0	0
4	0	0.000	0	0	0	0	0
5	1	0.370	1	0	0	. 0	0
6	5	1.852	3	1	1	0	0
7	4	1.481	2	2	0	0	0
8	7	2.593	7	0	0	0	0
9	6	2.222	4	2	0	0	0
Greater Than 9	243	90.000	226	16	1	0	0
Unknown	2	0.741	2	0	0	0	0
TOTAL	270		246	21	2	1	0
PERCENT		100.000	91.111	7.778	0.741	0.370	0.000

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

COUNTY AND							
NUMBER OF	TOTAL	PERCENT	* * * * *		PRENATAL CA	RE BEGAN * * *	* * * * * *
PRENATAL VISITS	BIRTHS	DISTRIBUTION	First	Second	Third	None	Unknown
HANCOCK							
0	3	0.628	0	0	0	3	0
1	0	0.000	0	0	0	0	0
2	0	0.000	0	0	0	0	0
3	0	0.000	0	0	0	0	0
4	1	0.209	0	1	0	0	0
5	1	0.209	0	1	0	0	0
6	6	1.255	3	2	1	0	0
7	11	2.301	5	5	1	0	0
8	25	5.230	15	8	2	0	0
9	38	7.950	26	12	0	0	0 0
Greater Than 9	389	81.381	350	37	1	0	1
Unknown	4	0.837	2	0	0	0 0	2
TOTAL	478		401	66	5	3	3
PERCENT		100.000	83.891	13.808	1.046	0.628	0.628
KENNEBEC							
0	4	0.324	. 0	0	0	4	0
1	2	0.162	0	1	1	Ö	0
2	0	0.000	0	0	0	0	0
3	5	0.405	3	1	1	0	0
4	4	0.324	1	2	1	0	0
5	7	0.567	1	4	2	0	0
6	23	1.862	9.	10	4	0	0
7	19	1.538	9.	9	1	0	0 0
8	37	2.996	26	9	2	0	0
9	36	2.915	25	10	1	0	0
Greater Than 9	1,087	88.016	997	86	2	0	2
Unknown	11	0.891	5	1	- 1	0	4
TOTAL	1,235		1,076	133	16	4	4 6
PERCENT	·	100.000	87.126	10.769	1.296	0.324	0.486

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_B7.SAS, 4/7/1998]

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY AND							
NUMBER OF	TOTAL	PERCENT	* * * * *	* * * * TRIMEST	ER PRENATAL CAP	E BEGAN * * *	* * * * * *
PRENATAL VISITS	BIRTHS	DISTRIBUTION	First	Second	Third	None	Unknown
KNOX		. ·					
0	1	0.262	0	0	0	1	0
1	0	0.000	0	0	0	0	0
2	2	0.524	1	0	1	0	0
3	1	0.262	0	0	1	0	0
4	1	0.262	1	0	0	0	0
5	2	0.524	1	0	0	0	1
6	3	0.785	3	0	0	0	0
7	7	1.832	7	0	0	0	0
8	11	2.880	5	6	0	0	0
9	10	2.618	8	2	0	0	0
Greater Than 9	344	90.052	320	15	3	0	. 6
Unknown	0	0.000	0	0	0	0	0
TOTAL	382		346	23	5	1	7
PERCENT		100.000	90.576	6.021	1.309	0.262	1.832
LINCOLN							
0	0	0.000	0	0	0	0	0
1	0	0.000	0	0	0	0	0
2	0	0.000	0	0	0	0	0
3	0	0.000	0	0	0	0	0
4	1	0.306	1	0	0	0	0
5	3	0.917	2	1	0	· 0	0
6	4	1.223	2	2	0	0	0
7	5	1.529	4	1	0	0	0
8	12	3.670	8	2	2	0	0
9	20	6.116	16	3	1	0	0
Greater Than 9	280	85.627	263	17	0	0	0
Unknown	2	0.612	0	1	0	0	1
TOTAL	327		296	27	3	0	1
PERCENT		100.000	90.520	8.257	0.917	0.000	0.306

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

COUNTY AND							
NUMBER OF	TOTAL	PERCENT	* * * * *	* * * * TRIMEST	ER PRENATAL CAP	E BEGAN * * *	* * * * * *
PRENATAL VISITS	BIRTHS	DISTRIBUTION	First	Second	Third	None	Unknown
OXFORD							
UNFUND							
0	3	0.539	0	0	0	3	0
1	2	0.359	0	0	2	0	0
2	0	0.000	0	0	0	0	0
3	2	0.359	0	1	1	0	0
4	1	0.180	0	1 .	0	0	0
5	8	1.436	4	3	1	0	0
6	7	1.257	2	4	1	0	0
7	12	2.154	10	2	0	0	0
8	31	5.566	14	14	3	0	0
9	30	5.386	22	8	0	0	0
Greater Than 9	455	81.688	412	41	1	0	1
Unknown	6	1.077	1	1	0	0	4
TOTAL	557		465	75	9	3	5
PERCENT		100.000	83.483	13.465	1.616	0.539	0.898
PENOBSCOT							
0	7	0.477	0	0	· 0	7	0
1	2	0.136	0	0	2	0	0
2	3	0.204	1	1	1	0	ů 0
3	6	0.409	2	0	4	0	0
4	4	0.272	2	2	0	0	0
5	14	0.954	5	8	1	0	0
6	12	0.817	1	9	2	0	0
7	32	2.180	18	13	1	0	0 -
8	68	4.632	47	20	1	0	0
9	101	6.880	88	13	0	0	0
Greater Than 9	1,216	82.834	1,188	27	0	0	1
Unknown	3	0.204	2	0	0	0	1
TOTAL	1,468		1,354	93	12	7	2
PERCENT		100.000	92.234	6.335	0.817	0.477	0.136

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_B7.SAS, 4/7/1998]

с ω -

COUNTY AND							
NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * First	* * * * TRIMEST Second	ER PRENATAL CAF Third	NE BEGAN * * * None	* * * * * * * Unknown
					11121 4	None	Olikilowij
PISCATAQUIS							
		•					
0	1	0.495	0	0	0	1	0
1	0	0.000	0	0	0	0	0
2	0	0.000	0	0	0	0	0
3	0	0.000	0	0	0	0	0
4	2	0.990	0	1	1	0	0
5	0	0.000	0	0	0	0	0
6	6	2.970	1	3	2	0	0
7	10	4.950	2	4	4	0	0
8	11	5.446	9	2	0	0	0
9	25	12.376	22	3	0	0	0
Greater Than 9	147	72.772	126	19	0	0	2
Unknown	0	0.000	0	0	0	0	0
TOTAL	202		160	32	7	1	2
PERCENT		100.000	79.208	15.842	3.465	0.495	0.990
SAGADAHOC							
0	0	0.000	0	0	0	0	0
1	1	0.259	. 0	0	1	0	0
2	1	0.259	1	0	0	0	0
3	1	0.259	1	0	0	0	0
4	1	0.259	1	0	0	0	0
5	0	0.000	0	0	0	0	0
6	4	1.036	3	1	0	0	0
7	7	1.813	3	1	3	0	0
8	12	3.109	10	1	1	0	0
9	16	4.145	10	5	1	0	0
Greater Than 9	340	88.083	321	18	1	0	0
Unknown	3	0.777	0	0	0	0	3
TOTAL	386		350	26	7	0	3
PERCENT		100.000	90.674	6.736	1.813	0.000	0.777

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

54

[VSTAB_B7.SAS, 4/7/1998]

COUNTY AND							
NUMBER OF	TOTAL	PERCENT	` * * * * * *	* * * TRIMEST	ER PRENATAL CAR	RE BEGAN * * *	* * * * * *
PRENATAL VISITS	BIRTHS	DISTRIBUTION	First	Second	Third	None	Unknown
SOMERSET							
0	2	0.336	0	0	0	2	0
1	0	0.000	0	0	0	0	0
2	0	0.000	0	0	0	0	0
3	4	0.672	0	0	4	0	0
4	3	0.504	1	2	0	0	0
5	6	1.008	3	з	0	0	0
6	12	2.017	2	7	3	0	0
7	14	2.353	7	7	0	0	0
8	19	3.193	14	4	1	0	0
9	37	6.218	25	12	0	0	. 0
Greater Than 9	494	83.025	437	54	0	0	3
Unknown	4	0.672	1	0	0	0	3
TOTAL	595		490	89	8	2	6
PERCENT		100.000	82.353	14.958	1.345	0.336	1.008
WALDO							
0	0	0.000	0	0	0	0	0
1	0	0.000	0	0	0	0	0
2	2	0.501	. 1	0	1	0	0
3	2	0.501	2	0	0	0	0
4	2	0.501	1	1	0	0	0
5	5	1,253	4	0	1	0	0
6	4	1.003	3	0	1	0	· 0
7	17	4.261	12	3	2	0	0
8	25	6.266	22	3	0	0	0
9	30	7.519	24	5	1	0	0
Greater Than 9	308	77.193	295	13	0	0	0
Unknown	4	1.003	2	. 1	0	0	1
TOTAL	399		366	26	6	õ	, 1
PERCENT		100.000	91.729	6.516	1.504	0.000	0.251

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

÷

ა ა

[VSTAB_B7.SAS, 4/7/1998]

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY AND	70741						
NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	PERCENT DISTRIBUTION	First	* * * * TRIMEST Second	ER PRENATAL CAF Third	RE BEGAN * * * None	* * * * * * * Unknown
				e e e e e e e e e e e e e e e e e e e	mini	none	UIIKIIUWII
WASHINGTON							
0	2	0.517	0	0	0	2	0
1	1	0.258	0	0	1	0	0
2	1	0.258	0	0	1	0	0
3	3	0.775	1	0	2	0	0
4	3	0.775	1	2	. 0	0	ů 0
5	5	1.292	2	1	2	0	0
6	8	2.067	5	2	1	0	0
7	7	1.809	4	3	0	0	0
8	24	6.202	14	9	1	0	0
9	26	6.718	20	5	1	0	0
Greater Than 9	306	79.070	266	36	3	0	1
Unknown	1	0.258	1	0	0	0	0
TOTAL	387		314	58	12	2	1
PERCENT		100.000	81.137	14.987	3.101	0.517	0.258
YORK							
0	6	0.276	0	0	0	6	0
1	3	0.138	0	0	3	0	0
2	1	0.046	0	0	0	0	1
3	10	0.460	5	2	3	0	0
4	16	0.735	5	6	5	0	0
5	23	1.057	10	8	4	0	1
6	34	1.563	17	14	1	0	2
7	35	1.608	21	13	1	0	0
8	91	4.182	58	28	3	0	2
9	123	5.653	98	23	1	0	1
Greater Than 9	1,815	83.410	1,659	147	5	0	4
Unknown	19	0.873	9	2	1	0	7
TOTAL	2,176		1,882	243	27	6	18
PERCENT		100.000	86.489	11.167	1.241	0.276	0.827

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

-

COUNTY AND							
NUMBER OF	TOTAL	PERCENT	* * * * * *		PRENATAL CAP		
PRENATAL VISITS	BIRTHS	DISTRIBUTION	First	Second	Third	None	Unknown
STATE OF MAINE							
0	45	0.324	0	0	0	45	0
1	16	0.115	2	2	12	0	0
2	20	0.144	7	2	10	0	1
3	45	0.324	20	5	20	0	0
4	53	0.382	21	21	11	0	0
5	107	0.771	42	34	28	0	3
6	191	1.377	89	71	29	0	2
7	259	1.867	149	89	21	0	0
8	517	3.726	361	134	20	0	2
9	675	4.865	522	140	11	0	2
Greater Than 9	11,860	85.477	11,046	760	26	0	28
Unknown	87	0.627	34	6	2	0	45
TOTAL	13,875		12,293	1,264	190	45	83
PERCENT		100.000	88.598	9.110	1.369	0.324	0.598

NOTE: Percentages may not add to 100 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_B7.SAS, 4/7/1998]

TABLE B-7

57

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

.

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	**************************************	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7th-9th Month	********* NONE	********** UNKNOWN
ANDROSCOGGIN								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	37 151 549 456 3 1,196	3.09 12.63 45.90 38.13 0.25 100.00	18 81 328 305 3 735 61.45	14 44 170 131 0 359 30.02	2 19 38 18 0 77 6.44	3 6 10 1 0 20 1.67	0 1 3 1 0 5 0.42	
AROOSTOOK								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	11 77 358 325 3 774	1.42 9.95 46.25 41.99 0.39 100.00	3 42 211 210 0 466 60.21	2 19 96 80 0 197 25.45	2 11 37 25 1 76 9.82	4 7 4 0 19 2.45	0 0 1 4 0.52	. 0 1 4 6 1 12 1.55
CUMBERLAND								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	63 216 926 1,832 6 3,043	2.07 7.10 30.43 60.20 0.20 100.00	30 93 446 993 2 1,564 51.40	22 85 365 751 3 1,226 40.29	8 30 89 72 0 199 6.54	1 3 17 11 0 32 1.05	0 1 2 0 7 0.23	2 4 5 3 1 15 0.49

.

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

•

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

BWGHTED

.

58

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	********** 1ST+2ND MONTH	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	********** UNKNOWN
FRANKLIN								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT OISTRIBUTION	4 28 104 134 0 270	1.48 10.37 38.52 49.63 0.00 100.00	2 13 70 92 0 177 65.56	1 6 27 35 0 69 25.56	1 8 6 0 21 7.78	0 0 1 1 0 2 0.74	0 1 0 0 1 0.37	0 0 0 0 0.00
HANCOCK								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	2 43 199 233 1 478	0.42 9.00 41.63 48.74 0.21 100.00	1 91 119 0 227 47.49	1 18 68 87 0 . 174 36.40	0 5 36 25 0 66 13.81	0 2 1 0 5 1.05	0 1 1 0 3 0.63	0 1 1 0 1 3 0.63
KENNEBEC								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	25 124 552 528 6 1,235	2.02 10.04 44.70 42.75 0.49 100.00	9 59 332 381 3 784 63.48	5 39 140 106 2 292 23.64	8 21 68 36 0 133 10.77	2 2 8 4 0 16 1.30	1 2 0 1 0 4 0.32	0 1 4 0 1 6 0.49

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

BWGHTED

,

59

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	**************************************	************ 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	•********** UNKNOWN
KNOX								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	4 37 174 165 2 382	1.05 9.69 45.55 43.19 0.52	3 19 117 119 1 259 67.80	1 11 40 34 1 87 22.77	0 6 10 7 0 23 6.02	0 4 1 0 5 1.31	0 0 2 0 2 0.52	0 1 2 0 6 1.57
LINCOLN								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	5 35 149 134 4 327	1.53 10.70 45.57 40.98 1.22 100.00	3 17 95 84 201 61.47	0 13 42 38 2 95 29.05	1 5 10 11 0 27 8.26	1 0 2 0 0 3 0.92	0 0 0 0 0.00	0 0 1 0 1 0.31
DXFORD								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	18 67 286 183 3 557	3.23 12.03 51.35 32.85 0.54 100.00	7 30 157 108 1 303 54.40	7 18 80 57 0 162 29.08	3 15 42 15 0 75 13.46	1 2 3 3 0 9 1.62	0 2 1 0 3 0.54	0 3 0 2 5 0.90

\$

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

.

60

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	*********** 1ST+2ND MONTH	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********* NONE	********** UNKNOWN
PENOBSCOT								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	21 129 590 724 4 1,468	1.43 8.79 40.19 49.32 0.27 100.00	6 73 457 648 3 1,187 80.86	6 20 85 56 0 167 11.38	8 29 40 16 0 93 6.34	1 4 3 0 12 0.82	0 3 1 0 7 0.48	0 1 0 1 2 0.14
PISCATAQUIS								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	3 26 103 69 1 202	1.49 12.87 50.99 34.16 0.50 100.00	1 12 59 40 1 113 55.94	0 4 23 20 0 47 23.27	2 7 17 6 0 32 15.84	0 2 3 2 0 7 3.47	0 0 1 0 1 0.50	0 1 1 0 0 2 0.99
SAGADAHOC			·					
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	3 32 160 187 4 386	0.78 8.29 41.45 48.45 1.04 100.00	2 17 118 133 2 272 70.47	0 7 29 42 0 78 20.21	1 8 10 7 0 26 6.74	0 2 5 0 7 1.81	0 0 0 0 0 0.00	0 1 0 2 3 0.78

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

BWGHTED

.

61

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

-

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	*********** 1ST+2ND MONTH	********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	*********** UNKNOWN
SOMERSET								
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	10 93 290 197 5 595	1.68 15.63 48.74 33.11 0.84 100.00	5 47 171 132 1 356 59.83	0 18 70 44 2 134 22.52	5 22 43 18 1 89 14.96	0 3 4 1 0 8 1.34	0 1 2 0 3 0.50	0 2 2 1 5 0.84
WALDO						-		
LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	6 53 164 173 3 399	1.50 13.28 41.10 43.36 0.75 100.00	2 28 114 135 1 280 70.18	3 19 34 29 1 86 21.55	0 5 14 7 0 26 6.52	1 2 2 0 6 1.50	0 0 0 0 0 0	0 0 0 1 1 0.25
WASHINGTON			· .•					
WASHINGTON LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	11 47 168 161 0 387	2.84 12.14 43.41 41.60 0.00 100.00	6 13 81 81 0 181 46.77	4 15 57 57 0 133 34.37	0 16 24 18 0 58 14.99	1 3 5 0 12 3.10	0 0 1 0 2 0.52	0 0 1 0 1 0.26

. . .

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

BWGHTED

•

62

TABLE 8-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

	COUNTY AND Mother's Education	TOTAL BIRTHS	PERCENT DISTRIBUTION	*********** 1ST+2ND MONTH	*********** 3RD MONTH	MONTH PRENATAL 4TH-6TH MONTH	CARE BEGAN 7TH-9TH MONTH	********** NONE	********** UNKNOWN
· Y	ÓRK		· .						
	LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN COUNTY TOTALS PERCENT DISTRIBUTION	30 219 854 1,051 22 2,176	1.38 10.06 39.25 48.30 1.01 100.00	14 84 481 591 7 1,177 54.09	7 76 247 367 8 705 32.40	7 49 102 81 4 243 11.17	2 7 12 5 1 27 1.24	0 1 4 1 0 6 0.28	0 2 8 6 2 18 0.83
N	MAINE SUMMARY								
63	LESS THAN GRADE 9 GRADES 9-11 GRADE 12 GREATER THAN GRADE 12 UNKNOWN STATE TOTALS PERCENT DISTRIBUTION	253 1,377 5,626 6,552 67 13,875	1.82 9.92 40.55 47.22 0.48 100.00	112 644 3,328 4,171 27 8,282 59,69	73 412 1,573 1,934 19 4,011 28.91	48 256 586 368 6 1,264 9.11	17 39 86 47 1 190 1.37	1 13 22 11 . 1 48 0.35	2 13 31 21 13 80 0.58

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

.

BWGHTED

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - NUMBER OF BIRTHS MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1995 (OCCURRENCE DATA)

AT HOME 146 24 3 3 4 17 0 6 5 MID COAST MEMORIAL HOSPITAL - BATH 280 56 26 7 0 59 55 3 4 BLUE HILL MEMORIAL HOSPITAL 160 54 14 2 0 30 19 0 2 BRIGHTON MEDICAL CENTER 368 116 27 13 0 26 68 2 11 CALAIS REGIONAL HOSPITAL 139 61 24 33 0 42 33 3 4 CARY MEDICAL CENTER 166 30 13 2 2 48 40 1 4 CENTRAL MAINE MEDICAL CENTER 166 30 13 2 2 48 40 1 4 DOWN EAST COMMUNITY HOSPITAL 168 53 24 12 2 34 24 2 10 EASTERN MAINE MEDICAL CENTER 1,495 395 142 68 7 226 288 4 127 FRANKLIN MEMORIAL HOSPITAL	N GRAMS ER 99
MID COAST MEMORIAL HOSPITAL - BATH 280 56 26 7 0 59 55 3 4 BLUE HILL MEMORIAL HOSPITAL 160 54 14 2 0 30 19 0 2 BRIGHTON MEDICAL CENTER 368 116 27 13 0 26 68 2 11 CALAIS REGIONAL HOSPITAL 139 61 24 33 0 42 33 3 4 CARY MEDICAL CENTER 166 30 13 2 2 48 40 1 4 CENTRAL MAINE MEDICAL CENTER 947 313 121 27 1 289 196 11 35 DOWN EAST COMMUNITY HOSPITAL 168 53 24 12 2 34 24 2 10 EASTERN MAINE MEDICAL CENTER 1,495 395 142 68 7 226 288 4 127 FRANKLIN MEMORIAL HOSPITAL 369 132 51 6 2 97 74 2 20 HENRIETT	3
BLUE HILL MEMORIAL HOSPITAL 160 54 14 2 0 30 19 0 2 BRIGHTON MEDICAL CENTER 368 116 27 13 0 26 68 2 11 CALAIS REGIONAL HOSPITAL 139 61 24 33 0 42 33 3 4 CARY MEDICAL CENTER 166 30 13 2 2 48 40 1 4 CENTRAL MAINE MEDICAL CENTER 947 313 121 27 1 289 196 11 35 DOWN EAST COMMUNITY HOSPITAL 168 53 24 12 2 34 24 2 10 EASTERN MAINE MEDICAL CENTER 1,495 395 142 68 7 226 288 4 127 FRANKLIN MEMORIAL HOSPITAL 369 132 51 6 2 97 74 2 20 HENRIETTA D. GOODALL HOSPITAL 345 129 54 23 4 125 58 19 13	ō
BRIGHTON MEDICAL CENTER 368 116 27 13 0 26 68 2 11 CALAIS REGIONAL HOSPITAL 139 61 24 33 0 42 33 3 4 CARY MEDICAL CENTER 166 30 13 2 2 48 40 1 4 CENTRAL MAINE MEDICAL CENTER 947 313 121 27 1 289 196 11 35 DOWN EAST COMMUNITY HOSPITAL 168 53 24 12 2 34 24 2 10 EASTERN MAINE MEDICAL CENTER 1,495 395 142 68 7 226 288 4 127 FRANKLIN MEMORIAL HOSPITAL 369 132 51 6 2 97 74 2 20 HENRIETTA D. GOODALL HOSPITAL 345 129 54 23 4 125 58 19 13	1
CALAIS REGIONAL HOSPITAL1396124330423334CARY MEDICAL CENTER166301322484014CENTRAL MAINE MEDICAL CENTER9473131212712891961135DOWN EAST COMMUNITY HOSPITAL16853241223424210EASTERN MAINE MEDICAL CENTER1,4953951426872262884127FRANKLIN MEMORIAL HOSPITAL36913251629774220HENRIETTA D. GODDALL HOSPITAL34512954234125581913	ò
CARY MEDICAL CENTER166301322484014CENTRAL MAINE MEDICAL CENTER9473131212712891961135DOWN EAST COMMUNITY HOSPITAL16853241223424210EASTERN MAINE MEDICAL CENTER1,4953951426872262884127FRANKLIN MEMORIAL HOSPITAL36913251629774220HENRIETTA D. GOODALL HOSPITAL34512954234125581913	ŏ
CENTRAL MAINE MEDICAL CENTER9473131212712891961135DOWN EAST COMMUNITY HOSPITAL16853241223424210EASTERN MAINE MEDICAL CENTER1,4953951426872262884127FRANKLIN MEMORIAL HOSPITAL36913251629774220HENRIETTA D. GODDALL HOSPITAL34512954234125581913	ŏ
DOWN EAST COMMUNITY HOSPITAL16853241223424210EASTERN MAINE MEDICAL CENTER1,4953951426872262884127FRANKLIN MEMORIAL HOSPITAL36913251629774220HENRIETTA D. GODDALL HOSPITAL34512954234125581913	4
EASTERN MAINE MEDICAL CENTER 1,495 395 142 68 7 226 288 4 127 FRANKLIN MEMORIAL HOSPITAL 369 132 51 6 2 97 74 2 20 HENRIETTA D. GODDALL HOSPITAL 345 129 54 23 4 125 58 19 13	0
FRANKLIN MEMORIAL HOSPITAL36913251629774220HENRIETTA D. GOODALL HOSPITAL34512954234125581913	2
HENRIETTA D. GOODALL HOSPITAL 345 129 54 23 4 125 58 19 13	ō
	õ
HOULTON REGIONAL HOSPITAL 190 64 33 19 2 42 51 6 13	0
ISLAND COMMUNITY MEDICAL CTR. 1 0 0 0 0 0 0 0 0	0
KENNEBEC VALLEY MEDICAL CTR. 544 168 60 17 1 199 116 8 18	1
MAINE COAST MEMORIAL HOSPITAL 222 49 21 10 1 77 44 4 8	1
MAINE MEDICAL CENTER 2,434 561 167 102 8 832 707 47 386	3
MAYO REGIONAL HOSPITAL 184 74 35 3 0 38 36 4 4	1
MERCY HOSPITAL 981 182 58 31 0 186 159 5 22	3
MID-MAINE MEDICAL CENTER 667 200 65 15 4 233 125 11 33	1
MILES MEMORIAL HOSPITAL 153 34 15 2 0 42 27 1 5	0
	ŏ
	ŏ
	0
	0
PARKVIEW MEMORIAL HOSPITAL 635 139 43 41 1 435 133 30 18	1
PENOBSCOT BAY MEDICAL CENTER 382 97 36 7 1 111 83 1 5	1
	-
	õ
	0
ST. ANDREW'S HOSPITAL 19 9 4 0 0 4 3 0 1	0
	•
	0
	0
SEBASTICUUK VALLEY HUSPITAL 1 0 1 0 0 0 0 0 0 SOUTHERN MAINE MEDICAL CENTER 442 151 45 7 2 89 88 3 14	0
STEPHENS MEMORIAL HOSPITAL 250 86 41 3 1 55 50 7 15	0
THE AROOSTOOK MEDICAL CENTER 310 78 44 12 0 114 35 9 13	2
WALDO COUNTY GENERAL HOSPITAL 160 63 37 2 0 66 39 4 3	1
INLAND HOSPITAL 269 118 45 5 1 76 50 4 12	1
YORK HOSPITAL 285 61 20 14 1 59 46 3 6	
	29

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

.

BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE; INLAND HOSPITAL WAS FORMERLY CALLED WATERVILLE OSTEOPATHIC HOSPITAL; AND MID COAST MEMORIAL HOSPITAL - BATH WAS FORMERLY CALLED BATH MEMORIAL HOSPITAL.

> MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

BIRHOS

64

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS - PERCENTAGE OF TOTAL BIRTHS MAINE HOSPITAL, OTHER BIRTH SITES, AND STATE TOTAL, 1995 (OCCURRENCE DATA)

BIRTH SITE TOTAL BIRTHS OUT OF WEDLOCK BIRTHS MOTHER WEDLOCK BIRTHS NON- UNDER AGE 20 YRS. NO PRENATAL CARE MEDICAL RISK FACTORS C-SECTION ANOM- ALIES CONGEN. ANOM- ALIES BIRTHWEIGHT IN GRAMS AT HOME 146 16.44 2.05 2.05 2.74 11.64 0.00 4.11 3.42 2.05 MID COAST MEMORIAL HOSPITAL BATH 280 20.00 9.29 2.50 0.00 21.07 19.64 1.07 1.43 0.00 BLUE HILL MEMORIAL HOSPITAL 160 33.75 8.75 1.25 0.00 18.75 11.88 0.00 1.25 0.63 BRIGHTON MEDICAL CENTER 368 31.52 7.34 3.53 0.00 7.07 18.48 0.54 2.99 0.00 CARY MEDICAL CENTER 139 43.88 17.27 23.74 0.00 30.22 23.74 2.16 2.88 0.00 CARY MEDICAL CENTER 166 18.07 7.83 1.20 1.20 28.92 24.10 0.60 2.41
BIRTHS WEDLOCK BIRTHS UNDER WHITE AGE 20 YRS. PRENATAL CARE RISK ANOM- ALIES UNDER OVER 4999 AT HOME 146 16.44 2.05 2.05 2.74 11.64 0.00 4.11 3.42 2.05 MID COAST MEMORIAL HOSPITAL - BATH 280 20.00 9.29 2.50 0.00 21.07 19.64 1.07 1.43 0.00 BLUE HILL MEMORIAL HOSPITAL 160 33.75 8.75 1.25 0.00 18.75 11.88 0.00 1.25 0.63 BRIGHTON MEDICAL CENTER 368 31.52 7.34 3.53 0.00 7.07 18.48 0.54 2.99 0.00 CALAIS REGIONAL HOSPITAL 139 43.88 17.27 23.74 0.00 30.22 23.74 2.16 2.88 0.00
AT HOME14616.442.052.052.7411.640.004.113.422.05MID COAST MEMORIAL HOSPITAL - BATH28020.009.292.500.0021.0719.641.071.430.00BLUE HILL MEMORIAL HOSPITAL16033.758.751.250.0018.7511.880.001.250.63BRIGHTON MEDICAL CENTER36831.527.343.530.007.0718.480.542.990.00CALAIS REGIONAL HOSPITAL13943.8817.2723.740.0030.2223.742.162.880.00
MID COAST MEMORIAL HOSPITAL - BATH28020.009.292.500.0021.0719.641.071.430.00BLUE HILL MEMORIAL HOSPITAL16033.758.751.250.0018.7511.880.001.250.63BRIGHTON MEDICAL CENTER36831.527.343.530.007.0718.480.542.990.00CALAIS REGIONAL HOSPITAL13943.8817.2723.740.0030.2223.742.162.880.00
MID COAST MEMORIAL HOSPITAL - BATH28020.009.292.500.0021.0719.641.071.430.00BLUE HILL MEMORIAL HOSPITAL16033.758.751.250.0018.7511.880.001.250.63BRIGHTON MEDICAL CENTER36831.527.343.530.007.0718.480.542.990.00CALAIS REGIONAL HOSPITAL13943.8817.2723.740.0030.2223.742.162.880.00
BLUE HILL MEMORIAL HOSPITAL16033.758.751.250.0018.7511.880.001.250.63BRIGHTON MEDICAL CENTER36831.527.343.530.007.0718.480.542.990.00CALAIS REGIONAL HOSPITAL13943.8817.2723.740.0030.2223.742.162.880.00
BRIGHTON MEDICAL CENTER36831.527.343.530.007.0718.480.542.990.00CALAIS REGIONAL HOSPITAL13943.8817.2723.740.0030.2223.742.162.880.00
CALAIS REGIONAL HOSPITAL 139 43.88 17.27 23.74 0.00 30.22 23.74 2.16 2.88 0.00
CARY MEDICAL CENTER 166 18.07 7.83 1.20 1.20 28.92 24.10 0.60 2.41 0.00
CENTRAL MAINE MEDICAL CENTER 947 33.05 12.78 2.85 0.11 30.52 20.70 1.16 3.70 0.42
DOWN EAST COMMUNITY HOSPITAL 168 31.55 14.29 7.14 1.19 20.24 14.29 1.19 5.95 0.00
EASTERN MAINE MEDICAL CENTER 1,495 26.42 9.50 4.55 0.47 15.12 19.26 0.27 8.49 0.13
FRANKLIN MEMORIAL HOSPITAL 369 35.77 13.82 1.63 0.54 26.29 20.05 0.54 5.42 0.00
HENRIETTA D. GOODALL HOSPITAL 345 37.39 15.65 6.67 1.16 36.23 16.81 5.51 3.77 0.00
HOULTON REGIONAL HOSPITAL 190 33.68 17.37 10.00 1.05 22.11 26.84 3.16 6.84 0.00
ISLAND COMMUNITY MEDICAL CTR. 1 0.00 0.00 0.00 0.00 0.00 0.00 0.00
KENNEBEC VALLEY MEDICAL CTR. 544 30.88 11.03 3.13 0.18 36.58 21.32 1.47 3.31 0.18
MAINE COAST MEMORIAL HOSPITAL 222 22.07 9.46 4.50 0.45 34.68 19.82 1.80 3.60 0.45
MAINE MEDICAL CENTER 2,434 23.05 6.86 4.19 0.33 34.18 29.05 1.93 15.86 0.12
MAYO REGIONAL HOSPITAL 184 40.22 19.02 1.63 0.00 20.65 19.57 2.17 2.17 0.54
MERCY HOSPITAL 981 18.55 5.91 3.16 0.00 18.96 16.21 0.51 2.24 0.31
MID-MAINE MEDICAL CENTER 667 29.99 9.75 2.25 0.60 34.93 18.74 1.65 4.95 0.15
MILES MEMORIAL HOSPITAL 153 22.22 9.80 1.31 0.00 27.45 17.65 0.65 3.27 0.00
MILLINDCKET REGIONAL HOSPITAL 62 32.26 11.29 1.61 0.00 30.65 30.65 3.23 1.61 0.00
MOUNT DESERT ISLAND HOSPITAL 77 16.88 3.90 2.60 0.00 27.27 9.09 3.90 1.30 0.00
NORTH CUMBERLAND MEM. HOSPITAL 84 36.90 13.10 4.76 1.19 22.62 33.33 0.00 2.38 0.00
NORTH MAINE MEDICAL CENTER 95 25.26 5.26 1.05 0.00 20.00 24.21 3.16 6.32 0.00
PARKVIEW MEMORIAL HOSPITAL 635 21.89 6.77 6.46 0.16 68.50 20.94 4.72 2.83 0.16
PENOBSCOT BAY MEDICAL CENTER 382 25.39 9.42 1.83 0.26 29.06 21.73 0.26 1.31 1.05
PENOBSCOT VALLEY HOSPITAL 87 35.63 17.24 1.15 0.00 25.29 32.18 6.90 1.15 0.00
REDINGTON-FAIRVIEW HOSPITAL 264 44.70 18.56 1.52 0.00 34.09 26.52 1.52 5.68 0.00
RUMFORD COMMUNITY HOSPITAL 80 47.50 20.00 1.25 1.25 30.00 13.75 1.25 2.50 0.00
ST. ANDREW'S HOSPITAL 19 47.37 21.05 0.00 0.00 21.05 15.79 0.00 5.26 0.00
ST. JOSEPH'S HOSPITAL 1 100.00 100.00 0.00 100.00 0.00 0.00
ST. MARY'S HOSPITAL 231` 21.65 8.23 3.03 0.87 22.08 24.68 0.43 4.33 0.00
SEBASTICOOK VALLEY HOSPITAL 1 0.00 100.00 0.00 0.00 0.00 0.00 0.00
SOUTHERN MAINE MEDICAL CENTER 442 34.16 10.18 1.58 0.45 20.14 19.91 0.68 3.17 0.00
STEPHENS MEMORIAL HOSPITAL 250 34.40 16.40 1.20 0.40 22.00 20.00 2.80 6.00 0.80
THE ARDOSTOOK MEDICAL CENTER 310 25.16 14.19 3.87 0.00 36.77 11.29 2.90 4.19 0.00
WALDD COUNTY GENERAL HOSPITAL 160 39.38 23.13 1.25 0.00 41.25 24.38 2.50 1.88 0.63
INLAND HOSPITAL 269 43.87 16.73 1.86 0.37 28.25 18.59 1.49 4.46 0.37
YORK HOSPITAL 285 21.40 7.02 4.91 0.35 20.70 16.14 1.05 2.11 0.00
STATE TOTALS 13,693 27.92 10.19 3.70 0.37 28.60 21.11 1.61 6.20 0.21

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

.

BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE; INLAND HOSPITAL WAS FORMERLY CALLED WATERVILLE OSTEOPATHIC HOSPITAL; AND MID COAST MEMORIAL HOSPITAL - BATH WAS FORMERLY CALLED BATH MEMORIAL HOSPITAL.

> MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

BIRHOS

წ

LIVE BIRTHS BY BIRTHWEIGHT MAINE HOSPITALS, OTHER BIRTH SITES, AND STATE TOTALS, 1995 (OCCURRENCE DATA)

.

			****	*******	******	***** B	IRTHWEIG	HT IN GRA	MS *****	*****	*****	*****
	TOTAL	BIRTHS	< 1	000		- 1499		500	-	ND OVER	UNKNOWN	
BIRTH SITE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
AT HOME	146	100.0	· 0	0.0	1	0.7	1	0.7	134	91.8	11	7.5
MID COAST MEMORIAL HOSPITAL - BA	H 280	100.0	0	0.0	0	0.0	0	0.0	278	99.3	2	0.7
BLUE HILL MEMORIAL HOSPITAL	160	100.0	0	0.0	0	0.0	0	0.0	160	100.0	0	0.0
BRIGHTON MEDICAL CENTER	368	100.0	0	0.0	0	0.0	0	0.0	368	100.0	Ō	0.0
CALAIS REGIONAL HOSPITAL	139	100.0	0	0.0	0	0.0	0	0.0	139	100.0	ō	0.0
CARY MEDICAL CENTER	166	100.0	0	0.0	0	0.0	0	0.0	166	100.0	Ó	0.0
CENTRAL MAINE MEDICAL CENTER	947	100.0	2	0.2	2	0.2	4	0.4	943	99.6	ŏ	0.0
DOWN EAST COMMUNITY HOSPITAL	168	100.0	0	0.0	1	0.6	1	0.6	167	99.4	ŏ	0.0
EASTERN MAINE MEDICAL CENTER	1,495	100.0	15	1.0	15	1.0	30	2.0	1,465	98.0	ŏ	0.0
FRANKLIN MEMORIAL HOSPITAL	369	100.0	1	0.3	3	0.8	4	1.1	364	98.6	i	0.3
HENRIETTA D. GOODALL HOSPITAL	345	100.0	1	0.3	0	0.0	1	0.3	343	99.4	i	0.3
HOULTON REGIONAL HOSPITAL	190	100.0	0	0.0	1	0.5	. 1	0.5	188	98.9	i	0.5
ISLAND COMMUNITY MEDICAL CTR.	· 1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	ò	0.0
KENNEBEC VALLEY MEDICAL CTR.	544	100.0	0	0.0	1	0.2	1	0.2	543	99.8	ŏ	0.0
MAINE COAST MEMORIAL HOSPITAL	222	100.0	0	0.0	0	0.0	0	0.0	222	100.0	ŏ	0.0
MAINE MEDICAL CENTER	2,434	100.0	47	1.9	57	2.3	104	4.3	2.324	95.5	6	0.2
MAYO REGIONAL HOSPITAL	184	100.0	0	0.0	0	0.0	0	0.0	184	100.0	ō	0.0
MERCY HOSPITAL	981	100.0	0	0.0	0	0.0	0	0.0	980	99. 9	1	0.1
MID-MAINE MEDICAL CENTER	667	100.0	0	0.0	1	0.1	1	0.1	663	99.4	3	0.4
MILES MEMORIAL HOSPITAL	153	100.0	0	0.0	0	0.0	0	0.0	153	100.0	0	0.0
MILLINOCKET REGIONAL HOSPITAL	62	100.0	0	0.0	0	0.0	0	0.0	62	100.0	0	0.0
MOUNT DESERT ISLAND HOSPITAL	77	100.0	0	0.0	0	0.0	0	0.0	77	100.0	0	0.0
NORTH CUMBERLAND MEM. HOSPITAL	84	100.0	0	0.0	0	0.0	0	0.0	83	98.8	1	1.2
NORTH MAINE MEDICAL CENTER	95	100.0	0	0.0	0	0.0	0	0.0	95	100.0	0	0.0
PARKVIEW MEMORIAL HOSPITAL	635	100.0	0	0.0	0	0.0	0	0.0	634	99.8	1	0.2
PENOBSCOT BAY MEDICAL CENTER	382	100.0	0	0.0	0	0.0	0	0.0	380	99.5	2	0.5
PENOBSCOT VALLEY HOSPITAL	87	100.0	0	0.0	0	0.0	0	0.0	87	100.0	0	0.0
REDINGTON-FAIRVIEW HOSPITAL	264	100.0	0	0.0	0	0.0	0	0.0	263	99.6	1	0.4
RUMFORD COMMUNITY HOSPITAL	80	100.0	0	0.0	1	1.3	1	1.3	79	98.8	0	0.0
ST. ANDREW'S HOSPITAL	19	100.0	0	0.0	0	0.0	0	0.0	19	100.0	0	0.0
ST. JOSEPH'S HOSPITAL	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	0	0.0
ST. MARY'S HOSPITAL	231	100.0	0	0.0	່ 2	0.9	2	0.9	229	99.1	Ó	0.0
SEBASTICOOK VALLEY HOSPITAL	1.	100.0	· 0	0.0	0	0.0	0	0.0	1	100.0	Ó	0.0
SOUTHERN MAINE MEDICAL CENTER	442	100.0	0	0.0	0	0.0	0	0.0	442	100.0	Ō	0.0
STEPHENS MEMORIAL HOSPITAL	250	100.0	0	0.0	0	0.0	0	0.0	250	100.0	Ō	0.0
THE AROOSTOOK MEDICAL CENTER	310	100.0	0	0.0	2	0.6	2	0.6	302	97.4	6	1.9
WALDO COUNTY GENERAL HOSPITAL	160	100.0	0	0.0	1	0.6	1	0.6	159	99.4	0	0.0
INLAND HOSPITAL	269	100.0	1	0.4	0	0.0	1	0.4	265	98.5	З	1.1
YORK HOSPITAL	285	100.0	0	0.0	0	0.0	0	0.0	281	98.6	4	1.4
STATE TOTALS	13,693	100.0	67	0.5	88	0.6	155	1.1	13,494	98.5	44	0.3

NOTE: HOSPITALS AND OTHER SITES WITH ZERO BIRTHS ARE NOT LISTED.

.

.

.

.

BRIGHTON MEDICAL CENTER WAS FORMERLY CALLED THE OSTEOPATHIC HOSPITAL OF MAINE; INLAND HOSPITAL WAS FORMERLY CALLED WATERVILLE OSTEOPATHIC HOSPITAL; AND MID COAST MEMORIAL HOSPITAL - BATH WAS FORMERLY CALLED BATH MEMORIAL HOSPITAL.

> MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

1

BLOCWT

. .

PREGNANCY OUTCOME

.

OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

.

COUNTY,		* * * * * * *	* *.* * * OUTCOME * * * *	* * * * * * * *
MARITAL STATUS,		Live	Induced	Fetal
AND AGE	TOTAL	Birth	Abortion	Death
ANDROSCOGGIN				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	4	· 1	3	0
15-19	190	143	45	2
20-24	408	331	74	3
25-29	409	372	36	1
30-34	257	237	19	1
35-39	111	100	11	0
40-44	12	11	1	0
Greater Than 44	1	0	1	0
Unknown	1	1	0	0
TOTAL	1,393	1,196	190	7
Rate: Women Aged 15-44	58.620	50.463	7.861	0.296
15-19	51.799	38.986	12.268	0.545
Out of Wedlook Brognancias				
Out of Wedlock Pregnancies Age				
Less Than 10	0	0	0	. 0
10-14	4	1	. 3	0
15-19	143	114	27	2
20-24	201	152	48	- 1
25-29	. 89	71	18	0
30-34	34	29	5	0
35-39	27	18	9	0
40-44	3	2	1	0
Greater Than 44	0	0	0	0
Unknown	1	1	0	0
TOTAL	502	388	111	3

NOTE: Rates are the number of events per 1,000 women in the specified age group.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

. 7

OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY,		* * * * * * *	* * .* * * OUTCOME * * * *	* * * * * * * *
MARITAL STATUS,		Live	Induced	Fetal
AND AGE	TOTAL	Birth	Abortion	Death
AROOSTOOK				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	2	2	0	0
15-19	115	93	21	1
20-24	254	236	18	0
25-29	- 270	247	23	0
30-34	149	143	6	0
35-39	53	48	4	1
40-44	6	3	2	1
Greater Than 44	0	0	0	0
Unknown	4	2	2	0
TOTAL	853	774	76	3
Rate: Women Aged 15-44	49.962	45.420	4.365	0.177
15-19	41.636	33.671	7.603	0.362
	•			
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	2	2	0	0
15-19	92	70	21	1
20-24	92	78	14	0
25-29	41	27	14	0
30-34	15	13	2	0
. 35-39	8	5	3	0
40-44	3	2	1	0
Greater Than 44	0	0	0	0
Unknown	2	1	1	0
TOTAL	255	198	56	1

NOTE: Rates are the number of events per 1,000 women in the specified age group.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

70

1

OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY,		* * * * * * *	* * <u>*</u> * * * OUTCOME * * * *	* * * * * * * *
MARITAL STATUS,	,	Live	Induced	Fetal
AND AGE	TOTAL	Birth	Abortion	Death
CUMBERLAND				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	5	3	2	0
15-19	328	192	135	1
20-24	823	560	257	6
25-29	1,070	895	172	3
30-34	1,057	934	119	4
35-39	469	389	77	3
40-44	85	67	17	1
Greater Than 44	5	3	2	0
Unknown	4	0	3	1
TOTAL	3,846	3,043	784	19
Rate: Women Aged 15-44	65.970	52.284	13.376	0.310
15-19	44.062	25.793	18.135	0.134
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	. 0
10-14	5	3	2	. 0
15-19	262	161	101	0
20-24	435	261	172	2
25-29	235	129	105	- 1
30-34	148	75	73	0
35-39	50	24	26	0
40-44	11	7	4	0
Greater Than 44	1	0	1	0
Unknown	2	0	1	1
TOTAL	1,149	660	485	4

NOTE: Rates are the number of events per 1,000 women in the specified age group.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

71

OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

۰.

			,	
COUNTY,		* * * * * * *	* * * * * OUTCOME * * * *	* * * * * * * *
MARITAL STATUS,		Live	Induced	Fetal
AND AGE	TOTAL	Birth	Abortion	Death
FRANKLIN				
All Reported Pregnancies Age				
Less Than 10	0	0	0	0
10-14	0	0	0	0
15-19	40	31	. 9	0
20-24	77	70	7	0
25-29	86	81	5	0
30-34	59	56	3	0
35-39	34	28	6	0
40-44	6	4	2	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	302	270	32	0
Rate: Women Aged 15-44	43.800	39.159	4.641	0.000
15-19	30.604	23.718	6.886	0.000
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	0	0	0	0
15-19	34	27	7	0
20-24	33	30	3	0
25-29	21	16	5	0
30-34	9	9	0	0
35-39	7	5	2	0
40-44	2	2	0	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	106	89	17	0

NOTE: Rates are the number of events per 1,000 women in the specified age group.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY,		* * * * * * *	* * * * * OUTCOME * * * *	* * * * * * * *
MARITAL STATUS,	•	Live	Induced	Fetal
AND AGE	TOTAL	Birth	Abortion	Death
HANCOCK				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	2	0	2	0
15-19	59	37	22	0
20-24	175	128	47	0
25-29	190	150	38	2
30-34	116	108	. 8	0
35-39	62	50	12	0
40-44	9	5	4	0
Greater Than 44	0	0	0	0
Unknown	1	0	1	0
TOTAL	614	478	134	2
Rate: Women Aged 15-44	59.896	46.858	12.842	0.196
15-19	41.230	25.856	15.374	0.000
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	1	0	1	0
15-19	51	31	20	0
20-24	88	49	39	0
25-29	45	19	26	0
30-34	18	13	5	0
35-39	9	5	4	0
40-44	2	0	2	0
Greater Than 44	0	0	0	0
Unknown	1	0	1	0
TOTAL	215	117	98	0

NOTE: Rates are the number of events per 1,000 women in the specified age group.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

73

7

OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY,	* * * * * * * * * * OUTCOME * * * * * * * * * * * * * * *				
MARITAL STATUS,		Live	Induced	Fetal	
AND AGE	TOTAL	Birth	Abortion	Death	
KENNEBEC					
All Reported Pregnancies					
Age					
Less Than 10	0	0	0	0	
10-14	6	4	2	0	
15-19	195	128	66	1	
20-24	406	343	62	1	
25-29	424	377	45	2	
30-34	301	269	30	2	
35-39	113	94	19	0	
40-44	26	19	7	ů O	
Greater Than 44	• 0	0	0	0	
Unknown	2	1	1	0	
TOTAL	1,473	1,235	232	6	
Rate: Women Aged 15-44	55.844	46.886	8.729	0.229	
15-19	46.274	30.375	15.662	0.229	
		001070	13.002	0.237	
Out of Wedlock Pregnancies		· .			
Age					
Less Than 10	0	0	0	0	
10-14	、 6	4	2	0	
15-19	168	110	58	0	
20-24	195	145	49	1	
25-29	87	65	22	0	
30-34	52	35	17	0	
35-39	27	18	9	0	
40-44	6	5	1	0	
Greater Than 44	· 0	0	0	0	
Unknown	0	0	0	0	
TOTAL	541	382	158	1	

NOTE: Rates are the number of events per 1,000 women in the specified age group.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

.

[VSTAB_P1.SAS, 1/23/1998]

. '

.

OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY,	* * * * * * * * * * * OUTCOME * * * * * * * * * * * *			
MARITAL STATUS,		Live	Induced	Fetal
AND AGE	TOTAL	Birth	Abortion	Death
KNOX				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	1	0	1	0
15-19	61	37	23	1
20-24	128	106	22	0
25-29	. 112	94	18	0
30-34	99	89	9	1
35-39	57	44	13	0
40-44	14	12	2	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	472	382	88	2
Rate: Women Aged 15-44	62.162	50.416	11.482	0.264
15-19	52.496	31.842	19.793	0.861
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	1	0	1	0
15-19	48	29	18	1
20-24	53	36	17	0
25-29	23	12	11	0
30-34	12	10	2	Ő
35-39	8	5	3	ů 0
40-44	5	3	2	0
Greater Than 44	0	0	0	ů 0
Unknown	0	0	0	0
TOTAL	150	95	54	1

NOTE: Rates are the number of events per 1,000 women in the specified age group.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_P1.SAS, 1/23/1998]

75

1

OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY,		* * * * * * *	* * .* * * OUTCOME * * * *	· · · · · · · · ·
MARITAL STATUS,		Live	Induced	Fetal
AND AGE	TOTAL	Birth	Abortion	Death
				boath
LINCOLN				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	· 1	0	1	0
15-19	60	41	19	0
20-24	99	72	27	0
25-29	95	88	. 7	
30-34	91	77	14	0
35-39	50	40	10	. 0
40-44	11	7	4	0
Greater Than 44	2	2	0	0
Unknown	0	0	0	0
TOTAL	409	327	82	0
Rate: Women Aged 15-44	65.210	52.200	13.010	0.000
15-19	60.181	41.123	19.057	0.000
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	1	0	1	0
15-19	44.	31	13	0
20-24	42	23	19	0
25-29	20	16	4	0
30-34	9	7	2	0
35-39	10	4	6	0
40-44	2	0	2	0
Greater Than 44	0	0	0	0
Unknown	. 0	0	0	0
TOTAL	128	81	47	0

NOTE: Rates are the number of events per 1,000 women in the specified age group.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

ς.

.

OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY,		* * * * * * * *	* * * * OUTCOME * * * *	* * * * * * * *
MARITAL STATUS,		Live	Induced	Fetal
AND AGE	TOTAL	Birth	Abortion	Death
OXFORD				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	2	2	0	0
15-19	104	78	26	0
20-24	196	167	29	0
25-29	159	142	16	1
30-34	133	118	· 14	1
35-39	44	39	5	0
40-44	14	11	2	1
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	652	557	92 -	3
Rate: Women Aged 15-44	57.319 .	48,942	8.113	0.265
15-19	57.682	43.261	14.420	0.000
Out of Wedlack Pressonation				
Out of Wedlock Pregnancies Age				
Less Than 10	0	0	0	0
10-14	2	2	õ	0
15-19	81	61	20	0 , 0
20-24	. 89	71	18	0,
25-29	34	25	9	0
30-34	23	16	7	0
35-39	8	6	2	0
40-44	4	3	1	0
Greater Than 44	4 0	0	0	0
Unknown	0	. 0	0	0
TOTAL	241	184	57	0
	271	10-1	07	0

NOTE: Rates are the number of events per 1,000 women in the specified age group.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_P1.SAS, 1/23/1998]

77

, i

OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

.

COUNTY,	* * * * * * * * * * OUTCOME * * * * * * * * * * * * * *				
MARITAL STATUS,		Live	Induced	Fetal	
AND AGE	TOTAL	Birth	Abortion	Death	
PENOBSCOT					
All Reported Pregnancies	,				
Age					
Less Than 10	0	0	0	0	
10-14	6	2	4	0	
15-19	237	150	85	2	
20-24	536	417	118	- 1	
25-29	522	458	62	2	
30-34	343	302	36	5	
35-39	136	114	20	2	
40-44	29	22	7	20	
Greater Than 44	3	2	0	1	
Unknown	2	1	1	0	
TOTAL	1,814	1,468	333	13	
Rate: Women Aged 15-44	52.322	42.455	9.518	0.348	
15-19	43.296	27.402	15.528	0.365	
Out of Wedlock Pregnancies					
Age					
Less Than 10	0	0	0	0	
10-14	6	2	4	0	
15-19	201	115	84	2	
20-24	272	170	101	- 1	
25-29	106	65	41	0	
30-34	59	33	24	2	
35-39	29	. 14	15	0	
40-44	3	2	1	ů 0	
Greater Than 44	•0	0	0	ů 0	
Unknown	0	0	0	0	
TOTAL	676	401	270	5	

NOTE: Rates are the number of events per 1,000 women in the specified age group.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

78

7

.

OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

.

COUNTY,		* * * * * * *	* * * * * OUTCOME * * * *	* * * * * * * *
MARITAL STATUS,		Live	Induced	Fetal
AND AGE	TOTAL	Birth	Abortion	Death
PISCATAQUIS				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	0	0	· 0	. 0
15-19	46	33	13	0
20-24	65	60	5	0
25-29	67	64	3	0
30-34	. 37	32	5	0
35-39	10	10	0	0
40-44	4	3	1	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	229	202	27	0
Rate: Women Aged 15-44	59.051	52.089	6.962	0.000
15-19	67.449	48.387	19.062	0.000
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	O	0
10-14	0	0	0	0
15-19	39	28	11	0
20-24	26	23	3	0
25-29	19	17	2	0
30-34	· 11	7	4	0
35-39	3	3	0	0
40-44	3	2	1	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	101	80	21	0

NOTE: Rates are the number of events per 1,000 women in the specified age group.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

.

COUNTY,	* * * * * * * * * * OUTCOME * * * * * * * * * * * * *				
MARITAL STATUS,		Live	Induced	Fetal	
AND AGE	TOTAL	Birth	Abortion	Death	
				boath	
SAGADAHOC					
All Reported Pregnancies					
Age					
Less Than 10	0	0	0	0	
10-14	0	0	0	0	
15-19	57	32	25	0	
20-24	127	94	33	0	
25-29	143	121	21	1	
30-34	106	96	10	0	
35-39	39	34	5	0	
40-44	11	9	2	0	
Greater Than 44	0	0	0	. 0	
Unknown	0	0	0	ů 0	
TOTAL	483	386	96	1	
Deter Weren Acad 45 44	00,000				
Rate: Women Aged 15-44	60.962	48.719	12.117	0.126	
15-19	55.882	31.373	24.510	0.000	
Out of Wedlock Pregnancies					
Age					
Less Than 10	0	0	0	0	
10-14	0	0	0	0	
15-19	43	23	20		
20-24	67	45	22	0	
25-29	19	13	6	0	
30-34	9	6	3	0	
35-39	4	1	3	0	
40-44	2	· 1	1	0	
Greater Than 44	0	0	0	0	
Unknown	0	0	0	0	
TOTAL	144	89	55	0	
		66	55	U	

NOTE: Rates are the number of events per 1,000 women in the specified age group.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_P1.SAS, 1/23/1998]

.

08

TABLE P-1	OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER
	MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

κ.

COUNTY,		* * * * * *	* * * * * OUTCOME * * * *	* * .* * * * *
MARITAL STATUS,		Live	Induced	Fetal
AND AGE	TOTAL	Birth	Abortion	Death
SOMERSET				
All Reported Pregnancies	-			
Age				
Less Than 10	0	0	0	0
10-14	1	0	1	0
15-19	112	89	22	1
20-24	212	179	30	3
25-29	198	187	10	1
30-34	113	105	8	0
35-39	35	30	5	0
40-44	5	4	1	0
Greater Than 44	· 0	0	0	0
Unknown	2	1	1	0
TOTAL	678	595	78	5
Rate: Women Aged 15-44	59.550	52.404	6.705	0.441
15-19	61.878	49.171	12.155	0.552
Out of Wedlack Dresservice				
Out of Wedlock Pregnancies				
Age Less Than 10	0	0	0	0
10-14	1	0	1	0
15-19	91	70	20	1
20-24	115	90	24	1
20-24 25-29	47	40	7	0
	21	15	6	0
30-34	10	6	4	0
35-39	1	1	4	0
40-44 Creater Then 44	0	0	0	0
Greater Than 44	1	0	1	0
Unknown		222	63	
TOTAL	287	222	63	2

NOTE: Rates are the number of events per 1,000 women in the specified age group.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

81

1

1

82

OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

.

COUNTY,		* * * * * * *	* * .* * * OUTCOME * * * *	* * * * * * * *
MARITAL STATUS,		Live	Induced	Fetal
AND AGE	TOTAL	Birth	Abortion	Death
WALDO				
All Reported Pregnancies				
Age				
Less Than 10	0	O	0	0
10-14	1	0	1	· 0
15-19	94	71	23	0
20-24	127	109	16	2
25-29	· 121	105	16	0
30-34	79	70	8	1
35-39	44	35	9	0
40-44	10	9	1	0
Greater Than 44	0	0	0	0
Unknown	1	0	1	0
TOTAL	477	399	75	3
Rate: Women Aged 15-44	62.320	52.348	9.578	0.394
15-19	74.960	56.619	18.341	0.000
	•			
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	1	0	1	0
15-19	76	56	20	. 0
20-24	59	46	13	0
25-29	24	17	7	0
30-34	11	8	3	0
35-39	12	8	4	0
40-44	2	1	1	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	185	136	49	0

NOTE: Rates are the number of events per 1,000 women in the specified age group.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY,		* * * * * * *	* * .* * * OUTCOME * * * *	* * * * * * * *
MARITAL STATUS,		Live	Induced	Fetal
AND AGE	TOTAL	Birth	Abortion	Death
WASHINGTON				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	4	2	2	0
15-19	77	54	. 23	0
20-24	147	124	20	3
25-29	115	102	13	0
30-34	80	70	8	2
35-39	34	29	4	1
40-44	5	5	0	0
Greater Than 44	1	1	0	0
Unknown	1	0	1	0
TOTAL	464	387	71	6
Rate: Women Aged 15-44	60.670	50.868	9.008	0.795
15-19.	57.292	40.179	17.113	0.000
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	3	1	2	0
15-19	61	42	19	0
20-24	64	50	14	0
25-29	` 35	26	9	0
30-34	13	10	3	0
35-39	6	. 4	2	0
40-44	1	1	0	0
Greater Than 44	1	1	0	0
Unknown	· 0	0	0	0
TOTAL	184	135	49	0

NOTE: Rates are the number of events per 1,000 women in the specified age group.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

80

OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

۰.

COUNTY,		* * * * * * *	* * * * * OUTCOME * * * *	* * * * * * * *
MARITAL STATUS,		Live	Induced	Fetal
AND AGE	TOTAL	Birth	Abortion	Death
YORK	•			
All Reported Pregnancies	·			
Age				
Less Than 10	0	. 0	0	0
10-14	4	4	0	0
15-19	286	195	90	
20-24	593	505	85	1
25-29	727	663	61	3
30-34	624	576	44	4
35-39	218	183	34	4
40-44	50	45	4	1
Greater Than 44	3	3	0	0
Unknown	3	2	1	0
TOTAL	2,508	2,176	319	13
Rate: Women Aged 15-44	62.974	54.630	8.017	0.328
15-19	52.467	35.773	16.511	0.183
	·			
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	4	4	0	0
15-19	224	163	60	1
20-24	284	231	51	2
25-29	135	106	29	0
30-34	74	60	14	0
35-39	34	20	14	0
40-44	9	6	3	0
Greater Than 44	0	0	0	0
Unknown	2	1	1	0
TOTAL	766	591	172	3

NOTE: Rates are the number of events per 1,000 women in the specified age group.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY,		* * * * * * *	* * * * * OUTCOME * * * *	* * * * * * * *
MARITAL STATUS,		Live	Induced	Fetal
AND AGE	TOTAL	Birth	Abortion	Death
UNKNOWN COUNTY				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	0	0	0	0
15-19	2	0	2	0
20-24	3	0	3	0
25-29	1	0	1	0
30-34	0	0	0	0
35-39	1	0	· 1	0
40-44	1	0	1	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	Q
TOTAL	8	0	8	0
Rate: Women Aged 15-44	-	_		-
15-19	-	-	-	-
Out of Wedlock Pregnancies				
Age		-	_	
Less Than 10	0	0	0	0
10-14	0	0	0	0
15-19	. 2	0	2	0
20-24	1	· 0	1	0
25-29	0	• 0	0	0
30-34	0	0	0	0
35-39	1	0	1	0
40-44	1	0	1	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	· 0
TOTAL	5 '	0	5	0

NOTE: Rates are the number of events per 1,000 women in the specified age group.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

8 8

1

5

98

OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

.

COUNTY,		* * * * * * *	* * * * * OUTCOME * * * *	* * * * * * * *
MARITAL STATUS,		Live	Induced	Fetal
AND AGE	TOTAL	Birth	Abortion	Death
STATE OF MAINE	•			
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	39	20	19	0
15-19	2,063	1,404	649	10
20-24	4,376	3,501	853	22
25-29	4,709	4,146	547	16
30-34	3,644	3,282	341	21
35-39	1,510	1,267	235	8
40-44	298	236	58	4
Greater Than 44	15	11	3	. 1
Unknown	21	8	12	1
TOTAL	16,675	13,875	2,717	83
Rate: Women Aged 15-44	59.369	49.484	9.596	0.290
15-19	49.327	33.570	15.518	0.239
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	37	19	18	0
15-19	1,660	1,131	.521	8
20-24	2,116	1,500	608	8
25-29	980	664	315	8
30-34	518	346	170	
35-39	253	146	107	2 0
40-44	60	38	22	0
Greater Than 44	2	1	1	0
Unknown	9	3	5	1
TOTAL	5,635	3,848	1,767	20

NOTE: Rates are the number of events per 1,000 women in the specified age group.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

INFANT AND FETAL MORTALITY

r

.

4

*

TABLE F-1

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1995 (RESIDENT OATA)

•

	CAUSE OF DEATH GROUPS AND SEX	TOTAL Infant deaths		L DEATHS PERCENT		NATAL DEATHS
	REMAINDER OF INFECTIOUS AND PARASITIC DISEASE	s (001-007,010-032,034-035	,037,039-041,080-			
	MALE TOTALS	1	1	100.00 100.00	0	0.00 0.00
	MENINGITIS (320-322)					
	MALE	2	0	0.00	2	100.00
	FEMALE	1 3	0	0.00	1	100.00
	TOTALS	3	0	0.00	3	100.00
	ACUTE UPPER RESPIRATORY INFECTIONS (460-465)					
	MALE	2	1	50.00	1	50.00
	TOTALS	2	1	50.00	1	50.00
	PRONOUTTIC AND PRONOUTOLITIC (ACC ACC 404)	·				
	BRONCHITIS AND BRONCHIOLITIS (466,490-491) MALE	4	0	0.00	1	100.00
	TOTALS	i	Ö	0.00	1	100.00
			-		1	100100
	PNEUMONIA (480-486)					
	MALE	1	1	100.00	0	0.00
	TOTALS	1	1	100.00	0	0.00
	REMAINDER OF DISEASES OF RESPIRATORY SYSTEM (470-478,492-519)				
	MALE	1	0	0.00	1	100.00
80	TOTALS	1	0	0.00	1	100.00
9	REMAINDER OF DISEASES OF DIGESTIVE SYSTEM (52)	0-504 500 540 560 570)				
	MALE	0-534,536-543,562-579)	0 ·	0.00	1	100.00
	FEMALE	i	ő	0.00	1	100.00
	TOTALS	2	0	0.00	2	100.00
	ANENCEPHALUS AND SIMILAR ANOMALIES (740) MALE	1	4	100.00	0	0.00
	TOTALS		1	100.00	0	0.00
				-	Ū	0.00
	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS	SYSTEM AND EYE (742.0-742	.2,742.4-742.9,74		_	
	MALE	1	1	100.00	0	0.00
	FEMALE TOTALS	1	1	100.00 100.00	0	0.00
	TUTALS	2	2	100.00	0	0.00
					*	

.

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED. MAINE DEPART

IAGESX61

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS	NEONATAL DEATHS NUMBER PERCENT	POSTNEONATAL DEATHS NUMBER PERCENT
(CONT.)			
CONGENITAL ANOMALIES OF HEART (745-74 MALE FEMALE TOTALS	6) 1 2 3	0 0.00 1 50.00 1 33.33	1 100.00 1 50.00 2 66.67
CONGENITAL ANOMALIES OF RESPIRATORY S MALE FEMALE TOTALS	YSTEM (748) 3 1 4	3 100.00 1 100.00 4 100.00	0 0.00 0 0.00 0 0.00
CONGENITAL ANOMALIES OF DIGESTIVE SYS MALE TOTALS	TEM (749-751) 1 1	1 100.00 1 100.00	0 0.00 0 0.00
CONGENITAL ANOMALIES OF MUSCULOSKELET MALE FEMALE TOTALS	AL SYSTEM (754-756) 1 1 2	1 100.00 0 0.00 1 50.00	0 0.00 1 100.00 1 50.00
OTHER CHROMOSOMAL ANOMALIES (758.1-75 MALE TOTALS	8.9) 2 2	2 100.00 2 100.00	0 0.00 0 0.00
ALL OTHER AND UNSPECIFIED CONGENITAL MALE FEMALE TOTALS	ANOMALIES (744,757,759) 1 2 3	1 100.00 1 50.00 2 66.67	0 0.00 1 50.00 1 33.33
NEWBORN AFFECTED BY MATERNAL COMPLICA MALE FEMALE TOTALS	TIONS OF PREGNANCY (761) 1 2 3	1 100.00 2 100.00 3 100.00	0 0.00 0 0.00 0 0.00
NEWBORN AFFECTED BY COMPLICATIONS OF MALE TOTALS	PLACENTA, CORD, AND MEMBRANES (762) 3 3 3	3 100.00 3 100.00	0 0.00 0 0.00

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1995 (RESIDENT DATA)

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

IAGESX61

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-1

TABLE	F-1
-------	-----

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1995 (RESIDENT DATA)

•

CAUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS		AL DEATHS R PERCENT		ATAL DEATHS PERCENT
(CONT.)					
NEWBORN AFFECTED BY OTHER COMPLICATIO	NS OF LABOR AND DELIVERY (763)				
FEMALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
DISORDERS RELATING TO SHORT GESTATION	AND UNSPECIFIED LOW BIRTHWEIGHT (70	5)			
MALE	3	3	100.00	. 0	0.00
FEMALE	6	6	100.00	ŏ	0.00
TOTALS	9	9	100.00	õ	0.00
BIRTH ASPHYXIA (768.5-768.9)					
FEMALE	4	1	100.00	0	0.00
TOTALS	1	1	100.00	0	
IUTALS	Ι	l	100.00	0	0.00
RESPIRATORY DISTRESS SYNDROME (769)					
MALE	5	5	100.00	0	0.00
FEMALE	2	1	50.00	1	50.00
TOTALS	7	6	85.71	1	14.29
OTHER RESPIRATORY CONDITIONS OF NEWBO	IRN (770)				
MALE	2	2	100.00	0	0.00
FEMALE	4	3	75.00	1	25.00
TOTALS	6	· 5	83.33	· 1	16.67
TOTALS	0	5	00.00	I I	10.07
INFECTIONS SPECIFIC TO THE PERINATAL					
MALE	1	1	100.00	0	0.00
FEMALE	1	1	100.00	0	0.00
TOTALS	2	2	100.00	0	0.00
NEONATAL HEMORRHAGE (772)					
FEMALE	· 1	1	100.00	0	0.00
TOTALS	1	1	100.00	Ō	0.00
ALL OTHER AND ILL-DEFINED CONDITIONS	OBICINATING IN THE DEDINATAL DEDIOD	(775 0-775 0 7	76 4-770)		
MALE	5	(115.2-115.9,1	100.00	2	0.00
FEMALE	3	3	100.00	0	0.00
TOTALS	8	3 8	100.00	0	0.00
IUTALS	0	8	100.00	0	0.00

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

•

IAGESX61

•

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

AUSE OF DEATH GROUPS AND SEX	TOTAL INFANT DEATHS		L DEATHS PERCENT		NATAL DEA R PERCENT
(CONT.)					
UDDEN INFANT DEATH SYNDROME (798.0)	· · ·				
MALE	5	Q	0.00	5	100.00
FEMALE	3	1	33.33	2	66.67
TOTALS	8	1	12.50	7	87.50
YMPTOMS, SIGNS, AND ALL OTHER ILL-DEFI	NED CONDITIONS (780-797,798.1-799	Э)			
MALE	1	1	100.00	0	0.00
TOTALS	1	1	100.00	0	0.00
CCIDENTAL MECHANICAL SUFFOCATION (E913)				
FEMALE	· 2	1	50.00	1	50.00
TOTALS	2	1	50.00	1	50.00
THER ACCIDENTAL CAUSES AND ADVERSE EFF	ECTS (E800-E910.E914-E949)				
FEMALE	1	0	0.00	1	100.00
TOTALS	1	0	0.00	. 1	100.00
HILD BATTERING AND OTHER MALTREATMENT	(E967)				
FEMALE	2	0	0.00	2	100.00
TOTALS	2	0	0.00	2	100.00
LL OTHER CAUSES (RESIDUAL)					
MALE	2	1	50.00	1	50.00
FEMALE	2	0	0.00	2	100.00
TOTALS	4	1	25.00	3	75.00
ТАТЕ					
MALE	48	35	72.92	13	27.08
FEMALE	40	25	62.50	15	37.50
TOTALS	88	60	68.18	28	31.82

ر

INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1995 (RESIDENT DATA)

INFANT DEATH IS UNDER 1 YEAR, NEONATAL IS UNDER 28 DAYS, AND POSTNEONATAL IS 28 DAYS TO ONE YEAR. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

IAGESX61

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE F-1

TABLE F-2

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1995 (RESIDENT DATA)*

	CAUSE OF DEATH GROUPS AND SEX	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	******** 20-23	********* 24-27	*** GESTAT 28-31	ION WEEKS 32-35	********** 36-39	********* OVER 39
	ANENCEPHALUS AND SIMIL	AR ANOMALIES (740)							
	MALE	3	. 3.61	0	0	. 0	0	1	2
	FEMALE	1	1.20	0	0	0	0	1	0
	TOTALS	4	4.82	. O	0	0	0	2	2
	CONGENITAL ANOMALIES O	F HEART (745-746)							
	MALE	1	1.20	0	0	0	0	0	1
	UNKNOWN	1	1.20	0	0	0	0	0	1
	TOTALS	2	2.41	0	0	0	0	0	2
	DOWN'S SYNDROME (758.0))							
	MALE	1	1.20	0	· 0	0	0	0	1
	TOTALS	· 1	1.20	Ô, ¹	Ō	Ō	ō	õ	1
	OTHER CHROMOSOMAL ANOM	ALIES (758.1-758.9)	3.61		0		•		•
	MALE FEMALE	3	1.20	4	0	ŏ	0	0	0
	TOTALS	4	4.82	2	ŏ	1	0	1	0
	101425	-	4.02	-	Ū	•	Ū	•	0
	ALL OTHER AND UNSPECIE	IED CONGENITAL ANOM	ALIES (744,757,759)						
	MALE	1	1.20	0	0	0	0	0	1
	FEMALE	1	1.20	0	0	1	0	0	0
	TOTALS	2	2.41	0	0	1	0	0	1
	NEWBORN AFFECTED BY MA	TERNAL CONDITIONS WE	HICH MAY BE UNRELATED TO PRES		(760)				
	FEMALE	2	2.41	0	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1	0	0	1
93	TOTALS	2	2.41	ŏ	ŏ	i	ŏ	ŏ	i
ω		— .	- ·	-	-		·	-	-
	NEWBORN AFFECTED BY MA	TERNAL COMPLICATIONS							
	MALE	4	4.82	4	0	0	0	0	0
	FEMALE	7	8.43	4	0	2	0	0	• 1
	TOTALS	11	13.25	8	· 0	2	0	0	1
	NEWBORN AFFECTED BY CO	MPLICATIONS OF PLACE	ENTA, CORD, AND MEMBRANES (76	2)					
	MALE	12	14.46	2	0	O .	2	4	4
	FEMALE	16	19.28	0	0	2	4	2	8
	TOTALS	28	33.73	2	0	2	6	6	12
	DISORDERS RELATING TO	SHORT GESTATION AND	UNSPECIFIED LOW BIRTHWEIGHT	(765)					
	MALE	3	3.61	1	0	0	0	0	2
	FEMALE	2	2.41	2	õ	ō	ŏ	õ	ō
	TOTALS	5	6.02	3	Ō	Ō	Ō	ō	2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

FAGESX61

CAUSE OF DEATH GROUP		PERCENT	*****	*******		ION WEEKS	******	*****
AND SEX	FETAL DEATHS	DISTRIBUTION	20-23	24-27	28-31	32-35	36-39	OVER 39
(CONT.)								
BIRTH TRAUMA (767)		·						
MALE	3	3.61	0	0	0	1	1	1
TOTALS	3	3.61	õ	Ŏ	ŏ	1	i	i
SYNDROME OF INFANT O	F A DIABETIC MOTHER AN	ID NEONATAL DIABETES MELLIT	US (775.0-775.	1)				
MALE	1	1.20	0	0	0	0	1	0
TOTALS	1 .	1.20	Ō	Ō	ŏ	õ	1	ŏ
		•						
	ETNED CONDITIONS OPTOT	MATTNO IN THE DEDINATAL DE	DIOD (775 0-77	E 0 776 4_*	770)			
	FINED CONDITIONS ORIGI	NATING IN THE PERINATAL PE	RIOD (775.2-77	5.9,776.1-7	79)			
MALE	FINED CONDITIONS ORIGI	10.84	RIOD (775.2-77	5.9,776.1-7 1	1	1	1	4
MALE Female	FINED CONDITIONS ORIGI 9 8	10.84 9.64	1	1 3	779) 1 0	1	1	4 3
MALE FEMALE UNKNOWN	9 8 1	10.84 9.64 1.20	1 1 0	5.9,776.1-7 1 3 0	1	1 1 0	1 0 0	1
MALE Female	FINED CONDITIONS ORIGI 9 8 1 18	10.84 9.64	1	1 3	1	1 1 0 2	-	4 3 1 8
MALE FEMALE UNKNOWN	9 8 1 18	10.84 9.64 1.20	1 1 0	1 3	1	1 1 0 2	-	1
MALE FEMALE UNKNOWN TOTALS	9 8 1 18	10.84 9.64 1.20	1 1 0	1 3	1	1 1 0 2 0	-	1 8
MALE FEMALE UNKNOWN Totals All other causes (RE	9 8 1 18	10.84 9.64 1.20 21.69	1 1 0	1 3 0 4	1 0 0 1	0	0 1 0	1 8 0
MALE FEMALE UNKNOWN TOTALS ALL OTHER CAUSES (RE MALE	9 8 1 18	10.84 9.64 1.20 21.69	1 1 0 2 1	1 3 0 4	1 0 0 1	~	0 1	1 8
MALE FEMALE UNKNOWN TOTALS ALL OTHER CAUSES (RE MALE FEMALE TOTALS	9 8 1 18	10.84 9.64 1.20 21.69 1.20 1.20	1 1 0 2 1	1 3 0 4 0 0	1 0 0 1	0	0 1 0 0	1 8 0 0
MALE FEMALE UNKNOWN TOTALS ALL OTHER CAUSES (RE MALE FEMALE	9 8 1 18	10.84 9.64 1.20 21.69 1.20 1.20	1 1 0 2 1 0 1	1 3 0 4 0 0	1 0 0 1	0	0 1 0 0 0	1 8 0 0 0
MALE FEMALE UNKNOWN TOTALS ALL OTHER CAUSES (RE MALE FEMALE TOTALS STATE MALE	9 8 1 18 SIDUAL) 1 1 2	10.84 9.64 1.20 21.69 1.20 1.20 2.41	1 1 0 2 1	1 3 0 4 0 0	1 0 1 0 1 1	0	0 1 0 0 0 9	1 8 0 0 0
MALE FEMALE UNKNOWN TOTALS ALL OTHER CAUSES (RE MALE FEMALE TOTALS STATE	9 8 1 18 SIDUAL) 1 1 2 42	10.84 9.64 1.20 21.69 1.20 1.20 2.41 50.60	1 1 0 2 1 0 1	1 3 0 4 0 0 0 0	1 0 1 0 1 1	0000	0 1 0 0 0	1 8 0 0 0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

.

FAGESX61

٩

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

, FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1995 (RESIDENT DATA)*

TABLE F-2

BIRTHWEIGHT IN GRAMS	LIVE I Number	BİRTHS Percent	NEONATAL Number	DEATHS Percent	NEONATAL DEATH RATE
Less Than 500	11	0.079	12	20.000	1090.9
500-999	54	0.389	16	26.667	296.3
1000-1499	86	0.620	3	5.000	34.9
1500-1999	178	1.283	з	5.000	16.9
2000-2499	512	3.690	9	15.000	17.6
2500-2999	1,841	13.268	7	11.667	3.8
3000-3499	4,882	35.186	5	8.333	1.0
3500-3999	4,305	31.027	1	1.667	0.2
4000-4499	1,654	11.921	1	1.667	0.6
4500-4999	276	1.989	0	0.000	0.0
Greater Than 4999	31	0.223	1	1.667	32.3
Unknown	45	0.324	2	3.333	44.4
STATE TOTALS	13,875	100.000	60	100.000	4.3

TABLE F-3LIVE BIRTHS, NEONATAL DEATHS, AND ESTIMATED NEONATAL DEATH RATES BY BIRTHWEIGHTMAINE STATE TOTALS, 1995 (RESIDENT DATA)

NOTES: Neonatal death rates are estimated by dividing 1995 neonatal deaths by 1995 live births and multiplying by 1,000. Such rates are estimated rather than actual because some births relating to the 1995 neonatal death cohort occurred in 1994.

> Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_F3.SAS, 4/10/1998]

/

TABLE F-4

, FETAL DEATHS BY SELECTED COMPLICATIONS, GESTATION, AND AGE OF PATIENT MAINE STATE TOTALS, 1995 (RESIDENT DATA)*

•

•

WEEKS OF GESTATION	TOTAL** FETAL DEATHS	PERCENT DISTRIBUTION	*************** MEDICAL RISK FACTORS	*********** COM LABOR OR DELIVERY	PLICATIONS ********* TOBACCO/ALCOHOL USE	*************** CONGENITAL ANOMALIES
20-23 24-27 28-31 32-35 36-39 OVER 39 UNKNOWN STATE TOTALS PERCENT DISTRIBUTION	18 4 9 12 31 0 83	21.69 4.82 10.84 10.84 14.46 37.35 0.00	8 2 3 4 8 1 0 26 31.33	13 2 6 5 9 6 0 41 49.40	1 0 4 2 0 12 14.46	3 0 3 0 3 2 0 11 13.25
AGE OF PATIENT(YRS.) LESS THAN 10 10-14 15 16 17 18 20-24 25-29 30-34 35-39 40-44 OVER 44 UNKNOWN TEENAGE TOTALS STATE TOTALS	0 0 1 1 3 5 22 16 21 8 4 1 1 10 83	$\begin{array}{c} 0.00\\ 0.00\\ 0.00\\ 1.20\\ 1.20\\ 3.61\\ 6.02\\ 26.51\\ 19.28\\ 25.30\\ 9.64\\ 4.82\\ 1.20\\ 1.20\\ 1.20\\ 12.05 \end{array}$	0 0 0 1 2 2 6 4 8 2 1 0 5 26	0 0 0 0 2 3 9 8 4 3 2 0 0 5 4	0 0 0 1 2 1 3 3 0 0 1 0 1 4 12	0 0 1 0 0 1 1 3 4 1 0 0 2 1

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

** THE SUM OF COMPLICATIONS MAY EXCEED TOTAL FETAL DEATHS DUE TO PATIENTS HAVING MULTIPLE COMPLICATIONS.

FCOMPPRG

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEATHS AND DEATH RATES - TOTAL, INFANT, NEONATAL, POSTNEONATAL AND PERINATAL MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

	20741			* * * * *			* * * * * *		PERIN	
COUNTY	TOTAL D		тот		Neona		Postneo			ATHS
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Androscoggin	1,005	9.7	7	5.9	6	5.0	1	0.8	13	10.8
Aroostook	795	10.1	7	9.0	2	2.6	5	6.5	5	6.4
Cumberland	2,285	9.2	24	7.9	19	6.2	5	1.6	38	12.4
Franklin	266	9.0	1	3.7	0	0.0	.1	3.7	0	0.0
Hancock	533	10.8	2	4.2	2	4.2	0	0.0	4	8.3
Kennebec	1,133	9.7	7	5.7	5	4.0	2	1.6	11	8.9
Knox	405	10.8	1	2.6	1	2.6	0	0.0	3	7.8
Lincoln .	322	10.3	2	6.1	1	3.1	1	3.1	1	3.1
Oxford	554	10.4	4	7.2	2	3.6	2	3.6	5	8.9
Penobscot	1,273	8.7	12	8.2	9	6.1	3	2.0	22	14.9
Piscataquis	200	10.8	1	5.0	1	5.0	0	0.0	1	5.0
Sagadahoc	286	8.4	4	10.4	4	10.4	0	0.0	5	12.9
Somerset	490	9.5	1	1.7	0	0.0	1	1.7	5	8.3
Waldo	326	9.1	· 2	5.0	1	2.5	1	2.5	4	10.0
Washington	417	11.5	0	0.0	0	0.0	0	0.0	6	15.3
York	1,408	8.2	13	6,0	7	3.2	6	2.8	20	9.1
STATE TOTALS	11,698	9.4	88	6.3	60	4.3	28	2.0	143	10.2

NOTES: Infant death is under 1 year, neonatal under 28 days and postneonatal 28 days to one year. Perinatal deaths are neonatal deaths and fetal deaths 20 gestation weeks or more. Fetal deaths exclude those occurring out-of-state to Maine residents. The total death rate is per 1,000 population; the infant death rate per 1,000 live births. The perinatal death rate is per 1,000 live births and fetal deaths.

> Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_F5.SAS, 3/23/1998]

97

TABLE F-5

TAB	LE	F-6
-----	----	-----

FETAL DEATHS BY SELECTED CHARACTERISTICS MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

	TOTAL											GE OF TIENT * *
	FETAL	PERCENT	OUT OF		IN	* * * 1	RIMESTER	PRENATAL	CARE BEG	AN * * *	Under	Over
COUNTY	DEATHS	DISTRIBUTION	WEDLOCK	AUTOPSY	HOSPITAL	1	2	3	None	Unknown	20	35
Androscoggin	7	8,434	3	1	7	5	1		0			-
Aroostook	, 3	3.614	1	2	3	2	1	1	0	0	2	0
Cumberland	19	22.892	4	. 2	18	4	2	0	0	0	1	1
Franklin	0	0.000	0	0	0	4	0	13 0	0	0	1	4
TT GINGE IN	Ū	0.000	Ŭ	U	0	U	0	0	0	0	0	0
Hancock	2	2.410	0	1	2	1	1	0	0	0	0	0
Kennebec	6	7.229	1	3	6	5	0	1	0	0	- 1	0
Knox	2	2.410	1	1	2	1	0	1	0	0	1	0
Lincoln	0	0.000	0	0	0	0	0	0	0	0	0	0
Oxford	3	3.614	0	0	3	3	0	0	0	0	0	1
Penobscot	13	15.663	5	1	12	9	0	4	0	0 0	2	2
Piscataquis	0	0.000	0	0	0	0	0	0	ů 0	0	0	0
Sagadahoc	1	1.205	0	0	1	0	0	1	0	0	0	0
Somerset	5	6.024	2	1	5	2	0	3	0	0	1	0
Waldo	3	3.614	0	- 2	3	3	0	0	0	0	0	0
Washington	6	7.229	0	4	6	3	2	1	0	0	0	0
York	13	15.663	3	3	13	9	1	3	0	0	1	2
STATE TOTALS	83		20	21	81	47	8	28	0	0	10	
PERCENT OF TOTA		100.000	24.096	25.301	97.590	56.627	9.639	20 33.735	0.000	0 0.000	10 12.048	10 12.048

NOTE: Percentages may not add to 100 due to rounding.

Fetal deaths exclude those occurring out-of-state to Maine residents.

.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_F6.SAS, 4/3/1998]

86

TABLE F-7

FETAL DEATHS, SELECTED RISK CHARACTERISTICS, AND RATIO OF MALES TO FEMALES MAINE COUNTIES AND STATE TOTALS,1995 (RESIDENT DATA)*

C	DUNTY	TOTAL DEATHS	******* CONGE ANOMA NUMBER	NITAL	*****		NISK CHARACT WEIGHT *** < 2500 NUMBER	*****	*********** LESS T GESTATI NUMBER	********** HAN 28 ON WEEKS PERCENT	************* MALE/FEMALE RATIO
	ANDROSCOGGIN	.7	1	14.3	1	14.3	3	42.9	2	28.6	0.75
	AROOSTOOK	3	0	0.0	1	33.3	3	100.0	2	66.7	0.50
	CUMBERLAND	19	3	15.8	1	5.3	1	5.3	3	15.8	1.00
	FRANKLIN	0	0	0.0	0	0.0	0	0.0	0	0.0	0.00
	HANCOCK	2	0	0.0	1	50.0	1	50.0	1	50.0	1.00
	KENNEBEC	6	4	66.7	1	16.7	• 1	16.7	2	33.3	1.00
	KNOX	2	1	50.0	0	0.0	0	0.0	0	0.0	0.00
	LINCOLN	0	0	0.0	0	0.0	0	0.0	0	0.0	0.00
	OXFORD	3	0	0.0	1	33.3	1	33.3	1	33.3	2.00
÷	PENOBSCOT	13	0	0.0	3	23.1	8	61.5	3	23.1	3.33
	PISCATAQUIS	0	0	0.0.	0	0.0	0	0.0	0	0.0	0.00
66	SAGADAHOC	1	0	0.0	0	0.0	0	0.0	0	0.0	0.00
Ŭ	SOMERSET	. 5	0	0.0	0	0.0	1	20.0	1	20.0	0.67
	WALDO	3	0	0.0	· 2	66.7	2	66.7	2	66.7	0.50
	WASHINGTON	6	0	0.0	0	0.0	3	50.0	0	0.0	0.50
	YORK	13	2	15.4	5	38.5	7	53.8	5	38.5	1.17
	STATE TOTALS	83	11	13.3	16	19.3	31	37.3	22	26.5	1.08

NOTE: PERCENTAGES ARE BASED ON TOTAL BIRTHS IN EACH COUNTY AND STATE.

* DATA EXCLUDE ALL EVENTS OCCURRING OUTSIDE OF STATE TO MAINE RESIDENTS.

.

FENVRES

. .

•

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS TABLE F-8

FETAL DEATHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS MAINE STATE TOTALS, 1995 (RESIDENT DATA)

	PLICATIONS OF L DITION NUME		%	MEDICAL RISK FA CONDITION NUM			OTHER RISK CONDITION	ACTORS	%	METHOD OF METHOD	DELIVER NUMBER	ξΥ %	CONGENITAL AND CONDITION NU	MALIE MBER	s %	
	RILE >100 F	-	0.0	ANEMIA	0		TOBACCO USE	12	14.5	VAGINAL		54.2	ANENCEPHALUS	3	3.6	
	ONIUM	5	6.0	CARDIAC DISEASE	0	0.0		-		VAGINAL AFTER			SPINA BIFIDA	0	0.0	
	MATURE RUPTURE	_		ACUTE OR CHRONIC	-		PER DAY	15		C-SECTION	5	6.0	HYDROCEPHALUS	0	0.0	
	BRANE >12 HRS	8	9.6	LUNG DISEASE	0	0.0	ALCOHOL USE	0	0.0	PRIMARY			MICROCEPHALUS	0	0.0	
	UPTIO			DIABETES/			AVG DRINKS			C-SECTION	6	7.2	OTHER			
	CENTA	10	12.0	GESTATIONAL	2	2.4	PER WEEK	0		REPEAT			NERVOUS SYSTEM	0	0.0	
	CENTA			DIABETES			AVG WEIGHT GA	IN 24	LBS	C-SECTION	0	0.0	HEART	2	2.4	
	VIA	0	0.0	PRE-EXISTING	0	0.0				FORCEPS	0	0.0	OTHER CIRCULATORY	(
	ESSIVE			GENITAL HERPES	1	1.2	•			VACUUM	2	2.4	SYSTEM	0	0.0	
	EDING	0	0.0	HYDRAMNIOS/						HYSTEROTOMY/			RECTAL ATRESIA			
	ZURES DURING			OLIGOHYDRAMNIOS	3	3.6				HYSTERECTOMY	0	0.0	TRACHEO-ESOPHAGE	۱L		•
LAB	OR	0	0.0	HEMOGLOBINOPATHY	0	0.0				OTHER	2	2.4	FISTULA	0	0.0	
PRE	CIPITOUS			HYPERTENSION						UNKNOWN	25	30.1	OMPHALOCELE/			
LAB	OR <3 HRS	1	1.2	CHRONIC	1	1.2							GASTROSCHISIS	2	2.4	
	LONGED			HYPERTENSION									OTHER			
	OR >20 HRS	0	0.0	PREGNANCY ASSOC.	3	3.6							GASTROINTESTINAL	0	0.0	
	FUNCTIONAL			ECLAMPSIA	0	0.0				OBSTETRIC F	ROCEDUR	RES	MALFORMED			
LAB		-	3.6	INCOMPETENT									GENITALIA	1	1.2	
	ECH	10	12.0	CERVIX	6	7.2				CONDITION	NUMBER	%	RENAL AGENESIS	0	0.0	
	HALOPELVIC/			PREVIOUS INFANT									OTHER UROGENITAL	0	0.0	
	PROPORTION	-	0.0	4000+ GRAMS	0	0.0				AMNIOCENTHSIS		2.4	CLEFT LIP/PALATE	1	1.2	
	D PROLAPSE	4	4.8	PREVIOUS PRETERM	3	3.6				ELECTRIC FETA			POLYDACTYLY	1	1.2	
	STHETIC	_		RENAL DISEASE	0	0.0				MONITORING			CLUB FOOT	2	2.4	
	PLICATIONS		0.0	RH SENSITIZATION	1	1.2				INDUCED LABOR	₹ 21	25.3	DIAPHRAGMATIC			
	AL DISTRESS		4.8	UTERINE						STIMULATION			HERNIA	0	0.0	
отн			16.9	BLEEDING	1	1.2				OF LABOR	5		MUSCULOSKELETAL	2	2.4	
NON	-		18.1	OTHER		12.0				TOCOLYSIS	5		DOWNS SYNDROME	1	1.2	
UNK	NOWN	27 :	32.5	NONE		37.3				ULTRA SOUND	41		CHROMOSOMAL	4	4.8	
				UNKNOWN	27	32.5				OTHER	2		OTHER	1	1.2	
										NONE	6		NONE		50.6	
										UNKNOWN	25	30.1	UNKNOWN	28	33.7	

NOTES: PERCENTAGES ARE BASED ON THE 83 FETAL DEATHS IN MAINE THIS YEAR. MORE THAN ONE CONDITION MAY BE ASSOCIATED WITH EACH FETAL DEATH.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF OATA, RESEARCH AND VITAL STATISTICS

FMDHIS

GENERAL MORTALITY

, i

¥

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1995 (RESIDENT DATA)

	******* TO TAL		***** FEMALE	BY NUM	BER OF	DEATHS		OPULATION	
				TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
AGE: TOTAL FOR ALL AGES Cause of Death									
HEART DISEASE (390-398,402,404-429)	3,636	1,782	1,854	1	1	1	292.9	294.7	291.2
MALIGNANT NEOPLASMS (140-208)	2,998	1,543	1,455	2	2	2	241.5	255.1	228.5
CEREBROVASCULAR DISEASE (430-438)	744	271	473	3	4	3	59.9	44.8	74.3
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496) Accidents & Adverse Effects (e800-e949)	672 391	373 238	299	4	3	4	54.1	61.7	47.0
PNEUMONIA & INFLUENZA (480-487)	391	238	153 193	4 5 6 7	3 5 6 7	7 5	31.5 27.4	39.4 24.3	24.0 30.3
DIABETES MELLITUS (250)	340	143	170	7	7	5	27.4	24.3	26.7
INFECTIOUS & PARASITIC DISEASES (001-139)	191	124	67	8	9	8	15.4	20.5	10.5
SUICIDE (E950-E959)	160	136	24	9	8	15	12.9	22.5	3.8
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	138	82	56	10	10	9	11.1	13.6	8.8
TOTAL FOR AGE GROUP	11,698	5,775	5,923				942.3	954.9	930.4
\square Age: Under 1 year									
ω PERINATAL CONDITIONS (760-779)	41	20	21	1	1	1	294.0	279.5	309.2
CONGENITAL ANDMALIES (740-759)	18	11	7	2	2	2	129.1	153.7	###
HEART DISEASE (390-398,402,404-429)	4	2	2	3	3	4	###	###	###
MENINGITIS (320-322)	3	2	1	4	2 3 3	6	###	###	###
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	3	0	3 2 0	5	8	3	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	2	0	2	6	8	4	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	1	1	0	7	5	8	###	###	###
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	1	1	0	8	8 8 5 5 5	8	###	###	###
PNEUMONIA & INFLUENZA (480-487) Chronic Liver Disease & Cirrhosis (571)	1	1	0	9 10	5	8 6	### ###	### ###	### ###
CURRAIC LIVER DISEASE & CIRRUNSIS (271)		U	1	10	ō	0	###	ĦĦĦ	###
TOTAL FOR AGE GROUP	88	48	40				631.0	670.9	588.9

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1, 1995 THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES: OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799) ALL OTHER EXTERNAL CAUSES (E980-E999) ALL OTHER DISEASES (RESIDUAL). ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1995 (RESIDENT DATA)

	******* Total		***** Female		IBER OF	****** Deaths Female	F	E PER 100, POPULATION MALE	
AGE: 1 TO 14 YEARS									
CAUSE OF DEATH									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	17	10	7	1	1	1	7.1	8.2	###
MALIGNANT NEOPLASMS (140-208)	12	7	5	2	2	2	5.0	###	###
HEART DISEASE (390-398,402,404-429)	5	3	5 2 2	2 3 4	2 3 5 3 5 8 8 5	3	###	###	###
INFECTIOUS & PARASITIC DISEASES (001-139)	3	1	2	4	5	3	###	###	###
SUICIDE (E950-E959)	3	3	0	5	3	9	###	###	###
DIABETES MELLITUS (250)	2	1	1	6	5	5 5 9	###	###	###
PNEUMONIA & INFLUENZA (480-487)	1	0	1	7	8	5	###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	1	0	1	8	8	5	###	###	###
APPENDICITIS (540-543)	1	1	0	9 10	5	9 5	###	###	###
ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	1	0	1	10	8	5	###	###	###
TOTAL FOR AGE GROUP	53	31	22				22.3	25.4	19.0
AGE: 15 TO 24 YEARS Accidents & Adverse Effects (E800-E949) Suicide (E950-E959) Infectious & Parasitic diseases (001-139)	56 15 5	46 14 3	10 1 2	1 2 3	1 2 4	1 3 2	33.8 9.1 ###	55.0 16.8 ###	12.2 ### ###
MALIGNANT NEOPLASMS (140-208)	5	4	1	4	3	3	###	###	###
BENIGN NEOPLASMS (210-239)	2	1	1	5 6 7	3 5 5 5	3	###	###	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	2	1	1	6	5	3	###	###	###
HEART DISEASE (390-398,402,404-429)	1	1	0	7 8	5	8	###	###	###
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	1	1	0	89	5	8	###	###	###
ULCER OF STOMACH & DUODENUM (531-533)	1	0	1	Э	Э	3	###	###	###
TOTAL FOR AGE GROUP	94	76	18				56.8	90.9	22.0

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1, 1995 THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES: OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799) ALL OTHER EXTERNAL CAUSES (E980-E999) ALL OTHER DISEASES (RESIDUAL). ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE TOTAL, MALE, AND FEMALE FOR TEN LEADING CAUSES OF DEATH BY AGE GROUP* MAINE STATE TOTALS, 1995 (RESIDENT DATA)

	******* TOTAL		***** Female		BER OF	****** DEATHS FEMALE	F	E PER 100, POPULATION MALE	
AGE: 25 TO 34 YEARS Cause of Death									
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	47	37	10	1	1	2	26.1	41.9	10.9
SUICIDE (E950-E959)	31	23	8	2	2	3	17.2	26.1	###
MALIGNANT NEOPLASMS (140-208)	26	10	16	3	5	1	14.5	11.3	17.5
INFECTIOUS & PARASITIC DISEASES (001-139)	21	18	3	4	3	6	11.7	20.4	###
HEART DISEASE (390-398,402,404-429)	16	12	4	5	4	4	8.9	13.6	###
HOMICIDE & LEGAL INTERVENTION (E960-E978)	6	2	4	6	6 8	4	###	###	###
CEREBROVASCULAR DISEASE (430-438)	2 2	1	1	7 8	8	7 7	###	###	###
CHRONIC LIVER DISEASE & CIRRHOSIS (571) Congenital Anomalies (740–759)	2	2	0	9	8 6	13	### ###	### ###	### ###
DIABETES MELLITUS (250)	<u> </u>	0	1	10	13	7	###	###	###
	•	v	•	10	15	,			ппп
TOTAL FOR AGE GROUP	175	122	53				97.3	138.2	57.9
AGE: 35 TO 44 YEARS MALIGNANT NEOPLASMS (140-208) HEART DISEASE (390-398,402,404-429) SUICIDE (E950-E959) ACCIDENTS & ADVERSE EFFECTS (E800-E949) INFECTIOUS & PARASITIC DISEASES (001-139) CHRONIC LIVER DISEASE & CIRRHOSIS (571) DIABETES MELLITUS (250) CEREBROVASCULAR DISEASE (430-438) HOMICIDE & LEGAL INTERVENTION (E960-E978) PNEUMONIA & INFLUENZA (480-487)	77 55 42 41 38 7 6 5 4 3	35 46 35 29 32 4 1 3 3	42 9 7 12 6 3 2 4 1 0	1 2 3 4 5 6 7 8 9 10	2 1 2 5 4 6 6 1 1 8 8	1 3 4 2 5 7 8 6 9 12	36.3 25.9 19.8 17.9 <i>###</i> ### ### ###	33.0 43.3 33.0 27.3 30.1 ### ### ### ###	39.6 ### 11.3 ### ### ### ### ###
TOTAL FOR AGE GROUP	321	216	105				151.2	203.3	98.9

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1, 1995 THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES: OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799) ALL OTHER EXTERNAL CAUSES (E980-E999) ALL OTHER DISEASES (RESIDUAL). ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

106

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE Total, Male, and female for ten leading causes of death by age group* Maine State Totals, 1995 (resident data)

	******* TOTAL		***** Female		BER OF	****** DEATHS FEMALE		E PER 100 POPULATIO MALE	
AGE: 45 TO 64 YEARS Cause of Death									
MALIGNANT NEOPLASMS (140-208)	697	354	343	1	1	1	268.5	278.2	259.2
HEART DISEASE (390-398, 402, 404-429)	495	352	143	2	2	2	190.7	276.6	108.1
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	79	43	36	2 3	3	3	30.4	33.8	27.2
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	61	40	21	4	4	4	23.5	31.4	15.9
DIABETES MELLITUS (250)	54	35	19	5 6	5 7	5	20.8	27.5	14.4
CEREBROVASCULAR DISEASE (430-438)	46	28	18	6	7	6	17.7	22.0	13.6
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	42	32	10	. 7	6	7	16.2	25.1	7.6
INFECTIOUS & PARASITIC DISEASES (001-139)	33	27	6	8	8	9	12.7	21.2	###
SUICIDE (E950-E959)	32	27	5	9	8	10	12.3	21.2	###
PNEUMONIA & INFLUENZA (480-487)	15	8	7	10	10	8	5.8	###	###
TOTAL FOR AGE GROUP	1,762	1,081	681				678.8	849.5	514.6
AGE: 65 TO 74 YEARS		500		4					
MALIGNANT NEOPLASMS (140-208)	900 733	506 443	394 290	2	2	2	948.9 772.8	1,193.8	751.0 552.7
HEART DISEASE (390-398,402,404-429) Chronic obstructive pulmonary disease (490-496)	206	118	290	. 2	2	2	217.2	1,045.2 278.4	167.7
CEREBROVASCULAR DISEASE (430-438)	128	65	63	2 3 4	2 3 4	4	134.9	153.4	120.1
DIABETES MELLITUS (250)	92	46	46	5	5		97.0	108.5	87.7
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	42	25	17	5	5	5 6 6	44.3	59.0	32,4
PNEUMONIA & INFLUENZA (480-487)	40	23	17	7	. 8	6	42.2	54.3	32.4
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	37	25	12	8	6	8	39.0	59.0	22.9
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	25	19	6	9	9	10	26.4	44.8	###
INFECTIOUS & PARASITIC DISEASES (001-139)	23	14	9	10	10	9	24.2	33.0	###
TOTAL FOR AGE GROUP	2,529	1,455	1,074				2,666.3	3,432.7	2,047.1

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1, 1995 THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES: OTHER DISEASES OF ARTERIES, ANTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799) ALL OTHER EXTERNAL CAUSES (E980-E999) ALL OTHER DISEASES (RESIDUAL). ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

107

DEATHS, RANK BY NUMBER OF DEATHS, AND DEATH RATE Total, Male, and female for ten leading causes of death by age group* Maine state totals, 1995 (resident data)

	****** Total		***** Female		BER OF	****** DEATHS FEMALE		E PER 100 POPULATIO MALE	
AGE: 75 TO 84 YEARS									
CAUSE OF DEATH									
HEART DISEASE (390-398,402,404-429)	1,078	530	548	1	1	1	1,903.0	2,400.5	1,585.3
MALIGNANT NEOPLASMS (140-208)	886	474	412	2	2	2	1,564.1	2,146.8	1,191.9
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	261	151	110	3	3	4	460.8	683.9	318.2
CEREBROVASCULAR DISEASE (430-438)	225	90	135	4	4	3	397.2	407.6	390.5
PNEUMONIA & INFLUENZA (480-487)	100	54	46	5	5 6 8	6	176.5	244.6	133.1
DIABETES MELLITUS (250)	97	40	57	6	6	5	171.2	181.2	164.9
ACCIDENTS & ADVERSE EFFECTS (E800-E949)	64	29	35	7		7	113.0	131.3	101.3
NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)	46 31	31 17	15 14	8 9	7 9	9 10	81.2 54.7	140.4 77.0	43.4 40.5
INFECTIOUS & PARASITIC DISEASES (001-139) Atherosclerosis (440)	24	13	14	10	9 11	11	42.4	58.9	31.8
ATHERUSCLERUSIS (440)	24	. 13		10			42.4	50.9	31.0
TOTAL FOR AGE GROUP	3,403	1,700	1,703				6,007.5	7,699.6	4,926.7
AGE: 85 YEARS AND OLDER HEART DISEASE (390-398,402,404-429) MALIGNANT NEOPLASMS (140-208) CEREBROVASCULAR DISEASE (430-438) PNEUMONIA & INFLUENZA (480-487) CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496) DIABETES MELLITUS (250) ACCIDENTS & ADVERSE EFFECTS (E800-E949) NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589) ATHEROSCLEROSIS (440) INFECTIOUS & PARASITIC DISEASES (001-139)	1,249 395 338 179 120 61 60 59 41 36	393 153 86 58 57 17 22 27 11 11	856 242 252 121 63 44 38 32 30 25	1 2 3 4 5 6 7 8 9 10	1 2 3 4 5 8 7 6 9 9	1 3 2 4 5 6 7 8 9 10	6,049.0 1,913.0 1,637.0 866.9 581.2 295.4 290.6 285.7 198.6 174.4	2,748.8 1,545.1 1,042.0	5,675.6 1,604.6 1,670.9 802.3 417.7 291.7 252.0 212.2 198.9 165.8
TOTAL FOR AGE GROUP	3,273	1,046	2,227			•	15,851.4	18,792.7	14,765.9

NOTES: BASED ON ESTIMATED MAINE POPULATION JULY 1, 1995 THE FOLLOWING GROUPS WERE EXCLUDED AS LEADING CAUSES: OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448) SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS (780-799) ALL OTHER EXTERNAL CAUSES (E980-E999) ALL OTHER DISEASES (RESIDUAL). ICD-9 CODES ARE SHOWN IN PARENTHESES.

* CAUSES SELECTED FROM 32 CAUSE-OF-DEATH GROUPS.

RATES WERE NOT CALCULATED WHEN THE NUMBER OF EVENTS WAS LESS THAN 10.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-2 YEARS OF LIFE LOST - NUMBER, PERCENT, RANK, AND AVERAGE PER DEATH BY 32 CAUSE OF DEATH GROUPS AND SEX MAINE STATE TOTALS, 1995 (RESIDENT DATA)

.

с	AUSE OF DEATH	**YEARS Total	OF LIFE MALE	LOST** FEMALE		IFE L		RANK OF LI TOT. N	FE LO	DST	OFLI	DEATH	DST H
	MALIGNANT NEOPLASMS (140-208) HEART DISEASE (390-398,402,404-429) ACCIDENTS & ADVERSE EFFECTS (E800-E949) CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496) CEREBROVASCULAR DISEASE (430-438) SUICIDE (E950-E959) INFECTIOUS & PARASITIC DISEASES (001-139)	41,603	18,826	22,777	27.8	24.8	30.8	1	2	1	14	12	16
	HEART DISEASE (390-398,402,404-429)	38,101	19,718		25.4			2	1	2	10	11	10
	ACCIDENTS & ADVERSE EFFECTS (E800-E949)	10,929	7,198	3,731	7.3			3	3 5	4	28	30	24
	CHRONIC OBSTRUCTIVE PULMONARY DISEASE (490-496)	7,164	3,508	3,656		4.6		3 4 5 6 7	5	5	11	9	12
	CEREBROVASCULAR DISEASE (430-438)	6,475	2,252	4,223		3.0		5	7	3	9	8	9
	SUICIDE (E950-E959) INFECTIOUS & PARASITIC DISEASES (001-139) DIABETES MELLITUS (250) PERINATAL CONDITIONS (760-779) PNEUMONIA & INFLUENZA (480-487)	4,990	4,078	912		5.4		6	4	10	31	30 -	38
	INFECTIOUS & PARASITIC DISEASES (001-139)	4,359	3,154	1,205		4.2			6	9	23	25	18
	DIABETES MELLITUS (250)	3,903	1,779	2,124		2.3		8	8	6	12	12	12
	PERINATAL CONDITIONS (760-779)	3,078	1,440	1,638		1.9		9	9	8	75	72	78
	PNEUMONIA & INFLUENZA (480-487) CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2,825	1,167	1,658		1.5	2.2	10	10	7	8	8	9
	CHRONIC LIVER DISEASE & CIRRHOSIS (571)	2,009	1,151	858			1.2	11	11	11	17	16	19
	CONGENITAL ANOMALIES (740-759)	1,615	1,019	596		1.3	0.8	12	12	13	48	49	46
	OTHER DIS. OF ARTERIES, ARTERIOLES, AND CAPIL. (441-448)		738	810		1.0	1.1	13	13	12	10	9	10
	NEPHRITIS, NEPHROTIC SYND. & NEPHROSIS (580-589)		608	516		0.8	0.7	14	14	14	8	7	9
	HOMICIDE & LEGAL INTERVENTION (E960-E978)	869 600	372 290	497 310	0.6	0.5 0.4	0.7 0.4	15 16	15 16	15 17	41	34	50
	BENIGN NEOPLASMS (210-239)	537	290	3310		0.4	0.4		16	17	12	12	12
	ATHEROSCLEROSIS (440)	487	206	248		0.3	0.4	17 18	18 17	18	7 10	7 11	· 8 8
•	HYPERTENSION (401,403) ABDOMINAL HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	306	239	248		0.3		18	23	18	10	6	8 13
80	ULCER OF STOMACH & DUODENUM (531-533)	296	100	196		0.1		20	21	21	11	11	12
~~~	MENINGITIS (320-322)	243	144	99		0.2		21	19	23	49	72	33
	ANEMIAS (280-285)	231	125	106		0.2		22	20	22	43	8	8
	NUTRITIONAL DEFICIENCIES (260-269)	217	16	201	0.1			23	27	20	7	4	7
	CHOLELITHIASIS & OTHER GALLBLADDER DISORDERS (574-575)		86	70	0.1		0.1	24	22	24	9.	10	8
	APPENDICITIS (540-543)	77	62	15	0.1		0.0	25	25	27	39	62	15
	ACUTE BRONCHITIS & BRONCHIOLITIS (466)	72	72	Ö		0.1		26	24	28	72	72	ŏ
	KIDNEY INFECTIONS (590)	50	7	43		0.0		27	28	26	8	7	9
	COMPL. OF PREGNANCY, CHILDBIRTH & PUERPERIUM (630-676)	49	Ó	49		0.0		28	29	25	49	ò	49
	HYPERPLASIA OF PROSTATE (600)	17	17	Ō	0.0	0.0	0.0	29	26	28	4	4	õ
	ALL OTHER EXTERNAL CAUSES (E980-E999)	0	0	0		0.0					о	о	о
	SYMPTOMS, SIGNS & ILL-DEFINED CONDITIONS (780-799)	1,679	947	732			1.0		•		20	25	16
	ALL OTHER CAUSES (RESIDUAL)	14,307	6,580	7,727	9.5	8.7	10.5				11	12	10

ALL CAUSES

149,916 75,977 73,939 100. 100. 100.

13 13 12

NOTES: PERCENTAGES MAY NOT ADD TO 100.0 DUE TO ROUNDING. SEE TEXT FOR METHOD OF COMPUTING YEARS OF LIFE LOST.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

•

.

DEAYLL

•

.

	CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	******* UNDER 1	***** 1-4	***** 5-9	****** 10-14	******* 15-19 2	****** 0-24 2	* AGE 5-34 3	AT DEA 5-44 4	ATH(YRS 45-54 5	.) *** 5-59 6	***** 0-64 6	***** 5-69	****** 70-74 7	****** 5-79 8	***** 0-84	***** OVER 84
	INTESTINAL INFECTIONS DUE T	O OTHER	SPECIFIED	ORGAN	IISMS	(007-0	08)											
	MALE	4	0	0	Ō	0	́ 0	0	0	0	0	0	0	· 0	0	0	4	~
	FEMALE	2	Ō	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	-		3
	TOTALS	6	õ	ō	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	õ	õ	. 0	ŏ	0.	0	2
	TUBERCULOSIS OF RESPIRATORY	SYSTEM	(010 - 012)	•	•	Ť	Ŭ	v	v	v	v	U	0	. 0	0	0	I	5
	MALE	1	0	0	0	0	0	0	0	0	0	0	4	0	0	•	•	•
	FEMALE	1	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	0	1	0	0	0	0
	TOTALS	· ?	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	Ŷ		-	0	0	0
·	OTHER TUBERCULOSIS (013-018	) -	Ŭ	U	0	0	Q	U	0	0	0	0	1	1	0	0	0	0
÷	FEMALE	́ т	0	ο	0	0	0	0	o	0	0	ο	~	~			_	
	TOTALS	1	ŏ	ŏ.	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	0	0	0	0	0	1
	MENIGOCOCCAL INFECTION (036	ì i	Ŭ	۷.	0	0	0	0	0	0	0	. 0	0	0	0	0	0	1
	MALE	Ý 1	0	0	0	0	4	· 0	~	~	•		•	•	-		_	_
	FEMALE	i	ŏ	ŏ	ŏ	1	ò	ŏ	0	0	õ	0	0	0	0	0	0	0
	TOTALS	2	ŏ	ŏ	ŏ		4	0	0	0	0	0	0	0	0	0	0	0
	SEPTICEMIA (038)	£	v	v	v	1	•	0	0	0	0	0	0	0	0	0	0	0
	MALE	33	0		0	0	0	ò	~	· •		•		-	-	_		
	FEMALE	42	ŏ		ŏ	ŏ	ŏ	0	0	0	4	2	1	3	3	7	6	6
<u>н</u>	TOTALS	75	ŏ	Ŷ	ŏ	ŏ	ŏ	ŏ	ŏ	2	0	1	2	1	5	5	6	20
ò	ALL OTHER BACTERIAL DISEASE			0.00-		0	0	0	0	2	4	3	3	4	8	12	12	26
ē	MALE	5 (020-0	1 1 1 22,024	,039-	041)	0	0	0	~	•	•	~			-	_		_
	FEMALE	· 1	. 0	ŏ	ŏ	ő	ŏ	ŏ	0	0	õ	0	1	1	1	0	1	O,
	TOTALS	, e	· · · ·	ő	ŏ	ŏ	ö	ő	0	0	0	0.	0	0	o,	0	0	1
	VIRAL HEPATITIS (070)	U	1.	U	0	0	0	0	0	0	0	0	1	1	1	0	1	1
	MALE	2	0	0	0	0	0	~	~	•	•		-	-	-			
	FEMALE		ŏ	ő	ŏ	Ö	0	0	0	0	0	1	0	o	0	0	1	1
	TOTALS	5	ŏ	ő	ő	0	0	0	0	-	0	o,	0	1	0	0	1	0
	OTHER VIRAL DISEASES (046-0	19 051-0						0	0	0	0	1	0	1	0	0	2	1
	MALE MALE	45,051-0 68	007-001	005,	000,0	01-079	0	2	18		40				-	_		
	FEMALE	11	ŏ	ŏ	ŏ	ŏ	ŏ	2	18	32 3	13	1	1	1	0	0	0	0
	TOTALS	79	ŏ	ŏ	ŏ	ŏ	ő	4	21	3	1 14	0	0	ò	1	0	0	1
	NEUROSYPHILIS (094)		v	0	0	0	0	4	21	35	14	1	1	1	1 '	0	0	1
	MALE	4	· 0	0	0	0	0	^	~	~	•	•	•		-		_	_
	TOTALS	4	ŏ	ŏ	ŏ	ŏ	ő	0	0	0	0	0	0	1	0	0	0	0
	MYCOSES (110-118)	• •	0	U	0	0	0	U	0	0	0	0	0	1	0	0	0	0
	MALE	3	0	0	0	o	~	~	~	~	•	~			-	_	_	
	FEMALE	2	0	Ĭ	ŏ	0	O O	0	0	0	õ	0	1	1	0	1	0	0
	TOTALS	4	ŏ		ŏ	ŏ	Ö	ő	0	1	0	0	0	0	0	o	0	0
	HELMINTHIASES (120-129)	5	0		0	0	0	0	U	1	U	· 0	I	ı	0	1	0	0
	FEMALE	1	. <b>O</b>	0	0	0	0	0	^	0		^		~	•	•	•	-
	TOTALS		ŏ	ŏ	ŏ	ŏ	ő	ŏ	0	0	1	0	0	0	0	0	0	0
		•	v	v	0	0	U	U	0	0	I	U	0	0	0	0	0	0
	NOTER . TOP O CODER ADE CUOU																	

.

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

.

•

DAGE282

TABLE D-3

•

-	F DEATH GROUPS AND SEX	TOTAL DEATHS	****** UNDER 1	****** 1-4	****** 5-9 1(	******* D-14 15;	***** -19 2	******* 0-24 25	∗ AGE 5-34 3	AT DEA1 35-44 45	ΓΗ(YRS 5-54 5	.) *** 5-59 6	****** 0-64 6	***** 5-69 7	****** 0-74 7	****** 5-79 8	***** 0-84	•**** OVER 84
(CONT.	)			·														
	FECTS OF TUBERCU	LOSIS (137)																
FEMAL		1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOTAL	S FECTS OF ACUTE P		0	0	0	0	0	0	0	0	0	0	0	0	0	- 1	0	0
MALE	FECTS OF ACUTE P	ULIUMYELIIIS (	138)	0	0	0	~	•	~	•	•	~	•	-				
TOTAL	c ·	1	0	ő	õ	õ	0	0	0	0	0	0	0	0	1	0	0	0
	ER INFECTIOUS AN		•		•	-136,139	•	0	0	0	0	0	0	0	1	0	0	0
MALE	ER INTECTIOUS AN	4	0	0	04,130	- 130, 13:	" 0	0	0	0	0	0	4	1		~	~	
FEMAL	E	2	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	1	0	ò	0	0	0	0	0
TOTAL		6	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	1	` ŏ	1	1	1	ł	ö	1
MALIGNA	NT NEOPLASMS OF:	TONGUE (141)	-	•	•	•	Ū	v	Ŭ	Ŭ	•	v	•	•	1	1	0	1
MALE		3	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0	0
FEMAL	E	1	0	0	0	0	0	0	0	0	Ō	ō	Ó	ŏ	ŏ	ŏ	ŏ	ĭ
TOTAL	-	4	0	0	0	0	0	0	0	0	2	0	1	Ō	ō	õ	ŏ	i
-	NT NEOPLASMS OF:	• • • • •	·149.0)															
MALE	-	14	0	0	0	0	0	0	0	1	0	2	2	1	З	3	2	0
FEMAL		3	0	0	0	0	0	0	0	o,	0	0	2	0	0	1	0	0
TOTAL	S NT NEOPLASMS OF:		0		0	0	0	0		1	<u> </u>	2	4	1	3	4	2	0
MALIGNA	NT NEUPLASMS UP:	12	0 0		, ORAL	CAVITY	AND O	PHARYNX	0	2-145,14		,	•					
FEMAL	F	7	0	ŏ	ő	0	0	ő	0	1 0	2	0.	0	4	4	0	1	0
TOTAL		19	0	ŏ	ŏ	ŏ	· õ	0	ő	1	1 3	0	0	1 5	2 6	0	o	3
	NT NEOPLASMS OF:		•	U	0	U	U	0	U	I	3	0	0	5	ь	0	1	3
MALE		47	, , , , , , , , , , , , , , , , , , ,	0	0	0	0	0	0	2	3	7	7	7	3	5	10	2
FEMAL	E	14	ŏ	ŏ	ŏ.	ŏ	ŏ	ŏ	ŏ	õ	ŏ	ó	ó	3	3	3	4	
TOTAL	S	61	ō	ō	Ō	ō	õ	ŏ	ŏ	2	š	7	7	10	6	8	14	4
MALIGNA	NT NEOPLASMS OF:	STOMACH (151)	)								-	•	•			Ģ	14	-
MALE		44	0	0	0	0	0	0	0	1	6	1	4	8	4	10	5	5
FEMAL		24	0	0	0	0	0	0	0	1	1	1	0	4	5	2	4	6
TDTAL		68	0	0	0	0	0	0	0	2	7	2	4	12	9	12	9	11
	NT NEOPLASMS OF:	-	•	LUDING													,	
MALE	-	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
FEMAL Total		6	0	0	0	0	0	.0	0	0	0	0	0	1	1	3	1	0
	NT NEOPLASMS OF:	STONOTO COLON	1 (152 2	्०	0	0	0	0	0	0	0	0	0	1	2	З	2	0
MALIGNA	NT NEOFLASMS OF.		0	, o	0	0	0	0	0	0	<u>^</u>		•	~				
FEMAL	F	2	0	ö	ŏ	ŏ	ő	0	ŏ	ŏ	0	0	0	ò	1	0	0	0
TOTAL		6	õ	õ	ŏ	õ	õ	õ	ŏ	ő	0 Ö	1	4	1	1	0	1	0
	NT NEOPLASMS OF:	CECUM. APPEND	•	•	INGCOL	•	•	53.6)	Ū	0	v	I	1	I	2	0	1	0 ·
MALE		3		0	0	0	0	0	0	0	0	0	0	0	4	4	0	4
FEMAL	E	4	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ő	ĩ	ŏ	ò	1	0	2
TOTAL		7	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	i	ŏ	1	2	0 -	23
											-	-	•	-	•	-		v

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

•.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

,

.

•

.

DAGE282

TABLE D-3

## DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1995 (RESIDENT DATA)

.

				******	*****	*****	****	*****	*****				)	******					
	DEATH GROUF D SEX	°S	TOTAL U DEATHS	JNDER 1	1-4	5-9 10	-14 1	5-19 2	0-24 25	5-34 3	35-44 4	5-54 5	5-59 (	60-64 (	65-69	70-74	75-79	***** BO-84	***** OVER 84
(CONT.)																			
MALIGNANT	NEOPLASMS	OF:	OTHER AND COLOR	N, UNSP	ECIFIE	D (153	.8-15	3.9)											
MALE			99	0	0	Ó	0	Ó	0	0	1	8	2	12	9	19	19	19	10
FEMALE			146	0	0	0	0	0	0	1	2	6	3	9	14	22	23	18	48
TOTALS		~ 7	245	0	0	0	0	0	0	1	3	14	5	21	23	41	42	37	58
	NEOPLASMS	OF:	RECTUM, RECTOS			ON AND		(154)										•••	
MALE FEMALE			21	0	0	0	0	0	0	0	1	2	2	2	2	2	4	3	3
TOTALS			23 44	0	0	0	0	0	0	1	0	0	4	2	3	2	2	1	8
		05.	LIVER, PRIMARY	0	्०	0	0	0	0	1	1	2	6	4	· 5	4	6	4	11
MALIGNANT	NEOPEASMS	Ur.	LIVER, PRIMARY	(155.0	, ,	0	~	~	•		•		•						
FEMALE			5	õ	ŏ	0	0	0	0	1	0	2	0	0	2	0	2	1	0
TOTALS			13	õ	ŏ	õ	ŏ	ŏ	ŏ	1	0	1	0	0.	0	0	2	0	2
	NEOPLASMS	OF:	INTRAHEPATIC B				U	0	0	1	0	3	0	0	2	0	4	1	2
MALE			8		$\overline{0}$	0	0	0	0	2	0		~	•					
FEMALE			õ	õ	ŏ	õ	õ	õ	õ	õ	ŏ	1	0	0	1	0	2	1	1
TOTALS			14	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	2	õ	2	1	0	0	2 2	1	0	1
MALIGNANT	NEOPLASMS	OF:	LIVER, NOT SPEC	IFIED /	AS PRI		•	ONDĂRY	(155.2	-	. 0	2	1	0	1	2	3	1	2
MALE		•	12	0	0	0	ō	0	0	-´ o	0	2	1	1	1	2	1	2	<b>^</b>
FEMALE			6	0	0	0	0	Ō	õ	ō	ŏ	ō	ò	i	i	ō	2	2	ó
TOTALS			18 .	0	0	0	0	0	0	0	Ó	2	٩	2	2	ž	3	4	2
	NEOPLASMS	OF:	GALLBLADDER AND		HEPATI		DUCT	S (156	)						-	-			-
MALE			6	0	0	0	0	0	. 0	0	0	0	1	0	0	0	2	1	2
FEMALE			11	0	0	0	0	0	0	0	0	0	0	0	1	1	3	3	3
TOTALS		05.	17	0	0	0	0	0	0	0	0	0	1	0	1	1	5	4	5
MALIGNANT	NEUPLASMS	UF:	PANCREAS (157)	•	•	•	-	-											
FEMALE			73 80	0	0	0	0	0	0	1	4	5	4	6	12	15	9	10	· 7
TOTALS			153	õ	ŏ	0	0	0	0	0	0	2	4	8	11	14	15	10	16
	NEOPLASMS	OF:	RETROPERITONEU	•	TONEUM	•	•	•	WITHIN	THE	JIGESTI	VE ORG	ANC 8	14	23	29	24	20	23
MALE		••••	9	0	0	0	0	0			105211		ANS (* 0	158-159	,, ,	•		_	_
FEMALE			17	• ŏ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ó	ŏ	-	o o	1	0	1	4	2
TOTALS			26	õ	ŏ	ŏ	ŏ	ŏ	ŏ	õ	1	õ	2	1	2	]	0	5	6
MALIGNANT	NEOPLASMS	OF:	LARYNX (161)	v	Ŭ	Ũ	Ū	Ŭ	v	U		0	2	1	ک	1	1	9	8
MALE			10	0	0	0	0	0	0	0	1	0	0	2	2	2	1	1	
FEMALE			2	0	Ó	Ō	ō	ŏ	õ	ŏ	ò	ĭ	ŏ	ō	1	ō	ò	ò	
TOTALS			12	0	0	0	0	0	õ	ō	1	i	ŏ	ž	3	ž	1	1	¥.
MALIGNANT	NEOPLASMS	OF:	TRACHEA, BRONCH	IUS, ANI	D LUNG	(162)			-	-		•	•	-		~	•		
MALE			552	0	0	0	0	0	0	0	6	39	55	71	106	116	86	48	25
FEMALE			365	0	0	0	0	0	0	1	11	39	22	37	58	67	69	32	29
TOTALS			917	0	0	0	0	0	0	1	17	78	77	108	164	183	155	80	54

.

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

,

.

.

DAGE282

.

È 

.

1

.

•

.

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	******* UNDER 1	*****  -4	******* 5-9 10	***** )-14 1	****** 5-19 20	***** )-24 2	* AGE 5-34 3	AT DE 5-44 4	ATH(YRS. 45-54 55	) *** 5-59 6	***** 0-64 6	****** 5-69 7	****** 0-74 7	***** 5-79 8	***** 0-84	0VER 84
(CONT.)																	
MALIGNANT NEOPLASMS OF: MALE	ALL OTHER SITE	S WITHI	N THE	RESPIR	ATORY	SYSTE	M&IN O	TRATHO O	RACIC	ORGANS O	(160,	163-16 0	5) 2	o	4	0	0
FEMALE TOTALS	1 4	0 0	0	0	0 0	0	0 0	0 0	0 0	0 0	0 0	ŏ	02	o o	0 1	1	00
MALIGNANT NEOPLASMS OF: MALE FEMALE	BUNE AND ARTIC		0	GE (170 O O	0	0	1 . 0	0	0	0 [.] 1	1	0	0	0	0	1	0
TOTALS MALIGNANT NEOPLASMS OF:	5 CONNECTIVE AND	ŏ	ŏ	Ö TISSUE	0 (171)	ŏ	1	ŏ	ŏ	. 1	2	ő	ő	ő	ő	0 1	0
MALE FEMALE . TOTALS	. 9 . 19	0 0	000	0 0 0	0	0000	0 0 0	1 1 2	0	0 3 3	`1 1	0	1	2 0	3	1.0	1
MALIGNANT NEOPLASMS OF: MALE		•	•	0	0	0	0	2	1	3 1	2 3	1	1	2 2	3 0	1	2 0
FEMALE TOTALS	14 25	0	0	0	0	0 0	0	1	0 1	4 5	0 3	2 3	- 1 3	2 4	0 0	1 2	. 3 3
MALIGNANT NEOPLASMS OF: MALE FEMALE	UTHER MALIGNAN 5 4	NT NEOPLA O O	аям U 0. 0.	F SKIN O O	(173) 0 0	0	0	0	0	0	1	o O	1 0	1 0	0	0	2
TOTALS MALIGNANT NEOPLASMS OF:		0 (174)	Ō	õ	õ	ŏ	ŏ	ŏ	ŏ	i	2 ·	ŏ	1	1	ŏ	1	3
FEMALE TOTALS MALIGNANT NEOPLASMS OF:	228 228 CERVIX UTERI (		0 0	0 0	0	0 0	0 0	2 2	11 11	45 45	17 17	19 19	28 28	21 21	29 29	30 30	26 26
FEMALE TOTALS	28 28	0	0 0	0 · 0	0	0	0	3 3	4 4	6 6	1	1	2	4	2	2	3
FEMALE	OTHER PARTS OF	0	0	, 181-18 0	í o	0	0	0	0	2	2	2	3	1	5	0	4
TOTALS MALIGNANT NEOPLASMS OF: FEMALE	19 OVARY AND OTHE 74	O ER UTERII		0 NEXA (*	0 183) 0	0 0	0 0	0 0	0 2	2 9	2 4	2 7	3 9	1 14	5 12	0 10	4
TOTALS MALIGNANT NEOPLASMS OF:	74 OTHER AND UNSP	0 PECIFIED	Ö FEMA	Ö LE. GENI	Ö ITAL O	Ö RGANS	0 (184)	ŏ	2	9	4	7	9	14	12	10	7
FEMALE TOTALS MALIGNANT NEOPLASMS OF:	9 9 DDOSTATE (495)	0	0 0	0 0	0 0	0 0	0 0	0 0	1 1	0 0	1 1	0 0	1 [°] 1	1 1	0 0	3 3	2 2
MALE TOTALS	202 202	, 0	0 0	0 0	0 0	0 0	0 0	0	0 0	1 1	5 5	6 6	21 21	38 38	34 34	46 46	51 51
MALIGNANT NEOPLASMS OF: MALE	5	0	0	0	0	0	0	0	1	2	0	0	1	1	0	0	0
TOTALS	5	0	0	0	0	0	0	0	1	2	0	0	1	1	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

•

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DAGE282

112

TABLE D-3

.

	÷		•									•						
	CAUSE OF DEATH GROUPS AND SEX	DEATHS	****** UNDER 1	***** 1-4	******* 5-9 10	***** )-14	******	****** 20-24 2	* AGE / 5-34 39	AT DEA 5-44 49	TH(YRS 5-54 5	.) *** 5-59 6	***** 0-64 6	****** 5-69 7	****** 0-74 7	****** 5-79 8	***** 0-84	***** OVER 84
	(CONT.)																	
	MALIGNANT NEOPLASMS OF:																	
	MALE Female	46	0	0	0	0	0	0	0	0	2	1	4	7	5	8	9	10
	TOTALS	16	0	0	0	0	0	0	0	0	0	0	з	0	1	4	3	5
	MALIGNANT NEOPLASMS OF:	62		0	0 '	0	0	0	0	0	2	1	7	7	6	12	12	15
	MALIGNANT NEOPLASMS OF: MALE	49	HER UNS	PECIFI 0			DRGANS	(189)			_	•						
	FEMALE	33	-	1	0 0	0	1	0	o o	1	5	5	5	4	8	10	6	4
	TOTALS	82	0	1	0	0	0	0	1	1	6	2	2	4	4	6	4	2
	MALIGNANT NEOPLASMS OF:	EVE (190)	0	I	0	0	1	0	1	2	11	7	7	8	12	16	10	6
•	FEMALE	1	0	0	0	о	0	0	0	0	0	· 0	~	•		_		
	TOTALS	i	ŏ	ŏ	õ	ŏ	ŏ	ŏ	õ	ő	ŏ	0	0	0	1	0	0	0
	MALIGNANT NEOPLASMS OF:	BRAIN (191)	Ũ	Ŭ	Ŭ	Ŭ	v	U	0	0	0	0	0	0	1	0	0	0
	MALE	35	0	1	3	0	1	0	1	5	5	2	2	3	~	-	-	
	FEMALE	28	ŏ	ò	ŏ	ŏ	ò	ŏ	i	1	3	1	õ	7	3 5	6	2	1
	TOTALS	63	ŏ	1	3 3	ŏ	1	ŏ	2	ด่	8	3	2	10	5 8	6 12	3 5	1
	MALIGNANT NEOPLASMS OF:	OTHER AND UNSI	PECIFIE	D PART	S OF NE	RVOUS	S SYSTE	EM (192		U	0	5	2	10	0	12	5	2
4	FEMALE	2	0	0	0	0	0	0	Ó O	0	0	0	0	1	0	0	1	•
*	TOTALS	2	0	0	0	Ó	Ō	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	1	ŏ	ŏ	1	0
0	MALIGNANT NEOPLASMS OF:	THYROID GLAND	, OTHER	ENDOC	RINE GL	ANDS	RELAT	TED STR	UCTURES	5 (193-	- 194)	Ũ	Ũ	•	v	0	•	0
	MALE	з.	0	1	0	0	0	Ó	0	0	Ō,	ο.	1	0	0	1	0	0
	FEMALE	9	0	1	1	1	0	0	0	0	1	Ō	2	1	ŏ	4	ŏ	1
	TOTALS	12	0	2	1	1	0	0	0	0	1	0	3	1	ŏ	. 2	ŏ	i
	MALIGNANT NEOPLASMS OF:					195-	199)								-	_	Ŭ	•
	MALE	103	0	0	0	` <b>0</b>	0	0	0	1	6	5	7	10	22	25	14	13
	FEMALE	123	0	0	0	0	0	0	3	1	3	7	8	19	14	14	25	29
	TOTALS LYMPHOSARCOMA AND RETIC	226	ر» ⁰	0	0	0	0	0	3	2	9	12	15	29	36	39	39	42
	MALE MALE	ULDSARCOMA (20	0,	0	~	~	•	•		•	_							
	FEMALE	9	ŏ	ŏ	0	0	0	0	1	0	0	0	1	2	1	3	0	1
	TOTALS	13	ő	õ	ŏ	ő	0	0	0	0	0	0	0	1	1	1	0	1
	HODGKIN'S DISEASE (201)		, U	U	0	0	0	0	1	0	0	0	1	3	2	4	0	2
	MALE	5	0	0	0	0	0	. O	0	1		~						
	FEMALE	5	ŏ	ŏ	. 0	ŏ	ŏ	· 0	1	ŏ	1 0	0	1	1	0	0	1	0
	TOTALS	10	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	4	1	1	0	0	2 3	1	0	0	- 1
	OTHER MALIGNANT NEOPLAS		AND HIS		IC TISS		202)	0		•	1	0	I	3	1	0	1	1
	MALE	57	0	0	0	0	1	0	1	3	5	• 4	4	8	8	10	~	
	FEMALE	57	ŏ	ŏ	ŏ	ŏ	ò	ŏ	ŏ	2	3	4	7	3	8	.10	9	4
	TOTALS	114	ŏ	õ	õ	ŏ	1	ŏ	ĭ	5	8	8	11	11	16	11 21	3 12	16
	MULTIPLE MYELOMA AND IM	MUNOPROLIFERAT	IVE NEO	PLASMS	(203)	-	•	Ť		-	5	5			10	41	12	20
	MALE	· 23	0	Ó	Ì Õ ĺ	0	0	0	0	0	1	3	2	2	5	5	4	4
	FEMALE	24	0	0	0	, 0	0	Ō	Õ	ŏ	2	2	2	2	2	5	5	4
	TOTALS	47	0	0	0	0	0	0	0	0	3	5	4	4	7	10	9	5
																	5	0

.

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

,

.

DAGE282

.

113

TABLE D-3

-

•

	•	*****					لك بك بك بك بك بك			TUINDO	<b>、</b>						
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	******** 5-9 10	-14 15	-19 2	0-24 25	-34 3	AT DEA 5-44 4	TH(YRS 5~54 5	.) **** 5-59 6(	****** D-64 6	****** 5-69 7	****** 0-74 7	***** 5-79 8	****** 0-84	**** OVER 84
(CONT.)																	
LYMPHOID LEUKEMIA (204)																	
MALE	22	0	0	1	1	0	0	1	0	2	0	0	4	Λ	7	4	
FEMALE	7	0	0	0	0	Ō	Ō	Ó	õ	ō	ŏ	ŏ	2	1	2	4	-
TOTALS	29	0	0	1	1	Ō	ō	1	ŏ	ž	ŏ	ŏ	6	5	á	2	2
MYELOID LEUKEMIA (205)		·				-	-	-	-	-	· ·	Ũ	U	5	5	2	2
MALE	22	0	0	0	0	0	. o	1	2	1	0	1	4	2	3	7	4
FEMALE	17	0	0	0	0	1	ō	Ó	3	2	ŏ	i i	ō	1	4	4	1
TOTALS	-39	0	0	0	0	1	ō	Ĩ	5	3	ŏ	2	4	3	7	8	4
OTHER AND UNSPECIFIED LEUK	EMIA (207-2	208)					-	•	-	•	Ŭ	~	-	5	'	0	5
MALE	5	, O	0	0	0	0	0	0	1	0	` o	0	1	1		0	
FEMALE	17	0	Ō	Ó	Ō	õ	ŏ	ŏ	1	ŏ	ŏ	ŏ	2	2	4	4	1
TOTALS	22	0	0	Ō	Ō	õ	ŏ.	ō	2	ŏ	ŏ	ŏ	3	3	5	4	4
BENIGN NEOPLASMS OF EYE, B	RAIN AND OT	HER PART	SOF	NERVOUS	SŸSTE	M (22	4-225)	Ŭ	-	Ŭ	Ū	0	5	3	5	4	ວຸ
FEMALE	2	0	0	0	0	ò	0	0	0	1	0	0	0	4	0	0	•
TOTALS	2	Ō	ō	ō	ō	ō	ŏ	ŏ	ŏ	i	ŏ	ŏ	ŏ	. 1	ŏ	ŏ	0
BENIGN NEOPLASMS OF ALL OT	HER AND UNS	PECIFIED	SĪTI	ES (210-	217.22	2-223	.226-22	29)	v	•	v	0	U		0	0	0
MALE	2	0	0	0	0	0	1	· í í o	0	0	0	0	0	0	0	0	
FEMALE	2	0	0	Ō	Ō	Ĩ	ò	õ	ŏ	ŏ	ŏ	ĭ	ŏ	ŏ	ŏ	ŏ	ò
TOTALS	4	0	0	0	0	1	ī	Ō	ŏ	ŏ	õ.	i i	ŏ	ŏ	ŏ	ŏ	4
NEOPLASMS OF UNCERTAIN BEH	AVIOR (235.	238)					•	-		Ū	<b>.</b>	•	0	U	U	0	I
MALE	3	0	0	0	0	0	0	0	0	0	- 1	0.	0	0	0	0	•
FEMALE	5	õ	õ	õ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ò	0	ŏ	ő			2
TOTALS	8	õ	ŏ	õ	õ	õ	ŏ	ŏ	ŏ	ŏ	1	ŏ	ŏ	ő	2	1	2
NEOPLASMS OF UNSPECIFIED N	ATURE (239)		•	Ũ	Ū	Ũ	Ŭ	v	v	U		0	0	0	2	1	4
MALE	19	0	0	0	0	0	· 0	0	1	. 1	1	3	0	3	3	•	_
FEMALE	16	õ	ō	ŏ	ŏ	ŏ	ŏ	ŏ	ò	1	ò	õ	ő			2	5
TOTALS	35	õ	ŏ	ŏ	ŏ	ŏ	ŏ	õ	Ĭ	2	1	3	0	1	2	4	8
DISORDERS OF THYROID GLAND	(240-246)	v	Ū	Ū	Ū	Ū	0	U		2	1	3	0	4	5	6	13
MALE	6	0	0	0	0	0	0	0	0	0	0	0	0			•	
FEMALE	10	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	1	ŏ	-1	ŏ	-	1	1	0	4
TOTALS	16	ìõ	ŏ	ŏ	ŏ	õ	õ	ŏ	4	ŏ		· 0	0	0	0	2	6
DIABETES MELLITUS (250)		Ū	U	Ũ	Ū	U	U	0		0	, I	0	0	1	1	2	10
MALE	143	0	0	· 1	0	0	0	0	4	10	9	16	~ ~		~ ^		
FEMALE	170	õ	ŏ	ò	ĭ	ŏ	ŏ	1	2	7	3	9.	24	22	24	16	17
TOTALS	313	õ	ŏ	ĭ	i	õ	õ	4	6	17	12	25	24	22	34	23	44
DISORDERS OF THE PITUITARY		•		AMIC CON	твоі (	253)	v		0	17	. 12	20	48	44	58	39	61
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	^	~	~	~	•
TOTALS	3	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ő	õ	0	0	0	0	0	3
DISORDERS OF ADRENAL GLAND	S (255)	-	•	Ŭ	•	0	0	Ū	v	v	0	U	U	0	0	0	3
MALE	, 1	0	0	0	0	0	0	0	4	0	0	0	^	~	~	~	•
TOTALS	· 1	ŏ	ŏ	ŏ	ŏ	õ	ŏ	ŏ	1	ő	õ	0	0	0	0	0	0
	•	-	•	•	•	v	Ŭ .	. V		U	Ū	U	0	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

,

.

.

.

DAGE282.

14

#### TABLE D-3

## DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS. 1995 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** UNDER 1	***** 1-4	******** 5-9 10-	*******	*****  9 20-	****** -24 25	* AGE 5-34 3	AT DEAT 5-44 45	H(YRS. -54 55	) **** -59 60	******	***** 5-69 <b>7</b>	***** 0-74 7	****** 5-79 8	***** 0-84	**** OVER 84
(CONT.)				•													
CYSTIC FIBROSIS (277.0)																	
MALE	5	0	0	0	0	3	0	2	0	0	0	0	0	0	0	0	•
FEMALE	1	0	0	Ó	õ	õ	õ	ō	ŏ	ĭ	ŏ	ŏ	ŏ	ŏ	ŏ	-	0 0
TOTALS	6	0	0	Ó	õ	3	õ	2	ŏ	÷	ŏ	õ	ŏ	ŏ	ŏ	0	0
OBESITY (278.0)					-	-	Ŭ	-	Ŷ	•	v	0	0	0	0	0	0
MALE	7	0	0	0	0	0	0	0	4	2	0	2	0	0	•		
FEMALE	5	õ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ò	4	Ŷ	23	ŏ	-	0	1	1
TOTALS	12	õ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ĭ	3		5	-	0	0	o	Q
ALL OTHER ENDOCRINE, METABO		SES & TM	MUNŤTY	DIŠORD.					276,277		0 0 0 7 0	1070	<u> </u>	0	0	1	1
MALE	42	0	0	0	0	0	0 235	0,270,1	270,277					_			
FEMALE	46	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	9	3	3	2	5	4	5	11
TOTALS	88	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	0	2	2	1	2	3	9	7	20
NUTRITIONAL MARASMUS (261)		Ŭ	•	U	0	0	U	0	0	11	5	4	4	8	13	12	31
FEMALE	1	0	0	0	Ο.	0	ο	~	•	•			_	_			
TOTALS	4	ŏ	ŏ	ŏ	0	ŏ	ŏ	0	0	0	1	0	0	0	0	0	0
OTHER PROTEIN-CALORIE MALNU	TETTION (2		U	0	0	0	0	0	0	0	1	0	0	0	0	0	0
MALE	3		~	~	•	•	•	-	-	_							
FEMALE	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
TOTALS	25 28	0	-	0	0	0	0	0	0	0	0	0	0	0	2	3	20
ALL OTHER NUTRITIONAL DEFIC			0	0 [.]	0	0	0	0	0	0	0	0	0	0	2	3	23
MALE MALE	IENCIES (.2			-	_	_					•						
FEMALE	1	0 0	0	0	· 0	0	0	0	0	0	0	0	0	0	0	0	1
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	Ó	Ó
DEFICIENCY ANEMIAS (280-281	、 ²	0	0	0	0	0	0	0	0	0	0	0	0	1	Ō	ŏ	ĩ
	,	_															
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	ò '	õ	õ	i	ŏ
HEMOLYTIC ANEMIAS (282-283)											-	-	•	•	Ũ	•	Ŭ
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0
TOTALS	1	· 0	0	0	0	0	0	Ó	ŏ	õ	õ	ŏ.	ŏ	ŏ	i	ŏ	ŏ
'APLASTIC ANEMIA (284)								-	-	•	Ŷ	Ŷ	v	v	•	U	0
MALE	6	° O	0	0	0	0	0	1	0	0	0	0	0	0	0	4	4
FEMALE	7	0	0	Ó	ò	õ	ŏ	ò	ŏ	ŏ	ŏ	ŏ	1	1	ŏ		4
TOTALS	13	Ó	Ō	õ	õ	õ	ŏ	ĭ	ŏ	ŏ	ŏ	ŏ	ł	1	0	0	5
OTHER AND UNSPECIFIED ANEMI	AS (285)			•	Ū	•	Ŷ	•	Ŭ	v	U	0			0	1	9
MALE	7	0	0	·0	0	0	0	0	0	0	1	ο	0	1	~		
FEMALE	7	Õ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ò	ŏ	ŏ	ò	0	1	4
TOTALS	14	Ó	õ	õ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	1	ŏ	ŏ	-	0	3	4
PURPURA AND OTHER HEMORRHAG	IC CONDITI	ONS (28)	7) Č	÷	•	÷	v	v	v	v	I	0	0	1	0	4	8
MALE	1	0	, 0	0	0	0	0	0	0	0	0	0	^	~	~	•	
FEMALE	3	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ő		0	0	0	0	1
TOTALS	4	ŏ	ŏ	ŏ	õ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	0	0	0	0	1	2
		-	-	÷	•	~	0	Ŭ	v	v	U	0	0	0	0	1	3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

÷ .

• ,

•

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

,

.

.

.

DAGE282

## DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1995 (RESIDENT DATA)

.

•

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER	**** 1-4	******** 5-9 10	**** - 14	******* 15-19 2	***** 0-24	** AGE 25-34 3	AT DEA 35-44 49	TH(YRS 5~54 5	.) *** 5~59 60	***** D-64 6	***** 5-69 7	****** 0-74 7	***** 5-79 8	***** 0-84	***** OVER 84
(CONT.)																	
ALL OTHER DISEASES OF BLOOD				- •	• -	-289)											
MALE	18	0	0	0	0	0	0	1	0	0	0	1	4	5	4	1	2
FEMALE	22	0	0	0	0	0	0	0	2	1	2	0	2	2	1	4	8
TOTALS	40	0	0	0	0	0	0	1	2	1	2	1	6	7	5	5	10
SENILE AND PRESENILE ORGANI				(290)	•	-											
MALE	151	0	0	0	0	0	0	0	0	0	0	1	1	3	12	11	23
FEMALE	103	0	0	0	0	0	0	0	0	0	1	0	1	3	8	17	73
TOTALS	154	0	0	0	0	0	0	0	0	0	1	1	2	6	20	28	96
ALCOHOLIC PSYCHOSES (291)																	
MALE	1	0	0	0	0	0	0	0	0	0	` 0	0	0	0	1	0	0
TOTALS	1	0	0	0	0	0	· 0	0	0	0	0	0	0	0	1	0	0
ALL OTHER PHYCHOSES (292-29	•		_														
MALE	20	0	0	0	0	0	0	0	0	0	0	0	1	1	2	8	8
FEMALE	54	0	0	0	0	0	0	0	1	0	0	0	2	1	5	11	34
TOTALS	74	0	0	0	0	0	0	0	1	0	0	0	3	2	7	19	42
ALCOHOL DEPENDENCE SYNDROME	(303)																
MALE	25	0	0	0	0	0	0	2	4	4	2	4	3	3	1	0	2
FEMALE	6	0	0	0	0	0	0	0	2	2	0	0	1	Ō	Í	ō	ō
TOTALS	31	0	0	0	0	0	0	2	6	6	2	4	4	3	2	Ō	2
DRUG DEPENDENCE (304)	·	•									•						
MALE	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
TOTALS	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	ō
OTHER NEUROTIC, PERSONALITY		NPSYCHOTIC	MENT			(300-3	102,30	5-316)									_
MALE	12	0	0	0	0	0	0	1	4	2	0	1	0	1	0	3	0
FEMALE	8	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	5
TOTALS	20	0	0	0	0	0	0	1	4	2	0	1	0	2	1	4	5
MENTAL RETARDATION (317-319	)																-
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	ō
TOTALS	· 3	<u></u> 0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	ō
MENINGITIS (320-322)																	
MALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FEMALE	3	1	0	0	0	Ο.	0	0	0	0	0	0	1	0	0	0	1
TOTALS	5	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
PARKINSON'S DISEASE (332)																	
MALE	45	0	0	0	0	0	0	0	0	0	́ 0	0	1	3	7	16	18
FEMALE	30	0	0	0	0	0	0	0	0	0	0	0	1	4	4	8	13
TOTALS	75	0	0	0	0	0	0	0	0	0	0	0	2	7	11	24	31
OTHER HEREDITARY AND DEGENE				CENTRAL			STEM	(330-33	31,333-:								
MALE	70	0	0	1	0	0	1	0	1	2	. 1	4	6	8	12	12	22
FEMALE	145	0	0	0	. 1	0	0	0	0	5	2	2	3	12	16	27	77
TOTALS	215	0	0	1	1	0.	1	0	1	7	3	6	9	20	28	39	99

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

#### MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

1

.

DAGE282

## DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1995 (RESIDENT DATA) .

•

CAUSE OF DEATH GROUPS	TOTAL	***** UNDER	*****	******	*****	******	******	** AGE	AT DEA	TH(YRS	.) ***	*****	*****	*****	*****	*****	****
AND SEX	DEATHS		1~4	. 5-9	10-14	15-19 2	20-24 2	25-34 3	35-44 4	5-54 5	5-59 6	0-64 6	5-69 7	0-74 7	5-79 8	0-84	OVER 84
(CONT.)																	
MULTIPLE SCLEROSIS (340)																	
MALE	7	0	0	0	0	0	0	1	0	2	0	1	1	1	4	0	0
FEMALE	12	0	0	0	0	0	Ó	Ó	2	2	1	i	3	i	2	ŏ	õ
TOTALS	19	0	0	0	0	0	0	1	2	4	Í	2	4	2	3	ŏ	ő
INFANTILE CEREBRAL PALSY	(343)											-	•	-	Ũ	0	U
MALE	3	0	0	0	0	0	0	2	0	0	0	0	0	1	0	0	0
TOTALS	3	0	0	0	0	0	0	2	· 0	· Õ	ō	ŏ	ŏ	1	ŏ	ŏ	ŏ
EPILEPSY (345)										•	•	Ŭ	Ŭ		v	0	U
MALE	2	0	. 0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	ō	ō	1	ò	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ
TOTALS	3	0	0	0	0	0	Ó	Ō	ō	2	1	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ.
OTHER DISEASES OF THE NE	RVOUS SYSTEM	(323-32	6,341	-342,34	44,346	-359)			-	-	•	Ŭ	Ŭ	Ŭ	v	0	0.
MALE	21	0	0	0	0	1	0	1	0	0	1	0	5	4	3	4	2
FEMALE	20	0	0	0	0	1	0	0	3	Ĩ	1	ĭ	ž	1	2	2	6
TOTALS	41	0	0	0	0	2	0	Ĩ	3	1	2	i	7	5	5	6	8
DISEASES OF THE EAR AND	MASTOID PROC	ESS (380	-389)						-	•	_	•	•	Ŭ	5	0.	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TOTALS	, <u>1</u>	0	0	0	0	0	0	· 0	0	Ō	ō	ŏ	ŏ	ŏ	ŏ	i	ŏ
DISEASES OF MITRAL VALVE	(394)						•					-	•	•	. 🎽	•	v
MALE	4	· 0	0	0	0	1	0	0	0	0	1 •	0	0	2	0	0	0
FEMALE	6	0	0	0	0	. O	0	0	0	2	0	0	0	0	1	1	2
TOTALS	10	0	0	0	0	1	0	0	0	. 2	1	0	0	2	1	1	2
DISEASE OF ADRTIC VALVE	(395)																-
MALE	. 1	0	0	0	0	. 0	0	0	0	0	0	0	0	1	0	0	0
FEMALE	· 2	0	0	0	0	0	0	• <b>O</b>	0	0	0	0	0	0	õ	ō	2
TOTALS	. 3	0	0	0	0	0	0	0	0	0	0	ō	ō	Ĩ	õ	ŏ	2
DISEASES OF MITRAL AND A	ORTIC VALVES												-		•	· ·	-
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	Ō	õ	4	1
	6 TTO UE 000 00		0	0	0	0	0	0	0	0	0	0	0	0	0	4	2
ALL OTHER CHRONIC RHEUMA	IIC HEART DI	SEASE (3															-
MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
FEMALE	5	0	0.	0	0	0	· O	0	0	· 0	1	1	0	0	Ť	ŏ	2
TOTALS	6	0	0	0	0	0	0	0	0	0	1	1	1	0	1	Ō	2
ESSENTIAL HYPERTENSION (		-	_	_	_												
MALE Female	9	0	0	0	0	· 0 .	0	0	0	1	0	3	2	0	1	1	1
TOTALS	14	0	0	0	0	. 0	0	0	0	0	0	0	2	1	2	2	7
	23	0	0	0	0	0	0	0	0	1	0	3	4	1	3	3	8
HYPERTENSIVE HEART DISEA		~	-	-	-	-	_										
MALE FEMALE	24	0	0	0	0	0	0	1	2	3	1	2	3	0	3	4	5
TOTALS	58	0	0	0	0	0	0	0	0	2	0	1	2	3	8	10	32
IUTALS	82	0	0	0	0	0	0	1	2	5	1	3	5	3	11	14	37

.

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

.

.

DAGE282

حمز

.

٠

	OTAL EATHS	****** UNDER 1	****** 1-4	******* 5-9 1	****** 0-14 1	****** 5-19 2(	***** 0-24 2	* AGE 5-34 3	AT DEA 15-44 4	TH(YRS 5-54 5	.) *** 5~59 6	***** 0-64 (	******	****** 70-74	****** 75-79 (	****** 30-84	***** OVER 84
(CONT.)																	
HYPERTENSIVE RENAL DISEASE (4																	
MALE FEMALE	12	0	0	0	0	0	0	1	0	0	0	1	0	3	4	1	2
TOTALS	16 28	0	0	0	0	0	0	0	0	0	0	0	1	0	1	6	8
HYPERTENSIVE HEART AND RENAL		, •	0	0	0	0	0	1	0	0	0	1	1	3	5	7	10
MALE	DISEASE 2	(404)	0	0	0	. 0	~	~	•	~	~	•					
FEMALE	6	ŏ	ŏ	ŏ	0	0	0	0	. O O	0	0	0 0	1	1	0	0	0
TOTALS	8	ŏ	ŏ	ŏ	ŏ	õ	õ	ŏ	ŏ	0	0	0	0	2	0	0	4
ACUTE MYOCARDIAL INFARCTION (	410)		v	Ŭ	0	U	0	0	0	0	• 0	0	1	3	0	0	4
MALE	576	0	0	0	0	0	0	2	19	50	`44	50	55	99	91	81	85
FEMALE	508	Ó	Ó	õ	õ	õ	ŏ	2	3	10	22	22	43	62	77	98	85 169
	,084	0	0	. 0	Ō	Ō	ŏ	4	22	60	66	72	98	161	168	179	254
OTHER ACUTE AND SUBACUTE FORM	S OF ISC	CHEMIC H	EART D	DISEASE	(411)						••	. –			100	175	234
MALE	3	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	Ó	ŏ	Ĩ
TOTALS	5	0	0	0	0	0	0	0	. <b>O</b>	1	1	0	1	0	1	0	1
ANGINA PECTORIS (413) FEMALE		•	•	•	•	-	-										
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3
ALL OTHER FORMS OF CHRONIC IS		•		(412.4	. •	0	0	0	0	0	. 0	0	0	0	0	1	3
MALE	652		0	(412,4	0	0	0	3	10	40		45					
FEMALE	614	ŏ	ŏ	ŏ	ŏ	0 0.	ŏ	0	13 2	46 11	24 9	45 15	74	88	101	107	151
	.266	ŏ	ŏ	ŏ	ŏ	0	ŏ	3	15	57	33	60	31 105	59 147	65	109	313
DISEASES OF PULMONARY CIRCULA		15-417)	-	•	Ŭ	Ŭ	Ŭ	Ŭ	15	57	55	00	105	147	166	216	464
MALE	25	1	0	0	0	<b>O</b> .	0	0	2	0	3	3	2	4	4	2	1
FEMALE	39	0	0	0	0	0	0	1	1	2	1	2	2	5	10	9	6
TOTALS	64	ຸ 1	0	0	0	0	0	1	3	2	4	5	4	9	14	11	10
ACUTE AND SUBACUTE ENDOCARDIT	IS (421)		•													•••	
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
FEMALE TOTALS	1	. 0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
ACUTE PERICARDITIS, ACUTE MYO		•		0	⁰	O RICARD	···· ⁰	0	0	0	0	1	1	0	0	0	0
FEMALE	1			O	0	O O	10M (4 0			~	•			-	_	_	
TOTALS	1	ŏ	ŏ	ŏ	ŏ	ő	ŏ	00	0	0	0	1	0	0	0	0	0
MITRAL VALVE DISORDERS (424.0	) ·	Ŭ	Ŭ	Ŭ	Ŭ	v	U	U	0	0	0	1	0	0	0	0	0
MALE	<b>7</b>	0	0	0	0	0	0	0	1	0	. 2	0	0	0	2	0	•
FEMALE	14	0	0	Ō	ō	ō	õ	ŏ	ò	ŏ	ō	2	2	4	1	ö	2 5
TOTALS	21	0	0	0	0	0	0	0	1	ŏ	2	2	2	4	ġ	ŏ	7
AORTIC VALVE DISORDERS (424.1	·												-	•	•	v	
MALE	21	0	0	0	0	0	0	1	0	1	0	0	1	2	1	5	10
FEMALE	42	0	0	0	0	0	0	0	· 0	0	1	0	1	2	7	7	24
TOTALS	.63	0	0	0	0	0	0	1	0	1	1	0	2	4	8	12	34

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

.

DAGE282

### MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

1

.

.

TABLE D-3

.

## DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1995 (RESIDENT DATA) .

•

	CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	******* UNDER 1	****** 1-4	****** 5-9 10 [.]	****** -14 15-	***** •19 20	****** -24 25	AGE /	AT DEA 5-44 4	TH(YRS 5-54 5	.) *** 5-59 6	***** 0-64 6	******	****** 70-74 7	***** 5-79 8	***** 0-84	***** OVER 84
	(CONT.)																	
	ALL OTHER DISEASES OF END	OCARDIUM (4:	24.2-424.	9)														
	MALE	· 3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1
	FEMALE	21	0	0	0	0	0	0	0	0	Ó	ō	1	2	ŏ	ă	5	9
	TOTALS	24	, O	0	0	0	0	0	0	Ô	0	0	1	3	Ó	4	6	10
	HEART FAILURE (428) Male	00	•	-														
	FEMALE	99 177	0	0	0	0	0	0	0	Q	1	1	2	5	14	17	14	45
	TOTALS	276	0	0	0	0	0	0	0	· 1	o	2	5	8	5	18	35	103
	MYOCARDITIS, UNSPECIFIED			ERATIO	<u> </u>	0 .0-429.	•	0	0	1	1	3	7	13	19	35	49	148
	MALE	1		0	0	1	Ö	0	ο	ο	o	· 0	~	•	-	-	-	
	FEMALE	i	ŏ	õ	ŏ	ò	ŏ	ŏ	ő	ő	ŏ	ŏ	0	0	0	0	0	0
	TOTALS	2	ŏ	ŏ.	ŏ	ĭ	ŏ	ŏ	ŏ	ŏ	õ	ŏ	0	0	0	0	0	1
	ALL OTHER FORMS OF HEART	DISEASE (42	5-427,429	.2-429	.9)	•	•	Ŭ	Ũ	Ŭ	Ŷ	0	υ,	0	0	0	0	1
	MALE	361	1	1	Ó	1	0	0	5	9	30	12	28	35	54	54	42	89
	FEMALE	348	2	2	0	0	0	0	1	2	14	5	11	25	30	35	42	1.79
	TOTALS	709	3	3	0	1	0	0	6	11	44	17	39	60	84	89	84	268
	SUBARACHNOID HEMORRHAGE (																	
11	MALE	5	0	0	0	0	0	0	1	0	2	0	1	0	1	0	0	0
o	FEMALE Totals	16	0	0	0	0	0	0	1	2	2	1	1	2	1	4	1	1
		21 .	0	~ ( ( )	0	0	0	0	2	2	4	1 ·	2	2	2	4	1	1
	INTRACEREBRAL AND OTHER I MALE	50		GE (43) O			•	•	-	-	-	_						
	FEMALE	· 57	00	ŏ	0	0	0	0	0	0	3	2	5	5	8	7	13	7
	TOTALS	107	ŏ	ŏ	õ	õ	0	0	0	1	1	3 5	1	6	8	7	12	18
	OCCLUSION AND STENOSIS OF					U	0	0	0	1	4	5	6	11	16	14	25	25
	MALE	3	0	0	, o	0	0	0	0	0	0	0	0	1	•	1	•	
	FEMALE	2	ŏ	ŏ	ŏ.	õ	õ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	· o	0	0	0	]
	TOTALS	5	ŏ	Ō	ō '	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	õ	ŏ	1	ő	1	1	1
	CEREBRAL THROMBOSIS AND L	INSPECIFIED (	DCCLUSION	OF CEI	REBRAL	ARTERI	(EŠ (4	34.0.4	34.9)	÷	Ŭ	Ŭ	v	•	0			2
	MALE	15	्०	0	0	0	0	o	ό	0	1	0	1	З	2	2	1	5
	FEMALE	37	0	0	0	0	0	0	0	1	0	ō	ò	ō	5	4	7	20
	TOTALS	52	0	0	0	0	0	0	0	1	1	0	1	3	7	6	8	25
	CEREBRAL EMBOLISM (434.1)	, ,	•	-		-	-											
	MALE Female	· 1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	TOTALS	1	0	0	0	0	0	0	0	0	0	, O	0	0	0	0	0	1
	ACUTE BUT ILL-DEFINED CER			0 (436)	0	• 0	0	0	0	0	0	0	0	0	0	1	0	1
	MALE		VISEASE O	0	0	0	0	~	~	~	•	•	_					
	FEMALE	303	0	ŏ	0	0	0	0	0	0	2	2	7	13	23	26	31	62
	TOTALS	469	ŏ	ŏ	ŏ	ŏ	ŏ	0	ő	0	1	2	4	14 27	25	35	48	174
			. •	v	Ŭ	v	v	Ŭ	U	U	3	4		21	48	61	79	236

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

•

DAGE282

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

.

,

.

.

.

•

.

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** UNDER 1	****** 1-4	******* 5-9 1(	***** 0-14 1	****** 5-19 20	****** )-24 2	* AGE / 5-34 3	AT DEA 5-44 4	TH(YRS) 5-54 59	.) *** 5~59 6	****** 0-64 6	***** 5-69 7	****** 0-74 7	***** 5-79 8	***** 0-84	***** OVER 84
(CONT.)																	
OTHER CEREBROVASCULAR DI	SEASE (435,43	37-438)															
MALE	31	0	0	0	0	0	0	0	1	0	0	2	2	7	4	4	11
FEMALE	57	0	0	0	0	0	0	0	0	1	1	Ö	ō	2	3	13	37
TOTALS	88	. 0	0	0	0	0	0	Ó	Í	1	1	2	2	ģ	7	17	48
ATHERDSCLEROSIS (440)												-	-	J	'	.,	40
MALE	29	0	0	0	0	0	0	0	0	1	0	1	1	2	9	4	11
FEMALE	44	0	ō	ō	ō	ŏ	ŏ	ŏ	ŏ	Ó	ĭ	ò	2	õ	5	6	30
TOTALS	73	õ	ō	ŏ	õ	ŏ	õ	ŏ	ŏ	Ĭ	ł	Ŭ,	3	2	14		
AORTIC ANEURYSM (441)		-	•	Ū	v	Ū	v	U	. •	•	•	•	3	2	14	10	41
MALE	60	0	0	0	0	0	0	0	2		` ^		-				
FEMALE	41	ŏ	ŏ	0.	ŏ	ŏ	ŏ	ő	õ		2	1	5	13	12	14	10
TOTALS	101	ŏ	ŏ	0.	ŏ	õ	ŏ	õ	2	0	0	1	3	3	14	7	13
ALL OTHER DISEASES OF AR				PILLAR		42-448)	-	0	2	1	2	2	8	16	26	21	23
MALE	19	0		O O	0	,	·	•	•	•							
FEMALE	42	ő	ő	ŏ	-	0	0	0	0	0	1	4	1	8	1	1	3
TOTALS		-	-	•	0	0	0	0	1	2	2	0	0	4	4	9	20
	61	0	0	0	0	0	्	0	1	2	3	4	1	12	5	10	23
PHLEBITIS, THROMBOPHLEBI	TIS, AND VENL					S (451-	453)									_	
MALE	· 4	0	0	0	0	0	0	1	0	1	0	1	0	0	0	o	1
FEMALE	5	0	0	0	0	0	0	0	0	1	1	0	Ō	· 2	ŏ	ŏ	i
TOTALS	9 ·	0	0	0	0	0	0	1	0	2	1.	1.	õ	2	ŏ	ŏ	2
OTHER DISEASES OF VEINS,	LYMPHATICS,	AND CIR	CULATO	DRY SYS	TEM (4	54-459)	)						Ť	-	Ũ	0	~
MALE	6	0	0	0	0	0	0	0	0	1	0	2	0	- 1	0	1	4
FEMALE	· 5	0	0	Ó	õ	ŏ	õ	õ	ŏ	ó	ŏ	ō	ŏ	i	, i		3
TOTALS	11	Ō	ō	ŏ	ō	ŏ	õ	ŏ	ŏ	ĭ	ŏ	2	ŏ	2	1	0	3
ACUTE UPPER RESPIRATORY	INFECTIONS (4	460-465)	-	-	•		•	Ŭ	Ũ	•	v	~	v	2	1	1	4
MALE	2	2	0	0	0	0	0	0	0	0	0	0	o	~	•	•	•
TOTALS	· 2	2	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	õ	ŏ	ŏ	0	0	0	0
OTHER DISEASES OF UPPER					v	U	U	U	0	0	0	0	0	0	0	0	0
MALE	1	0	0 47	,, , 0	0	0	0	0	0	ο	0	0	~	•	•	-	•
FEMALE	· 2	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ		-	-	0	0	0	0	1
TOTALS		` ŏ	õ	ŏ	ŏ	õ	ŏ	ŏ	ő	0	0	0	0	0	0	1	1
ACUTE BRONCHITIS AND BROM		•	0	0	0	0	U	0	0	0	0	0	0	0	0	1	2
MALE		+00)	<u> </u>		~	•	•	-	•	-	_						
TOTALS			0	· 0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
VIRAL PNEUMONIA (480)		•		-	-	-	-										
FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	Ó	ŏ	3
PNEUMOCOCCAL AND OTHER B															-	-	-
MALE	10	0	0	0	0	0	0	0	1	1	0	1	1	0	0	3	3
FEMALE	· 8	0	0	0	0	0	0	1	0	2	0	0	0	ŏ	3	ŏ	2
TOTALS	18	0	0	0	0	0	0	1	1	3	ŏ	1	1	ŏ	3 3	3 3	5
											-		-	•	•		5

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

. •

.

DAGE282

TABLE D-3

•

			*****	*****	******	*****	******	*****	* AGE	AT DEAT		.) ***	*****	*****	*****	*****	*****	****
	CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1				5-19 20											OVER 84
	(CONT.)																	
	BRONCHOPNEUMONIA, ORGANISM	UNSPECIFIE	D (485)															
	MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
	FEMALE	8	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	7
	TOTALS	10	0		0	्०	0	0	0	0	0	0	0	0	0	1	0	9
	PNEUMONIA DUE TO DTHER AND		D ORGAN	•			-	•		-		-	_					
	MALE	131	1	0	0	ò	0	· 0	0	2	1	2	3	12	10	25	25	50
	FEMALE	164 295	0	0	0	1	0	00	00	02	1	0 2	3 6	2 14	12 22	18	23 48	104
	TOTALS INFLUENZA (487)	295	I	0	0	1	0	0	0	2	2	2	0	14	22	43	48	154
	MALE	4	0	ο.	0	0	0	0	0	о	0	· 0	о	0	0	0	1	3
	FEMALE	10	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	1	ŏ	2	1	1	ò	5
	TOTALS	14	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	· ŏ	ŏ	ŏ	i	ŏ	2	i		1	8
	BRONCHITIS, NOT SPECIFIED	••	-	C (490	ວ) ັ	Ŭ	Ū	v	v	v	Ŷ	•	v	-	•	•	•	Ŭ
	MALE	3	0	0	<i>`</i> 0	0	0	0	0	0	0	0	0	1	1	0	1	0
	FEMALE	2	Ó	1	Ó	Ō	Ó	ŏ	Ō	Ō	Ō	Ō	ō	Ó	Ó	ŏ	Ó	Ĩ
	TOTALS	5	0	1	0	0	0	0	0	0	0	0	0	1	1	0	1	1
	CHRONIC BRONCHITIS (491)																	
Ц	MALE	11	0	0	0	0	0	0	0	0	0	1	0	3	2	3	1	1
N	FEMALE	11	0	0	0	0	0	0	0	0	1	1	1	1	3	3	1	0
Ч	TOTALS	22 ·	0	0	· 0	0	0	0	0	0	1	2 .	1	4	5	6	2	1
	EMPHYSEMA (492)		_	_		_				_		-	_				_	_
	MALE	63	0	0	0	0	0	0	0	0	4	2	6	10	15	14	6	6
	FEMALE	39	0	0	0.	0	0	0	0	1	1	3	5	4	7	12	3	3
	TOTALS	102	0	0	0	0	0	0	0	1	5	5	11	14	22	26	9	9
	ASTHMA (493)	•	•	•	•	~		•		•	· .	~	•		•			•
	MALE	9	0	0	0	0	0	0	1 0	2 0	3	0	0	1	2 2	1	0	0
	FEMALE Totals	11 20	0	·- 0	ő	ő	Ų.	ő	1	2	4	ŏ	ŏ	2	2	4	3 3	2 2
	BRONCHIECTASIS AND EXTRINS				(494-49	. •	1	v	•	2	4	U	0	2	4	1	3	4
	MALE	6	0	0	0	<i>,</i> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0	0	0	0	0	0	0	1	0	1	3	- 1
	FEMALE	7	·ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	i	ŏ		2	3
	TOTALS	13	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	2	ŏ	2	5	4
	CHRONIC AIRWAYS OBSTRUCTIO				FIED (4	196) Č	•	•	•	•	•	•	•	-	•	-	•	•
	MALE	281	0	0	O`	0	0	0	0	0	4	8	17	34	48	61	60	49
	FEMALE	229	0	0	0	0	Ó	0	0	0	3	8	10	33	36	48	37	54
	TOTALS	510	0	0	0	0	0	0	0	0	7	¹⁶	27	67	84	109	97	103
	PNEUMOCONIOSES AND OTHER L	UNG DISEASE	S DUE 1	TO EXT	ERNAL #	GENTS	(500-5	08)										
	MALE	23 ·	0	0	0	0	0	0	0	1	0	0	4	1	1	4	6	6
	FEMALE	13	0	0	0	0	0	0	0	0	0	0	0	1	1	0	4	7
	TOTALS	36	• O	0	0	0	0	0	0	1	0	0	4	2	2	4	10	13

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

· .

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

,

•

.

DAGE282 .

TABLE D-3

· .

•

		*****	*****	*****	*****	******	*****	* AGE	AT DEAT	H(YRS.)	) ***	*****	*****	*****	*****	*****	****
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 10	D-14 1	15-19 20	0-24 2	5-34 3	5-44 45	54 55	-59 6	0-64 6	5-69 7	0-74 7	5-79 8	0-84	OVER 84
(CONT.)																	
EMPYEMA AND ABSCESS OF I	LUNG AND MEDI	ASTINUM	(510,5	13)													
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	Ó	õ	ŏ	ŏ	ò	1	ŏ	ŏ
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	Ō	1	1	ŏ	ŏ
PLEURISY (511)													-	-	-	·	Ŭ
MALE	6	0	0	0	0	0	0	0	0	1	0	0	0	0	3	1	- 1
FEMALE	3	0	0	0	0	0	0	0	0	0	0	ŏ	ŏ	ŏ	ŏ	ò	3
TOTALS	9	Q	0	0	0	0	0	0	0	1	Ó	Ō	õ	ŏ	3 3	1	4
ALL OTHER DISEASES OF R		STEM (51:	2,514-	519)													•
MALE	54	1	1	1	0	0	0	0	0	1	2	5	3	8	14	12	6
FEMALE	43	0	0	0	0	0	0	0	0	2	0	4	10	5	2	8	12
TOTALS	97	1	1	1	0	0	0	0	0	3	2	9	13	13	16	20	18
GASTRIC ULCER (531)	-	-			-												
MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
FEMALE	5	0	0	0	0	0	1	0	0	<b>O</b> .	0	1	0	0	0	1	2
TOTALS	7	0	0	0	0	0	1	0	0	Ο.	0	1	0	0	1	2	2
DUODENAL ULCER (532)		-			_												*
MALE	5	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	2
FEMALE TOTALS	10	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	3
PEPTIC ULCER. SITE UNSPI	12 ECIFIED (533)	0	0	0	0	0	0	0	0	0	1 '	0	1	3	- O	2	5
MALE	ECIFIED (533)	•	~	~	~	•	~				-						
FEMALE	5	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
TOTALS	5	0.	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2
GASTRITIS AND DUODENITIS	F (FOF)	0	0	0 -	0	0	0	0	0	1	0	0	1	0	1	2	2
MALE	3 (335)	0	0	0	o	0	0	0	•	•	•	-		_			
FEMALE	2	0	ŏ	0 ·	ŏ	ŏ	0	ő	0	0	0	0	1	0	0	0	0
TOTALS	3	ŏ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	õ	ŏ	0	0	0	0	0	0	2
APPENDICITIS (540-543)	-	Ũ	Ŭ	Ũ	Ŭ	Ŭ	U	v	0	0	0	0	1	0	0	0	2
MALE	1	· 0	Ö	0	1	0	0	0	0	0	0	0	0	0	~	~	•
FEMALE	1	ŏ	ŏ	ŏ	ò	ŏ	ŏ	ŏ	õ	õ	ŏ	ő	1	ŏ	0	0	o o
TOTALS	2	ŏ	ō	ŏ	1	ŏ	ŏ	ŏ	ŏ	õ	õ	õ	-	ő	ő	0	0
HERNIA OF ABDOMINAL CAV	ITY AND INTES	TINALOB	STRUCT	ION WIT	гнойт	MENTIO	-	•	(550-55	•	U	U		0	0	0	0
MALE	13	0	0	0	Ō	0	0	0	0	0	0	0	4	2		4	•
FEMALE	18	õ	1	٠Õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	1	ł	4	3	4	87
TOTALS	31	Ó	1	Ō	Ō	ŏ	ŏ	ŏ	õ	ŏ	ŏ	i	2	3	4	5	15
REGIONAL ENTERITIS AND	IDIOPATHIC PR	OCTOCOLI ⁻	TIS (5	55-556	)	-	-	-	-	-	Ŭ	•	-	U	-	5	15
MALE	2	0	0	0	Ó	0	0	0	0	2	0	0	0	0	0	0	0
FEMALE	4	0	0	Ó	Ó	Õ	ŏ	ŏ	ŏ	ō	ŏ	ŏ	ĭ	1	ŏ	2	ŏ
TOTALS	6	0	0	0	0	0	Ó	Ó	Ō	2	ŏ	ŏ	1	1	ŏ.	2	ŏ
														-		-	•

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

•

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

1

٠

DAGE282

. .

.22

٠.

TABLE D-3

•

1

•

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4							TH(YRS. 5-54 55							OVER 84
(CONT.)			•														
ALL OTHER NONINFECTIVE	GASTROENTERIT	IS AND CO	DLITIS	(557-5	58)												
MALE	20	0	0	0	ó	0	0	0	0	1	0	1	3	4	2	3	6
FEMALE	32	0	0	0	0	0	0	0	0	0	0	0	1	2	з	8	18
TOTALS	52	0	0	0	0	0	0	0	0	1	0	1	4	6	5	11	24
DIVERTICULA OF INTESTIN	E (562)																
MALE	· 5	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	1
FEMALE	14	0	0	0	0	0	0	0	0	0	2	0	2	0	1	2	7
TOTALS	19	0	0	0	0	0	0	0	0	0	2	0	2	0	3	4	8
CHRONIC LIVER DISEASE A				ALCOHOL		1.0-57	71.3)										
MALE	38	0	0	0	0	0	0	1	2	5	3	10	5	10	1	1	0
FEMALE	16	0	0	0	0	0.	0	1	2	3	2	3	2	1	2	0	0
TOTALS	54	0	0	0	0	0	0	2	4	8	5	13	7	11	3	1	0
CHRONIC HEPATITIS AND B	ILIARY CIRRHO	SIS (571	.4,571														
MALE	3	0	0	0	0	0	ò	0	0	0	0	0	1	1	0	0	1
FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	1
TOTALS	8	0	0	0	0	0	0	0	0	0	0	0	1	3	2	0	2
CIRRHOSIS OF LIVER AND		HRONIC L							HOL (5'	71.5,57							
MALE	30	0	0	0	0	0	0	0	2	4	5	5	6	2	5	· 0	1
FEMALE	24	1	0	0	0	0	0	0	1	0	2	0	2	5	8	4	1
TOTALS	54 `	1	0	0	0	0	0	0	3	4	7 ·	5	8	7	13	4	2
CHOLELITHIASIS AND OTHE	R DISORDERS O			(574-5)	- /	_	_	_	_				_				
MALE	9	0	0	0	0	0	0	0	0	1	0	1	0	1	3	0	3
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3	5
TOTALS	18	0	0	0	0	0	0	0	0	1	0	1	1	1	3	3	8
ALL OTHER DISEASES OF D			534,53				573,570	6-579)		_		•	_	-	-	_	
MALE	52	1	1	0	0	0	0	1	2	2	2	6	4	. 8	9	7	9
FEMALE	76	o	0	0	0	0	0	0	2	3	3	2	5	5	5	17	34
	128	1	1	0	0	0	0	1	4	5	5	8	9	13	14	24	43
NEPHROTIC SYNDROME (581	,	•	~	~	~	~	~	~	~	~	~	~	~	~	~		~
	1	. 0	· 0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
		•			•				583.58	. •	U	0	0	0	U	1	0
CHRONIC GLOMERULONEPHRI	115, NEPHRIII							(582~			0	~	0	~		~	~
MALE Female	3	0	0	0	0	0	0	ŏ	0	0	ŏ	0	0	0	. 0	2	0
TOTALS	2	0	ŏ	ŏ	ő	ŏ	Ö	ŏ	ő	0	ŏ	õ	ŏ		· U	3	00
RENAL FAILURE (584-586.	500-500)	0	0	0	0	0	0	0	0	U	. 0	0	0		I.	3	0
MALE	78	0	0	0	0	0	0	0	0	0	2	3	9	10	15	12	27
FEMALE	54	ŏ	ŏ	ŏ	ŏ	ő	ŏ	1	1	ŏ	ō	1	3	2	5	9	32
TOTALS	132	0	ŏ	ŏ	ŏ	ŏ	ŏ	i i	1	ŏ	2	4	12	12	20	21	59
IUIALO	102	~	<u> </u>			<u> </u>	~	-	14		~~	<b>~</b> ·					

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

•

.

.

.

.

DAGE282

.2 3

TABLE D-3

-

## DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1995 (RESIDENT DATA)

.

•

		*****	*****	******	*****	*****	*****	* AGF	AT DEA	TH(YRS	) ***	*****	*****	****	*****	* * * * * *	ىلە بلە بلە بلە ب
CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER	1-4	5-9 1	0-14	15-19 2	0-24 2	25-34 3	5-44 4	5-54 5	5~59 6	0-64 6	5-69 7	0-74 7	5-79 8	0-84	OVER 84
(CONT.)																	
INFECTIONS OF KIONEY (590)																	
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
FEMALE	5	0	0	0	0	0	0	Ó	Ō	ŏ	ŏ	ŏ	ŏ	ž	ò	3 3	ŏ
TOTALS	6	. 0	0	0	0	0	0	ò	Ō	ō	ŏ	ŏ	ŏ	2	1	3	õ
URINARY CALCULUS (592,594)						-	-	-	•	•	v	v	v	~	•	5	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
TOTALS	2	Ó	Ō	ŏ	ō	ŏ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	õ	õ	ŏ	2	0
ALL OTHER DISEASES OF URINAR	Y SYSTEM	(591,59	3.595-	·599)	-	•	•	•	v	v	Ŭ	v	U	U	U	2	0
MALE	26	Ó	Ó 0.	ó	0	0	0	0	0	0	0	0	1	4	5	3	13
FEMALE	44	0	0	Ō	Ō	Ō	õ	ŏ	ŏ	ŏ	·ŏ	ŏ	ò	3	8	5	28
TOTALS	70	Ó	Ó	ō	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	1	7	13	8	28 41
HYPERPLASIA OF PROSTATE (600	))				-	•	-	-	•	Ũ	Ŭ	Ŭ	•	'	15	•	41
MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3
TOTALS	4	0	0	0	Ō	ŏ	Ō	ŏ	ŏ	ŏ	õ	ŏ	ŏ	ŏ	ŏ	1	3
OTHER DISEASES OF FEMALE GEN	ITAL ORG	ANS (614	-629)			•	-	•	•	v	Ŭ	Ŭ	v	U	U		3
FEMALE	3	o	0	0	0	0	0	0 ·	0	0	0	0	0	0	0	2	4
TOTALS	3	0	0	0	0	Ó	ò	ō	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	2	4
OTHER PREGNANCY WITH ABORTIV	E OUTCOM	E (630-6	32,637	7-638)				•	•	•	Ŭ	v	v	Ŭ	U	2	
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	1 .	0	0	0	0	0	0	1	Ó	Ō	Ō۰	ŏ	ŏ	ŏ	ŏ	ŏ	õ
INFECTIONS OF SKIN AND SUBCL	TANEOUS -	TISSUE (	680-68	36)							_	-	-	Ŷ	v	Ŭ	Ŭ
MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	Ó	õ	ŏ	ŏ	ĭ	õ
TOTALS	2	0	0	0	0	0	0	0	0	0	1	ŏ	ŏ	õ	ŏ	i	ŏ
ALL OTHER DISEASES OF SKIN A	ND SUBCU	TANEOUS	TISSUE	: (690-	709)							•	•	·	v	•	Ŭ
FEMALE	5	္ဝ	0	0	0	0	0	0	0	0	0	0	0	2	0	1	2
TOTALS	5	Ö.	0	0	0	0	0	0	0	0	0	Ó	õ	2	ŏ	i	2
RHEUMATOID ARTHRITIS AND OTH				THROPA	THIES	(714)									•	•	-
MALE	3	. 0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0
FEMALE	10	. 0	0	0	0	0	0	0	0	1	1	1	0	2	Ó	3	2
TOTALS	13	0	0	0	0	0	0	0	0	2	1	1	0	3	ŏ	4	2
OTHER ARTHROPATHIES AND RELA					'19)										-	-	-
MALE	8	0	0	0	0	0	· O	0	0	1	1	1	0	0	1	1	3
FEMALE	14	0	0	0	0	Ò	0	1	0	0	0	0	5	1	0	1	6
TOTALS	22	0	0	0	0	0	0	1	0	1	1	1	5	1	1	2	ĝ
RHEUMATISM, EXCLUDING THE BA	CK (725-	729)															-
MALE	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1
TOTALS	3	0	. 0	0	0	0	0	0	0	0	0	1	0	Ó	Ō	1	1
OSTEOPATHIES, CHONDROPATHIES						DRMITIE	- (,	)-739)									
MALE	5	0	0	0	ò	0	0	0	0	1	0	1	0	0	0	Ó	3
FEMALE	17	0	0	0	1	0	0	0	0	Q	0	0	0	0	2	1	13
TOTALS	22	0	0	· 0	1	0	0	0	0	1	0	1	0	0	2	1	16

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

> • •

> > .

#### MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

.

DAGE282

•

-

• • • • • • • • • • • • • • • • • • • •	* TAL U ATHS	******* NDER 1 1	***** -4 5			******* -19 20-											**** OVER 84
(CONT.)																	
ALL OTHER CONGENITAL ANOMALIES	OF NERVO	US SYST	EM (74	0,742)													
MALE	3	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	4	. 3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
CONGENITAL ANOMALIES OF HEART	(745-746)		~	~	~	•	~		~	~	•			•	•	~	•
MALE Female	4	1	0	0	0	0	0	1	0	0	0	1	1	0	0	0	0
TOTALS	3	2	0	õ	õ	0	0	1	0	0	ő	1	4	4	0	0	0
OTHER CONGENITAL ANOMALIES OF		ອ້ຽນອີ	•	•	U	0	U	•	U	U	0	•	I		U	v	U
MALE	1	0	0	ó	0	0	0	0	0	1	° o	0	0	0	0	0	0
FEMALE	3	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ò	ŏ	ŏ	ŏ	ŏ	ŏ	ž	ĭ
TOTALS	4	ō	õ	õ	õ	õ	ō	õ	õ	Ĩ	ŏ	ŏ	ō	ŏ	ŏ	2	1
ALL OTHER CONGENITAL ANOMALIES	(743-744	,748-75	9)														
MALE	. 13	8	0	0	0	0	0	1	0	1	0	1	0	1	1	0	0
FEMALE	6	4	0	0	0	0	0	Q	0	0	0	0	0	1	0	0	1
	19	12	0	0	0	0	0	1	· 0	1	0	1	0	2	1	0	1
NITRAUTERINE HYPOXIA, BIRTH AS	PHYXIA AN	ID RESPI	Ο	01211	(ESS : 0	SYNDROME O	0	8-769) O	0	ο	0	ο	0	0	ο	0	~
FEMALE	3	3	0	ŏ	ő	ŏ	. 0	ŏ	ŏ	ő	0	ŏ	ŏ	ŏ	ŏ	ő	0
TOTALS	8.	8	õ	õ	õ	ŏ	ŏ	õ	ŏ	õ	õ.	õ	ŏ	õ	ŏ	ŏ	õ
OTHER CONDITIONS ORIGINATING I	N THE PER	INATAL	PERIOD	( 760 ·	-766.3	770-779)	·	•	•	·	•	•	•	Ū	0	v	v
MALE	15	15	0	ò	0	0	0	0	0	0	0	0	· 0	0	0	0	0
FEMALE	18	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	33	33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SENILITY WITHOUT MENTION OF PS	YCHOSIS (	797)															
MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1
FEMALE	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	o,	13
TOTALS	16 DEETNED (		0	0 0-796	0	0	0	0	0	0	0	0	0	0	1	1	14
SYMPTOMS, SIGNS AND OTHER ILL- MALE	35	. 6	0	0-796	,/90-	(99) 0	0	- 1	4	2	0	. 4	2	5	4	5	4
FEMALE	32	. 0	ŏ	ŏ	ö	ŏ	ŏ	ł	3	1	· 1	1	1	1	3	4	13
TOTALS	67	g	õ	õ	1	Ö.	ŏ	2	7	3	i	5	3	6	4	9	17
MOTOR VEHICLE TRAFFIC ACCIDENT		ING COLI		WITH '	TRAIN	(E810)	v	-	•	•	•	Ū	0	•	-•	2	••
MALE	1	0	Ö	õ	0	0	0	0	0	0	0	1	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	. 0	1	0	0	0	0	0
MOTOR VEHICLE TRAFFIC ACCIDENT								ICLE (	E811-E8	12)		_	_				
MALE	44	0	0	1	2	3	11	5	3	2	1	2	7	2	2	3	0
FEMALE	31 75	1	2 2	0	2 4	2 5	2 13	4 9	2	5 7	2	1	2	1	4	1	0
TOTALS	15	1	4	1	**	5	13	5	5	1	3	3	5	3	U	4	v

.

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

.

.

.

•

DAGE282

.

TABLE D-3

•

,

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	************ UNDER 1-4 1	****** 5~9 10	****** 0-14 15	***** 5-19 2	***** 0-24 2	* AGE /	AT DEA1 5-44 45	H(YRS. 5-54 55	) ***; -59 6(	****** )-64 65	****** 5-69 7(	***** )-74 7!	***** 5-79 80	***** )-84	0VER 84
(CONT.)							•									
MOTOR VEHICLE TRAFFIC	ACCIDENTS INVOLV	ING COLLISIO	N WITH	PEDEST	TRIAN	(E814)										
MALE	10	0 0	0	1	1	0	2	1	1	0	0	0	1	1	1	1
FEMALE	6	0 0	0	1	1	0	1	0	0	0	Ō	Ō	Ó	1	i	1
TOTALS	16	0 0	0	2	2	0	3	1	1	Ō	ō	ŏ	1	2	2	, ,
MOTOR VEHICLE TRAFFIC A	ACCIDENTS INVOLV	/ING COLLISIO	N WITH	OTHER	VEHIC	LE OR -	OBJECT	(E813.	E815)	-	-	-	•	-	-	-
MALE	9	0 0	0	0	0	1	5	2	0	0	0	0	1	0	0	0
FEMALE	. 7	0 0	0	0	0	1	1	õ	Ĩ	õ	ŏ	ĭ	2	ŏ	ĭ	ŏ
TOTALS	16	0 0	0	0	0	2	6	2	1	õ	ŏ	i	3	ŏ	i	ŏ
MOTOR VEHICLE TRAFFIC A	ACCIDENTS NOT IN	VOLVING COLL	ISION 0	ON HIGH	HWAY (	E816-E	818)			. •	•	•	Ŷ	v	•	Ŭ
MALE	38	0 0	0	0	1	12	6	7	3	Ò	1	0	3	3	0	2
FEMALE	6	0 0	0	0	2	0	0	0	2	1	ò	ŏ	ŏ	ŏ	1	ō
TOTALS	44	0 0	0	0	3	12	6	7	5	1	1	ŏ	š	š	i	2
MOTOR VEHICLE TRAFFIC A	ACCIDENTS OF UNS	SPECIFIED NAT	URE (E	819)							•	•	Ŭ	Ŭ	•	~
MALE	10	0 0	0	Í	2	1	1	. 2	0	0	0	1	0	1	1	0
FEMALE	10	0 0	0	0	0	1	1	5	õ	õ	ĭ	ò	ĭ	ò	ဂ်	. 1
TOTALS	20	0 0	0	1	2	2	2	7	ŏ	õ	i	1	i	ĭ	1	4
MOTOR VEHICLE NONTRAFF	IC ACCIDENTS (E8	320-E825)							•	•	•	•	•	•	•	1
MALE	6	0 0	0	0	1	0	4	0	1	0	0	0	0	0	0	0
FEMALE	1	Ó Ó	õ	1	ò	õ	ò	ŏ	ò	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	0
TOTALS	7 `	Ó Ó	Ó	1	1	õ	4	ŏ	1	õ.	ŏ	ŏ	ŏ	õ	õ	0
OTHER ROAD VEHICLE ACC	IDENTS (E826-E82	29)	-	-	-	•		•	•	Ũ	v	v	0	U	v	0
MALE		0 0	1	· 0	0	0	0	0	0	0	0	0	0	0	0	~
TOTALS	1	õ õ	1	ŏ	õ	ŏ	õ	õ	ŏ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ő
WATER TRANSPORT ACCIDEN	NTS (F830-F838)	• •	•	Ŭ	Ŭ	Ŭ	Ŭ	0	Ū	0	v	v	U	U	0	0
MALE	2	0 0	0	. 0	0	2	0	0	0	0	0	0	0	0	~	•
FEMALE	· 1	ŏŏ	ŏ	ŏ	ŏ	ō	1	ŏ	õ	ŏ	ŏ	ŏ	ŏ	-	0	0
TOTALS	3	õõ	ŏ.:	õ	ŏ	2	4	ŏ	õ	ő	õ	ŏ	0	00	0	0
AIR AND SPACE TRANSPOR	T ACCIDENTS (E84	• •	0.	0	v	-	1	U	0	0	0	U	0	0	0	0
MALE	1	0 0	0	0	0	0	0	1	0	0	o	0	0	0	0	•
FEMALE	2	· õ õ	ŏ	ŏ	ŏ	ŏ	ŏ	ò	1	4	õ	ŏ	õ	-	-	0
TOTALS	3	õ õ	ŏ	õ	õ	õ	õ	4		1	õ	0	•	0	0	0
ACCIDENTAL POISONING BY	Y DRUGS. MEDICAN	• •	LOGICA		50-E85	•	0	1	•	1	0	0	0	0	0	0
. MALE	· 14		· O	0	4	4	4	4	•	~	~	•		•		-
FEMALE	14	0.0.	0	õ	ò	ò	4	•	3	0	0	0	1	0	0	0
TOTALS	18	0 0	õ	õ	Ŷ	4	6	0		0	0	0	0	0	0	1
ACCIDENTAL POISONING BY		• •	TANCES		1 -E866)	1	Ö	4	4,	0	0	0	1	0	0	1
MALE			O	0	/	~	•	•	•	•	•	•				
TOTALS	2		0	ő	0	0	0	2	0	0	0	0	0	0	0	0
ACCIDENTAL POISONING B	Z V CASES AND VAD	• •		0	0	0	0	2	0	0	0	0	0	0	0	Ο,
MALE	I GASES AND VAPO		- /	0	•	· ^	<u>^</u>	~		•	•	•				_
TOTALS	4		0	0	0	0	0	0	1	0	0 0	0	0	0	0	Q
IUTACS	1	0 0	0	U	0	0	0	U	1	0	0	0	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED. • •

.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

.

•

.

DAGE282

126

TABLE D-3

## DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1995 (RESIDENT DATA)

.

•

.

			*****	****								<b>、</b>						
	CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	UNDER 1	1-4	5-9 1	0-14 1	****** 5-19 20	0-24 2	* AGE 5-34 3	AT DEA 5-44 49	5-54 5	.) *** [,] 5-59 6(	****** )-64 6	****** 5-69 70	****** 0-74 7	****** '5-79 8	****** 0-84	**** OVER 84
	(CONT.)																	
	MISADVENTURES DURING MEDI	CAL CARE, AB	NORMAL	REACT	IONS, A	ND LAT	E COMPI	LICATI	ONS (E	870-E8 [.]	79)							
	MALE	8	0	0	0	0	0	0	°.	1	0	2	2	0	0	1	2	0
	FEMALE	8	0	0	0	0	0	0	0	0	1	0	0	1	ŏ	2	1	š
	TOTALS	16	. 0	0	0 '	0	0	0	0	1	1	2	2	1	Õ	3	3	3 3
	FALL FROM ONE LEVEL TO AN MALE	UTHER (E880-	E884)	•	•													
	FEMALE	0	0	0	0	0	1	0	1	. 1	1	1	0	1	0	0	0	0
	TOTALS	12	ő	0	0	0	0	0	0	0	1	0	0	0	1	2	1	1
	FALL ON SAME LEVEL (E885-		0	0	U	0	I	0	1	1	2	1.	0	1	1	2	1	1
	MALE	<b>1</b>	0	0	0	0	0	0	0	0	0	· o	0	0	0	0	0	.4
	FEMALE	1	0	0	0	Ó	Ō	ŏ	õ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ő	-1
	TOTALS	2	0	0	0	0	0	0	0	Ó	Ó	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	2
	FRACTURE, CAUSE UNSPECIFI		R AND U	NSPEC1		FALLS	(E887-1	E888)						-	•	·	•	-
	MALE	24	0	1	0	0	0	0	0	0	0	0	1	1	1	8	1	11
	FEMALE TOTALS	37	0	0	0	0	0	0	0	0	1	1	0	2	1	2	7	23
	ACCIDENTS CAUSED BY FIRE	61	F000 F0	~^ ¹	0	0	0	0	0	0	1	1	1	3	2	10	8	34
	MALE	AND FLAMES (	E890-E8	,	•	•												
<u>د</u>	FEMALE	9	0	0	0	0	1	1	1	0	2	1	1	0	1	1	0	0
ა	TOTALS	11 .	ŏ	õ	0	0	· 0	0	0	0	1	0	Q	1	0	0	0	0
5	ACCIDENTAL DROWNING AND S		910)	U	0	0	1	1	1	0	3	1	1	1	1	1	0	0
	MALE	10	3107	0	0	4	1	2		2	2	~		•	•			_
	FEMALE	1	ŏ	ŏ	ŏ	ò	0	õ	0	õ	õ	0	0	0	0 0	ò	0	0
	TOTALS	11	ŏ	õ	ŏ	· ĭ	ĭ	ž	1	2	2	ŏ	4	ő	0	1	0	0
	INHALATION AND INGESTION	OF FOOD OR O	THER OB	JECT (	CAUSÍNO	SUFFC	CATION	(E911	-E912)	£.	2	U		0	0	1	0	0
	MALE	11	0	0	0	0	0	0	2	0	1	0	0.	0	1	4	2 ·	4
	FEMALE	12	0	0	1	0	0	Ó	0	1	ò	ŏ	ŏ	ĭ	2	2	1	4
	TOTALS	23	0	0	1	0	0	0	2	1	1	ŏ	ŏ	i	3	3	3	8
	ACCIDENT CAUSED BY HANDGU MALE	JN (E922.0)	-													-	-	
	TOTALS	. ]	· O	0	. 0	0	0	0	0	0	0	0	1	0	0	0	0	0
	ACCIDENT CAUSED BY ALL OT				0/1	0	0	्०	0	0	0	0	1	0	0	0	0	Ō
	MALE	THER AND UNSP	O	0	4KM5 (E 0		E922.9	·	•	•		_	_	_				
	FEMALE		ŏ	ŏ	ŏ	0	0	0	2 0	ç	0 0	0	0	0	0	0	0	0
	TOTALS	4	ŏ	ŏ	ŏ	ő	1	0	2	1	0	0	0	0	0	0	0	0
	ACCIDENT CAUSED BY ELECTR	IC CURRENT (	F925)	Ŭ	Ŭ	0		0	2	1	0	· 0	0	0	0	0	0	0
	MALE	2	,	0	0	0	0	0	0	0	2	0	0	~	~	~	•	-
	TOTALS	2	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	2	õ	ő	0	0	0	0	0
	ALL OTHER ACCIDENTS (E900	)-E906,E908-E	909,E91	3-E92	1,E927-		Ť	v	v	v	~	0	0		0	0	0	0
	MALE	24	Ō	0	0	2	1	1	3	3	3	2	1	2	2	0	1	3
	FEMALE	15	2	0	0	' <b>O</b>	1	0	0	2	ō	ō	ò	õ	1	5	2	2
	TOTALS	39	2	0	0	2	2	1	3	5	3	2	1	2	3	5	3	5

.

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

,

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

,

•

•

.

DAGE282

Ч N 1

.

-

,

CAUSE OF DEATH GROUP AND SEX		********* UNDER 1-		***** 9 10-1	******** 4 15-19	****** 20-24	*** AGE 25-34	AT DEAT 35-44 45	H(YRS. -54 55	) **** ~59 60	**** -64 6	*******	***** )-74 7	***** 5-79 8	***** 0-84	• * * * * OVER
AND SEX	DEATHS	1														84
(CONT.)																
DRUGS, MEDICAMENTS A	ND BIOLOGICAL SUB	STANCES CA	USING	ADVERS	E EEEECI	IS TN .	THERAPE		( 5930	- 5040)						
FEMALE	2				ō ō	0		1	0	0	0	0	0	0	~	
TOTALS	2				õ õ	ŏ		1	ŏ	ŏ	ŏ	ŏ	ŏ	ŏ	0	1
SUICIDE BY DRUGS, ME	DICAMENTS, AND BIG	DLOGICALS	(E950.	0-E950	.5)				-	-	Ū	Ŭ	Ŭ	0	0	•
MALE	9	-	-	0	0 0	0	2	5	1	1	0	0	0	0	0	0
FEMALE	6	÷	-	0	0 0	· 0	1	2	1 ·	1	ō	1	ŏ	ŏ	ŏ	ŏ
TOTALS	15		•	• .	o o	0	3	7	2	2	0	1	õ	ŏ	ŏ	ŏ
SUICIDE BY OTHER SOL MALE	ID OR LIQUID SUBST		2002	950.9)										-	•	·
TOTALS	1	-		0	1 0	0	0	0	0	、 O	0	0	0	0	0	0
SUICIDE BY GASES AND	VADODS (EQE1-EQE)		0	0	1 0	0	0	0	0	0	0	0	0	0	0	0
MALE	11		0	0	0 0	0	~	•	•		_					
FEMALE	3	-	-	-	0 0	0	· 5	0	2	0	0	1	1	1	1	0
TOTALS	14	-	•	-	č č	ŏ	6	1	02	0	0	1	0	0	0	0
SUICIDE BY HANGING,	STRANGULATION, AND	SUFFOCAT		953)	0 0	0	0	1	2	0	0	2	1	1	1	0
MALE	24	_		,	2 0	2	3	9	4	1	0	0	0	0	~	
FEMALE	4	0	0	0	οŌ	ō	1	ĩ	ò	1	ŏ	ŏ	ŏ	2 0	0	1
TOTALS	28	0	0	0	2 0	2	4	10	4	2	ŏ	õ	ŏ	2	1	1
SUICIDE BY HANDGUN (											Ŭ	Ũ	Ũ	~	•	
MALE	19 1	-		0	02	1	0	4	5	2 ·	0	0	1	0	2	2
FEMALE	4	•	-	-	0 0	1	0	2	1	0	ō	õ	ò	ŏ	ō	ō
TOTALS	23		•	•	0 2	2	0	6	6	2	0	ŏ	1	ŏ	2	2
SUICIDE BY ALL OTHER				-E955.	• /									•	-	-
MALE FEMALE	65	-	-	-	0 3	5	13	14	5	3	2	4	5	5	3	3
TOTALS	5 70	-	-	+	0 0 0 3	õ	-	<u>1</u> .	1	0	0	0	0	0	0	0
SUICIDE BY ALL OTHER		5-5050)	0	0	0 3	5	16	15	6	3	2	4	5	5	3	3
MALE	7		0	0	0 0	1	0	3	0	~			-			
FEMALE	2	•	-	-	ŏŏ	ö	2	0	ŏ	0	1	1	0	0	1	0
TOTALS	9	-	-	-	õ õ	1	2	3	ŏ	õ	0	0	0	0	0	0
ASSAULT BY HANDGUN (	E965.0)		-	•	• •	•	~	0	v	<b>U</b> .		I	0	0	1	0
FEMALE	3	0	0	0	0 0	0	3	0	0	0	0	0	0	0	~	•
TOTALS	3		ο.	0	ō ō	ŏ	3	ŏ	ŏ	ŏ	ŏ	õ	ŏ	ő	0	0
ASSAULT BY ALL OTHER	AND UNSPECIFIED F	FIREARMS (	E965.1	-E965.	4)	-	_	•	•	Ŭ	Ŭ	0	0	0	0	0
MALE	5	•	-	-	0 0	0	0	2	2.	0	0	0	1	0	о	0
FEMALE	3		-	-	0 0	1	1	0	0	Ō	ō	ŏ	1	ŏ	ŏ	ŏ
		•	-	0	0 0	· 1	1	2	2	0	0	0	2	Ō	ŏ	ŏ
ASSAULT BY CUTTING A MALE	ND PIERGING INSTRU			<u>^</u>	<u>م</u>	~	-				_					-
TOTALS	4					0	2	1	1	0	0	0	0	0	0	0
		U	0	0	0 0	0	2	1	1	0	0	0	0	0	0	0

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS ÷

•

.

DAGE282

128

TABLE D-3

. .

### DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1995 (RESIDENT DATA)

CAUSE OF DEATH GROUPS AND SEX	TOTAL DEATHS	****** UNDER 1	***** 1-4							EATH(YR 45-54							0VER 84
(CONT.)																	
ASSAULT BY ALL OTHER MI	EANS (E960-E964	,E965.5	5-E965	.9,E96	7-E969	)											
MALE	2	0	0	. 0	0	0	1	0	0	1	0	0	0	0	0	0	0
FEMALE	4	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
TOTALS	6	2	0	0	0	0	1	0	1	1	1	0	0	0	0	0	0
STATE																	
MALE	5,775	48	7	9	15	29	47	122	216	379	272	430	618	837	891	809	1,046
FEMALE	5,923	40	9	2	11	9	9	53	.105	258	181	242	474	600	789	914	2,227
TOTALS	11,698	88	16	11	26	38	56	175	321	637	453	672	1,092	1,437	1,680	1,723	3,273
PERCENT DISTRIBUTION																	
MALE	100.00	0.83	0.12	0.16	0.26	0.50	0.81	2.11	3.74	6.56	4.71	7.45	10.70	14.49	15.43	14.01	18.11
FEMALE	100.00	0.68	0.15	0.03	0.19	0.15	0.15	0.89	1.77	4.36	3.06	4.09	8.00	10.13	13.32	15.43	37.60
TOTALS -	100.00	0.75	0.14	0.09	0.22	0.32	0.48	1.50	2.74	5.45	3.87	5.74	9.33	12.28	14.36	14.73	27.98

-

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

CAUSE OF DEATH GROUPS WITH ZERO DEATHS ARE NOT LISTED.

.

•

. .

-

.

•

DAGE282

H->

29

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

•

#### UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS MAINE STATE TOTALS, 1995 (RESIDENT DATA)

•

.

CAUSE OF DEATH	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
SHIGELLOSIS & AMEBIASIS (004,006) OTHER INTESTINAL INFECTIONS (007-009) TUBERCULOSIS OF RESP. SYSTEM (010-012) OTHER TUBERCULOSIS (013-018) WHOOPING COUGH (033) STREP., SCARLATINA & ERYSIPELAS (034-035) MENINGOCOCCAL INFECTION (036) SEPTICEMIA (038) ACUTE POLIOMYELITIS (045) MEASLES (055) VIRAL HEPATITIS (070) SYPHILIS (090-097) ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL) MAL. NEO. LIP, ORAL CAV., PHARYNX (140-149) MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159) MAL. NEO. RESPIRATORY & THORACIC ORG. (160-165) MAL. NEO. GENITAL ORGANS (179-187) MAL. NEO. GENITAL ORGANS (179-187) MAL. NEO. ALL OTHER & UNSPEC. (170-173, 190-199) LEUKEMIA (204-208)	. 0	0	0.000
OTHER INTESTINAL INFECTIONS (007-009)	6	11	0.000
TUBERCULOSIS OF RESP. SYSTEM (010-012)	2	11 5 3 0 0 2	1.833
OTHER TUBERCULOSIS (013-018)			2.500
WHOOPING COUGH (033)		3	3.000
STREP. SCARLATINA & ERYSIPELAS (034-035)	Ŏ	0	0.000
MENINGDCOCCAL INFECTION (036)	2	0	0.000
SEPTICEMIA (038)	75	391	1.000
ACUTE POLIOMYELITIS (045)	, 3	0	5.213
MEASLES (055)	ŏ	0	0.000
VIRAL HEPATITIS (070)	5	6	0.000
SYPHILIS (090-097)	1	1.	1.200
ALL OTHER INFECT. & PARASITIC DIS. (RESIDUAL)	99	141	1.000
MAL. NEO. LIP. ORAL CAV., PHARYNX (140-149)	40	51	1.424 1.275
MAL. NEO. DIGESTIVE & PERITONEUM ORG. (150-159)	680	753	1,107
MAL. NEO. RESPIRATORY & THORACIC ORG. (160-165)	933	1,024	1.097
MAL. NEO. BREAST (174-175)	228	279	1.223
MAL. NEO. GENITAL ORGANS (179-187)	337	429	1.273
MAL. NEO. URINARY ORGANS (188-189)	144	182	1.263
MAL. NEO. ALL OTHER & UNSPEC. (170-173, 190-199)	362	542	1.497
LEUKEMIA (204-208)	90	110	1.222
DEDREMIA (200-208) OTHER MAL. NEO. LYMPH & HEMO. TISSUE (200-203) BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239) DIABETES MELLITUS (250) NUTRITIONAL DEFICIENCIES (260-269) ANEMIAS (280-285) MENINGIIIS (320-322)	184	225	1.222
BENIGN NEO., NEO. UNCERT. & UNSPEC. (210-239)	49	99 `	2.020
DIABETES MELLITUS (250)	313	1,039	3.319
NUTRITIONAL DEFICIENCIES (260-269)	31	209	6.741
ANEMIAS (280-285)	29	197	6.793
MENINGITIS (320-322)	5	10	2.000
ANEMIAS (280-285) MENINGITIS (320-322) RHEUM. FEVER & RHEUM. HEART DIS. (390-398) HYPERTENSIVE HEART DISEASE (402)	25	43	1.720
HYPERTENSIVE HEART DISEASE (402)	. 82	155	1.890
HYPERTENSIVE HEART & RENAL DIS. (404)	8	16	2.000
ACUTE MYOCARDIAL INFARCTION (410)	1,084	1,287	1.187
OTHER ACUTE & SUBACUTE I.H.D. (411)	5	14	2.800
ANGINA PECTORIS (413)	4	57	14.250
ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414)	1,266	2,312	1.826
OTHER DISEASES OF ENDOCARDIUM (424)	108	234	2.166
ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429)	1,054	3,908	3.707
HYPERIENSIUN W/WO RENAL DISEASE (401, 403)	51	724	14.196
HYPERTENSIVE HEART DISEASE (402) HYPERTENSIVE HEART DISEASE (402) HYPERTENSIVE HEART & RENAL DIS. (404) ACUTE MYOCARDIAL INFARCTION (410) OTHER ACUTE & SUBACUTE I.H.D. (411) ANGINA PECTORIS (413) ALL OTHER FORMS OF CHRONIC I.H.D. (412, 414) OTHER DISEASES OF ENDOCARDIUM (424) ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429) HYPERTENSION W/WO RENAL DISEASE (401, 403) INTRACEREBRAL HEMORRHAGE (431-432) CEDER THPOM & UNSPEC DOCUMETON (424 0, 424 0)	107	143 .	1.336
CEREB. THROM. & UNSPEC. OCCLUSION (434.0, 434.9)	52	91	1.750

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

.

.

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

* SEE THE NOTES AT THE END OF THIS TABLE.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

,

.

.

•

DEARAT

TABLE D-4

#### UNDERLYING CAUSE MENTIONS AND ALL MENTIONS OF 72 CAUSE OF DEATH GROUPS AND RATIOS OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS MAINE STATE TOTALS, 1995 (RESIDENT DATA)

•

.

CAUSE OF DEATH CEREBRAL EMBOLISM (434.1) ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438) ATHEROSCLEROSIS (440) OTHER DIS. ARTERIES & CAPIL. (441-448) ACUTE BRONCHITIS & BRONCHIOLITIS (466) PNEUMONIA (480-486) INFLUENZA (487) BRONCHITIS CHRONIC & UNSPEC. (490-491) EMPHYSEMA (492) ASTHMA (493) OTHER CHRONIC OBSTR. PUL. DIS. (494-496) ULCER OF STOMACH & DUDDENUM (531-533) APPENDICITIS (540-543) HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560) CHRONIC LIVER DISEASE & CIRRHOSIS (571) CHOLELITHIASIS & GALLBLAD. DIS. (574-575) ACUTE GLOMERUL. & REPARDIC SYN. (580-581) CHRON. GLOMERUL. & REPAL SCLED. UNSPEC. (582-583, 587) RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589) INFECTIONS OF KIDNEY (590) HYPERPLASIA OF PROSTATE ALL (600) PREGNANCY WITH ABORTIVE OUTCOME (630-638) OTHER COMPLICATIONS OF PREG. (640-676) CONGENITAL ANOMALIES (740-759) BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769) OTHER COND. IN PERINATAL PERIOD (760-766, 770-779) SYMPTOMS, SIGNS & ILL-DEF. COND. (780-799) ALL OTHER DISEASES (RESIDUAL) MOTOR VEHICLE ACCIDENTS (E810-E825) OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949) SUICIDE (E950-E959) HOMICIDE & LEGAL INTERVENTION (E960-E978) ALL OTHER EXTERNAL CAUSES	MENTIONS AS UNDERLYING CAUSE	ALL MENTIONS OF CAUSE*	RATIO OF ALL MENTIONS TO UNDERLYING CAUSE MENTIONS
CEREBRAL EMBOLISM (434.1)	2	11	5,500
ALL OTHER CEREBROVASCULAR DISEASES (430, 433, 435-438)	583	1.145	1.963
ATHEROSCLEROSIS (440)	73	355	4.863
OTHER DIS. ARTERIES & CAPIL. (441-448)	162	337	2.080
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	1	7	7.000
PNEUMONIA (480-486)	326	921	2.825
INFLUENZA (487)	14	17	1.214
BRONCHITIS CHRONIC & UNSPEC. (490-491)	27	52	1.925
EMPHYSEMA (492)	102	185	1.813
ASTHMA (493)	20	70	3.500
OTHER CHRONIC OBSTR. PUL. DIS. (494-496)	523	1.298	2.481
ULCER OF STOMACH & DUODENUM (531-533)	26	74	2.846
APPENDICITIS (540-543)	2	2	1.000
HERNIA AB. CAV. & INTEST. OBSTR. (550-553, 560)	31	87	2.806
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	116	180	1.551
CHOLELITHIASIS & GALLBLAD, DIS, (574-575)	18	46	2.555
ACUTE GLOMERUL, & NEPHROTIC SYN, (580-581)	1	6	6.000
CHRON. GLOMERUL. & RENAL SCLED. UNSPEC. (582-583, 587)	5	23	4.600
RENAL FAILURE & KIDNEY DISORDERS (584-586, 588-589)	132	693	5.250
INFECTIONS OF KIDNEY (590)	6	15	2,500
HYPERPLASIA OF PROSTATE ALL (600)	4	24	6.000
PREGNANCY WITH ABORTIVE OUTCOME (630-638)	1	1	1.000
OTHER COMPLICATIONS OF PREG. (640-676)	0	o [.]	0.000
CONGENITAL ANOMALIES (740-759)	34	47	1.382
BIRTH TRAUMA, HYPOX., ASPHYX., & RDS. (767-769)	8	12	1,500
OTHER COND. IN PERINATAL PERIOD (760-766, 770-779)	33	49	1.500
SYMPTOMS, SIGNS & ILL-DEF, COND, (780-799)	83	1.986	23.927
ALL OTHER DISEASES (RESIDUAL)	1,331	3,855	2.896
MOTOR VEHICLE ACCIDENTS (E810-E825)	<b>179</b>	180	1.005
OTHER ACCIDENTS & ADV. EFFECTS (E800-E807, E826-E949)	212	598	2.820
SUICIDE (E950-E959)	160	163	1.018
HOMICIDE & LEGAL INTERVENTION (E960-E978)	21	21	1.000
ALL OTHER EXTERNAL CAUSES (E980-E999)	0	2	0.000
TOTAL FOR ALL CAUSES	11,698	27,155	2.321

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES.

.

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

* FOR TECHNICAL REASONS, THE CATEGORY OF ALL MENTIONS USUALLY, BUT NOT ALWAYS, INCLUDES UNDERLYING CAUSE MENTIONS. IN ADDITION CERTAIN CAUSES ARE NEVER CLASSIFIABLE AS UNDERLYING. MENTIONS OF THESE CAUSES ARE NOT INCLUDED IN THIS TABLE. MENTIONS OF CAUSES NOT CLASSIFIABLE AS UNDERLYING ARE AS FOLLOWS:

NATURE OF INJURY MENTIONS: 1227; SECONDARY NEOPLASM MENTIONS 351 SEE TEXT FOR DEFINITION AND FURTHER EXPLANATION OF CAUSE MENTIONS.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

DEARAT

TABLE D-4

# DEATHS - TOTAL AND PERCENT BY SITE OF DEATH MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

•

1

COUNTY	TOTAL DEATHS	******** MAINE HOSPITAL	OUT OF STATE HOSPITAL	******* PERC EN ROUTE TO HOSPITAL	ENT OF TOTAL D SKILLED NURSING CARE	EATHS BY SITE O INTERMEDIATE CARE FACILITY	F DEATH ****** STATE PENAL INSTITUTIONS	OUT PATIENT	****** AT HOME	******* OTHER PLACES
ANDROSCOGGIN	1,005	41.59	1.19	0.50	0.00	35.92	0.00	0.00	17.21	3,58
AROOSTOOK	795	49.06	0.63	1:26	0.00	24.78	0.00	0.00	21.64	2.64
CUMBERLAND	2,285	43.63	1.36	0.79	0.00	29.85	0.04	0.00	22.10	2.23
FRANKLIN	266	39.47	1.50	1.13	0,00	23.31	0.00	0.00	30.45	4.14
HANCOCK	533	46.15	2.44	0.94	0.00	26.45	0.00	0.00	22.14	1.88
KENNEBEC	1,133	39.89	1.24	1.06	0.00	31.95	. 0.00	0.00	23.57	2.29
KNOX	405	40.25	1.48	1.23	0.00	36.54	0.00	0.00	19.51	0.99
LINCOLN	322	39.75	1.24	1.24	0.00	24.22	0.00	0.00	30.12	3.42
OXFORD	554	43.68	2.53	1.62	0.00	29.78	0.00	0.00	19.49	2.89
PENOBSCOT	1,273	44.62	1.26	1.10	0.08	29.14	0.00	0.00	21.13	2.67
PISCATAQUIS	200	50.50	1.00	0.50	0.00	25.00	0.00	0.00	22.00	1.00
SAGADAHOC	286	40.91	2.45	0.70	0.00	25.52	0.00	0.00	28.32	2.10
SOMERSET	490	47.14	0.41	1.02	0.00	28.57	0.00	0.00	20.61	2.24
WALDO	326	55.52	0.92	0.00	0.00	20.25	0.00	0.00	19.63	3.68
WASHINGTON	417	50.36	1.68	0.96	0.00	23.74	0.00	0.00	19.66	3.60
YORK	1,408	43.54	6.68	1.21	0.00	25.78	0.00	0.00	20.60	2.20
STATE TOTALS	11,698	44.13	2.00	0.97	0.01	28.71	0.01	0.00	21.64	2.54

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

DPLARES

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

т	٨	R	L.	F	n	-6
	н	Б	_	<b>L</b>	υ	. 0

# DEATHS IN HOSPITALS - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

. . . .

				•							
	COUNTY	TOTAL DEATHS IN HOSPITALS	************************* CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	********** PE CANCER OF RESPIRATORY SYSTEM (160-165)	RCENT OF TOT ACUTE MYOCARDIAL INFARCTION (410)	AL DEATHS OCCUI CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE	SPITALS **** CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA	********* * ACCIE MOTOR VEHICLE (E810- E825)	OTHER
	ANDROSCOGGIN	435	5.52	10.11	9.89	13.56	2.07	1.15	2.30	1.38	1.61
	AROOSTOOK	405	4.94	8.15	14.32	14.07	2.22	0.25	0.74	1.73	1.23
	CUMBERLAND	1,045	3.83	7.94	9.28	11.20	2.01	0.10	3.16	1.24	2,49
	FRANKLIN	112	2.68	7.14	15.18	7.14	1.79	0.89	5.36	2.68	0.89
	HANCOCK	264	6.44	7.20	12.12	10.61	1.89`	1.14	2.27	2.65	1.89
	KENNEBEC	478	3.35	9.21	12.13	11.72	1.05	1.05	3.14	1.88	2.30
	KNOX	173	6.36	7.51	15.61	9.25	1.16	0.00	2.31	2.31	0.58
	LINCOLN	136	5.15	8.09	11.03	4.41	2.94	2.94	1.47	3.68	2.94
•	OXFORD	266	4.89	7.89	10.53	8.65	1.13	0.00	2.26	1.88	3.01
,	PENOBSCOT	599	5.34	6.84	13.52	10.02	1.00	0.17	2.84	1.34	1.67
	PISCATAQUIS	104	6.73	3.85	16.35	9.62	0.96	0.00	3.85	0.00	0.00
	SAGADAHOC	127	5.51	6.30	14.96	9.45	1.57	0.00	3.15	0.79	3.15
	SOMERSET	239	4.60	5.44	12.13	10.88	2.93	0.42	3.35	2.09	1.67
	WALDO	184	3.26	7.61	12.50	9.24	2.17	0.54	3.26	1.09	1.63
	WASHINGTON	221	5.88.	9.50	12.67	5.88	0.90	0.90	2.71	1.36	3.17
	YORK	724	6.35	7.18	13.40	12.29	0.69	0.41	2.62	0.69	2.76
	STATE TOTALS	5 5,512	4.95	7.78	12.14	10.83	1.58	0.51	2.70	1.51	2.10

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

.

.

DCAUHOS

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

.

	COUNTY	TOTAL DEATHS In ICF	********************** CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	* PERCENT OF CANCER OF RESPIRATORY SYSTEM (160-165)	TOTAL DEATHS ACUTE MYOCARDIAL INFARCTION (410)	OCCURRING IN CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE	CEREBRAL	PNEUMONIA	* ACCID MOTOR	****** ENTS * OTHER (E800- E807
	ANDROSCOGGIN	361	3.88	5.26	4.71	14.68	0.00	2.77	4.71	0.00	0.55
	AROOSTOOK	197	6.60	4.57	8.12	13.20	0.00	0.00	2.54	0.00	0.51
	CUMBERLAND	681	4.99	5.73	4.55	10.72	0.73	0.88	6.61	0.00	1.17
	FRANKLIN	62	3.23	1.61	3.23	9.68	1.61	0.00	3.23	0.00	3.23
	HANCOCK	141	7.09	4.26	5.67	9.22	0.71	0.00	8.51	0.00	0.71
	KENNEBEC	362	5.52	4.42	3.04	11.88	0.28	0.83	3.04	0.28	0.83
	KNOX	148	3.38	4.73	2.70	6.76	0.00	0.00	5.41	0.00	0.68
	LINCOLN	77	6.49	3.90	2.60	11.69	0.00	0.00	5.19	0.00	2.60
, ,	OXFORD	165	4.85	3.64	6.67	9.70	1.82	0.00	6.67	0.00	0.00
•	PENOBSCOT	371	4.31	4.04	2.43	8.63	0.27	0.00	5.93	0.00	1.89
	PISCATAQUIS	50	2.00	6.00	2.00	8.00	0.00	2.00	4.00	0.00	2.00
	SAGADAHOC	72	6.94	4.17	2.78	9.72	0.00	0.00	2.78	0.00	1.39
	SOMERSET	139	7.19	10.79	2.16	7.91	0.00	0.72	2.88	0.00	0.00
	WALDO	66	6.06	6.06	6.06	4.55	1.52	1.52	3.03	0.00	1.52
	WASHINGTON	99	6.06	5.05	6.06	8.08	0.00	0.00	2.02	0.00	3.03
	YORK	363	3.58	4.96	8.54	12.67	0.28	0.00	3.31	0.00	0.55
	STATE TOTALS	3,354	4.95	5.04	4.71	10.73	0.42	0.66	4.80	0.03	1.04

TABLE D-7DEATHS IN INTERMEDIATE CARE FACILITIES - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH.GROUPS<br/>MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

.

134

DCAUICF

# DEATHS AT HOME - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS MAINE COUNTIES AND STATE TOTALS, 1995 (RESIDENT DATA)

COUNTY	TOTAL DEATHS AT HOME	********************* CANCER OF DIGESTIVE ORGANS AND PERITONEUM (150-159)	************* CANCER OF RESPIRATORY SYSTEM (160-165)	PERCENT OF ACUTE MYOCARDIAL INFARCTION (410)	TOTAL DEATHS OG CHRONIC ISCHEMIC HEART DISEASE (411-414)	CEREBRAL HEMORRHAGE	HOME ***** CEREBRAL THROMBOSIS (434.0, 434.9)	PNEUMONIA	* ACCID MOTOR	
ANDROSCOGGIN	172	8.14	11.05	13.95	13.95	0.00	0.00	0.58	0.00	0.58
AROOSTOOK	172	5.23	15.12	8.14	13.37	0.58	0.00	0.00	0.00	1.74
CUMBERLAND	504	8.93	8.93	7.14	11.90	0.40	0.20	0.79	0.20	1.19
FRANKLIN	80	7.50	18.75	7.50	3.75	0.00	0.00	1.25	0.00	1.25
HANCOCK	116	8.62	10.34	16.38	9.48	0.00`	0.00	1.72	0.00	0.86
KENNEBEC	267	10.11	13.86	6.37	12.73	0.00	0.00	1.50	0.00	0.75
KNOX	79	10.13	2.53	6.33	17.72	0.00	0.00	0.00	0.00	2.53
LINCOLN	97	14.43	16.49	7.22	11.34	0.00	1.03	1.03	0.00	2.06
OXFORD	107	9.35	. 15.89	5.61	10.28	0.00	0.00	0.00	0.00	0.93
PENOBSCOT	268	. 11.57	15.67	8.21	11.57	0.75 ·	0.00	0.37	0.00	1.12
PISCATAQUIS	44	11.36	11.36	22.73	4.55	0.00	0.00	0.00	0.00	4.55
SAGADAHOC	81	17.28	18.52	8.64	13.58	0.00	0.00	0.00	0.00	1.23
SOMERSET	101	6.93	13.86	5.94	13.86	0.00	0.00	0.00	0.00	2.97
WALDO	64	6.25	9.38	18.75	10.94	0.00	0.00	0.00	0.00	1.56
WASHINGTON	82	7.32	8.54	17.07	15.85	0.00	0.00	0.00	0.00	3.66
YORK	290	9.66	14.48	10.69	11.03	0.00	0.00	0.34	0.00	0.34
STATE TOTALS	2,524	9.43	12.68	9.35	11.93	0.20	0.08	0.59	0.04	1.31

NOTE: ICD-9 CODES ARE SHOWN IN PARENTHESES.

DCAUHOM

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

TABLE D-8

DEATHS BY SEX, AGE, AND OCCUPATION MAINE STATE TOTALS, 1995 (RESIDENT DATA)

		******	*****	*****	*****	**** OCCUPAT	ION *****	*****	******	*****	****
SEX AND AGE	TOTAL DEATHS	MANAGE- RIAL, PROFES- SIONAL	TECHNICAL, SALES, ADMINIS- TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC- TION, REPAIR, CRAFT	OPER- ATORS, FABRI- CATORS, LABORERS	TRANSPDR- TATION	HOME- Maker	STUDENT	OTHER AND NOT REPORTED
MALE											
LESS THAN 15	79	• 0	0	0	0	0	0	0	1	23	55
15-19	29	1	0	1	0	1	2	0	0	24	0
20-24	47	2	8	5	2	5	14	1	0	5	5
25-29	51	4	7	4	5	8	5	2	0	2	14
30-34	71	10	6	7	7	17	13	1	0	2	8
35-39	92	13	8	11	9	15	16	4	0	1	15
40-44	124	24	19	9	8	31	16	7	0	0	10
45-49	153	25	25	8	7	34	24`	14	0	0	16
50-54	226	34	31	14 `	19	58	36	14	0	0	20
55-59	272	38	29	25	25	57	44	27	0	0	27
60-64	430	73	54	25	36	96	69	35	1	0	41
65-69	618	99	94	37	46	131	. 97	46	0	0	68
70-74	837	. 165	125	55	51	210	128	56	. 0	0	47
75-79	891	157	131	59	66	230	158	50	з	0	37
80-84	809	155	124	36	83	186	145	44	1	0	35
85-89	632	155	112	30	79	132	88	12	2	0	22
90-94	290	50	50	11	40	68	55	9	· · 1	0	· · 6
GREATER THAN 94	124	24	22	· 8	24	28	15	· 1	0	0	2
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,775	1,029	845	345	507	1,307	925	323	9	57	428
PERCENT DISTRIBUTION	100.00	17.82	14.63	5.97	8.78	22.63	16.02	5.59	0.16	0.99	7.41

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

.

.

DEASAO

### DEATHS BY SEX, AGE, AND OCCUPATION MAINE STATE TOTALS, 1995 (RESIDENT DATA)

			•					··					
	SEX AND AGE	TOTAL DEATHS	******** MANAGE- RIAL, PROFES- SIONAL	*********** TECHNICAL, SALES, ADMINIS- TRATIVE	********** SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	**** OCCUPAT PRECISION PRODUC- TION, REPAIR, CRAFT	ION ****** OPER- ATORS, FABRI- CATORS, LABORERS	************ TRANSPOR- TATION	******** HOME- MAKER	********* STUDENT	****** OTHER AND N REPOR	ют
	FEMALE												
1 7	LESS THAN 15 15-19 20-24 25-29 30-34 35-39 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84	62 9 15 38 43 62 113 145 181 242 474 600 789 914	0 0 1 2 7 9 16 20 33 29 35 53 83 108 134	0 1 2 3 8 10 16 28 25 36 45 93 131 148 176	0 2 0 4 7 8 9 20 13 21 25 53 61 90 103	00010010513444	0 0 2 2 1 6 3 7 5 17 11 21 23	0 0 1 0 2 4 11 21 15 34 66 83 118 135	0 0 1 0 1 0 0 0 0 0 1 4 0 3 4	0 2 2 8 9 18 42 53 78 166 213 279 325	10 5 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		52 1 3 4 4 7 9 8 15 8 19 18 9 14 10
	85-89 90-94 Greater Than 94 UNKNOWN State Totals Percent Distribution	997 760 470 5,923 100.00	190 127 85 0 932 15.74	157 126 88 0 1,093 18,45	100 47 35 0 598 10.10	5 11 3 0 42 0.71	25 14 12 0 149 2.52	115 101 52 0 758 12.80	0 0 0 14 0.24	388 322 189 0 2,102 35.49	0 0 0 17 0.29	3	17 12 6 218 3.68

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEASAO

2.12

.

### DEATHS BY SEX, AGE, AND OCCUPATION MAINE STATE TOTALS, 1995 (RESIDENT DATA)

.

		******	****	******	*******	*** OCCUPAT	ION *****	******	******	*****	*****
SEX AND AGE	TOTAL DEATHS	MANAGE- RIAL, PROFES- SIONAL	TECHNICAL, SALES, ADMINIS- TRATIVE	SERVICE INDUSTRY	FARMING, FORESTRY, FISHING	PRECISION PRODUC- TION, REPAIR, CRAFT	OPER- ATORS, FABRI- CATORS, LABORERS	TRANSPOR- TATION	HOME- MAKER	STUDENT	OTHER ANO NOT REPORTED
BOTH SEXES											
LESS THAN 15	141	0	0	0	0	0	0	0	1	33	107
15-19	38	1	1	3	0	1	2	0	0	29	1
20-24	56	3	10	5	2	. 5	15	2	2	6	6
25-29	66	6	10	8	6	8	5	2	2	2	17
30-34	109	17	14	14	7	19	13	2	8	3	12
35-39	135	22	18	19	9	17	18	4	8	1	19
40-44	186	40	35	18	8	32	20	7	9	0	17
45-49	266	45	53	28	8	40	35`	14	18	0	25
50-54	371	67	56	27	19	61	57	14	42	0	28
55-59	453	67	65	46	30	64	59	27	53	0	42
60-64	672	108	99	50	37	101	103	36	79	0	59
65-69	1,092	152	187	90	49	148	163	50	166	0	87
70-74	1,437	. 248	256	116	55	221	211	56	213	0	61
75-79	1,680	265	279	149	70	251	· 276	53	282	0	55
80-84	1,723	289	300	139	87	209	280	48	326	0	45
85-89	1,629	345	269	130	84	157	203	12	390	0	39
90-94	1,050	177	176	58	51	82	156	9	323	0	18
GREATER THAN 94	594	109	110	43	27	40	67	- 1	189	0	8
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	11,698	1,961	1,938	. 943	549	1,456	1,683	337	2,111	74	646
PERCENT DISTRIBUTION	100.00	16.76	16.57	8.06	4.69	12.45	14.39	2.88	18.05	0.63	5.52

NOTE: PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

.

.

DEASAO

	MAINE 317	ATE TUTALS, 1995	(RESIDENT DATA)		
SEX AND AGE	TOTAL MENTIONS (042.0-044.9,795.8)	TOTAL AIDS MENTIONS (042.0-044.9)	UNDERLYING AIDS MENTIONS (042.0-044.9)	NON-UNDERLYING AIDS MENTIONS (042.0-044.9)	SERO-POSITIVE MENTIONS (795.8)
LESS THAN 20 20-24 25-34 35-44 45-54 55-64 GREATER THAN 64 UNKNOWN STATE TOTALS	0 2 19 32 13 3 1 0 70	0 2 19 32 13 3 1 0 70	0 2 18 32 13 2 0 0 67	0 0 1 0 0 1 1 0 3	0 0 0 0 0 0 0 0 0
FEMALE					•
LESS THAN 20 20-24 25-34 35-44 45-54 55-64 GREATER THAN 64 UNKNOWN STATE TOTALS	0 2 3 3 1 0 0 9	0 2 3 1 0 0 9	0 2 3 1 0 0 9		
BOTH SEXES LESS THAN 20 20-24 25-34 35-44 45-54 55-64 GREATER THAN 64 UNKNOWN STATE TOTALS	0 4 22 35 14 3 	0 4 22 35 14 3 1 0 79	0 4 21 35 14 2 0 0 76	0 0 1 0 1 1 0 3	

TABLE D-10ACQUIRED IMMUNE DEFICIENCY SYNDROME RELATED DEATHS BY STATUS OF MENTION<br/>MAINE STATE TOTALS, 1995 (RESIDENT DATA)

DEAIDS

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

#### DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1995 (RESIDENT DATA)

UNDERLYING		******	*******	**********			YING CAUSES		*********	******	******
CAUSE	TOTAL	03			CTIOUS DIS	25			-269		-285
ICD-9 CODE	DEATHS	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	75	0	0.0	1	1.3	11	14.7	0	0.0	1	1.3
OTH INFECTIOUS DIS	99	3	3.0	0	0.0	4	4.0	1	1.0	4	4.0
250	313	19	6.1	1	0.3	0	0.0	1	0.3	1	0.3
260-269	- 31	1	3.2	0	0.0	1	3.2	0	0.0	0	0.0
280-285	29	2	6.9	0	0.0	0	0.0	1	3.4	0	0.0
390-398	25	0	0.0	0	0.0	0	0.0	1	4.0	0	0.0
402	82	Í	1.2	1	1.2	8	9.8	1	1.2	i	1.2
411	5	Ó	0.0	0	0.0	0	0.0	0	0.0	0	0.0
413	4	ŏ	0.0	ō	0.0	Ĩ	25.0	õ	0.0	õ	0.0
424	108	1	0.9	Ō	0.0	5	4.6	1	0.9	Ō	0.0
415-423,425-429	1,054	13	1.2	6	0.6	84	8.0	4	0.4	16	1.5
401,403	51	1	2.0	0	0.0	5	9.8	` 1	2.0	4	7.8
440	73	3	4.1	Ō	0.0	5	6.8	3	4.1	4	5.5
480-486	326	23	7.1	0	0.0	14	4.3	2	0.6	9	2.8
490-491	27	_0	0.0	Ō	0.0	3	11.1	0	0.0	2	7.4
492	102	1	1.0	0	0.0	3	2.9	1	1.0	0	0.0
493	20	Ó	0.0	0	0.0	0	0.0	0	0.0	Ó	0.0
494-496	523	10	1.9	8	1.5	24	4.6	7	1.3	5	1.0
531-533	26	6	23.1	Ō	0.0	3	11.5	Ó	0.0	1	3.8
550-553,560	234	10	4.3	õ	0.0	13	5.6	5	2.1	1	0.4
574-575	18	4	22.2	õ	0.0	1	5.6	· 2	11.1	ò	0.0
584-586,588-589	132	5	3.8	õ	0.0	6	4.5	· 1	0.8	4	3.0
780-799	83	ō	0.0	õ	0.0	ō	0.0	Ó	0.0	Ó	0.0
E800-E807,E826-E949	212	ő	2.8	Ť	0.5	7	3.3	ž	0.9	ž	0.9
RESIDUAL	8,046	207	2.6	24	0.3	528	6.6	· 144	1.8	113	1.4
STATE TOTALS	11,698	316	2.7	42	0.4	726	6.2	178	1.5	168	1.4

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

> MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEACAU

#### DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1995 (RESIDENT DATA)

UNDERLYING	*****	********	*****	*****		YING CAUSES		*********		
CAUSE		)-398	40		4 1		41		42	
ICD-9 CODE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3
OTH INFECTIOUS DIS	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
250	1	0.3	10	3.2	0	0.0	2	0.6	2	0.6
260-269	· 0	0.0	· 0	0.0	0	0.0	0	0.0	2	6.5
280-285	0	0.0	0	0.0	0	0.0	1	3.4	0	0.0
390-398	Ó	0.0	0	0.0	0	0.0	0	0.0	2	8.0
402	1	1.2	Ō	0.0	Õ	0.0	Ō	0.0	2	2.4
411	Ó	0.0	Ó	0.0	Ő	0.0	Ō	0.0	ō	0.0
413	0	0.0	2	50.0	0	0.0	0	0.0	Ō	0.0
424	0	0.0	1	0.9	1	0.9	1	0.9	Ó	0.0
415-423,425-429	1	0.1	3	0.3	0	0.0	. 0	0.0	13	1.2
401,403	0	0.0	0	0.0	0	0.0	` O	0.0	1	2.0
440	1	1.4	0	0.0	0	0.0	0	0.0	0	0.0
480-486	0	0.0	2	0.6	0	0.0	1	0.3	3	0.9
490-491	0	0.0	0	0.0	0	0.0	1	3.7	0	0.0
492	1	1.0	0	0.0	0	0.0	0	0.0	1	1.0
493	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
494-496	1	0.2	1	0.2	0	0.0	2	0.4	4	0.8
531-533	0	0.0	1	3.8	0	0.0	. 0	0.0	0	0.0
550-553,560	1	0.4	0	0.0	0	0.0	0	0.0	8	3.4
574-575	0	0.0	Ó	0.0	· 0	0.0	Ō	0.0	0	0.0
584-586,588-589	0	0.0	0	0.0	0	0.0	· · 1	0.8	6	4.5
780-799	Ō	0.0	0	0.0	Ó	0.0	0	0.0	0	0.0
E800-E807,E826-E949	Ō	0.0	2	0.9	1	0.5	2	0.9	1	0.5
RESIDUAL	11	0.1	53	0.7	7	0.1	42	0.5	80	1.0
STATE TOTALS	18	0.2	75	0.6	9	0.1	53	0.5	126	1.1

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISCRDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISCRDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

141

DEACAU

#### DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1995 (RESIDENT DATA)

UNDERLYING	******	*****	********	********		YING CAUSES			********	
CAUSE		3,425-429		,403	44			-486		)-491 ·
ICD-9 CODE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	19	25.3	1	1.3	1	1.3	1	1.3	0	0.0
OTH INFECTIOUS DIS	10	10.1	0	0.0	0	0.0	5	5.1	1	1.0
250	150	47.9	. 58	18.5	16	5.1	15	4.8	1	0.3
260-269	. 9	29.0	1	3.2	1	3.2	5	16.1	0	0.0
280-285	9	31.0	1	3.4	0	0.0	2	6.9	0	0.0
390-398	21	84.0	2	8.0	1	4.0	1	4.0	0	0.0
402	33	40.2	2	2.4	6	7.3	1	1.2	0	0.0
411	4	80.0	0	0.0	0	0.0	0	0.0	0	0.0
413	4	100.0	0	0.0	1	25.0	0	0.0	0	0.0
424	71	65.7	5	4.6	1	0.9	6	5.6	0	0.0
415-423,425-429	· 0	0.0	43	4.1	1	0.1	、 52	4.9	0	0.0
401,403	24	47.1	0	0.0	6	11.8	2	3.9	0	0.0
440	37	50.7	. 0	0.0	0	0.0	5	6.8	0	0.0
480-486	65	19.9	6	1.8	3	0.9	0	0.0	2	0.6
490-491	8	29.6	` 2	7.4	0	0.0	6	22.2	0	0.0
492	21	20.6	5	4.9	1	1.0	11	10.8	0	0.0
493	5	25.0	0	0.0	0	0.0	0	0.0	0	0.0
494-496	180	34.4	21	4.0	5	1.0	91	17.4	0	0.0
531-533	5	19.2	1	3.8	0	0.0	0	0.0	0	0.0
550-553,560	57	24.4	6	2.6	4	1.7	10	4.3	0	0.0
574-575	5	27.8	0	0.0	0	0.0	1	5.6	0	0.0
584-586,588-589	53	40.2	0	0.0	0	0.0	`4	3.0	0	0.0
780-799	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
E800-E807,E826-E949	34	16.0	• 6	2.8	2	0.9	12	5.7	1	0.5
RESIDUAL	2,030	25.2	513	6.4	233	2.9	365	4.5	20	0.2
STATE TOTALS	2,854	24.4	673	5.8	282	2.4	595	5.1	25	0.2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC DBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL) A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEACAU

#### DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1995 (RESIDENT DATA)

UNDERLYING	******	**********	*******	********		YING CAUSES		**********	*********	******
CAUSE ICD-9 CODE	49 NUMBER	PERCENT	49 NUMBER	PERCENT	494 NUMBER	-496 PERCENT	NUMBER	-533 PERCENT	NUMBER	553,560 PERCENT
000	•	0.0				1.0	<u> </u>			40.7
038	0	0.0	0	0.0	3	4.0	0	0.0	8	10.7
OTH INFECTIOUS DIS	1	1.0	õ	0.0	4	4.0	0	0.0	14	14.1
250	2	0.6	. 3	1.0	12	3.8	0	0.0	46	14.7
260-269	0	0.0	0	0.0	0	0.0	0	0.0	6	19.4
280-285	0	0.0	0	0.0	1	3.4	0	0.0	5	17.2
390-398	0	0.0	0	. 0.0	1	4.0	0	0.0	1	4.0
402	0	0.0	1	1.2	. 6	7.3	0	0.0	10	12.2
411	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
413	0	0.0	0	0.0	2	50.0	0	0.0	2	50.0
424	1	0.9	0	0.0	10	9.3	0	0.0	28	25.9
415-423,425-429	8	0.8	4	0.4	95	9.0	、 5	0.5	196	18.6
401,403	0	Q.O	0	0.0	2	3.9	2	3.9	6	11.8
440	1	1.4	0	0.0	6	8.2	0	0.0	13	17.8
480-486	2	0.6	1	0.3	23	7.1	Ō	0.0	326	100.0
490-491	<b>O</b> .	0.0	0	0.0	0	0.0	Ō	0.0	27	100.0
492	ō	0.0	1	1.0	Ō	0.0	- i	1.0	102	100.0
493	ō	0.0	0	0.0	Ō	0.0	Ó	0.0	20	100.0
494-496	1	0.2	ŏ	0.0	ŏ	0.0	2	0.4	523	100.0
531-533	ò	0.0	õ	0.0	4	15.4	ō	0.0	26	100.0
550-553,560	2	0.9	ŏ	0.0	24	10.3	Ĭ	0.4	0	0.0
574-575	ō	0.0	ŏ	0.0	- 1	5.6	i	5.6	4	22.2
584-586,588-589	ĭ	0.8	ŏ	0.0	6	4.5	· ò	0.0	17	12.9
780-799	ò	Q.O	ŏ	0.0	ŏ	0.0	ŏ	0.0	0	0.0
E800-E807,E826-E949	ŏ	0.0	1	0.5	11	5.2	ŏ	0.0	34	16.0
RESIDUAL	64	0.8	39	0.5	565	7.0	36	0.4	1,425	17.7
	83	0.8	50	0.5	776	6.6	48	0.4		
STATE TOTALS	83	0.7	50	0.4	110	0.0	48	0.4	2,839	24.3

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL)

A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE. SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

> MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEACAU

. 4ω

#### DEATHS BY UNDERLYING CAUSE MENTION AND ALL MENTIONS FOR SELECTED 72 CAUSE OF DEATH GROUPS MAINE STATE TOTALS, 1995 (RESIDENT DATA)

UNDERLYING	*****	****	*****	****	* NON UNDERL	YING CAUSES	******	****	*****	*****
CAUSE	574	-575		6,588-589		-799		,E826-E949	RESI	DUAL
ICD-9 CODE	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
038	0	0.0	12	16.0	22	29.3	2	2.7	0	0.0
OTH INFECTIOUS DIS	0	0.0	3	3.0	19	19.2	2	2.0	1	1.0
250	1	0.3	72	23.0	26	8.3	. 5	1.6	11	3.5
260-269	· 0	0.0	· 2	6.5	8	25.8	0	0.0	0	0.0
280-285	0	0.0	2	6.9	7	24.1	1	3.4	5	17.2
390-398	0	0.0	2	8.0	3	12.0	2	8.0	3	12.0
402	1	1.2	0	0.0	6	7.3	4	4.9	19	23.2
411	0	0.0	0	0.0	1	20.0	0	0.0	0	0.0
413	Ó	0.0	1	25.0	0	0.0	0	0.0	0	0.0
424	0	0.0	8	7.4	12	11.1	8	7.4	33	30.6
415-423,425-429	2	0.2	51	4.8	171	16.2	33	3.1	180	17.1
401,403	0	0.0	0	0.0	8	15.7	`2	3.9	13	25.5
440	1	1.4	13	17.8	12	16.4	3	4.1	15	20.5
480-486	0	0.0	17	5.2	72	22.1	5	1.5	126	38.7
490-491	0	0.0	0	0.0	14	51.9	1	3.7	14	51.9
492	õ	0.0	2	2.0	52	51.0	2	2.0	42	41.2
493	· 1	5.0	1	5.0	11	55.0	1	5.0	5	25.0
494-496	2	0.4	16	3.1	225	43.0	15	2.9	180	34.4
531-533	ō	0.0	1	3.8	3	11.5	4	15.4	5	19.2
550-553,560	ŏ	0.0	10	4.3	77	32.9	19	8.1	64	27.4
574-575	ŏ	0.0	1	5.6	1	5.6	3	16.7	6	33.3
584-586,588-589	1	0.8	Ó	0.0	28	21.2	. 3	2.3	37	28.0
780-799	ò	0.0	ŏ	0.0	0	0.0	Ō	0.0	Ŏ	0.0
E800-E807,E826-E949	ŏ	0.0	8	3.8	35	16.5	ŏ	0.0	87	41.0
RESIDUAL	19	0.2	339	4.2	1,090	13.5	515	6.4	Ö	0.0
STATE TOTALS	28	0.2	561	4.8	1,903	16.3	630	5.4	846	7.2

NOTES: ICD-9 CODES ARE SHOWN IN PARENTHESES. SEPTICEMA (038), ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003, 005, 020-032, 037, 039-041, 042-044, 046-054, 056-066, 071-088, 098-139), DIABETES MELLITUS (250), NUTRITIONAL DEFICIENCIES (260-269), ANEMIAS (280-285), RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398), HYPERTENSIVE HEART DISEASE (402), OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411), ANGINA PECTORIS (413), OTHER DISEASES OF ENDOCARDIUM (424), ALL OTHER FORMS OF HEART DISEASE (415-423, 425-429), HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401, 403), ARTHEROSCLEROSIS (440), PNEUMONIA (480-486), BRONCHITIS, CHRDNIC AND UNSPECIFIED (490-491), EMPHYSEMA (492), ASTHMA (493), OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (494-496), ULCER OF STOMACH AND DUODENUM (531-533), HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHDUT MENTION OF HERNIA (550-553, 560), CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575), RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OR UNKNOWN CAUSE (584-586, 588-589), SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS (780-799), ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807, E826-E949), ALL OTHER DISEASES (RESIDUAL) A CAUSE GROUP IS COUNTED ONLY ONCE FOR EACH DECEDENT, EVEN IF MENTIONED MORE THAN ONCE ON THE DEATH CERTIFICATE.

SEE TEXT FOR EXPLANATION OF SELECTING 72 CAUSE GROUPINGS.

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

DEACAU

# **INDUCED ABORTIONS**

.

:

.

TABLE A-2

147

# INDUCED ABORTIONS BY GESTATION AND TYPE OF ABORTION PROCEDURE MAINE STATE TOTALS, 1995 (OCCURRENCE DATA)

		PERCENT	* * *	* * *	* * *	* * * :	* * * *	WEEK	(SOF (	GESTATI	:ON *	* * *	* * *	* * *	* * *	* * *
TERMINATION PROCEDURE	TOTAL	DIST.	<9	9	10	11	12	13	14	15	16	17	18	19	20+	Unk.
PRIMARY PROCEDURE THAT TERMINATED PREGNANCY																
Suction Curettage	2,735	97.0	1,455	529	427	192	114	16	1	0	0	0	0	0	0	1
Sharp Curettage	10	0.4	4	3	2	0	1	0	0	0	0	0	0	Ō	0	0 0
Dialation and Evacuation	20	0.7	11	2	0	0	1	0	2	1	0	0	2	0	0	1
Saline Instillation	0	0.0	0	0	0.	0	0	0	0	0	0	0	0	0	0	0
Prostaglandin Instillation	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0 0	õ
Hysterotomy	0	`    0.0	0	0	0	0	0	0	0	0	0	0	0	0	õ	õ
Hysterectomy	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	Ő	õ
Other	6	0.2	0	0	0	0	0	0	0	0	1	1	2	2	0	õ
Unknown	48	1.7	17	9	7	9	З	0	1	0	0	0	0	0	1	1
STATE TOTALS PERCENT DISTRIBUTION	2,819	100.0	1,487 52.7	543 19.3	436 15.5	201 7.1	119 4.2	16 0.6	4 0.1	1 0.0	1 0.0	1 0.0	4 0.1	2 0.1	1 0.0	3 0.1
ADDITIONAL PROCEDURES USED																
Suction Curettage	12	3.6	9	2	0	1	0	0	0	0	0	0	0	0	0	0
Sharp Curettage	295	89.4	135	51	59	33	12	1	1	0	1	ů 0	1	0	0	1
Dialation and Evacuation	21	6.4	13	4	2	1	1	0	0	0	0 0	0 0	0	Ő	0	0
Saline Instillation	1	0.3	0	1	0	0	0	0	0	0	0	0	õ	Ő	Ő	0
Prostaglandin Instillation	0	0.0	0	0	0	0	0	0	0	0	0	0	0	Ő	ŏ	õ
Hysterotomy	0	0.0	0	0	0	.0	0	0	0	0	Ó	0	0	0 0	ŏ	õ
Hysterectomy	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0 0	0	õ
Other	1	0.3	0	0	1	0	0	0	0	0	0	0	0	õ	Ő	o
STATE TOTALS	330		157	58	62	35	13	1	1	0	1	0	1	0	0	
PERCENT DISTRIBUTION		100.0	47.6	17.6	18.8	10.6	3.9	0.3	0.3	0.0	0.3	0.0	0.3	0.0	0 0.0	1 0.3

NOTES: Percentages may not add to 100.0 due to rounding.

If the clinical estimate of gestation was unknown, an estimate based on the date of last normal menses was substituted.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_A2, 1/26/1998]

TABLE A-4

# INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT AND RACE MAINE STATE TOTALS, 1995 (OCCURRENCE DATA)

AGE AND RACE		PERCENT	* * *	* * *	* * *	* * *	* * * *	WEEK	(S OF (	GESTAT	ION *	* * *	* * *	* * *	* * *	* * *
OF PATIENT	TOTAL	DIST.	<9	9	10	11	12	13	14	15	16	17	18	19	20+	Unk.
AGE IN YEARS																
Less Than 10	0	0.0	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	19	0.7	7	2	0	5	2	2	0	0	0	0	0	0	0	1
15	51	1.8	21	13	10	5	1	1	0	0	0	0	0	0	0	0
16	99	3.5	38	18	22	13	5	З	0	0	0	0	0	0	0	0
17	142	5.0	63	29	28	14	5	2	1	0	0	0	0	0	0	0
18	163	5.8	71	35	36	16	3	2	0	0	0	0	0	0	0	0
19	206	7.3	86	45	45	15	13	2	0	0	0	0	0	0	0	0
20-24	888	31.5	480	163	133	64	43	1	0	1	0	1	1	1	0	0
25-29	564	20.0	· 318	101	74	41	26	2	1	0	0	. 0	1	0	0	0
30-34	352	12.5	197	73	54	15	8	1	1	0	1	0	1	0	1	0
35-39	240	8.5	151	46	25	7	10	0	1	0	0	0	0	0	0	0
40-44	62	2.2	35	13	7	4	3	0	0	0	0	0	0	0	0	0
Greater Than 44	4	0.1	1	2	0	0	0	0	0	0	0	0	0	1	0	0
Unknown	29	1.0	19	3	2	2	0	0	0	0	0	0	1	0	0	2
STATE TOTALS	2,819		1,487	543	436	201	119	16	4	1	1	1	4	2	1	3
PERCENT DISTRIBUTION	·	100.0	52.7	19.3	15.5	7.1	4.2	0.6	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.1
RACE																
White	2,646	93.9	1,399	513	403	190	110	16	4	1	1	1	4	2	1	1
Black	29	1.0	11	7	7	3	1	0	0	0	0	0	0 0	0	0	, O
American Indian	38	1.3	19	10	4	3	2	0	0	Ō	0	0	ō	ŏ	Ő	0
Asian/Pacific Islander	44	1.6	26	6	8	1	3	0	0	Ō	0	0	õ	ŏ	Ő	0.
Other	0	0.0	0	0	0	0	0	0	0	Ō	0	õ	õ	Ő	Ő	0
Unknown	62	2.2	32	7	14	4	3	0	0	0	0	0	0	0	0	2
STATE TOTALS	2,819		1,487	543	436	201	119	16	4	1	1	1	4	2	1	3
PERCENT DISTRIBUTION	-	100.0	52.7	19.3	15.5	7.1	4.2	0.6	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.1

NOTES: Percentages may not add to 100.0 due to rounding.

If the clinical estimate of gestation was unknown, an estimate based on the date of last normal menses was substituted.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_A4, 1/26/1998]

TABLE A-6

# INDUCED ABORTIONS BY RACE, AGE OF PATIENT AND MARITAL STATUS MAINE STATE TOTALS, 1995 (OCCURRENCE DATA)

.

AGE AND MARITAL STATUS		PERCENT	* * * * *	* * * * * *	* * * *	RACE * * * *	* * * * * *	* * * * * *
OF PATIENT	TOTAL	DIST.	White	Black	Indian	Asian	Other	Unknown
AGE IN YEARS								
Less Than 10	0	0.0	0	0	0	0	0	0
10-14	19	0.7	17	1	0	0	0	· 1
15	51	1.8	49	0	1	1	0	0
16	99	3.5	95	1	1	2	0	0
17	142	5.0	136	2	1	1	0	2
18	163	5.8	156	1	2	2	0	2
19	206	7.3	193	2	6	2	0	3
20-24	888	31.5	839	17	10	7	0	15
25-29	564	20.0	523	3	8	17	0	13
30-34	352	12.5	332	2	3	7	0	8
35-39	240	8.5	229	0	4	4	0	. 3
40-44	62	2.2	58	0	2	0	0	2
Greater Than 44	4	0.1	3	0	0	0	0	1
Unknown	29	1.0	16	0	0	1	0	12
STATE TOTALS	2,819		2,646	29	38	44	0	62
PERCENT DISTRIBUTION		100.0	93.9	1.0	1.3	1.6	0.0	2.2
MARITAL STATUS								
Married	439	15.6	405	3	7	14	0	10
Not Married	1,828	64.8	1,737	20	25	20	0	26
Unknown	552	19.6	504	6	6	10	. 0	26
STATE TOTALS	2,819		2,646	29	38	44	0	62
PERCENT DISTRIBUTION		100.0	93.9	1.0	1.3	1.6	0.0	2.2

NOTE: Percentages may not add to 100.0 due to rounding.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_A6, 1/27/1998]

#### TABLE A-9

# INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES, AGE OF PATIENT AND MARITAL STATUS MAINE STATE TOTALS, 1995 (OCCURRENCE DATA)

AGE AND MARITAL		* * * *	* * *	* * *		* NUM	BER AND O	UTCOME	OF PRE	VIOUS	PREGNANCIES	*	* * * *	* *	* * *	* * *
STATUS				Live B	irth		•	Induc	ed Abo	ortion			Spontan	eous	Aborti	ion
OF PATIENT	TOTAL	0	1	. 2	3+	Unk.	0	1	2	3+	Unk.	0	1	2	3+	Unk.
AGE IN YEARS																
Less Than 10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	19	19	0	0	0	0	19	0	0	0	0	19		0	0	0
15	51	50	1	0	0	0	51	0	0	0	0	49		0	0	0
16	99	97	1	1	. 0	0	98	1	0	0	0	98	1	0	0	0
17	142	126	12	1	1	2	131	9	0	0	2	135	4	1	0	2
18	163	141	20	1	0	1	146	16	0	0	1	158	4	0	0	1
19	206	182	18	5	0	1	185	19	1	0	1	194	11	0	0	1
20-24	888	552	224	83	24	5	646	190	41	6	5	802	68	10	3	5
25-29	564	225	175	109	49	6	349	140	47	22	6	450	81	19	8	6
30-34	352	94	88	97	71	2	208	98	24	20	2	278	50	20	2	2
35-39	240	54	39	91	56	0	132	70	24	14	0	179	47	14	0	0
40-44	62	11	13	20	17	1	40	10	6	5	1	43	14	4	0	1
Greater Than 44	4	2	0	1	1	0	3	0	1	0	0	4	0	0	0	0
Unknown	29	12	· 7	2	1	7	19	2	1	0	7	21	1	0	0	7
STATE TOTALS	2,819	1,565	598	411	220	25	2,027	555	145	67	25 2,	430	283	68	13	25
MARITAL STATUS					÷											
Married	439	95	118	133	90	3	298	97	30	11	3	320	90	22	4	3
Not Married	1,828	1,165	372	196	85	10	1,341	356	78	43	10 1,	633	148	33	4	10
Unknown	552	305	108	82	45	12	388	102	37	13	12	477		13	5	12
STATE TOTALS	2,819	1,565	598	411	220	25	2,027	555	145	67	25 2,	430	283	68	13	25

.

Maine Department of Human Services Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

[VSTAB_A9, 1/28/1998]

150

.

#### TABLE A-10

#### INDUCED ABORTIONS BY STATE OR COUNTRY OF RESIDENCE MAINE STATE TOTALS, 1995 (OCCURRENCE DATA)

	STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS	STATE/COUNTRY	ABORTIONS
	ALABAMA	0	MARYLAND	0	SOUTH CAROLINA	0
	ALASKA	0	MASSACHUSETTS	11	SOUTH DAKOTA	0
	ARIZONA	0	MICHIGAN	1	TENNESSEE	0
	ARKANSAS	0	MINNESOTA	0	TEXAS	2
	CALIFORNIA	4	MISSISŞIPPI	0	UTAH	0
	COLORADO	0	MISSOURI	1	VERMONT	3
	CONNECTICUT	5	MONTANA	0	VIRGINIA	0
	DELAWARE	0	NEBRASKA	0	WASHINGTON	1
	DIST OF COLUMBIA	1	NEVADA	0	WEST VIRGINIA	0
	FLORIDA	5	NEW HAMPSHIRE	17	WISCONSIN	0
	GEORGIA	3	NEW JERSEY	1	WYOMING	0
	HAWAII	1	NEW MEXICO	0	PUERTO RICO	0
	IDAHO	0	NEW YORK	5	VIRGIN ISLANDS	0
7 U 7	ILLINOIS	0	NORTH CAROLINA	1	GUAM	0
	INDIANA	1	NORTH DAKOTA	0	CANADA	15
	IOWA	0	OHIO	1	CUBA	0
	KANSAS	0	OKLAHOMA	0	MEXICO	0
	KENTUCKY	0	OREGON	0	OTHER W. HEMISPHERE	0
	LOUISIANA	0	PENNSYLVANIA	2	REST OF THE WORLD	. 2
	MAINE	2,717	RHODE ISLAND	· 1	STATE/CNTRY UNKNOWN	. 18

۰.

.

151

ASTCNTY

MAINE DEPARTMENT OF HUMAN SERVICES OFFICE OF DATA, RESEARCH AND VITAL STATISTICS

.

2,819

TOTAL

# **APPENDICES**

.

м- (	235	351					RVICES (1	18)				
	1. FIRST	NAME		15. MIDDLE NAM			ST NAME .		5	arte File Ho	JR, ETC. 2. SE	x
	3. DATE OF BI	TH (Mo., Day, Yr.) 4. TIM	E OF BIRTH	S. COUN	TY OF BIRTH		CITY OR TOWN OF E	IATH	M	<u>l</u>	L	
CHILD				□ AM □ PH								
				g Birthing Center		8	FACILITY NAME (II M	of institution,	give street and number)			
		Samily	C Reside	100				• •				
	9. I centity	that this child was born alm		10.	DATE SIGNED (Mo., Da	y, yr, J 11. ATI	ENDANT'S NAME AND	TITLE (1) o	ther than certifier) (Type/Pi	inl)	·····	$\prec$
	(		<del>.</del>			Nar			_	<u> </u>		
									Other Midwile Other			—
CERTIFIER/ ATTENDANT	Signature	FIER'S NAME AND TITLE (	Type/Print)	l		13. ATT	ENDANT'S MAILING A	DORESS (S	treet and Number or Rural			
	Name					Criy	r or Town, State, Zip Co	de)				
	[ 🗆 м.с	0. 🗋 D.O. 🗋 Hospital	Admin. 🗆 C	N.M. 🗋 Other i	lideife							
		er (Specify) TRAR'S SIGNATURE						DATE FILE	O BY REGISTRAR (Ma., C	Jay Yel		
	►											
	164. FIRST	NAME	16b. M	IDDLE NAME	. 11	6C. LAST NAME			17. MAIDEN SUF	NAME	· · ·.	
	in Diff of A					0-17E				TOUR		
MOTHER	IO. DATE OF B	RTH (Mo., Day, Yr.) 19. B	HTTPLACE (SI	ele or Foreign Cou	TRY ZU. RESIDENCE	-51415	21. COUNTY		· 22. CITY OF	TOWN		
	23. MOTH	ER'S MAILING ADDRESS							I	24. ZIP CODE	5. YEARS LIVING	3 IN
									۰.			
	264. FIRST	NAME		265. MIDDI	E NAME		26c. LAST NAM	Æ			266. JR	L ETC.
FATHER	27. DATE (	OF BIRTH (Mo., Day, Yr.)			2	8. BIRTHPLACE (S	Late or Foreign Country	,				
INFORMANT		that the personal information	•	his certificate is co	rrect to the best of my kr	www.edge and be						
V\$1-R1/92	Signatu	ne of Parent or Other Inform	oant 🖻		/ 30a b	NOTHER MARRIED		<b>.</b>	V 306. CHILD LEG	THATE?		
							1976 Contraction 1976		I	🛛 Yes 🗍	No	
	•				7		/		<u> </u>			
	c	ONFIDENTIAL: NE	THER MAP	RITAL STATU					CERTIFIED COPI			
	<u> </u>	PREGNANCY HISTORY		section) R TERMINATIONS	31. D. =	T RMAL MENS	ES BEGAN (Mo., Day,	Yr.)	32. Parental Permiss Security Number	ion for issuance of	Social	
	(Do not (S	include this child) (pecily below)	36s. Spontan	oous 365. Induc	ad Real TIL	F PREGNANCY P	RENATAL CARE		34. PRENATAL VISI	TS - Total Number		
	35a. Now Living	1 35b. Now Dead	(Do not inclu this birth)	ide   (Do t	Bet	First, Second, Third			(li none, so state,			
MOTHER	Humber	Number	Number	- itember -		RGHT (Specify unit)	)		38. CUNICAL ESTIN	ATE OF GESTATH	DN (Wooks)	
CHILD		ST LIVE BRTH	40. DATE OF	ST OTHER	41. PLURALI	Y - Single, Twin, 1	Iriplet, etc.		42. IF NOT SINGLE	BIRTH - Born First	Second,	
					(Specify)				Third, etc. (Spec	97		
•	AF 43. 1 Minute	GAR SCORE	45. MOTHER	TRANS	RIOR TO DELIVERY?	No Ves	If Yes, enter name of la	cility transle	rred from:			
			46. INFANT T	RANSFERRED?	3 No 🗋 Yes # Yes	, enter name of fac	ility transferred to:					
			ĺ									
	/			ANCESTRY - French, English, Irish, etc.	RACE - American Indian, Black, White, etc.	ED (Specily only his	UCATION phast grade completed)		CUPATION PAST YEAR		SANDUSTRY PAS	T YEAR
	so	CIAL SECURITY NUMBER		(Specity below)	(Specily below)	Elementary/ Secondary (0-12)	1 College (1-4 or 5+)	'	(Specity below)	(Sp	ecity below)	
	47.			48.	49.	(0-12) 50.	(1=00"5+) 1	51.		52.		
MOTHER	<u> </u>		-				1 1					
FATHER	53.			54.	55.	56.	1	57.		58.		
		AL RISK FACTORS FOR TH		<b>v</b>	62. COMPLICATIONS	OF LABOR AND/C			5. CONGENITAL ANOMA	IES OF CHILD		
	(Chock	all that apply) 1. <30/Hgb. <10)			(Check all that ap;	wy)		ľ	(Check all that apply)			
	Cardiac dis	ense		ь.а	Meconium, moderate	/heavy		, b. D	Anencephalus			
	Diabetes, g	estational	<i></i>	d.D					Hydrocephalus			. c. 🛛
THIS	Genital her	ves		1.0					Other central nervous sys			
- MARK AT	Hemoglobiz	opethy		ħ.O	Seizures during labo	e		. 9.0	(Specify) Heart malformations			
LEAST	Hypertensio	n, pregnancy-associated .	<i>.</i>						(Specily) Other circulatory / respira	tory anomalies		10
CATEGORY	Incompeten			LO	Breech / Malpresent	stion		. K. 🗆	(Specily)			-9-D
IN EACH COLUMN	Previous pr	fant 4000 + grams eterm or amail for-gestations	el age infant		Cord prolapse	• • • • • • • • • • • •		.m.D	Tracheo-esophageal fistul	a / Esophageal atre	wa	0
		136					• • • • • • • • • • • • • • • •	. 0. 🗆	Omphalocele / Gastrosch Other gastrointestinal and			
		wing			(Specify)	·		- *- 0	(Specily) Matlomed genitalia			. LO
	(Spec	×m			63. METHOD OF DEL				Renal agenesis		••••	, m. D
	60. OTHER	RISK FACTORS FOR THIS							(Specify)			
		e during pregnancy		Yes 🛙 No 🗆	Primary C-section			. c. 🗆	Polydactyly / Syndactyly /	Adactyly		. p. D
	Averag	e number cigarettes por day			Forceps				Club foot			
		during prognancy		Yes 🗆 No 🗗	Other(Specify)			_y.o	Other musculoskeletal / in (Specify)			
	-	ed during pregnancy		ba.	54. ABNORMAL CONT		IEWBORN		Down's syndrome			0
	61. OBSTE	TRIC PROCEDURES				igo. < 13)	· · <i>· · ·</i> · · · · · · · · · · · · · ·		(Specily)			
	Amniocente	ele			Felal alcohol syndror	ne		. c. 🗆 🕴	(Specity)			y. D
	Induction of	labor		<b>c</b> . 🛛	Meconium aspiration	syndrome			None			, 2.0
	Tocolysia .				Assisted ventilation	30 min	· · · · · · · · · · · · · · · · · · ·			THIS SHEE		
	Other	····		y. D	Other (Specify)			-y. 0	State	House Static	on #11	
•	None	,		, .				7 0	Augusta	, Maine 043	00-0011	

-

NOT A LEGAL COPY

·

.

,		NAME .			DEPART	STATE OF M MENT OF HUM	N SE	RVICES			itala File No.		
THIS	1. FACILITY NAME (# /		of DELIVERY	mber)			10 00		N OF DELIVERY	2. OATE OF DELN	ERY (Ma. Day.	¥r.)	3. TIME OF DELIVERY
DELIVERY	4. SEX OF FEIDS	5. COUNTY		70. W	DOLE NAM	E	6. CI		8. MAIDEN SUR				<u></u>
MOTHER	9. DATE OF BIRTH (M	o., Day, Yr.) 10	BIRTHPLACE	(State or Foreign	Country)	11. RESIDENCE-STAT	E	1	2. COUNTY		13. CITY O	R TOWN	
MOTTER	14. STREET AND NUM	1868			15. MC	THER'S MAILING ADD	RESS (I	ll same as r	esidonce, enter Z	IP Code only)	10	PRESENT TO	3 IN AN
	174 FIRST NAME			17b. M	DOLE NAM	dE.	<u> </u>		17c. LAST NAL	Æ	L		DA JA ER
FATHER	18. DATE OF BIRTH (M	la., Døy, Yr.)		J		19. Bi	THPLA	CE (State or	Foreign Country)	<u></u>			I
CERTIFIER	20. Square							. D.O.		kdmin.			
	22. DATE SIGNED (Mo.					er than certilier) (Type/ NAME AND ADDRESS	-	ILITY OR A	UTHORIZED PER		🗆 М.О. 🛛 🗌 Ойнег (Speci		M. Other Mid-wife
DISPOSITION	26. REGISTRAR'S SIG					TE FILED (Mo., Day, Y		28 1	ETHOD 12		SITION (Name o	ol cemelery, crem	nalory, or other place)
	30.					Enter only one c	iusa per	0	Buriat Cremation Laboratory b., and c.				
	PART I. Fetal or mai condition di Z causing leta	rectly		DIATE CAUSE								Spe	city Fetal of Matemal
	ORMAT		L DUE	TO (OR AS A CO	NSEQUEN	CE OF):	•	Ć				Spe	city Fetal or Maternal
CAUSE O	Fetal and/or matema Conditions, il any, gin rise to the immediate cause(s), stating the state last.	ning F	{ DUE	TO (OR AS A CO	NSEQUEN	CE OF):			Y			Spe	city Fetal or Matemal
DEATH	Z W PART II. Other sign	ifcant conditions	of fatus or mot	her contributing t	o letal deatl	h but not rest in th	Gerhj	ying Causos	given in Part I.			91. FETUS DIE DURING LAB	D BEFORE LABOR D
	con						4					12. WAS AN AUTOPSY PERFORMED	UNKNOWN
	VS4-R1/90				1	5					34. MOTHE		
	ANCESTRY: French, Er	FIDENTIAL:	RACE - Ame	rican Indi	TATUS	R THE INFO		W WILL	APPEAR ON	CERTIFIED C	OPIES OF		
	kish, etc. (Specify below	Ŋ	Black, White	, elc. (Spec		(Specify of Elementary/Se (0-12)	nly highe	nt grade co	College (1-4 or 5+)	USUAL OCCUPA (Specif	TION PAST YE	AR USUAL	BUSINESSANDUSTRY PAST YEAR (Specify below)
MOTHER	35.		36.			37.	•	1		38.		39.	
FATHER	<u>ر</u>		41.			42.	4	S. DATE L	IST NORMAL ME		(Mo., D		
	[	/E BIRTHS	PREGNANC (Complete e	ach section)	THER TE	THINATIONS							
PREGNANCY	- 48a. Now Uning	1 480. Now Dr	, 	492. SPONTAN	IEOUS	496, INDUCED		6. MONTH BEGAN elc. (Spe	<ul> <li>First, Second, T</li> </ul>	PRENATAL CARE		ENATAL VISIT - none, so state)	Total Number
HISTORY	Number	l I I Numbe	·	Number	-	Number		0. FETUS V (Specify	VEIGHT		51. CU	NICAL ESTIMATI	E OF GESTATION (Haoks)
	None		•	D None	LASTON			4. PLURAL (Specily)	ITY - Single, Twi	n, Triplet, etc.	55. IF I Thi	YOT SINGLE BIF rd, etc. (Specily)	RTH - Born First, Second,
	(Month, Year) 56. MEDICAL RISK FAC (Check all that apply		PREGNANCY	(Month. 1	59. OBS1	FETRIC PROCEDURES				61, CONGENII (Check all		S OF CHILD	
	Anemia (Hct. < 30/Hgb. Cardlac disease Acute or chronic lung di Diabetes, gestational	<10)	· · · · · · · · · · · · · · · · · · ·	b,D c.D d,D	Amnioc Electror Inductio	entesia			b.	Anencephalu     Spina billda i     Hydrocephalu	S		••••••••••••••••••••••••••••••••••••••
	Diabetes, pre-existing Genital herpes Hydramnics/Diigohydrar Hernoglobinopathy Hypertension, chronic	7mioa	• • • • • • • • • • • • • • • • • • •		Tocolys Uttrasou Other _	is und				Other central (Specify) Heart mallor	nervous system		•. 0
	Hypertension, pregnance Ectampsia	y-associated		i.0 k0 i.0	None .	PLICATIONS OF LABO				(Specify) Rectal atresis	iory / respiratory		f. D g. D h. D
MEDICAL	Previous preterm or ama Renal disease Rh sensitization Uterine bleeding	all-for-gestational	age infant	· · · · · · · • . □ · · · · · · • . □ · · · · · · • . • . □	(Chec Febrile Meconiu	k all that apply) (>100° F. or 38° C.) um, moderate/heavy we rupture of membran				Omphalocele Other gastroi (Specily)	/ Gastroschisis nieslinal anomal	ies	μίαί.Ο μΟ
HEALTH INFORMATION	Other (Specify) None	ors for this p	REGNANCY		Abruptic Placents Other et	o placenta			••••••••••••••••••••••••••••••••••••••	Renal agener Other urogen	its		l.D 
	Tobacco use during pre Average number cig Alcohol use during preg Average number dri Weight gained during pr	nancy nks per week		Yes D No D	Precipite Prolong Dysfunc	s during labor ous labor (<3 hours) ed labor (>20 hours) tional labor		 		Polydactyty /     Club fool     Disphysomatic	Syndactyly / Ad	actyly	
	58. METHOD OF DELIV Vaginal Vaginal birth after previc Primary C-section	ERY (check one) we C-section			Cephalo Cord pri Anesthe	Malpresentation pelvic disproportion olapse				Other muscul     (Specify)     Down's synde     Other chromo	oskeletaž / integ	umental anomalie	
	Aspessi C section Forceps	•••••	•••••		Other_ (Spi	stress			y. (	Cother (Specify)			••••••••••••••••••••••••••••••••••••••
	· · · · · ·				·								<del></del>

....

SEND THIS SHEET TO: Office of Vital Statistics State House Station #11, Augusta, Maine 04333-0011

.

.

.

NAME K	NOWN TO PHY	SICIAN	1	STATE OF RTMENT OF HI RTIFICATE	UMAN S	ERVICES	(118)	<b>6</b> 111	e File No.	
1a. FIRST NAME		15. MIDDI				1c. LAST NAME	(110)		9778110.	1d. JR. ET
la. rindi iname		10.1100								
2. DATE OF DEATH (Mo.	, Day, Yr) 3. SEX	4. SOCIAL SEC		BER 5	a. AGE (Y Last Birth	ay Months Days		UNDER 1 DAY	6. DATE OF BI	RTH (Mo., Day,
	State or Foreign Country)					only one, see instruction			1	
		EVER IN U.S. ARMED FOR	CES?	OSPITAL		VOutpatient DOA	OTHER	ursing Home 🔲 Resid	lence 🗆 Other (:	Specify)
10. FACILITY NAME	If not institution, give stre	et and number)	<u>vo I</u>			UNTY OF DEATH		CITY OR TOWN OF		
ENT 13. MARITAL STATUS Marned, Never Maried, Widowed, Divorced (Sp	(If wife, give ma	uden name)	] Living ] Deceased	15. DECEDENT'S (Give kind of w Do <u>not</u> use reti	vork done e	CCUPATION Juring most of working life		6. KIND OF BUSINES	S/INDUSTRY	
17. DECE (Specify onl	DENT'S EDUCATION y highest grade complete	d) 18.	ANCESTRY	- French, English, I	irish, elc. (	Specity)	19. RAC	E – American Indian, I	Black, While, etc. (	Specity)
Elementary/Secondary (0-1)	2) College (1-4 or	5+)								
20. RESIDENCE - STAT	E 21. COUNTY	22.	CITY OR TO	WWN			23. STR	EET AND NUMBER		
			DLE NAME		24c. LAST	NAME				24d. JR.
FATHER'S	RST NAME	240. MID			244 0-01	1,				240.011
MOTHER'S	RST NAME	25b. MID	DLE NAME		25c. MAID	CTU AME				
26. INFORMANT - N	ME (Type/Print)	27.	MAILING AD	DRESS (Street	ANUL DI	Qurat bute Number, C	ity or Town, Stat	e, ZIP Code)		
IANT					2	V				_
28. METHOD OF DISI	POSITION	Entombed 2	9. PLACE OF	DISPOSITIO, 750	6.5	ery, crematory, or other place	30. LOCATION	I - City or Town, State		
	emation  Removal fro	om State								
TION 31. SIGNATURE OF F	UNERAL DIRECTOR		32. NA	A	OF FACILI	TY OR AUTHORIZED PE	RSON		33. DATE O	FDISPOSITIC
	PERSON (22 MRSA § 2	846)	C	X					(Mo., Da	iy, Yr.)
34. MEDICAL EXAMINER Signature and Trile	On the basis of examina date and place and due	to the cause(s) ar		oplight, death occu stand.	「気がらない			35. DATE SIGNED (Mo., Day, Yr.)		36. VIEWED BODY AI DEATH?
37. CERTIFYING PHYSICIAN	To the best of my knowle causes(s) and manner a	edge, death occur s stated.	red at the bin	e, date, and place, a	and due to	the		38. TIME OF DEAT		□ Yes □
Signature and Title P 39, NAME OF ATTEN	ING PHYSICIAN IF OTH	ER THAN CERTIF	FIER (Type/Pri	10, NAME AND	ADDRES	S OF CERTIFIER (Type/	Print)	<b></b>	0 PM	]
41. REGISTRAR'S S	IGNATURE						2. DATE FILED	(Mo., Day, Yr.)	-	
43. WAS AN AUTOPS	Y 45. MANNER OF I	DEATH 46.	47 DATE		48 DE	SCRIBE HOW INJURY		14 C 1 47 47		in and the start
	Natural     Accident	INJUA AT WORK	Y (Mo.,	Day, Yr.)						
44. WERE AUTOPSY	Suicide	D Ye	s 49. TIME	OF INJURY	50. PL	ACE OF INJURY - AL	ome, farm, street,			
FINDINGS AVAIL ABLE PRIOR TO COMPLETION OF	Pending			<b>D</b> A4	¥ 39				2	
CAUSE OF DEAT	H? Investigatio	ILI No.		O PN		CATION (Street and Nun	nber or Rural Rou	ite Number, City or To	wn, State)	
	i. Enter the diseases, in			enured the death D						
<b>[</b>	arrest, shock, or hear CAUSE (Final ondition a.	1 failure. List only	one cause pe	CONSEQUENCE (		r and mode of dying, soca			Betwee   Death 	émate Interva en Onsel and
	list conditions, b.								1	
Kitarianayae Tobesi, yna hi Indesi, yna hi Indesi, yna hi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi Indesi	UNDERLYING ease or injury ed events ieath) LAST d.	DUE TO	OR AS A C	CONSEQUENCE	OF):				5 90 90 91 91 92 92 92 92 92 92 92 92 92 92 92 92 92	<u>.</u>
	hter significant condition pecified in Part I, Indicate									

VS3-R1/90

#### SHADED AREAS FOR MEDICAL EXAMINER USE ONLY

ORIGINAL COPY STATE

#### item 9. - Place of Death

If the death occurred in a hospital, check the box indicating the decedent's status at the institution (inpatient, emergency room/outpatient, or dead on arrival (DOA). If death occurred elsewhere, check the box indicating whether death occurred at a nursing home, residence or other location. If other is checked, specify where death occurred, e.g. a physician's office, the place where the accident occurred or at work.

#### Items 20-23. - Residence of Decedent

Residence of the decedent is the place where he or she actually resided. This is not necessarily the same as "home state" or "legal residence." Never enter a temporary residence such as one used during a visit, business trip or a vacation. Place of residence during a tour of military duty or during attendance at college is not considered as temporary and should be considered the place of residence.

If a decedent had been living in a facility where an individual usually resides for a long period of time such as a group home, mental institution, nursing home, penitentiary or hospital for the chronically ill, report the location of that facility in items 20 through 23.

If the decedent was an infant who never resided at home, the place of residence is that of the parent(s) or legal guardian. Do not use an acute care hospital's location as the place of residence of an infant.

#### Items 34-51 - Medical Certification

When the circumstances of death make it a medical examiner case as defined in 22 MRSA §3025, the MEDICAL EXAMINER is responsible for completing all items in this section. The shaded areas, item 34 and items 46-51 are to be used <u>only</u> by the Medical Examiner. If the manner of death indicated in item 45 is <u>anything other than natural causes</u>, the certificate <u>must</u> be completed by a medical examiner.

#### Item 52. --- Cause of Death

The cause of death means the disease, abnormality, injury or poisoning that caused the death, not the mode of dying, such as cardiac or respiratory arrest, shock or heart failure.

In <u>Part I</u>, the <u>immediate</u> cause of death is reported on line (a). Antecedent conditions, if any, which gave rise to the cause are reported on lines (b), (c), and (d). The <u>underlying</u> cause should be reported on the last line used in Part I. NO entry is necessary on lines (b), (c), and (d) if the immediate cause of death on line (a) describes completely the train of events. ONLY ONE CAUSE SHOULD BE ENTERED ON A LINE. Additional lines may be added if necessary. Provide the best estimate of the interval between the onset of each condition and death. Do not leave the interval blank; if unknown, so specify.

In <u>Part II</u>, enter other important diseases or conditions that may have contributed to grath but did not result in the underlying cause of death given in Part I. See examples below.

43. WAS AN AUTOPSY PERFORMED?     45. MANNER OF DEATH     X Natural     Accident     Accident     Accident     Suicide     44. WERE AUTOPSY FINDINGS AVAL     ABLE PRIOR TO     COMPLETION OF     Investigation		
	or complications while causer and the Do not enter the mode of dying, such as cardiac or respiratory . List only one cause of the strengthere.	Approximate Interval Between Onset and Death
resulting in death.) NOL Sequentially Est conditions, if any, keeding to immediate cause. Enine UNDERLYING LHC CAUSE (Disease or injury c. Chri	pture of myocardian Due to the A CO SEQUENCE OF): Jte myocardiannfarction Due to (OR AS A CONSEQUENCE OF): ronic ischemic heart disease DUE to (OR AS A CONSEQUENCE OF):	6 days
PART II. Other significant conditions contributions	uting to death but not resulting in the underlying cause given in Part I.	•

Diabetes, Chronic obstructive pulmonary disease, smoking

44. WER FIND ABLE COM	es X No E AUTOPSY INGS AVAIL- E PRIOR TO IPLETION OF SE OF DEATH?	45. MANNER OF DEATH Accident Suicide Homicide Pending Investigation Could not be determined	46. INJURY AT WORK7	47. DATE OF INJURY ( <i>Ma., Day, Yr.</i> ) 11/15/88 49. TIME OF INJURY 1:00 👷 рм	48. DESCRIBE HOW INJURY OCCURRED <u>2 car collision</u> 50. PLACE OF INJURY — Ai home, farm, street, factory, office building, etc <u>Street</u> 51. LOCATION (Street and Number or Rural Route Number, City or Town, 3 Route 4, Augusta, Maine	
52.	PART I. Enter the diseases, injuries, or complications which caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure. List only one cause per each line.      MMEDIATE CAUSE (Final disease or condition arrest)     a. Cerebral laceration     DIE TO (CR AS A CONSERVIENCE OF):					Approximate Interval Between Onset and Death 10 mins.
NFIDEN ORMA	Sequentially ist conditions. If any, leading to immediate cause. Enter UNDERLYING CAUSE (bisease or injury which militated events resulting in death) LAST PART II. Other significant conditions combi-		DUE TO ( OMODII DUE TO (	OR AS A CONSEQUENCE OF e accident DR AS A CONSEQUENCE OF	- =);	10 mins.
<u> </u>	PART II. <u>Older s</u>	ignificant conditions contribu	bng to dea	In but not resulting in the undering	ng cause given in Part I.	

#### STATE OF MAINE DEPARTMENT OF HUMAN SERVICES (118) ICENSE AND CERTIFICATE OF MARRIAGE

.

In PRST NAME     Is. MODELE NAMENAME     IS. MODELE NAMENAME     IS. MODELE NAMENAME     IS. MONENDES IN MANENAME     IS. MODELE NAMENAME     IS. MODELE NAMENAME	
GROOM       E. STREET AND NUMBER       7. BIRTHPLACE (State or Foreign Counity)       B. EATE OF BIRTH (A         B. FATHER'S NAME (Frist, Middle, Lasi)       10. BIRTHPLACE (State or Foreign Counity)       11. MOTHER'S NAME (Frist, Middle, Maden Sumane)       12. BIRTHPLACE (State or Foreign Counity)         Iss. FIRST NAME       110. MIDDLE NAME       11. MOTHER'S NAME (Frist, Middle, Lasi)       12. BIRTHPLACE (State or Foreign Counity)         Iss. FIRST NAME       110. MIDDLE NAME       14. MADEN SURNAME         1s. AGE LAST BIRTHDAY       18. RESIDENCE - STATE       17. COUNTY         1s. GOUNTY       20. BIRTHPLACE (State or Foreign Counity)       21. DATE OF BIRTH (A         24. FATHER'S NAME (Frist, Middle, Lasi)       21. DATE OF BIRTH (A       21. DATE OF BIRTH (A         24. FATHER'S NAME (Frist, Middle, Lasi)       21. DATE OF BIRTH (A       21. DATE OF BIRTH (A         25. BIRTHPLACE (State or Foreign Counity)       21. DATE OF BIRTH (A       21. DATE OF BIRTH (A         26. FIRE COUNTY       20. BIRTHPLACE (State or Foreign Counity)       21. DATE OF BIRTH (A         27. FIREY MADE (Frist, Middle, Lasi)       21. DATE OF BIRTH (A       21. DATE OF BIRTH (A         27. FIREY MADE (Frist, Middle, Lasi)       DATE (A, Dy, T)       23. BIRTHPLACE (State or Foreign Counity)         28. FIRE COUNTY       21. DATE OF BIRTH (A       DATE (A, Dy, T)       23. BIRTHPLACE (State or Foreign Counity)	
E STREET ADD HUMBER     E STREET ADD HUMBER     E STREET HUME	
E SINCE I AD HUMBEN     E	
	te or
BRIDE       19. COUNTY       20. BIRTHPLACE (State or Foreign Country)       21. DATE OF BIRTH (M         22. FATHER'S NAME (Fist, Middle, Last)       23. BIRTHPLACE (State or Foreign Country)       24. MOTHER'S NAME (Fist, Middle, Maidon Sumame)       25. BIRTHPLACE (State or Foreign Country)         MARITAL       Status       CROOM       BRIDE         MARITAL       NUMBER OF THIS MAREUAGE       27. IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED       Number of This Marriage       29. IF PREVIOUSLY MARRIED, LAST MARRIAGE         32. First, Second, are (specify)       DEATH       DATE (Mo. Day, Yr)       DEATH       DEATH         INVORCE       INVORCE       ANULMENT       DATE (Mo. Day, Yr)       DATE (Mo. Day, Yr)         I HEREBY CERTIFY THAT THE INFORMATION PROV DE INFORMATION PROV DE INFORMET OF THE BEST OF MY KNOWLEDGE AND BELIEF       AND THAT I AMINE TO MAR TO MARY UNDER THE LAWS OF MAINE         30. GROOM'S, SIGNATURE       12. DATE INTENTIONS FLEE MIDDORY, N       33. DATE LICENSE SIGNATURE       34. LICENSE VALID UNTIL (Mo., Day, Yr)         MARRY       14. INTERTY OF MARRIED OF ISSUING CLERK       36. CITY OR TOWN OF ISSUE       36. CITY OR TOWN OF ISSUE         MARRY       14. LAWS OF MAINE PROVIDE THAT ONLY AUTHORIZED PERSONS MAY SOLEMNIZE MARRIAGES IN MAIN       37. I CERTIFY THAT THE MARRIED - CITY OR TOWN       39. COUNTY         37. I CERTIFY THAT THE AND TO VIDE THAT ONLY AUTHORIZED PERSONS MAY SOLEMNIZE MARRIAGES IN MAIN       3	
AL DATE OF BINTH (Middle, Last)     AL DATE	<u></u>
Foreign Country         Foreign Country         GROOM         BRIDE         MARITAL         STATUS       29. IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED       Number of This MARRIAGE       29. IF PREVIOUSLY MARRIED, LAST MARRIAGE         25. First, Second, etc.       DEATH       DATE (Ma, Day, YJ)       DATE (Ma, Day, YJ)         DIVORCE       DIVORCE       DIVORCE       DATE (Ma, Day, YJ)         Status       Second, etc.       DATE (Ma, Day, YJ)       DATE (Ma, Day, YJ)         Status       First, Second, etc.       DATE (Ma, Day, YJ)       DATE (Ma, Day, YJ)         Divorce       ANNULMENT       Numbers of the Information of the Informatio	o., Day. Yr.)
GROOM       BRIDE         MARITAL STATUS       NUMBER OF THIS MARRIAGE       27. IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED       NUMBER OF THIS MARRIAGE       29. IF PREVIOUSLY MARRIED, LAST MARRIAGE         28. First, Second, etc       Death       Date (Mo, Day, Yz)       0. Ast Second, etc       Death         30. ORGONY       ID DEATH       DATE (Mo, Day, Yz)       0. Ast Second, etc       Death       DATE (Mo, Day, Yz)         SIGNATURES       First cousins are required by law to or the thertificate of genetic counseling by a physician.       I HEREBY CERTIFY THAT THE INFORMATION PROV DE NOORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF         SIGNATURES       S. GROON'S, SIGNATURE       30. GROON'S, SIGNATURE         30. GROON'S, SIGNATURE       32. DATE INTENTIONS FILLED RUDG Cay; I       33. DATE LICENSE ISSUED (Mo, Day, Yr)       34. LICENSE VALID UNTIL (Mo, Day, Yr)         IS LENDE'S SIGNATURE       32. DATE INTENTIONS FILLED RUDG Cay; I       33. DATE LICENSE ISSUED (Mo, Day, Yr)       34. LICENSE VALID UNTIL (Mo, Day, Yr)         IS LENDE'S SIGNATURE       32. DATE INTENTIONS FILLED RUDG Cay; I       33. DATE LICENSE ISSUED (Mo, Day, Yr)       34. LICENSE VALID UNTIL (Mo, Day, Yr)         IS HEREBY AUTHORIZED PERSON       THE LAWS OF MAINE       35. SIGNATURE OF ISSUING CLERK       36. CITY OR TOWN OF ISSUE         THE LAWS OF MAINE       IN MAINE       36. CITY OR TOWN OF ISSUE       38. WHERE MARRIED CAY       39	or
MARITAL STATUS       NUMBER OF THIS MARRIAGE       27. IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED       NUMBER OF THIS MARRIAGE       29. IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED         STATUS       26. First, Second, etc (specify)       DATE (Mo., Day, Yr.)       DATE (Mo., Day, Yr.)       DATE (Mo., Day, Yr.)         Image: Status       29. IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED       NUMBER OF THIS MARRIAGE       29. IF PREVIOUSLY MARRIED, LAST MARRIAGE         Status       28. First, Second, etc (specify)       DATE (Mo., Day, Yr.)       DATE (Mo., Day, Yr.)         Image: Status       First cousins are required by law to characteritificate of genetic counseling by a physician. I HEREBY CERTIFY THAT THE INFORMATION PROV DE LA CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND THAT I AM TO TO MARKY UNDER THE LAWS OF MAINE         30. GROOM'S, SIGNATURE       32. DATE INTENTIONS FILE MUSC.Cay, 1       33. DATE LICENSE ISSUED (Mo., Day, Yr.)       34. LICENSE VALID UNTIL (Mo., Day, Yr.)         ILICENSE TO MARRY       32. DATE INTENTIONS FILE MUSC.Cay, 1       33. DATE LICENSE ISSUED (Mo., Day, Yr.)       34. LICENSE VALID UNTIL (Mo., Day, Yr.)         ILICENSE TO MARRY       35. SIGNATURE OF ISSUING CLERK       36. CITY OR TOWN OF ISSUE       THE LAWS OF MAINE         37. ICERTIFY THAT THE ABOVE NAMED PERSON S       (Mo., Day, Yr.)       38. WHERE MARRIED - CITY OR TOWN       39. COUNTY         40. SIGNATURE OF ERSON PERFORMING CEREMONY       41. NAME (Type/Printy)       42. TITLE	
STATUS 26. First, Second, etc   BEATH   STATUS    26. First, Second, etc BEATH DIVORCE ANULMENT First cousins are required by law to o the the pertilicate of genetic counseling by a physician. I HEREBY CERTIFY THAT THE INFORMATION PROVIDE TO CARPET TO THE BEST OF MAINE SIGNATURES LICENSE TO MARRY 1. CERTIFY THAT THE May of the LAWS OF MAINE PROVIDE THAT ONLY AUTHORIZED PERSON IN EACH ONLY AUTHORIZED PERSON SIGNATURE OF ISSUING CLERK 35. SIGNATURE OF ISSUING CLERK 36. CITY OR TOWN OF ISSUE THE LAWS OF MAINE PROVIDE THAT ONLY AUTHORIZED PERSON MAY SOLEMNIZE MARRIAGES IN MAINING TO THAT ONLY AUTHORIZED PERSONS MAY SOLEMNIZE MARRIAGES IN MAINING WERE MARRIED - CITY OR TOWN 37. I CERTIFY THAT THE MARE DRIVE 38. WHERE MARRIED - CITY OR TOWN 39. COUNTY 40. SIGNATURE OF PERSON PERFORMING CEREMONY 40. SIGNATURE OF PERSON PERFORMING CEREMONY 41. NAME (Type/Print) 42. TITLE 43. DATE OF COMMINE 43. DATE OF COMMINE 44. DATE OF COMMINE 44. DATE OF COMMINE 45. DATE OF COMMINE 45. DATE OF COMMINE 46. SIGNATURE OF PERSON PERFORMING CEREMONY 41. NAME (Type/Print) 42. TITLE 43. DATE OF COMMINE 44. DATE OF COMMINE 44. DATE OF COMMINE 45. DATE OF COMMINE 45. DATE OF COMMINE 46. DATE OF COMMINE 46. DATE OF COMMINE 47. ITTLE 47. DEPENDENT OF THE PROVIDE THAT ONLY AUTHORIZED PERSONS MAY SOLEMNIZE MARRIAGES IN MAINING THE MARRIED OF THE COMPARISON PERFORMING CEREMONY 41. NAME (Type/Print) 42. TITLE 43. DATE OF COMMINE 44. DATE OF COMMINE 45. DATE OF COMMINE 45. DATE OF COMMINE 46. DATE OF COMMINE 46. DATE OF COMMINE 47. DEPENDENT DE	
IDEATH     DEATH     DEATH     DEVORCE     ANNULMENT      First cousins are required by law to o that repetificate of genetic counseling by a physician.     I HEREBY CERTIFY THAT THE INFORMATION PROVIDE IN CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF     AND THAT I AM THE TO VALUE AND THE LAWS OF MAINE     SIGNATURE      INFORMATIONS FILEE MRS, CAR, INFORMATION PROVIDE IN CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF     AND THAT I AM THE TO VALUE AND THAT LAWS OF MAINE     SIGNATURE      INFORMATIONS FILEE MRS, CAR, INFORMATION PROVIDE IN CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF     AND THAT I AM THE TO VALUE AND THE LAWS OF MAINE     SIGNATURE      INFORMATIONS FILEE MRS, CAR, INFORMATION PROVIDE IN CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF     AND THAT I AM THE TO VALUE AND THE LAWS OF MAINE     IS REFERENT AND THE ABOVE AUTORIZED PERSON     THE ABOVE AUTORIZED DENSING     SIGNATURE OF ISSUING CLERK     THE LAWS OF MAINE     SIGNATURE OF ISSUING CLERK     SIGNATURE OF PERSONS     MAINE     SIGNATURE OF PERSONS     MAINE     SIGNATURE OF PERSONS     MAINE OF PERSONS (MG, Day, Yr.)     SIGNATURE OF ISSUING CLERK (MG, Day, Yr.)     SIGNATURE OF ISSUE (MG, DAY, Yr.)     SIGNATURE OF PERSONS (MG, DAY, Yr.)     SIGNATURE OF PERSONS     MAINE OF PERSONS     MAINE OF PERSONS     MAINE OF PERSONS (MG, DAY, Yr.)     SIGNATURE OF PERSONS (MG,	ENDED
LICENSE TO MARRY 3. CITY OR TOWN OF ISSUE TO MARRY 4. SIGNATURE 1. LICENSE TO MARRY 4. SIGNATURE 1. LICENSE TO MARRY 4. SIGNATURE 1. LICENSE TO MARRY 1. LICENSE TO MARR	
LICENSE TO MARRY IN BERGEY AUTHORIZED TO MARRY THE ABOVE RAMARE PROVIDE THAT ONLY AUTHORIZED PERSONS MAY SOLEMNIZE MARRIAGES IN MAIN THE LAWS OF MAINE THE	
37. I CERTIFY THAT THE ABOVE MARED PERSONS WERE MARRIED ON:     (Mo., Day, Yr.)     38. WHERE MARRIED - CITY OR TOWN     39. COUNTY       40. SIGNATURE OF PERSON PERFORMING CEREMONY     41. NAME (Type/Print)     42. TITLE     (43. DATE OF COMMISS	
WERE MARRIED ON: 40. SIGNATURE OF PERSON PERFORMING CEREMONY 41. NAME (Type/Print) 42. TITLE 43. DATE OF COMMISS	E
WERE MARRIED ON: 40. SIGNATURE OF PERSON PERFORMING CEREMONY 41. NAME (Type/Print) 42. TITLE 43. DATE OF COMMISS	
	ION OR LICENSE TTED TO ME.
44A. RESIDENCE OF PERSON PERFORMING CEREMONY 44B. MAILING ADDRESS OF PERSON PERFORMING CEREMONY	
45A. SIGNATURE OF WITNESS TO CEREMONY 45B. TYPED OR PRINTED NAME OF WITNESS	
WITNESSES SIGNATURES 46A. SIGNATURE OF WITNESS TO CEREMONY 46B. TYPED OR PRINTED NAME OF WITNESS	
47. REGISTRAR'S SIGNATURE 48. DATE FILED (Mo., Day, Yr.)	
CLERK	

VS2-R1/90

.

# CONFIDENTIAL. THE INFORMATION BELOW WILL NOT APPEAR ON CERTIFIED COPIES OF THE RECORD.

1	GROOM'S RACE	GROOM'S EDUCATION	Specify only highest grade completed)	BRIDE'S RACE	1	BRIDE'S EDUCATION -	(Specify only highest grade completed)
	49. American Indian, Black, White, etc. <i>(Specily)</i>	50, Elementary/Secondary (0-12)	1 College 1 (1-4 or 5+) 1	51, American Indian, Black, White, etc. (Specify)	52.	Elementary/Secondary (0-12)	College (1-4 or 5+)

# STATE OF MAINE

# RECORD OF DIVORCE OR ANNULMENT

DEPARTMENT OF HUMAN SERVICES

			(118)	:	State file No.
HUSBAND	1a. NAME OF HUSBAND - FIRST	16. MIDDLE	1c. LAST		1d. JR , ETC
HOSDAND	2a. USUAL RESIDENCE – STATE	2b.COUNTY		2c.CITY/TOWN	
WIFE	3a. NAME OF WIFE - FIRST	3b. MIDDLE	3c. LAST		
AAILE	4a. USUAL RESIDENCE STATE	4b. COUNTY		4c. CITY/TOWN	· · ·
MARRIAGE	5. PLACE OF MARRIAGE - STATE, COUNTY, AND (	CITY DR TOWN	6. DAT	E OF MARRIAGE	
DIVORCE OR ANNULMENT	7. TYPE OF OECREE DIVORCE ANNULMENT	8 PLAINTIFF	WSBAND	9. DECREE G	RANTED TO HUSBAND WIFE
MINOR CHILDREN	12. NAMES OF MINOR CHILOBEN	S	13. AGES	14. CUSTOD	Y
Use Reverse Side for Additional Names					
CERTIFICATION	15. I HEREBY CERTIFY THAT THE ABOVE ITEMS OF AND CORRECT AS SHOWN IN THE ORIGINAL RECOR SIGNATURE OF CLERK		E OF COURT		
		SEND TO: Office of Vital Statistics			

VS5 - R 1/30

.

. .

.

ID TO: Office of Vital Statistics State House Station # 11, Augusta, Maine 04333-0011

.

. . .

			F HUMAN SERVICES DUCED ABORTIO	<u>N</u>	(118)	State I	File No.	
1. FACILITY NAME (If not clinic or hospita	l, give address)	2. COUI	NTY OF ABORTION	3. CITY/1	TOWN OF ABORTION	I YES	4. PATIENT MARRIED? UYES NO UNKNOWN	
5. DATE OF ABORTION (Month, Day, Yea	ሃ 6. AGE OF የ/	ATIENT	7. RESIDENCE – STATE	8. COUI	NTY	9. CITY/TOWN		
10. ANCESTRY French, English, Irish, Etc. (Specify Below)	11. RA			12.	12. EDUCATION (Specify only highest grade completed)			
		White Other (Specify)		Ele	mentary/Secondary (0-12)	College (1-4 or 5 +)		
NORMAL MENSES OF GE BEGAN	AL ESTIMATE STATION <i>(Weeks)</i>		PREGNANCY HIS	RY (Gr. ple	te each section)			
(Month, Day, Year)	,	LIVE BUTTIE			OTHER TERMINATIONS (Do not include this termination)			
		15a. Now livir	ng 15b. Now dea	d	16a. Spontaneous	16b. Induced		
		Nuther	Number_		Number	I Number		
					□ None			
17a. PROCEDURE THAT TERMINA PREGNANCY	TED		ATION PROCEDURES		USED	TIONAL PROCEDURES FOR THIS INATION, IF ANY		
(Check only one)					(Check all	that apply)		
Ο		Su	ction Curettage		🛛			
Ω		SI	harp Curettage		0			
			and Evacuation (D&E)					
			rine Saline Instillation					
			Prostaglandin Instillation -					
			Hysterotomy					
			ecify)					
8. SIGNATURE OF ATTENDING PHYSICIA	N		19. NAME OF PERSO	ON COMPLI	eting Report <i>(Type/Print)</i>			
- P 16a		Office of Vital Statis	tice		······································			

VS4 - R 160

.

State House Station #11, Augusta, Maine 04333-0011

## Table E-1 ESTIMATED POPULATION OF MAINE BY COUNTY July 1, 1995

COUNTY	ESTIMATED POPULATION				
MAINE	1,241,382				
Androscoggin	103,751				
Aroostook	78,633				
Cumberland	248,526				
Franklin	29,511				
Hancock	49,272				
Kennebec	117,000				
Knox	37,372				
Lincoln	31,334				
Oxford	53,440				
Penobscot	145,905				
Piscataquis	18,486				
Sagadahoc	33,959				
Somerset	51,346				
Waldo	35,707				
Washington	36,156				
York	170,984				
SOURCE: United States Department of Commerce, Bureau of the Census, April 1996.					

[VSTAB_E1.SAS, 1/20/1998]

.

### Table E-2 ESTIMATED POPULATION OF MAINE BY AGE GROUP AND SEX July 1, 1995

AGE GROUP	TOTAL	* * * * * SE> Male				
ALL AGES	1,241,382	604,751	636,631			
Less Than 1 Year	13,947	7,155	6,792			
1-14	238,036	122,245	115,791			
15-24	165,512	83,578	81,934			
25-34	179,793	88,265	91,528			
35-44	212,367	106,221	106,146			
45-64	259,582	127,256	132,326			
65-74	94,851	42,386	52,465			
75-84	56,646	22,079	34,567			
85 Years and Over	20,648	5,566	15,082			
SOURCE: United States Department of Commerce, Bureau of the Census, July 1996.						

.

.

[VSTAB_E1.SAS, 1/20/1998]

.

### Table LF-1 LIFE EXPECTANCY IN MAINE BY SINGLE YEAR OF AGE AND SEX 1990

$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	AGE	*** * TOTAL	LIFE EXPECTANCY IN YEARS Male	* * * * Female
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0	76.2	72.8	79.4
3 $73.7$ $70.4$ $76.9$ 4 $72.7$ $69.4$ $75.9$ 5 $71.8$ $68.4$ $75.0$ 6 $70.8$ $67.5$ $74.0$ 7 $69.8$ $66.5$ $73.0$ 8 $68.8$ $65.5$ $72.0$ 9 $67.8$ $64.5$ $71.0$ 10 $66.8$ $63.5$ $70.0$ 11 $65.8$ $62.5$ $69.0$ 12 $64.9$ $61.5$ $68.0$ 13 $63.9$ $60.6$ $67.0$ 14 $62.9$ $59.6$ $66.1$ 15 $61.9$ $57.6$ $64.1$ 17 $60.0$ $56.7$ $63.1$ 18 $59.0$ $55.7$ $62.2$ 19 $58.1$ $54.8$ $61.2$ 20 $57.1$ $53.9$ $60.2$ 21 $56.2$ $52.9$ $59.2$ 22 $55.2$ $52.0$ $58.3$ 23 $54.3$ $51.1$ $57.3$ 24 $53.3$ $50.2$ $56.3$ 25 $52.4$ $49.2$ $55.3$ 26 $51.4$ $48.3$ $54.3$ 27 $50.5$ $47.4$ $53.4$ 30 $47.6$ $44.6$ $50.5$ 31 $46.6$ $43.6$ $49.5$ 32 $45.7$ $42.7$ $48.5$ $33$ $44.7$ $41.7$ $47.5$ $34$ $43.8$ $40.8$ $46.6$ $35$ $42.8$ $39.9$ $45.6$ $36$ $41.9$ $38.9$ $44.6$ $35.3$ <t< td=""><td>1</td><td>75.7</td><td>72.3</td><td>78.8</td></t<>	1	75.7	72.3	78.8
3 $73.7$ $70.4$ $76.9$ 4 $72.7$ $69.4$ $75.9$ 5 $71.8$ $68.4$ $75.0$ 6 $70.8$ $67.5$ $74.0$ 7 $69.8$ $66.5$ $73.0$ 8 $68.8$ $65.5$ $72.0$ 9 $67.8$ $64.5$ $71.0$ 10 $66.8$ $63.5$ $70.0$ 11 $65.8$ $62.5$ $69.0$ 12 $64.9$ $61.5$ $68.0$ 13 $63.9$ $60.6$ $67.0$ 14 $62.9$ $59.6$ $66.1$ 15 $61.9$ $57.6$ $64.1$ 17 $60.0$ $56.7$ $63.1$ 18 $59.0$ $55.7$ $62.2$ 19 $58.1$ $54.8$ $61.2$ 20 $57.1$ $53.9$ $60.2$ 21 $56.2$ $52.9$ $59.2$ 22 $55.2$ $52.0$ $58.3$ 23 $54.3$ $51.1$ $57.3$ 24 $53.3$ $50.2$ $56.3$ 25 $52.4$ $49.2$ $55.3$ 26 $51.4$ $48.3$ $54.3$ 27 $50.5$ $47.4$ $53.4$ 30 $47.6$ $44.6$ $50.5$ 31 $46.6$ $43.6$ $49.5$ 32 $45.7$ $42.7$ $48.5$ $33$ $44.7$ $41.7$ $47.5$ $34$ $43.8$ $40.8$ $46.6$ $35$ $42.8$ $39.9$ $45.6$ $36$ $41.9$ $38.9$ $44.6$ $35.3$ <t< td=""><td>2</td><td>74.7</td><td></td><td></td></t<>	2	74.7		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3			
5 $71.8$ $68.4$ $75.0$ 6 $70.8$ $67.5$ $74.0$ 7 $69.8$ $66.5$ $73.0$ 8 $68.8$ $65.5$ $72.0$ 9 $67.8$ $64.5$ $71.0$ 10 $66.8$ $63.5$ $70.0$ 11 $65.8$ $62.5$ $69.0$ 12 $64.9$ $61.5$ $68.0$ 13 $63.9$ $60.6$ $67.0$ 14 $62.9$ $59.6$ $66.1$ 15 $61.9$ $57.6$ $64.1$ 17 $60.0$ $56.7$ $63.1$ 18 $59.0$ $55.7$ $62.2$ 19 $58.1$ $54.8$ $61.2$ 20 $57.1$ $53.9$ $60.2$ 21 $56.2$ $52.9$ $59.2$ 22 $55.2$ $52.0$ $58.3$ 23 $54.3$ $51.1$ $57.3$ 24 $53.3$ $50.2$ $56.3$ 25 $52.4$ $49.2$ $55.3$ 26 $51.4$ $48.3$ $54.3$ 27 $50.5$ $47.4$ $53.4$ 28 $49.5$ $46.4$ $52.4$ 29 $48.5$ $45.5$ $51.4$ 30 $47.6$ $44.6$ $50.5$ 31 $46.6$ $43.6$ $49.5$ 33 $44.7$ $41.7$ $47.5$ 34 $43.8$ $40.8$ $46.6$ 35 $42.8$ $39.9$ $45.6$ 36 $41.9$ $38.9$ $44.6$ 37 $40.9$ $38.0$ $43.7$ 38 $40.0$ </td <td></td> <td></td> <td></td> <td></td>				
7 $69.8$ $66.5$ $73.0$ 8 $68.8$ $65.5$ $72.0$ 9 $67.8$ $64.5$ $71.0$ 10 $66.8$ $63.5$ $70.0$ 11 $65.8$ $62.5$ $69.0$ 12 $64.9$ $61.5$ $68.0$ 13 $63.9$ $60.6$ $67.0$ 14 $62.9$ $59.6$ $66.1$ 15 $61.9$ $58.6$ $65.1$ 16 $60.9$ $57.6$ $64.1$ 17 $60.0$ $56.7$ $63.1$ 18 $59.0$ $55.7$ $62.2$ 19 $58.1$ $54.8$ $61.2$ 20 $57.1$ $53.9$ $60.2$ 21 $56.2$ $52.9$ $59.2$ 22 $55.2$ $52.0$ $58.3$ 24 $53.3$ $50.2$ $56.3$ 25 $52.4$ $49.2$ $55.3$ 26 $51.4$ $48.3$ $54.3$ 27 $50.5$ $47.4$ $53.4$ 28 $49.5$ $46.4$ $52.4$ 29 $48.5$ $45.5$ $51.4$ 30 $47.6$ $44.6$ $50.5$ 31 $46.6$ $43.6$ $49.5$ 33 $44.7$ $41.7$ $47.5$ 34 $43.8$ $40.8$ $46.6$ 35 $42.8$ $39.9$ $45.6$ 36 $41.9$ $38.9$ $44.6$ 37 $40.9$ $38.0$ $43.7$ 38 $40.0$ $37.1$ $42.7$ $39$ $39.0$ $36.1$ $41.7$ $40.9$	5	71.8	68.4	
8 $68.8$ $65.5$ $72.0$ 9 $67.8$ $64.5$ $71.0$ 10 $66.8$ $63.5$ $70.0$ 11 $65.8$ $62.5$ $69.0$ 12 $64.9$ $61.5$ $68.0$ 13 $63.9$ $60.6$ $67.0$ 14 $62.9$ $59.6$ $66.1$ 15 $61.9$ $58.6$ $65.1$ 16 $60.9$ $57.6$ $64.1$ 17 $60.0$ $56.7$ $63.1$ 18 $59.0$ $55.7$ $62.2$ 19 $58.1$ $54.8$ $61.2$ 20 $57.1$ $53.9$ $60.2$ 21 $56.2$ $52.9$ $59.2$ 22 $55.2$ $52.0$ $58.3$ 23 $54.3$ $51.1$ $57.3$ 24 $53.3$ $50.2$ $56.3$ 25 $52.4$ $49.2$ $55.3$ 26 $51.4$ $48.3$ $54.3$ 27 $50.5$ $47.4$ $53.4$ 29 $48.5$ $45.5$ $51.4$ 30 $47.6$ $44.6$ $50.5$ 31 $46.6$ $43.6$ $49.5$ 32 $45.7$ $42.7$ $48.5$ 33 $44.7$ $41.7$ $47.5$ 34 $43.8$ $40.8$ $46.6$ 35 $42.8$ $39.9$ $45.6$ 36 $41.9$ $38.9$ $44.6$ 37 $40.9$ $38.0$ $43.7$ 38 $40.0$ $37.1$ $42.7$ $40$ $38.1$ $35.2$ $40.8$ $41$	6	70.8	67.5	74.0
9 $67.8$ $64.5$ $71.0$ 10 $66.8$ $63.5$ $70.0$ 11 $65.8$ $62.5$ $69.0$ 12 $64.9$ $61.5$ $68.0$ 13 $63.9$ $60.6$ $67.0$ 14 $62.9$ $59.6$ $66.1$ 15 $61.9$ $57.6$ $64.1$ 17 $60.0$ $56.7$ $63.1$ 18 $59.0$ $55.7$ $62.2$ 19 $58.1$ $54.8$ $61.2$ 20 $57.1$ $53.9$ $60.2$ 21 $56.2$ $52.9$ $59.2$ 22 $55.2$ $52.0$ $58.3$ 23 $54.3$ $51.1$ $57.3$ 24 $53.3$ $50.2$ $56.3$ 25 $52.4$ $49.2$ $55.3$ 26 $51.4$ $48.3$ $54.3$ 27 $50.5$ $47.4$ $53.4$ 28 $49.5$ $46.4$ $52.4$ 29 $48.5$ $45.5$ $51.4$ 30 $47.6$ $44.6$ $50.5$ 31 $46.6$ $43.6$ $49.5$ 32 $45.7$ $42.7$ $48.5$ 33 $44.7$ $41.7$ $47.5$ 34 $43.8$ $40.8$ $46.6$ 35 $42.8$ $39.9$ $45.6$ 36 $41.9$ $38.9$ $44.6$ 37 $40.9$ $38.0$ $43.7$ 38 $40.0$ $37.1$ $42.7$ $39$ $39.0$ $36.1$ $41.7$ $39$ $39.0$ $36.1$ $41.7$ $37$ <t< td=""><td>7</td><td>69.8</td><td>66.5</td><td>73.0</td></t<>	7	69.8	66.5	73.0
10 $66.8$ $63.5$ $70.0$ $11$ $65.8$ $62.5$ $69.0$ $12$ $64.9$ $61.5$ $68.0$ $13$ $63.9$ $60.6$ $67.0$ $14$ $62.9$ $59.6$ $66.1$ $15$ $61.9$ $58.6$ $65.1$ $16$ $60.9$ $57.6$ $64.1$ $17$ $60.0$ $56.7$ $63.1$ $18$ $59.0$ $55.7$ $62.2$ $19$ $58.1$ $54.8$ $61.2$ $20$ $57.1$ $53.9$ $60.2$ $21$ $56.2$ $52.9$ $59.2$ $22$ $55.2$ $52.0$ $58.3$ $23$ $54.3$ $51.1$ $57.3$ $24$ $53.3$ $50.2$ $56.3$ $25$ $52.4$ $49.2$ $55.3$ $26$ $51.4$ $48.3$ $54.3$ $27$ $50.5$ $47.4$ $53.4$ $28$ $49.5$ $46.4$ $52.4$ $29$ $48.5$ $45.5$ $51.4$ $30$ $47.6$ $44.6$ $50.5$ $31$ $46.6$ $43.6$ $49.5$ $32$ $45.7$ $42.7$ $48.5$ $33$ $44.7$ $41.7$ $47.5$ $34$ $43.8$ $40.8$ $46.6$ $35$ $42.8$ $39.9$ $45.6$ $36$ $41.9$ $38.9$ $44.6$ $37$ $40.9$ $38.0$ $43.7$ $38$ $40.0$ $37.1$ $42.7$ $39$ $39.0$ $36.1$ $41.7$ $40$ $38.1$	8	68.8	65.5	72.0
11 $65.8$ $62.5$ $69.0$ $12$ $64.9$ $61.5$ $68.0$ $13$ $63.9$ $60.6$ $67.0$ $14$ $62.9$ $59.6$ $66.1$ $15$ $61.9$ $58.6$ $65.1$ $16$ $60.9$ $57.6$ $64.1$ $17$ $60.0$ $56.7$ $63.1$ $18$ $59.0$ $55.7$ $62.2$ $19$ $58.1$ $54.8$ $61.2$ $20$ $57.1$ $53.9$ $60.2$ $21$ $56.2$ $52.9$ $59.2$ $22$ $55.2$ $52.0$ $58.3$ $23$ $54.3$ $51.1$ $57.3$ $24$ $53.3$ $50.2$ $56.3$ $25$ $52.4$ $49.2$ $55.3$ $26$ $51.4$ $48.3$ $54.3$ $27$ $50.5$ $47.4$ $53.4$ $28$ $49.5$ $46.4$ $52.4$ $29$ $48.5$ $45.5$ $51.4$ $30$ $47.6$ $44.6$ $50.5$ $31$ $46.6$ $43.6$ $49.5$ $32$ $45.7$ $42.7$ $48.5$ $33$ $44.7$ $41.7$ $47.5$ $34$ $43.8$ $40.8$ $46.6$ $35$ $42.8$ $39.9$ $45.6$ $36$ $41.9$ $38.9$ $44.6$ $37$ $40.9$ $38.0$ $43.7$ $38$ $40.0$ $37.1$ $42.7$ $39$ $39.0$ $36.1$ $41.7$ $40$ $38.1$ $35.2$ $40.8$ $41$ $37.1$	9	67.8	64.5	71.0
12 $64.9$ $61.5$ $68.0$ $13$ $63.9$ $60.6$ $67.0$ $14$ $62.9$ $59.6$ $66.1$ $15$ $61.9$ $58.6$ $65.1$ $16$ $60.9$ $57.6$ $64.1$ $17$ $60.0$ $56.7$ $63.1$ $18$ $59.0$ $55.7$ $62.2$ $19$ $58.1$ $54.8$ $61.2$ $20$ $57.1$ $53.9$ $60.2$ $21$ $56.2$ $52.9$ $59.2$ $22$ $55.2$ $52.0$ $58.3$ $23$ $54.3$ $51.1$ $57.3$ $24$ $53.3$ $50.2$ $56.3$ $25$ $52.4$ $49.2$ $55.3$ $26$ $51.4$ $48.3$ $54.3$ $27$ $50.5$ $47.4$ $53.4$ $29$ $48.5$ $45.5$ $51.4$ $30$ $47.6$ $44.6$ $50.5$ $31$ $46.6$ $43.6$ $49.5$ $32$ $45.7$ $42.7$ $48.5$ $33$ $44.7$ $41.7$ $41.7$ $40.9$ $38.9$ $44.6$ $37$ $40.9$ $38.9$ $44.6$ $37$ $40.9$ $38.9$ $44.6$ $37$ $40.9$ $38.9$ $44.6$ $37$ $40.9$ $38.0$ $43.7$ $38$ $40.0$ $37.1$ $42.7$ $39$ $39.0$ $36.1$ $41.7$ $40$ $38.1$ $35.2$ $40.8$ $41$ $37.1$ $34.3$ $39.8$ $42$ $36.2$ $33.$	10	66.8	63.5	70.0
13 $63.9$ $60.6$ $67.0$ 14 $62.9$ $59.6$ $66.1$ 15 $61.9$ $58.6$ $65.1$ 16 $60.9$ $57.6$ $64.1$ 17 $60.0$ $56.7$ $63.1$ 18 $59.0$ $55.7$ $62.2$ 19 $58.1$ $54.8$ $61.2$ 20 $57.1$ $53.9$ $60.2$ 21 $56.2$ $52.9$ $59.2$ 22 $55.2$ $52.0$ $58.3$ 23 $54.3$ $51.1$ $57.3$ 24 $53.3$ $50.2$ $56.3$ 25 $52.4$ $49.2$ $55.3$ 26 $51.4$ $48.3$ $54.3$ 27 $50.5$ $47.4$ $53.4$ 28 $49.5$ $46.4$ $52.4$ 29 $48.5$ $45.5$ $51.4$ 30 $47.6$ $44.6$ $50.5$ 31 $46.6$ $43.6$ $49.5$ 32 $45.7$ $42.7$ $48.5$ $33$ $40.9$ $38.0$ $43.7$ $34$ $43.8$ $40.8$ $46.6$ $35$ $42.8$ $39.9$ $45.6$ $36$ $41.9$ $38.9$ $44.6$ $37$ $40.9$ $38.0$ $43.7$ $38$ $40.0$ $37.1$ $42.7$ $39$ $39.0$ $36.1$ $41.7$ $40$ $38.1$ $35.2$ $40.8$ $41$ $37.1$ $34.3$ $39.8$ $42$ $36.2$ $33.3$ $38.9$ $43$ $35.3$ $32.4$ $37.9$				69.0
14 $62.9$ $59.6$ $66.1$ $15$ $61.9$ $58.6$ $65.1$ $16$ $60.9$ $57.6$ $64.1$ $17$ $60.0$ $56.7$ $63.1$ $18$ $59.0$ $55.7$ $62.2$ $19$ $58.1$ $54.8$ $61.2$ $20$ $57.1$ $53.9$ $60.2$ $21$ $56.2$ $52.9$ $59.2$ $22$ $55.2$ $52.0$ $58.3$ $23$ $54.3$ $51.1$ $57.3$ $24$ $53.3$ $50.2$ $56.3$ $25$ $52.4$ $49.2$ $55.3$ $26$ $51.4$ $48.3$ $54.3$ $27$ $50.5$ $47.4$ $53.4$ $28$ $49.5$ $46.4$ $52.4$ $29$ $48.5$ $45.5$ $51.4$ $30$ $47.6$ $44.6$ $50.5$ $31$ $46.6$ $43.6$ $49.5$ $32$ $45.7$ $42.7$ $48.5$ $33$ $44.7$ $41.7$ $47.5$ $34$ $43.8$ $40.8$ $46.6$ $35$ $42.8$ $39.9$ $45.6$ $36$ $41.9$ $38.9$ $44.6$ $37$ $40.9$ $38.0$ $43.7$ $38$ $40.0$ $37.1$ $42.7$ $39$ $39.0$ $36.1$ $41.7$ $40$ $38.1$ $35.2$ $40.8$ $41$ $37.1$ $34.3$ $39.8$ $42$ $36.2$ $33.3$ $38.9$ $43$ $35.3$ $32.4$ $37.9$ $44$ $34.3$				
15 $61.9$ $58.6$ $65.1$ 16 $60.9$ $57.6$ $64.1$ 17 $60.0$ $56.7$ $63.1$ 18 $59.0$ $55.7$ $62.2$ 19 $58.1$ $54.8$ $61.2$ 20 $57.1$ $53.9$ $60.2$ 21 $56.2$ $52.9$ $59.2$ 22 $55.2$ $52.0$ $58.3$ 23 $54.3$ $51.1$ $57.3$ 24 $53.3$ $50.2$ $56.3$ 25 $52.4$ $49.2$ $55.3$ 26 $51.4$ $48.3$ $54.3$ 27 $50.5$ $47.4$ $53.4$ 28 $49.5$ $46.4$ $52.4$ 29 $48.5$ $45.5$ $51.4$ 30 $47.6$ $44.6$ $50.5$ 31 $46.6$ $43.6$ $49.5$ 33 $44.7$ $41.7$ $47.5$ 34 $43.8$ $40.8$ $46.6$ 35 $42.8$ $39.9$ $45.6$ 36 $41.9$ $38.9$ $44.6$ 37 $40.9$ $38.0$ $43.7$ 38 $40.0$ $37.1$ $42.7$ 39 $39.0$ $36.1$ $41.7$ $40$ $38.1$ $35.2$ $40.8$ $41$ $37.1$ $34.3$ $39.8$ $42$ $36.2$ $33.3$ $38.9$ $43$ $35.3$ $32.4$ $37.9$ $44$ $34.3$ $31.5$ $36.9$				
16 $60.9$ $57.6$ $64.1$ $17$ $60.0$ $56.7$ $63.1$ $18$ $59.0$ $55.7$ $62.2$ $19$ $58.1$ $54.8$ $61.2$ $20$ $57.1$ $53.9$ $60.2$ $21$ $56.2$ $52.9$ $59.2$ $22$ $55.2$ $52.0$ $58.3$ $23$ $54.3$ $51.1$ $57.3$ $24$ $53.3$ $50.2$ $56.3$ $25$ $52.4$ $49.2$ $55.3$ $26$ $51.4$ $48.3$ $54.3$ $27$ $50.5$ $47.4$ $53.4$ $28$ $49.5$ $46.4$ $52.4$ $29$ $48.5$ $45.5$ $51.4$ $30$ $47.6$ $44.6$ $50.5$ $31$ $46.6$ $43.6$ $49.5$ $32$ $45.7$ $42.7$ $48.5$ $33$ $44.7$ $41.7$ $47.5$ $34$ $43.8$ $40.8$ $46.6$ $35$ $42.8$ $39.9$ $45.6$ $36$ $41.9$ $38.9$ $44.6$ $37$ $40.9$ $38.0$ $43.7$ $38$ $40.0$ $37.1$ $42.7$ $39$ $39.0$ $36.1$ $41.7$ $40$ $38.1$ $35.2$ $40.8$ $41$ $37.1$ $34.3$ $39.8$ $42$ $36.2$ $33.3$ $38.9$ $43$ $35.3$ $32.4$ $37.9$ $44$ $34.3$ $31.5$ $36.9$				
17 $60.0$ $56.7$ $63.1$ $18$ $59.0$ $55.7$ $62.2$ $19$ $58.1$ $54.8$ $61.2$ $20$ $57.1$ $53.9$ $60.2$ $21$ $56.2$ $52.9$ $59.2$ $22$ $55.2$ $52.0$ $58.3$ $23$ $54.3$ $51.1$ $57.3$ $24$ $53.3$ $50.2$ $56.3$ $25$ $52.4$ $49.2$ $55.3$ $26$ $51.4$ $48.3$ $54.3$ $27$ $50.5$ $47.4$ $53.4$ $28$ $49.5$ $46.4$ $52.4$ $29$ $48.5$ $45.5$ $51.4$ $30$ $47.6$ $44.6$ $50.5$ $31$ $46.6$ $43.6$ $49.5$ $32$ $45.7$ $42.7$ $48.5$ $33$ $44.7$ $41.7$ $47.5$ $34$ $43.8$ $40.8$ $46.6$ $35$ $42.8$ $39.9$ $45.6$ $36$ $41.9$ $38.9$ $44.6$ $37$ $40.9$ $38.0$ $43.7$ $38$ $40.0$ $37.1$ $42.7$ $39$ $39.0$ $36.1$ $41.7$ $40$ $38.1$ $35.2$ $40.8$ $41$ $37.1$ $34.3$ $39.8$ $42$ $36.2$ $33.3$ $38.9$ $43$ $35.3$ $32.4$ $37.9$ $44$ $34.3$ $31.5$ $36.9$	15	61.9	58.6	65.1
18 $59.0$ $55.7$ $62.2$ 19 $58.1$ $54.8$ $61.2$ 20 $57.1$ $53.9$ $60.2$ 21 $56.2$ $52.9$ $59.2$ 22 $55.2$ $52.0$ $58.3$ 23 $54.3$ $51.1$ $57.3$ 24 $53.3$ $50.2$ $56.3$ 25 $52.4$ $49.2$ $55.3$ 26 $51.4$ $48.3$ $54.3$ 27 $50.5$ $47.4$ $53.4$ 28 $49.5$ $46.4$ $52.4$ 29 $48.5$ $45.5$ $51.4$ 30 $47.6$ $44.6$ $50.5$ 31 $46.6$ $43.6$ $49.5$ 32 $45.7$ $42.7$ $48.5$ 33 $44.7$ $41.7$ $47.5$ 34 $43.8$ $40.8$ $46.6$ 35 $42.8$ $39.9$ $45.6$ 36 $41.9$ $38.9$ $44.6$ 37 $40.9$ $38.0$ $43.7$ 38 $40.0$ $37.1$ $42.7$ $39$ $39.0$ $36.1$ $41.7$ $40$ $38.1$ $35.2$ $40.8$ $41$ $37.1$ $34.3$ $39.8$ $42$ $36.2$ $33.3$ $38.9$ $43$ $35.3$ $32.4$ $37.9$ $44$ $34.3$ $31.5$ $36.9$				
19 $58.1$ $54.8$ $61.2$ 20 $57.1$ $53.9$ $60.2$ 21 $56.2$ $52.9$ $59.2$ 22 $55.2$ $52.0$ $58.3$ 23 $54.3$ $51.1$ $57.3$ 24 $53.3$ $50.2$ $56.3$ 25 $52.4$ $49.2$ $55.3$ 26 $51.4$ $48.3$ $54.3$ 27 $50.5$ $47.4$ $53.4$ 28 $49.5$ $46.4$ $52.4$ 29 $48.5$ $45.5$ $51.4$ 30 $47.6$ $44.6$ $50.5$ 31 $46.6$ $43.6$ $49.5$ 32 $45.7$ $42.7$ $48.5$ 33 $44.7$ $41.7$ $47.5$ 34 $43.8$ $40.8$ $46.6$ 35 $42.8$ $39.9$ $45.6$ 36 $41.9$ $38.9$ $44.6$ 37 $40.9$ $38.0$ $43.7$ $38$ $40.0$ $37.1$ $42.7$ $39$ $39.0$ $36.1$ $41.7$ $40$ $38.1$ $35.2$ $40.8$ $41$ $37.1$ $34.3$ $39.8$ $42$ $36.2$ $33.3$ $38.9$ $43$ $35.3$ $32.4$ $37.9$ $44$ $34.3$ $31.5$ $36.9$				
20 $57.1$ $53.9$ $60.2$ $21$ $56.2$ $52.9$ $59.2$ $22$ $55.2$ $52.0$ $58.3$ $23$ $54.3$ $51.1$ $57.3$ $24$ $53.3$ $50.2$ $56.3$ $25$ $52.4$ $49.2$ $55.3$ $26$ $51.4$ $48.3$ $54.3$ $27$ $50.5$ $47.4$ $53.4$ $28$ $49.5$ $46.4$ $52.4$ $29$ $48.5$ $45.5$ $51.4$ $30$ $47.6$ $44.6$ $50.5$ $31$ $46.6$ $43.6$ $49.5$ $32$ $45.7$ $42.7$ $48.5$ $33$ $44.7$ $41.7$ $47.5$ $34$ $43.8$ $40.8$ $46.6$ $35$ $42.8$ $39.9$ $45.6$ $36$ $41.9$ $38.9$ $44.6$ $37$ $40.9$ $38.0$ $43.7$ $38$ $40.0$ $37.1$ $42.7$ $39$ $39.0$ $36.1$ $41.7$ $40$ $38.1$ $35.2$ $40.8$ $41$ $37.1$ $34.3$ $39.8$ $42$ $36.2$ $33.3$ $38.9$ $43$ $35.3$ $32.4$ $37.9$ $44$ $34.3$ $31.5$ $36.9$				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
22 $55.2$ $52.0$ $58.3$ $23$ $54.3$ $51.1$ $57.3$ $24$ $53.3$ $50.2$ $56.3$ $25$ $52.4$ $49.2$ $55.3$ $26$ $51.4$ $48.3$ $54.3$ $27$ $50.5$ $47.4$ $53.4$ $28$ $49.5$ $46.4$ $52.4$ $29$ $48.5$ $45.5$ $51.4$ $30$ $47.6$ $44.6$ $50.5$ $31$ $46.6$ $43.6$ $49.5$ $32$ $45.7$ $42.7$ $48.5$ $33$ $44.7$ $41.7$ $47.5$ $34$ $43.8$ $40.8$ $46.6$ $35$ $42.8$ $39.9$ $45.6$ $36$ $41.9$ $38.9$ $44.6$ $37$ $40.9$ $38.0$ $43.7$ $38$ $40.0$ $37.1$ $42.7$ $39$ $39.0$ $36.1$ $41.7$ $40$ $38.1$ $35.2$ $40.8$ $41$ $37.1$ $34.3$ $39.8$ $42$ $36.2$ $33.3$ $38.9$ $43$ $35.3$ $32.4$ $37.9$ $44$ $34.3$ $31.5$ $36.9$	20	57.1	53.9	60.2
23 $54.3$ $51.1$ $57.3$ 24 $53.3$ $50.2$ $56.3$ 25 $52.4$ $49.2$ $55.3$ 26 $51.4$ $48.3$ $54.3$ 27 $50.5$ $47.4$ $53.4$ 28 $49.5$ $46.4$ $52.4$ 29 $48.5$ $45.5$ $51.4$ 30 $47.6$ $44.6$ $50.5$ 31 $46.6$ $43.6$ $49.5$ 32 $45.7$ $42.7$ $48.5$ 33 $44.7$ $41.7$ $47.5$ 34 $43.8$ $40.8$ $46.6$ 35 $42.8$ $39.9$ $45.6$ 36 $41.9$ $38.9$ $44.6$ 37 $40.9$ $38.0$ $43.7$ 38 $40.0$ $37.1$ $42.7$ 39 $39.0$ $36.1$ $41.7$ 40 $38.1$ $35.2$ $40.8$ 41 $37.1$ $34.3$ $39.8$ 42 $36.2$ $33.3$ $38.9$ 43 $35.3$ $32.4$ $37.9$ $44$ $34.3$ $31.5$ $36.9$				
24 $53.3$ $50.2$ $56.3$ $25$ $52.4$ $49.2$ $55.3$ $26$ $51.4$ $48.3$ $54.3$ $27$ $50.5$ $47.4$ $53.4$ $28$ $49.5$ $46.4$ $52.4$ $29$ $48.5$ $45.5$ $51.4$ $30$ $47.6$ $44.6$ $50.5$ $31$ $46.6$ $43.6$ $49.5$ $32$ $45.7$ $42.7$ $48.5$ $33$ $44.7$ $41.7$ $47.5$ $34$ $43.8$ $40.8$ $46.6$ $35$ $42.8$ $39.9$ $45.6$ $36$ $41.9$ $38.9$ $44.6$ $37$ $40.9$ $38.0$ $43.7$ $38$ $40.0$ $37.1$ $42.7$ $39$ $39.0$ $36.1$ $41.7$ $40$ $38.1$ $35.2$ $40.8$ $41$ $37.1$ $34.3$ $39.8$ $42$ $36.2$ $33.3$ $38.9$ $43$ $35.3$ $32.4$ $37.9$ $44$ $34.3$ $31.5$ $36.9$				
25 $52.4$ $49.2$ $55.3$ $26$ $51.4$ $48.3$ $54.3$ $27$ $50.5$ $47.4$ $53.4$ $28$ $49.5$ $46.4$ $52.4$ $29$ $48.5$ $45.5$ $51.4$ $30$ $47.6$ $44.6$ $50.5$ $31$ $46.6$ $43.6$ $49.5$ $32$ $45.7$ $42.7$ $48.5$ $33$ $44.7$ $41.7$ $47.5$ $34$ $43.8$ $40.8$ $46.6$ $35$ $42.8$ $39.9$ $45.6$ $36$ $41.9$ $38.9$ $44.6$ $37$ $40.9$ $38.0$ $43.7$ $38$ $40.0$ $37.1$ $42.7$ $39$ $39.0$ $36.1$ $41.7$ $40$ $38.1$ $35.2$ $40.8$ $41$ $37.1$ $34.3$ $39.8$ $42$ $36.2$ $33.3$ $38.9$ $43$ $35.3$ $32.4$ $37.9$ $44$ $34.3$ $31.5$ $36.9$				
26 $51.4$ $48.3$ $54.3$ $27$ $50.5$ $47.4$ $53.4$ $28$ $49.5$ $46.4$ $52.4$ $29$ $48.5$ $45.5$ $51.4$ $30$ $47.6$ $44.6$ $50.5$ $31$ $46.6$ $43.6$ $49.5$ $32$ $45.7$ $42.7$ $48.5$ $33$ $44.7$ $41.7$ $47.5$ $34$ $43.8$ $40.8$ $46.6$ $35$ $42.8$ $39.9$ $45.6$ $36$ $41.9$ $38.9$ $44.6$ $37$ $40.9$ $38.0$ $43.7$ $38$ $40.0$ $37.1$ $42.7$ $39$ $39.0$ $36.1$ $41.7$ $40$ $38.1$ $35.2$ $40.8$ $41$ $37.1$ $34.3$ $39.8$ $42$ $36.2$ $33.3$ $38.9$ $43$ $35.3$ $32.4$ $37.9$ $44$ $34.3$ $31.5$ $36.9$				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25	52.4	49.2	55.3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
30 $47.6$ $44.6$ $50.5$ $31$ $46.6$ $43.6$ $49.5$ $32$ $45.7$ $42.7$ $48.5$ $33$ $44.7$ $41.7$ $47.5$ $34$ $43.8$ $40.8$ $46.6$ $35$ $42.8$ $39.9$ $45.6$ $36$ $41.9$ $38.9$ $44.6$ $37$ $40.9$ $38.0$ $43.7$ $38$ $40.0$ $37.1$ $42.7$ $39$ $39.0$ $36.1$ $41.7$ $40$ $38.1$ $35.2$ $40.8$ $41$ $37.1$ $34.3$ $39.8$ $42$ $36.2$ $33.3$ $38.9$ $43$ $35.3$ $32.4$ $37.9$ $44$ $34.3$ $31.5$ $36.9$				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30	47.6	44.6	50.5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
35       42.8       39.9       45.6         36       41.9       38.9       44.6         37       40.9       38.0       43.7         38       40.0       37.1       42.7         39       39.0       36.1       41.7         40       38.1       35.2       40.8         41       37.1       34.3       39.8         42       36.2       33.3       38.9         43       35.3       32.4       37.9         44       34.3       31.5       36.9				
36       41.9       38.9       44.6         37       40.9       38.0       43.7         38       40.0       37.1       42.7         39       39.0       36.1       41.7         40       38.1       35.2       40.8         41       37.1       34.3       39.8         42       36.2       33.3       38.9         43       35.3       32.4       37.9         44       34.3       31.5       36.9				
37       40.9       38.0       43.7         38       40.0       37.1       42.7         39       39.0       36.1       41.7         40       38.1       35.2       40.8         41       37.1       34.3       39.8         42       36.2       33.3       38.9         43       35.3       32.4       37.9         44       34.3       31.5       36.9	35	42.8	39.9	45.6
37       40.9       38.0       43.7         38       40.0       37.1       42.7         39       39.0       36.1       41.7         40       38.1       35.2       40.8         41       37.1       34.3       39.8         42       36.2       33.3       38.9         43       35.3       32.4       37.9         44       34.3       31.5       36.9	36	41.9	38.9	44.6
38       40.0       37.1       42.7         39       39.0       36.1       41.7         40       38.1       35.2       40.8         41       37.1       34.3       39.8         42       36.2       33.3       38.9         43       35.3       32.4       37.9         44       34.3       31.5       36.9				
39       39.0       36.1       41.7         40       38.1       35.2       40.8         41       37.1       34.3       39.8         42       36.2       33.3       38.9         43       35.3       32.4       37.9         44       34.3       31.5       36.9				
4038.135.240.84137.134.339.84236.233.338.94335.332.437.94434.331.536.9				
42         36.2         33.3         38.9           43         35.3         32.4         37.9           44         34.3         31.5         36.9				
42         36.2         33.3         38.9           43         35.3         32.4         37.9           44         34.3         31.5         36.9	41	37.1	34.3	39.8
4335.332.437.94434.331.536.9				
44 34.3 31.5 36.9				
			31.5	
	45			36.0

171

### Table LF-1 LIFE EXPECTANCY IN MAINE BY SINGLE YEAR OF AGE AND SEX 1990

	* * * *	LIFE EXPECTANCY IN YEARS	* * * *		
AGE	TOTAL	Male	Female		
46	32.5	29.7	35.0		
47	31.6	28.8	34.1		
48	30.7	27.9	33.2		
49	29.7	27.0	32.3		
50	28.8	26.1	31.3		
51	28.0	25.3	30.4		
52	27.1	24.4	29.5		
53	26.3	23.6	28.7		
54	25.4	22.7	27.8		
55	24.6	21.9	26.9		
56	23.7	21.1	26.0		
57	22.9	20.3	25.2		
58 -	22.1	19.5	24.3		
59	21.3	18.8	23.5		
60	20.5	18.0	22.7		
61	19.8	17.3	21.8		
62	19.0	16.6	21.1		
63	18.3	15.9	20.3		
64	17.6	15.2	19.5		
65	16.9	14.6	18.8		
66	16.2	13.9	18.0		
67	15.5	13.3	17.2		
68	14.8	12.7	16.5		
69	14.2	12.1	15.8		
70	13.6	11.5	15.1		
71	12.9	11.0	14.4		
72	12.3	10.4	13.7		
73	11.7	9.9	13.0		
74	11.1	9.3	12.4		
75	10.6	8.8	11.8 ,		
76	10.0	8.3	11.2		
77	9.5	7.9	10.6		
78	9.0	7.4	10.0		
79	8.5	7.0	9.4		
80	8.1	6.6	8.9		
81	7.6	6.2	8.3		
82	7.1	5.8	7.8		
83	6.7	5.5	7.3		
84	6.2	5.1	6.8		
85	5.9	4.8	6.4		
86	5.5	4.5	5.9		
87	5.1	4.1	5.5		
88	4.7	3.8	5.1		
89	4.4	3.5	4.7		
90	4.0	3.2	4.3		

.

,

### Table LF-1 LIFE EXPECTANCY IN MAINE BY SINGLE YEAR OF AGE AND SEX 1990

AGE	*** * TOTAL	LIFE EXPECTANCY IN YEARS Male	* * * * Female
91	3.7	3.0	3.9
92	3.4	2.9	3.6
93	3.2	2.7	3.3
94	2.9	2.5	3.0
95	2.6	2.2	2.7
96	2.3	2.0	2.4
97	1.9	1.9	2.0
98	1.7	1.6	1.7
99	1.2	1.1	1.2
100	0.5	0.5	0.5

Maine Department of Human Services

Bureau of Health Offices of Health Data and Program Management Data, Research and Vital Statistics

## HISTORICAL VITAL STATISTICS DATA POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES: RATES FOR BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS MAINE STATE TOTALS, 1900-1965 (Every Fifth Year) and 1966-1995 (Yearly)

Year	Population	Live Births	Birth Rate per 1,000 Population	Deaths (All Ages)	Death Rate per 1,000 Population	Infant Death Rate ^d	Neonatal Death Rate ^d	Fetal Death Rate ^d	Marriages ^c	Divorces ^c
1900	694,466	14,095	20.3	11,389	16.4	267.5	-	43.6 ^a	5,482	801
1905	719,000	15,294	21.3	11,381	15.8	234.2	-	46.5a	6,264	848
1910	742,371	15,798	21.3	12,439	16.7	249.2	30.4	42.5a	5,900	911
1915	757,000	16,671	22.0	11,541	15.2	135.7	25.4	41.3a	6,672	1,006
1920	768,014	17,495	22.7	11,850	15.3	102.8	41.2	42.8 ^a	7,884	1,364
1925	782,700	17,706	22.6	10,874	13.8	75.6	51.8	-	6,226	1,228
1930	797,423	16,199	20.3	11,084	13.9	75.4	41.5	35.9a	6,438	1,466
1935	822,300	15,715	19.1	11,042	13.4	62.3	37.8	33.6 ^a	7,089	1,474
1940	847,226	15,285	18.0	10,640	12.6	52.9	34.0	24.8 ^a	8,475	1,537
1945	<b>880,5</b> 00	16,647	18.9	9,966	11.3	46.6	27.0	24.1ª	7,569	2,497
1950	914,950	21,239	23.2	9,962	10.9	31.2	22.0	19.4a	8,617	2,162
1955	940,841	22,753	24.2	10,140	10.8	24.5	17.3	28.4a	8,263	1,954
1 <b>96</b> 0	970,689	23,282	24.0	10,752	11.1	25.2	18.6	17.7 ^a	7,860	2,025
1965	993,236	19,796	19.9	10,778	10.9	22.4	16.9	17.5 ^a	8,726	2,502
1966	994,714	18,526	18.6	10,915	11.0	22.6	17.1	15.0a	8,983	2,630
1967	995,134	17,976	18.1	10,066	10.1	23.1	16.4	16.1ª	9,210	3,049
1968	994,632	16,866	17.0	11,085	11.1	21.6	15.9	16.0a	10,179	3,088
1969	993,907	17,364	17.5	10,898	11.0	19.7	15.3	11.8a	10,428	3,375
1970	997,357	17,837	17.9	11,066	11.1	20.9	16.1	13.8a	10,975	3,841
1971	1,012,257	17,850	17.6	10,830	10.7	18.1	13.3	13.2ª	11,193	3,905
1972	1,025,775	16,269	15.9	11,147	10.9	17.7	12.8	12.2ª	11,741	4,132
1973	1,038,291	15,730	15.1	10,837	10.4	16.1	11.6	13.3a	11,925	4,551
1974	1,050,181	15,110	14.4	10,705	10.2	16.1	12.6	9.9b	11,546	4,850
1975	1,062,640	15,232	14.3	10,253	9.6	13.2		10.8b	11,190	5,526
1976	1,074,653	15,046	14.0	10,422	9.7	11.0	7.6	8.3b	11,302	5,522
1977	1,087,650	16,252	14.9	10,055	9.2	9.4	6.1	8.6b 8.9b,c	11,446	5,655
1978	1,101,186	15,919	14.5	10,168	9.2	10.2	6.0	8.90,c 7.2b,c	11,658	6,164
1979	1,115,044	16,435	14.7	10,278	9.2	9.7	5.8	7.1b,c	11,918	6,158
1980	1,125,027	16,474	14.6	10,768	9.6	9.3	5.9	5.7b.c	12,040	6,189
1981	1,132,849	16,567	14.6	10,331	9.1 9.2	10.6 8.7	6.6	5.76.0 6.9b,c	12,290	6,351
1982 1983	1,136,199	16,695 16,576	14.7 14.5	10,451 10,916	. 9.5	8.7 8.7	6.0 5.9	6.5b	12,388 12,478	5,804 5,939
1983	1,145,730 1,156,485	16,578	14.5	10,918	. 9.3 9.4	8.7	4.8	6.8b	12,478	5,795
1984	1,163,850	16,905	14.4	11,392	9.4 9.8	8.0 8.9	6.3	6.0 ^b	12,323	6,070
1985	1,172,200	16,903	14.3	11,392	9.8 9.5	8. <del>9</del> 8.7	5.6	5.9b	12,248	5,621
1980	1,172,200	16,727	14.5	11,178	9.5	8.1	4.8	5.7b	12,124	5,878
1987	1,205,900	17,166	14.1	11,238	9.5	7.9	4.8 5.1	6.3b	12,124	6,041
1988	1,216,050	17,100	14.4	11,482	9.1	7.0	4.8	5.6b	11,894	5,469
1989	1,227,928	17,464	14.4	11,090	9.0	5.9	4.8	5.2 ^b	11,894	5,164
1990	1,227,928	16,755	13.6	11,025	9.0	6.7	4.5	4.9b	11,306	5,645
1991	1,236,348	16,013	13.0	11,189	8.9	5.6	3.6	5.3b	11,305	6,257
1992	1,239,779	15,054	12.1	11,540	9.3	6.4	4.2	5.0b	11,207	5,997
1993	1,240,280	14,396	11.6	11,596	9.3	6.1	4.0	3.8b	10,978	5,701
1995	1,240,200	13,875	11.2	11,698	9.4	6.3	4.3	6.0b	10,104	5,893
	.,,			,070						

Notes: ^aFetal death rate calculated based on all reported terminations of pregnancy, regardless of gestational age. In 1973, 12.0% of such terminations were for fetuses of less than 20 weeks gestation.

bFetal death rate calculated based on reported fetal deaths of gestational age 20 weeks or more.

^cOccurrence data.

dRate per 1,000 live births in the same year.

All data for births and deaths pertain to Maine residents only, starting in 1935. Data on marriages and divorces describe all such events which occurred in Maine.

[VS_H-1.DOC]

# MAINE DEPARTMENT OF HUMAN SERVICES Office of Data, Research, and Vital Statistics State House Station 11 35 Anthony Avenue Augusta, Maine 04333-0011

SPECIAL FOURTH CLASS Book Rate