






MAINE STATE LEGISLATURE

The following document is provided by the
LAW AND LEGISLATIVE DIGITAL LIBRARY
at the Maine State Law and Legislative Reference Library
<http://legislature.maine.gov/lawlib>



Reproduced from scanned originals with text recognition applied
(searchable text may contain some errors and/or omissions)




MAINE VITAL STATISTICS 1996

LAW & LEGISLATIVE
RECEIVED
AUG 6 1999

Angus S. King, Jr.
Governor



Kevin W. Concannon
Commissioner



DEPARTMENT OF HUMAN SERVICES BUREAU OF HEALTH

"Protecting the Health of All Maine People"



NON-DISCRIMINATION NOTICE

In accordance with Title VI of the Civil Rights Act of 1964, as amended by the Civil Rights Restoration Act of 1991 (42 U.S.C. Section 1981, 2000e et seq.) Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. Section 794), the Age Discrimination Act of 1975, as amended (42 U.S.C. Section 6101 et seq.), Title II of the Americans with Disabilities Act of 1990 (42 U.S.C. Section 12101 et seq.), and Title IX of the Education Amendments of 1972, the Maine Department of Human Services does not discriminate on the basis of sex, race, color, national origin, disability or age in admission or access to or treatment or employment in its programs and activities.

Kim Pierce, Equal Employment Opportunity Coordinator, has been designated to coordinate our efforts to comply with the U.S. Department of Health and Human Services regulation (45 C.F.R. Parts 80, 84, and 91) and the U.S. Department of Education regulations (34 C.F.R. Part 106) implementing these Federal laws. Inquiries concerning the application of these regulations and our grievance procedures for resolution of complaints alleging discrimination may be referred to Kim Pierce at 221 State Street, 11 State House Station, Augusta, Maine 04333-0011. Telephone number: (207) 287-3488 (Voice) or 1-800-332-1003 (TTD), or the Assistant Secretary of the Office of Civil Rights, Washington, D.C.

**STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
BUREAU OF HEALTH
OFFICES OF HEALTH DATA AND PROGRAM MANAGEMENT
DATA, RESEARCH AND VITAL STATISTICS**

**ANNUAL STATISTICAL REPORT
FOR THE CALENDAR YEAR**

1996

Angus S. King, Jr.
Governor



Kevin W. Concannon
Commissioner

Dora Anne Mills, M.D., M.P.H.
State Health Officer

N. Warren Bartlett
State Registrar of Vital Statistics

Published in March, 1999
As Required by Statute 22 MRSA §2701
Under Appropriation # 010-10A-1110-01

ACKNOWLEDGEMENTS

This report contains a summary of vital statistics for the State of Maine for the calendar year 1995. The Department of Human Services has the dual responsibility of maintaining an effective system of vital registration and of making vital statistics available to the public. Within the Department itself, these data are needed for planning, managing, and evaluating programs that will improve the health and welfare of Maine people. The data are widely used, as well, for estimating and projecting population characteristics and changes.

This document is the result of the cooperative efforts of many individuals and groups. Chief among these are the municipal clerks of Maine's cities and towns, who serve as local registrars for vital records. The conscientious efforts of physicians, medical records administrators, and funeral directors also deserve special mention.

Maine Vital Statistics has been compiled and produced under the general supervision and direction of N. Warren Bartlett, State Registrar of Vital Statistics and Director, Offices of Health Data and Program Management. Staff most significantly involved in the production of the 1996 annual report include:

Donald Lemieux, Director, Office of Data, Research and Vital Statistics - supervision and general direction, preparation of population statistics, programming of vital statistics series reports, review and update of the text.

Judith Hunnewell - Planning and Research Associate - administration of electronic birth certificate system (EBC).

Richard Greenwald - Programmer Analyst - vital statistics systems maintenance.

Francis Kadi - Programmer Analyst - vital statistics systems maintenance.

Sharon Pruett - Planning and Research Assistant - update of fetal death data base.

Lisa Collins - Data Entry Specialist - update of induced termination of pregnancy data base.

Susan Paradis - Clerk Typist III - manuscript preparation.

The joint efforts of all the staff of the Office of Vital Records are necessary to produce the data contained in this publication. Special acknowledgement is made to:

Lorraine Wilson - Deputy State Registrar - Director of the Office of Vital Records which is responsible for data collection, coding and editing.

TABLE OF CONTENTS

	<u>Page No.</u>
Acknowledgements.....	ii
List of Tables.....	v
Introduction.....	1
Definitions of Terms.....	3
Definitions of Rates.....	7
Technical Notes.....	9
General Considerations.....	9
Live Births.....	12
Pregnancy Outcome.....	12
Infant and Fetal Mortality.....	12
General Mortality.....	13
Induced Abortions.....	14
Marriages.....	15
Divorces.....	15
Miscarriages.....	15
Tables (See List of Tables for detailed titles)	
Live Births.....	17
Pregnancy Outcome.....	71
Infant and Fetal Mortality.....	91
General Mortality.....	107
Induced Abortions.....	157
Appendices.....	165
Maine Vital Records Certificates and Reports	
Certificate of Live Birth.....	167
Certificate of Fetal Death.....	169
Certificate of Death.....	171
License and Certificate of Marriage.....	173
Record of Divorce or Annulment.....	175
Report of Induced Abortion.....	177

TABLE OF CONTENTS (Continued)

	<u>Page No.</u>
Population Estimates	
Estimated Maine Population by Counties and State, Total - July 1, 1996.....	179
Estimated Population by Age Group and Sex, Maine State Totals - July 1, 1996.....	181
Life Expectancy in Maine by Single Year of Age and Sex, 1990.....	183
Historical Vital Statistics Data	
Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, from 1900.....	187

LIST OF TABLES

Page No.

<u>Table No.</u>	<u>Table Title</u>	
	LIVE BIRTHS	
TABLE B-1	All Live Births and Out of Wedlock Live Births, by Mother's Age and Race: Maine State Totals, 1996 (Resident Data).....	19
TABLE B-2	All Live Births and Out of Wedlock Live Births, by Mother's Age and Child's Birthweight: Maine State Totals, 1996 (Resident Data).....	20
TABLE B-3A	Live Births by Selected Medical History Characteristics: Maine State Totals, 1996 (Resident Data) [Selected Characteristics: Complications of Labor, Medical Risk Factors, Other Risk Factors].....	21
TABLE B-3B	Live Births by Selected Medical History Characteristics: Maine State Totals, 1996 (Resident Data) [Selected Characteristics: Method of Delivery, Obstetric Procedures, Abnormal Conditions of Newborn, Congenital Anomalies].....	22
TABLE B-4	Live Births by Selected Risk Characteristics, and Ratio of Male to Female Births: Maine Counties and State Totals, 1996 (Resident Data) [Selected Characteristics: 5 Minute Apgar Score Less Than 5, Birthweight Less than 2,500 Grams, Gestation Less than 37 Weeks].....	23
TABLE B-5	All Live Births and Out of Wedlock Live Births, By Mother's Age, Sex of Child and Birth Order: Maine Counties and State Totals, 1996 (Resident Data).....	24
TABLE B-6	Live Births by Month Prenatal Care Began and Birthweight: Maine Counties and State Totals, 1996 (Resident Data).....	41
TABLE B-7	Live Births by Trimester Prenatal Care Began and Number of Prenatal Visits: Maine Counties and State Totals, 1996 (Resident Data).....	50
TABLE B-8	Live Births by Month Prenatal Care Began and Mother's Education: Maine Counties and State Totals, 1996 (Resident Data).....	59
TABLE B-9	Live Births by Selected Risk Characteristics -- Number of Births: Maine Hospital, Other Birth Sites, and State Total, 1996 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Medical Risk Factors, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams].....	65

<u>Table No.</u>	<u>Table Title</u>	
TABLE B-10	Live Births by Selected Risk Characteristics -- Percentage of Total Births: Maine Hospital, Other Birth Sites, and State Total, 1996 (Occurrence Data) [Selected Characteristics: Out of Wedlock, Mother Under Age 20 Years, Nonwhite, No Prenatal Care, Medical Risk Factors, Cesarean Section, Congenital Anomalies, Birthweight Under 2,500 Grams, Birthweight Over 4,999 Grams].....	67
TABLE B-11	Live Births by Birthweight: Maine Hospitals, Other Birth Sites, and State Totals, 1996 (Occurrence Data).....	69
	PREGNANCY OUTCOME	
TABLE P-1	Outcomes for All Reported Pregnancies and Out-of-Wedlock Pregnancies by Age of Mother: Maine Counties and Maine State Totals, 1996 (Resident Data).....	73
	INFANT AND FETAL MORTALITY	
TABLE F-1	Infant, Neonatal, and Postneonatal Deaths by Sex for 61 Cause of Death Groups: Maine State Totals, 1996 (Resident Data).....	93
TABLE F-2	Fetal Deaths by Gestation and Sex for 61 Cause of Death Groups: Maine State Totals, 1996 (Resident Data).....	97
TABLE F-3	Live Births, Neonatal Deaths, and Estimated Neonatal Death Rates by Birthweight: Maine State Totals, 1996 (Resident Data).....	100
TABLE F-4	Fetal Deaths by Selected Complications, Gestation, and Age of Patient: Maine State Totals, 1996 (Resident Data) [Selected Complications: Medical Risk Factors, Complications of Labor or Delivery, Tobacco/Alcohol Use, Congenital Anomalies].....	101
TABLE F-5	Deaths and Death Rates--Total, Infant, Neonatal, Postneonatal, and Perinatal: Maine Counties and State Totals, 1996 (Resident Data).....	102
TABLE F-6	Fetal Deaths by Selected Characteristics: Maine Counties and State Totals, 1996 (Resident Data) [Selected Characteristics: Out of Wedlock, Autopsy, In Hospital, Trimester Prenatal Care Began, Age of Patient].....	103
TABLE F-7	Fetal Deaths, Selected Risk Characteristics, and Ratio of Males to Females: Maine Counties and State Totals, 1996 (Resident Data) [Selected Characteristics: Fetal Weight, Gestation Less Than 28 Weeks].....	104

<u>Table No.</u>	<u>Table Title</u>	
TABLE F-8A	Fetal Deaths by Selected Medical History Characteristics: Maine State Totals, 1996 (Resident Data) [Selected Characteristics: Complications of Labor, Medical Risk Factors, Other Risk Factors].....	105
TABLE F-8B	Fetal Deaths by Selected Medical History Characteristics: Maine State Totals, 1996 (Resident Data) [Selected Characteristics: Method of Delivery, Obstetric Procedures, Congenital Anomalies].....	106
GENERAL MORTALITY		
TABLE D-1R	Deaths, and Death Rates for 32 Causes by Age Group and Sex: Maine State Totals, 1996 (Resident Data).....	109
TABLE D-2A	Years of Life Lost and Average per Death by 32 Cause of Death Groups and Sex: Maine State Totals, 1996 (Resident Data).....	119
TABLE D-3	Deaths by Age and Sex for 282 Cause of Death Groups: Maine State Totals, 1996 (Resident Data).....	120
TABLE D-5	Deaths -- Total and Percent by Site of Death: Maine Counties and State Totals, 1996 (Resident Data).....	148
TABLE D-6	Deaths in Hospital -- Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1996 (Resident Data) [Selected Cause Groups: Eight Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	149
TABLE D-7	Deaths in Nursing Homes -- Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1996 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia, and Accidents].....	150
TABLE D-8	Deaths at Home -- Total and Percent for Selected Cause of Death Groups: Maine Counties and State Totals, 1996 (Resident Data) [Selected Cause Groups: Eight, Relating to Cancer, Heart Disease, Stroke, Pneumonia and Accidents].....	151
TABLE D-9	Deaths by Sex, Age, and Occupation: Maine State Totals, 1996 (Resident Data).....	152
TABLE D-10	Acquired Immune Deficiency Syndrome Related Deaths by Status of Mention: Maine State Totals, 1996 (Resident Data).....	155
TABLE D-13	Deaths by Method of Disposition: Maine Counties and State Totals, 1996 (Occurrence Data).....	156

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
	INDUCED ABORTIONS	
TABLE A-2	Induced Abortions by Gestation and Type of Termination Procedure: Maine State Totals, 1996 (Occurrence Data).....	159
TABLE A-4	Induced Abortions by Gestation, Age of Patient and Race: Maine State Totals, 1996 (Occurrence Data).....	160
TABLE A-6	Induced Abortions by Race, Age of Patient and Marital Status: Maine State Totals, 1996 (Occurrence Data).....	161
TABLE A-9	Induced Abortions by Number and Outcome of Previous Pregnancies, Age of Patient and Marital Status: Maine State Totals, 1996 (Occurrence Data).....	162
TABLE A-10	Induced Abortions by State or Country of Residence: Maine State Totals, 1996 (Occurrence Data).....	163

<u>Table No.</u>	<u>Table Title</u>	<u>Page No.</u>
APPENDICES		
TABLE C-1	Copy of Maine Birth Certificate.....	167
TABLE C-2	Copy of Maine Fetal Death Certificate.....	169
TABLE C-3	Copy of Maine Death Certificate.....	171
TABLE C-4	Copy of Maine Marriage Certificate.....	173
TABLE C-5	Copy of Maine Record of Divorce or Annulment.....	175
TABLE C-6	Copy of Maine Report of Induced Abortion.....	177
TABLE E-1	Estimated Maine Population: Maine Counties and State Total, July 1, 1996.....	179
TABLE E-2	Estimated Maine Population by Age Group and Sex: Maine State Totals, July 1, 1996.....	181
TABLE LF-1	Life Expectancy in Maine by Single Year of Age and Sex, 1990.....	183
TABLE H-1	Historical Vital Statistics Data: Population, Live Births, Deaths, Marriages and Divorces; Rates for Births, Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths: Maine State Totals, 1900-1965 (every fifth year) and 1966-1996 (yearly).....	187

INTRODUCTION

In order to speed the process of making these data available to the public, the annual vital statistics report does not contain interpretive comments or charts. Information necessary to use the tables is included in the technical notes. The tabulations most frequently requested are presented in this report. Special tabulations can also be obtained, generally at a charge that may include preparation as well as reproduction costs. Comments and requests for additional information should be directed to:

Office of Data, Research, and Vital Statistics
Bureau of Health
Department of Human Services
11 State House Station
35 Anthony Avenue
Augusta, Maine 04333-0011

Telephone: (207) 624-5445
Fax: (207) 624-5470
TTY: (207) 624-5512

DEFINITIONS OF TERMS

All Mentioned Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. All mentioned causes are also referred to as “multiple causes of death.”
Apgar Score	A summary indicator for evaluating the health of a newborn infant, the score ranges from 0 (very poor) to 10 (excellent). It is assigned by the delivery room personnel one minute and five minutes after birth.
Associated Cause of Death	Condition other than the underlying cause of death which may have contributed to the death.
Birth Order	Number of live births to the mother of the newborn, including this birth.
Birthweight	Weight of fetus or infant at time of delivery (normally measured in grams).
Fetal Death	Death prior to the complete expulsion or extraction from its mother of a product of conception; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Fetal deaths of at least 20 weeks of gestation must be reported on the “Fetal Death Report”. Fetal deaths of less than 20 weeks gestation are reported on the “Monthly Miscarriage Report Register” or individual “Report of Miscarriage”.
Gestation	Unless otherwise noted, clinical assessment of the number of weeks since conception.
Hospital	A licensed acute care health facility with permanent inpatient beds offering facilities and services for the diagnosis and treatment of illness, injury and deformity for a continuing period of time. A hospital has an organized medical staff and offers continuous 24 hour professional nursing care and emergency treatment.
Induced Abortion	Induced abortion means the intentional interruption of a pregnancy by the application of external agents, whether chemical or physical, or the ingestion of chemical agents with an intention other than to produce a live birth or to remove a dead fetus. All induced abortions are required to be reported on the “Report of Induced Abortion,” regardless of the length of gestation.
Infant Death	Death occurring to a live born infant less than one year of age.

DEFINITIONS OF TERMS (Continued)

Intermediate Care Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, health related services, and licensed nursing supervision (8 hours per day).
Live Birth	A live birth is the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.
Maternal Deaths	Those deaths of women wherein the physician has designated a maternal condition as the underlying cause of death.
Minor Civil Division	In Maine, minor civil divisions are generally areas defined as cities, towns, plantations, and unorganized townships.
Multiple Causes of Death	All causes of death mentioned on the death certificate, whether underlying or associated. Multiple causes are also referred to as "all mentioned causes".
Neonatal Death	Death occurring to a live born infant before completing 27 days of life.
Occurrence	Refers to data tabulated by place the event occurred.
Out-of-Wedlock Birth	Births in which the mother was not married either at the time of conception or at the time of delivery.
Perinatal Death	Fetal deaths of at least 20 weeks gestation and all neonatal deaths.
Postneonatal Death	Death occurring to a live born infant between the ages of 28 days and 364 days, inclusive.
Race	Race of mother, father, or decedent is as stated on certificate.
Residence	Refers to data tabulated by usual place of residence of the person to whom the event occurred. For births, fetal deaths, and abortions, residence is defined as the mother's place of residence.
Site of Birth	Hospital or type of non-hospital site (e.g. home, on way to hospital, out-patient facility) where birth occurred.

DEFINITIONS OF TERMS (Continued)

Site of Death	Hospital or type of non-hospital site (e.g. home, on way to hospital, nursing home) where death occurred.
Skilled Nursing Facility	A licensed nursing home that provides permanent facilities, including inpatient beds and nursing care to residents who do not require hospital care but are dependent on others for fulfilling the requirements of daily living. Permanent facilities include three or more inpatient beds, medical services, continuous skilled nursing services and health-related services, diagnosis and treatment.
Spontaneous Abortion	A termination of pregnancy, at less than 20 weeks gestation, through natural causes and without the aid of mechanical or medicinal agents.
Underlying Cause of Death	That condition giving rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. For this report, underlying causes are selected through processing of death certificate data by the ACME and TRANSAX computer programs (see Technical Notes).

DEFINITIONS OF RATES*

Age-Specific Death Rate	=	$\frac{\text{Resident Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}}$	X	100,000
Birth Rate	=	$\frac{\text{Resident Live Births}}{\text{Total Resident Population}}$	X	1,000
Cause-Specific Death Rate	=	$\frac{\text{Resident Deaths from Specific Cause}}{\text{Total Resident Population}}$	X	100,000
Death Rate	=	$\frac{\text{Resident Deaths}}{\text{Total Resident Population}}$	X	1,000
Divorce Rate	=	$\frac{\text{Divorces}}{\text{Total Resident Population}}$	X	1,000
Fetal Death Rate	=	$\frac{\text{Resident Fetal Deaths}}{\text{Total Resident Live Births and Resident Fetal Deaths}}$	X	1,000
Infant Death Rate	=	$\frac{\text{Resident Infant Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Marriage Rate	=	$\frac{\text{Marriages Performed}}{\text{Total Resident Population}}$	X	1,000
Maternal Death Rate	=	$\frac{\text{Resident Maternal Deaths}}{\text{Total Resident Live Births}}$	X	10,000
Neonatal Death Rate	=	$\frac{\text{Resident Neonatal Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Perinatal Death Rate	=	$\frac{\text{Resident Fetal Deaths and Neonatal Deaths}}{\text{Total Resident Fetal Deaths and Live Births}}$	X	1,000
Postneonatal Death Rate	=	$\frac{\text{Resident Postneonatal Deaths}}{\text{Total Resident Live Births}}$	X	1,000
Sex-Specific Death Rate	=	$\frac{\text{Resident Deaths of Indicated Sex}}{\text{Total Resident Population of Indicated Sex}}$	X	100,000

*Event denominators for rates are registered totals for the calendar year.
Population denominators are mid-calendar year estimates.

TECHNICAL NOTES

GENERAL CONSIDERATIONS

Sources of Vital Records Data: Birth, death, fetal death, marriage and divorce certificates; induced abortion reports; and miscarriage registers and reports are the source documents for data on vital events in Maine. A copy of each is included in the Appendix.

The cut off dates for the data in this report are: Marriages, Divorces, Fetal Deaths, and Induced Abortions, 3/15/97; Deaths, 4/1/97; and Births, 4/15/97. Any data pertaining to 1996 events for which certificates were filed after the above cut off dates are not included in this report and will be filed in the vital records office as late certificates.

Birth certificates and induced abortion reports are usually completed by hospital or clinic personnel. Death and fetal death certificates are usually completed by funeral directors, who obtain the medical certifications of cause of death from physicians. Marriage certificates are completed by the appropriate municipal clerks, while divorce reports are sent to the Office of Data, Research, and Vital Statistics by the clerks of courts.

Completeness of Registration: A birth certificate test in 1950 indicated that about one percent of births in Maine at that time were not recorded. It is assumed that registration has continued to be at least that complete.

Although no test of death registration has ever been done, it is assumed that death registration is reasonably complete, because burial permit laws and regulations require the filing of a death certificate before a burial permit for the disposition of the body is issued.

Reporting of all induced abortions at any gestation has been required in Maine for many years. Analysis of fetal death rates over time, however, indicates that there has been considerable variation in the completeness of registration. A specific reporting form for induced abortions was introduced in 1978. Comparison with independent data sources suggests that induced abortions may be underreported by 10 to 15%.

In addition to unrecorded vital events, other vital events may not be included in this report for several reasons: failure of the person required to report the event to make a timely report; failure of a municipal clerk to make a timely report to the State Registrar; or failure of other states to make timely exchanges of nonresident transcripts of births and deaths.

Data Quality: Data in this report are based upon original certificates of births and deaths, copies of original certificates of marriages prepared by city and town clerks, and abstracts of decrees of divorces prepared by the clerks of courts. Errors in data may be introduced by persons giving information for the original certificate, persons involved in the actual preparation of the original certificate, persons responsible for the preparation of the copies or abstracts of the original certificates, or those involved in the coding and processing of the data in the State Office of Data, Research, and Vital Statistics.

Extensive reorganization and revision in 1983 of reporting procedures, data input procedures, and computer systems have reduced or eliminated many of the problems experienced in previous years. The Office of Data, Research, and Vital Statistics maintains several programs aimed at improving the quality and completeness of information received on certificates and its translation into statistical form. A “query” system is used to followback to physicians, hospital personnel and funeral directors concerning incomplete or conflicting information on the certificates themselves. The followback, which is done by both mail and telephone, is based on computer editing procedures.

Finally, the National Center for Health Statistics (NCHS) monitors State coding of statistical data. The NCHS has established a two percent upper limit for coding differences involving any one data item, with the exception of cause of death. A five percent limit is used for this item due to the complexity of the coding process.

Comparison with Earlier Years: In 1983, a number of changes were introduced into the vital registration program and associated data processing, computer systems, and analytic procedures. These must be borne in mind in any comparisons with earlier years and analyses of time trends. Specific changes include the following:

- Implementation of a new birth certificate on January 1, 1983 and a new fetal death certificate on January 1, 1985. The new certificates use a checklist format for reporting medical history items related to pregnancy and delivery. These items are recorded separately and transmitted or mailed directly to the Office of Data, Research and Vital Statistics.
- Intensive field and education activities directed to appropriate medical providers to promote more complete reporting of induced abortions performed at any time during pregnancy.
- The computerized data systems for records of births, deaths, fetal deaths, marriages, divorces, and abortions were completely revised in 1983 to promote more accurate and timely registration activities and statistical products. Comprehensive and rigorous edit procedures were developed for data input and a number of consistency checks were incorporated.

In late September 1995, the State of Maine implemented a state-wide electronic birth certificate system and in January 1996, rules and regulations took effect which moved the processing of birth records from a paper-based system to one utilizing electronic media. Since that time, 99% of Maine’s birth certificates have been completed at the hospital by hospital personnel utilizing a personal computer and ADIOS (Automated Data Integration Operating System) software provided by the State for this purpose. One percent of Maine’s births occur out-of-hospital and continue to be reported using paper certificates.

Small Frequencies: The numbers of births or deaths reported for a community represent complete counts of these events. As such, they are not subject to sampling error or variation, although they are subject to errors in the collection and processing procedures. However, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same general circumstances. The probable range of values may be estimated from the actual figures according to certain statistical assumptions (Vital Statistics for the U.S., Vol. 1, 1959, p.1-20). When the figures are used for comparison of frequencies and rates over a time period or for different areas, appropriate statistical methods should be used to assess the significance of the comparisons.

Frequencies of and rates based on fewer than 10 events should be used carefully because they are subject to large random fluctuations. The number “10” is arbitrary, however, and is not set forth as a critical point distinguishing statistically reliable rates.

Rates: In interpreting the conditions described by vital statistics rates, considerable caution must be observed. In particular, differences in rates from time to time or place to place may arise from a number of population differences and other compounding factors, and appropriate techniques (e.g., standardization) should be utilized in such comparisons.

Population Data: The population data used to calculate rates in this report represent 1996 Maine population estimates prepared by the Office of Data, Research, and Vital Statistics and the U. S. Bureau of the Census. Some of these population data are included as Appendix Tables E-1 and E-2.

“Selected” Characteristics/Causes of Death: These terms are used to denote tabulations in which the categories displayed are not exhaustive but represent only those of particular interest.

Geographic Classification: In addition to recording vital events occurring in Maine, the Office of Data, Research, and Vital Statistics receives transcripts of birth certificates for children born outside Maine to a mother who is a resident of Maine. Death certificates for persons who are residents but die outside the boundaries of Maine are also received. Transcripts of non-resident births and deaths are exchanged with all other states and with Canada.

Events are assigned to geographical areas according either to place of residence or to place of occurrence. The basis for classification is identified in each table and should be carefully observed when extracting information.

- “Resident Data” means events have been tabulated according to the area where the person lived regardless of where the event occurred. In the case of infant deaths and births, the reference is to the residence of the mother. It should be noted that in the case of infant deaths, the place of residence at death may differ from the place of residence at birth; when special tabulations are prepared from both birth and death certificates, it is important to note to which residence category they were assigned.

- “Occurrence Data” means events have been tabulated according to where the events took place, regardless of the usual residence of the person. Since nearly all births and most deaths take place in hospitals, the number which occur in counties with many hospital beds will be large for this reason alone.

LIVE BIRTHS

As noted in previous sections, a revised birth certificate was initiated on January 1, 1983. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies. Two added items were the physician's estimate of gestation and an assessment of the infant's condition at birth. Initial evaluation indicates that the checklist format increased reporting of the medical history items dramatically - as much as five-fold on some items - so comparison with data from previous years must be made with caution.

PREGNANCY OUTCOME

This section deals with the outcome of pregnancies to Maine resident women including live births, fetal deaths, and induced abortions.

Table P1 is displayed by county and is the only table where it is possible to compare pregnancy rates by regions throughout the State of Maine.

INFANT AND FETAL MORTALITY

This section includes all fetal deaths of at least 20 weeks gestation and all neonatal deaths. The birth, death, and fetal death certificates all include information on the place of residence, so events to non-Maine residents can be excluded from tabulations based on resident data. Through the interstate exchange agreement, transcripts of births and deaths which occur outside of the state to Maine residents are obtained for inclusion in tabulations of resident data. Maine started to participate in such exchange for fetal deaths in 1985, so information on pregnancies of Maine women terminating in fetal deaths which occurred outside the state is now available for inclusion in tabulations of resident data.

A revised fetal death certificate was initiated on January 1, 1985, comparable to the 1983 revision of the birth certificate. All of the items previously recorded were included; a checklist format was introduced to obtain more accurate and complete data on complications of labor and delivery, method of delivery, and congenital anomalies.

Notification of infant death is obtained from the regular death certificate. However, much information relevant to the circumstances of infant death is found on the birth certificate. Birth and death records have, therefore, been matched to produce a composite infant death file, which is the source of Table F-3. Tables F-1, F-5; all other death tables, on the other hand, are produced from the general death file. Discrepancies between these two sources are minimal, usually involving only a very small number of deaths.

GENERAL MORTALITY

There are a number of factors which should be considered in order to understand and use the mortality data presented herein.

Mortality Classification: The mortality classification used in this report is the Ninth Revision of the International Classification of Diseases (ICD-9). It consists of a list of 722 categories of diseases and morbid conditions, 192 categories for classification of the external cause of an injury, and 190 categories for the characterization of injuries according to the nature of the lesion.

There are two major limitations in interpreting changes in cause of death statistics. Changes in diagnostic practice may affect the comparability of such statistics over time, as do changes in nomenclature and in the classification scheme. The International Classification of Diseases is revised approximately periodically to incorporate advances in medical science and to reflect changing medical opinion and practice. The Sixth Revision was used from 1949-1957, the Seventh Revision from 1958-1967, the Eighth Revision from 1968-1978, and the Ninth Revision after 1978.

Under the Ninth Revision, the method for selecting the cause of death for statistical purposes remains the same as the method instituted with the Sixth Revision. The Sixth Revision instituted a method whereby the physician in attendance at death indicates the disease or morbid condition which he considers to be the underlying cause of death. The underlying cause is defined as “(a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident which produced fatal injury.” Prior to 1981, when two or more causes were jointly recorded, a nosologist in the Office of Vital Statistics selected and coded the underlying cause using the ancillary information provided on the death certificate by the physician. Beginning in 1981, however, all causes mentioned on the certificate are coded. The underlying cause is determined using a computerized procedure: the Automated Classification of Medical Entities (ACME) program. The cause of death information is then subjected to the TRANSAX computer program, which eliminates redundancies in mentioned causes. Information on all associated causes is retained on the computer records for use in further study of certain health problems.

Different groupings by cause of death are utilized in this report. All of the groupings are both exhaustive and exclusive: all causes are assigned to a group or category, and each specific cause is assigned to only one cause group. Deaths by age and sex groups are tabulated using a list of 282 cause groups (Table D-3). The analyses in Tables D-1R and D-2A are based on 32 cause groups. The data on fetal and infant deaths, in Tables F-1 and F-2, are categorized into 61 cause groups. In all cases, the ICD-9 codes included in each cause group are indicated on the appropriate tables. Tables may not include cause groups from which there were no deaths, so the number of groups displayed may be less than the number of groups (i.e., 282, 72, 61, or 32) from which the tables were constructed.*

*Complete lists of causal groups may be obtained upon request from the Office of Data, Research and Vital Statistics, within the Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management.

Years of Life Lost: In Table D-2A, “Years of Life Lost” is used as a more sensitive measure of premature death than the death rate itself. The number of years of life lost for each decedent is the life expectancy for an individual of that gender and age, based on the 1990 Maine Life Tables. The death of a male infant, for example, represents a total of 72.8 years of life lost. The death of a 50 year old woman represents 31.3 years of life lost, and the death of a 85 year old woman represents 6.4 years of life lost.

Multiple Causes of Death: Most major causes of death are contributing factors to many deaths in which they are not the underlying cause.

Cause of death mentions are classified into cause groups (e.g., 72 cause groups) after processing through the ACME and TRANSAX computer programs. Consequently, the term “mentions” refers to causes identified through processing by the computer programs, rather than to causes as mentioned on the death certificate. A cause group is counted only once for each decedent, even if more than one cause in the group was mentioned on the original certificate. Comparisons of data from different sources on “all mentions” of a cause group are valid only if the number and composition of the cause groups used are the same and the counting rules are consistent.

The category of “all mentions” of a cause group usually includes all identifications of it as the underlying cause of death. Occasionally, simultaneous mention of certain causes on the death record leads to the identification, as the underlying cause, of a disease entity which was not itself recorded on the death certificate.

Certain causes of death can never be classified as the underlying cause of death as defined in the International Classification of Diseases. In particular, descriptions of the nature of injuries and secondary neoplasms are always recorded on the death certificate in conjunction with one or more entries which identify the underlying cause of death, i.e. the external cause of injury or the primary neoplasm.

INDUCED ABORTIONS

All induced abortions performed in Maine are required to be reported, regardless of the length of gestation. The report form includes information on the place of residence, so non-resident women receiving abortions in Maine can be excluded from tabulations based on resident data. In 1996, approximately 4% of the induced abortions in Maine were obtained by out-of-state residents. Maine does participate in the interstate program for exchange of induced abortions reports, so complementary data on Maine residents who received abortions in other states are available from those states in which induced abortions are reported, but only one or two records are received each year from other states and are not included in this report.

The numbers of induced abortions reported in 1982 was nearly a third lower than the numbers reported in preceding and subsequent years, due principally to incomplete reporting. In the spring of 1983, a vigorous effort was undertaken to remind and inform physicians, clinics, and hospitals that all induced abortions must be reported to the Department of Human Services on the appropriate form. Similar reminders were undertaken in 1988 and 1993.

MARRIAGES

All marriages which occur in Maine are registered in the central Office of Vital Records.

DIVORCES

All divorces which occur in Maine are registered in the central Office of Vital Records.

MISCARRIAGES

All miscarriages which occur in Maine are reported to the Office of Vital Records. No tabulations of miscarriage data are included in this publication.

LIVE BIRTHS

TABLE B-1

ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE AND RACE
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

MARITAL STATUS, AND AGE	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * RACE OF MOTHER * * * * *					Other Race	Unknown Race	
			White	Black	American Indian	Asian/Pacific Islander				
ALL BIRTHS										
Age										
Less Than 10	0	0.000	0	0	0	0	0	0	0	0
10-14	5	0.036	4	1	0	0	0	0	0	0
15-19	1,331	9.669	1,294	9	16	9	1	2		
20-24	3,374	24.510	3,280	26	27	31	0	10		
25-29	4,173	30.314	4,063	27	24	52	1	6		
30-34	3,286	23.870	3,219	15	14	30	0	8		
35-39	1,351	9.814	1,319	6	4	20	0	2		
40-44	235	1.707	231	1	0	3	0	0		
Greater Than 44	9	0.065	9	0	0	0	0	0		
Unknown	2	0.015	2	0	0	0	0	0		
TOTAL	13,766		13,421	85	85	145	2	28		
PERCENT DIST.		100.000	97.494	0.617	0.617	1.053	0.015	0.203		
OUT OF WEDLOCK BIRTHS										
Age										
Less Than 10	0	0.000	0	0	0	0	0	0		
10-14	5	0.127	4	1	0	0	0	0		
15-19	1,098	27.812	1,068	8	14	6	0	2		
20-24	1,501	38.019	1,459	14	13	11	0	4		
25-29	740	18.744	712	10	7	11	0	0		
30-34	392	9.929	385	3	4	0	0	0		
35-39	177	4.483	171	0	2	3	0	1		
40-44	33	0.836	33	0	0	0	0	0		
Greater Than 44	1	0.025	1	0	0	0	0	0		
Unknown	1	0.025	1	0	0	0	0	0		
TOTAL	3,948		3,834	36	40	31	0	7		
PERCENT DIST.		100.000	97.112	0.912	1.013	0.785	0.000	0.177		

NOTE: Percentages may not add to 100 due to rounding. Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B1.SAS, 2/23/1999]

TABLE B-2 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE AND CHILD'S BIRTHWEIGHT
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

MARITAL STATUS, AND BIRTHWEIGHT	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * AGE OF MOTHER (YEARS) * * * * *									
			<10	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45+	Unk.
ALL BIRTHS												
Birthweight												
Less Than 500	18	0.131	0	0	3	4	5	4	2	0	0	0
500-999	52	0.378	0	0	6	10	23	5	5	3	0	0
1000-1499	97	0.705	0	0	17	17	25	23	14	1	0	0
1500-1999	140	1.017	0	1	19	30	36	32	19	3	0	0
2000-2499	502	3.647	0	0	66	125	135	111	52	11	2	0
2500-2999	1,825	13.257	0	1	205	505	540	378	160	32	3	1
3000-3499	4,766	34.622	0	1	510	1,207	1,446	1,111	418	70	2	1
3500-3999	4,484	32.573	0	1	384	1,076	1,376	1,101	463	81	2	0
4000-4499	1,580	11.478	0	1	103	342	494	430	180	30	0	0
4500-4999	265	1.925	0	0	14	50	82	82	34	3	0	0
Greater Than 4999	30	0.218	0	0	2	5	11	9	2	1	0	0
Unknown	7	0.051	0	0	2	3	0	0	2	0	0	0
TOTAL	13,766		0	5	1,331	3,374	4,173	3,286	1,351	235	9	2
PERCENT DIST.		100.000	0.000	0.036	9.669	24.510	30.314	23.870	9.814	1.707	0.065	0.015
OUT OF WEDLOCK BIRTHS												
Birthweight												
Less Than 500	6	0.152	0	0	1	3	1	1	0	0	0	0
500-999	27	0.684	0	0	6	8	12	0	1	0	0	0
1000-1499	40	1.013	0	0	13	11	8	3	5	0	0	0
1500-1999	56	1.418	0	1	17	13	8	9	7	1	0	0
2000-2499	185	4.686	0	0	51	62	32	23	14	3	0	0
2500-2999	632	16.008	0	1	167	255	111	60	32	4	1	1
3000-3499	1,451	36.753	0	1	422	558	267	140	59	4	0	0
3500-3999	1,132	28.673	0	1	320	434	219	99	44	15	0	0
4000-4499	347	8.789	0	1	84	136	65	43	13	5	0	0
4500-4999	57	1.444	0	0	13	17	15	10	1	1	0	0
Greater Than 4999	11	0.279	0	0	2	3	2	4	0	0	0	0
Unknown	4	0.101	0	0	2	1	0	0	1	0	0	0
TOTAL	3,948		0	5	1,098	1,501	740	392	177	33	1	1
PERCENT DIST.		100.000	0.000	0.127	27.812	38.019	18.744	9.929	4.483	0.836	0.025	0.025

NOTE: Percentages may not add to 100 due to rounding. Prepared by Maine Department of Human Services, Bureau of Health
Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B2.SAS, 2/23/1999]

Table B-3A

LIVE BIRTHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS
 COMPLICATIONS OF LABOR AND MEDICAL AND OTHER RISK FACTORS
 MAINE STATE TOTALS, 1996 (RESIDENT DATA)

* * * COMPLICATIONS OF LABOR * * *			* * * MEDICAL RISK FACTORS * * *			* * * OTHER RISK FACTORS * * *		
Condition	Number	%	Condition	Number	%	Condition	Number	%
Febrile >100 F	115	0.8	Anemia	123	0.9	Tobacco Use	2,564	19.0
Meconium	845	6.1	Cardiac Disease	60	0.4	Avg Cigarettes		
Premature Rupture			Acute or Chronic			Per Day	13	
Membrane >12 Hrs	721	5.2	Lung Disease	97	0.7	Alcohol Use	110	1.0
Abruptio			Diabetes,			Avg Drinks		
Placenta	117	0.8	Gestational	428	3.1	Per Week	3	
Placenta			Diabetes,			Avg Weight Gain	30 lbs.	
Previa	46	0.3	Pre-Existing	64	0.5			
Excessive			Genital Herpes	145	1.1			
Bleeding	105	0.8	Hydramnios/					
Seizures During			Oligohydramnios	373	2.7			
Labor	4	0.0	Hemoglobinopathy	2	0.0			
Precipitous			Hypertension,					
Labor <3 Hrs	455	3.3	Chronic	131	1.0			
Prolonged			Hypertension,					
Labor >20 Hrs	270	2.0	Pregnancy Assoc.	681	4.9			
Dysfunctional			Eclampsia	22	0.2			
Labor	929	6.7	Incompetent					
Breech	601	4.4	Cervix	32	0.2			
Cephalopelvic/			Previous Infant					
Disproportion	573	4.2	4000+ Grams	275	2.0			
Cord Prolapse	32	0.2	Previous Preterm	224	1.6			
Anesthetic			Renal Disease	16	0.1			
Complications	8	0.1	RH Sensitization	34	0.2			
Fetal Distress	625	4.5	Uterine Bleeding	92	0.7			
Other	2,365	17.2	Other	2,187	15.9			
None	7,822	56.8	None	9,641	70.0			
Unknown	3	0.0	Unknown	2	0.0			

NOTES: (1) Percentages are based on the 13,766 Maine resident live births this year. (2) More than one condition may be associated with each birth. (3) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VTAB_B3A.SAS, 3/22/1999]

Table B-3B

LIVE BIRTHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS
METHOD OF DELIVERY, OBSTETRIC PROCEDURES AND CONDITION OF INFANT
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

* * * * METHOD OF DELIVERY * * * *			* ABNORMAL CONDITIONS OF NEWBORN *			* * * CONGENITAL ANOMALIES * * *		
Condition	Number	%	Condition	Number	%	Condition	Number	%
Vaginal	10,440	75.8	Anemia	19	0.1	Anencephalus	2	0.0
Vaginal After			Birth Injury	31	0.2	Spina Bifida	1	0.0
C-Section	439	3.2	Fetal Alcohol	3	0.0	Hydrocephalus	3	0.0
Primary			Hyaline Membrane			Microcephalus	1	0.0
C-Section	1,865	13.5	Disease	208	1.5	Other		
Repeat			Mecomium			Nervous System	3	0.0
C-Section	1,018	7.4	Aspiration	9	0.1	Heart	14	0.1
Forceps	108	0.8	Assisted <30 Min.			Other Circulatory		
Vacuum	1,001	7.3	Ventilation	216	1.6	System	5	0.0
Other	0	0.0	Assisted >30 Min.			Rectal Atresia	0	0.0
Unknown	4	0.0	Ventilation	113	0.8	Tracheo-Esophageal		
			Seizures	12	0.1	Fistula	2	0.0
			Other	703	5.1	Omphalocele/		
			None	12,703	92.3	Gastroschisis	8	0.1
			Unknown	4	0.0	Other		
						Gastrointestinal	8	0.1
						Malformed		
						Genetalia	13	0.1
						Renal Agenesis	4	0.0
						Other Urogenital	33	0.2
						Cleft Lip/Palate	11	0.1
						Polydactyly	12	0.1
						Club Foot	6	0.0
						Diaphragmatic		
						Hernia	1	0.0
						Musculoskeletal	59	0.4
						Downs Syndrome	16	0.1
						Chromosomal	4	0.0
						Other	25	0.2
						None	13,542	98.4
						Unknown	15	0.1

* * * * OBSTETRIC PROCEDURES * * * *		
Condition	Number	%
Amniocentesis	714	5.2
Electric Fetal		
Monitoring	12,049	87.5
Induced Labor	3,014	21.9
Stimulation		
of Labor	2,039	14.8
Tocolysis	308	2.2
Ultra Sound	10,241	74.4
Other	338	2.5
None	561	4.1
Unknown	2	0.0

NOTES: (1) Percentages are based on the 13,766 Maine resident live births this year. (2) More than one condition may be associated with each birth. (3) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VTAB_B3B.SAS, 3/22/1999]

TABLE B-4 LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, AND RATIO OF MALE TO FEMALE BIRTHS
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY	TOTAL BIRTHS	RISK CHARACTERISTICS								MALE/FEMALE RATIO
		5 Min. APGAR		Birthweight		Less Than 37				
		Less Than 5		< 2500 Grams		Gestation Weeks				
		Number	Percent	Number	Percent	Number	Percent			
Androscoggin	1,208	5	0.4	74	6.1	91	7.5		0.984	
Aroostook	769	9	1.2	45	5.9	59	7.7		0.885	
Cumberland	3,084	19	0.6	177	5.7	236	7.7		1.073	
Franklin	301	1	0.3	11	3.7	22	7.3		0.905	
Hancock	496	4	0.8	30	6.0	34	6.9		1.080	
Kennebec	1,198	6	0.5	69	5.8	88	7.3		1.000	
Knox	397	3	0.8	20	5.0	29	7.3		1.089	
Lincoln	292	2	0.7	16	5.5	24	8.2		1.028	
Oxford	552	5	0.9	29	5.3	37	6.7		0.923	
Penobscot	1,477	12	0.8	100	6.8	135	9.1		1.057	
Piscataquis	159	1	0.6	10	6.3	10	6.3		1.149	
Sagadahoc	418	5	1.2	27	6.5	39	9.3		1.223	
Somerset	589	4	0.7	53	9.0	45	7.6		1.089	
Waldo	382	3	0.8	28	7.3	32	8.4		1.021	
Washington	374	2	0.5	19	5.1	27	7.2		1.078	
York	2,070	11	0.5	101	4.9	149	7.2		1.074	
STATE TOTALS	13,766	92	0.7	809	5.9	1,057	7.7		1.039	

NOTES: (1) Percentages are based on total births in each county and state. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B4.SAS, 3/22/1999]

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * SEX Male	* * * * * Female	* * * * * Unknown	* * * * * 1	* * * * * 2	* * * * * 3	* * * * * 4	* * * * * 5+	* * * * * Unknown
ANDROSCOGGIN											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	132	10.927	71	61	0	105	23	2	1	0	1
20-24	333	27.566	167	166	0	162	121	38	11	1	0
25-29	373	30.877	176	197	0	138	148	60	22	5	0
30-34	265	21.937	133	132	0	64	106	63	26	6	0
35-39	92	7.616	45	47	0	14	35	21	15	7	0
40-44	13	1.076	7	6	0	3	3	0	4	3	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	1,208		599	609	0	486	436	184	79	22	1
PERCENT		100.000	49.586	50.414	0.000	40.232	36.093	15.232	6.540	1.821	0.083
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	111	27.960	62	49	0	91	18	1	0	0	1
20-24	152	38.287	74	78	0	70	55	20	6	1	0
25-29	66	16.625	33	33	0	21	21	15	6	3	0
30-34	50	12.594	25	25	0	10	20	12	6	2	0
35-39	17	4.282	6	11	0	4	4	4	3	2	0
40-44	1	0.252	0	1	0	0	0	0	1	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	397		200	197	0	196	118	52	22	8	1
PERCENT		100.000	50.378	49.622	0.000	49.370	29.723	13.098	5.542	2.015	0.252

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B5.SAS, 3/22/1999]

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * SEX * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *
			Male	Female	Unknown	1	2	3	4	5+	Unknown
AROOSTOOK											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	1	0.130	0	1	0	1	0	0	0	0	0
15-19	89	11.573	52	37	0	75	13	1	0	0	0
20-24	230	29.909	112	118	0	128	72	22	5	2	1
25-29	267	34.720	113	154	0	92	114	43	15	3	0
30-34	131	17.035	59	72	0	26	58	30	10	7	0
35-39	45	5.852	21	24	0	9	14	13	2	7	0
40-44	5	0.650	4	1	0	0	1	1	2	1	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	1	0.130	0	1	0	1	0	0	0	0	0
TOTAL	769		361	408	0	332	272	110	34	20	1
PERCENT		100.000	46.944	53.056	0.000	43.173	35.371	14.304	4.421	2.601	0.130
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	1	0.442	0	1	0	1	0	0	0	0	0
15-19	70	30.973	40	30	0	60	10	0	0	0	0
20-24	96	42.478	39	57	0	60	31	3	2	0	0
25-29	38	16.814	16	22	0	13	13	7	3	2	0
30-34	14	6.195	6	8	0	1	8	2	1	2	0
35-39	6	2.655	4	2	0	1	1	3	1	0	0
40-44	0	0.000	0	0	0	0	0	0	0	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	1	0.442	0	1	0	1	0	0	0	0	0
TOTAL	226		105	121	0	137	63	15	7	4	0
PERCENT		100.000	46.460	53.540	0.000	60.619	27.876	6.637	3.097	1.770	0.000

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B5.SAS, 3/22/1999]

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			Male	Female	Unknown	1	2	3	4	5+	Unknown
CUMBERLAND											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	1	0.032	1	0	0	1	0	0	0	0	0
15-19	210	6.809	115	95	0	181	25	3	0	0	1
20-24	505	16.375	262	243	0	283	164	44	9	5	0
25-29	922	29.896	483	439	0	425	343	108	32	13	1
30-34	930	30.156	462	468	0	339	363	159	52	16	1
35-39	436	14.137	230	206	0	127	162	97	28	22	0
40-44	77	2.497	42	35	0	27	28	10	4	8	0
Greater Than 44	3	0.097	1	2	0	1	2	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	3,084		1,596	1,488	0	1,384	1,087	421	125	64	3
PERCENT		100.000	51.751	48.249	0.000	44.877	35.246	13.651	4.053	2.075	0.097
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	1	0.142	1	0	0	1	0	0	0	0	0
15-19	175	24.893	94	81	0	156	16	2	0	0	1
20-24	247	35.135	122	125	0	141	74	25	5	2	0
25-29	160	22.760	85	75	0	71	49	27	9	3	1
30-34	70	9.957	33	37	0	24	21	14	7	3	1
35-39	45	6.401	26	19	0	17	14	5	3	6	0
40-44	5	0.711	1	4	0	3	1	0	0	1	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	703		362	341	0	413	175	73	24	15	3
PERCENT		100.000	51.494	48.506	0.000	58.748	24.893	10.384	3.414	2.134	0.427

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B5.SAS, 3/22/1999]

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * SEX * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *
			Male	Female	Unknown	1	2	3	4	5+	Unknown
FRANKLIN											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	29	9.635	14	15	0	25	4	0	0	0	0
20-24	93	30.897	46	47	0	46	36	9	2	0	0
25-29	99	32.890	49	50	0	27	42	18	8	4	0
30-34	49	16.279	19	30	0	16	15	9	8	1	0
35-39	24	7.973	12	12	0	7	6	5	2	4	0
40-44	7	2.326	3	4	0	1	4	0	1	1	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	301		143	158	0	122	107	41	21	10	0
PERCENT		100.000	47.508	52.492	0.000	40.532	35.548	13.621	6.977	3.322	0.000
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	21	20.588	9	12	0	18	3	0	0	0	0
20-24	47	46.078	23	24	0	27	14	5	1	0	0
25-29	22	21.569	11	11	0	7	8	5	1	1	0
30-34	7	6.863	3	4	0	2	1	2	2	0	0
35-39	4	3.922	0	4	0	1	2	0	0	1	0
40-44	1	0.980	1	0	0	0	1	0	0	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	102		47	55	0	55	29	12	4	2	0
PERCENT		100.000	46.078	53.922	0.000	53.922	28.431	11.765	3.922	1.961	0.000

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B5.SAS, 3/22/1999]

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL BIRTHS	PERCENT DISTRIBUTION	SEX			BIRTH ORDER					
			Male	Female	Unknown	1	2	3	4	5+	Unknown
HANCOCK											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	46	9.274	24	22	0	39	6	1	0	0	0
20-24	105	21.169	58	47	0	65	29	9	2	0	0
25-29	151	30.444	70	80	1	57	60	23	7	4	0
30-34	122	24.597	63	59	0	49	46	18	4	5	0
35-39	62	12.500	35	27	0	20	21	13	3	5	0
40-44	9	1.815	6	3	0	1	4	3	1	0	0
Greater Than 44	1	0.202	1	0	0	0	0	0	0	1	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	496		257	238	1	231	166	67	17	15	0
PERCENT		100.000	51.815	47.984	0.202	46.573	33.468	13.508	3.427	3.024	0.000
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	33	27.731	15	18	0	29	4	0	0	0	0
20-24	38	31.933	22	16	0	25	10	3	0	0	0
25-29	28	23.529	12	15	1	7	10	5	5	1	0
30-34	13	10.924	8	5	0	5	1	4	0	3	0
35-39	5	4.202	1	4	0	1	1	3	0	0	0
40-44	2	1.681	2	0	0	0	1	1	0	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	119		60	58	1	67	27	16	5	4	0
PERCENT		100.000	50.420	48.739	0.840	56.303	22.689	13.445	4.202	3.361	0.000

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B5.SAS, 3/22/1999]

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * SEX Male	* * * * * Female	* * * * * Unknown	* * * * * 1	* * * * * 2	* * * * * 3	BIRTH ORDER 4	* * * * * 5+	* * * * * Unknown
KENNEBEC											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	1	0.083	0	1	0	1	0	0	0	0	0
15-19	120	10.017	60	60	0	107	12	1	0	0	0
20-24	329	27.462	182	147	0	175	118	28	7	0	1
25-29	364	30.384	183	181	0	143	138	58	20	4	1
30-34	259	21.619	119	140	0	60	116	60	17	5	1
35-39	115	9.599	50	65	0	35	45	20	6	9	0
40-44	10	0.835	5	5	0	2	0	3	2	3	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	1,198		599	599	0	523	429	170	52	21	3
PERCENT		100.000	50.000	50.000	0.000	43.656	35.810	14.190	4.341	1.753	0.250
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	1	0.261	0	1	0	1	0	0	0	0	0
15-19	104	27.154	55	49	0	95	8	1	0	0	0
20-24	154	40.209	76	78	0	87	47	14	5	0	1
25-29	70	18.277	42	28	0	30	20	11	6	3	0
30-34	35	9.138	14	21	0	8	15	8	2	2	0
35-39	17	4.439	9	8	0	7	4	2	3	1	0
40-44	2	0.522	2	0	0	0	0	2	0	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	383		198	185	0	228	94	38	16	6	1
PERCENT		100.000	51.697	48.303	0.000	59.530	24.543	9.922	4.178	1.567	0.261

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B5.SAS, 3/22/1999]

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * SEX * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *
			Male	Female	Unknown	1	2	3	4	5+	Unknown
KNOX											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	43	10.831	25	18	0	37	6	0	0	0	0
20-24	116	29.219	59	57	0	65	39	9	2	1	0
25-29	111	27.960	55	56	0	39	40	23	8	1	0
30-34	86	21.662	54	32	0	31	31	14	7	3	0
35-39	31	7.809	11	20	0	8	11	6	4	2	0
40-44	9	2.267	2	7	0	1	5	2	0	1	0
Greater Than 44	1	0.252	1	0	0	1	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	397		207	190	0	182	132	54	21	8	0
PERCENT		100.000	52.141	47.859	0.000	45.844	33.249	13.602	5.290	2.015	0.000
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	34	26.984	18	16	0	30	4	0	0	0	0
20-24	53	42.063	33	20	0	32	16	4	0	1	0
25-29	22	17.460	8	14	0	7	5	5	4	1	0
30-34	11	8.730	7	4	0	1	6	2	2	0	0
35-39	4	3.175	1	3	0	1	2	0	0	1	0
40-44	2	1.587	0	2	0	1	1	0	0	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	126		67	59	0	72	34	11	6	3	0
PERCENT		100.000	53.175	46.825	0.000	57.143	26.984	8.730	4.762	2.381	0.000

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B5.SAS, 3/22/1999]

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * SEX * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * * * * * *	* * * * * * * * * *	* * * * * * * * * *	* * * * * * * * * *	* * * * * * * * * *	* * * * * * * * * *	* * * * * * * * * *
			Male	Female	Unknown	1	2	3	4	5+	Unknown
LINCOLN											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	30	10.274	15	15	0	23	7	0	0	0	0
20-24	76	26.027	42	34	0	42	25	7	2	0	0
25-29	72	24.658	34	38	0	24	27	15	3	3	0
30-34	69	23.630	35	34	0	15	33	15	4	2	0
35-39	37	12.671	19	18	0	8	10	14	3	2	0
40-44	8	2.740	3	5	0	0	3	3	1	1	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	292		148	144	0	112	105	54	13	8	0
PERCENT		100.000	50.685	49.315	0.000	38.356	35.959	18.493	4.452	2.740	0.000
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	24	30.380	14	10	0	19	5	0	0	0	0
20-24	27	34.177	16	11	0	19	6	2	0	0	0
25-29	14	17.722	6	8	0	4	5	4	0	1	0
30-34	11	13.924	5	6	0	2	4	2	1	2	0
35-39	1	1.266	0	1	0	1	0	0	0	0	0
40-44	2	2.532	1	1	0	0	1	1	0	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	79		42	37	0	45	21	9	1	3	0
PERCENT		100.000	53.165	46.835	0.000	56.962	26.582	11.392	1.266	3.797	0.000

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B5.SAS, 3/22/1999]

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * SEX * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *
			Male	Female	Unknown	1	2	3	4	5+	Unknown
OXFORD											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	1	0.181	1	0	0	1	0	0	0	0	0
15-19	63	11.413	34	29	0	56	7	0	0	0	0
20-24	149	26.993	62	87	0	65	64	18	2	0	0
25-29	167	30.254	79	88	0	56	78	20	9	4	0
30-34	118	21.377	59	59	0	29	37	37	8	7	0
35-39	43	7.790	21	22	0	9	20	6	5	3	0
40-44	11	1.993	9	2	0	2	1	5	1	2	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	552		265	287	0	218	207	86	25	16	0
PERCENT		100.000	48.007	51.993	0.000	39.493	37.500	15.580	4.529	2.899	0.000
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	1	0.575	1	0	0	1	0	0	0	0	0
15-19	49	28.161	27	22	0	44	5	0	0	0	0
20-24	63	36.207	25	38	0	36	25	1	1	0	0
25-29	32	18.391	15	17	0	12	11	6	2	1	0
30-34	20	11.494	11	9	0	5	4	7	2	2	0
35-39	8	4.598	5	3	0	0	6	0	0	2	0
40-44	1	0.575	1	0	0	1	0	0	0	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	174		85	89	0	99	51	14	5	5	0
PERCENT		100.000	48.851	51.149	0.000	56.897	29.310	8.046	2.874	2.874	0.000

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B5.SAS, 3/22/1999]

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * SEX Male	Female	* * * * * Unknown	* * * * * 1	* * * * * 2	* * * * * 3	* * * * * 4	* * * * * 5+	* * * * * Unknown
PENOBSCOT											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	1	0.068	1	0	0	1	0	0	0	0	0
15-19	130	8.802	69	61	0	111	17	1	0	0	1
20-24	395	26.743	194	201	0	203	136	46	8	1	1
25-29	474	32.092	257	217	0	180	195	72	17	10	0
30-34	335	22.681	168	167	0	84	144	68	28	11	0
35-39	123	8.328	59	64	0	34	43	26	14	5	1
40-44	18	1.219	11	7	0	3	5	5	2	3	0
Greater Than 44	1	0.068	0	1	0	0	0	1	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	1,477		759	718	0	616	540	219	69	30	3
PERCENT		100.000	51.388	48.612	0.000	41.706	36.561	14.827	4.672	2.031	0.203
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	1	0.244	1	0	0	1	0	0	0	0	0
15-19	110	26.895	60	50	0	100	9	1	0	0	0
20-24	160	39.120	83	77	0	83	55	17	5	0	0
25-29	79	19.315	36	43	0	21	28	17	7	6	0
30-34	36	8.802	18	18	0	6	16	6	4	4	0
35-39	19	4.645	5	14	0	7	7	4	1	0	0
40-44	3	0.733	1	2	0	0	1	1	0	1	0
Greater Than 44	1	0.244	0	1	0	0	0	1	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	409		204	205	0	218	116	47	17	11	0
PERCENT		100.000	49.878	50.122	0.000	53.301	28.362	11.491	4.156	2.689	0.000

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B5.SAS, 3/22/1999]

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * SEX * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *
			Male	Female	Unknown	1	2	3	4	5+	Unknown
PISCATAQUIS											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	19	11.950	12	7	0	17	2	0	0	0	0
20-24	55	34.591	25	30	0	30	19	6	0	0	0
25-29	40	25.157	21	19	0	16	16	6	1	1	0
30-34	38	23.899	21	17	0	10	18	4	3	3	0
35-39	6	3.774	5	1	0	0	1	1	3	1	0
40-44	1	0.629	1	0	0	0	0	1	0	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	159		85	74	0	73	56	18	7	5	0
PERCENT		100.000	53.459	46.541	0.000	45.912	35.220	11.321	4.403	3.145	0.000
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	16	27.119	10	6	0	15	1	0	0	0	0
20-24	27	45.763	11	16	0	14	9	4	0	0	0
25-29	7	11.864	2	5	0	1	4	2	0	0	0
30-34	7	11.864	1	6	0	2	3	0	2	0	0
35-39	2	3.390	1	1	0	0	0	1	1	0	0
40-44	0	0.000	0	0	0	0	0	0	0	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	59		25	34	0	32	17	7	3	0	0
PERCENT		100.000	42.373	57.627	0.000	54.237	28.814	11.864	5.085	0.000	0.000

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B5.SAS, 3/22/1999]

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * SEX * * * * *	* * * * * BIRTH ORDER * * * * *							
			Male	Female	Unknown	1	2	3	4	5+	Unknown
SAGADAHOC											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	33	7.895	16	17	0	29	4	0	0	0	0
20-24	98	23.445	55	43	0	61	27	9	0	1	0
25-29	116	27.751	66	50	0	46	44	16	9	1	0
30-34	114	27.273	59	55	0	42	34	22	11	5	0
35-39	48	11.483	27	21	0	13	17	10	5	3	0
40-44	9	2.153	7	2	0	7	0	0	1	1	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	418		230	188	0	198	126	57	26	11	0
PERCENT		100.000	55.024	44.976	0.000	47.368	30.144	13.636	6.220	2.632	0.000
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	28	25.688	13	15	0	26	2	0	0	0	0
20-24	40	36.697	25	15	0	30	7	3	0	0	0
25-29	24	22.018	14	10	0	11	10	2	1	0	0
30-34	9	8.257	4	5	0	5	2	2	0	0	0
35-39	5	4.587	2	3	0	1	1	2	1	0	0
40-44	3	2.752	3	0	0	2	0	0	0	1	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	109		61	48	0	75	22	9	2	1	0
PERCENT		100.000	55.963	44.037	0.000	68.807	20.183	8.257	1.835	0.917	0.000

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B5.SAS, 3/22/1999]

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * SEX Male	* * * * * Female	* * * * * Unknown	* * * * * 1	* * * * * 2	* * * * * 3	* * * * * 4	* * * * * 5+	* * * * * Unknown
SOMERSET											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	87	14.771	45	42	0	68	17	2	0	0	0
20-24	177	30.051	98	79	0	83	77	12	5	0	0
25-29	182	30.900	87	95	0	62	73	33	9	5	0
30-34	107	18.166	56	51	0	27	40	26	8	6	0
35-39	29	4.924	18	11	0	5	8	7	6	3	0
40-44	6	1.019	3	3	0	1	0	1	2	2	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	1	0.170	0	1	0	1	0	0	0	0	0
TOTAL	589		307	282	0	247	215	81	30	16	0
PERCENT		100.000	52.122	47.878	0.000	41.935	36.503	13.752	5.093	2.716	0.000
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	72	31.579	35	37	0	58	13	1	0	0	0
20-24	80	35.088	47	33	0	38	36	3	3	0	0
25-29	43	18.860	20	23	0	19	13	9	2	0	0
30-34	22	9.649	11	11	0	4	4	10	2	2	0
35-39	11	4.825	5	6	0	2	2	2	2	3	0
40-44	0	0.000	0	0	0	0	0	0	0	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	228		118	110	0	121	68	25	9	5	0
PERCENT		100.000	51.754	48.246	0.000	53.070	29.825	10.965	3.947	2.193	0.000

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B5.SAS, 3/22/1999]

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * SEX * * * * *	* * * * * BIRTH ORDER * * * * *							
			Male	Female	Unknown	1	2	3	4	5+	Unknown
WALDO											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	58	15.183	30	28	0	45	11	2	0	0	0
20-24	118	30.890	55	63	0	58	47	9	3	1	0
25-29	104	27.225	50	54	0	34	36	26	8	0	0
30-34	63	16.492	39	24	0	21	30	7	2	3	0
35-39	33	8.639	17	16	0	9	10	5	6	2	1
40-44	5	1.309	2	3	0	2	0	2	1	0	0
Greater Than 44	1	0.262	0	1	0	0	1	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	382		193	189	0	169	135	51	20	6	1
PERCENT		100.000	50.524	49.476	0.000	44.241	35.340	13.351	5.236	1.571	0.262
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	45	32.847	26	19	0	38	7	0	0	0	0
20-24	53	38.686	27	26	0	31	16	4	2	0	0
25-29	18	13.139	9	9	0	5	5	5	3	0	0
30-34	11	8.029	5	6	0	5	4	1	0	1	0
35-39	10	7.299	5	5	0	2	1	2	3	2	0
40-44	0	0.000	0	0	0	0	0	0	0	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	137		72	65	0	81	33	12	8	3	0
PERCENT		100.000	52.555	47.445	0.000	59.124	24.088	8.759	5.839	2.190	0.000

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B5.SAS, 3/22/1999]

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * SEX * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *
			Male	Female	Unknown	1	2	3	4	5+	Unknown
WASHINGTON											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	40	10.695	19	21	0	30	10	0	0	0	0
20-24	141	37.701	71	70	0	75	45	17	4	0	0
25-29	107	28.610	55	52	0	26	49	19	11	2	0
30-34	60	16.043	34	26	0	14	21	14	9	2	0
35-39	19	5.080	10	9	0	3	5	8	2	1	0
40-44	7	1.872	5	2	0	1	1	1	2	2	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	374		194	180	0	149	131	59	28	7	0
PERCENT		100.000	51.872	48.128	0.000	39.840	35.027	15.775	7.487	1.872	0.000
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	27	21.774	14	13	0	23	4	0	0	0	0
20-24	66	53.226	29	37	0	40	17	7	2	0	0
25-29	14	11.290	8	6	0	3	3	3	5	0	0
30-34	13	10.484	6	7	0	0	3	6	2	2	0
35-39	4	3.226	2	2	0	0	1	2	0	1	0
40-44	0	0.000	0	0	0	0	0	0	0	0	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	124		59	65	0	66	28	18	9	3	0
PERCENT		100.000	47.581	52.419	0.000	53.226	22.581	14.516	7.258	2.419	0.000

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B5.SAS, 3/22/1999]

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * SEX * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * BIRTH ORDER * * * * *
			Male	Female	Unknown	1	2	3	4	5+	Unknown
YORK											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	202	9.758	116	86	0	177	20	5	0	0	0
20-24	454	21.932	239	215	0	227	167	44	13	3	0
25-29	624	30.145	323	301	0	257	244	85	27	11	0
30-34	540	26.087	268	272	0	151	218	118	40	13	0
35-39	208	10.048	104	104	0	40	72	44	33	19	0
40-44	40	1.932	20	20	0	10	11	6	7	6	0
Greater Than 44	2	0.097	2	0	0	0	1	0	1	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	2,070		1,072	998	0	862	733	302	121	52	0
PERCENT		100.000	51.787	48.213	0.000	41.643	35.411	14.589	5.845	2.512	0.000
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	0	0.000	0	0	0	0	0	0	0	0	0
15-19	179	31.239	105	74	0	160	14	5	0	0	0
20-24	198	34.555	98	100	0	109	65	19	4	1	0
25-29	103	17.976	56	47	0	38	32	21	6	6	0
30-34	63	10.995	32	31	0	16	20	15	11	1	0
35-39	19	3.316	12	7	0	2	11	1	5	0	0
40-44	11	1.920	5	6	0	4	2	1	2	2	0
Greater Than 44	0	0.000	0	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0	0
TOTAL	573		308	265	0	329	144	62	28	10	0
PERCENT		100.000	53.752	46.248	0.000	57.417	25.131	10.820	4.887	1.745	0.000

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B5.SAS, 3/22/1999]

TABLE B-5 ALL LIVE BIRTHS AND OUT-OF-WEDLOCK LIVE BIRTHS BY MOTHER'S AGE, SEX OF CHILD AND BIRTH ORDER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * SEX * * * * *	* * * * * BIRTH ORDER * * * * *	* * * * * * * * * * * * * * *	* * * * * * * * * * * * * * *	* * * * * * * * * * * * * * *	* * * * * * * * * * * * * * *	* * * * * * * * * * * * * * *	* * * * * * * * * * * * * * *	* * * * * * * * * * * * * * *
			Male	Female	Unknown	1	2	3	4	5+	Unknown
STATE OF MAINE											
All Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	5	0.036	3	2	0	5	0	0	0	0	0
15-19	1,331	9.669	717	614	0	1,125	184	18	1	0	3
20-24	3,374	24.510	1,727	1,647	0	1,768	1,186	327	75	15	3
25-29	4,173	30.314	2,101	2,071	1	1,622	1,647	625	206	71	2
30-34	3,286	23.870	1,648	1,638	0	978	1,310	664	237	95	2
35-39	1,351	9.814	684	667	0	341	480	296	137	95	2
40-44	235	1.707	130	105	0	61	66	43	31	34	0
Greater Than 44	9	0.065	5	4	0	2	4	1	1	1	0
Unknown	2	0.015	0	2	0	2	0	0	0	0	0
TOTAL	13,766		7,015	6,750	1	5,904	4,877	1,974	688	311	12
PERCENT		100.000	50.959	49.034	0.007	42.888	35.428	14.340	4.998	2.259	0.087
Out of Wedlock Births											
Age											
Less Than 10	0	0.000	0	0	0	0	0	0	0	0	0
10-14	5	0.127	3	2	0	5	0	0	0	0	0
15-19	1,098	27.812	597	501	0	962	123	11	0	0	2
20-24	1,501	38.019	750	751	0	842	483	134	36	5	1
25-29	740	18.744	373	366	1	270	237	144	60	28	1
30-34	392	9.929	189	203	0	96	132	93	44	26	1
35-39	177	4.483	84	93	0	47	57	31	23	19	0
40-44	33	0.836	17	16	0	11	8	6	3	5	0
Greater Than 44	1	0.025	0	1	0	0	0	1	0	0	0
Unknown	1	0.025	0	1	0	1	0	0	0	0	0
TOTAL	3,948		2,013	1,934	1	2,234	1,040	420	166	83	5
PERCENT		100.000	50.988	48.987	0.025	56.586	26.342	10.638	4.205	2.102	0.127

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B5.SAS, 3/22/1999]

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * 1st+2nd Month	* * * * * 3rd Month	* * * * * MONTH PRENATAL CARE BEGAN 4th-6th Month	* * * * * 7th-9th Month	* * * * * None	* * * * * Unknown
ANDROSCOGGIN								
Less Than 1000	9	0.745	6	2	1	0	0	0
1000-1499	10	0.828	5	3	1	0	0	1
1500-1999	16	1.325	10	3	2	1	0	0
2000-2499	39	3.228	24	11	2	2	0	0
2500-2999	166	13.742	91	50	24	0	1	0
3000-3499	431	35.679	249	141	32	6	1	2
3500-3999	364	30.132	221	110	31	2	0	0
4000-4499	143	11.838	83	53	7	0	0	0
4500-4999	28	2.318	17	9	2	0	0	0
Greater Than 4999	2	0.166	0	2	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0
TOTAL	1,208		706	384	102	11	2	3
PERCENT		100.000	58.444	31.788	8.444	0.911	0.166	0.248
AROOSTOOK								
Less Than 1000	7	0.910	5	2	0	0	0	0
1000-1499	4	0.520	2	1	0	0	1	0
1500-1999	5	0.650	2	3	0	0	0	0
2000-2499	29	3.771	19	8	2	0	0	0
2500-2999	118	15.345	60	43	14	1	0	0
3000-3499	277	36.021	149	99	21	7	1	0
3500-3999	246	31.990	118	96	30	1	0	1
4000-4499	66	8.583	36	23	6	1	0	0
4500-4999	16	2.081	5	10	1	0	0	0
Greater Than 4999	0	0.000	0	0	0	0	0	0
Unknown	1	0.130	0	0	0	0	0	1
TOTAL	769		396	285	74	10	2	2
PERCENT		100.000	51.495	37.061	9.623	1.300	0.260	0.260

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B6,2/23/1999]

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * 1st+2nd Month	* * * * * 3rd Month	* * * * * 4th-6th Month	* * * * * MONTH PRENATAL CARE BEGAN 7th-9th Month	* * * * * None	* * * * * Unknown
CUMBERLAND								
Less Than 1000	17	0.551	10	4	3	0	0	0
1000-1499	19	0.616	12	4	2	1	0	0
1500-1999	24	0.778	16	6	2	0	0	0
2000-2499	117	3.794	62	41	12	2	0	0
2500-2999	406	13.165	224	145	26	5	4	2
3000-3499	1,074	34.825	566	443	55	9	1	0
3500-3999	1,003	32.523	552	402	40	4	1	4
4000-4499	360	11.673	202	148	10	0	0	0
4500-4999	58	1.881	34	22	1	1	0	0
Greater Than 4999	4	0.130	1	2	1	0	0	0
Unknown	2	0.065	0	0	1	0	0	1
TOTAL	3,084		1,679	1,217	153	22	6	7
PERCENT		100.000	54.442	39.462	4.961	0.713	0.195	0.227
FRANKLIN								
Less Than 1000	0	0.000	0	0	0	0	0	0
1000-1499	0	0.000	0	0	0	0	0	0
1500-1999	4	1.329	4	0	0	0	0	0
2000-2499	7	2.326	6	0	1	0	0	0
2500-2999	37	12.292	29	4	3	1	0	0
3000-3499	117	38.870	82	21	13	1	0	0
3500-3999	108	35.880	86	12	9	0	0	1
4000-4499	21	6.977	13	8	0	0	0	0
4500-4999	5	1.661	3	1	0	1	0	0
Greater Than 4999	1	0.332	1	0	0	0	0	0
Unknown	1	0.332	1	0	0	0	0	0
TOTAL	301		225	46	26	3	0	1
PERCENT		100.000	74.751	15.282	8.638	0.997	0.000	0.332

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B6,2/23/1999]

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * 1st+2nd Month	* * * * * 3rd Month	* * * * * 4th-6th Month	* * * * * 7th-9th Month	* * * * * None	* * * * * Unknown
HANCOCK								
Less Than 1000	4	0.806	2	1	1	0	0	0
1000-1499	5	1.008	5	0	0	0	0	0
1500-1999	6	1.210	3	2	0	0	1	0
2000-2499	15	3.024	8	5	2	0	0	0
2500-2999	75	15.121	36	26	12	1	0	0
3000-3499	157	31.653	83	61	9	3	1	0
3500-3999	173	34.879	105	56	11	1	0	0
4000-4499	52	10.484	30	16	5	1	0	0
4500-4999	7	1.411	2	5	0	0	0	0
Greater Than 4999	1	0.202	1	0	0	0	0	0
Unknown	1	0.202	1	0	0	0	0	0
TOTAL	496		276	172	40	6	2	0
PERCENT		100.000	55.645	34.677	8.065	1.210	0.403	0.000
KENNEBEC								
Less Than 1000	5	0.417	4	1	0	0	0	0
1000-1499	8	0.668	7	0	0	0	0	1
1500-1999	10	0.835	9	0	1	0	0	0
2000-2499	46	3.840	31	9	1	4	0	1
2500-2999	131	10.935	89	28	9	3	0	2
3000-3499	428	35.726	261	117	41	8	1	0
3500-3999	400	33.389	227	117	44	12	0	0
4000-4499	141	11.770	89	38	11	3	0	0
4500-4999	27	2.254	17	6	4	0	0	0
Greater Than 4999	2	0.167	1	1	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0
TOTAL	1,198		735	317	111	30	1	4
PERCENT		100.000	61.352	26.461	9.265	2.504	0.083	0.334

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B6,2/23/1999]

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * 1st+2nd Month	* * * * * 3rd Month	* * * * * 4th-6th Month	* * * * * 7th-9th Month	* * * * * None	* * * * * Unknown
KNOX								
Less Than 1000	1	0.252	1	0	0	0	0	0
1000-1499	1	0.252	1	0	0	0	0	0
1500-1999	3	0.756	2	1	0	0	0	0
2000-2499	15	3.778	11	3	0	1	0	0
2500-2999	39	9.824	21	13	4	1	0	0
3000-3499	129	32.494	80	29	16	3	0	1
3500-3999	138	34.761	83	35	18	2	0	0
4000-4499	57	14.358	43	8	4	1	1	0
4500-4999	14	3.526	13	1	0	0	0	0
Greater Than 4999	0	0.000	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0
TOTAL	397		255	90	42	8	1	1
PERCENT		100.000	64.232	22.670	10.579	2.015	0.252	0.252
LINCOLN								
Less Than 1000	0	0.000	0	0	0	0	0	0
1000-1499	1	0.342	0	0	1	0	0	0
1500-1999	0	0.000	0	0	0	0	0	0
2000-2499	15	5.137	9	4	2	0	0	0
2500-2999	34	11.644	19	10	4	1	0	0
3000-3499	96	32.877	51	37	5	1	2	0
3500-3999	96	32.877	63	23	7	2	1	0
4000-4499	41	14.041	23	11	6	1	0	0
4500-4999	8	2.740	5	2	0	1	0	0
Greater Than 4999	1	0.342	1	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0
TOTAL	292		171	87	25	6	3	0
PERCENT		100.000	58.562	29.795	8.562	2.055	1.027	0.000

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B6,2/23/1999]

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * 1st+2nd Month	* * * * * 3rd Month	* * * * * 4th-6th Month	* * * * * 7th-9th Month	* * * * * None	* * * * * Unknown
OXFORD								
Less Than 1000	1	0.181	1	0	0	0	0	0
1000-1499	4	0.725	2	2	0	0	0	0
1500-1999	6	1.087	2	4	0	0	0	0
2000-2499	18	3.261	8	6	4	0	0	0
2500-2999	67	12.138	41	17	7	2	0	0
3000-3499	182	32.971	112	53	13	3	1	0
3500-3999	193	34.964	121	53	16	3	0	0
4000-4499	64	11.594	42	14	7	1	0	0
4500-4999	13	2.355	11	2	0	0	0	0
Greater Than 4999	3	0.543	3	0	0	0	0	0
Unknown	1	0.181	0	1	0	0	0	0
TOTAL	552		343	152	47	9	1	0
PERCENT		100.000	62.138	27.536	8.514	1.630	0.181	0.000
PENOBSCOT								
Less Than 1000	10	0.677	8	2	0	0	0	0
1000-1499	11	0.745	9	1	1	0	0	0
1500-1999	23	1.557	13	6	2	0	1	1
2000-2499	56	3.791	39	10	7	0	0	0
2500-2999	188	12.729	138	31	16	1	1	1
3000-3499	509	34.462	382	83	33	9	2	0
3500-3999	497	33.649	388	62	43	1	1	2
4000-4499	158	10.697	121	25	9	3	0	0
4500-4999	22	1.490	14	7	1	0	0	0
Greater Than 4999	2	0.135	2	0	0	0	0	0
Unknown	1	0.068	0	0	0	0	0	1
TOTAL	1,477		1,114	227	112	14	5	5
PERCENT		100.000	75.423	15.369	7.583	0.948	0.339	0.339

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B6,2/23/1999]

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * 1st+2nd Month	* * * * * 3rd Month	* * * * * 4th-6th Month	* * * * * 7th-9th Month	* * * * * None	* * * * * Unknown
PISCATAQUIS								
Less Than 1000	0	0.000	0	0	0	0	0	0
1000-1499	1	0.629	0	1	0	0	0	0
1500-1999	0	0.000	0	0	0	0	0	0
2000-2499	9	5.660	6	2	1	0	0	0
2500-2999	21	13.208	15	5	1	0	0	0
3000-3499	61	38.365	32	13	13	3	0	0
3500-3999	49	30.818	29	11	7	2	0	0
4000-4499	15	9.434	11	2	2	0	0	0
4500-4999	0	0.000	0	0	0	0	0	0
Greater Than 4999	3	1.887	3	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0
TOTAL	159		96	34	24	5	0	0
PERCENT		100.000	60.377	21.384	15.094	3.145	0.000	0.000
SAGadahoc								
Less Than 1000	1	0.239	1	0	0	0	0	0
1000-1499	6	1.435	2	2	2	0	0	0
1500-1999	6	1.435	2	2	2	0	0	0
2000-2499	14	3.349	10	3	1	0	0	0
2500-2999	59	14.115	44	10	3	2	0	0
3000-3499	136	32.536	98	25	12	0	0	1
3500-3999	135	32.297	92	29	12	2	0	0
4000-4499	51	12.201	34	9	4	3	1	0
4500-4999	6	1.435	3	1	2	0	0	0
Greater Than 4999	4	0.957	3	0	1	0	0	0
Unknown	0	0.000	0	0	0	0	0	0
TOTAL	418		289	81	39	7	1	1
PERCENT		100.000	69.139	19.378	9.330	1.675	0.239	0.239

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B6,2/23/1999]

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * 1st+2nd Month	* * * * * 3rd Month	* * * * * 4th-6th Month	* * * * * MONTH PRENATAL CARE BEGAN 7th-9th Month	* * * * * None	* * * * * Unknown
SOMERSET								
Less Than 1000	7	1.188	3	0	3	0	1	0
1000-1499	11	1.868	9	0	2	0	0	0
1500-1999	8	1.358	5	3	0	0	0	0
2000-2499	27	4.584	13	12	2	0	0	0
2500-2999	71	12.054	39	20	11	0	1	0
3000-3499	213	36.163	110	57	32	12	2	0
3500-3999	182	30.900	112	37	23	9	1	0
4000-4499	59	10.017	31	19	6	3	0	0
4500-4999	10	1.698	6	2	2	0	0	0
Greater Than 4999	1	0.170	0	0	1	0	0	0
Unknown	0	0.000	0	0	0	0	0	0
TOTAL	589		328	150	82	24	5	0
PERCENT		100.000	55.688	25.467	13.922	4.075	0.849	0.000
WALDO								
Less Than 1000	2	0.524	1	0	1	0	0	0
1000-1499	2	0.524	2	0	0	0	0	0
1500-1999	6	1.571	3	0	3	0	0	0
2000-2499	18	4.712	12	2	3	1	0	0
2500-2999	55	14.398	39	8	7	1	0	0
3000-3499	132	34.555	93	27	11	1	0	0
3500-3999	99	25.916	64	23	12	0	0	0
4000-4499	57	14.921	38	12	7	0	0	0
4500-4999	10	2.618	5	4	1	0	0	0
Greater Than 4999	1	0.262	1	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0
TOTAL	382		258	76	45	3	0	0
PERCENT		100.000	67.539	19.895	11.780	0.785	0.000	0.000

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B6,2/23/1999]

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * 1st+2nd Month	* * * * * 3rd Month	* * * * * 4th-6th Month	* * * * * 7th-9th Month	* * * * * None	* * * * * Unknown
WASHINGTON								
Less Than 1000	1	0.267	1	0	0	0	0	0
1000-1499	1	0.267	1	0	0	0	0	0
1500-1999	5	1.337	4	0	1	0	0	0
2000-2499	12	3.209	3	5	3	1	0	0
2500-2999	63	16.845	32	18	10	2	1	0
3000-3499	113	30.214	68	34	10	1	0	0
3500-3999	124	33.155	52	48	22	2	0	0
4000-4499	48	12.834	29	14	3	2	0	0
4500-4999	6	1.604	2	1	3	0	0	0
Greater Than 4999	1	0.267	1	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0
TOTAL	374		193	120	52	8	1	0
PERCENT		100.000	51.604	32.086	13.904	2.139	0.267	0.000
YORK								
Less Than 1000	5	0.242	4	0	1	0	0	0
1000-1499	13	0.628	8	2	3	0	0	0
1500-1999	18	0.870	16	2	0	0	0	0
2000-2499	65	3.140	32	26	7	0	0	0
2500-2999	295	14.251	157	99	28	8	1	2
3000-3499	711	34.348	379	251	67	10	2	2
3500-3999	677	32.705	392	223	45	10	0	7
4000-4499	247	11.932	147	71	25	3	0	1
4500-4999	35	1.691	20	11	3	0	0	1
Greater Than 4999	4	0.193	4	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0
TOTAL	2,070		1,159	685	179	31	3	13
PERCENT		100.000	55.990	33.092	8.647	1.498	0.145	0.628

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B6,2/23/1999]

TABLE B-6

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND BIRTHWEIGHT
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND			* * * * *	* * * * *	MONTH PRENATAL CARE BEGAN	* * * * *	* * * * *
NUMBER OF	TOTAL	PERCENT	1st+2nd	3rd	4th-6th	7th-9th	
PRENATAL VISITS	BIRTHS	DISTRIBUTION	Month	Month	Month	Month	None Unknown
STATE OF MAINE							
Less Than 1000	70	0.508	47	12	10	0	1 0
1000-1499	97	0.705	65	16	12	1	1 2
1500-1999	140	1.017	91	32	13	1	2 1
2000-2499	502	3.647	293	147	50	11	0 1
2500-2999	1,825	13.257	1,074	527	179	29	9 7
3000-3499	4,766	34.622	2,795	1,491	383	77	14 6
3500-3999	4,484	32.573	2,705	1,337	370	53	4 15
4000-4499	1,580	11.478	972	471	112	22	2 1
4500-4999	265	1.925	157	84	20	3	0 1
Greater Than 4999	30	0.218	22	5	3	0	0 0
Unknown	7	0.051	2	1	1	0	0 3
TOTAL	13,766		8,223	4,123	1,153	197	33 37
PERCENT		100.000	59.734	29.951	8.376	1.431	0.240 0.269

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B6,2/23/1999]

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * First	* * * * * Second	TRIMESTER PRENATAL Third	CARE BEGAN None	* * * * * Unknown
ANDROSCOGGIN							
0	2	0.166	0	0	0	2	0
1	3	0.248	1	0	2	0	0
2	2	0.166	0	0	2	0	0
3	3	0.248	1	1	1	0	0
4	1	0.083	0	1	0	0	0
5	5	0.414	1	3	1	0	0
6	15	1.242	6	5	4	0	0
7	12	0.993	8	4	0	0	0
8	33	2.732	23	10	0	0	0
9	25	2.070	19	6	0	0	0
Greater Than 9	1,103	91.308	1,031	71	1	0	0
Unknown	4	0.331	0	1	0	0	3
TOTAL	1,208		1,090	102	11	2	3
PERCENT		100.000	90.232	8.444	0.911	0.166	0.248
AR00ST00K							
0	2	0.260	0	0	0	2	0
1	0	0.000	0	0	0	0	0
2	1	0.130	1	0	0	0	0
3	1	0.130	0	0	1	0	0
4	2	0.260	0	1	1	0	0
5	6	0.780	1	3	2	0	0
6	13	1.691	7	4	2	0	0
7	17	2.211	9	8	0	0	0
8	27	3.511	18	8	1	0	0
9	29	3.771	23	6	0	0	0
Greater Than 9	669	86.996	622	44	3	0	0
Unknown	2	0.260	0	0	0	0	2
TOTAL	769		681	74	10	2	2
PERCENT		100.000	88.557	9.623	1.300	0.260	0.260

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services,
Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics.

[VSTAB_B7.SAS,2/24/1999]

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * First	* * * * * Second	TRIMESTER PRENATAL CARE BEGAN Third	* * * * * None	* * * * * Unknown
CUMBERLAND							
0	6	0.195	0	0	0	6	0
1	4	0.130	1	1	2	0	0
2	4	0.130	0	2	2	0	0
3	8	0.259	3	1	4	0	0
4	5	0.162	2	3	0	0	0
5	13	0.422	4	7	2	0	0
6	33	1.070	19	8	6	0	0
7	39	1.265	24	14	1	0	0
8	81	2.626	61	20	0	0	0
9	113	3.664	98	13	2	0	0
Greater Than 9	2,761	89.527	2,676	83	2	0	0
Unknown	17	0.551	8	1	1	0	7
TOTAL	3,084		2,896	153	22	6	7
PERCENT		100.000	93.904	4.961	0.713	0.195	0.227
FRANKLIN							
0	0	0.000	0	0	0	0	0
1	0	0.000	0	0	0	0	0
2	0	0.000	0	0	0	0	0
3	2	0.664	0	0	2	0	0
4	0	0.000	0	0	0	0	0
5	1	0.332	0	0	1	0	0
6	2	0.664	0	2	0	0	0
7	4	1.329	1	3	0	0	0
8	12	3.987	6	6	0	0	0
9	11	3.654	8	3	0	0	0
Greater Than 9	268	89.037	256	12	0	0	0
Unknown	1	0.332	0	0	0	0	1
TOTAL	301		271	26	3	0	1
PERCENT		100.000	90.033	8.638	0.997	0.000	0.332

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics.
[VSTAB_B7.SAS,2/24/1999]

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * First	* * * * * Second	TRIMESTER PRENATAL CARE BEGAN Third	* * * * * None	* * * * * Unknown
HANCOCK							
0	2	0.403	0	0	0	2	0
1	2	0.403	1	1	0	0	0
2	1	0.202	0	0	1	0	0
3	1	0.202	0	1	0	0	0
4	4	0.806	1	1	2	0	0
5	2	0.403	0	0	2	0	0
6	7	1.411	4	2	1	0	0
7	11	2.218	9	2	0	0	0
8	33	6.653	26	7	0	0	0
9	33	6.653	27	6	0	0	0
Greater Than 9	400	80.645	380	20	0	0	0
Unknown	0	0.000	0	0	0	0	0
TOTAL	496		448	40	6	2	0
PERCENT		100.000	90.323	8.065	1.210	0.403	0.000
KENNEBEC							
0	1	0.083	0	0	0	1	0
1	1	0.083	0	0	1	0	0
2	1	0.083	1	0	0	0	0
3	2	0.167	1	1	0	0	0
4	6	0.501	1	1	4	0	0
5	2	0.167	1	0	1	0	0
6	8	0.668	5	2	1	0	0
7	10	0.835	5	3	2	0	0
8	27	2.254	16	10	1	0	0
9	44	3.673	31	9	4	0	0
Greater Than 9	1,088	90.818	988	84	16	0	0
Unknown	8	0.668	3	1	0	0	4
TOTAL	1,198		1,052	111	30	1	4
PERCENT		100.000	87.813	9.265	2.504	0.083	0.334

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics.

[VSTAB_B7.SAS,2/24/1999]

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * First	* * * * * Second	TRIMESTER PRENATAL CARE BEGAN Third	* * * * * None	* * * * * Unknown
KNOX							
0	1	0.252	0	0	0	1	0
1	0	0.000	0	0	0	0	0
2	0	0.000	0	0	0	0	0
3	2	0.504	1	0	1	0	0
4	3	0.756	2	0	1	0	0
5	3	0.756	2	1	0	0	0
6	6	1.511	4	1	1	0	0
7	8	2.015	4	2	2	0	0
8	10	2.519	8	2	0	0	0
9	9	2.267	4	4	1	0	0
Greater Than 9	352	88.665	317	32	2	0	1
Unknown	3	0.756	3	0	0	0	0
TOTAL	397		345	42	8	1	1
PERCENT		100.000	86.902	10.579	2.015	0.252	0.252
LINCOLN							
0	3	1.027	0	0	0	3	0
1	0	0.000	0	0	0	0	0
2	0	0.000	0	0	0	0	0
3	0	0.000	0	0	0	0	0
4	1	0.342	1	0	0	0	0
5	3	1.027	3	0	0	0	0
6	2	0.685	1	1	0	0	0
7	3	1.027	2	1	0	0	0
8	12	4.110	5	6	1	0	0
9	16	5.479	13	2	1	0	0
Greater Than 9	241	82.534	223	14	4	0	0
Unknown	11	3.767	10	1	0	0	0
TOTAL	292		258	25	6	3	0
PERCENT		100.000	88.356	8.562	2.055	1.027	0.000

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics.
[VSTAB_B7.SAS,2/24/1999]

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * First	* * * * * Second	* * * * * Third	* * * * * None	* * * * * Unknown
OXFORD							
0	1	0.181	0	0	0	1	0
1	1	0.181	0	0	1	0	0
2	0	0.000	0	0	0	0	0
3	1	0.181	0	0	1	0	0
4	4	0.725	2	0	2	0	0
5	6	1.087	2	1	3	0	0
6	4	0.725	3	1	0	0	0
7	7	1.268	6	0	1	0	0
8	17	3.080	10	7	0	0	0
9	12	2.174	7	5	0	0	0
Greater Than 9	498	90.217	464	33	1	0	0
Unknown	1	0.181	1	0	0	0	0
TOTAL	552		495	47	9	1	0
PERCENT		100.000	89.674	8.514	1.630	0.181	0.000
PENOBSCOT							
0	5	0.339	0	0	0	5	0
1	0	0.000	0	0	0	0	0
2	3	0.203	0	2	1	0	0
3	4	0.271	1	2	1	0	0
4	10	0.677	4	5	1	0	0
5	17	1.151	7	6	4	0	0
6	25	1.693	9	13	3	0	0
7	55	3.724	37	18	0	0	0
8	96	6.500	72	23	1	0	0
9	90	6.093	74	15	1	0	0
Greater Than 9	1,166	78.944	1,136	28	2	0	0
Unknown	6	0.406	1	0	0	0	5
TOTAL	1,477		1,341	112	14	5	5
PERCENT		100.000	90.792	7.583	0.948	0.339	0.339

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services,
Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics.

[VSTAB_B7.SAS,2/24/1999]

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * TRIMESTER PRENATAL CARE BEGAN * * * * *				
			First	Second	Third	None	Unknown
PISCATAQUIS							
0	0	0.000	0	0	0	0	0
1	0	0.000	0	0	0	0	0
2	0	0.000	0	0	0	0	0
3	0	0.000	0	0	0	0	0
4	2	1.258	1	1	0	0	0
5	3	1.887	1	1	1	0	0
6	3	1.887	1	2	0	0	0
7	4	2.516	2	1	1	0	0
8	3	1.887	2	1	0	0	0
9	8	5.031	4	4	0	0	0
Greater Than 9	135	84.906	119	13	3	0	0
Unknown	1	0.629	0	1	0	0	0
TOTAL	159		130	24	5	0	0
PERCENT		100.000	81.761	15.094	3.145	0.000	0.000
SAGadahoc							
0	1	0.239	0	0	0	1	0
1	0	0.000	0	0	0	0	0
2	3	0.718	2	1	0	0	0
3	1	0.239	0	0	1	0	0
4	3	0.718	1	1	1	0	0
5	5	1.196	2	3	0	0	0
6	12	2.871	7	5	0	0	0
7	8	1.914	4	4	0	0	0
8	11	2.632	7	4	0	0	0
9	10	2.392	7	3	0	0	0
Greater Than 9	340	81.340	323	16	1	0	0
Unknown	24	5.742	17	2	4	0	1
TOTAL	418		370	39	7	1	1
PERCENT		100.000	88.517	9.330	1.675	0.239	0.239

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services,
Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics.
[VSTAB_B7.SAS,2/24/1999]

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * First	* * * * * Second	* * * * * Third	* * * * * None	* * * * * Unknown
SOMERSET							
0	5	0.849	0	0	0	5	0
1	0	0.000	0	0	0	0	0
2	0	0.000	0	0	0	0	0
3	3	0.509	1	0	2	0	0
4	3	0.509	0	1	2	0	0
5	2	0.340	0	1	1	0	0
6	12	2.037	3	7	2	0	0
7	17	2.886	8	6	3	0	0
8	21	3.565	16	4	1	0	0
9	31	5.263	20	10	1	0	0
Greater Than 9	493	83.701	428	53	12	0	0
Unknown	2	0.340	2	0	0	0	0
TOTAL	589		478	82	24	5	0
PERCENT		100.000	81.154	13.922	4.075	0.849	0.000
WALDO							
0	0	0.000	0	0	0	0	0
1	0	0.000	0	0	0	0	0
2	1	0.262	0	0	1	0	0
3	2	0.524	1	0	1	0	0
4	1	0.262	0	1	0	0	0
5	3	0.785	1	2	0	0	0
6	7	1.832	4	3	0	0	0
7	13	3.403	9	4	0	0	0
8	24	6.283	19	5	0	0	0
9	27	7.068	19	8	0	0	0
Greater Than 9	302	79.058	279	22	1	0	0
Unknown	2	0.524	2	0	0	0	0
TOTAL	382		334	45	3	0	0
PERCENT		100.000	87.435	11.780	0.785	0.000	0.000

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics.
[VSTAB_B7.SAS,2/24/1999]

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * First	* * * * * Second	* * * * * Third	TRIMESTER PRENATAL CARE BEGAN None	* * * * * Unknown
WASHINGTON							
0	1	0.267	0	0	0	1	0
1	0	0.000	0	0	0	0	0
2	0	0.000	0	0	0	0	0
3	3	0.802	0	2	1	0	0
4	4	1.070	0	4	0	0	0
5	5	1.337	1	3	1	0	0
6	5	1.337	2	2	1	0	0
7	16	4.278	9	4	3	0	0
8	20	5.348	11	9	0	0	0
9	40	10.695	31	9	0	0	0
Greater Than 9	276	73.797	257	17	2	0	0
Unknown	4	1.070	2	2	0	0	0
TOTAL	374		313	52	8	1	0
PERCENT		100.000	83.690	13.904	2.139	0.267	0.000
YORK							
0	3	0.145	0	0	0	3	0
1	5	0.242	3	1	1	0	0
2	2	0.097	0	1	1	0	0
3	6	0.290	2	1	3	0	0
4	6	0.290	2	1	2	0	1
5	17	0.821	6	7	4	0	0
6	16	0.773	7	8	1	0	0
7	29	1.401	11	15	3	0	0
8	68	3.285	53	11	4	0	0
9	81	3.913	60	19	1	0	1
Greater Than 9	1,817	87.778	1,687	113	9	0	8
Unknown	20	0.966	13	2	2	0	3
TOTAL	2,070		1,844	179	31	3	13
PERCENT		100.000	89.082	8.647	1.498	0.145	0.628

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services,
Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics.

[VSTAB_B7.SAS,2/24/1999]

TABLE B-7

LIVE BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND NUMBER OF PRENATAL VISITS
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND NUMBER OF PRENATAL VISITS	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * First	* * * * * Second	TRIMESTER PRENATAL CARE BEGAN Third	* * * * * None	* * * * * Unknown
STATE OF MAINE							
0	33	0.240	0	0	0	33	0
1	16	0.116	6	3	7	0	0
2	18	0.131	4	6	8	0	0
3	39	0.283	11	9	19	0	0
4	55	0.400	17	21	16	0	1
5	93	0.676	32	38	23	0	0
6	170	1.235	82	66	22	0	0
7	253	1.838	148	89	16	0	0
8	495	3.596	353	133	9	0	0
9	579	4.206	445	122	11	0	1
Greater Than 9	11,909	86.510	11,186	655	59	0	9
Unknown	106	0.770	62	11	7	0	26
TOTAL	13,766		12,346	1,153	197	33	37
PERCENT		100.000	89.685	8.376	1.431	0.240	0.269

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services,
Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics.
[VSTAB_B7.SAS,2/24/1999]

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * 1st+2nd Month	* * * * * 3rd Month	* * * * * 4th-6th Month	* * * * * 7th-9th Month	* * * * * None	* * * * * Unknown
ANDROSCOGGIN								
Less Than Grade 9	26	2.152	10	11	5	0	0	0
Grades 9-11	158	13.079	75	54	22	5	1	1
Grade 12	583	48.262	349	181	46	5	1	1
Greater Than Grade 12	439	36.341	271	138	28	1	0	1
Unknown	2	0.166	1	0	1	0	0	0
TOTAL	1,208		706	384	102	11	2	3
PERCENT		100.000	58.444	31.788	8.444	0.911	0.166	0.248
ARROOSTOOK								
Less Than Grade 9	9	1.170	3	2	2	2	0	0
Grades 9-11	86	11.183	32	35	17	1	1	0
Grade 12	341	44.343	178	123	33	6	1	0
Greater Than Grade 12	331	43.043	183	125	22	0	0	1
Unknown	2	0.260	0	0	0	1	0	1
TOTAL	769		396	285	74	10	2	2
PERCENT		100.000	51.495	37.061	9.623	1.300	0.260	0.260
CUMBERLAND								
Less Than Grade 9	41	1.329	18	15	6	2	0	0
Grades 9-11	234	7.588	96	88	40	8	1	1
Grade 12	928	30.091	491	371	53	6	4	3
Greater Than Grade 12	1,877	60.863	1,074	742	52	6	1	2
Unknown	4	0.130	0	1	2	0	0	1
TOTAL	3,084		1,679	1,217	153	22	6	7
PERCENT		100.000	54.442	39.462	4.961	0.713	0.195	0.227

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B8,2/24/1999]

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * 1st+2nd Month	* * * * * 3rd Month	* * * * * 4th-6th Month	* * * * * 7th-9th Month	* * * * * None	* * * * * Unknown
FRANKLIN								
Less Than Grade 9	4	1.329	4	0	0	0	0	0
Grades 9-11	31	10.299	22	5	3	1	0	0
Grade 12	123	40.864	91	21	10	1	0	0
Greater Than Grade 12	141	46.844	107	20	12	1	0	1
Unknown	2	0.664	1	0	1	0	0	0
TOTAL	301		225	46	26	3	0	1
PERCENT		100.000	74.751	15.282	8.638	0.997	0.000	0.332
HANCOCK								
Less Than Grade 9	6	1.210	4	1	1	0	0	0
Grades 9-11	43	8.669	12	22	9	0	0	0
Grade 12	176	35.484	103	55	13	3	2	0
Greater Than Grade 12	270	54.435	156	94	17	3	0	0
Unknown	1	0.202	1	0	0	0	0	0
TOTAL	496		276	172	40	6	2	0
PERCENT		100.000	55.645	34.677	8.065	1.210	0.403	0.000
KENNEBEC								
Less Than Grade 9	14	1.169	5	3	4	2	0	0
Grades 9-11	111	9.265	53	30	19	7	1	1
Grade 12	488	40.735	285	137	54	11	0	1
Greater Than Grade 12	569	47.496	385	140	32	10	0	2
Unknown	16	1.336	7	7	2	0	0	0
TOTAL	1,198		735	317	111	30	1	4
PERCENT		100.000	61.352	26.461	9.265	2.504	0.083	0.334

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B8,2/24/1999]

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * 1st+2nd Month	* * * * * 3rd Month	* * * * * 4th-6th Month	* * * * * 7th-9th Month	* * * * * None	* * * * * Unknown
KNOX								
Less Than Grade 9	4	1.008	1	2	1	0	0	0
Grades 9-11	46	11.587	20	14	10	2	0	0
Grade 12	158	39.798	101	32	19	4	1	1
Greater Than Grade 12	188	47.355	132	42	12	2	0	0
Unknown	1	0.252	1	0	0	0	0	0
TOTAL	397		255	90	42	8	1	1
PERCENT		100.000	64.232	22.670	10.579	2.015	0.252	0.252
LINCOLN								
Less Than Grade 9	6	2.055	1	2	2	1	0	0
Grades 9-11	24	8.219	12	8	2	2	0	0
Grade 12	126	43.151	74	38	11	1	2	0
Greater Than Grade 12	124	42.466	77	37	8	1	1	0
Unknown	12	4.110	7	2	2	1	0	0
TOTAL	292		171	87	25	6	3	0
PERCENT		100.000	58.562	29.795	8.562	2.055	1.027	0.000
OXFORD								
Less Than Grade 9	10	1.812	3	5	2	0	0	0
Grades 9-11	59	10.688	25	20	12	2	0	0
Grade 12	264	47.826	164	65	29	5	1	0
Greater Than Grade 12	219	39.674	151	62	4	2	0	0
Unknown	0	0.000	0	0	0	0	0	0
TOTAL	552		343	152	47	9	1	0
PERCENT		100.000	62.138	27.536	8.514	1.630	0.181	0.000

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B8,2/24/1999]

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND			* * * * *	* * * * *	MONTH PRENATAL CARE BEGAN	* * * * *	* * * * *
MOTHER'S	TOTAL	PERCENT	1st+2nd	3rd	4th-6th	7th-9th	
EDUCATION	BIRTHS	DISTRIBUTION	Month	Month	Month	Month	None Unknown
PENOBSCOT							
Less Than Grade 9	16	1.083	7	4	4	1	0 0
Grades 9-11	135	9.140	65	37	26	4	3 0
Grade 12	559	37.847	409	95	49	4	0 2
Greater Than Grade 12	760	51.456	631	90	32	4	2 1
Unknown	7	0.474	2	1	1	1	0 2
TOTAL	1,477		1,114	227	112	14	5 5
PERCENT		100.000	75.423	15.369	7.583	0.948	0.339 0.339
PISCATAQUIS							
Less Than Grade 9	6	3.774	3	0	3	0	0 0
Grades 9-11	17	10.692	9	2	5	1	0 0
Grade 12	75	47.170	44	20	11	0	0 0
Greater Than Grade 12	60	37.736	40	12	4	4	0 0
Unknown	1	0.629	0	0	1	0	0 0
TOTAL	159		96	34	24	5	0 0
PERCENT		100.000	60.377	21.384	15.094	3.145	0.000 0.000
SAGADAHOC							
Less Than Grade 9	3	0.718	2	1	0	0	0 0
Grades 9-11	34	8.134	21	7	5	1	0 0
Grade 12	180	43.062	129	32	16	3	0 0
Greater Than Grade 12	198	47.368	135	41	17	3	1 1
Unknown	3	0.718	2	0	1	0	0 0
TOTAL	418		289	81	39	7	1 1
PERCENT		100.000	69.139	19.378	9.330	1.675	0.239 0.239

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B8,2/24/1999]

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND MOTHER'S EDUCATION	TOTAL BIRTHS	PERCENT DISTRIBUTION	* * * * * 1st+2nd Month	* * * * * 3rd Month	MONTH PRENATAL CARE BEGAN 4th-6th Month	CARE BEGAN 7th-9th Month	* * * * * None	* * * * * Unknown
SOMERSET								
Less Than Grade 9	11	1.868	5	2	3	1	0	0
Grades 9-11	88	14.941	30	25	28	3	2	0
Grade 12	286	48.557	156	77	36	16	1	0
Greater Than Grade 12	203	34.465	137	45	15	4	2	0
Unknown	1	0.170	0	1	0	0	0	0
TOTAL	589		328	150	82	24	5	0
PERCENT		100.000	55.688	25.467	13.922	4.075	0.849	0.000
WALDO								
Less Than Grade 9	3	0.785	0	2	1	0	0	0
Grades 9-11	63	16.492	37	14	12	0	0	0
Grade 12	159	41.623	109	26	21	3	0	0
Greater Than Grade 12	157	41.099	112	34	11	0	0	0
Unknown	0	0.000	0	0	0	0	0	0
TOTAL	382		258	76	45	3	0	0
PERCENT		100.000	67.539	19.895	11.780	0.785	0.000	0.000
WASHINGTON								
Less Than Grade 9	7	1.872	3	3	1	0	0	0
Grades 9-11	50	13.369	15	23	7	4	1	0
Grade 12	170	45.455	91	53	25	1	0	0
Greater Than Grade 12	145	38.770	83	40	19	3	0	0
Unknown	2	0.535	1	1	0	0	0	0
TOTAL	374		193	120	52	8	1	0
PERCENT		100.000	51.604	32.086	13.904	2.139	0.267	0.000

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B8,2/24/1999]

TABLE B-8

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND MOTHER'S EDUCATION
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY AND			* * * * *	* * * * *	MONTH PRENATAL CARE BEGAN		* * * * *	* * * * *
MOTHER'S	TOTAL	PERCENT	1st+2nd	3rd	4th-6th	7th-9th		
EDUCATION	BIRTHS	DISTRIBUTION	Month	Month	Month	Month	None	Unknown
YORK								
Less Than Grade 9	39	1.884	21	10	8	0	0	0
Grades 9-11	218	10.531	104	68	34	9	1	2
Grade 12	761	36.763	412	257	76	13	1	2
Greater Than Grade 12	1,040	50.242	615	348	59	9	1	8
Unknown	12	0.580	7	2	2	0	0	1
TOTAL	2,070		1,159	685	179	31	3	13
PERCENT		100.000	55.990	33.092	8.647	1.498	0.145	0.628
STATE OF MAINE								
Less Than Grade 9	205	1.489	90	63	43	9	0	0
Grades 9-11	1,397	10.148	628	452	251	50	11	5
Grade 12	5,377	39.060	3,186	1,583	502	82	14	10
Greater Than Grade 12	6,721	48.823	4,289	2,010	344	53	8	17
Unknown	66	0.479	30	15	13	3	0	5
TOTAL	13,766		8,223	4,123	1,153	197	33	37
PERCENT		100.000	59.734	29.951	8.376	1.431	0.240	0.269

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B8,2/24/1999]

TABLE B-9

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, NUMBER OF BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES AND STATE TOTALS, 1996 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	Out Of Wedlock	Mother Under Age 20	Mother Non- White	No Prenatal Care	Medical Risk Factors	Cesarean Section	Congen. Anom- alies	* Birthweight *	
									Under 2500 Grams	Over 4999 Grams
At Home	122	28	4	4	4	17	0	0	2	0
Blue Hill Memorial Hospital	162	42	22	2	1	40	16	2	3	0
Calais Regional Hospital	122	50	18	19	0	38	30	5	5	0
Cary Medical Center	153	42	9	8	0	47	38	1	7	0
Central Maine Medical Center	820	258	92	7	1	258	153	6	47	2
Down East Community Hospital	153	52	13	4	1	20	25	2	6	0
Eastern Maine Medical Center	1,545	394	128	29	6	452	374	10	163	3
Franklin Memorial Hospital	389	135	43	6	0	99	94	4	11	1
Henrietta D. Goodall Hospital	284	129	46	4	1	87	51	10	8	1
Houlton Regional Hospital	185	61	31	8	0	51	36	0	6	0
Inland Hospital	285	104	36	6	1	108	63	4	12	0
Maine Coast Memorial Hospital	205	49	15	6	0	58	51	4	9	1
Maine Medical Center	2,269	554	170	89	3	662	587	47	317	4
MaineGeneral - Augusta Campus	538	194	59	10	0	174	96	7	17	0
MaineGeneral - Dean Campus	43	16	4	2	0	10	5	0	0	1
MaineGeneral - Thayer Campus	600	178	61	5	1	215	103	12	24	2
Mayo Regional Hospital	128	55	19	0	0	47	43	4	10	1
Mercy Hospital	1,360	290	85	36	2	289	199	5	28	3
Mid-Coast Hospital - Bath	266	74	22	6	1	69	73	3	6	3
Miles Memorial Hospital	157	48	17	1	1	53	33	9	3	0
Millinocket Regional Hospital	55	26	11	1	1	19	20	2	1	0
Mount Desert Island Hospital	115	24	6	4	0	35	9	2	3	0
North Cumberland Memorial Hosp.	78	26	12	1	0	19	25	1	7	0
Northern Maine Medical Center	98	18	5	0	0	34	17	2	4	0
Parkview Memorial Hospital	650	138	34	27	0	468	154	39	23	2
Penobscot Bay Medical Center	396	121	45	0	2	119	74	3	9	1
Penobscot Valley Hospital	103	37	11	1	0	27	30	4	4	0
Redington-Fairview General Hosp.	231	102	47	4	1	66	66	8	13	0
Rumford Community Hospital	59	33	10	0	1	21	11	2	4	0
Sebasticook Valley Hospital	1	0	0	0	0	0	0	0	0	0
Southern Maine Medical Center	595	207	83	9	2	73	94	3	20	1
St. Andrews Hospital	3	1	0	0	0	0	0	0	0	0

TABLE B-9

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, NUMBER OF BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES AND STATE TOTALS, 1996 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS	Out Of Wedlock	Mother Under Age 20	Mother Non- White	No Prenatal Care	Medical Risk Factors	Cesarean Section	Congen. Anom- alies	* Birthweight *	
									Under 2500 Grams	Over 4999 Grams
St. Marys General Hospital	355	102	31	2	1	99	103	3	11	1
Stephens Memorial Hospital	268	95	36	4	0	52	50	1	5	3
The Aroostook Med. Center - Presque Isle	333	105	46	7	1	119	42	4	14	0
Waldo County General Hospital	178	81	41	0	0	84	47	3	11	0
York Hospital	298	65	21	12	0	67	40	4	6	0
On Way to Hospital	8	5	1	0	0	1	0	0	1	0
STATE TOTALS	13,610	3,939	1,334	324	32	4,097	2,852	216	820	30

NOTES: (1) Hospitals and other sites with zero births are not shown. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_B9.SAS, 2/25/1999]

TABLE B-10

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, PERCENTAGE OF TOTAL BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES AND STATE TOTALS, 1996 (OCCURRENCE DATA)

BIRTH SITE	* * * * * PERCENTAGE OF TOTAL BIRTHS IN EACH BIRTH SITE * * * * *									* Birthweight *	
	TOTAL BIRTHS	Out Of Wedlock	Mother Under Age 20	Mother Non- White	No Prenatal Care	Medical Risk Factors	Cesarean Section	Congen. Anom- alies	Under 2500 Grams	Over 4999 Grams	
At Home	122	22.951	3.279	3.279	3.279	13.934	0.000	0.000	1.639	0.000	
Blue Hill Memorial Hospital	162	25.926	13.580	1.235	0.617	24.691	9.877	1.235	1.852	0.000	
Calais Regional Hospital	122	40.984	14.754	15.574	0.000	31.148	24.590	4.098	4.098	0.000	
Cary Medical Center	153	27.451	5.882	5.229	0.000	30.719	24.837	0.654	4.575	0.000	
Central Maine Medical Center	820	31.463	11.220	0.854	0.122	31.463	18.659	0.732	5.732	0.244	
Down East Community Hospital	153	33.987	8.497	2.614	0.654	13.072	16.340	1.307	3.922	0.000	
Eastern Maine Medical Center	1,545	25.502	8.285	1.877	0.388	29.256	24.207	0.647	10.550	0.194	
Franklin Memorial Hospital	389	34.704	11.054	1.542	0.000	25.450	24.165	1.028	2.828	0.257	
Henrietta D. Goodall Hospital	284	45.423	16.197	1.408	0.352	30.634	17.958	3.521	2.817	0.352	
Houlton Regional Hospital	185	32.973	16.757	4.324	0.000	27.568	19.459	0.000	3.243	0.000	
Inland Hospital	285	36.491	12.632	2.105	0.351	37.895	22.105	1.404	4.211	0.000	
Maine Coast Memorial Hospital	205	23.902	7.317	2.927	0.000	28.293	24.878	1.951	4.390	0.488	
Maine Medical Center	2,269	24.416	7.492	3.922	0.132	29.176	25.870	2.071	13.971	0.176	
MaineGeneral - Augusta Campus	538	36.059	10.967	1.859	0.000	32.342	17.844	1.301	3.160	0.000	
MaineGeneral - Dean Campus	43	37.209	9.302	4.651	0.000	23.256	11.628	0.000	0.000	2.326	
MaineGeneral - Thayer Campus	600	29.667	10.167	0.833	0.167	35.833	17.167	2.000	4.000	0.333	
Mayo Regional Hospital	128	42.969	14.844	0.000	0.000	36.719	33.594	3.125	7.813	0.781	
Mercy Hospital	1,360	21.324	6.250	2.647	0.147	21.250	14.632	0.368	2.059	0.221	
Mid-Coast Hospital - Bath	266	27.820	8.271	2.256	0.376	25.940	27.444	1.128	2.256	1.128	
Miles Memorial Hospital	157	30.573	10.828	0.637	0.637	33.758	21.019	5.732	1.911	0.000	
Millinocket Regional Hospital	55	47.273	20.000	1.818	1.818	34.545	36.364	3.636	1.818	0.000	
Mount Desert Island Hospital	115	20.870	5.217	3.478	0.000	30.435	7.826	1.739	2.609	0.000	
North Cumberland Memorial Hosp.	78	33.333	15.385	1.282	0.000	24.359	32.051	1.282	8.974	0.000	
Northern Maine Medical Center	98	18.367	5.102	0.000	0.000	34.694	17.347	2.041	4.082	0.000	
Parkview Memorial Hospital	650	21.231	5.231	4.154	0.000	72.000	23.692	6.000	3.538	0.308	
Penobscot Bay Medical Center	396	30.556	11.364	0.000	0.505	30.051	18.687	0.758	2.273	0.253	
Penobscot Valley Hospital	103	35.922	10.680	0.971	0.000	26.214	29.126	3.883	3.883	0.000	
Redington-Fairview General Hosp.	231	44.156	20.346	1.732	0.433	28.571	28.571	3.463	5.628	0.000	
Rumford Community Hospital	59	55.932	16.949	0.000	1.695	35.593	18.644	3.390	6.780	0.000	
Sebasticook Valley Hospital	1	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Southern Maine Medical Center	595	34.790	13.950	1.513	0.336	12.269	15.798	0.504	3.361	0.168	

TABLE B-10

LIVE BIRTHS BY SELECTED RISK CHARACTERISTICS, PERCENTAGE OF TOTAL BIRTHS
MAINE HOSPITAL, OTHER BIRTH SITES AND STATE TOTALS, 1996 (OCCURRENCE DATA)

BIRTH SITE	* * * * * PERCENTAGE OF TOTAL BIRTHS IN EACH BIRTH SITE * * * * *									* Birthweight *	
	TOTAL	Out Of	Mother	Mother	No	Medical		Congen.		Under	Over
	BIRTHS	Wedlock	Under	Non-	Prenatal	Risk	Cesarean	Anom-		2500	4999
			Age 20	White	Care	Factors	Section	alies		Grams	Grams
St. Andrews Hospital	3	33.333	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
St. Marys General Hospital	355	28.732	8.732	0.563	0.282	27.887	29.014	0.845	3.099	0.282	
Stephens Memorial Hospital	268	35.448	13.433	1.493	0.000	19.403	18.657	0.373	1.866	1.119	
The Aroostook Med. Center - Presque Isle	333	31.532	13.814	2.102	0.300	35.736	12.613	1.201	4.204	0.000	
Waldo County General Hospital	178	45.506	23.034	0.000	0.000	47.191	26.404	1.685	6.180	0.000	
York Hospital	298	21.812	7.047	4.027	0.000	22.483	13.423	1.342	2.013	0.000	
On Way to Hospital	8	62.500	12.500	0.000	0.000	12.500	0.000	0.000	12.500	0.000	
STATE TOTALS	13,610	28.942	9.802	2.381	0.235	30.103	20.955	1.587	6.025	0.220	

NOTES: (1) Hospitals and other sites with zero births are not shown. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VTAB_B10.SAS, 2/25/1999]

TABLE B-11

LIVE BIRTHS BY BIRTHWEIGHT, NUMBER AND PERCENT OF TOTAL
MAINE HOSPITAL, OTHER BIRTH SITES AND STATE TOTALS, 1996 (OCCURRENCE DATA)

BIRTH SITE	* * * * * BIRTHWEIGHT IN GRAMS * * * * *											
	TOTAL BIRTHS		< 1000		1000-1499		< 1500		1500+		Unknown	
	N	%	N	%	N	%	N	%	N	%	N	%
At Home	122	100.00	1	0.820	0	0.000	1	0.820	118	96.721	3	2.459
Blue Hill Memorial Hospital	162	100.00	0	0.000	0	0.000	0	0.000	162	100.000	0	0.000
Calais Regional Hospital	122	100.00	0	0.000	0	0.000	0	0.000	122	100.000	0	0.000
Cary Medical Center	153	100.00	0	0.000	0	0.000	0	0.000	153	100.000	0	0.000
Central Maine Medical Center	820	100.00	1	0.122	3	0.366	4	0.488	816	99.512	0	0.000
Down East Community Hospital	153	100.00	0	0.000	0	0.000	0	0.000	153	100.000	0	0.000
Eastern Maine Medical Center	1,545	100.00	18	1.165	28	1.812	46	2.977	1,499	97.023	0	0.000
Franklin Memorial Hospital	389	100.00	0	0.000	0	0.000	0	0.000	388	99.743	1	0.257
Henrietta D. Goodall Hospital	284	100.00	0	0.000	1	0.352	1	0.352	283	99.648	0	0.000
Houlton Regional Hospital	185	100.00	0	0.000	1	0.541	1	0.541	184	99.459	0	0.000
Inland Hospital	285	100.00	0	0.000	1	0.351	1	0.351	284	99.649	0	0.000
Maine Coast Memorial Hospital	205	100.00	0	0.000	0	0.000	0	0.000	205	100.000	0	0.000
Maine Medical Center	2,269	100.00	42	1.851	62	2.732	104	4.584	2,165	95.416	0	0.000
MaineGeneral - Augusta Campus	538	100.00	0	0.000	1	0.186	1	0.186	537	99.814	0	0.000
MaineGeneral - Dean Campus	43	100.00	0	0.000	0	0.000	0	0.000	43	100.000	0	0.000
MaineGeneral - Thayer Campus	600	100.00	1	0.167	0	0.000	1	0.167	599	99.833	0	0.000
Mayo Regional Hospital	128	100.00	0	0.000	1	0.781	1	0.781	127	99.219	0	0.000
Mercy Hospital	1,360	100.00	0	0.000	0	0.000	0	0.000	1,358	99.853	2	0.147
Mid-Coast Hospital - Bath	266	100.00	1	0.376	0	0.000	1	0.376	265	99.624	0	0.000
Miles Memorial Hospital	157	100.00	0	0.000	1	0.637	1	0.637	156	99.363	0	0.000
Millinocket Regional Hospital	55	100.00	0	0.000	0	0.000	0	0.000	55	100.000	0	0.000
Mount Desert Island Hospital	115	100.00	2	1.739	0	0.000	2	1.739	113	98.261	0	0.000
North Cumberland Memorial Hosp.	78	100.00	0	0.000	0	0.000	0	0.000	78	100.000	0	0.000
Northern Maine Medical Center	98	100.00	0	0.000	0	0.000	0	0.000	98	100.000	0	0.000
Parkview Memorial Hospital	650	100.00	1	0.154	0	0.000	1	0.154	649	99.846	0	0.000
Penobscot Bay Medical Center	396	100.00	1	0.253	0	0.000	1	0.253	395	99.747	0	0.000
Penobscot Valley Hospital	103	100.00	0	0.000	0	0.000	0	0.000	103	100.000	0	0.000
Redington-Fairview General Hosp.	231	100.00	0	0.000	2	0.866	2	0.866	229	99.134	0	0.000
Rumford Community Hospital	59	100.00	0	0.000	0	0.000	0	0.000	59	100.000	0	0.000
Sebasticook Valley Hospital	1	100.00	0	0.000	0	0.000	0	0.000	1	100.000	0	0.000
Southern Maine Medical Center	595	100.00	2	0.336	1	0.168	3	0.504	592	99.496	0	0.000
St. Andrews Hospital	3	100.00	0	0.000	0	0.000	0	0.000	3	100.000	0	0.000

TABLE B-11

LIVE BIRTHS BY BIRTHWEIGHT, NUMBER AND PERCENT OF TOTAL
MAINE HOSPITAL, OTHER BIRTH SITES AND STATE TOTALS, 1996 (OCCURRENCE DATA)

BIRTH SITE	TOTAL BIRTHS		***** BIRTHWEIGHT IN GRAMS *****									
			< 1000		1000-1499		< 1500		1500+		Unknown	
	N	%	N	%	N	%	N	%	N	%	N	%
St. Marys General Hospital	355	100.00	1	0.282	0	0.000	1	0.282	354	99.718	0	0.000
Stephens Memorial Hospital	268	100.00	0	0.000	0	0.000	0	0.000	268	100.000	0	0.000
The Aroostook Med. Center - Presque Isle	333	100.00	2	0.601	0	0.000	2	0.601	331	99.399	0	0.000
Waldo County General Hospital	178	100.00	1	0.562	1	0.562	2	1.124	176	98.876	0	0.000
York Hospital	298	100.00	0	0.000	1	0.336	1	0.336	297	99.664	0	0.000
On Way to Hospital	8	100.00	0	0.000	0	0.000	0	0.000	8	100.000	0	0.000
STATE TOTALS	13,610	100.00	74	0.544	104	0.764	178	1.308	13,426	98.648	6	0.044

NOTES: (1) Hospitals and other sites with zero births are not shown. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VTAB_B11.SAS, 2/26/1999]

PREGNANCY OUTCOME



TABLE P-1 OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL	* * * * * Live Birth	OUTCOME Induced Abortion	* * * * * Fetal Death
ANDROSCOGGIN				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	3	0	3	0
15-19	177	132	45	0
20-24	377	333	44	0
25-29	400	373	26	1
30-34	282	265	17	0
35-39	104	92	10	2
40-44	14	13	1	0
Greater Than 44	1	0	1	0
Unknown	2	0	2	0
TOTAL	1,360	1,208	149	3
Rate: Women Aged 15-44	58.344	52.053	6.162	0.129
15-19	49.414	36.851	12.563	0.000
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	3	0	3	0
15-19	150	111	39	0
20-24	179	153	26	0
25-29	78	66	11	1
30-34	54	50	4	0
35-39	21	18	3	0
40-44	1	1	0	0
Greater Than 44	0	0	0	0
Unknown	1	0	1	0
TOTAL	487	399	87	1

NOTES: (1) Rates are the number of events per 1,000 women in the specified age group. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_P1.SAS, 3/23/1999]

TABLE P-1 OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL	***** Live Birth	***** OUTCOME Induced Abortion	***** Fetal Death
AR00ST00K				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	2	1	1	0
15-19	111	89	22	0
20-24	250	230	17	3
25-29	290	266	21	3
30-34	139	131	7	1
35-39	54	46	8	0
40-44	8	5	3	0
Greater Than 44	0	0	0	0
Unknown	2	1	1	0
TOTAL	856	769	80	7
Rate: Women Aged 15-44	50.396	45.369	4.614	0.414
15-19	40.674	32.613	8.062	0.000
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	2	1	1	0
15-19	89	70	19	0
20-24	110	96	13	1
25-29	49	38	11	0
30-34	19	14	5	0
35-39	10	6	4	0
40-44	1	0	1	0
Greater Than 44	0	0	0	0
Unknown	1	1	0	0
TOTAL	281	226	54	1

NOTES: (1) Rates are the number of events per 1,000 women in the specified age group. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics.
[VSTAB_P1.SAS, 3/23/1999]

TABLE P-1 OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL	* * * * * Live Birth	OUTCOME Induced Abortion	* * * * * Fetal Death
CUMBERLAND				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	3	1	2	0
15-19	343	210	132	1
20-24	714	505	206	3
25-29	1,099	922	173	4
30-34	1,031	930	96	5
35-39	516	436	80	0
40-44	103	77	25	1
Greater Than 44	6	3	2	1
Unknown	4	0	3	1
TOTAL	3,819	3,084	719	16
Rate: Women Aged 15-44	65.340	52.876	12.223	0.240
15-19	45.269	27.715	17.421	0.132
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	3	1	2	0
15-19	283	175	108	0
20-24	396	247	146	3
25-29	266	161	105	0
30-34	122	70	51	1
35-39	83	45	38	0
40-44	15	5	10	0
Greater Than 44	2	0	2	0
Unknown	0	0	0	0
TOTAL	1,170	704	462	4

NOTES: (1) Rates are the number of events per 1,000 women in the specified age group. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_P1.SAS, 3/23/1999]

TABLE P-1 OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL	* * * * * Live Birth	OUTCOME Induced Abortion	* * * * * Fetal Death
FRANKLIN				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	0	0	0	0
15-19	49	29	20	0
20-24	105	93	12	0
25-29	106	99	7	0
30-34	54	49	5	0
35-39	31	24	7	0
40-44	10	7	3	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	355	301	54	0
Rate: Women Aged 15-44	50.700	42.988	7.712	0.000
15-19	34.703	20.538	14.164	0.000
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	0	0	0	0
15-19	37	21	16	0
20-24	54	47	7	0
25-29	26	23	3	0
30-34	9	7	2	0
35-39	8	4	4	0
40-44	2	1	1	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	136	103	33	0

NOTES: (1) Rates are the number of events per 1,000 women in the specified age group. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_P1.SAS, 3/23/1999]

TABLE P-1 OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL	* * * * * Live Birth	* * * * * OUTCOME Induced Abortion	* * * * * Fetal Death
HANCOCK				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	2	0	2	0
15-19	62	46	16	0
20-24	141	105	34	2
25-29	166	151	15	0
30-34	133	122	11	0
35-39	73	62	10	1
40-44	13	9	4	0
Greater Than 44	2	1	0	1
Unknown	0	0	0	0
TOTAL	592	496	92	4
Rate: Women Aged 15-44	57.562	48.458	8.811	0.294
15-19	41.639	30.893	10.745	0.000
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	2	0	2	0
15-19	48	33	15	0
20-24	69	38	30	1
25-29	36	28	8	0
30-34	17	13	4	0
35-39	10	5	5	0
40-44	3	2	1	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	185	119	65	1

NOTES: (1) Rates are the number of events per 1,000 women in the specified age group. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_P1.SAS, 3/23/1999]

TABLE P-1 OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL	* * * * * Live Birth	OUTCOME Induced Abortion	* * * * * Fetal Death
KENNEBEC				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	3	1	2	0
15-19	183	120	62	1
20-24	404	329	73	2
25-29	405	364	41	0
30-34	289	259	28	2
35-39	143	115	27	1
40-44	14	10	4	0
Greater Than 44	1	0	1	0
Unknown	0	0	0	0
TOTAL	1,442	1,198	238	6
Rate: Women Aged 15-44	54.523	45.386	8.910	0.227
15-19	41.031	26.906	13.901	0.224
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	3	1	2	0
15-19	160	104	56	0
20-24	212	154	58	0
25-29	95	70	25	0
30-34	50	35	15	0
35-39	31	17	13	1
40-44	4	2	2	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	555	383	171	1

NOTES: (1) Rates are the number of events per 1,000 women in the specified age group. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_P1.SAS, 3/23/1999]

TABLE P-1

OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL	***** Live Birth	***** OUTCOME Induced Abortion	***** Fetal Death
KNOX				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	1	0	1	0
15-19	66	43	23	0
20-24	148	116	31	1
25-29	130	111	17	2
30-34	99	86	13	0
35-39	42	31	10	1
40-44	15	9	6	0
Greater Than 44	1	1	0	0
Unknown	0	0	0	0
TOTAL	502	397	101	4
Rate: Women Aged 15-44	65.894	52.188	13.179	0.527
15-19	56.897	37.069	19.828	0.000
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	1	0	1	0
15-19	50	34	16	0
20-24	77	54	22	1
25-29	35	22	13	0
30-34	22	11	11	0
35-39	11	4	7	0
40-44	6	2	4	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	202	127	74	1

NOTES: (1) Rates are the number of events per 1,000 women in the specified age group. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_P1.SAS, 3/23/1999]

TABLE P-1 OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL	* * * * * Live Birth	OUTCOME Induced Abortion	* * * * * Fetal Death
LINCOLN				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	0	0	0	0
15-19	47	30	17	0
20-24	104	76	28	0
25-29	85	72	13	0
30-34	82	69	13	0
35-39	42	37	5	0
40-44	14	8	5	1
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	374	292	81	1
Rate: Women Aged 15-44	60.440	47.188	13.090	0.162
15-19	47.523	30.334	17.189	0.000
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	0	0	0	0
15-19	40	24	16	0
20-24	47	27	20	0
25-29	21	14	7	0
30-34	17	11	6	0
35-39	4	1	3	0
40-44	3	2	1	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	132	79	53	

NOTES: (1) Rates are the number of events per 1,000 women in the specified age group. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_P1.SAS, 3/23/1999]

TABLE P-1 OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL	***** Live Birth	***** OUTCOME Induced Abortion	***** Fetal Death
OXFORD				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	1	1	0	0
15-19	80	63	17	0
20-24	169	149	19	1
25-29	181	167	12	2
30-34	127	118	9	0
35-39	48	43	5	0
40-44	12	11	1	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	618	552	63	3
Rate: Women Aged 15-44	53.943	48.173	5.508	0.262
15-19	43.932	34.596	9.336	0.000
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	1	1	0	0
15-19	63	49	14	0
20-24	78	63	15	0
25-29	37	32	5	0
30-34	25	20	5	0
35-39	12	8	4	0
40-44	1	1	0	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	217	174	43	0

NOTES: (1) Rates are the number of events per 1,000 women in the specified age group. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_P1.SAS, 3/23/1999]

TABLE P-1 OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL	***** Live Birth	***** OUTCOME Induced Abortion	***** Fetal Death
PENOBSCOT				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	3	1	2	0
15-19	199	130	69	0
20-24	492	395	95	2
25-29	536	474	59	3
30-34	376	335	38	3
35-39	148	123	24	1
40-44	24	18	6	0
Greater Than 44	1	1	0	0
Unknown	2	0	2	0
TOTAL	1,781	1,477	295	9
Rate: Women Aged 15-44	51.876	43.108	8.505	0.263
15-19	36.955	24.141	12.813	0.000
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	3	1	2	0
15-19	178	110	68	0
20-24	231	160	71	0
25-29	119	79	40	0
30-34	62	36	26	0
35-39	33	19	13	1
40-44	5	3	2	0
Greater Than 44	1	1	0	0
Unknown	2	0	2	0
TOTAL	634	409	224	1

NOTES: (1) Rates are the number of events per 1,000 women in the specified age group. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_P1.SAS, 3/23/1999]

TABLE P-1 OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL	* * * * * Live Birth	OUTCOME Induced Abortion	* * * * * Fetal Death
PISCATAQUIS				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	0	0	0	0
15-19	24	19	5	0
20-24	58	55	3	0
25-29	47	40	7	0
30-34	44	38	6	0
35-39	7	6	1	0
40-44	1	1	0	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	181	159	22	0
Rate: Women Aged 15-44	46.855	41.160	5.695	0.000
15-19	35.768	28.316	7.452	0.000
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	0	0	0	0
15-19	21	16	5	0
20-24	30	27	3	0
25-29	11	7	4	0
30-34	12	7	5	0
35-39	3	2	1	0
40-44	0	0	0	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	77	59	18	0

NOTES: (1) Rates are the number of events per 1,000 women in the specified age group. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_P1.SAS, 3/23/1999]

TABLE P-1 OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL	***** Live Birth	***** OUTCOME ***** Induced Abortion	***** Fetal Death
SAGADAHOC				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	0	0	0	0
15-19	54	33	20	1
20-24	125	98	25	2
25-29	139	116	23	0
30-34	122	114	7	1
35-39	55	48	7	0
40-44	9	9	0	0
Greater Than 44	0	0	0	0
Unknown	1	0	1	0
TOTAL	505	418	83	4
Rate: Women Aged 15-44	62.843	52.120	10.224	0.499
15-19	49.002	29.946	18.149	0.907
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	0	0	0	0
15-19	43	28	14	1
20-24	60	40	18	2
25-29	39	24	15	0
30-34	13	9	4	0
35-39	9	5	4	0
40-44	3	3	0	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	167	109	55	3

NOTES: (1) Rates are the number of events per 1,000 women in the specified age group. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_P1.SAS, 3/23/1999]

TABLE P-1 OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL	* * * * * Live Birth	* * * * * OUTCOME Induced Abortion	* * * * * Fetal Death
SOMERSET				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	1	0	1	0
15-19	120	87	32	1
20-24	202	177	25	0
25-29	205	182	23	0
30-34	110	107	3	0
35-39	33	29	4	0
40-44	9	6	3	0
Greater Than 44	0	0	0	0
Unknown	1	1	0	0
TOTAL	681	589	91	1
Rate: Women Aged 15-44	58.646	50.786	7.773	0.086
15-19	65.898	47.776	17.573	0.549
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	1	0	1	0
15-19	100	72	27	1
20-24	103	80	23	0
25-29	52	43	9	0
30-34	24	23	1	0
35-39	15	11	4	0
40-44	2	0	2	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	297	229	67	1

NOTES: (1) Rates are the number of events per 1,000 women in the specified age group. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_P1.SAS, 3/23/1999]

TABLE P-1 OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL	* * * * * Live Birth	OUTCOME Induced Abortion	* * * * * Fetal Death
WALDO				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	0	0	0	0
15-19	76	58	17	1
20-24	137	118	18	1
25-29	114	104	10	0
30-34	70	63	7	0
35-39	40	33	7	0
40-44	6	5	1	0
Greater Than 44	2	1	1	0
Unknown	1	0	1	0
TOTAL	446	382	62	2
Rate: Women Aged 15-44	58.236	50.085	7.887	0.263
15-19	59.608	45.490	13.333	0.784

Out of Wedlock Pregnancies

Age				
Less Than 10	0	0	0	0
10-14	0	0	0	0
15-19	60	45	14	1
20-24	68	53	15	0
25-29	22	18	4	0
30-34	13	11	2	0
35-39	13	11	2	0
40-44	1	0	1	0
Greater Than 44	1	0	1	0
Unknown	1	0	1	0
TOTAL	179	138	40	1

NOTES: (1) Rates are the number of events per 1,000 women in the specified age group. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_P1.SAS, 3/23/1999]

TABLE P-1 OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL	* * * * * Live Birth	OUTCOME Induced Abortion	* * * * * Fetal Death
WASHINGTON				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	1	0	1	0
15-19	52	40	12	0
20-24	158	141	17	0
25-29	120	107	12	1
30-34	65	60	5	0
35-39	23	19	4	0
40-44	7	7	0	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	426	374	51	1
Rate: Women Aged 15-44	55.862	49.159	6.572	0.131
15-19	38.835	29.873	8.962	0.000
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	1	0	1	0
15-19	38	27	11	0
20-24	80	66	14	0
25-29	22	14	7	1
30-34	15	13	2	0
35-39	6	4	2	0
40-44	0	0	0	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	162	124	37	1

NOTES: (1) Rates are the number of events per 1,000 women in the specified age group. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_P1.SAS, 3/23/1999]

TABLE P-1 OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL	* * * * * Live Birth	OUTCOME Induced Abortion	* * * * * Fetal Death
YORK				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	5	0	5	0
15-19	283	202	81	0
20-24	551	455	96	0
25-29	688	624	61	3
30-34	584	540	42	2
35-39	236	207	27	2
40-44	46	40	6	0
Greater Than 44	2	2	0	0
Unknown	2	0	1	1
TOTAL	2,397	2,070	319	8
Rate: Women Aged 15-44	62.199	53.864	8.153	0.182
15-19	50.771	36.240	14.532	0.000
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	3	0	3	0
15-19	248	179	69	0
20-24	261	199	62	0
25-29	132	103	28	1
30-34	79	63	16	0
35-39	29	19	10	0
40-44	12	11	1	0
Greater Than 44	0	0	0	0
Unknown	0	0	0	0
TOTAL	764	574	189	

NOTES: (1) Rates are the number of events per 1,000 women in the specified age group. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics.
[VSTAB_P1.SAS, 3/23/1999]

TABLE P-1 OUTCOMES FOR ALL REPORTED PREGNANCIES AND OUT-OF-WEDLOCK PREGNANCIES BY AGE OF MOTHER
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY, MARITAL STATUS, AND AGE	TOTAL	* * * * * Live Birth	* * * * * OUTCOME Induced Abortion	* * * * * Fetal Death
STATE OF MAINE				
All Reported Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	26	5	21	0
15-19	1,927	1,331	591	5
20-24	4,135	3,375	743	17
25-29	4,715	4,172	524	19
30-34	3,608	3,286	308	14
35-39	1,595	1,351	236	8
40-44	305	235	68	2
Greater Than 44	16	9	5	2
Unknown	17	2	13	2
TOTAL	16,344	13,766	2,509	69
Rate: Women Aged 15-44	58.484	49.380	8.870	0.233
15-19	45.463	31.402	13.943	0.118
Out of Wedlock Pregnancies				
Age				
Less Than 10	0	0	0	0
10-14	24	5	19	0
15-19	1,609	1,098	508	3
20-24	2,055	1,504	543	8
25-29	1,042	742	297	3
30-34	553	393	159	1
35-39	298	179	117	2
40-44	59	33	26	0
Greater Than 44	4	1	3	0
Unknown	5	1	4	0
TOTAL	5,649	3,956	1,676	17

NOTES: (1) Rates are the number of events per 1,000 women in the specified age group. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics.
[VSTAB_P1.SAS, 3/23/1999]

INFANT AND FETAL MORTALITY



TABLE F-1

INFANT, NEONATAL AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL INFANT DEATHS	Neonatal Deaths		Postneonatal Deaths	
		N	%	N	%
Certain Intestinal Infections [008-009]					
Male	0	0	0.000	0	0.000
Female	1	0	0.000	1	100.000
TOTALS	1	0	0.000	1	100.000
Septicemia [038]					
Male	1	0	0.000	1	100.000
Female	0	0	0.000	0	0.000
TOTALS	1	0	0.000	1	100.000
Malignant Neoplasm, Including Neoplasm of Lymphatic & Hematopoietic Tissues [140-208]					
Male	1	0	0.000	1	100.000
Female	0	0	0.000	0	0.000
TOTALS	1	0	0.000	1	100.000
Benign Neoplasms, Carcinoma in Situ & Neoplasms of Uncertain Behavior & of Unspecified Nature [210-239]					
Male	0	0	0.000	0	0.000
Female	1	1	100.000	0	0.000
TOTALS	1	1	100.000	0	0.000
Pneumonia [480-486]					
Male	1	1	100.000	0	0.000
Female	0	0	0.000	0	0.000
TOTALS	1	1	100.000	0	0.000
Anencephalis & Similar Anomalies [740]					
Male	1	1	100.000	0	0.000
Female	1	1	100.000	0	0.000
TOTALS	2	2	100.000	0	0.000
Congenital Anomalies of Heart [745-746]					
Male	0	0	0.000	0	0.000
Female	4	2	50.000	2	50.000
TOTALS	4	2	50.000	2	50.000

TABLE F-1

INFANT, NEONATAL AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL INFANT DEATHS	Neonatal Deaths		Postneonatal Deaths	
		N	%	N	%
Other Congenital Anomalies of Circulatory System [747]					
Male	0	0	0.000	0	0.000
Female	1	1	100.000	0	0.000
TOTALS	1	1	100.000	0	0.000
Congenital Anomalies of Respiratory System [748]					
Male	2	2	100.000	0	0.000
Female	0	0	0.000	0	0.000
TOTALS	2	2	100.000	0	0.000
Congenital Anomalies of Genitourinary System [752-753]					
Male	3	3	100.000	0	0.000
Female	0	0	0.000	0	0.000
TOTALS	3	3	100.000	0	0.000
Down's Syndrome [758.0]					
Male	1	1	100.000	0	0.000
Female	0	0	0.000	0	0.000
TOTALS	1	1	100.000	0	0.000
Newborn Affected by Maternal Complications of Pregnancy [761]					
Male	2	2	100.000	0	0.000
Female	1	1	100.000	0	0.000
TOTALS	3	3	100.000	0	0.000
Newborn Affected by Complications of Placenta, Cord & Membranes [762]					
Male	5	5	100.000	0	0.000
Female	2	2	100.000	0	0.000
TOTALS	7	7	100.000	0	0.000
Disorders Relating to Short Gestation & Unspecified Low Birthweight [765]					
Male	5	5	100.000	0	0.000
Female	4	4	100.000	0	0.000
TOTALS	9	9	100.000	0	0.000

TABLE F-1

INFANT, NEONATAL AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL INFANT DEATHS	Neonatal Deaths		Postneonatal Deaths	
		N	%	N	%
Fetal Distress in Liveborn Infant [768.2-768.4]					
Male	1	1	100.000	0	0.000
Female	0	0	0.000	0	0.000
TOTALS	1	1	100.000	0	0.000
Respiratory Distress Syndrome [769]					
Male	2	2	100.000	0	0.000
Female	0	0	0.000	0	0.000
TOTALS	2	2	100.000	0	0.000
Other Respiratory Conditions of Newborn [770]					
Male	4	4	100.000	0	0.000
Female	0	0	0.000	0	0.000
TOTALS	4	4	100.000	0	0.000
Infections Specific to the Perinatal Period [771]					
Male	1	1	100.000	0	0.000
Female	0	0	0.000	0	0.000
TOTALS	1	1	100.000	0	0.000
Neonatal Hemorrhage [772]					
Male	0	0	0.000	0	0.000
Female	1	1	100.000	0	0.000
TOTALS	1	1	100.000	0	0.000
All Other & Ill-Defined Conditions Originating in the Perinatal Period [775.2-775.9,776.1-779]					
Male	4	4	100.000	0	0.000
Female	1	0	0.000	1	100.000
TOTALS	5	4	80.000	1	20.000
Sudden Infant Death Syndrome [798.0]					
Male	2	0	0.000	2	100.000
Female	0	0	0.000	0	0.000
TOTALS	2	0	0.000	2	100.000

TABLE F-1

INFANT, NEONATAL AND POSTNEONATAL DEATHS BY SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL INFANT DEATHS	Neonatal Deaths		Postneonatal Deaths	
		N	%	N	%
Other Accidental Causes and Adverse Effects [E800-E910,E914-E949]					
Male	1	0	0.000	1	100.000
Female	1	0	0.000	1	100.000
TOTALS	2	0	0.000	2	100.000
Other Homicide [E960-E966,E968-E969]					
Male	0	0	0.000	0	0.000
Female	1	0	0.000	1	100.000
TOTALS	1	0	0.000	1	100.000
All Other Causes [Residual Codes]					
Male	3	1	33.333	2	66.667
Female	1	0	0.000	1	100.000
TOTALS	4	1	25.000	3	75.000
ALL CAUSES					
Male	40	33	82.500	7	17.500
Female	20	13	65.000	7	35.000
TOTALS	60	46	76.667	14	23.333

NOTES: (1) ICD-9 codes are shown in brackets. (2) Cause of death groups with zero deaths are not listed. (3) Percentages may not add to 100 due to rounding. (4) Infant death is under 1 year, neonatal death is under 28 days, and postneonatal death is 28 days to under 1 year. (5) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_F1.SAS,2/26/1999]

TABLE F-2

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL FETAL DEATHS		* * * * * WEEKS OF GESTATION * * * * *							Unk.
	N	%	20-23	24-27	28-31	32-35	36-39	40+		
Anencephalis & Similar Anomalies [740]										
Male	0	0.000	0	0	0	0	0	0	0	0
Female	1	2.941	0	0	0	0	0	1	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0
TOTALS	1	1.493	0	0	0	0	0	1	0	0
Downs Syndrome [758.0]										
Male	0	0.000	0	0	0	0	0	0	0	0
Female	1	2.941	0	0	0	1	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0
TOTALS	1	1.493	0	0	0	1	0	0	0	0
Other Chromosomal Anomalies [758.1-758.9]										
Male	0	0.000	0	0	0	0	0	0	0	0
Female	2	5.882	0	0	0	1	0	1	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0
TOTALS	2	2.985	0	0	0	1	0	1	0	0
All Other & Unspecified Congenital Anomalies [744,757,759]										
Male	1	3.125	0	0	0	0	1	0	0	0
Female	2	5.882	2	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0
TOTALS	3	4.478	2	0	0	0	1	0	0	0
Newborn Affected by Maternal Conditions which may be Unrelated to Present Pregnancy [760]										
Male	2	6.250	1	0	0	1	0	0	0	0
Female	0	0.000	0	0	0	0	0	0	0	0
Unknown	0	0.000	0	0	0	0	0	0	0	0
TOTALS	2	2.985	1	0	0	1	0	0	0	0

TABLE F-2

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL FETAL DEATHS		WEEKS OF GESTATION											
	N	%	20-23	24-27	28-31	32-35	36-39	40+	Unk.					
Newborn Affected by Maternal Complications of Pregnancy [761]														
Male	1	3.125	1	0	0	0	0	0	0				0	
Female	5	14.706	3	0	1	1	0	0	0				0	
Unknown	0	0.000	0	0	0	0	0	0	0				0	
TOTALS	6	8.955	4	0	1	1	0	0	0				0	
Newborn Affected by Complications of Placenta, Cord & Membranes [762]														
Male	14	43.750	3	6	1	2	0	2	0				0	
Female	9	26.471	0	2	1	2	4	0	0				0	
Unknown	0	0.000	0	0	0	0	0	0	0				0	
TOTALS	23	34.328	3	8	2	4	4	2	0				0	
Slow Fetal Growth & Fetal Malnutrition [764]														
Male	1	3.125	1	0	0	0	0	0	0				0	
Female	0	0.000	0	0	0	0	0	0	0				0	
Unknown	0	0.000	0	0	0	0	0	0	0				0	
TOTALS	1	1.493	1	0	0	0	0	0	0				0	
Disorders Relating to Short Gestation & Unspecified Low Birthweight [765]														
Male	1	3.125	1	0	0	0	0	0	0				0	
Female	1	2.941	0	0	0	0	1	0	0				0	
Unknown	0	0.000	0	0	0	0	0	0	0				0	
TOTALS	2	2.985	1	0	0	0	1	0	0				0	
Birth Trauma [767]														
Male	2	6.250	0	0	0	0	1	1	0				0	
Female	0	0.000	0	0	0	0	0	0	0				0	
Unknown	0	0.000	0	0	0	0	0	0	0				0	
TOTALS	2	2.985	0	0	0	0	1	1	0				0	

TABLE F-2

FETAL DEATHS BY GESTATION AND SEX FOR 61 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL FETAL DEATHS		WEEKS OF GESTATION																
	N	%	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
			20-23	24-27	28-31	32-35	36-39	40+	Unk.										
Syndrome of Infant of a Diabetic Mother & Neonatal Diabetes Mellitus [775.0-775.1]																			
Male	1	3.125	0	0	1	0	0	0	0	0								0	
Female	0	0.000	0	0	0	0	0	0	0	0								0	
Unknown	0	0.000	0	0	0	0	0	0	0	0								0	
TOTALS	1	1.493	0	0	1	0	0	0	0	0								0	
All Other & Ill-Defined Conditions Originating in the Perinatal Period [775.2-775.9,776.1-779]																			
Male	9	28.125	0	1	0	3	4	1										0	
Female	13	38.235	4	4	1	0	3	1										0	
Unknown	1	100.000	1	0	0	0	0	0										0	
TOTALS	23	34.328	5	5	1	3	7	2										0	
ALL CAUSES																			
Male	32	100.000	7	7	2	6	6	4										0	
Female	34	100.000	9	6	3	5	8	3										0	
Unknown	1	100.000	1	0	0	0	0	0										0	
TOTALS	67	100.000	17	13	5	11	14	7										0	

NOTES: (1) ICD-9 codes are shown in brackets. (2) Cause of death groups with zero deaths are not listed. (3) Percentages may not add to 100 due to rounding. (4) Data exclude all events occurring out of state to Maine residents. (5) If the clinical estimate of gestation was unknown, an estimate based on the date of last normal menses was substituted. (6) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_F2.SAS,3/2/1999]

TABLE F-3 LIVE BIRTHS, NEONATAL DEATHS, AND ESTIMATED NEONATAL DEATH RATES BY BIRTHWEIGHT
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

BIRTHWEIGHT IN GRAMS	LIVE BIRTHS		NEONATAL DEATHS		NEONATAL DEATH RATE
	Number	Percent	Number	Percent	
Less Than 500	18	0.131	14	30.435	777.8
500-999	52	0.378	13	28.261	250.0
1000-1499	97	0.705	5	10.870	51.5
1500-1999	140	1.017	1	2.174	7.1
2000-2499	502	3.647	3	6.522	6.0
2500-2999	1,825	13.257	2	4.348	1.1
3000-3499	4,766	34.622	3	6.522	0.6
3500-3999	4,484	32.573	2	4.348	0.4
4000-4499	1,580	11.478	1	2.174	0.6
4500-4999	265	1.925	0	0.000	0.0
Greater Than 4999	30	0.218	0	0.000	0.0
Unknown	7	0.051	2	4.348	285.7
STATE TOTALS	13,766	100.000	46	100.000	3.3

NOTES: (1) Neonatal death rates are estimated by dividing 1996 neonatal deaths by 1996 live births and multiplying by 1,000. Such rates are estimated rather than actual because some births relating to the 1996 neonatal death cohort occurred in 1995. (2) Prepared by Maine Department of Human Services, Bureau of Health; Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_F3.SAS, 3/23/1999]

TABLE F-4

FETAL DEATHS BY SELECTED COMPLICATIONS, GESTATION AND AGE OF PATIENT
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

WEEKS OF GESTATION	TOTAL FETAL DEATHS		***** COMPLICATIONS *****			
	N	%	Medical Risk Factors	Labor And/Or Delivery	Tobacco/Alcohol Use	Congenital Anomalies
20-23	17	25.373	9	15	1	12
24-27	13	19.403	4	6	4	5
28-31	5	7.463	4	3	3	1
32-35	11	16.418	5	4	1	8
36-39	14	20.896	8	7	3	3
40 or More	7	10.448	3	5	1	4
Unknown	0	0.000	0	0	0	0
STATE TOTALS	67		33	40	13	33
PERCENT DISTRIBUTION		100.000	49.254	59.701	19.403	49.254
AGE OF PATIENT (YEARS)						
Less Than 10	0	0.000	0	0	0	0
10-14	0	0.000	0	0	0	0
15-19	5	7.463	2	3	3	3
20-24	17	25.373	6	9	3	8
25-29	19	28.358	11	16	2	10
30-34	13	19.403	8	7	1	4
35-39	8	11.940	4	3	2	6
40-44	2	2.985	0	1	1	0
Greater Than 44	2	2.985	1	0	1	1
Unknown	1	1.493	1	1	0	1
STATE TOTALS	67		33	40	13	33
PERCENT DISTRIBUTION		100.000	49.254	59.701	19.403	49.254

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Data exclude all events occurring out of state to Maine residents. (3) The sum of complications may exceed total fetal deaths due to patients having multiple complications. (4) If the clinical estimate of gestation was unknown, an estimate based on the date of last normal menses was substituted. (5) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data Research and Vital Statistics. [VSTAB_F4.SAS,3/2/1999]

TABLE F-5

DEATHS AND DEATH RATES - TOTAL, INFANT, NEONATAL, POSTNEONATAL AND PERINATAL
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY	TOTAL DEATHS Number Rate		* * * * *		INFANT DEATHS		* * * * *		PERINATAL DEATHS	
			TOTAL		Neonatal		Postneonatal		DEATHS	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Androscoggin	982	9.7	5	4.1	4	3.3	1	0.8	7	5.8
Aroostook	791	10.1	4	5.2	3	3.9	1	1.3	10	12.9
Cumberland	2,255	9.0	14	4.5	10	3.2	4	1.3	26	8.4
Franklin	247	8.5	0	0.0	0	0.0	0	0.0	0	0.0
Hancock	527	10.6	2	4.0	2	4.0	0	0.0	6	12.0
Kennebec	1,108	9.5	4	3.3	4	3.3	0	0.0	10	8.3
Knox	402	10.7	3	7.6	3	7.6	0	0.0	7	17.5
Lincoln	328	10.5	0	0.0	0	0.0	0	0.0	1	3.4
Oxford	607	11.3	1	1.8	1	1.8	0	0.0	4	7.2
Penobscot	1,266	8.7	11	7.4	9	6.1	2	1.4	18	12.1
Piscataquis	188	10.3	0	0.0	0	0.0	0	0.0	0	0.0
Sagadahoc	285	8.0	1	2.4	1	2.4	0	0.0	5	11.8
Somerset	501	9.5	4	6.8	2	3.4	2	3.4	3	5.1
Waldo	322	9.0	2	5.2	1	2.6	1	2.6	3	7.8
Washington	420	11.6	2	5.3	2	5.3	0	0.0	3	8.0
York	1,466	8.5	7	3.4	4	1.9	3	1.4	12	5.8
STATE TOTALS	11,695	9.4	60	4.4	46	3.3	14	1.0	115	8.3

NOTES: (1) Infant death is under 1 year, neonatal under 28 days and postneonatal 28 days to one year. Perinatal deaths are neonatal deaths and fetal deaths 20 gestation weeks or more. (2) Fetal deaths exclude those occurring out-of-state to Maine residents. (3) The total death rate is per 1,000 population; the infant death rate per 1,000 live births. The perinatal death rate is per 1,000 live births and fetal deaths. (4) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_F5.SAS, 3/23/1999]

TABLE F-6

FETAL DEATHS BY SELECTED CHARACTERISTICS
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY	TOTAL FETAL DEATHS	PERCENT DISTRIBUTION	OUT OF WEDLOCK	AUTOPSY	IN HOSPITAL	* * * TRIMESTER PRENATAL CARE BEGAN * * *					AGE OF * * PATIENT * *	
						1	2	3	None	Unknown	Under 20	Over 35
Androscoggin	3	4.348	1	2	3	2	0	0	0	1	0	1
Aroostook	7	10.145	1	3	7	7	0	0	0	0	0	0
Cumberland	16	23.188	4	5	16	10	0	1	1	4	1	2
Franklin	0	0.000	0	0	0	0	0	0	0	0	0	0
Hancock	4	5.797	1	1	4	3	1	0	0	0	0	2
Kennebec	6	8.696	1	2	6	3	0	0	0	3	1	0
Knox	4	5.797	1	3	4	3	0	1	0	0	0	1
Lincoln	1	1.449	0	1	1	1	0	0	0	0	0	1
Oxford	3	4.348	0	2	3	2	0	0	0	1	0	0
Penobscot	9	13.043	1	2	9	8	1	0	0	0	0	1
Piscataquis	0	0.000	0	0	0	0	0	0	0	0	0	0
Sagadahoc	4	5.797	3	1	4	3	0	0	0	1	1	0
Somerset	1	1.449	1	0	1	0	1	0	0	0	1	0
Waldo	2	2.899	1	2	2	2	0	0	0	0	1	0
Washington	1	1.449	1	0	1	1	0	0	0	0	0	0
York	8	11.594	1	5	8	6	0	0	0	2	0	1
STATE TOTALS	69		17	29	69	51	3	2	1	12	5	9
PERCENT OF TOTAL		100.000	24.638	42.029	100.000	73.913	4.348	2.899	1.449	17.391	7.246	13.043

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Fetal deaths exclude those occurring out-of-state to Maine residents. (3) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_F6.SAS, 3/23/1999]

TABLE F-7 FETAL DEATHS BY SELECTED RISK CHARACTERISTICS, AND RATIO OF MALE TO FEMALE DEATHS
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY	TOTAL FETAL DEATHS	RISK CHARACTERISTICS								MALE/FEMALE RATIO
		Fetal Weight				Less Than 28 Gestation Weeks				
		< 500 Grams		< 2500 Grams						
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Androscoggin	3	0	0.0	0	0.0		2	66.7	2.000	
Aroostook	7	5	71.4	5	71.4		2	28.6	1.333	
Cumberland	16	6	37.5	6	37.5		10	62.5	0.667	
Franklin	0	0	0.0	0	0.0		0	0.0	0.000	
Hancock	4	3	75.0	3	75.0		0	0.0	1.000	
Kennebec	6	2	33.3	2	33.3		1	16.7	0.500	
Knox	4	1	25.0	1	25.0		0	0.0	1.000	
Lincoln	1	1	100.0	1	100.0		1	100.0	0.000	
Oxford	3	1	33.3	1	33.3		1	33.3	0.000	
Penobscot	9	3	33.3	3	33.3		4	44.4	0.500	
Piscataquis	0	0	0.0	0	0.0		0	0.0	0.000	
Sagadahoc	4	1	25.0	1	25.0		4	100.0	3.000	
Somerset	1	1	100.0	1	100.0		1	100.0	0.000	
Waldo	2	1	50.0	1	50.0		1	50.0	1.000	
Washington	1	1	100.0	1	100.0		1	100.0	0.000	
York	8	3	37.5	3	37.5		2	25.0	0.600	
STATE TOTALS	69	29	42.0	29	42.0		30	43.5	0.943	

NOTES: (1) Percentages are based on total fetal deaths in each county and state. (2) Fetal deaths exclude those occurring out-of-state to Maine residents. (3) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics.

[VSTAB_F7.SAS, 3/23/1999]

Table F-8A

FETAL DEATHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS
 COMPLICATIONS OF LABOR AND MEDICAL AND OTHER RISK FACTORS
 MAINE STATE TOTALS, 1996 (RESIDENT DATA)

* * * COMPLICATIONS OF LABOR * * *			* * * MEDICAL RISK FACTORS * * *			* * * OTHER RISK FACTORS * * *		
Condition	Number	%	Condition	Number	%	Condition	Number	%
Febrile >100 F	1	1.4	Anemia	0	0.0	Tobacco Use	13	19.0
Meconium	5	7.2	Cardiac Disease	0	0.0	Avg Cigarettes		
Premature Rupture			Acute or Chronic			Per Day	18	
Membrane >12 Hrs	4	5.8	Lung Disease	0	0.0	Alcohol Use	1	1.0
Abruptio			Diabetes,			Avg Drinks		
Placenta	5	7.2	Gestational	1	1.4	Per Week	10	
Placenta			Diabetes,			Avg Weight Gain	20 lbs.	
Previa	1	1.4	Pre-Existing	0	0.0			
Excessive			Genital Herpes	0	0.0			
Bleeding	0	0.0	Hydramnios/					
Seizures During			Oligohydramnios	2	2.9			
Labor	0	0.0	Hemoglobinopathy	0	0.0			
Precipitous			Hypertension,					
Labor <3 Hrs	0	0.0	Chronic	2	2.9			
Prolonged			Hypertension,					
Labor >20 Hrs	0	0.0	Pregnancy Assoc.	0	0.0			
Dysfunctional			Eclampsia	1	1.4			
Labor	0	0.0	Incompetent					
Breech	3	4.3	Cervix	0	0.0			
Cephalopelvic/			Previous Infant					
Disproportion	0	0.0	4000+ Grams	2	2.9			
Cord Prolapse	0	0.0	Previous Preterm	1	1.4			
Anesthetic			Renal Disease	0	0.0			
Complications	0	0.0	RH Sensitization	1	1.4			
Fetal Distress	2	2.9	Uterine Bleeding	1	1.4			
Other	15	21.7	Other	13	18.8			
None	27	39.1	None	35	50.7			
Unknown	14	20.3	Unknown	16	23.2			

NOTES: (1) Percentages are based on the 69 resident fetal deaths occurring in Maine this year. (2) More than one condition may be associated with each death. (3) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VTAB_F8A.SAS, 3/23/1999]

Table F-8B FETAL DEATHS BY SELECTED MEDICAL HISTORY CHARACTERISTICS
METHOD OF DELIVERY, OBSTETRIC PROCEDURES AND CONGENITAL ANOMALIES
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

* * * * METHOD OF DELIVERY * * * *		
Condition	Number	%
Vaginal	45	65.2
Vaginal After		
C-Section	4	5.8
Primary		
C-Section	1	1.4
Repeat		
C-Section	3	4.3
Forceps	0	0.0
Vacuum	0	0.0
Hysterotomy/		
Hysterectomy	0	0.0
Other	2	2.9
Unknown	15	21.7

* * * * OBSTETRIC PROCEDURES * * * *		
Condition	Number	%
Amniocentesis	4	5.8
Electric Fetal		
Monitoring	13	18.8
Induced Labor	28	40.6
Stimulation		
of Labor	5	7.2
Tocolysis	0	0.0
Ultra Sound	37	53.6
Other	3	4.3
None	4	5.8
Unknown	13	18.8

* * * CONGENITAL ANOMALIES * * *		
Condition	Number	%
Anencephalus	1	1.4
Spina Bifida	1	1.4
Hydrocephalus	0	0.0
Microcephalus	0	0.0
Other		
Nervous System	1	1.4
Heart	1	1.4
Other Circulatory		
System	0	0.0
Rectal Atresia	0	0.0
Tracheo-Esophageal		
Fistula	0	0.0
Omphalocele/		
Gastroschisis	0	0.0
Other		
Gastrointestinal	0	0.0
Malformed		
Genitalia	0	0.0
Renal Agenesis	0	0.0
Other Urogenital	0	0.0
Cleft Lip/Palate	1	1.4
Polydactyly	0	0.0
Club Foot	1	1.4
Diaphragmatic		
Hernia	0	0.0
Musculoskeletal	0	0.0
Downs Syndrome	2	2.9
Chromosomal	4	5.8
Other	6	8.7
None	35	50.7
Unknown	22	31.9

NOTES: (1) Percentages are based on the 69 resident fetal deaths occurring in Maine this year.
(2) More than one condition may be associated with each death. (3) Prepared by Maine Department
of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data,
Research and Vital Statistics. [VTAB_F8B.SAS, 3/23/1999]

GENERAL MORTALITY

TABLE D-1R

DEATHS AND DEATH RATES FOR 32 CAUSES BY AGE GROUP AND SEX
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

AGE GROUP AND CAUSE OF DEATH	* * * * * DEATHS * * * * *				* * * * * RATE * * * *		
	TOTAL	Male	Female	Unknown	TOTAL	Male	Female
ALL AGES							
Infectious & Parasitic Diseases (001-139)	186	97	89	0	15.0	16.0	14.0
Malignant Neoplasms (140-208)	2,935	1,521	1,414	0	236.1	250.5	222.3
Benign Neoplasms (210-239)	52	28	24	0	4.2	4.6	3.8
Diabetes Mellitus (250)	303	137	166	0	24.4	22.6	26.1
Nutritional Deficiencies (260-269)	24	5	19	0	1.9	0.8*	3.0
Anemias (280-285)	19	9	10	0	1.5	1.5*	1.6*
Meningitis (320-322)	1	1	0	0	0.1*	0.2*	0.0*
Heart Disease (390-398,402,404-429)	3,524	1,700	1,824	0	283.4	280.0	286.7
Hypertension (401,403)	63	20	43	0	5.1	3.3	6.8
Cerebrovasacular Disease (430-438)	732	299	433	0	58.9	49.2	68.1
Atherosclerosis (440)	87	36	51	0	7.0	5.9	8.0
Other Diseases of Arteries, Arterioles & Capillaries (441-448)	157	76	81	0	12.6	12.5	12.7
Acute Bronchitis and Bronchiolitis (466)	2	1	1	0	0.2*	0.2*	0.2*
Pneumonia & Influenza (480-487)	398	179	219	0	32.0	29.5	34.4
Chronic Obstructive Pulmonary Disease (490-496)	654	295	359	0	52.6	48.6	56.4
Ulcer of Stomach & Duodenum (531-533)	28	12	16	0	2.3	2.0*	2.5*
Appendicitis (540-543)	2	1	1	0	0.2*	0.2*	0.2*
Abdominal Hernia & Intestinal Obstruction (550-553,560)	33	8	25	0	2.7	1.3*	3.9
Chronic Liver Disease & Cirrhosis (571)	123	77	46	0	9.9	12.7	7.2
Cholelithiasis & Other Gallbladder Disorders (574-575)	15	3	12	0	1.2*	0.5*	1.9*
Nephritis, Nephrotic Syndrome & Nephrosis (580-589)	155	79	76	0	12.5	13.0	11.9
Kidney Infections (590)	2	1	1	0	0.2*	0.2*	0.2*
Hyperplasia of Prostate (600)	5	5	0	0	0.4*	0.8*	0.0*
Complications of Pregnancy, Childbirth & Puerperium (630-676)	1	0	1	0	0.1*	0.0*	0.2*
Congenital Anomalies (740-759)	47	24	23	0	3.8	4.0	3.6
Prenatal Conditions (760-779)	33	24	9	0	2.7	4.0	1.4*
Symptoms, Signs & Ill-Defined Conditions (780-799)	98	45	53	0	7.9	7.4	8.3
Accidents & Adverse Effects (E800-E949)	395	240	155	0	31.8	39.5	24.4
Suicide (E950-E959)	169	143	26	0	13.6	23.5	4.1
Homicide & Legal Intervention (E960-E978)	28	12	16	0	2.3	2.0*	2.5*
All Other External Causes (E980-E999)	7	6	1	0	0.6*	1.0*	0.2*
All Other Causes (Residual Codes)	1,417	576	841	0	114.0	94.9	132.2
TOTAL FOR AGE GROUP	11,695	5,660	6,035	0	940.6	932.1	948.8

NOTE: (1) Rates expressed per 100,000 population. (2) Rates followed by an asterisk (*) have a relative standard error of 23 percent or more, and are considered to be statistically unreliable. (3) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research & Vital Statistics. [VTAB_D1R.SAS,3/3/1999]

TABLE D-1R

DEATHS AND DEATH RATES FOR 32 CAUSES BY AGE GROUP AND SEX
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

AGE GROUP AND CAUSE OF DEATH	DEATHS				RATE		
	TOTAL	Male	Female	Unknown	TOTAL	Male	Female
UNDER 1 YEAR							
Infectious & Parasitic Diseases (001-139)	2	1	1	0	14.7*	14.4*	15.1*
Malignant Neoplasms (140-208)	1	1	0	0	7.4*	14.4*	0.0*
Benign Neoplasms (210-239)	1	0	1	0	7.4*	0.0*	15.1*
Diabetes Mellitus (250)	0	0	0	0	0.0*	0.0*	0.0*
Nutritional Deficiencies (260-269)	0	0	0	0	0.0*	0.0*	0.0*
Anemias (280-285)	0	0	0	0	0.0*	0.0*	0.0*
Meningitis (320-322)	0	0	0	0	0.0*	0.0*	0.0*
Heart Disease (390-398,402,404-429)	0	0	0	0	0.0*	0.0*	0.0*
Hypertension (401,403)	0	0	0	0	0.0*	0.0*	0.0*
Cerebrovascular Disease (430-438)	2	1	1	0	14.7*	14.4*	15.1*
Atherosclerosis (440)	0	0	0	0	0.0*	0.0*	0.0*
Other Diseases of Arteries, Arterioles & Capillaries (441-448)	0	0	0	0	0.0*	0.0*	0.0*
Acute Bronchitis and Bronchiolitis (466)	0	0	0	0	0.0*	0.0*	0.0*
Pneumonia & Influenza (480-487)	1	1	0	0	7.4*	14.4*	0.0*
Chronic Obstructive Pulmonary Disease (490-496)	0	0	0	0	0.0*	0.0*	0.0*
Ulcer of Stomach & Duodenum (531-533)	0	0	0	0	0.0*	0.0*	0.0*
Appendicitis (540-543)	0	0	0	0	0.0*	0.0*	0.0*
Abdominal Hernia & Intestinal Obstruction (550-553,560)	0	0	0	0	0.0*	0.0*	0.0*
Chronic Liver Disease & Cirrhosis (571)	0	0	0	0	0.0*	0.0*	0.0*
Cholelithiasis & Other Gallbladder Disorders (574-575)	0	0	0	0	0.0*	0.0*	0.0*
Nephritis, Nephrotic Syndrome & Nephrosis (580-589)	1	1	0	0	7.4*	14.4*	0.0*
Kidney Infections (590)	0	0	0	0	0.0*	0.0*	0.0*
Hyperplasia of Prostate (600)	0	0	0	0	0.0*	0.0*	0.0*
Complications of Pregnancy, Childbirth & Puerperium (630-676)	0	0	0	0	0.0*	0.0*	0.0*
Congenital Anomalies (740-759)	13	7	6	0	95.9*	100.7*	90.8*
Prenatal Conditions (760-779)	33	24	9	0	243.3	345.3	136.2*
Symptoms, Signs & Ill-Defined Conditions (780-799)	2	2	0	0	14.7*	28.8*	0.0*
Accidents & Adverse Effects (E800-E949)	2	1	1	0	14.7*	14.4*	15.1*
Suicide (E950-E959)	0	0	0	0	0.0*	0.0*	0.0*
Homicide & Legal Intervention (E960-E978)	1	0	1	0	7.4*	0.0*	15.1*
All Other External Causes (E980-E999)	0	0	0	0	0.0*	0.0*	0.0*
All Other Causes (Residual Codes)	1	1	0	0	7.4*	14.4*	0.0*
TOTAL FOR AGE GROUP	60	40	20	0	442.4	575.5	302.6

NOTE: (1) Rates expressed per 100,000 population. (2) Rates followed by an asterisk (*) have a relative standard error of 23 percent or more, and are considered to be statistically unreliable. (3) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research & Vital Statistics. [VTAB_D1R.SAS,3/3/1999]

TABLE D-1R

DEATHS AND DEATH RATES FOR 32 CAUSES BY AGE GROUP AND SEX
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

AGE GROUP AND CAUSE OF DEATH	* * * * * DEATHS * * * * *				* * * * * RATE * * * *		
	TOTAL	Male	Female	Unknown	TOTAL	Male	Female
1 TO 14 YEARS							
Infectious & Parasitic Diseases (001-139)	1	1	0	0	0.4*	0.8*	0.0*
Malignant Neoplasms (140-208)	10	5	5	0	4.3*	4.2*	4.4*
Benign Neoplasms (210-239)	0	0	0	0	0.0*	0.0*	0.0*
Diabetes Mellitus (250)	0	0	0	0	0.0*	0.0*	0.0*
Nutritional Deficiencies (260-269)	0	0	0	0	0.0*	0.0*	0.0*
Anemias (280-285)	0	0	0	0	0.0*	0.0*	0.0*
Meningitis (320-322)	0	0	0	0	0.0*	0.0*	0.0*
Heart Disease (390-398,402,404-429)	1	0	1	0	0.4*	0.0*	0.9*
Hypertension (401,403)	1	0	1	0	0.4*	0.0*	0.9*
Cerebrovascular Disease (430-438)	0	0	0	0	0.0*	0.0*	0.0*
Atherosclerosis (440)	0	0	0	0	0.0*	0.0*	0.0*
Other Diseases of Arteries, Arterioles & Capillaries (441-448)	0	0	0	0	0.0*	0.0*	0.0*
Acute Bronchitis and Bronchiolitis (466)	1	0	1	0	0.4*	0.0*	0.9*
Pneumonia & Influenza (480-487)	1	0	1	0	0.4*	0.0*	0.9*
Chronic Obstructive Pulmonary Disease (490-496)	0	0	0	0	0.0*	0.0*	0.0*
Ulcer of Stomach & Duodenum (531-533)	0	0	0	0	0.0*	0.0*	0.0*
Appendicitis (540-543)	0	0	0	0	0.0*	0.0*	0.0*
Abdominal Hernia & Intestinal Obstruction (550-553,560)	0	0	0	0	0.0*	0.0*	0.0*
Chronic Liver Disease & Cirrhosis (571)	0	0	0	0	0.0*	0.0*	0.0*
Cholelithiasis & Other Gallbladder Disorders (574-575)	0	0	0	0	0.0*	0.0*	0.0*
Nephritis, Nephrotic Syndrome & Nephrosis (580-589)	0	0	0	0	0.0*	0.0*	0.0*
Kidney Infections (590)	0	0	0	0	0.0*	0.0*	0.0*
Hyperplasia of Prostate (600)	0	0	0	0	0.0*	0.0*	0.0*
Complications of Pregnancy, Childbirth & Puerperium (630-676)	0	0	0	0	0.0*	0.0*	0.0*
Congenital Anomalies (740-759)	4	2	2	0	1.7*	1.7*	1.8*
Prenatal Conditions (760-779)	0	0	0	0	0.0*	0.0*	0.0*
Symptoms, Signs & Ill-Defined Conditions (780-799)	1	0	1	0	0.4*	0.0*	0.9*
Accidents & Adverse Effects (E800-E949)	21	11	10	0	9.0	9.2*	8.8*
Suicide (E950-E959)	2	1	1	0	0.9*	0.8*	0.9*
Homicide & Legal Intervention (E960-E978)	1	0	1	0	0.4*	0.0*	0.9*
All Other External Causes (E980-E999)	0	0	0	0	0.0*	0.0*	0.0*
All Other Causes (Residual Codes)	7	3	4	0	3.0*	2.5*	3.5*
TOTAL FOR AGE GROUP	51	23	28	0	21.9	19.3	24.8

NOTE: (1) Rates expressed per 100,000 population. (2) Rates followed by an asterisk (*) have a relative standard error of 23 percent or more, and are considered to be statistically unreliable. (3) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research & Vital Statistics. [VTAB_D1R.SAS,3/3/1999]

TABLE D-1R

DEATHS AND DEATH RATES FOR 32 CAUSES BY AGE GROUP AND SEX
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

AGE GROUP AND CAUSE OF DEATH	DEATHS				RATE		
	TOTAL	Male	Female	Unknown	TOTAL	Male	Female
15 TO 24 YEARS							
Infectious & Parasitic Diseases (001-139)	1	1	0	0	0.6*	1.2*	0.0*
Malignant Neoplasms (140-208)	6	4	2	0	3.6*	4.8*	2.5*
Benign Neoplasms (210-239)	0	0	0	0	0.0*	0.0*	0.0*
Diabetes Mellitus (250)	2	0	2	0	1.2*	0.0*	2.5*
Nutritional Deficiencies (260-269)	0	0	0	0	0.0*	0.0*	0.0*
Anemias (280-285)	0	0	0	0	0.0*	0.0*	0.0*
Meningitis (320-322)	0	0	0	0	0.0*	0.0*	0.0*
Heart Disease (390-398,402,404-429)	2	2	0	0	1.2*	2.4*	0.0*
Hypertension (401,403)	0	0	0	0	0.0*	0.0*	0.0*
Cerebrovascular Disease (430-438)	3	0	3	0	1.8*	0.0*	3.7*
Atherosclerosis (440)	0	0	0	0	0.0*	0.0*	0.0*
Other Diseases of Arteries, Arterioles & Capillaries (441-448)	0	0	0	0	0.0*	0.0*	0.0*
Acute Bronchitis and Bronchiolitis (466)	0	0	0	0	0.0*	0.0*	0.0*
Pneumonia & Influenza (480-487)	0	0	0	0	0.0*	0.0*	0.0*
Chronic Obstructive Pulmonary Disease (490-496)	0	0	0	0	0.0*	0.0*	0.0*
Ulcer of Stomach & Duodenum (531-533)	0	0	0	0	0.0*	0.0*	0.0*
Appendicitis (540-543)	0	0	0	0	0.0*	0.0*	0.0*
Abdominal Hernia & Intestinal Obstruction (550-553,560)	0	0	0	0	0.0*	0.0*	0.0*
Chronic Liver Disease & Cirrhosis (571)	0	0	0	0	0.0*	0.0*	0.0*
Cholelithiasis & Other Gallbladder Disorders (574-575)	0	0	0	0	0.0*	0.0*	0.0*
Nephritis, Nephrotic Syndrome & Nephrosis (580-589)	0	0	0	0	0.0*	0.0*	0.0*
Kidney Infections (590)	0	0	0	0	0.0*	0.0*	0.0*
Hyperplasia of Prostate (600)	0	0	0	0	0.0*	0.0*	0.0*
Complications of Pregnancy, Childbirth & Puerperium (630-676)	0	0	0	0	0.0*	0.0*	0.0*
Congenital Anomalies (740-759)	2	1	1	0	1.2*	1.2*	1.2*
Prenatal Conditions (760-779)	0	0	0	0	0.0*	0.0*	0.0*
Symptoms, Signs & Ill-Defined Conditions (780-799)	1	0	1	0	0.6*	0.0*	1.2*
Accidents & Adverse Effects (E800-E949)	57	42	15	0	34.6	50.0	18.5*
Suicide (E950-E959)	10	10	0	0	6.1*	11.9*	0.0*
Homicide & Legal Intervention (E960-E978)	6	5	1	0	3.6*	6.0*	1.2*
All Other External Causes (E980-E999)	0	0	0	0	0.0*	0.0*	0.0*
All Other Causes (Residual Codes)	11	8	3	0	6.7*	9.5*	3.7*
TOTAL FOR AGE GROUP	101	73	28	0	61.3	87.0	34.6

NOTE: (1) Rates expressed per 100,000 population. (2) Rates followed by an asterisk (*) have a relative standard error of 23 percent or more, and are considered to be statistically unreliable. (3) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research & Vital Statistics. [VTAB_D1R.SAS,3/3/1999]

TABLE D-1R

DEATHS AND DEATH RATES FOR 32 CAUSES BY AGE GROUP AND SEX
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

AGE GROUP AND CAUSE OF DEATH	DEATHS				RATE		
	TOTAL	Male	Female	Unknown	TOTAL	Male	Female
25 TO 34 YEARS							
Infectious & Parasitic Diseases (001-139)	15	12	3	0	8.5*	13.8*	3.3*
Malignant Neoplasms (140-208)	17	3	14	0	9.6*	3.4*	15.6*
Benign Neoplasms (210-239)	0	0	0	0	0.0*	0.0*	0.0*
Diabetes Mellitus (250)	0	0	0	0	0.0*	0.0*	0.0*
Nutritional Deficiencies (260-269)	0	0	0	0	0.0*	0.0*	0.0*
Anemias (280-285)	0	0	0	0	0.0*	0.0*	0.0*
Meningitis (320-322)	0	0	0	0	0.0*	0.0*	0.0*
Heart Disease (390-398,402,404-429)	9	7	2	0	5.1*	8.0*	2.2*
Hypertension (401,403)	0	0	0	0	0.0*	0.0*	0.0*
Cerebrovascular Disease (430-438)	5	5	0	0	2.8*	5.7*	0.0*
Atherosclerosis (440)	0	0	0	0	0.0*	0.0*	0.0*
Other Diseases of Arteries, Arterioles & Capillaries (441-448)	1	0	1	0	0.6*	0.0*	1.1*
Acute Bronchitis and Bronchiolitis (466)	0	0	0	0	0.0*	0.0*	0.0*
Pneumonia & Influenza (480-487)	2	1	1	0	1.1*	1.1*	1.1*
Chronic Obstructive Pulmonary Disease (490-496)	3	2	1	0	1.7*	2.3*	1.1*
Ulcer of Stomach & Duodenum (531-533)	0	0	0	0	0.0*	0.0*	0.0*
Appendicitis (540-543)	0	0	0	0	0.0*	0.0*	0.0*
Abdominal Hernia & Intestinal Obstruction (550-553,560)	0	0	0	0	0.0*	0.0*	0.0*
Chronic Liver Disease & Cirrhosis (571)	0	0	0	0	0.0*	0.0*	0.0*
Cholelithiasis & Other Gallbladder Disorders (574-575)	0	0	0	0	0.0*	0.0*	0.0*
Nephritis, Nephrotic Syndrome & Nephrosis (580-589)	0	0	0	0	0.0*	0.0*	0.0*
Kidney Infections (590)	0	0	0	0	0.0*	0.0*	0.0*
Hyperplasia of Prostate (600)	0	0	0	0	0.0*	0.0*	0.0*
Complications of Pregnancy, Childbirth & Puerperium (630-676)	1	0	1	0	0.6*	0.0*	1.1*
Congenital Anomalies (740-759)	3	1	2	0	1.7*	1.1*	2.2*
Prenatal Conditions (760-779)	0	0	0	0	0.0*	0.0*	0.0*
Symptoms, Signs & Ill-Defined Conditions (780-799)	3	3	0	0	1.7*	3.4*	0.0*
Accidents & Adverse Effects (E800-E949)	50	41	9	0	28.3	47.1	10.0*
Suicide (E950-E959)	33	31	2	0	18.7	35.6	2.2*
Homicide & Legal Intervention (E960-E978)	5	2	3	0	2.8*	2.3*	3.3*
All Other External Causes (E980-E999)	3	2	1	0	1.7*	2.3*	1.1*
All Other Causes (Residual Codes)	11	5	6	0	6.2*	5.7*	6.7*
TOTAL FOR AGE GROUP	161	115	46	0	91.0	132.2	51.2

NOTE: (1) Rates expressed per 100,000 population. (2) Rates followed by an asterisk (*) have a relative standard error of 23 percent or more, and are considered to be statistically unreliable. (3) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research & Vital Statistics. [VTAB_D1R.SAS,3/3/1999]

TABLE D-1R

DEATHS AND DEATH RATES FOR 32 CAUSES BY AGE GROUP AND SEX
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

AGE GROUP AND CAUSE OF DEATH	* * * * * DEATHS * * * * *				* * * * * RATE * * * * *		
	TOTAL	Male	Female	Unknown	TOTAL	Male	Female
35 TO 44 YEARS							
Infectious & Parasitic Diseases (001-139)	20	18	2	0	9.3	16.6*	1.9*
Malignant Neoplasms (140-208)	78	33	45	0	36.1	30.5	41.8
Benign Neoplasms (210-239)	0	0	0	0	0.0*	0.0*	0.0*
Diabetes Mellitus (250)	6	4	2	0	2.8*	3.7*	1.9*
Nutritional Deficiencies (260-269)	0	0	0	0	0.0*	0.0*	0.0*
Anemias (280-285)	0	0	0	0	0.0*	0.0*	0.0*
Meningitis (320-322)	0	0	0	0	0.0*	0.0*	0.0*
Heart Disease (390-398,402,404-429)	55	45	10	0	25.5	41.5	9.3*
Hypertension (401,403)	0	0	0	0	0.0*	0.0*	0.0*
Cerebrovasacular Disease (430-438)	10	8	2	0	4.6*	7.4*	1.9*
Atherosclerosis (440)	0	0	0	0	0.0*	0.0*	0.0*
Other Diseases of Arteries, Arterioles & Capillaries (441-448)	1	1	0	0	0.5*	0.9*	0.0*
Acute Bronchitis and Bronchiolitis (466)	0	0	0	0	0.0*	0.0*	0.0*
Pneumonia & Influenza (480-487)	3	1	2	0	1.4*	0.9*	1.9*
Chronic Obstructive Pulmonary Disease (490-496)	4	2	2	0	1.9*	1.8*	1.9*
Ulcer of Stomach & Duodenum (531-533)	1	1	0	0	0.5*	0.9*	0.0*
Appendicitis (540-543)	0	0	0	0	0.0*	0.0*	0.0*
Abdominal Hernia & Intestinal Obstruction (550-553,560)	0	0	0	0	0.0*	0.0*	0.0*
Chronic Liver Disease & Cirrhosis (571)	9	7	2	0	4.2*	6.5*	1.9*
Cholelithiasis & Other Gallbladder Disorders (574-575)	0	0	0	0	0.0*	0.0*	0.0*
Nephritis, Nephrotic Syndrome & Nephrosis (580-589)	1	1	0	0	0.5*	0.9*	0.0*
Kidney Infections (590)	0	0	0	0	0.0*	0.0*	0.0*
Hyperplasia of Prostate (600)	0	0	0	0	0.0*	0.0*	0.0*
Complications of Pregnancy, Childbirth & Puerperium (630-676)	0	0	0	0	0.0*	0.0*	0.0*
Congenital Anomalies (740-759)	2	1	1	0	0.9*	0.9*	0.9*
Prenatal Conditions (760-779)	0	0	0	0	0.0*	0.0*	0.0*
Symptoms, Signs & Ill-Defined Conditions (780-799)	2	2	0	0	0.9*	1.8*	0.0*
Accidents & Adverse Effects (E800-E949)	48	34	14	0	22.2	31.4	13.0*
Suicide (E950-E959)	33	23	10	0	15.3	21.2	9.3*
Homicide & Legal Intervention (E960-E978)	5	2	3	0	2.3*	1.8*	2.8*
All Other External Causes (E980-E999)	2	2	0	0	0.9*	1.8*	0.0*
All Other Causes (Residual Codes)	32	21	11	0	14.8	19.4	10.2*
TOTAL FOR AGE GROUP	312	206	106	0	144.5	190.2	98.5

NOTE: (1) Rates expressed per 100,000 population. (2) Rates followed by an asterisk (*) have a relative standard error of 23 percent or more, and are considered to be statistically unreliable. (3) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research & Vital Statistics. [VTAB_D1R.SAS,3/3/1999]

TABLE D-1R

DEATHS AND DEATH RATES FOR 32 CAUSES BY AGE GROUP AND SEX
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

AGE GROUP AND CAUSE OF DEATH	* * * * * DEATHS * * * * *				* * * * * RATE * * * * *		
	TOTAL	Male	Female	Unknown	TOTAL	Male	Female
45 TO 64 YEARS							
Infectious & Parasitic Diseases (001-139)	28	22	6	0	10.5	16.8	4.4*
Malignant Neoplasms (140-208)	640	346	294	0	240.4	264.7	216.9
Benign Neoplasms (210-239)	8	5	3	0	3.0*	3.8*	2.2*
Diabetes Mellitus (250)	52	32	20	0	19.5	24.5	14.8
Nutritional Deficiencies (260-269)	1	1	0	0	0.4*	0.8*	0.0*
Anemias (280-285)	1	1	0	0	0.4*	0.8*	0.0*
Meningitis (320-322)	0	0	0	0	0.0*	0.0*	0.0*
Heart Disease (390-398,402,404-429)	426	313	113	0	160.0	239.4	83.4
Hypertension (401,403)	2	1	1	0	0.8*	0.8*	0.7*
Cerebrovascular Disease (430-438)	54	32	22	0	20.3	24.5	16.2
Atherosclerosis (440)	5	3	2	0	1.9*	2.3*	1.5*
Other Diseases of Arteries, Arterioles & Capillaries (441-448)	9	9	0	0	3.4*	6.9*	0.0*
Acute Bronchitis and Bronchiolitis (466)	0	0	0	0	0.0*	0.0*	0.0*
Pneumonia & Influenza (480-487)	12	10	2	0	4.5*	7.6*	1.5*
Chronic Obstructive Pulmonary Disease (490-496)	67	29	38	0	25.2	22.2	28.0
Ulcer of Stomach & Duodenum (531-533)	4	3	1	0	1.5*	2.3*	0.7*
Appendicitis (540-543)	0	0	0	0	0.0*	0.0*	0.0*
Abdominal Hernia & Intestinal Obstruction (550-553,560)	1	1	0	0	0.4*	0.8*	0.0*
Chronic Liver Disease & Cirrhosis (571)	51	39	12	0	19.2	29.8	8.9*
Cholelithiasis & Other Gallbladder Disorders (574-575)	3	1	2	0	1.1*	0.8*	1.5*
Nephritis, Nephrotic Syndrome & Nephrosis (580-589)	16	10	6	0	6.0*	7.6*	4.4*
Kidney Infections (590)	0	0	0	0	0.0*	0.0*	0.0*
Hyperplasia of Prostate (600)	0	0	0	0	0.0*	0.0*	0.0*
Complications of Pregnancy, Childbirth & Puerperium (630-676)	0	0	0	0	0.0*	0.0*	0.0*
Congenital Anomalies (740-759)	5	2	3	0	1.9*	1.5*	2.2*
Prenatal Conditions (760-779)	0	0	0	0	0.0*	0.0*	0.0*
Symptoms, Signs & Ill-Defined Conditions (780-799)	11	6	5	0	4.1*	4.6*	3.7*
Accidents & Adverse Effects (E800-E949)	47	35	12	0	17.7	26.8	8.9*
Suicide (E950-E959)	51	40	11	0	19.2	30.6	8.1*
Homicide & Legal Intervention (E960-E978)	5	2	3	0	1.9*	1.5*	2.2*
All Other External Causes (E980-E999)	2	2	0	0	0.8*	1.5*	0.0*
All Other Causes (Residual Codes)	149	87	62	0	56.0	66.5	45.8
TOTAL FOR AGE GROUP	1,650	1,032	618	0	619.7	789.4	456.0

NOTE: (1) Rates expressed per 100,000 population. (2) Rates followed by an asterisk (*) have a relative standard error of 23 percent or more, and are considered to be statistically unreliable. (3) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research & Vital Statistics. [VTAB_D1R.SAS,3/3/1999]

TABLE D-1R

DEATHS AND DEATH RATES FOR 32 CAUSES BY AGE GROUP AND SEX
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

AGE GROUP AND CAUSE OF DEATH	* * * * * DEATHS * * * * *				* * * * * RATE * * * * *		
	TOTAL	Male	Female	Unknown	TOTAL	Male	Female
65 TO 74 YEARS							
Infectious & Parasitic Diseases (001-139)	32	16	16	0	34.0	37.8*	30.9*
Malignant Neoplasms (140-208)	904	499	405	0	961.5	1179.3	783.2
Benign Neoplasms (210-239)	8	2	6	0	8.5*	4.7*	11.6*
Diabetes Mellitus (250)	89	45	44	0	94.7	106.4	85.1
Nutritional Deficiencies (260-269)	0	0	0	0	0.0*	0.0*	0.0*
Anemias (280-285)	2	1	1	0	2.1*	2.4*	1.9*
Meningitis (320-322)	0	0	0	0	0.0*	0.0*	0.0*
Heart Disease (390-398,402,404-429)	717	460	257	0	762.6	1087.1	497.0
Hypertension (401,403)	10	3	7	0	10.6*	7.1*	13.5*
Cerebrovascular Disease (430-438)	105	56	49	0	111.7	132.3	94.8
Atherosclerosis (440)	8	4	4	0	8.5*	9.5*	7.7*
Other Diseases of Arteries, Arterioles & Capillaries (441-448)	48	23	25	0	51.1	54.4	48.3
Acute Bronchitis and Bronchiolitis (466)	0	0	0	0	0.0*	0.0*	0.0*
Pneumonia & Influenza (480-487)	47	29	18	0	50.0	68.5	34.8*
Chronic Obstructive Pulmonary Disease (490-496)	185	74	111	0	196.8	174.9	214.7
Ulcer of Stomach & Duodenum (531-533)	5	3	2	0	5.3*	7.1*	3.9*
Appendicitis (540-543)	0	0	0	0	0.0*	0.0*	0.0*
Abdominal Hernia & Intestinal Obstruction (550-553,560)	5	2	3	0	5.3*	4.7*	5.8*
Chronic Liver Disease & Cirrhosis (571)	37	20	17	0	39.4	47.3	32.9*
Cholelithiasis & Other Gallbladder Disorders (574-575)	2	1	1	0	2.1*	2.4*	1.9*
Nephritis, Nephrotic Syndrome & Nephrosis (580-589)	21	11	10	0	22.3	26.0*	19.3*
Kidney Infections (590)	0	0	0	0	0.0*	0.0*	0.0*
Hyperplasia of Prostate (600)	0	0	0	0	0.0*	0.0*	0.0*
Complications of Pregnancy, Childbirth & Puerperium (630-676)	0	0	0	0	0.0*	0.0*	0.0*
Congenital Anomalies (740-759)	4	2	2	0	4.3*	4.7*	3.9*
Prenatal Conditions (760-779)	0	0	0	0	0.0*	0.0*	0.0*
Symptoms, Signs & Ill-Defined Conditions (780-799)	18	11	7	0	19.1*	26.0*	13.5*
Accidents & Adverse Effects (E800-E949)	41	21	20	0	43.6	49.6	38.7
Suicide (E950-E959)	16	14	2	0	17.0*	33.1*	3.9*
Homicide & Legal Intervention (E960-E978)	3	1	2	0	3.2*	2.4*	3.9*
All Other External Causes (E980-E999)	0	0	0	0	0.0*	0.0*	0.0*
All Other Causes (Residual Codes)	208	106	102	0	221.2	250.5	197.3
TOTAL FOR AGE GROUP	2,515	1,404	1,111	0	2674.8	3318.1	2148.5

NOTE: (1) Rates expressed per 100,000 population. (2) Rates followed by an asterisk (*) have a relative standard error of 23 percent or more, and are considered to be statistically unreliable. (3) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research & Vital Statistics. [VTAB_D1R.SAS,3/3/1999]

TABLE D-1R

DEATHS AND DEATH RATES FOR 32 CAUSES BY AGE GROUP AND SEX
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

AGE GROUP AND CAUSE OF DEATH	DEATHS				RATE		
	TOTAL	Male	Female	Unknown	TOTAL	Male	Female
75 TO 84 YEARS							
Infectious & Parasitic Diseases (001-139)	49	17	32	0	83.8	73.9*	90.2
Malignant Neoplasms (140-208)	859	447	412	0	1468.9	1943.3	1161.3
Benign Neoplasms (210-239)	17	13	4	0	29.1*	56.5*	11.3*
Diabetes Mellitus (250)	88	36	52	0	150.5	156.5	146.6
Nutritional Deficiencies (260-269)	8	0	8	0	13.7*	0.0*	22.5*
Anemias (280-285)	4	3	1	0	6.8*	13.0*	2.8*
Meningitis (320-322)	0	0	0	0	0.0*	0.0*	0.0*
Heart Disease (390-398,402,404-429)	1,093	533	560	0	1869.0	2317.2	1578.4
Hypertension (401,403)	19	5	14	0	32.5	21.7*	39.5*
Cerebrovasacular Disease (430-438)	258	110	148	0	441.2	478.2	417.1
Atherosclerosis (440)	23	10	13	0	39.3	43.5*	36.6*
Other Diseases of Arteries, Arterioles & Capillaries (441-448)	59	29	30	0	100.9	126.1	84.6
Acute Bronchitis and Bronchiolitis (466)	0	0	0	0	0.0*	0.0*	0.0*
Pneumonia & Influenza (480-487)	130	69	61	0	222.3	300.0	171.9
Chronic Obstructive Pulmonary Disease (490-496)	243	123	120	0	415.5	534.7	338.2
Ulcer of Stomach & Duodenum (531-533)	12	2	10	0	20.5*	8.7*	28.2*
Appendicitis (540-543)	0	0	0	0	0.0*	0.0*	0.0*
Abdominal Hernia & Intestinal Obstruction (550-553,560)	13	2	11	0	22.2*	8.7*	31.0*
Chronic Liver Disease & Cirrhosis (571)	19	10	9	0	32.5	43.5*	25.4*
Cholelithiasis & Other Gallbladder Disorders (574-575)	5	1	4	0	8.5*	4.3*	11.3*
Nephritis, Nephrotic Syndrome & Nephrosis (580-589)	59	30	29	0	100.9	130.4	81.7
Kidney Infections (590)	1	1	0	0	1.7*	4.3*	0.0*
Hyperplasia of Prostate (600)	1	1	0	0	1.7*	4.3*	0.0*
Complications of Pregnancy, Childbirth & Puerperium (630-676)	0	0	0	0	0.0*	0.0*	0.0*
Congenital Anomalies (740-759)	7	4	3	0	12.0*	17.4*	8.5*
Prenatal Conditions (760-779)	0	0	0	0	0.0*	0.0*	0.0*
Symptoms, Signs & Ill-Defined Conditions (780-799)	26	15	11	0	44.5	65.2*	31.0*
Accidents & Adverse Effects (E800-E949)	67	30	37	0	114.6	130.4	104.3
Suicide (E950-E959)	16	16	0	0	27.4*	69.6*	0.0*
Homicide & Legal Intervention (E960-E978)	2	0	2	0	3.4*	0.0*	5.6*
All Other External Causes (E980-E999)	0	0	0	0	0.0*	0.0*	0.0*
All Other Causes (Residual Codes)	420	194	226	0	718.2	843.4	637.0
TOTAL FOR AGE GROUP	3,498	1,701	1,797	0	5981.4	7395.0	5065.0

NOTE: (1) Rates expressed per 100,000 population. (2) Rates followed by an asterisk (*) have a relative standard error of 23 percent or more, and are considered to be statistically unreliable. (3) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research & Vital Statistics. [VTAB_D1R.SAS,3/3/1999]

TABLE D-1R

DEATHS AND DEATH RATES FOR 32 CAUSES BY AGE GROUP AND SEX
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

AGE GROUP AND CAUSE OF DEATH	* * * * * DEATHS * * * * *				* * * * * RATE * * * * *		
	TOTAL	Male	Female	Unknown	TOTAL	Male	Female
85 YEARS AND OLDER							
Infectious & Parasitic Diseases (001-139)	38	9	29	0	181.7	160.5*	189.4
Malignant Neoplasms (140-208)	420	183	237	0	2008.2	3264.4	1548.2
Benign Neoplasms (210-239)	18	8	10	0	86.1*	142.7*	65.3*
Diabetes Mellitus (250)	66	20	46	0	315.6	356.8	300.5
Nutritional Deficiencies (260-269)	15	4	11	0	71.7*	71.4*	71.9*
Anemias (280-285)	12	4	8	0	57.4*	71.4*	52.3*
Meningitis (320-322)	1	1	0	0	4.8*	17.8*	0.0*
Heart Disease (390-398,402,404-429)	1,221	340	881	0	5838.2	6064.9	5755.2
Hypertension (401,403)	31	11	20	0	148.2	196.2*	130.7
Cerebrovasacular Disease (430-438)	295	87	208	0	1410.5	1551.9	1358.8
Atherosclerosis (440)	51	19	32	0	243.9	338.9	209.0
Other Diseases of Arteries, Arterioles & Capillaries (441-448)	39	14	25	0	186.5	249.7*	163.3
Acute Bronchitis and Bronchiolitis (466)	1	1	0	0	4.8*	17.8*	0.0*
Pneumonia & Influenza (480-487)	202	68	134	0	965.9	1213.0	875.4
Chronic Obstructive Pulmonary Disease (490-496)	152	65	87	0	726.8	1159.5	568.3
Ulcer of Stomach & Duodenum (531-533)	6	3	3	0	28.7*	53.5*	19.6*
Appendicitis (540-543)	2	1	1	0	9.6*	17.8*	6.5*
Abdominal Hernia & Intestinal Obstruction (550-553,560)	14	3	11	0	66.9*	53.5*	71.9*
Chronic Liver Disease & Cirrhosis (571)	7	1	6	0	33.5*	17.8*	39.2*
Cholelithiasis & Other Gallbladder Disorders (574-575)	5	0	5	0	23.9*	0.0*	32.7*
Nephritis, Nephrotic Syndrome & Nephrosis (580-589)	57	26	31	0	272.5	463.8	202.5
Kidney Infections (590)	1	0	1	0	4.8*	0.0*	6.5*
Hyperplasia of Prostate (600)	4	4	0	0	19.1*	71.4*	0.0*
Complications of Pregnancy, Childbirth & Puerperium (630-676)	0	0	0	0	0.0*	0.0*	0.0*
Congenital Anomalies (740-759)	7	4	3	0	33.5*	71.4*	19.6*
Prenatal Conditions (760-779)	0	0	0	0	0.0*	0.0*	0.0*
Symptoms, Signs & Ill-Defined Conditions (780-799)	34	6	28	0	162.6	107.0*	182.9
Accidents & Adverse Effects (E800-E949)	62	25	37	0	296.5	446.0	241.7
Suicide (E950-E959)	8	8	0	0	38.3*	142.7*	0.0*
Homicide & Legal Intervention (E960-E978)	0	0	0	0	0.0*	0.0*	0.0*
All Other External Causes (E980-E999)	0	0	0	0	0.0*	0.0*	0.0*
All Other Causes (Residual Codes)	578	151	427	0	2763.7	2693.5	2789.4
TOTAL FOR AGE GROUP	3,347	1,066	2,281	0	16003.6	19015.3	14900.7

NOTE: (1) Rates expressed per 100,000 population. (2) Rates followed by an asterisk (*) have a relative standard error of 23 percent or more, and are considered to be statistically unreliable. (3) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research & Vital Statistics. [VTAB_D1R.SAS,3/3/1999]

TABLE D-2A

YEARS OF LIFE LOST AND AVERAGE PER DEATH BY 32 CAUSE OF DEATH GROUPS AND SEX
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH	* * YEARS OF LIFE LOST * *			AVERAGE YEARS OF		
	TOTAL	Male	Female	* * LIFE LOST PER DEATH * *		
Infectious & Parasitic Diseases (001-139)	3,348	2,268	1,081	18.002	23.377	12.144
Malignant Neoplasms (140-208)	40,117	18,516	21,600	13.668	12.174	15.276
Benign Neoplasms (210-239)	554	232	323	10.660	8.279	13.437
Diabetes Mellitus (250)	3,713	1,678	2,035	12.254	12.247	12.261
Nutritional Deficiencies (260-269)	142	33	108	5.896	6.660	5.695
Anemias (280-285)	115	68	47	6.047	7.500	4.740
Meningitis (320-322)	3	3	0	3.200	3.200	0.000
Heart Disease (390-398,402,404-429)	34,341	18,681	15,660	9.745	10.989	8.585
Hypertension (401,403)	545	140	404	8.644	7.020	9.400
Cerebrovascular Disease (430-438)	6,783	2,969	3,814	9.267	9.929	8.809
Atherosclerosis (440)	576	240	336	6.621	6.669	6.586
Other Diseases of Arteries, Arterioles & Capillaries (441-448)	1,541	735	806	9.815	9.667	9.953
Acute Bronchitis and Bronchiolitis (466)	83	5	79	41.650	4.500	78.800
Pneumonia & Influenza (480-487)	2,910	1,374	1,536	7.312	7.678	7.012
Chronic Obstructive Pulmonary Disease (490-496)	6,883	2,671	4,212	10.524	9.055	11.731
Ulcer of Stomach & Duodenum (531-533)	302	152	150	10.779	12.667	9.363
Appendicitis (540-543)	8	5	3	3.750	4.500	3.000
Abdominal Hernia & Intestinal Obstruction (550-553,560)	260	72	188	7.867	8.950	7.520
Chronic Liver Disease & Cirrhosis (571)	2,119	1,390	729	17.225	18.051	15.843
Cholelithiasis & Other Gallbladder Disorders (574-575)	147	36	111	9.767	11.967	9.217
Nephritis, Nephrotic Syndrome & Nephrosis (580-589)	1,416	723	693	9.135	9.147	9.124
Kidney Infections (590)	11	7	4	5.300	7.000	3.600
Hyperplasia of Prostate (600)	20	20	0	4.060	4.060	0.000
Complications of Pregnancy, Childbirth & Puerperium (630-676)	49	0	49	48.500	0.000	48.500
Congenital Anomalies (740-759)	1,887	907	979	40.138	37.800	42.578
Prenatal Conditions (760-779)	2,462	1,747	715	74.600	72.800	79.400
Symptoms, Signs & Ill-Defined Conditions (780-799)	1,295	716	579	13.217	15.913	10.928
All Other Causes (Residual Codes)	14,571	6,505	8,065	10.283	11.294	9.590
Accidents & Adverse Effects (E800-E949)	11,350	7,455	3,895	28.734	31.062	25.128
Suicide (E950-E959)	5,052	4,118	934	29.891	28.797	35.908
Homicide & Legal Intervention (E960-E978)	1,113	467	646	39.750	38.883	40.400
All Other External Causes (E980-E999)	249	202	47	35.571	33.733	46.600
ALL CAUSES	143,961	74,134	69,826	12.310	13.098	11.570

NOTE: (1) Years of life lost calculated by summing the age- and sex-specific life expectancies of the decedents at the time of death, based on 1990 current life tables for Maine. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research & Vital Statistics. [VSTAB_D2.SAS,3/8/1999]

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	* * * * * AGE AT DEATH * * * * *																
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+	Unk.	
Intestinal Infections Due to Other Specified Organism [007-008]																		
Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Female	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	
Ill-Defined Intestinal Infections [009]																		
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Tuberculosis of Respiratory System [010-012]																		
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	7	0	0	0	0	0	0	0	0	0	0	2	2	0	1	2	0	
TOTALS	7	0	0	0	0	0	0	0	0	0	0	2	2	0	1	2	0	
Other Tuberculosis [013-018]																		
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
Meningococcal Infection [036]																		
Male	2	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	2	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
Septicemia [038]																		
Male	29	1	0	0	0	0	0	0	1	2	1	6	2	6	3	7	0	
Female	53	0	0	0	0	0	0	0	0	1	2	2	4	7	15	22	0	
TOTALS	82	1	0	0	0	0	0	0	1	3	3	8	6	13	18	29	0	
All Other Bacterial Diseases [020-022,024-031,039-041]																		
Male	3	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0	0	
Female	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	
TOTALS	5	0	0	0	0	0	0	0	1	0	1	0	3	0	0	0	0	
Viral Hepatitis [070]																		
Male	3	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	0	
Female	4	0	0	0	0	0	0	1	0	1	0	0	1	0	1	0	0	
TOTALS	7	0	0	0	0	0	0	1	0	2	0	2	1	0	1	0	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+		
Other Viral Diseases [042-044,046-049,051-054,057-061,065-066,071-079]																		
Male	47	0	0	0	0	0	1	12	16	10	3	1	1	1	1	1	0	
Female	11	0	0	0	0	0	0	1	2	0	0	0	1	2	2	3	0	
TOTALS	58	0	0	0	0	0	1	13	18	10	3	1	2	3	3	4	0	
Mycoses [110-118]																		
Male	6	0	0	0	0	0	0	0	0	1	2	1	0	2	0	0	0	
Female	3	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	
TOTALS	9	0	0	0	0	0	0	0	0	1	3	1	2	2	0	0	0	
Late Effects of Tuberculosis [137]																		
Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
Late Effects of Acute Poliomyelitis [138]																		
Male	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	
Female	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	
TOTALS	4	0	0	0	0	0	0	0	0	0	1	1	0	0	1	1	0	
All Other Infectious & Parasitic Diseases [100-104,130-136,139]																		
Male	3	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0	
Female	2	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	
TOTALS	5	0	0	0	0	0	0	1	0	1	0	1	0	1	1	0	0	
Malignant Neoplasm Tongue [141]																		
Male	7	0	0	0	0	0	0	0	0	0	2	1	2	1	0	1	0	
Female	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	
TOTALS	9	0	0	0	0	0	0	0	0	0	3	1	3	1	0	1	0	
Malignant Neoplasm Pharynx [146-149.0]																		
Male	10	0	0	0	0	0	0	0	0	1	1	2	3	1	1	1	0	
Female	4	0	0	0	0	0	0	0	0	1	2	0	0	0	1	0	0	
TOTALS	14	0	0	0	0	0	0	0	0	2	3	2	3	1	2	1	0	
Malignant Neoplasm Other/Il-Defines Sites Within Lip/Oral Cavity/Pharynx [142-145,149.1-149.9]																		
Male	5	0	0	0	0	0	0	0	1	0	3	1	0	0	0	0	0	
Female	6	0	0	0	0	0	0	0	0	0	1	0	1	1	0	3	0	
TOTALS	11	0	0	0	0	0	0	0	1	0	4	1	1	1	0	3	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+		
Malignant Neoplasm Esophagus [150]																		
Male	36	0	0	0	0	0	0	0	0	6	7	8	5	7	2	1	0	
Female	14	0	0	0	0	0	0	0	1	1	0	0	2	3	4	3	0	
TOTALS	50	0	0	0	0	0	0	0	0	1	7	7	8	7	10	6	4	
Malignant Neoplasm Stomach [151]																		
Male	23	0	0	0	0	0	0	0	0	1	1	4	3	6	7	1	0	
Female	24	0	0	0	0	0	0	0	0	1	1	4	3	6	5	4	0	
TOTALS	47	0	0	0	0	0	0	0	0	2	2	8	6	12	12	5	0	
Malignant Neoplasm Small Intestine, Including Duodenum [152]																		
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	
Malignant Neoplasm Hepatic and Splenic Flexures & Transverse Colon [153.0-153.1, 153.7]																		
Male	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
Female	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	
Malignant Neoplasm Descending Colon [153.2]																		
Male	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	
Malignant Neoplasm Sigmoid Colon [153.3]																		
Male	4	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	0	
Female	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
TOTALS	5	0	0	0	0	0	0	0	0	0	0	2	0	1	0	2	0	
Malignant Neoplasm Cecum, Appendix & Ascending Colon [153.4-153.6]																		
Male	5	0	0	0	0	0	0	0	0	0	0	1	1	0	1	2	0	
Female	3	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	
TOTALS	8	0	0	0	0	0	0	0	0	1	0	1	1	0	2	3	0	
Malignant Neoplasm Colon, Other & Unspecified [153.8-153.9]																		
Male	109	0	0	0	0	0	0	0	2	6	17	15	15	19	16	19	0	
Female	124	0	0	0	0	0	0	1	3	5	11	12	20	16	19	37	0	
TOTALS	233	0	0	0	0	0	0	1	5	11	28	27	35	35	35	56	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	* * * * * AGE AT DEATH * * * * *																	
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+	Unk.		
Malignant Neoplasm Rectum, Rectosigmoid & Anus [154]																			
Male	29	0	0	0	0	0	0	0	1	2	4	2	8	4	5	3	0		
Female	22	0	0	0	0	0	0	0	1	0	4	2	4	5	0	6	0		
TOTALS	51	0	0	0	0	0	0	0	2	2	8	4	12	9	5	9	0		
Malignant Neoplasm Liver, Primary [155.0]																			
Male	15	1	1	0	0	0	0	0	0	0	1	2	5	3	2	0	0		
Female	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0		
TOTALS	16	1	1	0	0	0	0	0	0	0	1	3	5	3	2	0	0		
Malignant Neoplasm Intrahepatic Bile Ducts [155.1]																			
Male	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0		
Female	5	0	0	0	0	0	0	0	0	0	1	1	2	0	1	0	0		
TOTALS	7	0	0	0	0	0	0	0	0	0	1	2	3	0	1	0	0		
Malignant Neoplasm Liver, Not Specified as Primary or Secondary [155.2]																			
Male	6	0	0	0	0	0	0	0	0	0	0	1	4	0	1	0	0		
Female	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0		
TOTALS	8	0	0	0	0	0	0	0	0	0	0	1	4	1	1	1	0		
Malignant Neoplasm Gallbladder and Extrahepatic Bile Ducts [156]																			
Male	9	0	0	0	0	0	0	0	0	0	2	1	1	2	2	1	0		
Female	14	0	0	0	0	0	0	0	0	0	3	1	3	1	2	4	0		
TOTALS	23	0	0	0	0	0	0	0	0	0	5	2	4	3	4	5	0		
Malignant Neoplasm Pancreas [157]																			
Male	77	0	0	0	0	0	0	0	1	5	11	10	18	10	15	7	0		
Female	74	0	0	0	0	0	0	0	1	2	7	5	17	12	18	12	0		
TOTALS	151	0	0	0	0	0	0	0	2	7	18	15	35	22	33	19	0		
Malignant Neoplasm Retroperitoneum/Peritoneum/Other Ill-Defined Sites Within Digestive Organs [158-159]																			
Male	5	0	0	0	0	0	0	0	0	0	1	1	1	1	1	0	0		
Female	13	0	0	0	0	0	0	0	0	1	1	1	3	3	1	3	0		
TOTALS	18	0	0	0	0	0	0	0	0	1	2	2	4	4	2	3	0		
Malignant Neoplasm Larynx [161]																			
Male	17	0	0	0	0	0	0	0	0	2	7	2	4	2	0	0	0		
Female	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0		
TOTALS	19	0	0	0	0	0	0	0	0	3	8	2	4	2	0	0	0		

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+		
Malignant Neoplasm Trachea, Bronchus & Lung [162]																		
Male	502	0	0	0	0	0	0	0	9	30	94	94	100	89	46	40	0	
Female	383	0	0	1	0	0	0	2	7	21	56	75	78	61	50	32	0	
TOTALS	885	0	0	1	0	0	0	2	16	51	150	169	178	150	96	72	0	
Malignant Neoplasm All Other/Il-Defined Sites Within Respiratory System/Intrathoracic Organs [160,163-165]																		
Male	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	
Female	6	0	0	0	0	0	0	0	0	0	1	1	0	3	1	0	0	
TOTALS	8	0	0	0	0	0	0	0	0	0	1	1	0	4	1	1	0	
Malignant Neoplasm Bone and Articular Cartilage [170]																		
Male	5	0	0	0	0	0	1	0	0	1	2	0	0	0	0	1	0	
Female	4	0	0	0	1	0	0	0	1	0	0	0	0	1	1	0	0	
TOTALS	9	0	0	0	1	0	1	0	1	1	2	0	0	1	1	1	0	
Malignant Neoplasm Connective Tissue & Other Soft Tissue [171]																		
Male	9	0	0	0	0	0	0	0	3	2	1	1	0	1	0	1	0	
Female	8	0	0	0	0	0	0	0	1	3	1	1	1	1	0	0	0	
TOTALS	17	0	0	0	0	0	0	0	4	5	2	2	1	2	0	1	0	
Melanoma of Skin [172]																		
Male	28	0	0	0	0	0	0	0	2	1	6	6	2	5	2	4	0	
Female	13	0	0	0	0	0	0	1	1	1	0	1	2	3	1	3	0	
TOTALS	41	0	0	0	0	0	0	1	3	2	6	7	4	8	3	7	0	
Other Malignant Neoplasm Skin [173]																		
Male	9	0	0	0	0	0	0	0	1	0	0	1	3	0	2	2	0	
Female	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	
TOTALS	11	0	0	0	0	0	0	0	1	0	0	1	4	0	3	2	0	
Malignant Neoplasm Female Breast [174]																		
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	209	0	0	0	0	0	0	3	11	31	45	20	22	28	18	31	0	
TOTALS	209	0	0	0	0	0	0	3	11	31	45	20	22	28	18	31	0	
Malignant Neoplasm Male Breast [175]																		
Male	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+	Unk.	
Malignant Neoplasm Cervix Uteri [180]																		
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	23	0	0	0	0	0	1	0	4	2	2	1	3	5	0	5	0	
TOTALS	23	0	0	0	0	0	1	0	4	2	2	1	3	5	0	5	0	
Malignant Neoplasm Other Parts of Uterus [179,181-182]																		
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	31	0	0	0	0	0	0	1	2	2	4	4	6	4	1	7	0	
TOTALS	31	0	0	0	0	0	0	1	2	2	4	4	6	4	1	7	0	
Malignant Neoplasm Ovary & Other Uterine Adnexa [183]																		
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	92	0	0	0	0	0	0	0	4	12	20	7	11	16	14	8	0	
TOTALS	92	0	0	0	0	0	0	0	4	12	20	7	11	16	14	8	0	
Malignant Neoplasm Other & Unspecified Female Genital Organs [184]																		
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	6	0	0	0	0	0	0	0	0	0	0	1	1	1	3	0	0	
TOTALS	6	0	0	0	0	0	0	0	0	0	0	1	1	1	3	0	0	
Malignant Neoplasm Prostate [185]																		
Male	174	0	0	0	0	0	0	0	0	3	11	14	31	41	38	36	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	174	0	0	0	0	0	0	0	0	3	11	14	31	41	38	36	0	
Malignant Neoplasm Testis [187]																		
Male	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
Malignant Neoplasm Penis & Other Male Genital Organs [187]																		
Male	3	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	
Malignant Neoplasm Bladder [188]																		
Male	51	0	0	0	0	0	0	0	0	3	5	7	9	11	6	10	0	
Female	24	0	0	0	0	0	0	0	0	1	1	1	4	3	6	8	0	
TOTALS	75	0	0	0	0	0	0	0	0	4	6	8	13	14	12	18	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+		
Malignant Neoplasm Kidney & Other Unspecified Urinary Organs [189]																		
Male	46	0	0	0	0	0	0	0	1	6	9	5	8	9	4	4	0	
Female	24	0	0	0	0	0	0	0	0	2	0	4	6	4	2	6	0	
TOTALS	70	0	0	0	0	0	0	0	1	8	9	9	14	13	6	10	0	
Malignant Neoplasm Brain [191]																		
Male	53	0	0	1	1	0	2	1	3	9	7	8	8	6	3	4	0	
Female	26	0	0	2	0	0	0	0	2	4	3	5	2	3	3	2	0	
TOTALS	79	0	0	3	1	0	2	1	5	13	10	13	10	9	6	6	0	
Malignant Neoplasm Other & Unspecified Parts of Nervous System [192]																		
Male	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
Malignant Neoplasm Thyroid Gland/Other Endocrine Glands & Related Structures [193-194]																		
Male	6	0	0	0	0	0	0	0	1	1	1	0	2	0	0	1	0	
Female	4	0	0	0	0	0	0	0	0	1	0	1	1	0	0	1	0	
TOTALS	10	0	0	0	0	0	0	0	1	2	1	1	3	0	0	2	0	
Malignant Neoplasm All Other & Unspecified Sites [195-199]																		
Male	138	0	0	0	0	0	0	1	2	11	35	13	27	20	14	15	0	
Female	113	0	0	0	0	0	0	2	2	7	12	12	16	22	14	26	0	
TOTALS	251	0	0	0	0	0	0	3	4	18	47	25	43	42	28	41	0	
Lymphosarcoma and Reticulosarcoma [200]																		
Male	4	0	0	0	0	0	0	0	0	1	1	2	0	0	0	0	0	
Female	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
TOTALS	5	0	0	0	0	0	0	1	0	1	1	2	0	0	0	0	0	
Hodgkin's Disease [201]																		
Male	4	0	0	0	0	0	1	0	1	0	1	1	0	0	0	0	0	
Female	4	0	0	0	1	0	1	0	0	0	0	1	1	0	0	0	0	
TOTALS	8	0	0	0	1	0	2	0	1	0	1	2	1	0	0	0	0	
Other Malignant Neoplasm Lymphoid and Histiocytic Tissue [202]																		
Male	46	0	0	0	0	0	0	1	2	3	8	2	10	10	4	6	0	
Female	67	0	0	0	0	0	0	2	2	4	6	7	11	13	6	16	0	
TOTALS	113	0	0	0	0	0	0	3	4	7	14	9	21	23	10	22	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+		
Multiple Myeloma & Immunoproliferative Neoplasms [203]																		
Male	30	0	0	0	0	0	0	0	0	0	3	5	5	5	3	9	0	
Female	21	0	0	0	0	0	0	0	1	0	3	2	2	5	3	5	0	
TOTALS	51	0	0	0	0	0	0	0	1	0	6	7	7	10	6	14	0	
Lymphoid Leukemia [205]																		
Male	7	0	0	0	1	0	0	0	0	0	0	0	1	2	3	0	0	
Female	12	0	0	0	0	0	0	1	0	0	0	1	1	0	2	7	0	
TOTALS	19	0	0	0	1	0	0	1	0	0	0	1	2	2	5	7	0	
Myeloid Leukemia [205]																		
Male	26	0	1	0	0	0	0	0	2	2	4	4	4	3	2	4	0	
Female	14	0	0	0	0	0	0	0	1	0	1	1	2	3	2	4	0	
TOTALS	40	0	1	0	0	0	0	0	3	2	5	5	6	6	4	8	0	
Monocytic Leukemia [206]																		
Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	
Other & Unspecified Leukemia [207-208]																		
Male	11	0	0	0	0	0	0	0	0	1	2	0	2	1	1	4	0	
Female	12	0	0	0	0	0	0	0	0	1	1	0	2	5	2	1	0	
TOTALS	23	0	0	0	0	0	0	0	0	2	3	0	4	6	3	5	0	
Benign Neoplasms of Eye, Brain & Other Parts of Nervous System [224-225]																		
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	4	0	0	0	0	0	0	0	0	0	1	0	0	0	0	3	0	
TOTALS	4	0	0	0	0	0	0	0	0	0	1	0	0	0	0	3	0	
Benign Neoplasms of All Other & Unspecified Sites [210-217,222-223,226-229]																		
Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	
Carcinoma of All Other & Unspecified Sites [230-232,234]																		
Male	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
Female	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	* * * * * AGE AT DEATH * * * * *																	
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+	Unk.		
Neoplasms of Uncertain Behaviour [235-238]																			
Male	6	0	0	0	0	0	0	0	0	0	0	1	0	1	3	1	0		
Female	8	1	0	0	0	0	0	0	0	0	1	0	3	1	0	2	0		
TOTALS	14	1	0	0	0	0	0	0	0	0	1	1	3	2	3	3	0		
Neoplasms of Unspecified Behavior [239]																			
Male	20	0	0	0	0	0	0	0	0	1	3	1	0	2	7	6	0		
Female	10	0	0	0	0	0	0	0	0	0	1	1	1	2	1	4	0		
TOTALS	30	0	0	0	0	0	0	0	0	1	4	2	1	4	8	10	0		
Disorders of Thyroid Gland [240-246]																			
Male	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0		
Female	5	0	0	0	0	0	0	0	0	0	1	0	1	1	0	2	0		
TOTALS	6	0	0	0	0	0	0	0	0	1	1	0	1	1	0	2	0		
Diabetes Mellitus [250]																			
Male	137	0	0	0	0	0	0	0	4	12	20	26	19	15	21	20	0		
Female	166	0	0	0	0	0	2	0	2	8	12	16	28	26	26	46	0		
TOTALS	303	0	0	0	0	0	2	0	6	20	32	42	47	41	47	66	0		
Disorders of the Pituitary Gland & Its Hypothalamic Control [253]																			
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0		
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0		
Disorders of Adrenal Glands [255]																			
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Female	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0		
TOTALS	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0		
Cystic Fibrosis [277.0]																			
Male	3	0	0	0	1	0	0	1	1	0	0	0	0	0	0	0	0		
Female	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0		
TOTALS	4	0	0	0	1	0	0	2	1	0	0	0	0	0	0	0	0		
Obesity [278.0]																			
Male	7	0	0	0	0	0	0	0	3	1	3	0	0	0	0	0	0		
Female	4	0	0	0	0	0	0	0	1	1	1	0	0	0	0	1	0		
TOTALS	11	0	0	0	0	0	0	0	4	2	4	0	0	0	0	1	0		

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+		
All Other Endocrine/Metabolic Diseases & Immunity Disorders [251-252,256-259,270-276,277.1-277.9,278.1-279]																		
Male	34	1	1	0	0	1	1	0	1	4	7	2	5	3	5	3	0	
Female	41	0	0	1	0	0	0	0	0	0	1	5	4	3	8	19	0	
TOTALS	75	1	1	1	0	1	1	0	1	4	8	7	9	6	13	22	0	
Nutritional Marasmus [261]																		
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Other Protein-Calorie Malnutrition [262-263]																		
Male	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	
Female	16	0	0	0	0	0	0	0	0	0	0	0	0	2	6	8	0	
TOTALS	20	0	0	0	0	0	0	0	0	0	0	0	0	2	6	12	0	
All Other Nutritional Deficiencies [260,264-269]																		
Male	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
Female	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	
TOTALS	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	
Deficiency Anemias [280-281]																		
Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	
Aplastic Anemias [284]																		
Male	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	
Female	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	0	
Other & Unspecified Anemias [285]																		
Male	5	0	0	0	0	0	0	0	0	1	0	0	1	1	2	0	0	
Female	6	0	0	0	0	0	0	0	0	0	0	0	1	0	1	4	0	
TOTALS	11	0	0	0	0	0	0	0	0	1	0	0	2	1	3	4	0	
Purpura & Other Hemorrhagic Conditions [287]																		
Male	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+		
All Other Diseases of Blood & Blood-Forming Organs [286,288-289]																		
Male	19	0	0	0	0	0	0	0	1	2	1	3	1	3	5	3	0	
Female	11	0	0	0	0	0	0	0	0	0	1	1	4	0	0	5	0	
TOTALS	30	0	0	0	0	0	0	0	1	2	2	4	5	3	5	8	0	
Senile & Presenile Organic Psychotic Conditions [290]																		
Male	53	0	0	0	0	0	0	0	0	0	0	0	10	6	14	23	0	
Female	135	0	0	0	0	0	0	0	0	0	0	2	5	12	28	88	0	
TOTALS	188	0	0	0	0	0	0	0	0	0	0	2	15	18	42	111	0	
Alcoholic Psychoses [291]																		
Male	3	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	0	
Female	2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	
TOTALS	5	0	0	0	0	0	0	0	1	1	1	1	0	1	0	0	0	
All Other Psychoses [292-299]																		
Male	28	0	0	0	0	0	0	0	0	0	1	0	0	7	7	13	0	
Female	92	0	0	0	0	0	0	0	0	0	1	1	2	10	10	68	0	
TOTALS	120	0	0	0	0	0	0	0	0	0	2	1	2	17	17	81	0	
Alcohol-Dependence Syndrome [303]																		
Male	28	0	0	0	0	0	0	1	3	5	8	3	6	2	0	0	0	
Female	7	0	0	0	0	0	0	0	1	1	1	3	1	0	0	0	0	
TOTALS	35	0	0	0	0	0	0	1	4	6	9	6	7	2	0	0	0	
Drug Dependence [304]																		
Male	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
Other Neurotic, Personality & Nonpsychotic Mental Disorders [300-302, 305-316]																		
Male	13	0	0	0	0	0	0	0	3	1	0	1	2	1	1	4	0	
Female	16	0	0	0	0	1	0	1	0	0	0	1	1	1	2	9	0	
TOTALS	29	0	0	0	0	1	0	1	3	1	0	2	3	2	3	13	0	
Mental Retardation [317-319]																		
Male	2	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+		
Meningitis [320-322]																		
Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Parkinson''s Disease [332]																		
Male	45	0	0	0	0	0	0	0	0	0	2	2	3	11	7	20	0	
Female	23	0	0	0	0	0	0	0	0	0	0	4	4	4	11	0	0	
TOTALS	68	0	0	0	0	0	0	0	0	0	2	2	7	15	11	31	0	
Other Hereditary & Degenerative Diseases of the Central Nervous System [330-331,333-337]																		
Male	89	0	0	0	0	1	0	0	1	1	7	6	8	17	15	33	0	
Female	142	0	0	0	0	0	0	1	1	1	9	6	9	16	24	75	0	
TOTALS	231	0	0	0	0	1	0	1	2	2	16	12	17	33	39	108	0	
Multiple Sclerosis [340]																		
Male	4	0	0	0	0	0	0	0	0	2	0	1	0	1	0	0	0	
Female	14	0	0	0	0	0	0	0	4	3	2	2	1	1	0	1	0	
TOTALS	18	0	0	0	0	0	0	0	4	5	2	3	1	2	0	1	0	
Infantile Cerebral Palsy [343]																		
Male	3	0	0	0	0	1	0	0	1	0	0	0	0	1	0	0	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	3	0	0	0	0	1	0	0	1	0	0	0	0	1	0	0	0	
Epilepsy [345]																		
Male	2	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	
Female	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	3	0	0	1	0	1	0	0	0	0	1	0	0	0	0	0	0	
Other Dseases of the Nervous System [323-326,341-342,344,346-359]																		
Male	15	0	0	0	0	1	2	0	0	1	2	1	5	1	0	2	0	
Female	17	0	0	0	0	0	0	0	1	1	5	1	2	4	3	0	0	
TOTALS	32	0	0	0	0	1	2	0	1	2	7	2	7	5	3	2	0	
Acute Rheumatic Fever [390-392]																		
Male	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+		
Diseases of Mitral Valve [394]																		
Male	6	0	0	0	0	0	0	0	0	2	2	0	0	0	2	0	0	
Female	11	0	0	0	0	0	0	0	0	0	0	2	3	2	2	2	0	
TOTALS	17	0	0	0	0	0	0	0	0	2	2	2	3	2	4	2	0	
Diseases of Aortic Valve [395]																		
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
Diseases of Mitral & Aortic Valves [396]																		
Male	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	
All Other Chronic & Rheumatic Heart Disease [393,397-398]																		
Male	3	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	
Female	4	0	0	0	0	0	0	0	0	0	1	0	0	2	1	0	0	
TOTALS	7	0	0	0	0	0	0	0	0	0	1	1	1	2	2	0	0	
Essential Hypertension [401]																		
Male	7	0	0	0	0	0	0	0	0	1	0	0	0	1	0	5	0	
Female	27	0	0	1	0	0	0	0	0	0	1	2	4	3	4	12	0	
TOTALS	34	0	0	1	0	0	0	0	0	1	1	2	4	4	4	17	0	
Hypertensive Heart Disease [402]																		
Male	25	0	0	0	0	0	0	0	1	6	6	5	1	0	5	1	0	
Female	44	0	0	0	0	0	0	0	0	0	1	2	3	2	13	23	0	
TOTALS	69	0	0	0	0	0	0	0	1	6	7	7	4	2	18	24	0	
Hypertensive Renal Disease [403]																		
Male	13	0	0	0	0	0	0	0	0	0	0	1	2	3	1	6	0	
Female	16	0	0	0	0	0	0	0	0	0	0	1	0	2	5	8	0	
TOTALS	29	0	0	0	0	0	0	0	0	0	0	2	2	5	6	14	0	
Hypertensive Heart & Renal Disease [404]																		
Male	7	0	0	0	0	0	0	0	0	0	0	0	0	0	4	3	0	
Female	5	0	0	0	0	0	0	0	0	0	0	0	1	0	2	2	0	
TOTALS	12	0	0	0	0	0	0	0	0	0	0	0	1	0	6	5	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																	Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+			
Acute Myocardial Infarction [410]																			
Male	513	0	0	0	0	0	0	1	18	42	81	64	84	76	70	77	0		
Female	455	0	0	0	0	0	0	0	5	10	29	36	41	66	90	178	0		
TOTALS	968	0	0	0	0	0	0	1	23	52	110	100	125	142	160	255	0		
Other Acute & Subacute Forms of Ischemic Heart Disease [411]																			
Male	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0		
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TOTALS	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0		
Angina Pectoris [413]																			
Male	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0		
Female	8	0	0	0	0	0	0	0	1	0	0	0	1	1	0	5	0		
TOTALS	10	0	0	0	0	0	0	0	1	0	0	0	1	1	1	6	0		
All Other Forms of Chronic Ischemic Heart Disease [412,414]																			
Male	643	0	0	0	0	0	0	3	11	30	67	72	104	97	113	146	0		
Female	619	0	0	0	1	0	0	0	1	12	21	26	56	82	104	316	0		
TOTALS	1,262	0	0	0	1	0	0	3	12	42	88	98	160	179	217	462	0		
Diseases of Pulmonary Circulation [415-418]																			
Male	16	0	0	0	0	0	0	0	0	1	2	1	5	0	2	5	0		
Female	39	0	0	0	0	0	0	0	2	2	3	4	4	7	6	11	0		
TOTALS	55	0	0	0	0	0	0	0	2	3	5	5	9	7	8	16	0		
Acute & Subacute Endocarditis [421]																			
Male	4	0	0	0	0	0	0	0	0	1	1	1	0	1	0	0	0		
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TOTALS	4	0	0	0	0	0	0	0	0	1	1	1	0	1	0	0	0		
Acute Pericarditis, Acute Myocarditis & Other Diseases of Pericardium [420,422-423]																			
Male	3	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	0		
Female	2	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0		
TOTALS	5	0	0	0	0	0	0	0	1	0	2	0	1	1	0	0	0		
Mitral Valve Disorders [424.0]																			
Male	7	0	0	0	0	0	0	0	0	1	1	1	0	0	0	4	0		
Female	14	0	0	0	0	0	0	0	0	0	0	1	0	2	2	9	0		
TOTALS	21	0	0	0	0	0	0	0	0	1	1	2	0	2	2	13	0		

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+	Unk.	
Aortic Valve Disorders [424.1]																		
Male	25	0	0	0	0	0	0	1	0	0	0	4	2	9	6	3	0	
Female	42	0	0	0	0	0	0	0	0	2	0	0	3	4	8	25	0	
TOTALS	67	0	0	0	0	0	0	1	0	2	0	4	5	13	14	28	0	
All Other Diseases of Endocardium [424.2-424.9]																		
Male	6	0	0	0	0	0	0	0	0	0	0	0	0	3	2	1	0	
Female	13	0	0	0	0	0	0	1	0	0	0	0	2	1	3	6	0	
TOTALS	19	0	0	0	0	0	0	1	0	0	0	0	2	4	5	7	0	
Heart Failure [428]																		
Male	110	0	0	0	0	0	0	0	0	0	3	9	16	12	29	41	0	
Female	181	0	0	0	0	0	0	0	0	0	2	6	10	17	27	119	0	
TOTALS	291	0	0	0	0	0	0	0	0	0	5	15	26	29	56	160	0	
Myocarditis, Unspecified & Myocardial Degeneration [429.0-429.1]																		
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
All Other & Ill-Defines Forms of Heart Disease [425-427,429.2-429.9]																		
Male	325	0	0	0	0	0	2	2	13	21	45	43	44	56	41	58	0	
Female	384	0	0	0	0	0	0	1	1	4	23	25	31	52	63	184	0	
TOTALS	709	0	0	0	0	0	2	3	14	25	68	68	75	108	104	242	0	
Subarachnoid Hemorrhage [430]																		
Male	15	0	0	0	0	0	0	1	2	3	2	2	1	0	2	2	0	
Female	15	0	0	0	0	1	0	0	0	1	5	1	2	1	1	3	0	
TOTALS	30	0	0	0	0	1	0	1	2	4	7	3	3	1	3	5	0	
Intracerebral & Other Intracranial Hemorrhage [431-432]																		
Male	58	0	0	0	0	0	0	1	2	5	4	7	7	8	12	12	0	
Female	54	0	0	0	0	0	0	0	0	5	3	3	6	14	8	15	0	
TOTALS	112	0	0	0	0	0	0	1	2	10	7	10	13	22	20	27	0	
Occlusion & Stenosis of Percerebral Arteries [433]																		
Male	4	0	0	0	0	0	0	0	0	1	1	0	0	0	1	1	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	4	0	0	0	0	0	0	0	0	1	1	0	0	0	1	1	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+		
Cerebral Thrombosis & Unspecified Occlusion of Cerebral Arteries [434.0-434.9]																		
Male	9	0	0	0	0	0	0	1	0	0	1	1	1	2	1	2	0	
Female	37	0	0	0	0	0	0	0	1	0	1	1	2	5	12	15	0	
TOTALS	46	0	0	0	0	0	0	1	1	0	2	2	3	7	13	17	0	
Cerebral Embolism [434.1]																		
Male	2	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	
Female	4	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	0	
TOTALS	6	0	0	0	0	0	0	0	1	0	0	0	2	1	0	2	0	
Acute but Ill-Defined Cerebrovascular Disease [436]																		
Male	172	0	0	0	0	0	0	2	3	4	7	10	20	26	44	56	0	
Female	265	0	0	0	0	0	1	0	0	2	4	7	23	43	49	136	0	
TOTALS	437	0	0	0	0	0	1	2	3	6	11	17	43	69	93	192	0	
Other & Late Effects of Cerebrovascular Disease [435,437-438]																		
Male	39	1	0	0	0	0	0	0	0	3	1	4	2	5	9	14	0	
Female	58	1	0	0	0	1	0	0	1	0	1	1	2	7	7	37	0	
TOTALS	97	2	0	0	0	1	0	0	1	3	2	5	4	12	16	51	0	
Atherosclerosis [440]																		
Male	36	0	0	0	0	0	0	0	0	1	2	1	3	5	5	19	0	
Female	51	0	0	0	0	0	0	0	0	0	2	0	4	6	7	32	0	
TOTALS	87	0	0	0	0	0	0	0	0	1	4	1	7	11	12	51	0	
Aortic Aneurysm [441]																		
Male	52	0	0	0	0	0	0	0	1	1	4	6	14	13	8	5	0	
Female	52	0	0	0	0	0	0	0	0	0	0	10	7	11	10	14	0	
TOTALS	104	0	0	0	0	0	0	0	1	1	4	16	21	24	18	19	0	
All Other Disease of Arteries, Arterioles & Capillaries [442-448]																		
Male	24	0	0	0	0	0	0	0	0	2	2	0	3	3	5	9	0	
Female	29	0	0	0	0	0	0	1	0	0	0	1	7	3	6	11	0	
TOTALS	53	0	0	0	0	0	0	1	0	2	2	1	10	6	11	20	0	
Phlebitis, Thrombophlebitis & Venous Embolism & Thrombosis [451-453]																		
Male	5	0	0	0	0	0	0	0	0	0	2	1	0	2	0	0	0	
Female	4	0	0	0	0	0	0	0	0	0	1	1	1	0	0	1	0	
TOTALS	9	0	0	0	0	0	0	0	0	0	3	2	1	2	0	1	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																	Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+			
Other Diseases of Veins & Lymphatics & All Other Diseases of Circulatory System [454-459]																			
Male	4	0	0	0	0	0	0	0	0	1	1	0	0	1	0	1	0		
Female	10	0	0	0	0	0	0	0	0	2	0	1	0	3	0	4	0		
TOTALS	14	0	0	0	0	0	0	0	0	3	1	1	0	4	0	5	0		
Acute Upper Respiratory Infections [460-465]																			
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Female	3	0	1	0	0	0	0	0	0	1	0	0	0	0	0	1	0		
TOTALS	3	0	1	0	0	0	0	0	0	1	0	0	0	0	0	1	0		
Other Diseases of Upper Respiratory Tract [470-478]																			
Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0		
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0		
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0		
Acute Bronchitis & Bronchiolitis [466]																			
Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0		
Female	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TOTALS	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0		
Viral Pneumonia [480]																			
Male	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0		
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0		
Pneumococcal & Other Bacterial Pneumonia [481-482]																			
Male	8	0	0	0	0	0	0	0	0	0	0	0	3	0	3	2	0		
Female	5	0	0	0	0	0	0	0	0	0	0	0	1	2	1	1	0		
TOTALS	13	0	0	0	0	0	0	0	0	0	0	0	4	2	4	3	0		
Bronchopneumonia, Organism Unspecified [485]																			
Male	4	1	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0		
Female	4	0	0	0	0	0	0	0	0	0	0	1	0	0	0	3	0		
TOTALS	8	1	0	0	0	0	0	0	0	0	1	1	0	1	0	4	0		
Pneumonia Due to Other Unspecified Organism [483,486]																			
Male	158	0	0	0	0	0	0	1	1	3	6	10	15	22	39	61	0		
Female	203	0	1	0	0	0	0	1	2	0	2	5	10	17	39	126	0		
TOTALS	361	0	1	0	0	0	0	2	3	3	8	15	25	39	78	187	0		

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+		
Influenza [487]																		
Male	7	0	0	0	0	0	0	0	0	0	0	0	0	1	2	4	0	
Female	7	0	0	0	0	0	0	0	0	0	0	1	0	0	2	4	0	
TOTALS	14	0	0	0	0	0	0	0	0	0	0	1	0	1	4	8	0	
Bronchitis, Not Specified as Acute or Chronic [490]																		
Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Female	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	
Chronic Bronchitis [491]																		
Male	6	0	0	0	0	0	0	0	0	0	0	0	2	2	2	0	0	
Female	11	0	0	0	0	0	0	0	0	0	3	1	2	2	2	1	0	
TOTALS	17	0	0	0	0	0	0	0	0	0	3	1	4	4	4	1	0	
Emphysema [492]																		
Male	45	0	0	0	0	0	0	0	0	3	5	3	8	13	8	5	0	
Female	52	0	0	0	0	0	0	0	0	0	4	8	14	11	4	11	0	
TOTALS	97	0	0	0	0	0	0	0	0	3	9	11	22	24	12	16	0	
Asthma [493]																		
Male	8	0	0	0	0	0	0	2	0	0	0	0	0	0	2	4	0	
Female	18	0	0	0	0	0	0	1	2	1	2	2	4	2	0	4	0	
TOTALS	26	0	0	0	0	0	0	3	2	1	2	2	4	2	2	8	0	
Bronchiectasis & Extrinsic Allergic Alveolitis [494-495]																		
Male	3	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	
Female	4	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	
TOTALS	7	0	0	0	0	0	0	0	0	0	0	1	2	2	1	1	0	
Chronic Airways Obstruction, Not Elsewhere Classified [496]																		
Male	232	0	0	0	0	0	0	0	2	7	14	19	41	55	40	54	0	
Female	272	0	0	0	0	0	0	0	0	4	24	26	52	52	45	69	0	
TOTALS	504	0	0	0	0	0	0	0	2	11	38	45	93	107	85	123	0	
Pneumoconioses & Other Lung Diseases Due to External Agents [500-508]																		
Male	29	0	0	0	0	0	0	0	0	1	1	3	6	2	7	9	0	
Female	28	0	0	0	0	0	0	0	0	0	1	0	1	5	4	17	0	
TOTALS	57	0	0	0	0	0	0	0	0	1	2	3	7	7	11	26	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+		
Empyema & Abscess of Lung & Mediastinum [510-513]																		
Male	3	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1	0	
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
TOTALS	4	0	0	0	0	0	0	0	1	0	0	0	1	0	1	1	0	
Pleurisy [511]																		
Male	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	
Female	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	
TOTALS	5	0	0	0	0	0	0	0	0	0	1	0	0	0	2	2	0	
All Other Diseases of Respiratory System [512,514-519]																		
Male	53	0	0	0	0	0	0	1	2	1	7	9	4	11	12	6	0	
Female	49	0	0	1	0	0	1	0	0	3	2	5	5	5	10	17	0	
TOTALS	102	0	0	1	0	0	1	1	2	4	9	14	9	16	22	23	0	
Gastric Ulcer [531]																		
Male	4	0	0	0	0	0	0	0	0	0	2	1	1	0	0	0	0	
Female	8	0	0	0	0	0	0	0	0	0	0	0	1	2	2	3	0	
TOTALS	12	0	0	0	0	0	0	0	0	0	2	1	2	2	2	3	0	
Duodenal Ulcer [532]																		
Male	4	0	0	0	0	0	0	0	1	0	0	0	1	1	0	1	0	
Female	5	0	0	0	0	0	0	0	0	0	1	0	0	1	3	0	0	
TOTALS	9	0	0	0	0	0	0	0	1	0	1	0	1	2	3	1	0	
Peptic Ulcer, Site Unspecified [533]																		
Male	4	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2	0	
Female	3	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	
TOTALS	7	0	0	0	0	0	0	0	0	0	1	1	0	0	3	2	0	
Gastritis & Duodenitis [535]																		
Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Appendicitis [540-543]																		
Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+		
Hernia of Abdominal Cavity/Intestinal Obstruction Without Mention of Hernia [550-553,560]																		
Male	8	0	0	0	0	0	0	0	0	1	0	1	1	0	2	3	0	
Female	25	0	0	0	0	0	0	0	0	0	0	2	1	7	4	11	0	
TOTALS	33	0	0	0	0	0	0	0	0	1	0	3	2	7	6	14	0	
Regional Enteritis & Idiopathic Proctocolitis [555-556]																		
Male	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
Female	5	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	0	
TOTALS	6	0	0	0	0	0	0	0	0	0	0	0	1	2	2	1	0	
All Other Noninfective Gastroenteritis & Colitis [557-558]																		
Male	12	0	0	0	0	0	0	0	0	2	2	2	1	1	3	1	0	
Female	31	0	0	0	0	0	0	0	0	1	1	1	5	3	7	13	0	
TOTALS	43	0	0	0	0	0	0	0	0	3	3	3	6	4	10	14	0	
Diverticula of Intestine [562]																		
Male	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	
Female	9	0	0	0	0	0	0	0	0	0	1	0	1	3	1	3	0	
TOTALS	11	0	0	0	0	0	0	0	0	0	1	0	1	3	3	3	0	
Chronic Liver Disease & Cirrhosis, Specified as Alcoholic [571.0-571.3]																		
Male	45	0	0	0	0	0	0	0	6	13	16	3	4	1	2	0	0	
Female	11	0	0	0	0	0	0	0	2	0	6	2	1	0	0	0	0	
TOTALS	56	0	0	0	0	0	0	0	8	13	22	5	5	1	2	0	0	
Chronic Hepatitis & Biliary Cirrhosis [571.4-571.6]																		
Male	3	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	
Female	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
TOTALS	4	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0	0	
Cirrhosis of Liver & Other/Unspecified Chronic Liver Disease Without Mention of Alcohol [571.5,571.8-571.9]																		
Male	29	0	0	0	0	0	0	0	1	7	3	5	7	2	3	1	0	
Female	34	0	0	0	0	0	0	0	0	1	5	6	7	3	6	6	0	
TOTALS	63	0	0	0	0	0	0	0	1	8	8	11	14	5	9	7	0	
Cholelithiasis & Other Disorders of Gallbladder [574-575]																		
Male	3	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	
Female	12	0	0	0	0	0	0	0	0	0	2	0	1	1	3	5	0	
TOTALS	15	0	0	0	0	0	0	0	0	0	3	1	1	1	4	5	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+		
All Other Diseases of Digestive System [530,534,536-537,564-570,572,573,576-579]																		
Male	61	0	0	0	0	0	0	1	2	5	7	4	7	14	11	10	0	
Female	85	0	0	1	0	0	0	0	2	1	6	7	7	8	19	34	0	
TOTALS	146	0	0	1	0	0	0	1	4	6	13	11	14	22	30	44	0	
Nephrotic Syndrome [581]																		
Male	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	
Chronic Glomerulonephritis/Nephritis/Nephropathy & Renal Sclerosis Unspecified [582-583,587]																		
Male	5	1	0	0	0	0	0	0	1	1	0	2	0	0	0	0	0	
Female	4	0	0	0	0	0	0	0	0	1	0	0	0	0	1	2	0	
TOTALS	9	1	0	0	0	0	0	0	1	2	0	2	0	0	1	2	0	
Renal Failure, Disorders from Impaired Renal Function/Small Kidney of Unknown Cause [584-586,588-589]																		
Male	72	0	0	0	0	0	0	0	0	2	7	2	7	14	15	25	0	
Female	71	0	0	0	0	0	0	0	0	2	3	4	6	10	18	28	0	
TOTALS	143	0	0	0	0	0	0	0	0	4	10	6	13	24	33	53	0	
Infections of Kidney [590]																		
Male	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	
All Other Diseases of Urinary System [591,593,595-599]																		
Male	31	0	0	0	0	0	0	0	0	1	2	1	0	8	4	15	0	
Female	46	0	0	0	0	0	0	0	0	0	3	0	1	5	6	31	0	
TOTALS	77	0	0	0	0	0	0	0	0	1	5	1	1	13	10	46	0	
Hyperplasia of Prostate [600]																		
Male	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	4	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	4	0	
Other Diseases of Male Genital Organs [601-608]																		
Male	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+		
Other Diseases of Female Genital Organs [614-629]																		
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female	5	0	0	0	0	0	0	3	0	0	0	0	0	1	0	1	0	0
TOTALS	5	0	0	0	0	0	0	3	0	0	0	0	0	1	0	1	0	0
Hemorrhage of Pregnancy & Childbirth [640-641,666]																		
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Infections of Skin & Subcutaneous Tissue [680-686]																		
Male	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
All Other Diseases of Skin & Subcutaneous Tissue [690-709]																		
Male	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Female	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0
TOTALS	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0
Rheumatoid Arthritis & Other Inflammatory Polyarthropathies [714]																		
Male	7	0	0	0	0	0	0	0	0	0	1	4	0	0	2	0	0	0
Female	19	0	0	0	0	0	0	0	0	0	2	3	3	3	3	5	0	0
TOTALS	26	0	0	0	0	0	0	0	0	0	3	7	3	3	5	5	0	0
Other Arthropathies & Related Disorders [710-712,715-719]																		
Male	5	0	0	0	0	0	0	0	0	0	0	1	1	0	1	2	0	0
Female	15	0	0	0	0	0	0	0	1	3	2	1	1	2	0	5	0	0
TOTALS	20	0	0	0	0	0	0	0	1	3	2	2	2	2	1	7	0	0
Rheumatism, Excluding the Back [725-729]																		
Male	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TOTALS	2	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0
Osteopathies, Chondropathies & Acquired Musculoskeletal Deformities [730-739]																		
Male	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
Female	8	0	0	0	0	0	0	0	0	0	0	0	1	0	1	6	0	0
TOTALS	10	0	0	0	0	0	0	0	0	0	0	0	1	1	1	7	0	0

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+		
All Other Congenital Anomalies of Nervous System [740,742]																		
Male	7	1	0	0	0	0	0	0	0	0	0	0	0	2	1	3	0	
Female	8	1	1	0	0	1	0	0	0	0	0	1	1	1	0	2	0	
TOTALS	15	2	1	0	0	1	0	0	0	0	0	1	1	3	1	5	0	
Congenital Anomalies of Heart [745-746]																		
Male	6	0	1	0	0	1	0	1	1	1	0	1	0	0	0	0	0	
Female	7	4	0	0	0	0	0	1	0	0	0	0	0	0	1	1	0	
TOTALS	13	4	1	0	0	1	0	2	1	1	0	1	0	0	1	1	0	
Other Congenital Anomalies of Circulatory System [747]																		
Male	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
Female	2	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
TOTALS	3	1	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	
All Other Congenital Anomalies [743-744,748-759]																		
Male	10	6	1	0	0	0	0	0	0	0	0	1	0	0	1	1	0	
Female	6	0	1	0	0	0	0	1	1	1	2	0	0	0	0	0	0	
TOTALS	16	6	2	0	0	0	0	1	1	1	2	1	0	0	1	1	0	
Intrauterine Hypoxia/Birth Asphyxia/Respiratory Distress Syndrome [768-769]																		
Male	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Other Conditions Originating in the Perinatal Period [760-766,770-799]																		
Male	21	21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	9	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	30	30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Senility without Mention of Psychosis [797]																		
Male	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	
Female	11	0	0	0	0	0	0	0	0	0	0	0	0	1	0	10	0	
TOTALS	15	0	0	0	0	0	0	0	0	0	0	0	0	1	1	13	0	
Symptoms, Signs & Other Ill-Defined Conditions [780-796,798-799]																		
Male	41	2	0	0	0	0	0	3	2	3	3	5	6	6	8	3	0	
Female	42	0	1	0	0	1	0	0	0	1	4	2	5	6	4	18	0	
TOTALS	83	2	1	0	0	1	0	3	2	4	7	7	11	12	12	21	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+		
Motor Vehicle Traffic Accident Involving Collision with Another Motor Vehicle [E811-E812]																		
Male	39	0	0	2	1	6	2	11	5	0	2	3	1	1	2	3	0	
Female	21	0	1	0	0	3	0	2	5	0	0	1	3	2	3	1	0	
TOTALS	60	0	1	2	1	9	2	13	10	0	2	4	4	3	5	4	0	
Motor Vehicle Traffic Accident Involving Collision with Pedestrian [E814]																		
Male	8	0	0	0	1	2	0	2	1	0	0	0	1	0	1	0	0	
Female	10	0	0	1	0	0	1	0	2	1	0	0	0	4	1	0	0	
TOTALS	18	0	0	1	1	2	1	2	3	1	0	0	1	4	2	0	0	
Motor Vehicle Traffic Accident Involving Collision with Other Vehicle or Object [E813,E815]																		
Male	17	0	0	1	1	2	3	4	2	1	1	0	0	0	1	1	0	
Female	4	0	0	0	0	2	0	0	2	0	0	0	0	0	0	0	0	
TOTALS	21	0	0	1	1	4	3	4	4	1	1	0	0	0	1	1	0	
Motor Vehicle Traffic Accident Not Involving Collision on Highway [E816-E818]																		
Male	36	0	0	0	0	7	7	11	5	3	2	0	0	0	0	1	0	
Female	15	0	0	1	1	5	2	2	1	0	0	1	1	1	0	0	0	
TOTALS	51	0	0	1	1	12	9	13	6	3	2	1	1	1	0	1	0	
Motor Vehicle Traffic Accident of Unspecified Nature [E819]																		
Male	5	0	0	0	0	2	0	0	0	1	0	0	0	0	1	1	0	
Female	8	1	0	0	0	1	0	0	0	0	2	1	2	0	1	0	0	
TOTALS	13	1	0	0	0	3	0	0	0	1	2	1	2	0	2	1	0	
Motor Vehicle Nontraffic Accidents [E820-E825]																		
Male	10	0	1	0	0	0	1	3	1	2	1	0	0	1	0	0	0	
Female	2	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	12	0	2	1	0	0	1	3	1	2	1	0	0	1	0	0	0	
Other Road Vehicle Accidents [E826-E829]																		
Male	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
Water Transport Accidents [E830-E838]																		
Male	2	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	
Female	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
TOTALS	3	0	0	0	0	0	0	1	0	0	2	0	0	0	0	0	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+		
Air & Space Transport Accidents [E840-E845]																		
Male	5	0	0	0	0	0	0	1	1	1	2	0	0	0	0	0	0	
Female	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
TOTALS	6	0	0	0	0	0	1	1	1	1	2	0	0	0	0	0	0	
Accidental Poisoning by Drugs, Medicaments & Biologicals [E850-E858]																		
Male	8	1	0	0	0	0	0	0	6	0	0	0	1	0	0	0	0	
Female	4	0	0	0	0	0	0	2	1	0	0	0	0	0	0	1	0	
TOTALS	12	1	0	0	0	0	0	2	7	0	0	0	1	0	0	1	0	
Accidental Poisoning by Other Solid or Liquid Substance [E860-E866]																		
Male	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	
Accidental Poisoning by Gases & Vapors [E867-E869]																		
Male	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
Misadventures During Medical Care, Abnormal Reactions & Late Complications [E870-E879]																		
Male	6	0	0	0	0	0	0	0	0	0	2	0	1	0	1	2	0	
Female	11	0	0	0	0	0	0	0	0	0	1	4	0	1	3	2	0	
TOTALS	17	0	0	0	0	0	0	0	0	0	3	4	1	1	4	4	0	
Fall from One Level to Another [E880-E884]																		
Male	17	0	0	0	0	1	0	0	5	3	3	1	1	2	0	1	0	
Female	6	0	0	0	0	0	0	0	1	0	0	0	1	1	1	2	0	
TOTALS	23	0	0	0	0	1	0	0	6	3	3	1	2	3	1	3	0	
Fall on Same Level [E885-E886]																		
Male	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
Female	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	
TOTALS	3	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	
Fracture, Cause Unspecified, & Other & Unspecified Fall [E887-E888]																		
Male	20	0	0	0	0	0	1	1	0	1	1	0	1	1	7	7	0	
Female	27	0	0	0	0	0	0	0	0	0	0	1	0	4	4	18	0	
TOTALS	47	0	0	0	0	0	1	1	0	1	1	1	1	5	11	25	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH																Unk.
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+		
Accidents Caused by Fire & Flames [E890-E899]																		
Male	6	0	1	1	0	0	0	1	0	0	0	0	1	1	0	1	0	
Female	10	0	1	0	2	0	0	1	0	0	0	1	2	1	1	1	0	
TOTALS	16	0	2	1	2	0	0	2	0	0	0	1	3	2	1	2	0	
Accidental Drowning & Submersion [E910]																		
Male	11	0	0	0	0	4	1	4	1	0	0	0	0	1	0	0	0	
Female	5	0	0	0	1	0	0	1	1	0	0	0	0	0	2	0	0	
TOTALS	16	0	0	0	1	4	1	5	2	0	0	0	0	1	2	0	0	
Inhalation/Ingestion of Food or Other Object Causing Obstruction of Respiratory Tract or Suffocation [E911-E912]																		
Male	13	0	0	0	0	0	1	0	2	0	0	2	2	2	0	4	0	
Female	5	0	0	0	0	0	0	0	0	1	0	0	0	2	0	2	0	
TOTALS	18	0	0	0	0	0	1	0	2	1	0	2	2	4	0	6	0	
Accident Caused by Handgun [E922.0]																		
Male	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	
Accident Caused by Hot Substance/Object, Caustic/Corrosive Material, Steam & Exposure to Radiation [E924,E926]																		
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
All Other Accidents & Late Effects of Accidental Injuries [E900-E906,E908-E909,E913-E921, E927-E929]																		
Male	30	0	0	0	1	1	1	0	5	5	1	0	5	4	3	4	0	
Female	21	0	0	0	0	0	0	1	1	3	3	1	0	2	2	8	0	
TOTALS	51	0	0	0	1	1	1	1	6	8	4	1	5	6	5	12	0	
Drugs, Medicaments & Biological Substances Causing Adverse Effects in Therapeutic Use [E930-E949]																		
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
TOTALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
Suicide by Drugs, Medicaments & Biologicals [E950.0-E950.5]																		
Male	7	0	0	0	0	0	0	1	1	3	1	1	0	0	0	0	0	
Female	10	0	0	0	0	0	0	1	3	3	2	1	0	0	0	0	0	
TOTALS	17	0	0	0	0	0	0	2	4	6	3	2	0	0	0	0	0	

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH															
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+	Unk.
Suicide by Gases & Vapors [E951-E952]																	
Male	10	0	0	0	0	0	1	2	2	2	2	0	0	1	0	0	0
Female	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	11	0	0	0	0	0	1	2	3	2	2	0	0	1	0	0	0
Suicide by Hanging, Strangulation & Suffocation [E953]																	
Male	21	0	0	0	0	1	0	8	4	3	3	1	0	1	0	0	0
Female	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TOTALS	22	0	0	0	0	1	0	8	4	4	3	1	0	1	0	0	0
Suicide by Handgun [E955.0]																	
Male	23	0	0	0	0	0	2	6	2	5	3	1	0	2	0	2	0
Female	4	0	0	0	0	0	0	0	3	0	1	0	0	0	0	0	0
TOTALS	27	0	0	0	0	0	2	6	5	5	4	1	0	2	0	2	0
Suicide by All Other & Unspecified Firearms [E955.1-E955.4]																	
Male	73	0	0	0	1	2	2	13	13	9	6	3	8	4	7	5	0
Female	6	0	0	0	1	0	0	0	2	2	0	1	0	0	0	0	0
TOTALS	79	0	0	0	2	2	2	13	15	11	6	4	8	4	7	5	0
Suicide by All Other Means & Late Effects of Self-Inflicted Injury [E954,E955.5-E959]																	
Male	9	0	0	0	0	2	0	1	1	2	1	0	0	0	1	1	0
Female	4	0	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0
TOTALS	13	0	0	0	0	2	0	2	2	3	2	0	0	0	1	1	0
Assault by Handgun [E965.0]																	
Male	3	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0
Female	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0
TOTALS	5	0	0	0	0	0	2	2	0	1	0	0	0	0	0	0	0
Assault by All Other & Unspecified Firearms [E965.1-E965.4]																	
Male	4	0	0	0	0	0	1	0	1	1	0	0	1	0	0	0	0
Female	3	0	0	0	1	0	0	0	1	1	0	0	0	0	0	0	0
TOTALS	7	0	0	0	1	0	1	0	2	2	0	0	1	0	0	0	0
Assault by Cutting & Piercing Instrument [E966]																	
Male	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Female	6	0	0	0	0	0	0	2	2	0	0	2	0	0	0	0	0
TOTALS	7	0	0	0	0	0	1	2	2	0	0	2	0	0	0	0	0

TABLE D-3

DEATHS BY AGE AND SEX FOR 282 CAUSE OF DEATH GROUPS
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

CAUSE OF DEATH AND SEX	TOTAL DEATHS	AGE AT DEATH															
		<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-69	70-74	75-79	80-84	85+	Unk.
Assault by All Other Means [E960-E964,E965.5-E965.9,E967-E969]																	
Male	3	0	0	0	0	0	2	0	0	0	1	0	0	0	0	0	0
Female	5	1	0	0	0	0	0	1	0	1	0	0	0	2	0	0	0
TOTALS	8	1	0	0	0	0	2	1	0	1	1	0	0	2	0	0	0
Other Legal Intervention [E970-E977]																	
Male	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Poisoning by Drugs, Medicaments & Biologicals [E980.0-E980.5]																	
Male	5	0	0	0	0	0	0	1	2	1	1	0	0	0	0	0	0
Female	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
TOTALS	6	0	0	0	0	0	0	2	2	1	1	0	0	0	0	0	0
Injury by All Other Means, Undetermined Whether Accidentally or Purposely Inflicted [E981-E984,E985.5-E989]																	
Male	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTALS	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
ALL CAUSES																	
Male	5,660	40	8	6	9	35	38	115	206	365	667	604	800	857	844	1,066	0
Female	6,035	20	9	10	9	17	11	46	106	198	420	441	670	839	958	2,281	0
TOTALS	11,695	60	17	16	18	52	49	161	312	563	1,087	1,045	1,470	1,696	1,802	3,347	0
PERCENT DIST.																	
Male	100.00	0.71	0.14	0.11	0.16	0.62	0.67	2.03	3.64	6.45	11.7	10.67	14.13	15.1	14.91	18.83	0.00
Female	100.00	0.33	0.15	0.17	0.15	0.28	0.18	0.76	1.76	3.28	6.96	7.31	11.10	13.90	15.87	37.80	0.00
TOTALS	100.00	0.51	0.15	0.14	0.15	0.44	0.42	1.38	2.67	4.81	9.29	8.94	12.57	14.50	15.41	28.62	0.00

NOTES: (1) ICD-9 codes are shown in brackets. (2) Cause of death groups with zero deaths are not listed. (3) Prepared by
Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital
Statistics. [VSTAB_D3.SAS, 3/22/1999]

TABLE D-5

DEATHS - TOTAL AND PERCENT BY SITE OF DEATH
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

COUNTY	TOTAL DEATHS	PERCENT OF TOTAL DEATHS BY SITE OF DEATH								
		Maine Hospital	Out Of State Hospital	On Way To Hospital	Skilled Nursing Care	Inter- mediate Care	State Penal Inst.	Out Patient Facility	At Home	Other Place
Androscoggin	982	36.660	1.324	0.713	0.000	39.511	0.000	0.000	19.654	2.037
Aroostook	791	42.857	1.517	0.632	0.000	26.675	0.000	0.000	25.032	3.287
Cumberland	2,255	40.798	1.863	0.710	0.000	32.772	0.000	0.000	22.306	1.552
Franklin	247	38.866	0.405	1.619	0.000	25.911	0.000	0.000	30.769	2.429
Hancock	527	43.833	2.087	0.380	0.000	27.514	0.000	0.000	23.909	2.277
Kennebec	1,108	37.184	1.264	1.264	0.000	34.116	0.000	0.000	23.285	2.798
Knox	402	33.831	0.746	0.498	0.000	37.811	0.000	0.000	23.134	3.980
Lincoln	328	39.939	2.134	0.305	0.000	27.134	0.000	0.000	28.049	2.439
Oxford	607	40.527	0.988	1.647	0.000	34.596	0.000	0.000	19.769	2.471
Penobscot	1,266	40.600	1.027	0.790	0.000	30.569	0.000	0.000	23.934	3.002
Piscataquis	188	52.660	2.128	0.000	0.000	24.468	0.000	0.000	18.617	2.128
Sagadahoc	285	42.105	1.053	0.351	0.000	28.772	0.000	0.000	25.263	2.456
Somerset	501	40.519	1.397	1.397	0.000	29.541	0.000	0.000	22.555	4.591
Waldo	322	53.416	0.932	0.621	0.000	16.460	0.000	0.000	26.087	2.484
Washington	420	46.905	0.476	1.190	0.000	24.524	0.000	0.000	23.333	3.571
York	1,466	42.292	6.821	1.091	0.000	26.194	0.000	0.068	20.600	2.797
STATE TOTALS	11,695	41.009	2.061	0.872	0.000	30.603	0.000	0.009	22.796	2.608

NOTES: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_D5.SAS, 3/22/1999]

TABLE D-6

DEATHS IN HOSPITAL - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

* * * * * PERCENT OF TOTAL DEATHS OCCURRING IN HOSPITAL * * * * *										
COUNTY	TOTAL DEATHS	Cancer Of Digestive Organs And Peritoneum (150-159)	Cancer Of Respiratory System (160-165)	Acute Myocardial Infarction (410)	Other Ischemic Heart Disease (411-414)	Cerebral Hemorrhage (431-432)	Cerebral Thrombosis (434.0,434.9)	Pneumonia (480-486)	* * * Accidents * * *	
									Motor Vehicle (E810-E825)	Other (E800-E807, E826-E949)
Androscoggin	373	5.898	7.507	13.405	10.724	1.877	0.804	5.094	1.340	2.145
Aroostook	351	4.274	6.268	12.821	10.826	3.134	0.570	3.704	1.140	1.994
Cumberland	962	4.054	6.237	8.940	9.979	2.495	0.520	3.119	1.247	2.183
Franklin	97	2.062	9.278	22.680	9.278	4.124	0.000	4.124	1.031	1.031
Hancock	242	3.306	7.025	13.636	6.612	0.826	2.066	2.893	1.240	1.240
Kennebec	426	3.052	8.216	11.737	12.207	1.643	0.000	2.113	2.113	1.643
Knox	139	4.317	9.353	12.230	8.633	1.439	0.719	1.439	2.158	1.439
Lincoln	138	2.174	10.870	10.870	10.870	2.899	0.725	5.072	2.174	2.174
Oxford	252	3.175	4.762	11.905	13.889	1.190	0.397	2.381	1.587	3.571
Penobscot	527	2.846	8.159	13.283	9.108	1.518	0.380	3.605	1.708	2.087
Piscataquis	103	8.738	6.796	9.709	11.650	0.000	0.000	3.883	0.971	2.913
Sagadahoc	123	8.130	9.756	13.821	6.504	0.813	0.000	1.626	1.626	3.252
Somerset	210	4.762	5.238	13.810	10.476	0.952	0.000	4.762	1.429	2.857
Waldo	175	4.000	5.143	12.571	7.429	2.286	0.000	1.714	1.714	2.286
Washington	199	7.035	7.035	10.553	5.025	2.010	0.000	4.523	2.010	1.508
York	720	3.333	7.361	11.389	10.833	1.528	0.139	2.361	1.667	2.083
STATE TOTALS	5,037	4.070	7.147	11.892	10.006	1.866	0.417	3.196	1.549	2.124

NOTES: (1) ICD-9 codes are shown in parentheses. (2) Prepared by Maine Department of Human Services, Bureau of Health,
Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_D6.SAS, 3/22/1999]

TABLE D-7

DEATHS IN NURSING HOMES - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

* * * * * PERCENT OF TOTAL DEATHS OCCURRING IN NURSING HOMES * * * * *										
COUNTY	TOTAL DEATHS	Cancer Of Digestive Organs And Peritoneum (150-159)	Cancer Of Respiratory System (160-165)	Acute Myocardial Infarction (410)	Other Ischemic Heart Disease (411-414)	Cerebral Hemorrhage (431-432)	Cerebral Thrombosis (434.0,434.9)	Pneumonia (480-486)	* * * Accidents * * *	
									Motor Vehicle (E810-E825)	Other (E800-E807, E826-E949)
Androscoggin	388	4.897	6.701	2.577	17.010	0.773	1.031	5.155	0.000	0.515
Aroostook	211	5.687	2.844	4.265	14.218	0.000	0.948	4.265	0.000	1.422
Cumberland	739	3.789	5.683	3.654	10.014	0.541	0.271	8.390	0.135	0.271
Franklin	64	1.563	9.375	1.563	7.813	0.000	0.000	3.125	0.000	1.563
Hancock	145	5.517	2.069	4.828	8.966	0.000	2.069	8.966	0.000	2.069
Kennebec	378	5.556	4.497	5.026	10.317	0.265	0.265	4.233	0.000	1.058
Knox	152	3.947	2.632	6.579	7.237	0.658	3.289	2.632	0.000	2.632
Lincoln	89	4.494	5.618	3.371	6.742	1.124	3.371	4.494	0.000	1.124
Oxford	210	3.333	6.190	3.333	11.905	0.000	0.000	6.190	0.000	0.476
Penobscot	387	4.393	5.685	2.584	9.561	0.517	0.517	5.168	0.000	0.775
Piscataquis	46	4.348	6.522	2.174	2.174	0.000	0.000	4.348	0.000	2.174
Sagadahoc	82	3.659	3.659	3.659	12.195	0.000	0.000	3.659	0.000	1.220
Somerset	148	7.432	7.432	2.027	8.784	0.676	0.000	4.730	0.000	0.000
Waldo	53	7.547	11.321	3.774	1.887	0.000	0.000	5.660	0.000	7.547
Washington	103	5.825	3.883	0.971	0.971	0.000	0.971	8.738	0.000	0.971
York	384	2.344	3.646	7.292	19.271	0.260	0.260	3.906	0.000	0.521
STATE TOTALS	3,579	4.415	5.169	3.940	11.344	0.391	0.671	5.644	0.028	0.922

NOTES: (1) ICD-9 codes are shown in parentheses. (2) Figures include deaths in skilled nursing and in intermediate care facilities. (3) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_D7.SAS, 3/23/1999]

TABLE D-8

DEATHS AT HOME - TOTAL AND PERCENT FOR SELECTED CAUSE OF DEATH GROUPS
MAINE COUNTIES AND STATE TOTALS, 1996 (RESIDENT DATA)

* * * * * PERCENT OF TOTAL DEATHS OCCURRING AT HOME * * * * *										
COUNTY	TOTAL DEATHS	Cancer Of Digestive Organs And Peritoneum (150-159)	Cancer Of Respiratory System (160-165)	Acute Myocardial Infarction (410)	Other Ischemic Heart Disease (411-414)	Cerebral Hemorrhage (431-432)	Cerebral Thrombosis (434.0,434.9)	Pneumonia (480-486)	* * * Accidents * * *	
									Motor Vehicle (E810-E825)	Other (E800-E807, E826-E949)
Androscoggin	193	12.435	10.363	9.845	11.399	0.000	0.000	0.518	0.000	0.000
Aroostook	198	9.596	15.152	5.556	14.141	0.000	0.000	0.505	0.505	1.515
Cumberland	503	10.537	14.911	4.573	11.133	0.199	0.000	1.392	0.000	0.994
Franklin	76	1.316	7.895	11.842	13.158	0.000	0.000	0.000	0.000	5.263
Hancock	126	7.143	7.937	11.111	11.905	0.000	0.000	2.381	0.000	0.794
Kennebec	258	9.690	14.729	6.977	12.791	0.000	0.000	0.000	0.000	1.938
Knox	93	9.677	9.677	11.828	11.828	0.000	0.000	3.226	0.000	0.000
Lincoln	92	8.696	14.130	6.522	8.696	1.087	0.000	0.000	0.000	2.174
Oxford	120	10.000	10.000	5.833	10.833	0.833	0.000	0.833	0.000	1.667
Penobscot	303	10.891	16.502	7.591	12.541	0.000	0.000	0.990	0.000	2.640
Piscataquis	35	8.571	17.143	8.571	8.571	0.000	0.000	0.000	0.000	2.857
Sagadahoc	72	8.333	5.556	2.778	15.278	0.000	0.000	0.000	0.000	0.000
Somerset	113	8.850	12.389	1.770	11.504	0.000	0.000	0.000	0.000	2.655
Waldo	84	3.571	9.524	7.143	8.333	0.000	0.000	0.000	0.000	4.762
Washington	98	4.082	15.306	9.184	16.327	0.000	0.000	0.000	0.000	1.020
York	302	11.589	13.245	8.278	13.245	0.000	0.000	0.000	0.000	0.662
STATE TOTALS	2,666	9.527	13.128	7.052	12.153	0.113	0.000	0.713	0.038	1.538

NOTES: (1) ICD-9 codes are shown in parentheses. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_D8.SAS, 3/23/1999]

TABLE D-9

DEATHS BY SEX, AGE AND OCCUPATION
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

		* * * * * OCCUPATION * * * * *									
		Precision									
SEX AND AGE	TOTAL DEATHS	Manager- ial, Profess- ional	Sales, Adminis- trative	Service Industry	Farming, Forestry, Fishing	Product- tion, Repair, Craft	Operators, Fabrica- tors, Laborers	Transpor- tation	Home- maker	Student	Other And Not Reported
MALE											
Less Than 15	63	0	0	0	0	0	0	0	0	13	50
15-19	35	0	1	3	2	2	3	0	0	17	7
20-24	38	1	3	5	2	5	4	1	0	5	12
25-29	49	2	6	5	8	8	10	2	0	0	8
30-34	66	8	11	3	5	15	10	5	0	0	9
35-39	91	10	17	5	5	17	18	3	0	1	15
40-44	115	17	12	6	4	39	15	7	0	0	15
45-49	173	32	18	14	9	38	22	15	1	0	24
50-54	192	34	23	14	10	40	40	14	0	0	17
55-59	267	50	34	24	19	52	37	21	0	0	30
60-64	400	74	70	28	24	85	56	26	0	0	37
65-69	604	100	100	48	39	119	91	59	2	0	46
70-74	800	145	131	63	53	190	115	58	0	0	45
75-79	857	162	143	58	76	183	144	41	2	0	48
80-84	844	165	146	45	78	183	145	44	2	0	36
85-89	640	145	96	48	54	137	108	31	1	0	20
90-94	327	70	44	23	52	67	48	7	5	0	11
Greater Than 94	99	28	16	3	10	16	17	5	1	0	3
Unknown	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	5,660	1,043	871	395	450	1,196	883	339	14	36	433
PERCENT DIST.	100.000	18.428	15.389	6.979	7.951	21.131	15.601	5.989	0.247	0.636	7.650

NOTE: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research & Vital Statistics. [VSTAB_D9.SAS,3/19/1999]

TABLE D-9

DEATHS BY SEX, AGE AND OCCUPATION
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

		OCCUPATION									
		Manager- ial, Profess- ional	Sales, Adminis- trative	Service Industry	Farming, Forestry, Fishing	Precision Product- tion, Repair, Craft	Operators, Fabrica- tors, Laborers	Transpor- tation	Home- maker	Student	Other And Not Reported
SEX AND AGE	TOTAL DEATHS										
FEMALE											
Less Than 15	48	0	0	0	0	0	0	0	0	11	37
15-19	17	0	2	2	0	1	1	0	0	8	3
20-24	11	0	2	1	0	0	0	0	1	2	5
25-29	17	2	7	1	0	0	2	0	2	0	3
30-34	29	7	4	5	0	1	1	0	3	0	8
35-39	47	9	12	8	0	0	4	0	10	0	4
40-44	59	10	17	9	1	1	6	1	11	0	3
45-49	74	21	16	11	0	2	3	1	19	0	1
50-54	124	26	32	18	2	1	13	0	29	0	3
55-59	147	26	28	19	0	4	16	0	45	0	9
60-64	273	40	50	31	1	12	33	0	94	0	12
65-69	441	80	81	46	1	10	56	0	152	0	15
70-74	670	88	123	65	4	18	106	3	230	0	33
75-79	839	110	166	91	4	15	127	1	307	0	18
80-84	958	151	152	99	8	29	129	0	359	0	31
85-89	998	190	185	83	4	12	123	2	378	0	21
90-94	795	138	135	56	5	15	83	0	339	0	24
Greater Than 94	488	96	64	36	4	10	47	0	221	0	10
Unknown	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	6,035	994	1,076	581	34	131	750	8	2,200	21	240
PERCENT DIST.	100.000	16.471	17.829	9.627	0.563	2.171	12.428	0.133	36.454	0.348	3.977

NOTE: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research & Vital Statistics. [VSTAB_D9.SAS,3/19/1999]

TABLE D-9

DEATHS BY SEX, AGE AND OCCUPATION
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

		***** OCCUPATION *****									
		Manager- ial, Profess- ional	Sales, Adminis- trative	Service Industry	Farming, Forestry, Fishing	Precision Product- tion, Repair, Craft	Operators, Fabrica- tors, Laborers	Transpor- tation	Home- maker	Student	Other And Not Reported
SEX AND AGE	TOTAL DEATHS										
BOTH SEXES											
Less Than 15	111	0	0	0	0	0	0	0	0	24	87
15-19	52	0	3	5	2	3	4	0	0	25	10
20-24	49	1	5	6	2	5	4	1	1	7	17
25-29	66	4	13	6	8	8	12	2	2	0	11
30-34	95	15	15	8	5	16	11	5	3	0	17
35-39	138	19	29	13	5	17	22	3	10	1	19
40-44	174	27	29	15	5	40	21	8	11	0	18
45-49	247	53	34	25	9	40	25	16	20	0	25
50-54	316	60	55	32	12	41	53	14	29	0	20
55-59	414	76	62	43	19	56	53	21	45	0	39
60-64	673	114	120	59	25	97	89	26	94	0	49
65-69	1,045	180	181	94	40	129	147	59	154	0	61
70-74	1,470	233	254	128	57	208	221	61	230	0	78
75-79	1,696	272	309	149	80	198	271	42	309	0	66
80-84	1,802	316	298	144	86	212	274	44	361	0	67
85-89	1,638	335	281	131	58	149	231	33	379	0	41
90-94	1,122	208	179	79	57	82	131	7	344	0	35
Greater Than 94	587	124	80	39	14	26	64	5	222	0	13
Unknown	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	11,695	2,037	1,947	976	484	1,327	1,633	347	2,214	57	673
PERCENT DIST.	100.000	17.418	16.648	8.345	4.139	11.347	13.963	2.967	18.931	0.487	5.755

NOTE: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research & Vital Statistics. [VSTAB_D9.SAS,3/19/1999]

TABLE D-10

ACQUIRED IMMUNE DEFICIENCY SYNDROME RELATED DEATHS BY STATUS OF MENTION
MAINE STATE TOTALS, 1996 (RESIDENT DATA)

SEX AND AGE	TOTAL MENTIONS (042.0-044.9, 795.8)	TOTAL AIDS MENTIONS (042.0-044.9)	UNDERLYING AIDS MENTIONS (042.0-044.9)	NON-UNDERLYING AIDS MENTIONS (042.0-044.9)	SERO-POSITIVE MENTIONS (795.8)
MALE					
Less Than 20	0	0	0	0	0
20-24	1	1	1	0	0
25-34	12	12	12	0	0
35-44	14	14	14	0	0
45-54	12	12	9	3	0
55-64	2	2	1	1	0
Greater Than 64	1	1	1	0	0
Unknown	0	0	0	0	0
STATE TOTALS	42	42	38	4	0
FEMALE					
Less Than 20	0	0	0	0	0
20-24	0	0	0	0	0
25-34	2	2	1	1	0
35-44	1	1	1	0	0
45-54	0	0	0	0	0
55-64	0	0	0	0	0
Greater Than 64	1	1	1	0	0
Unknown	0	0	0	0	0
STATE TOTALS	4	4	3	1	0
TOTAL					
Less Than 20	0	0	0	0	0
20-24	1	1	1	0	0
25-34	14	14	13	1	0
35-44	15	15	15	0	0
45-54	12	12	9	3	0
55-64	2	2	1	1	0
Greater Than 64	2	2	2	0	0
Unknown	0	0	0	0	0
STATE TOTALS	46	46	41	5	0

NOTE: Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTB_D10.SAS, 3/23/1999]

TABLE D-13

DEATHS BY METHOD OF DISPOSITION
MAINE COUNTIES AND STATE TOTALS, 1996 (OCCURRENCE DATA)

***** METHOD OF DISPOSITION *****								
COUNTY OF OCCURRENCE	TOTAL	Burial	Cremation	Removal From State	Entombed	Donation	Other Method	Method Unknown
Androscoggin	1,032	579	349	12	88	4	0	0
Aroostook	748	474	116	9	147	0	2	0
Cumberland	2,756	1,468	1,022	83	175	3	5	0
Franklin	229	109	81	2	36	0	1	0
Hancock	458	238	186	6	26	1	1	0
Kennebec	1,246	640	421	19	151	2	13	0
Knox	380	169	183	8	19	1	0	0
Lincoln	262	131	122	0	5	4	0	0
Oxford	500	237	197	10	55	1	0	0
Penobscot	1,471	814	502	32	114	2	7	0
Piscataquis	185	67	79	5	34	0	0	0
Sagadahoc	237	103	93	6	34	0	1	0
Somerset	422	174	165	7	58	0	18	0
Waldo	240	90	117	12	21	0	0	0
Washington	348	198	133	11	6	0	0	0
York	1,164	620	434	23	81	6	0	0
STATE TOTALS	11,678	6,111	4,200	245	1,050	24	48	0

NOTE: Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTB_D13.SAS, 3/23/1999]

INDUCED ABORTIONS

TABLE A-2

INDUCED ABORTIONS BY GESTATION AND TYPE OF ABORTION PROCEDURE
MAINE STATE TOTALS, 1996 (OCCURRENCE DATA)

TERMINATION PROCEDURE	PERCENT		* * * * * WEEKS OF GESTATION * * * * *														Unk.
	TOTAL	DIST.	<9	9	10	11	12	13	14	15	16	17	18	19	20+		
PRIMARY PROCEDURE THAT TERMINATED PREGNANCY																	
Suction Curettage	2,530	97.2	1,375	436	413	145	137	12	4	0	0	0	0	0	0	0	8
Sharp Curettage	4	0.2	0	1	2	1	0	0	0	0	0	0	0	0	0	0	0
Dilation and Evacuation	21	0.8	12	4	1	2	0	0	0	0	1	0	0	0	0	0	1
Saline Instillation	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Prostaglandin Instillation	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hysterotomy	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hysterectomy	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other	3	0.1	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Unknown	44	1.7	23	10	6	3	1	0	0	0	0	0	0	0	0	0	1
STATE TOTALS	2,602		1,413	451	422	151	138	12	4	0	1	0	0	0	0	0	10
PERCENT DISTRIBUTION		100.0	54.3	17.3	16.2	5.8	5.3	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
ADDITIONAL PROCEDURES USED																	
Suction Curettage	3	0.9	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0
Sharp Curettage	321	92.0	170	59	61	22	6	0	1	0	0	0	0	0	0	0	2
Dilation and Evacuation	21	6.0	9	10	1	1	0	0	0	0	0	0	0	0	0	0	0
Saline Instillation	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Prostaglandin Instillation	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hysterotomy	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hysterectomy	1	0.3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other	3	0.9	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0
STATE TOTALS	349		182	71	64	23	6	0	1	0	0	0	0	0	0	0	2
PERCENT DISTRIBUTION		100.0	52.1	20.3	18.3	6.6	1.7	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6

NOTES: (1) Percentages may not add to 100 due to rounding. (2) If the clinical estimate of gestation was unknown, an estimate based on date of last normal menses was substituted. (3) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_A2.SAS, 3/22/1999]

TABLE A-4

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT AND RACE
MAINE STATE TOTALS, 1996 (OCCURRENCE DATA)

AGE AND RACE OF PATIENT	PERCENT		* * * * * WEEKS OF GESTATION * * * * *															
	TOTAL	DIST.	<9	9	10	11	12	13	14	15	16	17	18	19	20+	Unk.		
AGE IN YEARS																		
Less Than 10	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10-14	21	0.8	10	1	6	4	0	0	0	0	0	0	0	0	0	0		
15	42	1.6	19	9	9	2	2	1	0	0	0	0	0	0	0	0		
16	85	3.3	44	8	23	5	5	0	0	0	0	0	0	0	0	0		
17	111	4.3	47	26	25	8	5	0	0	0	0	0	0	0	0	0		
18	162	6.2	80	30	24	11	14	2	0	0	0	0	0	0	0	0	1	
19	203	7.8	90	43	38	16	13	1	1	0	0	0	0	0	0	0	1	
20-24	766	29.4	388	152	124	47	46	3	2	0	0	0	0	0	0	0	4	
25-29	542	20.8	317	87	88	23	25	0	1	0	1	0	0	0	0	0	0	
30-34	324	12.5	199	45	43	20	12	4	0	0	0	0	0	0	0	0	1	
35-39	242	9.3	161	32	25	11	11	1	0	0	0	0	0	0	0	0	1	
40-44	70	2.7	41	10	11	3	5	0	0	0	0	0	0	0	0	0	0	
Greater Than 44	5	0.2	2	3	0	0	0	0	0	0	0	0	0	0	0	0	0	
Unknown	29	1.1	15	5	6	1	0	0	0	0	0	0	0	0	0	0	2	
STATE TOTALS	2,602		1,413	451	422	151	138	12	4	0	1	0	0	0	0	0	10	
PERCENT DISTRIBUTION		100.0	54.3	17.3	16.2	5.8	5.3	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	
RACE																		
White	2,407	92.5	1,303	421	394	142	123	12	3	0	1	0	0	0	0	0	8	
Black	28	1.1	12	5	7	1	3	0	0	0	0	0	0	0	0	0	0	
American Indian	43	1.7	21	7	5	3	7	0	0	0	0	0	0	0	0	0	0	
Asian/Pacific Islander	55	2.1	32	12	6	3	2	0	0	0	0	0	0	0	0	0	0	
Other	5	0.2	3	0	2	0	0	0	0	0	0	0	0	0	0	0	0	
Unknown	64	2.5	42	6	8	2	3	0	1	0	0	0	0	0	0	0	2	
STATE TOTALS	2,602		1,413	451	422	151	138	12	4	0	1	0	0	0	0	0	10	
PERCENT DISTRIBUTION		100.0	54.3	17.3	16.2	5.8	5.3	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	

NOTES: (1) Percentages may not add to 100 due to rounding. (2) If the clinical estimate of gestation was unknown, an estimate based on the date of last normal menses was substituted. (3) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_A4.SAS, 3/22/1999]

July 22, 1999

ERRATA – MAINE VITAL STATISTICS, 1996

Tables A-4 (Induced Abortions by Gestation, Age of Patient and Race) and A-6 (Induced Abortions by Race, Age of Patient and Marital Status) replace Tables A-4 and A-6.

TABLE A-4

INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT AND RACE
MAINE STATE TOTALS, 1996 (OCCURRENCE DATA)

AGE AND RACE OF PATIENT	PERCENT		WEEKS OF GESTATION															
	TOTAL	DIST.	<9	9	10	11	12	13	14	15	16	17	18	19	20+	Unk.		
AGE IN YEARS																		
Less Than 10	0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10-14	21	0.8	10	1	6	4	0	0	0	0	0	0	0	0	0	0		
15	42	1.6	19	9	9	2	2	1	0	0	0	0	0	0	0	0		
16	85	3.3	44	8	23	5	5	0	0	0	0	0	0	0	0	0		
17	111	4.3	47	26	25	8	5	0	0	0	0	0	0	0	0	0		
18	162	6.2	80	30	24	11	14	2	0	0	0	0	0	0	0	0	1	
19	203	7.8	90	43	38	16	13	1	1	0	0	0	0	0	0	0	1	
20-24	766	29.4	388	152	124	47	46	3	2	0	0	0	0	0	0	0	4	
25-29	542	20.8	317	87	88	23	25	0	1	0	1	0	0	0	0	0	0	
30-34	324	12.5	199	45	43	20	12	4	0	0	0	0	0	0	0	0	1	
35-39	242	9.3	161	32	25	11	11	1	0	0	0	0	0	0	0	0	1	
40-44	70	2.7	41	10	11	3	5	0	0	0	0	0	0	0	0	0	0	
Greater Than 44	5	0.2	2	3	0	0	0	0	0	0	0	0	0	0	0	0	0	
Unknown	29	1.1	15	5	6	1	0	0	0	0	0	0	0	0	0	0	2	
STATE TOTALS	2,602		1,413	451	422	151	138	12	4	0	1	0	0	0	0	0	10	
PERCENT DISTRIBUTION		100.0	54.3	17.3	16.2	5.8	5.3	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	
RACE																		
White	2,407	92.5	1,303	421	394	142	123	12	3	0	1	0	0	0	0	0	8	
Black	28	1.1	12	5	7	1	3	0	0	0	0	0	0	0	0	0	0	
American Indian	43	1.7	21	7	5	3	7	0	0	0	0	0	0	0	0	0	0	
Asian/Pacific Islander	37	1.4	25	6	4	2	0	0	0	0	0	0	0	0	0	0	0	
Other	23	0.9	10	6	4	1	2	0	0	0	0	0	0	0	0	0	0	
Unknown	64	2.5	42	6	8	2	3	0	1	0	0	0	0	0	0	0	2	
STATE TOTALS	2,602		1,413	451	422	151	138	12	4	0	1	0	0	0	0	0	10	
PERCENT DISTRIBUTION		100.0	54.3	17.3	16.2	5.8	5.3	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	

NOTES: (1) Percentages may not add to 100 due to rounding. (2) If the clinical estimate of gestation was unknown, an estimate based on the date of last normal menses was substituted. (3) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_A4.SAS, 6/29/1999]

TABLE A-6

INDUCED ABORTIONS BY RACE, AGE OF PATIENT AND MARITAL STATUS
MAINE STATE TOTALS, 1996 (OCCURRENCE DATA)

AGE AND MARITAL STATUS OF PATIENT	PERCENT		* * * * *					RACE * * * * *				
	TOTAL	DIST.	White	Black	Indian	Asian	Other	Unknown				
AGE IN YEARS												
Less Than 10	0	0.0	0	0	0	0	0	0				
10-14	21	0.8	20	0	0	0	0	1				
15	42	1.6	37	0	2	1	0	2				
16	85	3.3	78	3	2	0	0	2				
17	111	4.3	102	2	3	0	2	2				
18	162	6.2	146	6	2	1	2	5				
19	203	7.8	194	1	5	1	1	1				
20-24	766	29.4	723	8	13	8	3	11				
25-29	542	20.8	501	4	9	10	4	14				
30-34	324	12.5	299	2	7	5	5	6				
35-39	242	9.3	225	0	0	6	3	8				
40-44	70	2.7	63	0	0	3	3	1				
Greater Than 44	5	0.2	4	0	0	1	0	0				
Unknown	29	1.1	15	2	0	1	0	11				
STATE TOTALS	2,602		2,407	28	43	37	23	64				
PERCENT DISTRIBUTION		100.0	92.5	1.1	1.7	1.4	0.9	2.5				
MARITAL STATUS												
Married	402	15.4	371	1	5	11	8	6				
Not Married	1,728	66.4	1,613	18	30	16	13	38				
Unknown	472	18.1	423	9	8	10	2	20				
STATE TOTALS	2,602		2,407	28	43	37	23	64				
PERCENT DISTRIBUTION		100.0	92.5	1.1	1.7	1.4	0.9	2.5				

NOTE: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics.
[VSTAB_A6.SAS, 7/19/1999]

TABLE A-6

INDUCED ABORTIONS BY RACE, AGE OF PATIENT AND MARITAL STATUS
MAINE STATE TOTALS, 1996 (OCCURRENCE DATA)

AGE AND MARITAL STATUS OF PATIENT	PERCENT		* * * * *						RACE * * * * *					
	TOTAL	DIST.	White	Black	Indian	Asian	Other	Unknown						
AGE IN YEARS														
Less Than 10	0	0.0	0	0	0	0	0	0						
10-14	21	0.8	20	0	0	0	0	1						
15	42	1.6	37	0	2	1	0	2						
16	85	3.3	78	3	2	0	0	2						
17	111	4.3	102	2	3	2	0	2						
18	162	6.2	146	6	2	3	0	5						
19	203	7.8	194	1	5	2	0	1						
20-24	766	29.4	723	8	13	10	1	11						
25-29	542	20.8	501	4	9	12	2	14						
30-34	324	12.5	299	2	7	10	0	6						
35-39	242	9.3	225	0	0	7	2	8						
40-44	70	2.7	63	0	0	6	0	1						
Greater Than 44	5	0.2	4	0	0	1	0	0						
Unknown	29	1.1	15	2	0	1	0	11						
STATE TOTALS	2,602		2,407	28	43	55	5	64						
PERCENT DISTRIBUTION		100.0	92.5	1.1	1.7	2.1	0.2	2.5						
MARITAL STATUS														
Married	402	15.4	371	1	5	17	2	6						
Not Married	1,728	66.4	1,613	18	30	27	2	38						
Unknown	472	18.1	423	9	8	11	1	20						
STATE TOTALS	2,602		2,407	28	43	55	5	64						
PERCENT DISTRIBUTION		100.0	92.5	1.1	1.7	2.1	0.2	2.5						

NOTE: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics.

[VSTAB_A6.SAS, 3/22/1999]

TABLE A-9

INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES,
AGE OF PATIENT AND MARITAL STATUS
MAINE STATE TOTALS, 1996 (OCCURRENCE DATA)

AGE AND MARITAL STATUS OF PATIENT	TOTAL	* * * * * NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES * * * * *										* * * * *				
		Live Birth					Induced Abortion					Spontaneous Abortion				
		0	1	2	3+	Unk.	0	1	2	3+	Unk.	0	1	2	3+	Unk.
AGE IN YEARS																
Less Than 10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10-14	21	21	0	0	0	0	21	0	0	0	0	21	0	0	0	0
15	42	41	1	0	0	0	41	1	0	0	0	41	1	0	0	0
16	85	80	4	0	0	1	84	0	0	0	1	81	3	0	0	1
17	111	101	8	1	0	1	102	7	1	0	1	108	2	0	0	1
18	162	148	13	0	0	1	146	15	0	0	1	158	3	0	0	1
19	203	158	37	5	1	2	170	30	1	0	2	190	10	1	0	2
20-24	766	442	208	91	21	4	551	173	28	10	4	685	57	15	5	4
25-29	542	218	159	118	46	1	344	133	49	15	1	454	64	15	8	1
30-34	324	92	86	94	49	3	173	96	37	15	3	266	40	12	3	3
35-39	242	42	63	80	56	1	129	67	28	17	1	188	41	8	4	1
40-44	70	15	12	25	18	0	39	22	7	2	0	59	7	2	2	0
Greater Than 44	5	0	0	1	4	0	3	1	1	0	0	4	1	0	0	0
Unknown	29	10	5	4	3	7	18	2	2	0	7	19	2	1	0	7
STATE TOTALS	2,602	1,368	596	419	198	21	1,821	547	154	59	21	2,274	231	54	22	21
MARITAL STATUS																
Married	402	78	106	155	61	2	254	103	29	14	2	336	49	10	5	2
Not Married	1,728	1,064	368	186	99	11	1,247	345	94	31	11	1,534	140	30	13	11
Unknown	472	226	122	78	38	8	320	99	31	14	8	404	42	14	4	8
STATE TOTALS	2,602	1,368	596	419	198	21	1,821	547	154	59	21	2,274	231	54	22	21

NOTE: Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics. [VSTAB_A9.SAS, 3/22/1999]

Table A-10

INDUCED ABORTIONS BY STATE OR COUNTRY OF RESIDENCE
MAINE STATE TOTALS, 1996 (OCCURRENCE DATA)

STATE/COUNTRY	NUMBER OF ABORTIONS	STATE/COUNTRY	NUMBER OF ABORTIONS	STATE/COUNTRY	NUMBER OF ABORTIONS
Alabama	0	Maryland	0	South Carolina	1
Alaska	0	Massachusetts	8	South Dakota	0
Arizona	0	Michigan	0	Tennessee	0
Arkansas	0	Minnesota	0	Texas	0
California	1	Mississippi	0	Utah	0
Colorado	1	Missouri	0	Vermont	1
Connecticut	4	Montana	0	Virginia	1
Delaware	0	Nebraska	0	Washington	0
Dist. of Columbia	0	Nevada	0	West Virginia	0
Florida	7	New Hampshire	30	Wisconsin	0
Georgia	2	New Jersey	1	Wyoming	0
Hawaii	0	New Mexico	0	Puerto Rico	0
Idaho	0	New York	3	Virgin Islands	0
Illinois	0	North Carolina	0	Guam	0
Indiana	0	North Dakota	0	Canada	6
Iowa	0	Ohio	1	Cuba	0
Kansas	0	Oklahoma	0	Mexico	0
Kentucky	0	Oregon	0	Other W. Hemisphere	2
Louisiana	0	Pennsylvania	0	Rest of the World	2
Maine	2,509	Rhode Island	0	State/Country Unknown	22
				TOTAL	2,602

NOTE: Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data Research and Vital Statistics. [VTAB_A10.SAS, 3/22/1999]

APPENDICES

1a. FIRST NAME		1b. MIDDLE NAME		1c. LAST NAME		1d. JRL ETC.		2. SEX	
3. DATE OF BIRTH (Mo., Day, Yr.)		4. TIME OF BIRTH <input type="checkbox"/> AM <input type="checkbox"/> PM		5. COUNTY OF BIRTH		6. CITY OR TOWN OF BIRTH			
7. PLACE OF BIRTH <input type="checkbox"/> Hospital <input type="checkbox"/> Free-standing Birthing Center <input type="checkbox"/> Clinic/Doctor's Office <input type="checkbox"/> Residence <input type="checkbox"/> Other (Specify)		8. FACILITY NAME (If not institution, give street and number)							
9. I certify that this child was born alive at the place and time and on the date stated.		10. DATE SIGNED (Mo., Day, Yr.)		11. ATTENDANT'S NAME AND TITLE (If other than caregiver) (Type/Print) Name _____ <input type="checkbox"/> M.D. <input type="checkbox"/> D.O. <input type="checkbox"/> C.N.M. <input type="checkbox"/> Other Midwife <input type="checkbox"/> Other (Specify) _____ PRIMARY SPECIALTY: PRACTICE: GEN <input type="checkbox"/> FAM <input type="checkbox"/> OB-GYN <input type="checkbox"/> OTHER <input type="checkbox"/>					
12. CERTIFIER'S NAME AND TITLE (Type/Print) Name _____ <input type="checkbox"/> M.D. <input type="checkbox"/> D.O. <input type="checkbox"/> Hospital Admin. <input type="checkbox"/> C.N.M. <input type="checkbox"/> Other Midwife <input type="checkbox"/> Other (Specify)		13. ATTENDANT'S MAILING ADDRESS (Street and Number or Rural Route Number, City or Town, State, Zip Code)							
14. REGISTRAR'S SIGNATURE		15. DATE FILED BY REGISTRAR (Mo., Day, Yr.)							
16a. FIRST NAME		16b. MIDDLE NAME		16c. LAST NAME		17. MAIDEN SURNAME			
18. DATE OF BIRTH (Mo., Day, Yr.)		19. BIRTHPLACE (State or Foreign Country)		20. RESIDENCE-STATE		21. COUNTY		22. CITY OR TOWN	
23. MOTHER'S MAILING ADDRESS						24. ZIP CODE		25. YEARS LIVING IN PRESENT TOWN	
26a. FIRST NAME		26b. MIDDLE NAME		26c. LAST NAME		26d. JRL ETC.			
27. DATE OF BIRTH (Mo., Day, Yr.)		28. BIRTHPLACE (State or Foreign Country)							
29. I certify that the personal information provided on this certificate is correct to the best of my knowledge and belief. Signature of Parent or Other Informant _____									
30a. MOTHER MARRIED (at birth or exception) <input type="checkbox"/> Yes <input type="checkbox"/> No									
30b. CHILD LEGITIMATE? <input type="checkbox"/> Yes <input type="checkbox"/> No									

CONFIDENTIAL: NEITHER MARITAL STATUS NOR THE INFORMATION BELOW WILL APPEAR ON CERTIFIED COPIES OF THE RECORD.

PREGNANCY HISTORY (Complete each section)		31. DATE WHEN MENSTRUATION BEGAN (Mo., Day, Yr.)		32. Parental Permission for issuance of Social Security Number <input type="checkbox"/> Yes <input type="checkbox"/> No									
LIVE BIRTHS (Do not include still child) (Specify birth) 33a. Now Living 33b. Now Dead Number _____ <input type="checkbox"/> None <input type="checkbox"/> None		OTHER TERMINATIONS 33c. Spontaneous (Do not include the time) Number _____ 33d. Induced (Do not include the time) Number _____ 33e. Other (Specify) _____		34. PRENATAL VISITS - Total Number (If none, so state)									
35. DATE OF LAST LIVE BIRTH (Month, Year)		36. WEIGHT (Specify unit)		37. CLINICAL ESTIMATE OF GESTATION (Weeks)									
APGAR SCORE 43. 1 Minute 44. 5 Minutes		45. MOTHER TRANSFERRED PRIOR TO DELIVERY <input type="checkbox"/> No <input type="checkbox"/> Yes If Yes, enter name of facility transferred from: _____		46. IF NOT SINGLE BIRTH - Born First, Second, Third, etc. (Specify)									
SOCIAL SECURITY NUMBER		ANCESTRY - French, English, Irish, etc. (Specify below)		RACE - American Indian, Black, White, etc. (Specify below)									
47. _____		48. _____		49. _____									
50. _____		51. _____		52. _____									
53. _____		54. _____		55. _____									
56. _____		57. _____		58. _____									
59. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply) Anemia (Hct. <30% / <10) _____ a.o. Cardiac disease _____ b.o. Acute or chronic lung disease _____ c.o. Diabetes, gestational _____ d.o. Diabetes, pre-existing _____ e.o. Genital herpes _____ f.o. Hypertension, chronic _____ g.o. Hypertension, pregnancy associated _____ h.o. Edema _____ i.o. Incompetent cervix _____ j.o. Previous infant 4000+ grams _____ k.o. Renal disease _____ l.o. Rh sensitization _____ m.o. Uterine bleeding _____ n.o. Other (Specify) _____ o.o. None _____ p.o.		60. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items) Tobacco use during pregnancy _____ Yes <input type="checkbox"/> No <input type="checkbox"/> Average number cigarettes per day _____ Alcohol use during pregnancy _____ Yes <input type="checkbox"/> No <input type="checkbox"/> Average number drinks per week _____ Weight gained during pregnancy _____ lbs.		61. OBSTETRIC PROCEDURES (Check all that apply) Amniocentesis _____ a.o. Electronic fetal monitoring _____ b.o. Induction of labor _____ c.o. Stimulation of labor _____ d.o. Tocolysis _____ e.o. Ultrasound _____ f.o. Other (Specify) _____ g.o. None _____ h.o.		62. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply) Fetal (>100" F. or 28" C.) _____ a.o. Macronium, moderate / heavy _____ b.o. Premature rupture of membrane (>12 hours) _____ c.o. Abruptio placenta _____ d.o. Placenta previa _____ e.o. Other excessive bleeding _____ f.o. Seizures during labor _____ g.o. Precipitous labor (<3 hours) _____ h.o. Prolonged labor (>20 hours) _____ i.o. Dysfunctional labor _____ j.o. Breech / Malpresentation _____ k.o. Cephalopelvic disproportion _____ l.o. Cord prolapse _____ m.o. Anesthetic complications _____ n.o. Fetal distress _____ o.o. Other (Specify) _____ p.o. None _____ q.o.		63. METHOD OF DELIVERY (Check one) Vaginal _____ a.o. Vaginal birth after previous C-section _____ b.o. Primary C-section _____ c.o. Repeat C-section _____ d.o. Forceps _____ e.o. Vacuum _____ f.o. Other (Specify) _____ g.o.		64. ABNORMAL CONDITIONS OF THE NEWBORN (Check all that apply) Anemia (Hct. <38 / Hgb <13) _____ a.o. Birth injury _____ b.o. Fetal alcohol syndrome _____ c.o. Hyaline membrane disease / RDS _____ d.o. Meconium aspiration syndrome _____ e.o. Assisted ventilation >30 min. _____ f.o. Assisted ventilation >30 min. _____ g.o. Sepsis _____ h.o. Other (Specify) _____ i.o. None _____ j.o.		65. CONGENITAL ANOMALIES OF CHILD (Check all that apply) Anencephalus _____ a.o. Spina bifida / Meningocele _____ b.o. Hydrocephalus _____ c.o. Microcephalus _____ d.o. Other central nervous system anomalies (Specify) _____ e.o. Heart malformations (Specify) _____ f.o. Other circulatory / respiratory anomalies (Specify) _____ g.o. Rectal atresia / stenosis _____ h.o. Tracheo-esophageal fistula / Esophageal atresia _____ i.o. Omphalocele / Gastroschisis _____ j.o. Other gastrointestinal anomalies (Specify) _____ k.o. Malformed genitalia _____ l.o. Renal agenesis _____ m.o. Other urogenital anomalies (Specify) _____ n.o. Club foot / talipes _____ o.o. Polydactyly / Syndactyly / Adactyly _____ p.o. Club foot _____ q.o. Diaphragmatic hernia _____ r.o. Other musculoskeletal / integumentary anomalies (Specify) _____ s.o. Down's syndrome _____ t.o. Other chromosomal anomalies (Specify) _____ u.o. Other _____ v.o. None _____ w.o.	

SEND THIS SHEET TO:
OFFICE OF VITAL STATISTICS
State House Station #11
Augusta, Maine 04333-0011

NAME _____

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES (118)
CERTIFICATE OF FETAL DEATH

State File No. _____

THIS DELIVERY

1. FACILITY NAME (If not institution, give street and number) _____ 2. DATE OF DELIVERY (Mo., Day, Yr.) _____ 3. TIME OF DELIVERY ☐ AM ☐ PM

4. SEX OF FETUS _____ 5. COUNTY OF DELIVERY _____ 6. CITY OR TOWN OF DELIVERY _____

MOTHER

7a. FIRST NAME _____ 7b. MIDDLE NAME _____ 8. MAIDEN SURNAME _____

9. DATE OF BIRTH (Mo., Day, Yr.) _____ 10. BIRTHPLACE (State or Foreign Country) _____ 11. RESIDENCE-STATE _____ 12. COUNTY _____ 13. CITY OR TOWN _____

14. STREET AND NUMBER _____ 15. MOTHER'S MAILING ADDRESS (If same as residence, enter ZIP Code only) _____ 16. YEARS LIVING IN PRESENT TOWN _____

FATHER

17a. FIRST NAME _____ 17b. MIDDLE NAME _____ 17c. LAST NAME _____ 18. JR. ETC. _____

18. DATE OF BIRTH (Mo., Day, Yr.) _____ 19. BIRTHPLACE (State or Foreign Country) _____

CERTIFIER

20. Signature _____ 21. ☐ M.D. ☐ D.O. ☐ Hospital Admin. ☐ Other (Specify) _____

22. DATE SIGNED (Mo., Day, Yr.) _____ 23. ATTENDANT'S NAME AND TITLE (If other than certifier) (Type/Print) _____ ☐ M.D. ☐ D.O. ☐ C.N.M. ☐ Other Mid-wife ☐ Other (Specify) _____

24. SIGNATURE OF FUNERAL DIRECTOR OR AUTHORIZED PERSON _____ 25. NAME AND ADDRESS OF FACILITY OR AUTHORIZED PERSON _____

DISPOSITION

26. REGISTRAR'S SIGNATURE _____ 27. DATE FILED (Mo., Day, Yr.) _____ 28. METHOD ☐ Burial ☐ Cremation ☐ Laboratory _____ 29. PLACE OF DISPOSITION (Name of cemetery, crematory, or other place) _____

CAUSE OF FETAL DEATH

30. PART I. Fetal or maternal condition directly causing fetal death. Enter only one cause per line for a, b, and c.

IMMEDIATE CAUSE

a. DUE TO (OR AS A CONSEQUENCE OF): _____ Specify Fetal or Maternal

b. DUE TO (OR AS A CONSEQUENCE OF): _____ Specify Fetal or Maternal

c. _____ Specify Fetal or Maternal

PART II. Other significant conditions of fetus or mother contributing to fetal death but not responsible in themselves for the death. Enter only one cause per line for a, b, and c.

31. FETUS DIED BEFORE LABOR ☐ DURING LABOR OR DELIVERY ☐ UNKNOWN ☐

32. WAS AN AUTOPSY PERFORMED? ☐ YES ☐ NO ☐ YES ☐ NO

33. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? ☐ YES ☐ NO ☐ YES ☐ NO

34. MOTHER MARRIED? (At delivery or conception) ☐ Yes ☐ No

VS4-R1/90

CONFIDENTIAL: NEITHER MARITAL STATUS NOR THE INFO BELOW WILL APPEAR ON CERTIFIED COPIES OF THE RECORD.

MOTHER

35. ANCESTRY (French, English, Irish, etc. (Specify below)) _____ 36. RACE (American Indian, Black, White, etc. (Specify)) _____

37. EDUCATION (Specify only highest grade completed) _____ 38. USUAL OCCUPATION PAST YEAR (Specify below) _____ 39. USUAL BUSINESS/INDUSTRY PAST YEAR (Specify below) _____

FATHER

40. _____ 41. _____ 42. _____ 43. _____ 44. _____

PREGNANCY HISTORY

45. DATE LAST NORMAL MENSES BEGAN (Mo., Day, Yr.) _____

46. MONTH OF PREGNANCY PRENATAL CARE BEGAN - First, Second, Third, etc. (Specify) _____ 47. PRENATAL VISIT - Total Number (If none, so state) _____

48a. Now Living _____ 48b. Now Dead _____

49a. SPONTANEOUS (Do not include this fetus) _____ 49b. INDUCED (Do not include this fetus) _____

50. FETUS WEIGHT (Specify Unit) _____ 51. CLINICAL ESTIMATE OF GESTATION (Weeks) _____

52. DATE OF LAST LIVE BIRTH (Month, Year) _____ 53. DATE OF LAST OTHER TERMINATION (Month, Year) _____

54. FLURALITY - Single, Twin, Triplet, etc. (Specify) _____ 55. IF NOT SINGLE BIRTH - Born First, Second, Third, etc. (Specify) _____

MEDICAL AND HEALTH INFORMATION

56. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply)

57. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items)

58. METHOD OF DELIVERY (Check all that apply)

59. OBSTETRIC PROCEDURES (Check all that apply)

60. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply)

61. CONGENITAL ANOMALIES OF CHILD (Check all that apply)

SEND THIS SHEET TO: Office of Vital Statistics
State House Station #11, Augusta, Maine 04333-0011

NAME KNOWN TO PHYSICIAN		STATE OF MAINE DEPARTMENT OF HUMAN SERVICES CERTIFICATE OF DEATH		(118)	State File No.
1a. FIRST NAME		1b. MIDDLE NAME		1c. LAST NAME	
2. DATE OF DEATH (Mo., Day, Yr.)		3. SEX	4. SOCIAL SECURITY NUMBER	5a. AGE (Yrs.) - Last Birthday	5b. UNDER 1 YEAR Months Days
7. BIRTHPLACE (City and State or Foreign Country)		8. WAS DECEDENT EVER IN U.S. ARMED FORCES? <input type="checkbox"/> Yes <input type="checkbox"/> No	9. PLACE OF DEATH (Check only one, see instructions on other side) HOSPITAL <input type="checkbox"/> Inpatient <input type="checkbox"/> ER/Outpatient <input type="checkbox"/> DOA <input type="checkbox"/> OTHER <input type="checkbox"/> Nursing Home <input type="checkbox"/> Residence <input type="checkbox"/> Other (Specify)		
10. FACILITY NAME (If not institution, give street and number)			11. COUNTY OF DEATH		12. CITY OR TOWN OF DEATH
13. MARITAL STATUS - Married Never Married Widowed Divorced (Specify)		14. MOST RECENT SPOUSE (If wife, give maiden name) <input type="checkbox"/> Living <input type="checkbox"/> Deceased		15. DECEDENT'S USUAL OCCUPATION (Give kind of work done during most of working life. Do not use retired.)	
16. KIND OF BUSINESS / INDUSTRY		17. DECEDENT'S EDUCATION (Specify only highest grade completed) Elementary/Secondary (0-12) College (1-4 or 5+)		18. ANCESTRY - French, English, Irish, etc. (Specify)	
19. RACE - American Indian, Black, White, etc. (Specify)		20. RESIDENCE - STATE		21. COUNTY	
22. CITY OR TOWN		23. STREET AND NUMBER			
FATHER'S		24a. FIRST NAME		24b. MIDDLE NAME	
MOTHER'S		25a. FIRST NAME		25b. MIDDLE NAME	
26. INFORMANT - NAME (Type/Print)		27. MAILING ADDRESS (Street or Rural Route Number, City or Town, State, ZIP Code)			
28. METHOD OF DISPOSITION <input type="checkbox"/> Burial <input type="checkbox"/> Cremation <input type="checkbox"/> Removal from State <input type="checkbox"/> Donation <input type="checkbox"/> Other (Specify)		29. PLACE OF DISPOSITION (Cemetery, crematory, or other place)		30. LOCATION - City or Town, State	
31. SIGNATURE OF FUNERAL DIRECTOR OR AUTHORIZED PERSON (22 M.R.S.A. § 2846)		32. NAME AND ADDRESS OF FACILITY OR AUTHORIZED PERSON		33. DATE OF DISPOSITION (Mo., Day, Yr.)	
34. MEDICAL EXAMINER Signature and Title		35. DATE SIGNED (Mo., Day, Yr.)		36. VIEWED BODY AFTER DEATH? <input type="checkbox"/> Yes <input type="checkbox"/> No	
37. CERTIFYING PHYSICIAN Signature and Title		38. TIME OF DEATH <input type="checkbox"/> AM <input type="checkbox"/> PM			
39. NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER (Type/Print)		40. NAME AND ADDRESS OF CERTIFIER (Type/Print)			
41. REGISTRAR'S SIGNATURE		42. DATE FILED (Mo., Day, Yr.)			
43. WAS AN AUTOPSY PERFORMED? <input type="checkbox"/> Yes <input type="checkbox"/> No		44. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? <input type="checkbox"/> Yes <input type="checkbox"/> No		45. MANNER OF DEATH <input type="checkbox"/> Natural <input type="checkbox"/> Accident <input type="checkbox"/> Suicide <input type="checkbox"/> Homicide <input type="checkbox"/> Pending Investigation <input type="checkbox"/> Could not be determined	
46. INJURY AT WORK? <input type="checkbox"/> Yes <input type="checkbox"/> No		47. DATE OF INJURY (Mo., Day, Yr.)		48. DESCRIBE HOW INJURY OCCURRED	
49. TIME OF INJURY <input type="checkbox"/> AM <input type="checkbox"/> PM		50. PLACE OF INJURY - At home, farm, street, factory, office building, etc. (Specify)			
51. LOCATION (Street and Number or Rural Route Number, City or Town, State)					
52. PART I. Enter the diseases, injuries, or complications which caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure. List only one cause per each line.					
IMMEDIATE CAUSE (Final disease or condition resulting in death) → a. _____ DUE TO (OR AS A CONSEQUENCE OF):					
Sequently list conditions, if any, leading to immediate cause. Enter UNDERLYING CAUSE (Disease or injury which initiated events resulting in death) LAST { b. _____ DUE TO (OR AS A CONSEQUENCE OF):					
c. _____ DUE TO (OR AS A CONSEQUENCE OF):					
d. _____					
PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in Part I. If not specified in Part I, indicate if the decedent was pregnant or less than 90 days postpartum at time of death.					

VS3-R1/90

SHADED AREAS FOR MEDICAL EXAMINER USE ONLY

ORIGINAL COPY STATE

Item 9. — Place of Death

If the death occurred in a hospital, check the box indicating the decedent's status at the institution (inpatient, emergency room/outpatient, or dead on arrival (DOA)). If death occurred elsewhere, check the box indicating whether death occurred at a nursing home, residence or other location. If other is checked, specify where death occurred, e.g. a physician's office, the place where the accident occurred or at work.

Items 20-23. — Residence of Decedent

Residence of the decedent is the place where he or she actually resided. This is not necessarily the same as "home state" or "legal residence." Never enter a temporary residence such as one used during a visit, business trip or a vacation. Place of residence during a tour of military duty or during attendance at college is not considered as temporary and should be considered the place of residence.

If a decedent had been living in a facility where an individual usually resides for a long period of time such as a group home, mental institution, nursing home, penitentiary or hospital for the chronically ill, report the location of that facility in items 20 through 23.

If the decedent was an infant who never resided at home, the place of residence is that of the parent(s) or legal guardian. Do not use an acute care hospital's location as the place of residence of an infant.

Items 34-51 — Medical Certification

When the circumstances of death make it a medical examiner case as defined in 22 MRSA §3025, the MEDICAL EXAMINER is responsible for completing all items in this section. The shaded areas, item 34 and items 46-51 are to be used only by the Medical Examiner. If the manner of death indicated in item 45 is anything other than natural causes, the certificate must be completed by a medical examiner.

Item 52. — Cause of Death

The cause of death means the disease, abnormality, injury or poisoning that caused the death, not the mode of dying, such as cardiac or respiratory arrest, shock or heart failure.

In Part I, the immediate cause of death is reported on line (a). Antecedent conditions, if any, which gave rise to the cause are reported on lines (b), (c), and (d). The underlying cause should be reported on the last line used in Part I. NO entry is necessary on lines (b), (c), and (d) if the immediate cause of death on line (a) describes completely the train of events. ONLY ONE CAUSE SHOULD BE ENTERED ON A LINE. Additional lines may be added if necessary. Provide the best estimate of the interval between the onset of each condition and death. Do not leave the interval blank; if unknown, so specify.

In Part II, enter other important diseases or conditions that may have contributed to death but did not result in the underlying cause of death given in Part I.

See examples below.

43. WAS AN AUTOPSY PERFORMED? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	45. MANNER OF DEATH <input checked="" type="checkbox"/> Natural <input type="checkbox"/> Accident <input type="checkbox"/> Suicide <input type="checkbox"/> Homicide <input type="checkbox"/> Pending Investigation <input type="checkbox"/> Could not be determined	46. INJURY AT WORK? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	47. DATE OF INJURY (Mo., Day, Yr.) 11/15/88	48. DESCRIBE HOW INJURY OCCURRED 2 car collision—driver
44. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			49. TIME OF INJURY 1:00 <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM	50. PLACE OF INJURY — At home, farm, street, factory, office building, etc. (Specify) Street
			51. LOCATION (Street and Number or Rural Route Number, City or Town, State) Route 4, Augusta, Maine	
52. PART I. Enter the diseases, injuries, or complications which caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure. List only one cause per line.				
CONFIDENTIAL INFORMATION	IMMEDIATE CAUSE (Final disease or condition resulting in death) → a. Rupture of myocardium		Approximate Interval Between Onset and Death Mins.	
	DUE TO (OR AS A CONSEQUENCE OF):			
	b. Acute myocardial infarction		6 days	
	DUE TO (OR AS A CONSEQUENCE OF):			
Sequently list conditions, if any, leading to immediate cause. Enter UNDERLYING CAUSE (Disease or injury which initiated events resulting in death) LAST	c. Chronic ischemic heart disease		5 years	
	DUE TO (OR AS A CONSEQUENCE OF):			
d.				
PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in Part I. Diabetes, Chronic obstructive pulmonary disease, smoking				

43. WAS AN AUTOPSY PERFORMED? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	45. MANNER OF DEATH <input type="checkbox"/> Natural <input checked="" type="checkbox"/> Accident <input type="checkbox"/> Suicide <input type="checkbox"/> Homicide <input type="checkbox"/> Pending Investigation <input type="checkbox"/> Could not be determined	46. INJURY AT WORK? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	47. DATE OF INJURY (Mo., Day, Yr.) 11/15/88	48. DESCRIBE HOW INJURY OCCURRED 2 car collision—driver
44. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			49. TIME OF INJURY 1:00 <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM	50. PLACE OF INJURY — At home, farm, street, factory, office building, etc. (Specify) Street
			51. LOCATION (Street and Number or Rural Route Number, City or Town, State) Route 4, Augusta, Maine	
52. PART I. Enter the diseases, injuries, or complications which caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure. List only one cause per line.				
CONFIDENTIAL INFORMATION	IMMEDIATE CAUSE (Final disease or condition resulting in death) → a. Cerebral laceration		Approximate Interval Between Onset and Death 10 mins.	
	DUE TO (OR AS A CONSEQUENCE OF):			
	b. Open skull fracture		10 mins.	
	DUE TO (OR AS A CONSEQUENCE OF):			
Sequently list conditions, if any, leading to immediate cause. Enter UNDERLYING CAUSE (Disease or injury which initiated events resulting in death) LAST	c. Automobile accident		10 mins.	
	DUE TO (OR AS A CONSEQUENCE OF):			
d.				
PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in Part I.				

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES (118)
LICENSE AND CERTIFICATE OF MARRIAGE

State File No.

GROOM	1a. FIRST NAME			1b. MIDDLE NAME			1c. LAST NAME			1d. JR., ETC.		
	2. AGE LAST BIRTHDAY		3. RESIDENCE - STATE		4. COUNTY		5. CITY, OR TOWN					
	6. STREET AND NUMBER						7. BIRTHPLACE (State or Foreign Country)			8. DATE OF BIRTH (Mo., Day, Yr.)		
	9. FATHER'S NAME (First, Middle, Last)				10. BIRTHPLACE (State or Foreign Country)		11. MOTHER'S NAME (First, Middle, Maiden Surname)			12. BIRTHPLACE (State or Foreign Country)		
BRIDE	13a. FIRST NAME			13b. MIDDLE NAME			14. MAIDEN SURNAME					
	15. AGE LAST BIRTHDAY		16. RESIDENCE - STATE		17. COUNTY		18. CITY OR TOWN					
	19. COUNTY						20. BIRTHPLACE (State or Foreign Country)			21. DATE OF BIRTH (Mo., Day, Yr.)		
	22. FATHER'S NAME (First, Middle, Last)				23. BIRTHPLACE (State or Foreign Country)		24. MOTHER'S NAME (First, Middle, Maiden Surname)			25. BIRTHPLACE (State or Foreign Country)		
MARITAL STATUS	GROOM			BRIDE								
	NUMBER OF THIS MARRIAGE		27. IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED				NUMBER OF THIS MARRIAGE		29. IF PREVIOUSLY MARRIED, LAST MARRIAGE ENDED			
SIGNATURES	26. First, Second, etc. (Specify)		<input type="checkbox"/> DEATH <input type="checkbox"/> DIVORCE <input type="checkbox"/> ANNULMENT		DATE (Mo., Day, Yr.)		28. First, Second, etc. (Specify)		<input type="checkbox"/> DEATH <input type="checkbox"/> DIVORCE <input type="checkbox"/> ANNULMENT		DATE (Mo., Day, Yr.)	
	30. GROOM'S SIGNATURE						31. BRIDE'S SIGNATURE					
LICENSE TO MARRY	ANY DULY AUTHORIZED PERSON IS HEREBY AUTHORIZED TO MARRY THE ABOVE-NAMED PARTIES UNDER THE LAWS OF MAINE.						32. DATE INTENTIONS FILED (Mo., Day, Yr.)		33. DATE LICENSE ISSUED (Mo., Day, Yr.)		34. LICENSE VALID UNTIL (Mo., Day, Yr.)	
							35. SIGNATURE OF ISSUING CLERK				36. CITY OR TOWN OF ISSUE	
THE LAWS OF MAINE PROVIDE THAT ONLY AUTHORIZED PERSONS MAY SOLEMNIZE MARRIAGES IN MAINE												
CEREMONY	37. I CERTIFY THAT THE ABOVE NAMED PERSONS WERE MARRIED ON:				(Mo., Day, Yr.)		38. WHERE MARRIED - CITY OR TOWN			39. COUNTY		
	40. SIGNATURE OF PERSON PERFORMING CEREMONY				41. NAME (Type/Print)			42. TITLE		43. DATE OF COMMISSION OR LICENSE (Mo., Day, Yr.) ADMITTED TO ME.		
	44A. RESIDENCE OF PERSON PERFORMING CEREMONY				44B. MAILING ADDRESS OF PERSON PERFORMING CEREMONY							
WITNESSES SIGNATURES	45A. SIGNATURE OF WITNESS TO CEREMONY						45B. TYPED OR PRINTED NAME OF WITNESS					
	46A. SIGNATURE OF WITNESS TO CEREMONY						46B. TYPED OR PRINTED NAME OF WITNESS					
CLERK	47. REGISTRAR'S SIGNATURE						48. DATE FILED (Mo., Day, Yr.)					

V52-R1/90

CONFIDENTIAL. THE INFORMATION BELOW WILL NOT APPEAR ON CERTIFIED COPIES OF THE RECORD.

GROOM'S RACE		GROOM'S EDUCATION (Specify only highest grade completed)		BRIDE'S RACE		BRIDE'S EDUCATION - (Specify only highest grade completed)	
49. American Indian, Black, White, etc. (Specify)	50. Elementary/Secondary (0-12)	College (1-4 or 5+)	51. American Indian, Black, White, etc. (Specify)	52. Elementary/Secondary (0-12)	College (1-4 or 5+)		

RECORD OF DIVORCE OR ANNULMENT

DEPARTMENT OF HUMAN SERVICES

(118)

State File No.

HUSBAND	1a. NAME OF HUSBAND - FIRST	1b. MIDDLE	1c. LAST	1d. JR, ETC
	2a. USUAL RESIDENCE - STATE	2b. COUNTY	2c. CITY/TOWN	
WIFE	3a. NAME OF WIFE - FIRST	3b. MIDDLE	3c. LAST	
	4a. USUAL RESIDENCE - STATE	4b. COUNTY	4c. CITY/TOWN	
MARRIAGE	5. PLACE OF MARRIAGE - STATE, COUNTY, AND CITY OR TOWN			6. DATE OF MARRIAGE
DIVORCE OR ANNULMENT	7. TYPE OF DECREE DIVORCE <input type="checkbox"/> ANNULMENT <input type="checkbox"/>		8. PLAINTIFF HUSBAND <input type="checkbox"/> WIFE <input type="checkbox"/>	
			9. DECREE GRANTED TO HUSBAND <input type="checkbox"/> WIFE <input type="checkbox"/>	
	10. DATE OF DECREE		11. GROUNDS FOR JUDGEMENT	
MINOR CHILDREN Use Reverse Side for Additional Names	12. NAMES OF MINOR CHILDREN		13. AGES	14. CUSTODY
CERTIFICATION	15. I HEREBY CERTIFY THAT THE ABOVE ITEMS OF INFORMATION ARE TRUE AND CORRECT AS SHOWN IN THE ORIGINAL RECORD ON FILE IN THIS COURT SIGNATURE OF CLERK ▶		16. NAME OF COURT	
			17. LOCATION OF COURT	

VSS - R Y90

SEND TO: Office of Vital Statistics
State House Station # 11, Augusta, Maine 04333-0011

STATE OF MAINE
DEPARTMENT OF HUMAN SERVICES
REPORT OF INDUCED ABORTION

(118)

State File No.

1. FACILITY NAME (If not clinic or hospital, give address)		2. COUNTY OF ABORTION		3. CITY/TOWN OF ABORTION		4. PATIENT MARRIED? <input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> UNKNOWN			
5. DATE OF ABORTION (Month, Day, Year)		6. AGE OF PATIENT		7. RESIDENCE - STATE		8. COUNTY			
9. CITY/TOWN									
10. ANCESTRY French, English, Irish, Etc. (Specify Below)		11. RACE <input type="checkbox"/> American Indian <input type="checkbox"/> Black <input type="checkbox"/> White <input type="checkbox"/> Other (Specify) _____		12. EDUCATION (Specify only highest grade completed)					
				Elementary/Secondary (0-12)		College (1-4 or 5+)			
13. DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)		14. CLINICAL ESTIMATE OF GESTATION (Weeks)		PREGNANCY HISTORY (Complete each section)					
				LIVE BIRTHS		OTHER TERMINATIONS (Do not include this termination)			
				15a. Now living		15b. Now dead		16a. Spontaneous	
				16b. Induced					
				Number _____		Number _____			
				<input type="checkbox"/> None		<input type="checkbox"/> None			
TERMINATION PROCEDURES									
17a. PROCEDURE THAT TERMINATED PREGNANCY (Check only one)		TYPE OF TERMINATION PROCEDURES				17b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY (Check all that apply)			
<input type="checkbox"/> Suction Curettage <input type="checkbox"/> Sharp Curettage <input type="checkbox"/> Dilation and Evacuation (D&E) <input type="checkbox"/> Intra-Uterine Saline Instillation <input type="checkbox"/> Intra-Uterine Prostaglandin Instillation <input type="checkbox"/> Hysterotomy <input type="checkbox"/> Hysterectomy <input type="checkbox"/> Other (Specify) _____		<input type="checkbox"/> Suction Curettage <input type="checkbox"/> Sharp Curettage <input type="checkbox"/> Dilation and Evacuation (D&E) <input type="checkbox"/> Intra-Uterine Saline Instillation <input type="checkbox"/> Intra-Uterine Prostaglandin Instillation <input type="checkbox"/> Hysterotomy <input type="checkbox"/> Hysterectomy <input type="checkbox"/> Other (Specify) _____				<input type="checkbox"/> Suction Curettage <input type="checkbox"/> Sharp Curettage <input type="checkbox"/> Dilation and Evacuation (D&E) <input type="checkbox"/> Intra-Uterine Saline Instillation <input type="checkbox"/> Intra-Uterine Prostaglandin Instillation <input type="checkbox"/> Hysterotomy <input type="checkbox"/> Hysterectomy <input type="checkbox"/> Other (Specify) _____			
18. SIGNATURE OF ATTENDING PHYSICIAN		19. NAME OF PERSON COMPLETING REPORT (Type/Print)							

VS4 - R 96

SEND TO: Office of Vital Statistics
State House Station #11, Augusta, Maine 04333-0011

Table E-1
ESTIMATED POPULATION OF MAINE
BY COUNTY
July 1, 1996

COUNTY	ESTIMATED POPULATION
MAINE	1,243,316
Androscoggin	101,754
Aroostook	78,113
Cumberland	251,087
Franklin	29,200
Hancock	49,500
Kennebec	116,214
Knox	37,487
Lincoln	31,303
Oxford	53,797
Penobscot	144,989
Piscataquis	18,329
Sagadahoc	35,508
Somerset	52,507
Waldo	35,822
Washington	36,224
York	171,482

SOURCE: United States Department
of Commerce, Bureau of the Census,
April 1997.

[VSTAB_E1.SAS, 3/23/1999]

Table E-2
ESTIMATED POPULATION OF MAINE
BY AGE GROUP AND SEX
July 1, 1996

AGE GROUP	TOTAL	SEX	
		Male	Female
ALL AGES	1,243,316	607,220	636,096
Less Than 1 Year	13,561	6,951	6,610
1-14	232,384	119,367	113,017
15-24	164,841	83,927	80,914
25-34	176,906	86,993	89,913
35-44	215,949	108,324	107,625
45-64	266,256	130,737	135,519
65-74	94,024	42,313	51,711
75-84	58,481	23,002	35,479
85 Years and Over	20,914	5,606	15,308

SOURCE: United States Department of Commerce, Bureau of the Census,
July 1997.

[VSTAB_E2.SAS, 3/23/1999]

Table LF-1
LIFE EXPECTANCY IN MAINE
BY SINGLE YEAR OF AGE AND SEX
1990

AGE	* * * * LIFE EXPECTANCY IN YEARS * * * *		
	TOTAL	Male	Female
0	76.2	72.8	79.4
1	75.7	72.3	78.8
2	74.7	71.4	77.9
3	73.7	70.4	76.9
4	72.7	69.4	75.9
5	71.8	68.4	75.0
6	70.8	67.5	74.0
7	69.8	66.5	73.0
8	68.8	65.5	72.0
9	67.8	64.5	71.0
10	66.8	63.5	70.0
11	65.8	62.5	69.0
12	64.9	61.5	68.0
13	63.9	60.6	67.0
14	62.9	59.6	66.1
15	61.9	58.6	65.1
16	60.9	57.6	64.1
17	60.0	56.7	63.1
18	59.0	55.7	62.2
19	58.1	54.8	61.2
20	57.1	53.9	60.2
21	56.2	52.9	59.2
22	55.2	52.0	58.3
23	54.3	51.1	57.3
24	53.3	50.2	56.3
25	52.4	49.2	55.3
26	51.4	48.3	54.3
27	50.5	47.4	53.4
28	49.5	46.4	52.4
29	48.5	45.5	51.4
30	47.6	44.6	50.5
31	46.6	43.6	49.5
32	45.7	42.7	48.5
33	44.7	41.7	47.5
34	43.8	40.8	46.6
35	42.8	39.9	45.6
36	41.9	38.9	44.6
37	40.9	38.0	43.7
38	40.0	37.1	42.7
39	39.0	36.1	41.7
40	38.1	35.2	40.8
41	37.1	34.3	39.8
42	36.2	33.3	38.9
43	35.3	32.4	37.9
44	34.3	31.5	36.9
45	33.4	30.6	36.0

Table LF-1
LIFE EXPECTANCY IN MAINE
BY SINGLE YEAR OF AGE AND SEX
1990

AGE	* * * * LIFE EXPECTANCY IN YEARS * * * *		
	TOTAL	Male	Female
46	32.5	29.7	35.0
47	31.6	28.8	34.1
48	30.7	27.9	33.2
49	29.7	27.0	32.3
50	28.8	26.1	31.3
51	28.0	25.3	30.4
52	27.1	24.4	29.5
53	26.3	23.6	28.7
54	25.4	22.7	27.8
55	24.6	21.9	26.9
56	23.7	21.1	26.0
57	22.9	20.3	25.2
58	22.1	19.5	24.3
59	21.3	18.8	23.5
60	20.5	18.0	22.7
61	19.8	17.3	21.8
62	19.0	16.6	21.1
63	18.3	15.9	20.3
64	17.6	15.2	19.5
65	16.9	14.6	18.8
66	16.2	13.9	18.0
67	15.5	13.3	17.2
68	14.8	12.7	16.5
69	14.2	12.1	15.8
70	13.6	11.5	15.1
71	12.9	11.0	14.4
72	12.3	10.4	13.7
73	11.7	9.9	13.0
74	11.1	9.3	12.4
75	10.6	8.8	11.8
76	10.0	8.3	11.2
77	9.5	7.9	10.6
78	9.0	7.4	10.0
79	8.5	7.0	9.4
80	8.1	6.6	8.9
81	7.6	6.2	8.3
82	7.1	5.8	7.8
83	6.7	5.5	7.3
84	6.2	5.1	6.8
85	5.9	4.8	6.4
86	5.5	4.5	5.9
87	5.1	4.1	5.5
88	4.7	3.8	5.1
89	4.4	3.5	4.7
90	4.0	3.2	4.3

Table LF-1
LIFE EXPECTANCY IN MAINE
BY SINGLE YEAR OF AGE AND SEX
1990

AGE	LIFE EXPECTANCY IN YEARS		
	TOTAL	Male	Female
91	3.7	3.0	3.9
92	3.4	2.9	3.6
93	3.2	2.7	3.3
94	2.9	2.5	3.0
95	2.6	2.2	2.7
96	2.3	2.0	2.4
97	1.9	1.9	2.0
98	1.7	1.6	1.7
99	1.2	1.1	1.2
100	0.5	0.5	0.5

NOTE: Prepared by Maine Department of Human Services, Bureau of Health, Offices of Health Data and Program Management; Data, Research and Vital Statistics.

Table H-1

HISTORICAL VITAL STATISTICS DATA
POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES:
RATES FOR BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS
MAINE STATE TOTALS, 1900-1965 (Every Fifth Year) and 1966-1994 (Yearly)

Year	Population	Live Births	Birth Rate per 1,000 Population	Deaths (All Ages)	Death Rate Per 1,000 Population	Infant Death Rate ^d	Neonatal Death Rate ^d	Fetal Death Rate ^d	Marriages ^c	Divorces ^c
1900	694,466	14,095	20.3	11,389	16.4	267.5	-	43.6 ^a	5,482	801
1905	719,000	15,294	21.3	11,381	15.8	234.2	-	46.5 ^a	6,264	848
1910	742,371	15,798	21.3	12,439	16.7	249.2	30.4	42.5 ^a	5,900	911
1915	757,000	16,671	22.0	11,541	15.2	135.7	25.4	41.3 ^a	6,672	1,006
1920	768,014	17,495	22.7	11,850	15.3	102.8	41.2	42.8 ^a	7,884	1,364
1925	782,700	17,706	22.6	10,874	13.8	75.6	51.8	-	6,226	1,228
1930	797,423	16,199	20.3	11,084	13.9	75.4	41.5	35.9 ^a	6,438	1,466
1935	822,300	15,715	19.1	11,042	13.4	62.3	37.8	33.6 ^a	7,089	1,474
1940	847,226	15,285	18.0	10,640	12.6	52.9	34.0	24.8 ^a	8,475	1,537
1945	880,500	16,647	18.9	9,966	11.3	46.6	27.0	24.1 ^a	7,569	2,497
1950	914,950	21,239	23.2	9,962	10.9	31.2	22.0	19.4 ^a	8,617	2,162
1955	940,841	22,753	24.2	10,140	10.8	24.5	17.3	28.4 ^a	8,263	1,954
1960	970,689	23,282	24.0	10,752	11.1	25.2	18.6	17.7 ^a	7,860	2,025
1965	993,236	19,796	19.9	10,778	10.9	22.4	16.9	17.5 ^a	8,726	2,502
1966	994,714	18,526	18.6	10,915	11.0	22.6	17.1	15.0 ^a	8,983	2,630
1967	995,134	17,976	18.1	10,066	10.1	23.1	16.4	16.1 ^a	9,210	3,049
1968	994,632	16,866	17.0	11,085	11.1	21.6	15.9	16.0 ^a	10,179	3,088
1969	993,907	17,364	17.5	10,898	11.0	19.7	15.3	11.8 ^a	10,428	3,375
1970	997,357	17,837	17.9	11,066	11.1	20.9	16.1	13.8 ^a	10,975	3,841
1971	1,012,257	17,850	17.6	10,830	10.7	18.1	13.3	13.2 ^a	11,193	3,905
1972	1,025,775	16,269	15.9	11,147	10.9	17.7	12.8	12.2 ^a	11,741	4,132
1973	1,038,291	15,730	15.1	10,837	10.4	16.1	11.6	13.3 ^a	11,925	4,551
1974	1,050,181	15,110	14.4	10,705	10.2	16.1	12.6	9.9 ^b	11,546	4,850
1975	1,062,640	15,232	14.3	10,253	9.6	13.2	9.0	10.8 ^b	11,190	5,526
1976	1,074,653	15,046	14.0	10,422	9.7	11.0	7.6	8.3 ^b	11,302	5,522
1977	1,087,650	16,252	14.9	10,055	9.2	9.4	6.1	8.6 ^b	11,446	5,655
1978	1,101,186	15,919	14.5	10,168	9.2	10.2	6.0	8.9 ^{b,c}	11,658	6,164
1979	1,115,044	16,435	14.7	10,278	9.2	9.7	5.8	7.2 ^{b,c}	11,918	6,158
1980	1,125,027	16,474	14.6	10,768	9.6	9.3	5.9	7.1 ^{b,c}	12,040	6,189
1981	1,132,849	16,567	14.6	10,331	9.1	10.6	6.6	5.7 ^{b,c}	12,290	6,351
1982	1,136,199	16,695	14.7	10,451	9.2	8.7	6.0	6.9 ^{b,c}	12,388	5,804
1983	1,145,730	16,576	14.5	10,916	9.5	8.7	5.9	6.5 ^b	12,478	5,939
1984	1,156,485	16,631	14.4	10,826	9.4	8.0	4.8	6.8 ^b	12,525	5,795
1985	1,163,850	16,905	14.5	11,392	9.8	8.9	6.3	6.0 ^b	12,248	6,070
1986	1,172,200	16,717	14.3	11,178	9.5	8.7	5.6	5.9 ^b	11,983	5,621
1987	1,186,350	16,727	14.1	11,238	9.5	8.1	4.8	5.7 ^b	12,124	5,878
1988	1,205,900	17,166	14.2	11,482	9.5	7.9	5.1	6.3 ^b	12,553	6,041
1989	1,216,050	17,464	14.4	11,090	9.1	7.0	4.8	5.6 ^b	11,894	5,469
1990	1,227,928	17,314	14.1	11,023	9.0	5.9	4.3	5.2 ^b	11,914	5,164
1991	1,234,597	16,755	13.6	11,189	9.1	6.7	4.4	4.9 ^b	11,306	5,645
1992	1,236,348	16,013	13.0	11,045	8.9	5.6	3.6	5.3 ^b	11,305	6,257
1993	1,239,779	15,054	12.1	11,540	9.3	6.4	4.2	5.0 ^b	11,207	5,997
1994	1,240,280	14,396	11.6	11,596	9.3	6.1	4.0	3.8 ^b	10,978	5,701
1995	1,241,382	13,875	11.2	11,698	9.4	6.3	4.3	6.0 ^b	10,104	5,893
1996	1,243,316	13,766	11.1	11,695	9.4	4.4	3.3	5.0 ^b	10,705	5,878

Notes: ^aFetal death rate calculated based on all reported terminations of pregnancy, regardless of gestational age. In 1973, 12.0% of such terminations were for fetuses of less than 20 weeks gestation.

^bFetal death rate calculated based on reported fetal deaths of gestational age 20 weeks or more.

^cOccurrence data.

^dRate per 1,000 live births in the same year.

All data for births and deaths pertain to Maine residents only, starting in 1935. Data on marriages and divorces describe all such events which occurred in Maine.

MAINE DEPARTMENT OF HUMAN SERVICES
Office of Data, Research, and Vital Statistics
#11 State House Station
35 Anthony Avenue
Augusta, Maine 04333-0011

SPECIAL FOURTH CLASS
Book Rate